




STATE OF NEW YORK
OFFICE OF GENERAL SERVICES
DESIGN AND CONSTRUCTION GROUP
THE GOVERNOR NELSON A. ROCKEFELLER
EMPIRE STATE PLAZA
ALBANY, NY 12242



ADDENDUM NO. 3 TO PROJECT NO. 43091-C

**CONSTRUCTION WORK
REPLACE WINDOWS AND DOORS
BUILDING No. 12
WALLKILL CORRECTIONAL FACILITY
P.O. BOX G ROUTE 208
WALLKILL, NY 12589-0286**

January 21, 2015

NOTE: This Addendum forms a part of the Contract Documents. Insert it in the Project Manual. Acknowledge receipt of this Addendum in the space provided on the Bid Form.

SPECIFICATIONS

1. Remove wording for '100% SUBMISSION COPY...' in its entirety, from cover page of project manual.
2. Section 085123 Steel Windows, **Part 2 Products, 2.01 Materials**

Replace paragraph E with the following:

- E. Security Screens:
1. Frame: Electro-galvanized steel finished to match windows. (3) screen sections per window as shown on contract drawing 6/A-508.
 2. Retainer Frame: Removable from interior of the building for replacement fastened with rivets or Torx-head screws. (Finish to match window.)
 3. Screen Cloth:
 - a. 12 ga. Mesh, (.028") diameter stainless steel wire cloth. Double crimped in retainer frame.
 - b. Finish: mill finish

3. Section 085123 Steel Windows, **Part 2 Products, 2.02 Fabrication**

At paragraph L, remove last sentence in its entirety 'Provide metal cap....at corridor windows''

END OF ADDENDUM

Margaret F. Larkin
Executive Director