



STATE OF NEW YORK
OFFICE OF GENERAL SERVICES
DESIGN AND CONSTRUCTION GROUP
THE GOVERNOR NELSON A. ROCKEFELLER
EMPIRE STATE PLAZA
ALBANY, NY 12242



ADDENDUM NO. 6 TO PROJECT NO. 43707

**ELEVATOR, ELECTRICAL & PLUMBING WORK
PROVIDE STAGE & DRESSER LIFT
GNARESP THE EGG
EMPIRE STATE PLAZA
ALBANY, NEW YORK**

November 25, 2013

NOTE: This Addendum forms a part of the Contract Documents. Insert it in the Project Manual.
Acknowledge receipt of this Addendum in the space provided on the Bid Form.

SPECIFICATION GROUP (U, E & P CONTRACT)

1. Page 000110 – 2: Delete Section 015123 Construction Heat and Temporary Heat in its entirety.
2. Page 150000 – 4, Article 1.13: Delete this article in its entirety.
3. SECTION 015123 CONSTRUCTION HEAT AND TEMPORARY HEAT: Delete this section in its entirety.
4. Page 017716 – 2, Article 1.04 F: Delete this article in its entirety.

ELEVATOR SPECIFICATIONS

5. Page 142821 – 1, Article 2.01, A 1: Delete this subparagraph in its entirety.
6. Page 142821 – 2, Article 2.02, A 1: Delete this subparagraph in its entirety.

ELECTRICAL SPECIFICATIONS

7. Page 262416 – 2, Add the Following Article to PART 2 PRODUCTS:

“2.03 MODIFICATIONS TO EXISTING SWITCHBOARD - "U" (GE Style QMR)

- A. The use of a reconditioned fused switch unit is acceptable if the fused switch unit is not available as a new part.
- B. Provide proof of reconditioning (letter from vendor) itemizing all parts replaced.
- C. During submittal process, provide digital photos of all replacement parts and all current making and breaking parts to ensure adequacy of current carrying capacity.

ADDENDUM NO. 6 PROJECT NO. 43707-U, E, & P

- D. During submittal process provide evidence that the warranty meets all contractual obligations of this project.”.

PLUMBING SPECIFICATIONS

8. None.

ELEVATOR DRAWINGS

9. None.

ELECTRICAL DRAWINGS

10. None.

PLUMBING DRAWINGS

11. None.

END OF ADDENDUM

James Dirolf, P.E.
Director of Design