



STATE OF NEW YORK
OFFICE OF GENERAL SERVICES
DESIGN AND CONSTRUCTION GROUP
THE GOVERNOR NELSON A. ROCKEFELLER
EMPIRE STATE PLAZA
ALBANY, NY 12242



ADDENDUM NO. 1 TO PROJECT NO. 44254

CONSTRUCTION WORK

**PROVIDE SECURITY WINDOWS
ADMINISTRATION BLDG NO. 24 AND HOUSING BLDG. NO 7
ALBION CORRECTIONAL FACILITY
3596 STATE SCHOOL ROAD
ALBION, NEW YORK 14411**

February 8, 2013

NOTE: This Addendum forms a part of the Contract Documents. Insert it in the Project Manual. Acknowledge receipt of this Addendum in the space provided on the Bid Form.

SPECIFICATIONS:

1. Page 085123-4, **Delete** Subparagraph 2.01 H, and **Replace** with the following:
 - H. Simulated Divided Lite muntin sections:
 1. Material: Hot rolled exterior muntin applied to exterior and welded to perimeter frame and grind smooth. Provide neoprene spacer between muntins and glazing.

APPENDIX:

1. Page BLDG 07 – 3 of 20 in Window and Louver Schedule, **Modify** Window No. 1/08 from W2 to window/louver elevation W4. **Modify** detention screen from DS2 to DS3.
2. Page BLDG 07 – 5 of 20 in Window and Louver Schedule, **Modify** Window No. 2/08 from W2 to window/louver elevation W4. **Modify** detention screen from DS2 to DS3.
3. Page BLDG 07 – 6 of 20 in Window and Louver Schedule, **Modify** Window Nos. 2/32 and 2/34 from B to window type A.
4. Page BLDG 24 – 12 of 20 in Window and Louver Schedule, **Modify** Window No. 1/63 from type B to window type A.
5. Page BLDG 24 – 12 of 20 in Window and Louver Schedule, **Modify** Window No. 1/65 from type A to window type B and window/louver elevation W2 to W4.

ADDENDUM NO. 1 TO PROJECT NO. 44254


6. Page BLDG 24 – 16 of 20 in Window and Louver Schedule, **Modify** Window No. 2/68 from W2 to window/louver elevation W4.
7. Page BLDG 24 – 20 of 20 in Window and Louver Schedule, **Modify** Window Nos. 3/34 and 3/36 from type B to window type A. **Modify** window elevations from W4 to window/louver elevation W2.
8. Page BLDG 24 – 20 of 20 in Window and Louver Schedule, **Modify** Window No. 3/35 from type B to window type A.
9. Page BLDG 07 - 02 thru 06, **Modify** Head Details 5/A701 to 4/A702 for all type “B” windows.
10. Page BLDG 24 - 02 thru 06, **Modify** Head Details 7/A701 to 5/A702 for all type “B” windows.

DRAWINGS:

1. Drawing No. A101:
 - a. **Modify** plan 3/A101 per attached drawing ADD1-SK-A1
 - b. **Modify** General Removal Notes, per attached drawing ADD1-SK-A2
2. Drawing No. A702:
 - a. **ADD** detail 4/A702 per attached drawing ADD1-SK-A3
 - b. **ADD** detail 5/A702 per attached drawing ADD1-SK-A4

END OF ADDENDUM

James Dirolf, P.E.
Director of Design



ADDENDUM NO. 1	REFERENCE PLAN - 3/A101
SHEET TITLE: EXISTING BASEMENT PLAN	
PROJECT: PROVIDE SECURITY WINDOWS ADMINISTRATION BLDG. NO. 24 AND HOUSING BLDG. NO. 7 ALBION CORRECTIONAL FACILITY	
<small>WARNING: THE ALTERATION OF THIS MATERIAL IN ANY WAY, UNLESS DONE UNDER THE DIRECTION OF A COMPARABLE PROFESSIONAL, I.E. ARCHITECT FOR AN ARCHITECT, ENGINEER FOR AN ENGINEER OR LANDSCAPE ARCHITECT FOR A LANDSCAPE ARCHITECT, IS A VIOLATION OF THE NEW YORK STATE EDUCATION LAW AND/OR REGULATIONS AND IS A CLASS 'A' MISDEMEANOR.</small>	DWG NO: ADD-01-SK-A1

OGS
NYS OFFICE OF GENERAL SERVICES
Serving New York

CONTRACT:	CONSTRUCTION
PROJ. NO:	44254-C
DATE:	01/07/13
DRAWN:	CJD
APPROVED:	--

GENERAL REMOVAL NOTES:

1. REMOVE EXISTING EXTERIOR STEEL DETENTION SCREENS, HARDWARE AND ANCHORS AT EXTERIOR. REMOVE EXISTING WOOD WINDOWS, INCLUDING BLOCKING, TRIM AND ASSOCIATED HARDWARE. SEE WINDOW REMOVAL DETAILS ON SHEET A701.
2. REMOVE EXISTING EXTERIOR LOUVERS INCLUDING BLOCKING AND ANCHORS.
3. CUT EXISTING STEEL SECURITY BARS IMBEDDED INTO GROUT JOINTS FLUSH WITH EXTERIOR BRICK JAMBS. REMOVE EXISTING WOOD WINDOWS INCLUDING BLOCKING, TRIM AND ASSOCIATED HARDWARE. SEE WINDOW REMOVAL DETAILS ON SHEET A701.
4. REMOVE EXISTING INTERIOR STEEL DETENTION SCREENS, HARDWARE AND ANCHORS. REMOVE COMPLETELY EXISTING WOOD WINDOWS, TRIM AND ASSOCIATED HARDWARE. SEE WINDOW REMOVAL DETAILS ON SHEET A701.
5. REMOVE EXISTING WOOD WINDOWS, INCLUDING BLOCKING, TRIM AND ASSOCIATED HARDWARE. SEE WINDOW REMOVAL DETAILS ON SHEET A701.
6. REMOVE CAULK AT EXTERIOR AND INTERIOR PERIMETER OF EXISTING LOUVERS TO REMAIN. CLEAN AND PREP LOUVER FOR REPAINTING AND CAULK.
7. REMOVE EXISTING EXTERIOR STEEL DETENTION SCREENS, HARDWARE AND ANCHORS AT EXTERIOR. REMOVE EXISTING WOOD WINDOWS, INCLUDING BLOCKING, TRIM AND ASSOCIATED HARDWARE. SEE WINDOW REMOVAL DETAILS ON SHEET A701. PRIOR TO REMOVALS, CORE HOLE THROUGH EXISTING EXTERIOR MASONRY WALL AS REQUIRED FOR RELOCATION OF EXISTING DRYER VENTS (2 TOTAL) TO SIDE OF EXISTING WINDOW. DISCONNECT EXISTING DRYER DUCTS AND PROVIDE HOOK UP TO RELOCATED LOCATION. PROVIDE DRYER DUCT AND EXTERIOR WALL CAP.



NYS OFFICE OF GENERAL SERVICES

Serving New York

CONTRACT:	CONSTRUCTION
PROJ. NO:	44254-C
DATE:	01/07/13
DRAWN:	CJD
APPROVED:	--


ADDENDUM NO. 1 REFERENCE: SHEET - A101

SHEET TITLE:
GENERAL REMOVAL NOTES: (ADD KEY NOTE 7)

PROJECT: PROVIDE SECURITY WINDOWS
ADMINISTRATION BLDG NO. 24 AND HOUSING BLDG. NO. 7
ALBION CORRECTIONAL FACILITY

WARNING: THE ALTERATION OF THIS MATERIAL IN ANY WAY, UNLESS DONE UNDER THE DIRECTION OF A COMPARABLE PROFESSIONAL, I.E. ARCHITECT FOR AN ARCHITECT, ENGINEER FOR AN ENGINEER OR LANDSCAPE ARCHITECT FOR A LANDSCAPE ARCHITECT, IS A VIOLATION OF THE NEW YORK STATE EDUCATION LAW AND/OR REGULATIONS AND IS A CLASS 'A' MISDEMEANOR.

DWG NO:
ADD-01-SK-A2




- TYPICAL NOTE AT ALL WINDOW DETAILS:**
1. TYPE 1 SEALANT AT ALL EXTERIOR JOINTS.
 2. CAULK AND SEAL ALL INTERIOR JOINTS WITH TYPE 6 SEALANT.
 3. EXISTING INTERIOR TRIM TO REMAIN UNLESS OTHERWISE NOTES. IF EXISTING TRIM IS DAMAGED OR DETERIORATED, REMOVE AND REPLACE TO MATCH. COORDINATE WITH DIRECTOR'S REPRESENTATIVE FOR LOCATIONS AND QUANTITIES



CONTRACT:	CONSTRUCTION
PROJ. NO:	44254-C
DATE:	01/07/13
DRAWN:	CJD
APPROVED:	--

ADDENDUM NO. 1	ADD DETAIL 4/A-702
SHEET TITLE: HEAD DETAIL AT FIXED UNIT	
PROJECT: PROVIDE SECURITY WINDOWS ADMINISTRATION BLDG NO. 24 AND HOUSING BLDG. NO. 7 ALBION CORRECTIONAL FACILITY	
<small>WARNING: THE ALTERATION OF THIS MATERIAL IN ANY WAY, UNLESS DONE UNDER THE DIRECTION OF A COMPARABLE PROFESSIONAL, I.E. ARCHITECT FOR AN ARCHITECT, ENGINEER FOR AN ENGINEER OR LANDSCAPE ARCHITECT FOR A LANDSCAPE ARCHITECT, IS A VIOLATION OF THE NEW YORK STATE EDUCATION LAW AND/OR REGULATIONS AND IS A CLASS 'A' MISDEMEANOR.</small>	DWG NO: ADD-01-SK-A3



EXISTING EXTERIOR
FACE BRICK

EXISTING LINTEL TO
REMAIN

BACKER ROD AND
SEALANT BOTH SIDES

EXTERIOR WOOD TRIM
(2) - 1x PIECES TO
MATCH EXISTING TRIM,
PAINTED FINISH WITH
EAE

FIXED STEEL WINDOW

INSECT SCREEN

EXISTING BRICK
BEYOND

P.T. WOOD BLOCK,
BUILT-UP, P.T WOOD
SHIM TO LEVEL

EXISTING WALL
CONSTRUCTION AND
LINTEL TO REMAIN

EXISTING PLASTER TO
REMAIN. PATCH PLASTER
DAMAGED BY REMOVALS
AND INSTALLATION,
PAINT TO FINISH.

BACKER ROD &
TYPE 6 SEALANT

12 GA. J-TRIM

DETENTION SCREENS

FACE OF BRICK 2"

 M M

 MATCH EXIST.
 V.I.F.

- TYPICAL NOTE AT ALL WINDOW DETAILS:**
1. TYPE 1 SEALANT AT ALL EXTERIOR JOINTS.
 2. CAULK AND SEAL ALL INTERIOR JOINTS WITH TYPE 6 SEALANT.
 3. EXISTING INTERIOR TRIM TO REMAIN UNLESS OTHERWISE NOTES. IF EXISTING TRIM IS DAMAGED OR DETERIORATED, REMOVE AND REPLACE TO MATCH. COORDINATE WITH DIRECTOR'S REPRESENTATIVE FOR LOCATIONS AND QUANTITIES



CONTRACT:	CONSTRUCTION
PROJ. NO:	44254-C
DATE:	01/07/13
DRAWN:	CJD
APPROVED:	--

ADDENDUM NO. 1	ADD DETAIL 4/A-702
SHEET TITLE: HEAD DETAIL AT FIXED UNIT	
PROJECT: PROVIDE SECURITY WINDOWS ADMINISTRATION BLDG NO. 24 AND HOUSING BLDG. NO. 7 ALBION CORRECTIONAL FACILITY	
<small>WARNING: THE ALTERATION OF THIS MATERIAL IN ANY WAY, UNLESS DONE UNDER THE DIRECTION OF A COMPARABLE PROFESSIONAL, I.E. ARCHITECT FOR AN ARCHITECT, ENGINEER FOR AN ENGINEER OR LANDSCAPE ARCHITECT FOR A LANDSCAPE ARCHITECT, IS A VIOLATION OF THE NEW YORK STATE EDUCATION LAW AND/OR REGULATIONS AND IS A CLASS 'A' MISDEMEANOR.</small>	DWG NO: ADD-01-SK-A4