




STATE OF NEW YORK
OFFICE OF GENERAL SERVICES
DESIGN AND CONSTRUCTION GROUP
THE GOVERNOR NELSON A. ROCKEFELLER
EMPIRE STATE PLAZA
ALBANY, NY 12242



ADDENDUM NO. 4 TO PROJECT NO. 44304

**CONSTRUCTION WORK
REPLACE WINDOW'S
HOUSING UNITS 1, 2, 4 and 9
MIDSTATE CORRECTIONAL FACILITY
P.O. BOX 216, RIVER ROAD
MARCY, NY 12589-0286**

February 20, 2015

<p>NOTE: This Addendum forms a part of the Contract Documents. Insert it in the Project Manual. Acknowledge receipt of this Addendum in the space provided on the Bid Form.</p>
--

BIDDING REQUIREMENTS

1. DOCUMENT 001114 ADVERTISEMENT FOR BIDS: The last day for receipt of bids is changed from Wednesday, February 25, 2015, to Wednesday, March 4, 2015.

SPECIFICATIONS

1. Section 011000, 1.02.C
Add sentence: Where directed by the Directors Representative.
2. Section 011000, 1.04
Add paragraph 'D. Submittal No. 4 (Construction Work Contract): Submit properly coordinated shop drawings for approval per Specification 085662 not later than 60 days after approval of the Contract by the Comptroller.'
3. Section 085663, PART 2 PRODUCTS, 2.01 MATERIALS
Replace paragraph F. with the following paragraph. 'Anchors: Embed epoxy anchors to be cold weather, Hilti-Ice type or equal.'

DRAWINGS

1. Drawing G-002, Lead Notes
 - a. Lead Note 1: At end of first sentence, replace "... lead." with "... lead, paint on security screen is assumed to also contain lead."
 - b. Lead Note 1: In the third sentence, replace "Windows are ..." with "Windows and security screens are ..."
 - c. Lead Note 6: Add to end of note: "Paint on bug screen frame is assumed to be coated with lead based paint. Remove bug screen frame and dispose of by recycling in accordance with specification section 028304."
2. Drawing No. A-505
 - a. Omit sheet A505 in its entirety.

END OF ADDENDUM

Margaret F. Larkin
Executive Director
Design and Construction