



STATE OF NEW YORK
OFFICE OF GENERAL SERVICES
DESIGN AND CONSTRUCTION GROUP
THE GOVERNOR NELSON A. ROCKEFELLER
EMPIRE STATE PLAZA
ALBANY, NY 12242



ADDENDUM NO. 1 TO PROJECT NO. 44405

**CONSTRUCTION WORK
TIRE STOCKPILE ABATEMENT
BARNES AVENUE
UTICA, NY**

January 4, 2012

NOTE: This Addendum forms a part of the Contract Documents. Insert it in the Project Manual. Acknowledge receipt of this Addendum in the space provided on the Bid Form.

SPECIFICATIONS

1. SECTION 011000 SUMMARY OF THE WORK: Discard the Section bound in the Project Manual and substitute the attached Section (pages 011000 – 1 thru 011000 – 3) noted REVISED 01/04/12.
2. SECTION 014100 REGULATORY: Discard the Section bound in the Project Manual and substitute the attached Section (pages 014100 - 1) noted REVISED 01/04/12.

DRAWINGS

3. Revised Drawings: Drawing No. C-101, noted “REVISED DRAWING 01/04/12” accompany this Addendum and supersede the same numbered originally issued drawing.

END OF ADDENDUM

James Dirolf, P.E.
Director of Design

SECTION 011000

SUMMARY OF THE WORK

PART 1 GENERAL

1.01 WORK COVERED BY CONTRACT DOCUMENTS

- A. The title and location of the Work is printed on the cover of this Project Manual.
- B. Type of Contract: Fixed price.
- C. The Work generally consists of the remediation of the Paris Gun Club, Bob's Auto Parts and Utica Marsh properties property located on Barnes Avenue, Town of Marcy, Oneida County, New York by removal of all stockpiled waste tires and tire materials (pieces of tires, rims, inner tubes, etc.) stockpiled above ground. Any facility receiving waste tires from this project must be authorized by the New York State Department of Environmental Conservation (DEC) to receive and process waste tires into a material to be used in accordance with an approved Beneficial Use Determination (BUD), as solely determined by the DEC. If the waste tires are transported to a facility not within New York State, the Contractor must provide to the Director written documentation that the facility to which the waste tires are being transported is duly authorized by the applicable state agency to accept waste tires, in the quantity projected to be present at the site, for processing into a beneficial use as described in this contract.
 - 1. For the purposes of this project, use of waste tires for energy recovery or fuel is not classified as an approved BUD.
 - 2. Environmental controls, including but not limited to erosion control practices, dust control devices and protection of wetlands shall be required during the Work.
 - 3. The Site shall be regraded and revegetated at the end of the Work.
 - 4. A tire is defined as a whole tire, any portion of a tire, tire rim, and/or inner tube.
 - 5. All tire material to be transported off site shall be transported on vehicles with a valid Part 364 Waste Transporter Permit for transportation of waste tires.
- D. The Work of the Contract shall be sequenced in accordance with the following:
 - 1. Mobilization shall occur prior to starting Operations. Elements to be completed during Mobilization shall consist of mobilization and provision of all equipment, construction facilities and temporary controls, including, but not limited to:
 - a. Permitting.
 - b. Mobilization of all necessary construction equipment.
 - c. Improvement of site access.
 - d. Mobilization and installation of all temporary facilities.
 - 2. Operations shall occur following Mobilization. Elements to be completed during Operations shall consist of removal of all waste tires within the

Limit of Work and transporting them to a facility authorized by the DEC or other applicable state agency to receive and process waste tires into a material to be used in accordance with an approved BUD.

3. Site Restoration shall occur following Operations and shall generally consist of removal and disposal of all residual non-tire waste, demobilization, removal of site support facilities and utilities, regrading and seeding of the site.
4. Demobilization shall occur following Site Restoration. Elements to be completed during demobilization shall consist of removal and proper disposal of temporary access drive(s), construction fencing, temporary facilities and controls, temporary silt fencing and temporary construction entrance.

1.02 PHYSICAL COMPLETION DATE

- A. Work to be completed and billed by March 15, 2012.
 1. The time allocated for the performance of work under this contract includes 10 days for notification of the Contractor of the Comptroller's approval of the Agreement.
 2. The approval of the Agreement by the Comptroller constitutes the filing of the Contract Documents as a public record and notice to the Contractor that a fully executed contract exists between the Contractor and the State.

1.03 ITEMS NOT INCLUDED

- A. The following items shown on the Drawings are not included in this Contract:
 1. Items indicated "NIC" (Not in Contract).
 2. Existing construction, except where such construction is to be removed, replaced, or altered.

1.04 CONTRACTOR USE OF PREMISES

- A. Work hours shall be 7:00 A.M. to 5:00 P.M. or as established by the Director's Representative.
- B. The following items are not allowed on the Site or on Facility premises.
 1. Firearms, ammunition, weapons, and dangerous instruments (other than tools required for the Work).
 2. Alcoholic beverages and persons under the influence of same.
 3. Illegal controlled substances and persons under the influence of same.
 4. Cameras (except with written permission from the Director's Representative).
- C. No smoking at the Site.
- D. Store materials and perform the Work so that pedestrian and vehicular traffic is not obstructed.
- E. Do not diminish the level of life safety during performance of the Work.

- F. Be responsible and accountable for employees, suppliers, subcontractors and their employees, with regard to their use of the premises.
- G. Furnish Facility authorities with a telephone number or method to contact the supervisor for the Work in case of an emergency after work hours, including weekends and holidays.
- H. Comply with applicable federal and State of New York Right-to-Know Law provisions and supply copies of the appropriate Material Safety Data Sheets (MSDS) to the Director's Representative, and to the Facility's Right-to-Know Information Officer.
- I. Direct employees to be watchful for people in or near the work area where safety hazards may be present. Notify the Director's Representative, if necessary, to remove them from the work area or Site.
- J. Report fire and other emergency situations to the Director's Representative immediately.

1.05 REFERENCE SPECIFICATIONS AND STANDARDS

- A. Comply with the requirements of the various specifications and standards referred to in these Specifications, except where they conflict with the requirements of these Specifications. Such reference specifications and standards shall be the date of latest revision in effect at the time of receiving bids, unless the date is given.
- B. DOT Specifications: If the abbreviation DOT appears in these Specifications, it shall mean the most current edition of the New York State Department of Transportation, Office of Engineering specifications entitled "STANDARD SPECIFICATIONS - CONSTRUCTION AND MATERIALS", including all applicable Addenda in effect at the time of receipt of bids. The DOT specifications may be purchased from the Department of Transportation, Plan and Publication Sales, 50 Wolf Road, Albany, NY 12232, (518) 457-2124.

1.07 LAYING OUT

- A. Examine the Contract Documents thoroughly and promptly report any errors or discrepancies to the Director's Representative before commencing the Work.
- B. Lay out the Work in accordance with the Contract Documents.

PART 2 PRODUCTS (Not Used)

PART 3 EXECUTION (Not Used)

END OF SECTION

SECTION 014100

REGULATORY REQUIREMENTS

PART 1 GENERAL

1.01 COMPLIANCE

- A. Comply with applicable regulatory requirements and various codes referenced in these specifications. Where conflicts exist between local, State, and/or Federal regulatory requirements, codes, or these specifications advise the Director's Representative. The Director's Representative will assist in resolving the conflicts to the satisfaction of the regulatory agencies prior to commencing the Work.

1.02 CODES

- A. The referenced codes shall be the date of latest revision in effect at the time of receiving bids, unless the date is given.

1.03 PERMITS AND INSPECTIONS

- A. A New York Board of Fire Underwriters inspection or certificate is not required.


1.04 ACCESS

- A. Coordination For Access:
 - 1. Coordinate with CSX for access to the site if access is to be along the CSX Right of Way. Comply with the necessary approving authority's requirements for access to the site. Pay all fees associated with training, flagman, insurances and bonds associated with complying with the permit.

PART 2 PRODUCTS (Not Used)

PART 3 EXECUTION (Not Used)


END OF SECTION



PROJECT LOCATION
 NO SCALE

REVISED DRAWING
 01/04/12

- GENERAL NOTES:**
- PROTECT FROM DAMAGE BY THE CONTRACTORS OPERATIONS ALL VEGETATION NOT NECESSARY TO BE REMOVED FOR THE WORK. PROVIDE FENCES, SIGNAGES AND OTHER SAFETY DEVICES TO PREVENT PROJECT FROM DAMAGE. ALL EXISTING PHYSICAL FEATURES NOT INDICATED OR NECESSARY TO BE REMOVED OR DISBURSED BY THE WORK.
 - RESTORE TO THEIR ORIGINAL CONDITION ALL EXISTING PHYSICAL FEATURES DAMAGED BY THE UNAUTHORIZED ACT OR OMISSION OF THE CONTRACTOR. ORIGINAL CONDITION SHALL MEAN THE CONDITION IN WHICH THE FEATURE WAS FOUND AT THE START OF THE WORK.
 - PROVIDE ALL PERMITS REQUIRED BY GOVERNMENT AGENCIES HAVING JURISDICTION OVER THE ACQUISITION AND REMOVAL OF TREES AND ALL LANDSCAPED AREAS DISBURSED BY THE WORK OF THE CONTRACT.
 - PROVIDE ALL REMOVAL INCIDENTAL TO AN NECESSARY TO PROVIDE THE WORK OF THE CONTRACT. REMOVE FEATURES IN THEIR ENTIRETY UNLESS OTHERWISE INDICATED.
- POLLUTION PREVENTION MEASURES**
- PROPERLY CONTAIN AND DISPOSE OF ALL MATERIALS USED ON SITE.
 - CLEAN UP SPILLS IMMEDIATELY TO MINIMIZE SAFETY HAZARD AND PREVENT SPILLAGE.
 - CONTROL LITTER BY SWEEPING AND PICKING IT UP DAILY.
 - IF POSSIBLE DO NOT STORE TIE, OR OTHER LIMB PRODUCTS ON THE GROUND SURFACE. STORE THEM ON TRUCKS OR IN SECONDARY CONTAINMENT NEARIES.
 - HAVE EQUIPMENT ON SITE TO CONTAIN AND CLEAN UP SPILLS IN THE STORAGE AREAS OR ON BOARD.
 - CONTAIN AND CLEAN UP SPILLS IMMEDIATELY.
 - USE PREVENTATIVE MAINTENANCE FOR ON-SITE EQUIPMENT.
 - OVERSEE ALL FILLING OPERATIONS.
- F. PRACTICE GOOD HOUSEKEEPING AND EDUCATE EMPLOYEES ON POLLUTION PREVENTION MEASURES.**
- STORE ON-SITE MATERIALS AND CHEMICALS IN NEARLY SEALED CONTAINERS AND IN AREAS DESIGNATED FOR SUCH STORAGE.
 - ROUTINELY DISPOSE OF GARBAGE, RUBBISH, CONSTRUCTION WASTE AND SANITARY WASTE.
 - NEVER DISPOSE OF WASTE ON THE GROUND SURFACE.
 - CLEANUP DEBRISMS TRACKED ONTO ROADWAYS OR INTO TO OTHER AREAS OR ADJACENT PROPERTIES.
 - EMPLOY DUST CONTROL METHODS.
- 6. FOR CONSTRUCTION WASTE:**
- SELECT A DESIGNATED WASTE AREA COLLECTION ON SITE. USE AN APPROPRIATE NUMBER OF CONTAINERS WITH LIDS OR COVERS THAT CAN BE PLACED OVER CONTAINERS PRIOR TO RAINFALL.
 - WHEN POSSIBLE, LOCATE CONTAINERS IN A COVERED AREA.
 - ARRANGE FOR WASTE COLLECTION PRIOR TO CONTAINER OVERFLOW.
 - IF A CONTAINER DOES SPILL, CLEAN UP IMMEDIATELY.
 - CONSTRUCTION WASTE SHALL BE COLLECTED, REMOVED AND DISPOSED OF ONLY IN AN APPROVED DISPOSAL AREA.
 - DISPOSAL METHODS SHALL MEET THE REQUIREMENTS OF FEDERAL, STATE AND LOCAL AUTHORITIES.
- E. PROVIDE AND MAINTAIN TEMPORARY SANITARY FACILITIES.** DOMESTIC WASTE HALLERS SHALL BE CONTRACTED TO REGULARLY REMOVE THE SANITARY WASTE AND TO MAINTAIN THE FACILITIES IN GOOD WORKING ORDER.
- F. IF FERTILIZERS OR DETEGENTS ARE USED ON SITE:**
- LIMIT THE APPLICATIONS OF FERTILIZERS TO THE MINIMUM AREA REQUIRED AND USE THE MINIMUM AMOUNT REQUIRED.
 - REDUCE THE EXPOSURE OF NUTRIENTS TO STORM WATER RUNOFF BY WORKING THE FERTILIZER INTO SOIL.
 - APPLY FERTILIZER MORE FREQUENTLY BUT AT LOWER RATES.
 - HYDROSEEDING NURSE LIME AND FERTILIZERS ARE APPLIED TO THE GROUND SURFACE IN ONE APPLICATION SHOULD BE LIMITED WHERE POSSIBLE.
 - LIMIT THE USE OF DETEGENTS ON-SITE. WASH WATERS FROM WHEELS AND TRACKS SHALL BE DISCHARGED INTO THE STORM WATER SYSTEM.
 - APPLY FERTILIZERS AND DETEGENTS ONLY IN THE RECOMMENDED MANNER AND ONLY IN THE RECOMMENDED AMOUNTS.
- SPECIFIC NOTES:**
- REFER TO THE PROJECT MANUAL FOR SPECIFIC NOTES.
 - CONTRACTOR SHALL INCLUDE IN HIS BID THE REMOVAL, TRANSPORT AND DISPOSAL OF 20 TONS OF TREES LOCATED ON THE GROUND SURFACE OF THE PARIS GUN CLUB.
 - CONTRACTOR SHALL INCLUDE IN HIS BID THE REMOVAL OF 60 TONS OF TREES LOCATED ON THE GROUND SURFACE FROM THE UTICA MARSH SITE.
 - CONTRACTOR SHALL INCLUDE IN HIS BID THE REMOVAL OF 20 TONS OF TREES LOCATED ON THE GROUND SURFACE FROM THE BOBS AUTO PARTS SITE.
 - NOTIFY THE DIRECTOR'S REPRESENTATIVE IN WRITING IMMEDIATELY UPON THE FINDING TREES OR TREE MATERIALS EXCEEDING THE AMOUNTS NOTED IN 2, 3 AND 4 ABOVE.
 - THE CONTRACTOR SHALL CONSTRUCT ROADS AND STAGING AREAS AS NECESSARY TO COMPLETE THE WORK. ROADS SHALL BE MAINTAINED IN A CONTINUOUSLY FUNCTIONAL CONDITION TO ALLOW ACCESS OF EMERGENCY VEHICLES AND ACCESS OF STAGING AREAS SHALL BE REMOVED AND RESTORED UPON PROJECT COMPLETION.
 - TREES TAKEN FROM THE DIFFERENT PROPERTIES SHALL NOT BE COMINGLED AND SHALL BE DISPOSED OF AND TRACKED SEPARATELY.
- SITE ACCESS NOTES:**
- THE CONTRACTOR SHALL OBTAIN AND PAY FOR ALL PERMITS AND ACCESS AGREEMENTS NECESSARY TO ACCESS THE SITE.
 - IF ACCESS TO THE SITE IS ALONG THE C&W RIGHT OF WAY, COMPLY WITH AND PAY FOR ALL FEES ASSOCIATED WITH THE PERMIT, TRAINING, FLAGMAN AND INSURANCES AND BONDS ASSOCIATED WITH THE PERMIT.
 - BRIDGES TO ACCESS THE SITE ARE MARKED NO TRUCKS WITH R PERMITS.
- PROJECT COMPLETION:**
- PROJECT SHALL BE COMPLETED AND BILLING SUBMITTED BY MARCH 15, 2012.



SITE PLAN
 NO SCALE

NY'S OFFICE OF GENERAL SERVICES
Setting New York

ANDREW M. CUCOMO
 Governor
 ROYANN M. DESTITO
 Commissioner
 JAMES S. GARDNER, AIA
 Deputy Commissioner, Design and Construction
CONSULTANT

WARNING:
 THE ATTENTION OF THE MATERIAL IN ANY WAY UNLESS DONE UNDER THE DIRECTION OF A COMPETENT PROFESSIONAL, I.E. ARCHITECT FOR AN ARCHITECT, ENGINEER FOR AN ENGINEER OR LANDSCAPE ARCHITECT FOR A LANDSCAPE ARCHITECT. THIS DOCUMENT IS A CLASS 'A' MISDEMEANOR AND IS A CLASS 'A' MISDEMEANOR.

CONTRACT:
CONSTRUCTION

TITLE:
 TIRE STOCKPILE ABATEMENT

LOCATION:
 BARNES AVENUE
 UTICA, NY

CLIENT:
 DEPARTMENT OF ENVIRONMENTAL CONSERVATION

MARK	DATE	DESCRIPTION
	01/04/12	REVISED DRAWING
	10/27/2011	BID DOCUMENT
PROJECT NUMBER	44405	- C
DESIGNED BY:	B. MOREY	
DRAWN BY:	B. MOREY	
FIELD CHECK:		
APPROVED:		
SHEET TITLE: LOCATION MAP, SITE PLAN AND NOTES		
DRAWING NUMBER: C-101		
SHEET	1	OF 1