



STATE OF NEW YORK
OFFICE OF GENERAL SERVICES
DESIGN AND CONSTRUCTION GROUP
THE GOVERNOR NELSON A. ROCKEFELLER
EMPIRE STATE PLAZA
ALBANY, NY 12242



ADDENDUM NO. 2 TO PROJECT NO. 44460

**CONSTRUCTION WORK AND ELECTRICAL WORK
PROVIDE TACTICAL FIRING RANGE
STATE PREPAREDNESS TRAINING CENTER
5900 AIRPORT ROAD
ORISANY, NY**

July 3, 2014

NOTE: This Addendum forms a part of the Contract Documents. Insert it in the Project Manual. Acknowledge receipt of this Addendum in the space provided on the Bid Form.

CONSTRUCTION WORK SPECIFICATIONS

1. Page 323113-4, Subparagraph 2.09 A.4.: Delete this Subparagraph in its entirety.
2. Page 323113-4, Subparagraph 2.09 C.3.: Delete this Subparagraph in its entirety.
3. Page 323113-5, Paragraph 2.09 D.: Delete this Paragraph in its entirety, and replace with the following:
“D. Tension Wire:
 1. Galvanized Finish: ASTM A 121 class 3, 0.80 ounces per square foot.
 2. Aluminized Finish: ASTM A 585 class 2, 0.30 ounces per square foot.”

END OF ADDENDUM

Margaret F. Larkin
Acting Executive Director