



**DESIGN AND CONSTRUCTION GROUP
THE GOVERNOR NELSON A. ROCKEFELLER
EMPIRE STATE PLAZA
ALBANY, NY 12242**

ADDENDUM NO. 3 TO PROJECT NO. 44854

**CONSTRUCTION, HVAC WORK, PLUMBING WORK, ELECTRICAL WORK
PROVIDE CENTRAL SECURITY UNIT, BUILDING No. 51
HIGHLAND RESIDENTIAL CENTER
629 NORTH CHODIKEE LAKE ROAD
HIGHLAND, NY 12528**

February 11, 2016

NOTE: This Addendum forms a part of the Contract Documents. Insert it in the Project Manual. Acknowledge receipt of this Addendum in the space provided on the Bid Form.

CONSTRUCTION SPECIFICATIONS

1. SECTION 013200 CONSTRUCTION PROGRESS DOCUMENTATION; Discard the section bound in the Project Manual and substitute the accompanying Section (pages 013200-1 through 013200-8) noted 'Revised 02/11/2016'.
2. SECTION 087100 FINISH HARDWARE: Revise 2.04, L, 2 to read:
"2. Interlock doors 102, 102A, 102B, 110, & 116."
3. SECTION 105113 METAL LOCKERS; Revise 2.03, F to read:
"F Sizes: 4 Tier, 12" wide x 18" deep x 72" high."

CONSTRUCTION DRAWINGS

4. DRAWING A-101, Detail 6, FIRST FLOOR PLAN:
 - a. Pre-Shift Rm 117: Add the note "LOCKERS" at the square boxes shown on the North, West and East walls.
 - b. Add leader from room name "INTAKE-110" to the room with door 110 in the east wall.
5. DRAWING A-302, Wall Section 2: Delete note at ceiling which reads "R-38 FIBERGLASS INSULATION"
6. DRAWING A-401, Detail 2: Change note reading "SEE DETAILS 5, 6, 9 & 11/A-401 FOR SHOWER WALL DETAILS" to read "SEE DETAILS 3, 4, 5, 6, 9 & 11/A-401".
7. DRAWING C-601; Door Schedule:
 - a. Door 110 add "5" to the Hardware Group Column.
 - b. Revise note at bottom of schedule to read as follows:
"INTERLOCK DOORS 101, 102, DOORS 102, 102A, 102B, **110**, 116, & DOORS 102B, 103, 109, 117"

8. Revised Drawings:
 - a. Drawing Nos. C-110 and C-211, noted "REVISED DRAWING 02/11/2016" accompany his Addendum and supersede the same numbered originally issued drawings.

END OF ADDENDUM

Margaret F. Larkin
Executive Director
Design and Construction

SECTION 013200

CONSTRUCTION PROGRESS DOCUMENTATION

PART 1 GENERAL

1.01 RELATED REQUIREMENTS AND INFORMATION SPECIFIED ELSEWHERE

- A. Preliminary Project Schedule: Document 003113.
- B. Summary of Work: Section 011000.
- C. Administrative Requirements: Section 013000.
- D. Project Meetings: Section 013119.

1.02 SUMMARY

- A. Section includes administrative and procedural requirements to plan, schedule, and document the progress of the Project, and predict and prevent delays to established sequences and milestones during performance of the Work, including the following:
 - 1. Critical Path Method schedule and reports.
 - 2. Material location and delivery reports.
 - 3. Field condition reports.
 - 4. Special reports.
 - 5. Change management.
- B. A Critical Path Method Schedule (hereinafter referred to as Project CPM Schedule) shall be provided by Director's Representative using Primavera P-6 Format and shall be used to schedule the progress of the Work. All Work shall be done in accordance with the Project CPM Schedule and the Contractor agrees to cooperate fully with the Director's Representative in the development, implementation and updating of the Project CPM Schedule.

1.03 DEFINITIONS

- A. Project: Work to be performed as part of one or more Contracts.
- B. Schedule: A comprehensive leveling of necessary procedural tasks, the sequencing of those tasks, and the incorporated resource allocation required to successfully complete the Work by the Project completion date.
- C. Activity: An intricate part of the Work that can be identified and measured for planning, coordinating, monitoring, and controlling the project.
- D. Milestone: A significant start or finish to Work on the Project defined by the Director's Representative.

- E. Bid Milestones: Milestones or phases identified and included in the Contract Documents to be utilized by the Director's Representative and Contractor in developing the Baseline Project Schedule.
- F. CPM: Critical Path Method is a scheduling process used to plan and coordinate the Project, arranging activities based on logical relationships in order to create a network diagram of interconnected procedures.
- G. Baseline Project Schedule: The initial CPM schedule for completion of the Work of the Project in accordance with the Contract duration, approved by the Director's Representative and Contractor, and completed by Director's Representative.
 - 1. Following the initial update to the Baseline Project Schedule, including but not limited to starts, finishes, activity percent complete, logic adjustments, or duration amendments, as agreed upon at the Project Schedule meeting by the Contractor and the Director's Representative, the current updated schedule rendering will be defined as the Project Schedule.
 - 2. The Baseline Project Schedule will remain unaltered as a tool to measure progress outlined and anticipated during the Project Schedule Definition meeting.
- H. PDM: Precedence Diagram Method utilizes standard CPM calculations creating an interdependent logical relationship between activities and a dependent path from Project Award through Substantial and Physical Completion.
- I. Float: The measure of latitude in starting and/or completing an activity without impeding on the successful realization of Project milestones.
 - 1. Float time is not for the exclusive use or benefit of either the State or the Contractors, but is a jointly owned expiring Project resource; float is available as needed to meet scheduled milestones and Project completion.
 - 2. Recognizing float within an activity, or chain of activities, does not permit the Contractors to delay progress or completion of an activity.
- J. Critical Path: A progressing sequence of interdependent activities within the schedule network containing zero (0d) total float and establishing the minimum Project Substantial and Physical Completion duration.
- K. Resource: Any labor, material, or equipment, shared or exclusive, required for the completion of an Activity or the Work, which recognizes an associated cost.

1.04 SCHEDULE COORDINATOR

- A. The Contractor shall designate a Schedule Coordinator who will be authorized to act on behalf of the Contractor on all matters of scheduling included in this Section and Section 013200. Once nominated, the Scheduling Coordinator may only be replaced after written notice is given to the Owner. The Contractor agrees, upon the request of the Director's Representative, to replace the Scheduling Coordinator. The Schedule Coordinator shall possess a minimum of

five (5) years of construction related scheduling experience, shall have developed and maintained at least two (2) schedules for projects of similar size and scope, and shall be competent in the use of the specified Scheduling Software.

1.05 PRELIMINARY REQUIREMENTS

- A. As part of the Bid Review Process, within two (2) weeks after bids are opened, and before the Notice of Award, the apparent low bidder must submit to the Director's Representative, in writing, a list of durations and sequences for all activities that appear on the Preliminary Schedule. The contractor must demonstrate that they are in concurrence with the overall Preliminary Project Schedule and have the capability to meet its requirements. Failure to comply with this requirement may be cause for rejection of the bid.
 - 1. In addition, the Contractor's proposed work force and other resource loading for each activity of the Precedence Diagram, broken down by trades, must also be provided.

- B. The Contractor shall submit to the Director's Representative, in writing, within two (2) weeks after receipt by the Contractor of Notice of Award, the following information which must be in conformance with the Preliminary Project Schedule:
 - 1. Schedule of Submittals as described in Section 013300 of the Specifications.
 - 2. Schedules for the award of subcontracts as described in Section 013000 of the Specifications.
 - 3. The name of the person being proposed as Schedule Coordinator including qualifications and work experience.

1.06 DEVELOPMENT OF THE PROJECT SCHEDULE

- A. The Director's Representative shall meet with the Contractor within four (4) weeks after Notice of Award to develop a comprehensive and detailed Baseline Project CPM Schedule. The contractor shall submit his proposed schedule with activity durations, sequences and logic which are in conformance with the overall intent of the Preliminary Project Schedule included with the bid documents. The Director's Representative will approve only those durations which in their opinion do not jeopardize the orderly completion of the work, conform to all significant activity and Critical and Interim Milestone dates included in the Preliminary Project Schedule, and do not interfere with the orderly completion of the work of other contractors. It shall be the Contractor's responsibility to ensure that the Baseline Schedule incorporates the contractor's scheduling requirements. Upon acceptance by the contractor and approval by the Director's Representative, the Final Baseline Schedule will be prepared and issued by the Director's Representative.

- B. The Contractor will sign the CMU 01 Agreement form (blank included at end of this Section) within five (5) calendar-days after the Final Baseline Project

Schedule has been issued by the Director's Representative. Any delay in acceptance of the Baseline Project Schedule and execution of the CMU 01 Agreement form will not absolve the Contractors of the scheduling requirements. During the period between Project Award and the execution of the CMU-01 Agreement, the Contractor will comply with the Preliminary Project Schedule and will be responsible for providing the necessary resources to complete the Work as defined by the Director's Representative

- C. The Contractor shall make the requirements of the Project CPM Schedule an essential part of each purchase order and subcontract.
- D. The Contractor shall cooperate in every way possible with other contractors in order to maintain the completion date and meet all the Critical and Interim Milestone dates. The Contractor expressly understands and agrees that no additional compensation shall be paid for such cooperation.
- E. The Contractor shall submit such proof as may be required by the Director's Representative to show that the Contractor has complied with the schedule of dates for ordering equipment and material submitted in accordance with Section 013200.
- F. The Contractor shall cooperate in the development, implementation and updating of detailed Critical Path Method sub-schedules for any special area.
- G. Bid Milestones (Critical and Interim) included in the Contract Documents are to be incorporated into the project schedule.

1.07 UPDATING THE PROJECT SCHEDULE

- A. The Project CPM Schedule shall be updated and issued monthly by the Director's Representative. At the end of each month, the Director's representative will schedule monthly Schedule Review meetings to review and update the Project CPM Schedule. These meetings will be in addition to the Project Meetings. The Contractor shall attend all scheduling meetings as required by the Director's Representative.
- B. In addition to the Director's Representative and the Contractor's Superintendent and Scheduling Coordinator, such meetings shall also be attended by representatives of subcontractors as the Director's Representative sees fit. The agenda for such meetings shall include the Project CPM Schedule reports, the progress and current status of the Work in order to meet the Contractor's objectives and his obligations under the Contract. Consideration shall be given to establishing actual start dates, actual completion dates, planned starts and finishes, delivery dates for long lead materials and equipment, quantities installed, man-hours worked, as well as other data relevant to the performance of the Contract.
- C. At least one week before each Schedule Review Meeting, the Contractor shall furnish to, and in the form required by the Director's Representative, progress data and information for:

1. The status of all activities as of date determined by the Director's Representative.
 2. A list of actual start and completion dates for all activities.
 3. Projected durations for completion of those activities in progress.
 4. Relevant data for Submittals in progress including equipment releases and equipment in fabrication.
 5. All other information, which in the discretion of the Director's Representative, may be required to complete the Project Schedule Update.
- D. After the required data and information has been received from the Contractor and the Schedule Review Meeting has been conducted, the Director's Representative shall update the Project CPM Schedule. This Project CPM Schedule, as updated, shall become binding on the Contractor. The Contractor will be required to provide additional manpower and equipment, should the update uncover significant delays to the Work of the Contractor, caused by the Contractor.

1.08 MAINTAINING SCHEDULE

- A. Perform the Work in accordance with the Project CPM Schedule and provide resources necessary to maintain the progress of activities as scheduled so that no delays are caused to other Contractors engaged in the Work.
1. Should the Contractor fail to maintain progress according to the Project CPM Schedule, the Contractor shall provide such additional manpower, equipment, additional shifts, or other measures, at their own cost, to bring their operations back on schedule.
 2. Performing activities as part of the Work out of sequence with the Project CPM Schedule is not permitted unless written approval is obtained from the Director's Representative prior to commencement.

1.09 RECOVERY SCHEDULE

- A. CPM Recovery Schedule: When periodic updates indicate the Work is 15 or more calendar-days behind the approved Baseline Project Schedule's Critical Milestone dates, the Contractor will present recovery options to the Director's Representative to be incorporated into an updated Project CPM Schedule; these include, but are not limited to, allocating additional resources for activity duration reduction, modifying network logic, or revising activity sequences.
- B. Alterations to the Project CPM Schedule by a CPM Recovery Schedule will require the approval of the Director's Representative.
- C. Approved alterations to the Project CPM Schedule by a CPM Recovery Schedule, will constitute the updated Project CPM Schedule.

- D. A CPM Recovery Schedule recognizing early completion will be reviewed by the Director's Representative prior to acceptance of the Project Schedule update.

1.10 RESOURCE ASSIGNMENTS - COST

- A. Resources recognizing the total cost associated with all efforts necessary for the completion of a unique activity within the schedule network, and the cumulative cost of the Work of the Project, are to be assigned concordant with the Detailed Estimate submitted by the Contractors. All Contractors are responsible for providing the information necessary for assigning resources for the Preliminary, Baseline, and Project Schedule to the Schedule Preparer; all Contractors are responsible for reviewing the information prior to approval.
 - 1. Any Contractor who fails to timely and accurately furnish information necessary for resource assignment to the Schedule Preparer during the development of the Preliminary, Baseline and Project Schedule, or who fails to review the Preliminary, Baseline, or Project Schedule and notify the Director's Representative of any errors within two (2) calendar days of submission, will be required to provide all resources necessary to execute the Preliminary, Baseline, or Project Schedule as developed by the Schedule Preparer and approved by the Director's Representative.

1.11 RESOURCE ASSIGNMENTS – LABOR/MANPOWER AND EQUIPMENT

- A. Resources recognizing the total Labor/Manpower and specialized equipment associated with all efforts necessary for the completion of a unique activity within the schedule network, and the cumulative curve associated with the Work of the Project, are to be assigned concordant with the intended means and methods proposed by the Contractors. All Contractors are responsible for providing the information necessary for assigning resources for the Preliminary, Baseline, and Project Schedule to the Schedule Preparer; all Contractors are responsible for reviewing the information prior to approval.
 - 1. Any Contractor who fails to timely and accurately furnish information necessary for resource assignment to the Schedule Preparer during the development of the Preliminary, Baseline and Project Schedule, or who fails to review the Preliminary, Baseline, or Project Schedule and notify the Director's Representative of any errors within two (2) calendar days of submission, will be required to provide all resources necessary to execute the Preliminary, Baseline, or Project Schedule as developed by the Schedule Preparer and approved by the Director's Representative

1.10 TWO WEEK LOOK AHEAD

- A. In addition to the Contractor's Project CPM Schedule responsibilities described above, the contractor shall provide a two Week Look ahead of all current and anticipated activities that will be on-going, starting or completing for the next two weeks' time. The contractor shall identify day to day activities, anticipated deliveries, testing requirements and any work that required coordination with the facility or other agency.

1.11 PROJECT MEETINGS

- A. The project meetings will be used for reviewing the contractor's Two Week Look Ahead schedule and monitoring adherence to the Project CPM Schedule with regard to the status of critical activities, procurement and material deliveries.

PART 2 PRODUCTS

2.01 SCHEDULING SOFTWARE

- A. Scheduling Software: Any Schedule information provided by the contractor is to be prepared utilizing an electronic file provided by the Director's Representative and developed specifically to interface with the State's schedule program portfolio.
 - 1. Utilize Oracle Primavera P6© PPM operating system.

PART 3 EXECUTION

3.01 TIME OF COMPLETION

- A. It is the sole responsibility for the Contractor to complete the Work through the implementation of the Project CPM schedule within the time required by the Contract.

3.02 BREACH OF CONTRACT

- A. The Contractor's failure to comply with any requirement called for in Sections 013200 shall constitute a material breach of the Contract and the Director shall have the right to terminate the Contract, provided however, the failure of the Director to so terminate shall not relieve the Contractor from future compliance.

END OF SECTION

PROJECT NO. _____

PROJECT NAME: _____


REPORT DATE: _____

REPORT NAME(S): _____


It is agreed that the Baseline Project Schedule defined by the above listed computer reports has been reviewed and is accepted for use in coordinating, scheduling, and monitoring the work of all related contracts.

FOR THE CONSTRUCTION WORK CONTRACTOR: _____ DATE: _____

THE DIRECTOR'S REPRESENTATIVE: _____ DATE: _____



- NOTES:
1. BASE MAPPING PREPARED BY CLOUGH HARBOUR & ASSOCIATES LLP FROM AN APRIL 24, 2009 FIELD SURVEY.
 2. HORIZONTAL DATUM IS REFERENCED TO NAD 83 - NEW YORK EAST.
 3. ELEVATIONS AND CONTOURS ARE REFERENCED TO FACILITY DATUM OF RECORD.
 4. UNDERGROUND UTILITIES ARE SHOWN FROM LOCATIONS AND DATA COLLECTED AT THE TIME OF SURVEY, COMBINED WITH RECORD INFORMATION PROVIDED BY THE CLIENT. THEIR EXACT LOCATION MAY VARY AND OTHERS MAY EXIST.



▲ = TYPICAL ON THIS DRAWING: EXISTING CONTOURS AND GRADES ADDED, DRAWING RE-ISSUED, 02/11/16.

REVISED DRAWING 02/11/2016

Feb 08, 2016 - 4:00pm - NYS065\190 - NYS065\190520006 - OCF5 Highland Central Security Unit Bldg #51\Design\CADD\Sheet Files\Civil\44854-C-110.dwg
36x24 PLOT SHEET

NEW YORK STATE OF OFFICIALS
Office of General Services
DESIGN & CONSTRUCTION

CONSULTANT

C&S COMPANIES
C&S Engineers, Inc.
499 Col. Eileen Collins Blvd
Syracuse, New York 13212

JOSEPH C. ROBLEE ARCHITECTS
53 BURGONYNE AVENUE
FORT EDWARD, NEW YORK

WARNING:
THE ALTERATION OF THIS MATERIAL IN ANY WAY, UNLESS DONE UNDER THE DIRECTION OF A COMPARABLE PROFESSIONAL, I.E. ARCHITECT FOR AN ARCHITECT, ENGINEER FOR AN ENGINEER OR LANDSCAPE ARCHITECT FOR A LANDSCAPE ARCHITECT, IS A VIOLATION OF THE NEW YORK STATE EDUCATION LAW AND/OR REGULATIONS AND IS A CLASS "A" MISDEMEANOR.



CONTRACT: **CONSTRUCTION**

TITLE: **PROVIDE CENTRAL SECURITY BUILDING NO. 51**

LOCATION: **HIGHLAND RESIDENTIAL CENTER
629 NORTH CHODIKEE LAKE ROAD
HIGHLAND, NEW YORK 12528**

CLIENT: **NYS OFFICE OF CHILDREN AND FAMILY SERVICES**

MARK	DATE	DESCRIPTION
▲	02/11/2016	REVISED DRAWING
-	12/07/2015	BID DOCUMENTS

PROJECT NUMBER: **44854 - C**

DESIGNED BY: **D. WETHEY**

DRAWN BY: **D. WETHEY**

FIELD CHECK: **-**

APPROVED: **L. J. MERRY**

SHEET TITLE: **EXISTING SITE PLAN**

DRAWING NUMBER: **C-110**



SHEET 23 OF 66

SANITARY SEWER NOTES

NOTE #	NORTHING	EASTING	INVERT	COMMENTS
SN 1-1	1066551.74	632841.28	306.5 (TO BE FIELD VERIFIED)	CONNECT 6" SDR35 SANITARY PIPE TO THE EXISTING SANITARY MANHOLE AT THIS LOCATION. CONNECTION TO BE MADE VIA CORE DRILLING, AS PER DETAIL B4 ON DWG C-504. PRIOR TO PIPE CONNECTION WORK, CONTRACTOR TO PERFORM AN INVERT CHECK AND UTILITY TEST PIT EXCAVATION TO CONFIRM THE INVERT. ADJUST STRUCTURE RIM TO GRADE, CLEAN AND PARGE INTERIOR OF STRUCTURE. CONNECT TO SN 1-2 WITH 6" SDR35 PIPING.
SN 1-2	1066549.27	632884.55	311.00 (AT 5'-0" FROM BUILDING)	INSTALL A TRAP, CLEAN-OUT, AND FRESH AIR INLET ASSEMBLY, AS PER DETAILS A1 AND A2 ON DWG C-504. TRANSITION TO 4" SANITARY PIPE FOR CONNECTION TO BUILDING, AS SHOWN ON DWG P-101.

STORM SEWER NOTES

NOTE #	NORTHING	EASTING	RIM	INVERTS	COMMENTS	SUMP
DN 1-1	1066180.45	632869.85	N/A	298.60	INSTALL 30" GALVANIZED STEEL END SECTION AND STONE OUTLET PROTECTION, AS PER DETAIL A3/DWG C-506. CONNECT DN 1-1 TO DN 1-2 WITH 30" HDPE PIPE (REPLACE EXISTING 18" CMP PIPE)	N/A
DN 1-2	1066163.51	632737.13	304.75	W = 299.40 E = 299.50 N = 300.40	INSTALL A 60" DIA. STORM MANHOLE (REPLACE EXISTING M.H.) RECONNECT EXISTING PIPES. CONNECT TO DN 1-3 WITH 18" HDPE PIPE.	298.90
DN 1-3	1066185.08	632746.41	304.82	E = 301.30 N = 301.05 N = 301.75 (4") S = 300.80	INSTALL A 60" DIA. STORM MANHOLE. CONNECT TO DN 1-7 WITH 15" HDPE PIPE. CONNECT TO DN 1-4 WITH 12" HDPE PIPE. INSTALL 60 LF OF 4" HDPE UNDERDRAIN FROM NORTH INVERT, BELOW DRY SWALE.	300.30
DN 1-4	1066152.05	632810.60	305.80	E = 302.70 W = 302.60	INSTALL 2' X 2' CATCH BASIN. CONNECT TO DN 1-5 WITH 12" HDPE PIPE.	302.10
DN 1-5	1066127.83	632899.56	307.04	E = 304.00 W = 303.90	INSTALL 2' X 2' CATCH BASIN. CONNECT TO DN 1-6 WITH 12" HDPE PIPE.	303.40
DN 1-6	1066113.18	632946.79	307.80	304.70	INSTALL 2' X 2' CATCH BASIN.	304.20
DN 1-7A	1066262.87	632756.94	307.00 (EXISTING)	E = 303.70 (EXISTING)	PLUG AND PATCH HOLE IN STRUCTURE SOUTH WALL FROM 10" HDPE PIPE THAT WAS REMOVED. CORE DRILL OPENING IN EAST WALL AND CONNECT PIPE FROM DN 1-7. CLEAN EXISTING DRAINAGE STRUCTURE AND REPARGE WALLS.	EXISTING
DN 1-7	1066260.72	632763.43	306.10	E = 302.65 N = 302.65 N = 302.95 (4") S = 302.40	INSTALL 48" DIA. STORM MANHOLE. CONNECT TO DN 1-8 WITH 12" HDPE PIPE. CONNECT TO DN 1-9 WITH 12" HDPE PIPE. CONNECT TO 1-7A WITH 12" HDPE PIPE. INSTALL 160 LF OF 4" HDPE UNDERDRAIN FROM NORTH INVERT, BELOW DRY SWALE.	301.90
DN 1-8	1066197.70	633000.77	310.25	W = 306.50	INSTALL 2' X 2' CATCH BASIN.	306.00
DN 1-9	1066472.30	632833.28	309.10	S = 306.10 N = 306.00	INSTALL 2' X 2' CATCH BASIN. CONNECT TO DN 1-10 WITH 12" HDPE PIPE.	305.60
DN 1-10	1066454.46	632910.02	310.25	S = 307.60 W = 307.50	INSTALL 2' X 2' CATCH BASIN. CONNECT TO DN 1-11 WITH 12" HDPE PIPE.	305.60
DN 1-11	1066454.46	632910.02	312.60	N = 309.00 W = 308.90	INSTALL 2' X 2' CATCH BASIN. CONNECT TO DN 1-12 WITH 12" HDPE PIPE.	308.40
DN 1-12	1066530.46	632988.57	313.70	E = 309.55 W = 309.45 N = 310.15	INSTALL 48" DIA. STORM MANHOLE. CONNECT TO DN 1-13 WITH 12" HDPE PIPE. CONNECT TO 4" HDPE UNDERDRAIN PIPE FROM POROUS PAVERS AT WEST INVERT. PROVIDE 90 LF OF 4" PERFORATED UNDERDRAIN PIPE.	308.95
DN 1-13	1066576.88	633044.92	312.90	W = 309.85 N = 310.55	INSTALL 2' X 2' CATCH BASIN. CONNECT TO 4" HDPE UNDERDRAIN PIPE FROM RAIN GARDEN AT NORTH INVERT. PROVIDE 50 LF OF 4" PERFORATED UNDERDRAIN PIPE.	309.35
DN 1-14	1066585.63	632859.59	310.40	N = 306.50	INSTALL 2' X 2' CATCH BASIN. CONNECT OUTFALL TO EXISTING PIPE WITH 12" HDPE.	306.00



NEW YORK STATE OF OFFICERS/ENGINEERS Office of General Services
DESIGN & CONSTRUCTION

CONSULTANT

C&S COMPANIES C&S Engineers, Inc.
499 Col. Eileen Collins Blvd
Syracuse, New York 13212

JOSEPH C. ROBLEE ARCHITECTS
53 BURGONYE AVENUE
FORT EDWARD, NEW YORK

WARNING:
THE ALTERATION OF THIS MATERIAL IN ANY WAY, UNLESS DONE UNDER THE DIRECTION OF A COMPARABLE PROFESSIONAL, I.E. ARCHITECT FOR AN ARCHITECT, ENGINEER FOR AN ENGINEER OR LANDSCAPE ARCHITECT FOR A LANDSCAPE ARCHITECT, IS A VIOLATION OF THE NEW YORK STATE EDUCATION LAW AND/OR REGULATIONS AND IS A CLASS "A" MISDEMEANOR.

CONTRACT: **CONSTRUCTION**

TITLE: **PROVIDE CENTRAL SECURITY BUILDING NO. 51**

LOCATION: **HIGHLAND RESIDENTIAL CENTER
629 NORTH CHODIKEE LAKE ROAD
HIGHLAND, NEW YORK 12528**

CLIENT: **NYS OFFICE OF CHILDREN AND FAMILY SERVICES**

PROJECT NUMBER:	44854	- C
DESIGNED BY:	D. WETHEY	
DRAWN BY:	D. WETHEY	
FIELD CHECK:	-	
APPROVED:	L. J. MERRY	
SHEET TITLE:	SITE GRADING AND UTILITIES PLAN	
DRAWING NUMBER:	C-211	
SHEET	26	OF 66

△ = TYPICAL ON THIS DRAWING: EXISTING CONTOURS AND GRADES ADDED, DRAWING RE-ISSUED, 02/11/16.

REVISED DRAWING 02/11/2016

Feb 08, 2016 - 4:02pm
F:\Project\190 - NYS\05\19052006 - OCF Highland Central Security Unit Bldg #51\Design\CADD\Sheet Files\Civil\44854-C-211.dwg
36x24 PLOT SHEET