



**DESIGN AND CONSTRUCTION GROUP
THE GOVERNOR NELSON A. ROCKEFELLER
EMPIRE STATE PLAZA
ALBANY, NY 12242**

ADDENDUM NO. 1 TO PROJECT NO. 44893

**CONSTRUCTION WORK, HVAC WORK, ELECTRIC WORK
REHABILITATE PEDESTRIAN BRIDGES, BUILDING 24
STATE OFFICE BUILDING CAMPUS
1220 WASHINGTON AVENUE
ALBANY, NEW YORK 12226**

September 30, 2015

NOTE: This Addendum forms a part of the Contract Documents. Insert it in the Project Manual. Acknowledge receipt of this Addendum in the space provided on the Bid Form.

SPECIFICATION GROUP

CONSTRUCTION, HVAC AND MECHANICAL SPECIFICATIONS

1. Page 011000-2 Article 1.06 Add:

- C. Construction, Electrical and HVAC contract: Do not perform any work on site before 12/25/2015.

CONSTRUCTION SPECIFICATIONS

2. Page 085133-3, Change subparagraph Article 2.01 A to read:

- A. Comply with the AAMA/WDMA/CSA 101/I.S.2/A440, NAFS requirements for the following window designation:
 - 1. Performance Class and Grade: HC40.

END OF ADDENDUM

Margaret F. Larkin
Executive Director
Design and Construction