



STATE OF NEW YORK  
OFFICE OF GENERAL SERVICES  
DESIGN AND CONSTRUCTION GROUP  
THE GOVERNOR NELSON A. ROCKEFELLER  
EMPIRE STATE PLAZA  
ALBANY, NY 12242



---

---

**ADDENDUM NO. 1 TO PROJECT NO. 45006**

**CONSTRUCTION WORK**  
**Replace Windows, Truck Trap Tower A-60**  
**Clinton Correctional Facility**  
**1156 Cook Street**  
**Dannemora, NY 12929**

September 1, 2015

**NOTE:** This Addendum forms a part of the Contract Documents. Insert it in the Project Manual.  
Acknowledge receipt of this Addendum in the space provided on the Bid Form.

**BIDDING REQUIREMENTS**

1. DOCUMENT 001116 ADVERTISEMENT FOR BIDS: **Add:** The successful bidder will be required to furnish a Performance Bond and a Labor and Material Bond in the statutory form of public bonds required by Sections 136 and 137 of the State Finance Law, each for 100% of the amount of the Contract.
2. DOCUMENT 002113 INSTRUCTIONS TO BIDDERS: Delete Paragraph 4.7.

**CONTRACTING REQUIREMENTS**

3. DOCUMENT 007213 GENERAL CONDITIONS: Delete Paragraph 1.1.1.

Performance Bonds and Labor and Material Bonds are required on this Contract, each for 100% of the amount of the Contract.

4. Page 099101-5. Article 2.03 Finish Paint Types, Add the following paragraph

“D. Interior Paint Types

1. Paint Type IAL-3: Interior Acrylic Latex, Semigloss Enamel.

- a. Solids by Weight: 49.0 percent.
- b. Solids by Volume: 35.0 percent.
- c. Solvent: Water.
- d. Vehicle: Vinyl acrylic resin.
- e. Weight Per Gallon: 10.0 lbs.
- f. Wet Film Thickness: 3.8 mils.
- g. Dry Film Thickness: 1.2 mils.
- h. Manufacturers: Benjamin Moore, ICI Dulux, Sherwin-Williams”

4. Drawing No. G-002
  - a. General Notes Column, Change Note 11. To Read:

“11. AT ALL WINDOWS TYPES (TYPES 1, 2, 3 & 4), EACH WINDOW TYPE REPRESENTS A SINGLE WINDOW UNIT WITHIN THE STEEL FRAME AND ONLY ONE WINDOW UNIT SHALL BE REMOVED AND REPLACED AT ONE TIME. COORDINATE WITH DIRECTOR’S REPRESENTATIVE.”
  
5. Drawing No. G-002
  - a. General Notes Column, Change Note 13. To Read:

“13. PAINT ALL REPAIRED INTERIOR WALLS, STEEL FRAMING, AND OTHER PATCHED AREAS ADJACENT TO WINDOWS WITH TYPE ‘IAL-3’ FINISH SYSTEM. COLOR TO BE SELECTED BY THE DIRECTOR’S REPRESENTATIVE FROM THE PAINT MANUFACTURER’S STANDARD COLORS.”
  
6. Drawing No. G-002
  - a. General Notes Column, Add Note 14. To Read:

“14. PAINT ALL EXTERIOR TUBE STEEL, WINDOW FRAMING, & SILLS WITH TYPE ‘EAL-3’ FINISH SYSTEM, SEE DETAILS ON SHEET A-501. COLOR TO BE SELECTED BY THE DIRECTOR’S REPRESENTATIVE FROM THE PAINT MANUFACTURER’S STANDARD COLORS”.
  
7. Drawing No. A-201
  - a. Change Drawing Sheet Title to Read:

“ELEVATION PLANS”

**END OF ADDENDUM**

Margaret F. Larkin  
Executive Director  
Design and Construction