



**DESIGN AND CONSTRUCTION GROUP
THE GOVERNOR NELSON A. ROCKEFELLER
EMPIRE STATE PLAZA
ALBANY, NY 12242**

ADDENDUM NO. 1 TO PROJECT NO. 45456

**CONSTRUCTION WORK
REPLACE SALT STORAGE STRUCTURE
REGION 9, SCHOHARIE COUNTY
310 MINERAL SPRINGS ROAD
COBLESKILL, NY**

July 29, 2016

NOTE: This Addendum forms a part of the Contract Documents. Insert it in the Project Manual. Acknowledge receipt of this Addendum in the space provided on the Bid Form.

DRAWINGS:

1. CONSTRUCTION DRAWINGS:

- a. Drawing No. A-101: DELETE in its entirety the "NOTES" and add in its entirety the "NOTES" attached and forms part of the Contract Documents.

NOTES

- 1.) DISCONNECT & REMOVE THE EXISTING 4 ELECTRIC LIGHTS AT THE UNDERSIDE OF THE TRUSSES, +/- 1000 If WIRING & CONDUITS, 4 JUNCTION BOXES FROM THE STRUCTURE +/-36' HIGH BACK TO THE EXISTING ELECTRIC PANEL.
- 2.) REMOVE EXISTING 60' x 90' x 36' HIGH TENSION MEMBRANE FABRIC COVERED STEEL TRUSS STRUCTURE AND CUT ANCHOR BOLTS FLUSH WITH THE TOP OF FOUNDATION AND DISPOSE.
- 3.) LOCATE EXACT EDGE OF EXISTING STRIP FOOTING PRIOR TO AUGURING COLUMN FOOTINGS.
- 4.) AUGER FOR 24" DIA. COLUMN FOOTINGS ALONG SIDE EXISTING EDGE OF STRIP FOOTING AS INDICATED ON FLOOR PLAN DETAIL 1/A-101 AND SECTION 1/A-201.
- 5.) PROVIDE 24" DIA. CONCRETE COLUMN FOOTINGS FORMED WITH 24" DIA. SONO TUBE AS DETAILED IN SECTION A/A-201.
- 6.) PROVIDE EPOXY COATED REINFORCEMENT AS SPECIFIED IN SPECIFICATION SECTION 032100 AND DETAILED IN DETAIL A/A-201.

- 7.) PROVIDE TENSION MEMBRANE FABRIC STRUCTURE OF THE SIZE INDICATED ON PLAN 1/A-101 WITH HOT DIPPED GALVANIZED STRUCTURAL STEEL FRAME WORK.
- 8.) PROVIDE 6 LED LIGHT FIXTURES, +/-1000 If CONDUITS & WIRING, 6 JUNCTION BOXES, RECONNECT WIRING AND LIGHTS BACK TO THE EXISTING PANEL USING EXISTING CIRCUITS AND BREAKERS, LOCATE LIGHTS AS HIGH AS POSSIBLE AND WHERE DIRECTED BY THE DIRECTORS REPRESENTATIVE & TEST FOR FULL OPERATION.
- 9.) PROVIDE "COUNTERACT SYSTEM" AS SPECIFIED IN SPECIFICATION SECTION 133422, ATTACH ELECTRIC CONDUCTORS TO EACH RIGID FRAME, FOLLOW MANUFACTURERS PRINTED INSTRUCTIONS ON INSTALLATION

END OF ADDENDUM

Margaret F. Larkin
Executive Director
Design and Construction