



STATE OF NEW YORK  
OFFICE OF GENERAL SERVICES  
DESIGN AND CONSTRUCTION GROUP  
THE GOVERNOR NELSON A. ROCKEFELLER  
EMPIRE STATE PLAZA  
ALBANY, NY 12242



---

---

**ADDENDUM NO. 1 TO PROJECT NO. M2989**

**CONSTRUCTION WORK  
REINFORCE EXISTING WAFFLE ROOF  
BUILDING NO. 77  
GREATER BINGHAMTON HEALTH CENTER  
425 ROBINSON STREET  
BINGHAMTON, NY**

May 9, 2012

**NOTE:** This Addendum forms a part of the Contract Documents. Insert it in the Project Manual.  
Acknowledge receipt of this Addendum in the space provided on the Bid Form.

**SPECIFICATIONS**

1. Page 030132 – 2, Change Paragraph 3.04.A to read:
  - A. Testing and Inspection: Owner will engage a special inspector and qualified testing and inspecting agency to perform field tests and inspections and prepare test reports. Agency shall furnish equipment necessary to perform field testing.
2. Page 034910-2, Delete Paragraph 1.05 F in its entirety.
3. Page 034910-9, Add the following Article:

**3.10 FIELD QUALITY CONTROL**

  - A. Testing and Inspection: Owner will engage a special inspector and qualified testing and inspecting agency to perform field tests and inspections and prepare test reports.
  - B. Inspections:
    - a. Verify all materials are as specified.
    - b. Placement and installation of reinforcement and products in accordance with Manufacturer's Recommendations
    - c. Curing procedures.
    - d. Record test results for 'pull-off' test to determine FRP adhesion to concrete substrate.

**END OF ADDENDUM**

James Dirolf, P.E.  
Director of Design