

**DESIGN AND CONSTRUCTION GROUP  
THE GOVERNOR NELSON A. ROCKEFELLER  
EMPIRE STATE PLAZA  
ALBANY, NY 12242**

---

**CONSTRUCTION WORK  
ADDENDUM NO. 2 TO PROJECT NO. Q1633  
REPLACE ROOFS  
KINGSTON STATE ARMORY  
25 KIERSTED AVENUE  
KINGSTON, NY**

June 6, 2016

**NOTE:** This Addendum forms a part of the Contract Documents. Insert it in the Project Manual. Acknowledge receipt of this Addendum in the space provided on the Bid Form.

**CONSTRUCTION SPECIFICATIONS:**

1. Refer to Section 075323 Adhered EPDM Roofing System:
  - a. REVISE paragraph 2.02.A to read:

“The thermal resistance over the entire roof area shall be a minimum of R-Value 30.”
  - b. DELETE paragraph 2.06.E in its entirety.
  - c. ADD revised paragraph 2.06.E as follows:

“Provide complete drain replacement as noted on the drawings. Provide complete drain assembly. Basis of Design is Zurn ZC100/ZC101 (as required based on existing outflow pipe size) with cast iron dome and underdeck clamp.

**CONSTRUCTION DRAWINGS:**

2. Refer to Drawing H-100 – Roofs B & E Abatement Plans:
  - a. Asbestos Abatement Legend REVISE the last sentence of the first paragraph of the first note to read:

“...TYP. FOR APPROX. 7,000 SQ. FT. ROOF AREA.”

3. Refer to Drawing A-100:

a. ADD the following text to the "SKYLIGHT RENOVATION NOTE":

"Replacement glass to match existing; verify in field. Glass is laminated, semi-translucent, chicken wire glass with hammered pebble finish.

Basis of Design: VintageWire Gothic Laminated Glass by Bendheim Architectural Glass.

The base bid includes the following replacements:

(3) 16" wide x 30" long rectangular panels

(3) 16" wide trapezoidal panels with 12" and 30" long side edges

(2) 12" wide triangular panels with 12" long side edge

Contractor to verify quantities, sizes and thicknesses. Sizes are provided for bid purposes only."

**END OF ADDENDUM**

Margaret F. Larkin  
Executive Director  
Design and Construction