



# Office of General Services

DESIGN & CONSTRUCTION GROUP  
THE GOVERNOR NELSON A. ROCKEFELLER  
EMPIRE STATE PLAZA  
ALBANY, NY 12242

---

## ADDENDUM NO. 2 TO PROJECT NO. Q1916

### CONSTRUCTION AND ELECTRICAL WORK REPLACE PERIMETER DETECTION & CAMERA SYSTEMS SHAWANGUNK CORRECTIONAL FACILITY 200 QUICK ROAD WALLKILL, NY

March 10, 2026

**NOTE:** This Addendum forms a part of the Contract Documents. Insert it in the Project Manual. Acknowledge receipt of this Addendum in the space provided on the Bid Form.

#### ELECTRICAL WORK SPECIFICATIONS

1. SECTION 281608 - TAUT WIRE FENCE AND ALARM SYSTEM, Paragraph 1.2.A, Delete this subparagraph in its entirety.
2. SECTION 281608 - TAUT WIRE FENCE AND ALARM SYSTEM, Paragraph 2.1.A.1.a: Remove in its entirety and replace with:
  - “a. Sensor Switches: DeTekion STW-40S sensor switch.”
3. SECTION 281608 - TAUT WIRE FENCE AND ALARM SYSTEM, Paragraph 2.1.A.1.b.1): Remove in its entirety and replace with:
  - “1) Sensor Post Sensor Channel: Stainless steel rigid ‘C’ channel, to house the sensor switches. Also equip with raceway for sensor wiring.”
4. SECTION 281608 - TAUT WIRE FENCE AND ALARM SYSTEM, Paragraph 2.1.A.1.b.2), Delete this subparagraph in its entirety.

**END OF ADDENDUM**

Brady M. Sherlock, P.E.  
Director, Division of Design  
Design & Construction