

It is not necessary to print this workbook out. It is for informational purposes only.

The NYS Intelligence Center (NYSIC) uses intelligence based case management system that is a different RMS than SJS. This RMS is from a vendor supported information system and It is comprised of a vendor supported database in SQL Server that consists of a total of 698 tables, of those tables 237 contain user data and the remainder are lookup codes for data validation. The remaining two tabs on this spreadsheet consist of metadata that shows the size and complexity of the NYSIC's RMS. The first tab is a complete inventory of all tables in the system, the second tab is of user data tables only.

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblAdr	AdrID	int	NOT NULL	Yes	
TblAdr	Address	varchar(50)	NOT NULL		
TblAdr	Caution	varchar(50)			
TblAdr	RODate	datetime			
TblAdr	ROOperator	int			
TblAdr	LUDate	datetime			
TblAdr	LUOperator	int			
TblAdr	StateCode	varchar(4)			Yes
TblAdr	ZipCode	varchar(10)			
TblAdr	County	varchar(4)			Yes
TblAdr	LocationType	varchar(4)			Yes
TblAdr	AddressPlace	varchar(10)			Yes
TblAdr	QualifierType	varchar(4)			Yes
TblAdr	AddressQualifier	varchar(7)			
TblAdr	BuildingName	varchar(50)			
TblAdr	CityName	varchar(30)			
TblAdr	TemporaryAddress	varchar(1)			Yes
TblAdr	CountryCode	varchar(4)			Yes
TblAdr	GeoIntersectionId	varchar(10)			
TblAdr	GeoRoadId	varchar(10)			
TblAdr	GeoParcelId	varchar(10)			
TblAdr	ParcedAddressText	varchar(10)			
TblAdr	CityCode	varchar(4)			Yes
TblAdr	WGS84Longitude	float			
TblAdr	WGS84Latitude	float			
TblAdr	AddressHostID	varchar(10)			
TblAdr	AddressStatus	tinyint			
TblAdr	Comments	text			
TblAdr	Description	varchar(255)			
TblAdr	MilePost	varchar(10)			
TblAdr	RoadWay	varchar(25)			

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblAdr	DirectionOfTravel	varchar(4)			Yes
TblAdr	Area1	varchar(10)			Yes
TblAdr	Area2	varchar(10)			Yes
TblAdr	Area3	varchar(10)			Yes
TblAdr	Area4	varchar(10)			Yes
TblAdr	Area5	varchar(10)			Yes
TblAdr	AddressType	varchar(4)			
TblAdr	NAD27Zone	varchar(5)			
TblAdr	NAD27X	float			
TblAdr	NAD27Y	float			
TblAdr	UpdateLock	uniqueidentifier			
TblAdr	DiagramTempData	image			
TblAdr	Area6	varchar(10)			Yes
TblAdr	Area7	varchar(10)			Yes
TblAdr	Area8	varchar(10)			Yes
TblAdr	Area9	varchar(10)			Yes
TblAdr	Area10	varchar(10)			Yes
TblAdr	ReadOnly	tinyint			
TblAdr	HiddenFlag	varchar(1)			
TblAdr	NAD27Latitude	float			
TblAdr	NAD27Longitude	float			
TblAdr	NAD83Zone	varchar(5)			
TblAdr	NAD83X	float			
TblAdr	NAD83Y	float			
TblAdr	IntersectionType	varchar(4)			Yes
TblAdr	DisclosureExempt	varchar(1)			Yes
TblAdr	DisclosureExpiration	datetime			
TblAdrDocLog	Address	varchar(50)			
TblAdrDocLog	ActionType	varchar(4)	NOT NULL		
TblAdrDocLog	ActionDate	datetime	NOT NULL		
TblAdrDocLog	ActionOperator	int	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblAdrDocLog	AdrID	int	NOT NULL		
TblAdrFinLk	AdrFinLkID	int	NOT NULL	Yes	
TblAdrFinLk	AdrID	int	NOT NULL		Yes
TblAdrFinLk	FinID	int	NOT NULL		Yes
TblAdrFinLk	Relationship	varchar(4)			Yes
TblAdrFinLk	RODate	datetime			
TblAdrFinLk	ROOperator	int			
TblAdrFinLk	LUDate	datetime			
TblAdrFinLk	LUOperator	int			
TblAdrFinLk	ValidFrom	datetime			
TblAdrFinLk	ValidTo	datetime			
TblAdrInterface	AdrID	int	NOT NULL	Yes	Yes
TblAdrInterface	InterfacelD	int	NOT NULL	Yes	Yes
TblAdrInterface	RemotelD	varchar(1000)			
TblAdrInterface	RemoteDescription	varchar(1000)			
TblAdrInterface	RODate	datetime	NOT NULL		
TblAdrInterface	ROOperator	int	NOT NULL		
TblAdrInterface	LUDate	datetime	NOT NULL		
TblAdrInterface	LUOperator	int	NOT NULL		
TblAdrInterface	RemoteBinary	image			
TblAdrMergeBatch	AdrMergeBatchID	int	NOT NULL	Yes	
TblAdrMergeBatch	BatchStatus	varchar(4)			
TblAdrMergeBatch	MinConfidence	smallint			
TblAdrMergeBatch	RODate	datetime	NOT NULL		
TblAdrMergeBatch	ROOperator	int	NOT NULL		
TblAdrMergeBatch	LUDate	datetime	NOT NULL		
TblAdrMergeBatch	LUOperator	int	NOT NULL		
TblAdrMergeBatch	UpdateLock	uniqueidentifier			
TblAdrMergeBatch	AddressType	varchar(4)			
TblAdrMergeBatch	Address	varchar(50)			
TblAdrMergeBatchItem	AdrMergeBatchID	int	NOT NULL		Yes

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblAdrMergeBatchItem	AdrID	int	NOT NULL		Yes
TblAdrMergeBatchItem	GroupNumber	int	NOT NULL		
TblAdrMergeBatchItem	Action	varchar(4)	NOT NULL		
TblAdrMergeBatchItem	AdrMergeBatchItemID	int	NOT NULL	Yes	
TblAdrRelObjFile	AdrRelObjFileID	int	NOT NULL	Yes	
TblAdrRelObjFile	AdrID	int	NOT NULL		Yes
TblAdrRelObjFile	FileName	varchar(200)	NOT NULL		
TblAdrRelObjFile	MimeType	varchar(200)	NOT NULL		
TblAdrRelObjFile	Description	varchar(100)	NOT NULL		
TblAdrRelObjFile	BinaryData	image			
TblAdrRelObjFile	BinaryData2	image			
TblAdrRelObjFile	DisplayCode	tinyint			
TblAdrRelObjFile	RODate	datetime	NOT NULL		
TblAdrRelObjFile	ROOperator	int	NOT NULL		
TblAdrRelObjFile	LUDate	datetime	NOT NULL		
TblAdrRelObjFile	LUOperator	int	NOT NULL		
TblAdrRelObjFile	BinaryDataBytes	int			
TblAdrRelObjFile	TextData	text			
TblAdrRelObjFile	FileExtension	varchar(8)			
TblAdrVehLk	AdrVehLkID	int	NOT NULL	Yes	
TblAdrVehLk	AdrID	int	NOT NULL		Yes
TblAdrVehLk	VehID	int	NOT NULL		Yes
TblAdrVehLk	Relationship	varchar(4)			Yes
TblAdrVehLk	RODate	datetime	NOT NULL		
TblAdrVehLk	ROOperator	int	NOT NULL		
TblAdrVehLk	LUDate	datetime	NOT NULL		
TblAdrVehLk	LUOperator	int	NOT NULL		
TblAdrVehLk	ValidFrom	datetime			
TblAdrVehLk	ValidTo	datetime			
TblAdrWatchDog	AdrID	int	NOT NULL		Yes
TblAdrWatchDog	AlertOperID	int	NOT NULL		Yes

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblAdrWatchDog	FndAlert	bit			
TblAdrWatchDog	AdrWatchDogID	int	NOT NULL	Yes	
TblArrest	ArrestID	int	NOT NULL	Yes	
TblArrest	ArrestDateTime	datetime			
TblArrest	Arrestee	int			Yes
TblArrest	Location	int			Yes
TblArrest	ArrestType	varchar(4)			Yes
TblArrest	SupID	int	NOT NULL		Yes
TblArrest	ArrestingLEO	int			Yes
TblArrest	SecLev2	varchar(10)			Yes
TblArrest	SecLev3	varchar(10)			Yes
TblArrest	SecLev4	varchar(10)			Yes
TblArrest	SecLev5	varchar(10)			Yes
TblArrest	SecLev6	varchar(10)			Yes
TblArrest	SecLev7	varchar(10)			Yes
TblArrest	SecLev8	varchar(10)			Yes
TblArrest	BackupLEO	int			Yes
TblArrest	UCRExempt	varchar(1)			Yes
TblArrest	WeaponSeized	varchar(4)			Yes
TblArrest	DrugInfluence	varchar(1)			Yes
TblArrest	AlcoholInfluence	varchar(1)			Yes
TblArrest	DomesticViolence	varchar(1)			Yes
TblArrest	ArresteeVictimRel	varchar(4)			Yes
TblArrest	TotalClearances	int			
TblArrest	ArresteeDisp	varchar(4)			Yes
TblArrest	JuvenileDisp	varchar(4)			Yes
TblArrest	OBTSNumber	varchar(15)			
TblArrest	CourtCaseNumber	varchar(15)			
TblArrest	CaseDisposition	varchar(4)			Yes
TblArrest	NextTrialDate	datetime			
TblArrest	RODate	datetime	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblArrest	ROOperator	int	NOT NULL		
TblArrest	LUDate	datetime	NOT NULL		
TblArrest	LUOperator	int	NOT NULL		
TblArrest	Narrative	image			
TblArrest	NarrativeTxt	text			
TblArrest	JailNumber	varchar(20)			
TblArrest	AgencyCaseNumber	varchar(25)			
TblArrest	BookingFacility	varchar(50)			
TblArrest	JointArrest	varchar(1)			Yes
TblArrest	JointRelationship	varchar(4)			Yes
TblArrest	OtherAgency	int			Yes
TblArrest	WarrantType	varchar(4)			Yes
TblArrest	WarrantNumber	varchar(20)			
TblArrest	WarrantDate	datetime			
TblArrest	IssuingCourt	varchar(4)			Yes
TblArrest	TransportTo	varchar(20)			
TblArrest	TransportBy	varchar(20)			
TblArrest	BondSet	varchar(1)			Yes
TblArrest	BondAmount	money			
TblArrest	UpdateLock	uniqueidentifier			
TblArrestChargeMv	ArrestChargeMVID	int	NOT NULL	Yes	
TblArrestChargeMv	ArrestID	int	NOT NULL		Yes
TblArrestChargeMv	Charge	varchar(25)	NOT NULL		Yes
TblArrestChargeMv	Statute	varchar(25)			Yes
TblArrestChargeMv	UCRClass	varchar(6)			Yes
TblArrestChargeMv	ChargeCount	int	NOT NULL		
TblArrestChargeMv	ChargeLEO	int			Yes
TblArrestChargeMv	SecLev2	varchar(10)			Yes
TblArrestChargeMv	SecLev3	varchar(10)			Yes
TblArrestChargeMv	SecLev4	varchar(10)			Yes
TblArrestChargeMv	SecLev5	varchar(10)			Yes

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblArrestChargeMv	SecLev6	varchar(10)			Yes
TblArrestChargeMv	SecLev7	varchar(10)			Yes
TblArrestChargeMv	SecLev8	varchar(10)			Yes
TblArrestChargeMv	DrugActivity	varchar(4)			Yes
TblArrestChargeMv	DrugType	varchar(4)			Yes
TblArrestChargeMv	DrugQuantity	decimal(12,2)			
TblArrestChargeMv	BaseQuantity	float			
TblArrestChargeMv	DrugUnitOfMeasure	varchar(4)			Yes
TblArrestChargeMv	DomesticViolence	varchar(1)			Yes
TblArrestChargeMv	RODate	datetime	NOT NULL		
TblArrestChargeMv	ROOperator	int	NOT NULL		
TblArrestChargeMv	LUDate	datetime	NOT NULL		
TblArrestChargeMv	LUOperator	int	NOT NULL		
TblArrestChargeMv	ChargeDescription	varchar(255)			
TblArrestChargeMv	Description	varchar(255)			
TblArrestDocLog	ArrestID	int	NOT NULL		
TblArrestDocLog	Description	varchar(60)			
TblArrestDocLog	ActionType	varchar(4)	NOT NULL		
TblArrestDocLog	ActionDate	datetime	NOT NULL		
TblArrestDocLog	ActionOperator	int	NOT NULL		
TblArrestDocLog	ArrestDocLogID	int	NOT NULL	Yes	
TblArrestGangCriteriaMv	ArrestGangCriteriaMvID	int	NOT NULL	Yes	
TblArrestGangCriteriaMv	ArrestID	int	NOT NULL		Yes
TblArrestGangCriteriaMv	GangCriterion	varchar(4)	NOT NULL		Yes
TblArrestGangCriteriaMv	CriteriaMet	varchar(1)			Yes
TblArrestGangCriteriaMv	RODate	datetime	NOT NULL		
TblArrestGangCriteriaMv	ROOperator	int	NOT NULL		
TblArrestGangCriteriaMv	LUDate	datetime	NOT NULL		
TblArrestGangCriteriaMv	LUOperator	int	NOT NULL		
TblArrestGangCriteriaMv	UpdateLock	int			
TblBulletin	BulletinText	varchar(1500)			

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblBulletin	StartDateTime	datetime			
TblBulletin	StopDateTime	datetime			
TblBulletin	SecurityLevel	tinyint			
TblBulletin	BulletinID	int	NOT NULL	Yes	
TblCase	CaseID	int	NOT NULL	Yes	
TblCase	CaseNumber	varchar(50)			
TblCase	NextSupNumber	int			
TblCase	DateInitiated	datetime			
TblCase	LeadDetective	int			Yes
TblCase	SecLev2	varchar(10)			Yes
TblCase	SecLev3	varchar(10)			Yes
TblCase	SecLev4	varchar(10)			Yes
TblCase	SecLev5	varchar(10)			Yes
TblCase	SecLev6	varchar(10)			Yes
TblCase	SecLev7	varchar(10)			Yes
TblCase	SecLev8	varchar(10)			Yes
TblCase	CaseDescription	varchar(100)			
TblCase	CaseStatus	varchar(4)			Yes
TblCase	FileNumber	varchar(15)			
TblCase	Purge	varchar(1)			Yes
TblCase	Synopsis	text			
TblCase	DispositionDate	datetime			
TblCase	DispositionCode	varchar(4)			Yes
TblCase	SecureDescription	varchar(40)			
TblCase	SaoDisposition	varchar(4)			Yes
TblCase	ROStart	datetime			
TblCase	RODate	datetime	NOT NULL		
TblCase	ROOperator	int	NOT NULL		Yes
TblCase	ROElapsed	int			
TblCase	LUStart	datetime			
TblCase	LUDate	datetime			

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCase	LUOperator	int	NOT NULL		Yes
TblCase	UpdElasped	int			
TblCase	SaoReasons	varchar(4)			Yes
TblCase	TypeOfCase	varchar(4)			Yes
TblCase	BackupOfficer	int			Yes
TblCase	CaseStatusDate	datetime			
TblCase	CaseReferralCode	varchar(4)			Yes
TblCase	CaseReferralDate	datetime			
TblCase	CaseReferralAccept	varchar(1)			Yes
TblCase	ReferralCaseNumber	varchar(15)			
TblCase	ClosedCaseDate	datetime			
TblCase	ClosedCaseDism	varchar(4)			Yes
TblCase	ExpensePostedFlag	varchar(1)			Yes
TblCase	DateArchived	datetime			
TblCase	AnalysisExempt	varchar(1)			Yes
TblCase	HiddenFlag	varchar(1)			
TblCase	AssignDateTime	datetime			
TblCase	AssignedToOper	int			Yes
TblCase	AssignedByOper	int			Yes
TblCase	CaseSubType	varchar(4)			Yes
TblCase	MyCaseStatus	varchar(1)			
TblCase	Priority	varchar(4)			Yes
TblCase	IntelPurgeBatchID	int			Yes
TblCase	UpdateLock	uniqueidentifier			
TblCase	Prosecutor	int			Yes
TblCase	Dissemination	varchar(4)			Yes
TblCase	AdrHiddenFlagOnRelated	bit			
TblCase	AdrDisclosureExemptOnRelated	bit			
TblCase	AdrDisclosureExpirationOnRelated	datetime			
TblCase	SubHiddenFlagOnRelated	bit			
TblCase	SubDisclosureExemptOnRelated	bit			

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCase	SubDisclosureExpirationOnRelated	datetime			
TblCase	VehHiddenFlagOnRelated	bit			
TblCase	VehDisclosureExemptOnRelated	bit			
TblCase	VehDisclosureExpirationOnRelated	datetime			
TblCase	TelHiddenFlagOnRelated	bit			
TblCase	TelDisclosureExemptOnRelated	bit			
TblCase	TelDisclosureExpirationOnRelated	datetime			
TblCase	FinHiddenFlagOnRelated	bit			
TblCase	FinDisclosureExemptOnRelated	bit			
TblCase	FinDisclosureExpirationOnRelated	datetime			
TblCaseActivity	CaseID	int	NOT NULL		Yes
TblCaseActivity	Action	varchar(4)	NOT NULL		Yes
TblCaseActivity	OperID	int	NOT NULL		Yes
TblCaseActivity	Comments	varchar(1000)			
TblCaseActivity	ActionDateTime	datetime	NOT NULL		
TblCaseActivity	CaseActivityID	int	NOT NULL	Yes	
TblCaseAuthOperLk	CaseID	int			Yes
TblCaseAuthOperLk	OperID	int			Yes
TblCaseAuthOperLk	RODate	datetime			
TblCaseAuthOperLk	ROOperator	int			Yes
TblCaseAuthOperLk	LUDate	datetime			
TblCaseAuthOperLk	LUOperator	int			Yes
TblCaseAuthOperLk	CaseAuthOperLkID	int	NOT NULL	Yes	
TblCaseCaseLk	CaseID	int			Yes
TblCaseCaseLk	RelatedCaseID	int			Yes
TblCaseCaseLk	InverseLinkID	int			Yes
TblCaseCaseLk	RODate	datetime			
TblCaseCaseLk	ROOperator	int			
TblCaseCaseLk	LUDate	datetime			
TblCaseCaseLk	LUOperator	int			
TblCaseCaseLk	CaseCaseLkID	int	NOT NULL	Yes	

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCaseDocLog	CaseNumber	varchar(50)			
TblCaseDocLog	ActionType	varchar(4)	NOT NULL		
TblCaseDocLog	ActionDate	datetime	NOT NULL		
TblCaseDocLog	ActionOperator	int	NOT NULL		
TblCaseDocLog	CaseID	int	NOT NULL		
TblCaseHist	CaseHistID	int	NOT NULL	Yes	
TblCaseHist	CaseID	int	NOT NULL		Yes
TblCaseHist	AssignedToSecLev8	varchar(10)			Yes
TblCaseHist	AssignedToSecLev7	varchar(10)			Yes
TblCaseHist	AssignedToSecLev6	varchar(10)			Yes
TblCaseHist	AssignedToSecLev5	varchar(10)			Yes
TblCaseHist	AssignedToSecLev4	varchar(10)			Yes
TblCaseHist	AssignedToSecLev3	varchar(10)			Yes
TblCaseHist	AssignedToSecLev2	varchar(10)			Yes
TblCaseHist	AssignedToOper	int			Yes
TblCaseHist	AssignedByOper	int			Yes
TblCaseHist	Comments	text			
TblCaseHist	RODate	datetime	NOT NULL		
TblCaseHist	ROOperator	int	NOT NULL		Yes
TblCaseHist	Action	varchar(4)			
TblCaseInterface	CaseID	int	NOT NULL	Yes	Yes
TblCaseInterface	InterfaceID	int	NOT NULL	Yes	Yes
TblCaseInterface	RemoteID	varchar(1000)			
TblCaseInterface	RemoteDescription	varchar(1000)			
TblCaseInterface	RODate	datetime	NOT NULL		
TblCaseInterface	ROOperator	int	NOT NULL		
TblCaseInterface	LUDate	datetime	NOT NULL		
TblCaseInterface	LUOperator	int	NOT NULL		
TblCaseInterface	RemoteBinary	image			
TblCaseWatchDog	CaseWatchDogID	int	NOT NULL	Yes	
TblCaseWatchDog	CaseID	int	NOT NULL		Yes

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCaseWatchDog	AlertOperID	int	NOT NULL		Yes
TblCaseWatchDog	AdrOnRelated	bit			
TblCaseWatchDog	SubOnRelated	bit			
TblCaseWatchDog	VehOnRelated	bit			
TblCaseWatchDog	TelOnRelated	bit			
TblCaseWatchDog	FinOnRelated	bit			
TblCaseWatchDog	TipOnRelated	bit			
TblCaseWatchDog	SupOnRelated	bit			
TblCdsAccidentAirBagStatus	Description	varchar(100)	NOT NULL		
TblCdsAccidentAirBagStatus	RODate	datetime	NOT NULL		
TblCdsAccidentAirBagStatus	ROOperator	int	NOT NULL		
TblCdsAccidentAirBagStatus	LUDate	datetime	NOT NULL		
TblCdsAccidentAirBagStatus	LUOperator	int	NOT NULL		
TblCdsAccidentAirBagStatus	UpdateLock	int			
TblCdsAccidentAirBagStatus	ObsoleteFlag	tinyint			
TblCdsAccidentAirBagStatus	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentAlcDrugTestType	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentAlcDrugTestType	Description	varchar(50)	NOT NULL		
TblCdsAccidentAlcDrugTestType	RODate	datetime	NOT NULL		
TblCdsAccidentAlcDrugTestType	ROOperator	int	NOT NULL		
TblCdsAccidentAlcDrugTestType	LUDate	datetime	NOT NULL		
TblCdsAccidentAlcDrugTestType	LUOperator	int	NOT NULL		
TblCdsAccidentAlcDrugTestType	UpdateLock	int			
TblCdsAccidentAlcDrugTestType	ObsoleteFlag	tinyint			
TblCdsAccidentAlcDrugTestType	LogicCode	varchar(4)			
TblCdsAccidentAlcDrugUse	Description	varchar(50)	NOT NULL		
TblCdsAccidentAlcDrugUse	RODate	datetime	NOT NULL		
TblCdsAccidentAlcDrugUse	ROOperator	int	NOT NULL		
TblCdsAccidentAlcDrugUse	LUDate	datetime	NOT NULL		
TblCdsAccidentAlcDrugUse	LUOperator	int	NOT NULL		
TblCdsAccidentAlcDrugUse	UpdateLock	int			

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsAccidentAlcDrugUse	ObsoleteFlag	tinyint			
TblCdsAccidentAlcDrugUse	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentAlcoholTested	Description	varchar(100)	NOT NULL		
TblCdsAccidentAlcoholTested	RODate	datetime	NOT NULL		
TblCdsAccidentAlcoholTested	ROOperator	int	NOT NULL		
TblCdsAccidentAlcoholTested	LUDate	datetime	NOT NULL		
TblCdsAccidentAlcoholTested	LUOperator	int	NOT NULL		
TblCdsAccidentAlcoholTested	UpdateLock	int			
TblCdsAccidentAlcoholTested	ObsoleteFlag	tinyint			
TblCdsAccidentAlcoholTested	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentAlcoholTestResult	Description	varchar(100)	NOT NULL		
TblCdsAccidentAlcoholTestResult	RODate	datetime	NOT NULL		
TblCdsAccidentAlcoholTestResult	ROOperator	int	NOT NULL		
TblCdsAccidentAlcoholTestResult	LUDate	datetime	NOT NULL		
TblCdsAccidentAlcoholTestResult	LUOperator	int	NOT NULL		
TblCdsAccidentAlcoholTestResult	UpdateLock	int			
TblCdsAccidentAlcoholTestResult	ObsoleteFlag	tinyint			
TblCdsAccidentAlcoholTestResult	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentAlcoholTestType	Description	varchar(100)	NOT NULL		
TblCdsAccidentAlcoholTestType	RODate	datetime	NOT NULL		
TblCdsAccidentAlcoholTestType	ROOperator	int	NOT NULL		
TblCdsAccidentAlcoholTestType	LUDate	datetime	NOT NULL		
TblCdsAccidentAlcoholTestType	LUOperator	int	NOT NULL		
TblCdsAccidentAlcoholTestType	UpdateLock	int			
TblCdsAccidentAlcoholTestType	ObsoleteFlag	tinyint			
TblCdsAccidentAlcoholTestType	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentCause	Description	varchar(50)	NOT NULL		
TblCdsAccidentCause	RODate	datetime	NOT NULL		
TblCdsAccidentCause	ROOperator	int	NOT NULL		
TblCdsAccidentCause	LUDate	datetime	NOT NULL		
TblCdsAccidentCause	LUOperator	int	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsAccidentCause	UpdateLock	int			
TblCdsAccidentCause	ObsoleteFlag	tinyint			
TblCdsAccidentCause	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentCommercialVehicleStatus	Description	varchar(100)	NOT NULL		
TblCdsAccidentCommercialVehicleStatus	RODate	datetime	NOT NULL		
TblCdsAccidentCommercialVehicleStatus	ROOperator	int	NOT NULL		
TblCdsAccidentCommercialVehicleStatus	LUDate	datetime	NOT NULL		
TblCdsAccidentCommercialVehicleStatus	LUOperator	int	NOT NULL		
TblCdsAccidentCommercialVehicleStatus	UpdateLock	int			
TblCdsAccidentCommercialVehicleStatus	ObsoleteFlag	tinyint			
TblCdsAccidentCommercialVehicleStatus	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentContributingCircumstances	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentContributingCircumstances	Description	varchar(100)	NOT NULL		
TblCdsAccidentContributingCircumstances	RODate	datetime	NOT NULL		
TblCdsAccidentContributingCircumstances	ROOperator	int	NOT NULL		
TblCdsAccidentContributingCircumstances	LUDate	datetime	NOT NULL		
TblCdsAccidentContributingCircumstances	LUOperator	int	NOT NULL		
TblCdsAccidentContributingCircumstances	UpdateLock	int			
TblCdsAccidentContributingCircumstances	ObsoleteFlag	tinyint			
TblCdsAccidentContributingCircumstances	AccidentContributingCircumstancesType	varchar(4)	NOT NULL		Yes
TblCdsAccidentContributingCircumstancesType	Description	varchar(100)	NOT NULL		
TblCdsAccidentContributingCircumstancesType	RODate	datetime	NOT NULL		
TblCdsAccidentContributingCircumstancesType	ROOperator	int	NOT NULL		
TblCdsAccidentContributingCircumstancesType	LUDate	datetime	NOT NULL		
TblCdsAccidentContributingCircumstancesType	LUOperator	int	NOT NULL		
TblCdsAccidentContributingCircumstancesType	UpdateLock	int			
TblCdsAccidentContributingCircumstancesType	ObsoleteFlag	tinyint			
TblCdsAccidentContributingCircumstancesType	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentCrashInWorkZone	Description	varchar(50)	NOT NULL		
TblCdsAccidentCrashInWorkZone	RODate	datetime	NOT NULL		
TblCdsAccidentCrashInWorkZone	ROOperator	int	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsAccidentCrashInWorkZone	LUDate	datetime	NOT NULL		
TblCdsAccidentCrashInWorkZone	LUOperator	int	NOT NULL		
TblCdsAccidentCrashInWorkZone	UpdateLock	int			
TblCdsAccidentCrashInWorkZone	ObsoleteFlag	tinyint			
TblCdsAccidentCrashInWorkZone	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentDriverAction	Description	varchar(50)	NOT NULL		
TblCdsAccidentDriverAction	RODate	datetime	NOT NULL		
TblCdsAccidentDriverAction	ROOperator	int	NOT NULL		
TblCdsAccidentDriverAction	LUDate	datetime	NOT NULL		
TblCdsAccidentDriverAction	LUOperator	int	NOT NULL		
TblCdsAccidentDriverAction	UpdateLock	int			
TblCdsAccidentDriverAction	ObsoleteFlag	tinyint			
TblCdsAccidentDriverAction	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentDriverDistraction	Description	varchar(100)	NOT NULL		
TblCdsAccidentDriverDistraction	RODate	datetime	NOT NULL		
TblCdsAccidentDriverDistraction	ROOperator	int	NOT NULL		
TblCdsAccidentDriverDistraction	LUDate	datetime	NOT NULL		
TblCdsAccidentDriverDistraction	LUOperator	int	NOT NULL		
TblCdsAccidentDriverDistraction	UpdateLock	int			
TblCdsAccidentDriverDistraction	ObsoleteFlag	tinyint			
TblCdsAccidentDriverDistraction	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentDriverVisionObstruction	Description	varchar(100)	NOT NULL		
TblCdsAccidentDriverVisionObstruction	RODate	datetime	NOT NULL		
TblCdsAccidentDriverVisionObstruction	ROOperator	int	NOT NULL		
TblCdsAccidentDriverVisionObstruction	LUDate	datetime	NOT NULL		
TblCdsAccidentDriverVisionObstruction	LUOperator	int	NOT NULL		
TblCdsAccidentDriverVisionObstruction	UpdateLock	int			
TblCdsAccidentDriverVisionObstruction	ObsoleteFlag	tinyint			
TblCdsAccidentDriverVisionObstruction	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentDrugTested	Description	varchar(100)	NOT NULL		
TblCdsAccidentDrugTested	RODate	datetime	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsAccidentDrugTested	ROOperator	int	NOT NULL		
TblCdsAccidentDrugTested	LUDate	datetime	NOT NULL		
TblCdsAccidentDrugTested	LUOperator	int	NOT NULL		
TblCdsAccidentDrugTested	UpdateLock	int			
TblCdsAccidentDrugTested	ObsoleteFlag	tinyint			
TblCdsAccidentDrugTested	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentDrugTestResult	Description	varchar(100)	NOT NULL		
TblCdsAccidentDrugTestResult	RODate	datetime	NOT NULL		
TblCdsAccidentDrugTestResult	ROOperator	int	NOT NULL		
TblCdsAccidentDrugTestResult	LUDate	datetime	NOT NULL		
TblCdsAccidentDrugTestResult	LUOperator	int	NOT NULL		
TblCdsAccidentDrugTestResult	UpdateLock	int			
TblCdsAccidentDrugTestResult	ObsoleteFlag	tinyint			
TblCdsAccidentDrugTestResult	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentDrugTestType	Description	varchar(100)	NOT NULL		
TblCdsAccidentDrugTestType	RODate	datetime	NOT NULL		
TblCdsAccidentDrugTestType	ROOperator	int	NOT NULL		
TblCdsAccidentDrugTestType	LUDate	datetime	NOT NULL		
TblCdsAccidentDrugTestType	LUOperator	int	NOT NULL		
TblCdsAccidentDrugTestType	UpdateLock	int			
TblCdsAccidentDrugTestType	ObsoleteFlag	tinyint			
TblCdsAccidentDrugTestType	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentEjected	Description	varchar(50)	NOT NULL		
TblCdsAccidentEjected	RODate	datetime	NOT NULL		
TblCdsAccidentEjected	ROOperator	int	NOT NULL		
TblCdsAccidentEjected	LUDate	datetime	NOT NULL		
TblCdsAccidentEjected	LUOperator	int	NOT NULL		
TblCdsAccidentEjected	UpdateLock	int			
TblCdsAccidentEjected	ObsoleteFlag	tinyint			
TblCdsAccidentEjected	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentFirstAidBy	Description	varchar(50)	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsAccidentFirstAidBy	RODate	datetime	NOT NULL		
TblCdsAccidentFirstAidBy	ROOperator	int	NOT NULL		
TblCdsAccidentFirstAidBy	LUDate	datetime	NOT NULL		
TblCdsAccidentFirstAidBy	LUOperator	int	NOT NULL		
TblCdsAccidentFirstAidBy	UpdateLock	int			
TblCdsAccidentFirstAidBy	ObsoleteFlag	tinyint			
TblCdsAccidentFirstAidBy	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentHarmfulEvent	Description	varchar(50)	NOT NULL		
TblCdsAccidentHarmfulEvent	RODate	datetime	NOT NULL		
TblCdsAccidentHarmfulEvent	ROOperator	int	NOT NULL		
TblCdsAccidentHarmfulEvent	LUDate	datetime	NOT NULL		
TblCdsAccidentHarmfulEvent	LUOperator	int	NOT NULL		
TblCdsAccidentHarmfulEvent	UpdateLock	int			
TblCdsAccidentHarmfulEvent	ObsoleteFlag	tinyint			
TblCdsAccidentHarmfulEvent	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentHarmfulEventLocation	Description	varchar(50)	NOT NULL		
TblCdsAccidentHarmfulEventLocation	RODate	datetime	NOT NULL		
TblCdsAccidentHarmfulEventLocation	ROOperator	int	NOT NULL		
TblCdsAccidentHarmfulEventLocation	LUDate	datetime	NOT NULL		
TblCdsAccidentHarmfulEventLocation	LUOperator	int	NOT NULL		
TblCdsAccidentHarmfulEventLocation	UpdateLock	int			
TblCdsAccidentHarmfulEventLocation	ObsoleteFlag	tinyint			
TblCdsAccidentHarmfulEventLocation	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentHarmfulEventRelatedToJunction	Description	varchar(50)	NOT NULL		
TblCdsAccidentHarmfulEventRelatedToJunction	RODate	datetime	NOT NULL		
TblCdsAccidentHarmfulEventRelatedToJunction	ROOperator	int	NOT NULL		
TblCdsAccidentHarmfulEventRelatedToJunction	LUDate	datetime	NOT NULL		
TblCdsAccidentHarmfulEventRelatedToJunction	LUOperator	int	NOT NULL		
TblCdsAccidentHarmfulEventRelatedToJunction	UpdateLock	int			
TblCdsAccidentHarmfulEventRelatedToJunction	ObsoleteFlag	tinyint			
TblCdsAccidentHarmfulEventRelatedToJunction	Code	varchar(4)	NOT NULL	Yes	

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsAccidentHelmet	Description	varchar(100)	NOT NULL		
TblCdsAccidentHelmet	RODate	datetime	NOT NULL		
TblCdsAccidentHelmet	ROOperator	int	NOT NULL		
TblCdsAccidentHelmet	LUDate	datetime	NOT NULL		
TblCdsAccidentHelmet	LUOperator	int	NOT NULL		
TblCdsAccidentHelmet	UpdateLock	int			
TblCdsAccidentHelmet	ObsoleteFlag	tinyint			
TblCdsAccidentHelmet	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentInjurySeverity	Description	varchar(50)	NOT NULL		
TblCdsAccidentInjurySeverity	RODate	datetime	NOT NULL		
TblCdsAccidentInjurySeverity	ROOperator	int	NOT NULL		
TblCdsAccidentInjurySeverity	LUDate	datetime	NOT NULL		
TblCdsAccidentInjurySeverity	LUOperator	int	NOT NULL		
TblCdsAccidentInjurySeverity	UpdateLock	int			
TblCdsAccidentInjurySeverity	ObsoleteFlag	tinyint			
TblCdsAccidentInjurySeverity	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentLighting	Description	varchar(50)	NOT NULL		
TblCdsAccidentLighting	RODate	datetime	NOT NULL		
TblCdsAccidentLighting	ROOperator	int	NOT NULL		
TblCdsAccidentLighting	LUDate	datetime	NOT NULL		
TblCdsAccidentLighting	LUOperator	int	NOT NULL		
TblCdsAccidentLighting	UpdateLock	int			
TblCdsAccidentLighting	ObsoleteFlag	tinyint			
TblCdsAccidentLighting	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentLocationInVehicle	Description	varchar(50)	NOT NULL		
TblCdsAccidentLocationInVehicle	RODate	datetime	NOT NULL		
TblCdsAccidentLocationInVehicle	ROOperator	int	NOT NULL		
TblCdsAccidentLocationInVehicle	LUDate	datetime	NOT NULL		
TblCdsAccidentLocationInVehicle	LUOperator	int	NOT NULL		
TblCdsAccidentLocationInVehicle	UpdateLock	int			
TblCdsAccidentLocationInVehicle	ObsoleteFlag	tinyint			

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsAccidentLocationInVehicle	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentLocationTyp	Description	varchar(50)	NOT NULL		
TblCdsAccidentLocationTyp	RODate	datetime	NOT NULL		
TblCdsAccidentLocationTyp	ROOperator	int	NOT NULL		
TblCdsAccidentLocationTyp	LUDate	datetime	NOT NULL		
TblCdsAccidentLocationTyp	LUOperator	int	NOT NULL		
TblCdsAccidentLocationTyp	UpdateLock	int			
TblCdsAccidentLocationTyp	ObsoleteFlag	tinyint			
TblCdsAccidentLocationTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentMannerOfCollision	Description	varchar(50)	NOT NULL		
TblCdsAccidentMannerOfCollision	RODate	datetime	NOT NULL		
TblCdsAccidentMannerOfCollision	ROOperator	int	NOT NULL		
TblCdsAccidentMannerOfCollision	LUDate	datetime	NOT NULL		
TblCdsAccidentMannerOfCollision	LUOperator	int	NOT NULL		
TblCdsAccidentMannerOfCollision	UpdateLock	int			
TblCdsAccidentMannerOfCollision	ObsoleteFlag	tinyint			
TblCdsAccidentMannerOfCollision	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentNotifiedBy	Description	varchar(50)	NOT NULL		
TblCdsAccidentNotifiedBy	RODate	datetime	NOT NULL		
TblCdsAccidentNotifiedBy	ROOperator	int	NOT NULL		
TblCdsAccidentNotifiedBy	LUDate	datetime	NOT NULL		
TblCdsAccidentNotifiedBy	LUOperator	int	NOT NULL		
TblCdsAccidentNotifiedBy	UpdateLock	int			
TblCdsAccidentNotifiedBy	ObsoleteFlag	tinyint			
TblCdsAccidentNotifiedBy	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentOfn	Description	varchar(50)	NOT NULL		
TblCdsAccidentOfn	RODate	datetime	NOT NULL		
TblCdsAccidentOfn	ROOperator	int	NOT NULL		
TblCdsAccidentOfn	LUDate	datetime	NOT NULL		
TblCdsAccidentOfn	LUOperator	int	NOT NULL		
TblCdsAccidentOfn	UpdateLock	int			

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsAccidentOfn	ObsoleteFlag	tinyint			
TblCdsAccidentOfn	Code	varchar(20)	NOT NULL	Yes	
TblCdsAccidentPartyTyp	Description	varchar(50)	NOT NULL		
TblCdsAccidentPartyTyp	RODate	datetime	NOT NULL		
TblCdsAccidentPartyTyp	ROOperator	int	NOT NULL		
TblCdsAccidentPartyTyp	LUDate	datetime	NOT NULL		
TblCdsAccidentPartyTyp	LUOperator	int	NOT NULL		
TblCdsAccidentPartyTyp	UpdateLock	int			
TblCdsAccidentPartyTyp	ObsoleteFlag	tinyint			
TblCdsAccidentPartyTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentPedestAction	Description	varchar(50)	NOT NULL		
TblCdsAccidentPedestAction	RODate	datetime	NOT NULL		
TblCdsAccidentPedestAction	ROOperator	int	NOT NULL		
TblCdsAccidentPedestAction	LUDate	datetime	NOT NULL		
TblCdsAccidentPedestAction	LUOperator	int	NOT NULL		
TblCdsAccidentPedestAction	UpdateLock	int			
TblCdsAccidentPedestAction	ObsoleteFlag	tinyint			
TblCdsAccidentPedestAction	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentPedestrianAction	Description	varchar(100)	NOT NULL		
TblCdsAccidentPedestrianAction	RODate	datetime	NOT NULL		
TblCdsAccidentPedestrianAction	ROOperator	int	NOT NULL		
TblCdsAccidentPedestrianAction	LUDate	datetime	NOT NULL		
TblCdsAccidentPedestrianAction	LUOperator	int	NOT NULL		
TblCdsAccidentPedestrianAction	UpdateLock	int			
TblCdsAccidentPedestrianAction	ObsoleteFlag	tinyint			
TblCdsAccidentPedestrianAction	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentPedestrianDescription	Description	varchar(100)	NOT NULL		
TblCdsAccidentPedestrianDescription	RODate	datetime	NOT NULL		
TblCdsAccidentPedestrianDescription	ROOperator	int	NOT NULL		
TblCdsAccidentPedestrianDescription	LUDate	datetime	NOT NULL		
TblCdsAccidentPedestrianDescription	LUOperator	int	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsAccidentPedestrianDescription	UpdateLock	int			
TblCdsAccidentPedestrianDescription	ObsoleteFlag	tinyint			
TblCdsAccidentPedestrianDescription	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentPedestrianLocation	Description	varchar(100)	NOT NULL		
TblCdsAccidentPedestrianLocation	RODate	datetime	NOT NULL		
TblCdsAccidentPedestrianLocation	ROOperator	int	NOT NULL		
TblCdsAccidentPedestrianLocation	LUDate	datetime	NOT NULL		
TblCdsAccidentPedestrianLocation	LUOperator	int	NOT NULL		
TblCdsAccidentPedestrianLocation	UpdateLock	int			
TblCdsAccidentPedestrianLocation	ObsoleteFlag	tinyint			
TblCdsAccidentPedestrianLocation	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentPedestrianPreAction	Description	varchar(100)	NOT NULL		
TblCdsAccidentPedestrianPreAction	RODate	datetime	NOT NULL		
TblCdsAccidentPedestrianPreAction	ROOperator	int	NOT NULL		
TblCdsAccidentPedestrianPreAction	LUDate	datetime	NOT NULL		
TblCdsAccidentPedestrianPreAction	LUOperator	int	NOT NULL		
TblCdsAccidentPedestrianPreAction	UpdateLock	int			
TblCdsAccidentPedestrianPreAction	ObsoleteFlag	tinyint			
TblCdsAccidentPedestrianPreAction	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentPhotoBy	Description	varchar(50)	NOT NULL		
TblCdsAccidentPhotoBy	RODate	datetime	NOT NULL		
TblCdsAccidentPhotoBy	ROOperator	int	NOT NULL		
TblCdsAccidentPhotoBy	LUDate	datetime	NOT NULL		
TblCdsAccidentPhotoBy	LUOperator	int	NOT NULL		
TblCdsAccidentPhotoBy	UpdateLock	int			
TblCdsAccidentPhotoBy	ObsoleteFlag	tinyint			
TblCdsAccidentPhotoBy	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentPhysicalDefects	Description	varchar(50)	NOT NULL		
TblCdsAccidentPhysicalDefects	RODate	datetime	NOT NULL		
TblCdsAccidentPhysicalDefects	ROOperator	int	NOT NULL		
TblCdsAccidentPhysicalDefects	LUDate	datetime	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsAccidentPhysicalDefects	LUOperator	int	NOT NULL		
TblCdsAccidentPhysicalDefects	UpdateLock	int			
TblCdsAccidentPhysicalDefects	ObsoleteFlag	tinyint			
TblCdsAccidentPhysicalDefects	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentPOC	Description	varchar(50)	NOT NULL		
TblCdsAccidentPOC	RODate	datetime	NOT NULL		
TblCdsAccidentPOC	ROOperator	int	NOT NULL		
TblCdsAccidentPOC	LUDate	datetime	NOT NULL		
TblCdsAccidentPOC	LUOperator	int	NOT NULL		
TblCdsAccidentPOC	UpdateLock	int			
TblCdsAccidentPOC	ObsoleteFlag	tinyint			
TblCdsAccidentPOC	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentRemovedBySource	Description	varchar(50)	NOT NULL		
TblCdsAccidentRemovedBySource	RODate	datetime	NOT NULL		
TblCdsAccidentRemovedBySource	ROOperator	int	NOT NULL		
TblCdsAccidentRemovedBySource	LUDate	datetime	NOT NULL		
TblCdsAccidentRemovedBySource	LUOperator	int	NOT NULL		
TblCdsAccidentRemovedBySource	UpdateLock	int			
TblCdsAccidentRemovedBySource	ObsoleteFlag	tinyint			
TblCdsAccidentRemovedBySource	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentRequiredEndorsement	Description	varchar(50)	NOT NULL		
TblCdsAccidentRequiredEndorsement	RODate	datetime	NOT NULL		
TblCdsAccidentRequiredEndorsement	ROOperator	int	NOT NULL		
TblCdsAccidentRequiredEndorsement	LUDate	datetime	NOT NULL		
TblCdsAccidentRequiredEndorsement	LUOperator	int	NOT NULL		
TblCdsAccidentRequiredEndorsement	UpdateLock	int			
TblCdsAccidentRequiredEndorsement	ObsoleteFlag	tinyint			
TblCdsAccidentRequiredEndorsement	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentRestraintSystem	Description	varchar(100)	NOT NULL		
TblCdsAccidentRestraintSystem	RODate	datetime	NOT NULL		
TblCdsAccidentRestraintSystem	ROOperator	int	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsAccidentRestraintSystem	LUDate	datetime	NOT NULL		
TblCdsAccidentRestraintSystem	LUOperator	int	NOT NULL		
TblCdsAccidentRestraintSystem	UpdateLock	int			
TblCdsAccidentRestraintSystem	ObsoleteFlag	tinyint			
TblCdsAccidentRestraintSystem	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentRoadCondition	Description	varchar(50)	NOT NULL		
TblCdsAccidentRoadCondition	RODate	datetime	NOT NULL		
TblCdsAccidentRoadCondition	ROOperator	int	NOT NULL		
TblCdsAccidentRoadCondition	LUDate	datetime	NOT NULL		
TblCdsAccidentRoadCondition	LUOperator	int	NOT NULL		
TblCdsAccidentRoadCondition	UpdateLock	int			
TblCdsAccidentRoadCondition	ObsoleteFlag	tinyint			
TblCdsAccidentRoadCondition	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentRoadSurfaceCond	Description	varchar(50)	NOT NULL		
TblCdsAccidentRoadSurfaceCond	RODate	datetime	NOT NULL		
TblCdsAccidentRoadSurfaceCond	ROOperator	int	NOT NULL		
TblCdsAccidentRoadSurfaceCond	LUDate	datetime	NOT NULL		
TblCdsAccidentRoadSurfaceCond	LUOperator	int	NOT NULL		
TblCdsAccidentRoadSurfaceCond	UpdateLock	int			
TblCdsAccidentRoadSurfaceCond	ObsoleteFlag	tinyint			
TblCdsAccidentRoadSurfaceCond	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentRoadSurfaceTyp	Description	varchar(50)	NOT NULL		
TblCdsAccidentRoadSurfaceTyp	RODate	datetime	NOT NULL		
TblCdsAccidentRoadSurfaceTyp	ROOperator	int	NOT NULL		
TblCdsAccidentRoadSurfaceTyp	LUDate	datetime	NOT NULL		
TblCdsAccidentRoadSurfaceTyp	LUOperator	int	NOT NULL		
TblCdsAccidentRoadSurfaceTyp	UpdateLock	int			
TblCdsAccidentRoadSurfaceTyp	ObsoleteFlag	tinyint			
TblCdsAccidentRoadSurfaceTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentRoadSystemId	Description	varchar(50)	NOT NULL		
TblCdsAccidentRoadSystemId	RODate	datetime	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsAccidentRoadSystemId	ROOperator	int	NOT NULL		
TblCdsAccidentRoadSystemId	LUDate	datetime	NOT NULL		
TblCdsAccidentRoadSystemId	LUOperator	int	NOT NULL		
TblCdsAccidentRoadSystemId	UpdateLock	int			
TblCdsAccidentRoadSystemId	ObsoleteFlag	tinyint			
TblCdsAccidentRoadSystemId	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentRoadwayAlignment	Description	varchar(100)	NOT NULL		
TblCdsAccidentRoadwayAlignment	RODate	datetime	NOT NULL		
TblCdsAccidentRoadwayAlignment	ROOperator	int	NOT NULL		
TblCdsAccidentRoadwayAlignment	LUDate	datetime	NOT NULL		
TblCdsAccidentRoadwayAlignment	LUOperator	int	NOT NULL		
TblCdsAccidentRoadwayAlignment	UpdateLock	int			
TblCdsAccidentRoadwayAlignment	ObsoleteFlag	tinyint			
TblCdsAccidentRoadwayAlignment	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentRoadwayGrade	Description	varchar(100)	NOT NULL		
TblCdsAccidentRoadwayGrade	RODate	datetime	NOT NULL		
TblCdsAccidentRoadwayGrade	ROOperator	int	NOT NULL		
TblCdsAccidentRoadwayGrade	LUDate	datetime	NOT NULL		
TblCdsAccidentRoadwayGrade	LUOperator	int	NOT NULL		
TblCdsAccidentRoadwayGrade	UpdateLock	int			
TblCdsAccidentRoadwayGrade	ObsoleteFlag	tinyint			
TblCdsAccidentRoadwayGrade	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentSafetyEquipment	Description	varchar(50)	NOT NULL		
TblCdsAccidentSafetyEquipment	RODate	datetime	NOT NULL		
TblCdsAccidentSafetyEquipment	ROOperator	int	NOT NULL		
TblCdsAccidentSafetyEquipment	LUDate	datetime	NOT NULL		
TblCdsAccidentSafetyEquipment	LUOperator	int	NOT NULL		
TblCdsAccidentSafetyEquipment	UpdateLock	int			
TblCdsAccidentSafetyEquipment	ObsoleteFlag	tinyint			
TblCdsAccidentSafetyEquipment	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentSchoolBusRelated	Description	varchar(50)	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsAccidentSchoolBusRelated	RODate	datetime	NOT NULL		
TblCdsAccidentSchoolBusRelated	ROOperator	int	NOT NULL		
TblCdsAccidentSchoolBusRelated	LUDate	datetime	NOT NULL		
TblCdsAccidentSchoolBusRelated	LUOperator	int	NOT NULL		
TblCdsAccidentSchoolBusRelated	UpdateLock	int			
TblCdsAccidentSchoolBusRelated	ObsoleteFlag	tinyint			
TblCdsAccidentSchoolBusRelated	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentSeatingLocationOther	Description	varchar(100)	NOT NULL		
TblCdsAccidentSeatingLocationOther	RODate	datetime	NOT NULL		
TblCdsAccidentSeatingLocationOther	ROOperator	int	NOT NULL		
TblCdsAccidentSeatingLocationOther	LUDate	datetime	NOT NULL		
TblCdsAccidentSeatingLocationOther	LUOperator	int	NOT NULL		
TblCdsAccidentSeatingLocationOther	UpdateLock	int			
TblCdsAccidentSeatingLocationOther	ObsoleteFlag	tinyint			
TblCdsAccidentSeatingLocationOther	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentSeatingLocationRow	Description	varchar(100)	NOT NULL		
TblCdsAccidentSeatingLocationRow	RODate	datetime	NOT NULL		
TblCdsAccidentSeatingLocationRow	ROOperator	int	NOT NULL		
TblCdsAccidentSeatingLocationRow	LUDate	datetime	NOT NULL		
TblCdsAccidentSeatingLocationRow	LUOperator	int	NOT NULL		
TblCdsAccidentSeatingLocationRow	UpdateLock	int			
TblCdsAccidentSeatingLocationRow	ObsoleteFlag	tinyint			
TblCdsAccidentSeatingLocationRow	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentSeatingLocationSeat	Description	varchar(100)	NOT NULL		
TblCdsAccidentSeatingLocationSeat	RODate	datetime	NOT NULL		
TblCdsAccidentSeatingLocationSeat	ROOperator	int	NOT NULL		
TblCdsAccidentSeatingLocationSeat	LUDate	datetime	NOT NULL		
TblCdsAccidentSeatingLocationSeat	LUOperator	int	NOT NULL		
TblCdsAccidentSeatingLocationSeat	UpdateLock	int			
TblCdsAccidentSeatingLocationSeat	ObsoleteFlag	tinyint			
TblCdsAccidentSeatingLocationSeat	Code	varchar(4)	NOT NULL	Yes	

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsAccidentSiteLocation	Description	varchar(50)	NOT NULL		
TblCdsAccidentSiteLocation	RODate	datetime	NOT NULL		
TblCdsAccidentSiteLocation	ROOperator	int	NOT NULL		
TblCdsAccidentSiteLocation	LUDate	datetime	NOT NULL		
TblCdsAccidentSiteLocation	LUOperator	int	NOT NULL		
TblCdsAccidentSiteLocation	UpdateLock	int			
TblCdsAccidentSiteLocation	ObsoleteFlag	tinyint			
TblCdsAccidentSiteLocation	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentSourceOfCarrier	Description	varchar(50)	NOT NULL		
TblCdsAccidentSourceOfCarrier	RODate	datetime	NOT NULL		
TblCdsAccidentSourceOfCarrier	ROOperator	int	NOT NULL		
TblCdsAccidentSourceOfCarrier	LUDate	datetime	NOT NULL		
TblCdsAccidentSourceOfCarrier	LUOperator	int	NOT NULL		
TblCdsAccidentSourceOfCarrier	UpdateLock	int			
TblCdsAccidentSourceOfCarrier	ObsoleteFlag	tinyint			
TblCdsAccidentSourceOfCarrier	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentTrafficControl	Description	varchar(50)	NOT NULL		
TblCdsAccidentTrafficControl	RODate	datetime	NOT NULL		
TblCdsAccidentTrafficControl	ROOperator	int	NOT NULL		
TblCdsAccidentTrafficControl	LUDate	datetime	NOT NULL		
TblCdsAccidentTrafficControl	LUOperator	int	NOT NULL		
TblCdsAccidentTrafficControl	UpdateLock	int			
TblCdsAccidentTrafficControl	ObsoleteFlag	tinyint			
TblCdsAccidentTrafficControl	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentTrafficway	Description	varchar(100)	NOT NULL		
TblCdsAccidentTrafficway	RODate	datetime	NOT NULL		
TblCdsAccidentTrafficway	ROOperator	int	NOT NULL		
TblCdsAccidentTrafficway	LUDate	datetime	NOT NULL		
TblCdsAccidentTrafficway	LUOperator	int	NOT NULL		
TblCdsAccidentTrafficway	UpdateLock	int			
TblCdsAccidentTrafficway	ObsoleteFlag	tinyint			

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsAccidentTrafficway	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentTrafficwayChar	Description	varchar(50)	NOT NULL		
TblCdsAccidentTrafficwayChar	RODate	datetime	NOT NULL		
TblCdsAccidentTrafficwayChar	ROOperator	int	NOT NULL		
TblCdsAccidentTrafficwayChar	LUDate	datetime	NOT NULL		
TblCdsAccidentTrafficwayChar	LUOperator	int	NOT NULL		
TblCdsAccidentTrafficwayChar	UpdateLock	int			
TblCdsAccidentTrafficwayChar	ObsoleteFlag	tinyint			
TblCdsAccidentTrafficwayChar	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentTransportType	Description	varchar(100)	NOT NULL		
TblCdsAccidentTransportType	RODate	datetime	NOT NULL		
TblCdsAccidentTransportType	ROOperator	int	NOT NULL		
TblCdsAccidentTransportType	LUDate	datetime	NOT NULL		
TblCdsAccidentTransportType	LUOperator	int	NOT NULL		
TblCdsAccidentTransportType	UpdateLock	int			
TblCdsAccidentTransportType	ObsoleteFlag	tinyint			
TblCdsAccidentTransportType	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentTypeShoulder	Description	varchar(50)	NOT NULL		
TblCdsAccidentTypeShoulder	RODate	datetime	NOT NULL		
TblCdsAccidentTypeShoulder	ROOperator	int	NOT NULL		
TblCdsAccidentTypeShoulder	LUDate	datetime	NOT NULL		
TblCdsAccidentTypeShoulder	LUOperator	int	NOT NULL		
TblCdsAccidentTypeShoulder	UpdateLock	int			
TblCdsAccidentTypeShoulder	ObsoleteFlag	tinyint			
TblCdsAccidentTypeShoulder	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentVehDamageSeverity	Description	varchar(50)	NOT NULL		
TblCdsAccidentVehDamageSeverity	RODate	datetime	NOT NULL		
TblCdsAccidentVehDamageSeverity	ROOperator	int	NOT NULL		
TblCdsAccidentVehDamageSeverity	LUDate	datetime	NOT NULL		
TblCdsAccidentVehDamageSeverity	LUOperator	int	NOT NULL		
TblCdsAccidentVehDamageSeverity	UpdateLock	int			

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsAccidentVehDamageSeverity	ObsoleteFlag	tinyint			
TblCdsAccidentVehDamageSeverity	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentVehDefect	Description	varchar(50)	NOT NULL		
TblCdsAccidentVehDefect	RODate	datetime	NOT NULL		
TblCdsAccidentVehDefect	ROOperator	int	NOT NULL		
TblCdsAccidentVehDefect	LUDate	datetime	NOT NULL		
TblCdsAccidentVehDefect	LUOperator	int	NOT NULL		
TblCdsAccidentVehDefect	UpdateLock	int			
TblCdsAccidentVehDefect	ObsoleteFlag	tinyint			
TblCdsAccidentVehDefect	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentVehicleCargoType	Description	varchar(100)	NOT NULL		
TblCdsAccidentVehicleCargoType	RODate	datetime	NOT NULL		
TblCdsAccidentVehicleCargoType	ROOperator	int	NOT NULL		
TblCdsAccidentVehicleCargoType	LUDate	datetime	NOT NULL		
TblCdsAccidentVehicleCargoType	LUOperator	int	NOT NULL		
TblCdsAccidentVehicleCargoType	UpdateLock	int			
TblCdsAccidentVehicleCargoType	ObsoleteFlag	tinyint			
TblCdsAccidentVehicleCargoType	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentVehicleConfiguration	Description	varchar(100)	NOT NULL		
TblCdsAccidentVehicleConfiguration	RODate	datetime	NOT NULL		
TblCdsAccidentVehicleConfiguration	ROOperator	int	NOT NULL		
TblCdsAccidentVehicleConfiguration	LUDate	datetime	NOT NULL		
TblCdsAccidentVehicleConfiguration	LUOperator	int	NOT NULL		
TblCdsAccidentVehicleConfiguration	UpdateLock	int			
TblCdsAccidentVehicleConfiguration	ObsoleteFlag	tinyint			
TblCdsAccidentVehicleConfiguration	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentVehicleStatus	Description	varchar(50)	NOT NULL		
TblCdsAccidentVehicleStatus	RODate	datetime	NOT NULL		
TblCdsAccidentVehicleStatus	ROOperator	int	NOT NULL		
TblCdsAccidentVehicleStatus	LUDate	datetime	NOT NULL		
TblCdsAccidentVehicleStatus	LUOperator	int	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsAccidentVehicleStatus	UpdateLock	int			
TblCdsAccidentVehicleStatus	ObsoleteFlag	tinyint			
TblCdsAccidentVehicleStatus	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentVehicleWeightRating	Description	varchar(100)	NOT NULL		
TblCdsAccidentVehicleWeightRating	RODate	datetime	NOT NULL		
TblCdsAccidentVehicleWeightRating	ROOperator	int	NOT NULL		
TblCdsAccidentVehicleWeightRating	LUDate	datetime	NOT NULL		
TblCdsAccidentVehicleWeightRating	LUOperator	int	NOT NULL		
TblCdsAccidentVehicleWeightRating	UpdateLock	int			
TblCdsAccidentVehicleWeightRating	ObsoleteFlag	tinyint			
TblCdsAccidentVehicleWeightRating	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentVehMovement	Description	varchar(50)	NOT NULL		
TblCdsAccidentVehMovement	RODate	datetime	NOT NULL		
TblCdsAccidentVehMovement	ROOperator	int	NOT NULL		
TblCdsAccidentVehMovement	LUDate	datetime	NOT NULL		
TblCdsAccidentVehMovement	LUOperator	int	NOT NULL		
TblCdsAccidentVehMovement	UpdateLock	int			
TblCdsAccidentVehMovement	ObsoleteFlag	tinyint			
TblCdsAccidentVehMovement	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentVehSpecialFunc	Description	varchar(50)	NOT NULL		
TblCdsAccidentVehSpecialFunc	RODate	datetime	NOT NULL		
TblCdsAccidentVehSpecialFunc	ROOperator	int	NOT NULL		
TblCdsAccidentVehSpecialFunc	LUDate	datetime	NOT NULL		
TblCdsAccidentVehSpecialFunc	LUOperator	int	NOT NULL		
TblCdsAccidentVehSpecialFunc	UpdateLock	int			
TblCdsAccidentVehSpecialFunc	ObsoleteFlag	tinyint			
TblCdsAccidentVehSpecialFunc	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentVisionObstruction	Description	varchar(50)	NOT NULL		
TblCdsAccidentVisionObstruction	RODate	datetime	NOT NULL		
TblCdsAccidentVisionObstruction	ROOperator	int	NOT NULL		
TblCdsAccidentVisionObstruction	LUDate	datetime	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsAccidentVisionObstruction	LUOperator	int	NOT NULL		
TblCdsAccidentVisionObstruction	UpdateLock	int			
TblCdsAccidentVisionObstruction	ObsoleteFlag	tinyint			
TblCdsAccidentVisionObstruction	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentWeather	Description	varchar(50)	NOT NULL		
TblCdsAccidentWeather	RODate	datetime	NOT NULL		
TblCdsAccidentWeather	ROOperator	int	NOT NULL		
TblCdsAccidentWeather	LUDate	datetime	NOT NULL		
TblCdsAccidentWeather	LUOperator	int	NOT NULL		
TblCdsAccidentWeather	UpdateLock	int			
TblCdsAccidentWeather	ObsoleteFlag	tinyint			
TblCdsAccidentWeather	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentWorkArea	Description	varchar(50)	NOT NULL		
TblCdsAccidentWorkArea	RODate	datetime	NOT NULL		
TblCdsAccidentWorkArea	ROOperator	int	NOT NULL		
TblCdsAccidentWorkArea	LUDate	datetime	NOT NULL		
TblCdsAccidentWorkArea	LUOperator	int	NOT NULL		
TblCdsAccidentWorkArea	UpdateLock	int			
TblCdsAccidentWorkArea	ObsoleteFlag	tinyint			
TblCdsAccidentWorkArea	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentWorkZoneHadLEO	Description	varchar(50)	NOT NULL		
TblCdsAccidentWorkZoneHadLEO	RODate	datetime	NOT NULL		
TblCdsAccidentWorkZoneHadLEO	ROOperator	int	NOT NULL		
TblCdsAccidentWorkZoneHadLEO	LUDate	datetime	NOT NULL		
TblCdsAccidentWorkZoneHadLEO	LUOperator	int	NOT NULL		
TblCdsAccidentWorkZoneHadLEO	UpdateLock	int			
TblCdsAccidentWorkZoneHadLEO	ObsoleteFlag	tinyint			
TblCdsAccidentWorkZoneHadLEO	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentWorkZoneType	Description	varchar(50)	NOT NULL		
TblCdsAccidentWorkZoneType	RODate	datetime	NOT NULL		
TblCdsAccidentWorkZoneType	ROOperator	int	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsAccidentWorkZoneType	LUDate	datetime	NOT NULL		
TblCdsAccidentWorkZoneType	LUOperator	int	NOT NULL		
TblCdsAccidentWorkZoneType	UpdateLock	int			
TblCdsAccidentWorkZoneType	ObsoleteFlag	tinyint			
TblCdsAccidentWorkZoneType	Code	varchar(4)	NOT NULL	Yes	
TblCdsAction	Description	varchar(50)	NOT NULL		
TblCdsAction	RODate	datetime	NOT NULL		
TblCdsAction	ROOperator	int	NOT NULL		
TblCdsAction	LUDate	datetime	NOT NULL		
TblCdsAction	LUOperator	int	NOT NULL		
TblCdsAction	UpdateLock	int			
TblCdsAction	ObsoleteFlag	tinyint			
TblCdsAction	Code	varchar(4)	NOT NULL	Yes	
TblCdsAdrDOT	Description	varchar(50)	NOT NULL		
TblCdsAdrDOT	RODate	datetime	NOT NULL		
TblCdsAdrDOT	ROOperator	int	NOT NULL		
TblCdsAdrDOT	LUDate	datetime	NOT NULL		
TblCdsAdrDOT	LUOperator	int	NOT NULL		
TblCdsAdrDOT	UpdateLock	int			
TblCdsAdrDOT	ObsoleteFlag	tinyint			
TblCdsAdrDOT	Code	varchar(4)	NOT NULL	Yes	
TblCdsAdrFinRel	Description	varchar(50)	NOT NULL		
TblCdsAdrFinRel	RODate	datetime	NOT NULL		
TblCdsAdrFinRel	ROOperator	int	NOT NULL		
TblCdsAdrFinRel	LUDate	datetime	NOT NULL		
TblCdsAdrFinRel	LUOperator	int	NOT NULL		
TblCdsAdrFinRel	UpdateLock	int			
TblCdsAdrFinRel	ObsoleteFlag	tinyint			
TblCdsAdrFinRel	Code	varchar(4)	NOT NULL	Yes	
TblCdsAdrLocTyp	Description	varchar(50)	NOT NULL		
TblCdsAdrLocTyp	RODate	datetime	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsAdrLocTyp	ROOperator	int	NOT NULL		
TblCdsAdrLocTyp	LUDate	datetime	NOT NULL		
TblCdsAdrLocTyp	LUOperator	int	NOT NULL		
TblCdsAdrLocTyp	UpdateLock	int			
TblCdsAdrLocTyp	ObsoleteFlag	tinyint			
TblCdsAdrLocTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsAdrPlace	Description	varchar(50)	NOT NULL		
TblCdsAdrPlace	RODate	datetime	NOT NULL		
TblCdsAdrPlace	ROOperator	int	NOT NULL		
TblCdsAdrPlace	LUDate	datetime	NOT NULL		
TblCdsAdrPlace	LUOperator	int	NOT NULL		
TblCdsAdrPlace	UpdateLock	int			
TblCdsAdrPlace	ObsoleteFlag	tinyint			
TblCdsAdrPlace	Code	varchar(10)	NOT NULL	Yes	
TblCdsAdrQfrTyp	Description	varchar(50)	NOT NULL		
TblCdsAdrQfrTyp	RODate	datetime	NOT NULL		
TblCdsAdrQfrTyp	ROOperator	int	NOT NULL		
TblCdsAdrQfrTyp	LUDate	datetime	NOT NULL		
TblCdsAdrQfrTyp	LUOperator	int	NOT NULL		
TblCdsAdrQfrTyp	UpdateLock	int			
TblCdsAdrQfrTyp	ObsoleteFlag	tinyint			
TblCdsAdrQfrTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsAdrTypOfIntersection	Description	varchar(50)	NOT NULL		
TblCdsAdrTypOfIntersection	RODate	datetime	NOT NULL		
TblCdsAdrTypOfIntersection	ROOperator	int	NOT NULL		
TblCdsAdrTypOfIntersection	LUDate	datetime	NOT NULL		
TblCdsAdrTypOfIntersection	LUOperator	int	NOT NULL		
TblCdsAdrTypOfIntersection	UpdateLock	int			
TblCdsAdrTypOfIntersection	ObsoleteFlag	tinyint			
TblCdsAdrTypOfIntersection	Code	varchar(4)	NOT NULL	Yes	
TblCdsAdrVehRel	Description	varchar(50)	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsAdrVehRel	RODate	datetime	NOT NULL		
TblCdsAdrVehRel	ROOperator	int	NOT NULL		
TblCdsAdrVehRel	LUDate	datetime	NOT NULL		
TblCdsAdrVehRel	LUOperator	int	NOT NULL		
TblCdsAdrVehRel	UpdateLock	int			
TblCdsAdrVehRel	ObsoleteFlag	tinyint			
TblCdsAdrVehRel	Code	varchar(4)	NOT NULL	Yes	
TblCdsAggAslt	Description	varchar(50)	NOT NULL		
TblCdsAggAslt	RODate	datetime	NOT NULL		
TblCdsAggAslt	ROOperator	int	NOT NULL		
TblCdsAggAslt	LUDate	datetime	NOT NULL		
TblCdsAggAslt	LUOperator	int	NOT NULL		
TblCdsAggAslt	UpdateLock	int			
TblCdsAggAslt	ObsoleteFlag	tinyint			
TblCdsAggAslt	Code	varchar(4)	NOT NULL	Yes	
TblCdsAircraftTyp	Description	varchar(50)	NOT NULL		
TblCdsAircraftTyp	RODate	datetime	NOT NULL		
TblCdsAircraftTyp	ROOperator	int	NOT NULL		
TblCdsAircraftTyp	LUDate	datetime	NOT NULL		
TblCdsAircraftTyp	LUOperator	int	NOT NULL		
TblCdsAircraftTyp	UpdateLock	int			
TblCdsAircraftTyp	ObsoleteFlag	tinyint			
TblCdsAircraftTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsAlcoInflu	Description	varchar(50)	NOT NULL		
TblCdsAlcoInflu	RODate	datetime	NOT NULL		
TblCdsAlcoInflu	ROOperator	int	NOT NULL		
TblCdsAlcoInflu	LUDate	datetime	NOT NULL		
TblCdsAlcoInflu	LUOperator	int	NOT NULL		
TblCdsAlcoInflu	UpdateLock	int			
TblCdsAlcoInflu	ObsoleteFlag	tinyint			
TblCdsAlcoInflu	Code	varchar(4)	NOT NULL	Yes	

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsAlcoRelted	Description	varchar(50)	NOT NULL		
TblCdsAlcoRelted	RODate	datetime	NOT NULL		
TblCdsAlcoRelted	ROOperator	int	NOT NULL		
TblCdsAlcoRelted	LUDate	datetime	NOT NULL		
TblCdsAlcoRelted	LUOperator	int	NOT NULL		
TblCdsAlcoRelted	UpdateLock	int			
TblCdsAlcoRelted	ObsoleteFlag	tinyint			
TblCdsAlcoRelted	Code	varchar(4)	NOT NULL	Yes	
TblCdsAlmAct	Description	varchar(50)	NOT NULL		
TblCdsAlmAct	RODate	datetime	NOT NULL		
TblCdsAlmAct	ROOperator	int	NOT NULL		
TblCdsAlmAct	LUDate	datetime	NOT NULL		
TblCdsAlmAct	LUOperator	int	NOT NULL		
TblCdsAlmAct	UpdateLock	int			
TblCdsAlmAct	ObsoleteFlag	tinyint			
TblCdsAlmAct	Code	varchar(4)	NOT NULL	Yes	
TblCdsAlmOwnRsp	Description	varchar(50)	NOT NULL		
TblCdsAlmOwnRsp	RODate	datetime	NOT NULL		
TblCdsAlmOwnRsp	ROOperator	int	NOT NULL		
TblCdsAlmOwnRsp	LUDate	datetime	NOT NULL		
TblCdsAlmOwnRsp	LUOperator	int	NOT NULL		
TblCdsAlmOwnRsp	UpdateLock	int			
TblCdsAlmOwnRsp	ObsoleteFlag	tinyint			
TblCdsAlmOwnRsp	Code	varchar(4)	NOT NULL	Yes	
TblCdsAlmPremSts	Description	varchar(50)	NOT NULL		
TblCdsAlmPremSts	RODate	datetime	NOT NULL		
TblCdsAlmPremSts	ROOperator	int	NOT NULL		
TblCdsAlmPremSts	LUDate	datetime	NOT NULL		
TblCdsAlmPremSts	LUOperator	int	NOT NULL		
TblCdsAlmPremSts	UpdateLock	int			
TblCdsAlmPremSts	ObsoleteFlag	tinyint			

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsAlmPremSts	Code	varchar(4)	NOT NULL	Yes	
TblCdsAlmReason	Description	varchar(50)	NOT NULL		
TblCdsAlmReason	RODate	datetime	NOT NULL		
TblCdsAlmReason	ROOperator	int	NOT NULL		
TblCdsAlmReason	LUDate	datetime	NOT NULL		
TblCdsAlmReason	LUOperator	int	NOT NULL		
TblCdsAlmReason	UpdateLock	int			
TblCdsAlmReason	ObsoleteFlag	tinyint			
TblCdsAlmReason	Code	varchar(4)	NOT NULL	Yes	
TblCdsAlmReset	Description	varchar(50)	NOT NULL		
TblCdsAlmReset	RODate	datetime	NOT NULL		
TblCdsAlmReset	ROOperator	int	NOT NULL		
TblCdsAlmReset	LUDate	datetime	NOT NULL		
TblCdsAlmReset	LUOperator	int	NOT NULL		
TblCdsAlmReset	UpdateLock	int			
TblCdsAlmReset	ObsoleteFlag	tinyint			
TblCdsAlmReset	Code	varchar(4)	NOT NULL	Yes	
TblCdsAlmSilent	Description	varchar(50)	NOT NULL		
TblCdsAlmSilent	RODate	datetime	NOT NULL		
TblCdsAlmSilent	ROOperator	int	NOT NULL		
TblCdsAlmSilent	LUDate	datetime	NOT NULL		
TblCdsAlmSilent	LUOperator	int	NOT NULL		
TblCdsAlmSilent	UpdateLock	int			
TblCdsAlmSilent	ObsoleteFlag	tinyint			
TblCdsAlmSilent	Code	varchar(4)	NOT NULL	Yes	
TblCdsAlmTyp	Description	varchar(50)	NOT NULL		
TblCdsAlmTyp	RODate	datetime	NOT NULL		
TblCdsAlmTyp	ROOperator	int	NOT NULL		
TblCdsAlmTyp	LUDate	datetime	NOT NULL		
TblCdsAlmTyp	LUOperator	int	NOT NULL		
TblCdsAlmTyp	UpdateLock	int			

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsAlmTyp	ObsoleteFlag	tinyint			
TblCdsAlmTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsAppMotive	Description	varchar(50)	NOT NULL		
TblCdsAppMotive	RODate	datetime	NOT NULL		
TblCdsAppMotive	ROOperator	int	NOT NULL		
TblCdsAppMotive	LUDate	datetime	NOT NULL		
TblCdsAppMotive	LUOperator	int	NOT NULL		
TblCdsAppMotive	UpdateLock	int			
TblCdsAppMotive	ObsoleteFlag	tinyint			
TblCdsAppMotive	Code	varchar(4)	NOT NULL	Yes	
TblCdsArea1	Description	varchar(50)	NOT NULL		
TblCdsArea1	RODate	datetime	NOT NULL		
TblCdsArea1	ROOperator	int	NOT NULL		
TblCdsArea1	LUDate	datetime	NOT NULL		
TblCdsArea1	LUOperator	int	NOT NULL		
TblCdsArea1	UpdateLock	int			
TblCdsArea1	ObsoleteFlag	tinyint			
TblCdsArea1	Code	varchar(10)	NOT NULL	Yes	
TblCdsArea10	Description	varchar(50)	NOT NULL		
TblCdsArea10	RODate	datetime	NOT NULL		
TblCdsArea10	ROOperator	int	NOT NULL		
TblCdsArea10	LUDate	datetime	NOT NULL		
TblCdsArea10	LUOperator	int	NOT NULL		
TblCdsArea10	UpdateLock	int			
TblCdsArea10	ObsoleteFlag	tinyint			
TblCdsArea10	Code	varchar(10)	NOT NULL	Yes	
TblCdsArea2	Description	varchar(50)	NOT NULL		
TblCdsArea2	RODate	datetime	NOT NULL		
TblCdsArea2	ROOperator	int	NOT NULL		
TblCdsArea2	LUDate	datetime	NOT NULL		
TblCdsArea2	LUOperator	int	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsArea2	UpdateLock	int			
TblCdsArea2	ObsoleteFlag	tinyint			
TblCdsArea2	Code	varchar(10)	NOT NULL	Yes	
TblCdsArea3	Description	varchar(50)	NOT NULL		
TblCdsArea3	RODate	datetime	NOT NULL		
TblCdsArea3	ROOperator	int	NOT NULL		
TblCdsArea3	LUDate	datetime	NOT NULL		
TblCdsArea3	LUOperator	int	NOT NULL		
TblCdsArea3	UpdateLock	int			
TblCdsArea3	ObsoleteFlag	tinyint			
TblCdsArea3	Code	varchar(10)	NOT NULL	Yes	
TblCdsArea4	Description	varchar(50)	NOT NULL		
TblCdsArea4	RODate	datetime	NOT NULL		
TblCdsArea4	ROOperator	int	NOT NULL		
TblCdsArea4	LUDate	datetime	NOT NULL		
TblCdsArea4	LUOperator	int	NOT NULL		
TblCdsArea4	UpdateLock	int			
TblCdsArea4	ObsoleteFlag	tinyint			
TblCdsArea4	Code	varchar(10)	NOT NULL	Yes	
TblCdsArea5	Description	varchar(50)	NOT NULL		
TblCdsArea5	RODate	datetime	NOT NULL		
TblCdsArea5	ROOperator	int	NOT NULL		
TblCdsArea5	LUDate	datetime	NOT NULL		
TblCdsArea5	LUOperator	int	NOT NULL		
TblCdsArea5	UpdateLock	int			
TblCdsArea5	ObsoleteFlag	tinyint			
TblCdsArea5	Code	varchar(10)	NOT NULL	Yes	
TblCdsArea6	Description	varchar(50)	NOT NULL		
TblCdsArea6	RODate	datetime	NOT NULL		
TblCdsArea6	ROOperator	int	NOT NULL		
TblCdsArea6	LUDate	datetime	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsArea6	LUOperator	int	NOT NULL		
TblCdsArea6	UpdateLock	int			
TblCdsArea6	ObsoleteFlag	tinyint			
TblCdsArea6	Code	varchar(10)	NOT NULL	Yes	
TblCdsArea7	Description	varchar(50)	NOT NULL		
TblCdsArea7	RODate	datetime	NOT NULL		
TblCdsArea7	ROOperator	int	NOT NULL		
TblCdsArea7	LUDate	datetime	NOT NULL		
TblCdsArea7	LUOperator	int	NOT NULL		
TblCdsArea7	UpdateLock	int			
TblCdsArea7	ObsoleteFlag	tinyint			
TblCdsArea7	Code	varchar(10)	NOT NULL	Yes	
TblCdsArea8	Description	varchar(50)	NOT NULL		
TblCdsArea8	RODate	datetime	NOT NULL		
TblCdsArea8	ROOperator	int	NOT NULL		
TblCdsArea8	LUDate	datetime	NOT NULL		
TblCdsArea8	LUOperator	int	NOT NULL		
TblCdsArea8	UpdateLock	int			
TblCdsArea8	ObsoleteFlag	tinyint			
TblCdsArea8	Code	varchar(10)	NOT NULL	Yes	
TblCdsArea9	Description	varchar(50)	NOT NULL		
TblCdsArea9	RODate	datetime	NOT NULL		
TblCdsArea9	ROOperator	int	NOT NULL		
TblCdsArea9	LUDate	datetime	NOT NULL		
TblCdsArea9	LUOperator	int	NOT NULL		
TblCdsArea9	UpdateLock	int			
TblCdsArea9	ObsoleteFlag	tinyint			
TblCdsArea9	Code	varchar(10)	NOT NULL	Yes	
TblCdsAreaOnImpact	Description	varchar(50)	NOT NULL		
TblCdsAreaOnImpact	RODate	datetime	NOT NULL		
TblCdsAreaOnImpact	ROOperator	int	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsAreaOnImpact	LUDate	datetime	NOT NULL		
TblCdsAreaOnImpact	LUOperator	int	NOT NULL		
TblCdsAreaOnImpact	UpdateLock	int			
TblCdsAreaOnImpact	ObsoleteFlag	tinyint			
TblCdsAreaOnImpact	Code	varchar(4)	NOT NULL	Yes	
TblCdsAreaTyp	Description	varchar(50)	NOT NULL		
TblCdsAreaTyp	RODate	datetime	NOT NULL		
TblCdsAreaTyp	ROOperator	int	NOT NULL		
TblCdsAreaTyp	LUDate	datetime	NOT NULL		
TblCdsAreaTyp	LUOperator	int	NOT NULL		
TblCdsAreaTyp	UpdateLock	int			
TblCdsAreaTyp	ObsoleteFlag	tinyint			
TblCdsAreaTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsArstCaseDisp	Description	varchar(50)	NOT NULL		
TblCdsArstCaseDisp	RODate	datetime	NOT NULL		
TblCdsArstCaseDisp	ROOperator	int	NOT NULL		
TblCdsArstCaseDisp	LUDate	datetime	NOT NULL		
TblCdsArstCaseDisp	LUOperator	int	NOT NULL		
TblCdsArstCaseDisp	UpdateLock	int			
TblCdsArstCaseDisp	ObsoleteFlag	tinyint			
TblCdsArstCaseDisp	Code	varchar(4)	NOT NULL	Yes	
TblCdsArsteCourtDisp	Description	varchar(50)	NOT NULL		
TblCdsArsteCourtDisp	RODate	datetime	NOT NULL		
TblCdsArsteCourtDisp	ROOperator	int	NOT NULL		
TblCdsArsteCourtDisp	LUDate	datetime	NOT NULL		
TblCdsArsteCourtDisp	LUOperator	int	NOT NULL		
TblCdsArsteCourtDisp	UpdateLock	int			
TblCdsArsteCourtDisp	ObsoleteFlag	tinyint			
TblCdsArsteCourtDisp	Code	varchar(4)	NOT NULL	Yes	
TblCdsArsteDisp	Description	varchar(50)	NOT NULL		
TblCdsArsteDisp	RODate	datetime	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsArsteDisp	ROOperator	int	NOT NULL		
TblCdsArsteDisp	LUDate	datetime	NOT NULL		
TblCdsArsteDisp	LUOperator	int	NOT NULL		
TblCdsArsteDisp	UpdateLock	int			
TblCdsArsteDisp	ObsoleteFlag	tinyint			
TblCdsArsteDisp	Code	varchar(4)	NOT NULL	Yes	
TblCdsArstJointRel	Description	varchar(50)	NOT NULL		
TblCdsArstJointRel	RODate	datetime	NOT NULL		
TblCdsArstJointRel	ROOperator	int	NOT NULL		
TblCdsArstJointRel	LUDate	datetime	NOT NULL		
TblCdsArstJointRel	LUOperator	int	NOT NULL		
TblCdsArstJointRel	UpdateLock	int			
TblCdsArstJointRel	ObsoleteFlag	tinyint			
TblCdsArstJointRel	Code	varchar(4)	NOT NULL	Yes	
TblCdsArstSrcInfo	Description	varchar(50)	NOT NULL		
TblCdsArstSrcInfo	RODate	datetime	NOT NULL		
TblCdsArstSrcInfo	ROOperator	int	NOT NULL		
TblCdsArstSrcInfo	LUDate	datetime	NOT NULL		
TblCdsArstSrcInfo	LUOperator	int	NOT NULL		
TblCdsArstSrcInfo	UpdateLock	int			
TblCdsArstSrcInfo	ObsoleteFlag	tinyint			
TblCdsArstSrcInfo	Code	varchar(4)	NOT NULL	Yes	
TblCdsArstTyp	Description	varchar(50)	NOT NULL		
TblCdsArstTyp	RODate	datetime	NOT NULL		
TblCdsArstTyp	ROOperator	int	NOT NULL		
TblCdsArstTyp	LUDate	datetime	NOT NULL		
TblCdsArstTyp	LUOperator	int	NOT NULL		
TblCdsArstTyp	UpdateLock	int			
TblCdsArstTyp	ObsoleteFlag	tinyint			
TblCdsArstTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsArstWarrantTyp	Description	varchar(50)	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsArstWarrantTyp	RODate	datetime	NOT NULL		
TblCdsArstWarrantTyp	ROOperator	int	NOT NULL		
TblCdsArstWarrantTyp	LUDate	datetime	NOT NULL		
TblCdsArstWarrantTyp	LUOperator	int	NOT NULL		
TblCdsArstWarrantTyp	UpdateLock	int			
TblCdsArstWarrantTyp	ObsoleteFlag	tinyint			
TblCdsArstWarrantTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsBakerAct	Description	varchar(50)	NOT NULL		
TblCdsBakerAct	RODate	datetime	NOT NULL		
TblCdsBakerAct	ROOperator	int	NOT NULL		
TblCdsBakerAct	LUDate	datetime	NOT NULL		
TblCdsBakerAct	LUOperator	int	NOT NULL		
TblCdsBakerAct	UpdateLock	int			
TblCdsBakerAct	ObsoleteFlag	tinyint			
TblCdsBakerAct	Code	varchar(4)	NOT NULL	Yes	
TblCdsBarcodePrinters	Code	varchar(50)	NOT NULL	Yes	
TblCdsBarcodePrinters	Description	varchar(50)	NOT NULL		
TblCdsBarcodePrinters	Type	varchar(1)	NOT NULL		
TblCdsBarcodePrinters	Language	varchar(3)	NOT NULL		
TblCdsBarcodePrinters	LeftMargin	int	NOT NULL		
TblCdsBarcodePrinters	TopMargin	int	NOT NULL		
TblCdsBarcodePrinters	RODate	datetime	NOT NULL		
TblCdsBarcodePrinters	ROOperator	int	NOT NULL		
TblCdsBarcodePrinters	LUDate	datetime	NOT NULL		
TblCdsBarcodePrinters	LUOperator	int	NOT NULL		
TblCdsBarcodePrinters	UpdateLock	int			
TblCdsBarcodePrinters	ObsoleteFlag	tinyint			
TblCdsBodyDisp	Description	varchar(50)	NOT NULL		
TblCdsBodyDisp	RODate	datetime	NOT NULL		
TblCdsBodyDisp	ROOperator	int	NOT NULL		
TblCdsBodyDisp	LUDate	datetime	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsBodyDisp	LUOperator	int	NOT NULL		
TblCdsBodyDisp	UpdateLock	int			
TblCdsBodyDisp	ObsoleteFlag	tinyint			
TblCdsBodyDisp	Code	varchar(4)	NOT NULL	Yes	
TblCdsBodyDisposal	Description	varchar(50)	NOT NULL		
TblCdsBodyDisposal	RODate	datetime	NOT NULL		
TblCdsBodyDisposal	ROOperator	int	NOT NULL		
TblCdsBodyDisposal	LUDate	datetime	NOT NULL		
TblCdsBodyDisposal	LUOperator	int	NOT NULL		
TblCdsBodyDisposal	UpdateLock	int			
TblCdsBodyDisposal	ObsoleteFlag	tinyint			
TblCdsBodyDisposal	Code	varchar(4)	NOT NULL	Yes	
TblCdsBribery	Description	varchar(50)	NOT NULL		
TblCdsBribery	RODate	datetime	NOT NULL		
TblCdsBribery	ROOperator	int	NOT NULL		
TblCdsBribery	LUDate	datetime	NOT NULL		
TblCdsBribery	LUOperator	int	NOT NULL		
TblCdsBribery	UpdateLock	int			
TblCdsBribery	ObsoleteFlag	tinyint			
TblCdsBribery	Code	varchar(4)	NOT NULL	Yes	
TblCdsBusClass	Description	varchar(50)	NOT NULL		
TblCdsBusClass	RODate	datetime	NOT NULL		
TblCdsBusClass	ROOperator	int	NOT NULL		
TblCdsBusClass	LUDate	datetime	NOT NULL		
TblCdsBusClass	LUOperator	int	NOT NULL		
TblCdsBusClass	UpdateLock	int			
TblCdsBusClass	ObsoleteFlag	tinyint			
TblCdsBusClass	Code	varchar(4)	NOT NULL	Yes	
TblCdsBusTyp	Description	varchar(50)	NOT NULL		
TblCdsBusTyp	RODate	datetime	NOT NULL		
TblCdsBusTyp	ROOperator	int	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsBusTyp	LUDate	datetime	NOT NULL		
TblCdsBusTyp	LUOperator	int	NOT NULL		
TblCdsBusTyp	UpdateLock	int			
TblCdsBusTyp	ObsoleteFlag	tinyint			
TblCdsBusTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsByclBrake	Description	varchar(50)	NOT NULL		
TblCdsByclBrake	RODate	datetime	NOT NULL		
TblCdsByclBrake	ROOperator	int	NOT NULL		
TblCdsByclBrake	LUDate	datetime	NOT NULL		
TblCdsByclBrake	LUOperator	int	NOT NULL		
TblCdsByclBrake	UpdateLock	int			
TblCdsByclBrake	ObsoleteFlag	tinyint			
TblCdsByclBrake	Code	varchar(4)	NOT NULL	Yes	
TblCdsByclFrameColor	Description	varchar(50)	NOT NULL		
TblCdsByclFrameColor	RODate	datetime	NOT NULL		
TblCdsByclFrameColor	ROOperator	int	NOT NULL		
TblCdsByclFrameColor	LUDate	datetime	NOT NULL		
TblCdsByclFrameColor	LUOperator	int	NOT NULL		
TblCdsByclFrameColor	UpdateLock	int			
TblCdsByclFrameColor	ObsoleteFlag	tinyint			
TblCdsByclFrameColor	Code	varchar(4)	NOT NULL	Yes	
TblCdsByclHndlBar	Description	varchar(50)	NOT NULL		
TblCdsByclHndlBar	RODate	datetime	NOT NULL		
TblCdsByclHndlBar	ROOperator	int	NOT NULL		
TblCdsByclHndlBar	LUDate	datetime	NOT NULL		
TblCdsByclHndlBar	LUOperator	int	NOT NULL		
TblCdsByclHndlBar	UpdateLock	int			
TblCdsByclHndlBar	ObsoleteFlag	tinyint			
TblCdsByclHndlBar	Code	varchar(4)	NOT NULL	Yes	
TblCdsByclSeat	Description	varchar(50)	NOT NULL		
TblCdsByclSeat	RODate	datetime	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsByclSeat	ROOperator	int	NOT NULL		
TblCdsByclSeat	LUDate	datetime	NOT NULL		
TblCdsByclSeat	LUOperator	int	NOT NULL		
TblCdsByclSeat	UpdateLock	int			
TblCdsByclSeat	ObsoleteFlag	tinyint			
TblCdsByclSeat	Code	varchar(4)	NOT NULL	Yes	
TblCdsByclSeatColor	Description	varchar(50)	NOT NULL		
TblCdsByclSeatColor	RODate	datetime	NOT NULL		
TblCdsByclSeatColor	ROOperator	int	NOT NULL		
TblCdsByclSeatColor	LUDate	datetime	NOT NULL		
TblCdsByclSeatColor	LUOperator	int	NOT NULL		
TblCdsByclSeatColor	UpdateLock	int			
TblCdsByclSeatColor	ObsoleteFlag	tinyint			
TblCdsByclSeatColor	Code	varchar(4)	NOT NULL	Yes	
TblCdsByclSex	Description	varchar(50)	NOT NULL		
TblCdsByclSex	RODate	datetime	NOT NULL		
TblCdsByclSex	ROOperator	int	NOT NULL		
TblCdsByclSex	LUDate	datetime	NOT NULL		
TblCdsByclSex	LUOperator	int	NOT NULL		
TblCdsByclSex	UpdateLock	int			
TblCdsByclSex	ObsoleteFlag	tinyint			
TblCdsByclSex	Code	varchar(4)	NOT NULL	Yes	
TblCdsByclTire	Description	varchar(50)	NOT NULL		
TblCdsByclTire	RODate	datetime	NOT NULL		
TblCdsByclTire	ROOperator	int	NOT NULL		
TblCdsByclTire	LUDate	datetime	NOT NULL		
TblCdsByclTire	LUOperator	int	NOT NULL		
TblCdsByclTire	UpdateLock	int			
TblCdsByclTire	ObsoleteFlag	tinyint			
TblCdsByclTire	Code	varchar(4)	NOT NULL	Yes	
TblCdsCaseDism	Code	varchar(4)	NOT NULL	Yes	

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsCaseDism	Description	varchar(50)	NOT NULL		
TblCdsCaseDism	RODate	datetime	NOT NULL		
TblCdsCaseDism	ROOperator	int	NOT NULL		
TblCdsCaseDism	LUDate	datetime	NOT NULL		
TblCdsCaseDism	LUOperator	int	NOT NULL		
TblCdsCaseDism	UpdateLock	int			
TblCdsCaseDism	ObsoleteFlag	tinyint			
TblCdsCaseDism	UpdateSecurity	tinyint			
TblCdsCaseDism	ReadSecurity	tinyint			
TblCdsCaseDism	LinkSecurity	tinyint			
TblCdsCaseInitTyp	Description	varchar(50)	NOT NULL		
TblCdsCaseInitTyp	RODate	datetime	NOT NULL		
TblCdsCaseInitTyp	ROOperator	int	NOT NULL		
TblCdsCaseInitTyp	LUDate	datetime	NOT NULL		
TblCdsCaseInitTyp	LUOperator	int	NOT NULL		
TblCdsCaseInitTyp	UpdateLock	int			
TblCdsCaseInitTyp	ObsoleteFlag	tinyint			
TblCdsCaseInitTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsCaseNumber	Code	varchar(40)	NOT NULL	Yes	
TblCdsCaseNumber	Description	varchar(50)	NOT NULL		
TblCdsCaseNumber	RODate	datetime	NOT NULL		
TblCdsCaseNumber	ROOperator	int	NOT NULL		
TblCdsCaseNumber	LUDate	datetime	NOT NULL		
TblCdsCaseNumber	LUOperator	int	NOT NULL		
TblCdsCaseNumber	UpdateLock	int			
TblCdsCaseNumber	ObsoleteFlag	tinyint			
TblCdsCaseNumber	NextNumber	int	NOT NULL		
TblCdsCasePriority	Description	varchar(50)	NOT NULL		
TblCdsCasePriority	RODate	datetime	NOT NULL		
TblCdsCasePriority	ROOperator	int	NOT NULL		
TblCdsCasePriority	LUDate	datetime	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsCasePriority	LUOperator	int	NOT NULL		
TblCdsCasePriority	UpdateLock	int			
TblCdsCasePriority	ObsoleteFlag	tinyint			
TblCdsCasePriority	Code	varchar(4)	NOT NULL	Yes	
TblCdsCaseReferral	Description	varchar(50)	NOT NULL		
TblCdsCaseReferral	RODate	datetime	NOT NULL		
TblCdsCaseReferral	ROOperator	int	NOT NULL		
TblCdsCaseReferral	LUDate	datetime	NOT NULL		
TblCdsCaseReferral	LUOperator	int	NOT NULL		
TblCdsCaseReferral	UpdateLock	int			
TblCdsCaseReferral	ObsoleteFlag	tinyint			
TblCdsCaseReferral	Code	varchar(4)	NOT NULL	Yes	
TblCdsCaseStatus	Code	varchar(4)	NOT NULL	Yes	
TblCdsCaseStatus	Description	varchar(50)	NOT NULL		
TblCdsCaseStatus	RODate	datetime	NOT NULL		
TblCdsCaseStatus	ROOperator	int	NOT NULL		
TblCdsCaseStatus	LUDate	datetime	NOT NULL		
TblCdsCaseStatus	LUOperator	int	NOT NULL		
TblCdsCaseStatus	UpdateLock	int			
TblCdsCaseStatus	ObsoleteFlag	tinyint			
TblCdsCaseStatus	LogicCode	varchar(4)			
TblCdsCaseStatus	UCRClear	varchar(4)			Yes
TblCdsCaseSubType	Code	varchar(4)	NOT NULL	Yes	
TblCdsCaseSubType	Description	varchar(50)	NOT NULL		
TblCdsCaseSubType	FilterValue	varchar(4)			
TblCdsCaseSubType	RODate	datetime	NOT NULL		
TblCdsCaseSubType	ROOperator	int	NOT NULL		
TblCdsCaseSubType	LUDate	datetime	NOT NULL		
TblCdsCaseSubType	LUOperator	int	NOT NULL		
TblCdsCaseSubType	UpdateLock	int			
TblCdsCaseSubType	ObsoleteFlag	tinyint			

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsCauseOfFire	Description	varchar(50)	NOT NULL		
TblCdsCauseOfFire	RODate	datetime	NOT NULL		
TblCdsCauseOfFire	ROOperator	int	NOT NULL		
TblCdsCauseOfFire	LUDate	datetime	NOT NULL		
TblCdsCauseOfFire	LUOperator	int	NOT NULL		
TblCdsCauseOfFire	UpdateLock	int			
TblCdsCauseOfFire	ObsoleteFlag	tinyint			
TblCdsCauseOfFire	Code	varchar(4)	NOT NULL	Yes	
TblCdsCitationCourtApp	Code	varchar(4)	NOT NULL	Yes	
TblCdsCitationCourtApp	Description	varchar(50)	NOT NULL		
TblCdsCitationCourtApp	RODate	datetime	NOT NULL		
TblCdsCitationCourtApp	ROOperator	int	NOT NULL		
TblCdsCitationCourtApp	LUDate	datetime	NOT NULL		
TblCdsCitationCourtApp	LUOperator	int	NOT NULL		
TblCdsCitationCourtApp	UpdateLock	int			
TblCdsCitationCourtApp	ObsoleteFlag	tinyint			
TblCdsCitationCourtApp	LogicCode	varchar(4)			
TblCdsCitationEOI	Description	varchar(50)	NOT NULL		
TblCdsCitationEOI	RODate	datetime	NOT NULL		
TblCdsCitationEOI	ROOperator	int	NOT NULL		
TblCdsCitationEOI	LUDate	datetime	NOT NULL		
TblCdsCitationEOI	LUOperator	int	NOT NULL		
TblCdsCitationEOI	UpdateLock	int			
TblCdsCitationEOI	ObsoleteFlag	tinyint			
TblCdsCitationEOI	Code	varchar(4)	NOT NULL	Yes	
TblCdsCitationOfn	Description	varchar(50)	NOT NULL		
TblCdsCitationOfn	RODate	datetime	NOT NULL		
TblCdsCitationOfn	ROOperator	int	NOT NULL		
TblCdsCitationOfn	LUDate	datetime	NOT NULL		
TblCdsCitationOfn	LUOperator	int	NOT NULL		
TblCdsCitationOfn	UpdateLock	int			

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsCitationOfn	ObsoleteFlag	tinyint			
TblCdsCitationOfn	Code	varchar(25)	NOT NULL	Yes	
TblCdsCitationTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsCitationTyp	Description	varchar(50)	NOT NULL		
TblCdsCitationTyp	RODate	datetime	NOT NULL		
TblCdsCitationTyp	ROOperator	int	NOT NULL		
TblCdsCitationTyp	LUDate	datetime	NOT NULL		
TblCdsCitationTyp	LUOperator	int	NOT NULL		
TblCdsCitationTyp	UpdateLock	int			
TblCdsCitationTyp	ObsoleteFlag	tinyint			
TblCdsCitationTyp	LogicCode	varchar(4)			
TblCdsCitationWarn	Description	varchar(50)	NOT NULL		
TblCdsCitationWarn	RODate	datetime	NOT NULL		
TblCdsCitationWarn	ROOperator	int	NOT NULL		
TblCdsCitationWarn	LUDate	datetime	NOT NULL		
TblCdsCitationWarn	LUOperator	int	NOT NULL		
TblCdsCitationWarn	UpdateLock	int			
TblCdsCitationWarn	ObsoleteFlag	tinyint			
TblCdsCitationWarn	Code	varchar(4)	NOT NULL	Yes	
TblCdsCitizen	Description	varchar(50)	NOT NULL		
TblCdsCitizen	RODate	datetime	NOT NULL		
TblCdsCitizen	ROOperator	int	NOT NULL		
TblCdsCitizen	LUDate	datetime	NOT NULL		
TblCdsCitizen	LUOperator	int	NOT NULL		
TblCdsCitizen	UpdateLock	int			
TblCdsCitizen	ObsoleteFlag	tinyint			
TblCdsCitizen	Code	varchar(4)	NOT NULL	Yes	
TblCdsCity	Description	varchar(50)			
TblCdsCity	RODate	datetime			
TblCdsCity	ROOperator	int			
TblCdsCity	LUDate	datetime			

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsCity	LUOperator	int			
TblCdsCity	UpdateLock	int			
TblCdsCity	ObsoleteFlag	tinyint			
TblCdsCity	Code	varchar(4)	NOT NULL	Yes	
TblCdsCloCaseDism	Code	varchar(4)	NOT NULL	Yes	
TblCdsCloCaseDism	Description	varchar(50)	NOT NULL		
TblCdsCloCaseDism	RODate	datetime	NOT NULL		
TblCdsCloCaseDism	ROOperator	int	NOT NULL		
TblCdsCloCaseDism	LUDate	datetime	NOT NULL		
TblCdsCloCaseDism	LUOperator	int	NOT NULL		
TblCdsCloCaseDism	UpdateLock	int			
TblCdsCloCaseDism	ObsoleteFlag	tinyint			
TblCdsCloCaseDism	Security	tinyint			
TblCdsCoercion	Description	varchar(50)	NOT NULL		
TblCdsCoercion	RODate	datetime	NOT NULL		
TblCdsCoercion	ROOperator	int	NOT NULL		
TblCdsCoercion	LUDate	datetime	NOT NULL		
TblCdsCoercion	LUOperator	int	NOT NULL		
TblCdsCoercion	UpdateLock	int			
TblCdsCoercion	ObsoleteFlag	tinyint			
TblCdsCoercion	Code	varchar(4)	NOT NULL	Yes	
TblCdsCoercionTyp	Description	varchar(50)	NOT NULL		
TblCdsCoercionTyp	RODate	datetime	NOT NULL		
TblCdsCoercionTyp	ROOperator	int	NOT NULL		
TblCdsCoercionTyp	LUDate	datetime	NOT NULL		
TblCdsCoercionTyp	LUOperator	int	NOT NULL		
TblCdsCoercionTyp	UpdateLock	int			
TblCdsCoercionTyp	ObsoleteFlag	tinyint			
TblCdsCoercionTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsComplexion	Description	varchar(50)	NOT NULL		
TblCdsComplexion	RODate	datetime	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsComplexion	ROOperator	int	NOT NULL		
TblCdsComplexion	LUDate	datetime	NOT NULL		
TblCdsComplexion	LUOperator	int	NOT NULL		
TblCdsComplexion	UpdateLock	int			
TblCdsComplexion	ObsoleteFlag	tinyint			
TblCdsComplexion	Code	varchar(4)	NOT NULL	Yes	
TblCdsContentEval	Description	varchar(50)	NOT NULL		
TblCdsContentEval	RODate	datetime	NOT NULL		
TblCdsContentEval	ROOperator	int	NOT NULL		
TblCdsContentEval	LUDate	datetime	NOT NULL		
TblCdsContentEval	LUOperator	int	NOT NULL		
TblCdsContentEval	UpdateLock	int			
TblCdsContentEval	ObsoleteFlag	tinyint			
TblCdsContentEval	Code	varchar(4)	NOT NULL	Yes	
TblCdsCountry	Description	varchar(50)	NOT NULL		
TblCdsCountry	RODate	datetime	NOT NULL		
TblCdsCountry	ROOperator	int	NOT NULL		
TblCdsCountry	LUDate	datetime	NOT NULL		
TblCdsCountry	LUOperator	int	NOT NULL		
TblCdsCountry	UpdateLock	int			
TblCdsCountry	ObsoleteFlag	tinyint			
TblCdsCountry	Code	varchar(4)	NOT NULL	Yes	
TblCdsCounty	Description	varchar(50)	NOT NULL		
TblCdsCounty	RODate	datetime	NOT NULL		
TblCdsCounty	ROOperator	int	NOT NULL		
TblCdsCounty	LUDate	datetime	NOT NULL		
TblCdsCounty	LUOperator	int	NOT NULL		
TblCdsCounty	UpdateLock	int			
TblCdsCounty	ObsoleteFlag	tinyint			
TblCdsCounty	Code	varchar(4)	NOT NULL	Yes	
TblCdsCourt	Code	varchar(4)	NOT NULL	Yes	

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsCourt	Description	varchar(50)	NOT NULL		
TblCdsCourt	RODate	datetime	NOT NULL		
TblCdsCourt	ROOperator	int	NOT NULL		
TblCdsCourt	LUDate	datetime	NOT NULL		
TblCdsCourt	LUOperator	int	NOT NULL		
TblCdsCourt	UpdateLock	int			
TblCdsCourt	ObsoleteFlag	tinyint			
TblCdsCourt	Address1	varchar(100)			
TblCdsCourt	Address2	varchar(100)			
TblCdsCourtVenue	Code	varchar(4)	NOT NULL	Yes	
TblCdsCourtVenue	Description	varchar(50)	NOT NULL		
TblCdsCourtVenue	Court	varchar(4)			
TblCdsCourtVenue	RODate	datetime	NOT NULL		
TblCdsCourtVenue	ROOperator	int	NOT NULL		
TblCdsCourtVenue	LUDate	datetime	NOT NULL		
TblCdsCourtVenue	LUOperator	int	NOT NULL		
TblCdsCourtVenue	UpdateLock	int			
TblCdsCourtVenue	ObsoleteFlag	tinyint			
TblCdsCpuCrime	Description	varchar(50)	NOT NULL		
TblCdsCpuCrime	RODate	datetime	NOT NULL		
TblCdsCpuCrime	ROOperator	int	NOT NULL		
TblCdsCpuCrime	LUDate	datetime	NOT NULL		
TblCdsCpuCrime	LUOperator	int	NOT NULL		
TblCdsCpuCrime	UpdateLock	int			
TblCdsCpuCrime	ObsoleteFlag	tinyint			
TblCdsCpuCrime	Code	varchar(4)	NOT NULL	Yes	
TblCdsCrimAct	Description	varchar(50)	NOT NULL		
TblCdsCrimAct	RODate	datetime	NOT NULL		
TblCdsCrimAct	ROOperator	int	NOT NULL		
TblCdsCrimAct	LUDate	datetime	NOT NULL		
TblCdsCrimAct	LUOperator	int	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsCrimAct	UpdateLock	int			
TblCdsCrimAct	ObsoleteFlag	tinyint			
TblCdsCrimAct	Code	varchar(6)	NOT NULL	Yes	
TblCdsCrisBurgDir	Description	varchar(50)	NOT NULL		
TblCdsCrisBurgDir	RODate	datetime	NOT NULL		
TblCdsCrisBurgDir	ROOperator	int	NOT NULL		
TblCdsCrisBurgDir	LUDate	datetime	NOT NULL		
TblCdsCrisBurgDir	LUOperator	int	NOT NULL		
TblCdsCrisBurgDir	UpdateLock	int			
TblCdsCrisBurgDir	ObsoleteFlag	tinyint			
TblCdsCrisBurgDir	Code	varchar(4)	NOT NULL	Yes	
TblCdsCrisBurgLoc	Description	varchar(50)	NOT NULL		
TblCdsCrisBurgLoc	RODate	datetime	NOT NULL		
TblCdsCrisBurgLoc	ROOperator	int	NOT NULL		
TblCdsCrisBurgLoc	LUDate	datetime	NOT NULL		
TblCdsCrisBurgLoc	LUOperator	int	NOT NULL		
TblCdsCrisBurgLoc	UpdateLock	int			
TblCdsCrisBurgLoc	ObsoleteFlag	tinyint			
TblCdsCrisBurgLoc	Code	varchar(4)	NOT NULL	Yes	
TblCdsCrisCallRcvd	Description	varchar(50)	NOT NULL		
TblCdsCrisCallRcvd	RODate	datetime	NOT NULL		
TblCdsCrisCallRcvd	ROOperator	int	NOT NULL		
TblCdsCrisCallRcvd	LUDate	datetime	NOT NULL		
TblCdsCrisCallRcvd	LUOperator	int	NOT NULL		
TblCdsCrisCallRcvd	UpdateLock	int			
TblCdsCrisCallRcvd	ObsoleteFlag	tinyint			
TblCdsCrisCallRcvd	Code	varchar(4)	NOT NULL	Yes	
TblCdsCrisDthIBdyR	Description	varchar(50)	NOT NULL		
TblCdsCrisDthIBdyR	RODate	datetime	NOT NULL		
TblCdsCrisDthIBdyR	ROOperator	int	NOT NULL		
TblCdsCrisDthIBdyR	LUDate	datetime	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsCriSDthIBdyR	LUOperator	int	NOT NULL		
TblCdsCriSDthIBdyR	UpdateLock	int			
TblCdsCriSDthIBdyR	ObsoleteFlag	tinyint			
TblCdsCriSDthIBdyR	Code	varchar(4)	NOT NULL	Yes	
TblCdsCriSDthIPrt	Description	varchar(50)	NOT NULL		
TblCdsCriSDthIPrt	RODate	datetime	NOT NULL		
TblCdsCriSDthIPrt	ROOperator	int	NOT NULL		
TblCdsCriSDthIPrt	LUDate	datetime	NOT NULL		
TblCdsCriSDthIPrt	LUOperator	int	NOT NULL		
TblCdsCriSDthIPrt	UpdateLock	int			
TblCdsCriSDthIPrt	ObsoleteFlag	tinyint			
TblCdsCriSDthIPrt	Code	varchar(4)	NOT NULL	Yes	
TblCdsCriSInvStat	Description	varchar(50)	NOT NULL		
TblCdsCriSInvStat	RODate	datetime	NOT NULL		
TblCdsCriSInvStat	ROOperator	int	NOT NULL		
TblCdsCriSInvStat	LUDate	datetime	NOT NULL		
TblCdsCriSInvStat	LUOperator	int	NOT NULL		
TblCdsCriSInvStat	UpdateLock	int			
TblCdsCriSInvStat	ObsoleteFlag	tinyint			
TblCdsCriSInvStat	Code	varchar(4)	NOT NULL	Yes	
TblCdsCriSPhoASA	Description	varchar(50)	NOT NULL		
TblCdsCriSPhoASA	RODate	datetime	NOT NULL		
TblCdsCriSPhoASA	ROOperator	int	NOT NULL		
TblCdsCriSPhoASA	LUDate	datetime	NOT NULL		
TblCdsCriSPhoASA	LUOperator	int	NOT NULL		
TblCdsCriSPhoASA	UpdateLock	int			
TblCdsCriSPhoASA	ObsoleteFlag	tinyint			
TblCdsCriSPhoASA	Code	varchar(4)	NOT NULL	Yes	
TblCdsCriSPhoCam	Description	varchar(50)	NOT NULL		
TblCdsCriSPhoCam	RODate	datetime	NOT NULL		
TblCdsCriSPhoCam	ROOperator	int	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsCriSPhoCam	LUDate	datetime	NOT NULL		
TblCdsCriSPhoCam	LUOperator	int	NOT NULL		
TblCdsCriSPhoCam	UpdateLock	int			
TblCdsCriSPhoCam	ObsoleteFlag	tinyint			
TblCdsCriSPhoCam	Code	varchar(4)	NOT NULL	Yes	
TblCdsCriSPhoFilm	Description	varchar(50)	NOT NULL		
TblCdsCriSPhoFilm	RODate	datetime	NOT NULL		
TblCdsCriSPhoFilm	ROOperator	int	NOT NULL		
TblCdsCriSPhoFilm	LUDate	datetime	NOT NULL		
TblCdsCriSPhoFilm	LUOperator	int	NOT NULL		
TblCdsCriSPhoFilm	UpdateLock	int			
TblCdsCriSPhoFilm	ObsoleteFlag	tinyint			
TblCdsCriSPhoFilm	Code	varchar(4)	NOT NULL	Yes	
TblCdsCriSPhoLens	Description	varchar(50)	NOT NULL		
TblCdsCriSPhoLens	RODate	datetime	NOT NULL		
TblCdsCriSPhoLens	ROOperator	int	NOT NULL		
TblCdsCriSPhoLens	LUDate	datetime	NOT NULL		
TblCdsCriSPhoLens	LUOperator	int	NOT NULL		
TblCdsCriSPhoLens	UpdateLock	int			
TblCdsCriSPhoLens	ObsoleteFlag	tinyint			
TblCdsCriSPhoLens	Code	varchar(4)	NOT NULL	Yes	
TblCdsCriSProssTyp	Description	varchar(50)	NOT NULL		
TblCdsCriSProssTyp	RODate	datetime	NOT NULL		
TblCdsCriSProssTyp	ROOperator	int	NOT NULL		
TblCdsCriSProssTyp	LUDate	datetime	NOT NULL		
TblCdsCriSProssTyp	LUOperator	int	NOT NULL		
TblCdsCriSProssTyp	UpdateLock	int			
TblCdsCriSProssTyp	ObsoleteFlag	tinyint			
TblCdsCriSProssTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsCriSRptTyp	Description	varchar(50)	NOT NULL		
TblCdsCriSRptTyp	RODate	datetime	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsCriSRptTyp	ROOperator	int	NOT NULL		
TblCdsCriSRptTyp	LUDate	datetime	NOT NULL		
TblCdsCriSRptTyp	LUOperator	int	NOT NULL		
TblCdsCriSRptTyp	UpdateLock	int			
TblCdsCriSRptTyp	ObsoleteFlag	tinyint			
TblCdsCriSRptTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsCriSWeather	Description	varchar(50)	NOT NULL		
TblCdsCriSWeather	RODate	datetime	NOT NULL		
TblCdsCriSWeather	ROOperator	int	NOT NULL		
TblCdsCriSWeather	LUDate	datetime	NOT NULL		
TblCdsCriSWeather	LUOperator	int	NOT NULL		
TblCdsCriSWeather	UpdateLock	int			
TblCdsCriSWeather	ObsoleteFlag	tinyint			
TblCdsCriSWeather	Code	varchar(4)	NOT NULL	Yes	
TblCdsCriSWorkStat	Description	varchar(50)	NOT NULL		
TblCdsCriSWorkStat	RODate	datetime	NOT NULL		
TblCdsCriSWorkStat	ROOperator	int	NOT NULL		
TblCdsCriSWorkStat	LUDate	datetime	NOT NULL		
TblCdsCriSWorkStat	LUOperator	int	NOT NULL		
TblCdsCriSWorkStat	UpdateLock	int			
TblCdsCriSWorkStat	ObsoleteFlag	tinyint			
TblCdsCriSWorkStat	Code	varchar(4)	NOT NULL	Yes	
TblCdsCurrencyTyp	Description	varchar(50)	NOT NULL		
TblCdsCurrencyTyp	RODate	datetime	NOT NULL		
TblCdsCurrencyTyp	ROOperator	int	NOT NULL		
TblCdsCurrencyTyp	LUDate	datetime	NOT NULL		
TblCdsCurrencyTyp	LUOperator	int	NOT NULL		
TblCdsCurrencyTyp	UpdateLock	int			
TblCdsCurrencyTyp	ObsoleteFlag	tinyint			
TblCdsCurrencyTyp	Code	varchar(5)	NOT NULL	Yes	
TblCdsDefendantStatus	Description	varchar(50)	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsDefendantStatus	RODate	datetime	NOT NULL		
TblCdsDefendantStatus	ROOperator	int	NOT NULL		
TblCdsDefendantStatus	LUDate	datetime	NOT NULL		
TblCdsDefendantStatus	LUOperator	int	NOT NULL		
TblCdsDefendantStatus	UpdateLock	int			
TblCdsDefendantStatus	ObsoleteFlag	tinyint			
TblCdsDefendantStatus	Code	varchar(4)	NOT NULL	Yes	
TblCdsDemeanor	Description	varchar(50)	NOT NULL		
TblCdsDemeanor	RODate	datetime	NOT NULL		
TblCdsDemeanor	ROOperator	int	NOT NULL		
TblCdsDemeanor	LUDate	datetime	NOT NULL		
TblCdsDemeanor	LUOperator	int	NOT NULL		
TblCdsDemeanor	UpdateLock	int			
TblCdsDemeanor	ObsoleteFlag	tinyint			
TblCdsDemeanor	Code	varchar(4)	NOT NULL	Yes	
TblCdsDetectedBy	Description	varchar(50)	NOT NULL		
TblCdsDetectedBy	RODate	datetime	NOT NULL		
TblCdsDetectedBy	ROOperator	int	NOT NULL		
TblCdsDetectedBy	LUDate	datetime	NOT NULL		
TblCdsDetectedBy	LUOperator	int	NOT NULL		
TblCdsDetectedBy	UpdateLock	int			
TblCdsDetectedBy	ObsoleteFlag	tinyint			
TblCdsDetectedBy	Code	varchar(5)	NOT NULL	Yes	
TblCdsDialect	Code	varchar(4)	NOT NULL	Yes	
TblCdsDialect	Description	varchar(50)	NOT NULL		
TblCdsDialect	FilterValue	varchar(4)			Yes
TblCdsDialect	RODate	datetime	NOT NULL		
TblCdsDialect	ROOperator	int	NOT NULL		
TblCdsDialect	LUDate	datetime	NOT NULL		
TblCdsDialect	LUOperator	int	NOT NULL		
TblCdsDialect	UpdateLock	int			

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsDialect	ObsoleteFlag	tinyint			
TblCdsDisabilities	Description	varchar(50)	NOT NULL		
TblCdsDisabilities	RODate	datetime	NOT NULL		
TblCdsDisabilities	ROOperator	int	NOT NULL		
TblCdsDisabilities	LUDate	datetime	NOT NULL		
TblCdsDisabilities	LUOperator	int	NOT NULL		
TblCdsDisabilities	UpdateLock	int			
TblCdsDisabilities	ObsoleteFlag	tinyint			
TblCdsDisabilities	Code	varchar(4)	NOT NULL	Yes	
TblCdsDiscoveredReported	Description	varchar(50)	NOT NULL		
TblCdsDiscoveredReported	RODate	datetime	NOT NULL		
TblCdsDiscoveredReported	ROOperator	int	NOT NULL		
TblCdsDiscoveredReported	LUDate	datetime	NOT NULL		
TblCdsDiscoveredReported	LUOperator	int	NOT NULL		
TblCdsDiscoveredReported	UpdateLock	int			
TblCdsDiscoveredReported	ObsoleteFlag	tinyint			
TblCdsDiscoveredReported	Code	varchar(4)	NOT NULL	Yes	
TblCdsDism	Code	varchar(4)	NOT NULL	Yes	
TblCdsDism	Description	varchar(50)	NOT NULL		
TblCdsDism	RODate	datetime	NOT NULL		
TblCdsDism	ROOperator	int	NOT NULL		
TblCdsDism	LUDate	datetime	NOT NULL		
TblCdsDism	LUOperator	int	NOT NULL		
TblCdsDism	UpdateLock	int			
TblCdsDism	ObsoleteFlag	tinyint			
TblCdsDism	UpdateSecurity	tinyint			
TblCdsDism	ReadSecurity	tinyint			
TblCdsDisp	Code	varchar(4)	NOT NULL	Yes	
TblCdsDisp	Description	varchar(50)	NOT NULL		
TblCdsDisp	RODate	datetime	NOT NULL		
TblCdsDisp	ROOperator	int	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsDisp	LUDate	datetime	NOT NULL		
TblCdsDisp	LUOperator	int	NOT NULL		
TblCdsDisp	UpdateLock	int			
TblCdsDisp	ObsoleteFlag	tinyint			
TblCdsDisp	CaseStatus	varchar(4)			Yes
TblCdsDistanceUOM	Description	varchar(50)	NOT NULL		
TblCdsDistanceUOM	RODate	datetime	NOT NULL		
TblCdsDistanceUOM	ROOperator	int	NOT NULL		
TblCdsDistanceUOM	LUDate	datetime	NOT NULL		
TblCdsDistanceUOM	LUOperator	int	NOT NULL		
TblCdsDistanceUOM	UpdateLock	int			
TblCdsDistanceUOM	ObsoleteFlag	tinyint			
TblCdsDistanceUOM	Code	varchar(4)	NOT NULL	Yes	
TblCdsDisturbAct	Description	varchar(50)	NOT NULL		
TblCdsDisturbAct	RODate	datetime	NOT NULL		
TblCdsDisturbAct	ROOperator	int	NOT NULL		
TblCdsDisturbAct	LUDate	datetime	NOT NULL		
TblCdsDisturbAct	LUOperator	int	NOT NULL		
TblCdsDisturbAct	UpdateLock	int			
TblCdsDisturbAct	ObsoleteFlag	tinyint			
TblCdsDisturbAct	Code	varchar(4)	NOT NULL	Yes	
TblCdsDisturbTyp	Description	varchar(50)	NOT NULL		
TblCdsDisturbTyp	RODate	datetime	NOT NULL		
TblCdsDisturbTyp	ROOperator	int	NOT NULL		
TblCdsDisturbTyp	LUDate	datetime	NOT NULL		
TblCdsDisturbTyp	LUOperator	int	NOT NULL		
TblCdsDisturbTyp	UpdateLock	int			
TblCdsDisturbTyp	ObsoleteFlag	tinyint			
TblCdsDisturbTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsDLCLs	Description	varchar(50)	NOT NULL		
TblCdsDLCLs	RODate	datetime	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsDLCLs	ROOperator	int	NOT NULL		
TblCdsDLCLs	LUDate	datetime	NOT NULL		
TblCdsDLCLs	LUOperator	int	NOT NULL		
TblCdsDLCLs	UpdateLock	int			
TblCdsDLCLs	ObsoleteFlag	tinyint			
TblCdsDLCLs	Code	varchar(4)	NOT NULL	Yes	
TblCdsDNRCallDir	Description	varchar(50)	NOT NULL		
TblCdsDNRCallDir	RODate	datetime	NOT NULL		
TblCdsDNRCallDir	ROOperator	int	NOT NULL		
TblCdsDNRCallDir	LUDate	datetime	NOT NULL		
TblCdsDNRCallDir	LUOperator	int	NOT NULL		
TblCdsDNRCallDir	UpdateLock	int			
TblCdsDNRCallDir	ObsoleteFlag	tinyint			
TblCdsDNRCallDir	Code	varchar(1)	NOT NULL	Yes	
TblCdsDNRCallSrc	Description	varchar(50)	NOT NULL		
TblCdsDNRCallSrc	RODate	datetime	NOT NULL		
TblCdsDNRCallSrc	ROOperator	int	NOT NULL		
TblCdsDNRCallSrc	LUDate	datetime	NOT NULL		
TblCdsDNRCallSrc	LUOperator	int	NOT NULL		
TblCdsDNRCallSrc	UpdateLock	int			
TblCdsDNRCallSrc	ObsoleteFlag	tinyint			
TblCdsDNRCallSrc	Code	varchar(4)	NOT NULL	Yes	
TblCdsDNRCallTyp	Description	varchar(50)	NOT NULL		
TblCdsDNRCallTyp	RODate	datetime	NOT NULL		
TblCdsDNRCallTyp	ROOperator	int	NOT NULL		
TblCdsDNRCallTyp	LUDate	datetime	NOT NULL		
TblCdsDNRCallTyp	LUOperator	int	NOT NULL		
TblCdsDNRCallTyp	UpdateLock	int			
TblCdsDNRCallTyp	ObsoleteFlag	tinyint			
TblCdsDNRCallTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsDocLogAct	Description	varchar(50)	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsDocLogAct	RODate	datetime	NOT NULL		
TblCdsDocLogAct	ROOperator	int	NOT NULL		
TblCdsDocLogAct	LUDate	datetime	NOT NULL		
TblCdsDocLogAct	LUOperator	int	NOT NULL		
TblCdsDocLogAct	UpdateLock	int			
TblCdsDocLogAct	ObsoleteFlag	tinyint			
TblCdsDocLogAct	Code	varchar(4)	NOT NULL	Yes	
TblCdsDocSts	Description	varchar(50)	NOT NULL		
TblCdsDocSts	RODate	datetime	NOT NULL		
TblCdsDocSts	ROOperator	int	NOT NULL		
TblCdsDocSts	LUDate	datetime	NOT NULL		
TblCdsDocSts	LUOperator	int	NOT NULL		
TblCdsDocSts	UpdateLock	int			
TblCdsDocSts	ObsoleteFlag	tinyint			
TblCdsDocSts	Code	varchar(2)	NOT NULL	Yes	
TblCdsDocTyp	Description	varchar(50)	NOT NULL		
TblCdsDocTyp	RODate	datetime	NOT NULL		
TblCdsDocTyp	ROOperator	int	NOT NULL		
TblCdsDocTyp	LUDate	datetime	NOT NULL		
TblCdsDocTyp	LUOperator	int	NOT NULL		
TblCdsDocTyp	UpdateLock	int			
TblCdsDocTyp	ObsoleteFlag	tinyint			
TblCdsDocTyp	Code	varchar(1)	NOT NULL	Yes	
TblCdsDrugAct	Description	varchar(50)	NOT NULL		
TblCdsDrugAct	RODate	datetime	NOT NULL		
TblCdsDrugAct	ROOperator	int	NOT NULL		
TblCdsDrugAct	LUDate	datetime	NOT NULL		
TblCdsDrugAct	LUOperator	int	NOT NULL		
TblCdsDrugAct	UpdateLock	int			
TblCdsDrugAct	ObsoleteFlag	tinyint			
TblCdsDrugAct	Code	varchar(4)	NOT NULL	Yes	

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsDrugCultivation	Description	varchar(50)	NOT NULL		
TblCdsDrugCultivation	RODate	datetime	NOT NULL		
TblCdsDrugCultivation	ROOperator	int	NOT NULL		
TblCdsDrugCultivation	LUDate	datetime	NOT NULL		
TblCdsDrugCultivation	LUOperator	int	NOT NULL		
TblCdsDrugCultivation	UpdateLock	int			
TblCdsDrugCultivation	ObsoleteFlag	tinyint			
TblCdsDrugCultivation	Code	varchar(4)	NOT NULL	Yes	
TblCdsDrugInflu	Description	varchar(50)	NOT NULL		
TblCdsDrugInflu	RODate	datetime	NOT NULL		
TblCdsDrugInflu	ROOperator	int	NOT NULL		
TblCdsDrugInflu	LUDate	datetime	NOT NULL		
TblCdsDrugInflu	LUOperator	int	NOT NULL		
TblCdsDrugInflu	UpdateLock	int			
TblCdsDrugInflu	ObsoleteFlag	tinyint			
TblCdsDrugInflu	Code	varchar(4)	NOT NULL	Yes	
TblCdsDrugRel	Description	varchar(50)	NOT NULL		
TblCdsDrugRel	RODate	datetime	NOT NULL		
TblCdsDrugRel	ROOperator	int	NOT NULL		
TblCdsDrugRel	LUDate	datetime	NOT NULL		
TblCdsDrugRel	LUOperator	int	NOT NULL		
TblCdsDrugRel	UpdateLock	int			
TblCdsDrugRel	ObsoleteFlag	tinyint			
TblCdsDrugRel	Code	varchar(4)	NOT NULL	Yes	
TblCdsDrugTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsDrugTyp	Description	varchar(50)	NOT NULL		
TblCdsDrugTyp	FilterValue	varchar(4)			
TblCdsDrugTyp	DrugUOM	varchar(4)			Yes
TblCdsDrugTyp	UnitValue	money			
TblCdsDrugTyp	RODate	datetime	NOT NULL		
TblCdsDrugTyp	ROOperator	int	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsDrugTyp	LUDate	datetime	NOT NULL		
TblCdsDrugTyp	LUOperator	int	NOT NULL		
TblCdsDrugTyp	UpdateLock	int			
TblCdsDrugTyp	ObsoleteFlag	tinyint			
TblCdsDrugTyp	Category	varchar(4)			Yes
TblCdsDrugTyp	Schedule	varchar(4)			Yes
TblCdsDrugTyp	ChemicalName	varchar(75)			
TblCdsDrugTyp	Class	varchar(4)			Yes
TblCdsDrugTypCat	Description	varchar(50)	NOT NULL		
TblCdsDrugTypCat	RODate	datetime	NOT NULL		
TblCdsDrugTypCat	ROOperator	int	NOT NULL		
TblCdsDrugTypCat	LUDate	datetime	NOT NULL		
TblCdsDrugTypCat	LUOperator	int	NOT NULL		
TblCdsDrugTypCat	UpdateLock	int			
TblCdsDrugTypCat	ObsoleteFlag	tinyint			
TblCdsDrugTypCat	Code	varchar(4)	NOT NULL	Yes	
TblCdsDrugTypClass	Description	varchar(50)	NOT NULL		
TblCdsDrugTypClass	RODate	datetime	NOT NULL		
TblCdsDrugTypClass	ROOperator	int	NOT NULL		
TblCdsDrugTypClass	LUDate	datetime	NOT NULL		
TblCdsDrugTypClass	LUOperator	int	NOT NULL		
TblCdsDrugTypClass	UpdateLock	int			
TblCdsDrugTypClass	ObsoleteFlag	tinyint			
TblCdsDrugTypClass	Code	varchar(4)	NOT NULL	Yes	
TblCdsDrugTypSch	Description	varchar(50)	NOT NULL		
TblCdsDrugTypSch	RODate	datetime	NOT NULL		
TblCdsDrugTypSch	ROOperator	int	NOT NULL		
TblCdsDrugTypSch	LUDate	datetime	NOT NULL		
TblCdsDrugTypSch	LUOperator	int	NOT NULL		
TblCdsDrugTypSch	UpdateLock	int			
TblCdsDrugTypSch	ObsoleteFlag	tinyint			

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsDrugTypSch	Code	varchar(4)	NOT NULL	Yes	
TblCdsDrugUOM	Code	varchar(4)	NOT NULL	Yes	
TblCdsDrugUOM	Description	varchar(50)	NOT NULL		
TblCdsDrugUOM	FilterValue	varchar(4)			
TblCdsDrugUOM	ConversionFactor	float			
TblCdsDrugUOM	BaseType	varchar(5)			
TblCdsDrugUOM	RODate	datetime	NOT NULL		
TblCdsDrugUOM	ROOperator	int	NOT NULL		
TblCdsDrugUOM	LUDate	datetime	NOT NULL		
TblCdsDrugUOM	LUOperator	int	NOT NULL		
TblCdsDrugUOM	UpdateLock	int			
TblCdsDrugUOM	ObsoleteFlag	tinyint			
TblCdsEOI	Description	varchar(50)	NOT NULL		
TblCdsEOI	RODate	datetime	NOT NULL		
TblCdsEOI	ROOperator	int	NOT NULL		
TblCdsEOI	LUDate	datetime	NOT NULL		
TblCdsEOI	LUOperator	int	NOT NULL		
TblCdsEOI	UpdateLock	int			
TblCdsEOI	ObsoleteFlag	tinyint			
TblCdsEOI	Code	varchar(4)	NOT NULL	Yes	
TblCdsEthnicity	Description	varchar(50)	NOT NULL		
TblCdsEthnicity	RODate	datetime	NOT NULL		
TblCdsEthnicity	ROOperator	int	NOT NULL		
TblCdsEthnicity	LUDate	datetime	NOT NULL		
TblCdsEthnicity	LUOperator	int	NOT NULL		
TblCdsEthnicity	UpdateLock	int			
TblCdsEthnicity	ObsoleteFlag	tinyint			
TblCdsEthnicity	Code	varchar(4)	NOT NULL	Yes	
TblCdsEventTyp	Description	varchar(50)	NOT NULL		
TblCdsEventTyp	RODate	datetime	NOT NULL		
TblCdsEventTyp	ROOperator	int	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsEventTyp	LUDate	datetime	NOT NULL		
TblCdsEventTyp	LUOperator	int	NOT NULL		
TblCdsEventTyp	UpdateLock	int			
TblCdsEventTyp	ObsoleteFlag	tinyint			
TblCdsEventTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsExpTyp	Description	varchar(50)	NOT NULL		
TblCdsExpTyp	RODate	datetime	NOT NULL		
TblCdsExpTyp	ROOperator	int	NOT NULL		
TblCdsExpTyp	LUDate	datetime	NOT NULL		
TblCdsExpTyp	LUOperator	int	NOT NULL		
TblCdsExpTyp	UpdateLock	int			
TblCdsExpTyp	ObsoleteFlag	tinyint			
TblCdsExpTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsEyeColor	Description	varchar(50)	NOT NULL		
TblCdsEyeColor	RODate	datetime	NOT NULL		
TblCdsEyeColor	ROOperator	int	NOT NULL		
TblCdsEyeColor	LUDate	datetime	NOT NULL		
TblCdsEyeColor	LUOperator	int	NOT NULL		
TblCdsEyeColor	UpdateLock	int			
TblCdsEyeColor	ObsoleteFlag	tinyint			
TblCdsEyeColor	Code	varchar(4)	NOT NULL	Yes	
TblCdsF163Tel	Description	varchar(50)	NOT NULL		
TblCdsF163Tel	RODate	datetime	NOT NULL		
TblCdsF163Tel	ROOperator	int	NOT NULL		
TblCdsF163Tel	LUDate	datetime	NOT NULL		
TblCdsF163Tel	LUOperator	int	NOT NULL		
TblCdsF163Tel	UpdateLock	int			
TblCdsF163Tel	ObsoleteFlag	tinyint			
TblCdsF163Tel	Code	varchar(4)	NOT NULL	Yes	
TblCdsF313TrtSts	Description	varchar(50)	NOT NULL		
TblCdsF313TrtSts	RODate	datetime	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsF313TrtSts	ROOperator	int	NOT NULL		
TblCdsF313TrtSts	LUDate	datetime	NOT NULL		
TblCdsF313TrtSts	LUOperator	int	NOT NULL		
TblCdsF313TrtSts	UpdateLock	int			
TblCdsF313TrtSts	ObsoleteFlag	tinyint			
TblCdsF313TrtSts	Code	varchar(4)	NOT NULL	Yes	
TblCdsF313Typ	Description	varchar(50)	NOT NULL		
TblCdsF313Typ	RODate	datetime	NOT NULL		
TblCdsF313Typ	ROOperator	int	NOT NULL		
TblCdsF313Typ	LUDate	datetime	NOT NULL		
TblCdsF313Typ	LUOperator	int	NOT NULL		
TblCdsF313Typ	UpdateLock	int			
TblCdsF313Typ	ObsoleteFlag	tinyint			
TblCdsF313Typ	Code	varchar(4)	NOT NULL	Yes	
TblCdsF313Type	Description	varchar(50)	NOT NULL		
TblCdsF313Type	RODate	datetime	NOT NULL		
TblCdsF313Type	ROOperator	int	NOT NULL		
TblCdsF313Type	LUDate	datetime	NOT NULL		
TblCdsF313Type	LUOperator	int	NOT NULL		
TblCdsF313Type	UpdateLock	int			
TblCdsF313Type	ObsoleteFlag	tinyint			
TblCdsF313Type	Code	varchar(4)	NOT NULL	Yes	
TblCdsFacial	Description	varchar(50)	NOT NULL		
TblCdsFacial	RODate	datetime	NOT NULL		
TblCdsFacial	ROOperator	int	NOT NULL		
TblCdsFacial	LUDate	datetime	NOT NULL		
TblCdsFacial	LUOperator	int	NOT NULL		
TblCdsFacial	UpdateLock	int			
TblCdsFacial	ObsoleteFlag	tinyint			
TblCdsFacial	Code	varchar(4)	NOT NULL	Yes	
TblCdsFacilityCategory	Description	varchar(50)	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsFacilityCategory	RODate	datetime	NOT NULL		
TblCdsFacilityCategory	ROOperator	int	NOT NULL		
TblCdsFacilityCategory	LUDate	datetime	NOT NULL		
TblCdsFacilityCategory	LUOperator	int	NOT NULL		
TblCdsFacilityCategory	UpdateLock	int			
TblCdsFacilityCategory	ObsoleteFlag	tinyint			
TblCdsFacilityCategory	Code	varchar(4)	NOT NULL	Yes	
TblCdsFacilityCommodity	Description	varchar(50)	NOT NULL		
TblCdsFacilityCommodity	RODate	datetime	NOT NULL		
TblCdsFacilityCommodity	ROOperator	int	NOT NULL		
TblCdsFacilityCommodity	LUDate	datetime	NOT NULL		
TblCdsFacilityCommodity	LUOperator	int	NOT NULL		
TblCdsFacilityCommodity	UpdateLock	int			
TblCdsFacilityCommodity	ObsoleteFlag	tinyint			
TblCdsFacilityCommodity	Code	varchar(4)	NOT NULL	Yes	
TblCdsFacilitySubTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsFacilitySubTyp	Description	varchar(50)	NOT NULL		
TblCdsFacilitySubTyp	FilterValue	varchar(4)	NOT NULL		Yes
TblCdsFacilitySubTyp	RODate	datetime	NOT NULL		
TblCdsFacilitySubTyp	ROOperator	int	NOT NULL		
TblCdsFacilitySubTyp	LUDate	datetime	NOT NULL		
TblCdsFacilitySubTyp	LUOperator	int	NOT NULL		
TblCdsFacilitySubTyp	UpdateLock	int			
TblCdsFacilitySubTyp	ObsoleteFlag	tinyint			
TblCdsFacilityTyp	Description	varchar(50)	NOT NULL		
TblCdsFacilityTyp	RODate	datetime	NOT NULL		
TblCdsFacilityTyp	ROOperator	int	NOT NULL		
TblCdsFacilityTyp	LUDate	datetime	NOT NULL		
TblCdsFacilityTyp	LUOperator	int	NOT NULL		
TblCdsFacilityTyp	UpdateLock	int			
TblCdsFacilityTyp	ObsoleteFlag	tinyint			

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsFacilityTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsFedForfitTyp	Description	varchar(50)	NOT NULL		
TblCdsFedForfitTyp	RODate	datetime	NOT NULL		
TblCdsFedForfitTyp	ROOperator	int	NOT NULL		
TblCdsFedForfitTyp	LUDate	datetime	NOT NULL		
TblCdsFedForfitTyp	LUOperator	int	NOT NULL		
TblCdsFedForfitTyp	UpdateLock	int			
TblCdsFedForfitTyp	ObsoleteFlag	tinyint			
TblCdsFedForfitTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsFiarmCaliber	Description	varchar(50)	NOT NULL		
TblCdsFiarmCaliber	RODate	datetime	NOT NULL		
TblCdsFiarmCaliber	ROOperator	int	NOT NULL		
TblCdsFiarmCaliber	LUDate	datetime	NOT NULL		
TblCdsFiarmCaliber	LUOperator	int	NOT NULL		
TblCdsFiarmCaliber	UpdateLock	int			
TblCdsFiarmCaliber	ObsoleteFlag	tinyint			
TblCdsFiarmCaliber	Code	varchar(5)	NOT NULL	Yes	
TblCdsFiarmFin	Description	varchar(50)	NOT NULL		
TblCdsFiarmFin	RODate	datetime	NOT NULL		
TblCdsFiarmFin	ROOperator	int	NOT NULL		
TblCdsFiarmFin	LUDate	datetime	NOT NULL		
TblCdsFiarmFin	LUOperator	int	NOT NULL		
TblCdsFiarmFin	UpdateLock	int			
TblCdsFiarmFin	ObsoleteFlag	tinyint			
TblCdsFiarmFin	Code	varchar(4)	NOT NULL	Yes	
TblCdsFinSubRel	Description	varchar(50)	NOT NULL		
TblCdsFinSubRel	RODate	datetime	NOT NULL		
TblCdsFinSubRel	ROOperator	int	NOT NULL		
TblCdsFinSubRel	LUDate	datetime	NOT NULL		
TblCdsFinSubRel	LUOperator	int	NOT NULL		
TblCdsFinSubRel	UpdateLock	int			

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsFinSubRel	ObsoleteFlag	tinyint			
TblCdsFinSubRel	Code	varchar(4)	NOT NULL	Yes	
TblCdsFinTyp	Description	varchar(50)	NOT NULL		
TblCdsFinTyp	RODate	datetime	NOT NULL		
TblCdsFinTyp	ROOperator	int	NOT NULL		
TblCdsFinTyp	LUDate	datetime	NOT NULL		
TblCdsFinTyp	LUOperator	int	NOT NULL		
TblCdsFinTyp	UpdateLock	int			
TblCdsFinTyp	ObsoleteFlag	tinyint			
TblCdsFinTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsFireAreaOrigin	Description	varchar(60)			
TblCdsFireAreaOrigin	RODate	datetime	NOT NULL		
TblCdsFireAreaOrigin	ROOperator	int	NOT NULL		
TblCdsFireAreaOrigin	LUDate	datetime	NOT NULL		
TblCdsFireAreaOrigin	LUOperator	int	NOT NULL		
TblCdsFireAreaOrigin	UpdateLock	int			
TblCdsFireAreaOrigin	ObsoleteFlag	tinyint			
TblCdsFireAreaOrigin	Code	varchar(4)	NOT NULL	Yes	
TblCdsFITypOfStop	Description	varchar(50)	NOT NULL		
TblCdsFITypOfStop	RODate	datetime	NOT NULL		
TblCdsFITypOfStop	ROOperator	int	NOT NULL		
TblCdsFITypOfStop	LUDate	datetime	NOT NULL		
TblCdsFITypOfStop	LUOperator	int	NOT NULL		
TblCdsFITypOfStop	UpdateLock	int			
TblCdsFITypOfStop	ObsoleteFlag	tinyint			
TblCdsFITypOfStop	Code	varchar(4)	NOT NULL	Yes	
TblCdsForcedEntry	Description	varchar(50)	NOT NULL		
TblCdsForcedEntry	RODate	datetime	NOT NULL		
TblCdsForcedEntry	ROOperator	int	NOT NULL		
TblCdsForcedEntry	LUDate	datetime	NOT NULL		
TblCdsForcedEntry	LUOperator	int	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsForcedEntry	UpdateLock	int			
TblCdsForcedEntry	ObsoleteFlag	tinyint			
TblCdsForcedEntry	Code	varchar(4)	NOT NULL	Yes	
TblCdsFormOfPayment	Description	varchar(50)	NOT NULL		
TblCdsFormOfPayment	RODate	datetime	NOT NULL		
TblCdsFormOfPayment	ROOperator	int	NOT NULL		
TblCdsFormOfPayment	LUDate	datetime	NOT NULL		
TblCdsFormOfPayment	LUOperator	int	NOT NULL		
TblCdsFormOfPayment	UpdateLock	int			
TblCdsFormOfPayment	ObsoleteFlag	tinyint			
TblCdsFormOfPayment	Code	varchar(4)	NOT NULL	Yes	
TblCdsFormRequired	Description	varchar(50)	NOT NULL		
TblCdsFormRequired	RODate	datetime	NOT NULL		
TblCdsFormRequired	ROOperator	int	NOT NULL		
TblCdsFormRequired	LUDate	datetime	NOT NULL		
TblCdsFormRequired	LUOperator	int	NOT NULL		
TblCdsFormRequired	UpdateLock	int			
TblCdsFormRequired	ObsoleteFlag	tinyint			
TblCdsFormRequired	Code	varchar(10)	NOT NULL	Yes	
TblCdsGambling	Description	varchar(50)	NOT NULL		
TblCdsGambling	RODate	datetime	NOT NULL		
TblCdsGambling	ROOperator	int	NOT NULL		
TblCdsGambling	LUDate	datetime	NOT NULL		
TblCdsGambling	LUOperator	int	NOT NULL		
TblCdsGambling	UpdateLock	int			
TblCdsGambling	ObsoleteFlag	tinyint			
TblCdsGambling	Code	varchar(4)	NOT NULL	Yes	
TblCdsGangCriteria	Code	varchar(4)	NOT NULL	Yes	
TblCdsGangCriteria	Description	varchar(500)			
TblCdsGangCriteria	MinimumOccurrences	int	NOT NULL		
TblCdsGangCriteria	Points	tinyint	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsGangCriteria	IncludeArrests	varchar(1)	NOT NULL		Yes
TblCdsGangCriteria	IncludeFIRs	varchar(1)	NOT NULL		Yes
TblCdsGangCriteria	RODate	datetime	NOT NULL		
TblCdsGangCriteria	ROOperator	int	NOT NULL		
TblCdsGangCriteria	LUDate	datetime	NOT NULL		
TblCdsGangCriteria	LUOperator	int	NOT NULL		
TblCdsGangCriteria	UpdateLock	int			
TblCdsGangCriteria	ObsoleteFlag	tinyint			
TblCdsGangLevel	Description	varchar(50)	NOT NULL		
TblCdsGangLevel	RODate	datetime	NOT NULL		
TblCdsGangLevel	ROOperator	int	NOT NULL		
TblCdsGangLevel	LUDate	datetime	NOT NULL		
TblCdsGangLevel	LUOperator	int	NOT NULL		
TblCdsGangLevel	UpdateLock	int			
TblCdsGangLevel	ObsoleteFlag	tinyint			
TblCdsGangLevel	Code	varchar(4)	NOT NULL	Yes	
TblCdsGangRank	Description	varchar(50)	NOT NULL		
TblCdsGangRank	RODate	datetime	NOT NULL		
TblCdsGangRank	ROOperator	int	NOT NULL		
TblCdsGangRank	LUDate	datetime	NOT NULL		
TblCdsGangRank	LUOperator	int	NOT NULL		
TblCdsGangRank	UpdateLock	int			
TblCdsGangRank	ObsoleteFlag	tinyint			
TblCdsGangRank	Code	varchar(4)	NOT NULL	Yes	
TblCdsGangStatus	Description	varchar(50)	NOT NULL		
TblCdsGangStatus	RODate	datetime	NOT NULL		
TblCdsGangStatus	ROOperator	int	NOT NULL		
TblCdsGangStatus	LUDate	datetime	NOT NULL		
TblCdsGangStatus	LUOperator	int	NOT NULL		
TblCdsGangStatus	UpdateLock	int			
TblCdsGangStatus	ObsoleteFlag	tinyint			

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsGangStatus	Code	varchar(4)	NOT NULL	Yes	
TblCdsGangTyp	Description	varchar(50)	NOT NULL		
TblCdsGangTyp	RODate	datetime	NOT NULL		
TblCdsGangTyp	ROOperator	int	NOT NULL		
TblCdsGangTyp	LUDate	datetime	NOT NULL		
TblCdsGangTyp	LUOperator	int	NOT NULL		
TblCdsGangTyp	UpdateLock	int			
TblCdsGangTyp	ObsoleteFlag	tinyint			
TblCdsGangTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsGlassesTyp	Description	varchar(50)	NOT NULL		
TblCdsGlassesTyp	RODate	datetime	NOT NULL		
TblCdsGlassesTyp	ROOperator	int	NOT NULL		
TblCdsGlassesTyp	LUDate	datetime	NOT NULL		
TblCdsGlassesTyp	LUOperator	int	NOT NULL		
TblCdsGlassesTyp	UpdateLock	int			
TblCdsGlassesTyp	ObsoleteFlag	tinyint			
TblCdsGlassesTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsGrid	Description	varchar(50)	NOT NULL		
TblCdsGrid	RODate	datetime	NOT NULL		
TblCdsGrid	ROOperator	int	NOT NULL		
TblCdsGrid	LUDate	datetime	NOT NULL		
TblCdsGrid	LUOperator	int	NOT NULL		
TblCdsGrid	UpdateLock	int			
TblCdsGrid	ObsoleteFlag	tinyint			
TblCdsGrid	Code	varchar(6)	NOT NULL	Yes	
TblCdsHairColor	Description	varchar(50)	NOT NULL		
TblCdsHairColor	RODate	datetime	NOT NULL		
TblCdsHairColor	ROOperator	int	NOT NULL		
TblCdsHairColor	LUDate	datetime	NOT NULL		
TblCdsHairColor	LUOperator	int	NOT NULL		
TblCdsHairColor	UpdateLock	int			

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsHairColor	ObsoleteFlag	tinyint			
TblCdsHairColor	Code	varchar(4)	NOT NULL	Yes	
TblCdsHairLength	Description	varchar(50)	NOT NULL		
TblCdsHairLength	RODate	datetime	NOT NULL		
TblCdsHairLength	ROOperator	int	NOT NULL		
TblCdsHairLength	LUDate	datetime	NOT NULL		
TblCdsHairLength	LUOperator	int	NOT NULL		
TblCdsHairLength	UpdateLock	int			
TblCdsHairLength	ObsoleteFlag	tinyint			
TblCdsHairLength	Code	varchar(4)	NOT NULL	Yes	
TblCdsHairStyle	Description	varchar(50)	NOT NULL		
TblCdsHairStyle	RODate	datetime	NOT NULL		
TblCdsHairStyle	ROOperator	int	NOT NULL		
TblCdsHairStyle	LUDate	datetime	NOT NULL		
TblCdsHairStyle	LUOperator	int	NOT NULL		
TblCdsHairStyle	UpdateLock	int			
TblCdsHairStyle	ObsoleteFlag	tinyint			
TblCdsHairStyle	Code	varchar(4)	NOT NULL	Yes	
TblCdsHanded	Description	varchar(50)	NOT NULL		
TblCdsHanded	RODate	datetime	NOT NULL		
TblCdsHanded	ROOperator	int	NOT NULL		
TblCdsHanded	LUDate	datetime	NOT NULL		
TblCdsHanded	LUOperator	int	NOT NULL		
TblCdsHanded	UpdateLock	int			
TblCdsHanded	ObsoleteFlag	tinyint			
TblCdsHanded	Code	varchar(4)	NOT NULL	Yes	
TblCdsHateCrime	Description	varchar(50)	NOT NULL		
TblCdsHateCrime	RODate	datetime	NOT NULL		
TblCdsHateCrime	ROOperator	int	NOT NULL		
TblCdsHateCrime	LUDate	datetime	NOT NULL		
TblCdsHateCrime	LUOperator	int	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsHateCrime	UpdateLock	int			
TblCdsHateCrime	ObsoleteFlag	tinyint			
TblCdsHateCrime	Code	varchar(4)	NOT NULL	Yes	
TblCdsHomCircm	Description	varchar(50)	NOT NULL		
TblCdsHomCircm	RODate	datetime	NOT NULL		
TblCdsHomCircm	ROOperator	int	NOT NULL		
TblCdsHomCircm	LUDate	datetime	NOT NULL		
TblCdsHomCircm	LUOperator	int	NOT NULL		
TblCdsHomCircm	UpdateLock	int			
TblCdsHomCircm	ObsoleteFlag	tinyint			
TblCdsHomCircm	Code	varchar(4)	NOT NULL	Yes	
TblCdsHomJust	Description	varchar(50)	NOT NULL		
TblCdsHomJust	RODate	datetime	NOT NULL		
TblCdsHomJust	ROOperator	int	NOT NULL		
TblCdsHomJust	LUDate	datetime	NOT NULL		
TblCdsHomJust	LUOperator	int	NOT NULL		
TblCdsHomJust	UpdateLock	int			
TblCdsHomJust	ObsoleteFlag	tinyint			
TblCdsHomJust	Code	varchar(4)	NOT NULL	Yes	
TblCdsHomJustCircm	Description	varchar(50)	NOT NULL		
TblCdsHomJustCircm	RODate	datetime	NOT NULL		
TblCdsHomJustCircm	ROOperator	int	NOT NULL		
TblCdsHomJustCircm	LUDate	datetime	NOT NULL		
TblCdsHomJustCircm	LUOperator	int	NOT NULL		
TblCdsHomJustCircm	UpdateLock	int			
TblCdsHomJustCircm	ObsoleteFlag	tinyint			
TblCdsHomJustCircm	Code	varchar(4)	NOT NULL	Yes	
TblCdsIDSubType	Code	varchar(4)	NOT NULL	Yes	
TblCdsIDSubType	Description	varchar(50)	NOT NULL		
TblCdsIDSubType	IDType	varchar(4)	NOT NULL		Yes
TblCdsIDSubType	RODate	datetime	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsIDSubType	ROOperator	int	NOT NULL		
TblCdsIDSubType	LUDate	datetime	NOT NULL		
TblCdsIDSubType	LUOperator	int	NOT NULL		
TblCdsIDSubType	UpdateLock	int			
TblCdsIDSubType	ObsoleteFlag	tinyint			
TblCdsIDType	Code	varchar(4)	NOT NULL	Yes	
TblCdsIDType	Description	varchar(50)	NOT NULL		
TblCdsIDType	RODate	datetime	NOT NULL		
TblCdsIDType	ROOperator	int	NOT NULL		
TblCdsIDType	LUDate	datetime	NOT NULL		
TblCdsIDType	LUOperator	int	NOT NULL		
TblCdsIDType	UpdateLock	int			
TblCdsIDType	ObsoleteFlag	tinyint			
TblCdsIDType	LogicCode	varchar(4)			
TblCdsImpersonator	Description	varchar(50)	NOT NULL		
TblCdsImpersonator	RODate	datetime	NOT NULL		
TblCdsImpersonator	ROOperator	int	NOT NULL		
TblCdsImpersonator	LUDate	datetime	NOT NULL		
TblCdsImpersonator	LUOperator	int	NOT NULL		
TblCdsImpersonator	UpdateLock	int			
TblCdsImpersonator	ObsoleteFlag	tinyint			
TblCdsImpersonator	Code	varchar(4)	NOT NULL	Yes	
TblCdsIncidentTyp	Description	varchar(50)	NOT NULL		
TblCdsIncidentTyp	RODate	datetime	NOT NULL		
TblCdsIncidentTyp	ROOperator	int	NOT NULL		
TblCdsIncidentTyp	LUDate	datetime	NOT NULL		
TblCdsIncidentTyp	LUOperator	int	NOT NULL		
TblCdsIncidentTyp	UpdateLock	int			
TblCdsIncidentTyp	ObsoleteFlag	tinyint			
TblCdsIncidentTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsIncidentTypSecLevRel	Code	int	NOT NULL	Yes	

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsIncidentTypSecLevRel	Description	datetime			
TblCdsIncidentTypSecLevRel	IncidentType	varchar(4)	NOT NULL		Yes
TblCdsIncidentTypSecLevRel	SecLev2	varchar(10)			Yes
TblCdsIncidentTypSecLevRel	SecLev3	varchar(10)			Yes
TblCdsIncidentTypSecLevRel	SecLev4	varchar(10)			Yes
TblCdsIncidentTypSecLevRel	SecLev5	varchar(10)			Yes
TblCdsIncidentTypSecLevRel	SecLev6	varchar(10)			Yes
TblCdsIncidentTypSecLevRel	SecLev7	varchar(10)			Yes
TblCdsIncidentTypSecLevRel	SecLev8	varchar(10)			Yes
TblCdsIncidentTypSecLevRel	RODate	datetime	NOT NULL		
TblCdsIncidentTypSecLevRel	ROOperator	int	NOT NULL		
TblCdsIncidentTypSecLevRel	LUDate	datetime	NOT NULL		
TblCdsIncidentTypSecLevRel	LUOperator	int	NOT NULL		
TblCdsIncidentTypSecLevRel	UpdateLock	int			
TblCdsIncidentTypSecLevRel	ObsoleteFlag	tinyint			
TblCdsInjExt	Code	varchar(4)	NOT NULL	Yes	
TblCdsInjExt	Description	varchar(50)	NOT NULL		
TblCdsInjExt	RODate	datetime	NOT NULL		
TblCdsInjExt	ROOperator	int	NOT NULL		
TblCdsInjExt	LUDate	datetime	NOT NULL		
TblCdsInjExt	LUOperator	int	NOT NULL		
TblCdsInjExt	UpdateLock	int			
TblCdsInjExt	ObsoleteFlag	tinyint			
TblCdsInjExt	LogicCode	varchar(8)			
TblCdsInjPerTyp	Description	varchar(50)	NOT NULL		
TblCdsInjPerTyp	RODate	datetime	NOT NULL		
TblCdsInjPerTyp	ROOperator	int	NOT NULL		
TblCdsInjPerTyp	LUDate	datetime	NOT NULL		
TblCdsInjPerTyp	LUOperator	int	NOT NULL		
TblCdsInjPerTyp	UpdateLock	int			
TblCdsInjPerTyp	ObsoleteFlag	tinyint			

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsInjPerTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsInjSts	Description	varchar(50)	NOT NULL		
TblCdsInjSts	RODate	datetime	NOT NULL		
TblCdsInjSts	ROOperator	int	NOT NULL		
TblCdsInjSts	LUDate	datetime	NOT NULL		
TblCdsInjSts	LUOperator	int	NOT NULL		
TblCdsInjSts	UpdateLock	int			
TblCdsInjSts	ObsoleteFlag	tinyint			
TblCdsInjSts	Code	varchar(4)	NOT NULL	Yes	
TblCdsInjTyp	Description	varchar(50)	NOT NULL		
TblCdsInjTyp	RODate	datetime	NOT NULL		
TblCdsInjTyp	ROOperator	int	NOT NULL		
TblCdsInjTyp	LUDate	datetime	NOT NULL		
TblCdsInjTyp	LUOperator	int	NOT NULL		
TblCdsInjTyp	UpdateLock	int			
TblCdsInjTyp	ObsoleteFlag	tinyint			
TblCdsInjTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsInterdictionCriteria	Description	varchar(50)	NOT NULL		
TblCdsInterdictionCriteria	RODate	datetime	NOT NULL		
TblCdsInterdictionCriteria	ROOperator	int	NOT NULL		
TblCdsInterdictionCriteria	LUDate	datetime	NOT NULL		
TblCdsInterdictionCriteria	LUOperator	int	NOT NULL		
TblCdsInterdictionCriteria	UpdateLock	int			
TblCdsInterdictionCriteria	ObsoleteFlag	tinyint			
TblCdsInterdictionCriteria	Code	varchar(4)	NOT NULL	Yes	
TblCdsInvestActivity	Description	varchar(50)	NOT NULL		
TblCdsInvestActivity	RODate	datetime	NOT NULL		
TblCdsInvestActivity	ROOperator	int	NOT NULL		
TblCdsInvestActivity	LUDate	datetime	NOT NULL		
TblCdsInvestActivity	LUOperator	int	NOT NULL		
TblCdsInvestActivity	UpdateLock	int			

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsInvestActivity	ObsoleteFlag	tinyint			
TblCdsInvestActivity	Code	varchar(4)	NOT NULL	Yes	
TblCdsInvestSite	Description	varchar(50)	NOT NULL		
TblCdsInvestSite	RODate	datetime	NOT NULL		
TblCdsInvestSite	ROOperator	int	NOT NULL		
TblCdsInvestSite	LUDate	datetime	NOT NULL		
TblCdsInvestSite	LUOperator	int	NOT NULL		
TblCdsInvestSite	UpdateLock	int			
TblCdsInvestSite	ObsoleteFlag	tinyint			
TblCdsInvestSite	Code	varchar(4)	NOT NULL	Yes	
TblCdsJuvCrime	Description	varchar(50)	NOT NULL		
TblCdsJuvCrime	RODate	datetime	NOT NULL		
TblCdsJuvCrime	ROOperator	int	NOT NULL		
TblCdsJuvCrime	LUDate	datetime	NOT NULL		
TblCdsJuvCrime	LUOperator	int	NOT NULL		
TblCdsJuvCrime	UpdateLock	int			
TblCdsJuvCrime	ObsoleteFlag	tinyint			
TblCdsJuvCrime	Code	varchar(4)	NOT NULL	Yes	
TblCdsJuvenileDisp	Description	varchar(50)	NOT NULL		
TblCdsJuvenileDisp	RODate	datetime	NOT NULL		
TblCdsJuvenileDisp	ROOperator	int	NOT NULL		
TblCdsJuvenileDisp	LUDate	datetime	NOT NULL		
TblCdsJuvenileDisp	LUOperator	int	NOT NULL		
TblCdsJuvenileDisp	UpdateLock	int			
TblCdsJuvenileDisp	ObsoleteFlag	tinyint			
TblCdsJuvenileDisp	Code	varchar(4)	NOT NULL	Yes	
TblCdsKidnapping	Description	varchar(50)	NOT NULL		
TblCdsKidnapping	RODate	datetime	NOT NULL		
TblCdsKidnapping	ROOperator	int	NOT NULL		
TblCdsKidnapping	LUDate	datetime	NOT NULL		
TblCdsKidnapping	LUOperator	int	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsKidnapping	UpdateLock	int			
TblCdsKidnapping	ObsoleteFlag	tinyint			
TblCdsKidnapping	Code	varchar(4)	NOT NULL	Yes	
TblCdsLanguage	Code	varchar(4)	NOT NULL	Yes	
TblCdsLanguage	Description	varchar(50)	NOT NULL		
TblCdsLanguage	RODate	datetime	NOT NULL		
TblCdsLanguage	ROOperator	int	NOT NULL		
TblCdsLanguage	LUDate	datetime	NOT NULL		
TblCdsLanguage	LUOperator	int	NOT NULL		
TblCdsLanguage	UpdateLock	int			
TblCdsLanguage	ObsoleteFlag	tinyint			
TblCdsLanguage	LogicCode	varchar(8)			
TblCdsLevel	Description	varchar(50)	NOT NULL		
TblCdsLevel	RODate	datetime	NOT NULL		
TblCdsLevel	ROOperator	int	NOT NULL		
TblCdsLevel	LUDate	datetime	NOT NULL		
TblCdsLevel	LUOperator	int	NOT NULL		
TblCdsLevel	UpdateLock	int			
TblCdsLevel	ObsoleteFlag	tinyint			
TblCdsLevel	Code	varchar(4)	NOT NULL	Yes	
TblCdsLocationTyp	Description	varchar(50)	NOT NULL		
TblCdsLocationTyp	RODate	datetime	NOT NULL		
TblCdsLocationTyp	ROOperator	int	NOT NULL		
TblCdsLocationTyp	LUDate	datetime	NOT NULL		
TblCdsLocationTyp	LUOperator	int	NOT NULL		
TblCdsLocationTyp	UpdateLock	int			
TblCdsLocationTyp	ObsoleteFlag	tinyint			
TblCdsLocationTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsLocPropTyp	Description	varchar(50)	NOT NULL		
TblCdsLocPropTyp	RODate	datetime	NOT NULL		
TblCdsLocPropTyp	ROOperator	int	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsLocPropTyp	LUDate	datetime	NOT NULL		
TblCdsLocPropTyp	LUOperator	int	NOT NULL		
TblCdsLocPropTyp	UpdateLock	int			
TblCdsLocPropTyp	ObsoleteFlag	tinyint			
TblCdsLocPropTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsMarchAct	Description	varchar(50)	NOT NULL		
TblCdsMarchAct	RODate	datetime	NOT NULL		
TblCdsMarchAct	ROOperator	int	NOT NULL		
TblCdsMarchAct	LUDate	datetime	NOT NULL		
TblCdsMarchAct	LUOperator	int	NOT NULL		
TblCdsMarchAct	UpdateLock	int			
TblCdsMarchAct	ObsoleteFlag	tinyint			
TblCdsMarchAct	Code	varchar(4)	NOT NULL	Yes	
TblCdsMethOfEntry	Description	varchar(50)	NOT NULL		
TblCdsMethOfEntry	RODate	datetime	NOT NULL		
TblCdsMethOfEntry	ROOperator	int	NOT NULL		
TblCdsMethOfEntry	LUDate	datetime	NOT NULL		
TblCdsMethOfEntry	LUOperator	int	NOT NULL		
TblCdsMethOfEntry	UpdateLock	int			
TblCdsMethOfEntry	ObsoleteFlag	tinyint			
TblCdsMethOfEntry	Code	varchar(4)	NOT NULL	Yes	
TblCdsMethOfTravel	Description	varchar(50)	NOT NULL		
TblCdsMethOfTravel	RODate	datetime	NOT NULL		
TblCdsMethOfTravel	ROOperator	int	NOT NULL		
TblCdsMethOfTravel	LUDate	datetime	NOT NULL		
TblCdsMethOfTravel	LUOperator	int	NOT NULL		
TblCdsMethOfTravel	UpdateLock	int			
TblCdsMethOfTravel	ObsoleteFlag	tinyint			
TblCdsMethOfTravel	Code	varchar(4)	NOT NULL	Yes	
TblCdsMisPrsnRcr	Description	varchar(50)	NOT NULL		
TblCdsMisPrsnRcr	RODate	datetime	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsMisPrsnRcr	ROOperator	int	NOT NULL		
TblCdsMisPrsnRcr	LUDate	datetime	NOT NULL		
TblCdsMisPrsnRcr	LUOperator	int	NOT NULL		
TblCdsMisPrsnRcr	UpdateLock	int			
TblCdsMisPrsnRcr	ObsoleteFlag	tinyint			
TblCdsMisPrsnRcr	Code	varchar(4)	NOT NULL	Yes	
TblCdsMO	Code	varchar(4)	NOT NULL	Yes	
TblCdsMO	Description	varchar(50)	NOT NULL		
TblCdsMO	MOType	varchar(4)			Yes
TblCdsMO	RODate	datetime	NOT NULL		
TblCdsMO	ROOperator	int	NOT NULL		
TblCdsMO	LUDate	datetime	NOT NULL		
TblCdsMO	LUOperator	int	NOT NULL		
TblCdsMO	UpdateLock	int			
TblCdsMO	ObsoleteFlag	tinyint			
TblCdsMobilePropertyTyp	Description	varchar(50)	NOT NULL		
TblCdsMobilePropertyTyp	RODate	datetime	NOT NULL		
TblCdsMobilePropertyTyp	ROOperator	int	NOT NULL		
TblCdsMobilePropertyTyp	LUDate	datetime	NOT NULL		
TblCdsMobilePropertyTyp	LUOperator	int	NOT NULL		
TblCdsMobilePropertyTyp	UpdateLock	int			
TblCdsMobilePropertyTyp	ObsoleteFlag	tinyint			
TblCdsMobilePropertyTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsMOProp	Description	varchar(50)	NOT NULL		
TblCdsMOProp	RODate	datetime	NOT NULL		
TblCdsMOProp	ROOperator	int	NOT NULL		
TblCdsMOProp	LUDate	datetime	NOT NULL		
TblCdsMOProp	LUOperator	int	NOT NULL		
TblCdsMOProp	UpdateLock	int			
TblCdsMOProp	ObsoleteFlag	tinyint			
TblCdsMOProp	Code	varchar(4)	NOT NULL	Yes	

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsMOPrsn	Description	varchar(50)	NOT NULL		
TblCdsMOPrsn	RODate	datetime	NOT NULL		
TblCdsMOPrsn	ROOperator	int	NOT NULL		
TblCdsMOPrsn	LUDate	datetime	NOT NULL		
TblCdsMOPrsn	LUOperator	int	NOT NULL		
TblCdsMOPrsn	UpdateLock	int			
TblCdsMOPrsn	ObsoleteFlag	tinyint			
TblCdsMOPrsn	Code	varchar(4)	NOT NULL	Yes	
TblCdsMOSex	Description	varchar(50)	NOT NULL		
TblCdsMOSex	RODate	datetime	NOT NULL		
TblCdsMOSex	ROOperator	int	NOT NULL		
TblCdsMOSex	LUDate	datetime	NOT NULL		
TblCdsMOSex	LUOperator	int	NOT NULL		
TblCdsMOSex	UpdateLock	int			
TblCdsMOSex	ObsoleteFlag	tinyint			
TblCdsMOSex	Code	varchar(4)	NOT NULL	Yes	
TblCdsMOTyp	Description	varchar(50)	NOT NULL		
TblCdsMOTyp	RODate	datetime	NOT NULL		
TblCdsMOTyp	ROOperator	int	NOT NULL		
TblCdsMOTyp	LUDate	datetime	NOT NULL		
TblCdsMOTyp	LUOperator	int	NOT NULL		
TblCdsMOTyp	UpdateLock	int			
TblCdsMOTyp	ObsoleteFlag	tinyint			
TblCdsMOTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsMPClass	Description	varchar(50)	NOT NULL		
TblCdsMPClass	RODate	datetime	NOT NULL		
TblCdsMPClass	ROOperator	int	NOT NULL		
TblCdsMPClass	LUDate	datetime	NOT NULL		
TblCdsMPClass	LUOperator	int	NOT NULL		
TblCdsMPClass	UpdateLock	int			
TblCdsMPClass	ObsoleteFlag	tinyint			

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsMPClass	Code	varchar(4)	NOT NULL	Yes	
TblCdsMPDDispo	Description	varchar(50)	NOT NULL		
TblCdsMPDDispo	RODate	datetime	NOT NULL		
TblCdsMPDDispo	ROOperator	int	NOT NULL		
TblCdsMPDDispo	LUDate	datetime	NOT NULL		
TblCdsMPDDispo	LUOperator	int	NOT NULL		
TblCdsMPDDispo	UpdateLock	int			
TblCdsMPDDispo	ObsoleteFlag	tinyint			
TblCdsMPDDispo	Code	varchar(4)	NOT NULL	Yes	
TblCdsMPRecovery	Description	varchar(50)	NOT NULL		
TblCdsMPRecovery	RODate	datetime	NOT NULL		
TblCdsMPRecovery	ROOperator	int	NOT NULL		
TblCdsMPRecovery	LUDate	datetime	NOT NULL		
TblCdsMPRecovery	LUOperator	int	NOT NULL		
TblCdsMPRecovery	UpdateLock	int			
TblCdsMPRecovery	ObsoleteFlag	tinyint			
TblCdsMPRecovery	Code	varchar(4)	NOT NULL	Yes	
TblCdsMPSts	Description	varchar(50)	NOT NULL		
TblCdsMPSts	RODate	datetime	NOT NULL		
TblCdsMPSts	ROOperator	int	NOT NULL		
TblCdsMPSts	LUDate	datetime	NOT NULL		
TblCdsMPSts	LUOperator	int	NOT NULL		
TblCdsMPSts	UpdateLock	int			
TblCdsMPSts	ObsoleteFlag	tinyint			
TblCdsMPSts	Code	varchar(4)	NOT NULL	Yes	
TblCdsMPTyp	Description	varchar(50)	NOT NULL		
TblCdsMPTyp	RODate	datetime	NOT NULL		
TblCdsMPTyp	ROOperator	int	NOT NULL		
TblCdsMPTyp	LUDate	datetime	NOT NULL		
TblCdsMPTyp	LUOperator	int	NOT NULL		
TblCdsMPTyp	UpdateLock	int			

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsMPTyp	ObsoleteFlag	tinyint			
TblCdsMPTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsMyersAct	Description	varchar(50)	NOT NULL		
TblCdsMyersAct	RODate	datetime	NOT NULL		
TblCdsMyersAct	ROOperator	int	NOT NULL		
TblCdsMyersAct	LUDate	datetime	NOT NULL		
TblCdsMyersAct	LUOperator	int	NOT NULL		
TblCdsMyersAct	UpdateLock	int			
TblCdsMyersAct	ObsoleteFlag	tinyint			
TblCdsMyersAct	Code	varchar(4)	NOT NULL	Yes	
TblCdsOccCorner	Description	varchar(50)	NOT NULL		
TblCdsOccCorner	RODate	datetime	NOT NULL		
TblCdsOccCorner	ROOperator	int	NOT NULL		
TblCdsOccCorner	LUDate	datetime	NOT NULL		
TblCdsOccCorner	LUOperator	int	NOT NULL		
TblCdsOccCorner	UpdateLock	int			
TblCdsOccCorner	ObsoleteFlag	tinyint			
TblCdsOccCorner	Code	varchar(4)	NOT NULL	Yes	
TblCdsOccPos	Description	varchar(50)	NOT NULL		
TblCdsOccPos	RODate	datetime	NOT NULL		
TblCdsOccPos	ROOperator	int	NOT NULL		
TblCdsOccPos	LUDate	datetime	NOT NULL		
TblCdsOccPos	LUOperator	int	NOT NULL		
TblCdsOccPos	UpdateLock	int			
TblCdsOccPos	ObsoleteFlag	tinyint			
TblCdsOccPos	Code	varchar(4)	NOT NULL	Yes	
TblCdsOccupancy	Description	varchar(50)	NOT NULL		
TblCdsOccupancy	RODate	datetime	NOT NULL		
TblCdsOccupancy	ROOperator	int	NOT NULL		
TblCdsOccupancy	LUDate	datetime	NOT NULL		
TblCdsOccupancy	LUOperator	int	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsOccupancy	UpdateLock	int			
TblCdsOccupancy	ObsoleteFlag	tinyint			
TblCdsOccupancy	Code	varchar(4)	NOT NULL	Yes	
TblCdsOfcAsltAct	Description	varchar(50)	NOT NULL		
TblCdsOfcAsltAct	RODate	datetime	NOT NULL		
TblCdsOfcAsltAct	ROOperator	int	NOT NULL		
TblCdsOfcAsltAct	LUDate	datetime	NOT NULL		
TblCdsOfcAsltAct	LUOperator	int	NOT NULL		
TblCdsOfcAsltAct	UpdateLock	int			
TblCdsOfcAsltAct	ObsoleteFlag	tinyint			
TblCdsOfcAsltAct	Code	varchar(4)	NOT NULL	Yes	
TblCdsOfcAsltAsign	Description	varchar(50)	NOT NULL		
TblCdsOfcAsltAsign	RODate	datetime	NOT NULL		
TblCdsOfcAsltAsign	ROOperator	int	NOT NULL		
TblCdsOfcAsltAsign	LUDate	datetime	NOT NULL		
TblCdsOfcAsltAsign	LUOperator	int	NOT NULL		
TblCdsOfcAsltAsign	UpdateLock	int			
TblCdsOfcAsltAsign	ObsoleteFlag	tinyint			
TblCdsOfcAsltAsign	Code	varchar(4)	NOT NULL	Yes	
TblCdsOfcAsltTyp	Description	varchar(50)	NOT NULL		
TblCdsOfcAsltTyp	RODate	datetime	NOT NULL		
TblCdsOfcAsltTyp	ROOperator	int	NOT NULL		
TblCdsOfcAsltTyp	LUDate	datetime	NOT NULL		
TblCdsOfcAsltTyp	LUOperator	int	NOT NULL		
TblCdsOfcAsltTyp	UpdateLock	int			
TblCdsOfcAsltTyp	ObsoleteFlag	tinyint			
TblCdsOfcAsltTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsOfdrRel	Description	varchar(50)	NOT NULL		
TblCdsOfdrRel	RODate	datetime	NOT NULL		
TblCdsOfdrRel	ROOperator	int	NOT NULL		
TblCdsOfdrRel	LUDate	datetime	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsOfdrRel	LUOperator	int	NOT NULL		
TblCdsOfdrRel	UpdateLock	int			
TblCdsOfdrRel	ObsoleteFlag	tinyint			
TblCdsOfdrRel	Code	varchar(4)	NOT NULL	Yes	
TblCdsOffAsltInj	Description	varchar(50)	NOT NULL		
TblCdsOffAsltInj	RODate	datetime	NOT NULL		
TblCdsOffAsltInj	ROOperator	int	NOT NULL		
TblCdsOffAsltInj	LUDate	datetime	NOT NULL		
TblCdsOffAsltInj	LUOperator	int	NOT NULL		
TblCdsOffAsltInj	UpdateLock	int			
TblCdsOffAsltInj	ObsoleteFlag	tinyint			
TblCdsOffAsltInj	Code	varchar(4)	NOT NULL	Yes	
TblCdsOffAsltRes	Description	varchar(50)	NOT NULL		
TblCdsOffAsltRes	RODate	datetime	NOT NULL		
TblCdsOffAsltRes	ROOperator	int	NOT NULL		
TblCdsOffAsltRes	LUDate	datetime	NOT NULL		
TblCdsOffAsltRes	LUOperator	int	NOT NULL		
TblCdsOffAsltRes	UpdateLock	int			
TblCdsOffAsltRes	ObsoleteFlag	tinyint			
TblCdsOffAsltRes	Code	varchar(4)	NOT NULL	Yes	
TblCdsOffAsltYesNo	Description	varchar(50)	NOT NULL		
TblCdsOffAsltYesNo	RODate	datetime	NOT NULL		
TblCdsOffAsltYesNo	ROOperator	int	NOT NULL		
TblCdsOffAsltYesNo	LUDate	datetime	NOT NULL		
TblCdsOffAsltYesNo	LUOperator	int	NOT NULL		
TblCdsOffAsltYesNo	UpdateLock	int			
TblCdsOffAsltYesNo	ObsoleteFlag	tinyint			
TblCdsOffAsltYesNo	Code	varchar(1)	NOT NULL	Yes	
TblCdsOffice	Description	varchar(50)	NOT NULL		
TblCdsOffice	RODate	datetime	NOT NULL		
TblCdsOffice	ROOperator	int	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsOffice	LUDate	datetime	NOT NULL		
TblCdsOffice	LUOperator	int	NOT NULL		
TblCdsOffice	UpdateLock	int			
TblCdsOffice	ObsoleteFlag	tinyint			
TblCdsOffice	Code	varchar(4)	NOT NULL	Yes	
TblCdsOfn	Code	varchar(25)	NOT NULL	Yes	
TblCdsOfn	Description	varchar(100)	NOT NULL		
TblCdsOfn	RODate	datetime	NOT NULL		
TblCdsOfn	ROOperator	int	NOT NULL		
TblCdsOfn	LUDate	datetime	NOT NULL		
TblCdsOfn	LUOperator	int	NOT NULL		
TblCdsOfn	UpdateLock	int			
TblCdsOfn	ObsoleteFlag	tinyint			
TblCdsOfn	Statute	varchar(25)			Yes
TblCdsOfn	UCRClass	varchar(6)			Yes
TblCdsOfn	Priority	int			
TblCdsOfnAC	Description	varchar(50)	NOT NULL		
TblCdsOfnAC	RODate	datetime	NOT NULL		
TblCdsOfnAC	ROOperator	int	NOT NULL		
TblCdsOfnAC	LUDate	datetime	NOT NULL		
TblCdsOfnAC	LUOperator	int	NOT NULL		
TblCdsOfnAC	UpdateLock	int			
TblCdsOfnAC	ObsoleteFlag	tinyint			
TblCdsOfnAC	Code	varchar(1)	NOT NULL	Yes	
TblCdsOfnNum	Description	varchar(50)	NOT NULL		
TblCdsOfnNum	RODate	datetime	NOT NULL		
TblCdsOfnNum	ROOperator	int	NOT NULL		
TblCdsOfnNum	LUDate	datetime	NOT NULL		
TblCdsOfnNum	LUOperator	int	NOT NULL		
TblCdsOfnNum	UpdateLock	int			
TblCdsOfnNum	ObsoleteFlag	tinyint			

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsOfnNum	Code	varchar(4)	NOT NULL	Yes	
TblCdsOfnSecLevRel	Code	int	NOT NULL	Yes	
TblCdsOfnSecLevRel	Description	datetime			
TblCdsOfnSecLevRel	Offense	varchar(25)	NOT NULL		Yes
TblCdsOfnSecLevRel	SecLev2	varchar(10)			Yes
TblCdsOfnSecLevRel	SecLev3	varchar(10)			Yes
TblCdsOfnSecLevRel	SecLev4	varchar(10)			Yes
TblCdsOfnSecLevRel	SecLev5	varchar(10)			Yes
TblCdsOfnSecLevRel	SecLev6	varchar(10)			Yes
TblCdsOfnSecLevRel	SecLev7	varchar(10)			Yes
TblCdsOfnSecLevRel	SecLev8	varchar(10)			Yes
TblCdsOfnSecLevRel	RODate	datetime	NOT NULL		
TblCdsOfnSecLevRel	ROOperator	int	NOT NULL		
TblCdsOfnSecLevRel	LUDate	datetime	NOT NULL		
TblCdsOfnSecLevRel	LUOperator	int	NOT NULL		
TblCdsOfnSecLevRel	UpdateLock	int			
TblCdsOfnSecLevRel	ObsoleteFlag	tinyint			
TblCdsOfnTyp	Description	varchar(50)	NOT NULL		
TblCdsOfnTyp	RODate	datetime	NOT NULL		
TblCdsOfnTyp	ROOperator	int	NOT NULL		
TblCdsOfnTyp	LUDate	datetime	NOT NULL		
TblCdsOfnTyp	LUOperator	int	NOT NULL		
TblCdsOfnTyp	UpdateLock	int			
TblCdsOfnTyp	ObsoleteFlag	tinyint			
TblCdsOfnTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsOfnUnqDetl	Description	varchar(50)	NOT NULL		
TblCdsOfnUnqDetl	RODate	datetime	NOT NULL		
TblCdsOfnUnqDetl	ROOperator	int	NOT NULL		
TblCdsOfnUnqDetl	LUDate	datetime	NOT NULL		
TblCdsOfnUnqDetl	LUOperator	int	NOT NULL		
TblCdsOfnUnqDetl	UpdateLock	int			

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsOfnUnqDetl	ObsoleteFlag	tinyint			
TblCdsOfnUnqDetl	Code	varchar(4)	NOT NULL	Yes	
TblCdsOrallCallTyp	Description	varchar(50)	NOT NULL		
TblCdsOrallCallTyp	RODate	datetime	NOT NULL		
TblCdsOrallCallTyp	ROOperator	int	NOT NULL		
TblCdsOrallCallTyp	LUDate	datetime	NOT NULL		
TblCdsOrallCallTyp	LUOperator	int	NOT NULL		
TblCdsOrallCallTyp	UpdateLock	int			
TblCdsOrallCallTyp	ObsoleteFlag	tinyint			
TblCdsOrallCallTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsOrallSubRela	Description	varchar(50)	NOT NULL		
TblCdsOrallSubRela	RODate	datetime	NOT NULL		
TblCdsOrallSubRela	ROOperator	int	NOT NULL		
TblCdsOrallSubRela	LUDate	datetime	NOT NULL		
TblCdsOrallSubRela	LUOperator	int	NOT NULL		
TblCdsOrallSubRela	UpdateLock	int			
TblCdsOrallSubRela	ObsoleteFlag	tinyint			
TblCdsOrallSubRela	Code	varchar(4)	NOT NULL	Yes	
TblCdsPawnArtTyp	Description	varchar(50)	NOT NULL		
TblCdsPawnArtTyp	RODate	datetime	NOT NULL		
TblCdsPawnArtTyp	ROOperator	int	NOT NULL		
TblCdsPawnArtTyp	LUDate	datetime	NOT NULL		
TblCdsPawnArtTyp	LUOperator	int	NOT NULL		
TblCdsPawnArtTyp	UpdateLock	int			
TblCdsPawnArtTyp	ObsoleteFlag	tinyint			
TblCdsPawnArtTyp	Code	varchar(8)	NOT NULL	Yes	
TblCdsPawnDetIRTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsPawnDetIRTyp	Description	varchar(50)	NOT NULL		
TblCdsPawnDetIRTyp	RODate	datetime	NOT NULL		
TblCdsPawnDetIRTyp	ROOperator	int	NOT NULL		
TblCdsPawnDetIRTyp	LUDate	datetime	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsPawnDetIRTyp	LUOperator	int	NOT NULL		
TblCdsPawnDetIRTyp	UpdateLock	int			
TblCdsPawnDetIRTyp	ObsoleteFlag	tinyint			
TblCdsPawnDetIRTyp	LogicCode	varchar(4)			
TblCdsPawnFiarmAct	Description	varchar(50)	NOT NULL		
TblCdsPawnFiarmAct	RODate	datetime	NOT NULL		
TblCdsPawnFiarmAct	ROOperator	int	NOT NULL		
TblCdsPawnFiarmAct	LUDate	datetime	NOT NULL		
TblCdsPawnFiarmAct	LUOperator	int	NOT NULL		
TblCdsPawnFiarmAct	UpdateLock	int			
TblCdsPawnFiarmAct	ObsoleteFlag	tinyint			
TblCdsPawnFiarmAct	Code	varchar(4)	NOT NULL	Yes	
TblCdsPawnFiarmBrl	Description	varchar(50)	NOT NULL		
TblCdsPawnFiarmBrl	RODate	datetime	NOT NULL		
TblCdsPawnFiarmBrl	ROOperator	int	NOT NULL		
TblCdsPawnFiarmBrl	LUDate	datetime	NOT NULL		
TblCdsPawnFiarmBrl	LUOperator	int	NOT NULL		
TblCdsPawnFiarmBrl	UpdateLock	int			
TblCdsPawnFiarmBrl	ObsoleteFlag	tinyint			
TblCdsPawnFiarmBrl	Code	varchar(4)	NOT NULL	Yes	
TblCdsPawnFiarmFin	Description	varchar(50)	NOT NULL		
TblCdsPawnFiarmFin	RODate	datetime	NOT NULL		
TblCdsPawnFiarmFin	ROOperator	int	NOT NULL		
TblCdsPawnFiarmFin	LUDate	datetime	NOT NULL		
TblCdsPawnFiarmFin	LUOperator	int	NOT NULL		
TblCdsPawnFiarmFin	UpdateLock	int			
TblCdsPawnFiarmFin	ObsoleteFlag	tinyint			
TblCdsPawnFiarmFin	Code	varchar(4)	NOT NULL	Yes	
TblCdsPawnFiarmMk	Description	varchar(50)	NOT NULL		
TblCdsPawnFiarmMk	RODate	datetime	NOT NULL		
TblCdsPawnFiarmMk	ROOperator	int	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsPawnFiarmMk	LUDate	datetime	NOT NULL		
TblCdsPawnFiarmMk	LUOperator	int	NOT NULL		
TblCdsPawnFiarmMk	UpdateLock	int			
TblCdsPawnFiarmMk	ObsoleteFlag	tinyint			
TblCdsPawnFiarmMk	Code	varchar(4)	NOT NULL	Yes	
TblCdsPawnFiarmTyp	Description	varchar(50)	NOT NULL		
TblCdsPawnFiarmTyp	RODate	datetime	NOT NULL		
TblCdsPawnFiarmTyp	ROOperator	int	NOT NULL		
TblCdsPawnFiarmTyp	LUDate	datetime	NOT NULL		
TblCdsPawnFiarmTyp	LUOperator	int	NOT NULL		
TblCdsPawnFiarmTyp	UpdateLock	int			
TblCdsPawnFiarmTyp	ObsoleteFlag	tinyint			
TblCdsPawnFiarmTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsPawnJewlMTyp	Description	varchar(50)	NOT NULL		
TblCdsPawnJewlMTyp	RODate	datetime	NOT NULL		
TblCdsPawnJewlMTyp	ROOperator	int	NOT NULL		
TblCdsPawnJewlMTyp	LUDate	datetime	NOT NULL		
TblCdsPawnJewlMTyp	LUOperator	int	NOT NULL		
TblCdsPawnJewlMTyp	UpdateLock	int			
TblCdsPawnJewlMTyp	ObsoleteFlag	tinyint			
TblCdsPawnJewlMTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsPawnJewlSCol	Description	varchar(50)	NOT NULL		
TblCdsPawnJewlSCol	RODate	datetime	NOT NULL		
TblCdsPawnJewlSCol	ROOperator	int	NOT NULL		
TblCdsPawnJewlSCol	LUDate	datetime	NOT NULL		
TblCdsPawnJewlSCol	LUOperator	int	NOT NULL		
TblCdsPawnJewlSCol	UpdateLock	int			
TblCdsPawnJewlSCol	ObsoleteFlag	tinyint			
TblCdsPawnJewlSCol	Code	varchar(4)	NOT NULL	Yes	
TblCdsPawnJewlSex	Description	varchar(50)	NOT NULL		
TblCdsPawnJewlSex	RODate	datetime	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsPawnJewlSex	ROOperator	int	NOT NULL		
TblCdsPawnJewlSex	LUDate	datetime	NOT NULL		
TblCdsPawnJewlSex	LUOperator	int	NOT NULL		
TblCdsPawnJewlSex	UpdateLock	int			
TblCdsPawnJewlSex	ObsoleteFlag	tinyint			
TblCdsPawnJewlSex	Code	varchar(4)	NOT NULL	Yes	
TblCdsPawnJewlSShp	Description	varchar(50)	NOT NULL		
TblCdsPawnJewlSShp	RODate	datetime	NOT NULL		
TblCdsPawnJewlSShp	ROOperator	int	NOT NULL		
TblCdsPawnJewlSShp	LUDate	datetime	NOT NULL		
TblCdsPawnJewlSShp	LUOperator	int	NOT NULL		
TblCdsPawnJewlSShp	UpdateLock	int			
TblCdsPawnJewlSShp	ObsoleteFlag	tinyint			
TblCdsPawnJewlSShp	Code	varchar(4)	NOT NULL	Yes	
TblCdsPawnJewlSty	Description	varchar(50)	NOT NULL		
TblCdsPawnJewlSty	RODate	datetime	NOT NULL		
TblCdsPawnJewlSty	ROOperator	int	NOT NULL		
TblCdsPawnJewlSty	LUDate	datetime	NOT NULL		
TblCdsPawnJewlSty	LUOperator	int	NOT NULL		
TblCdsPawnJewlSty	UpdateLock	int			
TblCdsPawnJewlSty	ObsoleteFlag	tinyint			
TblCdsPawnJewlSty	Code	varchar(4)	NOT NULL	Yes	
TblCdsPawnJewlSTyp	Description	varchar(50)	NOT NULL		
TblCdsPawnJewlSTyp	RODate	datetime	NOT NULL		
TblCdsPawnJewlSTyp	ROOperator	int	NOT NULL		
TblCdsPawnJewlSTyp	LUDate	datetime	NOT NULL		
TblCdsPawnJewlSTyp	LUOperator	int	NOT NULL		
TblCdsPawnJewlSTyp	UpdateLock	int			
TblCdsPawnJewlSTyp	ObsoleteFlag	tinyint			
TblCdsPawnJewlSTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsPawnJewlTyp	Description	varchar(50)	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsPawnJewlTyp	RODate	datetime	NOT NULL		
TblCdsPawnJewlTyp	ROOperator	int	NOT NULL		
TblCdsPawnJewlTyp	LUDate	datetime	NOT NULL		
TblCdsPawnJewlTyp	LUOperator	int	NOT NULL		
TblCdsPawnJewlTyp	UpdateLock	int			
TblCdsPawnJewlTyp	ObsoleteFlag	tinyint			
TblCdsPawnJewlTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsPawnTransTyp	Description	varchar(50)	NOT NULL		
TblCdsPawnTransTyp	RODate	datetime	NOT NULL		
TblCdsPawnTransTyp	ROOperator	int	NOT NULL		
TblCdsPawnTransTyp	LUDate	datetime	NOT NULL		
TblCdsPawnTransTyp	LUOperator	int	NOT NULL		
TblCdsPawnTransTyp	UpdateLock	int			
TblCdsPawnTransTyp	ObsoleteFlag	tinyint			
TblCdsPawnTransTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsPerpUsed	Description	varchar(50)	NOT NULL		
TblCdsPerpUsed	RODate	datetime	NOT NULL		
TblCdsPerpUsed	ROOperator	int	NOT NULL		
TblCdsPerpUsed	LUDate	datetime	NOT NULL		
TblCdsPerpUsed	LUOperator	int	NOT NULL		
TblCdsPerpUsed	UpdateLock	int			
TblCdsPerpUsed	ObsoleteFlag	tinyint			
TblCdsPerpUsed	Code	varchar(4)	NOT NULL	Yes	
TblCdsPhyBuild	Description	varchar(50)	NOT NULL		
TblCdsPhyBuild	RODate	datetime	NOT NULL		
TblCdsPhyBuild	ROOperator	int	NOT NULL		
TblCdsPhyBuild	LUDate	datetime	NOT NULL		
TblCdsPhyBuild	LUOperator	int	NOT NULL		
TblCdsPhyBuild	UpdateLock	int			
TblCdsPhyBuild	ObsoleteFlag	tinyint			
TblCdsPhyBuild	Code	varchar(4)	NOT NULL	Yes	

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsPlea	Description	varchar(50)	NOT NULL		
TblCdsPlea	RODate	datetime	NOT NULL		
TblCdsPlea	ROOperator	int	NOT NULL		
TblCdsPlea	LUDate	datetime	NOT NULL		
TblCdsPlea	LUOperator	int	NOT NULL		
TblCdsPlea	UpdateLock	int			
TblCdsPlea	ObsoleteFlag	tinyint			
TblCdsPlea	Code	varchar(4)	NOT NULL	Yes	
TblCdsPointOfEntry	Description	varchar(50)	NOT NULL		
TblCdsPointOfEntry	RODate	datetime	NOT NULL		
TblCdsPointOfEntry	ROOperator	int	NOT NULL		
TblCdsPointOfEntry	LUDate	datetime	NOT NULL		
TblCdsPointOfEntry	LUOperator	int	NOT NULL		
TblCdsPointOfEntry	UpdateLock	int			
TblCdsPointOfEntry	ObsoleteFlag	tinyint			
TblCdsPointOfEntry	Code	varchar(4)	NOT NULL	Yes	
TblCdsPointOfExit	Description	varchar(50)	NOT NULL		
TblCdsPointOfExit	RODate	datetime	NOT NULL		
TblCdsPointOfExit	ROOperator	int	NOT NULL		
TblCdsPointOfExit	LUDate	datetime	NOT NULL		
TblCdsPointOfExit	LUOperator	int	NOT NULL		
TblCdsPointOfExit	UpdateLock	int			
TblCdsPointOfExit	ObsoleteFlag	tinyint			
TblCdsPointOfExit	Code	varchar(4)	NOT NULL	Yes	
TblCdsPoliceDist	Description	varchar(50)	NOT NULL		
TblCdsPoliceDist	RODate	datetime	NOT NULL		
TblCdsPoliceDist	ROOperator	int	NOT NULL		
TblCdsPoliceDist	LUDate	datetime	NOT NULL		
TblCdsPoliceDist	LUOperator	int	NOT NULL		
TblCdsPoliceDist	UpdateLock	int			
TblCdsPoliceDist	ObsoleteFlag	tinyint			

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsPoliceDist	Code	varchar(5)	NOT NULL	Yes	
TblCdsPosManDeath	Description	varchar(50)	NOT NULL		
TblCdsPosManDeath	RODate	datetime	NOT NULL		
TblCdsPosManDeath	ROOperator	int	NOT NULL		
TblCdsPosManDeath	LUDate	datetime	NOT NULL		
TblCdsPosManDeath	LUOperator	int	NOT NULL		
TblCdsPosManDeath	UpdateLock	int			
TblCdsPosManDeath	ObsoleteFlag	tinyint			
TblCdsPosManDeath	Code	varchar(4)	NOT NULL	Yes	
TblCdsPremises	Description	varchar(50)	NOT NULL		
TblCdsPremises	RODate	datetime	NOT NULL		
TblCdsPremises	ROOperator	int	NOT NULL		
TblCdsPremises	LUDate	datetime	NOT NULL		
TblCdsPremises	LUOperator	int	NOT NULL		
TblCdsPremises	UpdateLock	int			
TblCdsPremises	ObsoleteFlag	tinyint			
TblCdsPremises	Code	varchar(4)	NOT NULL	Yes	
TblCdsPropBinLoc	Code	varchar(10)	NOT NULL	Yes	
TblCdsPropBinLoc	Description	varchar(50)	NOT NULL		
TblCdsPropBinLoc	RODate	datetime	NOT NULL		
TblCdsPropBinLoc	ROOperator	int	NOT NULL		
TblCdsPropBinLoc	LUDate	datetime	NOT NULL		
TblCdsPropBinLoc	LUOperator	int	NOT NULL		
TblCdsPropBinLoc	UpdateLock	int			
TblCdsPropBinLoc	ObsoleteFlag	tinyint			
TblCdsPropBinLoc	PropertyFacility	varchar(4)			Yes
TblCdsPropCaseTyp	Description	varchar(50)	NOT NULL		
TblCdsPropCaseTyp	RODate	datetime	NOT NULL		
TblCdsPropCaseTyp	ROOperator	int	NOT NULL		
TblCdsPropCaseTyp	LUDate	datetime	NOT NULL		
TblCdsPropCaseTyp	LUOperator	int	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsPropCaseTyp	UpdateLock	int			
TblCdsPropCaseTyp	ObsoleteFlag	tinyint			
TblCdsPropCaseTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsPropClass	Code	varchar(4)	NOT NULL	Yes	
TblCdsPropClass	Description	varchar(50)	NOT NULL		
TblCdsPropClass	RODate	datetime	NOT NULL		
TblCdsPropClass	ROOperator	int	NOT NULL		
TblCdsPropClass	LUDate	datetime	NOT NULL		
TblCdsPropClass	LUOperator	int	NOT NULL		
TblCdsPropClass	UpdateLock	int			
TblCdsPropClass	ObsoleteFlag	tinyint			
TblCdsPropClass	Evidence	varchar(1)			
TblCdsPropClass	Days	int			
TblCdsPropClass	StatusCode	varchar(4)			
TblCdsPropCOCTyp	Code	varchar(6)	NOT NULL	Yes	
TblCdsPropCOCTyp	Description	varchar(50)	NOT NULL		
TblCdsPropCOCTyp	RODate	datetime	NOT NULL		
TblCdsPropCOCTyp	ROOperator	int	NOT NULL		
TblCdsPropCOCTyp	LUDate	datetime	NOT NULL		
TblCdsPropCOCTyp	LUOperator	int	NOT NULL		
TblCdsPropCOCTyp	UpdateLock	int			
TblCdsPropCOCTyp	ObsoleteFlag	tinyint			
TblCdsPropCOCTyp	Intake	varchar(1)			
TblCdsPropCOCTyp	Verify	varchar(1)			
TblCdsPropCOCTyp	Court	varchar(1)			
TblCdsPropCOCTyp	Lab	varchar(1)			
TblCdsPropCOCTyp	Internal	varchar(1)			
TblCdsPropCOCTyp	TempRel	varchar(1)			
TblCdsPropCOCTyp	PermRel	varchar(1)			
TblCdsPropCOCTyp	StatusCode	varchar(4)			Yes
TblCdsPropDisp	Description	varchar(50)	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsPropDisp	RODate	datetime	NOT NULL		
TblCdsPropDisp	ROOperator	int	NOT NULL		
TblCdsPropDisp	LUDate	datetime	NOT NULL		
TblCdsPropDisp	LUOperator	int	NOT NULL		
TblCdsPropDisp	UpdateLock	int			
TblCdsPropDisp	ObsoleteFlag	tinyint			
TblCdsPropDisp	Code	varchar(4)	NOT NULL	Yes	
TblCdsPropertyUse	Description	varchar(50)	NOT NULL		
TblCdsPropertyUse	RODate	datetime	NOT NULL		
TblCdsPropertyUse	ROOperator	int	NOT NULL		
TblCdsPropertyUse	LUDate	datetime	NOT NULL		
TblCdsPropertyUse	LUOperator	int	NOT NULL		
TblCdsPropertyUse	UpdateLock	int			
TblCdsPropertyUse	ObsoleteFlag	tinyint			
TblCdsPropertyUse	Code	varchar(4)	NOT NULL	Yes	
TblCdsPropFacility	Description	varchar(50)	NOT NULL		
TblCdsPropFacility	RODate	datetime	NOT NULL		
TblCdsPropFacility	ROOperator	int	NOT NULL		
TblCdsPropFacility	LUDate	datetime	NOT NULL		
TblCdsPropFacility	LUOperator	int	NOT NULL		
TblCdsPropFacility	UpdateLock	int			
TblCdsPropFacility	ObsoleteFlag	tinyint			
TblCdsPropFacility	Code	varchar(4)	NOT NULL	Yes	
TblCdsPropMake	Code	varchar(5)	NOT NULL	Yes	
TblCdsPropMake	Description	varchar(50)	NOT NULL		
TblCdsPropMake	RODate	datetime	NOT NULL		
TblCdsPropMake	ROOperator	int	NOT NULL		
TblCdsPropMake	LUDate	datetime	NOT NULL		
TblCdsPropMake	LUOperator	int	NOT NULL		
TblCdsPropMake	UpdateLock	int			
TblCdsPropMake	ObsoleteFlag	tinyint			

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsPropMake	FilterValue	varchar(4)			Yes
TblCdsPropModel	Code	varchar(4)	NOT NULL	Yes	
TblCdsPropModel	Description	varchar(50)	NOT NULL		
TblCdsPropModel	FilterValue	varchar(4)			
TblCdsPropModel	RODate	datetime	NOT NULL		
TblCdsPropModel	ROOperator	int	NOT NULL		
TblCdsPropModel	LUDate	datetime	NOT NULL		
TblCdsPropModel	LUOperator	int	NOT NULL		
TblCdsPropModel	UpdateLock	int			
TblCdsPropModel	ObsoleteFlag	tinyint			
TblCdsPropNICITyp	Description	varchar(50)	NOT NULL		
TblCdsPropNICITyp	RODate	datetime	NOT NULL		
TblCdsPropNICITyp	ROOperator	int	NOT NULL		
TblCdsPropNICITyp	LUDate	datetime	NOT NULL		
TblCdsPropNICITyp	LUOperator	int	NOT NULL		
TblCdsPropNICITyp	UpdateLock	int			
TblCdsPropNICITyp	ObsoleteFlag	tinyint			
TblCdsPropNICITyp	Code	varchar(7)	NOT NULL	Yes	
TblCdsPropRBinLoc	Description	varchar(50)	NOT NULL		
TblCdsPropRBinLoc	RODate	datetime	NOT NULL		
TblCdsPropRBinLoc	ROOperator	int	NOT NULL		
TblCdsPropRBinLoc	LUDate	datetime	NOT NULL		
TblCdsPropRBinLoc	LUOperator	int	NOT NULL		
TblCdsPropRBinLoc	UpdateLock	int			
TblCdsPropRBinLoc	ObsoleteFlag	tinyint			
TblCdsPropRBinLoc	Code	varchar(10)	NOT NULL	Yes	
TblCdsPropSts	Code	varchar(4)	NOT NULL	Yes	
TblCdsPropSts	Description	varchar(50)	NOT NULL		
TblCdsPropSts	RODate	datetime	NOT NULL		
TblCdsPropSts	ROOperator	int	NOT NULL		
TblCdsPropSts	LUDate	datetime	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsPropSts	LUOperator	int	NOT NULL		
TblCdsPropSts	UpdateLock	int			
TblCdsPropSts	ObsoleteFlag	tinyint			
TblCdsPropSts	Pending	varchar(1)			
TblCdsPropSts	Disposed	varchar(1)			
TblCdsPropSts	Inventory	varchar(1)			
TblCdsPropSts	Hold	varchar(1)			
TblCdsPropSubRel	Code	varchar(4)	NOT NULL	Yes	
TblCdsPropSubRel	Description	varchar(50)	NOT NULL		
TblCdsPropSubRel	LogicCode	varchar(4)			
TblCdsPropSubRel	RODate	datetime	NOT NULL		
TblCdsPropSubRel	ROOperator	int	NOT NULL		
TblCdsPropSubRel	LUDate	datetime	NOT NULL		
TblCdsPropSubRel	LUOperator	int	NOT NULL		
TblCdsPropSubRel	UpdateLock	int			
TblCdsPropSubRel	ObsoleteFlag	tinyint			
TblCdsPropTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsPropTyp	Description	varchar(50)	NOT NULL		
TblCdsPropTyp	RODate	datetime	NOT NULL		
TblCdsPropTyp	ROOperator	int	NOT NULL		
TblCdsPropTyp	LUDate	datetime	NOT NULL		
TblCdsPropTyp	LUOperator	int	NOT NULL		
TblCdsPropTyp	UpdateLock	int			
TblCdsPropTyp	ObsoleteFlag	tinyint			
TblCdsPropTyp	LogicCode	varchar(4)			
TblCdsPropulsionTyp	Description	varchar(50)	NOT NULL		
TblCdsPropulsionTyp	RODate	datetime	NOT NULL		
TblCdsPropulsionTyp	ROOperator	int	NOT NULL		
TblCdsPropulsionTyp	LUDate	datetime	NOT NULL		
TblCdsPropulsionTyp	LUOperator	int	NOT NULL		
TblCdsPropulsionTyp	UpdateLock	int			

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsPropulsionTyp	ObsoleteFlag	tinyint			
TblCdsPropulsionTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsRace	Description	varchar(50)	NOT NULL		
TblCdsRace	RODate	datetime	NOT NULL		
TblCdsRace	ROOperator	int	NOT NULL		
TblCdsRace	LUDate	datetime	NOT NULL		
TblCdsRace	LUOperator	int	NOT NULL		
TblCdsRace	UpdateLock	int			
TblCdsRace	ObsoleteFlag	tinyint			
TblCdsRace	Code	varchar(4)	NOT NULL	Yes	
TblCdsReason	Description	varchar(50)	NOT NULL		
TblCdsReason	RODate	datetime	NOT NULL		
TblCdsReason	ROOperator	int	NOT NULL		
TblCdsReason	LUDate	datetime	NOT NULL		
TblCdsReason	LUOperator	int	NOT NULL		
TblCdsReason	UpdateLock	int			
TblCdsReason	ObsoleteFlag	tinyint			
TblCdsReason	Code	varchar(4)	NOT NULL	Yes	
TblCdsRelease	Description	varchar(50)	NOT NULL		
TblCdsRelease	RODate	datetime	NOT NULL		
TblCdsRelease	ROOperator	int	NOT NULL		
TblCdsRelease	LUDate	datetime	NOT NULL		
TblCdsRelease	LUOperator	int	NOT NULL		
TblCdsRelease	UpdateLock	varchar(10)			
TblCdsRelease	ObsoleteFlag	tinyint			
TblCdsRelease	Code	varchar(4)	NOT NULL	Yes	
TblCdsRepReas	Description	varchar(50)	NOT NULL		
TblCdsRepReas	RODate	datetime	NOT NULL		
TblCdsRepReas	ROOperator	int	NOT NULL		
TblCdsRepReas	LUDate	datetime	NOT NULL		
TblCdsRepReas	LUOperator	int	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsRepReas	UpdateLock	int			
TblCdsRepReas	ObsoleteFlag	tinyint			
TblCdsRepReas	Code	varchar(4)	NOT NULL	Yes	
TblCdsResStatus	Description	varchar(50)	NOT NULL		
TblCdsResStatus	RODate	datetime	NOT NULL		
TblCdsResStatus	ROOperator	int	NOT NULL		
TblCdsResStatus	LUDate	datetime	NOT NULL		
TblCdsResStatus	LUOperator	int	NOT NULL		
TblCdsResStatus	UpdateLock	int			
TblCdsResStatus	ObsoleteFlag	tinyint			
TblCdsResStatus	Code	varchar(4)	NOT NULL	Yes	
TblCdsRestitutionTyp	Description	varchar(50)	NOT NULL		
TblCdsRestitutionTyp	RODate	datetime	NOT NULL		
TblCdsRestitutionTyp	ROOperator	int	NOT NULL		
TblCdsRestitutionTyp	LUDate	datetime	NOT NULL		
TblCdsRestitutionTyp	LUOperator	int	NOT NULL		
TblCdsRestitutionTyp	UpdateLock	int			
TblCdsRestitutionTyp	ObsoleteFlag	tinyint			
TblCdsRestitutionTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsResTyp	Description	varchar(50)	NOT NULL		
TblCdsResTyp	RODate	datetime	NOT NULL		
TblCdsResTyp	ROOperator	int	NOT NULL		
TblCdsResTyp	LUDate	datetime	NOT NULL		
TblCdsResTyp	LUOperator	int	NOT NULL		
TblCdsResTyp	UpdateLock	int			
TblCdsResTyp	ObsoleteFlag	tinyint			
TblCdsResTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsSaoDisp	Description	varchar(50)	NOT NULL		
TblCdsSaoDisp	RODate	datetime	NOT NULL		
TblCdsSaoDisp	ROOperator	int	NOT NULL		
TblCdsSaoDisp	LUDate	datetime	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsSaoDisp	LUOperator	int	NOT NULL		
TblCdsSaoDisp	UpdateLock	int			
TblCdsSaoDisp	ObsoleteFlag	tinyint			
TblCdsSaoDisp	Code	varchar(4)	NOT NULL	Yes	
TblCdsSaoReason	Description	varchar(50)	NOT NULL		
TblCdsSaoReason	RODate	datetime	NOT NULL		
TblCdsSaoReason	ROOperator	int	NOT NULL		
TblCdsSaoReason	LUDate	datetime	NOT NULL		
TblCdsSaoReason	LUOperator	int	NOT NULL		
TblCdsSaoReason	UpdateLock	int			
TblCdsSaoReason	ObsoleteFlag	tinyint			
TblCdsSaoReason	Code	varchar(4)	NOT NULL	Yes	
TblCdsSecLev2	Code	varchar(10)	NOT NULL	Yes	
TblCdsSecLev2	Description	varchar(50)	NOT NULL		
TblCdsSecLev2	SecLev3	varchar(10)			Yes
TblCdsSecLev2	RODate	datetime	NOT NULL		
TblCdsSecLev2	ROOperator	int	NOT NULL		
TblCdsSecLev2	LUDate	datetime	NOT NULL		
TblCdsSecLev2	LUOperator	int	NOT NULL		
TblCdsSecLev2	UpdateLock	int			
TblCdsSecLev2	ObsoleteFlag	tinyint			
TblCdsSecLev2	Type	varchar(4)			Yes
TblCdsSecLev2	ContactPhone	varchar(23)			
TblCdsSecLev3	Code	varchar(10)	NOT NULL	Yes	
TblCdsSecLev3	Description	varchar(50)	NOT NULL		
TblCdsSecLev3	SecLev4	varchar(10)			Yes
TblCdsSecLev3	RODate	datetime	NOT NULL		
TblCdsSecLev3	ROOperator	int	NOT NULL		
TblCdsSecLev3	LUDate	datetime	NOT NULL		
TblCdsSecLev3	LUOperator	int	NOT NULL		
TblCdsSecLev3	UpdateLock	int			

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsSecLev3	ObsoleteFlag	tinyint			
TblCdsSecLev3	Type	varchar(4)			Yes
TblCdsSecLev3	ContactPhone	varchar(23)			
TblCdsSecLev4	Code	varchar(10)	NOT NULL	Yes	
TblCdsSecLev4	Description	varchar(50)	NOT NULL		
TblCdsSecLev4	SecLev5	varchar(10)			Yes
TblCdsSecLev4	RODate	datetime	NOT NULL		
TblCdsSecLev4	ROOperator	int	NOT NULL		
TblCdsSecLev4	LUDate	datetime	NOT NULL		
TblCdsSecLev4	LUOperator	int	NOT NULL		
TblCdsSecLev4	UpdateLock	int			
TblCdsSecLev4	ObsoleteFlag	tinyint			
TblCdsSecLev4	Type	varchar(4)			Yes
TblCdsSecLev4	ContactPhone	varchar(23)			
TblCdsSecLev5	Code	varchar(10)	NOT NULL	Yes	
TblCdsSecLev5	Description	varchar(50)	NOT NULL		
TblCdsSecLev5	SecLev6	varchar(10)			Yes
TblCdsSecLev5	RODate	datetime	NOT NULL		
TblCdsSecLev5	ROOperator	int	NOT NULL		
TblCdsSecLev5	LUDate	datetime	NOT NULL		
TblCdsSecLev5	LUOperator	int	NOT NULL		
TblCdsSecLev5	UpdateLock	int			
TblCdsSecLev5	ObsoleteFlag	tinyint			
TblCdsSecLev5	Type	varchar(4)			Yes
TblCdsSecLev5	ContactPhone	varchar(23)			
TblCdsSecLev6	Code	varchar(10)	NOT NULL	Yes	
TblCdsSecLev6	Description	varchar(50)	NOT NULL		
TblCdsSecLev6	SecLev7	varchar(10)			Yes
TblCdsSecLev6	RODate	datetime	NOT NULL		
TblCdsSecLev6	ROOperator	int	NOT NULL		
TblCdsSecLev6	LUDate	datetime	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsSecLev6	LUOperator	int	NOT NULL		
TblCdsSecLev6	UpdateLock	int			
TblCdsSecLev6	ObsoleteFlag	tinyint			
TblCdsSecLev6	Type	varchar(4)			Yes
TblCdsSecLev6	ContactPhone	varchar(23)			
TblCdsSecLev7	Code	varchar(10)	NOT NULL	Yes	
TblCdsSecLev7	Description	varchar(50)	NOT NULL		
TblCdsSecLev7	SecLev8	varchar(10)			Yes
TblCdsSecLev7	RODate	datetime	NOT NULL		
TblCdsSecLev7	ROOperator	int	NOT NULL		
TblCdsSecLev7	LUDate	datetime	NOT NULL		
TblCdsSecLev7	LUOperator	int	NOT NULL		
TblCdsSecLev7	UpdateLock	int			
TblCdsSecLev7	ObsoleteFlag	tinyint			
TblCdsSecLev7	Type	varchar(4)			Yes
TblCdsSecLev7	ContactPhone	varchar(23)			
TblCdsSecLev8	Code	varchar(10)	NOT NULL	Yes	
TblCdsSecLev8	Description	varchar(50)	NOT NULL		
TblCdsSecLev8	RODate	datetime	NOT NULL		
TblCdsSecLev8	ROOperator	int	NOT NULL		
TblCdsSecLev8	LUDate	datetime	NOT NULL		
TblCdsSecLev8	LUOperator	int	NOT NULL		
TblCdsSecLev8	UpdateLock	int			
TblCdsSecLev8	ObsoleteFlag	tinyint			
TblCdsSecLev8	Type	varchar(4)			Yes
TblCdsSecLev8	ContactPhone	varchar(23)			
TblCdsSecLevTyp	Description	varchar(50)	NOT NULL		
TblCdsSecLevTyp	RODate	datetime	NOT NULL		
TblCdsSecLevTyp	ROOperator	int	NOT NULL		
TblCdsSecLevTyp	LUDate	datetime	NOT NULL		
TblCdsSecLevTyp	LUOperator	int	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsSecLevTyp	UpdateLock	int			
TblCdsSecLevTyp	ObsoleteFlag	tinyint			
TblCdsSecLevTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsSecurityTyp	Description	varchar(50)	NOT NULL		
TblCdsSecurityTyp	RODate	datetime	NOT NULL		
TblCdsSecurityTyp	ROOperator	int	NOT NULL		
TblCdsSecurityTyp	LUDate	datetime	NOT NULL		
TblCdsSecurityTyp	LUOperator	int	NOT NULL		
TblCdsSecurityTyp	UpdateLock	int			
TblCdsSecurityTyp	ObsoleteFlag	tinyint			
TblCdsSecurityTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsSex	Description	varchar(50)	NOT NULL		
TblCdsSex	RODate	datetime	NOT NULL		
TblCdsSex	ROOperator	int	NOT NULL		
TblCdsSex	LUDate	datetime	NOT NULL		
TblCdsSex	LUOperator	int	NOT NULL		
TblCdsSex	UpdateLock	int			
TblCdsSex	ObsoleteFlag	tinyint			
TblCdsSex	Code	varchar(4)	NOT NULL	Yes	
TblCdsSexCrime	Description	varchar(50)	NOT NULL		
TblCdsSexCrime	RODate	datetime	NOT NULL		
TblCdsSexCrime	ROOperator	int	NOT NULL		
TblCdsSexCrime	LUDate	datetime	NOT NULL		
TblCdsSexCrime	LUOperator	int	NOT NULL		
TblCdsSexCrime	UpdateLock	int			
TblCdsSexCrime	ObsoleteFlag	tinyint			
TblCdsSexCrime	Code	varchar(4)	NOT NULL	Yes	
TblCdsShift	Description	varchar(50)	NOT NULL		
TblCdsShift	RODate	datetime	NOT NULL		
TblCdsShift	ROOperator	int	NOT NULL		
TblCdsShift	LUDate	datetime	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsShift	LUOperator	int	NOT NULL		
TblCdsShift	UpdateLock	int			
TblCdsShift	ObsoleteFlag	tinyint			
TblCdsShift	Code	varchar(4)	NOT NULL	Yes	
TblCdsSingleMultiStory	Code	varchar(4)	NOT NULL	Yes	
TblCdsSingleMultiStory	Description	varchar(50)	NOT NULL		
TblCdsSingleMultiStory	RODate	datetime	NOT NULL		
TblCdsSingleMultiStory	ROOperator	int	NOT NULL		
TblCdsSingleMultiStory	LUDate	datetime	NOT NULL		
TblCdsSingleMultiStory	LUOperator	int	NOT NULL		
TblCdsSingleMultiStory	UpdateLock	int			
TblCdsSingleMultiStory	ObsoleteFlag	tinyint			
TblCdsSingleMultiStory	LogicCode	varchar(8)			
TblCdsSITransBy	Description	varchar(50)	NOT NULL		
TblCdsSITransBy	RODate	datetime	NOT NULL		
TblCdsSITransBy	ROOperator	int	NOT NULL		
TblCdsSITransBy	LUDate	datetime	NOT NULL		
TblCdsSITransBy	LUOperator	int	NOT NULL		
TblCdsSITransBy	UpdateLock	int			
TblCdsSITransBy	ObsoleteFlag	tinyint			
TblCdsSITransBy	Code	varchar(4)	NOT NULL	Yes	
TblCdsSITransTo	Description	varchar(50)	NOT NULL		
TblCdsSITransTo	RODate	datetime	NOT NULL		
TblCdsSITransTo	ROOperator	int	NOT NULL		
TblCdsSITransTo	LUDate	datetime	NOT NULL		
TblCdsSITransTo	LUOperator	int	NOT NULL		
TblCdsSITransTo	UpdateLock	int			
TblCdsSITransTo	ObsoleteFlag	tinyint			
TblCdsSITransTo	Code	varchar(4)	NOT NULL	Yes	
TblCdsSITreatBy	Description	varchar(50)	NOT NULL		
TblCdsSITreatBy	RODate	datetime	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsSITreatBy	ROOperator	int	NOT NULL		
TblCdsSITreatBy	LUDate	datetime	NOT NULL		
TblCdsSITreatBy	LUOperator	int	NOT NULL		
TblCdsSITreatBy	UpdateLock	int			
TblCdsSITreatBy	ObsoleteFlag	tinyint			
TblCdsSITreatBy	Code	varchar(4)	NOT NULL	Yes	
TblCdsSITyp	Description	varchar(50)	NOT NULL		
TblCdsSITyp	RODate	datetime	NOT NULL		
TblCdsSITyp	ROOperator	int	NOT NULL		
TblCdsSITyp	LUDate	datetime	NOT NULL		
TblCdsSITyp	LUOperator	int	NOT NULL		
TblCdsSITyp	UpdateLock	int			
TblCdsSITyp	ObsoleteFlag	tinyint			
TblCdsSITyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsSMTBodyPart	Description	varchar(50)	NOT NULL		
TblCdsSMTBodyPart	RODate	datetime	NOT NULL		
TblCdsSMTBodyPart	ROOperator	int	NOT NULL		
TblCdsSMTBodyPart	LUDate	datetime	NOT NULL		
TblCdsSMTBodyPart	LUOperator	int	NOT NULL		
TblCdsSMTBodyPart	UpdateLock	int			
TblCdsSMTBodyPart	ObsoleteFlag	tinyint			
TblCdsSMTBodyPart	Code	varchar(4)	NOT NULL	Yes	
TblCdsSMTLocation	Description	varchar(50)	NOT NULL		
TblCdsSMTLocation	RODate	datetime	NOT NULL		
TblCdsSMTLocation	ROOperator	int	NOT NULL		
TblCdsSMTLocation	LUDate	datetime	NOT NULL		
TblCdsSMTLocation	LUOperator	int	NOT NULL		
TblCdsSMTLocation	UpdateLock	int			
TblCdsSMTLocation	ObsoleteFlag	tinyint			
TblCdsSMTLocation	Code	varchar(6)	NOT NULL	Yes	
TblCdsSMTSide	Description	varchar(50)	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsSMTSide	RODate	datetime	NOT NULL		
TblCdsSMTSide	ROOperator	int	NOT NULL		
TblCdsSMTSide	LUDate	datetime	NOT NULL		
TblCdsSMTSide	LUOperator	int	NOT NULL		
TblCdsSMTSide	UpdateLock	int			
TblCdsSMTSide	ObsoleteFlag	tinyint			
TblCdsSMTSide	Code	varchar(4)	NOT NULL	Yes	
TblCdsSMTyp	Description	varchar(50)	NOT NULL		
TblCdsSMTyp	RODate	datetime	NOT NULL		
TblCdsSMTyp	ROOperator	int	NOT NULL		
TblCdsSMTyp	LUDate	datetime	NOT NULL		
TblCdsSMTyp	LUOperator	int	NOT NULL		
TblCdsSMTyp	UpdateLock	int			
TblCdsSMTyp	ObsoleteFlag	tinyint			
TblCdsSMTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsSobriety	Description	varchar(50)	NOT NULL		
TblCdsSobriety	RODate	datetime	NOT NULL		
TblCdsSobriety	ROOperator	int	NOT NULL		
TblCdsSobriety	LUDate	datetime	NOT NULL		
TblCdsSobriety	LUOperator	int	NOT NULL		
TblCdsSobriety	UpdateLock	int			
TblCdsSobriety	ObsoleteFlag	tinyint			
TblCdsSobriety	Code	varchar(4)	NOT NULL	Yes	
TblCdsSOI	Description	varchar(50)	NOT NULL		
TblCdsSOI	RODate	datetime	NOT NULL		
TblCdsSOI	ROOperator	int	NOT NULL		
TblCdsSOI	LUDate	datetime	NOT NULL		
TblCdsSOI	LUOperator	int	NOT NULL		
TblCdsSOI	UpdateLock	int			
TblCdsSOI	ObsoleteFlag	tinyint			
TblCdsSOI	Code	varchar(4)	NOT NULL	Yes	

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsSOInjTranspB	Description	varchar(50)	NOT NULL		
TblCdsSOInjTranspB	RODate	datetime	NOT NULL		
TblCdsSOInjTranspB	ROOperator	int	NOT NULL		
TblCdsSOInjTranspB	LUDate	datetime	NOT NULL		
TblCdsSOInjTranspB	LUOperator	int	NOT NULL		
TblCdsSOInjTranspB	UpdateLock	int			
TblCdsSOInjTranspB	ObsoleteFlag	tinyint			
TblCdsSOInjTranspB	Code	varchar(4)	NOT NULL	Yes	
TblCdsSOInjTranspT	Description	varchar(50)	NOT NULL		
TblCdsSOInjTranspT	RODate	datetime	NOT NULL		
TblCdsSOInjTranspT	ROOperator	int	NOT NULL		
TblCdsSOInjTranspT	LUDate	datetime	NOT NULL		
TblCdsSOInjTranspT	LUOperator	int	NOT NULL		
TblCdsSOInjTranspT	UpdateLock	int			
TblCdsSOInjTranspT	ObsoleteFlag	tinyint			
TblCdsSOInjTranspT	Code	varchar(4)	NOT NULL	Yes	
TblCdsSpeech	Description	varchar(50)	NOT NULL		
TblCdsSpeech	RODate	datetime	NOT NULL		
TblCdsSpeech	ROOperator	int	NOT NULL		
TblCdsSpeech	LUDate	datetime	NOT NULL		
TblCdsSpeech	LUOperator	int	NOT NULL		
TblCdsSpeech	UpdateLock	int			
TblCdsSpeech	ObsoleteFlag	tinyint			
TblCdsSpeech	Code	varchar(4)	NOT NULL	Yes	
TblCdsSrcCall	Description	varchar(50)	NOT NULL		
TblCdsSrcCall	RODate	datetime	NOT NULL		
TblCdsSrcCall	ROOperator	int	NOT NULL		
TblCdsSrcCall	LUDate	datetime	NOT NULL		
TblCdsSrcCall	LUOperator	int	NOT NULL		
TblCdsSrcCall	UpdateLock	int			
TblCdsSrcCall	ObsoleteFlag	tinyint			

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsSrcCall	Code	varchar(4)	NOT NULL	Yes	
TblCdsSrcReli	Code	varchar(4)	NOT NULL	Yes	
TblCdsSrcReli	Description	varchar(50)	NOT NULL		
TblCdsSrcReli	RODate	datetime	NOT NULL		
TblCdsSrcReli	ROOperator	int	NOT NULL		
TblCdsSrcReli	LUDate	datetime	NOT NULL		
TblCdsSrcReli	LUOperator	int	NOT NULL		
TblCdsSrcReli	UpdateLock	int			
TblCdsSrcReli	ObsoleteFlag	tinyint			
TblCdsSrcReli	Priority	int			
TblCdsStateProperty	Description	varchar(50)	NOT NULL		
TblCdsStateProperty	RODate	datetime	NOT NULL		
TblCdsStateProperty	ROOperator	int	NOT NULL		
TblCdsStateProperty	LUDate	datetime	NOT NULL		
TblCdsStateProperty	LUOperator	int	NOT NULL		
TblCdsStateProperty	UpdateLock	int			
TblCdsStateProperty	ObsoleteFlag	tinyint			
TblCdsStateProperty	Code	varchar(4)	NOT NULL	Yes	
TblCdsStates	Description	varchar(25)			
TblCdsStates	RODate	datetime			
TblCdsStates	ROOperator	int			
TblCdsStates	LUDate	datetime			
TblCdsStates	LUOperator	int			
TblCdsStates	UpdateLock	int			
TblCdsStates	ObsoleteFlag	tinyint			
TblCdsStates	Code	varchar(4)	NOT NULL	Yes	
TblCdsStatute	Description	varchar(100)	NOT NULL		
TblCdsStatute	RODate	datetime	NOT NULL		
TblCdsStatute	ROOperator	int	NOT NULL		
TblCdsStatute	LUDate	datetime	NOT NULL		
TblCdsStatute	LUOperator	int	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsStatute	UpdateLock	varchar(10)			
TblCdsStatute	ObsoleteFlag	tinyint	NOT NULL		
TblCdsStatute	Code	varchar(25)	NOT NULL	Yes	
TblCdsStolPropStat	Description	varchar(50)	NOT NULL		
TblCdsStolPropStat	RODate	datetime	NOT NULL		
TblCdsStolPropStat	ROOperator	int	NOT NULL		
TblCdsStolPropStat	LUDate	datetime	NOT NULL		
TblCdsStolPropStat	LUOperator	int	NOT NULL		
TblCdsStolPropStat	UpdateLock	int			
TblCdsStolPropStat	ObsoleteFlag	tinyint			
TblCdsStolPropStat	Code	varchar(4)	NOT NULL	Yes	
TblCdsSubAdrRel	Code	varchar(4)	NOT NULL	Yes	
TblCdsSubAdrRel	Description	varchar(50)	NOT NULL		
TblCdsSubAdrRel	RODate	datetime	NOT NULL		
TblCdsSubAdrRel	ROOperator	int	NOT NULL		
TblCdsSubAdrRel	LUDate	datetime	NOT NULL		
TblCdsSubAdrRel	LUOperator	int	NOT NULL		
TblCdsSubAdrRel	UpdateLock	int			
TblCdsSubAdrRel	ObsoleteFlag	tinyint			
TblCdsSubAdrRel	LogicCode	varchar(4)			
TblCdsSubOfnRela	Description	varchar(50)	NOT NULL		
TblCdsSubOfnRela	RODate	datetime	NOT NULL		
TblCdsSubOfnRela	ROOperator	int	NOT NULL		
TblCdsSubOfnRela	LUDate	datetime	NOT NULL		
TblCdsSubOfnRela	LUOperator	int	NOT NULL		
TblCdsSubOfnRela	UpdateLock	int			
TblCdsSubOfnRela	ObsoleteFlag	tinyint			
TblCdsSubOfnRela	Code	varchar(4)	NOT NULL	Yes	
TblCdsSubRecordTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsSubRecordTyp	Description	varchar(50)	NOT NULL		
TblCdsSubRecordTyp	RODate	datetime	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsSubRecordTyp	ROOperator	int	NOT NULL		
TblCdsSubRecordTyp	LUDate	datetime	NOT NULL		
TblCdsSubRecordTyp	LUOperator	int	NOT NULL		
TblCdsSubRecordTyp	UpdateLock	int			
TblCdsSubRecordTyp	ObsoleteFlag	tinyint			
TblCdsSubRecordTyp	LogicCode	varchar(4)			
TblCdsSubSob	Description	varchar(50)	NOT NULL		
TblCdsSubSob	RODate	datetime	NOT NULL		
TblCdsSubSob	ROOperator	int	NOT NULL		
TblCdsSubSob	LUDate	datetime	NOT NULL		
TblCdsSubSob	LUOperator	int	NOT NULL		
TblCdsSubSob	UpdateLock	int			
TblCdsSubSob	ObsoleteFlag	tinyint			
TblCdsSubSob	Code	varchar(4)	NOT NULL	Yes	
TblCdsSubSubRel	Code	varchar(4)	NOT NULL	Yes	
TblCdsSubSubRel	Description	varchar(50)	NOT NULL		
TblCdsSubSubRel	RODate	datetime	NOT NULL		
TblCdsSubSubRel	ROOperator	int	NOT NULL		
TblCdsSubSubRel	LUDate	datetime	NOT NULL		
TblCdsSubSubRel	LUOperator	int	NOT NULL		
TblCdsSubSubRel	UpdateLock	int			
TblCdsSubSubRel	ObsoleteFlag	tinyint			
TblCdsSubSubRel	InverseCode	varchar(4)	NOT NULL		
TblCdsSubSubRel	LogicCode	varchar(4)			
TblCdsSubSuffix	Description	varchar(50)	NOT NULL		
TblCdsSubSuffix	RODate	datetime	NOT NULL		
TblCdsSubSuffix	ROOperator	int	NOT NULL		
TblCdsSubSuffix	LUDate	datetime	NOT NULL		
TblCdsSubSuffix	LUOperator	int	NOT NULL		
TblCdsSubSuffix	UpdateLock	int			
TblCdsSubSuffix	ObsoleteFlag	tinyint			

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsSubSuffix	Code	varchar(5)	NOT NULL	Yes	
TblCdsSupAdrRel	Code	varchar(4)	NOT NULL	Yes	
TblCdsSupAdrRel	Description	varchar(50)	NOT NULL		
TblCdsSupAdrRel	RODate	datetime	NOT NULL		
TblCdsSupAdrRel	ROOperator	int	NOT NULL		
TblCdsSupAdrRel	LUDate	datetime	NOT NULL		
TblCdsSupAdrRel	LUOperator	int	NOT NULL		
TblCdsSupAdrRel	UpdateLock	int			
TblCdsSupAdrRel	ObsoleteFlag	tinyint			
TblCdsSupAdrRel	LogicCode	varchar(4)			
TblCdsSupFinRel	Code	varchar(4)	NOT NULL	Yes	
TblCdsSupFinRel	Description	varchar(50)	NOT NULL		
TblCdsSupFinRel	RODate	datetime	NOT NULL		
TblCdsSupFinRel	ROOperator	int	NOT NULL		
TblCdsSupFinRel	LUDate	datetime	NOT NULL		
TblCdsSupFinRel	LUOperator	int	NOT NULL		
TblCdsSupFinRel	UpdateLock	int			
TblCdsSupFinRel	ObsoleteFlag	tinyint			
TblCdsSupFinRel	LogicCode	varchar(4)			
TblCdsSupPropAgen	Description	varchar(50)	NOT NULL		
TblCdsSupPropAgen	RODate	datetime	NOT NULL		
TblCdsSupPropAgen	ROOperator	int	NOT NULL		
TblCdsSupPropAgen	LUDate	datetime	NOT NULL		
TblCdsSupPropAgen	LUOperator	int	NOT NULL		
TblCdsSupPropAgen	UpdateLock	int			
TblCdsSupPropAgen	ObsoleteFlag	tinyint			
TblCdsSupPropAgen	Code	varchar(4)	NOT NULL	Yes	
TblCdsSupPropClass	Code	varchar(4)	NOT NULL	Yes	
TblCdsSupPropClass	Description	varchar(50)	NOT NULL		
TblCdsSupPropClass	RODate	datetime	NOT NULL		
TblCdsSupPropClass	ROOperator	int	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsSupPropClass	LUDate	datetime	NOT NULL		
TblCdsSupPropClass	LUOperator	int	NOT NULL		
TblCdsSupPropClass	UpdateLock	int			
TblCdsSupPropClass	ObsoleteFlag	tinyint			
TblCdsSupPropClass	LogicCode	varchar(4)			
TblCdsSupPropDisp	Description	varchar(50)	NOT NULL		
TblCdsSupPropDisp	RODate	datetime	NOT NULL		
TblCdsSupPropDisp	ROOperator	int	NOT NULL		
TblCdsSupPropDisp	LUDate	datetime	NOT NULL		
TblCdsSupPropDisp	LUOperator	int	NOT NULL		
TblCdsSupPropDisp	UpdateLock	int			
TblCdsSupPropDisp	ObsoleteFlag	tinyint			
TblCdsSupPropDisp	Code	varchar(4)	NOT NULL	Yes	
TblCdsSupPropDispM	Description	varchar(50)	NOT NULL		
TblCdsSupPropDispM	RODate	datetime	NOT NULL		
TblCdsSupPropDispM	ROOperator	int	NOT NULL		
TblCdsSupPropDispM	LUDate	datetime	NOT NULL		
TblCdsSupPropDispM	LUOperator	int	NOT NULL		
TblCdsSupPropDispM	UpdateLock	int			
TblCdsSupPropDispM	ObsoleteFlag	tinyint			
TblCdsSupPropDispM	Code	varchar(4)	NOT NULL	Yes	
TblCdsSupPropLoc	Description	varchar(50)	NOT NULL		
TblCdsSupPropLoc	RODate	datetime	NOT NULL		
TblCdsSupPropLoc	ROOperator	int	NOT NULL		
TblCdsSupPropLoc	LUDate	datetime	NOT NULL		
TblCdsSupPropLoc	LUOperator	int	NOT NULL		
TblCdsSupPropLoc	UpdateLock	int			
TblCdsSupPropLoc	ObsoleteFlag	tinyint			
TblCdsSupPropLoc	Code	varchar(4)	NOT NULL	Yes	
TblCdsSupPropSts	Code	varchar(4)	NOT NULL	Yes	
TblCdsSupPropSts	Description	varchar(50)	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsSupPropSts	RODate	datetime	NOT NULL		
TblCdsSupPropSts	ROOperator	int	NOT NULL		
TblCdsSupPropSts	LUDate	datetime	NOT NULL		
TblCdsSupPropSts	LUOperator	int	NOT NULL		
TblCdsSupPropSts	UpdateLock	int			
TblCdsSupPropSts	ObsoleteFlag	tinyint			
TblCdsSupPropSts	LogicCode	varchar(4)			
TblCdsSupSubRel	Code	varchar(4)	NOT NULL	Yes	
TblCdsSupSubRel	Description	varchar(50)	NOT NULL		
TblCdsSupSubRel	Priority	int			
TblCdsSupSubRel	RODate	datetime	NOT NULL		
TblCdsSupSubRel	ROOperator	int	NOT NULL		
TblCdsSupSubRel	LUDate	datetime	NOT NULL		
TblCdsSupSubRel	LUOperator	int	NOT NULL		
TblCdsSupSubRel	UpdateLock	int			
TblCdsSupSubRel	ObsoleteFlag	tinyint			
TblCdsSupSubRel	LogicCode	varchar(4)			
TblCdsSupSubRel	Criminal	tinyint			
TblCdsSupSubRelType	Code	int	NOT NULL	Yes	
TblCdsSupSubRelType	Description	datetime			
TblCdsSupSubRelType	TypeOfReport	varchar(8)	NOT NULL		Yes
TblCdsSupSubRelType	Relationship	varchar(4)	NOT NULL		Yes
TblCdsSupSubRelType	RODate	datetime	NOT NULL		
TblCdsSupSubRelType	ROOperator	int	NOT NULL		
TblCdsSupSubRelType	LUDate	datetime	NOT NULL		
TblCdsSupSubRelType	LUOperator	int	NOT NULL		
TblCdsSupSubRelType	UpdateLock	int			
TblCdsSupSubRelType	ObsoleteFlag	tinyint			
TblCdsSupTelRel	Code	varchar(4)	NOT NULL	Yes	
TblCdsSupTelRel	Description	varchar(50)	NOT NULL		
TblCdsSupTelRel	RODate	datetime	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsSupTelRel	ROOperator	int	NOT NULL		
TblCdsSupTelRel	LUDate	datetime	NOT NULL		
TblCdsSupTelRel	LUOperator	int	NOT NULL		
TblCdsSupTelRel	UpdateLock	int			
TblCdsSupTelRel	ObsoleteFlag	tinyint			
TblCdsSupTelRel	LogicCode	varchar(4)			
TblCdsSupTimeActivity	Code	varchar(4)	NOT NULL	Yes	
TblCdsSupTimeActivity	Description	varchar(50)	NOT NULL		
TblCdsSupTimeActivity	Category	varchar(4)			
TblCdsSupTimeActivity	RODate	datetime	NOT NULL		
TblCdsSupTimeActivity	ROOperator	int	NOT NULL		
TblCdsSupTimeActivity	LUDate	datetime	NOT NULL		
TblCdsSupTimeActivity	LUOperator	int	NOT NULL		
TblCdsSupTimeActivity	UpdateLock	int			
TblCdsSupTimeActivity	ObsoleteFlag	tinyint			
TblCdsSupTimeActivity	UnitCost	money			
TblCdsSupTimeActivityCategory	Description	varchar(50)	NOT NULL		
TblCdsSupTimeActivityCategory	RODate	datetime	NOT NULL		
TblCdsSupTimeActivityCategory	ROOperator	int	NOT NULL		
TblCdsSupTimeActivityCategory	LUDate	datetime	NOT NULL		
TblCdsSupTimeActivityCategory	LUOperator	int	NOT NULL		
TblCdsSupTimeActivityCategory	UpdateLock	int			
TblCdsSupTimeActivityCategory	ObsoleteFlag	tinyint			
TblCdsSupTimeActivityCategory	Code	varchar(4)	NOT NULL	Yes	
TblCdsSupVehRel	Code	varchar(4)	NOT NULL	Yes	
TblCdsSupVehRel	Description	varchar(50)	NOT NULL		
TblCdsSupVehRel	RODate	datetime	NOT NULL		
TblCdsSupVehRel	ROOperator	int	NOT NULL		
TblCdsSupVehRel	LUDate	datetime	NOT NULL		
TblCdsSupVehRel	LUOperator	int	NOT NULL		
TblCdsSupVehRel	UpdateLock	int			

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsSupVehRel	ObsoleteFlag	tinyint			
TblCdsSupVehRel	LogicCode	varchar(4)			
TblCdsSusAct	Description	varchar(50)	NOT NULL		
TblCdsSusAct	RODate	datetime	NOT NULL		
TblCdsSusAct	ROOperator	int	NOT NULL		
TblCdsSusAct	LUDate	datetime	NOT NULL		
TblCdsSusAct	LUOperator	int	NOT NULL		
TblCdsSusAct	UpdateLock	int			
TblCdsSusAct	ObsoleteFlag	tinyint			
TblCdsSusAct	Code	varchar(4)	NOT NULL	Yes	
TblCdsSusActWhen	Description	varchar(50)	NOT NULL		
TblCdsSusActWhen	RODate	datetime	NOT NULL		
TblCdsSusActWhen	ROOperator	int	NOT NULL		
TblCdsSusActWhen	LUDate	datetime	NOT NULL		
TblCdsSusActWhen	LUOperator	int	NOT NULL		
TblCdsSusActWhen	UpdateLock	int			
TblCdsSusActWhen	ObsoleteFlag	tinyint			
TblCdsSusActWhen	Code	varchar(1)	NOT NULL	Yes	
TblCdsSusPerVehTyp	Description	varchar(50)	NOT NULL		
TblCdsSusPerVehTyp	RODate	datetime	NOT NULL		
TblCdsSusPerVehTyp	ROOperator	int	NOT NULL		
TblCdsSusPerVehTyp	LUDate	datetime	NOT NULL		
TblCdsSusPerVehTyp	LUOperator	int	NOT NULL		
TblCdsSusPerVehTyp	UpdateLock	int			
TblCdsSusPerVehTyp	ObsoleteFlag	tinyint			
TblCdsSusPerVehTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsSusPVTyp	Description	varchar(50)	NOT NULL		
TblCdsSusPVTyp	RODate	datetime	NOT NULL		
TblCdsSusPVTyp	ROOperator	int	NOT NULL		
TblCdsSusPVTyp	LUDate	datetime	NOT NULL		
TblCdsSusPVTyp	LUOperator	int	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsSusPVTyp	UpdateLock	int			
TblCdsSusPVTyp	ObsoleteFlag	tinyint			
TblCdsSusPVTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsSusTyp	Description	varchar(50)	NOT NULL		
TblCdsSusTyp	RODate	datetime	NOT NULL		
TblCdsSusTyp	ROOperator	int	NOT NULL		
TblCdsSusTyp	LUDate	datetime	NOT NULL		
TblCdsSusTyp	LUOperator	int	NOT NULL		
TblCdsSusTyp	UpdateLock	int			
TblCdsSusTyp	ObsoleteFlag	tinyint			
TblCdsSusTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsTactics	Description	varchar(50)	NOT NULL		
TblCdsTactics	RODate	datetime	NOT NULL		
TblCdsTactics	ROOperator	int	NOT NULL		
TblCdsTactics	LUDate	datetime	NOT NULL		
TblCdsTactics	LUOperator	int	NOT NULL		
TblCdsTactics	UpdateLock	int			
TblCdsTactics	ObsoleteFlag	tinyint			
TblCdsTactics	Code	varchar(4)	NOT NULL	Yes	
TblCdsTeeth	Description	varchar(50)	NOT NULL		
TblCdsTeeth	RODate	datetime	NOT NULL		
TblCdsTeeth	ROOperator	int	NOT NULL		
TblCdsTeeth	LUDate	datetime	NOT NULL		
TblCdsTeeth	LUOperator	int	NOT NULL		
TblCdsTeeth	UpdateLock	int			
TblCdsTeeth	ObsoleteFlag	tinyint			
TblCdsTeeth	Code	varchar(4)	NOT NULL	Yes	
TblCdsTelAdrRel	Code	varchar(4)	NOT NULL	Yes	
TblCdsTelAdrRel	Description	varchar(50)	NOT NULL		
TblCdsTelAdrRel	LogicCode	varchar(4)			
TblCdsTelAdrRel	RODate	datetime	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsTelAdrRel	ROOperator	int	NOT NULL		
TblCdsTelAdrRel	LUDate	datetime	NOT NULL		
TblCdsTelAdrRel	LUOperator	int	NOT NULL		
TblCdsTelAdrRel	UpdateLock	int			
TblCdsTelAdrRel	ObsoleteFlag	tinyint			
TblCdsTelDP	Description	varchar(50)	NOT NULL		
TblCdsTelDP	RODate	datetime	NOT NULL		
TblCdsTelDP	ROOperator	int	NOT NULL		
TblCdsTelDP	LUDate	datetime	NOT NULL		
TblCdsTelDP	LUOperator	int	NOT NULL		
TblCdsTelDP	UpdateLock	int			
TblCdsTelDP	ObsoleteFlag	tinyint			
TblCdsTelDP	Code	varchar(4)	NOT NULL	Yes	
TblCdsTelMS	Description	varchar(50)	NOT NULL		
TblCdsTelMS	RODate	datetime	NOT NULL		
TblCdsTelMS	ROOperator	int	NOT NULL		
TblCdsTelMS	LUDate	datetime	NOT NULL		
TblCdsTelMS	LUOperator	int	NOT NULL		
TblCdsTelMS	UpdateLock	int			
TblCdsTelMS	ObsoleteFlag	tinyint			
TblCdsTelMS	Code	varchar(4)	NOT NULL	Yes	
TblCdsTelSubRel	Code	varchar(4)	NOT NULL	Yes	
TblCdsTelSubRel	Description	varchar(50)	NOT NULL		
TblCdsTelSubRel	RODate	datetime	NOT NULL		
TblCdsTelSubRel	ROOperator	int	NOT NULL		
TblCdsTelSubRel	LUDate	datetime	NOT NULL		
TblCdsTelSubRel	LUOperator	int	NOT NULL		
TblCdsTelSubRel	UpdateLock	int			
TblCdsTelSubRel	ObsoleteFlag	tinyint			
TblCdsTelSubRel	LogicCode	varchar(4)			
TblCdsTelTyp	Code	varchar(4)	NOT NULL	Yes	

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsTelTyp	Description	varchar(50)	NOT NULL		
TblCdsTelTyp	RODate	datetime	NOT NULL		
TblCdsTelTyp	ROOperator	int	NOT NULL		
TblCdsTelTyp	LUDate	datetime	NOT NULL		
TblCdsTelTyp	LUOperator	int	NOT NULL		
TblCdsTelTyp	UpdateLock	int			
TblCdsTelTyp	ObsoleteFlag	tinyint			
TblCdsTelTyp	LogicCode	varchar(4)			
TblCdsTipAdrRel	Description	varchar(50)	NOT NULL		
TblCdsTipAdrRel	RODate	datetime	NOT NULL		
TblCdsTipAdrRel	ROOperator	int	NOT NULL		
TblCdsTipAdrRel	LUDate	datetime	NOT NULL		
TblCdsTipAdrRel	LUOperator	int	NOT NULL		
TblCdsTipAdrRel	UpdateLock	int			
TblCdsTipAdrRel	ObsoleteFlag	tinyint			
TblCdsTipAdrRel	Code	varchar(4)	NOT NULL	Yes	
TblCdsTipClass	Description	varchar(50)	NOT NULL		
TblCdsTipClass	RODate	datetime	NOT NULL		
TblCdsTipClass	ROOperator	int	NOT NULL		
TblCdsTipClass	LUDate	datetime	NOT NULL		
TblCdsTipClass	LUOperator	int	NOT NULL		
TblCdsTipClass	UpdateLock	int			
TblCdsTipClass	ObsoleteFlag	tinyint			
TblCdsTipClass	Code	varchar(4)	NOT NULL	Yes	
TblCdsTipDism	Code	varchar(4)	NOT NULL	Yes	
TblCdsTipDism	Description	varchar(50)	NOT NULL		
TblCdsTipDism	RODate	datetime	NOT NULL		
TblCdsTipDism	ROOperator	int	NOT NULL		
TblCdsTipDism	LUDate	datetime	NOT NULL		
TblCdsTipDism	LUOperator	int	NOT NULL		
TblCdsTipDism	UpdateLock	int			

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsTipDism	ObsoleteFlag	tinyint			
TblCdsTipDism	UpdateSecurity	tinyint			
TblCdsTipDism	ReadSecurity	tinyint			
TblCdsTipDism	CaseSecurityOverride	varchar(1)			
TblCdsTipNumber	Code	varchar(40)	NOT NULL	Yes	
TblCdsTipNumber	Description	varchar(50)	NOT NULL		
TblCdsTipNumber	RODate	datetime	NOT NULL		
TblCdsTipNumber	ROOperator	int	NOT NULL		
TblCdsTipNumber	LUDate	datetime	NOT NULL		
TblCdsTipNumber	LUOperator	int	NOT NULL		
TblCdsTipNumber	UpdateLock	int			
TblCdsTipNumber	ObsoleteFlag	tinyint			
TblCdsTipNumber	NextNumber	int	NOT NULL		
TblCdsTipPriority	Code	varchar(4)	NOT NULL	Yes	
TblCdsTipPriority	Description	varchar(50)	NOT NULL		
TblCdsTipPriority	RODate	datetime	NOT NULL		
TblCdsTipPriority	ROOperator	int	NOT NULL		
TblCdsTipPriority	LUDate	datetime	NOT NULL		
TblCdsTipPriority	LUOperator	int	NOT NULL		
TblCdsTipPriority	UpdateLock	int			
TblCdsTipPriority	ObsoleteFlag	tinyint			
TblCdsTipPriority	Days	int			
TblCdsTipPriority	CasePriority	varchar(4)			Yes
TblCdsTipSource	Description	varchar(50)	NOT NULL		
TblCdsTipSource	RODate	datetime	NOT NULL		
TblCdsTipSource	ROOperator	int	NOT NULL		
TblCdsTipSource	LUDate	datetime	NOT NULL		
TblCdsTipSource	LUOperator	int	NOT NULL		
TblCdsTipSource	UpdateLock	int			
TblCdsTipSource	ObsoleteFlag	tinyint			
TblCdsTipSource	Code	varchar(4)	NOT NULL	Yes	

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsTipStat	Code	varchar(4)	NOT NULL	Yes	
TblCdsTipStat	Description	varchar(50)	NOT NULL		
TblCdsTipStat	RODate	datetime	NOT NULL		
TblCdsTipStat	ROOperator	int	NOT NULL		
TblCdsTipStat	LUDate	datetime	NOT NULL		
TblCdsTipStat	LUOperator	int	NOT NULL		
TblCdsTipStat	UpdateLock	int			
TblCdsTipStat	ObsoleteFlag	tinyint			
TblCdsTipStat	LogicCode	varchar(4)			
TblCdsTipSubRel	Code	varchar(4)	NOT NULL	Yes	
TblCdsTipSubRel	Description	varchar(50)	NOT NULL		
TblCdsTipSubRel	RODate	datetime	NOT NULL		
TblCdsTipSubRel	ROOperator	int	NOT NULL		
TblCdsTipSubRel	LUDate	datetime	NOT NULL		
TblCdsTipSubRel	LUOperator	int	NOT NULL		
TblCdsTipSubRel	UpdateLock	int			
TblCdsTipSubRel	ObsoleteFlag	tinyint			
TblCdsTipSubRel	LogicCode	varchar(4)			
TblCdsTipSubRel	Criminal	tinyint			
TblCdsTipSubType	Code	varchar(4)	NOT NULL	Yes	
TblCdsTipSubType	Description	varchar(50)	NOT NULL		
TblCdsTipSubType	FilterValue	varchar(4)			
TblCdsTipSubType	RODate	datetime	NOT NULL		
TblCdsTipSubType	ROOperator	int	NOT NULL		
TblCdsTipSubType	LUDate	datetime	NOT NULL		
TblCdsTipSubType	LUOperator	int	NOT NULL		
TblCdsTipSubType	UpdateLock	int			
TblCdsTipSubType	ObsoleteFlag	tinyint			
TblCdsTipTask	Code	varchar(4)	NOT NULL	Yes	
TblCdsTipTask	Description	varchar(50)	NOT NULL		
TblCdsTipTask	RODate	datetime	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsTipTask	ROOperator	int	NOT NULL		
TblCdsTipTask	LUDate	datetime	NOT NULL		
TblCdsTipTask	LUOperator	int	NOT NULL		
TblCdsTipTask	UpdateLock	int			
TblCdsTipTask	ObsoleteFlag	tinyint			
TblCdsTipTask	LogicCode	varchar(4)	NOT NULL		
TblCdsTipTelRel	Description	varchar(50)	NOT NULL		
TblCdsTipTelRel	RODate	datetime	NOT NULL		
TblCdsTipTelRel	ROOperator	int	NOT NULL		
TblCdsTipTelRel	LUDate	datetime	NOT NULL		
TblCdsTipTelRel	LUOperator	int	NOT NULL		
TblCdsTipTelRel	UpdateLock	int			
TblCdsTipTelRel	ObsoleteFlag	tinyint			
TblCdsTipTelRel	Code	varchar(4)	NOT NULL	Yes	
TblCdsTipTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsTipTyp	Description	varchar(50)	NOT NULL		
TblCdsTipTyp	RODate	datetime	NOT NULL		
TblCdsTipTyp	ROOperator	int	NOT NULL		
TblCdsTipTyp	LUDate	datetime	NOT NULL		
TblCdsTipTyp	LUOperator	int	NOT NULL		
TblCdsTipTyp	UpdateLock	int			
TblCdsTipTyp	ObsoleteFlag	tinyint			
TblCdsTipTyp	DefaultDism	varchar(4)			Yes
TblCdsTipTyp	ReviewInterval	int			
TblCdsTipTyp	AllowSelfApproval	varchar(1)			
TblCdsTipTyp	RequestApprovalFrom	varchar(1)			
TblCdsTipVehRel	Description	varchar(50)	NOT NULL		
TblCdsTipVehRel	RODate	datetime	NOT NULL		
TblCdsTipVehRel	ROOperator	int	NOT NULL		
TblCdsTipVehRel	LUDate	datetime	NOT NULL		
TblCdsTipVehRel	LUOperator	int	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsTipVehRel	UpdateLock	int			
TblCdsTipVehRel	ObsoleteFlag	tinyint			
TblCdsTipVehRel	Code	varchar(4)	NOT NULL	Yes	
TblCdsToolsUsed	Description	varchar(50)	NOT NULL		
TblCdsToolsUsed	RODate	datetime	NOT NULL		
TblCdsToolsUsed	ROOperator	int	NOT NULL		
TblCdsToolsUsed	LUDate	datetime	NOT NULL		
TblCdsToolsUsed	LUOperator	int	NOT NULL		
TblCdsToolsUsed	UpdateLock	int			
TblCdsToolsUsed	ObsoleteFlag	tinyint			
TblCdsToolsUsed	Code	varchar(4)	NOT NULL	Yes	
TblCdsTypeOfInsurance	Description	varchar(50)	NOT NULL		
TblCdsTypeOfInsurance	RODate	datetime	NOT NULL		
TblCdsTypeOfInsurance	ROOperator	int	NOT NULL		
TblCdsTypeOfInsurance	LUDate	datetime	NOT NULL		
TblCdsTypeOfInsurance	LUOperator	int	NOT NULL		
TblCdsTypeOfInsurance	UpdateLock	int			
TblCdsTypeOfInsurance	ObsoleteFlag	tinyint			
TblCdsTypeOfInsurance	Code	varchar(4)	NOT NULL	Yes	
TblCdsTypOfCase	Code	varchar(4)	NOT NULL	Yes	
TblCdsTypOfCase	Description	varchar(50)	NOT NULL		
TblCdsTypOfCase	InitiatingReport	varchar(8)			
TblCdsTypOfCase	RODate	datetime	NOT NULL		
TblCdsTypOfCase	ROOperator	int	NOT NULL		
TblCdsTypOfCase	LUDate	datetime	NOT NULL		
TblCdsTypOfCase	LUOperator	int	NOT NULL		
TblCdsTypOfCase	UpdateLock	int			
TblCdsTypOfCase	ObsoleteFlag	tinyint			
TblCdsTypOfCase	CaseNumber	varchar(40)			Yes
TblCdsTypOfCase	HideFromMyCasesDefault	varchar(1)			Yes
TblCdsTypOfCase	ReviewInterval	int			

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsTypOfCase	DefaultDissemination	varchar(4)			Yes
TblCdsTypOfCase	DefaultClosedDissemination	varchar(4)			Yes
TblCdsTypOfReport	Code	varchar(8)	NOT NULL	Yes	
TblCdsTypOfReport	Description	varchar(50)	NOT NULL		
TblCdsTypOfReport	MinimumReviews	int	NOT NULL		
TblCdsTypOfReport	RODate	datetime	NOT NULL		
TblCdsTypOfReport	ROOperator	int	NOT NULL		
TblCdsTypOfReport	LUDate	datetime	NOT NULL		
TblCdsTypOfReport	LUOperator	int	NOT NULL		
TblCdsTypOfReport	UpdateLock	int			
TblCdsTypOfReport	ObsoleteFlag	tinyint			
TblCdsTypOfReport	LogicCode	varchar(8)			
TblCdsTypOfReport	DefaultDissemination	varchar(4)			Yes
TblCdsTypOfReport	FilterValue	varchar(1)			Yes
TblCdsTypOfReport	NotifyLeadOnAdd	varchar(1)			
TblCdsTypOfReport	AllowSelfApproval	varchar(1)			
TblCdsTypOfReport	ApprovalNotification	varchar(1)			
TblCdsTypOfReport	TimeTyp	varchar(4)			
TblCdsTypOfReport	TimeActivity	varchar(4)			
TblCdsTypOfReport	ExpenseTyp	varchar(4)			
TblCdsTypOfReport	DefaultDateTime	varchar(4)			
TblCdsTypOfReport	PACaseStatus	varchar(4)			Yes
TblCdsTypOfReport	PACaseDisp	varchar(4)			Yes
TblCdsTypOfReport	ApprovalAcknowledgement	text			
TblCdsTypOfReport	IntelPurgeTyp	varchar(1)			
TblCdsTypOfReport	CopyReportContents	varchar(1)			
TblCdsTypOfReport	RequireOccurredAddress	varchar(1)			Yes
TblCdsTypOfReport	RequireCity	varchar(1)			Yes
TblCdsTypOfReport	RequireState	varchar(1)			Yes
TblCdsTypOfReport	RequireCounty	varchar(1)			Yes
TblCdsTypOfReport	RequireArea1	varchar(1)			Yes

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsTypOfReport	RequireArea2	varchar(1)			Yes
TblCdsTypOfReport	RequireArea3	varchar(1)			Yes
TblCdsTypOfReport	RequireArea4	varchar(1)			Yes
TblCdsTypOfReport	RequireArea5	varchar(1)			Yes
TblCdsTypOfReport	RequireArea6	varchar(1)			Yes
TblCdsTypOfReport	RequireArea7	varchar(1)			Yes
TblCdsTypOfReport	RequireArea8	varchar(1)			Yes
TblCdsTypOfReport	RequireArea9	varchar(1)			Yes
TblCdsTypOfReport	RequireArea10	varchar(1)			Yes
TblCdsTypOfReport	QuickEntryStyle	varchar(1)			
TblCdsTypOfReport	ReportSubjectRel	varchar(4)			Yes
TblCdsTypOfReport	ReportGangRel	varchar(4)			Yes
TblCdsTypOfReport	ReportEmployerRel	varchar(4)			Yes
TblCdsTypOfReport	ReportVehicleRel	varchar(4)			Yes
TblCdsTypOfReport	ReportOccurredAdr	varchar(4)			Yes
TblCdsTypOfReport	SubjectHomeAddressRel	varchar(4)			Yes
TblCdsTypOfReport	SubjectHomeTelephoneRel	varchar(4)			Yes
TblCdsTypOfReport	SubjectEmployerRel	varchar(4)			Yes
TblCdsTypOfReport	EmployerAddressRel	varchar(4)			Yes
TblCdsTypOfReport	EmployerTelephoneRel	varchar(4)			Yes
TblCdsTypOfReport	GangAgencyRel	varchar(4)			Yes
TblCdsTypOfReport	DriversLicenseIDType	varchar(4)			Yes
TblCdsTypOfReport	SocialSecurityIDType	varchar(4)			Yes
TblCdsTypOfReport	RequireSubmittedToPES	varchar(1)			Yes
TblCdsUCRADltJuv	Description	varchar(50)	NOT NULL		
TblCdsUCRADltJuv	RODate	datetime	NOT NULL		
TblCdsUCRADltJuv	ROOperator	int	NOT NULL		
TblCdsUCRADltJuv	LUDate	datetime	NOT NULL		
TblCdsUCRADltJuv	LUOperator	int	NOT NULL		
TblCdsUCRADltJuv	UpdateLock	int			
TblCdsUCRADltJuv	ObsoleteFlag	tinyint			

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsUCRADltJuv	Code	varchar(4)	NOT NULL	Yes	
TblCdsUCRClass	Code	varchar(6)	NOT NULL	Yes	
TblCdsUCRClass	Description	varchar(50)	NOT NULL		
TblCdsUCRClass	RODate	datetime	NOT NULL		
TblCdsUCRClass	ROOperator	int	NOT NULL		
TblCdsUCRClass	LUDate	datetime	NOT NULL		
TblCdsUCRClass	LUOperator	int	NOT NULL		
TblCdsUCRClass	UpdateLock	int			
TblCdsUCRClass	ObsoleteFlag	tinyint			
TblCdsUCRClass	Part	varchar(2)			
TblCdsUCRClass	Hierarchy	int			
TblCdsUCRClass	ArrestHierarchy	int			
TblCdsUCRClear	Description	varchar(50)	NOT NULL		
TblCdsUCRClear	RODate	datetime	NOT NULL		
TblCdsUCRClear	ROOperator	int	NOT NULL		
TblCdsUCRClear	LUDate	datetime	NOT NULL		
TblCdsUCRClear	LUOperator	int	NOT NULL		
TblCdsUCRClear	UpdateLock	int			
TblCdsUCRClear	ObsoleteFlag	tinyint			
TblCdsUCRClear	Code	varchar(4)	NOT NULL	Yes	
TblCdsUCRException	Description	varchar(50)	NOT NULL		
TblCdsUCRException	RODate	datetime	NOT NULL		
TblCdsUCRException	ROOperator	int	NOT NULL		
TblCdsUCRException	LUDate	datetime	NOT NULL		
TblCdsUCRException	LUOperator	int	NOT NULL		
TblCdsUCRException	UpdateLock	int			
TblCdsUCRException	ObsoleteFlag	tinyint			
TblCdsUCRException	Code	varchar(4)	NOT NULL	Yes	
TblCdsUCRVehSts	Description	varchar(50)	NOT NULL		
TblCdsUCRVehSts	RODate	datetime	NOT NULL		
TblCdsUCRVehSts	ROOperator	int	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsUCRVehSts	LUDate	datetime	NOT NULL		
TblCdsUCRVehSts	LUOperator	int	NOT NULL		
TblCdsUCRVehSts	UpdateLock	int			
TblCdsUCRVehSts	ObsoleteFlag	tinyint			
TblCdsUCRVehSts	Code	varchar(4)	NOT NULL	Yes	
TblCdsUnit	Description	varchar(50)	NOT NULL		
TblCdsUnit	RODate	datetime	NOT NULL		
TblCdsUnit	ROOperator	int	NOT NULL		
TblCdsUnit	LUDate	datetime	NOT NULL		
TblCdsUnit	LUOperator	int	NOT NULL		
TblCdsUnit	UpdateLock	int			
TblCdsUnit	ObsoleteFlag	tinyint			
TblCdsUnit	Code	varchar(4)	NOT NULL	Yes	
TblCdsUOFLOC	Description	varchar(50)	NOT NULL		
TblCdsUOFLOC	RODate	datetime	NOT NULL		
TblCdsUOFLOC	ROOperator	int	NOT NULL		
TblCdsUOFLOC	LUDate	datetime	NOT NULL		
TblCdsUOFLOC	LUOperator	int	NOT NULL		
TblCdsUOFLOC	UpdateLock	int			
TblCdsUOFLOC	ObsoleteFlag	tinyint			
TblCdsUOFLOC	Code	varchar(4)	NOT NULL	Yes	
TblCdsUOFLOR	Description	varchar(50)	NOT NULL		
TblCdsUOFLOR	RODate	datetime	NOT NULL		
TblCdsUOFLOR	ROOperator	int	NOT NULL		
TblCdsUOFLOR	LUDate	datetime	NOT NULL		
TblCdsUOFLOR	LUOperator	int	NOT NULL		
TblCdsUOFLOR	UpdateLock	int			
TblCdsUOFLOR	ObsoleteFlag	tinyint			
TblCdsUOFLOR	Code	varchar(4)	NOT NULL	Yes	
TblCdsUOFMed	Description	varchar(50)	NOT NULL		
TblCdsUOFMed	RODate	datetime	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsUOFMed	ROOperator	int	NOT NULL		
TblCdsUOFMed	LUDate	datetime	NOT NULL		
TblCdsUOFMed	LUOperator	int	NOT NULL		
TblCdsUOFMed	UpdateLock	int			
TblCdsUOFMed	ObsoleteFlag	tinyint			
TblCdsUOFMed	Code	varchar(4)	NOT NULL	Yes	
TblCdsUOFSC	Description	varchar(50)	NOT NULL		
TblCdsUOFSC	RODate	datetime	NOT NULL		
TblCdsUOFSC	ROOperator	int	NOT NULL		
TblCdsUOFSC	LUDate	datetime	NOT NULL		
TblCdsUOFSC	LUOperator	int	NOT NULL		
TblCdsUOFSC	UpdateLock	int			
TblCdsUOFSC	ObsoleteFlag	tinyint			
TblCdsUOFSC	Code	varchar(4)	NOT NULL	Yes	
TblCdsUOFWeapon	Description	varchar(50)	NOT NULL		
TblCdsUOFWeapon	RODate	datetime	NOT NULL		
TblCdsUOFWeapon	ROOperator	int	NOT NULL		
TblCdsUOFWeapon	LUDate	datetime	NOT NULL		
TblCdsUOFWeapon	LUOperator	int	NOT NULL		
TblCdsUOFWeapon	UpdateLock	int			
TblCdsUOFWeapon	ObsoleteFlag	tinyint			
TblCdsUOFWeapon	Code	varchar(4)	NOT NULL	Yes	
TblCdsVehColor	Description	varchar(50)	NOT NULL		
TblCdsVehColor	RODate	datetime	NOT NULL		
TblCdsVehColor	ROOperator	int	NOT NULL		
TblCdsVehColor	LUDate	datetime	NOT NULL		
TblCdsVehColor	LUOperator	int	NOT NULL		
TblCdsVehColor	UpdateLock	int			
TblCdsVehColor	ObsoleteFlag	tinyint			
TblCdsVehColor	Code	varchar(4)	NOT NULL	Yes	
TblCdsVehConcealmentTyp	Description	varchar(50)	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsVehConcealmentTyp	RODate	datetime	NOT NULL		
TblCdsVehConcealmentTyp	ROOperator	int	NOT NULL		
TblCdsVehConcealmentTyp	LUDate	datetime	NOT NULL		
TblCdsVehConcealmentTyp	LUOperator	int	NOT NULL		
TblCdsVehConcealmentTyp	UpdateLock	int			
TblCdsVehConcealmentTyp	ObsoleteFlag	tinyint			
TblCdsVehConcealmentTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsVehDamage	Description	varchar(50)	NOT NULL		
TblCdsVehDamage	RODate	datetime	NOT NULL		
TblCdsVehDamage	ROOperator	int	NOT NULL		
TblCdsVehDamage	LUDate	datetime	NOT NULL		
TblCdsVehDamage	LUOperator	int	NOT NULL		
TblCdsVehDamage	UpdateLock	int			
TblCdsVehDamage	ObsoleteFlag	tinyint			
TblCdsVehDamage	Code	varchar(4)	NOT NULL	Yes	
TblCdsVehLoc	Description	varchar(50)	NOT NULL		
TblCdsVehLoc	RODate	datetime	NOT NULL		
TblCdsVehLoc	ROOperator	int	NOT NULL		
TblCdsVehLoc	LUDate	datetime	NOT NULL		
TblCdsVehLoc	LUOperator	int	NOT NULL		
TblCdsVehLoc	UpdateLock	int			
TblCdsVehLoc	ObsoleteFlag	tinyint			
TblCdsVehLoc	Code	varchar(4)	NOT NULL	Yes	
TblCdsVehMake	Code	varchar(4)	NOT NULL	Yes	
TblCdsVehMake	Description	varchar(50)	NOT NULL		
TblCdsVehMake	RODate	datetime	NOT NULL		
TblCdsVehMake	ROOperator	int	NOT NULL		
TblCdsVehMake	LUDate	datetime	NOT NULL		
TblCdsVehMake	LUOperator	int	NOT NULL		
TblCdsVehMake	UpdateLock	int			
TblCdsVehMake	ObsoleteFlag	tinyint			

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsVehMake	VehicleType	varchar(4)			Yes
TblCdsVehModel	Code	varchar(4)	NOT NULL	Yes	
TblCdsVehModel	Description	varchar(50)	NOT NULL		
TblCdsVehModel	FilterValue	varchar(4)			
TblCdsVehModel	RODate	datetime	NOT NULL		
TblCdsVehModel	ROOperator	int	NOT NULL		
TblCdsVehModel	LUDate	datetime	NOT NULL		
TblCdsVehModel	LUOperator	int	NOT NULL		
TblCdsVehModel	UpdateLock	int			
TblCdsVehModel	ObsoleteFlag	tinyint			
TblCdsVehRcr	Description	varchar(50)	NOT NULL		
TblCdsVehRcr	RODate	datetime	NOT NULL		
TblCdsVehRcr	ROOperator	int	NOT NULL		
TblCdsVehRcr	LUDate	datetime	NOT NULL		
TblCdsVehRcr	LUOperator	int	NOT NULL		
TblCdsVehRcr	UpdateLock	int			
TblCdsVehRcr	ObsoleteFlag	tinyint			
TblCdsVehRcr	Code	varchar(4)	NOT NULL	Yes	
TblCdsVehRecDamage	Description	varchar(50)	NOT NULL		
TblCdsVehRecDamage	RODate	datetime	NOT NULL		
TblCdsVehRecDamage	ROOperator	int	NOT NULL		
TblCdsVehRecDamage	LUDate	datetime	NOT NULL		
TblCdsVehRecDamage	LUOperator	int	NOT NULL		
TblCdsVehRecDamage	UpdateLock	int			
TblCdsVehRecDamage	ObsoleteFlag	tinyint			
TblCdsVehRecDamage	Code	varchar(4)	NOT NULL	Yes	
TblCdsVehStyle	Code	varchar(4)	NOT NULL	Yes	
TblCdsVehStyle	Description	varchar(50)	NOT NULL		
TblCdsVehStyle	RODate	datetime	NOT NULL		
TblCdsVehStyle	ROOperator	int	NOT NULL		
TblCdsVehStyle	LUDate	datetime	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsVehStyle	LUOperator	int	NOT NULL		
TblCdsVehStyle	UpdateLock	int			
TblCdsVehStyle	ObsoleteFlag	tinyint			
TblCdsVehStyle	VehicleType	varchar(4)			Yes
TblCdsVehSubRel	Description	varchar(50)	NOT NULL		
TblCdsVehSubRel	RODate	datetime	NOT NULL		
TblCdsVehSubRel	ROOperator	int	NOT NULL		
TblCdsVehSubRel	LUDate	datetime	NOT NULL		
TblCdsVehSubRel	LUOperator	int	NOT NULL		
TblCdsVehSubRel	UpdateLock	int			
TblCdsVehSubRel	ObsoleteFlag	tinyint			
TblCdsVehSubRel	Code	varchar(4)	NOT NULL	Yes	
TblCdsVehTagTyp	Description	varchar(50)	NOT NULL		
TblCdsVehTagTyp	RODate	datetime	NOT NULL		
TblCdsVehTagTyp	ROOperator	int	NOT NULL		
TblCdsVehTagTyp	LUDate	datetime	NOT NULL		
TblCdsVehTagTyp	LUOperator	int	NOT NULL		
TblCdsVehTagTyp	UpdateLock	int			
TblCdsVehTagTyp	ObsoleteFlag	tinyint			
TblCdsVehTagTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsVehTrailerTyp	Description	varchar(50)	NOT NULL		
TblCdsVehTrailerTyp	RODate	datetime	NOT NULL		
TblCdsVehTrailerTyp	ROOperator	int	NOT NULL		
TblCdsVehTrailerTyp	LUDate	datetime	NOT NULL		
TblCdsVehTrailerTyp	LUOperator	int	NOT NULL		
TblCdsVehTrailerTyp	UpdateLock	int			
TblCdsVehTrailerTyp	ObsoleteFlag	tinyint			
TblCdsVehTrailerTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsVehTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsVehTyp	Description	varchar(50)	NOT NULL		
TblCdsVehTyp	RODate	datetime	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsVehTyp	ROOperator	int	NOT NULL		
TblCdsVehTyp	LUDate	datetime	NOT NULL		
TblCdsVehTyp	LUOperator	int	NOT NULL		
TblCdsVehTyp	UpdateLock	int			
TblCdsVehTyp	ObsoleteFlag	tinyint			
TblCdsVehTyp	LogicCode	varchar(4)			
TblCdsVehUse	Description	varchar(50)	NOT NULL		
TblCdsVehUse	RODate	datetime	NOT NULL		
TblCdsVehUse	ROOperator	int	NOT NULL		
TblCdsVehUse	LUDate	datetime	NOT NULL		
TblCdsVehUse	LUOperator	int	NOT NULL		
TblCdsVehUse	UpdateLock	int			
TblCdsVehUse	ObsoleteFlag	tinyint			
TblCdsVehUse	Code	varchar(4)	NOT NULL	Yes	
TblCdsVehUseBySus	Description	varchar(50)	NOT NULL		
TblCdsVehUseBySus	RODate	datetime	NOT NULL		
TblCdsVehUseBySus	ROOperator	int	NOT NULL		
TblCdsVehUseBySus	LUDate	datetime	NOT NULL		
TblCdsVehUseBySus	LUOperator	int	NOT NULL		
TblCdsVehUseBySus	UpdateLock	int			
TblCdsVehUseBySus	ObsoleteFlag	tinyint			
TblCdsVehUseBySus	Code	varchar(4)	NOT NULL	Yes	
TblCdsVehUsedBy	Description	varchar(50)	NOT NULL		
TblCdsVehUsedBy	RODate	datetime	NOT NULL		
TblCdsVehUsedBy	ROOperator	int	NOT NULL		
TblCdsVehUsedBy	LUDate	datetime	NOT NULL		
TblCdsVehUsedBy	LUOperator	int	NOT NULL		
TblCdsVehUsedBy	UpdateLock	int			
TblCdsVehUsedBy	ObsoleteFlag	tinyint			
TblCdsVehUsedBy	Code	varchar(4)	NOT NULL	Yes	
TblCdsVerdict	Description	varchar(50)	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsVerdict	RODate	datetime	NOT NULL		
TblCdsVerdict	ROOperator	int	NOT NULL		
TblCdsVerdict	LUDate	datetime	NOT NULL		
TblCdsVerdict	LUOperator	int	NOT NULL		
TblCdsVerdict	UpdateLock	int			
TblCdsVerdict	ObsoleteFlag	tinyint			
TblCdsVerdict	Code	varchar(4)	NOT NULL	Yes	
TblCdsVesCat	Description	varchar(50)	NOT NULL		
TblCdsVesCat	RODate	datetime	NOT NULL		
TblCdsVesCat	ROOperator	int	NOT NULL		
TblCdsVesCat	LUDate	datetime	NOT NULL		
TblCdsVesCat	LUOperator	int	NOT NULL		
TblCdsVesCat	UpdateLock	int			
TblCdsVesCat	ObsoleteFlag	tinyint			
TblCdsVesCat	Code	varchar(4)	NOT NULL	Yes	
TblCdsVesFuel	Description	varchar(50)	NOT NULL		
TblCdsVesFuel	RODate	datetime	NOT NULL		
TblCdsVesFuel	ROOperator	int	NOT NULL		
TblCdsVesFuel	LUDate	datetime	NOT NULL		
TblCdsVesFuel	LUOperator	int	NOT NULL		
TblCdsVesFuel	UpdateLock	int			
TblCdsVesFuel	ObsoleteFlag	tinyint			
TblCdsVesFuel	Code	varchar(4)	NOT NULL	Yes	
TblCdsVesHullMat	Description	varchar(50)	NOT NULL		
TblCdsVesHullMat	RODate	datetime	NOT NULL		
TblCdsVesHullMat	ROOperator	int	NOT NULL		
TblCdsVesHullMat	LUDate	datetime	NOT NULL		
TblCdsVesHullMat	LUOperator	int	NOT NULL		
TblCdsVesHullMat	UpdateLock	int			
TblCdsVesHullMat	ObsoleteFlag	tinyint			
TblCdsVesHullMat	Code	varchar(4)	NOT NULL	Yes	

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsVesPropul	Description	varchar(50)	NOT NULL		
TblCdsVesPropul	RODate	datetime	NOT NULL		
TblCdsVesPropul	ROOperator	int	NOT NULL		
TblCdsVesPropul	LUDate	datetime	NOT NULL		
TblCdsVesPropul	LUOperator	int	NOT NULL		
TblCdsVesPropul	UpdateLock	int			
TblCdsVesPropul	ObsoleteFlag	tinyint			
TblCdsVesPropul	Code	varchar(4)	NOT NULL	Yes	
TblCdsVesTyp	Description	varchar(50)	NOT NULL		
TblCdsVesTyp	RODate	datetime	NOT NULL		
TblCdsVesTyp	ROOperator	int	NOT NULL		
TblCdsVesTyp	LUDate	datetime	NOT NULL		
TblCdsVesTyp	LUOperator	int	NOT NULL		
TblCdsVesTyp	UpdateLock	int			
TblCdsVesTyp	ObsoleteFlag	tinyint			
TblCdsVesTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsVicArstRel	Description	varchar(50)	NOT NULL		
TblCdsVicArstRel	RODate	datetime	NOT NULL		
TblCdsVicArstRel	ROOperator	int	NOT NULL		
TblCdsVicArstRel	LUDate	datetime	NOT NULL		
TblCdsVicArstRel	LUOperator	int	NOT NULL		
TblCdsVicArstRel	UpdateLock	int			
TblCdsVicArstRel	ObsoleteFlag	tinyint			
TblCdsVicArstRel	Code	varchar(4)	NOT NULL	Yes	
TblCdsVicInjuryTyp	Description	varchar(50)	NOT NULL		
TblCdsVicInjuryTyp	RODate	datetime	NOT NULL		
TblCdsVicInjuryTyp	ROOperator	int	NOT NULL		
TblCdsVicInjuryTyp	LUDate	datetime	NOT NULL		
TblCdsVicInjuryTyp	LUOperator	int	NOT NULL		
TblCdsVicInjuryTyp	UpdateLock	int			
TblCdsVicInjuryTyp	ObsoleteFlag	tinyint			

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsVicInjuryTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsVicOfdrRel	Description	varchar(50)	NOT NULL		
TblCdsVicOfdrRel	RODate	datetime	NOT NULL		
TblCdsVicOfdrRel	ROOperator	int	NOT NULL		
TblCdsVicOfdrRel	LUDate	datetime	NOT NULL		
TblCdsVicOfdrRel	LUOperator	int	NOT NULL		
TblCdsVicOfdrRel	UpdateLock	int			
TblCdsVicOfdrRel	ObsoleteFlag	tinyint			
TblCdsVicOfdrRel	Code	varchar(4)	NOT NULL	Yes	
TblCdsVicTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsVicTyp	Description	varchar(50)	NOT NULL		
TblCdsVicTyp	LogicCode	varchar(8)			
TblCdsVicTyp	RODate	datetime	NOT NULL		
TblCdsVicTyp	ROOperator	int	NOT NULL		
TblCdsVicTyp	LUDate	datetime	NOT NULL		
TblCdsVicTyp	LUOperator	int	NOT NULL		
TblCdsVicTyp	UpdateLock	int			
TblCdsVicTyp	ObsoleteFlag	tinyint			
TblCdsWeather	Description	varchar(50)	NOT NULL		
TblCdsWeather	RODate	datetime	NOT NULL		
TblCdsWeather	ROOperator	int	NOT NULL		
TblCdsWeather	LUDate	datetime	NOT NULL		
TblCdsWeather	LUOperator	int	NOT NULL		
TblCdsWeather	UpdateLock	int			
TblCdsWeather	ObsoleteFlag	tinyint			
TblCdsWeather	Code	varchar(4)	NOT NULL	Yes	
TblCdsWepSeized	Description	varchar(50)	NOT NULL		
TblCdsWepSeized	RODate	datetime	NOT NULL		
TblCdsWepSeized	ROOperator	int	NOT NULL		
TblCdsWepSeized	LUDate	datetime	NOT NULL		
TblCdsWepSeized	LUOperator	int	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsWepSeized	UpdateLock	int			
TblCdsWepSeized	ObsoleteFlag	tinyint			
TblCdsWepSeized	Code	varchar(4)	NOT NULL	Yes	
TblCdsWepSubTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsWepSubTyp	Description	varchar(50)	NOT NULL		
TblCdsWepSubTyp	PropertyType	varchar(4)			Yes
TblCdsWepSubTyp	WeaponType	varchar(4)			Yes
TblCdsWepSubTyp	RODate	datetime	NOT NULL		
TblCdsWepSubTyp	ROOperator	int	NOT NULL		
TblCdsWepSubTyp	LUDate	datetime	NOT NULL		
TblCdsWepSubTyp	LUOperator	int	NOT NULL		
TblCdsWepSubTyp	UpdateLock	int			
TblCdsWepSubTyp	ObsoleteFlag	tinyint			
TblCdsWepTyp	Description	varchar(50)	NOT NULL		
TblCdsWepTyp	RODate	datetime	NOT NULL		
TblCdsWepTyp	ROOperator	int	NOT NULL		
TblCdsWepTyp	LUDate	datetime	NOT NULL		
TblCdsWepTyp	LUOperator	int	NOT NULL		
TblCdsWepTyp	UpdateLock	int			
TblCdsWepTyp	ObsoleteFlag	tinyint			
TblCdsWepTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsWingStyle	Description	varchar(50)	NOT NULL		
TblCdsWingStyle	RODate	datetime	NOT NULL		
TblCdsWingStyle	ROOperator	int	NOT NULL		
TblCdsWingStyle	LUDate	datetime	NOT NULL		
TblCdsWingStyle	LUOperator	int	NOT NULL		
TblCdsWingStyle	UpdateLock	int			
TblCdsWingStyle	ObsoleteFlag	tinyint			
TblCdsWingStyle	Code	varchar(4)	NOT NULL	Yes	
TblCdsYesNo	Code	varchar(1)	NOT NULL	Yes	
TblCdsYesNo	Description	varchar(50)	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCdsYesNo	RODate	datetime	NOT NULL		
TblCdsYesNo	ROOperator	int	NOT NULL		
TblCdsYesNo	LUDate	datetime	NOT NULL		
TblCdsYesNo	LUOperator	int	NOT NULL		
TblCdsYesNo	UpdateLock	int			
TblCdsYesNo	ObsoleteFlag	tinyint			
TblCdsYesNo	LogicCode	varchar(1)			
TblCdsYesNoOnly	Code	varchar(1)	NOT NULL	Yes	
TblCdsYesNoOnly	Description	varchar(50)	NOT NULL		
TblCdsYesNoOnly	RODate	datetime	NOT NULL		
TblCdsYesNoOnly	ROOperator	int	NOT NULL		
TblCdsYesNoOnly	LUDate	datetime	NOT NULL		
TblCdsYesNoOnly	LUOperator	int	NOT NULL		
TblCdsYesNoOnly	UpdateLock	int			
TblCdsYesNoOnly	ObsoleteFlag	tinyint			
TblCdsYesNoOnly	LogicCode	varchar(1)			
TblCdsZoneArea	Description	varchar(50)	NOT NULL		
TblCdsZoneArea	RODate	datetime	NOT NULL		
TblCdsZoneArea	ROOperator	int	NOT NULL		
TblCdsZoneArea	LUDate	datetime	NOT NULL		
TblCdsZoneArea	LUOperator	int	NOT NULL		
TblCdsZoneArea	UpdateLock	int			
TblCdsZoneArea	ObsoleteFlag	tinyint			
TblCdsZoneArea	Code	varchar(4)	NOT NULL	Yes	
TblCitation	CitationID	int	NOT NULL	Yes	
TblCitation	SupID	int	NOT NULL		Yes
TblCitation	CitationNumber	varchar(15)			
TblCitation	CitationDateTime	datetime			
TblCitation	CitationType	varchar(4)			Yes
TblCitation	Violator	int			Yes
TblCitation	Location	int			Yes

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCitation	Vehicle	int			Yes
TblCitation	Trailer	int			Yes
TblCitation	CitationLEO	int			Yes
TblCitation	SecLev2	varchar(10)			Yes
TblCitation	SecLev3	varchar(10)			Yes
TblCitation	SecLev4	varchar(10)			Yes
TblCitation	SecLev5	varchar(10)			Yes
TblCitation	SecLev6	varchar(10)			Yes
TblCitation	SecLev7	varchar(10)			Yes
TblCitation	SecLev8	varchar(10)			Yes
TblCitation	CompanionCitations	varchar(1)			Yes
TblCitation	OffenseComments	varchar(50)			
TblCitation	Offense	varchar(25)			Yes
TblCitation	OffenseOrdinance	varchar(20)			
TblCitation	UnlawfulSpeed	int			
TblCitation	ApplicableSpeed	int			
TblCitation	BreathBloodAlc	decimal(10,4)			
TblCitation	BreathBloodAlc2	decimal(10,4)			
TblCitation	BreathBloodAlc3	decimal(10,4)			
TblCitation	Crash	varchar(1)			Yes
TblCitation	CausedAccident	varchar(1)			Yes
TblCitation	ExtentOfInjury	varchar(4)			Yes
TblCitation	PropertyDamageValue	money			
TblCitation	Arrest	varchar(1)			Yes
TblCitation	CourtName	varchar(4)			Yes
TblCitation	CourtAppearance	varchar(4)			Yes
TblCitation	CourtCopies	varchar(1)			Yes
TblCitation	CourtRemarks	varchar(50)			
TblCitation	BreathTestRefused	varchar(1)			Yes
TblCitation	DrugInfluence	varchar(1)			
TblCitation	Comments	text			

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblCitation	RODate	datetime	NOT NULL		
TblCitation	ROOperator	int	NOT NULL		
TblCitation	LUDate	datetime	NOT NULL		
TblCitation	LUOperator	int	NOT NULL		
TblCitation	AggressiveDriver	varchar(1)			Yes
TblCitation	UpdateLock	uniqueidentifier			
TblCitationDocLog	CitationID	int	NOT NULL		
TblCitationDocLog	Description	varchar(60)			
TblCitationDocLog	ActionType	varchar(4)	NOT NULL		
TblCitationDocLog	ActionDate	datetime	NOT NULL		
TblCitationDocLog	ActionOperator	int	NOT NULL		
TblCitationDocLog	CitationDocLogID	int	NOT NULL	Yes	
TblCitationWarningMv	CitationID	int	NOT NULL		Yes
TblCitationWarningMv	Warning	varchar(4)			Yes
TblCitationWarningMv	Comments	varchar(50)	NOT NULL		
TblCitationWarningMv	RODate	datetime	NOT NULL		
TblCitationWarningMv	ROOperator	int	NOT NULL		
TblCitationWarningMv	LUDate	datetime	NOT NULL		
TblCitationWarningMv	LUOperator	int	NOT NULL		
TblCitationWarningMv	CitationWarningMvID	int	NOT NULL	Yes	
TblDNRCall	DNRCallID	int	NOT NULL	Yes	
TblDNRCall	DNRControlID	int	NOT NULL		Yes
TblDNRCall	NumberCalled	int			Yes
TblDNRCall	CalledFromNumber	int			Yes
TblDNRCall	CallType	varchar(4)			Yes
TblDNRCall	StartDateTime	datetime			
TblDNRCall	StopDateTime	datetime			
TblDNRCall	DurationOfCall	int			
TblDNRCall	CallNumber	int			
TblDNRCall	LineBusyFlag	varchar(1)			Yes
TblDNRCall	NumberOfRings	int			

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TbIDNRCall	Messages	varchar(100)			
TbIDNRCall	Reference	varchar(15)			
TbIDNRCall	LongDistance	varchar(1)			Yes
TbIDNRCall	TouchTone	varchar(1)			Yes
TbIDNRCall	DigitsDialed	varchar(100)			
TbIDNRCall	IncomingAnswered	varchar(1)			Yes
TbIDNRCall	SourceOfRecord	varchar(4)			Yes
TbIDNRCall	Remarks	varchar(100)			
TbIDNRCall	Misdial	varchar(1)			Yes
TbIDNRCall	Alarm	varchar(1)			Yes
TbIDNRCall	CallWaiting	varchar(1)			Yes
TbIDNRCall	AudioOn	int			
TbIDNRCall	AudioOff	int			
TbIDNRCall	RecorderTone	varchar(1)			Yes
TbIDNRCall	RecordingAborted	varchar(1)			Yes
TbIDNRCall	RoamingCelluar	varchar(1)			Yes
TbIDNRCall	StartTower	varchar(50)			
TbIDNRCall	EndTower	varchar(50)			
TbIDNRCall	WireCall	varchar(1)	NOT NULL		Yes
TbIDNRCall	Transcript	image			
TbIDNRCall	TranscriptTxt	text			
TbIDNRCall	PertinentCall	varchar(1)			Yes
TbIDNRCall	PertinentCallNo	int			
TbIDNRCall	MinimizedCall	varchar(1)			Yes
TbIDNRCall	ListeningOfficer1ID	int			Yes
TbIDNRCall	ListeningOfficer2ID	int			Yes
TbIDNRCall	PageNumber	int			
TbIDNRCall	TapeNumber	int			
TbIDNRCall	FootageStart	int			
TbIDNRCall	FootageStop	int			
TbIDNRCall	Synopsis	text			

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TbIDNRCall	RODate	datetime			
TbIDNRCall	ROOperator	int			Yes
TbIDNRCall	LUDate	datetime			
TbIDNRCall	LUOperator	int			Yes
TbIDNRCall	PrivilegedCall	varchar(1)			Yes
TbIDNRCall	UpdateLock	uniqueidentifier			
TbIDNRCallDocLog	DNRCallID	int	NOT NULL		
TbIDNRCallDocLog	Description	varchar(50)			
TbIDNRCallDocLog	ActionType	varchar(4)	NOT NULL		
TbIDNRCallDocLog	ActionDate	datetime	NOT NULL		
TbIDNRCallDocLog	ActionOperator	int	NOT NULL		
TbIDNRCallDocLog	DNRCallDocLogID	int	NOT NULL	Yes	
TbIDNRCallRelObjFile	DNRCallRelObjFileID	int	NOT NULL	Yes	
TbIDNRCallRelObjFile	DNRCallID	int	NOT NULL		Yes
TbIDNRCallRelObjFile	FileName	varchar(200)	NOT NULL		
TbIDNRCallRelObjFile	MimeType	varchar(200)	NOT NULL		
TbIDNRCallRelObjFile	Description	varchar(100)	NOT NULL		
TbIDNRCallRelObjFile	BinaryData	image			
TbIDNRCallRelObjFile	BinaryData2	image			
TbIDNRCallRelObjFile	DisplayCode	tinyint			
TbIDNRCallRelObjFile	RODate	datetime	NOT NULL		
TbIDNRCallRelObjFile	ROOperator	int	NOT NULL		Yes
TbIDNRCallRelObjFile	LUDate	datetime	NOT NULL		
TbIDNRCallRelObjFile	LUOperator	int	NOT NULL		Yes
TbIDNRCallRelObjFile	BinaryDataBytes	int			
TbIDNRCallRelObjFile	TextData	text			
TbIDNRCallSubLk	DNRCallID	int	NOT NULL		Yes
TbIDNRCallSubLk	SubID	int	NOT NULL		Yes
TbIDNRCallSubLk	Relationship	varchar(4)			Yes
TbIDNRCallSubLk	RODate	datetime	NOT NULL		
TbIDNRCallSubLk	ROOperator	int	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TbIDNRCallSubLk	LUDate	datetime	NOT NULL		
TbIDNRCallSubLk	LUOperator	int	NOT NULL		
TbIDNRCallSubLk	DNRCallSubLkID	int	NOT NULL	Yes	
TbIDNRControl	DNRControlID	int	NOT NULL	Yes	
TbIDNRControl	RefNum	varchar(50)	NOT NULL		
TbIDNRControl	CaseID	int	NOT NULL		Yes
TbIDNRControl	TargetTelephone	int	NOT NULL		Yes
TbIDNRControl	StartDate	datetime			
TbIDNRControl	StopDate	datetime			
TbIDNRControl	RequestingOfficer	int			Yes
TbIDNRControl	ApprovalJudge	varchar(50)			
TbIDNRControl	AreaCode	varchar(3)			
TbIDNRControl	Comment	varchar(50)			
TbIDNRControl	WireApprovalJudge	varchar(50)			
TbIDNRControl	WireStartDate	datetime			
TbIDNRControl	WireStopDate	datetime			
TbIDNRControl	WireCallDefault	varchar(1)	NOT NULL		Yes
TbIDNRControl	RODate	datetime			
TbIDNRControl	ROOperator	int			
TbIDNRControl	LUDate	datetime			
TbIDNRControl	LUOperator	int			
TbIDNRControl	UpdateLock	uniqueidentifier			
TbIDNRControlDocLog	DNRControlID	int	NOT NULL		
TbIDNRControlDocLog	Description	varchar(50)			
TbIDNRControlDocLog	ActionType	varchar(4)	NOT NULL		
TbIDNRControlDocLog	ActionDate	datetime	NOT NULL		
TbIDNRControlDocLog	ActionOperator	int	NOT NULL		
TbIDNRControlDocLog	DNRControlDocLogID	int	NOT NULL	Yes	
TbIDNRControlExtMv	DNRControlID	int	NOT NULL		Yes
TbIDNRControlExtMv	StopDate	datetime	NOT NULL		
TbIDNRControlExtMv	Comment	varchar(100)	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TbIDNRControlExtMv	RODate	datetime	NOT NULL		
TbIDNRControlExtMv	ROOperator	int	NOT NULL		
TbIDNRControlExtMv	LUDate	datetime	NOT NULL		
TbIDNRControlExtMv	LUOperator	int	NOT NULL		
TbIDNRControlExtMv	DNRControlExtMvID	int	NOT NULL	Yes	
TbIDNRControlWireExtMv	DNRControlID	int	NOT NULL		Yes
TbIDNRControlWireExtMv	StopDate	datetime	NOT NULL		
TbIDNRControlWireExtMv	Comment	varchar(100)	NOT NULL		
TbIDNRControlWireExtMv	RODate	datetime	NOT NULL		
TbIDNRControlWireExtMv	ROOperator	int	NOT NULL		
TbIDNRControlWireExtMv	LUDate	datetime	NOT NULL		
TbIDNRControlWireExtMv	LUOperator	int	NOT NULL		
TbIDNRControlWireExtMv	DNRControlWireExtMvID	int	NOT NULL	Yes	
TbIDNRListener	Status	varchar(1000)			
TbIDNRListener	LUDate	datetime			
TbIDNRListener	DNRListenerID	varchar(50)	NOT NULL	Yes	
TblExpAccount	Name	varchar(50)	NOT NULL		
TblExpAccount	RODate	datetime	NOT NULL		
TblExpAccount	ROOperator	int	NOT NULL		
TblExpAccount	LUDate	datetime	NOT NULL		
TblExpAccount	LUOperator	int	NOT NULL		
TblExpAccount	Prefix	varchar(10)			
TblExpAccount	UpdateLock	uniqueidentifier			
TblExpAccount	ExpAccountID	int	NOT NULL	Yes	
TblExpAccountSecLevMv	ExpAccountSecLevMvID	int	NOT NULL	Yes	
TblExpAccountSecLevMv	ExpAccountID	int	NOT NULL		Yes
TblExpAccountSecLevMv	SecLev8	varchar(10)			Yes
TblExpAccountSecLevMv	SecLev7	varchar(10)			Yes
TblExpAccountSecLevMv	SecLev6	varchar(10)			Yes
TblExpAccountSecLevMv	SecLev5	varchar(10)			Yes
TblExpAccountSecLevMv	SecLev4	varchar(10)			Yes

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblExpAccountSecLevMv	SecLev3	varchar(10)			Yes
TblExpAccountSecLevMv	SecLev2	varchar(10)			Yes
TblExpAccountSecLevMv	AccountOperID	int			Yes
TblExpAccountSecLevMv	RODate	datetime	NOT NULL		
TblExpAccountSecLevMv	ROOperator	int	NOT NULL		
TblExpAccountSecLevMv	LUDate	datetime	NOT NULL		
TblExpAccountSecLevMv	LUOperator	int	NOT NULL		
TblExpBatch	ExpBatchID	int	NOT NULL	Yes	
TblExpBatch	BatchStatus	varchar(4)			
TblExpBatch	SecLev2	varchar(10)			Yes
TblExpBatch	SecLev3	varchar(10)			Yes
TblExpBatch	SecLev4	varchar(10)			Yes
TblExpBatch	SecLev5	varchar(10)			Yes
TblExpBatch	SecLev6	varchar(10)			Yes
TblExpBatch	SecLev7	varchar(10)			Yes
TblExpBatch	SecLev8	varchar(10)			Yes
TblExpBatch	EndDate	datetime			
TblExpBatch	RODate	datetime	NOT NULL		
TblExpBatch	ROOperator	int	NOT NULL		Yes
TblExpBatch	LUDate	datetime	NOT NULL		
TblExpBatch	LUOperator	int	NOT NULL		Yes
TblExpBatch	ExpAccountID	int			Yes
TblExpTrans	ExpTransID	int	NOT NULL	Yes	
TblExpTrans	ExpTransNumber	varchar(20)			
TblExpTrans	ExpTransDateTime	datetime			
TblExpTrans	ExpTransType	varchar(4)			
TblExpTrans	ExpTransSupervisor	int			Yes
TblExpTrans	ExpTransAmount	money			
TblExpTrans	SecLev2	varchar(10)			Yes
TblExpTrans	SecLev3	varchar(10)			Yes
TblExpTrans	SecLev4	varchar(10)			Yes

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblExpTrans	SecLev5	varchar(10)			Yes
TblExpTrans	SecLev6	varchar(10)			Yes
TblExpTrans	SecLev7	varchar(10)			Yes
TblExpTrans	SecLev8	varchar(10)			Yes
TblExpTrans	ToOperID	int			Yes
TblExpTrans	FromOperID	int			Yes
TblExpTrans	Comments	text			
TblExpTrans	ExpensePostedFlag	varchar(1)			
TblExpTrans	RODate	datetime	NOT NULL		
TblExpTrans	ROOperator	int	NOT NULL		
TblExpTrans	LUDate	datetime	NOT NULL		
TblExpTrans	LUOperator	int	NOT NULL		
TblExpTrans	ExpBatchID	int			Yes
TblExpTrans	ExpAccountID	int			Yes
TblExpTrans	UpdateLock	uniqueidentifier			
TblFin	FinID	int	NOT NULL	Yes	
TblFin	IssuedName	varchar(50)			
TblFin	Fin	varchar(25)	NOT NULL		
TblFin	FinTyp	varchar(4)			Yes
TblFin	ExpirationDate	varchar(10)			
TblFin	BankCodeNumber	varchar(4)			
TblFin	RODate	datetime	NOT NULL		
TblFin	ROOperator	int	NOT NULL		
TblFin	LUDate	datetime	NOT NULL		
TblFin	LUOperator	int	NOT NULL		
TblFin	Description	varchar(25)			
TblFin	FinHostId	varchar(10)			
TblFin	Value	money			
TblFin	Comments	text			
TblFin	UpdateLock	uniqueidentifier			
TblFin	ReadOnly	tinyint			

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblFin	HiddenFlag	varchar(1)			
TblFin	Caution	varchar(50)			
TblFin	DisclosureExempt	varchar(1)			Yes
TblFin	DisclosureExpiration	datetime			
TblFinDocLog	Fin	varchar(25)			
TblFinDocLog	ActionType	varchar(4)	NOT NULL		
TblFinDocLog	ActionDate	datetime	NOT NULL		
TblFinDocLog	ActionOperator	int	NOT NULL		
TblFinDocLog	FinID	int	NOT NULL		
TblFinInterface	FinID	int	NOT NULL	Yes	Yes
TblFinInterface	InterfaceID	int	NOT NULL	Yes	Yes
TblFinInterface	RemoteID	varchar(1000)			
TblFinInterface	RemoteDescription	varchar(1000)			
TblFinInterface	RODate	datetime	NOT NULL		
TblFinInterface	ROOperator	int	NOT NULL		
TblFinInterface	LUDate	datetime	NOT NULL		
TblFinInterface	LUOperator	int	NOT NULL		
TblFinInterface	RemoteBinary	image			
TblFinMergeBatch	BatchStatus	varchar(4)			
TblFinMergeBatch	MinConfidence	smallint			
TblFinMergeBatch	RODate	datetime	NOT NULL		
TblFinMergeBatch	ROOperator	int	NOT NULL		
TblFinMergeBatch	LUDate	datetime	NOT NULL		
TblFinMergeBatch	LUOperator	int	NOT NULL		
TblFinMergeBatch	UpdateLock	uniqueidentifier			
TblFinMergeBatch	FinMergeBatchID	int	NOT NULL	Yes	
TblFinMergeBatchItem	FinMergeBatchID	int	NOT NULL		Yes
TblFinMergeBatchItem	FinID	int	NOT NULL		Yes
TblFinMergeBatchItem	GroupNumber	int	NOT NULL		
TblFinMergeBatchItem	Action	varchar(4)	NOT NULL		
TblFinMergeBatchItem	FinMergeBatchItemID	int	NOT NULL	Yes	

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblFinRelObjFile	FinRelObjFileID	int	NOT NULL	Yes	
TblFinRelObjFile	FinID	int	NOT NULL		Yes
TblFinRelObjFile	FileName	varchar(200)	NOT NULL		
TblFinRelObjFile	MimeType	varchar(200)	NOT NULL		
TblFinRelObjFile	Description	varchar(100)	NOT NULL		
TblFinRelObjFile	BinaryData	image			
TblFinRelObjFile	BinaryData2	image			
TblFinRelObjFile	DisplayCode	tinyint			
TblFinRelObjFile	RODate	datetime	NOT NULL		
TblFinRelObjFile	ROOperator	int	NOT NULL		
TblFinRelObjFile	LUDate	datetime	NOT NULL		
TblFinRelObjFile	LUOperator	int	NOT NULL		
TblFinRelObjFile	BinaryDataBytes	int			
TblFinRelObjFile	TextData	text			
TblFinSubLk	FinSubLkID	int	NOT NULL	Yes	
TblFinSubLk	FinID	int	NOT NULL		Yes
TblFinSubLk	SubID	int	NOT NULL		Yes
TblFinSubLk	Relationship	varchar(4)			Yes
TblFinSubLk	RODate	datetime	NOT NULL		
TblFinSubLk	ROOperator	int	NOT NULL		
TblFinSubLk	LUDate	datetime	NOT NULL		
TblFinSubLk	LUOperator	int	NOT NULL		
TblFinSubLk	ValidFrom	datetime			
TblFinSubLk	ValidTo	datetime			
TblFinWatchDog	FinID	int	NOT NULL		Yes
TblFinWatchDog	AlertOperID	int	NOT NULL		Yes
TblFinWatchDog	FndAlert	bit			
TblFinWatchDog	FinWatchDogID	int	NOT NULL	Yes	
TblInstance	InstanceID	uniqueidentifier	NOT NULL	Yes	
TblInstance	InstanceName	varchar(50)	NOT NULL		
TblInstance	StatusText	varchar(50)	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblInstance	StatusDate	datetime	NOT NULL		
TblInstance	RODate	datetime	NOT NULL		
TblInstance	ROOperator	int	NOT NULL		
TblInstance	LUDate	datetime	NOT NULL		
TblInstance	LUOperator	int	NOT NULL		
TblInstance	UpdateLock	uniqueidentifier			
TblInstance	ObsoleteFlag	tinyint			
TblIntelPurgeBatch	IntelPurgeBatchID	int	NOT NULL	Yes	
TblIntelPurgeBatch	BatchStatus	varchar(4)			
TblIntelPurgeBatch	CasePurge	varchar(1)			
TblIntelPurgeBatch	SubPurge	varchar(1)			
TblIntelPurgeBatch	TipPurge	varchar(1)			
TblIntelPurgeBatch	NoActivityDays	int			
TblIntelPurgeBatch	RecordType	varchar(4)			
TblIntelPurgeBatch	TipStatus	varchar(4)			
TblIntelPurgeBatch	EndDate	datetime			
TblIntelPurgeBatch	RODate	datetime	NOT NULL		
TblIntelPurgeBatch	ROOperator	int	NOT NULL		Yes
TblIntelPurgeBatch	LUDate	datetime	NOT NULL		
TblIntelPurgeBatch	LUOperator	int	NOT NULL		Yes
TblIntelPurgeBatch	MarkedPurge	varchar(1)			
TblInterface	InterfaceName	varchar(50)			
TblInterface	InterfaceDescription	varchar(1000)			
TblInterface	InterfaceType	varchar(20)			
TblInterface	RODate	datetime			
TblInterface	ROOperator	int			
TblInterface	LUDate	datetime			
TblInterface	LUOperator	int			
TblInterface	InterfaceID	int	NOT NULL	Yes	
TblInterfaceCds	InterfaceID	int	NOT NULL		Yes
TblInterfaceCds	InterfaceCodeTable	varchar(50)			

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblInterfaceCds	AcissCodeTable	varchar(50)			
TblInterfaceCds	InterfaceCode	varchar(50)			
TblInterfaceCds	AcissCode	varchar(50)			
TblInterfaceCds	InterfaceCdsID	int	NOT NULL	Yes	
TblInterfaceConfigMv	InterfaceID	int	NOT NULL		Yes
TblInterfaceConfigMv	Name	varchar(1000)	NOT NULL		
TblInterfaceConfigMv	Value	varchar(1000)			
TblInterfaceConfigMv	RODate	datetime	NOT NULL		
TblInterfaceConfigMv	ROOperator	int	NOT NULL		
TblInterfaceConfigMv	LUDate	datetime	NOT NULL		
TblInterfaceConfigMv	LUOperator	int	NOT NULL		
TblInterfaceConfigMv	InterfaceConfigMvID	int	NOT NULL	Yes	
TblInterfaceRelObjFile	InterfaceRelObjFileID	int	NOT NULL	Yes	
TblInterfaceRelObjFile	InterfaceID	int	NOT NULL		Yes
TblInterfaceRelObjFile	FileName	varchar(200)	NOT NULL		
TblInterfaceRelObjFile	MimeType	varchar(200)	NOT NULL		
TblInterfaceRelObjFile	Description	varchar(100)	NOT NULL		
TblInterfaceRelObjFile	BinaryData	image			
TblInterfaceRelObjFile	BinaryData2	image			
TblInterfaceRelObjFile	DisplayCode	tinyint			
TblInterfaceRelObjFile	RODate	datetime	NOT NULL		
TblInterfaceRelObjFile	ROOperator	int	NOT NULL		
TblInterfaceRelObjFile	LUDate	datetime	NOT NULL		
TblInterfaceRelObjFile	LUOperator	int	NOT NULL		
TblInterfaceRelObjFile	BinaryDataBytes	int			
TblInterfaceRelObjFile	TextData	text			
TblInterfaceSecLevMv	InterfaceSecLevMvID	int	NOT NULL	Yes	
TblInterfaceSecLevMv	InterfaceID	int	NOT NULL		Yes
TblInterfaceSecLevMv	ExternalLoginID	varchar(50)			
TblInterfaceSecLevMv	ExternalPassword	varchar(50)			
TblInterfaceSecLevMv	InternalSecLev8	varchar(10)			Yes

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblInterfaceSecLevMv	InternalSecLev7	varchar(10)			Yes
TblInterfaceSecLevMv	InternalSecLev6	varchar(10)			Yes
TblInterfaceSecLevMv	InternalSecLev5	varchar(10)			Yes
TblInterfaceSecLevMv	InternalSecLev4	varchar(10)			Yes
TblInterfaceSecLevMv	InternalSecLev3	varchar(10)			Yes
TblInterfaceSecLevMv	InternalSecLev2	varchar(10)			Yes
TblInterfaceSecLevMv	InternalOperID	int			Yes
TblInterfaceSecLevMv	RODate	datetime	NOT NULL		
TblInterfaceSecLevMv	ROOperator	int	NOT NULL		
TblInterfaceSecLevMv	LUDate	datetime	NOT NULL		
TblInterfaceSecLevMv	LUOperator	int	NOT NULL		
TblInterfaceSession	SessionID	uniqueidentifier	NOT NULL	Yes	
TblInterfaceSession	InterfaceSessionID	varchar(1000)	NOT NULL		
TblInterfaceSession	Created	datetime	NOT NULL		
TblInterfaceSession	LastAccess	datetime	NOT NULL		
TblInterfaceSession	InterfaceID	int	NOT NULL	Yes	
TblInterfaceTipRouteMv	InterfaceID	int	NOT NULL		Yes
TblInterfaceTipRouteMv	TipType	varchar(4)	NOT NULL		Yes
TblInterfaceTipRouteMv	RouteType	varchar(1)	NOT NULL		
TblInterfaceTipRouteMv	RODate	datetime	NOT NULL		
TblInterfaceTipRouteMv	ROOperator	int	NOT NULL		
TblInterfaceTipRouteMv	LUDate	datetime	NOT NULL		
TblInterfaceTipRouteMv	LUOperator	int	NOT NULL		
TblInterfaceTipRouteMv	InterfaceTipRouteMvID	int	NOT NULL	Yes	
TblInterfaceTypOfReportMv	InterfaceID	int	NOT NULL		Yes
TblInterfaceTypOfReportMv	TypeOfReport	varchar(8)	NOT NULL		Yes
TblInterfaceTypOfReportMv	RouteType	varchar(1)	NOT NULL		
TblInterfaceTypOfReportMv	RODate	datetime	NOT NULL		
TblInterfaceTypOfReportMv	ROOperator	int	NOT NULL		
TblInterfaceTypOfReportMv	LUDate	datetime	NOT NULL		
TblInterfaceTypOfReportMv	LUOperator	int	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblInterfaceTypOfReportMv	InterfaceTypOfReportMvID	int	NOT NULL	Yes	
TblJobConfigMv	Name	varchar(50)	NOT NULL	Yes	
TblJobConfigMv	Value	varchar(8000)			
TblJobConfigMv	JobID	uniqueidentifier	NOT NULL	Yes	
TblMail	FromOperID	int	NOT NULL		Yes
TblMail	Subject	varchar(100)			
TblMail	Message	text			
TblMail	MailType	varchar(5)			
TblMail	MailStatus	varchar(5)			
TblMail	MailStatusDate	datetime			
TblMail	RODate	datetime	NOT NULL		
TblMail	MailID	int	NOT NULL	Yes	
TblMailAdrLk	MailID	int	NOT NULL		Yes
TblMailAdrLk	AdrID	int	NOT NULL		Yes
TblMailAdrLk	RODate	datetime			
TblMailAdrLk	ROOperator	int			
TblMailAdrLk	LUDate	datetime			
TblMailAdrLk	LUOperator	int			
TblMailAdrLk	MailAdrLkID	int	NOT NULL	Yes	
TblMailCaseLk	MailID	int	NOT NULL		Yes
TblMailCaseLk	CaseID	int	NOT NULL		Yes
TblMailCaseLk	RODate	datetime			
TblMailCaseLk	ROOperator	int			
TblMailCaseLk	LUDate	datetime			
TblMailCaseLk	LUOperator	int			
TblMailCaseLk	MailCaseLkID	int	NOT NULL	Yes	
TblMailFinLk	MailID	int	NOT NULL		Yes
TblMailFinLk	FinID	int	NOT NULL		Yes
TblMailFinLk	RODate	datetime			
TblMailFinLk	ROOperator	int			
TblMailFinLk	LUDate	datetime			

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblMailFinLk	LUOperator	int			
TblMailFinLk	MailFinLkID	int	NOT NULL	Yes	
TblMailPropItemLk	MailID	int	NOT NULL		Yes
TblMailPropItemLk	PropItemID	int	NOT NULL		Yes
TblMailPropItemLk	RODate	datetime			
TblMailPropItemLk	ROOperator	int			
TblMailPropItemLk	LUDate	datetime			
TblMailPropItemLk	LUOperator	int			
TblMailPropItemLk	MailPropItemLkID	int	NOT NULL	Yes	
TblMailPropLk	MailID	int	NOT NULL		Yes
TblMailPropLk	PropID	int	NOT NULL		Yes
TblMailPropLk	RODate	datetime			
TblMailPropLk	ROOperator	int			
TblMailPropLk	LUDate	datetime			
TblMailPropLk	LUOperator	int			
TblMailPropLk	MailPropLkID	int	NOT NULL	Yes	
TblMailRecipientMv	MailID	int	NOT NULL		Yes
TblMailRecipientMv	ToOperID	int			Yes
TblMailRecipientMv	MailStatus	varchar(5)			
TblMailRecipientMv	MailStatusDate	datetime			
TblMailRecipientMv	MailRecipientMvID	int	NOT NULL	Yes	
TblMailRelObjFile	MailRelObjFileID	int	NOT NULL	Yes	
TblMailRelObjFile	MailID	int	NOT NULL		Yes
TblMailRelObjFile	FileName	varchar(200)	NOT NULL		
TblMailRelObjFile	MimeType	varchar(200)	NOT NULL		
TblMailRelObjFile	Description	varchar(100)	NOT NULL		
TblMailRelObjFile	BinaryData	image			
TblMailRelObjFile	BinaryData2	image			
TblMailRelObjFile	DisplayCode	tinyint			
TblMailRelObjFile	RODate	datetime	NOT NULL		
TblMailRelObjFile	ROOperator	int	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblMailRelObjFile	LUDate	datetime	NOT NULL		
TblMailRelObjFile	LUOperator	int	NOT NULL		
TblMailRelObjFile	BinaryDataBytes	int			
TblMailRelObjFile	TextData	text			
TblMailSubLk	MailID	int	NOT NULL		Yes
TblMailSubLk	SubID	int	NOT NULL		Yes
TblMailSubLk	RODate	datetime			
TblMailSubLk	ROOperator	int			
TblMailSubLk	LUDate	datetime			
TblMailSubLk	LUOperator	int			
TblMailSubLk	MailSubLkID	int	NOT NULL	Yes	
TblMailSupLk	MailID	int	NOT NULL		Yes
TblMailSupLk	SupID	int	NOT NULL		Yes
TblMailSupLk	RODate	datetime			
TblMailSupLk	ROOperator	int			
TblMailSupLk	LUDate	datetime			
TblMailSupLk	LUOperator	int			
TblMailSupLk	MailSupLkID	int	NOT NULL	Yes	
TblMailTelLk	MailID	int	NOT NULL		Yes
TblMailTelLk	TelID	int	NOT NULL		Yes
TblMailTelLk	RODate	datetime			
TblMailTelLk	ROOperator	int			
TblMailTelLk	LUDate	datetime			
TblMailTelLk	LUOperator	int			
TblMailTelLk	MailTelLkID	int	NOT NULL	Yes	
TblMailTipLk	MailID	int	NOT NULL		Yes
TblMailTipLk	TipID	int	NOT NULL		Yes
TblMailTipLk	RODate	datetime			
TblMailTipLk	ROOperator	int			
TblMailTipLk	LUDate	datetime			
TblMailTipLk	LUOperator	int			

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblMailTipLk	MailTipLkID	int	NOT NULL	Yes	
TblMailVehLk	MailID	int	NOT NULL		Yes
TblMailVehLk	VehID	int	NOT NULL		Yes
TblMailVehLk	RODate	datetime			
TblMailVehLk	ROOperator	int			
TblMailVehLk	LUDate	datetime			
TblMailVehLk	LUOperator	int			
TblMailVehLk	MailVehLkID	int	NOT NULL	Yes	
TblMenu	MenuName	varchar(50)	NOT NULL		
TblMenu	IsDefault	tinyint			
TblMenu	IsRestricted	tinyint			
TblMenu	MenuID	int	NOT NULL	Yes	
TblOper	OperID	int	NOT NULL	Yes	
TblOper	LoginID	varchar(255)			
TblOper	OperatorPassword	varchar(128)			
TblOper	Supervisor	int			
TblOper	SecurityLevel	int			
TblOper	SecLev8	varchar(10)			Yes
TblOper	SecLev8Supervisor	varchar(1)			
TblOper	SecLev8Notify	varchar(1)			
TblOper	SecLev7	varchar(10)			Yes
TblOper	SecLev7Supervisor	varchar(1)			
TblOper	SecLev7Notify	varchar(1)			
TblOper	SecLev6	varchar(10)			Yes
TblOper	SecLev6Supervisor	varchar(1)			
TblOper	SecLev6Notify	varchar(1)			
TblOper	SecLev5	varchar(10)			Yes
TblOper	SecLev5Supervisor	varchar(1)			
TblOper	SecLev5Notify	varchar(1)			
TblOper	SecLev4	varchar(10)			Yes
TblOper	SecLev4Supervisor	varchar(1)			

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblOper	SecLev4Notify	varchar(1)			
TblOper	SecLev3	varchar(10)			Yes
TblOper	SecLev3Supervisor	varchar(1)			
TblOper	SecLev3Notify	varchar(1)			
TblOper	SecLev2	varchar(10)			Yes
TblOper	SecLev2Supervisor	varchar(1)			
TblOper	SecLev2Notify	varchar(1)			
TblOper	AssignedPoliceDist	varchar(5)			Yes
TblOper	WACISSCertCd	datetime			
TblOper	MenuID	int			Yes
TblOper	ObsoleteFlag	tinyint			
TblOper	PasswordExpired	tinyint			
TblOper	PasswordDate	datetime			
TblOper	LoggedIn	int			
TblOper	LoginDateTime	datetime			
TblOper	RODate	datetime	NOT NULL		
TblOper	ROOperator	varchar(22)	NOT NULL		
TblOper	LUDate	datetime	NOT NULL		
TblOper	LUOperator	varchar(22)	NOT NULL		
TblOper	SubID	int	NOT NULL		Yes
TblOper	AcissMailForwarding	varchar(1)			
TblOper	PasswordNeverExpire	tinyint			
TblOperPassword	OperID	int	NOT NULL		Yes
TblOperPassword	OperatorPassword	varchar(128)	NOT NULL		
TblOperPassword	RODate	datetime	NOT NULL		
TblOperPassword	OperPasswordID	int	NOT NULL	Yes	
TblOperSecLevMv	OperSecLevMvID	int	NOT NULL	Yes	
TblOperSecLevMv	OperID	int	NOT NULL		Yes
TblOperSecLevMv	SecLev8	varchar(10)			Yes
TblOperSecLevMv	SecLev8Supervisor	varchar(1)			
TblOperSecLevMv	SecLev8Notify	varchar(1)			

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblOperSecLevMv	SecLev7	varchar(10)			Yes
TblOperSecLevMv	SecLev7Supervisor	varchar(1)			
TblOperSecLevMv	SecLev7Notify	varchar(1)			
TblOperSecLevMv	SecLev6	varchar(10)			Yes
TblOperSecLevMv	SecLev6Supervisor	varchar(1)			
TblOperSecLevMv	SecLev6Notify	varchar(1)			
TblOperSecLevMv	SecLev5	varchar(10)			Yes
TblOperSecLevMv	SecLev5Supervisor	varchar(1)			
TblOperSecLevMv	SecLev5Notify	varchar(1)			
TblOperSecLevMv	SecLev4	varchar(10)			Yes
TblOperSecLevMv	SecLev4Supervisor	varchar(1)			
TblOperSecLevMv	SecLev4Notify	varchar(1)			
TblOperSecLevMv	SecLev3	varchar(10)			Yes
TblOperSecLevMv	SecLev3Supervisor	varchar(1)			
TblOperSecLevMv	SecLev3Notify	varchar(1)			
TblOperSecLevMv	SecLev2	varchar(10)			Yes
TblOperSecLevMv	SecLev2Supervisor	varchar(1)			
TblOperSecLevMv	SecLev2Notify	varchar(1)			
TblOperSecLevMv	RODate	datetime	NOT NULL		
TblOperSecLevMv	ROOperator	int	NOT NULL		
TblOperSecLevMv	LUDate	datetime	NOT NULL		
TblOperSecLevMv	LUOperator	int	NOT NULL		
TblPawn	PawnID	int	NOT NULL	Yes	
TblPawn	BrokerID	int	NOT NULL		Yes
TblPawn	TransactionNumber	varchar(20)	NOT NULL		
TblPawn	TransactionDateTime	datetime			
TblPawn	TransactionType	varchar(4)			Yes
TblPawn	TransactionTotal	money			
TblPawn	Agency	int			Yes
TblPawn	CustomerID	int			Yes
TblPawn	RODate	datetime			

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblPawn	ROOperator	int			
TblPawn	LUDate	datetime			
TblPawn	LUOperator	int			
TblPawn	PawnBatchID	uniqueidentifier			
TblPawn	UpdateLock	uniqueidentifier			
TblPawn	Vehicle	int			Yes
TblPawn	Trailer	int			Yes
TblPawn	TransactionTaker	varchar(50)			
TblPawnDocLog	PawnID	int	NOT NULL		
TblPawnDocLog	TransactionNumber	varchar(20)			
TblPawnDocLog	ActionType	varchar(4)	NOT NULL		
TblPawnDocLog	ActionDate	datetime	NOT NULL		
TblPawnDocLog	ActionOperator	int	NOT NULL		
TblPawnDocLog	PawnDocLogID	int	NOT NULL	Yes	
TblPawnItem	PawnItemID	int	NOT NULL	Yes	
TblPawnItem	PawnID	int	NOT NULL		Yes
TblPawnItem	ItemType	varchar(4)			Yes
TblPawnItem	Description	varchar(50)			
TblPawnItem	SerialNumber	varchar(30)			
TblPawnItem	OwnerAppliedNumber	varchar(30)			
TblPawnItem	ArticleType	varchar(8)			Yes
TblPawnItem	BrandMake	varchar(20)			
TblPawnItem	ModelNumber	varchar(20)			
TblPawnItem	AmountPaid	money			
TblPawnItem	FirearmType	varchar(4)			Yes
TblPawnItem	FirearmMake	varchar(4)			Yes
TblPawnItem	FirearmGaugeCal	varchar(10)			
TblPawnItem	FirearmBarrel	varchar(4)			Yes
TblPawnItem	FirearmAction	varchar(4)			Yes
TblPawnItem	FirearmFinish	varchar(4)			Yes
TblPawnItem	JewelryType	varchar(4)			Yes

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblPawnItem	JewelryMetal	varchar(4)			Yes
TblPawnItem	JewelryKtWt	varchar(10)			
TblPawnItem	JewelryGender	varchar(4)			Yes
TblPawnItem	JewelryStyle	varchar(4)			Yes
TblPawnItem	SLSizeLength	varchar(10)			
TblPawnItem	FirstStoneNumber	int			
TblPawnItem	FirstStoneType	varchar(4)			Yes
TblPawnItem	FirstStoneShape	varchar(4)			Yes
TblPawnItem	FirstStoneKtWt	varchar(10)			
TblPawnItem	FirstStoneColor	varchar(4)			Yes
TblPawnItem	SecondStoneNumber	int			
TblPawnItem	SecondStoneType	varchar(4)			Yes
TblPawnItem	SecondStoneShape	varchar(4)			Yes
TblPawnItem	SecondStoneKtWt	varchar(10)			
TblPawnItem	SecondStoneColor	varchar(4)			Yes
TblPawnItem	RODate	datetime			
TblPawnItem	ROOperator	int			
TblPawnItem	LUDate	datetime			
TblPawnItem	LUOperator	int			
TblPawnItem	VehID	int			Yes
TblPawnItem	Comments	text			
TblPawnItem	UpdateLock	uniqueidentifier			
TblPawnItem	Quantity	decimal(12,2)			
TblPawnItem	BaseQuantity	float			
TblPawnItem	UnitOfMeasure	varchar(4)			Yes
TblPawnItem	FormOfPayment	varchar(4)			Yes
TblPawnItemDocLog	PawnItemID	int	NOT NULL		
TblPawnItemDocLog	Description	varchar(50)			
TblPawnItemDocLog	ActionType	varchar(4)	NOT NULL		
TblPawnItemDocLog	ActionDate	datetime	NOT NULL		
TblPawnItemDocLog	ActionOperator	int	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblPawnItemDocLog	PawnItemDocLogID	int	NOT NULL	Yes	
TblProp	PropID	int	NOT NULL	Yes	
TblProp	ReportNumber	varchar(60)	NOT NULL		
TblProp	DateTimeCollected	datetime			
TblProp	CollectedBy	int			Yes
TblProp	PropertyClass	varchar(4)			Yes
TblProp	Remarks	text			
TblProp	DrugEvidence	varchar(1)			Yes
TblProp	PresumptiveTest	varchar(1)			Yes
TblProp	DefendantInCustody	varchar(1)			Yes
TblProp	JuvenileDefendant	varchar(1)			Yes
TblProp	Purchase	varchar(1)			Yes
TblProp	PurchaseValue	money			
TblProp	NextReviewDate	datetime			
TblProp	Offense	varchar(25)			Yes
TblProp	HoldAuthority	varchar(10)			
TblProp	CaseAgent	int			Yes
TblProp	LabNumber	varchar(15)			
TblProp	LetterStatus	varchar(1)			
TblProp	LastReviewDate	datetime			
TblProp	ReceivedBy	int			Yes
TblProp	OccurredAddress	int			Yes
TblProp	OccurredLocation	varchar(50)			
TblProp	Agency	int			Yes
TblProp	CaseType	varchar(4)			Yes
TblProp	FileNumber	varchar(50)			
TblProp	EvidenceNumber	varchar(10)			
TblProp	DateTimeReceived	datetime			
TblProp	CourtCaseNumber	varchar(15)			
TblProp	CaseID	int			Yes
TblProp	RODate	datetime	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblProp	ROOperator	int	NOT NULL		Yes
TblProp	LUDate	datetime	NOT NULL		
TblProp	LUOperator	int	NOT NULL		Yes
TblProp	UpdateLock	uniqueidentifier			
TblPropAuth	PropAuthID	int	NOT NULL	Yes	
TblPropAuth	AuthOperID	int	NOT NULL		
TblPropAuth	AuthToAdd	varchar(1)			
TblPropAuth	AuthToUpdate	varchar(1)			
TblPropAuth	RODate	datetime	NOT NULL		
TblPropAuth	ROOperator	int	NOT NULL		
TblPropAuth	LUDate	datetime	NOT NULL		
TblPropAuth	LUOperator	int	NOT NULL		
TblPropAuth	AuthFacility	varchar(4)			Yes
TblPropCust	PropCustID	int	NOT NULL	Yes	
TblPropCust	TransferredFromID	int			Yes
TblPropCust	TransferredToID	int			Yes
TblPropCust	DateTimeTransferred	datetime			
TblPropCust	CustodyType	varchar(6)			Yes
TblPropCust	Comment	text			
TblPropCust	Sealed	varchar(1)			Yes
TblPropCust	Lab	varchar(1)			Yes
TblPropCust	VerifiedByID	int			Yes
TblPropCust	RODate	datetime	NOT NULL		
TblPropCust	ROOperator	int	NOT NULL		
TblPropCust	LUDate	datetime	NOT NULL		
TblPropCust	LUOperator	int	NOT NULL		
TblPropCust	UpdateLock	uniqueidentifier			
TblPropCustItem	PropCustID	int	NOT NULL		Yes
TblPropCustItem	PropItemID	int	NOT NULL		Yes
TblPropCustItem	ToBinLocation	varchar(10)			Yes
TblPropCustItem	RODate	datetime	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblPropCustItem	ROOperator	int	NOT NULL		
TblPropCustItem	LUDate	datetime	NOT NULL		
TblPropCustItem	LUOperator	int	NOT NULL		
TblPropCustItem	PropCustItemID	int	NOT NULL	Yes	
TblPropCustRelObjFile	PropCustRelObjFileID	int	NOT NULL	Yes	
TblPropCustRelObjFile	PropCustID	int	NOT NULL		Yes
TblPropCustRelObjFile	FileName	varchar(200)	NOT NULL		
TblPropCustRelObjFile	MimeType	varchar(200)	NOT NULL		
TblPropCustRelObjFile	Description	varchar(100)	NOT NULL		
TblPropCustRelObjFile	BinaryData	image			
TblPropCustRelObjFile	BinaryData2	image			
TblPropCustRelObjFile	DisplayCode	tinyint			
TblPropCustRelObjFile	RODate	datetime	NOT NULL		
TblPropCustRelObjFile	ROOperator	int	NOT NULL		
TblPropCustRelObjFile	LUDate	datetime	NOT NULL		
TblPropCustRelObjFile	LUOperator	int	NOT NULL		
TblPropCustRelObjFile	BinaryDataBytes	int			
TblPropCustRelObjFile	TextData	text			
TblPropDisp	PropDispID	int	NOT NULL	Yes	
TblPropDisp	BatchNumber	varchar(15)	NOT NULL		
TblPropDisp	Disposition	varchar(4)			Yes
TblPropDisp	UCRPropertyType	varchar(4)			
TblPropDisp	FirstStatusDate	datetime			
TblPropDisp	LastStatusDate	datetime			
TblPropDisp	TransferDate	datetime			
TblPropDisp	TransferredFromID	int			Yes
TblPropDisp	TransferredToID	int			Yes
TblPropDisp	TransferredType	varchar(6)			Yes
TblPropDisp	Comments	varchar(1000)			
TblPropDisp	LabForm	varchar(1)			Yes
TblPropDisp	ExecutedBatch	varchar(1)			

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblPropDisp	RODate	datetime	NOT NULL		
TblPropDisp	ROOperator	int	NOT NULL		Yes
TblPropDisp	LUDate	datetime	NOT NULL		
TblPropDisp	LUOperator	int	NOT NULL		Yes
TblPropDisp	UpdateLock	uniqueidentifier			
TblPropDisp	PropertyFacility	varchar(4)			
TblPropDocLog	PropID	int	NOT NULL		
TblPropDocLog	Description	varchar(50)			
TblPropDocLog	ActionType	varchar(4)	NOT NULL		
TblPropDocLog	ActionDate	datetime	NOT NULL		
TblPropDocLog	ActionOperator	int	NOT NULL		
TblPropDocLog	PropDocLogID	int	NOT NULL	Yes	
TblPropItem	PropItemID	int	NOT NULL	Yes	
TblPropItem	ItemNumber	int	NOT NULL		
TblPropItem	PropItemParentID	int			Yes
TblPropItem	PropID	int	NOT NULL		Yes
TblPropItem	Quantity	decimal(12,2)	NOT NULL		
TblPropItem	BaseQuantity	float			
TblPropItem	PropertyType	varchar(4)			Yes
TblPropItem	Make	varchar(5)			Yes
TblPropItem	Model	varchar(50)			
TblPropItem	Description	varchar(100)			
TblPropItem	SerialNumber	varchar(30)			
TblPropItem	PropertyStatus	varchar(4)			Yes
TblPropItem	StatusDate	datetime			
TblPropItem	PropertyDisposition	varchar(4)			Yes
TblPropItem	BinLocation	varchar(10)			Yes
TblPropItem	Damaged	varchar(1)			Yes
TblPropItem	NCICArticleType	varchar(7)			Yes
TblPropItem	NCICReported	varchar(1)			Yes
TblPropItem	NCICOperator	int			Yes

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblPropItem	BicycleSize	int			
TblPropItem	BicycleGears	int			
TblPropItem	BicycleSex	varchar(4)			Yes
TblPropItem	BicycleBrakes	varchar(4)			Yes
TblPropItem	BicycleHandlebars	varchar(4)			Yes
TblPropItem	BicycleTires	varchar(4)			Yes
TblPropItem	BicycleSeatType	varchar(4)			Yes
TblPropItem	BicycleSeatColor	varchar(4)			Yes
TblPropItem	BicycleFrameColor	varchar(4)			Yes
TblPropItem	BicycleAccessories	varchar(50)			
TblPropItem	OtherDescription	varchar(50)			
TblPropItem	PropertyClass	varchar(4)			Yes
TblPropItem	PC	varchar(2)			
TblPropItem	DrugType	varchar(4)			Yes
TblPropItem	DrugWeight	decimal(10,2)			
TblPropItem	DrugUnitOfMeasure	varchar(4)			Yes
TblPropItem	DrugUnitValue	money			
TblPropItem	DrugExtendedValue	money			
TblPropItem	SendToLab	varchar(1)			Yes
TblPropItem	LabNumber	varchar(10)			
TblPropItem	ItemValue	money			
TblPropItem	WeaponSubType	varchar(4)			Yes
TblPropItem	ReceivedBy	int			Yes
TblPropItem	DateTimeReceived	datetime			
TblPropItem	MoneyVerifiedBy	int			Yes
TblPropItem	PropDispID	int			Yes
TblPropItem	RODate	datetime	NOT NULL		
TblPropItem	ROOperator	int	NOT NULL		
TblPropItem	LUDate	datetime	NOT NULL		
TblPropItem	LUOperator	int	NOT NULL		
TblPropItem	Comments	text			

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblPropItem	OwnerID	int			Yes
TblPropItem	FirearmCaliber	varchar(5)			Yes
TblPropItem	FirearmFinish	varchar(4)			Yes
TblPropItem	UpdateLock	uniqueidentifier			
TblPropItem	AlternateItemNumber	varchar(100)			
TblPropItemDocLog	PropItemID	int	NOT NULL		
TblPropItemDocLog	Description	varchar(100)			
TblPropItemDocLog	ActionType	varchar(4)	NOT NULL		
TblPropItemDocLog	ActionDate	datetime	NOT NULL		
TblPropItemDocLog	ActionOperator	int	NOT NULL		
TblPropItemDocLog	PropItemDocLogID	int	NOT NULL	Yes	
TblPropItemInv	BatchDate	datetime	NOT NULL		
TblPropItemInv	BatchOper	int	NOT NULL		Yes
TblPropItemInv	Bin	varchar(10)	NOT NULL		
TblPropItemInv	ItemNumber	varchar(31)	NOT NULL		
TblPropItemInv	BatchName	varchar(255)	NOT NULL		
TblPropItemRelLog	PropItemRelLogID	int	NOT NULL	Yes	
TblPropItemRelLog	PropItemID	int	NOT NULL		Yes
TblPropItemRelLog	FromBinLocation	varchar(10)			
TblPropItemRelLog	ToBinLocation	varchar(10)			
TblPropItemRelLog	RelocationDateTime	datetime	NOT NULL		
TblPropItemRelLog	OperID	int	NOT NULL		Yes
TblPropItemRelLog	Reason	varchar(40)			
TblPropItemRelLog	RODate	datetime	NOT NULL		
TblPropItemRelLog	ROOperator	int	NOT NULL		Yes
TblPropItemRelLog	LUDate	datetime	NOT NULL		
TblPropItemRelLog	LUOperator	int	NOT NULL		Yes
TblPropItemRelObjFile	PropItemRelObjFileID	int	NOT NULL	Yes	
TblPropItemRelObjFile	PropItemID	int	NOT NULL		Yes
TblPropItemRelObjFile	FileName	varchar(200)	NOT NULL		
TblPropItemRelObjFile	MimeType	varchar(200)	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblPropItemRelObjFile	Description	varchar(100)	NOT NULL		
TblPropItemRelObjFile	BinaryData	image			
TblPropItemRelObjFile	BinaryData2	image			
TblPropItemRelObjFile	DisplayCode	tinyint			
TblPropItemRelObjFile	RODate	datetime	NOT NULL		
TblPropItemRelObjFile	ROOperator	int	NOT NULL		
TblPropItemRelObjFile	LUDate	datetime	NOT NULL		
TblPropItemRelObjFile	LUOperator	int	NOT NULL		
TblPropItemRelObjFile	BinaryDataBytes	int			
TblPropItemRelObjFile	TextData	text			
TblPropLetter	CARevBottom	text			
TblPropLetter	FUTop	text			
TblPropLetter	FUBottom	text			
TblPropLetter	CARevTop	text			
TblPropRelObjFile	PropRelObjFileID	int	NOT NULL	Yes	
TblPropRelObjFile	PropID	int	NOT NULL		Yes
TblPropRelObjFile	FileName	varchar(200)	NOT NULL		
TblPropRelObjFile	MimeType	varchar(200)	NOT NULL		
TblPropRelObjFile	Description	varchar(100)	NOT NULL		
TblPropRelObjFile	BinaryData	image			
TblPropRelObjFile	BinaryData2	image			
TblPropRelObjFile	DisplayCode	tinyint			
TblPropRelObjFile	RODate	datetime	NOT NULL		
TblPropRelObjFile	ROOperator	int	NOT NULL		
TblPropRelObjFile	LUDate	datetime	NOT NULL		
TblPropRelObjFile	LUOperator	int	NOT NULL		
TblPropRelObjFile	BinaryDataBytes	int			
TblPropRelObjFile	TextData	text			
TblPropSubLk	PropID	int	NOT NULL		Yes
TblPropSubLk	SubID	int	NOT NULL		Yes
TblPropSubLk	Relationship	varchar(4)			Yes

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblPropSubLk	RODate	datetime	NOT NULL		
TblPropSubLk	ROOperator	int	NOT NULL		
TblPropSubLk	LUDate	datetime	NOT NULL		
TblPropSubLk	LUOperator	int	NOT NULL		
TblPropSubLk	PropSubLkID	int	NOT NULL	Yes	
TblQuery	QueryID	int	NOT NULL	Yes	
TblQuery	Name	varchar(255)			
TblQuery	Source	text			
TblQuery	RODate	datetime			
TblQuery	ROOperator	int			
TblQuery	LUDate	datetime			
TblQuery	LUOperator	int			
TblQuery	UpdateLock	uniqueidentifier			
TblQuery	Type	varchar(10)			
TblQuery	HiddenFlag	varchar(1)			
TblQueryCaseReportTypeMv	QueryCaseReportTypeMvID	int	NOT NULL	Yes	
TblQueryCaseReportTypeMv	QueryID	int	NOT NULL		Yes
TblQueryCaseReportTypeMv	TypeOfReport	varchar(8)	NOT NULL		Yes
TblQueryCaseReportTypeMv	RODate	datetime	NOT NULL		
TblQueryCaseReportTypeMv	ROOperator	int	NOT NULL		
TblQueryCaseReportTypeMv	LUDate	datetime	NOT NULL		
TblQueryCaseReportTypeMv	LUOperator	int	NOT NULL		
TblQueryCaseReportTypeMv	DefaultView	bit	NOT NULL		
TblQueryCaseReportTypeMv	Type	varchar(4)			
TblQuerySecLevMv	QuerySecLevMvID	int	NOT NULL	Yes	
TblQuerySecLevMv	QueryID	int	NOT NULL		Yes
TblQuerySecLevMv	SecLev8	varchar(10)			Yes
TblQuerySecLevMv	SecLev7	varchar(10)			Yes
TblQuerySecLevMv	SecLev6	varchar(10)			Yes
TblQuerySecLevMv	SecLev5	varchar(10)			Yes
TblQuerySecLevMv	SecLev4	varchar(10)			Yes

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblQuerySecLevMv	SecLev3	varchar(10)			Yes
TblQuerySecLevMv	SecLev2	varchar(10)			Yes
TblQuerySecLevMv	AuthOperID	int			Yes
TblQuerySecLevMv	RODate	datetime	NOT NULL		
TblQuerySecLevMv	ROOperator	int	NOT NULL		
TblQuerySecLevMv	LUDate	datetime	NOT NULL		
TblQuerySecLevMv	LUOperator	int	NOT NULL		
TblRISSLog	RISSLogID	int	NOT NULL	Yes	
TblRISSLog	InterfaceID	int	NOT NULL		
TblRISSLog	ID	varchar(16)			
TblRISSLog	Type	varchar(5)			
TblRISSLog	Mode	varchar(1)	NOT NULL		
TblRISSLog	RequestID	varchar(50)	NOT NULL		
TblRISSLog	RequestDate	datetime	NOT NULL		
TblRISSLog	RequestXml	text			
TblRISSLog	ResponseXml	text			
TblSchemaObjects	Name	varchar(128)	NOT NULL	Yes	
TblSchemaObjects	Hash	char(40)	NOT NULL		
TblSchemaObjects	AppliedOn	datetime	NOT NULL		
TblSchemaObjects	Type	varchar(25)	NOT NULL	Yes	
TblSchemaPatches	Hash	char(40)	NOT NULL		
TblSchemaPatches	AppliedOn	datetime	NOT NULL		
TblSchemaPatches	FileName	varchar(500)	NOT NULL	Yes	
TblSession	Created	datetime	NOT NULL		
TblSession	Status	varchar(1)	NOT NULL		
TblSession	LastAccess	datetime	NOT NULL		
TblSession	OperID	int			Yes
TblSession	SecurityLevel	int			
TblSession	Info	varchar(4000)			
TblSession	Timeout	int			
TblSession	SessionID	uniqueidentifier	NOT NULL	Yes	

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblSessionHistory	Created	datetime	NOT NULL		
TblSessionHistory	Status	varchar(1)	NOT NULL		
TblSessionHistory	LastAccess	datetime	NOT NULL		
TblSessionHistory	OperID	int			Yes
TblSessionHistory	SecurityLevel	int			
TblSessionHistory	Info	varchar(4000)			
TblSessionHistory	Timeout	int			
TblSessionHistory	SessionID	uniqueidentifier	NOT NULL		
TblSSAdr	SSAdrID	int	NOT NULL	Yes	
TblSSAdr	AdrID	int			Yes
TblSSAdr	Address	varchar(50)	NOT NULL		
TblSSAdr	Caution	varchar(50)			
TblSSAdr	RODate	datetime			
TblSSAdr	ROOperator	int			
TblSSAdr	LUDate	datetime			
TblSSAdr	LUOperator	int			
TblSSAdr	UpdateLock	int			
TblSSAdr	StateCode	varchar(4)			Yes
TblSSAdr	ZipCode	varchar(10)			
TblSSAdr	County	varchar(4)			Yes
TblSSAdr	LocationType	varchar(4)			Yes
TblSSAdr	AddressPlace	varchar(10)			Yes
TblSSAdr	QualifierType	varchar(4)			Yes
TblSSAdr	AddressQualifier	varchar(7)			
TblSSAdr	BuildingName	varchar(50)			
TblSSAdr	CityName	varchar(30)			
TblSSAdr	TemporaryAddress	varchar(1)			Yes
TblSSAdr	CountryCode	varchar(4)			Yes
TblSSAdr	GeoIntersectionId	varchar(10)			
TblSSAdr	GeoRoadId	varchar(10)			
TblSSAdr	GeoParcelId	varchar(10)			

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TbISSAdr	ParcedAddressText	varchar(10)			
TbISSAdr	CityCode	varchar(4)			Yes
TbISSAdr	WGS84Longitude	float			
TbISSAdr	WGS84Latitude	float			
TbISSAdr	AddressHostID	varchar(10)			
TbISSAdr	Comments	text			
TbISSAdr	Description	varchar(255)			
TbISSAdr	MilePost	varchar(10)			
TbISSAdr	RoadWay	varchar(25)			
TbISSAdr	DirectionOfTravel	varchar(4)			Yes
TbISSAdr	Area1	varchar(10)			Yes
TbISSAdr	Area2	varchar(10)			Yes
TbISSAdr	Area3	varchar(10)			Yes
TbISSAdr	Area4	varchar(10)			Yes
TbISSAdr	Area5	varchar(10)			Yes
TbISSAdr	AddressType	varchar(4)			
TbISSAdr	NAD27Zone	varchar(5)			
TbISSAdr	NAD27X	float			
TbISSAdr	NAD27Y	float			
TbISSAdr	Area6	varchar(10)			Yes
TbISSAdr	Area7	varchar(10)			Yes
TbISSAdr	Area8	varchar(10)			Yes
TbISSAdr	Area9	varchar(10)			Yes
TbISSAdr	Area10	varchar(10)			Yes
TbISSAdr	NAD27Latitude	float			
TbISSAdr	NAD27Longitude	float			
TbISSAdr	NAD83Zone	varchar(5)			
TbISSAdr	NAD83X	float			
TbISSAdr	NAD83Y	float			
TbISSAdr	IntersectionType	varchar(4)			Yes
TbISSAdr	DisclosureExempt	varchar(1)			Yes

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TbISSAdr	DisclosureExpiration	datetime			
TbISSAdrFinLk	SSAdrFinLkID	int	NOT NULL	Yes	
TbISSAdrFinLk	SSAdrID	int	NOT NULL		Yes
TbISSAdrFinLk	SSFinID	int	NOT NULL		Yes
TbISSAdrFinLk	Relationship	varchar(4)			Yes
TbISSAdrFinLk	RODate	datetime			
TbISSAdrFinLk	ROOperator	int			
TbISSAdrFinLk	LUDate	datetime			
TbISSAdrFinLk	LUOperator	int			
TbISSAdrFinLk	ValidFrom	datetime			
TbISSAdrFinLk	ValidTo	datetime			
TbISSAdrVehLk	SSAdrVehLkID	int	NOT NULL	Yes	
TbISSAdrVehLk	SSAdrID	int	NOT NULL		Yes
TbISSAdrVehLk	SSVehID	int	NOT NULL		Yes
TbISSAdrVehLk	Relationship	varchar(4)			Yes
TbISSAdrVehLk	RODate	datetime	NOT NULL		
TbISSAdrVehLk	ROOperator	int	NOT NULL		
TbISSAdrVehLk	LUDate	datetime	NOT NULL		
TbISSAdrVehLk	LUOperator	int	NOT NULL		
TbISSAdrVehLk	ValidFrom	datetime			
TbISSAdrVehLk	ValidTo	datetime			
TbISSFin	SSFinID	int	NOT NULL	Yes	
TbISSFin	FinID	int			Yes
TbISSFin	IssuedName	varchar(50)			
TbISSFin	Fin	varchar(25)	NOT NULL		
TbISSFin	FinTyp	varchar(4)			Yes
TbISSFin	ExpirationDate	varchar(10)			
TbISSFin	BankCodeNumber	varchar(4)			
TbISSFin	RODate	datetime	NOT NULL		
TbISSFin	ROOperator	int	NOT NULL		
TbISSFin	LUDate	datetime	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TbISSFin	LUOperator	int	NOT NULL		
TbISSFin	UpdateLock	int			
TbISSFin	Description	varchar(25)			
TbISSFin	FinHostId	varchar(10)			
TbISSFin	Value	money			
TbISSFin	Comments	text			
TbISSFin	Caution	varchar(50)			
TbISSFin	DisclosureExempt	varchar(1)			Yes
TbISSFin	DisclosureExpiration	datetime			
TbISSFinSubLk	SSFinSubLkID	int	NOT NULL	Yes	
TbISSFinSubLk	SSFinID	int	NOT NULL		Yes
TbISSFinSubLk	SSSubID	int	NOT NULL		Yes
TbISSFinSubLk	Relationship	varchar(4)			Yes
TbISSFinSubLk	RODate	datetime	NOT NULL		
TbISSFinSubLk	ROOperator	int	NOT NULL		
TbISSFinSubLk	LUDate	datetime	NOT NULL		
TbISSFinSubLk	LUOperator	int	NOT NULL		
TbISSFinSubLk	ValidFrom	datetime			
TbISSFinSubLk	ValidTo	datetime			
TbISSQuery	QueryID	int			Yes
TbISSQuery	Name	varchar(255)			
TbISSQuery	Source	text			
TbISSQuery	RODate	datetime			
TbISSQuery	ROOperator	int			
TbISSQuery	LUDate	datetime			
TbISSQuery	LUOperator	int			
TbISSQuery	SSQueryID	int	NOT NULL	Yes	
TbISSSub	SSSubID	int	NOT NULL	Yes	
TbISSSub	SubID	int			Yes
TbISSSub	SubjectFirstName	varchar(50)			
TbISSSub	SubjectMiddleName	varchar(50)			

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TbISSub	SubjectLastName	varchar(50)			
TbISSub	SubjectSuffix	varchar(5)			Yes
TbISSub	SubjectName	varchar(50)	NOT NULL		
TbISSub	RecordType	varchar(4)			Yes
TbISSub	PhoneticName	varchar(50)			
TbISSub	LiteralName	varchar(50)			
TbISSub	BirthDate	datetime			
TbISSub	ApproxDOB	varchar(1)			
TbISSub	ResidenceStatus	varchar(4)			Yes
TbISSub	Occupation	varchar(30)			
TbISSub	DateEmployed	datetime			
TbISSub	PreviousOccupation	varchar(30)			
TbISSub	PlaceOfBirth	varchar(30)			
TbISSub	Race	varchar(4)			Yes
TbISSub	Ethnicity	varchar(4)			Yes
TbISSub	Language	varchar(4)			Yes
TbISSub	Dialect	varchar(4)			Yes
TbISSub	Height	smallint			
TbISSub	Weight	smallint			
TbISSub	EyeColor	varchar(4)			Yes
TbISSub	HairColor	varchar(4)			Yes
TbISSub	HairLength	varchar(4)			Yes
TbISSub	HairStyle	varchar(4)			Yes
TbISSub	Facial	varchar(4)			Yes
TbISSub	Teeth	varchar(4)			Yes
TbISSub	Complexion	varchar(4)			Yes
TbISSub	Glasses	varchar(4)			Yes
TbISSub	Speech	varchar(4)			Yes
TbISSub	PhysicalBuild	varchar(4)			Yes
TbISSub	MedicalAlerts	varchar(50)			
TbISSub	Disabilities	varchar(4)			Yes

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TbISSSub	ClothingJewelry	varchar(50)			
TbISSSub	Demeanor	varchar(4)			Yes
TbISSSub	RightLeftHanded	varchar(4)			Yes
TbISSSub	Photo	varchar(1)			Yes
TbISSSub	SocialSecurityNo	varchar(11)			
TbISSSub	DriversLicense	varchar(20)			
TbISSSub	DLState	varchar(2)			
TbISSSub	INSIdentification	varchar(20)			
TbISSSub	Juvenile	varchar(1)			Yes
TbISSSub	USCitizen	varchar(1)			Yes
TbISSSub	CitizenshipCountry	varchar(4)			Yes
TbISSSub	Deceased	varchar(1)			Yes
TbISSSub	DateDeceased	datetime			
TbISSSub	Education	varchar(50)			
TbISSSub	TypeOfBusiness	varchar(4)			Yes
TbISSSub	DateOrganized	datetime			
TbISSSub	StateOrganized	varchar(2)			
TbISSSub	BusinessClass	varchar(4)			Yes
TbISSSub	DateDissolved	datetime			
TbISSSub	PreviousDateEmpd	datetime			
TbISSSub	ResidenceType	varchar(4)			Yes
TbISSSub	ProneToViolence	varchar(1)			Yes
TbISSSub	WepUsedInThePast	varchar(50)			
TbISSSub	DrugAlcoholAbuser	varchar(1)			Yes
TbISSSub	PriorArrest	varchar(50)			
TbISSSub	ArrestDispositions	varchar(50)			
TbISSSub	FelonyConvictions	varchar(50)			
TbISSSub	Incarcerated	varchar(50)			
TbISSSub	CriFamAffiliation	varchar(1)			Yes
TbISSSub	GangAffiliation	varchar(1)			Yes
TbISSSub	UnionAffiliation	varchar(1)			Yes

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TbISSSub	FBINumber	varchar(50)			
TbISSSub	OtherIDNumbers	varchar(50)			
TbISSSub	Caution	varchar(50)			
TbISSSub	Sex	varchar(4)			Yes
TbISSSub	PoliceIDNumber	varchar(50)			
TbISSSub	FileNumber	varchar(15)			
TbISSSub	Age	smallint			
TbISSSub	AgeType	varchar(1)			
TbISSSub	RODate	datetime	NOT NULL		
TbISSSub	ROOperator	int	NOT NULL		
TbISSSub	LUDate	datetime	NOT NULL		
TbISSSub	LUOperator	int	NOT NULL		
TbISSSub	UpdateLock	int			
TbISSSub	LastPurgeRevDate	datetime			
TbISSSub	PurgeLevel	varchar(1)			
TbISSSub	BusinessCharter	varchar(15)			
TbISSSub	OtherIDExpirDate	datetime			
TbISSSub	PassportNumber	varchar(20)			
TbISSSub	PpCountryOfIssue	varchar(20)			
TbISSSub	DeleteFlag	varchar(1)			Yes
TbISSSub	Employed	varchar(1)			Yes
TbISSSub	DCDCNumber	varchar(20)			
TbISSSub	BusinessIDNumber	varchar(20)			
TbISSSub	AreaFrequented	varchar(50)			
TbISSSub	GangTitleRank	varchar(4)			Yes
TbISSSub	GangLevel	varchar(4)			Yes
TbISSSub	MemberOfOtherGang	varchar(1)			Yes
TbISSSub	SubjectHostID	varchar(10)			
TbISSSub	Jurisdiction	varchar(50)			
TbISSSub	RegulatingAgency	varchar(50)			
TbISSSub	DailyEmployees	int			

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TbISSub	DailyVisitors	int			
TbISSub	Occupied24Hours	varchar(1)			Yes
TbISSub	HoursOfOperation	varchar(50)			
TbISSub	TypeOfConstruction	varchar(50)			
TbISSub	AssessmentCaseID	int			
TbISSub	LastAssessmentDate	datetime			
TbISSub	FacilityType	varchar(4)			Yes
TbISSub	FacilitySubType	varchar(4)			Yes
TbISSub	AreaOnImpact	varchar(4)			Yes
TbISSub	Comments	text			
TbISSub	PlaceOfBirthCity	varchar(30)			
TbISSub	PlaceOfBirthState	varchar(4)			Yes
TbISSub	PlaceOfBirthCountry	varchar(4)			Yes
TbISSub	LEOID	varchar(20)			
TbISSub	Email	varchar(130)			
TbISSub	GangType	varchar(4)			Yes
TbISSub	GangStatus	varchar(4)			Yes
TbISSub	GangStructure	text			
TbISSub	GangHistory	text			
TbISSub	GangStatutoryCriteriaMet	varchar(1)			Yes
TbISSub	GangStatutoryMembershipStatus	varchar(4)			
TbISSub	GangStatutoryCriteriaMetDate	datetime			
TbISSub	GangStatutoryMembershipStatusDate	datetime			
TbISSub	RankPosition	varchar(50)			
TbISSub	SecLev8	varchar(10)			Yes
TbISSub	SecLev7	varchar(10)			Yes
TbISSub	SecLev6	varchar(10)			Yes
TbISSub	SecLev5	varchar(10)			Yes
TbISSub	SecLev4	varchar(10)			Yes
TbISSub	SecLev3	varchar(10)			Yes
TbISSub	SecLev2	varchar(10)			Yes

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TbISSSub	DisclosureExempt	varchar(1)			Yes
TbISSSub	DisclosureExpiration	datetime			
TbISSSub	SourceReliability	varchar(4)			Yes
TbISSSubAdrLk	SSSubAdrLkID	int	NOT NULL	Yes	
TbISSSubAdrLk	SSSubID	int	NOT NULL		Yes
TbISSSubAdrLk	SSAdrID	int	NOT NULL		Yes
TbISSSubAdrLk	Relationship	varchar(4)			Yes
TbISSSubAdrLk	RODate	datetime	NOT NULL		
TbISSSubAdrLk	ROOperator	int	NOT NULL		
TbISSSubAdrLk	LUDate	datetime	NOT NULL		
TbISSSubAdrLk	LUOperator	int	NOT NULL		
TbISSSubAdrLk	ValidFrom	datetime			
TbISSSubAdrLk	ValidTo	datetime			
TbISSSubAliasMv	SSSubAliasMvID	int	NOT NULL	Yes	
TbISSSubAliasMv	SSSubID	int	NOT NULL		Yes
TbISSSubAliasMv	FirstName	varchar(50)			
TbISSSubAliasMv	MiddleName	varchar(50)			
TbISSSubAliasMv	LastName	varchar(50)			
TbISSSubAliasMv	Suffix	varchar(5)			Yes
TbISSSubAliasMv	Description	varchar(100)	NOT NULL		
TbISSSubAliasMv	RODate	datetime	NOT NULL		
TbISSSubAliasMv	ROOperator	int	NOT NULL		
TbISSSubAliasMv	LUDate	datetime	NOT NULL		
TbISSSubAliasMv	LUOperator	int	NOT NULL		
TbISSSubCrimActMv	SSSubID	int	NOT NULL		Yes
TbISSSubCrimActMv	CriminalActivity	varchar(6)	NOT NULL		Yes
TbISSSubCrimActMv	RODate	datetime	NOT NULL		
TbISSSubCrimActMv	ROOperator	int	NOT NULL		
TbISSSubCrimActMv	LUDate	datetime	NOT NULL		
TbISSSubCrimActMv	LUOperator	int	NOT NULL		
TbISSSubCrimActMv	SSSubCrimActMvID	int	NOT NULL	Yes	

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TbISSSubCrimHistMv	SSSubID	int	NOT NULL		Yes
TbISSSubCrimHistMv	CriminalHistory	varchar(62)	NOT NULL		
TbISSSubCrimHistMv	CrimHistDate	datetime	NOT NULL		
TbISSSubCrimHistMv	RODate	datetime	NOT NULL		
TbISSSubCrimHistMv	ROOperator	int	NOT NULL		
TbISSSubCrimHistMv	LUDate	datetime	NOT NULL		
TbISSSubCrimHistMv	LUOperator	int	NOT NULL		
TbISSSubCrimHistMv	SSSubCrimHistMvID	int	NOT NULL	Yes	
TbISSSubFacilityCategoryMv	SSSubID	int			Yes
TbISSSubFacilityCategoryMv	FacilityCategory	varchar(4)			Yes
TbISSSubFacilityCategoryMv	RODate	datetime			
TbISSSubFacilityCategoryMv	ROOperator	int			Yes
TbISSSubFacilityCategoryMv	LUDate	datetime			
TbISSSubFacilityCategoryMv	LUOperator	int			Yes
TbISSSubFacilityCategoryMv	SSSubFacilityCategoryMvID	int	NOT NULL	Yes	
TbISSSubFacilityCommodityMv	SSSubID	int			Yes
TbISSSubFacilityCommodityMv	FacilityCommodity	varchar(4)			Yes
TbISSSubFacilityCommodityMv	RODate	datetime			
TbISSSubFacilityCommodityMv	ROOperator	int			Yes
TbISSSubFacilityCommodityMv	LUDate	datetime			
TbISSSubFacilityCommodityMv	LUOperator	int			Yes
TbISSSubFacilityCommodityMv	SSSubFacilityCommodityMvID	int	NOT NULL	Yes	
TbISSSubFicDOBMv	SSSubFicDOBMvID	int	NOT NULL	Yes	
TbISSSubFicDOBMv	SSSubID	int	NOT NULL		Yes
TbISSSubFicDOBMv	FicDOB	datetime			
TbISSSubFicDOBMv	FicDOBComment	varchar(65)			
TbISSSubFicDOBMv	RODate	datetime	NOT NULL		
TbISSSubFicDOBMv	ROOperator	int	NOT NULL		
TbISSSubFicDOBMv	LUDate	datetime	NOT NULL		
TbISSSubFicDOBMv	LUOperator	int	NOT NULL		
TbISSSubFicDOBMv	FicDOBCity	varchar(25)			

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TbISSSubFicDOBMv	FicDOBState	varchar(4)			Yes
TbISSSubFicDOBMv	FicDOBCountry	varchar(4)			Yes
TbISSSubGangColorsMv	SSSubID	int			Yes
TbISSSubGangColorsMv	Colors	varchar(30)			
TbISSSubGangColorsMv	RODate	datetime			
TbISSSubGangColorsMv	ROOperator	int			Yes
TbISSSubGangColorsMv	LUDate	datetime			
TbISSSubGangColorsMv	LUOperator	int			Yes
TbISSSubGangColorsMv	SSSubGangColorsMVID	int	NOT NULL	Yes	
TbISSSubGangSignsSymbolsMv	SSSubID	int			Yes
TbISSSubGangSignsSymbolsMv	SignSymbol	varchar(100)			
TbISSSubGangSignsSymbolsMv	Description	varchar(255)			
TbISSSubGangSignsSymbolsMv	RODate	datetime			
TbISSSubGangSignsSymbolsMv	ROOperator	int			Yes
TbISSSubGangSignsSymbolsMv	LUDate	datetime			
TbISSSubGangSignsSymbolsMv	LUOperator	int			Yes
TbISSSubGangSignsSymbolsMv	SSSubGangSignsSymbolsMVID	int	NOT NULL	Yes	
TbISSSubGangTermsMv	SSSubID	int			Yes
TbISSSubGangTermsMv	Term	varchar(50)			
TbISSSubGangTermsMv	Definition	varchar(255)			
TbISSSubGangTermsMv	RODate	datetime			
TbISSSubGangTermsMv	ROOperator	int			Yes
TbISSSubGangTermsMv	LUDate	datetime			
TbISSSubGangTermsMv	LUOperator	int			Yes
TbISSSubGangTermsMv	SSSubGangTermsMVID	int	NOT NULL	Yes	
TbISSSubIdMv	SSSubIdMVID	int	NOT NULL	Yes	
TbISSSubIdMv	SSSubID	int	NOT NULL		Yes
TbISSSubIdMv	Type	varchar(4)	NOT NULL		Yes
TbISSSubIdMv	Number	varchar(50)	NOT NULL		
TbISSSubIdMv	State	varchar(4)			Yes
TbISSSubIdMv	Country	varchar(4)			Yes

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TbISSSubIdMv	AsOfDate	datetime			
TbISSSubIdMv	Fictitious	varchar(1)			Yes
TbISSSubIdMv	Comment	varchar(50)			
TbISSSubIdMv	RODate	datetime	NOT NULL		
TbISSSubIdMv	ROOperator	int	NOT NULL		
TbISSSubIdMv	LUDate	datetime	NOT NULL		
TbISSSubIdMv	LUOperator	int	NOT NULL		
TbISSSubIdMv	SubType	varchar(4)			Yes
TbISSSubIdMv	ExpirationDate	datetime			
TbISSSubRelFileMv	SSSubID	int	NOT NULL		Yes
TbISSSubRelFileMv	RelatedFiles	varchar(76)	NOT NULL		
TbISSSubRelFileMv	RODate	datetime	NOT NULL		
TbISSSubRelFileMv	ROOperator	int	NOT NULL		
TbISSSubRelFileMv	LUDate	datetime	NOT NULL		
TbISSSubRelFileMv	LUOperator	int	NOT NULL		
TbISSSubRelFileMv	SSSubRelFileMvID	int	NOT NULL	Yes	
TbISSSubSMTMv	SSSubSMTMvID	int	NOT NULL	Yes	
TbISSSubSMTMv	SSSubID	int	NOT NULL		Yes
TbISSSubSMTMv	ScarsMarksTattoos	varchar(50)	NOT NULL		
TbISSSubSMTMv	RODate	datetime	NOT NULL		
TbISSSubSMTMv	ROOperator	int	NOT NULL		
TbISSSubSMTMv	LUDate	datetime	NOT NULL		
TbISSSubSMTMv	LUOperator	int	NOT NULL		
TbISSSubSMTMv	Type	varchar(4)			Yes
TbISSSubSMTMv	BodyPart	varchar(4)			Yes
TbISSSubSMTMv	Side	varchar(4)			Yes
TbISSSubSMTMv	Location	varchar(6)			Yes
TbISSSubSubLk	SSSubSubLkID	int	NOT NULL	Yes	
TbISSSubSubLk	SSSubID	int	NOT NULL		Yes
TbISSSubSubLk	SSRelSubID	int	NOT NULL		Yes
TbISSSubSubLk	Relationship	varchar(4)			Yes

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TbISSSubSubLk	InverseLinkID	int	NOT NULL		
TbISSSubSubLk	RODate	datetime	NOT NULL		
TbISSSubSubLk	ROOperator	int	NOT NULL		
TbISSSubSubLk	LUDate	datetime	NOT NULL		
TbISSSubSubLk	LUOperator	int	NOT NULL		
TbISSSubSubLk	ValidFrom	datetime			
TbISSSubSubLk	ValidTo	datetime			
TbISSTel	SSTelID	int	NOT NULL	Yes	
TbISSTel	TelID	int			Yes
TbISSTel	TelephoneNumber	varchar(1000)	NOT NULL		
TbISSTel	TelephoneType	varchar(4)			Yes
TbISSTel	PublicPhone	varchar(1)			Yes
TbISSTel	MobileStationary	varchar(4)			Yes
TbISSTel	DigitalPulse	varchar(4)			Yes
TbISSTel	ESSFeatures	varchar(30)			
TbISSTel	DateVerified	datetime			
TbISSTel	DNRExempt	varchar(1)			Yes
TbISSTel	CaseNumber	varchar(15)			
TbISSTel	RODate	datetime	NOT NULL		
TbISSTel	ROOperator	int	NOT NULL		
TbISSTel	LUDate	datetime	NOT NULL		
TbISSTel	LUOperator	int	NOT NULL		
TbISSTel	UpdateLock	int			
TbISSTel	TelephoneHostID	varchar(10)			
TbISSTel	Comments	text			
TbISSTel	Caution	varchar(50)			
TbISSTel	DisclosureExempt	varchar(1)			Yes
TbISSTel	DisclosureExpiration	datetime			
TbISSTelAdrLk	SSTelAdrLkID	int	NOT NULL	Yes	
TbISSTelAdrLk	SSTelID	int	NOT NULL		Yes
TbISSTelAdrLk	SSAdrID	int	NOT NULL		Yes

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TbISSTelAdrLk	Relationship	varchar(4)			Yes
TbISSTelAdrLk	RODate	datetime	NOT NULL		
TbISSTelAdrLk	ROOperator	int	NOT NULL		
TbISSTelAdrLk	LUDate	datetime	NOT NULL		
TbISSTelAdrLk	LUOperator	int	NOT NULL		
TbISSTelAdrLk	ValidFrom	datetime			
TbISSTelAdrLk	ValidTo	datetime			
TbISSTelSubLk	SSTelSubLkID	int	NOT NULL	Yes	
TbISSTelSubLk	SSSubID	int	NOT NULL		Yes
TbISSTelSubLk	SSTelID	int	NOT NULL		Yes
TbISSTelSubLk	Relationship	varchar(4)			Yes
TbISSTelSubLk	ROOperator	int	NOT NULL		
TbISSTelSubLk	RODate	datetime	NOT NULL		
TbISSTelSubLk	LUOperator	int	NOT NULL		
TbISSTelSubLk	LUDate	datetime	NOT NULL		
TbISSTelSubLk	Source	int			
TbISSTelSubLk	ValidFrom	datetime			
TbISSTelSubLk	ValidTo	datetime			
TbISSVeh	SSVehID	int	NOT NULL	Yes	
TbISSVeh	VehID	int			Yes
TbISSVeh	TagNumber	varchar(20)			
TbISSVeh	State	varchar(4)			Yes
TbISSVeh	TagYear	smallint			
TbISSVeh	TagType	varchar(4)			Yes
TbISSVeh	VehicleType	varchar(4)			Yes
TbISSVeh	VehicleMake	varchar(4)			Yes
TbISSVeh	VehicleModel	varchar(50)			
TbISSVeh	VehicleStyle	varchar(4)			Yes
TbISSVeh	VehicleYear	smallint			
TbISSVeh	VehicleVINNumber	varchar(20)			
TbISSVeh	DecalNumber	varchar(20)			

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TbISSVeh	DecalYear	smallint			
TbISSVeh	ExteriorTopColor	varchar(4)			Yes
TbISSVeh	ExterBottomColor	varchar(4)			Yes
TbISSVeh	InteriorColor	varchar(4)			Yes
TbISSVeh	VehicleValue	money			
TbISSVeh	VesselName	varchar(50)			
TbISSVeh	VesselHullCode	varchar(4)			Yes
TbISSVeh	VesselLength	smallint			
TbISSVeh	VesselPropulsion	varchar(4)			Yes
TbISSVeh	VesselType	varchar(4)			Yes
TbISSVeh	VesselFuelType	varchar(4)			Yes
TbISSVeh	EngineManufacturer	varchar(30)			
TbISSVeh	EngineHP	smallint			
TbISSVeh	EngineNo1SN	varchar(20)			
TbISSVeh	EngineNo2SN	varchar(20)			
TbISSVeh	VesselSSSubjectID	varchar(7)			
TbISSVeh	CATRegistration	varchar(10)			
TbISSVeh	IssuingAgency	varchar(10)			
TbISSVeh	DateIssued	datetime			
TbISSVeh	RODate	datetime	NOT NULL		
TbISSVeh	ROOperator	int	NOT NULL		
TbISSVeh	LUDate	datetime	NOT NULL		
TbISSVeh	LUOperator	int	NOT NULL		
TbISSVeh	UpdateLock	int			
TbISSVeh	DeleteFlag	varchar(1)			
TbISSVeh	VehicleHostID	varchar(10)			
TbISSVeh	Comments	text			
TbISSVeh	AircraftType	varchar(4)			Yes
TbISSVeh	WingStyle	varchar(4)			Yes
TbISSVeh	CallSign	varchar(50)			
TbISSVeh	PropulsionType	varchar(4)			Yes

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TbISSVeh	AircraftDescription	varchar(255)			
TbISSVeh	VesselCategory	varchar(4)			Yes
TbISSVeh	USCGDocNumber	varchar(25)			
TbISSVeh	TrailerType	varchar(4)			Yes
TbISSVeh	VehicleUse	varchar(4)			Yes
TbISSVeh	OdometerReading	int			
TbISSVeh	TagExpiration	datetime			
TbISSVeh	TagPermanent	varchar(1)			Yes
TbISSVeh	TrailerLengthFeet	smallint			
TbISSVeh	NumberOfAxles	tinyint			
TbISSVeh	Caution	varchar(50)			
TbISSVeh	DisclosureExempt	varchar(1)			Yes
TbISSVeh	DisclosureExpiration	datetime			
TbISSVehConcealmentsMv	SSVehID	int			Yes
TbISSVehConcealmentsMv	ConcealmentType	varchar(4)			Yes
TbISSVehConcealmentsMv	Description	varchar(50)			
TbISSVehConcealmentsMv	RODate	datetime			
TbISSVehConcealmentsMv	ROOperator	int			Yes
TbISSVehConcealmentsMv	LUDate	datetime			
TbISSVehConcealmentsMv	LUOperator	int			Yes
TbISSVehConcealmentsMv	SSVehConcealmentsMvID	int	NOT NULL	Yes	
TbISSVehSubLk	SSVehSubLkID	int	NOT NULL	Yes	
TbISSVehSubLk	SSVehID	int	NOT NULL		Yes
TbISSVehSubLk	SSSubID	int	NOT NULL		Yes
TbISSVehSubLk	Relationship	varchar(4)			Yes
TbISSVehSubLk	RODate	datetime	NOT NULL		
TbISSVehSubLk	ROOperator	int	NOT NULL		
TbISSVehSubLk	LUDate	datetime	NOT NULL		
TbISSVehSubLk	LUOperator	int	NOT NULL		
TbISSVehSubLk	ValidFrom	datetime			
TbISSVehSubLk	ValidTo	datetime			

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblSub	SubID	int	NOT NULL	Yes	
TblSub	SubjectFirstName	varchar(50)			
TblSub	SubjectMiddleName	varchar(50)			
TblSub	SubjectLastName	varchar(50)			
TblSub	SubjectSuffix	varchar(5)			Yes
TblSub	SubjectName	varchar(50)	NOT NULL		
TblSub	RecordType	varchar(4)			Yes
TblSub	PhoneticName	varchar(50)			
TblSub	LiteralName	varchar(50)			
TblSub	BirthDate	datetime			
TblSub	ApproxDOB	varchar(1)			
TblSub	ResidenceStatus	varchar(4)			Yes
TblSub	Occupation	varchar(30)			
TblSub	DateEmployed	datetime			
TblSub	PreviousOccupation	varchar(30)			
TblSub	PlaceOfBirth	varchar(30)			
TblSub	Race	varchar(4)			Yes
TblSub	Ethnicity	varchar(4)			Yes
TblSub	Language	varchar(4)			Yes
TblSub	Dialect	varchar(4)			Yes
TblSub	Height	smallint			
TblSub	Weight	smallint			
TblSub	EyeColor	varchar(4)			Yes
TblSub	HairColor	varchar(4)			Yes
TblSub	HairLength	varchar(4)			Yes
TblSub	HairStyle	varchar(4)			Yes
TblSub	Facial	varchar(4)			Yes
TblSub	Teeth	varchar(4)			Yes
TblSub	Complexion	varchar(4)			Yes
TblSub	Glasses	varchar(4)			Yes
TblSub	Speech	varchar(4)			Yes

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblSub	PhysicalBuild	varchar(4)			Yes
TblSub	MedicalAlerts	varchar(50)			
TblSub	Disabilities	varchar(4)			Yes
TblSub	ClothingJewelry	varchar(50)			
TblSub	Demeanor	varchar(4)			Yes
TblSub	RightLeftHanded	varchar(4)			Yes
TblSub	Photo	varchar(1)			Yes
TblSub	SocialSecurityNo	varchar(11)			
TblSub	DriversLicense	varchar(20)			
TblSub	DLState	varchar(2)			
TblSub	INSIdentification	varchar(20)			
TblSub	Juvenile	varchar(1)			Yes
TblSub	USCitizen	varchar(1)			Yes
TblSub	CitizenshipCountry	varchar(4)			Yes
TblSub	Deceased	varchar(1)			Yes
TblSub	DateDeceased	datetime			
TblSub	Education	varchar(50)			
TblSub	TypeOfBusiness	varchar(4)			Yes
TblSub	DateOrganized	datetime			
TblSub	StateOrganized	varchar(2)			
TblSub	BusinessClass	varchar(4)			Yes
TblSub	DateDissolved	datetime			
TblSub	PreviousDateEmpd	datetime			
TblSub	ResidenceType	varchar(4)			Yes
TblSub	ProneToViolence	varchar(1)			Yes
TblSub	WepUsedInThePast	varchar(50)			
TblSub	DrugAlcoholAbuser	varchar(1)			Yes
TblSub	PriorArrest	varchar(50)			
TblSub	ArrestDispositions	varchar(50)			
TblSub	FelonyConvictions	varchar(50)			
TblSub	Incarcerated	varchar(50)			

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblSub	CriFamAffiliation	varchar(1)			Yes
TblSub	GangAffiliation	varchar(1)			Yes
TblSub	UnionAffiliation	varchar(1)			Yes
TblSub	FBINumber	varchar(50)			
TblSub	OtherIDNumbers	varchar(50)			
TblSub	Caution	varchar(50)			
TblSub	Sex	varchar(4)			Yes
TblSub	PoliceIDNumber	varchar(50)			
TblSub	FileNumber	varchar(15)			
TblSub	Age	smallint			
TblSub	AgeType	varchar(1)			
TblSub	RODate	datetime	NOT NULL		
TblSub	ROOperator	int	NOT NULL		
TblSub	LUDate	datetime	NOT NULL		
TblSub	LUOperator	int	NOT NULL		
TblSub	Purge	varchar(1)			Yes
TblSub	BusinessCharter	varchar(15)			
TblSub	OtherIDExpirDate	datetime			
TblSub	PassportNumber	varchar(20)			
TblSub	PpCountryOfIssue	varchar(20)			
TblSub	DeleteFlag	varchar(1)			Yes
TblSub	Employed	varchar(1)			Yes
TblSub	DCDCNumber	varchar(20)			
TblSub	BusinessIDNumber	varchar(20)			
TblSub	AreaFrequented	varchar(50)			
TblSub	GangTitleRank	varchar(4)			Yes
TblSub	GangLevel	varchar(4)			Yes
TblSub	MemberOfOtherGang	varchar(1)			Yes
TblSub	SubjectHostID	varchar(10)			
TblSub	HiddenFlag	varchar(1)			
TblSub	HiddenNotifyOperID	int			Yes

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblSub	Jurisdiction	varchar(50)			
TblSub	RegulatingAgency	varchar(50)			
TblSub	DailyEmployees	int			
TblSub	DailyVisitors	int			
TblSub	Occupied24Hours	varchar(1)			Yes
TblSub	HoursOfOperation	varchar(50)			
TblSub	TypeOfConstruction	varchar(50)			
TblSub	FacilityType	varchar(4)			Yes
TblSub	FacilitySubType	varchar(4)			Yes
TblSub	AreaOnImpact	varchar(4)			Yes
TblSub	Comments	text			
TblSub	PlaceOfBirthCity	varchar(30)			
TblSub	PlaceOfBirthState	varchar(4)			Yes
TblSub	PlaceOfBirthCountry	varchar(4)			Yes
TblSub	LEOID	varchar(20)			
TblSub	Email	varchar(130)			
TblSub	GangType	varchar(4)			Yes
TblSub	GangStatus	varchar(4)			Yes
TblSub	GangStructure	text			
TblSub	GangHistory	text			
TblSub	GangStatutoryCriteriaMet	varchar(1)			Yes
TblSub	GangStatutoryMembershipStatus	varchar(4)			
TblSub	GangStatutoryCriteriaMetDate	datetime			
TblSub	GangStatutoryMembershipStatusDate	datetime			
TblSub	RankPosition	varchar(50)			
TblSub	IntelPurgeBatchID	int			Yes
TblSub	DisclosureExempt	varchar(1)			Yes
TblSub	DisclosureExpiration	datetime			
TblSub	UpdateLock	uniqueidentifier			
TblSub	ReadOnly	tinyint			
TblSub	SourceReliability	varchar(4)			Yes

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblSubAdrLk	SubAdrLkID	int	NOT NULL	Yes	
TblSubAdrLk	SubID	int	NOT NULL		Yes
TblSubAdrLk	AdrID	int	NOT NULL		Yes
TblSubAdrLk	Relationship	varchar(4)			Yes
TblSubAdrLk	RODate	datetime	NOT NULL		
TblSubAdrLk	ROOperator	int	NOT NULL		
TblSubAdrLk	LUDate	datetime	NOT NULL		
TblSubAdrLk	LUOperator	int	NOT NULL		
TblSubAdrLk	ValidFrom	datetime			
TblSubAdrLk	ValidTo	datetime			
TblSubAliasMv	SubAliasMvID	int	NOT NULL	Yes	
TblSubAliasMv	SubID	int	NOT NULL		Yes
TblSubAliasMv	FirstName	varchar(50)			
TblSubAliasMv	MiddleName	varchar(50)			
TblSubAliasMv	LastName	varchar(50)			
TblSubAliasMv	Suffix	varchar(5)			Yes
TblSubAliasMv	Description	varchar(100)	NOT NULL		
TblSubAliasMv	LiteralName	varchar(100)			
TblSubAliasMv	PhoneticName	varchar(100)			
TblSubAliasMv	RODate	datetime	NOT NULL		
TblSubAliasMv	ROOperator	int	NOT NULL		
TblSubAliasMv	LUDate	datetime	NOT NULL		
TblSubAliasMv	LUOperator	int	NOT NULL		
TblSubAliasNameParts	SubAliasMvID	int	NOT NULL	Yes	
TblSubAliasNameParts	PartIndex	int	NOT NULL	Yes	
TblSubAliasNameParts	PartID	int	NOT NULL	Yes	
TblSubCrimActMv	SubID	int	NOT NULL		Yes
TblSubCrimActMv	CriminalActivity	varchar(6)	NOT NULL		Yes
TblSubCrimActMv	RODate	datetime	NOT NULL		
TblSubCrimActMv	ROOperator	int	NOT NULL		
TblSubCrimActMv	LUDate	datetime	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblSubCrimActMv	LUOperator	int	NOT NULL		
TblSubCrimActMv	SubCrimActMvID	int	NOT NULL	Yes	
TblSubCrimHistMv	SubID	int	NOT NULL		Yes
TblSubCrimHistMv	CriminalHistory	varchar(62)	NOT NULL		
TblSubCrimHistMv	CrimHistDate	datetime	NOT NULL		
TblSubCrimHistMv	RODate	datetime	NOT NULL		
TblSubCrimHistMv	ROOperator	int	NOT NULL		
TblSubCrimHistMv	LUDate	datetime	NOT NULL		
TblSubCrimHistMv	LUOperator	int	NOT NULL		
TblSubCrimHistMv	SubCrimHistMvID	int	NOT NULL	Yes	
TblSubDocLog	SubjectName	varchar(50)			
TblSubDocLog	ActionType	varchar(4)	NOT NULL		
TblSubDocLog	ActionDate	datetime	NOT NULL		
TblSubDocLog	ActionOperator	int	NOT NULL		
TblSubDocLog	SubID	int	NOT NULL		
TblSubFacilityCategoryMv	SubID	int			Yes
TblSubFacilityCategoryMv	FacilityCategory	varchar(4)			Yes
TblSubFacilityCategoryMv	RODate	datetime			
TblSubFacilityCategoryMv	ROOperator	int			Yes
TblSubFacilityCategoryMv	LUDate	datetime			
TblSubFacilityCategoryMv	LUOperator	int			Yes
TblSubFacilityCategoryMv	SubFacilityCategoryMvID	int	NOT NULL	Yes	
TblSubFacilityCommodityMv	SubID	int			Yes
TblSubFacilityCommodityMv	FacilityCommodity	varchar(4)			Yes
TblSubFacilityCommodityMv	RODate	datetime			
TblSubFacilityCommodityMv	ROOperator	int			Yes
TblSubFacilityCommodityMv	LUDate	datetime			
TblSubFacilityCommodityMv	LUOperator	int			Yes
TblSubFacilityCommodityMv	SubFacilityCommodityMvID	int	NOT NULL	Yes	
TblSubFicDOBMv	SubFicDOBMvID	int	NOT NULL	Yes	
TblSubFicDOBMv	SubID	int	NOT NULL		Yes

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblSubFicDOBMv	FicDOB	datetime			
TblSubFicDOBMv	FicDOBComment	varchar(65)			
TblSubFicDOBMv	RODate	datetime	NOT NULL		
TblSubFicDOBMv	ROOperator	int	NOT NULL		
TblSubFicDOBMv	LUDate	datetime	NOT NULL		
TblSubFicDOBMv	LUOperator	int	NOT NULL		
TblSubFicDOBMv	FicDOBCity	varchar(25)			
TblSubFicDOBMv	FicDOBState	varchar(4)			Yes
TblSubFicDOBMv	FicDOBCountry	varchar(4)			Yes
TblSubFndWatchDog	TriggerText	varchar(255)	NOT NULL		
TblSubFndWatchDog	AlertOperID	int			Yes
TblSubFndWatchDog	SubFndWatchDogID	int	NOT NULL	Yes	
TblSubGangColorsMv	SubID	int			Yes
TblSubGangColorsMv	Colors	varchar(30)			
TblSubGangColorsMv	RODate	datetime			
TblSubGangColorsMv	ROOperator	int			Yes
TblSubGangColorsMv	LUDate	datetime			
TblSubGangColorsMv	LUOperator	int			Yes
TblSubGangColorsMv	SubGangColorsMvID	int	NOT NULL	Yes	
TblSubGangSignsSymbolsMv	SubID	int			Yes
TblSubGangSignsSymbolsMv	SignSymbol	varchar(100)			
TblSubGangSignsSymbolsMv	Description	varchar(255)			
TblSubGangSignsSymbolsMv	RODate	datetime			
TblSubGangSignsSymbolsMv	ROOperator	int			Yes
TblSubGangSignsSymbolsMv	LUDate	datetime			
TblSubGangSignsSymbolsMv	LUOperator	int			Yes
TblSubGangSignsSymbolsMv	SubGangSignsSymbolsMvID	int	NOT NULL	Yes	
TblSubGangTermsMv	SubID	int			Yes
TblSubGangTermsMv	Term	varchar(50)			
TblSubGangTermsMv	Definition	varchar(255)			
TblSubGangTermsMv	RODate	datetime			

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblSubGangTermsMv	ROOperator	int			Yes
TblSubGangTermsMv	LUDate	datetime			
TblSubGangTermsMv	LUOperator	int			Yes
TblSubGangTermsMv	SubGangTermsMvID	int	NOT NULL	Yes	
TblSubIdMv	SubIdMvID	int	NOT NULL	Yes	
TblSubIdMv	SubID	int	NOT NULL		Yes
TblSubIdMv	Type	varchar(4)	NOT NULL		Yes
TblSubIdMv	Number	varchar(50)	NOT NULL		
TblSubIdMv	State	varchar(4)			Yes
TblSubIdMv	Country	varchar(4)			Yes
TblSubIdMv	AsOfDate	datetime			
TblSubIdMv	Fictitious	varchar(1)			Yes
TblSubIdMv	Comment	varchar(50)			
TblSubIdMv	RODate	datetime	NOT NULL		
TblSubIdMv	ROOperator	int	NOT NULL		
TblSubIdMv	LUDate	datetime	NOT NULL		
TblSubIdMv	LUOperator	int	NOT NULL		
TblSubIdMv	SubType	varchar(4)			Yes
TblSubIdMv	ExpirationDate	datetime			
TblSubInterface	SubID	int	NOT NULL	Yes	Yes
TblSubInterface	InterfaceID	int	NOT NULL	Yes	Yes
TblSubInterface	RemoteID	varchar(1000)			
TblSubInterface	RemoteDescription	varchar(1000)			
TblSubInterface	RODate	datetime	NOT NULL		
TblSubInterface	ROOperator	int	NOT NULL		
TblSubInterface	LUDate	datetime	NOT NULL		
TblSubInterface	LUOperator	int	NOT NULL		
TblSubInterface	RemoteBinary	image			
TblSubMergeBatch	SubMergeBatchID	int	NOT NULL	Yes	
TblSubMergeBatch	BatchStatus	varchar(4)			
TblSubMergeBatch	MinConfidence	smallint			

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblSubMergeBatch	RODate	datetime	NOT NULL		
TblSubMergeBatch	ROOperator	int	NOT NULL		
TblSubMergeBatch	LUDate	datetime	NOT NULL		
TblSubMergeBatch	LUOperator	int	NOT NULL		
TblSubMergeBatch	UpdateLock	uniqueidentifier			
TblSubMergeBatch	RecordType	varchar(4)			Yes
TblSubMergeBatch	SubjectName	varchar(50)			
TblSubMergeBatchItem	SubMergeBatchID	int	NOT NULL		Yes
TblSubMergeBatchItem	SubID	int	NOT NULL		Yes
TblSubMergeBatchItem	GroupNumber	int	NOT NULL		
TblSubMergeBatchItem	Action	varchar(4)	NOT NULL		
TblSubMergeBatchItem	SubMergeBatchItemID	int	NOT NULL	Yes	
TblSubNamePartLexicon	PartID	int	NOT NULL	Yes	
TblSubNamePartLexicon	Alternate	tinyint	NOT NULL		
TblSubNamePartLexicon	PartPhonetic	varchar(50)			
TblSubNamePartLexicon	Part	varchar(50)	NOT NULL	Yes	
TblSubNameParts	SubID	int	NOT NULL	Yes	
TblSubNameParts	PartIndex	int	NOT NULL	Yes	
TblSubNameParts	PartID	int	NOT NULL	Yes	
TblSubRelFileMv	SubID	int	NOT NULL		Yes
TblSubRelFileMv	RelatedFiles	varchar(76)	NOT NULL		
TblSubRelFileMv	RODate	datetime	NOT NULL		
TblSubRelFileMv	ROOperator	int	NOT NULL		
TblSubRelFileMv	LUDate	datetime	NOT NULL		
TblSubRelFileMv	LUOperator	int	NOT NULL		
TblSubRelFileMv	SubRelFileMvID	int	NOT NULL	Yes	
TblSubRelObjFile	SubRelObjFileID	int	NOT NULL	Yes	
TblSubRelObjFile	SubID	int	NOT NULL		Yes
TblSubRelObjFile	FileName	varchar(200)	NOT NULL		
TblSubRelObjFile	MimeType	varchar(200)	NOT NULL		
TblSubRelObjFile	Description	varchar(100)	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblSubRelObjFile	BinaryData	image			
TblSubRelObjFile	BinaryData2	image			
TblSubRelObjFile	DisplayCode	tinyint			
TblSubRelObjFile	RODate	datetime	NOT NULL		
TblSubRelObjFile	ROOperator	int	NOT NULL		
TblSubRelObjFile	LUDate	datetime	NOT NULL		
TblSubRelObjFile	LUOperator	int	NOT NULL		
TblSubRelObjFile	BinaryDataBytes	int			
TblSubRelObjFile	TextData	text			
TblSubSMTMv	SubSMTMvID	int	NOT NULL	Yes	
TblSubSMTMv	SubID	int	NOT NULL		Yes
TblSubSMTMv	ScarsMarksTattoos	varchar(50)	NOT NULL		
TblSubSMTMv	RODate	datetime	NOT NULL		
TblSubSMTMv	ROOperator	int	NOT NULL		
TblSubSMTMv	LUDate	datetime	NOT NULL		
TblSubSMTMv	LUOperator	int	NOT NULL		
TblSubSMTMv	Type	varchar(4)			Yes
TblSubSMTMv	BodyPart	varchar(4)			Yes
TblSubSMTMv	Side	varchar(4)			Yes
TblSubSMTMv	Location	varchar(6)			Yes
TblSubSubLk	SubSubLkID	int	NOT NULL	Yes	
TblSubSubLk	SubID	int	NOT NULL		Yes
TblSubSubLk	RelSubID	int	NOT NULL		Yes
TblSubSubLk	Relationship	varchar(4)			Yes
TblSubSubLk	InverseLinkID	int	NOT NULL		
TblSubSubLk	RODate	datetime	NOT NULL		
TblSubSubLk	ROOperator	int	NOT NULL		
TblSubSubLk	LUDate	datetime	NOT NULL		
TblSubSubLk	LUOperator	int	NOT NULL		
TblSubSubLk	ValidFrom	datetime			
TblSubSubLk	ValidTo	datetime			

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblSubWatchDog	SubID	int	NOT NULL		Yes
TblSubWatchDog	AlertOperID	int	NOT NULL		Yes
TblSubWatchDog	FndAlert	bit			
TblSubWatchDog	SubWatchDogID	int	NOT NULL	Yes	
TblSup	SupID	int	NOT NULL	Yes	
TblSup	CaseID	int			Yes
TblSup	SupplementNumber	varchar(60)			
TblSup	ReportDate	datetime			
TblSup	ReportingDetective	int			Yes
TblSup	BackupOfficer	int			Yes
TblSup	BriefDescription	varchar(100)			
TblSup	SourceOfInfo	varchar(30)			
TblSup	SourceReliability	varchar(4)			Yes
TblSup	DisseminationCode	varchar(4)			Yes
TblSup	Synopsis	text			
TblSup	RegularMinutes	int			
TblSup	OvertimeMinutes	int			
TblSup	CompensatoryMinutes	int			
TblSup	TotalMinutes	int			
TblSup	TotalExpenseAmount	money			
TblSup	ExpensePostedFlag	varchar(1)			
TblSup	ROStart	datetime			
TblSup	RODate	datetime			
TblSup	ROOperator	int			
TblSup	ROElapsed	int			
TblSup	LUStart	datetime			
TblSup	LUDate	datetime			
TblSup	LUOperator	int			
TblSup	UpdElapsed	int			
TblSup	ContentEvaluation	varchar(4)			Yes
TblSup	TypeOfReport	varchar(8)			Yes

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblSup	IncidentType	varchar(4)			Yes
TblSup	Narrative	image			
TblSup	NarrativeTxt	text			
TblSup	ApprovedBySecLev8	varchar(10)			Yes
TblSup	ApprovedBySecLev7	varchar(10)			Yes
TblSup	ApprovedBySecLev6	varchar(10)			Yes
TblSup	ApprovedBySecLev5	varchar(10)			Yes
TblSup	ApprovedBySecLev4	varchar(10)			Yes
TblSup	ApprovedBySecLev3	varchar(10)			Yes
TblSup	ApprovedBySecLev2	varchar(10)			Yes
TblSup	ApprovedBy	int			Yes
TblSup	ApprovedDateTime	datetime			
TblSup	ApprovalStatus	varchar(1)			
TblSup	LocationOfService1	varchar(50)			
TblSup	LocationOfService2	varchar(50)			
TblSup	WeatherUponArrival	varchar(4)			Yes
TblSup	WorkStatus	varchar(4)			Yes
TblSup	CallReceivedBy	varchar(4)			Yes
TblSup	InvestigatorStatus	varchar(4)			Yes
TblSup	PhotographsTaken	int			
TblSup	Exterior	varchar(1)			Yes
TblSup	Interior	varchar(1)			Yes
TblSup	GeneralArea	varchar(1)			Yes
TblSup	PointOfEntry	varchar(1)			Yes
TblSup	PointOfExit	varchar(1)			Yes
TblSup	ShoePrints	varchar(1)			Yes
TblSup	FootPrints	varchar(1)			Yes
TblSup	TireTracks	varchar(1)			Yes
TblSup	ToolMarks	varchar(1)			Yes
TblSup	VictimInjuries	varchar(1)			Yes
TblSup	Weapons	varchar(1)			Yes

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblSup	VictimAndProperty	varchar(1)			Yes
TblSup	Vehicles	varchar(1)			Yes
TblSup	VINSERNumbers	varchar(1)			
TblSup	RecoveredProperty	varchar(1)			Yes
TblSup	Latents	varchar(1)			Yes
TblSup	NumberOfCameras	int			
TblSup	Other	varchar(100)			
TblSup	OtherLens	varchar(10)			
TblSup	OtherASA	varchar(10)			
TblSup	NumberOfLifts	int			
TblSup	LatentPrints	varchar(1)			Yes
TblSup	SmudgeClothMarks	varchar(1)			Yes
TblSup	ProcessingStatus	varchar(4)			Yes
TblSup	ArticlesTaken	varchar(1)			Yes
TblSup	VINSERNumberLifts	varchar(1)			Yes
TblSup	TireShoeLifts	varchar(1)			Yes
TblSup	EliminationPrints	int			
TblSup	PalmsTaken	varchar(1)			Yes
TblSup	DeathPrints	varchar(1)			Yes
TblSup	BodyReleaseForm	varchar(4)			Yes
TblSup	PerpetratorActions	text			
TblSup	Investigator	int			Yes
TblSup	Explanation1	varchar(50)			
TblSup	Explanation2	varchar(50)			
TblSup	LocationTypeCode	varchar(4)			Yes
TblSup	ForcedEntryCode	varchar(4)			Yes
TblSup	OccupancyCode	varchar(4)			Yes
TblSup	PointOfEntryCode	varchar(4)			Yes
TblSup	MethodOfEntryCode	varchar(4)			Yes
TblSup	PointOfExitCode	varchar(4)			Yes
TblSup	MethodOfTravel	varchar(4)			Yes

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblSup	VehicleUseBySus	varchar(4)			Yes
TblSup	ToolsUsed	varchar(4)			Yes
TblSup	AlcoholRelated	varchar(1)			Yes
TblSup	DrugRelated	varchar(1)			Yes
TblSup	DrugActivity	varchar(4)			Yes
TblSup	DrugType	varchar(4)			Yes
TblSup	DrugQuantity	decimal(12,2)			
TblSup	BaseQuantity	float			
TblSup	DrugUnitOfMeasure	varchar(4)			Yes
TblSup	DrugValue	money			
TblSup	AggravatedAssault	varchar(4)			Yes
TblSup	Gambling	varchar(4)			Yes
TblSup	Kidnapping	varchar(4)			Yes
TblSup	Coercion	varchar(4)			Yes
TblSup	Bribery	varchar(4)			Yes
TblSup	ComputerCrime	varchar(4)			Yes
TblSup	HateCrime	varchar(1)			Yes
TblSup	SexCrime	varchar(1)			Yes
TblSup	JuvenileCrime	varchar(1)			Yes
TblSup	DomesticViolence	varchar(1)			Yes
TblSup	SeniorAbuse	varchar(1)			Yes
TblSup	ChildAbuse	varchar(1)			Yes
TblSup	GangRelated	varchar(1)			Yes
TblSup	SchoolZone	varchar(1)			Yes
TblSup	PublicHousing	varchar(1)			Yes
TblSup	VictimInjuryType	varchar(4)			Yes
TblSup	ApparentMotive	varchar(4)			Yes
TblSup	MoComment	varchar(40)			
TblSup	OffenseUnqDetailCd	varchar(4)			Yes
TblSup	BodyDisposalCode	varchar(4)			Yes
TblSup	SignatureAct	varchar(1)			Yes

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblSup	Shift	varchar(4)			Yes
TblSup	SourceOfCall	varchar(4)			Yes
TblSup	BusinessAreaName	varchar(50)			
TblSup	SecurityType	varchar(4)			Yes
TblSup	SI	varchar(1)			Yes
TblSup	SIType	varchar(4)			Yes
TblSup	SITreatedBy	varchar(4)			Yes
TblSup	SITransportBy	varchar(4)			Yes
TblSup	SITransportTo	varchar(4)			Yes
TblSup	SusPV	varchar(1)			Yes
TblSup	SusPVType	varchar(4)			Yes
TblSup	MarchmanAct	varchar(1)			Yes
TblSup	MarchmanAction	varchar(4)			Yes
TblSup	Disturbance	varchar(1)			Yes
TblSup	DisturbanceType	varchar(4)			Yes
TblSup	DisturbanceAction	varchar(4)			Yes
TblSup	DisturbanceAgency	varchar(30)			
TblSup	Alm	varchar(1)			Yes
TblSup	AlmType	varchar(4)			Yes
TblSup	AlmSilent	varchar(4)			Yes
TblSup	AlmAction	varchar(4)			Yes
TblSup	AlmReason	varchar(4)			Yes
TblSup	AlmOwnerResponse	varchar(4)			Yes
TblSup	AlmPremisesStatus	varchar(4)			Yes
TblSup	AlmReset	varchar(4)			Yes
TblSup	UCRReportingDate	datetime			
TblSup	UCRClearCode	varchar(4)			Yes
TblSup	UCRClearDate	datetime			
TblSup	UCRAAdjJuv	varchar(4)			Yes
TblSup	UCRException	varchar(4)			Yes
TblSup	UnitResponding	varchar(4)			

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblSup	PropertyStolen	money			
TblSup	PropertyRecovered	money			
TblSup	ResponseTimeRD	datetime			
TblSup	ResponseTimeRA	datetime			
TblSup	ResponseTimeRC	datetime			
TblSup	ResponseTimeDA	datetime			
TblSup	ResponseTimeDC	datetime			
TblSup	ResponseTimeAC	datetime			
TblSup	Grid	varchar(6)			Yes
TblSup	ZoneArea	varchar(4)			Yes
TblSup	OccurredFrom	datetime			
TblSup	OccurredTo	datetime			
TblSup	ConsideredForAssign	varchar(1)			
TblSup	AssignedTo	int			
TblSup	TimeCallReceived	datetime			
TblSup	TimeReportBegan	datetime			
TblSup	TimeToTakeReport	datetime			
TblSup	TimeDispatched	datetime			
TblSup	TimeArrived	datetime			
TblSup	TimeCompleted	datetime			
TblSup	ReferredTo	varchar(10)			
TblSup	ReferredToSAO	varchar(1)			
TblSup	PatrolKickback	varchar(1)			
TblSup	BakerAct	varchar(1)			Yes
TblSup	BakerAction	varchar(4)			Yes
TblSup	MyersAct	varchar(1)			Yes
TblSup	MyersAction	varchar(4)			Yes
TblSup	ReasonForStop	varchar(1000)			
TblSup	TypeOfStop	varchar(4)			Yes
TblSup	Homicide	varchar(1)			
TblSup	PossibleMannerOfDeath	varchar(50)			

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblSup	LocationOfDeath	varchar(50)			
TblSup	PossibleDateTimeOfDeath	datetime			
TblSup	FoundDeadDateTime	datetime			
TblSup	PronouncedDeadBy	varchar(50)			
TblSup	PronouncedDeadDateTime	datetime			
TblSup	PronouncedDeadLocation	varchar(50)			
TblSup	MedicalExaminer	varchar(50)			
TblSup	BodyDisposition	varchar(50)			
TblSup	Alcoholic	varchar(1)			
TblSup	AlcoholIntoxicated	varchar(1)			
TblSup	DrugAddict	varchar(1)			
TblSup	DrugIntoxicated	varchar(1)			
TblSup	SearchWarrantNumber	varchar(10)			
TblSup	Court	varchar(4)			Yes
TblSup	SWServed	varchar(1)			Yes
TblSup	SWHold	varchar(1)			Yes
TblSup	SWHeldDateTime	datetime			
TblSup	USAttorneyName	varchar(50)			
TblSup	SupervisedBuy	varchar(1)			Yes
TblSup	UndercoverBuy	varchar(1)			Yes
TblSup	WarrantOfficer	int			Yes
TblSup	DateTimelssued	datetime			
TblSup	ObtainedBy	int			Yes
TblSup	ObtainedByUnit	varchar(4)			Yes
TblSup	DateTimeServed	datetime			
TblSup	ReturnedDateTime	datetime			
TblSup	ServedBy	int			Yes
TblSup	WarrantDistrict	varchar(2)			
TblSup	SWProblems	varchar(50)			
TblSup	SWComments	varchar(50)			
TblSup	NextOfKinNotified	varchar(1)			Yes

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblSup	NextOfKinRelationship	varchar(20)			
TblSup	PremisesEntered	int			
TblSup	Mileage	decimal(11,1)			
TblSup	Exported	bit			
TblSup	DiscoveredReported	varchar(4)			Yes
TblSup	Reason	varchar(50)			
TblSup	Requester	int			Yes
TblSup	ArrivalOnCall	varchar(1)			Yes
TblSup	SmokeDetectors	varchar(1)			Yes
TblSup	CauseOfFire	varchar(4)			Yes
TblSup	PropertyDescription	varchar(100)			
TblSup	PropertyUse	varchar(4)			Yes
TblSup	Mobile	varchar(1)			Yes
TblSup	MobilePropertyType	varchar(4)			Yes
TblSup	SingleMultiStory	varchar(4)			Yes
TblSup	NumberOfStories	int			
TblSup	SquareFootage	int			
TblSup	Occupied	varchar(1)			Yes
TblSup	Abandoned	varchar(1)			Yes
TblSup	EstimatedValue	money			
TblSup	EstimatedLoss	money			
TblSup	TypeOfInsurance	varchar(4)			Yes
TblSup	StateProperty	varchar(4)			Yes
TblSup	Photo	varchar(1)			Yes
TblSup	PhotoOtherAgency	int			Yes
TblSup	Sketch	varchar(1)			Yes
TblSup	SketchOtherAgency	int			Yes
TblSup	Debris	varchar(1)			Yes
TblSup	DebrisOtherAgency	int			Yes
TblSup	Impression	varchar(1)			Yes
TblSup	Documents	varchar(1)			Yes

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblSup	OtherEvidence	varchar(1)			Yes
TblSup	LabUsed	int			Yes
TblSup	DescriptionCollection	text			
TblSup	ExposureLoss	money			
TblSup	PropertyCoverage	money			
TblSup	ContentsCoverage	money			
TblSup	AppurtenanceStructure	money			
TblSup	BusinessInterruption	money			
TblSup	TotalInsuredFor	money			
TblSup	Insured	int			Yes
TblSup	PolicyNumber	varchar(25)			
TblSup	EffectiveDate	datetime			
TblSup	ExpirationDate	datetime			
TblSup	DateOfLastChange	datetime			
TblSup	ClaimNumber	varchar(25)			
TblSup	AmountPaid	money			
TblSup	InsuranceCompany	int			Yes
TblSup	InsuranceAgent	int			Yes
TblSup	InsuranceAdjustor	int			Yes
TblSup	PrimaryMortgageCo	int			Yes
TblSup	InsuranceComments	varchar(255)			
TblSup	InvestActivity	varchar(4)			Yes
TblSup	InterdictionCriteria	varchar(4)			Yes
TblSup	InvestSite	varchar(4)			Yes
TblSup	TipID	int			Yes
TblSup	ReportNumberPart	int			
TblSup	CollectionClothing	varchar(1)			Yes
TblSup	CollectionShoeWear	varchar(1)			Yes
TblSup	CollectionBedding	varchar(1)			Yes
TblSup	CollectionWeapons	varchar(1)			Yes
TblSup	CollectionTrace	varchar(1)			Yes

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblSup	CollectionBlood	varchar(1)			Yes
TblSup	CollectionCastings	varchar(1)			Yes
TblSup	CollectionOther	varchar(1)			Yes
TblSup	UpdateLock	uniqueidentifier			
TblSup	Source	int			Yes
TblSup	DiagramData	image			
TblSup	DiagramImage	image			
TblSup	AccidentRoadSystemId	varchar(4)			Yes
TblSup	AccidentLightingCondition	varchar(4)			Yes
TblSup	AccidentRoadSurfaceCondition	varchar(4)			Yes
TblSup	AccidentWeather	varchar(4)			Yes
TblSup	AccidentRoadSurfaceType	varchar(4)			Yes
TblSup	AccidentSiteLocation	varchar(4)			Yes
TblSup	AccidentTrafficwayCharacter	varchar(4)			Yes
TblSup	AccidentTypeShoulder	varchar(4)			Yes
TblSup	AccidentDateTime	datetime			
TblSup	AccidentEMSNotified	datetime			
TblSup	AccidentEMSArrived	datetime			
TblSup	AccidentFirstAidByName	varchar(50)			
TblSup	AccidentFirstAidBy	varchar(4)			Yes
TblSup	AccidentTakenTo	varchar(50)			
TblSup	AccidentTakenBy	varchar(50)			
TblSup	AccidentInvestigationAtScene	varchar(1)			Yes
TblSup	AccidentInvestigationScene	varchar(50)			
TblSup	AccidentInvestigationComplete	varchar(1)			Yes
TblSup	AccidentInvestigationOpenReason	varchar(50)			
TblSup	AccidentPhotoTaken	varchar(1)			Yes
TblSup	AccidentPhotoTakenBy	varchar(4)			Yes
TblSup	AccidentRoadCondition	varchar(4)			Yes
TblSup	AccidentRoadCondition2	varchar(4)			Yes
TblSup	AccidentVisionObstruction	varchar(4)			Yes

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblSup	AccidentVisionObstruction2	varchar(4)			Yes
TblSup	AccidentTrafficControl	varchar(4)			Yes
TblSup	AccidentTrafficControl2	varchar(4)			Yes
TblSup	AccidentStateNumber	varchar(15)			
TblSup	AccidentLocationType	varchar(4)			Yes
TblSup	InjuriesFatalities	varchar(4)			
TblSup	CourtVenue	varchar(4)			Yes
TblSup	Judge	int			Yes
TblSup	NextCourtAppearance	datetime			
TblSup	AccidentNotifiedBy	varchar(4)			Yes
TblSup	AccidentSchoolBusRelated	varchar(4)			Yes
TblSup	AccidentMannerOfCollision	varchar(4)			Yes
TblSup	AccidentFirstHarmfulEvent	varchar(4)			Yes
TblSup	AccidentFirstHarmfulEventLocation	varchar(4)			Yes
TblSup	AccidentFirstHarmfulEventWithinInterchange	varchar(1)			Yes
TblSup	AccidentFirstHarmfulEventRelationToJunction	varchar(4)			Yes
TblSup	AccidentWorkZoneRelated	varchar(1)			Yes
TblSup	AccidentCrashInWorkZone	varchar(4)			Yes
TblSup	AccidentWorkZoneType	varchar(4)			Yes
TblSup	AccidentWorkZoneHadWorkers	varchar(1)			Yes
TblSup	AccidentWorkZoneHadLEO	varchar(4)			Yes
TblSup	CargoTheft	varchar(1)			Yes
TblSupAccidentContributingCircumstanceMv	SupID	int	NOT NULL		Yes
TblSupAccidentContributingCircumstanceMv	ContributingCircumstanceType	varchar(4)	NOT NULL		Yes
TblSupAccidentContributingCircumstanceMv	ContributingCircumstance	varchar(4)	NOT NULL		Yes
TblSupAccidentContributingCircumstanceMv	RODate	datetime	NOT NULL		
TblSupAccidentContributingCircumstanceMv	ROOperator	int	NOT NULL		
TblSupAccidentContributingCircumstanceMv	LUDate	datetime	NOT NULL		
TblSupAccidentContributingCircumstanceMv	LUOperator	int	NOT NULL		
TblSupAccidentContributingCircumstanceMv	SupAccidentContributingCircumstanceMvID	int	NOT NULL	Yes	
TblSupAccidentPartyContribCauseMv	SupAccidentPartyMvID	int	NOT NULL		Yes

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblSupAccidentPartyContribCauseMv	ContributingCause	varchar(4)			Yes
TblSupAccidentPartyContribCauseMv	RODate	datetime	NOT NULL		
TblSupAccidentPartyContribCauseMv	ROOperator	int	NOT NULL		
TblSupAccidentPartyContribCauseMv	LUDate	datetime	NOT NULL		
TblSupAccidentPartyContribCauseMv	LUOperator	int	NOT NULL		
TblSupAccidentPartyContribCauseMv	SupAccidentPartyContribCauseMvID	int	NOT NULL	Yes	
TblSupAccidentPartyHarmfulEventMv	SupAccidentPartyHarmfulEventMvID	int	NOT NULL	Yes	
TblSupAccidentPartyHarmfulEventMv	SupAccidentPartyMvID	int	NOT NULL		Yes
TblSupAccidentPartyHarmfulEventMv	HarmfulEvent	varchar(4)			Yes
TblSupAccidentPartyHarmfulEventMv	RODate	datetime	NOT NULL		
TblSupAccidentPartyHarmfulEventMv	ROOperator	int	NOT NULL		
TblSupAccidentPartyHarmfulEventMv	LUDate	datetime	NOT NULL		
TblSupAccidentPartyHarmfulEventMv	LUOperator	int	NOT NULL		
TblSupAccidentPartyHarmfulEventMv	MostInjuryOrDamage	tinyint			
TblSupAccidentPartyHarmfulEventMv	SequenceNumber	tinyint			
TblSupAccidentPartyMv	SupAccidentPartyMvID	int	NOT NULL	Yes	
TblSupAccidentPartyMv	SupID	int	NOT NULL		Yes
TblSupAccidentPartyMv	PartyType	varchar(4)			Yes
TblSupAccidentPartyMv	Vehicle	int			Yes
TblSupAccidentPartyMv	Trailer	int			Yes
TblSupAccidentPartyMv	DriverAction	varchar(4)			Yes
TblSupAccidentPartyMv	VehDamageFront	bit			
TblSupAccidentPartyMv	VehDamagePassengerFront	bit			
TblSupAccidentPartyMv	VehDamagePassengerFender	bit			
TblSupAccidentPartyMv	VehDamagePassengerFrontDoor	bit			
TblSupAccidentPartyMv	VehDamagePassengerRearDoor	bit			
TblSupAccidentPartyMv	VehDamagePassengerQuarter	bit			
TblSupAccidentPartyMv	VehDamagePassengerRear	bit			
TblSupAccidentPartyMv	VehDamageRear	bit			
TblSupAccidentPartyMv	VehDamageDriverRear	bit			
TblSupAccidentPartyMv	VehDamageDriverQuarter	bit			

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblSupAccidentPartyMv	VehDamageDriverRearDoor	bit			
TblSupAccidentPartyMv	VehDamageDriverFrontDoor	bit			
TblSupAccidentPartyMv	VehDamageDriverFender	bit			
TblSupAccidentPartyMv	VehDamageDriverFront	bit			
TblSupAccidentPartyMv	VehDamageHood	bit			
TblSupAccidentPartyMv	VehDamageRoof	bit			
TblSupAccidentPartyMv	VehDamageTrunk	bit			
TblSupAccidentPartyMv	VehDamageUndercarriage	bit			
TblSupAccidentPartyMv	VehDamageOverturn	bit			
TblSupAccidentPartyMv	VehDamageWindshield	bit			
TblSupAccidentPartyMv	VehDamageTrailer	bit			
TblSupAccidentPartyMv	VehDamageFirstPoint	int			
TblSupAccidentPartyMv	DirectionOfTravel	varchar(4)			Yes
TblSupAccidentPartyMv	TravelingOn	varchar(50)			
TblSupAccidentPartyMv	Speed	int			
TblSupAccidentPartyMv	PostedSpeed	int			
TblSupAccidentPartyMv	VehDamage	money			
TblSupAccidentPartyMv	VehDamageSeverity	varchar(4)			Yes
TblSupAccidentPartyMv	TrailerDamage	money			
TblSupAccidentPartyMv	InsuranceCompany	varchar(150)			
TblSupAccidentPartyMv	InsurancePolicyNumber	varchar(50)			
TblSupAccidentPartyMv	RemovedBy	varchar(50)			
TblSupAccidentPartyMv	RemovedBySource	varchar(4)			Yes
TblSupAccidentPartyMv	VehicleOwner	int			Yes
TblSupAccidentPartyMv	VehicleMotorCarrier	int			Yes
TblSupAccidentPartyMv	VehicleDriverPed	int			Yes
TblSupAccidentPartyMv	AlcDrugTestType	varchar(4)			Yes
TblSupAccidentPartyMv	AlcDrugTestResult	decimal(10,4)			
TblSupAccidentPartyMv	AlcDrugUse	varchar(4)			Yes
TblSupAccidentPartyMv	PhysicalDefects	varchar(4)			Yes
TblSupAccidentPartyMv	InjurySeverity	varchar(4)			Yes

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblSupAccidentPartyMv	SafetyEquipmentUsed	varchar(4)			Yes
TblSupAccidentPartyMv	SafetyEquipmentUsed2	varchar(4)			Yes
TblSupAccidentPartyMv	Ejected	varchar(4)			Yes
TblSupAccidentPartyMv	HazmatTransport	varchar(1)			Yes
TblSupAccidentPartyMv	Placarded	varchar(1)			Yes
TblSupAccidentPartyMv	PlacardNameNumber	varchar(50)			
TblSupAccidentPartyMv	PlacardDiamondDigit	tinyint			
TblSupAccidentPartyMv	HazmatSpilled	varchar(1)			Yes
TblSupAccidentPartyMv	RecommendDriverReexam	varchar(1)			Yes
TblSupAccidentPartyMv	RODate	datetime	NOT NULL		
TblSupAccidentPartyMv	ROOperator	int	NOT NULL		
TblSupAccidentPartyMv	LUDate	datetime	NOT NULL		
TblSupAccidentPartyMv	LUOperator	int	NOT NULL		
TblSupAccidentPartyMv	RequiredEndorsement	varchar(4)			Yes
TblSupAccidentPartyMv	Passengers	tinyint			
TblSupAccidentPartyMv	PassengerID	int			Yes
TblSupAccidentPartyMv	TrailerOwner	int			Yes
TblSupAccidentPartyMv	PedestrianAction	varchar(4)			Yes
TblSupAccidentPartyMv	PointOfCollision	varchar(4)			Yes
TblSupAccidentPartyMv	SourceOfCarrier	varchar(4)			Yes
TblSupAccidentPartyMv	VehMovement	varchar(4)			Yes
TblSupAccidentPartyMv	VehSpecialFunc	varchar(4)			Yes
TblSupAccidentPartyMv	WorkArea	varchar(4)			Yes
TblSupAccidentPartyMv	IsVehicleOwnerDriver	varchar(1)			Yes
TblSupAccidentPartyMv	CommercialVehicle	varchar(1)			Yes
TblSupAccidentPartyMv	VehicleStatus	varchar(4)			Yes
TblSupAccidentPartyMv	HitAndRun	varchar(1)			Yes
TblSupAccidentPartyMv	TravellingOnTotalLanes	tinyint			
TblSupAccidentPartyMv	VehicleConfiguration	varchar(4)			Yes
TblSupAccidentPartyMv	CargoType	varchar(4)			Yes
TblSupAccidentPartyMv	GrossCombinationWeightRating	varchar(4)			Yes

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblSupAccidentPartyMv	VehInitialDamageFront	bit			
TblSupAccidentPartyMv	VehInitialDamagePassengerFront	bit			
TblSupAccidentPartyMv	VehInitialDamagePassengerFender	bit			
TblSupAccidentPartyMv	VehInitialDamagePassengerFrontDoor	bit			
TblSupAccidentPartyMv	VehInitialDamagePassengerRearDoor	bit			
TblSupAccidentPartyMv	VehInitialDamagePassengerQuarter	bit			
TblSupAccidentPartyMv	VehInitialDamagePassengerRear	bit			
TblSupAccidentPartyMv	VehInitialDamageRear	bit			
TblSupAccidentPartyMv	VehInitialDamageDriverRear	bit			
TblSupAccidentPartyMv	VehInitialDamageDriverQuarter	bit			
TblSupAccidentPartyMv	VehInitialDamageDriverRearDoor	bit			
TblSupAccidentPartyMv	VehInitialDamageDriverFrontDoor	bit			
TblSupAccidentPartyMv	VehInitialDamageDriverFender	bit			
TblSupAccidentPartyMv	VehInitialDamageDriverFront	bit			
TblSupAccidentPartyMv	VehInitialDamageHood	bit			
TblSupAccidentPartyMv	VehInitialDamageRoof	bit			
TblSupAccidentPartyMv	VehInitialDamageTrunk	bit			
TblSupAccidentPartyMv	VehInitialDamageUndercarriage	bit			
TblSupAccidentPartyMv	VehInitialDamageOverturn	bit			
TblSupAccidentPartyMv	VehInitialDamageWindshield	bit			
TblSupAccidentPartyMv	VehInitialDamageTrailer	bit			
TblSupAccidentPartyMv	VehMostDamagedArea	tinyint			
TblSupAccidentPartyMv	CommercialVehicleStatus	varchar(4)			Yes
TblSupAccidentPartyMv	EmergencyVehicleInResponse	varchar(1)			Yes
TblSupAccidentPartyMv	Trafficway	varchar(4)			Yes
TblSupAccidentPartyMv	RoadwayGrade	varchar(4)			Yes
TblSupAccidentPartyMv	RoadwayAlignment	varchar(4)			Yes
TblSupAccidentPartyMv	RestraintSystemUsed	varchar(4)			Yes
TblSupAccidentPartyMv	AirBagStatus	varchar(4)			Yes
TblSupAccidentPartyMv	Helmet	varchar(4)			Yes
TblSupAccidentPartyMv	EyeProtection	varchar(1)			Yes

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblSupAccidentPartyMv	SeatingLocationSeat	varchar(4)			Yes
TblSupAccidentPartyMv	SeatingLocationRow	varchar(4)			Yes
TblSupAccidentPartyMv	SeatingLocationOther	varchar(4)			Yes
TblSupAccidentPartyMv	DriverDistraction	varchar(4)			Yes
TblSupAccidentPartyMv	DriverVisionObstruction	varchar(4)			Yes
TblSupAccidentPartyMv	PedestrianDescription	varchar(4)			Yes
TblSupAccidentPartyMv	PedestrianLocation	varchar(4)			Yes
TblSupAccidentPartyMv	PedestrianPreAction	varchar(4)			Yes
TblSupAccidentPartyMv	AlcoholSuspected	varchar(1)			Yes
TblSupAccidentPartyMv	AlcoholTested	varchar(4)			Yes
TblSupAccidentPartyMv	AlcoholTestType	varchar(4)			Yes
TblSupAccidentPartyMv	AlcoholTestResult	varchar(4)			Yes
TblSupAccidentPartyMv	BloodAlcoholContent	float			
TblSupAccidentPartyMv	DrugSuspected	varchar(1)			Yes
TblSupAccidentPartyMv	DrugTested	varchar(4)			Yes
TblSupAccidentPartyMv	DrugTestType	varchar(4)			Yes
TblSupAccidentPartyMv	DrugTestResult	varchar(4)			Yes
TblSupAccidentPartyMv	TransportType	varchar(4)			Yes
TblSupAccidentPartyMv	TakenBy	varchar(60)			
TblSupAccidentPartyMv	TakenByReferenceNumber	varchar(50)			
TblSupAccidentPartyMv	TakenTo	varchar(60)			
TblSupAccidentPartyMv	Trailer2	int			Yes
TblSupAccidentPartyMv	AccidentTrafficControl	varchar(4)			Yes
TblSupAccidentPartyPassengerMv	SupAccidentPartyPassengerMvID	int	NOT NULL	Yes	
TblSupAccidentPartyPassengerMv	SupAccidentPartyMvID	int	NOT NULL		Yes
TblSupAccidentPartyPassengerMv	PassengerID	int			Yes
TblSupAccidentPartyPassengerMv	LocationInVehicle	varchar(4)			Yes
TblSupAccidentPartyPassengerMv	InjurySeverity	varchar(4)			Yes
TblSupAccidentPartyPassengerMv	SafetyEquipmentUsed	varchar(4)			Yes
TblSupAccidentPartyPassengerMv	SafetyEquipmentUsed2	varchar(4)			Yes
TblSupAccidentPartyPassengerMv	Ejected	varchar(4)			Yes

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblSupAccidentPartyPassengerMv	RODate	datetime	NOT NULL		
TblSupAccidentPartyPassengerMv	ROOperator	int	NOT NULL		
TblSupAccidentPartyPassengerMv	LUDate	datetime	NOT NULL		
TblSupAccidentPartyPassengerMv	LUOperator	int	NOT NULL		
TblSupAccidentPartyPedestrianActionMv	SupAccidentPartyMvID	int	NOT NULL		Yes
TblSupAccidentPartyPedestrianActionMv	SequenceNumber	tinyint	NOT NULL		
TblSupAccidentPartyPedestrianActionMv	PedestrianAction	varchar(4)	NOT NULL		Yes
TblSupAccidentPartyPedestrianActionMv	RODate	datetime	NOT NULL		
TblSupAccidentPartyPedestrianActionMv	ROOperator	int	NOT NULL		
TblSupAccidentPartyPedestrianActionMv	LUDate	datetime	NOT NULL		
TblSupAccidentPartyPedestrianActionMv	LUOperator	int	NOT NULL		
TblSupAccidentPartyPedestrianActionMv	SupAccidentPartyPedestrianActionMvID	int	NOT NULL	Yes	
TblSupAccidentPartyVehDefectMv	SupAccidentPartyMvID	int	NOT NULL		Yes
TblSupAccidentPartyVehDefectMv	VehicleDefect	varchar(4)			Yes
TblSupAccidentPartyVehDefectMv	RODate	datetime	NOT NULL		
TblSupAccidentPartyVehDefectMv	ROOperator	int	NOT NULL		
TblSupAccidentPartyVehDefectMv	LUDate	datetime	NOT NULL		
TblSupAccidentPartyVehDefectMv	LUOperator	int	NOT NULL		
TblSupAccidentPartyVehDefectMv	SupAccidentPartyVehDefectMvID	int	NOT NULL	Yes	
TblSupAccidentPartyViolatorMv	SupAccidentPartyViolatorMvID	int	NOT NULL	Yes	
TblSupAccidentPartyViolatorMv	SupAccidentPartyMvID	int	NOT NULL		Yes
TblSupAccidentPartyViolatorMv	ViolatorID	int			Yes
TblSupAccidentPartyViolatorMv	Offense	varchar(20)			Yes
TblSupAccidentPartyViolatorMv	CitationNumber	varchar(15)			
TblSupAccidentPartyViolatorMv	RODate	datetime	NOT NULL		
TblSupAccidentPartyViolatorMv	ROOperator	int	NOT NULL		
TblSupAccidentPartyViolatorMv	LUDate	datetime	NOT NULL		
TblSupAccidentPartyViolatorMv	LUOperator	int	NOT NULL		
TblSupActivity	SupActivityID	int	NOT NULL	Yes	
TblSupActivity	SupID	int	NOT NULL		Yes
TblSupActivity	Action	varchar(4)	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblSupActivity	ToSecLev8	varchar(10)			Yes
TblSupActivity	ToSecLev7	varchar(10)			Yes
TblSupActivity	ToSecLev6	varchar(10)			Yes
TblSupActivity	ToSecLev5	varchar(10)			Yes
TblSupActivity	ToSecLev4	varchar(10)			Yes
TblSupActivity	ToSecLev3	varchar(10)			Yes
TblSupActivity	ToSecLev2	varchar(10)			Yes
TblSupActivity	ToOperID	int			Yes
TblSupActivity	OperID	int	NOT NULL		Yes
TblSupActivity	Comments	varchar(1000)			
TblSupActivity	ActionDateTime	datetime			
TblSupArsteCourtDispMv	SupArsteCourtDispMvID	int	NOT NULL	Yes	
TblSupArsteCourtDispMv	SupID	int	NOT NULL		Yes
TblSupArsteCourtDispMv	Arrestee	int	NOT NULL		Yes
TblSupArsteCourtDispMv	ArresteeCharge	varchar(25)	NOT NULL		Yes
TblSupArsteCourtDispMv	ArresteeCourtDisposition	varchar(4)			Yes
TblSupArsteCourtDispMv	ArresteeSentence	varchar(100)			
TblSupArsteCourtDispMv	DispositionDate	datetime			
TblSupArsteCourtDispMv	RODate	datetime			
TblSupArsteCourtDispMv	ROOperator	int			Yes
TblSupArsteCourtDispMv	LUDate	datetime			
TblSupArsteCourtDispMv	LUOperator	int			Yes
TblSupCameraMv	SupCameraMvID	int	NOT NULL	Yes	
TblSupCameraMv	SupID	int			Yes
TblSupCameraMv	Camera	varchar(4)			Yes
TblSupCameraMv	CameraLensType	varchar(4)			Yes
TblSupCameraMv	CameraFilmType	varchar(4)			Yes
TblSupCameraMv	CameraASASetting	varchar(4)			Yes
TblSupCameraMv	RODate	datetime			
TblSupCameraMv	ROOperator	int			Yes
TblSupCameraMv	LUDate	datetime			

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblSupCameraMv	LUOperator	int			Yes
TblSupChargeMv	SupChargeMvID	int	NOT NULL	Yes	
TblSupChargeMv	SupID	int			Yes
TblSupChargeMv	OffenseType	varchar(4)			Yes
TblSupChargeMv	Offense	varchar(25)	NOT NULL		Yes
TblSupChargeMv	AttemptCommit	varchar(1)			Yes
TblSupChargeMv	Statute	varchar(25)			Yes
TblSupChargeMv	UCRClass	varchar(6)			Yes
TblSupChargeMv	RODate	datetime	NOT NULL		
TblSupChargeMv	ROOperator	int	NOT NULL		
TblSupChargeMv	LUDate	datetime	NOT NULL		
TblSupChargeMv	LUOperator	int	NOT NULL		
TblSupChronoLogMv	SupID	int			Yes
TblSupChronoLogMv	ChronoLog	varchar(50)			
TblSupChronoLogMv	RODate	datetime	NOT NULL		
TblSupChronoLogMv	ROOperator	int	NOT NULL		
TblSupChronoLogMv	LUDate	datetime	NOT NULL		
TblSupChronoLogMv	LUOperator	int	NOT NULL		
TblSupChronoLogMv	SupChronoLogMvID	int	NOT NULL	Yes	
TblSupCrimActMv	SupID	int			Yes
TblSupCrimActMv	CriminalActivity	varchar(6)			Yes
TblSupCrimActMv	RODate	datetime			
TblSupCrimActMv	ROOperator	int			Yes
TblSupCrimActMv	LUDate	datetime			
TblSupCrimActMv	LUOperator	int			Yes
TblSupCrimActMv	SupCrimActMvID	int	NOT NULL	Yes	
TblSupDiagramTemp	RODate	datetime	NOT NULL		
TblSupDiagramTemp	ROOperator	int	NOT NULL		
TblSupDiagramTemp	LUDate	datetime	NOT NULL		
TblSupDiagramTemp	LUOperator	int	NOT NULL		
TblSupDiagramTemp	BinaryData	image			

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblSupDiagramTemp	Description	varchar(200)	NOT NULL	Yes	
TblSupDocLog	SupID	int	NOT NULL		
TblSupDocLog	CaseNumber	varchar(50)			
TblSupDocLog	SupplementNumber	varchar(60)			
TblSupDocLog	ActionType	varchar(4)	NOT NULL		
TblSupDocLog	ActionDate	datetime	NOT NULL		
TblSupDocLog	ActionOperator	int	NOT NULL		Yes
TblSupDocLog	SupDocLogID	int	NOT NULL	Yes	
TblSupDocMv	SupID	int			Yes
TblSupDocMv	Document	varchar(100)			
TblSupDocMv	RODate	datetime			
TblSupDocMv	ROOperator	int			Yes
TblSupDocMv	LUDate	datetime			
TblSupDocMv	LUOperator	int			Yes
TblSupDocMv	SupDocMvID	int	NOT NULL	Yes	
TblSupEventMv	SupEventMvID	int	NOT NULL	Yes	
TblSupEventMv	SupID	int			Yes
TblSupEventMv	EventType	varchar(4)			Yes
TblSupEventMv	EventDate	datetime			
TblSupEventMv	EventDescripton	varchar(100)			
TblSupEventMv	ObservedBy	int			Yes
TblSupEventMv	EventSynopsis	text			
TblSupEventMv	RODate	datetime	NOT NULL		
TblSupEventMv	ROOperator	int	NOT NULL		Yes
TblSupEventMv	LUDate	datetime	NOT NULL		
TblSupEventMv	LUOperator	int	NOT NULL		Yes
TblSupExpMv	SupExpMvID	int	NOT NULL	Yes	
TblSupExpMv	SupID	int			Yes
TblSupExpMv	ExpenseType	varchar(4)			Yes
TblSupExpMv	ExpenseDate	datetime			
TblSupExpMv	ExpenseDescription	varchar(25)			

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblSupExpMv	CINumber	varchar(10)			
TblSupExpMv	DrugType	varchar(4)			Yes
TblSupExpMv	DrugWeight	decimal(12,2)			
TblSupExpMv	BaseQuantity	float			
TblSupExpMv	ExpenseAmount	money			
TblSupExpMv	DrugPurchase	varchar(1)			Yes
TblSupExpMv	DrugUnitOfMeasure	varchar(4)			Yes
TblSupExpMv	Receipt	varchar(1)			Yes
TblSupExpMv	ChitNumber	varchar(6)			
TblSupExpMv	RODate	datetime			
TblSupExpMv	ROOperator	int			
TblSupExpMv	LUDate	datetime			
TblSupExpMv	LUOperator	int			
TblSupExpMv	ExpAccountID	int			Yes
TblSupExpMv	ExpBatchID	int			Yes
TblSupFireOriginMv	SupID	int			Yes
TblSupFireOriginMv	AreaOrigin	varchar(4)			Yes
TblSupFireOriginMv	Description	varchar(75)			
TblSupFireOriginMv	RODate	datetime			
TblSupFireOriginMv	ROOperator	int			Yes
TblSupFireOriginMv	LUDate	datetime			
TblSupFireOriginMv	LUOperator	int			Yes
TblSupFireOriginMv	SupFireOriginMvID	int	NOT NULL	Yes	
TblSupInterface	SupID	int	NOT NULL	Yes	Yes
TblSupInterface	InterfaceID	int	NOT NULL	Yes	Yes
TblSupInterface	RemoteID	varchar(1000)			
TblSupInterface	RemoteDescription	varchar(1000)			
TblSupInterface	RODate	datetime	NOT NULL		
TblSupInterface	ROOperator	int	NOT NULL		
TblSupInterface	LUDate	datetime	NOT NULL		
TblSupInterface	LUOperator	int	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblSupInterface	RemoteBinary	image			
TblSupMOMv	SupID	int			Yes
TblSupMOMv	ModusOperandiCode	varchar(4)			Yes
TblSupMOMv	MOType	varchar(4)			Yes
TblSupMOMv	RODate	datetime			
TblSupMOMv	ROOperator	int			Yes
TblSupMOMv	LUDate	datetime			
TblSupMOMv	LUOperator	int			Yes
TblSupMOMv	SupMOMvID	int	NOT NULL	Yes	
TblSupNumberPool	Number	varchar(15)	NOT NULL	Yes	
TblSupNumberPool	SupID	int			
TblSupNumberPool	TypeOfReport	varchar(8)	NOT NULL	Yes	Yes
TblSupOfficerMv	SupID	int	NOT NULL		Yes
TblSupOfficerMv	OfficerID	int	NOT NULL		Yes
TblSupOfficerMv	RODate	datetime	NOT NULL		
TblSupOfficerMv	ROOperator	int	NOT NULL		
TblSupOfficerMv	LUDate	datetime	NOT NULL		
TblSupOfficerMv	LUOperator	int	NOT NULL		
TblSupOfficerMv	SupOfficerMvID	int	NOT NULL	Yes	
TblSupOthUnitMv	SupID	int			Yes
TblSupOthUnitMv	Unit	varchar(4)			Yes
TblSupOthUnitMv	RODate	datetime			
TblSupOthUnitMv	ROOperator	int			Yes
TblSupOthUnitMv	LUDate	datetime			
TblSupOthUnitMv	LUOperator	int			Yes
TblSupOthUnitMv	SupOthUnitMvID	int	NOT NULL	Yes	
TblSupOutsideAgencyMv	SupID	int			Yes
TblSupOutsideAgencyMv	Agency	int			Yes
TblSupOutsideAgencyMv	CaseNumber	varchar(50)			
TblSupOutsideAgencyMv	RODate	datetime			
TblSupOutsideAgencyMv	ROOperator	int			Yes

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblSupOutsideAgencyMv	LUDate	datetime			
TblSupOutsideAgencyMv	LUOperator	int			Yes
TblSupOutsideAgencyMv	SupOutsideAgencyMVID	int	NOT NULL	Yes	
TblSupPOEMv	SupPOEMVID	int	NOT NULL	Yes	
TblSupPOEMv	SupID	int			Yes
TblSupPOEMv	PointOfEntry	varchar(4)			Yes
TblSupPOEMv	StructuralLocation	varchar(4)			Yes
TblSupPOEMv	DirectionItFaces	varchar(4)			Yes
TblSupPOEMv	LeadsTo	varchar(50)			
TblSupPOEMv	MethodOfEntry	varchar(4)			Yes
TblSupPOEMv	RODate	datetime			
TblSupPOEMv	ROOperator	int			Yes
TblSupPOEMv	LUDate	datetime			
TblSupPOEMv	LUOperator	int			Yes
TblSupPrintsLiftedMv	SupPrintsLiftedMVID	int	NOT NULL	Yes	
TblSupPrintsLiftedMv	SupID	int	NOT NULL		Yes
TblSupPrintsLiftedMv	DateLifted	datetime			
TblSupPrintsLiftedMv	Location	varchar(75)			
TblSupPrintsLiftedMv	SubjectIdentified	int			Yes
TblSupPrintsLiftedMv	ComparisonResults	varchar(75)			
TblSupPrintsLiftedMv	RODate	datetime	NOT NULL		
TblSupPrintsLiftedMv	ROOperator	int	NOT NULL		
TblSupPrintsLiftedMv	LUDate	datetime	NOT NULL		
TblSupPrintsLiftedMv	LUOperator	int	NOT NULL		
TblSupPropMv	SupPropMVID	int	NOT NULL	Yes	
TblSupPropMv	SupID	int			Yes
TblSupPropMv	PropertyClass	varchar(4)			Yes
TblSupPropMv	PropertyType	varchar(4)			Yes
TblSupPropMv	Description	varchar(100)			
TblSupPropMv	MakeCode	varchar(5)			Yes
TblSupPropMv	Model	varchar(50)			

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblSupPropMv	Quantity	decimal(12,2)			
TblSupPropMv	BaseQuantity	float			
TblSupPropMv	SerialNo	varchar(30)			
TblSupPropMv	StatedValue	money			
TblSupPropMv	UCRDamaged	varchar(1)			Yes
TblSupPropMv	SubmittedToPES	varchar(1)			Yes
TblSupPropMv	NCICArticleType	varchar(7)			Yes
TblSupPropMv	NCICReported	varchar(1)			Yes
TblSupPropMv	NCICReportedBy	int			Yes
TblSupPropMv	WeaponSubType	varchar(4)			Yes
TblSupPropMv	DrugType	varchar(4)			Yes
TblSupPropMv	DrugUOM	varchar(4)			Yes
TblSupPropMv	PropStatus	varchar(4)			Yes
TblSupPropMv	StatusDate	datetime			
TblSupPropMv	Remarks	text			
TblSupPropMv	RODate	datetime			
TblSupPropMv	ROOperator	int			Yes
TblSupPropMv	LUDate	datetime			
TblSupPropMv	LUOperator	int			Yes
TblSupPropMv	PostApprovalAudit	text			
TblSupPropMv	OwnerComment	varchar(50)			
TblSupPropMv	ValueStolen	money			
TblSupPropMv	ValueRecovered	money			
TblSupPropMv	DateRecovered	datetime			
TblSupPropMv	RemoteBin	varchar(10)			Yes
TblSupPropMv	ByclSize	int			
TblSupPropMv	ByclGear	int			
TblSupPropMv	ByclGender	varchar(4)			Yes
TblSupPropMv	ByclBrake	varchar(4)			Yes
TblSupPropMv	ByclHandlebar	varchar(4)			Yes
TblSupPropMv	ByclTire	varchar(4)			Yes

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblSupPropMv	ByclSeatType	varchar(4)			Yes
TblSupPropMv	ByclSeatColor	varchar(4)			Yes
TblSupPropMv	ByclFrameColor	varchar(4)			Yes
TblSupPropMv	ByclAccessory	varchar(100)			
TblSupPropMv	ByclOthDescription	varchar(100)			
TblSupPropMv	Disposition	varchar(4)			Yes
TblSupPropMv	PropItemID	int			Yes
TblSupPropMv	DrugCultivation	varchar(4)			Yes
TblSupPropMv	CurrencyType	varchar(5)			Yes
TblSupPropMv	ControlNumber	varchar(15)			
TblSupPropMv	Packaging	varchar(50)			
TblSupPropMv	Domestic	varchar(1)			Yes
TblSupPropMv	DetectedBy	varchar(5)			Yes
TblSupPropMv	FirearmCaliber	varchar(5)			Yes
TblSupPropMv	FirearmFinish	varchar(4)			Yes
TblSupPropMv	DateSeized	datetime			
TblSupPropMv	OwnerID	int			Yes
TblSupPropMv	ArsonValue	money			
TblSupPropMv	EstimatedAmount	money			
TblSupPropMv	SupAccidentPartyMvID	int			Yes
TblSupPropMv	LocationFound	varchar(100)			
TblSupPropMv	CollectedDateTime	datetime			
TblSupRelObjFile	SupRelObjFileID	int	NOT NULL	Yes	
TblSupRelObjFile	SupID	int	NOT NULL		Yes
TblSupRelObjFile	FileName	varchar(200)	NOT NULL		
TblSupRelObjFile	MimeType	varchar(200)	NOT NULL		
TblSupRelObjFile	Description	varchar(100)	NOT NULL		
TblSupRelObjFile	BinaryData	image			
TblSupRelObjFile	BinaryData2	image			
TblSupRelObjFile	DisplayCode	tinyint			
TblSupRelObjFile	RODate	datetime	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblSupRelObjFile	ROOperator	int	NOT NULL		Yes
TblSupRelObjFile	LUDate	datetime	NOT NULL		
TblSupRelObjFile	LUOperator	int	NOT NULL		Yes
TblSupRelObjFile	BinaryDataBytes	int			
TblSupRelObjFile	TextData	text			
TblSupRestitutionDataMv	SupRestitutionDataMvID	int	NOT NULL	Yes	
TblSupRestitutionDataMv	SupID	int			Yes
TblSupRestitutionDataMv	Type	varchar(4)			Yes
TblSupRestitutionDataMv	Amount	money			
TblSupRestitutionDataMv	RestitutionDate	datetime			
TblSupRestitutionDataMv	Court	varchar(4)			Yes
TblSupRestitutionDataMv	RODate	datetime			
TblSupRestitutionDataMv	ROOperator	int			Yes
TblSupRestitutionDataMv	LUDate	datetime			
TblSupRestitutionDataMv	LUOperator	int			Yes
TblSupSSAdrLk	SupSSAdrLkID	int	NOT NULL	Yes	
TblSupSSAdrLk	SupID	int	NOT NULL		Yes
TblSupSSAdrLk	SSAdrID	int	NOT NULL		Yes
TblSupSSAdrLk	Relationship	varchar(4)			Yes
TblSupSSAdrLk	RODate	datetime	NOT NULL		
TblSupSSAdrLk	ROOperator	int	NOT NULL		
TblSupSSAdrLk	LUDate	datetime	NOT NULL		
TblSupSSAdrLk	LUOperator	int	NOT NULL		
TblSupSSAdrLk	DistanceFrom	decimal(10,4)			
TblSupSSAdrLk	DistanceFromUOM	varchar(4)			Yes
TblSupSSAdrLk	DirectionFrom	varchar(4)			Yes
TblSupSSAdrLk	WGS84Longitude	float			
TblSupSSAdrLk	WGS84Latitude	float			
TblSupSSAdrLk	NumberOfLanes	tinyint			
TblSupSSAdrLk	Divided	varchar(1)			Yes
TblSupSSAdrLk	TravellingOn	varchar(50)			

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblSupSSAdrLk	DistanceFromCity	decimal(10,4)			
TblSupSSAdrLk	DistanceFromUOMCity	varchar(4)			Yes
TblSupSSAdrLk	DirectionFromCity	varchar(4)			Yes
TblSupSSAdrLk	OccuredAtAdrIntersection	varchar(1)			Yes
TblSupSSAdrLk	OccurredInCity	varchar(1)			Yes
TblSupSSAdrLk	IntersectingRoadway	varchar(50)			
TblSupSSAdrLk	OccurringCity	varchar(4)			Yes
TblSupSSAdrLk	NAD27Latitude	float			
TblSupSSAdrLk	NAD27Longitude	float			
TblSupSSAdrLk	NAD83Zone	varchar(5)			
TblSupSSAdrLk	NAD83X	float			
TblSupSSAdrLk	NAD83Y	float			
TblSupSSAdrLk	NAD27Zone	float			
TblSupSSAdrLk	NAD27X	float			
TblSupSSAdrLk	NAD27Y	float			
TblSupSSFinLk	SupID	int	NOT NULL		Yes
TblSupSSFinLk	SSFinID	int	NOT NULL		Yes
TblSupSSFinLk	Relationship	varchar(4)			Yes
TblSupSSFinLk	RODate	datetime	NOT NULL		
TblSupSSFinLk	ROOperator	int	NOT NULL		
TblSupSSFinLk	LUDate	datetime	NOT NULL		
TblSupSSFinLk	LUOperator	int	NOT NULL		
TblSupSSFinLk	SupSSFinLkID	int	NOT NULL	Yes	
TblSupSSSubLk	SupSSSubLkID	int	NOT NULL	Yes	
TblSupSSSubLk	SupID	int	NOT NULL		Yes
TblSupSSSubLk	SSSubID	int			Yes
TblSupSSSubLk	Relationship	varchar(4)			Yes
TblSupSSSubLk	RODate	datetime	NOT NULL		
TblSupSSSubLk	ROOperator	int	NOT NULL		Yes
TblSupSSSubLk	LUDate	datetime	NOT NULL		
TblSupSSSubLk	LUOperator	int	NOT NULL		Yes

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblSupSSSubLk	ContactInfo	varchar(100)			
TblSupSSSubLk	Sobriety	varchar(4)			Yes
TblSupSSSubLk	OffenseNumber	varchar(4)			Yes
TblSupSSSubLk	SuspectType	varchar(4)			Yes
TblSupSSSubLk	OfficerAssault	varchar(1)			Yes
TblSupSSSubLk	HomicideVictim	varchar(1)			Yes
TblSupSSSubLk	HateCrimeVictim	varchar(1)			Yes
TblSupSSSubLk	DomesticViolence	varchar(1)			Yes
TblSupSSSubLk	VictimType	varchar(4)			Yes
TblSupSSSubLk	ExtentOfInjury	varchar(4)			Yes
TblSupSSSubLk	TypeOfInjury	varchar(4)			Yes
TblSupSSSubLk	RelationToOffender	varchar(4)			Yes
TblSupSSSubLk	Occupation	varchar(1)			Yes
TblSupSSSubLk	MPStatus	varchar(4)			Yes
TblSupSSSubLk	MPTType	varchar(4)			Yes
TblSupSSSubLk	MPPFoulPlay	varchar(1)			Yes
TblSupSSSubLk	MPPPrevious	varchar(1)			Yes
TblSupSSSubLk	MPPPrevRecDate	datetime			
TblSupSSSubLk	MPPPrevRecLocation	varchar(100)			
TblSupSSSubLk	MPRecovery	varchar(4)			Yes
TblSupSSSubLk	MPPFingerprint	varchar(1)			Yes
TblSupSSSubLk	MPPPhotograph	varchar(1)			Yes
TblSupSSSubLk	MPDentalRecord	varchar(1)			Yes
TblSupSSSubLk	MPMICForm	varchar(1)			Yes
TblSupSSSubLk	MPLastSeenFrom	datetime			
TblSupSSSubLk	MPLastSeenTo	datetime			
TblSupSSSubLk	MPLastSeenLocation	varchar(100)			
TblSupSSSubLk	MPLastSeenWith	varchar(100)			
TblSupSSSubLk	MPMentalPhysical	varchar(100)			
TblSupSSSubLk	MPMedication	varchar(100)			
TblSupSSSubLk	MPDoctorDentist	varchar(100)			

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblSupSSSubLk	MPPropertyCarried	varchar(100)			
TblSupSSSubLk	MPModeOfTravel	varchar(100)			
TblSupSSSubLk	MPPossibleReason	varchar(100)			
TblSupSSSubLk	MPPosDestination	varchar(100)			
TblSupSSSubLk	MPPlacesFrequented	varchar(100)			
TblSupSSSubLk	MPOtherInfo	varchar(100)			
TblSupSSSubLk	MPClassification	varchar(4)			Yes
TblSupSSSubLk	MPClassBy	int			Yes
TblSupSSSubLk	MPMaidenName	varchar(30)			
TblSupSSSubLk	MPSectionNotified	varchar(1)			Yes
TblSupSSSubLk	HMCircumstance	varchar(4)			Yes
TblSupSSSubLk	HMJustifiableCode	varchar(4)			Yes
TblSupSSSubLk	HMJustifiableCirc	varchar(4)			Yes
TblSupSSSubLk	HMOffenderNumber	tinyint			
TblSupSSSubLk	OAType	varchar(4)			Yes
TblSupSSSubLk	OAActivity	varchar(4)			Yes
TblSupSSSubLk	OAAssign	varchar(4)			Yes
TblSupSSSubLk	OABodyArmor	varchar(1)			Yes
TblSupSSSubLk	OAArmorPrevent	varchar(1)			Yes
TblSupSSSubLk	OAOfcAware	varchar(1)			Yes
TblSupSSSubLk	OAOfcWeapon	varchar(1)			Yes
TblSupSSSubLk	OAOfdrDischarge	varchar(1)			Yes
TblSupSSSubLk	OADistance	tinyint			
TblSupSSSubLk	OAOfcDischarge	varchar(1)			Yes
TblSupSSSubLk	OAOfdrInjured	varchar(1)			Yes
TblSupSSSubLk	OAOfdrExtInjury	varchar(4)			Yes
TblSupSSSubLk	OAOfcExperience	tinyint			
TblSupSSSubLk	OAOfdrNumber	tinyint			
TblSupSSSubLk	PerpUsed	varchar(4)			Yes
TblSupSSSubLk	PostApprovalAudit	text			
TblSupSSSubLk	UseOfForce	varchar(1)			Yes

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblSupSSSubLk	MedicalAttention	varchar(4)			Yes
TblSupSSSubLk	ForensicPhotos	varchar(1)			Yes
TblSupSSSubLk	DatePrintsTaken	datetime			
TblSupSSSubLk	TakenBy	int			Yes
TblSupSSSubLk	CriminalMentalHistory	varchar(1)			Yes
TblSupSSSubLk	CriminalMentalComment	text			
TblSupSSSubLk	TypeOfInjury2	varchar(4)			Yes
TblSupSSSubLk	DefenseAttorney	int			Yes
TblSupSSSubLk	IndictmentNumber	varchar(50)			
TblSupSSSubLk	WarrantNumber	varchar(50)			
TblSupSSSubLk	DefendantStatus	varchar(4)			Yes
TblSupSSSubLk	BailAmount	money			
TblSupSSSubLkChargeMv	SupSSSubLkChargeMvID	int	NOT NULL	Yes	
TblSupSSSubLkChargeMv	SupSSSubLkID	int	NOT NULL		Yes
TblSupSSSubLkChargeMv	Charge	varchar(25)	NOT NULL		Yes
TblSupSSSubLkChargeMv	Statute	varchar(25)			Yes
TblSupSSSubLkChargeMv	UCRClass	varchar(6)			Yes
TblSupSSSubLkChargeMv	ChargeCount	int	NOT NULL		
TblSupSSSubLkChargeMv	Upheld	varchar(1)			Yes
TblSupSSSubLkChargeMv	Plea	varchar(4)			Yes
TblSupSSSubLkChargeMv	IncarcerationTerm	int			
TblSupSSSubLkChargeMv	IncarcerationTermType	varchar(1)			
TblSupSSSubLkChargeMv	IncarcerationTermServeType	varchar(1)			
TblSupSSSubLkChargeMv	ProbationTerm	int			
TblSupSSSubLkChargeMv	ProbationTermType	varchar(1)			
TblSupSSSubLkChargeMv	ProbationTermServeType	varchar(1)			
TblSupSSSubLkChargeMv	Fine	money			
TblSupSSSubLkChargeMv	Restitution	money			
TblSupSSSubLkChargeMv	Comments	text			
TblSupSSSubLkChargeMv	RODate	datetime	NOT NULL		
TblSupSSSubLkChargeMv	ROOperator	int	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblSupSSSubLkChargeMv	LUDate	datetime	NOT NULL		
TblSupSSSubLkChargeMv	LUOperator	int	NOT NULL		
TblSupSSSubLkChargeMv	Verdict	varchar(4)			Yes
TblSupSSSubLkGangCriteriaMv	SupSSSubLkID	int	NOT NULL		Yes
TblSupSSSubLkGangCriteriaMv	GangCriterion	varchar(4)	NOT NULL		Yes
TblSupSSSubLkGangCriteriaMv	CriteriaMet	varchar(1)			Yes
TblSupSSSubLkGangCriteriaMv	RODate	datetime	NOT NULL		
TblSupSSSubLkGangCriteriaMv	ROOperator	int	NOT NULL		
TblSupSSSubLkGangCriteriaMv	LUDate	datetime	NOT NULL		
TblSupSSSubLkGangCriteriaMv	LUOperator	int	NOT NULL		
TblSupSSSubLkGangCriteriaMv	SupSSSubLkGangCriteriaMvID	int	NOT NULL	Yes	
TblSupSSSubLkUOFLOCMv	SupSSSubLkID	int	NOT NULL		Yes
TblSupSSSubLkUOFLOCMv	LevelOfControl	varchar(4)	NOT NULL		Yes
TblSupSSSubLkUOFLOCMv	RODate	datetime	NOT NULL		
TblSupSSSubLkUOFLOCMv	ROOperator	int	NOT NULL		
TblSupSSSubLkUOFLOCMv	LUDate	datetime	NOT NULL		
TblSupSSSubLkUOFLOCMv	LUOperator	int	NOT NULL		
TblSupSSSubLkUOFLOCMv	SupSSSubLkUOFLOCMvID	int	NOT NULL	Yes	
TblSupSSSubLkUOFLORMv	SupSSSubLkID	int	NOT NULL		Yes
TblSupSSSubLkUOFLORMv	LevelOfResistance	varchar(4)	NOT NULL		Yes
TblSupSSSubLkUOFLORMv	RODate	datetime	NOT NULL		
TblSupSSSubLkUOFLORMv	ROOperator	int	NOT NULL		
TblSupSSSubLkUOFLORMv	LUDate	datetime	NOT NULL		
TblSupSSSubLkUOFLORMv	LUOperator	int	NOT NULL		
TblSupSSSubLkUOFLORMv	SupSSSubLkUOFLORMvID	int	NOT NULL	Yes	
TblSupSSSubLkUOFSCMv	SupSSSubLkID	int	NOT NULL		Yes
TblSupSSSubLkUOFSCMv	SpecialCircumstances	varchar(4)	NOT NULL		Yes
TblSupSSSubLkUOFSCMv	RODate	datetime	NOT NULL		
TblSupSSSubLkUOFSCMv	ROOperator	int	NOT NULL		
TblSupSSSubLkUOFSCMv	LUDate	datetime	NOT NULL		
TblSupSSSubLkUOFSCMv	LUOperator	int	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblSupSSSubLkUOFSCMv	SupSSSubLkUOFSCMvID	int	NOT NULL	Yes	
TblSupSSSubLkUOFWeapMv	SupSSSubLkID	int	NOT NULL		Yes
TblSupSSSubLkUOFWeapMv	WeaponUsed	varchar(4)	NOT NULL		Yes
TblSupSSSubLkUOFWeapMv	RODate	datetime	NOT NULL		
TblSupSSSubLkUOFWeapMv	ROOperator	int	NOT NULL		
TblSupSSSubLkUOFWeapMv	LUDate	datetime	NOT NULL		
TblSupSSSubLkUOFWeapMv	LUOperator	int	NOT NULL		
TblSupSSSubLkUOFWeapMv	SupSSSubLkUOFWeapMvID	int	NOT NULL	Yes	
TblSupSSTelLk	SupID	int	NOT NULL		Yes
TblSupSSTelLk	SSTelID	int	NOT NULL		Yes
TblSupSSTelLk	Relationship	varchar(4)			Yes
TblSupSSTelLk	RODate	datetime	NOT NULL		
TblSupSSTelLk	ROOperator	int	NOT NULL		
TblSupSSTelLk	LUDate	datetime	NOT NULL		
TblSupSSTelLk	LUOperator	int	NOT NULL		
TblSupSSTelLk	SupSSTelLkID	int	NOT NULL	Yes	
TblSupSSVehLk	SupSSVehLkID	int	NOT NULL	Yes	
TblSupSSVehLk	SupID	int	NOT NULL		Yes
TblSupSSVehLk	SSVehID	int			Yes
TblSupSSVehLk	Relationship	varchar(4)			Yes
TblSupSSVehLk	RODate	datetime	NOT NULL		
TblSupSSVehLk	ROOperator	int	NOT NULL		
TblSupSSVehLk	LUDate	datetime	NOT NULL		
TblSupSSVehLk	LUOperator	int	NOT NULL		
TblSupSSVehLk	VehicleStatus	varchar(4)			
TblSupSSVehLk	UCRVehStatus	varchar(4)			Yes
TblSupSSVehLk	UCRValueStolen	money			
TblSupSSVehLk	UCRValueRecovered	money			
TblSupSSVehLk	UCRDateRecovered	datetime			
TblSupSSVehLk	UCRRecoveryCode	varchar(4)			Yes
TblSupSSVehLk	UCRRecoveryLoc	varchar(4)			Yes

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblSupSSVehLk	UCRDamage	varchar(4)			Yes
TblSupSSVehLk	OperatedUsedBy	varchar(4)			Yes
TblSupSSVehLk	PostApprovalAudit	text			
TblSupSupLk	SupID	int			Yes
TblSupSupLk	RelatedSupID	int			Yes
TblSupSupLk	RODate	datetime			
TblSupSupLk	ROOperator	int			
TblSupSupLk	LUDate	datetime			
TblSupSupLk	LUOperator	int			
TblSupSupLk	SupSupLkID	int	NOT NULL	Yes	
TblSupSusActMv	SupID	int			Yes
TblSupSusActMv	Action	varchar(4)			Yes
TblSupSusActMv	WhenActionOccurred	varchar(1)			Yes
TblSupSusActMv	RODate	datetime			
TblSupSusActMv	ROOperator	int			Yes
TblSupSusActMv	LUDate	datetime			
TblSupSusActMv	LUOperator	int			Yes
TblSupSusActMv	SupSusActMvID	int	NOT NULL	Yes	
TblSupTimeMv	SupTimeMvID	int	NOT NULL	Yes	
TblSupTimeMv	SupID	int			Yes
TblSupTimeMv	Minutes	int			
TblSupTimeMv	Activity	varchar(4)			Yes
TblSupTimeMv	Type	varchar(1)			
TblSupTimeMv	Comments	varchar(50)			
TblSupTimeMv	RODate	datetime			
TblSupTimeMv	ROOperator	int			
TblSupTimeMv	LUDate	datetime			
TblSupTimeMv	LUOperator	int			
TblSupTimeMv	UnitCost	money			
TblSupWatchDog	SupID	int	NOT NULL		Yes
TblSupWatchDog	AlertOperID	int	NOT NULL		Yes

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblSupWatchDog	SupWatchDogID	int	NOT NULL	Yes	
TblSupWepMv	SupWepMvID	int	NOT NULL	Yes	
TblSupWepMv	SupID	int			Yes
TblSupWepMv	WeaponType	varchar(4)			Yes
TblSupWepMv	WeaponSubType	varchar(4)			Yes
TblSupWepMv	FirearmFinish	varchar(4)			Yes
TblSupWepMv	Caliber	varchar(50)			
TblSupWepMv	RODate	datetime			
TblSupWepMv	ROOperator	int			Yes
TblSupWepMv	LUDate	datetime			
TblSupWepMv	LUOperator	int			Yes
TblTel	TelID	int	NOT NULL	Yes	
TblTel	TelephoneNumber	varchar(1000)	NOT NULL		
TblTel	TelephoneType	varchar(4)			Yes
TblTel	PublicPhone	varchar(1)			Yes
TblTel	MobileStationary	varchar(4)			Yes
TblTel	DigitalPulse	varchar(4)			Yes
TblTel	ESSFeatures	varchar(30)			
TblTel	DateVerified	datetime			
TblTel	DNRExempt	varchar(1)			Yes
TblTel	CaseNumber	varchar(15)			
TblTel	RODate	datetime	NOT NULL		
TblTel	ROOperator	int	NOT NULL		
TblTel	LUDate	datetime	NOT NULL		
TblTel	LUOperator	int	NOT NULL		
TblTel	TelephoneHostID	varchar(10)			
TblTel	Comments	text			
TblTel	UpdateLock	uniqueidentifier			
TblTel	ReadOnly	tinyint			
TblTel	HiddenFlag	varchar(1)			
TblTel	Caution	varchar(50)			

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblTel	DisclosureExempt	varchar(1)			Yes
TblTel	DisclosureExpiration	datetime			
TblTelAdrLk	TelAdrLkID	int	NOT NULL	Yes	
TblTelAdrLk	TelID	int	NOT NULL		Yes
TblTelAdrLk	AdrID	int	NOT NULL		Yes
TblTelAdrLk	Relationship	varchar(4)			Yes
TblTelAdrLk	RODate	datetime	NOT NULL		
TblTelAdrLk	ROOperator	int	NOT NULL		
TblTelAdrLk	LUDate	datetime	NOT NULL		
TblTelAdrLk	LUOperator	int	NOT NULL		
TblTelAdrLk	ValidFrom	datetime			
TblTelAdrLk	ValidTo	datetime			
TblTelDocLog	TelephoneNumber	varchar(1000)			
TblTelDocLog	ActionType	varchar(4)	NOT NULL		
TblTelDocLog	ActionDate	datetime	NOT NULL		
TblTelDocLog	ActionOperator	int	NOT NULL		
TblTelDocLog	TelID	int	NOT NULL		
TblTelInterface	TelID	int	NOT NULL	Yes	Yes
TblTelInterface	InterfaceID	int	NOT NULL	Yes	Yes
TblTelInterface	RemoteID	varchar(1000)			
TblTelInterface	RemoteDescription	varchar(1000)			
TblTelInterface	RODate	datetime	NOT NULL		
TblTelInterface	ROOperator	int	NOT NULL		
TblTelInterface	LUDate	datetime	NOT NULL		
TblTelInterface	LUOperator	int	NOT NULL		
TblTelInterface	RemoteBinary	image			
TblTelMergeBatch	BatchStatus	varchar(4)			
TblTelMergeBatch	MinConfidence	smallint			
TblTelMergeBatch	RODate	datetime	NOT NULL		
TblTelMergeBatch	ROOperator	int	NOT NULL		
TblTelMergeBatch	LUDate	datetime	NOT NULL		

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblTelMergeBatch	LUOperator	int	NOT NULL		
TblTelMergeBatch	UpdateLock	uniqueidentifier			
TblTelMergeBatch	TelMergeBatchID	int	NOT NULL	Yes	
TblTelMergeBatchItem	TelMergeBatchID	int	NOT NULL		Yes
TblTelMergeBatchItem	TelID	int	NOT NULL		Yes
TblTelMergeBatchItem	GroupNumber	int	NOT NULL		
TblTelMergeBatchItem	Action	varchar(4)	NOT NULL		
TblTelMergeBatchItem	TelMergeBatchItemID	int	NOT NULL	Yes	
TblTelRelObjFile	TelRelObjFileID	int	NOT NULL	Yes	
TblTelRelObjFile	TelID	int	NOT NULL		Yes
TblTelRelObjFile	FileName	varchar(200)	NOT NULL		
TblTelRelObjFile	MimeType	varchar(200)	NOT NULL		
TblTelRelObjFile	Description	varchar(100)	NOT NULL		
TblTelRelObjFile	BinaryData	image			
TblTelRelObjFile	BinaryData2	image			
TblTelRelObjFile	DisplayCode	tinyint			
TblTelRelObjFile	RODate	datetime	NOT NULL		
TblTelRelObjFile	ROOperator	int	NOT NULL		
TblTelRelObjFile	LUDate	datetime	NOT NULL		
TblTelRelObjFile	LUOperator	int	NOT NULL		
TblTelRelObjFile	BinaryDataBytes	int			
TblTelRelObjFile	TextData	text			
TblTelSubLk	TelSubLkID	int	NOT NULL	Yes	
TblTelSubLk	SubID	int	NOT NULL		Yes
TblTelSubLk	TelID	int	NOT NULL		Yes
TblTelSubLk	Relationship	varchar(4)			Yes
TblTelSubLk	ROOperator	int	NOT NULL		
TblTelSubLk	RODate	datetime	NOT NULL		
TblTelSubLk	LUOperator	int	NOT NULL		
TblTelSubLk	LUDate	datetime	NOT NULL		
TblTelSubLk	Source	int			

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblTelSubLk	ValidFrom	datetime			
TblTelSubLk	ValidTo	datetime			
TblTelWatchDog	TelID	int	NOT NULL		Yes
TblTelWatchDog	AlertOperID	int	NOT NULL		Yes
TblTelWatchDog	FndAlert	bit			
TblTelWatchDog	TelWatchDogID	int	NOT NULL	Yes	
TblTip	TipID	int	NOT NULL	Yes	
TblTip	TipNumber	varchar(50)			
TblTip	TipTaskCode	varchar(4)			Yes
TblTip	TipEntryDateTime	datetime			
TblTip	TipEntryOper	int			Yes
TblTip	BriefDescription	varchar(100)			
TblTip	ReportersName	varchar(50)			
TblTip	ReportersDOB	datetime			
TblTip	ReportersHomePhone	varchar(25)			
TblTip	ReportersBusPhone	varchar(25)			
TblTip	ReportersAddress	varchar(100)			
TblTip	OccurredDateTime	datetime			
TblTip	TipSource	varchar(4)			Yes
TblTip	TipClass	varchar(4)			Yes
TblTip	TipType	varchar(4)			Yes
TblTip	TipPriority	varchar(4)			Yes
TblTip	TipStatus	varchar(4)			Yes
TblTip	TipStatusDate	datetime			
TblTip	RelatedCaseID	int			Yes
TblTip	TipInformation	text			
TblTip	AssignDateTime	datetime			
TblTip	AssignedToSecLev8	varchar(10)			Yes
TblTip	AssignedToSecLev7	varchar(10)			Yes
TblTip	AssignedToSecLev6	varchar(10)			Yes
TblTip	AssignedToSecLev5	varchar(10)			Yes

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblTip	AssignedToSecLev4	varchar(10)			Yes
TblTip	AssignedToSecLev3	varchar(10)			Yes
TblTip	AssignedToSecLev2	varchar(10)			Yes
TblTip	AssignedToOper	int			Yes
TblTip	AssignedByOper	int			Yes
TblTip	AssignedPriority	varchar(4)			Yes
TblTip	ResponseDueDate	datetime			
TblTip	ReplyDateTime	datetime			
TblTip	ReplyFromOper	int			
TblTip	ReplyComments	text			
TblTip	ReplyRegMinutes	int			
TblTip	ReplyOvtMinutes	int			
TblTip	TipApproved	varchar(1)			Yes
TblTip	ApprovedByOper	int			Yes
TblTip	ApprovalDateTime	datetime			
TblTip	ReAssignSwitch	varchar(1)			Yes
TblTip	RODate	datetime			
TblTip	ROOperator	int			
TblTip	LUDate	datetime			
TblTip	LUOperator	int			
TblTip	TipSubType	varchar(4)			Yes
TblTip	Purge	varchar(1)			Yes
TblTip	Dissemination	varchar(4)			Yes
TblTip	IntelPurgeBatchID	int			Yes
TblTip	UpdateLock	uniqueidentifier			
TblTip	SourceReliability	varchar(4)			Yes
TblTip	ContentEvaluation	varchar(4)			Yes
TblTip	TemplatePrefix	varchar(40)			
TblTip	TemplateDescription	varchar(100)			
TblTip	TemplateAssignTo	varchar(4)			
TblTip	SourceTemplateID	int			Yes

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblTip	TemplateInitialView	varchar(4)			
TblTipDocLog	TipNumber	varchar(50)			
TblTipDocLog	ActionType	varchar(4)	NOT NULL		
TblTipDocLog	ActionDate	datetime	NOT NULL		
TblTipDocLog	ActionOperator	int	NOT NULL		
TblTipDocLog	TipID	int	NOT NULL		
TblTipHist	TipHistID	int	NOT NULL	Yes	
TblTipHist	TipID	int	NOT NULL		Yes
TblTipHist	TipStatus	varchar(4)			
TblTipHist	AssignedToSecLev8	varchar(10)			Yes
TblTipHist	AssignedToSecLev7	varchar(10)			Yes
TblTipHist	AssignedToSecLev6	varchar(10)			Yes
TblTipHist	AssignedToSecLev5	varchar(10)			Yes
TblTipHist	AssignedToSecLev4	varchar(10)			Yes
TblTipHist	AssignedToSecLev3	varchar(10)			Yes
TblTipHist	AssignedToSecLev2	varchar(10)			Yes
TblTipHist	AssignedToOper	int			Yes
TblTipHist	Comments	text			
TblTipHist	RODate	datetime	NOT NULL		
TblTipHist	ROOperator	int	NOT NULL		
TblTipHist	Action	varchar(4)			
TblTipInterface	TipID	int	NOT NULL	Yes	Yes
TblTipInterface	InterfacelD	int	NOT NULL	Yes	Yes
TblTipInterface	RemotelD	varchar(1000)			
TblTipInterface	RemoteDescription	varchar(1000)			
TblTipInterface	RODate	datetime	NOT NULL		
TblTipInterface	ROOperator	int	NOT NULL		
TblTipInterface	LUDate	datetime	NOT NULL		
TblTipInterface	LUOperator	int	NOT NULL		
TblTipInterface	RemoteBinary	image			
TblTipRelObjFile	TipRelObjFileID	int	NOT NULL	Yes	

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblTipRelObjFile	TipID	int	NOT NULL		Yes
TblTipRelObjFile	FileName	varchar(200)	NOT NULL		
TblTipRelObjFile	MimeType	varchar(200)	NOT NULL		
TblTipRelObjFile	Description	varchar(100)	NOT NULL		
TblTipRelObjFile	BinaryData	image			
TblTipRelObjFile	BinaryData2	image			
TblTipRelObjFile	DisplayCode	tinyint			
TblTipRelObjFile	RODate	datetime	NOT NULL		
TblTipRelObjFile	ROOperator	int	NOT NULL		
TblTipRelObjFile	LUDate	datetime	NOT NULL		
TblTipRelObjFile	LUOperator	int	NOT NULL		
TblTipRelObjFile	BinaryDataBytes	int			
TblTipRelObjFile	TextData	text			
TblTipSSAdrLk	TipID	int	NOT NULL		Yes
TblTipSSAdrLk	SSAdrID	int	NOT NULL		Yes
TblTipSSAdrLk	Relationship	varchar(4)			Yes
TblTipSSAdrLk	RODate	datetime	NOT NULL		
TblTipSSAdrLk	ROOperator	int	NOT NULL		
TblTipSSAdrLk	LUDate	datetime	NOT NULL		
TblTipSSAdrLk	LUOperator	int	NOT NULL		
TblTipSSAdrLk	TipSSAdrLkID	int	NOT NULL	Yes	
TblTipSSSubLk	TipID	int	NOT NULL		Yes
TblTipSSSubLk	SSSubID	int	NOT NULL		Yes
TblTipSSSubLk	Relationship	varchar(4)			Yes
TblTipSSSubLk	RODate	datetime	NOT NULL		
TblTipSSSubLk	ROOperator	int	NOT NULL		Yes
TblTipSSSubLk	LUDate	datetime	NOT NULL		
TblTipSSSubLk	LUOperator	int	NOT NULL		Yes
TblTipSSSubLk	TipSSSubLkID	int	NOT NULL	Yes	
TblTipSSTelLk	TipID	int	NOT NULL		Yes
TblTipSSTelLk	SSTelID	int	NOT NULL		Yes

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblTipSSTelLk	Relationship	varchar(4)			Yes
TblTipSSTelLk	RODate	datetime	NOT NULL		
TblTipSSTelLk	ROOperator	int	NOT NULL		
TblTipSSTelLk	LUDate	datetime	NOT NULL		
TblTipSSTelLk	LUOperator	int	NOT NULL		
TblTipSSTelLk	TipSSTelLkID	int	NOT NULL	Yes	
TblTipSSVehLk	TipID	int	NOT NULL		Yes
TblTipSSVehLk	SSVehID	int	NOT NULL		Yes
TblTipSSVehLk	Relationship	varchar(4)			Yes
TblTipSSVehLk	RODate	datetime	NOT NULL		
TblTipSSVehLk	ROOperator	int	NOT NULL		
TblTipSSVehLk	LUDate	datetime	NOT NULL		
TblTipSSVehLk	LUOperator	int	NOT NULL		
TblTipSSVehLk	TipSSVehLkID	int	NOT NULL	Yes	
TblTipSubTypeMv	TipID	int			Yes
TblTipSubTypeMv	TipSubType	varchar(4)			Yes
TblTipSubTypeMv	RODate	datetime	NOT NULL		
TblTipSubTypeMv	ROOperator	int	NOT NULL		
TblTipSubTypeMv	LUDate	datetime	NOT NULL		
TblTipSubTypeMv	LUOperator	int	NOT NULL		
TblTipSubTypeMv	TipSubTypeMvID	int	NOT NULL	Yes	
TblTipTipLk	TipID	int			Yes
TblTipTipLk	RelatedTipID	int			Yes
TblTipTipLk	InverseLinkID	int			Yes
TblTipTipLk	RODate	datetime			
TblTipTipLk	ROOperator	int			
TblTipTipLk	LUDate	datetime			
TblTipTipLk	LUOperator	int			
TblTipTipLk	TipTipLkID	int	NOT NULL	Yes	
TblTipWatchDog	TipID	int	NOT NULL		Yes
TblTipWatchDog	AlertOperID	int	NOT NULL		Yes

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblTipWatchDog	TipWatchDogID	int	NOT NULL	Yes	
TblTraceLog	ClientAddress	varchar(255)			
TblTraceLog	ServerAddress	varchar(255)			
TblTraceLog	Duration	int			
TblTraceLog	Resource	varchar(255)			
TblTraceLog	SessionID	uniqueidentifier			
TblTraceLog	ErrorNumber	int	NOT NULL		
TblTraceLog	Data	text			
TblTraceLog	DateTime	datetime	NOT NULL		
TblIUCR	UCRID	int	NOT NULL	Yes	
TblIUCR	ORI	varchar(9)	NOT NULL		
TblIUCR	ReportingPeriod	varchar(15)			
TblIUCR	ReportingYear	int			
TblIUCR	DateSubmitted	datetime			
TblIUCR	RODate	datetime			
TblIUCR	ROOperator	int			
TblIUCR	LUDate	datetime			
TblIUCR	LUOperator	int			
TblIUCRExceptionMv	SupID	int			Yes
TblIUCRExceptionMv	ExceptionDetails	varchar(4000)			
TblIUCRExceptionMv	UCRID	int	NOT NULL		Yes
TblIUCRRelObjFile	UCRRelObjFileID	int	NOT NULL	Yes	
TblIUCRRelObjFile	UCRID	int	NOT NULL		Yes
TblIUCRRelObjFile	FileName	varchar(200)	NOT NULL		
TblIUCRRelObjFile	MimeType	varchar(200)	NOT NULL		
TblIUCRRelObjFile	Description	varchar(100)	NOT NULL		
TblIUCRRelObjFile	BinaryData	image			
TblIUCRRelObjFile	BinaryData2	image			
TblIUCRRelObjFile	DisplayCode	tinyint			
TblIUCRRelObjFile	RODate	datetime	NOT NULL		
TblIUCRRelObjFile	ROOperator	int	NOT NULL		Yes

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblUCRRelObjFile	LUDate	datetime	NOT NULL		
TblUCRRelObjFile	LUOperator	int	NOT NULL		Yes
TblUCRRelObjFile	BinaryDataBytes	int			
TblVeh	VehID	int	NOT NULL	Yes	
TblVeh	TagNumber	varchar(20)			
TblVeh	State	varchar(4)			Yes
TblVeh	TagYear	smallint			
TblVeh	TagType	varchar(4)			Yes
TblVeh	VehicleType	varchar(4)			Yes
TblVeh	VehicleMake	varchar(4)			Yes
TblVeh	VehicleModel	varchar(50)			
TblVeh	VehicleStyle	varchar(4)			Yes
TblVeh	VehicleYear	smallint			
TblVeh	VehicleVINNumber	varchar(20)			
TblVeh	DecalNumber	varchar(20)			
TblVeh	DecalYear	smallint			
TblVeh	ExteriorTopColor	varchar(4)			Yes
TblVeh	ExterBottomColor	varchar(4)			Yes
TblVeh	InteriorColor	varchar(4)			Yes
TblVeh	VehicleValue	money			
TblVeh	VesselName	varchar(50)			
TblVeh	LiteralName	varchar(50)			
TblVeh	PhoneticName	varchar(50)			
TblVeh	VesselHullCode	varchar(4)			Yes
TblVeh	VesselLength	smallint			
TblVeh	VesselPropulsion	varchar(4)			Yes
TblVeh	VesselType	varchar(4)			Yes
TblVeh	VesselFuelType	varchar(4)			Yes
TblVeh	EngineManufacturer	varchar(30)			
TblVeh	EngineHP	smallint			
TblVeh	EngineNo1SN	varchar(20)			

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblVeh	EngineNo2SN	varchar(20)			
TblVeh	VesselSubjectID	varchar(7)			
TblVeh	CATRegistration	varchar(10)			
TblVeh	IssuingAgency	varchar(10)			
TblVeh	DateIssued	datetime			
TblVeh	RODate	datetime	NOT NULL		
TblVeh	ROOperator	int	NOT NULL		
TblVeh	LUDate	datetime	NOT NULL		
TblVeh	LUOperator	int	NOT NULL		
TblVeh	DeleteFlag	varchar(1)			
TblVeh	VehicleHostID	varchar(10)			
TblVeh	Comments	text			
TblVeh	AircraftType	varchar(4)			Yes
TblVeh	WingStyle	varchar(4)			Yes
TblVeh	CallSign	varchar(50)			
TblVeh	PropulsionType	varchar(4)			Yes
TblVeh	AircraftDescription	varchar(255)			
TblVeh	VesselCategory	varchar(4)			Yes
TblVeh	USCGDocNumber	varchar(25)			
TblVeh	UpdateLock	uniqueidentifier			
TblVeh	TrailerType	varchar(4)			Yes
TblVeh	VehicleUse	varchar(4)			Yes
TblVeh	ReadOnly	tinyint			
TblVeh	HiddenFlag	varchar(1)			
TblVeh	OdometerReading	int			
TblVeh	TagExpiration	datetime			
TblVeh	TagPermanent	varchar(1)			Yes
TblVeh	TrailerLengthFeet	smallint			
TblVeh	NumberOfAxles	tinyint			
TblVeh	Caution	varchar(50)			
TblVeh	DisclosureExempt	varchar(1)			Yes

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblVeh	DisclosureExpiration	datetime			
TblVehConcealmentsMv	VehID	int			Yes
TblVehConcealmentsMv	ConcealmentType	varchar(4)			Yes
TblVehConcealmentsMv	Description	varchar(50)			
TblVehConcealmentsMv	RODate	datetime			
TblVehConcealmentsMv	ROOperator	int			Yes
TblVehConcealmentsMv	LUDate	datetime			
TblVehConcealmentsMv	LUOperator	int			Yes
TblVehConcealmentsMv	VehConcealmentsMvID	int	NOT NULL	Yes	
TblVehDocLog	TagNumber	varchar(20)			
TblVehDocLog	ActionType	varchar(4)	NOT NULL		
TblVehDocLog	ActionDate	datetime	NOT NULL		
TblVehDocLog	ActionOperator	int	NOT NULL		
TblVehDocLog	VehID	int	NOT NULL		
TblVehInterface	VehID	int	NOT NULL	Yes	Yes
TblVehInterface	InterfaceID	int	NOT NULL	Yes	Yes
TblVehInterface	RemoteID	varchar(1000)			
TblVehInterface	RemoteDescription	varchar(1000)			
TblVehInterface	RODate	datetime	NOT NULL		
TblVehInterface	ROOperator	int	NOT NULL		
TblVehInterface	LUDate	datetime	NOT NULL		
TblVehInterface	LUOperator	int	NOT NULL		
TblVehInterface	RemoteBinary	image			
TblVehMergeBatch	BatchStatus	varchar(4)			
TblVehMergeBatch	MinConfidence	smallint			
TblVehMergeBatch	RODate	datetime	NOT NULL		
TblVehMergeBatch	ROOperator	int	NOT NULL		
TblVehMergeBatch	LUDate	datetime	NOT NULL		
TblVehMergeBatch	LUOperator	int	NOT NULL		
TblVehMergeBatch	UpdateLock	uniqueidentifier			
TblVehMergeBatch	VehMergeBatchID	int	NOT NULL	Yes	

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblVehMergeBatchItem	VehMergeBatchID	int	NOT NULL		Yes
TblVehMergeBatchItem	VehID	int	NOT NULL		Yes
TblVehMergeBatchItem	GroupNumber	int	NOT NULL		
TblVehMergeBatchItem	Action	varchar(4)	NOT NULL		
TblVehMergeBatchItem	VehMergeBatchItemID	int	NOT NULL	Yes	
TblVehNameParts	VehID	int	NOT NULL	Yes	
TblVehNameParts	PartIndex	int	NOT NULL	Yes	
TblVehNameParts	PartID	int	NOT NULL	Yes	
TblVehRelObjFile	VehRelObjFileID	int	NOT NULL	Yes	
TblVehRelObjFile	VehID	int	NOT NULL		Yes
TblVehRelObjFile	FileName	varchar(200)	NOT NULL		
TblVehRelObjFile	MimeType	varchar(200)	NOT NULL		
TblVehRelObjFile	Description	varchar(100)	NOT NULL		
TblVehRelObjFile	BinaryData	image			
TblVehRelObjFile	BinaryData2	image			
TblVehRelObjFile	DisplayCode	tinyint			
TblVehRelObjFile	RODate	datetime	NOT NULL		
TblVehRelObjFile	ROOperator	int	NOT NULL		
TblVehRelObjFile	LUDate	datetime	NOT NULL		
TblVehRelObjFile	LUOperator	int	NOT NULL		
TblVehRelObjFile	BinaryDataBytes	int			
TblVehRelObjFile	TextData	text			
TblVehSubLk	VehSubLkID	int	NOT NULL	Yes	
TblVehSubLk	VehID	int	NOT NULL		Yes
TblVehSubLk	SubID	int	NOT NULL		Yes
TblVehSubLk	Relationship	varchar(4)			Yes
TblVehSubLk	RODate	datetime	NOT NULL		
TblVehSubLk	ROOperator	int	NOT NULL		
TblVehSubLk	LUDate	datetime	NOT NULL		
TblVehSubLk	LUOperator	int	NOT NULL		
TblVehSubLk	ValidFrom	datetime			

Entity Name	Entity Attribute Name	Attribute Datatype	Entity Attribute Required	Attribute is PK	Attribute Is FK
TblVehSubLk	ValidTo	datetime			
TblVehWatchDog	VehID	int	NOT NULL		Yes
TblVehWatchDog	AlertOperID	int	NOT NULL		Yes
TblVehWatchDog	FndAlert	bit			
TblVehWatchDog	VehWatchDogID	int	NOT NULL	Yes	
TblWebLog	InstanceID	uniqueidentifier	NOT NULL		
TblWebLog	LogDateTime	datetime	NOT NULL		
TblWebLog	FileName	varchar(255)	NOT NULL		
TblWebLog	SiteName	varchar(255)			
TblWebLog	ServerName	varchar(255)			
TblWebLog	ServerIP	varchar(15)			
TblWebLog	ServerPort	int			
TblWebLog	ClientIP	varchar(15)			
TblWebLog	UserName	varchar(255)			
TblWebLog	Method	varchar(10)			
TblWebLog	UriStem	varchar(255)			
TblWebLog	UriQuery	text			
TblWebLog	Status	int			
TblWebLog	SubStatus	int			
TblWebLog	WinStatus	int			
TblWebLog	BytesReceived	int			
TblWebLog	BytesSent	int			
TblWebLog	DurationMS	int			
TblWebLog	HttpVersion	varchar(255)			
TblWebLog	HostHeader	text			
TblWebLog	UserAgent	text			
TblWebLog	Cookie	text			
TblWebLog	Referrer	text			
TblWebLog	PostData	text			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblSup	Abandoned	varchar(1)			Yes
TblSup	AccidentCrashInWorkZone	varchar(4)			Yes
TblSup	AccidentDateTime	datetime			
TblSup	AccidentEMSArrived	datetime			
TblSup	AccidentEMSNotified	datetime			
TblSup	AccidentFirstAidBy	varchar(4)			Yes
TblSup	AccidentFirstAidByName	varchar(50)			
TblSup	AccidentFirstHarmfulEvent	varchar(4)			Yes
TblSup	AccidentFirstHarmfulEventLocation	varchar(4)			Yes
TblSup	AccidentFirstHarmfulEventRelationToJunction	varchar(4)			Yes
TblSup	AccidentFirstHarmfulEventWithinInterchange	varchar(1)			Yes
TblSup	AccidentInvestigationAtScene	varchar(1)			Yes
TblSup	AccidentInvestigationComplete	varchar(1)			Yes
TblSup	AccidentInvestigationOpenReason	varchar(50)			
TblSup	AccidentInvestigationScene	varchar(50)			
TblSup	AccidentLightingCondition	varchar(4)			Yes
TblSup	AccidentLocationType	varchar(4)			Yes
TblSup	AccidentMannerOfCollision	varchar(4)			Yes
TblSup	AccidentNotifiedBy	varchar(4)			Yes
TblSup	AccidentPhotoTaken	varchar(1)			Yes
TblSup	AccidentPhotoTakenBy	varchar(4)			Yes
TblSup	AccidentRoadCondition	varchar(4)			Yes
TblSup	AccidentRoadCondition2	varchar(4)			Yes
TblSup	AccidentRoadSurfaceCondition	varchar(4)			Yes
TblSup	AccidentRoadSurfaceType	varchar(4)			Yes
TblSup	AccidentRoadSystemId	varchar(4)			Yes
TblSup	AccidentSchoolBusRelated	varchar(4)			Yes
TblSup	AccidentSiteLocation	varchar(4)			Yes
TblSup	AccidentStateNumber	varchar(15)			
TblSup	AccidentTakenBy	varchar(50)			
TblSup	AccidentTakenTo	varchar(50)			
TblSup	AccidentTrafficControl	varchar(4)			Yes

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblSupAccidentPartyMv	AccidentTrafficControl	varchar(4)			Yes
TblSup	AccidentTrafficControl2	varchar(4)			Yes
TblSup	AccidentTrafficwayCharacter	varchar(4)			Yes
TblSup	AccidentTypeShoulder	varchar(4)			Yes
TblSup	AccidentVisionObstruction	varchar(4)			Yes
TblSup	AccidentVisionObstruction2	varchar(4)			Yes
TblSup	AccidentWeather	varchar(4)			Yes
TblSup	AccidentWorkZoneHadLEO	varchar(4)			Yes
TblSup	AccidentWorkZoneHadWorkers	varchar(1)			Yes
TblSup	AccidentWorkZoneRelated	varchar(1)			Yes
TblSup	AccidentWorkZoneType	varchar(4)			Yes
TblExpAccountSecLevMv	AccountOperID	int			Yes
TblInterfaceCds	AcissCode	varchar(50)			
TblInterfaceCds	AcissCodeTable	varchar(50)			
TblOper	AcissMailForwarding	varchar(1)			
TblAdrMergeBatchItem	Action	varchar(4)	NOT NULL		
TblCaseActivity	Action	varchar(4)	NOT NULL		Yes
TblCaseHist	Action	varchar(4)			
TblFinMergeBatchItem	Action	varchar(4)	NOT NULL		
TblSubMergeBatchItem	Action	varchar(4)	NOT NULL		
TblSupActivity	Action	varchar(4)	NOT NULL		
TblSupSusActMv	Action	varchar(4)			Yes
TblTelMergeBatchItem	Action	varchar(4)	NOT NULL		
TblTipHist	Action	varchar(4)			
TblVehMergeBatchItem	Action	varchar(4)	NOT NULL		
TblAdrDocLog	ActionDate	datetime	NOT NULL		
TblArrestDocLog	ActionDate	datetime	NOT NULL		
TblCaseDocLog	ActionDate	datetime	NOT NULL		
TblCitationDocLog	ActionDate	datetime	NOT NULL		
TblDNRCallDocLog	ActionDate	datetime	NOT NULL		
TblDNRCtrlDocLog	ActionDate	datetime	NOT NULL		
TblFinDocLog	ActionDate	datetime	NOT NULL		

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblPawnDocLog	ActionDate	datetime	NOT NULL		
TblPawnItemDocLog	ActionDate	datetime	NOT NULL		
TblPropDocLog	ActionDate	datetime	NOT NULL		
TblPropItemDocLog	ActionDate	datetime	NOT NULL		
TblSubDocLog	ActionDate	datetime	NOT NULL		
TblSupDocLog	ActionDate	datetime	NOT NULL		
TblTelDocLog	ActionDate	datetime	NOT NULL		
TblTipDocLog	ActionDate	datetime	NOT NULL		
TblVehDocLog	ActionDate	datetime	NOT NULL		
TblCaseActivity	ActionDateTime	datetime	NOT NULL		
TblSupActivity	ActionDateTime	datetime			
TblAdrDocLog	ActionOperator	int	NOT NULL		
TblArrestDocLog	ActionOperator	int	NOT NULL		
TblCaseDocLog	ActionOperator	int	NOT NULL		
TblCitationDocLog	ActionOperator	int	NOT NULL		
TblDNRCallDocLog	ActionOperator	int	NOT NULL		
TblDNRControlDocLog	ActionOperator	int	NOT NULL		
TblFinDocLog	ActionOperator	int	NOT NULL		
TblPawnDocLog	ActionOperator	int	NOT NULL		
TblPawnItemDocLog	ActionOperator	int	NOT NULL		
TblPropDocLog	ActionOperator	int	NOT NULL		
TblPropItemDocLog	ActionOperator	int	NOT NULL		
TblSubDocLog	ActionOperator	int	NOT NULL		
TblSupDocLog	ActionOperator	int	NOT NULL		Yes
TblTelDocLog	ActionOperator	int	NOT NULL		
TblTipDocLog	ActionOperator	int	NOT NULL		
TblVehDocLog	ActionOperator	int	NOT NULL		
TblAdrDocLog	ActionType	varchar(4)	NOT NULL		
TblArrestDocLog	ActionType	varchar(4)	NOT NULL		
TblCaseDocLog	ActionType	varchar(4)	NOT NULL		
TblCitationDocLog	ActionType	varchar(4)	NOT NULL		
TblDNRCallDocLog	ActionType	varchar(4)	NOT NULL		

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblDNRControlDocLog	ActionType	varchar(4)	NOT NULL		
TblFinDocLog	ActionType	varchar(4)	NOT NULL		
TblPawnDocLog	ActionType	varchar(4)	NOT NULL		
TblPawnItemDocLog	ActionType	varchar(4)	NOT NULL		
TblPropDocLog	ActionType	varchar(4)	NOT NULL		
TblPropItemDocLog	ActionType	varchar(4)	NOT NULL		
TblSubDocLog	ActionType	varchar(4)	NOT NULL		
TblSupDocLog	ActionType	varchar(4)	NOT NULL		
TblTelDocLog	ActionType	varchar(4)	NOT NULL		
TblTipDocLog	ActionType	varchar(4)	NOT NULL		
TblVehDocLog	ActionType	varchar(4)	NOT NULL		
TblSupTimeMv	Activity	varchar(4)			Yes
TblAdr	Address	varchar(50)	NOT NULL		
TblAdrDocLog	Address	varchar(50)			
TblAdrMergeBatch	Address	varchar(50)			
TblSSAdr	Address	varchar(50)	NOT NULL		
TblAdr	AddressHostID	varchar(10)			
TblSSAdr	AddressHostID	varchar(10)			
TblAdr	AddressPlace	varchar(10)			Yes
TblSSAdr	AddressPlace	varchar(10)			Yes
TblAdr	AddressQualifier	varchar(7)			
TblSSAdr	AddressQualifier	varchar(7)			
TblAdr	AddressStatus	tinyint			
TblAdr	AddressType	varchar(4)			
TblAdrMergeBatch	AddressType	varchar(4)			
TblSSAdr	AddressType	varchar(4)			
TblCase	AdrDisclosureExemptOnRelated	bit			
TblCase	AdrDisclosureExpirationOnRelated	datetime			
TblAdrFinLk	AdrFinLkID	int	NOT NULL	Yes	
TblCase	AdrHiddenFlagOnRelated	bit			
TblAdr	AdrID	int	NOT NULL	Yes	
TblAdrDocLog	AdrID	int	NOT NULL		

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblAdrFinLk	AdrID	int	NOT NULL		Yes
TblAdrInterface	AdrID	int	NOT NULL	Yes	Yes
TblAdrMergeBatchItem	AdrID	int	NOT NULL		Yes
TblAdrRelObjFile	AdrID	int	NOT NULL		Yes
TblAdrVehLk	AdrID	int	NOT NULL		Yes
TblAdrWatchDog	AdrID	int	NOT NULL		Yes
TblMailAdrLk	AdrID	int	NOT NULL		Yes
TblSSAdr	AdrID	int			Yes
TblSubAdrLk	AdrID	int	NOT NULL		Yes
TblTelAdrLk	AdrID	int	NOT NULL		Yes
TblAdrMergeBatch	AdrMergeBatchID	int	NOT NULL	Yes	
TblAdrMergeBatchItem	AdrMergeBatchID	int	NOT NULL		Yes
TblAdrMergeBatchItem	AdrMergeBatchItemID	int	NOT NULL	Yes	
TblCaseWatchDog	AdrOnRelated	bit			
TblAdrRelObjFile	AdrRelObjFileID	int	NOT NULL	Yes	
TblAdrVehLk	AdrVehLkID	int	NOT NULL	Yes	
TblAdrWatchDog	AdrWatchDogID	int	NOT NULL	Yes	
TblSSSub	Age	smallint			
TblSub	Age	smallint			
TblPawn	Agency	int			Yes
TblProp	Agency	int			Yes
TblSupOutsideAgencyMv	Agency	int			Yes
TblArrest	AgencyCaseNumber	varchar(25)			
TblSSSub	AgeType	varchar(1)			
TblSub	AgeType	varchar(1)			
TblSup	AggravatedAssault	varchar(4)			Yes
TblCitation	AggressiveDriver	varchar(1)			Yes
TblSupAccidentPartyMv	AirBagStatus	varchar(4)			Yes
TblSSVeh	AircraftDescription	varchar(255)			
TblVeh	AircraftDescription	varchar(255)			
TblSSVeh	AircraftType	varchar(4)			Yes
TblVeh	AircraftType	varchar(4)			Yes

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblDNRCall	Alarm	varchar(1)			Yes
TblSupAccidentPartyMv	AlcDrugTestResult	decimal(10,4)			
TblSupAccidentPartyMv	AlcDrugTestType	varchar(4)			Yes
TblSupAccidentPartyMv	AlcDrugUse	varchar(4)			Yes
TblSup	Alcoholic	varchar(1)			
TblArrest	AlcoholInfluence	varchar(1)			Yes
TblSup	AlcoholIntoxicated	varchar(1)			
TblSup	AlcoholRelated	varchar(1)			Yes
TblSupAccidentPartyMv	AlcoholSuspected	varchar(1)			Yes
TblSupAccidentPartyMv	AlcoholTested	varchar(4)			Yes
TblSupAccidentPartyMv	AlcoholTestResult	varchar(4)			Yes
TblSupAccidentPartyMv	AlcoholTestType	varchar(4)			Yes
TblAdrWatchDog	AlertOperID	int	NOT NULL		Yes
TblCaseWatchDog	AlertOperID	int	NOT NULL		Yes
TblFinWatchDog	AlertOperID	int	NOT NULL		Yes
TblSubFndWatchDog	AlertOperID	int			Yes
TblSubWatchDog	AlertOperID	int	NOT NULL		Yes
TblSupWatchDog	AlertOperID	int	NOT NULL		Yes
TblTelWatchDog	AlertOperID	int	NOT NULL		Yes
TblTipWatchDog	AlertOperID	int	NOT NULL		Yes
TblVehWatchDog	AlertOperID	int	NOT NULL		Yes
TblSup	Alm	varchar(1)			Yes
TblSup	AlmAction	varchar(4)			Yes
TblSup	AlmOwnerResponse	varchar(4)			Yes
TblSup	AlmPremisesStatus	varchar(4)			Yes
TblSup	AlmReason	varchar(4)			Yes
TblSup	AlmReset	varchar(4)			Yes
TblSup	AlmSilent	varchar(4)			Yes
TblSup	AlmType	varchar(4)			Yes
TblSubNamePartLexicon	Alternate	tinyint	NOT NULL		
TblPropItem	AlternateItemNumber	varchar(100)			
TblSupRestitutionDataMv	Amount	money			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblPawnItem	AmountPaid	money			
TblSup	AmountPaid	money			
TblCase	AnalysisExempt	varchar(1)			Yes
TblSup	ApparentMotive	varchar(4)			Yes
TblCitation	ApplicableSpeed	int			
TblSchemaObjects	AppliedOn	datetime	NOT NULL		
TblSchemaPatches	AppliedOn	datetime	NOT NULL		
TblTip	ApprovalDateTime	datetime			
TblIDNRControl	ApprovalJudge	varchar(50)			
TblSup	ApprovalStatus	varchar(1)			
TblSup	ApprovedBy	int			Yes
TblTip	ApprovedByOper	int			Yes
TblSup	ApprovedBySecLev2	varchar(10)			Yes
TblSup	ApprovedBySecLev3	varchar(10)			Yes
TblSup	ApprovedBySecLev4	varchar(10)			Yes
TblSup	ApprovedBySecLev5	varchar(10)			Yes
TblSup	ApprovedBySecLev6	varchar(10)			Yes
TblSup	ApprovedBySecLev7	varchar(10)			Yes
TblSup	ApprovedBySecLev8	varchar(10)			Yes
TblSup	ApprovedDateTime	datetime			
TblSSSub	ApproxDOB	varchar(1)			
TblSub	ApproxDOB	varchar(1)			
TblSup	AppurtenanceStructure	money			
TblAdr	Area1	varchar(10)			Yes
TblSSAdr	Area1	varchar(10)			Yes
TblAdr	Area10	varchar(10)			Yes
TblSSAdr	Area10	varchar(10)			Yes
TblAdr	Area2	varchar(10)			Yes
TblSSAdr	Area2	varchar(10)			Yes
TblAdr	Area3	varchar(10)			Yes
TblSSAdr	Area3	varchar(10)			Yes
TblAdr	Area4	varchar(10)			Yes

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblSSAdr	Area4	varchar(10)			Yes
TblAdr	Area5	varchar(10)			Yes
TblSSAdr	Area5	varchar(10)			Yes
TblAdr	Area6	varchar(10)			Yes
TblSSAdr	Area6	varchar(10)			Yes
TblAdr	Area7	varchar(10)			Yes
TblSSAdr	Area7	varchar(10)			Yes
TblAdr	Area8	varchar(10)			Yes
TblSSAdr	Area8	varchar(10)			Yes
TblAdr	Area9	varchar(10)			Yes
TblSSAdr	Area9	varchar(10)			Yes
TblDNRControl	AreaCode	varchar(3)			
TblSSSub	AreaFrequented	varchar(50)			
TblSub	AreaFrequented	varchar(50)			
TblSSSub	AreaOnImpact	varchar(4)			Yes
TblSub	AreaOnImpact	varchar(4)			Yes
TblSupFireOriginMv	AreaOrigin	varchar(4)			Yes
TblCitation	Arrest	varchar(1)			Yes
TblArrestChargeMv	ArrestChargeMvID	int	NOT NULL	Yes	
TblArrest	ArrestDateTime	datetime			
TblSSSub	ArrestDispositions	varchar(50)			
TblSub	ArrestDispositions	varchar(50)			
TblArrestDocLog	ArrestDocLogID	int	NOT NULL	Yes	
TblArrest	Arrestee	int			Yes
TblSupArsteCourtDispMv	Arrestee	int	NOT NULL		Yes
TblSupArsteCourtDispMv	ArresteeCharge	varchar(25)	NOT NULL		Yes
TblSupArsteCourtDispMv	ArresteeCourtDisposition	varchar(4)			Yes
TblArrest	ArresteeDisp	varchar(4)			Yes
TblSupArsteCourtDispMv	ArresteeSentence	varchar(100)			
TblArrest	ArresteeVictimRel	varchar(4)			Yes
TblArrestGangCriteriaMv	ArrestGangCriteriaMvID	int	NOT NULL	Yes	
TblArrest	ArrestID	int	NOT NULL	Yes	

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblArrestChargeMv	ArrestID	int	NOT NULL		Yes
TblArrestDocLog	ArrestID	int	NOT NULL		
TblArrestGangCriteriaMv	ArrestID	int	NOT NULL		Yes
TblArrest	ArrestingLEO	int			Yes
TblArrest	ArrestType	varchar(4)			Yes
TblSup	ArrivalOnCall	varchar(1)			Yes
TblSupPropMv	ArsonValue	money			
TblSup	ArticlesTaken	varchar(1)			Yes
TblPawnItem	ArticleType	varchar(8)			Yes
TblSSSubIdMv	AsOfDate	datetime			
TblSubIdMv	AsOfDate	datetime			
TblSSSub	AssessmentCaseID	int			
TblCase	AssignDateTime	datetime			
TblTip	AssignDateTime	datetime			
TblCase	AssignedByOper	int			Yes
TblCaseHist	AssignedByOper	int			Yes
TblTip	AssignedByOper	int			Yes
TblOper	AssignedPoliceDist	varchar(5)			Yes
TblTip	AssignedPriority	varchar(4)			Yes
TblSup	AssignedTo	int			
TblCase	AssignedToOper	int			Yes
TblCaseHist	AssignedToOper	int			Yes
TblTip	AssignedToOper	int			Yes
TblTipHist	AssignedToOper	int			Yes
TblCaseHist	AssignedToSecLev2	varchar(10)			Yes
TblTip	AssignedToSecLev2	varchar(10)			Yes
TblTipHist	AssignedToSecLev2	varchar(10)			Yes
TblCaseHist	AssignedToSecLev3	varchar(10)			Yes
TblTip	AssignedToSecLev3	varchar(10)			Yes
TblTipHist	AssignedToSecLev3	varchar(10)			Yes
TblCaseHist	AssignedToSecLev4	varchar(10)			Yes
TblTip	AssignedToSecLev4	varchar(10)			Yes

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblTipHist	AssignedToSecLev4	varchar(10)			Yes
TblCaseHist	AssignedToSecLev5	varchar(10)			Yes
TblTip	AssignedToSecLev5	varchar(10)			Yes
TblTipHist	AssignedToSecLev5	varchar(10)			Yes
TblCaseHist	AssignedToSecLev6	varchar(10)			Yes
TblTip	AssignedToSecLev6	varchar(10)			Yes
TblTipHist	AssignedToSecLev6	varchar(10)			Yes
TblCaseHist	AssignedToSecLev7	varchar(10)			Yes
TblTip	AssignedToSecLev7	varchar(10)			Yes
TblTipHist	AssignedToSecLev7	varchar(10)			Yes
TblCaseHist	AssignedToSecLev8	varchar(10)			Yes
TblTip	AssignedToSecLev8	varchar(10)			Yes
TblTipHist	AssignedToSecLev8	varchar(10)			Yes
TblSupChargeMv	AttemptCommit	varchar(1)			Yes
TblDNRCall	AudioOff	int			
TblDNRCall	AudioOn	int			
TblPropAuth	AuthFacility	varchar(4)			Yes
TblPropAuth	AuthOperID	int	NOT NULL		
TblQuerySecLevMv	AuthOperID	int			Yes
TblPropAuth	AuthToAdd	varchar(1)			
TblPropAuth	AuthToUpdate	varchar(1)			
TblArrest	BackupLEO	int			Yes
TblCase	BackupOfficer	int			Yes
TblSup	BackupOfficer	int			Yes
TblSupSSSubLk	BailAmount	money			
TblSup	BakerAct	varchar(1)			Yes
TblSup	BakerAction	varchar(4)			Yes
TblFin	BankCodeNumber	varchar(4)			
TblSSFin	BankCodeNumber	varchar(4)			
TblArrestChargeMv	BaseQuantity	float			
TblPawnItem	BaseQuantity	float			
TblPropItem	BaseQuantity	float			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblSup	BaseQuantity	float			
TblSupExpMv	BaseQuantity	float			
TblSupPropMv	BaseQuantity	float			
TblPropItemInv	BatchDate	datetime	NOT NULL		
TblPropItemInv	BatchName	varchar(255)	NOT NULL		
TblPropDisp	BatchNumber	varchar(15)	NOT NULL		
TblPropItemInv	BatchOper	int	NOT NULL		Yes
TblAdrMergeBatch	BatchStatus	varchar(4)			
TblExpBatch	BatchStatus	varchar(4)			
TblFinMergeBatch	BatchStatus	varchar(4)			
TblIntelPurgeBatch	BatchStatus	varchar(4)			
TblSubMergeBatch	BatchStatus	varchar(4)			
TblTelMergeBatch	BatchStatus	varchar(4)			
TblVehMergeBatch	BatchStatus	varchar(4)			
TblPropItem	BicycleAccessories	varchar(50)			
TblPropItem	BicycleBrakes	varchar(4)			Yes
TblPropItem	BicycleFrameColor	varchar(4)			Yes
TblPropItem	BicycleGears	int			
TblPropItem	BicycleHandlebars	varchar(4)			Yes
TblPropItem	BicycleSeatColor	varchar(4)			Yes
TblPropItem	BicycleSeatType	varchar(4)			Yes
TblPropItem	BicycleSex	varchar(4)			Yes
TblPropItem	BicycleSize	int			
TblPropItem	BicycleTires	varchar(4)			Yes
TblPropItemInv	Bin	varchar(10)	NOT NULL		
TblAdrRelObjFile	BinaryData	image			
TblDNRCallRelObjFile	BinaryData	image			
TblFinRelObjFile	BinaryData	image			
TblInterfaceRelObjFile	BinaryData	image			
TblMailRelObjFile	BinaryData	image			
TblPropCustRelObjFile	BinaryData	image			
TblPropItemRelObjFile	BinaryData	image			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblPropRelObjFile	BinaryData	image			
TblSubRelObjFile	BinaryData	image			
TblSupDiagramTemp	BinaryData	image			
TblSupRelObjFile	BinaryData	image			
TblTelRelObjFile	BinaryData	image			
TblTipRelObjFile	BinaryData	image			
TblUCRRelObjFile	BinaryData	image			
TblVehRelObjFile	BinaryData	image			
TblAdrRelObjFile	BinaryData2	image			
TblDNRCallRelObjFile	BinaryData2	image			
TblFinRelObjFile	BinaryData2	image			
TblInterfaceRelObjFile	BinaryData2	image			
TblMailRelObjFile	BinaryData2	image			
TblPropCustRelObjFile	BinaryData2	image			
TblPropItemRelObjFile	BinaryData2	image			
TblPropRelObjFile	BinaryData2	image			
TblSubRelObjFile	BinaryData2	image			
TblSupRelObjFile	BinaryData2	image			
TblTelRelObjFile	BinaryData2	image			
TblTipRelObjFile	BinaryData2	image			
TblUCRRelObjFile	BinaryData2	image			
TblVehRelObjFile	BinaryData2	image			
TblAdrRelObjFile	BinaryDataBytes	int			
TblDNRCallRelObjFile	BinaryDataBytes	int			
TblFinRelObjFile	BinaryDataBytes	int			
TblInterfaceRelObjFile	BinaryDataBytes	int			
TblMailRelObjFile	BinaryDataBytes	int			
TblPropCustRelObjFile	BinaryDataBytes	int			
TblPropItemRelObjFile	BinaryDataBytes	int			
TblPropRelObjFile	BinaryDataBytes	int			
TblSubRelObjFile	BinaryDataBytes	int			
TblSupRelObjFile	BinaryDataBytes	int			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblTelRelObjFile	BinaryDataBytes	int			
TblTipRelObjFile	BinaryDataBytes	int			
TblUCRRRelObjFile	BinaryDataBytes	int			
TblVehRelObjFile	BinaryDataBytes	int			
TblPropItem	BinLocation	varchar(10)			Yes
TblSSSub	BirthDate	datetime			
TblSub	BirthDate	datetime			
TblSupAccidentPartyMv	BloodAlcoholContent	float			
TblSup	BodyDisposalCode	varchar(4)			Yes
TblSup	BodyDisposition	varchar(50)			
TblSSSubSMTMv	BodyPart	varchar(4)			Yes
TblSubSMTMv	BodyPart	varchar(4)			Yes
TblSup	BodyReleaseForm	varchar(4)			Yes
TblArrest	BondAmount	money			
TblArrest	BondSet	varchar(1)			Yes
TblArrest	BookingFacility	varchar(50)			
TblPawnItem	BrandMake	varchar(20)			
TblCitation	BreathBloodAlc	decimal(10,4)			
TblCitation	BreathBloodAlc2	decimal(10,4)			
TblCitation	BreathBloodAlc3	decimal(10,4)			
TblCitation	BreathTestRefused	varchar(1)			Yes
TblSup	Bribery	varchar(4)			Yes
TblSup	BriefDescription	varchar(100)			
TblTip	BriefDescription	varchar(100)			
TblPawn	BrokerID	int	NOT NULL		Yes
TblAdr	BuildingName	varchar(50)			
TblSSAdr	BuildingName	varchar(50)			
TblBulletin	BulletinID	int	NOT NULL	Yes	
TblBulletin	BulletinText	varchar(1500)			
TblSup	BusinessAreaName	varchar(50)			
TblSSSub	BusinessCharter	varchar(15)			
TblSub	BusinessCharter	varchar(15)			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblSSSub	BusinessClass	varchar(4)			Yes
TblSub	BusinessClass	varchar(4)			Yes
TblSSSub	BusinessIDNumber	varchar(20)			
TblSub	BusinessIDNumber	varchar(20)			
TblSup	BusinessInterruption	money			
TblSupPropMv	ByclAccessory	varchar(100)			
TblSupPropMv	ByclBrake	varchar(4)			Yes
TblSupPropMv	ByclFrameColor	varchar(4)			Yes
TblSupPropMv	ByclGear	int			
TblSupPropMv	ByclGender	varchar(4)			Yes
TblSupPropMv	ByclHandlebar	varchar(4)			Yes
TblSupPropMv	ByclOthDescription	varchar(100)			
TblSupPropMv	ByclSeatColor	varchar(4)			Yes
TblSupPropMv	ByclSeatType	varchar(4)			Yes
TblSupPropMv	ByclSize	int			
TblSupPropMv	ByclTire	varchar(4)			Yes
TblWebLog	BytesReceived	int			
TblWebLog	BytesSent	int			
TblSupWepMv	Caliber	varchar(50)			
TblDNRCall	CalledFromNumber	int			Yes
TblDNRCall	CallNumber	int			
TblSup	CallReceivedBy	varchar(4)			Yes
TblSSVeh	CallSign	varchar(50)			
TblVeh	CallSign	varchar(50)			
TblDNRCall	CallType	varchar(4)			Yes
TblDNRCall	CallWaiting	varchar(1)			Yes
TblSupCameraMv	Camera	varchar(4)			Yes
TblSupCameraMv	CameraASASetting	varchar(4)			Yes
TblSupCameraMv	CameraFilmType	varchar(4)			Yes
TblSupCameraMv	CameraLensType	varchar(4)			Yes
TblPropLetter	CARevBottom	text			
TblPropLetter	CARevTop	text			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblSup	CargoTheft	varchar(1)			Yes
TblSupAccidentPartyMv	CargoType	varchar(4)			Yes
TblCaseActivity	CaseActivityID	int	NOT NULL	Yes	
TblProp	CaseAgent	int			Yes
TblCaseAuthOperLk	CaseAuthOperLkID	int	NOT NULL	Yes	
TblCaseCaseLk	CaseCaseLkID	int	NOT NULL	Yes	
TblCase	CaseDescription	varchar(100)			
TblArrest	CaseDisposition	varchar(4)			Yes
TblCaseHist	CaseHistID	int	NOT NULL	Yes	
TblCase	CaseID	int	NOT NULL	Yes	
TblCaseActivity	CaseID	int	NOT NULL		Yes
TblCaseAuthOperLk	CaseID	int			Yes
TblCaseCaseLk	CaseID	int			Yes
TblCaseDocLog	CaseID	int	NOT NULL		
TblCaseHist	CaseID	int	NOT NULL		Yes
TblCaseInterface	CaseID	int	NOT NULL	Yes	Yes
TblCaseWatchDog	CaseID	int	NOT NULL		Yes
TblDNRControl	CaseID	int	NOT NULL		Yes
TblMailCaseLk	CaseID	int	NOT NULL		Yes
TblProp	CaseID	int			Yes
TblSup	CaseID	int			Yes
TblCase	CaseNumber	varchar(50)			
TblCaseDocLog	CaseNumber	varchar(50)			
TblSSTel	CaseNumber	varchar(15)			
TblSupDocLog	CaseNumber	varchar(50)			
TblSupOutsideAgencyMv	CaseNumber	varchar(50)			
TblTel	CaseNumber	varchar(15)			
TblIntelPurgeBatch	CasePurge	varchar(1)			
TblCase	CaseReferralAccept	varchar(1)			Yes
TblCase	CaseReferralCode	varchar(4)			Yes
TblCase	CaseReferralDate	datetime			
TblCase	CaseStatus	varchar(4)			Yes

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCase	CaseStatusDate	datetime			
TblCase	CaseSubType	varchar(4)			Yes
TblProp	CaseType	varchar(4)			Yes
TblCaseWatchDog	CaseWatchDogID	int	NOT NULL	Yes	
TblSSVeh	CATRegistration	varchar(10)			
TblVeh	CATRegistration	varchar(10)			
TblCitation	CausedAccident	varchar(1)			Yes
TblSup	CauseOfFire	varchar(4)			Yes
TblAdr	Caution	varchar(50)			
TblFin	Caution	varchar(50)			
TblSSAdr	Caution	varchar(50)			
TblSSFin	Caution	varchar(50)			
TblSSSub	Caution	varchar(50)			
TblSSTel	Caution	varchar(50)			
TblSSVeh	Caution	varchar(50)			
TblSub	Caution	varchar(50)			
TblTel	Caution	varchar(50)			
TblVeh	Caution	varchar(50)			
TblArrestChargeMv	Charge	varchar(25)	NOT NULL		Yes
TblSupSSSubLkChargeMv	Charge	varchar(25)	NOT NULL		Yes
TblArrestChargeMv	ChargeCount	int	NOT NULL		
TblSupSSSubLkChargeMv	ChargeCount	int	NOT NULL		
TblArrestChargeMv	ChargeDescription	varchar(255)			
TblArrestChargeMv	ChargeLEO	int			Yes
TblSup	ChildAbuse	varchar(1)			Yes
TblSupExpMv	ChitNumber	varchar(6)			
TblSupChronoLogMv	ChronoLog	varchar(50)			
TblSupExpMv	CINumber	varchar(10)			
TblCitation	CitationDateTime	datetime			
TblCitationDocLog	CitationDocLogID	int	NOT NULL	Yes	
TblCitation	CitationID	int	NOT NULL	Yes	
TblCitationDocLog	CitationID	int	NOT NULL		

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCitationWarningMv	CitationID	int	NOT NULL		Yes
TblCitation	CitationLEO	int			Yes
TblCitation	CitationNumber	varchar(15)			
TblSupAccidentPartyViolatorMv	CitationNumber	varchar(15)			
TblCitation	CitationType	varchar(4)			Yes
TblCitationWarningMv	CitationWarningMVID	int	NOT NULL	Yes	
TblSSSub	CitizenshipCountry	varchar(4)			Yes
TblSub	CitizenshipCountry	varchar(4)			Yes
TblAdr	CityCode	varchar(4)			Yes
TblSSAdr	CityCode	varchar(4)			Yes
TblAdr	CityName	varchar(30)			
TblSSAdr	CityName	varchar(30)			
TblSup	ClaimNumber	varchar(25)			
TblTraceLog	ClientAddress	varchar(255)			
TblWebLog	ClientIP	varchar(15)			
TblCase	ClosedCaseDate	datetime			
TblCase	ClosedCaseDism	varchar(4)			Yes
TblSSSub	ClothingJewelry	varchar(50)			
TblSub	ClothingJewelry	varchar(50)			
TblSup	Coercion	varchar(4)			Yes
TblProp	CollectedBy	int			Yes
TblSupPropMv	CollectedDateTime	datetime			
TblSup	CollectionBedding	varchar(1)			Yes
TblSup	CollectionBlood	varchar(1)			Yes
TblSup	CollectionCastings	varchar(1)			Yes
TblSup	CollectionClothing	varchar(1)			Yes
TblSup	CollectionOther	varchar(1)			Yes
TblSup	CollectionShoeWear	varchar(1)			Yes
TblSup	CollectionTrace	varchar(1)			Yes
TblSup	CollectionWeapons	varchar(1)			Yes
TblSSSubGangColorsMv	Colors	varchar(30)			
TblSubGangColorsMv	Colors	varchar(30)			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblDNRCtrl	Comment	varchar(50)			
TblDNRCtrlExtMv	Comment	varchar(100)	NOT NULL		
TblDNRCtrlWireExtMv	Comment	varchar(100)	NOT NULL		
TblPropCust	Comment	text			
TblSSSubIdMv	Comment	varchar(50)			
TblSubIdMv	Comment	varchar(50)			
TblAdr	Comments	text			
TblCaseActivity	Comments	varchar(1000)			
TblCaseHist	Comments	text			
TblCitation	Comments	text			
TblCitationWarningMv	Comments	varchar(50)	NOT NULL		
TblExpTrans	Comments	text			
TblFin	Comments	text			
TblPawnItem	Comments	text			
TblPropDisp	Comments	varchar(1000)			
TblPropItem	Comments	text			
TblSSAdr	Comments	text			
TblSSFin	Comments	text			
TblSSSub	Comments	text			
TblSSTel	Comments	text			
TblSSVeh	Comments	text			
TblSub	Comments	text			
TblSupActivity	Comments	varchar(1000)			
TblSupSSSubLkChargeMv	Comments	text			
TblSupTimeMv	Comments	varchar(50)			
TblTel	Comments	text			
TblTipHist	Comments	text			
TblVeh	Comments	text			
TblSupAccidentPartyMv	CommercialVehicle	varchar(1)			Yes
TblSupAccidentPartyMv	CommercialVehicleStatus	varchar(4)			Yes
TblCitation	CompanionCitations	varchar(1)			Yes
TblSupPrintsLiftedMv	ComparisonResults	varchar(75)			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblSup	CompensatoryMinutes	int			
TblSSSub	Complexion	varchar(4)			Yes
TblSub	Complexion	varchar(4)			Yes
TblSup	ComputerCrime	varchar(4)			Yes
TblSSVehConcealmentsMv	ConcealmentType	varchar(4)			Yes
TblVehConcealmentsMv	ConcealmentType	varchar(4)			Yes
TblSup	ConsideredForAssign	varchar(1)			
TblSupSSSubLk	ContactInfo	varchar(100)			
TblSup	ContentEvaluation	varchar(4)			Yes
TblTip	ContentEvaluation	varchar(4)			Yes
TblSup	ContentsCoverage	money			
TblSupAccidentPartyContribCauseMv	ContributingCause	varchar(4)			Yes
TblSupAccidentContributingCircumstanceMv	ContributingCircumstance	varchar(4)	NOT NULL		Yes
TblSupAccidentContributingCircumstanceMv	ContributingCircumstanceType	varchar(4)	NOT NULL		Yes
TblSupPropMv	ControlNumber	varchar(15)			
TblWebLog	Cookie	text			
TblSSSubIdMv	Country	varchar(4)			Yes
TblSubIdMv	Country	varchar(4)			Yes
TblAdr	CountryCode	varchar(4)			Yes
TblSSAdr	CountryCode	varchar(4)			Yes
TblAdr	County	varchar(4)			Yes
TblSSAdr	County	varchar(4)			Yes
TblSup	Court	varchar(4)			Yes
TblSupRestitutionDataMv	Court	varchar(4)			Yes
TblCitation	CourtAppearance	varchar(4)			Yes
TblArrest	CourtCaseNumber	varchar(15)			
TblProp	CourtCaseNumber	varchar(15)			
TblCitation	CourtCopies	varchar(1)			Yes
TblCitation	CourtName	varchar(4)			Yes
TblCitation	CourtRemarks	varchar(50)			
TblSup	CourtVenue	varchar(4)			Yes
TblCitation	Crash	varchar(1)			Yes

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblInterfaceSession	Created	datetime	NOT NULL		
TblSession	Created	datetime	NOT NULL		
TblSessionHistory	Created	datetime	NOT NULL		
TblSSSub	CriFamAffiliation	varchar(1)			Yes
TblSub	CriFamAffiliation	varchar(1)			Yes
TblSSSubCrimHistMv	CrimHistDate	datetime	NOT NULL		
TblSubCrimHistMv	CrimHistDate	datetime	NOT NULL		
TblSSSubCrimActMv	CriminalActivity	varchar(6)	NOT NULL		Yes
TblSubCrimActMv	CriminalActivity	varchar(6)	NOT NULL		Yes
TblSupCrimActMv	CriminalActivity	varchar(6)			Yes
TblSSSubCrimHistMv	CriminalHistory	varchar(62)	NOT NULL		
TblSubCrimHistMv	CriminalHistory	varchar(62)	NOT NULL		
TblSupSSSubLk	CriminalMentalComment	text			
TblSupSSSubLk	CriminalMentalHistory	varchar(1)			Yes
TblArrestGangCriteriaMv	CriteriaMet	varchar(1)			Yes
TblSupSSSubLkGangCriteriaMv	CriteriaMet	varchar(1)			Yes
TblSupPropMv	CurrencyType	varchar(5)			Yes
TblPropCust	CustodyType	varchar(6)			Yes
TblPawn	CustomerID	int			Yes
TblSSSub	DailyEmployees	int			
TblSub	DailyEmployees	int			
TblSSSub	DailyVisitors	int			
TblSub	DailyVisitors	int			
TblPropItem	Damaged	varchar(1)			Yes
TblTraceLog	Data	text			
TblCase	DateArchived	datetime			
TblSSSub	DateDeceased	datetime			
TblSub	DateDeceased	datetime			
TblSSSub	DateDissolved	datetime			
TblSub	DateDissolved	datetime			
TblSSSub	DateEmployed	datetime			
TblSub	DateEmployed	datetime			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCase	DateInitiated	datetime			
TblSSVeh	DateIssued	datetime			
TblVeh	DateIssued	datetime			
TblSupPrintsLiftedMv	DateLifted	datetime			
TblSup	DateOfLastChange	datetime			
TblSSSub	DateOrganized	datetime			
TblSub	DateOrganized	datetime			
TblSupSSSubLk	DatePrintsTaken	datetime			
TblSupPropMv	DateRecovered	datetime			
TblSupPropMv	DateSeized	datetime			
TblUCR	DateSubmitted	datetime			
TblTraceLog	DateTime	datetime	NOT NULL		
TblProp	DateTimeCollected	datetime			
TblSup	DateTimeIssued	datetime			
TblProp	DateTimeReceived	datetime			
TblPropItem	DateTimeReceived	datetime			
TblSup	DateTimeServed	datetime			
TblPropCust	DateTimeTransferred	datetime			
TblSSTel	DateVerified	datetime			
TblTel	DateVerified	datetime			
TblSSSub	DCDCNumber	varchar(20)			
TblSub	DCDCNumber	varchar(20)			
TblSup	DeathPrints	varchar(1)			Yes
TblSup	Debris	varchar(1)			Yes
TblSup	DebrisOtherAgency	int			Yes
TblSSVeh	DecalNumber	varchar(20)			
TblVeh	DecalNumber	varchar(20)			
TblSSVeh	DecalYear	smallint			
TblVeh	DecalYear	smallint			
TblSSSub	Deceased	varchar(1)			Yes
TblSub	Deceased	varchar(1)			Yes
TblQueryCaseReportTypeMv	DefaultView	bit	NOT NULL		

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblProp	DefendantInCustody	varchar(1)			Yes
TblSupSSSubLk	DefendantStatus	varchar(4)			Yes
TblSupSSSubLk	DefenseAttorney	int			Yes
TblSSSubGangTermsMv	Definition	varchar(255)			
TblSubGangTermsMv	Definition	varchar(255)			
TblSSSub	DeleteFlag	varchar(1)			Yes
TblSSVeh	DeleteFlag	varchar(1)			
TblSub	DeleteFlag	varchar(1)			Yes
TblVeh	DeleteFlag	varchar(1)			
TblSSSub	Demeanor	varchar(4)			Yes
TblSub	Demeanor	varchar(4)			Yes
TblAdr	Description	varchar(255)			
TblAdrRelObjFile	Description	varchar(100)	NOT NULL		
TblArrestChargeMv	Description	varchar(255)			
TblArrestDocLog	Description	varchar(60)			
TblCitationDocLog	Description	varchar(60)			
TblDNRCallDocLog	Description	varchar(50)			
TblDNRCallRelObjFile	Description	varchar(100)	NOT NULL		
TblDNRCtrlDocLog	Description	varchar(50)			
TblFin	Description	varchar(25)			
TblFinRelObjFile	Description	varchar(100)	NOT NULL		
TblInterfaceRelObjFile	Description	varchar(100)	NOT NULL		
TblMailRelObjFile	Description	varchar(100)	NOT NULL		
TblPawnItem	Description	varchar(50)			
TblPawnItemDocLog	Description	varchar(50)			
TblPropCustRelObjFile	Description	varchar(100)	NOT NULL		
TblPropDocLog	Description	varchar(50)			
TblPropItem	Description	varchar(100)			
TblPropItemDocLog	Description	varchar(100)			
TblPropItemRelObjFile	Description	varchar(100)	NOT NULL		
TblPropRelObjFile	Description	varchar(100)	NOT NULL		
TblSSAdr	Description	varchar(255)			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblSSFin	Description	varchar(25)			
TblSSSubAliasMv	Description	varchar(100)	NOT NULL		
TblSSSubGangSignsSymbolsMv	Description	varchar(255)			
TblSSVehConcealmentsMv	Description	varchar(50)			
TblSubAliasMv	Description	varchar(100)	NOT NULL		
TblSubGangSignsSymbolsMv	Description	varchar(255)			
TblSubRelObjFile	Description	varchar(100)	NOT NULL		
TblSupDiagramTemp	Description	varchar(200)	NOT NULL	Yes	
TblSupFireOriginMv	Description	varchar(75)			
TblSupPropMv	Description	varchar(100)			
TblSupRelObjFile	Description	varchar(100)	NOT NULL		
TblTelRelObjFile	Description	varchar(100)	NOT NULL		
TblTipRelObjFile	Description	varchar(100)	NOT NULL		
TblUCRRRelObjFile	Description	varchar(100)	NOT NULL		
TblVehConcealmentsMv	Description	varchar(50)			
TblVehRelObjFile	Description	varchar(100)	NOT NULL		
TblSup	DescriptionCollection	text			
TblSupPropMv	DetectedBy	varchar(5)			Yes
TblSup	DiagramData	image			
TblSup	DiagramImage	image			
TblAdr	DiagramTempData	image			
TblSSSub	Dialect	varchar(4)			Yes
TblSub	Dialect	varchar(4)			Yes
TblSSTel	DigitalPulse	varchar(4)			Yes
TblTel	DigitalPulse	varchar(4)			Yes
TblDNRCall	DigitsDialed	varchar(100)			
TblSupSSAdrLk	DirectionFrom	varchar(4)			Yes
TblSupSSAdrLk	DirectionFromCity	varchar(4)			Yes
TblSupPOEMv	DirectionItFaces	varchar(4)			Yes
TblAdr	DirectionOfTravel	varchar(4)			Yes
TblSSAdr	DirectionOfTravel	varchar(4)			Yes
TblSupAccidentPartyMv	DirectionOfTravel	varchar(4)			Yes

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblSSSub	Disabilities	varchar(4)			Yes
TblSub	Disabilities	varchar(4)			Yes
TblAdr	DisclosureExempt	varchar(1)			Yes
TblFin	DisclosureExempt	varchar(1)			Yes
TblSSAdr	DisclosureExempt	varchar(1)			Yes
TblSSFin	DisclosureExempt	varchar(1)			Yes
TblSSSub	DisclosureExempt	varchar(1)			Yes
TblSSTel	DisclosureExempt	varchar(1)			Yes
TblSSVeh	DisclosureExempt	varchar(1)			Yes
TblSub	DisclosureExempt	varchar(1)			Yes
TblTel	DisclosureExempt	varchar(1)			Yes
TblVeh	DisclosureExempt	varchar(1)			Yes
TblAdr	DisclosureExpiration	datetime			
TblFin	DisclosureExpiration	datetime			
TblSSAdr	DisclosureExpiration	datetime			
TblSSFin	DisclosureExpiration	datetime			
TblSSSub	DisclosureExpiration	datetime			
TblSSTel	DisclosureExpiration	datetime			
TblSSVeh	DisclosureExpiration	datetime			
TblSub	DisclosureExpiration	datetime			
TblTel	DisclosureExpiration	datetime			
TblVeh	DisclosureExpiration	datetime			
TblSup	DiscoveredReported	varchar(4)			Yes
TblAdrRelObjFile	DisplayCode	tinyint			
TblDNRCallRelObjFile	DisplayCode	tinyint			
TblFinRelObjFile	DisplayCode	tinyint			
TblInterfaceRelObjFile	DisplayCode	tinyint			
TblMailRelObjFile	DisplayCode	tinyint			
TblPropCustRelObjFile	DisplayCode	tinyint			
TblPropItemRelObjFile	DisplayCode	tinyint			
TblPropRelObjFile	DisplayCode	tinyint			
TblSubRelObjFile	DisplayCode	tinyint			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblSupRelObjFile	DisplayCode	tinyint			
TblTelRelObjFile	DisplayCode	tinyint			
TblTipRelObjFile	DisplayCode	tinyint			
TblUCRRRelObjFile	DisplayCode	tinyint			
TblVehRelObjFile	DisplayCode	tinyint			
TblPropDisp	Disposition	varchar(4)			Yes
TblSupPropMv	Disposition	varchar(4)			Yes
TblCase	DispositionCode	varchar(4)			Yes
TblCase	DispositionDate	datetime			
TblSupArsteCourtDispMv	DispositionDate	datetime			
TblCase	Dissemination	varchar(4)			Yes
TblTip	Dissemination	varchar(4)			Yes
TblSup	DisseminationCode	varchar(4)			Yes
TblSupSSAdrLk	DistanceFrom	decimal(10,4)			
TblSupSSAdrLk	DistanceFromCity	decimal(10,4)			
TblSupSSAdrLk	DistanceFromUOM	varchar(4)			Yes
TblSupSSAdrLk	DistanceFromUOMCity	varchar(4)			Yes
TblSup	Disturbance	varchar(1)			Yes
TblSup	DisturbanceAction	varchar(4)			Yes
TblSup	DisturbanceAgency	varchar(30)			
TblSup	DisturbanceType	varchar(4)			Yes
TblSupSSAdrLk	Divided	varchar(1)			Yes
TblSSSub	DLState	varchar(2)			
TblSub	DLState	varchar(2)			
TblDNRCallDocLog	DNRCallDocLogID	int	NOT NULL	Yes	
TblDNRCall	DNRCallID	int	NOT NULL	Yes	
TblDNRCallDocLog	DNRCallID	int	NOT NULL		
TblDNRCallRelObjFile	DNRCallID	int	NOT NULL		Yes
TblDNRCallSubLk	DNRCallID	int	NOT NULL		Yes
TblDNRCallRelObjFile	DNRCallRelObjFileID	int	NOT NULL	Yes	
TblDNRCallSubLk	DNRCallSubLkID	int	NOT NULL	Yes	
TblDNRControlDocLog	DNRControlDocLogID	int	NOT NULL	Yes	

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TbIDNRControlExtMv	DNRControlExtMVID	int	NOT NULL	Yes	
TbIDNRCall	DNRControlID	int	NOT NULL		Yes
TbIDNRControl	DNRControlID	int	NOT NULL	Yes	
TbIDNRControlDocLog	DNRControlID	int	NOT NULL		
TbIDNRControlExtMv	DNRControlID	int	NOT NULL		Yes
TbIDNRControlWireExtMv	DNRControlID	int	NOT NULL		Yes
TbIDNRControlWireExtMv	DNRControlWireExtMVID	int	NOT NULL	Yes	
TbISSTel	DNRExempt	varchar(1)			Yes
TbITel	DNRExempt	varchar(1)			Yes
TbIDNRListener	DNRListenerID	varchar(50)	NOT NULL	Yes	
TbISupDocMv	Document	varchar(100)			
TbISup	Documents	varchar(1)			Yes
TbISupPropMv	Domestic	varchar(1)			Yes
TbIArrest	DomesticViolence	varchar(1)			Yes
TbIArrestChargeMv	DomesticViolence	varchar(1)			Yes
TbISup	DomesticViolence	varchar(1)			Yes
TbISupSSSubLk	DomesticViolence	varchar(1)			Yes
TbISupAccidentPartyMv	DriverAction	varchar(4)			Yes
TbISupAccidentPartyMv	DriverDistraction	varchar(4)			Yes
TbISSSub	DriversLicense	varchar(20)			
TbISub	DriversLicense	varchar(20)			
TbISupAccidentPartyMv	DriverVisionObstruction	varchar(4)			Yes
TbIArrestChargeMv	DrugActivity	varchar(4)			Yes
TbISup	DrugActivity	varchar(4)			Yes
TbISup	DrugAddict	varchar(1)			
TbISSSub	DrugAlcoholAbuser	varchar(1)			Yes
TbISub	DrugAlcoholAbuser	varchar(1)			Yes
TbISupPropMv	DrugCultivation	varchar(4)			Yes
TbIProp	DrugEvidence	varchar(1)			Yes
TbIPropItem	DrugExtendedValue	money			
TbIArrest	DrugInfluence	varchar(1)			Yes
TbICitation	DrugInfluence	varchar(1)			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblSup	DrugIntoxicated	varchar(1)			
TblSupExpMv	DrugPurchase	varchar(1)			Yes
TblArrestChargeMv	DrugQuantity	decimal(12,2)			
TblSup	DrugQuantity	decimal(12,2)			
TblSup	DrugRelated	varchar(1)			Yes
TblSupAccidentPartyMv	DrugSuspected	varchar(1)			Yes
TblSupAccidentPartyMv	DrugTested	varchar(4)			Yes
TblSupAccidentPartyMv	DrugTestResult	varchar(4)			Yes
TblSupAccidentPartyMv	DrugTestType	varchar(4)			Yes
TblArrestChargeMv	DrugType	varchar(4)			Yes
TblPropItem	DrugType	varchar(4)			Yes
TblSup	DrugType	varchar(4)			Yes
TblSupExpMv	DrugType	varchar(4)			Yes
TblSupPropMv	DrugType	varchar(4)			Yes
TblArrestChargeMv	DrugUnitOfMeasure	varchar(4)			Yes
TblPropItem	DrugUnitOfMeasure	varchar(4)			Yes
TblSup	DrugUnitOfMeasure	varchar(4)			Yes
TblSupExpMv	DrugUnitOfMeasure	varchar(4)			Yes
TblPropItem	DrugUnitValue	money			
TblSupPropMv	DrugUOM	varchar(4)			Yes
TblSup	DrugValue	money			
TblPropItem	DrugWeight	decimal(10,2)			
TblSupExpMv	DrugWeight	decimal(12,2)			
TblTraceLog	Duration	int			
TblWebLog	DurationMS	int			
TblDNRCall	DurationOfCall	int			
TblSSSub	Education	varchar(50)			
TblSub	Education	varchar(50)			
TblSup	EffectiveDate	datetime			
TblSupAccidentPartyMv	Ejected	varchar(4)			Yes
TblSupAccidentPartyPassengerMv	Ejected	varchar(4)			Yes
TblSup	EliminationPrints	int			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblSSSub	Email	varchar(130)			
TblSub	Email	varchar(130)			
TblSupAccidentPartyMv	EmergencyVehicleInResponse	varchar(1)			Yes
TblSSSub	Employed	varchar(1)			Yes
TblSub	Employed	varchar(1)			Yes
TblExpBatch	EndDate	datetime			
TblIntelPurgeBatch	EndDate	datetime			
TblDNRCall	EndTower	varchar(50)			
TblSSVeh	EngineHP	smallint			
TblVeh	EngineHP	smallint			
TblSSVeh	EngineManufacturer	varchar(30)			
TblVeh	EngineManufacturer	varchar(30)			
TblSSVeh	EngineNo1SN	varchar(20)			
TblVeh	EngineNo1SN	varchar(20)			
TblSSVeh	EngineNo2SN	varchar(20)			
TblVeh	EngineNo2SN	varchar(20)			
TblTraceLog	ErrorNumber	int	NOT NULL		
TblSSTel	ESSFeatures	varchar(30)			
TblTel	ESSFeatures	varchar(30)			
TblSupPropMv	EstimatedAmount	money			
TblSup	EstimatedLoss	money			
TblSup	EstimatedValue	money			
TblSSSub	Ethnicity	varchar(4)			Yes
TblSub	Ethnicity	varchar(4)			Yes
TblSupEventMv	EventDate	datetime			
TblSupEventMv	EventDescription	varchar(100)			
TblSupEventMv	EventSynopsis	text			
TblSupEventMv	EventType	varchar(4)			Yes
TblProp	EvidenceNumber	varchar(10)			
TblUCRExceptionMv	ExceptionDetails	varchar(4000)			
TblPropDisp	ExecutedBatch	varchar(1)			
TblExpAccount	ExpAccountID	int	NOT NULL	Yes	

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblExpAccountSecLevMv	ExpAccountID	int	NOT NULL		Yes
TblExpBatch	ExpAccountID	int			Yes
TblExpTrans	ExpAccountID	int			Yes
TblSupExpMv	ExpAccountID	int			Yes
TblExpAccountSecLevMv	ExpAccountSecLevMvID	int	NOT NULL	Yes	
TblExpBatch	ExpBatchID	int	NOT NULL	Yes	
TblExpTrans	ExpBatchID	int			Yes
TblSupExpMv	ExpBatchID	int			Yes
TblSupExpMv	ExpenseAmount	money			
TblSupExpMv	ExpenseDate	datetime			
TblSupExpMv	ExpenseDescription	varchar(25)			
TblCase	ExpensePostedFlag	varchar(1)			Yes
TblExpTrans	ExpensePostedFlag	varchar(1)			
TblSup	ExpensePostedFlag	varchar(1)			
TblSupExpMv	ExpenseType	varchar(4)			Yes
TblFin	ExpirationDate	varchar(10)			
TblSSFin	ExpirationDate	varchar(10)			
TblSSSubIdMv	ExpirationDate	datetime			
TblSubIdMv	ExpirationDate	datetime			
TblSup	ExpirationDate	datetime			
TblSup	Explanation1	varchar(50)			
TblSup	Explanation2	varchar(50)			
TblSup	Exported	bit			
TblSup	ExposureLoss	money			
TblExpTrans	ExpTransAmount	money			
TblExpTrans	ExpTransDateTime	datetime			
TblExpTrans	ExpTransID	int	NOT NULL	Yes	
TblExpTrans	ExpTransNumber	varchar(20)			
TblExpTrans	ExpTransSupervisor	int			Yes
TblExpTrans	ExpTransType	varchar(4)			
TblCitation	ExtentOfInjury	varchar(4)			Yes
TblSupSSSubLk	ExtentOfInjury	varchar(4)			Yes

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblSSVeh	ExterBottomColor	varchar(4)			Yes
TblVeh	ExterBottomColor	varchar(4)			Yes
TblSup	Exterior	varchar(1)			Yes
TblSSVeh	ExteriorTopColor	varchar(4)			Yes
TblVeh	ExteriorTopColor	varchar(4)			Yes
TblInterfaceSecLevMv	ExternalLoginID	varchar(50)			
TblInterfaceSecLevMv	ExternalPassword	varchar(50)			
TblSSSub	EyeColor	varchar(4)			Yes
TblSub	EyeColor	varchar(4)			Yes
TblSupAccidentPartyMv	EyeProtection	varchar(1)			Yes
TblSSSub	Facial	varchar(4)			Yes
TblSub	Facial	varchar(4)			Yes
TblSSSubFacilityCategoryMv	FacilityCategory	varchar(4)			Yes
TblSubFacilityCategoryMv	FacilityCategory	varchar(4)			Yes
TblSSSubFacilityCommodityMv	FacilityCommodity	varchar(4)			Yes
TblSubFacilityCommodityMv	FacilityCommodity	varchar(4)			Yes
TblSSSub	FacilitySubType	varchar(4)			Yes
TblSub	FacilitySubType	varchar(4)			Yes
TblSSSub	FacilityType	varchar(4)			Yes
TblSub	FacilityType	varchar(4)			Yes
TblSSSub	FBINumber	varchar(50)			
TblSub	FBINumber	varchar(50)			
TblSSSub	FelonyConvictions	varchar(50)			
TblSub	FelonyConvictions	varchar(50)			
TblSSSubFicDOBMv	FicDOB	datetime			
TblSubFicDOBMv	FicDOB	datetime			
TblSSSubFicDOBMv	FicDOBCity	varchar(25)			
TblSubFicDOBMv	FicDOBCity	varchar(25)			
TblSSSubFicDOBMv	FicDOBComment	varchar(65)			
TblSubFicDOBMv	FicDOBComment	varchar(65)			
TblSSSubFicDOBMv	FicDOBCountry	varchar(4)			Yes
TblSubFicDOBMv	FicDOBCountry	varchar(4)			Yes

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblSSSubFicDOBMv	FicDOBState	varchar(4)			Yes
TblSubFicDOBMv	FicDOBState	varchar(4)			Yes
TblSSSubIdMv	Fictitious	varchar(1)			Yes
TblSubIdMv	Fictitious	varchar(1)			Yes
TblAdrRelObjFile	FileExtension	varchar(8)			
TblAdrRelObjFile	FileName	varchar(200)	NOT NULL		
TblDNRCallRelObjFile	FileName	varchar(200)	NOT NULL		
TblFinRelObjFile	FileName	varchar(200)	NOT NULL		
TblInterfaceRelObjFile	FileName	varchar(200)	NOT NULL		
TblMailRelObjFile	FileName	varchar(200)	NOT NULL		
TblPropCustRelObjFile	FileName	varchar(200)	NOT NULL		
TblPropItemRelObjFile	FileName	varchar(200)	NOT NULL		
TblPropRelObjFile	FileName	varchar(200)	NOT NULL		
TblSchemaPatches	FileName	varchar(500)	NOT NULL	Yes	
TblSubRelObjFile	FileName	varchar(200)	NOT NULL		
TblSupRelObjFile	FileName	varchar(200)	NOT NULL		
TblTelRelObjFile	FileName	varchar(200)	NOT NULL		
TblTipRelObjFile	FileName	varchar(200)	NOT NULL		
TblUCRRRelObjFile	FileName	varchar(200)	NOT NULL		
TblVehRelObjFile	FileName	varchar(200)	NOT NULL		
TblWebLog	FileName	varchar(255)	NOT NULL		
TblCase	FileNumber	varchar(15)			
TblProp	FileNumber	varchar(50)			
TblSSSub	FileNumber	varchar(15)			
TblSub	FileNumber	varchar(15)			
TblFin	Fin	varchar(25)	NOT NULL		
TblFinDocLog	Fin	varchar(25)			
TblSSFin	Fin	varchar(25)	NOT NULL		
TblCase	FinDisclosureExemptOnRelated	bit			
TblCase	FinDisclosureExpirationOnRelated	datetime			
TblSupSSSubLkChargeMv	Fine	money			
TblCase	FinHiddenFlagOnRelated	bit			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblFin	FinHostId	varchar(10)			
TblSSFin	FinHostId	varchar(10)			
TblAdrFinLk	FinID	int	NOT NULL		Yes
TblFin	FinID	int	NOT NULL	Yes	
TblFinDocLog	FinID	int	NOT NULL		
TblFinInterface	FinID	int	NOT NULL	Yes	Yes
TblFinMergeBatchItem	FinID	int	NOT NULL		Yes
TblFinRelObjFile	FinID	int	NOT NULL		Yes
TblFinSubLk	FinID	int	NOT NULL		Yes
TblFinWatchDog	FinID	int	NOT NULL		Yes
TblMailFinLk	FinID	int	NOT NULL		Yes
TblSSFin	FinID	int			Yes
TblFinMergeBatch	FinMergeBatchID	int	NOT NULL	Yes	
TblFinMergeBatchItem	FinMergeBatchID	int	NOT NULL		Yes
TblFinMergeBatchItem	FinMergeBatchItemID	int	NOT NULL	Yes	
TblCaseWatchDog	FinOnRelated	bit			
TblFinRelObjFile	FinRelObjFileID	int	NOT NULL	Yes	
TblFinSubLk	FinSubLkID	int	NOT NULL	Yes	
TblFin	FinTyp	varchar(4)			Yes
TblSSFin	FinTyp	varchar(4)			Yes
TblFinWatchDog	FinWatchDogID	int	NOT NULL	Yes	
TblPawnItem	FirearmAction	varchar(4)			Yes
TblPawnItem	FirearmBarrel	varchar(4)			Yes
TblPropItem	FirearmCaliber	varchar(5)			Yes
TblSupPropMv	FirearmCaliber	varchar(5)			Yes
TblPawnItem	FirearmFinish	varchar(4)			Yes
TblPropItem	FirearmFinish	varchar(4)			Yes
TblSupPropMv	FirearmFinish	varchar(4)			Yes
TblSupWepMv	FirearmFinish	varchar(4)			Yes
TblPawnItem	FirearmGaugeCal	varchar(10)			
TblPawnItem	FirearmMake	varchar(4)			Yes
TblPawnItem	FirearmType	varchar(4)			Yes

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblSSSubAliasMv	FirstName	varchar(50)			
TblSubAliasMv	FirstName	varchar(50)			
TblPropDisp	FirstStatusDate	datetime			
TblPawnItem	FirstStoneColor	varchar(4)			Yes
TblPawnItem	FirstStoneKtWt	varchar(10)			
TblPawnItem	FirstStoneNumber	int			
TblPawnItem	FirstStoneShape	varchar(4)			Yes
TblPawnItem	FirstStoneType	varchar(4)			Yes
TblAdrWatchDog	FndAlert	bit			
TblFinWatchDog	FndAlert	bit			
TblSubWatchDog	FndAlert	bit			
TblTelWatchDog	FndAlert	bit			
TblVehWatchDog	FndAlert	bit			
TblDNRCall	FootageStart	int			
TblDNRCall	FootageStop	int			
TblSup	FootPrints	varchar(1)			Yes
TblSup	ForcedEntryCode	varchar(4)			Yes
TblSupSSSubLk	ForensicPhotos	varchar(1)			Yes
TblPawnItem	FormOfPayment	varchar(4)			Yes
TblSup	FoundDeadDateTime	datetime			
TblPropItemRelLog	FromBinLocation	varchar(10)			
TblExpTrans	FromOperID	int			Yes
TblMail	FromOperID	int	NOT NULL		Yes
TblPropLetter	FUBottom	text			
TblPropLetter	FUTop	text			
TblSup	Gambling	varchar(4)			Yes
TblSSSub	GangAffiliation	varchar(1)			Yes
TblSub	GangAffiliation	varchar(1)			Yes
TblArrestGangCriteriaMv	GangCriterion	varchar(4)	NOT NULL		Yes
TblSupSSSubLkGangCriteriaMv	GangCriterion	varchar(4)	NOT NULL		Yes
TblSSSub	GangHistory	text			
TblSub	GangHistory	text			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblSSSub	GangLevel	varchar(4)			Yes
TblSub	GangLevel	varchar(4)			Yes
TblSup	GangRelated	varchar(1)			Yes
TblSSSub	GangStatus	varchar(4)			Yes
TblSub	GangStatus	varchar(4)			Yes
TblSSSub	GangStatutoryCriteriaMet	varchar(1)			Yes
TblSub	GangStatutoryCriteriaMet	varchar(1)			Yes
TblSSSub	GangStatutoryCriteriaMetDate	datetime			
TblSub	GangStatutoryCriteriaMetDate	datetime			
TblSSSub	GangStatutoryMembershipStatus	varchar(4)			
TblSub	GangStatutoryMembershipStatus	varchar(4)			
TblSSSub	GangStatutoryMembershipStatusDate	datetime			
TblSub	GangStatutoryMembershipStatusDate	datetime			
TblSSSub	GangStructure	text			
TblSub	GangStructure	text			
TblSSSub	GangTitleRank	varchar(4)			Yes
TblSub	GangTitleRank	varchar(4)			Yes
TblSSSub	GangType	varchar(4)			Yes
TblSub	GangType	varchar(4)			Yes
TblSup	GeneralArea	varchar(1)			Yes
TblAdr	GeoIntersectionId	varchar(10)			
TblSSAdr	GeoIntersectionId	varchar(10)			
TblAdr	GeoParcelId	varchar(10)			
TblSSAdr	GeoParcelId	varchar(10)			
TblAdr	GeoRoadId	varchar(10)			
TblSSAdr	GeoRoadId	varchar(10)			
TblSSSub	Glasses	varchar(4)			Yes
TblSub	Glasses	varchar(4)			Yes
TblSup	Grid	varchar(6)			Yes
TblSupAccidentPartyMv	GrossCombinationWeightRating	varchar(4)			Yes
TblAdrMergeBatchItem	GroupNumber	int	NOT NULL		
TblFinMergeBatchItem	GroupNumber	int	NOT NULL		

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblSubMergeBatchItem	GroupNumber	int	NOT NULL		
TblTelMergeBatchItem	GroupNumber	int	NOT NULL		
TblVehMergeBatchItem	GroupNumber	int	NOT NULL		
TblSSSub	HairColor	varchar(4)			Yes
TblSub	HairColor	varchar(4)			Yes
TblSSSub	HairLength	varchar(4)			Yes
TblSub	HairLength	varchar(4)			Yes
TblSSSub	HairStyle	varchar(4)			Yes
TblSub	HairStyle	varchar(4)			Yes
TblSupAccidentPartyHarmfulEventMv	HarmfulEvent	varchar(4)			Yes
TblSchemaObjects	Hash	char(40)	NOT NULL		
TblSchemaPatches	Hash	char(40)	NOT NULL		
TblSup	HateCrime	varchar(1)			Yes
TblSupSSSubLk	HateCrimeVictim	varchar(1)			Yes
TblSupAccidentPartyMv	HazmatSpilled	varchar(1)			Yes
TblSupAccidentPartyMv	HazmatTransport	varchar(1)			Yes
TblSSSub	Height	smallint			
TblSub	Height	smallint			
TblSupAccidentPartyMv	Helmet	varchar(4)			Yes
TblAdr	HiddenFlag	varchar(1)			
TblCase	HiddenFlag	varchar(1)			
TblFin	HiddenFlag	varchar(1)			
TblQuery	HiddenFlag	varchar(1)			
TblSub	HiddenFlag	varchar(1)			
TblTel	HiddenFlag	varchar(1)			
TblVeh	HiddenFlag	varchar(1)			
TblSub	HiddenNotifyOperID	int			Yes
TblSupAccidentPartyMv	HitAndRun	varchar(1)			Yes
TblSupSSSubLk	HMCircumstance	varchar(4)			Yes
TblSupSSSubLk	HMJustifiableCirc	varchar(4)			Yes
TblSupSSSubLk	HMJustifiableCode	varchar(4)			Yes
TblSupSSSubLk	HMOffenderNumber	tinyint			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblProp	HoldAuthority	varchar(10)			
TblSup	Homicide	varchar(1)			
TblSupSSSubLk	HomicideVictim	varchar(1)			Yes
TblWebLog	HostHeader	text			
TblSSSub	HoursOfOperation	varchar(50)			
TblSub	HoursOfOperation	varchar(50)			
TblWebLog	HttpVersion	varchar(255)			
TblRISSLog	ID	varchar(16)			
TblSup	Impression	varchar(1)			Yes
TblSSSub	Incarcerated	varchar(50)			
TblSub	Incarcerated	varchar(50)			
TblSupSSSubLkChargeMv	IncarcerationTerm	int			
TblSupSSSubLkChargeMv	IncarcerationTermServeType	varchar(1)			
TblSupSSSubLkChargeMv	IncarcerationTermType	varchar(1)			
TblSup	IncidentType	varchar(4)			Yes
TblDNRCall	IncomingAnswered	varchar(1)			Yes
TblSupSSSubLk	IndictmentNumber	varchar(50)			
TblSession	Info	varchar(4000)			
TblSessionHistory	Info	varchar(4000)			
TblSup	InjuriesFatalities	varchar(4)			
TblSupAccidentPartyMv	InjurySeverity	varchar(4)			Yes
TblSupAccidentPartyPassengerMv	InjurySeverity	varchar(4)			Yes
TblSSSub	INSIdentification	varchar(20)			
TblSub	INSIdentification	varchar(20)			
TblInstance	InstanceID	uniqueidentifier	NOT NULL	Yes	
TblWebLog	InstanceID	uniqueidentifier	NOT NULL		
TblInstance	InstanceName	varchar(50)	NOT NULL		
TblSup	InsuranceAdjustor	int			Yes
TblSup	InsuranceAgent	int			Yes
TblSup	InsuranceComments	varchar(255)			
TblSup	InsuranceCompany	int			Yes
TblSupAccidentPartyMv	InsuranceCompany	varchar(150)			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblSupAccidentPartyMv	InsurancePolicyNumber	varchar(50)			
TblSup	Insured	int			Yes
TblCase	IntelPurgeBatchID	int			Yes
TblIntelPurgeBatch	IntelPurgeBatchID	int	NOT NULL	Yes	
TblSub	IntelPurgeBatchID	int			Yes
TblTip	IntelPurgeBatchID	int			Yes
TblSup	InterdictionCriteria	varchar(4)			Yes
TblInterfaceCds	InterfaceCdsID	int	NOT NULL	Yes	
TblInterfaceCds	InterfaceCode	varchar(50)			
TblInterfaceCds	InterfaceCodeTable	varchar(50)			
TblInterfaceConfigMv	InterfaceConfigMvID	int	NOT NULL	Yes	
TblInterface	InterfaceDescription	varchar(1000)			
TblAdrInterface	InterfaceID	int	NOT NULL	Yes	Yes
TblCaseInterface	InterfaceID	int	NOT NULL	Yes	Yes
TblFinInterface	InterfaceID	int	NOT NULL	Yes	Yes
TblInterface	InterfaceID	int	NOT NULL	Yes	
TblInterfaceCds	InterfaceID	int	NOT NULL		Yes
TblInterfaceConfigMv	InterfaceID	int	NOT NULL		Yes
TblInterfaceRelObjFile	InterfaceID	int	NOT NULL		Yes
TblInterfaceSecLevMv	InterfaceID	int	NOT NULL		Yes
TblInterfaceSession	InterfaceID	int	NOT NULL	Yes	
TblInterfaceTipRouteMv	InterfaceID	int	NOT NULL		Yes
TblInterfaceTypOfReportMv	InterfaceID	int	NOT NULL		Yes
TblRISSLog	InterfaceID	int	NOT NULL		
TblSubInterface	InterfaceID	int	NOT NULL	Yes	Yes
TblSupInterface	InterfaceID	int	NOT NULL	Yes	Yes
TblTelInterface	InterfaceID	int	NOT NULL	Yes	Yes
TblTipInterface	InterfaceID	int	NOT NULL	Yes	Yes
TblVehInterface	InterfaceID	int	NOT NULL	Yes	Yes
TblInterface	InterfaceName	varchar(50)			
TblInterfaceRelObjFile	InterfaceRelObjFileID	int	NOT NULL	Yes	
TblInterfaceSecLevMv	InterfaceSecLevMvID	int	NOT NULL	Yes	

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblInterfaceSession	InterfaceSessionID	varchar(1000)	NOT NULL		
TblInterfaceTipRouteMv	InterfaceTipRouteMvID	int	NOT NULL	Yes	
TblInterface	InterfaceTyp	varchar(20)			
TblInterfaceTypOfReportMv	InterfaceTypOfReportMvID	int	NOT NULL	Yes	
TblSup	Interior	varchar(1)			Yes
TblSSVeh	InteriorColor	varchar(4)			Yes
TblVeh	InteriorColor	varchar(4)			Yes
TblInterfaceSecLevMv	InternalOperID	int			Yes
TblInterfaceSecLevMv	InternalSecLev2	varchar(10)			Yes
TblInterfaceSecLevMv	InternalSecLev3	varchar(10)			Yes
TblInterfaceSecLevMv	InternalSecLev4	varchar(10)			Yes
TblInterfaceSecLevMv	InternalSecLev5	varchar(10)			Yes
TblInterfaceSecLevMv	InternalSecLev6	varchar(10)			Yes
TblInterfaceSecLevMv	InternalSecLev7	varchar(10)			Yes
TblInterfaceSecLevMv	InternalSecLev8	varchar(10)			Yes
TblSupSSAdrLk	IntersectingRoadway	varchar(50)			
TblAdr	IntersectionType	varchar(4)			Yes
TblSSAdr	IntersectionType	varchar(4)			Yes
TblCaseCaseLk	InverseLinkID	int			Yes
TblSSSubSubLk	InverseLinkID	int	NOT NULL		
TblSubSubLk	InverseLinkID	int	NOT NULL		
TblTipTipLk	InverseLinkID	int			Yes
TblSup	InvestActivity	varchar(4)			Yes
TblSup	Investigator	int			Yes
TblSup	InvestigatorStatus	varchar(4)			Yes
TblSup	InvestSite	varchar(4)			Yes
TblMenu	IsDefault	tinyint			
TblMenu	IsRestricted	tinyint			
TblFin	IssuedName	varchar(50)			
TblSSFin	IssuedName	varchar(50)			
TblSSVeh	IssuingAgency	varchar(10)			
TblVeh	IssuingAgency	varchar(10)			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblArrest	IssuingCourt	varchar(4)			Yes
TblSupAccidentPartyMv	IsVehicleOwnerDriver	varchar(1)			Yes
TblPropItem	ItemNumber	int	NOT NULL		
TblPropItemInv	ItemNumber	varchar(31)	NOT NULL		
TblPawnItem	ItemType	varchar(4)			Yes
TblPropItem	ItemValue	money			
TblArrest	JailNumber	varchar(20)			
TblPawnItem	JewelryGender	varchar(4)			Yes
TblPawnItem	JewelryKtWt	varchar(10)			
TblPawnItem	JewelryMetal	varchar(4)			Yes
TblPawnItem	JewelryStyle	varchar(4)			Yes
TblPawnItem	JewelryType	varchar(4)			Yes
TblJobConfigMv	JobID	uniqueidentifier	NOT NULL	Yes	
TblArrest	JointArrest	varchar(1)			Yes
TblArrest	JointRelationship	varchar(4)			Yes
TblSup	Judge	int			Yes
TblSSSub	Jurisdiction	varchar(50)			
TblSub	Jurisdiction	varchar(50)			
TblSSSub	Juvenile	varchar(1)			Yes
TblSub	Juvenile	varchar(1)			Yes
TblSup	JuvenileCrime	varchar(1)			Yes
TblProp	JuvenileDefendant	varchar(1)			Yes
TblArrest	JuvenileDisp	varchar(4)			Yes
TblSup	Kidnapping	varchar(4)			Yes
TblPropCust	Lab	varchar(1)			Yes
TblPropDisp	LabForm	varchar(1)			Yes
TblProp	LabNumber	varchar(15)			
TblPropItem	LabNumber	varchar(10)			
TblSup	LabUsed	int			Yes
TblSSSub	Language	varchar(4)			Yes
TblSub	Language	varchar(4)			Yes
TblInterfaceSession	LastAccess	datetime	NOT NULL		

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblSession	LastAccess	datetime	NOT NULL		
TblSessionHistory	LastAccess	datetime	NOT NULL		
TblSSSub	LastAssessmentDate	datetime			
TblSSSubAliasMv	LastName	varchar(50)			
TblSubAliasMv	LastName	varchar(50)			
TblSSSub	LastPurgeRevDate	datetime			
TblProp	LastReviewDate	datetime			
TblPropDisp	LastStatusDate	datetime			
TblSup	LatentPrints	varchar(1)			Yes
TblSup	Latents	varchar(1)			Yes
TblCase	LeadDetective	int			Yes
TblSupPOEMv	LeadsTo	varchar(50)			
TblSSSub	LEOID	varchar(20)			
TblSub	LEOID	varchar(20)			
TblProp	LetterStatus	varchar(1)			
TblSupSSSubLkUOFLOCMv	LevelOfControl	varchar(4)	NOT NULL		Yes
TblSupSSSubLkUOFLOMv	LevelOfResistance	varchar(4)	NOT NULL		Yes
TblDNRCall	LineBusyFlag	varchar(1)			Yes
TblDNRCall	ListeningOfficer1ID	int			Yes
TblDNRCall	ListeningOfficer2ID	int			Yes
TblSSSub	LiteralName	varchar(50)			
TblSub	LiteralName	varchar(50)			
TblSubAliasMv	LiteralName	varchar(100)			
TblVeh	LiteralName	varchar(50)			
TblArrest	Location	int			Yes
TblCitation	Location	int			Yes
TblSSSubSMTMv	Location	varchar(6)			Yes
TblSubSMTMv	Location	varchar(6)			Yes
TblSupPrintsLiftedMv	Location	varchar(75)			
TblSupPropMv	LocationFound	varchar(100)			
TblSupAccidentPartyPassengerMv	LocationInVehicle	varchar(4)			Yes
TblSup	LocationOfDeath	varchar(50)			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblSup	LocationOfService1	varchar(50)			
TblSup	LocationOfService2	varchar(50)			
TblAdr	LocationType	varchar(4)			Yes
TblSSAdr	LocationType	varchar(4)			Yes
TblSup	LocationTypeCode	varchar(4)			Yes
TblWebLog	LogDateTime	datetime	NOT NULL		
TblOper	LoggedIn	int			
TblOper	LoginDateTime	datetime			
TblOper	LoginID	varchar(255)			
TblDNRCall	LongDistance	varchar(1)			Yes
TblAdr	LUDate	datetime			
TblAdrFinLk	LUDate	datetime			
TblAdrInterface	LUDate	datetime	NOT NULL		
TblAdrMergeBatch	LUDate	datetime	NOT NULL		
TblAdrRelObjFile	LUDate	datetime	NOT NULL		
TblAdrVehLk	LUDate	datetime	NOT NULL		
TblArrest	LUDate	datetime	NOT NULL		
TblArrestChargeMv	LUDate	datetime	NOT NULL		
TblArrestGangCriteriaMv	LUDate	datetime	NOT NULL		
TblCase	LUDate	datetime			
TblCaseAuthOperLk	LUDate	datetime			
TblCaseCaseLk	LUDate	datetime			
TblCaseInterface	LUDate	datetime	NOT NULL		
TblCitation	LUDate	datetime	NOT NULL		
TblCitationWarningMv	LUDate	datetime	NOT NULL		
TblDNRCall	LUDate	datetime			
TblDNRCallRelObjFile	LUDate	datetime	NOT NULL		
TblDNRCallSubLk	LUDate	datetime	NOT NULL		
TblDNRCControl	LUDate	datetime			
TblDNRCControlExtMv	LUDate	datetime	NOT NULL		
TblDNRCControlWireExtMv	LUDate	datetime	NOT NULL		
TblDNRLListener	LUDate	datetime			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblExpAccount	LUDate	datetime	NOT NULL		
TblExpAccountSecLevMv	LUDate	datetime	NOT NULL		
TblExpBatch	LUDate	datetime	NOT NULL		
TblExpTrans	LUDate	datetime	NOT NULL		
TblFin	LUDate	datetime	NOT NULL		
TblFinInterface	LUDate	datetime	NOT NULL		
TblFinMergeBatch	LUDate	datetime	NOT NULL		
TblFinRelObjFile	LUDate	datetime	NOT NULL		
TblFinSubLk	LUDate	datetime	NOT NULL		
TblInstance	LUDate	datetime	NOT NULL		
TblIntelPurgeBatch	LUDate	datetime	NOT NULL		
TblInterface	LUDate	datetime			
TblInterfaceConfigMv	LUDate	datetime	NOT NULL		
TblInterfaceRelObjFile	LUDate	datetime	NOT NULL		
TblInterfaceSecLevMv	LUDate	datetime	NOT NULL		
TblInterfaceTipRouteMv	LUDate	datetime	NOT NULL		
TblInterfaceTypOfReportMv	LUDate	datetime	NOT NULL		
TblMailAdrLk	LUDate	datetime			
TblMailCaseLk	LUDate	datetime			
TblMailFinLk	LUDate	datetime			
TblMailPropItemLk	LUDate	datetime			
TblMailPropLk	LUDate	datetime			
TblMailRelObjFile	LUDate	datetime	NOT NULL		
TblMailSubLk	LUDate	datetime			
TblMailSupLk	LUDate	datetime			
TblMailTelLk	LUDate	datetime			
TblMailTipLk	LUDate	datetime			
TblMailVehLk	LUDate	datetime			
TblOper	LUDate	datetime	NOT NULL		
TblOperSecLevMv	LUDate	datetime	NOT NULL		
TblPawn	LUDate	datetime			
TblPawnItem	LUDate	datetime			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblProp	LUDate	datetime	NOT NULL		
TblPropAuth	LUDate	datetime	NOT NULL		
TblPropCust	LUDate	datetime	NOT NULL		
TblPropCustItem	LUDate	datetime	NOT NULL		
TblPropCustRelObjFile	LUDate	datetime	NOT NULL		
TblPropDisp	LUDate	datetime	NOT NULL		
TblPropItem	LUDate	datetime	NOT NULL		
TblPropItemRelLog	LUDate	datetime	NOT NULL		
TblPropItemRelObjFile	LUDate	datetime	NOT NULL		
TblPropRelObjFile	LUDate	datetime	NOT NULL		
TblPropSubLk	LUDate	datetime	NOT NULL		
TblQuery	LUDate	datetime			
TblQueryCaseReportTypeMv	LUDate	datetime	NOT NULL		
TblQuerySecLevMv	LUDate	datetime	NOT NULL		
TbISSAdr	LUDate	datetime			
TbISSAdrFinLk	LUDate	datetime			
TbISSAdrVehLk	LUDate	datetime	NOT NULL		
TbISSFin	LUDate	datetime	NOT NULL		
TbISSFinSubLk	LUDate	datetime	NOT NULL		
TbISSQuery	LUDate	datetime			
TbISSSub	LUDate	datetime	NOT NULL		
TbISSSubAdrLk	LUDate	datetime	NOT NULL		
TbISSSubAliasMv	LUDate	datetime	NOT NULL		
TbISSSubCrimActMv	LUDate	datetime	NOT NULL		
TbISSSubCrimHistMv	LUDate	datetime	NOT NULL		
TbISSSubFacilityCategoryMv	LUDate	datetime			
TbISSSubFacilityCommodityMv	LUDate	datetime			
TbISSSubFicDOBMv	LUDate	datetime	NOT NULL		
TbISSSubGangColorsMv	LUDate	datetime			
TbISSSubGangSignsSymbolsMv	LUDate	datetime			
TbISSSubGangTermsMv	LUDate	datetime			
TbISSSubIdMv	LUDate	datetime	NOT NULL		

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TbISSSubRelFileMv	LUDate	datetime	NOT NULL		
TbISSSubSMTMv	LUDate	datetime	NOT NULL		
TbISSSubSubLk	LUDate	datetime	NOT NULL		
TbISSTel	LUDate	datetime	NOT NULL		
TbISSTelAdrLk	LUDate	datetime	NOT NULL		
TbISSTelSubLk	LUDate	datetime	NOT NULL		
TbISSVeh	LUDate	datetime	NOT NULL		
TbISSVehConcealmentsMv	LUDate	datetime			
TbISSVehSubLk	LUDate	datetime	NOT NULL		
TbISub	LUDate	datetime	NOT NULL		
TbISubAdrLk	LUDate	datetime	NOT NULL		
TbISubAliasMv	LUDate	datetime	NOT NULL		
TbISubCrimActMv	LUDate	datetime	NOT NULL		
TbISubCrimHistMv	LUDate	datetime	NOT NULL		
TbISubFacilityCategoryMv	LUDate	datetime			
TbISubFacilityCommodityMv	LUDate	datetime			
TbISubFicDOBMv	LUDate	datetime	NOT NULL		
TbISubGangColorsMv	LUDate	datetime			
TbISubGangSignsSymbolsMv	LUDate	datetime			
TbISubGangTermsMv	LUDate	datetime			
TbISubIdMv	LUDate	datetime	NOT NULL		
TbISubInterface	LUDate	datetime	NOT NULL		
TbISubMergeBatch	LUDate	datetime	NOT NULL		
TbISubRelFileMv	LUDate	datetime	NOT NULL		
TbISubRelObjFile	LUDate	datetime	NOT NULL		
TbISubSMTMv	LUDate	datetime	NOT NULL		
TbISubSubLk	LUDate	datetime	NOT NULL		
TbISup	LUDate	datetime			
TbISupAccidentContributingCircumstanceMv	LUDate	datetime	NOT NULL		
TbISupAccidentPartyContribCauseMv	LUDate	datetime	NOT NULL		
TbISupAccidentPartyHarmfulEventMv	LUDate	datetime	NOT NULL		
TbISupAccidentPartyMv	LUDate	datetime	NOT NULL		

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblSupAccidentPartyPassengerMv	LUDate	datetime	NOT NULL		
TblSupAccidentPartyPedestrianActionMv	LUDate	datetime	NOT NULL		
TblSupAccidentPartyVehDefectMv	LUDate	datetime	NOT NULL		
TblSupAccidentPartyViolatorMv	LUDate	datetime	NOT NULL		
TblSupArsteCourtDispMv	LUDate	datetime			
TblSupCameraMv	LUDate	datetime			
TblSupChargeMv	LUDate	datetime	NOT NULL		
TblSupChronoLogMv	LUDate	datetime	NOT NULL		
TblSupCrimActMv	LUDate	datetime			
TblSupDiagramTemp	LUDate	datetime	NOT NULL		
TblSupDocMv	LUDate	datetime			
TblSupEventMv	LUDate	datetime	NOT NULL		
TblSupExpMv	LUDate	datetime			
TblSupFireOriginMv	LUDate	datetime			
TblSupInterface	LUDate	datetime	NOT NULL		
TblSupMOMv	LUDate	datetime			
TblSupOfficerMv	LUDate	datetime	NOT NULL		
TblSupOthUnitMv	LUDate	datetime			
TblSupOutsideAgencyMv	LUDate	datetime			
TblSupPOEMv	LUDate	datetime			
TblSupPrintsLiftedMv	LUDate	datetime	NOT NULL		
TblSupPropMv	LUDate	datetime			
TblSupRelObjFile	LUDate	datetime	NOT NULL		
TblSupRestitutionDataMv	LUDate	datetime			
TblSupSSAdrLk	LUDate	datetime	NOT NULL		
TblSupSSFinLk	LUDate	datetime	NOT NULL		
TblSupSSSubLk	LUDate	datetime	NOT NULL		
TblSupSSSubLkChargeMv	LUDate	datetime	NOT NULL		
TblSupSSSubLkGangCriteriaMv	LUDate	datetime	NOT NULL		
TblSupSSSubLkUOFLOCMv	LUDate	datetime	NOT NULL		
TblSupSSSubLkUOFLORMv	LUDate	datetime	NOT NULL		
TblSupSSSubLkUOFSCMv	LUDate	datetime	NOT NULL		

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblSupSSSubLkUOFWeapMv	LUDate	datetime	NOT NULL		
TblSupSSTelLk	LUDate	datetime	NOT NULL		
TblSupSSVehLk	LUDate	datetime	NOT NULL		
TblSupSupLk	LUDate	datetime			
TblSupSusActMv	LUDate	datetime			
TblSupTimeMv	LUDate	datetime			
TblSupWepMv	LUDate	datetime			
TblTel	LUDate	datetime	NOT NULL		
TblTelAdrLk	LUDate	datetime	NOT NULL		
TblTelInterface	LUDate	datetime	NOT NULL		
TblTelMergeBatch	LUDate	datetime	NOT NULL		
TblTelRelObjFile	LUDate	datetime	NOT NULL		
TblTelSubLk	LUDate	datetime	NOT NULL		
TblTip	LUDate	datetime			
TblTipInterface	LUDate	datetime	NOT NULL		
TblTipRelObjFile	LUDate	datetime	NOT NULL		
TblTipSSAdrLk	LUDate	datetime	NOT NULL		
TblTipSSSubLk	LUDate	datetime	NOT NULL		
TblTipSSTelLk	LUDate	datetime	NOT NULL		
TblTipSSVehLk	LUDate	datetime	NOT NULL		
TblTipSubTypeMv	LUDate	datetime	NOT NULL		
TblTipTipLk	LUDate	datetime			
TblUCR	LUDate	datetime			
TblUCRRelObjFile	LUDate	datetime	NOT NULL		
TblVeh	LUDate	datetime	NOT NULL		
TblVehConcealmentsMv	LUDate	datetime			
TblVehInterface	LUDate	datetime	NOT NULL		
TblVehMergeBatch	LUDate	datetime	NOT NULL		
TblVehRelObjFile	LUDate	datetime	NOT NULL		
TblVehSubLk	LUDate	datetime	NOT NULL		
TblAdr	LUOperator	int			
TblAdrFinLk	LUOperator	int			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblAdrInterface	LUOperator	int	NOT NULL		
TblAdrMergeBatch	LUOperator	int	NOT NULL		
TblAdrRelObjFile	LUOperator	int	NOT NULL		
TblAdrVehLk	LUOperator	int	NOT NULL		
TblArrest	LUOperator	int	NOT NULL		
TblArrestChargeMv	LUOperator	int	NOT NULL		
TblArrestGangCriteriaMv	LUOperator	int	NOT NULL		
TblCase	LUOperator	int	NOT NULL		Yes
TblCaseAuthOperLk	LUOperator	int			Yes
TblCaseCaseLk	LUOperator	int			
TblCaseInterface	LUOperator	int	NOT NULL		
TblCitation	LUOperator	int	NOT NULL		
TblCitationWarningMv	LUOperator	int	NOT NULL		
TblDNRCall	LUOperator	int			Yes
TblDNRCallRelObjFile	LUOperator	int	NOT NULL		Yes
TblDNRCallSubLk	LUOperator	int	NOT NULL		
TblDNRControl	LUOperator	int			
TblDNRControlExtMv	LUOperator	int	NOT NULL		
TblDNRControlWireExtMv	LUOperator	int	NOT NULL		
TblExpAccount	LUOperator	int	NOT NULL		
TblExpAccountSecLevMv	LUOperator	int	NOT NULL		
TblExpBatch	LUOperator	int	NOT NULL		Yes
TblExpTrans	LUOperator	int	NOT NULL		
TblFin	LUOperator	int	NOT NULL		
TblFinInterface	LUOperator	int	NOT NULL		
TblFinMergeBatch	LUOperator	int	NOT NULL		
TblFinRelObjFile	LUOperator	int	NOT NULL		
TblFinSubLk	LUOperator	int	NOT NULL		
TblInstance	LUOperator	int	NOT NULL		
TblIntelPurgeBatch	LUOperator	int	NOT NULL		Yes
TblInterface	LUOperator	int			
TblInterfaceConfigMv	LUOperator	int	NOT NULL		

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblInterfaceRelObjFile	LUOperator	int	NOT NULL		
TblInterfaceSecLevMv	LUOperator	int	NOT NULL		
TblInterfaceTipRouteMv	LUOperator	int	NOT NULL		
TblInterfaceTypOfReportMv	LUOperator	int	NOT NULL		
TblMailAdrLk	LUOperator	int			
TblMailCaseLk	LUOperator	int			
TblMailFinLk	LUOperator	int			
TblMailPropItemLk	LUOperator	int			
TblMailPropLk	LUOperator	int			
TblMailRelObjFile	LUOperator	int	NOT NULL		
TblMailSubLk	LUOperator	int			
TblMailSupLk	LUOperator	int			
TblMailTelLk	LUOperator	int			
TblMailTipLk	LUOperator	int			
TblMailVehLk	LUOperator	int			
TblOper	LUOperator	varchar(22)	NOT NULL		
TblOperSecLevMv	LUOperator	int	NOT NULL		
TblPawn	LUOperator	int			
TblPawnItem	LUOperator	int			
TblProp	LUOperator	int	NOT NULL		Yes
TblPropAuth	LUOperator	int	NOT NULL		
TblPropCust	LUOperator	int	NOT NULL		
TblPropCustItem	LUOperator	int	NOT NULL		
TblPropCustRelObjFile	LUOperator	int	NOT NULL		
TblPropDisp	LUOperator	int	NOT NULL		Yes
TblPropItem	LUOperator	int	NOT NULL		
TblPropItemRelLog	LUOperator	int	NOT NULL		Yes
TblPropItemRelObjFile	LUOperator	int	NOT NULL		
TblPropRelObjFile	LUOperator	int	NOT NULL		
TblPropSubLk	LUOperator	int	NOT NULL		
TblQuery	LUOperator	int			
TblQueryCaseReportTypeMv	LUOperator	int	NOT NULL		

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblQuerySecLevMv	LUOperator	int	NOT NULL		
TblSSAdr	LUOperator	int			
TblSSAdrFinLk	LUOperator	int			
TblSSAdrVehLk	LUOperator	int	NOT NULL		
TblSSFin	LUOperator	int	NOT NULL		
TblSSFinSubLk	LUOperator	int	NOT NULL		
TblSSQuery	LUOperator	int			
TblSSSub	LUOperator	int	NOT NULL		
TblSSSubAdrLk	LUOperator	int	NOT NULL		
TblSSSubAliasMv	LUOperator	int	NOT NULL		
TblSSSubCrimActMv	LUOperator	int	NOT NULL		
TblSSSubCrimHistMv	LUOperator	int	NOT NULL		
TblSSSubFacilityCategoryMv	LUOperator	int			Yes
TblSSSubFacilityCommodityMv	LUOperator	int			Yes
TblSSSubFicDOBMv	LUOperator	int	NOT NULL		
TblSSSubGangColorsMv	LUOperator	int			Yes
TblSSSubGangSignsSymbolsMv	LUOperator	int			Yes
TblSSSubGangTermsMv	LUOperator	int			Yes
TblSSSubIdMv	LUOperator	int	NOT NULL		
TblSSSubRelFileMv	LUOperator	int	NOT NULL		
TblSSSubSMTMv	LUOperator	int	NOT NULL		
TblSSSubSubLk	LUOperator	int	NOT NULL		
TblSSTel	LUOperator	int	NOT NULL		
TblSSTelAdrLk	LUOperator	int	NOT NULL		
TblSSTelSubLk	LUOperator	int	NOT NULL		
TblSSVeh	LUOperator	int	NOT NULL		
TblSSVehConcealmentsMv	LUOperator	int			Yes
TblSSVehSubLk	LUOperator	int	NOT NULL		
TblSub	LUOperator	int	NOT NULL		
TblSubAdrLk	LUOperator	int	NOT NULL		
TblSubAliasMv	LUOperator	int	NOT NULL		
TblSubCrimActMv	LUOperator	int	NOT NULL		

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblSubCrimHistMv	LUOperator	int	NOT NULL		
TblSubFacilityCategoryMv	LUOperator	int			Yes
TblSubFacilityCommodityMv	LUOperator	int			Yes
TblSubFicDOBMv	LUOperator	int	NOT NULL		
TblSubGangColorsMv	LUOperator	int			Yes
TblSubGangSignsSymbolsMv	LUOperator	int			Yes
TblSubGangTermsMv	LUOperator	int			Yes
TblSubIdMv	LUOperator	int	NOT NULL		
TblSubInterface	LUOperator	int	NOT NULL		
TblSubMergeBatch	LUOperator	int	NOT NULL		
TblSubRelFileMv	LUOperator	int	NOT NULL		
TblSubRelObjFile	LUOperator	int	NOT NULL		
TblSubSMTMv	LUOperator	int	NOT NULL		
TblSubSubLk	LUOperator	int	NOT NULL		
TblSup	LUOperator	int			
TblSupAccidentContributingCircumstanceMv	LUOperator	int	NOT NULL		
TblSupAccidentPartyContribCauseMv	LUOperator	int	NOT NULL		
TblSupAccidentPartyHarmfulEventMv	LUOperator	int	NOT NULL		
TblSupAccidentPartyMv	LUOperator	int	NOT NULL		
TblSupAccidentPartyPassengerMv	LUOperator	int	NOT NULL		
TblSupAccidentPartyPedestrianActionMv	LUOperator	int	NOT NULL		
TblSupAccidentPartyVehDefectMv	LUOperator	int	NOT NULL		
TblSupAccidentPartyViolatorMv	LUOperator	int	NOT NULL		
TblSupArsteCourtDispMv	LUOperator	int			Yes
TblSupCameraMv	LUOperator	int			Yes
TblSupChargeMv	LUOperator	int	NOT NULL		
TblSupChronoLogMv	LUOperator	int	NOT NULL		
TblSupCrimActMv	LUOperator	int			Yes
TblSupDiagramTemp	LUOperator	int	NOT NULL		
TblSupDocMv	LUOperator	int			Yes
TblSupEventMv	LUOperator	int	NOT NULL		Yes
TblSupExpMv	LUOperator	int			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblSupFireOriginMv	LUOperator	int			Yes
TblSupInterface	LUOperator	int	NOT NULL		
TblSupMOMv	LUOperator	int			Yes
TblSupOfficerMv	LUOperator	int	NOT NULL		
TblSupOthUnitMv	LUOperator	int			Yes
TblSupOutsideAgencyMv	LUOperator	int			Yes
TblSupPOEMv	LUOperator	int			Yes
TblSupPrintsLiftedMv	LUOperator	int	NOT NULL		
TblSupPropMv	LUOperator	int			Yes
TblSupRelObjFile	LUOperator	int	NOT NULL		Yes
TblSupRestitutionDataMv	LUOperator	int			Yes
TblSupSSAdrLk	LUOperator	int	NOT NULL		
TblSupSSFinLk	LUOperator	int	NOT NULL		
TblSupSSSubLk	LUOperator	int	NOT NULL		Yes
TblSupSSSubLkChargeMv	LUOperator	int	NOT NULL		
TblSupSSSubLkGangCriteriaMv	LUOperator	int	NOT NULL		
TblSupSSSubLkUOFLOCMv	LUOperator	int	NOT NULL		
TblSupSSSubLkUOFLORMv	LUOperator	int	NOT NULL		
TblSupSSSubLkUOFSCMv	LUOperator	int	NOT NULL		
TblSupSSSubLkUOFWeapMv	LUOperator	int	NOT NULL		
TblSupSSTelLk	LUOperator	int	NOT NULL		
TblSupSSVehLk	LUOperator	int	NOT NULL		
TblSupSupLk	LUOperator	int			
TblSupSusActMv	LUOperator	int			Yes
TblSupTimeMv	LUOperator	int			
TblSupWepMv	LUOperator	int			Yes
TblTel	LUOperator	int	NOT NULL		
TblTelAdrLk	LUOperator	int	NOT NULL		
TblTelInterface	LUOperator	int	NOT NULL		
TblTelMergeBatch	LUOperator	int	NOT NULL		
TblTelRelObjFile	LUOperator	int	NOT NULL		
TblTelSubLk	LUOperator	int	NOT NULL		

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblTip	LUOperator	int			
TblTipInterface	LUOperator	int	NOT NULL		
TblTipRelObjFile	LUOperator	int	NOT NULL		
TblTipSSAdrLk	LUOperator	int	NOT NULL		
TblTipSSSubLk	LUOperator	int	NOT NULL		Yes
TblTipSSTelLk	LUOperator	int	NOT NULL		
TblTipSSVehLk	LUOperator	int	NOT NULL		
TblTipSubTypeMv	LUOperator	int	NOT NULL		
TblTipTipLk	LUOperator	int			
TblUCR	LUOperator	int			
TblUCRRelObjFile	LUOperator	int	NOT NULL		Yes
TblVeh	LUOperator	int	NOT NULL		
TblVehConcealmentsMv	LUOperator	int			Yes
TblVehInterface	LUOperator	int	NOT NULL		
TblVehMergeBatch	LUOperator	int	NOT NULL		
TblVehRelObjFile	LUOperator	int	NOT NULL		
TblVehSubLk	LUOperator	int	NOT NULL		
TblCase	LUSstart	datetime			
TblSup	LUSstart	datetime			
TblMailAdrLk	MailAdrLkID	int	NOT NULL	Yes	
TblMailCaseLk	MailCaseLkID	int	NOT NULL	Yes	
TblMailFinLk	MailFinLkID	int	NOT NULL	Yes	
TblMail	MailID	int	NOT NULL	Yes	
TblMailAdrLk	MailID	int	NOT NULL		Yes
TblMailCaseLk	MailID	int	NOT NULL		Yes
TblMailFinLk	MailID	int	NOT NULL		Yes
TblMailPropItemLk	MailID	int	NOT NULL		Yes
TblMailPropLk	MailID	int	NOT NULL		Yes
TblMailRecipientMv	MailID	int	NOT NULL		Yes
TblMailRelObjFile	MailID	int	NOT NULL		Yes
TblMailSubLk	MailID	int	NOT NULL		Yes
TblMailSupLk	MailID	int	NOT NULL		Yes

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblMailTelLk	MailID	int	NOT NULL		Yes
TblMailTipLk	MailID	int	NOT NULL		Yes
TblMailVehLk	MailID	int	NOT NULL		Yes
TblMailPropItemLk	MailPropItemLkID	int	NOT NULL	Yes	
TblMailPropLk	MailPropLkID	int	NOT NULL	Yes	
TblMailRecipientMv	MailRecipientMVID	int	NOT NULL	Yes	
TblMailRelObjFile	MailRelObjFileID	int	NOT NULL	Yes	
TblMail	MailStatus	varchar(5)			
TblMailRecipientMv	MailStatus	varchar(5)			
TblMail	MailStatusDate	datetime			
TblMailRecipientMv	MailStatusDate	datetime			
TblMailSubLk	MailSubLkID	int	NOT NULL	Yes	
TblMailSupLk	MailSupLkID	int	NOT NULL	Yes	
TblMailTelLk	MailTelLkID	int	NOT NULL	Yes	
TblMailTipLk	MailTipLkID	int	NOT NULL	Yes	
TblMail	MailType	varchar(5)			
TblMailVehLk	MailVehLkID	int	NOT NULL	Yes	
TblPropItem	Make	varchar(5)			Yes
TblSupPropMv	MakeCode	varchar(5)			Yes
TblSup	MarchmanAct	varchar(1)			Yes
TblSup	MarchmanAction	varchar(4)			Yes
TblIntelPurgeBatch	MarkedPurge	varchar(1)			
TblSSSub	MedicalAlerts	varchar(50)			
TblSub	MedicalAlerts	varchar(50)			
TblSupSSSubLk	MedicalAttention	varchar(4)			Yes
TblSup	MedicalExaminer	varchar(50)			
TblSSSub	MemberOfOtherGang	varchar(1)			Yes
TblSub	MemberOfOtherGang	varchar(1)			Yes
TblMenu	MenuID	int	NOT NULL	Yes	
TblOper	MenuID	int			Yes
TblMenu	MenuName	varchar(50)	NOT NULL		
TblMail	Message	text			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TbIDNRCall	Messages	varchar(100)			
TblWebLog	Method	varchar(10)			
TblSupPOEMv	MethodOfEntry	varchar(4)			Yes
TblSup	MethodOfEntryCode	varchar(4)			Yes
TblSup	MethodOfTravel	varchar(4)			Yes
TblSSSubAliasMv	MiddleName	varchar(50)			
TblSubAliasMv	MiddleName	varchar(50)			
TblSup	Mileage	decimal(11,1)			
TblAdr	MilePost	varchar(10)			
TblSSAdr	MilePost	varchar(10)			
TblAdrRelObjFile	MimeType	varchar(200)	NOT NULL		
TbIDNRCallRelObjFile	MimeType	varchar(200)	NOT NULL		
TblFinRelObjFile	MimeType	varchar(200)	NOT NULL		
TblInterfaceRelObjFile	MimeType	varchar(200)	NOT NULL		
TblMailRelObjFile	MimeType	varchar(200)	NOT NULL		
TblPropCustRelObjFile	MimeType	varchar(200)	NOT NULL		
TblPropItemRelObjFile	MimeType	varchar(200)	NOT NULL		
TblPropRelObjFile	MimeType	varchar(200)	NOT NULL		
TblSubRelObjFile	MimeType	varchar(200)	NOT NULL		
TblSupRelObjFile	MimeType	varchar(200)	NOT NULL		
TblTelRelObjFile	MimeType	varchar(200)	NOT NULL		
TblTipRelObjFile	MimeType	varchar(200)	NOT NULL		
TblUCRRRelObjFile	MimeType	varchar(200)	NOT NULL		
TblVehRelObjFile	MimeType	varchar(200)	NOT NULL		
TblAdrMergeBatch	MinConfidence	smallint			
TblFinMergeBatch	MinConfidence	smallint			
TblSubMergeBatch	MinConfidence	smallint			
TblTelMergeBatch	MinConfidence	smallint			
TblVehMergeBatch	MinConfidence	smallint			
TbIDNRCall	MinimizedCall	varchar(1)			Yes
TblSupTimeMv	Minutes	int			
TbIDNRCall	Misdial	varchar(1)			Yes

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblSup	Mobile	varchar(1)			Yes
TblSup	MobilePropertyType	varchar(4)			Yes
TblSSTel	MobileStationary	varchar(4)			Yes
TblTel	MobileStationary	varchar(4)			Yes
TblSup	MoComment	varchar(40)			
TblRISSLog	Mode	varchar(1)	NOT NULL		
TblPropItem	Model	varchar(50)			
TblSupPropMv	Model	varchar(50)			
TblPawlItem	ModelNumber	varchar(20)			
TblSupMOMv	ModusOperandiCode	varchar(4)			Yes
TblPropItem	MoneyVerifiedBy	int			Yes
TblSupAccidentPartyHarmfulEventMv	MostInjuryOrDamage	tinyint			
TblSupMOMv	MOType	varchar(4)			Yes
TblSupSSSubLk	MPClassBy	int			Yes
TblSupSSSubLk	MPClassification	varchar(4)			Yes
TblSupSSSubLk	MPDentalRecord	varchar(1)			Yes
TblSupSSSubLk	MPDoctorDentist	varchar(100)			
TblSupSSSubLk	MPFingerprint	varchar(1)			Yes
TblSupSSSubLk	MPFoulPlay	varchar(1)			Yes
TblSupSSSubLk	MPLastSeenFrom	datetime			
TblSupSSSubLk	MPLastSeenLocation	varchar(100)			
TblSupSSSubLk	MPLastSeenTo	datetime			
TblSupSSSubLk	MPLastSeenWith	varchar(100)			
TblSupSSSubLk	MPMaidenName	varchar(30)			
TblSupSSSubLk	MPMCICForm	varchar(1)			Yes
TblSupSSSubLk	MPMedication	varchar(100)			
TblSupSSSubLk	MPMentalPhysical	varchar(100)			
TblSupSSSubLk	MPModeOfTravel	varchar(100)			
TblSupSSSubLk	MPOtherInfo	varchar(100)			
TblSupSSSubLk	MPPhotograph	varchar(1)			Yes
TblSupSSSubLk	MPPlacesFrequented	varchar(100)			
TblSupSSSubLk	MPPosDestination	varchar(100)			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblSupSSSubLk	MPPossibleReason	varchar(100)			
TblSupSSSubLk	MPPrevious	varchar(1)			Yes
TblSupSSSubLk	MPPrevRecDate	datetime			
TblSupSSSubLk	MPPrevRecLocation	varchar(100)			
TblSupSSSubLk	MPPropertyCarried	varchar(100)			
TblSupSSSubLk	MPRecovery	varchar(4)			Yes
TblSupSSSubLk	MPSectionNotified	varchar(1)			Yes
TblSupSSSubLk	MPStatus	varchar(4)			Yes
TblSupSSSubLk	MPType	varchar(4)			Yes
TblCase	MyCaseStatus	varchar(1)			
TblSup	MyersAct	varchar(1)			Yes
TblSup	MyersAction	varchar(4)			Yes
TblAdr	NAD27Latitude	float			
TblSSAdr	NAD27Latitude	float			
TblSupSSAdrLk	NAD27Latitude	float			
TblAdr	NAD27Longitude	float			
TblSSAdr	NAD27Longitude	float			
TblSupSSAdrLk	NAD27Longitude	float			
TblAdr	NAD27X	float			
TblSSAdr	NAD27X	float			
TblSupSSAdrLk	NAD27X	float			
TblAdr	NAD27Y	float			
TblSSAdr	NAD27Y	float			
TblSupSSAdrLk	NAD27Y	float			
TblAdr	NAD27Zone	varchar(5)			
TblSSAdr	NAD27Zone	varchar(5)			
TblSupSSAdrLk	NAD27Zone	float			
TblAdr	NAD83X	float			
TblSSAdr	NAD83X	float			
TblSupSSAdrLk	NAD83X	float			
TblAdr	NAD83Y	float			
TblSSAdr	NAD83Y	float			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblSupSSAdrLk	NAD83Y	float			
TblAdr	NAD83Zone	varchar(5)			
TblSSAdr	NAD83Zone	varchar(5)			
TblSupSSAdrLk	NAD83Zone	varchar(5)			
TblExpAccount	Name	varchar(50)	NOT NULL		
TblInterfaceConfigMv	Name	varchar(1000)	NOT NULL		
TblJobConfigMv	Name	varchar(50)	NOT NULL	Yes	
TblQuery	Name	varchar(255)			
TblSchemaObjects	Name	varchar(128)	NOT NULL	Yes	
TblSSQuery	Name	varchar(255)			
TblArrest	Narrative	image			
TblSup	Narrative	image			
TblArrest	NarrativeTxt	text			
TblSup	NarrativeTxt	text			
TblPropItem	NCICArticleType	varchar(7)			Yes
TblSupPropMv	NCICArticleType	varchar(7)			Yes
TblPropItem	NCICOperator	int			Yes
TblPropItem	NCICReported	varchar(1)			Yes
TblSupPropMv	NCICReported	varchar(1)			Yes
TblSupPropMv	NCICReportedBy	int			Yes
TblSup	NextCourtAppearance	datetime			
TblSup	NextOfKinNotified	varchar(1)			Yes
TblSup	NextOfKinRelationship	varchar(20)			
TblProp	NextReviewDate	datetime			
TblCase	NextSupNumber	int			
TblArrest	NextTrialDate	datetime			
TblIntelPurgeBatch	NoActivityDays	int			
TblSSSubIdMv	Number	varchar(50)	NOT NULL		
TblSubIdMv	Number	varchar(50)	NOT NULL		
TblSupNumberPool	Number	varchar(15)	NOT NULL	Yes	
TblDNRCall	NumberCalled	int			Yes
TblSSVeh	NumberOfAxles	tinyint			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblVeh	NumberOfAxles	tinyint			
TblSup	NumberOfCameras	int			
TblSupSSAdrLk	NumberOfLanes	tinyint			
TblSup	NumberOfLifts	int			
TblDNRCall	NumberOfRings	int			
TblSup	NumberOfStories	int			
TblSupSSSubLk	OAActivity	varchar(4)			Yes
TblSupSSSubLk	OAArmorPrevent	varchar(1)			Yes
TblSupSSSubLk	OAAssign	varchar(4)			Yes
TblSupSSSubLk	OABodyArmor	varchar(1)			Yes
TblSupSSSubLk	OADistance	tinyint			
TblSupSSSubLk	OAOfcAware	varchar(1)			Yes
TblSupSSSubLk	OAOfcDischarge	varchar(1)			Yes
TblSupSSSubLk	OAOfcExperience	tinyint			
TblSupSSSubLk	OAOfcWeapon	varchar(1)			Yes
TblSupSSSubLk	OAOfdrDischarge	varchar(1)			Yes
TblSupSSSubLk	OAOfdrExtInjury	varchar(4)			Yes
TblSupSSSubLk	OAOfdrInjured	varchar(1)			Yes
TblSupSSSubLk	OAOfdrNumber	tinyint			
TblSupSSSubLk	OAType	varchar(4)			Yes
TblSupEventMv	ObservedBy	int			Yes
TblInstance	ObsoleteFlag	tinyint			
TblOper	ObsoleteFlag	tinyint			
TblSup	ObtainedBy	int			Yes
TblSup	ObtainedByUnit	varchar(4)			Yes
TblArrest	OBTSNumber	varchar(15)			
TblSup	OccupancyCode	varchar(4)			Yes
TblSSSub	Occupation	varchar(30)			
TblSub	Occupation	varchar(30)			
TblSupSSSubLk	Occupation	varchar(1)			Yes
TblSup	Occupied	varchar(1)			Yes
TblSSSub	Occupied24Hours	varchar(1)			Yes

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblSub	Occupied24Hours	varchar(1)			Yes
TblSupSSAdrLk	OccuredAtAdrIntersection	varchar(1)			Yes
TblProp	OccurredAddress	int			Yes
TblTip	OccurredDateTime	datetime			
TblSup	OccurredFrom	datetime			
TblSupSSAdrLk	OccurredInCity	varchar(1)			Yes
TblProp	OccurredLocation	varchar(50)			
TblSup	OccurredTo	datetime			
TblSupSSAdrLk	OccurringCity	varchar(4)			Yes
TblSSVeh	OdometerReading	int			
TblVeh	OdometerReading	int			
TblCitation	Offense	varchar(25)			Yes
TblProp	Offense	varchar(25)			Yes
TblSupAccidentPartyViolatorMv	Offense	varchar(20)			Yes
TblSupChargeMv	Offense	varchar(25)	NOT NULL		Yes
TblCitation	OffenseComments	varchar(50)			
TblSupSSSubLk	OffenseNumber	varchar(4)			Yes
TblCitation	OffenseOrdinance	varchar(20)			
TblSupChargeMv	OffenseType	varchar(4)			Yes
TblSup	OffenseUnqDetailCd	varchar(4)			Yes
TblSupSSSubLk	OfficerAssault	varchar(1)			Yes
TblSupOfficerMv	OfficerID	int	NOT NULL		Yes
TblSupSSVehLk	OperatedUsedBy	varchar(4)			Yes
TblOper	OperatorPassword	varchar(128)			
TblOperPassword	OperatorPassword	varchar(128)	NOT NULL		
TblCaseActivity	OperID	int	NOT NULL		Yes
TblCaseAuthOperLk	OperID	int			Yes
TblOper	OperID	int	NOT NULL	Yes	
TblOperPassword	OperID	int	NOT NULL		Yes
TblOperSecLevMv	OperID	int	NOT NULL		Yes
TblPropItemRelLog	OperID	int	NOT NULL		Yes
TblSession	OperID	int			Yes

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblSessionHistory	OperID	int			Yes
TblSupActivity	OperID	int	NOT NULL		Yes
TblOperPassword	OperPasswordID	int	NOT NULL	Yes	
TblOperSecLevMv	OperSecLevMVID	int	NOT NULL	Yes	
TblUCR	ORI	varchar(9)	NOT NULL		
TblSup	Other	varchar(100)			
TblArrest	OtherAgency	int			Yes
TblSup	OtherASA	varchar(10)			
TblPropItem	OtherDescription	varchar(50)			
TblSup	OtherEvidence	varchar(1)			Yes
TblSSSub	OtherIDExpirDate	datetime			
TblSub	OtherIDExpirDate	datetime			
TblSSSub	OtherIDNumbers	varchar(50)			
TblSub	OtherIDNumbers	varchar(50)			
TblSup	OtherLens	varchar(10)			
TblSup	OvertimeMinutes	int			
TblPawnItem	OwnerAppliedNumber	varchar(30)			
TblSupPropMv	OwnerComment	varchar(50)			
TblPropItem	OwnerID	int			Yes
TblSupPropMv	OwnerID	int			Yes
TblSupPropMv	Packaging	varchar(50)			
TblDNRCall	PageNumber	int			
TblSup	PalmsTaken	varchar(1)			Yes
TblAdr	ParcedAddressText	varchar(10)			
TblSSAdr	ParcedAddressText	varchar(10)			
TblSubNamePartLexicon	Part	varchar(50)	NOT NULL	Yes	
TblSubAliasNameParts	PartID	int	NOT NULL	Yes	
TblSubNamePartLexicon	PartID	int	NOT NULL	Yes	
TblSubNameParts	PartID	int	NOT NULL	Yes	
TblVehNameParts	PartID	int	NOT NULL	Yes	
TblSubAliasNameParts	PartIndex	int	NOT NULL	Yes	
TblSubNameParts	PartIndex	int	NOT NULL	Yes	

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblVehNameParts	PartIndex	int	NOT NULL	Yes	
TblSubNamePartLexicon	PartPhonetic	varchar(50)			
TblSupAccidentPartyMv	PartyType	varchar(4)			Yes
TblSupAccidentPartyMv	PassengerID	int			Yes
TblSupAccidentPartyPassengerMv	PassengerID	int			Yes
TblSupAccidentPartyMv	Passengers	tinyint			
TblSSSub	PassportNumber	varchar(20)			
TblSub	PassportNumber	varchar(20)			
TblOper	PasswordDate	datetime			
TblOper	PasswordExpired	tinyint			
TblOper	PasswordNeverExpire	tinyint			
TblSup	PatrolKickback	varchar(1)			
TblPawn	PawnBatchID	uniqueidentifier			
TblPawnDocLog	PawnDocLogID	int	NOT NULL	Yes	
TblPawn	PawnID	int	NOT NULL	Yes	
TblPawnDocLog	PawnID	int	NOT NULL		
TblPawnItem	PawnID	int	NOT NULL		Yes
TblPawnItemDocLog	PawnItemDocLogID	int	NOT NULL	Yes	
TblPawnItem	PawnItemID	int	NOT NULL	Yes	
TblPawnItemDocLog	PawnItemID	int	NOT NULL		
TblPropItem	PC	varchar(2)			
TblSupAccidentPartyMv	PedestrianAction	varchar(4)			Yes
TblSupAccidentPartyPedestrianActionMv	PedestrianAction	varchar(4)	NOT NULL		Yes
TblSupAccidentPartyMv	PedestrianDescription	varchar(4)			Yes
TblSupAccidentPartyMv	PedestrianLocation	varchar(4)			Yes
TblSupAccidentPartyMv	PedestrianPreAction	varchar(4)			Yes
TblSup	PerpetratorActions	text			
TblSupSSSubLk	PerpUsed	varchar(4)			Yes
TblDNRCall	PertinentCall	varchar(1)			Yes
TblDNRCall	PertinentCallNo	int			
TblSSSub	PhoneticName	varchar(50)			
TblSub	PhoneticName	varchar(50)			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblSubAliasMv	PhoneticName	varchar(100)			
TblVeh	PhoneticName	varchar(50)			
TblSSSub	Photo	varchar(1)			Yes
TblSub	Photo	varchar(1)			Yes
TblSup	Photo	varchar(1)			Yes
TblSup	PhotographsTaken	int			
TblSup	PhotoOtherAgency	int			Yes
TblSSSub	PhysicalBuild	varchar(4)			Yes
TblSub	PhysicalBuild	varchar(4)			Yes
TblSupAccidentPartyMv	PhysicalDefects	varchar(4)			Yes
TblSupAccidentPartyMv	PlacardDiamondDigit	tinyint			
TblSupAccidentPartyMv	Placarded	varchar(1)			Yes
TblSupAccidentPartyMv	PlacardNameNumber	varchar(50)			
TblSSSub	PlaceOfBirth	varchar(30)			
TblSub	PlaceOfBirth	varchar(30)			
TblSSSub	PlaceOfBirthCity	varchar(30)			
TblSub	PlaceOfBirthCity	varchar(30)			
TblSSSub	PlaceOfBirthCountry	varchar(4)			Yes
TblSub	PlaceOfBirthCountry	varchar(4)			Yes
TblSSSub	PlaceOfBirthState	varchar(4)			Yes
TblSub	PlaceOfBirthState	varchar(4)			Yes
TblSupSSSubLkChargeMv	Plea	varchar(4)			Yes
TblSupAccidentPartyMv	PointOfCollision	varchar(4)			Yes
TblSup	PointOfEntry	varchar(1)			Yes
TblSupPOEMv	PointOfEntry	varchar(4)			Yes
TblSup	PointOfEntryCode	varchar(4)			Yes
TblSup	PointOfExit	varchar(1)			Yes
TblSup	PointOfExitCode	varchar(4)			Yes
TblSSSub	PoliceIDNumber	varchar(50)			
TblSub	PoliceIDNumber	varchar(50)			
TblSup	PolicyNumber	varchar(25)			
TblSup	PossibleDateTimeOfDeath	datetime			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblSup	PossibleMannerOfDeath	varchar(50)			
TblSupPropMv	PostApprovalAudit	text			
TblSupSSSubLk	PostApprovalAudit	text			
TblSupSSVehLk	PostApprovalAudit	text			
TblWebLog	PostData	text			
TblSupAccidentPartyMv	PostedSpeed	int			
TblSSSub	PpCountryOfIssue	varchar(20)			
TblSub	PpCountryOfIssue	varchar(20)			
TblExpAccount	Prefix	varchar(10)			
TblSup	PremisesEntered	int			
TblProp	PresumptiveTest	varchar(1)			Yes
TblSSSub	PreviousDateEmpd	datetime			
TblSub	PreviousDateEmpd	datetime			
TblSSSub	PreviousOccupation	varchar(30)			
TblSub	PreviousOccupation	varchar(30)			
TblSup	PrimaryMortgageCo	int			Yes
TblSSSub	PriorArrest	varchar(50)			
TblSub	PriorArrest	varchar(50)			
TblCase	Priority	varchar(4)			Yes
TblDNRCall	PrivilegedCall	varchar(1)			Yes
TblSupSSSubLkChargeMv	ProbationTerm	int			
TblSupSSSubLkChargeMv	ProbationTermServeType	varchar(1)			
TblSupSSSubLkChargeMv	ProbationTermType	varchar(1)			
TblSup	ProcessingStatus	varchar(4)			Yes
TblSSSub	ProneToViolence	varchar(1)			Yes
TblSub	ProneToViolence	varchar(1)			Yes
TblSup	PronouncedDeadBy	varchar(50)			
TblSup	PronouncedDeadDateTime	datetime			
TblSup	PronouncedDeadLocation	varchar(50)			
TblPropAuth	PropAuthID	int	NOT NULL	Yes	
TblPropCust	PropCustID	int	NOT NULL	Yes	
TblPropCustItem	PropCustID	int	NOT NULL		Yes

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblPropCustRelObjFile	PropCustID	int	NOT NULL		Yes
TblPropCustItem	PropCustItemID	int	NOT NULL	Yes	
TblPropCustRelObjFile	PropCustRelObjFileID	int	NOT NULL	Yes	
TblPropDisp	PropDispID	int	NOT NULL	Yes	
TblPropItem	PropDispID	int			Yes
TblPropDocLog	PropDocLogID	int	NOT NULL	Yes	
TblProp	PropertyClass	varchar(4)			Yes
TblPropItem	PropertyClass	varchar(4)			Yes
TblSupPropMv	PropertyClass	varchar(4)			Yes
TblSup	PropertyCoverage	money			
TblCitation	PropertyDamageValue	money			
TblSup	PropertyDescription	varchar(100)			
TblPropItem	PropertyDisposition	varchar(4)			Yes
TblPropDisp	PropertyFacility	varchar(4)			
TblSup	PropertyRecovered	money			
TblPropItem	PropertyStatus	varchar(4)			Yes
TblSup	PropertyStolen	money			
TblPropItem	PropertyType	varchar(4)			Yes
TblSupPropMv	PropertyType	varchar(4)			Yes
TblSup	PropertyUse	varchar(4)			Yes
TblMailPropLk	PropID	int	NOT NULL		Yes
TblProp	PropID	int	NOT NULL	Yes	
TblPropDocLog	PropID	int	NOT NULL		
TblPropItem	PropID	int	NOT NULL		Yes
TblPropRelObjFile	PropID	int	NOT NULL		Yes
TblPropSubLk	PropID	int	NOT NULL		Yes
TblPropItemDocLog	PropItemDocLogID	int	NOT NULL	Yes	
TblMailPropItemLk	PropItemID	int	NOT NULL		Yes
TblPropCustItem	PropItemID	int	NOT NULL		Yes
TblPropItem	PropItemID	int	NOT NULL	Yes	
TblPropItemDocLog	PropItemID	int	NOT NULL		
TblPropItemRelLog	PropItemID	int	NOT NULL		Yes

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblPropItemRelObjFile	PropItemID	int	NOT NULL		Yes
TblSupPropMv	PropItemID	int			Yes
TblPropItem	PropItemParentID	int			Yes
TblPropItemRelLog	PropItemRelLogID	int	NOT NULL	Yes	
TblPropItemRelObjFile	PropItemRelObjFileID	int	NOT NULL	Yes	
TblPropRelObjFile	PropRelObjFileID	int	NOT NULL	Yes	
TblSupPropMv	PropStatus	varchar(4)			Yes
TblPropSubLk	PropSubLkID	int	NOT NULL	Yes	
TblSSVeh	PropulsionType	varchar(4)			Yes
TblVeh	PropulsionType	varchar(4)			Yes
TblCase	Prosecutor	int			Yes
TblSup	PublicHousing	varchar(1)			Yes
TblSSTel	PublicPhone	varchar(1)			Yes
TblTel	PublicPhone	varchar(1)			Yes
TblProp	Purchase	varchar(1)			Yes
TblProp	PurchaseValue	money			
TblCase	Purge	varchar(1)			Yes
TblSub	Purge	varchar(1)			Yes
TblTip	Purge	varchar(1)			Yes
TblSSSub	PurgeLevel	varchar(1)			
TblAdr	QualifierType	varchar(4)			Yes
TblSSAdr	QualifierType	varchar(4)			Yes
TblPawnItem	Quantity	decimal(12,2)			
TblPropItem	Quantity	decimal(12,2)	NOT NULL		
TblSupPropMv	Quantity	decimal(12,2)			
TblQueryCaseReportTypeMv	QueryCaseReportTypeMvID	int	NOT NULL	Yes	
TblQuery	QueryID	int	NOT NULL	Yes	
TblQueryCaseReportTypeMv	QueryID	int	NOT NULL		Yes
TblQuerySecLevMv	QueryID	int	NOT NULL		Yes
TblSSQuery	QueryID	int			Yes
TblQuerySecLevMv	QuerySecLevMvID	int	NOT NULL	Yes	
TblSSSub	Race	varchar(4)			Yes

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblSub	Race	varchar(4)			Yes
TblSSSub	RankPosition	varchar(50)			
TblSub	RankPosition	varchar(50)			
TblAdr	ReadOnly	tinyint			
TblFin	ReadOnly	tinyint			
TblSub	ReadOnly	tinyint			
TblTel	ReadOnly	tinyint			
TblVeh	ReadOnly	tinyint			
TblPropItemRelLog	Reason	varchar(40)			
TblSup	Reason	varchar(50)			
TblSup	ReasonForStop	varchar(1000)			
TblTip	ReAssignSwitch	varchar(1)			Yes
TblSupExpMv	Receipt	varchar(1)			Yes
TblProp	ReceivedBy	int			Yes
TblPropItem	ReceivedBy	int			Yes
TblSupAccidentPartyMv	RecommendDriverReexam	varchar(1)			Yes
TblDNRCall	RecorderTone	varchar(1)			Yes
TblDNRCall	RecordingAborted	varchar(1)			Yes
TblIntelPurgeBatch	RecordType	varchar(4)			
TblSSSub	RecordType	varchar(4)			Yes
TblSub	RecordType	varchar(4)			Yes
TblSubMergeBatch	RecordType	varchar(4)			Yes
TblSup	RecoveredProperty	varchar(1)			Yes
TblDNRCall	Reference	varchar(15)			
TblCase	ReferralCaseNumber	varchar(15)			
TblSup	ReferredTo	varchar(10)			
TblSup	ReferredToSAO	varchar(1)			
TblWebLog	Referrer	text			
TblDNRCControl	RefNum	varchar(50)	NOT NULL		
TblSup	RegularMinutes	int			
TblSSSub	RegulatingAgency	varchar(50)			
TblSub	RegulatingAgency	varchar(50)			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCaseCaseLk	RelatedCaseID	int			Yes
TblTip	RelatedCaseID	int			Yes
TblSSSubRelFileMv	RelatedFiles	varchar(76)	NOT NULL		
TblSubRelFileMv	RelatedFiles	varchar(76)	NOT NULL		
TblSupSupLk	RelatedSupID	int			Yes
TblTipTipLk	RelatedTipID	int			Yes
TblAdrFinLk	Relationship	varchar(4)			Yes
TblAdrVehLk	Relationship	varchar(4)			Yes
TblDNRCallSubLk	Relationship	varchar(4)			Yes
TblFinSubLk	Relationship	varchar(4)			Yes
TblPropSubLk	Relationship	varchar(4)			Yes
TblSSAdrFinLk	Relationship	varchar(4)			Yes
TblSSAdrVehLk	Relationship	varchar(4)			Yes
TblSSFinSubLk	Relationship	varchar(4)			Yes
TblSSSubAdrLk	Relationship	varchar(4)			Yes
TblSSSubSubLk	Relationship	varchar(4)			Yes
TblSSTelAdrLk	Relationship	varchar(4)			Yes
TblSSTelSubLk	Relationship	varchar(4)			Yes
TblSSVehSubLk	Relationship	varchar(4)			Yes
TblSubAdrLk	Relationship	varchar(4)			Yes
TblSubSubLk	Relationship	varchar(4)			Yes
TblSupSSAdrLk	Relationship	varchar(4)			Yes
TblSupSSFinLk	Relationship	varchar(4)			Yes
TblSupSSSubLk	Relationship	varchar(4)			Yes
TblSupSSTelLk	Relationship	varchar(4)			Yes
TblSupSSVehLk	Relationship	varchar(4)			Yes
TblTelAdrLk	Relationship	varchar(4)			Yes
TblTelSubLk	Relationship	varchar(4)			Yes
TblTipSSAdrLk	Relationship	varchar(4)			Yes
TblTipSSSubLk	Relationship	varchar(4)			Yes
TblTipSSTelLk	Relationship	varchar(4)			Yes
TblTipSSVehLk	Relationship	varchar(4)			Yes

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblVehSubLk	Relationship	varchar(4)			Yes
TblSupSSSubLk	RelationToOffender	varchar(4)			Yes
TblPropItemRelLog	RelocationDateTime	datetime	NOT NULL		
TblSubSubLk	RelSubID	int	NOT NULL		Yes
TblDNRCall	Remarks	varchar(100)			
TblProp	Remarks	text			
TblSupPropMv	Remarks	text			
TblSupPropMv	RemoteBin	varchar(10)			Yes
TblAdrInterface	RemoteBinary	image			
TblCaseInterface	RemoteBinary	image			
TblFinInterface	RemoteBinary	image			
TblSubInterface	RemoteBinary	image			
TblSupInterface	RemoteBinary	image			
TblTelInterface	RemoteBinary	image			
TblTipInterface	RemoteBinary	image			
TblVehInterface	RemoteBinary	image			
TblAdrInterface	RemoteDescription	varchar(1000)			
TblCaseInterface	RemoteDescription	varchar(1000)			
TblFinInterface	RemoteDescription	varchar(1000)			
TblSubInterface	RemoteDescription	varchar(1000)			
TblSupInterface	RemoteDescription	varchar(1000)			
TblTelInterface	RemoteDescription	varchar(1000)			
TblTipInterface	RemoteDescription	varchar(1000)			
TblVehInterface	RemoteDescription	varchar(1000)			
TblAdrInterface	RemoteID	varchar(1000)			
TblCaseInterface	RemoteID	varchar(1000)			
TblFinInterface	RemoteID	varchar(1000)			
TblSubInterface	RemoteID	varchar(1000)			
TblSupInterface	RemoteID	varchar(1000)			
TblTelInterface	RemoteID	varchar(1000)			
TblTipInterface	RemoteID	varchar(1000)			
TblVehInterface	RemoteID	varchar(1000)			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblSupAccidentPartyMv	RemovedBy	varchar(50)			
TblSupAccidentPartyMv	RemovedBySource	varchar(4)			Yes
TblTip	ReplyComments	text			
TblTip	ReplyDateTime	datetime			
TblTip	ReplyFromOper	int			
TblTip	ReplyOvtMinutes	int			
TblTip	ReplyRegMinutes	int			
TblSup	ReportDate	datetime			
TblTip	ReportersAddress	varchar(100)			
TblTip	ReportersBusPhone	varchar(25)			
TblTip	ReportersDOB	datetime			
TblTip	ReportersHomePhone	varchar(25)			
TblTip	ReportersName	varchar(50)			
TblSup	ReportingDetective	int			Yes
TblUCR	ReportingPeriod	varchar(15)			
TblUCR	ReportingYear	int			
TblProp	ReportNumber	varchar(60)	NOT NULL		
TblSup	ReportNumberPart	int			
TblIRISSLog	RequestDate	datetime	NOT NULL		
TblSup	Requester	int			Yes
TblIRISSLog	RequestID	varchar(50)	NOT NULL		
TblDNRRControl	RequestingOfficer	int			Yes
TblIRISSLog	RequestXml	text			
TblSupAccidentPartyMv	RequiredEndorsement	varchar(4)			Yes
TblSSSub	ResidenceStatus	varchar(4)			Yes
TblSub	ResidenceStatus	varchar(4)			Yes
TblSSSub	ResidenceType	varchar(4)			Yes
TblSub	ResidenceType	varchar(4)			Yes
TblTraceLog	Resource	varchar(255)			
TblTip	ResponseDueDate	datetime			
TblSup	ResponseTimeAC	datetime			
TblSup	ResponseTimeDA	datetime			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblSup	ResponseTimeDC	datetime			
TblSup	ResponseTimeRA	datetime			
TblSup	ResponseTimeRC	datetime			
TblSup	ResponseTimeRD	datetime			
TblRISSLog	ResponseXml	text			
TblSupSSSubLkChargeMv	Restitution	money			
TblSupRestitutionDataMv	RestitutionDate	datetime			
TblSupAccidentPartyMv	RestraintSystemUsed	varchar(4)			Yes
TblSup	ReturnedDateTime	datetime			
TblSSSub	RightLeftHanded	varchar(4)			Yes
TblSub	RightLeftHanded	varchar(4)			Yes
TblRISSLog	RISSLogID	int	NOT NULL	Yes	
TblAdr	RoadWay	varchar(25)			
TblSSAdr	RoadWay	varchar(25)			
TblSupAccidentPartyMv	RoadwayAlignment	varchar(4)			Yes
TblSupAccidentPartyMv	RoadwayGrade	varchar(4)			Yes
TblDNRCall	RoamingCelluar	varchar(1)			Yes
TblAdr	RODate	datetime			
TblAdrFinLk	RODate	datetime			
TblAdrInterface	RODate	datetime	NOT NULL		
TblAdrMergeBatch	RODate	datetime	NOT NULL		
TblAdrRelObjFile	RODate	datetime	NOT NULL		
TblAdrVehLk	RODate	datetime	NOT NULL		
TblArrest	RODate	datetime	NOT NULL		
TblArrestChargeMv	RODate	datetime	NOT NULL		
TblArrestGangCriteriaMv	RODate	datetime	NOT NULL		
TblCase	RODate	datetime	NOT NULL		
TblCaseAuthOperLk	RODate	datetime			
TblCaseCaseLk	RODate	datetime			
TblCaseHist	RODate	datetime	NOT NULL		
TblCaseInterface	RODate	datetime	NOT NULL		
TblCitation	RODate	datetime	NOT NULL		

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCitationWarningMv	RODate	datetime	NOT NULL		
TblDNRCall	RODate	datetime			
TblDNRCallRelObjFile	RODate	datetime	NOT NULL		
TblDNRCallSubLk	RODate	datetime	NOT NULL		
TblDNRControl	RODate	datetime			
TblDNRControlExtMv	RODate	datetime	NOT NULL		
TblDNRControlWireExtMv	RODate	datetime	NOT NULL		
TblExpAccount	RODate	datetime	NOT NULL		
TblExpAccountSecLevMv	RODate	datetime	NOT NULL		
TblExpBatch	RODate	datetime	NOT NULL		
TblExpTrans	RODate	datetime	NOT NULL		
TblFin	RODate	datetime	NOT NULL		
TblFinInterface	RODate	datetime	NOT NULL		
TblFinMergeBatch	RODate	datetime	NOT NULL		
TblFinRelObjFile	RODate	datetime	NOT NULL		
TblFinSubLk	RODate	datetime	NOT NULL		
TblInstance	RODate	datetime	NOT NULL		
TblIntelPurgeBatch	RODate	datetime	NOT NULL		
TblInterface	RODate	datetime			
TblInterfaceConfigMv	RODate	datetime	NOT NULL		
TblInterfaceRelObjFile	RODate	datetime	NOT NULL		
TblInterfaceSecLevMv	RODate	datetime	NOT NULL		
TblInterfaceTipRouteMv	RODate	datetime	NOT NULL		
TblInterfaceTypOfReportMv	RODate	datetime	NOT NULL		
TblMail	RODate	datetime	NOT NULL		
TblMailAdrLk	RODate	datetime			
TblMailCaseLk	RODate	datetime			
TblMailFinLk	RODate	datetime			
TblMailPropItemLk	RODate	datetime			
TblMailPropLk	RODate	datetime			
TblMailRelObjFile	RODate	datetime	NOT NULL		
TblMailSubLk	RODate	datetime			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblMailSupLk	RODate	datetime			
TblMailTelLk	RODate	datetime			
TblMailTipLk	RODate	datetime			
TblMailVehLk	RODate	datetime			
TblOper	RODate	datetime	NOT NULL		
TblOperPassword	RODate	datetime	NOT NULL		
TblOperSecLevMv	RODate	datetime	NOT NULL		
TblPawn	RODate	datetime			
TblPawnItem	RODate	datetime			
TblProp	RODate	datetime	NOT NULL		
TblPropAuth	RODate	datetime	NOT NULL		
TblPropCust	RODate	datetime	NOT NULL		
TblPropCustItem	RODate	datetime	NOT NULL		
TblPropCustRelObjFile	RODate	datetime	NOT NULL		
TblPropDisp	RODate	datetime	NOT NULL		
TblPropItem	RODate	datetime	NOT NULL		
TblPropItemRelLog	RODate	datetime	NOT NULL		
TblPropItemRelObjFile	RODate	datetime	NOT NULL		
TblPropRelObjFile	RODate	datetime	NOT NULL		
TblPropSubLk	RODate	datetime	NOT NULL		
TblQuery	RODate	datetime			
TblQueryCaseReportTypeMv	RODate	datetime	NOT NULL		
TblQuerySecLevMv	RODate	datetime	NOT NULL		
TblSSAdr	RODate	datetime			
TblSSAdrFinLk	RODate	datetime			
TblSSAdrVehLk	RODate	datetime	NOT NULL		
TblSSFin	RODate	datetime	NOT NULL		
TblSSFinSubLk	RODate	datetime	NOT NULL		
TblSSQuery	RODate	datetime			
TblSSSub	RODate	datetime	NOT NULL		
TblSSSubAdrLk	RODate	datetime	NOT NULL		
TblSSSubAliasMv	RODate	datetime	NOT NULL		

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblSSSubCrimActMv	RODate	datetime	NOT NULL		
TblSSSubCrimHistMv	RODate	datetime	NOT NULL		
TblSSSubFacilityCategoryMv	RODate	datetime			
TblSSSubFacilityCommodityMv	RODate	datetime			
TblSSSubFicDOBMv	RODate	datetime	NOT NULL		
TblSSSubGangColorsMv	RODate	datetime			
TblSSSubGangSignsSymbolsMv	RODate	datetime			
TblSSSubGangTermsMv	RODate	datetime			
TblSSSubIdMv	RODate	datetime	NOT NULL		
TblSSSubRelFileMv	RODate	datetime	NOT NULL		
TblSSSubSMTMv	RODate	datetime	NOT NULL		
TblSSSubSubLk	RODate	datetime	NOT NULL		
TblSSTel	RODate	datetime	NOT NULL		
TblSSTelAdrLk	RODate	datetime	NOT NULL		
TblSSTelSubLk	RODate	datetime	NOT NULL		
TblSSVeh	RODate	datetime	NOT NULL		
TblSSVehConcealmentsMv	RODate	datetime			
TblSSVehSubLk	RODate	datetime	NOT NULL		
TblSub	RODate	datetime	NOT NULL		
TblSubAdrLk	RODate	datetime	NOT NULL		
TblSubAliasMv	RODate	datetime	NOT NULL		
TblSubCrimActMv	RODate	datetime	NOT NULL		
TblSubCrimHistMv	RODate	datetime	NOT NULL		
TblSubFacilityCategoryMv	RODate	datetime			
TblSubFacilityCommodityMv	RODate	datetime			
TblSubFicDOBMv	RODate	datetime	NOT NULL		
TblSubGangColorsMv	RODate	datetime			
TblSubGangSignsSymbolsMv	RODate	datetime			
TblSubGangTermsMv	RODate	datetime			
TblSubIdMv	RODate	datetime	NOT NULL		
TblSubInterface	RODate	datetime	NOT NULL		
TblSubMergeBatch	RODate	datetime	NOT NULL		

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblSubRelFileMv	RODate	datetime	NOT NULL		
TblSubRelObjFile	RODate	datetime	NOT NULL		
TblSubSMTMv	RODate	datetime	NOT NULL		
TblSubSubLk	RODate	datetime	NOT NULL		
TblSup	RODate	datetime			
TblSupAccidentContributingCircumstanceMv	RODate	datetime	NOT NULL		
TblSupAccidentPartyContribCauseMv	RODate	datetime	NOT NULL		
TblSupAccidentPartyHarmfulEventMv	RODate	datetime	NOT NULL		
TblSupAccidentPartyMv	RODate	datetime	NOT NULL		
TblSupAccidentPartyPassengerMv	RODate	datetime	NOT NULL		
TblSupAccidentPartyPedestrianActionMv	RODate	datetime	NOT NULL		
TblSupAccidentPartyVehDefectMv	RODate	datetime	NOT NULL		
TblSupAccidentPartyViolatorMv	RODate	datetime	NOT NULL		
TblSupArsteCourtDispMv	RODate	datetime			
TblSupCameraMv	RODate	datetime			
TblSupChargeMv	RODate	datetime	NOT NULL		
TblSupChronoLogMv	RODate	datetime	NOT NULL		
TblSupCrimActMv	RODate	datetime			
TblSupDiagramTemp	RODate	datetime	NOT NULL		
TblSupDocMv	RODate	datetime			
TblSupEventMv	RODate	datetime	NOT NULL		
TblSupExpMv	RODate	datetime			
TblSupFireOriginMv	RODate	datetime			
TblSupInterface	RODate	datetime	NOT NULL		
TblSupMOMv	RODate	datetime			
TblSupOfficerMv	RODate	datetime	NOT NULL		
TblSupOthUnitMv	RODate	datetime			
TblSupOutsideAgencyMv	RODate	datetime			
TblSupPOEMv	RODate	datetime			
TblSupPrintsLiftedMv	RODate	datetime	NOT NULL		
TblSupPropMv	RODate	datetime			
TblSupRelObjFile	RODate	datetime	NOT NULL		

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblSupRestitutionDataMv	RODate	datetime			
TblSupSSAdrLk	RODate	datetime	NOT NULL		
TblSupSSFinLk	RODate	datetime	NOT NULL		
TblSupSSSubLk	RODate	datetime	NOT NULL		
TblSupSSSubLkChargeMv	RODate	datetime	NOT NULL		
TblSupSSSubLkGangCriteriaMv	RODate	datetime	NOT NULL		
TblSupSSSubLkUOFLOCMv	RODate	datetime	NOT NULL		
TblSupSSSubLkUOFLORMv	RODate	datetime	NOT NULL		
TblSupSSSubLkUOFSCMv	RODate	datetime	NOT NULL		
TblSupSSSubLkUOFWeapMv	RODate	datetime	NOT NULL		
TblSupSSTelLk	RODate	datetime	NOT NULL		
TblSupSSVehLk	RODate	datetime	NOT NULL		
TblSupSupLk	RODate	datetime			
TblSupSusActMv	RODate	datetime			
TblSupTimeMv	RODate	datetime			
TblSupWepMv	RODate	datetime			
TblTel	RODate	datetime	NOT NULL		
TblTelAdrLk	RODate	datetime	NOT NULL		
TblTelInterface	RODate	datetime	NOT NULL		
TblTelMergeBatch	RODate	datetime	NOT NULL		
TblTelRelObjFile	RODate	datetime	NOT NULL		
TblTelSubLk	RODate	datetime	NOT NULL		
TblTip	RODate	datetime			
TblTipHist	RODate	datetime	NOT NULL		
TblTipInterface	RODate	datetime	NOT NULL		
TblTipRelObjFile	RODate	datetime	NOT NULL		
TblTipSSAdrLk	RODate	datetime	NOT NULL		
TblTipSSSubLk	RODate	datetime	NOT NULL		
TblTipSSTelLk	RODate	datetime	NOT NULL		
TblTipSSVehLk	RODate	datetime	NOT NULL		
TblTipSubTypeMv	RODate	datetime	NOT NULL		
TblTipTipLk	RODate	datetime			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblUCR	RODate	datetime			
TblUCRRelObjFile	RODate	datetime	NOT NULL		
TblVeh	RODate	datetime	NOT NULL		
TblVehConcealmentsMv	RODate	datetime			
TblVehInterface	RODate	datetime	NOT NULL		
TblVehMergeBatch	RODate	datetime	NOT NULL		
TblVehRelObjFile	RODate	datetime	NOT NULL		
TblVehSubLk	RODate	datetime	NOT NULL		
TblCase	ROElapsed	int			
TblSup	ROElapsed	int			
TblAdr	ROOperator	int			
TblAdrFinLk	ROOperator	int			
TblAdrInterface	ROOperator	int	NOT NULL		
TblAdrMergeBatch	ROOperator	int	NOT NULL		
TblAdrRelObjFile	ROOperator	int	NOT NULL		
TblAdrVehLk	ROOperator	int	NOT NULL		
TblArrest	ROOperator	int	NOT NULL		
TblArrestChargeMv	ROOperator	int	NOT NULL		
TblArrestGangCriteriaMv	ROOperator	int	NOT NULL		
TblCase	ROOperator	int	NOT NULL		Yes
TblCaseAuthOperLk	ROOperator	int			Yes
TblCaseCaseLk	ROOperator	int			
TblCaseHist	ROOperator	int	NOT NULL		Yes
TblCaseInterface	ROOperator	int	NOT NULL		
TblCitation	ROOperator	int	NOT NULL		
TblCitationWarningMv	ROOperator	int	NOT NULL		
TblDNRCall	ROOperator	int			Yes
TblDNRCallRelObjFile	ROOperator	int	NOT NULL		Yes
TblDNRCallSubLk	ROOperator	int	NOT NULL		
TblDNRCControl	ROOperator	int			
TblDNRCControlExtMv	ROOperator	int	NOT NULL		
TblDNRCControlWireExtMv	ROOperator	int	NOT NULL		

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblExpAccount	ROOperator	int	NOT NULL		
TblExpAccountSecLevMv	ROOperator	int	NOT NULL		
TblExpBatch	ROOperator	int	NOT NULL		Yes
TblExpTrans	ROOperator	int	NOT NULL		
TblFin	ROOperator	int	NOT NULL		
TblFinInterface	ROOperator	int	NOT NULL		
TblFinMergeBatch	ROOperator	int	NOT NULL		
TblFinRelObjFile	ROOperator	int	NOT NULL		
TblFinSubLk	ROOperator	int	NOT NULL		
TblInstance	ROOperator	int	NOT NULL		
TblIntelPurgeBatch	ROOperator	int	NOT NULL		Yes
TblInterface	ROOperator	int			
TblInterfaceConfigMv	ROOperator	int	NOT NULL		
TblInterfaceRelObjFile	ROOperator	int	NOT NULL		
TblInterfaceSecLevMv	ROOperator	int	NOT NULL		
TblInterfaceTipRouteMv	ROOperator	int	NOT NULL		
TblInterfaceTypOfReportMv	ROOperator	int	NOT NULL		
TblMailAdrLk	ROOperator	int			
TblMailCaseLk	ROOperator	int			
TblMailFinLk	ROOperator	int			
TblMailPropItemLk	ROOperator	int			
TblMailPropLk	ROOperator	int			
TblMailRelObjFile	ROOperator	int	NOT NULL		
TblMailSubLk	ROOperator	int			
TblMailSupLk	ROOperator	int			
TblMailTelLk	ROOperator	int			
TblMailTipLk	ROOperator	int			
TblMailVehLk	ROOperator	int			
TblOper	ROOperator	varchar(22)	NOT NULL		
TblOperSecLevMv	ROOperator	int	NOT NULL		
TblPawn	ROOperator	int			
TblPawnItem	ROOperator	int			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblProp	ROOperator	int	NOT NULL		Yes
TblPropAuth	ROOperator	int	NOT NULL		
TblPropCust	ROOperator	int	NOT NULL		
TblPropCustItem	ROOperator	int	NOT NULL		
TblPropCustRelObjFile	ROOperator	int	NOT NULL		
TblPropDisp	ROOperator	int	NOT NULL		Yes
TblPropItem	ROOperator	int	NOT NULL		
TblPropItemRelLog	ROOperator	int	NOT NULL		Yes
TblPropItemRelObjFile	ROOperator	int	NOT NULL		
TblPropRelObjFile	ROOperator	int	NOT NULL		
TblPropSubLk	ROOperator	int	NOT NULL		
TblQuery	ROOperator	int			
TblQueryCaseReportTypeMv	ROOperator	int	NOT NULL		
TblQuerySecLevMv	ROOperator	int	NOT NULL		
TblSSAdr	ROOperator	int			
TblSSAdrFinLk	ROOperator	int			
TblSSAdrVehLk	ROOperator	int	NOT NULL		
TblSSFin	ROOperator	int	NOT NULL		
TblSSFinSubLk	ROOperator	int	NOT NULL		
TblSSQuery	ROOperator	int			
TblSSSub	ROOperator	int	NOT NULL		
TblSSSubAdrLk	ROOperator	int	NOT NULL		
TblSSSubAliasMv	ROOperator	int	NOT NULL		
TblSSSubCrimActMv	ROOperator	int	NOT NULL		
TblSSSubCrimHistMv	ROOperator	int	NOT NULL		
TblSSSubFacilityCategoryMv	ROOperator	int			Yes
TblSSSubFacilityCommodityMv	ROOperator	int			Yes
TblSSSubFicDOBMv	ROOperator	int	NOT NULL		
TblSSSubGangColorsMv	ROOperator	int			Yes
TblSSSubGangSignsSymbolsMv	ROOperator	int			Yes
TblSSSubGangTermsMv	ROOperator	int			Yes
TblSSSubIdMv	ROOperator	int	NOT NULL		

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblSSSubRelFileMv	ROOperator	int	NOT NULL		
TblSSSubSMTMv	ROOperator	int	NOT NULL		
TblSSSubSubLk	ROOperator	int	NOT NULL		
TblSSTel	ROOperator	int	NOT NULL		
TblSSTelAdrLk	ROOperator	int	NOT NULL		
TblSSTelSubLk	ROOperator	int	NOT NULL		
TblSSVeh	ROOperator	int	NOT NULL		
TblSSVehConcealmentsMv	ROOperator	int			Yes
TblSSVehSubLk	ROOperator	int	NOT NULL		
TblSub	ROOperator	int	NOT NULL		
TblSubAdrLk	ROOperator	int	NOT NULL		
TblSubAliasMv	ROOperator	int	NOT NULL		
TblSubCrimActMv	ROOperator	int	NOT NULL		
TblSubCrimHistMv	ROOperator	int	NOT NULL		
TblSubFacilityCategoryMv	ROOperator	int			Yes
TblSubFacilityCommodityMv	ROOperator	int			Yes
TblSubFicDOBMv	ROOperator	int	NOT NULL		
TblSubGangColorsMv	ROOperator	int			Yes
TblSubGangSignsSymbolsMv	ROOperator	int			Yes
TblSubGangTermsMv	ROOperator	int			Yes
TblSubIdMv	ROOperator	int	NOT NULL		
TblSubInterface	ROOperator	int	NOT NULL		
TblSubMergeBatch	ROOperator	int	NOT NULL		
TblSubRelFileMv	ROOperator	int	NOT NULL		
TblSubRelObjFile	ROOperator	int	NOT NULL		
TblSubSMTMv	ROOperator	int	NOT NULL		
TblSubSubLk	ROOperator	int	NOT NULL		
TblSup	ROOperator	int			
TblSupAccidentContributingCircumstanceMv	ROOperator	int	NOT NULL		
TblSupAccidentPartyContribCauseMv	ROOperator	int	NOT NULL		
TblSupAccidentPartyHarmfulEventMv	ROOperator	int	NOT NULL		
TblSupAccidentPartyMv	ROOperator	int	NOT NULL		

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblSupAccidentPartyPassengerMv	ROOperator	int	NOT NULL		
TblSupAccidentPartyPedestrianActionMv	ROOperator	int	NOT NULL		
TblSupAccidentPartyVehDefectMv	ROOperator	int	NOT NULL		
TblSupAccidentPartyViolatorMv	ROOperator	int	NOT NULL		
TblSupArsteCourtDispMv	ROOperator	int			Yes
TblSupCameraMv	ROOperator	int			Yes
TblSupChargeMv	ROOperator	int	NOT NULL		
TblSupChronoLogMv	ROOperator	int	NOT NULL		
TblSupCrimActMv	ROOperator	int			Yes
TblSupDiagramTemp	ROOperator	int	NOT NULL		
TblSupDocMv	ROOperator	int			Yes
TblSupEventMv	ROOperator	int	NOT NULL		Yes
TblSupExpMv	ROOperator	int			
TblSupFireOriginMv	ROOperator	int			Yes
TblSupInterface	ROOperator	int	NOT NULL		
TblSupMOMv	ROOperator	int			Yes
TblSupOfficerMv	ROOperator	int	NOT NULL		
TblSupOthUnitMv	ROOperator	int			Yes
TblSupOutsideAgencyMv	ROOperator	int			Yes
TblSupPOEMv	ROOperator	int			Yes
TblSupPrintsLiftedMv	ROOperator	int	NOT NULL		
TblSupPropMv	ROOperator	int			Yes
TblSupRelObjFile	ROOperator	int	NOT NULL		Yes
TblSupRestitutionDataMv	ROOperator	int			Yes
TblSupSSAdrLk	ROOperator	int	NOT NULL		
TblSupSSFinLk	ROOperator	int	NOT NULL		
TblSupSSSubLk	ROOperator	int	NOT NULL		Yes
TblSupSSSubLkChargeMv	ROOperator	int	NOT NULL		
TblSupSSSubLkGangCriteriaMv	ROOperator	int	NOT NULL		
TblSupSSSubLkUOFLOCMv	ROOperator	int	NOT NULL		
TblSupSSSubLkUOFLOMv	ROOperator	int	NOT NULL		
TblSupSSSubLkUOFSCMv	ROOperator	int	NOT NULL		

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblSupSSSubLkUOFWeapMv	ROOperator	int	NOT NULL		
TblSupSSTelLk	ROOperator	int	NOT NULL		
TblSupSSVehLk	ROOperator	int	NOT NULL		
TblSupSupLk	ROOperator	int			
TblSupSusActMv	ROOperator	int			Yes
TblSupTimeMv	ROOperator	int			
TblSupWepMv	ROOperator	int			Yes
TblTel	ROOperator	int	NOT NULL		
TblTelAdrLk	ROOperator	int	NOT NULL		
TblTelInterface	ROOperator	int	NOT NULL		
TblTelMergeBatch	ROOperator	int	NOT NULL		
TblTelRelObjFile	ROOperator	int	NOT NULL		
TblTelSubLk	ROOperator	int	NOT NULL		
TblTip	ROOperator	int			
TblTipHist	ROOperator	int	NOT NULL		
TblTipInterface	ROOperator	int	NOT NULL		
TblTipRelObjFile	ROOperator	int	NOT NULL		
TblTipSSAdrLk	ROOperator	int	NOT NULL		
TblTipSSSubLk	ROOperator	int	NOT NULL		Yes
TblTipSSTelLk	ROOperator	int	NOT NULL		
TblTipSSVehLk	ROOperator	int	NOT NULL		
TblTipSubTypeMv	ROOperator	int	NOT NULL		
TblTipTipLk	ROOperator	int			
TblUCR	ROOperator	int			
TblUCRRelObjFile	ROOperator	int	NOT NULL		Yes
TblVeh	ROOperator	int	NOT NULL		
TblVehConcealmentsMv	ROOperator	int			Yes
TblVehInterface	ROOperator	int	NOT NULL		
TblVehMergeBatch	ROOperator	int	NOT NULL		
TblVehRelObjFile	ROOperator	int	NOT NULL		
TblVehSubLk	ROOperator	int	NOT NULL		
TblCase	ROStart	datetime			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblSup	ROStart	datetime			
TblInterfaceTipRouteMv	RouteType	varchar(1)	NOT NULL		
TblInterfaceTypOfReportMv	RouteType	varchar(1)	NOT NULL		
TblSupAccidentPartyMv	SafetyEquipmentUsed	varchar(4)			Yes
TblSupAccidentPartyPassengerMv	SafetyEquipmentUsed	varchar(4)			Yes
TblSupAccidentPartyMv	SafetyEquipmentUsed2	varchar(4)			Yes
TblSupAccidentPartyPassengerMv	SafetyEquipmentUsed2	varchar(4)			Yes
TblCase	SaoDisposition	varchar(4)			Yes
TblCase	SaoReasons	varchar(4)			Yes
TblSSSubSMTMv	ScarsMarksTattoos	varchar(50)	NOT NULL		
TblSubSMTMv	ScarsMarksTattoos	varchar(50)	NOT NULL		
TblSup	SchoolZone	varchar(1)			Yes
TblPropCust	Sealed	varchar(1)			Yes
TblSup	SearchWarrantNumber	varchar(10)			
TblSupAccidentPartyMv	SeatingLocationOther	varchar(4)			Yes
TblSupAccidentPartyMv	SeatingLocationRow	varchar(4)			Yes
TblSupAccidentPartyMv	SeatingLocationSeat	varchar(4)			Yes
TblArrest	SecLev2	varchar(10)			Yes
TblArrestChargeMv	SecLev2	varchar(10)			Yes
TblCase	SecLev2	varchar(10)			Yes
TblCitation	SecLev2	varchar(10)			Yes
TblExpAccountSecLevMv	SecLev2	varchar(10)			Yes
TblExpBatch	SecLev2	varchar(10)			Yes
TblExpTrans	SecLev2	varchar(10)			Yes
TblOper	SecLev2	varchar(10)			Yes
TblOperSecLevMv	SecLev2	varchar(10)			Yes
TblQuerySecLevMv	SecLev2	varchar(10)			Yes
TblSSSub	SecLev2	varchar(10)			Yes
TblOper	SecLev2Notify	varchar(1)			
TblOperSecLevMv	SecLev2Notify	varchar(1)			
TblOper	SecLev2Supervisor	varchar(1)			
TblOperSecLevMv	SecLev2Supervisor	varchar(1)			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblArrest	SecLev3	varchar(10)			Yes
TblArrestChargeMv	SecLev3	varchar(10)			Yes
TblCase	SecLev3	varchar(10)			Yes
TblCitation	SecLev3	varchar(10)			Yes
TblExpAccountSecLevMv	SecLev3	varchar(10)			Yes
TblExpBatch	SecLev3	varchar(10)			Yes
TblExpTrans	SecLev3	varchar(10)			Yes
TblOper	SecLev3	varchar(10)			Yes
TblOperSecLevMv	SecLev3	varchar(10)			Yes
TblQuerySecLevMv	SecLev3	varchar(10)			Yes
TblSSSub	SecLev3	varchar(10)			Yes
TblOper	SecLev3Notify	varchar(1)			
TblOperSecLevMv	SecLev3Notify	varchar(1)			
TblOper	SecLev3Supervisor	varchar(1)			
TblOperSecLevMv	SecLev3Supervisor	varchar(1)			
TblArrest	SecLev4	varchar(10)			Yes
TblArrestChargeMv	SecLev4	varchar(10)			Yes
TblCase	SecLev4	varchar(10)			Yes
TblCitation	SecLev4	varchar(10)			Yes
TblExpAccountSecLevMv	SecLev4	varchar(10)			Yes
TblExpBatch	SecLev4	varchar(10)			Yes
TblExpTrans	SecLev4	varchar(10)			Yes
TblOper	SecLev4	varchar(10)			Yes
TblOperSecLevMv	SecLev4	varchar(10)			Yes
TblQuerySecLevMv	SecLev4	varchar(10)			Yes
TblSSSub	SecLev4	varchar(10)			Yes
TblOper	SecLev4Notify	varchar(1)			
TblOperSecLevMv	SecLev4Notify	varchar(1)			
TblOper	SecLev4Supervisor	varchar(1)			
TblOperSecLevMv	SecLev4Supervisor	varchar(1)			
TblArrest	SecLev5	varchar(10)			Yes
TblArrestChargeMv	SecLev5	varchar(10)			Yes

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCase	SecLev5	varchar(10)			Yes
TblCitation	SecLev5	varchar(10)			Yes
TblExpAccountSecLevMv	SecLev5	varchar(10)			Yes
TblExpBatch	SecLev5	varchar(10)			Yes
TblExpTrans	SecLev5	varchar(10)			Yes
TblOper	SecLev5	varchar(10)			Yes
TblOperSecLevMv	SecLev5	varchar(10)			Yes
TblQuerySecLevMv	SecLev5	varchar(10)			Yes
TblSSSub	SecLev5	varchar(10)			Yes
TblOper	SecLev5Notify	varchar(1)			
TblOperSecLevMv	SecLev5Notify	varchar(1)			
TblOper	SecLev5Supervisor	varchar(1)			
TblOperSecLevMv	SecLev5Supervisor	varchar(1)			
TblArrest	SecLev6	varchar(10)			Yes
TblArrestChargeMv	SecLev6	varchar(10)			Yes
TblCase	SecLev6	varchar(10)			Yes
TblCitation	SecLev6	varchar(10)			Yes
TblExpAccountSecLevMv	SecLev6	varchar(10)			Yes
TblExpBatch	SecLev6	varchar(10)			Yes
TblExpTrans	SecLev6	varchar(10)			Yes
TblOper	SecLev6	varchar(10)			Yes
TblOperSecLevMv	SecLev6	varchar(10)			Yes
TblQuerySecLevMv	SecLev6	varchar(10)			Yes
TblSSSub	SecLev6	varchar(10)			Yes
TblOper	SecLev6Notify	varchar(1)			
TblOperSecLevMv	SecLev6Notify	varchar(1)			
TblOper	SecLev6Supervisor	varchar(1)			
TblOperSecLevMv	SecLev6Supervisor	varchar(1)			
TblArrest	SecLev7	varchar(10)			Yes
TblArrestChargeMv	SecLev7	varchar(10)			Yes
TblCase	SecLev7	varchar(10)			Yes
TblCitation	SecLev7	varchar(10)			Yes

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblExpAccountSecLevMv	SecLev7	varchar(10)			Yes
TblExpBatch	SecLev7	varchar(10)			Yes
TblExpTrans	SecLev7	varchar(10)			Yes
TblOper	SecLev7	varchar(10)			Yes
TblOperSecLevMv	SecLev7	varchar(10)			Yes
TblQuerySecLevMv	SecLev7	varchar(10)			Yes
TblSSSub	SecLev7	varchar(10)			Yes
TblOper	SecLev7Notify	varchar(1)			
TblOperSecLevMv	SecLev7Notify	varchar(1)			
TblOper	SecLev7Supervisor	varchar(1)			
TblOperSecLevMv	SecLev7Supervisor	varchar(1)			
TblArrest	SecLev8	varchar(10)			Yes
TblArrestChargeMv	SecLev8	varchar(10)			Yes
TblCase	SecLev8	varchar(10)			Yes
TblCitation	SecLev8	varchar(10)			Yes
TblExpAccountSecLevMv	SecLev8	varchar(10)			Yes
TblExpBatch	SecLev8	varchar(10)			Yes
TblExpTrans	SecLev8	varchar(10)			Yes
TblOper	SecLev8	varchar(10)			Yes
TblOperSecLevMv	SecLev8	varchar(10)			Yes
TblQuerySecLevMv	SecLev8	varchar(10)			Yes
TblSSSub	SecLev8	varchar(10)			Yes
TblOper	SecLev8Notify	varchar(1)			
TblOperSecLevMv	SecLev8Notify	varchar(1)			
TblOper	SecLev8Supervisor	varchar(1)			
TblOperSecLevMv	SecLev8Supervisor	varchar(1)			
TblPawnItem	SecondStoneColor	varchar(4)			Yes
TblPawnItem	SecondStoneKtWt	varchar(10)			
TblPawnItem	SecondStoneNumber	int			
TblPawnItem	SecondStoneShape	varchar(4)			Yes
TblPawnItem	SecondStoneType	varchar(4)			Yes
TblCase	SecureDescription	varchar(40)			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblBulletin	SecurityLevel	tinyint			
TblOper	SecurityLevel	int			
TblSession	SecurityLevel	int			
TblSessionHistory	SecurityLevel	int			
TblSup	SecurityType	varchar(4)			Yes
TblPropItem	SendToLab	varchar(1)			Yes
TblSup	SeniorAbuse	varchar(1)			Yes
TblSupAccidentPartyHarmfulEventMv	SequenceNumber	tinyint			
TblSupAccidentPartyPedestrianActionMv	SequenceNumber	tinyint	NOT NULL		
TblSupPropMv	SerialNo	varchar(30)			
TblPawnItem	SerialNumber	varchar(30)			
TblPropItem	SerialNumber	varchar(30)			
TblSup	ServedBy	int			Yes
TblTraceLog	ServerAddress	varchar(255)			
TblWebLog	ServerIP	varchar(15)			
TblWebLog	ServerName	varchar(255)			
TblWebLog	ServerPort	int			
TblInterfaceSession	SessionID	uniqueidentifier	NOT NULL	Yes	
TblSession	SessionID	uniqueidentifier	NOT NULL	Yes	
TblSessionHistory	SessionID	uniqueidentifier	NOT NULL		
TblTraceLog	SessionID	uniqueidentifier			
TblSSSub	Sex	varchar(4)			Yes
TblSub	Sex	varchar(4)			Yes
TblSup	SexCrime	varchar(1)			Yes
TblSup	Shift	varchar(4)			Yes
TblSup	ShoePrints	varchar(1)			Yes
TblSup	SI	varchar(1)			Yes
TblSSSubSMTMv	Side	varchar(4)			Yes
TblSubSMTMv	Side	varchar(4)			Yes
TblSup	SignatureAct	varchar(1)			Yes
TblSSSubGangSignsSymbolsMv	SignSymbol	varchar(100)			
TblSubGangSignsSymbolsMv	SignSymbol	varchar(100)			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblSup	SingleMultiStory	varchar(4)			Yes
TblWebLog	SiteName	varchar(255)			
TblSup	SITransportBy	varchar(4)			Yes
TblSup	SITransportTo	varchar(4)			Yes
TblSup	SITreatedBy	varchar(4)			Yes
TblSup	SIType	varchar(4)			Yes
TblSup	Sketch	varchar(1)			Yes
TblSup	SketchOtherAgency	int			Yes
TblPawnItem	SLSizeLength	varchar(10)			
TblSup	SmokeDetectors	varchar(1)			Yes
TblSup	SmudgeClothMarks	varchar(1)			Yes
TblSupSSSubLk	Sobriety	varchar(4)			Yes
TblSSSub	SocialSecurityNo	varchar(11)			
TblSub	SocialSecurityNo	varchar(11)			
TblQuery	Source	text			
TblSSQuery	Source	text			
TblSSTelSubLk	Source	int			
TblSup	Source	int			Yes
TblTelSubLk	Source	int			
TblSup	SourceOfCall	varchar(4)			Yes
TblSupAccidentPartyMv	SourceOfCarrier	varchar(4)			Yes
TblSup	SourceOfInfo	varchar(30)			
TblDNRCall	SourceOfRecord	varchar(4)			Yes
TblSSSub	SourceReliability	varchar(4)			Yes
TblSub	SourceReliability	varchar(4)			Yes
TblSup	SourceReliability	varchar(4)			Yes
TblTip	SourceReliability	varchar(4)			Yes
TblTip	SourceTemplateID	int			Yes
TblSupSSSubLkUOFSCMv	SpecialCircumstances	varchar(4)	NOT NULL		Yes
TblSSSub	Speech	varchar(4)			Yes
TblSub	Speech	varchar(4)			Yes
TblSupAccidentPartyMv	Speed	int			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblSup	SquareFootage	int			
TblSSAdrFinLk	SSAdrFinLkID	int	NOT NULL	Yes	
TblSSAdr	SSAdrID	int	NOT NULL	Yes	
TblSSAdrFinLk	SSAdrID	int	NOT NULL		Yes
TblSSAdrVehLk	SSAdrID	int	NOT NULL		Yes
TblSSSubAdrLk	SSAdrID	int	NOT NULL		Yes
TblSSTelAdrLk	SSAdrID	int	NOT NULL		Yes
TblSupSSAdrLk	SSAdrID	int	NOT NULL		Yes
TblTipSSAdrLk	SSAdrID	int	NOT NULL		Yes
TblSSAdrVehLk	SSAdrVehLkID	int	NOT NULL	Yes	
TblSSAdrFinLk	SSFinID	int	NOT NULL		Yes
TblSSFin	SSFinID	int	NOT NULL	Yes	
TblSSFinSubLk	SSFinID	int	NOT NULL		Yes
TblSupSSFinLk	SSFinID	int	NOT NULL		Yes
TblSSFinSubLk	SSFinSubLkID	int	NOT NULL	Yes	
TblSSQuery	SSQueryID	int	NOT NULL	Yes	
TblSSSubSubLk	SSRelSubID	int	NOT NULL		Yes
TblSSSubAdrLk	SSSubAdrLkID	int	NOT NULL	Yes	
TblSSSubAliasMv	SSSubAliasMvID	int	NOT NULL	Yes	
TblSSSubCrimActMv	SSSubCrimActMvID	int	NOT NULL	Yes	
TblSSSubCrimHistMv	SSSubCrimHistMvID	int	NOT NULL	Yes	
TblSSSubFacilityCategoryMv	SSSubFacilityCategoryMvID	int	NOT NULL	Yes	
TblSSSubFacilityCommodityMv	SSSubFacilityCommodityMvID	int	NOT NULL	Yes	
TblSSSubFicDOBMv	SSSubFicDOBMvID	int	NOT NULL	Yes	
TblSSSubGangColorsMv	SSSubGangColorsMvID	int	NOT NULL	Yes	
TblSSSubGangSignsSymbolsMv	SSSubGangSignsSymbolsMvID	int	NOT NULL	Yes	
TblSSSubGangTermsMv	SSSubGangTermsMvID	int	NOT NULL	Yes	
TblSSFinSubLk	SSSubID	int	NOT NULL		Yes
TblSSSub	SSSubID	int	NOT NULL	Yes	
TblSSSubAdrLk	SSSubID	int	NOT NULL		Yes
TblSSSubAliasMv	SSSubID	int	NOT NULL		Yes
TblSSSubCrimActMv	SSSubID	int	NOT NULL		Yes

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblSSSubCrimHistMv	SSSubID	int	NOT NULL		Yes
TblSSSubFacilityCategoryMv	SSSubID	int			Yes
TblSSSubFacilityCommodityMv	SSSubID	int			Yes
TblSSSubFicDOBmV	SSSubID	int	NOT NULL		Yes
TblSSSubGangColorsMv	SSSubID	int			Yes
TblSSSubGangSignsSymbolsMv	SSSubID	int			Yes
TblSSSubGangTermsMv	SSSubID	int			Yes
TblSSSubIdMv	SSSubID	int	NOT NULL		Yes
TblSSSubRelFileMv	SSSubID	int	NOT NULL		Yes
TblSSSubSMTMv	SSSubID	int	NOT NULL		Yes
TblSSSubSubLk	SSSubID	int	NOT NULL		Yes
TblSSTelSubLk	SSSubID	int	NOT NULL		Yes
TblSSVehSubLk	SSSubID	int	NOT NULL		Yes
TblSupSSSubLk	SSSubID	int			Yes
TblTipSSSubLk	SSSubID	int	NOT NULL		Yes
TblSSSubIdMv	SSSubIdMvID	int	NOT NULL	Yes	
TblSSSubRelFileMv	SSSubRelFileMvID	int	NOT NULL	Yes	
TblSSSubSMTMv	SSSubSMTMvID	int	NOT NULL	Yes	
TblSSSubSubLk	SSSubSubLkID	int	NOT NULL	Yes	
TblSSTelAdrLk	SSTelAdrLkID	int	NOT NULL	Yes	
TblSSTel	SSTelID	int	NOT NULL	Yes	
TblSSTelAdrLk	SSTelID	int	NOT NULL		Yes
TblSSTelSubLk	SSTelID	int	NOT NULL		Yes
TblSupSSTelLk	SSTelID	int	NOT NULL		Yes
TblTipSSTelLk	SSTelID	int	NOT NULL		Yes
TblSSTelSubLk	SSTelSubLkID	int	NOT NULL	Yes	
TblSSVehConcealmentsMv	SSVehConcealmentsMvID	int	NOT NULL	Yes	
TblSSAdrVehLk	SSVehID	int	NOT NULL		Yes
TblSSVeh	SSVehID	int	NOT NULL	Yes	
TblSSVehConcealmentsMv	SSVehID	int			Yes
TblSSVehSubLk	SSVehID	int	NOT NULL		Yes
TblSupSSVehLk	SSVehID	int			Yes

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblTipSSVehLk	SSVehID	int	NOT NULL		Yes
TblSSVehSubLk	SSVehSubLkID	int	NOT NULL	Yes	
TblIDNRControl	StartDate	datetime			
TblBulletin	StartDateTime	datetime			
TblIDNRCall	StartDateTime	datetime			
TblIDNRCall	StartTower	varchar(50)			
TblSSSubIdMv	State	varchar(4)			Yes
TblSSVeh	State	varchar(4)			Yes
TblSubIdMv	State	varchar(4)			Yes
TblVeh	State	varchar(4)			Yes
TblAdr	StateCode	varchar(4)			Yes
TblSSAdr	StateCode	varchar(4)			Yes
TblSupPropMv	StatedValue	money			
TblSSSub	StateOrganized	varchar(2)			
TblSub	StateOrganized	varchar(2)			
TblSup	StateProperty	varchar(4)			Yes
TblIDNRListener	Status	varchar(1000)			
TblSession	Status	varchar(1)	NOT NULL		
TblSessionHistory	Status	varchar(1)	NOT NULL		
TblWebLog	Status	int			
TblInstance	StatusDate	datetime	NOT NULL		
TblPropItem	StatusDate	datetime			
TblSupPropMv	StatusDate	datetime			
TblInstance	StatusText	varchar(50)	NOT NULL		
TblArrestChargeMv	Statute	varchar(25)			Yes
TblSupChargeMv	Statute	varchar(25)			Yes
TblSupSSSubLkChargeMv	Statute	varchar(25)			Yes
TblIDNRControl	StopDate	datetime			
TblIDNRControlExtMv	StopDate	datetime	NOT NULL		
TblIDNRControlWireExtMv	StopDate	datetime	NOT NULL		
TblBulletin	StopDateTime	datetime			
TblIDNRCall	StopDateTime	datetime			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblSupPOEMv	StructuralLocation	varchar(4)			Yes
TblSubAdrLk	SubAdrLkID	int	NOT NULL	Yes	
TblSubAliasMv	SubAliasMvID	int	NOT NULL	Yes	
TblSubAliasNameParts	SubAliasMvID	int	NOT NULL	Yes	
TblSubCrimActMv	SubCrimActMvID	int	NOT NULL	Yes	
TblSubCrimHistMv	SubCrimHistMvID	int	NOT NULL	Yes	
TblCase	SubDisclosureExemptOnRelated	bit			
TblCase	SubDisclosureExpirationOnRelated	datetime			
TblSubFacilityCategoryMv	SubFacilityCategoryMvID	int	NOT NULL	Yes	
TblSubFacilityCommodityMv	SubFacilityCommodityMvID	int	NOT NULL	Yes	
TblSubFicDOBMv	SubFicDOBMvID	int	NOT NULL	Yes	
TblSubFndWatchDog	SubFndWatchDogID	int	NOT NULL	Yes	
TblSubGangColorsMv	SubGangColorsMvID	int	NOT NULL	Yes	
TblSubGangSignsSymbolsMv	SubGangSignsSymbolsMvID	int	NOT NULL	Yes	
TblSubGangTermsMv	SubGangTermsMvID	int	NOT NULL	Yes	
TblCase	SubHiddenFlagOnRelated	bit			
TblDNRCallSubLk	SubID	int	NOT NULL		Yes
TblFinSubLk	SubID	int	NOT NULL		Yes
TblMailSubLk	SubID	int	NOT NULL		Yes
TblOper	SubID	int	NOT NULL		Yes
TblPropSubLk	SubID	int	NOT NULL		Yes
TblSSSub	SubID	int			Yes
TblSub	SubID	int	NOT NULL	Yes	
TblSubAdrLk	SubID	int	NOT NULL		Yes
TblSubAliasMv	SubID	int	NOT NULL		Yes
TblSubCrimActMv	SubID	int	NOT NULL		Yes
TblSubCrimHistMv	SubID	int	NOT NULL		Yes
TblSubDocLog	SubID	int	NOT NULL		
TblSubFacilityCategoryMv	SubID	int			Yes
TblSubFacilityCommodityMv	SubID	int			Yes
TblSubFicDOBMv	SubID	int	NOT NULL		Yes
TblSubGangColorsMv	SubID	int			Yes

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblSubGangSignsSymbolsMv	SubID	int			Yes
TblSubGangTermsMv	SubID	int			Yes
TblSubIdMv	SubID	int	NOT NULL		Yes
TblSubInterface	SubID	int	NOT NULL	Yes	Yes
TblSubMergeBatchItem	SubID	int	NOT NULL		Yes
TblSubNameParts	SubID	int	NOT NULL	Yes	
TblSubRelFileMv	SubID	int	NOT NULL		Yes
TblSubRelObjFile	SubID	int	NOT NULL		Yes
TblSubSMTMv	SubID	int	NOT NULL		Yes
TblSubSubLk	SubID	int	NOT NULL		Yes
TblSubWatchDog	SubID	int	NOT NULL		Yes
TblTelSubLk	SubID	int	NOT NULL		Yes
TblVehSubLk	SubID	int	NOT NULL		Yes
TblSubIdMv	SubIdMvID	int	NOT NULL	Yes	
TblMail	Subject	varchar(100)			
TblSSSub	SubjectFirstName	varchar(50)			
TblSub	SubjectFirstName	varchar(50)			
TblSSSub	SubjectHostID	varchar(10)			
TblSub	SubjectHostID	varchar(10)			
TblSupPrintsLiftedMv	SubjectIdentified	int			Yes
TblSSSub	SubjectLastName	varchar(50)			
TblSub	SubjectLastName	varchar(50)			
TblSSSub	SubjectMiddleName	varchar(50)			
TblSub	SubjectMiddleName	varchar(50)			
TblSSSub	SubjectName	varchar(50)	NOT NULL		
TblSub	SubjectName	varchar(50)	NOT NULL		
TblSubDocLog	SubjectName	varchar(50)			
TblSubMergeBatch	SubjectName	varchar(50)			
TblSSSub	SubjectSuffix	varchar(5)			Yes
TblSub	SubjectSuffix	varchar(5)			Yes
TblSubMergeBatch	SubMergeBatchID	int	NOT NULL	Yes	
TblSubMergeBatchItem	SubMergeBatchID	int	NOT NULL		Yes

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblSubMergeBatchItem	SubMergeBatchItemID	int	NOT NULL	Yes	
TblSupPropMv	SubmittedToPES	varchar(1)			Yes
TblCaseWatchDog	SubOnRelated	bit			
TblIntelPurgeBatch	SubPurge	varchar(1)			
TblSubRelFileMv	SubRelFileMvID	int	NOT NULL	Yes	
TblSubRelObjFile	SubRelObjFileID	int	NOT NULL	Yes	
TblSubSMTMv	SubSMTMvID	int	NOT NULL	Yes	
TblWebLog	SubStatus	int			
TblSubSubLk	SubSubLkID	int	NOT NULL	Yes	
TblSSSubIdMv	SubType	varchar(4)			Yes
TblSubIdMv	SubType	varchar(4)			Yes
TblSubWatchDog	SubWatchDogID	int	NOT NULL	Yes	
TblSSSubAliasMv	Suffix	varchar(5)			Yes
TblSubAliasMv	Suffix	varchar(5)			Yes
TblSupAccidentContributingCircumstanceMv	SupAccidentContributingCircumstanceMvID	int	NOT NULL	Yes	
TblSupAccidentPartyContribCauseMv	SupAccidentPartyContribCauseMvID	int	NOT NULL	Yes	
TblSupAccidentPartyHarmfulEventMv	SupAccidentPartyHarmfulEventMvID	int	NOT NULL	Yes	
TblSupAccidentPartyContribCauseMv	SupAccidentPartyMvID	int	NOT NULL		Yes
TblSupAccidentPartyHarmfulEventMv	SupAccidentPartyMvID	int	NOT NULL		Yes
TblSupAccidentPartyMv	SupAccidentPartyMvID	int	NOT NULL	Yes	
TblSupAccidentPartyPassengerMv	SupAccidentPartyMvID	int	NOT NULL		Yes
TblSupAccidentPartyPedestrianActionMv	SupAccidentPartyMvID	int	NOT NULL		Yes
TblSupAccidentPartyVehDefectMv	SupAccidentPartyMvID	int	NOT NULL		Yes
TblSupAccidentPartyViolatorMv	SupAccidentPartyMvID	int	NOT NULL		Yes
TblSupPropMv	SupAccidentPartyMvID	int			Yes
TblSupAccidentPartyPassengerMv	SupAccidentPartyPassengerMvID	int	NOT NULL	Yes	
TblSupAccidentPartyPedestrianActionMv	SupAccidentPartyPedestrianActionMvID	int	NOT NULL	Yes	
TblSupAccidentPartyVehDefectMv	SupAccidentPartyVehDefectMvID	int	NOT NULL	Yes	
TblSupAccidentPartyViolatorMv	SupAccidentPartyViolatorMvID	int	NOT NULL	Yes	
TblSupActivity	SupActivityID	int	NOT NULL	Yes	
TblSupArsteCourtDispMv	SupArsteCourtDispMvID	int	NOT NULL	Yes	
TblSupCameraMv	SupCameraMvID	int	NOT NULL	Yes	

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblSupChargeMv	SupChargeMvID	int	NOT NULL	Yes	
TblSupChronoLogMv	SupChronoLogMvID	int	NOT NULL	Yes	
TblSupCrimActMv	SupCrimActMvID	int	NOT NULL	Yes	
TblSupDocLog	SupDocLogID	int	NOT NULL	Yes	
TblSupDocMv	SupDocMvID	int	NOT NULL	Yes	
TblSup	SupervisedBuy	varchar(1)			Yes
TblOper	Supervisor	int			
TblSupEventMv	SupEventMvID	int	NOT NULL	Yes	
TblSupExpMv	SupExpMvID	int	NOT NULL	Yes	
TblSupFireOriginMv	SupFireOriginMvID	int	NOT NULL	Yes	
TblArrest	SupID	int	NOT NULL		Yes
TblCitation	SupID	int	NOT NULL		Yes
TblMailSupLk	SupID	int	NOT NULL		Yes
TblSup	SupID	int	NOT NULL	Yes	
TblSupAccidentContributingCircumstanceMv	SupID	int	NOT NULL		Yes
TblSupAccidentPartyMv	SupID	int	NOT NULL		Yes
TblSupActivity	SupID	int	NOT NULL		Yes
TblSupArsteCourtDispMv	SupID	int	NOT NULL		Yes
TblSupCameraMv	SupID	int			Yes
TblSupChargeMv	SupID	int			Yes
TblSupChronoLogMv	SupID	int			Yes
TblSupCrimActMv	SupID	int			Yes
TblSupDocLog	SupID	int	NOT NULL		
TblSupDocMv	SupID	int			Yes
TblSupEventMv	SupID	int			Yes
TblSupExpMv	SupID	int			Yes
TblSupFireOriginMv	SupID	int			Yes
TblSupInterface	SupID	int	NOT NULL	Yes	Yes
TblSupMOMv	SupID	int			Yes
TblSupNumberPool	SupID	int			
TblSupOfficerMv	SupID	int	NOT NULL		Yes
TblSupOthUnitMv	SupID	int			Yes

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblSupOutsideAgencyMv	SupID	int			Yes
TblSupPOEMv	SupID	int			Yes
TblSupPrintsLiftedMv	SupID	int	NOT NULL		Yes
TblSupPropMv	SupID	int			Yes
TblSupRelObjFile	SupID	int	NOT NULL		Yes
TblSupRestitutionDataMv	SupID	int			Yes
TblSupSSAdrLk	SupID	int	NOT NULL		Yes
TblSupSSFinLk	SupID	int	NOT NULL		Yes
TblSupSSSubLk	SupID	int	NOT NULL		Yes
TblSupSSTelLk	SupID	int	NOT NULL		Yes
TblSupSSVehLk	SupID	int	NOT NULL		Yes
TblSupSupLk	SupID	int			Yes
TblSupSusActMv	SupID	int			Yes
TblSupTimeMv	SupID	int			Yes
TblSupWatchDog	SupID	int	NOT NULL		Yes
TblSupWepMv	SupID	int			Yes
TblUCRExceptionMv	SupID	int			Yes
TblSupMOMv	SupMOMvID	int	NOT NULL	Yes	
TblSupOfficerMv	SupOfficerMvID	int	NOT NULL	Yes	
TblCaseWatchDog	SupOnRelated	bit			
TblSupOthUnitMv	SupOthUnitMvID	int	NOT NULL	Yes	
TblSupOutsideAgencyMv	SupOutsideAgencyMvID	int	NOT NULL	Yes	
TblSup	SupplementNumber	varchar(60)			
TblSupDocLog	SupplementNumber	varchar(60)			
TblSupPOEMv	SupPOEMvID	int	NOT NULL	Yes	
TblSupPrintsLiftedMv	SupPrintsLiftedMvID	int	NOT NULL	Yes	
TblSupPropMv	SupPropMvID	int	NOT NULL	Yes	
TblSupRelObjFile	SupRelObjFileID	int	NOT NULL	Yes	
TblSupRestitutionDataMv	SupRestitutionDataMvID	int	NOT NULL	Yes	
TblSupSSAdrLk	SupSSAdrLkID	int	NOT NULL	Yes	
TblSupSSFinLk	SupSSFinLkID	int	NOT NULL	Yes	
TblSupSSSubLkChargeMv	SupSSSubLkChargeMvID	int	NOT NULL	Yes	

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblSupSSSubLkGangCriteriaMv	SupSSSubLkGangCriteriaMVID	int	NOT NULL	Yes	
TblSupSSSubLk	SupSSSubLkID	int	NOT NULL	Yes	
TblSupSSSubLkChargeMv	SupSSSubLkID	int	NOT NULL		Yes
TblSupSSSubLkGangCriteriaMv	SupSSSubLkID	int	NOT NULL		Yes
TblSupSSSubLkUOFLOCMv	SupSSSubLkID	int	NOT NULL		Yes
TblSupSSSubLkUOFLORMv	SupSSSubLkID	int	NOT NULL		Yes
TblSupSSSubLkUOFSCMv	SupSSSubLkID	int	NOT NULL		Yes
TblSupSSSubLkUOFWeapMv	SupSSSubLkID	int	NOT NULL		Yes
TblSupSSSubLkUOFLOCMv	SupSSSubLkUOFLOCMVID	int	NOT NULL	Yes	
TblSupSSSubLkUOFLORMv	SupSSSubLkUOFLORMVID	int	NOT NULL	Yes	
TblSupSSSubLkUOFSCMv	SupSSSubLkUOFSCMVID	int	NOT NULL	Yes	
TblSupSSSubLkUOFWeapMv	SupSSSubLkUOFWeapMVID	int	NOT NULL	Yes	
TblSupSSTelLk	SupSSTelLkID	int	NOT NULL	Yes	
TblSupSSVehLk	SupSSVehLkID	int	NOT NULL	Yes	
TblSupSupLk	SupSupLkID	int	NOT NULL	Yes	
TblSupSusActMv	SupSusActMVID	int	NOT NULL	Yes	
TblSupTimeMv	SupTimeMVID	int	NOT NULL	Yes	
TblSupWatchDog	SupWatchDogID	int	NOT NULL	Yes	
TblSupWepMv	SupWepMVID	int	NOT NULL	Yes	
TblSupSSSubLk	SuspectType	varchar(4)			Yes
TblSup	SusPV	varchar(1)			Yes
TblSup	SusPVType	varchar(4)			Yes
TblSup	SWComments	varchar(50)			
TblSup	SWHeldDateTime	datetime			
TblSup	SWHold	varchar(1)			Yes
TblSup	SWProblems	varchar(50)			
TblSup	SWServed	varchar(1)			Yes
TblCase	Synopsis	text			
TblIDNRCall	Synopsis	text			
TblSup	Synopsis	text			
TblSSVeh	TagExpiration	datetime			
TblVeh	TagExpiration	datetime			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblSSVeh	TagNumber	varchar(20)			
TblVeh	TagNumber	varchar(20)			
TblVehDocLog	TagNumber	varchar(20)			
TblSSVeh	TagPermanent	varchar(1)			Yes
TblVeh	TagPermanent	varchar(1)			Yes
TblSSVeh	TagType	varchar(4)			Yes
TblVeh	TagType	varchar(4)			Yes
TblSSVeh	TagYear	smallint			
TblVeh	TagYear	smallint			
TblSupAccidentPartyMv	TakenBy	varchar(60)			
TblSupSSSubLk	TakenBy	int			Yes
TblSupAccidentPartyMv	TakenByReferenceNumber	varchar(50)			
TblSupAccidentPartyMv	TakenTo	varchar(60)			
TblIDNRCall	TapeNumber	int			
TblIDNRControl	TargetTelephone	int	NOT NULL		Yes
TblSSSub	Teeth	varchar(4)			Yes
TblSub	Teeth	varchar(4)			Yes
TblTelAdrLk	TelAdrLkID	int	NOT NULL	Yes	
TblCase	TelDisclosureExemptOnRelated	bit			
TblCase	TelDisclosureExpirationOnRelated	datetime			
TblSSTel	TelephoneHostID	varchar(10)			
TblTel	TelephoneHostID	varchar(10)			
TblSSTel	TelephoneNumber	varchar(1000)	NOT NULL		
TblTel	TelephoneNumber	varchar(1000)	NOT NULL		
TblTelDocLog	TelephoneNumber	varchar(1000)			
TblSSTel	TelephoneType	varchar(4)			Yes
TblTel	TelephoneType	varchar(4)			Yes
TblCase	TelHiddenFlagOnRelated	bit			
TblMailTelLk	TelID	int	NOT NULL		Yes
TblSSTel	TelID	int			Yes
TblTel	TelID	int	NOT NULL	Yes	
TblTelAdrLk	TelID	int	NOT NULL		Yes

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblTelDocLog	TelID	int	NOT NULL		
TblTelInterface	TelID	int	NOT NULL	Yes	Yes
TblTelMergeBatchItem	TelID	int	NOT NULL		Yes
TblTelRelObjFile	TelID	int	NOT NULL		Yes
TblTelSubLk	TelID	int	NOT NULL		Yes
TblTelWatchDog	TelID	int	NOT NULL		Yes
TblTelMergeBatch	TelMergeBatchID	int	NOT NULL	Yes	
TblTelMergeBatchItem	TelMergeBatchID	int	NOT NULL		Yes
TblTelMergeBatchItem	TelMergeBatchItemID	int	NOT NULL	Yes	
TblCaseWatchDog	TelOnRelated	bit			
TblTelRelObjFile	TelRelObjFileID	int	NOT NULL	Yes	
TblTelSubLk	TelSubLkID	int	NOT NULL	Yes	
TblTelWatchDog	TelWatchDogID	int	NOT NULL	Yes	
TblTip	TemplateAssignTo	varchar(4)			
TblTip	TemplateDescription	varchar(100)			
TblTip	TemplateInitialView	varchar(4)			
TblTip	TemplatePrefix	varchar(40)			
TblAdr	TemporaryAddress	varchar(1)			Yes
TblSSAdr	TemporaryAddress	varchar(1)			Yes
TblSSSubGangTermsMv	Term	varchar(50)			
TblSubGangTermsMv	Term	varchar(50)			
TblAdrRelObjFile	TextData	text			
TblDNRCallRelObjFile	TextData	text			
TblFinRelObjFile	TextData	text			
TblInterfaceRelObjFile	TextData	text			
TblMailRelObjFile	TextData	text			
TblPropCustRelObjFile	TextData	text			
TblPropItemRelObjFile	TextData	text			
TblPropRelObjFile	TextData	text			
TblSubRelObjFile	TextData	text			
TblSupRelObjFile	TextData	text			
TblTelRelObjFile	TextData	text			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblTipRelObjFile	TextData	text			
TblVehRelObjFile	TextData	text			
TblSup	TimeArrived	datetime			
TblSup	TimeCallReceived	datetime			
TblSup	TimeCompleted	datetime			
TblSup	TimeDispatched	datetime			
TblSession	Timeout	int			
TblSessionHistory	Timeout	int			
TblSup	TimeReportBegan	datetime			
TblSup	TimeToTakeReport	datetime			
TblTip	TipApproved	varchar(1)			Yes
TblTip	TipClass	varchar(4)			Yes
TblTip	TipEntryDateTime	datetime			
TblTip	TipEntryOper	int			Yes
TblTipHist	TipHistID	int	NOT NULL	Yes	
TblMailTipLk	TipID	int	NOT NULL		Yes
TblSup	TipID	int			Yes
TblTip	TipID	int	NOT NULL	Yes	
TblTipDocLog	TipID	int	NOT NULL		
TblTipHist	TipID	int	NOT NULL		Yes
TblTipInterface	TipID	int	NOT NULL	Yes	Yes
TblTipRelObjFile	TipID	int	NOT NULL		Yes
TblTipSSAdrLk	TipID	int	NOT NULL		Yes
TblTipSSSubLk	TipID	int	NOT NULL		Yes
TblTipSSTelLk	TipID	int	NOT NULL		Yes
TblTipSSVehLk	TipID	int	NOT NULL		Yes
TblTipSubTypeMv	TipID	int			Yes
TblTipTipLk	TipID	int			Yes
TblTipWatchDog	TipID	int	NOT NULL		Yes
TblTip	TipInformation	text			
TblTip	TipNumber	varchar(50)			
TblTipDocLog	TipNumber	varchar(50)			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCaseWatchDog	TipOnRelated	bit			
TblTip	TipPriority	varchar(4)			Yes
TblIntelPurgeBatch	TipPurge	varchar(1)			
TblTipRelObjFile	TipRelObjFileID	int	NOT NULL	Yes	
TblTip	TipSource	varchar(4)			Yes
TblTipSSAdrLk	TipSSAdrLkID	int	NOT NULL	Yes	
TblTipSSSubLk	TipSSSubLkID	int	NOT NULL	Yes	
TblTipSSTelLk	TipSSTelLkID	int	NOT NULL	Yes	
TblTipSSVehLk	TipSSVehLkID	int	NOT NULL	Yes	
TblIntelPurgeBatch	TipStatus	varchar(4)			
TblTip	TipStatus	varchar(4)			Yes
TblTipHist	TipStatus	varchar(4)			
TblTip	TipStatusDate	datetime			
TblTip	TipSubType	varchar(4)			Yes
TblTipSubTypeMv	TipSubType	varchar(4)			Yes
TblTipSubTypeMv	TipSubTypeMvID	int	NOT NULL	Yes	
TblTip	TipTaskCode	varchar(4)			Yes
TblTipTipLk	TipTipLkID	int	NOT NULL	Yes	
TblInterfaceTipRouteMv	TipType	varchar(4)	NOT NULL		Yes
TblTip	TipType	varchar(4)			Yes
TblTipWatchDog	TipWatchDogID	int	NOT NULL	Yes	
TblSup	TireShoeLifts	varchar(1)			Yes
TblSup	TireTracks	varchar(1)			Yes
TblPropCustItem	ToBinLocation	varchar(10)			Yes
TblPropItemRelLog	ToBinLocation	varchar(10)			
TblSup	ToolMarks	varchar(1)			Yes
TblSup	ToolsUsed	varchar(4)			Yes
TblExpTrans	ToOperID	int			Yes
TblMailRecipientMv	ToOperID	int			Yes
TblSupActivity	ToOperID	int			Yes
TblSupActivity	ToSecLev2	varchar(10)			Yes
TblSupActivity	ToSecLev3	varchar(10)			Yes

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblSupActivity	ToSecLev4	varchar(10)			Yes
TblSupActivity	ToSecLev5	varchar(10)			Yes
TblSupActivity	ToSecLev6	varchar(10)			Yes
TblSupActivity	ToSecLev7	varchar(10)			Yes
TblSupActivity	ToSecLev8	varchar(10)			Yes
TblArrest	TotalClearances	int			
TblSup	TotalExpenseAmount	money			
TblSup	TotalInsuredFor	money			
TblSup	TotalMinutes	int			
TblDNRCall	TouchTone	varchar(1)			Yes
TblSupAccidentPartyMv	Trafficway	varchar(4)			Yes
TblCitation	Trailer	int			Yes
TblPawn	Trailer	int			Yes
TblSupAccidentPartyMv	Trailer	int			Yes
TblSupAccidentPartyMv	Trailer2	int			Yes
TblSupAccidentPartyMv	TrailerDamage	money			
TblSSVeh	TrailerLengthFeet	smallint			
TblVeh	TrailerLengthFeet	smallint			
TblSupAccidentPartyMv	TrailerOwner	int			Yes
TblSSVeh	TrailerType	varchar(4)			Yes
TblVeh	TrailerType	varchar(4)			Yes
TblPawn	TransactionDateTime	datetime			
TblPawn	TransactionNumber	varchar(20)	NOT NULL		
TblPawnDocLog	TransactionNumber	varchar(20)			
TblPawn	TransactionTaker	varchar(50)			
TblPawn	TransactionTotal	money			
TblPawn	TransactionType	varchar(4)			Yes
TblDNRCall	Transcript	image			
TblDNRCall	TranscriptTxt	text			
TblPropDisp	TransferDate	datetime			
TblPropCust	TransferredFromID	int			Yes
TblPropCust	TransferredToID	int			Yes

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblPropDisp	TransferredFromID	int			Yes
TblPropDisp	TransferredToID	int			Yes
TblPropDisp	TransferredType	varchar(6)			Yes
TblArrest	TransportBy	varchar(20)			
TblArrest	TransportTo	varchar(20)			
TblSupAccidentPartyMv	TransportType	varchar(4)			Yes
TblSupAccidentPartyMv	TravelingOn	varchar(50)			
TblSupSSAdrLk	TravellingOn	varchar(50)			
TblSupAccidentPartyMv	TravellingOnTotalLanes	tinyint			
TblSubFndWatchDog	TriggerText	varchar(255)	NOT NULL		
TblQuery	Type	varchar(10)			
TblQueryCaseReportTypeMv	Type	varchar(4)			
TblIRISSLog	Type	varchar(5)			
TblSchemaObjects	Type	varchar(25)	NOT NULL	Yes	
TblSSSubIdMv	Type	varchar(4)	NOT NULL		Yes
TblSSSubSMTMv	Type	varchar(4)			Yes
TblSubIdMv	Type	varchar(4)	NOT NULL		Yes
TblSubSMTMv	Type	varchar(4)			Yes
TblSupRestitutionDataMv	Type	varchar(4)			Yes
TblSupTimeMv	Type	varchar(1)			
TblSSSub	TypeOfBusiness	varchar(4)			Yes
TblSub	TypeOfBusiness	varchar(4)			Yes
TblCase	TypeOfCase	varchar(4)			Yes
TblSSSub	TypeOfConstruction	varchar(50)			
TblSub	TypeOfConstruction	varchar(50)			
TblSupSSSubLk	TypeOfInjury	varchar(4)			Yes
TblSupSSSubLk	TypeOfInjury2	varchar(4)			Yes
TblSup	TypeOfInsurance	varchar(4)			Yes
TblInterfaceTypOfReportMv	TypeOfReport	varchar(8)	NOT NULL		Yes
TblQueryCaseReportTypeMv	TypeOfReport	varchar(8)	NOT NULL		Yes
TblSup	TypeOfReport	varchar(8)			Yes
TblSupNumberPool	TypeOfReport	varchar(8)	NOT NULL	Yes	Yes

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblSup	TypeOfStop	varchar(4)			Yes
TblSup	UCRAdjJuv	varchar(4)			Yes
TblArrestChargeMv	UCRClass	varchar(6)			Yes
TblSupChargeMv	UCRClass	varchar(6)			Yes
TblSupSSSubLkChargeMv	UCRClass	varchar(6)			Yes
TblSup	UCRClearCode	varchar(4)			Yes
TblSup	UCRClearDate	datetime			
TblSupSSVehLk	UCRDamage	varchar(4)			Yes
TblSupPropMv	UCRDamaged	varchar(1)			Yes
TblSupSSVehLk	UCRDateRecovered	datetime			
TblSup	UCRException	varchar(4)			Yes
TblArrest	UCRExempt	varchar(1)			Yes
TblUCR	UCRID	int	NOT NULL	Yes	
TblUCRExceptionMv	UCRID	int	NOT NULL		Yes
TblUCRRelObjFile	UCRID	int	NOT NULL		Yes
TblPropDisp	UCRPropertyType	varchar(4)			
TblSupSSVehLk	UCRRecoveryCode	varchar(4)			Yes
TblSupSSVehLk	UCRRecoveryLoc	varchar(4)			Yes
TblUCRRelObjFile	UCRRelObjFileID	int	NOT NULL	Yes	
TblSup	UCRReportingDate	datetime			
TblSupSSVehLk	UCRValueRecovered	money			
TblSupSSVehLk	UCRValueStolen	money			
TblSupSSVehLk	UCRVehStatus	varchar(4)			Yes
TblSup	UndercoverBuy	varchar(1)			Yes
TblSSSub	UnionAffiliation	varchar(1)			Yes
TblSub	UnionAffiliation	varchar(1)			Yes
TblSupOthUnitMv	Unit	varchar(4)			Yes
TblSupTimeMv	UnitCost	money			
TblPawnItem	UnitOfMeasure	varchar(4)			Yes
TblSup	UnitResponding	varchar(4)			
TblCitation	UnlawfulSpeed	int			
TblAdr	UpdateLock	uniqueidentifier			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblAdrMergeBatch	UpdateLock	uniqueidentifier			
TblArrest	UpdateLock	uniqueidentifier			
TblArrestGangCriteriaMv	UpdateLock	int			
TblCase	UpdateLock	uniqueidentifier			
TblCitation	UpdateLock	uniqueidentifier			
TblDNRCall	UpdateLock	uniqueidentifier			
TblDNRControl	UpdateLock	uniqueidentifier			
TblExpAccount	UpdateLock	uniqueidentifier			
TblExpTrans	UpdateLock	uniqueidentifier			
TblFin	UpdateLock	uniqueidentifier			
TblFinMergeBatch	UpdateLock	uniqueidentifier			
TblInstance	UpdateLock	uniqueidentifier			
TblPawn	UpdateLock	uniqueidentifier			
TblPawnItem	UpdateLock	uniqueidentifier			
TblProp	UpdateLock	uniqueidentifier			
TblPropCust	UpdateLock	uniqueidentifier			
TblPropDisp	UpdateLock	uniqueidentifier			
TblPropItem	UpdateLock	uniqueidentifier			
TblQuery	UpdateLock	uniqueidentifier			
TblSSAdr	UpdateLock	int			
TblSSFin	UpdateLock	int			
TblSSSub	UpdateLock	int			
TblSSTel	UpdateLock	int			
TblSSVeh	UpdateLock	int			
TblSub	UpdateLock	uniqueidentifier			
TblSubMergeBatch	UpdateLock	uniqueidentifier			
TblSup	UpdateLock	uniqueidentifier			
TblTel	UpdateLock	uniqueidentifier			
TblTelMergeBatch	UpdateLock	uniqueidentifier			
TblTip	UpdateLock	uniqueidentifier			
TblVeh	UpdateLock	uniqueidentifier			
TblVehMergeBatch	UpdateLock	uniqueidentifier			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblSup	UpdElapsed	int			
TblCase	UpdElapsed	int			
TblSupSSSubLkChargeMv	Upheld	varchar(1)			Yes
TblWebLog	UriQuery	text			
TblWebLog	UriStem	varchar(255)			
TblSup	USAttorneyName	varchar(50)			
TblSSVeh	USCGDocNumber	varchar(25)			
TblVeh	USCGDocNumber	varchar(25)			
TblSSSub	USCitizen	varchar(1)			Yes
TblSub	USCitizen	varchar(1)			Yes
TblSupSSSubLk	UseOfForce	varchar(1)			Yes
TblWebLog	UserAgent	text			
TblWebLog	UserName	varchar(255)			
TblAdrFinLk	ValidFrom	datetime			
TblAdrVehLk	ValidFrom	datetime			
TblFinSubLk	ValidFrom	datetime			
TblSSAdrFinLk	ValidFrom	datetime			
TblSSAdrVehLk	ValidFrom	datetime			
TblSSFinSubLk	ValidFrom	datetime			
TblSSSubAdrLk	ValidFrom	datetime			
TblSSSubSubLk	ValidFrom	datetime			
TblSSTelAdrLk	ValidFrom	datetime			
TblSSTelSubLk	ValidFrom	datetime			
TblSSVehSubLk	ValidFrom	datetime			
TblSubAdrLk	ValidFrom	datetime			
TblSubSubLk	ValidFrom	datetime			
TblTelAdrLk	ValidFrom	datetime			
TblTelSubLk	ValidFrom	datetime			
TblVehSubLk	ValidFrom	datetime			
TblAdrFinLk	ValidTo	datetime			
TblAdrVehLk	ValidTo	datetime			
TblFinSubLk	ValidTo	datetime			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TbISSAdrFinLk	ValidTo	datetime			
TbISSAdrVehLk	ValidTo	datetime			
TbISSFinSubLk	ValidTo	datetime			
TbISSSubAdrLk	ValidTo	datetime			
TbISSSubSubLk	ValidTo	datetime			
TbISSTelAdrLk	ValidTo	datetime			
TbISSTelSubLk	ValidTo	datetime			
TbISSVehSubLk	ValidTo	datetime			
TbSubAdrLk	ValidTo	datetime			
TbSubSubLk	ValidTo	datetime			
TbITelAdrLk	ValidTo	datetime			
TbITelSubLk	ValidTo	datetime			
TbIVehSubLk	ValidTo	datetime			
TbIFin	Value	money			
TbIInterfaceConfigMv	Value	varchar(1000)			
TbIJobConfigMv	Value	varchar(8000)			
TbISSFin	Value	money			
TbISupPropMv	ValueRecovered	money			
TbISupPropMv	ValueStolen	money			
TbIVehConcealmentsMv	VehConcealmentsMvID	int	NOT NULL	Yes	
TbISupAccidentPartyMv	VehDamage	money			
TbISupAccidentPartyMv	VehDamageDriverFender	bit			
TbISupAccidentPartyMv	VehDamageDriverFront	bit			
TbISupAccidentPartyMv	VehDamageDriverFrontDoor	bit			
TbISupAccidentPartyMv	VehDamageDriverQuarter	bit			
TbISupAccidentPartyMv	VehDamageDriverRear	bit			
TbISupAccidentPartyMv	VehDamageDriverRearDoor	bit			
TbISupAccidentPartyMv	VehDamageFirstPoint	int			
TbISupAccidentPartyMv	VehDamageFront	bit			
TbISupAccidentPartyMv	VehDamageHood	bit			
TbISupAccidentPartyMv	VehDamageOverturn	bit			
TbISupAccidentPartyMv	VehDamagePassengerFender	bit			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblSupAccidentPartyMv	VehDamagePassengerFront	bit			
TblSupAccidentPartyMv	VehDamagePassengerFrontDoor	bit			
TblSupAccidentPartyMv	VehDamagePassengerQuarter	bit			
TblSupAccidentPartyMv	VehDamagePassengerRear	bit			
TblSupAccidentPartyMv	VehDamagePassengerRearDoor	bit			
TblSupAccidentPartyMv	VehDamageRear	bit			
TblSupAccidentPartyMv	VehDamageRoof	bit			
TblSupAccidentPartyMv	VehDamageSeverity	varchar(4)			Yes
TblSupAccidentPartyMv	VehDamageTrailer	bit			
TblSupAccidentPartyMv	VehDamageTrunk	bit			
TblSupAccidentPartyMv	VehDamageUndercarriage	bit			
TblSupAccidentPartyMv	VehDamageWindshield	bit			
TblCase	VehDisclosureExemptOnRelated	bit			
TblCase	VehDisclosureExpirationOnRelated	datetime			
TblCase	VehHiddenFlagOnRelated	bit			
TblCitation	Vehicle	int			Yes
TblPawn	Vehicle	int			Yes
TblSupAccidentPartyMv	Vehicle	int			Yes
TblSupAccidentPartyMv	VehicleConfiguration	varchar(4)			Yes
TblSupAccidentPartyVehDefectMv	VehicleDefect	varchar(4)			Yes
TblSupAccidentPartyMv	VehicleDriverPed	int			Yes
TblSSVeh	VehicleHostID	varchar(10)			
TblVeh	VehicleHostID	varchar(10)			
TblSSVeh	VehicleMake	varchar(4)			Yes
TblVeh	VehicleMake	varchar(4)			Yes
TblSSVeh	VehicleModel	varchar(50)			
TblVeh	VehicleModel	varchar(50)			
TblSupAccidentPartyMv	VehicleMotorCarrier	int			Yes
TblSupAccidentPartyMv	VehicleOwner	int			Yes
TblSup	Vehicles	varchar(1)			Yes
TblSupAccidentPartyMv	VehicleStatus	varchar(4)			Yes
TblSupSSVehLk	VehicleStatus	varchar(4)			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblSSVeh	VehicleStyle	varchar(4)			Yes
TblVeh	VehicleStyle	varchar(4)			Yes
TblSSVeh	VehicleType	varchar(4)			Yes
TblVeh	VehicleType	varchar(4)			Yes
TblSSVeh	VehicleUse	varchar(4)			Yes
TblVeh	VehicleUse	varchar(4)			Yes
TblSup	VehicleUseBySus	varchar(4)			Yes
TblSSVeh	VehicleValue	money			
TblVeh	VehicleValue	money			
TblSSVeh	VehicleVINNumber	varchar(20)			
TblVeh	VehicleVINNumber	varchar(20)			
TblSSVeh	VehicleYear	smallint			
TblVeh	VehicleYear	smallint			
TblAdrVehLk	VehID	int	NOT NULL		Yes
TblMailVehLk	VehID	int	NOT NULL		Yes
TblPawnItem	VehID	int			Yes
TblSSVeh	VehID	int			Yes
TblVeh	VehID	int	NOT NULL	Yes	
TblVehConcealmentsMv	VehID	int			Yes
TblVehDocLog	VehID	int	NOT NULL		
TblVehInterface	VehID	int	NOT NULL	Yes	Yes
TblVehMergeBatchItem	VehID	int	NOT NULL		Yes
TblVehNameParts	VehID	int	NOT NULL	Yes	
TblVehRelObjFile	VehID	int	NOT NULL		Yes
TblVehSubLk	VehID	int	NOT NULL		Yes
TblVehWatchDog	VehID	int	NOT NULL		Yes
TblSupAccidentPartyMv	VehInitialDamageDriverFender	bit			
TblSupAccidentPartyMv	VehInitialDamageDriverFront	bit			
TblSupAccidentPartyMv	VehInitialDamageDriverFrontDoor	bit			
TblSupAccidentPartyMv	VehInitialDamageDriverQuarter	bit			
TblSupAccidentPartyMv	VehInitialDamageDriverRear	bit			
TblSupAccidentPartyMv	VehInitialDamageDriverRearDoor	bit			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblSupAccidentPartyMv	VehInitialDamageFront	bit			
TblSupAccidentPartyMv	VehInitialDamageHood	bit			
TblSupAccidentPartyMv	VehInitialDamageOverturn	bit			
TblSupAccidentPartyMv	VehInitialDamagePassengerFender	bit			
TblSupAccidentPartyMv	VehInitialDamagePassengerFront	bit			
TblSupAccidentPartyMv	VehInitialDamagePassengerFrontDoor	bit			
TblSupAccidentPartyMv	VehInitialDamagePassengerQuarter	bit			
TblSupAccidentPartyMv	VehInitialDamagePassengerRear	bit			
TblSupAccidentPartyMv	VehInitialDamagePassengerRearDoor	bit			
TblSupAccidentPartyMv	VehInitialDamageRear	bit			
TblSupAccidentPartyMv	VehInitialDamageRoof	bit			
TblSupAccidentPartyMv	VehInitialDamageTrailer	bit			
TblSupAccidentPartyMv	VehInitialDamageTrunk	bit			
TblSupAccidentPartyMv	VehInitialDamageUndercarriage	bit			
TblSupAccidentPartyMv	VehInitialDamageWindshield	bit			
TblVehMergeBatch	VehMergeBatchID	int	NOT NULL	Yes	
TblVehMergeBatchItem	VehMergeBatchID	int	NOT NULL		Yes
TblVehMergeBatchItem	VehMergeBatchItemID	int	NOT NULL	Yes	
TblSupAccidentPartyMv	VehMostDamagedArea	tinyint			
TblSupAccidentPartyMv	VehMovement	varchar(4)			Yes
TblCaseWatchDog	VehOnRelated	bit			
TblVehRelObjFile	VehRelObjFileID	int	NOT NULL	Yes	
TblSupAccidentPartyMv	VehSpecialFunc	varchar(4)			Yes
TblVehSubLk	VehSubLkID	int	NOT NULL	Yes	
TblVehWatchDog	VehWatchDogID	int	NOT NULL	Yes	
TblSupSSSubLkChargeMv	Verdict	varchar(4)			Yes
TblPropCust	VerifiedByID	int			Yes
TblSSVeh	VesselCategory	varchar(4)			Yes
TblVeh	VesselCategory	varchar(4)			Yes
TblSSVeh	VesselFuelType	varchar(4)			Yes
TblVeh	VesselFuelType	varchar(4)			Yes
TblSSVeh	VesselHullCode	varchar(4)			Yes

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblVeh	VesselHullCode	varchar(4)			Yes
TblSSVeh	VesselLength	smallint			
TblVeh	VesselLength	smallint			
TblSSVeh	VesselName	varchar(50)			
TblVeh	VesselName	varchar(50)			
TblSSVeh	VesselPropulsion	varchar(4)			Yes
TblVeh	VesselPropulsion	varchar(4)			Yes
TblSSVeh	VesselSSSubjectID	varchar(7)			
TblVeh	VesselSubjectID	varchar(7)			
TblSSVeh	VesselType	varchar(4)			Yes
TblVeh	VesselType	varchar(4)			Yes
TblSup	VictimAndProperty	varchar(1)			Yes
TblSup	VictimInjuries	varchar(1)			Yes
TblSup	VictimInjuryType	varchar(4)			Yes
TblSupSSSubLk	VictimType	varchar(4)			Yes
TblSup	VINSERNumberLifts	varchar(1)			Yes
TblSup	VINSERNumbers	varchar(1)			
TblCitation	Violator	int			Yes
TblSupAccidentPartyViolatorMv	ViolatorID	int			Yes
TblOper	WACISSCertCd	datetime			
TblCitationWarningMv	Warning	varchar(4)			Yes
TblArrest	WarrantDate	datetime			
TblSup	WarrantDistrict	varchar(2)			
TblArrest	WarrantNumber	varchar(20)			
TblSupSSSubLk	WarrantNumber	varchar(50)			
TblSup	WarrantOfficer	int			Yes
TblArrest	WarrantType	varchar(4)			Yes
TblSup	Weapons	varchar(1)			Yes
TblArrest	WeaponSeized	varchar(4)			Yes
TblPropItem	WeaponSubType	varchar(4)			Yes
TblSupPropMv	WeaponSubType	varchar(4)			Yes
TblSupWepMv	WeaponSubType	varchar(4)			Yes

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblSupWepMv	WeaponType	varchar(4)			Yes
TblSupSSSubLkUOFWeapMv	WeaponUsed	varchar(4)	NOT NULL		Yes
TblSup	WeatherUponArrival	varchar(4)			Yes
TblSSSub	Weight	smallint			
TblSub	Weight	smallint			
TblSSSub	WepUsedInThePast	varchar(50)			
TblSub	WepUsedInThePast	varchar(50)			
TblAdr	WGS84Latitude	float			
TblSSAdr	WGS84Latitude	float			
TblSupSSAdrLk	WGS84Latitude	float			
TblAdr	WGS84Longitude	float			
TblSSAdr	WGS84Longitude	float			
TblSupSSAdrLk	WGS84Longitude	float			
TblSupSusActMv	WhenActionOccurred	varchar(1)			Yes
TblSSVeh	WingStyle	varchar(4)			Yes
TblVeh	WingStyle	varchar(4)			Yes
TblWebLog	WinStatus	int			
TblIDNRControl	WireApprovalJudge	varchar(50)			
TblIDNRCall	WireCall	varchar(1)	NOT NULL		Yes
TblIDNRControl	WireCallDefault	varchar(1)	NOT NULL		Yes
TblIDNRControl	WireStartDate	datetime			
TblIDNRControl	WireStopDate	datetime			
TblSupAccidentPartyMv	WorkArea	varchar(4)			Yes
TblSup	WorkStatus	varchar(4)			Yes
TblAdr	ZipCode	varchar(10)			
TblSSAdr	ZipCode	varchar(10)			
TblSup	ZoneArea	varchar(4)			Yes

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsAccidentAirBagStatus	Description	varchar(100)	NOT NULL		
TblCdsAccidentAirBagStatus	RODate	datetime	NOT NULL		
TblCdsAccidentAirBagStatus	ROOperator	int	NOT NULL		
TblCdsAccidentAirBagStatus	LUDate	datetime	NOT NULL		
TblCdsAccidentAirBagStatus	LUOperator	int	NOT NULL		
TblCdsAccidentAirBagStatus	UpdateLock	int			
TblCdsAccidentAirBagStatus	ObsoleteFlag	tinyint			
TblCdsAccidentAirBagStatus	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentAlcDrugTestType	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentAlcDrugTestType	Description	varchar(50)	NOT NULL		
TblCdsAccidentAlcDrugTestType	RODate	datetime	NOT NULL		
TblCdsAccidentAlcDrugTestType	ROOperator	int	NOT NULL		
TblCdsAccidentAlcDrugTestType	LUDate	datetime	NOT NULL		
TblCdsAccidentAlcDrugTestType	LUOperator	int	NOT NULL		
TblCdsAccidentAlcDrugTestType	UpdateLock	int			
TblCdsAccidentAlcDrugTestType	ObsoleteFlag	tinyint			
TblCdsAccidentAlcDrugTestType	LogicCode	varchar(4)			
TblCdsAccidentAlcDrugUse	Description	varchar(50)	NOT NULL		
TblCdsAccidentAlcDrugUse	RODate	datetime	NOT NULL		
TblCdsAccidentAlcDrugUse	ROOperator	int	NOT NULL		
TblCdsAccidentAlcDrugUse	LUDate	datetime	NOT NULL		
TblCdsAccidentAlcDrugUse	LUOperator	int	NOT NULL		
TblCdsAccidentAlcDrugUse	UpdateLock	int			
TblCdsAccidentAlcDrugUse	ObsoleteFlag	tinyint			
TblCdsAccidentAlcDrugUse	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentAlcoholTested	Description	varchar(100)	NOT NULL		
TblCdsAccidentAlcoholTested	RODate	datetime	NOT NULL		
TblCdsAccidentAlcoholTested	ROOperator	int	NOT NULL		
TblCdsAccidentAlcoholTested	LUDate	datetime	NOT NULL		
TblCdsAccidentAlcoholTested	LUOperator	int	NOT NULL		
TblCdsAccidentAlcoholTested	UpdateLock	int			
TblCdsAccidentAlcoholTested	ObsoleteFlag	tinyint			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsAccidentAlcoholTested	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentAlcoholTestResult	Description	varchar(100)	NOT NULL		
TblCdsAccidentAlcoholTestResult	RODate	datetime	NOT NULL		
TblCdsAccidentAlcoholTestResult	ROOperator	int	NOT NULL		
TblCdsAccidentAlcoholTestResult	LUDate	datetime	NOT NULL		
TblCdsAccidentAlcoholTestResult	LUOperator	int	NOT NULL		
TblCdsAccidentAlcoholTestResult	UpdateLock	int			
TblCdsAccidentAlcoholTestResult	ObsoleteFlag	tinyint			
TblCdsAccidentAlcoholTestResult	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentAlcoholTestType	Description	varchar(100)	NOT NULL		
TblCdsAccidentAlcoholTestType	RODate	datetime	NOT NULL		
TblCdsAccidentAlcoholTestType	ROOperator	int	NOT NULL		
TblCdsAccidentAlcoholTestType	LUDate	datetime	NOT NULL		
TblCdsAccidentAlcoholTestType	LUOperator	int	NOT NULL		
TblCdsAccidentAlcoholTestType	UpdateLock	int			
TblCdsAccidentAlcoholTestType	ObsoleteFlag	tinyint			
TblCdsAccidentAlcoholTestType	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentCause	Description	varchar(50)	NOT NULL		
TblCdsAccidentCause	RODate	datetime	NOT NULL		
TblCdsAccidentCause	ROOperator	int	NOT NULL		
TblCdsAccidentCause	LUDate	datetime	NOT NULL		
TblCdsAccidentCause	LUOperator	int	NOT NULL		
TblCdsAccidentCause	UpdateLock	int			
TblCdsAccidentCause	ObsoleteFlag	tinyint			
TblCdsAccidentCause	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentCommercialVehicleStatus	Description	varchar(100)	NOT NULL		
TblCdsAccidentCommercialVehicleStatus	RODate	datetime	NOT NULL		
TblCdsAccidentCommercialVehicleStatus	ROOperator	int	NOT NULL		
TblCdsAccidentCommercialVehicleStatus	LUDate	datetime	NOT NULL		
TblCdsAccidentCommercialVehicleStatus	LUOperator	int	NOT NULL		
TblCdsAccidentCommercialVehicleStatus	UpdateLock	int			
TblCdsAccidentCommercialVehicleStatus	ObsoleteFlag	tinyint			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsAccidentCommercialVehicleStatus	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentContributingCircumstances	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentContributingCircumstances	Description	varchar(100)	NOT NULL		
TblCdsAccidentContributingCircumstances	RODate	datetime	NOT NULL		
TblCdsAccidentContributingCircumstances	ROOperator	int	NOT NULL		
TblCdsAccidentContributingCircumstances	LUDate	datetime	NOT NULL		
TblCdsAccidentContributingCircumstances	LUOperator	int	NOT NULL		
TblCdsAccidentContributingCircumstances	UpdateLock	int			
TblCdsAccidentContributingCircumstances	ObsoleteFlag	tinyint			
TblCdsAccidentContributingCircumstances	AccidentContributingCircumstancesType	varchar(4)	NOT NULL		Yes
TblCdsAccidentContributingCircumstancesType	Description	varchar(100)	NOT NULL		
TblCdsAccidentContributingCircumstancesType	RODate	datetime	NOT NULL		
TblCdsAccidentContributingCircumstancesType	ROOperator	int	NOT NULL		
TblCdsAccidentContributingCircumstancesType	LUDate	datetime	NOT NULL		
TblCdsAccidentContributingCircumstancesType	LUOperator	int	NOT NULL		
TblCdsAccidentContributingCircumstancesType	UpdateLock	int			
TblCdsAccidentContributingCircumstancesType	ObsoleteFlag	tinyint			
TblCdsAccidentContributingCircumstancesType	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentCrashInWorkZone	Description	varchar(50)	NOT NULL		
TblCdsAccidentCrashInWorkZone	RODate	datetime	NOT NULL		
TblCdsAccidentCrashInWorkZone	ROOperator	int	NOT NULL		
TblCdsAccidentCrashInWorkZone	LUDate	datetime	NOT NULL		
TblCdsAccidentCrashInWorkZone	LUOperator	int	NOT NULL		
TblCdsAccidentCrashInWorkZone	UpdateLock	int			
TblCdsAccidentCrashInWorkZone	ObsoleteFlag	tinyint			
TblCdsAccidentCrashInWorkZone	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentDriverAction	Description	varchar(50)	NOT NULL		
TblCdsAccidentDriverAction	RODate	datetime	NOT NULL		
TblCdsAccidentDriverAction	ROOperator	int	NOT NULL		
TblCdsAccidentDriverAction	LUDate	datetime	NOT NULL		
TblCdsAccidentDriverAction	LUOperator	int	NOT NULL		
TblCdsAccidentDriverAction	UpdateLock	int			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsAccidentDriverAction	ObsoleteFlag	tinyint			
TblCdsAccidentDriverAction	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentDriverDistraction	Description	varchar(100)	NOT NULL		
TblCdsAccidentDriverDistraction	RODate	datetime	NOT NULL		
TblCdsAccidentDriverDistraction	ROOperator	int	NOT NULL		
TblCdsAccidentDriverDistraction	LUDate	datetime	NOT NULL		
TblCdsAccidentDriverDistraction	LUOperator	int	NOT NULL		
TblCdsAccidentDriverDistraction	UpdateLock	int			
TblCdsAccidentDriverDistraction	ObsoleteFlag	tinyint			
TblCdsAccidentDriverDistraction	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentDriverVisionObstruction	Description	varchar(100)	NOT NULL		
TblCdsAccidentDriverVisionObstruction	RODate	datetime	NOT NULL		
TblCdsAccidentDriverVisionObstruction	ROOperator	int	NOT NULL		
TblCdsAccidentDriverVisionObstruction	LUDate	datetime	NOT NULL		
TblCdsAccidentDriverVisionObstruction	LUOperator	int	NOT NULL		
TblCdsAccidentDriverVisionObstruction	UpdateLock	int			
TblCdsAccidentDriverVisionObstruction	ObsoleteFlag	tinyint			
TblCdsAccidentDriverVisionObstruction	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentDrugTested	Description	varchar(100)	NOT NULL		
TblCdsAccidentDrugTested	RODate	datetime	NOT NULL		
TblCdsAccidentDrugTested	ROOperator	int	NOT NULL		
TblCdsAccidentDrugTested	LUDate	datetime	NOT NULL		
TblCdsAccidentDrugTested	LUOperator	int	NOT NULL		
TblCdsAccidentDrugTested	UpdateLock	int			
TblCdsAccidentDrugTested	ObsoleteFlag	tinyint			
TblCdsAccidentDrugTested	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentDrugTestResult	Description	varchar(100)	NOT NULL		
TblCdsAccidentDrugTestResult	RODate	datetime	NOT NULL		
TblCdsAccidentDrugTestResult	ROOperator	int	NOT NULL		
TblCdsAccidentDrugTestResult	LUDate	datetime	NOT NULL		
TblCdsAccidentDrugTestResult	LUOperator	int	NOT NULL		
TblCdsAccidentDrugTestResult	UpdateLock	int			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsAccidentDrugTestResult	ObsoleteFlag	tinyint			
TblCdsAccidentDrugTestResult	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentDrugTestType	Description	varchar(100)	NOT NULL		
TblCdsAccidentDrugTestType	RODate	datetime	NOT NULL		
TblCdsAccidentDrugTestType	ROOperator	int	NOT NULL		
TblCdsAccidentDrugTestType	LUDate	datetime	NOT NULL		
TblCdsAccidentDrugTestType	LUOperator	int	NOT NULL		
TblCdsAccidentDrugTestType	UpdateLock	int			
TblCdsAccidentDrugTestType	ObsoleteFlag	tinyint			
TblCdsAccidentDrugTestType	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentEjected	Description	varchar(50)	NOT NULL		
TblCdsAccidentEjected	RODate	datetime	NOT NULL		
TblCdsAccidentEjected	ROOperator	int	NOT NULL		
TblCdsAccidentEjected	LUDate	datetime	NOT NULL		
TblCdsAccidentEjected	LUOperator	int	NOT NULL		
TblCdsAccidentEjected	UpdateLock	int			
TblCdsAccidentEjected	ObsoleteFlag	tinyint			
TblCdsAccidentEjected	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentFirstAidBy	Description	varchar(50)	NOT NULL		
TblCdsAccidentFirstAidBy	RODate	datetime	NOT NULL		
TblCdsAccidentFirstAidBy	ROOperator	int	NOT NULL		
TblCdsAccidentFirstAidBy	LUDate	datetime	NOT NULL		
TblCdsAccidentFirstAidBy	LUOperator	int	NOT NULL		
TblCdsAccidentFirstAidBy	UpdateLock	int			
TblCdsAccidentFirstAidBy	ObsoleteFlag	tinyint			
TblCdsAccidentFirstAidBy	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentHarmfulEvent	Description	varchar(50)	NOT NULL		
TblCdsAccidentHarmfulEvent	RODate	datetime	NOT NULL		
TblCdsAccidentHarmfulEvent	ROOperator	int	NOT NULL		
TblCdsAccidentHarmfulEvent	LUDate	datetime	NOT NULL		
TblCdsAccidentHarmfulEvent	LUOperator	int	NOT NULL		
TblCdsAccidentHarmfulEvent	UpdateLock	int			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsAccidentHarmfulEvent	ObsoleteFlag	tinyint			
TblCdsAccidentHarmfulEvent	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentHarmfulEventLocation	Description	varchar(50)	NOT NULL		
TblCdsAccidentHarmfulEventLocation	RODate	datetime	NOT NULL		
TblCdsAccidentHarmfulEventLocation	ROOperator	int	NOT NULL		
TblCdsAccidentHarmfulEventLocation	LUDate	datetime	NOT NULL		
TblCdsAccidentHarmfulEventLocation	LUOperator	int	NOT NULL		
TblCdsAccidentHarmfulEventLocation	UpdateLock	int			
TblCdsAccidentHarmfulEventLocation	ObsoleteFlag	tinyint			
TblCdsAccidentHarmfulEventLocation	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentHarmfulEventRelatedToJunction	Description	varchar(50)	NOT NULL		
TblCdsAccidentHarmfulEventRelatedToJunction	RODate	datetime	NOT NULL		
TblCdsAccidentHarmfulEventRelatedToJunction	ROOperator	int	NOT NULL		
TblCdsAccidentHarmfulEventRelatedToJunction	LUDate	datetime	NOT NULL		
TblCdsAccidentHarmfulEventRelatedToJunction	LUOperator	int	NOT NULL		
TblCdsAccidentHarmfulEventRelatedToJunction	UpdateLock	int			
TblCdsAccidentHarmfulEventRelatedToJunction	ObsoleteFlag	tinyint			
TblCdsAccidentHarmfulEventRelatedToJunction	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentHelmet	Description	varchar(100)	NOT NULL		
TblCdsAccidentHelmet	RODate	datetime	NOT NULL		
TblCdsAccidentHelmet	ROOperator	int	NOT NULL		
TblCdsAccidentHelmet	LUDate	datetime	NOT NULL		
TblCdsAccidentHelmet	LUOperator	int	NOT NULL		
TblCdsAccidentHelmet	UpdateLock	int			
TblCdsAccidentHelmet	ObsoleteFlag	tinyint			
TblCdsAccidentHelmet	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentInjurySeverity	Description	varchar(50)	NOT NULL		
TblCdsAccidentInjurySeverity	RODate	datetime	NOT NULL		
TblCdsAccidentInjurySeverity	ROOperator	int	NOT NULL		
TblCdsAccidentInjurySeverity	LUDate	datetime	NOT NULL		
TblCdsAccidentInjurySeverity	LUOperator	int	NOT NULL		
TblCdsAccidentInjurySeverity	UpdateLock	int			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsAccidentInjurySeverity	ObsoleteFlag	tinyint			
TblCdsAccidentInjurySeverity	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentLighting	Description	varchar(50)	NOT NULL		
TblCdsAccidentLighting	RODate	datetime	NOT NULL		
TblCdsAccidentLighting	ROOperator	int	NOT NULL		
TblCdsAccidentLighting	LUDate	datetime	NOT NULL		
TblCdsAccidentLighting	LUOperator	int	NOT NULL		
TblCdsAccidentLighting	UpdateLock	int			
TblCdsAccidentLighting	ObsoleteFlag	tinyint			
TblCdsAccidentLighting	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentLocationInVehicle	Description	varchar(50)	NOT NULL		
TblCdsAccidentLocationInVehicle	RODate	datetime	NOT NULL		
TblCdsAccidentLocationInVehicle	ROOperator	int	NOT NULL		
TblCdsAccidentLocationInVehicle	LUDate	datetime	NOT NULL		
TblCdsAccidentLocationInVehicle	LUOperator	int	NOT NULL		
TblCdsAccidentLocationInVehicle	UpdateLock	int			
TblCdsAccidentLocationInVehicle	ObsoleteFlag	tinyint			
TblCdsAccidentLocationInVehicle	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentLocationTyp	Description	varchar(50)	NOT NULL		
TblCdsAccidentLocationTyp	RODate	datetime	NOT NULL		
TblCdsAccidentLocationTyp	ROOperator	int	NOT NULL		
TblCdsAccidentLocationTyp	LUDate	datetime	NOT NULL		
TblCdsAccidentLocationTyp	LUOperator	int	NOT NULL		
TblCdsAccidentLocationTyp	UpdateLock	int			
TblCdsAccidentLocationTyp	ObsoleteFlag	tinyint			
TblCdsAccidentLocationTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentMannerOfCollision	Description	varchar(50)	NOT NULL		
TblCdsAccidentMannerOfCollision	RODate	datetime	NOT NULL		
TblCdsAccidentMannerOfCollision	ROOperator	int	NOT NULL		
TblCdsAccidentMannerOfCollision	LUDate	datetime	NOT NULL		
TblCdsAccidentMannerOfCollision	LUOperator	int	NOT NULL		
TblCdsAccidentMannerOfCollision	UpdateLock	int			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsAccidentMannerOfCollision	ObsoleteFlag	tinyint			
TblCdsAccidentMannerOfCollision	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentNotifiedBy	Description	varchar(50)	NOT NULL		
TblCdsAccidentNotifiedBy	RODate	datetime	NOT NULL		
TblCdsAccidentNotifiedBy	ROOperator	int	NOT NULL		
TblCdsAccidentNotifiedBy	LUDate	datetime	NOT NULL		
TblCdsAccidentNotifiedBy	LUOperator	int	NOT NULL		
TblCdsAccidentNotifiedBy	UpdateLock	int			
TblCdsAccidentNotifiedBy	ObsoleteFlag	tinyint			
TblCdsAccidentNotifiedBy	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentOfn	Description	varchar(50)	NOT NULL		
TblCdsAccidentOfn	RODate	datetime	NOT NULL		
TblCdsAccidentOfn	ROOperator	int	NOT NULL		
TblCdsAccidentOfn	LUDate	datetime	NOT NULL		
TblCdsAccidentOfn	LUOperator	int	NOT NULL		
TblCdsAccidentOfn	UpdateLock	int			
TblCdsAccidentOfn	ObsoleteFlag	tinyint			
TblCdsAccidentOfn	Code	varchar(20)	NOT NULL	Yes	
TblCdsAccidentPartyTyp	Description	varchar(50)	NOT NULL		
TblCdsAccidentPartyTyp	RODate	datetime	NOT NULL		
TblCdsAccidentPartyTyp	ROOperator	int	NOT NULL		
TblCdsAccidentPartyTyp	LUDate	datetime	NOT NULL		
TblCdsAccidentPartyTyp	LUOperator	int	NOT NULL		
TblCdsAccidentPartyTyp	UpdateLock	int			
TblCdsAccidentPartyTyp	ObsoleteFlag	tinyint			
TblCdsAccidentPartyTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentPedestAction	Description	varchar(50)	NOT NULL		
TblCdsAccidentPedestAction	RODate	datetime	NOT NULL		
TblCdsAccidentPedestAction	ROOperator	int	NOT NULL		
TblCdsAccidentPedestAction	LUDate	datetime	NOT NULL		
TblCdsAccidentPedestAction	LUOperator	int	NOT NULL		
TblCdsAccidentPedestAction	UpdateLock	int			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsAccidentPedestAction	ObsoleteFlag	tinyint			
TblCdsAccidentPedestAction	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentPedestrianAction	Description	varchar(100)	NOT NULL		
TblCdsAccidentPedestrianAction	RODate	datetime	NOT NULL		
TblCdsAccidentPedestrianAction	ROOperator	int	NOT NULL		
TblCdsAccidentPedestrianAction	LUDate	datetime	NOT NULL		
TblCdsAccidentPedestrianAction	LUOperator	int	NOT NULL		
TblCdsAccidentPedestrianAction	UpdateLock	int			
TblCdsAccidentPedestrianAction	ObsoleteFlag	tinyint			
TblCdsAccidentPedestrianAction	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentPedestrianDescription	Description	varchar(100)	NOT NULL		
TblCdsAccidentPedestrianDescription	RODate	datetime	NOT NULL		
TblCdsAccidentPedestrianDescription	ROOperator	int	NOT NULL		
TblCdsAccidentPedestrianDescription	LUDate	datetime	NOT NULL		
TblCdsAccidentPedestrianDescription	LUOperator	int	NOT NULL		
TblCdsAccidentPedestrianDescription	UpdateLock	int			
TblCdsAccidentPedestrianDescription	ObsoleteFlag	tinyint			
TblCdsAccidentPedestrianDescription	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentPedestrianLocation	Description	varchar(100)	NOT NULL		
TblCdsAccidentPedestrianLocation	RODate	datetime	NOT NULL		
TblCdsAccidentPedestrianLocation	ROOperator	int	NOT NULL		
TblCdsAccidentPedestrianLocation	LUDate	datetime	NOT NULL		
TblCdsAccidentPedestrianLocation	LUOperator	int	NOT NULL		
TblCdsAccidentPedestrianLocation	UpdateLock	int			
TblCdsAccidentPedestrianLocation	ObsoleteFlag	tinyint			
TblCdsAccidentPedestrianLocation	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentPedestrianPreAction	Description	varchar(100)	NOT NULL		
TblCdsAccidentPedestrianPreAction	RODate	datetime	NOT NULL		
TblCdsAccidentPedestrianPreAction	ROOperator	int	NOT NULL		
TblCdsAccidentPedestrianPreAction	LUDate	datetime	NOT NULL		
TblCdsAccidentPedestrianPreAction	LUOperator	int	NOT NULL		
TblCdsAccidentPedestrianPreAction	UpdateLock	int			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsAccidentPedestrianPreAction	ObsoleteFlag	tinyint			
TblCdsAccidentPedestrianPreAction	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentPhotoBy	Description	varchar(50)	NOT NULL		
TblCdsAccidentPhotoBy	RODate	datetime	NOT NULL		
TblCdsAccidentPhotoBy	ROOperator	int	NOT NULL		
TblCdsAccidentPhotoBy	LUDate	datetime	NOT NULL		
TblCdsAccidentPhotoBy	LUOperator	int	NOT NULL		
TblCdsAccidentPhotoBy	UpdateLock	int			
TblCdsAccidentPhotoBy	ObsoleteFlag	tinyint			
TblCdsAccidentPhotoBy	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentPhysicalDefects	Description	varchar(50)	NOT NULL		
TblCdsAccidentPhysicalDefects	RODate	datetime	NOT NULL		
TblCdsAccidentPhysicalDefects	ROOperator	int	NOT NULL		
TblCdsAccidentPhysicalDefects	LUDate	datetime	NOT NULL		
TblCdsAccidentPhysicalDefects	LUOperator	int	NOT NULL		
TblCdsAccidentPhysicalDefects	UpdateLock	int			
TblCdsAccidentPhysicalDefects	ObsoleteFlag	tinyint			
TblCdsAccidentPhysicalDefects	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentPOC	Description	varchar(50)	NOT NULL		
TblCdsAccidentPOC	RODate	datetime	NOT NULL		
TblCdsAccidentPOC	ROOperator	int	NOT NULL		
TblCdsAccidentPOC	LUDate	datetime	NOT NULL		
TblCdsAccidentPOC	LUOperator	int	NOT NULL		
TblCdsAccidentPOC	UpdateLock	int			
TblCdsAccidentPOC	ObsoleteFlag	tinyint			
TblCdsAccidentPOC	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentRemovedBySource	Description	varchar(50)	NOT NULL		
TblCdsAccidentRemovedBySource	RODate	datetime	NOT NULL		
TblCdsAccidentRemovedBySource	ROOperator	int	NOT NULL		
TblCdsAccidentRemovedBySource	LUDate	datetime	NOT NULL		
TblCdsAccidentRemovedBySource	LUOperator	int	NOT NULL		
TblCdsAccidentRemovedBySource	UpdateLock	int			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsAccidentRemovedBySource	ObsoleteFlag	tinyint			
TblCdsAccidentRemovedBySource	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentRequiredEndorsement	Description	varchar(50)	NOT NULL		
TblCdsAccidentRequiredEndorsement	RODate	datetime	NOT NULL		
TblCdsAccidentRequiredEndorsement	ROOperator	int	NOT NULL		
TblCdsAccidentRequiredEndorsement	LUDate	datetime	NOT NULL		
TblCdsAccidentRequiredEndorsement	LUOperator	int	NOT NULL		
TblCdsAccidentRequiredEndorsement	UpdateLock	int			
TblCdsAccidentRequiredEndorsement	ObsoleteFlag	tinyint			
TblCdsAccidentRequiredEndorsement	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentRestraintSystem	Description	varchar(100)	NOT NULL		
TblCdsAccidentRestraintSystem	RODate	datetime	NOT NULL		
TblCdsAccidentRestraintSystem	ROOperator	int	NOT NULL		
TblCdsAccidentRestraintSystem	LUDate	datetime	NOT NULL		
TblCdsAccidentRestraintSystem	LUOperator	int	NOT NULL		
TblCdsAccidentRestraintSystem	UpdateLock	int			
TblCdsAccidentRestraintSystem	ObsoleteFlag	tinyint			
TblCdsAccidentRestraintSystem	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentRoadCondition	Description	varchar(50)	NOT NULL		
TblCdsAccidentRoadCondition	RODate	datetime	NOT NULL		
TblCdsAccidentRoadCondition	ROOperator	int	NOT NULL		
TblCdsAccidentRoadCondition	LUDate	datetime	NOT NULL		
TblCdsAccidentRoadCondition	LUOperator	int	NOT NULL		
TblCdsAccidentRoadCondition	UpdateLock	int			
TblCdsAccidentRoadCondition	ObsoleteFlag	tinyint			
TblCdsAccidentRoadCondition	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentRoadSurfaceCond	Description	varchar(50)	NOT NULL		
TblCdsAccidentRoadSurfaceCond	RODate	datetime	NOT NULL		
TblCdsAccidentRoadSurfaceCond	ROOperator	int	NOT NULL		
TblCdsAccidentRoadSurfaceCond	LUDate	datetime	NOT NULL		
TblCdsAccidentRoadSurfaceCond	LUOperator	int	NOT NULL		
TblCdsAccidentRoadSurfaceCond	UpdateLock	int			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsAccidentRoadSurfaceCond	ObsoleteFlag	tinyint			
TblCdsAccidentRoadSurfaceCond	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentRoadSurfaceTyp	Description	varchar(50)	NOT NULL		
TblCdsAccidentRoadSurfaceTyp	RODate	datetime	NOT NULL		
TblCdsAccidentRoadSurfaceTyp	ROOperator	int	NOT NULL		
TblCdsAccidentRoadSurfaceTyp	LUDate	datetime	NOT NULL		
TblCdsAccidentRoadSurfaceTyp	LUOperator	int	NOT NULL		
TblCdsAccidentRoadSurfaceTyp	UpdateLock	int			
TblCdsAccidentRoadSurfaceTyp	ObsoleteFlag	tinyint			
TblCdsAccidentRoadSurfaceTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentRoadSystemId	Description	varchar(50)	NOT NULL		
TblCdsAccidentRoadSystemId	RODate	datetime	NOT NULL		
TblCdsAccidentRoadSystemId	ROOperator	int	NOT NULL		
TblCdsAccidentRoadSystemId	LUDate	datetime	NOT NULL		
TblCdsAccidentRoadSystemId	LUOperator	int	NOT NULL		
TblCdsAccidentRoadSystemId	UpdateLock	int			
TblCdsAccidentRoadSystemId	ObsoleteFlag	tinyint			
TblCdsAccidentRoadSystemId	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentRoadwayAlignment	Description	varchar(100)	NOT NULL		
TblCdsAccidentRoadwayAlignment	RODate	datetime	NOT NULL		
TblCdsAccidentRoadwayAlignment	ROOperator	int	NOT NULL		
TblCdsAccidentRoadwayAlignment	LUDate	datetime	NOT NULL		
TblCdsAccidentRoadwayAlignment	LUOperator	int	NOT NULL		
TblCdsAccidentRoadwayAlignment	UpdateLock	int			
TblCdsAccidentRoadwayAlignment	ObsoleteFlag	tinyint			
TblCdsAccidentRoadwayAlignment	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentRoadwayGrade	Description	varchar(100)	NOT NULL		
TblCdsAccidentRoadwayGrade	RODate	datetime	NOT NULL		
TblCdsAccidentRoadwayGrade	ROOperator	int	NOT NULL		
TblCdsAccidentRoadwayGrade	LUDate	datetime	NOT NULL		
TblCdsAccidentRoadwayGrade	LUOperator	int	NOT NULL		
TblCdsAccidentRoadwayGrade	UpdateLock	int			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsAccidentRoadwayGrade	ObsoleteFlag	tinyint			
TblCdsAccidentRoadwayGrade	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentSafetyEquipment	Description	varchar(50)	NOT NULL		
TblCdsAccidentSafetyEquipment	RODate	datetime	NOT NULL		
TblCdsAccidentSafetyEquipment	ROOperator	int	NOT NULL		
TblCdsAccidentSafetyEquipment	LUDate	datetime	NOT NULL		
TblCdsAccidentSafetyEquipment	LUOperator	int	NOT NULL		
TblCdsAccidentSafetyEquipment	UpdateLock	int			
TblCdsAccidentSafetyEquipment	ObsoleteFlag	tinyint			
TblCdsAccidentSafetyEquipment	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentSchoolBusRelated	Description	varchar(50)	NOT NULL		
TblCdsAccidentSchoolBusRelated	RODate	datetime	NOT NULL		
TblCdsAccidentSchoolBusRelated	ROOperator	int	NOT NULL		
TblCdsAccidentSchoolBusRelated	LUDate	datetime	NOT NULL		
TblCdsAccidentSchoolBusRelated	LUOperator	int	NOT NULL		
TblCdsAccidentSchoolBusRelated	UpdateLock	int			
TblCdsAccidentSchoolBusRelated	ObsoleteFlag	tinyint			
TblCdsAccidentSchoolBusRelated	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentSeatingLocationOther	Description	varchar(100)	NOT NULL		
TblCdsAccidentSeatingLocationOther	RODate	datetime	NOT NULL		
TblCdsAccidentSeatingLocationOther	ROOperator	int	NOT NULL		
TblCdsAccidentSeatingLocationOther	LUDate	datetime	NOT NULL		
TblCdsAccidentSeatingLocationOther	LUOperator	int	NOT NULL		
TblCdsAccidentSeatingLocationOther	UpdateLock	int			
TblCdsAccidentSeatingLocationOther	ObsoleteFlag	tinyint			
TblCdsAccidentSeatingLocationOther	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentSeatingLocationRow	Description	varchar(100)	NOT NULL		
TblCdsAccidentSeatingLocationRow	RODate	datetime	NOT NULL		
TblCdsAccidentSeatingLocationRow	ROOperator	int	NOT NULL		
TblCdsAccidentSeatingLocationRow	LUDate	datetime	NOT NULL		
TblCdsAccidentSeatingLocationRow	LUOperator	int	NOT NULL		
TblCdsAccidentSeatingLocationRow	UpdateLock	int			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsAccidentSeatingLocationRow	ObsoleteFlag	tinyint			
TblCdsAccidentSeatingLocationRow	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentSeatingLocationSeat	Description	varchar(100)	NOT NULL		
TblCdsAccidentSeatingLocationSeat	RODate	datetime	NOT NULL		
TblCdsAccidentSeatingLocationSeat	ROOperator	int	NOT NULL		
TblCdsAccidentSeatingLocationSeat	LUDate	datetime	NOT NULL		
TblCdsAccidentSeatingLocationSeat	LUOperator	int	NOT NULL		
TblCdsAccidentSeatingLocationSeat	UpdateLock	int			
TblCdsAccidentSeatingLocationSeat	ObsoleteFlag	tinyint			
TblCdsAccidentSeatingLocationSeat	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentSiteLocation	Description	varchar(50)	NOT NULL		
TblCdsAccidentSiteLocation	RODate	datetime	NOT NULL		
TblCdsAccidentSiteLocation	ROOperator	int	NOT NULL		
TblCdsAccidentSiteLocation	LUDate	datetime	NOT NULL		
TblCdsAccidentSiteLocation	LUOperator	int	NOT NULL		
TblCdsAccidentSiteLocation	UpdateLock	int			
TblCdsAccidentSiteLocation	ObsoleteFlag	tinyint			
TblCdsAccidentSiteLocation	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentSourceOfCarrier	Description	varchar(50)	NOT NULL		
TblCdsAccidentSourceOfCarrier	RODate	datetime	NOT NULL		
TblCdsAccidentSourceOfCarrier	ROOperator	int	NOT NULL		
TblCdsAccidentSourceOfCarrier	LUDate	datetime	NOT NULL		
TblCdsAccidentSourceOfCarrier	LUOperator	int	NOT NULL		
TblCdsAccidentSourceOfCarrier	UpdateLock	int			
TblCdsAccidentSourceOfCarrier	ObsoleteFlag	tinyint			
TblCdsAccidentSourceOfCarrier	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentTrafficControl	Description	varchar(50)	NOT NULL		
TblCdsAccidentTrafficControl	RODate	datetime	NOT NULL		
TblCdsAccidentTrafficControl	ROOperator	int	NOT NULL		
TblCdsAccidentTrafficControl	LUDate	datetime	NOT NULL		
TblCdsAccidentTrafficControl	LUOperator	int	NOT NULL		
TblCdsAccidentTrafficControl	UpdateLock	int			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsAccidentTrafficControl	ObsoleteFlag	tinyint			
TblCdsAccidentTrafficControl	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentTrafficway	Description	varchar(100)	NOT NULL		
TblCdsAccidentTrafficway	RODate	datetime	NOT NULL		
TblCdsAccidentTrafficway	ROOperator	int	NOT NULL		
TblCdsAccidentTrafficway	LUDate	datetime	NOT NULL		
TblCdsAccidentTrafficway	LUOperator	int	NOT NULL		
TblCdsAccidentTrafficway	UpdateLock	int			
TblCdsAccidentTrafficway	ObsoleteFlag	tinyint			
TblCdsAccidentTrafficway	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentTrafficwayChar	Description	varchar(50)	NOT NULL		
TblCdsAccidentTrafficwayChar	RODate	datetime	NOT NULL		
TblCdsAccidentTrafficwayChar	ROOperator	int	NOT NULL		
TblCdsAccidentTrafficwayChar	LUDate	datetime	NOT NULL		
TblCdsAccidentTrafficwayChar	LUOperator	int	NOT NULL		
TblCdsAccidentTrafficwayChar	UpdateLock	int			
TblCdsAccidentTrafficwayChar	ObsoleteFlag	tinyint			
TblCdsAccidentTrafficwayChar	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentTransportType	Description	varchar(100)	NOT NULL		
TblCdsAccidentTransportType	RODate	datetime	NOT NULL		
TblCdsAccidentTransportType	ROOperator	int	NOT NULL		
TblCdsAccidentTransportType	LUDate	datetime	NOT NULL		
TblCdsAccidentTransportType	LUOperator	int	NOT NULL		
TblCdsAccidentTransportType	UpdateLock	int			
TblCdsAccidentTransportType	ObsoleteFlag	tinyint			
TblCdsAccidentTransportType	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentTypeShoulder	Description	varchar(50)	NOT NULL		
TblCdsAccidentTypeShoulder	RODate	datetime	NOT NULL		
TblCdsAccidentTypeShoulder	ROOperator	int	NOT NULL		
TblCdsAccidentTypeShoulder	LUDate	datetime	NOT NULL		
TblCdsAccidentTypeShoulder	LUOperator	int	NOT NULL		
TblCdsAccidentTypeShoulder	UpdateLock	int			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsAccidentTypeShoulder	ObsoleteFlag	tinyint			
TblCdsAccidentTypeShoulder	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentVehDamageSeverity	Description	varchar(50)	NOT NULL		
TblCdsAccidentVehDamageSeverity	RODate	datetime	NOT NULL		
TblCdsAccidentVehDamageSeverity	ROOperator	int	NOT NULL		
TblCdsAccidentVehDamageSeverity	LUDate	datetime	NOT NULL		
TblCdsAccidentVehDamageSeverity	LUOperator	int	NOT NULL		
TblCdsAccidentVehDamageSeverity	UpdateLock	int			
TblCdsAccidentVehDamageSeverity	ObsoleteFlag	tinyint			
TblCdsAccidentVehDamageSeverity	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentVehDefect	Description	varchar(50)	NOT NULL		
TblCdsAccidentVehDefect	RODate	datetime	NOT NULL		
TblCdsAccidentVehDefect	ROOperator	int	NOT NULL		
TblCdsAccidentVehDefect	LUDate	datetime	NOT NULL		
TblCdsAccidentVehDefect	LUOperator	int	NOT NULL		
TblCdsAccidentVehDefect	UpdateLock	int			
TblCdsAccidentVehDefect	ObsoleteFlag	tinyint			
TblCdsAccidentVehDefect	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentVehicleCargoType	Description	varchar(100)	NOT NULL		
TblCdsAccidentVehicleCargoType	RODate	datetime	NOT NULL		
TblCdsAccidentVehicleCargoType	ROOperator	int	NOT NULL		
TblCdsAccidentVehicleCargoType	LUDate	datetime	NOT NULL		
TblCdsAccidentVehicleCargoType	LUOperator	int	NOT NULL		
TblCdsAccidentVehicleCargoType	UpdateLock	int			
TblCdsAccidentVehicleCargoType	ObsoleteFlag	tinyint			
TblCdsAccidentVehicleCargoType	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentVehicleConfiguration	Description	varchar(100)	NOT NULL		
TblCdsAccidentVehicleConfiguration	RODate	datetime	NOT NULL		
TblCdsAccidentVehicleConfiguration	ROOperator	int	NOT NULL		
TblCdsAccidentVehicleConfiguration	LUDate	datetime	NOT NULL		
TblCdsAccidentVehicleConfiguration	LUOperator	int	NOT NULL		
TblCdsAccidentVehicleConfiguration	UpdateLock	int			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsAccidentVehicleConfiguration	ObsoleteFlag	tinyint			
TblCdsAccidentVehicleConfiguration	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentVehicleStatus	Description	varchar(50)	NOT NULL		
TblCdsAccidentVehicleStatus	RODate	datetime	NOT NULL		
TblCdsAccidentVehicleStatus	ROOperator	int	NOT NULL		
TblCdsAccidentVehicleStatus	LUDate	datetime	NOT NULL		
TblCdsAccidentVehicleStatus	LUOperator	int	NOT NULL		
TblCdsAccidentVehicleStatus	UpdateLock	int			
TblCdsAccidentVehicleStatus	ObsoleteFlag	tinyint			
TblCdsAccidentVehicleStatus	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentVehicleWeightRating	Description	varchar(100)	NOT NULL		
TblCdsAccidentVehicleWeightRating	RODate	datetime	NOT NULL		
TblCdsAccidentVehicleWeightRating	ROOperator	int	NOT NULL		
TblCdsAccidentVehicleWeightRating	LUDate	datetime	NOT NULL		
TblCdsAccidentVehicleWeightRating	LUOperator	int	NOT NULL		
TblCdsAccidentVehicleWeightRating	UpdateLock	int			
TblCdsAccidentVehicleWeightRating	ObsoleteFlag	tinyint			
TblCdsAccidentVehicleWeightRating	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentVehMovement	Description	varchar(50)	NOT NULL		
TblCdsAccidentVehMovement	RODate	datetime	NOT NULL		
TblCdsAccidentVehMovement	ROOperator	int	NOT NULL		
TblCdsAccidentVehMovement	LUDate	datetime	NOT NULL		
TblCdsAccidentVehMovement	LUOperator	int	NOT NULL		
TblCdsAccidentVehMovement	UpdateLock	int			
TblCdsAccidentVehMovement	ObsoleteFlag	tinyint			
TblCdsAccidentVehMovement	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentVehSpecialFunc	Description	varchar(50)	NOT NULL		
TblCdsAccidentVehSpecialFunc	RODate	datetime	NOT NULL		
TblCdsAccidentVehSpecialFunc	ROOperator	int	NOT NULL		
TblCdsAccidentVehSpecialFunc	LUDate	datetime	NOT NULL		
TblCdsAccidentVehSpecialFunc	LUOperator	int	NOT NULL		
TblCdsAccidentVehSpecialFunc	UpdateLock	int			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsAccidentVehSpecialFunc	ObsoleteFlag	tinyint			
TblCdsAccidentVehSpecialFunc	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentVisionObstruction	Description	varchar(50)	NOT NULL		
TblCdsAccidentVisionObstruction	RODate	datetime	NOT NULL		
TblCdsAccidentVisionObstruction	ROOperator	int	NOT NULL		
TblCdsAccidentVisionObstruction	LUDate	datetime	NOT NULL		
TblCdsAccidentVisionObstruction	LUOperator	int	NOT NULL		
TblCdsAccidentVisionObstruction	UpdateLock	int			
TblCdsAccidentVisionObstruction	ObsoleteFlag	tinyint			
TblCdsAccidentVisionObstruction	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentWeather	Description	varchar(50)	NOT NULL		
TblCdsAccidentWeather	RODate	datetime	NOT NULL		
TblCdsAccidentWeather	ROOperator	int	NOT NULL		
TblCdsAccidentWeather	LUDate	datetime	NOT NULL		
TblCdsAccidentWeather	LUOperator	int	NOT NULL		
TblCdsAccidentWeather	UpdateLock	int			
TblCdsAccidentWeather	ObsoleteFlag	tinyint			
TblCdsAccidentWeather	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentWorkArea	Description	varchar(50)	NOT NULL		
TblCdsAccidentWorkArea	RODate	datetime	NOT NULL		
TblCdsAccidentWorkArea	ROOperator	int	NOT NULL		
TblCdsAccidentWorkArea	LUDate	datetime	NOT NULL		
TblCdsAccidentWorkArea	LUOperator	int	NOT NULL		
TblCdsAccidentWorkArea	UpdateLock	int			
TblCdsAccidentWorkArea	ObsoleteFlag	tinyint			
TblCdsAccidentWorkArea	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentWorkZoneHadLEO	Description	varchar(50)	NOT NULL		
TblCdsAccidentWorkZoneHadLEO	RODate	datetime	NOT NULL		
TblCdsAccidentWorkZoneHadLEO	ROOperator	int	NOT NULL		
TblCdsAccidentWorkZoneHadLEO	LUDate	datetime	NOT NULL		
TblCdsAccidentWorkZoneHadLEO	LUOperator	int	NOT NULL		
TblCdsAccidentWorkZoneHadLEO	UpdateLock	int			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsAccidentWorkZoneHadLEO	ObsoleteFlag	tinyint			
TblCdsAccidentWorkZoneHadLEO	Code	varchar(4)	NOT NULL	Yes	
TblCdsAccidentWorkZoneType	Description	varchar(50)	NOT NULL		
TblCdsAccidentWorkZoneType	RODate	datetime	NOT NULL		
TblCdsAccidentWorkZoneType	ROOperator	int	NOT NULL		
TblCdsAccidentWorkZoneType	LUDate	datetime	NOT NULL		
TblCdsAccidentWorkZoneType	LUOperator	int	NOT NULL		
TblCdsAccidentWorkZoneType	UpdateLock	int			
TblCdsAccidentWorkZoneType	ObsoleteFlag	tinyint			
TblCdsAccidentWorkZoneType	Code	varchar(4)	NOT NULL	Yes	
TblCdsAction	Description	varchar(50)	NOT NULL		
TblCdsAction	RODate	datetime	NOT NULL		
TblCdsAction	ROOperator	int	NOT NULL		
TblCdsAction	LUDate	datetime	NOT NULL		
TblCdsAction	LUOperator	int	NOT NULL		
TblCdsAction	UpdateLock	int			
TblCdsAction	ObsoleteFlag	tinyint			
TblCdsAction	Code	varchar(4)	NOT NULL	Yes	
TblCdsAdrDOT	Description	varchar(50)	NOT NULL		
TblCdsAdrDOT	RODate	datetime	NOT NULL		
TblCdsAdrDOT	ROOperator	int	NOT NULL		
TblCdsAdrDOT	LUDate	datetime	NOT NULL		
TblCdsAdrDOT	LUOperator	int	NOT NULL		
TblCdsAdrDOT	UpdateLock	int			
TblCdsAdrDOT	ObsoleteFlag	tinyint			
TblCdsAdrDOT	Code	varchar(4)	NOT NULL	Yes	
TblCdsAdrFinRel	Description	varchar(50)	NOT NULL		
TblCdsAdrFinRel	RODate	datetime	NOT NULL		
TblCdsAdrFinRel	ROOperator	int	NOT NULL		
TblCdsAdrFinRel	LUDate	datetime	NOT NULL		
TblCdsAdrFinRel	LUOperator	int	NOT NULL		
TblCdsAdrFinRel	UpdateLock	int			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsAdrFinRel	ObsoleteFlag	tinyint			
TblCdsAdrFinRel	Code	varchar(4)	NOT NULL	Yes	
TblCdsAdrLocTyp	Description	varchar(50)	NOT NULL		
TblCdsAdrLocTyp	RODate	datetime	NOT NULL		
TblCdsAdrLocTyp	ROOperator	int	NOT NULL		
TblCdsAdrLocTyp	LUDate	datetime	NOT NULL		
TblCdsAdrLocTyp	LUOperator	int	NOT NULL		
TblCdsAdrLocTyp	UpdateLock	int			
TblCdsAdrLocTyp	ObsoleteFlag	tinyint			
TblCdsAdrLocTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsAdrPlace	Description	varchar(50)	NOT NULL		
TblCdsAdrPlace	RODate	datetime	NOT NULL		
TblCdsAdrPlace	ROOperator	int	NOT NULL		
TblCdsAdrPlace	LUDate	datetime	NOT NULL		
TblCdsAdrPlace	LUOperator	int	NOT NULL		
TblCdsAdrPlace	UpdateLock	int			
TblCdsAdrPlace	ObsoleteFlag	tinyint			
TblCdsAdrPlace	Code	varchar(10)	NOT NULL	Yes	
TblCdsAdrQfrTyp	Description	varchar(50)	NOT NULL		
TblCdsAdrQfrTyp	RODate	datetime	NOT NULL		
TblCdsAdrQfrTyp	ROOperator	int	NOT NULL		
TblCdsAdrQfrTyp	LUDate	datetime	NOT NULL		
TblCdsAdrQfrTyp	LUOperator	int	NOT NULL		
TblCdsAdrQfrTyp	UpdateLock	int			
TblCdsAdrQfrTyp	ObsoleteFlag	tinyint			
TblCdsAdrQfrTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsAdrTypOfIntersection	Description	varchar(50)	NOT NULL		
TblCdsAdrTypOfIntersection	RODate	datetime	NOT NULL		
TblCdsAdrTypOfIntersection	ROOperator	int	NOT NULL		
TblCdsAdrTypOfIntersection	LUDate	datetime	NOT NULL		
TblCdsAdrTypOfIntersection	LUOperator	int	NOT NULL		
TblCdsAdrTypOfIntersection	UpdateLock	int			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsAdrTypOfIntersection	ObsoleteFlag	tinyint			
TblCdsAdrTypOfIntersection	Code	varchar(4)	NOT NULL	Yes	
TblCdsAdrVehRel	Description	varchar(50)	NOT NULL		
TblCdsAdrVehRel	RODate	datetime	NOT NULL		
TblCdsAdrVehRel	ROOperator	int	NOT NULL		
TblCdsAdrVehRel	LUDate	datetime	NOT NULL		
TblCdsAdrVehRel	LUOperator	int	NOT NULL		
TblCdsAdrVehRel	UpdateLock	int			
TblCdsAdrVehRel	ObsoleteFlag	tinyint			
TblCdsAdrVehRel	Code	varchar(4)	NOT NULL	Yes	
TblCdsAggAslt	Description	varchar(50)	NOT NULL		
TblCdsAggAslt	RODate	datetime	NOT NULL		
TblCdsAggAslt	ROOperator	int	NOT NULL		
TblCdsAggAslt	LUDate	datetime	NOT NULL		
TblCdsAggAslt	LUOperator	int	NOT NULL		
TblCdsAggAslt	UpdateLock	int			
TblCdsAggAslt	ObsoleteFlag	tinyint			
TblCdsAggAslt	Code	varchar(4)	NOT NULL	Yes	
TblCdsAircraftTyp	Description	varchar(50)	NOT NULL		
TblCdsAircraftTyp	RODate	datetime	NOT NULL		
TblCdsAircraftTyp	ROOperator	int	NOT NULL		
TblCdsAircraftTyp	LUDate	datetime	NOT NULL		
TblCdsAircraftTyp	LUOperator	int	NOT NULL		
TblCdsAircraftTyp	UpdateLock	int			
TblCdsAircraftTyp	ObsoleteFlag	tinyint			
TblCdsAircraftTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsAlcoInflu	Description	varchar(50)	NOT NULL		
TblCdsAlcoInflu	RODate	datetime	NOT NULL		
TblCdsAlcoInflu	ROOperator	int	NOT NULL		
TblCdsAlcoInflu	LUDate	datetime	NOT NULL		
TblCdsAlcoInflu	LUOperator	int	NOT NULL		
TblCdsAlcoInflu	UpdateLock	int			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsAlcoInflu	ObsoleteFlag	tinyint			
TblCdsAlcoInflu	Code	varchar(4)	NOT NULL	Yes	
TblCdsAlcoRelted	Description	varchar(50)	NOT NULL		
TblCdsAlcoRelted	RODate	datetime	NOT NULL		
TblCdsAlcoRelted	ROOperator	int	NOT NULL		
TblCdsAlcoRelted	LUDate	datetime	NOT NULL		
TblCdsAlcoRelted	LUOperator	int	NOT NULL		
TblCdsAlcoRelted	UpdateLock	int			
TblCdsAlcoRelted	ObsoleteFlag	tinyint			
TblCdsAlcoRelted	Code	varchar(4)	NOT NULL	Yes	
TblCdsAlmAct	Description	varchar(50)	NOT NULL		
TblCdsAlmAct	RODate	datetime	NOT NULL		
TblCdsAlmAct	ROOperator	int	NOT NULL		
TblCdsAlmAct	LUDate	datetime	NOT NULL		
TblCdsAlmAct	LUOperator	int	NOT NULL		
TblCdsAlmAct	UpdateLock	int			
TblCdsAlmAct	ObsoleteFlag	tinyint			
TblCdsAlmAct	Code	varchar(4)	NOT NULL	Yes	
TblCdsAlmOwnRsp	Description	varchar(50)	NOT NULL		
TblCdsAlmOwnRsp	RODate	datetime	NOT NULL		
TblCdsAlmOwnRsp	ROOperator	int	NOT NULL		
TblCdsAlmOwnRsp	LUDate	datetime	NOT NULL		
TblCdsAlmOwnRsp	LUOperator	int	NOT NULL		
TblCdsAlmOwnRsp	UpdateLock	int			
TblCdsAlmOwnRsp	ObsoleteFlag	tinyint			
TblCdsAlmOwnRsp	Code	varchar(4)	NOT NULL	Yes	
TblCdsAlmPremSts	Description	varchar(50)	NOT NULL		
TblCdsAlmPremSts	RODate	datetime	NOT NULL		
TblCdsAlmPremSts	ROOperator	int	NOT NULL		
TblCdsAlmPremSts	LUDate	datetime	NOT NULL		
TblCdsAlmPremSts	LUOperator	int	NOT NULL		
TblCdsAlmPremSts	UpdateLock	int			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsAlmPremSts	ObsoleteFlag	tinyint			
TblCdsAlmPremSts	Code	varchar(4)	NOT NULL	Yes	
TblCdsAlmReason	Description	varchar(50)	NOT NULL		
TblCdsAlmReason	RODate	datetime	NOT NULL		
TblCdsAlmReason	ROOperator	int	NOT NULL		
TblCdsAlmReason	LUDate	datetime	NOT NULL		
TblCdsAlmReason	LUOperator	int	NOT NULL		
TblCdsAlmReason	UpdateLock	int			
TblCdsAlmReason	ObsoleteFlag	tinyint			
TblCdsAlmReason	Code	varchar(4)	NOT NULL	Yes	
TblCdsAlmReset	Description	varchar(50)	NOT NULL		
TblCdsAlmReset	RODate	datetime	NOT NULL		
TblCdsAlmReset	ROOperator	int	NOT NULL		
TblCdsAlmReset	LUDate	datetime	NOT NULL		
TblCdsAlmReset	LUOperator	int	NOT NULL		
TblCdsAlmReset	UpdateLock	int			
TblCdsAlmReset	ObsoleteFlag	tinyint			
TblCdsAlmReset	Code	varchar(4)	NOT NULL	Yes	
TblCdsAlmSilent	Description	varchar(50)	NOT NULL		
TblCdsAlmSilent	RODate	datetime	NOT NULL		
TblCdsAlmSilent	ROOperator	int	NOT NULL		
TblCdsAlmSilent	LUDate	datetime	NOT NULL		
TblCdsAlmSilent	LUOperator	int	NOT NULL		
TblCdsAlmSilent	UpdateLock	int			
TblCdsAlmSilent	ObsoleteFlag	tinyint			
TblCdsAlmSilent	Code	varchar(4)	NOT NULL	Yes	
TblCdsAlmTyp	Description	varchar(50)	NOT NULL		
TblCdsAlmTyp	RODate	datetime	NOT NULL		
TblCdsAlmTyp	ROOperator	int	NOT NULL		
TblCdsAlmTyp	LUDate	datetime	NOT NULL		
TblCdsAlmTyp	LUOperator	int	NOT NULL		
TblCdsAlmTyp	UpdateLock	int			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsAlmTyp	ObsoleteFlag	tinyint			
TblCdsAlmTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsAppMotive	Description	varchar(50)	NOT NULL		
TblCdsAppMotive	RODate	datetime	NOT NULL		
TblCdsAppMotive	ROOperator	int	NOT NULL		
TblCdsAppMotive	LUDate	datetime	NOT NULL		
TblCdsAppMotive	LUOperator	int	NOT NULL		
TblCdsAppMotive	UpdateLock	int			
TblCdsAppMotive	ObsoleteFlag	tinyint			
TblCdsAppMotive	Code	varchar(4)	NOT NULL	Yes	
TblCdsArea1	Description	varchar(50)	NOT NULL		
TblCdsArea1	RODate	datetime	NOT NULL		
TblCdsArea1	ROOperator	int	NOT NULL		
TblCdsArea1	LUDate	datetime	NOT NULL		
TblCdsArea1	LUOperator	int	NOT NULL		
TblCdsArea1	UpdateLock	int			
TblCdsArea1	ObsoleteFlag	tinyint			
TblCdsArea1	Code	varchar(10)	NOT NULL	Yes	
TblCdsArea10	Description	varchar(50)	NOT NULL		
TblCdsArea10	RODate	datetime	NOT NULL		
TblCdsArea10	ROOperator	int	NOT NULL		
TblCdsArea10	LUDate	datetime	NOT NULL		
TblCdsArea10	LUOperator	int	NOT NULL		
TblCdsArea10	UpdateLock	int			
TblCdsArea10	ObsoleteFlag	tinyint			
TblCdsArea10	Code	varchar(10)	NOT NULL	Yes	
TblCdsArea2	Description	varchar(50)	NOT NULL		
TblCdsArea2	RODate	datetime	NOT NULL		
TblCdsArea2	ROOperator	int	NOT NULL		
TblCdsArea2	LUDate	datetime	NOT NULL		
TblCdsArea2	LUOperator	int	NOT NULL		
TblCdsArea2	UpdateLock	int			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsArea2	ObsoleteFlag	tinyint			
TblCdsArea2	Code	varchar(10)	NOT NULL	Yes	
TblCdsArea3	Description	varchar(50)	NOT NULL		
TblCdsArea3	RODate	datetime	NOT NULL		
TblCdsArea3	ROOperator	int	NOT NULL		
TblCdsArea3	LUDate	datetime	NOT NULL		
TblCdsArea3	LUOperator	int	NOT NULL		
TblCdsArea3	UpdateLock	int			
TblCdsArea3	ObsoleteFlag	tinyint			
TblCdsArea3	Code	varchar(10)	NOT NULL	Yes	
TblCdsArea4	Description	varchar(50)	NOT NULL		
TblCdsArea4	RODate	datetime	NOT NULL		
TblCdsArea4	ROOperator	int	NOT NULL		
TblCdsArea4	LUDate	datetime	NOT NULL		
TblCdsArea4	LUOperator	int	NOT NULL		
TblCdsArea4	UpdateLock	int			
TblCdsArea4	ObsoleteFlag	tinyint			
TblCdsArea4	Code	varchar(10)	NOT NULL	Yes	
TblCdsArea5	Description	varchar(50)	NOT NULL		
TblCdsArea5	RODate	datetime	NOT NULL		
TblCdsArea5	ROOperator	int	NOT NULL		
TblCdsArea5	LUDate	datetime	NOT NULL		
TblCdsArea5	LUOperator	int	NOT NULL		
TblCdsArea5	UpdateLock	int			
TblCdsArea5	ObsoleteFlag	tinyint			
TblCdsArea5	Code	varchar(10)	NOT NULL	Yes	
TblCdsArea6	Description	varchar(50)	NOT NULL		
TblCdsArea6	RODate	datetime	NOT NULL		
TblCdsArea6	ROOperator	int	NOT NULL		
TblCdsArea6	LUDate	datetime	NOT NULL		
TblCdsArea6	LUOperator	int	NOT NULL		
TblCdsArea6	UpdateLock	int			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsArea6	ObsoleteFlag	tinyint			
TblCdsArea6	Code	varchar(10)	NOT NULL	Yes	
TblCdsArea7	Description	varchar(50)	NOT NULL		
TblCdsArea7	RODate	datetime	NOT NULL		
TblCdsArea7	ROOperator	int	NOT NULL		
TblCdsArea7	LUDate	datetime	NOT NULL		
TblCdsArea7	LUOperator	int	NOT NULL		
TblCdsArea7	UpdateLock	int			
TblCdsArea7	ObsoleteFlag	tinyint			
TblCdsArea7	Code	varchar(10)	NOT NULL	Yes	
TblCdsArea8	Description	varchar(50)	NOT NULL		
TblCdsArea8	RODate	datetime	NOT NULL		
TblCdsArea8	ROOperator	int	NOT NULL		
TblCdsArea8	LUDate	datetime	NOT NULL		
TblCdsArea8	LUOperator	int	NOT NULL		
TblCdsArea8	UpdateLock	int			
TblCdsArea8	ObsoleteFlag	tinyint			
TblCdsArea8	Code	varchar(10)	NOT NULL	Yes	
TblCdsArea9	Description	varchar(50)	NOT NULL		
TblCdsArea9	RODate	datetime	NOT NULL		
TblCdsArea9	ROOperator	int	NOT NULL		
TblCdsArea9	LUDate	datetime	NOT NULL		
TblCdsArea9	LUOperator	int	NOT NULL		
TblCdsArea9	UpdateLock	int			
TblCdsArea9	ObsoleteFlag	tinyint			
TblCdsArea9	Code	varchar(10)	NOT NULL	Yes	
TblCdsAreaOnImpact	Description	varchar(50)	NOT NULL		
TblCdsAreaOnImpact	RODate	datetime	NOT NULL		
TblCdsAreaOnImpact	ROOperator	int	NOT NULL		
TblCdsAreaOnImpact	LUDate	datetime	NOT NULL		
TblCdsAreaOnImpact	LUOperator	int	NOT NULL		
TblCdsAreaOnImpact	UpdateLock	int			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsAreaOnImpact	ObsoleteFlag	tinyint			
TblCdsAreaOnImpact	Code	varchar(4)	NOT NULL	Yes	
TblCdsAreaTyp	Description	varchar(50)	NOT NULL		
TblCdsAreaTyp	RODate	datetime	NOT NULL		
TblCdsAreaTyp	ROOperator	int	NOT NULL		
TblCdsAreaTyp	LUDate	datetime	NOT NULL		
TblCdsAreaTyp	LUOperator	int	NOT NULL		
TblCdsAreaTyp	UpdateLock	int			
TblCdsAreaTyp	ObsoleteFlag	tinyint			
TblCdsAreaTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsArstCaseDisp	Description	varchar(50)	NOT NULL		
TblCdsArstCaseDisp	RODate	datetime	NOT NULL		
TblCdsArstCaseDisp	ROOperator	int	NOT NULL		
TblCdsArstCaseDisp	LUDate	datetime	NOT NULL		
TblCdsArstCaseDisp	LUOperator	int	NOT NULL		
TblCdsArstCaseDisp	UpdateLock	int			
TblCdsArstCaseDisp	ObsoleteFlag	tinyint			
TblCdsArstCaseDisp	Code	varchar(4)	NOT NULL	Yes	
TblCdsArsteCourtDisp	Description	varchar(50)	NOT NULL		
TblCdsArsteCourtDisp	RODate	datetime	NOT NULL		
TblCdsArsteCourtDisp	ROOperator	int	NOT NULL		
TblCdsArsteCourtDisp	LUDate	datetime	NOT NULL		
TblCdsArsteCourtDisp	LUOperator	int	NOT NULL		
TblCdsArsteCourtDisp	UpdateLock	int			
TblCdsArsteCourtDisp	ObsoleteFlag	tinyint			
TblCdsArsteCourtDisp	Code	varchar(4)	NOT NULL	Yes	
TblCdsArsteDisp	Description	varchar(50)	NOT NULL		
TblCdsArsteDisp	RODate	datetime	NOT NULL		
TblCdsArsteDisp	ROOperator	int	NOT NULL		
TblCdsArsteDisp	LUDate	datetime	NOT NULL		
TblCdsArsteDisp	LUOperator	int	NOT NULL		
TblCdsArsteDisp	UpdateLock	int			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsArsteDisp	ObsoleteFlag	tinyint			
TblCdsArsteDisp	Code	varchar(4)	NOT NULL	Yes	
TblCdsArstJointRel	Description	varchar(50)	NOT NULL		
TblCdsArstJointRel	RODate	datetime	NOT NULL		
TblCdsArstJointRel	ROOperator	int	NOT NULL		
TblCdsArstJointRel	LUDate	datetime	NOT NULL		
TblCdsArstJointRel	LUOperator	int	NOT NULL		
TblCdsArstJointRel	UpdateLock	int			
TblCdsArstJointRel	ObsoleteFlag	tinyint			
TblCdsArstJointRel	Code	varchar(4)	NOT NULL	Yes	
TblCdsArstSrcInfo	Description	varchar(50)	NOT NULL		
TblCdsArstSrcInfo	RODate	datetime	NOT NULL		
TblCdsArstSrcInfo	ROOperator	int	NOT NULL		
TblCdsArstSrcInfo	LUDate	datetime	NOT NULL		
TblCdsArstSrcInfo	LUOperator	int	NOT NULL		
TblCdsArstSrcInfo	UpdateLock	int			
TblCdsArstSrcInfo	ObsoleteFlag	tinyint			
TblCdsArstSrcInfo	Code	varchar(4)	NOT NULL	Yes	
TblCdsArstTyp	Description	varchar(50)	NOT NULL		
TblCdsArstTyp	RODate	datetime	NOT NULL		
TblCdsArstTyp	ROOperator	int	NOT NULL		
TblCdsArstTyp	LUDate	datetime	NOT NULL		
TblCdsArstTyp	LUOperator	int	NOT NULL		
TblCdsArstTyp	UpdateLock	int			
TblCdsArstTyp	ObsoleteFlag	tinyint			
TblCdsArstTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsArstWarrantTyp	Description	varchar(50)	NOT NULL		
TblCdsArstWarrantTyp	RODate	datetime	NOT NULL		
TblCdsArstWarrantTyp	ROOperator	int	NOT NULL		
TblCdsArstWarrantTyp	LUDate	datetime	NOT NULL		
TblCdsArstWarrantTyp	LUOperator	int	NOT NULL		
TblCdsArstWarrantTyp	UpdateLock	int			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsArstWarrantTyp	ObsoleteFlag	tinyint			
TblCdsArstWarrantTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsBakerAct	Description	varchar(50)	NOT NULL		
TblCdsBakerAct	RODate	datetime	NOT NULL		
TblCdsBakerAct	ROOperator	int	NOT NULL		
TblCdsBakerAct	LUDate	datetime	NOT NULL		
TblCdsBakerAct	LUOperator	int	NOT NULL		
TblCdsBakerAct	UpdateLock	int			
TblCdsBakerAct	ObsoleteFlag	tinyint			
TblCdsBakerAct	Code	varchar(4)	NOT NULL	Yes	
TblCdsBarcodePrinters	Code	varchar(50)	NOT NULL	Yes	
TblCdsBarcodePrinters	Description	varchar(50)	NOT NULL		
TblCdsBarcodePrinters	Type	varchar(1)	NOT NULL		
TblCdsBarcodePrinters	Language	varchar(3)	NOT NULL		
TblCdsBarcodePrinters	LeftMargin	int	NOT NULL		
TblCdsBarcodePrinters	TopMargin	int	NOT NULL		
TblCdsBarcodePrinters	RODate	datetime	NOT NULL		
TblCdsBarcodePrinters	ROOperator	int	NOT NULL		
TblCdsBarcodePrinters	LUDate	datetime	NOT NULL		
TblCdsBarcodePrinters	LUOperator	int	NOT NULL		
TblCdsBarcodePrinters	UpdateLock	int			
TblCdsBarcodePrinters	ObsoleteFlag	tinyint			
TblCdsBodyDisp	Description	varchar(50)	NOT NULL		
TblCdsBodyDisp	RODate	datetime	NOT NULL		
TblCdsBodyDisp	ROOperator	int	NOT NULL		
TblCdsBodyDisp	LUDate	datetime	NOT NULL		
TblCdsBodyDisp	LUOperator	int	NOT NULL		
TblCdsBodyDisp	UpdateLock	int			
TblCdsBodyDisp	ObsoleteFlag	tinyint			
TblCdsBodyDisp	Code	varchar(4)	NOT NULL	Yes	
TblCdsBodyDisposal	Description	varchar(50)	NOT NULL		
TblCdsBodyDisposal	RODate	datetime	NOT NULL		

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsBodyDisposal	ROOperator	int	NOT NULL		
TblCdsBodyDisposal	LUDate	datetime	NOT NULL		
TblCdsBodyDisposal	LUOperator	int	NOT NULL		
TblCdsBodyDisposal	UpdateLock	int			
TblCdsBodyDisposal	ObsoleteFlag	tinyint			
TblCdsBodyDisposal	Code	varchar(4)	NOT NULL	Yes	
TblCdsBribery	Description	varchar(50)	NOT NULL		
TblCdsBribery	RODate	datetime	NOT NULL		
TblCdsBribery	ROOperator	int	NOT NULL		
TblCdsBribery	LUDate	datetime	NOT NULL		
TblCdsBribery	LUOperator	int	NOT NULL		
TblCdsBribery	UpdateLock	int			
TblCdsBribery	ObsoleteFlag	tinyint			
TblCdsBribery	Code	varchar(4)	NOT NULL	Yes	
TblCdsBusClass	Description	varchar(50)	NOT NULL		
TblCdsBusClass	RODate	datetime	NOT NULL		
TblCdsBusClass	ROOperator	int	NOT NULL		
TblCdsBusClass	LUDate	datetime	NOT NULL		
TblCdsBusClass	LUOperator	int	NOT NULL		
TblCdsBusClass	UpdateLock	int			
TblCdsBusClass	ObsoleteFlag	tinyint			
TblCdsBusClass	Code	varchar(4)	NOT NULL	Yes	
TblCdsBusTyp	Description	varchar(50)	NOT NULL		
TblCdsBusTyp	RODate	datetime	NOT NULL		
TblCdsBusTyp	ROOperator	int	NOT NULL		
TblCdsBusTyp	LUDate	datetime	NOT NULL		
TblCdsBusTyp	LUOperator	int	NOT NULL		
TblCdsBusTyp	UpdateLock	int			
TblCdsBusTyp	ObsoleteFlag	tinyint			
TblCdsBusTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsByclBrake	Description	varchar(50)	NOT NULL		
TblCdsByclBrake	RODate	datetime	NOT NULL		

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsByclBrake	ROOperator	int	NOT NULL		
TblCdsByclBrake	LUDate	datetime	NOT NULL		
TblCdsByclBrake	LUOperator	int	NOT NULL		
TblCdsByclBrake	UpdateLock	int			
TblCdsByclBrake	ObsoleteFlag	tinyint			
TblCdsByclBrake	Code	varchar(4)	NOT NULL	Yes	
TblCdsByclFrameColor	Description	varchar(50)	NOT NULL		
TblCdsByclFrameColor	RODate	datetime	NOT NULL		
TblCdsByclFrameColor	ROOperator	int	NOT NULL		
TblCdsByclFrameColor	LUDate	datetime	NOT NULL		
TblCdsByclFrameColor	LUOperator	int	NOT NULL		
TblCdsByclFrameColor	UpdateLock	int			
TblCdsByclFrameColor	ObsoleteFlag	tinyint			
TblCdsByclFrameColor	Code	varchar(4)	NOT NULL	Yes	
TblCdsByclHndlBar	Description	varchar(50)	NOT NULL		
TblCdsByclHndlBar	RODate	datetime	NOT NULL		
TblCdsByclHndlBar	ROOperator	int	NOT NULL		
TblCdsByclHndlBar	LUDate	datetime	NOT NULL		
TblCdsByclHndlBar	LUOperator	int	NOT NULL		
TblCdsByclHndlBar	UpdateLock	int			
TblCdsByclHndlBar	ObsoleteFlag	tinyint			
TblCdsByclHndlBar	Code	varchar(4)	NOT NULL	Yes	
TblCdsByclSeat	Description	varchar(50)	NOT NULL		
TblCdsByclSeat	RODate	datetime	NOT NULL		
TblCdsByclSeat	ROOperator	int	NOT NULL		
TblCdsByclSeat	LUDate	datetime	NOT NULL		
TblCdsByclSeat	LUOperator	int	NOT NULL		
TblCdsByclSeat	UpdateLock	int			
TblCdsByclSeat	ObsoleteFlag	tinyint			
TblCdsByclSeat	Code	varchar(4)	NOT NULL	Yes	
TblCdsByclSeatColor	Description	varchar(50)	NOT NULL		
TblCdsByclSeatColor	RODate	datetime	NOT NULL		

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsByclSeatColor	ROOperator	int	NOT NULL		
TblCdsByclSeatColor	LUDate	datetime	NOT NULL		
TblCdsByclSeatColor	LUOperator	int	NOT NULL		
TblCdsByclSeatColor	UpdateLock	int			
TblCdsByclSeatColor	ObsoleteFlag	tinyint			
TblCdsByclSeatColor	Code	varchar(4)	NOT NULL	Yes	
TblCdsByclSex	Description	varchar(50)	NOT NULL		
TblCdsByclSex	RODate	datetime	NOT NULL		
TblCdsByclSex	ROOperator	int	NOT NULL		
TblCdsByclSex	LUDate	datetime	NOT NULL		
TblCdsByclSex	LUOperator	int	NOT NULL		
TblCdsByclSex	UpdateLock	int			
TblCdsByclSex	ObsoleteFlag	tinyint			
TblCdsByclSex	Code	varchar(4)	NOT NULL	Yes	
TblCdsByclTire	Description	varchar(50)	NOT NULL		
TblCdsByclTire	RODate	datetime	NOT NULL		
TblCdsByclTire	ROOperator	int	NOT NULL		
TblCdsByclTire	LUDate	datetime	NOT NULL		
TblCdsByclTire	LUOperator	int	NOT NULL		
TblCdsByclTire	UpdateLock	int			
TblCdsByclTire	ObsoleteFlag	tinyint			
TblCdsByclTire	Code	varchar(4)	NOT NULL	Yes	
TblCdsCaseDism	Code	varchar(4)	NOT NULL	Yes	
TblCdsCaseDism	Description	varchar(50)	NOT NULL		
TblCdsCaseDism	RODate	datetime	NOT NULL		
TblCdsCaseDism	ROOperator	int	NOT NULL		
TblCdsCaseDism	LUDate	datetime	NOT NULL		
TblCdsCaseDism	LUOperator	int	NOT NULL		
TblCdsCaseDism	UpdateLock	int			
TblCdsCaseDism	ObsoleteFlag	tinyint			
TblCdsCaseDism	UpdateSecurity	tinyint			
TblCdsCaseDism	ReadSecurity	tinyint			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsCaseDism	LinkSecurity	tinyint			
TblCdsCaseInitTyp	Description	varchar(50)	NOT NULL		
TblCdsCaseInitTyp	RODate	datetime	NOT NULL		
TblCdsCaseInitTyp	ROOperator	int	NOT NULL		
TblCdsCaseInitTyp	LUDate	datetime	NOT NULL		
TblCdsCaseInitTyp	LUOperator	int	NOT NULL		
TblCdsCaseInitTyp	UpdateLock	int			
TblCdsCaseInitTyp	ObsoleteFlag	tinyint			
TblCdsCaseInitTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsCaseNumber	Code	varchar(40)	NOT NULL	Yes	
TblCdsCaseNumber	Description	varchar(50)	NOT NULL		
TblCdsCaseNumber	RODate	datetime	NOT NULL		
TblCdsCaseNumber	ROOperator	int	NOT NULL		
TblCdsCaseNumber	LUDate	datetime	NOT NULL		
TblCdsCaseNumber	LUOperator	int	NOT NULL		
TblCdsCaseNumber	UpdateLock	int			
TblCdsCaseNumber	ObsoleteFlag	tinyint			
TblCdsCaseNumber	NextNumber	int	NOT NULL		
TblCdsCasePriority	Description	varchar(50)	NOT NULL		
TblCdsCasePriority	RODate	datetime	NOT NULL		
TblCdsCasePriority	ROOperator	int	NOT NULL		
TblCdsCasePriority	LUDate	datetime	NOT NULL		
TblCdsCasePriority	LUOperator	int	NOT NULL		
TblCdsCasePriority	UpdateLock	int			
TblCdsCasePriority	ObsoleteFlag	tinyint			
TblCdsCasePriority	Code	varchar(4)	NOT NULL	Yes	
TblCdsCaseReferral	Description	varchar(50)	NOT NULL		
TblCdsCaseReferral	RODate	datetime	NOT NULL		
TblCdsCaseReferral	ROOperator	int	NOT NULL		
TblCdsCaseReferral	LUDate	datetime	NOT NULL		
TblCdsCaseReferral	LUOperator	int	NOT NULL		
TblCdsCaseReferral	UpdateLock	int			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsCaseReferral	ObsoleteFlag	tinyint			
TblCdsCaseReferral	Code	varchar(4)	NOT NULL	Yes	
TblCdsCaseStatus	Code	varchar(4)	NOT NULL	Yes	
TblCdsCaseStatus	Description	varchar(50)	NOT NULL		
TblCdsCaseStatus	RODate	datetime	NOT NULL		
TblCdsCaseStatus	ROOperator	int	NOT NULL		
TblCdsCaseStatus	LUDate	datetime	NOT NULL		
TblCdsCaseStatus	LUOperator	int	NOT NULL		
TblCdsCaseStatus	UpdateLock	int			
TblCdsCaseStatus	ObsoleteFlag	tinyint			
TblCdsCaseStatus	LogicCode	varchar(4)			
TblCdsCaseStatus	UCRClear	varchar(4)			Yes
TblCdsCaseSubType	Code	varchar(4)	NOT NULL	Yes	
TblCdsCaseSubType	Description	varchar(50)	NOT NULL		
TblCdsCaseSubType	FilterValue	varchar(4)			
TblCdsCaseSubType	RODate	datetime	NOT NULL		
TblCdsCaseSubType	ROOperator	int	NOT NULL		
TblCdsCaseSubType	LUDate	datetime	NOT NULL		
TblCdsCaseSubType	LUOperator	int	NOT NULL		
TblCdsCaseSubType	UpdateLock	int			
TblCdsCaseSubType	ObsoleteFlag	tinyint			
TblCdsCauseOfFire	Description	varchar(50)	NOT NULL		
TblCdsCauseOfFire	RODate	datetime	NOT NULL		
TblCdsCauseOfFire	ROOperator	int	NOT NULL		
TblCdsCauseOfFire	LUDate	datetime	NOT NULL		
TblCdsCauseOfFire	LUOperator	int	NOT NULL		
TblCdsCauseOfFire	UpdateLock	int			
TblCdsCauseOfFire	ObsoleteFlag	tinyint			
TblCdsCauseOfFire	Code	varchar(4)	NOT NULL	Yes	
TblCdsCitationCourtApp	Code	varchar(4)	NOT NULL	Yes	
TblCdsCitationCourtApp	Description	varchar(50)	NOT NULL		
TblCdsCitationCourtApp	RODate	datetime	NOT NULL		

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsCitationCourtApp	ROOperator	int	NOT NULL		
TblCdsCitationCourtApp	LUDate	datetime	NOT NULL		
TblCdsCitationCourtApp	LUOperator	int	NOT NULL		
TblCdsCitationCourtApp	UpdateLock	int			
TblCdsCitationCourtApp	ObsoleteFlag	tinyint			
TblCdsCitationCourtApp	LogicCode	varchar(4)			
TblCdsCitationEOI	Description	varchar(50)	NOT NULL		
TblCdsCitationEOI	RODate	datetime	NOT NULL		
TblCdsCitationEOI	ROOperator	int	NOT NULL		
TblCdsCitationEOI	LUDate	datetime	NOT NULL		
TblCdsCitationEOI	LUOperator	int	NOT NULL		
TblCdsCitationEOI	UpdateLock	int			
TblCdsCitationEOI	ObsoleteFlag	tinyint			
TblCdsCitationEOI	Code	varchar(4)	NOT NULL	Yes	
TblCdsCitationOfn	Description	varchar(50)	NOT NULL		
TblCdsCitationOfn	RODate	datetime	NOT NULL		
TblCdsCitationOfn	ROOperator	int	NOT NULL		
TblCdsCitationOfn	LUDate	datetime	NOT NULL		
TblCdsCitationOfn	LUOperator	int	NOT NULL		
TblCdsCitationOfn	UpdateLock	int			
TblCdsCitationOfn	ObsoleteFlag	tinyint			
TblCdsCitationOfn	Code	varchar(25)	NOT NULL	Yes	
TblCdsCitationTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsCitationTyp	Description	varchar(50)	NOT NULL		
TblCdsCitationTyp	RODate	datetime	NOT NULL		
TblCdsCitationTyp	ROOperator	int	NOT NULL		
TblCdsCitationTyp	LUDate	datetime	NOT NULL		
TblCdsCitationTyp	LUOperator	int	NOT NULL		
TblCdsCitationTyp	UpdateLock	int			
TblCdsCitationTyp	ObsoleteFlag	tinyint			
TblCdsCitationTyp	LogicCode	varchar(4)			
TblCdsCitationWarn	Description	varchar(50)	NOT NULL		

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsCitationWarn	RODate	datetime	NOT NULL		
TblCdsCitationWarn	ROOperator	int	NOT NULL		
TblCdsCitationWarn	LUDate	datetime	NOT NULL		
TblCdsCitationWarn	LUOperator	int	NOT NULL		
TblCdsCitationWarn	UpdateLock	int			
TblCdsCitationWarn	ObsoleteFlag	tinyint			
TblCdsCitationWarn	Code	varchar(4)	NOT NULL	Yes	
TblCdsCitizen	Description	varchar(50)	NOT NULL		
TblCdsCitizen	RODate	datetime	NOT NULL		
TblCdsCitizen	ROOperator	int	NOT NULL		
TblCdsCitizen	LUDate	datetime	NOT NULL		
TblCdsCitizen	LUOperator	int	NOT NULL		
TblCdsCitizen	UpdateLock	int			
TblCdsCitizen	ObsoleteFlag	tinyint			
TblCdsCitizen	Code	varchar(4)	NOT NULL	Yes	
TblCdsCity	Description	varchar(50)			
TblCdsCity	RODate	datetime			
TblCdsCity	ROOperator	int			
TblCdsCity	LUDate	datetime			
TblCdsCity	LUOperator	int			
TblCdsCity	UpdateLock	int			
TblCdsCity	ObsoleteFlag	tinyint			
TblCdsCity	Code	varchar(4)	NOT NULL	Yes	
TblCdsCloCaseDism	Code	varchar(4)	NOT NULL	Yes	
TblCdsCloCaseDism	Description	varchar(50)	NOT NULL		
TblCdsCloCaseDism	RODate	datetime	NOT NULL		
TblCdsCloCaseDism	ROOperator	int	NOT NULL		
TblCdsCloCaseDism	LUDate	datetime	NOT NULL		
TblCdsCloCaseDism	LUOperator	int	NOT NULL		
TblCdsCloCaseDism	UpdateLock	int			
TblCdsCloCaseDism	ObsoleteFlag	tinyint			
TblCdsCloCaseDism	Security	tinyint			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsCoercion	Description	varchar(50)	NOT NULL		
TblCdsCoercion	RODate	datetime	NOT NULL		
TblCdsCoercion	ROOperator	int	NOT NULL		
TblCdsCoercion	LUDate	datetime	NOT NULL		
TblCdsCoercion	LUOperator	int	NOT NULL		
TblCdsCoercion	UpdateLock	int			
TblCdsCoercion	ObsoleteFlag	tinyint			
TblCdsCoercion	Code	varchar(4)	NOT NULL	Yes	
TblCdsCoercionTyp	Description	varchar(50)	NOT NULL		
TblCdsCoercionTyp	RODate	datetime	NOT NULL		
TblCdsCoercionTyp	ROOperator	int	NOT NULL		
TblCdsCoercionTyp	LUDate	datetime	NOT NULL		
TblCdsCoercionTyp	LUOperator	int	NOT NULL		
TblCdsCoercionTyp	UpdateLock	int			
TblCdsCoercionTyp	ObsoleteFlag	tinyint			
TblCdsCoercionTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsComplexion	Description	varchar(50)	NOT NULL		
TblCdsComplexion	RODate	datetime	NOT NULL		
TblCdsComplexion	ROOperator	int	NOT NULL		
TblCdsComplexion	LUDate	datetime	NOT NULL		
TblCdsComplexion	LUOperator	int	NOT NULL		
TblCdsComplexion	UpdateLock	int			
TblCdsComplexion	ObsoleteFlag	tinyint			
TblCdsComplexion	Code	varchar(4)	NOT NULL	Yes	
TblCdsContentEval	Description	varchar(50)	NOT NULL		
TblCdsContentEval	RODate	datetime	NOT NULL		
TblCdsContentEval	ROOperator	int	NOT NULL		
TblCdsContentEval	LUDate	datetime	NOT NULL		
TblCdsContentEval	LUOperator	int	NOT NULL		
TblCdsContentEval	UpdateLock	int			
TblCdsContentEval	ObsoleteFlag	tinyint			
TblCdsContentEval	Code	varchar(4)	NOT NULL	Yes	

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsCountry	Description	varchar(50)	NOT NULL		
TblCdsCountry	RODate	datetime	NOT NULL		
TblCdsCountry	ROOperator	int	NOT NULL		
TblCdsCountry	LUDate	datetime	NOT NULL		
TblCdsCountry	LUOperator	int	NOT NULL		
TblCdsCountry	UpdateLock	int			
TblCdsCountry	ObsoleteFlag	tinyint			
TblCdsCountry	Code	varchar(4)	NOT NULL	Yes	
TblCdsCountry	Description	varchar(50)	NOT NULL		
TblCdsCountry	RODate	datetime	NOT NULL		
TblCdsCountry	ROOperator	int	NOT NULL		
TblCdsCountry	LUDate	datetime	NOT NULL		
TblCdsCountry	LUOperator	int	NOT NULL		
TblCdsCountry	UpdateLock	int			
TblCdsCountry	ObsoleteFlag	tinyint			
TblCdsCountry	Code	varchar(4)	NOT NULL	Yes	
TblCdsCourt	Code	varchar(4)	NOT NULL	Yes	
TblCdsCourt	Description	varchar(50)	NOT NULL		
TblCdsCourt	RODate	datetime	NOT NULL		
TblCdsCourt	ROOperator	int	NOT NULL		
TblCdsCourt	LUDate	datetime	NOT NULL		
TblCdsCourt	LUOperator	int	NOT NULL		
TblCdsCourt	UpdateLock	int			
TblCdsCourt	ObsoleteFlag	tinyint			
TblCdsCourt	Address1	varchar(100)			
TblCdsCourt	Address2	varchar(100)			
TblCdsCourtVenue	Code	varchar(4)	NOT NULL	Yes	
TblCdsCourtVenue	Description	varchar(50)	NOT NULL		
TblCdsCourtVenue	Court	varchar(4)			
TblCdsCourtVenue	RODate	datetime	NOT NULL		
TblCdsCourtVenue	ROOperator	int	NOT NULL		
TblCdsCourtVenue	LUDate	datetime	NOT NULL		

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsCourtVenue	LUOperator	int	NOT NULL		
TblCdsCourtVenue	UpdateLock	int			
TblCdsCourtVenue	ObsoleteFlag	tinyint			
TblCdsCpuCrime	Description	varchar(50)	NOT NULL		
TblCdsCpuCrime	RODate	datetime	NOT NULL		
TblCdsCpuCrime	ROOperator	int	NOT NULL		
TblCdsCpuCrime	LUDate	datetime	NOT NULL		
TblCdsCpuCrime	LUOperator	int	NOT NULL		
TblCdsCpuCrime	UpdateLock	int			
TblCdsCpuCrime	ObsoleteFlag	tinyint			
TblCdsCpuCrime	Code	varchar(4)	NOT NULL	Yes	
TblCdsCrimAct	Description	varchar(50)	NOT NULL		
TblCdsCrimAct	RODate	datetime	NOT NULL		
TblCdsCrimAct	ROOperator	int	NOT NULL		
TblCdsCrimAct	LUDate	datetime	NOT NULL		
TblCdsCrimAct	LUOperator	int	NOT NULL		
TblCdsCrimAct	UpdateLock	int			
TblCdsCrimAct	ObsoleteFlag	tinyint			
TblCdsCrimAct	Code	varchar(6)	NOT NULL	Yes	
TblCdsCriSBurgDir	Description	varchar(50)	NOT NULL		
TblCdsCriSBurgDir	RODate	datetime	NOT NULL		
TblCdsCriSBurgDir	ROOperator	int	NOT NULL		
TblCdsCriSBurgDir	LUDate	datetime	NOT NULL		
TblCdsCriSBurgDir	LUOperator	int	NOT NULL		
TblCdsCriSBurgDir	UpdateLock	int			
TblCdsCriSBurgDir	ObsoleteFlag	tinyint			
TblCdsCriSBurgDir	Code	varchar(4)	NOT NULL	Yes	
TblCdsCriSBurgLoc	Description	varchar(50)	NOT NULL		
TblCdsCriSBurgLoc	RODate	datetime	NOT NULL		
TblCdsCriSBurgLoc	ROOperator	int	NOT NULL		
TblCdsCriSBurgLoc	LUDate	datetime	NOT NULL		
TblCdsCriSBurgLoc	LUOperator	int	NOT NULL		

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsCriSBurgLoc	UpdateLock	int			
TblCdsCriSBurgLoc	ObsoleteFlag	tinyint			
TblCdsCriSBurgLoc	Code	varchar(4)	NOT NULL	Yes	
TblCdsCriSCallRcvd	Description	varchar(50)	NOT NULL		
TblCdsCriSCallRcvd	RODate	datetime	NOT NULL		
TblCdsCriSCallRcvd	ROOperator	int	NOT NULL		
TblCdsCriSCallRcvd	LUDate	datetime	NOT NULL		
TblCdsCriSCallRcvd	LUOperator	int	NOT NULL		
TblCdsCriSCallRcvd	UpdateLock	int			
TblCdsCriSCallRcvd	ObsoleteFlag	tinyint			
TblCdsCriSCallRcvd	Code	varchar(4)	NOT NULL	Yes	
TblCdsCriSDthIBdyR	Description	varchar(50)	NOT NULL		
TblCdsCriSDthIBdyR	RODate	datetime	NOT NULL		
TblCdsCriSDthIBdyR	ROOperator	int	NOT NULL		
TblCdsCriSDthIBdyR	LUDate	datetime	NOT NULL		
TblCdsCriSDthIBdyR	LUOperator	int	NOT NULL		
TblCdsCriSDthIBdyR	UpdateLock	int			
TblCdsCriSDthIBdyR	ObsoleteFlag	tinyint			
TblCdsCriSDthIBdyR	Code	varchar(4)	NOT NULL	Yes	
TblCdsCriSDthIPrt	Description	varchar(50)	NOT NULL		
TblCdsCriSDthIPrt	RODate	datetime	NOT NULL		
TblCdsCriSDthIPrt	ROOperator	int	NOT NULL		
TblCdsCriSDthIPrt	LUDate	datetime	NOT NULL		
TblCdsCriSDthIPrt	LUOperator	int	NOT NULL		
TblCdsCriSDthIPrt	UpdateLock	int			
TblCdsCriSDthIPrt	ObsoleteFlag	tinyint			
TblCdsCriSDthIPrt	Code	varchar(4)	NOT NULL	Yes	
TblCdsCriSInvStat	Description	varchar(50)	NOT NULL		
TblCdsCriSInvStat	RODate	datetime	NOT NULL		
TblCdsCriSInvStat	ROOperator	int	NOT NULL		
TblCdsCriSInvStat	LUDate	datetime	NOT NULL		
TblCdsCriSInvStat	LUOperator	int	NOT NULL		

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsCriInvStat	UpdateLock	int			
TblCdsCriInvStat	ObsoleteFlag	tinyint			
TblCdsCriInvStat	Code	varchar(4)	NOT NULL	Yes	
TblCdsCriPhoASA	Description	varchar(50)	NOT NULL		
TblCdsCriPhoASA	RODate	datetime	NOT NULL		
TblCdsCriPhoASA	ROOperator	int	NOT NULL		
TblCdsCriPhoASA	LUDate	datetime	NOT NULL		
TblCdsCriPhoASA	LUOperator	int	NOT NULL		
TblCdsCriPhoASA	UpdateLock	int			
TblCdsCriPhoASA	ObsoleteFlag	tinyint			
TblCdsCriPhoASA	Code	varchar(4)	NOT NULL	Yes	
TblCdsCriPhoCam	Description	varchar(50)	NOT NULL		
TblCdsCriPhoCam	RODate	datetime	NOT NULL		
TblCdsCriPhoCam	ROOperator	int	NOT NULL		
TblCdsCriPhoCam	LUDate	datetime	NOT NULL		
TblCdsCriPhoCam	LUOperator	int	NOT NULL		
TblCdsCriPhoCam	UpdateLock	int			
TblCdsCriPhoCam	ObsoleteFlag	tinyint			
TblCdsCriPhoCam	Code	varchar(4)	NOT NULL	Yes	
TblCdsCriPhoFilm	Description	varchar(50)	NOT NULL		
TblCdsCriPhoFilm	RODate	datetime	NOT NULL		
TblCdsCriPhoFilm	ROOperator	int	NOT NULL		
TblCdsCriPhoFilm	LUDate	datetime	NOT NULL		
TblCdsCriPhoFilm	LUOperator	int	NOT NULL		
TblCdsCriPhoFilm	UpdateLock	int			
TblCdsCriPhoFilm	ObsoleteFlag	tinyint			
TblCdsCriPhoFilm	Code	varchar(4)	NOT NULL	Yes	
TblCdsCriPhoLens	Description	varchar(50)	NOT NULL		
TblCdsCriPhoLens	RODate	datetime	NOT NULL		
TblCdsCriPhoLens	ROOperator	int	NOT NULL		
TblCdsCriPhoLens	LUDate	datetime	NOT NULL		
TblCdsCriPhoLens	LUOperator	int	NOT NULL		

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsCriSPhoLens	UpdateLock	int			
TblCdsCriSPhoLens	ObsoleteFlag	tinyint			
TblCdsCriSPhoLens	Code	varchar(4)	NOT NULL	Yes	
TblCdsCriSProssTyp	Description	varchar(50)	NOT NULL		
TblCdsCriSProssTyp	RODate	datetime	NOT NULL		
TblCdsCriSProssTyp	ROOperator	int	NOT NULL		
TblCdsCriSProssTyp	LUDate	datetime	NOT NULL		
TblCdsCriSProssTyp	LUOperator	int	NOT NULL		
TblCdsCriSProssTyp	UpdateLock	int			
TblCdsCriSProssTyp	ObsoleteFlag	tinyint			
TblCdsCriSProssTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsCriSRptTyp	Description	varchar(50)	NOT NULL		
TblCdsCriSRptTyp	RODate	datetime	NOT NULL		
TblCdsCriSRptTyp	ROOperator	int	NOT NULL		
TblCdsCriSRptTyp	LUDate	datetime	NOT NULL		
TblCdsCriSRptTyp	LUOperator	int	NOT NULL		
TblCdsCriSRptTyp	UpdateLock	int			
TblCdsCriSRptTyp	ObsoleteFlag	tinyint			
TblCdsCriSRptTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsCriSWeather	Description	varchar(50)	NOT NULL		
TblCdsCriSWeather	RODate	datetime	NOT NULL		
TblCdsCriSWeather	ROOperator	int	NOT NULL		
TblCdsCriSWeather	LUDate	datetime	NOT NULL		
TblCdsCriSWeather	LUOperator	int	NOT NULL		
TblCdsCriSWeather	UpdateLock	int			
TblCdsCriSWeather	ObsoleteFlag	tinyint			
TblCdsCriSWeather	Code	varchar(4)	NOT NULL	Yes	
TblCdsCriSWorkStat	Description	varchar(50)	NOT NULL		
TblCdsCriSWorkStat	RODate	datetime	NOT NULL		
TblCdsCriSWorkStat	ROOperator	int	NOT NULL		
TblCdsCriSWorkStat	LUDate	datetime	NOT NULL		
TblCdsCriSWorkStat	LUOperator	int	NOT NULL		

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsCriSWorkStat	UpdateLock	int			
TblCdsCriSWorkStat	ObsoleteFlag	tinyint			
TblCdsCriSWorkStat	Code	varchar(4)	NOT NULL	Yes	
TblCdsCurrencyTyp	Description	varchar(50)	NOT NULL		
TblCdsCurrencyTyp	RODate	datetime	NOT NULL		
TblCdsCurrencyTyp	ROOperator	int	NOT NULL		
TblCdsCurrencyTyp	LUDate	datetime	NOT NULL		
TblCdsCurrencyTyp	LUOperator	int	NOT NULL		
TblCdsCurrencyTyp	UpdateLock	int			
TblCdsCurrencyTyp	ObsoleteFlag	tinyint			
TblCdsCurrencyTyp	Code	varchar(5)	NOT NULL	Yes	
TblCdsDefendantStatus	Description	varchar(50)	NOT NULL		
TblCdsDefendantStatus	RODate	datetime	NOT NULL		
TblCdsDefendantStatus	ROOperator	int	NOT NULL		
TblCdsDefendantStatus	LUDate	datetime	NOT NULL		
TblCdsDefendantStatus	LUOperator	int	NOT NULL		
TblCdsDefendantStatus	UpdateLock	int			
TblCdsDefendantStatus	ObsoleteFlag	tinyint			
TblCdsDefendantStatus	Code	varchar(4)	NOT NULL	Yes	
TblCdsDemeanor	Description	varchar(50)	NOT NULL		
TblCdsDemeanor	RODate	datetime	NOT NULL		
TblCdsDemeanor	ROOperator	int	NOT NULL		
TblCdsDemeanor	LUDate	datetime	NOT NULL		
TblCdsDemeanor	LUOperator	int	NOT NULL		
TblCdsDemeanor	UpdateLock	int			
TblCdsDemeanor	ObsoleteFlag	tinyint			
TblCdsDemeanor	Code	varchar(4)	NOT NULL	Yes	
TblCdsDetectedBy	Description	varchar(50)	NOT NULL		
TblCdsDetectedBy	RODate	datetime	NOT NULL		
TblCdsDetectedBy	ROOperator	int	NOT NULL		
TblCdsDetectedBy	LUDate	datetime	NOT NULL		
TblCdsDetectedBy	LUOperator	int	NOT NULL		

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsDetectedBy	UpdateLock	int			
TblCdsDetectedBy	ObsoleteFlag	tinyint			
TblCdsDetectedBy	Code	varchar(5)	NOT NULL	Yes	
TblCdsDialect	Code	varchar(4)	NOT NULL	Yes	
TblCdsDialect	Description	varchar(50)	NOT NULL		
TblCdsDialect	FilterValue	varchar(4)			Yes
TblCdsDialect	RODate	datetime	NOT NULL		
TblCdsDialect	ROOperator	int	NOT NULL		
TblCdsDialect	LUDate	datetime	NOT NULL		
TblCdsDialect	LUOperator	int	NOT NULL		
TblCdsDialect	UpdateLock	int			
TblCdsDialect	ObsoleteFlag	tinyint			
TblCdsDisabilities	Description	varchar(50)	NOT NULL		
TblCdsDisabilities	RODate	datetime	NOT NULL		
TblCdsDisabilities	ROOperator	int	NOT NULL		
TblCdsDisabilities	LUDate	datetime	NOT NULL		
TblCdsDisabilities	LUOperator	int	NOT NULL		
TblCdsDisabilities	UpdateLock	int			
TblCdsDisabilities	ObsoleteFlag	tinyint			
TblCdsDisabilities	Code	varchar(4)	NOT NULL	Yes	
TblCdsDiscoveredReported	Description	varchar(50)	NOT NULL		
TblCdsDiscoveredReported	RODate	datetime	NOT NULL		
TblCdsDiscoveredReported	ROOperator	int	NOT NULL		
TblCdsDiscoveredReported	LUDate	datetime	NOT NULL		
TblCdsDiscoveredReported	LUOperator	int	NOT NULL		
TblCdsDiscoveredReported	UpdateLock	int			
TblCdsDiscoveredReported	ObsoleteFlag	tinyint			
TblCdsDiscoveredReported	Code	varchar(4)	NOT NULL	Yes	
TblCdsDism	Code	varchar(4)	NOT NULL	Yes	
TblCdsDism	Description	varchar(50)	NOT NULL		
TblCdsDism	RODate	datetime	NOT NULL		
TblCdsDism	ROOperator	int	NOT NULL		

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsDism	LUDate	datetime	NOT NULL		
TblCdsDism	LUOperator	int	NOT NULL		
TblCdsDism	UpdateLock	int			
TblCdsDism	ObsoleteFlag	tinyint			
TblCdsDism	UpdateSecurity	tinyint			
TblCdsDism	ReadSecurity	tinyint			
TblCdsDisp	Code	varchar(4)	NOT NULL	Yes	
TblCdsDisp	Description	varchar(50)	NOT NULL		
TblCdsDisp	RODate	datetime	NOT NULL		
TblCdsDisp	ROOperator	int	NOT NULL		
TblCdsDisp	LUDate	datetime	NOT NULL		
TblCdsDisp	LUOperator	int	NOT NULL		
TblCdsDisp	UpdateLock	int			
TblCdsDisp	ObsoleteFlag	tinyint			
TblCdsDisp	CaseStatus	varchar(4)			Yes
TblCdsDistanceUOM	Description	varchar(50)	NOT NULL		
TblCdsDistanceUOM	RODate	datetime	NOT NULL		
TblCdsDistanceUOM	ROOperator	int	NOT NULL		
TblCdsDistanceUOM	LUDate	datetime	NOT NULL		
TblCdsDistanceUOM	LUOperator	int	NOT NULL		
TblCdsDistanceUOM	UpdateLock	int			
TblCdsDistanceUOM	ObsoleteFlag	tinyint			
TblCdsDistanceUOM	Code	varchar(4)	NOT NULL	Yes	
TblCdsDisturbAct	Description	varchar(50)	NOT NULL		
TblCdsDisturbAct	RODate	datetime	NOT NULL		
TblCdsDisturbAct	ROOperator	int	NOT NULL		
TblCdsDisturbAct	LUDate	datetime	NOT NULL		
TblCdsDisturbAct	LUOperator	int	NOT NULL		
TblCdsDisturbAct	UpdateLock	int			
TblCdsDisturbAct	ObsoleteFlag	tinyint			
TblCdsDisturbAct	Code	varchar(4)	NOT NULL	Yes	
TblCdsDisturbTyp	Description	varchar(50)	NOT NULL		

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TbICdsDisturbTyp	RODate	datetime	NOT NULL		
TbICdsDisturbTyp	ROOperator	int	NOT NULL		
TbICdsDisturbTyp	LUDate	datetime	NOT NULL		
TbICdsDisturbTyp	LUOperator	int	NOT NULL		
TbICdsDisturbTyp	UpdateLock	int			
TbICdsDisturbTyp	ObsoleteFlag	tinyint			
TbICdsDisturbTyp	Code	varchar(4)	NOT NULL	Yes	
TbICdsDLCLs	Description	varchar(50)	NOT NULL		
TbICdsDLCLs	RODate	datetime	NOT NULL		
TbICdsDLCLs	ROOperator	int	NOT NULL		
TbICdsDLCLs	LUDate	datetime	NOT NULL		
TbICdsDLCLs	LUOperator	int	NOT NULL		
TbICdsDLCLs	UpdateLock	int			
TbICdsDLCLs	ObsoleteFlag	tinyint			
TbICdsDLCLs	Code	varchar(4)	NOT NULL	Yes	
TbICdsDNRCallDir	Description	varchar(50)	NOT NULL		
TbICdsDNRCallDir	RODate	datetime	NOT NULL		
TbICdsDNRCallDir	ROOperator	int	NOT NULL		
TbICdsDNRCallDir	LUDate	datetime	NOT NULL		
TbICdsDNRCallDir	LUOperator	int	NOT NULL		
TbICdsDNRCallDir	UpdateLock	int			
TbICdsDNRCallDir	ObsoleteFlag	tinyint			
TbICdsDNRCallDir	Code	varchar(1)	NOT NULL	Yes	
TbICdsDNRCallSrc	Description	varchar(50)	NOT NULL		
TbICdsDNRCallSrc	RODate	datetime	NOT NULL		
TbICdsDNRCallSrc	ROOperator	int	NOT NULL		
TbICdsDNRCallSrc	LUDate	datetime	NOT NULL		
TbICdsDNRCallSrc	LUOperator	int	NOT NULL		
TbICdsDNRCallSrc	UpdateLock	int			
TbICdsDNRCallSrc	ObsoleteFlag	tinyint			
TbICdsDNRCallSrc	Code	varchar(4)	NOT NULL	Yes	
TbICdsDNRCallTyp	Description	varchar(50)	NOT NULL		

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TbICdsDNRCallTyp	RODate	datetime	NOT NULL		
TbICdsDNRCallTyp	ROOperator	int	NOT NULL		
TbICdsDNRCallTyp	LUDate	datetime	NOT NULL		
TbICdsDNRCallTyp	LUOperator	int	NOT NULL		
TbICdsDNRCallTyp	UpdateLock	int			
TbICdsDNRCallTyp	ObsoleteFlag	tinyint			
TbICdsDNRCallTyp	Code	varchar(4)	NOT NULL	Yes	
TbICdsDocLogAct	Description	varchar(50)	NOT NULL		
TbICdsDocLogAct	RODate	datetime	NOT NULL		
TbICdsDocLogAct	ROOperator	int	NOT NULL		
TbICdsDocLogAct	LUDate	datetime	NOT NULL		
TbICdsDocLogAct	LUOperator	int	NOT NULL		
TbICdsDocLogAct	UpdateLock	int			
TbICdsDocLogAct	ObsoleteFlag	tinyint			
TbICdsDocLogAct	Code	varchar(4)	NOT NULL	Yes	
TbICdsDocSts	Description	varchar(50)	NOT NULL		
TbICdsDocSts	RODate	datetime	NOT NULL		
TbICdsDocSts	ROOperator	int	NOT NULL		
TbICdsDocSts	LUDate	datetime	NOT NULL		
TbICdsDocSts	LUOperator	int	NOT NULL		
TbICdsDocSts	UpdateLock	int			
TbICdsDocSts	ObsoleteFlag	tinyint			
TbICdsDocSts	Code	varchar(2)	NOT NULL	Yes	
TbICdsDocTyp	Description	varchar(50)	NOT NULL		
TbICdsDocTyp	RODate	datetime	NOT NULL		
TbICdsDocTyp	ROOperator	int	NOT NULL		
TbICdsDocTyp	LUDate	datetime	NOT NULL		
TbICdsDocTyp	LUOperator	int	NOT NULL		
TbICdsDocTyp	UpdateLock	int			
TbICdsDocTyp	ObsoleteFlag	tinyint			
TbICdsDocTyp	Code	varchar(1)	NOT NULL	Yes	
TbICdsDrugAct	Description	varchar(50)	NOT NULL		

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsDrugAct	RODate	datetime	NOT NULL		
TblCdsDrugAct	ROOperator	int	NOT NULL		
TblCdsDrugAct	LUDate	datetime	NOT NULL		
TblCdsDrugAct	LUOperator	int	NOT NULL		
TblCdsDrugAct	UpdateLock	int			
TblCdsDrugAct	ObsoleteFlag	tinyint			
TblCdsDrugAct	Code	varchar(4)	NOT NULL	Yes	
TblCdsDrugCultivation	Description	varchar(50)	NOT NULL		
TblCdsDrugCultivation	RODate	datetime	NOT NULL		
TblCdsDrugCultivation	ROOperator	int	NOT NULL		
TblCdsDrugCultivation	LUDate	datetime	NOT NULL		
TblCdsDrugCultivation	LUOperator	int	NOT NULL		
TblCdsDrugCultivation	UpdateLock	int			
TblCdsDrugCultivation	ObsoleteFlag	tinyint			
TblCdsDrugCultivation	Code	varchar(4)	NOT NULL	Yes	
TblCdsDrugInflu	Description	varchar(50)	NOT NULL		
TblCdsDrugInflu	RODate	datetime	NOT NULL		
TblCdsDrugInflu	ROOperator	int	NOT NULL		
TblCdsDrugInflu	LUDate	datetime	NOT NULL		
TblCdsDrugInflu	LUOperator	int	NOT NULL		
TblCdsDrugInflu	UpdateLock	int			
TblCdsDrugInflu	ObsoleteFlag	tinyint			
TblCdsDrugInflu	Code	varchar(4)	NOT NULL	Yes	
TblCdsDrugRel	Description	varchar(50)	NOT NULL		
TblCdsDrugRel	RODate	datetime	NOT NULL		
TblCdsDrugRel	ROOperator	int	NOT NULL		
TblCdsDrugRel	LUDate	datetime	NOT NULL		
TblCdsDrugRel	LUOperator	int	NOT NULL		
TblCdsDrugRel	UpdateLock	int			
TblCdsDrugRel	ObsoleteFlag	tinyint			
TblCdsDrugRel	Code	varchar(4)	NOT NULL	Yes	
TblCdsDrugTyp	Code	varchar(4)	NOT NULL	Yes	

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsDrugTyp	Description	varchar(50)	NOT NULL		
TblCdsDrugTyp	FilterValue	varchar(4)			
TblCdsDrugTyp	DrugUOM	varchar(4)			Yes
TblCdsDrugTyp	UnitValue	money			
TblCdsDrugTyp	RODate	datetime	NOT NULL		
TblCdsDrugTyp	ROOperator	int	NOT NULL		
TblCdsDrugTyp	LUDate	datetime	NOT NULL		
TblCdsDrugTyp	LUOperator	int	NOT NULL		
TblCdsDrugTyp	UpdateLock	int			
TblCdsDrugTyp	ObsoleteFlag	tinyint			
TblCdsDrugTyp	Category	varchar(4)			Yes
TblCdsDrugTyp	Schedule	varchar(4)			Yes
TblCdsDrugTyp	ChemicalName	varchar(75)			
TblCdsDrugTyp	Class	varchar(4)			Yes
TblCdsDrugTypCat	Description	varchar(50)	NOT NULL		
TblCdsDrugTypCat	RODate	datetime	NOT NULL		
TblCdsDrugTypCat	ROOperator	int	NOT NULL		
TblCdsDrugTypCat	LUDate	datetime	NOT NULL		
TblCdsDrugTypCat	LUOperator	int	NOT NULL		
TblCdsDrugTypCat	UpdateLock	int			
TblCdsDrugTypCat	ObsoleteFlag	tinyint			
TblCdsDrugTypCat	Code	varchar(4)	NOT NULL	Yes	
TblCdsDrugTypClass	Description	varchar(50)	NOT NULL		
TblCdsDrugTypClass	RODate	datetime	NOT NULL		
TblCdsDrugTypClass	ROOperator	int	NOT NULL		
TblCdsDrugTypClass	LUDate	datetime	NOT NULL		
TblCdsDrugTypClass	LUOperator	int	NOT NULL		
TblCdsDrugTypClass	UpdateLock	int			
TblCdsDrugTypClass	ObsoleteFlag	tinyint			
TblCdsDrugTypClass	Code	varchar(4)	NOT NULL	Yes	
TblCdsDrugTypSch	Description	varchar(50)	NOT NULL		
TblCdsDrugTypSch	RODate	datetime	NOT NULL		

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsDrugTypSch	ROOperator	int	NOT NULL		
TblCdsDrugTypSch	LUDate	datetime	NOT NULL		
TblCdsDrugTypSch	LUOperator	int	NOT NULL		
TblCdsDrugTypSch	UpdateLock	int			
TblCdsDrugTypSch	ObsoleteFlag	tinyint			
TblCdsDrugTypSch	Code	varchar(4)	NOT NULL	Yes	
TblCdsDrugUOM	Code	varchar(4)	NOT NULL	Yes	
TblCdsDrugUOM	Description	varchar(50)	NOT NULL		
TblCdsDrugUOM	FilterValue	varchar(4)			
TblCdsDrugUOM	ConversionFactor	float			
TblCdsDrugUOM	BaseType	varchar(5)			
TblCdsDrugUOM	RODate	datetime	NOT NULL		
TblCdsDrugUOM	ROOperator	int	NOT NULL		
TblCdsDrugUOM	LUDate	datetime	NOT NULL		
TblCdsDrugUOM	LUOperator	int	NOT NULL		
TblCdsDrugUOM	UpdateLock	int			
TblCdsDrugUOM	ObsoleteFlag	tinyint			
TblCdsEOI	Description	varchar(50)	NOT NULL		
TblCdsEOI	RODate	datetime	NOT NULL		
TblCdsEOI	ROOperator	int	NOT NULL		
TblCdsEOI	LUDate	datetime	NOT NULL		
TblCdsEOI	LUOperator	int	NOT NULL		
TblCdsEOI	UpdateLock	int			
TblCdsEOI	ObsoleteFlag	tinyint			
TblCdsEOI	Code	varchar(4)	NOT NULL	Yes	
TblCdsEthnicity	Description	varchar(50)	NOT NULL		
TblCdsEthnicity	RODate	datetime	NOT NULL		
TblCdsEthnicity	ROOperator	int	NOT NULL		
TblCdsEthnicity	LUDate	datetime	NOT NULL		
TblCdsEthnicity	LUOperator	int	NOT NULL		
TblCdsEthnicity	UpdateLock	int			
TblCdsEthnicity	ObsoleteFlag	tinyint			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsEthnicity	Code	varchar(4)	NOT NULL	Yes	
TblCdsEventTyp	Description	varchar(50)	NOT NULL		
TblCdsEventTyp	RODate	datetime	NOT NULL		
TblCdsEventTyp	ROOperator	int	NOT NULL		
TblCdsEventTyp	LUDate	datetime	NOT NULL		
TblCdsEventTyp	LUOperator	int	NOT NULL		
TblCdsEventTyp	UpdateLock	int			
TblCdsEventTyp	ObsoleteFlag	tinyint			
TblCdsEventTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsExpTyp	Description	varchar(50)	NOT NULL		
TblCdsExpTyp	RODate	datetime	NOT NULL		
TblCdsExpTyp	ROOperator	int	NOT NULL		
TblCdsExpTyp	LUDate	datetime	NOT NULL		
TblCdsExpTyp	LUOperator	int	NOT NULL		
TblCdsExpTyp	UpdateLock	int			
TblCdsExpTyp	ObsoleteFlag	tinyint			
TblCdsExpTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsEyeColor	Description	varchar(50)	NOT NULL		
TblCdsEyeColor	RODate	datetime	NOT NULL		
TblCdsEyeColor	ROOperator	int	NOT NULL		
TblCdsEyeColor	LUDate	datetime	NOT NULL		
TblCdsEyeColor	LUOperator	int	NOT NULL		
TblCdsEyeColor	UpdateLock	int			
TblCdsEyeColor	ObsoleteFlag	tinyint			
TblCdsEyeColor	Code	varchar(4)	NOT NULL	Yes	
TblCdsF163Tel	Description	varchar(50)	NOT NULL		
TblCdsF163Tel	RODate	datetime	NOT NULL		
TblCdsF163Tel	ROOperator	int	NOT NULL		
TblCdsF163Tel	LUDate	datetime	NOT NULL		
TblCdsF163Tel	LUOperator	int	NOT NULL		
TblCdsF163Tel	UpdateLock	int			
TblCdsF163Tel	ObsoleteFlag	tinyint			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsF163Tel	Code	varchar(4)	NOT NULL	Yes	
TblCdsF313TrtSts	Description	varchar(50)	NOT NULL		
TblCdsF313TrtSts	RODate	datetime	NOT NULL		
TblCdsF313TrtSts	ROOperator	int	NOT NULL		
TblCdsF313TrtSts	LUDate	datetime	NOT NULL		
TblCdsF313TrtSts	LUOperator	int	NOT NULL		
TblCdsF313TrtSts	UpdateLock	int			
TblCdsF313TrtSts	ObsoleteFlag	tinyint			
TblCdsF313TrtSts	Code	varchar(4)	NOT NULL	Yes	
TblCdsF313Typ	Description	varchar(50)	NOT NULL		
TblCdsF313Typ	RODate	datetime	NOT NULL		
TblCdsF313Typ	ROOperator	int	NOT NULL		
TblCdsF313Typ	LUDate	datetime	NOT NULL		
TblCdsF313Typ	LUOperator	int	NOT NULL		
TblCdsF313Typ	UpdateLock	int			
TblCdsF313Typ	ObsoleteFlag	tinyint			
TblCdsF313Typ	Code	varchar(4)	NOT NULL	Yes	
TblCdsF313Type	Description	varchar(50)	NOT NULL		
TblCdsF313Type	RODate	datetime	NOT NULL		
TblCdsF313Type	ROOperator	int	NOT NULL		
TblCdsF313Type	LUDate	datetime	NOT NULL		
TblCdsF313Type	LUOperator	int	NOT NULL		
TblCdsF313Type	UpdateLock	int			
TblCdsF313Type	ObsoleteFlag	tinyint			
TblCdsF313Type	Code	varchar(4)	NOT NULL	Yes	
TblCdsFacial	Description	varchar(50)	NOT NULL		
TblCdsFacial	RODate	datetime	NOT NULL		
TblCdsFacial	ROOperator	int	NOT NULL		
TblCdsFacial	LUDate	datetime	NOT NULL		
TblCdsFacial	LUOperator	int	NOT NULL		
TblCdsFacial	UpdateLock	int			
TblCdsFacial	ObsoleteFlag	tinyint			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsFacial	Code	varchar(4)	NOT NULL	Yes	
TblCdsFacilityCategory	Description	varchar(50)	NOT NULL		
TblCdsFacilityCategory	RODate	datetime	NOT NULL		
TblCdsFacilityCategory	ROOperator	int	NOT NULL		
TblCdsFacilityCategory	LUDate	datetime	NOT NULL		
TblCdsFacilityCategory	LUOperator	int	NOT NULL		
TblCdsFacilityCategory	UpdateLock	int			
TblCdsFacilityCategory	ObsoleteFlag	tinyint			
TblCdsFacilityCategory	Code	varchar(4)	NOT NULL	Yes	
TblCdsFacilityCommodity	Description	varchar(50)	NOT NULL		
TblCdsFacilityCommodity	RODate	datetime	NOT NULL		
TblCdsFacilityCommodity	ROOperator	int	NOT NULL		
TblCdsFacilityCommodity	LUDate	datetime	NOT NULL		
TblCdsFacilityCommodity	LUOperator	int	NOT NULL		
TblCdsFacilityCommodity	UpdateLock	int			
TblCdsFacilityCommodity	ObsoleteFlag	tinyint			
TblCdsFacilityCommodity	Code	varchar(4)	NOT NULL	Yes	
TblCdsFacilitySubTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsFacilitySubTyp	Description	varchar(50)	NOT NULL		
TblCdsFacilitySubTyp	FilterValue	varchar(4)	NOT NULL		Yes
TblCdsFacilitySubTyp	RODate	datetime	NOT NULL		
TblCdsFacilitySubTyp	ROOperator	int	NOT NULL		
TblCdsFacilitySubTyp	LUDate	datetime	NOT NULL		
TblCdsFacilitySubTyp	LUOperator	int	NOT NULL		
TblCdsFacilitySubTyp	UpdateLock	int			
TblCdsFacilitySubTyp	ObsoleteFlag	tinyint			
TblCdsFacilityTyp	Description	varchar(50)	NOT NULL		
TblCdsFacilityTyp	RODate	datetime	NOT NULL		
TblCdsFacilityTyp	ROOperator	int	NOT NULL		
TblCdsFacilityTyp	LUDate	datetime	NOT NULL		
TblCdsFacilityTyp	LUOperator	int	NOT NULL		
TblCdsFacilityTyp	UpdateLock	int			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsFacilityTyp	ObsoleteFlag	tinyint			
TblCdsFacilityTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsFedForfitTyp	Description	varchar(50)	NOT NULL		
TblCdsFedForfitTyp	RODate	datetime	NOT NULL		
TblCdsFedForfitTyp	ROOperator	int	NOT NULL		
TblCdsFedForfitTyp	LUDate	datetime	NOT NULL		
TblCdsFedForfitTyp	LUOperator	int	NOT NULL		
TblCdsFedForfitTyp	UpdateLock	int			
TblCdsFedForfitTyp	ObsoleteFlag	tinyint			
TblCdsFedForfitTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsFiarmCaliber	Description	varchar(50)	NOT NULL		
TblCdsFiarmCaliber	RODate	datetime	NOT NULL		
TblCdsFiarmCaliber	ROOperator	int	NOT NULL		
TblCdsFiarmCaliber	LUDate	datetime	NOT NULL		
TblCdsFiarmCaliber	LUOperator	int	NOT NULL		
TblCdsFiarmCaliber	UpdateLock	int			
TblCdsFiarmCaliber	ObsoleteFlag	tinyint			
TblCdsFiarmCaliber	Code	varchar(5)	NOT NULL	Yes	
TblCdsFiarmFin	Description	varchar(50)	NOT NULL		
TblCdsFiarmFin	RODate	datetime	NOT NULL		
TblCdsFiarmFin	ROOperator	int	NOT NULL		
TblCdsFiarmFin	LUDate	datetime	NOT NULL		
TblCdsFiarmFin	LUOperator	int	NOT NULL		
TblCdsFiarmFin	UpdateLock	int			
TblCdsFiarmFin	ObsoleteFlag	tinyint			
TblCdsFiarmFin	Code	varchar(4)	NOT NULL	Yes	
TblCdsFinSubRel	Description	varchar(50)	NOT NULL		
TblCdsFinSubRel	RODate	datetime	NOT NULL		
TblCdsFinSubRel	ROOperator	int	NOT NULL		
TblCdsFinSubRel	LUDate	datetime	NOT NULL		
TblCdsFinSubRel	LUOperator	int	NOT NULL		
TblCdsFinSubRel	UpdateLock	int			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsFinSubRel	ObsoleteFlag	tinyint			
TblCdsFinSubRel	Code	varchar(4)	NOT NULL	Yes	
TblCdsFinTyp	Description	varchar(50)	NOT NULL		
TblCdsFinTyp	RODate	datetime	NOT NULL		
TblCdsFinTyp	ROOperator	int	NOT NULL		
TblCdsFinTyp	LUDate	datetime	NOT NULL		
TblCdsFinTyp	LUOperator	int	NOT NULL		
TblCdsFinTyp	UpdateLock	int			
TblCdsFinTyp	ObsoleteFlag	tinyint			
TblCdsFinTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsFireAreaOrigin	Description	varchar(60)			
TblCdsFireAreaOrigin	RODate	datetime	NOT NULL		
TblCdsFireAreaOrigin	ROOperator	int	NOT NULL		
TblCdsFireAreaOrigin	LUDate	datetime	NOT NULL		
TblCdsFireAreaOrigin	LUOperator	int	NOT NULL		
TblCdsFireAreaOrigin	UpdateLock	int			
TblCdsFireAreaOrigin	ObsoleteFlag	tinyint			
TblCdsFireAreaOrigin	Code	varchar(4)	NOT NULL	Yes	
TblCdsFITypOfStop	Description	varchar(50)	NOT NULL		
TblCdsFITypOfStop	RODate	datetime	NOT NULL		
TblCdsFITypOfStop	ROOperator	int	NOT NULL		
TblCdsFITypOfStop	LUDate	datetime	NOT NULL		
TblCdsFITypOfStop	LUOperator	int	NOT NULL		
TblCdsFITypOfStop	UpdateLock	int			
TblCdsFITypOfStop	ObsoleteFlag	tinyint			
TblCdsFITypOfStop	Code	varchar(4)	NOT NULL	Yes	
TblCdsForcedEntry	Description	varchar(50)	NOT NULL		
TblCdsForcedEntry	RODate	datetime	NOT NULL		
TblCdsForcedEntry	ROOperator	int	NOT NULL		
TblCdsForcedEntry	LUDate	datetime	NOT NULL		
TblCdsForcedEntry	LUOperator	int	NOT NULL		
TblCdsForcedEntry	UpdateLock	int			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsForcedEntry	ObsoleteFlag	tinyint			
TblCdsForcedEntry	Code	varchar(4)	NOT NULL	Yes	
TblCdsFormOfPayment	Description	varchar(50)	NOT NULL		
TblCdsFormOfPayment	RODate	datetime	NOT NULL		
TblCdsFormOfPayment	ROOperator	int	NOT NULL		
TblCdsFormOfPayment	LUDate	datetime	NOT NULL		
TblCdsFormOfPayment	LUOperator	int	NOT NULL		
TblCdsFormOfPayment	UpdateLock	int			
TblCdsFormOfPayment	ObsoleteFlag	tinyint			
TblCdsFormOfPayment	Code	varchar(4)	NOT NULL	Yes	
TblCdsFormRequired	Description	varchar(50)	NOT NULL		
TblCdsFormRequired	RODate	datetime	NOT NULL		
TblCdsFormRequired	ROOperator	int	NOT NULL		
TblCdsFormRequired	LUDate	datetime	NOT NULL		
TblCdsFormRequired	LUOperator	int	NOT NULL		
TblCdsFormRequired	UpdateLock	int			
TblCdsFormRequired	ObsoleteFlag	tinyint			
TblCdsFormRequired	Code	varchar(10)	NOT NULL	Yes	
TblCdsGambling	Description	varchar(50)	NOT NULL		
TblCdsGambling	RODate	datetime	NOT NULL		
TblCdsGambling	ROOperator	int	NOT NULL		
TblCdsGambling	LUDate	datetime	NOT NULL		
TblCdsGambling	LUOperator	int	NOT NULL		
TblCdsGambling	UpdateLock	int			
TblCdsGambling	ObsoleteFlag	tinyint			
TblCdsGambling	Code	varchar(4)	NOT NULL	Yes	
TblCdsGangCriteria	Code	varchar(4)	NOT NULL	Yes	
TblCdsGangCriteria	Description	varchar(500)			
TblCdsGangCriteria	MinimumOccurrences	int	NOT NULL		
TblCdsGangCriteria	Points	tinyint	NOT NULL		
TblCdsGangCriteria	IncludeArrests	varchar(1)	NOT NULL		Yes
TblCdsGangCriteria	IncludeFIRs	varchar(1)	NOT NULL		Yes

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsGangCriteria	RODate	datetime	NOT NULL		
TblCdsGangCriteria	ROOperator	int	NOT NULL		
TblCdsGangCriteria	LUDate	datetime	NOT NULL		
TblCdsGangCriteria	LUOperator	int	NOT NULL		
TblCdsGangCriteria	UpdateLock	int			
TblCdsGangCriteria	ObsoleteFlag	tinyint			
TblCdsGangLevel	Description	varchar(50)	NOT NULL		
TblCdsGangLevel	RODate	datetime	NOT NULL		
TblCdsGangLevel	ROOperator	int	NOT NULL		
TblCdsGangLevel	LUDate	datetime	NOT NULL		
TblCdsGangLevel	LUOperator	int	NOT NULL		
TblCdsGangLevel	UpdateLock	int			
TblCdsGangLevel	ObsoleteFlag	tinyint			
TblCdsGangLevel	Code	varchar(4)	NOT NULL	Yes	
TblCdsGangRank	Description	varchar(50)	NOT NULL		
TblCdsGangRank	RODate	datetime	NOT NULL		
TblCdsGangRank	ROOperator	int	NOT NULL		
TblCdsGangRank	LUDate	datetime	NOT NULL		
TblCdsGangRank	LUOperator	int	NOT NULL		
TblCdsGangRank	UpdateLock	int			
TblCdsGangRank	ObsoleteFlag	tinyint			
TblCdsGangRank	Code	varchar(4)	NOT NULL	Yes	
TblCdsGangStatus	Description	varchar(50)	NOT NULL		
TblCdsGangStatus	RODate	datetime	NOT NULL		
TblCdsGangStatus	ROOperator	int	NOT NULL		
TblCdsGangStatus	LUDate	datetime	NOT NULL		
TblCdsGangStatus	LUOperator	int	NOT NULL		
TblCdsGangStatus	UpdateLock	int			
TblCdsGangStatus	ObsoleteFlag	tinyint			
TblCdsGangStatus	Code	varchar(4)	NOT NULL	Yes	
TblCdsGangTyp	Description	varchar(50)	NOT NULL		
TblCdsGangTyp	RODate	datetime	NOT NULL		

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsGangTyp	ROOperator	int	NOT NULL		
TblCdsGangTyp	LUDate	datetime	NOT NULL		
TblCdsGangTyp	LUOperator	int	NOT NULL		
TblCdsGangTyp	UpdateLock	int			
TblCdsGangTyp	ObsoleteFlag	tinyint			
TblCdsGangTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsGlassesTyp	Description	varchar(50)	NOT NULL		
TblCdsGlassesTyp	RODate	datetime	NOT NULL		
TblCdsGlassesTyp	ROOperator	int	NOT NULL		
TblCdsGlassesTyp	LUDate	datetime	NOT NULL		
TblCdsGlassesTyp	LUOperator	int	NOT NULL		
TblCdsGlassesTyp	UpdateLock	int			
TblCdsGlassesTyp	ObsoleteFlag	tinyint			
TblCdsGlassesTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsGrid	Description	varchar(50)	NOT NULL		
TblCdsGrid	RODate	datetime	NOT NULL		
TblCdsGrid	ROOperator	int	NOT NULL		
TblCdsGrid	LUDate	datetime	NOT NULL		
TblCdsGrid	LUOperator	int	NOT NULL		
TblCdsGrid	UpdateLock	int			
TblCdsGrid	ObsoleteFlag	tinyint			
TblCdsGrid	Code	varchar(6)	NOT NULL	Yes	
TblCdsHairColor	Description	varchar(50)	NOT NULL		
TblCdsHairColor	RODate	datetime	NOT NULL		
TblCdsHairColor	ROOperator	int	NOT NULL		
TblCdsHairColor	LUDate	datetime	NOT NULL		
TblCdsHairColor	LUOperator	int	NOT NULL		
TblCdsHairColor	UpdateLock	int			
TblCdsHairColor	ObsoleteFlag	tinyint			
TblCdsHairColor	Code	varchar(4)	NOT NULL	Yes	
TblCdsHairLength	Description	varchar(50)	NOT NULL		
TblCdsHairLength	RODate	datetime	NOT NULL		

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsHairLength	ROOperator	int	NOT NULL		
TblCdsHairLength	LUDate	datetime	NOT NULL		
TblCdsHairLength	LUOperator	int	NOT NULL		
TblCdsHairLength	UpdateLock	int			
TblCdsHairLength	ObsoleteFlag	tinyint			
TblCdsHairLength	Code	varchar(4)	NOT NULL	Yes	
TblCdsHairStyle	Description	varchar(50)	NOT NULL		
TblCdsHairStyle	RODate	datetime	NOT NULL		
TblCdsHairStyle	ROOperator	int	NOT NULL		
TblCdsHairStyle	LUDate	datetime	NOT NULL		
TblCdsHairStyle	LUOperator	int	NOT NULL		
TblCdsHairStyle	UpdateLock	int			
TblCdsHairStyle	ObsoleteFlag	tinyint			
TblCdsHairStyle	Code	varchar(4)	NOT NULL	Yes	
TblCdsHanded	Description	varchar(50)	NOT NULL		
TblCdsHanded	RODate	datetime	NOT NULL		
TblCdsHanded	ROOperator	int	NOT NULL		
TblCdsHanded	LUDate	datetime	NOT NULL		
TblCdsHanded	LUOperator	int	NOT NULL		
TblCdsHanded	UpdateLock	int			
TblCdsHanded	ObsoleteFlag	tinyint			
TblCdsHanded	Code	varchar(4)	NOT NULL	Yes	
TblCdsHateCrime	Description	varchar(50)	NOT NULL		
TblCdsHateCrime	RODate	datetime	NOT NULL		
TblCdsHateCrime	ROOperator	int	NOT NULL		
TblCdsHateCrime	LUDate	datetime	NOT NULL		
TblCdsHateCrime	LUOperator	int	NOT NULL		
TblCdsHateCrime	UpdateLock	int			
TblCdsHateCrime	ObsoleteFlag	tinyint			
TblCdsHateCrime	Code	varchar(4)	NOT NULL	Yes	
TblCdsHomCircm	Description	varchar(50)	NOT NULL		
TblCdsHomCircm	RODate	datetime	NOT NULL		

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsHomCircm	ROOperator	int	NOT NULL		
TblCdsHomCircm	LUDate	datetime	NOT NULL		
TblCdsHomCircm	LUOperator	int	NOT NULL		
TblCdsHomCircm	UpdateLock	int			
TblCdsHomCircm	ObsoleteFlag	tinyint			
TblCdsHomCircm	Code	varchar(4)	NOT NULL	Yes	
TblCdsHomJust	Description	varchar(50)	NOT NULL		
TblCdsHomJust	RODate	datetime	NOT NULL		
TblCdsHomJust	ROOperator	int	NOT NULL		
TblCdsHomJust	LUDate	datetime	NOT NULL		
TblCdsHomJust	LUOperator	int	NOT NULL		
TblCdsHomJust	UpdateLock	int			
TblCdsHomJust	ObsoleteFlag	tinyint			
TblCdsHomJust	Code	varchar(4)	NOT NULL	Yes	
TblCdsHomJustCircm	Description	varchar(50)	NOT NULL		
TblCdsHomJustCircm	RODate	datetime	NOT NULL		
TblCdsHomJustCircm	ROOperator	int	NOT NULL		
TblCdsHomJustCircm	LUDate	datetime	NOT NULL		
TblCdsHomJustCircm	LUOperator	int	NOT NULL		
TblCdsHomJustCircm	UpdateLock	int			
TblCdsHomJustCircm	ObsoleteFlag	tinyint			
TblCdsHomJustCircm	Code	varchar(4)	NOT NULL	Yes	
TblCdsIDSubType	Code	varchar(4)	NOT NULL	Yes	
TblCdsIDSubType	Description	varchar(50)	NOT NULL		
TblCdsIDSubType	IDType	varchar(4)	NOT NULL		Yes
TblCdsIDSubType	RODate	datetime	NOT NULL		
TblCdsIDSubType	ROOperator	int	NOT NULL		
TblCdsIDSubType	LUDate	datetime	NOT NULL		
TblCdsIDSubType	LUOperator	int	NOT NULL		
TblCdsIDSubType	UpdateLock	int			
TblCdsIDSubType	ObsoleteFlag	tinyint			
TblCdsIDType	Code	varchar(4)	NOT NULL	Yes	

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsIDType	Description	varchar(50)	NOT NULL		
TblCdsIDType	RODate	datetime	NOT NULL		
TblCdsIDType	ROOperator	int	NOT NULL		
TblCdsIDType	LUDate	datetime	NOT NULL		
TblCdsIDType	LUOperator	int	NOT NULL		
TblCdsIDType	UpdateLock	int			
TblCdsIDType	ObsoleteFlag	tinyint			
TblCdsIDType	LogicCode	varchar(4)			
TblCdsImpersonator	Description	varchar(50)	NOT NULL		
TblCdsImpersonator	RODate	datetime	NOT NULL		
TblCdsImpersonator	ROOperator	int	NOT NULL		
TblCdsImpersonator	LUDate	datetime	NOT NULL		
TblCdsImpersonator	LUOperator	int	NOT NULL		
TblCdsImpersonator	UpdateLock	int			
TblCdsImpersonator	ObsoleteFlag	tinyint			
TblCdsImpersonator	Code	varchar(4)	NOT NULL	Yes	
TblCdsIncidentTyp	Description	varchar(50)	NOT NULL		
TblCdsIncidentTyp	RODate	datetime	NOT NULL		
TblCdsIncidentTyp	ROOperator	int	NOT NULL		
TblCdsIncidentTyp	LUDate	datetime	NOT NULL		
TblCdsIncidentTyp	LUOperator	int	NOT NULL		
TblCdsIncidentTyp	UpdateLock	int			
TblCdsIncidentTyp	ObsoleteFlag	tinyint			
TblCdsIncidentTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsIncidentTypSecLevRel	Code	int	NOT NULL	Yes	
TblCdsIncidentTypSecLevRel	Description	datetime			
TblCdsIncidentTypSecLevRel	IncidentType	varchar(4)	NOT NULL		Yes
TblCdsIncidentTypSecLevRel	SecLev2	varchar(10)			Yes
TblCdsIncidentTypSecLevRel	SecLev3	varchar(10)			Yes
TblCdsIncidentTypSecLevRel	SecLev4	varchar(10)			Yes
TblCdsIncidentTypSecLevRel	SecLev5	varchar(10)			Yes
TblCdsIncidentTypSecLevRel	SecLev6	varchar(10)			Yes

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsIncidentTypSecLevRel	SecLev7	varchar(10)			Yes
TblCdsIncidentTypSecLevRel	SecLev8	varchar(10)			Yes
TblCdsIncidentTypSecLevRel	RODate	datetime	NOT NULL		
TblCdsIncidentTypSecLevRel	ROOperator	int	NOT NULL		
TblCdsIncidentTypSecLevRel	LUDate	datetime	NOT NULL		
TblCdsIncidentTypSecLevRel	LUOperator	int	NOT NULL		
TblCdsIncidentTypSecLevRel	UpdateLock	int			
TblCdsIncidentTypSecLevRel	ObsoleteFlag	tinyint			
TblCdsInjExt	Code	varchar(4)	NOT NULL	Yes	
TblCdsInjExt	Description	varchar(50)	NOT NULL		
TblCdsInjExt	RODate	datetime	NOT NULL		
TblCdsInjExt	ROOperator	int	NOT NULL		
TblCdsInjExt	LUDate	datetime	NOT NULL		
TblCdsInjExt	LUOperator	int	NOT NULL		
TblCdsInjExt	UpdateLock	int			
TblCdsInjExt	ObsoleteFlag	tinyint			
TblCdsInjExt	LogicCode	varchar(8)			
TblCdsInjPerTyp	Description	varchar(50)	NOT NULL		
TblCdsInjPerTyp	RODate	datetime	NOT NULL		
TblCdsInjPerTyp	ROOperator	int	NOT NULL		
TblCdsInjPerTyp	LUDate	datetime	NOT NULL		
TblCdsInjPerTyp	LUOperator	int	NOT NULL		
TblCdsInjPerTyp	UpdateLock	int			
TblCdsInjPerTyp	ObsoleteFlag	tinyint			
TblCdsInjPerTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsInjSts	Description	varchar(50)	NOT NULL		
TblCdsInjSts	RODate	datetime	NOT NULL		
TblCdsInjSts	ROOperator	int	NOT NULL		
TblCdsInjSts	LUDate	datetime	NOT NULL		
TblCdsInjSts	LUOperator	int	NOT NULL		
TblCdsInjSts	UpdateLock	int			
TblCdsInjSts	ObsoleteFlag	tinyint			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsInjSts	Code	varchar(4)	NOT NULL	Yes	
TblCdsInjTyp	Description	varchar(50)	NOT NULL		
TblCdsInjTyp	RODate	datetime	NOT NULL		
TblCdsInjTyp	ROOperator	int	NOT NULL		
TblCdsInjTyp	LUDate	datetime	NOT NULL		
TblCdsInjTyp	LUOperator	int	NOT NULL		
TblCdsInjTyp	UpdateLock	int			
TblCdsInjTyp	ObsoleteFlag	tinyint			
TblCdsInjTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsInterdictionCriteria	Description	varchar(50)	NOT NULL		
TblCdsInterdictionCriteria	RODate	datetime	NOT NULL		
TblCdsInterdictionCriteria	ROOperator	int	NOT NULL		
TblCdsInterdictionCriteria	LUDate	datetime	NOT NULL		
TblCdsInterdictionCriteria	LUOperator	int	NOT NULL		
TblCdsInterdictionCriteria	UpdateLock	int			
TblCdsInterdictionCriteria	ObsoleteFlag	tinyint			
TblCdsInterdictionCriteria	Code	varchar(4)	NOT NULL	Yes	
TblCdsInvestActivity	Description	varchar(50)	NOT NULL		
TblCdsInvestActivity	RODate	datetime	NOT NULL		
TblCdsInvestActivity	ROOperator	int	NOT NULL		
TblCdsInvestActivity	LUDate	datetime	NOT NULL		
TblCdsInvestActivity	LUOperator	int	NOT NULL		
TblCdsInvestActivity	UpdateLock	int			
TblCdsInvestActivity	ObsoleteFlag	tinyint			
TblCdsInvestActivity	Code	varchar(4)	NOT NULL	Yes	
TblCdsInvestSite	Description	varchar(50)	NOT NULL		
TblCdsInvestSite	RODate	datetime	NOT NULL		
TblCdsInvestSite	ROOperator	int	NOT NULL		
TblCdsInvestSite	LUDate	datetime	NOT NULL		
TblCdsInvestSite	LUOperator	int	NOT NULL		
TblCdsInvestSite	UpdateLock	int			
TblCdsInvestSite	ObsoleteFlag	tinyint			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsInvestSite	Code	varchar(4)	NOT NULL	Yes	
TblCdsJuvCrime	Description	varchar(50)	NOT NULL		
TblCdsJuvCrime	RODate	datetime	NOT NULL		
TblCdsJuvCrime	ROOperator	int	NOT NULL		
TblCdsJuvCrime	LUDate	datetime	NOT NULL		
TblCdsJuvCrime	LUOperator	int	NOT NULL		
TblCdsJuvCrime	UpdateLock	int			
TblCdsJuvCrime	ObsoleteFlag	tinyint			
TblCdsJuvCrime	Code	varchar(4)	NOT NULL	Yes	
TblCdsJuvenileDisp	Description	varchar(50)	NOT NULL		
TblCdsJuvenileDisp	RODate	datetime	NOT NULL		
TblCdsJuvenileDisp	ROOperator	int	NOT NULL		
TblCdsJuvenileDisp	LUDate	datetime	NOT NULL		
TblCdsJuvenileDisp	LUOperator	int	NOT NULL		
TblCdsJuvenileDisp	UpdateLock	int			
TblCdsJuvenileDisp	ObsoleteFlag	tinyint			
TblCdsJuvenileDisp	Code	varchar(4)	NOT NULL	Yes	
TblCdsKidnapping	Description	varchar(50)	NOT NULL		
TblCdsKidnapping	RODate	datetime	NOT NULL		
TblCdsKidnapping	ROOperator	int	NOT NULL		
TblCdsKidnapping	LUDate	datetime	NOT NULL		
TblCdsKidnapping	LUOperator	int	NOT NULL		
TblCdsKidnapping	UpdateLock	int			
TblCdsKidnapping	ObsoleteFlag	tinyint			
TblCdsKidnapping	Code	varchar(4)	NOT NULL	Yes	
TblCdsLanguage	Code	varchar(4)	NOT NULL	Yes	
TblCdsLanguage	Description	varchar(50)	NOT NULL		
TblCdsLanguage	RODate	datetime	NOT NULL		
TblCdsLanguage	ROOperator	int	NOT NULL		
TblCdsLanguage	LUDate	datetime	NOT NULL		
TblCdsLanguage	LUOperator	int	NOT NULL		
TblCdsLanguage	UpdateLock	int			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsLanguage	ObsoleteFlag	tinyint			
TblCdsLanguage	LogicCode	varchar(8)			
TblCdsLevel	Description	varchar(50)	NOT NULL		
TblCdsLevel	RODate	datetime	NOT NULL		
TblCdsLevel	ROOperator	int	NOT NULL		
TblCdsLevel	LUDate	datetime	NOT NULL		
TblCdsLevel	LUOperator	int	NOT NULL		
TblCdsLevel	UpdateLock	int			
TblCdsLevel	ObsoleteFlag	tinyint			
TblCdsLevel	Code	varchar(4)	NOT NULL	Yes	
TblCdsLocationTyp	Description	varchar(50)	NOT NULL		
TblCdsLocationTyp	RODate	datetime	NOT NULL		
TblCdsLocationTyp	ROOperator	int	NOT NULL		
TblCdsLocationTyp	LUDate	datetime	NOT NULL		
TblCdsLocationTyp	LUOperator	int	NOT NULL		
TblCdsLocationTyp	UpdateLock	int			
TblCdsLocationTyp	ObsoleteFlag	tinyint			
TblCdsLocationTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsLocPropTyp	Description	varchar(50)	NOT NULL		
TblCdsLocPropTyp	RODate	datetime	NOT NULL		
TblCdsLocPropTyp	ROOperator	int	NOT NULL		
TblCdsLocPropTyp	LUDate	datetime	NOT NULL		
TblCdsLocPropTyp	LUOperator	int	NOT NULL		
TblCdsLocPropTyp	UpdateLock	int			
TblCdsLocPropTyp	ObsoleteFlag	tinyint			
TblCdsLocPropTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsMarchAct	Description	varchar(50)	NOT NULL		
TblCdsMarchAct	RODate	datetime	NOT NULL		
TblCdsMarchAct	ROOperator	int	NOT NULL		
TblCdsMarchAct	LUDate	datetime	NOT NULL		
TblCdsMarchAct	LUOperator	int	NOT NULL		
TblCdsMarchAct	UpdateLock	int			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsMarchAct	ObsoleteFlag	tinyint			
TblCdsMarchAct	Code	varchar(4)	NOT NULL	Yes	
TblCdsMethOfEntry	Description	varchar(50)	NOT NULL		
TblCdsMethOfEntry	RODate	datetime	NOT NULL		
TblCdsMethOfEntry	ROOperator	int	NOT NULL		
TblCdsMethOfEntry	LUDate	datetime	NOT NULL		
TblCdsMethOfEntry	LUOperator	int	NOT NULL		
TblCdsMethOfEntry	UpdateLock	int			
TblCdsMethOfEntry	ObsoleteFlag	tinyint			
TblCdsMethOfEntry	Code	varchar(4)	NOT NULL	Yes	
TblCdsMethOfTravel	Description	varchar(50)	NOT NULL		
TblCdsMethOfTravel	RODate	datetime	NOT NULL		
TblCdsMethOfTravel	ROOperator	int	NOT NULL		
TblCdsMethOfTravel	LUDate	datetime	NOT NULL		
TblCdsMethOfTravel	LUOperator	int	NOT NULL		
TblCdsMethOfTravel	UpdateLock	int			
TblCdsMethOfTravel	ObsoleteFlag	tinyint			
TblCdsMethOfTravel	Code	varchar(4)	NOT NULL	Yes	
TblCdsMisPrsnRcr	Description	varchar(50)	NOT NULL		
TblCdsMisPrsnRcr	RODate	datetime	NOT NULL		
TblCdsMisPrsnRcr	ROOperator	int	NOT NULL		
TblCdsMisPrsnRcr	LUDate	datetime	NOT NULL		
TblCdsMisPrsnRcr	LUOperator	int	NOT NULL		
TblCdsMisPrsnRcr	UpdateLock	int			
TblCdsMisPrsnRcr	ObsoleteFlag	tinyint			
TblCdsMisPrsnRcr	Code	varchar(4)	NOT NULL	Yes	
TblCdsMO	Code	varchar(4)	NOT NULL	Yes	
TblCdsMO	Description	varchar(50)	NOT NULL		
TblCdsMO	MOType	varchar(4)			Yes
TblCdsMO	RODate	datetime	NOT NULL		
TblCdsMO	ROOperator	int	NOT NULL		
TblCdsMO	LUDate	datetime	NOT NULL		

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TbICdsMO	LUOperator	int	NOT NULL		
TbICdsMO	UpdateLock	int			
TbICdsMO	ObsoleteFlag	tinyint			
TbICdsMobilePropertyTyp	Description	varchar(50)	NOT NULL		
TbICdsMobilePropertyTyp	RODate	datetime	NOT NULL		
TbICdsMobilePropertyTyp	ROOperator	int	NOT NULL		
TbICdsMobilePropertyTyp	LUDate	datetime	NOT NULL		
TbICdsMobilePropertyTyp	LUOperator	int	NOT NULL		
TbICdsMobilePropertyTyp	UpdateLock	int			
TbICdsMobilePropertyTyp	ObsoleteFlag	tinyint			
TbICdsMobilePropertyTyp	Code	varchar(4)	NOT NULL	Yes	
TbICdsMOProp	Description	varchar(50)	NOT NULL		
TbICdsMOProp	RODate	datetime	NOT NULL		
TbICdsMOProp	ROOperator	int	NOT NULL		
TbICdsMOProp	LUDate	datetime	NOT NULL		
TbICdsMOProp	LUOperator	int	NOT NULL		
TbICdsMOProp	UpdateLock	int			
TbICdsMOProp	ObsoleteFlag	tinyint			
TbICdsMOProp	Code	varchar(4)	NOT NULL	Yes	
TbICdsMOPrsn	Description	varchar(50)	NOT NULL		
TbICdsMOPrsn	RODate	datetime	NOT NULL		
TbICdsMOPrsn	ROOperator	int	NOT NULL		
TbICdsMOPrsn	LUDate	datetime	NOT NULL		
TbICdsMOPrsn	LUOperator	int	NOT NULL		
TbICdsMOPrsn	UpdateLock	int			
TbICdsMOPrsn	ObsoleteFlag	tinyint			
TbICdsMOPrsn	Code	varchar(4)	NOT NULL	Yes	
TbICdsMOSex	Description	varchar(50)	NOT NULL		
TbICdsMOSex	RODate	datetime	NOT NULL		
TbICdsMOSex	ROOperator	int	NOT NULL		
TbICdsMOSex	LUDate	datetime	NOT NULL		
TbICdsMOSex	LUOperator	int	NOT NULL		

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TbICdsMOSEX	UpdateLock	int			
TbICdsMOSEX	ObsoleteFlag	tinyint			
TbICdsMOSEX	Code	varchar(4)	NOT NULL	Yes	
TbICdsMOTyp	Description	varchar(50)	NOT NULL		
TbICdsMOTyp	RODate	datetime	NOT NULL		
TbICdsMOTyp	ROOperator	int	NOT NULL		
TbICdsMOTyp	LUDate	datetime	NOT NULL		
TbICdsMOTyp	LUOperator	int	NOT NULL		
TbICdsMOTyp	UpdateLock	int			
TbICdsMOTyp	ObsoleteFlag	tinyint			
TbICdsMOTyp	Code	varchar(4)	NOT NULL	Yes	
TbICdsMPClass	Description	varchar(50)	NOT NULL		
TbICdsMPClass	RODate	datetime	NOT NULL		
TbICdsMPClass	ROOperator	int	NOT NULL		
TbICdsMPClass	LUDate	datetime	NOT NULL		
TbICdsMPClass	LUOperator	int	NOT NULL		
TbICdsMPClass	UpdateLock	int			
TbICdsMPClass	ObsoleteFlag	tinyint			
TbICdsMPClass	Code	varchar(4)	NOT NULL	Yes	
TbICdsMPDDispo	Description	varchar(50)	NOT NULL		
TbICdsMPDDispo	RODate	datetime	NOT NULL		
TbICdsMPDDispo	ROOperator	int	NOT NULL		
TbICdsMPDDispo	LUDate	datetime	NOT NULL		
TbICdsMPDDispo	LUOperator	int	NOT NULL		
TbICdsMPDDispo	UpdateLock	int			
TbICdsMPDDispo	ObsoleteFlag	tinyint			
TbICdsMPDDispo	Code	varchar(4)	NOT NULL	Yes	
TbICdsMPRecovery	Description	varchar(50)	NOT NULL		
TbICdsMPRecovery	RODate	datetime	NOT NULL		
TbICdsMPRecovery	ROOperator	int	NOT NULL		
TbICdsMPRecovery	LUDate	datetime	NOT NULL		
TbICdsMPRecovery	LUOperator	int	NOT NULL		

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsMPRecovery	UpdateLock	int			
TblCdsMPRecovery	ObsoleteFlag	tinyint			
TblCdsMPRecovery	Code	varchar(4)	NOT NULL	Yes	
TblCdsMPSts	Description	varchar(50)	NOT NULL		
TblCdsMPSts	RODate	datetime	NOT NULL		
TblCdsMPSts	ROOperator	int	NOT NULL		
TblCdsMPSts	LUDate	datetime	NOT NULL		
TblCdsMPSts	LUOperator	int	NOT NULL		
TblCdsMPSts	UpdateLock	int			
TblCdsMPSts	ObsoleteFlag	tinyint			
TblCdsMPSts	Code	varchar(4)	NOT NULL	Yes	
TblCdsMPTyp	Description	varchar(50)	NOT NULL		
TblCdsMPTyp	RODate	datetime	NOT NULL		
TblCdsMPTyp	ROOperator	int	NOT NULL		
TblCdsMPTyp	LUDate	datetime	NOT NULL		
TblCdsMPTyp	LUOperator	int	NOT NULL		
TblCdsMPTyp	UpdateLock	int			
TblCdsMPTyp	ObsoleteFlag	tinyint			
TblCdsMPTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsMyersAct	Description	varchar(50)	NOT NULL		
TblCdsMyersAct	RODate	datetime	NOT NULL		
TblCdsMyersAct	ROOperator	int	NOT NULL		
TblCdsMyersAct	LUDate	datetime	NOT NULL		
TblCdsMyersAct	LUOperator	int	NOT NULL		
TblCdsMyersAct	UpdateLock	int			
TblCdsMyersAct	ObsoleteFlag	tinyint			
TblCdsMyersAct	Code	varchar(4)	NOT NULL	Yes	
TblCdsOccCorner	Description	varchar(50)	NOT NULL		
TblCdsOccCorner	RODate	datetime	NOT NULL		
TblCdsOccCorner	ROOperator	int	NOT NULL		
TblCdsOccCorner	LUDate	datetime	NOT NULL		
TblCdsOccCorner	LUOperator	int	NOT NULL		

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsOccCorner	UpdateLock	int			
TblCdsOccCorner	ObsoleteFlag	tinyint			
TblCdsOccCorner	Code	varchar(4)	NOT NULL	Yes	
TblCdsOccPos	Description	varchar(50)	NOT NULL		
TblCdsOccPos	RODate	datetime	NOT NULL		
TblCdsOccPos	ROOperator	int	NOT NULL		
TblCdsOccPos	LUDate	datetime	NOT NULL		
TblCdsOccPos	LUOperator	int	NOT NULL		
TblCdsOccPos	UpdateLock	int			
TblCdsOccPos	ObsoleteFlag	tinyint			
TblCdsOccPos	Code	varchar(4)	NOT NULL	Yes	
TblCdsOccupancy	Description	varchar(50)	NOT NULL		
TblCdsOccupancy	RODate	datetime	NOT NULL		
TblCdsOccupancy	ROOperator	int	NOT NULL		
TblCdsOccupancy	LUDate	datetime	NOT NULL		
TblCdsOccupancy	LUOperator	int	NOT NULL		
TblCdsOccupancy	UpdateLock	int			
TblCdsOccupancy	ObsoleteFlag	tinyint			
TblCdsOccupancy	Code	varchar(4)	NOT NULL	Yes	
TblCdsOfcAsltAct	Description	varchar(50)	NOT NULL		
TblCdsOfcAsltAct	RODate	datetime	NOT NULL		
TblCdsOfcAsltAct	ROOperator	int	NOT NULL		
TblCdsOfcAsltAct	LUDate	datetime	NOT NULL		
TblCdsOfcAsltAct	LUOperator	int	NOT NULL		
TblCdsOfcAsltAct	UpdateLock	int			
TblCdsOfcAsltAct	ObsoleteFlag	tinyint			
TblCdsOfcAsltAct	Code	varchar(4)	NOT NULL	Yes	
TblCdsOfcAsltAssign	Description	varchar(50)	NOT NULL		
TblCdsOfcAsltAssign	RODate	datetime	NOT NULL		
TblCdsOfcAsltAssign	ROOperator	int	NOT NULL		
TblCdsOfcAsltAssign	LUDate	datetime	NOT NULL		
TblCdsOfcAsltAssign	LUOperator	int	NOT NULL		

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsOfcAsltAssign	UpdateLock	int			
TblCdsOfcAsltAssign	ObsoleteFlag	tinyint			
TblCdsOfcAsltAssign	Code	varchar(4)	NOT NULL	Yes	
TblCdsOfcAsltTyp	Description	varchar(50)	NOT NULL		
TblCdsOfcAsltTyp	RODate	datetime	NOT NULL		
TblCdsOfcAsltTyp	ROOperator	int	NOT NULL		
TblCdsOfcAsltTyp	LUDate	datetime	NOT NULL		
TblCdsOfcAsltTyp	LUOperator	int	NOT NULL		
TblCdsOfcAsltTyp	UpdateLock	int			
TblCdsOfcAsltTyp	ObsoleteFlag	tinyint			
TblCdsOfcAsltTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsOfdrRel	Description	varchar(50)	NOT NULL		
TblCdsOfdrRel	RODate	datetime	NOT NULL		
TblCdsOfdrRel	ROOperator	int	NOT NULL		
TblCdsOfdrRel	LUDate	datetime	NOT NULL		
TblCdsOfdrRel	LUOperator	int	NOT NULL		
TblCdsOfdrRel	UpdateLock	int			
TblCdsOfdrRel	ObsoleteFlag	tinyint			
TblCdsOfdrRel	Code	varchar(4)	NOT NULL	Yes	
TblCdsOffAsltInj	Description	varchar(50)	NOT NULL		
TblCdsOffAsltInj	RODate	datetime	NOT NULL		
TblCdsOffAsltInj	ROOperator	int	NOT NULL		
TblCdsOffAsltInj	LUDate	datetime	NOT NULL		
TblCdsOffAsltInj	LUOperator	int	NOT NULL		
TblCdsOffAsltInj	UpdateLock	int			
TblCdsOffAsltInj	ObsoleteFlag	tinyint			
TblCdsOffAsltInj	Code	varchar(4)	NOT NULL	Yes	
TblCdsOffAsltRes	Description	varchar(50)	NOT NULL		
TblCdsOffAsltRes	RODate	datetime	NOT NULL		
TblCdsOffAsltRes	ROOperator	int	NOT NULL		
TblCdsOffAsltRes	LUDate	datetime	NOT NULL		
TblCdsOffAsltRes	LUOperator	int	NOT NULL		

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsOffAsltRes	UpdateLock	int			
TblCdsOffAsltRes	ObsoleteFlag	tinyint			
TblCdsOffAsltRes	Code	varchar(4)	NOT NULL	Yes	
TblCdsOffAsltYesNo	Description	varchar(50)	NOT NULL		
TblCdsOffAsltYesNo	RODate	datetime	NOT NULL		
TblCdsOffAsltYesNo	ROOperator	int	NOT NULL		
TblCdsOffAsltYesNo	LUDate	datetime	NOT NULL		
TblCdsOffAsltYesNo	LUOperator	int	NOT NULL		
TblCdsOffAsltYesNo	UpdateLock	int			
TblCdsOffAsltYesNo	ObsoleteFlag	tinyint			
TblCdsOffAsltYesNo	Code	varchar(1)	NOT NULL	Yes	
TblCdsOffice	Description	varchar(50)	NOT NULL		
TblCdsOffice	RODate	datetime	NOT NULL		
TblCdsOffice	ROOperator	int	NOT NULL		
TblCdsOffice	LUDate	datetime	NOT NULL		
TblCdsOffice	LUOperator	int	NOT NULL		
TblCdsOffice	UpdateLock	int			
TblCdsOffice	ObsoleteFlag	tinyint			
TblCdsOffice	Code	varchar(4)	NOT NULL	Yes	
TblCdsOfn	Code	varchar(25)	NOT NULL	Yes	
TblCdsOfn	Description	varchar(100)	NOT NULL		
TblCdsOfn	RODate	datetime	NOT NULL		
TblCdsOfn	ROOperator	int	NOT NULL		
TblCdsOfn	LUDate	datetime	NOT NULL		
TblCdsOfn	LUOperator	int	NOT NULL		
TblCdsOfn	UpdateLock	int			
TblCdsOfn	ObsoleteFlag	tinyint			
TblCdsOfn	Statute	varchar(25)			Yes
TblCdsOfn	UCRClass	varchar(6)			Yes
TblCdsOfn	Priority	int			
TblCdsOfnAC	Description	varchar(50)	NOT NULL		
TblCdsOfnAC	RODate	datetime	NOT NULL		

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsOfnAC	ROOperator	int	NOT NULL		
TblCdsOfnAC	LUDate	datetime	NOT NULL		
TblCdsOfnAC	LUOperator	int	NOT NULL		
TblCdsOfnAC	UpdateLock	int			
TblCdsOfnAC	ObsoleteFlag	tinyint			
TblCdsOfnAC	Code	varchar(1)	NOT NULL	Yes	
TblCdsOfnNum	Description	varchar(50)	NOT NULL		
TblCdsOfnNum	RODate	datetime	NOT NULL		
TblCdsOfnNum	ROOperator	int	NOT NULL		
TblCdsOfnNum	LUDate	datetime	NOT NULL		
TblCdsOfnNum	LUOperator	int	NOT NULL		
TblCdsOfnNum	UpdateLock	int			
TblCdsOfnNum	ObsoleteFlag	tinyint			
TblCdsOfnNum	Code	varchar(4)	NOT NULL	Yes	
TblCdsOfnSecLevRel	Code	int	NOT NULL	Yes	
TblCdsOfnSecLevRel	Description	datetime			
TblCdsOfnSecLevRel	Offense	varchar(25)	NOT NULL		Yes
TblCdsOfnSecLevRel	SecLev2	varchar(10)			Yes
TblCdsOfnSecLevRel	SecLev3	varchar(10)			Yes
TblCdsOfnSecLevRel	SecLev4	varchar(10)			Yes
TblCdsOfnSecLevRel	SecLev5	varchar(10)			Yes
TblCdsOfnSecLevRel	SecLev6	varchar(10)			Yes
TblCdsOfnSecLevRel	SecLev7	varchar(10)			Yes
TblCdsOfnSecLevRel	SecLev8	varchar(10)			Yes
TblCdsOfnSecLevRel	RODate	datetime	NOT NULL		
TblCdsOfnSecLevRel	ROOperator	int	NOT NULL		
TblCdsOfnSecLevRel	LUDate	datetime	NOT NULL		
TblCdsOfnSecLevRel	LUOperator	int	NOT NULL		
TblCdsOfnSecLevRel	UpdateLock	int			
TblCdsOfnSecLevRel	ObsoleteFlag	tinyint			
TblCdsOfnTyp	Description	varchar(50)	NOT NULL		
TblCdsOfnTyp	RODate	datetime	NOT NULL		

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsOfnTyp	ROOperator	int	NOT NULL		
TblCdsOfnTyp	LUDate	datetime	NOT NULL		
TblCdsOfnTyp	LUOperator	int	NOT NULL		
TblCdsOfnTyp	UpdateLock	int			
TblCdsOfnTyp	ObsoleteFlag	tinyint			
TblCdsOfnTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsOfnUnqDetl	Description	varchar(50)	NOT NULL		
TblCdsOfnUnqDetl	RODate	datetime	NOT NULL		
TblCdsOfnUnqDetl	ROOperator	int	NOT NULL		
TblCdsOfnUnqDetl	LUDate	datetime	NOT NULL		
TblCdsOfnUnqDetl	LUOperator	int	NOT NULL		
TblCdsOfnUnqDetl	UpdateLock	int			
TblCdsOfnUnqDetl	ObsoleteFlag	tinyint			
TblCdsOfnUnqDetl	Code	varchar(4)	NOT NULL	Yes	
TblCdsOrallCallTyp	Description	varchar(50)	NOT NULL		
TblCdsOrallCallTyp	RODate	datetime	NOT NULL		
TblCdsOrallCallTyp	ROOperator	int	NOT NULL		
TblCdsOrallCallTyp	LUDate	datetime	NOT NULL		
TblCdsOrallCallTyp	LUOperator	int	NOT NULL		
TblCdsOrallCallTyp	UpdateLock	int			
TblCdsOrallCallTyp	ObsoleteFlag	tinyint			
TblCdsOrallCallTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsOrallSubRela	Description	varchar(50)	NOT NULL		
TblCdsOrallSubRela	RODate	datetime	NOT NULL		
TblCdsOrallSubRela	ROOperator	int	NOT NULL		
TblCdsOrallSubRela	LUDate	datetime	NOT NULL		
TblCdsOrallSubRela	LUOperator	int	NOT NULL		
TblCdsOrallSubRela	UpdateLock	int			
TblCdsOrallSubRela	ObsoleteFlag	tinyint			
TblCdsOrallSubRela	Code	varchar(4)	NOT NULL	Yes	
TblCdsPawnArtTyp	Description	varchar(50)	NOT NULL		
TblCdsPawnArtTyp	RODate	datetime	NOT NULL		

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsPawnArtTyp	ROOperator	int	NOT NULL		
TblCdsPawnArtTyp	LUDate	datetime	NOT NULL		
TblCdsPawnArtTyp	LUOperator	int	NOT NULL		
TblCdsPawnArtTyp	UpdateLock	int			
TblCdsPawnArtTyp	ObsoleteFlag	tinyint			
TblCdsPawnArtTyp	Code	varchar(8)	NOT NULL	Yes	
TblCdsPawnDetlRTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsPawnDetlRTyp	Description	varchar(50)	NOT NULL		
TblCdsPawnDetlRTyp	RODate	datetime	NOT NULL		
TblCdsPawnDetlRTyp	ROOperator	int	NOT NULL		
TblCdsPawnDetlRTyp	LUDate	datetime	NOT NULL		
TblCdsPawnDetlRTyp	LUOperator	int	NOT NULL		
TblCdsPawnDetlRTyp	UpdateLock	int			
TblCdsPawnDetlRTyp	ObsoleteFlag	tinyint			
TblCdsPawnDetlRTyp	LogicCode	varchar(4)			
TblCdsPawnFiarmAct	Description	varchar(50)	NOT NULL		
TblCdsPawnFiarmAct	RODate	datetime	NOT NULL		
TblCdsPawnFiarmAct	ROOperator	int	NOT NULL		
TblCdsPawnFiarmAct	LUDate	datetime	NOT NULL		
TblCdsPawnFiarmAct	LUOperator	int	NOT NULL		
TblCdsPawnFiarmAct	UpdateLock	int			
TblCdsPawnFiarmAct	ObsoleteFlag	tinyint			
TblCdsPawnFiarmAct	Code	varchar(4)	NOT NULL	Yes	
TblCdsPawnFiarmBrl	Description	varchar(50)	NOT NULL		
TblCdsPawnFiarmBrl	RODate	datetime	NOT NULL		
TblCdsPawnFiarmBrl	ROOperator	int	NOT NULL		
TblCdsPawnFiarmBrl	LUDate	datetime	NOT NULL		
TblCdsPawnFiarmBrl	LUOperator	int	NOT NULL		
TblCdsPawnFiarmBrl	UpdateLock	int			
TblCdsPawnFiarmBrl	ObsoleteFlag	tinyint			
TblCdsPawnFiarmBrl	Code	varchar(4)	NOT NULL	Yes	
TblCdsPawnFiarmFin	Description	varchar(50)	NOT NULL		

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsPawnFiarmFin	RODate	datetime	NOT NULL		
TblCdsPawnFiarmFin	ROOperator	int	NOT NULL		
TblCdsPawnFiarmFin	LUDate	datetime	NOT NULL		
TblCdsPawnFiarmFin	LUOperator	int	NOT NULL		
TblCdsPawnFiarmFin	UpdateLock	int			
TblCdsPawnFiarmFin	ObsoleteFlag	tinyint			
TblCdsPawnFiarmFin	Code	varchar(4)	NOT NULL	Yes	
TblCdsPawnFiarmMk	Description	varchar(50)	NOT NULL		
TblCdsPawnFiarmMk	RODate	datetime	NOT NULL		
TblCdsPawnFiarmMk	ROOperator	int	NOT NULL		
TblCdsPawnFiarmMk	LUDate	datetime	NOT NULL		
TblCdsPawnFiarmMk	LUOperator	int	NOT NULL		
TblCdsPawnFiarmMk	UpdateLock	int			
TblCdsPawnFiarmMk	ObsoleteFlag	tinyint			
TblCdsPawnFiarmMk	Code	varchar(4)	NOT NULL	Yes	
TblCdsPawnFiarmTyp	Description	varchar(50)	NOT NULL		
TblCdsPawnFiarmTyp	RODate	datetime	NOT NULL		
TblCdsPawnFiarmTyp	ROOperator	int	NOT NULL		
TblCdsPawnFiarmTyp	LUDate	datetime	NOT NULL		
TblCdsPawnFiarmTyp	LUOperator	int	NOT NULL		
TblCdsPawnFiarmTyp	UpdateLock	int			
TblCdsPawnFiarmTyp	ObsoleteFlag	tinyint			
TblCdsPawnFiarmTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsPawnJewlMTyp	Description	varchar(50)	NOT NULL		
TblCdsPawnJewlMTyp	RODate	datetime	NOT NULL		
TblCdsPawnJewlMTyp	ROOperator	int	NOT NULL		
TblCdsPawnJewlMTyp	LUDate	datetime	NOT NULL		
TblCdsPawnJewlMTyp	LUOperator	int	NOT NULL		
TblCdsPawnJewlMTyp	UpdateLock	int			
TblCdsPawnJewlMTyp	ObsoleteFlag	tinyint			
TblCdsPawnJewlMTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsPawnJewlSCol	Description	varchar(50)	NOT NULL		

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsPawnJewlSCol	RODate	datetime	NOT NULL		
TblCdsPawnJewlSCol	ROOperator	int	NOT NULL		
TblCdsPawnJewlSCol	LUDate	datetime	NOT NULL		
TblCdsPawnJewlSCol	LUOperator	int	NOT NULL		
TblCdsPawnJewlSCol	UpdateLock	int			
TblCdsPawnJewlSCol	ObsoleteFlag	tinyint			
TblCdsPawnJewlSCol	Code	varchar(4)	NOT NULL	Yes	
TblCdsPawnJewlSex	Description	varchar(50)	NOT NULL		
TblCdsPawnJewlSex	RODate	datetime	NOT NULL		
TblCdsPawnJewlSex	ROOperator	int	NOT NULL		
TblCdsPawnJewlSex	LUDate	datetime	NOT NULL		
TblCdsPawnJewlSex	LUOperator	int	NOT NULL		
TblCdsPawnJewlSex	UpdateLock	int			
TblCdsPawnJewlSex	ObsoleteFlag	tinyint			
TblCdsPawnJewlSex	Code	varchar(4)	NOT NULL	Yes	
TblCdsPawnJewlSShp	Description	varchar(50)	NOT NULL		
TblCdsPawnJewlSShp	RODate	datetime	NOT NULL		
TblCdsPawnJewlSShp	ROOperator	int	NOT NULL		
TblCdsPawnJewlSShp	LUDate	datetime	NOT NULL		
TblCdsPawnJewlSShp	LUOperator	int	NOT NULL		
TblCdsPawnJewlSShp	UpdateLock	int			
TblCdsPawnJewlSShp	ObsoleteFlag	tinyint			
TblCdsPawnJewlSShp	Code	varchar(4)	NOT NULL	Yes	
TblCdsPawnJewlSty	Description	varchar(50)	NOT NULL		
TblCdsPawnJewlSty	RODate	datetime	NOT NULL		
TblCdsPawnJewlSty	ROOperator	int	NOT NULL		
TblCdsPawnJewlSty	LUDate	datetime	NOT NULL		
TblCdsPawnJewlSty	LUOperator	int	NOT NULL		
TblCdsPawnJewlSty	UpdateLock	int			
TblCdsPawnJewlSty	ObsoleteFlag	tinyint			
TblCdsPawnJewlSty	Code	varchar(4)	NOT NULL	Yes	
TblCdsPawnJewlSTyp	Description	varchar(50)	NOT NULL		

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsPawnJewlSTyp	RODate	datetime	NOT NULL		
TblCdsPawnJewlSTyp	ROOperator	int	NOT NULL		
TblCdsPawnJewlSTyp	LUDate	datetime	NOT NULL		
TblCdsPawnJewlSTyp	LUOperator	int	NOT NULL		
TblCdsPawnJewlSTyp	UpdateLock	int			
TblCdsPawnJewlSTyp	ObsoleteFlag	tinyint			
TblCdsPawnJewlSTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsPawnJewlTyp	Description	varchar(50)	NOT NULL		
TblCdsPawnJewlTyp	RODate	datetime	NOT NULL		
TblCdsPawnJewlTyp	ROOperator	int	NOT NULL		
TblCdsPawnJewlTyp	LUDate	datetime	NOT NULL		
TblCdsPawnJewlTyp	LUOperator	int	NOT NULL		
TblCdsPawnJewlTyp	UpdateLock	int			
TblCdsPawnJewlTyp	ObsoleteFlag	tinyint			
TblCdsPawnJewlTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsPawnTransTyp	Description	varchar(50)	NOT NULL		
TblCdsPawnTransTyp	RODate	datetime	NOT NULL		
TblCdsPawnTransTyp	ROOperator	int	NOT NULL		
TblCdsPawnTransTyp	LUDate	datetime	NOT NULL		
TblCdsPawnTransTyp	LUOperator	int	NOT NULL		
TblCdsPawnTransTyp	UpdateLock	int			
TblCdsPawnTransTyp	ObsoleteFlag	tinyint			
TblCdsPawnTransTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsPerpUsed	Description	varchar(50)	NOT NULL		
TblCdsPerpUsed	RODate	datetime	NOT NULL		
TblCdsPerpUsed	ROOperator	int	NOT NULL		
TblCdsPerpUsed	LUDate	datetime	NOT NULL		
TblCdsPerpUsed	LUOperator	int	NOT NULL		
TblCdsPerpUsed	UpdateLock	int			
TblCdsPerpUsed	ObsoleteFlag	tinyint			
TblCdsPerpUsed	Code	varchar(4)	NOT NULL	Yes	
TblCdsPhyBuild	Description	varchar(50)	NOT NULL		

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsPhyBuild	RODate	datetime	NOT NULL		
TblCdsPhyBuild	ROOperator	int	NOT NULL		
TblCdsPhyBuild	LUDate	datetime	NOT NULL		
TblCdsPhyBuild	LUOperator	int	NOT NULL		
TblCdsPhyBuild	UpdateLock	int			
TblCdsPhyBuild	ObsoleteFlag	tinyint			
TblCdsPhyBuild	Code	varchar(4)	NOT NULL	Yes	
TblCdsPlea	Description	varchar(50)	NOT NULL		
TblCdsPlea	RODate	datetime	NOT NULL		
TblCdsPlea	ROOperator	int	NOT NULL		
TblCdsPlea	LUDate	datetime	NOT NULL		
TblCdsPlea	LUOperator	int	NOT NULL		
TblCdsPlea	UpdateLock	int			
TblCdsPlea	ObsoleteFlag	tinyint			
TblCdsPlea	Code	varchar(4)	NOT NULL	Yes	
TblCdsPointOfEntry	Description	varchar(50)	NOT NULL		
TblCdsPointOfEntry	RODate	datetime	NOT NULL		
TblCdsPointOfEntry	ROOperator	int	NOT NULL		
TblCdsPointOfEntry	LUDate	datetime	NOT NULL		
TblCdsPointOfEntry	LUOperator	int	NOT NULL		
TblCdsPointOfEntry	UpdateLock	int			
TblCdsPointOfEntry	ObsoleteFlag	tinyint			
TblCdsPointOfEntry	Code	varchar(4)	NOT NULL	Yes	
TblCdsPointOfExit	Description	varchar(50)	NOT NULL		
TblCdsPointOfExit	RODate	datetime	NOT NULL		
TblCdsPointOfExit	ROOperator	int	NOT NULL		
TblCdsPointOfExit	LUDate	datetime	NOT NULL		
TblCdsPointOfExit	LUOperator	int	NOT NULL		
TblCdsPointOfExit	UpdateLock	int			
TblCdsPointOfExit	ObsoleteFlag	tinyint			
TblCdsPointOfExit	Code	varchar(4)	NOT NULL	Yes	
TblCdsPoliceDist	Description	varchar(50)	NOT NULL		

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsPoliceDist	RODate	datetime	NOT NULL		
TblCdsPoliceDist	ROOperator	int	NOT NULL		
TblCdsPoliceDist	LUDate	datetime	NOT NULL		
TblCdsPoliceDist	LUOperator	int	NOT NULL		
TblCdsPoliceDist	UpdateLock	int			
TblCdsPoliceDist	ObsoleteFlag	tinyint			
TblCdsPoliceDist	Code	varchar(5)	NOT NULL	Yes	
TblCdsPosManDeath	Description	varchar(50)	NOT NULL		
TblCdsPosManDeath	RODate	datetime	NOT NULL		
TblCdsPosManDeath	ROOperator	int	NOT NULL		
TblCdsPosManDeath	LUDate	datetime	NOT NULL		
TblCdsPosManDeath	LUOperator	int	NOT NULL		
TblCdsPosManDeath	UpdateLock	int			
TblCdsPosManDeath	ObsoleteFlag	tinyint			
TblCdsPosManDeath	Code	varchar(4)	NOT NULL	Yes	
TblCdsPremises	Description	varchar(50)	NOT NULL		
TblCdsPremises	RODate	datetime	NOT NULL		
TblCdsPremises	ROOperator	int	NOT NULL		
TblCdsPremises	LUDate	datetime	NOT NULL		
TblCdsPremises	LUOperator	int	NOT NULL		
TblCdsPremises	UpdateLock	int			
TblCdsPremises	ObsoleteFlag	tinyint			
TblCdsPremises	Code	varchar(4)	NOT NULL	Yes	
TblCdsPropBinLoc	Code	varchar(10)	NOT NULL	Yes	
TblCdsPropBinLoc	Description	varchar(50)	NOT NULL		
TblCdsPropBinLoc	RODate	datetime	NOT NULL		
TblCdsPropBinLoc	ROOperator	int	NOT NULL		
TblCdsPropBinLoc	LUDate	datetime	NOT NULL		
TblCdsPropBinLoc	LUOperator	int	NOT NULL		
TblCdsPropBinLoc	UpdateLock	int			
TblCdsPropBinLoc	ObsoleteFlag	tinyint			
TblCdsPropBinLoc	PropertyFacility	varchar(4)			Yes

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsPropCaseTyp	Description	varchar(50)	NOT NULL		
TblCdsPropCaseTyp	RODate	datetime	NOT NULL		
TblCdsPropCaseTyp	ROOperator	int	NOT NULL		
TblCdsPropCaseTyp	LUDate	datetime	NOT NULL		
TblCdsPropCaseTyp	LUOperator	int	NOT NULL		
TblCdsPropCaseTyp	UpdateLock	int			
TblCdsPropCaseTyp	ObsoleteFlag	tinyint			
TblCdsPropCaseTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsPropClass	Code	varchar(4)	NOT NULL	Yes	
TblCdsPropClass	Description	varchar(50)	NOT NULL		
TblCdsPropClass	RODate	datetime	NOT NULL		
TblCdsPropClass	ROOperator	int	NOT NULL		
TblCdsPropClass	LUDate	datetime	NOT NULL		
TblCdsPropClass	LUOperator	int	NOT NULL		
TblCdsPropClass	UpdateLock	int			
TblCdsPropClass	ObsoleteFlag	tinyint			
TblCdsPropClass	Evidence	varchar(1)			
TblCdsPropClass	Days	int			
TblCdsPropClass	StatusCode	varchar(4)			
TblCdsPropCOCTyp	Code	varchar(6)	NOT NULL	Yes	
TblCdsPropCOCTyp	Description	varchar(50)	NOT NULL		
TblCdsPropCOCTyp	RODate	datetime	NOT NULL		
TblCdsPropCOCTyp	ROOperator	int	NOT NULL		
TblCdsPropCOCTyp	LUDate	datetime	NOT NULL		
TblCdsPropCOCTyp	LUOperator	int	NOT NULL		
TblCdsPropCOCTyp	UpdateLock	int			
TblCdsPropCOCTyp	ObsoleteFlag	tinyint			
TblCdsPropCOCTyp	Intake	varchar(1)			
TblCdsPropCOCTyp	Verify	varchar(1)			
TblCdsPropCOCTyp	Court	varchar(1)			
TblCdsPropCOCTyp	Lab	varchar(1)			
TblCdsPropCOCTyp	Internal	varchar(1)			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsPropCOCTyp	TempRel	varchar(1)			
TblCdsPropCOCTyp	PermRel	varchar(1)			
TblCdsPropCOCTyp	StatusCode	varchar(4)			Yes
TblCdsPropDisp	Description	varchar(50)	NOT NULL		
TblCdsPropDisp	RODate	datetime	NOT NULL		
TblCdsPropDisp	ROOperator	int	NOT NULL		
TblCdsPropDisp	LUDate	datetime	NOT NULL		
TblCdsPropDisp	LUOperator	int	NOT NULL		
TblCdsPropDisp	UpdateLock	int			
TblCdsPropDisp	ObsoleteFlag	tinyint			
TblCdsPropDisp	Code	varchar(4)	NOT NULL	Yes	
TblCdsPropertyUse	Description	varchar(50)	NOT NULL		
TblCdsPropertyUse	RODate	datetime	NOT NULL		
TblCdsPropertyUse	ROOperator	int	NOT NULL		
TblCdsPropertyUse	LUDate	datetime	NOT NULL		
TblCdsPropertyUse	LUOperator	int	NOT NULL		
TblCdsPropertyUse	UpdateLock	int			
TblCdsPropertyUse	ObsoleteFlag	tinyint			
TblCdsPropertyUse	Code	varchar(4)	NOT NULL	Yes	
TblCdsPropFacility	Description	varchar(50)	NOT NULL		
TblCdsPropFacility	RODate	datetime	NOT NULL		
TblCdsPropFacility	ROOperator	int	NOT NULL		
TblCdsPropFacility	LUDate	datetime	NOT NULL		
TblCdsPropFacility	LUOperator	int	NOT NULL		
TblCdsPropFacility	UpdateLock	int			
TblCdsPropFacility	ObsoleteFlag	tinyint			
TblCdsPropFacility	Code	varchar(4)	NOT NULL	Yes	
TblCdsPropMake	Code	varchar(5)	NOT NULL	Yes	
TblCdsPropMake	Description	varchar(50)	NOT NULL		
TblCdsPropMake	RODate	datetime	NOT NULL		
TblCdsPropMake	ROOperator	int	NOT NULL		
TblCdsPropMake	LUDate	datetime	NOT NULL		

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsPropMake	LUOperator	int	NOT NULL		
TblCdsPropMake	UpdateLock	int			
TblCdsPropMake	ObsoleteFlag	tinyint			
TblCdsPropMake	FilterValue	varchar(4)			Yes
TblCdsPropModel	Code	varchar(4)	NOT NULL	Yes	
TblCdsPropModel	Description	varchar(50)	NOT NULL		
TblCdsPropModel	FilterValue	varchar(4)			
TblCdsPropModel	RODate	datetime	NOT NULL		
TblCdsPropModel	ROOperator	int	NOT NULL		
TblCdsPropModel	LUDate	datetime	NOT NULL		
TblCdsPropModel	LUOperator	int	NOT NULL		
TblCdsPropModel	UpdateLock	int			
TblCdsPropModel	ObsoleteFlag	tinyint			
TblCdsPropNICITyp	Description	varchar(50)	NOT NULL		
TblCdsPropNICITyp	RODate	datetime	NOT NULL		
TblCdsPropNICITyp	ROOperator	int	NOT NULL		
TblCdsPropNICITyp	LUDate	datetime	NOT NULL		
TblCdsPropNICITyp	LUOperator	int	NOT NULL		
TblCdsPropNICITyp	UpdateLock	int			
TblCdsPropNICITyp	ObsoleteFlag	tinyint			
TblCdsPropNICITyp	Code	varchar(7)	NOT NULL	Yes	
TblCdsPropRBinLoc	Description	varchar(50)	NOT NULL		
TblCdsPropRBinLoc	RODate	datetime	NOT NULL		
TblCdsPropRBinLoc	ROOperator	int	NOT NULL		
TblCdsPropRBinLoc	LUDate	datetime	NOT NULL		
TblCdsPropRBinLoc	LUOperator	int	NOT NULL		
TblCdsPropRBinLoc	UpdateLock	int			
TblCdsPropRBinLoc	ObsoleteFlag	tinyint			
TblCdsPropRBinLoc	Code	varchar(10)	NOT NULL	Yes	
TblCdsPropSts	Code	varchar(4)	NOT NULL	Yes	
TblCdsPropSts	Description	varchar(50)	NOT NULL		
TblCdsPropSts	RODate	datetime	NOT NULL		

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsPropSts	ROOperator	int	NOT NULL		
TblCdsPropSts	LUDate	datetime	NOT NULL		
TblCdsPropSts	LUOperator	int	NOT NULL		
TblCdsPropSts	UpdateLock	int			
TblCdsPropSts	ObsoleteFlag	tinyint			
TblCdsPropSts	Pending	varchar(1)			
TblCdsPropSts	Disposed	varchar(1)			
TblCdsPropSts	Inventory	varchar(1)			
TblCdsPropSts	Hold	varchar(1)			
TblCdsPropSubRel	Code	varchar(4)	NOT NULL	Yes	
TblCdsPropSubRel	Description	varchar(50)	NOT NULL		
TblCdsPropSubRel	LogicCode	varchar(4)			
TblCdsPropSubRel	RODate	datetime	NOT NULL		
TblCdsPropSubRel	ROOperator	int	NOT NULL		
TblCdsPropSubRel	LUDate	datetime	NOT NULL		
TblCdsPropSubRel	LUOperator	int	NOT NULL		
TblCdsPropSubRel	UpdateLock	int			
TblCdsPropSubRel	ObsoleteFlag	tinyint			
TblCdsPropTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsPropTyp	Description	varchar(50)	NOT NULL		
TblCdsPropTyp	RODate	datetime	NOT NULL		
TblCdsPropTyp	ROOperator	int	NOT NULL		
TblCdsPropTyp	LUDate	datetime	NOT NULL		
TblCdsPropTyp	LUOperator	int	NOT NULL		
TblCdsPropTyp	UpdateLock	int			
TblCdsPropTyp	ObsoleteFlag	tinyint			
TblCdsPropTyp	LogicCode	varchar(4)			
TblCdsPropulsionTyp	Description	varchar(50)	NOT NULL		
TblCdsPropulsionTyp	RODate	datetime	NOT NULL		
TblCdsPropulsionTyp	ROOperator	int	NOT NULL		
TblCdsPropulsionTyp	LUDate	datetime	NOT NULL		
TblCdsPropulsionTyp	LUOperator	int	NOT NULL		

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsPropulsionTyp	UpdateLock	int			
TblCdsPropulsionTyp	ObsoleteFlag	tinyint			
TblCdsPropulsionTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsRace	Description	varchar(50)	NOT NULL		
TblCdsRace	RODate	datetime	NOT NULL		
TblCdsRace	ROOperator	int	NOT NULL		
TblCdsRace	LUDate	datetime	NOT NULL		
TblCdsRace	LUOperator	int	NOT NULL		
TblCdsRace	UpdateLock	int			
TblCdsRace	ObsoleteFlag	tinyint			
TblCdsRace	Code	varchar(4)	NOT NULL	Yes	
TblCdsReason	Description	varchar(50)	NOT NULL		
TblCdsReason	RODate	datetime	NOT NULL		
TblCdsReason	ROOperator	int	NOT NULL		
TblCdsReason	LUDate	datetime	NOT NULL		
TblCdsReason	LUOperator	int	NOT NULL		
TblCdsReason	UpdateLock	int			
TblCdsReason	ObsoleteFlag	tinyint			
TblCdsReason	Code	varchar(4)	NOT NULL	Yes	
TblCdsRelease	Description	varchar(50)	NOT NULL		
TblCdsRelease	RODate	datetime	NOT NULL		
TblCdsRelease	ROOperator	int	NOT NULL		
TblCdsRelease	LUDate	datetime	NOT NULL		
TblCdsRelease	LUOperator	int	NOT NULL		
TblCdsRelease	UpdateLock	varchar(10)			
TblCdsRelease	ObsoleteFlag	tinyint			
TblCdsRelease	Code	varchar(4)	NOT NULL	Yes	
TblCdsRepReas	Description	varchar(50)	NOT NULL		
TblCdsRepReas	RODate	datetime	NOT NULL		
TblCdsRepReas	ROOperator	int	NOT NULL		
TblCdsRepReas	LUDate	datetime	NOT NULL		
TblCdsRepReas	LUOperator	int	NOT NULL		

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsRepReas	UpdateLock	int			
TblCdsRepReas	ObsoleteFlag	tinyint			
TblCdsRepReas	Code	varchar(4)	NOT NULL	Yes	
TblCdsResStatus	Description	varchar(50)	NOT NULL		
TblCdsResStatus	RODate	datetime	NOT NULL		
TblCdsResStatus	ROOperator	int	NOT NULL		
TblCdsResStatus	LUDate	datetime	NOT NULL		
TblCdsResStatus	LUOperator	int	NOT NULL		
TblCdsResStatus	UpdateLock	int			
TblCdsResStatus	ObsoleteFlag	tinyint			
TblCdsResStatus	Code	varchar(4)	NOT NULL	Yes	
TblCdsRestitutionTyp	Description	varchar(50)	NOT NULL		
TblCdsRestitutionTyp	RODate	datetime	NOT NULL		
TblCdsRestitutionTyp	ROOperator	int	NOT NULL		
TblCdsRestitutionTyp	LUDate	datetime	NOT NULL		
TblCdsRestitutionTyp	LUOperator	int	NOT NULL		
TblCdsRestitutionTyp	UpdateLock	int			
TblCdsRestitutionTyp	ObsoleteFlag	tinyint			
TblCdsRestitutionTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsResTyp	Description	varchar(50)	NOT NULL		
TblCdsResTyp	RODate	datetime	NOT NULL		
TblCdsResTyp	ROOperator	int	NOT NULL		
TblCdsResTyp	LUDate	datetime	NOT NULL		
TblCdsResTyp	LUOperator	int	NOT NULL		
TblCdsResTyp	UpdateLock	int			
TblCdsResTyp	ObsoleteFlag	tinyint			
TblCdsResTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsSaoDisp	Description	varchar(50)	NOT NULL		
TblCdsSaoDisp	RODate	datetime	NOT NULL		
TblCdsSaoDisp	ROOperator	int	NOT NULL		
TblCdsSaoDisp	LUDate	datetime	NOT NULL		
TblCdsSaoDisp	LUOperator	int	NOT NULL		

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsSaoDisp	UpdateLock	int			
TblCdsSaoDisp	ObsoleteFlag	tinyint			
TblCdsSaoDisp	Code	varchar(4)	NOT NULL	Yes	
TblCdsSaoReason	Description	varchar(50)	NOT NULL		
TblCdsSaoReason	RODate	datetime	NOT NULL		
TblCdsSaoReason	ROOperator	int	NOT NULL		
TblCdsSaoReason	LUDate	datetime	NOT NULL		
TblCdsSaoReason	LUOperator	int	NOT NULL		
TblCdsSaoReason	UpdateLock	int			
TblCdsSaoReason	ObsoleteFlag	tinyint			
TblCdsSaoReason	Code	varchar(4)	NOT NULL	Yes	
TblCdsSecLev2	Code	varchar(10)	NOT NULL	Yes	
TblCdsSecLev2	Description	varchar(50)	NOT NULL		
TblCdsSecLev2	SecLev3	varchar(10)			Yes
TblCdsSecLev2	RODate	datetime	NOT NULL		
TblCdsSecLev2	ROOperator	int	NOT NULL		
TblCdsSecLev2	LUDate	datetime	NOT NULL		
TblCdsSecLev2	LUOperator	int	NOT NULL		
TblCdsSecLev2	UpdateLock	int			
TblCdsSecLev2	ObsoleteFlag	tinyint			
TblCdsSecLev2	Type	varchar(4)			Yes
TblCdsSecLev2	ContactPhone	varchar(23)			
TblCdsSecLev3	Code	varchar(10)	NOT NULL	Yes	
TblCdsSecLev3	Description	varchar(50)	NOT NULL		
TblCdsSecLev3	SecLev4	varchar(10)			Yes
TblCdsSecLev3	RODate	datetime	NOT NULL		
TblCdsSecLev3	ROOperator	int	NOT NULL		
TblCdsSecLev3	LUDate	datetime	NOT NULL		
TblCdsSecLev3	LUOperator	int	NOT NULL		
TblCdsSecLev3	UpdateLock	int			
TblCdsSecLev3	ObsoleteFlag	tinyint			
TblCdsSecLev3	Type	varchar(4)			Yes

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsSecLev3	ContactPhone	varchar(23)			
TblCdsSecLev4	Code	varchar(10)	NOT NULL	Yes	
TblCdsSecLev4	Description	varchar(50)	NOT NULL		
TblCdsSecLev4	SecLev5	varchar(10)			Yes
TblCdsSecLev4	RODate	datetime	NOT NULL		
TblCdsSecLev4	ROOperator	int	NOT NULL		
TblCdsSecLev4	LUDate	datetime	NOT NULL		
TblCdsSecLev4	LUOperator	int	NOT NULL		
TblCdsSecLev4	UpdateLock	int			
TblCdsSecLev4	ObsoleteFlag	tinyint			
TblCdsSecLev4	Type	varchar(4)			Yes
TblCdsSecLev4	ContactPhone	varchar(23)			
TblCdsSecLev5	Code	varchar(10)	NOT NULL	Yes	
TblCdsSecLev5	Description	varchar(50)	NOT NULL		
TblCdsSecLev5	SecLev6	varchar(10)			Yes
TblCdsSecLev5	RODate	datetime	NOT NULL		
TblCdsSecLev5	ROOperator	int	NOT NULL		
TblCdsSecLev5	LUDate	datetime	NOT NULL		
TblCdsSecLev5	LUOperator	int	NOT NULL		
TblCdsSecLev5	UpdateLock	int			
TblCdsSecLev5	ObsoleteFlag	tinyint			
TblCdsSecLev5	Type	varchar(4)			Yes
TblCdsSecLev5	ContactPhone	varchar(23)			
TblCdsSecLev6	Code	varchar(10)	NOT NULL	Yes	
TblCdsSecLev6	Description	varchar(50)	NOT NULL		
TblCdsSecLev6	SecLev7	varchar(10)			Yes
TblCdsSecLev6	RODate	datetime	NOT NULL		
TblCdsSecLev6	ROOperator	int	NOT NULL		
TblCdsSecLev6	LUDate	datetime	NOT NULL		
TblCdsSecLev6	LUOperator	int	NOT NULL		
TblCdsSecLev6	UpdateLock	int			
TblCdsSecLev6	ObsoleteFlag	tinyint			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsSecLev6	Type	varchar(4)			Yes
TblCdsSecLev6	ContactPhone	varchar(23)			
TblCdsSecLev7	Code	varchar(10)	NOT NULL	Yes	
TblCdsSecLev7	Description	varchar(50)	NOT NULL		
TblCdsSecLev7	SecLev8	varchar(10)			Yes
TblCdsSecLev7	RODate	datetime	NOT NULL		
TblCdsSecLev7	ROOperator	int	NOT NULL		
TblCdsSecLev7	LUDate	datetime	NOT NULL		
TblCdsSecLev7	LUOperator	int	NOT NULL		
TblCdsSecLev7	UpdateLock	int			
TblCdsSecLev7	ObsoleteFlag	tinyint			
TblCdsSecLev7	Type	varchar(4)			Yes
TblCdsSecLev7	ContactPhone	varchar(23)			
TblCdsSecLev8	Code	varchar(10)	NOT NULL	Yes	
TblCdsSecLev8	Description	varchar(50)	NOT NULL		
TblCdsSecLev8	RODate	datetime	NOT NULL		
TblCdsSecLev8	ROOperator	int	NOT NULL		
TblCdsSecLev8	LUDate	datetime	NOT NULL		
TblCdsSecLev8	LUOperator	int	NOT NULL		
TblCdsSecLev8	UpdateLock	int			
TblCdsSecLev8	ObsoleteFlag	tinyint			
TblCdsSecLev8	Type	varchar(4)			Yes
TblCdsSecLev8	ContactPhone	varchar(23)			
TblCdsSecLevTyp	Description	varchar(50)	NOT NULL		
TblCdsSecLevTyp	RODate	datetime	NOT NULL		
TblCdsSecLevTyp	ROOperator	int	NOT NULL		
TblCdsSecLevTyp	LUDate	datetime	NOT NULL		
TblCdsSecLevTyp	LUOperator	int	NOT NULL		
TblCdsSecLevTyp	UpdateLock	int			
TblCdsSecLevTyp	ObsoleteFlag	tinyint			
TblCdsSecLevTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsSecurityTyp	Description	varchar(50)	NOT NULL		

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsSecurityTyp	RODate	datetime	NOT NULL		
TblCdsSecurityTyp	ROOperator	int	NOT NULL		
TblCdsSecurityTyp	LUDate	datetime	NOT NULL		
TblCdsSecurityTyp	LUOperator	int	NOT NULL		
TblCdsSecurityTyp	UpdateLock	int			
TblCdsSecurityTyp	ObsoleteFlag	tinyint			
TblCdsSecurityTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsSex	Description	varchar(50)	NOT NULL		
TblCdsSex	RODate	datetime	NOT NULL		
TblCdsSex	ROOperator	int	NOT NULL		
TblCdsSex	LUDate	datetime	NOT NULL		
TblCdsSex	LUOperator	int	NOT NULL		
TblCdsSex	UpdateLock	int			
TblCdsSex	ObsoleteFlag	tinyint			
TblCdsSex	Code	varchar(4)	NOT NULL	Yes	
TblCdsSexCrime	Description	varchar(50)	NOT NULL		
TblCdsSexCrime	RODate	datetime	NOT NULL		
TblCdsSexCrime	ROOperator	int	NOT NULL		
TblCdsSexCrime	LUDate	datetime	NOT NULL		
TblCdsSexCrime	LUOperator	int	NOT NULL		
TblCdsSexCrime	UpdateLock	int			
TblCdsSexCrime	ObsoleteFlag	tinyint			
TblCdsSexCrime	Code	varchar(4)	NOT NULL	Yes	
TblCdsShift	Description	varchar(50)	NOT NULL		
TblCdsShift	RODate	datetime	NOT NULL		
TblCdsShift	ROOperator	int	NOT NULL		
TblCdsShift	LUDate	datetime	NOT NULL		
TblCdsShift	LUOperator	int	NOT NULL		
TblCdsShift	UpdateLock	int			
TblCdsShift	ObsoleteFlag	tinyint			
TblCdsShift	Code	varchar(4)	NOT NULL	Yes	
TblCdsSingleMultiStory	Code	varchar(4)	NOT NULL	Yes	

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsSingleMultiStory	Description	varchar(50)	NOT NULL		
TblCdsSingleMultiStory	RODate	datetime	NOT NULL		
TblCdsSingleMultiStory	ROOperator	int	NOT NULL		
TblCdsSingleMultiStory	LUDate	datetime	NOT NULL		
TblCdsSingleMultiStory	LUOperator	int	NOT NULL		
TblCdsSingleMultiStory	UpdateLock	int			
TblCdsSingleMultiStory	ObsoleteFlag	tinyint			
TblCdsSingleMultiStory	LogicCode	varchar(8)			
TblCdsSITransBy	Description	varchar(50)	NOT NULL		
TblCdsSITransBy	RODate	datetime	NOT NULL		
TblCdsSITransBy	ROOperator	int	NOT NULL		
TblCdsSITransBy	LUDate	datetime	NOT NULL		
TblCdsSITransBy	LUOperator	int	NOT NULL		
TblCdsSITransBy	UpdateLock	int			
TblCdsSITransBy	ObsoleteFlag	tinyint			
TblCdsSITransBy	Code	varchar(4)	NOT NULL	Yes	
TblCdsSITransTo	Description	varchar(50)	NOT NULL		
TblCdsSITransTo	RODate	datetime	NOT NULL		
TblCdsSITransTo	ROOperator	int	NOT NULL		
TblCdsSITransTo	LUDate	datetime	NOT NULL		
TblCdsSITransTo	LUOperator	int	NOT NULL		
TblCdsSITransTo	UpdateLock	int			
TblCdsSITransTo	ObsoleteFlag	tinyint			
TblCdsSITransTo	Code	varchar(4)	NOT NULL	Yes	
TblCdsSITreatBy	Description	varchar(50)	NOT NULL		
TblCdsSITreatBy	RODate	datetime	NOT NULL		
TblCdsSITreatBy	ROOperator	int	NOT NULL		
TblCdsSITreatBy	LUDate	datetime	NOT NULL		
TblCdsSITreatBy	LUOperator	int	NOT NULL		
TblCdsSITreatBy	UpdateLock	int			
TblCdsSITreatBy	ObsoleteFlag	tinyint			
TblCdsSITreatBy	Code	varchar(4)	NOT NULL	Yes	

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TbICdsSITyp	Description	varchar(50)	NOT NULL		
TbICdsSITyp	RODate	datetime	NOT NULL		
TbICdsSITyp	ROOperator	int	NOT NULL		
TbICdsSITyp	LUDate	datetime	NOT NULL		
TbICdsSITyp	LUOperator	int	NOT NULL		
TbICdsSITyp	UpdateLock	int			
TbICdsSITyp	ObsoleteFlag	tinyint			
TbICdsSITyp	Code	varchar(4)	NOT NULL	Yes	
TbICdsSMTBodyPart	Description	varchar(50)	NOT NULL		
TbICdsSMTBodyPart	RODate	datetime	NOT NULL		
TbICdsSMTBodyPart	ROOperator	int	NOT NULL		
TbICdsSMTBodyPart	LUDate	datetime	NOT NULL		
TbICdsSMTBodyPart	LUOperator	int	NOT NULL		
TbICdsSMTBodyPart	UpdateLock	int			
TbICdsSMTBodyPart	ObsoleteFlag	tinyint			
TbICdsSMTBodyPart	Code	varchar(4)	NOT NULL	Yes	
TbICdsSMTLocation	Description	varchar(50)	NOT NULL		
TbICdsSMTLocation	RODate	datetime	NOT NULL		
TbICdsSMTLocation	ROOperator	int	NOT NULL		
TbICdsSMTLocation	LUDate	datetime	NOT NULL		
TbICdsSMTLocation	LUOperator	int	NOT NULL		
TbICdsSMTLocation	UpdateLock	int			
TbICdsSMTLocation	ObsoleteFlag	tinyint			
TbICdsSMTLocation	Code	varchar(6)	NOT NULL	Yes	
TbICdsSMTSide	Description	varchar(50)	NOT NULL		
TbICdsSMTSide	RODate	datetime	NOT NULL		
TbICdsSMTSide	ROOperator	int	NOT NULL		
TbICdsSMTSide	LUDate	datetime	NOT NULL		
TbICdsSMTSide	LUOperator	int	NOT NULL		
TbICdsSMTSide	UpdateLock	int			
TbICdsSMTSide	ObsoleteFlag	tinyint			
TbICdsSMTSide	Code	varchar(4)	NOT NULL	Yes	

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsSMTTYp	Description	varchar(50)	NOT NULL		
TblCdsSMTTYp	RODate	datetime	NOT NULL		
TblCdsSMTTYp	ROOperator	int	NOT NULL		
TblCdsSMTTYp	LUDate	datetime	NOT NULL		
TblCdsSMTTYp	LUOperator	int	NOT NULL		
TblCdsSMTTYp	UpdateLock	int			
TblCdsSMTTYp	ObsoleteFlag	tinyint			
TblCdsSMTTYp	Code	varchar(4)	NOT NULL	Yes	
TblCdsSobriety	Description	varchar(50)	NOT NULL		
TblCdsSobriety	RODate	datetime	NOT NULL		
TblCdsSobriety	ROOperator	int	NOT NULL		
TblCdsSobriety	LUDate	datetime	NOT NULL		
TblCdsSobriety	LUOperator	int	NOT NULL		
TblCdsSobriety	UpdateLock	int			
TblCdsSobriety	ObsoleteFlag	tinyint			
TblCdsSobriety	Code	varchar(4)	NOT NULL	Yes	
TblCdsSOI	Description	varchar(50)	NOT NULL		
TblCdsSOI	RODate	datetime	NOT NULL		
TblCdsSOI	ROOperator	int	NOT NULL		
TblCdsSOI	LUDate	datetime	NOT NULL		
TblCdsSOI	LUOperator	int	NOT NULL		
TblCdsSOI	UpdateLock	int			
TblCdsSOI	ObsoleteFlag	tinyint			
TblCdsSOI	Code	varchar(4)	NOT NULL	Yes	
TblCdsSOInjTranspB	Description	varchar(50)	NOT NULL		
TblCdsSOInjTranspB	RODate	datetime	NOT NULL		
TblCdsSOInjTranspB	ROOperator	int	NOT NULL		
TblCdsSOInjTranspB	LUDate	datetime	NOT NULL		
TblCdsSOInjTranspB	LUOperator	int	NOT NULL		
TblCdsSOInjTranspB	UpdateLock	int			
TblCdsSOInjTranspB	ObsoleteFlag	tinyint			
TblCdsSOInjTranspB	Code	varchar(4)	NOT NULL	Yes	

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsSOInjTranspT	Description	varchar(50)	NOT NULL		
TblCdsSOInjTranspT	RODate	datetime	NOT NULL		
TblCdsSOInjTranspT	ROOperator	int	NOT NULL		
TblCdsSOInjTranspT	LUDate	datetime	NOT NULL		
TblCdsSOInjTranspT	LUOperator	int	NOT NULL		
TblCdsSOInjTranspT	UpdateLock	int			
TblCdsSOInjTranspT	ObsoleteFlag	tinyint			
TblCdsSOInjTranspT	Code	varchar(4)	NOT NULL	Yes	
TblCdsSpeech	Description	varchar(50)	NOT NULL		
TblCdsSpeech	RODate	datetime	NOT NULL		
TblCdsSpeech	ROOperator	int	NOT NULL		
TblCdsSpeech	LUDate	datetime	NOT NULL		
TblCdsSpeech	LUOperator	int	NOT NULL		
TblCdsSpeech	UpdateLock	int			
TblCdsSpeech	ObsoleteFlag	tinyint			
TblCdsSpeech	Code	varchar(4)	NOT NULL	Yes	
TblCdsSrcCall	Description	varchar(50)	NOT NULL		
TblCdsSrcCall	RODate	datetime	NOT NULL		
TblCdsSrcCall	ROOperator	int	NOT NULL		
TblCdsSrcCall	LUDate	datetime	NOT NULL		
TblCdsSrcCall	LUOperator	int	NOT NULL		
TblCdsSrcCall	UpdateLock	int			
TblCdsSrcCall	ObsoleteFlag	tinyint			
TblCdsSrcCall	Code	varchar(4)	NOT NULL	Yes	
TblCdsSrcReli	Code	varchar(4)	NOT NULL	Yes	
TblCdsSrcReli	Description	varchar(50)	NOT NULL		
TblCdsSrcReli	RODate	datetime	NOT NULL		
TblCdsSrcReli	ROOperator	int	NOT NULL		
TblCdsSrcReli	LUDate	datetime	NOT NULL		
TblCdsSrcReli	LUOperator	int	NOT NULL		
TblCdsSrcReli	UpdateLock	int			
TblCdsSrcReli	ObsoleteFlag	tinyint			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsSrcReli	Priority	int			
TblCdsStateProperty	Description	varchar(50)	NOT NULL		
TblCdsStateProperty	RODate	datetime	NOT NULL		
TblCdsStateProperty	ROOperator	int	NOT NULL		
TblCdsStateProperty	LUDate	datetime	NOT NULL		
TblCdsStateProperty	LUOperator	int	NOT NULL		
TblCdsStateProperty	UpdateLock	int			
TblCdsStateProperty	ObsoleteFlag	tinyint			
TblCdsStateProperty	Code	varchar(4)	NOT NULL	Yes	
TblCdsStates	Description	varchar(25)			
TblCdsStates	RODate	datetime			
TblCdsStates	ROOperator	int			
TblCdsStates	LUDate	datetime			
TblCdsStates	LUOperator	int			
TblCdsStates	UpdateLock	int			
TblCdsStates	ObsoleteFlag	tinyint			
TblCdsStates	Code	varchar(4)	NOT NULL	Yes	
TblCdsStatute	Description	varchar(100)	NOT NULL		
TblCdsStatute	RODate	datetime	NOT NULL		
TblCdsStatute	ROOperator	int	NOT NULL		
TblCdsStatute	LUDate	datetime	NOT NULL		
TblCdsStatute	LUOperator	int	NOT NULL		
TblCdsStatute	UpdateLock	varchar(10)			
TblCdsStatute	ObsoleteFlag	tinyint	NOT NULL		
TblCdsStatute	Code	varchar(25)	NOT NULL	Yes	
TblCdsStolPropStat	Description	varchar(50)	NOT NULL		
TblCdsStolPropStat	RODate	datetime	NOT NULL		
TblCdsStolPropStat	ROOperator	int	NOT NULL		
TblCdsStolPropStat	LUDate	datetime	NOT NULL		
TblCdsStolPropStat	LUOperator	int	NOT NULL		
TblCdsStolPropStat	UpdateLock	int			
TblCdsStolPropStat	ObsoleteFlag	tinyint			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsStolPropStat	Code	varchar(4)	NOT NULL	Yes	
TblCdsSubAdrRel	Code	varchar(4)	NOT NULL	Yes	
TblCdsSubAdrRel	Description	varchar(50)	NOT NULL		
TblCdsSubAdrRel	RODate	datetime	NOT NULL		
TblCdsSubAdrRel	ROOperator	int	NOT NULL		
TblCdsSubAdrRel	LUDate	datetime	NOT NULL		
TblCdsSubAdrRel	LUOperator	int	NOT NULL		
TblCdsSubAdrRel	UpdateLock	int			
TblCdsSubAdrRel	ObsoleteFlag	tinyint			
TblCdsSubAdrRel	LogicCode	varchar(4)			
TblCdsSubOfnRela	Description	varchar(50)	NOT NULL		
TblCdsSubOfnRela	RODate	datetime	NOT NULL		
TblCdsSubOfnRela	ROOperator	int	NOT NULL		
TblCdsSubOfnRela	LUDate	datetime	NOT NULL		
TblCdsSubOfnRela	LUOperator	int	NOT NULL		
TblCdsSubOfnRela	UpdateLock	int			
TblCdsSubOfnRela	ObsoleteFlag	tinyint			
TblCdsSubOfnRela	Code	varchar(4)	NOT NULL	Yes	
TblCdsSubRecordTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsSubRecordTyp	Description	varchar(50)	NOT NULL		
TblCdsSubRecordTyp	RODate	datetime	NOT NULL		
TblCdsSubRecordTyp	ROOperator	int	NOT NULL		
TblCdsSubRecordTyp	LUDate	datetime	NOT NULL		
TblCdsSubRecordTyp	LUOperator	int	NOT NULL		
TblCdsSubRecordTyp	UpdateLock	int			
TblCdsSubRecordTyp	ObsoleteFlag	tinyint			
TblCdsSubRecordTyp	LogicCode	varchar(4)			
TblCdsSubSob	Description	varchar(50)	NOT NULL		
TblCdsSubSob	RODate	datetime	NOT NULL		
TblCdsSubSob	ROOperator	int	NOT NULL		
TblCdsSubSob	LUDate	datetime	NOT NULL		
TblCdsSubSob	LUOperator	int	NOT NULL		

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsSubSob	UpdateLock	int			
TblCdsSubSob	ObsoleteFlag	tinyint			
TblCdsSubSob	Code	varchar(4)	NOT NULL	Yes	
TblCdsSubSubRel	Code	varchar(4)	NOT NULL	Yes	
TblCdsSubSubRel	Description	varchar(50)	NOT NULL		
TblCdsSubSubRel	RODate	datetime	NOT NULL		
TblCdsSubSubRel	ROOperator	int	NOT NULL		
TblCdsSubSubRel	LUDate	datetime	NOT NULL		
TblCdsSubSubRel	LUOperator	int	NOT NULL		
TblCdsSubSubRel	UpdateLock	int			
TblCdsSubSubRel	ObsoleteFlag	tinyint			
TblCdsSubSubRel	InverseCode	varchar(4)	NOT NULL		
TblCdsSubSubRel	LogicCode	varchar(4)			
TblCdsSubSuffix	Description	varchar(50)	NOT NULL		
TblCdsSubSuffix	RODate	datetime	NOT NULL		
TblCdsSubSuffix	ROOperator	int	NOT NULL		
TblCdsSubSuffix	LUDate	datetime	NOT NULL		
TblCdsSubSuffix	LUOperator	int	NOT NULL		
TblCdsSubSuffix	UpdateLock	int			
TblCdsSubSuffix	ObsoleteFlag	tinyint			
TblCdsSubSuffix	Code	varchar(5)	NOT NULL	Yes	
TblCdsSupAdrRel	Code	varchar(4)	NOT NULL	Yes	
TblCdsSupAdrRel	Description	varchar(50)	NOT NULL		
TblCdsSupAdrRel	RODate	datetime	NOT NULL		
TblCdsSupAdrRel	ROOperator	int	NOT NULL		
TblCdsSupAdrRel	LUDate	datetime	NOT NULL		
TblCdsSupAdrRel	LUOperator	int	NOT NULL		
TblCdsSupAdrRel	UpdateLock	int			
TblCdsSupAdrRel	ObsoleteFlag	tinyint			
TblCdsSupAdrRel	LogicCode	varchar(4)			
TblCdsSupFinRel	Code	varchar(4)	NOT NULL	Yes	
TblCdsSupFinRel	Description	varchar(50)	NOT NULL		

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsSupFinRel	RODate	datetime	NOT NULL		
TblCdsSupFinRel	ROOperator	int	NOT NULL		
TblCdsSupFinRel	LUDate	datetime	NOT NULL		
TblCdsSupFinRel	LUOperator	int	NOT NULL		
TblCdsSupFinRel	UpdateLock	int			
TblCdsSupFinRel	ObsoleteFlag	tinyint			
TblCdsSupFinRel	LogicCode	varchar(4)			
TblCdsSupPropAgen	Description	varchar(50)	NOT NULL		
TblCdsSupPropAgen	RODate	datetime	NOT NULL		
TblCdsSupPropAgen	ROOperator	int	NOT NULL		
TblCdsSupPropAgen	LUDate	datetime	NOT NULL		
TblCdsSupPropAgen	LUOperator	int	NOT NULL		
TblCdsSupPropAgen	UpdateLock	int			
TblCdsSupPropAgen	ObsoleteFlag	tinyint			
TblCdsSupPropAgen	Code	varchar(4)	NOT NULL	Yes	
TblCdsSupPropClass	Code	varchar(4)	NOT NULL	Yes	
TblCdsSupPropClass	Description	varchar(50)	NOT NULL		
TblCdsSupPropClass	RODate	datetime	NOT NULL		
TblCdsSupPropClass	ROOperator	int	NOT NULL		
TblCdsSupPropClass	LUDate	datetime	NOT NULL		
TblCdsSupPropClass	LUOperator	int	NOT NULL		
TblCdsSupPropClass	UpdateLock	int			
TblCdsSupPropClass	ObsoleteFlag	tinyint			
TblCdsSupPropClass	LogicCode	varchar(4)			
TblCdsSupPropDisp	Description	varchar(50)	NOT NULL		
TblCdsSupPropDisp	RODate	datetime	NOT NULL		
TblCdsSupPropDisp	ROOperator	int	NOT NULL		
TblCdsSupPropDisp	LUDate	datetime	NOT NULL		
TblCdsSupPropDisp	LUOperator	int	NOT NULL		
TblCdsSupPropDisp	UpdateLock	int			
TblCdsSupPropDisp	ObsoleteFlag	tinyint			
TblCdsSupPropDisp	Code	varchar(4)	NOT NULL	Yes	

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsSupPropDispM	Description	varchar(50)	NOT NULL		
TblCdsSupPropDispM	RODate	datetime	NOT NULL		
TblCdsSupPropDispM	ROOperator	int	NOT NULL		
TblCdsSupPropDispM	LUDate	datetime	NOT NULL		
TblCdsSupPropDispM	LUOperator	int	NOT NULL		
TblCdsSupPropDispM	UpdateLock	int			
TblCdsSupPropDispM	ObsoleteFlag	tinyint			
TblCdsSupPropDispM	Code	varchar(4)	NOT NULL	Yes	
TblCdsSupPropLoc	Description	varchar(50)	NOT NULL		
TblCdsSupPropLoc	RODate	datetime	NOT NULL		
TblCdsSupPropLoc	ROOperator	int	NOT NULL		
TblCdsSupPropLoc	LUDate	datetime	NOT NULL		
TblCdsSupPropLoc	LUOperator	int	NOT NULL		
TblCdsSupPropLoc	UpdateLock	int			
TblCdsSupPropLoc	ObsoleteFlag	tinyint			
TblCdsSupPropLoc	Code	varchar(4)	NOT NULL	Yes	
TblCdsSupPropSts	Code	varchar(4)	NOT NULL	Yes	
TblCdsSupPropSts	Description	varchar(50)	NOT NULL		
TblCdsSupPropSts	RODate	datetime	NOT NULL		
TblCdsSupPropSts	ROOperator	int	NOT NULL		
TblCdsSupPropSts	LUDate	datetime	NOT NULL		
TblCdsSupPropSts	LUOperator	int	NOT NULL		
TblCdsSupPropSts	UpdateLock	int			
TblCdsSupPropSts	ObsoleteFlag	tinyint			
TblCdsSupPropSts	LogicCode	varchar(4)			
TblCdsSupSubRel	Code	varchar(4)	NOT NULL	Yes	
TblCdsSupSubRel	Description	varchar(50)	NOT NULL		
TblCdsSupSubRel	Priority	int			
TblCdsSupSubRel	RODate	datetime	NOT NULL		
TblCdsSupSubRel	ROOperator	int	NOT NULL		
TblCdsSupSubRel	LUDate	datetime	NOT NULL		
TblCdsSupSubRel	LUOperator	int	NOT NULL		

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsSupSubRel	UpdateLock	int			
TblCdsSupSubRel	ObsoleteFlag	tinyint			
TblCdsSupSubRel	LogicCode	varchar(4)			
TblCdsSupSubRel	Criminal	tinyint			
TblCdsSupSubRelType	Code	int	NOT NULL	Yes	
TblCdsSupSubRelType	Description	datetime			
TblCdsSupSubRelType	TypeOfReport	varchar(8)	NOT NULL		Yes
TblCdsSupSubRelType	Relationship	varchar(4)	NOT NULL		Yes
TblCdsSupSubRelType	RODate	datetime	NOT NULL		
TblCdsSupSubRelType	ROOperator	int	NOT NULL		
TblCdsSupSubRelType	LUDate	datetime	NOT NULL		
TblCdsSupSubRelType	LUOperator	int	NOT NULL		
TblCdsSupSubRelType	UpdateLock	int			
TblCdsSupSubRelType	ObsoleteFlag	tinyint			
TblCdsSupTelRel	Code	varchar(4)	NOT NULL	Yes	
TblCdsSupTelRel	Description	varchar(50)	NOT NULL		
TblCdsSupTelRel	RODate	datetime	NOT NULL		
TblCdsSupTelRel	ROOperator	int	NOT NULL		
TblCdsSupTelRel	LUDate	datetime	NOT NULL		
TblCdsSupTelRel	LUOperator	int	NOT NULL		
TblCdsSupTelRel	UpdateLock	int			
TblCdsSupTelRel	ObsoleteFlag	tinyint			
TblCdsSupTelRel	LogicCode	varchar(4)			
TblCdsSupTimeActivity	Code	varchar(4)	NOT NULL	Yes	
TblCdsSupTimeActivity	Description	varchar(50)	NOT NULL		
TblCdsSupTimeActivity	Category	varchar(4)			
TblCdsSupTimeActivity	RODate	datetime	NOT NULL		
TblCdsSupTimeActivity	ROOperator	int	NOT NULL		
TblCdsSupTimeActivity	LUDate	datetime	NOT NULL		
TblCdsSupTimeActivity	LUOperator	int	NOT NULL		
TblCdsSupTimeActivity	UpdateLock	int			
TblCdsSupTimeActivity	ObsoleteFlag	tinyint			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsSupTimeActivity	UnitCost	money			
TblCdsSupTimeActivityCategory	Description	varchar(50)	NOT NULL		
TblCdsSupTimeActivityCategory	RODate	datetime	NOT NULL		
TblCdsSupTimeActivityCategory	ROOperator	int	NOT NULL		
TblCdsSupTimeActivityCategory	LUDate	datetime	NOT NULL		
TblCdsSupTimeActivityCategory	LUOperator	int	NOT NULL		
TblCdsSupTimeActivityCategory	UpdateLock	int			
TblCdsSupTimeActivityCategory	ObsoleteFlag	tinyint			
TblCdsSupTimeActivityCategory	Code	varchar(4)	NOT NULL	Yes	
TblCdsSupVehRel	Code	varchar(4)	NOT NULL	Yes	
TblCdsSupVehRel	Description	varchar(50)	NOT NULL		
TblCdsSupVehRel	RODate	datetime	NOT NULL		
TblCdsSupVehRel	ROOperator	int	NOT NULL		
TblCdsSupVehRel	LUDate	datetime	NOT NULL		
TblCdsSupVehRel	LUOperator	int	NOT NULL		
TblCdsSupVehRel	UpdateLock	int			
TblCdsSupVehRel	ObsoleteFlag	tinyint			
TblCdsSupVehRel	LogicCode	varchar(4)			
TblCdsSusAct	Description	varchar(50)	NOT NULL		
TblCdsSusAct	RODate	datetime	NOT NULL		
TblCdsSusAct	ROOperator	int	NOT NULL		
TblCdsSusAct	LUDate	datetime	NOT NULL		
TblCdsSusAct	LUOperator	int	NOT NULL		
TblCdsSusAct	UpdateLock	int			
TblCdsSusAct	ObsoleteFlag	tinyint			
TblCdsSusAct	Code	varchar(4)	NOT NULL	Yes	
TblCdsSusActWhen	Description	varchar(50)	NOT NULL		
TblCdsSusActWhen	RODate	datetime	NOT NULL		
TblCdsSusActWhen	ROOperator	int	NOT NULL		
TblCdsSusActWhen	LUDate	datetime	NOT NULL		
TblCdsSusActWhen	LUOperator	int	NOT NULL		
TblCdsSusActWhen	UpdateLock	int			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsSusActWhen	ObsoleteFlag	tinyint			
TblCdsSusActWhen	Code	varchar(1)	NOT NULL	Yes	
TblCdsSusPerVehTyp	Description	varchar(50)	NOT NULL		
TblCdsSusPerVehTyp	RODate	datetime	NOT NULL		
TblCdsSusPerVehTyp	ROOperator	int	NOT NULL		
TblCdsSusPerVehTyp	LUDate	datetime	NOT NULL		
TblCdsSusPerVehTyp	LUOperator	int	NOT NULL		
TblCdsSusPerVehTyp	UpdateLock	int			
TblCdsSusPerVehTyp	ObsoleteFlag	tinyint			
TblCdsSusPerVehTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsSusPVTyp	Description	varchar(50)	NOT NULL		
TblCdsSusPVTyp	RODate	datetime	NOT NULL		
TblCdsSusPVTyp	ROOperator	int	NOT NULL		
TblCdsSusPVTyp	LUDate	datetime	NOT NULL		
TblCdsSusPVTyp	LUOperator	int	NOT NULL		
TblCdsSusPVTyp	UpdateLock	int			
TblCdsSusPVTyp	ObsoleteFlag	tinyint			
TblCdsSusPVTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsSusTyp	Description	varchar(50)	NOT NULL		
TblCdsSusTyp	RODate	datetime	NOT NULL		
TblCdsSusTyp	ROOperator	int	NOT NULL		
TblCdsSusTyp	LUDate	datetime	NOT NULL		
TblCdsSusTyp	LUOperator	int	NOT NULL		
TblCdsSusTyp	UpdateLock	int			
TblCdsSusTyp	ObsoleteFlag	tinyint			
TblCdsSusTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsTactics	Description	varchar(50)	NOT NULL		
TblCdsTactics	RODate	datetime	NOT NULL		
TblCdsTactics	ROOperator	int	NOT NULL		
TblCdsTactics	LUDate	datetime	NOT NULL		
TblCdsTactics	LUOperator	int	NOT NULL		
TblCdsTactics	UpdateLock	int			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TbICdsTactics	ObsoleteFlag	tinyint			
TbICdsTactics	Code	varchar(4)	NOT NULL	Yes	
TbICdsTeeth	Description	varchar(50)	NOT NULL		
TbICdsTeeth	RODate	datetime	NOT NULL		
TbICdsTeeth	ROOperator	int	NOT NULL		
TbICdsTeeth	LUDate	datetime	NOT NULL		
TbICdsTeeth	LUOperator	int	NOT NULL		
TbICdsTeeth	UpdateLock	int			
TbICdsTeeth	ObsoleteFlag	tinyint			
TbICdsTeeth	Code	varchar(4)	NOT NULL	Yes	
TbICdsTelAdrRel	Code	varchar(4)	NOT NULL	Yes	
TbICdsTelAdrRel	Description	varchar(50)	NOT NULL		
TbICdsTelAdrRel	LogicCode	varchar(4)			
TbICdsTelAdrRel	RODate	datetime	NOT NULL		
TbICdsTelAdrRel	ROOperator	int	NOT NULL		
TbICdsTelAdrRel	LUDate	datetime	NOT NULL		
TbICdsTelAdrRel	LUOperator	int	NOT NULL		
TbICdsTelAdrRel	UpdateLock	int			
TbICdsTelAdrRel	ObsoleteFlag	tinyint			
TbICdsTelDP	Description	varchar(50)	NOT NULL		
TbICdsTelDP	RODate	datetime	NOT NULL		
TbICdsTelDP	ROOperator	int	NOT NULL		
TbICdsTelDP	LUDate	datetime	NOT NULL		
TbICdsTelDP	LUOperator	int	NOT NULL		
TbICdsTelDP	UpdateLock	int			
TbICdsTelDP	ObsoleteFlag	tinyint			
TbICdsTelDP	Code	varchar(4)	NOT NULL	Yes	
TbICdsTelIMS	Description	varchar(50)	NOT NULL		
TbICdsTelIMS	RODate	datetime	NOT NULL		
TbICdsTelIMS	ROOperator	int	NOT NULL		
TbICdsTelIMS	LUDate	datetime	NOT NULL		
TbICdsTelIMS	LUOperator	int	NOT NULL		

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsTelMS	UpdateLock	int			
TblCdsTelMS	ObsoleteFlag	tinyint			
TblCdsTelMS	Code	varchar(4)	NOT NULL	Yes	
TblCdsTelSubRel	Code	varchar(4)	NOT NULL	Yes	
TblCdsTelSubRel	Description	varchar(50)	NOT NULL		
TblCdsTelSubRel	RODate	datetime	NOT NULL		
TblCdsTelSubRel	ROOperator	int	NOT NULL		
TblCdsTelSubRel	LUDate	datetime	NOT NULL		
TblCdsTelSubRel	LUOperator	int	NOT NULL		
TblCdsTelSubRel	UpdateLock	int			
TblCdsTelSubRel	ObsoleteFlag	tinyint			
TblCdsTelSubRel	LogicCode	varchar(4)			
TblCdsTelTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsTelTyp	Description	varchar(50)	NOT NULL		
TblCdsTelTyp	RODate	datetime	NOT NULL		
TblCdsTelTyp	ROOperator	int	NOT NULL		
TblCdsTelTyp	LUDate	datetime	NOT NULL		
TblCdsTelTyp	LUOperator	int	NOT NULL		
TblCdsTelTyp	UpdateLock	int			
TblCdsTelTyp	ObsoleteFlag	tinyint			
TblCdsTelTyp	LogicCode	varchar(4)			
TblCdsTipAdrRel	Description	varchar(50)	NOT NULL		
TblCdsTipAdrRel	RODate	datetime	NOT NULL		
TblCdsTipAdrRel	ROOperator	int	NOT NULL		
TblCdsTipAdrRel	LUDate	datetime	NOT NULL		
TblCdsTipAdrRel	LUOperator	int	NOT NULL		
TblCdsTipAdrRel	UpdateLock	int			
TblCdsTipAdrRel	ObsoleteFlag	tinyint			
TblCdsTipAdrRel	Code	varchar(4)	NOT NULL	Yes	
TblCdsTipClass	Description	varchar(50)	NOT NULL		
TblCdsTipClass	RODate	datetime	NOT NULL		
TblCdsTipClass	ROOperator	int	NOT NULL		

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsTipClass	LUDate	datetime	NOT NULL		
TblCdsTipClass	LUOperator	int	NOT NULL		
TblCdsTipClass	UpdateLock	int			
TblCdsTipClass	ObsoleteFlag	tinyint			
TblCdsTipClass	Code	varchar(4)	NOT NULL	Yes	
TblCdsTipDism	Code	varchar(4)	NOT NULL	Yes	
TblCdsTipDism	Description	varchar(50)	NOT NULL		
TblCdsTipDism	RODate	datetime	NOT NULL		
TblCdsTipDism	ROOperator	int	NOT NULL		
TblCdsTipDism	LUDate	datetime	NOT NULL		
TblCdsTipDism	LUOperator	int	NOT NULL		
TblCdsTipDism	UpdateLock	int			
TblCdsTipDism	ObsoleteFlag	tinyint			
TblCdsTipDism	UpdateSecurity	tinyint			
TblCdsTipDism	ReadSecurity	tinyint			
TblCdsTipDism	CaseSecurityOverride	varchar(1)			
TblCdsTipNumber	Code	varchar(40)	NOT NULL	Yes	
TblCdsTipNumber	Description	varchar(50)	NOT NULL		
TblCdsTipNumber	RODate	datetime	NOT NULL		
TblCdsTipNumber	ROOperator	int	NOT NULL		
TblCdsTipNumber	LUDate	datetime	NOT NULL		
TblCdsTipNumber	LUOperator	int	NOT NULL		
TblCdsTipNumber	UpdateLock	int			
TblCdsTipNumber	ObsoleteFlag	tinyint			
TblCdsTipNumber	NextNumber	int	NOT NULL		
TblCdsTipPriority	Code	varchar(4)	NOT NULL	Yes	
TblCdsTipPriority	Description	varchar(50)	NOT NULL		
TblCdsTipPriority	RODate	datetime	NOT NULL		
TblCdsTipPriority	ROOperator	int	NOT NULL		
TblCdsTipPriority	LUDate	datetime	NOT NULL		
TblCdsTipPriority	LUOperator	int	NOT NULL		
TblCdsTipPriority	UpdateLock	int			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsTipPriority	ObsoleteFlag	tinyint			
TblCdsTipPriority	Days	int			
TblCdsTipPriority	CasePriority	varchar(4)			Yes
TblCdsTipSource	Description	varchar(50)	NOT NULL		
TblCdsTipSource	RODate	datetime	NOT NULL		
TblCdsTipSource	ROOperator	int	NOT NULL		
TblCdsTipSource	LUDate	datetime	NOT NULL		
TblCdsTipSource	LUOperator	int	NOT NULL		
TblCdsTipSource	UpdateLock	int			
TblCdsTipSource	ObsoleteFlag	tinyint			
TblCdsTipSource	Code	varchar(4)	NOT NULL	Yes	
TblCdsTipStat	Code	varchar(4)	NOT NULL	Yes	
TblCdsTipStat	Description	varchar(50)	NOT NULL		
TblCdsTipStat	RODate	datetime	NOT NULL		
TblCdsTipStat	ROOperator	int	NOT NULL		
TblCdsTipStat	LUDate	datetime	NOT NULL		
TblCdsTipStat	LUOperator	int	NOT NULL		
TblCdsTipStat	UpdateLock	int			
TblCdsTipStat	ObsoleteFlag	tinyint			
TblCdsTipStat	LogicCode	varchar(4)			
TblCdsTipSubRel	Code	varchar(4)	NOT NULL	Yes	
TblCdsTipSubRel	Description	varchar(50)	NOT NULL		
TblCdsTipSubRel	RODate	datetime	NOT NULL		
TblCdsTipSubRel	ROOperator	int	NOT NULL		
TblCdsTipSubRel	LUDate	datetime	NOT NULL		
TblCdsTipSubRel	LUOperator	int	NOT NULL		
TblCdsTipSubRel	UpdateLock	int			
TblCdsTipSubRel	ObsoleteFlag	tinyint			
TblCdsTipSubRel	LogicCode	varchar(4)			
TblCdsTipSubRel	Criminal	tinyint			
TblCdsTipSubType	Code	varchar(4)	NOT NULL	Yes	
TblCdsTipSubType	Description	varchar(50)	NOT NULL		

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsTipSubType	FilterValue	varchar(4)			
TblCdsTipSubType	RODate	datetime	NOT NULL		
TblCdsTipSubType	ROOperator	int	NOT NULL		
TblCdsTipSubType	LUDate	datetime	NOT NULL		
TblCdsTipSubType	LUOperator	int	NOT NULL		
TblCdsTipSubType	UpdateLock	int			
TblCdsTipSubType	ObsoleteFlag	tinyint			
TblCdsTipTask	Code	varchar(4)	NOT NULL	Yes	
TblCdsTipTask	Description	varchar(50)	NOT NULL		
TblCdsTipTask	RODate	datetime	NOT NULL		
TblCdsTipTask	ROOperator	int	NOT NULL		
TblCdsTipTask	LUDate	datetime	NOT NULL		
TblCdsTipTask	LUOperator	int	NOT NULL		
TblCdsTipTask	UpdateLock	int			
TblCdsTipTask	ObsoleteFlag	tinyint			
TblCdsTipTask	LogicCode	varchar(4)	NOT NULL		
TblCdsTipTelRel	Description	varchar(50)	NOT NULL		
TblCdsTipTelRel	RODate	datetime	NOT NULL		
TblCdsTipTelRel	ROOperator	int	NOT NULL		
TblCdsTipTelRel	LUDate	datetime	NOT NULL		
TblCdsTipTelRel	LUOperator	int	NOT NULL		
TblCdsTipTelRel	UpdateLock	int			
TblCdsTipTelRel	ObsoleteFlag	tinyint			
TblCdsTipTelRel	Code	varchar(4)	NOT NULL	Yes	
TblCdsTipTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsTipTyp	Description	varchar(50)	NOT NULL		
TblCdsTipTyp	RODate	datetime	NOT NULL		
TblCdsTipTyp	ROOperator	int	NOT NULL		
TblCdsTipTyp	LUDate	datetime	NOT NULL		
TblCdsTipTyp	LUOperator	int	NOT NULL		
TblCdsTipTyp	UpdateLock	int			
TblCdsTipTyp	ObsoleteFlag	tinyint			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsTipTyp	DefaultDism	varchar(4)			Yes
TblCdsTipTyp	ReviewInterval	int			
TblCdsTipTyp	AllowSelfApproval	varchar(1)			
TblCdsTipTyp	RequestApprovalFrom	varchar(1)			
TblCdsTipVehRel	Description	varchar(50)	NOT NULL		
TblCdsTipVehRel	RODate	datetime	NOT NULL		
TblCdsTipVehRel	ROOperator	int	NOT NULL		
TblCdsTipVehRel	LUDate	datetime	NOT NULL		
TblCdsTipVehRel	LUOperator	int	NOT NULL		
TblCdsTipVehRel	UpdateLock	int			
TblCdsTipVehRel	ObsoleteFlag	tinyint			
TblCdsTipVehRel	Code	varchar(4)	NOT NULL	Yes	
TblCdsToolsUsed	Description	varchar(50)	NOT NULL		
TblCdsToolsUsed	RODate	datetime	NOT NULL		
TblCdsToolsUsed	ROOperator	int	NOT NULL		
TblCdsToolsUsed	LUDate	datetime	NOT NULL		
TblCdsToolsUsed	LUOperator	int	NOT NULL		
TblCdsToolsUsed	UpdateLock	int			
TblCdsToolsUsed	ObsoleteFlag	tinyint			
TblCdsToolsUsed	Code	varchar(4)	NOT NULL	Yes	
TblCdsTypeOfInsurance	Description	varchar(50)	NOT NULL		
TblCdsTypeOfInsurance	RODate	datetime	NOT NULL		
TblCdsTypeOfInsurance	ROOperator	int	NOT NULL		
TblCdsTypeOfInsurance	LUDate	datetime	NOT NULL		
TblCdsTypeOfInsurance	LUOperator	int	NOT NULL		
TblCdsTypeOfInsurance	UpdateLock	int			
TblCdsTypeOfInsurance	ObsoleteFlag	tinyint			
TblCdsTypeOfInsurance	Code	varchar(4)	NOT NULL	Yes	
TblCdsTypOfCase	Code	varchar(4)	NOT NULL	Yes	
TblCdsTypOfCase	Description	varchar(50)	NOT NULL		
TblCdsTypOfCase	InitiatingReport	varchar(8)			
TblCdsTypOfCase	RODate	datetime	NOT NULL		

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsTypOfCase	ROOperator	int	NOT NULL		
TblCdsTypOfCase	LUDate	datetime	NOT NULL		
TblCdsTypOfCase	LUOperator	int	NOT NULL		
TblCdsTypOfCase	UpdateLock	int			
TblCdsTypOfCase	ObsoleteFlag	tinyint			
TblCdsTypOfCase	CaseNumber	varchar(40)			Yes
TblCdsTypOfCase	HideFromMyCasesDefault	varchar(1)			Yes
TblCdsTypOfCase	ReviewInterval	int			
TblCdsTypOfCase	DefaultDissemination	varchar(4)			Yes
TblCdsTypOfCase	DefaultClosedDissemination	varchar(4)			Yes
TblCdsTypOfReport	Code	varchar(8)	NOT NULL	Yes	
TblCdsTypOfReport	Description	varchar(50)	NOT NULL		
TblCdsTypOfReport	MinimumReviews	int	NOT NULL		
TblCdsTypOfReport	RODate	datetime	NOT NULL		
TblCdsTypOfReport	ROOperator	int	NOT NULL		
TblCdsTypOfReport	LUDate	datetime	NOT NULL		
TblCdsTypOfReport	LUOperator	int	NOT NULL		
TblCdsTypOfReport	UpdateLock	int			
TblCdsTypOfReport	ObsoleteFlag	tinyint			
TblCdsTypOfReport	LogicCode	varchar(8)			
TblCdsTypOfReport	DefaultDissemination	varchar(4)			Yes
TblCdsTypOfReport	FilterValue	varchar(1)			Yes
TblCdsTypOfReport	NotifyLeadOnAdd	varchar(1)			
TblCdsTypOfReport	AllowSelfApproval	varchar(1)			
TblCdsTypOfReport	ApprovalNotification	varchar(1)			
TblCdsTypOfReport	TimeTyp	varchar(4)			
TblCdsTypOfReport	TimeActivity	varchar(4)			
TblCdsTypOfReport	ExpenseTyp	varchar(4)			
TblCdsTypOfReport	DefaultDateTime	varchar(4)			
TblCdsTypOfReport	PACaseStatus	varchar(4)			Yes
TblCdsTypOfReport	PACaseDisp	varchar(4)			Yes
TblCdsTypOfReport	ApprovalAcknowledgement	text			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsTypOfReport	IntelPurgeTyp	varchar(1)			
TblCdsTypOfReport	CopyReportContents	varchar(1)			
TblCdsTypOfReport	RequireOccurredAddress	varchar(1)			Yes
TblCdsTypOfReport	RequireCity	varchar(1)			Yes
TblCdsTypOfReport	RequireState	varchar(1)			Yes
TblCdsTypOfReport	RequireCounty	varchar(1)			Yes
TblCdsTypOfReport	RequireArea1	varchar(1)			Yes
TblCdsTypOfReport	RequireArea2	varchar(1)			Yes
TblCdsTypOfReport	RequireArea3	varchar(1)			Yes
TblCdsTypOfReport	RequireArea4	varchar(1)			Yes
TblCdsTypOfReport	RequireArea5	varchar(1)			Yes
TblCdsTypOfReport	RequireArea6	varchar(1)			Yes
TblCdsTypOfReport	RequireArea7	varchar(1)			Yes
TblCdsTypOfReport	RequireArea8	varchar(1)			Yes
TblCdsTypOfReport	RequireArea9	varchar(1)			Yes
TblCdsTypOfReport	RequireArea10	varchar(1)			Yes
TblCdsTypOfReport	QuickEntryStyle	varchar(1)			
TblCdsTypOfReport	ReportSubjectRel	varchar(4)			Yes
TblCdsTypOfReport	ReportGangRel	varchar(4)			Yes
TblCdsTypOfReport	ReportEmployerRel	varchar(4)			Yes
TblCdsTypOfReport	ReportVehicleRel	varchar(4)			Yes
TblCdsTypOfReport	ReportOccurredAdr	varchar(4)			Yes
TblCdsTypOfReport	SubjectHomeAddressRel	varchar(4)			Yes
TblCdsTypOfReport	SubjectHomeTelephoneRel	varchar(4)			Yes
TblCdsTypOfReport	SubjectEmployerRel	varchar(4)			Yes
TblCdsTypOfReport	EmployerAddressRel	varchar(4)			Yes
TblCdsTypOfReport	EmployerTelephoneRel	varchar(4)			Yes
TblCdsTypOfReport	GangAgencyRel	varchar(4)			Yes
TblCdsTypOfReport	DriversLicenseIDType	varchar(4)			Yes
TblCdsTypOfReport	SocialSecurityIDType	varchar(4)			Yes
TblCdsTypOfReport	RequireSubmittedToPES	varchar(1)			Yes
TblCdsUCRADltJuv	Description	varchar(50)	NOT NULL		

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TbICdsUCRAdltJuv	RODate	datetime	NOT NULL		
TbICdsUCRAdltJuv	ROOperator	int	NOT NULL		
TbICdsUCRAdltJuv	LUDate	datetime	NOT NULL		
TbICdsUCRAdltJuv	LUOperator	int	NOT NULL		
TbICdsUCRAdltJuv	UpdateLock	int			
TbICdsUCRAdltJuv	ObsoleteFlag	tinyint			
TbICdsUCRAdltJuv	Code	varchar(4)	NOT NULL	Yes	
TbICdsUCRClass	Code	varchar(6)	NOT NULL	Yes	
TbICdsUCRClass	Description	varchar(50)	NOT NULL		
TbICdsUCRClass	RODate	datetime	NOT NULL		
TbICdsUCRClass	ROOperator	int	NOT NULL		
TbICdsUCRClass	LUDate	datetime	NOT NULL		
TbICdsUCRClass	LUOperator	int	NOT NULL		
TbICdsUCRClass	UpdateLock	int			
TbICdsUCRClass	ObsoleteFlag	tinyint			
TbICdsUCRClass	Part	varchar(2)			
TbICdsUCRClass	Hierarchy	int			
TbICdsUCRClass	ArrestHierarchy	int			
TbICdsUCRClear	Description	varchar(50)	NOT NULL		
TbICdsUCRClear	RODate	datetime	NOT NULL		
TbICdsUCRClear	ROOperator	int	NOT NULL		
TbICdsUCRClear	LUDate	datetime	NOT NULL		
TbICdsUCRClear	LUOperator	int	NOT NULL		
TbICdsUCRClear	UpdateLock	int			
TbICdsUCRClear	ObsoleteFlag	tinyint			
TbICdsUCRClear	Code	varchar(4)	NOT NULL	Yes	
TbICdsUCRException	Description	varchar(50)	NOT NULL		
TbICdsUCRException	RODate	datetime	NOT NULL		
TbICdsUCRException	ROOperator	int	NOT NULL		
TbICdsUCRException	LUDate	datetime	NOT NULL		
TbICdsUCRException	LUOperator	int	NOT NULL		
TbICdsUCRException	UpdateLock	int			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TbICdsUCRException	ObsoleteFlag	tinyint			
TbICdsUCRException	Code	varchar(4)	NOT NULL	Yes	
TbICdsUCRVehSts	Description	varchar(50)	NOT NULL		
TbICdsUCRVehSts	RODate	datetime	NOT NULL		
TbICdsUCRVehSts	ROOperator	int	NOT NULL		
TbICdsUCRVehSts	LUDate	datetime	NOT NULL		
TbICdsUCRVehSts	LUOperator	int	NOT NULL		
TbICdsUCRVehSts	UpdateLock	int			
TbICdsUCRVehSts	ObsoleteFlag	tinyint			
TbICdsUCRVehSts	Code	varchar(4)	NOT NULL	Yes	
TbICdsUnit	Description	varchar(50)	NOT NULL		
TbICdsUnit	RODate	datetime	NOT NULL		
TbICdsUnit	ROOperator	int	NOT NULL		
TbICdsUnit	LUDate	datetime	NOT NULL		
TbICdsUnit	LUOperator	int	NOT NULL		
TbICdsUnit	UpdateLock	int			
TbICdsUnit	ObsoleteFlag	tinyint			
TbICdsUnit	Code	varchar(4)	NOT NULL	Yes	
TbICdsUOFLOC	Description	varchar(50)	NOT NULL		
TbICdsUOFLOC	RODate	datetime	NOT NULL		
TbICdsUOFLOC	ROOperator	int	NOT NULL		
TbICdsUOFLOC	LUDate	datetime	NOT NULL		
TbICdsUOFLOC	LUOperator	int	NOT NULL		
TbICdsUOFLOC	UpdateLock	int			
TbICdsUOFLOC	ObsoleteFlag	tinyint			
TbICdsUOFLOC	Code	varchar(4)	NOT NULL	Yes	
TbICdsUOFLOR	Description	varchar(50)	NOT NULL		
TbICdsUOFLOR	RODate	datetime	NOT NULL		
TbICdsUOFLOR	ROOperator	int	NOT NULL		
TbICdsUOFLOR	LUDate	datetime	NOT NULL		
TbICdsUOFLOR	LUOperator	int	NOT NULL		
TbICdsUOFLOR	UpdateLock	int			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TbICdsUOFLOR	ObsoleteFlag	tinyint			
TbICdsUOFLOR	Code	varchar(4)	NOT NULL	Yes	
TbICdsUOFMed	Description	varchar(50)	NOT NULL		
TbICdsUOFMed	RODate	datetime	NOT NULL		
TbICdsUOFMed	ROOperator	int	NOT NULL		
TbICdsUOFMed	LUDate	datetime	NOT NULL		
TbICdsUOFMed	LUOperator	int	NOT NULL		
TbICdsUOFMed	UpdateLock	int			
TbICdsUOFMed	ObsoleteFlag	tinyint			
TbICdsUOFMed	Code	varchar(4)	NOT NULL	Yes	
TbICdsUOFSC	Description	varchar(50)	NOT NULL		
TbICdsUOFSC	RODate	datetime	NOT NULL		
TbICdsUOFSC	ROOperator	int	NOT NULL		
TbICdsUOFSC	LUDate	datetime	NOT NULL		
TbICdsUOFSC	LUOperator	int	NOT NULL		
TbICdsUOFSC	UpdateLock	int			
TbICdsUOFSC	ObsoleteFlag	tinyint			
TbICdsUOFSC	Code	varchar(4)	NOT NULL	Yes	
TbICdsUOFWeapon	Description	varchar(50)	NOT NULL		
TbICdsUOFWeapon	RODate	datetime	NOT NULL		
TbICdsUOFWeapon	ROOperator	int	NOT NULL		
TbICdsUOFWeapon	LUDate	datetime	NOT NULL		
TbICdsUOFWeapon	LUOperator	int	NOT NULL		
TbICdsUOFWeapon	UpdateLock	int			
TbICdsUOFWeapon	ObsoleteFlag	tinyint			
TbICdsUOFWeapon	Code	varchar(4)	NOT NULL	Yes	
TbICdsVehColor	Description	varchar(50)	NOT NULL		
TbICdsVehColor	RODate	datetime	NOT NULL		
TbICdsVehColor	ROOperator	int	NOT NULL		
TbICdsVehColor	LUDate	datetime	NOT NULL		
TbICdsVehColor	LUOperator	int	NOT NULL		
TbICdsVehColor	UpdateLock	int			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsVehColor	ObsoleteFlag	tinyint			
TblCdsVehColor	Code	varchar(4)	NOT NULL	Yes	
TblCdsVehConcealmentTyp	Description	varchar(50)	NOT NULL		
TblCdsVehConcealmentTyp	RODate	datetime	NOT NULL		
TblCdsVehConcealmentTyp	ROOperator	int	NOT NULL		
TblCdsVehConcealmentTyp	LUDate	datetime	NOT NULL		
TblCdsVehConcealmentTyp	LUOperator	int	NOT NULL		
TblCdsVehConcealmentTyp	UpdateLock	int			
TblCdsVehConcealmentTyp	ObsoleteFlag	tinyint			
TblCdsVehConcealmentTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsVehDamage	Description	varchar(50)	NOT NULL		
TblCdsVehDamage	RODate	datetime	NOT NULL		
TblCdsVehDamage	ROOperator	int	NOT NULL		
TblCdsVehDamage	LUDate	datetime	NOT NULL		
TblCdsVehDamage	LUOperator	int	NOT NULL		
TblCdsVehDamage	UpdateLock	int			
TblCdsVehDamage	ObsoleteFlag	tinyint			
TblCdsVehDamage	Code	varchar(4)	NOT NULL	Yes	
TblCdsVehLoc	Description	varchar(50)	NOT NULL		
TblCdsVehLoc	RODate	datetime	NOT NULL		
TblCdsVehLoc	ROOperator	int	NOT NULL		
TblCdsVehLoc	LUDate	datetime	NOT NULL		
TblCdsVehLoc	LUOperator	int	NOT NULL		
TblCdsVehLoc	UpdateLock	int			
TblCdsVehLoc	ObsoleteFlag	tinyint			
TblCdsVehLoc	Code	varchar(4)	NOT NULL	Yes	
TblCdsVehMake	Code	varchar(4)	NOT NULL	Yes	
TblCdsVehMake	Description	varchar(50)	NOT NULL		
TblCdsVehMake	RODate	datetime	NOT NULL		
TblCdsVehMake	ROOperator	int	NOT NULL		
TblCdsVehMake	LUDate	datetime	NOT NULL		
TblCdsVehMake	LUOperator	int	NOT NULL		

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsVehMake	UpdateLock	int			
TblCdsVehMake	ObsoleteFlag	tinyint			
TblCdsVehMake	VehicleType	varchar(4)			Yes
TblCdsVehModel	Code	varchar(4)	NOT NULL	Yes	
TblCdsVehModel	Description	varchar(50)	NOT NULL		
TblCdsVehModel	FilterValue	varchar(4)			
TblCdsVehModel	RODate	datetime	NOT NULL		
TblCdsVehModel	ROOperator	int	NOT NULL		
TblCdsVehModel	LUDate	datetime	NOT NULL		
TblCdsVehModel	LUOperator	int	NOT NULL		
TblCdsVehModel	UpdateLock	int			
TblCdsVehModel	ObsoleteFlag	tinyint			
TblCdsVehRcr	Description	varchar(50)	NOT NULL		
TblCdsVehRcr	RODate	datetime	NOT NULL		
TblCdsVehRcr	ROOperator	int	NOT NULL		
TblCdsVehRcr	LUDate	datetime	NOT NULL		
TblCdsVehRcr	LUOperator	int	NOT NULL		
TblCdsVehRcr	UpdateLock	int			
TblCdsVehRcr	ObsoleteFlag	tinyint			
TblCdsVehRcr	Code	varchar(4)	NOT NULL	Yes	
TblCdsVehRecDamage	Description	varchar(50)	NOT NULL		
TblCdsVehRecDamage	RODate	datetime	NOT NULL		
TblCdsVehRecDamage	ROOperator	int	NOT NULL		
TblCdsVehRecDamage	LUDate	datetime	NOT NULL		
TblCdsVehRecDamage	LUOperator	int	NOT NULL		
TblCdsVehRecDamage	UpdateLock	int			
TblCdsVehRecDamage	ObsoleteFlag	tinyint			
TblCdsVehRecDamage	Code	varchar(4)	NOT NULL	Yes	
TblCdsVehStyle	Code	varchar(4)	NOT NULL	Yes	
TblCdsVehStyle	Description	varchar(50)	NOT NULL		
TblCdsVehStyle	RODate	datetime	NOT NULL		
TblCdsVehStyle	ROOperator	int	NOT NULL		

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsVehStyle	LUDate	datetime	NOT NULL		
TblCdsVehStyle	LUOperator	int	NOT NULL		
TblCdsVehStyle	UpdateLock	int			
TblCdsVehStyle	ObsoleteFlag	tinyint			
TblCdsVehStyle	VehicleType	varchar(4)			Yes
TblCdsVehSubRel	Description	varchar(50)	NOT NULL		
TblCdsVehSubRel	RODate	datetime	NOT NULL		
TblCdsVehSubRel	ROOperator	int	NOT NULL		
TblCdsVehSubRel	LUDate	datetime	NOT NULL		
TblCdsVehSubRel	LUOperator	int	NOT NULL		
TblCdsVehSubRel	UpdateLock	int			
TblCdsVehSubRel	ObsoleteFlag	tinyint			
TblCdsVehSubRel	Code	varchar(4)	NOT NULL	Yes	
TblCdsVehTagTyp	Description	varchar(50)	NOT NULL		
TblCdsVehTagTyp	RODate	datetime	NOT NULL		
TblCdsVehTagTyp	ROOperator	int	NOT NULL		
TblCdsVehTagTyp	LUDate	datetime	NOT NULL		
TblCdsVehTagTyp	LUOperator	int	NOT NULL		
TblCdsVehTagTyp	UpdateLock	int			
TblCdsVehTagTyp	ObsoleteFlag	tinyint			
TblCdsVehTagTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsVehTrailerTyp	Description	varchar(50)	NOT NULL		
TblCdsVehTrailerTyp	RODate	datetime	NOT NULL		
TblCdsVehTrailerTyp	ROOperator	int	NOT NULL		
TblCdsVehTrailerTyp	LUDate	datetime	NOT NULL		
TblCdsVehTrailerTyp	LUOperator	int	NOT NULL		
TblCdsVehTrailerTyp	UpdateLock	int			
TblCdsVehTrailerTyp	ObsoleteFlag	tinyint			
TblCdsVehTrailerTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsVehTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsVehTyp	Description	varchar(50)	NOT NULL		
TblCdsVehTyp	RODate	datetime	NOT NULL		

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsVehTyp	ROOperator	int	NOT NULL		
TblCdsVehTyp	LUDate	datetime	NOT NULL		
TblCdsVehTyp	LUOperator	int	NOT NULL		
TblCdsVehTyp	UpdateLock	int			
TblCdsVehTyp	ObsoleteFlag	tinyint			
TblCdsVehTyp	LogicCode	varchar(4)			
TblCdsVehUse	Description	varchar(50)	NOT NULL		
TblCdsVehUse	RODate	datetime	NOT NULL		
TblCdsVehUse	ROOperator	int	NOT NULL		
TblCdsVehUse	LUDate	datetime	NOT NULL		
TblCdsVehUse	LUOperator	int	NOT NULL		
TblCdsVehUse	UpdateLock	int			
TblCdsVehUse	ObsoleteFlag	tinyint			
TblCdsVehUse	Code	varchar(4)	NOT NULL	Yes	
TblCdsVehUseBySus	Description	varchar(50)	NOT NULL		
TblCdsVehUseBySus	RODate	datetime	NOT NULL		
TblCdsVehUseBySus	ROOperator	int	NOT NULL		
TblCdsVehUseBySus	LUDate	datetime	NOT NULL		
TblCdsVehUseBySus	LUOperator	int	NOT NULL		
TblCdsVehUseBySus	UpdateLock	int			
TblCdsVehUseBySus	ObsoleteFlag	tinyint			
TblCdsVehUseBySus	Code	varchar(4)	NOT NULL	Yes	
TblCdsVehUsedBy	Description	varchar(50)	NOT NULL		
TblCdsVehUsedBy	RODate	datetime	NOT NULL		
TblCdsVehUsedBy	ROOperator	int	NOT NULL		
TblCdsVehUsedBy	LUDate	datetime	NOT NULL		
TblCdsVehUsedBy	LUOperator	int	NOT NULL		
TblCdsVehUsedBy	UpdateLock	int			
TblCdsVehUsedBy	ObsoleteFlag	tinyint			
TblCdsVehUsedBy	Code	varchar(4)	NOT NULL	Yes	
TblCdsVerdict	Description	varchar(50)	NOT NULL		
TblCdsVerdict	RODate	datetime	NOT NULL		

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsVerdict	ROOperator	int	NOT NULL		
TblCdsVerdict	LUDate	datetime	NOT NULL		
TblCdsVerdict	LUOperator	int	NOT NULL		
TblCdsVerdict	UpdateLock	int			
TblCdsVerdict	ObsoleteFlag	tinyint			
TblCdsVerdict	Code	varchar(4)	NOT NULL	Yes	
TblCdsVesCat	Description	varchar(50)	NOT NULL		
TblCdsVesCat	RODate	datetime	NOT NULL		
TblCdsVesCat	ROOperator	int	NOT NULL		
TblCdsVesCat	LUDate	datetime	NOT NULL		
TblCdsVesCat	LUOperator	int	NOT NULL		
TblCdsVesCat	UpdateLock	int			
TblCdsVesCat	ObsoleteFlag	tinyint			
TblCdsVesCat	Code	varchar(4)	NOT NULL	Yes	
TblCdsVesFuel	Description	varchar(50)	NOT NULL		
TblCdsVesFuel	RODate	datetime	NOT NULL		
TblCdsVesFuel	ROOperator	int	NOT NULL		
TblCdsVesFuel	LUDate	datetime	NOT NULL		
TblCdsVesFuel	LUOperator	int	NOT NULL		
TblCdsVesFuel	UpdateLock	int			
TblCdsVesFuel	ObsoleteFlag	tinyint			
TblCdsVesFuel	Code	varchar(4)	NOT NULL	Yes	
TblCdsVesHullMat	Description	varchar(50)	NOT NULL		
TblCdsVesHullMat	RODate	datetime	NOT NULL		
TblCdsVesHullMat	ROOperator	int	NOT NULL		
TblCdsVesHullMat	LUDate	datetime	NOT NULL		
TblCdsVesHullMat	LUOperator	int	NOT NULL		
TblCdsVesHullMat	UpdateLock	int			
TblCdsVesHullMat	ObsoleteFlag	tinyint			
TblCdsVesHullMat	Code	varchar(4)	NOT NULL	Yes	
TblCdsVesPropul	Description	varchar(50)	NOT NULL		
TblCdsVesPropul	RODate	datetime	NOT NULL		

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsVesPropul	ROOperator	int	NOT NULL		
TblCdsVesPropul	LUDate	datetime	NOT NULL		
TblCdsVesPropul	LUOperator	int	NOT NULL		
TblCdsVesPropul	UpdateLock	int			
TblCdsVesPropul	ObsoleteFlag	tinyint			
TblCdsVesPropul	Code	varchar(4)	NOT NULL	Yes	
TblCdsVesTyp	Description	varchar(50)	NOT NULL		
TblCdsVesTyp	RODate	datetime	NOT NULL		
TblCdsVesTyp	ROOperator	int	NOT NULL		
TblCdsVesTyp	LUDate	datetime	NOT NULL		
TblCdsVesTyp	LUOperator	int	NOT NULL		
TblCdsVesTyp	UpdateLock	int			
TblCdsVesTyp	ObsoleteFlag	tinyint			
TblCdsVesTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsVicArstRel	Description	varchar(50)	NOT NULL		
TblCdsVicArstRel	RODate	datetime	NOT NULL		
TblCdsVicArstRel	ROOperator	int	NOT NULL		
TblCdsVicArstRel	LUDate	datetime	NOT NULL		
TblCdsVicArstRel	LUOperator	int	NOT NULL		
TblCdsVicArstRel	UpdateLock	int			
TblCdsVicArstRel	ObsoleteFlag	tinyint			
TblCdsVicArstRel	Code	varchar(4)	NOT NULL	Yes	
TblCdsVicInjuryTyp	Description	varchar(50)	NOT NULL		
TblCdsVicInjuryTyp	RODate	datetime	NOT NULL		
TblCdsVicInjuryTyp	ROOperator	int	NOT NULL		
TblCdsVicInjuryTyp	LUDate	datetime	NOT NULL		
TblCdsVicInjuryTyp	LUOperator	int	NOT NULL		
TblCdsVicInjuryTyp	UpdateLock	int			
TblCdsVicInjuryTyp	ObsoleteFlag	tinyint			
TblCdsVicInjuryTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsVicOfdrRel	Description	varchar(50)	NOT NULL		
TblCdsVicOfdrRel	RODate	datetime	NOT NULL		

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsVicOfdrRel	ROOperator	int	NOT NULL		
TblCdsVicOfdrRel	LUDate	datetime	NOT NULL		
TblCdsVicOfdrRel	LUOperator	int	NOT NULL		
TblCdsVicOfdrRel	UpdateLock	int			
TblCdsVicOfdrRel	ObsoleteFlag	tinyint			
TblCdsVicOfdrRel	Code	varchar(4)	NOT NULL	Yes	
TblCdsVicTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsVicTyp	Description	varchar(50)	NOT NULL		
TblCdsVicTyp	LogicCode	varchar(8)			
TblCdsVicTyp	RODate	datetime	NOT NULL		
TblCdsVicTyp	ROOperator	int	NOT NULL		
TblCdsVicTyp	LUDate	datetime	NOT NULL		
TblCdsVicTyp	LUOperator	int	NOT NULL		
TblCdsVicTyp	UpdateLock	int			
TblCdsVicTyp	ObsoleteFlag	tinyint			
TblCdsWeather	Description	varchar(50)	NOT NULL		
TblCdsWeather	RODate	datetime	NOT NULL		
TblCdsWeather	ROOperator	int	NOT NULL		
TblCdsWeather	LUDate	datetime	NOT NULL		
TblCdsWeather	LUOperator	int	NOT NULL		
TblCdsWeather	UpdateLock	int			
TblCdsWeather	ObsoleteFlag	tinyint			
TblCdsWeather	Code	varchar(4)	NOT NULL	Yes	
TblCdsWepSeized	Description	varchar(50)	NOT NULL		
TblCdsWepSeized	RODate	datetime	NOT NULL		
TblCdsWepSeized	ROOperator	int	NOT NULL		
TblCdsWepSeized	LUDate	datetime	NOT NULL		
TblCdsWepSeized	LUOperator	int	NOT NULL		
TblCdsWepSeized	UpdateLock	int			
TblCdsWepSeized	ObsoleteFlag	tinyint			
TblCdsWepSeized	Code	varchar(4)	NOT NULL	Yes	
TblCdsWepSubTyp	Code	varchar(4)	NOT NULL	Yes	

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsWepSubTyp	Description	varchar(50)	NOT NULL		
TblCdsWepSubTyp	PropertyType	varchar(4)			Yes
TblCdsWepSubTyp	WeaponType	varchar(4)			Yes
TblCdsWepSubTyp	RODate	datetime	NOT NULL		
TblCdsWepSubTyp	ROOperator	int	NOT NULL		
TblCdsWepSubTyp	LUDate	datetime	NOT NULL		
TblCdsWepSubTyp	LUOperator	int	NOT NULL		
TblCdsWepSubTyp	UpdateLock	int			
TblCdsWepSubTyp	ObsoleteFlag	tinyint			
TblCdsWepTyp	Description	varchar(50)	NOT NULL		
TblCdsWepTyp	RODate	datetime	NOT NULL		
TblCdsWepTyp	ROOperator	int	NOT NULL		
TblCdsWepTyp	LUDate	datetime	NOT NULL		
TblCdsWepTyp	LUOperator	int	NOT NULL		
TblCdsWepTyp	UpdateLock	int			
TblCdsWepTyp	ObsoleteFlag	tinyint			
TblCdsWepTyp	Code	varchar(4)	NOT NULL	Yes	
TblCdsWingStyle	Description	varchar(50)	NOT NULL		
TblCdsWingStyle	RODate	datetime	NOT NULL		
TblCdsWingStyle	ROOperator	int	NOT NULL		
TblCdsWingStyle	LUDate	datetime	NOT NULL		
TblCdsWingStyle	LUOperator	int	NOT NULL		
TblCdsWingStyle	UpdateLock	int			
TblCdsWingStyle	ObsoleteFlag	tinyint			
TblCdsWingStyle	Code	varchar(4)	NOT NULL	Yes	
TblCdsYesNo	Code	varchar(1)	NOT NULL	Yes	
TblCdsYesNo	Description	varchar(50)	NOT NULL		
TblCdsYesNo	RODate	datetime	NOT NULL		
TblCdsYesNo	ROOperator	int	NOT NULL		
TblCdsYesNo	LUDate	datetime	NOT NULL		
TblCdsYesNo	LUOperator	int	NOT NULL		
TblCdsYesNo	UpdateLock	int			

Entity Name	Attribute Name	Attribute Datatype	Attribute Required	Attribute Is PK	Attribute Is FK
TblCdsYesNo	ObsoleteFlag	tinyint			
TblCdsYesNo	LogicCode	varchar(1)			
TblCdsYesNoOnly	Code	varchar(1)	NOT NULL	Yes	
TblCdsYesNoOnly	Description	varchar(50)	NOT NULL		
TblCdsYesNoOnly	RODate	datetime	NOT NULL		
TblCdsYesNoOnly	ROOperator	int	NOT NULL		
TblCdsYesNoOnly	LUDate	datetime	NOT NULL		
TblCdsYesNoOnly	LUOperator	int	NOT NULL		
TblCdsYesNoOnly	UpdateLock	int			
TblCdsYesNoOnly	ObsoleteFlag	tinyint			
TblCdsYesNoOnly	LogicCode	varchar(1)			
TblCdsZoneArea	Description	varchar(50)	NOT NULL		
TblCdsZoneArea	RODate	datetime	NOT NULL		
TblCdsZoneArea	ROOperator	int	NOT NULL		
TblCdsZoneArea	LUDate	datetime	NOT NULL		
TblCdsZoneArea	LUOperator	int	NOT NULL		
TblCdsZoneArea	UpdateLock	int			
TblCdsZoneArea	ObsoleteFlag	tinyint			
TblCdsZoneArea	Code	varchar(4)	NOT NULL	Yes	