

BioFit Engineered Products - Carts											
Multipurpose/STEAM											
List Price											
Effective April 1, 2022											
BioFit Manufacturing Code	BioFit Product Description	Enhanced Product Description	Dimensions (HxWxD, inches)	Capacity (lbs.)	Warranty	Unit of Measure	List Price				
ST20-02	STEAM CART TWO 4" DEEP TRAYS SIDE PANEL PEGBOARDS ALMOND	The versatile mobile learning platform specially designed to help educate tomorrow's innovators. It is designed to transport resources between classrooms or serve as a standalone multipurpose activity center, with rugged kid-friendly construction and flexibility that make it a popular solution in today's most progressive K-12 learning environments and maker spaces alike. A compact profile and smooth maneuverability make this cart ideal for tight spaces. Other features include two roomy 4" deep trays and twin side-panel pegboards for holding tools and supplies, welded steel construction, a 400 lb. capacity, dual-wheel casters, a durable almond powder-coat finish and a 13-year warranty. Custom colors are available. Tray clearance: 17.75".	34.625x28x17	400	13 Years	EA	\$923				
ST20-03	STEAM CART TWO 4" DEEP TRAYS SIDE PANEL PEGBOARDS RED	The versatile mobile learning platform specially designed to help educate tomorrow's innovators. It is designed to transport resources between classrooms or serve as a standalone multipurpose activity center, with rugged kid-friendly construction and flexibility that make it a popular solution in today's most progressive K-12 learning environments and maker spaces alike. A compact profile and smooth maneuverability make this cart ideal for tight spaces. Other features include two roomy 4" deep trays and twin side-panel pegboards for holding tools and supplies, welded steel construction, a 400 lb. capacity, dual-wheel casters, a durable ruby red powder-coat finish and a 13-year warranty. Custom colors are available. Tray clearance: 17.75".	34.625x28x17	400	13 Years	EA	\$923				

BioFit Engineered Products - Carts													
Multipurpose/STEAM													
List Price													
Effective April 1, 2022													
BioFit Manufacturing Code	BioFit Product Description	Enhanced Product Description	Dimensions (HxWxD, i	Capacity (lbs.)	Warranty	Unit of Measure	List Price						
ST20-04	STEAM CART TWO 4" DEEP TRAYS SIDE PANEL PEGBOARDS GRAY	The versatile mobile learning platform specially designed to help educate tomorrow's innovators. It is designed to transport resources between classrooms or serve as a standalone multipurpose activity center, with rugged kid-friendly construction and flexibility that make it a popular solution in today's most progressive K-12 learning environments and maker spaces alike. A compact profile and smooth maneuverability make this cart ideal for tight spaces. Other features include two roomy 4" deep trays and twin side-panel pegboards for holding tools and supplies, welded steel construction, a 400 lb. capacity, dual-wheel casters, a durable gray powder-coat finish and a 13-year warranty. Custom colors are available. Tray clearance: 17.75".	34.625x28x17	400	13 Years	EA	\$923						
ST20-06	STEAM CART TWO 4" DEEP TRAYS SIDE PANEL PEGBOARDS BLACK	The versatile mobile learning platform specially designed to help educate tomorrow's innovators. It is designed to transport resources between classrooms or serve as a standalone multipurpose activity center, with rugged kid-friendly construction and flexibility that make it a popular solution in today's most progressive K-12 learning environments and maker spaces alike. A compact profile and smooth maneuverability make this cart ideal for tight spaces. Other features include two roomy 4" deep trays and twin side-panel pegboards for holding tools and supplies, welded steel construction, a 400 lb. capacity, dual-wheel casters, a durable black powder-coat finish and a 13-year warranty. Custom colors are available. Tray clearance: 17.75".	34.625x28x17	400	13 Years	EA	\$923						

BioFit Engineered Products - Carts							
Multipurpose/STEAM							
List Price							
Effective April 1, 2022							
			Capacity	Unit of			
BioFit Manufacturing Code	BioFit Product Description	Enhanced Product Description	mensions (HxWxD, i (lbs.)	Warranty	Measure	List Price	
ST20-07	STEAM CART TWO 4" DEEP TRAYS SIDE PANEL PEGBOARDS BLUE	The versatile mobile learning platform specially designed to help educate tomorrow's innovators. It is designed to transport resources between classrooms or serve as a standalone multipurpose activity center, with rugged kid-friendly construction and flexibility that make it a popular solution in today's most progressive K-12 learning environments and maker spaces alike. A compact profile and smooth maneuverability make this cart ideal for tight spaces. Other features include two roomy 4" deep trays and twin side-panel pegboards for holding tools and supplies, welded steel construction, a 400 lb. capacity, dual-wheel casters, a durable sapphire blue powder-coat finish and a 13-year warranty. Custom colors are available. Tray clearance: 17.75".	34.625x28x17	400	13 Years	EA	\$923
ST20-09	STEAM CART TWO 4" DEEP TRAYS SIDE PANEL PEGBOARDS GREEN	The versatile mobile learning platform specially designed to help educate tomorrow's innovators. It is designed to transport resources between classrooms or serve as a standalone multipurpose activity center, with rugged kid-friendly construction and flexibility that make it a popular solution in today's most progressive K-12 learning environments and maker spaces alike. A compact profile and smooth maneuverability make this cart ideal for tight spaces. Other features include two roomy 4" deep trays and twin side-panel pegboards for holding tools and supplies, welded steel construction, a 400 lb. capacity, dual-wheel casters, a durable moss green powder-coat finish and a 13-year warranty. Custom colors are available. Tray clearance: 17.75".	34.625x28x17	400	13 Years	EA	\$923
FS20-02	CART W/TWO 4" DEEP TRAYS ALMOND	This cart has two 4" deep trays. It features steel construction, a 500 lb. capacity, non-marring rubber wheels, almond powder-coat finish and 13-year warranty. It's ideal for transporting media, equipment and supplies in libraries, laboratories, classrooms, healthcare and industrial facilities, offices and more. Custom colors are available. Tray clearance: 17.75"; distance from floor to top of lowest tray: 7.75".	38x28x17	500	13 Years	EA	\$945

BioFit Engineered Products - Carts							
Multipurpose/STEAM							
List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Product Description	Enhanced Product Description	Dimensions (HxWxD, in)	Capacity (lbs.)	Warranty	Unit of Measure	List Price
FS20-03	CART W/TWO 4" DEEP TRAYS RED	This cart has two 4" deep trays. It features steel construction, a 500 lb. capacity, non-marring rubber wheels, ruby red powder-coat finish and 13-year warranty. It's ideal for transporting media, equipment and supplies in libraries, laboratories, classrooms, healthcare and industrial facilities, offices and more. Custom colors are available. Tray clearance: 17.75"; distance from floor to top of lowest tray: 7.75".	38x28x17	500	13 Years	EA	\$945
FS20-04	CART W/TWO 4" DEEP TRAYS GRAY	This cart has two 4" deep trays. It features steel construction, a 500 lb. capacity, non-marring rubber wheels, gray powder-coat finish and 13-year warranty. It's ideal for transporting media, equipment and supplies in libraries, laboratories, classrooms, healthcare and industrial facilities, offices and more. Custom colors are available. Tray clearance: 17.75"; distance from floor to top of lowest tray: 7.75".	38x28x17	500	13 Years	EA	\$945
FS20-06	CART W/TWO 4" DEEP TRAYS BLACK	This cart has two 4" deep trays. It features steel construction, a 500 lb. capacity, non-marring rubber wheels, black powder-coat finish and 13-year warranty. It's ideal for transporting media, equipment and supplies in libraries, laboratories, classrooms, healthcare and industrial facilities, offices and more. Custom colors are available. Tray clearance: 17.75"; distance from floor to top of lowest tray: 7.75".	38x28x17	500	13 Years	EA	\$945
FS20-07	CART W/TWO 4" DEEP TRAYS BLUE	This cart has two 4" deep trays. It features steel construction, a 500 lb. capacity, non-marring rubber wheels, sapphire blue powder-coat finish and 13-year warranty. It's ideal for transporting media, equipment and supplies in libraries, laboratories, classrooms, healthcare and industrial facilities, offices and more. Custom colors are available. Tray clearance: 17.75"; distance from floor to top of lowest tray: 7.75".	38x28x17	500	13 Years	EA	\$945

BioFit Engineered Products - Carts						
Multipurpose/STEAM						
List Price						
Effective April 1, 2022						
BioFit Manufacturing Code	BioFit Product Description	Enhanced Product Description	Dimensions (HxWxD, i)	Capacity (lbs.)	Warranty	Unit of Measure List Price
FS20-09	CART W/TWO 4" DEEP TRAYS GREEN	This cart has two 4" deep trays. It features steel construction, a 500 lb. capacity, non-marring rubber wheels, moss green powder-coat finish and 13-year warranty. It's ideal for transporting media, equipment and supplies in libraries, laboratories, classrooms, healthcare and industrial facilities, offices and more. Custom colors are available. Tray clearance: 17.75"; distance from floor to top of lowest tray: 7.75".	38x28x17	500	13 Years	EA \$945
FS30-02	CART W/THREE 4" DEEP TRAYS ALMOND	This cart has three 4" deep trays. It features steel construction, a 500 lb. capacity, non-marring rubber wheels, almond powder-coat finish and 13-year warranty. It's ideal for transporting media, equipment and supplies in libraries, laboratories, classrooms, healthcare and industrial facilities, offices and more. Custom colors are available. Tray clearance: 17.75"; distance from floor to top of lowest tray: 7.75".	44x28x17	500	13 Years	EA \$1,085
FS30-03	CART W/THREE 4" DEEP TRAYS RED	This cart has three 4" deep trays. It features steel construction, a 500 lb. capacity, non-marring rubber wheels, ruby red powder-coat finish and 13-year warranty. It's ideal for transporting media, equipment and supplies in libraries, laboratories, classrooms, healthcare and industrial facilities, offices and more. Custom colors are available. Tray clearance: 17.75"; distance from floor to top of lowest tray: 7.75".	44x28x17	500	13 Years	EA \$1,085
FS30-04	CART W/THREE 4" DEEP TRAYS GRAY	This cart has three 4" deep trays. It features steel construction, a 500 lb. capacity, non-marring rubber wheels, gray powder-coat finish and 13-year warranty. It's ideal for transporting media, equipment and supplies in libraries, laboratories, classrooms, healthcare and industrial facilities, offices and more. Custom colors are available. Tray clearance: 17.75"; distance from floor to top of lowest tray: 7.75".	44x28x17	500	13 Years	EA \$1,085

BioFit Engineered Products - Carts													
Multipurpose/STEAM													
List Price													
Effective April 1, 2022													
BioFit Manufacturing Code	BioFit Product Description	Enhanced Product Description	Dimensions (HxWxD, i	Capacity (lbs.)	Warranty	Unit of Measure	List Price						
FS30-06	CART W/THREE 4" DEEP TRAYS BLACK	This cart has three 4" deep trays. It features steel construction, a 500 lb. capacity, non-marring rubber wheels, black powder-coat finish and 13-year warranty. It's ideal for transporting media, equipment and supplies in libraries, laboratories, classrooms, healthcare and industrial facilities, offices and more. Custom colors are available. Tray clearance: 17.75"; distance from floor to top of lowest tray: 7.75".	44x28x17	500	13 Years	EA	\$1,085						
FS30-07	CART W/THREE 4" DEEP TRAYS BLUE	This cart has three 4" deep trays. It features steel construction, a 500 lb. capacity, non-marring rubber wheels, sapphire blue powder-coat finish and 13-year warranty. It's ideal for transporting media, equipment and supplies in libraries, laboratories, classrooms, healthcare and industrial facilities, offices and more. Custom colors are available. Tray clearance: 17.75"; distance from floor to top of lowest tray: 7.75".	44x28x17	500	13 Years	EA	\$1,085						
FS30-09	CART W/THREE 4" DEEP TRAYS GREEN	This cart has three 4" deep trays. It features steel construction, a 500 lb. capacity, non-marring rubber wheels, moss green powder-coat finish and 13-year warranty. It's ideal for transporting media, equipment and supplies in libraries, laboratories, classrooms, healthcare and industrial facilities, offices and more. Custom colors are available. Tray clearance: 17.75"; distance from floor to top of lowest tray: 7.75".	44x28x17	500	13 Years	EA	\$1,085						
RBS16-02	CART W/THREE SINGLE SIDED SLOPING SHELVES ALMOND	This cart has three single-sided sloping shelves. It features steel construction, a 500 lb. capacity, non-marring rubber wheels, almond powder-coat finish and 13-year warranty. It's ideal for transporting books and other media, equipment and supplies in libraries, laboratories, classrooms, healthcare and industrial facilities, offices and more. Custom colors are available. Shelf clearance: 12.5"; distance from floor to top of lowest shelf: 8.5".	44x18x13	500	13 Years	EA	\$845						

BioFit Engineered Products - Carts							
Multipurpose/STEAM							
List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Product Description	Enhanced Product Description	Dimensions (HxWxD, i	Capacity (lbs.)	Warranty	Unit of Measure	List Price
RBS16-03	CART W/THREE SINGLE SIDED SLOPING SHELVES RED	This cart has three single-sided sloping shelves. It features steel construction, a 500 lb. capacity, non-marring rubber wheels, ruby red powder-coat finish and 13-year warranty. It's ideal for transporting books and other media,, equipment and supplies in libraries, laboratories, classrooms, healthcare and industrial facilities, offices and more. Custom colors are available. Shelf clearance: 12.5"; distance from floor to top of lowest shelf: 8.5".	44x18x13	500	13 Years	EA	\$845
RBS16-04	CART W/THREE SINGLE SIDED SLOPING SHELVES GRAY	This cart has three single-sided sloping shelves. It features steel construction, a 500 lb. capacity, non-marring rubber wheels, gray powder-coat finish and 13-year warranty. It's ideal for transporting books and other media,, equipment and supplies in libraries, laboratories, classrooms, healthcare and industrial facilities, offices and more. Custom colors are available. Shelf clearance: 12.5"; distance from floor to top of lowest shelf: 8.5".	44x18x13	500	13 Years	EA	\$845
RBS16-06	CART W/THREE SINGLE SIDED SLOPING SHELVES BLACK	This cart has three single-sided sloping shelves. It features steel construction, a 500 lb. capacity, non-marring rubber wheels, black powder-coat finish and 13-year warranty. It's ideal for transporting books and other media,, equipment and supplies in libraries, laboratories, classrooms, healthcare and industrial facilities, offices and more. Custom colors are available. Shelf clearance: 12.5"; distance from floor to top of lowest shelf: 8.5".	44x18x13	500	13 Years	EA	\$845
RBS16-07	CART W/THREE SINGLE SIDED SLOPING SHELVES BLUE	This cart has three single-sided sloping shelves. It features steel construction, a 500 lb. capacity, non-marring rubber wheels, sapphire blue powder-coat finish and 13-year warranty. It's ideal for transporting books and other media,, equipment and supplies in libraries, laboratories, classrooms, healthcare and industrial facilities, offices and more. Custom colors are available. Shelf clearance: 12.5"; distance from floor to top of lowest shelf: 8.5".	44x18x13	500	13 Years	EA	\$845

BioFit Engineered Products - Carts							
Multipurpose/STEAM							
List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Product Description	Enhanced Product Description	Dimensions (HxWxD, in)	Capacity (lbs.)	Warranty	Unit of Measure	List Price
RBS33-06	CART W/THREE SINGLE SIDED SLOPING SHELVES BLACK	This cart has three single-sided sloping shelves. It features steel construction, a 500 lb. capacity, non-marring rubber wheels, black powder-coat finish and 13-year warranty. It's ideal for transporting books and other media,, equipment and supplies in libraries, laboratories, classrooms, healthcare and industrial facilities, offices and more. Custom colors are available. Shelf clearance: 12.5"; distance from floor to top of lowest shelf: 9".	47x28x13	500	13 Years	EA	\$889
RBS33-07	CART W/THREE SINGLE SIDED SLOPING SHELVES BLUE	This cart has three single-sided sloping shelves. It features steel construction, a 500 lb. capacity, non-marring rubber wheels, sapphire blue powder-coat finish and 13-year warranty. It's ideal for transporting books and other media,, equipment and supplies in libraries, laboratories, classrooms, healthcare and industrial facilities, offices and more. Custom colors are available. Shelf clearance: 12.5"; distance from floor to top of lowest shelf: 9".	47x28x13	500	13 Years	EA	\$889
RBS33-09	CART W/THREE SINGLE SIDED SLOPING SHELVES GREEN	This cart has three single-sided sloping shelves. It features steel construction, a 500 lb. capacity, non-marring rubber wheels, moss green powder-coat finish and 13-year warranty. It's ideal for transporting books and other media,, equipment and supplies in libraries, laboratories, classrooms, healthcare and industrial facilities, offices and more. Custom colors are available. Shelf clearance: 12.5"; distance from floor to top of lowest shelf: 9".	47x28x13	500	13 Years	EA	\$889
RBS44-02	CART W/TWO DOUBLE SIDED SLOPING SHELVES ALMOND	This cart has two double-sided sloping shelves. It features steel construction, a 500 lb. capacity, non-marring rubber wheels, almond powder-coat finish and 13-year warranty. It's ideal for transporting books and other media, equipment and supplies in libraries, laboratories, classrooms, healthcare and industrial facilities, offices and more. Custom colors are available. Shelf clearance: 12.5"; distance from floor to top of lowest shelf: 9".	38x28x17	500	13 Years	EA	\$836

BioFit Engineered Products - Carts												
Multipurpose/STEAM												
List Price												
Effective April 1, 2022												
			Capacity		Unit of							
BioFit Manufacturing Code	BioFit Product Description	Enhanced Product Description	Dimensions (HxWxD, i	Capacity (lbs.)	Warranty	Measure	List Price					
RBS44-03	CART W/TWO DOUBLE SIDED SLOPING SHELVES RED	This cart has two double-sided sloping shelves. It features steel construction, a 500 lb. capacity, non-marring rubber wheels, ruby red powder-coat finish and 13-year warranty. It's ideal for transporting books and other media,, equipment and supplies in libraries, laboratories, classrooms, healthcare and industrial facilities, offices and more. Custom colors are available. Shelf clearance: 12.5"; distance from floor to top of lowest shelf: 9".	38x28x17	500	13 Years	EA	\$836					
RBS44-04	CART W/TWO DOUBLE SIDED SLOPING SHELVES GRAY	This cart has two double-sided sloping shelves. It features steel construction, a 500 lb. capacity, non-marring rubber wheels, gray powder-coat finish and 13-year warranty. It's ideal for transporting books and other media,, equipment and supplies in libraries, laboratories, classrooms, healthcare and industrial facilities, offices and more. Custom colors are available. Shelf clearance: 12.5"; distance from floor to top of lowest shelf: 9".	38x28x17	500	13 Years	EA	\$836					
RBS44-06	CART W/TWO DOUBLE SIDED SLOPING SHELVES BLACK	This cart has two double-sided sloping shelves. It features steel construction, a 500 lb. capacity, non-marring rubber wheels, black powder-coat finish and 13-year warranty. It's ideal for transporting books and other media,, equipment and supplies in libraries, laboratories, classrooms, healthcare and industrial facilities, offices and more. Custom colors are available. Shelf clearance: 12.5"; distance from floor to top of lowest shelf: 9".	38x28x17	500	13 Years	EA	\$836					
RBS44-07	CART W/TWO DOUBLE SIDED SLOPING SHELVES BLUE	This cart has two double-sided sloping shelves. It features steel construction, a 500 lb. capacity, non-marring rubber wheels, sapphire blue powder-coat finish and 13-year warranty. It's ideal for transporting books and other media,, equipment and supplies in libraries, laboratories, classrooms, healthcare and industrial facilities, offices and more. Custom colors are available. Shelf clearance: 12.5"; distance from floor to top of lowest shelf: 9".	38x28x17	500	13 Years	EA	\$836					

BioFit Engineered Products - Carts							
Multipurpose/STEAM							
List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Product Description	Enhanced Product Description	Dimensions (HxWxD, i)	Capacity (lbs.)	Warranty	Unit of Measure	List Price
RBS44-09	CART W/TWO DOUBLE SIDED SLOPING SHELVES GREEN	This cart has two double-sided sloping shelves. It features steel construction, a 500 lb. capacity, non-marring rubber wheels, moss green powder-coat finish and 13-year warranty. It's ideal for transporting books and other media,, equipment and supplies in libraries, laboratories, classrooms, healthcare and industrial facilities, offices and more. Custom colors are available. Shelf clearance: 12.5"; distance from floor to top of lowest shelf: 9".	38x28x17	500	13 Years	EA	\$836
RBS4F-02	CART W/TWO DOUBLE SIDED SLOPING AND ONE FLAT SHELF ALMOND	This cart has two double-sided sloping shelves above one flat bottom shelf. It features steel construction, a 500 lb. capacity, non-marring rubber wheels, almond powder-coat finish and 13-year warranty. It's ideal for transporting books and other media, equipment and supplies in libraries, laboratories, classrooms, healthcare and industrial facilities, offices and more. Custom colors are available. Shelf clearance: 12.5"; distance from floor to top of lowest shelf: 8".	47x28x17	500	13 Years	EA	\$1,014
RBS4F-03	CART W/TWO DOUBLE SIDED SLOPING AND ONE FLAT SHELF RED	This cart has two double-sided sloping shelves above one flat bottom shelf. It features steel construction, a 500 lb. capacity, non-marring rubber wheels, ruby red powder-coat finish and 13-year warranty. It's ideal for transporting books and other media,, equipment and supplies in libraries, laboratories, classrooms, healthcare and industrial facilities, offices and more. Custom colors are available. Shelf clearance: 12.5"; distance from floor to top of lowest shelf: 8".	47x28x17	500	13 Years	EA	\$1,014
RBS4F-04	CART W/TWO DOUBLE SIDED SLOPING AND ONE FLAT SHELF GRAY	This cart has two double-sided sloping shelves above one flat bottom shelf. It features steel construction, a 500 lb. capacity, non-marring rubber wheels, gray powder-coat finish and 13-year warranty. It's ideal for transporting books and other media,, equipment and supplies in libraries, laboratories, classrooms, healthcare and industrial facilities, offices and more. Custom colors are available. Shelf clearance: 12.5"; distance from floor to top of lowest shelf: 8".	47x28x17	500	13 Years	EA	\$1,014

BioFit Engineered Products - Carts													
Multipurpose/STEAM													
List Price													
Effective April 1, 2022													
BioFit Manufacturing Code	BioFit Product Description	Enhanced Product Description	Dimensions (HxWxD, i	Capacity (lbs.)	Warranty	Unit of Measure	List Price						
RBS4F-06	CART W/TWO DOUBLE SIDED SLOPING AND ONE FLAT SHELF BLACK	This cart has two double-sided sloping shelves above one flat bottom shelf. It features steel construction, a 500 lb. capacity, non-marring rubber wheels, black powder-coat finish and 13-year warranty. It's ideal for transporting books and other media,, equipment and supplies in libraries, laboratories, classrooms, healthcare and industrial facilities, offices and more. Custom colors are available. Shelf clearance: 12.5"; distance from floor to top of lowest shelf: 8".	47x28x17	500	13 Years	EA	\$1,014						
RBS4F-07	CART W/TWO DOUBLE SIDED SLOPING AND ONE FLAT SHELF BLUE	This cart has two double-sided sloping shelves above one flat bottom shelf. It features steel construction, a 500 lb. capacity, non-marring rubber wheels, sapphire blue powder-coat finish and 13-year warranty. It's ideal for transporting books and other media,, equipment and supplies in libraries, laboratories, classrooms, healthcare and industrial facilities, offices and more. Custom colors are available. Shelf clearance: 12.5"; distance from floor to top of lowest shelf: 8".	47x28x17	500	13 Years	EA	\$1,014						
RBS4F-09	CART W/TWO DOUBLE SIDED SLOPING AND ONE FLAT SHELF GREEN	This cart has two double-sided sloping shelves above one flat bottom shelf. It features steel construction, a 500 lb. capacity, non-marring rubber wheels, moss green powder-coat finish and 13-year warranty. It's ideal for transporting books and other media,, equipment and supplies in libraries, laboratories, classrooms, healthcare and industrial facilities, offices and more. Custom colors are available. Shelf clearance: 12.5"; distance from floor to top of lowest shelf: 8".	47x28x17	500	13 Years	EA	\$1,014						
RBS55-02	CART W/THREE FLAT SHELVES ALMOND	This cart has three flat shelves. It features steel construction, a 500 lb. capacity, non-marring rubber wheels, almond powder-coat finish and 13-year warranty. It's ideal for transporting media, equipment and supplies in libraries, laboratories, classrooms, healthcare and industrial facilities, offices and more. Custom colors are available. Shelf clearance: 12.5"; distance from floor to top of lowest shelf: 8".	43x28x17	500	13 Years	EA	\$975						

BioFit Engineered Products - Carts							
Multipurpose/STEAM							
List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Product Description	Enhanced Product Description	Dimensions (HxWxD, i	Capacity (lbs.)	Warranty	Unit of Measure	List Price
RBS55-03	CART W/THREE FLAT SHELVES RED	This cart has three flat shelves. It features steel construction, a 500 lb. capacity, non-marring rubber wheels, ruby red powder-coat finish and 13-year warranty. It's ideal for transporting media, equipment and supplies in libraries, laboratories, classrooms, healthcare and industrial facilities, offices and more. Custom colors are available. Shelf clearance: 12.5"; distance from floor to top of lowest shelf: 8".	43x28x17	500	13 Years	EA	\$975
RBS55-04	CART W/THREE FLAT SHELVES GRAY	This cart has three flat shelves. It features steel construction, a 500 lb. capacity, non-marring rubber wheels, gray powder-coat finish and 13-year warranty. It's ideal for transporting media, equipment and supplies in libraries, laboratories, classrooms, healthcare and industrial facilities, offices and more. Custom colors are available. Shelf clearance: 12.5"; distance from floor to top of lowest shelf: 8".	43x28x17	500	13 Years	EA	\$975
RBS55-06	CART W/THREE FLAT SHELVES BLACK	This cart has three flat shelves. It features steel construction, a 500 lb. capacity, non-marring rubber wheels, black powder-coat finish and 13-year warranty. It's ideal for transporting media, equipment and supplies in libraries, laboratories, classrooms, healthcare and industrial facilities, offices and more. Custom colors are available. Shelf clearance: 12.5"; distance from floor to top of lowest shelf: 8".	43x28x17	500	13 Years	EA	\$975
RBS55-07	CART W/THREE FLAT SHELVES BLUE	This cart has three flat shelves. It features steel construction, a 500 lb. capacity, non-marring rubber wheels, sapphire blue powder-coat finish and 13-year warranty. It's ideal for transporting media, equipment and supplies in libraries, laboratories, classrooms, healthcare and industrial facilities, offices and more. Custom colors are available. Shelf clearance: 12.5"; distance from floor to top of lowest shelf: 8".	43x28x17	500	13 Years	EA	\$975

BioFit Engineered Products - Carts													
Multipurpose/STEAM													
List Price													
Effective April 1, 2022													
				Capacity	Unit of								
BioFit Manufacturing Code	BioFit Product Description	Enhanced Product Description	Dimensions (HxWxD, i	Capacity (lbs.)	Warranty	Measure	List Price						
RBS55-09	CART W/THREE FLAT SHELVES GREEN	This cart has three flat shelves. It features steel construction, a 500 lb. capacity, non-marring rubber wheels, moss green powder-coat finish and 13-year warranty. It's ideal for transporting media, equipment and supplies in libraries, laboratories, classrooms, healthcare and industrial facilities, offices and more. Custom colors are available. Shelf clearance: 12.5"; distance from floor to top of lowest shelf: 8".	43x28x17	500	13 Years	EA	\$975						
RBS66-02	CART W/THREE DOUBLE SIDED SLOPING SHELVES ALMOND	This cart has three double-sided sloping shelves. It features steel construction, a 500 lb. capacity, non-marring rubber wheels, almond powder-coat finish and 13-year warranty. It's ideal for transporting books and other media, equipment and supplies in libraries, laboratories, classrooms, healthcare and industrial facilities, offices and more. Custom colors are available. Shelf clearance: 12.5"; distance from floor to top of lowest shelf: 9".	47x28x17	500	13 Years	EA	\$1,041						
RBS66-03	CART W/THREE DOUBLE SIDED SLOPING SHELVES RED	This cart has three double-sided sloping shelves. It features steel construction, a 500 lb. capacity, non-marring rubber wheels, ruby red powder-coat finish and 13-year warranty. It's ideal for transporting books and other media,, equipment and supplies in libraries, laboratories, classrooms, healthcare and industrial facilities, offices and more. Custom colors are available. Shelf clearance: 12.5"; distance from floor to top of lowest shelf: 9".	47x28x17	500	13 Years	EA	\$1,041						
RBS66-04	CART W/THREE DOUBLE SIDED SLOPING SHELVES GRAY	This cart has three double-sided sloping shelves. It features steel construction, a 500 lb. capacity, non-marring rubber wheels, gray powder-coat finish and 13-year warranty. It's ideal for transporting books and other media,, equipment and supplies in libraries, laboratories, classrooms, healthcare and industrial facilities, offices and more. Custom colors are available. Shelf clearance: 12.5"; distance from floor to top of lowest shelf: 9".	47x28x17	500	13 Years	EA	\$1,041						

BioFit Engineered Products - Carts													
Multipurpose/STEAM													
List Price													
Effective April 1, 2022													
BioFit Manufacturing Code	BioFit Product Description	Enhanced Product Description	Dimensions (HxWxD, i	Capacity (lbs.)	Warranty	Unit of Measure	List Price						
RBS66-06	CART W/THREE DOUBLE SIDED SLOPING SHELVES BLACK	This cart has three double-sided sloping shelves. It features steel construction, a 500 lb. capacity, non-marring rubber wheels, black powder-coat finish and 13-year warranty. It's ideal for transporting books and other media,, equipment and supplies in libraries, laboratories, classrooms, healthcare and industrial facilities, offices and more. Custom colors are available. Shelf clearance: 12.5"; distance from floor to top of lowest shelf: 9".	47x28x17	500	13 Years	EA	\$1,041						
RBS66-07	CART W/THREE DOUBLE SIDED SLOPING SHELVES BLUE	This cart has three double-sided sloping shelves. It features steel construction, a 500 lb. capacity, non-marring rubber wheels, sapphire blue powder-coat finish and 13-year warranty. It's ideal for transporting books and other media,, equipment and supplies in libraries, laboratories, classrooms, healthcare and industrial facilities, offices and more. Custom colors are available. Shelf clearance: 12.5"; distance from floor to top of lowest shelf: 9".	47x28x17	500	13 Years	EA	\$1,041						
RBS66-09	CART W/THREE DOUBLE SIDED SLOPING SHELVES GREEN	This cart has three double-sided sloping shelves. It features steel construction, a 500 lb. capacity, non-marring rubber wheels, moss green powder-coat finish and 13-year warranty. It's ideal for transporting books and other media,, equipment and supplies in libraries, laboratories, classrooms, healthcare and industrial facilities, offices and more. Custom colors are available. Shelf clearance: 12.5"; distance from floor to top of lowest shelf: 9".	47x28x17	500	13 Years	EA	\$1,041						
TR28-02	CART W/TWO FLAT SHELVES ALMOND	This cart has two flat shelves. It features steel construction, a 500 lb. capacity, non-marring rubber wheels, almond powder-coat finish and 13-year warranty. It's ideal for transporting media, equipment and supplies in libraries, laboratories, classrooms, healthcare and industrial facilities, offices and more. Custom colors are available. Shelf clearance: 12.5"; distance from floor to top of lowest shelf: 8.75".	38x28x17	500	13 Years	EA	\$884						

BioFit Engineered Products - Carts							
Multipurpose/STEAM							
List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Product Description	Enhanced Product Description	Dimensions (HxWxD, i	Capacity (lbs.)	Warranty	Unit of Measure	List Price
TR28-03	CART W/TWO FLAT SHELVES RED	This cart has two flat shelves. It features steel construction, a 500 lb. capacity, non-marring rubber wheels, ruby red powder-coat finish and 13-year warranty. It's ideal for transporting media, equipment and supplies in libraries, laboratories, classrooms, healthcare and industrial facilities, offices and more. Custom colors are available. Shelf clearance: 12.5"; distance from floor to top of lowest shelf: 8.75".	38x28x17	500	13 Years	EA	\$884
TR28-04	CART W/TWO FLAT SHELVES GRAY	This cart has two flat shelves. It features steel construction, a 500 lb. capacity, non-marring rubber wheels, gray powder-coat finish and 13-year warranty. It's ideal for transporting media, equipment and supplies in libraries, laboratories, classrooms, healthcare and industrial facilities, offices and more. Custom colors are available. Shelf clearance: 12.5"; distance from floor to top of lowest shelf: 8.75".	38x28x17	500	13 Years	EA	\$884
TR28-06	CART W/TWO FLAT SHELVES BLACK	This cart has two flat shelves. It features steel construction, a 500 lb. capacity, non-marring rubber wheels, black powder-coat finish and 13-year warranty. It's ideal for transporting media, equipment and supplies in libraries, laboratories, classrooms, healthcare and industrial facilities, offices and more. Custom colors are available. Shelf clearance: 12.5"; distance from floor to top of lowest shelf: 8.75".	38x28x17	500	13 Years	EA	\$884
TR28-07	CART W/TWO FLAT SHELVES BLUE	This cart has two flat shelves. It features steel construction, a 500 lb. capacity, non-marring rubber wheels, sapphire blue powder-coat finish and 13-year warranty. It's ideal for transporting media, equipment and supplies in libraries, laboratories, classrooms, healthcare and industrial facilities, offices and more. Custom colors are available. Shelf clearance: 12.5"; distance from floor to top of lowest shelf: 8.75".	38x28x17	500	13 Years	EA	\$884

BioFit Engineered Products - Carts													
Multipurpose/STEAM													
List Price													
Effective April 1, 2022													
BioFit Manufacturing Code	BioFit Product Description	Enhanced Product Description	Dimensions (HxWxD, i	Capacity (lbs.)	Warranty	Unit of Measure	List Price						
TR28-09	CART W/TWO FLAT SHELVES GREEN	This cart has two flat shelves. It features steel construction, a 500 lb. capacity, non-marring rubber wheels, moss green powder-coat finish and 13-year warranty. It's ideal for transporting media, equipment and supplies in libraries, laboratories, classrooms, healthcare and industrial facilities, offices and more. Custom colors are available. Shelf clearance: 12.5"; distance from floor to top of lowest shelf: 8.75".	38x28x17	500	13 Years	EA	\$884						
TR2FB-02	CART W/ONE DOUBLE SIDED SLOPING AND ONE FLAT SHELF ALMOND	This cart has one double-sided sloping shelf above one flat bottom shelf. It features steel construction, a 500 lb. capacity, non-marring rubber wheels, almond powder-coat finish and 13-year warranty. It's ideal for transporting books and other media, equipment and supplies in libraries, laboratories, classrooms, healthcare and industrial facilities, offices and more. Custom colors are available. Shelf clearance: 12.5"; distance from floor to top of lowest shelf: 9.5".	38x28x17	500	13 Years	EA	\$827						
TR2FB-03	CART W/ONE DOUBLE SIDED SLOPING AND ONE FLAT SHELF RED	This cart has one double-sided sloping shelf above one flat bottom shelf. It features steel construction, a 500 lb. capacity, non-marring rubber wheels, ruby red powder-coat finish and 13-year warranty. It's ideal for transporting books and other media,, equipment and supplies in libraries, laboratories, classrooms, healthcare and industrial facilities, offices and more. Custom colors are available. Shelf clearance: 12.5"; distance from floor to top of lowest shelf: 9.5".	38x28x17	500	13 Years	EA	\$827						
TR2FB-04	CART W/ONE DOUBLE SIDED SLOPING AND ONE FLAT SHELF GRAY	This cart has one double-sided sloping shelf above one flat bottom shelf. It features steel construction, a 500 lb. capacity, non-marring rubber wheels, gray powder-coat finish and 13-year warranty. It's ideal for transporting books and other media,, equipment and supplies in libraries, laboratories, classrooms, healthcare and industrial facilities, offices and more. Custom colors are available. Shelf clearance: 12.5"; distance from floor to top of lowest shelf: 9.5".	38x28x17	500	13 Years	EA	\$827						

BioFit Engineered Products - Carts													
Multipurpose/STEAM													
List Price													
Effective April 1, 2022													
BioFit Manufacturing Code	BioFit Product Description	Enhanced Product Description	Dimensions (HxWxD, i	Capacity (lbs.)	Warranty	Unit of Measure	List Price						
TR2FB-06	CART W/ONE DOUBLE SIDED SLOPING AND ONE FLAT SHELF BLACK	This cart has one double-sided sloping shelf above one flat bottom shelf. It features steel construction, a 500 lb. capacity, non-marring rubber wheels, black powder-coat finish and 13-year warranty. It's ideal for transporting books and other media,, equipment and supplies in libraries, laboratories, classrooms, healthcare and industrial facilities, offices and more. Custom colors are available. Shelf clearance: 12.5"; distance from floor to top of lowest shelf: 9.5".	38x28x17	500	13 Years	EA	\$827						
TR2FB-07	CART W/ONE DOUBLE SIDED SLOPING AND ONE FLAT SHELF BLUE	This cart has one double-sided sloping shelf above one flat bottom shelf. It features steel construction, a 500 lb. capacity, non-marring rubber wheels, sapphire blue powder-coat finish and 13-year warranty. It's ideal for transporting books and other media,, equipment and supplies in libraries, laboratories, classrooms, healthcare and industrial facilities, offices and more. Custom colors are available. Shelf clearance: 12.5"; distance from floor to top of lowest shelf: 9.5".	38x28x17	500	13 Years	EA	\$827						
TR2FB-09	CART W/ONE DOUBLE SIDED SLOPING AND ONE FLAT SHELF GREEN	This cart has one double-sided sloping shelf above one flat bottom shelf. It features steel construction, a 500 lb. capacity, non-marring rubber wheels, moss green powder-coat finish and 13-year warranty. It's ideal for transporting books and other media,, equipment and supplies in libraries, laboratories, classrooms, healthcare and industrial facilities, offices and more. Custom colors are available. Shelf clearance: 12.5"; distance from floor to top of lowest shelf: 9.5".	38x28x17	500	13 Years	EA	\$827						
TR2FT-02	CART W/ONE FLAT AND ONE DOUBLE SIDED SLOPING SHELF ALMOND	This cart has one flat top shelf above one double-sided sloping shelf. It features steel construction, a 500 lb. capacity, non-marring rubber wheels, almond powder-coat finish and 13-year warranty. It's ideal for transporting books and other media, equipment and supplies in libraries, laboratories, classrooms, healthcare and industrial facilities, offices and more. Custom colors are available. Shelf clearance: 12.5"; distance from floor to top of lowest shelf: 9.5".	38x28x17	500	13 Years	EA	\$827						

BioFit Engineered Products - Carts													
Multipurpose/STEAM													
List Price													
Effective April 1, 2022													
BioFit Manufacturing Code	BioFit Product Description	Enhanced Product Description	Dimensions (HxWxD, i	Capacity (lbs.)	Warranty	Unit of Measure	List Price						
TR2FT-03	CART W/ONE FLAT AND ONE DOUBLE SIDED SLOPING SHELF RED	This cart has one flat top shelf above one double-sided sloping shelf. It features steel construction, a 500 lb. capacity, non-marring rubber wheels, ruby red powder-coat finish and 13-year warranty. It's ideal for transporting books and other media,, equipment and supplies in libraries, laboratories, classrooms, healthcare and industrial facilities, offices and more. Custom colors are available. Shelf clearance: 12.5"; distance from floor to top of lowest shelf: 9.5".	38x28x17	500	13 Years	EA	\$827						
TR2FT-04	CART W/ONE FLAT AND ONE DOUBLE SIDED SLOPING SHELF GRAY	This cart has one flat top shelf above one double-sided sloping shelf. It features steel construction, a 500 lb. capacity, non-marring rubber wheels, gray powder-coat finish and 13-year warranty. It's ideal for transporting books and other media,, equipment and supplies in libraries, laboratories, classrooms, healthcare and industrial facilities, offices and more. Custom colors are available. Shelf clearance: 12.5"; distance from floor to top of lowest shelf: 9.5".	38x28x17	500	13 Years	EA	\$827						
TR2FT-06	CART W/ONE FLAT AND ONE DOUBLE SIDED SLOPING SHELF BLACK	This cart has one flat top shelf above one double-sided sloping shelf. It features steel construction, a 500 lb. capacity, non-marring rubber wheels, black powder-coat finish and 13-year warranty. It's ideal for transporting books and other media,, equipment and supplies in libraries, laboratories, classrooms, healthcare and industrial facilities, offices and more. Custom colors are available. Shelf clearance: 12.5"; distance from floor to top of lowest shelf: 9.5".	38x28x17	500	13 Years	EA	\$827						
TR2FT-07	CART W/ONE FLAT AND ONE DOUBLE SIDED SLOPING SHELF BLUE	This cart has one flat top shelf above one double-sided sloping shelf. It features steel construction, a 500 lb. capacity, non-marring rubber wheels, sapphire blue powder-coat finish and 13-year warranty. It's ideal for transporting books and other media,, equipment and supplies in libraries, laboratories, classrooms, healthcare and industrial facilities, offices and more. Custom colors are available. Shelf clearance: 12.5"; distance from floor to top of lowest shelf: 9.5".	38x28x17	500	13 Years	EA	\$827						

BioFit Engineered Products - Carts													
Multipurpose/STEAM													
List Price													
Effective April 1, 2022													
BioFit Manufacturing Code	BioFit Product Description	Enhanced Product Description	Dimensions (HxWxD, i	Capacity (lbs.)	Warranty	Unit of Measure	List Price						
TR2FT-09	CART W/ONE FLAT AND ONE DOUBLE SIDED SLOPING SHELF GREEN	This cart has one flat top shelf above one double-sided sloping shelf. It features steel construction, a 500 lb. capacity, non-marring rubber wheels, moss green powder-coat finish and 13-year warranty. It's ideal for transporting books and other media,, equipment and supplies in libraries, laboratories, classrooms, healthcare and industrial facilities, offices and more. Custom colors are available. Shelf clearance: 12.5"; distance from floor to top of lowest shelf: 9.5".	38x28x17	500	13 Years	EA	\$827						

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
MP-1-TB-GR-L-RC-PM-XF-3D-06	MVMT Pro	MVMT seating represents a revolutionary advancement for technical work and learning environments. This model is a desk height chair with weight-activated control, synchronous seat and backrest, upholstered, seat 20.5" wide with 16.4-18.9" adjustable depth, backrest 17.5" w x 19.5" h with 3" adjustment range, 3-way arms, 25.4" leg spread glass-reinforced composite base, and dual soft-wheel casters which resist movement when the seat is unoccupied. Seat height 17-21"	20.5x18.9	17.5x19.5	17-21	EA	\$2,075
MP-1-MB-GR-L-RC-PM-XF-3D-06	MVMT Pro	MVMT seating represents a revolutionary advancement for technical work and learning environments. This model is a desk height chair with weight-activated control, synchronous seat and backrest, upholstered, seat 20.5" wide with 16.4-18.9" adjustable depth, backrest 17.5" w x 15" h with 3" adjustment range, 3-way arms, 25.4" leg spread glass-reinforced composite base, and dual soft-wheel casters which resist movement when the seat is unoccupied. Seat height 17-21"	20.5x18.9	17.5x15	17-21	EA	\$2,074
MP-1-TB-P28-M-RC-PM-AFP-3D-06	MVMT Pro	MVMT seating represents a revolutionary advancement for technical work and learning environments. This model is a medium bench height chair with weight-activated control, synchronous seat and back, upholstered, seat 20.5" wide with 16.4-18.9" adjustable depth, backrest 17.5" w x 19.5" h with 3" adjustment range, 3-way arms, 22" diameter aluminum foot ring, 28.7" leg spread solid cast aluminum base and dual soft-wheel casters which resist movement when the seat is unoccupied. Seat height 20-27"	20.5x18.9	17.5x19.5	20-27	EA	\$2,335

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
MP-1-MB-P28-M-RC-PM-AFP-3D-06	MVMT Pro	MVMT seating represents a revolutionary advancement for technical work and learning environments. This model is a medium bench height chair with weight-activated control, synchronous seat and back, upholstered, seat 20.5" wide with 16.4-18.9" adjustable depth, backrest 17.5" w x 15" h with 3" adjustment range, 3-way arms, 22" diameter aluminum foot ring, 28.7" leg spread solid cast aluminum base, and dual soft-wheel casters which resist movement when the seat is unoccupied. Seat height 20-27"	20.5x18.9	17.5x15	20-27	EA	\$2,333
MP-1-TB-P28-H-RC-PM-AFP-3D-06	MVMT Pro	MVMT seating represents a revolutionary advancement for technical work and learning environments. This model is a high bench height chair with weight-activated control, synchronous seat and back, upholstered, seat 20.5" wide with 16.4-18.9" adjustable depth, backrest 17.5" w x 19.5" h with 3" adjustment range, 3-way arms, 22" diameter aluminum foot ring, 28.7" leg spread solid cast aluminum base, and dual soft-wheel casters which resist movement when the seat is unoccupied. Seat height 24-33.5"	20.5x18.9	17.5x19.5	24-33.5	EA	\$2,342
MP-1-MB-P28-H-RC-PM-AFP-3D-06	MVMT Pro	MVMT seating represents a revolutionary advancement for technical work and learning environments. This model is a high bench height chair with weight-activated control, synchronous seat and back, upholstered, seat 20.5" wide with 16.4-18.9" adjustable depth, backrest 17.5" w x 15" h with 3" adjustment range, 3-way arms, 22" diameter aluminum foot ring, 28.7" leg spread solid cast aluminum base, and dual soft-wheel casters which resist movement when the seat is unoccupied. Seat height 24-33.5"	20.5x18.9	17.5x15	24-33.5	EA	\$2,341

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
MTCL-1F-TB-GR-L-RC-E1-XF-XA-06	MVMT Tech	MVMT seating represents a revolutionary advancement for technical work and learning environments. This model is a desk height chair with task control to regulate seat height and backrest angle, upholstered seat 20.5" wide mounted forward for 18" depth, backrest 17.5" w x 19.5" h with 3" adjustment range, 5-star 25.4" leg spread reinforced composite base; no arms (available as an option), and dual soft-wheel casters which resist movement when the seat is unoccupied. Seat height range 17-22".	20.5x18	17.5x19.5	17-22	EA	\$1,433
MTCL-1F-MB-GR-L-RC-E1-XF-XA-06	MVMT Tech	MVMT seating represents a revolutionary advancement for technical work and learning environments. This model is a desk height chair with task control to regulate seat height and backrest angle, upholstered seat 20.5" wide mounted forward for 18" depth, backrest 17.5" w x 15" h with 3" adjustment range, 5-star 25.4" leg spread reinforced composite base; no arms (available as an option), and dual soft-wheel casters which resist movement when the seat is unoccupied. Seat height range 17-22".	20.5x18	17.5x15	17-22	EA	\$1,431

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
MTCL-1F-TB-P28-M-RC-E1-AFP-XA-06	MVMT Tech	MVMT seating represents a revolutionary advancement for technical work and learning environments. This model is a medium bench height chair with task control to regulate seat height and backrest angle, upholstered seat 20.5" wide mounted forward for 18" depth, backrest 17.5" w x 19.5" h with 3" adjustment range; 5-star 28.7" leg spread cast aluminum base with polished top; 22" diameter adjustable footring, no arms (available as an option), and dual soft-wheel casters which resist movement when the seat is unoccupied. Seat height range 19-26.5".	20.5x18	17.5x19.5	19-26.5	EA	\$1,662
MTCL-1F-MB-P28-M-RC-E1-AFP-XA-06	MVMT Tech	MVMT seating represents a revolutionary advancement for technical work and learning environments. This model is a medium bench height chair with task control to regulate seat height and backrest angle, upholstered seat 20.5" wide mounted forward for 18" depth, backrest 17.5" w x 15" h with 3" adjustment range, 5-star 28.7" leg spread cast aluminum base with polished top; 22" diameter adjustable footring, no arms (available as an option), and dual soft-wheel casters which resist movement when the seat is unoccupied. Seat height range 19-26.5".	20.5x18	17.5x15	19-26.5	EA	\$1,660

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
MTCL-1F-TB-P28-H-RC-E1-AFP-XA-06	MVMT Tech	MVMT seating represents a revolutionary advancement for technical work and learning environments. This model is a high bench height chair with task control to regulate seat height and backrest angle, upholstered seat 20.5" wide, mounted forward for 18" depth, backrest 17.5" w x 19.5" h with 3" adjustment range, 5-star 28.7" leg spread cast aluminum base with polished top; 22" diameter adjustable footring, no arms (available as an option), and dual soft-wheel casters which resist movement when the seat is unoccupied. Seat height range 21.5-32".	20.5x18	17.5x19.5	21.5-32	EA	\$1,687
MTCL-1F-MB-P28-H-RC-E1-AFP-XA-06	MVMT Tech	MVMT seating represents a revolutionary advancement for technical work and learning environments. This model is a high bench height chair with task control to regulate seat height and backrest angle, upholstered seat 20.5" wide mounted forward for 18" depth, backrest 17.5" w x 15" h with 3" adjustment range, 5-star 28.7" leg spread cast aluminum base with polished top; 22" diameter adjustable footring, no arms (available as an option), and dual soft-wheel casters resist movement when the seat is unoccupied. Seat height range 21.5-32".	20.5x18	17.5x15	21.5-32	EA	\$1,686

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
MTHD-1F-TB-TUL-L-RC-E1-XF-XA-06	MVMT Tech HD	MVMT seating represents a revolutionary advancement for technical work and learning environments. This model is a desk height chair with task control to regulate seat height and backrest angle, upholstered seat 20.5" wide mounted forward for 18" depth, backrest 17.5" w x 19.5" h with 3" adjustment range, 23" diameter tubular steel base with affixed 21" diameter footring, no arms (available as an option), and dual soft-wheel casters resist movement when the seat is unoccupied. Seat height range 17.5-21.5"	20.5x18	17.5x19.5	17.5-21.5	EA	\$1,537
MTHD-1F-MB-TUL-L-RC-E1-XF-XA-06	MVMT Tech HD	MVMT seating represents a revolutionary advancement for technical work and learning environments. This model is a desk height chair with task control to regulate seat height and backrest angle, upholstered seat 20.5" wide mounted forward for 18" depth, backrest 17.5" w x 15" h with 3" adjustment range, 23" diameter tubular steel base with affixed 21" dia footring, no arms (available as an option), and dual soft-wheel casters resist movement when the seat is unoccupied. Seat height range 17.5-21.5"	20.5x18	17.5x15	17.5-21.5	EA	\$1,535
MTHD-1F-TB-TUL-M-RC-E1-XF-XA-06	MVMT Tech HD	MVMT seating represents a revolutionary advancement for technical work and learning environments. This model is a medium bench height chair with task control to regulate seat height and backrest angle, upholstered seat 20.5" wide mounted forward for 18" depth, backrest 17.5" w x 19.5" h with 3" adjustment range, 23" diameter tubular steel base with affixed 21" dia footring, no arms (available as an option), and dual soft-wheel casters resist movement when the seat is unoccupied. Seat height range 20.5-27.5"	20.5x18	17.5x19.5	20.5-27.5	EA	\$1,562

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
MTHD-1F-MB-TUL-M-RC-E1-XF-XA-06	MVMT Tech HD	MVMT seating represents a revolutionary advancement for technical work and learning environments. This model is a medium bench height chair with task control to regulate seat height and backrest angle, upholstered seat 20.5" wide mounted forward for 18" depth, backrest 17.5" w x 15" h with 3" adjustment range, 23" diameter tubular steel base with affixed 21" dia footring, no arms (available as an option), and dual soft-wheel casters resist movement when the seat is unoccupied. Seat height range 20.5-27.5"	20.5x18	17.5x15	20.5-27.5	EA	\$1,554
MTHD-1F-TB-TUH-H-RC-E1-XF-XA-06	MVMT Tech HD	MVMT seating represents a revolutionary advancement for technical work and learning environments. This model is a high bench height chair with task control to regulate seat height and backrest angle, upholstered seat 20.5" wide mounted forward for 18" depth, backrest 17.5" w x 19.5" h with 3" adjustment range, 23" diameter tubular steel base with affixed 21" dia footring, no arms (available as an option), and dual soft-wheel casters resist movement when the seat is unoccupied. Seat height range 24.5-31.5"	20.5x18	17.5x19.5	24.5-31.5	EA	\$1,593
MTHD-1F-MB-TUH-H-RC-E1-XF-XA-06	MVMT Tech HD	MVMT seating represents a revolutionary advancement for technical work and learning environments. This model is a high bench height chair with task control to regulate seat height and backrest angle, upholstered seat 20.5" wide mounted forward for 18" depth, backrest 17.5" w x 15" h with 3" adjustment range, 23" diameter tubular steel base with affixed 21" dia footring, no arms (available as an option), and dual soft-wheel casters resist movement when the seat is unoccupied. Seat height range 24.5-31.5"	20.5x18	17.5x15	24.5-31.5	EA	\$1,592

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
AES-L-RC-T-XF-XA-06	Avenue	Saddle-shaped seats, ergonomic backrests and a range of budget-friendly options make this chair a perfect match for use in healthcare, laboratory, static control/ESD, clean room, industrial, education and office work environments. Functions include pneumatic seat height adjustment range of 18" to 22", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 15.5" wide X 14.5" high backrest with lumbar support and protective plastic back panel; contoured 21" wide X 19" deep X 3" thick seat with waterfall front and internal seatboard bumperguard; a rugged 23" diameter tubular steel base with affixed 21" diameter footring and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	21x19	15.5x14.5	18-22	EA	\$877

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
AES-M-RC-T-XF-XA-06	Avenue	Saddle-shaped seats, ergonomic backrests and a range of budget-friendly options make this chair a perfect match for use in healthcare, laboratory, static control/ESD, clean room, industrial, education and office work environments. Functions include pneumatic seat height adjustment range of 21" to 28", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 15.5" wide X 14.5" high backrest with lumbar support and protective plastic back panel; contoured 21" wide X 19" deep X 3" thick seat with waterfall front and internal seatboard bumperguard; a rugged 23" diameter tubular steel base with affixed 21" diameter footring and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	21x19	15.5x14.5	21-28	EA	\$888

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
AES-H-RC-T-XF-XA-06	Avenue	Saddle-shaped seats, ergonomic backrests and a range of budget-friendly options make this chair a perfect match for use in healthcare, laboratory, static control/ESD, clean room, industrial, education and office work environments. Functions include pneumatic seat height adjustment range of 25" to 32", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 15.5" wide X 14.5" high backrest with lumbar support and protective plastic back panel; contoured 21" wide X 19" deep X 3" thick seat with waterfall front and internal seatboard bumperguard; a rugged 23" diameter tubular steel base with affixed 21" diameter footring and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	21x19	15.5x14.5	25-32	EA	\$933

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
AEA-L-RC-T-XF-XA-06	Avenue	<p>Saddle-shaped seats, ergonomic backrests and a range of budget-friendly options make this chair a perfect match for use in healthcare, laboratory, static control/ESD, clean room, industrial, education and office work environments. Functions include pneumatic seat height adjustment range of 18" to 22", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 15.5" wide X 14.5" high backrest with lumbar support and protective plastic back panel; contoured 21" wide X 19" deep X 3" thick seat with waterfall front and internal seatboard bumperguard; a high-profile Euro-style 25.6" diameter cast aluminum base with T-shaped construction for added strength and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant.</p> <p>Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	21x19	15.5x14.5	17-22	EA	\$846

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
AEA-M-RC-T-XF-XA-06	Avenue	<p>Saddle-shaped seats, ergonomic backrests and a range of budget-friendly options make this chair a perfect match for use in healthcare, laboratory, static control/ESD, clean room, industrial, education and office work environments. Functions include pneumatic seat height adjustment range of 19" to 26", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 15.5" wide X 14.5" high backrest with lumbar support and protective plastic back panel, concave 18.5" wide X 16.5" deep X 3" thick seat, a high-profile Euro-style 25.6" diameter cast aluminum base with T-shaped construction for added strength,, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	21x19	15.5x14.5	19-26	EA	\$857

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
AEA-H-RC-T-XF-XA-06	Avenue	Saddle-shaped seats, ergonomic backrests and a range of budget-friendly options make this chair a perfect match for use in healthcare, laboratory, static control/ESD, clean room, industrial, education and office work environments. Functions include pneumatic seat height adjustment range of 22" to 32", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 15.5" wide X 14.5" high backrest with lumbar support and protective plastic back panel, contoured 21" wide X 19" deep X 3" thick seat with four-way contouring, a high-profile Euro-style 25.6" diameter cast aluminum base with T-shaped construction for added strength,, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	21x19	15.5x14.5	22-32	EA	\$868

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
AER-L-RC-T-XF-XA-06	Avenue	Saddle-shaped seats, ergonomic backrests and a range of budget-friendly options make this chair a perfect match for use in healthcare, laboratory, clean room, industrial, education and office work environments. Functions include pneumatic seat height adjustment range of 17" to 22", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 15.5" wide X 14.5" high backrest with lumbar support and protective plastic back panel; contoured 21" wide X 19" deep X 3" thick seat with four-way contouring, a high-profile 25.6" diameter reinforced composite base, low seat height range; dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	21x19	15.5x14.5	17-22	EA	\$774

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
AER-M-RC-T-XF-XA-06	Avenue	Saddle-shaped seats, ergonomic backrests and a range of budget-friendly options make this chair a perfect match for use in healthcare, laboratory, clean room, industrial, education and office work environments. Functions include pneumatic seat height adjustment range of 19" to 26", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 15.5" wide X 14.5" high backrest with lumbar support and protective plastic back panel, contoured 21" wide X 19" deep X 3" thick seat, a high-profile 25.6" diameter reinforced composite base,, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	21x19	15.5x14.5	19-26	EA	\$785

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
AER-H-RC-T-XF-XA-06	Avenue	Saddle-shaped seats, ergonomic backrests and a range of budget-friendly options make this chair a perfect match for use in healthcare, laboratory, clean room, industrial, education and office work environments. Functions include pneumatic seat height adjustment range of 22" to 32", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 15.5" wide X 14.5" high backrest with lumbar support and protective plastic back panel, contoured 21" wide X 19" deep X 3" thick seat, a high-profile 25.6" diameter reinforced composite base with low seat height range,, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	21x19	15.5x14.5	22-32	EA	\$796

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
AEW-L-RC-T-XF-XA-06	Avenue	Saddle-shaped seats, ergonomic backrests and a range of budget-friendly options make this chair a perfect match for use in healthcare, laboratory, static control/ESD, clean room, industrial, education and office work environments. Functions include pneumatic seat height adjustment range of 17" to 22", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 15.5" wide X 14.5" high backrest with lumbar support and protective plastic back panel, contoured 21" wide X 19" deep X 3" thick seat, a high-profile 28.7" diameter wide cast aluminum base with low seat height range; dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	21x19	15.5x14.5	17-22	EA	\$867

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
AEW-M-RC-T-XF-XA-06	Avenue	Saddle-shaped seats, ergonomic backrests and a range of budget-friendly options make this chair a perfect match for use in healthcare, laboratory, static control/ESD, clean room, industrial, education and office work environments. Functions include pneumatic seat height adjustment range of 19" to 26", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 15.5" wide X 14.5" high backrest with lumbar support and protective plastic back panel, concave 21" wide X 19" deep X 3" thick seat, a high-profile 28.7" diameter wide cast aluminum base with low seat height range;, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	21x19	15.5x14.5	19-26	EA	\$878

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
AEW-H-RC-T-XF-XA-06	Avenue	Saddle-shaped seats, ergonomic backrests and a range of budget-friendly options make this chair a perfect match for use in healthcare, laboratory, static control/ESD, clean room, industrial, education and office work environments. Functions include pneumatic seat height adjustment range of 22" to 32", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 15.5" wide X 14.5" high backrest with lumbar support and protective plastic back panel, contoured 21" wide X 19" deep X 3" thick seat, a high-profile 28.7" diameter wide cast aluminum base with low seat height range;, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	21x19	15.5x14.5	22-32	EA	\$889

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
AMS-L-RC-T-XF-XA-06	Amherst	A larger, saddle-shaped seat, high-profile backrest and soft touch pneumatic controls make this chair a perfect selection for healthcare, laboratory, static control/ESD, clean room, industrial, education and office environments. Functions include pneumatic seat height adjustment range of 18" to 22", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 18" wide X 19" high backrest with lumbar support and protective plastic back panel; contoured 21" wide X 19" deep X 3" thick seat with waterfall front and internal seatboard bumperguard; a rugged 23" diameter tubular steel base with affixed 21" diameter footring and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	21x19	18x19	18-22	EA	\$864

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
AMS-M-RC-T-XF-XA-06	Amherst	A larger, saddle-shaped seat, high-profile backrest and soft touch pneumatic controls make this chair a perfect selection for healthcare, laboratory, static control/ESD, clean room, industrial, education and office environments. Functions include pneumatic seat height adjustment range of 21" to 28", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 18" wide X 19" high backrest with lumbar support and protective plastic back panel; contoured 21" wide X 19" deep X 3" thick seat with waterfall front and internal seatboard bumperguard; a rugged 23" diameter tubular steel base with affixed 21" diameter footring and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	21x19	18x19	21-28	EA	\$889

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
AMS-H-RC-T-XF-XA-06	Amherst	A larger, saddle-shaped seat, high-profile backrest and soft touch pneumatic controls make this chair a perfect selection for healthcare, laboratory, static control/ESD, clean room, industrial, education and office environments. Functions include pneumatic seat height adjustment range of 25" to 32", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 18" wide X 19" high backrest with lumbar support and protective plastic back panel; contoured 21" wide X 19" deep X 3" thick seat with waterfall front and internal seatboard bumperguard; a rugged 23" diameter tubular steel base with affixed 21" diameter footring and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	21x19	18x19	25-32	EA	\$934

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
AMA-L-RC-T-XF-XA-06	Amherst	<p>A larger, saddle-shaped seat, high-profile backrest and soft touch pneumatic controls make this chair a perfect selection for healthcare, laboratory, static control/ESD, clean room, industrial, education and office environments. Functions include pneumatic seat height adjustment range of 17" to 22", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 18" wide X 19" high backrest with lumbar support and protective plastic back panel; contoured 21" wide X 19" deep X 3" thick seat with waterfall front and internal seatboard bumperguard; a high-profile Euro-style 25.6" diameter cast aluminum base with T-shaped construction for added strength and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	21x19	18x19	17-22	EA	\$833

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
AMA-M-RC-T-XF-XA-06	Amherst	A larger, saddle-shaped seat, high-profile backrest and soft touch pneumatic controls make this chair a perfect selection for healthcare, laboratory, static control/ESD, clean room, industrial, education and office environments. Functions include pneumatic seat height adjustment range of 19" to 26", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 18" wide X 19" high backrest with lumbar support and protective plastic back panel, contoured 21" wide X 19" deep X 3" thick seat, a high-profile Euro-style 25.6" diameter cast aluminum base with T-shaped construction for added strength,, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	21x19	18x19	19-26	EA	\$844

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
AMA-H-RC-T-XF-XA-06	Amherst	<p>A larger, saddle-shaped seat, high-profile backrest and soft touch pneumatic controls make this chair a perfect selection for healthcare, laboratory, static control/ESD, clean room, industrial, education and office environments. Functions include pneumatic seat height adjustment range of 22" to 32", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 18" wide X 19" high backrest with lumbar support and protective plastic back panel, contoured 21" wide X 19" deep X 3" thick seat with four-way contouring, a high-profile Euro-style 25.6" diameter cast aluminum base with T-shaped construction for added strength,, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant.</p> <p>Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	21x19	18x19	22-32	EA	\$855

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
AMR-L-RC-T-XF-XA-06	Amherst	A larger, saddle-shaped seat, high-profile backrest and soft touch pneumatic controls make this chair a perfect selection for healthcare, laboratory, clean room, industrial, education and office environments. Functions include pneumatic seat height adjustment range of 17" to 22", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 18" wide X 19" high backrest with lumbar support and protective plastic back panel, contoured 21" wide X 19" deep X 3" thick seat, a high-profile 25.6" diameter reinforced composite base with low seat height range; dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	21x19	18x19	17-22	EA	\$759

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
AMR-M-RC-T-XF-XA-06	Amherst	A larger, saddle-shaped seat, high-profile backrest and soft touch pneumatic controls make this chair a perfect selection for healthcare, laboratory, clean room, industrial, education and office environments. Functions include pneumatic seat height adjustment range of 19" to 26", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 18" wide X 19" high backrest with lumbar support and protective plastic back panel, contoured 21" wide X 19" deep X 3" thick seat, a high-profile 25.6" diameter reinforced composite base,, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	21x19	18x19	19-26	EA	\$770

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
AMR-H-RC-T-XF-XA-06	Amherst	<p>A larger, saddle-shaped seat, high-profile backrest and soft touch pneumatic controls make this chair a perfect selection for healthcare, laboratory, clean room, industrial, education and office environments. Functions include pneumatic seat height adjustment range of 22" to 32", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 18" wide X 19" high backrest with lumbar support and protective plastic back panel, contoured 21" wide X 19" deep X 3" thick seat, a high-profile 25.6" diameter reinforced composite base with low seat height range,, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied..</p> <p>Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	21x19	18x19	22-32	EA	\$781

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
AMW-L-RC-T-XF-XA-06	Amherst	<p>A larger, saddle-shaped seat, high-profile backrest and soft touch pneumatic controls make this chair a perfect selection for healthcare, laboratory, static control/ESD, clean room, industrial, education and office environments. Functions include pneumatic seat height adjustment range of 17" to 22", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 18" wide X 19" high backrest with lumbar support and protective plastic back panel, contoured 21" wide X 19" deep X 3" thick seat, a high-profile 28.7" diameter wide cast aluminum base with low seat height range; dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant.</p> <p>Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	21x19	18x19	17-22	EA	\$854

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
AMW-M-RC-T-XF-XA-06	Amherst	<p>A larger, saddle-shaped seat, high-profile backrest and soft touch pneumatic controls make this chair a perfect selection for healthcare, laboratory, static control/ESD, clean room, industrial, education and office environments. Functions include pneumatic seat height adjustment range of 19" to 26", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 18" wide X 19" high backrest with lumbar support and protective plastic back panel, contoured 21" wide X 19" deep X 3" thick seat, a high-profile 28.7" diameter wide cast aluminum base with low seat height range;, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied..</p> <p>Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	21x19	18x19	19-26	EA	\$865

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
AMW-H-RC-T-XF-XA-06	Amherst	<p>A larger, saddle-shaped seat, high-profile backrest and soft touch pneumatic controls make this chair a perfect selection for healthcare, laboratory, static control/ESD, clean room, industrial, education and office environments. Functions include pneumatic seat height adjustment range of 22" to 32", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 18" wide X 19" high backrest with lumbar support and protective plastic back panel, contoured 21" wide X 19" deep X 3" thick seat, a high-profile 28.7" diameter wide cast aluminum base with low sea height range;, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant.</p> <p>Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	21x19	18x19	22-32	EA	\$876

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
BES-L-RC-T-XF-XA-06	Belize	<p>Full ergonomic adjustability, all-day comfort and easy cleanability make this chair an ideal choice for laboratory, healthcare, clean room, static control/ESD, industrial, education and office environments. Functions include pneumatic seat height adjustment range of 18" to 22", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 15.5" wide X 14.5" high backrest with lumbar support and protective plastic back panel, concave 18.5" wide X 16.5" deep X 3" thick seat, a rugged 23" diameter tubular steel base with affixed 21" diameter footring and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant.</p> <p>Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	18.5x16.5	15.5x14.5	18-22	EA	\$833

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
BES-M-RC-T-XF-XA-06	Belize	<p>Full ergonomic adjustability, all-day comfort and easy cleanability make this chair an ideal choice for laboratory, healthcare, clean room, static control/ESD, industrial, education and office environments. Functions include pneumatic seat height adjustment range of 21" to 28", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 14.5" wide X 9.5" high backrest with lumbar support and protective plastic back panel, concave 18.5" wide X 16.5" deep X 3" thick seat, a rugged 23" diameter tubular steel base with affixed 21" diameter footring and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	18.5x16.5	15.5x14.5	21-28	EA	\$858

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
BES-H-RC-T-XF-XA-06	Belize	<p>Full ergonomic adjustability, all-day comfort and easy cleanability make this chair an ideal choice for laboratory, healthcare, clean room, static control/ESD, industrial, education and office environments. Functions include pneumatic seat height adjustment range of 25" to 32", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 15.5" wide X 14.5" high backrest with lumbar support and protective plastic back panel, concave 18.5" wide X 16.5" deep X 3" thick seat, a rugged 23" diameter tubular steel base with affixed 21" diameter footring and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant.</p> <p>Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	18.5x16.5	15.5x14.5	25-32	EA	\$907

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
BEA-L-RC-T-XF-XA-06	Belize	<p>Full ergonomic adjustability, all-day comfort and easy cleanability make this chair an ideal choice for laboratory, healthcare, clean room, static control/ESD, industrial, education and office environments. Functions include pneumatic seat height adjustment range of 17" to 22", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 15.5" wide X 14.5" high backrest with lumbar support and protective plastic back panel, concave 18.5" wide X 16.5" deep X 3" thick seat, a high-profile Euro-style 25.6" diameter cast aluminum base with T-shaped construction for added strength and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	18.5x16.5	15.5x14.5	17-22	EA	\$805

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
BEA-M-RC-T-XF-XA-06	Belize	<p>Full ergonomic adjustability, all-day comfort and easy cleanability make this chair an ideal choice for laboratory, healthcare, clean room, static control/ESD, industrial, education and office environments. Functions include pneumatic seat height adjustment range of 19" to 26", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 15.5" wide X 14.5" high backrest with lumbar support and protective plastic back panel, concave 18.5" wide X 16.5" deep X 3" thick seat, a high-profile Euro-style 25.6" diameter cast aluminum base with T-shaped construction for added strength,, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	18.5x16.5	15.5x14.5	19-26	EA	\$816

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
BEA-H-RC-T-XF-XA-06	Belize	<p>Full ergonomic adjustability, all-day comfort and easy cleanability make this chair an ideal choice for laboratory, healthcare, clean room, static control/ESD, industrial, education and office environments. Functions include pneumatic seat height adjustment range of 22" to 32", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 15.5" wide X 14.5" high backrest with lumbar support and protective plastic back panel, concave 18.5" wide X 16.5" deep X 3" thick seat, a high-profile Euro-style 25.6" diameter cast aluminum base with T-shaped construction for added strength,, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	18.5x16.5	15.5x14.5	22-32	EA	\$827

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
BER-L-RC-T-XF-XA-06	Belize	<p>Full ergonomic adjustability, all-day comfort and easy cleanability make this chair an ideal choice for laboratory, healthcare, clean room, industrial, education and office environments. Functions include pneumatic seat height adjustment range of 17" to 22", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 15.5" wide X 14.5" high backrest with lumbar support and protective plastic back panel, concave 18.5" wide X 16.5" deep X 3" thick seat, a high-profile Euro-style 25.6" diameter reinforced composite base with T-shaped construction for added strength and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant.</p> <p>Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	18.5x16.5	15.5x14.5	17-22	EA	\$730

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
BER-M-RC-T-XF-XA-06	Belize	<p>Full ergonomic adjustability, all-day comfort and easy cleanability make this chair an ideal choice for laboratory, healthcare, clean room, industrial, education and office environments. Functions include pneumatic seat height adjustment range of 19" to 26", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 15.5" wide X 14.5" high backrest with lumbar support and protective plastic back panel, concave 18.5" wide X 16.5" deep X 3" thick seat, a high-profile Euro-style 25.6" diameter reinforced composite base with T-shaped construction for added strength,, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant.</p> <p>Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	18.5x16.5	15.5x14.5	19-26	EA	\$741

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
BER-H-RC-T-XF-XA-06	Belize	<p>Full ergonomic adjustability, all-day comfort and easy cleanability make this chair an ideal choice for laboratory, healthcare, clean room, industrial, education and office environments. Functions include pneumatic seat height adjustment range of 22" to 32", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 15.5" wide X 14.5" high backrest with lumbar support and protective plastic back panel, concave 18.5" wide X 16.5" deep X 3" thick seat, a high-profile Euro-style 25.6" diameter reinforced composite base with T-shaped construction for added strength,, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant.</p> <p>Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	18.5x16.5	15.5x14.5	22-32	EA	\$752

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
BEW-L-RC-T-XF-XA-06	Belize	<p>Full ergonomic adjustability, all-day comfort and easy cleanability make this chair an ideal choice for laboratory, healthcare, clean room, static control/ESD, industrial, education and office environments. Functions include pneumatic seat height adjustment range of 17" to 22", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 14.5" wide X 9.5" high backrest with lumbar support and protective plastic back panel, concave 18.5" wide X 16.5" deep X 3" thick seat, a high-profile Euro-style 28.7" diameter wide cast aluminum base with T-shaped construction for added strength and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	18.5x16.5	15.5x14.5	17-22	EA	\$826

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
BEW-M-RC-T-XF-XA-06	Belize	<p>Full ergonomic adjustability, all-day comfort and easy cleanability make this chair an ideal choice for laboratory, healthcare, clean room, static control/ESD, industrial, education and office environments. Functions include pneumatic seat height adjustment range of 19" to 26", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 15.5" wide X 14.5" high backrest with lumbar support and protective plastic back panel, concave 18.5" wide X 16.5" deep X 3" thick seat, a high-profile Euro-style 28.7" diameter wide cast aluminum base with T-shaped construction for added strength,, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	18.5x16.5	15.5x14.5	19-26	EA	\$837

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
BEW-H-RC-T-XF-XA-06	Belize	<p>Full ergonomic adjustability, all-day comfort and easy cleanability make this chair an ideal choice for laboratory, healthcare, clean room, static control/ESD, industrial, education and office environments. Functions include pneumatic seat height adjustment range of 22" to 32", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 15.5" wide X 14.5" high backrest with lumbar support and protective plastic back panel, concave 18.5" wide X 16.5" deep X 3" thick seat, a high-profile Euro-style 28.7" diameter wide aluminum base with T-shaped construction for added strength,, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	18.5x16.5	15.5x14.5	22-32	EA	\$848

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
BTS-L-RC-T-XF-XA-06	Bridgeport	Ergonomic functionality, a streamlined backrest and practical design make this chair a popular solution for healthcare, laboratory, clean room, static control/ESD, industrial, education and office environments. Functions include pneumatic seat height adjustment range of 18" to 22", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 14.5" wide X 9.5" high backrest with lumbar support and protective plastic back panel, concave 18.5" wide X 16.5" deep X 3" thick seat, a rugged 23" diameter tubular steel base with affixed 21" diameter footring and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	18.5x16.5	14.5x9.5	18-22	EA	\$785

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
BTS-M-RC-T-XF-XA-06	Bridgeport	Ergonomic functionality, a streamlined backrest and practical design make this chair a popular solution for healthcare, laboratory, clean room, static control/ESD, industrial, education and office environments. Functions include pneumatic seat height adjustment range of 21" to 28", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 14.5" wide X 9.5" high backrest with lumbar support and protective plastic back panel, concave 18.5" wide X 16.5" deep X 3" thick seat, a rugged 23" diameter tubular steel base with affixed 21" diameter footring and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	18.5x16.5	14.5x9.5	21-28	EA	\$810

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
BTS-H-RC-T-XF-XA-06	Bridgeport	Ergonomic functionality, a streamlined backrest and practical design make this chair a popular solution for healthcare, laboratory, clean room, static control/ESD, industrial, education and office environments. Functions include pneumatic seat height adjustment range of 25" to 32", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 14.5" wide X 9.5" high backrest with lumbar support and protective plastic back panel, concave 18.5" wide X 16.5" deep X 3" thick seat, a rugged 23" diameter tubular steel base with affixed 21" diameter footring and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	18.5x16.5	14.5x9.5	25-32	EA	\$855

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
BTA-L-RC-T-XF-XA-06	Bridgeport	Ergonomic functionality, a streamlined backrest and practical design make this chair a popular solution for healthcare, laboratory, clean room, static control/ESD, industrial, education and office environments. Functions include pneumatic seat height adjustment range of 17" to 22", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 14.5" wide X 9.5" high backrest with lumbar support and protective plastic back panel, concave 18.5" wide X 16.5" deep X 3" thick seat, a high-profile Euro-style 25.6" diameter cast aluminum base with T-shaped construction for added strength and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	18.5x16.5	14.5x9.5	17-22	EA	\$756

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
BTA-M-RC-T-XF-XA-06	Bridgeport	Ergonomic functionality, a streamlined backrest and practical design make this chair a popular solution for healthcare, laboratory, clean room, static control/ESD, industrial, education and office environments. Functions include pneumatic seat height adjustment range of 19" to 26", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 14.5" wide X 9.5" high backrest with lumbar support and protective plastic back panel, concave 18.5" wide X 16.5" deep X 3" thick seat, a high-profile Euro-style 25.6" diameter cast aluminum base with T-shaped construction for added strength,, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	18.5x16.5	14.5x9.5	19-26	EA	\$767

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
BTA-H-RC-T-XF-XA-06	Bridgeport	Ergonomic functionality, a streamlined backrest and practical design make this chair a popular solution for healthcare, laboratory, clean room, static control/ESD, industrial, education and office environments. Functions include pneumatic seat height adjustment range of 22" to 32", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 14.5" wide X 9.5" high backrest with lumbar support and protective plastic back panel, concave 18.5" wide X 16.5" deep X 3" thick seat, a high-profile Euro-style 25.6" diameter cast aluminum base with T-shaped construction for added strength,, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	18.5x16.5	14.5x9.5	22-32	EA	\$778

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
BTR-L-RC-T-XF-XA-06	Bridgeport	Ergonomic functionality, a streamlined backrest and practical design make this chair a popular solution for healthcare, laboratory, clean room, industrial, education and office environments. Functions include pneumatic seat height adjustment range of 17" to 22", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 14.5" wide X 9.5" high backrest with lumbar support and protective plastic back panel, concave 18.5" wide X 16.5" deep X 3" thick seat, a high-profile Euro-style 25.6" diameter reinforced composite base with T-shaped construction for added strength and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	18.5x16.5	14.5x9.5	17-22	EA	\$682

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
BTR-M-RC-T-XF-XA-06	Bridgeport	Ergonomic functionality, a streamlined backrest and practical design make this chair a popular solution for healthcare, laboratory, clean room, industrial, education and office environments. Functions include pneumatic seat height adjustment range of 19" to 26", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 14.5" wide X 9.5" high backrest with lumbar support and protective plastic back panel, concave 18.5" wide X 16.5" deep X 3" thick seat, a high-profile Euro-style 25.6" diameter reinforced composite base with T-shaped construction for added strength,, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	18.5x16.5	14.5x9.5	19-26	EA	\$693

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
BTR-H-RC-T-XF-XA-06	Bridgeport	Ergonomic functionality, a streamlined backrest and practical design make this chair a popular solution for healthcare, laboratory, clean room, industrial, education and office environments. Functions include pneumatic seat height adjustment range of 22" to 32", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 14.5" wide X 9.5" high backrest with lumbar support and protective plastic back panel, concave 18.5" wide X 16.5" deep X 3" thick seat, a high-profile Euro-style 25.6" diameter reinforced composite base with T-shaped construction for added strength,, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	18.5x16.5	14.5x9.5	22-32	EA	\$704

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
BTW-L-RC-T-XF-XA-06	Bridgeport	Ergonomic functionality, a streamlined backrest and practical design make this chair a popular solution for healthcare, laboratory, clean room, static control/ESD, industrial, education and office environments. Functions include pneumatic seat height adjustment range of 17" to 22", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 14.5" wide X 9.5" high backrest with lumbar support and protective plastic back panel, concave 18.5" wide X 16.5" deep X 3" thick seat, a high-profile Euro-style 28.7" diameter wide cast aluminum base with T-shaped construction for added strength and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	18.5x16.5	14.5x9.5	17-22	EA	\$777

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
BTW-M-RC-T-XF-XA-06	Bridgeport	Ergonomic functionality, a streamlined backrest and practical design make this chair a popular solution for healthcare, laboratory, clean room, static control/ESD, industrial, education and office environments. Functions include pneumatic seat height adjustment range of 19" to 26", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 14.5" wide X 9.5" high backrest with lumbar support and protective plastic back panel, concave 18.5" wide X 16.5" deep X 3" thick seat, a high-profile Euro-style 28.7" diameter wide cast aluminum base with T-shaped construction for added strength,, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	18.5x16.5	14.5x9.5	19-26	EA	\$788

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
BTW-H-RC-T-XF-XA-06	Bridgeport	Ergonomic functionality, a streamlined backrest and practical design make this chair a popular solution for healthcare, laboratory, clean room, static control/ESD, industrial, education and office environments. Functions include pneumatic seat height adjustment range of 22" to 32", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 14.5" wide X 9.5" high backrest with lumbar support and protective plastic back panel, concave 18.5" wide X 16.5" deep X 3" thick seat, a high-profile Euro-style 28.7" diameter wide cast aluminum base with T-shaped construction for added strength,, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	18.5x16.5	14.5x9.5	22-32	EA	\$799

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
EES-L-RC-T-XF-XA-06	Elite	Trademark versatility and functionality make this chair ideal for use in healthcare, industrial, laboratory, clean room, static control/ESD, education and office environments. Functions include pneumatic seat height adjustment range of 18" to 22", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 15.5" wide X 14.5" high backrest with lumbar support and protective plastic back panel, concave 18.5" wide X 17" deep X 3" thick seat with four-way contouring, a rugged 23" diameter tubular steel base with affixed 21" diameter footring and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	18.5x17	15.5x14.5	18-22	EA	\$853

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
EES-M-RC-T-XF-XA-06	Elite	Trademark versatility and functionality make this chair ideal for use in healthcare, industrial, laboratory, clean room, static control/ESD, education and office environments. Functions include pneumatic seat height adjustment range of 21" to 28", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 15.5" wide X 14.5" high backrest with lumbar support and protective plastic back panel, concave 18.5" wide X 17" deep X 3" thick seat with four-way contouring, a rugged 23" diameter tubular steel base with affixed 21" diameter footring and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	18.5x17	15.5x14.5	21-28	EA	\$878

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
EES-H-RC-T-XF-XA-06	Elite	Trademark versatility and functionality make this chair ideal for use in healthcare, industrial, laboratory, clean room, static control/ESD, education and office environments. Functions include pneumatic seat height adjustment range of 25" to 32", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 15.5" wide X 14.5" high backrest with lumbar support and protective plastic back panel, concave 18.5" wide X 17" deep X 3" thick seat with four-way contouring, a rugged 23" diameter tubular steel base with affixed 21" diameter footring and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	18.5x17	15.5x14.5	25-32	EA	\$927

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
EEA-L-RC-T-XF-XA-06	Elite	Trademark versatility and functionality make this chair ideal for use in healthcare, industrial, laboratory, clean room, static control/ESD, education and office environments. Functions include pneumatic seat height adjustment range of 17" to 22", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 15.5" wide X 14.5" high backrest with lumbar support and protective plastic back panel, concave 18.5" wide X 17" deep X 3" thick seat with four-way contouring, a high-profile Euro-style 25.6" diameter cast aluminum base with T-shaped construction for added strength and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	18.5x17	15.5x14.5	17-22	EA	\$824

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
EEA-M-RC-T-XF-XA-06	Elite	Trademark versatility and functionality make this chair ideal for use in healthcare, industrial, laboratory, clean room, static control/ESD, education and office environments. Functions include pneumatic seat height adjustment range of 19" to 26", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 15.5" wide X 14.5" high backrest with lumbar support and protective plastic back panel, concave 18.5" wide X 17" deep X 3" thick seat with four-way contouring, a high-profile Euro-style 25.6" diameter cast aluminum base with T-shaped construction for added strength,, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	18.5x17	15.5x14.5	19-26	EA	\$835

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
EEA-H-RC-T-XF-XA-06	Elite	Trademark versatility and functionality make this chair ideal for use in healthcare, industrial, laboratory, clean room, static control/ESD, education and office environments. Functions include pneumatic seat height adjustment range of 22" to 32", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 15.5" wide X 14.5" high backrest with lumbar support and protective plastic back panel, concave 18.5" wide X 17" deep X 3" thick seat with four-way contouring, a high-profile Euro-style 25.6" diameter cast aluminum base with T-shaped construction for added strength,, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	18.5x17	15.5x14.5	22-32	EA	\$846

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
EER-L-RC-T-XF-XA-06	Elite	<p>Trademark versatility and functionality make this chair ideal for use in healthcare, industrial, laboratory, clean room and office environments.</p> <p>Functions include pneumatic seat height adjustment range of 17" to 22", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 15.5" wide X 14.5" high backrest with lumbar support and protective plastic back panel, concave 18.5" wide X 17" deep X 3" thick seat with four-way contouring, a high-profile Euro-style 25.6" diameter reinforced composite base with T-shaped construction for added strength and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	18.5x17	15.5x14.5	17-22	EA	\$752

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
EER-M-RC-T-XF-XA-06	Elite	<p>Trademark versatility and functionality make this chair ideal for use in healthcare, industrial, laboratory, clean room and office environments.</p> <p>Functions include pneumatic seat height adjustment range of 19" to 26", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 15.5" wide X 14.5" high backrest with lumbar support and protective plastic back panel, concave 18.5" wide X 17" deep X 3" thick seat with four-way contouring, a high-profile Euro-style 25.6" diameter reinforced composite base with T-shaped construction for added strength,, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	18.5x17	15.5x14.5	19-26	EA	\$763

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
EER-H-RC-T-XF-XA-06	Elite	<p>Trademark versatility and functionality make this chair ideal for use in healthcare, industrial, laboratory, clean room and office environments.</p> <p>Functions include pneumatic seat height adjustment range of 22" to 32", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 15.5" wide X 14.5" high backrest with lumbar support and protective plastic back panel, concave 18.5" wide X 17" deep X 3" thick seat with four-way contouring, a high-profile Euro-style 25.6" diameter reinforced composite base with T-shaped construction for added strength,, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	18.5x17	15.5x14.5	22-32	EA	\$764

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
EEW-L-RC-T-XF-XA-06	Elite	Trademark versatility and functionality make this chair ideal for use in healthcare, industrial, laboratory, clean room, static control/ESD, education and office environments. Functions include pneumatic seat height adjustment range of 17" to 22", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 15.5" wide X 14.5" high backrest with lumbar support and protective plastic back panel, concave 18.5" wide X 17" deep X 3" thick seat with four-way contouring, a high-profile Euro-style 28.7" diameter wide cast aluminum base with T-shaped construction for added strength and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	18.5x17	15.5x14.5	17-22	EA	\$845

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
EEW-M-RC-T-XF-XA-06	Elite	Trademark versatility and functionality make this chair ideal for use in healthcare, industrial, laboratory, clean room, static control/ESD, education and office environments. Functions include pneumatic seat height adjustment range of 19" to 26", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 15.5" wide X 14.5" high backrest with lumbar support and protective plastic back panel, concave 18.5" wide X 17" deep X 3" thick seat with four-way contouring, a high-profile Euro-style 28.7" diameter wide cast aluminum base with T-shaped construction for added strength,, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	18.5x17	15.5x14.5	19-26	EA	\$856

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
EEW-H-RC-T-XF-XA-06	Elite	Trademark versatility and functionality make this chair ideal for use in healthcare, industrial, laboratory, clean room, static control/ESD, education and office environments. Functions include pneumatic seat height adjustment range of 22" to 32", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 15.5" wide X 14.5" high backrest with lumbar support and protective plastic back panel, concave 18.5" wide X 17" deep X 3" thick seat with four-way contouring, a high-profile Euro-style 28.7" diameter wide cast aluminum base with T-shaped construction for added strength,, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	18.5x17	15.5x14.5	22-32	EA	\$867

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
ETS-L-RC-T-XF-XA-06	Eton	<p>Proven performance, ergonomic functionality and practical design make this chair a standout in education, industrial, laboratory, healthcare, clean room, static control/ESD and office environments.</p> <p>Functions include pneumatic seat height adjustment range of 18" to 22", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 14.5" wide X 9.5" high backrest with lumbar support and protective plastic back panel, concave 18.5" wide X 17" deep X 3" thick seat with four-way contouring, a rugged 23" diameter tubular steel base with affixed 21" diameter footring and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	18.5x17	14.5x9.5	18-22	EA	\$804

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
ETS-M-RC-T-XF-XA-06	Eton	<p>Proven performance, ergonomic functionality and practical design make this chair a standout in education, industrial, laboratory, healthcare, clean room, static control/ESD and office environments.</p> <p>Functions include pneumatic seat height adjustment range of 21" to 28", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 14.5" wide X 9.5" high backrest with lumbar support and protective plastic back panel, concave 18.5" wide X 17" deep X 3" thick seat with four-way contouring, a rugged 23" diameter tubular steel base with affixed 21" diameter footring and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	18.5x17	14.5x9.5	21-28	EA	\$829

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
ETS-H-RC-T-XF-XA-06	Eton	<p>Proven performance, ergonomic functionality and practical design make this chair a standout in education, industrial, laboratory, healthcare, clean room, static control/ESD and office environments.</p> <p>Functions include pneumatic seat height adjustment range of 25" to 32", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 14.5" wide X 9.5" high backrest with lumbar support and protective plastic back panel, concave 18.5" wide X 17" deep X 3" thick seat with four-way contouring, a rugged 23" diameter tubular steel base with affixed 21" diameter footring and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	18.5x17	14.5x9.5	25-32	EA	\$874

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
ETA-L-RC-T-XF-XA-06	Eton	<p>Proven performance, ergonomic functionality and practical design make this chair a standout in education, industrial, laboratory, healthcare, clean room, static control/ESD and office environments.</p> <p>Functions include pneumatic seat height adjustment range of 17" to 22", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 14.5" wide X 9.5" high backrest with lumbar support and protective plastic back panel, concave 18.5" wide X 17" deep X 3" thick seat with four-way contouring, a high-profile Euro-style 25.6" diameter cast aluminum base with T-shaped construction for added strength and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant.</p> <p>Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	18.5x17	14.5x9.5	17-22	EA	\$776

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
ETA-M-RC-T-XF-XA-06	Eton	<p>Proven performance, ergonomic functionality and practical design make this chair a standout in education, industrial, laboratory, healthcare, clean room, static control/ESD and office environments.</p> <p>Functions include pneumatic seat height adjustment range of 19" to 26", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 14.5" wide X 9.5" high backrest with lumbar support and protective plastic back panel, concave 18.5" wide X 16.5" deep X 3" thick seat, a high-profile Euro-style 25.6" diameter cast aluminum base with T-shaped construction for added strength,, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	18.5x17	14.5x9.5	19-26	EA	\$787

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
ETA-H-RC-T-XF-XA-06	Eton	<p>Proven performance, ergonomic functionality and practical design make this chair a standout in education, industrial, laboratory, healthcare, clean room, static control/ESD and office environments.</p> <p>Functions include pneumatic seat height adjustment range of 22" to 32", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 14.5" wide X 9.5" high backrest with lumbar support and protective plastic back panel, concave 18.5" wide X 17" deep X 3" thick seat with four-way contouring, a high-profile Euro-style 25.6" diameter cast aluminum base with T-shaped construction for added strength,, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant.</p> <p>Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	18.5x17	14.5x9.5	22-32	EA	\$798

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
ETR-L-RC-T-XF-XA-06	Eton	Proven performance, ergonomic functionality and practical design make this chair a standout in education, industrial, laboratory, healthcare, clean room and office environments. Functions include pneumatic seat height adjustment range of 17" to 22", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 14.5" wide X 9.5" high backrest with lumbar support and protective plastic back panel, concave 18.5" wide X 17" deep X 3" thick seat with four-way contouring, a high-profile Euro-style 25.6" diameter reinforced composite base with T-shaped construction for added strength and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	18.5x17	14.5x9.5	17-22	EA	\$701

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
ETR-M-RC-T-XF-XA-06	Eton	<p>Proven performance, ergonomic functionality and practical design make this chair a standout in education, industrial, laboratory, healthcare, clean room and office environments. Functions include pneumatic seat height adjustment range of 19" to 26", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 14.5" wide X 9.5" high backrest with lumbar support and protective plastic back panel, concave 18.5" wide X 16.5" deep X 3" thick seat, a high-profile Euro-style 25.6" diameter reinforced composite base with T-shaped construction for added strength,, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant.</p> <p>Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	18.5x17	14.5x9.5	19-26	EA	\$712

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
ETR-H-RC-T-XF-XA-06	Eton	<p>Proven performance, ergonomic functionality and practical design make this chair a standout in education, industrial, laboratory, healthcare, clean room and office environments. Functions include pneumatic seat height adjustment range of 22" to 32", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 14.5" wide X 9.5" high backrest with lumbar support and protective plastic back panel, concave 18.5" wide X 16.5" deep X 3" thick seat, a high-profile Euro-style 25.6" diameter reinforced composite base with T-shaped construction for added strength,, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant.</p> <p>Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	18.5x17	14.5x9.5	22-32	EA	\$723

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
ETW-L-RC-T-XF-XA-06	Eton	<p>Proven performance, ergonomic functionality and practical design make this chair a standout in education, industrial, laboratory, healthcare, clean room, static control/ESD and office environments.</p> <p>Functions include pneumatic seat height adjustment range of 17" to 22", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 14.5" wide X 9.5" high backrest with lumbar support and protective plastic back panel, concave 18.5" wide X 16.5" deep X 3" thick seat, a high-profile Euro-style 28.7" diameter wide cast aluminum base with T-shaped construction for added strength and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant.</p> <p>Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	18.5x17	14.5x9.5	17-22	EA	\$797

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
ETW-M-RC-T-XF-XA-06	Eton	<p>Proven performance, ergonomic functionality and practical design make this chair a standout in education, industrial, laboratory, healthcare, clean room, static control/ESD and office environments.</p> <p>Functions include pneumatic seat height adjustment range of 19" to 26", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 14.5" wide X 9.5" high backrest with lumbar support and protective plastic back panel, concave 18.5" wide X 16.5" deep X 3" thick seat, a high-profile Euro-style 28.7" diameter wide cast aluminum base with T-shaped construction for added strength,, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant.</p> <p>Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	18.5x17	14.5x9.5	19-26	EA	\$808

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
ETW-H-RC-T-XF-XA-06	Eton	<p>Proven performance, ergonomic functionality and practical design make this chair a standout in education, industrial, laboratory, healthcare, clean room, static control/ESD and office environments.</p> <p>Functions include pneumatic seat height adjustment range of 22" to 32", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 14.5" wide X 9.5" high backrest with lumbar support and protective plastic back panel, concave 18.5" wide X 16.5" deep X 3" thick seat, a high-profile Euro-style 28.7" diameter wide cast aluminum base with T-shaped construction for added strength,, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant.</p> <p>Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	18.5x17	14.5x9.5	22-32	EA	\$819

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
FCS-L-RC-T-XF-XA-06	Sewn Seams FC	Sewn seams upholstery to minimize foam compression, full ergonomic adjustability and long-term user comfort make this chair an ideal choice for healthcare, static control/ESD, industrial, education and office work environments. Functions include pneumatic seat height adjustment range of 18" to 22", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 18" wide X 19" high backrest with lumbar support, sewn seams and plastic protective panel; a saddle-shaped, contoured 21" wide X 19" deep X 3" thick seat, a rugged 23" diameter tubular steel base with affixed 21" diameter footring and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	21x19	18x19	18-22	EA	\$955

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
FCS-M-RC-T-XF-XA-06	Sewn Seams FC	Sewn seams upholstery to minimize foam compression, full ergonomic adjustability and long-term user comfort make this chair an ideal choice for healthcare, static control/ESD, industrial, education and office work environments. Functions include pneumatic seat height adjustment range of 21" to 28", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 18" wide X 19" high backrest with lumbar support, sewn seams and plastic protective panel; a saddle-shaped, contoured 21" wide X 19" deep X 3" thick seat, a rugged 23" diameter tubular steel base with affixed 21" diameter footring and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	21x19	18x19	21-28	EA	\$966

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
FCS-H-RC-T-XF-XA-06	Sewn Seams FC	Sewn seams upholstery to minimize foam compression, full ergonomic adjustability and long-term user comfort make this chair an ideal choice for healthcare, static control/ESD, industrial, education and office work environments. Functions include pneumatic seat height adjustment range of 25" to 32", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 18" wide X 19" high backrest with lumbar support, sewn seams and plastic protective panel; a saddle-shaped, contoured 21" wide X 19" deep X 3" thick seat, a rugged 23" diameter tubular steel base with affixed 21" diameter footring and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	21x19	18x19	25-32	EA	\$1,022

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
FCA-L-RC-T-XF-XA-06	Sewn Seams FC	Sewn seams upholstery to minimize foam compression, full ergonomic adjustability and long-term user comfort make this chair an ideal choice for healthcare, static control/ESD, industrial, education and office work environments. Functions include pneumatic seat height adjustment range of 17" to 22", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 18" wide X 19" high backrest with lumbar support, sewn seams and plastic protective panel; a saddle-shaped, contoured 21" wide X 19" deep X 3" thick seat, a high profile 25.6" diameter cast aluminum base with T-shape construction for added strength and easy cleanability, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	21x19	18x19	17-22	EA	\$932

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
FCA-M-RC-T-XF-XA-06	Sewn Seams FC	Sewn seams upholstery to minimize foam compression, full ergonomic adjustability and long-term user comfort make this chair an ideal choice for healthcare, static control/ESD, industrial, education and office work environments. Functions include pneumatic seat height adjustment range of 19" to 26", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 18" wide X 19" high backrest with lumbar support, sewn seams and plastic protective panel; a saddle-shaped, contoured 21" wide X 19" deep X 3" thick seat, a high profile 25.6" diameter cast aluminum base with,, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	21x19	18x19	19-26	EA	\$973

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
FCA-H-RC-T-XF-XA-06	Sewn Seams FC	Sewn seams upholstery to minimize foam compression, full ergonomic adjustability and long-term user comfort make this chair an ideal choice for healthcare, static control/ESD, industrial, education and office work environments. Functions include pneumatic seat height adjustment range of 22" to 32", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 18" wide X 19" high backrest with lumbar support, sewn seams and plastic protective panel; a saddle-shaped, contoured 21" wide X 19" deep X 3" thick seat, a high profile 25.6" diameter cast aluminum base with,, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	21x19	18x19	22-32	EA	\$993

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
FCR-L-RC-T-XF-XA-06	Sewn Seams FC	<p>Sewn seams upholstery to minimize foam compression, full ergonomic adjustability and long-term user comfort make this chair an ideal choice for healthcare, industrial, education and office work environments. Functions include pneumatic seat height adjustment range of 17" to 22", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 18" wide X 19" high backrest with lumbar support, sewn seams and plastic protective panel; a saddle-shaped, contoured 21" wide X 19" deep X 3" thick seat, a high profile 25.6" diameter reinforced composite base with T-shape construction for added strength, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	21x19	18x19	17-22	EA	\$908

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
FCR-M-RC-T-XF-XA-06	Sewn Seams FC	Sewn seams upholstery to minimize foam compression, full ergonomic adjustability and long-term user comfort make this chair an ideal choice for healthcare, industrial, education and office work environments. Functions include pneumatic seat height adjustment range of 19" to 26", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 18" wide X 19" high backrest with lumbar support, sewn seams and plastic protective panel; a saddle-shaped, contoured 21" wide X 19" deep X 3" thick seat, a high profile 25.6" diameter reinforced composite base with,, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	21x19	18x19	19-26	EA	\$949

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
FCR-H-RC-T-XF-XA-06	Sewn Seams FC	Sewn seams upholstery to minimize foam compression, full ergonomic adjustability and long-term user comfort make this chair an ideal choice for healthcare, industrial, education and office work environments. Functions include pneumatic seat height adjustment range of 22" to 32", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 18" wide X 19" high backrest with lumbar support, sewn seams and plastic protective panel; a saddle-shaped, contoured 21" wide X 19" deep X 3" thick seat, a high profile 25.6" diameter reinforced composite base with,, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	21x19	18x19	22-32	EA	\$969

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
FCW-L-RC-T-XF-XA-06	Sewn Seams FC	Sewn seams upholstery to minimize foam compression, full ergonomic adjustability and long-term user comfort make this chair an ideal choice for healthcare, static control/ESD, industrial, education and office work environments. Functions include pneumatic seat height adjustment range of 17" to 22", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 18" wide X 19" high backrest with lumbar support, sewn seams and plastic protective panel; a saddle-shaped, contoured 21" wide X 19" deep X 3" thick seat, a high profile 28.7" diameter wide aluminum base with T-shape construction for added strength, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	21x19	18x19	17-22	EA	\$1,005

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
FCW-M-RC-T-XF-XA-06	Sewn Seams FC	Sewn seams upholstery to minimize foam compression, full ergonomic adjustability and long-term user comfort make this chair an ideal choice for healthcare, static control/ESD, industrial, education and office work environments. Functions include pneumatic seat height adjustment range of 19" to 26", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 18" wide X 19" high backrest with lumbar support, sewn seams and plastic protective panel; a saddle-shaped, contoured 21" wide X 19" deep X 3" thick seat, a high profile 28.7" diameter wide aluminum base with,, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	21x19	18x19	19-26	EA	\$1,046

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
FCW-H-RC-T-XF-XA-06	Sewn Seams FC	Sewn seams upholstery to minimize foam compression, full ergonomic adjustability and long-term user comfort make this chair an ideal choice for healthcare, static control/ESD, industrial, education and office work environments. Functions include pneumatic seat height adjustment range of 22" to 32", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 18" wide X 19" high backrest with lumbar support, sewn seams and plastic protective panel; a saddle-shaped, contoured 21" wide X 19" deep X 3" thick seat, a high profile 28.7" diameter wide aluminum base with,, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	21x19	18x19	22-32	EA	\$1,066

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
FLS-L-RC-T-XF-XA-06	Sewn Seams FL	Full ergonomic adjustability, a larger seat with sewn seams upholstery for enhanced comfort and proven performance make this chair an ideal choice for healthcare, static control/ESD, industrial, education and office work environments. Functions include pneumatic seat height adjustment range of 18" to 22", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 15.5" wide X 14.5" high backrest with lumbar support, sewn seams and plastic protective panel; a saddle-shaped, contoured 21" wide X 19" deep X 3" thick seat, a rugged 23" diameter tubular steel base with affixed 21" diameter footring and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	21x19	15.5x14.5	18-22	EA	\$937

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
FLS-M-RC-T-XF-XA-06	Sewn Seams FL	Full ergonomic adjustability, a larger seat with sewn seams upholstery for enhanced comfort and proven performance make this chair an ideal choice for healthcare, static control/ESD, industrial, education and office work environments. Functions include pneumatic seat height adjustment range of 21" to 28", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 15.5" wide X 14.5" high backrest with lumbar support, sewn seams and plastic protective panel; a saddle-shaped, contoured 21" wide X 19" deep X 3" thick seat, a rugged 23" diameter tubular steel base with affixed 21" diameter footring and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	21x19	15.5x14.5	21-28	EA	\$948

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
FLS-H-RC-T-XF-XA-06	Sewn Seams FL	Full ergonomic adjustability, a larger seat with sewn seams upholstery for enhanced comfort and proven performance make this chair an ideal choice for healthcare, static control/ESD, industrial, education and office work environments. Functions include pneumatic seat height adjustment range of 25" to 32", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 15.5" wide X 14.5" high backrest with lumbar support, sewn seams and plastic protective panel; a saddle-shaped, contoured 21" wide X 19" deep X 3" thick seat, a rugged 23" diameter tubular steel base with affixed 21" diameter footring and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	21x19	15.5x14.5	25-32	EA	\$1,004

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
FLA-L-RC-T-XF-XA-06	Sewn Seams FL	Full ergonomic adjustability, a larger seat with sewn seams upholstery for enhanced comfort and proven performance make this chair an ideal choice for healthcare, static control/ESD, industrial, education and office work environments. Functions include pneumatic seat height adjustment range of 17" to 22", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 18" wide X 19" high backrest with lumbar support, sewn seams and plastic protective panel; a saddle-shaped, contoured 21" wide X 19" deep X 3" thick seat, a high profile 25.6" diameter cast aluminum base with T-shape construction for added strength and easy cleanability, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	21x19	15.5x14.5	17-22	EA	\$896

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
FLA-M-RC-T-XF-XA-06	Sewn Seams FL	Full ergonomic adjustability, a larger seat with sewn seams upholstery for enhanced comfort and proven performance make this chair an ideal choice for healthcare, static control/ESD, industrial, education and office work environments. Functions include pneumatic seat height adjustment range of 19" to 26", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 18" wide X 19" high backrest with lumbar support, sewn seams and plastic protective panel; a saddle-shaped, contoured 21" wide X 19" deep X 3" thick seat, a high profile 25.6" diameter cast aluminum base with,, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	21x19	15.5x14.5	19-26	EA	\$907

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
FLA-H-RC-T-XF-XA-06	Sewn Seams FL	Full ergonomic adjustability, a larger seat with sewn seams upholstery for enhanced comfort and proven performance make this chair an ideal choice for healthcare, static control/ESD, industrial, education and office work environments. Functions include pneumatic seat height adjustment range of 22" to 32", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 18" wide X 19" high backrest with lumbar support, sewn seams and plastic protective panel; a saddle-shaped, contoured 21" wide X 19" deep X 3" thick seat, a high profile 25.6" diameter cast aluminum base with,, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	21x19	15.5x14.5	22-32	EA	\$918

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
FLR-L-RC-T-XF-XA-06	Sewn Seams FL	Full ergonomic adjustability, a larger seat with sewn seams upholstery for enhanced comfort and proven performance make this chair an ideal choice for healthcare, industrial, education and office work environments. Functions include pneumatic seat height adjustment range of 17" to 22", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 15.5" wide X 14.5" high backrest with lumbar support, sewn seams and plastic protective panel; a saddle-shaped, contoured 21" wide X 19" deep X 3" thick seat, a high profile 25.6" diameter reinforced composite base with T-shape construction for added strength, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	21x19	15.5x14.5	17-22	EA	\$834

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
FLR-M-RC-T-XF-XA-06	Sewn Seams FL	Full ergonomic adjustability, a larger seat with sewn seams upholstery for enhanced comfort and proven performance make this chair an ideal choice for healthcare, industrial, education and office work environments. Functions include pneumatic seat height adjustment range of 19" to 26", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 15.5" wide X 14.5" high backrest with lumbar support, sewn seams and plastic protective panel; a saddle-shaped, contoured 21" wide X 19" deep X 3" thick seat, a high profile 25.6" diameter reinforced composite base with,, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	21x19	15.5x14.5	19-26	EA	\$875

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
FLR-H-RC-T-XF-XA-06	Sewn Seams FL	Full ergonomic adjustability, a larger seat with sewn seams upholstery for enhanced comfort and proven performance make this chair an ideal choice for healthcare, industrial, education and office work environments. Functions include pneumatic seat height adjustment range of 22" to 32", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 15.5" wide X 14.5" high backrest with lumbar support, sewn seams and plastic protective panel; a saddle-shaped, contoured 21" wide X 19" deep X 3" thick seat, a high profile 25.6" diameter reinforced composite base with,, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	21x19	15.5x14.5	22-32	EA	\$895

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
FLW-L-RC-T-XF-XA-06	Sewn Seams FL	Full ergonomic adjustability, a larger seat with sewn seams upholstery for enhanced comfort and proven performance make this chair an ideal choice for healthcare, static control/ESD, industrial, education and office work environments. Functions include pneumatic seat height adjustment range of 17" to 22", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 15.5" wide X 14.5" high backrest with lumbar support, sewn seams and plastic protective panel; a saddle-shaped, contoured 21" wide X 19" deep X 3" thick seat, a high profile 28.7" diameter wide aluminum base with T-shape construction for added strength, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	21x19	15.5x14.5	17-22	EA	\$931

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
FLW-M-RC-T-XF-XA-06	Sewn Seams FL	Full ergonomic adjustability, a larger seat with sewn seams upholstery for enhanced comfort and proven performance make this chair an ideal choice for healthcare, static control/ESD, industrial, education and office work environments. Functions include pneumatic seat height adjustment range of 19" to 26", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 15.5" wide X 14.5" high backrest with lumbar support, sewn seams and plastic protective panel; a saddle-shaped, contoured 21" wide X 19" deep X 3" thick seat, a high profile 28.7" diameter wide aluminum base with,, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	21x19	15.5x14.5	19-26	EA	\$972

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
FLW-H-RC-T-XF-XA-06	Sewn Seams FL	Full ergonomic adjustability, a larger seat with sewn seams upholstery for enhanced comfort and proven performance make this chair an ideal choice for healthcare, static control/ESD, industrial, education and office work environments. Functions include pneumatic seat height adjustment range of 22" to 32", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 15.5" wide X 14.5" high backrest with lumbar support, sewn seams and plastic protective panel; a saddle-shaped, contoured 21" wide X 19" deep X 3" thick seat, a high profile 28.7" diameter wide aluminum base with,, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	21x19	15.5x14.5	22-32	EA	\$992

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
HCS-L-RC-T-XF-XA-06	Sewn Seams HC	Upholstery with sewn seams for enhanced comfort and style, a larger backrest and a four-way contoured seat make this chair an ideal choice for healthcare, static control/ESD, industrial, education and office work environments. Functions include pneumatic seat height adjustment range of 18" to 22" and fixed rearward seat tilt of 3.5 degrees, as well as backrest tilt and height adjustability. Features 18" wide X 19" high backrest with lumbar support, sewn seams and plastic protective panel, and an ergonomic 18.5" wide X 17" deep X 3" thick seat with waterfall front; also includes a 23" diameter tubular steel base with affixed 21" diameter footring and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	18.5x17	18x19	18-22	EA	\$1,032

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
HCS-M-RC-T-XF-XA-06	Sewn Seams HC	Upholstery with sewn seams for enhanced comfort and style, a larger backrest and a four-way contoured seat make this chair an ideal choice for healthcare, static control/ESD, industrial, education and office work environments. Functions include pneumatic seat height adjustment range of 21" to 28" and fixed rearward seat tilt of 3.5 degrees, as well as backrest tilt and height adjustability. Features 18" wide X 19" high backrest with lumbar support, sewn seams and plastic protective panel, and an ergonomic 18.5" wide X 17" deep X 3" thick seat with waterfall front; also includes a 23" diameter tubular steel base with affixed 21" diameter footring and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	18.5x17	18x19	21-28	EA	\$1,043

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
HCS-H-RC-T-XF-XA-06	Sewn Seams HC	Upholstery with sewn seams for enhanced comfort and style, a larger backrest and a four-way contoured seat make this chair an ideal choice for healthcare, static control/ESD, industrial, education and office work environments. Functions include pneumatic seat height adjustment range of 25" to 32" and fixed rearward seat tilt of 3.5 degrees, as well as backrest tilt and height adjustability. Features 18" wide X 19" high backrest with lumbar support, sewn seams and plastic protective panel, and an ergonomic 18.5" wide X 17" deep X 3" thick seat with waterfall front; also includes a 23" diameter tubular steel base with affixed 21" diameter footring and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	18.5x17	18x19	25-32	EA	\$1,099

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
HCA-L-RC-T-XF-XA-06	Sewn Seams HC	<p>Upholstery with sewn seams for enhanced comfort and style, a larger backrest and a four-way contoured seat make this chair an ideal choice for healthcare, static control/ESD, industrial, education and office work environments. Functions include pneumatic seat height adjustment range of 17" to 22" and fixed rearward seat tilt of 3.5 degrees, as well as backrest tilt and height adjustability. Features 18" wide X 19" high backrest with lumbar support, sewn seams and plastic protective panel, and an ergonomic 18.5" wide X 17" deep X 3" thick seat with waterfall front; also includes a 25.6" diameter cast aluminum base with T-shape construction for added strength, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	18.5x17	18x19	17-22	EA	\$991

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
HCA-M-RC-T-XF-XA-06	Sewn Seams HC	Upholstery with sewn seams for enhanced comfort and style, a larger backrest and a four-way contoured seat make this chair an ideal choice for healthcare, static control/ESD, industrial, education and office work environments. Functions include pneumatic seat height adjustment range of 19" to 26" and fixed rearward seat tilt of 3.5 degrees, as well as backrest tilt and height adjustability. Features 18" wide X 19" high backrest with lumbar support, sewn seams and plastic protective panel, and an ergonomic 18.5" wide X 17" deep X 3" thick seat with waterfall front; also includes a 25.6" diameter cast aluminum base with adjustable height, 20" diameter footring, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	18.5x17	18x19	19-26	EA	\$1,002

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
HCA-H-RC-T-XF-XA-06	Sewn Seams HC	Upholstery with sewn seams for enhanced comfort and style, a larger backrest and a four-way contoured seat make this chair an ideal choice for healthcare, static control/ESD, industrial, education and office work environments. Functions include pneumatic seat height adjustment range of 22" to 32" and fixed rearward seat tilt of 3.5 degrees, as well as backrest tilt and height adjustability. Features 18" wide X 19" high backrest with lumbar support, sewn seams and plastic protective panel, and an ergonomic 18.5" wide X 17" deep X 3" thick seat with waterfall front; also includes a 25.6" diameter cast aluminum base with adjustable height, 20" diameter footring, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	18.5x17	18x19	22-32	EA	\$1,013

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
HCR-L-RC-T-XF-XA-06	Sewn Seams HC	Upholstery with sewn seams for enhanced comfort and style, a larger backrest and a four-way contoured seat make this chair an ideal choice for healthcare, industrial, education and office work environments. Functions include pneumatic seat height adjustment range of 17" to 22" and fixed rearward seat tilt of 3.5 degrees, as well as backrest tilt and height adjustability. Features 18" wide X 19" high backrest with lumbar support, sewn seams and plastic protective panel, and an ergonomic 18.5" wide X 17" deep X 3" thick seat with waterfall front; also includes a 25.6" diameter reinforced composite base with high-profile, T-shape construction for added strength, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	18.5x17	18x19	17-22	EA	\$911

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
HCR-M-RC-T-XF-XA-06	Sewn Seams HC	Upholstery with sewn seams for enhanced comfort and style, a larger backrest and a four-way contoured seat make this chair an ideal choice for healthcare, industrial, education and office work environments. Functions include pneumatic seat height adjustment range of 19" to 26" and fixed rearward seat tilt of 3.5 degrees, as well as backrest tilt and height adjustability. Features 18" wide X 19" high backrest with lumbar support, sewn seams and plastic protective panel, and an ergonomic 18.5" wide X 17" deep X 3" thick seat with waterfall front; also includes a high-profile 25.6" diameter reinforced composite base, an adjustable height, 20" diameter footring, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	18.5x17	18x19	19-26	EA	\$922

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
HCR-H-RC-T-XF-XA-06	Sewn Seams HC	Upholstery with sewn seams for enhanced comfort and style, a larger backrest and a four-way contoured seat make this chair an ideal choice for healthcare, industrial, education and office work environments. Functions include pneumatic seat height adjustment range of 22" to 32" and fixed rearward seat tilt of 3.5 degrees, as well as backrest tilt and height adjustability. Features 18" wide X 19" high backrest with lumbar support, sewn seams and plastic protective panel, and an ergonomic 18.5" wide X 17" deep X 3" thick seat with waterfall front; also includes a high-profile 25.6" diameter reinforced composite base, an adjustable height, 20" diameter footring, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	18.5x17	18x19	22-32	EA	\$933

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
HCW-L-RC-T-XF-XA-06	Sewn Seams HC	<p>Upholstery with sewn seams for enhanced comfort and style, a larger backrest and a four-way contoured seat make this chair an ideal choice for healthcare, static control/ESD, industrial, education and office work environments. Functions include pneumatic seat height adjustment range of 17" to 22" and fixed rearward seat tilt of 3.5 degrees, as well as backrest tilt and height adjustability. Features 18" wide X 19" high backrest with lumbar support, sewn seams and plastic protective panel, and an ergonomic 18.5" wide X 17" deep X 3" thick seat with waterfall front; also includes a high-profile 28.7" diameter wide aluminum base, T-shape construction for added strength, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	18.5x17	18x19	17-22	EA	\$1,012

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
HCW-M-RC-T-XF-XA-06	Sewn Seams HC	Upholstery with sewn seams for enhanced comfort and style, a larger backrest and a four-way contoured seat make this chair an ideal choice for healthcare, static control/ESD, industrial, education and office work environments. Functions include pneumatic seat height adjustment range of 19" to 26" and fixed rearward seat tilt of 3.5 degrees, as well as backrest tilt and height adjustability. Features 18" wide X 19" high backrest with lumbar support, sewn seams and plastic protective panel, and an ergonomic 18.5" wide X 17" deep X 3" thick seat with waterfall front; also includes a high-profile 28.7" diameter wide aluminum base with adjustable height, 20" diameter footring, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	18.5x17	18x19	19-26	EA	\$1,023

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
HCW-H-RC-T-XF-XA-06	Sewn Seams HC	Upholstery with sewn seams for enhanced comfort and style, a larger backrest and a four-way contoured seat make this chair an ideal choice for healthcare, static control/ESD, industrial, education and office work environments. Functions include pneumatic seat height adjustment range of 22" to 32" and fixed rearward seat tilt of 3.5 degrees, as well as backrest tilt and height adjustability. Features 18" wide X 19" high backrest with lumbar support, sewn seams and plastic protective panel, and an ergonomic 18.5" wide X 17" deep X 3" thick seat with waterfall front; also includes a high-profile 28.7" diameter wide aluminum base with adjustable height, 20" diameter footring, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	18.5x17	18x19	22-32	EA	\$1,034

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
HLS-L-RC-T-XF-XA-06	Sewn Seams HL	<p>Full ergonomic adjustability, upholstery with sewn seams for enhanced comfort and style, and proven performance make this chair an ideal choice for healthcare, static control/ESD, industrial, education and office work environments. Functions include Soft Touch™ pneumatic seat height adjustment range of 18" to 22", fixed rearward seat tilt of 3.5 degrees, and backrest tilt and height adjustability.</p> <p>Features 15.5" wide X 14.5" high backrest with lumbar support, sewn seams and plastic protective panel; an ergonomic 18.5" wide X 17" deep X 3" thick seat, a rugged 23" diameter tubular steel base with affixed 21" diameter footring and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant.</p> <p>Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	18.5x17	15.5x14.5	18-22	EA	\$996

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
HLS-M-RC-T-XF-XA-06	Sewn Seams HL	<p>Full ergonomic adjustability, upholstery with sewn seams for enhanced comfort and style, and proven performance make this chair an ideal choice for healthcare, static control/ESD, industrial, education and office work environments. Functions include Soft Touch™ pneumatic seat height adjustment range of 21" to 28", fixed rearward seat tilt of 3.5 degrees, and backrest tilt and height adjustability.</p> <p>Features 15.5" wide X 14.5" high backrest with lumbar support, sewn seams and plastic protective panel; an ergonomic 18.5" wide X 17" deep X 3" thick seat, a rugged 23" diameter tubular steel base with affixed 21" diameter footring and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant.</p> <p>Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	18.5x17	15.5x14.5	21-28	EA	\$1,007

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
HLS-H-RC-T-XF-XA-06	Sewn Seams HL	<p>Full ergonomic adjustability, upholstery with sewn seams for enhanced comfort and style, and proven performance make this chair an ideal choice for healthcare, static control/ESD, industrial, education and office work environments. Functions include Soft Touch™ pneumatic seat height adjustment range of 25" to 32", fixed rearward seat tilt of 3.5 degrees, and backrest tilt and height adjustability.</p> <p>Features 15.5" wide X 14.5" high backrest with lumbar support, sewn seams and plastic protective panel; an ergonomic 18.5" wide X 17" deep X 3" thick seat, a rugged 23" diameter tubular steel base with affixed 21" diameter footring and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant.</p> <p>Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	18.5x17	15.5x14.5	25-32	EA	\$1,063

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
HLA-L-RC-T-XF-XA-06	Sewn Seams HL	<p>Full ergonomic adjustability, upholstery with sewn seams for enhanced comfort and style, and proven performance make this chair an ideal choice for healthcare, static control/ESD, industrial, education and office work environments. Functions include Soft Touch™ pneumatic seat height adjustment range of 17" to 22", fixed rearward seat tilt of 3.5 degrees, and backrest tilt and height adjustability. Features 15.5" wide X 14.5" high backrest with lumbar support, sewn seams and plastic protective panel; an ergonomic 18.5" wide X 17" deep X 3" thick seat, a high-profile 25.6" diameter cast aluminum base with T-shape construction for added strength, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	18.5x17	15.5x14.5	17-22	EA	\$955

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
HLA-M-RC-T-XF-XA-06	Sewn Seams HL	<p>Full ergonomic adjustability, upholstery with sewn seams for enhanced comfort and style, and proven performance make this chair an ideal choice for healthcare, static control/ESD, industrial, education and office work environments. Functions include Soft Touch™ pneumatic seat height adjustment range of 19" to 26", fixed rearward seat tilt of 3.5 degrees, and backrest tilt and height adjustability. Features 15.5" wide X 14.5" high backrest with lumbar support, sewn seams and plastic protective panel; an ergonomic 18.5" wide X 17" deep X 3" thick seat, a high-profile 25.6" diameter cast aluminum base with adjustable height, 20" diameter footring, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	18.5x17	15.5x14.5	19-26	EA	\$966

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
HLA-H-RC-T-XF-XA-06	Sewn Seams HL	<p>Full ergonomic adjustability, upholstery with sewn seams for enhanced comfort and style, and proven performance make this chair an ideal choice for healthcare, static control/ESD, industrial, education and office work environments. Functions include Soft Touch™ pneumatic seat height adjustment range of 22" to 32", fixed rearward seat tilt of 3.5 degrees, and backrest tilt and height adjustability. Features 15.5" wide X 14.5" high backrest with lumbar support, sewn seams and plastic protective panel; an ergonomic 18.5" wide X 17" deep X 3" thick seat, a high-profile 25.6" diameter cast aluminum base with adjustable height, 20" diameter footring, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	18.5x17	15.5x14.5	22-32	EA	\$977

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
HLR-L-RC-T-XF-XA-06	Sewn Seams HL	Full ergonomic adjustability, upholstery with sewn seams for enhanced comfort and style, and proven performance make this chair an ideal choice for healthcare, industrial, education and office work environments. Functions include Soft Touch™ pneumatic seat height adjustment range of 17" to 22", fixed rearward seat tilt of 3.5 degrees, and backrest tilt and height adjustability. Features 15.5" wide X 14.5" high backrest with lumbar support, sewn seams and plastic protective panel; an ergonomic 18.5" wide X 17" deep X 3" thick seat, a high-profile 25.6" diameter reinforced composite base with T-shape construction for added strength, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	18.5x17	15.5x14.5	17-22	EA	\$875

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
HLR-M-RC-T-XF-XA-06	Sewn Seams HL	Full ergonomic adjustability, upholstery with sewn seams for enhanced comfort and style, and proven performance make this chair an ideal choice for healthcare, industrial, education and office work environments. Functions include Soft Touch™ pneumatic seat height adjustment range of 19" to 26", fixed rearward seat tilt of 3.5 degrees, and backrest tilt and height adjustability. Features 15.5" wide X 14.5" high backrest with lumbar support, sewn seams and plastic protective panel; an ergonomic 18.5" wide X 17" deep X 3" thick seat, a high-profile 25.6" diameter reinforced composite base with adjustable height, 20" diameter footring, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	18.5x17	15.5x14.5	19-26	EA	\$886

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
HLR-H-RC-T-XF-XA-06	Sewn Seams HL	Full ergonomic adjustability, upholstery with sewn seams for enhanced comfort and style, and proven performance make this chair an ideal choice for healthcare, industrial, education and office work environments. Functions include Soft Touch™ pneumatic seat height adjustment range of 22" to 32", fixed rearward seat tilt of 3.5 degrees, and backrest tilt and height adjustability. Features 15.5" wide X 14.5" high backrest with lumbar support, sewn seams and plastic protective panel; an ergonomic 18.5" wide X 17" deep X 3" thick seat, a high-profile 25.6" diameter reinforced composite base with adjustable height, 20" diameter footring, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	18.5x17	15.5x14.5	22-32	EA	\$897

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
HLW-L-RC-T-XF-XA-06	Sewn Seams HL	<p>Full ergonomic adjustability, upholstery with sewn seams for enhanced comfort and style, and proven performance make this chair an ideal choice for healthcare, static control/ESD, industrial, education and office work environments. Functions include Soft Touch™ pneumatic seat height adjustment range of 17" to 22", fixed rearward seat tilt of 3.5 degrees, and backrest tilt and height adjustability. Features 15.5" wide X 14.5" high backrest with lumbar support, sewn seams and plastic protective panel; an ergonomic 18.5" wide X 17" deep X 3" thick seat, a high-profile 28.7" diameter wide aluminum base with T-shape construction for added strength, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	18.5x17	15.5x14.5	17-22	EA	\$976

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
HLW-M-RC-T-XF-XA-06	Sewn Seams HL	<p>Full ergonomic adjustability, upholstery with sewn seams for enhanced comfort and style, and proven performance make this chair an ideal choice for healthcare, static control/ESD, industrial, education and office work environments. Functions include Soft Touch™ pneumatic seat height adjustment range of 19" to 26", fixed rearward seat tilt of 3.5 degrees, and backrest tilt and height adjustability. Features 15.5" wide X 14.5" high backrest with lumbar support, sewn seams and plastic protective panel; an ergonomic 18.5" wide X 17" deep X 3" thick seat, a high-profile 28.7" diameter wide aluminum base with adjustable height, 20" diameter footring, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	18.5x17	15.5x14.5	19-26	EA	\$987

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
HLW-H-RC-T-XF-XA-06	Sewn Seams HL	<p>Full ergonomic adjustability, upholstery with sewn seams for enhanced comfort and style, and proven performance make this chair an ideal choice for healthcare, static control/ESD, industrial, education and office work environments. Functions include Soft Touch™ pneumatic seat height adjustment range of 22" to 32", fixed rearward seat tilt of 3.5 degrees, and backrest tilt and height adjustability. Features 15.5" wide X 14.5" high backrest with lumbar support, sewn seams and plastic protective panel; an ergonomic 18.5" wide X 17" deep X 3" thick seat, a high-profile 28.7" diameter wide aluminum base with adjustable height, 20" diameter footring, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	18.5x17	15.5x14.5	22-32	EA	\$998

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
VF:FVF:CS-L-RC-T-XF-XA-06	Vacuum Formed FC	Vacuum-formed upholstery to fight liquid and bacterial infiltration and full ergonomic adjustability make this chair an ideal choice for healthcare, laboratory, clean room and education environments. Functions include pneumatic seat height adjustment range of 18" to 22" and fixed rearward seat tilt of 3.5 degrees, as well as backrest tilt and height adjustability. Features 18" wide X 19" high backrest with lumbar support, and saddle-shaped, contoured 21" wide X 19" deep X 3" thick seat with waterfall front; also includes a 23" diameter tubular steel base with affixed 21" diameter footring and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	21x19	18x19	18-22	EA	\$998

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
VF:FVF:CS-M-RC-T-XF-XA-06	Vacuum Formed FC	Vacuum-formed upholstery to fight liquid and bacterial infiltration and full ergonomic adjustability make this chair an ideal choice for healthcare, laboratory, clean room and education environments. Functions include pneumatic seat height adjustment range of 21" to 28" and fixed rearward seat tilt of 3.5 degrees, as well as backrest tilt and height adjustability. Features 18" wide X 19" high backrest with lumbar support, and saddle-shaped, contoured 21" wide X 19" deep X 3" thick seat with waterfall front; also includes a 23" diameter tubular steel base with affixed 21" diameter footring and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	21x19	18x19	21-28	EA	\$1,009

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
VF:FVF:CS-H-RC-T-XF-XA-06	Vacuum Formed FC	Vacuum-formed upholstery to fight liquid and bacterial infiltration and full ergonomic adjustability make this chair an ideal choice for healthcare, laboratory, clean room and education environments. Functions include pneumatic seat height adjustment range of 25" to 32" and fixed rearward seat tilt of 3.5 degrees, as well as backrest tilt and height adjustability. Features 18" wide X 19" high backrest with lumbar support, and saddle-shaped, contoured 21" wide X 19" deep X 3" thick seat with waterfall front; also includes a 23" diameter tubular steel base with affixed 21" diameter footring and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	21x19	18x19	25-32	EA	\$1,065

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
VF:FVF:CA-L-RC-T-XF-XA-06	Vacuum Formed FC	Vacuum-formed upholstery to fight liquid and bacterial infiltration and full ergonomic adjustability make this chair an ideal choice for healthcare, laboratory, clean room and education environments. Functions include pneumatic seat height adjustment range of 17" to 22" and fixed rearward seat tilt of 3.5 degrees, as well as backrest tilt and height adjustability. Features 18" wide X 19" high backrest with lumbar support, and saddle-shaped, contoured 21" wide X 19" deep X 3" thick seat with waterfall front; also includes high-profile 25.6" diameter cast aluminum base with T-shape construction for added strength, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	21x19	18x19	17-22	EA	\$957

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
VF:FVF:CA-M-RC-T-XF-XA-06	Vacuum Formed FC	Vacuum-formed upholstery to fight liquid and bacterial infiltration and full ergonomic adjustability make this chair an ideal choice for healthcare, laboratory, clean room and education environments. Functions include pneumatic seat height adjustment range of 19" to 26" and fixed rearward seat tilt of 3.5 degrees, as well as backrest tilt and height adjustability. Features 18" wide X 19" high backrest with lumbar support, and saddle-shaped, contoured 21" wide X 19" deep X 3" thick seat with waterfall front; also includes high-profile 25.6" diameter cast aluminum base with adjustable height, 20" diameter footring, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	21x19	18x19	19-26	EA	\$968

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
VF:FVF:CA-H-RC-T-XF-XA-06	Vacuum Formed FC	Vacuum-formed upholstery to fight liquid and bacterial infiltration and full ergonomic adjustability make this chair an ideal choice for healthcare, laboratory, clean room and education environments. Functions include pneumatic seat height adjustment range of 22" to 32" and fixed rearward seat tilt of 3.5 degrees, as well as backrest tilt and height adjustability. Features 18" wide X 19" high backrest with lumbar support, and saddle-shaped, contoured 21" wide X 19" deep X 3" thick seat with waterfall front; also includes high-profile 25.6" diameter cast aluminum base with adjustable height, 20" diameter footring, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	21x19	18x19	22-32	EA	\$993

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
VF:FVF:CR-L-RC-T-XF-XA-06	Vacuum Formed FC	Vacuum-formed upholstery to fight liquid and bacterial infiltration and full ergonomic adjustability make this chair an ideal choice for healthcare, laboratory, clean room and education environments. Functions include pneumatic seat height adjustment range of 17" to 22" and fixed rearward seat tilt of 3.5 degrees, as well as backrest tilt and height adjustability. Features 18" wide X 19" high backrest with lumbar support, and saddle-shaped, contoured 21" wide X 19" deep X 3" thick seat with waterfall front; also includes high-profile 25.6" diameter reinforced composite base with T-shape construction for added strength, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	21x19	18x19	17-22	EA	\$908

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
VF:FVF:CR-M-RC-T-XF-XA-06	Vacuum Formed FC	Vacuum-formed upholstery to fight liquid and bacterial infiltration and full ergonomic adjustability make this chair an ideal choice for healthcare, laboratory, clean room and education environments. Functions include pneumatic seat height adjustment range of 19" to 26" and fixed rearward seat tilt of 3.5 degrees, as well as backrest tilt and height adjustability. Features 18" wide X 19" high backrest with lumbar support, and saddle-shaped, contoured 21" wide X 19" deep X 3" thick seat with waterfall front; also includes high-profile 25.6" diameter reinforced composite base with adjustable height, 20" diameter footring, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	21x19	18x19	19-26	EA	\$949

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
VF:FVF:CR-H-RC-T-XF-XA-06	Vacuum Formed FC	<p>Vacuum-formed upholstery to fight liquid and bacterial infiltration and full ergonomic adjustability make this chair an ideal choice for healthcare, laboratory, clean room and education environments. Functions include pneumatic seat height adjustment range of 22" to 32" and fixed rearward seat tilt of 3.5 degrees, as well as backrest tilt and height adjustability. Features 18" wide X 19" high backrest with lumbar support, and saddle-shaped, contoured 21" wide X 19" deep X 3" thick seat with waterfall front; also includes high-profile 25.6" diameter reinforced composite base with adjustable height, 20" diameter footring, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	21x19	18x19	22-32	EA	\$969

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
VF:FVF:CW-L-RC-T-XF-XA-06	Vacuum Formed FC	Vacuum-formed upholstery to fight liquid and bacterial infiltration and full ergonomic adjustability make this chair an ideal choice for healthcare, laboratory, clean room and education environments. Functions include pneumatic seat height adjustment range of 17" to 22" and fixed rearward seat tilt of 3.5 degrees, as well as backrest tilt and height adjustability. Features 18" wide X 19" high backrest with lumbar support, and saddle-shaped, contoured 21" wide X 19" deep X 3" thick seat with waterfall front; also includes high-profile 28.7" diameter wide aluminum base with T-shape construction for added strength, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	21x19	18x19	17-22	EA	\$1,005

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
VF:FVF:CW-M-RC-T-XF-XA-06	Vacuum Formed FC	Vacuum-formed upholstery to fight liquid and bacterial infiltration and full ergonomic adjustability make this chair an ideal choice for healthcare, laboratory, clean room and education environments. Functions include pneumatic seat height adjustment range of 19" to 26" and fixed rearward seat tilt of 3.5 degrees, as well as backrest tilt and height adjustability. Features 18" wide X 19" high backrest with lumbar support, and saddle-shaped, contoured 21" wide X 19" deep X 3" thick seat with waterfall front; also includes high-profile 28.7" diameter wide aluminum base with adjustable height, 20" diameter footring, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	21x19	18x19	19-26	EA	\$1,046

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
VF:FVF:CW-H-RC-T-XF-XA-06	Vacuum Formed FC	Vacuum-formed upholstery to fight liquid and bacterial infiltration and full ergonomic adjustability make this chair an ideal choice for healthcare, laboratory, clean room and education environments. Functions include pneumatic seat height adjustment range of 22" to 32" and fixed rearward seat tilt of 3.5 degrees, as well as backrest tilt and height adjustability. Features 18" wide X 19" high backrest with lumbar support, and saddle-shaped, contoured 21" wide X 19" deep X 3" thick seat with waterfall front; also includes high-profile 28.7" diameter wide aluminum base with adjustable height, 20" diameter footring, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	21x19	18x19	22-32	EA	\$1,066

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
VF:FVF:LS-L-RC-T-XF-XA-06	Vacuum Formed FL	<p>Vacuum-formed upholstery to help prevent liquid and bacterial infiltration and a smaller backrest to maximize elbow room make this chair an ideal choice for healthcare, laboratory, clean room and education environments. Functions include pneumatic seat height adjustment range of 18" to 22" and fixed rearward seat tilt of 3.5 degrees, as well as backrest tilt and height adjustability.</p> <p>Features 15.5" wide X 14.5" high backrest with lumbar support and plastic protective panel, and saddle-shaped, contoured 21" wide X 19" deep X 3" thick seat with waterfall front; also includes high-profile 23" diameter tubular steel base with affixed 21" diameter footring, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	21x19	15.5x14.5	18-22	EA	\$984

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
VF:FVF:LS-M-RC-T-XF-XA-06	Vacuum Formed FL	<p>Vacuum-formed upholstery to help prevent liquid and bacterial infiltration and a smaller backrest to maximize elbow room make this chair an ideal choice for healthcare, laboratory, clean room and education environments. Functions include pneumatic seat height adjustment range of 21" to 28" and fixed rearward seat tilt of 3.5 degrees, as well as backrest tilt and height adjustability.</p> <p>Features 15.5" wide X 14.5" high backrest with lumbar support and plastic protective panel, and saddle-shaped, contoured 21" wide X 19" deep X 3" thick seat with waterfall front; also includes high-profile 23" diameter tubular steel base with affixed 21" diameter footring, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	21x19	15.5x14.5	21-28	EA	\$995

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
VF:FVF:LS-H-RC-T-XF-XA-06	Vacuum Formed FL	<p>Vacuum-formed upholstery to help prevent liquid and bacterial infiltration and a smaller backrest to maximize elbow room make this chair an ideal choice for healthcare, laboratory, clean room and education environments. Functions include pneumatic seat height adjustment range of 25" to 32" and fixed rearward seat tilt of 3.5 degrees, as well as backrest tilt and height adjustability.</p> <p>Features 15.5" wide X 14.5" high backrest with lumbar support and plastic protective panel, and saddle-shaped, contoured 21" wide X 19" deep X 3" thick seat with waterfall front; also includes high-profile 23" diameter tubular steel base with affixed 21" diameter footring, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	21x19	15.5x14.5	25-32	EA	\$1,051

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
VF:FVF:LA-L-RC-T-XF-XA-06	Vacuum Formed FL	<p>Vacuum-formed upholstery to help prevent liquid and bacterial infiltration and a smaller backrest to maximize elbow room make this chair an ideal choice for healthcare, laboratory, clean room and education environments. Functions include pneumatic seat height adjustment range of 17" to 22" and fixed rearward seat tilt of 3.5 degrees, as well as backrest tilt and height adjustability.</p> <p>Features 15.5" wide X 14.5" high backrest with lumbar support and plastic protective panel, and saddle-shaped, contoured 21" wide X 19" deep X 3" thick seat with waterfall front; also includes high-profile 25.6" diameter cast aluminum base with T-shape construction for added strength, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant.</p> <p>Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	21x19	15.5x14.5	17-22	EA	\$943

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
VF:FVF:LA-M-RC-T-XF-XA-06	Vacuum Formed FL	<p>Vacuum-formed upholstery to help prevent liquid and bacterial infiltration and a smaller backrest to maximize elbow room make this chair an ideal choice for healthcare, laboratory, clean room and education environments. Functions include pneumatic seat height adjustment range of 19" to 26" and fixed rearward seat tilt of 3.5 degrees, as well as backrest tilt and height adjustability.</p> <p>Features 15.5" wide X 14.5" high backrest with lumbar support and plastic protective panel, and saddle-shaped, contoured 21" wide X 19" deep X 3" thick seat with waterfall front; also includes high-profile 25.6" diameter cast aluminum base with adjustable height, 20" diameter footring, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant.</p> <p>Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	21x19	15.5x14.5	19-26	EA	\$954

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
VF:FVF:LA-H-RC-T-XF-XA-06	Vacuum Formed FL	<p>Vacuum-formed upholstery to help prevent liquid and bacterial infiltration and a smaller backrest to maximize elbow room make this chair an ideal choice for healthcare, laboratory, clean room and education environments. Functions include pneumatic seat height adjustment range of 22" to 32" and fixed rearward seat tilt of 3.5 degrees, as well as backrest tilt and height adjustability.</p> <p>Features 15.5" wide X 14.5" high backrest with lumbar support and plastic protective panel, and saddle-shaped, contoured 21" wide X 19" deep X 3" thick seat with waterfall front; also includes high-profile 25.6" diameter cast aluminum base with adjustable height, 20" diameter footring, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant.</p> <p>Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	21x19	15.5x14.5	22-32	EA	\$965

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
VF:FVF:LR-L-RC-T-XF-XA-06	Vacuum Formed FL	<p>Vacuum-formed upholstery to help prevent liquid and bacterial infiltration and a smaller backrest to maximize elbow room make this chair an ideal choice for healthcare, laboratory, clean room and education environments. Functions include pneumatic seat height adjustment range of 17" to 22" and fixed rearward seat tilt of 3.5 degrees, as well as backrest tilt and height adjustability.</p> <p>Features 15.5" wide X 14.5" high backrest with lumbar support and plastic protective panel, and saddle-shaped, contoured 21" wide X 19" deep X 3" thick seat with waterfall front; also includes high-profile 25.6" diameter reinforced composite base with T-shape construction for added strength, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied..</p> <p>Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	21x19	15.5x14.5	17-22	EA	\$863

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
VF:FVF:LR-M-RC-T-XF-XA-06	Vacuum Formed FL	<p>Vacuum-formed upholstery to help prevent liquid and bacterial infiltration and a smaller backrest to maximize elbow room make this chair an ideal choice for healthcare, laboratory, clean room and education environments. Functions include pneumatic seat height adjustment range of 19" to 26" and fixed rearward seat tilt of 3.5 degrees, as well as backrest tilt and height adjustability.</p> <p>Features 15.5" wide X 14.5" high backrest with lumbar support and plastic protective panel, and saddle-shaped, contoured 21" wide X 19" deep X 3" thick seat with waterfall front; also includes high-profile 25.6" diameter reinforced composite base with adjustable height, 20" diameter footring, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied..</p> <p>Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	21x19	15.5x14.5	19-26	EA	\$875

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
VF:FVF:LR-H-RC-T-XF-XA-06	Vacuum Formed FL	<p>Vacuum-formed upholstery to help prevent liquid and bacterial infiltration and a smaller backrest to maximize elbow room make this chair an ideal choice for healthcare, laboratory, clean room and education environments. Functions include pneumatic seat height adjustment range of 22" to 32" and fixed rearward seat tilt of 3.5 degrees, as well as backrest tilt and height adjustability.</p> <p>Features 15.5" wide X 14.5" high backrest with lumbar support and plastic protective panel, and saddle-shaped, contoured 21" wide X 19" deep X 3" thick seat with waterfall front; also includes high-profile 25.6" diameter reinforced composite base with adjustable height, 20" diameter footring, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied..</p> <p>Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	21x19	15.5x14.5	22-32	EA	\$895

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
VF:FVF:LW-L-RC-T-XF-XA-06	Vacuum Formed FL	<p>Vacuum-formed upholstery to help prevent liquid and bacterial infiltration and a smaller backrest to maximize elbow room make this chair an ideal choice for healthcare, laboratory, clean room and education environments. Functions include pneumatic seat height adjustment range of 17" to 22" and fixed rearward seat tilt of 3.5 degrees, as well as backrest tilt and height adjustability.</p> <p>Features 15.5" wide X 14.5" high backrest with lumbar support and plastic protective panel, and saddle-shaped, contoured 21" wide X 19" deep X 3" thick seat with waterfall front; also includes high-profile 28.7" diameter wide aluminum base with T-shape construction for added strength, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant.</p> <p>Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	21x19	15.5x14.5	17-22	EA	\$964

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
VF:FVF:LW-M-RC-T-XF-XA-06	Vacuum Formed FL	<p>Vacuum-formed upholstery to help prevent liquid and bacterial infiltration and a smaller backrest to maximize elbow room make this chair an ideal choice for healthcare, laboratory, clean room and education environments. Functions include pneumatic seat height adjustment range of 19" to 26" and fixed rearward seat tilt of 3.5 degrees, as well as backrest tilt and height adjustability.</p> <p>Features 15.5" wide X 14.5" high backrest with lumbar support and plastic protective panel, and saddle-shaped, contoured 21" wide X 19" deep X 3" thick seat with waterfall front; also includes high-profile 28.7" diameter wide aluminum base with adjustable height, 20" diameter footring, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant.</p> <p>Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	21x19	15.5x14.5	19-26	EA	\$975

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
VF:FVF:LW-H-RC-T-XF-XA-06	Vacuum Formed FL	<p>Vacuum-formed upholstery to help prevent liquid and bacterial infiltration and a smaller backrest to maximize elbow room make this chair an ideal choice for healthcare, laboratory, clean room and education environments. Functions include pneumatic seat height adjustment range of 22" to 32" and fixed rearward seat tilt of 3.5 degrees, as well as backrest tilt and height adjustability.</p> <p>Features 15.5" wide X 14.5" high backrest with lumbar support and plastic protective panel, and saddle-shaped, contoured 21" wide X 19" deep X 3" thick seat with waterfall front; also includes high-profile 28.7" diameter wide aluminum base with adjustable height, 20" diameter footring, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant.</p> <p>Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	21x19	15.5x14.5	22-32	EA	\$992

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
VF:HVF:CS-L-RC-T-XF-XA-06	Vacuum Formed HC	<p>Vacuum-formed upholstery to fight liquid and bacterial infiltration and a larger backrest for greater comfort make this chair an ideal choice for healthcare, laboratory, clean room and education environments. Functions include pneumatic seat height adjustment range of 18" to 22" and fixed rearward seat tilt of 3.5 degrees, as well as backrest tilt and height adjustability. Features 18" wide X 19" high backrest with lumbar support and plastic protective panel, and ergonomic 18.5" wide X 17" deep X 3" thick seat with waterfall front; also includes high-profile 23" diameter tubular steel base with affixed 21" diameter footring, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant.</p> <p>Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	18.5x17	18x19	18-22	EA	\$1,032

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
VF:HVF:CS-M-RC-T-XF-XA-06	Vacuum Formed HC	<p>Vacuum-formed upholstery to fight liquid and bacterial infiltration and a larger backrest for greater comfort make this chair an ideal choice for healthcare, laboratory, clean room and education environments. Functions include pneumatic seat height adjustment range of 21" to 28" and fixed rearward seat tilt of 3.5 degrees, as well as backrest tilt and height adjustability. Features 18" wide X 19" high backrest with lumbar support and plastic protective panel, and ergonomic 18.5" wide X 17" deep X 3" thick seat with waterfall front; also includes high-profile 23" diameter tubular steel base with affixed 21" diameter footring, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant.</p> <p>Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	18.5x17	18x19	21-28	EA	\$1,043

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
VF:HVF:CS-H-RC-T-XF-XA-06	Vacuum Formed HC	<p>Vacuum-formed upholstery to fight liquid and bacterial infiltration and a larger backrest for greater comfort make this chair an ideal choice for healthcare, laboratory, clean room and education environments. Functions include pneumatic seat height adjustment range of 25" to 32" and fixed rearward seat tilt of 3.5 degrees, as well as backrest tilt and height adjustability. Features 18" wide X 19" high backrest with lumbar support and plastic protective panel, and ergonomic 18.5" wide X 17" deep X 3" thick seat with waterfall front; also includes high-profile 23" diameter tubular steel base with affixed 21" diameter footring, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant.</p> <p>Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	18.5x17	18x19	25-32	EA	\$1,099

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
VF:HVF:CA-L-RC-T-XF-XA-06	Vacuum Formed HC	Vacuum-formed upholstery to fight liquid and bacterial infiltration and a larger backrest for greater comfort make this chair an ideal choice for healthcare, laboratory, clean room and education environments. Functions include pneumatic seat height adjustment range of 17" to 22" and fixed rearward seat tilt of 3.5 degrees, as well as backrest tilt and height adjustability. Features 18" wide X 19" high backrest with lumbar support and plastic protective panel, and ergonomic 18.5" wide X 17" deep X 3" thick seat with waterfall front; also includes high-profile 25.6" diameter cast aluminum base with T-shape construction for added strength, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	18.5x17	18x19	17-22	EA	\$991

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
VF:HVF:CA-M-RC-T-XF-XA-06	Vacuum Formed HC	Vacuum-formed upholstery to fight liquid and bacterial infiltration and a larger backrest for greater comfort make this chair an ideal choice for healthcare, laboratory, clean room and education environments. Functions include pneumatic seat height adjustment range of 19" to 26" and fixed rearward seat tilt of 3.5 degrees, as well as backrest tilt and height adjustability. Features 18" wide X 19" high backrest with lumbar support and plastic protective panel, and ergonomic 18.5" wide X 17" deep X 3" thick seat with waterfall front; also includes high-profile 25.6" diameter cast aluminum base with adjustable height, 20" diameter footring, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	18.5x17	18x19	19-26	EA	\$1,002

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
VF:HVF:CA-H-RC-T-XF-XA-06	Vacuum Formed HC	Vacuum-formed upholstery to fight liquid and bacterial infiltration and a larger backrest for greater comfort make this chair an ideal choice for healthcare, laboratory, clean room and education environments. Functions include pneumatic seat height adjustment range of 22" to 32" and fixed rearward seat tilt of 3.5 degrees, as well as backrest tilt and height adjustability. Features 18" wide X 19" high backrest with lumbar support and plastic protective panel, and ergonomic 18.5" wide X 17" deep X 3" thick seat with waterfall front; also includes high-profile 25.6" diameter cast aluminum base with adjustable height, 20" diameter footring, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	18.5x17	18x19	22-32	EA	\$1,013

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
VF:HVF:CR-L-RC-T-XF-XA-06	Vacuum Formed HC	Vacuum-formed upholstery to fight liquid and bacterial infiltration and a larger backrest for greater comfort make this chair an ideal choice for healthcare, laboratory, clean room and education environments. Functions include pneumatic seat height adjustment range of 17" to 22" and fixed rearward seat tilt of 3.5 degrees, as well as backrest tilt and height adjustability. Features 18" wide X 19" high backrest with lumbar support and plastic protective panel, and ergonomic 18.5" wide X 17" deep X 3" thick seat with waterfall front; also includes high-profile 25.6" diameter reinforced composite base with T-shape construction for added strength, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	18.5x17	18x19	17-22	EA	\$911

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
VF:HVF:CR-M-RC-T-XF-XA-06	Vacuum Formed HC	Vacuum-formed upholstery to fight liquid and bacterial infiltration and a larger backrest for greater comfort make this chair an ideal choice for healthcare, laboratory, clean room and education environments. Functions include pneumatic seat height adjustment range of 19" to 26" and fixed rearward seat tilt of 3.5 degrees, as well as backrest tilt and height adjustability. Features 18" wide X 19" high backrest with lumbar support and plastic protective panel, and ergonomic 18.5" wide X 17" deep X 3" thick seat with waterfall front; also includes high-profile 25.6" diameter reinforced composite base with adjustable height, 20" diameter footring, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	18.5x17	18x19	19-26	EA	\$922

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
VF:HVF:CR-H-RC-T-XF-XA-06	Vacuum Formed HC	Vacuum-formed upholstery to fight liquid and bacterial infiltration and a larger backrest for greater comfort make this chair an ideal choice for healthcare, laboratory, clean room and education environments. Functions include pneumatic seat height adjustment range of 22" to 32" and fixed rearward seat tilt of 3.5 degrees, as well as backrest tilt and height adjustability. Features 18" wide X 19" high backrest with lumbar support and plastic protective panel, and ergonomic 18.5" wide X 17" deep X 3" thick seat with waterfall front; also includes high-profile 25.6" diameter reinforced composite base with adjustable height, 20" diameter footring, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	18.5x17	18x19	22-32	EA	\$933

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
VF:HVF:CW-L-RC-T-XF-XA-06	Vacuum Formed HC	Vacuum-formed upholstery to fight liquid and bacterial infiltration and a larger backrest for greater comfort make this chair an ideal choice for healthcare, laboratory, clean room and education environments. Functions include pneumatic seat height adjustment range of 17" to 22" and fixed rearward seat tilt of 3.5 degrees, as well as backrest tilt and height adjustability. Features 18" wide X 19" high backrest with lumbar support and plastic protective panel, and ergonomic 18.5" wide X 17" deep X 3" thick seat with waterfall front; also includes high-profile 28.7" diameter wide aluminum base with T-shape construction for added strength, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	18.5x17	18x19	17-22	EA	\$1,012

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
VF:HVF:CW-M-RC-T-XF-XA-06	Vacuum Formed HC	Vacuum-formed upholstery to fight liquid and bacterial infiltration and a larger backrest for greater comfort make this chair an ideal choice for healthcare, laboratory, clean room and education environments. Functions include pneumatic seat height adjustment range of 19" to 26" and fixed rearward seat tilt of 3.5 degrees, as well as backrest tilt and height adjustability. Features 18" wide X 19" high backrest with lumbar support and plastic protective panel, and ergonomic 18.5" wide X 17" deep X 3" thick seat with waterfall front; also includes high-profile 28.7" diameter wide aluminum base with adjustable height, 20" diameter footring, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	18.5x17	18x19	19-26	EA	\$1,023

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
VF:HVF:CW-H-RC-T-XF-XA-06	Vacuum Formed HC	Vacuum-formed upholstery to fight liquid and bacterial infiltration and a larger backrest for greater comfort make this chair an ideal choice for healthcare, laboratory, clean room and education environments. Functions include pneumatic seat height adjustment range of 22" to 32" and fixed rearward seat tilt of 3.5 degrees, as well as backrest tilt and height adjustability. Features 18" wide X 19" high backrest with lumbar support and plastic protective panel, and ergonomic 18.5" wide X 17" deep X 3" thick seat with waterfall front; also includes high-profile 28.7" diameter wide aluminum base with adjustable height, 20" diameter footring, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	18.5x17	18x19	22-32	EA	\$1,034

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
VF:HVF:LS-L-RC-T-XF-XA-06	Vacuum Formed HL	<p>Seamless, vacuum-formed upholstery to help prevent liquid and bacterial infiltration and a smaller, nimble backrest make this chair an ideal choice for healthcare, laboratory, clean room and education environments. Functions include pneumatic seat height adjustment range of 18" to 22" and fixed rearward seat tilt of 3.5 degrees, as well as backrest tilt and height adjustability.</p> <p>Features 15.5 wide X 14.5" high backrest with lumbar support and plastic protective panel, and ergonomic 18.5" wide X 17" deep X 3" thick seat with waterfall front; also includes high-profile 23" diameter tubular steel base with affixed 21" diameter footring, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	18.5x17	15.5x14.5	18-22	EA	\$996

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
VF:HVF:LS-M-RC-T-XF-XA-06	Vacuum Formed HL	<p>Seamless, vacuum-formed upholstery to help prevent liquid and bacterial infiltration and a smaller, nimble backrest make this chair an ideal choice for healthcare, laboratory, clean room and education environments. Functions include pneumatic seat height adjustment range of 21" to 28" and fixed rearward seat tilt of 3.5 degrees, as well as backrest tilt and height adjustability.</p> <p>Features 15.5 wide X 14.5" high backrest with lumbar support and plastic protective panel, and ergonomic 18.5" wide X 17" deep X 3" thick seat with waterfall front; also includes high-profile 23" diameter tubular steel base with affixed 21" diameter footring, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	18.5x17	15.5x14.5	21-28	EA	\$1,007

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
VF:HVF:LS-H-RC-T-XF-XA-06	Vacuum Formed HL	<p>Seamless, vacuum-formed upholstery to help prevent liquid and bacterial infiltration and a smaller, nimble backrest make this chair an ideal choice for healthcare, laboratory, clean room and education environments. Functions include pneumatic seat height adjustment range of 25" to 32" and fixed rearward seat tilt of 3.5 degrees, as well as backrest tilt and height adjustability.</p> <p>Features 15.5 wide X 14.5" high backrest with lumbar support and plastic protective panel, and ergonomic 18.5" wide X 17" deep X 3" thick seat with waterfall front; also includes high-profile 23" diameter tubular steel base with affixed 21" diameter footring, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	18.5x17	15.5x14.5	25-32	EA	\$1,063

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
VF:HVF:LA-L-RC-T-XF-XA-06	Vacuum Formed HL	<p>Seamless, vacuum-formed upholstery to help prevent liquid and bacterial infiltration and a smaller, nimble backrest make this chair an ideal choice for healthcare, laboratory, clean room and education environments. Functions include pneumatic seat height adjustment range of 17" to 22" and fixed rearward seat tilt of 3.5 degrees, as well as backrest tilt and height adjustability.</p> <p>Features 15.5 wide X 14.5" high backrest with lumbar support and plastic protective panel, and ergonomic 18.5" wide X 17" deep X 3" thick seat with waterfall front; also includes high-profile 25.6" diameter cast aluminum base with T-shape construction for added strength, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant.</p> <p>Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	18.5x17	15.5x14.5	17-22	EA	\$955

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
VF:HVF:LA-M-RC-T-XF-XA-06	Vacuum Formed HL	<p>Seamless, vacuum-formed upholstery to help prevent liquid and bacterial infiltration and a smaller, nimble backrest make this chair an ideal choice for healthcare, laboratory, clean room and education environments. Functions include pneumatic seat height adjustment range of 19" to 26" and fixed rearward seat tilt of 3.5 degrees, as well as backrest tilt and height adjustability.</p> <p>Features 15.5 wide X 14.5" high backrest with lumbar support and plastic protective panel, and ergonomic 18.5" wide X 17" deep X 3" thick seat with waterfall front; also includes high-profile 25.6" diameter cast aluminum base with adjustable height, 20" diameter footring, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	18.5x17	15.5x14.5	19-26	EA	\$966

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
VF:HVF:LA-H-RC-T-XF-XA-06	Vacuum Formed HL	<p>Seamless, vacuum-formed upholstery to help prevent liquid and bacterial infiltration and a smaller, nimble backrest make this chair an ideal choice for healthcare, laboratory, clean room and education environments. Functions include pneumatic seat height adjustment range of 22" to 32" and fixed rearward seat tilt of 3.5 degrees, as well as backrest tilt and height adjustability.</p> <p>Features 15.5 wide X 14.5" high backrest with lumbar support and plastic protective panel, and ergonomic 18.5" wide X 17" deep X 3" thick seat with waterfall front; also includes high-profile 25.6" diameter cast aluminum base with adjustable height, 20" diameter footring, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	18.5x17	15.5x14.5	22-32	EA	\$977

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
VF:HVF:LR-L-RC-T-XF-XA-06	Vacuum Formed HL	<p>Seamless, vacuum-formed upholstery to help prevent liquid and bacterial infiltration and a smaller, nimble backrest make this chair an ideal choice for healthcare, laboratory, clean room and education environments. Functions include pneumatic seat height adjustment range of 17" to 22" and fixed rearward seat tilt of 3.5 degrees, as well as backrest tilt and height adjustability.</p> <p>Features 15.5 wide X 14.5" high backrest with lumbar support and plastic protective panel, and ergonomic 18.5" wide X 17" deep X 3" thick seat with waterfall front; also includes high-profile 25.6" diameter reinforced composite base with T-shape construction for added strength, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant.</p> <p>Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	18.5x17	15.5x14.5	17-22	EA	\$875

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
VF:HVF:LR-M-RC-T-XF-XA-06	Vacuum Formed HL	<p>Seamless, vacuum-formed upholstery to help prevent liquid and bacterial infiltration and a smaller, nimble backrest make this chair an ideal choice for healthcare, laboratory, clean room and education environments. Functions include pneumatic seat height adjustment range of 19" to 26" and fixed rearward seat tilt of 3.5 degrees, as well as backrest tilt and height adjustability.</p> <p>Features 15.5 wide X 14.5" high backrest with lumbar support and plastic protective panel, and ergonomic 18.5" wide X 17" deep X 3" thick seat with waterfall front; also includes high-profile 25.6" diameter reinforced composite base with adjustable height, 20" diameter footring, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	18.5x17	15.5x14.5	19-26	EA	\$886

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
VF:HVF:LR-H-RC-T-XF-XA-06	Vacuum Formed HL	<p>Seamless, vacuum-formed upholstery to help prevent liquid and bacterial infiltration and a smaller, nimble backrest make this chair an ideal choice for healthcare, laboratory, clean room and education environments. Functions include pneumatic seat height adjustment range of 22" to 32" and fixed rearward seat tilt of 3.5 degrees, as well as backrest tilt and height adjustability.</p> <p>Features 15.5 wide X 14.5" high backrest with lumbar support and plastic protective panel, and ergonomic 18.5" wide X 17" deep X 3" thick seat with waterfall front; also includes high-profile 25.6" diameter reinforced composite base with adjustable height, 20" diameter footring, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	18.5x17	15.5x14.5	22-32	EA	\$897

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
VF:HVF:LW-L-RC-T-XF-XA-06	Vacuum Formed HL	<p>Seamless, vacuum-formed upholstery to help prevent liquid and bacterial infiltration and a smaller, nimble backrest make this chair an ideal choice for healthcare, laboratory, clean room and education environments. Functions include pneumatic seat height adjustment range of 17" to 22" and fixed rearward seat tilt of 3.5 degrees, as well as backrest tilt and height adjustability.</p> <p>Features 15.5 wide X 14.5" high backrest with lumbar support and plastic protective panel, and ergonomic 18.5" wide X 17" deep X 3" thick seat with waterfall front; also includes high-profile 28.7" diameter wide aluminum base with T-shape construction for added strength, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant.</p> <p>Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	18.5x17	15.5x14.5	17-22	EA	\$976

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
VF:HVF:LW-M-RC-T-XF-XA-06	Vacuum Formed HL	<p>Seamless, vacuum-formed upholstery to help prevent liquid and bacterial infiltration and a smaller, nimble backrest make this chair an ideal choice for healthcare, laboratory, clean room and education environments. Functions include pneumatic seat height adjustment range of 19" to 26" and fixed rearward seat tilt of 3.5 degrees, as well as backrest tilt and height adjustability.</p> <p>Features 15.5 wide X 14.5" high backrest with lumbar support and plastic protective panel, and ergonomic 18.5" wide X 17" deep X 3" thick seat with waterfall front; also includes high-profile 28.7" diameter wide aluminum base with adjustable height, 20" diameter footring, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	18.5x17	15.5x14.5	19-26	EA	\$987

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
VF:HVF:LW-H-RC-T-XF-XA-06	Vacuum Formed HL	<p>Seamless, vacuum-formed upholstery to help prevent liquid and bacterial infiltration and a smaller, nimble backrest make this chair an ideal choice for healthcare, laboratory, clean room and education environments. Functions include pneumatic seat height adjustment range of 22" to 32" and fixed rearward seat tilt of 3.5 degrees, as well as backrest tilt and height adjustability.</p> <p>Features 15.5 wide X 14.5" high backrest with lumbar support and plastic protective panel, and ergonomic 18.5" wide X 17" deep X 3" thick seat with waterfall front; also includes high-profile 28.7" diameter wide aluminum base with adjustable height, 20" diameter footring, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	18.5x17	15.5x14.5	22-32	EA	\$998

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
FSP-M-IPR-IP-XF-XA-06	Intensive Plus	<p>Full ergonomic adjustability, 500-pound capacity and executive-style comfort make this chair an ideal choice for office, healthcare, education and industrial work environments. Functions include pneumatic seat height adjustment range of 20" to 25", as well as backrest height adjustment, seat and backrest swivel/tilt in unison with tilt-tension knob and single lever seat tilt lock in any position.</p> <p>Features 20" wide X 23" high backrest with lumbar and kidney support; saddle-shaped, contoured 21" wide X 19" deep X 3" thick seat, a 5-point, star-shaped 27" diameter polished aluminum base, and 3" diameter, dual-wheel casters load rated at 165 pounds each. Does not include arms; arms available as an option. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	21x19	20x23	20-25	EA	\$2,011

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
FSP-M-HG-IP-XF-XA-06	Intensive Plus	<p>Full ergonomic adjustability, 500-pound capacity and executive-style comfort make this chair an ideal choice for office, healthcare, education and industrial work environments. Functions include pneumatic seat height adjustment range of 20" to 25", as well as backrest height adjustment, seat and backrest swivel/tilt in unison with tilt-tension knob and single lever seat tilt lock in any position.</p> <p>Features 20" wide X 23" high backrest with lumbar and kidney support; saddle-shaped, contoured 21" wide X 19" deep X 3" thick seat, a 5-point, star-shaped 27" diameter polished aluminum base and heavy duty glides. Does not include arms; arms available as an option. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	21x19	20x23	20-25	EA	\$2,011

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
APR-L-RC-Z-XF-XA-06	Zephyr AP	<p>An airy mesh back, saddle-shaped seat and executive-inspired styling combine to make this chair a true standout in office, education and healthcare work environments of every description.</p> <p>Functions include pneumatic seat height adjustment range of 17" to 22" with backrest-tilt/seat-tilt adjustability and spring tension control knob. Features 19" wide X 24" high nylon mesh ergonomic backrest, and saddle-shaped, contoured 21" wide X 19" deep X 3" thick seat with internal seat board bumperguard and waterfall front; also includes high-profile 28.7" diameter wide aluminum base with T-shape construction for added strength, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	21x19	19x24	17-22	EA	\$1,086

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
APR-M-RC-Z-XF-XA-06	Zephyr AP	<p>An airy mesh back, saddle-shaped seat and executive-inspired styling combine to make this chair a true standout in office, education and healthcare work environments of every description. Functions include pneumatic seat height adjustment range of 19" to 26" with backrest-tilt/seat-tilt adjustability and spring tension control knob. Features 19" wide X 24" high nylon mesh ergonomic backrest, and saddle-shaped, contoured 21" wide X 19" deep X 3" thick seat with internal seat board bumperguard and waterfall front; also includes high-profile 28.7" diameter wide aluminum base with adjustable height 20" diameter cast aluminum footring, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	21x19	19x24	19-26	EA	\$1,168

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
APW-L-RC-Z-XF-XA-06	Zephyr AP	<p>An airy mesh back, saddle-shaped seat and executive-inspired styling combine to make this chair a true standout in office, education and healthcare work environments of every description. Functions include pneumatic seat height adjustment range of 17" to 22" with backrest-tilt/seat-tilt adjustability and spring tension control knob. Features 19" wide X 24" high nylon mesh ergonomic backrest, and saddle-shaped, contoured 21" wide X 19" deep X 3" thick seat with internal seat board bumperguard and waterfall front; also includes high-profile 25.6" diameter reinforced composite base with T-shape construction for added strength, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	21x19	19x24	17-22	EA	\$1,179

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
APW-M-RC-Z-XF-XA-06	Zephyr AP	<p>An airy mesh back, saddle-shaped seat and executive-inspired styling combine to make this chair a true standout in office, education and healthcare work environments of every description. Functions include pneumatic seat height adjustment range of 19" to 26" with backrest-tilt/seat-tilt adjustability and spring tension control knob. Features 19" wide X 24" high nylon mesh ergonomic backrest, and saddle-shaped, contoured 21" wide X 19" deep X 3" thick seat with internal seat board bumperguard and waterfall front; also includes high-profile 25.6" diameter reinforced composite base with adjustable height 20" diameter cast aluminum footring, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	21x19	19x24	19-26	EA	\$1,183

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
FPR-L-RC-Z-XF-XA-06	Zephyr FP	Cloth upholstery, an airy mesh back, saddle-shaped seat and executive-inspired styling combine to make this chair a true standout in office, education and healthcare work environments. Functions include pneumatic seat height adjustment range of 17" to 22" with backrest-tilt/seat-tilt adjustability and spring tension control knob. Features 19" wide X 24" high nylon mesh ergonomic backrest, and saddle-shaped, contoured 21" wide X 19" deep X 3" thick seat with sewn seams, internal seat board bumperguard and waterfall front; also includes high-profile 28.7" diameter wide aluminum base with T-shape construction for added strength, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	21x19	19X24	17-22	EA	\$1,194

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
FPR-M-RC-Z-XF-XA-06	Zephyr FP	Cloth upholstery, an airy mesh back, saddle-shaped seat and executive-inspired styling combine to make this chair a true standout in office, education and healthcare work environments. Functions include pneumatic seat height adjustment range of 17" to 22" with backrest-tilt/seat-tilt adjustability and spring tension control knob. Features 19" wide X 24" high nylon mesh ergonomic backrest, and saddle-shaped, contoured 21" wide X 19" deep X 3" thick seat with sewn seams, internal seat board bumperguard and waterfall front; also includes high-profile 28.7" diameter wide aluminum base with adjustable height 20" diameter cast aluminum footring, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	21x19	19x24	19-26	EA	\$1,248

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
FPW-L-RC-Z-XF-XA-06	Zephyr FP	<p>Cloth upholstery, an airy mesh back, saddle-shaped seat and executive-inspired styling combine to make this chair a true standout in office, education and healthcare work environments. Functions include pneumatic seat height adjustment range of 17" to 22" with backrest-tilt/seat-tilt adjustability and spring tension control knob. Features 19" wide X 24" high nylon mesh ergonomic backrest, and saddle-shaped, contoured 21" wide X 19" deep X 3" thick seat with sewn seams, internal seat board bumperguard and waterfall front; also includes high-profile 25.6" diameter reinforced composite base with T-shape construction for added strength, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied..</p> <p>Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	21x19	19x24	17-22	EA	\$1,259

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
FPW-M-RC-Z-XF-XA-06	Zephyr FP	Cloth upholstery, an airy mesh back, saddle-shaped seat and executive-inspired styling combine to make this chair a true standout in office, education and healthcare work environments. Functions include pneumatic seat height adjustment range of 17" to 22" with backrest-tilt/seat-tilt adjustability and spring tension control knob. Features 19" wide X 24" high nylon mesh ergonomic backrest, and saddle-shaped, contoured 21" wide X 19" deep X 3" thick seat with sewn seams, internal seat board bumperguard and waterfall front; also includes high-profile 25.6" diameter reinforced composite base with adjustable height 20" diameter cast aluminum footring, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	21x19	19x24	19-26	EA	\$1,209

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
FCR-L-RC-EXE-XF-PSAS-06	ExecErgo FCR Sewn Seams	<p>Exceptional performance, ergonomic functionality and executive tilt control make this chair an everyday solution in office, education and healthcare environments. Functions include pneumatic seat height adjustment range of 17" to 22" with backrest-tilt, seat and backrest swivel that tilts in unison, and tilt tension control knob.</p> <p>Features 18" wide X 19" high backrest with sewn seams, lumbar support and plastic protective panel; height-adjustable armrests with self-skinned urethane pads, and saddle-shaped, contoured 21" wide X 19" deep X 3" thick seat with waterfall front and internal seat board bumperguard; also includes high-profile, Euro-look 25.6" diameter reinforced composite base with T-shape construction for added strength, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	21x19	18x19	17-22	EA	\$1,211

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
HLR-L-RC-EXE-XF-PSAS-06	ExecErgo HLR Sewn Seams	<p>Exceptional performance, ergonomic functionality and executive tilt control make this chair an everyday solution in office, education and healthcare environments. Functions include pneumatic seat height adjustment range of 17" to 22" with backrest-tilt, seat and backrest swivel that tilts in unison, and tilt tension control knob. Features 18.5" wide X 14.5 high backrest with sewn seams, lumbar support and plastic protective panel; height-adjustable armrests with self-skinned urethane pads, and saddle-shaped, contoured 18.5" wide X 17" deep X 3" thick seat with sewn seams, waterfall front and internal seat board bumperguard; also includes high-profile, Euro-look 25.6" diameter reinforced composite base with T-shape construction for added strength, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	18.5x17	18.5x14.5	17-22	EA	\$1,073

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
ASR-L-RC-EXE-XF-PSAS-06	ExecErgo Scepter	Exceptional performance, ergonomic functionality and executive tilt control make this chair an everyday solution in office, education and healthcare environments. Functions include pneumatic seat height adjustment range of 17" to 22" with backrest-tilt, seat and backrest swivel that tilts in unison, and tilt tension control knob. Features 20" wide X 23" high contoured and molded backrest with lumbar support, height-adjustable armrests with self-skinned urethane pads, and saddle-shaped, contoured 21" wide X 19" deep X 3" thick seat with waterfall front and internal seat board bumperguard; also includes high-profile, Euro-look 25.6" diameter reinforced composite base with T-shape construction for added strength, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	21x19	20x23	17-22	EA	\$1,222

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
AER-L-RC-EXE-XF-PSAS-06	ExecErgo Avenue	<p>Exceptional performance, ergonomic functionality and executive tilt control make this chair an everyday solution in office, education and healthcare environments. Functions include pneumatic seat height adjustment range of 17" to 22" with backrest-tilt, seat and backrest swivel that tilts in unison, and tilt tension control knob.</p> <p>Features 15.5" wide X 14.5" high backrest with lumbar support and plastic protective panel, height-adjustable armrests with self-skinned urethane pads, and saddle-shaped, contoured 21" wide X 19" deep X 3" thick seat with waterfall front and internal seat board bumperguard; also includes high-profile, Euro-look 25.6" diameter reinforced composite base with T-shape construction for added strength, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	21x19	15.5x14.5	17-22	EA	\$1,037

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
RTS-L-RC-T-XF-XA-06	Regent	A streamlined backrest and high-resilience molded foam cushioning make this upholstered ergonomic chair a practical solution for use in healthcare, laboratory, static control/ESD, industrial and education environments. Features include pneumatic seat height adjustment range of 18" to 22", a round 16" diameter, 3.5" thick upholstered seat, and 14.5" wide X 9.5" high backrest with lumbar support. Also includes high-profile, Euro-look 23" diameter tubular steel base with standard 21" diameter affixed footring, and dual-wheel, non-marring polyurethane casters resist movement when the chair is unoccupied. . Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	16" diameter, 3.5" thick	14.5x9.5	18-22	EA	\$769
RTS-M-RC-T-XF-XA-06	Regent	A streamlined backrest and high-resilience molded foam cushioning make this upholstered ergonomic chair a practical solution for use in healthcare, laboratory, static control/ESD, industrial and education environments. Features include pneumatic seat height adjustment range of 21" to 28", a round 16" diameter, 3.5" thick upholstered seat, and 14.5" wide X 9.5" high backrest with lumbar support. Also includes high-profile, Euro-look 23" diameter tubular steel base with standard 21" diameter affixed footring, and dual-wheel, non-marring polyurethane casters resist movement when the chair is unoccupied. . Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	16" diameter, 3.5" thick	14.5x9.5	21-28	EA	\$793

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
RTS-H-RC-T-XF-XA-06	Regent	A streamlined backrest and high-resilience molded foam cushioning make this upholstered ergonomic chair a practical solution for use in healthcare, laboratory, static control/ESD, industrial and education environments. Features include pneumatic seat height adjustment range of 25" to 32", a round 16" diameter, 3.5" thick upholstered seat, and 14.5" wide X 9.5" high backrest with lumbar support. Also includes high-profile, Euro-look 23" diameter tubular steel base with standard 21" diameter affixed footring, and dual-wheel, non-marring polyurethane casters resist movement when the chair is unoccupied. . Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	16" diameter, 3.5" thick	14.5x9.5	25-32	EA	\$839
RTA-L-RC-T-XF-XA-06	Regent	A streamlined backrest and high-resilience molded foam cushioning make this upholstered ergonomic chair a practical solution for use in healthcare, laboratory, static control/ESD, industrial and education environments. Features include pneumatic seat height adjustment range of 17" to 22", a round 16" diameter, 3.5" thick upholstered seat, and 14.5" wide X 9.5" high backrest with lumbar support. Also includes high-profile, Euro-look 25.6" diameter cast aluminum base with T-shape construction for added strength, and dual-wheel, non-marring polyurethane casters resist movement when the chair is unoccupied. . Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	16" diameter, 3.5" thick	14.5x9.5	17-22	EA	\$740

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
RTA-M-RC-T-XF-XA-06	Regent	A streamlined backrest and high-resilience molded foam cushioning make this upholstered ergonomic chair a practical solution for use in healthcare, laboratory, static control/ESD, industrial and education environments. Features include pneumatic seat height adjustment range of 19" to 26", a round 16" diameter, 3.5" thick upholstered seat, and 14.5" wide X 9.5" high backrest with lumbar support. Also includes high-profile, Euro-look 25.6" diameter cast aluminum base,, and dual-wheel, non-marring polyurethane casters resist movement when the chair is unoccupied. . Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	16" diameter, 3.5" thick	14.5x9.5	19-26	EA	\$751
RTA-H-RC-T-XF-XA-06	Regent	A streamlined backrest and high-resilience molded foam cushioning make this upholstered ergonomic chair a practical solution for use in healthcare, laboratory, static control/ESD, industrial and education environments. Features include pneumatic seat height adjustment range of 22" to 32", a round 16" diameter, 3.5" thick upholstered seat, and 14.5" wide X 9.5" high backrest with lumbar support. Also includes high-profile, Euro-look 25.6" diameter cast aluminum base,, and dual-wheel, non-marring polyurethane casters resist movement when the chair is unoccupied. . Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	16" diameter, 3.5" thick	14.5x9.5	22-32	EA	\$762

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
RTR-L-RC-T-XF-XA-06	Regent	A streamlined backrest and high-resilience molded foam cushioning make this upholstered ergonomic chair a practical solution for use in healthcare, laboratory, industrial and education environments. Features include pneumatic seat height adjustment range of 17" to 22", a round 16" diameter, 3.5" thick upholstered seat, and 14.5" wide X 9.5" high backrest with lumbar support. Also includes high-profile, Euro-look 25.6" diameter reinforced composite base with T-shape construction for added strength, and dual-wheel, non-marring polyurethane casters resist movement when the chair is unoccupied. . Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	16"	14.5x9.5	17-22	EA	\$663
RTR-M-RC-T-XF-XA-06	Regent	A streamlined backrest and high-resilience molded foam cushioning make this upholstered ergonomic chair a practical solution for use in healthcare, laboratory, industrial and education environments. Features include pneumatic seat height adjustment range of 19" to 26", a round 16" diameter, 3.5" thick upholstered seat, and 14.5" wide X 9.5" high backrest with lumbar support. Also includes high-profile, Euro-look 25.6" diameter reinforced composite base,, and dual-wheel, non-marring polyurethane casters resist movement when the chair is unoccupied. . Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	16"	14.5x9.5	19-26	EA	\$674

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
RTR-H-RC-T-XF-XA-06	Regent	A streamlined backrest and high-resilience molded foam cushioning make this upholstered ergonomic chair a practical solution for use in healthcare, laboratory, industrial and education environments. Features include pneumatic seat height adjustment range of 22" to 32", a round 16" diameter, 3.5" thick upholstered seat, and 14.5" wide X 9.5" high backrest with lumbar support. Also includes high-profile, Euro-look 25.6" diameter reinforced composite base,, and dual-wheel, non-marring polyurethane casters resist movement when the chair is unoccupied. . Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	16" diameter, 3.5" thick	14.5x9.5	22-32	EA	\$685
RTW-L-RC-T-XF-XA-06	Regent	A streamlined backrest and high-resilience molded foam cushioning make this upholstered ergonomic chair a practical solution for use in healthcare, laboratory, static control/ESD, industrial and education environments. Features include pneumatic seat height adjustment range of 17" to 22", a round 16" diameter, 3.5" thick upholstered seat, and 14.5" wide X 9.5" high backrest with lumbar support. Also includes high-profile, Euro-look 28.7" diameter wide aluminum base with T-shape construction for added strength, and dual-wheel, non-marring polyurethane casters resist movement when the chair is unoccupied. . Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	16" diameter, 3.5" thick	14.5x9.5	17-22	EA	\$761

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
RTW-M-RC-T-XF-XA-06	Regent	A streamlined backrest and high-resilience molded foam cushioning make this upholstered ergonomic chair a practical solution for use in healthcare, laboratory, static control/ESD, industrial and education environments. Features include pneumatic seat height adjustment range of 19" to 26", a round 16" diameter, 3.5" thick upholstered seat, and 14.5" wide X 9.5" high backrest with lumbar support. Also includes high-profile, Euro-look 28.7" diameter wide aluminum base,, and dual-wheel, non-marring polyurethane casters resist movement when the chair is unoccupied. . Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	16" diameter, 3.5" thick	14.5x9.5	19-26	EA	\$772
RTW-H-RC-T-XF-XA-06	Regent	A streamlined backrest and high-resilience molded foam cushioning make this upholstered ergonomic chair a practical solution for use in healthcare, laboratory, static control/ESD, industrial and education environments. Features include pneumatic seat height adjustment range of 22" to 32", a round 16" diameter, 3.5" thick upholstered seat, and 14.5" wide X 9.5" high backrest with lumbar support. Also includes high-profile, Euro-look 28.7" diameter wide aluminum base,, and dual-wheel, non-marring polyurethane casters resist movement when the chair is unoccupied. . Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	16" diameter, 3.5" thick	14.5x9.5	22-32	EA	\$783

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
VF:RTS-L-RC-T-XF-XA-06	Regent VF	Vacuum-formed upholstery, liquid- and bacteria-resistant properties and a trapezoid-shaped backrest for added ergonomic support make this chair a practical solution for use in healthcare, laboratory and clean room environments. Features include pneumatic seat height adjustment range of 18" to 22", a round 16" diameter, 3.5" thick upholstered seat, and black, powder-coated paint finish on metal parts. Also includes high-profile, Euro-look 23" diameter tubular steel base with standard 21" diameter affixed footring, and dual-wheel, non-marring polyurethane casters resist movement when the chair is unoccupied. . Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	16" diameter, 3.5" thick	14.5x9.5	18-22	EA	\$839
VF:RTS-M-RC-T-XF-XA-06	Regent VF	Vacuum-formed upholstery, liquid- and bacteria-resistant properties and a trapezoid-shaped backrest for added ergonomic support make this chair a practical solution for use in healthcare, laboratory and clean room environments. Features include pneumatic seat height adjustment range of 21" to 28", a round 16" diameter, 3.5" thick upholstered seat, and black, powder-coated paint finish on metal parts. Also includes high-profile, Euro-look 23" diameter tubular steel base with standard 21" diameter affixed footring, and dual-wheel, non-marring polyurethane casters resist movement when the chair is unoccupied. . Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	16" diameter, 3.5" thick	14.5x9.5	21-28	EA	\$850

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
VF:RTS-H-RC-T-XF-XA-06	Regent VF	Vacuum-formed upholstery, liquid- and bacteria-resistant properties and a trapezoid-shaped backrest for added ergonomic support make this chair a practical solution for use in healthcare, laboratory and clean room environments. Features include pneumatic seat height adjustment range of 25" to 32", a round 16" diameter, 3.5" thick upholstered seat, and black, powder-coated paint finish on metal parts. Also includes high-profile, Euro-look 23" diameter tubular steel base with standard 21" diameter affixed footring, and dual-wheel, non-marring polyurethane casters resist movement when the chair is unoccupied. . Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	16"	14.5x9.5	25-32	EA	\$906
VF:RTA-L-RC-T-XF-XA-06	Regent VF	Vacuum-formed upholstery, liquid- and bacteria-resistant properties and a trapezoid-shaped backrest for added ergonomic support make this chair a practical solution for use in healthcare, laboratory and clean room environments. Features include pneumatic seat height adjustment range of 17" to 22", a round 16" diameter, 3.5" thick upholstered seat, and black, powder-coated paint finish on metal parts. Also includes high-profile, Euro-look 25.6" diameter cast aluminum base with T-shape construction for added strength, and dual-wheel, non-marring polyurethane casters resist movement when the chair is unoccupied. . Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	16" diameter, 3.5" thick	14.5x9.5	17-22	EA	\$798

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
VF:RTA-M-RC-T-XF-XA-06	Regent VF	Vacuum-formed upholstery, liquid- and bacteria-resistant properties and a trapezoid-shaped backrest for added ergonomic support make this chair a practical solution for use in healthcare, laboratory and clean room environments. Features include pneumatic seat height adjustment range of 19" to 26", a round 16" diameter, 3.5" thick upholstered seat, and black, powder-coated paint finish on metal parts. Also includes high-profile, Euro-look 25.6" diameter cast aluminum base,, and dual-wheel, non-marring polyurethane casters resist movement when the chair is unoccupied. . Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	16" diameter, 3.5" thick	14.5x9.5	19-26	EA	\$809
VF:RTA-H-RC-T-XF-XA-06	Regent VF	Vacuum-formed upholstery, liquid- and bacteria-resistant properties and a trapezoid-shaped backrest for added ergonomic support make this chair a practical solution for use in healthcare, laboratory and clean room environments. Features include pneumatic seat height adjustment range of 22" to 32", a round 16" diameter, 3.5" thick upholstered seat, and black, powder-coated paint finish on metal parts. Also includes high-profile, Euro-look 25.6" diameter cast aluminum base,, and dual-wheel, non-marring polyurethane casters resist movement when the chair is unoccupied. . Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	16" diameter, 3.5" thick	14.5x9.5	22-32	EA	\$820

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
VF:RTR-L-RC-T-XF-XA-06	Regent VF	Vacuum-formed upholstery, liquid- and bacteria-resistant properties and a trapezoid-shaped backrest for added ergonomic support make this chair a practical solution for use in healthcare, laboratory and clean room environments. Features include pneumatic seat height adjustment range of 17" to 22", a round 16" diameter, 3.5" thick upholstered seat, and black, powder-coated paint finish on metal parts. Also includes high-profile, Euro-look 25.6" diameter reinforced composite base with T-shape construction for added strength, and dual-wheel, non-marring polyurethane casters resist movement when the chair is unoccupied. . Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	16" diameter, 3.5" thick	14.5x9.5	17-22	EA	\$718
VF:RTR-M-RC-T-XF-XA-06	Regent VF	Vacuum-formed upholstery, liquid- and bacteria-resistant properties and a trapezoid-shaped backrest for added ergonomic support make this chair a practical solution for use in healthcare, laboratory and clean room environments. Features include pneumatic seat height adjustment range of 19" to 26", a round 16" diameter, 3.5" thick upholstered seat, and black, powder-coated paint finish on metal parts. Also includes high-profile, Euro-look 25.6" diameter reinforced composite base,, and dual-wheel, non-marring polyurethane casters resist movement when the chair is unoccupied. . Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	16" diameter, 3.5" thick	14.5x9.5	19-26	EA	\$729

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
VF:RTR-H-RC-T-XF-XA-06	Regent VF	Vacuum-formed upholstery, liquid- and bacteria-resistant properties and a trapezoid-shaped backrest for added ergonomic support make this chair a practical solution for use in healthcare, laboratory and clean room environments. Features include pneumatic seat height adjustment range of 22" to 32", a round 16" diameter, 3.5" thick upholstered seat, and black, powder-coated paint finish on metal parts. Also includes high-profile, Euro-look 25.6" diameter reinforced composite base,, and dual-wheel, non-marring polyurethane casters resist movement when the chair is unoccupied. . Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	16" diameter, 3.5" thick	14.5x9.5	22-32	EA	\$740
VF:RTW-L-RC-T-XF-XA-06	Regent VF	Vacuum-formed upholstery, liquid- and bacteria-resistant properties and a trapezoid-shaped backrest for added ergonomic support make this chair a practical solution for use in healthcare, laboratory and clean room environments. Features include pneumatic seat height adjustment range of 17" to 22", a round 16" diameter, 3.5" thick upholstered seat, and black, powder-coated paint finish on metal parts. Also includes high-profile, Euro-look 28.7" diameter wide aluminum base with T-shape construction for added strength, and dual-wheel, non-marring polyurethane casters resist movement when the chair is unoccupied. . Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	16" diameter, 3.5" thick	14.5x9.5	17-22	EA	\$819

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
VF:RTW-M-RC-T-XF-XA-06	Regent VF	Vacuum-formed upholstery, liquid- and bacteria-resistant properties and a trapezoid-shaped backrest for added ergonomic support make this chair a practical solution for use in healthcare, laboratory and clean room environments. Features include pneumatic seat height adjustment range of 19" to 26", a round 16" diameter, 3.5" thick upholstered seat, and black, powder-coated paint finish on metal parts. Also includes high-profile, Euro-look 28.7" diameter wide aluminum base,, and dual-wheel, non-marring polyurethane casters resist movement when the chair is unoccupied. . Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	16" diameter, 3.5" thick	14.5x9.5	19-26	EA	\$830
VF:RTW-H-RC-T-XF-XA-06	Regent VF	Vacuum-formed upholstery, liquid- and bacteria-resistant properties and a trapezoid-shaped backrest for added ergonomic support make this chair a practical solution for use in healthcare, laboratory and clean room environments. Features include pneumatic seat height adjustment range of 22" to 32", a round 16" diameter, 3.5" thick upholstered seat, and black, powder-coated paint finish on metal parts. Also includes high-profile, Euro-look 28.7" diameter wide aluminum base,, and dual-wheel, non-marring polyurethane casters resist movement when the chair is unoccupied. . Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	16" diameter, 3.5" thick	14.5x9.5	22-32	EA	\$841

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
RXS-L-RC-S-XF-XA-06	Rexford	Soft touch, pneumatic seat height adjustment and high-resilience molded foam cushioning make this stool an ergonomic solution for use in healthcare, laboratory, static control/ESD, education and industrial environments. Features include pneumatic seat height adjustment range of 18" to 22", a round 16" diameter, 3.5" thick upholstered seat, and black, powder-coated paint finish on metal parts. Also includes high-profile, Euro-look 23" diameter tubular steel base with standard 21" diameter affixed footring, and dual-wheel, non-marring polyurethane casters resist movement when the stool is unoccupied. . Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	16" diameter, 3.5" thick		18-22	EA	\$540
RXS-M-RC-S-XF-XA-06	Rexford	Soft touch, pneumatic seat height adjustment and high-resilience molded foam cushioning make this stool an ergonomic solution for use in healthcare, laboratory, static control/ESD, education and industrial environments. Features include pneumatic seat height adjustment range of 21" to 28", a round 16" diameter, 3.5" thick upholstered seat, and black, powder-coated paint finish on metal parts. Also includes high-profile, Euro-look 23" diameter tubular steel base with standard 21" diameter affixed footring, and dual-wheel, non-marring polyurethane casters resist movement when the stool is unoccupied. . Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	16" diameter, 3.5" thick		21-28	EA	\$551

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
RXS-H-RC-S-XF-XA-06	Rexford	Soft touch, pneumatic seat height adjustment and high-resilience molded foam cushioning make this stool an ergonomic solution for use in healthcare, laboratory, static control/ESD, education and industrial environments. Features include pneumatic seat height adjustment range of 25" to 32", a round 16" diameter, 3.5" thick upholstered seat, and black, powder-coated paint finish on metal parts. Also includes high-profile, Euro-look 23" diameter tubular steel base with standard 21" diameter affixed footring, and dual-wheel, non-marring polyurethane casters resist movement when the stool is unoccupied. . Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	16" diameter, 3.5" thick		25-32	EA	\$596
RXA-L-RC-S-XF-XA-06	Rexford	Soft touch, pneumatic seat height adjustment and high-resilience molded foam cushioning make this stool an ergonomic solution for use in healthcare, laboratory, static control/ESD, education and industrial environments. Features include pneumatic seat height adjustment range of 17" to 22", a round 16" diameter, 3.5" thick upholstered seat, and black, powder-coated paint finish on metal parts. Also includes high-profile, Euro-look 25.6" diameter cast aluminum base with T-shape construction for added strength, and dual-wheel, non-marring polyurethane casters resist movement when the stool is unoccupied. . Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	16"		17-22	EA	\$497

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
RXA-M-RC-S-XF-XA-06	Rexford	Soft touch, pneumatic seat height adjustment and high-resilience molded foam cushioning make this stool an ergonomic solution for use in healthcare, laboratory, static control/ESD, education and industrial environments. Features include pneumatic seat height adjustment range of 19" to 26", a round 16" diameter, 3.5" thick upholstered seat, and black, powder-coated paint finish on metal parts. Also includes high-profile, Euro-look 25.6" diameter cast aluminum base,, and dual-wheel, non-marring polyurethane casters resist movement when the stool is unoccupied. . Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	16" diameter, 3.5" thick		19-26	EA	\$508
RXA-H-RC-S-XF-XA-06	Rexford	Soft touch, pneumatic seat height adjustment and high-resilience molded foam cushioning make this stool an ergonomic solution for use in healthcare, laboratory, static control/ESD, education and industrial environments. Features include pneumatic seat height adjustment range of 22" to 32", a round 16" diameter, 3.5" thick upholstered seat, and black, powder-coated paint finish on metal parts. Also includes high-profile, Euro-look 25.6" diameter cast aluminum base,, and dual-wheel, non-marring polyurethane casters resist movement when the stool is unoccupied. . Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	16" diameter, 3.5" thick		22-32	EA	\$519

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
RXR-L-RC-S-XF-XA-06	Rexford	Soft touch, pneumatic seat height adjustment and high-resilience molded foam cushioning make this stool an ergonomic solution for use in healthcare, laboratory, education and industrial environments. Features include pneumatic seat height adjustment range of 17" to 22", a round 16" diameter, 3.5" thick upholstered seat, and black, powder-coated paint finish on metal parts. Also includes high-profile, Euro-look 25.6" diameter reinforced composite base with T-shape construction for added strength, and dual-wheel, non-marring polyurethane casters resist movement when the stool is unoccupied. . Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	16" diameter, 3.5" thick		17-22	EA	\$423
RXR-M-RC-S-XF-XA-06	Rexford	Soft touch, pneumatic seat height adjustment and high-resilience molded foam cushioning make this stool an ergonomic solution for use in healthcare, laboratory, education and industrial environments. Features include pneumatic seat height adjustment range of 19" to 26", a round 16" diameter, 3.5" thick upholstered seat, and black, powder-coated paint finish on metal parts. Also includes high-profile, Euro-look 25.6" diameter reinforced composite base,, and dual-wheel, non-marring polyurethane casters resist movement when the stool is unoccupied. . Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	16" diameter, 3.5" thick		19-26	EA	\$434

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
RXR-H-RC-S-XF-XA-06	Rexford	Soft touch, pneumatic seat height adjustment and high-resilience molded foam cushioning make this stool an ergonomic solution for use in healthcare, laboratory, education and industrial environments. Features include pneumatic seat height adjustment range of 22" to 32", a round 16" diameter, 3.5" thick upholstered seat, and black, powder-coated paint finish on metal parts. Also includes high-profile, Euro-look 25.6" diameter reinforced composite base,, and dual-wheel, non-marring polyurethane casters resist movement when the stool is unoccupied. . Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	16" diameter, 3.5" thick		22-32	EA	\$445
RXW-L-RC-S-XF-XA-06	Rexford	Soft touch, pneumatic seat height adjustment and high-resilience molded foam cushioning make this stool an ergonomic solution for use in healthcare, laboratory, static control/ESD, education and industrial environments. Features include pneumatic seat height adjustment range of 17" to 22", a round 16" diameter, 3.5" thick upholstered seat, and black, powder-coated paint finish on metal parts. Also includes high-profile, Euro-look 28.7" diameter wide aluminum base with T-shape construction for added strength, and dual-wheel, non-marring polyurethane casters resist movement when the stool is unoccupied. . Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	16" diameter, 3.5" thick		17-22	EA	\$518

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
RXW-M-RC-S-XF-XA-06	Rexford	Soft touch, pneumatic seat height adjustment and high-resilience molded foam cushioning make this stool an ergonomic solution for use in healthcare, laboratory, static control/ESD, education and industrial environments. Features include pneumatic seat height adjustment range of 19" to 26", a round 16" diameter, 3.5" thick upholstered seat, and black, powder-coated paint finish on metal parts. Also includes high-profile, Euro-look 28.7" diameter wide aluminum base with adjustable height 20" diameter wide aluminum footring, and dual-wheel, non-marring polyurethane casters resist movement when the stool is unoccupied. . Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	16" diameter, 3.5" thick		19-26	EA	\$529
RXW-H-RC-S-XF-XA-06	Rexford	Soft touch, pneumatic seat height adjustment and high-resilience molded foam cushioning make this stool an ergonomic solution for use in healthcare, laboratory, static control/ESD, education and industrial environments. Features include pneumatic seat height adjustment range of 22" to 32", a round 16" diameter, 3.5" thick upholstered seat, and black, powder-coated paint finish on metal parts. Also includes high-profile, Euro-look 28.7" diameter wide aluminum base with adjustable height 20" diameter wide aluminum footring, and dual-wheel, non-marring polyurethane casters resist movement when the stool is unoccupied. . Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	16" diameter, 3.5" thick		22-32	EA	\$540

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
VF:RXS-L-RC-S-XF-XA-06	Rexford VF	Vacuum-formed upholstery, liquid- and bacteria-resistant properties and high-resilience molded foam cushioning make this stool series a smart choice for healthcare and laboratory settings. Features include pneumatic seat height adjustment range of 18" to 22", a round 16" diameter, 3.5" thick upholstered seat, and black, powder-coated paint finish on metal parts. Also includes high-profile, Euro-look 23" diameter tubular steel base with standard 21" diameter affixed footring, and dual-wheel, non-marring polyurethane casters resist movement when the stool is unoccupied. . Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	16" diameter, 3.5" thick		18-22	EA	\$609
VF:RXS-M-RC-S-XF-XA-06	Rexford VF	Vacuum-formed upholstery, liquid- and bacteria-resistant properties and high-resilience molded foam cushioning make this stool series a smart choice for healthcare and laboratory settings. Features include pneumatic seat height adjustment range of 21" to 28", a round 16" diameter, 3.5" thick upholstered seat, and black, powder-coated paint finish on metal parts. Also includes high-profile, Euro-look 23" diameter tubular steel base with standard 21" diameter affixed footring, and dual-wheel, non-marring polyurethane casters resist movement when the stool is unoccupied. . Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	16" diameter, 3.5" thick		21-28	EA	\$632

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
VF:RXS-H-RC-S-XF-XA-06	Rexford VF	Vacuum-formed upholstery, liquid- and bacteria-resistant properties and high-resilience molded foam cushioning make this stool series a smart choice for healthcare and laboratory settings. Features include pneumatic seat height adjustment range of 25" to 32", a round 16" diameter, 3.5" thick upholstered seat, and black, powder-coated paint finish on metal parts. Also includes high-profile, Euro-look 23" diameter tubular steel base with standard 21" diameter affixed footring, and dual-wheel, non-marring polyurethane casters resist movement when the stool is unoccupied. . Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	16" diameter, 3.5" thick		25-32	EA	\$677
VF:RXA-L-RC-S-XF-XA-06	Rexford VF	Vacuum-formed upholstery, liquid- and bacteria-resistant properties and high-resilience molded foam cushioning make this stool series a smart choice for healthcare and laboratory settings. Features include pneumatic seat height adjustment range of 17" to 22", a round 16" diameter, 3.5" thick upholstered seat, and black, powder-coated paint finish on metal parts. Also includes high-profile, Euro-look 25.6" diameter cast aluminum base with T-shape construction for added strength, and dual-wheel, non-marring polyurethane casters resist movement when the stool is unoccupied. . Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	16" diameter, 3.5" thick		17-22	EA	\$580

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
VF:RXA-M-RC-S-XF-XA-06	Rexford VF	Vacuum-formed upholstery, liquid- and bacteria-resistant properties and high-resilience molded foam cushioning make this stool series a smart choice for healthcare and laboratory settings. Features include pneumatic seat height adjustment range of 19" to 26", a round 16" diameter, 3.5" thick upholstered seat, and black, powder-coated paint finish on metal parts. Also includes high-profile, Euro-look 25.6" diameter cast aluminum base,, and dual-wheel, non-marring polyurethane casters resist movement when the stool is unoccupied. . Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	16" diameter, 3.5" thick		19-26	EA	\$591
VF:RXA-H-RC-S-XF-XA-06	Rexford VF	Vacuum-formed upholstery, liquid- and bacteria-resistant properties and high-resilience molded foam cushioning make this stool series a smart choice for healthcare and laboratory settings. Features include pneumatic seat height adjustment range of 22" to 32", a round 16" diameter, 3.5" thick upholstered seat, and black, powder-coated paint finish on metal parts. Also includes high-profile, Euro-look 25.6" diameter cast aluminum base,, and dual-wheel, non-marring polyurethane casters resist movement when the stool is unoccupied. . Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	16" diameter, 3.5" thick		22-32	EA	\$602

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
VF:RXR-L-RC-S-XF-XA-06	Rexford VF	Vacuum-formed upholstery, liquid- and bacteria-resistant properties and high-resilience molded foam cushioning make this stool series a smart choice for healthcare and laboratory settings. Features include pneumatic seat height adjustment range of 17" to 22", a round 16" diameter, 3.5" thick upholstered seat, and black, powder-coated paint finish on metal parts. Also includes high-profile, Euro-look 25.6" diameter reinforced composite base with T-shape construction for added strength, and dual-wheel, non-marring polyurethane casters resist movement when the stool is unoccupied. . Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	16" diameter, 3.5" thick		17-22	EA	\$497
VF:RXR-M-RC-S-XF-XA-06	Rexford VF	Vacuum-formed upholstery, liquid- and bacteria-resistant properties and high-resilience molded foam cushioning make this stool series a smart choice for healthcare and laboratory settings. Features include pneumatic seat height adjustment range of 17" to 22", a round 16" diameter, 3.5" thick upholstered seat, and black, powder-coated paint finish on metal parts. Also includes high-profile, Euro-look 25.6" diameter reinforced composite base,, and dual-wheel, non-marring polyurethane casters resist movement when the stool is unoccupied. . Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	16"		19-26	EA	\$508

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
VF:RXR-H-RC-S-XF-XA-06	Rexford VF	Vacuum-formed upholstery, liquid- and bacteria-resistant properties and high-resilience molded foam cushioning make this stool series a smart choice for healthcare and laboratory settings. Features include pneumatic seat height adjustment range of 22" to 32", a round 16" diameter, 3.5" thick upholstered seat, and black, powder-coated paint finish on metal parts. Also includes high-profile, Euro-look 25.6" diameter reinforced composite base,, and dual-wheel, non-marring polyurethane casters resist movement when the stool is unoccupied. . Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	16" diameter, 3.5" thick		22-32	EA	\$519
VF:RXW-L-RC-S-XF-XA-06	Rexford VF	Vacuum-formed upholstery, liquid- and bacteria-resistant properties and high-resilience molded foam cushioning make this stool series a smart choice for healthcare and laboratory settings. Features include pneumatic seat height adjustment range of 17" to 22", a round 16" diameter, 3.5" thick upholstered seat, and black, powder-coated paint finish on metal parts. Also includes high-profile, Euro-look 28.7" diameter wide aluminum base with T-shape construction for added strength, and dual-wheel, non-marring polyurethane casters resist movement when the stool is unoccupied. . Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	16" diameter, 3.5" thick		17-22	EA	\$598

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
VF:RXW-M-RC-S-XF-XA-06	Rexford VF	Vacuum-formed upholstery, liquid- and bacteria-resistant properties and high-resilience molded foam cushioning make this stool series a smart choice for healthcare and laboratory settings. Features include pneumatic seat height adjustment range of 19" to 26", a round 16" diameter, 3.5" thick upholstered seat, and black, powder-coated paint finish on metal parts. Also includes high-profile, Euro-look 28.7" diameter wide aluminum base,, and dual-wheel, non-marring polyurethane casters resist movement when the stool is unoccupied. . Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	16"		19-26	EA	\$609
VF:RXW-H-RC-S-XF-XA-06	Rexford VF	Vacuum-formed upholstery, liquid- and bacteria-resistant properties and high-resilience molded foam cushioning make this stool series a smart choice for healthcare and laboratory settings. Features include pneumatic seat height adjustment range of 22" to 32", a round 16" diameter, 3.5" thick upholstered seat, and black, powder-coated paint finish on metal parts. Also includes high-profile, Euro-look 28.7" diameter wide aluminum base,, and dual-wheel, non-marring polyurethane casters resist movement when the stool is unoccupied. . Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	16" diameter, 3.5" thick		22-32	EA	\$620

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
GGs-L-RC-T-XF-XA-06	ArmorSeat	Rugged multipurpose construction, full ergonomic adjustability, and antimicrobial properties make this chair an ideal choice for healthcare, laboratory, clean room, static control/ESD, industrial, education and office environments. Functions include pneumatic seat height adjustment range of 17" to 21", fixed rearward seat tilt of 6 degrees, plus backrest tilt and height adjustment controls. Features 16" wide X 10.75" high backrest with lumbar support, ergonomic 17.5" wide X 15.5" deep seat with waterfall front; robust 23" diameter tubular steel base with affixed 21" diameter footring, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied. Seat and backrest contain UV inhibitor and antimicrobial properties.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	17.5x15.5	16x10.75	17-21	EA	\$604

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
GGs-M-RC-T-XF-XA-06	ArmorSeat	Rugged multipurpose construction, full ergonomic adjustability, and antimicrobial properties make this chair an ideal choice for healthcare, laboratory, clean room, static control/ESD, industrial, education and office environments. Functions include pneumatic seat height adjustment range of 20" to 27", fixed rearward seat tilt of 6 degrees, plus backrest tilt and height adjustment controls. Features 16" wide X 10.75" high backrest with lumbar support, ergonomic 17.5" wide X 15.5" deep seat with waterfall front; robust 23" diameter tubular steel base with affixed 21" diameter footring, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied. Seat and backrest contain UV inhibitor and antimicrobial properties.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	17.5x15.5	16x10.75	20-27	EA	\$632

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
GG5-H-RC-T-XF-XA-06	ArmorSeat	Rugged multipurpose construction, full ergonomic adjustability, and antimicrobial properties make this chair an ideal choice for healthcare, laboratory, clean room, static control/ESD, industrial, education and office environments. Functions include pneumatic seat height adjustment range of 24" to 31", fixed rearward seat tilt of 6 degrees, plus backrest tilt and height adjustment controls. Features 16" wide X 10.75" high backrest with lumbar support, ergonomic 17.5" wide X 15.5" deep seat with waterfall front; robust 23" diameter tubular steel base with affixed 21" diameter footring, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied. Seat and backrest contain UV inhibitor and antimicrobial properties.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	17.5x15.5	16x10.75	24-31	EA	\$680

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
GGA-L-RC-T-XF-XA-06	ArmorSeat	<p>Rugged multipurpose construction, full ergonomic adjustability, and antimicrobial properties make this chair an ideal choice for healthcare, laboratory, clean room, static control/ESD, industrial, education and office environments. Functions include pneumatic seat height adjustment range of 16" to 21", fixed rearward seat tilt of 6 degrees, plus backrest tilt and height adjustment controls.</p> <p>Features 16" wide X 10.75" high backrest with lumbar support, ergonomic 17.5" wide X 15.5" deep seat with waterfall front; high-profile, Euro-look 25.6" diameter cast aluminum base, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied. Seat and backrest contain UV inhibitor and antimicrobial properties.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	17.5x15.5	16x10.75	16-21	EA	\$581

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
GGA-M-RC-T-XF-XA-06	ArmorSeat	<p>Rugged multipurpose construction, full ergonomic adjustability, and antimicrobial properties make this chair an ideal choice for healthcare, laboratory, clean room, static control/ESD, industrial, education and office environments. Functions include pneumatic seat height adjustment range of 18" to 25", fixed rearward seat tilt of 6 degrees, plus backrest tilt and height adjustment controls. Features 16" wide X 10.75" high backrest with lumbar support, ergonomic 17.5" wide X 15.5" deep seat with waterfall front; robust 25.6" diameter cast aluminum base with affixed 20" diameter footring, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.</p> <p>Seat and backrest contain UV inhibitor and antimicrobial properties.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	17.5x15.5	16x10.75	18-25	EA	\$592

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
GGA-H-RC-T-XF-XA-06	ArmorSeat	<p>Rugged multipurpose construction, full ergonomic adjustability, and antimicrobial properties make this chair an ideal choice for healthcare, laboratory, clean room, static control/ESD, industrial, education and office environments. Functions include pneumatic seat height adjustment range of 21" to 31", fixed rearward seat tilt of 6 degrees, plus backrest tilt and height adjustment controls. Features 16" wide X 10.75" high backrest with lumbar support, ergonomic 17.5" wide X 15.5" deep seat with waterfall front; robust 25.6" diameter cast aluminum base with affixed 20" diameter footring, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.</p> <p>Seat and backrest contain UV inhibitor and antimicrobial properties.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	17.5x15.5	16x10.75	21-31	EA	\$603

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
GGR-L-RC-T-XF-XA-06	ArmorSeat	<p>Rugged multipurpose construction, full ergonomic adjustability, and antimicrobial properties make this chair an ideal choice for healthcare, laboratory, clean room, static control/ESD, industrial, education and office environments. Functions include pneumatic seat height adjustment range of 16" to 21", fixed rearward seat tilt of 6 degrees, plus backrest tilt and height adjustment controls.</p> <p>Features 16" wide X 10.75" high backrest with lumbar support, ergonomic 17.5" wide X 15.5" deep seat with waterfall front; high-profile, Euro-look 25.6" diameter reinforced composite base, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied. Seat and backrest contain UV inhibitor and antimicrobial properties.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	17.5x15.5	16x10.75	16-21	EA	\$506

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
GGR-M-RC-T-XF-XA-06	ArmorSeat	<p>Rugged multipurpose construction, full ergonomic adjustability, and antimicrobial properties make this chair an ideal choice for healthcare, laboratory, clean room, static control/ESD, industrial, education and office environments. Functions include pneumatic seat height adjustment range of 18" to 25", fixed rearward seat tilt of 6 degrees, plus backrest tilt and height adjustment controls. Features 16" wide X 10.75" high backrest with lumbar support, ergonomic 17.5" wide X 15.5" deep seat with waterfall front; robust 25.6" diameter reinforced composite base with affixed 20" diameter footring, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied. Seat and backrest contain UV inhibitor and antimicrobial properties.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	17.5x15.5	16x10.75	18-25	EA	\$518

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
GGR-H-RC-T-XF-XA-06	ArmorSeat	<p>Rugged multipurpose construction, full ergonomic adjustability, and antimicrobial properties make this chair an ideal choice for healthcare, laboratory, clean room, static control/ESD, industrial, education and office environments. Functions include pneumatic seat height adjustment range of 21" to 31", fixed rearward seat tilt of 6 degrees, plus backrest tilt and height adjustment controls. Features 16" wide X 10.75" high backrest with lumbar support, ergonomic 17.5" wide X 15.5" deep seat with waterfall front; robust 25.6" diameter reinforced composite base with affixed 20" diameter footring, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied. Seat and backrest contain UV inhibitor and antimicrobial properties.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	17.5x15.5	16x10.75	21-31	EA	\$529

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
GGW-L-RC-T-XF-XA-06	ArmorSeat	<p>Rugged multipurpose construction, full ergonomic adjustability, and antimicrobial properties make this chair an ideal choice for healthcare, laboratory, clean room, static control/ESD, industrial, education and office environments. Functions include pneumatic seat height adjustment range of 16" to 21", fixed rearward seat tilt of 6 degrees, plus backrest tilt and height adjustment controls.</p> <p>Features 16" wide X 10.75" high backrest with lumbar support, ergonomic 17.5" wide X 15.5" deep seat with waterfall front; high profile 28.7" diameter wide aluminum base, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied. Seat and backrest contain UV inhibitor and antimicrobial properties.. Meets CAL 117 fire retardant standards. LEED compliant.</p> <p>Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	17.5x15.5	16x10.75	16-21	EA	\$602

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
GGW-M-RC-T-XF-XA-06	ArmorSeat	Rugged multipurpose construction, full ergonomic adjustability, and antimicrobial properties make this chair an ideal choice for healthcare, laboratory, clean room, static control/ESD, industrial, education and office environments. Functions include pneumatic seat height adjustment range of 18" to 25", fixed rearward seat tilt of 6 degrees, plus backrest tilt and height adjustment controls. Features 16" wide X 10.75" high backrest with lumbar support, ergonomic 17.5" wide X 15.5" deep seat with waterfall front; robust 28.7" diameter wide aluminum base with affixed 20" diameter footring, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied. Seat and backrest contain UV inhibitor and antimicrobial properties.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	17.5x15.5	16x10.75	18-25	EA	\$613

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
GGW-H-RC-T-XF-XA-06	ArmorSeat	<p>Rugged multipurpose construction, full ergonomic adjustability, and antimicrobial properties make this chair an ideal choice for healthcare, laboratory, clean room, static control/ESD, industrial, education and office environments. Functions include pneumatic seat height adjustment range of 21" to 31", fixed rearward seat tilt of 6 degrees, plus backrest tilt and height adjustment controls. Features 16" wide X 10.75" high backrest with lumbar support, ergonomic 17.5" wide X 15.5" deep seat with waterfall front; high-profile 28.7" diameter wide aluminum base with affixed 20" diameter footring, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied. Seat and backrest contain UV inhibitor and antimicrobial properties.. Meets CAL 117 fire retardant standards. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	17.5x15.5	16x10.75	21-31	EA	\$624

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
UUS-L-RC-T-XF-XA-06	UniqueU	<p>With exceptional durability and seats and backrests that resist water, paint, many chemicals and more, this chair is a popular selection for healthcare, laboratory, clean room, static control/ESD, industrial, education and office work environments. Functions include pneumatic seat height adjustment range of 17" to 21", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 16.5" wide X 12.5" high self-skinned urethane backrest with ventilating ribs and lumbar support, 18.5" wide X 17" deep X 1.5" thick self-skinned urethane seat with ventilating ribs, a rugged 23" diameter tubular steel base with affixed 21" diameter footring and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	18.5x17	16.5x12.5	17-21	EA	\$713

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
UUS-M-RC-T-XF-XA-06	UniqueU	<p>With exceptional durability and seats and backrests that resist water, paint, many chemicals and more, this chair is a popular selection for healthcare, laboratory, clean room, static control/ESD, industrial, education and office work environments.</p> <p>Functions include pneumatic seat height adjustment range of 20" to 27", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 16.5" wide X 12.5" high self-skinned urethane backrest with ventilating ribs and lumbar support, 18.5" wide X 17" deep X 1.5" thick self-skinned urethane seat with ventilating ribs, a rugged 23" diameter tubular steel base with affixed 21" diameter footring and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	18.5x17	16.5x12.5	20-27	EA	\$738

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
UUS-H-RC-T-XF-XA-06	UniqueU	<p>With exceptional durability and seats and backrests that resist water, paint, many chemicals and more, this chair is a popular selection for healthcare, laboratory, clean room, static control/ESD, industrial, education and office work environments.</p> <p>Functions include pneumatic seat height adjustment range of 24" to 31", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 16.5" wide X 12.5" high self-skinned urethane backrest with ventilating ribs and lumbar support, 18.5" wide X 17" deep X 1.5" thick self-skinned urethane seat with ventilating ribs, a rugged 23" diameter tubular steel base with affixed 21" diameter footring and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	18.5x17	16.5x12.5	24-31	EA	\$783

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
UUA-L-RC-T-XF-XA-06	UniqueU	<p>With exceptional durability and seats and backrests that resist water, paint, many chemicals and more, this chair is a popular selection for healthcare, laboratory, clean room, static control/ESD, industrial, education and office work environments.</p> <p>Functions include pneumatic seat height adjustment range of 16" to 21", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 16.5" wide X 12.5" high self-skinned urethane backrest with ventilating ribs and lumbar support, 18.5" wide X 17" deep X 1.5" thick self-skinned urethane seat with ventilating ribs, a high-profile Euro-style 25.6" diameter cast aluminum base with T-shaped construction for added strength and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	18.5x17	16.5x12.5	16-21	EA	\$684

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
UUA-M-RC-T-XF-XA-06	UniqueU	<p>With exceptional durability and seats and backrests that resist water, paint, many chemicals and more, this chair is a popular selection for healthcare, laboratory, clean room, static control/ESD, industrial, education and office work environments.</p> <p>Functions include pneumatic seat height adjustment range of 18" to 25", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 16.5" wide X 12.5" high self-skinned urethane backrest with ventilating ribs and lumbar support, 18.5" wide X 17" deep X 1.5" thick self-skinned urethane seat with ventilating ribs, a high-profile Euro-style 25.6" diameter cast aluminum base with T-shaped construction for added strength,, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	18.5x17	16.5x12.5	18-25	EA	\$695

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
UUA-H-RC-T-XF-XA-06	UniqueU	<p>With exceptional durability and seats and backrests that resist water, paint, many chemicals and more, this chair is a popular selection for healthcare, laboratory, clean room, static control/ESD, industrial, education and office work environments.</p> <p>Functions include pneumatic seat height adjustment range of 21" to 31", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 16.5" wide X 12.5" high self-skinned urethane backrest with ventilating ribs and lumbar support, 18.5" wide X 17" deep X 1.5" thick self-skinned urethane seat with ventilating ribs, a high-profile Euro-style 25.6" diameter cast aluminum base with T-shaped construction for added strength,, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	18.5x17	16.5x12.5	21-31	EA	\$706

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
UUR-L-RC-T-XF-XA-06	UniqueU	With exceptional durability and seats and backrests that resist water, paint, many chemicals and more, this chair is a popular selection for healthcare, laboratory, clean room, industrial, education and office work environments. Functions include pneumatic seat height adjustment range of 16" to 21", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 16.5" wide X 12.5" high self-skinned urethane backrest with ventilating ribs and lumbar support, 18.5" wide X 17" deep X 1.5" thick self-skinned urethane seat with ventilating ribs, a high-profile Euro-style 25.6" diameter reinforced composite base with T-shaped construction for added strength and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	18.5x17	16.5x12.5	16-21	EA	\$610

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
UUR-M-RC-T-XF-XA-06	UniqueU	With exceptional durability and seats and backrests that resist water, paint, many chemicals and more, this chair is a popular selection for healthcare, laboratory, clean room, industrial, education and office work environments. Functions include pneumatic seat height adjustment range of 18" to 25", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 16.5" wide X 12.5" high self-skinned urethane backrest with ventilating ribs and lumbar support, 18.5" wide X 17" deep X 1.5" thick self-skinned urethane seat with ventilating ribs, a high-profile Euro-style 25.6" diameter reinforced composite base with T-shaped construction for added strength,, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	18.5x17	16.5x12.5	18-25	EA	\$621

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
UUR-H-RC-T-XF-XA-06	UniqueU	With exceptional durability and seats and backrests that resist water, paint, many chemicals and more, this chair is a popular selection for healthcare, laboratory, clean room, industrial, education and office work environments. Functions include pneumatic seat height adjustment range of 21" to 31", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 16.5" wide X 12.5" high self-skinned urethane backrest with ventilating ribs and lumbar support, 18.5" wide X 17" deep X 1.5" thick self-skinned urethane seat with ventilating ribs, a high-profile Euro-style 25.6" diameter reinforced composite base with T-shaped construction for added strength,, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	18.5x17	16.5x12.5	21-31	EA	\$632

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
UUW-L-RC-T-XF-XA-06	UniqueU	<p>With exceptional durability and seats and backrests that resist water, paint, many chemicals and more, this chair is a popular selection for healthcare, laboratory, clean room, static control/ESD, industrial, education and office work environments.</p> <p>Functions include pneumatic seat height adjustment range of 16" to 21", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 16.5" wide X 12.5" high self-skinned urethane backrest with ventilating ribs and lumbar support, 18.5" wide X 17" deep X 1.5" thick self-skinned urethane seat with ventilating ribs, a high-profile Euro-style 28.7" diameter wide cast aluminum base with T-shaped construction for added strength and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	18.5x17	16.5x12.5	16-21	EA	\$705

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
UUW-M-RC-T-XF-XA-06	UniqueU	<p>With exceptional durability and seats and backrests that resist water, paint, many chemicals and more, this chair is a popular selection for healthcare, laboratory, clean room, static control/ESD, industrial, education and office work environments.</p> <p>Functions include pneumatic seat height adjustment range of 18" to 25", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 16.5" wide X 12.5" high self-skinned urethane backrest with ventilating ribs and lumbar support, 18.5" wide X 17" deep X 1.5" thick self-skinned urethane seat with ventilating ribs, a high-profile Euro-style 28.7" diameter wide cast aluminum base with T-shaped construction for added strength,, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	18.5x17	16.5x12.5	18-25	EA	\$716

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
UUW-H-RC-T-XF-XA-06	UniqueU	<p>With exceptional durability and seats and backrests that resist water, paint, many chemicals and more, this chair is a popular selection for healthcare, laboratory, clean room, static control/ESD, industrial, education and office work environments.</p> <p>Functions include pneumatic seat height adjustment range of 21" to 31", fixed rearward seat tilt of 3.5 degrees, backrest tilt and height adjustments. Features 16.5" wide X 12.5" high self-skinned urethane backrest with ventilating ribs and lumbar support, 18.5" wide X 17" deep X 1.5" thick self-skinned urethane seat with ventilating ribs, a high-profile Euro-style 28.7" diameter wide cast aluminum base with T-shaped construction for added strength,, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	18.5x17	16.5x12.5	21-31	EA	\$727

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
WWS-L-RC-T-XF-XA-06	Willow	Genuine American maple, exceptional durability and a timeless design make this chair a natural fit in healthcare, education, laboratory and industrial work environments. Functions include pneumatic seat height adjustment range of 16" to 20" with soft-touch pneumatic controls and fixed rearward seat tilt of six degrees. Features 14.5" high X 8.75" five-ply, maple plywood backrest and 16.5" wide X 15.25" deep, seven-ply maple plywood seat with waterfall front; a high-profile 23" diameter tubular steel base with standard 21" diameter affixed footring, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	16.5x15.25	14.5x8.75	16-20	EA	\$784
WWS-M-RC-T-XF-XA-06	Willow	Genuine American maple, exceptional durability and a timeless design make this chair a natural fit in healthcare, education, laboratory and industrial work environments. Functions include pneumatic seat height adjustment range of 19" to 26" with soft-touch pneumatic controls and fixed rearward seat tilt of six degrees. Features 14.5" high X 8.75" five-ply, maple plywood backrest and 16.5" wide X 15.25" deep, seven-ply maple plywood seat with waterfall front; a high-profile 23" diameter tubular steel base with standard 21" diameter affixed footring, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	16.5x15.25	14.5x8.75	19-26	EA	\$808

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
WWS-H-RC-T-XF-XA-06	Willow	Genuine American maple, exceptional durability and a timeless design make this chair a natural fit in healthcare, education, laboratory and industrial work environments. Functions include pneumatic seat height adjustment range of 23" to 30" with soft-touch pneumatic controls and fixed rearward seat tilt of six degrees. Features 14.5" high X 8.75" five-ply, maple plywood backrest and 16.5" wide X 15.25" deep, seven-ply maple plywood seat with waterfall front; a high-profile 23" diameter tubular steel base with standard 21" diameter affixed footring, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	16.5x15.25	14.5x8.75	23-30	EA	\$856
WWA-L-RC-T-XF-XA-06	Willow	Genuine American maple, exceptional durability and a timeless design make this chair a natural fit in healthcare, education, laboratory and industrial work environments. Functions include pneumatic seat height adjustment range of 15" to 20" with soft-touch pneumatic controls and fixed rearward seat tilt of six degrees. Features 14.5" high X 8.75" five-ply, maple plywood backrest and 16.5" wide X 15.25" deep, seven-ply maple plywood seat with waterfall front; a high-profile 25.6" diameter cast aluminum base with T-shape construction for added strength and easy cleanability, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	16.5x15.25	14.5x8.75	15-20	EA	\$757

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
WWA-M-RC-T-XF-XA-06	Willow	Genuine American maple, exceptional durability and a timeless design make this chair a natural fit in healthcare, education, laboratory and industrial work environments. Functions include pneumatic seat height adjustment range of 17" to 24" with soft-touch pneumatic controls and fixed rearward seat tilt of six degrees. Features 14.5" high X 8.75" five-ply, maple plywood backrest and 16.5" wide X 15.25" deep, seven-ply maple plywood seat with waterfall front; a high-profile 25.6" diameter cast aluminum base with,, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	16.5x15.25	14.5x8.75	17-24	EA	\$768
WWA-H-RC-T-XF-XA-06	Willow	Genuine American maple, exceptional durability and a timeless design make this chair a natural fit in healthcare, education, laboratory and industrial work environments. Functions include pneumatic seat height adjustment range of 20" to 30" with soft-touch pneumatic controls and fixed rearward seat tilt of six degrees. Features 14.5" high X 8.75" five-ply, maple plywood backrest and 16.5" wide X 15.25" deep, seven-ply maple plywood seat with waterfall front; a high-profile 25.6" diameter cast aluminum base with,, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	16.5x15.25	14.5x8.75	20-30	EA	\$779

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
WWR-L-RC-T-XF-XA-06	Willow	Genuine American maple, exceptional durability and a timeless design make this chair a natural fit in healthcare, education, laboratory and industrial work environments. Functions include pneumatic seat height adjustment range of 15" to 20" with soft-touch pneumatic controls and fixed rearward seat tilt of six degrees. Features 14.5" high X 8.75" five-ply, maple plywood backrest and 16.5" wide X 15.25" deep, seven-ply maple plywood seat with waterfall front; a high-profile 25.6" diameter reinforced composite base with T-shape construction for added strength and easy cleanability, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	16.5x15.25	14.5x8.75	15-20	EA	\$683
WWR-M-RC-T-XF-XA-06	Willow	Genuine American maple, exceptional durability and a timeless design make this chair a natural fit in healthcare, education, laboratory and industrial work environments. Functions include pneumatic seat height adjustment range of 17" to 24" with soft-touch pneumatic controls and fixed rearward seat tilt of six degrees. Features 14.5" high X 8.75" five-ply, maple plywood backrest and 16.5" wide X 15.25" deep, seven-ply maple plywood seat with waterfall front; a high-profile 25.6" diameter reinforced composite base with,, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	16.5x15.25	14.5x8.75	17-24	EA	\$694

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
WWR-H-RC-T-XF-XA-06	Willow	Genuine American maple, exceptional durability and a timeless design make this chair a natural fit in healthcare, education, laboratory and industrial work environments. Functions include pneumatic seat height adjustment range of 20" to 30" with soft-touch pneumatic controls and fixed rearward seat tilt of six degrees. Features 14.5" high X 8.75" five-ply, maple plywood backrest and 16.5" wide X 15.25" deep, seven-ply maple plywood seat with waterfall front; a high-profile 25.6" diameter reinforced composite base with,, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	16.5x15.25	14.5x8.75	20-30	EA	\$705
WWW-L-RC-T-XF-XA-06	Willow	Genuine American maple, exceptional durability and a timeless design make this chair a natural fit in healthcare, education, laboratory and industrial work environments. Functions include pneumatic seat height adjustment range of 15" to 20" with soft-touch pneumatic controls and fixed rearward seat tilt of six degrees. Features 14.5" high X 8.75" five-ply, maple plywood backrest and 16.5" wide X 15.25" deep, seven-ply maple plywood seat with waterfall front; a high-profile 28.7" diameter wide aluminum base with T-shape construction for added strength and easy cleanability, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	16.5x15.25	14.5x8.75	15-20	EA	\$778

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
WWW-M-RC-T-XF-XA-06	Willow	Genuine American maple, exceptional durability and a timeless design make this chair a natural fit in healthcare, education, laboratory and industrial work environments. Functions include pneumatic seat height adjustment range of 17" to 24" with soft-touch pneumatic controls and fixed rearward seat tilt of six degrees. Features 14.5" high X 8.75" five-ply, maple plywood backrest and 16.5" wide X 15.25" deep, seven-ply maple plywood seat with waterfall front; a high-profile 28.7" diameter wide aluminum base with,, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	16.5x15.25	14.5x8.75	17-24	EA	\$789
WWW-H-RC-T-XF-XA-06	Willow	Genuine American maple, exceptional durability and a timeless design make this chair a natural fit in healthcare, education, laboratory and industrial work environments. Functions include pneumatic seat height adjustment range of 20" to 30" with soft-touch pneumatic controls and fixed rearward seat tilt of six degrees. Features 14.5" high X 8.75" five-ply, maple plywood backrest and 16.5" wide X 15.25" deep, seven-ply maple plywood seat with waterfall front; a high-profile 28.7" diameter wide aluminum base with,, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	16.5x15.25	14.5x8.75	20-30	EA	\$800

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
KXS-L-RC-P-XF-XA-06	Skoop	An edgy design, high-density polypropylene shell and ergonomic performance make this chair an ideal choice for laboratory, industrial, clean room and education environments. Functions include pneumatic seat height adjustment range of 17" to 21" with soft-touch pneumatic controls to accommodate many tasks. Features 18.5" wide x 17" deep x 18.5" high one-piece, high-density polypropylene shell; a 23" diameter tubular steel base with standard 21" diameter affixed footring and T-shape construction for added strength and easy cleanability, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	18.5x17x18.5		17-21	EA	\$580
KXS-M-RC-P-XF-XA-06	Skoop	An edgy design, high-density polypropylene shell and ergonomic performance make this chair an ideal choice for laboratory, industrial, clean room and education environments. Functions include pneumatic seat height adjustment range of 20" to 27" with soft-touch pneumatic controls to accommodate many tasks. Features 18.5" wide x 17" deep x 18.5" high one-piece, high-density polypropylene shell; a 23" diameter tubular steel base with standard 21" diameter affixed footring and T-shape construction for added strength and easy cleanability, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	18.5x17x18.5		20-27	EA	\$591

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
KXS-H-RC-P-XF-XA-06	Skoop	An edgy design, high-density polypropylene shell and ergonomic performance make this chair an ideal choice for laboratory, industrial, clean room and education environments. Functions include pneumatic seat height adjustment range of 24" to 31" with soft-touch pneumatic controls to accommodate many tasks. Features 18.5" wide x 17" deep x 18.5" high one-piece, high-density polypropylene shell; a 23" diameter tubular steel base with standard 21" diameter affixed footring and T-shape construction for added strength and easy cleanability, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	18.5x17x18.5		24-31	EA	\$640
KXA-L-RC-P-XF-XA-06	Skoop	An edgy design, high-density polypropylene shell and ergonomic performance make this chair an ideal choice for laboratory, industrial, clean room and education environments. Functions include pneumatic seat height adjustment range of 16" to 21" with soft-touch pneumatic controls to accommodate many tasks. Features 18.5" wide x 17" deep x 18.5" high one-piece, high-density polypropylene shell; a 25.6" diameter cast aluminum base and T-shape construction for added strength and easy cleanability, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	18.5x17x18.5		16-21	EA	\$542

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
KXA-M-RC-P-XF-XA-06	Skoop	An edgy design, high-density polypropylene shell and ergonomic performance make this chair an ideal choice for laboratory, industrial, clean room and education environments. Functions include pneumatic seat height adjustment range of 18" to 25" with soft-touch pneumatic controls to accommodate many tasks. Features 18.5" wide x 17" deep x 18.5" high one-piece, high-density polypropylene shell; a 25.6" diameter cast aluminum base and T-shape construction for added strength and easy cleanability, with optional adjustable 20" diameter cast aluminum footring, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	18.5x17x18.5		18-25	EA	\$553
KXA-H-RC-P-XF-XA-06	Skoop	An edgy design, high-density polypropylene shell and ergonomic performance make this chair an ideal choice for laboratory, industrial, clean room and education environments. Functions include pneumatic seat height adjustment range of 21" to 31" with soft-touch pneumatic controls to accommodate many tasks. Features 18.5" wide x 17" deep x 18.5" high one-piece, high-density polypropylene shell; a 25.6" diameter cast aluminum base and T-shape construction for added strength and easy cleanability, with optional adjustable 20" diameter cast aluminum footring, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	18.5x17x18.5		21-31	EA	\$564

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
KXR-L-RC-P-XF-XA-06	Skoop	An edgy design, high-density polypropylene shell and ergonomic performance make this chair an ideal choice for laboratory, industrial, clean room and education environments. Functions include pneumatic seat height adjustment range of 16" to 21" with soft-touch pneumatic controls to accommodate many tasks. Features 18.5" wide x 17" deep x 18.5" high one-piece, high-density polypropylene shell; a high-profile 25.6" diameter reinforced composite base and T-shape construction for added strength and easy cleanability, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	18.5x17x18.5		16-21	EA	\$470
KXR-M-RC-P-XF-XA-06	Skoop	An edgy design, high-density polypropylene shell and ergonomic performance make this chair an ideal choice for laboratory, industrial, clean room and education environments. Functions include pneumatic seat height adjustment range of 18" to 25" with soft-touch pneumatic controls to accommodate many tasks. Features 18.5" wide x 17" deep x 18.5" high one-piece, high-density polypropylene shell; a 25.6" diameter reinforced composite base and T-shape construction for added strength and easy cleanability, with optional adjustable 20" diameter cast aluminum footring, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	18.5x17x18.5		18-25	EA	\$481

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
KXR-H-RC-P-XF-XA-06	Skoop	An edgy design, high-density polypropylene shell and ergonomic performance make this chair an ideal choice for laboratory, industrial, clean room and education environments. Functions include pneumatic seat height adjustment range of 21" to 31" with soft-touch pneumatic controls to accommodate many tasks. Features 18.5" wide x 17" deep x 18.5" high one-piece, high-density polypropylene shell; a 25.6" diameter reinforced composite base and T-shape construction for added strength and easy cleanability, with optional adjustable 20" diameter cast aluminum footring, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	18.5x17x18.5		21-31	EA	\$492
KXW-L-RC-P-XF-XA-06	Skoop	An edgy design, high-density polypropylene shell and ergonomic performance make this chair an ideal choice for laboratory, industrial, clean room and education environments. Functions include pneumatic seat height adjustment range of 16" to 21" with soft-touch pneumatic controls to accommodate many tasks. Features 18.5" wide x 17" deep x 18.5" high one-piece, high-density polypropylene shell; a high-profile 28.7" diameter wide aluminum base and T-shape construction for added strength and easy cleanability, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	18.5x17x18.5		16-21	EA	\$563

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
KXW-M-RC-P-XF-XA-06	Skoop	An edgy design, high-density polypropylene shell and ergonomic performance make this chair an ideal choice for laboratory, industrial, clean room and education environments. Functions include pneumatic seat height adjustment range of 18" to 25" with soft-touch pneumatic controls to accommodate many tasks. Features 18.5" wide x 17" deep x 18.5" high one-piece, high-density polypropylene shell; a high-profile 28.7" diameter reinforced composite base and T-shape construction for added strength and easy cleanability, with optional adjustable 20" diameter cast aluminum footring, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	18.5x17x18.5		18-25	EA	\$574
KXW-H-RC-P-XF-XA-06	Skoop	An edgy design, high-density polypropylene shell and ergonomic performance make this chair an ideal choice for laboratory, industrial, clean room and education environments. Functions include pneumatic seat height adjustment range of 21" to 31" with soft-touch pneumatic controls to accommodate many tasks. Features 18.5" wide x 17" deep x 18.5" high one-piece, high-density polypropylene shell; a high-profile 28.7" diameter reinforced composite base and T-shape construction for added strength and easy cleanability, with optional adjustable 20" diameter cast aluminum footring, and dual-wheel, non-marring polyurethane casters that resist movement when the chair is unoccupied.. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	18.5x17x18.5		21-31	EA	\$582

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
TXS-L-RC-S-XF-XA-06	Traxx	<p>Long-lasting, 14-gauge steel seats and black, powder-coated paint finishes on metal parts solidify this choice of stool for use in healthcare, laboratory, clean room, static control/ESD, clean room/ESD, education and industrial environments. Features include pneumatic seat height adjustment range of 15" to 19" and a round 13" diameter seat made of 14-gauge steel with a formed flange and smooth edges. Also includes high-profile, Euro-look 23" diameter tubular steel base with standard 21" diameter affixed footring, and dual-wheel, non-marring polyurethane casters resist movement when the stool is unoccupied. . LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	13" diameter		15-19	EA	\$458
TXS-M-RC-S-XF-XA-06	Traxx	<p>Long-lasting, 14-gauge steel seats and black, powder-coated paint finishes on metal parts solidify this choice of stool for use in healthcare, laboratory, clean room, static control/ESD, clean room/ESD, education and industrial environments. Features include pneumatic seat height adjustment range of 18" to 25" and a round 13" diameter seat made of 14-gauge steel with a formed flange and smooth edges. Also includes high-profile, Euro-look 23" diameter tubular steel base with standard 21" diameter affixed footring, and dual-wheel, non-marring polyurethane casters resist movement when the stool is unoccupied. . LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	13" diameter		18-25	EA	\$482

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
TXS-H-RC-S-XF-XA-06	Traxx	<p>Long-lasting, 14-gauge steel seats and black, powder-coated paint finishes on metal parts solidify this choice of stool for use in healthcare, laboratory, clean room, static control/ESD, clean room/ESD, education and industrial environments. Features include pneumatic seat height adjustment range of 22" to 29" and a round 13" diameter seat made of 14-gauge steel with a formed flange and smooth edges. Also includes high-profile, Euro-look 23" diameter tubular steel base with standard 21" diameter affixed footring, and dual-wheel, non-marring polyurethane casters resist movement when the stool is unoccupied. . LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	13" diameter		22-29	EA	\$527
TXA-L-RC-S-XF-XA-06	Traxx	<p>Long-lasting, 14-gauge steel seats and black, powder-coated paint finishes on metal parts solidify this choice of stool for use in healthcare, laboratory, clean room, static control/ESD, clean room/ESD, education and industrial environments. Features include pneumatic seat height adjustment range of 14" to 19" and a round 13" diameter seat made of 14-gauge steel with a formed flange and smooth edges. Also includes high-profile, Euro-look 25.6" diameter cast aluminum base with T-shape construction for added strength, and dual-wheel, non-marring polyurethane casters resist movement when the stool is unoccupied. . LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	13" diameter		14-19	EA	\$431

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
TXA-M-RC-S-XF-XA-06	Traxx	<p>Long-lasting, 14-gauge steel seats and black, powder-coated paint finishes on metal parts solidify this choice of stool for use in healthcare, laboratory, clean room, static control/ESD, clean room/ESD, education and industrial environments. Features include pneumatic seat height adjustment range of 16" to 23" and a round 13" diameter seat made of 14-gauge steel with a formed flange and smooth edges. Also includes high-profile, Euro-look 25.6" diameter cast aluminum base,, and dual-wheel, non-marring polyurethane casters resist movement when the stool is unoccupied. . LEED compliant.</p> <p>Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	13" diameter		16-23	EA	\$442
TXA-H-RC-S-XF-XA-06	Traxx	<p>Long-lasting, 14-gauge steel seats and black, powder-coated paint finishes on metal parts solidify this choice of stool for use in healthcare, laboratory, education and industrial environments. Features include pneumatic seat height adjustment range of 19" to 29" and a round 13" diameter seat made of 14-gauge steel with a formed flange and smooth edges. Also includes high-profile, Euro-look 25.6" diameter cast aluminum base,, and dual-wheel, non-marring polyurethane casters resist movement when the stool is unoccupied. . LEED compliant.</p> <p>Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	13" diameter		19-29	EA	\$453

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
TXR-L-RC-S-XF-XA-06	Traxx	<p>Long-lasting, 14-gauge steel seats and black, powder-coated paint finishes on metal parts solidify this choice of stool for use in healthcare, laboratory, education and industrial environments. Features include pneumatic seat height adjustment range of 14" to 19" and a round 13" diameter seat made of 14-gauge steel with a formed flange and smooth edges. Also includes high-profile, Euro-look 25.6" diameter reinforced composite base with T-shape construction for added strength, and dual-wheel, non-marring polyurethane casters resist movement when the stool is unoccupied. . LEED compliant.</p> <p>Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	13" diameter		14-19	EA	\$356
TXR-M-RC-S-XF-XA-06	Traxx	<p>Long-lasting, 14-gauge steel seats and black, powder-coated paint finishes on metal parts solidify this choice of stool for use in healthcare, laboratory, education and industrial environments. Features include pneumatic seat height adjustment range of 16" to 23" and a round 13" diameter seat made of 14-gauge steel with a formed flange and smooth edges. Also includes high-profile, Euro-look 25.6" diameter reinforced composite base,, and dual-wheel, non-marring polyurethane casters resist movement when the stool is unoccupied. . LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.</p>	13"		16-23	EA	\$367

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
TXR-H-RC-S-XF-XA-06	Traxx	Long-lasting, 14-gauge steel seats and black, powder-coated paint finishes on metal parts solidify this choice of stool for use in healthcare, laboratory, clean room, static control/ESD, clean room/ESD, education and industrial environments. Features include pneumatic seat height adjustment range of 19" to 29" and a round 13" diameter seat made of 14-gauge steel with a formed flange and smooth edges. Also includes high-profile, Euro-look 25.6" diameter reinforced composite base,, and dual-wheel, non-marring polyurethane casters resist movement when the stool is unoccupied. . LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	13" diameter		19-29	EA	\$378
TXW-L-RC-S-XF-XA-06	Traxx	Long-lasting, 14-gauge steel seats and black, powder-coated paint finishes on metal parts solidify this choice of stool for use in healthcare, laboratory, clean room, static control/ESD, clean room/ESD, education and industrial environments. Features include pneumatic seat height adjustment range of 14" to 19" and a round 13" diameter seat made of 14-gauge steel with a formed flange and smooth edges. Also includes high-profile, Euro-look 25.6" diameter wide aluminum base with T-shape construction for added strength, and dual-wheel, non-marring polyurethane casters resist movement when the stool is unoccupied. . LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	13" diameter		14-19	EA	\$450

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
TXW-M-RC-S-XF-XA-06	Traxx	Long-lasting, 14-gauge steel seats and black, powder-coated paint finishes on metal parts solidify this choice of stool for use in healthcare, laboratory, clean room, static control/ESD, clean room/ESD, education and industrial environments. Features include pneumatic seat height adjustment range of 16 to 23" and a round 13" diameter seat made of 14-gauge steel with a formed flange and smooth edges. Also includes high-profile, Euro-look 25.6" diameter wide aluminum base,, and dual-wheel, non-marring polyurethane casters resist movement when the stool is unoccupied. . LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	13" diameter		16-23	EA	\$461
TXW-H-RC-S-XF-XA-06	Traxx	Long-lasting, 14-gauge steel seats and black, powder-coated paint finishes on metal parts solidify this choice of stool for use in healthcare, laboratory, clean room, static control/ESD, clean room/ESD, education and industrial environments. Features include pneumatic seat height adjustment range of 19" to 29" and a round 13" diameter seat made of 14-gauge steel with a formed flange and smooth edges. Also includes high-profile, Euro-look 25.6" diameter wide aluminum base,, and dual-wheel, non-marring polyurethane casters resist movement when the stool is unoccupied. . LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	13" diameter		19-29	EA	\$472

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
CXS-L-RC-S-XF-XA-06	Cerex	Rugged, self-skinned urethane and a range of configuration options make models in this series ideal for use in healthcare, laboratory, clean room, industrial and education environments. Features include pneumatic seat height adjustment range of 17" to 21" and a round 14" diameter, 1.5" thick seat. Also includes high-profile, Euro-look 23" diameter tubular steel base with standard 21" diameter affixed footring, powder-coated paint finishes on metal parts, and dual-wheel, non-marring polyurethane casters resist movement when the stool is unoccupied. . LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	14" diameter, 1.5" thick		17-21	EA	\$486
CXS-M-RC-S-XF-XA-06	Cerex	Rugged, self-skinned urethane and a range of configuration options make models in this series ideal for use in healthcare, laboratory, clean room, industrial and education environments. Features include pneumatic seat height adjustment range of 20" to 27" and a round 14" diameter, 1.5" thick seat. Also includes high-profile, Euro-look 23" diameter tubular steel base with standard 21" diameter affixed footring, powder-coated paint finishes on metal parts, and dual-wheel, non-marring polyurethane casters resist movement when the stool is unoccupied. . LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	14" diameter, 1.5" thick		20-27	EA	\$497

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
CXS-H-RC-S-XF-XA-06	Cerex	Rugged, self-skinned urethane and a range of configuration options make models in this series ideal for use in healthcare, laboratory, clean room, industrial and education environments. Features include pneumatic seat height adjustment range of 24" to 31" and a round 14" diameter, 1.5" thick seat. Also includes high-profile, Euro-look 23" diameter tubular steel base with standard 21" diameter affixed footring, powder-coated paint finishes on metal parts, and dual-wheel, non-marring polyurethane casters resist movement when the stool is unoccupied. . LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	14" diameter, 1.5" thick		24-31	EA	\$544
CXA-L-RC-S-XF-XA-06	Cerex	Rugged, self-skinned urethane and a range of configuration options make models in this series ideal for use in healthcare, laboratory, clean room, industrial and education environments. Features include pneumatic seat height adjustment range of 16" to 21" and a round 14" diameter, 1.5" thick seat. Also includes high-profile, Euro-look 25.6" diameter cast aluminum base with T-shape construction for added strength, powder-coated paint finishes on metal parts, and dual-wheel, non-marring polyurethane casters resist movement when the stool is unoccupied. . LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	14" diameter, 1.5" thick		16-21	EA	\$446

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
CXA-M-RC-S-XF-XA-06	Cerex	Rugged, self-skinned urethane and a range of configuration options make models in this series ideal for use in healthcare, laboratory, clean room, industrial and education environments. Features include pneumatic seat height adjustment range of 18" to 25" and a round 14" diameter, 1.5" thick seat. Also includes high-profile, Euro-look 25.6" diameter cast aluminum base,, powder-coated paint finishes on metal parts, and dual-wheel, non-marring polyurethane casters resist movement when the stool is unoccupied. . LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	14" diameter, 1.5" thick		18-25	EA	\$457
CXA-H-RC-S-XF-XA-06	Cerex	Rugged, self-skinned urethane and a range of configuration options make models in this series ideal for use in healthcare, laboratory, clean room, industrial and education environments. Features include pneumatic seat height adjustment range of 21" to 31" and a round 14" diameter, 1.5" thick seat. Also includes high-profile, Euro-look 25.6" diameter cast aluminum base,, powder-coated paint finishes on metal parts, and dual-wheel, non-marring polyurethane casters resist movement when the stool is unoccupied. . LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	14" diameter, 1.5" thick		21-31	EA	\$468

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
CXR-L-RC-S-XF-XA-06	Cerex	Rugged, self-skinned urethane and a range of configuration options make models in this series ideal for use in healthcare, laboratory, clean room, industrial and education environments. Features include pneumatic seat height adjustment range of 16" to 21" and a round 14" diameter, 1.5" thick seat. Also includes high-profile, Euro-look 25.6" diameter reinforced composite base with T-shape construction for added strength, powder-coated paint finishes on metal parts, and dual-wheel, non-marring polyurethane casters resist movement when the stool is unoccupied. . LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	14" diameter, 1.5" thick		16-21	EA	\$371
CXR-M-RC-S-XF-XA-06	Cerex	Rugged, self-skinned urethane and a range of configuration options make models in this series ideal for use in healthcare, laboratory, clean room, industrial and education environments. Features include pneumatic seat height adjustment range of 18" to 25" and a round 14" diameter, 1.5" thick seat. Also includes high-profile, Euro-look 25.6" diameter reinforced composite base,, powder-coated paint finishes on metal parts, and dual-wheel, non-marring polyurethane casters resist movement when the stool is unoccupied. . LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	14" diameter, 1.5" thick		18-25	EA	\$382

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
CXR-H-RC-S-XF-XA-06	Cerex	Rugged, self-skinned urethane and a range of configuration options make models in this series ideal for use in healthcare, laboratory, clean room, industrial and education environments. Features include pneumatic seat height adjustment range of 21" to 31" and a round 14" diameter, 1.5" thick seat. Also includes high-profile, Euro-look 25.6" diameter reinforced composite base,, powder-coated paint finishes on metal parts, and dual-wheel, non-marring polyurethane casters resist movement when the stool is unoccupied. . LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	14" diameter, 1.5" thick		21-31	EA	\$393
CXW-L-RC-S-XF-XA-06	Cerex	Rugged, self-skinned urethane and a range of configuration options make models in this series ideal for use in healthcare, laboratory, clean room, industrial and education environments. Features include pneumatic seat height adjustment range of 16" to 21" and a round 14" diameter, 1.5" thick seat. Also includes high-profile, Euro-look 28.7" diameter wide aluminum base with T-shape construction for added strength, powder-coated paint finishes on metal parts, and dual-wheel, non-marring polyurethane casters resist movement when the stool is unoccupied. . LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	14" diameter, 1.5" thick		16-21	EA	\$467

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
CXW-M-RC-S-XF-XA-06	Cerex	Rugged, self-skinned urethane and a range of configuration options make models in this series ideal for use in healthcare, laboratory, clean room, industrial and education environments. Features include pneumatic seat height adjustment range of 18" to 25" and a round 14" diameter, 1.5" thick seat. Also includes high-profile, Euro-look 28.7" diameter wide aluminum base,, powder-coated paint finishes on metal parts, and dual-wheel, non-marring polyurethane casters resist movement when the stool is unoccupied. . LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	14" diameter, 1.5" thick		18-25	EA	\$478
CXW-H-RC-S-XF-XA-06	Cerex	Rugged, self-skinned urethane and a range of configuration options make models in this series ideal for use in healthcare, laboratory, clean room, industrial and education environments. Features include pneumatic seat height adjustment range of 21" to 31" and a round 14" diameter, 1.5" thick seat. Also includes high-profile, Euro-look 28.7" diameter wide aluminum base,, powder-coated paint finishes on metal parts, and dual-wheel, non-marring polyurethane casters resist movement when the stool is unoccupied. . LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	14" diameter, 1.5" thick		21-31	EA	\$489

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
RXC-L-CRC-FA-XF-XA-C	Aramis	Rugged construction, hands-free seat height adjustment and high-resilience foam cushioning make this stool ideal for use in laboratory, healthcare, education and industrial environments. Features include foot-activated pneumatic seat height adjustment range of 18" – 23", a round 16" diameter, 3.5" thick upholstered seat, and chrome-plated finish on metal parts. Dual-wheel casters designed for use on hard floors and 5-legged cast aluminum base with 23" leg spread. Also. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	16" diameter, 3.5" thick		18-23	EA	\$809
RXC-M-CRC-FA-XF-XA-C	Aramis	Rugged construction, hands-free seat height adjustment and high-resilience foam cushioning make this stool ideal for use in laboratory, healthcare, education and industrial environments. Features include foot-activated pneumatic seat height adjustment range of 22" – 29", a round 16" diameter, 3.5" thick upholstered seat, and chrome-plated finish on metal parts. Dual-wheel casters designed for use on hard floors and 5-legged cast aluminum base with 23" leg spread. Also. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	16" diameter, 3.5" thick		22-29	EA	\$887

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
VF:RXC-L-CRC-FA-XF-XA-C	Aramis	Rugged construction, hands-free seat height adjustment and vacuum-formed upholstery make this stool ideal for use in laboratory, healthcare, education and industrial environments. Features include foot-activated pneumatic seat height adjustment range of 18" – 23", a round 16" diameter, 3.5" thick upholstered seat, and chrome-plated finish on metal parts. Dual-wheel casters designed for use on hard floors and 5-legged cast aluminum base with 23" leg spread. Also. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	16"		18-23	EA	\$875
VF:RXC-M-CRC-FA-XF-XA-C	Aramis	Rugged construction, hands-free seat height adjustment and vacuum-formed upholstery make this stool ideal for use in laboratory, healthcare, education and industrial environments. Features include foot-activated pneumatic seat height adjustment range of 22" – 29", a round 16" diameter, 3.5" thick upholstered seat, and chrome-plated finish on metal parts. Dual-wheel casters designed for use on hard floors and 5-legged cast aluminum base with 23" leg spread. Also. LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	16"		22-29	EA	\$939

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
TXG-L-GL-S-XF-XA-06	TXG Stool	This stool delivers tough performance for small spaces. It's compact, sturdy and built to last. Designed for educational, clean room, industrial, lab and healthcare facilities, standard features include a seat height range of 17" to 22", a 13" diameter seat made of 14-gauge steel with formed flange with no sharp edges; a 4-legged, compact, tubular steel base with 16" leg spread; Soft Touch™ pneumatic seat height adjustment; self-leveling, nickel-plated glides; and, black powder-coat finish on metal parts.	13" diameter		17-22	EA	\$386
TXG-M-GL-S-XF-XA-06	TXG Stool	This stool delivers tough performance for small spaces. It's compact, sturdy and built to last. Designed for educational, clean room, industrial, lab and healthcare facilities, standard features include a seat height range of 20" to 25", a 13" diameter seat made of 14-gauge steel with formed flange with no sharp edges; a 4-legged, compact, tubular steel base with 16" leg spread; Soft Touch™ pneumatic seat height adjustment; self-leveling, nickel-plated glides; and, black powder-coat finish on metal parts.	13" diameter		20-25	EA	\$397

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
LXS-M-HG-L-XF-XA-06	LX Sit/Stand	The GX Series sit/stand is a durable solution which provides torso and hip support for users who must stand for prolonged periods in industrial, healthcare, laboratory, education and office environments. Standard features include a 13" X 13" black, self-skinned urethane seat with built-in handle, Soft Touch™ pneumatic seat height adjustment with a range of 22" to 29"; seat tilt range from horizontal to 6° forward; a 23" diameter, 5-leg tubular steel base with 21" diameter affixed footring; 2" high, non-skid polyamide glides; and black powder-coat finish on metal parts. Backed by a 13-year warranty.	13x13		22-29	EA	\$581
LXS-H-HG-L-XF-XA-06	LX Sit/Stand	The GX Series sit/stand is a durable solution which provides torso and hip support for users who must stand for prolonged periods in industrial, healthcare, laboratory, education and office environments. Standard features include a 13" X 13" black, self-skinned urethane seat with built-in handle, Soft Touch™ pneumatic seat height adjustment with a range of 24" to 34"; seat tilt range from horizontal to 6° forward; a 23" diameter, 5-leg tubular steel base with 21" diameter affixed footring; 2" high, non-skid polyamide glides; and black powder-coat finish on metal parts. Backed by a 13-year warranty.	13x13		24-34	EA	\$607

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
FIN	Fin	Innovative ergonomic alternative for standing-work applications, complete with a 19.25" wide X 5.75" deep, swiveling polyurethane seat with handles and fingertip-controlled seat height adjustment. Ideal for laboratory, healthcare, clean room, industrial, education, hospitality and retail environments where standard seating is not an option. Features include pneumatic seat height adjustment range of 24.5" – 33.5", fixed column inclined four degrees to promote positive working posture and integrated handles for easy relocation. Brushed aluminum base comes standard with interchangeable glides to suit any type of floor. Passes both Criteria A and B of CAL -133 Burn Test. Also complies with product safety and performance standards guidelines as established by the American National Standards Institute (ANSI) and Business and Institutional Furniture Manufacturers' Association (BIFMA). LEED compliant. Backed by a 13-year warranty with lifetime warranty on pneumatics.	19.25x5.75		24.5-33.5	EA	\$803
AJ-18	Ajax	This stool combines iconic industrial design with the BioFit tradition of durable construction and reliability. Ideal for educational, clean room, industrial, laboratory and healthcare facilities, this 18" high stool features a 13" diameter seat made of 14-gauge steel with formed flange with no sharp edges; 4-legged, all-welded construction base made of 0.875" 14-gauge steel tubing; 16" diameter footring made of 0.75" 19-gauge steel tubing, welded both top and bottom; self-leveling, nickel-plated glides, and black powder-coat finish. Backed by a 13-year warranty.	13" diameter		18" fixed	EA	\$387

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
AJ-24	Ajax	This stool combines iconic industrial design with the BioFit tradition of durable construction and reliability. Ideal for educational, clean room, industrial, laboratory and healthcare facilities, this 24" high stool features a 13" diameter seat made of 14-gauge steel with formed flange with no sharp edges; 4-legged, all-welded construction base made of 0.875" 14-gauge steel tubing; 16" diameter footring made of 0.75" 19-gauge steel tubing, welded both top and bottom; self-leveling, nickel-plated glides, and black powder-coat finish. Backed by a 13-year warranty.	13" diameter		24" fixed	EA	\$393
AJ-30	Ajax	This stool combines iconic industrial design with the BioFit tradition of durable construction and reliability. Ideal for educational, clean room, industrial, laboratory and healthcare facilities, this 30" high stool features a 13" diameter seat made of 14-gauge steel with formed flange with no sharp edges; 4-legged, all-welded construction base made of 0.875" 14-gauge steel tubing; 16" diameter footring made of 0.75" 19-gauge steel tubing, welded both top and bottom; self-leveling, nickel-plated glides, and black powder-coat finish. Backed by a 13-year warranty.	13" diameter		30" fixed	EA	\$399
FOOTRESTS							

BioFit Seating							
Seating - MVMT and Foundation							
2022 List Price							
Effective April 1, 2022							
BioFit Manufacturing Code	BioFit Series	Enhanced Product Description	Seat dimensions (WxD in inches)	Backrest dimensions (WxH in inches)	Seat Height Range (in inches)	Unit of Measure	List Price
FS-1	Footrest	This adjustable ergonomic footrest can help enhance comfort and performance while user is seated, complementing the BioFit ergonomic experience. Ideal for office, healthcare, laboratory, education and industrial workspaces or any environment that requires extended periods of sitting. Features fast and easy secure rack and pin height adjustment range from 3" to 11" in 1" increments. Frame constructed of 14-gauge steel tubing with all joints welded. Black powder-coat finish on metal parts. Non-skid platform surface tread. Platform size is 20" wide X 11" deep with 10-degree slope. Rugged and dependable, built for long-term use, and backed by a 13-year warranty.				EA	\$388
FS-2	Footrest	This adjustable ergonomic footrest can help enhance comfort and performance while user is seated, complementing the BioFit ergonomic experience. Ideal for office, healthcare, laboratory, education and industrial workspaces or any environment that requires extended periods of sitting. Features fast and easy secure rack and pin height adjustment range from 3" to 11" in 1" increments. Frame constructed of 14-gauge steel tubing with all joints welded. Black powder-coat finish on metal parts. Non-skid platform surface tread. Platform size is 12" wide X 11" deep with 10-degree slope. Rugged and dependable, built for long-term use, and backed by a 13-year warranty.				EA	\$361
ESD (K) Package)							\$234
Chrome (C) Plated Metal Parts							\$60

MVMT Seating					
Component	MFG Code	List/Pro	List/Tech Classic	List/Tech HD	
Seat	1B	NA	NC	NC	
Armrest	1D	Standard	\$371	\$371	
	3D	Standard	\$371	\$371	
	XA	-371	Standard	Standard	
Footring	XF	-155	-155	NA	
Glides	HG	NC	NC	NC	
Casters	RC	NC	NC	NC	
	RK	\$59	\$59	\$59	
Base	P25*	\$75	\$75	NA	
	P28*	\$95	\$95	NA	
Control	E2	NA	\$29	\$29	
	E3	NA	\$107	NA	
Misc	SW	\$34	\$34	\$34	
	VU	NA	\$40	\$40	
Upholstery	Description	List (applies to all models)			
	Grade 3	\$70			
	Grade 4	\$114			
	Grade 5	\$207			
	Grade 6	\$271			
	Grade 7	\$351			
	Grades A, B, C	Price included in ESD and ISO/ESD perf. pkg.			
	C133	Contact BioFit for details			
Performance Packages					
Category	MFG Code	List/Pro	List/Tech Classic	List/Tech HD	
ESD	K	\$367	\$310	\$310	

MVMT Seating					
Component	MFG Code	List/Pro	List/Tech Classic	List/Tech HD	
Clean Room	ISO8	\$22	\$22	\$22	
	ISO7	\$45	\$45	\$45	
	ISO6	\$68	\$135	\$135	
	ISO5	NA	\$282	\$282	
	ISO3	NA	\$395	\$395	
Clean Room/ESD	ISO8K	\$389	\$333	\$333	
	ISO7K	\$412	\$355	\$355	
	ISO6K	\$435	\$445	\$445	
	ISO5K	NA	\$592	\$592	
	ISO3K	NA	\$677	\$677	
Chrome-plated metal parts	C	\$5	\$37	\$72	
*Both of these bases are only available as options in place of the standard GR base on low height					
Pro and Tech Series Classic models.					

AE Avenue					
Category	Manf. Code	Description	List Price	Notes	
Optional Components					
Armrests	ARS	Height and width adjustable with self-skinned urethane pads	\$152	Not available with ISO 3 or ISO 4 performance packages	
	PSAS	Height adjustable with self-skinned urethane pads	\$119		
Seat Controls	FFAC	Free Float Articulating Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently with separate levers and can free float or lock into place	\$29	\$238	\$ on ISO 5 performance package configurations
	EXE	Executive Tilt Control: Pneumatic seat- and backrest-height adjustment; backrest tilt; seat and backrest swivel tilt in unison; tilt tension control knob and single lever seat tilt lock into any position	\$136	Only available on models with maximum seat height of 26" or less	
	ASC	Articulating Seat Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently and lock into place with a single lever	\$243	Only available on ISO 3 and ISO 4 performance package units without arms	

AE Avenue				
Category	Manf. Code	Description	List Price	Notes
Optional Components				
	SLD	Seat slider bracket allows seat depth adjustment range of up to 2.5" w/locking positions every 0.5"; add to the standard task, FFAC or EXE controls	\$95	
Footrings	AFP	Adjustable height, 22" diameter, oval tube construction on solid polished cast aluminum snoke	\$155	Adjusts easily without knobs or levers. Not available on low-seat-height models or units with S style base
	ATF	Adjustable height, 20" diameter, cast aluminum	\$107	Recommended for medium and high height models with A, W or R bases. Not available with low height models or units with S-style base
Casters & Glides	HG	2" high Polyamide glides	NC	
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied -- standard on most models	NC	
	RK	Hooded dual-wheel, non-marring resistance casters for ESD applications; lock when seat is unoccupied	\$59	Standard with ESD performance packages
Upholstery	COM	Customer's own material	NC	Contact BioFit for details.
	Grade 2		NC	Comes standard on upholstered models unless otherwise noted
	Grade 3		\$70	
	Grade 4		\$114	
	Grade 5		\$207	

AE Avenue					
Category	Manf. Code	Description	List Price	Notes	
Optional Components					
	C133	Special upholsteries, foam or barriers as needed to meet California Technical Bulletin 133 & Boston Fire Code; upholstery choices may be limited. Minimums of Grade 2/3 fabric or Grade 3 vinyl are offered.		Contact BioFit for details.	
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$34		
	VU	Upholstered underwrap to match seat upholstery	\$40		
	FM	Memory Foam	\$45		
Performance Packages					
	Class	Manufactuing Code	List Price		
ESD		K	\$282		
Clean Room	ISO 8	ISO8	\$22		
	ISO 7	ISO7	\$45		
	ISO 6	ISO6	\$135		
	ISO 5	ISO5	\$282		
	ISO 4	ISO4	\$339		
	ISO 3	ISO3	\$395		
Combination Clean Room/ESD	ISO 8/ESD	ISO8K	\$339		
	ISO 7/ESD	ISO7K	\$361		
	ISO 6/ESD	ISO6K	\$384		

AE Avenue				
Category	Manf. Code	Description	List Price	Notes
Optional Components				
	ISO 5/ESD	ISO5K	\$565	
	ISO 4/ESD	ISO4K	\$592	
	ISO 3/ESD	ISO3K	\$621	
Optional Chrome-plated metal parts: chairs with A, R, W bases	-	C	\$57	
Optional Chrome-plated metal parts: chairs with S base		C	\$127	

AM Amherst					
Category	Manf. Code	Description	List Price	Notes	
Optional Components					
Armrests	ARS	Height and width adjustable with self-skinned urethane pads	\$152	Not available with ISO 3 or ISO 4 performance packages	
	PSAS	Height adjustable with self-skinned urethane pads	\$119		
Seat Controls	FFAC	Free Float Articulating Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently with separate levers and can free float or lock into place	\$29	\$238	\$ on ISO 5 performance package configurations
	EXE	Executive Tilt Control: Pneumatic seat- and backrest-height adjustment; backrest tilt; seat and backrest swivel tilt in unison; tilt tension control knob and single lever seat tilt lock into any position	\$136	Only available on models with maximum seat height of 26" or less	
	ASC	Articulating Seat Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently and lock into place with a single lever	\$243	Only available on ISO 3 and ISO 4 performance package units without arms	

AM Amherst					
Category	Manf. Code	Description	List Price	Notes	
Optional Components					
	SLD	Seat slider bracket allows seat depth adjustment range of up to 2.5" w/locking positions every 0.5"; add to the standard task, FFAC or EXE controls	\$95		
Footrings	AFP	Adjustable height, 22" diameter, oval tube construction on solid polished cast aluminum spoke	\$155	Adjusts easily without knobs or levers. Not available on low-seat-height models or units with S style base	
	ATF	Adjustable height, 20" diameter, cast aluminum	\$107	Recommended for medium and high height models with A, W or R bases. Not available with low height models or units with S-style base	
Casters & Glides	HG	2" high Polyamide glides	NC		
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied -- standard on most models	NC		
	RK	Hooded dual-wheel, non-marring resistance casters for ESD applications; lock when seat is unoccupied	\$59	Standard with ESD performance packages	
Upholstery	COM	Customer's own material	NC	Contact BioFit for details.	
	Grade 2		NC	Comes standard on upholstered models unless otherwise noted	
	Grade 3		\$70		
	Grade 4		\$114		
	Grade 5		\$207		

AM Amherst					
Category	Manf. Code	Description	List Price	Notes	
Optional Components					
	C133	Special upholsteries, foam or barriers as needed to meet California Technical Bulletin 133 & Boston Fire Code; upholstery choices may be limited. Minimums of Grade 2/3 fabric or Grade 3 vinyl are offered.		Contact BioFit for details.	
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$34		
	VU	Upholstered underwrap to match seat upholstery	\$40		
	FM	Memory Foam	\$45		
Performance Packages					
	Class	Manufactuing Code	List Price		
ESD		K	\$282		
Clean Room	ISO 8	ISO8	\$22		
	ISO 7	ISO7	\$45		
	ISO 6	ISO6	\$135		
	ISO 5	ISO5	\$282		
	ISO 4	ISO4	\$339		
	ISO 3	ISO3	\$395		
Combination Clean Room/ESD	ISO 8/ESD	ISO8K	\$339		
	ISO 7/ESD	ISO7K	\$361		
	ISO 6/ESD	ISO6K	\$384		

AM Amherst					
Category	Manf. Code	Description	List Price	Notes	
Optional Components					
	ISO 5/ESD	ISO5K	\$565		
	ISO 4/ESD	ISO4K	\$592		
	ISO 3/ESD	ISO3K	\$621		
Optional Chrome-plated metal parts: chairs with A, R, W bases	-	C	\$57		
Optional Chrome-plated metal parts: chairs with S base		C	\$127		

BE Belize					
Category	Manf. Code	Description	List Price	Notes	
Optional Components					
Seat	A	Saddle-shaped, contoured, waterfall front, 21" W x 19" D x 3" T	\$43	If selected with performance package, contact BioFit factory for pricing	
Backrest	M	Larger, ergonomic, 18" W x 19" H (provides upper and lower back support; available on models with seat height up to 32")	\$28	If selected with performance package, contact BioFit factory for pricing	
Armrests	ARS	Height and width adjustable with self-skinned urethane pads	\$152	Not available with ISO 3 or ISO 4 performance packages	
	PSAS	Height adjustable with self-skinned urethane pads	\$128		
Seat Controls	FFAC	Free Float Articulating Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently with separate levers and can free float or lock into place	\$29	\$238	\$ on ISO 5 performance package configurations
	EXE	Executive Tilt Control: Pneumatic seat- and backrest-height adjustment; backrest tilt; seat and backrest swivel tilt in unison; tilt tension control knob and single lever seat tilt lock into any position	\$136	Only available on models with maximum seat height of 26" or less	

BE Belize					
Category	Manf. Code	Description	List Price	Notes	
Optional Components					
	ASC	Articulating Seat Control: Pneumatic seat- and backrest- height adjustment; seat and backrest tilt independently and lock into place with a single lever	\$243	Only available on ISO 3 and ISO 4 performance package units without arms	
Footrings	AFP	Adjustable height, 22" diameter, oval tube construction on solid polished cast aluminum spoke	\$155	Adjusts easily without knobs or levers. Not available on low-seat-height models or units with S style base	
	ATF	Adjustable height, 20" diameter, cast aluminum	\$107	Recommended for medium and high height models with A, W or R bases. Not available with low height models or units with S-style base	
Casters & Glides	HG	2" high Polyamide glides	NC		
	RC	Hooded dual-wheel, non- marring resistance casters; lock when seat is unoccupied - - standard on most models	NC		
	RK	Hooded dual-wheel, non- marring resistance casters for ESD applications; lock when seat is unoccupied	\$59	Standard with ESD performance packages	
Upholstery	COM	Customer's own material		Contact BioFit for details.	
	Grade 2		NC	Comes standard on upholstered models unless otherwise noted	
	Grade 3		\$70		
	Grade 4		\$114		
	Grade 5		\$207		

BE Belize					
Category	Manf. Code	Description	List Price	Notes	
Optional Components					
	C133	Special upholsteries, foam or barriers as needed to meet California Technical Bulletin 133 & Boston Fire Code; upholstery choices may be limited. Minimums of Grade 2/3 fabric or Grade 3 vinyl are offered.		Contact BioFit for details.	
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$34		
	VU	Upholstered underwrap to match seat upholstery	\$40		
Performance Packages					
	Class	Manufactuing Code	List Price		
ESD		K	\$249		
Clean Room	ISO 8	ISO8	\$22		
	ISO 7	ISO7	\$45		
	ISO 6	ISO6	\$135		
	ISO 5	ISO5	\$282		
	ISO 4	ISO4	\$339		
	ISO 3	ISO3	\$395		
Combination Clean Room/ESD	ISO 8/ESD	ISO8K	\$305		
	ISO 7/ESD	ISO7K	\$327		
	ISO 6/ESD	ISO6K	\$350		
	ISO 5/ESD	ISO5K	\$423		
	ISO 4/ESD	ISO4K	\$508		

BE Belize					
Category	Manf. Code	Description	List Price	Notes	
Optional Components					
	ISO 3/ESD	ISO3K	\$536		
Optional Chrome-plated metal parts: chairs with A, R, W bases	-	C	\$57		
Optional Chrome-plated metal parts: chairs with S base		C	\$127		

BT Bridgeport					
Category	Manf. Code	Description	List Price	Notes	
Optional Components					
Seat	A	Saddle-shaped, contoured, waterfall front, 21" W x 19" D x 3" T	\$130	If selected with performance package, contact BioFit factory for pricing	
Backrest	M	Larger, ergonomic, 18" W x 19" H (provides upper and lower back support; available on models with seat height up to 32")	\$106	If selected with performance package, contact BioFit factory for pricing	
Armrests	ARS	Height and width adjustable with self-skinned urethane pads	\$132	Not available with ISO 3 or ISO 4 performance packages	
	PSAS	Height adjustable with self-skinned urethane pads	\$128		
Seat Controls	FFAC	Free Float Articulating Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently with separate levers and can free float or lock into place	\$29	\$238	\$ on ISO 5 performance package configurations
	EXE	Executive Tilt Control: Pneumatic seat- and backrest-height adjustment; backrest tilt; seat and backrest swivel tilt in unison; tilt tension control knob and single lever seat tilt lock into any position	\$175	Only available on models with maximum seat height of 26" or less	

BT Bridgeport					
Category	Manf. Code	Description	List Price	Notes	
Optional Components					
	ASC	Articulating Seat Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently and lock into place with a single lever	\$243	Only available on ISO 3 and ISO 4 performance package units without arms	
Footrings	AFP	Adjustable height, 22" diameter, oval tube construction on solid polished cast aluminum spoke	\$155	Adjusts easily without knobs or levers. Not available on low-seat-height models or units with S style base	
	ATF	Adjustable height, 20" diameter, cast aluminum	\$107	Recommended for medium and high height models with A, W or R bases. Not available with low height models or units with S-style base	
Casters & Glides	HG	2" high Polyamide glides	NC		
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied -- standard on most models	NC		
	RK	Hooded dual-wheel, non-marring resistance casters for ESD applications; lock when seat is unoccupied	\$59	Standard with ESD performance packages	
Upholstery	COM	Customer's own material		Contact BioFit for details.	
	Grade 2		NC	Comes standard on upholstered models unless otherwise noted	
	Grade 3		\$70		
	Grade 4		\$114		
	Grade 5		\$207		

BT Bridgeport					
Category	Manf. Code	Description	List Price	Notes	
Optional Components					
	C133	Special upholsteries, foam or barriers as needed to meet California Technical Bulletin 133 & Boston Fire Code; upholstery choices may be limited. Minimums of Grade 2/3 fabric or Grade 3 vinyl are offered.		Contact BioFit for details.	
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$34		
	VU	Upholstered underwrap to match seat upholstery	\$40		
Performance Packages					
	Class	Manufactuing Code	List Price		
ESD		K	\$249		
Clean Room	ISO 8	ISO8	\$22		
	ISO 7	ISO7	\$45		
	ISO 6	ISO6	\$135		
	ISO 5	ISO5	\$282		
	ISO 4	ISO4	\$339		
	ISO 3	ISO3	\$395		
Combination Clean Room/ESD	ISO 8/ESD	ISO8K	\$305		
	ISO 7/ESD	ISO7K	\$327		
	ISO 6/ESD	ISO6K	\$350		
	ISO 5/ESD	ISO5K	\$423		

BT Bridgeport					
Category	Manf. Code	Description	List Price	Notes	
Optional Components					
	ISO 4/ESD	ISO4K	\$508		
	ISO 3/ESD	ISO3K	\$536		
Optional Chrome-plated metal parts: chairs with A, R, W bases	-	C	\$57		
Optional Chrome-plated metal parts: chairs with S base		C	\$127		

EE Elite					
Category	Manf. Code	Description	List Price	Notes	
Optional Components					
Seat	A	Saddle-shaped, contoured, waterfall front, 21" W x 19" D x 3" T	\$61	If selected with performance package, contact BioFit factory for pricing	
Backrest	M	Larger, ergonomic, 18" W x 19" H (provides upper and lower back support; available on models with seat height up to 32")	\$70	If selected with performance package, contact BioFit factory for pricing	
Armrests	ARS	Height and width adjustable with self-skinned urethane pads	\$132	Not available with ISO 3 or ISO 4 performance packages	
	PSAS	Height adjustable with self-skinned urethane pads	\$128		
Seat Controls	FFAC	Free Float Articulating Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently with separate levers and can free float or lock into place	\$29	\$238	\$ on ISO 5 performance package configurations
	EXE	Executive Tilt Control: Pneumatic seat- and backrest-height adjustment; backrest tilt; seat and backrest swivel tilt in unison; tilt tension control knob and single lever seat tilt lock into any position	\$175	Only available on models with maximum seat height of 26" or less	

EE Elite				
Category	Manf. Code	Description	List Price	Notes
Optional Components				
	ASC	Articulating Seat Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently and lock into place with a single lever	\$243	Only available on ISO 3 and ISO 4 performance package units without arms
Footrings	AFP	Adjustable height, 22" diameter, oval tube construction on solid polished cast aluminum spoke	\$155	Adjusts easily without knobs or levers. Not available on low-seat-height models or units with S style base
	ATF	Adjustable height, 20" diameter, cast aluminum	\$107	Recommended for medium and high height models with A, W or R bases. Not available with low height models or units with S-style base
Casters & Glides	HG	2" high Polyamide glides	NC	
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied -- standard on most models	NC	
	RK	Hooded dual-wheel, non-marring resistance casters for ESD applications; lock when seat is unoccupied	\$59	Standard with ESD performance packages
Upholstery	COM	Customer's own material	NC	Contact BioFit for details.
	Grade 2		NC	Comes standard on upholstered models unless otherwise noted
	Grade 3		\$70	
	Grade 4		\$114	
	Grade 5		\$207	

EE Elite				
Category	Manf. Code	Description	List Price	Notes
Optional Components				
	C133	Special upholsteries, foam or barriers as needed to meet California Technical Bulletin 133 & Boston Fire Code; upholstery choices may be limited. Minimums of Grade 2/3 fabric or Grade 3 vinyl are offered.		Contact BioFit for details.
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$34	
	VU	Upholstered underwrap to match seat upholstery	\$40	
	FM	Memory Foam	\$45	
Performance Packages				
	Class	Manufactuing Code	List Price	
ESD		K	\$249	
Clean Room	ISO 8	ISO8	\$22	
	ISO 7	ISO7	\$45	
	ISO 6	ISO6	\$135	
	ISO 5	ISO5	\$282	
	ISO 4	ISO4	\$339	
	ISO 3	ISO3	\$395	
Combination Clean Room/ESD	ISO 8/ESD	ISO8K	\$305	
	ISO 7/ESD	ISO7K	\$327	
	ISO 6/ESD	ISO6K	\$350	

EE Elite					
Category	Manf. Code	Description	List Price	Notes	
Optional Components					
	ISO 5/ESD	ISO5K	\$423		
	ISO 4/ESD	ISO4K	\$508		
	ISO 3/ESD	ISO3K	\$536		
Optional Chrome-plated metal parts: chairs with A, R, W bases	-	C	\$57		
Optional Chrome-plated metal parts: chairs with S base		C	\$127		

ET Eton					
Category	Manf. Code	Description	List Price	Notes	
Optional Components					
Seat	A	Saddle-shaped, contoured, waterfall front, 21" W x 19" D x 3" T	\$61	If selected with performance package, contact BioFit factory for pricing	
Backrest	M	Larger, ergonomic, 18" W x 19" H (provides upper and lower back support; available on models with seat height up to 32")	\$106	If selected with performance package, contact BioFit factory for pricing	
Armrests	ARS	Height and width adjustable with self-skinned urethane pads	\$132	Not available with ISO 3 or ISO 4 performance packages	
	PSAS	Height adjustable with self-skinned urethane pads	\$128		
Seat Controls	FFAC	Free Float Articulating Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently with separate levers and can free float or lock into place	\$29	\$243	\$ on ISO 5 performance package configurations
	EXE	Executive Tilt Control: Pneumatic seat- and backrest-height adjustment; backrest tilt; seat and backrest swivel tilt in unison; tilt tension control knob and single lever seat tilt lock into any position	\$175	Only available on models with maximum seat height of 26" or less	

ET Eton					
Category	Manf. Code	Description	List Price	Notes	
Optional Components					
	ASC	Articulating Seat Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently and lock into place with a single lever	\$243	Only available on ISO 3 and ISO 4 performance package units without arms	
Footrings	AFP	Adjustable height, 22" diameter, oval tube construction on solid polished cast aluminum spoke	\$155	Adjusts easily without knobs or levers. Not available on low-seat-height models or units with S style base	
	ATF	Adjustable height, 20" diameter, cast aluminum	\$107	Recommended for medium and high height models with A, W or R bases. Not available with low height models or units with S-style base	
Casters & Glides	HG	2" high Polyamide glides	NC		
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied -- standard on most models	NC		
	RK	Hooded dual-wheel, non-marring resistance casters for ESD applications; lock when seat is unoccupied	\$59	Standard with ESD performance packages	
Upholstery	COM	Customer's own material	NC	Contact BioFit for details.	
	Grade 2		NC	Comes standard on upholstered models unless otherwise noted	
	Grade 3		\$70		

ET Eton					
Category	Manf. Code	Description	List Price	Notes	
Optional Components					
	Grade 4		\$114		
	Grade 5		\$207		
	C133	Special upholsteries, foam or barriers as needed to meet California Technical Bulletin 133 & Boston Fire Code; upholstery choices may be limited. Minimums of Grade 2/3 fabric or Grade 3 vinyl are offered.		Contact BioFit for details.	
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$34		
	VU	Upholstered underwrap to match seat upholstery	\$40		
	FM	Memory Foam	\$45		
Performance Packages					
	Class	Manufacturing Code	List Price		
ESD		K	\$249		
Clean Room	ISO 8	ISO8	\$22		
	ISO 7	ISO7	\$45		
	ISO 6	ISO6	\$135		
	ISO 5	ISO5	\$282		
	ISO 4	ISO4	\$339		
	ISO 3	ISO3	\$395		

ET Eton					
Category	Manf. Code	Description	List Price	Notes	
Optional Components					
Combination Clean Room/ESD	ISO 8/ESD	ISO8K	\$305		
	ISO 7/ESD	ISO7K	\$327		
	ISO 6/ESD	ISO6K	\$3,550		
	ISO 5/ESD	ISO5K	\$423		
	ISO 4/ESD	ISO4K	\$508		
	ISO 3/ESD	ISO3K	\$536		
Optional Chrome-plated metal parts: chairs with A, R, W bases	-	C	\$57		
Optional Chrome-plated metal parts: chairs with S base		C	\$127		

FC Series				
Category	Manf. Code	Description	List Price	Notes
Optional Components				
Armrests	ARS	Height and width adjustable with self-skinned urethane pads	\$132	
	PSAS	Height adjustable with self-skinned urethane pads	\$128	
Seat Controls	FFAC	Free Float Articulating Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently with separate levers and can free float or lock into place	\$29	
	EXE	Executive Tilt Control: Pneumatic seat- and backrest-height adjustment; backrest tilt; seat and backrest swivel tilt in unison; tilt tension control knob and single lever seat tilt lock into any position	\$175	Only available on models with maximum seat height of 26" or less
	SLD	Seat slider bracket allows seat depth adjustment range of up to 2.5" w/locking positions every 0.5"; add to the standard task, FFAC or EXE controls	\$128	
Footrings	AFF	Adjustable height, 22" diameter, oval tube construction on solid polished cast aluminum spoke	\$155	Adjusts easily without knobs or levers. Not available on low-seat-height models or units with S style base

FC Series				
Category	Manf. Code	Description	List Price	Notes
Optional Components				
	ATF	Adjustable height, 20" diameter, cast aluminum	\$107	Recommended for medium and high height models with A, W or R bases. Not available with low height models or units with S-style base
Casters & Glides	HG	2" high Polyamide glides	NC	
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied -- standard on most models	NC	
	RK	Hooded dual-wheel, non-marring resistance casters for ESD applications; lock when seat is unoccupied	\$59	Standard with ESD performance packages
Upholstery	COM	Customer's own material	NC	Contact BioFit for details.
	Grade 2		NC	Comes standard on upholstered models unless otherwise noted
	Grade 3		\$70	
	Grade 4		\$114	
	Grade 5		\$207	
	C133	Special upholsteries, foam or barriers as needed to meet California Technical Bulletin 133 & Boston Fire Code; upholstery choices may be limited. Minimums of Grade 2/3 fabric or Grade 3 vinyl are offered.		Contact BioFit for details.
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$34	
	VU	Upholstered underwrap to match seat upholstery	\$40	
	FM	Memory Foam	\$85	

FC Series				
Category	Manf. Code	Description	List Price	Notes
Optional Components				
Performance Packages				
	Class	Manufactuing Code	List Price	
ESD		K	\$282	
Optional Chrome-plated metal parts: chairs with A, R, W bases	-	C	\$57	
Optional Chrome-plated metal parts: chairs with S base		C	\$127	

FL Series				
Category	Manf. Code	Description	List Price	Notes
Optional Components				
Armrests	ARS	Height and width adjustable with self-skinned urethane pads	\$132	
	PSAS	Height adjustable with self-skinned urethane pads	\$128	
Seat Controls	FFAC	Free Float Articulating Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently with separate levers and can free float or lock into place	\$29	
	EXE	Executive Tilt Control: Pneumatic seat- and backrest-height adjustment; backrest tilt; seat and backrest swivel tilt in unison; tilt tension control knob and single lever seat tilt lock into any position	\$175	Only available on models with maximum seat height of 26" or less
	SLD	Seat slider bracket allows seat depth adjustment range of up to 2.5" w/locking positions every 0.5"; add to the standard task, FFAC or EXE controls	\$128	
Footrings	AFP	Adjustable height, 22" diameter, oval tube construction on solid polished cast aluminum spoke	\$155	Adjusts easily without knobs or levers. Not available on low-seat-height models or units with S style base

FL Series				
Category	Manf. Code	Description	List Price	Notes
Optional Components				
	ATF	Adjustable height, 20" diameter, cast aluminum	\$107	Recommended for medium and high height models with A, W or R bases. Not available with low height models or units with S-style base
Casters & Glides	HG	2" high Polyamide glides	NC	
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied -- standard on most models	NC	
	RK	Hooded dual-wheel, non-marring resistance casters for ESD applications; lock when seat is unoccupied	\$59	Standard with ESD performance packages
Upholstery	COM	Customer's own material	NC	Contact BioFit for details.
	Grade 2		NC	Comes standard on upholstered models unless otherwise noted
	Grade 3		\$70	
	Grade 4		\$114	
	Grade 5		\$207	
	C133	Special upholsteries, foam or barriers as needed to meet California Technical Bulletin 133 & Boston Fire Code; upholstery choices may be limited. Minimums of Grade 2/3 fabric or Grade 3 vinyl are offered.		Contact BioFit for details.
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$34	
	VU	Upholstered underwrap to match seat upholstery	\$40	
	FM	Memory Foam	\$85	

FL Series				
Category	Manf. Code	Description	List Price	Notes
Optional Components				
Performance Packages				
	Class	Manufactuing Code	List Price	
ESD		K	\$282	
Optional Chrome-plated metal parts: chairs with A, R, W bases	-	C	\$57	
Optional Chrome-plated metal parts: chairs with S base		C	\$127	

Category	Manf. Code	Description	List Price	Notes
Optional Components				
Armrests	ARS	Height and width adjustable with self-skinned urethane pads	\$132	
	PSAS	Height adjustable with self-skinned urethane pads	\$128	
Seat Controls	FFAC	Free Float Articulating Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently with separate levers and can free float or lock into place	\$29	
	EXE	Executive Tilt Control: Pneumatic seat- and backrest-height adjustment; backrest tilt; seat and backrest swivel tilt in unison; tilt tension control knob and single lever seat tilt lock into any position	\$175	Only available on models with maximum seat height of 26" or less
Footrings	AFP	Adjustable height, 22" diameter, oval tube construction on solid polished cast aluminum spoke	\$155	Adjusts easily without knobs or levers. Not available on low-seat-height models or units with S style base
	ATF	Adjustable height, 20" diameter, cast aluminum	\$107	Recommended for medium and high height models with A, W or R bases. Not available with low height models or units with S-style base
Casters & Glides	HG	2" high Polyamide glides	NC	

HC Series				
Category	Manf. Code	Description	List Price	Notes
Optional Components				
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied -- standard on most models	NC	
	RK	Hooded dual-wheel, non-marring resistance casters for ESD applications; lock when seat is unoccupied	\$59	Standard with ESD performance packages
Upholstery	COM	Customer's own material	NC	Contact BioFit for details.
	Grade 2		NC	Comes standard on upholstered models unless otherwise noted
	Grade 3		\$70	
	Grade 4		\$114	
	Grade 5		\$207	
	C133	Special upholsteries, foam or barriers as needed to meet California Technical Bulletin 133 & Boston Fire Code; upholstery choices may be limited. Minimums of Grade 2/3 fabric or Grade 3 vinyl are offered.		Contact BioFit for details.
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$34	
	VU	Upholstered underwrap to match seat upholstery	\$40	
	FM	Memory Foam	\$85	
Performance Packages				
	Class	Manufacturing Code	List Price	

HC Series				
Category	Manf. Code	Description	List Price	Notes
Optional Components				
ESD		K	\$282	
Optional Chrome-plated metal parts: chairs with A, R, W bases	-	C	\$57	
Optional Chrome-plated metal parts: chairs with S base		C	\$127	

HL Series				
Category	Manf. Code	Description	List Price	Notes
Optional Components				
Armrests	ARS	Height and width adjustable with self-skinned urethane pads	\$132	
	PSAS	Height adjustable with self-skinned urethane pads	\$128	
Seat Controls	FFAC	Free Float Articulating Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently with separate levers and can free float or lock into place	\$29	
	EXE	Executive Tilt Control: Pneumatic seat- and backrest-height adjustment; backrest tilt; seat and backrest swivel tilt in unison; tilt tension control knob and single lever seat tilt lock into any position	\$175	Only available on models with maximum seat height of 26" or less
Footrings	AFP	Adjustable height, 22" diameter, oval tube construction on solid polished cast aluminum spoke	\$155	Adjusts easily without knobs or levers. Not available on low-seat-height models or units with S style base
	ATF	Adjustable height, 20" diameter, cast aluminum	\$107	Recommended for medium and high height models with A, W or R bases. Not available with low height models or units with S-style base
Casters & Glides	HG	2" high Polyamide glides	NC	

HL Series				
Category	Manf. Code	Description	List Price	Notes
Optional Components				
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied -- standard on most models	NC	
	RK	Hooded dual-wheel, non-marring resistance casters for ESD applications; lock when seat is unoccupied	\$59	Standard with ESD performance packages
Upholstery	COM	Customer's own material	NC	Contact BioFit for details.
	Grade 2		NC	Comes standard on upholstered models unless otherwise noted
	Grade 3		\$70	
	Grade 4		\$114	
	Grade 5		\$207	
	C133	Special upholsteries, foam or barriers as needed to meet California Technical Bulletin 133 & Boston Fire Code; upholstery choices may be limited. Minimums of Grade 2/3 fabric or Grade 3 vinyl are offered.		Contact BioFit for details.
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$34	
	VU	Upholstered underwrap to match seat upholstery	\$40	
	FM	Memory Foam	\$85	
Performance Packages				
	Class	Manufacturing Code	List Price	
ESD		K	\$282	

HL Series				
Category	Manf. Code	Description	List Price	Notes
Optional Components				
Optional Chrome-plated metal parts: chairs with A, R, W bases	-	C	\$57	
Optional Chrome-plated metal parts: chairs with S base		C	\$127	

FC-VF Series					
Category	Manf. Code	Description	List Price	Notes	
Optional Components					
Armrests	ARS	Height and width adjustable with self-skinned urethane pads	\$132	Not available with ISO 3 or ISO 4 performance packages	
	PSAS	Height adjustable with self-skinned urethane pads	\$128		
Seat Controls	FFAC	Free Float Articulating Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently with separate levers and can free float or lock into place	\$29	\$238	\$ on ISO 5 performance package configurations
	EXE	Executive Tilt Control: Pneumatic seat- and backrest-height adjustment; backrest tilt; seat and backrest swivel tilt in unison; tilt tension control knob and single lever seat tilt lock into any position	\$175	Only available on models with maximum seat height of 26" or less	
	ASC	Articulating Seat Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently and lock into place with a single lever	\$243	Only available on ISO 3 and ISO 4 performance package units without arms	

FC-VF Series					
Category	Manf. Code	Description	List Price	Notes	
Optional Components					
	SLD	Seat slider bracket allows seat depth adjustment range of up to 2.5" w/locking positions every 0.5"; add to the standard task, FFAC or EXE controls	\$128		
Footrings	AFP	Adjustable height, 22" diameter, oval tube construction on solid polished cast aluminum snake	\$155	Adjusts easily without knobs or levers. Not available on low-seat-height models or units with S style base	
	ATF	Adjustable height, 20" diameter, cast aluminum	\$107	Recommended for medium and high height models with A, W or R bases. Not available with low height models or units with S-style base	
Casters & Glides	HG	2" high Polyamide glides	NC		
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied -- standard on most models	NC		
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$34		
Performance Packages					
Category	Class	Manufacturing Code	List Price		
Clean Room	ISO 8	ISO8	\$22		
	ISO 7	ISO7	\$45		

FC-VF Series					
Category	Manf. Code	Description	List Price	Notes	
Optional Components					
	ISO 6	ISO6	\$135		
	ISO 5	ISO5	\$282		
	ISO 4	ISO4	\$339		
	ISO 3	ISO3	\$395		
Optional Chrome-plated metal parts: chairs with A, R, W bases	-	C	\$57		
Optional Chrome-plated metal parts: chairs with S base		C	\$127		

FL-VF Series Options					
Category	Manf. Code	Description	List Price	Notes	
Optional Components					
Armrests	ARS	Height and width adjustable with self-skinned urethane pads	\$152		
	PSAS	Height adjustable with self-skinned urethane pads	\$128		
Seat Controls	FFAC	Free Float Articulating Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently with separate levers and can free float or lock into place	\$29	\$238	\$ on ISO 5 performance package configurations
	EXE	Executive Tilt Control: Pneumatic seat- and backrest-height adjustment; backrest tilt; seat and backrest swivel tilt in unison; tilt tension control knob and single lever seat tilt lock into any position	\$136	Only available on models with maximum seat height of 26" or less	
	ASC	Articulating Seat Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently and lock into place with a single lever	\$243	Only available on ISO 3 and ISO 4 performance package units without arms	
	SLD	Seat slider bracket allows seat depth adjustment range of up to 2.5" w/locking positions every 0.5"; add to the standard task, FFAC or EXE controls	\$95		
Footrings	AFP	Adjustable height, 22" diameter, oval tube construction on solid polished cast aluminum spoke	\$155	Adjusts easily without knobs or levers. Not available on low-seat-height models or units with S style base	

FL-VF Series Options					
Category	Manf. Code	Description	List Price	Notes	
Optional Components					
	ATF	Adjustable height, 20" diameter, cast aluminum	\$107	Recommended for medium and high height models with A, W or R bases. Not available with low height models or units with S-style base	
Casters & Glides	HG	2" high Polyamide glides	NC		
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied -- standard on most models	NC		
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$34		
Performance Packages					
Category	Class	Manufactuing Code	List Price		
Clean Room	ISO 8	ISO8	\$22		
	ISO 7	ISO7	\$45		
	ISO 6	ISO6	\$135		
	ISO 5	ISO5	\$282		
	ISO 4	ISO4	\$339		
	ISO 3	ISO3	\$395		
Optional Chrome-plated metal parts: chairs with A, R, W bases	-	C	\$57		
Optional Chrome-plated metal parts: chairs with S base		C	\$127		

HC-VF Series					
Category	Manf. Code	Description	List Price	Notes	
Optional Components					
Armrests	ARS	Height and width adjustable with self-skinned urethane pads	\$152		
	PSAS	Height adjustable with self-skinned urethane pads	\$128		
Seat Controls	FFAC	Free Float Articulating Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently with separate levers and can free float or lock into place	\$29	\$238	\$X on ISO 5 performance package configurations
	EXE	Executive Tilt Control: Pneumatic seat- and backrest-height adjustment; backrest tilt; seat and backrest swivel tilt in unison; tilt tension control knob and single lever seat tilt lock into any position	\$136	Only available on models with maximum seat height of 26" or less	
	ASC	Articulating Seat Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently and lock into place with a single lever	\$243	Only available on ISO 3 and ISO 4 performance package units without arms	

HC-VF Series					
Category	Manf. Code	Description	List Price	Notes	
Optional Components					
	SLD	Seat slider bracket allows seat depth adjustment range of up to 2.5" w/locking positions every 0.5"; add to the standard task, FFAC or EXE controls	\$95		
Footrings	AFP	Adjustable height, 22" diameter, oval tube construction on solid polished cast aluminum snake	\$155	Adjusts easily without knobs or levers. Not available on low-seat-height models or units with S style base	
	ATF	Adjustable height, 20" diameter, cast aluminum	\$107	Recommended for medium and high height models with A, W or R bases. Not available with low height models or units with S-style base	
Casters & Glides	HG	2" high Polyamide glides	NC		
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied -- standard on most models	NC		
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$32		
Performance Packages					
Category	Class	Manufacturing Code	List Price		
Clean Room	ISO 8	ISO8	\$22		
	ISO 7	ISO7	\$45		

HC-VF Series					
Category	Manf. Code	Description	List Price	Notes	
Optional Components					
	ISO 6	ISO6	\$135		
	ISO 5	ISO5	\$282		
	ISO 4	ISO4	\$339		
	ISO 3	ISO3	\$395		
Optional Chrome-plated metal parts: chairs with A, R, W bases	-	C	\$57		
Optional Chrome-plated metal parts: chairs with S base		C	\$127		

HL-VF Series					
Category	Manf. Code	Description	List Price	Notes	
Optional Components					
Armrests	ARS	Height and width adjustable with self-skinned urethane pads	\$152		
	PSAS	Height adjustable with self-skinned urethane pads	\$128		
Seat Controls	FFAC	Free Float Articulating Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently with separate levers and can free float or lock into place	\$29	\$238	\$X on ISO 5 performance package configurations
	EXE	Executive Tilt Control: Pneumatic seat- and backrest-height adjustment; backrest tilt; seat and backrest swivel tilt in unison; tilt tension control knob and single lever seat tilt lock into any position	\$136	Only available on models with maximum seat height of 26" or less	
	ASC	Articulating Seat Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently and lock into place with a single lever	\$243	Only available on ISO 3 and ISO 4 performance package units without arms	

HL-VF Series					
Category	Manf. Code	Description	List Price	Notes	
Optional Components					
	SLD	Seat slider bracket allows seat depth adjustment range of up to 2.5" w/locking positions every 0.5"; add to the standard task, FFAC or EXE controls	\$95		
Footrings	AFP	Adjustable height, 22" diameter, oval tube construction on solid polished cast aluminum snake	\$155	Only available on models with maximum seat height of 26" or less	
	ATF	Adjustable height, 20" diameter, cast aluminum	\$107	Only available on ISO 3 and ISO 4 performance packages without armrests	
Casters & Glides	HG	2" high Polyamide glides	NC	Adjusts easily without knobs or levers. Not available on low-seat-height models or units with S style base	
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied -- standard on most models	NC	Recommended for medium and high height models with A, W or R bases. Not available with low height models or units with S style base	
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$34		
Performance Packages					
Category	Class	Manufacturing Code	List Price		
Clean Room	ISO 8	ISO8	\$22		
	ISO 7	ISO7	\$45		

HL-VF Series					
Category	Manf. Code	Description	List Price	Notes	
Optional Components					
	ISO 6	ISO6	\$135		
	ISO 5	ISO5	\$282		
	ISO 4	ISO4	\$339		
	ISO 3	ISO3	\$395		
Optional Chrome-plated metal parts: chairs with A, R, W bases	-	C	\$57		
Optional Chrome-plated metal parts: chairs with S base		C	\$127		

Zephyr AP & FP Series				
Category	Manf. Code	Description	List Price	Notes
Optional Components				
Paint Finish	C	Chrome-plated pneumatic	\$57	
Armrests	ARS	Height and width adjustable with self-skinned urethane pads	\$152	
	PSAS	Height adjustable with self-skinned urethane pads	\$128	
Footrings	AFP	Adjustable height, 22" diameter, oval tube construction on solid polished cast aluminum spoke	\$155	Adjusts easily without knobs or levers; not available with low height models (replaces ATF)
	ATF	Adjustable height, 20" diameter, cast aluminum	\$107	Standard on all medium models; not available with low height models
Upholstery	COM	Customer's own material		Contact BioFit for pricing
	Grade 2		NC	Comes standard. Contact BioFit for other options. FP only available in cloth
	Grade 3		\$36	
	Grade 4		\$58	
	Grade 5		\$105	
	C133	Special uphoisteries, foam or barriers as needed to meet California Technical Bulletin 133 & Boston Fire Code; upholstery choices may be limited. Minimums of Grade 2/3 fabric or Grade 3 vinyl are offered.		Contact BioFit for details.
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$34	
	FM	Memory Foam on A Seat	\$45	
		Memory Foam on F Seat	\$85	

ExecErgo Series			
Category	Manf. Code	Description	List Price
Armrests	ARS	Height and width adjustable with self-skinned urethane pads	\$33
Upholstery	COM	Customer's own material	Contact BioFit for details
	Grade 2	Comes standard	NC; contact BioFit for additional upholstery options
	C133	Special upholsteries, foam or barriers (as needed) to meet CAL TB 133 and Boston Fire Code. Upholstery Choices may be limited. Minimums of Grade 2/Grade 3 fabric or Grade 3 vinyl are offered. Contact BioFit for details	Contact BioFit for details
Miscellaneous	SW	Skid wrapping	\$34
	FM	Memory Foam on Scepter	\$45
	FM	Memory Foam on FCR and HLR	\$85

ArmorSeat GG Series					
Category	Manf. Code	Description	List Price	Notes	
Optional Components					
Seat Controls	FFAC	Free Float Articulating Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently with separate levers and can free float or lock into place	\$29	\$238	\$ on ISO 4 performance package configurations
Footrings	AFP	Adjustable height, 22" diameter, oval tube construction on solid polished cast aluminum spoke	\$155	Adjusts easily without knobs or levers. Recommended for medium and high height models with A, W or R bases. Not available with low height models or units with S base	
	ATF	Adjustable height, 20" diameter, cast aluminum	\$107	Recommended for medium and high height models with A, W or R bases. Not available with low height models or units with S base	
Casters & Glides	HG	2" high Polyamide glides	NC		
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied -- standard on most models	NC		
	RK	Hooded dual-wheel, non-marring resistance casters for ESD applications; lock when seat is unoccupied	\$59	Standard with ESD performance packages	
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$34		
Performance Packages					
Category	Class	Manufacturing Code	List Price		
ESD	-	K	\$282		

ArmorSeat GG Series					
Category	Manf. Code	Description	List Price	Notes	
Optional Components					
Clean Room	ISO 8	ISO8	\$22		
	ISO 7	ISO7	\$45		
	ISO 6	ISO6	\$135		
	ISO 5	ISO5	\$158		
	ISO 4	ISO4	\$181		
Combination Clean Room/ESD	ISO 8/ESD	ISO8K	\$305		
	ISO 7/ESD	ISO7K	\$327		
	ISO 6/ESD	ISO6K	\$350		
Chrome-plated metal parts: chairs with A, R, W bases	-	C	\$57		
Chrome-plated metal parts: chairs with S base	-	C	\$127		

UniqueU Series				
Category	Manf. Code	Description	List Price	Notes
Optional Components				
Seat Controls	FFAC	Free Float Articulating Control: Pneumatic seat- and backrest-height adjustment; seat and backrest tilt independently with separate levers and can free float or lock into place	\$29	
Armrests	ARS	Height and width adjustable with self-skinned urethane pads	\$206	Not available with FFAC seat control
Footrings	AFP	Adjustable height, 22" diameter, oval tube construction on solid polished cast aluminum spoke	\$155	Adjusts easily without knobs or levers; not available on models with low seat height range or S style base
	ATF	Adjustable height, 20" diameter, cast aluminum	\$107	Recommended for medium and high height models with A, W or R bases. Not available with low height models or units with S style base
Casters & Glides	HG	2" high Polyamide glides	NC	
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied -- standard on most models	NC	
	RK	Hooded dual-wheel, non-marring resistance casters for ESD applications; lock when seat is unoccupied	\$59	Standard with ESD performance packages
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$34	
Performance Packages				

UniqueU Series				
Category	Manf. Code	Description	List Price	Notes
Optional Components				
Category	Class	Manufacturing Code	List Price	
ESD		K	\$186	
Clean Room	ISO 8	ISO8	\$22	
	ISO 7	ISO7	\$45	
	ISO 6	ISO6	\$135	
Combination Clean Room/ESD	ISO 8/ESD	ISO8K	\$208	
	ISO 7/ESD	ISO7K	\$232	
	ISO 6/ESD	ISO6K	\$254	
Chrome-plated metal parts: chairs with A, R, W bases	-	C	\$57	
Chrome-plated metal parts: chairs with S base	-	C	\$127	

Skoop KX Series				
Category	Manf. Code	Description	List Price	Notes
Optional Components				
Footrings	AFP	Adjustable height, 22" diameter, oval tube construction on solid polisted cast aluminum spoke	\$155	Adjusts easily without knobs or levers; not available on models with low seat height range or S style base
	ATF	Adjustable height, 20" diameter, cast aluminum	\$107	Recommended for medium and high height models with A, W or R bases. Not available with low height models or units with S base
Casters & Glides	HG	2" high Polyamide glides	NC	
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied -- standard on most models	NC	
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$34	
Performance Packages				
Category	Class	Manufactuing Code	List Price	
Clean Room	ISO 8	ISO8	\$22	
	ISO 7	ISO7	\$45	
	ISO 6	ISO6	\$107	
	ISO 5	ISO5	\$118	
Chrome-plated metal parts: chairs with A, R, W bases	-	C	\$52	
Chrome-plated metal parts: chairs with S base	-	C	\$101	

Willow WW Series				
Category	Manf. Code	Description	List Price	Notes
Paint Finish	C	Chrome-plated metal parts, chairs w/A, R, W bases	\$57	
	C	Chrome-plated metal parts, chairs w/S base	\$127	
Footrings	AFP	Adjustable height, 22" diameter, oval tube construction on solid polisted cast aluminum spoke	\$155	Adjusts easily without knobs or levers. Recommended for medium and high height models with A, W or R bases. Not available with low height models or units with S base
	ATF	Adjustable height, 20" diameter, cast aluminum	\$107	Recommended for medium and high height models with A, W or R bases. Not available with low height models or units with S base
Casters & Glides	HG	2" high Polyamide glides	NC	
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied -- standard on most models	NC	
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$34	

Intensive Plus				
Options				
Category	Manf. Code	Description	List Price	Notes
Armrests	ISAS	Height adjustable with self-skinned urethane pads	\$144	
Upholstery	COM	Customer's own material	NC	Contact BioFit for pricing
	Grade 2	Comes standard; contact BioFit regarding other upholstery options	NC	
	C133	Special upholsteries, foam or barriers as needed to meet California Technical Bulletin 133 & Boston Fire Code; upholstery choices may be limited. Minimums of Grade 2/3 fabric or Grade 3 vinyl are offered		Contact BioFit for details
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$34	
	FM	Memory Foam	\$85	
Performance Packages				
	Class	Manufacturing Code	List Price	
Clean Room	ISO 8	ISO8	\$22	
	ISO 7	ISO7	\$45	

Rexford RX Series				
Category	Manf. Code	Description	List Price	Notes
Optional Components				
Footrings	AFP	Adjustable height, 22" diameter, oval tube construction on solid polisted cast aluminum spoke	\$155	Adjusts easily without knobs or levers; not available on models with low seat height range or S style base
	ATF	Adjustable height, 20" diameter, cast aluminum	\$107	Recommended for medium and high height models with A, W or R bases. Not available with low height models or units with S base
Casters & Glides	HG	2" high Polyamide glides	NC	
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied -- standard on most models	NC	
	RK	Hooded dual-wheel, non-marring resistance casters for ESD applications; lock when seat is unoccupied	NC	Standard with ESD performance packages
Upholstery	COM	Customer's own material	NC	Contact BioFit for pricing
	Grade 2		NC	Comes standard on upholstered models unless otherwise noted
	Grade 3		\$36	
	Grade 4		\$58	
	Grade 5		\$105	

Rexford RX Series				
Category	Manf. Code	Description	List Price	Notes
Optional Components				
	C133	Special upholsteries, foam or barriers as needed to meet California Technical Bulletin 133 & Boston Fire Code; upholstery choices may be limited. Minimums of Grade 2/3 fabric or Grade 3 vinyl are offered.		Contact BioFit for details
Miscellaneous	SW	Skid wrapping	\$34	
	VU	Upholstered underwrap to match seat upholstery	\$40	
Performance Packages				
Category	Class	Manufactuing Code	List Price	
ESD		K	\$249	
Chrome-plated metal parts: chairs with A, R, W bases	-	C	\$52	
Chrome-plated metal parts: chairs with S base	-	C	\$101	

Rexford RX-VF Series				
Category	Manf. Code	Description	List Price	Notes
Paint Finish	C	Chrome-plated metal parts, chairs w/A, R, W bases	\$52	
	C	Chrome-plated metal parts, chairs w/S base	\$101	
Footrings	AFP	Adjustable height, 22" diameter, oval tube construction on solid polisted cast aluminum spoke	\$155	Adjusts easily without knobs or levers. Recommended for medium and high height models with A, W or R bases. Not available with low height models or units with S base
	ATF	Adjustable height, 20" diameter, cast aluminum	\$107	Recommended for medium and high height models with A, W or R bases. Not available with low height models or units with S base
Casters & Glides	HG	2" high Polyamide glides	NC	
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied -- standard on most models	NC	
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$34	
Performance Packages				
Category	Class	Manufactuing Code	List Price	
Clean Room	ISO 6	ISO6	\$101	
Chrome-plated metal parts: chairs with A, R, W bases	-	C	\$52	
Chrome-plated metal parts: chairs with S base	-	C	\$101	

Regent (RT) Series				
Category	Manf. Code	Description	List Price	Notes
Optional Components				
Footrings	AFP	Adjustable height, 22" diameter, oval tube construction on solid polisted cast aluminum spoke	\$155	Adjusts easily without knobs or levers; not available on models with low seat height range or S style base
	ATF	Adjustable height, 20" diameter, cast aluminum	\$107	Recommended for medium and high height models with A, W or R bases. Not available with low height models or units with S base
Casters & Glides	HG	2" high Polyamide glides	NC	
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied -- standard on most models	NC	
	RK	Hooded dual-wheel, non-marring resistance casters for ESD applications; lock when seat is unoccupied	NC	Standard with ESD performance packages
Upholstery	COM	Customer's own material		Contact BioFit for pricing
	Grade 2		NC	Comes standard on upholstered models unless otherwise noted
	Grade 3		\$70	
	Grade 4		\$114	
	Grade 5		\$207	
	C133	Special upholsteries, foam or barriers as needed to meet California Technical Bulletin 133 & Boston Fire Code; upholstery choices may be limited. Minimums of Grade 2/3 fabric or Grade 3 vinyl are offered.		Contact BioFit for details

Regent (RT) Series				
Category	Manf. Code	Description	List Price	Notes
Optional Components				
Miscellaneous	SW	Skid wrapping	\$34	
	VU	Upholstered underwrap to match seat upholstery	\$40	
Performance Packages				
Category	Class	Manufacturing Code	List Price	
ESD	-	K	\$249	
Chrome-plated metal parts: chairs with A, R, W bases	-	C	\$57	
Chrome-plated metal parts: chairs with S base	-	C	\$127	

Regent RT-VF Series				
Category	Manf. Code	Description	List Price	Notes
Optional Components				
Footrings	AFP	Adjustable height, 22" diameter, oval tube construction on solid polisted cast aluminum spoke	\$155	Adjusts easily without knobs or levers
	ATF	Adjustable height, 20" diameter, cast aluminum	\$107	Recommended for medium and high height models with A, W or R bases. Not available with low height models or units with S base
Casters & Glides	HG	2" high Polyamide glides	NC	
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied -- standard on most models	NC	
Miscellaneous	SW	Skid wrapping	\$34	
Performance Packages				
Category	Class	Manufactuing Code	List Price	
Clean Room	ISO 6	ISO6	\$135	
Chrome-plated metal parts: chairs with A, R, W bases	-	C	\$57	
Chrome-plated metal parts: chairs with S base	-	C	\$127	

Traxx TX Series				
Optional Components				
Category	Manf. Code	Description	List Price	Notes
Footrings	AFP	Adjustable height, 22" diameter, oval tube construction on solid polisted cast aluminum spoke	\$155	Adjusts easily without knobs or levers. Recommended for medium and high height models with A, W or R bases. Not available with low height models or units with S base
	ATF	Adjustable height, 20" diameter, cast aluminum	\$107	Recommended for medium and high height models with A, W or R bases. Not available with low height models or units with S base
Casters & Glides	HG	2" high Polyamide glides	NC	
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied -- standard on most models	NC	
	RK	Hooded dual-wheel, non-marring resistance casters for ESD applications; lock when seat is unoccupied	NC	Standard with ESD performance packages
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$34	
Performance Packages				
Category	Class	Manufactuing Code	List Price	
ESD	ESD w/A or W Base	K	\$147	A, W base
	ESD w/S Base	K	\$196	S Base
Clean Room	ISO 6	ISO6	\$107	
	ISO 6 w/S base	ISO6	\$156	
	ISO 5	ISO5	\$118	

Traxx TX Series				
Optional Components				
Category	Manf. Code	Description	List Price	Notes
	ISO 5 w/S base	ISO5	\$167	
	ISO 4	ISO4	\$130	
	ISO 4 w/S base	ISO4	\$179	
Combination Clean Room/ESD	ISO 6/ESD	ISO6K	\$225	
	ISO 6/ESD w/S base	ISO6K	\$374	
	ISO 5/ESD	ISO5K	\$237	
	ISO 5/ESD w/S base	ISO5K	\$286	
	ISO 4/ESD	ISO4K	\$249	
	ISO 4/ESD w/S base	ISO4K	\$297	
Chrome-plated metal parts: chairs with A, R, W bases	-	C	\$52	
Chrome-plated metal parts: chairs with S base	-	C	\$101	

Cerex CX Series				
Optional Components				
Category	Manf. Code	Description	List Price	Notes
Footring	AFP	Adjustable height, 22" diameter, oval tube construction on solid polisted cast aluminum spoke	\$155	Adjusts easily without knobs or levers; not available on models with low seat height range or S style base
	ATF	Adjustable height, 20" diameter, cast aluminum	\$107	Recommended for medium and high height models with A, W or R bases. Not available with low height models or units with S base
Casters & Glides	HG	2" high Polyamide glides	NC	
	RC	Hooded dual-wheel, non-marring resistance casters; lock when seat is unoccupied -- standard on most models	NC	
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$34	
Performance Packages				
Category	Class	Manufactuing Code	List Price	
Clean Room	ISO 6	ISO6	\$107	
Chrome-plated metal parts: chairs with A, R, W bases	-	C	\$52	
Chrome-plated metal parts: chairs with S base	-	C	\$101	

LX Series Sit/Stands			
Category	Manf. Code	Description	List Price
Options			
Paint Finish	C	Chrome-plated metal parts	\$81
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$34

Footrests FS-1 & FS-2			
Options			
Category	Manufacturing Code	Description	List Price
Miscellaneous	SW	Skid wrapping/net cost per pallet	\$34
Performance Packages			
Category	Class	Manufacturing Code	List Price
ESD		K	\$234
Chrome-plated metal parts		C	\$60

Ajax AJ Series Stool			
Optional Components			
Category	Manf. Code	Description	List Price
Seat	URS	Round, self-skinned urethane, 14" diameter, 1.5" T; not for clean room use	\$35
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$34
Performance Packages			
Category	Class	Manufacturing Code	List Price
Clean Room	ISO 6	ISO6	\$68
	ISO 5	ISO5	\$90
	ISO 4	ISO4	\$113
Chrome-plated metal parts		C	\$34

TXG Series Stool Options			
Optional Components			
Category	Manf. Code	Description	List Price
Stool Seats	URS	Round, self-skinned urethane, 14" diameter, 1.5" T; not for clean room use	\$99
Miscellaneous	SW	Skid wrapping; net cost per pallet	\$34
Performance Pacakages			
Category	Class	Manufacturing Code	List Price
Clean Room	ISO 4	ISO4	\$130
Chrome-plated metal parts		C	\$45

BioFit Engineered Products - Tables						
List Price						
Effective April 1, 2022						
				Warranty	Unit of Measure	List Price
60C324C	10 Seat Oval	10-Seat Oval Table 72"LX87"WX32"H ADA2 Chrome	Oval mobile folding table with attached seating for 6 and ADA compliant space for 2 wheelchair users. 61"x72" table top in 32" height to accommodate a person using a wheelchair. Model has (6) 13" round ABS seats plus a space for a wheelchair. Upright folded height is 57.75" and folded width is 42.5". Features: Laminated 0.75" MDF top, anti-pinch safety feature, lift-assist device with patented adjustable torsion capability, non-marring wheels, durable food- and bacteria-resistant edge, ADA-compliant. Chrome finish on metal parts. GREENGUARD Gold certified. 72"L x 87"W x 32"H	13 Years	EA	\$4,633
60C324	10 Seat Oval	10-Seat Oval Table, 72"LX87"WX32"H ADA2	Oval mobile folding table with attached seating for 6 and ADA compliant space for 2 wheelchair users. 61"x72" table top in 32" height to accommodate a person using a wheelchair. Model has (6) 13" round ABS seats plus a space for a wheelchair. Upright folded height is 57.75" and folded width is 42.5". Features: Laminated 0.75" MDF top, anti-pinch safety feature, lift-assist device with patented adjustable torsion capability, non-marring wheels, durable food- and bacteria-resistant edge, ADA-compliant. GREENGUARD Gold certified. 72"L x 87"W x 32"H	13 Years	EA	\$4,217

BioFit Engineered Products - Tables						
List Price						
Effective April 1, 2022						
				Warranty	Unit of Measure	List Price
12E21229-C	EdgeScape Designer	Afton EdgeScape Table 12' X 29"H Chrome	Its unprecedented S-shaped table top facilitates communication between users, and opens a world of new design opportunities for food courts, cafeterias, event centers and more. Used singly or in groups of two or more, the gentle wave of the Afton is not only aesthetically pleasing but seamlessly integrates with other BioFit table models used within a given environment. Features: Laminated 0.75" MDF top, twelve 13" diameter ABS seats, engineered for easy rolling and easy folding, ComfortRim™ edge profile to enhance user comfort, lift-assist device with patented adjustable torsion capability, chrome finish on metal parts, GREENGUARD® Gold certified, recessed vertical hinge and 14-gauge steel frame. 144"L x 66"W x 29"H. Upright folded height is 78.5".	13 Years	EA	\$4,471
12E21229	EdgeScape Designer	Afton EdgeScape Table 12' X 29"H	Its unprecedented S-shaped table top facilitates communication between users, and opens a world of new design opportunities for food courts, cafeterias, event centers and more. Used singly or in groups of two or more, the gentle wave of the Afton is not only aesthetically pleasing but seamlessly integrates with other BioFit table models used within a given environment. Features: Laminated 0.75" MDF top, twelve 13" diameter ABS seats, engineered for easy rolling and easy folding, ComfortRim™ edge profile to enhance user comfort, lift-assist device with patented adjustable torsion capability, GREENGUARD® Gold certified, recessed vertical hinge and 14-gauge steel frame. 144"L x 66"W x 29"H	13 Years	EA	\$4,208

BioFit Engineered Products - Tables							
List Price							
Effective April 1, 2022							
					Warranty	Unit of Measure	List Price
12E24ADA32-C	EdgeScape Designer	Afton EdgeScape Table 12' X 32"H Chrome ADA	Its unprecedented S-shaped table top facilitates communication between users, and opens a world of new design opportunities for food courts, cafeterias, event centers and more. Used singly or in groups of two or more, the gentle wave of the Afton is not only aesthetically pleasing but seamlessly integrates with other BioFit table models used within a given environment. Features: Laminated 0.75" MDF top, eight 13" diameter ABS seats, engineered for easy rolling and easy folding, ComfortRim™ edge profile to enhance user comfort, lift-assist device with patented adjustable torsion capability, chrome finish on metal parts, GREENGUARD® Gold certified, recessed vertical hinge and 14-gauge steel frame. 144"L x 66"W x 32"H. Upright folded height is 78.5". ADA-compliant. Accommodates 4 wheelchair users and 8 additional users.		13 Years	EA	\$3,985
12E24ADA32	EdgeScape Designer	Afton EdgeScape Table 12' X 32"H ADA	Its unprecedented S-shaped table top facilitates communication between users, and opens a world of new design opportunities for food courts, cafeterias, event centers and more. Used singly or in groups of two or more, the gentle wave of the Afton is not only aesthetically pleasing but seamlessly integrates with other BioFit table models used within a given environment. Features: Laminated 0.75" MDF top, eight 13" diameter ABS seats, engineered for easy rolling and easy folding, ComfortRim™ edge profile to enhance user comfort, lift-assist device with patented adjustable torsion capability, GREENGUARD® Gold certified, recessed vertical hinge and 14-gauge steel frame. 144"L x 66"W x 32"H. Upright folded height is 78.5". ADA-compliant. Accommodates 4 wheelchair users and 8 additional users.		13 Years	EA	\$3,777

BioFit Engineered Products - Tables						
List Price						
Effective April 1, 2022						
				Warranty	Unit of Measure	List Price
12E11227-C	EdgeScape Designer	Avant EdgeScape Table 12' X 27"H Chrome	Designed to facilitate communication between users in educational, hospitality and institutional settings while providing stylish looks and array of options over more traditional mobile folding tables. Features: Laminated 0.75" MDF top, twelve 13" diameter ABS seats, engineered for easy rolling and easy folding, ComfortRim™ edge profile to enhance user comfort, lift-assist device with patented adjustable torsion capability, chrome finish on metal parts, GREENGUARD® Gold certified, recessed vertical hinge and 14-gauge steel frame. 144"L x 65"W x 27"H. Upright folded height is 78.5".	13 Years	EA	\$4,798
12E11227	EdgeScape Designer	Avant EdgeScape Table 12' X 27"H	Designed to facilitate communication between users in educational, hospitality and institutional settings while providing stylish looks and array of options over more traditional mobile folding tables. Features: Laminated 0.75" MDF top, twelve 13" diameter ABS seats, engineered for easy rolling and easy folding, ComfortRim™ edge profile to enhance user comfort, lift-assist device with patented adjustable torsion capability, GREENGUARD® Gold certified, recessed vertical hinge and 14-gauge steel frame. 144"L x 65"W x 27"H. Upright folded height is 78.5".	13 Years	EA	\$4,462

BioFit Engineered Products - Tables						
List Price						
Effective April 1, 2022						
				Warranty	Unit of Measure	List Price
12E11229-C	EdgeScape Designer	Avant EdgeScape Table 12' X 29"H Chrome	Designed to facilitate communication between users in educational, hospitality and institutional settings while providing stylish looks and array of options over more traditional mobile folding tables. Features: Laminated 0.75" MDF top, twelve 13" diameter ABS seats, engineered for easy rolling and easy folding, ComfortRim™ edge profile to enhance user comfort, lift-assist device with patented adjustable torsion capability, chrome finish on metal parts, GREENGUARD® Gold certified, recessed vertical hinge and 14-gauge steel frame. 144"L x 65"W x 29"H. Upright folded height is 78.5".	13 Years	EA	\$4,798
12E11229	EdgeScape Designer	Avant EdgeScape Table 12' X 29"H	Designed to facilitate communication between users in educational, hospitality and institutional settings while providing stylish looks and array of options over more traditional mobile folding tables. Features: Laminated 0.75" MDF top, twelve 13" diameter ABS seats, engineered for easy rolling and easy folding, ComfortRim™ edge profile to enhance user comfort, lift-assist device with patented adjustable torsion capability, GREENGUARD® Gold certified, recessed vertical hinge and 14-gauge steel frame. 144"L x 65"W x 29"H. Upright folded height is 78.5".	13 Years	EA	\$4,462

BioFit Engineered Products - Tables						
List Price						
Effective April 1, 2022						
				Warranty	Unit of Measure	List Price
12E14ADA32-C	EdgeScape Designer	Avant EdgeScape Table 12' X 32"H Chrome ADA	Designed to facilitate communication between users in educational, hospitality and institutional settings while providing stylish looks and array of options over more traditional mobile folding tables. Features: Laminated 0.75" MDF top, eight 13" diameter ABS seats, engineered for easy rolling and easy folding, ComfortRim™ edge profile to enhance user comfort, lift-assist device with patented adjustable torsion capability, chrome finish on metal parts, GREENGUARD® Gold certified, recessed vertical hinge and 14-gauge steel frame. 144"L x 65"W x 32"H. Upright folded height is 78.5". ADA-compliant. Accommodates 4 wheelchair users and 8 additional people.	13 Years	EA	\$4,798
12E14ADA32	EdgeScape Designer	Avant EdgeScape Table 12' X 32"H ADA	Designed to facilitate communication between users in educational, hospitality and institutional settings while providing stylish looks and array of options over more traditional mobile folding tables. Features: Laminated 0.75" MDF top, eight 13" diameter ABS seats, engineered for easy rolling and easy folding, ComfortRim™ edge profile to enhance user comfort, lift-assist device with patented adjustable torsion capability, GREENGUARD® Gold certified, recessed vertical hinge and 14-gauge steel frame. 144"L x 65"W x 32"H. Upright folded height is 78.5". ADA-compliant. Accommodates 4 wheelchair users and 8 additional people.	13 Years	EA	\$4,462

BioFit Engineered Products - Tables						
List Price						
Effective April 1, 2022						
				Warranty	Unit of Measure	List Price
12F1227-C	Rectangular with Standard	BioFit Tables The Executive 12' X 27"H Chrome	Easy to fold and engineered to last, the BioFit Table is built to fit everyone from young children to adults. Rectangular table provides comfortable seating for 12 adults or students. Table space allowance per seat is 24" (610mm). Features: Laminated 0.75" MDF top, twelve 13" diameter ABS seats, ComfortRim™ edge profile to enhance user comfort, lift-assist device with patented adjustable torsion capability, non-marring wheels ensure smooth, easy handling, chrome finish on metal parts, GREENGUARD® Gold certified and UL-listed. 144"L x 60"W x 27"H. Upright folded height is 79.5".	13 Years	EA	\$4,046
12F1227	Rectangular with Standard	BioFit Tables The Executive 12' X 27"H	Easy to fold and engineered to last, the BioFit Table is built to fit everyone from young children to adults. Rectangular table provides comfortable seating for 12 adults or students. Table space allowance per seat is 24" (610mm). Features: Laminated 0.75" MDF top, Features: Laminated 0.75" MDF top, twelve 13" diameter ABS seats, ComfortRim™ edge profile to enhance user comfort, lift-assist device with patented adjustable torsion capability, non-marring wheels ensure smooth, easy handling, GREENGUARD® Gold certified and UL-listed. 144"L x 60"W x 27"H. Upright folded height is 79.5".	13 Years	EA	\$4,027

BioFit Engineered Products - Tables						
List Price						
Effective April 1, 2022						
				Warranty	Unit of Measure	List Price
12F1229-C	Rectangular with Standard	BioFit Tables The Executive 12' X 29"H Chrome	Easy to fold and engineered to last, the BioFit Table is built to fit everyone from young children to adults. Rectangular table provides comfortable seating for 12 adults or students. Table space allowance per seat is 24" (610mm). Features: Laminated 0.75" MDF top, twelve 13" diameter ABS seats, ComfortRim™ edge profile to enhance user comfort, lift-assist device with patented adjustable torsion capability, non-marring wheels ensure smooth, easy handling, chrome finish on metal parts, GREENGUARD® Gold certified and UL-listed. 144"L x 60"W x 29"H. Upright folded height is 79.5".	13 Years	EA	\$4,046
12F1229	Rectangular with Standard	BioFit Tables The Executive 12' X 29"H	Easy to fold and engineered to last, the BioFit Table is built to fit everyone from young children to adults. Rectangular table provides comfortable seating for 12 adults or students. Table space allowance per seat is 24" (610mm). Features: Laminated 0.75" MDF top, twelve 13" diameter ABS seats, ComfortRim™ edge profile to enhance user comfort, lift-assist device with patented adjustable torsion capability, non-marring wheels ensure smooth, easy handling, GREENGUARD® Gold certified and UL-listed. 144"L x 60"W x 29"H. Upright folded height is 79.5".	13 Years	EA	\$4,027

BioFit Engineered Products - Tables						
List Price						
Effective April 1, 2022						
				Warranty	Unit of Measure	List Price
12F2ADA32-C	Rectangular with Standard Chrome	BioFit Tables The Executive 12' ADA2	Easy to fold and engineered to last, the BioFit Table is built to fit everyone from young children to adults. Rectangular table with attached seating for 10 adults or students and ADA compliant space for 2 wheelchair users. Table space allowance per seat is 24" (610mm). Features: Laminated 0.75" MDF top, twelve 13" diameter ABS seats, ComfortRim™ edge profile to enhance user comfort, lift-assist device with patented adjustable torsion capability, non-marring wheels ensure smooth, easy handling, chrome finish on metal parts, GREENGUARD® Gold certified and UL-listed. 144"L x 60"W x 32"H. Upright folded height is 82.5".	13 Years	EA	\$3,861
12F2ADA32	Rectangular with Standard Chrome	BioFit Tables The Executive 12' ADA2	Easy to fold and engineered to last, the BioFit Table is built to fit everyone from young children to adults. Rectangular table with attached seating for 10 adults or larger students and ADA compliant space for 2 wheelchair users. Table space allowance per seat is 24" (610mm). Features: Laminated 0.75" MDF top, ten 13" diameter ABS seats, ComfortRim™ edge profile to enhance user comfort, lift-assist device with patented adjustable torsion capability, non-marring wheels ensure smooth, easy handling, GREENGUARD® Gold certified and UL-listed. 144"L x 60"W x 32"H. Upright folded height is 82.5".	13 Years	EA	\$3,692

BioFit Engineered Products - Tables						
List Price						
Effective April 1, 2022						
				Warranty	Unit of Measure	List Price
10F1227-C	Rectangular with Standard	BioFit Tables - The Intermediate 10' X 27" Chrome	Easy to fold and engineered to last, the BioFit Table is built to fit everyone from young children to adults. 10' (3048mm) rectangular table with individual seats for 12 provides 20" (508mm) of space for each occupant. Features: Laminated 0.75" MDF top, twelve 13" diameter ABS seats, ComfortRim™ edge profile to enhance user comfort, lift-assist device with patented adjustable torsion capability, non-marring wheels ensure smooth, easy handling, chrome finish on metal parts, GREENGUARD® Gold certified and UL-listed. 120"L x 60"W x 27"H. Upright folded height is 73.5".	13 Years	EA	\$4,027
10F1227	Rectangular with Standard	BioFit Tables - The Intermediate 10' X 27"	Easy to fold and engineered to last, the BioFit Table is built to fit everyone from young children to adults. 10' (3048mm) rectangular table with individual seats for 12 provides 20" (508mm) of space for each occupant. Features: Laminated 0.75" MDF top, twelve 13" diameter ABS seats or tough laminated bench seats, ComfortRim™ edge profile to enhance user comfort, lift-assist device with patented adjustable torsion capability, non-marring wheels ensure smooth, easy handling, GREENGUARD® Gold certified and UL-listed. 120"L x 60"W x 27"H. Upright folded height is 73.5".	13 Years	EA	\$3,863

BioFit Engineered Products - Tables						
List Price						
Effective April 1, 2022						
				Warranty	Unit of Measure	List Price
12FB32ADA2	Rectangular with Be	BioFit Tables 12'L 32"H Bench Seat ADA2	Easy to fold and engineered to last, the BioFit Table is built to fit everyone from young children to adults. 12' (3658mm) rectangular table accommodates many users. Features: Laminated 0.75" MDF top, tough laminated bench seats, ComfortRim™ edge profile to enhance user comfort, lift-assist device with patented adjustable torsion capability, non-marring wheels ensure smooth, easy handling, GREENGUARD® Gold certified and UL-listed. 144"L x 56"W x 32"H. Upright folded height is 82.5". ADA compliant model. Provides comfortable seating space and accommodates 2 wheelchairs.	13 Years	EA	\$5,272
12FB32ADA4-C	Rectangular with Be	BioFit Tables 12'L 32"H Bench Seat ADA4 Chrome	Easy to fold and engineered to last, the BioFit Table is built to fit everyone from young children to adults. 12' (3658mm) rectangular table accommodates many users. Features: Laminated 0.75" MDF top, tough laminated bench seats, ComfortRim™ edge profile to enhance user comfort, lift-assist device with patented adjustable torsion capability, non-marring wheels ensure smooth, easy handling, chrome finish on metal parts, GREENGUARD® Gold certified and UL-listed. 144"L x 56"W x 32"H. Upright folded height is 82.5". ADA compliant model. Provides comfortable seating space and accommodates 4 wheelchairs.	13 Years	EA	\$5,393

BioFit Engineered Products - Tables						
List Price						
Effective April 1, 2022						
				Warranty	Unit of Measure	List Price
8FB27-C	Rectangular with Be	BioFit Tables 8'L x 27"H Bench Seats Chrome	Easy to fold and engineered to last, the BioFit Table is built to fit everyone from young children to adults. 8' (2438mm) rectangular table provides comfortable seating for children and adults. Features: Laminated 0.75" MDF top, tough laminated bench seats, ComfortRim™ edge profile to enhance user comfort, lift-assist device with patented adjustable torsion capability, lift-assist device with patented adjustable torsion capability, non-marring wheels ensure smooth, easy handling, chrome finish on metal parts, GREENGUARD® Gold certified and UL-listed. 96"L x 56"W x 27"H. Upright folded height is 57".	13 Years	EA	\$4,190
8FB27	Rectangular with Be	BioFit Tables 8'L x 27"H Bench Seats	Easy to fold and engineered to last, the BioFit Table is built to fit everyone from young children to adults. 8' (2438mm) rectangular table provides comfortable seating for children and adults. Features: Laminated 0.75" MDF top, tough laminated bench seats, ComfortRim™ edge profile to enhance user comfort, lift-assist device with patented adjustable torsion capability, lift-assist device with patented adjustable torsion capability, non-marring wheels ensure smooth, easy handling, GREENGUARD® Gold certified and UL-listed. 96"L x 56"W x 27"H. Upright folded height is 57".	13 Years	EA	\$4,025

BioFit Engineered Products - Tables						
List Price						
Effective April 1, 2022						
				Warranty	Unit of Measure	List Price
CFR4827C	Fold-N-Roll	Fold-N-Roll - Round 48" dia X 27"H Chrome	Just like the name says—this a table that’s easy folding and easy rolling. Plus you’ll find it fits your cafeteria, classroom, training center and more. Features: Laminated 0.75" MDF top, round shape, ComfortRim™ edge profile to enhance user comfort, GREENGUARD® Gold certified, chrome finish on metal parts, recessed vertical hinge and 14-gauge steel frame. 48" dia. x 27" high; upright folded height is 42". Accommodates 6-8 younger students.	13 Years	EA	\$2,111
CFR4827	Fold-N-Roll	Fold-N-Roll - Round 48" dia X 27"H	Just like the name says—this a table that’s easy folding and easy rolling. Plus you’ll find it fits your cafeteria, classroom, training center and more. Features: Laminated 0.75" MDF top, round shape, ComfortRim™ edge profile to enhance user comfort, GREENGUARD® Gold certified, recessed vertical hinge and 14-gauge steel frame. 48" dia. x 27" high; upright folded height is 42". Accommodates 6-8 younger students.	13 Years	EA	\$2,038
CFR4829C	Fold-N-Roll	Fold-N-Roll - Round 48" dia X 29"H Chrome	Just like the name says—this a table that’s easy folding and easy rolling. Plus you’ll find it fits your cafeteria, classroom, training center and more. Features: Laminated 0.75" MDF top, round shape, ComfortRim™ edge profile to enhance user comfort, GREENGUARD® Gold certified, chrome finish on metal parts, recessed vertical hinge and 14-gauge steel frame. 48" dia. x 29" high; upright folded height is 42". Accommodates 6-8 younger students.	13 Years	EA	\$2,111

BioFit Engineered Products - Tables						
List Price						
Effective April 1, 2022						
				Warranty	Unit of Measure	List Price
CFR7229	Fold-N-Roll	Fold-N--N-Roll Round 72" dia X 29"H	Just like the name says—this a table that’s easy folding and easy rolling. Plus you’ll find it fits your cafeteria, classroom, training center and more. Features: Laminated 0.75" MDF top, round shape, ComfortRim™ edge profile to enhance user comfort, GREENGUARD® Gold certified, recessed vertical hinge and 14-gauge steel frame. 72" dia. x 29" high; upright folded height is 42". Accommodates 10 adults or students.	13 Years	EA	\$2,623
CFR7232C	Fold-N-Roll	Fold-N-Roll Round 72" dia X 32"H ADA Chrome	Just like the name says—this a table that’s easy folding and easy rolling. Plus you’ll find it fits your cafeteria, classroom, training center and more. Features: Laminated 0.75" MDF top, round shape, ComfortRim™ edge profile to enhance user comfort, GREENGUARD® Gold certified, chrome finish on metal parts, recessed vertical hinge and 14-gauge steel frame. 72" dia. x 32" high; upright folded height is 45". Accommodates 10 adults or students. ADA-compliant.	13 Years	EA	\$2,642
CFR7232	Fold-N-Roll	Fold-N-Roll Round 72" dia X 32"H ADA	Just like the name says—this a table that’s easy folding and easy rolling. Plus you’ll find it fits your cafeteria, classroom, training center and more. Features: Laminated 0.75" MDF top, round shape, ComfortRim™ edge profile to enhance user comfort, GREENGUARD® Gold certified, recessed vertical hinge and 14-gauge steel frame. 72" dia. x 32" high; upright folded height is 45". Accommodates 10 adults or students. ADA-compliant.	13 Years	EA	\$2,623

BioFit Engineered Products - Tables						
List Price						
Effective April 1, 2022						
				Warranty	Unit of Measure	List Price
12FR3029C	Fold-N-Roll	Fold-N-Roll Rectangle 12'L X 29"H Chrome	Just like the name says—this a table that's easy folding and easy rolling. Plus you'll find it fits your cafeteria, classroom, training center and more. Features: Laminated 0.75" MDF top, rectangle shape, ComfortRim™ edge profile to enhance user comfort, GREENGUARD® Gold certified, chrome finish on metal parts, recessed vertical hinge and 14-gauge steel frame. 144" long x 29" high, upright folded height is 78.75". Accommodates 12 adults or students.	13 Years	EA	\$3,532
12FR3029	Fold-N-Roll	Fold-N-Roll Rectangle 12'L X 29"H	Just like the name says—this a table that's easy folding and easy rolling. Plus you'll find it fits your cafeteria, classroom, training center and more. Features: Laminated 0.75" MDF top, rectangle shape, ComfortRim™ edge profile to enhance user comfort, GREENGUARD® Gold certified, recessed vertical hinge and 14-gauge steel frame. 144" long x 29" high, upright folded height is 78.75". Accommodates 12 adults or students.	13 Years	EA	\$3,249
HFR6027C	Fold-N-Roll	Fold-N-Roll Hexagon 60" dia X 27"H Chrome	Just like the name says—this a table that's easy folding and easy rolling. Plus you'll find it fits your cafeteria, classroom, training center and more. Features: Laminated 0.75" MDF top, hexagon shape, ComfortRim™ edge profile to enhance user comfort, GREENGUARD® Gold certified, chrome finish on metal parts, recessed vertical hinge and 14-gauge steel frame. 60" dia. x 27" high, upright folded height is 42". Accommodates 6 younger students.	13 Years	EA	\$2,503

BioFit Engineered Products - Tables						
List Price						
Effective April 1, 2022						
				Warranty	Unit of Measure	List Price
HFR6032C	Fold-N-Roll	Fold-N-Roll Hexagon 60" dia X 32"H ADA Chrome	Just like the name says—this a table that's easy folding and easy rolling. Plus you'll find it fits your cafeteria, classroom, training center and more. Features: Laminated 0.75" MDF top, hexagon shape, ComfortRim™ edge profile to enhance user comfort, GREENGUARD® Gold certified, chrome finish on metal parts, recessed vertical hinge and 14-gauge steel frame. 60" dia. x 32" high, upright folded height is 45". Accommodates 6 adults or students. ADA compliant model.	13 Years	EA	\$2,553
HFR6032	Fold-N-Roll	Fold-N-Roll Hexagon 60" dia X 32"H ADA	Just like the name says—this a table that's easy folding and easy rolling. Plus you'll find it fits your cafeteria, classroom, training center and more. Features: Laminated 0.75" MDF top, hexagon shape, ComfortRim™ edge profile to enhance user comfort, GREENGUARD® Gold certified, recessed vertical hinge and 14-gauge steel frame. 60" dia. x 32" high, upright folded height is 45". Accommodates 6 adults or students. ADA compliant model.	13 Years	EA	\$2,488
OFR6027C	Fold-N-Roll	Fold-N-Roll Octagon 60" dia X 27"H Chrome	Just like the name says—this a table that's easy folding and easy rolling. Plus you'll find it fits your cafeteria, classroom, training center and more. Features: Laminated 0.75" MDF top, octagon shape, ComfortRim™ edge profile to enhance user comfort, GREENGUARD® Gold certified, chrome finish on metal parts, recessed vertical hinge and 14-gauge steel frame. 60" dia. x 27" high, upright folded height is 42". Accommodates 8 younger students.	13 Years	EA	\$2,320

BioFit Engineered Products - Tables						
List Price						
Effective April 1, 2022						
				Warranty	Unit of Measure	List Price
OFR6027	Fold-N-Roll	Fold-N-Roll Octagon 60" dia X 27"H	Just like the name says—this a table that's easy folding and easy rolling. Plus you'll find it fits your cafeteria, classroom, training center and more. Features: Laminated 0.75" MDF top, octagon shape, ComfortRim™ edge profile to enhance user comfort, GREENGUARD® Gold certified, recessed vertical hinge and 14-gauge steel frame. 60" dia. x 27" high, upright folded height is 42". Accommodates 8 younger students.	13 Years	EA	\$2,309
OFR6029C	Fold-N-Roll	Fold-N-Roll Octagon 60" dia X 29"H Chrome	Just like the name says—this a table that's easy folding and easy rolling. Plus you'll find it fits your cafeteria, classroom, training center and more. Features: Laminated 0.75" MDF top, octagon shape, ComfortRim™ edge profile to enhance user comfort, GREENGUARD® Gold certified, chrome finish on metal parts, recessed vertical hinge and 14-gauge steel frame. 60" dia. x 29" high, upright folded height is 42". Accommodates 8 adults or students.	13 Years	EA	\$2,320
OFR6029	Fold-N-Roll	Fold-N-Roll Octagon 60" dia X 29"H	Just like the name says—this a table that's easy folding and easy rolling. Plus you'll find it fits your cafeteria, classroom, training center and more. Features: Laminated 0.75" MDF top, octagon shape, ComfortRim™ edge profile to enhance user comfort, GREENGUARD® Gold certified, recessed vertical hinge and 14-gauge steel frame. 60" dia. x 29" high, upright folded height is 42". Accommodates 8 adults or students.	13 Years	EA	\$2,309

BioFit Engineered Products - Tables						
List Price						
Effective April 1, 2022						
				Warranty	Unit of Measure	List Price
OFR6032C	Fold-N-Roll	Fold-N-Roll Octagon 60" dia X 32"H ADA Chrome	Just like the name says—this a table that's easy folding and easy rolling. Plus you'll find it fits your cafeteria, classroom, training center and more. Features: Laminated 0.75" MDF top, octagon shape, ComfortRim™ edge profile to enhance user comfort, GREENGUARD® Gold certified, chrome finish on metal parts, recessed vertical hinge and 14-gauge steel frame. 60" dia. x 32" high, upright folded height is 45". Accommodates 8 adults or students. ADA compliant model.	13 Years	EA	\$2,320
OFR6032	Fold-N-Roll	Fold-N-Roll Octagon 60" dia X 32"H ADA	Just like the name says—this a table that's easy folding and easy rolling. Plus you'll find it fits your cafeteria, classroom, training center and more. Features: Laminated 0.75" MDF top, octagon shape, ComfortRim™ edge profile to enhance user comfort, GREENGUARD® Gold certified, recessed vertical hinge and 14-gauge steel frame. 60" dia. x 32" high, upright folded height is 45". Accommodates 8 adults or students. ADA compliant model.	13 Years	EA	\$2,309
SFR6027C	Fold-N-Roll	Fold-N-Roll Square 60" X 61" X 27"H Chrome	Just like the name says—this a table that's easy folding and easy rolling. Plus you'll find it fits your cafeteria, classroom, training center and more. Features: Laminated 0.75" MDF top, square shape, ComfortRim™ edge profile to enhance user comfort, GREENGUARD® Gold certified, chrome finish on metal parts, recessed vertical hinge and 14-gauge steel frame. 60"L x 61"W x 27"H, upright folded height is 42". Accommodates 8 younger students.	13 Years	EA	\$2,228

BioFit Engineered Products - Tables						
List Price						
Effective April 1, 2022						
				Warranty	Unit of Measure	List Price
SFR6032C	Fold-N-Roll	Fold-N-Roll Square 60" X 61" X 32"H ADA Chrome	Just like the name says—this a table that’s easy folding and easy rolling. Plus you’ll find it fits your cafeteria, classroom, training center and more. Features: Laminated 0.75" MDF top, square shape, ComfortRim™ edge profile to enhance user comfort, GREENGUARD® Gold certified, chrome finish on metal parts, recessed vertical hinge and 14-gauge steel frame. 60"L x 61"W x 32"H, upright folded height is 45". Accommodates 8 adults or students. ADA compliant model.	13 Years	EA	\$2,316
SFR6032	Fold-N-Roll	Fold-N-Roll Square 60" X 61" X 32"H ADA	Just like the name says—this a table that’s easy folding and easy rolling. Plus you’ll find it fits your cafeteria, classroom, training center and more. Features: Laminated 0.75" MDF top, square shape, ComfortRim™ edge profile to enhance user comfort, GREENGUARD® Gold certified, recessed vertical hinge and 14-gauge steel frame. 60"L x 61"W x 32"H, upright folded height is 45". Accommodates 8 adults or students. ADA compliant model.	13 Years	EA	\$2,297
OVFR7227C	Fold-N-Roll	Fold-N-Roll Oval 61"L X 72"W X 27"H Chrome	Just like the name says—this a table that’s easy folding and easy rolling. Plus you’ll find it fits your cafeteria, classroom, training center and more. Features: Laminated 0.75" MDF top, oval shape, ComfortRim™ edge profile to enhance user comfort, GREENGUARD® Gold certified, chrome finish on metal parts, recessed vertical hinge and 14-gauge steel frame. 61"L x 72"W x 27"H, upright folded height is 42". Accommodates 10-12 younger students.	13 Years	EA	\$2,228

BioFit Engineered Products - Tables						
List Price						
Effective April 1, 2022						
				Warranty	Unit of Measure	List Price
OVFR7227	Fold-N-Roll	Fold-N-Roll Oval 61"L X 72"W X 27"H	Just like the name says—this a table that's easy folding and easy rolling. Plus you'll find it fits your cafeteria, classroom, training center and more. Features: Laminated 0.75" MDF top, oval shape, ComfortRim™ edge profile to enhance user comfort, GREENGUARD® Gold certified, recessed vertical hinge and 14-gauge steel frame. 61"L x 72"W x 27"H, upright folded height is 42". Accommodates 10-12 younger students.	13 Years	EA	\$2,189
OVFR7229C	Fold-N-Roll	Fold-N-Roll Oval 61"L X 72"W X 29"H Chrome	Just like the name says—this a table that's easy folding and easy rolling. Plus you'll find it fits your cafeteria, classroom, training center and more. Features: Laminated 0.75" MDF top, oval shape, ComfortRim™ edge profile to enhance user comfort, GREENGUARD® Gold certified, chrome finish on metal parts, recessed vertical hinge and 14-gauge steel frame. 61"L x 72"W x 29"H, upright folded height is 42". Accommodates 10 adults or students.	13 Years	EA	\$2,319
OVFR7229	Fold-N-Roll	Fold-N-Roll Oval 61"L X 72"W X 29"H	Just like the name says—this a table that's easy folding and easy rolling. Plus you'll find it fits your cafeteria, classroom, training center and more. Features: Laminated 0.75" MDF top, oval shape, ComfortRim™ edge profile to enhance user comfort, GREENGUARD® Gold certified, recessed vertical hinge and 14-gauge steel frame. 61"L x 72"W x 29"H, upright folded height is 42". Accommodates 10 adults or students.	13 Years	EA	\$2,300

BioFit Engineered Products - Tables						
List Price						
Effective April 1, 2022						
				Warranty	Unit of Measure	List Price
OVFR7232C	Fold-N-Roll	Fold-N-Roll Oval 61"L X 72"W X 32"H Chrome	Just like the name says—this a table that's easy folding and easy rolling. Plus you'll find it fits your cafeteria, classroom, training center and more. Features: Laminated 0.75" MDF top, oval shape, ComfortRim™ edge profile to enhance user comfort, GREENGUARD® Gold certified, chrome finish on metal parts, recessed vertical hinge and 14-gauge steel frame. 61"L x 72"W x 32"H, upright folded height is 45". Accommodates 10 adults or students. ADA-compliant.	13 Years	EA	\$2,316
OVFR7232C	Fold-N-Roll	Fold-N-Roll Oval 61"L X 72"W X 32"H	Just like the name says—this a table that's easy folding and easy rolling. Plus you'll find it fits your cafeteria, classroom, training center and more. Features: Laminated 0.75" MDF top, oval shape, ComfortRim™ edge profile to enhance user comfort, GREENGUARD® Gold certified, recessed vertical hinge and 14-gauge steel frame. 61"L x 72"W x 32"H, upright folded height is 45". Accommodates 10 adults or students. ADA-compliant.	13 Years	EA	\$2,297