10.03.22

PRICE LIST

CASEGOODS

BACK

TABLE OF CONTENTS

Quick Delivery Program 4
Intellectual Property 4
Finishes and Materials 4
National Seating Upholstery 5
Alliance Program Textiles 11
COM 12
Gallery Laminate Program 14

CASEGOODS 15

Arrowood™ Laminate 15
Arrowood™ Veneer 29
Barrington® 51
Escalade® 73
Renegade™ 95
Roosevelt™ 141
Tessera® 153

WALL RAIL SOLUTION 285

Exhibit™ 285

BOOKCASES 341

FILES 347

ACCESSORIES 381

COM YARDAGE REQUIREMENTS 419

REVISION SUMMARY 425

- DIMENSIONS REFLECTED IN THIS BOOK ARE NOMINAL
- NATIONAL RESERVES THE RIGHT TO CHANGE ANY PRODUCT SPECIFICATIONS CONTAINED IN THIS PRICE LIST

GENERAL INFORMATION

QUICK DELIVERY PROGRAM

Our most popular series and options are available to deliver to you in 10 days or less through our Quick Delivery program. We offer a wide variety of product solutions to outfit any space and coordinate with any style, for no upcharge. From private office and open plan areas to reception and collaborative spaces, our complete portfolio of Quick Delivery solutions offers endless possibilities, all delivered within 10 days or less.

Specific models from the following series are available on Quick Delivery:

Arrowood Laminate
Arrowood Veneer
Barrington
Escalade
Roosevelt

QUICK DELIVERY MODEL NUMBERS

Quick Delivery model numbers are tagged with a "Q" and/or shaded in grey throughout the price list.

QUICK DELIVERY ORDERING

We will not accept changes or cancellations for Quick Delivery orders. The Qu
Delivery orders must contain only Quick Delivery models - submit a separat
order for any products that are not included in the program. Remember t
time to complete the order is based on business days and does not in
weekends or holidays. The day your order is placed with National or
day zero.

QUICK DELIVERY QUANTITIES

Need 20 guest chairs in 10 business days or less? No
Delivery program, we've got you covered. Need mor
and we'll work with you to get what you need, wh
demand exceeds capacity. Then, orders are su

INTELLECTUAL PROPERTY

Acquaint®, Admire®, Alloy™, Arlington™, Arrow
Cinch®, Collette®, Confide®, Davari®, Delgar
Epic®, Epicenter®, Escalade®, Essay®, Ex
Footings™, Fringe®, Fuel®, Grin®, Hobs
Karid™, Kozmic™, Laudio®, Lavoro®
Mio™, Mix-it®, Monterrey™, Myriad
Respect®, Rizora®, Roosevelt™
Tessera®, Timberlane™, Tize
Weitz®, Weli®, Whimsy®,
National Office Furnitu
possible and Nation

BLOCKaide™ an
Brisa®, Bris
Ultrafabri
Inter
El

a registered trademark of McDonough Braungart Design

registered trademark of Crypton, Inc.

, Hi-Loft²™, PERMABLOK®, SILVERGUARD® and Silvertex™ are
arks of Spradling Holdings, Inc.

iti® Toggler® is a registered trademark of Hilti Corporation.

Indoor Advantage™ is a trademark of Scientific Certification Systems.

Intercoupler™ is a trademark of Power Logic SA (Pty), Ltd.

LEED® is a registered trademark of the U.S. Green Building Council.

level® is a registered trademark of BIFMA International.

Post-it® and Scotchgard™ are registered trademarks of 3M.

Repreve® and U Trust™ are registered trademarks of UNIFI, Inc.

Silverguard® is a registered trademark of Life Bioscience USA, LLC.

Velcro® is a registered trademark of Velcro Industries B.V.

FINISHES AND MATERIALS

WOOD FINISH COLOR MATCHING

Each piece of natural veneer offers unique texture and grain. Minor variations in finish color and value may occur due to the natural characteristics of wood. National carefully selects all materials used in every product ensuring a commercially acceptable color and finish. Factors such as aging and exposure to light alter finishes.

FABRIC COLOR MATCHING

National will always ship a satisfactory commercial match on fabric. Because of industry dye-lot variation, colors may not match exactly.

SEATING FINISH

National's seating finishes can withstand cleaning solutions that include bleach, hydrogen peroxide (Virox), alcohol (CaviWipes, hand sanitizers), quaternary ammonium compounds (Virex, Ecolab A-456 II, Lysol), and phenols (Wex-cide) when they are used in accordance with the manufacturer's label instructions.

For more information about our products and services or to find a certified National® dealer near you, please visit us at NationalOfficeFurniture.com or contact our customer service team at 800.482.1717.

CONTRACT TERMS OF 23109/PC68387 PREVAIL

NATIONAL SEATING FABRIC OFFERING

Shaded patterns are available on Quick Delivery models

CALI — GRADE 1

79% Polyester, 21% Rayon
54" Wide
Livesmart Finish; Polyester Backing
Repeat: None
Cleaning Code: W
75,000 Double Rubs

11601 Cactus	11605 Sunset	11609 Surf
11602 Beach	11606 Boardwalk	11610 Coast
11603 Sand	11607 Pier	11611 Boulder
11604 Desert	11608 Vineyard	

ENTWINE — GRADE 1

100% Polyester, 60% Post-Consumer Recycled
54" Wide
PFOA-Free Stain Repellant Finish/Latex Backing
Repeat: None
Cleaning Code: WS
100,000 Double Rubs

13110 Iron	13117 Deep Sea	13124 Scarlet
13111 Driftwood	13118 Sky	13125 Squash
13112 Pewter	13119 Berry	13126 Emerald
13113 Coconut	13120 Pistachio	13127 Harbor
13114 Khaki	13121 Fatigue	13128 Space
13115 Star	13122 Mykonos	13129 Rose
13116 Sage	13123 Azure	

INPUT — GRADE 1

94% Post-Consumer Recycled Polyester, 6% Pre-Consumer Recycled Polyester
54" Wide
No Finish, Acrylic Backing
Repeat: 12.25" H x 2.5" V
Cleaning Code: WS or 10:1 Bleach Solution
100,000 Double Rubs

14710 Cloud	14770 Lime	14830 Midnight
14720 Dove	14780 Pine	14840 Orchid
14730 Coal	14790 Mint	14850 Raisin
14740 Jet	14800 Tiffany	14860 Crimson
14750 Fossil	14810 Sky	14870 Flame
14760 Bisque	14820 Delft	14880 Squash

MELANGE — GRADE 1

100% Polyester, 75% Post-Consumer Recycled
54" Wide
PFOA-Free Stain Repellant Finish/Latex Backing
Repeat: None
Cleaning Code: WS
100,000 Double Rubs

14110 Lead	14116 Night Sky	14121 Pansy
14111 Ebony	14117 Aspen	14122 Cherry
14112 Stucco	14118 Red Pepper	14123 Leet
14113 Pumice	14119 Aloe	14124 Denim
14114 Coffee Bean	14120 Dijon	14125 Wave
14115 Alloy		

RIDGE — GRADE 1

100% Polyester
54" Wide
Teflon Finish; Latex Backing
Repeat: None
Cleaning Code: W
100,000 Double Rubs

12001 Meadow	12005 Crimson	12009 Sea Breeze
12002 Shine	12006 Driftwood	12010 Midnight
12003 Sunset	12007 Peak	12011 Sand
12004 Fog	12008 Pebble	12012 Dune

SPARK — GRADE 1

100% Polyester, 70% Post-Consumer Recycled
54" Wide
PFOA-Free Stain Repellant Finish/Latex Backing
Repeat: None
Cleaning Code: WS
100,000 Double Rubs

15001 Mallard	15006 Cloud	15111 Lawn
15002 Marine	15007 Asphalt	15112 Mocha
15003 Jam	15008 Jet	15113 Clementine
15004 Boysenberry	15009 Topaz	15114 Sand
15005 Holly	15110 Dill	

VESSEL — GRADE 1

100% Polyester
54" Wide
LiveSmart Finish; Latex Backing
Repeat: None
Cleaning Code: W
95,000 Double Rubs

11501 Leaf	11505 Bark	11509 Stone
11502 Straw	11506 Sand	11510 Coast
11503 Sunset	11507 Midnight	11511 Isle
11504 Berry	11508 Stormcloud	11512 Peacock

NATIONAL SEATING FABRIC OFFERING

Shaded patterns are available on Quick Delivery models

ZIG ZAG — GRADE 1

100% Polyester, 63% Post-Consumer Recycled
54" Wide
PFOA-Free Stain Repellant Finish/Latex Backing
Repeat: .18" H x .19" V
Cleaning Code: WS
100,000 Double Rubs

12110 Cloud	12114 Rouge	12118 Cardinal
12111 Ecru	12115 Salmon	12119 Cinnamon
12112 Sunny	12116 Cocoa	12120 Granite
12113 Leaf	12117 Marine	12121 Ink

BLISS — GRADE 2

80% Polyester, 20% Acrylic
54" Wide
Livesmart Finish; Latex Backing
Repeat: None
Cleaning Code: W
100,000 Double Rubs

21201 Jade	21208 Stream	21215 Nautical
21202 Shadow	21209 Azure	21216 Verdite
21203 Spice	21210 Icicle	21217 Eclipse
21204 Wool	21211 Slate	21218 Cliff
21205 Root	21212 Terra Cotta	21219 Raven
21206 Hearth	21213 Malbec	
21207 Ink	21214 Breeze	

BRILLIANT — GRADE 2

56% Polyester, 32% Post-Consumer Recycled Polyester, 12% Pre-Consumer Recycled Polyester
54" Wide
Stain and Soil Repellant Finish; Acrylic Backing
Repeat: None
Cleaning Code: WS
140,000 Double Rubs

22501 Parrot	22507 Ebony	22513 Almond
22502 Kiwi	22508 Elderberry	22514 Bluegrass
22503 Marigold	22509 Gravel	22515 Cobalt
22504 Azalea	22510 Indigo	22516 Currant
22505 Amaryllis	22511 Moss	22517 Coffee
22506 Cattail	22512 Cinder	

COM — GRADE 2

DOLCE — GRADE 2

100% Polyurethane
54" Wide
Superior Abrasion/Stain Resistant Finish/100% Rayon Backing
Repeat: None
Cleaning Code: Use water-based cleaning agents or foam. Mild water-free solvents may also be used. Cleaning by a professional furniture service is recommended
100,000 Double Rubs

11900 Black	11908 Fuchsia	11918 Mushroom
11901 Mocha	11909 Poppy	11919 Ecru
11902 Meteor	11910 Tangelo	11920 Dune
11903 Artesian	11912 Chocolate	11922 Cumin
11904 Indigo	11914 Latte	11923 Russet
11905 Peacock	11915 Ivory	11926 Moss
11906 Grass	11916 White	11927 Jet
11907 Citron	11917 Camel	

DORSET — GRADE 2

100% Polyester
54" Wide
Livesmart Finish; 100% Polyester Backing
Repeat: None
Cleaning Code: WS
55,000 Double Rubs

20501 Ash	20508 Cayenne	20515 Ocean Blue
20502 Avocado	20509 Charcoal	20516 Platinum
20503 Balsa	20510 Cherry	20517 Silver
20504 Black	20511 Copper	20518 Smoke Blue
20505 Black Indigo	20512 Denim	20519 Soda
20506 Blueberry	20513 Flax	20520 Taupe
20507 Camel	20514 Mulberry	

INTUITION — GRADE 2

55% Post-Consumer Recycled Polyester, 34% Pre-Consumer Recycled Polyester, 11% Polyester
54" Wide
Stain Repellant/Acrylic Backing
Repeat: None
Cleaning Code: WS
100,000 Double Rubs

31711 Bisque	31716 Honey	31721 Sage
31712 Charcoal	31717 Platinum	31722 Peacock
31713 Sand	31718 Ochre	31723 Viridian
31714 Coral	31719 Slate	31724 Admiral
31715 Hickory	31720 Scarlet	

ORBIT — GRADE 2

100% Polyester
54" Wide
Teflon Finish; Acrylic Backing
Repeat: 7" H x 6" V
Cleaning Code: W
40,000 Double Rubs

20401 Galaxy	20404 Moon	20407 Comet
20402 Nebula	20405 Star	20408 Asteroid
20403 Nova	20406 Planet	20409 Cosmic

PHRASE — GRADE 2

100% Post-Consumer Recycled Polyester
54" Wide
No Finish, Acrylic Backing
Repeat: 1.1875" V
Cleaning Code: WS or 10:1 Bleach Solution
100,000 Double Rubs

23011 Maize	23048 Cayenne	23060 Soapstone
23022 Sprout	23055 Shiraz	23070 Shale
23031 Poolside	23056 Truffle	23071 Admiral
23036 Marine	23057 Nutmeg	

Shaded patterns are available on Quick Delivery models

PIXIE — GRADE 2

100% Polyurethane
i-clean™ and Antimicrobial Finish; 85% Polyester, 15% Cotton Backing
Repeat: None
Cleaning Code: Use a soft cloth or sponge with mild soap and water to remove most soil and stains. See swatch card for additional cleaning info.
200,000 Double Rubs

20201 Lime
20202 Honey
20203 Orange
20204 Caramel
20205 Cinnamon
20206 Chocolate
20207 Blackberry
20208 Vanilla
20209 Blue Raspberry
20210 Blueberry
20211 Malt
20212 Licorice
20213 Root Beer

SEDONA — GRADE 2

100% Vinyl
54" Wide
PERMA**BLOK**® Finish: 100% Polyester Hi-Loft™ Backing
Repeat: None
Cleaning Code: Use a soft cloth or sponge with mild soap and water to remove most soil and stains. See swatch card for additional cleaning info.
100,000 Double Rubs

22115 Tumbleweed
22123 Sierra
22126 Poppy
22129 Mirage
22131 Adobe
22132 Succulents
22133 Sassafras
22134 Zest
22135 Brick Red
22136 Sunset
22137 Molten
22138 Botanical
22139 Midnight
22140 Paradise
22141 Sand
22142 Terra Cotta
22143 Earth
22145 Buckskin
22147 Mesa
22151 Plateau
22157 Horizon
22162 Indigo
22166 Sagebrush
22167 Fog
22168 Pewter
22169 Putty
22170 Storm
22171 Fawn
22172 Ochre
22173 Mahogany
22174 Truffle
22177 Canyon
22185 Nighthawk

STANCIL — GRADE 2

100% Polyester
54" Wide
LiveSmart/Synthetic Latex Blend Backing
Repeat: None
Cleaning Code: WS
95,000 Double Rubs

20625 Amethyst
20626 Barley
20627 Belgian Flax
20628 Blue Coral
20629 Cayenne
20630 Dijon
20631 Lemon Grass
20632 Marble
20633 Midnight
20634 Platinum
20635 Slate
20636 Turquoise

STRAND — GRADE 2

100% Polyester
54" Wide
No Finish; Acrylic Backing
Repeat: 15" H x 5" V
Cleaning Code: W
40,000 Double Rubs

20101 Charcoal
20102 Mineral
20103 Fudge
20104 Blueberry
20105 Red Licorice
20106 Wheat
20107 Peacock
20108 Blaze
20109 Cumulus
20110 Coast
20111 Sand
20112 Stone

COL — GRADE 3

SILVERTEX™ — GRADE 3

100% Vinyl
54" Wide
PERMA**BLOK**® Finish; 100% Polyester Hi-Loft™ Backing
Repeat: None
SILVER**GUARD**® Silver Ion Technology
Antifungal/Antibacterial
Cleaning Code: Use a soft cloth or sponge with mild soap and water to remove most soil and stains. See swatch card for additional cleaning info.
100,000 Double Rubs

41301 Basil
41302 Ice
41303 Mandarin
41304 Raspberry
41305 Poppy
41306 Mocha
41307 Carbon
41308 Jet
41309 Storm
41310 Sapphire
41311 Champagne
41312 Celery
41313 Meteor
41314 Cream
41315 Chestnut
41316 Luggage
41317 Taupe
41318 Borscht
41319 Lagoon
41320 Turquoise
41321 Marine Blue
41322 Umber
41323 Blackberry
41324 Sage
41325 Bottle
41326 Neutra
41327 Marsh
41328 Bronze
41329 Creme de Menthe
41330 Acid
41331 Peat
41332 Bazaar
41333 Imperial
41334 Plata
41335 Sterling
41336 Zest
41337 Limoncello

CONNECT FOUR — GRADE 4

100% Vinyl
54" Wide
PERMA**BLOK**® Finish; 100% Recycled Hi-Loft^{2}™ Backing
Repeat: 18" H x 18" V
Cleaning Code: Use a soft cloth or sponge with mild soap and water to remove most soil and stains. See swatch card for additional cleaning info.
100,000 Double Rubs

42402 Butterscotch
42403 Clementine
42404 Snickerdoodle
42406 Coffee Bean
42407 Silver Dollar
42408 Sea Glass
42409 Blueberry

ECHO — GRADE 4

100% Pre-Consumer Recycled Polyester
54" Wide
Polyester Binder Finish; No Backing
Repeat: 6.75" H x 11.25" V
Cleaning Code: WS
100,000 Double Rubs

41108 Crystal
41109 Oxide
41110 Peppercorn
41111 Cabochon
41112 Cedar
41114 Henna

NATIONAL SEATING FABRIC OFFERING

Shaded patterns are available on Quick Delivery models

MASQUERADE — GRADE 4

100% Vinyl
54" Wide
PERMA**BLOK**® Finish; 100% Polyester Hi-Loft™ Backing
Repeat: None
Cleaning Code: Use a soft cloth or sponge with mild soap and water to remove most soil and stains or 10:1 Bleach Solution. See swatch card for additional cleaning info.
100,000 Double Rubs

41600 Alaska	41606 Truffle	41612 Vanilla
41601 Sage	41607 Thunder	41613 Viridian
41602 Goldenrod	41608 Wisteria	41614 Aegean
41603 Coral	41609 Indigo	41615 Sky
41604 Clay	41610 Sapphire	41616 Aqua
41605 Rose	41611 Desert	41617 Driftwood

MODE — GRADE 5

80% Post-Consumer Recycled Polyester, 20% Polyester
54" Wide
PFOA-Free Stain Repellent Finish; No Backing
Repeat: None
Cleaning Code: WS
100,000 Double Rubs

51803 Carotene	51809 Denim	51814 Hollow
51804 Kermes	51810 Intaglio	51815 Ominous
51806 Talus	51811 Clavicle	51816 Sassafras
51807 Crush	51812 Billygoat	
51808 Saltwater	51813 Sycamore	

ESSENCE/ULTRALEATHER™ — GRADE 6

100% Polycarbonate Polyurethane
54" Wide
No Finish; 100% Reinforced Rayon Backing
Repeat: None
Cleaning Code: Use a soft cloth or sponge with mild soap and water to remove most soil and stains. See swatch card for additional cleaning info.
400,000 Double Rubs

3614 Stone	3663 Walnut	3684 Charcoal
3615 Dove Grey	3667 Taupe	3690 Papyrus
3617 White	3679 Raven	3691 Pelican
3628 Midnight Metallic	3683 Pecan	3692 Admiral

BRISA® — GRADE 7

100% Polycarbonate Polyurethane
54" Wide
No Finish; 65% Polyester, 35% Rayon Backing
Repeat: None
Cleaning Code: Use a soft cloth or sponge with mild soap and water to remove most soil and stains. See swatch card for additional cleaning info.
200,000 Double Rubs

71001 Black Onyx	71007 Bark	71012 Sterling Blue
71002 Cambridge Blue	71008 Truffle	71013 Canyon
71005 Ash	71011 Desert Clay	

BRISA® DISTRESSED — GRADE 7

100% Polycarbonate Polyurethane
54" Wide
No Finish; 65% Polyester, 35% Rayon Backing
Repeat: None
Cleaning Code: Use a soft cloth or sponge with mild soap and water to remove most soil and stains. See swatch card for additional cleaning info.
200,000 Double Rubs

72003 Lasso	72007 Moccasin	72009 Shield
72005 Iron	72008 Stormy	72010 Steerhide

REEF PRO — GRADE 7

100% Polycarbonate Polyurethane
54" Wide
No Finish 65% Polyester, 35% Rayon Backing
Repeat: None
Cleaning Code: Use a soft cloth or sponge with mild soap and water to remove most soil and stains. See swatch card for additional cleaning info.
400,000 Double Rubs

71201 Captain	71204 Hammerhead	71207 Lionfish
71202 Boardwalk	71205 Stingray	71208 Saltwater
71203 Beluga	71206 Squid	

SILICA™ — GRADE 7

100% Silicone
54" Wide
No Finish; Polyester Backing
Repeat: None
Cleaning Code: W or 4:1 Bleach Solution
365,000 Double Rubs

70901 Appletini	70909 Cumulus	70917 Alloy
70906 Terra	70910 Gallant	70919 Haze
70907 Nero	70912 Ginger	70920 Tropic
70908 Skyward	70915 Quartz	70922 Eclipse

SILICA ETCH — GRADE 7

100% Silicone
54" Wide
No Finish; 100% Polyester Backing
Repeat: None
Cleaning Code: W or 4:1 Bleach Solution
270,000 Double Rubs

70701 Flint	70704 Manta	70707 Slate
70702 Ink	70705 Mink	70708 Wistful
70703 Juniper	70706 Rain	

TOTTORI — GRADE 7

100% Polycarbonate Polyurethane
54" Wide
No Finish 65% Polyester, 35% Rayon Backing
Repeat: None
Cleaning Code: Use a soft cloth or sponge with mild soap and water to remove most soil and stains. See swatch card for additional cleaning info.
400,000 Double Rubs

71401 Ginseng	71406 Soba	71411 Sand Castle
71402 Terrain	71407 Soy Sauce	71412 Classic Grey
71403 Rice Paper	71408 Blue Mirage	71413 Black Sesame
71404 Tatami Mat	71409 Hot Spring	
71405 Desert Dune	71410 Shibori Blue	

Shaded patterns are available on Quick Delivery models

DAVENPORT — GRADE L7

100% Top Grain Leather
Pigments, Protected by Crypton®
Semi-Aniline Finish Powered by Crypton; No Backing
Repeat: None
Cleaning Code: Occasional dusting with a dry cloth should be all that is necessary to clean and maintain. 1:10 Bleach Solution. See swatch card for additional cleaning info.
1,000 Cycles

70102 Camel	70117 Smoke	70123 Berry
70105 Bark	70119 Spring	70124 Bay View
70111 Brown	70120 Porcellana	70125 Fog
70112 Atlantis	70121 Cream	
70115 Black	70122 Wet Sand	

FLORENCE — GRADE L8

100% Top Grain Leather
Aniline Waxy Finish Powered by Crypton; No Backing
Distressed appearance
Repeat: None
Cleaning Code: Occasional dusting with a dry cloth should be all that is necessary to clean and maintain. 1:10 Bleach Solution. See swatch card for additional cleaning info.
500 Cycles

82001 Red Lily	82007 Vino Rosso	82013 Lorenzo
82002 Almond Biscotti	82008 Mezza Luna	82014 Basilica
82003 Brick Path	82009 Struzzo	82015 Loggia
82004 Oceano	82010 Espresso	82016 Black Pearl
82005 Boboli Gardens	82011 Duomo	
82006 Terra	82012 Scorza	

CUT YARDAGE PROGRAM

All National textiles and leathers are available on a cut yardage basis. Cut yardage must be ordered in full yards. List prices include freight.

Fabric Price Grade	US List Price Per Yard
1	$ 65
2	$101
3	$130
4	$174
5	$208
6	$279
7	$352

Leather Price Grade	US List Price Per Half Hide (25-28 sq ft)	US List Price Per Full Hide (50-57 sq ft)
L7	$ 1018	$ 2091
L8	$ 1211	$ 2489

How to specify cut yardage:

1. Model Number

   NOFUPHCUTYDG = seating fabric
   NOFLTHRHHIDE = leather (half hide)
   NOFLTHRFHIDE = leather (full hide)

2. Upholstery Grade

3. Upholstery Number

CLEANING FABRICS:

CLEANING CODE S

- Use only mild, pure water-free cleaning solvents.
- Cleaning by a professional furniture service is recommended.

CLEANING CODE WS

- Use water-based cleaning agents or foam. Mild water-free solvents may also be used.
- Cleaning by a professional furniture service is recommended.

CLEANING CODE W

- Use water-based cleaning agents or foam.
- Cleaning by a professional furniture service is recommended.

CLEANING LEATHER:

REGULAR CLEANING

- Remove as much soil or staining as possible by carefully vacuuming or brushing.
- Dust with a dry or damp cloth.

DEEP CLEANING

- Use mild non-detergent soap or cleaner. Wipe surface with a light circular motion. Repeat with clean water.
- Do not soak leather.
- Pat dry.
- Reference leather card for more information.

FABRIC CHARACTERISTICS

Different fabrics/constructions will respond better than others to specific seating applications. Certain fabrics/constructions are more prone to relaxing over time and can demonstrate characteristics such as wrinkling, pilling, fuzzing, and puddling. Some upholsteries may experience dye transfer (clothing dyes transfer to the seating fabric). This does not mean that the fabric or application is deficient, but rather it is an inherent characteristic of that fabric or application and is considered normal behavior.

LEATHER CHARACTERISTICS

Leather is a natural product. Healed scars, scratches, cuts, and stretch marks are natural markings and are characteristics of leather. Leather may experience dye transfer (clothing dyes transfer to the leather). This does not mean that the leather or application is deficient, but rather it is an inherent characteristic of that leather or application and is considered normal behavior.

NATIONAL SEATING FABRIC GUIDELINES

TEXTILE APPLICATION GUIDELINES

National has listed textile application guidelines for each seating series. These guidelines are intended to help educate you of certain fabric characteristics. **Please make a point to review these guidelines when ordering National seating with National fabrics.** Application of the upholstery will be depicted as on the swatch card unless otherwise instructed on the order.

NATIONAL SEATING FABRICS

PATTERN	GRADE	FABRIC GUIDELINES	PATTERN MATCH
Bliss	2	none	non-matched
Brilliant	2	none	non-matched
Brisa®	7	none	non-matched
Brisa® Distressed	7	none	non-matched
Cali	1	none	non-matched
Connect Four	4	1	non-matched
Davenport	L7	none	non-matched
Dolce	2	none	non-matched
Dorset	2	none	non-matched
Echo	4	none	non-matched
Entwine	1	none	non-matched
Essence/Ultraleather™	6	none	non-matched
Florence	L8	none	non-matched
Input	1	none	non-matched
Intuition	2	none	non-matched
Masquerade	4	none	non-matched
Melange	1	none	non-matched
Mode	5	none	non-matched
Orbit	2	2	matched
Phrase	2	2	matched
Pixie	2	none	non-matched
Reef Pro	7	none	non-matched
Ridge	1	none	non-matched
Sedona	2	1	non-matched
Silica™	7	none	non-matched
Silica Etch	7	none	non-matched
Silvertex™	3	1	non-matched
Spark	1	none	non-matched
Stancil	2	none	non-matched
Strand	2	none	non-matched
Tottori	7	none	non-matched
Vessel	1	none	non-matched
Zig Zag	1	none	non-matched

NATIONAL, ALLIANCE, AND COM FABRIC APPLICATION GUIDELINES

	TEXTILE APPLICATION GUIDELINES						
CASEGOODS SERIES	1	2	3	4	5	6	7
Renegade, and Tessera Mobile Pedestal Cushion Tops	✓		✓	✓			✓
Tessera Benches	✓		✓	✓		✓	
Toss Accent Pillows, Wedges, and Cushions	✓		✓	✓		✓	✓

TEXTILE APPEARANCE GUIDELINES

Please note that these guidelines are here to help you have the best looking product that National can provide. Guidelines 1–4 are simply explanations of what you may see on your product. We can still upholster fabrics associated with these guidelines, but you may see some of the characteristics described.

1 Due to thickness and or stiffness this textile may result in gathers and puckers around corners, contours, and certain seams.
2 Patterns are considered matched directional; however, decorative stitching, tufting/buttons, seams, and seat to back on corner, wedge, and diagonal units may not align due to pattern configuration.
3 Textile with high nylon or wool content (more than 50%) may show signs of material stretch and lack of rebound when room temperatures fluctuate.
4 Mohair, velvet, and chenille may be easily bruised or have the potential of crooked seams due to the heavy nap and flip.

TEXTILE RESTRICTION GUIDELINES

Fabrics associated with guidelines 5 and 6 prevent us from upholstering the applicable models.

5 This textile cannot be used for glue application. Potential issues could include poor adhesion quality to the mating surface, separation of the fabric face from the backing, or glue bleeding through the fabric.
6 Thin and/or loosely woven textiles cannot be used due to potential fabric separation at the seams.
7 This textile has an uneven/irregular surface and cannot be used with topstitch upholstering. The topstitch disrupts the visual appearance of the upholstery. You can contact By Design to see if it is possible to remove the model's top stitch in order to use the fabric.

ALLIANCE PROGRAM OVERVIEW

National has developed joint programs with Arc-Com, Carnegie, Designtex, Maharam, Mayer, Momentum, Stinson and Ultrafabrics to offer you quality office seating with exciting lines of designer upholsteries. This program enables you to issue just 1 purchase order, providing simplified ordering and the most convenient, yet complete, seating choices available from a single source. All Alliance patterns meet TB117-2013.

APPLICATION

Application of the Alliance Program upholstery will be depicted as on the memo sample or website. If a different application is desired the pattern will need to be custom quoted.

Directional upholstery, such as stripes, patterns, and plaids may not be suitable for chairs with contoured shapes, tufting, or decorative stitching. Every effort is made to upholster all chairs as expertly as possible; however such orders are not subject to return.

Fabric that requires non-stock special treatments such as flame proofing, anti-microbial treatment, electrical conductive backing, water repellent, stain repellent, or acrylic backing are not part of this program. Such orders will need to be custom quoted.

LEAD TIMES/AVAILABILITY

Models specified with Alliance Program fabrics will be acknowledged at standard lead times based on the supplier's delivery schedule. Exceptions may occur when extended lead times apply. Each supplier reserves the right to discontinue patterns and colors. National will not be held responsible for suppliers discontinuing patterns/colors or when minimum order quantities apply. Contact customer service for availability before finalizing orders.

WARRANTY

Alliance Program fabrics are non-standard materials and are **not** covered under our warranty.

PRICING

Alliance Program graded pricing includes the cost of material. Repeat is also accounted for and no additional upcharge is required.

FABRIC AND SEATING CONSTRUCTION

Different fabrics and seating constructions will respond better than others to specific seating applications. Certain fabric constructions are more prone to relaxing over time and may demonstrate characteristics such as wrinkling, pilling, fuzzing, or puddling. Some upholsteries may experience dye transfer (clothing dyes transfer to the seating fabric.) This does not indicate that the fabric or application is deficient, but rather it is an inherent characteristic of that fabric or application and is considered normal behavior.

Important: The information provided was the most current information available at the time this price list was printed. Contact customer service for availability before finalizing orders.

FABRIC SAMPLES

If you need samples for presentation(s), contact our alliance partners directly at:

Arc-Com	800.223.5466	arc-com.com
Carnegie	800.727.6770	carnegiefabrics.com
Designtex	800.221.1540	designtex.com
Maharam	800.645.3943	maharam.com
Mayer	800.428.4415	mayerfabrics.com
Momentum	800.366.6839	memosamples.com
Stinson	800.841.6279	cfstinson.com
Ultrafabrics	877.309.6648	ultrafabricsllc.com

Reference NationalOfficeFurniture.com/Alliance for the most up-to-date fabric guidelines, grades, and additional pattern/color availability.

COM

COM (CUSTOMER'S OWN MATERIAL)

Select casegoods can be upholstered with appropriate material furnished by the customer. All COM/COL must meet applicable codes and regulations, including TB117-2013, California Assembly Bill 2998, and California Proposition 65. For more information on California Proposition 65 and AB 2998 go to https://www.p65warnings.ca.gov/products/furniture-products and https://leginfo.legislature.ca.gov/faces/billTextClient.xhtml?bill_id=201720180AB2998, respectively. By selecting COM/COL, customer certifies that the material meets such codes and regulations. Customer is solely responsible for compliance and may contact a) fabric manufacturer to confirm certification or b) assistance from National Office Furniture.

National Office Furniture strives to create upholstered products with no intentionally added fire retardants. Written confirmation is required confirming that fabric or leather (COM/COL) provided by the customer does NOT contain any added fire retardant chemicals, preferably from the material manufacturer. National truly appreciates your understanding and support of this commitment. If you have any questions or comments, please contact your customer support representative(s).

Prices are listed under grade 2/B, depending upon product type.

Grade 2 seating fabric – mobile pedestal cushion tops, box/file height storage cushions, and Tessera

Grade B tack board fabric – Epicenter, Exhibit, privacy screens, and tack boards

COM is not available on Quick Delivery tack board models.

COM yardage requirements for mobile pedestal cushion tops, box/file height storage cushions, and Tessera in this price list are based on the use of 54" wide fabric and the fabric being cut "up the roll". If the COM fabric is to be railroaded, please contact customer service for revised yardage requirements.

COM yardage requirements for Epicenter, Exhibit, privacy screens, and tack boards in this price list are based on the use of non-directional fabric 54" and 66" wide. All tack board products are upholstered with railroaded fabric.

- When ordering 10 or more COM models, consult customer service for exact yardage requirements
- Reference pages 419-424 for COM yardage requirements
- Please refer to the textile application guidelines listed on page 10 or the COM Approval Search/listing on NationalOfficeFurniture.com

COM DISPOSAL

- Leftover COM from an order is held for 6 weeks
- COM not tied to an order is held for 3 months

COM DECORATIVE/DIRECTIONAL FABRICS

Mobile pedestal cushion tops, box/file height storage cushions, and Wixler:

- Yardage requirements are greatly affected by not only size of repeats but also by the print or pattern
- National will cut patterns with aesthetic concerns in mind for high quality and consistency
- Some COM fabrics are considered directional that may not be considered directional by the fabric supplier, due to the upholstering process used by National
- Application of the COM upholstery will be depicted as on the COM supplier memo sample or website. If a different application is desired the pattern would need to be custom quoted.

Epicenter, Exhibit, and Tack Boards:

- Yardage requirements based upon roll width and tack board size. Pattern repeat is not taken into account. If the fabric pattern needs to be upholstered in a specific manner, a quote will be required to see if possible.
- Epicenter, Exhibit, privacy screens, and tack boards will have railroaded fabric application

FLAMMABILITY

- TB133 models are not available for mobile pedestal cushion tops and box/file height storage cushions. This request would need to be custom quoted.
- COM must be U.L. recognized for use on Epicenter
- COM must be U.L. recognized, meet ASTM E84 Class A, NFPA 701, or GSA 100% Polyester Waiver Program for use on Alloy, NAC Edgemount/Set On Privacy Screens, Return to Work Screens, Tackboards - Exhibit, NAC Accessory Tack boards, Tessera, WaveWorks Metal
- If ASTM-E84 Class A is requested for Exhibit, a quote will be required
- If a fabric is selected with specifications different from those listed above, the customer has the option of having it burn tested to see if meets the requirements. ASTM-E84 testing requested by the customer will require a custom quote. For cost estimates, contact customer service. The fabric/tack board burn test results will determine whether future orders can be entered as standard product or custom quotes. Each instance may vary.
- Letters of assurance are available upon request. A letter of assurance verifies that an ASTM E-84 test was conducted on a combination of tack board/fabric comparable to the requested tack board/fabric.

COM EVALUATION

National reserves the right to inspect, approve, or reject any COM. National approval signifies only that such textile can be applied to the products for which intended. Such approval does not constitute any responsibility, liability, or warranty on the part of National as to appearance, behavior, durability, or tailoring of COM.

CONFIRM COM APPLICATION

Visit NationalOfficeFurniture.com to see if your COM has already been evaluated for application.

Mobile pedestal cushion tops and box/file height storage cushions:

If the COM has not been evaluated prior to placing the order, please send a memo sample to:

National Office Furniture
Attn: COM Coordinator
1600 Royal Street
Jasper, IN 47546

Epicenter, Exhibit, Fabric Privacy Screens, Tack Boards (all tackable fabrics):

Application testing is required for non-preapproved COM tack fabrics. Contact your Customer Service Team for the appropriate forms to initiate application testing.

ALL COM ORDERS MUST:

1. Include fabric supplier's name, fabric name/number, and color name/number

To help expedite your order, we recommend the COM supplier to include the following information:

1. Dealer Name and Purchase Order Number
2. National Model Numbers
3. Ship Prepaid to

Mobile Pedestals with Cushion Tops and Cushions for Box/File Height Storage:

National Office Furniture
Attn: COM Administrator
340 East 11th Avenue
Jasper, IN 47546

Epicenter, Exhibit, Privacy Screens, and Tack Boards

Kimball International
Attn: COM Department
1037 E 15th Street Docks 12-13 Plant 5
Jasper, IN 47546

Without all necessary information listed above to properly match the fabric to the dealer's purchase order, extended lead times may apply.

HOW TO ORDER NATIONAL CASEGOODS WITH COM

Specify:

1 Model Number
2. Fabric Manufacturer
3. Pattern Name and/or Number
4. Color Name and/or Number

SAMPLE ORDER NUMBERS:

Following is a sample order number for a Model NAC6920TBRA

NAC6920TBRA—Accessory Tack Board upholstered in Designtex Circuit in 5121 101 Pebble color

NAC6920TBRA	/	COM	/	Designtex	/	Circuit	/	5121 101 Pebble
Model		Grade		Manufacturer		Pattern		Color

GALLERY LAMINATE AND CSL

GALLERY LAMINATE PROGRAM

PROGRAM DETAILS

The Gallery Laminate program is an on-trend collection curated from trusted laminate suppliers. As we know, trends come and go, sometimes quite quickly. When we see colors/patterns losing industry presence, we will delete and replace with new styles. Gallery Laminates that remain popular could possibly transition into the National Standard Laminate program.

- HPL, TFL, and PVC rims are included in the program
- For each Gallery selection made, an upcharge will be applied, based on the grade
- National orders and procures all Gallery Laminates
- Gallery Laminate program is not available on all products within our offering
- Due to Gallery Laminate size availability, some restrictions may occur. This is noted with bullets under impacted model numbers within the price list

GALLERY LAMINATE OPTIONS

GRADE 1 – 5% upcharge
G1001 Citadel
G1011 Pepperdust

GRADE 2 – 6% upcharge
G1002 Planked Raw Oak
G1003 Evening Notte
G1004 Kirsche
G1005 Midnight Run
G1006 Sepia Walnut
G1007 Serotina
G1008 Timeless
G1009 White Nebbia
G1012 Phantom Ecru

GALLERY ORDERING PROCESS

- Order Gallery Laminate in the same manner as ordering National Standard Laminate
- Six week lead time
- Same warranty as National Laminate

UPCHARGE DETAILS

The percentage upcharge is applied to each Gallery Laminate selection and the total is added to the original list price. Gallery Laminate Grade 1 incurs a 5% upcharge, while Gallery Laminate Grade 2 incurs a 6% upcharge. Please note, the same model may incur multiple upcharges based on the total number of Gallery Laminate locations selected on the specific model. Refer to examples below for further details.

UPCHARGE EXAMPLES

59N3684DDFFL8 – Tessera double pedestal desk
Drawer/Door Laminate- G1008 Timeless (Grade 2) = 6% upcharge
Chassis Laminate- G1008 Timeless (Grade 2) = 6% upcharge
This example incurs a 12% list upcharge as Gallery Grade 2 Laminate was selected within 2 areas of this model

59N3684DDFFL8 – Tessera double pedestal desk
Drawer/Door Laminate- G1003 Evening Notte (Grade 2) = 6% upcharge
Chassis Laminate- G1011 Pepperdust (Grade 1) = 5% upcharge
This example incurs a 11% list upcharge as Gallery Grade 1 and Gallery Grade 2 Laminate was selected within 2 areas of this model

59N3684DDFFL8 – Tessera double pedestal desk
Drawer/Door Laminate- G1008 Timeless (Grade 2) = 6% upcharge
Chassis Laminate- 478 Platinum Grey (Standard NOF) = no upcharge
This example incurs a 6% list upcharge as Gallery Grade 2 Laminate was selected within 1 area of this model

59N6059WPL – Tessera wall panel
Chassis Laminate - G1003 Evening Notte (Grade 2) = 6% upcharge
This example incurs a 6% list upcharge as Gallery Grade 2 Laminate was selected within 1 area of this model

CUSTOMER SPECIFIED LAMINATE (CSL) PROGRAM

PROGRAM DETAILS

National understands that some orders have specialized needs regarding laminate specifications. In order to better service our customers, National has partnered with suppliers to offer a CSL laminate program for **HPL worksurfaces only:**

- A **10% upcharge** applies to all CSL laminate orders
- National orders and procures all CSL customer specified laminates
- CSL program is not available on all laminate products within our offering
- Due to CSL sheet size availability, some restrictions may occur

CSL ORDERING PROCESS

- Laminate sheen level not to exceed 60º for maximum durability of worksurfaces
- Send purchase order and quantities to customer service
  Please include:
  1. Manufacturer's Name
  2. Laminate Name/Laminate Number
- Lead times may vary for certain laminates and quantities, contact customer service for details

CSL POLICY

- National reserves the right to decline a laminate which may not be suitable for application
- National assumes no responsibility for the durability, consistent coloration, or any other performance characteristic of a customer specified laminate

ARROWOOD
LAMINATE

Product Specifications 16
Product Options 17
L Arrangements 18
U Arrangements 19
Product Pages 20

ARROWOOD - LAMINATE

PRODUCT SPECIFICATIONS



WORKSURFACE

- 1⅜" TFL (thermally fused laminate)
- Mitered rim
- Grain direction runs left-to-right unless noted

CHASSIS CONSTRUCTION

- All joints are securely fastened by screws, L-brackets, dowels, and concealed fasteners to ensure maximum strength
- ¾ and full pedestal options
- ⅝" thick modesty panels
- Full height modesty panels on all full pedestal units, bridge units and arc top units
- ¾ height modesty panels on all ¾ pedestal units
- 1" thick end panels
- Standard leveling glides
- Modesty panels have horizontal grain unless otherwise noted

DRAWERS

- Drawers feature 5-sided construction allowing for easy removal/replacement of drawer fronts
- Sides, back and front are ½" thick woodgrain vinyl wrapped
- See interior drawer dimensions below

DRAWER SUSPENSIONS AND FILING

- Box and file drawers have full extension, progressive action slides with precision steel ball bearings
- All suspensions have a lifetime warranty
- Heavy-duty file rods in file drawers
- See filing capabilities below

CORD MANAGEMENT

- Grommets are available in predetermined locations
- Standard in highback organizers
- Optional wire managers are available (See accessory pages)

LOCKING

- Black and silver lock cores are available
- Key Random means lock cores/keys are randomly (1-5) picked and factory installed in unit
- Key Specific means you can pick any number (1-200) for black or silver lock core/key. Must specify the lock core model separately; not factory installed and will ship separately
- Specify a change key to remove and change lock cores
- To order key specific lock cores, change keys, and master keys, reference page 391

EZ ARRANGEMENT MODEL NUMBERS

- Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done
- If you need additional models or want to create other configurations, simply see the individual model numbers and pricing in the pages following the EZ Arrangement models

DRAWER DESCRIPTION	INTERIOR DIMENSIONS WIDTH	DEPTH	HEIGHT	FRONT-TO-BACK FILING CAPABILITIES
Box Drawer—Desk	12⅛"	17"	3½"	N/A
File Drawer—Desk	12⅛"	17"	9½"	Letter
Box Drawer—Executive Return & Multi-File	12⅛"	17"	3½"	N/A
File Drawer—Executive Return & Multi-File	12⅛"	17"	9½"	Letter
Box Drawer—Credenza	15⅛"	17"	3½"	N/A
File Drawer—Credenza	15⅛"	17"	9½"	Legal
Lateral File Drawer—Lateral File & Multi-File	31¹¹⁄₁₆"	15"	9½"	Letter, Legal, EDP

- All file drawers file letter, legal and EDP side-to-side

DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width
DI	Diameter

LAMINATES

AC2 Autumn 2
AD Almond
CL Caramel
CW Cordovan
DW Judicial
HN2 Honey 2
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
SM Sonoma
TF Truffle
792 Sable
793 Acorn

RIM PROFILE



GROMMET OPTIONS

If no grommet is desired, specify an X (No Grommet)

Round Grommet, Black Plastic

G13LR Left & Right
G13C Center



Round Grommet Plastic

LOCKING

KEY RANDOM

KRB Black
KRS Silver

KEY SPECIFIC

KS1B Black, 1 lock per unit
KS1S Silver, 1 lock per unit
KS2B Black, 2 locks per unit
KS2S Silver, 2 locks per unit

Unit list price will be reduced by $28 per lock when selecting Key Specific option. Must order specific lock cores separately ($28 list each). See page 391 for Key Specific model numbers.

QD

QUICK DELIVERY MODELS

Models starting with a "Q" will have the following options in stock:

Rim Profile:	Mitered
Grommets:	Included on highbacks, bridges and returns
Locking:	Random black cores
Finish:	Must specify Amber (MC) or Cordovan (CW)

ARROWOOD - LAMINATE L ARRANGEMENTS

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

ARRANGEMENTS INCLUDE:

- Center grommet in return
- Random black lock cores
- Must specify finish

TO ORDER, SPECIFY FINISH:

AC2	Autumn 2	HN2	Honey 2	PB	Portobello
AD	Almond	IM	Brighton	SM	Sonoma
CL	Caramel	MC	Amber	TF	Truffle
CW	Cordovan	MH	Mocha	792	Sable
DW	Judicial	NM	Natural	793	Acorn

L-CONFIGURATIONS	MODEL NO./DESCRIPTION		LIST PRICE
LEFT L-CONFIGURATION FULL PEDESTAL 	21N8572LLFL	84¾D x 71¾W	$ 3713
	consists of		
	21N3672DRFL1	Right Pedestal Desk	2306
	21N2449RLEFL2	Left Pedestal Return	1407
	21N7972LLFL	78¾D x 71¾W	$ 3646
	consists of		
	21N3672DRFL1	Right Pedestal Desk	2306
	21N2443RLEFL2	Left Pedestal Return	1340
	21N7966LLFL	78¾D x 66W	$ 3561
	consists of		
	21N3066DRFL1	Right Pedestal Desk	2154
	21N2449RLEFL2	Left Pedestal Return	1407
	21N7366LLFL	72¾D x 66W	$ 3494
	consists of		
	21N3066DRFL1	Right Pedestal Desk	2154
	21N2443RLEFL2	Left Pedestal Return	1340
RIGHT L-CONFIGURATION FULL PEDESTAL 	21N8572LRFL	84¾D x 71¾W	$ 3713
	consists of		
	21N3672DLFL1	Left Pedestal Desk	2306
	21N2449RREFL2	Right Pedestal Return	1407
	21N7972LRFL	78¾D x 71¾W	$ 3646
	consists of		
	21N3672DLFL1	Left Pedestal Desk	2306
	21N2443RREFL2	Right Pedestal Return	1340
	21N7966LRFL	78¾D x 66W	$ 3561
	consists of		
	21N3066DLFL1	Left Pedestal Desk	2154
	21N2449RREFL2	Right Pedestal Return	1407
	21N7366LRFL	72¾D x 66W	$ 3494
	consists of		
	21N3066DLFL1	Left Pedestal Desk	2154
	21N2443RREFL2	Right Pedestal Return	1340
LEFT L-CONFIGURATION ¾ PEDESTAL 	Q21N8572LLQL	84¾D x 71¾W	$ 2874
	21N8572LLQL	84¾D x 71¾W	$ 2874
	consists of		
	21N3672DRQL3	Right Pedestal Desk	1760
	21N2449RLEQL3	Left Pedestal Return	1114
	Q21N7972LLQL	78¾D x 71¾W	$ 2805
	21N7972LLQL	78¾D x 71¾W	$ 2805
	consists of		
	21N3672DRQL3	Right Pedestal Desk	1760
	21N2443RLEQL3	Left Pedestal Return	1045
	21N7966LLQL	78¾D x 66W	$ 2728
	consists of		
	21N3066DRQL3	Right Pedestal Desk	1614
	21N2449RLEQL3	Left Pedestal Return	1114
	21N7366LLQL	72¾D x 66W	$ 2659
	consists of		
	21N3066DRQL3	Right Pedestal Desk	1614
	21N2443RLEQL3	Left Pedestal Return	1045
RIGHT L-CONFIGURATION ¾ PEDESTAL 	Q21N8572LRQL	84¾D x 71¾W	$ 2874
	21N8572LRQL	84¾D x 71¾W	$ 2874
	consists of		
	21N3672DLQL3	Left Pedestal Desk	1760
	21N2449RREQL3	Right Pedestal Return	1114
	Q21N7972LRQL	78¾D x 71¾W	$ 2805
	21N7972LRQL	78¾D x 71¾W	$ 2805
	consists of		
	21N3672DLQL3	Left Pedestal Desk	1760
	21N2443RREQL3	Right Pedestal Return	1045
	21N7966LRQL	78¾D x 66W	$ 2728
	consists of		
	21N3066DLQL3	Left Pedestal Desk	1614
	21N2449RREQL3	Right Pedestal Return	1114
	21N7366LRQL	72¾D x 66W	$ 2659
	consists of		
	21N3066DLQL3	Left Pedestal Desk	1614
	21N2443RREQL3	Right Pedestal Return	1045

LAMINATE - ARROWOOD U ARRANGEMENTS

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

ARRANGEMENTS INCLUDE:

- Center grommet in bridge
- Left and right grommets in credenza
- Random black lock cores
- Must specify finish

TO ORDER, SPECIFY FINISH:

AC2	Autumn 2	HN2	Honey 2	PB	Portobello
AD	Almond	IM	Brighton	SM	Sonoma
CL	Caramel	MC	Amber	TF	Truffle
CW	Cordovan	MH	Mocha	792	Sable
DW	Judicial	NM	Natural	793	Acorn

U-CONFIGURATIONS	MODEL NO./DESCRIPTION		LIST PRICE
LEFT U-CONFIGURATION FULL PEDESTAL 	21N10872ULFL	107¼D x 71¾W	$ 4857
	consists of		
	21N3672DRFL1	Right Pedestal Desk	2306
	21N2448BEFL	Bridge	611
	21N2472CLFL2	Left Pedestal Credenza	1940
	21N10472ULFL	104D x 71¾W	$ 4825
	consists of		
	21N3672DRFL1	Right Pedestal Desk	2306
	21N2445BEFL	Bridge	579
	21N2472CLFL2	Left Pedestal Credenza	1940
	21N10266ULFL	101¼D x 66W	$ 4634
	consists of		
	21N3066DRFL1	Right Pedestal Desk	2154
	21N2448BEFL	Bridge	611
	21N2466CLFL2	Left Pedestal Credenza	1869
	21N9866ULFL	98D x 66W	$ 4602
	consists of		
	21N3066DRFL1	Right Pedestal Desk	2154
	21N2445BEFL	Bridge	579
	21N2466CLFL2	Left Pedestal Credenza	1869

U-CONFIGURATIONS	MODEL NO./DESCRIPTION		LIST PRICE
RIGHT U-CONFIGURATION FULL PEDESTAL 	21N10872URFL	107¼D x 71¾W	$ 4857
	consists of		
	21N3672DLFL1	Left Pedestal Desk	2306
	21N2448BEFL	Bridge	611
	21N2472CRFL2	Right Pedestal Credenza	1940
	21N10472URFL	104D x 71¾W	$ 4825
	consists of		
	21N3672DLFL1	Left Pedestal Desk	2306
	21N2448BEFL	Bridge	579
	21N2472CRFL2	Right Pedestal Credenza	1940
	21N10266URFL	101¼D x 66W	$ 4634
	consists of		
	21N3066DLFL1	Left Pedestal Desk	2154
	21N2448BEFL	Bridge	611
	21N2466CRFL2	Right Pedestal Credenza	1869
	21N9866URFL	98D x 66W	$ 4602
	consists of		
	21N3066DLFL1	Left Pedestal Desk	2154
	21N2445BEFL	Bridge	579
	21N2466CRFL2	Right Pedestal Credenza	1869

U-CONFIGURATIONS	MODEL NO./DESCRIPTION		LIST PRICE
LEFT U-CONFIGURATION ¾ PEDESTAL 	Q21N10872ULQL	107¼D x 71¾W	$ 3911
	21N10872ULQL	107¼D x 71¾W	$ 3911
	consists of		
	21N3672DRQL3	Right Pedestal Desk	1760
	21N2448BEFL	Bridge	611
	21N2472CLQL3	Left Pedestal Credenza	1540
	Q21N10472ULQL	104D x 71¾W	$ 3879
	21N10472ULQL	104D x 71¾W	$ 3879
	consists of		
	21N3672DRQL3	Right Pedestal Desk	1760
	21N2445BEFL	Bridge	579
	21N2472CLQL3	Left Pedestal Credenza	1540
	21N10266ULQL	101¼D x 66W	$ 3703
	consists of		
	21N3066DRQL3	Right Pedestal Desk	1614
	21N2448BEFL	Bridge	611
	21N2466CLQL3	Left Pedestal Credenza	1478
	21N9866ULQL	98D x 66W	$ 3671
	consists of		
	21N3066DRQL3	Right Pedestal Desk	1614
	21N2445BEFL	Bridge	579
	21N2466CLQL3	Left Pedestal Credenza	1478

U-CONFIGURATIONS	MODEL NO./DESCRIPTION		LIST PRICE
RIGHT U-CONFIGURATION ¾ PEDESTAL 	Q21N10872URQL	107¼D x 71¾W	$ 3911
	21N10872URQL	107¼D x 71¾W	$ 3911
	consists of		
	21N3672DLQL3	Left Pedestal Desk	1760
	21N2448BEFL	Bridge	611
	21N2472CRQL3	Right Pedestal Credenza	1540
	Q21N10472URQL	104D x 71¾W	$ 3879
	21N10472URQL	104D x 71¾W	$ 3879
	consists of		
	21N3672DLQL3	Left Pedestal Desk	1760
	21N2445BEFL	Bridge	579
	21N2472CRQL3	Right Pedestal Credenza	1540
	21N10266URQL	101¼D x 66W	$ 3703
	consists of		
	21N3066DLQL3	Left Pedestal Desk	1614
	21N2448BEFL	Bridge	611
	21N2466CRQL3	Right Pedestal Credenza	1478
	21N9866URQL	98D x 66W	$ 3671
	consists of		
	21N3066DLQL3	Left Pedestal Desk	1614
	21N2445BEFL	Bridge	579
	21N2466CRQL3	Right Pedestal Credenza	1478

ARROWOOD - LAMINATE

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Grommet Option
3. Locking
4. Laminate

SAMPLE MODEL NUMBER:

21N3672DRFAL1 G13LR KRB AC2

• See page 17 for all options available in Arrowood Laminate

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
DOUBLE PEDESTAL DESK ARC TOP—FULL PEDESTAL	21N3672DDFAL8	$ 3398	35¾	71¾	29½	12⅛	39½	307 lbs.	57.4
	21N3666DDFAL8	3288	35¾	66	29½	12⅛	34⅞	285 lbs.	52.3



- Arc rim has flat edge detail
- Unit has a full modesty panel
- Depth of arc top is 35¾" at its widest point
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

DOUBLE PEDESTAL DESK ARC TOP—¾ PEDESTAL	21N3672DDYAL3	$ 2805	35¾	71¾	29½	12⅛	39½	286 lbs.	57.4
	21N3666DDYAL3	2714	35¾	66	29½	12⅛	34⅞	280 lbs.	52.3



- Arc rim has flat edge detail
- Unit has a full modesty panel
- Depth of arc top is 35¾" at its widest point
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

DOUBLE PEDESTAL DESK FULL PEDESTAL	21N3672DDFL8	$ 2698	35¾	71¾	29½	12⅛	39½	341 lbs.	57.4
	21N3666DDFL8	2609	35¾	66	29½	12⅛	34⅞	285 lbs.	52.3
	21N3066DDFL8	$ 2486	29¾	66	29½	6⅛	34⅞	277 lbs.	47.0
	21N3060DDFL8	2371	29¾	59¾	29½	6⅛	27½	247 lbs.	41.5



- Unit has a full modesty panel
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

DOUBLE PEDESTAL DESK ¾ PEDESTAL	Q21N3672DDQL3	$ 2114	35¾	71¾	29½	12⅛	39½	320 lbs.	57.4
	21N3672DDQL3	2114	35¾	71¾	29½	12⅛	39½	320 lbs.	57.4
	21N3666DDQL3	2046	35¾	66	29½	12⅛	34⅞	285 lbs.	52.3
	21N3066DDQL3	$ 1870	29¾	66	29½	5⅛	34⅞	277 lbs.	47.0
	21N3060DDQL3	1788	29¾	59¾	29½	5⅛	28	231 lbs.	41.5



- Unit has a ¾ modesty panel
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

	LEFT PEDESTAL	RIGHT PEDESTAL							
SINGLE PEDESTAL DESK ARC TOP—FULL PEDESTAL	21N3672DLFAL1	21N3672DRFAL1	$ 3011	35¾	71¾	29½	12⅛	30¾	257 lbs.	57.4



Left shown

- Not recommended as a freestanding unit due to routing in the rim
- Arc rim has flat edge detail
- Unit has a full modesty panel
- Depth of arc top is 35¾" at its widest point
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

TO ORDER, SPECIFY:

1. Model Number
2. Grommet Option
3. Locking
4. Laminate

SAMPLE MODEL NUMBER:

21N3672DRFFL1 G13LR KRB AC2

• See page 17 for all options available in Arrowood Laminate

MODEL NO./DESCRIPTION	LEFT PEDESTAL	RIGHT PEDESTAL	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FREESTANDING SINGLE PEDESTAL DESK ARC TOP—FULL PEDESTAL										
	21N3672DLFFAL1	21N3672DRFFAL1	$ 3011	35¾	71¾	29½	12⅛	55³⁄₁₆	257 lbs.	57.4



Left shown

- Freestanding use only; cannot be used with a bridge or other connecting components
- Arc rim has flat edge detail
- Unit has a full modesty panel
- Depth of arc top is 35¾" at its widest point
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

MODEL NO./DESCRIPTION	LEFT PEDESTAL	RIGHT PEDESTAL	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SINGLE PEDESTAL DESK ARC TOP—¾ PEDESTAL										
	21N3672DLYAL3	21N3672DRYAL3	$ 2463	35¾	71¾	29½	12⅛	30¾	242 lbs.	57.4



Right shown

- Not recommended as a freestanding unit due to routing in the rim
- Arc rim has flat edge detail
- Unit has a full modesty panel
- Depth of arc top is 35¾" at its widest point
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

MODEL NO./DESCRIPTION	LEFT PEDESTAL	RIGHT PEDESTAL	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FREESTANDING SINGLE PEDESTAL DESK ARC TOP—¾ PEDESTAL										
	21N3672DLYFAL3	21N3672DRYFAL3	$ 2463	35¾	71¾	29½	12⅛	55³⁄₁₆	242 lbs.	57.4



Right shown

- Freestanding use only; cannot be used with a bridge or other connecting components
- Arc rim has flat edge detail
- Unit has a full modesty panel
- Depth of arc top is 35¾" at its widest point
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

MODEL NO./DESCRIPTION	LEFT PEDESTAL	RIGHT PEDESTAL	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SINGLE PEDESTAL DESK FULL PEDESTAL										
	21N3672DLFL1	21N3672DRFL1	$ 2306	35¾	71¾	29½	12½	30¾	291 lbs.	57.4
	21N3666DLFL1	21N3666DRFL1	2230	35¾	66	29½	12½	26¾	250 lbs.	52.3
	21N3066DLFL1	21N3066DRFL1	$ 2154	29¾	66	29½	6⅛	25¹⁄₁₆	230 lbs.	45.3



Left shown

- Not recommended as a freestanding unit due to routing in the rim
- Unit has a full modesty panel
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

MODEL NO./DESCRIPTION	LEFT PEDESTAL	RIGHT PEDESTAL	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FREESTANDING SINGLE PEDESTAL DESK FULL PEDESTAL										
	21N3672DLFFL1	21N3672DRFFL1	$ 2306	35¾	71¾	29½	12½	55³⁄₁₆	291 lbs.	57.4
	21N3666DLFFL1	21N3666DRFFL1	2230	35¾	66	29½	12½	49⅜	250 lbs.	52.3
	21N3066DLFFL1	21N3066DRFFL1	$ 2154	29¾	66	29½	6⅛	49⅜	230 lbs.	45.3
	21N3060DLFFL1	21N3060DRFFL1	2082	29¾	59¾	29½	6⅛	43³⁄₁₆	215 lbs.	42.0



Left shown

- Freestanding use only; cannot be used with a bridge or other connecting components
- Unit has a full modesty panel
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

ARROWOOD - LAMINATE

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Grommet Option
3. Locking
4. Laminate

SAMPLE MODEL NUMBER:

21N3672DULL HN2

• See page 17 for all options available in Arrowood Laminate

SINGLE PEDESTAL DESK ¾ PEDESTAL



Left shown

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
LEFT PEDESTAL	RIGHT PEDESTAL								
Q21N3672DLQL3	Q21N3672DRQL3	$ 1760	35¾	71¾	29½	12½	30¾	276 lbs.	57.4
21N3672DLQL3	21N3672DRQL3	1760	35¾	71¾	29½	12½	30¾	276 lbs.	57.4
21N3666DLQL3	21N3666DRQL3	1703	35¾	66	29½	12½	26¾	250 lbs.	52.3
21N3066DLQL3	21N3066DRQL3	$ 1614	29¾	66	29½	6⅛	25⅛	218 lbs.	45.3

- Not recommended as a freestanding unit due to routing in the rim
- Unit has a ¾ modesty panel
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

FREESTANDING SINGLE PEDESTAL DESK ¾ PEDESTAL



Left shown

LEFT PEDESTAL	RIGHT PEDESTAL								
21N3672DLQFL3	21N3672DRQFL3	$ 1760	35¾	71¾	29½	12½	55⅜	276 lbs.	57.4
21N3666DLQFL3	21N3666DRQFL3	1703	35¾	66	29½	12½	49⅜	250 lbs.	52.3
21N3066DLQFL3	21N3066DRQFL3	$ 1614	29¾	66	29½	6⅛	49⅜	218 lbs.	45.3
21N3060DLQFL3	21N3060DRQFL3	1508	29¾	59¾	29½	6⅛	43⅜	215 lbs.	42.0

- Freestanding use only; cannot be used with a bridge or other connecting components
- Unit has a ¾ modesty panel
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

U-SHAPED DESK

Left shown

LEFT U	RIGHT U								
21N3672DULL	21N3672DURL	$ 1646	35¾	71¾	29½	—	30¼	143 lbs.	5.3

- Not recommended as a freestanding unit due to routing in the rim
- Must specify support base, see below for support base options
- Curved rim has flat edge detail
- Grommets not available

U-SHAPED DESK WITH MODESTY



Left shown

LEFT U	RIGHT U								
21N3672DULFL	21N3672DURFL	$ 2113	35¾	71¾	29½	—	30¼	152 lbs.	6.1

- Not recommended as a freestanding unit due to routing in the rim
- Must specify support base, see below for support base options
- Curved rim has flat edge detail
- Grommets not available

SUPPORT BASES

			DI		H				
NAC0428SFRNB	Metal	$ 285	4	—	27¾-29¼	—		10 lbs.	1.0

- Adjustable glide standard
- Specify paint colors: (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Optional upper and lower (CUL) wire management cutout
- For use with U-Shaped desks

LAMINATE - ARROWOOD

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Grommet Option
3. Locking
4. Laminate

SAMPLE MODEL NUMBERS:

21N3737CFSL G13C HN2
21N2449RLEQL3 G13C KS1B MH

• See page 17 for all options available in Arrowood Laminate

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
CORNER UNIT	21N3737CFSL	$ 1453	37¼	37¼	29½	—	17	135 lbs.	5.9



- Not recommended as a freestanding unit due to routing in the rim
- Some assembly required
- Unit can be attached to bridge, return or multi-file return only
- Grommet (G13C) available

TRANSACTION COUNTER DESK UNIT	21N1569TCL	$ 705	14¾	69	15⁵⁄₁₆	—	—	61 lbs.	2.4
	21N1563TCL	663	14¾	63	15⁵⁄₁₆	—	—	58 lbs.	2.2



- Transaction surface spans over the desk only
- Some assembly required
- 1569 transaction counter to be used with 36 x 72 single ped desk
- 1563 transaction counter to be used with 30 x 66 single ped desk

TRANSACTION COUNTER L UNIT	21N6981TCL	$ 1045	80²⁷⁄₃₂	69	15⁵⁄₁₆	—	—	87 lbs.	3.3
	21N6375TCL	1000	74²⁷⁄₃₂	63	15⁵⁄₁₆	—	—	81 lbs.	3.0



- Some assembly required
- 6981 transaction counter to be used with 36 x 72 single ped desk and 2449 return
- 6375 transaction counter to be used with 30 x 66 single ped desk and 2449 return
- Non-handed. Can be placed L or R in field

	LEFT PEDESTAL	RIGHT PEDESTAL							
RETURN FULL PEDESTAL	21N2464RLEFL2	21N2464RREFL2	$ 1477	23¾	64	29½	—	47¼	180 lbs.	30.0
	21N2449RLEFL2	21N2449RREFL2	1407	23¾	49	29½	—	31²⁷⁄₃₂	160 lbs.	28.7
	21N2443RLEFL2	21N2443RREFL2	1340	23¾	43	29½	—	26²⁷⁄₃₂	150 lbs.	25.9



Left shown

- Grain direction runs front-to-back on worksurface
- Grain direction runs vertical on modesty panel
- Unit has a full modesty panel
- Grommet (G13C) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

	LEFT PEDESTAL	RIGHT PEDESTAL							
RETURN ¾ PEDESTAL	21N2464RLEQL3	21N2464RREQL3	$ 1172	23¾	64	29½	—	47¼	180 lbs.	30.0
	Q21N2449RLEQL3	Q21N2449RREQL3	1114	23¾	49	29½	—	31²⁷⁄₃₂	142 lbs.	28.7
	21N2449RLEQL3	21N2449RREQL3	1114	23¾	49	29½	—	31²⁷⁄₃₂	142 lbs.	28.7
	Q21N2443RLEQL3	Q21N2443RREQL3	1045	23¾	43	29½	—	26²⁷⁄₃₂	133 lbs.	25.9
	21N2443RLEQL3	21N2443RREQL3	1045	23¾	43	29½	—	26²⁷⁄₃₂	133 lbs.	25.9



Left shown

- Grain direction runs front-to-back on worksurface
- Grain direction runs vertical on modesty panel
- Unit has a ¾ modesty panel
- Grommet (G13C) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

ARROWOOD - LAMINATE

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Grommet Option
3. Locking
4. Laminate

SAMPLE MODEL NUMBER:

21N2472RLEFL10 G13LR KRB AC2

• See page 17 for all options available in Arrowood Laminate

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
RETURN MULTI-FILE	**LEFT PEDESTAL**	**RIGHT PEDESTAL**							
	21N2472RLEFL10	21N2472RREFL10	$ 2233	23¾	71¾	29½	—	35 63/64	191 lbs.	40.6



Left shown

- Grommet (G13C) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

BRIDGE	Q21N2448BEFL	$ 611	23¾	47¾	29½	—	47¾	76 lbs.	3.9
	21N2448BEFL	611	23¾	47¾	29½	—	47¾	76 lbs.	3.9
	Q21N2445BEFL	579	23¾	44½	29½	—	44½	67 lbs.	3.5
	21N2445BEFL	579	23¾	44½	29½	—	44½	67 lbs.	3.5



- Some assembly required
- Grain direction runs front-to-back on worksurface
- Grain direction runs vertical on modesty panel
- Grommet (G13C) available

STORAGE CREDENZA FULL PEDESTAL	21N2472CSFL2	$ 2747	23¾	71¾	29½	—	—	346 lbs.	40.6
	21N2466CSFL2	2690	23¾	66	29½	—	—	334 lbs.	37.5



- Features a standard adjustable shelf
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

STORAGE CREDENZA ¾ PEDESTAL	Q21N2472CSQL3	$ 2157	23¾	71¾	29½	—	—	296 lbs.	40.6
	21N2472CSQL3	2157	23¾	71¾	29½	—	—	296 lbs.	40.6
	21N2466CSQL3	2100	23¾	66	29½	—	—	296 lbs.	37.5



- Features a standard adjustable shelf
- Unit has a ¾ modesty panel
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

KNEESPACE CREDENZA FULL PEDESTAL	21N2472CKFL2	$ 2409	23¾	71¾	29½	—	33½	279 lbs.	40.6
	21N2466CKFL2	2344	23¾	66	29½	—	28 13/16	267 lbs.	37.5
	21N2460CKFL2	2190	23¾	59¾	29½	—	28¾	256 lbs.	33.7

- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

KNEESPACE CREDENZA ¾ PEDESTAL	Q21N2472CKQL3	$ 1821	23¾	71¾	29½	—	33½	239 lbs.	40.6
	21N2472CKQL3	1821	23¾	71¾	29½	—	33½	239 lbs.	40.6
	21N2466CKQL3	1760	23¾	66	29½	—	28 13/16	227 lbs.	37.5
	21N2460CKQL3	1646	23¾	59¾	29½	—	28¾	220 lbs.	33.7



- Unit has a ¾ modesty panel
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Grommet Option
3. Locking
4. Laminate

SAMPLE MODEL NUMBER:

21N2466CRQL3 G13LR KRB CW

• See page 17 for all options available in Arrowood Laminate

SINGLE PEDESTAL CREDENZA FULL PEDESTAL—FILE/FILE



Left shown

LEFT PEDESTAL	RIGHT PEDESTAL	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
21N2472CLFL2	21N2472CRFL2	$ 1940	23¾	71¾	29½	—	27⅞	239 lbs.	40.6
21N2466CLFL2	21N2466CRFL2	1869	23¾	66	29½	—	22⅛	227 lbs.	37.5

- Not recommended as a freestanding unit due to routing in the rim
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

FREESTANDING SINGLE PEDESTAL CREDENZA FULL PEDESTAL—FILE/FILE



Left shown

LEFT PEDESTAL	RIGHT PEDESTAL	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
21N2472CLFFL2	21N2472CRFFL2	$ 1940	23¾	71¾	29½	—	52¼	239 lbs.	40.6
21N2466CLFFL2	21N2466CRFFL2	1869	23¾	66	29½	—	46⁷⁄₁₆	227 lbs.	37.5
21N2460CLFFL2	21N2460CRFFL2	1815	23¾	59¾	29½	—	40¼	220 lbs.	33.7

- Freestanding use only; cannot be used with a bridge or other connecting components
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

SINGLE PEDESTAL CREDENZA ¾ PEDESTAL—BOX/FILE



Left shown

LEFT PEDESTAL	RIGHT PEDESTAL	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
Q21N2472CLQL3	Q21N2472CRQL3	$ 1540	23¾	71¾	29½	—	27⅞	219 lbs.	40.6
21N2472CLQL3	21N2472CRQL3	1540	23¾	71¾	29½	—	27⅞	219 lbs.	40.6
21N2466CLQL3	21N2466CRQL3	1478	23¾	66	29½	—	22⅛	207 lbs.	37.5

- Not recommended as a freestanding unit due to routing in the rim
- Unit has a ¾ modesty panel
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

FREESTANDING SINGLE PEDESTAL CREDENZA ¾ PEDESTAL—BOX/FILE



Left shown

LEFT PEDESTAL	RIGHT PEDESTAL	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
21N2472CLQFL3	21N2472CRQFL3	$ 1540	23¾	71¾	29½	—	52¼	219 lbs.	40.6
21N2466CLQFL3	21N2466CRQFL3	1478	23¾	66	29½	—	46⁷⁄₁₆	207 lbs.	37.5
21N2460CLQFL3	21N2460CRQFL3	1432	23¾	59¾	29½	—	40¼	200 lbs.	33.7

- Freestanding use only; cannot be used with a bridge or other connecting components
- Unit has a ¾ modesty panel
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

SINGLE PEDESTAL CREDENZA FULL PEDESTAL—LATERAL FILE



Right shown

LEFT PEDESTAL	RIGHT PEDESTAL	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
21N2472CLFL6	21N2472CRFL6	$ 2168	23¾	71¾	29½	—	11¼	279 lbs.	40.6
21N2466CLFL6	21N2466CRFL6	2109	23¾	66	29½	—	5¼	267 lbs.	37.5

- Not recommended as a freestanding unit due to routing in the rim
- Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

ARROWOOD - LAMINATE

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Grommet Option
3. Locking
4. Laminate

SAMPLE MODEL NUMBER:

21N2472CLFL10 G13LR KS2B AC2

• See page 17 for all options available in Arrowood Laminate

FREESTANDING SINGLE PEDESTAL CREDENZA FULL PEDESTAL—LATERAL FILE



Right shown

LEFT PEDESTAL	RIGHT PEDESTAL	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
21N2472CLFFL6	21N2472CRFFL6	$ 2168	23¾	71¾	29½	—	35⅜	279 lbs.	40.6
21N2466CLFFL6	21N2466CRFFL6	2109	23¾	66	29½	—	29⁹⁄₁₆	267 lbs.	37.5

- To prevent tipping, it is recommended that cabinets be ganged together or anchored to a suitable wall or floor
- Freestanding use only; cannot be used with a bridge or other connecting components
- Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

SINGLE PEDESTAL CREDENZA FULL PEDESTAL—MULTI-FILE



Left shown

LEFT PEDESTAL	RIGHT PEDESTAL	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
21N2472CLFL10	21N2472CRFL10	$ 2252	23¾	71¾	29½	—	11¼	279 lbs.	40.6

- Not recommended as a freestanding unit due to routing in the rim
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

FREESTANDING SINGLE PEDESTAL CREDENZA FULL PEDESTAL—MULTI-FILE



Left shown

LEFT PEDESTAL	RIGHT PEDESTAL	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
21N2472CLFFL10	21N2472CRFFL10	$ 2252	23¾	71¾	29½	—	35⅜	279 lbs.	40.6

- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Freestanding use only; cannot be used with a bridge or other connecting components

HIGHBACK ORGANIZER



LAMINATE DOORS								
21N8136HBHL	$ 1812	14¾	80¾	36³⁄₁₆	—	—	240 lbs.	42.0
21N7536HBHL	1746	14¾	74¾	36³⁄₁₆	—	—	230 lbs.	38.0
Q21N6936HBHL	1679	14¾	69	36³⁄₁₆	—	—	220 lbs.	25.8
21N6936HBHL	1679	14¾	69	36³⁄₁₆	—	—	220 lbs.	25.8
21N6336HBHL	1614	14¾	63	36³⁄₁₆	—	—	173 lbs.	23.6
21N5736HBHL	1546	14¾	57³⁄₁₆	36³⁄₁₆	—	—	148 lbs.	22.0

- Highback organizer features (4) side hinged doors and full back panels with cord management
- For tack board models, see pages 413-418
- Not for use in open plan applications due to open pin holes in backs
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Locking
3. Laminate

SAMPLE MODEL NUMBER:

21N2436LFF4L KRB AC2

• See page 17 for all options available in Arrowood Laminate

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
OVERHEAD CABINET WALL MOUNT	**LAMINATE DOORS**									
	21N3017SOHML	TFL	$ 784	14¾	29⅝	17	–	–	89 lbs.	8.3
	Q21N3617SOHML	TFL	866	14¾	35⅝	17	–	–	100 lbs.	9.7
	21N3617SOHML	TFL	866	14¾	35⅝	17	–	–	100 lbs.	9.7

- Flat edge detail
- Inside dimensions of 21N3017SOHML are 12⅞" deep, 28⅛" wide and 12¾" high
- Inside dimensions of 21N3617SOHML are 12⅞" deep, 34⅛" wide and 12¾" high
- Wall mount bracket, for attachment to wall, is included
- National recommends that each overhead cabinet be secured by a minimum of 2 mounting locations (studs); National will not be liable for wall mount cabinets that are not properly installed
- For tack board models, see pages 413-418
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

	LEFT HINGED	RIGHT HINGED									
SINGLE STORAGE CABINET/WARDROBE	21N1866VSWHLL	21N1866VSWHRL	Laminate Top	$ 2472	23⅜	18	65⅜	–	–	160 lbs.	23.6
	Inside Dimensions				18¹¹⁄₃₂	16½	61³⁄₃₂	–	–	–	–

Left shown

- Single storage cabinet can be used as a wardrobe unit by removing the 4 adjustable shelves
- Removable coat rod is standard
- Unit has an unfinished back
- Specify laminate only

LATERAL FILE 2 DRAWER	Q21N2436LFF2L	$ 1407	23¾	35¾	29½	–	–	184 lbs.	17.7
	21N2436LFF2L	1407	23¾	35¾	29½	–	–	184 lbs.	17.7

- Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

LATERAL FILE 3 DRAWER	21N2436LFF3L	$ 2292	23¾	35¾	44½	–	–	210 lbs.	30.0

- Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

LATERAL FILE 4 DRAWER	21N2436LFF4L	$ 3181	23¾	35¾	58⅜	–	–	291 lbs.	40.2
									

- Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

ARROWOOD - LAMINATE

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Grommet Option
3. Laminate

SAMPLE MODEL NUMBER:

21N2430PTL G13C TF

• See page 17 for all options available in Arrowood Laminate

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
BOOKCASE	Q21N3365BCOFL		$ 1268	13	33	65⁷⁄₁₆	—	—	135 lbs.	27.4
	21N3365BCOFL		1268	13	33	65⁷⁄₁₆	—	—	135 lbs.	27.4
	• Bookcase shelves hold 100 lbs. of evenly distributed weight • Shaded shelves are adjustable • Bookcase has an unfinished back									
BOOKCASE	21N3353BCOFL		$ 1098	13	33	53	—	—	92 lbs.	22.4
	• Bookcase shelves hold 100 lbs. of evenly distributed weight • Bookcase has an unfinished back • Shaded shelves are adjustable									
BOOKCASE SET-ON	Q21N3336BCOL		$ 893	13	33	36³⁄₁₆	—	—	85 lbs.	15.8
	21N3336BCOL		893	13	33	36³⁄₁₆	—	—	85 lbs.	15.8
	• Bookcase shelves hold 100 lbs. of evenly distributed weight • Shaded shelf is adjustable • Bookcase has an unfinished back									
PRINTER/TELEPHONE STAND	21N2430PTL		$ 1078	23¾	29¾	29½	—	—	91 lbs.	14.3
	MPK-4	Set of 4 Casters	103	For use as a mobile unit					1 lbs.	0.2
	• Fixed shelf is 12" deep and 27¾" wide and ¾" thick • Open back • Grommet (G13C) available									
SQUARE TABLE TOP	**30" SQUARE**	**1³⁄₁₆" TOP THICKNESS**								
	21N3030SQL	Laminate	$ 654	30	30	1³⁄₁₆	—	—	33 lbs.	2.0
	36" SQUARE									
	21N3636SQL		$ 767	36	36	1³⁄₁₆	—	—	42 lbs.	2.4
	42" SQUARE									
	21N4242SQL		$ 1100	42	42	1³⁄₁₆	—	—	58 lbs.	3.2
	48" SQUARE									
	21N4848SQL		$ 1510	48	48	1³⁄₁₆	—	—	76 lbs.	4.2
	• Reference Table Base Guide in the Tables Price List for applicable bases • Grommet options available on square tops are G10C and CUT-G15C, reference Tables Price List for options and upcharge									

ARROWOOD
VENEER

Product Specifications	30
Product Options	31
L Arrangements	32, 34
U Arrangements	33, 35
Product Pages	36

ARROWOOD - VENEER

PRODUCT SPECIFICATIONS



WORKSURFACE

- 1³⁄₁₆" slipmatched cherry and maple veneer, bookmatched walnut veneer or HPL (high pressure laminate)
- Mitered wood rim
- Grain direction runs left-to-right unless noted

FINISH APPLICATION

- All Veneer surfaces feature a semi-open pore matte finish

CHASSIS CONSTRUCTION

- All joints are securely fastened by screws, L-brackets, dowels, and concealed fasteners to ensure maximum strength
- Full and ¾ pedestal options
- ¾ modesty panels on HPL top ¾ pedestal only. Other versions have full modesty panels
- ¾" thick modesty panels
- 1⁄₁₆" thick end panels
- Units feature semi-finished backs (stained with some exposed hardware) unless noted
- Standard leveling glides
- Grain direction runs vertical on all modesty panels

DRAWERS

- Drawers feature 5-sided construction allowing for easy removal/replacement of drawer fronts
- Sides, back and front are ½" thick woodgrain vinyl wrapped
- Drawer fronts are 3-ply construction with matched woodgrain
- See interior drawer dimensions below

DRAWER SUSPENSIONS AND FILING

- Box and file drawers have full extension, progressive action slides with precision steel ball bearings
- All suspensions have a lifetime warranty
- Heavy-duty file rods in file drawers
- See filing capabilities below

CORD MANAGEMENT

- Grommets are available in predetermined locations
- Standard in highback organizers
- Optional wire managers are available (see accessory pages)

LOCKING

- Black and silver lock cores are available
- Key Random means lock cores/keys are randomly (1-5) picked and factory installed in unit
- Key Specific means you can pick any number (1-200) for black or silver lock core/key. Must specify the lock core model separately; not factory installed and will ship separately
- Specify a change key to remove and change lock cores
- To order key specific lock cores, change keys, and master keys, reference page 391

EZ ARRANGEMENT MODEL NUMBERS

- Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done
- If you need additional models or want to create other configurations, simply see the individual model numbers and pricing in the pages following the EZ Arrangement models

DRAWER DESCRIPTION	INTERIOR DIMENSIONS WIDTH	DEPTH	HEIGHT	FRONT-TO-BACK FILING CAPABILITIES
Box Drawer—Desk	12⁁1⁄₁₆"	17"	3⅛"	N/A
File Drawer—Desk	12⁁1⁄₁₆"	17"	9½"	Letter
Box Drawer—Return	12⁁1⁄₁₆"	17"	3⅛"	N/A
File Drawer—Return	12⁁1⁄₁₆"	17"	9½"	Letter
Box Drawer—Credenza				
21 x 72	15⁁1⁄₁₆"	17"	3⅛"	N/A
21 x 66	15⁁1⁄₁₆"	17"	3⅛"	N/A
File Drawer—Credenza				
21 x 72	15⁁1⁄₁₆"	17"	9½"	Legal
21 x 66	15⁁1⁄₁₆"	17"	9½"	Legal
Lateral File Drawer—Lateral File	31¹¹⁄₃₂"	15"	9½"	Letter/Letter, Letter/Legal, Legal/Legal or Letter/EDP

- All file drawers file letter, legal and EDP side-to-side

DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width
DI	Diameter

WOOD FINISHES

AC Autumn
CL Caramel
CW Cordovan
DW Judicial
HN Honey
IM Brighton
MC Amber
MH Mocha
NM Natural
TF Truffle

RIM PROFILE



GROMMET OPTIONS

If no grommet is desired, specify an X (No Grommet)

Round Grommet, Black Plastic

G13LR Left & Right
G13C Center



Round Grommet Plastic

LOCKING

KEY RANDOM

KRB Black
KRS Silver

KEY SPECIFIC

KS1B Black, 1 lock per unit
KS1S Silver, 1 lock per unit
KS2B Black, 2 locks per unit
KS2S Silver, 2 locks per unit

Unit list price will be reduced by $28 per lock when selecting Key Specific option. Must order specific lock cores separately ($28 list each). See page 391 for Key Specific model numbers.

QUICK DELIVERY MODELS

Models starting with a "Q" will have the following options in stock:

Rim Profile:	Mitered
Grommets:	Included on bridges, returns and credenzas
Locking:	Random black cores
Finish:	Must specify Honey (HN), Amber (MC) or Cordovan (CW)

ARROWOOD - VENEER L ARRANGEMENTS

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

ARRANGEMENTS INCLUDE:

- Center grommet in return
- Random black lock cores
- Must specify finish

TO ORDER, SPECIFY FINISH:

AC	Autumn	HN	Honey	NM	Natural
CL	Caramel	IM	Brighton	TF	Truffle
CW	Cordovan	MC	Amber		
DW	Judicial	MH	Mocha		

L-CONFIGURATIONS	MODEL NO./DESCRIPTION		LIST PRICE
LEFT L-CONFIGURATION FULL PEDESTAL WOOD TOP 	Q31N8872LLFW	87½D x 71¾W	$ 6441
	31N8872LLFW	87½D x 71¾W	$ 6441
	consists of		
	31N3672DRFW1	Right Pedestal Desk	3760
	31N2452RLEFW2	Left Pedestal Return	2681
	Q31N8072LLFW	79½D x 71¾W	$ 6287
	31N8072LLFW	79½D x 71¾W	$ 6287
	consists of		
	31N3672DRFW1	Right Pedestal Desk	3760
	31N2444RLEFW2	Left Pedestal Return	2527
	31N8266LLFW	81½D x 66W	$ 6113
	consists of		
	31N3066DRFW1	Right Pedestal Desk	3432
	31N2452RLEFW2	Left Pedestal Return	2681
	31N7466LLFW	73½D x 66W	$ 5959
	consists of		
	31N3066DRFW1	Right Pedestal Desk	3432
	31N2444RLEFW2	Left Pedestal Return	2527
RIGHT L-CONFIGURATION FULL PEDESTAL WOOD TOP 	Q31N8872LRFW	87½D x 71¾W	$ 6441
	31N8872LRFW	87½D x 71¾W	$ 6441
	consists of		
	31N3672DLFW1	Left Pedestal Desk	3760
	31N2452RREFW2	Right Pedestal Return	2681
	Q31N8072LRFW	79½D x 71¾W	$ 6287
	31N8072LRFW	79½D x 71¾W	$ 6287
	consists of		
	31N3672DLFW1	Left Pedestal Desk	3760
	31N2444RREFW2	Right Pedestal Return	2527
	31N8266LRFW	81½D x 66W	$ 6113
	consists of		
	31N3066DLFW1	Left Pedestal Desk	3432
	31N2452RREFW2	Right Pedestal Return	2681
	31N7466LRFW	73½D x 66W	$ 5959
	consists of		
	31N3066DLFW1	Left Pedestal Desk	3432
	31N2444RREFW2	Right Pedestal Return	2527
LEFT L-CONFIGURATION FULL PEDESTAL LAMINATE TOP 	31N8872LLFLW	87½D x 71¾W	$ 5894
	consists of		
	31N3672DRFLW1	Right Pedestal Desk	3485
	31N2452RLEFLW2	Left Pedestal Return	2409
	31N8072LLFLW	79½D x 71¾W	$ 5739
	consists of		
	31N3672DRFLW1	Right Pedestal Desk	3485
	31N2444RLEFLW2	Left Pedestal Return	2254
	31N8266LLFLW	81½D x 66W	$ 5568
	consists of		
	31N3066DRFLW1	Right Pedestal Desk	3159
	31N2452RLEFLW2	Left Pedestal Return	2409
	31N7466LLFLW	73½D x 66W	$ 5413
	consists of		
	31N3066DRFLW1	Right Pedestal Desk	3159
	31N2444RLEFLW2	Left Pedestal Return	2254
RIGHT L-CONFIGURATION FULL PEDESTAL LAMINATE TOP 	31N8872LRFLW	87½D x 71¾W	$ 5894
	consists of		
	31N3672DLFLW1	Left Pedestal Desk	3485
	31N2452RREFLW2	Right Pedestal Return	2409
	31N8072LRFLW	79½D x 71¾W	$ 5739
	consists of		
	31N3672DLFLW1	Left Pedestal Desk	3485
	31N2444RREFLW2	Right Pedestal Return	2254
	31N8266LRFLW	81½D x 66W	$ 5568
	consists of		
	31N3066DLFLW1	Left Pedestal Desk	3159
	31N2452RREFLW2	Right Pedestal Return	2409
	31N7466LRFLW	73½D x 66W	$ 5413
	consists of		
	31N3066DLFLW1	Left Pedestal Desk	3159
	31N2444RREFLW2	Right Pedestal Return	2254

VENEER - ARROWOOD U ARRANGEMENTS

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

ARRANGEMENTS INCLUDE:

- Center grommet in bridge
- Left and right grommets in credenza
- Random black lock cores
- Must specify finish

TO ORDER, SPECIFY FINISH:

AC	Autumn	HN	Honey	NM	Natural
CL	Caramel	IM	Brighton	TF	Truffle
CW	Cordovan	MC	Amber		
DW	Judicial	MH	Mocha		

U-CONFIGURATIONS	MODEL NO./DESCRIPTION		LIST PRICE
LEFT U-CONFIGURATION FULL PEDESTAL WOOD TOP 	Q31N10872ULFW	107¼D x 71¾W	$ 7513
	31N10872ULFW	107¼D x 71¾W	$ 7513
	consists of		
	31N3672DRFW1	Right Pedestal Desk	3760
	31N2451BEFW	Bridge	798
	31N2172CLFW2	Left Pedestal Credenza	2955
	Q31N10272ULFW	101¼D x 71¾W	$ 7449
	31N10272ULFW	101¼D x 71¾W	$ 7449
	consists of		
	31N3672DRFW1	Right Pedestal Desk	3760
	31N2445BEFW	Bridge	734
	31N2172CLFW2	Left Pedestal Credenza	2955
	31N10266ULFW	101¼D x 66W	$ 7111
	consists of		
	31N3066DRFW1	Right Pedestal Desk	3432
	31N2451BEFW	Bridge	798
	31N2166CLFW2	Left Pedestal Credenza	2881
	31N9666ULFW	95¼D x 66W	$ 7047
	consists of		
	31N3066DRFW1	Right Pedestal Desk	3432
	31N2445BEFW	Bridge	734
	31N2166CLFW2	Left Pedestal Credenza	2881
RIGHT U-CONFIGURATION FULL PEDESTAL WOOD TOP 	Q31N10872URFW	107¼D x 71¾W	$ 7513
	31N10872URFW	107¼D x 71¾W	$ 7513
	consists of		
	31N3672DLFW1	Left Pedestal Desk	3760
	31N2451BEFW	Bridge	798
	31N2172CRFW2	Right Pedestal Credenza	2955
	Q31N10272URFW	101¼D x 71¾W	$ 7449
	31N10272URFW	101¼D x 71¾W	$ 7449
	consists of		
	31N3672DLFW1	Left Pedestal Desk	3760
	31N2445BEFW	Bridge	734
	31N2172CRFW2	Right Pedestal Credenza	2955
	31N10266URFW	101¼D x 66W	$ 7111
	consists of		
	31N3066DLFW1	Left Pedestal Desk	3432
	31N2451BEFW	Bridge	798
	31N2166CRFW2	Right Pedestal Credenza	2881
	31N9666URFW	95¼D x 66W	$ 7047
	consists of		
	31N3066DLFW1	Left Pedestal Desk	3432
	31N2445BEFW	Bridge	734
	31N2166CRFW2	Right Pedestal Credenza	2881
LEFT U-CONFIGURATION FULL PEDESTAL LAMINATE TOP 	31N10872ULFLW	107¼D x 71¾W	$ 6855
	consists of		
	31N3672DRFLW1	Right Pedestal Desk	3485
	31N2451BEFLW	Bridge	689
	31N2172CLFLW2	Left Pedestal Credenza	2681
	31N10272ULFLW	101¼D x 71¾W	$ 6796
	consists of		
	31N3672DRFLW1	Right Pedestal Desk	3485
	31N2445BEFLW	Bridge	630
	31N2172CLFLW2	Left Pedestal Credenza	2681
	31N10266ULFLW	101¼D x 66W	$ 6469
	consists of		
	31N3066DRFLW1	Right Pedestal Desk	3159
	31N2451BEFLW	Bridge	689
	31N2166CLFLW2	Left Pedestal Credenza	2621
	31N9666ULFLW	95¼D x 66W	$ 6410
	consists of		
	31N3066DRFLW1	Right Pedestal Desk	3159
	31N2445BEFLW	Bridge	630
	31N2166CLFLW2	Left Pedestal Credenza	2621
RIGHT U-CONFIGURATION FULL PEDESTAL LAMINATE TOP 	31N10872URFLW	107¼D x 71¾W	$ 6855
	consists of		
	31N3672DLFLW1	Left Pedestal Desk	3485
	31N2451BEFLW	Bridge	689
	31N2172CRFLW2	Right Pedestal Credenza	2681
	31N10272URFLW	101¼D x 71¾W	$ 6796
	consists of		
	31N3672DLFLW1	Left Pedestal Desk	3485
	31N2445BEFLW	Bridge	630
	31N2172CRFLW2	Right Pedestal Credenza	2681
	31N10266URFLW	101¼D x 66W	$ 6469
	consists of		
	31N3066DLFLW1	Left Pedestal Desk	3159
	31N2451BEFLW	Bridge	689
	31N2166CRFLW2	Right Pedestal Credenza	2621
	31N9666URFLW	95¼D x 66W	$ 6410
	consists of		
	31N3066DLFLW1	Left Pedestal Desk	3159
	31N2445BEFLW	Bridge	630
	31N2166CRFLW2	Right Pedestal Credenza	2621

ARROWOOD - VENEER L ARRANGEMENTS

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.

ARRANGEMENTS INCLUDE:

- Center grommet in return
- Random black lock cores
- Must specify finish

TO ORDER, SPECIFY FINISH:

AC	Autumn	HN	Honey	NM	Natural
CL	Caramel	IM	Brighton	TF	Truffle
CW	Cordovan	MC	Amber		
DW	Judicial	MH	Mocha		

L-CONFIGURATIONS	MODEL NO./DESCRIPTION		LIST PRICE
LEFT L-CONFIGURATION ¾ PEDESTAL WOOD TOP 	31N8872LLYW	87½D x 71¾W	$ 5894
	consists of		
	31N3672DRYW3	Right Pedestal Desk	3485
	31N2452RLEYW3	Left Pedestal Return	2409
	31N8072LLYW	79½D x 71¾W	$ 5739
	consists of		
	31N3672DRYW3	Right Pedestal Desk	3485
	31N2444RLEYW3	Left Pedestal Return	2254
	31N8266LLYW	81½D x 66W	$ 5568
	consists of		
	31N3066DRYW3	Right Pedestal Desk	3159
	31N2452RLEYW3	Left Pedestal Return	2409
	31N7466LLYW	73½D x 66W	$ 5413
	consists of		
	31N3066DRYW3	Right Pedestal Desk	3159
	31N2444RLEYW3	Left Pedestal Return	2254
LEFT L-CONFIGURATION ¾ PEDESTAL LAMINATE TOP 	31N8872LLQLW	87½D x 71¾W	$ 5085
	consists of		
	31N3672DRQLW3	Right Pedestal Desk	2940
	31N2452RLEQLW3	Left Pedestal Return	2145
	31N8072LLQLW	79½D x 71¾W	$ 4930
	consists of		
	31N3672DRQLW3	Right Pedestal Desk	2940
	31N2444RLEQLW3	Left Pedestal Return	1990
	31N8266LLQLW	81½D x 66W	$ 4774
	consists of		
	31N3066DRQLW3	Right Pedestal Desk	2629
	31N2452RLEQLW3	Left Pedestal Return	2145
	31N7466LLQLW	73½D x 66W	$ 4619
	consists of		
	31N3066DRQLW3	Right Pedestal Desk	2629
	31N2444RLEQLW3	Left Pedestal Return	1990

L-CONFIGURATIONS	MODEL NO./DESCRIPTION		LIST PRICE
RIGHT L-CONFIGURATION ¾ PEDESTAL WOOD TOP 	31N8872LRYW	87½D x 71¾W	$ 5894
	consists of		
	31N3672DLYW3	Left Pedestal Desk	3485
	31N2452RREYW3	Right Pedestal Return	2409
	31N8072LRYW	79½D x 71¾W	$ 5739
	consists of		
	31N3672DLYW3	Left Pedestal Desk	3485
	31N2444RREYW3	Right Pedestal Return	2254
	31N8266LRYW	81½D x 66W	$ 5568
	consists of		
	31N3066DLYW3	Left Pedestal Desk	3159
	31N2452RREYW3	Right Pedestal Return	2409
	31N7466LRYW	73½D x 66W	$ 5413
	consists of		
	31N3066DLYW3	Left Pedestal Desk	3159
	31N2444RREYW3	Right Pedestal Return	2254
RIGHT L-CONFIGURATION ¾ PEDESTAL LAMINATE TOP 	31N8872LRQLW	87½D x 71¾W	$ 5085
	consists of		
	31N3672DLQLW3	Left Pedestal Desk	2940
	31N2452RREQLW3	Right Pedestal Return	2145
	31N8072LRQLW	79½D x 71¾W	$ 4930
	consists of		
	31N3672DLQLW3	Left Pedestal Desk	2940
	31N2444RREQLW3	Right Pedestal Return	1990
	31N8266LRQLW	81½D x 66W	$ 4774
	consists of		
	31N3066DLQLW3	Left Pedestal Desk	2629
	31N2452RREQLW3	Right Pedestal Return	2145
	31N7466LRQLW	73½D x 66W	$ 4619
	consists of		
	31N3066DLQLW3	Left Pedestal Desk	2629
	31N2444RREQLW3	Right Pedestal Return	1990

VENEER - ARROWOOD U ARRANGEMENTS

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.

ARRANGEMENTS INCLUDE:

- Center grommet in bridge
- Left and right grommets in credenza
- Random black lock cores
- Must specify finish

TO ORDER, SPECIFY FINISH:

AC	Autumn	HN	Honey	NM	Natural
CL	Caramel	IM	Brighton	TF	Truffle
CW	Cordovan	MC	Amber		
DW	Judicial	MH	Mocha		

U-CONFIGURATIONS	MODEL NO./DESCRIPTION		LIST PRICE
LEFT U-CONFIGURATION ¾ PEDESTAL WOOD TOP 	31N10872ULYW	107¼D x 71¾W	$ 6964
	consists of		
	31N3672DRYW3	Right Pedestal Desk	3485
	31N2451BEFW	Bridge	798
	31N2172CLYW3	Left Pedestal Credenza	2681
	31N10272ULYW	101¼D x 71¾W	$ 6900
	consists of		
	31N3672DRYW3	Right Pedestal Desk	3485
	31N2445BEFW	Bridge	734
	31N2172CLYW3	Left Pedestal Credenza	2681
	31N10266ULYW	101¼D x 66W	$ 6578
	consists of		
	31N3066DRYW3	Right Pedestal Desk	3159
	31N2451BEFW	Bridge	798
	31N2166CLYW3	Left Pedestal Credenza	2621
	31N9666ULYW	95¼D x 66W	$ 6514
	consists of		
	31N3066DRYW3	Right Pedestal Desk	3159
	31N2445BEFW	Bridge	734
	31N2166CLYW3	Left Pedestal Credenza	2621
RIGHT U-CONFIGURATION ¾ PEDESTAL WOOD TOP 	31N10872URYW	107¼D x 71¾W	$ 6964
	consists of		
	31N3672DLYW3	Left Pedestal Desk	3485
	31N2451BEFW	Bridge	798
	31N2172CRYW3	Right Pedestal Credenza	2681
	31N10272URYW	101¼D x 71¾W	$ 6900
	consists of		
	31N3672DLYW3	Left Pedestal Desk	3485
	31N2445BEFW	Bridge	734
	31N2172CRYW3	Right Pedestal Credenza	2681
	31N10266URYW	101¼D x 66W	$ 6578
	consists of		
	31N3066DLYW3	Left Pedestal Desk	3159
	31N2451BEFW	Bridge	798
	31N2166CRYW3	Right Pedestal Credenza	2621
	31N9666URYW	95¼D x 66W	$ 6514
	consists of		
	31N3066DLYW3	Left Pedestal Desk	3159
	31N2445BEFW	Bridge	734
	31N2166CRYW3	Right Pedestal Credenza	2621
LEFT U-CONFIGURATION ¾ PEDESTAL LAMINATE TOP 	31N10872ULQLW	107¼D x 71¾W	$ 6024
	consists of		
	31N3672DRQLW3	Right Pedestal Desk	2940
	31N2451BEFLW	Bridge	689
	31N2172CLQLW3	Left Pedestal Credenza	2395
	31N10272ULQLW	101¼D x 71¾W	$ 5965
	consists of		
	31N3672DRQLW3	Right Pedestal Desk	2940
	31N2445BEFLW	Bridge	630
	31N2172CLQLW3	Left Pedestal Credenza	2395
	31N10266ULQLW	101¼D x 66W	$ 5647
	consists of		
	31N3066DRQLW3	Right Pedestal Desk	2629
	31N2451BEFLW	Bridge	689
	31N2166CLQLW3	Left Pedestal Credenza	2329
	31N9666ULQLW	95¼D x 66W	$ 5588
	consists of		
	31N3066DRQLW3	Right Pedestal Desk	2629
	31N2445BEFLW	Bridge	630
	31N2166CLQLW3	Left Pedestal Credenza	2329
RIGHT U-CONFIGURATION ¾ PEDESTAL LAMINATE TOP 	31N10872URQLW	107¼D x 71¾W	$ 6024
	consists of		
	31N3672DLQLW3	Left Pedestal Desk	2940
	31N2451BEFLW	Bridge	689
	31N2172CRQLW3	Right Pedestal Credenza	2395
	31N10272URQLW	101¼D x 71¾W	$ 5965
	consists of		
	31N3672DLQLW3	Left Pedestal Desk	2940
	31N2445BEFLW	Bridge	630
	31N2172CRQLW3	Right Pedestal Credenza	2395
	31N10266URQLW	101¼D x 66W	$ 5647
	consists of		
	31N3066DLQLW3	Left Pedestal Desk	2629
	31N2451BEFLW	Bridge	689
	31N2166CRQLW3	Right Pedestal Credenza	2329
	31N9666URQLW	95¼D x 66W	$ 5588
	consists of		
	31N3066DLQLW3	Left Pedestal Desk	2629
	31N2445BEFLW	Bridge	630
	31N2166CRQLW3	Right Pedestal Credenza	2329

ARROWOOD - VENEER

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Grommet Option
3. Locking
4. Finish

SAMPLE MODEL NUMBERS:

31N3672DDFW8 X KRB CW
31N3672DDFLW8 G13LR KS2B CW

• See page 31 for all options available in Arrowood Veneer

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
DOUBLE PEDESTAL DESK ARC TOP—FULL PEDESTAL	31N3672DDFAW8	Wood Top	$ 5366	35¾	71¾	29½	10⅞	39¹⁵⁄₁₆	317 lbs.	57.4
	31N3672DDFALW8	HPL Top	4909	35¾	71¾	29½	10⅞	39¹⁵⁄₁₆	317 lbs.	57.4
	31N3666DDFAW8	Wood Top	$ 5151	35¾	66	29½	10⅞	34¼	285 lbs.	52.3
	31N3666DDFALW8	HPL Top	4711	35¾	66	29½	10⅞	34¼	285 lbs.	52.3

- Unit has a full modesty panel
- Depth of arc top is 35¾" at its widest point
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

DOUBLE PEDESTAL DESK ARC TOP—¾ PEDESTAL	31N3672DDYAW3	Wood Top	$ 4820	35¾	71¾	29½	10⅞	39¹⁵⁄₁₆	291 lbs.	57.4
	31N3672DDQALW3	HPL Top	4395	35¾	71¾	29½	10⅞	39¹⁵⁄₁₆	291 lbs.	57.4
	31N3666DDYAW3	Wood Top	$ 4629	35¾	66	29½	10⅞	34¼	280 lbs.	52.3
	31N3666DDQALW3	HPL Top	4217	35¾	66	29½	10⅞	34¼	280 lbs.	52.3

- Depth of arc top is 35¾" at its widest point
- Grommet (G13LR) available
- Wood top unit has a full modesty panel; HPL top unit has a ¾ modesty panel
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

DOUBLE PEDESTAL DESK FULL PEDESTAL	Q31N3672DDFW8	Wood Top	$ 4395	35¾	71¾	29½	10⅞	39¹⁵⁄₁₆	361 lbs.	57.4
	31N3672DDFW8	Wood Top	4395	35¾	71¾	29½	10⅞	39¹⁵⁄₁₆	361 lbs.	57.4
	31N3672DDFLW8	HPL Top	3845	35¾	71¾	29½	10⅞	39¹⁵⁄₁₆	361 lbs.	57.4
	31N3666DDFW8	Wood Top	$ 4217	35¾	66	29½	10⅞	34¼	285 lbs.	52.3
	31N3666DDFLW8	HPL Top	3692	35¾	66	29½	10⅞	34¼	285 lbs.	52.3
	31N3066DDFW8	Wood Top	$ 4124	29¾	66	29½	4⅞	34¼	277 lbs.	47.0
	31N3066DDFLW8	HPL Top	3559	29¾	66	29½	4⅞	34¼	277 lbs.	47.0
	31N3060DDFW8	Wood Top	$ 3966	29¾	59¾	29½	4⅞	27¹⁵⁄₁₆	261 lbs.	41.5
	31N3060DDFLW8	HPL Top	3424	29¾	59¾	29½	4⅞	27¹⁵⁄₁₆	261 lbs.	41.5

- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

TO ORDER, SPECIFY:

1. Model Number
2. Grommet Option
3. Locking
4. Finish

SAMPLE MODEL NUMBER:

31N3672DDYW3 X KRB CW

• See page 31 for all options available in Arrowood Veneer

DOUBLE PEDESTAL DESK ¾ PEDESTAL



MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
31N3672DDYW3	Wood Top	$ 3845	35¾	71¾	29½	10⅞	39¹⁵⁄₁₆	325 lbs.	57.4
31N3672DDQLW3	HPL Top	3303	35¾	71¾	29½	10⅞	39¹⁵⁄₁₆	325 lbs.	57.4
31N3666DDYW3	Wood Top	$ 3692	35¾	66	29½	10⅞	34¼	285 lbs.	52.3
31N3666DDQLW3	HPL Top	3171	35¾	66	29½	10⅞	34¼	285 lbs.	52.3
31N3066DDYW3	Wood Top	$ 3559	29¾	66	29½	4⅞	34¼	277 lbs.	47.0
31N3066DDQLW3	HPL Top	3034	29¾	66	29½	4⅞	34¼	277 lbs.	47.0
31N3060DDYW3	Wood Top	$ 3424	29¾	59¾	29½	4⅞	27¹⁵⁄₁₆	235 lbs.	41.5
31N3060DDQLW3	HPL Top	2917	29¾	59¾	29½	4⅞	27¹⁵⁄₁₆	235 lbs.	41.5

- Grommet (G13LR) available
- Wood top unit has a full modesty panel; HPL top unit has a ¾ modesty panel
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

SINGLE PEDESTAL DESK ARC TOP—FULL PEDESTAL



Left shown

LEFT PEDESTAL	RIGHT PEDESTAL		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
31N3672DLFAW1	31N3672DRFAW1	Wood Top	$ 4732	35¾	71¾	29½	10⅞	32¹⁄₁₆	267 lbs.	57.4
31N3672DLFALW1	31N3672DRFALW1	HPL Top	4612	35¾	71¾	29½	10⅞	32¹⁄₁₆	267 lbs.	57.4

- Not recommended as a freestanding unit due to routing in the rim
- Unit has a full modesty panel
- Depth of arc top is 35¾" at its widest point
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

FREESTANDING SINGLE PEDESTAL DESK ARC TOP—FULL PEDESTAL



Left shown

LEFT PEDESTAL	RIGHT PEDESTAL		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
31N3672DLFFAW1	31N3672DRFFAW1	Wood Top	$ 4732	35¾	71¾	29½	10⅞	54¹³⁄₁₆	267 lbs.	57.4
31N3672DLFFALW1	31N3672DRFFALW1	HPL Top	4612	35¾	71¾	29½	10⅞	54¹³⁄₁₆	267 lbs.	57.4

- Unit has a full modesty panel
- Depth of arc top is 35¾" at its widest point
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Freestanding use only; cannot be used with a bridge or other connecting components

SINGLE PEDESTAL DESK ARC TOP—¾ PEDESTAL



Right shown

LEFT PEDESTAL	RIGHT PEDESTAL		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
31N3672DLYAW3	31N3672DRYAW3	Wood Top	$ 4459	35¾	71¾	29½	10⅞	32¹⁄₁₆	247 lbs.	57.4
31N3672DLQALW3	31N3672DRQALW3	HPL Top	4047	35¾	71¾	29½	10⅞	32¹⁄₁₆	247 lbs.	57.4

- Not recommended as a freestanding unit due to routing in the rim
- Depth of arc top is 35¾" at its widest point
- Grommet (G13LR) available
- Wood top unit has a full modesty panel; HPL top unit has a ¾ modesty panel
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

ARROWOOD - VENEER

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Grommet Option
3. Locking
4. Finish

SAMPLE MODEL NUMBERS:

31N3672DRFW1 X KS1B CW
31N3672DRFLW1 G13LR KRB CW

• See page 31 for all options available in Arrowood Veneer

FREESTANDING SINGLE PEDESTAL DESK ARC TOP—¾ PEDESTAL



Right shown

LEFT PEDESTAL	RIGHT PEDESTAL		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
31N3672DLYFAW3	31N3672DRYFAW3	Wood Top	$ 4459	35¾	71¾	29½	10⅞	54¹³⁄₁₆	247 lbs.	57.4
31N3672DLQFALW3	31N3672DRQFALW3	HPL Top	4047	35¾	71¾	29½	10⅞	54¹³⁄₁₆	247 lbs.	57.4

- Depth of arc top is 35¾" at its widest point
- Grommet (G13LR) available
- Wood top unit has a full modesty panel; HPL top unit has a ¾ modesty panel
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Freestanding use only; cannot be used with a bridge or other connecting components

SINGLE PEDESTAL DESK FULL PEDESTAL



Left shown

LEFT PEDESTAL	RIGHT PEDESTAL		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
Q31N3672DLFW1	Q31N3672DRFW1	Wood Top	$ 3760	35¾	71¾	29½	10⅞	32¹⁄₁₆	311 lbs.	57.4
31N3672DLFW1	31N3672DRFW1	Wood Top	3760	35¾	71¾	29½	10⅞	32¹⁄₁₆	311 lbs.	57.4
31N3672DLFLW1	31N3672DRFLW1	HPL Top	3485	35¾	71¾	29½	10⅞	32¹⁄₁₆	311 lbs.	57.4
31N3666DLFW1	31N3666DRFW1	Wood Top	$ 3607	35¾	66	29½	10⅞	26⁵⁄₁₆	250 lbs.	52.3
31N3666DLFLW1	31N3666DRFLW1	HPL Top	3347	35¾	66	29½	10⅞	26⁵⁄₁₆	250 lbs.	52.3
31N3066DLFW1	31N3066DRFW1	Wood Top	$ 3432	29¾	66	29½	4⅞	26⁵⁄₁₆	246 lbs.	45.3
31N3066DLFLW1	31N3066DRFLW1	HPL Top	3159	29¾	66	29½	4⅞	26⁵⁄₁₆	246 lbs.	45.3

- Not recommended as a freestanding unit due to routing in the rim
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

FREESTANDING SINGLE PEDESTAL DESK FULL PEDESTAL



Left shown

LEFT PEDESTAL	RIGHT PEDESTAL		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
31N3672DLFFW1	31N3672DRFFW1	Wood Top	$ 3760	35¾	71¾	29½	10⅞	54¹³⁄₁₆	311 lbs.	57.4
31N3672DLFFLW1	31N3672DRFFLW1	HPL Top	3485	35¾	71¾	29½	10⅞	54¹³⁄₁₆	311 lbs.	57.4
31N3666DLFFW1	31N3666DRFFW1	Wood Top	$ 3607	35¾	66	29½	10⅞	49¹⁄₁₆	250 lbs.	52.3
31N3666DLFFLW1	31N3666DRFFLW1	HPL Top	3347	35¾	66	29½	10⅞	49¹⁄₁₆	250 lbs.	52.3
31N3066DLFFW1	31N3066DRFFW1	Wood Top	$ 3432	29¾	66	29½	4⅞	49¹⁄₁₆	246 lbs.	45.3
31N3066DLFFLW1	31N3066DRFFLW1	HPL Top	3159	29¾	66	29½	4⅞	49¹⁄₁₆	246 lbs.	45.3
31N3060DLFFW1	31N3060DRFFW1	Wood Top	$ 3292	29¾	59¾	29½	4⅞	42¾	215 lbs.	42.0
31N3060DLFFLW1	31N3060DRFFLW1	HPL Top	3031	29¾	59¾	29½	4⅞	42¾	215 lbs.	42.0

- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Freestanding use only; cannot be used with a bridge or other connecting components

TO ORDER, SPECIFY:

1. Model Number
2. Grommet Option
3. Locking
4. Finish

SAMPLE MODEL NUMBERS:

31N3672DULW CW
31N3672DULFW CW

• See page 31 for all options available in Arrowood Veneer

SINGLE PEDESTAL DESK ¾ PEDESTAL



Left shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
LEFT PEDESTAL	**RIGHT PEDESTAL**									
31N3672DLYW3	31N3672DRYW3	Wood Top	$ 3485	35¾	71¾	29½	10⅞	32 1/16	281 lbs.	57.4
31N3672DLQLW3	31N3672DRQLW3	HPL Top	2940	35¾	71¾	29½	10⅞	32 1/16	281 lbs.	57.4
31N3666DLYW3	31N3666DRYW3	Wood Top	$ 3347	35¾	66	29½	10⅞	26 5/16	250 lbs.	52.3
31N3666DLQLW3	31N3666DRQLW3	HPL Top	2823	35¾	66	29½	10⅞	26 5/16	250 lbs.	52.3
31N3066DLYW3	31N3066DRYW3	Wood Top	$ 3159	29¾	66	29½	4⅞	26 5/16	222 lbs.	45.3
31N3066DLQLW3	31N3066DRQLW3	HPL Top	2629	29¾	66	29½	4⅞	26 5/16	222 lbs.	45.3

- Not recommended as a freestanding unit due to routing in the rim
- Grommet (G13LR) available
- Wood top unit has a full modesty panel; HPL top unit has a ¾ modesty panel
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

FREESTANDING SINGLE PEDESTAL DESK ¾ PEDESTAL



Left shown

LEFT PEDESTAL	**RIGHT PEDESTAL**									
31N3672DLYFW3	31N3672DRYFW3	Wood Top	$ 3485	35¾	71¾	29½	10⅞	54 13/16	281 lbs.	57.4
31N3672DLQFLW3	31N3672DRQFLW3	HPL Top	2940	35¾	71¾	29½	10⅞	54 13/16	281 lbs.	57.4
31N3666DLYFW3	31N3666DRYFW3	Wood Top	$ 3347	35¾	66	29½	10⅞	49 1/16	250 lbs.	52.3
31N3666DLQFLW3	31N3666DRQFLW3	HPL Top	2823	35¾	66	29½	10⅞	49 1/16	250 lbs.	52.3
31N3066DLYFW3	31N3066DRYFW3	Wood Top	$ 3159	29¾	66	29½	4⅞	49 1/16	222 lbs.	45.3
31N3066DLQFLW3	31N3066DRQFLW3	HPL Top	2629	29¾	66	29½	4⅞	49 1/16	222 lbs.	45.3
31N3060DLYFW3	31N3060DRYFW3	Wood Top	$ 3031	29¾	59¾	29½	4⅞	42¾	215 lbs.	42.0
31N3060DLQFLW3	31N3060DRQFLW3	HPL Top	2523	29¾	59¾	29½	4⅞	42¾	215 lbs.	42.0

- Grommet (G13LR) available
- Wood top unit has a full modesty panel; HPL top unit has a ¾ modesty panel
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Freestanding use only; cannot be used with a bridge or other connecting components

U-SHAPED DESK



Left shown

LEFT U	**RIGHT U**									
31N3672DULW	31N3672DURW	Wood Top	$ 3163	35¾	71¾	29½	1/16	30¼	139 lbs.	5.9
31N3672DULLW	31N3672DURLW	HPL Top	2916	35¾	71¾	29½	1/16	30¼	143 lbs.	5.9

- Not recommended as a freestanding unit due to routing in the rim
- Must specify support base; see page 22
- Grommets not available

U-SHAPED DESK WITH MODESTY



Left shown

LEFT U	**RIGHT U**									
31N3672DULFW	31N3672DURFW	Wood Top	$ 3768	35¾	71¾	29½	1/32	30¼	161 lbs.	5.9
31N3672DULFLW	31N3672DURFLW	HPL Top	3527	35¾	71¾	29½	1/32	30¼	165 lbs.	5.9

- Not recommended as a freestanding unit due to routing in the rim
- Must specify support base; see page 22
- Grommets not available

ARROWOOD - VENEER

TO ORDER, SPECIFY:

1. Model Number
2. Grommet Option
3. Finish

SAMPLE MODEL NUMBER:

31N3636CFSW X CW

• See page 31 for all options available in Arrowood Veneer

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SUPPORT BASE			**DI**		**H**				
NAC0428SFRNB	Metal	$ 285	4	–	27¾-29¼		–	10 lbs.	1.0
NAC2804SFBW	Wood	770	4	–	27¾-29¼		–	6 lbs.	1.0
			D	**W**	**H**	**A**	**KW**		
NAC2812SHB	Wood Half	$ 964	6	11⅞	27¾	–	–	13 lbs.	2.6



- Adjustable glide standard
- Metal base, specify paint colors: (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Metal base, optional upper and lower (CUL) wire management cutout
- Wood base, specify finish: Brighton (IM), Natural (NM), Honey (HN), Caramel (CL), Truffle (TF), Autumn (AC), Amber (MC), Cordovan (CW), Judicial (DW), Mocha (MH)

CORNER UNIT	31N3636CFSW	Wood Top	$ 2428	36	36	29½	1/16	17	122 lbs.	5.2
	31N3636CFSLW	HPL Top	2291	36	36	29½	1/16	17	117 lbs.	5.2



- Not recommended as a freestanding unit due to routing in the rim
- Unit can be attached to bridge, return or multi-file return only
- Some assembly required
- Grain direction runs diagonal on worksurface
- Grommet (G13C) available

TRANSACTION COUNTER DESK UNIT	31N1569TCW	Wood Top	$ 1190	14 25/32	69 1/32	15 3/16	–	–	73 lbs.	2.4
	31N1569TCLW	HPL Top	1093	14 25/32	69 1/32	15 3/16	–	–	73 lbs.	2.4
	31N1563TCW	Wood Top	$ 1070	14 25/32	63 1/32	15 3/16	–	–	67 lbs.	2.2
	31N1563TCLW	HPL Top	970	14 25/32	63 1/32	15 3/16	–	–	67 lbs.	2.2



- Transaction surface spans over the desk only
- Some assembly required
- 1569 transaction counter to be used with 36 x 72 single ped desk
- 1563 transaction counter to be used with 30 x 66 single ped desk

TRANSACTION COUNTER L UNIT	31N6983TCW	Wood Top	$ 1704	82½	69 1/32	15 3/16	–	–	101 lbs.	3.3
	31N6983TCLW	HPL Top	1558	82½	69 1/32	15 3/16	–	–	101 lbs.	3.3
	31N6377TCW	Wood Top	$ 1579	76½	63 1/32	15 3/16	–	–	84 lbs.	3.1
	31N6377TCLW	HPL Top	1434	76½	63 1/32	15 3/16	–	–	84 lbs.	3.1



- Some assembly required
- 6983 transaction counter to be used with 36 x 72 single ped desk and 2452 return
- 6377 transaction counter to be used with 30 x 66 single ped desk and 2452 return

VENEER - ARROWOOD

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Grommet Option
3. Locking
4. Finish

SAMPLE MODEL NUMBER:

31N2452RLEFW2 X KS1B MC

• See page 31 for all options available in Arrowood Veneer

RETURN FULL PEDESTAL

Left shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
LEFT PEDESTAL	**RIGHT PEDESTAL**									
31N2464RLEFW2	31N2464RREFW2	Wood Top	$ 2789	23¾	63¾	29½	1⁄16	46⅝	180 lbs.	30.2
31N2464RLEFLW2	31N2464RREFLW2	HPL Top	2505	23¾	63¾	29½	1⁄16	46⅝	180 lbs.	30.2
Q31N2452RLEFW2	Q31N2452RREFW2	Wood Top	$ 2681	23¾	51¾	29½	1⁄16	34⅞	169 lbs.	30.1
31N2452RLEFW2	31N2452RREFW2	Wood Top	2681	23¾	51¾	29½	1⁄16	34⅞	169 lbs.	30.1
31N2452RLEFLW2	31N2452RREFLW2	HPL Top	2409	23¾	51¾	29½	1⁄16	34⅞	169 lbs.	30.1
Q31N2444RLEFW2	Q31N2444RREFW2	Wood Top	$ 2527	23¾	43¾	29½	1⁄16	26⅛	156 lbs.	25.9
31N2444RLEFW2	31N2444RREFW2	Wood Top	2527	23¾	43¾	29½	1⁄16	26⅛	156 lbs.	25.9
31N2444RLEFLW2	31N2444RREFLW2	HPL Top	2254	23¾	43¾	29½	1⁄16	26⅛	156 lbs.	25.9

- Grain direction runs front-to-back on worksurface
- Grommet (G13C) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

RETURN ¾ PEDESTAL



Right shown

LEFT PEDESTAL	**RIGHT PEDESTAL**									
31N2464RLEYW3	31N2464RREYW3	Wood Top	$ 2505	23¾	63¾	29½	1⁄16	46⅝	180 lbs.	30.2
31N2464RLEQLW3	31N2464RREQLW3	HPL Top	2230	23¾	63¾	29½	1⁄16	46⅝	180 lbs.	30.2
31N2452RLEYW3	31N2452RREYW3	Wood Top	$ 2409	23¾	51¾	29½	1⁄16	34⅞	151 lbs.	30.1
31N2452RLEQLW3	31N2452RREQLW3	HPL Top	2145	23¾	51¾	29½	1⁄16	34⅞	151 lbs.	30.1
31N2444RLEYW3	31N2444RREYW3	Wood Top	$ 2254	23¾	43¾	29½	1⁄16	26⅛	139 lbs.	25.9
31N2444RLEQLW3	31N2444RREQLW3	HPL Top	1990	23¾	43¾	29½	1⁄16	26⅛	139 lbs.	25.9

- Grain direction runs front-to-back on worksurface
- Grommet (G13C) available
- Wood top unit has a full modesty panel; HPL top unit has a ¾ modesty panel
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

RETURN MULTI-FILE



Left shown

LEFT PEDESTAL	**RIGHT PEDESTAL**									
31N2472RLEFW10	31N2472RREFW10	Wood Top	$ 3739	23¾	71¾	29½	1⁄16	35	197 lbs.	40.6
31N2472RLEFLW10	31N2472RREFLW10	HPL Top	3467	23¾	71¾	29½	1⁄16	35	197 lbs.	40.6

- Unit can be attached to corner unit, single pedestal desk or U-Shaped desk only
- Grommet (G13C) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

ARROWOOD - VENEER

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Grommet Option
3. Locking
4. Finish

SAMPLE MODEL NUMBERS:

31N2451BEFW X CL
31N2451BEFLW MC

• See page 31 for all options available in Arrowood Veneer

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
BRIDGE	Q31N2451BEFW	Wood Top	$ 798	23¾	50½	29½	¼	48	81 lbs.	3.1
	31N2451BEFW	Wood Top	798	23¾	50½	29½	¼	48	81 lbs.	3.1
	31N2451BEFLW	HPL Top	689	23¾	50½	29½	¼	48	79 lbs.	3.1
	Q31N2445BEFW	Wood Top	$ 734	23¾	44½	29½	1⁄16	39½	71 lbs.	2.8
	31N2445BEFW	Wood Top	734	23¾	44½	29½	1⁄16	39½	71 lbs.	2.8
	31N2445BEFLW	HPL Top	630	23¾	44½	29½	1⁄16	39½	74 lbs.	2.8

- Some assembly required
- Grain direction runs front-to-back on worksurface
- Grommet (G13C) available

STORAGE CREDENZA FULL PEDESTAL	Q31N2172CSFW2	Wood Top	$ 4156	21	71¾	29½	1⁄16	–	309 lbs.	36.4
	31N2172CSFW2	Wood Top	4156	21	71¾	29½	1⁄16	–	309 lbs.	36.4
	31N2172CSFLW2	HPL Top	3611	21	71¾	29½	1⁄16	–	309 lbs.	36.4
	31N2166CSFW2	Wood Top	$ 3763	21	66	29½	1⁄16	–	307 lbs.	33.6
	31N2166CSFLW2	HPL Top	3219	21	66	29½	1⁄16	–	307 lbs.	33.6

- 72" credenza features an adjustable shelf (12" deep, 32¾" wide and 1" thick)
- 66" credenza features an adjustable shelf (12" deep, 27½" wide and 1" thick)
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

STORAGE CREDENZA ¾ PEDESTAL	31N2172CSYW3	Wood Top	$ 3611	21	71¾	29½	1⁄16	–	279 lbs.	36.4
	31N2172CSQLW3	HPL Top	3342	21	71¾	29½	1⁄16	–	279 lbs.	36.4
	31N2166CSYW3	Wood Top	$ 3219	21	66	29½	1⁄16	–	257 lbs.	33.6
	31N2166CSQLW3	HPL Top	2912	21	66	29½	1⁄16	–	257 lbs.	33.6

- 72" credenza features an adjustable shelf (12" deep, 32¾" wide and 1" thick)
- 66" credenza features an adjustable shelf (12" deep, 27½" wide and 1" thick)
- Grommet (G13LR) available
- Wood top unit has a full modesty panel; HPL top unit has a ¾ modesty panel
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

ENTERTAINMENT CREDENZA	31N2472CBVW	Wood	$ 6009	22 25⁄32	71 13⁄16	34 15⁄16	–	–	309 lbs.	36.4
	31N2472CBVLW	Laminate/Wood	6009	22 25⁄32	71 13⁄16	34 15⁄16	–	–	309 lbs.	36.4

- 72" credenza features an adjustable shelf (12" deep, 32¾" wide and 1" thick)
- Inside dimension of each storage section is 21" deep x 34½" wide x 23¼" high
- Unfinished back panel
- Cutouts in back panel for venting
- Grommet (G13LR) available
- Rim on front and sides of model
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Grommet Option
3. Locking
4. Finish

SAMPLE MODEL NUMBER:

31N2172CLFW2 G13LR KRB MH

• See page 31 for all options available in Arrowood Veneer

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
KNEESPACE CREDENZA FULL PEDESTAL	Q31N2172CKFW2	Wood Top	$ 4065	21	71¾	29½	1/16	34⅜	252 lbs.	36.4
	31N2172CKFW2	Wood Top	4065	21	71¾	29½	1/16	34⅜	252 lbs.	36.4
	31N2172CKFLW2	HPL Top	3518	21	71¾	29½	1/16	34⅜	252 lbs.	36.4
	31N2166CKFW2	Wood Top	$ 3672	21	66	29½	1/16	28⅜	240 lbs.	33.6
	31N2166CKFLW2	HPL Top	3128	21	66	29½	1/16	28⅜	240 lbs.	33.6
	31N2160CKFW2	Wood Top	$ 3526	21	59¾	29½	1/16	27⅞	256 lbs.	33.0
	31N2160CKFLW2	HPL Top	3003	21	59¾	29½	1/16	27⅞	256 lbs.	33.0

- Standard wire management centered in the modesty panel and 1¾" from the top
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

KNEESPACE CREDENZA ¾ PEDESTAL	31N2172CKYW3	Wood Top	$ 3518	21	71¾	29½	1/16	34⅜	212 lbs.	36.4
	31N2172CKQLW3	HPL Top	3242	21	71¾	29½	1/16	34⅜	212 lbs.	36.4
	31N2166CKYW3	Wood Top	$ 3128	21	66	29½	1/16	28⅜	200 lbs.	33.6
	31N2166CKQLW3	HPL Top	2817	21	66	29½	1/16	28⅜	200 lbs.	33.6
	31N2160CKYW3	Wood Top	$ 3003	21	59¾	29½	1/16	27¾	190 lbs.	33.0
	31N2160CKQLW3	HPL Top	2704	21	59¾	29½	1/16	27¾	190 lbs.	33.0

- Standard wire management centered in the modesty panel and 1¾" from the top
- Grommet (G13LR) available
- Wood top unit has a full modesty panel; HPL top unit has a ¾ modesty panel
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

	LEFT PEDESTAL	RIGHT PEDESTAL									
SINGLE PEDESTAL CREDENZA FULL PEDESTAL	Q31N2172CLFW2	Q31N2172CRFW2	Wood Top	$ 2955	21	71¾	29½	1/16	29³/16	232 lbs.	36.4
	31N2172CLFW2	31N2172CRFW2	Wood Top	2955	21	71¾	29½	1/16	29³/16	232 lbs.	36.4
Left shown	31N2172CLFLW2	31N2172CRFLW2	HPL Top	2681	21	71¾	29½	1/16	29³/16	232 lbs.	36.4
	31N2166CLFW2	31N2166CRFW2	Wood Top	$ 2881	21	66	29½	1/16	23³/16	200 lbs.	33.6
	31N2166CLFLW2	31N2166CRFLW2	HPL Top	2621	21	66	29½	1/16	23³/16	200 lbs.	33.6

- Not recommended as a freestanding unit due to routing in the rim
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

ARROWOOD - VENEER

TO ORDER, SPECIFY:

1. Model Number
2. Grommet Option
3. Locking
4. Finish

SAMPLE MODEL NUMBER:

31N2172CLFFW2 X KRB CW

• See page 31 for all options available in Arrowood Veneer

FREESTANDING SINGLE PEDESTAL CREDENZA FULL PEDESTAL



Left shown

LEFT PEDESTAL	RIGHT PEDESTAL		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
31N2172CLFFW2	31N2172CRFFW2	Wood Top	$ 2955	21	71¾	29½	1/16	51 13/16	232 lbs.	36.4
31N2172CLFFLW2	31N2172CRFFLW2	HPL Top	2681	21	71¾	29½	1/16	51 13/16	232 lbs.	36.4
31N2166CLFFW2	31N2166CRFFW2	Wood Top	$ 2881	21	66	29½	1/16	46 1/16	200 lbs.	33.6
31N2166CLFFLW2	31N2166CRFFLW2	HPL Top	2621	21	66	29½	1/16	46 1/16	200 lbs.	33.6
31N2160CLFFW2	31N2160CRFFW2	Wood Top	$ 2767	21	59¾	29½	1/16	39¾	190 lbs.	33.0
31N2160CLFFLW2	31N2160CRFFLW2	HPL Top	2516	21	59¾	29½	1/16	39¾	190 lbs.	33.0

- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Freestanding use only; cannot be used with a bridge or other connecting components

SINGLE PEDESTAL CREDENZA ¾ PEDESTAL



Left shown

LEFT PEDESTAL	RIGHT PEDESTAL		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
31N2172CLYW3	31N2172CRYW3	Wood Top	$ 2681	21	71¾	29½	1/16	29 3/16	192 lbs.	36.4
31N2172CLQLW3	31N2172CRQLW3	HPL Top	2395	21	71¾	29½	1/16	29 3/16	192 lbs.	36.4
31N2166CLYW3	31N2166CRYW3	Wood Top	$ 2621	21	66	29½	1/16	23 13/16	180 lbs.	33.6
31N2166CLQLW3	31N2166CRQLW3	HPL Top	2329	21	66	29½	1/16	23 13/16	180 lbs.	33.6

- Not recommended as a freestanding unit due to routing in the rim
- Grommet (G13LR) available
- Wood top unit has a full modesty panel; HPL top unit has a ¾ modesty panel
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

FREESTANDING SINGLE PEDESTAL CREDENZA ¾ PEDESTAL



Left shown

LEFT PEDESTAL	RIGHT PEDESTAL		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
31N2172CLYFW3	31N2172CRYFW3	Wood Top	$ 2681	21	71¾	29½	1/16	51 13/16	192 lbs.	36.4
31N2172CLQFLW3	31N2172CRQFLW3	HPL Top	2395	21	71¾	29½	1/16	51 13/16	192 lbs.	36.4
31N2166CLYFW3	31N2166CRYFW3	Wood Top	$ 2621	21	66	29½	1/16	46 1/16	180 lbs.	33.6
31N2166CLQFLW3	31N2166CRQFLW3	HPL Top	2329	21	66	29½	1/16	46 1/16	180 lbs.	33.6
31N2160CLYFW3	31N2160CRYFW3	Wood Top	$ 2516	21	59¾	29½	1/16	39¾	175 lbs.	33.0
31N2160CLQFLW3	31N2160CRQFLW3	HPL Top	2235	21	59¾	29½	1/16	39¾	175 lbs.	33.0

- Grommet (G13LR) available
- Wood top unit has a full modesty panel; HPL top unit has a ¾ modesty panel
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Freestanding use only; cannot be used with a bridge or other connecting components

TO ORDER, SPECIFY:

1. Model Number
2. Grommet Option
3. Locking
4. Finish

SAMPLE MODEL NUMBER:

31N2172CRFW6 X KS2B MH

• See page 31 for all options available in Arrowood Veneer

SINGLE PEDESTAL CREDENZA LATERAL FILE



Left shown

MODEL NO./DESCRIPTION			LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
LEFT PEDESTAL	**RIGHT PEDESTAL**									
31N2172CLFW6	31N2172CRFW6	Wood Top	$ 3281	21	71¾	29½	1/16	12 7/16	252 lbs.	36.4
31N2172CLFLW6	31N2172CRFLW6	HPL Top	3010	21	71¾	29½	1/16	12 7/16	252 lbs.	36.4
31N2166CLFW6	31N2166CRFW6	Wood Top	$ 3092	21	66	29½	1/16	6¾	241 lbs.	33.6
31N2166CLFLW6	31N2166CRFLW6	HPL Top	2814	21	66	29½	1/16	6¾	241 lbs.	33.6

- Not recommended as a freestanding unit due to routing in the rim
- Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

FREESTANDING SINGLE PEDESTAL CREDENZA LATERAL FILE



Left shown

LEFT PEDESTAL	**RIGHT PEDESTAL**									
31N2172CLFFW6	31N2172CRFFW6	Wood Top	$ 3281	21	71¾	29½	1/16	35 3/16	252 lbs.	36.4
31N2172CLFFLW6	31N2172CRFFLW6	HPL Top	3010	21	71¾	29½	1/16	35 3/16	252 lbs.	36.4
31N2166CLFFW6	31N2166CRFFW6	Wood Top	$ 3092	21	66	29½	1/16	29 9/16	241 lbs.	33.6
31N2166CLFFLW6	31N2166CRFFLW6	HPL Top	2814	21	66	29½	1/16	29 9/16	241 lbs.	33.6

- To prevent tipping, it is recommended that cabinets be ganged together or anchored to a suitable wall or floor
- Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Freestanding use only; cannot be used with a bridge or other connecting components

SINGLE PEDESTAL CREDENZA MULTI-FILE



Left shown

LEFT PEDESTAL	**RIGHT PEDESTAL**									
31N2472CLFW10	31N2472CRFW10	Wood Top	$ 4017	23¾	71¾	29½	1/16	12 7/16	279 lbs.	40.6
31N2472CLFLW10	31N2472CRFLW10	HPL Top	3763	23¾	71¾	29½	1/16	12 7/16	279 lbs.	40.6

- Not recommended as a freestanding unit due to routing in the rim
- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

FREESTANDING SINGLE PEDESTAL CREDENZA MULTI-FILE



Left shown

LEFT PEDESTAL	**RIGHT PEDESTAL**									
31N2472CLFFW10	31N2472CRFFW10	Wood Top	$ 4017	23¾	71¾	29½	1/16	35 3/16	279 lbs.	40.6
31N2472CLFFLW10	31N2472CRFFLW10	HPL Top	3763	23¾	71¾	29½	1/16	35 3/16	279 lbs.	40.6

- Grommet (G13LR) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Freestanding use only; cannot be used with a bridge or other connecting components

ARROWOOD - VENEER

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Locking
3. Finish

SAMPLE MODEL NUMBERS:

31N7236HBHW KRB MC
31N2136LFF2W KRB MC

• See page 31 for all options available in Arrowood Veneer

HIGHBACK ORGANIZER



MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WOOD DOORS								
31N8636HBHW	$ 3351	14¾	83½	36	1⁄16	–	250 lbs.	45.0
31N8036HBHW	3245	14¾	77½	36	1⁄16	–	240 lbs.	42.0
31N7836HBHW	3145	14¾	75½	36	1⁄16	–	230 lbs.	38.0
Q31N7236HBHW	3050	14¾	69	36	1⁄16	–	181 lbs.	34.9
31N7236HBHW	3050	14¾	69	36	1⁄16	–	181 lbs.	34.9
31N6636HBHW	2957	14¾	63	36	1⁄16	–	165 lbs.	32.1
31N6036HBHW	2862	14¾	57 3⁄16	36	1⁄16	–	148 lbs.	25.0

- Highback organizer features (4) side hinged doors, full back panels with cord management
- Features a laminate (LPL) top
- For tack board models, see pages 413-417
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Unit has an unfinished back

OVERHEAD CABINET WALL MOUNT



WOOD DOORS									
Q31N3618SOHMW	Wood Top	$ 1496	14¾	35⅝	17½	–	–	101 lbs.	9.7
31N3618SOHMW	Wood Top	1496	14¾	35⅝	17½	–	–	101 lbs.	9.7
31N3018SOHMW	Wood Top	1373	14¾	29⅜	17½	–	–	86 lbs.	7.9

- Cabinet has flat edge detail
- Wall mount bracket, for attachment to wall, is included
- National recommends that each overhead cabinet be secured by a minimum of 2 mounting locations (studs); National will not be liable for wall mount cabinets that are not properly installed
- For tack board models, see pages 413-417
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

SINGLE STORAGE CABINET/WARDROBE



Left shown

LEFT HINGED	RIGHT HINGED			D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
31N1866VSWHLW	31N1866VSWHRW	Wood Top	$ 3229	21	18 1⁄32	65½	–	–	160 lbs.	23.6
Inside Dimensions				18 11⁄32	16½	61 7⁄32	–	–	–	–

- Single storage cabinet can be used as a wardrobe unit by removing the 4 adjustable shelves
- Removable coat rod is standard
- Specify finish only
- Unit features a semi-finished back

LATERAL FILE 2 DRAWER

Q31N2136LFF2W	Wood Top	$ 2198	21	35½	29½	–	–	193 lbs.	15.6
31N2136LFF2W	Wood Top	2198	21	35½	29½	–	–	193 lbs.	15.6
31N2136LFF2LW	HPL Top	2113	21	35½	29½	–	–	201 lbs.	15.6

- Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Unit features a semi-finished back

LATERAL FILE 3 DRAWER

31N2136LFF3W	Wood Top	$ 2850	21	36 1⁄16	43⅜	–	–	210 lbs.	30.0
31N2136LFF3LW	HPL Top	2778	21	36 1⁄16	43⅜	–	–	210 lbs.	30.0

- Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Grommet Option
3. Locking
4. Finish

SAMPLE MODEL NUMBERS:

31N2430PTLW G13C MH
31N2040MGLW AC

• See page 31 for all options available in Arrowood Veneer

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
LATERAL FILE 4 DRAWER	31N2136LFF4W	Wood Top	$ 3589	21	36⅛	57⅞	—	—	291 lbs.	40.2
	31N2136LFF4LW	HPL Top	3543	21	36⅛	57⅞	—	—	291 lbs.	40.2
	• Front-to-back filing is standard with lateral files; 4 rods per drawer are included • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available									
BOOKCASE SET-ON	Q31N3238BCOW	Wood Top	$ 1434	13	31½	38	—	—	85 lbs.	16.9
	31N3238BCOW	Wood Top	1434	13	31½	38	—	—	85 lbs.	16.9
	• Bookcase shelves hold 100 lbs. of evenly distributed weight • Bookcase has an unfinished back • Shaded shelf is adjustable									
BOOKCASE	Q31N3266BCOFW	Wood Top	$ 2072	13	31½	65¾	—	—	111 lbs.	27.2
	31N3266BCOFW	Wood Top	2072	13	31½	65¾	—	—	111 lbs.	27.2
	• Bookcase shelves hold 100 lbs. of evenly distributed weight • Bookcase has an unfinished back • Shaded shelves are adjustable									
BOOKCASE	31N3253BCOFW	Wood Top	$ 1621	13	31½	53	—	—	92 lbs.	22.4
	• Bookcase shelves hold 100 lbs. of evenly distributed weight • Bookcase has an unfinished back • Shaded shelves are adjustable									
PRINTER/TELEPHONE STAND	31N2430PTLW	Laminate/Wood	$ 1689	23¾	29½	29½	—	—	89 lbs.	18.7
	MPK-4	Set of 4 Casters	103	For use as a mobile unit					1 lbs.	0.2
	• Fixed shelf is 12" deep, 27⅜" wide and ¾" thick • Open back • Grommet (G13C) available									
MAGAZINE TABLE PANEL LEGS	31N2040MGLW	HPL Top	$ 1063	19¾	39½	16	¼	—	67 lbs.	12.2
										

ARROWOOD - VENEER

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Grommet Option
3. Finish

SAMPLE MODEL NUMBER:

31N2424ENLW CW

• See page 31 for all options available in Arrowood Veneer

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
END TABLE PANEL LEGS	31N2424ENLW	HPL Top	$ 967	23¾	23½	19	¼	—	63 lbs.	11.0
										
MAGAZINE TABLE TURNED LEGS	Q31N2040MGPLW	HPL Top	$ 1540	19 25/32	39 25/32	17 3/16	—	—	42 lbs.	3.0
	31N2040MGPLW	HPL Top	1540	19 25/32	39 25/32	17 3/16	—	—	42 lbs.	3.0
	• Some assembly required									
END TABLE TURNED LEGS	Q31N2424ENPLW	HPL Top	$ 1441	23 25/32	23 25/32	20 7/16	—	—	33 lbs.	2.2
	31N2424ENPLW	HPL Top	1441	23 25/32	23 25/32	20 7/16	—	—	33 lbs.	2.2
	• Some assembly required									
SQUARE TABLE TOP 1 1/16" THICK	**30" SQUARE**	**1 1/16" TOP THICKNESS**								
	31NN3030SQW	Wood	$ 1417	30	30	1 1/16	—	—	33 lbs.	2.0
	31NN3030SQLW	Laminate/Wood	1417	30	30	1 1/16	—	—	33 lbs.	2.0
	36" SQUARE									
	31NN3636SQW	Wood	$ 1669	36	36	1 1/16	—	—	45 lbs.	2.4
	31NN3636SQLW	Laminate/Wood	1669	36	36	1 1/16	—	—	45 lbs.	2.4
	42" SQUARE									
	31NN4242SQW	Wood	$ 1870	42	42	1 1/16	—	—	61 lbs.	3.2
	31NN4242SQLW	Laminate/Wood	1870	42	42	1 1/16	—	—	61 lbs.	3.2
	48" SQUARE									
	31NN4848SQW	Wood	$ 2081	48	48	1 1/16	—	—	79 lbs.	4.2
	31NN4848SQLW	Laminate/Wood	2081	48	48	1 1/16	—	—	79 lbs.	4.2

- Reference Table Base Guide in the Tables Price List for applicable bases
- See Tables Price List for coordinating conference table tops
- Grommet options available on square tops are G10C and CUT-G15C, reference Tables Price List for options and upcharge

VENEER - ARROWOOD

TO ORDER, SPECIFY:

1. Model Number
2. Grommet Option
3. Finish

SAMPLE MODEL NUMBER:

31N3030SQW G10C CW

• See page 31 for all options available in Arrowood Veneer

SQUARE TABLE TOP 1⅜" THICK



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
30" SQUARE	**1⅜" TOP THICKNESS**								
31N3030SQW	Wood	$ 1263	30	30	1⅜	—	—	33 lbs.	2.0
31N3030SQLW	Laminate/Wood	1263	30	30	1⅜	—	—	33 lbs.	2.0
36" SQUARE									
31N3636SQW	Wood	$ 1486	36	36	1⅜	—	—	42 lbs.	2.4
31N3636SQLW	Laminate/Wood	1486	36	36	1⅜	—	—	42 lbs.	2.4
42" SQUARE									
31N4242SQW	Wood	$ 1689	42	42	1⅜	—	—	58 lbs.	3.2
31N4242SQLW	Laminate/Wood	1689	42	42	1⅜	—	—	58 lbs.	3.2
48" SQUARE									
31N4848SQW	Wood	$ 1900	48	48	1⅜	—	—	76 lbs.	4.2
31N4848SQLW	Laminate/Wood	1900	48	48	1⅜	—	—	76 lbs.	4.2

- Reference Table Base Guide in the Tables Price List for applicable bases
- See Tables Price List for coordinating conference table tops
- Grommet options available on square tops are G10C and CUT-G15C, reference Tables Price List for options and upcharge

ARROWOOD - VENEER

BARRINGTON

Product Specifications 52
Product Options 53
L Arrangements 54
U Arrangements 55
Product Pages 56
Wall Units 68
Ganging Unit Typicals 71

BARRINGTON

PRODUCT SPECIFICATIONS



WORKSURFACE

- 1⅛" bookmatched walnut veneer or HPL (high pressure laminate)
- Mitered rim and base
- Grain direction runs left-to-right unless otherwise noted

FINISH APPLICATION

- All Veneer surfaces feature a semi-open pore matte finish

CHASSIS CONSTRUCTION

- All joints are securely fastened by screws, L-brackets, dowels, and concealed fasteners to ensure maximum strength
- Full pedestals
- ¾" thick full modesty panels
- Grain direction runs vertical on all modesty panels
- ¾" thick end panels
- Standard leveling glides
- Units feature semi-finished backs (stained with some exposed hardware) unless noted

MOLDING AND PULLS

- Solid wood, mitered, overlay moldings on modesty panel and end panels of desks
- 3 pull styles available

DRAWERS

- Drawers feature 5-sided construction allowing for easy removal/replacement of drawer fronts
- Sides, back and front are ½" thick woodgrain vinyl wrapped
- Drawer fronts are 3-ply construction with matched woodgrain
- See interior drawer dimensions below

DRAWER SUSPENSIONS AND FILING

- Box and file drawers have full extension, progressive action slides with precision steel ball bearings
- All suspensions have a lifetime warranty
- Heavy-duty file rods in file drawers
- See filing capabilities below

CORD MANAGEMENT

- Grommets available in predetermined locations
- Optional wire managers are available (see accessory pages)
- Standard in highback organizers

LOCKING

- Black lock cores are available
- Key Random means lock cores/keys are randomly (1-5) picked and factory installed in unit
- Key Specific means you can pick any number (1-200) lock core/key. Must specify the lock core model separately; not factory installed and will ship separately
- Specify a change key to remove and change lock cores
- To order key specific lock cores, change keys, and master keys, reference page 391
- Highbacks, bookcases and wardrobes use a brass lock (keyed random 1-5) with a non-removable/changeable lock core when the Provincial or Classic pulls are ordered
- Highbacks, bookcases and wardrobes use a black lock (keyed random 1-5) with a non-removable/changeable lock core when Verona pull is ordered

EZ ARRANGEMENT MODEL NUMBERS

- Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done
- If you need additional models or want to create other configurations, simply see the individual model numbers and pricing in the pages following the EZ Arrangement models

DRAWER DESCRIPTION	INTERIOR DIMENSIONS WIDTH	DEPTH	HEIGHT	FRONT-TO-BACK FILING CAPABILITIES
Dictation Slide	13¹¹⁄₁₆"	24¼"	¾"	N/A
Center Drawers				
3672DP, 3066DP	28½"	17"	2⅞"	N/A
3672LP, 3672RP	28½"	17"	2⅞"	N/A
3066LP, 3066RP	22¼"	17"	2⅞'	N/A
Box Drawer	12⁹⁄₁₆"	17"	3⅛"	N/A
File Drawer—Desk	12⁹⁄₁₆"	17"	9½"	Letter
File Drawer—Return and Credenza	15⁹⁄₁₆"	17"	9½"	Legal
File Drawer—Lateral File	30⁹⁄₁₆"	15"	9½"	Letter/Letter, Letter/Legal, or Letter/EDP

- Dictation slide extends 17" from desk
- All file drawers file letter, legal and EDP side-to-side

DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width
DI	Diameter

WOOD FINISHES

CW Cordovan
DW Judicial
MH Mocha
TF Truffle

RIM PROFILE



PULLS/KNOBS



Provincial (80)
80AB Brass
(Boring Pattern 76mm)



Classic (81)
81AB Brass
(Boring Pattern 76mm)

Verona (85)
85AB Brass
85CN Classic Nickel
(Boring Pattern 160mm)

GROMMET OPTIONS

If no grommet is desired, specify an X (No Grommet)

Round Grommet, Black Plastic
G13C Center



Round Grommet Plastic

LOCKING

KEY RANDOM

KRB Black

KEY SPECIFIC

KS1B Black, 1 lock per unit
KS2B Black, 2 locks per unit
KS3B Black, 3 locks per unit
KS4B Black, 4 locks per unit

Unit list price will be reduced by $28 per lock when selecting Key Specific option. Must order specific lock cores separately ($28 list each). See page 391 for Key Specific model numbers.

QUICK DELIVERY MODELS

Models starting with a "Q" will have the following options in stock:

Rim Profile:	Traditional
Pull:	Classic 81AB Brass
Grommets:	Included on bridges and returns
Locking:	Random black cores
Finish:	Cordovan (CW)

BARRINGTON L ARRANGEMENTS

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

ARRANGEMENTS INCLUDE:

- Classic, Brass pulls
- Center grommet in return
- Random black lock cores
- Must specify finish

TO ORDER, SPECIFY FINISH:

CW Cordovan	MH Mocha
DW Judicial	TF Truffle



Classic, Brass pulls

L-CONFIGURATIONS	MODEL NO./DESCRIPTION		LIST PRICE
LEFT L-CONFIGURATION WOOD TOP	Q50N8672LLFW	85¾D x 71¾W	$ 7931
	50N8672LLFW	85¾D x 71¾W	$ 7931
	consists of		
	50N3672DRFW1	Right Pedestal Desk	4484
	50N2450RLEFW2	Left Pedestal Return	3447
	50N8066LLFW	79¾D x 66W	$ 7804
	consists of		
	50N3066DRFW1	Right Pedestal Desk	4357
	50N2450RLEFW2	Left Pedestal Return	3447
LEFT L-CONFIGURATION LAMINATE TOP	50N8672LLFLW	85¾D x 71¾W	$ 7931
	consists of		
	50N3672DRFLW1	Right Pedestal Desk	4484
	50N2450RLEFLW2	Left Pedestal Return	3447
	50N8066LLFLW	79¾D x 66W	$ 7804
	consists of		
	50N3066DRFLW1	Right Pedestal Desk	4357
	50N2450RLEFLW2	Left Pedestal Return	3447

L-CONFIGURATIONS	MODEL NO./DESCRIPTION		LIST PRICE
RIGHT L-CONFIGURATION WOOD TOP	Q50N8672LRFW	85¾D x 71¾W	$ 7931
	50N8672LRFW	85¾D x 71¾W	$ 7931
	consists of		
	50N3672DLFW1	Left Pedestal Desk	4484
	50N2450RREFW2	Right Pedestal Return	3447
	50N8066LRFW	79¾D x 66W	$ 7804
	consists of		
	50N3066DLFW1	Left Pedestal Desk	4357
	50N2450RREFW2	Right Pedestal Return	3447
RIGHT L-CONFIGURATION LAMINATE TOP	50N8672LRFLW	85¾D x 71¾W	$ 7931
	consists of		
	50N3672DLFLW1	Left Pedestal Desk	4484
	50N2450RREFLW2	Right Pedestal Return	3447
	50N8066LRFLW	79¾D x 66W	$ 7804
	consists of		
	50N3066DLFLW1	Left Pedestal Desk	4357
	50N2450RREFLW2	Right Pedestal Return	3447

BARRINGTON U ARRANGEMENTS

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

ARRANGEMENTS INCLUDE:

- Classic, Brass pulls
- Center grommet in bridge
- Random black lock cores
- Must specify finish

TO ORDER, SPECIFY FINISH:

CW	Cordovan	MH	Mocha
DW	Judicial	TF	Truffle



Classic, Brass pulls

U-CONFIGURATIONS	MODEL NO./DESCRIPTION		LIST PRICE
LEFT U-CONFIGURATION WOOD TOP	Q50N10772ULFW	106¾D x 71¾W	$ 9178
	50N10772ULFW	106¾D x 71¾W	$ 9178
	consists of		
	50N3672DRFW1	Right Pedestal Desk	4484
	50N2450BEFW	Bridge	1205
	50N2172CLFW2	Left Pedestal Credenza	3489
	Q50N9972ULFW	98¾D x 71¾W	$ 9115
	50N9972ULFW	98¾D x 71¾W	$ 9115
	consists of		
	50N3672DRFW1	Right Pedestal Desk	4484
	50N2442BEFW	Bridge	1142
	50N2172CLFW2	Left Pedestal Credenza	3489
	50N10266ULFW	101¾D x 66W	$ 8575
	consists of		
	50N3066DRFW1	Right Pedestal Desk	4357
	50N2450BEFW	Bridge	1205
	50N2166CLFW2	Left Pedestal Credenza	3013
	50N9366ULFW	92¾D x 66W	$ 8512
	consists of		
	50N3066DRFW1	Right Pedestal Desk	4357
	50N2442BEFW	Bridge	1142
	50N2166CLFW2	Left Pedestal Credenza	3013

U-CONFIGURATIONS	MODEL NO./DESCRIPTION		LIST PRICE
RIGHT U-CONFIGURATION WOOD TOP	Q50N10772URFW	106¾D x 71¾W	$ 9178
	50N10772URFW	106¾D x 71¾W	$ 9178
	consists of		
	50N3672DLFW1	Left Pedestal Desk	4484
	50N2450BEFW	Bridge	1205
	50N2172CRFW2	Right Pedestal Credenza	3489
	Q50N9972URFW	98¾D x 71¾W	$ 9115
	50N9972URFW	98¾D x 71¾W	$ 9115
	consists of		
	50N3672DLFW1	Left Pedestal Desk	4484
	50N2442BEFW	Bridge	1142
	50N2172CRFW2	Right Pedestal Credenza	3489
	50N10266URFW	101¾D x 66W	$ 8575
	consists of		
	50N3066DLFW1	Left Pedestal Desk	4357
	50N2450BEFW	Bridge	1205
	50N2166CRFW2	Right Pedestal Credenza	3013
	50N9366URFW	92¾D x 66W	$ 8512
	consists of		
	50N3066DLFW1	Left Pedestal Desk	4357
	50N2442BEFW	Bridge	1142
	50N2166CRFW2	Right Pedestal Credenza	3013

LEFT U-CONFIGURATION LAMINATE TOP	50N10772ULFLW	106¾D x 71¾W	$ 9178
	consists of		
	50N3672DRFLW1	Right Pedestal Desk	4484
	50N2450BEFLW	Bridge	1205
	50N2172CLFLW2	Left Pedestal Credenza	3489
	50N9972ULFLW	98¾D x 71¾W	$ 9115
	consists of		
	50N3672DRFLW1	Right Pedestal Desk	4484
	50N2442BEFLW	Bridge	1142
	50N2172CLFLW2	Left Pedestal Credenza	3489
	50N10266ULFLW	101¾D x 66W	$ 8575
	consists of		
	50N3066DRFLW1	Right Pedestal Desk	4357
	50N2450BEFLW	Bridge	1205
	50N2166CLFLW2	Left Pedestal Credenza	3013
	50N9366ULFLW	92¾D x 66W	$ 8512
	consists of		
	50N3066DRFLW1	Right Pedestal Desk	4357
	50N2442BEFLW	Bridge	1142
	50N2166CLFLW2	Left Pedestal Credenza	3013

RIGHT U-CONFIGURATION LAMINATE TOP	50N10772URFLW	106¾D x 71¾W	$ 9178
	consists of		
	50N3672DLFLW1	Left Pedestal Desk	4484
	50N2450BEFLW	Bridge	1205
	50N2172CRFLW2	Right Pedestal Credenza	3489
	50N9972URFLW	98¾D x 71¾W	$ 9115
	consists of		
	50N3672DLFLW1	Left Pedestal Desk	4484
	50N2442BEFLW	Bridge	1142
	50N2172CRFLW2	Right Pedestal Credenza	3489
	50N10266URFLW	101¾D x 66W	$ 8575
	consists of		
	50N3066DLFLW1	Left Pedestal Desk	4357
	50N2450BEFLW	Bridge	1205
	50N2166CRFLW2	Right Pedestal Credenza	3013
	50N9366URFLW	92¾D x 66W	$ 8512
	consists of		
	50N3066DLFLW1	Left Pedestal Desk	4357
	50N2442BEFLW	Bridge	1142
	50N2166CRFLW2	Right Pedestal Credenza	3013

BARRINGTON

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Pull Option
3. Locking
4. Finish

SAMPLE MODEL NUMBER:

50N3672DDFW8 80AB KRB MH

• See page 53 for all options available in Barrington

DOUBLE PEDESTAL DESK

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
Q50N3672DDFW8	Wood Top	$ 5265	35¾	71¾	29½	7¾	32⅝	362 lbs.	57.4
50N3672DDFW8	Wood Top	5265	35¾	71¾	29½	7¾	32⅝	362 lbs.	57.4
50N3672DDFLW8	HPL Top	5265	35¾	71¾	29½	7¾	32⅝	362 lbs.	57.4
50N3066DDFW8	Wood Top	$ 4907	29¾	66	29½	1¾	25¹³⁄₁₆	285 lbs.	45.3
50N3066DDFLW8	HPL Top	4907	29¾	66	29½	1¾	25¹³⁄₁₆	285 lbs.	45.3

- Desk chassis measures 62⅞"
- The user side overhang is 1"
- Comes with center drawer and dictation slide
- Grommet option not available
- Random lock core (KRB) and specified lock core (KS3B) available

CHIPPENDALE TABLE DESK



50N3672DTW	Wood Top	$ 3223	35¾	71¾	29½	–	–	129 lbs.	10.7
50N3672DTLW	HPL Top	3223	35¾	71¾	29½	–	–	129 lbs.	10.7

- Comes with center drawer
- Grommet option not available
- Some assembly required

QUEEN ANNE TABLE DESK



50N3672DTQW	Wood Top	$ 4308	35¾	71¾	29½	–	–	130 lbs.	10.7
50N3672DTQLW	HPL Top	4308	35¾	71¾	29½	–	–	129 lbs.	10.7

- Comes with center drawer
- Grommet option not available
- Some assembly required

SINGLE PEDESTAL DESK

LEFT PEDESTAL	RIGHT PEDESTAL								
Q50N3672DLFW1	Q50N3672DRFW1	Wood Top	$ 4484	35¾	71¾	29½	7¾	31⅛	311 lbs.	57.4
50N3672DLFW1	50N3672DRFW1	Wood Top	4484	35¾	71¾	29½	7¾	31⅛	311 lbs.	57.4
50N3672DLFLW1	50N3672DRFLW1	HPL Top	4484	35¾	71¾	29½	7¾	31⅛	311 lbs.	57.4
50N3066DLFW1	50N3066DRFW1	Wood Top	$ 4357	29¾	66	29½	1¾	25⁷⁄₁₆	245 lbs.	45.3
50N3066DLFLW1	50N3066DRFLW1	HPL Top	4357	29¾	66	29½	1¾	25⁷⁄₁₆	245 lbs.	45.3

- Not recommended as a freestanding unit due to routing in the rim
- Comes with center drawer and dictation slide
- Grommet option not available
- Random lock core (KRB) and specified lock core (KS2B) available

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Pull Option
3. Grommet Option
4. Locking
5. Finish

SAMPLE MODEL NUMBER:

50N2450RLEFW2 81AB X KRB MH

• See page 53 for all options available in Barrington

RECEPTION DESK/RETURN

Left shown

Right shown



RECEPTION DESK

MODEL NO./DESCRIPTION LEFT PEDESTAL	RIGHT PEDESTAL		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
50N3072DTLFW1	50N3072DTRFW1	Wood Top	$ 6265	30 7/32	71 3/4	43 1/16	—	—	530 lbs.	69.9
50N3072DTLFLW1	50N3072DTRFLW1	HPL Top	6265	30 7/32	71 3/4	43 1/16	—	—	530 lbs.	69.9

- Must be used with reception return
- Grommet (G13C) available
- Random lock core (KRB) and specified lock core (KS1B) available

RECEPTION RETURN

LEFT	RIGHT									
50N2451RTLW2	50N2451RTRW2	Wood Top	$ 3994	23 3/16	50 3/4	42	—	—	300 lbs.	43.1
50N2451RTLLW2	50N2451RTRLW2	HPL Top	3994	23 3/16	50 3/4	42	—	—	300 lbs.	43.1

- Must be used with reception desk
- Grain direction runs front-to-back on worksurface
- Grommet (G13C) available
- Random lock core (KRB) and specified lock core (KS1B) available

RETURN

LEFT PEDESTAL	RIGHT PEDESTAL		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
Q50N2450RLEFW2	Q50N2450RREFW2	Wood Top	$ 3447	23 3/4	50	29 1/2	—	30 3/16	159 lbs.	29.7
50N2450RLEFW2	50N2450RREFW2	Wood Top	3447	23 3/4	50	29 1/2	—	30 3/16	159 lbs.	29.7
50N2450RLEFLW2	50N2450RREFLW2	HPL Top	3447	23 3/4	50	29 1/2	—	30 3/16	159 lbs.	29.7

- Grain direction runs front-to-back on worksurface
- Grommet (G13C) available
- Random lock core (KRB) and specified lock core (KS1B) available

CORNER UNIT

50N3636CFSW	Wood Top	$ 3009	36	36	29 1/2	—	—	104 lbs.	5.2
50N3636CFSLW	HPL Top	3009	36	36	29 1/2	—	—	104 lbs.	5.2

- Not recommended as a freestanding unit due to routing in the rim
- Unit should be attached to bridge and return
- Some assembly required
- Grain direction runs diagonal on worksurface
- Grommet (G13C) available

BARRINGTON

PRODUCT SPECIFICATIONS

- A ganging unit is intended to be set flush with other units when arranged side-by-side or in a grouping

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Pull Option
3. Grommet Option
4. Locking
5. Finish

SAMPLE MODEL NUMBERS:

50N2450BEFW X MH
50N2172CBW 80AB KRB MH
50N2172CBLW 80AB KRB MH

• See page 53 for all options available in Barrington

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
BRIDGE	Q50N2450BEFW	Wood Top	$ 1205	23¾	50	29½	—	50	78 lbs.	3.0
	50N2450BEFW	Wood Top	1205	23¾	50	29½	—	50	78 lbs.	3.0
	50N2450BEFLW	HPL Top	1205	23¾	50	29½	—	50	72 lbs.	3.0
	Q50N2442BEFW	Wood Top	$ 1142	23¾	42	29½	—	42	71 lbs.	2.6
	50N2442BEFW	Wood Top	1142	23¾	42	29½	—	42	71 lbs.	2.6
	50N2442BEFLW	HPL Top	1142	23¾	42	29½	—	42	65 lbs.	2.6

- Some assembly required
- Grain direction runs front-to-back on worksurface
- Grommet (G13C) available

STORAGE CREDENZA	Q50N2172CSFW2	Wood Top	$ 5008	21	71¾	29½	—	—	340 lbs.	36.4
	50N2172CSFW2	Wood Top	5008	21	71¾	29½	—	—	340 lbs.	36.4
	50N2172CSFLW2	HPL Top	5008	21	71¾	29½	—	—	340 lbs.	36.4

- Storage credenza features an adjustable laminate shelf which measures 12" deep, 32¼" wide and 1" thick
- Grommet option not available
- Random lock core (KRB) and specified lock core (KS2B) available

STORAGE CREDENZA GANGING	50N2169CSFW2C	Wood Top	$ 5008	21	69½	29½	—	—	269 lbs.	30.7
	50N2169CSFLW2C	HPL Top	5008	21	69½	29½	—	—	269 lbs.	30.7

- Not recommended as a freestanding unit. Ganging units must be utilized with recommended ganging units as shown in ganging unit typicals
- Storage credenza features an adjustable laminate shelf which measures 12" deep, 32¼" wide and 1" thick
- Grommet option not available
- Random lock core (KRB) and specified lock core (KS2B) available

BUFFET CREDENZA	50N2172CBW	Wood	$ 5803	21	71¾	34½	—	—	379 lbs.	42.9
	50N2172CBLW	Laminate/Wood	5803	21	71¾	34½	—	—	379 lbs.	42.9

- Center storage section features an adjustable shelf
- Inside dimension of center storage section is 18½" deep x 32⅜" wide x 30¼" high
- Locking featured on doors only
- Unfinished back panel
- Grommet option not available
- Random lock core (KRB) and specified lock core (KS1B) available

ENTERTAINMENT CREDENZA	50N2172CBVW	Wood	$ 5908	21	71¾	34½	—	—	379 lbs.	42.9
	50N2172CBVLW	Laminate/Wood	5908	21	71¾	34½	—	—	379 lbs.	42.9

- Center storage section features an adjustable shelf
- Inside dimension of center storage section is 18½" deep x 32⅜" wide x 30¼" high
- Locking featured on doors only
- Cutouts in back panel for venting
- Unfinished back panel
- Grommet (G13C) available
- Random lock core (KRB) and specified lock core (KS1B) available

PRODUCT SPECIFICATIONS

- A ganging unit is intended to be set flush with other units when arranged side-by-side or in a grouping

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Pull Option
3. Locking
4. Finish

SAMPLE MODEL NUMBER:

50N2172CLFW6 81AB KRB DW

• See page 53 for all options available in Barrington

LATERAL FILE CREDENZA



MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
50N2172CFFW	Wood Top	$ 5008	21	71¾	29½	—	—	333 lbs.	36.4
50N2172CFFLW	HPL Top	5008	21	71¾	29½	—	—	333 lbs.	36.4

- Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- Grommet option not available
- Random lock core (KRB) and specified lock core (KS4B) available

KNEESPACE CREDENZA



Q50N2172CKFW2	Wood Top	$ 4842	21	71¾	29½	—	33⅛	234 lbs.	36.4
50N2172CKFW2	Wood Top	4842	21	71¾	29½	—	33⅛	234 lbs.	36.4
50N2172CKFLW2	HPL Top	4842	21	71¾	29½	—	33⅛	234 lbs.	36.4
50N2166CKFW2	Wood Top	$ 4506	21	65¾	29½	—	27⅛	175 lbs.	33.6
50N2166CKFLW2	HPL Top	4506	21	65¾	29½	—	27⅛	175 lbs.	33.6

- Kneespace credenza features standard wire management centered in the modesty panel and 1¾" down from the top
- Grommet option not available
- Random lock core (KRB) and specified lock core (KS2B) available

KNEESPACE CREDENZA GANGING



50N2169CKFW2C	Wood Top	$ 4842	21	69½	29½	—	33⅛	221 lbs.	30.7
50N2169CKFLW2C	HPL Top	4842	21	69½	29½	—	33⅛	221 lbs.	30.7
50N2163CKFW2C	Wood Top	$ 4506	21	63½	29½	—	27⅛	175 lbs.	33.1
50N2163CKFLW2C	HPL Top	4506	21	63½	29½	—	27⅛	175 lbs.	33.1

- Not recommended as a freestanding unit. Ganging units must be utilized with recommended ganging units as shown in ganging unit typicals
- Kneespace credenza features standard wire management centered in the modesty panel and 1¾" down from the top
- Grommet option not available
- Random lock core (KRB) and specified lock core (KS2B) available

SINGLE PEDESTAL CREDENZA LATERAL FILE

Left shown

LEFT PEDESTAL	RIGHT PEDESTAL			D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
50N2172CLFW6	50N2172CRFW6	Wood Top	$ 3666	21	71¾	29½	—	10⁹⁄₁₆	234 lbs.	36.4
50N2172CLFLW6	50N2172CRFLW6	HPL Top	3666	21	71¾	29½	—	10⁹⁄₁₆	234 lbs.	36.4

- Not recommended as a freestanding unit due to routing in the rim
- Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- Grommet option not available
- Random lock core (KRB) and specified lock core (KS2B) available

SINGLE PEDESTAL CREDENZA FILE/FILE



Left shown

LEFT PEDESTAL	RIGHT PEDESTAL			D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
Q50N2172CLFW2	Q50N2172CRFW2	Wood Top	$ 3489	21	71¾	29½	—	28⅛	195 lbs.	36.4
50N2172CLFW2	50N2172CRFW2	Wood Top	3489	21	71¾	29½	—	28⅛	195 lbs.	36.4
50N2172CLFLW2	50N2172CRFLW2	HPL Top	3489	21	71¾	29½	—	28⅛	195 lbs.	36.4
50N2166CLFW2	50N2166CRFW2	Wood Top	$ 3013	21	65¾	29½	—	22⅛	155 lbs.	33.6
50N2166CLFLW2	50N2166CRFLW2	HPL Top	3013	21	65¾	29½	—	22⅛	155 lbs.	33.6

- Not recommended as a freestanding unit due to routing in the rim
- Random lock core (KRB) and specified lock core (KS1B) available
- Grommet option not available

BARRINGTON

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Pull Option
3. Finish

SAMPLE MODEL NUMBER:

50N7236HBHW 80AB MH

• See page 53 for all options available in Barrington

HIGHBACK ORGANIZER



36" HIGH

MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
Q50N7236HBHW		$ 3543	14¾	71¾	36	—	—	177 lbs.	36.2
50N7236HBHW		3543	14¾	71¾	36	—	—	177 lbs.	36.2
50N6636HBHW		3363	14¾	66	36	—	—	156 lbs.	29.6

- Highback organizer features (4) side hinged doors, full back panel with cord management
- Tack boards are available in accessories; see matrix on page 414
- For tack board models, see pages 413-418
- Random lock core is factory installed

HIGHBACK ORGANIZER







49" HIGH

50N7149HBHRW	Grille Doors	$ 6467	16	71⅛	49⅞	—	—	246 lbs.	49.0
50N7149HBHGW	Glass Doors	6467	16	71⅛	49⅞	—	—	246 lbs.	49.0
50N7149HBHW	Wood Doors	6467	16	71⅛	49⅞	—	—	246 lbs.	49.0
50N6649HBHRW	Grille Doors	$ 6288	16	66	49⅞	—	—	213 lbs.	42.0
50N6649HBHGW	Glass Doors	6288	16	66	49⅞	—	—	213 lbs.	42.0
50N6649HBHW	Wood Doors	6288	16	66	49⅞	—	—	213 lbs.	42.0

- Highback organizer features (4) side hinged doors, full back panel with cord management
- Tack boards are available in accessories; see matrix on page 414
- Unit features a veneer shelf inside each door
- Grille, glass and wood doors have a framed feature
- For tack board models, see pages 413-418
- Random lock core is factory installed

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Pull Option
3. Finish

SAMPLE MODEL NUMBER:

50N7129SOHMW 81AB CW

• See page 53 for all options available in Barrington

OVERHEAD CABINET WALL MOUNT



18" HIGH

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
Q50N7218SOHMW	Wood Door	$ 4102	14¾	71¾	18	—	—	150 lbs.	25.1
50N7218SOHMW	Wood Door	4102	14¾	71¾	18	—	—	150 lbs.	25.1
50N6618SOHMW	Wood Door	3836	14¾	66	18	—	—	117 lbs.	16.2

- It is required that each overhead cabinet be secured by a minimum of 2 mounting locations (studs); National will not be liable for wall mount cabinets that are not properly installed
- Wall mount bracket is included with unit
- For tack board models, see pages 413-418
- Random lock core is factory installed
- Unit has an unfinished back

OVERHEAD CABINET WALL MOUNT







29" HIGH

50N7129SOHMW	Wood Door	$ 6140	16	71⅛	29	—	—	182 lbs.	29.0
50N7129SOHMRW	Grille Door	6140	16	71⅛	29	—	—	182 lbs.	29.0
50N7129SOHMGW	Glass Door	6140	16	71⅛	29	—	—	182 lbs.	29.0
50N6629SOHMW	Wood Door	$ 5960	16	66	29	—	—	172 lbs.	27.0
50N6629SOHMRW	Grille Door	5960	16	66	29	—	—	172 lbs.	27.0
50N6629SOHMGW	Glass Door	5960	16	66	29	—	—	172 lbs.	27.0

- Unit features a veneer shelf inside each door
- Grille, glass and wood doors have a framed feature
- It is required that each overhead cabinet be secured by a minimum of 2 mounting locations (studs); National will not be liable for wall mount cabinets that are not properly installed
- Wall mount bracket is included with unit
- For tack board models, see pages 413-418
- Random lock core is factory installed
- Unit has an unfinished back

BARRINGTON

PRODUCT SPECIFICATIONS

- A ganging unit is intended to be set flush with other units when arranged side-by-side or in a grouping

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Pull Option
3. Locking
4. Finish

SAMPLE MODEL NUMBER:

50N2137LFF2W 81AB KRB CW

• See page 53 for all options available in Barrington

	MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
LATERAL FILE 2 DRAWER	Q50N2137LFF2W	Wood Top	$ 2867	21	37¼	29½	—	—	158 lbs.	15.6
	50N2137LFF2W	Wood Top	2867	21	37¼	29½	—	—	158 lbs.	15.6
	50N2137LFF2LW	HPL Top	2867	21	37¼	29½	—	—	123 lbs.	15.6

- Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- Lateral file has an unfinished back
- Random lock core (KRB) and specified lock core (KS2B) available

LATERAL FILE 3 DRAWER	50N2137LFF3W	Wood Top	$ 3836	21 1/16	37¼	43 11/16	—	—	190 lbs.	24.0
	50N2137LFF3LW	HPL Top	3836	21 1/16	37¼	43 11/16	—	—	190 lbs.	24.0

- Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- Lateral file has an unfinished back
- Random lock core (KRB) and specified lock core (KS1B) available

LATERAL FILE 4 DRAWER	50N2137LFF4W	Wood Top	$ 4806	21	37¼	55⅞	—	—	236 lbs.	29.4

- Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- Lateral file has an unfinished back
- Random lock core (KRB) and specified lock core (KS1B) available

WARDROBE	50N3778VHHW	Wood Doors	$ 4332	23½	37	78	—	—	250 lbs.	48.6

- Wardrobe has unfinished back
- Removable coat rod is standard; positioned on left side of wardrobe
- Features 3 adjustable shelves and 1 fixed
- Random lock core is factory installed

WARDROBE GANGING	50N3778VHHWC	Wood Doors	$ 4332	23½	37	78	—	—	250 lbs.	48.6

- Not recommended as a freestanding unit. Ganging units must be utilized with recommended ganging units as shown in ganging unit typicals
- Wardrobe has unfinished back
- Removable coat rod is standard; positioned on left side of wardrobe
- Base molding on 3 sides of unit to allow for ganging
- Features 3 adjustable shelves and 1 fixed
- Random lock core is factory installed
- Ganging wardrobe can only be ganged with ganging bookcase listed on page 63

PRODUCT SPECIFICATIONS

- A ganging unit is intended to be set flush with other units when arranged side-by-side or in a grouping

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Pull Option
3. Finish

SAMPLE MODEL NUMBER:

50N1974VSWHLW 81AB MH

• See page 53 for all options available in Barrington

WARDROBE/STORAGE CABINET

Left shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
LEFT HINGED	RIGHT HINGED									
50N1974VSWHLW	50N1974VSWHRW	Wood Doors	$ 3571	21	19⅞	74	—	—	160 lbs.	26.7

- Wardrobe has unfinished back
- Removable coat rod is standard
- Features 3 adjustable shelves and 1 fixed
- Random lock core is factory installed

WARDROBE/STORAGE CABINET GANGING



Left shown

LEFT HINGED	RIGHT HINGED									
50N1974VSWHLWC	50N1974VSWHRWC	Wood Doors	$ 3571	21	18⅜	74	—	—	160 lbs.	26.7

- Not recommended as a freestanding unit. Ganging units must be utilized with recommended ganging units as shown in ganging unit typicals
- Wardrobe has unfinished back
- Removable coat rod is standard
- Features 3 adjustable shelves and 1 fixed
- Base molding on 2 sides of unit to allow for ganging
- Random lock core is factory installed
- Ganging wardrobe/storage cabinet can only be used with ganging credenzas on pages 58-59, 49" highback organizers on page 60, and 29" overhead cabinets on page 61

BOOKCASE GANGING



Left shown

LEFT GANGING	RIGHT GANGING									
50N1974BCOLWC	50N1974BCORWC		$ 2396	14½	18¾	74	—	—	150 lbs.	26.7

- Not recommended as a freestanding unit. Ganging units must be utilized with recommended ganging units as shown in ganging unit typicals
- Shaded shelves are adjustable
- Base molding on 2 sides of unit to allow for ganging
- Bookcase has an unfinished back

BOOKCASE



Q50N3436BCOW	Bookcase	$ 1788	12¼	33½	35¾	—	—	76 lbs.	17.2
50N3436BCOW	Bookcase	1788	12¼	33½	35¾	—	—	76 lbs.	17.2
Q50N1436CPCFW	Cornice Frame	403	14⅛	35¾	1⅛	—	—	18 lbs.	0.6
50N1436CPCFW	Cornice Frame	403	14⅛	35¾	1⅛	—	—	18 lbs.	0.6
Q50N1435CPBW	Base	319	13⅜	34¾	3¼	—	—	18 lbs.	1.6
50N1435CPBW	Base	319	13⅜	34¾	3¼	—	—	18 lbs.	1.6

- Bookcase components are shipped separately
- Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight
- Shaded shelf is adjustable
- For set-on surface use, only the bookcase and the cornice frame need to be ordered

BARRINGTON

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Pull Option
3. Finish

SAMPLE MODEL NUMBER:

50N3452BCHGW 80AB CW

• See page 53 for all options available in Barrington

BOOKCASE

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
DOUBLE BOOKCASE		**$ 5063**	14⅛	69¼	56½	—	—	243 lbs.	39.4
Q50N3452BCOFW	Bookcase (each—order 2)	1894	14⅛	33½	51¾	—	—	92 lbs.	17.6
50N3452BCOFW	Bookcase (each—order 2)	1894	12¼	33½	51¾	—	—	92 lbs.	17.6
50N1469CPCFW	Cornice Frame	800	14⅛	69¼	1⅛	—	—	30 lbs.	1.2
50N1468CPBW	Base	475	13⅜	68¼	3¼	—	—	29 lbs.	3.0

- Must order (2) bookcases for double unit
- Bookcase components are shipped separately
- For credenza top use, only the bookcase and the cornice frame need to be ordered
- Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight
- Shaded shelves are adjustable



SINGLE BOOKCASE		**$ 2616**	14⅛	35¼	56½	—	—	128 lbs.	19.8
Q50N3452BCOFW	Bookcase	1894	12¼	33½	51¾	—	—	92 lbs.	17.6
50N3452BCOFW	Bookcase	1894	12¼	33½	51¾	—	—	92 lbs.	17.6
Q50N1436CPCFW	Cornice Frame	403	14⅛	35¾	1⅛	—	—	18 lbs.	0.6
50N1436CPCFW	Cornice Frame	403	14⅛	35¾	1⅛	—	—	18 lbs.	0.6
Q50N1435CPBW	Base	319	13⅜	34¾	3¼	—	—	18 lbs.	1.6
50N1435CPBW	Base	319	13⅜	34¾	3¼	—	—	18 lbs.	1.6

- Bookcase components are shipped separately
- For credenza top use, only the bookcase and the cornice frame need to be ordered
- Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight
- Shaded shelves are adjustable

BOOKCASE WITH GLASS DOORS

DOUBLE BOOKCASE		**$ 7003**	14⅛	69¼	56½	—	—	361 lbs.	39.4
50N3452BCHGW	Bookcase (each—order 2)	2864	12¼	33½	51¾	—	—	151 lbs.	17.6
50N1469CPCFW	Cornice Frame	800	14⅛	69¼	1⅛	—	—	30 lbs.	1.2
50N1468CPBW	Base	475	13⅜	68¼	3¼	—	—	29 lbs.	3.0

- Must order (2) bookcases for double unit
- For credenza top use, only the bookcase and the cornice frame need to be ordered
- Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight
- Shaded shelves are adjustable
- Random lock core is factory installed



SINGLE BOOKCASE		**$ 3586**	14⅛	35¾	56½	—	—	187 lbs.	19.8
50N3452BCHGW	Bookcase	2864	12¼	33½	51¾	—	—	151 lbs.	17.6
Q50N1436CPCFW	Cornice Frame	403	14⅛	35¾	1⅛	—	—	18 lbs.	0.6
50N1436CPCFW	Cornice Frame	403	14⅛	35¾	1⅛	—	—	18 lbs.	0.6
Q50N1435CPBW	Base	319	13⅜	34¾	3¼	—	—	18 lbs.	1.6
50N1435CPBW	Base	319	13⅜	34¾	3¼	—	—	18 lbs.	1.6

- For credenza top use, only the bookcase and the cornice frame need to be ordered
- Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight
- Shaded shelves are adjustable
- Random lock core is factory installed

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Pull Option
3. Grommet Option
4. Finish

SAMPLE MODEL NUMBER:

50N2430PTW X TF

• See page 53 for all options available in Barrington

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
BOOKCASE WITH GRILLE DOORS	**DOUBLE BOOKCASE**		**$ 7253**	14⅛	69¼	56½	—	—	361 lbs.	39.4
	50N3452BCHRW	Bookcase (each—order 2)	2989	12¼	33½	51¾	—	—	151 lbs.	17.6
	50N1469CPCFW	Cornice Frame	800	14⅛	69¼	1⅛	—	—	30 lbs.	1.2
	50N1468CPBW	Base	475	13⅜	68¼	3¼	—	—	29 lbs.	3.0

- Must order (2) bookcases for double unit
- For credenza top use, only the bookcase and the cornice frame need to be ordered
- Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight
- Shaded shelves are adjustable
- Random lock core is factory installed

	SINGLE BOOKCASE		**$ 3711**	14⅛	35¾	56½	—	—	187 lbs.	19.8
	50N3452BCHRW	Bookcase	2989	12¼	33½	51¾	—	—	151 lbs.	17.6
	Q50N1436CPCFW	Cornice Frame	403	14⅛	35¾	1⅛	—	—	18 lbs.	0.6
	50N1436CPCFW	Cornice Frame	403	14⅛	35¾	1⅛	—	—	18 lbs.	0.6
	Q50N1435CPBW	Base	319	13⅜	34¾	3¼	—	—	18 lbs.	1.6
	50N1435CPBW	Base	319	13⅜	34¾	3¼	—	—	18 lbs.	1.6

- For credenza top use, only the bookcase and the cornice frame need to be ordered
- Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight
- Shaded shelves are adjustable
- Random lock core is factory installed

PRINTER/TELEPHONE STAND	50N2430PTW	Wood	$ 2187	23¾	29¾	30	—	—	81 lbs.	18.7
	50N2430PTLW	Laminate/Wood	2187	23¾	29¾	30	—	—	81 lbs.	12.3
	MPK-4	Set of 4 casters	103	For use as a mobile unit					1 lbs.	0.2

- Fixed shelf is 12" deep, 26⅛" wide and ¾" thick
- Height from top of shelf to bottom of top is 18³⁄₁₆
- Open back
- Picture frame molding on sides
- Grommet (G13C) available

TELEPHONE STAND	50N2421PTHW	Wood	$ 2052	23¾	20¾	29½	—	—	115 lbs.	13.9
	50N2421PTHLW	Laminate/Wood	2052	23¾	20¾	29½	—	—	115 lbs.	16.0

- Left-hinged door on unit
- Grommet option not available

BARRINGTON

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Finish

SAMPLE MODEL NUMBERS:

50N2424ENW MH
50N2040MGQW MH

• See page 53 for all options available in Barrington

MAGAZINE TABLE



MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
Q50N2040MGW	Wood Top	$ 1484	19¾	39¾	18⁵⁄₁₆	—	—	42 lbs.	3.0
50N2040MGW	Wood Top	1484	19¾	39¾	18⁵⁄₁₆	—	—	42 lbs.	3.0
50N2040MGLW	HPL Top	1287	19¾	39¾	18⁵⁄₁₆	—	—	46 lbs.	3.0

- Some assembly required
- HPL top tables have veneer legs/bases

END TABLE



Q50N2424ENW	Wood Top	$ 1306	23¾	23¾	22⁵⁄₁₆	—	—	38 lbs.	2.8
50N2424ENW	Wood Top	1306	23¾	23¾	22⁵⁄₁₆	—	—	38 lbs.	2.8
50N2424ENLW	HPL Top	1146	23¾	23¾	22⁵⁄₁₆	—	—	38 lbs.	2.8

- Some assembly required
- HPL top tables have veneer legs/bases

QUEEN ANNE MAGAZINE TABLE



50N2040MGQW	Wood Top	$ 2047	19¾	39¾	18⁵⁄₁₆	—	—	36 lbs.	3.0

- Some assembly required

QUEEN ANNE END TABLE

50N2424ENQW	Wood Top	$ 1928	23¾	23¾	22⁵⁄₁₆	—	—	32 lbs.	3.3

- Some assembly required

TRADITIONAL VISUAL BOARD



50N4240VBW		$ 3542	5	41⅞	39⅔	—	—	72 lbs.	7.4

- Tackable black fabric covers inside panels
- A set of 4 dry erase markers and an eraser are standard
- Frame of visual board is black
- Grommet option not available

KEYBOARD DRAWER



Q50N1531KDFW		$ 399	15	30⅜	4⅛	—	—	11 lbs.	1.1
50N1531KDFW		399	15	30⅜	4⅛	—	—	11 lbs.	1.1

- Keyboard drawer features flip-down front for easy access to keyboard

TO ORDER, SPECIFY:

1. Model Number
2. Grommet Option
3. Finish

SAMPLE MODEL NUMBER:

50NN30RDW G10C CW

• See page 53 for all options available in Barrington

ROUND TABLE TOP

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
30" ROUND	**1⅛" TOP THICKNESS**		**DI**		**H**				
50NN30RDW	Wood	$ 1868	30	–	1⅛	–	–	33 lbs.	2.0
50NN30RDLW	Laminate/Wood	1868	30	–	1⅛	–	–	33 lbs.	2.0
36" ROUND									
50NN36RDW	Wood	$ 2200	36	–	1⅛	–	–	45 lbs.	2.4
50NN36RDLW	Laminate/Wood	2200	36	–	1⅛	–	–	45 lbs.	2.4
42" ROUND									
50NN42RDW	Wood	$ 2404	42	–	1⅛	–	–	61 lbs.	3.2
50NN42RDLW	Laminate/Wood	2404	42	–	1⅛	–	–	61 lbs.	3.2
48" ROUND									
50NN48RDW	Wood	$ 2972	48	–	1⅛	–	–	79 lbs.	4.2
50NN48RDLW	Laminate/Wood	2972	48	–	1⅛	–	–	79 lbs.	4.2

- Reference Table Base Guide in the Tables Price List for applicable bases
- See Tables Price List for coordinating conference table tops
- Grommet options available on round and square tops are G10C and CUT-G15C, reference Tables Price List for options and upcharge

SQUARE TABLE TOP



30" SQUARE	**1⅛" TOP THICKNESS**		**D**	**W**	**H**	**A**	**KW**		
50NN3030SQW	Wood	$ 1868	30	30	1⅛	–	–	33 lbs.	2.0
50NN3030SQLW	Laminate/Wood	1868	30	30	1⅛	–	–	33 lbs.	2.0
36" SQUARE									
50NN3636SQW	Wood	$ 2200	36	36	1⅛	–	–	45 lbs.	2.4
50NN3636SQLW	Laminate/Wood	2200	36	36	1⅛	–	–	45 lbs.	2.4
42" SQUARE									
50NN4242SQW	Wood	$ 2404	42	42	1⅛	–	–	61 lbs.	3.2
50NN4242SQLW	Laminate/Wood	2404	42	42	1⅛	–	–	61 lbs.	3.2
48" SQUARE									
50NN4848SQW	Wood	$ 2972	48	48	1⅛	–	–	79 lbs.	4.2
50NN4848SQLW	Laminate/Wood	2972	48	48	1⅛	–	–	79 lbs.	4.2

- Reference Table Base Guide in the Tables Price List for applicable bases
- See Tables Price List for coordinating conference table tops
- Grommet options available on round and square tops are G10C and CUT-G15C, reference Tables Price List for options and upcharge

BARRINGTON

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Pull Option
3. Locking
4. Finish

SAMPLE MODEL NUMBERS:

50N3452BCOFW MH
50N1931BEXW MH

• See page 53 for all options available in Barrington

WALL UNIT

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WALL UNIT—WOOD TOP		**$12,516**	21	101½	82⁵⁄₁₆	32⅛	—	622 lbs.	78.7
Q50N3452BCOFW	Bookcase (each-order 2)	1894	12¼	33½	51¾	32⅛	—	92 lbs.	17.6
50N3452BCOFW	Bookcase (each-order 2)	1894	12¼	33½	51¾	32⅛	—	92 lbs.	17.6
Q50N2137LFF2W	Lat. File/Wood (each-order 2)	2867	21	37¼	29½	32⅛	—	158 lbs.	15.6
50N2137LFF2W	Lat. File/Wood (each-order 2)	2867	21	37¼	29½	32⅛	—	158 lbs.	15.6
50N14102CPCFW	Cornice Frame	1126	14⅛	101½	1¹⁄₁₆	32⅛	—	45 lbs.	1.7
50N1931BEXW	Bridge	705	18¾	30½	1¹⁄₁₆	32⅛	—	21 lbs.	1.1
50N3225SOOW	Open storage unit	1163	12¼	32¼	24¾	32⅛	—	56 lbs.	9.5
WALL UNIT—HPL TOP		**$12,516**	21	101½	82⁵⁄₁₆	32⅛	—	552 lbs.	78.7
Q50N3452BCOFW	Bookcase (each-order 2)	1894	12¼	33½	51¾	32⅛	—	92 lbs.	17.6
50N3452BCOFW	Bookcase (each-order 2)	1894	12¼	33½	51¾	32⅛	—	92 lbs.	17.6
50N2137LFF2LW	Lat. File/HPL (each-order 2)	2867	21	37¼	29½	32⅛	—	123 lbs.	15.6
50N14102CPCFW	Cornice Frame	1126	14⅛	101½	1¹⁄₁₆	32⅛	—	45 lbs.	1.7
50N1931BEXLW	Bridge/HPL Top	705	18¾	30½	1¹⁄₁₆	32⅛	—	21 lbs.	1.1
50N3225SOOW	Open storage unit	1163	12¼	32¼	24¾	32⅛	—	56 lbs.	9.5

- Must order (2) bookcases and (2) lateral files for wall unit
- Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight
- Bookcase features veneer shelves; adjustable shelves shown as shaded
- Units have an unfinished back
- Random lock core (KRB) and specified lock core (KS2B) available on lateral files

WALL UNIT WITH GLASS DOORS

WALL UNIT—WOOD TOP		**$13,293**	21	101½	82⁵⁄₁₆	32⅛	—	612 lbs.	69.2
50N3452BCHGW	Bookcase (each-order 2)	2864	12¼	33½	51¾	32⅛	—	115 lbs.	17.6
Q50N2137LFF2W	Lat. File/Wood (each-order 2)	2867	21	37¼	29½	32⅛	—	158 lbs.	15.6
50N2137LFF2W	Lat. File/Wood (each-order 2)	2867	21	37¼	29½	32⅛	—	158 lbs.	15.6
50N14102CPCFW	Cornice Frame	1126	14⅛	101½	1¹⁄₁₆	32⅛	—	45 lbs.	1.7
50N1931BEXW	Bridge	705	18¾	30½	1¹⁄₁₆	32⅛	—	21 lbs.	1.1
WALL UNIT—HPL TOP		**$13,293**	21	101½	82⁵⁄₁₆	32⅛	—	614 lbs.	69.2
50N3452BCHGW	Bookcase (each-order 2)	2864	12¼	33½	51¾	32⅛	—	151 lbs.	17.6
50N2137LFF2LW	Lat. File/HPL (each-order 2)	2867	21	37¼	29½	32⅛	—	123 lbs.	15.6
50N14102CPCFW	Cornice Frame	1126	14⅛	101½	1¹⁄₁₆	32⅛	—	45 lbs.	1.7
50N1931BEXLW	Bridge/HPL Top	705	18¾	30½	1¹⁄₁₆	32⅛	—	21 lbs.	1.1

- Must order (2) bookcases and (2) lateral files for wall unit
- Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight
- Bookcase features veneer shelves; adjustable shelves shown as shaded
- Units have an unfinished back
- Random lock core (KRB) and specified lock core (KS2B) available on lateral files; random lock core factory installed on bookcases

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Pull Option
3. Locking
4. Finish

SAMPLE MODEL NUMBER:

50N3452BCHRW 80AB KRB DW

• See page 53 for all options available in Barrington

WALL UNIT WITH GRILLE DOORS

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WALL UNIT—WOOD TOP		**$13,543**	21	101½	82⁵⁄₁₆	32⅛	—	684 lbs.	69.2
50N3452BCHRW	Bookcase (each-order 2)	2989	12¼	33½	51¾	32⅛	—	151 lbs.	17.6
Q50N2137LFF2W	Lat. File/Wood (each-order 2)	2867	18¾	37¼	1⅜	32⅛	—	158 lbs.	15.6
50N2137LFF2W	Lat. File/Wood (each-order 2)	2867	18¾	37¼	1⅜	32⅛	—	158 lbs.	15.6
50N14102CPCFW	Cornice Frame	1126	14⅛	101½	1⅜	32⅛	—	45 lbs.	1.7
50N1931BEXW	Bridge	705	18¾	30½	1⅜	32⅛	—	21 lbs.	1.1
WALL UNIT—HPL TOP		**$13,543**	21	101½	82⁵⁄₁₆	32⅛	—	614 lbs.	69.2
50N3452BCHRW	Bookcase (each-order 2)	2989	12¼	33½	51¾	32⅛	—	151 lbs.	17.6
50N2137LFF2LW	Lat. File/HPL (each-order 2)	2867	21	37¼	29½	32⅛	—	123 lbs.	15.6
50N14102CPCFW	Cornice Frame	1126	14⅛	101½	1⅜	32⅛	—	45 lbs.	1.7
50N1931BEXLW	Bridge/HPL Top	705	18¾	30½	1⅜	32⅛	—	21 lbs.	1.1

- Must order (2) bookcases and (2) lateral files for wall unit
- Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight
- Bookcase features veneer shelves; adjustable shelves shown as shaded
- Units have an unfinished back
- Random lock core (KRB) and specified lock core (KS2B) available on lateral files; random lock core factory installed on bookcases

WALL UNIT WITH GLASS DOORS AND CLOSED STORAGE UNITS

WALL UNIT—WOOD TOP		**$15,406**	21	101½	82⁵⁄₁₆	32⅛	—	751 lbs.	78.7
50N3452BCHGW	Bookcase (each-order 2)	2864	12¼	33½	51¾	32⅛	—	151 lbs.	17.6
Q50N2137LFF2W	Lat. File/Wood (each-order 2)	2867	21	37¼	29½	32⅛	—	158 lbs.	15.6
50N2137LFF2W	Lat. File/Wood (each-order 2)	2867	21	37¼	29½	32⅛	—	158 lbs.	15.6
50N14102CPCFW	Cornice Frame	1126	14⅛	101½	1⅜	32⅛	—	45 lbs.	1.7
50N1931BEXW	Bridge	705	18¾	30½	1⅜	32⅛	—	21 lbs.	1.1
50N3225SOHGW	Storage Unit	2113	12¼	32¼	24¾	32⅛	—	67 lbs.	9.5
WALL UNIT—HPL TOP		**$15,406**	21	101½	82⁵⁄₁₆	32⅛	—	681 lbs.	78.7
50N3452BCHGW	Bookcase (each-order 2)	2864	12¼	33½	51¾	32⅛	—	151 lbs.	17.6
50N2137LFF2LW	Lat. File/HPL (each-order 2)	2867	21	37¼	29½	32⅛	—	123 lbs.	15.6
50N14102CPCFW	Cornice Frame	1126	14⅛	101½	1⅜	32⅛	—	45 lbs.	1.7
50N1931BEXLW	Bridge/HPL Top	705	18¾	30½	1⅜	32⅛	—	21 lbs.	1.1
50N3225SOHGW	Storage Unit	2113	12¼	32¼	24¾	32⅛	—	67 lbs.	9.5

- Must order (2) bookcases and (2) lateral files for wall unit
- Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight
- Bookcase features veneer shelves; adjustable shelves shown as shaded
- Units have an unfinished back
- Random lock core (KRB) and specified lock core (KS2B) available on lateral files; random lock cores factory installed on bookcases and storage unit

BARRINGTON

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Pull Option
3. Locking
4. Finish

SAMPLE MODEL NUMBER:

50N3452BCHRW 80AB KRB DW

• See page 53 for all options available in Barrington

WALL UNIT WITH GRILLE DOORS AND CLOSED STORAGE UNITS

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WALL UNIT—WOOD TOP		**$15,741**	21	101½	82⁵⁄₁₆	32⅛	—	751 lbs.	79.7
50N3452BCHRW	Bookcase (each-order 2)	2989	12¼	33½	51¾	32⅛	—	151 lbs.	17.6
Q50N2137LFF2W	Lat. File/Wood (each-order 2)	2867	21	37¼	29½	32⅛	—	158 lbs.	15.6
50N2137LFF2W	Lat. File/Wood (each-order 2)	2867	21	37¼	29½	32⅛	—	158 lbs.	15.6
50N14102CPCFW	Cornice Frame	1126	14⅛	101½	1¹⁄₁₆	32⅛	—	45 lbs.	1.7
50N1931BEXW	Bridge	705	18¾	30½	1¹⁄₁₆	32⅛	—	21 lbs.	1.1
50N3225SOHRW	Storage Unit	2198	12¼	32¼	24¾	32⅛	—	67 lbs.	9.5
WALL UNIT—HPL TOP		**$15,741**	21	101½	82⁵⁄₁₆	32⅛	—	681 lbs.	78.7
50N3452BCHRW	Bookcase (each-order 2)	2989	12¼	33½	51¾	32⅛	—	151 lbs.	17.6
50N2137LFF2LW	Lat. File/HPL (each-order 2)	2867	21	37¼	29½	32⅛	—	123 lbs.	15.6
50N14102CPCFW	Cornice Frame	1126	14⅛	101½	1¹⁄₁₆	32⅛	—	45 lbs.	1.7
50N1931BEXLW	Bridge/HPL Top	705	18¾	30½	1¹⁄₁₆	32⅛	—	21 lbs.	1.1
50N3225SOHRW	Storage Unit	2198	12¼	32¼	24¾	32⅛	—	67 lbs.	9.5

- Must order (2) bookcases and (2) lateral files for wall unit
- Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight
- Bookcase features veneer shelves; adjustable shelves shown as shaded
- Units have an unfinished back
- Random lock core (KRB) and specified lock core (KS2B) available on lateral files; random lock cores factory installed on bookcases and storage unit

BARRINGTON GANGING UNIT TYPICALS



MODEL NO.	DESCRIPTION	LIST PRICE
50N1974VSWHLWC	Single Wardrobe Left Ganging	$ 3571
50N1974VSWHRWC	Single Wardrobe Right Ganging	3571
50N7149HBHW	Highback Organizer	6467
50N2169CSFW2C	Storage Credenza Ganging	5008
TOTAL		**$18,617**



MODEL NO.	DESCRIPTION	LIST PRICE
50N1974VSWHLWC	Single Wardrobe Left Ganging	$ 3571
50N1974VSWHRWC	Single Wardrobe Right Ganging	3571
50N2169CKFW2C	Kneespace Credenza Ganging	4842
50N7149HBHW	Highback Organizer	6467
TOTAL		**$18,451**



MODEL NO.	DESCRIPTION	LIST PRICE
50N1974BCOLWC	Single Bookcase Left Ganging	$ 2396
50N1974BCORWC	Single Bookcase Right Ganging	2396
50N3778VHHWC	Wardrobe Ganging	4332
TOTAL		**$ 9124**

BARRINGTON

ESCALADE

Product Specifications 74
Product Options 75
L Arrangements 76
U Arrangements 77
Product Pages 78
Ganging Wall Units 83

ESCALADE

PRODUCT SPECIFICATIONS



WORKSURFACE

- 1½" combined worksurface and mitered wood rim
- Slipmatched cherry and maple veneer, bookmatched walnut veneer
- Grain direction runs left-to-right unless noted
- Mitered wood rim detail

FINISH APPLICATION

- All Veneer surfaces feature a semi-open pore matte finish

CHASSIS CONSTRUCTION

- All joints are securely fastened by screws, L-brackets, dowels, and concealed fasteners to ensure maximum strength
- Adjustable floor levelers are standard on all casegoods
- ¾" thick full height modesty panels
- 1⅛" thick end panels and support panels
- Vertical grain direction on all modesty panels
- Units feature semi-finished backs (stained with some exposed hardware) unless noted
- Mitered wood base detail

DRAWERS

- Drawers feature 5-sided construction allowing for easy removal/replacement of drawer fronts
- Sides, back and front are ½" thick woodgrain vinyl wrapped
- Drawer fronts are 3-ply construction with matched woodgrain
- See interior drawer dimensions below

DRAWER SUSPENSION

- Box and file drawers are equipped with black, full extension, progressive action slides
- Precision steel ball bearings combined with sequence slide movement ensures long lasting operation
- Heavy-duty file rods in file drawers

DRAWER PULLS

- Satin Nickel drawer pulls and knobs

CORD MANAGEMENT

- Grommets are available in predetermined locations
- Optional wire managers are available (see accessory pages)

LOCKING

- Black and silver lock cores are available
- Key Random means lock cores/keys are randomly (1-5) picked and factory installed in unit
- Key Specific means you can pick any number (1-200) for black or silver lock core/key. Must specify the lock core model separately; not factory installed and will ship separately
- Specify a change key to remove and change lock cores
- To order key specific lock cores, change keys, and master keys, reference page 391

ABOVE SURFACE DOORS

- Wood or crackled silkscreen glass

EZ ARRANGEMENT MODEL NUMBERS

- Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done
- If you need additional models or want to create other configurations, simply see the individual model numbers and pricing in the pages following the EZ Arrangement models

DRAWER DESCRIPTION	INTERIOR DIMENSIONS WIDTH	DEPTH	HEIGHT	FRONT-TO-BACK FILING CAPABILITIES
Box Drawer - 30x66 Single Ped Desks	12⅛"	17"	3⅛"	N/A
File Drawer - 30x66 Single Ped Desks	12⅛"	17"	9⅛"	Letter
Box Drawer - All Other Desks	15⅛"	17"	3⅛"	N/A
File Drawer - All Other Desks	15⅛"	17"	9⅛"	Legal
Box Drawer - Return	12⅛"	17"	3⅛"	N/A
File Drawer - Return	12⅛"	17"	9⅛"	Letter
Lateral Drawer - Return	31⅛"	15"	9⅛"	Letter/Letter, Letter/Legal, Legal/Legal, Letter/EDP
Box Drawer - Credenza	15⅛"	15"	3⅛"	N/A
File Drawer - Credenza	15⅛"	15"	9⅛"	Legal
Lateral Drawer - Credenza	31⅛"	15"	9⅛"	Letter/Letter, Letter/Legal, Legal/Legal, Letter/EDP
Lateral File Drawer	31⅛"	15"	9⅛"	Letter/Letter, Letter/Legal, Legal, Legal/Letter/EDP
30" Center Drawer	20⅞"	15"	1½"	N/A
36" Center Drawer	26⅞"	15"	1½"	N/A
Keyboard Drawer	26"	15¼"	2¼"	N/A

- All file drawers, with the exception of 30x66 single pedestal desks, file letter, legal and EDP side-to-side

WOOD FINISHES

AC Autumn
CL Caramel
CW Cordovan
DW Judicial
HN Honey
IM Brighton
MC Amber
MH Mocha
NM Natural
TF Truffle

METAL COLORS

462 Cinder
503 Satin Nickel Metallic

RIM PROFILE



Tribeca

PULLS



Fluid (79)

79SN Satin Nickel
(Boring Pattern 64mm)

GROMMET OPTIONS

If no grommet is desired, specify an X (No Grommet)

Round Grommet, Black Plastic

G1LR Left & Right
G1C Center



Round Grommet Plastic

LOCKING

KEY RANDOM

KRB Black
KRS Silver

KEY SPECIFIC

KS1B Black, 1 lock per unit
KS1S Silver, 1 lock per unit
KS2B Black, 2 locks per unit
KS2S Silver, 2 locks per unit

Unit list price will be reduced by $28 per lock when selecting Key Specific option. Must order specific lock cores separately ($28 list each). See page 391 for Key Specific model numbers.

ESCALADE

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width
DI Diameter

QUICK DELIVERY MODELS

Models starting with a "Q" will have the following options in stock:

Rim Profile:	Tribeca
Pull:	Fluid (79)
Grommets:	Included on bridges, returns and credenzas (does not include storage credenza)
Locking:	Random black cores
Finish:	Must specify Amber (MC) or Cordovan (CW)

ESCALADE L ARRANGEMENTS

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

ARRANGEMENTS INCLUDE:

- Fluid, Satin Nickel pulls
- Left and right grommets in return
- Random black lock cores
- Must specify finish

TO ORDER, SPECIFY FINISH:

AC	Autumn	HN	Honey	NM	Natural
CL	Caramel	IM	Brighton	TF	Truffle
CW	Cordovan	MC	Amber		
DW	Judicial	MH	Mocha		



Fluid, Satin Nickel pulls

L-CONFIGURATIONS	MODEL NO./DESCRIPTION		LIST PRICE
LEFT L-CONFIGURATION WOOD TOP 	QECN8573LLFW	84½D x 72½W	$ 8976
	ECN8573LLFW	84½D x 72½W	$ 8976
	consists of		
	ECN3673DRFBW1	Right Pedestal Desk	5111
	ECN2548RLEFW2	Left Pedestal Return	3865
	QECN7973LLFW	78½D x 72½W	$ 8904
	ECN7973LLFW	78½D x 72½W	$ 8904
	consists of		
	ECN3673DRFBW1	Right Pedestal Desk	5111
	ECN2542RLEFW2	Left Pedestal Return	3793
	ECN7967LLFW	78½D x 66½W	$ 8783
	consists of		
	ECN3067DRFBW1	Right Pedestal Desk	4918
	ECN2548RLEFW2	Left Pedestal Return	3865
	ECN7367LLFW	72½D x 66½W	$ 8711
	consists of		
	ECN3067DRFBW1	Right Pedestal Desk	4918
	ECN2542RLEFW2	Left Pedestal Return	3793

L-CONFIGURATIONS	MODEL NO./DESCRIPTION		LIST PRICE
RIGHT L-CONFIGURATION WOOD TOP 	QECN8573LRFW	84½D x 72½W	$ 8976
	ECN8573LRFW	84½D x 72½W	$ 8976
	consists of		
	ECN3673DLFBW1	Left Pedestal Desk	5111
	ECN2548RREFW2	Right Pedestal Return	3865
	QECN7973LRFW	78½D x 72½W	$ 8904
	ECN7973LRFW	78½D x 72½W	$ 8904
	consists of		
	ECN3673DLFBW1	Left Pedestal Desk	5111
	ECN2542RREFW2	Right Pedestal Return	3793
	ECN7967LRFW	78½D x 66½W	$ 8783
	consists of		
	ECN3067DLFBW1	Left Pedestal Desk	4918
	ECN2548RREFW2	Right Pedestal Return	3865
	ECN7367LRFW	72½D x 66½W	$ 8711
	consists of		
	ECN3067DLFBW1	Left Pedestal Desk	4918
	ECN2542RREFW2	Right Pedestal Return	3793

ESCALADE U ARRANGEMENTS

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

ARRANGEMENTS INCLUDE:

- Fluid, Satin Nickel pulls
- Center grommet in bridge
- Left and right grommets in credenza
- Random black lock cores
- Must specify finish

TO ORDER, SPECIFY FINISH:

AC	Autumn	HN	Honey	NM	Natural
CL	Caramel	IM	Brighton	TF	Truffle
CW	Cordovan	MC	Amber		
DW	Judicial	MH	Mocha		



Fluid, Satin Nickel pulls

U-CONFIGURATIONS	MODEL NO./DESCRIPTION		LIST PRICE
LEFT U-CONFIGURATION WOOD TOP	QECN10773ULFW	106⁹⁄₁₆D x 72½W	$ 11144
	ECN10773ULFW	106⁹⁄₁₆D x 72½W	$ 11144
	consists of		
	ECN3673DRFBW1	Right Pedestal Desk	5111
	ECN2548BEFW	Bridge	1742
	ECN2273CLFW2	Left Pedestal Credenza	4291
	QECN10173ULFW	100⁹⁄₁₆D x 72½W	$ 11091
	ECN10173ULFW	100⁹⁄₁₆D x 72½W	$ 11091
	consists of		
	ECN3673DRFBW1	Right Pedestal Desk	5111
	ECN2542BEFW	Bridge	1689
	ECN2273CLFW2	Left Pedestal Credenza	4291
	ECN10167ULFW	100⁹⁄₁₆D x 66½W	$ 10888
	consists of		
	ECN3067DRFBW1	Right Pedestal Desk	4918
	ECN2548BEFW	Bridge	1742
	ECN2267CLFW2	Left Pedestal Credenza	4228
	ECN9567ULFW	94⁹⁄₁₆D x 66½W	$ 10835
	consists of		
	ECN3067DRFBW1	Right Pedestal Desk	4918
	ECN2542BEFW	Bridge	1689
	ECN2267CLFW2	Left Pedestal Credenza	4228

U-CONFIGURATIONS	MODEL NO./DESCRIPTION		LIST PRICE
RIGHT U-CONFIGURATION WOOD TOP	QECN10773URFW	106⁹⁄₁₆D x 72½W	$ 11144
	ECN10773URFW	106⁹⁄₁₆D x 72½W	$ 11144
	consists of		
	ECN3673DLFBW1	Left Pedestal Desk	5111
	ECN2548BEFW	Bridge	1742
	ECN2273CRFW2	Right Pedestal Credenza	4291
	QECN10173URFW	100⁹⁄₁₆D x 72½W	$ 11091
	ECN10173URFW	100⁹⁄₁₆D x 72½W	$ 11091
	consists of		
	ECN3673DLFBW1	Left Pedestal Desk	5111
	ECN2542BEFW	Bridge	1689
	ECN2273CRFW2	Right Pedestal Credenza	4291
	ECN10167URFW	100⁹⁄₁₆D x 66½W	$ 10888
	consists of		
	ECN3067DLFBW1	Left Pedestal Desk	4918
	ECN2548BEFW	Bridge	1742
	ECN2267CRFW2	Right Pedestal Credenza	4228
	ECN9567URFW	94⁹⁄₁₆D x 66½W	$ 10835
	consists of		
	ECN3067DLFBW1	Left Pedestal Desk	4918
	ECN2542BEFW	Bridge	1689
	ECN2267CRFW2	Right Pedestal Credenza	4228

ESCALADE

PRODUCT SPECIFICATIONS

- Use of a glass protector top not recommended on worksurfaces with a routing in the rim

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Pull Option
3. Grommet Option
4. Locking
5. Finish

SAMPLE MODEL NUMBER:

ECN3673DDFBAW8 79SN X KRB MH

• See page 75 for all options available in Escalade

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
DOUBLE PEDESTAL DESK ARC TOP	ECN3673DDFBAW8	$ 6891	35 1/16	72½	29½	6	34 3/16	320 lbs.	57.4
	ECN3667DDFBAW8	6755	35 1/16	66½	29½	6	25⅞	305 lbs.	53.0



- Depth of arc top is 35 1/16" at its widest point
- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

DOUBLE PEDESTAL DESK	QECN3673DDFBW8	$ 5649	36¼	72½	29½	–	34 3/16	361 lbs.	57.4
	ECN3673DDFBW8	5649	36¼	72½	29½	–	34 3/16	361 lbs.	57.4
	ECN3667DDFBW8	5535	35 1/16	66½	29½	–	25⅞	325 lbs.	53.0
	ECN3067DDFBW8	$ 5438	30¼	66½	29½	–	25⅞	285 lbs.	45.3
	ECN3061DDFBW8	5330	30¼	60½	29½	–	25⅞	270 lbs.	42.0



- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

TABLE DESK ARC TOP	ECN3673DTAW	$ 5084	35 1/16	72½	29½	6	–	140 lbs.	13.9



- Unit features a functional, non-locking drawer
- Height to the bottom of the rail from the floor is 25
- Some assembly required
- Grommets not available

	LEFT PEDESTAL	RIGHT PEDESTAL								
SINGLE PEDESTAL DESK ARC TOP	ECN3673DLFBAW1	ECN3673DRFBAW1	$ 5927	35 1/16	72½	29½	6	27¾	267 lbs.	57.4



Right shown

- Not recommended as a freestanding unit due to routing in the rim
- Depth of arc top is 35 1/16" at its widest point
- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

	LEFT PEDESTAL	RIGHT PEDESTAL								
FREESTANDING SINGLE PEDESTAL DESK ARC TOP	ECN3673DLFFBAW1	ECN3673DRFFBAW1	$ 5927	35 1/16	72½	29½	6	50 1/16	267 lbs.	57.4



Right shown

- Depth of arc top is 35 1/16" at its widest point
- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Freestanding use only; cannot be used with a bridge or other connecting components

PRODUCT SPECIFICATIONS

- Use of a glass protector top not recommended on worksurfaces with a routing in the rim

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Pull Option
3. Grommet Option
4. Locking
5. Finish
6. Metal Color

SAMPLE MODEL NUMBERS:

ECN3672DULW 79SN MH
ECN3672DULFW 79SN MH 462

• See page 75 for all options available in Escalade

SINGLE PEDESTAL DESK



Left shown

MODEL NO./DESCRIPTION			LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
LEFT PEDESTAL	**RIGHT PEDESTAL**									
QECN3673DLFBW1	QECN3673DRFBW1		$ 5111	36¼	72½	29½	—	27¾	311 lbs.	57.4
ECN3673DLFBW1	ECN3673DRFBW1		5111	36¼	72½	29½	—	27¾	311 lbs.	57.4
ECN3667DLFBW1	ECN3667DRFBW1		5009	36¼	66½	29½	—	24¼	290 lbs.	49.0
ECN3067DLFBW1	ECN3067DRFBW1		$ 4918	30¼	66½	29½	—	24¼	245 lbs.	45.3

- Not recommended as a freestanding unit due to routing in the rim
- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

FREESTANDING SINGLE PEDESTAL DESK



LEFT PEDESTAL	RIGHT PEDESTAL									
ECN3673DLFFBW1	ECN3673DRFFBW1		$ 5111	36¼	72½	29½	—	50⅛	311 lbs.	57.4
ECN3667DLFFBW1	ECN3667DRFFBW1		5009	36¼	66½	29½	—	50⅛	290 lbs.	49.0
ECN3067DLFFBW1	ECN3067DRFFBW1		$ 4918	30¼	66½	29½	—	47	245 lbs.	45.3
ECN3061DLFFBW1	ECN3061DRFFBW1		4818	30¼	60⅜	29½	—	41⅛	230 lbs.	42.0

- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Freestanding use only; cannot be used with a bridge or other connecting components

U-SHAPED DESK



Left shown

LEFT U	RIGHT U									
ECN3672DULW	ECN3672DURW		$ 4172	36	72¼	29½	17⅞	27¹³⁄₁₆	155 lbs.	13.9
ECN3672DULFW	ECN3672DURFW	w/modesty	4679	36	72¼	29½	17⅞	27¹³⁄₁₆	175 lbs.	13.9

- Not recommended as a freestanding unit due to routing in the rim
- Support base must be specified separately; see page 22 for support base options
- Some assembly required
- Specify metal color option for modesty panel attachment brackets (specify same color as support base ordered)
- Grommets not available

P-SHAPED DESK



Left shown



Right shown w/modesty

LEFT P	RIGHT P									
ECN3672DPLW	ECN3672DPRW		$ 4397	36	72¼	29½	11⅞	27¹³⁄₁₆	145 lbs.	13.9
ECN3672DPLFW	ECN3672DPRFW	w/modesty	4959	36	72¼	29½	11⅞	27¹³⁄₁₆	165 lbs.	13.9

- Not recommended as a freestanding unit due to routing in the rim
- Support base must be specified separately; see page 22 for support base options
- "P" faces approach side for conferencing use
- Some assembly required
- Specify metal color option for modesty panel attachment brackets (specify same color as support base ordered)
- Grommets not available

ESCALADE

PRODUCT SPECIFICATIONS

- Use of a glass protector top not recommended on worksurfaces with a routing in the rim

TO ORDER, SPECIFY:

1. Model Number
2. Pull Option
3. Grommet Option
4. Locking
5. Finish
6. Metal Color

SAMPLE MODEL NUMBER:

ECN2548RLEFW1 79SN G1LR KRB NM

• See page 75 for all options available in Escalade

SUPPORT BASE

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
			DI		H				
NAC0428SFRNB	Metal	$ 285	4	–	27¾-29¼		–	10 lbs.	1.0
NAC2804SFBW	Wood	770	4	–	27¾-29¼		–	10 lbs.	1.0
			D	W	H	A	KW		
NAC2812SHB	Wood Half	$ 964	6	11⅞	27¾	–	–	13 lbs.	2.6

- Adjustable glide standard
- Metal base, specify paint colors: (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Metal base, optional upper and lower (CUL) wire management cutout
- Wood base, specify finish: Brighton (IM), Natural (NM), Honey (HN), Caramel (CL), Truffle (TF), Autumn (AC), Amber (MC), Cordovan (CW), Judicial (DW), Mocha (MH)

CORNER UNIT



ECN3636CFSW	$ 3282	36⅜	36⅜	29½	–	–	75 lbs.	29.5

- Not recommended as a freestanding unit due to routing in the rim
- Unit can be attached to bridge and return
- Front edge is 16⅛
- Grain direction runs diagonally
- Grommet (G1C) available

RECEPTION DESK/RETURN



RECEPTION DESK

LEFT PEDESTAL	RIGHT PEDESTAL								
ECN3276DTLFW1	ECN3276DTRFW1	$ 7034	32¼	75½	43¼	–	28³⁄₁₆	325 lbs.	67.0

- Must be used with reception return
- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

RECEPTION RETURN

LEFT PEDESTAL	RIGHT PEDESTAL								
ECN2550RTLW2	ECN2550RTRW2	$ 4682	25¼	49⅞	41¾	–	29¾	195 lbs.	37.4

- Not recommended as a freestanding unit due to routing in the rim
- Must be used with reception desk
- Grommet (G1C) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

RETURN BOX/BOX/FILE



Right shown

LEFT PEDESTAL	RIGHT PEDESTAL								
ECN2548RLEFW1	ECN2548RREFW1	$ 3865	25¼	48¼	29½	–	28⁹⁄₁₆	147 lbs.	29.0
ECN2542RLEFW1	ECN2542RREFW1	3793	25¼	42¼	29½	–	22⁹⁄₁₆	137 lbs.	25.9

- Grain direction on worksurface runs front-to-back
- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

PRODUCT SPECIFICATIONS

- Use of a glass protector top not recommended on worksurfaces with a routing in the rim

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Pull Option
3. Grommet Option
4. Locking
5. Finish

SAMPLE MODEL NUMBER:

ECN2273CBW 79SN KRB TF

• See page 75 for all options available in Escalade

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
RETURN FILE/FILE	**LEFT PEDESTAL**	**RIGHT PEDESTAL**								
 Left shown	QECN2548RLEFW2	QECN2548RREFW2	$ 3865	25¼	48¼	29½	—	28⅛	147 lbs.	29.0
	ECN2548RLEFW2	ECN2548RREFW2	3865	25¼	48¼	29½	—	28⅛	147 lbs.	29.0
	QECN2542RLEFW2	QECN2542RREFW2	3793	25¼	42¼	29½	—	22⅛	137 lbs.	25.9
	ECN2542RLEFW2	ECN2542RREFW2	3793	25¼	42¼	29½	—	22⅛	137 lbs.	25.9

- Grain direction on worksurface runs front-to-back
- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

RETURN MULTI-FILE	**LEFT PEDESTAL**	**RIGHT PEDESTAL**								
 Right shown	ECN2572RLEFW10	ECN2572RREFW10	$ 5134	25¼	72¼	29½	—	33⅞	197 lbs.	41.7

- Grain direction on worksurface runs front-to-back
- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

BRIDGE	QECN2548BEFW		$ 1742	24¹¹⁄₁₆	48⅛	29½	—	—	85 lbs.	3.4
	ECN2548BEFW		1742	24¹¹⁄₁₆	48⅛	29½	—	—	85 lbs.	3.4
	QECN2542BEFW		1689	24¹¹⁄₁₆	42⅛	29½	—	—	75 lbs.	3.0
	ECN2542BEFW		1689	24¹¹⁄₁₆	42⅛	29½	—	—	75 lbs.	3.0

- Some assembly required
- Grain direction on worksurface runs front-to-back
- Grommet (G1C) available

BUFFET CREDENZA	ECN2273CBW	Wood	$ 6767	22¼	72½	35¹¹⁄₁₆	—	—	380 lbs.	45.2
										

- Rim and base molding on front and sides of model
- Center 2 doors lock
- Unit features 3 standard adjustable shelves
- Unit features a functional, non-locking drawer
- Grommet option not available
- Inside dimension of center storage section is 19¾" deep x 33¼" wide x 25¼" high
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

ENTERTAINMENT CREDENZA	ECN2273CBVW	Wood	$ 6767	22¼	72½	35¹¹⁄₁₆	—	—	380 lbs.	45.2
										

- Rim and base molding on front and sides of model
- Center 2 doors lock
- Unit features 3 standard adjustable shelves
- Unit features a functional, non-locking drawer
- Cutouts in back panel for venting
- Grommet (G1C) available
- Inside dimension of center storage section is 19¾" deep x 33¼" wide x 25¼" high
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

ESCALADE

PRODUCT SPECIFICATIONS

- Use of a glass protector top not recommended on worksurfaces with a routing in the rim
- A ganging unit is intended to be set flush with other units when arranged side-by-side or in a grouping
- Reference page 83 for ganging examples

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Pull Option
3. Grommet Option
4. Locking
5. Finish

SAMPLE MODEL NUMBERS:

ECN2273CSFW2 79SN KRB CL
ECN2271CSFW2C 79SN KRB CL

• See page 75 for all options available in Escalade

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
STORAGE CREDENZA	QECN2273CSFW2	$ 5851	22⅝	72½	29½	—	—	340 lbs.	37.8
	ECN2273CSFW2	5851	22⅝	72½	29½	—	—	340 lbs.	37.8
	ECN2267CSFW2	5463	22⅝	66½	29½	—	—	329 lbs.	34.9



- Storage credenza features a standard adjustable shelf
- Standard center drawer, non-locking
- Rim and base molding detail on 3 sides of unit
- Grommets not available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

STORAGE CREDENZA GANGING	ECN2271CSFW2C	$ 5851	22¼	70½	29½	—	—	340 lbs.	37.8
	ECN2265CSFW2C	5463	22¼	64½	29½	—	—	329 lbs.	34.9



- Storage credenza features a standard adjustable shelf
- Standard center drawer, non-locking
- Rim and base molding detail on front edge only to allow for ganging
- Grommets not available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

LATERAL FILE CREDENZA	ECN2273CFFW	$ 6116	22¼	72½	29½	—	—	334 lbs.	37.8



- Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- Rim and base molding on 3 sides of unit
- Grommets not available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

LATERAL FILE CREDENZA GANGING	ECN2271CFFWC	$ 6116	22¼	70½	29½	—	—	334 lbs.	37.8



- Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- Rim and base molding detail on front edge only to allow for ganging
- Grommets not available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

KNEESPACE CREDENZA	QECN2273CKFW2	$ 5202	22¼	72½	29½	—	34³⁄₁₆	234 lbs.	37.8
	ECN2273CKFW2	5202	22¼	72½	29½	—	34³⁄₁₆	234 lbs.	37.8
	ECN2267CKFW2	4893	22¼	66½	29½	—	28³⁄₁₆	223 lbs.	34.9
	ECN2261CKFW2	4577	22¼	60⅜	29½	—	27⅜	215 lbs.	31.0



- Rim and base molding on 3 sides of unit
- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

PRODUCT SPECIFICATIONS

- Use of a glass protector top not recommended on worksurfaces with a routing in the rim
- A ganging unit is intended to be set flush with other units when arranged side-by-side or in a grouping
- Reference page 83 for ganging examples

TO ORDER, SPECIFY:

1. Model Number
2. Pull Option
3. Grommet Option
4. Locking
5. Finish

SAMPLE MODEL NUMBER:

ECN2272CLFW1C 79SN G1LR KRB CL

- See page 75 for all options available in Escalade

KNEESPACE CREDENZA GANGING



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
ECN2271CKFW2C	$ 5202	22¼	70½	29½	—	34³⁄₁₆	234 lbs.	37.8
ECN2265CKFW2C	4893	22¼	64½	29½	—	28³⁄₁₆	223 lbs.	34.9
ECN2259CKFW2C	4577	22¼	58½	29½	—	27⅝	215 lbs.	31.0

- Rim and base molding on front and inside kneespace only to allow for ganging
- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

SINGLE PEDESTAL CREDENZA BOX/BOX/FILE



Right shown

LEFT PEDESTAL	RIGHT PEDESTAL	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
ECN2273CLFW1	ECN2273CRFW1	$ 4291	22¼	72½	29½	—	27¾	195 lbs.	37.8
ECN2267CLFW1	ECN2267CRFW1	4228	22¼	66½	29½	—	21¾	184 lbs.	34.9

- Not recommended as a freestanding unit due to routing in the rim
- Rim and base molding detail on 3 sides of unit
- Modesty panel of joining unit will attach above the base molding detail
- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

FREESTANDING SINGLE PEDESTAL CREDENZA BOX/BOX/FILE



Right shown

LEFT PEDESTAL	RIGHT PEDESTAL	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
ECN2273CLFFW1	ECN2273CRFFW1	$ 4291	22¼	72½	29½	—	50	195 lbs.	37.8
ECN2267CLFFW1	ECN2267CRFFW1	4228	22¼	66½	29½	—	44	184 lbs.	34.9
ECN2261CLFFW1	ECN2261CRFFW1	4145	22¼	60⅝	29½	—	38	175 lbs.	30.0

- Rim and base molding detail on 3 sides of unit
- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Freestanding use only; cannot be used with a bridge or other connecting components

SINGLE PEDESTAL CREDENZA BOX/BOX/FILE GANGING



Left shown

LEFT PEDESTAL	RIGHT PEDESTAL	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
ECN2272CLFW1C	ECN2272CRFW1C	$ 4291	22¼	71½	29½	—	27¾	195 lbs.	37.8
ECN2266CLFW1C	ECN2266CRFW1C	4228	22¼	65½	29½	—	21¾	184 lbs.	34.9

- Not recommended as a freestanding unit due to routing in the rim
- Rim and base molding detail on 2 sides of unit to allow for ganging
- Modesty panel of joining unit will attach above the base molding detail
- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

ESCALADE

PRODUCT SPECIFICATIONS

- Use of a glass protector top not recommended on worksurfaces with a routing in the rim
- A ganging unit is intended to be set flush with other units when arranged side-by-side or in a grouping
- Reference page 83 for ganging examples

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Pull Option
3. Grommet Option
4. Locking
5. Finish

SAMPLE MODEL NUMBER:

ECN2266CLFW2C 79SN X KRB CL

• See page 75 for all options available in Escalade

SINGLE PEDESTAL CREDENZA FILE/FILE



Right shown

MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
LEFT PEDESTAL	RIGHT PEDESTAL								
QECN2273CLFW2	QECN2273CRFW2	$ 4291	22¼	72½	29½	—	27¾	195 lbs.	37.8
ECN2273CLFW2	ECN2273CRFW2	4291	22¼	72½	29½	—	27¾	195 lbs.	37.8
ECN2267CLFW2	ECN2267CRFW2	4228	22¼	66½	29½	—	21¾	184 lbs.	34.9

- Not recommended as a freestanding unit due to routing in the rim
- Rim and base molding detail on 3 sides of unit
- Modesty panel of joining unit will attach above the base molding detail
- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

FREESTANDING SINGLE PEDESTAL CREDENZA FILE/FILE



Right shown

LEFT PEDESTAL	RIGHT PEDESTAL								
ECN2273CLFFW2	ECN2273CRFFW2	$ 4291	22¼	72½	29½	—	50	195 lbs.	37.8
ECN2267CLFFW2	ECN2267CRFFW2	4228	22¼	66½	29½	—	44	184 lbs.	34.9
ECN2261CLFFW2	ECN2261CRFFW2	4145	22¼	60⅜	29½	—	38	175 lbs.	30.0

- Rim and base molding detail on 3 sides of unit
- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Freestanding use only; cannot be used with a bridge or other connecting components

SINGLE PEDESTAL CREDENZA FILE/FILE GANGING



Left shown

LEFT PEDESTAL	RIGHT PEDESTAL								
ECN2272CLFW2C	ECN2272CRFW2C	$ 4291	22¼	71½	29½	—	27¾	195 lbs.	37.8
ECN2266CLFW2C	ECN2266CRFW2C	4228	22¼	65½	29½	—	21¾	184 lbs.	34.9

- Not recommended as a freestanding unit due to routing in the rim
- Rim and base molding detail on 2 sides of unit to allow for ganging
- Modesty panel of joining unit will attach above the base molding detail
- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

SINGLE PEDESTAL CREDENZA LATERAL FILE



Right shown

LEFT PEDESTAL	RIGHT PEDESTAL								
ECN2273CLFW6	ECN2273CRFW6	$ 5025	22¼	72½	29½	—	9¾	235 lbs.	37.8
ECN2267CLFW6	ECN2267CRFW6	4677	22¼	66½	29½	—	3¾	224 lbs.	34.9

- Not recommended as a freestanding unit due to routing in the rim
- Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- Rim and base molding detail on 3 sides of unit
- Modesty panel of joining unit will attach above the base molding detail
- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

PRODUCT SPECIFICATIONS

- Use of a glass protector top not recommended on worksurfaces with a routing in the rim
- A ganging unit is intended to be set flush with other units when arranged side-by-side or in a grouping
- Reference page 83 for ganging examples

TO ORDER, SPECIFY:

1. Model Number
2. Pull Option
3. Grommet Option
4. Locking
5. Finish

SAMPLE MODEL NUMBERS:

ECN2273CLFW10 79SN X KRB CL
ECN2272CLFW10C 79SN X KRB CW

• See page 75 for all options available in Escalade

FREESTANDING SINGLE PEDESTAL CREDENZA LATERAL FILE



Right shown

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
LEFT PEDESTAL									
ECN2273CLFFW6	ECN2273CRFFW6	$ 5025	22¼	72½	29½	—	32¹⁄₁₆	235 lbs.	37.8
ECN2267CLFFW6	ECN2267CRFFW6	4677	22¼	66½	29½	—	26¹⁄₁₆	224 lbs.	34.9

- To prevent tipping, it is recommended that cabinets be ganged together or anchored to a suitable wall or floor
- Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- Rim and base molding detail on 3 sides of unit
- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Freestanding use only; cannot be used with a bridge or other connecting components

SINGLE PEDESTAL CREDENZA LATERAL FILE GANGING



Left shown

LEFT PEDESTAL	RIGHT PEDESTAL								
ECN2272CLFW6C	ECN2272CRFW6C	$ 5025	22¼	71½	29½	—	9¾	235 lbs.	37.8
ECN2266CLFW6C	ECN2266CRFW6C	4677	22¼	65½	29½	—	3¾	224 lbs.	34.9

- Not recommended as a freestanding unit due to routing in the rim
- Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- Rim and base molding detail on 2 sides of unit to allow for ganging
- Modesty panel of joining unit will attach above the base molding detail
- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

SINGLE PEDESTAL CREDENZA MULTI-FILE



Right shown

LEFT PEDESTAL	RIGHT PEDESTAL								
ECN2273CLFW10	ECN2273CRFW10	$ 5262	22¼	72½	29⅞	—	9¾	235 lbs.	37.8

- Not recommended as a freestanding unit due to routing in the rim
- Rim and base molding detail on 3 sides of unit
- Modesty panel of joining unit will attach above the base molding detail
- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

FREESTANDING SINGLE PEDESTAL CREDENZA MULTI-FILE



Right shown

LEFT PEDESTAL	RIGHT PEDESTAL								
ECN2273CLFFW10	ECN2273CRFFW10	$ 5262	22¼	72½	29⅞	—	32¹⁄₁₆	235 lbs.	37.8

- Rim and base molding detail on 3 sides of unit
- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Freestanding use only; cannot be used with a bridge or other connecting components

SINGLE PEDESTAL CREDENZA MULTI-FILE GANGING



Left shown

LEFT PEDESTAL	RIGHT PEDESTAL								
ECN2272CLFW10C	ECN2272CRFW10C	$ 5262	22¼	71½	29½	—	9¾	235 lbs.	37.8

- Not recommended as a freestanding unit due to routing in the rim
- Rim and base molding detail on 2 sides of unit to allow for ganging
- Modesty panel of joining unit will attach above the base molding detail
- Grommet (G1LR) available
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

ESCALADE

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Pull Option
3. Locking
4. Finish

SAMPLE MODEL NUMBER:

ECN8450HBHPW 79SN KRB MH

• See page 75 for all options available in Escalade

HIGHBACK ORGANIZER





MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WOOD DOORS								
ECN8450HBHPW	$ 5789	15½	83¾	50³⁄₁₆	—	—	250 lbs.	55.0
ECN7850HBHPW	5566	15½	77⅞	50³⁄₁₆	—	—	225 lbs.	50.0
QECN7250HBHPW	5355	15½	72	50³⁄₁₆	—	—	200 lbs.	41.7
ECN7250HBHPW	5355	15½	72	50³⁄₁₆	—	—	200 lbs.	41.7
ECN6650HBHPW	5149	15½	66	50³⁄₁₆	—	—	180 lbs.	38.5
ECN6050HBHPW	4945	15½	60	50³⁄₁₆	—	—	170 lbs.	35.0
GLASS DOORS								
ECN8450HBHPGW	$ 6044	15½	83¾	50³⁄₁₆	—	—	250 lbs.	55.0
ECN7850HBHPGW	5812	15½	77⅞	50³⁄₁₆	—	—	225 lbs.	50.0
ECN7250HBHPGW	5589	15½	72	50³⁄₁₆	—	—	200 lbs.	41.7
ECN6650HBHPGW	5377	15½	66	50³⁄₁₆	—	—	180 lbs.	38.5
ECN6050HBHPGW	5207	15½	60	50³⁄₁₆	—	—	170 lbs.	35.0

- Highback organizers feature (4) side hinged doors, full back panels with a grommet for cord management
- Under shelf clearance is 20¾
- Center 2 doors lock
- For tack board models, see pages 413-418
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

SMALL OFFICE HIGHBACK ORGANIZER



ECN8442HBHPGW	$ 4906	15½	83¾	41⅞	—	—	245 lbs.	53.0
ECN7842HBHPGW	4716	15½	77⅞	41⅞	—	—	220 lbs.	48.0
ECN7242HBHPGW	4537	15½	72	41⅞	—	—	190 lbs.	35.9
ECN6642HBHPGW	4338	15½	66	41⅞	—	—	170 lbs.	32.1
ECN6042HBHPGW	4168	15½	60	41⅞	—	—	165 lbs.	30.0

- Unit features (2) side hinged doors, full back panel with a grommet for cord management
- 84"/78" models feature a divider panel in the center of the open shelves
- Center shelf is fixed; upper shelf is adjustable
- Small office highback organizer cannot be used in a ganging application
- Under door clearance is 12¹⁵⁄₁₆
- Under shelf clearance is 20¾
- Both doors lock
- For tack board models, see pages 413-418
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

OVERHEAD CABINET WALL MOUNT





WOOD DOORS								
QECN7230SOHMW	$ 5020	15½	72	29⅝	—	—	150 lbs.	25.1
ECN7230SOHMW	5020	15½	72	29⅝	—	—	150 lbs.	25.1
ECN6630SOHMW	4823	15½	66	29⅝	—	—	140 lbs.	23.2
GLASS DOORS								
ECN7230SOHMGW	$ 5253	15½	72	29⅝	—	—	150 lbs.	25.1
ECN6630SOHMGW	5055	15½	66	29⅝	—	—	140 lbs.	23.2

- Wall mount cabinets must be secured by a minimum of 2 solid attachment points on a load bearing wall
- Wall mount bracket is included with unit
- Center 2 doors lock
- For tack board models, see pages 413-418
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

PRODUCT SPECIFICATIONS

- A ganging unit is intended to be set flush with other units when arranged side-by-side or in a grouping
- Reference page 83 for ganging examples

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Pull Option
3. Locking
4. Finish

SAMPLE MODEL NUMBER:

ECN38PFHW 79SN KRB CW

- See page 75 for all options available in Escalade

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
LATERAL FILE 2 DRAWER	QECN2238LFF2W	$ 3536	22¼	38³⁄₁₆	29½	–	–	155 lbs.	17.8
	ECN2238LFF2W	3536	22¼	38³⁄₁₆	29½	–	–	155 lbs.	17.8
	• Front-to-back filing is standard with lateral files; 4 rods per drawer are included • Lateral file has an unfinished back • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available								
LATERAL FILE 3 DRAWER	ECN2238LFF3W	$ 4450	22¼	38³⁄₁₆	41¹⁵⁄₁₆	–	–	265 lbs.	30.0
	• Front-to-back filing is standard with lateral files; 4 rods per drawer are included • Lateral file has an unfinished back • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available								
LATERAL FILE 4 DRAWER	ECN2238LFF4W	$ 5366	22¼	38³⁄₁₆	54½	–	–	265 lbs.	32.9
	• Front-to-back filing is standard with lateral files; 4 rods per drawer are included • Lateral file has an unfinished back • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available								
DOUBLE DOOR UNIT 	ECN2238PFHW	$ 3343	22¼	38³⁄₁₆	29½	–	–	140 lbs.	17.8
	• Unit features a single adjustable shelf • Unit features a functional, non-locking drawer • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available								
ENTERTAINMENT CABINET 	ECN3879VVHW Wood	$ 7627	23⁷⁄₁₆	38³⁄₁₆	78½	–	–	340 lbs.	48.9
	• Unit features 170° hinges on top 2 doors • Back of unit has standard grommets for cord management and for ventilation • Unit features an adjustable shelf in both the upper and lower sections • Interior dimensions for upper section 20¹³⁄₁₆" D, 34⅝" W, 47⅛" H • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available								
ENTERTAINMENT CABINET GANGING 	ECN3879VVHWC	$ 7627	23⁷⁄₁₆	38³⁄₁₆	78½	–	–	340 lbs.	48.9
	• For use with side open bookcase - ganging only • Unit features 170° hinges on top 2 doors • Back of unit has standard grommets for cord management and for ventilation • Unit features an adjustable shelf in both the upper and lower sections • Interior dimensions for upper section 20¹³⁄₁₆" D, 34⅝" W, 47⅛" H • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available								

ESCALADE

PRODUCT SPECIFICATIONS

- A ganging unit is intended to be set flush with other units when arranged side-by-side or in a grouping
- Reference page 83 for ganging examples

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Pull Option
3. Locking
4. Finish

SAMPLE MODEL NUMBER:

ECN3871BCOFW CW

- See page 75 for all options available in Escalade

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SIDE BOOKCASE - OPEN GANGING	**LEFT**	**RIGHT**								
Left shown	ECN2071BCOLWC	ECN2071BCORWC	$ 2542	15¾	19½	70¹⁵⁄₁₆	–	–	155 lbs.	17.7
	• For use with entertainment cabinet - ganging only • Shaded shelves are adjustable • Specify finish only									
DOUBLE WARDROBE	ECN3879VHHW		$ 7091	23⁷⁄₁₆	38³⁄₁₆	78½	–	–	340 lbs.	48.9
	• Shaded shelves are adjustable • Removable coat rod is standard, positioned on left side of wardrobe • Cornice and base detail on 3 sides of unit • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available									
STORAGE - FILE/FILE CABINET GANGING	**LEFT HINGED**	**RIGHT HINGED**								
 Right shown	ECN2071VHL2WC	ECN2071VHR2WC	$ 4600	23⁷⁄₁₆	20¹⁄₁₆	70¹⁵⁄₁₆	–	–	200 lbs.	23.8
	• Not recommended as a freestanding unit due to routing in the rim • Shaded shelves are adjustable • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available									
WARDROBE/STORAGE CABINET GANGING	**LEFT HINGED**	**RIGHT HINGED**								
 Right shown	ECN2071VSWHLWC	ECN2071VSWHRWC	$ 4445	23⁷⁄₁₆	20¹⁄₁₆	70¹⁵⁄₁₆	–	–	175 lbs.	23.8
	• Not recommended as a freestanding unit due to routing in the rim • Shaded shelves are adjustable • Removable coat rod is standard • Single door cabinet can be used as a wardrobe unit by removing the adjustable shelves • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available									
BOOKCASE - OPEN	QECN3871BCOFW		$ 3671	15¾	38³⁄₁₆	70¹⁵⁄₁₆	–	–	190 lbs.	31.3
	ECN3871BCOFW		3671	15¾	38³⁄₁₆	70¹⁵⁄₁₆	–	–	190 lbs.	31.3
	ECN3857BCOFW		3311	15¾	38³⁄₁₆	57⅞	–	–	150 lbs.	25.4
	• Shaded shelves are adjustable • Cornice and base detail on 3 sides of unit • 58" bookcase has 2 adjustable shelves and a finished top panel • Specify finish only									

PRODUCT SPECIFICATIONS

- A ganging unit is intended to be set flush with other units when arranged side-by-side or in a grouping
- Reference page 83 for ganging examples

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Pull Option
3. Locking
4. Finish

SAMPLE MODEL NUMBER:

ECN3871BCOHFW 79SN KRB MH

- See page 75 for all options available in Escalade

BOOKCASE - OPEN GANGING



Left shown

MODEL NO./DESCRIPTION LEFT	RIGHT	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
ECN3771BCOLWC	ECN3771BCORWC	$ 3671	15¾	37⅛	70¹⁵⁄₁₆	—	—	190 lbs.	31.3
ECN3757BCOLWC	ECN3757BCORWC	3311	15¾	37⅛	57⅛	—	—	150 lbs.	25.4

- Shaded shelves are adjustable
- User can gang 2 36" right and left open or storage bookcases or a combination of a 36" open and storage bookcase
- Cornice and base detail on 2 sides of unit
- 58" bookcase has 2 adjustable shelves and a finished top panel
- Specify finish only

BOOKCASE - STORAGE



ECN3871BCOHFW		$ 4403	15¾	38³⁄₁₆	70¹⁵⁄₁₆	—	—	210 lbs.	31.3
ECN3857BCOHFW		4092	15¾	38³⁄₁₆	57⅛	—	—	170 lbs.	25.4

- Shaded shelves are adjustable
- Bookcase has an unfinished back
- Cornice and base detail on 3 sides of unit
- 58" bookcase has 1 adjustable shelf and a finished top panel
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

BOOKCASE - STORAGE GANGING



Left shown

LEFT	RIGHT								
ECN3771BCOHFLWC	ECN3771BCOHFRWC	$ 4403	15¾	37⅛	70¹⁵⁄₁₆	—	—	210 lbs.	31.3
ECN3757BCOHFLWC	ECN3757BCOHFRWC	4092	15¾	37⅛	57⅛	—	—	170 lbs.	25.4

- Shaded shelves are adjustable
- User can gang 2 36" right and left open or storage bookcases or a combination of a 36" open and storage bookcase
- Cornice and base detail on 2 sides of unit
- 58" bookcase has 1 adjustable shelf and a finished top panel
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

BOOKCASE - SET ON





WOOD DOORS

QECN3750BCHW	$ 4183	15½	37⅞	50³⁄₁₆	—	—	130 lbs.	22.5
ECN3750BCHW	4183	15½	37⅞	50³⁄₁₆	—	—	130 lbs.	22.5

GLASS DOORS

ECN3750BCHGW	$ 4365	15½	37⅞	50³⁄₁₆	—	—	130 lbs.	22.5

- Shaded shelves are adjustable
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

DOUBLE BOOKCASE - SET ON GLASS DOORS



ECN7250BCHGW	$ 7627	15½	72	50³⁄₁₆	—	—	260 lbs.	41.7
ECN6650BCHGW	7344	15½	66	50³⁄₁₆	—	—	250 lbs.	38.5

- Shaded shelves are adjustable
- Center doors lock
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

ESCALADE

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Pull Option
3. Grommet Option
4. Locking
5. Finish

SAMPLE MODEL NUMBERS:

ECN2040MGW MH
NAC3639VBL TF

• See page 75 for all options available in Escalade

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
MOBILE UTILITY CART	ECN2238MUCW	Wood	$ 3401	22¼	38⅛	35 11/16	—	—	145 lbs.	24.7
	• Can function as a service cart, overhead projector stand or TV cabinet • Unit features a single adjustable shelf • 4 dual wheel non-locking casters are standard • Grommet (G1C) available • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available									
MAGAZINE TABLE	QECN2040MGW		$ 2126	19¾	39¾	18	—	—	70 lbs.	4.3
	ECN2040MGW		2126	19¾	39¾	18	—	—	70 lbs.	4.3
END TABLE	QECN2424ENW		$ 1995	23 13/16	23 13/16	24	—	—	40 lbs.	3.9
	ECN2424ENW		1995	23 13/16	23 13/16	24	—	—	40 lbs.	3.9
CONSOLE TABLE	ECN1948CSW		$ 2376	18 9/16	48	28½	—	—	40 lbs.	4.9
	• Rim detail on 3 sides of unit									
VISUAL BOARD TOP	ECN0637CPCFW		$ 757	5¾	37 7/16	3 15/16	—	—	35 lbs.	1.1
	ECN0643CPCFW		875	5¾	43⅜	3 15/16	—	—	40 lbs.	1.3
	• ECN0637CPCFW fits on top of NAC3639VBW • ECN0643CPCFW fits on top of NAC4239VBW									
VISUAL BOARD	**WOOD**									
	NAC3639VBW	36"	$ 2747	4 15/16	35⅞	39 1/16	—	—	65 lbs.	5.9
	NAC4239VBW	42"	3537	4 15/16	41 15/16	39 1/16	—	—	82 lbs.	7.1
	LAMINATE									
	NAC3639VBL	36"	$ 2267	4 15/16	35⅞	39 1/16	—	—	65 lbs.	5.9
	NAC4239VBL	42"	2628	4 15/16	41 15/16	39 1/16	—	—	82 lbs.	7.1
	• All installation hardware included • Frame of visual board is black • Tackable black fabric covers inside door panels • A set of 4 dry erase markers and an eraser are standard • Marker board is not magnetic • Doors only open to 165°, not flat									

PRODUCT SPECIFICATIONS

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Finish

SAMPLE MODEL NUMBER:

ECN1733KDFW TF

• See page 75 for all options available in Escalade

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
KEYBOARD DRAWER	QECN1733KDFW	$ 654	16 25/32	33 1/8	3 9/16	—	—	20 lbs.	2.1
	ECN1733KDFW	654	16 25/32	33 1/8	3 9/16	—	—	20 lbs.	2.1

- Use on 72" double pedestal desk, 72" kneespace credenza, and bridge
- When using a wood keyboard drawer, must also specify keyboard/drawer mounting kit; see NAC0802KMK
- Specify finish only

CENTER DRAWER	QECN1733CDW	$ 541	16 25/32	33 1/8	2 1/2	—	—	20 lbs.	2.1
	ECN1733CDW	541	16 25/32	33 1/8	2 1/2	—	—	20 lbs.	2.1
	QECN1727CDW	513	16 25/32	27 1/16	2 1/2	—	—	15 lbs.	1.9
	ECN1727CDW	513	16 25/32	27 1/16	2 1/2	—	—	15 lbs.	1.9
	ECN1724CDW	503	16 25/32	24	2 1/2	—	—	13 lbs.	1.0

- Use ECN1733CDW on 72" double pedestal desk and 72" kneespace credenza
- Use ECN1727CDW on 66" double pedestal desk and 36" x 72" single pedestal desk
- Use ECN1724CDW on 30" x 66" single pedestal desk
- When using a wood center drawer, must also specify keyboard/drawer mounting kit; see NAC0802KMK
- Specify finish only

KEYBOARD/DRAWER MOUNTING KIT	NAC0802KMK	$ 100	8	2	3/4	—	—	3 lbs.	0.3
									

- Must be used with keyboard kits, Escalade keyboard drawer or Escalade center drawer when attaching to Escalade unit
- Specify model number only

ESCALADE

PRODUCT SPECIFICATIONS

- A ganging unit is intended to be set flush with other units when arranged side-by-side or in a grouping

TO ORDER, SPECIFY:

1. Model Number
2. Pull Option
3. Grommet Option
4. Locking
5. Finish

SAMPLE MODEL NUMBER:

ECN2271CKFW2C 79SN G1LR KRB TF

• See page 75 for all options available in Escalade

WALL UNIT GANGING



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
GANGING WALL UNIT		**$19,681**							
ECN2271CKFW2C	Kneespace Cred.—Ganging	5202	22¼	72½	29½	—	—	234 lbs.	37.8
ECN2071VSWHLWC	Wardrobe Right—Ganging	4445	23⅞	20⅛	70⅝	—	—	175 lbs.	23.8
ECN2071VSWHRWC	Wardrobe Left—Ganging	4445	23⅞	20⅛	70⅝	—	—	175 lbs.	23.8
ECN7250HBHPGW	Highback Organizer—Glass Doors	5589	15½	72	29⅜	—	—	200 lbs.	41.7

EXECUTIVE UNIT GANGING



GANGING EXECUTIVE UNIT		**$20,764**							
ECN3673DLFBW1	Single Pedestal Desk	5111	36¼	72½	29½	—	49¹³⁄₁₆	311 lbs.	57.4
ECN2548BEFW	48" Bridge	1742	24¹⁄₁₆	48⅛	29½	—	48⅛	85 lbs.	3.4
ECN2272CRFW1C	Single Ped. Cred.—Ganging	4291	22¼	71½	29½	—	49¹³⁄₁₆	195 lbs.	37.8
ECN7230SOHMW	Wall Mount Cabinet—Wood Doors	5020	15½	72	29⅜	—	—	150 lbs.	25.1
ECN2071VHR2WC	Storage Cabinet—Ganging	4600	23⅞	20⅛	70⅝	—	—	200 lbs.	23.8

ENTERTAINMENT WALL UNIT GANGING



GANGING ENTERTAINMENT WALL UNIT		**$12,711**							
ECN3879VVHWC	TV/VCR Cabinet—Ganging	7627	23⅞	38⅜	78½	—	—	340 lbs.	48.9
ECN2071BCORWC	Open Bookcase—Ganging	2542	15¾	19½	70⅝	—	—	155 lbs.	17.7
ECN2071BCOLWC	Open Bookcase—Ganging	2542	15¾	19½	70⅝	—	—	155 lbs.	17.7

TO ORDER, SPECIFY:

1. Model Number
2. Grommet Option
3. Finish

SAMPLE MODEL NUMBER:

ECN30RD G10C MH

• See page 75 for all options available in Escalade

ROUND TABLE TOP

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
30" ROUND	**1⁹⁄₁₆" TOP THICKNESS**		**DI**		**H**				
ECN30RDW	Wood	$ 2102	30⁹⁄₁₆	–	1⁹⁄₁₆	–	–	33 lbs.	2.0
36" ROUND									
ECN36RDW	Wood	$ 2476	36⁹⁄₁₆	–	1⁹⁄₁₆	–	–	45 lbs.	2.4
42" ROUND									
ECN42RDW	Wood	$ 2789	42⁹⁄₁₆	–	1⁹⁄₁₆	–	–	74 lbs.	4.0
48" ROUND									
ECN48RDW	Wood	$ 3426	48⁹⁄₁₆	–	1⁹⁄₁₆	–	–	94 lbs.	5.1

- Reference Table Base Guide in the Tables Price List for applicable bases
- See Tables Price List for coordinating conference table tops
- Grommet options available on round and square tops are G10C and CUT-G15C, reference Tables Price List for options and upcharge

SQUARE TABLE TOP



MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
30" SQUARE	**1⁹⁄₁₆" TOP THICKNESS**								
ECN3030SQW	Wood	$ 2102	30⁹⁄₁₆	30⁹⁄₁₆	1⁹⁄₁₆	–	–	33 lbs.	2.0
36" SQUARE									
ECN3636SQW	Wood	$ 2476	36⁹⁄₁₆	36⁹⁄₁₆	1⁹⁄₁₆	–	–	45 lbs.	2.4
42" SQUARE									
ECN4242SQW	Wood	$ 2789	42⁹⁄₁₆	42⁹⁄₁₆	1⁹⁄₁₆	–	–	61 lbs.	3.2
48" SQUARE									
ECN4848SQW	Wood	$ 3426	48⁹⁄₁₆	48⁹⁄₁₆	1⁹⁄₁₆	–	–	79 lbs.	4.2

- Reference Table Base Guide in the Tables Price List for applicable bases
- See Tables Price List for coordinating conference table tops
- Grommet options available on round and square tops are G10C and CUT-G15C, reference Tables Price List for options and upcharge

ESCALADE

RENEGADE

Product Specifications 96
Product Options 97
Drawer Specifications 99
Grommet and Grommet Cutout Location Options 100
Thought Starters 101
L Arrangements 103
U Arrangements 105
Product Pages 107

PRODUCT SPECIFICATIONS



WORKSURFACE

- Worksurfaces are 1⅛" TFL (thermally fused laminate) or 1³⁄₁₆" HPL (high pressure laminate)
- Worksurfaces feature a 3mm softened PVC rim that matches the worksurface laminate
- Grain direction runs left-to-right unless noted (assembled bridges and returns woodgrain runs front-to-back)

CHASSIS CONSTRUCTION

- TFL (thermally fused laminate) chassis fastened by screws, quick assembly fasteners and hardwood cleats
- ¾" thick full modesty panels
- 1⅛" thick end panels
- Standard leveling glides
- Vertical grain direction unless noted (any modesty of 60" wide or wider will have horizontal grain direction)
- Laminate with horizontal grain (example: Sable Horizontal 792H) will always have horizontal grain direction
- Shell based units will be shipped unassembled, units are shipped with quick assembly fasteners for easy assembly in the field
- Shell chassis available in worksurface and box/file heights
- Back panels are fully finished unless noted

LINKABLE SHELLS AND FREESTANDING SHELLS

- Freestanding shells have 2 full end panels; pedestals can be added
- Freestanding shells can also be attached to a return or linkable shell to create a size or shape to fit your workspace
- Linkable shells come with either 1 full end panel and 1 narrow end panel or 2 narrow end panels
- Linkable shells with 1 full end panel and 1 narrow end panel allow you to attach additional linkables to the narrow end panel side and run the length you need to fit your workspace
- Linkable shells with 2 narrow panels allow you to attach to both ends of your linkable shell and run the length you need to fit your workspace
- Support panels are required for any worksurface span over 48" that is not supported
- All shells are shipped KD (knock down)

HIGHBACK ORGANIZERS, WALL MOUNTS AND SET-ON BOOKCASE DOORS

- Laminate, frosted resin or no doors
- Resin doors have aluminum frames available in Cinder or Platinum Metallic
- Resin is ⅛" thick, 1-sided

PEDESTALS

- Full, 3-quarter lower height and mobile pedestal options
- Mobile pedestals available with and without cushion
- Standard wire management on pedestal ends allow for routing wires

DRAWERS

- Drawers feature 5-sided construction allowing for easy removal/replacement of drawer fronts
- Sides, back and front are ½" thick woodgrain vinyl wrapped
- Drawer fronts are 3-ply construction with matched woodgrain
- For interior drawer dimensions, reference page 99

DRAWER PULLS

- 3 pull styles: Integrated, Level and Beam
- Level and Beam pulls available in Cinder, Concrete, Iron and Platinum Metallic

DRAWER SUSPENSIONS

- Box and file drawers are equipped with black, full extension, progressive action slides
- Precision steel ball bearings combined with sequence slide movement ensure long lasting operation
- All suspensions have a lifetime warranty

FILING

- Drawers are equipped with black metal filing hardware that accommodates various filing requirements
- No-tool, easy installation allows for quick interchangeable filing capabilities
- Refer to page 99 for complete filing details

CORD MANAGEMENT

- Round black grommets are optional in worksurface and end panels
- Standard in highback organizers
- When worksurface grommets are ordered, half-moon grommets will come standard on the modesty of all bridges, credenzas, returns and shells
- Grommet cutouts are available in worksurface for power option that is ordered separately
- Refer to page 100 for grommet locations

LOCKING

- Black and silver lock cores are available
- Key Random means lock cores/keys are randomly (1-5) picked and factory installed in unit
- Key Specific means you can pick any number (1-200) for black or silver lock core/key. Must specify the lock core model separately; not factory installed and will ship separately
- Specify a change key to remove and change lock cores
- To order key specific lock cores, change keys, and master keys, reference page 391

EZ ARRANGEMENT MODEL NUMBERS

- Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you are done

CUSTOMER SPECIFIED LAMINATE

- Cannot use CSL (customer specified laminate) due to rim profile

DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width
DI	Diameter

WORKSURFACE LAMINATE

WOODGRAIN LAMINATE

AC2	Autumn 2
AD	Almond
BZ	Brazilwood
CI	Chai
CL	Caramel
CW	Cordovan
DW	Judicial
HN2	Honey 2
IM	Brighton
KN	Kona
MC	Amber
MH	Mocha
NM	Natural
PB	Portobello
PC	Porcini
PT	Portico
SK	Skyline
SM	Sonoma
TF	Truffle
WL	Willow
792	Sable
793	Acorn

• CSL not available

SOLID LAMINATE

405	Designer White
419	Wallaby
425	Shadow
440	Cloud
457	Dapple
461	Graphite
462	Cinder
478	Platinum Grey
488	Frosty White
491	Designer White Linear
492	Cinder Linear

GALLERY LAMINATE

Grade 1 – 5% upcharge

G1001	Citadel
G1011	Pepperdust

Grade 2 – 6% upcharge

G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

CHASSIS LAMINATE

WOODGRAIN LAMINATE

AC2	Autumn 2
AD	Almond
ADH	Almond Horizontal
BZ	Brazilwood
CI	Chai
CL	Caramel
CW	Cordovan
DW	Judicial
HN2	Honey 2
IM	Brighton
KN	Kona
MC	Amber
MH	Mocha
NM	Natural
PB	Portobello
PC	Porcini
PBH	Portobello Horizontal
PT	Portico
PTH	Portico Horizontal
SK	Skyline
SKH	Skyline Horizontal
SM	Sonoma
SMH	Sonoma Horizontal
TF	Truffle
WL	Willow
792	Sable
792H	Sable Horizontal
793	Acorn

SOLID LAMINATE

405	Designer White
419	Wallaby
425	Shadow
440	Cloud
457	Dapple
461	Graphite
462	Cinder
478	Platinum Grey
488	Frosty White
491	Designer White Linear
491H	Designer White Linear Horizontal
492	Cinder Linear
492H	Cinder Linear Horizontal

GALLERY LAMINATE

Grade 1 – 5% upcharge

G1001	Citadel
G1011	Pepperdust

Grade 2 – 6% upcharge

G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

See page 14 for Gallery program details and upcharges

METAL COLORS

462	Cinder
501	Platinum Metallic

RIM PROFILE



Softened PVC

PULL OPTIONS



Integrated (86)



Beam (87)

87MB	Cinder
87CC	Concrete
81IR	Iron
87PL	Platinum Metallic

(Boring Pattern 128mm)



Level (88)

88MB	Cinder
88CC	Concrete
88IR	Iron
88PL	Platinum Metallic

(Boring Pattern 128mm)

LOCKING

KEY RANDOM

KRB	Black
KRS	Silver

KEY SPECIFIC

KS1B	Black, 1 lock per unit
KS1S	Silver, 1 lock per unit
KS2B	Black, 2 locks per unit
KS2S	Silver, 2 locks per unit
KS3B	Black, 3 locks per unit
KS3S	Silver, 3 locks per unit
KS4B	Black, 4 locks per unit
KS4S	Silver, 4 locks per unit

Unit list price will be reduced by $28 per lock when selecting Key Specific option. Must order specific lock cores separately ($28 list each). See page 391 for Key Specific model numbers.

Quick Delivery—Specify MC, CW, 478 or 874/MC as worksurface/chassis combinations

GROMMET AND CUTOUT OPTIONS

If no grommet is desired, specify an X (No Grommet)

Round Worksurface Grommet, Black Plastic

$40 list for each grommet

G1L	Left
G1R	Right
G1LR	Left & Right
G1C	Center
G1A	Left, Right & Center

• Reference page 100 for grommet locations

Round End Panel Grommet, Black Plastic

$40 list for each grommet

GE1L	Left
GE1R	Right
GE1LR	Left & Right

Cutout Option for 1 Touch Pivoting Power Grommet

$40 list upcharge per cutout location



CUT-G17L	Left
CUT-G17R	Right
CUT-G17LR	Left & Right
CUT-G17C	Center
CUT-G17A	All

• Reference page 100 for cutout locations of CUT-G17

NACG17AELPGB, NACG17AELPGS, and NACG17AELPGW (Sold Separately)

• Reference page 398 pricing and details



NACG17BELPGB, NACG17BELPGS, and NACG17BELPGW (Sold Separately)

• Reference page 398 pricing and details



NACG17CELPGB, NACG17CELPGS, and NACG17CELPGW (Sold Separately)

• Reference page 398 pricing and details

NOTE: Interlink IQ units are available in the Accessories section

QUICK DELIVERY MODELS

Models starting with a "Q" will have the following options in stock:

Q models include grommet(s) upcharge

Pull:	Integrated pull (86)
Grommets:	Returns, bridges and kneespace credenzas have center grommets on worksurface. Storage and single pedestal credenzas will have left and right grommets on worksurface.
Locking:	Random black cores
Finish:	Specify MC, CW or 478 as worksurface/chassis combinations

DRAWER SPECIFICATIONS

DESCRIPTION	INTERIOR DIMENSIONS				FILING CAPABILITIES
	DRAWER	INSIDE WIDTH	INSIDE DEPTH	INSIDE HEIGHT	
Desks	Box	11 15/16"	17"	2"	Letter filing front-to-back or side-to-side
All double and single pedestals, all sizes	File	11 15/16"	17"	9 3/8"	Legal and EDP filing side-to-side
Returns	Box	11 15/16"	17"	2"	Letter filing front-to-back or side-to-side
All returns	File	11 15/16"	17"	9 3/8"	Legal and EDP filing side-to-side
Credenzas	Box	14 15/16"	17"	2"	Letter, legal and EDP side-to-side filing
All double and single pedestals, all sizes	File	14 15/16"	17"	9 3/8"	Legal filing front-to-back
Single pedestal lateral file credenza	Lateral File	32 15/16"	17"	9 3/8"	Letter, legal and EDP filing front-to-back or side-to-side
Lateral Files	Lateral File	32 15/16"	17"	9 3/8"	Letter, legal and EDP filing front-to-back or side-to-side
Vertical Storage Cabinet	Box	14 15/16"	17"	2"	Letter, legal and EDP side-to-side filing
	File	14 15/16"	17"	9 3/8"	Legal filing front-to-back
Component Pedestals	Box	14 15/16"	17"	2"	Letter, legal and EDP side-to-side filing
20 x 18, 23 x 18, 29 x 18	File	14 15/16"	17"	9 3/8"	Legal filing front-to-back
Component Pedestals	Box	11 15/16"	17"	2"	Letter filing front-to-back or side-to-side
20 x 15, 23 x 15, 29 x 15	File	11 15/16"	17"	9 3/8"	Legal and EDP filing side-to-side
Mobile Pedestals	Box	11 15/16"	17"	2"	Letter filing front-to-back or side-to-side
23 x 15	File	11 15/16"	17"	9 3/8"	Legal and EDP filing side-to-side

GROMMET AND GROMMET CUTOUT LOCATION OPTIONS

Grommets are available for factory installation in worksurfaces in predetermined locations as shown below. Simply specify the desired grommet style and location in the model number sequence. Refer to page 98 for grommet options.

Grommets are also available for field installation; see page 98.

- **If specifying a grommet in the center location of a shell unit, be sure there is clearance under the grommet opening so as not to conflict with undersurface components. ⅞" clearance required on TFL tops and 13⁄16" clearance required on HPL tops.**
- **When worksurface grommets are ordered, half-moon grommets will come standard on the modesty of all bridges, credenzas, returns and shells.**
- **Half-moon grommet is centered at top of modesty panel.**

End panel grommet location:



Desk



Credenzas, Shells and Returns

Worksurface grommet locations:

Excluding the J-Desk, distance to the center of the grommet is the same for the G1 round grommet or the CUT-G17 option.

Excluding the J-Desk, the same locations are available for the round grommet and the cutout option.



Arc Desks



30" and 36" Desks



Corner Units



P-Desk (left desk shown)



U-Desk



J-Desk (right desk shown)



Corner Extended Unit (right unit shown)



Credenzas, Bridges, Shells, Linkable Shells and Returns



Round Grommet

RENEGADE LINKABLES - THOUGHT STARTERS

• Configurations feature 1 size only; additional sizes available

Create "L" Unit - then add undersurface pedestals or support panels as needed

75N3072DSFL - Shell Freestanding



75N3072DSFL - Shell Freestanding
75N2448RSRL - Return Shell



75N3072DSFL - Shell Freestanding
75N2448RSRL - Return Shell
75N1228SSL - Support Panel



• Configurations feature 1 size only; additional sizes available

Create "U" Unit - then add undersurface pedestals or support panels as needed

75N3072DSFL - Shell Freestanding



75N3072DSFL - Shell Freestanding
75N2448BSFJL - Linkable Shell



75N3072DSFL - Shell Freestanding
75N2448BSFJL - Linkable Shell
75N2472CSHF29L - Shell Freestanding



• Configurations feature 1 size only; additional sizes available

Create Extended Corner "L" Unit with Linkable - then add undersurface pedestals or support panels as needed



75N3672CFEL2L - Extended Corner



75N3672CFEL2L - Extended Corner
75N2472RSRFJL - Linkable Shell



RENEGADE LINKABLES - THOUGHT STARTERS

• Configurations feature 1 size only; additional sizes available

Create "L" Unit with Overlapping Surfaces - then add undersurface pedestals or support panels as needed

75N2472CSHF22L - Box/File Height Freestanding Shell



75N2472CSHF22L - Box/File Height Freestanding Shell
75N2472CSHHL29L - Freestanding Shell with Box/File Height End Panel



• Configurations feature 1 size only; additional sizes available

Create "L" Unit with Overlapping U-Shaped Desk Worksurface - then add undersurface pedestals or support panels as needed

75N2472CSHF22L - Box/File Height Freestanding Shell



75N2472CSHF22L - Box/File Height Freestanding Shell
75N3672DUHL - U-Shaped Desk with Box/File Height End Panel



RENEGADE L ARRANGEMENTS

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

ARRANGEMENTS INCLUDE:

- Integrated pulls
- Random black lock cores
- Center grommet in return
- No end panel grommet
- Must specify laminate(s)
- Models feature TFL tops

L-CONFIGURATIONS	MODEL NO./DESCRIPTION		LIST PRICE
LEFT L-CONFIGURATION FULL PEDESTAL 	Q75N8572LLFL	84⅛D x 72W	$ 3612
	75N8572LLFL	84⅛D x 72W	$ 3612
	consists of		
	75N3672DRF1L	Right Pedestal Desk	2068
	75N2448RLF2L	Left Pedestal Return	1544
	Q75N7972LLFL	78⅛D x 72W	$ 3549
	75N7972LLFL	78⅛D x 72W	$ 3549
	consists of		
	75N3672DRF1L	Right Pedestal Desk	2068
	75N2442RLF2L	Left Pedestal Return	1481
	75N7966LLFL	78⅛D x 66W	$ 3548
	consists of		
	75N3066DRF1L	Right Pedestal Desk	2004
	75N2448RLF2L	Left Pedestal Return	1544
	75N7366LLFL	72⅛D x 66W	$ 3485
	consists of		
	75N3066DRF1L	Right Pedestal Desk	2004
	75N2442RLF2L	Left Pedestal Return	1481

L-CONFIGURATIONS	MODEL NO./DESCRIPTION		LIST PRICE
RIGHT L-CONFIGURATION FULL PEDESTAL 	Q75N8572LRFL	84⅛D x 72W	$ 3612
	75N8572LRFL	84⅛D x 72W	$ 3612
	consists of		
	75N3672DLF1L	Left Pedestal Desk	2068
	75N2448RRF2L	Right Pedestal Return	1544
	Q75N7972LRFL	78⅛D x 72W	$ 3549
	75N7972LRFL	78⅛D x 72W	$ 3549
	consists of		
	75N3672DLF1L	Left Pedestal Desk	2068
	75N2442RRF2L	Right Pedestal Return	1481
	75N7966LRFL	78⅛D x 66W	$ 3548
	consists of		
	75N3066DLF1L	Left Pedestal Desk	2004
	75N2448RRF2L	Right Pedestal Return	1544
	75N7366LRFL	72⅛D x 66W	$ 3485
	consists of		
	75N3066DLF1L	Left Pedestal Desk	2004
	75N2442RRF2L	Right Pedestal Return	1481

RENEGADE L ARRANGEMENTS

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

ARRANGEMENTS INCLUDE:

- Integrated pulls
- Random black lock cores
- Center grommet in return
- No end panel grommet
- Must specify laminate(s)
- Models feature TFL tops

L-CONFIGURATIONS	MODEL NO./DESCRIPTION		LIST PRICE
LEFT L-CONFIGURATION ¾ PEDESTAL 	Q75N8572LLYL	84⅛D x 72W	$ 3118
	75N8572LLYL	84⅛D x 72W	$ 3118
	consists of		
	75N3672DRY3L	Right Pedestal Desk	1780
	75N2448RLY3L	Left Pedestal Return	1338
	Q75N7972LLYL	78⅛D x 72W	$ 3052
	75N7972LLYL	78⅛D x 72W	$ 3052
	consists of		
	75N3672DRY3L	Right Pedestal Desk	1780
	75N2442RLY3L	Left Pedestal Return	1272
	75N7966LLYL	78⅛D x 66W	$ 2876
	consists of		
	75N3066DRY3L	Right Pedestal Desk	1538
	75N2448RLY3L	Left Pedestal Return	1338
	75N7366LLYL	72⅛D x 66W	$ 2810
	consists of		
	75N3066DRY3L	Right Pedestal Desk	1538
	75N2442RLY3L	Left Pedestal Return	1272

L-CONFIGURATIONS	MODEL NO./DESCRIPTION		LIST PRICE
RIGHT L-CONFIGURATION ¾ PEDESTAL 	Q75N8572LRYL	84⅛D x 72W	$ 3118
	75N8572LRYL	84⅛D x 72W	$ 3118
	consists of		
	75N3672DLY3L	Left Pedestal Desk	1780
	75N2448RRY3L	Right Pedestal Return	1338
	Q75N7972LRYL	78⅛D x 72W	$ 3052
	75N7972LRYL	78⅛D x 72W	$ 3052
	consists of		
	75N3672DLY3L	Left Pedestal Desk	1780
	75N2442RRY3L	Right Pedestal Return	1272
	75N7966LRYL	78⅛D x 66W	$ 2876
	consists of		
	75N3066DLY3L	Left Pedestal Desk	1538
	75N2448RRY3L	Right Pedestal Return	1338
	75N7366LRYL	72⅛D x 66W	$ 2810
	consists of		
	75N3066DLY3L	Left Pedestal Desk	1538
	75N2442RRY3L	Right Pedestal Return	1272

L-CONFIGURATION	MODEL NO./DESCRIPTION		LIST PRICE
U-SHAPED DESK WITH BOX/FILE HEIGHT CREDENZA 	75N11072LHL	110D x 71 15/16W	$ 4121
	consists of		
	75N3072DUHL	U Desk w/B/F Panel	1081
	75N24110CSHF22L	Credenza	1477
	75N233622PUBL	B/F Pedestal	1278
	NAC0428SFRNB	Support Base	285

- Unit can be assembled in left or right configuration

RENEGADE U ARRANGEMENTS

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

ARRANGEMENTS INCLUDE:

- Integrated pulls
- Random black lock cores
- Center grommet in bridge
- Left and right grommets in credenza
- No end panel grommet
- Must specify laminate(s)
- Models feature TFL tops

U-CONFIGURATIONS	MODEL NO./DESCRIPTION		LIST PRICE
LEFT U-CONFIGURATION FULL PEDESTAL 	Q75N10972ULFL	108⅛D x 72W	$ 4940
	75N10972ULFL	108⅛D x 72W	$ 4940
	consists of		
	75N3672DRF1L	Right Pedestal Desk	2068
	75N2448BEFL	Bridge	724
	75N2472CLF2L	Left Pedestal Credenza	2148
	Q75N10372ULFL	102⅛D x 72W	$ 4887
	75N10372ULFL	102⅛D x 72W	$ 4887
	consists of		
	75N3672DRF1L	Right Pedestal Desk	2068
	75N2442BEFL	Bridge	671
	75N2472CLF2L	Left Pedestal Credenza	2148
	75N10366ULFL	102⅛D x 66W	$ 4812
	consists of		
	75N3066DRF1L	Right Pedestal Desk	2004
	75N2448BEFL	Bridge	724
	75N2466CLF2L	Left Pedestal Credenza	2084
	75N9766ULFL	96⅛D x 66W	$ 4759
	consists of		
	75N3066DRF1L	Right Pedestal Desk	2004
	75N2442BEFL	Bridge	671
	75N2466CLF2L	Left Pedestal Credenza	2084

U-CONFIGURATIONS	MODEL NO./DESCRIPTION		LIST PRICE
RIGHT U-CONFIGURATION FULL PEDESTAL 	Q75N10972URFL	108⅛D x 72W	$ 4940
	75N10972URFL	108⅛D x 72W	$ 4940
	consists of		
	75N3672DLF1L	Left Pedestal Desk	2068
	75N2448BEFL	Bridge	724
	75N2472CRF2L	Right Pedestal Credenza	2148
	Q75N10372URFL	102⅛D x 72W	$ 4887
	75N10372URFL	102⅛D x 72W	$ 4887
	consists of		
	75N3672DLF1L	Left Pedestal Desk	2068
	75N2442BEFL	Bridge	671
	75N2472CRF2L	Right Pedestal Credenza	2148
	75N10366URFL	102⅛D x 66W	$ 4812
	consists of		
	75N3066DLF1L	Left Pedestal Desk	2004
	75N2448BEFL	Bridge	724
	75N2466CRF2L	Right Pedestal Credenza	2084
	75N9766URFL	96⅛D x 66W	$ 4759
	consists of		
	75N3066DLF1L	Left Pedestal Desk	2004
	75N2442BEFL	Bridge	671
	75N2466CRF2L	Right Pedestal Credenza	2084

RENEGADE U ARRANGEMENTS

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

ARRANGEMENTS INCLUDE:

- Integrated pulls
- Random black lock cores
- Center grommet in bridge
- Left and right grommets in credenza
- No end panel grommet
- Must specify laminate(s)
- Models feature TFL tops

U-CONFIGURATIONS	MODEL NO./DESCRIPTION		LIST PRICE
LEFT U-CONFIGURATION ¾ PEDESTAL 	Q75N10972ULYL	108⅛D x 72W	$ 4391
	75N10972ULYL	108⅛D x 72W	$ 4391
	consists of		
	75N3672DRY3L	Right Pedestal Desk	1780
	75N2448BEFL	Bridge	724
	75N2472CLY3L	Left Pedestal Credenza	1887
	Q75N10372ULYL	102⅛D x 72W	$ 4338
	75N10372ULYL	102⅛D x 72W	$ 4338
	consists of		
	75N3672DRY3L	Right Pedestal Desk	1780
	75N2442BEFL	Bridge	671
	75N2472CLY3L	Left Pedestal Credenza	1887
	75N10366ULYL	102⅛D x 66W	$ 4093
	consists of		
	75N3066DRY3L	Right Pedestal Desk	1538
	75N2448BEFL	Bridge	724
	75N2466CLY3L	Left Pedestal Credenza	1831
	75N9766ULYL	96⅛D x 66W	$ 4040
	consists of		
	75N3066DRY3L	Right Pedestal Desk	1538
	75N2442BEFL	Bridge	671
	75N2466CLY3L	Left Pedestal Credenza	1831

U-CONFIGURATIONS	MODEL NO./DESCRIPTION		LIST PRICE
RIGHT U-CONFIGURATION ¾ PEDESTAL 	Q75N10972URYL	108⅛D x 72W	$ 4391
	75N10972URYL	108⅛D x 72W	$ 4391
	consists of		
	75N3672DLY3L	Left Pedestal Desk	1780
	75N2448BEFL	Bridge	724
	75N2472CRY3L	Right Pedestal Credenza	1887
	Q75N10372URYL	102⅛D x 72W	$ 4338
	75N10372URYL	102⅛D x 72W	$ 4338
	consists of		
	75N3672DLY3L	Left Pedestal Desk	1780
	75N2442BEFL	Bridge	671
	75N2472CRY3L	Right Pedestal Credenza	1887
	75N10366URYL	102⅛D x 66W	$ 4093
	consists of		
	75N3066DLY3L	Left Pedestal Desk	1538
	75N2448BEFL	Bridge	724
	75N2466CRY3L	Right Pedestal Credenza	1831
	75N9766URYL	96⅛D x 66W	$ 4040
	consists of		
	75N3066DLY3L	Left Pedestal Desk	1538
	75N2442BEFL	Bridge	671
	75N2466CRY3L	Right Pedestal Credenza	1831

PRODUCT SPECIFICATIONS

- Refer to page 100 for grommet locations and page 98 for grommet options and upcharges
- Refer to pages 381-418 for accessories
- Worksurface laminate and PVC rim will feature the same color
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Grommet
4. End Panel Grommet
5. Locking
6. Worksurface Laminate
7. Chassis Laminate

SAMPLE MODEL NUMBERS:

Q75N3672DDY3L MC
75N3672DDF8L 86 X X KRB MC MC

• See pages 97-98 for all options available in Renegade

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

Quick Delivery—Specify MC, CW, 478 or 874/MC as worksurface/chassis combinations

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
DOUBLE PEDESTAL DESK ARC TOP—FULL PEDESTAL	75N3672DDFA8L	TFL Top	$ 3115	36 1/16	71 15/16	28 7/8	6 3/16	33 1/4	317 lbs.	56.3
	75N3672DDFA8P	HPL Top	3741	36 1/16	71 15/16	28 15/16	6 3/16	33 1/4	317 lbs.	56.3



- Arc top desk is 30" deep at ends and 36" deep from the middle of the arc to the user side
- Top overhangs 6" at center
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

DOUBLE PEDESTAL DESK ARC TOP—¾ PEDESTAL	75N3672DDYA3L	TFL Top	$ 2533	36 1/16	71 15/16	28 7/8	6 3/16	33 1/4	317 lbs.	56.3
	75N3672DDYA3P	HPL Top	3043	36 1/16	71 15/16	28 15/16	6 3/16	33 1/4	317 lbs.	56.3



- Arc top desk is 30" deep at ends and 36" deep from the middle of the arc to the user side
- Top overhangs 6" at center
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

DOUBLE PEDESTAL DESK FULL PEDESTAL	Q75N3672DDF8L	TFL Top	$ 2708	36 1/16	71 15/16	28 7/8	6 3/16	33 1/4	361 lbs.	56.3
	75N3672DDF8L	TFL Top	2708	36 1/16	71 15/16	28 7/8	6 3/16	33 1/4	361 lbs.	56.3
	75N3672DDF8P	HPL Top	3252	36 1/16	71 15/16	28 15/16	6 3/16	33 1/4	361 lbs.	56.3
	75N3066DDF8L	TFL Top	$ 2653	30 1/16	66	28 7/8	6 3/16	33 1/4	285 lbs.	44.4
	75N3066DDF8P	HPL Top	3181	30 1/16	66	28 15/16	6 3/16	33 1/4	285 lbs.	44.4
	75N3060DDF8L	TFL Top	$ 2472	30 1/16	60	28 7/8	6 3/16	27 9/16	261 lbs.	40.7
	75N3060DDF8P	HPL Top	2966	30 1/16	60	28 15/16	6 3/16	27 9/16	261 lbs.	40.7



- 3672 desk has 30" deep pedestals
- 3066 and 3060 desks have 24" deep pedestals
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

RENEGADE

PRODUCT SPECIFICATIONS

- Refer to page 100 for grommet locations and page 98 for grommet options and upcharges
- Refer to pages 381-418 for accessories
- Worksurface laminate and PVC rim will feature the same color
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Grommet
4. End Panel Grommet
5. Locking
6. Worksurface Laminate
7. Chassis Laminate

SAMPLE MODEL NUMBER:

75N3672DDY3L 87PL G1L GE1L KRB MC MC

- See pages 97-98 for all options available in Renegade

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

Quick Delivery—Specify MC, CW, 478 or 874/MC as worksurface/chassis combinations

DOUBLE PEDESTAL DESK ¾ PEDESTAL



MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
Q75N3672DDY3L	TFL Top	$ 2127	36 1/16	71 15/16	28 7/8	6 3/16	33 1/4	361 lbs.	56.3
75N3672DDY3L	TFL Top	2127	36 1/16	71 15/16	28 7/8	6 3/16	33 1/4	361 lbs.	56.3
75N3672DDY3P	HPL Top	2554	36 1/16	71 15/16	28 13/16	6 3/16	33 1/4	361 lbs.	56.3
75N3066DDY3L	TFL Top	$ 2069	30 1/16	66	28 7/8	6 3/16	33 1/4	285 lbs.	44.4
75N3066DDY3P	HPL Top	2482	30 1/16	66	28 13/16	6 3/16	33 1/4	285 lbs.	44.4
75N3060DDY3L	TFL Top	$ 1894	30 1/16	60	28 7/8	6 3/16	27 9/16	261 lbs.	40.7
75N3060DDY3P	HPL Top	2268	30 1/16	60	28 13/16	6 3/16	27 9/16	261 lbs.	40.7

- 3672 desk has 30" deep pedestals
- 3066 and 3060 desks have 24" deep pedestals
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

SINGLE PEDESTAL DESK ARC TOP—FULL PEDESTAL



Left shown

LEFT PEDESTAL	RIGHT PEDESTAL		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
75N3672DLFA1L	75N3672DRFA1L	TFL Top	$ 2479	36 1/16	71 15/16	28 7/8	6 3/16	51 1/2	267 lbs.	56.3
75N3672DLFA1P	75N3672DRFA1P	HPL Top	2977	36 1/16	71 15/16	28 13/16	6 3/16	51 1/2	267 lbs.	56.3

- Arc top desk is 30" deep at ends and 36" deep from the middle of the arc to the user side
- Top overhangs 6" at center
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

SINGLE PEDESTAL DESK ARC TOP—¾ PEDESTAL



Left shown

LEFT PEDESTAL	RIGHT PEDESTAL		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
75N3672DLYA3L	75N3672DRYA3L	TFL Top	$ 2173	36 1/16	71 15/16	28 7/8	6 3/16	51 1/2	267 lbs.	56.3
75N3672DLYA3P	75N3672DRYA3P	HPL Top	2608	36 1/16	71 15/16	28 13/16	6 3/16	51 1/2	267 lbs.	56.3

- Arc top desk is 30" deep at ends and 36" deep from the middle of the arc to the user side
- Top overhangs 6" at center
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

PRODUCT SPECIFICATIONS

- Refer to page 100 for grommet locations and page 98 for grommet options and upcharges
- Refer to pages 381-418 for accessories
- Worksurface laminate and PVC rim will feature the same color
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Grommet
4. End Panel Grommet
5. Locking
6. Worksurface Laminate
7. Chassis Laminate

SAMPLE MODEL NUMBERS:

Q75N3672DLF1L MC
75N3672DLF1L 87PL G1R GE1R KRB 480 480

- See pages 97-98 for all options available in Renegade

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

Quick Delivery—Specify MC, CW, 478 or 874/MC as worksurface/chassis combinations

SINGLE PEDESTAL DESK
FULL PEDESTAL



Left shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
LEFT PEDESTAL	RIGHT PEDESTAL									
Q75N3672DLF1L	Q75N3672DRF1L	TFL Top	$ 2068	36 1/16	71 15/16	28 7/8	6 3/16	51 1/2	311 lbs.	56.3
75N3672DLF1L	75N3672DRF1L	TFL Top	2068	36 1/16	71 15/16	28 7/8	6 3/16	51 1/2	311 lbs.	56.3
75N3672DLF1P	75N3672DRF1P	HPL Top	2481	36 1/16	71 15/16	28 15/16	6 3/16	51 1/2	311 lbs.	56.3
75N3066DLF1L	75N3066DRF1L	TFL Top	$ 2004	30 1/16	66	28 7/8	6 3/16	48 1/2	245 lbs.	44.4
75N3066DLF1P	75N3066DRF1P	HPL Top	2402	30 1/16	66	28 15/16	6 3/16	48 1/2	245 lbs.	44.4
75N3060DLF1L	75N3060DRF1L	TFL Top	$ 1815	30 1/16	60	28 7/8	6 3/16	42 1/16	221 lbs.	40.7
75N3060DLF1P	75N3060DRF1P	HPL Top	2181	30 1/16	60	28 15/16	6 3/16	42 1/16	221 lbs.	40.7
75N3048DLF1L	75N3048DRF1L	TFL Top	$ 1602	30 1/16	48	28 7/8	6 3/16	30 1/16	191 lbs.	29.5
75N3048DLF1P	75N3048DRF1P	HPL Top	1920	30 1/16	48	28 15/16	6 3/16	30 1/16	191 lbs.	29.5

- 3672 desk has 30" deep pedestals
- 3066 and 3060 desks have 24" deep pedestals
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

SINGLE PEDESTAL DESK
¾ PEDESTAL



Left shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
LEFT PEDESTAL	RIGHT PEDESTAL									
Q75N3672DLY3L	Q75N3672DRY3L	TFL Top	$ 1780	36 1/16	71 15/16	28 7/8	6 3/16	51 1/2	311 lbs.	56.3
75N3672DLY3L	75N3672DRY3L	TFL Top	1780	36 1/16	71 15/16	28 7/8	6 3/16	51 1/2	311 lbs.	56.3
75N3672DLY3P	75N3672DRY3P	HPL Top	2131	36 1/16	71 15/16	28 15/16	6 3/16	51 1/2	311 lbs.	56.3
75N3066DLY3L	75N3066DRY3L	TFL Top	$ 1538	30 1/16	66	28 7/8	6 3/16	48 1/2	245 lbs.	44.4
75N3066DLY3P	75N3066DRY3P	HPL Top	1845	30 1/16	66	28 15/16	6 3/16	48 1/2	245 lbs.	44.4
75N3060DLY3L	75N3060DRY3L	TFL Top	$ 1532	30 1/16	60	28 7/8	6 3/16	42 1/16	221 lbs.	40.7
75N3060DLY3P	75N3060DRY3P	HPL Top	1838	30 1/16	60	28 15/16	6 3/16	42 1/16	221 lbs.	40.7
75N3048DLY3L	75N3048DRY3L	TFL Top	$ 1376	30 1/16	48	28 7/8	6 3/16	30 1/16	191 lbs.	29.5
75N3048DLY3P	75N3048DRY3P	HPL Top	1650	30 1/16	48	28 15/16	6 3/16	30 1/16	191 lbs.	29.5

- 3672 desk has 30" deep pedestals
- 3066 and 3060 desks have 24" deep pedestals
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

RENEGADE

PRODUCT SPECIFICATIONS

- Refer to page 100 for grommet locations and page 98 for grommet options and upcharges
- Refer to pages 381-418 for accessories
- Worksurface laminate and PVC rim will feature the same color
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List

TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Worksurface Laminate
4. Chassis Laminate

SAMPLE MODEL NUMBER:

75N3672DUL G1L MH MH

- See pages 97-98 for all options available in Renegade

U-SHAPED DESK
WORKSURFACE HEIGHT
END PANEL



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
75N3672DUL	TFL Top	$ 1128	36 1/16	71 15/16	28 7/8	–	–	135 lbs.	8.7
75N3672DUP	HPL Top	1352	36 1/16	71 15/16	28 13/16	–	–	135 lbs.	8.7
75N3072DUL	TFL Top	$ 1081	30 1/16	71 15/16	28 7/8	–	–	130 lbs.	8.5
75N3072DUP	HPL Top	1300	30 1/16	71 15/16	28 13/16	–	–	130 lbs.	8.5
75N3066DUL	TFL Top	$ 1027	30 1/16	66	28 7/8	–	–	100 lbs.	6.3
75N3066DUP	HPL Top	1231	30 1/16	66	28 13/16	–	–	100 lbs.	6.3
75N3060DUL	TFL Top	$ 981	30 1/16	60	28 7/8	–	–	95 lbs.	6.3
75N3060DUP	HPL Top	1178	30 1/16	60	28 13/16	–	–	95 lbs.	6.3
75N2466DUL	TFL Top	$ 909	24	66	28 7/8	–	–	95 lbs.	6.3
75N2466DUP	HPL Top	1090	24	66	28 13/16	–	–	95 lbs.	6.3
75N2460DUL	TFL Top	$ 864	24	60	28 7/8	–	–	90 lbs.	6.3
75N2460DUP	HPL Top	1038	24	60	28 13/16	–	–	90 lbs.	6.3
75N2448DUL	TFL Top	$ 821	24	48	28 7/8	–	–	85 lbs.	6.0
75N2448DUP	HPL Top	983	24	48	28 13/16	–	–	85 lbs.	6.0

- Not recommended as a freestanding unit
- Support base must be ordered separately; see page 22 for models
- Some assembly required

PRODUCT SPECIFICATIONS

- Refer to page 100 for grommet locations and page 98 for grommet options and upcharges
- Refer to pages 381-418 for accessories
- Worksurface laminate and PVC rim will feature the same color
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List

TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Worksurface Laminate
4. Chassis Laminate

SAMPLE MODEL NUMBER:

75N3672DUFL X MH MH

- See pages 97-98 for all options available in Renegade

U-SHAPED DESK
BOX/FILE HEIGHT END PANEL



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
75N3672DUHL	TFL Top	$ 1128	36 1/16	71 15/16	28 7/8	–	–	135 lbs.	8.7
75N3672DUHP	HPL Top	1352	36 1/16	71 15/16	28 15/16	–	–	135 lbs.	8.7
75N3072DUHL	TFL Top	$ 1081	30 1/16	71 15/16	28 7/8	–	–	130 lbs.	8.5
75N3072DUHP	HPL Top	1300	30 1/16	71 15/16	28 15/16	–	–	130 lbs.	8.5
75N3066DUHL	TFL Top	$ 1027	30 1/16	66	28 7/8	–	–	100 lbs.	6.3
75N3066DUHP	HPL Top	1231	30 1/16	66	28 15/16	–	–	100 lbs.	6.3
75N3060DUHL	TFL Top	$ 981	30 1/16	60	28 7/8	–	–	95 lbs.	6.3
75N3060DUHP	HPL Top	1178	30 1/16	60	28 15/16	–	–	95 lbs.	6.3
75N2466DUHL	TFL Top	$ 909	24	66	28 7/8	–	–	95 lbs.	6.3
75N2466DUHP	HPL Top	1090	24	66	28 15/16	–	–	95 lbs.	6.3
75N2460DUHL	TFL Top	$ 864	24	60	28 7/8	–	–	90 lbs.	6.3
75N2460DUHP	HPL Top	1038	24	60	28 15/16	–	–	90 lbs.	6.3

- Unit is not freestanding and must be used with any Box/File Height Freestanding Shell or Box/File Height Credenza Shell
- Box/File height end panel is 5 3/16" H
- Support base must be ordered separately; see page 22 for models
- Some assembly required

U-SHAPED DESK
WITH MODESTY PANEL



75N3672DUFL	TFL Top	$ 1342	36 1/16	71 15/16	28 7/8	14 1/16	–	155 lbs.	8.6
75N3672DUFP	HPL Top	1613	36 1/16	71 15/16	28 15/16	14 1/16	–	155 lbs.	8.6
75N3066DUFL	TFL Top	$ 1298	30 1/16	66	28 7/8	14 1/16	–	120 lbs.	6.5
75N3066DUFP	HPL Top	1558	30 1/16	66	28 15/16	14 1/16	–	120 lbs.	6.5
75N3060DUFL	TFL Top	$ 1231	30 1/16	60	28 7/8	14 1/16	–	115 lbs.	6.5
75N3060DUFP	HPL Top	1481	30 1/16	60	28 15/16	14 1/16	–	115 lbs.	6.5

- Not recommended as a freestanding unit
- Support base must be ordered separately; see page 22 for models
- Some assembly required

RENEGADE

PRODUCT SPECIFICATIONS

- Refer to page 100 for grommet locations and page 98 for grommet options and upcharges
- Refer to pages 381-418 for accessories
- Worksurface laminate and PVC rim will feature the same color
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List

TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Worksurface Laminate
4. Chassis Laminate

SAMPLE MODEL NUMBERS:

75N3072DPLL X 405 MH
75N3072DPLFL G1R 419 MC

- See pages 97-98 for all options available in Renegade

P-SHAPED DESK WORKSURFACE HEIGHT END PANEL



Left shown

LEFT P	RIGHT P		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
75N3072DPLL	75N3072DPRL	TFL Top	$ 1316	30 1/16	71 15/16	28 7/16	–	–	110 lbs.	9.3
75N3072DPLP	75N3072DPRP	HPL Top	1577	30 1/16	71 15/16	28 15/16	–	–	110 lbs.	9.3
75N3066DPLL	75N3066DPRL	TFL Top	$ 1271	30 1/16	66	28 7/16	–	–	100 lbs.	8.8
75N3066DPLP	75N3066DPRP	HPL Top	1524	30 1/16	66	28 15/16	–	–	100 lbs.	8.8
75N3060DPLL	75N3060DPRL	TFL Top	$ 1217	30 1/16	60	28 7/16	–	–	94 lbs.	8.0
75N3060DPLP	75N3060DPRP	HPL Top	1459	30 1/16	60	28 15/16	–	–	94 lbs.	8.0

- Not recommended as a freestanding unit
- Support base must be ordered separately; see page 22 for models
- Some assembly required
- Only grommet options (G1R and CUT-G17R) available on left P
- Only grommet options (G1L and CUT-G17L) available on right P

P-SHAPED DESK BOX/FILE HEIGHT END PANEL



Left shown

LEFT P	RIGHT P		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
75N3072DPHLL	75N3072DPHRL	TFL Top	$ 1316	30 1/16	71 15/16	28 7/16	–	–	110 lbs.	9.3
75N3072DPHLP	75N3072DPHRP	HPL Top	1577	30 1/16	71 15/16	28 15/16	–	–	110 lbs.	9.3
75N3066DPHLL	75N3066DPHRL	TFL Top	$ 1271	30 1/16	66	28 7/16	–	–	100 lbs.	8.8
75N3066DPHLP	75N3066DPHRP	HPL Top	1524	30 1/16	66	28 15/16	–	–	100 lbs.	8.8
75N3060DPHLL	75N3060DPHRL	TFL Top	$ 1217	30 1/16	60	28 7/16	–	–	94 lbs.	8.0
75N3060DPHLP	75N3060DPHRP	HPL Top	1459	30 1/16	60	28 15/16	–	–	94 lbs.	8.0

- Unit is not freestanding and must be used with any Box/File Height Freestanding Shell or Box/File Height Credenza Shell
- Box/File height end panel is 5 3/16" H
- Support base must be ordered separately; see page 22 for models
- Some assembly required
- Only grommet options (G1R and CUT-G17R) available on left P
- Only grommet options (G1L and CUT-G17L) available on right P

P-SHAPED DESK WITH MODESTY PANEL



Left shown

LEFT P	RIGHT P		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
75N3072DPLFL	75N3072DPRFL	TFL Top	$ 1405	30 1/16	71 15/16	28 7/16	14 1/16	–	130 lbs.	8.8
75N3072DPLFP	75N3072DPRFP	HPL Top	1684	30 1/16	71 15/16	28 15/16	14 1/16	–	130 lbs.	8.8
75N3066DPLFL	75N3066DPRFL	TFL Top	$ 1357	30 1/16	66	28 7/16	14 1/16	–	125 lbs.	8.5
75N3066DPLFP	75N3066DPRFP	HPL Top	1629	30 1/16	66	28 15/16	14 1/16	–	125 lbs.	8.5
75N3060DPLFL	75N3060DPRFL	TFL Top	$ 1305	30 1/16	60	28 7/16	14 1/16	–	115 lbs.	8.0
75N3060DPLFP	75N3060DPRFP	HPL Top	1568	30 1/16	60	28 15/16	14 1/16	–	115 lbs.	8.0

- Not recommended as a freestanding unit
- Support base must be ordered separately; see page 22 for models
- Some assembly required
- Only grommet options (G1R and CUT-G17R) available on left P
- Only grommet options (G1L and CUT-G17L) available on right P

PRODUCT SPECIFICATIONS

- Refer to page 100 for grommet locations and page 98 for grommet options and upcharges
- Refer to pages 381-418 for accessories
- Worksurface laminate and PVC rim will feature the same color
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List

TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. End Panel Grommet
4. Worksurface Laminate
5. Chassis Laminate

SAMPLE MODEL NUMBERS:

75N4272DJLEL X 461 MC
75N4242CFS2L G1C TF 462

- See pages 97-98 for all options available in Renegade

J-SHAPED DESK
WORKSURFACE HEIGHT
END PANEL



Left shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
LEFT J	**RIGHT J**									
75N4272DJLEL	75N4272DJREL	TFL Top	$ 1370	42	71 15/16	28⅞	–	–	104 lbs.	11.5
75N4272DJLEP	75N4272DJREP	HPL Top	1642	42	71 15/16	28 15/16	–	–	104 lbs.	11.5

- Not recommended as a freestanding unit
- Support base must be ordered separately; see page 22 for models
- Some assembly required
- Only grommet options (G1R and CUT-G17R) available on left J
- Only grommet options (G1L and CUT-G17L) available on right J
- Intended to hook up to a 21" deep unit

CORNER UNIT



75N4242CFS2L	TFL Top	$ 1264	42 1/16	42 1/16	28⅞	–	–	145 lbs.	6.0
75N4242CFS2P	HPL Top	1516	42 1/16	42 1/16	28⅞	–	–	145 lbs.	6.0

- Intended to hook up to a 24" deep worksurface
- Not intended to be used as a freestanding unit
- Only grommet options (G1C and CUT-G17C) available
- End panel grommets not available
- 25 9/16" from point-to-point on user side
- Assembly required

75N4242CFS1L	TFL Top	$ 1224	42 1/16	42 1/16	28⅞	–	–	145 lbs.	6.0
75N4242CFS1P	HPL Top	1470	42 1/16	42 1/16	28 15/16	–	–	145 lbs.	6.0
75N3636CFS1L	TFL Top	$ 1085	36 1/16	36 1/16	28⅞	–	–	125 lbs.	5.5
75N3636CFS1P	HPL Top	1304	36 1/16	36 1/16	28 15/16	–	–	125 lbs.	5.5

- Intended to hook up to a 21" deep worksurface
- Not intended to be used as a freestanding unit
- Only grommet options (G1C and CUT-G17C) available
- End panel grommets not available
- 29¾" from point-to-point on user side of 4242
- 21 9/16" from point-to-point on user side of 3636
- Assembly required

RENEGADE

PRODUCT SPECIFICATIONS

- Refer to page 100 for grommet locations and page 98 for grommet options and upcharges
- Refer to pages 381-418 for accessories
- Worksurface laminate and PVC rim will feature the same color
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List

TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. End Panel Grommet
4. Worksurface Laminate
5. Chassis Laminate

SAMPLE MODEL NUMBERS:

75N3666CFEL2P G1A GE1L TF TF
75N3672CFENL2L G1L TF TF

- See pages 97-98 for all options available in Renegade

EXTENDED CORNER UNIT FULL END PANEL/ NARROW END PANEL



Left shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
LEFT EXTENDED	**RIGHT EXTENDED**									
75N3672CFEL2L	75N3672CFER2L	TFL Top	$ 1508	35 13/16	72	28 7/8	–	–	165 lbs.	8.0
75N3672CFEL2P	75N3672CFER2P	HPL Top	1805	35 13/16	72	28 15/16	–	–	165 lbs.	8.0
75N3666CFEL2L	75N3666CFER2L	TFL Top	$ 1477	35 13/16	66	28 7/8	–	–	158 lbs.	7.0
75N3666CFEL2P	75N3666CFER2P	HPL Top	1772	35 13/16	66	28 15/16	–	–	158 lbs.	7.0

- Intended to hook up to a 24" deep worksurface
- Not intended to be used as a freestanding unit
- End panel grommet GE1L available on left extended corner units and GE1R available on right extended corner units
- Unit features 1 full end panel on the extended side and 1 narrow support panel on the corner unit side
- Unit features undersurface corner shelf for added storage
- Assembly required

75N3672CFEL1L	75N3672CFER1L	TFL Top	$ 1436	35 13/16	72	28 7/8	–	–	165 lbs.	8.0
75N3672CFEL1P	75N3672CFER1P	HPL Top	1724	35 13/16	72	28 15/16	–	–	165 lbs.	8.0
75N3666CFEL1L	75N3666CFER1L	TFL Top	$ 1405	35 13/16	66	28 7/8	–	–	158 lbs.	7.0
75N3666CFEL1P	75N3666CFER1P	HPL Top	1684	35 13/16	66	28 15/16	–	–	158 lbs.	7.0

- Intended to hook up to a 21" deep worksurface
- Not intended to be used as a freestanding unit
- End panel grommet GE1L available on left extended corner units and GE1R available on right extended corner units
- Unit features 1 full end panel on the extended side and 1 narrow support panel on the corner unit side
- Unit features undersurface corner shelf for added storage
- Assembly required

EXTENDED CORNER UNIT NARROW END PANEL/ NARROW END PANEL



Left shown

LEFT EXTENDED	**RIGHT EXTENDED**									
75N3672CFENL2L	75N3672CFENR2L	TFL Top	$ 1458	35 13/16	72	28 7/8	–	–	165 lbs.	8.0
75N3672CFENL2P	75N3672CFENR2P	HPL Top	1749	35 13/16	72	28 15/16	–	–	165 lbs.	8.0
75N3666CFENL2L	75N3666CFENR2L	TFL Top	$ 1426	35 13/16	66	28 7/8	–	–	158 lbs.	7.0
75N3666CFENL2P	75N3666CFENR2P	HPL Top	1711	35 13/16	66	28 15/16	–	–	158 lbs.	7.0

- Intended to hook up to a 24" deep worksurface
- Not intended to be used as a freestanding unit; must have linkable shell attached to both sides
- Unit comes with 2 narrow support panels
- End panel grommets not available
- Unit features undersurface corner shelf for added storage
- Assembly required

75N3672CFENL1L	75N3672CFENR1L	TFL Top	$ 1417	35 13/16	72	28 7/8	–	–	165 lbs.	8.0
75N3672CFENL1P	75N3672CFENR1P	HPL Top	1697	35 13/16	72	28 15/16	–	–	165 lbs.	8.0
75N3666CFENL1L	75N3666CFENR1L	TFL Top	$ 1385	35 13/16	66	28 7/8	–	–	158 lbs.	7.0
75N3666CFENL1P	75N3666CFENR1P	HPL Top	1664	35 13/16	66	28 15/16	–	–	158 lbs.	7.0

- Intended to hook up to a 21" deep worksurface
- Not intended to be used as a freestanding unit; must have linkable shell attached to both sides
- Unit comes with 2 narrow support panels
- End panel grommets not available
- Unit features undersurface corner shelf for added storage
- Assembly required

PRODUCT SPECIFICATIONS

- Refer to page 100 for grommet locations and page 98 for grommet options and upcharges
- Refer to pages 381-418 for accessories
- Worksurface laminate and PVC rim will feature the same color
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List

TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. End Panel Grommet
4. Worksurface Laminate
5. Chassis Laminate

SAMPLE MODEL NUMBER:

75N2573DSTFL X PB PB

- See pages 97-98 for all options available in Renegade

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
RECEPTION MAIN SHELL	75N2573DSTFL	TFL Top	$ 2075	25⁵⁄₁₆	73⁷⁄₁₆	41½	—	69½	230 lbs.	8.0
	75N2573DSTFP	HPL Top	2489	25⁵⁄₁₆	73⁷⁄₁₆	41½	—	69½	230 lbs.	8.0



- Includes reception counter; counter is 15⁵⁄₁₆" D
- Only grommet options (G1L, G1R, G1LR, CUT-G17L, CUT-G17R, and CUT-G17LR) available
- End panel grommets not available
- Unit is non handed; can be used left or right to configure as a reception desk L-station or as a desk and credenza on a reception U-station
- 23" deep undersurface shell pedestals can be ordered for storage; see pages 131-132
- Assembly required
- Worksurface dimensions 24¼" D, 69½" W
- For tack board options, see pages 413-418

RECEPTION BRIDGE	75N2568BSTFL	TFL Top	$ 825	24⅜	67¾	41½	—	48	260 lbs.	7.0
	75N2568BSTFP	HPL Top	989	24⅜	67¾	41½	—	48	260 lbs.	7.0



- Includes reception counter; counter is 15⁵⁄₁₆" D
- Specify reception bridge with 2 reception main shells to configure a U-station
- Only grommet options (G1C and CUT-G17C) available
- Assembly required
- Worksurface dimensions 23⅜" D, 48" W
- Woodgrain on worksurfaces runs front-to-back
- For tack board options, see pages 413-418

	LEFT RETURN	RIGHT RETURN								
RECEPTION RETURN SHELL	75N2550RSTFLL	75N2550RSTFRL	TFL Top	$ 1304	24⅜	50⅜	40⅜	—	48	175 lbs.	6.0
	75N2550RSTFLP	75N2550RSTFRP	HPL Top	1566	24⅜	50⅜	40⅜	—	48	175 lbs.	6.0



Left shown

- Use with reception main shell to configure a reception L-station
- 23" deep undersurface shell pedestals can be ordered for storage; see pages 131-132
- End panel grommets not available
- Assembly required
- Woodgrain on worksurfaces runs front-to-back

RENEGADE

PRODUCT SPECIFICATIONS

- Refer to page 100 for grommet locations and page 98 for grommet options and upcharges
- Refer to pages 381-418 for accessories
- Worksurface laminate and PVC rim will feature the same color
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Grommet
4. End Panel Grommet
5. Locking
6. Worksurface Laminate
7. Chassis Laminate

SAMPLE MODEL NUMBERS:

Q75N2448RLF2L	MC					
75N2448RLF2L	88MB	X	X	KRB	405	TF
Q75N2448RLY3L	MC					
75N2448RLY3L	88MB	G1L	GE1L	KS1B	MC	MC

• See pages 97-98 for all options available in Renegade

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

Quick Delivery—Specify MC, CW, 478 or 874/MC as worksurface/chassis combinations

RETURN FILE/FILE FULL PEDESTAL



Left shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
LEFT RETURN	**RIGHT RETURN**									
Q75N2448RLF2L	Q75N2448RRF2L	TFL Top	$ 1544	24	48 1/16	28 7/8	–	31 13/16	175 lbs.	27.6
75N2448RLF2L	75N2448RRF2L	TFL Top	1504	24	48 1/16	28 7/8	–	31 13/16	175 lbs.	27.6
75N2448RLF2P	75N2448RRF2P	HPL Top	1803	24	48 1/16	28 15/16	–	31 13/16	175 lbs.	27.6
Q75N2442RLF2L	Q75N2442RRF2L	TFL Top	$ 1481	24	42 1/16	28 7/8	–	25 13/16	166 lbs.	24.5
75N2442RLF2L	75N2442RRF2L	TFL Top	1441	24	42 1/16	28 7/8	–	25 13/16	166 lbs.	24.5
75N2442RLF2P	75N2442RRF2P	HPL Top	1729	24	42 1/16	28 15/16	–	25 13/16	166 lbs.	24.5
75N2148RLF2L	75N2148RRF2L	TFL Top	$ 1432	21	48 1/16	28 7/8	–	31 13/16	175 lbs.	27.6
75N2148RLF2P	75N2148RRF2P	HPL Top	1722	21	48 1/16	28 15/16	–	31 13/16	175 lbs.	27.6
75N2142RLF2L	75N2142RRF2L	TFL Top	$ 1395	21	42 1/16	28 7/8	–	25 13/16	166 lbs.	24.5
75N2142RLF2P	75N2142RRF2P	HPL Top	1678	21	42 1/16	28 15/16	–	25 13/16	166 lbs.	24.5

- End panel grommet GE1L available on left pedestal units and GE1R available on right pedestal units
- Woodgrain on worksurfaces runs front-to-back
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

RETURN BOX/FILE ¾ PEDESTAL



Left shown

LEFT RETURN	**RIGHT RETURN**									
Q75N2448RLY3L	Q75N2448RRY3L	TFL Top	$ 1338	24	48 1/16	28 7/8	–	31 13/16	175 lbs.	27.6
75N2448RLY3L	75N2448RRY3L	TFL Top	1298	24	48 1/16	28 7/8	–	31 13/16	175 lbs.	27.6
75N2448RLY3P	75N2448RRY3P	HPL Top	1558	24	48 1/16	28 15/16	–	31 13/16	175 lbs.	27.6
Q75N2442RLY3L	Q75N2442RRY3L	TFL Top	$ 1272	24	42 1/16	28 7/8	–	25 13/16	166 lbs.	24.5
75N2442RLY3L	75N2442RRY3L	TFL Top	1232	24	42 1/16	28 7/8	–	25 13/16	166 lbs.	24.5
75N2442RLY3P	75N2442RRY3P	HPL Top	1482	24	42 1/16	28 15/16	–	25 13/16	166 lbs.	24.5
75N2148RLY3L	75N2148RRY3L	TFL Top	$ 1224	21	48 1/16	28 7/8	–	31 13/16	175 lbs.	27.6
75N2148RLY3P	75N2148RRY3P	HPL Top	1470	21	48 1/16	28 15/16	–	31 13/16	175 lbs.	27.6
75N2142RLY3L	75N2142RRY3L	TFL Top	$ 1189	21	42 1/16	28 7/8	–	25 13/16	166 lbs.	24.5
75N2142RLY3P	75N2142RRY3P	HPL Top	1427	21	42 1/16	28 15/16	–	25 13/16	166 lbs.	24.5

- End panel grommet GE1L available on left pedestal units and GE1R available on right pedestal units
- Woodgrain on worksurfaces runs front-to-back
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

PRODUCT SPECIFICATIONS

- Refer to page 100 for grommet locations and page 98 for grommet options and upcharges
- Refer to pages 381-418 for accessories
- Worksurface laminate and PVC rim will feature the same color
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List

TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. End Panel Grommet
4. Worksurface Laminate
5. Chassis Laminate

SAMPLE MODEL NUMBER:

75N2448RSLL G1C GE1L MH MH

- See pages 97-98 for all options available in Renegade

RETURN SHELL



Left shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
LEFT RETURN	RIGHT RETURN									
75N2448RSLL	75N2448RSRL	TFL Top	$ 902	24	48 1/16	28 7/8	–	–	92 lbs.	4.3
75N2448RSLP	75N2448RSRP	HPL Top	1080	24	48 1/16	28 15/16	–	–	92 lbs.	4.3
75N2442RSLL	75N2442RSRL	TFL Top	$ 824	24	42 1/16	28 7/8	–	–	82 lbs.	3.8
75N2442RSLP	75N2442RSRP	HPL Top	987	24	42 1/16	28 15/16	–	–	82 lbs.	3.8
75N2148RSLL	75N2148RSRL	TFL Top	$ 811	21	48 1/16	28 7/8	–	–	86 lbs.	4.3
75N2148RSLP	75N2148RSRP	HPL Top	972	21	48 1/16	28 15/16	–	–	86 lbs.	4.3
75N2142RSLL	75N2142RSRL	TFL Top	$ 748	21	42 1/16	28 7/8	–	–	75 lbs.	3.8
75N2142RSLP	75N2142RSRP	HPL Top	895	21	42 1/16	28 15/16	–	–	75 lbs.	3.8

- Assembly required
- End panel grommet GE1L available on left units and GE1R available on right units
- Woodgrain on worksurfaces runs front-to-back

RENEGADE

PRODUCT SPECIFICATIONS

- Refer to page 100 for grommet locations and page 98 for grommet options and upcharges
- Refer to pages 381-418 for accessories
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List

TO ORDER, SPECIFY:

1. Model Number
2. Grommet

SAMPLE MODEL NUMBERS:

Q75N2448BEFL MC
75N2442BEFP G1C CW CW

- See pages 97-98 for all options available in Renegade

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

BRIDGE



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
Q75N2448BEFL	TFL Top	$ 724	24	48 1/16	28 7/8	–	–	80 lbs.	4.1
75N2448BEFL	TFL Top	684	24	48 1/16	28 7/8	–	–	80 lbs.	4.1
75N2448BEFP	HPL Top	823	24	48 1/16	28 13/16	–	–	80 lbs.	4.1
Q75N2442BEFL	TFL Top	$ 671	24	42 1/16	28 7/8	–	–	72 lbs.	3.7
75N2442BEFL	TFL Top	631	24	42 1/16	28 7/8	–	–	72 lbs.	3.7
75N2442BEFP	HPL Top	758	24	42 1/16	28 13/16	–	–	72 lbs.	3.7
75N2436BEFL	TFL Top	$ 559	24	36	28 7/8	–	–	69 lbs.	3.5
75N2436BEFP	HPL Top	671	24	36	28 13/16	–	–	69 lbs.	3.5
75N2148BEFL	TFL Top	$ 617	21	48 1/16	28 7/8	–	–	80 lbs.	4.1
75N2148BEFP	HPL Top	739	21	48 1/16	28 13/16	–	–	80 lbs.	4.1
75N2142BEFL	TFL Top	$ 551	21	42 1/16	28 7/8	–	–	72 lbs.	3.7
75N2142BEFP	HPL Top	661	21	42 1/16	28 13/16	–	–	72 lbs.	3.7
75N2136BEFL	TFL Top	$ 539	21	36	28 7/8	–	–	69 lbs.	3.5
75N2136BEFP	HPL Top	647	21	36	28 13/16	–	–	69 lbs.	3.5

- Assembly required
- Only grommet options (G1C and CUT-G17C) available
- Woodgrain on worksurfaces runs front-to-back

PRODUCT SPECIFICATIONS

- Refer to page 100 for grommet locations and page 98 for grommet options and upcharges
- Refer to pages 381-418 for accessories
- Worksurface laminate and PVC rim will feature the same color
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Grommet
4. End Panel Grommet
5. Locking
6. Worksurface Laminate
7. Chassis Laminate

SAMPLE MODEL NUMBER:

75N2472CSF2L 86 G1C G1LR KS3B MH MH

- See pages 97-98 for all options available in Renegade

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

Quick Delivery—Specify MC, CW, 478 or 874/MC as worksurface/chassis combinations

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
STORAGE CREDENZA FULL PEDESTAL	Q75N2472CSF2L	TFL Top	$ 2898	24	71 15/16	28⅞	–	–	346 lbs.	39.8
	75N2472CSF2L	TFL Top	2818	24	71 15/16	28⅞	–	–	346 lbs.	39.8
	75N2472CSF2P	HPL Top	3489	24	71 15/16	28 15/16	–	–	346 lbs.	39.8
	75N2466CSF2L	TFL Top	$ 2756	24	66	28⅞	–	–	334 lbs.	32.7
	75N2466CSF2P	HPL Top	3303	24	66	28 15/16	–	–	334 lbs.	32.7
	75N2172CSF2L	TFL Top	$ 2734	21	71 15/16	28⅞	–	–	346 lbs.	39.8
	75N2172CSF2P	HPL Top	3282	21	71 15/16	28 15/16	–	–	346 lbs.	39.8
	75N2166CSF2L	TFL Top	$ 2507	21	66	28⅞	–	–	334 lbs.	32.7
	75N2166CSF2P	HPL Top	3010	21	66	28 15/16	–	–	334 lbs.	32.7

- 72" unit features an adjustable shelf (14" deep, 33⅜" wide, and ¾" thick)
- 66" unit features an adjustable shelf (14" deep, 27⅜" wide, and ¾" thick)
- Random lock core (KRB, KRS) and specified lock core (KS3B, KS3S) available

STORAGE CREDENZA ¾ PEDESTAL	Q75N2472CSY3L	TFL Top	$ 2715	24	71 15/16	28⅞	–	–	346 lbs.	39.8
	75N2472CSY3L	TFL Top	2635	24	71 15/16	28⅞	–	–	346 lbs.	39.8
	75N2472CSY3P	HPL Top	3273	24	71 15/16	28 15/16	–	–	346 lbs.	39.8
	75N2466CSY3L	TFL Top	$ 2472	24	66	28⅞	–	–	334 lbs.	32.7
	75N2466CSY3P	HPL Top	2966	24	66	28 15/16	–	–	334 lbs.	32.7
	75N2172CSY3L	TFL Top	$ 2460	21	71 15/16	28⅞	–	–	346 lbs.	39.8
	75N2172CSY3P	HPL Top	2948	21	71 15/16	28 15/16	–	–	346 lbs.	39.8
	75N2166CSY3L	TFL Top	$ 2308	21	66	28⅞	–	–	334 lbs.	32.7
	75N2166CSY3P	HPL Top	2767	21	66	28 15/16	–	–	334 lbs.	32.7

- 72" unit features an adjustable shelf (14" deep, 33⅜" wide, and ¾" thick)
- 66" unit features an adjustable shelf (14" deep, 27⅜" wide, and ¾" thick)
- Random lock core (KRB, KRS) and specified lock core (KS3B, KS3S) available

BUFFET CREDENZA	75N2472CBL	TFL Top	$ 3662	24	71 15/16	35	–	–	346 lbs.	39.8
	75N2472CBP	HPL Top	4399	24	71 15/16	35 1/16	–	–	346 lbs.	39.8

- Grommet not available
- Interior dimensions of each storage section are 21¼" D, 34½" W, 24¾" H
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Storage doors feature a standard pull with the integrated pull option

RENEGADE

PRODUCT SPECIFICATIONS

- Refer to page 100 for grommet locations and page 98 for grommet options and upcharges
- Refer to pages 381-418 for accessories
- Worksurface laminate and PVC rim will feature the same color
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Grommet
4. End Panel Grommet
5. Locking
6. Worksurface Laminate
7. Chassis Laminate

SAMPLE MODEL NUMBERS:

Q75N2472CKF2L MC
75N2474CSF6L 87CC X X KRB PB PB

- See pages 97-98 for all options available in Renegade

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

Quick Delivery—Specify MC, CW, 478 or 874/MC as worksurface/chassis combinations

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
LATERAL FILE CREDENZA	75N2474CFF6L	TFL Top	$ 3058	24	74	28⅞	—	—	346 lbs.	39.8
	75N2474CFF6P	HPL Top	3662	24	74	28 15/16	—	—	346 lbs.	39.8
	75N2174CFF6L	TFL Top	$ 2993	21	74	28⅞	—	—	346 lbs.	39.8
	75N2174CFF6P	HPL Top	3593	21	74	28 15/16	—	—	346 lbs.	39.8
	• Only grommet options (G1L, G1R, G1LR, CUT-G17L, CUT-G17R, and CUT-G17LR) available • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available									
STORAGE CREDENZA LATERAL FILE/DOUBLE DOOR	75N2474CSF6L	TFL Top	$ 2797	24	74	28⅞	—	—	346 lbs.	39.8
	75N2474CSF6P	HPL Top	3358	24	74	28 15/16	—	—	346 lbs.	39.8
	75N2174CSF6L	TFL Top	$ 2734	21	74	28⅞	—	—	346 lbs.	39.8
	75N2174CSF6P	HPL Top	3282	21	74	28 15/16	—	—	346 lbs.	39.8
	• Only grommet options (G1L, G1R, G1LR, CUT-G17L, CUT-G17R, and CUT-G17LR) available • Features 1 adjustable shelf • Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available									
KNEESPACE CREDENZA FULL PEDESTAL	Q75N2472CKF2L	TFL Top	$ 2653	24	71 15/16	28⅞	—	33½	279 lbs.	39.8
	75N2472CKF2L	TFL Top	2613	24	71 15/16	28⅞	—	33½	279 lbs.	39.8
	75N2472CKF2P	HPL Top	3188	24	71 15/16	28 15/16	—	33½	279 lbs.	39.8
	75N2466CKF2L	TFL Top	$ 2549	24	66	28⅞	—	33½	267 lbs.	32.7
	75N2466CKF2P	HPL Top	3060	24	66	28 15/16	—	33½	267 lbs.	32.7
	75N2460CKF2L	TFL Top	$ 2541	24	60	28⅞	—	27 9/16	256 lbs.	33.7
	75N2460CKF2P	HPL Top	3049	24	60	28 15/16	—	27 9/16	256 lbs.	33.7
	75N2172CKF2L	TFL Top	$ 2533	21	71 15/16	28⅞	—	33½	279 lbs.	39.8
	75N2172CKF2P	HPL Top	3043	21	71 15/16	28 15/16	—	33½	279 lbs.	39.8
	75N2166CKF2L	TFL Top	$ 2508	21	66	28⅞	—	33½	267 lbs.	32.7
	75N2166CKF2P	HPL Top	3012	21	66	28 15/16	—	33½	267 lbs.	32.7
	75N2160CKF2L	TFL Top	$ 2497	21	60	28⅞	—	27 9/16	256 lbs.	33.7
	75N2160CKF2P	HPL Top	2995	21	60	28 15/16	—	27 9/16	256 lbs.	33.7
	• Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available									

PRODUCT SPECIFICATIONS

- Refer to page 100 for grommet locations and page 98 for grommet options and upcharges
- Refer to pages 381-418 for accessories
- Worksurface laminate and PVC rim will feature the same color
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Grommet
4. End Panel Grommet
5. Locking
6. Worksurface Laminate
7. Chassis Laminate

SAMPLE MODEL NUMBER:

75N2472CKY3L 86 X X KRS 874 MC

- See pages 97-98 for all options available in Renegade

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

Quick Delivery—Specify MC, CW, 478 or 874/MC as worksurface/chassis combinations

KNEESPACE CREDENZA
¾ PEDESTAL



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
Q75N2472CKY3L	TFL Top	$ 2175	24	71 15/16	28⅞	—	33½	279 lbs.	39.8
75N2472CKY3L	TFL Top	2135	24	71 15/16	28⅞	—	33½	279 lbs.	39.8
75N2472CKY3P	HPL Top	2620	24	71 15/16	28 15/16	—	33½	279 lbs.	39.8
75N2466CKY3L	TFL Top	$ 2075	24	66	28⅞	—	33½	267 lbs.	32.7
75N2466CKY3P	HPL Top	2490	24	66	28 15/16	—	33½	267 lbs.	32.7
75N2460CKY3L	TFL Top	$ 1990	24	60	28⅞	—	27 9/16	256 lbs.	33.7
75N2460CKY3P	HPL Top	2389	24	60	28 15/16	—	27 9/16	256 lbs.	33.7
75N2172CKY3L	TFL Top	$ 1955	21	71 15/16	28⅞	—	33½	279 lbs.	39.8
75N2172CKY3P	HPL Top	2345	21	71 15/16	28 15/16	—	33½	279 lbs.	39.8
75N2166CKY3L	TFL Top	$ 1926	21	66	28⅞	—	33½	267 lbs.	32.7
75N2166CKY3P	HPL Top	2310	21	66	28 15/16	—	33½	267 lbs.	32.7
75N2160CKY3L	TFL Top	$ 1880	21	60	28⅞	—	27 9/16	256 lbs.	33.7
75N2160CKY3P	HPL Top	2252	21	60	28 15/16	—	27 9/16	256 lbs.	33.7

- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

RENEGADE

PRODUCT SPECIFICATIONS

- Refer to page 100 for grommet locations and page 98 for grommet options and upcharges
- Refer to pages 381-418 for accessories
- Worksurface laminate and PVC rim will feature the same color
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Grommet
4. End Panel Grommet
5. Locking
6. Worksurface Laminate
7. Chassis Laminate

SAMPLE MODEL NUMBERS:

Q75N2472CLF2L MC
75N2472CLF2L 88PL X X KRB MH MH

- See pages 97-98 for all options available in Renegade

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

Quick Delivery—Specify MC, CW, 478 or 874/MC as worksurface/chassis combinations

SINGLE PEDESTAL CREDENZA
FILE/FILE
FULL PEDESTAL



MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
LEFT PEDESTAL	RIGHT PEDESTAL									
Q75N2472CLF2L	Q75N2472CRF2L	TFL Top	$ 2148	24	71 15/16	28 7/8	–	51½	239 lbs.	39.8
75N2472CLF2L	75N2472CRF2L	TFL Top	2068	24	71 15/16	28 7/8	–	51½	239 lbs.	39.8
75N2472CLF2P	75N2472CRF2P	HPL Top	2592	24	71 15/16	28 13/16	–	51½	239 lbs.	39.8
75N2466CLF2L	75N2466CRF2L	TFL Top	$ 2004	24	66	28 7/8	–	48½	227 lbs.	32.7
75N2466CLF2P	75N2466CRF2P	HPL Top	2402	24	66	28 13/16	–	48½	227 lbs.	32.7
75N2460CLF2L	75N2460CRF2L	TFL Top	$ 1964	24	60	28 7/8	–	42½	216 lbs.	33.7
75N2460CLF2P	75N2460CRF2P	HPL Top	2355	24	60	28 13/16	–	42½	216 lbs.	33.7
75N2172CLF2L	75N2172CRF2L	TFL Top	$ 1815	21	71 15/16	28 7/8	–	51½	239 lbs.	39.8
75N2172CLF2P	75N2172CRF2P	HPL Top	2181	21	71 15/16	28 13/16	–	51½	239 lbs.	39.8
75N2166CLF2L	75N2166CRF2L	TFL Top	$ 1786	21	66	28 7/8	–	48½	227 lbs.	32.7
75N2166CLF2P	75N2166CRF2P	HPL Top	2142	21	66	28 13/16	–	48½	227 lbs.	32.7
75N2160CLF2L	75N2160CRF2L	TFL Top	$ 1738	21	60	28 7/8	–	42½	216 lbs.	33.7
75N2160CLF2P	75N2160CRF2P	HPL Top	2083	21	60	28 13/16	–	42½	216 lbs.	33.7

- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

PRODUCT SPECIFICATIONS

- Refer to page 100 for grommet locations and page 98 for grommet options and upcharges
- Refer to pages 381-418 for accessories
- Worksurface laminate and PVC rim will feature the same color
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Grommet
4. End Panel Grommet
5. Locking
6. Worksurface Laminate
7. Chassis Laminate

SAMPLE MODEL NUMBER:

75N2472CLY3L 87MB G1C X KRB MH MH

- See pages 97-98 for all options available in Renegade

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

Quick Delivery—Specify MC, CW, 478 or 874/MC as worksurface/chassis combinations

SINGLE PEDESTAL CREDENZA BOX/FILE ¾ PEDESTAL



Left shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
LEFT PEDESTAL	RIGHT PEDESTAL									
Q75N2472CLY3L	Q75N2472CRY3L	TFL Top	$ 1887	24	71 15/16	28⅞	—	51½	239 lbs.	39.8
75N2472CLY3L	75N2472CRY3L	TFL Top	1807	24	71 15/16	28⅞	—	51½	239 lbs.	39.8
75N2472CLY3P	75N2472CRY3P	HPL Top	2285	24	71 15/16	28 15/16	—	51½	239 lbs.	39.8
75N2466CLY3L	75N2466CRY3L	TFL Top	$ 1751	24	66	28⅞	—	48½	227 lbs.	32.7
75N2466CLY3P	75N2466CRY3P	HPL Top	2100	24	66	28 15/16	—	48½	227 lbs.	32.7
75N2460CLY3L	75N2460CRY3L	TFL Top	$ 1712	24	60	28⅞	—	42½	216 lbs.	33.7
75N2460CLY3P	75N2460CRY3P	HPL Top	2056	24	60	28 15/16	—	42½	216 lbs.	33.7
75N2172CLY3L	75N2172CRY3L	TFL Top	$ 1630	21	71 15/16	28⅞	—	51½	239 lbs.	39.8
75N2172CLY3P	75N2172CRY3P	HPL Top	1957	21	71 15/16	28 15/16	—	51½	239 lbs.	39.8
75N2166CLY3L	75N2166CRY3L	TFL Top	$ 1610	21	66	28⅞	—	48½	227 lbs.	32.7
75N2166CLY3P	75N2166CRY3P	HPL Top	1932	21	66	28 15/16	—	48½	227 lbs.	32.7
75N2160CLY3L	75N2160CRY3L	TFL Top	$ 1557	21	60	28⅞	—	42½	216 lbs.	33.7
75N2160CLY3P	75N2160CRY3P	HPL Top	1863	21	60	28 15/16	—	42½	216 lbs.	33.7

- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

SINGLE PEDESTAL CREDENZA LATERAL FILE



Left shown

LEFT PEDESTAL	RIGHT PEDESTAL									
75N2472CLF6L	75N2472CRF6L	TFL Top	$ 2452	24	71 15/16	28⅞	—	33 3/16	279 lbs.	39.8
75N2472CLF6P	75N2472CRF6P	HPL Top	2944	24	71 15/16	28 15/16	—	33 3/16	279 lbs.	39.8
75N2466CLF6L	75N2466CRF6L	TFL Top	$ 2415	24	66	28⅞	—	31¼	267 lbs.	32.7
75N2466CLF6P	75N2466CRF6P	HPL Top	2897	24	66	28 15/16	—	31¼	267 lbs.	32.7
75N2172CLF6L	75N2172CRF6L	TFL Top	$ 2393	21	71 15/16	28⅞	—	33 3/16	279 lbs.	39.8
75N2172CLF6P	75N2172CRF6P	HPL Top	2872	21	71 15/16	28 15/16	—	33 3/16	279 lbs.	39.8
75N2166CLF6L	75N2166CRF6L	TFL Top	$ 2229	21	66	28⅞	—	31¼	267 lbs.	32.7
75N2166CLF6P	75N2166CRF6P	HPL Top	2673	21	66	28 15/16	—	31¼	267 lbs.	32.7

- To prevent tipping, it is recommended that cabinets be ganged together or anchored to a suitable wall or floor
- Only grommet options (G1L, G1R, G1LR, CUT-G17L, CUT-G17R, and CUT-G17LR) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

RENEGADE

PRODUCT SPECIFICATIONS

- Refer to page 100 for grommet locations and page 98 for grommet options and upcharges
- Refer to pages 381-418 for accessories
- Worksurface laminate and PVC rim will feature the same color
- Refer to pages 101-102 for typicals and thought starters for freestanding shells and linkable shells
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List

TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. End Panel Grommet
4. Worksurface Laminate
5. Chassis Laminate

SAMPLE MODEL NUMBER:

75N2472CSHF29L G1C GE1R MC MC

- See pages 97-98 for all options available in Renegade

SHELL FREESTANDING WORKSURFACE HEIGHT FULL END PANELS



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
75N3072DSFL	TFL Top	$ 1196	30 1/16	71 15/16	28 7/8	—	—	150 lbs.	4.7
75N3072DSFP	HPL Top	1434	30 1/16	71 15/16	28 13/16	—	—	150 lbs.	4.7
75N3066DSFL	TFL Top	$ 1156	30 1/16	66	28 7/8	—	—	138 lbs.	4.3
75N3066DSFP	HPL Top	1385	30 1/16	66	28 13/16	—	—	138 lbs.	4.3
75N3060DSFL	TFL Top	$ 1089	30 1/16	60	28 7/8	—	—	126 lbs.	4.0
75N3060DSFP	HPL Top	1308	30 1/16	60	28 13/16	—	—	126 lbs.	4.0
75N3048DSFL	TFL Top	$ 987	30 1/16	48	28 7/8	—	—	111 lbs.	3.3
75N3048DSFP	HPL Top	1186	30 1/16	48	28 13/16	—	—	111 lbs.	3.3
75N3042DSFL	TFL Top	$ 949	30 1/16	42	28 7/8	—	—	101 lbs.	3.0
75N3042DSFP	HPL Top	1142	30 1/16	42	28 13/16	—	—	101 lbs.	3.0
75N3036DSFL	TFL Top	$ 886	30 1/16	36	28 7/8	—	—	92 lbs.	2.8
75N3036DSFP	HPL Top	1063	30 1/16	36	28 13/16	—	—	92 lbs.	2.8
75N2472CSHF29L	TFL Top	$ 1087	24	71 15/16	28 7/8	—	—	130 lbs.	4.7
75N2472CSHF29P	HPL Top	1306	24	71 15/16	28 13/16	—	—	130 lbs.	4.7
75N2466CSHF29L	TFL Top	$ 1064	24	66	28 7/8	—	—	118 lbs.	4.3
75N2466CSHF29P	HPL Top	1274	24	66	28 13/16	—	—	118 lbs.	4.3
75N2460CSHF29L	TFL Top	$ 987	24	60	28 7/8	—	—	106 lbs.	4.0
75N2460CSHF29P	HPL Top	1186	24	60	28 13/16	—	—	106 lbs.	4.0

- Assembly required; support panel (75N1228SSL) required when kneespace area is greater than 48"
- When assembling 2-36" undersurface units under a shell, you must specify shells on page 130

PRODUCT SPECIFICATIONS

- Refer to page 100 for grommet locations and page 98 for grommet options and upcharges
- Refer to pages 381-418 for accessories
- Worksurface laminate and PVC rim will feature the same color
- Refer to pages 101-102 for typicals and thought starters for freestanding shells and linkable shells
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List

TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. End Panel Grommet
4. Worksurface Laminate
5. Chassis Laminate

SAMPLE MODEL NUMBER:

75N2436CSH F29L G1C GE1R MC MC

- See pages 97-98 for all options available in Renegade

SHELL FREESTANDING WORKSURFACE HEIGHT FULL END PANELS (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
75N2448CSHF29L	TFL Top	$ 886	24	48	28⅞	–	–	91 lbs.	3.3
75N2448CSHF29P	HPL Top	1063	24	48	28⅞	–	–	91 lbs.	3.3
75N2442CSHF29L	TFL Top	$ 851	24	42	28⅞	–	–	81 lbs.	3.0
75N2442CSHF29P	HPL Top	1018	24	42	28¹⁵⁄₁₆	–	–	81 lbs.	3.0
75N2436CSHF29L	TFL Top	$ 784	24	36	28⅞	–	–	72 lbs.	2.8
75N2436CSHF29P	HPL Top	938	24	36	28¹⁵⁄₁₆	–	–	72 lbs.	2.8
75N2172CSHF29L	TFL Top	$ 1015	21	71¹⁵⁄₁₆	28⅞	–	–	130 lbs.	4.7
75N2172CSHF29P	HPL Top	1220	21	71¹⁵⁄₁₆	28¹⁵⁄₁₆	–	–	130 lbs.	4.7
75N2166CSHF29L	TFL Top	$ 992	21	66	28⅞	–	–	118 lbs.	4.3
75N2166CSHF29P	HPL Top	1189	21	66	28¹⁵⁄₁₆	–	–	118 lbs.	4.3
75N2160CSHF29L	TFL Top	$ 912	21	60	28⅞	–	–	106 lbs.	4.0
75N2160CSHF29P	HPL Top	1098	21	60	28¹⁵⁄₁₆	–	–	106 lbs.	4.0
75N2148CSHF29L	TFL Top	$ 813	21	48	28⅞	–	–	91 lbs.	3.3
75N2148CSHF29P	HPL Top	975	21	48	28¹⁵⁄₁₆	–	–	91 lbs.	3.3
75N2142CSHF29L	TFL Top	$ 776	21	42	28⅞	–	–	81 lbs.	3.0
75N2142CSHF29P	HPL Top	933	21	42	28¹⁵⁄₁₆	–	–	81 lbs.	3.0
75N2136CSHF29L	TFL Top	$ 712	21	36	28⅞	–	–	72 lbs.	2.8
75N2136CSHF29P	HPL Top	855	21	36	28¹⁵⁄₁₆	–	–	72 lbs.	2.8

- Assembly required; support panel (75N1228SSL) required when kneespace area is greater than 48"
- When assembling 2-36" undersurface units under a shell, you must specify shells on page 130

RENEGADE

PRODUCT SPECIFICATIONS

- Refer to page 100 for grommet locations and page 98 for grommet options and upcharges
- Refer to pages 381-418 for accessories
- Worksurface laminate and PVC rim will feature the same color
- Refer to pages 101-102 for typicals and thought starters for freestanding shells and linkable shells
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List

TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. End Panel Grommet
4. Worksurface Laminate
5. Chassis Laminate

SAMPLE MODEL NUMBERS:

75N2472CSHF22L	X	X	480	HN
75N2472CSHHL29L	G1L	GE1L	TF	TF

- See pages 97-98 for all options available in Renegade

SHELL FREESTANDING WORKSURFACE HEIGHT BOX/FILE HEIGHT END PANEL



Left shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
LEFT	RIGHT									
75N2472CSHHL29L	75N2472CSHHR29L	TFL Top	$ 1087	24	71 15/16	28 7/8	–	–	120 lbs.	4.7
75N2472CSHHL29P	75N2472CSHHR29P	HPL Top	1306	24	71 15/16	28 13/16	–	–	120 lbs.	4.7
75N2466CSHHL29L	75N2466CSHHR29L	TFL Top	$ 1064	24	66	28 7/8	–	–	108 lbs.	4.3
75N2466CSHHL29P	75N2466CSHHR29P	HPL Top	1274	24	66	28 13/16	–	–	108 lbs.	4.3
75N2460CSHHL29L	75N2460CSHHR29L	TFL Top	$ 987	24	60	28 7/8	–	–	96 lbs.	4.0
75N2460CSHHL29P	75N2460CSHHR29P	HPL Top	1186	24	60	28 13/16	–	–	96 lbs.	4.0
75N2172CSHHL29L	75N2172CSHHR29L	TFL Top	$ 1015	21	71 15/16	28 7/8	–	–	120 lbs.	4.7
75N2172CSHHL29P	75N2172CSHHR29P	HPL Top	1220	21	71 15/16	28 13/16	–	–	120 lbs.	4.7
75N2166CSHHL29L	75N2166CSHHR29L	TFL Top	$ 992	21	66	28 7/8	–	–	108 lbs.	4.3
75N2166CSHHL29P	75N2166CSHHR29P	HPL Top	1189	21	66	28 13/16	–	–	108 lbs.	4.3
75N2160CSHHL29L	75N2160CSHHR29L	TFL Top	$ 912	21	60	28 7/8	–	–	96 lbs.	4.0
75N2160CSHHL29P	75N2160CSHHR29P	HPL Top	1098	21	60	28 13/16	–	–	96 lbs.	4.0

- Assembly required; support panel (75N1228SSL) required when kneespace area is greater than 48"
- Unit is not freestanding and must be used with any box/file height freestanding shell or credenza shell
- Box/file height end panel is 5 3/16" H

SHELL FREESTANDING BOX/FILE HEIGHT



75N2472CSHF22L	TFL Top	$ 908	24	71 15/16	22 9/16	–	–	120 lbs.	4.7
75N2472CSHF22P	HPL Top	1089	24	71 15/16	22 5/8	–	–	120 lbs.	4.7
75N2466CSHF22L	TFL Top	$ 884	24	66	22 9/16	–	–	108 lbs.	4.3
75N2466CSHF22P	HPL Top	1059	24	66	22 5/8	–	–	108 lbs.	4.3
75N2460CSHF22L	TFL Top	$ 806	24	60	22 9/16	–	–	96 lbs.	4.0
75N2460CSHF22P	HPL Top	970	24	60	22 5/8	–	–	96 lbs.	4.0
75N2172CSHF22L	TFL Top	$ 834	21	71 15/16	22 9/16	–	–	120 lbs.	4.7
75N2172CSHF22P	HPL Top	1003	21	71 15/16	22 5/8	–	–	120 lbs.	4.7
75N2166CSHF22L	TFL Top	$ 811	21	66	22 9/16	–	–	108 lbs.	4.3
75N2166CSHF22P	HPL Top	972	21	66	22 5/8	–	–	108 lbs.	4.3
75N2160CSHF22L	TFL Top	$ 735	21	60	22 9/16	–	–	96 lbs.	4.0
75N2160CSHF22P	HPL Top	884	21	60	22 5/8	–	–	96 lbs.	4.0

- Assembly required; support panel (75N1221SSL) required when kneespace area is greater than 48"
- Box/file height is 22 5/8" H or 22 9/16" H
- When assembling 2-36" undersurface units under a shell, you must specify shells on page 130

PRODUCT SPECIFICATIONS

- Refer to page 100 for grommet locations and page 98 for grommet options and upcharges
- Refer to pages 381-418 for accessories
- Worksurface laminate and PVC rim will feature the same color
- Refer to pages 101-102 for typicals and thought starters for freestanding shells and linkable shells
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List

TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. End Panel Grommet
4. Worksurface Laminate
5. Chassis Laminate

SAMPLE MODEL NUMBER:

75N2472RSRFJL G1L G1R CW CW

- See pages 97-98 for all options available in Renegade

LINKABLE SHELL



Left shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
LEFT SHELL	RIGHT SHELL									
75N2472RSLFJL	75N2472RSRFJL	TFL Top	$ 1047	24	71 15/16	28⅞	–	–	130 lbs.	4.7
75N2472RSLFJP	75N2472RSRFJP	HPL Top	1264	24	71 15/16	28 15/16	–	–	130 lbs.	4.7
75N2466RSLFJL	75N2466RSRFJL	TFL Top	$ 1026	24	66	28⅞	–	–	118 lbs.	4.3
75N2466RSLFJP	75N2466RSRFJP	HPL Top	1230	24	66	28 15/16	–	–	118 lbs.	4.3
75N2460RSLFJL	75N2460RSRFJL	TFL Top	$ 945	24	60	28⅞	–	–	106 lbs.	4.0
75N2460RSLFJP	75N2460RSRFJP	HPL Top	1137	24	60	28 15/16	–	–	106 lbs.	4.0
75N2448RSLFJL	75N2448RSRFJL	TFL Top	$ 849	24	48	28⅞	–	–	91 lbs.	3.3
75N2448RSLFJP	75N2448RSRFJP	HPL Top	1014	24	48	28 15/16	–	–	91 lbs.	3.3
75N2442RSLFJL	75N2442RSRFJL	TFL Top	$ 809	24	42	28⅞	–	–	81 lbs.	3.0
75N2442RSLFJP	75N2442RSRFJP	HPL Top	971	24	42	28 15/16	–	–	81 lbs.	3.0
75N2436RSLFJL	75N2436RSRFJL	TFL Top	$ 747	24	36	28⅞	–	–	72 lbs.	2.8
75N2436RSLFJP	75N2436RSRFJP	HPL Top	892	24	36	28 15/16	–	–	72 lbs.	2.8
75N2430RSLFJL	75N2430RSRFJL	TFL Top	$ 690	24	30	28⅞	–	–	66 lbs.	2.6
75N2430RSLFJP	75N2430RSRFJP	HPL Top	827	24	30	28 15/16	–	–	66 lbs.	2.6
75N2172RSLFJL	75N2172RSRFJL	TFL Top	$ 976	21	71 15/16	28⅞	–	–	130 lbs.	4.7
75N2172RSLFJP	75N2172RSRFJP	HPL Top	1172	21	71 15/16	28 15/16	–	–	130 lbs.	4.7
75N2166RSLFJL	75N2166RSRFJL	TFL Top	$ 971	21	66	28⅞	–	–	118 lbs.	4.3
75N2166RSLFJP	75N2166RSRFJP	HPL Top	1165	21	66	28 15/16	–	–	118 lbs.	4.3

- Assembly required; support panel (75N1228SSL) required when kneespace area is greater than 48"
- End panel grommet GE1L available on left shell units and GE1R available on right shell units
- Linkable shell comes with 1 full panel and 1 narrow panel. Unit can be reconfigured to left or right in the field.
- Not a freestanding unit

RENEGADE

PRODUCT SPECIFICATIONS

- Refer to page 100 for grommet locations and page 98 for grommet options and upcharges
- Refer to pages 381-418 for accessories
- Worksurface laminate and PVC rim will feature the same color
- Refer to pages 101-102 for typicals and thought starters for freestanding shells and linkable shells
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List

TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. End Panel Grommet
4. Worksurface Laminate
5. Chassis Laminate

SAMPLE MODEL NUMBER:

75N2160RSLFJL X X 403 403

- See pages 97-98 for all options available in Renegade

LINKABLE SHELL (CONTINUED)



Left shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
LEFT SHELL	RIGHT SHELL									
75N2160RSLFJL	75N2160RSRFJL	TFL Top	$ 875	21	60	28⅞	—	—	106 lbs.	4.0
75N2160RSLFJP	75N2160RSRFJP	HPL Top	1047	21	60	28 15/16	—	—	106 lbs.	4.0
75N2148RSLFJL	75N2148RSRFJL	TFL Top	$ 773	21	48	28⅞	—	—	91 lbs.	3.3
75N2148RSLFJP	75N2148RSRFJP	HPL Top	930	21	48	28 15/16	—	—	91 lbs.	3.3
75N2142RSLFJL	75N2142RSRFJL	TFL Top	$ 737	21	42	28⅞	—	—	81 lbs.	3.0
75N2142RSLFJP	75N2142RSRFJP	HPL Top	886	21	42	28 15/16	—	—	81 lbs.	3.0
75N2136RSLFJL	75N2136RSRFJL	TFL Top	$ 672	21	36	28⅞	—	—	72 lbs.	2.8
75N2136RSLFJP	75N2136RSRFJP	HPL Top	806	21	36	28 15/16	—	—	72 lbs.	2.8
75N2130RSLFJL	75N2130RSRFJL	TFL Top	$ 620	21	30	28⅞	—	—	66 lbs.	2.6
75N2130RSLFJP	75N2130RSRFJP	HPL Top	747	21	30	28 15/16	—	—	66 lbs.	2.6

- Assembly required; support panel (75N1228SSL) required when kneespace area is greater than 48"
- End panel grommet GE1L available on left shell units and GE1R available on right shell units
- Linkable shell comes with 1 full panel and 1 narrow panel. Unit can be reconfigured to left or right in the field.
- Not a freestanding unit

PRODUCT SPECIFICATIONS

- Refer to page 100 for grommet locations and page 98 for grommet options and upcharges
- Refer to pages 381-418 for accessories
- Worksurface laminate and PVC rim will feature the same color
- Refer to pages 101-102 for typicals and thought starters for freestanding shells and linkable shells
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List

TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. End Panel Grommet
4. Worksurface Laminate
5. Chassis Laminate

SAMPLE MODEL NUMBER:

75N2148BSFJL G1C 440 462

- See pages 97-98 for all options available in Renegade

LINKABLE SHELL WITH NARROW/NARROW PANELS



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
75N2472BSFJL	TFL Top	$ 1010	24	71 5/16	22 7/8	–	–	130 lbs.	4.7
75N2472BSFJP	HPL Top	1213	24	71 5/16	28 5/16	–	–	130 lbs.	4.7
75N2466BSFJL	TFL Top	$ 986	24	66	28 7/8	–	–	118 lbs.	4.3
75N2466BSFJP	HPL Top	1180	24	66	28 5/16	–	–	118 lbs.	4.3
75N2460BSFJL	TFL Top	$ 908	24	60	28 7/8	–	–	106 lbs.	4.0
75N2460BSFJP	HPL Top	1089	24	60	28 5/16	–	–	106 lbs.	4.0
75N2448BSFJL	TFL Top	$ 806	24	48	28 7/8	–	–	91 lbs.	3.3
75N2448BSFJP	HPL Top	967	24	48	28 5/16	–	–	91 lbs.	3.3
75N2442BSFJL	TFL Top	$ 770	24	42	28 7/8	–	–	81 lbs.	3.0
75N2442BSFJP	HPL Top	928	24	42	28 5/16	–	–	81 lbs.	3.0
75N2436BSFJL	TFL Top	$ 705	24	36	28 7/8	–	–	72 lbs.	2.8
75N2436BSFJP	HPL Top	845	24	36	28 5/16	–	–	72 lbs.	2.8
75N2172BSFJL	TFL Top	$ 937	21	71 5/16	28 7/8	–	–	130 lbs.	4.7
75N2172BSFJP	HPL Top	1126	21	71 5/16	28 5/16	–	–	130 lbs.	4.7
75N2166BSFJL	TFL Top	$ 911	21	66	28 7/8	–	–	118 lbs.	4.3
75N2166BSFJP	HPL Top	1095	21	66	28 5/16	–	–	118 lbs.	4.3
75N2160BSFJL	TFL Top	$ 834	21	60	28 7/8	–	–	106 lbs.	4.0
75N2160BSFJP	HPL Top	1003	21	60	28 5/16	–	–	106 lbs.	4.0
75N2148BSFJL	TFL Top	$ 735	21	48	28 7/8	–	–	91 lbs.	3.3
75N2148BSFJP	HPL Top	884	21	48	28 5/16	–	–	91 lbs.	3.3
75N2142BSFJL	TFL Top	$ 663	21	42	28 7/8	–	–	81 lbs.	3.0
75N2142BSFJP	HPL Top	798	21	42	28 5/16	–	–	81 lbs.	3.0
75N2136BSFJL	TFL Top	$ 631	21	36	28 7/8	–	–	72 lbs.	2.8
75N2136BSFJP	HPL Top	758	21	36	28 5/16	–	–	72 lbs.	2.8

- Assembly required; support panel (75N1228SSL) required when kneespace area is greater than 48"
- Linkable shell features 2 narrow support panels
- Not a freestanding unit

RENEGADE

PRODUCT SPECIFICATIONS

- Refer to page 100 for grommet locations and page 98 for grommet options and upcharges
- Refer to pages 381-418 for accessories
- Worksurface laminate and PVC rim will feature the same color
- Refer to pages 101-102 for typicals and thought starters for freestanding shells and linkable shells
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List

TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. End Panel Grommet
4. Worksurface Laminate
5. Chassis Laminate

SAMPLE MODEL NUMBERS:

75N2474CSHF29L X X 461 461
75N1228SSL MH

- See pages 97-98 for all options available in Renegade

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
CREDENZA SHELL WORKSURFACE HEIGHT	75N24110CSHF29L	TFL Top	$ 1656	24	110	28⅞	–	–	260 lbs.	7.8
	75N24110CSHF29P	HPL Top	1989	24	110	28¹³⁄₁₆	–	–	260 lbs.	7.8
	75N21110CSHF29L	TFL Top	$ 1583	21	110	28⅞	–	–	260 lbs.	7.8
	75N21110CSHF29P	HPL Top	1900	21	110	28¹³⁄₁₆	–	–	260 lbs.	7.8
	75N2474CSHF29L	TFL Top	$ 1135	24	74	28⅞	–	–	130 lbs.	4.7
	75N2474CSHF29P	HPL Top	1361	24	74	28¹³⁄₁₆	–	–	130 lbs.	4.7
	75N2174CSHF29L	TFL Top	$ 1063	21	74	28⅞	–	–	130 lbs.	4.7
	75N2174CSHF29P	HPL Top	1273	21	74	28¹³⁄₁₆	–	–	130 lbs.	4.7

- 74" credenza shell accommodates 2-36" wide undersurface units, 1-36" and 2-18" wide undersurface units, or 4-18" wide undersurface units
- 110" credenza shell accommodates 3-36" wide undersurface units, 1-36" and 4-18" wide undersurface units, 4-18" wide undersurface units, or 2-36" and 2-18" wide undersurface units
- Use with worksurface height units
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL models wider than 96"
- Assembly required

CREDENZA SHELL BOX/FILE HEIGHT	75N24110CSHF22L	TFL Top	$ 1477	24	110	22²⁹⁄₁₆	–	–	260 lbs.	7.8
	75N24110CSHF22P	HPL Top	1772	24	110	22⅞	–	–	260 lbs.	7.8
	75N21110CSHF22L	TFL Top	$ 1405	21	110	22²⁹⁄₁₆	–	–	260 lbs.	7.8
	75N21110CSHF22P	HPL Top	1684	21	110	22⅞	–	–	260 lbs.	7.8
	75N2474CSHF22L	TFL Top	$ 956	24	74	22²⁹⁄₁₆	–	–	130 lbs.	4.7
	75N2474CSHF22P	HPL Top	1144	24	74	22⅞	–	–	130 lbs.	4.7
	75N2174CSHF22L	TFL Top	$ 883	21	74	22²⁹⁄₁₆	–	–	130 lbs.	4.7
	75N2174CSHF22P	HPL Top	1056	21	74	22⅞	–	–	130 lbs.	4.7

- 74" credenza shell accommodates 2-36" wide undersurface units
- 110" credenza shell accommodates 3-36" wide undersurface units
- Use with box/file height units
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL models wider than 96"
- Assembly required

SUPPORT PANEL	75N1228SSL		$ 167	11⁷⁄₁₆	1³⁄₁₆	27¾	–	–	15 lbs.	0.8
	75N1221SSL		144	11⁷⁄₁₆	1³⁄₁₆	27¾	–	–	15 lbs.	0.8

- To be used on any shell that has over 48" of unsupported worksurface
- Specify chassis laminate only

PRODUCT SPECIFICATIONS

- Refer to pages 381-418 for accessories
- Units do not feature finished surface or back; must be utilized with shell
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Chassis Laminate

SAMPLE MODEL NUMBER:

75N291829PUBBF 86 KS1B 480

- See pages 97-98 for all options available in Renegade

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SHELL PEDESTAL UNDERSURFACE BOX/BOX/FILE	75N291829PUBBF	$ 1199	28⅞	17 15⁄16	27¾	–	–	95 lbs.	10.6
	75N231829PUBBF	1121	22 13⁄16	17 15⁄16	27¾	–	–	75 lbs.	10.0
	75N201829PUBBF	1051	19⅞	17 15⁄16	27¾	–	–	65 lbs.	9.6
	75N291529PUBBF	$ 1137	28⅞	14 15⁄16	27¾	–	–	95 lbs.	10.6
	75N231529PUBBF	1059	22 13⁄16	14 15⁄16	27¾	–	–	75 lbs.	10.0
	75N201529PUBBF	981	19⅞	14 15⁄16	27¾	–	–	65 lbs.	9.6

- Tops and backs are open; to be used with shells or credenza shells
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

SHELL PEDESTAL UNDERSURFACE FILE/FILE	75N291829PUFF	$ 1199	28⅞	17 15⁄16	27¾	–	–	95 lbs.	10.6
	75N231829PUFF	1121	22 13⁄16	17 15⁄16	27¾	–	–	75 lbs.	10.0
	75N201829PUFF	1051	19⅞	17 15⁄16	27¾	–	–	65 lbs.	9.6
	75N291529PUFF	$ 1137	28⅞	14 15⁄16	27¾	–	–	95 lbs.	10.6
	75N231529PUFF	1059	22 13⁄16	14 15⁄16	27¾	–	–	75 lbs.	10.0
	75N201529PUFF	981	19⅞	14 15⁄16	27¾	–	–	65 lbs.	9.6

- Tops and backs are open; to be used with shells or credenza shells
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

SHELL PEDESTAL UNDERSURFACE BOX/FILE SUSPENDED	75N2918PUBF	$ 958	28⅞	17 15⁄16	19¾	–	–	70 lbs.	7.8
	75N2318PUBF	871	22 13⁄16	17 15⁄16	19¾	–	–	50 lbs.	7.0
	75N2018PUBF	838	19⅞	17 15⁄16	19¾	–	–	40 lbs.	6.5
	75N2915PUBF	$ 886	28⅞	14 15⁄16	19¾	–	–	70 lbs.	7.8
	75N2315PUBF	801	22 13⁄16	14 15⁄16	19¾	–	–	50 lbs.	7.0
	75N2015PUBF	769	19⅞	14 15⁄16	19¾	–	–	40 lbs.	6.5

- Tops and backs are open; to be suspended in freestanding or linkable shells
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

2 DRAWER LATERAL FILE UNDERSURFACE	75N233629LFM2	$ 1349	22 13⁄16	35⅞	27¾	–	–	120 lbs.	20.4
	75N203629LFM2	1312	19⅞	35⅞	27¾	–	–	100 lbs.	19.5

- Tops and backs are open; to be used with shells or credenza shells
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

RENEGADE

PRODUCT SPECIFICATIONS

- Refer to pages 381-418 for accessories
- Units do not feature finished surface or back; must be utilized with shell
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Chassis Laminate

SAMPLE MODEL NUMBER:

75N233629PUOS TF

- See pages 97-98 for all options available in Renegade

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SHELL PEDESTAL BOX/LATERAL FILE	75N233622PUBL		$ 1278	22 13/16	35 7/8	22 5/8	—	—	120 lbs.	20.4
	75N203622PUBL		1243	19 7/8	35 7/8	22 5/8	—	—	100 lbs.	19.5



- Tops and backs are open; to be used with box/file height shells or box/file height credenza shells
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

	FILE DRAWER ON LEFT	FILE DRAWER ON RIGHT							
MULTI-FILE STORAGE CABINET UNDERSURFACE	75N233629PU11	75N233629PU10	$ 2445	22 13/16	35 7/8	27 3/4	—	—	120 lbs.	20.4
	75N203629PU11	75N203629PU10	2407	19 7/8	35 7/8	27 3/4	—	—	100 lbs.	19.5

Left shown

- To be used with shells or credenza shells
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

	OPEN STORAGE ON LEFT	OPEN STORAGE ON RIGHT							
MIXED STORAGE CABINET UNDERSURFACE	75N233629PU33	75N233629PU32	$ 1797	22 13/16	35 7/8	27 3/4	—	—	120 lbs.	20.4
	75N203629PU33	75N203629PU32	1656	19 7/8	35 7/8	27 3/4	—	—	100 lbs.	19.5

Left shown

- To be used with shells or credenza shells
- Interior dimensions of open storage are 16¾" W, 12" H
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

SHELL PEDESTAL DOUBLE DOOR UNIT	75N233629PUH	$ 1005	22 13/16	35 7/8	27 3/4	—	—	110 lbs.	20.4
	75N203629PUH	971	19 7/8	35 7/8	27 3/4	—	—	90 lbs.	19.5

- Tops and backs are open; to be used with shells or credenza shells
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

OPEN UNDERSURFACE BOOKCASE WORKSURFACE HEIGHT	75N233629PUOS	$ 902	22 13/16	35 7/8	27 3/4	—	—	90 lbs.	20.4
	75N203629PUOS	860	19 7/8	35 7/8	27 3/4	—	—	70 lbs.	19.5



- Shelf is adjustable
- To be used with shells or credenza shells
- Do not specify pull

OPEN UNDERSURFACE BOOKCASE BOX/FILE HEIGHT	75N233622PUOS	$ 902	22 13/16	35 7/8	22 5/8	—	—	90 lbs.	20.4
	75N203622PUOS	860	19 7/8	35 7/8	22 5/8	—	—	70 lbs.	19.5



- Shelf is adjustable
- To be used with box/file height shells or box/file height credenza shells
- Do not specify pull

PRODUCT SPECIFICATIONS

- Refer to page 100 for grommet locations and page 98 for grommet options and upcharges
- Refer to pages 381-418 for accessories
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List

TO ORDER, SPECIFY:

1. Model Number
2. Locking
3. Door Frame Color
4. Chassis Laminate

SAMPLE MODEL NUMBERS:

Q75N7238HBH MC
75N7238HBH KRB MC
75N7238HBHG 462 PB

- See pages 97-98 for all options available in Renegade

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

Quick Delivery—Specify MC, CW, 478 or 874/MC as worksurface/chassis combinations

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
HIGHBACK ORGANIZER LAMINATE DOORS	Q75N7238HBH	$ 1774	14¾	71 3/16	38⅛	—	—	179 lbs.	37.0
	75N7238HBH	1774	14¾	71 3/16	38⅛	—	—	179 lbs.	37.0
	75N6638HBH	1672	14¾	65 3/16	38⅛	—	—	164 lbs.	34.1
	75N6038HBH	1552	14¾	59 3/16	38⅛	—	—	148 lbs.	31.3
	75N4838HBH	1334	14¾	47⅞	38⅛	—	—	126 lbs.	25.6

- Highback organizers feature 3 side-hinged doors on 48" and 4 side-hinged doors on anything over 48"
- Full back panels with cord management
- An end panel, support panel, or pedestal must be located under end and center panels of highback for proper support
- For tack board options, see pages 413-418
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

HIGHBACK ORGANIZER FROSTED RESIN DOORS	75N7238HBHG	$ 2240	14¾	71 3/16	38⅛	—	—	179 lbs.	37.0
	75N6638HBHG	2134	14¾	65 3/16	38⅛	—	—	164 lbs.	34.1
	75N6038HBHG	2017	14¾	59 3/16	38⅛	—	—	148 lbs.	31.3
	75N4838HBHG	1799	14¾	47⅞	38⅛	—	—	126 lbs.	25.6

- Highback organizers feature 3 side-hinged doors on 48" and 4 side-hinged doors on anything over 48"
- Full back panels with cord management
- An end panel, support panel, or pedestal must be located under end and center panels of highback for proper support
- For tack board options, see pages 413-418

HIGHBACK ORGANIZER NO DOORS	75N7238HBE	$ 1397	14	71 3/16	38⅛	—	—	179 lbs.	37.0
	75N6638HBE	1335	14	65 3/16	38⅛	—	—	164 lbs.	34.1
	75N6038HBE	1231	14	59 3/16	38⅛	—	—	148 lbs.	31.3
	75N4838HBE	976	14	47⅞	38⅛	—	—	126 lbs.	25.6

- Full back panels with cord management
- An end panel, support panel, or pedestal must be located under end and center panels of highback for proper support
- For tack board options, see pages 413-418

OVERHEAD STORAGE CABINET LAMINATE DOORS - WALL MOUNT	75N4818SOHM	$ 1126	14¾	47⅞	18⅛	—	—	120 lbs.	13.4
	75N4218SOHM	1079	14¾	41⅞	18⅛	—	—	100 lbs.	11.1
	Q75N3618SOHM	998	14¾	35⅞	18⅛	—	—	76 lbs.	7.7
	75N3618SOHM	998	14¾	35⅞	18⅛	—	—	76 lbs.	7.7
	75N3018SOHM	910	14¾	29 15/16	18⅛	—	—	64 lbs.	6.4

- Wall mount bracket is included
- Cabinets have a full height back panel
- 30" and 36" units have 2 doors; 42" and 48" have 3 doors
- National recommends that each overhead cabinet be secured by a minimum of 2 mounting locations (studs); National will not be liable for wall mount cabinets that are not properly installed
- Specify chassis laminate only
- For tack board options, see pages 413-418
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Wall mount overheads can be utilized with DIRTT antler extrusion; see page 134

RENEGADE

PRODUCT SPECIFICATIONS

- Refer to page 100 for grommet locations and page 98 for grommet options and upcharges
- Refer to pages 381-418 for accessories
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List

TO ORDER, SPECIFY:

1. Model Number
2. Locking
3. Door Frame Color
4. Chassis Laminate

SAMPLE MODEL NUMBER:

75N3018SOHMG 462 HN

- See pages 97-98 for all options available in Renegade

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
OVERHEAD STORAGE CABINET FROSTED RESIN DOORS - WALL MOUNT	75N4818SOHMG		$ 1592	14¾	47⅞	18⅛	–	–	120 lbs.	13.4
	75N4218SOHMG		1544	14¾	41⅞	18⅛	–	–	100 lbs.	11.1
	75N3618SOHMG		1465	14¾	35⅞	18⅛	–	–	76 lbs.	7.7
	75N3018SOHMG		1379	14¾	29¹⁵⁄₁₆	18⅛	–	–	64 lbs.	6.4



- Wall mount bracket is included
- Cabinets have a full height back panel
- 30" and 36" units have 2 doors; 42" and 48" have 3 doors
- National recommends that each overhead cabinet be secured by a minimum of 2 mounting locations (studs); National will not be liable for wall mount cabinets that are not properly installed
- Aluminum door frames
- For tack board options, see pages 413-418
- Wall mount overheads can be utilized with DIRTT antler extrusion; see below

OVERHEAD STORAGE CABINET NO DOORS - WALL MOUNT

CENTER DIVIDER PANEL

75N4818SOEM	$ 795	14	47⅞	18⅛	–	–	120 lbs.	13.4
75N4218SOEM	784	14	41⅞	18⅛	–	–	100 lbs.	11.1

DIVIDER PANEL

75N3618SOEM	$ 690	14	35⅞	18⅛	–	–	76 lbs.	7.7
75N3018SOEM	644	14	29¹⁵⁄₁₆	18⅛	–	–	64 lbs.	6.4



Center Divider Panel shown



No Divider Panel shown

- Wall mount bracket is included
- Cabinets have a full height back panel
- Cabinets are open and do not have doors
- National recommends that each overhead cabinet be secured by a minimum of 2 mounting locations (studs); National will not be liable for wall mount cabinets that are not properly installed
- Specify chassis laminate only
- For tack board options, see pages 413-418
- Wall mount overheads can be utilized with DIRTT antler extrusion; see below

DIRTT OVERHEAD MOUNTING KITS	NAC48OK	For 48" Overhead	$ 255	1	6	1⅜₁₆	–	–	8 lbs.	2.0
	NAC42OK	For 42" Overhead	246	1	6	1⅜₁₆	–	–	8 lbs.	2.0
	NAC36OK	For 36" Overhead	237	1	6	1⅜₁₆	–	–	8 lbs.	2.0
	NAC30OK	For 30" Overhead	218	1	6	1⅜₁₆	–	–	5 lbs.	1.5



- Available in black only
- For use with Epic, Renegade, and WaveWorks wall mount cabinets
- Bracket designed to interact with the DIRTT antler extrusion
- Can be used with 13", 18", and 30" high cabinets
- 30" comes with 2 brackets; 36"-48" comes with 3 brackets; each kit also includes a mounting extrusion strip that matches the size of the overhead

PRODUCT SPECIFICATIONS

- Refer to page 100 for grommet locations and page 98 for grommet options and upcharges
- Refer to pages 381-418 for accessories
- Worksurface laminate and PVC rim will feature the same color
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Worksurface Laminate
5. Chassis Laminate

SAMPLE MODEL NUMBERS:

Q75N2436LFF2L MC
75N2436LFF2L 86 KS1B TF TF
75N2436LFM4 86 KS1B TF

- See pages 97-98 for all options available in Renegade

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

Quick Delivery—Specify MC, CW, 478 or 874/MC as worksurface/chassis combinations

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
2 DRAWER LATERAL FILE FREESTANDING	Q75N2436LFF2L	TFL Top	$ 1524	24	36 1/16	28 7/8	–	–	155 lbs.	22.2
	75N2436LFF2L	TFL Top	1524	24	36 1/16	28 7/8	–	–	155 lbs.	22.2
	75N2436LFF2P	HPL Top	1832	24	36 1/16	28 15/16	–	–	155 lbs.	22.2
	75N2136LFF2L	TFL Top	$ 1486	21	36 1/16	28 7/8	–	–	155 lbs.	22.2
	75N2136LFF2P	HPL Top	1786	21	36 1/16	28 15/16	–	–	155 lbs.	22.2
	• Interlock mechanism allows only 1 drawer to be open at a time • Top of unit is finished with softened PVC rim • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available									
3 DRAWER LATERAL FILE FREESTANDING	75N2436LFM3		$ 2709	24	36 1/16	40 3/16	–	–	210 lbs.	30.0
	75N2136LFM3		2657	21	36 1/16	40 3/16	–	–	210 lbs.	30.0
	• Interlock mechanism allows only 1 drawer to be open at a time • Top of unit is finished with flat edge detail • Can be used with components tops to complete the unit or bank 2 or 3 files together • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available									
4 DRAWER LATERAL FILE FREESTANDING	Q75N2436LFM4		$ 3163	24	36 1/16	52 13/16	–	–	265 lbs.	33.4
	75N2436LFM4		3163	24	36 1/16	52 13/16	–	–	265 lbs.	33.4
	75N2136LFM4		3109	21	36 1/16	52 13/16	–	–	265 lbs.	33.4
	• Interlock mechanism allows only 1 drawer to be open at a time • Top of unit is finished with flat edge detail • Can be used with components tops to complete the unit or bank 2 or 3 files together • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available									
COMPONENT TOPS FOR 3 AND 4 DRAWER LATERAL FILES	75N24108CPTL	TFL Top	$ 837	24	108	1 1/8	–	–	96 lbs.	4.1
	75N24108CPTP	HPL Top	1004	24	108	1 3/16	–	–	96 lbs.	4.1
	75N21108CPTL	TFL Top	$ 778	21	108	1 1/8	–	–	96 lbs.	4.1
	75N21108CPTP	HPL Top	934	21	108	1 3/16	–	–	96 lbs.	4.1
	75N2472CPTL	TFL Top	$ 520	24	71 15/16	1 1/8	–	–	81 lbs.	3.3
	75N2472CPTP	HPL Top	623	24	71 15/16	1 3/16	–	–	81 lbs.	3.3
	75N2172CPTL	TFL Top	$ 486	21	71 15/16	1 1/8	–	–	81 lbs.	3.3
	75N2172CPTP	HPL Top	583	21	71 15/16	1 3/16	–	–	81 lbs.	3.3
	• Component tops to be used on 3 or 4 high lateral files to complete a single unit or bank 2 to 3 units together • G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL models wider than 96"									

RENEGADE

PRODUCT SPECIFICATIONS

- Refer to page 100 for grommet locations and page 98 for grommet options and upcharges
- Refer to pages 381-418 for accessories
- Worksurface laminate and PVC rim will feature the same color
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Worksurface Laminate
5. Chassis Laminate

SAMPLE MODEL NUMBER:

75N2436PF33P 87CC KRB PT PT

- See pages 97-98 for all options available in Renegade

COMPONENT TOPS FOR 3 AND 4 DRAWER LATERAL FILES (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
75N2436CPTL	TFL Top	$ 301	24	36 1/16	1 1/8	—	—	45 lbs.	1.8
75N2436CPTP	HPL Top	361	24	36 1/16	1 3/16	—	—	45 lbs.	1.8
75N2136CPTL	TFL Top	$ 271	21	36 1/16	1 1/8	—	—	45 lbs.	1.8
75N2136CPTP	HPL Top	323	21	36 1/16	1 3/16	—	—	45 lbs.	1.8

- Component tops to be used on 3 or 4 high lateral files to complete a single unit or bank 2 to 3 units together

DOUBLE DOOR UNIT FREESTANDING



75N2436PFHL	TFL Top	$ 1202	24	36 1/16	28 7/8	—	—	130 lbs.	22.2
75N2436PFHP	HPL Top	1444	24	36 1/16	28 13/16	—	—	130 lbs.	22.2
75N2136PFHL	TFL Top	$ 1165	21	36 1/16	28 7/8	—	—	130 lbs.	22.2
75N2136PFHP	HPL Top	1397	21	36 1/16	28 13/16	—	—	130 lbs.	22.2

- Features an adjustable shelf
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

MIXED STORAGE CABINET FREESTANDING



Left shown

OPEN STORAGE ON LEFT	OPEN STORAGE ON RIGHT									
75N2436PF33L	75N2436PF32L	TFL Top	$ 1841	24	36 1/16	28 7/8	—	—	155 lbs.	22.2
75N2436PF33P	75N2436PF32P	HPL Top	2211	24	36 1/16	28 13/16	—	—	155 lbs.	22.2
75N2136PF33L	75N2136PF32L	TFL Top	$ 1703	21	36 1/16	28 7/8	—	—	155 lbs.	22.2
75N2136PF33P	75N2136PF32P	HPL Top	2044	21	36 1/16	28 13/16	—	—	155 lbs.	22.2

- Interior dimensions of open storage are 16¾" W, 12" H
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

MULTI-FILE STORAGE CABINET FREESTANDING



Left shown

FILE DRAWER ON LEFT	FILE DRAWER ON RIGHT									
75N2436PF11L	75N2436PF10L	TFL Top	$ 2506	24	36 1/16	28 7/8	—	—	155 lbs.	22.2
75N2436PF11P	75N2436PF10P	HPL Top	3009	24	36 1/16	28 13/16	—	—	155 lbs.	22.2
75N2136PF11L	75N2136PF10L	TFL Top	$ 2468	21	36 1/16	28 7/8	—	—	155 lbs.	22.2
75N2136PF11P	75N2136PF10P	HPL Top	2960	21	36 1/16	28 13/16	—	—	155 lbs.	22.2

- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

PRODUCT SPECIFICATIONS

- Refer to pages 381-418 for accessories
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Chassis Laminate

SAMPLE MODEL NUMBER:

75N243668VHH KS1B 462

- See pages 97-98 for all options available in Renegade

STORAGE/WARDROBE WITH FILE/FILE PEDESTAL



Left shown

LEFT HINGED	RIGHT HINGED	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
75N242468VHHL2	75N242468VHHR2	$ 2477	23⅜	24	66⅞	—	—	213 lbs.	27.0
75N212468VHHL2	75N212468VHHR2	2333	20⅜	24	66⅞	—	—	193 lbs.	22.3

- Removable coat rod is standard
- Storage cabinet contains 2 adjustable shelves
- Interior dimensions of wardrobe are 5" W, 19" D, 64⅛" H
- Interior dimensions of storage are 16¾" W, 19" D, 38⅜6" H
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminate options available on models 60" H or less

STORAGE BOOKCASE/WARDROBE WITH FILE/FILE PEDESTAL



Left shown

LEFT HINGED	RIGHT HINGED	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
75N242468VBWHL2	75N242468VBWHR2	$ 2750	23⅜	24	66⅞	—	—	213 lbs.	27.0
75N212468VBWHL2	75N212468VBWHR2	2603	20⅜	24	66⅞	—	—	193 lbs.	22.3

- Removable coat rod is standard
- Bookcase contains 2 adjustable shelves
- Interior dimensions of wardrobe are 5" W, 19" D, 64⅛" H
- Interior dimensions of storage are 16¾" W, 19" D, 38⅜6" H
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Wardrobe door features a standard pull
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminate options available on models 60" H or less

STORAGE/LATERAL FILE CABINET



75N243668VHF2	$ 3021	23⅜	35⅞	66⅞	—	—	273 lbs.	33.0
75N213668VHF2	2840	20⅜	35⅞	66⅞	—	—	250 lbs.	29.0

- 2 adjustable shelves are included
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminate options available on models 60" H or less

DOUBLE DOOR WARDROBE



75N243668VHH	$ 3347	23⅜	35⅞	66⅞	—	—	160 lbs.	48.6
75N213668VHH	2897	20⅜	35⅞	66⅞	—	—	150 lbs.	43.0

- Coat rod standard
- Specify chassis laminate only
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminate options available on models 60" H or less

RENEGADE

PRODUCT SPECIFICATIONS

- Refer to pages 381-418 for accessories
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

Quick Delivery—Specify MC, CW, 478 or 874/MC as worksurface/chassis combinations

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Chassis Laminate

SAMPLE MODEL NUMBERS:

Q75N3668BCOF MC
75N3638BCO HN

- See pages 97-98 for all options available in Renegade

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
DOUBLE DOOR STORAGE CABINET	75N243668VSH	$ 3093	23⁹⁄₁₆	35⅞	66⅞	—	—	160 lbs.	48.6
	75N213668VSH	2709	20⁹⁄₁₆	35⅞	66⅞	—	—	150 lbs.	43.0



- Shaded shelves are adjustable
- Specify chassis laminate only
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminate options available on models 60" H or less

	LEFT HINGED	RIGHT HINGED								
WARDROBE/STORAGE CABINET	75N241868VSWHL	75N241868VSWHR	$ 1694	23⁹⁄₁₆	17¹⁵⁄₁₆	66⅞	—	—	160 lbs.	26.7
	75N211868VSWHL	75N211868VSWHR	1489	20⁹⁄₁₆	17¹⁵⁄₁₆	66⅞	—	—	160 lbs.	26.7



Left shown

- Shaded shelves are adjustable
- Can be used as a wardrobe unit by removing adjustable shelves
- Removable coat rod is standard
- Specify chassis laminate only
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminate options available on models 60" H or less

FREESTANDING BOOKCASE	Q75N3668BCOF	$ 1172	13¹⁵⁄₁₆	35⅞	66⅞	—	—	188 lbs.	31.6
	75N3668BCOF	1172	13¹⁵⁄₁₆	35⅞	66⅞	—	—	188 lbs.	31.6
	75N3653BCOF	1034	13¹⁵⁄₁₆	35⅞	52¹³⁄₁₆	—	—	140 lbs.	26.7
	75N3640BCOF	892	13¹⁵⁄₁₆	35⅞	40³⁄₁₆	—	—	112 lbs.	20.6



- Specify chassis laminate only
- Shaded shelves are adjustable
- Not intended for use as set-on surface storage
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminate options available on models 60" H or less

SET-ON BOOKCASE	Q75N3638BCO	$ 778	13¹⁵⁄₁₆	35⅞	38	—	—	100 lbs.	20.6
	75N3638BCO	778	13¹⁵⁄₁₆	35⅞	38	—	—	100 lbs.	20.6



- Specify chassis laminate only
- Shaded shelves are adjustable

PRODUCT SPECIFICATIONS

- Refer to pages 381-418 for accessories
- Worksurface laminate and PVC rim will feature the same color
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Door Fame Color
5. Chassis Laminate

SAMPLE MODEL NUMBERS:

75N2315PMBFC 87MB KS1B 2 20101 405
75N3638BCHG 462 405

- See pages 97-98 for all options available in Renegade

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SET-ON BOOKCASE FROSTED RESIN DOORS	75N3638BCHG	$ 1614	13 15/16	35 7/8	38	—	—	100 lbs.	20.6



- Shaded shelves are adjustable
- Specify door frame color and chassis laminate only
- Aluminum door frames

SET-ON BOOKCASE LAMINATE DOORS	75N3638BCH	$ 842	13 15/16	35 7/8	38	—	—	100 lbs.	20.6



- Shaded shelves are adjustable
- Specify chassis laminate only
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

MOBILE PEDESTAL	75N2315PMBF	$ 1073	22 15/16	15 1/8	21 1/8	—	—	76 lbs.	8.7



- 4 double wheel non-locking casters standard
- Maximum weight unit can hold is 300 pounds
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

MOBILE PEDESTAL CUSHION TOP



GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7
75N2315PMBFC	$	1073	1102	1115	1137	1160	1200	1253

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
$	1122	1153	1176	1201	1228	1257	1281	1311	1341	1372

	K	L	M	N	O	P	Q	R	S	T
$	1418	1513	1572	1603	1633	1664	1695	1724	1754	1784

DIMENSIONS

Depth	22 15/16	Height	23	Weight	78
Width	15 1/8			Cubic Ft.	9.2

- 4 double wheel non-locking casters standard
- Refer to pages 5-13 and www.NationalOfficeFurniture.com/Alliance for available fabric options
- Maximum weight unit can hold is 300 pounds
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

RENEGADE

PRODUCT SPECIFICATIONS

- Refer to pages 381-418 for accessories
- Worksurface laminate and PVC rim will feature the same color
- Units do not feature finished surface or back; must be utilized with shell
- For coordinating conference tables reference the "Universal" tables section in the Tables Price List

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Laminate
3. Chassis Laminate

SAMPLE MODEL NUMBERS:

75N2430PTL X MC MC
75N60WSHRL CUT-G17C PB

- See pages 97-98 for all options available in Renegade

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
PRINTER/TELEPHONE STAND	75N2430PTL	TFL Top	$ 992	23¾	29¾	29½	—	—	91 lbs.	3.0
	75N2430PTP	HPL Top	1189	23¾	29¾	29½	—	—	91 lbs.	3.0
	MPK-4	Set of 4 casters	103	For use as a mobile unit					1 lbs.	0.2
HALF ROUND WORKSURFACE	75N60WSHRL	TFL Top	$ 508	30	60	1⅛	—	—	69 lbs.	2.8
	75N60WSHRP	HPL Top	611	30	60	1³⁄₁₆	—	—	69 lbs.	2.8
	75N48WSHRL	TFL Top	$ 424	24	48¹⁄₁₆	1⅛	—	—	57 lbs.	2.3
	75N48WSHRP	HPL Top	509	24	48¹⁄₁₆	1³⁄₁₆	—	—	57 lbs.	2.3
	75N42WSHRL	TFL Top	$ 372	24	42	1⅛	—	—	50 lbs.	2.0
	75N42WSHRP	HPL Top	447	24	42	1³⁄₁₆	—	—	50 lbs.	2.0

- Fixed shelf is 12" deep, 27¾" wide and ¾" thick
- Unit features an open back
- Casters are available for use as a mobile unit
- Do not specify metal color
- Assembly required

- Specify grommet and worksurface laminate only
- Support base must be ordered separately; see below for support base options

				DI		H				
SUPPORT BASE										
	NAC0428SFRNB	Metal	$ 285	4	—	27¾-29¼	—		10 lbs.	1.0

- Adjustable glide standard
- Specify paint colors: (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Optional upper and lower (CUL) wire management cutout

ROOSEVELT

Product Specifications 142
Product Options 143
L Arrangements 144
U Arrangements 145
Product Pages 146

ROOSEVELT

PRODUCT SPECIFICATIONS



WORKSURFACE

- 1⅛" bookmatched walnut veneer or 1" TFL (thermally fused laminate) worksurface
- Mitered rim and base
- Grain direction runs left-to-right unless otherwise noted

FINISH APPLICATION

- All Veneer surfaces feature a semi-open pore matte finish

CHASSIS CONSTRUCTION

- All joints are securely fastened by screws, L-brackets, dowels, and concealed fasteners to ensure maximum strength
- Full pedestals
- ¾" thick full modesty panels
- Grain direction runs vertical on all modesty panels
- ¾" thick end panels
- Standard leveling glides
- Units feature semi-finished backs (stained with some exposed hardware) unless noted

MOLDING

- Solid wood, mitered, overlay moldings optional on modesty panels of desks only (excluding reception desk)

PULLS

- Available with 1 pull: Scroll with matching knob for highbacks and wardrobes
- Available in 2 colors: Antique Brass or Classic Nickel

DRAWERS

- Drawers feature 5-sided construction allowing for easy removal/replacement of drawer fronts
- Sides, back and front are ½" thick woodgrain vinyl wrapped
- Drawer fronts are 3-ply construction with matched woodgrain
- See interior drawer dimensions below

DRAWER SUSPENSIONS AND FILING

- Box and file drawers have full extension, progressive action slides with precision steel ball bearings
- All suspensions have a lifetime warranty
- Heavy-duty file rods in file drawers
- See filing capabilities below

CORD MANAGEMENT

- Grommets available in predetermined locations for an additional upcharge
- Optional wire managers are available (see accessory pages)
- Standard in highback organizers
- Wire management cutout included on inside pedestal panel for routing of wires from pedestal to kneespace area when grommet is featured on surface

LOCKING

- Black lock cores are available
- Key Random means lock cores/keys are randomly (1-5) picked at the factory and factory installed in unit
- Key Specific means you can pick any number (1-200) lock core/key. Must specify the lock core model separately; not factory installed and will ship separately
- Specify a change key to remove and change lock cores
- To order key specific lock cores, change keys, and master keys, reference page 391

EZ ARRANGEMENT MODEL NUMBERS

- Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done
- If you need additional models or want to create other configurations, simply see the individual model numbers and pricing in the pages following the EZ Arrangement models

DRAWER DESCRIPTION	INTERIOR DIMENSIONS WIDTH	DEPTH	HEIGHT	FRONT-TO-BACK FILING CAPABILITIES
Dictation Slide	13 11/16"	24¼"	¾"	N/A
Center Drawers				
3672DP, 3066DP	28½"	17"	2⅞"	N/A
3672LP, 3672RP	28½"	17"	2⅞"	N/A
3066LP, 3066RP	22¾"	17"	2⅞"	N/A
Box Drawer	12 1/16"	17"	3⅛"	N/A
File Drawer – Desk	12 1/16"	17"	9½"	Letter
File Drawer – Return and Credenza	15 1/16"	17"	9½"	Legal
File Drawer – Lateral File	30 1/16"	15"	9½"	Letter/Letter, Letter/Legal or Letter/EDP

- Dictation slide extends 17" from desk
- All file drawers file letter, legal and EDP side-to-side

WOOD FINISHES

CW Cordovan
DW Judicial
MH Mocha
TF Truffle

MOLDING (DESKS ONLY)

M Molding
X No molding

RIM PROFILE



PULL/KNOB

Scroll (82)

82AB Antique Brass
82CN Classic Nickel
(Boring Pattern 102mm)

GROMMET OPTIONS

If no grommet is desired, specify an X (No Grommet)

Round Grommet, Black Plastic

$40 list for each grommet

G13C Center
G13LR Left & Right



Round Grommet Plastic

LOCKING

KEY RANDOM

KRB Black

KEY SPECIFIC

KS1B Black, 1 lock per unit
KS2B Black, 2 locks per unit
KS3B Black, 3 locks per unit
KS4B Black, 4 locks per unit

Unit list price will be reduced by $28 per lock when selecting Key Specific option. Must order specific lock cores separately ($28 list each). See page 391 for Key Specific model numbers.

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

QUICK DELIVERY MODELS

Models starting with a "Q" will have the following options in stock:

Q models include grommet(s) upcharge

Rim Profile:	Traditional
Molding:	Included on desks only
Pull:	Scroll 82AB Antique Brass
Grommets:	Included on bridges, returns and credenzas
Locking:	Random black cores
Finish:	Cordovan (CW)

ROOSEVELT L ARRANGEMENTS

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

ARRANGEMENTS INCLUDE:

- Scroll, Antique Brass pulls
- Center grommet in return
- Random black lock cores
- Must specify finish

TO ORDER, SPECIFY FINISH:

CW	Cordovan	MH	Mocha
DW	Judicial	TF	Truffle

Scroll, Antique Brass pulls

L-CONFIGURATIONS	MODEL NO./DESCRIPTION		LIST PRICE
LEFT L-CONFIGURATION WOOD TOP	51N8672LLFW	85¾D x 71¾W	$ 6639
	consists of		
	51N3672DRFW1	Right Pedestal Desk	3828
	51N2450RLEFW2	Left Pedestal Return	2811
	51N8066LLFW	79¾D x 66W	$ 6246
	consists of		
	51N3066DRFW1	Right Pedestal Desk	3435
	51N2450RLEFW2	Left Pedestal Return	2811
RIGHT L-CONFIGURATION WOOD TOP	51N8672LRFW	85¾D x 71¾W	$ 6639
	consists of		
	51N3672DLFW1	Left Pedestal Desk	3828
	51N2450RREFW2	Right Pedestal Return	2811
	51N8066LRFW	79¾D x 66W	$ 6246
	consists of		
	51N3066DLFW1	Left Pedestal Desk	3435
	51N2450RREFW2	Right Pedestal Return	2811
LEFT L-CONFIGURATION LAMINATE TOP	Q51N8672LLFLW	85¾D x 71¾W	$ 6164
	51N8672LLFLW	85¾D x 71¾W	$ 6164
	consists of		
	51N3672DRFLW1	Right Pedestal Desk	3545
	51N2450RLEFLW2	Left Pedestal Return	2619
	51N8066LLFLW	79¾D x 66W	$ 5787
	consists of		
	51N3066DRFLW1	Right Pedestal Desk	3168
	51N2450RLEFLW2	Left Pedestal Return	2619
RIGHT L-CONFIGURATION LAMINATE TOP	Q51N8672LRFLW	85¾D x 71¾W	$ 6164
	51N8672LRFLW	85¾D x 71¾W	$ 6164
	consists of		
	51N3672DLFLW1	Left Pedestal Desk	3545
	51N2450RREFLW2	Right Pedestal Return	2619
	51N8066LRFLW	79¾D x 66W	$ 5787
	consists of		
	51N3066DLFLW1	Left Pedestal Desk	3168
	51N2450RREFLW2	Right Pedestal Return	2619

ROOSEVELT U ARRANGEMENTS

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

ARRANGEMENTS INCLUDE:

- Scroll, Antique Brass pulls
- Center grommet in bridge
- Left and right grommets in credenza
- Random black lock cores
- Must specify finish

TO ORDER, SPECIFY FINISH:

CW	Cordovan	MH	Mocha
DW	Judicial	TF	Truffle

Scroll, Antique Brass pulls

U-CONFIGURATIONS	MODEL NO./DESCRIPTION		LIST PRICE
LEFT U-CONFIGURATION WOOD TOP	51N10772ULFW	106¾D x 71¾W	$ 8524
	consists of		
	51N3672DRFW1	Right Pedestal Desk	3828
	51N2450BEFW	Bridge	1260
	51N2172CLFW2	Left Pedestal Credenza	3436
	51N9972ULFW	98¾D x 71¾W	$ 8452
	consists of		
	51N3672DRFW1	Right Pedestal Desk	3828
	51N2442BEFW	Bridge	1188
	51N2172CLFW2	Left Pedestal Credenza	3436
	51N10166ULFW	100¾D x 66W	$ 7643
	consists of		
	51N3066DRFW1	Right Pedestal Desk	3435
	51N2450BEFW	Bridge	1260
	51N2166CLFW2	Left Pedestal Credenza	2948
	51N9366ULFW	92¾D x 66W	$ 7571
	consists of		
	51N3066DRFW1	Right Pedestal Desk	3435
	51N2442BEFW	Bridge	1188
	51N2166CLFW2	Left Pedestal Credenza	2948
RIGHT U-CONFIGURATION WOOD TOP	51N10772URFW	106¾D x 71¾W	$ 8524
	consists of		
	51N3672DLFW1	Left Pedestal Desk	3828
	51N2450BEFW	Bridge	1260
	51N2172CRFW2	Right Pedestal Credenza	3436
	51N9972URFW	98¾D x 71¾W	$ 8452
	consists of		
	51N3672DLFW1	Left Pedestal Desk	3828
	51N2442BEFW	Bridge	1188
	51N2172CRFW2	Right Pedestal Credenza	3436
	51N10166URFW	100¾D x 66W	$ 7643
	consists of		
	51N3066DLFW1	Left Pedestal Desk	3435
	51N2450BEFW	Bridge	1260
	51N2166CRFW2	Right Pedestal Credenza	2948
	51N9366URFW	92¾D x 66W	$ 7571
	consists of		
	51N3066DLFW1	Left Pedestal Desk	3435
	51N2442BEFW	Bridge	1188
	51N2166CRFW2	Right Pedestal Credenza	2948
LEFT U-CONFIGURATION LAMINATE TOP	Q51N10772ULFLW	106¾D x 71¾W	$ 7912
	51N10772ULFLW	106¾D x 71¾W	$ 7912
	consists of		
	51N3672DRFLW1	Right Pedestal Desk	3545
	51N2450BEFLW	Bridge	1213
	51N2172CLFLW2	Left Pedestal Credenza	3154
	Q51N9972ULFLW	98¾D x 71¾W	$ 7841
	51N9972ULFLW	98¾D x 71¾W	$ 7841
	consists of		
	51N3672DRFLW1	Right Pedestal Desk	3545
	51N2442BEFLW	Bridge	1142
	51N2172CLFLW2	Left Pedestal Credenza	3154
	51N10166ULFLW	100¾D x 66W	$ 7013
	consists of		
	51N3066DRFLW1	Right Pedestal Desk	3168
	51N2450BEFLW	Bridge	1213
	51N2166CLFLW2	Left Pedestal Credenza	2632
	51N9366ULFLW	92¾D x 66W	$ 6942
	consists of		
	51N3066DRFLW1	Right Pedestal Desk	3168
	51N2442BEFLW	Bridge	1142
	51N2166CLFLW2	Left Pedestal Credenza	2632
RIGHT U-CONFIGURATION LAMINATE TOP	Q51N10772URFLW	106¾D x 71¾W	$ 7912
	51N10772URFLW	106¾D x 71¾W	$ 7912
	consists of		
	51N3672DLFLW1	Left Pedestal Desk	3545
	51N2450BEFLW	Bridge	1213
	51N2172CRFLW2	Right Pedestal Credenza	3154
	Q51N9972URFLW	98¾D x 71¾W	$ 7841
	51N9972URFLW	98¾D x 71¾W	$ 7841
	consists of		
	51N3672DLFLW1	Left Pedestal Desk	3545
	51N2442BEFLW	Bridge	1142
	51N2172CRFLW2	Right Pedestal Credenza	3154
	51N10166URFLW	100¾D x 66W	$ 7013
	consists of		
	51N3066DLFLW1	Left Pedestal Desk	3168
	51N2450BEFLW	Bridge	1213
	51N2166CRFLW2	Right Pedestal Credenza	2632
	51N9366URFLW	92¾D x 66W	$ 6942
	consists of		
	51N3066DLFLW1	Left Pedestal Desk	3168
	51N2442BEFLW	Bridge	1142
	51N2166CRFLW2	Right Pedestal Credenza	2632

ROOSEVELT

PRODUCT SPECIFICATIONS

- Specify and add $40 list for EACH grommet

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Molding
3. Pull Option
4. Grommet Option
5. Locking
6. Finish

SAMPLE MODEL NUMBERS:

51N3672DDFW8 M 82AB G13LR KS3B MH
51N3672DTW 82AB MH

• See page 143 for all options available in Roosevelt

DOUBLE PEDESTAL DESK





Desk with optional molding

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
51N3672DDFW8	Wood Top	$ 4081	35¾	71¾	29½	7¾	32⅞	362 lbs.	57.4
Q51N3672DDFLW8	Laminate Top	3914	35¾	71¾	29½	7¾	32⅞	362 lbs.	57.4
51N3672DDFLW8	Laminate Top	3914	35¾	71¾	29½	7¾	32⅞	362 lbs.	57.4
51N3066DDFW8	Wood Top	$ 3991	29¾	66	29½	1¾	25¹³⁄₁₆	285 lbs.	45.3
51N3066DDFLW8	Laminate Top	3816	29¾	66	29½	1¾	25¹³⁄₁₆	285 lbs.	45.3

- The user side overhang is 1
- Locking center drawer and dictation slide included with unit
- Grommet (G13LR) available
- Optional molding on approach side
- Line art shown with optional molding
- Quick Delivery model includes molding
- Random lock core (KRB) and specified lock core (KS3B) available

CHIPPENDALE TABLE DESK



51N3672DTW	Wood Top	$ 3050	35¾	71¾	29½	–	–	129 lbs.	10.7
51N3672DTLW	Laminate Top	2860	35¾	71¾	29½	–	–	129 lbs.	10.7

- Do not specify molding or grommet options
- Non-locking center drawer included with unit
- Some assembly required

SINGLE PEDESTAL DESK



LEFT PEDESTAL	RIGHT PEDESTAL			DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
51N3672DLFW1	51N3672DRFW1	Wood Top	$ 3828	35¾	71¾	29½	7¾	31⅛	311 lbs.	57.4
Q51N3672DLFLW1	Q51N3672DRFLW1	Laminate Top	3545	35¾	71¾	29½	7¾	31⅛	311 lbs.	57.4
51N3672DLFLW1	51N3672DRFLW1	Laminate Top	3545	35¾	71¾	29½	7¾	31⅛	311 lbs.	57.4
51N3066DLFW1	51N3066DRFW1	Wood Top	$ 3435	29¾	66	29½	1¾	25⁷⁄₁₆	245 lbs.	45.3
51N3066DLFLW1	51N3066DRFLW1	Laminate Top	3168	29¾	66	29½	1¾	25⁷⁄₁₆	245 lbs.	45.3

- Not recommended as a freestanding unit due to routing in the rim
- Grommet (G13LR) available
- Optional molding on approach side
- Quick Delivery model includes molding
- Random lock core (KRB) and specified lock core (KS2B) available

PRODUCT SPECIFICATIONS

- Specify and add $40 list for EACH grommet

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Pull Option
3. Grommet Option
4. Locking
5. Finish

SAMPLE MODEL NUMBER:

51N2450RLEFW2 82AB X KRB MH

• See page 143 for all options available in Roosevelt

RECEPTION DESK/RETURN



Left Reception Desk



Right Reception Desk



MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
RECEPTION DESK										
LEFT PEDESTAL	**RIGHT PEDESTAL**									
51N3072DTLFW1	51N3072DTRFW1	Wood Top	$ 5631	30⁷⁄₃₂	71¾	43¹⁄₁₆	—	—	530 lbs.	69.9
51N3072DTLFLW1	51N3072DTRFLW1	Laminate Top	5359	30⁷⁄₃₂	71¾	43¹⁄₁₆	—	—	530 lbs.	69.9

- Must be used with reception return
- Grommet (G13C) available
- Random lock core (KRB) and specified lock core (KS1B) available

RECEPTION RETURN										
LEFT	**RIGHT**									
51N2451RTLW2	51N2451RTRW2	Wood Top	$ 3762	23⁹⁄₁₆	50¾	42	—	—	300 lbs.	43.1
51N2451RTLLW2	51N2451RTRLW2	Laminate Top	3622	23⁹⁄₁₆	50¾	42	—	—	300 lbs.	43.1

- Must be used with reception desk
- Grain direction runs front-to-back on worksurface
- Grommet (G13C) available
- Random lock core (KRB) and specified lock core (KS1B) available

RETURN



Right shown

LEFT PEDESTAL	RIGHT PEDESTAL		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
51N2450RLEFW2	51N2450RREFW2	Wood Top	$ 2771	23¾	50	29½	—	30³⁄₁₆	159 lbs.	29.7
Q51N2450RLEFLW2	Q51N2450RREFLW2	Laminate Top	2619	23¾	50	29½	—	30³⁄₁₆	159 lbs.	29.7
51N2450RLEFLW2	51N2450RREFLW2	Laminate Top	2579	23¾	50	29½	—	30³⁄₁₆	159 lbs.	29.7

- Grain direction runs front-to-back on worksurface
- Grommet (G13C) available
- Random lock core (KRB) and specified lock core (KS1B) available

CORNER UNIT



51N3636CFSW	Wood Top	$ 2153	36	36	29½	—	—	104 lbs.	5.2
51N3636CFSLW	Laminate Top	1972	36	36	29½	—	—	104 lbs.	5.2

- Not recommended as a freestanding unit due to routing in the rim
- Unit must be attached to bridge and/or return
- Some assembly required
- Grain direction runs diagonal on worksurface
- Grommet (G13C) available

ROOSEVELT

PRODUCT SPECIFICATIONS

- Specify and add $40 list for EACH grommet

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Pull Option
3. Grommet Option
4. Locking
5. Finish

SAMPLE MODEL NUMBER:

51N2172CFFW 82AB G13LR KRB DW

• See page 143 for all options available in Roosevelt

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
BRIDGE	51N2450BEFW	Wood Top	$ 1220	23¾	50	29½	—	50	78 lbs.	3.0
	Q51N2450BEFLW	Laminate Top	1213	23¾	50	29½	—	50	72 lbs.	3.0
	51N2450BEFLW	Laminate Top	1173	23¾	50	29½	—	50	72 lbs.	3.0
	51N2442BEFW	Wood Top	$ 1148	23¾	42	29½	—	42	71 lbs.	2.6
	Q51N2442BEFLW	Laminate Top	1142	23¾	42	29½	—	42	65 lbs.	2.6
	51N2442BEFLW	Laminate Top	1102	23¾	42	29½	—	42	65 lbs.	2.6



- Do not specify pull
- Grommet (G13C) available
- Some assembly required
- Grain direction runs front-to-back on worksurface

STORAGE CREDENZA	51N2172CSFW2	Wood Top	$ 4131	21	71¼	29½	—	—	340 lbs.	36.4
	Q51N2172CSFLW2	Laminate Top	3908	21	71¼	29½	—	—	340 lbs.	36.4
	51N2172CSFLW2	Laminate Top	3828	21	71¼	29½	—	—	340 lbs.	36.4



- Features an adjustable laminate shelf which measures 12" deep, 32¼" wide and 1" thick
- Grommet (G13LR) available
- Random lock core (KRB) and specified lock core (KS2B) available

LATERAL FILE CREDENZA	51N2172CFFW	Wood Top	$ 4131	21	71¼	29½	—	—	333 lbs.	36.4
	51N2172CFFLW	Laminate Top	3828	21	71¼	29½	—	—	333 lbs.	36.4



- Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- Grommet (G13LR) available
- Random lock core (KRB) and specified lock core (KS4B) available

KNEESPACE CREDENZA	51N2172CKFW2	Wood Top	$ 3730	21	71¼	29½	—	33⅛	234 lbs.	36.4
	Q51N2172CKFLW2	Laminate Top	3466	21	71¼	29½	—	33⅛	234 lbs.	36.4
	51N2172CKFLW2	Laminate Top	3426	21	71¼	29½	—	33⅛	234 lbs.	36.4
	51N2166CKFW2	Wood Top	$ 3389	21	65¾	29½	—	27⅛	175 lbs.	24.5
	51N2166CKFLW2	Laminate Top	3233	21	65¾	29½	—	27⅛	175 lbs.	24.5



- Features standard wire management centered in the modesty panel and 1¾" down from the top
- Grommet (G13LR, G13C) available
- Quick Delivery model includes G13C center grommet
- Random lock core (KRB) and specified lock core (KS2B) available

PRODUCT SPECIFICATIONS

- Specify and add $40 list for EACH grommet

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Pull Option
3. Grommet Option
4. Locking
5. Finish

SAMPLE MODEL NUMBERS:

51N2172CLFW6	82CN	X	KRB	DW
51N7236HBHW	82CN	KRB	DW	
51N3618SOHMW	82CN	KRB	CW	

- See page 143 for all options available in Roosevelt

SINGLE PEDESTAL CREDENZA LATERAL FILE



Left shown

MODEL NO./DESCRIPTION			LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
LEFT PEDESTAL	**RIGHT PEDESTAL**									
51N2172CLFW6	51N2172CRFW6	Wood Top	$ 3451	21	71¾	29½	—	10⁹⁄₁₆	234 lbs.	36.4
51N2172CLFLW6	51N2172CRFLW6	Laminate Top	3263	21	71¾	29½	—	10⁹⁄₁₆	234 lbs.	36.4

- Not recommended as a freestanding unit due to routing in the rim
- Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- Grommet (G13LR) available
- Random lock core (KRB) and specified lock core (KS2B) available

SINGLE PEDESTAL CREDENZA FILE/FILE



Left shown

LEFT PEDESTAL	**RIGHT PEDESTAL**									
51N2172CLFW2	51N2172CRFW2	Wood Top	$ 3356	21	71¾	29½	—	28⅛	195 lbs.	36.4
Q51N2172CLFLW2	Q51N2172CRFLW2	Laminate Top	3154	21	71¾	29½	—	28⅛	195 lbs.	36.4
51N2172CLFLW2	51N2172CRFLW2	Laminate Top	3074	21	71¾	29½	—	28⅛	195 lbs.	36.4
51N2166CLFW2	51N2166CRFW2	Wood Top	$ 2868	21	65¾	29½	—	22⅜	155 lbs.	24.5
51N2166CLFLW2	51N2166CRFLW2	Laminate Top	2552	21	65¾	29½	—	22⅜	155 lbs.	24.5

- Not recommended as a freestanding unit due to routing in the rim
- Grommet (G13LR, G13C) available
- Quick Delivery model includes G13LR left and right grommets
- Random lock core (KRB) and specified lock core (KS1B) available

HIGHBACK ORGANIZER



36" HIGH										
Q51N7236HBHW	Wood Doors		$ 3545	14¾	71¾	36	—	—	177 lbs.	36.2
51N7236HBHW	Wood Doors		3545	14¾	71¾	36	—	—	177 lbs.	36.2
51N6636HBHW	Wood Doors		$ 3357	14¾	65¾	36	—	—	150 lbs.	30.1

- Specify pull and finish only
- Highback organizer features (4) side hinged doors, full back panel with cord management
- For tack board models, see pages 413-418
- Random lock core (KRB) and specified lock core (KS1B) available

OVERHEAD CABINET WALL MOUNT



18" HIGH										
Q51N3618SOHMW	Wood Doors		$ 1726	14½	35²⁹⁄₃₂	17⅞	—	—	76 lbs.	7.7
51N3618SOHMW	Wood Doors		1726	14½	35²⁹⁄₃₂	17⅞	—	—	76 lbs.	7.7
51N3018SOHMW	Wood Doors		1606	14½	29⅞	17⅞	—	—	64 lbs.	6.4

- Units feature (2) side hinged doors
- It is required that each overhead cabinet be secured by a minimum of 2 mounting locations (studs); National will not be liable for wall mount cabinets that are not properly installed
- Wall mount bracket, for attachment to wall, is included
- For tack board models, see pages 413-418
- Random lock core (KRB) and specified lock core (KS1B) available

ROOSEVELT

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Pull Option
3. Locking
4. Finish

SAMPLE MODEL NUMBER:

51N3778VHHW 82CN KRB CW

• See page 143 for all options available in Roosevelt

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
LATERAL FILE 2 DRAWER	51N2137LFF2W	Wood Top	$ 2732	21	37¼	29½	–	–	158 lbs.	15.6
	Q51N2137LFF2LW	Laminate Top	2635	21	37¼	29½	–	–	123 lbs.	15.6
	51N2137LFF2LW	Laminate Top	2635	21	37¼	29½	–	–	123 lbs.	15.6

- Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- Random lock core (KRB) and specified lock core (KS2B) available

LATERAL FILE 3 DRAWER	51N2137LFF3W	Wood Top	$ 3755	21 1/16	37¼	43 1/16	–	–	190 lbs.	24.0
	51N2137LFF3LW	Laminate Top	3660	21 1/16	37¼	43 1/16	–	–	190 lbs.	24.0

- Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- Random lock core (KRB) and specified lock core (KS1B) available

LATERAL FILE 4 DRAWER	51N2137LFF4W	Wood Top	$ 4646	21	37¼	55⅞	–	–	236 lbs.	29.4

- Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- Random lock core (KRB) and specified lock core (KS1B) available

WARDROBE	51N3778VHHW	Wood Doors	$ 4268	23½	37	78	–	–	250 lbs.	48.6
										

- Removable coat rod is standard; positioned on left side of wardrobe
- Features 4 adjustable laminate shelves
- Random lock core (KRB) and specified lock core (KS2B) available

	DOUBLE BOOKCASE		**$ 5046**							
DOUBLE BOOKCASE	Q51N3452BCOFW	Bookcase (each—order 2)	1896	14⅛	69¼	56½	–	–	243 lbs.	39.4
	51N3452BCOFW	Bookcase (each—order 2)	1896	12¼	33½	51¾	–	–	92 lbs.	17.6
	51N1469CPCFW	Cornice Frame	790	12¼	33½	51¾	–	–	92 lbs.	17.6
	51N1468CPBW	Base	464	14⅛	69¼	1 1/16	–	–	30 lbs.	1.2
				13⅜	68¼	3¼	–	–	29 lbs.	3.0

- Must order (2) bookcases for double unit
- Bookcase components are shipped separately
- For set-on surface use, only the bookcase and the cornice frame need to be ordered
- For a freestanding use, order the bookcase, cornice frame and base
- Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight
- Shaded shelves are adjustable

PRODUCT SPECIFICATIONS

- Specify and add $40 list for EACH grommet

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Grommet Option
3. Finish

SAMPLE MODEL NUMBERS:

51N3452BCOFW MH
51N1436CPCFW MH
51N1435CPBW MH

- See page 143 for all options available in Roosevelt

SINGLE BOOKCASE



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SINGLE BOOKCASE		**$ 2596**	14⅛	35¾	56½	—	—	128 lbs.	19.8
Q51N3452BCOFW	Bookcase	1896	12¼	33½	51¾	—	—	92 lbs.	17.6
51N3452BCOFW	Bookcase	1896	12¼	33½	51¾	—	—	92 lbs.	17.6
Q51N1436CPCFW	Cornice Frame	394	14⅛	35¾	1⅛	—	—	18 lbs.	0.6
51N1436CPCFW	Cornice Frame	394	14⅛	35¾	1⅛	—	—	18 lbs.	0.6
Q51N1435CPBW	Base	306	13⅜	34¾	3¼	—	—	18 lbs.	1.6
51N1435CPBW	Base	306	13⅜	34¾	3¼	—	—	18 lbs.	1.6

- Bookcase components are shipped separately
- For set-on surface use, only the bookcase and the cornice frame need to be ordered
- For a freestanding use, order the bookcase, cornice frame and base
- Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight
- Shaded shelves are adjustable



SINGLE BOOKCASE		**$ 2485**	14¾	35¾	40⅛	—	—	112 lbs.	19.8
Q51N3436BCOFW	Bookcase	1785	12¼	33½	35¾	—	—	76 lbs.	17.2
51N3436BCOFW	Bookcase	1785	12¼	33½	35¾	—	—	76 lbs.	17.2
Q51N1436CPCFW	Cornice Frame	394	14⅛	35¾	1⅛	—	—	18 lbs.	0.6
51N1436CPCFW	Cornice Frame	394	14⅛	35¾	1⅛	—	—	18 lbs.	0.6
Q51N1435CPBW	Base	306	13⅜	34¾	3¼	—	—	18 lbs.	1.6
51N1435CPBW	Base	306	13⅜	34¾	3¼	—	—	18 lbs.	1.6

- Bookcase components are shipped separately
- For set-on surface use, only the bookcase and the cornice frame need to be ordered
- For a freestanding use, order the bookcase, cornice frame and base
- Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight
- Shaded shelf is adjustable

ROOSEVELT

PRODUCT SPECIFICATIONS

- Specify and add $40 list for EACH grommet

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Grommet Option
3. Finish

SAMPLE MODEL NUMBER:

51N2424ENW MH
51N2430PTW G13C MH

• See page 143 for all options available in Roosevelt

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
PRINTER/TELEPHONE STAND	51N2430PTW	Wood Top	$ 2206	23¾	29¾	30	—	—	81 lbs.	18.7
	51N2430PTLW	Laminate Top	2160	23¾	29¾	30	—	—	81 lbs.	12.3
	MPK-4	Set of 4 casters	103	For use as a mobile unit					4 lbs.	0.2

- Grommet (G13C) available
- Fixed shelf is 12" deep, 26⅛" wide and ¾" thick
- Height between shelves is 18³⁄₁₆
- Open back

MAGAZINE TABLE	51N2040MGW	Wood Top	$ 1478	19¾	39¾	18⁵⁄₁₆	—	—	42 lbs.	3.0
	Q51N2040MGLW	Laminate Top	1271	19¾	39¾	18⁵⁄₁₆	—	—	42 lbs.	3.0
	51N2040MGLW	Laminate Top	1271	19¾	39¾	18⁵⁄₁₆	—	—	46 lbs.	3.0

- Some assembly required
- Laminate top tables have veneer legs/base

END TABLE	51N2424ENW	Wood Top	$ 1271	23¾	39¾	22⁵⁄₁₆	—	—	38 lbs.	2.8
	Q51N2424ENLW	Laminate Top	1131	23¾	39¾	18⁵⁄₁₆	—	—	38 lbs.	2.8
	51N2424ENLW	Laminate Top	1131	23¾	39¾	18⁵⁄₁₆	—	—	38 lbs.	2.8

- Some assembly required
- Laminate top tables have veneer legs/base

KEYBOARD DRAWER	Q51N1531KDFW		$ 401	15	30⅜	4⅛	—	—	11 lbs.	1.1
	51N1531KDFW		401	15	30⅜	4⅛	—	—	11 lbs.	1.1

- Specify finish only
- Keyboard drawer features flip-down front for easy access to keyboard

TESSERA

Product Specifications 154
Product Options 157
Grommet Location Options - Worksurfaces 160
Grommet Location Options for Conference Tops 161
Drawer Specifications 165
Thought Starters 166
Product Pages 172

TESSERA PRODUCT SPECIFICATIONS

WORKSURFACE

- Veneer surfaces are 1⅜6" plain sliced slipmatched cherry (Amber, Autumn, Cordovan, Judicial, Mocha, Truffle) or maple veneer (Brighton, Caramel, Honey, Natural), quarter cut walnut veneer (Almond, Portobello, Sable), or quarter cut oak veneer (Sonoma). All veneer component surfaces feature a 3mm wood rim
- Laminate surfaces are 1⅜6" HPL (high pressure laminate)
- Rims are available in 3mm softened profile
- Grain direction runs left-to-right unless otherwise noted
- CSL not available

PEDESTAL RECESSED FAÇADE

- Flat profile in veneer or laminate that matches the chassis material
- Recessed façade is 1⅜6" thick on top of pedestal

FINISH APPLICATION

- All Veneer surfaces feature a semi-open pore matte finish

CHASSIS CONSTRUCTION

- All joints are securely fastened by screws, L-brackets, dowels, and concealed fasteners to ensure maximum strength
- Adjustable leveling glides are standard on all casegoods
- End panels and support panels are 1⅛" thick, modesty panels are ¾" thick
- Wood modesty panels have vertical grain direction unless otherwise noted
- Laminate modesty panels have vertical grain direction unless noted
- Any laminate modesty over 60" will be horizontal
- Laminate with horizontal grain (example: Sable Horizontal 792H) will always have horizontal grain direction
- Laminate height adjustable desks without wire manager have horizontal grain on outer shroud
- Laminate height adjustable desks with wire manager have vertical grain on outer shroud
- Laminate height adjustable single side (has wire manager standard) will have vertical grain on outer shroud
- Back panels are fully finished unless noted

PEDESTALS/UNDERSURFACE STORAGE

- Full height options available
- Unfinished backs; can be finished with full overlay modesty panels, ped back panels or if a ped is against a wall and a back panel is not used, a filler strip can be used
- Backs of pedestals on pages 183-185 are unfinished. They should be used against a wall
- The bookcases back on the height adjustable single side desks are unfinished. They should be used against a wall

CREDENZA FOOT

- Beech veneer foot available in finish or paint options

SLIDING ACCENT DOORS

- Available in veneer, laminate, and white back painted glass

DRAWERS

- Drawers feature 5-sided construction allowing for easy removal/replacement of drawer fronts
- Sides, back and front are ½" thick white vinyl wrapped
- Drawer fronts are 3-ply construction with matched woodgrain
- For interior drawer dimensions, reference page 165

DRAWER PULLS

- Available in 1 pull style, refer to page 157 for pull style and colors

DRAWER SUSPENSION

- Box and file drawers are equipped with black, full extension, progressive action slides
- Precision steel ball bearings combined with sequence slide movement ensures long lasting operation
- All suspensions have a lifetime warranty

FILING

- Drawers are equipped with black metal filing hardware that accommodates various filing requirements
- No-tool, easy installation allows for quick interchangeable filing capabilities
- Refer to page 165 for complete filing details

CORD MANAGEMENT

- Round grommets and racetrack grommets are optional on worksurfaces
- Refer to page 160 for complete grommet locations and details
- Undersurface wire managers are available for additional cable management requirements
- Cords can be routed out the bottom side of the pedestal
- Leather strap can hold wires and attach to a leg in Florence colors Almond Biscotti, Terra, Mezza Luna, and Struzzo
- Leather sleeve with zipper in 3 heights: standard, bar, counter for housing cords in Florence colors Almond Biscotti, Terra, Mezza Luna and Struzzo

LOCKING

- Optional locking
- Black and silver lock cores are available
- Key Random means lock cores/keys are randomly (1-5) picked and factory installed in unit
- Key Specific means you can pick any number (1-200) for black or silver lock core/key. Must specify the lock core model separately; not factory installed and will ship separately
- Specify a change key to remove and change lock cores
- To order key specific lock cores, change keys, and master keys, reference page 391
- Locking for sliding doors is located on the side of the unit

PLANNING TIPS

- Wall panels can be mounted at any height but reference page 166 for Application Guidelines
- Consider the worksurface load when planning support; For worksurfaces that will hold office equipment, such as printers and copiers, additional support other than standard worksurface brackets is recommended
- Undersurface storage and pedestals satisfy both storage and support needs
- Reconfiguring existing worksurfaces may require new supports or brackets
- When worksurfaces meet end-to-end, a support panel or undersurface storage is required for additional support of the front edge
- Perpendicular worksurfaces can use flat brackets and worksurface brackets to provide adequate support from 1 surface to the other at the worksurface joint
- Worksurface brackets and supports can be positioned anywhere along the worksurface without the limitations of pre-drilled or predetermined locations

HEIGHT ADJUSTABLE DESKS

- Height adjustable customer range: 28½"-45"
- Wood, laminate, or wood with laminate accent options
- Wood models are all wood with no accent colors
- Laminate models are all laminate with an accent option for the inner shroud/modesty panel
- Laminate/Wood models are all wood with a solid laminate accent option for the inner shroud and modesty panel
- Inner shroud is only seen in "up" position on 60", 66", and 72" wide models
- Metal legs visible on 78" and 84" wide models when in the "up" position
- Control pad can be moved to right-handed (RH) or left-handed (LH) by the customer
- Duty cycle: 2 minutes ON/18 minutes OFF
- Maximum load should not exceed 85 lbs. on the surface
- Power cord: Type A plug, max 10 A, 125 V; 78¾" length
- On models with wire management the wire management is installed inside inner leg
- Modesty panel options include: full flush, full breakfront, ½ height flush, ⅓ height breakfront

ADJUSTABLE HEIGHT DESK AND RETURN "L" UNIT

- "L" Unit Height Adjustable has 3 columns with a range of 27"-43½"
- Models are sold as desks and returns to make up an "L" unit and the entire unit raises and lowers together
- "L" Unit Height Adjustable will have a modesty panel for the desk and return that is inset 1⁹⁄₁₆" from edge of desk and 3⅝" from floor and will raise with the top. No inner/out shroud so the leg will be exposed when top is raised
- All desk and return models to make an "L" unit have wire management access
- Wood models are all wood with no accent colors
- Laminate models are all laminate with an accent option for the modesty panel
- Laminate/Wood models are all wood with a solid laminate accent option for the modesty panel.
- "L" return units do not have an inner shroud
- "L" Unit Height Adjustable maximum load should not exceed 100 lbs on both surfaces combined

ADJUSTABLE HEIGHT DESK SHELL WITH SINGLE SIDE SHROUDED BOOKCASE

- Single Side Shroud with Bookcase including one concealed leg within bookcase
- Wood models are all wood with no accent colors. Laminate models are all laminate with an accent option for the inner shroud/modesty panel
- Laminate/Wood models are all wood with a solid laminate accent option for the inner shroud/modesty panel
- Specify box/file height component pedestals to work with a Single Side Shroud with Bookcase model
- Single Side Shroud with Bookcase model determined if "L" or "R" by user side where bookcase is located
- Modesty panels available to make Single Side Shroud with Bookcase with components an open plan application. Leg is exposed when Single Side Shroud with Bookcase model is raised
- Single Side Shroud with Bookcase models comes with a modesty panel but optional if used
- Overall dimensions of desk are undersized to allow for pinch points

VERTICAL STORAGE FILLER STRIP

- For use when vertical storage units are specified with the Single Side Height Adjustable Desk and the Tessera wall. Specify a filler strip to fill in the 3" gap between the back of the vertical storage unit and the architectural wall; 2⅔" length and 74½" tall

WALL PANELS

- Wood or LPL laminate options; vertical grain direction on wall panels with the exception of horizontal grain laminates
- Available in wood, laminate, HPL laminate, composite, concrete veneer, stone veneer
- Back mounted LED light kits are available for use on wall panels
- Wall panels can be mounted at any height; see mounting application guidelines
- Wall mount brackets for attachment to architectural walls are included
- It is recommended that each wall panel be secured by a minimum of 2 mounting locations (studs)
- Adjustable universal TV wall mount bracket included; adjusts to allow installation of most 32" to 80" flat panel televisions; TV can cross over multiple panels. Restriction is 120 lbs weight limit
- VESA mounting compliant; black powder coat; ships separately
- Reference page 166 for Mounting Application Guidelines
- Wall panels can be mounted as a stand alone model, shelves added, or wall mounted overheads can be hung on panels
- Wall panel backs are pre-bored for shelf attachment in the field
- See assembly instructions for suggested drill bits for shelf installation

SHELVES

- Wood or HPL laminate grain direction is horizontal (left-to-right)
- Shelves are 10" deep; ¾" thick; and are available in nineteen lengths
- Shelves are mounted to wall panels; mounting brackets included; must be same size or smaller than overall width of wall panel
- Different lengths of shelves can be mounted horizontally in 12" increments on wall panels
- 59" H wall panels allow up to (4) rows of shelves; 52" H wall panels allow up to (3) rows of shelves; 46"W wall panels allow up to (3) rows of shelves

SHELVING WEIGHT LIMIT GUIDELINES

- Each shelf has a maximum weight limit; reference price list for additional information

18" W shelf: 25 lbs.	72" W shelf: 125 lbs.
20" W shelf: 35 lbs.	78" W shelf: 135 lbs.
24" W shelf: 45 lbs.	84" W shelf: 145 lbs.
30" W shelf: 55 lbs.	90" W shelf: 155 lbs.
36" W shelf: 65 lbs.	96" W shelf: 165 lbs.
42" W shelf: 75 lbs.	102" W shelf: 175 lbs.
48" W shelf: 85 lbs.	108" W shelf: 185 lbs.
54" W shelf: 95 lbs.	114" W shelf: 195 lbs.
60" W shelf: 105 lbs.	120" W shelf: 205 lbs.
66" W shelf: 115 lbs.	

RAILROADED TACK BOARD

- Shaded rectangle portrays a railroaded tack board.



COMPONENTS

- Component models will ship bulk packed when applicable

TESSERA

ANGLED DISPLAY SHELVES

- Below are the weight limits for the angled shelves at different lengths

Angled Shelf Length (in.)	Weight Limit (lbs.)
18	27 lbs.
24	36 lbs.
30	45 lbs.
36	54 lbs.
48	72 lbs.
54	81 lbs.
60	90 lbs.
66	99 lbs.
72	108 lbs.

LED LIGHT KITS

- LED light kits can be added to back side of wall panels
- Light multi-driver (NACLTMD) must be used when ganging together two LED light kits; sold separately

LIGHT KIT 1

- For use with larger wall panels
- Includes (2) LED light strip spools, (1) LED driver, (2) leads, (1) rocker switch, (3) corner connectors, and (2) splice
- Lights all 4 sides of wall panels that are 120" W x 52" H down to 48" W x 52" H
- Lights 3 sides of wall panels that are 120" W x 52" H down to 90" W x 52" H

LIGHT KIT 2

- For use with smaller wall panels
- Includes (1) light spool, (1) driver, (1) lead, (1) rocker switch, (2) corner connectors, and (2) splice
- Lights all 4 sides of wall panels that are 42" W x 52" H and smaller

5MM SPOOL OF LIGHTS

- Order when additional lights are needed but an additional LED light kit is not required

LEGS

- Tapered wood legs
- Contrasting leg option available in Designer White (405), Cinder (462), Platinum Metallic (501), and Satin Nickel Metallic (503) paint
- Conference table will have apron rail match leg paint color

BENCHES (STANDARD HEIGHT)

- Available in wood and laminate wood grain finishes, solid laminate colors
- Legs and apron rail will match and can be specified different from the top
- Upholstered options available
- 72" recommended to be used with 84" length table (1 per side)
- 60" recommended to be used with 72" length table (1 per side)
- 54" recommended to be used with 120" length table (1 per side)
- 48" recommended to be used with 108" length table (2 per side)
- 42" recommended to be used with 96" length table (2 per side)

DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

PULL OPTIONS

Mosaic (92)

92MB Cinder
92CC Concrete
92WH Designer White
92IR Iron
92PL Platinum Metallic
92SN Satin Nickel Metallic

GANGING

L Left
R Right
LR Left and Right

GROMMET OPTIONS—WORKSURFACE

If no grommet is desired, specify an X (No Grommet)

Round Grommet, Nylon Plastic



$40 list for each grommet

G1L Left
G1R Right
G1LR Left & Right
G1C Center
G1A Left, Right & Center

Racetrack Grommet, Satin Nickel Metallic



$45 list for each grommet

G11SNL Left
G11SNR Right
G11SNLR Left & Right
G11SNC Center
G11SNA Left, Right & Center

Racetrack Grommet, Cinder



$45 list for each grommet

G11MBL Left
G11MBR Right
G11MBLR Left & Right
G11MBC Center
G11MBA Left, Right & Center

Racetrack Grommet, Platinum Metallic



$45 list for each grommet

G11PLL Left
G11PLR Right
G11PLLR Left & Right
G11PLC Center
G11PLA Left, Right & Center

Cutout Option for 1 Touch Pivoting Power Grommet

$40 list upcharge per cutout location



CUT-G17L Left
CUT-G17R Right
CUT-G17LR Left & Right
CUT-G17C Center
CUT-G17A Left, Right & Center

• Reference page 160 for cutout locations of CUT-G17

NACG17AELPGB, NACG17AELPGS, and NACG17AELPGW (Sold Separately)

• Reference page 398 for pricing and details



NACG17BELPGB, NACG17BELPGS, and NACG17BELPGW (Sold Separately)

• Reference page 398 for pricing and details



NACG17CELPGB, NACG17CELPGS, and NACG17CELPGW (Sold Separately)

• Reference page 398 for pricing and details

NOTE: Interlink IQ units are available in the Accessories section

GROMMET OPTIONS — CONFERENCE

If no grommet is desired, specify an X (No Grommet)

Round Grommet Option, Black

$100 list upcharge per grommet location

G10C	Center
G10E	End
G10LR	Left, Right
G10A	All
G10CE	Center, End

- Reference page 160 for grommet locations



NACG10EL
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 396 for pricing and details



NACG10AELPGB, NACG10AELPGW, NACG10AELPGG, NACG10BELPGB, NACG10BELPGW, and NACG10AELPGG (Sold Separately)

- NACG10A and NACG10B power/USB grommet is available as a substitute for G10 grommet, if desired
- Reference Electrical Addendum for pricing and details

Cutout Option for 1 Touch Double Pivoting Power Grommet

$40 list upcharge per cutout location

CUT-G15C	Center
CUT-G15E	End
CUT-G15LR	Left, Right
CUT-G15A	All
CUT-G15CE	Center, End



- Reference page 162 for cutout locations of CUT-G15



NACG15AELPGS, NACG15AELPGB, and NACG15AELPGW (Sold Separately)

- Reference the Tables Price List for pricing and details

Cutout Option for 1 Touch Pivoting Power Grommet

$40 list upcharge per cutout location

CUT-G17C	Center
CUT-G17E	End
CUT-G17LR	Left & Right
CUT-G17A	All
CUT-G17CE	Center, End



- Reference page 163 for cutout locations of CUT-G17

NACG17AELPGB, NACG17AELPGS, and NACG17AELPGW (Sold Separately)



NACG17BELPGB, NACG17BELPGS, and NACG17BELPGW (Sold Separately)



NACG17CELPGB, NACG17CELPGS, and NACG17CELPGW (Sold Separately)

- Reference page 398 for pricing and details

Cutout Option for G23 Power Grommet

$40 list upcharge per cutout location

CUT-G23C	Center
CUT-G23E	End
CUT-G23LR	Left, Right
CUT-G23A	All
CUT-G23CE	Center, End



- Reference page 164 for cutout locations of CUT-G23



NACG23ELB (Sold Separately
NACG23ELS (Sold Separately)

- Reference page 404 for pricing and details

LOCKING

KEY RANDOM

KRB Black
KRS Silver

KEY SPECIFIC

X No locking
KS1B Black, 1 lock per unit
KS1S Silver, 1 lock per unit
KS2B Black, 2 locks per unit
KS2S Silver, 2 locks per unit
KS3B Black, 3 locks per unit
KS3S Silver, 3 locks per unit
KS4B Black, 4 locks per unit
KS4S Silver, 4 locks per unit
KS5B Black, 5 locks per unit
KS5S Silver, 5 locks per unit

Unit list price will be reduced by $28 per lock when selecting Key Specific option. Must order specific lock cores separately ($28 list each). See page 391 for Key Specific model numbers.

LEG FINISH/ PAINT OPTIONS

AC Autumn
AD Almond
CL Caramel
CW Cordovan
DW Judicial
HN Honey
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
SM Sonoma
TF Truffle
792 Sable
405 Designer White
423 Concrete
462 Cinder
463 Iron
501 Platinum Metallic
503 Satin Nickel Metallic

ADJUSTABLE HEIGHT LEG PAINT

462 Cinder
501 Platinum Metallic

WOOD FINISHES

AC Autumn
AD Almond
CL Caramel
CW Cordovan
DW Judicial
HN Honey
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
SM Sonoma
TF Truffle
792 Sable

LAMINATES

WOODGRAIN LAMINATE*

AC2 Autumn 2
AD Almond
ADH Almond Horizontal
BZ Brazilwood
CI Chai
CL Caramel
CW Cordovan
DW Judicial
HN2 Honey 2
IM Brighton
KN Kona
MC Amber
MH Mocha
NM Natural
PB Portobello
PBH Portobello Horizontal
PC Porcini
PT Portico
PTH Portico Horizontal
SK Skyline
SKH Skyline Horizontal
SM Sonoma
SMH Sonoma Horizontal
TF Truffle
WL Willow
792 Sable
792H Sable Horizontal
793 Acorn

*Not available on the accent sliding door of the laminate/wood models

SOLID LAMINATE

405 Designer White
419 Wallaby
425 Shadow
440 Cloud
457 Dapple
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
491H Designer White Linear Horizontal
492 Cinder Linear
492H Cinder Linear Horizontal

• CSL not available

GALLERY LAMINATE

Grade 1 – 5% upcharge
G1001 Citadel
G1011 Pepperdust

Grade 2 – 6% upcharge
G1002 Planked Raw Oak
G1003 Evening Notte
G1004 Kirsche
G1005 Midnight Run
G1006 Sepia Walnut
G1007 Serotina
G1008 Timeless
G1009 White Nebbia
G1012 Phantom Ecru

See page 14 for Gallery program details and upcharges

CONCRETE (WALL PANELS ONLY)

90 Grey Concrete

STONE (WALL PANELS ONLY)

40 Bianca Carrara Marble
41 Nero Marquina Marble
43 Turkish Silver Travertine

COMPOSITE (WALL PANELS ONLY)

405 Designer White
423 Concrete
462 Cinder
463 Iron
501 Platinum Metallic
503 Satin Nickel Metallic

HPL PATTERN LAMINATES (WALL PANELS ONLY)

Grade A
821 Elemental Concrete

Grade C
825 Jet Sequoia
826 Calacatta Marble
827 Black Fusion

Grade C is 30% upcharge

GROMMET LOCATION OPTIONS—WORKSURFACE

Grommets are available for factory installation in worksurfaces in predetermined locations as shown below. Simply specify the desired grommet style and location in the model number sequence. Refer to page 157 for options.

- If specifying a grommet in the center location of a component worksurface, be sure there is clearance under the grommet opening so as not to conflict with undersurface components
- Center grommet not recommended with breakfront modesty
- 24" pedestals not to be used with a 30" worksurface when specifying grommets

Worksurface grommet locations:

The distance to the center of the grommet is the same for the G1 round grommet, G11 racetrack grommet or the CUT-G17 option.

The same locations are available for the round or racetrack grommet.



36" deep Worksurfaces

- G17 cut is 11 1/16" off the back surface



30", 24" and 20" deep Worksurfaces

- G17 cut is 6" off the back surface



Round Grommet Plastic



Racetrack Grommet Zinc



G17 Cutout Option

For component pedestals and worksurfaces on pages 183-185 to be used with the single side height adjustable desks on page 181. When building a low height credenza, the chart below indicates if/when a "center" grommet could be specified. These units are ganged with a common top when using multiple pedestals. The floating top design dictates grommet options.

The "checks" and "x"s represent whether a center grommet could or should not be selected, respectively.

Worksurface Model Pedestal Width Configuration

	30	15-15
59N1830WSSL	✓	✗
59N1830WSSW	✓	✗

	36	18-18
59N1836WSSL	✓	✗
59N1836WSSW	✓	✗

	30-18	15-18-15	15-15-18
59N1848WSSL	✓	✓	✓
59N1848WSSW	✓	✓	✓

	36-18	18-18-18
59N1854WSSL	✓	✓
59N1854WSSW	✓	✓

	30-30	15-15-15-15	15-30-15	15-15-30
59N1860WSSL	✗	✗	✓	✗
59N1860WSSW	✗	✗	✓	✗

	36-36	18-18-18-18	18-36-18	18-18-36
59N1872WSSL	✗	✗	✓	✗
59N1872WSSW	✗	✗	✓	✗

GROMMET LOCATIONS FOR TESSERA CONFERENCE TOPS

- G10 grommets are shipped installed
- NACG10EL, NACG10AELPG*, and NACG10BELPG* electrical grommets are available as a substitute for G10 grommet, if desired
- G10 Round Grommet



TABLE LENGTH (IN)

GROMMET LOCATION/ OPTIONS	72"				84"				96"				108"				120"			
G10C CENTER	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
	–	36"	–	–	–	41 15/16"	–	–	–	47 15/16"	–	–	–	53 15/16"	–	–	–	59 15/16"	–	–
G10E END	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
	17 1/8"	–	–	–	20 1/8"	–	–	–	23 1/8"	–	–	–	26 1/8"	–	–	–	29 1/8"	–	–	–
G10LR LEFT, RIGHT	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
	17 1/8"	–	–	54 13/16"	20 1/8"	–	–	63 13/16"	23 1/8"	–	–	72 13/16"	26 1/8"	–	–	81 1/4"	29 1/8"	–	–	90 3/4"
G10A ALL	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
	17 1/8"	36"	–	54 13/16"	20 1/8"	41 15/16"	–	63 13/16"	23 1/8"	47 15/16"	–	72 13/16"	26 1/8"	53 15/16"	–	81 1/4"	29 1/8"	59 15/16"	–	90 3/4"
G10CE CENTER, END	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
	17 1/8"	36"	–	–	20 1/8"	41 15/16"	–	–	23 1/8"	47 15/16"	–	–	26 1/8"	53 15/16"	–	–	29 1/8"	59 15/16"	–	–

GROMMET LOCATIONS FOR TESSERA CONFERENCE TOPS

• CUT-G15 option





TABLE LENGTH (IN)

GROMMET LOCATION/ OPTIONS	72"				84"				96"				108"				120"			
G15C CENTER	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
	–	36"	–	–	–	41 15/16"	–	–	–	47 15/16"	–	–	–	53 15/16"	–	–	–	59 15/16"	–	–
G15E END	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
	15⅝"	–	–	–	18⅝"	–	–	–	21⅝"	–	–	–	24⅝"	–	–	–	27⅞"	–	–	–
G15LR LEFT, RIGHT	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
	15⅝"	–	–	56 5/16"	18⅝"	–	–	65 5/16"	21⅝"	–	–	74 5/16"	24⅝"	–	–	83¼"	27⅞"	–	–	92¼"
G15A ALL	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
	15⅝"	36"	–	56 5/16"	18⅝"	41 15/16"	–	65 5/16"	21⅝"	47 15/16"	–	74 5/16"	24⅝"	53 15/16"	–	83¼"	27⅞"	59 15/16"	–	92¼"
G15CE CENTER, END	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
	15⅝"	36"	–	–	18⅝"	41 15/16"	–	–	21⅝"	47 15/16"	–	–	24⅝"	53 15/16"	–	–	27⅞"	59 15/16"	–	–

GROMMET LOCATIONS FOR TESSERA CONFERENCE TOPS

- For G17, the center grommet location consists of 2 grommet cutouts (upcharge will reflect 2 grommet cutouts)
- CUT-G17 option





TABLE LENGTH (IN)

GROMMET LOCATION/ OPTIONS	72"				84"				96"				108"				120"			
G17C CENTER	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
	–	32 1/16"	39 15/16"	–	–	38 1/16"	45 7/8"	–	–	44"	51 7/8"	–	–	50"	57 7/8"	–	–	56"	63 7/8"	–
G17E END	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
	6"	–	–	–	6"	–	–	–	6"	–	–	–	6"	–	–	–	6"	–	–	–
G17LR LEFT, RIGHT	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
	6"	–	–	66"	6"	–	–	77 15/16"	6"	–	–	89 15/16"	6"	–	–	101 7/8"	6"	–	–	113 7/8"
G17A ALL	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
	6"	32 1/16"	39 15/16"	66"	6"	38 1/16"	45 7/8"	77 15/16"	6"	44"	51 7/8"	89 15/16"	6"	50"	57 7/8"	101 7/8"	6"	56"	63 7/8"	113 7/8"
G17CE CENTER, END	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
	6"	32 1/16"	39 15/16"	–	6"	38 1/16"	45 7/8"	–	6"	44"	51 7/8"	–	6"	50"	57 7/8"	–	6"	56"	63 7/8"	–

GROMMET LOCATIONS FOR TESSERA CONFERENCE TOPS

- CUT-G23 option





TABLE LENGTH (IN)

GROMMET LOCATION/ OPTIONS	72"				84"				96"				108"				120"			
G23C CENTER	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
	–	36"	–	–	–	41 15/16"	–	–	–	47 15/16"	–	–	–	53 15/16"	–	–	–	59 15/16"	–	–
G23E END	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
	16 1/16"	–	–	–	19 1/16"	–	–	–	22 1/16"	–	–	–	25⅛"	–	–	–	28⅜"	–	–	–
G23LR LEFT, RIGHT	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
	16 1/16"	–	–	55 5/16"	19 1/16"	–	–	64¼"	22 1/16"	–	–	73¼"	25⅝"	–	–	82¼"	28⅜"	–	–	91 3/16"
G23A ALL	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
	16 1/16"	36"	–	55 5/16"	19 1/16"	41 15/16"	–	64¼"	22 1/16"	47 15/16"	–	73¼"	25⅝"	53 15/16"	–	82¼"	28⅜"	59 15/16"	–	91 3/16"
G23CE CENTER, END	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
	16 1/16"	36"	–	–	19 1/16"	41 15/16"	–	–	22 1/16"	47 15/16"	–	–	25⅝"	53 15/16"	–	–	28⅜"	59 15/16"	–	–

DRAWER SPECIFICATIONS

DESCRIPTION	INTERIOR DIMENSIONS				FILING CAPABILITIES
	DRAWER	INSIDE WIDTH	INSIDE DEPTH	INSIDE HEIGHT	
Double Pedestal Desk 36x84	Box File	14 15/16 14 15/16	17 17	2½ 9⅜	Letter, legal, and EDP side-to-side filing. Legal filing front-to-back
Double Pedestal Desk 36x72, 30x72, 30x66, 30x60	Box File	11 15/16 11 15/16	17 17	2½ 9⅜	Letter, legal, and EDP side-to-side filing. Legal filing front-to-back
Single Pedestal Desk 36x84	Box File	14 15/16 14 15/16	17 17	2½ 9⅜	Letter, legal, and EDP side-to-side filing. Legal filing front-to-back
Single Pedestal Desk 36x72, 30x72, 30x66	Box File	11 15/16 11 15/16	17 17	2½ 9⅜	Letter, legal, and EDP side-to-side filing. Legal filing front-to-back
Return 24x60, 24x48, 24x42	Box File	11 15/16 11 15/16	17 17	2½ 9⅜	Letter, legal, and EDP side-to-side filing. Legal filing front-to-back
Lateral File 36" wide	Lateral File	32 15/16	17	9⅜	Letter, legal, and EDP side-to-side filing. Legal filing front-to-back
Lateral File 30" wide	Lateral File	26 15/16	17	9⅜	Letter, legal, and EDP side-to-side filing. Legal filing front-to-back
Component Pedestals 35x18, 29x18, 23x18, 18x18	Box File	14 15/16 14 15/16	17 17	2½ 9⅜	Letter, legal, and EDP side-to-side filing. Legal filing front-to-back
Component Pedestals 35x15, 29x15, 23x15, 18x15	Box File	11 15/16 11 15/16	17 17	2½ 9⅜	Letter, legal, and EDP side-to-side filing. Legal filing front-to-back
Single Pedestal Credenzas 24x72, 24x66, 24x60	Box File	14 15/16 14 15/16	17 17	2½ 9⅜	Letter, legal, and EDP side-to-side filing. Legal filing front-to-back
Full, Mid, and Bench Credenzas 24x90, 24x60 (2 drawer models)	Box Lateral File	26 15/16 26 15/16	17 17	2½ 9⅜	Letter, legal, and EDP side-to-side filing. Legal filing front-to-back
Full, Mid, and Bench Credenzas 24x72, 24x48	Box File	20⅞ 20⅞	17 17	2½ 9⅜	Letter, legal, and EDP side-to-side filing. Legal filing front-to-back
Full, Mid, and Bench Credenzas 24x60 (3 drawer models)	Box File	16⅞ 16⅞	17 17	2½ 9⅜	Letter, legal, and EDP side-to-side filing. Legal filing front-to-back
Full, Mid, and Bench Credenzas (single wide models) 24x30	Lateral	26⅜	17	9⅜	Letter, legal, and EDP side-to-side filing. Legal filing front-to-back
Full, Mid, and Bench Credenzas (single wide models) 24x24	File	20¼	17	9⅜	Letter, legal, and EDP side-to-side filing. Legal filing front-to-back
Full, Mid, and Bench Credenzas (single wide models) 24x24	File	16 5/16	17	9⅜	Letter, legal, and EDP side-to-side filing. Legal filing front-to-back

TESSERA - THOUGHT STARTERS

WALL PANEL AND OVERHEAD MOUNTING APPLICATION GUIDELINES

FASTENERS

- Fasteners must tie in directly to the substructure of a structural wall for proper attachment of Tessera wall panels and overheads. National defines a structural wall as a load bearing wall constructed of materials such as poured concrete, concrete block, or studs
- Selection and purchase of the proper attachment fasteners is the responsibility of the installer

MINIMUM REQUIREMENTS

- Wood studs must be nominal 2" x 4" minimum
- Metal studs must be "C" channel, 20 gauge minimum thickness
- Metal or wood studs must be on centers no greater than 24" and have a maximum height of 14' restrained at floor and ceiling
- Interior walls must be designed to resist not less than a force of 5 lbs. per sq. ft. applied perpendicular to the wall. The deflection of such walls under a load of 5 lbs. per square foot shall not exceed 1/240 of the span for walls with brittle finishes and 1/120 of the span for walls with flexible finishes (per International Building Code sections 1604.4 and 1607.13)
- Minimum width of attachment to a wall is 16" mounted to studs 16" apart

RECOMMENDED FASTENERS

- Selection and purchase of the proper attachment fasteners for your wall conditions is the responsibility of the installer

Type and Size	Description
Steel Studs (½" to ¾" drywall) Hilti® Toggler® anchor toggle bolts, ¼"–20 x 2" grade 5 bolts	
Wood Studs (¼" to ½" drywall) Meets or exceeds ANSI/ASME B18.6.4 and SAE J933. Pan head sheet metal screw	10-2 PHPMS
Solid Masonry Crown Bolt lag shields ¼" x 1½" Buildex Tapcon concrete anchor screw ¼" x 2¾"	
Masonry Block Hilti Toggler anchor toggle bolts, ¼"–20 x 2" grade 5 bolts Crown Bolt lag shields ¼" x 1½" Buildex Tapcon concrete anchor screw ¼" x 2¾"	

- Actual mounting height can be varied to meet specific needs; however, undersurface storage height must be considered
- Variations in the floor surface (peaks and valleys) should be considered, especially where horizontal placement is critical
- Dimensional loss should be considered when space planning for components
- In fixed wall applications, choose your insert height based on your specific application or height of corresponding vertical storage. Consider the height of the cabinet and clearance between the bottom of the overhead and the worksurface

PNL RATINGS

PANEL WIDTH (ALL HEIGHTS) (IN.)	LOAD RATING (LAM/VENEER PANELS) (LBS.)	LOAD RATING (STONE PANELS) (LBS.)
24"	237	217
30"	368	343
36"	499	470
42"	631	597
48"	618	579
54"	750	706
60"	738	688

- Load rating weights are only supported when using National Office Furniture recommended fasteners for installation of Wall panels

LOADING FORMULAS

TEMPLATE

WALL PANEL MOUNTED ITEM	UNIT WEIGHT (SEE WEIGHTS LISTED WITH MODEL)	+	WEIGHT CAPACITY OF SELECTED UNIT (SEE ABOVE)	X	WEIGHT SUPPORT RATIO (SEE EXHIBIT A)	=	SUPPORTED WEIGHT
UNIT 1		+		X		=	
UNIT 2		+		X		=	
UNIT 3		+		X		=	
UNIT 4		+		X		=	
UNIT 5		+		X		=	
ETC.		+		X		=	

_____	SUM OF SUPPORTED WEIGHTS
	PANEL RATING
_____	SUM OF SUPPORTED WEIGHTS
	APPROVED COMBINATION IF TOTAL WEIGHT IS LESS THAN PANEL RATING
_____	

EXAMPLE (LEFT WALL PANEL)

WALL PANEL MOUNTED ITEM	UNIT WEIGHT	+	WEIGHT CAPACITY OF SELECTED UNIT	X	WEIGHT SUPPORT RATIO	=	SUPPORTED WEIGHT
59N48SHL	20.0	+	85	X	1.0	=	105.0
59N120SHL	39.7	+	205	X	0.2	=	48.9
59N7224SOS3ML	156.0	+	413.3	X	0.7	=	379.6

	533.5	SUM OF SUPPORTED WEIGHTS
48" LAM	618.25	PANEL RATING
	533.5	SUM OF SUPPORTED WEIGHTS
	84.7	APPROVED COMBINATION IF TOTAL WEIGHT IS LESS THAN PANEL RATING

TESSERA - THOUGHT STARTERS

EXAMPLE (MIDDLE WALL PANEL)

WALL PANEL MOUNTED ITEM	UNIT WEIGHT	+	WEIGHT CAPACITY OF SELECTED UNIT	X	WEIGHT SUPPORT RATIO	=	SUPPORTED WEIGHT	
59N120SHL	39.69	+	205.00	X	0.40	=	97.88	
59N7224SOS3ML	156.00	+	413.35	X	0.33	=	189.78	
							287.66	SUM OF SUPPORTED WEIGHTS
					48" LAM		618.25	PANEL RATING
							287.66	SUM OF SUPPORTED WEIGHTS
							330.59	APPROVED COMBINATION IF TOTAL WEIGHT IS LESS THAN PANEL RATING

EXAMPLE (RIGHT WALL PANEL)

WALL PANEL MOUNTED ITEM	UNIT WEIGHT	+	WEIGHT CAPACITY OF SELECTED UNIT	X	WEIGHT SUPPORT RATIO	=	SUPPORTED WEIGHT	
59N2412SOO1ML	24.00	+	115.07	X	1.00	=	139.07	
59N2412SOO1ML	24.00	+	115.07	X	1.00	=	139.07	
59N120SHL	39.69	+	205.00	X	0.40	=	97.88	
							376.01	SUM OF SUPPORTED WEIGHTS
					48" LAM		618.25	PANEL RATING
							376.01	SUM OF SUPPORTED WEIGHTS
							242.24	APPROVED COMBINATION IF TOTAL WEIGHT IS LESS THAN PANEL RATING

EXHIBIT A



WEIGHT SUPPORT RATIO (WSR)
WSR = LENGTH SUPPORTED ON PANEL SECTION / OVERALL LENGTH OF ITEM

TACK BOARD AND MARKER BOARD



- Tack & Marker board thought starters when also using shelves

TESSERA - THOUGHT STARTERS



- Vertical storage units are available in 2 heights: 75" and 53" high
- Overheads are available in 3 heights: 24", 18", and 12" and can be mounted to the wall panels or directly to the architectural wall
- When using credenzas with wall panels and vertical storage; 46" height wall panels work with full height credenzas



- Wall panels can be mounted as a stand alone model, shelves added, or wall mounted overheads hung on the panels
- When using credenzas with wall panels and vertical storage; 52" height wall panels work with mid-height credenzas



- When using credenzas with wall panels and vertical storage; 59" height wall panels work with bench credenzas



- Credenzas are available in 3 different heights (full, mid, bench)
- Wall panels are available in 3 different heights (59", 52", and 46") and widths of 60"-24" in 6" increments
- 59" height wall panels allow 4 rows of shelves and 52" and 46" allow 3 rows of shelves
- Shelves are available in lengths of 120"-18" in 6" increments
- Different lengths of shelves can be mounted on the wall panel in 12" increments, one shelf may span across multiple walls to reduce seams
- Wall panels and shelves are sold separately
- Shelves are shipped with brackets to change shelves on the wall panels



To avoid gaps in the floating top design the spacer block must be specified by layout on the worksurfaces and on the bookcase that comes with the desk.

TESSERA

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to pages 157-159 for options
- Refer to pages 381-418 for accessories
- Refer to page 165 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 160 for grommet locations and page 157 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks

TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Laminate Color (laminate models)
4. Veneer Finish (wood models)

SAMPLE MODEL NUMBERS:

59N3672DSFALW G11MBLR 461 TF
59N3672DSFAL G11MBLR 461 TF

- See pages 157-159 for all options available in Tessera

ADJUSTABLE HEIGHT FULL FLUSH MODESTY DESK SHELL





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
59N3672DSFAW	Wood	$ 8829	36 1/16	71 15/16	28 13/16	—	—	347 lbs.	55.2
59N3672DSFALW	Wood/Laminate Modesty	9094	36 1/16	71 15/16	28 13/16	—	—	347 lbs.	55.2
59N3672DSFAL	Laminate	7557	36 1/16	71 15/16	28 13/16	—	—	347 lbs.	55.2
59N3072DSFAW	Wood	$ 8721	30 1/16	71 15/16	28 13/16	—	—	300 lbs.	47.1
59N3072DSFALW	Wood/Laminate Modesty	8987	30 1/16	71 15/16	28 13/16	—	—	300 lbs.	47.1
59N3072DSFAL	Laminate	7451	30 1/16	71 15/16	28 13/16	—	—	300 lbs.	47.1
59N3066DSFAW	Wood	$ 7626	30 1/16	66	28 13/16	—	—	277 lbs.	43.5
59N3066DSFALW	Wood/Laminate Modesty	7856	30 1/16	66	28 13/16	—	—	277 lbs.	43.5
59N3066DSFAL	Laminate	6497	30 1/16	66	28 13/16	—	—	277 lbs.	43.5
59N3060DSFAW	Wood	$ 7521	30 1/16	60	28 13/16	—	—	263 lbs.	39.9
59N3060DSFALW	Wood/Laminate Modesty	7749	30 1/16	60	28 13/16	—	—	263 lbs.	39.9
59N3060DSFAL	Laminate	6391	30 1/16	60	28 13/16	—	—	263 lbs.	39.9

- Reference pages 154-156 for product specifications
- Wood/ laminate modesty units feature a laminate interior shroud (only visible when the desk is in the up position) and modesty; modesty and inner shroud will be the same color
- Laminate models, the laminate color is used for the worksurface and end panels. The accent laminate color option is used for the modesty panel and interior leg shroud
- Wood models have only one finish option
- The outer shrouds on the height adjustable desks will always have horizontal grain on laminate units and vertical on veneer units
- Modesty panel on laminate or veneer units will be vertical unless horizontal is specified
- Any laminate modesty over 60" will be horizontal
- Ships assembled
- Control pad can be moved to RH or LH by the customer
- Does not have a floating top design

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to pages 157-159 for options
- Refer to pages 381-418 for accessories
- Refer to page 165 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 160 for grommet locations and page 157 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks

TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Laminate Color (laminate models)
4. Veneer Finish (wood models)

SAMPLE MODEL NUMBERS:

59N3672DSFBALW G11MBLR 461 TF
59N3672DSFBAL G11MBLR 461 TF

- See pages 157-159 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
ADJUSTABLE HEIGHT DESK SHELL BREAKFRONT FULL MODESTY	59N3672DSFBAW	Wood	$ 8829	36 1/16	71 15/16	28 15/16	—	—	347 lbs.	55.2
	59N3672DSFBALW	Wood/Laminate Modesty	9094	36 1/16	71 15/16	28 15/16	—	—	347 lbs.	55.2
	59N3672DSFBAL	Laminate	7557	36 1/16	71 15/16	28 15/16	—	—	347 lbs.	55.2
	59N3072DSFBAW	Wood	$ 8721	30 1/16	71 15/16	28 15/16	—	—	300 lbs.	47.1
	59N3072DSFBALW	Wood/Laminate Modesty	8987	30 1/16	71 15/16	28 15/16	—	—	300 lbs.	47.1
	59N3072DSFBAL	Laminate	7451	30 1/16	71 15/16	28 15/16	—	—	300 lbs.	47.1
	59N3066DSFBAW	Wood	$ 7626	30 1/16	66	28 15/16	—	—	277 lbs.	43.5
	59N3066DSFBALW	Wood/Laminate Modesty	7856	30 1/16	66	28 15/16	—	—	277 lbs.	43.5
	59N3066DSFBAL	Laminate	6497	30 1/16	66	28 15/16	—	—	277 lbs.	43.5
	59N3060DSFBAW	Wood	$ 7521	30 1/16	60	28 15/16	—	—	263 lbs.	29.8
	59N3060DSFBALW	Wood/Laminate Modesty	7749	30 1/16	60	28 15/16	—	—	263 lbs.	29.8
	59N3060DSFBAL	Laminate	6391	30 1/16	60	28 15/16	—	—	263 lbs.	29.8

- Reference pages 154-156 for product specifications
- Wood/ laminate modesty units feature a laminate interior shroud (only visible when the desk is in the up position) and modesty; modesty and inner shroud will be the same color
- Laminate models, the laminate color is used for the worksurface and end panels. The accent laminate color option is used for the modesty panel and interior leg shroud
- Wood models have only one finish option
- The outer shrouds on the height adjustable desks will always have horizontal grain on laminate units and vertical on veneer units
- Modesty panel on laminate or veneer units will be vertical unless horizontal is specified
- Any laminate modesty over 60" will be horizontal
- Ships assembled
- Control pad can be moved to RH or LH by the customer
- Does not have a floating top design

TESSERA

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to pages 157-159 for options
- Refer to pages 381-418 for accessories
- Refer to page 165 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 160 for grommet locations and page 157 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks

TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Laminate Color (laminate models)
4. Veneer Finish (wood models)

SAMPLE MODEL NUMBERS:

59N3672DS3ALW G11MBLR 461 TF
59N3672DS3AL G11MBLR 461 TF

- See pages 157-159 for all options available in Tessera

ADJUSTABLE HEIGHT DESK SHELL
⅓ HEIGHT
FLUSH MODESTY



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
59N3672DS3AW	Wood	$ 8672	36 1/16	71 15/16	28 13/16	—	—	347 lbs.	55.2
59N3672DS3ALW	Wood/Laminate Modesty	8939	36 1/16	71 15/16	28 13/16	—	—	347 lbs.	55.2
59N3672DS3AL	Laminate	7403	36 1/16	71 15/16	28 13/16	—	—	347 lbs.	55.2
59N3072DS3AW	Wood	$ 8567	30 1/16	71 15/16	28 13/16	—	—	300 lbs.	47.1
59N3072DS3ALW	Wood/Laminate Modesty	8833	30 1/16	71 15/16	28 13/16	—	—	300 lbs.	47.1
59N3072DS3AL	Laminate	7295	30 1/16	71 15/16	28 13/16	—	—	300 lbs.	47.1
59N3066DS3AW	Wood	$ 7473	30 1/16	66	28 13/16	—	—	277 lbs.	43.5
59N3066DS3ALW	Wood/Laminate Modesty	7703	30 1/16	66	28 13/16	—	—	277 lbs.	43.5
59N3066DS3AL	Laminate	6342	30 1/16	66	28 13/16	—	—	277 lbs.	43.5
59N3060DS3AW	Wood	$ 7365	30 1/16	60	28 13/16	—	—	263 lbs.	29.8
59N3060DS3ALW	Wood/Laminate Modesty	7590	30 1/16	60	28 13/16	—	—	263 lbs.	29.8
59N3060DS3AL	Laminate	6236	30 1/16	60	28 13/16	—	—	263 lbs.	29.8

- Reference pages 154-156 for product specifications
- Wood/ laminate modesty units feature a laminate interior shroud (only visible when the desk is in the up position) and modesty; modesty and inner shroud will be the same color
- Laminate models, the laminate color is used for the worksurface and end panels. The accent laminate color option is used for the modesty panel and interior leg shroud
- Wood models have only one finish option
- The outer shrouds on the height adjustable desks will always have horizontal grain on laminate units and vertical on veneer units
- Modesty panel on laminate or veneer units will be vertical unless horizontal is specified
- Any laminate modesty over 60" will be horizontal
- Ships assembled
- Control pad can be moved to RH or LH by the customer
- Does not have a floating top design

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to pages 157-159 for options
- Refer to pages 381-418 for accessories
- Refer to page 165 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 160 for grommet locations and page 157 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks

TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Laminate Color (laminate models)
4. Veneer Finish (wood models)

SAMPLE MODEL NUMBER:

59N3672DS3BALW G11MBLR 461 TF

- See pages 157-159 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
ADJUSTABLE HEIGHT DESK SHELL ⅓ HEIGHT BREAKFRONT MODESTY	59N3672DS3BAW	Wood	$ 8672	36 1/16	71 15/16	28 15/16	—	—	347 lbs.	55.2
	59N3672DS3BALW	Wood/Laminate Modesty	8939	36 1/16	71 15/16	28 15/16	—	—	347 lbs.	55.2
	59N3672DS3BAL	Laminate	7403	36 1/16	71 15/16	28 15/16	—	—	347 lbs.	55.2
	59N3072DS3BAW	Wood	$ 8567	30 1/16	71 15/16	28 15/16	—	—	300 lbs.	47.1
	59N3072DS3BALW	Wood/Laminate Modesty	8833	30 1/16	71 15/16	28 15/16	—	—	300 lbs.	47.1
	59N3072DS3BAL	Laminate	7295	30 1/16	71 15/16	28 15/16	—	—	300 lbs.	47.1
	59N3066DS3BAW	Wood	$ 7473	30 1/16	66	28 15/16	—	—	277 lbs.	43.5
	59N3066DS3BALW	Wood/Laminate Modesty	7703	30 1/16	66	28 15/16	—	—	277 lbs.	43.5
	59N3066DS3BAL	Laminate	6342	30 1/16	66	28 15/16	—	—	277 lbs.	43.5
	59N3060DS3BAW	Wood	$ 7365	30 1/16	60	28 15/16	—	—	263 lbs.	29.8
	59N3060DS3BALW	Wood/Laminate Modesty	7590	30 1/16	60	28 15/16	—	—	263 lbs.	29.8
	59N3060DS3BAL	Laminate	6236	30 1/16	60	28 15/16	—	—	263 lbs.	29.8

- Reference pages 154-156 for product specifications
- Wood/ laminate modesty units feature a laminate interior shroud (only visible when the desk is in the up position) and modesty; modesty and inner shroud will be the same color
- Laminate models, the laminate color is used for the worksurface and end panels. The accent laminate color option is used for the modesty panel and interior leg shroud
- Wood models have only one finish option
- The outer shrouds on the height adjustable desks will always have horizontal grain on laminate units and vertical on veneer units
- Modesty panel on laminate or veneer units will be vertical unless horizontal is specified
- Any laminate modesty over 60" will be horizontal
- Ships assembled
- Control pad can be moved to RH or LH by the customer
- Does not have a floating top design

TESSERA

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to pages 157-159 for options
- Refer to pages 381-418 for accessories
- Refer to page 160 for grommet locations and page 157 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks

TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Paint (78" and 84" wide models only)
4. Laminate Top Color (laminate models)
5. Finish (wood models)

SAMPLE MODEL NUMBER:

59N3672DSFA1LW G11MBLR 462 461 TF

- See pages 157-159 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
ADJUSTABLE HEIGHT FULL FLUSH MODESTY DESK SHELL WITH WIRE MANAGER	59N3684DSFA1W	Wood	$ 11985	36 1/16	83 15/16	28 13/16	–	–	375 lbs.	60.5
	59N3684DSFA1LW	Wood/Laminate Modesty	12247	36 1/16	83 15/16	28 13/16	–	–	375 lbs.	60.5
	59N3684DSFA1L	Laminate	10711	36 1/16	83 15/16	28 13/16	–	–	375 lbs.	60.5
	59N3678DSFA1W	Wood	$ 11023	36 1/16	77 15/16	28 13/16	–	–	350 lbs.	56.4
	59N3678DSFA1LW	Wood/Laminate Modesty	11286	36 1/16	77 15/16	28 13/16	–	–	350 lbs.	56.4
	59N3678DSFA1L	Laminate	9751	36 1/16	77 15/16	28 13/16	–	–	350 lbs.	56.4
78" and 84" Desks	59N3672DSFA1W	Wood	$ 9653	36 1/16	71 15/16	28 13/16	–	–	352 lbs.	55.2
	59N3672DSFA1LW	Wood/Laminate Modesty	9916	36 1/16	71 15/16	28 13/16	–	–	352 lbs.	55.2
	59N3672DSFA1L	Laminate	8379	36 1/16	71 15/16	28 13/16	–	–	352 lbs.	55.2
	59N3084DSFA1W	Wood	$ 11874	30 1/16	83 15/16	28 13/16	–	–	360 lbs.	51.7
	59N3084DSFA1LW	Wood/Laminate Modesty	12141	30 1/16	83 15/16	28 13/16	–	–	360 lbs.	51.7
	59N3084DSFA1L	Laminate	10604	30 1/16	83 15/16	28 13/16	–	–	360 lbs.	51.7
	59N3078DSFA1W	Wood	$ 10915	30 1/16	77 15/16	28 13/16	–	–	325 lbs.	48.2
	59N3078DSFA1LW	Wood/Laminate Modesty	11181	30 1/16	77 15/16	28 13/16	–	–	325 lbs.	48.2
	59N3078DSFA1L	Laminate	9644	30 1/16	77 15/16	28 13/16	–	–	325 lbs.	48.2
	59N3072DSFA1W	Wood	$ 9545	30 1/16	71 15/16	28 13/16	–	–	305 lbs.	47.1
	59N3072DSFA1LW	Wood/Laminate Modesty	9811	30 1/16	71 15/16	28 13/16	–	–	305 lbs.	47.1
	59N3072DSFA1L	Laminate	8273	30 1/16	71 15/16	28 13/16	–	–	305 lbs.	47.1
60", 66", and 72" Desks	59N3066DSFA1W	Wood	$ 8449	30 1/16	66	28 13/16	–	–	282 lbs.	43.5
	59N3066DSFA1LW	Wood/Laminate Modesty	8678	30 1/16	66	28 13/16	–	–	282 lbs.	43.5
	59N3066DSFA1L	Laminate	7321	30 1/16	66	28 13/16	–	–	282 lbs.	43.5
	59N3060DSFA1W	Wood	$ 8344	30 1/16	60	28 13/16	–	–	268 lbs.	39.9
	59N3060DSFA1LW	Wood/Laminate Modesty	8571	30 1/16	60	28 13/16	–	–	268 lbs.	39.9
	59N3060DSFA1L	Laminate	7215	30 1/16	60	28 13/16	–	–	268 lbs.	39.9

- Reference pages 154-156 for product specifications
- Wood/ laminate modesty units feature a laminate interior shroud (only visible when the desk is in the up position) and modesty; modesty and inner shroud will be the same color
- Laminate models, the laminate color is used for the worksurface and end panels. The accent laminate color option is used for the modesty panel and interior leg shroud
- Wood models have only one finish option
- The outer shrouds on the height adjustable desks with wire manager will have vertical grain on laminate and veneer units
- Horizontal grain is an option
- Wire managers will be located on the side where a grommet is specified. If no grommet is specified, the wire manager will be on the right
- Modesty panel on laminate or veneer units will be vertical unless horizontal is specified
- Any laminate modesty over 60" will be horizontal
- 60", 66", and 72" ships assembled
- Control pad can be moved to RH or LH by the customer
- Does not have a floating top design
- 84" and 78" wide models control pad has a 2 position memory; all other sizes have a 4 position memory
- 84" and 78" wide models will NOT have an upper shroud. Legs will be visible when desk is in an upper position; specify paint color Cinder (462) or Platinum Metallic (501). All models will have a wire manager
- 84" and 78" wide models will NOT have an inner shroud. The only accent is the modesty panel
- 84" and 78" wide models modesty will ship unassembled

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to pages 157-159 for options
- Refer to pages 381-418 for accessories
- Refer to page 160 for grommet locations and page 157 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks

TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Paint (78" and 84" wide models only)
4. Laminate Top Color (laminate models)
5. Finish (wood models)

SAMPLE MODEL NUMBER:

59N3672DSFBA1L G11MBLR 462 461 TF

- See pages 157-159 for all options available in Tessera

ADJUSTABLE HEIGHT DESK SHELL BREAKFRONT FULL MODESTY WITH WIRE MANAGER



78" and 84" Desks



60", 66", and 72" Desks

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
59N3684DSFBA1W	Wood	$ 11985	36 1/16	83 15/16	28 15/16	–	–	375 lbs.	60.5
59N3684DSFBA1LW	Wood/Laminate Modesty	12247	36 1/16	83 15/16	28 15/16	–	–	375 lbs.	60.5
59N3684DSFBA1L	Laminate	10711	36 1/16	83 15/16	28 15/16	–	–	375 lbs.	60.5
59N3678DSFBA1W	Wood	$ 11023	36 1/16	77 15/16	28 15/16	–	–	350 lbs.	56.4
59N3678DSFBA1LW	Wood/Laminate Modesty	11286	36 1/16	77 15/16	28 15/16	–	–	350 lbs.	56.4
59N3678DSFBA1L	Laminate	9751	36 1/16	77 15/16	28 15/16	–	–	350 lbs.	56.4
59N3672DSFBA1W	Wood	$ 9653	36 1/16	71 15/16	28 15/16	–	–	352 lbs.	55.2
59N3672DSFBA1LW	Wood/Laminate Modesty	9916	36 1/16	71 15/16	28 15/16	–	–	352 lbs.	55.2
59N3672DSFBA1L	Laminate	8379	36 1/16	71 15/16	28 15/16	–	–	352 lbs.	55.2
59N3084DSFBA1W	Wood	$ 11874	30 1/16	83 15/16	28 15/16	–	–	360 lbs.	51.7
59N3084DSFBA1LW	Wood/Laminate Modesty	12141	30 1/16	83 15/16	28 15/16	–	–	360 lbs.	51.7
59N3084DSFBA1L	Laminate	10604	30 1/16	83 15/16	28 15/16	–	–	360 lbs.	51.7
59N3078DSFBA1W	Wood	$ 10915	30 1/16	77 15/16	28 15/16	–	–	325 lbs.	48.2
59N3078DSFBA1LW	Wood/Laminate Modesty	11181	30 1/16	77 15/16	28 15/16	–	–	325 lbs.	48.2
59N3078DSFBA1L	Laminate	9644	30 1/16	77 15/16	28 15/16	–	–	325 lbs.	48.2
59N3072DSFBA1W	Wood	$ 9545	30 1/16	71 15/16	28 15/16	–	–	305 lbs.	47.1
59N3072DSFBA1LW	Wood/Laminate Modesty	9811	30 1/16	71 15/16	28 15/16	–	–	305 lbs.	47.1
59N3072DSFBA1L	Laminate	8273	30 1/16	71 15/16	28 15/16	–	–	305 lbs.	47.1
59N3066DSFBA1W	Wood	$ 8449	30 1/16	66	28 15/16	–	–	282 lbs.	43.5
59N3066DSFBA1LW	Wood/Laminate Modesty	8678	30 1/16	60	28 15/16	–	–	282 lbs.	43.5
59N3066DSFBA1L	Laminate	7321	30 1/16	60	28 15/16	–	–	282 lbs.	43.5
59N3060DSFBA1W	Wood	$ 8344	30 1/16	60	28 15/16	–	–	268 lbs.	39.9
59N3060DSFBA1LW	Wood/Laminate Modesty	8571	30 1/16	60	28 15/16	–	–	268 lbs.	39.9
59N3060DSFBA1L	Laminate	7215	30 1/16	60	28 15/16	–	–	268 lbs.	39.9

- Reference pages 154-156 for product specifications
- Wood/ laminate modesty units feature a laminate interior shroud (only visible when the desk is in the up position) and modesty; modesty and inner shroud will be the same color
- Laminate models, the laminate color is used for the worksurface and end panels. The accent laminate color option is used for the modesty panel and interior leg shroud
- Wood models have only one finish option
- The outer shrouds on the height adjustable desks with wire manager will have vertical grain on laminate and veneer units
- Horizontal grain is an option
- Wire managers will be located on the side where a grommet is specified. If no grommet is specified, the wire manager will be on the right
- Modesty panel on laminate or veneer units will be vertical unless horizontal is specified
- Any laminate modesty over 60" will be horizontal
- 60", 66", and 72" ships assembled
- Control pad can be moved to RH or LH by the customer
- Does not have a floating top design
- 84" and 78" wide models control pad has a 2 position memory; all other sizes have a 4 position memory
- 84" and 78" wide models will NOT have an upper shroud. Legs will be visible when desk is in an upper position; specify paint color Cinder (462) or Platinum Metallic (501). All models will have a wire manager
- 84" and 78" wide models will NOT have an inner shroud. The only accent is the modesty panel
- 84" and 78" wide models modesty will ship unassembled

TESSERA

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to pages 157-159 for options
- Refer to pages 381-418 for accessories
- Assembled units and component units are interchangeable
- Refer to page 160 for grommet locations and page 157 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks

TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Paint (78" and 84" wide models only)
4. Laminate Top Color (laminate models)
5. Finish (wood models)

SAMPLE MODEL NUMBERS:

59N3672DS3A1LW G11MBLR 462 461 TF
59N3672DS3A1L G11MBLR 462 461 TF

- See pages 157-159 for all options available in Tessera

ADJUSTABLE HEIGHT DESK SHELL ⅓ HEIGHT FLUSH MODESTY WITH WIRE MANAGER



78" and 84" Desks



60", 66", and 72" Desks

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
59N3684DS3A1W	Wood	$ 11826	36⅛	83⅛	28⅛	–	–	375 lbs.	60.5
59N3684DS3A1LW	Wood/Laminate Modesty	12093	36⅛	83⅛	28⅛	–	–	375 lbs.	60.5
59N3684DS3A1L	Laminate	10555	36⅛	83⅛	28⅛	–	–	375 lbs.	60.5
59N3678DS3A1W	Wood	$ 10868	36⅛	77⅛	28⅛	–	–	350 lbs.	56.4
59N3678DS3A1LW	Wood/Laminate Modesty	11133	36⅛	77⅛	28⅛	–	–	350 lbs.	56.4
59N3678DS3A1L	Laminate	9595	36⅛	77⅛	28⅛	–	–	350 lbs.	56.4
59N3672DS3A1W	Wood	$ 9494	36⅛	71⅛	28⅛	–	–	352 lbs.	55.2
59N3672DS3A1LW	Wood/Laminate Modesty	9762	36⅛	71⅛	28⅛	–	–	352 lbs.	55.2
59N3672DS3A1L	Laminate	8224	36⅛	71⅛	28⅛	–	–	352 lbs.	55.2
59N3084DS3A1W	Wood	$ 11721	30⅛	83⅛	28⅛	–	–	360 lbs.	51.7
59N3084DS3A1LW	Wood/Laminate Modesty	11988	30⅛	83⅛	28⅛	–	–	360 lbs.	51.7
59N3084DS3A1L	Laminate	10450	30⅛	83⅛	28⅛	–	–	360 lbs.	51.7
59N3078DS3A1W	Wood	$ 10760	30⅛	77⅛	28⅛	–	–	325 lbs.	48.2
59N3078DS3A1LW	Wood/Laminate Modesty	11028	30⅛	77⅛	28⅛	–	–	325 lbs.	48.2
59N3078DS3A1L	Laminate	9490	30⅛	77⅛	28⅛	–	–	325 lbs.	48.2
59N3072DS3A1W	Wood	$ 9389	30⅛	71⅛	28⅛	–	–	305 lbs.	47.1
59N3072DS3A1LW	Wood/Laminate Modesty	9657	30⅛	71⅛	28⅛	–	–	305 lbs.	47.1
59N3072DS3A1L	Laminate	8118	30⅛	71⅛	28⅛	–	–	305 lbs.	47.1
59N3066DS3A1W	Wood	$ 8296	30⅛	66	28⅛	–	–	282 lbs.	43.5
59N3066DS3A1LW	Wood/Laminate Modesty	8525	30⅛	66	28⅛	–	–	282 lbs.	43.5
59N3066DS3A1L	Laminate	7165	30⅛	66	28⅛	–	–	282 lbs.	43.5
59N3060DS3A1W	Wood	$ 8188	30⅛	60	28⅛	–	–	268 lbs.	39.9
59N3060DS3A1LW	Wood/Laminate Modesty	8414	30⅛	60	28⅛	–	–	268 lbs.	39.9
59N3060DS3A1L	Laminate	7058	30⅛	60	28⅛	–	–	268 lbs.	39.9

- Reference pages 154-156 for product specifications
- Wood/ laminate modesty units feature a laminate interior shroud (only visible when the desk is in the up position) and modesty; modesty and inner shroud will be the same color
- Laminate models, the laminate color is used for the worksurface and end panels. The accent laminate color option is used for the modesty panel and interior leg shroud
- Wood models have only one finish option
- The outer shrouds on the height adjustable desks with wire manager will have vertical grain on laminate and veneer units
- Horizontal grain is an option
- Wire managers will be located on the side where a grommet is specified. If no grommet is specified, the wire manager will be on the right
- Modesty panel on laminate or veneer units will be vertical unless horizontal is specified
- Any laminate modesty over 60" will be horizontal
- 60", 66", and 72" ships assembled
- Control pad can be moved to RH or LH by the customer
- Does not have a floating top design
- 84" and 78" wide models control pad has a 2 position memory; all other sizes have a 4 position memory
- 84" and 78" wide models will NOT have an upper shroud. Legs will be visible when desk is in an upper position; specify paint color Cinder (462) or Platinum Metallic (501). All models will have a wire manager
- 84" and 78" wide models will NOT have an inner shroud. The only accent is the modesty panel
- 84" and 78" wide models modesty will ship unassembled

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to pages 157-159 for options
- Refer to pages 381-418 for accessories
- Assembled units and component units are interchangeable
- Refer to page 160 for grommet locations and page 157 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks

TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Paint (78" and 84" wide models only)
4. Laminate Top Color (laminate models)
5. Finish (wood models)

SAMPLE MODEL NUMBER:

59N3672DS3BA1LW G11MBLR 462 461 TF

- See pages 157-159 for all options available in Tessera

ADJUSTABLE HEIGHT DESK SHELL ⅓ HEIGHT BREAKFRONT MODESTY WITH WIRE MANAGER



78" and 84" Desks



60", 66", and 72" Desks

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
59N3684DS3BA1W	Wood	$ 11826	36 1/16	83 15/16	28 15/16	–	–	375 lbs.	60.5
59N3684DS3BA1LW	Wood/Laminate Modesty	12093	36 1/16	83 15/16	28 15/16	–	–	375 lbs.	60.5
59N3684DS3BA1L	Laminate	10555	36 1/16	83 15/16	28 15/16	–	–	375 lbs.	60.5
59N3678DS3BA1W	Wood	$ 10868	36 1/16	77 15/16	28 15/16	–	–	325 lbs.	56.4
59N3678DS3BA1LW	Wood/Laminate Modesty	11133	36 1/16	77 15/16	28 15/16	–	–	325 lbs.	56.4
59N3678DS3BA1L	Laminate	9595	36 1/16	77 15/16	28 15/16	–	–	325 lbs.	56.4
59N3672DS3BA1W	Wood	$ 9494	36 1/16	71 15/16	28 15/16	–	–	352 lbs.	55.2
59N3672DS3BA1LW	Wood/Laminate Modesty	9762	36 1/16	71 15/16	28 15/16	–	–	352 lbs.	55.2
59N3672DS3BA1L	Laminate	8224	36 1/16	71 15/16	28 15/16	–	–	352 lbs.	55.2
59N3084DS3BA1W	Wood	$ 11721	30 1/16	83 15/16	28 15/16	–	–	360 lbs.	51.7
59N3084DS3BA1LW	Wood/Laminate Modesty	11988	30 1/16	83 15/16	28 15/16	–	–	360 lbs.	51.7
59N3084DS3BA1L	Laminate	10450	30 1/16	83 15/16	28 15/16	–	–	360 lbs.	51.7
59N3078DS3BA1W	Wood	$ 10760	30 1/16	77 15/16	28 15/16	–	–	325 lbs.	48.2
59N3078DS3BA1LW	Wood/Laminate Modesty	11028	30 1/16	77 15/16	28 15/16	–	–	325 lbs.	48.2
59N3078DS3BA1L	Laminate	9490	30 1/16	77 15/16	28 15/16	–	–	325 lbs.	48.2
59N3072DS3BA1W	Wood	$ 9389	30 1/16	71 15/16	28 15/16	–	–	305 lbs.	47.1
59N3072DS3BA1LW	Wood/Laminate Modesty	9657	30 1/16	71 15/16	28 15/16	–	–	305 lbs.	47.1
59N3072DS3BA1L	Laminate	8118	30 1/16	71 15/16	28 15/16	–	–	305 lbs.	47.1
59N3066DS3BA1W	Wood	$ 8296	30 1/16	66	28 15/16	–	–	282 lbs.	43.5
59N3066DS3BA1LW	Wood/Laminate Modesty	8525	30 1/16	66	28 15/16	–	–	282 lbs.	43.5
59N3066DS3BA1L	Laminate	7165	30 1/16	66	28 15/16	–	–	282 lbs.	43.5
59N3060DS3BA1W	Wood	$ 8188	30 1/16	60	28 15/16	–	–	268 lbs.	39.9
59N3060DS3BA1LW	Wood/Laminate Modesty	8414	30 1/16	60	28 15/16	–	–	268 lbs.	39.9
59N3060DS3BA1L	Laminate	7058	30 1/16	60	28 15/16	–	–	268 lbs.	39.9

- Reference pages 154-156 for product specifications
- Wood/ laminate modesty units feature a laminate interior shroud (only visible when the desk is in the up position) and modesty; modesty and inner shroud will be the same color
- Laminate models, the laminate color is used for the worksurface and end panels. The accent laminate color option is used for the modesty panel and interior leg shroud
- Wood models have only one finish option
- The outer shrouds on the height adjustable desks with wire manager will have vertical grain on laminate and veneer units
- Horizontal grain is an option
- Wire managers will be located on the side where a grommet is specified. If no grommet is specified, the wire manager will be on the right
- Modesty panel on laminate or veneer units will be vertical unless horizontal is specified
- Any laminate modesty over 60" will be horizontal
- 60", 66", and 72" ships assembled
- Control pad can be moved to RH or LH by the customer
- Does not have a floating top design
- 84" and 78" wide models control pad has a 2 position memory; all other sizes have a 4 position memory
- 84" and 78" wide models will NOT have an upper shroud. Legs will be visible when desk is in an upper position; specify paint color Cinder (462) or Platinum Metallic (501). All models will have a wire manager
- 84" and 78" wide models will NOT have an inner shroud. The only accent is the modesty panel
- 84" and 78" wide models modesty will ship unassembled

TESSERA

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to pages 157-159 for options
- Refer to pages 381-418 for accessories
- Refer to page 160 for grommet locations and page 157 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks

TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Laminate Color (laminate models)
4. Veneer Finish (wood models)

SAMPLE MODEL NUMBERS:

59N3072DSFLA1W	X	AC	
59N3072DSFLA1LW	G1L	462	TF
59N3072DSFLA1L	G1R	461	PB

- See pages 157-159 for all options available in Tessera

ADJUSTABLE HEIGHT DESK AND RETURN "L" UNIT



Desk shown (user side)

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
DESK										
59N3084DSFLA1W	Wood		$ 12282	30 1/16	83 13/16	27 5/16	–	–	360 lbs.	51.7
59N3084DSFLA1LW	Wood/Laminate Modesty		12622	30 1/16	83 13/16	27 5/16	–	–	360 lbs.	51.7
59N3084DSFLA1L	Laminate		10728	30 1/16	83 13/16	27 5/16	–	–	360 lbs.	51.7
59N3078DSFLA1W	Wood		$ 11187	30 1/16	77 13/16	27 5/16	–	–	325 lbs.	48.2
59N3078DSFLA1LW	Wood/Laminate Modesty		11490	30 1/16	77 13/16	27 5/16	–	–	325 lbs.	48.2
59N3078DSFLA1L	Laminate		9776	30 1/16	77 13/16	27 5/16	–	–	325 lbs.	48.2
59N3072DSFLA1W	Wood		$ 10093	30 1/16	71 13/16	27 5/16	–	–	300 lbs.	44.8
59N3072DSFLA1LW	Wood/Laminate Modesty		10359	30 1/16	71 13/16	27 5/16	–	–	300 lbs.	44.8
59N3072DSFLA1L	Laminate		8822	30 1/16	71 13/16	27 5/16	–	–	300 lbs.	44.8
59N3066DSFLA1W	Wood		$ 8929	30 1/16	66	27 5/16	–	–	277 lbs.	41.3
59N3066DSFLA1LW	Wood/Laminate Modesty		9159	30 1/16	66	27 5/16	–	–	277 lbs.	41.3
59N3066DSFLA1L	Laminate		7802	30 1/16	66	27 5/16	–	–	277 lbs.	41.3
59N3060DSFLA1W	Wood		$ 8756	30 1/16	60	27 5/16	–	–	263 lbs.	37.8
59N3060DSFLA1LW	Wood/Laminate Modesty		8982	30 1/16	60	27 5/16	–	–	263 lbs.	37.8
59N3060DSFLA1L	Laminate		7625	30 1/16	60	27 5/16	–	–	263 lbs.	37.8
RETURN										
LEFT	**RIGHT**									
59N2454RSFLALW	59N2454RSFLARW	Wood	$ 7110	24	53 3/8	27 5/16	–	–	240 lbs.	33.0
59N2454RSFLALLW	59N2454RSFLARLW	Wood/Lam	7336	24	53 3/8	27 5/16	–	–	240 lbs.	33.0
59N2454RSFLALL	59N2454RSFLARL	Laminate	5980	24	53 3/8	27 5/16	–	–	240 lbs.	33.0
59N2448RSFLALW	59N2448RSFLARW	Wood	$ 7007	24	47 3/8	27 5/16	–	–	225 lbs.	30.2
59N2448RSFLALLW	59N2448RSFLARLW	Wood/Lam	7233	24	47 3/8	27 5/16	–	–	225 lbs.	30.2
59N2448RSFLALL	59N2448RSFLARL	Laminate	5877	24	47 3/8	27 5/16	–	–	225 lbs.	30.2
59N2442RSFLALW	59N2442RSFLARW	Wood	$ 6904	24	41 3/8	27 5/16	–	–	200 lbs.	27.3
59N2442RSFLALLW	59N2442RSFLARLW	Wood/Lam	7131	24	41 3/8	27 5/16	–	–	200 lbs.	27.3
59N2442RSFLALL	59N2442RSFLARL	Laminate	5774	24	41 3/8	27 5/16	–	–	200 lbs.	27.3



Left return shown (user side)



Desk and right return shown (user side)

- Reference pages 154-156 for product specifications
- Wood/laminate units feature a wood top and shroud, and a laminate modesty panel
- Grain direction on a wood model modesty will be vertical; laminate modesties will be horizontal
- Wire manager will be on the right, can be moved to the other side in field if other side is preferred
- Modesty will ship unassembled
- Control pad will ship on the right side of desk, however, it can be moved to the left when using a right return
- Control pad has 2 position memory
- Does not have a floating top design
- Height adjustable L units will be 27⅜" from worksurface to floor and 3⅜" from bottom of modesty to floor in the lowest position
- Height adjustable L units will adjust to a maximum height of 43¾"
- Desks and returns for "L" units do NOT have an inner shroud. The only accent is the modesty panel
- Return (L/R) is determined by side with shroud
- Legs will be visible when desk is in an upper position; specify paint color Cinder (462) or Platinum Metallic (501)

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to pages 157-159 for options
- Refer to pages 381-418 for accessories
- Refer to page 160 for grommet locations and page 157 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks
- Wire manager location with leg that lowers into bookcase
- Back of bookcase not finished

TO ORDER, SPECIFY:

1. Model Number
2. Bookcase Ganging (adjustable height desk shell models only)
3. Grommet
4. Paint
5. Laminate Bookcase Top (laminate models)
6. Laminate Bookcase Chassis (laminate models)
7. Laminate Color (laminate models)
8. Veneer Finish (wood models)

SAMPLE MODEL NUMBER:

59N3672DSNLAL L G1R 462 461 PB PB 461

- See pages 157-159 for all options available in Tessera

ADJUSTABLE HEIGHT DESK AND RETURN "L" UNIT (CONTINUED)



Left return shown (user side)



Desk and right return shown (user side)

MODEL NO./DESCRIPTION RETURN LEFT	RETURN RIGHT		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
59N2436RSFLALW	59N2436RSFLARW	Wood	$ 6801	24	35⅞	27⅜	—	—	180 lbs.	24.4
59N2436RSFLALLW	59N2436RSFLARLW	Wood/Lam	7028	24	35⅞	27⅜	—	—	180 lbs.	24.4
59N2436RSFLALL	59N2436RSFLARL	Laminate	5672	24	35⅞	27⅜	—	—	180 lbs.	24.4
59N2430RSFLALW	59N2430RSFLARW	Wood	$ 6698	24	29¹⁵⁄₁₆	27⅜	—	—	160 lbs.	21.6
59N2430RSFLALLW	59N2430RSFLARLW	Wood/Lam	6925	24	29¹⁵⁄₁₆	27⅜	—	—	160 lbs.	21.6
59N2430RSFLALL	59N2430RSFLARL	Laminate	5569	24	29¹⁵⁄₁₆	27⅜	—	—	160 lbs.	21.6

- Reference pages 154-156 for product specifications
- Wood/laminate units feature a wood top and shroud, and a laminate modesty panel
- Grain direction on a wood model modesty will be vertical; laminate modesties will be horizontal
- Wire manager will be on the right, can be moved to the other side in field if other side is preferred
- Modesty will ship unassembled
- Control pad will ship on the right side of desk, however, it can be moved to the left when using a right return
- Control pad has 2 position memory
- Does not have a floating top design
- Height adjustable L units will be 27⅜" from worksurface to floor and 3⅜" from bottom of modesty to floor in the lowest position
- Height adjustable L units will adjust to a maximum height of 43¾"
- Desks and returns for "L" units do NOT have an inner shroud. The only accent is the modesty panel
- Return (L/R) is determined by side with shroud
- Legs will be visible when desk is in an upper position; specify paint color Cinder (462) or Platinum Metallic (501)

ADJUSTABLE HEIGHT DESK SHELL SINGLE SIDE SHROUD WITH BOOKCASE



Left shown, approach



Right shown, approach

LEFT	RIGHT		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
59N3672DSNLAW	59N3672DSNRAW	Wood	$ 8829	36⅛	71¹⁵⁄₁₆	28¹⁵⁄₁₆	—	—	347 lbs.	55.2
59N3672DSNLALW	59N3672DSNRALW	Wood/Lam	9094	36⅛	71¹⁵⁄₁₆	28¹⁵⁄₁₆	—	—	347 lbs.	55.2
59N3672DSNLAL	59N3672DSNRAL	Laminate	7557	36⅛	71¹⁵⁄₁₆	28¹⁵⁄₁₆	—	—	347 lbs.	55.2
59N3072DSNLAW	59N3072DSNRAW	Wood	$ 8721	30⅛	71¹⁵⁄₁₆	28¹⁵⁄₁₆	—	—	300 lbs.	47.1
59N3072DSNLALW	59N3072DSNRALW	Wood/Lam	8987	30⅛	71¹⁵⁄₁₆	28¹⁵⁄₁₆	—	—	300 lbs.	47.1
59N3072DSNLAL	59N3072DSNRAL	Laminate	7451	30⅛	71¹⁵⁄₁₆	28¹⁵⁄₁₆	—	—	300 lbs.	47.1
59N3066DSNLAW	59N3066DSNRAW	Wood	$ 7626	30⅛	66	28¹⁵⁄₁₆	—	—	277 lbs.	43.5
59N3066DSNLALW	59N3066DSNRALW	Wood/Lam	7856	30⅛	66	28¹⁵⁄₁₆	—	—	277 lbs.	43.5
59N3066DSNLAL	59N3066DSNRAL	Laminate	6497	30⅛	66	28¹⁵⁄₁₆	—	—	277 lbs.	43.5
59N3060DSNLAW	59N3060DSNRAW	Wood	$ 7521	30⅛	60	28¹⁵⁄₁₆	—	—	263 lbs.	39.8
59N3060DSNLALW	59N3060DSNRALW	Wood/Lam	7749	30⅛	60	28¹⁵⁄₁₆	—	—	263 lbs.	39.8
59N3060DSNLAL	59N3060DSNRAL	Laminate	6391	30⅛	60	28¹⁵⁄₁₆	—	—	263 lbs.	39.8

- Wire manager will always be on the bookcase side of the unit
- Height adjustable single side (L or R indicates side leg lowers into bookcase)
- The leg that lowers into bookcase will be exposed when raised; specify paint color Cinder (462) or Platinum Metallic (501)
- Modesty panel approx. 3" high and only intended to finish the approach side when in the down position
- Laminate accent consists of lower shroud and modesty
- This wall application (backs not finished) can create an "L" or "T" design when combining pedestal on pages 183-185 and component tops on page 189
- Modesty panels can be specified for open plan application. See pages 187-188
- Must specify if bookcase will be ganged to the left, right, both or none (L, R, LR, X)
- Laminate units must specify laminate color for bookcase top, bookcase chassis, accent (lower shroud modesty), and laminate color for surface and outer shroud
- Floating top design on the bookcase (not desk)
- Overall dimensions listed above, however top undersized to allow for pinch points: 36" tops are 34", 30" tops are 28", 72" tops are 71", 66" tops are 65", and 60" tops are 59"

TESSERA

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NAC05PCONB

• See pages 157-159 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
4 POSITION PROGRAMMABLE MEMORY CONTROL FOR ADJUSTABLE HEIGHT UNITS	NAC05PCONB	Black	$ 246	2½	5½	1	—	—	3 lbs.	0.1

- Will allow 4 position programmable option and digital readout.
- To be specified when needing a 4 position memory control on any WaveWorks, Tessera, or Naviyd Height Adjustable Desk models, as these models have a 2 position memory control switch as standard

PRODUCT SPECIFICATIONS

- All undersurface units have an unfinished back and are designed to be used with single side height adjustable desks
- Recommended to be used with a wall application
- Pedestals shipped with appropriate hardware
- Units are designed as floating top
- Spacer blocks come with worksurface
- See page 160 for grommet options

TO ORDER, SPECIFY:

1. Model Number
2. Ganging
3. Pull
4. Locking
5. Drawer/Door Front (laminate units)
6. Laminate Color (laminate units)
7. Veneer Color (wood units)

SAMPLE MODEL NUMBERS:

59N183622PUOSW R 92PL X MC
59N183622PUOSL R 92PL KRS 478 MC

- See pages 157-159 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
PEDESTAL - UNDERSURFACE OPEN SHELF BOOKCASE	59N183622PUOSW	Wood	$ 2192	16⅜	35⅞	20⅓	—	—	62 lbs.	11.0
	59N183622PUOSL	Laminate	1282	16⅜	35⅞	20⅓	—	—	62 lbs.	11.0
	59N183022PUOSW	Wood	$ 2114	16⅜	30	20⅓	—	—	55 lbs.	9.0
	59N183022PUOSL	Laminate	1246	16⅜	30	20⅓	—	—	55 lbs.	9.0

- Must specify 18" deep top. See page 189
- Intended to be used alongside the height adjustable single side shroud desk with bookcase to form an "L" or "T"
- See page 160 for recommendations on when to and when not to use a center grommet when specifying the pedestals and worksurface top with the floating design for the low height storage available with the single side height adjustable desk
- Only use the worksurface tops on page 189 to create the correct spacing for the floating top design
- Spacer blocks standard on pedestals and same color as pedestal
- Must specify ganging option for correct placement of spacer blocks (L, R, or LR)
- Line art indicates cord management through spacer block and top of pedestal

PEDESTAL - UNDERSURFACE DOUBLE DOORS	59N183622PUHW	Wood	$ 2410	17⅓	35⅞	20⅓	—	—	73 lbs.	11.0
	59N183622PUHL	Laminate	1395	17⅓	35⅞	20⅓	—	—	73 lbs.	11.0
	59N183022PUHW	Wood	$ 2201	17⅓	30	20⅓	—	—	64 lbs.	10.0
	59N183022PUHL	Laminate	1331	17⅓	30	20⅓	—	—	64 lbs.	10.0

- Must specify 18" deep top. See page 189
- Intended to be used alongside the height adjustable single side shroud desk with bookcase to form an "L" or "T"
- See page 160 for recommendations on when to and when not to use a center grommet when specifying the pedestals and worksurface top with the floating design for the low height storage available with the single side height adjustable desk
- Only use the worksurface tops on page 189 to create the correct spacing for the floating top design
- Spacer blocks standard on pedestals and same color as pedestal
- Must specify ganging option for correct placement of spacer blocks (L, R, or LR)
- Line art indicates cord management through spacer block and top of pedestal
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

PEDESTAL - UNDERSURFACE BOX/LATERAL FILE	59N183622PUBLW	Wood	$ 2523	17⅓	35⅞	20⅓	—	—	156 lbs.	11.0
	59N183622PUBLL	Laminate	1493	17⅓	35⅞	20⅓	—	—	156 lbs.	11.0
	59N183022PUBLW	Wood	$ 2345	17⅓	30	20⅓	—	—	130 lbs.	10.0
	59N183022PUBLL	Laminate	1459	17⅓	30	20⅓	—	—	130 lbs.	10.0

- Must specify 18" deep top. See page 189
- Intended to be used alongside the height adjustable single side shroud desk with bookcase to form an "L" or "T"
- See page 160 for recommendations on when to and when not to use a center grommet when specifying the pedestals and worksurface top with the floating design for the low height storage available with the single side height adjustable desk
- Only use the worksurface tops on page 189 to create the correct spacing for the floating top design
- Spacer blocks standard on pedestals and same color as pedestal
- Must specify ganging option for correct placement of spacer blocks (L, R, or LR)
- Line art indicates cord management through spacer block and top of pedestal
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

TESSERA

PRODUCT SPECIFICATIONS

- All undersurface units have an unfinished back and are designed to be used with single side height adjustable desks
- Recommended to be used with a wall application
- Pedestals shipped with appropriate hardware
- Units are designed as floating top
- Spacer blocks come with worksurface
- See page 160 for grommet options

TO ORDER, SPECIFY:

1. Model Number
2. Ganging
3. Pull
4. Locking
5. Drawer/Door Front (laminate units)
6. Laminate Color (laminate units)
7. Veneer Color (wood units)

SAMPLE MODEL NUMBERS:

59N183622PUOLW R 92PL X MC
59N183622PUOLL R 92PL KRS 478 MC

- See pages 157-159 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
PEDESTAL - UNDERSURFACE BOX/ FILE	59N181822PUBFW	Wood	$ 2037	17⅛	18	20⅛	—	—	78 lbs.	7.0
	59N181822PUBFL	Laminate	1355	17⅛	18	20⅛	—	—	78 lbs.	7.0
	59N181522PUBFW	Wood	$ 1933	17⅛	15	20⅛	—	—	67 lbs.	6.0
	59N181522PUBFL	Laminate	1285	17⅛	15	20⅛	—	—	67 lbs.	6.0

- Must specify 18" deep top. See page 189
- Intended to be used alongside the height adjustable single side shroud desk with bookcase to form an "L" or "T"
- See page 160 for recommendations on when to and when not to use a center grommet when specifying the pedestals and worksurface top with the floating design for the low height storage available with the single side height adjustable desk
- Only use the worksurface tops on page 189 to create the correct spacing for the floating top design
- Spacer blocks standard on pedestals and same color as pedestal
- Must specify ganging option for correct placement of spacer blocks (L, R, or LR)
- Line art indicates cord management through spacer block and top of pedestal
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

PEDESTAL - UNDERSURFACE OPEN/LATERAL	59N183622PUOLW	Wood	$ 1942	17⅛	35⅞	20⅛	—	—	156 lbs.	11.0
	59N183622PUOLL	Laminate	1282	17⅛	35⅞	20⅛	—	—	156 lbs.	11.0
	59N183022PUOLW	Wood	$ 1874	17⅛	30	20⅛	—	—	130 lbs.	10.0
	59N183022PUOLL	Laminate	1246	17⅛	30	20⅛	—	—	130 lbs.	10.0

- Must specify 18" deep top. See page 189
- Intended to be used alongside the height adjustable single side shroud desk with bookcase to form an "L" or "T"
- See page 160 for recommendations on when to and when not to use a center grommet when specifying the pedestals and worksurface top with the floating design for the low height storage available with the single side height adjustable desk
- Only use the worksurface tops on page 189 to create the correct spacing for the floating top design
- Spacer blocks standard on pedestals and same color as pedestal
- Must specify ganging option for correct placement of spacer blocks (L, R, or LR)
- Line art indicates cord management through spacer block and top of pedestal
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

PEDESTAL - UNDERSURFACE FULL DRAWER FRONT BOX/LATERAL FILE	59N183622PUFW38	Wood	$ 2523	17⅛	35⅞	20⅛	—	—	158 lbs.	11.0
	59N183622PUFL38	Laminate	1493	17⅛	35⅞	20⅛	—	—	158 lbs.	11.0
	59N183022PUFW38	Wood	$ 2345	17⅛	30	20⅛	—	—	132 lbs.	10.0
	59N183022PUFL38	Laminate	1459	17⅛	30	20⅛	—	—	132 lbs.	10.0

- Must specify 18" deep top. See page 189
- Intended to be used alongside the height adjustable single side shroud desk with bookcase to form an "L" or "T"
- See page 160 for recommendations on when to and when not to use a center grommet when specifying the pedestals and worksurface top with the floating design for the low height storage available with the single side height adjustable desk
- Only use the worksurface tops on page 189 to create the correct spacing for the floating top design
- Box/lateral configuration behind full drawer
- Spacer blocks standard on pedestals and same color as pedestal
- Must specify ganging option for correct placement of spacer blocks (L, R, or LR)
- Line art indicates cord management through spacer block and top of pedestal
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

PRODUCT SPECIFICATIONS

- All undersurface units have an unfinished back and are designed to be used with single side height adjustable desks
- Recommended to be used with a wall application
- Pedestals shipped with appropriate hardware
- Units are designed as floating top
- Spacer blocks come with worksurface
- See page 160 for grommet options

TO ORDER, SPECIFY:

1. Model Number
2. Ganging
3. Pull
4. Locking
5. Drawer/Door Front (laminate units)
6. Laminate Color (laminate units)
7. Veneer Color (wood units)

SAMPLE MODEL NUMBERS:

59N181822PUFW38 R 92PL X MC
59N181822PUFL38 R 92PL KRS 478 MC

- See pages 157-159 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
PEDESTAL - UNDERSURFACE FULL DRAWER FRONT BOX/FILE	59N181822PUFW38	Wood	$ 2154	17⅛	18	20⅓	—	—	79 lbs.	7.0
	59N181822PUFL38	Laminate	1324	17⅛	18	20⅓	—	—	79 lbs.	7.0
	59N181522PUFW38	Wood	$ 2154	17⅛	15	20⅓	—	—	66 lbs.	6.0
	59N181522PUFL38	Laminate	1324	17⅛	15	20⅓	—	—	66 lbs.	6.0



- Must specify 18" deep top. See page 189
- Intended to be used alongside the height adjustable single side shroud desk with bookcase to form an "L" or "T"
- See page 160 for recommendations on when to and when not to use a center grommet when specifying the pedestals and worksurface top with the floating design for the low height storage available with the single side height adjustable desk
- Only use the worksurface tops on page 189 to create the correct spacing for the floating top design
- Box/file configuration behind full drawer
- Spacer blocks standard on pedestals and same color as pedestal
- Must specify ganging option for correct placement of spacer blocks (L, R, or LR)
- Line art indicates cord management through spacer block and top of pedestal
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

TESSERA

PRODUCT SPECIFICATIONS

- Filler strips are shipped with appropriate hardware

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color (laminate models)
3. Veneer Finish (wood models)

SAMPLE MODEL NUMBER:

59N0322CPFS2W CW

• See pages 157-159 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FILLER STRIP BOX/FILE HEIGHT	59N22CPFSW	Wood	$ 124	¾	2⅔	19⅞	—	—	3 lbs.	0.1
	59N22CPFSL	Laminate	95	¾	2⅔	19⅞	—	—	3 lbs.	0.1

- For use when specifying a pedestal positioned against an architectural wall and no modesty is used. Specify a filler strip to fill the 1" gap between the worksurface and pedestal depths
- Specify wood or laminate

FILLER STRIP BOX/FILE HEIGHT	59N0322CPFS2W	Wood	$ 132	¾	3½	22⅛	—	—	3 lbs.	0.1
	59N0322CPFS2L	Laminate	101	¾	3½	22⅛	—	—	3 lbs.	0.1

- For use when specifying a pedestal positioned against a Tessera wall and no modesty. Specify a filler strip to fill the 3" gap between the pedestal and the architectural wall
- Specify wood or laminate

FILLER STRIP VERTICAL STORAGE HEIGHT	59N0375CPFS2W	Wood	$ 349	¾	2⅔	74½	—	—	15 lbs.	0.3
	59N0375CPFS2L	Laminate	314	¾	2⅔	74½	—	—	15 lbs.	0.3

- For use when vertical storage units are specified with the Single Side Height Adjustable Desk and the Tessera wall. Specify a filler strip to fill in
- Specify wood or laminate

PRODUCT SPECIFICATIONS

- Modesty and back panels are used in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewell

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color (laminate models)
3. Veneer Finish (wood models)

SAMPLE MODEL NUMBER:

59N1820MPL MC

• See pages 157-159 for all options available in Tessera

MODESTY PANEL FOR USE WITH UNDERSURFACE 18" DEEP PEDESTALS



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
59N7220MPW	Wood	$ 587	¾	71⅝	19⅞			48 lbs.	1.9
59N7220MPL	Laminate	315	¾	71⅝	19⅞			48 lbs.	1.9
59N6620MPW	Wood	$ 547	¾	65¹⁄₁₆	19⅞			45 lbs.	1.8
59N6620MPL	Laminate	295	¾	65¹⁄₁₆	19⅞			45 lbs.	1.8
59N6020MPW	Wood	$ 504	¾	59¹⁄₁₆	19⅞			43 lbs.	1.6
59N6020MPL	Laminate	264	¾	59¹⁄₁₆	19⅞			43 lbs.	1.6
59N5420MPW	Wood	$ 471	¾	53¹⁄₁₆	19⅞			40 lbs.	1.5
59N5420MPL	Laminate	259	¾	53¹⁄₁₆	19⅞			40 lbs.	1.5
59N4820MPW	Wood	$ 421	¾	47¹⁄₁₆	19⅞			38 lbs.	1.3
59N4820MPL	Laminate	248	¾	47¹⁄₁₆	19⅞			38 lbs.	1.3
59N3620MPW	Wood	$ 374	¾	35⁵⁄₁₆	19⅞			24 lbs.	1.0
59N3620MPL	Laminate	204	¾	35⁵⁄₁₆	19⅞			24 lbs.	1.0
59N3020MPW	Wood	$ 329	¾	29⁵⁄₁₆	19⅞			21 lbs.	0.9
59N3020MPL	Laminate	177	¾	29⁵⁄₁₆	19⅞			21 lbs.	0.9
59N1820MPW	Wood	$ 272	¾	17³⁄₁₆	19⅞			20 lbs.	0.6
59N1820MPL	Laminate	149	¾	17³⁄₁₆	19⅞			20 lbs.	0.6
59N1520MPW	Wood	$ 272	¾	14³⁄₁₆	19⅞			15 lbs.	0.5
59N1520MPL	Laminate	149	¾	14³⁄₁₆	19⅞			15 lbs.	0.5

MODESTY PANEL FOR USE WITH UNDERSURFACE 18" DEEP PEDESTALS



59N72A20MPL	Laminate	$ 315				–	–	48 lbs.	3.7
59N66A20MPL	Laminate	295				–	–	44 lbs.	3.4
59N60A20MPL	Laminate	264				–	–	42 lbs.	3.1

• For use when 2 or more laminate pedestals are ganged together under a common top

TESSERA

PRODUCT SPECIFICATIONS

- Modesty and back panels are used in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewell

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color

SAMPLE MODEL NUMBER:

59N1820MPVL MC

• See pages 157-159 for all options available in Tessera

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
MODESTY PANEL FOR USE WITH UNDERSURFACE 18" DEEP PEDESTALS	59N6020MPVL	$ 264	¾	59 1/16	19⅞			43 lbs.	1.6
	59N5420MPVL	259	¾	53 1/16	19⅞			40 lbs.	1.5
	59N4820MPVL	248	¾	47 1/16	19⅞			38 lbs.	1.3
	59N3620MPVL	204	¾	35 5/16	19⅞			24 lbs.	1.0
	59N3020MPVL	177	¾	29 5/16	19⅞			21 lbs.	0.9
	59N1820MPVL	149	¾	17 3/16	19⅞			20 lbs.	0.6
	59N1520MPVL	149	¾	14 3/16	19⅞			15 lbs.	0.5



• Grain direction runs vertically

MODESTY PANEL FOR USE WITH UNDERSURFACE 18" DEEP PEDESTALS	59N60A20MPVL	$ 264				–	–	42 lbs.	3.1



• For use when 2 or more laminate pedestals are ganged together under a common top
• Grain direction runs vertically

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to pages 157-159 for options
- Refer to pages 381-418 for accessories
- Refer to page 160 for grommet locations and page 157 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color (laminate models)
3. Veneer Finish (wood models)

SAMPLE MODEL NUMBER:

59N1872WSSL TF

- See pages 157-159 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
RECTANGULAR WORKSURFACE 18" DEPTH	59N1872WSSW	Wood	$ 1264	18⅛	71¹⁵⁄₁₆	1³⁄₁₆	—	—	63 lbs.	3.2
	59N1872WSSL	Laminate	699	18⅛	71¹⁵⁄₁₆	1³⁄₁₆	—	—	63 lbs.	3.2
	59N1866WSSW	Wood	$ 1221	18⅛	66	1³⁄₁₆	—	—	75 lbs.	2.5
	59N1866WSSL	Laminate	660	18⅛	66	1³⁄₁₆	—	—	75 lbs.	2.5
	59N1860WSSW	Wood	$ 1198	18⅛	60	1³⁄₁₆	—	—	56 lbs.	2.7
	59N1860WSSL	Laminate	634	18⅛	60	1³⁄₁₆	—	—	56 lbs.	2.7
	59N1854WSSW	Wood	$ 1175	18⅛	54	1³⁄₁₆	—	—	50 lbs.	2.5
	59N1854WSSL	Laminate	579	18⅛	54	1³⁄₁₆	—	—	50 lbs.	2.5
	59N1848WSSW	Wood	$ 1156	18⅛	48¹⁄₁₆	1³⁄₁₆	—	—	44 lbs.	2.2
	59N1848WSSL	Laminate	534	18⅛	48¹⁄₁₆	1³⁄₁₆	—	—	44 lbs.	2.2
	59N1836WSSW	Wood	$ 1086	18⅛	36¹⁄₁₆	1³⁄₁₆	—	—	37 lbs.	1.7
	59N1836WSSL	Laminate	465	18⅛	36¹⁄₁₆	1³⁄₁₆	—	—	37 lbs.	1.7
	59N1830WSSW	Wood	$ 1065	18⅛	30¹⁄₁₆	1³⁄₁₆	—	—	30 lbs.	1.5
	59N1830WSSL	Laminate	433	18⅛	30¹⁄₁₆	1³⁄₁₆	—	—	30 lbs.	1.5
	59N1818WSSW	Wood	$ 1036	18⅛	18⅛	1³⁄₁₆	—	—	55 lbs.	0.9
	59N1818WSSL	Laminate	405	18⅛	18⅛	1³⁄₁₆	—	—	55 lbs.	0.9
	59N1815WSSW	Wood	$ 1036	18⅛	15⅛	1³⁄₁₆	—	—	50 lbs.	0.8
	59N1815WSSL	Laminate	405	18⅛	15⅛	1³⁄₁₆	—	—	50 lbs.	0.8

- For use with 18" deep pedestals on pages 183-185, used with single side height adjustable desk to form an "L" or a "T" design

RECTANGULAR WORKSURFACE 18" DEPTH	59N18A72WSSL	Laminate	$ 699						63 lbs.	2.3
	59N18A66WSSL	Laminate	660						61 lbs.	2.2
	59N18A60WSSL	Laminate	634						56 lbs.	2.0

- For use when 2 or more laminate pedestals are ganged together under a common top
- For use with 18" deep pedestals on pages 183-185, used with single side height adjustable desk to form an "L" or a "T" design

TESSERA

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to pages 157-159 for options
- Refer to pages 381-418 for accessories
- Refer to page 160 for grommet locations and page 157 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks
- Wire manager location with leg that lowers into bookcase
- Back of bookcase not finished

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Grommet
4. Locking
5. Drawer/Door Front (laminate models)
6. Laminate Color (laminate models)
7. Veneer Finish (wood models)

SAMPLE MODEL NUMBERS:

59N3672DDFFW8 92MB X KRB SM
59N3672DDFFL8 92IR X KRB 405 792

- See pages 157-159 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WORKSURFACE TO WALL MOUNTING BRACKET	59N16BKT	Metal	$ 42	1	16	1	—	—	2 lbs.	0.1



- For use when mounting a worksurface to an architectural wall; can be used in place of an end support panel
- 2 brackets are required for 36" deep worksurfaces

DOUBLE PEDESTAL DESK RECESSED MODESTY	59N3684DDFFW8	Wood	$ 5898	36 1/16	83 15/16	28 13/16	6 3/16	47 3/16	374 lbs.	60.0
	59N3684DDFFL8	Laminate	3564	36 1/16	83 15/16	28 13/16	6 3/16	47 3/16	374 lbs.	60.0
	59N3672DDFFW8	Wood	$ 5602	36 1/16	71 15/16	28 13/16	6 3/16	35 7/8	347 lbs.	55.2
	59N3672DDFFL8	Laminate	3296	36 1/16	71 15/16	28 13/16	6 3/16	35 7/8	347 lbs.	55.2
	59N3072DDFFW8	Wood	$ 5488	30 1/16	71 15/16	28 13/16	6 5/16	35 7/8	300 lbs.	47.1
	59N3072DDFFL8	Laminate	3275	30 1/16	71 15/16	28 13/16	6 5/16	35 7/8	300 lbs.	47.1
	59N3066DDFFW8	Wood	$ 5377	30 1/16	66	28 13/16	6 5/16	35 7/8	277 lbs.	43.5
	59N3066DDFFL8	Laminate	3165	30 1/16	66	28 13/16	6 5/16	35 7/8	277 lbs.	43.5
	59N3060DDFFW8	Wood	$ 5117	30 1/16	60	28 13/16	6 5/16	29 13/16	263 lbs.	39.9
	59N3060DDFFL8	Laminate	3046	30 1/16	60	28 13/16	6 5/16	29 13/16	263 lbs.	39.9



- 3672 desk has 30" deep pedestals
- 3066 and 3060 desks have 24" deep pedestals
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Recessed façade on pedestals creates a 1 3/16" gap between the worksurface and modesty panel to show the recessed façade on the pedestals
- Modesty panel on laminate or veneer units will be vertical unless horizontal is specified
- Any laminate modesty over 60" will be horizontal
- Floating top design

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to pages 157-159 for options
- Refer to pages 381-418 for accessories
- Refer to page 165 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 160 for grommet locations and page 157 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Grommet
4. Locking
5. Drawer/Door Fronts (laminate models)
6. Laminate Color (laminate models)
7. Veneer Finish (wood models)

SAMPLE MODEL NUMBERS:

59N3684DDFBFW8 92MB X KRB TF
59N3684DDFBFL8 92MB X KRB TF TF

- See pages 157-159 for all options available in Tessera

DOUBLE PEDESTAL DESK BREAKFRONT MODESTY





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
59N3684DDFBFW8	Wood	$ 6047	36 1/16	83 15/16	28 15/16	6 3/16	47 3/16	374 lbs.	60.0
59N3684DDFBFL8	Laminate	3699	36 1/16	83 15/16	28 15/16	6 3/16	47 3/16	374 lbs.	60.0
59N3672DDFBFW8	Wood	$ 5752	36 1/16	71 15/16	28 15/16	6 3/16	35 7/8	347 lbs.	55.2
59N3672DDFBFL8	Laminate	3431	36 1/16	71 15/16	28 15/16	6 3/16	35 7/8	347 lbs.	55.2
59N3072DDFBFW8	Wood	$ 5634	30 1/16	71 15/16	28 15/16	6 3/16	35 7/8	300 lbs.	47.1
59N3072DDFBFL8	Laminate	3410	30 1/16	71 15/16	28 15/16	6 3/16	35 7/8	300 lbs.	47.1
59N3066DDFBFW8	Wood	$ 5524	30 1/16	66	28 15/16	6 3/16	35 7/8	277 lbs.	43.5
59N3066DDFBFL8	Laminate	3300	30 1/16	66	28 15/16	6 3/16	35 7/8	277 lbs.	43.5
59N3060DDFBFW8	Wood	$ 5265	30 1/16	60	28 15/16	6 3/16	29 15/16	263 lbs.	39.9
59N3060DDFBFL8	Laminate	3180	30 1/16	60	28 15/16	6 3/16	29 15/16	263 lbs.	39.9

- 3684 and 3672 desks have 35" deep pedestals
- 3066 and 3060 desks have 30" deep pedestals
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Modesty inset
- Modesty panel on laminate or veneer units will be vertical unless horizontal is specified
- Any laminate modesty over 60" will be horizontal
- Floating top design

SINGLE PEDESTAL DESK RECESSED MODESTY



Left shown



LEFT PEDESTAL	RIGHT PEDESTAL		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
59N3684DLFFW1	59N3684DRFFW1	Wood	$ 5095	36 1/16	83 15/16	28 15/16	6 3/16	–	314 lbs.	60.0
59N3684DLFFL1	59N3684DRFFL1	Laminate	3150	36 1/16	83 15/16	28 15/16	6 3/16	–	314 lbs.	60.0
59N3672DLFFW1	59N3672DRFFW1	Wood	$ 4799	36 1/16	71 15/16	28 15/16	6 3/16	–	287 lbs.	55.2
59N3672DLFFL1	59N3672DRFFL1	Laminate	2878	36 1/16	71 15/16	28 15/16	6 3/16	–	287 lbs.	55.2
59N3072DLFFW1	59N3072DRFFW1	Wood	$ 4610	30 1/16	71 15/16	28 15/16	6 3/16	–	251 lbs.	47.1
59N3072DLFFL1	59N3072DRFFL1	Laminate	2868	30 1/16	71 15/16	28 15/16	6 3/16	–	251 lbs.	47.1
59N3066DLFFW1	59N3066DRFFW1	Wood	$ 4498	30 1/16	66	28 15/16	6 3/16	–	232 lbs.	43.5
59N3066DLFFL1	59N3066DRFFL1	Laminate	2758	30 1/16	66	28 15/16	6 3/16	–	232 lbs.	43.5

- 3684 and 3672 desks have 30" deep pedestal
- 3066 desk has 24" deep pedestal
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Recessed façade on pedestals creates a 1 3/16" gap between the worksurface and modesty panel to show the recessed façade on the pedestal
- Modesty panel on laminate or veneer units will be vertical unless horizontal is specified
- Any laminate modesty over 60" will be horizontal
- For model alignment, it is recommended to be used only with Tessera models that have the floating top design
- Floating top design

TESSERA

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to pages 157-159 for options
- Refer to pages 381-418 for accessories
- Refer to page 165 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 160 for grommet locations and page 157 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Grommet
4. Locking
5. Drawer/Door Fronts (laminate models)
6. Laminate Color (laminate models)
7. Veneer Finish (wood models)

SAMPLE MODEL NUMBERS:

59N3684DRFBFW1 92MB X KRB TF
59N3684DRFBFL1 92MB X KRB 478 TF

- See pages 157-159 for all options available in Tessera

SINGLE PEDESTAL DESK BREAKFRONT MODESTY



Left shown



MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
LEFT PEDESTAL	RIGHT PEDESTAL									
59N3684DLFBFW1	59N3684DRFBFW1	Wood	$ 5243	36 1/16	83 15/16	28 15/16	—	—	314 lbs.	60.0
59N3684DLFBFL1	59N3684DRFBFL1	Laminate	3284	36 1/16	83 15/16	28 15/16	—	—	314 lbs.	60.0
59N3672DLFBFW1	59N3672DRFBFW1	Wood	$ 4799	36 1/16	71 15/16	28 15/16	—	—	287 lbs.	55.2
59N3672DLFBFL1	59N3672DRFBFL1	Laminate	2878	36 1/16	71 15/16	28 15/16	—	—	287 lbs.	55.2
59N3072DLFBFW1	59N3072DRFBFW1	Wood	$ 4610	30 1/16	71 15/16	28 15/16	—	—	251 lbs.	47.1
59N3072DLFBFL1	59N3072DRFBFL1	Laminate	2868	30 1/16	71 15/16	28 15/16	—	—	251 lbs.	47.1
59N3066DLFBFW1	59N3066DRFBFW1	Wood	$ 4498	30 1/16	66	28 15/16	—	—	232 lbs.	43.5
59N3066DLFBFL1	59N3066DRFBFL1	Laminate	2758	30 1/16	66	28 15/16	—	—	232 lbs.	43.5

- 3684 and 3672 desks have 35" deep pedestal
- 3066 desk has 30" deep pedestal
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Modesty inset
- Recessed façade on pedestals creates a 1 3/16" gap between the worksurface and modesty panel to show the recessed façade on the pedestals
- Modesty panel on laminate or veneer units will be vertical unless horizontal is specified
- Any laminate modesty over 60" will be horizontal
- For model alignment, it is recommended to be used only with Tessera models that have the floating top design
- Floating top design

RETURN BOX/BOX/FILE



Left shown

LEFT RETURN	RIGHT RETURN									
59N2460RLEFFW1	59N2460RREFFW1	Wood	$ 3290	24	60	28 15/16	1/16	44	180 lbs.	33.0
59N2460RLEFFL1	59N2460RREFFL1	Laminate	1838	24	60	28 15/16	1/16	44	180 lbs.	33.0
59N2448RLEFFW1	59N2448RREFFW1	Wood	$ 3253	24	48 1/16	28 15/16	1/16	33	160 lbs.	27.0
59N2448RLEFFL1	59N2448RREFFL1	Laminate	1805	24	48 1/16	28 15/16	1/16	33	160 lbs.	27.0
59N2442RLEFFW1	59N2442RREFFW1	Wood	$ 3123	24	42 1/16	28 15/16	1/16	27	140 lbs.	24.0
59N2442RLEFFL1	59N2442RREFFL1	Laminate	1729	24	42 1/16	28 15/16	1/16	27	140 lbs.	24.0

- Grain direction runs front-to-back
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Recessed façade on pedestals creates a 1 3/16" gap between the worksurface and modesty panel to show the recessed façade on the pedestal
- Modesty panel on laminate or veneer units will be vertical unless horizontal is specified
- For model alignment, it is recommended to be used only with Tessera models that have a floating top design

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to pages 157-159 for options
- Refer to pages 381-418 for accessories
- Refer to page 165 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 160 for grommet locations and page 157 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Grommet
4. Locking
5. Drawer/Door Fronts (laminate models)
6. Laminate Color (laminate models)
7. Veneer Finish (wood models)

SAMPLE MODEL NUMBERS:

59N2460RLEFFW2 92MB X KRB TF
59N2460RLEFFL2 92MB X KRB TF TF

- See pages 157-159 for all options available in Tessera

RETURN FILE/FILE



Left shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
LEFT RETURN	**RIGHT RETURN**									
59N2460RLEFFW2	59N2460RREFFW2	Wood	$ 3290	24	60	28 15/16	1/16	44	180 lbs.	33.0
59N2460RLEFFL2	59N2460RREFFL2	Laminate	1838	24	60	28 15/16	1/16	44	180 lbs.	33.0
59N2448RLEFFW2	59N2448RREFFW2	Wood	$ 3253	24	48 1/16	28 15/16	1/16	33	160 lbs.	27.0
59N2448RLEFFL2	59N2448RREFFL2	Laminate	1805	24	48 1/16	28 15/16	1/16	33	160 lbs.	27.0
59N2442RLEFFW2	59N2442RREFFW2	Wood	$ 3123	24	42 1/16	28 15/16	1/16	27	140 lbs.	24.0
59N2442RLEFFL2	59N2442RREFFL2	Laminate	1729	24	42 1/16	28 15/16	1/16	27	140 lbs.	24.0

- Grain direction runs front-to-back
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Recessed façade on pedestals creates a 1 3/16" gap between the worksurface and modesty panel to show the recessed façade on the pedestal
- Modesty panel on laminate or veneer units will be vertical unless horizontal is specified
- For model alignment, it is recommended to be used only with Tessera models that have a floating top design

BRIDGE



59N2448BEFFW	Wood	$ 1221	24	48 1/16	28 15/16	1/16	—	80 lbs.	3.4
59N2448BEFFL	Laminate	675	24	48 1/16	28 15/16	1/16	—	80 lbs.	3.4
59N2442BEFFW	Wood	$ 1150	24	42 1/16	28 15/16	1/16	—	72 lbs.	3.1
59N2442BEFFL	Laminate	609	24	42 1/16	28 15/16	1/16	—	72 lbs.	3.1

- Some assembly required
- Grain direction runs front-to-back
- 1 3/16" gap between the modesty and worksurface
- Modesty panel on laminate or veneer units will be vertical unless horizontal is specified
- For model alignment, it is recommended to be used only with Tessera models that have a floating top design

SINGLE PEDESTAL CREDENZA FILE/FILE



Right shown

LEFT PEDESTAL	RIGHT PEDESTAL									
59N2472CLFFW2	59N2472CRFFW2	Wood	$ 3881	24	71 15/16	28 15/16	—	—	295 lbs.	39.0
59N2472CLFFL2	59N2472CRFFL2	Laminate	2521	24	71 15/16	28 15/16	—	—	295 lbs.	39.0
59N2466CLFFW2	59N2466CRFFW2	Wood	$ 3814	24	66	28 15/16	—	—	265 lbs.	35.0
59N2466CLFFL2	59N2466CRFFL2	Laminate	2412	24	66	28 15/16	—	—	265 lbs.	35.0
59N2460CLFFW2	59N2460CRFFW2	Wood	$ 3742	24	60	28 15/16	—	—	250 lbs.	33.0
59N2460CLFFL2	59N2460CRFFL2	Laminate	2367	24	60	28 15/16	—	—	250 lbs.	33.0

- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Modesty panel on laminate or veneer units will be vertical unless horizontal is specified
- Any laminate modesty over 60" will be horizontal

TESSERA

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to pages 157-159 for options
- Refer to pages 381-418 for accessories
- Refer to page 165 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 160 for grommet locations and page 157 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Grommet
4. Locking
5. Drawer/Door Fronts (laminate models)
6. Laminate Color (laminate models)
7. Veneer Finish (wood models)

SAMPLE MODEL NUMBER:

59N2472CKFL2 92MB X KRB 478 TF

- See pages 157-159 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
KNEESPACE CREDENZA FILE/FILE	59N2472CKFW2	Wood	$ 5291	24	71 15/16	28 13/16	—	—	295 lbs.	39.0
	59N2472CKFL2	Laminate	3442	24	71 15/16	28 13/16	—	—	295 lbs.	39.0
	59N2466CKFW2	Wood	$ 4937	24	66	28 13/16	—	—	265 lbs.	36.1
	59N2466CKFL2	Laminate	3045	24	66	28 13/16	—	—	265 lbs.	36.1
	59N2460CKFW2	Wood	$ 4865	24	60	28 13/16	—	—	250 lbs.	33.0
	59N2460CKFL2	Laminate	2999	24	60	28 13/16	—	—	250 lbs.	33.0

- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Modesty panel on laminate or veneer units will be vertical unless horizontal is specified
- Any laminate modesty over 60" will be horizontal

RECEPTION DESK MAIN SHELL	59N3696DSTFW	Wood	$ 5038	36	95 7/8	28 13/16	—	—	332 lbs.	72.2
	59N3696DSTFL	Laminate	3691	36	95 7/8	28 13/16	—	—	332 lbs.	72.2
	59N3690DSTFW	Wood	$ 4914	36	89 15/16	28 13/16	—	—	313 lbs.	68.0
	59N3690DSTFL	Laminate	3601	36	89 15/16	28 13/16	—	—	313 lbs.	68.0
	59N3684DSTFW	Wood	$ 4787	36	83 15/16	28 13/16	—	—	293 lbs.	63.7
	59N3684DSTFL	Laminate	3515	36	83 15/16	28 13/16	—	—	293 lbs.	63.7
	59N3672DSTFW	Wood	$ 4536	36	71 15/16	28 13/16	—	—	254 lbs.	55.2
	59N3672DSTFL	Laminate	3342	36	71 15/16	28 13/16	—	—	254 lbs.	55.2
	59N3096DSTFW	Wood	$ 4915	30 1/16	95 7/8	28 13/16	—	—	284 lbs.	61.7
	59N3096DSTFL	Laminate	3581	30 1/16	95 7/8	28 13/16	—	—	284 lbs.	61.7

- Do not specify pull or locking option
- Unit is non-handed; can be used left or right to configure a U-station
- Undersurface pedestals can be ordered for storage; see pages 257-262
- Main shell can be used with the reception return or reception bridge to create U and L configurations
- Modesty panel on laminate or veneer units will be vertical unless horizontal is specified
- Any laminate modesty over 60" will be horizontal
- Reception does not have a floating top design

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to pages 157-159 for options
- Refer to pages 381-418 for accessories
- Refer to page 165 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 160 for grommet locations and page 157 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks

TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Drawer/Door Fronts (laminate models)
4. Laminate Color (laminate models)
5. Veneer Finish (wood models)

SAMPLE MODEL NUMBER:

59N3090DSTFL X TF

- See pages 157-159 for all options available in Tessera

RECEPTION DESK MAIN SHELL (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
59N3090DSTFW	Wood	$ 4788	30 1/16	83 15/16	28 15/16	—	—	267 lbs.	58.0
59N3090DSTFL	Laminate	3490	30 1/16	83 15/16	28 15/16	—	—	267 lbs.	58.0
59N3084DSTFW	Wood	$ 4664	30 1/16	83 15/16	28 15/16	—	—	250 lbs.	54.4
59N3084DSTFL	Laminate	3405	30 1/16	83 15/16	28 15/16	—	—	250 lbs.	54.4
59N3072DSTFW	Wood	$ 4412	30 1/16	71 15/16	28 15/16	—	—	217 lbs.	47.1
59N3072DSTFL	Laminate	3231	30 1/16	71 15/16	28 15/16	—	—	217 lbs.	47.1
59N2496DSTFW	Wood	$ 4789	24	95 7/8	28 15/16	—	—	236 lbs.	51.2
59N2496DSTFL	Laminate	3467	24	95 7/8	28 15/16	—	—	236 lbs.	51.2
59N2490DSTFW	Wood	$ 4665	24	89 15/16	28 15/16	—	—	221 lbs.	48.1
59N2490DSTFL	Laminate	3380	24	89 15/16	28 15/16	—	—	221 lbs.	48.1
59N2484DSTFW	Wood	$ 4538	24	83 15/16	28 15/16	—	—	208 lbs.	45.1
59N2484DSTFL	Laminate	3292	24	83 15/16	28 15/16	—	—	208 lbs.	45.1
59N2472DSTFW	Wood	$ 4287	24	71 15/16	28 15/16	—	69½	180 lbs.	39.1
59N2472DSTFL	Laminate	3119	24	71 15/16	28 15/16	—	69½	180 lbs.	39.1

- Do not specify pull or locking option
- Unit is non-handed; can be used left or right to configure a U-station
- Undersurface pedestals can be ordered for storage; see pages 257-262
- Main shell can be used with the reception return or reception bridge to create U and L configurations
- Modesty panel on laminate or veneer units will be vertical unless horizontal is specified
- Any laminate modesty over 60" will be horizontal
- Reception does not have a floating top design

RECEPTION BRIDGE



59N2460BSTFW	Wood	$ 1323	24	60	28 15/16	—	—	82 lbs.	4.2
59N2460BSTFL	Laminate	922	24	60	28 15/16	—	—	82 lbs.	4.2
59N2448BSTFW	Wood	$ 1150	24	48 1/16	28 15/16	—	—	80 lbs.	3.4
59N2448BSTFL	Laminate	658	24	48 1/16	28 15/16	—	—	80 lbs.	3.4
59N2442BSTFW	Wood	$ 1099	24	42 1/16	28 15/16	—	—	76 lbs.	3.1
59N2442BSTFL	Laminate	607	24	42 1/16	28 15/16	—	—	76 lbs.	3.1

- Do not specify pull or locking option
- Grain direction runs front-to-back on worksurface
- Modesty panel on laminate or veneer units will be vertical unless horizontal is specified
- Reception does not have a floating top design

TESSERA

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to pages 157-159 for options
- Refer to pages 381-418 for accessories
- Refer to page 165 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 160 for grommet locations and page 157 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Grommet
4. Locking
5. Accent Laminate Color (sliding doors)
6. Laminate Color (laminate models)
7. Veneer Finish (wood models)

SAMPLE MODEL NUMBER:

59N8436SMTSLDW 92MB KRB TF TF

- See pages 157-159 for all options available in Tessera

RECEPTION RETURN



Left shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
LEFT RETURN	**RIGHT RETURN**									
59N2460RSTFLW	59N2460RSTFRW	Wood	$ 2083	24	60	28 15/16	–	–	175 lbs.	33.0
59N2460RSTFLL	59N2460RSTFRL	Laminate	1796	24	60	28 15/16	–	–	175 lbs.	33.0
59N2448RSTFLW	59N2448RSTFRW	Wood	$ 1972	24	48 1/16	28 15/16	–	–	100 lbs.	19.0
59N2448RSTFLL	59N2448RSTFRL	Laminate	1724	24	48 1/16	28 15/16	–	–	100 lbs.	19.0

- Use with a main shell to make a reception L-station
- Undersurface pedestals can be ordered for storage; see pages 257-262
- Grain direction runs front-to-back on worksurface
- Reception does not have a floating top design

RECEPTION SET-ON SLIDING DOOR



Left reception/double doors



Left reception/left door



Center/left door



Right reception/left door

WOOD UNIT									
59N8436SMTSLDW	Left Reception/Double Doors	$ 4057	15 3/8	83 15/16	36	–	–	419 lbs.	38.7
59N8436SMTSRDW	Right Reception/Double Doors	4057	15 3/8	83 15/16	36	–	–	419 lbs.	38.7
59N8436SMTSCDW	Center Reception/Double Doors	4057	15 3/8	83 15/16	36	–	–	419 lbs.	38.7
59N7836SMTSLDW	Left Reception/Double Doors	$ 3947	15 3/8	77 15/16	36	–	–	391 lbs.	36.1
59N7836SMTSRDW	Right Reception/Double Doors	3947	15 3/8	77 15/16	36	–	–	391 lbs.	36.1
59N7836SMTSCDW	Center Reception/Double Doors	3947	15 3/8	71 15/16	36	–	–	391 lbs.	36.1
59N7236SMTSLDW	Left Reception/Double Doors	$ 3836	15 3/8	71 15/16	36	–	–	363 lbs.	33.5
59N7236SMTSRDW	Right Reception/Double Doors	3836	15 3/8	71 15/16	36	–	–	363 lbs.	33.5
59N7236SMTSCDW	Center Reception/Double Doors	3836	15 3/8	71 15/16	36	–	–	363 lbs.	33.5
59N6036SMTSLLW	Left Reception/Left Door	$ 3606	15 3/8	60	36	–	–	306 lbs.	28.3
59N6036SMTSLRW	Left Reception/Right Door	3606	15 3/8	60	36	–	–	306 lbs.	28.3
59N6036SMTSRLW	Right Reception/Left Door	3606	15 3/8	60	36	–	–	306 lbs.	28.3
59N6036SMTSRRW	Right Reception/Right Door	3606	15 3/8	60	36	–	–	306 lbs.	28.3
59N6036SMTSCLW	Center, Left Door	3606	15 3/8	60	36	–	–	306 lbs.	28.3
59N6036SMTSCRW	Center, Right Door	3606	15 3/8	60	36	–	–	306 lbs.	28.3

- Accent panel can be attached to set-on sliding door unit
- 1 3/16" thick top
- Features 1 accent sliding door
- For tack board options, see pages 413-418
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available on 72", 78", and 84"
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available on 60" and 48"

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to pages 157-159 for options
- Refer to pages 381-418 for accessories
- Refer to page 165 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 160 for grommet locations and page 157 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Grommet
4. Locking
5. Accent Laminate Color (sliding doors)
6. Laminate Color (laminate models)
7. Veneer Finish (wood models)

SAMPLE MODEL NUMBER:

59N6036SMTSLRLW 92MB KRB 488 TF

- See pages 157-159 for all options available in Tessera

RECEPTION SET-ON SLIDING DOOR (CONTINUED)



Left reception/double doors



Left reception/left door



Center/left door



Right reception/left door

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WOOD UNIT (CONTINUED)									
59N4836SMTSLLW	Left Reception/Left Door	$ 3384	15⅜	48⅛	36	—	—	250 lbs.	23.1
59N4836SMTSLRW	Left Reception/Right Door	3384	15⅜	48⅛	36	—	—	250 lbs.	23.1
59N4836SMTSRLW	Right Reception/Left Door	3384	15⅜	48⅛	36	—	—	250 lbs.	23.1
59N4836SMTSRRW	Right Reception/Right Door	3384	15⅜	48⅛	36	—	—	250 lbs.	23.1
59N4836SMTSCLW	Center, Left Door	3384	15⅜	48⅛	36	—	—	250 lbs.	23.1
59N4836SMTSCRW	Center, Right Door	3384	15⅜	48⅛	36	—	—	250 lbs.	23.1
LAMINATE DOORS/WOOD CHASSIS									
59N8436SMTSLDLW	Left Reception/Double Doors	$ 4166	15⅜	83 15⁄16	36	—	—	419 lbs.	38.7
59N8436SMTSRDLW	Right Reception/Double Doors	4166	15⅜	83 15⁄16	36	—	—	419 lbs.	38.7
59N8436SMTSCDLW	Center Reception/Double Doors	4166	15⅜	83 15⁄16	36	—	—	419 lbs.	38.7
59N7836SMTSLDLW	Left Reception/Double Doors	$ 4055	15⅜	77 15⁄16	36	—	—	391 lbs.	36.1
59N7836SMTSRDLW	Right Reception/Double Doors	4055	15⅜	77 15⁄16	36	—	—	391 lbs.	36.1
59N7836SMTSCDLW	Center Reception/Double Doors	4055	15⅜	77 15⁄16	36	—	—	391 lbs.	36.1
59N7236SMTSLDLW	Left Reception/Double Doors	$ 3944	15⅜	71 15⁄16	36	—	—	363 lbs.	33.5
59N7236SMTSRDLW	Right Reception/Double Doors	3944	15⅜	71 15⁄16	36	—	—	363 lbs.	33.5
59N7236SMTSCDLW	Center Reception/Double Doors	3944	15⅜	71 15⁄16	36	—	—	363 lbs.	33.5
59N6036SMTSLLLW	Left Reception/Left Door	$ 3714	15⅜	60	36	—	—	306 lbs.	28.3
59N6036SMTSLRLW	Left Reception/Right Door	3714	15⅜	60	36	—	—	306 lbs.	28.3
59N6036SMTSRLLW	Right Reception/Left Door	3714	15⅜	60	36	—	—	306 lbs.	28.3
59N6036SMTSRRLW	Right Reception/Right Door	3714	15⅜	60	36	—	—	306 lbs.	28.3
59N6036SMTSCLLW	Center, Left Door	3714	15⅜	60	36	—	—	306 lbs.	28.3
59N6036SMTSCRLW	Center, Right Door	3714	15⅜	60	36	—	—	306 lbs.	28.3
59N4836SMTSLLLW	Left Reception/Left Door	$ 3491	15⅜	48⅛	36	—	—	250 lbs.	23.1
59N4836SMTSLRLW	Left Reception/Right Door	3491	15⅜	48⅛	36	—	—	250 lbs.	23.1
59N4836SMTSRLLW	Right Reception/Left Door	3491	15⅜	48⅛	36	—	—	250 lbs.	23.1
59N4836SMTSRRLW	Right Reception/Right Door	3491	15⅜	48⅛	36	—	—	250 lbs.	23.1
59N4836SMTSCLLW	Center, Left Door	3491	15⅜	48⅛	36	—	—	250 lbs.	23.1
59N4836SMTSCRLW	Center, Right Door	3491	15⅜	48⅛	36	—	—	250 lbs.	23.1

- Accent panel can be attached to set-on sliding door unit
- 1¾6" thick top
- Features 1 accent sliding door
- For tack board options, see pages 413-418
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available on 72", 78", and 84"
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available on 60" and 48"

TESSERA

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to pages 157-159 for options
- Refer to pages 381-418 for accessories
- Refer to page 165 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 160 for grommet locations and page 157 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Grommet
4. Locking
5. Accent Laminate Color (sliding doors)
6. Laminate Color (laminate models)
7. Veneer Finish (wood models)

SAMPLE MODEL NUMBER:

59N8436SMTSLDL 92MB KRB AC2 AD

- See pages 157-159 for all options available in Tessera

RECEPTION SET-ON SLIDING DOOR (CONTINUED)



Left reception/double doors



Left reception/left door



Center/left door



Right reception/left door

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
LAMINATE UNIT									
59N8436SMTSLDL	Left Reception/Double Doors	$ 2760	15⅜	83⁵⁄₁₆	36	–	–	419 lbs.	38.7
59N8436SMTSRDL	Right Reception/Double Doors	2760	15⅜	83⁵⁄₁₆	36	–	–	419 lbs.	38.7
59N8436SMTSCDL	Center Reception/Double Doors	2760	15⅜	83⁵⁄₁₆	36	–	–	419 lbs.	38.7
59N7836SMTSLDL	Left Reception/Double Doors	$ 2650	15⅜	77⁵⁄₁₆	36	–	–	391 lbs.	36.1
59N7836SMTSRDL	Right Reception/Double Doors	2650	15⅜	77⁵⁄₁₆	36	–	–	391 lbs.	36.1
59N7836SMTSCDL	Center Reception/Double Doors	2650	15⅜	77⁵⁄₁₆	36	–	–	391 lbs.	36.1
59N7236SMTSLDL	Left Reception/Double Doors	$ 2538	15⅜	71⁵⁄₁₆	36	–	–	363 lbs.	33.5
59N7236SMTSRDL	Right Reception/Double Doors	2538	15⅜	71⁵⁄₁₆	36	–	–	363 lbs.	33.5
59N7236SMTSCDL	Center Reception/Double Doors	2538	15⅜	71⁵⁄₁₆	36	–	–	363 lbs.	33.5
59N6036SMTSLLL	Left Reception/Left Door	$ 2309	15⅜	60	36	–	–	306 lbs.	28.3
59N6036SMTSLRL	Left Reception/Right Door	2309	15⅜	60	36	–	–	306 lbs.	28.3
59N6036SMTSRLL	Right Reception/Left Door	2309	15⅜	60	36	–	–	306 lbs.	28.3
59N6036SMTSRRL	Right Reception/Right Door	2309	15⅜	60	36	–	–	306 lbs.	28.3
59N6036SMTSCLL	Center, Left Door	2309	15⅜	60	36	–	–	306 lbs.	28.3
59N6036SMTSCRL	Center, Right Door	2309	15⅜	60	36	–	–	306 lbs.	28.3
59N4836SMTSLLL	Left Reception/Left Door	$ 2086	15⅜	48⅛	36	–	–	250 lbs.	23.1
59N4836SMTSLRL	Left Reception/Right Door	2086	15⅜	48⅛	36	–	–	250 lbs.	23.1
59N4836SMTSRLL	Right Reception/Left Door	2086	15⅜	48⅛	36	–	–	250 lbs.	23.1
59N4836SMTSRRL	Right Reception/Right Door	2086	15⅜	48⅛	36	–	–	250 lbs.	23.1
59N4836SMTSCLL	Center, Left Door	2086	15⅜	48⅛	36	–	–	250 lbs.	23.1
59N4836SMTSCRL	Center, Right Door	2086	15⅜	48⅛	36	–	–	250 lbs.	23.1

- Accent panel can be attached to set-on sliding door unit
- 1⅜" thick top
- Features 1 accent sliding door
- For tack board options, see pages 413-418
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available on 72", 78", and 84"
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available on 60" and 48"

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to pages 157-159 for options
- Refer to pages 381-418 for accessories
- Refer to page 165 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 160 for grommet locations and page 157 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Locking
4. Accent Laminate Color (sliding doors)
5. Laminate Color (laminate models)
6. Veneer Finish (wood models)

SAMPLE MODEL NUMBERS:

- See pages 157-159 for all options available in Tessera

RECEPTION SET-ON SLIDING DOOR (CONTINUED)



Left reception/double doors



Left reception/left door



Center/left door



Right reception/left door

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
GLASS DOORS/WOOD CHASSIS									
59N8436SMTSLDGW	Left Reception/Double Doors	$ 4869	15⅜	83¹⁵⁄₁₆	36	—	—	419 lbs.	38.7
59N8436SMTSRDGW	Right Reception/Double Doors	4869	15⅜	83¹⁵⁄₁₆	36	—	—	419 lbs.	38.7
59N8436SMTSCDGW	Center Reception/Double Doors	4869	15⅜	83¹⁵⁄₁₆	36	—	—	419 lbs.	38.7
59N7836SMTSLDGW	Left Reception/Double Doors	$ 4734	15⅜	77¹⁵⁄₁₆	36	—	—	391 lbs.	36.1
59N7836SMTSRDGW	Right Reception/Double Doors	4734	15⅜	77¹⁵⁄₁₆	36	—	—	391 lbs.	36.1
59N7836SMTSCDGW	Center Reception/Double Doors	4734	15⅜	77¹⁵⁄₁₆	36	—	—	391 lbs.	36.1
59N7236SMTSLDGW	Left Reception/Double Doors	$ 4601	15⅜	71¹⁵⁄₁₆	36	—	—	363 lbs.	33.5
59N7236SMTSRDGW	Right Reception/Double Doors	4601	15⅜	71¹⁵⁄₁₆	36	—	—	363 lbs.	33.5
59N7236SMTSCDGW	Center Reception/Double Doors	4601	15⅜	71¹⁵⁄₁₆	36	—	—	363 lbs.	33.5
59N6036SMTSLLGW	Left Reception/Left Door	$ 4326	14¾	60	36	—	—	306 lbs.	28.3
59N6036SMTSLRGW	Left Reception/Right Door	4326	14¾	60	36	—	—	306 lbs.	28.3
59N6036SMTSRLGW	Right Reception/Left Door	4326	14¾	60	36	—	—	306 lbs.	28.3
59N6036SMTSRRGW	Right Reception/Right Door	4326	14¾	60	36	—	—	306 lbs.	28.3
59N6036SMTSCLGW	Center, Left Door	4326	14¾	60	36	—	—	306 lbs.	28.3
59N6036SMTSCRGW	Center, Right Door	4326	14¾	60	36	—	—	306 lbs.	28.3
59N4836SMTSLLGW	Left Reception/Left Door	$ 4061	15⅜	48⅛	36	—	—	250 lbs.	23.1
59N4836SMTSLRGW	Left Reception/Right Door	4061	15⅜	48⅛	36	—	—	250 lbs.	23.1
59N4836SMTSRLGW	Right Reception/Left Door	4061	15⅜	48⅛	36	—	—	250 lbs.	23.1
59N4836SMTSRRGW	Right Reception/Right Door	4061	15⅜	48⅛	36	—	—	250 lbs.	23.1
59N4836SMTSCLGW	Center, Left Door	4061	15⅜	48⅛	36	—	—	250 lbs.	23.1
59N4836SMTSCRGW	Center, Right Door	4061	15⅜	48⅛	36	—	—	250 lbs.	23.1

- Accent panel can be attached to set-on sliding door unit
- 1⅜" thick top
- Features 1 accent sliding door
- No pull on glass doors
- For tack board options, see pages 413-418
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available on 72", 78", and 84"
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available on 60" and 48"

TESSERA

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to pages 157-159 for options
- Refer to pages 381-418 for accessories
- Refer to page 165 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 160 for grommet locations and page 157 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Locking
4. Accent Laminate Color (sliding doors)
5. Laminate Color (laminate models)
6. Veneer Finish (wood models)

SAMPLE MODEL NUMBER:

- See pages 157-159 for all options available in Tessera

RECEPTION SET-ON SLIDING DOOR (CONTINUED)



Left reception/double doors



Left reception/left door



Center/left door



Right reception/left door

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
GLASS DOORS/LAMINATE CHASSIS									
59N8436SMTSLDGL	Left Reception/Double Doors	$ 3589	15⅜	83¹⁵⁄₁₆	36	—	—	419 lbs.	38.7
59N8436SMTSRDGL	Right Reception/Double Doors	3589	15⅜	83¹⁵⁄₁₆	36	—	—	419 lbs.	38.7
59N8436SMTSCDGL	Center Reception/Double Doors	3589	15⅜	83¹⁵⁄₁₆	36	—	—	419 lbs.	38.7
59N7836SMTSLDGL	Left Reception/Double Doors	$ 3444	15⅜	77¹⁵⁄₁₆	36	—	—	391 lbs.	36.1
59N7836SMTSRDGL	Right Reception/Double Doors	3444	15⅜	77¹⁵⁄₁₆	36	—	—	391 lbs.	36.1
59N7836SMTSCDGL	Center Reception/Double Doors	3444	15⅜	77¹⁵⁄₁₆	36	—	—	391 lbs.	36.1
59N7236SMTSLDGL	Left Reception/Double Doors	$ 3300	15⅜	71¹⁵⁄₁₆	36	—	—	363 lbs.	33.5
59N7236SMTSRDGL	Right Reception/Double Doors	3300	15⅜	71¹⁵⁄₁₆	36	—	—	363 lbs.	33.5
59N7236SMTSCDGL	Center Reception/Double Doors	3300	15⅜	71¹⁵⁄₁₆	36	—	—	363 lbs.	33.5
59N6036SMTSLLGL	Left Reception/Left Door	$ 3002	14¾	60	36	—	—	306 lbs.	28.3
59N6036SMTSLRGL	Left Reception/Right Door	3002	14¾	60	36	—	—	306 lbs.	28.3
59N6036SMTSRLGL	Right Reception/Left Door	3002	14¾	60	36	—	—	306 lbs.	28.3
59N6036SMTSRRGL	Right Reception/Right Door	3002	14¾	60	36	—	—	306 lbs.	28.3
59N6036SMTSCLGL	Center, Left Door	3002	14¾	60	36	—	—	306 lbs.	28.3
59N6036SMTSCRGL	Center, Right Door	3002	14¾	60	36	—	—	306 lbs.	28.3
59N4836SMTSLLGL	Left Reception/Left Door	$ 2714	15⅜	48¹⁄₁₆	36	—	—	250 lbs.	23.1
59N4836SMTSLRGL	Left Reception/Right Door	2714	15⅜	48¹⁄₁₆	36	—	—	250 lbs.	23.1
59N4836SMTSRLGL	Right Reception/Left Door	2714	15⅜	48¹⁄₁₆	36	—	—	250 lbs.	23.1
59N4836SMTSRRGL	Right Reception/Right Door	2714	15⅜	48¹⁄₁₆	36	—	—	250 lbs.	23.1
59N4836SMTSCLGL	Center, Left Door	2714	15⅜	48¹⁄₁₆	36	—	—	250 lbs.	23.1
59N4836SMTSCRGL	Center, Right Door	2714	15⅜	48¹⁄₁₆	36	—	—	250 lbs.	23.1

- Accent panel can be attached to set-on sliding door unit
- 1³⁄₁₆" thick top
- Features 1 accent sliding door
- No pull on glass doors
- For tack board options, see pages 413-418
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available on 72", 78", and 84"
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available on 60" and 48"

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to pages 157-159 for options
- Refer to pages 381-418 for accessories
- Refer to page 165 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 160 for grommet locations and page 157 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color (laminate models)
3. Veneer Finish (wood models)

SAMPLE MODEL NUMBER:

59N4825SMTAL 488

- See pages 157-159 for all options available in Tessera

RECEPTION ACCENT PANEL



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
59N7225SMTAW	Wood	$ 1591	12	71 15/16	26 3/16	—	—	133 lbs.	7.4
59N7225SMTAL	Laminate	1294	12	71 15/16	26 3/16	—	—	133 lbs.	7.4
59N6625SMTAW	Wood	$ 1554	12	66	26 3/16	—	—	124 lbs.	6.9
59N6625SMTAL	Laminate	1257	12	66	26 3/16	—	—	124 lbs.	6.9
59N6025SMTAW	Wood	$ 1517	12	60	26 3/16	—	—	113 lbs.	6.3
59N6025SMTAL	Laminate	1221	12	60	26 3/16	—	—	113 lbs.	6.3
59N4825SMTAW	Wood	$ 1442	12	48	26 3/16	—	—	92 lbs.	5.1
59N4825SMTAL	Laminate	1146	12	48	26 3/16	—	—	92 lbs.	5.1
59N3625SMTAW	Wood	$ 1370	12	36 1/16	26 3/16	—	—	72 lbs.	4.0
59N3625SMTAL	Laminate	1073	12	36 1/16	26 3/16	—	—	72 lbs.	4.0

- 1 3/16" thick top
- Accent panel can be used on top of the reception set-on sliding door unit
- 1 3/16" spacer under the accent panel
- Modesty panel on laminate or veneer units will be vertical unless horizontal is specified
- Any laminate modesty over 60" will be horizontal

TESSERA

PRODUCT SPECIFICATIONS

- Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Portobello Horizontal (PBH) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert. All other woodgrains have a vertical grain on the wall insert

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Grommet
4. Locking
5. Leg Finish
6. Accent Laminate (sliding doors)
7. Drawer/Door Fronts (laminate)
8. Laminate Color (laminate models)
9. Veneer Finish (wood)

SAMPLE MODEL NUMBER:

59N2460CVWLS3L34 92CC X KRB 423 462 AD AD

• See pages 157-159 for all options available in Tessera

MEDIA MID CREDENZA
FOOTED
3-DRAWER



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
59N2472CVWLS3GW34	Glass/Wood	$ 13597	23 15/16	71 15/16	66 7/8	–	–	189 lbs.	43.0
59N2472CVWLS3GL34	Glass/Laminate	12011	23 15/16	71 15/16	66 7/8	–	–	189 lbs.	43.0
59N2472CVWLS3W34	Wood	11508	23 15/16	71 15/16	66 7/8	–	–	189 lbs.	43.0
59N2472CVWLS3LW34	Laminate/Wood	11867	23 15/16	71 15/16	66 7/8	–	–	189 lbs.	43.0
59N2472CVWLS3L34	Laminate	8413	23 15/16	71 15/16	66 7/8	–	–	189 lbs.	43.0
59N2460CVWLS3GW34	Glass/Wood	$ 13505	23 15/16		66 7/8	–	–	179 lbs.	39.0
59N2460CVWLS3GL34	Glass/Laminate	11915	23 15/16		66 7/8	–	–	179 lbs.	39.0
59N2460CVWLS3W34	Wood	11433	23 15/16		66 7/8	–	–	179 lbs.	39.0
59N2460CVWLS3LW34	Laminate/Wood	11790	23 15/16		66 7/8	–	–	179 lbs.	39.0
59N2460CVWLS3L34	Laminate	8335	23 15/16		66 7/8	–	–	179 lbs.	39.0

- Veneer model walls grain direction will be vertical
- Laminate model walls grain direction will be horizontal
- Backs fully finished. TV mounts only on approach
- Random lock core (KRB, KRS) and specified lock core (KS5B, KS5S) available
- Features 2 sliding doors
- No pull on glass doors
- Bottom drawers do not include filing hardware
- TV mount included; ships separately
- Adjustable Universal Wall Mount adjusts to allow installation of most 32" to 80" flat panel; black powder coat
- Maximum TV weight is 120 lbs.
- Unit ships unassembled

PRODUCT SPECIFICATIONS

- Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Portobello Horizontal (PBH) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert. All other woodgrains have a vertical grain on the wall insert

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Grommet
4. Locking
5. Leg Finish
6. Accent Laminate (sliding doors)
7. Drawer/Door Fronts (laminate)
8. Laminate Color (laminate models)
9. Veneer Finish (wood)

SAMPLE MODEL NUMBERS:

59N2460CVWLSL2W34 92CC X KRB
59N2460CVWLSL2LW34 92CC X KRB 423 462 AD

• See pages 157-159 for all options available in Tessera

MEDIA MID CREDENZA
FOOTED
2-DRAWER



MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
DOOR ON LEFT	DOOR ON RIGHT									
59N2460CVWLSL2GW34	59N2460CVWLSR2GW34	Glass/Wood	$ 13505	23 1⁵⁄₁₆		66⅞	—	—	179 lbs.	39.0
59N2460CVWLSL2GL34	59N2460CVWLSR2GL34	Glass/Lam	11915	23 1⁵⁄₁₆		66⅞	—	—	179 lbs.	39.0
59N2460CVWLSL2W34	59N2460CVWLSR2W34	Wood	11433	23 1⁵⁄₁₆		66⅞	—	—	179 lbs.	39.0
59N2460CVWLSL2LW34	59N2460CVWLSR2LW34	Lam/Wood	11790	23 1⁵⁄₁₆		66⅞	—	—	179 lbs.	39.0
59N2460CVWLSL2L34	59N2460CVWLSR2L34	Laminate	8335	23 1⁵⁄₁₆		66⅞	—	—	179 lbs.	39.0
59N2448CVWLSL2GW34	59N2448CVWLSR2GW34	Glass/Wood	$ 12893	23 1⁵⁄₁₆	48 1⁄₁₆	66⅞	—	—	147 lbs.	29.7
59N2448CVWLSL2GL34	59N2448CVWLSR2GL34	Glass/Lam	10282	23 1⁵⁄₁₆	48 1⁄₁₆	66⅞	—	—	147 lbs.	29.7
59N2448CVWLSL2W34	59N2448CVWLSR2W34	Wood	10709	23 1⁵⁄₁₆	48 1⁄₁₆	66⅞	—	—	147 lbs.	29.7
59N2448CVWLSL2LW34	59N2448CVWLSR2LW34	Lam/Wood	11023	23 1⁵⁄₁₆	48 1⁄₁₆	66⅞	—	—	147 lbs.	29.7
59N2448CVWLSL2L34	59N2448CVWLSR2L34	Laminate	8185	23 1⁵⁄₁₆	48 1⁄₁₆	66⅞	—	—	147 lbs.	29.7

- Veneer model walls; grain direction will be vertical
- Laminate model walls; grain direction will be vertical except horizontal laminates
- Backs fully finished. TV mounts only on approach
- Features 1 sliding door
- Random lock core (KRB, KRS) and specified lock core (KS3B, KS3S) available
- No pull on glass doors
- Bottom drawers do not include filing hardware
- TV mount included; ships separately
- Adjustable Universal Wall Mount adjusts to allow installation of most 32" to 80" flat panel; black powder coat
- Maximum TV weight is 120 lbs.
- Unit ships unassembled

TESSERA

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to pages 157-159 for options
- If specifying wood, however, accents remain same color as chassis
- Refer to page 165 for filing capabilities

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Grommet
4. Locking
5. Drawer/Door Fronts (laminate models)
6. Accent Laminate Color (sliding doors)
7. Laminate Color (laminate models)
8. Veneer Finish (wood models)

SAMPLE MODEL NUMBER:

59N2490CSS3LW34 92PL G11PLC KR5S 488 MH

- See pages 157-159 for all options available in Tessera

FULL CREDENZA





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
59N2490CSS3GW34	Glass/Wood	$ 7357	24	89 15/16	28 13/16	–	–	261 lbs.	48.3
59N2490CSS3GL34	Glass/Laminate	6536	24	89 15/16	28 13/16	–	–	261 lbs.	48.3
59N2490CSS3W34	Wood	6131	24	89 15/16	28 13/16	–	–	261 lbs.	48.3
59N2490CSS3LW34	Laminate/Wood	6315	24	89 15/16	28 13/16	–	–	261 lbs.	48.3
59N2490CSS3L34	Laminate	5028	24	89 15/16	28 13/16	–	–	261 lbs.	48.3
59N2484CSS3GW34	Glass/Wood	$ 7289	24		28 13/16	–	–	275 lbs.	45.3
59N2484CSS3GL34	Glass/Laminate	6437	24		28 13/16	–	–	275 lbs.	45.3
59N2484CSS3W34	Wood	6071	24		28 13/16	–	–	275 lbs.	45.3
59N2484CSS3LW34	Laminate/Wood	6252	24		28 13/16	–	–	275 lbs.	45.3
59N2484CSS3L34	Laminate	4968	24		28 13/16	–	–	275 lbs.	45.3
59N2478CSS3GW34	Glass/Wood	$ 7146	24		28 13/16	–	–	250 lbs.	42.3
59N2478CSS3GL34	Glass/Laminate	6294	24		28 13/16	–	–	250 lbs.	42.3
59N2478CSS3W34	Wood	5952	24		28 13/16	–	–	250 lbs.	42.3
59N2478CSS3LW34	Laminate/Wood	6133	24		28 13/16	–	–	250 lbs.	42.3
59N2478CSS3L34	Laminate	4850	24		28 13/16	–	–	250 lbs.	42.3
59N2472CSS3GW34	Glass/Wood	$ 7003	24	71 15/16	28 13/16	–	–	211 lbs.	39.2
59N2472CSS3GL34	Glass/Laminate	6151	24	71 15/16	28 13/16	–	–	211 lbs.	39.2
59N2472CSS3W34	Wood	5834	24	71 15/16	28 13/16	–	–	211 lbs.	39.2
59N2472CSS3LW34	Laminate/Wood	6009	24	71 15/16	28 13/16	–	–	211 lbs.	39.2
59N2472CSS3L34	Laminate	4732	24	71 15/16	28 13/16	–	–	211 lbs.	39.2
59N2466CSS3GW34	Glass/Wood	$ 6984	24	66	28 3/4	–	–	230 lbs.	36.2
59N2466CSS3GL34	Glass/Laminate	6128	24	66	28 3/4	–	–	230 lbs.	36.2
59N2466CSS3W34	Wood	5821	24	66	28 3/4	–	–	230 lbs.	36.2
59N2466CSS3LW34	Laminate/Wood	5996	24	66	28 3/4	–	–	230 lbs.	36.2
59N2466CSS3L34	Laminate	4719	24	66	28 3/4	–	–	230 lbs.	36.2
59N2460CSS3GW34	Glass/Wood	$ 6912	24	60	28 13/16	–	–	225 lbs.	33.2
59N2460CSS3GL34	Glass/Laminate	6056	24	60	28 13/16	–	–	225 lbs.	33.2
59N2460CSS3W34	Wood	5761	24	60	28 13/16	–	–	225 lbs.	33.2
59N2460CSS3LW34	Laminate/Wood	5933	24	60	28 13/16	–	–	225 lbs.	33.2
59N2460CSS3L34	Laminate	4657	24	60	28 13/16	–	–	225 lbs.	33.2

- Random lock core (KRB, KRS) and specified lock core (KS5B, KS5S) available
- Features 2 accent sliding doors
- No pull on glass doors
- Bottom drawer features letter or legal, side-to-side, or front-to-back filing

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to pages 157-159 for options
- If specifying wood, however, accents remain same color as chassis
- Refer to page 165 for filing capabilities

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Grommet
4. Locking
5. Drawer/Door Fronts (laminate models)
6. Accent Laminate Color (sliding doors)
7. Laminate Color (laminate models)
8. Veneer Finish (wood models)

SAMPLE MODEL NUMBER:

59N2430CS1L34 92PL G11PLC KR1S 488 792

- See pages 157-159 for all options available in Tessera

FULL CREDENZA



Right shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SLIDING DOOR ON LEFT	SLIDING DOOR ON RIGHT									
59N2460CSSL2GW34	59N2460CSSR2GW34	Glass/Wood	$ 6912	24	60	28 15/16	–	–	225 lbs.	33.2
59N2460CSSL2GL34	59N2460CSSR2GL34	Glass/Lam	6056	24	60	28 15/16	–	–	225 lbs.	33.2
59N2460CSSL2W34	59N2460CSSR2W34	Wood	5761	24	60	28 15/16	–	–	225 lbs.	33.2
59N2460CSSL2LW34	59N2460CSSR2LW34	Lam/Wood	5933	24	60	28 15/16	–	–	225 lbs.	33.2
59N2460CSSL2L34	59N2460CSSR2L34	Laminate	4657	24	60	28 15/16	–	–	225 lbs.	33.2
59N2454CSSL2GW34	59N2454CSSR2GW34	Glass/Wood	$ 6841	24		28 15/16	–	–	210 lbs.	30.1
59N2454CSSL2GL34	59N2454CSSR2GL34	Glass/Lam	5689	24		28 15/16	–	–	210 lbs.	30.1
59N2454CSSL2W34	59N2454CSSR2W34	Wood	4597	24		28 15/16	–	–	210 lbs.	30.1
59N2454CSSL2LW34	59N2454CSSR2LW34	Lam/Wood	5871	24		28 15/16	–	–	210 lbs.	30.1
59N2454CSSL2L34	59N2454CSSR2L34	Laminate	4597	24		28 15/16	–	–	210 lbs.	30.1
59N2448CSSL2GW34	59N2448CSSR2GW34	Glass/Wood	$ 6738	24	48 1/16	28 15/16	–	–	185 lbs.	27.1
59N2448CSSL2GL34	59N2448CSSR2GL34	Glass/Lam	5863	24	48 1/16	28 15/16	–	–	185 lbs.	27.1
59N2448CSSL2W34	59N2448CSSR2W34	Wood	5613	24	48 1/16	28 15/16	–	–	185 lbs.	27.1
59N2448CSSL2LW34	59N2448CSSR2LW34	Lam/Wood	5782	24	48 1/16	28 15/16	–	–	185 lbs.	27.1
59N2448CSSL2L34	59N2448CSSR2L34	Laminate	4511	24	48 1/16	28 15/16	–	–	185 lbs.	27.1

- Center grommet location not available
- Random lock core (KRB, KRS) and specified lock core (KS3B, KS3S) available
- Features 1 accent sliding door
- No pull on glass doors
- Bottom drawer features letter or legal, side-to-side, or front-to-back filing

FULL CREDENZA



59N2436CS1W34	Wood	$ 3722	24	36	28 3/4	–	–	115 lbs.	21.0
59N2436CS1L34	Laminate	2263	24	36	28 3/4	–	–	115 lbs.	21.0
59N2430CS1W34	Wood	$ 3434	24	30 1/16	28 15/16	–	–	90 lbs.	18.0
59N2430CS1L34	Laminate	2119	24	30 1/16	28 15/16	–	–	90 lbs.	18.0
59N2424CS1W34	Wood	$ 3390	24	24	28 15/16	–	–	75 lbs.	15.0
59N2424CS1L34	Laminate	2075	24	24	28 15/16	–	–	75 lbs.	15.0
59N2420CS1W34	Wood	$ 3362	24	20	28 15/16	–	–	65 lbs.	12.9
59N2420CS1L34	Laminate	2044	24	20	28 15/16	–	–	65 lbs.	12.9

- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Bottom drawer features letter or legal, side-to-side, or front-to-back filing

TESSERA

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to pages 157-159 for options
- Accents are sliding doors and can be specified a different laminate from chassis
- If specifying wood, however, accents remain same color as chassis
- Refer to page 165 for filing capabilities

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Grommet
4. Locking
5. Leg Finish
6. Drawer/Door Fronts (laminate models)
7. Accent Laminate Color (sliding doors)
8. Laminate Color (laminate models)
9. Veneer Finish (wood models)

SAMPLE MODEL NUMBER:

59N2490CSLS3W34 92PL G1A KRS 501 792

- See pages 157-159 for all options available in Tessera

MID-CREDENZA FOOTED BASE





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
59N2490CSLS3GW34	Glass/Wood	$ 7494	24	89 15/16	28 13/16	–	–	261 lbs.	38.7
59N2490CSLS3GL34	Glass/Laminate	6657	24	89 15/16	28 13/16	–	–	261 lbs.	38.7
59N2490CSLS3W34	Wood	6246	24	89 15/16	28 13/16	–	–	261 lbs.	38.7
59N2490CSLS3LW34	Laminate/Wood	6430	24	89 15/16	28 13/16	–	–	261 lbs.	38.7
59N2490CSLS3L34	Laminate	5122	24	89 15/16	28 13/16	–	–	261 lbs.	38.7
59N2484CSLS3GW34	Glass/Wood	$ 7348	24		28 13/16	–	–	250 lbs.	36.3
59N2484CSLS3GL34	Glass/Laminate	6480	24		28 13/16	–	–	250 lbs.	36.3
59N2484CSLS3W34	Wood	6119	24		28 13/16	–	–	250 lbs.	36.3
59N2484CSLS3LW34	Laminate/Wood	6305	24		28 13/16	–	–	250 lbs.	36.3
59N2484CSLS3L34	Laminate	4998	24		28 13/16	–	–	250 lbs.	36.3
59N2478CSLS3GW34	Glass/Wood	$ 7277	24		28 13/16	–	–	225 lbs.	33.8
59N2478CSLS3GL34	Glass/Laminate	6409	24		28 13/16	–	–	225 lbs.	33.8
59N2478CSLS3W34	Wood	6060	24		28 13/16	–	–	225 lbs.	33.8
59N2478CSLS3LW34	Laminate/Wood	6243	24		28 13/16	–	–	225 lbs.	33.8
59N2478CSLS3L34	Laminate	4937	24		28 13/16	–	–	225 lbs.	33.8
59N2472CSLS3GW34	Glass/Wood	$ 7134	24	71 15/16	28 13/16	–	–	169 lbs.	31.4
59N2472CSLS3GL34	Glass/Laminate	6265	24	71 15/16	28 13/16	–	–	169 lbs.	31.4
59N2472CSLS3W34	Wood	5942	24	71 15/16	28 13/16	–	–	169 lbs.	31.4
59N2472CSLS3LW34	Laminate/Wood	6119	24	71 15/16	28 13/16	–	–	169 lbs.	31.4
59N2472CSLS3L34	Laminate	4820	24	71 15/16	28 13/16	–	–	169 lbs.	31.4
59N2466CSLS3GW34	Glass/Wood	$ 7113	24	66	28 13/16	–	–	200 lbs.	29.0
59N2466CSLS3GL34	Glass/Laminate	6240	24	66	28 13/16	–	–	200 lbs.	29.0
59N2466CSLS3W34	Wood	5928	24	66	28 13/16	–	–	200 lbs.	29.0
59N2466CSLS3LW34	Laminate/Wood	6106	24	66	28 13/16	–	–	200 lbs.	29.0
59N2466CSLS3L34	Laminate	4805	24	66	28 13/16	–	–	200 lbs.	29.0
59N2460CSLS3GW34	Glass/Wood	$ 7041	24	60	28 13/16	–	–	179 lbs.	26.5
59N2460CSLS3GL34	Glass/Laminate	6168	24	60	28 13/16	–	–	179 lbs.	26.5
59N2460CSLS3W34	Wood	5867	24	60	28 13/16	–	–	179 lbs.	26.5
59N2460CSLS3LW34	Laminate/Wood	6045	24	60	28 13/16	–	–	179 lbs.	26.5
59N2460CSLS3L34	Laminate	4744	24	60	28 13/16	–	–	179 lbs.	26.5

- Random lock core (KRB, KRS) and specified lock core (KS5B, KS5S) available
- Features 2 accent sliding doors
- No pull on glass doors
- Bottom drawers do not include filing hardware

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to pages 157-159 for options
- Accents are sliding doors and can be specified a different laminate from chassis
- If specifying wood, however, accents remain same color as chassis
- Refer to page 165 for filing capabilities

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Grommet
4. Locking
5. Leg Finish
6. Drawer/Door Fronts (laminate models)
7. Accent Laminate Color (sliding doors)
8. Laminate Color (laminate models)
9. Veneer Finish (wood models)

SAMPLE MODEL NUMBER:

59N2460CSLSR2L34 92PL G1LR KRS 501 792 792 461 792

- See pages 157-159 for all options available in Tessera

MID-CREDENZA FOOTED BASE

Right shown

MODEL NO./DESCRIPTION SLIDING DOOR ON LEFT	SLIDING DOOR ON RIGHT		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
59N2460CSLSL2GW34	59N2460CSLSR2GW34	Glass/Wood	$ 7041	24	60	28 15/16	–	–	179 lbs.	26.5
59N2460CSLSL2GL34	59N2460CSLSR2GL34	Glass/Lam	6168	24	60	28 15/16	–	–	179 lbs.	26.5
59N2460CSLSL2W34	59N2460CSLSR2W34	Wood	5867	24	60	28 15/16	–	–	179 lbs.	26.5
59N2460CSLSL2LW34	59N2460CSLSR2LW34	Lam/Wood	6045	24	60	28 15/16	–	–	179 lbs.	26.5
59N2460CSLSL2L34	59N2460CSLSR2L34	Laminate	4744	24	60	28 15/16	–	–	179 lbs.	26.5
59N2454CSLSL2GW34	59N2454CSLSR2GW34	Glass/Wood	$ 6969	24	54	28 15/16	–	–	150 lbs.	24.1
59N2454CSLSL2GL34	59N2454CSLSR2GL34	Glass/Lam	6097	24	54	28 15/16	–	–	150 lbs.	24.1
59N2454CSLSL2W34	59N2454CSLSR2W34	Wood	5808	24	54	28 15/16	–	–	150 lbs.	24.1
59N2454CSLSL2LW34	59N2454CSLSR2LW34	Lam/Wood	5982	24	54	28 15/16	–	–	150 lbs.	24.1
59N2454CSLSL2L34	59N2454CSLSR2L34	Laminate	4683	24	54	28 15/16	–	–	150 lbs.	24.1
59N2448CSLSL2GW34	59N2448CSLSR2GW34	Glass/Wood	$ 6860	24	48 1/16	28 15/16	–	–	147 lbs.	21.7
59N2448CSLSL2GL34	59N2448CSLSR2GL34	Glass/Lam	5972	24	48 1/16	28 15/16	–	–	147 lbs.	21.7
59N2448CSLSL2W34	59N2448CSLSR2W34	Wood	5717	24	48 1/16	28 15/16	–	–	147 lbs.	21.7
59N2448CSLSL2LW34	59N2448CSLSR2LW34	Lam/Wood	5887	24	48 1/16	28 15/16	–	–	147 lbs.	21.7
59N2448CSLSL2L34	59N2448CSLSR2L34	Laminate	4594	24	48 1/16	28 15/16	–	–	147 lbs.	21.7

- Random lock core (KRB, KRS) and specified lock core (KS3B, KS3S) available
- Features 1 accent sliding door
- No pull on glass doors
- Bottom drawers do not include filing hardware

MID-CREDENZA FOOTED BASE

59N2436CSL1W34	Wood	$ 3824	24	36	28 15/16	–	–	115 lbs.	16.8
59N2436CSL1L34	Laminate	2344	24	36	28 15/16	–	–	115 lbs.	16.8
59N2430CSL1W34	Wood	$ 3535	24	30 1/16	28 15/16	–	–	72 lbs.	14.4
59N2430CSL1L34	Laminate	2201	24	30 1/16	28 15/16	–	–	72 lbs.	14.4
59N2424CSL1W34	Wood	$ 3490	24	24	28 15/16	–	–	60 lbs.	12.0
59N2424CSL1L34	Laminate	2154	24	24	28 15/16	–	–	60 lbs.	12.0
59N2420CSL1W34	Wood	$ 3460	24	20	28 15/16	–	–	52 lbs.	10.3
59N2420CSL1L34	Laminate	2125	24	20	28 15/16	–	–	52 lbs.	10.3

- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Bottom drawers do not include filing hardware

TESSERA

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to pages 157-159 for options
- Accents are sliding doors and can be specified a different laminate from chassis
- If specifying wood, however, accents remain same color as chassis
- Refer to page 165 for filing capabilities

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Grommet
4. Locking
5. Drawer/Door Fronts (laminate models)
6. Accent Laminate Color (sliding doors)
7. Laminate Color (laminate models)
8. Veneer Finish (wood models)

SAMPLE MODEL NUMBER:

59N249023CSS3W34 92PL X KRS 792

- See pages 157-159 for all options available in Tessera

MID-CREDENZA





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
59N249023CSS3GW34	Glass/Wood	$ 7137	24	89 15/16	22 3/4	–	–	209 lbs.	38.7
59N249023CSS3GL34	Glass/Laminate	6343	24	89 15/16	22 3/4	–	–	209 lbs.	38.7
59N249023CSS3W34	Wood	5948	24	89 15/16	22 3/4	–	–	209 lbs.	38.7
59N249023CSS3LW34	Laminate/Wood	6125	24	89 15/16	22 3/4	–	–	209 lbs.	38.7
59N249023CSS3L34	Laminate	4877	24	89 15/16	22 3/4	–	–	209 lbs.	38.7
59N248423CSS3GW34	Glass/Wood	$ 7008	24		22 3/4	–	–	250 lbs.	36.3
59N248423CSS3GL34	Glass/Laminate	6183	24		22 3/4	–	–	250 lbs.	36.3
59N248423CSS3W34	Wood	5839	24		22 3/4	–	–	250 lbs.	36.3
59N248423CSS3LW34	Laminate/Wood	6012	24		22 3/4	–	–	250 lbs.	36.3
59N248423CSS3L34	Laminate	4770	24		22 3/4	–	–	250 lbs.	36.3
59N247823CSS3GW34	Glass/Wood	$ 6936	24		22 3/4	–	–	225 lbs.	33.8
59N247823CSS3GL34	Glass/Laminate	6112	24		22 3/4	–	–	225 lbs.	33.8
59N247823CSS3W34	Wood	5778	24		22 3/4	–	–	225 lbs.	33.8
59N247823CSS3LW34	Laminate/Wood	5951	24		22 3/4	–	–	225 lbs.	33.8
59N247823CSS3L34	Laminate	4707	24		22 3/4	–	–	225 lbs.	33.8
59N247223CSS3GW34	Glass/Wood	$ 6794	24	71 15/16	22 3/4	–	–	169 lbs.	31.4
59N247223CSS3GL34	Glass/Laminate	5969	24	71 15/16	22 3/4	–	–	169 lbs.	31.4
59N247223CSS3W34	Wood	5661	24	71 15/16	22 3/4	–	–	169 lbs.	31.4
59N247223CSS3LW34	Laminate/Wood	5828	24	71 15/16	22 3/4	–	–	169 lbs.	31.4
59N247223CSS3L34	Laminate	4590	24	71 15/16	22 3/4	–	–	169 lbs.	31.4
59N246623CSS3GW34	Glass/Wood	$ 6777	24		22 3/4	–	–	200 lbs.	29.0
59N246623CSS3GL34	Glass/Laminate	5947	24		22 3/4	–	–	200 lbs.	29.0
59N246623CSS3W34	Wood	5649	24		22 3/4	–	–	200 lbs.	29.0
59N246623CSS3LW34	Laminate/Wood	5817	24		22 3/4	–	–	200 lbs.	29.0
59N246623CSS3L34	Laminate	4580	24		22 3/4	–	–	200 lbs.	29.0
59N246023CSS3GW34	Glass/Wood	$ 6705	24	60	22 3/4	–	–	143 lbs.	26.5
59N246023CSS3GL34	Glass/Laminate	5875	24	60	22 3/4	–	–	143 lbs.	26.5
59N246023CSS3W34	Wood	5588	24	60	22 3/4	–	–	143 lbs.	26.5
59N246023CSS3LW34	Laminate/Wood	5756	24	60	22 3/4	–	–	143 lbs.	26.5
59N246023CSS3L34	Laminate	4520	24	60	22 3/4	–	–	143 lbs.	26.5

- Random lock core (KRB, KRS) and specified lock core (KS5B, KS5S) available
- Features 2 accent sliding doors
- No pull on glass doors
- Bottom drawers do not include filing hardware

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to pages 157-159 for options
- Accents are sliding doors and can be specified a different laminate from chassis
- If specifying wood, however, accents remain same color as chassis
- Refer to page 165 for filing capabilities

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Grommet
4. Locking
5. Drawer/Door Fronts (laminate models)
6. Accent Laminate Color (sliding doors)
7. Laminate Color (laminate models)
8. Veneer Finish (wood models)

SAMPLE MODEL NUMBERS:

59N243023CS1W34 92PL X KRS 792
59N243023CS1L34 92IR X KRB 461 MH

- See pages 157-159 for all options available in Tessera

MID-CREDENZA



Right shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SLIDING DOOR ON LEFT	SLIDING DOOR ON RIGHT									
59N246023CSSL2GW34	59N246023CSSR2GW34	Glass/Wood	$ 6705	24	60	22¾	—	—	143 lbs.	26.5
59N246023CSSL2GL34	59N246023CSSR2GL34	Glass/Lam	5875	24	60	22¾	—	—	143 lbs.	26.5
59N246023CSSL2W34	59N246023CSSR2W34	Wood	5588	24	60	22¾	—	—	143 lbs.	26.5
59N246023CSSL2LW34	59N246023CSSR2LW34	Lam/Wood	5756	24	60	22¾	—	—	143 lbs.	26.5
59N246023CSSL2L34	59N246023CSSR2L34	Laminate	4520	24	60	22¾	—	—	143 lbs.	26.5
59N245423CSSL2GW34	59N245423CSSR2GW34	Glass/Wood	$ 6634	24	54	22¾	—	—	150 lbs.	24.1
59N245423CSSL2GL34	59N245423CSSR2GL34	Glass/Lam	5803	24	54	22¾	—	—	150 lbs.	24.1
59N245423CSSL2W34	59N245423CSSR2W34	Wood	5526	24	54	22¾	—	—	150 lbs.	24.1
59N245423CSSL2LW34	59N245423CSSR2LW34	Lam/Wood	5694	24	54	22¾	—	—	150 lbs.	24.1
59N245423CSSL2L34	59N245423CSSR2L34	Laminate	4459	24	54	22⅜	—	—	150 lbs.	24.1
59N244823CSSL2GW34	59N244823CSSR2GW34	Glass/Wood	$ 6533	24	48⅛	22¾	—	—	117 lbs.	21.7
59N244823CSSL2GL34	59N244823CSSR2GL34	Glass/Lam	5687	24	48⅛	22¾	—	—	117 lbs.	21.7
59N244823CSSL2W34	59N244823CSSR2W34	Wood	5445	24	48⅛	22¾	—	—	117 lbs.	21.7
59N244823CSSL2LW34	59N244823CSSR2LW34	Lam/Wood	5608	24	48⅛	22¾	—	—	117 lbs.	21.7
59N244823CSSL2L34	59N244823CSSR2L34	Laminate	4377	24	48⅛	22¾	—	—	117 lbs.	21.7

- Random lock core (KRB, KRS) and specified lock core (KS3B, KS3S) available
- Features 1 accent sliding door
- No pull on glass doors
- Bottom drawers do not include filing hardware

MID-CREDENZA



59N243623CS1W34	Wood	$ 3556	24		22¾	—	—	115 lbs.	16.8
59N243623CS1L34	Laminate	2131	24		22¾	—	—	115 lbs.	16.8
59N243023CS1W34	Wood	$ 3269	24	30⅛	22¾	—	—	72 lbs.	14.4
59N243023CS1L34	Laminate	1988	24	30⅛	22¾	—	—	72 lbs.	14.4
59N242423CS1W34	Wood	$ 3224	24	24	22¾	—	—	60 lbs.	12.0
59N242423CS1L34	Laminate	1943	24	24	22¾	—	—	60 lbs.	12.0
59N242023CS1W34	Wood	$ 3197	24	20	22¾	—	—	52 lbs.	10.3
59N242023CS1L34	Laminate	1914	24	20	22¾	—	—	52 lbs.	10.3

- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Bottom drawers do not include filing hardware

TESSERA

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to pages 157-159 for options
- Refer to page 165 for filing capabilities

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Grommet
4. Locking
5. Drawer/Door Fronts (laminate models)
6. Laminate Color (laminate models)
7. Veneer Finish (wood models)

SAMPLE MODEL NUMBERS:

59N2490CS3W36 92PL X KRS MC
59N2490CS3L36 92PL X KRS 462 462

- See pages 157-159 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FULL CREDENZA - FULL DRAWER FRONT (BOX/BOX/FILE)	59N2490CS3W36	Wood	$ 6436	24	89 15/16	28 13/16	–	–	261 lbs.	48.5
	59N2490CS3L36	Laminate	5280	24	89 15/16	28 13/16	–	–	261 lbs.	48.5
	59N2484CS3W36	Wood	$ 6360	24	84	28 3/4	–	–	250 lbs.	45.3
	59N2484CS3L36	Laminate	5205	24	84	28 3/4	–	–	250 lbs.	45.3
	59N2478CS3W36	Wood	$ 6244	24		28 13/16	–	–	225 lbs.	42.3
	59N2478CS3L36	Laminate	5088	24		28 13/16	–	–	225 lbs.	42.3
	59N2472CS3W36	Wood	$ 6126	24	71 15/16	28 13/16	–	–	211 lbs.	39.2
	59N2472CS3L36	Laminate	4969	24	71 15/16	28 13/16	–	–	211 lbs.	39.2
	59N2466CS3W36	Wood	$ 6111	24		28 13/16	–	–	200 lbs.	36.2
	59N2466CS3L36	Laminate	4950	24		28 13/16	–	–	200 lbs.	36.2
	59N2460CS3W36	Wood	$ 6049	24	60	28 13/16	–	–	179 lbs.	33.2
	59N2460CS3L36	Laminate	4891	24	60	28 13/16	–	–	179 lbs.	33.2

- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Full drawer front units feature a box/box/file drawer configuration behind the full front

FULL CREDENZA - FULL DRAWER FRONT (BOX/BOX/FILE)	59N2460CS2W36	Wood	$ 6049	24	60	28 13/16	–	–	179 lbs.	33.2
	59N2460CS2L36	Laminate	4891	24	60	28 13/16	–	–	179 lbs.	33.2
	59N2454CS2W36	Wood	$ 5988	24	54	28 3/4	–	–	150 lbs.	30.1
	59N2454CS2L36	Laminate	4830	24	54	28 3/4	–	–	150 lbs.	30.1
	59N2448CS2W36	Wood	$ 5894	24	48 1/16	28 13/16	–	–	185 lbs.	27.1
	59N2448CS2L36	Laminate	4734	24	48 1/16	28 13/16	–	–	185 lbs.	27.1

- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Full drawer front units feature a box/box/file drawer configuration behind the full front

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to pages 157-159 for options
- Refer to page 165 for filing capabilities

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Grommet
4. Locking
5. Leg Finish
6. Drawer/Door Fronts (laminate models)
7. Laminate Color (laminate models)
8. Veneer Finish (wood models)

SAMPLE MODEL NUMBERS:

59N2490CSL3W38 92PL X KRS 462 MC
59N2490CSL3L38 92PL X KRS 462 405

- See pages 157-159 for all options available in Tessera

MID-CREDENZA FOOTED BASE - FULL DRAWER FRONT (BOX/FILE)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
59N2490CSL3W38	Wood	$ 6558	24	89 15/16	28 15/16	—	—	261 lbs.	38.7
59N2490CSL3L38	Laminate	5378	24	89 15/16	28 15/16	—	—	261 lbs.	38.7
59N2484CSL3W38	Wood	$ 6477	24		28 15/16	—	—	250 lbs.	36.3
59N2484CSL3L38	Laminate	5295	24		28 15/16	—	—	250 lbs.	36.3
59N2478CSL3W38	Wood	$ 6358	24		28 15/16	—	—	225 lbs.	33.8
59N2478CSL3L38	Laminate	5179	24		28 15/16	—	—	225 lbs.	33.8
59N2472CSL3W38	Wood	$ 6241	24	71 15/16	28 15/16	—	—	212 lbs.	31.4
59N2472CSL3L38	Laminate	5062	24	71 15/16	28 15/16	—	—	212 lbs.	31.4
59N2466CSL3W38	Wood	$ 6221	24		28 15/16	—	—	200 lbs.	29.0
59N2466CSL3L38	Laminate	5042	24		28 15/16	—	—	200 lbs.	29.0
59N2460CSL3W38	Wood	$ 6161	24	60	28 15/16	—	—	179 lbs.	26.5
59N2460CSL3L38	Laminate	4983	24	60	28 15/16	—	—	179 lbs.	26.5

- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Full drawer front units feature a box/file drawer configuration behind the full front

MID-CREDENZA FOOTED BASE - FULL DRAWER FRONT (BOX/FILE)



59N2460CSL2W38	Wood	$ 6161	24	60	28 15/16	—	—	179 lbs.	26.5
59N2460CSL2L38	Laminate	4983	24	60	28 15/16	—	—	179 lbs.	26.5
59N2454CSL2W38	Wood	$ 6101	24	54	28 15/16	—	—	150 lbs.	24.1
59N2454CSL2L38	Laminate	4923	24	54	28 15/16	—	—	150 lbs.	24.1
59N2448CSL2W38	Wood	$ 6003	24	48 1/16	28 15/16	—	—	147 lbs.	21.7
59N2448CSL2L38	Laminate	4825	24	48 1/16	28 15/16	—	—	147 lbs.	21.7

- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Full drawer front units feature a box/file drawer configuration behind the full front

TESSERA

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to pages 157-159 for options
- Refer to page 165 for filing capabilities

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Grommet
4. Locking
5. Drawer/Door Fronts (laminate models)
6. Laminate Color (laminate models)
7. Veneer Finish (wood models)

SAMPLE MODEL NUMBERS:

59N249023CS3W38 92PL G1LR KRB CW
59N249023CS3L38 92PL X KRS 461 PB

- See pages 157-159 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
MID-CREDENZA - FULL DRAWER FRONT (BOX/FILE)	59N249023CS3W38	Wood	$ 6246	24	89 15/16	22 3/4	–	–	209 lbs.	38.7
	59N249023CS3L38	Laminate	5122	24	89 15/16	22 3/4	–	–	209 lbs.	38.7
	59N248423CS3W38	Wood	$ 6179	24		22 3/4	–	–	250 lbs.	36.3
	59N248423CS3L38	Laminate	5055	24		22 3/4	–	–	250 lbs.	36.3
	59N247823CS3W38	Wood	$ 6060	24		22 3/4	–	–	225 lbs.	33.8
	59N247823CS3L38	Laminate	4937	24		22 3/4	–	–	225 lbs.	33.8
	59N247223CS3W38	Wood	$ 5942	24	71 15/16	22 3/4	–	–	169 lbs.	31.4
	59N247223CS3L38	Laminate	4820	24	71 15/16	22 3/4	–	–	169 lbs.	31.4
	59N246623CS3W38	Wood	$ 5928	24		22 3/4	–	–	200 lbs.	29.0
	59N246623CS3L38	Laminate	4805	24		22 3/4	–	–	200 lbs.	29.0
	59N246023CS3W38	Wood	$ 5867	24	60	22 3/4	–	–	143 lbs.	26.5
	59N246023CS3L38	Laminate	4744	24	60	22 3/4	–	–	143 lbs.	26.5

- Random lock core (KRB, KRS) and specified lock core (KS3B, KS3S) available
- Full drawer front units feature a box/file drawer configuration behind the full front

MID-CREDENZA - FULL DRAWER FRONT (BOX/FILE)	59N246023CS2W38	Wood	$ 5867	24	60	22 3/4	–	–	143 lbs.	26.5
	59N246023CS2L38	Laminate	4744	24	60	22 3/4	–	–	143 lbs.	26.5
	59N245423CS2W38	Wood	$ 5808	24	54	22 3/4	–	–	150 lbs.	24.1
	59N245423CS2L38	Laminate	4683	24	54	22 3/8	–	–	150 lbs.	24.1
	59N244823CS2W38	Wood	$ 5717	24	48 1/16	22 3/4	–	–	117 lbs.	21.7
	59N244823CS2L38	Laminate	4594	24	48 1/16	22 3/4	–	–	117 lbs.	21.7

- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Full drawer front units feature a box/file drawer configuration behind the full front

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to pages 157-159 for options
- Refer to page 165 for filing capabilities

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Drawer/Door Fronts (laminate models)
5. Laminate Color (laminate models)
6. Veneer Finish (wood models)

SAMPLE MODEL NUMBERS:

59N2490BNF3W 92IR KRB PB
59N2490BNF3L 92IR KRB 461 PB

- See pages 157-159 for all options available in Tessera

BENCH CREDENZA (FILE/FILE/FILE STORAGE)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
59N2490BNF3W	Wood	$ 5466	24	90	15¾	—	—	255 lbs.	22.8
59N2490BNF3L	Laminate	4051	24	90	15¾	—	—	255 lbs.	22.8
59N2484BNF3W	Wood	$ 5352	24	84	15¾	—	—	235 lbs.	21.8
59N2484BNF3L	Laminate	4037	24	84	15¾	—	—	235 lbs.	21.8
59N2478BNF3W	Wood	$ 5330	24	78	15¾	—	—	225 lbs.	20.8
59N2478BNF3L	Laminate	3992	24	78	15¾	—	—	225 lbs.	20.8
59N2472BNF3W	Wood	$ 5235	24	72	15¾	—	—	210 lbs.	19.8
59N2472BNF3L	Laminate	3935	24	72	15¾	—	—	210 lbs.	19.8
59N2460BNF3W	Wood	$ 5160	24	60	15¾	—	—	175 lbs.	18.8
59N2460BNF3L	Laminate	3859	24	60	15¾	—	—	175 lbs.	18.8

- Random lock core (KRB, KRS) and specified lock core (KS3B, KS3S) available
- Drawer features letter or legal, side to side, or front-to-back filing
- Cushions for bench credenzas can be found on pages 366-380

BENCH CREDENZA (FILE/FILE/FILE STORAGE)



59N1890BNF3W	Wood	$ 5466	18⅛	90	15¾	—	—	225 lbs.	21.9
59N1890BNF3L	Laminate	4051	18⅛	90	15¾	—	—	225 lbs.	21.9
59N1884BNF3W	Wood	$ 5352	18⅛	84	15¾	—	—	210 lbs.	19.0
59N1884BNF3L	Laminate	4037	18⅛	84	15¾	—	—	210 lbs.	19.0
59N1878BNF3W	Wood	$ 5330	18⅛	78	15¾	—	—	200 lbs.	18.4
59N1878BNF3L	Laminate	3992	18⅛	78	15¾	—	—	200 lbs.	18.4
59N1872BNF3W	Wood	$ 5235	18⅛	72	15¾	—	—	190 lbs.	17.8
59N1872BNF3L	Laminate	3935	18⅛	72	15¾	—	—	190 lbs.	17.8
59N1866BNF3W	Wood	$ 5184	18⅛	66	15¾	—	—	175 lbs.	16.5
59N1866BNF3L	Laminate	3884	18⅛	66	15¾	—	—	175 lbs.	16.5
59N1860BNF3W	Wood	$ 5160	18⅛	60	15¾	—	—	169 lbs.	15.0
59N1860BNF3L	Laminate	3859	18⅛	60	15¾	—	—	169 lbs.	15.0

- Random lock core (KRB, KRS) and specified lock core (KS3B, KS3S) available
- Drawer features letter or legal, side to side, or front-to-back filing
- Cushions for bench credenzas can be found on pages 366-380

TESSERA

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to pages 157-159 for options
- Refer to page 165 for filing capabilities

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Drawer/Door Fronts (laminate models)
5. Laminate Color (laminate models)
6. Veneer Finish (wood models)

SAMPLE MODEL NUMBERS:

59N1854BNF2W 92IR KRB PB
59N1854BNF2L 92IR KRB 461 PB
59N2436BNF1W 92PL KRS R MH

- See pages 157-159 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
BENCH CREDENZA (FILE/FILE STORAGE)	59N2460BNF2W	Wood	$ 4945	24	60	15¾	–	–	180 lbs.	18.8
	59N2460BNF2L	Laminate	3642	24	60	15¾	–	–	180 lbs.	18.8
	59N2454BNF2W	Wood	$ 4838	24	54	15¾	–	–	170 lbs.	17.1
	59N2454BNF2L	Laminate	3535	24	54	15¾	–	–	170 lbs.	17.1
	59N2448BNF2W	Wood	$ 4730	24	48	15¾	–	–	120 lbs.	15.4
	59N2448BNF2L	Laminate	3432	24	48	15¾	–	–	120 lbs.	15.4

- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Drawer features letter or legal, side to side, or front-to-back filing
- Cushions for bench credenzas can be found on pages 366-380

BENCH CREDENZA (FILE/FILE STORAGE)	59N1860BNF2W	Wood	$ 4945	18⅛	60	15¾	–	–	150 lbs.	15.0
	59N1860BNF2L	Laminate	3642	18⅛	60	15¾	–	–	150 lbs.	15.0
	59N1854BNF2W	Wood	$ 4838	18⅛	54	15¾	–	–	145 lbs.	13.7
	59N1854BNF2L	Laminate	3535	18⅛	54	15¾	–	–	145 lbs.	13.7
	59N1848BNF2W	Wood	$ 4730	18⅛	48	15¾	–	–	95 lbs.	12.3
	59N1848BNF2L	Laminate	3432	18⅛	48	15¾	–	–	95 lbs.	12.3

- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Drawer features letter or legal, side to side, or front-to-back filing
- Cushions for bench credenzas can be found on pages 366-380

BENCH CREDENZA (CUBBY STORAGE)	59N2436BNF1W	Wood	$ 3067	24	36	15¾	–	–	80 lbs.	11.9
	59N2436BNF1L	Laminate	1654	24	36	15¾	–	–	80 lbs.	11.9
	59N2430BNF1W	Wood	$ 2945	24	30	15¾	–	–	70 lbs.	10.2
	59N2430BNF1L	Laminate	1576	24	30	15¾	–	–	70 lbs.	10.2
	59N2424BNF1W	Wood	$ 2886	24	24	15¾	–	–	58 lbs.	8.5
	59N2424BNF1L	Laminate	1517	24	24	15¾	–	–	58 lbs.	8.5
	59N2420BNF1W	Wood	$ 2858	24	20	15¾	–	–	63 lbs.	7.3
	59N2420BNF1L	Laminate	1486	24	20	15¾	–	–	63 lbs.	7.3

- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Bottom drawer features letter or legal, side-to-side, or front-to-back filing
- Cushions for bench credenzas can be found on pages 366-380

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to pages 157-159 for options
- Refer to page 165 for filing capabilities

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Drawer/Door Fronts (laminate models)
5. Laminate Color (laminate models)
6. Veneer Finish (wood models)

SAMPLE MODEL NUMBERS:

59N2490BNOF3W 92MB KS2B CW
59N2490BNOF3L 92MB KS1B 417 MC

- See pages 157-159 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
BENCH CREDENZA (CUBBY STORAGE)	59N1836BNF1W	Wood	$ 3067	18⅛	36	15¾	—	—	70 lbs.	10.2
	59N1836BNF1L	Laminate	1654	18⅛	36	15¾	—	—	70 lbs.	10.2
	59N1830BNF1W	Wood	$ 2945	18⅛	30	15¾	—	—	65 lbs.	8.5
	59N1830BNF1L	Laminate	1576	18⅛	30	15¾	—	—	65 lbs.	8.5
	59N1824BNF1W	Wood	$ 2886	18⅛	24	15¾	—	—	63 lbs.	7.4
	59N1824BNF1L	Laminate	1517	18⅛	24	15¾	—	—	63 lbs.	7.4



- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Drawer features letter or legal, side to side, or front-to-back filing
- Cushions for bench credenzas can be found on pages 366-380

BENCH CREDENZA (CUBBY STORAGE)	59N2490BNOF3W	Wood	$ 5053	24	89 15/16	15¾	—	—	243 lbs.	27.4
	59N2490BNOF3L	Laminate	3903	24	89 15/16	15¾	—	—	243 lbs.	27.4
	59N2472BNOF3W	Wood	$ 4936	24	71 15/16	15¾	—	—	200 lbs.	22.3
	59N2472BNOF3L	Laminate	3784	24	71 15/16	15¾	—	—	200 lbs.	22.3
	59N2460BNOF3W	Wood	$ 4863	24	60	15¾	—	—	169 lbs.	18.8
	59N2460BNOF3L	Laminate	3709	24	60	15¾	—	—	169 lbs.	18.8



- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Bottom drawer features letter or legal, side-to-side, or front-to-back filing
- Cushions for bench credenzas can be found on pages 366-380

TESSERA

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to pages 157-159 for options
- Refer to page 165 for filing capabilities

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Drawer/Door Fronts (laminate models)
5. Laminate Color (laminate models)
6. Veneer Finish (wood models)

SAMPLE MODEL NUMBERS:

59N1890BNOF3W 92MB KS2B CW
59N1890BNOF3L 92MB KS1B 417 MC

- See pages 157-159 for all options available in Tessera

BENCH CREDENZA (FILE/CUBBY/FILE STORAGE)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
59N1890BNOF3W	Wood	$ 5053	18⅛	89⁵⁄₁₆	15¾	—	—	200 lbs.	21.9
59N1890BNOF3L	Laminate	3902	18⅛	89⁵⁄₁₆	15¾	—	—	200 lbs.	21.9
59N1884BNOF3W	Wood	$ 5012	18⅛	83⁵⁄₁₆	15¾	—	—	195 lbs.	21.1
59N1884BNOF3L	Laminate	3859	18⅛	83⁵⁄₁₆	15¾	—	—	195 lbs.	21.1
59N1878BNOF3W	Wood	$ 4973	18⅛	77⁵⁄₁₆	15¾	—	—	190 lbs.	20.5
59N1878BNOF3L	Laminate	3821	18⅛	77⁵⁄₁₆	15¾	—	—	190 lbs.	20.5
59N1872BNOF3W	Wood	$ 4936	18⅛	71⁵⁄₁₆	15¾	—	—	185 lbs.	19.8
59N1872BNOF3L	Laminate	3784	18⅛	71⁵⁄₁₆	15¾	—	—	185 lbs.	19.8
59N1866BNOF3W	Wood	$ 4888	18⅛	66	15¾	—	—	180 lbs.	19.2
59N1866BNOF3L	Laminate	3736	18⅛	66	15¾	—	—	180 lbs.	19.2
59N1860BNOF3W	Wood	$ 4863	18⅛	60	15¾	—	—	175 lbs.	18.8
59N1860BNOF3L	Laminate	3709	18⅛	60	15¾	—	—	175 lbs.	18.8

- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Drawer features letter or legal, side to side, or front-to-back filing
- Cushions for bench credenzas can be found on pages 366-380

BENCH CREDENZA (FILE STORAGE/ CUBBY STORAGE)



Left shown

DRAWER ON LEFT	DRAWER ON RIGHT		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
59N2460BNOFL2W	59N2460BNOFR2W	Wood	$ 4648	24	60	15¾	—	—	169 lbs.	18.8
59N2460BNOFL2L	59N2460BNOFR2L	Laminate	3494	24	60	15¾	—	—	169 lbs.	18.8
59N2448BNOFL2W	59N2448BNOFR2W	Wood	$ 4431	24	48⅛	15¾	—	—	105 lbs.	15.4
59N2448BNOFL2L	59N2448BNOFR2L	Laminate	3278	24	48⅛	15¾	—	—	105 lbs.	15.4

- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Bottom drawer features letter or legal, side-to-side, or front-to-back filing
- Cushions for bench credenzas can be found on pages 366-380

BENCH CREDENZA (FILE/CUBBY STORAGE)



Left shown

DRAWER ON LEFT	DRAWER ON RIGHT		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
59N1860BNOFL2W	59N1860BNOFR2W	Wood	$ 4648	18⅛	60	15¾	—	—	160 lbs.	18.8
59N1860BNOFL2L	59N1860BNOFR2L	Laminate	3494	18⅛	60	15¾	—	—	160 lbs.	18.8
59N1854BNOFL2W	59N1854BNOFR2W	Wood	$ 4539	18⅛	54	15¾	—	—	150 lbs.	17.8
59N1854BNOFL2L	59N1854BNOFR2L	Laminate	3385	18⅛	54	15¾	—	—	150 lbs.	17.8

- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Drawer features letter or legal, side to side, or front-to-back filing
- Cushions for bench credenzas can be found on pages 366-380

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to pages 157-159 for options
- Refer to page 165 for filing capabilities

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color (laminate models)
3. Veneer Finish (wood models)

SAMPLE MODEL NUMBER:

59N1820BNO1L MC

- See pages 157-159 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
BENCH CREDENZA (OPEN CUBBY STORAGE)	59N1890BNO3W	Wood	$ 4730	18	89 15/16	15¾	—	—	197 lbs.	21.9
	59N1890BNO3L	Laminate	3726	18	89 15/16	15¾	—	—	197 lbs.	21.9
	59N1872BNO3W	Wood	$ 4610	18	71 15/16	15¾	—	—	160 lbs.	17.8
	59N1872BNO3L	Laminate	3606	18	71 15/16	15¾	—	—	160 lbs.	17.8
	59N1860BNO3W	Wood	$ 4536	18	60	15¾	—	—	135 lbs.	15.0
	59N1860BNO3L	Laminate	3532	18	60	15¾	—	—	135 lbs.	15.0
	• Cushions for bench credenzas can be found on pages 366-380									
BENCH CREDENZA (OPEN CUBBY STORAGE)	59N1860BNO2W	Wood	$ 4536	18	60	15¾	—	—	129 lbs.	15.0
	59N1860BNO2L	Laminate	3532	18	60	15¾	—	—	129 lbs.	15.0
	59N1848BNO2W	Wood	$ 4314	18	48 1/16	15¾	—	—	112 lbs.	13.0
	59N1848BNO2L	Laminate	3311	18	48 1/16	15¾	—	—	112 lbs.	13.0
	• Cushions for bench credenzas can be found on pages 366-380									
BENCH CREDENZA (OPEN CUBBY STORAGE)	59N1836BNO1W	Wood	$ 2706	18	36	15¾	—	—	65 lbs.	10.2
	59N1836BNO1L	Laminate	1458	18	36	15¾	—	—	65 lbs.	10.2
	59N1830BNO1W	Wood	$ 2620	18	30	15¾	—	—	69 lbs.	11.0
	59N1830BNO1L	Laminate	1398	18	30	15¾	—	—	69 lbs.	11.0
	59N1824BNO1W	Wood	$ 2559	18	24	15¾	—	—	56 lbs.	9.0
	59N1824BNO1L	Laminate	1339	18	24	15¾	—	—	56 lbs.	9.0
	59N1820BNO1W	Wood	$ 2529	18	20	15¾	—	—	50 lbs.	8.0
	59N1820BNO1L	Laminate	1280	18	20	15¾	—	—	50 lbs.	8.0
	• Cushions for bench credenzas can be found on pages 366-380									

TESSERA

PRODUCT SPECIFICATIONS

- 59" Wall panels allow 4 rows of shelves, and the 52" and 46" wall panels allow 3 row of shelves
- Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Portobello Horizontal (PBH) and Sable Horizontal (792H) laminates have horizontal grain on the wall panel. All other woodgrains have a vertical grain on the wall panel
- National will not be liable for wall mount panels that are not properly installed

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color (laminate models)
3. Finish (wood models)
4. Paint Color (composite models)

SAMPLE MODEL NUMBERS:

59N6059WPL 792
59N6059WPP 463

• See pages 157-159 for all options available in Tessera

WALL PANEL



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
59" HIGH WALL PANELS									
59N6059WPW	Wood	$ 2411	2¾	60	59	–	–	90 lbs.	8.6
59N6059WPL	Laminate	1283	2¾	60	59	–	–	90 lbs.	8.6
59N6059WPHL	HPL	1642	2¾	60	59	–	–	230 lbs.	8.6
59N6059WPMB	HPL Marker Board	2330	2¾	60	59	–	–	98 lbs.	8.6
59N5459WPW	Wood	$ 2043	2¾	54	59	–	–	85 lbs.	7.8
59N5459WPL	Laminate	1145	2¾	54	59	–	–	85 lbs.	7.8
59N5459WPHL	HPL	1560	2¾	54	59	–	–	146 lbs.	7.8
59N5459WPMB	HPL Marker Board	2118	2¾	54	59	–	–	98 lbs.	7.8
59N4859WPW	Wood	$ 1730	2¾	48	59	–	–	83 lbs.	7.0
59N4859WPL	Laminate	1021	2¾	48	59	–	–	83 lbs.	7.0
59N4859WPP	Composite	6035	2¾	48	59	–	–	83lbs.	7.0
59N4859WPHL	HPL	1449	2¾	48	59	–	–	132 lbs.	7.0
59N4859WPMB	HPL Marker Board	1926	2¾	48	59	–	–	83 lbs.	7.0
59N4259WPW	Wood	$ 1645	2¾	42	59	–	–	68 lbs.	6.2
59N4259WPL	Laminate	934	2¾	42	59	–	–	68 lbs.	6.2
59N4259WPP	Composite	5675	2¾	42	59	–	–	38 lbs.	6.2
59N4259WPHL	HPL	1307	2¾	42	59	–	–	175 lbs.	6.2
59N4259WPMB	HPL Marker Board	1786	2¾	42	59	–	–	68 lbs.	6.2
59N3659WPW	Wood	$ 1554	2¾	36	59	–	–	55 lbs.	5.4
59N3659WPL	Laminate	843	2¾	36	59	–	–	55 lbs.	5.4
59N3659WPP	Composite	5531	2¾	36	59	–	–	53 lbs.	5.4
59N3659WPHL	HPL	1196	2¾	36	59	–	–	138 lbs.	5.4
59N3659WPMB	HPL Marker Board	1496	2¾	36	59	–	–	53 lbs.	5.4
59N3059WPW	Wood	$ 1465	2¾	30	59	–	–	53 lbs.	4.6
59N3059WPL	Laminate	756	2¾	30	59	–	–	53 lbs.	4.6
59N3059WPP	Composite	5028	2¾	30	59	–	–	53 lbs.	4.6
59N3059WPHL	HPL	1056	2¾	30	59	–	–	175 lbs.	4.6
59N3059WPMB	HPL Marker Board	1285	2¾	30	59	–	–	43 lbs.	4.6
59N2459WPW	Wood	$ 1376	2¾	24	59	–	–	45 lbs.	3.9
59N2459WPL	Laminate	667	2¾	24	59	–	–	45 lbs.	3.9
59N2459WPP	Composite	4525	2¾	24	59	–	–	45 lbs.	3.9
59N2459WPHL	HPL	944	2¾	24	59	–	–	142 lbs.	3.9
59N2459WPMB	HPL Marker Board	1188	2¾	24	59	–	–	45 lbs.	3.9

- Wall mount brackets for attachment to architectural wall are included
- It is recommended that each wall panel be secured by a minimum of 2 mounting locations (studs)
- Wall panel backs are pre-bored for shelf attachment in the field. Reference pages 234-242 for shelf sizes
- Back mounted LED light kits are available on page 276
- Sliding shelves can only be used with 52" tall wall panels
- HPL Wall panels available in Grade A, Grade B (20% upcharge), and Grade C (30% upcharge)
- Composite not available in 60" and 54" widths due to size limitations
- Composite pattern runs horizontal

PRODUCT SPECIFICATIONS

- 59" Wall panels allow 4 rows of shelves, and the 52" and 46" wall panels allow 3 row of shelves
- Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Portobello Horizontal (PBH) and Sable Horizontal (792H) laminates have horizontal grain on the wall panel. All other woodgrains have a vertical grain on the wall panel
- National will not be liable for wall mount panels that are not properly installed

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color (laminate models)
3. Finish (wood models)
4. Paint Color (composite models)

SAMPLE MODEL NUMBERS:

59N6052WPL 792
59N6052WPP 463

• See pages 157-159 for all options available in Tessera

WALL PANEL (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
52" HIGH WALL PANELS									
59N6052WPW	Wood	$ 2010	2¾	60	52	—	—	88 lbs.	7.7
59N6052WPL	Laminate	1069	2¾	60	52	—	—	88 lbs.	7.7
59N6052WPHL	HPL	1499	2¾	60	52	—	—	217 lbs.	7.7
59N6052WPMB	HPL Marker Board	2140	2¾	60	52	—	—	95 lbs.	7.7
59N5452WPW	Wood	$ 1702	2¾	54	52	—	—	83 lbs.	7.0
59N5452WPL	Laminate	955	2¾	54	52	—	—	83 lbs	7.0
59N5452WPHL	HPL	1388	2¾	54	52	—	—	188 lbs.	7.0
59N5452WPMB	HPL Marker Board	1782	2¾	54	52	—	—	93 lbs.	7.0
59N4852WPW	Wood	$ 1442	2¾	48	52	—	—	78 lbs.	6.2
59N4852WPL	Laminate	851	2¾	48	52	—	—	78 lbs.	6.2
59N4852WPP	Composite	5892	2¾	48	52	—	—	78 lbs.	6.2
59N4852WPHL	HPL	1276	2¾	48	52	—	—	200 lbs.	6.2
59N4852WPMB	HPL Marker Board	1426	2¾	48	52	—	—	78 lbs.	6.2
59N4252WPW	Wood	$ 1370	2¾	42	52	—	—	63 lbs.	5.5
59N4252WPL	Laminate	778	2¾	42	52	—	—	63 lbs.	5.5
59N4252WPP	Composite	5531	2¾	42	52	—	—	63 lbs.	5.5
59N4252WPHL	HPL	1166	2¾	42	52	—	—	163 lbs.	5.5
59N4252WPMB	HPL Marker Board	1352	2¾	42	52	—	—	63 lbs.	5.5
59N3652WPW	Wood	$ 1294	2¾	36	52	—	—	48 lbs.	4.8
59N3652WPL	Laminate	702	2¾	36	52	—	—	48 lbs.	4.8
59N3652WPP	Composite	5388	2¾	36	52	—	—	48 lbs.	4.8
59N3652WPHL	HPL	1055	2¾	36	52	—	—	125 lbs.	4.8
59N3652WPMB	HPL Marker Board	1135	2¾	36	52	—	—	48 lbs.	4.8
59N3052WPW	Wood	$ 1221	2¾	30	52	—	—	48 lbs.	4.1
59N3052WPL	Laminate	630	2¾	30	52	—	—	48 lbs.	4.1
59N3052WPP	Composite	4884	2¾	30	52	—	—	48 lbs.	4.1
59N3052WPHL	HPL	944	2¾	30	52	—	—	164 lbs.	4.1
59N3052WPMB	HPL Marker Board	989	2¾	30	52	—	—	48 lbs.	4.1
59N2452WPW	Wood	$ 1146	2¾	24	52	—	—	40 lbs.	3.4
59N2452WPL	Laminate	554	2¾	24	52	—	—	40 lbs.	3.4
59N2452WPP	Composite	4382	2¾	24	52	—	—	40 lbs.	3.4
59N2452WPHL	HPL	832	2¾	24	52	—	—	131 lbs.	3.4
59N2452WPMB	HPL Marker Board	912	2¾	24	52	—	—	40 lbs.	3.4

- Wall mount brackets for attachment to architectural wall are included
- It is recommended that each wall panel be secured by a minimum of 2 mounting locations (studs)
- Wall panel backs are pre-bored for shelf attachment in the field. Reference pages 234-242 for shelf sizes
- Back mounted LED light kits are available on page 276
- Sliding shelves can only be used with 52" tall wall panels
- HPL Wall panels available in Grade A, Grade B (20% upcharge), and Grade C (30% upcharge)
- Composite not available in 60" and 54" widths due to size limitations
- Composite pattern runs horizontal

TESSERA

PRODUCT SPECIFICATIONS

- 59" Wall panels allow 4 rows of shelves, and the 52" and 46" wall panels allow 3 row of shelves
- Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Portobello Horizontal (PBH) and Sable Horizontal (792H) laminates have horizontal grain on the wall panel. All other woodgrains have a vertical grain on the wall panel
- National will not be liable for wall mount panels that are not properly installed

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color (laminate models)
3. Finish (wood models)
4. Paint Color (composite models)

SAMPLE MODEL NUMBERS:

59N6046WPL 792
59N6046WPP 463

• See pages 157-159 for all options available in Tessera

WALL PANEL (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
46" HIGH WALL PANELS									
59N6046WPW	Wood	$ 1981	2¾	60	45 13/16	–	–	90 lbs.	6.8
59N6046WPL	Laminate	1041	2¾	60	45 13/16	–	–	90 lbs.	6.8
59N6046WPHL	HPL	1469	2¾	60	45 13/16	–	–	203 lbs.	6.8
59N6046WPMB	HPL Marker Board	2108	2¾	60	45 13/16	–	–	90 lbs.	6.8
59N5446WPW	Wood	$ 1679	2¾	54	45 13/16	–	–	85 lbs.	6.2
59N5446WPL	Laminate	930	2¾	54	45 13/16	–	–	85 lbs.	6.2
59N5446WPHL	HPL	1356	2¾	54	45 13/16	–	–	174 lbs.	6.2
59N5446WPMB	HPL Marker Board	1756	2¾	54	45 13/16	–	–	85 lbs.	6.2
59N4846WPW	Wood	$ 1422	2¾	48	45 13/16	–	–	68 lbs.	5.6
59N4846WPL	Laminate	828	2¾	48	45 13/16	–	–	68 lbs.	5.6
59N4846WPP	Composite	5745	2¾	48	45 13/16	–	–	68 lbs.	5.6
59N4846WPHL	HPL	1245	2¾	48	45 13/16	–	–	188 lbs.	5.6
59N4846WPMB	HPL Marker Board	1405	2¾	48	45 13/16	–	–	68 lbs.	5.6
59N4246WPW	Wood	$ 1346	2¾	42	45 13/16	–	–	56 lbs.	4.9
59N4246WPL	Laminate	754	2¾	42	45 13/16	–	–	56 lbs.	4.9
59N4246WPP	Composite	5388	2¾	42	45 13/16	–	–	56 lbs.	4.9
59N4246WPHL	HPL	1133	2¾	42	45 13/16	–	–	150 lbs.	4.9
59N4246WPMB	HPL Marker Board	1329	2¾	42	45 13/16	–	–	56 lbs.	4.9
59N3646WPW	Wood	$ 1273	2¾	36	45 13/16	–	–	43 lbs.	4.3
59N3646WPL	Laminate	682	2¾	36	45 13/16	–	–	43 lbs.	4.3
59N3646WPP	Composite	5244	2¾	36	45 13/16	–	–	43 lbs.	4.3
59N3646WPHL	HPL	1021	2¾	36	45 13/16	–	–	183 lbs.	4.3
59N3646WPMB	HPL Marker Board	1112	2¾	36	45 13/16	–	–	43 lbs.	4.3
59N3046WPW	Wood	$ 1198	2¾	30	45 13/16	–	–	43 lbs.	3.7
59N3046WPL	Laminate	607	2¾	30	45 13/16	–	–	43 lbs.	3.7
59N3046WPP	Composite	4740	2¾	30	45 13/16	–	–	43 lbs.	3.7
59N3046WPHL	HPL	909	2¾	30	45 13/16	–	–	153 lbs.	3.7
59N3046WPMB	HPL Marker Board	965	2¾	30	45 13/16	–	–	43 lbs.	3.7
59N2446WPW	Wood	$ 1124	2¾	24	45 13/16	–	–	36 lbs.	3.1
59N2446WPL	Laminate	532	2¾	24	45 13/16	–	–	36 lbs.	3.1
59N2446WPP	Composite	4239	2¾	24	45 13/16	–	–	36 lbs.	3.1
59N2446WPHL	HPL	800	2¾	24	45 13/16	–	–	120 lbs.	3.1
59N2446WPMB	HPL Marker Board	893	2¾	24	45 13/16	–	–	36 lbs.	3.1

- Wall mount brackets for attachment to architectural wall are included
- It is recommended that each wall panel be secured by a minimum of 2 mounting locations (studs)
- Wall panel backs are pre-bored for shelf attachment in the field. Reference pages 234-242 for shelf sizes
- Back mounted LED light kits are available on page 276
- Sliding shelves can only be used with 52" tall wall panels
- HPL Wall panels available in Grade A, Grade B (20% upcharge), and Grade C (30% upcharge)
- Composite not available in 60" and 54" widths due to size limitations
- Composite pattern runs horizontal

PRODUCT SPECIFICATIONS

- 59" Wall panels allow 4 rows of shelves, and the 52" and 46" wall panels allow 3 row of shelves
- National will not be liable for wall mount panels that are not properly installed

TO ORDER, SPECIFY:

1. Model Number
2. Concrete Color

SAMPLE MODEL NUMBER:

59N3652WPC 90

- See pages 157-159 for all options available in Tessera

CONCRETE WALL PANEL



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
59" HIGH WALL PANELS									
59N6059WPC	Concrete	$ 10328	2¾	60	59	–	–	142 lbs.	8.6
59N5459WPC	Concrete	8261	2¾	54	59	–	–	128 lbs.	7.8
59N4859WPC	Concrete	6609	2¾	48	59	–	–	113 lbs.	7.0
59N4259WPC	Concrete	6249	2¾	42	59	–	–	99 lbs.	6.2
59N3659WPC	Concrete	5818	2¾	36	59	–	–	85 lbs.	5.4
59N3059WPC	Concrete	5315	2¾	30	59	–	–	71 lbs.	4.6
59N2459WPC	Concrete	4813	2¾	24	59	–	–	57 lbs.	3.9
52" HIGH WALL PANELS									
59N6052WPC	Concrete	$ 9781	2¾	60	52	–	–	125 lbs.	7.7
59N5452WPC	Concrete	7951	2¾	54	52	–	–	113 lbs.	7.0
59N4852WPC	Concrete	6465	2¾	48	52	–	–	100 lbs.	6.2
59N4252WPC	Concrete	6106	2¾	42	52	–	–	88 lbs.	5.5
59N3652WPC	Concrete	5675	2¾	36	52	–	–	75 lbs.	4.8
59N3052WPC	Concrete	5172	2¾	30	52	–	–	63 lbs.	4.1
59N2452WPC	Concrete	4670	2¾	24	52	–	–	50 lbs.	3.4
46" HIGH WALL PANELS									
59N6046WPC	Concrete	$ 9563	2¾	60	45 13/16	–	–	111 lbs.	6.8
59N5446WPC	Concrete	7775	2¾	54	45 13/16	–	–	100 lbs.	6.2
59N4846WPC	Concrete	6322	2¾	48	45 13/16	–	–	89 lbs.	5.6
59N4246WPC	Concrete	5962	2¾	42	45 13/16	–	–	78 lbs.	4.9
59N3646WPC	Concrete	5531	2¾	36	45 13/16	–	–	67 lbs.	4.3
59N3046WPC	Concrete	5028	2¾	30	45 13/16	–	–	56 lbs.	3.7
59N2446WPC	Concrete	4525	2¾	24	45 13/16	–	–	45 lbs.	3.1

- Wall mount brackets for attachment to architectural wall are included
- It is recommended that each wall panel be secured by a minimum of 2 mounting locations (studs)
- Wall panel backs are pre-bored for shelf attachment in the field. Reference pages 234-242 for shelf sizes
- Back mounted LED light kits are available on page 276
- Sliding shelves can only be used with 52" tall wall panels
- Concrete Wall Panels will be shipped crated

TESSERA

PRODUCT SPECIFICATIONS

- 59" Wall panels allow 4 rows of shelves, and the 52" and 46" wall panels allow 3 row of shelves
- National will not be liable for wall mount panels that are not properly installed

TO ORDER, SPECIFY:

1. Model Number
2. Stone Color

SAMPLE MODEL NUMBER:

59N4846WPN 43

• See pages 157-159 for all options available in Tessera

STONE WALL PANEL



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
59" HIGH WALL PANELS									
59N6059WPN	Stone	$ 12729	2¾	60	59	–	–	244 lbs.	8.6
59N5459WPN	Stone	11070	2¾	54	59	–	–	227 lbs.	7.8
59N4859WPN	Stone	9625	2¾	48	59	–	–	210 lbs.	7.0
59N4259WPN	Stone	9229	2¾	42	59	–	–	193 lbs.	6.2
59N3659WPN	Stone	8729	2¾	36	59	–	–	176 lbs.	5.4
59N3059WPN	Stone	8153	2¾	30	59	–	–	159 lbs.	4.6
59N2459WPN	Stone	7578	2¾	24	59	–	–	143 lbs.	3.9
52" HIGH WALL PANELS									
59N6052WPN	Stone	$ 12540	2¾	60	52	–	–	225 lbs.	7.7
59N5452WPN	Stone	10905	2¾	54	52	–	–	209 lbs.	7.0
59N4852WPN	Stone	9482	2¾	48	52	–	–	194 lbs.	6.2
59N4252WPN	Stone	9086	2¾	42	52	–	–	180 lbs.	5.5
59N3652WPN	Stone	8584	2¾	36	52	–	–	165 lbs.	4.8
59N3052WPN	Stone	8010	2¾	30	52	–	–	149 lbs.	4.1
59N2452WPN	Stone	7435	2¾	24	52	–	–	135 lbs.	3.4
46" HIGH WALL PANELS									
59N6046WPN	Stone	$ 12352	2¾	60	45 13/16	–	–	207 lbs.	6.8
59N5446WPN	Stone	10738	2¾	54	45 13/16	–	–	194 lbs.	6.2
59N4846WPN	Stone	9338	2¾	48	45 13/16	–	–	181 lbs.	5.6
59N4246WPN	Stone	8944	2¾	42	45 13/16	–	–	167 lbs.	4.9
59N3646WPN	Stone	8440	2¾	36	45 13/16	–	–	154 lbs.	4.3
59N3046WPN	Stone	7866	2¾	30	45 13/16	–	–	141 lbs.	3.7
59N2446WPN	Stone	7290	2¾	24	45 13/16	–	–	128 lbs.	3.1

- Wall mount brackets for attachment to architectural wall are included
- It is recommended that each wall panel be secured by a minimum of 2 mounting locations (studs)
- Wall panel backs are pre-bored for shelf attachment in the field. Reference pages 234-242 for shelf sizes
- Back mounted LED light kits are available on page 276
- Sliding shelves can only be used with 52" tall wall panels
- Stone Wall Panels will be shipped crated

PRODUCT SPECIFICATIONS

- 59" Wall panels allow 4 rows of shelves, and the 52" and 46" wall panels allow 3 row of shelves
- Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Portobello Horizontal (PBH) and Sable Horizontal (792H) laminates have horizontal grain on the wall panel. All other woodgrains have a vertical grain on the wall panel
- National will not be liable for wall mount panels that are not properly installed

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color (laminate models)
3. Finish (wood models)
4. Paint Color (composite models)

SAMPLE MODEL NUMBER:

59N4859MWPL 417

- See pages 157-159 for all options available in Tessera

TV WALL PANEL

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
59" HIGH WALL PANELS									
59N6059MWPW	Wood	$ 2944	2¾	60	59	—	—	98 lbs.	8.6
59N6059MWPL	Laminate	1823	2¾	60	59	—	—	98 lbs.	8.6
59N6059MWPHL	HPL	2339	2¾	60	59	—	—	230 lbs.	8.6
59N5459MWPW	Wood	$ 2494	2¾	54	59	—	—	85 lbs.	7.8
59N5459MWPL	Laminate	1626	2¾	54	59	—	—	85 lbs.	7.8
59N5459MWPHL	HPL	2226	2¾	54	59	—	—	146 lbs.	7.8
59N4859MWPW	Wood	$ 2265	2¾	48	59	—	—	83 lbs.	7.0
59N4859MWPL	Laminate	1554	2¾	48	59	—	—	83 lbs.	7.0
59N4859MWPP	Composite	6458	2¾	48	59	—	—	83 lbs.	7.0
59N4859MWPHL	HPL	2115	2¾	48	59	—	—	132 lbs.	7.0
59N4259MWPW	Wood	$ 2221	2¾	42	59	—	—	68 lbs.	6.2
59N4259MWPL	Laminate	1511	2¾	42	59	—	—	68 lbs.	6.2
59N4259MWPP	Composite	6100	2¾	42	59	—	—	38 lbs.	6.2
59N4259MWPHL	HPL	1971	2¾	42	59	—	—	175 lbs.	6.2
59N3659MWPW	Wood	$ 1957	2¾	36	59	—	—	55 lbs.	5.4
59N3659MWPL	Laminate	1306	2¾	36	59	—	—	55 lbs.	5.4
59N3659MWPP	Composite	5954	2¾	36	59	—	—	53 lbs.	5.4
59N3659MWPHL	HPL	1860	2¾	36	59	—	—	138 lbs.	5.4
59N3059MWPW	Wood	$ 1878	2¾	30	59	—	—	53 lbs.	4.6
59N3059MWPL	Laminate	1228	2¾	30	59	—	—	53 lbs.	4.6
59N3059MWPP	Composite	5453	2¾	30	59	—	—	53 lbs.	4.6
59N3059MWPHL	HPL	1719	2¾	30	59	—	—	175 lbs.	4.6
59N2459MWPW	Wood	$ 1799	2¾	24	59	—	—	45 lbs.	3.9
59N2459MWPL	Laminate	1147	2¾	24	59	—	—	45 lbs.	3.9
59N2459MWPP	Composite	4949	2¾	24	59	—	—	45 lbs.	3.9
59N2459MWPHL	HPL	1608	2¾	24	59	—	—	142 lbs.	3.9

- TV mount included; ships separately
- Wall mount brackets for attachment to architectural wall are included
- It is recommended that each wall panel be secured by a minimum of 2 mounting locations (studs)
- Back mounted LED light kits are available on page 276
- Adjustable Universal Wall Mount adjusts to allow installation of most 32" to 80" flat panel; black powder coat
- VESA mounting compliant
- All wall panels have vertical grain direction except horizontal laminates
- Maximum TV weight is 120 lbs.
- HPL Wall panels available in Grade A, Grade B (20% upcharge), and Grade C (30% upcharge)
- Composite not available in 60" and 54" widths due to size limitations

TESSERA

PRODUCT SPECIFICATIONS

- 59" Wall panels allow 4 rows of shelves, and the 52" and 46" wall panels allow 3 row of shelves
- Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Portobello Horizontal (PBH) and Sable Horizontal (792H) laminates have horizontal grain on the wall panel. All other woodgrains have a vertical grain on the wall panel
- National will not be liable for wall mount panels that are not properly installed

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color (laminate models)
3. Finish (wood models)
4. Paint Color (composite models)

SAMPLE MODEL NUMBER:

59N4852MWPL 417

• See pages 157-159 for all options available in Tessera

TV WALL PANEL (CONTINUED)

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
52" HIGH WALL PANELS									
59N6052MWPW	Wood	$ 2494	2¾	60	52	—	—	95 lbs.	7.7
59N6052MWPL	Laminate	1626	2¾	60	52	—	—	95 lbs.	7.7
59N6052MWPHL	HPL	2167	2¾	60	52	—	—	217 lbs.	7.7
59N5452MWPW	Wood	$ 2114	2¾	54	52	—	—	83 lbs.	7.0
59N5452MWPL	Laminate	1451	2¾	54	52	—	—	83 lbs.	7.0
59N5452MWPHL	HPL	2053	2¾	54	52	—	—	188 lbs.	7.0
59N4852MWPW	Wood	$ 1888	2¾	48	52	—	—	78 lbs.	6.2
59N4852MWPL	Laminate	1294	2¾	48	52	—	—	78 lbs.	6.2
59N4852MWPP	Composite	6315	2¾	48	52	—	—	78 lbs.	6.2
59N4852MWPHL	HPL	1942	2¾	48	52	—	—	200 lbs.	6.2
59N4252MWPW	Wood	$ 1852	2¾	42	52	—	—	63 lbs.	5.5
59N4252MWPL	Laminate	1257	2¾	42	52	—	—	63 lbs.	5.5
59N4252MWPP	Composite	5954	2¾	42	52	—	—	63 lbs.	5.5
59N4252MWPHL	HPL	1830	2¾	42	52	—	—	163 lbs.	5.5
59N3652MWPW	Wood	$ 1780	2¾	36	52	—	—	48 lbs.	4.8
59N3652MWPL	Laminate	1187	2¾	36	52	—	—	48 lbs.	4.8
59N3652MWPP	Composite	5811	2¾	36	52	—	—	48 lbs.	4.8
59N3652MWPHL	HPL	1719	2¾	36	52	—	—	125 lbs.	4.8
59N3052MWPW	Wood	$ 1706	2¾	30	52	—	—	48 lbs.	4.1
59N3052MWPL	Laminate	1114	2¾	30	52	—	—	48 lbs.	4.1
59N3052MWPP	Composite	5310	2¾	30	52	—	—	48 lbs.	4.1
59N3052MWPHL	HPL	1608	2¾	30	52	—	—	164 lbs.	4.1
59N2452MWPW	Wood	$ 1636	2¾	24	52	—	—	40 lbs.	3.4
59N2452MWPL	Laminate	1043	2¾	24	52	—	—	40 lbs.	3.4
59N2452MWPP	Composite	4806	2¾	24	52	—	—	40 lbs.	3.4
59N2452MWPHL	HPL	1494	2¾	24	52	—	—	131 lbs.	3.4

- TV mount included; ships separately
- Wall mount brackets for attachment to architectural wall are included
- It is recommended that each wall panel be secured by a minimum of 2 mounting locations (studs)
- Back mounted LED light kits are available on page 276
- Adjustable Universal Wall Mount adjusts to allow installation of most 32" to 80" flat panel; black powder coat
- VESA mounting compliant
- All wall panels have vertical grain direction except horizontal laminates
- Maximum TV weight is 120 lbs.
- HPL Wall panels available in Grade A, Grade B (20% upcharge), and Grade C (30% upcharge)
- Composite not available in 60" and 54" widths due to size limitations

PRODUCT SPECIFICATIONS

- 59" Wall panels allow 4 rows of shelves, and the 52" and 46" wall panels allow 3 row of shelves
- Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H), Portobello Horizontal (PBH) and Sable Horizontal (792H) laminates have horizontal grain on the wall panel. All other woodgrains have a vertical grain on the wall panel
- National will not be liable for wall mount panels that are not properly installed

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color (laminate models)
3. Finish (wood models)
4. Paint Color (composite models)

SAMPLE MODEL NUMBER:

59N4846MWPL 417

- See pages 157-159 for all options available in Tessera

TV WALL PANEL (CONTINUED)

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
46" HIGH WALL PANELS									
59N6046MWPW	Wood	$ 2597	2¾	60	45¹³⁄₁₆	—	—	90 lbs.	6.8
59N6046MWPL	Laminate	1599	2¾	60	45¹³⁄₁₆	—	—	90 lbs.	6.8
59N6046MWPHL	HPL	2133	2¾	60	45¹³⁄₁₆	—	—	203 lbs.	6.8
59N5446MWPW	Wood	$ 2201	2¾	54	45¹³⁄₁₆	—	—	85 lbs.	6.2
59N5446MWPL	Laminate	1427	2¾	54	45¹³⁄₁₆	—	—	85 lbs.	6.2
59N5446MWPHL	HPL	2022	2¾	54	45¹³⁄₁₆	—	—	174 lbs.	6.2
59N4846MWPW	Wood	$ 1865	2¾	48	45¹³⁄₁₆	—	—	68 lbs.	5.6
59N4846MWPL	Laminate	1273	2¾	48	45¹³⁄₁₆	—	—	68 lbs.	5.6
59N4846MWPP	Composite	6171	2¾	48	45¹³⁄₁₆	—	—	68 lbs.	5.6
59N4846MWPHL	HPL	1909	2¾	48	45¹³⁄₁₆	—	—	188 lbs.	5.6
59N4246MWPW	Wood	$ 1829	2¾	42	45¹³⁄₁₆	—	—	56 lbs.	4.9
59N4246MWPL	Laminate	1238	2¾	42	45¹³⁄₁₆	—	—	56 lbs.	4.9
59N4246MWPP	Composite	5811	2¾	42	45¹³⁄₁₆	—	—	56 lbs.	4.9
59N4246MWPHL	HPL	1797	2¾	42	45¹³⁄₁₆	—	—	203 lbs.	6.8
59N3646MWPW	Wood	$ 1757	2¾	36	45¹³⁄₁₆	—	—	43 lbs.	4.3
59N3646MWPL	Laminate	1165	2¾	36	45¹³⁄₁₆	—	—	43 lbs.	4.3
59N3646MWPP	Composite	5667	2¾	36	45¹³⁄₁₆	—	—	43 lbs.	4.3
59N3646MWPHL	HPL	1685	2¾	36	45¹³⁄₁₆	—	—	203 lbs.	6.8
59N3046MWPW	Wood	$ 1685	2¾	30	45¹³⁄₁₆	—	—	43 lbs.	3.7
59N3046MWPL	Laminate	1093	2¾	30	45¹³⁄₁₆	—	—	43 lbs.	3.7
59N3046MWPP	Composite	5165	2¾	30	45¹³⁄₁₆	—	—	43 lbs.	3.7
59N3046MWPHL	HPL	1574	2¾	30	45¹³⁄₁₆	—	—	203 lbs.	6.8
59N2446MWPW	Wood	$ 1614	2¾	24	45¹³⁄₁₆	—	—	36 lbs.	3.1
59N2446MWPL	Laminate	1021	2¾	24	45¹³⁄₁₆	—	—	36 lbs.	3.1
59N2446MWPP	Composite	4663	2¾	24	45¹³⁄₁₆	—	—	36 lbs.	3.1
59N2446MWPHL	HPL	1461	2¾	24	45¹³⁄₁₆	—	—	203 lbs.	6.8

- TV mount included; ships separately
- Wall mount brackets for attachment to architectural wall are included
- It is recommended that each wall panel be secured by a minimum of 2 mounting locations (studs)
- Back mounted LED light kits are available on page 276
- Adjustable Universal Wall Mount adjusts to allow installation of most 32" to 80" flat panel; black powder coat
- VESA mounting compliant
- All wall panels have vertical grain direction except horizontal laminates
- Maximum TV weight is 120 lbs.
- HPL Wall panels available in Grade A, Grade B (20% upcharge), and Grade C (30% upcharge)
- Composite not available in 60" and 54" widths due to size limitations

TESSERA

PRODUCT SPECIFICATIONS

- 59" Wall panels allow 4 rows of shelves, and the 52" and 46" wall panels allow 3 row of shelves
- National will not be liable for wall mount panels that are not properly installed

TO ORDER, SPECIFY:

1. Model Number
2. Concrete Color

SAMPLE MODEL NUMBER:

59N6059MWPC 90

• See pages 157-159 for all options available in Tessera

TV WALL PANEL CONCRETE

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
59" HIGH WALL PANELS									
59N6059MWPC	Concrete	$ 10750	2¾	60	59	–	–	217 lbs.	8.6
59N5459MWPC	Concrete	8685	2¾	54	59	–	–	200 lbs.	7.8
59N4859MWPC	Concrete	7033	2¾	48	59	–	–	186 lbs.	7.0
59N4259MWPC	Concrete	6673	2¾	42	59	–	–	203 lbs.	6.2
59N3659MWPC	Concrete	6243	2¾	36	59	–	–	188 lbs.	5.4
59N3059MWPC	Concrete	5740	2¾	30	59	–	–	175 lbs.	4.6
59N2459MWPC	Concrete	5237	2¾	24	59	–	–	188 lbs.	3.9
52" HIGH WALL PANELS									
59N6052MWPC	Concrete	$ 10206	2¾	60	52	–	–	175 lbs.	7.7
59N5452MWPC	Concrete	8198	2¾	54	52	–	–	164 lbs.	7.0
59N4852MWPC	Concrete	6888	2¾	48	52	–	–	174 lbs.	6.2
59N4252MWPC	Concrete	6386	2¾	42	52	–	–	163 lbs.	5.5
59N3652MWPC	Concrete	6100	2¾	36	52	–	–	153 lbs.	4.8
59N3052MWPC	Concrete	5597	2¾	30	52	–	–	160 lbs.	4.1
59N2452MWPC	Concrete	5093	2¾	24	52	–	–	150 lbs.	3.4
46" HIGH WALL PANELS									
59N6046MWPC	Concrete	$ 9987	2¾	60	46	–	–	142 lbs.	6.8
59N5446MWPC	Concrete	8198	2¾	54	46	–	–	146 lbs.	6.2
59N4846MWPC	Concrete	6745	2¾	48	46	–	–	138 lbs.	5.6
59N4246MWPC	Concrete	6386	2¾	42	46	–	–	131 lbs.	4.9
59N3646MWPC	Concrete	5954	2¾	36	46	–	–	132 lbs.	4.3
59N3046MWPC	Concrete	5453	2¾	30	46	–	–	125 lbs.	3.7
59N2446MWPC	Concrete	4949	2¾	24	46	–	–	120 lbs.	3.1

- TV mount included; ships separately
- Wall mount brackets for attachment to architectural wall are included
- It is recommended that each wall panel be secured by a minimum of 2 mounting locations (studs)
- Back mounted LED light kits are available on page 276
- Adjustable Universal Wall Mount adjusts to allow installation of most 32" to 80" flat panel; black powder coat
- VESA mounting compliant
- All wall panels have vertical grain direction except horizontal laminates
- Maximum TV weight is 120 lbs.
- Concrete Wall Panels will be shipped crated

PRODUCT SPECIFICATIONS

- 59" Wall panels allow 4 rows of shelves, and the 52" and 46" wall panels allow 3 row of shelves
- National will not be liable for wall mount panels that are not properly installed

TO ORDER, SPECIFY:

1. Model Number
2. Stone Color

SAMPLE MODEL NUMBER:

59N6052MWPN 40

- See pages 157-159 for all options available in Tessera

TV WALL PANEL STONE

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
59" HIGH WALL PANELS									
59N6059MWPN	Stone	$ 12874	2¾	60	59	–	–	244 lbs.	8.6
59N5459MWPN	Stone	11213	2¾	54	59	–	–	227 lbs.	7.8
59N4859MWPN	Stone	9769	2¾	48	59	–	–	210 lbs.	7.0
59N4259MWPN	Stone	9374	2¾	42	59	–	–	193 lbs.	6.2
59N3659MWPN	Stone	8872	2¾	36	59	–	–	176 lbs.	5.4
59N3059MWPN	Stone	8296	2¾	30	59	–	–	159 lbs.	4.6
59N2459MWPN	Stone	7723	2¾	24	59	–	–	143 lbs.	3.9
52" HIGH WALL PANELS									
59N6052MWPN	Stone	$ 12683	2¾	60	52	–	–	225 lbs.	7.7
59N5452MWPN	Stone	11048	2¾	54	52	–	–	209 lbs.	7.0
59N4852MWPN	Stone	9625	2¾	48	52	–	–	194 lbs.	6.2
59N4252MWPN	Stone	9229	2¾	42	52	–	–	180 lbs.	5.5
59N3652MWPN	Stone	8729	2¾	36	52	–	–	165 lbs.	4.8
59N3052MWPN	Stone	8296	2¾	30	52	–	–	149 lbs.	4.1
59N2452MWPN	Stone	7578	2¾	24	52	–	–	135 lbs.	3.4
46" HIGH WALL PANELS									
59N6046MWPN	Stone	$ 12495	2¾	60	45 13/16	–	–	207 lbs.	6.8
59N5446MWPN	Stone	10882	2¾	54	45 13/16	–	–	194 lbs.	6.2
59N4846MWPN	Stone	9482	2¾	48	45 13/16	–	–	181lbs.	5.6
59N4246MWPN	Stone	9086	2¾	42	45 13/16	–	–	167 lbs.	4.9
59N3646MWPN	Stone	8584	2¾	36	45 13/16	–	–	154 lbs.	4.3
59N3046MWPN	Stone	8010	2¾	30	45 13/16	–	–	141 lbs.	3.7
59N2446MWPN	Stone	7435	2¾	24	45 13/16	–	–	128 lbs.	3.1

- TV mount included; ships separately
- Wall mount brackets for attachment to architectural wall are included
- It is recommended that each wall panel be secured by a minimum of 2 mounting locations (studs)
- Back mounted LED light kits are available on page 276
- Adjustable Universal Wall Mount adjusts to allow installation of most 32" to 80" flat panel; black powder coat
- VESA mounting compliant
- All wall panels have vertical grain direction except horizontal laminates
- Maximum TV weight is 120 lbs.
- Stone Wall Panels will be shipped crated

TESSERA

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade
3. Fabric Color

SAMPLE MODEL NUMBER:

NAC5447WPTBA A 8600

• See pages 157-159 for all options available in Tessera

ADD ON TACK BOARD



TACK BOARDS FOR USE WITH 59" HIGH WALL PANELS

MODEL NO./DESCRIPTION		LIST PRICE GRADE A	LIST PRICE GRADE B/COM	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
NAC6047WPTBA	Railroad	$ 840	$ 924	½	60	46⅝	—	—	25 lbs.	10.0
NAC6032WPTBA	Railroad	750	834	½	60	31½	—	—	25 lbs.	10.0
NAC6017WPTBA	Railroad	539	623	½	60	16⅜	—	—	25 lbs.	10.0
NAC5447WPTBA	Railroad	$ 768	$ 845	½	54	46⅝	—	—	20 lbs.	8.2
NAC5432WPTBA	Railroad	680	757	½	54	31½	—	—	20 lbs.	8.2
NAC5417WPTBA	Railroad	469	546	½	54	16⅜	—	—	20 lbs.	8.2
NAC4847WPTBA	Railroad	$ 696	$ 762	½	48	46⅝	—	—	16 lbs.	6.6
NAC4832WPTBA	Railroad	607	673	½	48	31½	—	—	16 lbs.	6.6
NAC4817WPTBA	Railroad	395	461	½	48	16⅜	—	—	16 lbs.	6.6
NAC4247WPTBA	Railroad	$ 641	$ 707	½	41 15/16	46⅝	—	—	13 lbs.	5.2
NAC4232WPTBA	Railroad	554	620	½	41 15/16	31½	—	—	13 lbs.	5.2
NAC4217WPTBA	Railroad	356	422	½	41 15/16	16⅜	—	—	13 lbs.	5.2
NAC3647WPTBA	Railroad	$ 600	$ 655	½	36	46⅝	—	—	10 lbs.	3.9
NAC3632WPTBA	Railroad	509	564	½	36	31½	—	—	10 lbs.	3.9
NAC3617WPTBA	Railroad	338	393	½	36	16⅜	—	—	10 lbs.	3.9
NAC3047WPTBA	Railroad	$ 525	$ 569	½	30	46⅝	—	—	7 lbs.	2.8
NAC3032WPTBA	Railroad	446	490	½	30	31½	—	—	7 lbs.	2.8
NAC3017WPTBA	Railroad	301	345	½	30	16⅜	—	—	7 lbs.	2.8
NAC2447WPTBA	Railroad	$ 469	$ 513	½	24	46⅝	—	—	5 lbs.	1.9
NAC2432WPTBA	Railroad	396	440	½	24	31½	—	—	5 lbs.	1.9
NAC2417WPTBA	Railroad	266	310	½	24	16⅜	—	—	5 lbs.	1.9

- Attachment Z-clips included to attach to Tessera Wall
- Tack boards can be field scribed

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade
3. Fabric Color

SAMPLE MODEL NUMBER:

NAC5440WPTBA A 8600

• See pages 157-159 for all options available in Tessera

ADD ON TACK BOARD (CONTINUED)



TACK BOARDS FOR USE WITH 52" HIGH WALL PANELS

MODEL NO./DESCRIPTION		LIST PRICE GRADE A	LIST PRICE GRADE B/COM	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
NAC6040WPTBA	Railroad	$ 798	$ 882	½	60	39⅞	—	—	25 lbs.	10.0
NAC6025WPTBA	Railroad	609	693	½	60	24½	—	—	25 lbs.	10.0
NAC5440WPTBA	Railroad	$ 725	$ 802	½	54	39⅞	—	—	20 lbs.	8.2
NAC5425WPTBA	Railroad	538	615	½	54	24½	—	—	20 lbs.	8.2
NAC4840WPTBA	Railroad	$ 655	$ 721	½	48	39⅞	—	—	16 lbs.	6.6
NAC4825WPTBA	Railroad	465	531	½	48	24½	—	—	16 lbs.	6.6
NAC4240WPTBA	Railroad	$ 615	$ 681	½	41 15⁄16	39⅞	—	—	13 lbs.	5.2
NAC4225WPTBA	Railroad	433	499	½	41 15⁄16	24½	—	—	13 lbs.	5.2
NAC3640WPTBA	Railroad	$ 547	$ 602	½	36	39⅞	—	—	10 lbs.	3.9
NAC3625WPTBA	Railroad	395	450	½	36	24½	—	—	10 lbs.	3.9
NAC3040WPTBA	Railroad	$ 498	$ 542	½	30	39⅞	—	—	7 lbs.	2.8
NAC3025WPTBA	Railroad	348	392	½	30	24½	—	—	7 lbs.	2.8
NAC2440WPTBA	Railroad	$ 429	$ 473	½	24	39⅞	—	—	5 lbs.	1.9
NAC2425WPTBA	Railroad	309	353	½	24	24½	—	—	5 lbs.	1.9

- Attachment Z-clips included to attach to Tessera Wall
- Tack boards can be field scribed

TESSERA

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade
3. Fabric Color

SAMPLE MODEL NUMBER:

NAC5434WPTBA A 8600

• See pages 157-159 for all options available in Tessera

ADD ON TACK BOARD (CONTINUED)



TACK BOARDS FOR USE WITH 46" HIGH WALL PANELS

MODEL NO./DESCRIPTION		LIST PRICE GRADE A	LIST PRICE GRADE B/COM	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
NAC6034WPTBA	Railroad	$ 773	$ 857	½	60	33½	—	—	25 lbs.	10.0
NAC6019WPTBA	Railroad	562	646	½	60	18⅜	—	—	25 lbs.	10.0
NAC5434WPTBA	Railroad	$ 701	$ 778	½	54	33½	—	—	20 lbs.	8.2
NAC5419WPTBA	Railroad	490	567	½	54	18⅜	—	—	20 lbs.	8.2
NAC4834WPTBA	Railroad	$ 630	$ 696	½	48	33½	—	—	16 lbs.	6.6
NAC4819WPTBA	Railroad	419	485	½	48	18⅜	—	—	16 lbs.	6.6
NAC4234WPTBA	Railroad	$ 562	$ 628	½	41⅝	33½	—	—	13 lbs.	5.2
NAC4219WPTBA	Railroad	381	447	½	41⅝	18⅜	—	—	13 lbs.	5.2
NAC3634WPTBA	Railroad	$ 526	$ 581	½	36	33½	—	—	10 lbs.	3.9
NAC3619WPTBA	Railroad	344	399	½	36	18⅜	—	—	10 lbs.	3.9
NAC3034WPTBA	Railroad	$ 452	$ 496	½	30	33½	—	—	7 lbs.	2.8
NAC3019WPTBA	Railroad	298	342	½	30	18⅜	—	—	7 lbs.	2.8
NAC2434WPTBA	Railroad	$ 399	$ 443	½	24	33½	—	—	5 lbs.	1.9
NAC2419WPTBA	Railroad	277	321	½	24	18⅜	—	—	5 lbs.	1.9

- Attachment Z-clips included to attach to Tessera Wall
- Tack boards can be field scribed

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade
3. Fabric Color

SAMPLE MODEL NUMBER:

NAC6029WPTBA A 8600

• See pages 157-159 for all options available in Tessera

ADD ON TACK BOARD (CONTINUED)



TACK BOARDS FOR USE BETWEEN SHELVES ON WALL PANELS

MODEL NO./DESCRIPTION		LIST PRICE GRADE A	LIST PRICE GRADE B/COM	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
NAC6029WPTBA	Railroad	$ 722	$ 806	½	60	28⅛	—	—	25 lbs.	10.0
NAC6013WPTBA	Railroad	508	592	½	60	13	—	—	25 lbs.	10.0
NAC5429WPTBA	Railroad	$ 649	$ 726	½	54	28⅛	—	—	20 lbs.	8.2
NAC5413WPTBA	Railroad	437	514	½	54	13	—	—	20 lbs.	8.2
NAC4829WPTBA	Railroad	$ 579	$ 645	½	48	28⅛	—	—	16 lbs.	6.6
NAC4813WPTBA	Railroad	365	431	½	48	13	—	—	16 lbs.	6.6
NAC4229WPTBA	Railroad	$ 542	$ 608	½	41 15⁄16	28⅛	—	—	13 lbs.	5.2
NAC4213WPTBA	Railroad	330	396	½	41 15⁄16	13	—	—	13 lbs.	5.2
NAC3629WPTBA	Railroad	$ 508	$ 563	½	36	28⅛	—	—	10 lbs.	3.9
NAC3613WPTBA	Railroad	311	366	½	36	13	—	—	10 lbs.	3.9
NAC3029WPTBA	Railroad	$ 421	$ 465	½	30	28⅛	—	—	7 lbs.	2.8
NAC3013WPTBA	Railroad	276	320	½	30	13	—	—	7 lbs.	2.8
NAC2429WPTBA	Railroad	$ 371	$ 415	½	24	28⅛	—	—	5 lbs.	1.9
NAC2413WPTBA	Railroad	256	300	½	24	13	—	—	5 lbs.	1.9

- Attachment Z-clips included to attach to Tessera Wall
- Tack boards can be field scribed

TESSERA

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NAC6032WPBPG

• See pages 157-159 for all options available in Tessera

ADD ON WHITE BACKPAINTED GLASS MAGNETIC



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
BACKPAINTED GLASS FOR USE WITH 59" HIGH WALL PANELS									
NAC6047WPBPG	Glass	$ 4252	½	60	46⅝	—	—	115 lbs.	9.1
NAC6032WPBPG	Glass	2883	½	60	31½	—	—	80 lbs.	7.6
NAC6017WPBPG	Glass	1685	½	60	16⅜	—	—	50 lbs.	6.7
NAC5447WPBPG	Glass	$ 4180	½	54	46⅝	—	—	102 lbs.	9.1
NAC5432WPBPG	Glass	2811	½	54	31½	—	—	78 lbs.	6.5
NAC5417WPBPG	Glass	1614	½	54	16⅜	—	—	41 lbs.	5.3
NAC4847WPBPG	Glass	$ 4109	½	48	46⅝	—	—	92 lbs.	7.5
NAC4832WPBPG	Glass	2739	½	48	31½	—	—	63 lbs.	5.9
NAC4817WPBPG	Glass	1542	½	48	16⅜	—	—	40 lbs.	5.3
NAC4247WPBPG	Glass	$ 3595	½	41⅛	46⅝	—	—	83 lbs.	7.5
NAC4232WPBPG	Glass	2396	½	41⅛	31½	—	—	57 lbs.	5.9
NAC4217WPBPG	Glass	1349	½	41⅛	16⅜	—	—	34 lbs.	4.3
NAC3647WPBPG	Glass	$ 3081	½	36	46⅝	—	—	69 lbs.	5.9
NAC3632WPBPG	Glass	2053	½	36	31½	—	—	47 lbs.	4.7
NAC3617WPBPG	Glass	1154	½	36	16⅜	—	—	28 lbs.	3.4
NAC3047WPBPG	Glass	$ 2570	½	30	46⅝	—	—	60 lbs.	5.9
NAC3032WPBPG	Glass	1714	½	30	31½	—	—	45 lbs.	5.9
NAC3017WPBPG	Glass	963	½	30	16⅜	—	—	24 lbs.	3.4
NAC2447WPBPG	Glass	$ 2053	½	24	46⅝	—	—	51 lbs.	5.9
NAC2432WPBPG	Glass	1370	½	24	31½	—	—	32 lbs.	3.4
NAC2417WPBPG	Glass	826	½	24	16⅜	—	—	19 lbs.	2.5

• Attachment Z-clips included to attach to Tessera Wall

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NAC6040WPBPG

• See pages 157-159 for all options available in Tessera

ADD ON WHITE BACKPAINTED GLASS MAGNETIC (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
BACKPAINTED GLASS FOR USE WITH 52" HIGH WALL PANELS									
NAC6040WPBPG	Glass	$ 3566	½	60	39⅞	—	—	100 lbs.	9.1
NAC6025WPBPG	Glass	2369	½	60	24½	—	—	65 lbs.	6.7
NAC5440WPBPG	Glass	$ 3495	½	54	39⅞	—	—	88 lbs.	8.1
NAC5425WPBPG	Glass	2299	½	54	24½	—	—	55 lbs.	5.3
NAC4840WPBPG	Glass	$ 3423	½	48	39⅞	—	—	80 lbs.	7.5
NAC4825WPBPG	Glass	2225	½	48	24½	—	—	54 lbs.	5.9
NAC4240WPBPG	Glass	$ 2995	½	41⁵⁄₁₆	39⅞	—	—	73 lbs.	7.5
NAC4225WPBPG	Glass	1947	½	41⁵⁄₁₆	24½	—	—	44 lbs.	4.3
NAC3640WPBPG	Glass	$ 2570	½	36	39⅞	—	—	60 lbs.	5.9
NAC3625WPBPG	Glass	1669	½	36	24½	—	—	39 lbs.	4.3
NAC3040WPBPG	Glass	$ 2142	½	30	39⅞	—	—	53 lbs.	5.9
NAC3025WPBPG	Glass	1390	½	30	24½	—	—	34 lbs.	4.3
NAC2440WPBPG	Glass	$ 1714	½	24	39⅞	—	—	40 lbs.	4.3
NAC2425WPBPG	Glass	1113	½	24	24½	—	—	27 lbs.	3.4
BACKPAINTED GLASS FOR USE WITH 46" HIGH WALL PANELS									
NAC6034WPBPG	Glass	$ 3054	½	60	33½	—	—	84 lbs.	7.6
NAC6019WPBPG	Glass	1857	½	60	18⅜	—	—	54 lbs.	6.7
NAC5434WPBPG	Glass	$ 2982	½	54	33½	—	—	82 lbs.	6.5
NAC5419WPBPG	Glass	1785	½	54	18⅜	—	—	45 lbs.	5.3
NAC4834WPBPG	Glass	$ 2911	½	48	33½	—	—	66 lbs.	5.9
NAC4819WPBPG	Glass	1714	½	48	18⅜	—	—	43 lbs.	5.3
NAC4234WPBPG	Glass	$ 2548	½	41⁵⁄₁₆	33½	—	—	60 lbs.	5.9
NAC4219WPBPG	Glass	1498	½	41⁵⁄₁₆	18⅜	—	—	35 lbs.	4.0
NAC3634WPBPG	Glass	$ 2182	½	36	33½	—	—	50 lbs.	4.7
NAC3619WPBPG	Glass	1284	½	36	18⅜	—	—	30 lbs.	3.4
NAC3034WPBPG	Glass	$ 1821	½	30	33½	—	—	43 lbs.	4.7
NAC3019WPBPG	Glass	1070	½	30	18⅜	—	—	26 lbs.	3.4
NAC2434WPBPG	Glass	$ 1456	½	24	33½	—	—	33 lbs.	3.4
NAC2419WPBPG	Glass	855	½	24	18⅜	—	—	20 lbs.	2.5

• Attachment Z-clips included to attach to Tessera Wall

TESSERA

PRODUCT SPECIFICATIONS

- Each horizontal shelf has a maximum weight limit: 24" - 45 lbs. and 10 additional lbs. per 6" (ex: 120" - 205 lbs. maximum)
- Shelves are mounted to the wall panels (sold separately); shelves sold with mounting brackets
- Shelves can be mounted horizontally in 12" increments on the wall panels
- 59" wall panels allow 4 rows of shelves, and the 52" and 46" wall panels allow 3 row of shelves
- Shelves must be the same size or smaller than the overall width of the wall panels

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color (laminate models)
3. Finish (wood models)

SAMPLE MODEL NUMBERS:

59N120SHW TF
59N120SHL 405

• See pages 157-159 for all options available in Tessera

SHELF



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
59N120SHW	Wood	$ 1294	10	119 15/16	1 3/16	–	–	90 lbs.	4.7
59N120SHL	Laminate	851	10	119 15/16	1 3/16	–	–	90 lbs.	4.7
59N114SHW	Wood	$ 1266	10	113 15/16	1 3/16	–	–	81 lbs.	4.5
59N114SHL	Laminate	823	10	113 15/16	1 3/16	–	–	81 lbs.	4.5
59N108SHW	Wood	$ 1236	10	107 15/16	1 3/16	–	–	73 lbs.	4.2
59N108SHL	Laminate	792	10	107 15/16	1 3/16	–	–	73 lbs.	4.2
59N102SHW	Wood	$ 1206	10	101 15/16	1 3/16	–	–	66 lbs.	4.0
59N102SHL	Laminate	761	10	101 15/16	1 3/16	–	–	66 lbs.	4.0
59N96SHW	Wood	$ 1177	10	95 15/16	1 3/16	–	–	38 lbs.	3.8
59N96SHL	Laminate	733	10	95 15/16	1 3/16	–	–	38 lbs.	3.8
59N90SHW	Wood	$ 1146	10	89 15/16	1 3/16	–	–	36 lbs.	3.6
59N90SHL	Laminate	702	10	89 15/16	1 3/16	–	–	36 lbs.	3.6
59N84SHW	Wood	$ 1117	10	83 15/16	1 3/16	–	–	33 lbs.	3.3
59N84SHL	Laminate	674	10	83 15/16	1 3/16	–	–	33 lbs.	3.3
59N78SHW	Wood	$ 1087	10	77 15/16	1 3/16	–	–	31 lbs.	3.1
59N78SHL	Laminate	644	10	77 15/16	1 3/16	–	–	31 lbs.	3.1
59N72SHW	Wood	$ 1057	10	71 15/16	1 3/16	–	–	29 lbs.	2.9
59N72SHL	Laminate	614	10	71 15/16	1 3/16	–	–	29 lbs.	2.9
59N66SHW	Wood	$ 1030	10	65 15/16	1 3/16	–	–	27 lbs.	2.7
59N66SHL	Laminate	584	10	65 15/16	1 3/16	–	–	27 lbs.	2.7

- Shelves are 10" deep
- Shelf needs to be same size or smaller than the wall panel unless the shelf is spanning across more than 1 wall panel (Ex: 48" and 36" wall panels use an 84" shelf. Do not use a 48" and 36" shelf)
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on laminate shelves wider than 96"

PRODUCT SPECIFICATIONS

- Each horizontal shelf has a maximum weight limit: 24" - 45 lbs. and 10 additional lbs. per 6" (ex: 120" - 205 lbs. maximum)
- Shelves are mounted to the wall panels (sold separately); shelves sold with mounting brackets
- Shelves can be mounted horizontally in 12" increments on the wall panels
- 59" wall panels allow 4 rows of shelves, and the 52" and 46" wall panels allow 3 row of shelves
- Shelves must be the same size or smaller than the overall width of the wall panels

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color (laminate models)
3. Finish (wood models)

SAMPLE MODEL NUMBERS:

59N60SHW TF
59N60SHL 405

• See pages 157-159 for all options available in Tessera

SHELF (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
59N60SHW	Wood	$ 1000	10	59 15/16	1 3/16	—	—	25 lbs.	2.5
59N60SHL	Laminate	554	10	59 15/16	1 3/16	—	—	25 lbs.	2.5
59N54SHW	Wood	$ 970	10	53 15/16	1 3/16	—	—	22 lbs.	2.2
59N54SHL	Laminate	526	10	53 15/16	1 3/16	—	—	22 lbs.	2.2
59N48SHW	Wood	$ 938	10	47 15/16	1 3/16	—	—	20 lbs.	2.0
59N48SHL	Laminate	496	10	47 15/16	1 3/16	—	—	20 lbs.	2.0
59N42SHW	Wood	$ 909	10	41 15/16	1 3/16	—	—	18 lbs.	1.8
59N42SHL	Laminate	465	10	41 15/16	1 3/16	—	—	18 lbs.	1.8
59N36SHW	Wood	$ 882	10	35 15/16	1 3/16	—	—	16 lbs.	1.6
59N36SHL	Laminate	437	10	35 15/16	1 3/16	—	—	16 lbs.	1.6
59N30SHW	Wood	$ 851	10	29 15/16	1 3/16	—	—	13 lbs.	1.3
59N30SHL	Laminate	406	10	29 15/16	1 3/16	—	—	13 lbs.	1.3
59N24SHW	Wood	$ 823	10	23 15/16	1 3/16	—	—	11 lbs.	1.1
59N24SHL	Laminate	378	10	23 15/16	1 3/16	—	—	11 lbs.	1.1
59N20SHW	Wood	$ 795	10	20	1 3/16	—	—	10 lbs.	1.2
59N20SHL	Laminate	352	10	20	1 3/16	—	—	10 lbs.	1.2
59N18SHW	Wood	$ 769	10	18	1 3/16	—	—	9 lbs.	1.1
59N18SHL	Laminate	326	10	18	1 3/16	—	—	9 lbs.	1.1

- Shelves are 10" deep
- Shelf needs to be same size or smaller than the wall panel unless the shelf is spanning across more than 1 wall panel (Ex: 48" and 36" wall panels use an 84" shelf. Do not use a 48" and 36" shelf)
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves

TESSERA

PRODUCT SPECIFICATIONS

- Each horizontal shelf has a maximum weight limit: 24" - 45 lbs. and 10 additional lbs. per 6" (ex: 120" - 205 lbs. maximum)
- Shelves are mounted to the wall panels (sold separately); shelves sold with mounting brackets
- Shelves can be mounted horizontally in 12" increments on the wall panels
- 59" wall panels allow 4 rows of shelves, and the 52" and 46" wall panels allow 3 row of shelves
- Shelves must be the same size or smaller than the overall width of the wall panels

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color (laminate models)
3. Finish (wood models)

SAMPLE MODEL NUMBERS:

59N120SHTW TF
59N120SHTL 405

• See pages 157-159 for all options available in Tessera

LIGHTED SHELF



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
59N120SHTW	Wood	$ 1664	10	119 15/16	1 3/16	–	–	90 lbs.	4.7
59N120SHTL	Laminate	1221	10	119 15/16	1 3/16	–	–	90 lbs.	4.7
59N114SHTW	Wood	$ 1636	10	113 15/16	1 3/16	–	–	81 lbs.	4.5
59N114SHTL	Laminate	1190	10	113 15/16	1 3/16	–	–	81 lbs.	4.5
59N108SHTW	Wood	$ 1608	10	109 15/16	1 3/16	–	–	73 lbs.	4.2
59N108SHTL	Laminate	1163	10	109 15/16	1 3/16	–	–	73 lbs.	4.2
59N102SHTW	Wood	$ 1576	10	101 15/16	1 3/16	–	–	66 lbs.	4.0
59N102SHTL	Laminate	1133	10	101 15/16	1 3/16	–	–	66 lbs.	4.0
59N96SHTW	Wood	$ 1546	10	95 15/16	1 3/16	–	–	38 lbs.	3.8
59N96SHTL	Laminate	1103	10	95 15/16	1 3/16	–	–	38 lbs.	3.8
59N90SHTW	Wood	$ 1517	10	89 15/16	1 3/16	–	–	36 lbs.	3.6
59N90SHTL	Laminate	1073	10	89 15/16	1 3/16	–	–	36 lbs.	3.6
59N84SHTW	Wood	$ 1486	10	83 15/16	1 3/16	–	–	33 lbs.	3.3
59N84SHTL	Laminate	1043	10	83 15/16	1 3/16	–	–	33 lbs.	3.3
59N78SHTW	Wood	$ 1459	10	77 15/16	1 3/16	–	–	31 lbs.	3.1
59N78SHTL	Laminate	1013	10	77 15/16	1 3/16	–	–	31 lbs.	3.1
59N72SHTW	Wood	$ 1428	10	71 15/16	1 3/16	–	–	29 lbs.	2.9
59N72SHTL	Laminate	983	10	71 15/16	1 3/16	–	–	29 lbs.	2.9
59N66SHTW	Wood	$ 1398	10	65 15/16	1 3/16	–	–	27 lbs.	2.7
59N66SHTL	Laminate	955	10	65 15/16	1 3/16	–	–	27 lbs.	2.7

- Shelves are 10" deep
- Shelf needs to be same size or smaller than the wall panel unless the shelf is spanning across more than 1 wall panel (Ex: 48" and 36" wall panels use an 84" shelf. Do not use a 48" and 36" shelf)
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- LED light strips are recessed on the bottom side of the shelf
- NACLTKA3 must be ordered separately to turn on the shelf kits; reference page 276
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on laminate shelves wider than 96"

PRODUCT SPECIFICATIONS

- Each horizontal shelf has a maximum weight limit: 24" - 45 lbs. and 10 additional lbs. per 6" (ex: 120" - 205 lbs. maximum)
- Shelves are mounted to the wall panels (sold separately); shelves sold with mounting brackets
- Shelves can be mounted horizontally in 12" increments on the wall panels
- 59" wall panels allow 4 rows of shelves, and the 52" and 46" wall panels allow 3 row of shelves
- Shelves must be the same size or smaller than the overall width of the wall panels

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color (laminate models)
3. Finish (wood models)

SAMPLE MODEL NUMBERS:

59N60SHTW TF
59N60SHTL 405

• See pages 157-159 for all options available in Tessera

LIGHTED SHELF (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
59N60SHTW	Wood	$ 1370	10	59 15/16	1 3/16	—	—	25 lbs.	2.5
59N60SHTL	Laminate	926	10	59 15/16	1 3/16	—	—	25 lbs.	2.5
59N54SHTW	Wood	$ 1339	10	53 15/16	1 3/16	—	—	22 lbs.	2.2
59N54SHTL	Laminate	895	10	53 15/16	1 3/16	—	—	22 lbs.	2.2
59N48SHTW	Wood	$ 1309	10	47 15/16	1 3/16	—	—	20 lbs.	2.0
59N48SHTL	Laminate	867	10	47 15/16	1 3/16	—	—	20 lbs.	2.0
59N42SHTW	Wood	$ 1280	10	41 15/16	1 3/16	—	—	18 lbs.	1.8
59N42SHTL	Laminate	835	10	41 15/16	1 3/16	—	—	18 lbs.	1.8
59N36SHTW	Wood	$ 1250	10	35 15/16	1 3/16	—	—	16 lbs.	1.6
59N36SHTL	Laminate	804	10	35 15/16	1 3/16	—	—	16 lbs.	1.6
59N30SHTW	Wood	$ 1221	10	29 15/16	1 3/16	—	—	13 lbs.	1.3
59N30SHTL	Laminate	778	10	29 15/16	1 3/16	—	—	13 lbs.	1.3
59N24SHTW	Wood	$ 1190	10	23 15/16	1 3/16	—	—	11 lbs.	1.1
59N24SHTL	Laminate	748	10	23 15/16	1 3/16	—	—	11 lbs.	1.1
59N20SHTW	Wood	$ 1082	10	20	1 3/16	—	—	10 lbs.	1.2
59N20SHTL	Laminate	640	10	20	1 3/16	—	—	10 lbs.	1.2
59N18SHTW	Wood	$ 1057	10	18	1 3/16	—	—	9 lbs.	1.1
59N18SHTL	Laminate	614	10	18	1 3/16	—	—	9 lbs.	1.1

- Shelves are 10" deep
- Shelf needs to be same size or smaller than the wall panel unless the shelf is spanning across more than 1 wall panel (Ex: 48" and 36" wall panels use an 84" shelf. Do not use a 48" and 36" shelf)
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- LED light strips are recessed on the bottom side of the shelf
- NACLTKA3 must be ordered separately to turn on the shelf kits; reference page 276

TESSERA

PRODUCT SPECIFICATIONS

- Each angled shelf has a maximum weight limit: 18" - 27 lbs. and 9 lbs. per 6" (ex: 72" - 108 lbs. maximum)
- Shelves are mounted to the wall panels (sold separately); shelves sold with mounting brackets
- Shelves can be mounted horizontally in 12" increments on the wall panels
- 59" wall panels allow 4 rows of shelves, and the 52" and 46" wall panels allow 3 row of shelves
- Shelves must be the same size or smaller than the overall width of the wall panels

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color (laminate models)
3. Finish (wood models)

SAMPLE MODEL NUMBERS:

59N72SHAW TF
59N72SHAL 405

• See pages 157-159 for all options available in Tessera

ANGLED SHELF



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
59N72SHAW	Wood	$ 1755	9¾	71 15/16	12¼			65 lbs.	5.9
59N72SHAL	Laminate	1223	9¾	71 15/16	12¼			65 lbs.	5.9
59N66SHAW	Wood	$ 1726	9¾	66 15/16	12¼			60 lbs.	5.5
59N66SHAL	Laminate	1196	9¾	66 15/16	12¼			60 lbs.	5.5
59N60SHAW	Wood	$ 1695	9¾	59 15/16	12¼			55 lbs.	5.0
59N60SHAL	Laminate	1165	9¾	59 15/16	12¼			55 lbs.	5.0
59N54SHAW	Wood	$ 1667	9¾	53 15/16	12¼			50 lbs.	4.6
59N54SHAL	Laminate	1137	9¾	53 15/16	12¼			50 lbs.	4.6
59N48SHAW	Wood	$ 1637	9¾	47 15/16	12¼			45 lbs.	4.1
59N48SHAL	Laminate	1107	9¾	47 15/16	12¼			45 lbs.	4.1
59N42SHAW	Wood	$ 1608	9¾	41 15/16	12¼			40 lbs.	3.7
59N42SHAL	Laminate	1077	9¾	41 15/16	12¼			40 lbs.	3.7
59N36SHAW	Wood	$ 1577	9¾	35 15/16	12¼			35 lbs.	3.2
59N36SHAL	Laminate	1046	9¾	35 15/16	12¼			35 lbs.	3.2
59N30SHAW	Wood	$ 1547	9¾	29 15/16	12¼			30 lbs.	2.8
59N30SHAL	Laminate	1015	9¾	29 15/16	12¼			30 lbs.	2.8
59N24SHAW	Wood	$ 1518	9¾	23 15/16	12¼			25 lbs.	2.3
59N24SHAL	Laminate	989	9¾	23 15/16	12¼			25 lbs.	2.3
59N20SHAW	Wood	$ 1493	9¾	19 15/16	12¼			22 lbs.	2.0
59N20SHAL	Laminate	963	9¾	19 15/16	12¼			22 lbs.	2.0
59N18SHAW	Wood	$ 1489	9¾	17 15/16	12¼			20 lbs.	1.9
59N18SHAL	Laminate	960	9¾	17 15/16	12¼			20 lbs.	1.9

- Display space is 11½"
- Shelf needs to be same size or smaller than the wall panel unless the shelf is spanning across more than 1 wall panel (Ex: 36" and 36" wall panels use an 72" shelf. Do not use two 36" shelves)
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Angled shelves are at a 45 degree angle

PRODUCT SPECIFICATIONS

- Each angled shelf has a maximum weight limit: 18" - 27 lbs. and 9 lbs. per 6" (ex: 72" - 108 lbs. maximum)
- Shelves are mounted to the wall panels (sold separately); shelves sold with mounting brackets
- Shelves can be mounted horizontally in 12" increments on the wall panels
- 59" wall panels allow 4 rows of shelves, and the 52" and 46" wall panels allow 3 row of shelves
- Shelves must be the same size or smaller than the overall width of the wall panels

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color (laminate models)
3. Finish (wood models)

SAMPLE MODEL NUMBERS:

59N72SHATW TF
59N66SHATL 405

• See pages 157-159 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
LIGHTED ANGLED SHELF	59N72SHATW	Wood	$ 2042	9¾	71 15/16	12¼			65 lbs.	5.9
	59N72SHATL	Laminate	1511	9¾	71 15/16	12¼			65 lbs.	5.9
	59N66SHATW	Wood	$ 2013	9¾	66 15/16	12¼			60 lbs.	5.5
	59N66SHATL	Laminate	1483	9¾	66 15/16	12¼			60 lbs.	5.5
	59N60SHATW	Wood	$ 1982	9¾	59 15/16	12¼			55 lbs.	5.0
	59N60SHATL	Laminate	1452	9¾	59 15/16	12¼			55 lbs.	5.0
	59N54SHATW	Wood	$ 1955	9¾	53 15/16	12¼			50 lbs.	4.6
	59N54SHATL	Laminate	1425	9¾	53 15/16	12¼			50 lbs.	4.6
	59N48SHATW	Wood	$ 1924	9¾	47 15/16	12¼			45 lbs.	4.1
	59N48SHATL	Laminate	1393	9¾	47 15/16	12¼			45 lbs.	4.1
	59N42SHATW	Wood	$ 1894	9¾	41 15/16	12¼			40 lbs.	3.7
	59N42SHATL	Laminate	1363	9¾	41 15/16	12¼			40 lbs.	3.7
	59N36SHATW	Wood	$ 1865	9¾	35 15/16	12¼			35 lbs.	3.2
	59N36SHATL	Laminate	1334	9¾	35 15/16	12¼			35 lbs.	3.2
	59N30SHATW	Wood	$ 1835	9¾	29 15/16	12¼			30 lbs.	2.8
	59N30SHATL	Laminate	1305	9¾	29 15/16	12¼			30 lbs.	2.8
	59N24SHATW	Wood	$ 1805	9¾	23 15/16	12¼			25 lbs.	2.3
	59N24SHATL	Laminate	1276	9¾	23 15/16	12¼			25 lbs.	2.3
	59N20SHATW	Wood	$ 1781	9¾	19 15/16	12¼			22 lbs.	2.0
	59N20SHATL	Laminate	1250	9¾	19 15/16	12¼			22 lbs.	2.0
	59N18SHATW	Wood	$ 1777	9¾	17 15/16	12¼			20 lbs.	1.9
	59N18SHATL	Laminate	1247	9¾	17 15/16	12¼			20 lbs.	1.9

- Display space is 11½"
- Shelf needs to be same size or smaller than the wall panel unless the shelf is spanning across more than 1 wall panel (Ex: 36" and 36" wall panels use an 72" shelf. Do not use two 36" shelves)
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Angled shelves are at a 45 degree angle
- LED light strips are recessed on the bottom side of the shelf
- NACLTKA3 must be ordered separately to turn on the shelf kits; reference page 276

TESSERA

PRODUCT SPECIFICATIONS

- Each horizontal shelf has a maximum weight limit: 24" - 45 lbs. and 10 additional lbs. per 6" (ex: 120" - 205 lbs. maximum)
- Shelves are mounted to the wall panels (sold separately); shelves sold with mounting brackets
- Shelves can be mounted horizontally in 12" increments on the wall panels
- 59" wall panels allow 4 rows of shelves, and the 52" and 46" wall panels allow 3 row of shelves
- Shelves must be the same size or smaller than the overall width of the wall panels

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color (laminate models)
3. Finish (wood models)

SAMPLE MODEL NUMBERS:

59N120SHSKW MH
59N120SHSKL 405

• See pages 157-159 for all options available in Tessera

SLIDING SHELF SET



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
59N120SHSKW	Wood	$ 2220	10	119 15/16	1 3/16	–	–	180 lbs.	6.0
59N120SHSKL	Laminate	1774	10	119 15/16	1 3/16	–	–	180 lbs.	6.0
59N114SHSKW	Wood	$ 2189	10	113 15/16	1 3/16	–	–	162 lbs.	5.7
59N114SHSKL	Laminate	1753	10	113 15/16	1 3/16	–	–	162 lbs.	5.7
59N108SHSKW	Wood	$ 2160	10	107 15/16	1 3/16	–	–	146 lbs.	5.5
59N108SHSKL	Laminate	1728	10	107 15/16	1 3/16	–	–	146 lbs.	5.5
59N102SHSKW	Wood	$ 2131	10	101 15/16	1 3/16	–	–	131 lbs.	5.2
59N102SHSKL	Laminate	1704	10	101 15/16	1 3/16	–	–	131 lbs.	5.2
59N96SHSKW	Wood	$ 2102	10	95 15/16	1 3/16	–	–	49 lbs.	4.9
59N96SHSKL	Laminate	1681	10	95 15/16	1 3/16	–	–	49 lbs.	4.9
59N90SHSKW	Wood	$ 2072	10	89 15/16	1 3/16	–	–	46 lbs.	4.6
59N90SHSKL	Laminate	1658	10	89 15/16	1 3/16	–	–	46 lbs.	4.6
59N84SHSKW	Wood	$ 2042	10	83 15/16	1 3/16	–	–	43 lbs.	4.3
59N84SHSKL	Laminate	1632	10	83 15/16	1 3/16	–	–	43 lbs.	4.3
59N78SHSKW	Wood	$ 2013	10	77 15/16	1 3/16	–	–	40 lbs.	4.0
59N78SHSKL	Laminate	1612	10	77 15/16	1 3/16	–	–	40 lbs.	4.0
59N72SHSKW	Wood	$ 1982	10	71 15/16	1 3/16	–	–	37 lbs.	3.7
59N72SHSKL	Laminate	1586	10	71 15/16	1 3/16	–	–	37 lbs.	3.7
59N66SHSKW	Wood	$ 1955	10	65 15/16	1 3/16	–	–	34 lbs.	3.4
59N66SHSKL	Laminate	1563	10	65 15/16	1 3/16	–	–	34 lbs.	3.4
59N60SHSKW	Wood	$ 1924	10	59 15/16	1 3/16	–	–	32 lbs.	3.2
59N60SHSKL	Laminate	1540	10	59 15/16	1 3/16	–	–	32 lbs.	3.2

- Shelves are 10" deep
- Shelf needs to be same size or smaller than the wall panel unless the shelf is spanning across more than 1 wall panel (Ex: 48" and 36" wall panels use an 84" shelf. Do not use a 48" and 36" shelf)
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Sliding shelf set can only be used with 52" wall panels
- Sliding door panels are ordered separately; reference page 243
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on laminate shelves wider than 96"

PRODUCT SPECIFICATIONS

- Each horizontal shelf has a maximum weight limit: 24" - 45 lbs. and 10 additional lbs. per 6" (ex: 120" - 205 lbs. maximum)
- Shelves are mounted to the wall panels (sold separately); shelves sold with mounting brackets
- Shelves can be mounted horizontally in 12" increments on the wall panels
- 59" wall panels allow 4 rows of shelves, and the 52" and 46" wall panels allow 3 row of shelves
- Shelves must be the same size or smaller than the overall width of the wall panels

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color (laminate models)
3. Finish (wood models)

SAMPLE MODEL NUMBERS:

59N54SHSKW MH
59N54SHSKL 405

• See pages 157-159 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SLIDING SHELF SET (CONTINUED)	59N54SHSKW	Wood	$ 1894	10	53 15/16	1 3/16	—	—	29 lbs.	2.9
	59N54SHSKL	Laminate	1516	10	53 15/16	1 3/16	—	—	29 lbs.	2.9
	59N48SHSKW	Wood	$ 1865	10	47 15/16	1 3/16	—	—	26 lbs.	2.6
	59N48SHSKL	Laminate	1492	10	47 15/16	1 3/16	—	—	26 lbs.	2.6
	59N42SHSKW	Wood	$ 1835	10	41 15/16	1 3/16	—	—	23 lbs.	2.3
	59N42SHSKL	Laminate	1469	10	41 15/16	1 3/16	—	—	23 lbs.	2.3
	59N36SHSKW	Wood	$ 1805	10	35 15/16	1 3/16	—	—	20 lbs.	2.0
	59N36SHSKL	Laminate	1443	10	35 15/16	1 3/16	—	—	20 lbs.	2.0

- Shelves are 10" deep
- Shelf needs to be same size or smaller than the wall panel unless the shelf is spanning across more than 1 wall panel (Ex: 48" and 36" wall panels use an 84" shelf. Do not use a 48" and 36" shelf)
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Sliding shelf set can only be used with 52" wall panels
- Sliding door panels are ordered separately; reference page 243

LIGHTED SLIDING SHELF SET	59N120SHSTW	Wood	$ 2591	10	119 15/16	1 3/16	—	—	180 lbs.	6.0
	59N120SHSTL	Laminate	2147	10	119 15/16	1 3/16	—	—	180 lbs.	6.0
	59N114SHSTW	Wood	$ 2559	10	113 15/16	1 3/16	—	—	162 lbs.	5.7
	59N114SHSTL	Laminate	2122	10	113 15/16	1 3/16	—	—	162 lbs.	5.7
	59N108SHSTW	Wood	$ 2529	10	107 15/16	1 3/16	—	—	146 lbs.	5.5
	59N108SHSTL	Laminate	2099	10	107 15/16	1 3/16	—	—	146 lbs.	5.5
	59N102SHSTW	Wood	$ 2501	10	101 15/16	1 3/16	—	—	131 lbs.	5.2
	59N102SHSTL	Laminate	2075	10	101 15/16	1 3/16	—	—	131 lbs.	5.2
	59N96SHSTW	Wood	$ 2472	10	95 15/16	1 3/16	—	—	49 lbs.	4.9
	59N96SHSTL	Laminate	2050	10	95 15/16	1 3/16	—	—	49 lbs.	4.9

- Shelves are 10" deep
- Shelf needs to be same size or smaller than the wall panel unless the shelf is spanning across more than 1 wall panel (Ex: 48" and 36" wall panels use an 84" shelf. Do not use a 48" and 36" shelf)
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- LED light strips are recessed on the bottom side of the shelf
- NACLTKA3 must be ordered separately to turn on the shelf kits; reference page 276
- Sliding shelf set can only be used with 52" wall panels
- Sliding door panels are ordered separately; reference page 243
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on laminate shelves wider than 96"

TESSERA

PRODUCT SPECIFICATIONS

- Each horizontal shelf has a maximum weight limit: 24" - 45 lbs. and 10 additional lbs. per 6" (ex: 120" - 205 lbs. maximum)
- Shelves are mounted to the wall panels (sold separately); shelves sold with mounting brackets
- Shelves can be mounted horizontally in 12" increments on the wall panels
- 59" wall panels allow 4 rows of shelves, and the 52" and 46" wall panels allow 3 row of shelves
- Shelves must be the same size or smaller than the overall width of the wall panels

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color (laminate models)
3. Finish (wood models)

SAMPLE MODEL NUMBERS:

59N90SHSTW TF
59N90SHSTL 405

• See pages 157-159 for all options available in Tessera

LIGHTED SLIDING SHELF SET (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
59N90SHSTW	Wood	$ 2443	10	89 15/16	1 3/16	–	–	46 lbs.	4.6
59N90SHSTL	Laminate	2026	10	89 15/16	1 3/16	–	–	46 lbs.	4.6
59N84SHSTW	Wood	$ 2412	10	83 15/16	1 3/16	–	–	43 lbs.	4.3
59N84SHSTL	Laminate	2004	10	83 15/16	1 3/16	–	–	43 lbs.	4.3
59N78SHSTW	Wood	$ 2382	10	77 15/16	1 3/16	–	–	40 lbs.	4.0
59N78SHSTL	Laminate	1980	10	77 15/16	1 3/16	–	–	40 lbs.	4.0
59N72SHSTW	Wood	$ 2354	10	71 15/16	1 3/16	–	–	37 lbs.	3.7
59N72SHSTL	Laminate	1957	10	71 15/16	1 3/16	–	–	37 lbs.	3.7
59N66SHSTW	Wood	$ 2322	10	65 15/16	1 3/16	–	–	34 lbs.	3.4
59N66SHSTL	Laminate	1933	10	65 15/16	1 3/16	–	–	34 lbs.	3.4
59N60SHSTW	Wood	$ 2294	10	59 15/16	1 3/16	–	–	32 lbs.	3.2
59N60SHSTL	Laminate	1909	10	59 15/16	1 3/16	–	–	32 lbs.	3.2
59N54SHSTW	Wood	$ 2265	10	53 15/16	1 3/16	–	–	29 lbs.	2.9
59N54SHSTL	Laminate	1885	10	53 15/16	1 3/16	–	–	29 lbs.	2.9
59N48SHSTW	Wood	$ 2234	10	47 15/16	1 3/16	–	–	26 lbs.	2.6
59N48SHSTL	Laminate	1862	10	47 15/16	1 3/16	–	–	26 lbs.	2.6
59N42SHSTW	Wood	$ 2204	10	41 15/16	1 3/16	–	–	23 lbs.	2.3
59N42SHSTL	Laminate	1837	10	41 15/16	1 3/16	–	–	23 lbs.	2.3
59N36SHSTW	Wood	$ 2176	10	35 15/16	1 3/16	–	–	20 lbs.	2.0
59N36SHSTL	Laminate	1815	10	35 15/16	1 3/16	–	–	20 lbs.	2.0

- Shelves are 10" deep
- Shelf needs to be same size or smaller than the wall panel unless the shelf is spanning across more than 1 wall panel (Ex: 48" and 36" wall panels use an 84" shelf. Do not use a 48" and 36" shelf)
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- LED light strips are recessed on the bottom side of the shelf
- NACLTKA3 must be ordered separately to turn on the shelf kits; reference page 276
- Sliding shelf set can only be used with 52" wall panels
- Sliding door panels are ordered separately; reference page 243

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color (laminate models)
3. Finish (wood models)

SAMPLE MODEL NUMBERS:

59N5138DR3SW CW
59N5138DR3SL 488
59N3038DR1SL 462

• See pages 157-159 for all options available in Tessera

SLIDING DOOR SETS



3 SLIDING DOOR SET

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
59N5138DR3SG	Glass	$ 3995	1	51	37	–	–	89 lbs.	3.7
59N5138DR3SW	Wood	1999	1	51	37	–	–	89 lbs.	3.7
59N5138DR3SL	Laminate	888	1	51	37	–	–	89 lbs.	3.7
59N5138DR3SMB	HPL Marker Board	1462	1	51	37	–	–	89 lbs.	3.6

• Brackets included to gang doors if needed



2 SLIDING DOOR SET

59N6038DR2SG	Glass	$ 3685	1	60 3/16	37	–	–	144 lbs.	4.0
59N6038DR2SW	Wood	2164	1	60 3/16	37	–	–	144 lbs.	4.0
59N6038DR2SL	Laminate	1196	1	60 3/16	37	–	–	144 lbs.	4.0
59N6038DR2SMB	HPL Marker Board	1483	1	60 3/16	37	–	–	72 lbs.	4.0
59N4838DR2SG	Glass	$ 2959	1	48	37	–	–	75 lbs.	6.6
59N4838DR2SW	Wood	1627	1	48	37	–	–	75 lbs.	6.6
59N4838DR2SL	Laminate	888	1	48	37	–	–	75 lbs.	6.6
59N4838DR2SMB	HPL Marker Board	1175	1	48 3/16	37	–	–	75 lbs.	3.3
59N3438DR2SG	Glass	$ 2663	1	34	37	–	–	50 lbs.	2.5
59N3438DR2SW	Wood	1332	1	34	37	–	–	50 lbs.	2.5
59N3438DR2SL	Laminate	591	1	34	37	–	–	50 lbs.	2.5
59N3438DR2SMB	HPL Marker Board	878	1	34 3/16	37	–	–	50 lbs.	2.5

• Sliding roller hardware included
• Doors will only work with the sliding shelf sets and 52" wall panels



1 SLIDING DOOR

59N3038DR1SG	Glass	$ 1878	1	30	37	–	–	72 lbs.	2.3
59N3038DR1SW	Wood	1153	1	30	37	–	–	72 lbs.	2.3
59N3038DR1SL	Laminate	741	1	30	37	–	–	72 lbs.	2.3
59N3038DR1SMB	HPL Marker Board	1030	1	30	37	–	–	72 lbs.	2.3
59N2438DR1SG	Glass	$ 1554	1	24	37	–	–	66 lbs.	3.3
59N2438DR1SW	Wood	888	1	24	37	–	–	66 lbs.	3.3
59N2438DR1SL	Laminate	519	1	24	37	–	–	66 lbs.	3.3
59N2438DR1SMB	HPL Marker Board	804	1	24	37	–	–	66 lbs.	2.0
59N1738DR1SG	Glass	$ 1332	1	17	37	–	–	30 lbs.	1.5
59N1738DR1SW	Wood	667	1	17	37	–	–	30 lbs.	1.5
59N1738DR1SL	Laminate	296	1	17	37	–	–	30 lbs.	1.5
59N1738DR1SMB	HPL Marker Board	583	1	17	37	–	–	30 lbs.	1.5

• Sliding roller hardware included
• Doors will only work with the sliding shelf sets and 52" wall panels

TESSERA

PRODUCT SPECIFICATIONS

- All wall mount units have an unfinished back
- National will not be liable for wall mount cabinets that are not properly installed

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Accent Laminate Color (sliding doors)
5. Drawer/Door Fronts (laminate models)
6. Laminate Color (laminate models)
7. Veneer Finish (wood models)

SAMPLE MODEL NUMBERS:

59N9024SOS3MW 92MB KRB CW
59N6024SOSL2ML 92MB KRB 488 CW CW

- See pages 157-159 for all options available in Tessera

OVERHEAD WALL MOUNT WITH FILING



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
59N9024SOS3MGW	Glass/Wood	$ 5143	14⅝	89¹⁵⁄₁₆	24	–	–	162 lbs.	28.3
59N9024SOS3MGL	Glass/Laminate	3687	14⅝	89¹⁵⁄₁₆	24	–	–	162 lbs.	28.3
59N9024SOS3MW	Wood	3956	15¼	89¹⁵⁄₁₆	24	–	–	162 lbs.	28.3
59N9024SOS3MLW	Laminate/Wood	4073	15¼	89¹⁵⁄₁₆	24	–	–	162 lbs.	28.3
59N9024SOS3ML	Laminate	2631	15¼	89¹⁵⁄₁₆	24	–	–	162 lbs.	28.3
59N7224SOS3MGW	Glass/Wood	$ 4447	14⅝	71¹⁵⁄₁₆	24	–	–	131 lbs.	22.9
59N7224SOS3MGL	Glass/Laminate	3114	14⅝	71¹⁵⁄₁₆	24	–	–	131 lbs.	22.9
59N7224SOS3MW	Wood	3707	15¼	71¹⁵⁄₁₆	24	–	–	131 lbs.	22.9
59N7224SOS3MLW	Laminate/Wood	3818	15¼	71¹⁵⁄₁₆	24	–	–	131 lbs.	22.9
59N7224SOS3ML	Laminate	2396	15¼	71¹⁵⁄₁₆	24	–	–	131 lbs.	22.9
59N6024SOS3MGW	Glass/Wood	$ 4150	14⅝	60	24	–	–	110 lbs.	19.4
59N6024SOS3MGL	Glass/Laminate	2808	14⅝	60	24	–	–	110 lbs.	19.4
59N6024SOS3MW	Wood	3457	15¼	60	24	–	–	110 lbs.	19.4
59N6024SOS3MLW	Laminate/Wood	3561	15¼	60	24	–	–	110 lbs.	19.4
59N6024SOS3ML	Laminate	2160	15¼	60	24	–	–	110 lbs.	19.4

- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Features 2 accent sliding doors
- No pull on glass doors
- Wall mount bracket for attachment to architectural wall or wall panel is included
- It is recommended that each overhead cabinet be secured by a minimum of 2 mounting locations (studs)
- For tack board options to put behind the sliding doors, see pages 413-418
- Letter filing front-to-back only
- The two bottom panels are considered fronts, and can be selected separately from the chassis. The sliding doors are selected separately using the accent sliding door laminate option

OVERHEAD WALL MOUNT WITH FILING



Left shown

LEFT	RIGHT		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
59N6024SOSL2MGW	59N6024SOSR2MGW	Glass/Wood	$ 4150	14⅝	60	24	–	–	105 lbs.	19.4
59N6024SOSL2MGL	59N6024SOSR2MGL	Glass/Lam	2808	14⅝	60	24	–	–	105 lbs.	19.4
59N6024SOSL2MW	59N6024SOSR2MW	Wood	3457	15¼	60	24	–	–	105 lbs.	19.4
59N6024SOSL2MLW	59N6024SOSR2MLW	Lam/Wood	3561	15¼	60	24	–	–	105 lbs.	19.4
59N6024SOSL2ML	59N6024SOSR2ML	Laminate	2160	15¼	60	24	–	–	105 lbs.	19.4
59N4824SOSL2MGW	59N4824SOSR2MGW	Glass/Wood	$ 3852	14⅝	48¹⁄₁₆	24	–	–	89 lbs.	15.8
59N4824SOSL2MGL	59N4824SOSR2MGL	Glass/Lam	2501	14⅝	48¹⁄₁₆	24	–	–	89 lbs.	15.8
59N4824SOSL2MW	59N4824SOSR2MW	Wood	3210	15¼	48¹⁄₁₆	24	–	–	89 lbs.	15.8
59N4824SOSL2MLW	59N4824SOSR2MLW	Lam/Wood	3306	15¼	48¹⁄₁₆	24	–	–	89 lbs.	15.8
59N4824SOSL2ML	59N4824SOSR2ML	Laminate	1924	15¼	48¹⁄₁₆	24	–	–	89 lbs.	15.8

- Left or right designates where the sliding door is in the locked position
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Features 1 accent sliding door
- No pull on glass doors
- Wall mount bracket for attachment to architectural wall or wall panel is included
- It is recommended that each overhead cabinet be secured by a minimum of 2 mounting locations (studs)
- Letter filing front-to-back only
- The two bottom panels are considered fronts, and can be selected separately from the chassis. The sliding doors are selected separately using the accent sliding door laminate option

PRODUCT SPECIFICATIONS

- All wall mount units have an unfinished back
- National will not be liable for wall mount cabinets that are not properly installed

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Accent Laminate Color (sliding doors)
5. Drawer/Door Fronts (laminate models)
6. Laminate Color (laminate models)
7. Veneer Finish (wood models)

SAMPLE MODEL NUMBERS:

59N9018SOS3ML 92MB KS2B 488 461 CW
59N6018SOS3MW 92MB KS1B CW

• See pages 157-159 for all options available in Tessera

OVERHEAD BINDER STORAGE WALL MOUNT



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
59N9018SOS3MGW	Glass/Wood	$ 4201	14⅜	89¹⁵⁄₁₆	18	–	–	126 lbs.	22.1
59N9018SOS3MGL	Glass/Laminate	3011	14⅜	89¹⁵⁄₁₆	18	–	–	126 lbs.	22.1
59N9018SOS3MW	Wood	3233	15¼	89¹⁵⁄₁₆	18	–	–	126 lbs.	22.1
59N9018SOS3MLW	Laminate/Wood	3330	15¼	89¹⁵⁄₁₆	18	–	–	126 lbs.	22.1
59N9018SOS3ML	Laminate	2152	15¼	89¹⁵⁄₁₆	18	–	–	126 lbs.	22.1
59N8418SOS3MGW	Glass/Wood	$ 3981	14⅜	83¹³⁄₁₆	18	–	–	120 lbs.	20.7
59N8418SOS3MGL	Glass/Laminate	2841	14⅜	83¹³⁄₁₆	18	–	–	120 lbs.	20.7
59N8418SOS3MW	Wood	3185	15¼	83¹³⁄₁₆	18	–	–	120 lbs.	20.7
59N8418SOS3MLW	Laminate/Wood	3277	15¼	83¹³⁄₁₆	18	–	–	120 lbs.	20.7
59N8418SOS3ML	Laminate	2103	15¼	83¹³⁄₁₆	18	–	–	115 lbs.	20.7
59N7818SOS3MGW	Glass/Wood	$ 3761	14⅜	77¹³⁄₁₆	18	–	–	115 lbs.	19.4
59N7818SOS3MGL	Glass/Laminate	2671	14⅜	77¹³⁄₁₆	18	–	–	115 lbs.	19.4
59N7818SOS3MW	Wood	3134	15¼	77¹³⁄₁₆	18	–	–	115 lbs.	19.4
59N7818SOS3MLW	Laminate/Wood	3223	15¼	77¹³⁄₁₆	18	–	–	115 lbs.	19.4
59N7818SOS3ML	Laminate	2053	15¼	77¹³⁄₁₆	18	–	–	115 lbs.	19.4
59N7218SOS3MGW	Glass/Wood	$ 3634	14⅜	71¹⁵⁄₁₆	18	–	–	103 lbs.	18.0
59N7218SOS3MGL	Glass/Laminate	2547	14⅜	71¹⁵⁄₁₆	18	–	–	103 lbs.	18.0
59N7218SOS3MW	Wood	3028	15¼	71¹⁵⁄₁₆	18	–	–	103 lbs.	18.0
59N7218SOS3MLW	Laminate/Wood	3119	15¼	71¹⁵⁄₁₆	18	–	–	103 lbs.	18.0
59N7218SOS3ML	Laminate	1959	15¼	71¹⁵⁄₁₆	18	–	–	103 lbs.	18.0
59N6618SOS3MGW	Glass/Wood	$ 3516	14⅜	65¹³⁄₁₆	18	–	–	95 lbs.	16.6
59N6618SOS3MGL	Glass/Laminate	2419	14⅜	65¹³⁄₁₆	18	–	–	95 lbs.	16.6
59N6618SOS3MW	Wood	2932	15¼	65¹³⁄₁₆	18	–	–	95 lbs.	16.6
59N6618SOS3MLW	Laminate/Wood	3016	15¼	65¹³⁄₁₆	18	–	–	95 lbs.	16.6
59N6618SOS3ML	Laminate	1862	15¼	65¹³⁄₁₆	18	–	–	95 lbs.	16.6
59N6018SOS3MGW	Glass/Wood	$ 3390	14⅜	60	18	–	–	86 lbs.	15.2
59N6018SOS3MGL	Glass/Laminate	2294	14⅜	60	18	–	–	86 lbs.	15.2
59N6018SOS3MW	Wood	2826	15¼	60	18	–	–	86 lbs.	15.2
59N6018SOS3MLW	Laminate/Wood	2911	15¼	60	18	–	–	86 lbs.	15.2
59N6018SOS3ML	Laminate	1764	15¼	60	18	–	–	86 lbs.	15.2

- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Features 2 accent sliding doors
- No pull on glass doors
- Wall mount bracket for attachment to architectural wall or wall panel is included
- It is recommended that each overhead cabinet be secured by a minimum of 2 mounting locations (studs)

TESSERA

PRODUCT SPECIFICATIONS

- All wall mount units have an unfinished back
- National will not be liable for wall mount cabinets that are not properly installed

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Accent Laminate Color (sliding doors)
5. Drawer/Door Fronts (laminate models)
6. Laminate Color (laminate models)
7. Veneer Finish (wood models)

SAMPLE MODEL NUMBER:

59N6018SOSR2MW 92MB KS1B CW

• See pages 157-159 for all options available in Tessera

OVERHEAD BINDER STORAGE WALL MOUNT



Right shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
LEFT	RIGHT									
59N6018SOSL2MGW	59N6018SOSR2MGW	Glass/Wood	$ 3390	14⅝	60	18	–	–	81 lbs.	15.2
59N6018SOSL2MGL	59N6018SOSR2MGL	Glass/Lam	2294	14⅝	60	18	–	–	81 lbs.	15.2
59N6018SOSL2MW	59N6018SOSR2MW	Wood	2826	15¼	60	18	–	–	81 lbs.	15.2
59N6018SOSL2MLW	59N6018SOSR2MLW	Lam/Wood	2911	15¼	60	18	–	–	81 lbs.	15.2
59N6018SOSL2ML	59N6018SOSR2ML	Laminate	1764	15¼	60	18	–	–	81 lbs.	15.2
59N5418SOSL2MGW	59N5418SOSR2MGW	Glass/Wood	$ 3266	14⅝	53¾	18	–	–	80 lbs.	13.8
59N5418SOSL2MGL	59N5418SOSR2MGL	Glass/Lam	2169	14⅝	53¾	18	–	–	80 lbs.	13.8
59N5418SOSL2MW	59N5418SOSR2MW	Wood	2721	15¼	53¾	18	–	–	80 lbs.	13.8
59N5418SOSL2MLW	59N5418SOSR2MLW	Lam/Wood	2806	15¼	53¾	18	–	–	80 lbs.	13.8
59N5418SOSL2ML	59N5418SOSR2ML	Laminate	1669	15¼	53¾	18	–	–	80 lbs.	13.8
59N4818SOSL2MGW	59N4818SOSR2MGW	Glass/Wood	$ 3148	14⅝	48¹⁄₁₆	18	–	–	70 lbs.	12.4
59N4818SOSL2MGL	59N4818SOSR2MGL	Glass/Lam	2043	14⅝	48¹⁄₁₆	18	–	–	70 lbs.	12.4
59N4818SOSL2MW	59N4818SOSR2MW	Wood	2622	15¼	48¹⁄₁₆	18	–	–	70 lbs.	12.4
59N4818SOSL2MLW	59N4818SOSR2MLW	Lam/Wood	2701	15¼	48¹⁄₁₆	18	–	–	70 lbs.	12.4
59N4818SOSL2ML	59N4818SOSR2ML	Laminate	1572	15¼	48¹⁄₁₆	18	–	–	70 lbs.	12.4
59N4218SOSL2MGW	59N4218SOSR2MGW	Glass/Wood	$ 3024	14⅝	41¾	18	–	–	60 lbs.	11.0
59N4218SOSL2MGL	59N4218SOSR2MGL	Glass/Lam	1917	14⅝	41¾	18	–	–	60 lbs.	11.0
59N4218SOSL2MW	59N4218SOSR2MW	Wood	2518	15¼	41¾	18	–	–	60 lbs.	11.0
59N4218SOSL2MLW	59N4218SOSR2MLW	Lam/Wood	2596	15¼	41¾	18	–	–	60 lbs.	11.0
59N4218SOSL2ML	59N4218SOSR2ML	Laminate	1476	15¼	41¾	18	–	–	60 lbs.	11.0

- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Features 1 accent sliding door
- No pull on glass doors
- Wall mount bracket for attachment to architectural wall or wall panel is included
- It is recommended that each overhead cabinet be secured by a minimum of 2 mounting locations (studs)

PRODUCT SPECIFICATIONS

- All wall mount units have an unfinished back
- National will not be liable for wall mount cabinets that are not properly installed

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color (laminate models)
3. Veneer Finish (wood models)

SAMPLE MODEL NUMBERS:

59N3618SOO1MW MC
59N3618SOO1ML AC2

• See pages 157-159 for all options available in Tessera

OVERHEAD BINDER STORAGE - OPEN WALL MOUNT



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
59N3618SOO1MW	Wood	$ 2376	13⅞		18	—	—	45 lbs.	10.7
59N3618SOO1ML	Laminate	1339	13⅞		18	—	—	45 lbs.	10.7
59N3018SOO1MW	Wood	$ 2272	13⅞	30⅛	18	—	—	58 lbs.	9.2
59N3018SOO1ML	Laminate	1243	13⅞	30⅛	18	—	—	58 lbs.	9.2
59N2418SOO1MW	Wood	$ 2212	13⅞	24	18	—	—	48 lbs.	7.6
59N2418SOO1ML	Laminate	1184	13⅞	24	18	—	—	48 lbs.	7.6
59N2018SOO1MW	Wood	$ 2178	13⅞	20	18	—	—	41 lbs.	6.6
59N2018SOO1ML	Laminate	1148	13⅞	20	18	—	—	41 lbs.	6.6

- Specify finish or laminate only
- Wall mount bracket for attachment to architectural wall or wall panel is included
- It is recommended that each overhead cabinet be secured by a minimum of 2 mounting locations (studs)

TESSERA

PRODUCT SPECIFICATIONS

- All wall mount units have an unfinished back
- National will not be liable for wall mount cabinets that are not properly installed

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Accent Laminate Color (sliding doors)
5. Laminate Color (laminate models)
6. Veneer Finish (wood models)

SAMPLE MODEL NUMBERS:

59N9012SOS3MW 92MB KRB TF
59N9012SOS3ML 92MB KRB 461 TF

- See pages 157-159 for all options available in Tessera

OVERHEAD STORAGE WALL MOUNT





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
59N9012SOS3MGW	Glass/Wood	$ 3992	14⅝	89¹⁵⁄₁₆	11½	–	–	86 lbs.	15.5
59N9012SOS3MGL	Glass/Laminate	2925	14⅝	89¹⁵⁄₁₆	11½	–	–	86 lbs.	15.5
59N9012SOS3MW	Wood	3070	15¼	89¹⁵⁄₁₆	11½	–	–	86 lbs.	15.5
59N9012SOS3MLW	Laminate/Wood	3164	15¼	89¹⁵⁄₁₆	11½	–	–	86 lbs.	15.5
59N9012SOS3ML	Laminate	2089	15¼	89¹⁵⁄₁₆	11½	–	–	86 lbs.	15.5
59N8412SOS3MGW	Glass/Wood	$ 3665	14⅝	83¹³⁄₁₆	11½	–	–	80 lbs.	14.5
59N8412SOS3MGL	Glass/Laminate	2633	14⅝	83¹³⁄₁₆	11½	–	–	80 lbs.	14.5
59N8412SOS3MW	Wood	2921	15¼	83¹³⁄₁₆	11½	–	–	80 lbs.	14.5
59N8412SOS3MLW	Laminate/Wood	3007	15¼	83¹³⁄₁₆	11½	–	–	80 lbs.	14.5
59N8412SOS3ML	Laminate	1946	15¼	83¹³⁄₁₆	11½	–	–	80 lbs.	14.5
59N7812SOS3MGW	Glass/Wood	$ 3444	14⅝	77¹³⁄₁₆	11½	–	–	75 lbs.	13.6
59N7812SOS3MGL	Glass/Laminate	2464	14⅝	77¹³⁄₁₆	11½	–	–	75 lbs.	13.6
59N7812SOS3MW	Wood	2870	15¼	77¹³⁄₁₆	11½	–	–	75 lbs.	13.6
59N7812SOS3MLW	Laminate/Wood	2954	15¼	77¹³⁄₁₆	11½	–	–	75 lbs.	13.6
59N7812SOS3ML	Laminate	1898	15¼	77¹³⁄₁₆	11½	–	–	75 lbs.	13.6
59N7212SOS3MGW	Glass/Wood	$ 3318	14⅝	71¹³⁄₁₆	11½	–	–	72 lbs.	12.6
59N7212SOS3MGL	Glass/Laminate	2339	14⅝	71¹³⁄₁₆	11½	–	–	72 lbs.	12.6
59N7212SOS3MW	Wood	2765	15¼	71¹³⁄₁₆	11½	–	–	72 lbs.	12.6
59N7212SOS3MLW	Laminate/Wood	2848	15¼	71¹³⁄₁₆	11½	–	–	72 lbs.	12.6
59N7212SOS3ML	Laminate	1802	15¼	71¹³⁄₁₆	11½	–	–	72 lbs.	12.6
59N6612SOS3MGW	Glass/Wood	$ 3199	14⅝	65¹³⁄₁₆	11½	–	–	70 lbs.	11.6
59N6612SOS3MGL	Glass/Laminate	2214	14⅝	65¹³⁄₁₆	11½	–	–	70 lbs.	11.6
59N6612SOS3MW	Wood	2666	15¼	65¹³⁄₁₆	11½	–	–	70 lbs.	11.6
59N6612SOS3MLW	Laminate/Wood	2743	15¼	65¹³⁄₁₆	11½	–	–	70 lbs.	11.6
59N6612SOS3ML	Laminate	1703	15¼	65¹³⁄₁₆	11½	–	–	70 lbs.	11.6
59N6012SOS3MGW	Glass/Wood	$ 3076	14⅝	60	11½	–	–	65 lbs.	10.6
59N6012SOS3MGL	Glass/Laminate	2089	14⅝	60	11½	–	–	65 lbs.	10.6
59N6012SOS3MW	Wood	2562	15¼	60	11½	–	–	65 lbs.	10.6
59N6012SOS3MLW	Laminate/Wood	2640	15¼	60	11½	–	–	65 lbs.	10.6
59N6012SOS3ML	Laminate	1609	15¼	60	11½	–	–	65 lbs.	10.6

- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Features 2 accent sliding doors
- No pull on glass doors
- Wall mount bracket for attachment to architectural wall or wall panel is included
- It is recommended that each overhead cabinet be secured by a minimum of 2 mounting locations (studs)

PRODUCT SPECIFICATIONS

- All wall mount units have an unfinished back
- National will not be liable for wall mount cabinets that are not properly installed

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Accent Laminate Color (sliding doors)
5. Laminate Color (laminate models)
6. Veneer Finish (wood models)

SAMPLE MODEL NUMBER:

59N6024SOSL2ML 92MB KRB 488 CW

- See pages 157-159 for all options available in Tessera

OVERHEAD STORAGE WALL MOUNT



Right shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
LEFT	**RIGHT**									
59N6012SOSL2MGW	59N6012SOSR2MGW	Glass/Wood	$ 3076	14⅜	60	11½	–	–	60 lbs.	10.6
59N6012SOSL2MGL	59N6012SOSR2MGL	Glass/Lam	2089	14⅜	60	11½	–	–	60 lbs.	10.6
59N6012SOSL2MW	59N6012SOSR2MW	Wood	2562	15¼	60	11½	–	–	60 lbs.	10.6
59N6012SOSL2MLW	59N6012SOSR2MLW	Lam/Wood	2640	15¼	60	11½	–	–	60 lbs.	10.6
59N6012SOSL2ML	59N6012SOSR2ML	Laminate	1609	15¼	60	11½	–	–	60 lbs.	10.6
59N5412SOSL2MGW	59N5412SOSR2MGW	Glass/Wood	$ 2949	14⅜	53¾	11½	–	–	62 lbs.	9.7
59N5412SOSL2MGL	59N5412SOSR2MGL	Glass/Lam	1965	14⅜	53¾	11½	–	–	62 lbs.	9.7
59N5412SOSL2MW	59N5412SOSR2MW	Wood	2457	15¼	53¾	11½	–	–	62 lbs.	9.7
59N5412SOSL2MLW	59N5412SOSR2MLW	Lam/Wood	2536	15¼	53¾	11½	–	–	62 lbs.	9.7
59N5412SOSL2ML	59N5412SOSR2ML	Laminate	1511	15¼	53¾	11½	–	–	62 lbs.	9.7
59N4812SOSL2MGW	59N4812SOSR2MGW	Glass/Wood	$ 2831	14⅜	48⅛	11½	–	–	49 lbs.	8.7
59N4812SOSL2MGL	59N4812SOSR2MGL	Glass/Lam	1837	14⅜	48⅛	11½	–	–	49 lbs.	8.7
59N4812SOSL2MW	59N4812SOSR2MW	Wood	2361	15¼	48⅛	11½	–	–	49 lbs.	8.7
59N4812SOSL2MLW	59N4812SOSR2MLW	Lam/Wood	2429	15¼	48⅛	11½	–	–	49 lbs.	8.7
59N4812SOSL2ML	59N4812SOSR2ML	Laminate	1415	15¼	48⅛	11½	–	–	49 lbs.	8.7
59N4212SOSL2MGW	59N4212SOSR2MGW	Glass/Wood	$ 2705	14⅜	41¾	11½	–	–	45 lbs.	7.7
59N4212SOSL2MGL	59N4212SOSR2MGL	Glass/Lam	1714	14⅜	41¾	11½	–	–	45 lbs.	7.7
59N4212SOSL2MW	59N4212SOSR2MW	Wood	2255	15¼	41¾	11½	–	–	45 lbs.	7.7
59N4212SOSL2MLW	59N4212SOSR2MLW	Lam/Wood	2325	15¼	41¾	11½	–	–	45 lbs.	7.7
59N4212SOSL2ML	59N4212SOSR2ML	Laminate	1319	15¼	41¾	11½	–	–	45 lbs.	7.7

- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Features 1 accent sliding door
- No pull on glass doors
- Wall mount bracket for attachment to architectural wall or wall panel is included
- It is recommended that each overhead cabinet be secured by a minimum of 2 mounting locations (studs)

TESSERA

PRODUCT SPECIFICATIONS

- All wall mount units have an unfinished back
- National will not be liable for wall mount cabinets that are not properly installed

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color (laminate models)
3. Veneer Finish (wood models)

SAMPLE MODEL NUMBERS:

59N3612SOO1MW MC
59N3612SOO1ML AC2

• See pages 157-159 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
OVERHEAD STORAGE - OPEN WALL MOUNT	59N3612SOO1MW	Wood	$ 1180	13⅞		11½	–	–	40 lbs.	7.6
	59N3612SOO1ML	Laminate	685	13⅞		11½	–	–	40 lbs.	7.6
	59N3012SOO1MW	Wood	$ 1077	13⅞	30⅛	11½	–	–	41 lbs.	6.6
	59N3012SOO1ML	Laminate	589	13⅞	30⅛	11½	–	–	41 lbs.	6.6
	59N2412SOO1MW	Wood	$ 1014	13⅞	24	11½	–	–	34 lbs.	5.5
	59N2412SOO1ML	Laminate	534	13⅞	24	11½	–	–	34 lbs.	5.5
	59N2012SOO1MW	Wood	$ 981	13⅞	20	11½	–	–	30 lbs.	4.8
	59N2012SOO1ML	Laminate	506	13⅞	20	11½	–	–	30 lbs.	4.8

- Specify finish or laminate only
- Wall mount bracket for attachment to architectural wall or wall panel is included
- It is recommended that each overhead cabinet be secured by a minimum of 2 mounting locations (studs)

PRODUCT SPECIFICATIONS

- Rim on all 4 sides of laminate and wood worksurfaces
- Component worksurfaces can be used with assembled units
- Refer to page 160 for grommet locations and page 157 for grommet options and upcharge
- Unsupported 1⅜" worksurface spans should not exceed 48"; see pages 273-275 for support options
- Refer to pages 381-418 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Laminate Color (laminate models)
4. Veneer Finish (wood models)

SAMPLE MODEL NUMBERS:

59N3672WSSW G11PLA MC
59N3672WSSL G11PLA MC

- See pages 157-159 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
RECTANGULAR WORKSURFACE 36" DEPTH	59N3672WSSW	Wood	$ 1423	36⅛	71⁵⁄₁₆	1⅜	—	—	95 lbs.	5.2
	59N3672WSSL	Laminate	968	36⅛	71⁵⁄₁₆	1⅜	—	—	95 lbs.	5.2
	59N3666WSSW	Wood	$ 1400	36⅛	66	1⅜	—	—	90 lbs.	4.8
	59N3666WSSL	Laminate	944	36⅛	66	1⅜	—	—	90 lbs.	4.8
	59N3660WSSW	Wood	$ 1377	36⅛	60	1⅜	—	—	87 lbs.	5.2
	59N3660WSSL	Laminate	924	36⅛	60	1⅜	—	—	87 lbs.	5.2

- For use with 29" deep component pedestals or support bases
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 274

RECTANGULAR WORKSURFACE 30" DEPTH	59N3072WSSW	Wood	$ 1173	30⅛	71⁵⁄₁₆	1⅜	—	—	95 lbs.	4.0
	59N3072WSSL	Laminate	718	30⅛	71⁵⁄₁₆	1⅜	—	—	95 lbs.	4.0
	59N3066WSSW	Wood	$ 1130	30⅛	66	1⅜	—	—	88 lbs.	3.8
	59N3066WSSL	Laminate	658	30⅛	66	1⅜	—	—	88 lbs.	3.8
	59N3060WSSW	Wood	$ 1104	30⅛	60	1⅜	—	—	81 lbs.	3.4
	59N3060WSSL	Laminate	600	30⅛	60	1⅜	—	—	81 lbs.	3.4

- For use with 23" or 29" deep pedestals or support bases
- Worksurfaces up to 72" wide can be used for table desking applications
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 274

TESSERA

PRODUCT SPECIFICATIONS

- Rim on all 4 sides of laminate and wood worksurfaces
- Component worksurfaces can be used with assembled units
- Refer to page 160 for grommet locations and page 157 for grommet options and upcharge
- Unsupported 1⅜" worksurface spans should not exceed 48"; see pages 273-275 for support options
- Refer to pages 381-418 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Laminate Color (laminate models)
4. Veneer Finish (wood models)

SAMPLE MODEL NUMBERS:

59N2472WSSW G11PLA MA
59N2472WSSL G11PLA MC

- See pages 157-159 for all options available in Tessera

RECTANGULAR WORKSURFACE 24" DEPTH



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
59N2472WSSW	Wood	$ 1046	24	71 15/16	1 3/16	—	—	85 lbs.	3.5
59N2472WSSL	Laminate	600	24	71 15/16	1 3/16	—	—	85 lbs.	3.5
59N2466WSSW	Wood	$ 1009	24	66	1 3/16	—	—	81 lbs.	3.3
59N2466WSSL	Laminate	556	24	66	1 3/16	—	—	81 lbs.	3.3
59N2460WSSW	Wood	$ 979	24	60	1 3/16	—	—	76 lbs.	3.0
59N2460WSSL	Laminate	528	24	60	1 3/16	—	—	76 lbs.	3.0
59N2436WSSW	Wood	$ 858	24	36 1/16	1 3/16	—	—	63 lbs.	1.8
59N2436WSSL	Laminate	347	24	36 1/16	1 3/16	—	—	63 lbs.	1.8
59N2430WSSW	Wood	$ 834	24	30 1/16	1 3/16	—	—	61 lbs.	1.5
59N2430WSSL	Laminate	311	24	30 1/16	1 3/16	—	—	61 lbs.	1.5

- For use with 23" deep pedestals or support bases
- Worksurfaces up to 72" wide can be used for table desking applications
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 274

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware
- Rim on all 4 sides of laminate and wood worksurfaces
- Component worksurfaces can be used with assembled units
- Refer to page 160 for grommet locations and page 157 for grommet options and upcharge
- Unsupported 1⅜" worksurface spans should not exceed 48"; see pages 273-275 for support options
- Refer to pages 381-418 for accessories

TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Laminate Color (laminate models)
4. Veneer Finish (wood models)

SAMPLE MODEL NUMBERS:

59N2460WSSVW G11PLA MC
59N2460WSSVL G11PLA MC

- See pages 157-159 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
RECTANGULAR WORKSURFACE 24" DEPTH	59N2460WSSVW	Wood	$ 979	24	60	1⅜	—	—	76 lbs.	3.0
	59N2460WSSVL	Laminate	528	24	60	1⅜	—	—	76 lbs.	3.0
	59N2436WSSVW	Wood	$ 858	24	36⅛	1⅜	—	—	63 lbs.	1.8
	59N2436WSSVL	Laminate	347	24	36⅛	1⅜	—	—	63 lbs.	1.8
	59N2430WSSVW	Wood	$ 834	24	30⅛	1⅜	—	—	61 lbs.	1.5
	59N2430WSSVL	Laminate	311	24	30⅛	1⅜	—	—	61 lbs.	1.5

- Grain direction runs front-to-back
- For use with 23" deep pedestals or support bases
- Worksurfaces up to 72" wide can be used for table desking applications
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 274

RECTANGULAR WORKSURFACE 20" DEPTH	59N2072WSSW	Wood	$ 1015	20	71⁵⁄₁₆	1⅜	—	—	73 lbs.	2.9
	59N2072WSSL	Laminate	568	20	71⁵⁄₁₆	1⅜	—	—	73 lbs.	2.9
	59N2066WSSW	Wood	$ 978	20	66	1⅜	—	—	68 lbs.	2.7
	59N2066WSSL	Laminate	526	20	66	1⅜	—	—	68 lbs.	2.7
	59N2060WSSW	Wood	$ 947	20	60	1⅜	—	—	60 lbs.	2.4
	59N2060WSSL	Laminate	496	20	60	1⅜	—	—	60 lbs.	2.4

- For use with 18" support "U" base on page 622 in the Casegoods 2 Price List when attaching to a Tessera Wall for alignment with overheads to keep a particular sight line. See image for an example of angle legs (as shown)
- Grain direction runs front-to-back
- Worksurfaces up to 72" wide can be used for table desking applications
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 274



TESSERA

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware
- Rim on all 4 sides of laminate and wood worksurfaces
- Component worksurfaces can be used with assembled units
- Refer to page 160 for grommet locations and page 157 for grommet options and upcharge
- Unsupported 1³⁄₁₆" worksurface spans should not exceed 48"; see pages 273-275 for support options
- Refer to pages 381-418 for accessories

TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Laminate Color (laminate models)
4. Veneer Finish (wood models)

SAMPLE MODEL NUMBER:

59N2060WSSVW X CW

- See pages 157-159 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
RECTANGULAR WORKSURFACE 20" DEPTH	59N2060WSSVW	Wood	$ 947	20	60	1³⁄₁₆	—	—	60 lbs.	2.4
	59N2060WSSVL	Laminate	496	20	60	1³⁄₁₆	—	—	60 lbs.	2.4



- Grain direction runs front-to-back

WORKSURFACE TO WALL MOUNTING BRACKET	59N16BKT	Metal	$ 42	1	16	1	—	—	2 lbs.	0.1



- For use when mounting a worksurface to an architectural wall; can be used in place of an end support panel
- 2 brackets are required for 36" deep worksurfaces

PRODUCT SPECIFICATIONS

- Tops of units are finished
- Grommets not available

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Drawer/Door Fronts (laminate models)
5. Laminate Color (laminate models)
6. Veneer Finish (wood models)

SAMPLE MODEL NUMBER:

59N2315PMBBFW 92MB KRB CW

- See pages 157-159 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FREESTANDING PEDESTAL - FILE/FILE	59N2415PFFFW	Wood	$ 1954	23 1/16	15 3/16	28 7/8	—	—	83 lbs.	11.4
	59N2415PFFFL	Laminate	1285	23 1/16	15 3/16	28 7/8	—	—	83 lbs.	11.4
	• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available									
FREESTANDING PEDESTAL - BOX/BOX/FILE	59N2415PFBBFW	Wood	$ 1954	23 1/16	15 3/16	28 7/8	—	—	83 lbs.	11.4
	59N2415PFBBFL	Laminate	1285	23 1/16	15 3/16	28 7/8	—	—	83 lbs.	11.4
	• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available									
MOBILE PEDESTAL WITH TOP - FILE/FILE	59N2315PMFFW	Wood	$ 2451	22 13/16	14 15/16	25 1/8	—	—	70 lbs.	9.9
	59N2315PMFFL	Laminate	1550	22 13/16	14 15/16	25 1/8	—	—	70 lbs.	9.9
	• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available									
MOBILE PEDESTAL WITH TOP - BOX/BOX/FILE	59N2315PMBBFW	Wood	$ 2451	22 13/16	14 15/16	25 1/8	—	—	70 lbs.	9.9
	59N2315PMBBFL	Laminate	1550	22 13/16	14 15/16	25 1/8	—	—	70 lbs.	9.9
	• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available									
MOBILE PEDESTAL WITH TOP - BOX/FILE	59N2315PMBFW	Wood	$ 2540	23 1/16	15 3/16	22 5/16	—	—	70 lbs.	9.9
	59N2315PMBFL	Laminate	1518	23 1/16	15 3/16	22 5/16	—	—	70 lbs.	9.9
	• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available									

TESSERA

PRODUCT SPECIFICATIONS

- Tops of units are finished
- Grommets not available

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Fabric Grade/Color
5. Drawer/Door Fronts (laminate models)
6. Laminate Color (laminate models)
7. Veneer Finish (wood models)

SAMPLE MODEL NUMBER:

59N2315PMBFCL 92MB KRB 2 20020 461 CW

• See pages 157-159 for all options available in Tessera

MODEL NO./DESCRIPTION

MOBILE PEDESTAL WITH CUSHION TOP - BOX/FILE



GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7
59N2315PMBFCW	Wood	$	2300	2329	2342	2364	2387	2427	2480

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
$	2349	2380	2403	2428	2455	2484	2508	2538	2568	2599

	K	L	M	N	O	P	Q	R	S	T
$	2645	2740	2799	2830	2860	2891	2922	2951	2981	3011

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7
59N2315PMBFCL	Wood/Laminate	$	1492	1521	1534	1556	1579	1619	1672

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
$	1541	1572	1595	1620	1647	1676	1700	1730	1760	1791

	K	L	M	N	O	P	Q	R	S	T
$	1837	1932	1991	2022	2052	2083	2114	2143	2173	2203

DIMENSIONS

Depth	22 15/16	Height	23 11/16	Weight	65
Width	15 3/16			Cubic Ft.	9.2

- Specify fabric grade and color for cushion top
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

PRODUCT SPECIFICATIONS

- All undersurface units have an unfinished back
- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface dept to accommodate optional back or modesty panels, or to provide for cable access
- If undersurface storage is used against a wall, a back modesty panel may be specified but is not required
- Filler strips are recommended to fill the 1" gap
- If pedestals are being used in a freestanding open plan, modesty or back panels are always recommended

TO ORDER, SPECIFY:

1. Model Number
2. Ganging
3. Pull
4. Locking
5. Drawer/Door Fronts (laminate models)
6. Laminate Color (laminate models)
7. Veneer Finish (wood models)

SAMPLE MODEL NUMBER:

59N3518PUFW2 L 92PL KRS CL

• See pages 157-159 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
PEDESTAL - UNDERSURFACE FILE/FILE - 35" DEEP	59N3518PUFW2	Wood	$ 2291	34⅞	17 15/16	27¾	—	—	105 lbs.	16.3
	59N3518PUFL2	Laminate	1449	34⅞	17 15/16	27¾	—	—	105 lbs.	16.3
	59N3515PUFW2	Wood	$ 2168	34⅞	14 15/16	27¾	—	—	93 lbs.	14.2
	59N3515PUFL2	Laminate	1370	34⅞	14 15/16	27¾	—	—	93 lbs.	14.2

- Tops and backs are open; specify component worksurfaces and backs to finish as needed
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Not intended for use in a freestanding application
- Façade spacer can be reconfigured to allow for RH or LH applications
- Spacer blocks standard on pedestals and same color as pedestal
- Must specify ganging option for correct placement of spacer blocks (L, R, or LR)
- Line art indicates cord management through spacer block and top of pedestal

PEDESTAL - UNDERSURFACE FILE/FILE - 29" DEEP	59N2918PUFW2	Wood	$ 2160	28⅞	17 15/16	27¾	—	—	95 lbs.	14.0
	59N2918PUFL2	Laminate	1233	28⅞	17 15/16	27¾	—	—	95 lbs.	14.0
	59N2915PUFW2	Wood	$ 2037	28⅞	14 15/16	27¾	—	—	88 lbs.	12.1
	59N2915PUFL2	Laminate	1165	28⅞	14 15/16	27¾	—	—	88 lbs.	12.1

- Tops and backs are open; specify component worksurfaces and backs to finish as needed
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Not intended for use in a freestanding application
- Façade spacer can be reconfigured to allow for RH or LH applications
- Spacer blocks standard on pedestals and same color as pedestal
- Must specify ganging option for correct placement of spacer blocks (L, R, or LR)
- Line art indicates cord management through spacer block and top of pedestal

PEDESTAL - UNDERSURFACE FILE/FILE - 23" DEEP	59N2318PUFW2	Wood	$ 2025	22 13/16	17 15/16	27¾	—	—	81 lbs.	11.5
	59N2318PUFL2	Laminate	1162	22 13/16	17 15/16	27¾	—	—	81 lbs.	11.5
	59N2315PUFW2	Wood	$ 1915	22 13/16	14 15/16	27¾	—	—	70 lbs.	10.0
	59N2315PUFL2	Laminate	1089	22 13/16	14 15/16	27¾	—	—	70 lbs.	10.0

- Tops and backs are open; specify component worksurfaces and backs to finish as needed
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Not intended for use in a freestanding application
- Façade spacer can be reconfigured to allow for RH or LH applications
- Spacer blocks standard on pedestals and same color as pedestal
- Must specify ganging option for correct placement of spacer blocks (L, R, or LR)
- Line art indicates cord management through spacer block and top of pedestal

TESSERA

PRODUCT SPECIFICATIONS

- All undersurface units have an unfinished back
- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface dept to accommodate optional back or modesty panels, or to provide for cable access
- If undersurface storage is used against a wall, a back modesty panel may be specified but is not required
- Filler strips are recommended to fill the 1" gap
- If pedestals are being used in a freestanding open plan, modesty or back panels are always recommended

TO ORDER, SPECIFY:

1. Model Number
2. Ganging
3. Pull
4. Locking
5. Drawer/Door Fronts (laminate models)
6. Laminate Color (laminate models)
7. Veneer Finish (wood models)

SAMPLE MODEL NUMBER:

59N3518PUFL1 R 92PL KRS CL 405

• See pages 157-159 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
PEDESTAL - UNDERSURFACE BOX/BOX/FILE - 35" DEEP	59N3518PUFW1	Wood	$ 2291	34⅞	17¹⁵⁄₁₆	27¾	—	—	105 lbs.	16.3
	59N3518PUFL1	Laminate	1449	34⅞	17¹⁵⁄₁₆	27¾	—	—	105 lbs.	16.3
	59N3515PUFW1	Wood	$ 2168	34⅞	14¹⁵⁄₁₆	27¾	—	—	93 lbs.	14.2
	59N3515PUFL1	Laminate	1370	34⅞	14¹⁵⁄₁₆	27¾	—	—	93 lbs.	14.2

- Tops and backs are open; specify component worksurfaces and backs to finish as needed
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Not intended for use in a freestanding application
- Façade spacer can be reconfigured to allow for RH or LH applications
- Spacer blocks standard on pedestals and same color as pedestal
- Must specify ganging option for correct placement of spacer blocks (L, R, or LR)
- Line art indicates cord management through spacer block and top of pedestal

PEDESTAL - UNDERSURFACE BOX/BOX/FILE - 29" DEEP	59N2918PUFW1	Wood	$ 2160	28⅞	17¹⁵⁄₁₆	27¾	—	—	95 lbs.	14.0
	59N2918PUFL1	Laminate	1233	28⅞	17¹⁵⁄₁₆	27¾	—	—	95 lbs.	14.0
	59N2915PUFW1	Wood	$ 2037	28⅞	14¹⁵⁄₁₆	27¾	—	—	88 lbs.	12.1
	59N2915PUFL1	Laminate	1162	28⅞	14¹⁵⁄₁₆	27¾	—	—	88 lbs.	12.1

- Tops and backs are open; specify component worksurfaces and backs to finish as needed
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Not intended for use in a freestanding application
- Façade spacer can be reconfigured to allow for RH or LH applications
- Spacer blocks standard on pedestals and same color as pedestal
- Must specify ganging option for correct placement of spacer blocks (L, R, or LR)
- Line art indicates cord management through spacer block and top of pedestal

PEDESTAL - UNDERSURFACE BOX/BOX/FILE - 23" DEEP	59N2318PUFW1	Wood	$ 2025	22¹³⁄₁₆	17¹⁵⁄₁₆	27¾	—	—	81 lbs.	11.5
	59N2318PUFL1	Laminate	1162	22¹³⁄₁₆	17¹⁵⁄₁₆	27¾	—	—	81 lbs.	11.5
	59N2315PUFW1	Wood	$ 1915	22¹³⁄₁₆	14¹⁵⁄₁₆	27¾	—	—	70 lbs.	10.0
	59N2315PUFL1	Laminate	1089	22¹³⁄₁₆	14¹⁵⁄₁₆	27¾	—	—	70 lbs.	10.0

- Tops and backs are open; specify component worksurfaces and backs to finish as needed
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Not intended for use in a freestanding application
- Façade spacer can be reconfigured to allow for RH or LH applications
- Spacer blocks standard on pedestals and same color as pedestal
- Must specify ganging option for correct placement of spacer blocks (L, R, or LR)
- Line art indicates cord management through spacer block and top of pedestal

PRODUCT SPECIFICATIONS

- All undersurface units have an unfinished back
- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface dept to accommodate optional back or modesty panels, or to provide for cable access
- If undersurface storage is used against a wall, a back modesty panel may be specified but is not required
- Filler strips are recommended to fill the 1" gap
- If pedestals are being used in a freestanding open plan, modesty or back panels are always recommended

TO ORDER, SPECIFY:

1. Model Number
2. Ganging
3. Pull
4. Locking
5. Drawer/Door Fronts (laminate models)
6. Laminate Color (laminate models)
7. Veneer Finish (wood models)

SAMPLE MODEL NUMBERS:

59N3518PUFW37 R 92PL KRS CL
59N3518PUFL37 LR 92PL KRS 478 MC

• See pages 157-159 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
PEDESTAL - UNDERSURFACE FILE/FILE - FULL DRAWER FRONT 35" DEEP	59N3518PUFW37	Wood	$ 2329	34⅞	17¹⁵⁄₁₆	27¾	—	—	105 lbs.	16.3
	59N3518PUFL37	Laminate	1485	34⅞	17¹⁵⁄₁₆	27¾	—	—	105 lbs.	16.3
	59N3515PUFW37	Wood	$ 2204	34⅞	14¹⁵⁄₁₆	27¾	—	—	93 lbs.	14.2
	59N3515PUFL37	Laminate	1407	34⅞	14¹⁵⁄₁₆	27¾	—	—	93 lbs.	14.2



- Tops and backs are open; specify component worksurfaces and backs to finish as needed
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Not intended for use in a freestanding application
- Façade spacer can be reconfigured to allow for RH or LH applications
- Full drawer front units feature a file/file drawer configuration behind the full front
- Spacer blocks standard on pedestals and same color as pedestal
- Must specify ganging option for correct placement of spacer blocks (L, R, or LR)
- Line art indicates cord management through spacer block and top of pedestal

PEDESTAL - UNDERSURFACE FILE/FILE - FULL DRAWER FRONT 29" DEEP	59N2918PUFW37	Wood	$ 2199	28⅞	17¹⁵⁄₁₆	27¾	—	—	95 lbs.	14.0
	59N2918PUFL37	Laminate	1267	28⅞	17¹⁵⁄₁₆	27¾	—	—	95 lbs.	14.0
	59N2915PUFW37	Wood	$ 2074	28⅞	14¹⁵⁄₁₆	27¾	—	—	88 lbs.	12.1
	59N2915PUFL37	Laminate	1198	28⅞	14¹⁵⁄₁₆	27¾	—	—	88 lbs.	12.1



- Tops and backs are open; specify component worksurfaces and backs to finish as needed
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Not intended for use in a freestanding application
- Façade spacer can be reconfigured to allow for RH or LH applications
- Full drawer front units feature a file/file drawer configuration behind the full front
- Spacer blocks standard on pedestals and same color as pedestal
- Must specify ganging option for correct placement of spacer blocks (L, R, or LR)
- Line art indicates cord management through spacer block and top of pedestal

PEDESTAL - UNDERSURFACE FILE/FILE - FULL DRAWER FRONT 23" DEEP	59N2318PUFW37	Wood	$ 2064	22¹³⁄₁₆	17¹⁵⁄₁₆	27¾	—	—	81 lbs.	11.5
	59N2318PUFL37	Laminate	1195	22¹³⁄₁₆	17¹⁵⁄₁₆	27¾	—	—	81 lbs.	11.5
	59N2315PUFW37	Wood	$ 1955	22¹³⁄₁₆	14¹⁵⁄₁₆	27¾	—	—	70 lbs.	10.0
	59N2315PUFL37	Laminate	1123	22¹³⁄₁₆	14¹⁵⁄₁₆	27¾	—	—	70 lbs.	10.0



- Tops and backs are open; specify component worksurfaces and backs to finish as needed
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Not intended for use in a freestanding application
- Façade spacer can be reconfigured to allow for RH or LH applications
- Full drawer front units feature a file/file drawer configuration behind the full front
- Spacer blocks standard on pedestals and same color as pedestal
- Must specify ganging option for correct placement of spacer blocks (L, R, or LR)
- Line art indicates cord management through spacer block and top of pedestal

TESSERA

PRODUCT SPECIFICATIONS

- All undersurface units have an unfinished back
- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface dept to accommodate optional back or modesty panels, or to provide for cable access
- If undersurface storage is used against a wall, a back modesty panel may be specified but is not required
- Filler strips are recommended to fill the 1" gap
- If pedestals are being used in a freestanding open plan, modesty or back panels are always recommended

TO ORDER, SPECIFY:

1. Model Number
2. Ganging
3. Pull
4. Locking
5. Drawer/Door Fronts (laminate models)
6. Laminate Color (laminate models)
7. Veneer Finish (wood models)

SAMPLE MODEL NUMBERS:

59N3518PUFW36 R 92PL KRS CL
59N3518PUFL36 LR 92PL KRS 478 MC

• See pages 157-159 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
PEDESTAL - UNDERSURFACE BOX/BOX/FILE - FULL DRAWER FRONT 35" DEEP	59N3518PUFW36	Wood	$ 2329	34⅞	17¹⁵⁄₁₆	27¾	—	—	105 lbs.	16.3
	59N3518PUFL36	Laminate	1485	34⅞	17¹⁵⁄₁₆	27¾	—	—	105 lbs.	16.3
	59N3515PUFW36	Wood	$ 2204	34⅞	14¹⁵⁄₁₆	27¾	—	—	93 lbs.	14.2
	59N3515PUFL36	Laminate	1407	34⅞	14¹⁵⁄₁₆	27¾	—	—	93 lbs.	14.2

- Tops and backs are open; specify component worksurfaces and backs to finish as needed
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Not intended for use in a freestanding application
- Façade spacer can be reconfigured to allow for RH or LH applications
- Full drawer front units feature a box/box/file drawer configuration behind the full front
- Spacer blocks standard on pedestals and same color as pedestal
- Must specify ganging option for correct placement of spacer blocks (L, R, or LR)
- Line art indicates cord management through spacer block and top of pedestal

PEDESTAL - UNDERSURFACE BOX/BOX/FILE - FULL DRAWER FRONT 29" DEEP	59N2918PUFW36	Wood	$ 2199	28⅞	17¹⁵⁄₁₆	27¾	—	—	95 lbs.	14.0
	59N2918PUFL36	Laminate	1267	28⅞	17¹⁵⁄₁₆	27¾	—	—	95 lbs.	14.0
	59N2915PUFW36	Wood	$ 2074	28⅞	14¹⁵⁄₁₆	27¾	—	—	88 lbs.	12.1
	59N2915PUFL36	Laminate	1195	28⅞	14¹⁵⁄₁₆	27¾	—	—	88 lbs.	12.1

- Tops and backs are open; specify component worksurfaces and backs to finish as needed
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Not intended for use in a freestanding application
- Façade spacer can be reconfigured to allow for RH or LH applications
- Full drawer front units feature a box/box/file drawer configuration behind the full front
- Spacer blocks standard on pedestals and same color as pedestal
- Must specify ganging option for correct placement of spacer blocks (L, R, or LR)
- Line art indicates cord management through spacer block and top of pedestal

PEDESTAL - UNDERSURFACE BOX/BOX/FILE - FULL DRAWER FRONT 23" DEEP	59N2318PUFW36	Wood	$ 2064	22¹³⁄₁₆	17¹⁵⁄₁₆	27¾	—	—	81 lbs.	11.5
	59N2318PUFL36	Laminate	1195	22¹³⁄₁₆	17¹⁵⁄₁₆	27¾	—	—	81 lbs.	11.5
	59N2315PUFW36	Wood	$ 1955	22¹³⁄₁₆	14¹⁵⁄₁₆	27¾	—	—	70 lbs.	10.0
	59N2315PUFL36	Laminate	1123	22¹³⁄₁₆	14¹⁵⁄₁₆	27¾	—	—	70 lbs.	10.0

- Tops and backs are open; specify component worksurfaces and backs to finish as needed
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Not intended for use in a freestanding application
- Façade spacer can be reconfigured to allow for RH or LH applications
- Full drawer front units feature a box/box/file drawer configuration behind the full front
- Spacer blocks standard on pedestals and same color as pedestal
- Must specify ganging option for correct placement of spacer blocks (L, R, or LR)
- Line art indicates cord management through spacer block and top of pedestal

PRODUCT SPECIFICATIONS

- All undersurface units have an unfinished back
- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface dept to accommodate optional back or modesty panels, or to provide for cable access
- If undersurface storage is used against a wall, a back modesty panel may be specified but is not required
- Filler strips are recommended to fill the 1" gap
- If pedestals are being used in a freestanding open plan, modesty or back panels are always recommended

TO ORDER, SPECIFY:

1. Model Number
2. Ganging
3. Pull
4. Drawer/Door Fronts (laminate models)
5. Laminate Color (laminate models)
6. Veneer Finish (wood models)

SAMPLE MODEL NUMBERS:

59N3518PUFW39 LR 92PL CL
59N3518PUFL39 R 92PL 478 CW

• See pages 157-159 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
PEDESTAL - UNDERSURFACE TRASH CAN FULL DRAWER FRONT 35" DEEP	59N3518PUFW39	Wood	$ 2329	34⅞	18	27¹⁵⁄₁₆	–	–	105 lbs.	16.3
	59N3518PUFL39	Laminate	1485	34⅞	18	27¹⁵⁄₁₆	–	–	105 lbs.	16.3
	59N3515PUFW39	Wood	$ 2204	34⅞	15	27¹⁵⁄₁₆	–	–	93 lbs.	14.2
	59N3515PUFL39	Laminate	1407	34⅞	15	27¹⁵⁄₁₆	–	–	93 lbs.	14.2



- Tops and backs are open, specify component worksurfaces and back to finish as needed
- Unit is non-locking
- Not intended for use in a freestanding application
- Full drawer front units feature a black 7 gallon trash can
- Spacer blocks standard on pedestals and same color as pedestal
- Must specify ganging option for correct placement of spacer blocks (L, R, or LR)
- Line art indicates cord management through spacer block and top of pedestal

PEDESTAL - UNDERSURFACE TRASH CAN FULL DRAWER FRONT 29" DEEP	59N2918PUFW39	Wood	$ 2199	28⅞	18	27¹⁵⁄₁₆	–	–	95 lbs.	14.0
	59N2918PUFL39	Laminate	1267	28⅞	18	27¹⁵⁄₁₆	–	–	95 lbs.	14.0
	59N2915PUFW39	Wood	$ 2074	28⅞	15	27¹⁵⁄₁₆	–	–	88 lbs.	12.1
	59N2915PUFL39	Laminate	1198	28⅞	15	27¹⁵⁄₁₆	–	–	88 lbs.	12.1



- Tops and backs are open, specify component worksurfaces and back to finish as needed
- Unit is non-locking
- Not intended for use in a freestanding application
- Full drawer front units feature a black 7 gallon trash can
- Spacer blocks standard on pedestals and same color as pedestal
- Must specify ganging option for correct placement of spacer blocks (L, R, or LR)
- Line art indicates cord management through spacer block and top of pedestal

PEDESTAL - UNDERSURFACE TRASH CAN FULL DRAWER FRONT 23" DEEP	59N2318PUFW39	Wood	$ 2064	22¹³⁄₁₆	18	27¹⁵⁄₁₆	–	–	81 lbs.	11.5
	59N2318PUFL39	Laminate	1195	22¹³⁄₁₆	18	27¹⁵⁄₁₆	–	–	81 lbs.	11.5
	59N2315PUFW39	Wood	$ 1955	22¹³⁄₁₆	15	27¹⁵⁄₁₆	–	–	70 lbs.	10.0
	59N2315PUFL39	Laminate	1123	22¹³⁄₁₆	15	27¹⁵⁄₁₆	–	–	70 lbs.	10.0



- Tops and backs are open, specify component worksurfaces and back to finish as needed
- Unit is non-locking
- Not intended for use in a freestanding application
- Full drawer front units feature a black 7 gallon trash can
- Spacer blocks standard on pedestals and same color as pedestal
- Must specify ganging option for correct placement of spacer blocks (L, R, or LR)
- Line art indicates cord management through spacer block and top of pedestal

TESSERA

PRODUCT SPECIFICATIONS

- All undersurface units have an unfinished back
- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface dept to accommodate optional back or modesty panels, or to provide for cable access
- If undersurface storage is used against a wall, a back modesty panel may be specified but is not required
- Filler strips are recommended to fill the 1" gap
- If pedestals are being used in a freestanding open plan, modesty or back panels are always recommended

TO ORDER, SPECIFY:

1. Model Number
2. Ganging
3. Pull
4. Locking
5. Drawer/Door Fronts (laminate models)
6. Laminate Color (laminate models)
7. Veneer Finish (wood models)

SAMPLE MODEL NUMBER:

59N3518PUFRW7 R 92PL KRS CL

• See pages 157-159 for all options available in Tessera

PEDESTAL - UNDERSURFACE FULL DOOR FRONT 35" DEEP



Left shown

LEFT	RIGHT		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
59N3518PUFLW7	59N3518PUFRW7	Wood	$ 2352	34⅞	17¹⁵⁄₁₆	27¾	—	—	110 lbs.	17.0
59N3518PUFLL7	59N3518PUFRL7	Laminate	1509	34⅞	17¹⁵⁄₁₆	27¾	—	—	110 lbs.	17.0
59N3515PUFLW7	59N3515PUFRW7	Wood	$ 2226	34⅞	14¹⁵⁄₁₆	27¾	—	—	97 lbs.	14.8
59N3515PUFLL7	59N3515PUFRL7	Laminate	1428	34⅞	14¹⁵⁄₁₆	27¾	—	—	97 lbs.	14.8

- Tops and backs are open; specify component worksurfaces and backs to finish as needed
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Not intended for use in a freestanding application
- Façade spacer can be reconfigured to allow for RH or LH applications
- Standard with 1 adjustable shelf
- Spacer blocks standard on pedestals and same color as pedestal
- Must specify ganging option for correct placement of spacer blocks (L, R, or LR)
- Line art indicates cord management through spacer block and top of pedestal

PEDESTAL - UNDERSURFACE FULL DOOR FRONT 29" DEEP



Left shown

LEFT	RIGHT		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
59N2918PUFLW7	59N2918PUFRW7	Wood	$ 2220	28⅞	17¹⁵⁄₁₆	27¾	—	—	98 lbs.	14.5
59N2918PUFLL7	59N2918PUFRL7	Laminate	1287	28⅞	17¹⁵⁄₁₆	27¾	—	—	98 lbs.	14.5
59N2915PUFLW7	59N2915PUFRW7	Wood	$ 2094	28⅞	14¹⁵⁄₁₆	27¾	—	—	92 lbs.	12.6
59N2915PUFLL7	59N2915PUFRL7	Laminate	1220	28⅞	14¹⁵⁄₁₆	27¾	—	—	92 lbs.	12.6

- Tops and backs are open; specify component worksurfaces and backs to finish as needed
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Not intended for use in a freestanding application
- Façade spacer can be reconfigured to allow for RH or LH applications
- Standard with 1 adjustable shelf
- Spacer blocks standard on pedestals and same color as pedestal
- Must specify ganging option for correct placement of spacer blocks (L, R, or LR)
- Line art indicates cord management through spacer block and top of pedestal

PEDESTAL - UNDERSURFACE FULL DOOR FRONT 23" DEEP



LEFT	RIGHT		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
59N2318PUFLW7	59N2318PUFRW7	Wood	$ 2083	22¹³⁄₁₆	17¹⁵⁄₁₆	27¾	—	—	85 lbs.	17.0
59N2318PUFLL7	59N2318PUFRL7	Laminate	1216	22¹³⁄₁₆	17¹⁵⁄₁₆	27¾	—	—	85 lbs.	17.0
59N2315PUFLW7	59N2315PUFRW7	Wood	$ 1975	22¹³⁄₁₆	14¹⁵⁄₁₆	27¾	—	—	74 lbs.	10.4
59N2315PUFLL7	59N2315PUFRL7	Laminate	1144	22¹³⁄₁₆	14¹⁵⁄₁₆	27¾	—	—	74 lbs.	10.4

- Tops and backs are open; specify component worksurfaces and backs to finish as needed
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Not intended for use in a freestanding application
- Façade spacer can be reconfigured to allow for RH or LH applications
- Standard with 1 adjustable shelf
- Spacer blocks standard on pedestals and same color as pedestal
- Must specify ganging option for correct placement of spacer blocks (L, R, or LR)
- Line art indicates cord management through spacer block and top of pedestal

PRODUCT SPECIFICATIONS

- All undersurface units have an unfinished back
- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface dept to accommodate optional back or modesty panels, or to provide for cable access
- If undersurface storage is used against a wall, a back modesty panel may be specified but is not required
- Filler strips are recommended to fill the 1" gap
- If pedestals are being used in a freestanding open plan, modesty or back panels are always recommended

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color (laminate models)
3. Veneer Finish (wood models)

SAMPLE MODEL NUMBER:

59N3518SESFRW CL

- See pages 157-159 for all options available in Tessera

SUPPORT PEDESTAL



Left shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
LEFT	RIGHT									
59N3518SESFLW	59N3518SESFRW	Wood	$ 1494	35 1/16	17 15/16	27 3/4	–	–	108 lbs.	16.7
59N3518SESFLL	59N3518SESFRL	Laminate	1087	35 1/16	17 15/16	27 3/4	–	–	108 lbs.	16.7
59N3515SESFLW	59N3515SESFRW	Wood	$ 1414	35 1/16	14 15/16	27 3/4	–	–	95 lbs.	14.5
59N3515SESFLL	59N3515SESFRL	Laminate	1030	35 1/16	14 15/16	27 3/4	–	–	95 lbs.	14.5
59N2918SESFLW	59N2918SESFRW	Wood	$ 1407	28 7/8	17 15/16	27 3/4	–	–	95 lbs.	14.2
59N2918SESFLL	59N2918SESFRL	Laminate	1026	28 7/8	17 15/16	27 3/4	–	–	95 lbs.	14.2
59N2915SESFLW	59N2915SESFRW	Wood	$ 1326	28 7/8	14 15/16	27 3/4	–	–	90 lbs.	12.4
59N2915SESFLL	59N2915SESFRL	Laminate	965	28 7/8	14 15/16	27 3/4	–	–	90 lbs.	12.4
59N2318SESFLW	59N2318SESFRW	Wood	$ 1318	22 13/16	17 15/16	27 3/4	–	–	82 lbs.	11.7
59N2318SESFLL	59N2318SESFRL	Laminate	959	22 13/16	17 15/16	27 3/4	–	–	82 lbs.	11.7
59N2315SESFLW	59N2315SESFRW	Wood	$ 1246	22 13/16	14 15/16	27 3/4	–	–	72 lbs.	10.2
59N2315SESFLL	59N2315SESFRL	Laminate	905	22 13/16	14 15/16	27 3/4	–	–	72 lbs.	10.2

- Standard with 1 fixed shelf
- Specify component worksurfaces and backs to finish as needed
- For use when creating single pedestal desks from components
- Not intended for use in a freestanding application
- Specify finish or laminate color only
- Spacer blocks standard on pedestals and same color as pedestal
- Must specify ganging option for correct placement of spacer blocks (L, R, or LR)
- Line art indicates cord management through spacer block and top of pedestal

TESSERA

PRODUCT SPECIFICATIONS

- All vertical storage units have an unfinished back

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Accent Laminate Color (sliding doors)
5. Drawer/Door Fronts (laminate models)
6. Laminate Color (laminate models)
7. Veneer Finish (wood models)

SAMPLE MODEL NUMBER:

59N242475VSOWSRL 92PL KRS 488 792

- See pages 157-159 for all options available in Tessera

WARDROBE/BOOKCASE FULL HEIGHT



Right shown



Right shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
LEFT	**RIGHT**									
59N242475VSOWSLGW	59N242475VSOWSRGW	Glass/Wood	$ 7294	24⅛	24⅛	75	–	–	282 lbs.	35.7
59N242475VSOWSLGL	59N242475VSOWSRGL	Glass/Lam	4686	24⅛	24⅛	75	–	–	282 lbs.	35.7
59N242475VSOWSLW	59N242475VSOWSRW	Wood	5834	24⅛	24⅛	75	–	–	282 lbs.	35.7
59N242475VSOWSLLW	59N242475VSOWSRLW	Lam/Wood	6009	24⅛	24⅛	75	–	–	282 lbs.	35.7
59N242475VSOWSLL	59N242475VSOWSRL	Laminate	3473	24⅛	24⅛	75	–	–	282 lbs.	35.7
59N182475VSOWSLGW	59N182475VSOWSRGW	Glass/Wood	$ 7072	18⅛	24⅛	75	–	–	90 lbs.	27.7
59N182475VSOWSLGL	59N182475VSOWSRGL	Glass/Lam	4486	18⅛	24⅛	75	–	–	90 lbs.	27.7
59N182475VSOWSLW	59N182475VSOWSRW	Wood	5613	18⅛	24⅛	75	–	–	90 lbs.	27.7
59N182475VSOWSLLW	59N182475VSOWSRLW	Lam/Wood	5782	18⅛	24⅛	75	–	–	90 lbs.	27.7
59N182475VSOWSLL	59N182475VSOWSRL	Laminate	3269	18⅛	24⅛	75	–	–	90 lbs.	27.7
59N242453VSOWSLGW	59N242453VSOWSRGW	Glass/Wood	$ 6409	24⅛	24⅛	53	–	–	204 lbs.	25.9
59N242453VSOWSLGL	59N242453VSOWSRGL	Glass/Lam	4123	24⅛	24⅛	53	–	–	204 lbs.	25.9
59N242453VSOWSLW	59N242453VSOWSRW	Wood	5127	24⅛	24⅛	53	–	–	204 lbs.	25.9
59N242453VSOWSLLW	59N242453VSOWSRLW	Lam/Wood	5281	24⅛	24⅛	53	–	–	204 lbs.	25.9
59N242453VSOWSLL	59N242453VSOWSRL	Laminate	3054	24⅛	24⅛	53	–	–	204 lbs.	25.9
59N182453VSOWSLGW	59N182453VSOWSRGW	Glass/Wood	$ 6186	18⅛	24⅛	53	–	–	80 lbs.	20.1
59N182453VSOWSLGL	59N182453VSOWSRGL	Glass/Lam	3923	18⅛	24⅛	53	–	–	80 lbs.	20.1
59N182453VSOWSLW	59N182453VSOWSRW	Wood	4906	18⅛	24⅛	53	–	–	80 lbs.	20.1
59N182453VSOWSLLW	59N182453VSOWSRLW	Lam/Wood	5051	18⅛	24⅛	53	–	–	80 lbs.	20.1
59N182453VSOWSLL	59N182453VSOWSRL	Laminate	2851	18⅛	24⅛	53	–	–	80 lbs.	20.1

- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Features 1 sliding door
- No pull on glass doors
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminate options available on models 60" H or less
- 75" high wardrobes include 2 coat hooks and 2 shelves (1 top section; 1 lower section)
- 53" high wardrobes include 2 coat hooks and 1 shelf (lower section)

PRODUCT SPECIFICATIONS

- All vertical storage units have an unfinished back

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Drawer/Door Fronts (laminate models)
5. Laminate Color (laminate models)
6. Veneer Finish (wood models)

SAMPLE MODEL NUMBERS:

59N242475VWHLW 92PL KRS 792
59N242475VWHRL 92PL KRS 792 792

- See pages 157-159 for all options available in Tessera

	MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WARDROBE FULL HEIGHT	**LEFT**	**RIGHT**									
 Right shown	59N242475VWHLW	59N242475VWHRW	Wood	$ 4234	24⅛	24⅛	75	—	—	282 lbs.	35.7
	59N242475VWHLL	59N242475VWHRL	Laminate	2267	24⅛	24⅛	75	—	—	282 lbs.	35.7
	59N242453VWHLW	59N242453VWHRW	Wood	$ 3744	24⅛	24⅛	53	—	—	204 lbs.	25.9
	59N242453VWHLL	59N242453VWHRL	Laminate	2027	24⅛	24⅛	53	—	—	204 lbs.	25.9
	59N241875VWHLW	59N241875VWHRW	Wood	$ 3938	24⅛	18⅛	75	—	—	180 lbs.	28.3
	59N241875VWHLL	59N241875VWHRL	Laminate	1999	24⅛	18⅛	75	—	—	180 lbs.	28.3
Right shown	59N241853VWHLW	59N241853VWHRW	Wood	$ 3450	24⅛	18⅛	53	—	—	123 lbs.	20.5
	59N241853VWHLL	59N241853VWHRL	Laminate	1760	24⅛	18⅛	53	—	—	123 lbs.	20.5

- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Features 1 hinged door
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminate options available on models 60" H or less
- 75" high wardrobes include 2 coat hooks and 2 shelves (1 top section; 1 lower section)
- 53" high wardrobes include 2 coat hooks and 1 shelf (lower section)

TESSERA

PRODUCT SPECIFICATIONS

- All vertical storage units have an unfinished back
- Side access wardrobes have fully finished backs

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color (laminate models)
3. Veneer Finish (wood models)

SAMPLE MODEL NUMBERS:

59N242453VWOW MH
59N242453VWOL NM

• See pages 157-159 for all options available in Tessera

WARDROBE FULL HEIGHT OPEN WITH SIDE ACCESS



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
59N242475VWOW	Wood	$ 4125	24	23 3/16	74 1/2	—	—	250 lbs.	33.7
59N242475VWOL	Laminate	2159	24	23 3/16	74 1/2	—	—	250 lbs.	33.7
59N242453VWOW	Wood	$ 3637	24	23 3/16	52 1/8	—	—	200 lbs.	24.4
59N242453VWOL	Laminate	1921	24	23 3/16	52 1/8	—	—	200 lbs.	24.4
59N241875VWOW	Wood	$ 3830	24	17 5/16	74 1/2	—	—	180 lbs.	26.7
59N241875VWOL	Laminate	1891	24	17 5/16	74 1/2	—	—	180 lbs.	26.7
59N241853VWOW	Wood	$ 3342	24	17 5/16	52 1/8	—	—	123 lbs.	19.3
59N241853VWOL	Laminate	1652	24	17 5/16	52 1/8	—	—	123 lbs.	19.3
59N182475VWOW	Wood	$ 3830	17 5/16	24	74 1/2	—	—	90 lbs.	25.9
59N182475VWOL	Laminate	1891	17 5/16	24	74 1/2	—	—	90 lbs.	25.9
59N182453VWOW	Wood	$ 3342	17 5/16	24	52 1/8	—	—	80 lbs.	18.8
59N182453VWOL	Laminate	1652	17 5/16	24	52 1/8	—	—	80 lbs.	18.8
59N181875VWOW	Wood	$ 3722	17 5/16	17 5/16	74 1/2	—	—	70 lbs.	20.5
59N181875VWOL	Laminate	1784	17 5/16	17 5/16	74 1/2	—	—	70 lbs.	20.5
59N181853VWOW	Wood	$ 3235	17 5/16	17 5/16	52 1/8	—	—	65 lbs.	14.9
59N181853VWOL	Laminate	1544	17 5/16	17 5/16	52 1/8	—	—	65 lbs.	14.9

- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminate options available on models 60" H or less
- 75" high wardrobes include 2 coat hooks and 2 shelves (1 top section, 1 lower section)
- 59" high wardrobes include 2 coat hooks and 1 shelf (lower section)

PRODUCT SPECIFICATIONS

- Tops of units are finished
- Grommets not available

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Drawer/Door Fronts (laminate models)
5. Laminate Color (laminate models)
6. Veneer Finish (wood models)

SAMPLE MODEL NUMBERS:

59N2436LFF2W 92PL KRS PT
59N2436LFF2L 92PL KRS 478

• See pages 157-159 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
LATERAL FILE 2 DRAWER	59N2436LFF2W	Wood	$ 3458	24	36 1/16	28 15/16	—	—	121 lbs.	21.0
	59N2436LFF2L	Laminate	2075	24	36 1/16	28 15/16	—	—	121 lbs.	21.0
	59N2430LFF2W	Wood	$ 3288	24	30 1/16	28 15/16	—	—	104 lbs.	18.0
	59N2430LFF2L	Laminate	1971	24	30 1/16	28 15/16	—	—	104 lbs.	18.0
	• Interlock mechanism allows only 1 drawer to be open at a time • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Do not specify grommet									
LATERAL FILE - UNDERSURFACE 2 DRAWER	59N2336LFU2FW	Wood	$ 2580	22 13/16	35 7/8	27 3/4	—	—	120 lbs.	20.4
	59N2336LFU2FL	Laminate	1309	22 13/16	35 7/8	27 3/4	—	—	120 lbs.	20.4
	59N2330LFU2FW	Wood	$ 2378	22 13/16	29 15/16	27 3/4	—	—	101 lbs.	17.4
	59N2330LFU2FL	Laminate	1274	22 13/16	29 15/16	27 3/4	—	—	101 lbs.	17.4
	• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available									
LATERAL FILE - MODULAR 3 DRAWER	59N2436LFM3W	Wood	$ 4653	23 3/16	35 7/8	40 5/16	—	—	174 lbs.	30.0
	59N2436LFM3L	Laminate	2729	23 3/16	35 7/8	40 5/16	—	—	174 lbs.	30.0
	59N2430LFM3W	Wood	$ 4419	23 3/16	29 15/16	40 5/16	—	—	174 lbs.	30.0
	59N2430LFM3L	Laminate	2572	23 3/16	29 15/16	40 5/16	—	—	174 lbs.	30.0
	• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available									
LATERAL FILE - MODULAR 4 DRAWER	59N2436LFM4W	Wood	$ 5409	23 3/16	35 7/8	52 13/16	—	—	194 lbs.	33.4
	59N2436LFM4L	Laminate	3150	23 3/16	35 7/8	52 13/16	—	—	194 lbs.	33.4
	59N2430LFM4W	Wood	$ 5136	23 3/16	29 15/16	52 13/16	—	—	194 lbs.	33.4
	59N2430LFM4L	Laminate	2959	23 3/16	29 15/16	52 13/16	—	—	194 lbs.	33.4
	• Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available									

TESSERA

PRODUCT SPECIFICATIONS

- Tops of units are finished
- Grommets not available

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color (laminate models)
3. Veneer Finish (wood models)

SAMPLE MODEL NUMBER:

59N3627MPW CW

• See pages 157-159 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
MODESTY/BACK PANEL LATERAL FILE	59N3627MPW	Wood	$ 547	¾	35¾	26⅛	—	—	24 lbs.	2.1
	59N3627MPL	Laminate	245	¾	35¾	26⅛	—	—	24 lbs.	2.1
	59N3027MPW	Wood	$ 503	¾	29¾	26⅛	—	—	21 lbs.	1.8
	59N3027MPL	Laminate	217	¾	29¾	26⅛	—	—	21 lbs.	1.8



- Wood modesty panels have vertical grain
- Laminate modesty panels have horizontal grain

MODESTY/BACK PANEL LATERAL FILE	59N3627MPVL	Laminate	$ 245	¾	35¾	26⅛	—	—	24 lbs.	2.1
	59N3027MPVL	Laminate	217	¾	29¾	26⅛	—	—	21 lbs.	1.8



- Grain direction runs vertically

PRODUCT SPECIFICATIONS

- Modesty and back panels are used in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewell
- 27" modesty panels are used as support bases

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color (laminate models)
3. Veneer Finish (wood models)

SAMPLE MODEL NUMBERS:

59N6927MPW CL
59N6927MPL 478

- See pages 157-159 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
MODESTY PANEL WORKSURFACE HEIGHT FOR USE WITH 1 SUPPORT BASE	59N6927MPW	Wood	$ 740	¾	68½	27	—	—	31 lbs.	2.6
	59N6927MPL	Laminate	381	¾	68½	27	—	—	31 lbs.	2.6
	59N6327MPW	Wood	$ 696	¾	62½	27	—	—	24 lbs.	2.0
	59N6327MPL	Laminate	361	¾	62½	27	—	—	30 lbs.	2.5
	59N5727MPW	Wood	$ 655	¾	56½	27	—	—	16 lbs.	1.5
	59N5727MPL	Laminate	332	¾	56½	27	—	—	23 lbs.	2.0

- Modesty panel is mounted on the inside of the base leg
- Modesty panel is used with 1 slab base or support base U-style and the other side is mounted to the wall
- Reference pages 274-275 for support bases
- Reference pages 190 and 254 for the worksurface mounting bracket that is used under the worksurface for attachment to the wall

MODESTY PANEL WORKSURFACE HEIGHT FOR USE WITH 1 SUPPORT BASE	59N5727MPVL	Laminate	$ 332	¾	56½	27	—	—	23 lbs.	2.0
										

- Grain direction runs vertically
- Modesty panel is mounted on the inside of the base leg
- Modesty panel is used with 1 slab base or support base U-style and the other side is mounted to the wall
- Reference pages 274-275 for support bases
- Reference pages 190 and 254 for the worksurface mounting bracket that is used under the worksurface for attachment to the wall

MODESTY PANEL WORKSURFACE HEIGHT FOR USE WITH 2 SUPPORT BASES	59N6527MPW	Wood	$ 740	¾	65	27	—	—	31 lbs.	2.6
	59N6527MPL	Laminate	382	¾	65	27	—	—	31 lbs.	2.6
	59N5927MPW	Wood	$ 696	¾	59	27	—	—	23 lbs.	2.0
	59N5927MPL	Laminate	352	¾	59	27	—	—	23 lbs.	2.0
	59N5327MPW	Wood	$ 631	¾	53⅜	27	—	—	21 lbs.	1.8
	59N5327MPL	Laminate	332	¾	53⅜	27	—	—	21 lbs.	1.8

- Modesty panel is used with 2 slab bases or metal U bases
- Reference pages 274-275 for support bases
- Modesty panel is mounted between the base legs

MODESTY PANEL WORKSURFACE HEIGHT FOR USE WITH 2 SUPPORT BASES	59N5927MPVL	Laminate	$ 352	¾	59	27	—	—	23 lbs.	2.0
	59N5327MPVL	Laminate	332	¾	53⅜	27	—	—	21 lbs.	1.8
										

- Grain direction runs vertically
- Modesty panel is used with 2 slab bases or metal U bases
- Reference pages 274-275 for support bases
- Modesty panel is mounted between the base legs

TESSERA

PRODUCT SPECIFICATIONS

- Modesty and back panels are used in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewell

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color (laminate models)
3. Veneer Finish (wood models)

SAMPLE MODEL NUMBERS:

59N7226MPW CL
59N7226MPL 478

• See pages 157-159 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
MODESTY PANEL FULL OVERLAY WORKSURFACE HEIGHT	59N7226MPW	Wood	$ 760	¾	71⅜	26	–	–	44 lbs.	3.9
	59N7226MPL	Laminate	402	¾	71⅜	26	–	–	44 lbs.	3.9
	59N6626MPW	Wood	$ 718	¾	65¹⁄₁₆	26	–	–	41 lbs.	3.6
	59N6626MPL	Laminate	382	¾	65¹⁄₁₆	26	–	–	41 lbs.	3.6
	59N6026MPW	Wood	$ 675	¾	59¹⁄₁₆	26	–	–	38 lbs.	3.3
	59N6026MPL	Laminate	352	¾	59¹⁄₁₆	26	–	–	38 lbs.	3.3



- Full overlay modesty to be used on worksurface height storage
- Modesty height allows a 1³⁄₁₆" gap between the modesty and worksurface to show the recessed façade on the pedestals

MODESTY PANEL FULL OVERLAY WORKSURFACE HEIGHT	59N6026MPVL	Laminate	$ 352	¾	59¹⁄₁₆	26	–	–	38 lbs.	3.3



- Grain direction runs vertically
- Full overlay modesty to be used on worksurface height storage
- Modesty height allows a 1³⁄₁₆" gap between the modesty and worksurface to show the recessed façade on the pedestals

MODESTY PANEL BREAKFRONT WORKSURFACE HEIGHT	59N6026MPKW	Wood	$ 675	¾	59⅞	26	–	–	38 lbs.	3.3
	59N6026MPKL	Laminate	352	¾	59⅞	26	–	–	38 lbs.	3.3
	59N4826MPKW	Wood	$ 590	¾	47⅞	26	–	–	33 lbs.	2.7
	59N4826MPKL	Laminate	311	¾	47⅞	26	–	–	33 lbs.	2.7
	59N4226MPKW	Wood	$ 572	¾	41⅞	26	–	–	29 lbs.	2.4
	59N4226MPKL	Laminate	276	¾	41⅞	26	–	–	29 lbs.	2.4
	59N3626MPKW	Wood	$ 548	¾	35¹⁵⁄₁₆	26	–	–	24 lbs.	2.1
	59N3626MPKL	Laminate	245	¾	35¹⁵⁄₁₆	26	–	–	24 lbs.	2.1
	59N3026MPKW	Wood	$ 503	¾	29¹⁵⁄₁₆	26	–	–	21 lbs.	1.8
	59N3026MPKL	Laminate	218	¾	29¹⁵⁄₁₆	26	–	–	21 lbs.	1.8



- Grain direction runs vertically
- Modesty height allows a 1³⁄₁₆" gap between the modesty and worksurface to show the recessed façade on the pedestals
- Must also specify pedestal back panel to complete pedestal back if used in the kneewell area
- Not recommended to be used when specifying center grommet

PRODUCT SPECIFICATIONS

- Modesty and back panels are used in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewell

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color (laminate models)
3. Veneer Finish (wood models)

SAMPLE MODEL NUMBERS:

59N6913MPW CL
59N6913MPL 478

• See pages 157-159 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
MODESTY PANEL BREAKFRONT WORKSURFACE HEIGHT	59N6026MPKVL	Laminate	$ 352	¾	59⅞	26	—	—	38 lbs.	3.3
	59N4826MPKVL	Laminate	311	¾	47⅞	26	—	—	33 lbs.	2.7
	59N4226MPKVL	Laminate	276	¾	41⅞	26	—	—	29 lbs.	2.4
	59N3626MPKVL	Laminate	245	¾	35¹⁵⁄₁₆	26	—	—	24 lbs.	2.1
	59N3026MPKVL	Laminate	218	¾	29¹⁵⁄₁₆	26	—	—	21 lbs.	1.8



- Grain direction runs vertically
- Modesty height allows a 1⅜" gap between the modesty and worksurface to show the recessed façade on the pedestals
- Must also specify pedestal back panel to complete pedestal back if used in the kneewell area
- Not recommended to be used when specifying center grommet

MODESTY PANEL PARTIAL HEIGHT FOR SINGLE PEDESTAL UNIT	59N6913MPW	Wood	$ 620	¾	68¹⁵⁄₁₆	13	—	—	12 lbs.	1.1
	59N6913MPL	Laminate	338	¾	68¹⁵⁄₁₆	13	—	—	12 lbs.	1.1
	59N5713MPW	Wood	$ 548	¾	56¹⁵⁄₁₆	13	—	—	12 lbs.	1.1
	59N5713MPL	Laminate	289	¾	56¹⁵⁄₁₆	13	—	—	12 lbs.	1.1
	59N5113MPW	Wood	$ 488	¾	50¹⁵⁄₁₆	13	—	—	11 lbs.	1.0
	59N5113MPL	Laminate	264	¾	50¹⁵⁄₁₆	13	—	—	11 lbs.	1.0
	59N4513MPW	Wood	$ 465	¾	44¾	13	—	—	10 lbs.	0.9
	59N4513MPL	Laminate	244	¾	44¾	13	—	—	10 lbs.	0.9
	59N3913MPW	Wood	$ 441	¾	38¾	13	—	—	10 lbs.	0.9
	59N3913MPL	Laminate	216	¾	38¾	13	—	—	10 lbs.	0.9
	59N3313MPW	Wood	$ 428	¾	32¾	13	—	—	8 lbs.	0.7
	59N3313MPL	Laminate	193	¾	32¾	13	—	—	8 lbs.	0.7



- Must also specify pedestal back panel to complete pedestal back if used in the kneewell area
- Used in conjunction with 1 15" pedestal

MODESTY PANEL PARTIAL HEIGHT FOR SINGLE PEDESTAL UNIT	59N5713MPVL	Laminate	$ 289	¾	56¹⁵⁄₁₆	13	—	—	12 lbs.	1.1
	59N5113MPVL	Laminate	264	¾	50¹⁵⁄₁₆	13	—	—	11 lbs.	1.0
	59N4513MPVL	Laminate	244	¾	44¾	13	—	—	10 lbs.	0.9
	59N3913MPVL	Laminate	216	¾	38¾	13	—	—	10 lbs.	0.8
	59N3313MPVL	Laminate	193	¾	32¾	13	—	—	8 lbs.	0.7



- Grain direction runs vertically
- Must also specify pedestal back panel to complete pedestal back if used in the kneewell area
- Used in conjunction with 1 15" pedestal

TESSERA

PRODUCT SPECIFICATIONS

- Modesty and back panels are used in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewell

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color (laminate models)
3. Veneer Finish (wood models)

SAMPLE MODEL NUMBERS:

59N6013MPW CL
59N6013MPL 478

• See pages 157-159 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
MODESTY PANEL PARTIAL HEIGHT FOR DOUBLE PEDESTAL UNIT	59N6013MPW	Wood	$ 550	¾	59⅞	13	—	—	13 lbs.	1.2
	59N6013MPL	Laminate	311	¾	59⅞	13	—	—	13 lbs.	1.2
	59N5413MPW	Wood	$ 504	¾	53⅞	13	—	—	12 lbs.	1.1
	59N5413MPL	Laminate	284	¾	53⅞	13	—	—	12 lbs.	1.1
	59N4813MPW	Wood	$ 480	¾	47⅞	13	—	—	11 lbs.	1.0
	59N4813MPL	Laminate	255	¾	47⅞	13	—	—	11 lbs.	1.0
	59N4213MPW	Wood	$ 455	¾	41⅞	13	—	—	10 lbs.	0.9
	59N4213MPL	Laminate	230	¾	41⅞	13	—	—	10 lbs.	0.9
	59N3613MPW	Wood	$ 436	¾	35¹⁵⁄₁₆	13	—	—	8 lbs.	0.7
	59N3613MPL	Laminate	201	¾	35¹⁵⁄₁₆	13	—	—	8 lbs.	0.7
	59N3013MPW	Wood	$ 413	¾	29¹⁵⁄₁₆	13	—	—	7 lbs.	0.6
	59N3013MPL	Laminate	177	¾	29¹⁵⁄₁₆	13	—	—	7 lbs.	0.6

- Must also specify pedestal back panel to complete pedestal back if used in the kneewell area

MODESTY PANEL PARTIAL HEIGHT FOR DOUBLE PEDESTAL UNIT	59N6013MPVL	Laminate	$ 311	¾	59⅞	13	—	—	13 lbs.	1.2
	59N5413MPVL	Laminate	284	¾	53⅞	13	—	—	12 lbs.	1.1
	59N4813MPVL	Laminate	255	¾	47⅞	13	—	—	11 lbs.	1.0
	59N4213MPVL	Laminate	230	¾	41⅞	13	—	—	10 lbs.	0.9
	59N3613MPVL	Laminate	201	¾	35¹⁵⁄₁₆	13	—	—	8 lbs.	0.7
	59N3013MPVL	Laminate	177	¾	29¹⁵⁄₁₆	13	—	—	7 lbs.	0.6



- Grain direction runs vertically
- Must also specify pedestal back panel to complete pedestal back if used in the kneewell area

PRODUCT SPECIFICATIONS

- Panels shipped with appropriate hardware
- Modesty and back panels are used in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewell

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color (laminate models)
3. Veneer Finish (wood models)

SAMPLE MODEL NUMBERS:

59N1827MPW CL
59N1827MPL 478

• See pages 157-159 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
MODESTY/BACK PANEL PEDESTAL	59N1827MPW	Wood	$ 482	¾	17 13/16	26	—	—	14 lbs.	1.1
	59N1827MPL	Laminate	185	¾	17 13/16	26	—	—	14 lbs.	1.1
	59N1527MPW	Wood	$ 474	¾	14 13/16	26	—	—	13 lbs.	1.0
	59N1527MPL	Laminate	163	¾	14 13/16	26	—	—	13 lbs.	1.0
MODESTY/BACK PANEL PEDESTAL	59N1827MPVL	Laminate	$ 221	¾	17 13/16	26	—	—	14 lbs.	1.1
	59N1527MPVL	Laminate	201	¾	14 13/16	26	—	—	13 lbs.	1.0
END PANEL (WORKSURFACE HEIGHT)	59N3528EPW	Wood	$ 728	35 1/16	1 3/16	27¾	—	—	35 lbs.	1.9
	59N3528EPL	Laminate	399	35 1/16	1 3/16	27¾	—	—	35 lbs.	1.9
	59N2928EPW	Wood	$ 659	29 1/16	1 3/16	27¾	—	—	30 lbs.	1.7
	59N2928EPL	Laminate	344	29 1/16	1 3/16	27¾	—	—	30 lbs.	1.7
	59N2328EPW	Wood	$ 641	22 15/16	1 3/16	27¾	—	—	25 lbs.	1.3
	59N2328EPL	Laminate	312	22 15/16	1 3/16	27¾	—	—	25 lbs.	1.3
	59N1728EPW	Wood	$ 600	17 1/16	1 3/16	27¾	—	—	23 lbs.	1.1
	59N1728EPL	Laminate	292	17 1/16	1 3/16	27¾	—	—	23 lbs.	1.1
FILLER STRIP WORKSURFACE HEIGHT	59N28CPFSW	Wood	$ 144	¾	2 1/16	27 1/16	—	—	5 lbs.	1.4
	59N28CPFSL	Laminate	114	¾	2 1/16	27 1/16	—	—	5 lbs.	1.4
SUPPORT PANEL (WORKSURFACE HEIGHT)	59N1228SSW	Wood	$ 443	11 1/16	1 3/16	27¾	—	—	15 lbs.	0.8
	59N1228SSL	Laminate	163	11 1/16	1 3/16	27¾	—	—	15 lbs.	0.8

- Grain direction runs vertically
- End panels are required when pedestals are not used to support the end of a unit or workstation
- End panels are 1" shallower than worksurfaces to accommodate a modesty panel or filler strip
- Modesty panels are recommended when building a shell unit
- When pedestals are positioned against a wall and a modesty panel is not used, specify a filler strip to fill the 1" gap between the worksurface and pedestal depths
- For use as added support

TESSERA

PRODUCT SPECIFICATIONS

- Panels shipped with appropriate hardware
- Modesty and back panels are used in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewell

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color (laminate models)
3. Veneer Finish (wood models)

SAMPLE MODEL NUMBERS:

59N3628PNBW CL
59N3628PNBL 478

• See pages 157-159 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SUPPORT PANEL U-STYLE	NAC1228UBC	Concrete	$ 550	1½	12	28	—	—	12 lbs.	3.1
	NAC1228UBB	Cinder	550	1½	12	28	—	—	12 lbs.	3.1
	NAC1228UBI	Iron	550	1½	12	28	—	—	12 lbs.	3.1
	NAC1228UBS	Platinum Metallic	550	1½	12	28	—	—	12 lbs.	3.1
	NAC1228UBN	Satin Nickel Metallic	550	1½	12	28	—	—	12 lbs.	3.1
	NAC1228UBH	Designer White	550	1½	12	28	—	—	12 lbs.	3.1



- For use as added support
- Adjustable glides are standard
- Specify model number only
- Metal mounting plate attached to support panel

UNDERSURFACE SUPPORT RAIL (WORKSURFACE)	QNAC0248SUR		$ 266	2¾	48	1	—	—	5 lbs.	0.5
	NAC0248SUR		266	2¾	48	1	—	—	5 lbs.	0.5
	QNAC0236SUR		228	2¾	36	1	—	—	3 lbs.	0.3
	NAC0236SUR		228	2¾	36	1	—	—	3 lbs.	0.3



- Specify model number only
- Model recommended for use when the weight on the table has a uniform weight above 125 lbs. or if the span between table legs or support structures is greater than 48" on a 1⅜" worksurface and greater than 60" on a 1⅛" worksurface
- Specify the 36" model to be used up to 66" worksurfaces
- Specify the 48" model to be used up to 72" worksurfaces
- Specify with worksurfaces when overlapping box/file height storage, sit on box/file height storage and supports worksurface height worksurfaces
- Rails are bulk packed per order. The pack may contain both sizes of rails

SLAB BASE	59N3628PNBW	Wood	$ 854	1⅜	36	27½	—	—	37 lbs.	2.0
	59N3628PNBL	Laminate	684	1⅜	36	27½	—	—	37 lbs.	2.0
	59N3028PNBW	Wood	$ 818	1⅜	30	27½	—	—	31 lbs.	1.7
	59N3028PNBL	Laminate	655	1⅜	30	27½	—	—	31 lbs.	1.7
	59N2428PNBW	Wood	$ 781	1⅜	24	27½	—	—	28 lbs.	1.5
	59N2428PNBL	Laminate	625	1⅜	24	27½	—	—	28 lbs.	1.5
	59N2028PNBW	Wood	$ 744	1⅜	20	27½	—	—	24 lbs.	1.3
	59N2028PNBL	Laminate	595	1⅜	20	27½	—	—	24 lbs.	1.3



- For use with a Tessera component worksurface

PRODUCT SPECIFICATIONS

- Hardware sent with legs
- See page 622 in Casegoods 2 Price List for optional "U" base to be used as support for 20" depth worksurfaces (see example on page 253 in Tessera)

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color (laminate models)
3. Veneer Finish (wood models)

SAMPLE MODEL NUMBERS:

59N0228ABW 501
59N3005SEPW CL

- See pages 157-159 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SLANT LEG TAPER BASE	59N0228ABW	Wood	$ 1774	1½	3	27½	—	—	30 lbs.	1.3
	59N0229ABW	Wood	1774	1½	3	28⅞	—	—		



- Select finish or paint color
- Leg width is 3" at the top and tapers down to 1½" at the bottom
- Comes as a set of 2
- Intended for use with worksurfaces that are 36" x 72" and smaller
- Specify 29" high leg when using 2 worksurfaces on top of each other

CREDENZA BRIDGE SUPPORT	59N3005SEPW	Wood	$ 563	29 15/16	1 3/16	4⅞	—	—	18 lbs.	0.8
	59N3005SEPL	Laminate	259	29 15/16	1 3/16	4⅞	—	—	18 lbs.	0.8
	59N2405SEPW	Wood	$ 523	23 15/16	1 3/16	4⅞	—	—	16 lbs.	0.7
	59N2405SEPL	Laminate	216	23 15/16	1 3/16	4⅞	—	—	16 lbs.	0.7
	59N2005SEPW	Wood	$ 487	19 15/16	1 3/16	4⅞	—	—	11 lbs.	0.7
	59N2005SEPL	Laminate	201	19 15/16	1 3/16	4⅞	—	—	11 lbs.	0.7



- Some assembly required
- Specify with worksurfaces when overlapping 23" height credenza storage, sits on storage and supports overlapping worksurfaces
- Not to be used with modesty panels

BENCH BRIDGE SUPPORT	59N3013SEPW	Wood	$ 581	29 15/16	1 3/16	12⅞	—	—	27 lbs.	1.2
	59N3013SEPL	Laminate	275	29 15/16	1 3/16	12⅞	—	—	27 lbs.	1.2
	59N2413SEPW	Wood	$ 538	23 15/16	1 3/16	12⅞	—	—	22 lbs.	1.0
	59N2413SEPL	Laminate	231	23 15/16	1 3/16	12⅞	—	—	22 lbs.	1.0
	59N2013SEPW	Wood	$ 504	19 15/16	1 3/16	12⅞	—	—	14 lbs.	0.9
	59N2013SEPL	Laminate	213	19 15/16	1 3/16	12⅞	—	—	14 lbs.	0.9



- Some assembly required
- Specify with worksurfaces when overlapping bench credenza storage, sits on storage and supports overlapping worksurfaces
- Not to be used with modesty panels

TESSERA

TO ORDER, SPECIFY:
1. Model Number

SAMPLE MODEL NUMBER:
NAC18TLDBPUS

• See pages 157-159 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
ELEMENT LED DESKTOP LIGHT	NAC18TLDBPUS	Task Light w/Desktop Base, Plug/USB, Silver	$ 1360	14	—	14	—	—	3 lbs.	0.7



- Available in silver
- MCX LED freestanding light
- Working height 18" and maximum reach 28"
- 360° swivel from base, 135° front-to-back head tilt, 90° side-to-side head rotation
- 1 120VAC 3 prong receptacle electrical outlet
- 7 levels of light adjustment
- 2 USB charging ports providing 1 Amp 5VDC of power

PIPER LINEAR LED DESKTOP LIGHT	NAC18TLDBUH	Task Light w/Desktop Base, USB, white	$ 761	11½	7½	18¼	—	—	10 lbs.	1.2

- Available in white
- LED freestanding light
- 3 color temps, dimming
- 1 USB charging port that provides 5 volts and 1 Amp of charging power
- 4'11" white cord plus a 3' cord extender
- UL Listed

LED LIGHT KITS

NACLTKA1	Light Kit 1 (for larger walls)	$	1192
NACLTKA2	Light Kit 2 (for smaller walls)		710
NACLTKA3	Light Kit 3 (for shelf only, to turn on)		196



Light strip



LED driver



Rocker switch

- LED light kits can be added to the back side of the wall panels
- Kit 1 includes 2 light spools, 1 driver, 2 leads, 1 rocker switch, 3 corner connectors, and 2 splice
- Kit 2 includes 1 light spool, 1 driver, 1 lead, 1 rocker switch, 2 corner connectors, and 2 splice
- Kit 2 will work for any reception size
- Kit 3 includes 1 driver and 1 rocker switch
- Kit 3 driver has 6 ports where up to 6 shelves can be linked together in one driver. It will be dependent upon the location of the shelves and the driver and the limitations of the length of the cord how many shelves can be plugged into one driver
- Kit 1 will light all 4 sides of wall panels that are 120" wide x 52" tall down to 48" wide x 52" tall
- Kit 1 will light all 3 sides of wall panels that are 120" wide x52" tall down to 90" wide x 52" tall
- Kit 2 will accommodate all sizes smaller than what requires Kit 1
- Kit 3 is required when using lighted shelves to turn the shelf lighting on and off; shelves are sold with lighting installed
- Length of spool of light: 10 meters for Kit 1, 5 meters for Kit 2
- The driver 12v lead cable is 78¾"
- The 2 prong US power cord that comes with the light is 78¾"
- The rocker switch cable is 72"

NACLTMD	Light Multi-Driver (used when ganging together 2 kits)	$	45

- Required when ganging 2 light kits together

NACLTSPLA	5m Spool of Lights	$	473

- Additional light strip when an additional light kit is not needed

TO ORDER, SPECIFY:

1. Model Number
2. Leather Color

SAMPLE MODEL NUMBER:

NAC06WMSTF 82008

• See pages 157-159 for all options available in Tessera

WIRE MANAGEMENT LEATHER STRAP

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
		DI		H				
NAC06WMSTF	$ 85	1¼		6			5 lbs.	0.5

- Available in grade L8 Florence only 82002 Florence Almond Biscotti, 82006 Florence Terra, 82008 Florence Mezza Luna, and 82009 Florence Struzzo
- Sold in a quantity of 1

WIRE MANAGEMENT LEATHER SLEEVE

NAC28WMSLF	For Worksurface Height	$ 202			28			
NAC34WMSLF	For Counter Height	216			34			
NAC40WMSLF	For Bar Height	230			40			

- Available in grade L8 Florence only 82002 Florence Almond Biscotti, 82006 Florence Terra, 82008 Florence Mezza Luna, and 82009 Florence Struzzo
- Sold in quantity of 1

TESSERA

PRODUCT SPECIFICATIONS

- Legs are solid wood (Beech)
- Legs shipped KD in same box

TO ORDER, SPECIFY:

1. Model Number
2. Leg Color
3. Finish/Laminate Color

SAMPLE MODEL NUMBERS:

59N24ENRDW 501 MH
59N24ENRDLW 501 MH

• See pages 157-159 for all options available in Tessera

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
TESSERA END TABLE	**ROUND**									
	59N24ENRDW	Wood	$ 2313	24	24	23¾	–	–	83 lbs.	14.2
	59N24ENRDLW	Laminate	1970	24	24	23¾	–	–	83 lbs.	14.2
	SQUARE									
	59N2424ENSQW	Wood	$ 2472	24	24	23¾	–	–	55 lbs.	14.2
	59N2424ENSQLW	Laminate	2126	24	24	23¾	–	–	55 lbs.	14.2
	• No grommet cutouts available • 1⅜" thick top									
TESSERA COFFEE TABLE	**ROUND**									
	59N36MGRDW	Wood	$ 2691	36⅛	36⅛	16¾	–	–	55 lbs.	21.6
	59N36MGRDLW	Laminate	2345	36⅛	36⅛	16¾	–	–	55 lbs.	21.6
	SQUARE									
	59N3636MGSQW	Wood	$ 2847	36⅛	36⅛	16¾	–	–	65 lbs.	21.6
	59N3636MGSQLW	Laminate	2503	36⅛	36⅛	16¾	–	–	65 lbs.	21.6
	• No grommet cutouts available • 1⅜" thick top									
TESSERA MAGAZINE TABLE	59N2448MGW	Wood	$ 2691	24	48	16¾	–	–	77 lbs.	19.7
	59N2448MGLW	Laminate	2345	24	48	16¾	–	–	77 lbs.	19.7
	• No grommet cutouts available • 1⅜" thick top									

PRODUCT SPECIFICATIONS

- Legs are solid wood (Beech)
- Legs shipped KD in same box
- Apron rail on conference tables shipped attached
- See pages 281-282 for coordinating benches

TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Leg Color
4. Finish/Laminate Color

SAMPLE MODEL NUMBERS:

59N6012029TRTW X 501 MH
59N6012029TRTLW X 501 MH

- See pages 157-159 for all options available in Tessera

CONFERENCE TABLE
WORKSURFACE HEIGHT



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
59N6012029TRTW	Wood	$ 9216	60	120	28⅜	—	—	309 lbs.	25.2
59N6012029TRTLW	Laminate	8808	60	120	28⅜	—	—	309 lbs.	25.2
59N6010829TRTW	Wood	$ 9127	60	108	28⅜	—	—	281 lbs.	22.8
59N6010829TRTLW	Laminate	8281	60	108	28⅜	—	—	281 lbs.	22.8
59N609629TRTW	Wood	$ 8913	60	96	28⅜	—	—	252 lbs.	20.4
59N609629TRTLW	Laminate	8111	60	96	28⅜	—	—	252 lbs.	20.4
59N608429TRTW	Wood	$ 6921	60	84	28⅜	—	—	222 lbs.	18.0
59N608429TRTLW	Laminate	6113	60	84	28⅜	—	—	222 lbs.	18.0
59N607229TRTW	Wood	$ 6720	60	72	28⅜	—	—	194 lbs.	15.6
59N607229TRTLW	Laminate	5816	60	72	28⅜	—	—	194 lbs.	15.6
59N5412029TRTW	Wood	$ 8798	54	120	28⅜	—	—	283 lbs.	22.9
59N5412029TRTLW	Laminate	8435	54	120	28⅜	—	—	283 lbs.	22.9
59N5410829TRTW	Wood	$ 8721	54	108	28⅜	—	—	257 lbs.	20.7
59N5410829TRTLW	Laminate	7964	54	108	28⅜	—	—	257 lbs.	20.7
59N549629TRTW	Wood	$ 8528	54	96	28⅜	—	—	230 lbs.	18.5
59N549629TRTLW	Laminate	7812	54	96	28⅜	—	—	230 lbs.	18.5
59N548429TRTW	Wood	$ 6560	54	84	28⅜	—	—	202 lbs.	16.4
59N548429TRTLW	Laminate	5839	54	84	28⅜	—	—	202 lbs.	16.4
59N547229TRTW	Wood	$ 6381	54	72	28⅜	—	—	176 lbs.	14.2
59N547229TRTLW	Laminate	5573	54	72	28⅜	—	—	176 lbs.	14.2

- Regulation ping pong size 60"x108"
- Apron rail color will match specified leg color
- 72 and 84" wide models will have a total of 4 legs. 96, 108, and 120" wide models have 6 legs
- See wire managers page 277
- See grommets page 160

TESSERA

PRODUCT SPECIFICATIONS

- Apron rail ships attached
- Legs shipped KD in same box
- Apron rail on conference tables shipped attached
- See pages 281-282 for coordinating benches

TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Leg Color
4. Finish/Laminate Color

SAMPLE MODEL NUMBERS:

59N4812029TRTW X 501 PT
59N4812029TRTLW X 501 PT

- See pages 157-159 for all options available in Tessera

CONFERENCE TABLE
WORKSURFACE HEIGHT



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
59N4812029TRTW	Wood	$ 8426	48	120	28⅜	–	–	258 lbs.	20.6
59N4812029TRTLW	Laminate	8103	48	120	28⅜	–	–	258 lbs.	20.6
59N4810829TRTW	Wood	$ 8358	48	108	28⅜	–	–	233 lbs.	18.7
59N4810829TRTLW	Laminate	7680	48	108	28⅜	–	–	233 lbs.	18.7
59N489629TRTW	Wood	$ 8186	48	96	28⅜	–	–	208 lbs.	16.7
59N489629TRTLW	Laminate	7547	48	96	28⅜	–	–	208 lbs.	16.7
59N488429TRTW	Wood	$ 6239	48	84	28⅜	–	–	183 lbs.	14.7
59N488429TRTLW	Laminate	5594	48	84	28⅜	–	–	183 lbs.	14.7
59N487229TRTW	Wood	$ 6078	48	72	28⅜	–	–	157 lbs.	12.8
59N487229TRTLW	Laminate	5356	48	72	28⅜	–	–	157 lbs.	12.8
59N4212029TRTW	Wood	$ 8196	42	120	28⅜	–	–	228 lbs.	18.4
59N4212029TRTLW	Laminate	7377	42	120	28⅜	–	–	228 lbs.	18.4
59N4210829TRTW	Wood	$ 8034	42	108	28⅜	–	–	206 lbs.	16.6
59N4210829TRTLW	Laminate	7259	42	108	28⅜	–	–	206 lbs.	16.6
59N429629TRTW	Wood	$ 7879	42	96	28⅜	–	–	184 lbs.	14.4
59N429629TRTLW	Laminate	7150	42	96	28⅜	–	–	184 lbs.	14.4
59N428429TRTW	Wood	$ 5951	42	84	28⅜	–	–	161 lbs.	13.1
59N428429TRTLW	Laminate	5265	42	84	28⅜	–	–	161 lbs.	13.1
59N427229TRTW	Wood	$ 5808	42	72	28⅜	–	–	139 lbs.	11.4
59N427229TRTLW	Laminate	5163	42	72	28⅜	–	–	139 lbs.	11.4

- Regulation ping pong size 60"x108"
- Apron rail color will match specified leg color
- 72 and 84" wide models will have a total of 4 legs. 96, 108, and 120" wide models have 6 legs
- See wire managers page 277
- See grommets page 160

PRODUCT SPECIFICATIONS

- Apron rail ships attached
- Legs shipped KD in same carton

TO ORDER, SPECIFY:

1. Model Number
2. Leg Color
3. Fabric Grade/Color
4. Wood or Laminate Color

SAMPLE MODEL NUMBER:

59N1872BN1F 501 L8 82008

- See pages 157-159 for all options available in Tessera

BENCH

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
59N1872BN1W	Wood	$ 3449	18⅛	72	17½	—	—	69 lbs.	5.2
59N1872BN1L	Laminate	3376	18⅛	72	17½	—	—	69 lbs.	5.2

	Grade	1	2/COM	3/COL	4	5	6	7	L7	L8
59N1872BN1F	Fabric	$ 3663	3719	3745	3786	3831	3908	4010	4495	4650

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
$	3757	3817	3861	3909	3962	4018	4065	4122	4180	4239

	K	L	M	N	O	P	Q	R	S	T
$	4329	4511	4625	4684	4743	4802	4861	4917	4977	5034

59N1860BN1W	Wood	$ 3161	18⅛	60	17½	—	—	62 lbs.	4.4
59N1860BN1L	Laminate	3088	18⅛	60	17½	—	—	62 lbs.	4.4

	Grade	1	2/COM	3/COL	4	5	6	7	L7	L8
59N1860BN1F	Fabric	$ 3376	3432	3458	3499	3544	3621	3723	4208	4363

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
$	3470	3530	3574	3622	3675	3731	3778	3835	3893	3952

	K	L	M	N	O	P	Q	R	S	T
$	4042	4224	4338	4397	4456	4515	4574	4630	4690	4747

59N1854BN1W	Wood	$ 2873	18⅛	54	17½	—	—	55 lbs.	4.0
59N1854BN1L	Laminate	2801	18⅛	54	17½	—	—	55 lbs.	4.0

	Grade	1	2/COM	3/COL	4	5	6	7	L7	L8
59N1854BN1F	Fabric	$ 3088	3144	3170	3211	3256	3333	3435	3920	4075

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
$	3182	3242	3286	3334	3387	3443	3490	3547	3605	3664

	K	L	M	N	O	P	Q	R	S	T
$	3754	3936	4050	4109	4168	4227	4286	4342	4402	4459

- 72" recommended to be used with 84" length table (1 per side)
- 60" recommended to be used with 72" length table (1 per side)
- 54" recommended to be used with 120" length table (2 per side)
- 48" recommended to be used with 108" length table (2 per side)
- 42" recommended to be used with 96" length table (2 per side)
- Apron rail color will match specified leg color
- See pages 0-13 for upholstery options

TESSERA

PRODUCT SPECIFICATIONS

- Apron rail ships attached
- Legs shipped KD in same carton

TO ORDER, SPECIFY:

1. Model Number
2. Leg Color
3. Fabric Grade/Color
4. Wood or Laminate Color

SAMPLE MODEL NUMBER:

59N1848BN1F 501 L8 82008

• See pages 157-159 for all options available in Tessera

BENCH (CONTINUED)

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
59N1848BN1W	Wood		$ 2730	18⅛	48	17½	—	—	49 lbs.	3.6
59N1848BN1L	Laminate		2658	18⅛	48	17½	—	—	49 lbs.	3.6
	Grade	1	2/COM	3/COL	4	5	6	7	L7	L8
59N1848BN1F	Fabric	$ 2945	2973	2986	3007	3029	3067	3119	3361	3439

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
$	2992	3022	3044	3068	3095	3123	3146	3175	3203	3233

	K	L	M	N	O	P	Q	R	S	T
$	3278	3369	3426	3455	3485	3515	3544	3572	3602	3631

59N1842BN1W	Wood				$ 2586	18⅛	42	17½	—	—	42 lbs.	3.2
59N1842BN1L	Laminate				2515	18⅛	42	17½	—	—	42 lbs.	3.2
	Grade	1	2/COM	3/COL	4	5	6	7	L7	L8		
59N1842BN1F	Fabric	$ 2801	2829	2842	2863	2885	2923	2975	3217	3295		

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
$	2848	2878	2900	2924	2951	2979	3002	3031	3059	3089

	K	L	M	N	O	P	Q	R	S	T
$	3134	3225	3282	3311	3341	3371	3400	3428	3458	3487

- 72" recommended to be used with 84" length table (1 per side)
- 60" recommended to be used with 72" length table (1 per side)
- 54" recommended to be used with 120" length table (2 per side)
- 48" recommended to be used with 108" length table (2 per side)
- 42" recommended to be used with 96" length table (2 per side)
- Apron rail color will match specified leg color
- See pages 0-13 for upholstery options

PRODUCT SPECIFICATIONS

- Conference tops available in wood or laminate
- Apron rail comes attached
- Legs shipped KD in same carton
- See pages 281-282 for coordinating benches

TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Leg Color
4. Finish/Laminate Color

SAMPLE MODEL NUMBERS:

59N4812041TRTW X 501 PT
59N4812041TRTLW X 501 PT

- See pages 157-159 for all options available in Tessera

CONFERENCE TABLE
BAR HEIGHT



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
59N4812041TRTW	Wood	$ 14157	48	119⅝	41			561 lbs.	20.6
59N4812041TRTLW	Laminate	13611	48	119⅝	41			561 lbs.	20.6
59N4810841TRTW	Wood	$ 14043	48	107⅞	41			525 lbs.	22.3
59N4810841TRTLW	Laminate	12904	48	107⅞	41			525 lbs.	22.3
59N489641TRTW	Wood	$ 13753	48	95⅞	41			488 lbs.	20.4
59N489641TRTLW	Laminate	12679	48	95⅞	41			488 lbs.	20.4
59N488441TRTW	Wood	$ 10483	48	84	41			452 lbs.	14.7
59N488441TRTLW	Laminate	9397	48	84	41			452 lbs.	14.7
59N487241TRTW	Wood	$ 10210	48	72	41			416 lbs.	12.8
59N487241TRTLW	Laminate	9000	48	72	41			416 lbs.	12.8
59N4212041TRTW	Wood	$ 13770	42	119⅝	41			527 lbs.	18.4
59N4212041TRTLW	Laminate	12394	42	119⅝	41			527 lbs.	18.4
59N4210841TRTW	Wood	$ 13499	42	107⅞	41			494 lbs.	19.9
59N4210841TRTLW	Laminate	12197	42	107⅞	41			494 lbs.	19.9
59N429641TRTW	Wood	$ 13239	42	95⅞	41			460 lbs.	18.1
59N429641TRTLW	Laminate	12015	42	95⅞	41			460 lbs.	18.1
59N428441TRTW	Wood	$ 9999	42	84	41			424 lbs.	13.1
59N428441TRTLW	Laminate	8846	42	84	41			424 lbs.	13.1
59N427241TRTW	Wood	$ 9758	42	72	41			400 lbs.	11.4
59N427241TRTLW	Laminate	8677	42	72	41			400 lbs.	11.4

- Apron rail color will match specified leg color
- Footrail can be specified in paint colors Designer White (405), Concrete (423), Cinder (462), Iron (463), Platinum Metallic (501), and Satin Nickel Metallic (503)
- 72" and 84" wide models will have a total of 4 legs. 96", 108", and 120" wide models have 6 legs
- When specifying grommets, Leather cord management is available. See page 277.
- If specifying G17 grommet, a braided cord is available. See Tables price list.
- See wire managers page 277
- See grommets page 160

TESSERA

PRODUCT SPECIFICATIONS

- Conference tops available in wood or laminate
- Apron rail comes attached
- Legs shipped KD in same carton
- See pages 281-282 for coordinating benches

TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Leg Color
4. Finish/Laminate Color

SAMPLE MODEL NUMBERS:

59N4812035TRTW X 501 PT
59N4812035TRTLW X 501 PT

- See pages 157-159 for all options available in Tessera

CONFERENCE TABLE
COUNTER HEIGHT



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
59N4812035TRTW	Wood	$ 13479	48	119⅜	34¹¹⁄₁₆			514 lbs.	20.6
59N4812035TRTLW	Laminate	12962	48	119⅜	34¹¹⁄₁₆			514 lbs.	20.6
59N4810835TRTW	Wood	$ 13372	48	107⅞	34¹¹⁄₁₆			481 lbs.	18.7
59N4810835TRTLW	Laminate	12289	48	107⅞	34¹¹⁄₁₆			481 lbs.	18.7
59N489635TRTW	Wood	$ 13098	48	95⅞	34¹¹⁄₁₆			446 lbs.	20.4
59N489635TRTLW	Laminate	12076	48	95⅞	34¹¹⁄₁₆			446 lbs.	20.4
59N488435TRTW	Wood	$ 9983	48	84	34¹¹⁄₁₆			414 lbs.	14.7
59N488435TRTLW	Laminate	8949	48	84	34¹¹⁄₁₆			414 lbs.	14.7
59N487235TRTW	Wood	$ 9724	48	72	34¹¹⁄₁₆			400 lbs.	12.8
59N487235TRTLW	Laminate	8570	48	72	34¹¹⁄₁₆			400 lbs.	12.8
59N4212035TRTW	Wood	$ 13114	42	119⅜	34¹¹⁄₁₆			482 lbs.	18.4
59N4212035TRTLW	Laminate	11803	42	119⅜	34¹¹⁄₁₆			482 lbs.	18.4
59N4210835TRTW	Wood	$ 12855	42	107⅞	34¹¹⁄₁₆			451 lbs.	16.6
59N4210835TRTLW	Laminate	11614	42	107⅞	34¹¹⁄₁₆			451 lbs.	16.6
59N429635TRTW	Wood	$ 12608	42	95⅞	34¹¹⁄₁₆			419 lbs.	18.1
59N429635TRTLW	Laminate	11442	42	95⅞	34¹¹⁄₁₆			419 lbs.	18.1
59N428435TRTW	Wood	$ 9522	42	84	34¹¹⁄₁₆			387 lbs.	13.1
59N428435TRTLW	Laminate	8425	42	84	34¹¹⁄₁₆			387 lbs.	13.1
59N427235TRTW	Wood	$ 9293	42	72	34¹¹⁄₁₆			320 lbs.	11.4
59N427235TRTLW	Laminate	8262	42	72	34¹¹⁄₁₆			320 lbs.	11.4

- Apron rail color will match specified leg color
- Footrail can be specified in paint colors Designer White (405), Concrete (423), Cinder (462), Iron (463), Platinum Metallic (501), and Satin Nickel Metallic (503)
- 72" and 84" wide models will have a total of 4 legs. 96", 108", and 120" wide models have 6 legs
- When specifying grommets, Leather cord management is available. See page 277.
- If specifying G17 grommet, a braided cord is available. See Tables price list.
- See wire managers page 277
- See grommets page 160

EXHIBIT

WALL RAIL SOLUTION

Product Specifications 286
Production Options 288
Product Overview 290
Application Guidelines 291
Product Pages 292

EXHIBIT

PRODUCT SPECIFICATIONS

HORIZONTAL WALL RAIL AND FACEPLATE

- Wall rail and faceplate are a powder coated aluminum extrusion
- Available in lengths of 72" and 144"
- Wall rails come in sets of 1 or 2 and include faceplate and alignment brackets
- Wall rails can also be ordered without faceplates
- When attaching worksurfaces to the wall rail without the use of tack board, marker board, or slat wall inserts, wall rail can be ordered without the faceplate
- Faceplate snaps onto wall rail to secure marker board, tack board and slat wall inserts in place; Inserts can be removed or replaced without removing wall rail
- Faceplate conceals alignment brackets, fasteners and provides a clean aesthetic look
- Wall rail is mounted horizontally providing tie in to appropriate load bearing studs
- Alignment bracket is required to align 2 adjacent sections of wall rail and is included with wall rails
- Alignment bracket is hidden from view once installation is complete
- Wall rails can be cut to size in the field
- WaveWorks and Epic worksurfaces can be attached to wall rails with worksurface brackets
- Worksurfaces that are attached to the wall rail can be ordered with or without a wire manager; Worksurfaces with a wire manager have a flexible PVC trough that allows cords and cables to be routed along the back edge or sides of worksurface

MARKER BOARD INSERTS

- Marker board inserts have erasable writing surface and are available in HPL or magnetic porcelain models
- Marker board inserts are available in white only
- HPL marker board and tack board insert models can be scribed in field
- Marker board, tack board and slat wall inserts include 2 trim channels

TACK BOARD INSERTS

- Tack board insert is available in fabric, see page 288 for fabric options
- Shaded rectangle portrays a railroaded tack board



SLAT WALL INSERTS

- Slat wall inserts are powder coated aluminum
- Slat wall inserts offer flexibility in placement of work tools; Combo slat wall inserts offer a slat wall insert combined with a tack board insert providing a multi-functional area and is an economical alternative when overhead storage will be used

ORGANIZER SHELF INSERTS

- Veneer organizer shelf inserts are plain sliced slipmatched cherry (Amber, Autumn, Mocha, Truffle) or maple veneer (Brighton, Caramel, Honey, Natural), plain sliced bookmatched walnut veneer (Clear Walnut, Cordovan, Judicial), quarter cut walnut veneer (Almond, Portobello, Sable), or quarter cut oak veneer (Sonoma).
- When specifying Clear Walnut, a clear coat finish, the natural wood characteristics of walnut veneer are visible. These characteristics include, but are not limited to, color and woodgrain variation
- All Veneer surfaces feature a semi-open pore matte finish

EXHIBIT TV MOUNT INSERT

- Single TV Mount included with laminate or veneer inserts
- Dual TV Mount available as an option on 60" inserts for additional upcharge

TRIM CHANNELS

- Quantity of 2 is standard with each board/insert
- Available in powder coat paint or fabric
- Provides an expansion joint, vertical cable manager attachment and compensates for out-of-plumb walls
- Trim Channels can be ordered separately for boards/inserts that have been scribed in the field

FULL END TRIM

- Full end trim is steel and powder coated
- Full end trim finishes the end of a run and connects the top and bottom wall rail

SINGLE END CAP

- Single end cap is steel and powder coated
- Single end cap finishes the end of a single wall rail by capping off the wall rail, perfect for when a wall rail is used without inserts and a faceplate

VERTICAL CABLE MANAGER

- Vertical cable manager attaches between the insert and trim channel
- Conceals and allows for power cords to be managed and routed from overhead to outlet

VERTICAL CABLE MANAGER FOR TV MOUNT INSERT

- Vertical Cable Manager attaches to the Exhibit TV Mount Insert
- Conceals and allows for power cords to be managed and routed from TV to outlet

WORKSURFACE BRACKETS

- Exhibit worksurface brackets attach worksurfaces to lower wall rail
- A worksurface bracket is required every 48" along back edge of worksurface
- Worksurface bracket is anodized aluminum

PLANNING TIPS

- Wall rails can be mounted at any height if not utilizing with WaveWorks or Epic vertical storage units
- Consider the worksurface load when planning support; For worksurfaces that will hold office equipment, such as printers and copiers, additional support other than standard worksurface brackets is recommended
- Undersurface storage and pedestals satisfy both storage and support needs
- Reconfiguring existing worksurfaces may require new supports or brackets
- When worksurfaces meet end-to-end, a support panel or undersurface storage is required for additional support of the front edge
- Perpendicular worksurfaces can use flat brackets and worksurface brackets to provide adequate support from 1 surface to the other at the worksurface joint
- Worksurface brackets and supports can be positioned anywhere along the worksurface without the limitations of pre-drilled or predetermined locations
- Knife rim adds 1½" per side to worksurface depth. Knife rim is not recommended on lower storage as it affects user's kneespace
- Consider where you specify a worksurface with Worksurface wire manager. When attached to Exhibit lower wall rail, do not use at the end of run for a cleaner aesthetic
- Tack boards may be field scribed to match Epic knife rim worksurface depth

DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

CONFIGURATION OPTIONS - EXHIBIT

WALL RAIL/FACEPLATE/ SLAT WALL INSERT PAINT COLORS

423 Concrete
462 Cinder
463 Iron
501 Platinum Metallic
503 Satin Nickel Metallic

TRIM CHANNEL PAINT COLORS

401 White
423 Concrete
462 Cinder
463 Iron
501 Platinum Metallic
503 Satin Nickel Metallic

END TRIM/END CAP PAINT COLORS

423 Concrete
462 Cinder
463 Iron
501 Platinum Metallic
503 Satin Nickel Metallic

WORK TOOLS (METAL)

423 Concrete
462 Cinder
463 Iron
501 Platinum Metallic
503 Satin Nickel Metallic

TACK BOARD INSERT/TRIM CHANNEL FABRIC OPTIONS

Dune (Grade A)
100% Polyester

8600 Drift
8601 Windblown
8602 Erosion
8603 Haze
8608 Nectar
8610 Clear Sky
8614 Basin
8615 Raven
8620 Darkness

Repetition (Grade A)
100% Pre-Consumer Recycled Polyester

3700 Ash
3703 White
3709 Java
3713 Stainless
3721 Reed
3744 Tawny

COM (Grade B)

Pact (Grade B)
65% Pre-Consumer Recycled Polyester, 35% Post-Consumer Recycled Polyester

25401 Aloe
25402 Azure
25403 Calla
25404 Coastal
25405 Delft
25406 Dove
25409 Fern
25410 Harbour
25411 Lily
25412 Lime
25413 Midnight
25414 Nectar
25415 Patina
25416 Putty
25418 Roma
25420 Sketch
25422 Taupe
25423 Toasty

EXHIBIT TV MOUNT INSERT OPTIONS

TS Single TV Mount, Front
TD Dual TV Mount, Front ($968 list upcharge)

EXHIBIT COMPONENTS



SH6 ORGANIZER SHELF HEIGHT 36"/37"/48"/49" HIGH MODELS

A Align with 13H Overhead
B Align with 18H Overhead
C Align with 30H Overhead*
*48"/49" high models only
D Align with SH1 top shelf

WOOD FINISHES (ORGANIZER SHELF INSERT)

AC Autumn
AD Almond
CL Caramel
CW Cordovan
DW Judicial
EW Clear Walnut**
HN Honey
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
SM Sonoma
TF Truffle
792 Sable

LAMINATE COLORS (ORGANIZER SHELF INSERT)

WOODGRAIN LAMINATE

AC2 Autumn 2
AD Almond
ADH Almond Horizontal
BZ Brazilwood
CI Chai
CL Caramel
CW Cordovan
DW Judicial
HN2 Honey 2
IM Brighton
KN Kona
MC Amber
MH Mocha
NM Natural
TF Truffle
PB Portobello
PBH Portobello Horizontal
PC Porcini
PT Portico*
PTH Portico Horizontal*
SK Skyline*
SKH Skyline Horizontal*
SM Sonoma
SMH Sonoma Horizontal
WL Willow
792 Sable
792H Sable Horizontal
793 Acorn**

SOLID LAMINATE

405 Designer White
419 Wallaby
425 Shadow
440 Cloud
457 Dapple
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
491H Designer White Linear Horizontal
492 Cinder Linear
492H Cinder Linear Horizontal

*Not available on laminate/wood models
**Acorn is the laminate complement to Clear Walnut finish

GALLERY LAMINATE

Grade 1 – 5% upcharge
G1001 Citadel
G1011 Pepperdust

Grade 2 – 6% upcharge
G1002 Planked Raw Oak
G1003 Evening Notte
G1004 Kirsche
G1005 Midnight Run
G1006 Sepia Walnut
G1007 Serotina
G1008 Timeless
G1009 White Nebbia
G1012 Phantom Ecru

See page 14 for Gallery program details and upcharges

EXHIBIT

OVERVIEW

Exhibit is a series consisting of a horizontal rail, marker board, tack board, and slat wall inserts, and work tools.

Exhibit can be used in numerous applications. Here are a few examples of how it can be used with National Office Furniture products.

EXHIBIT WITH WAVEWORKS AND EPIC MODELS

The Exhibit rail is a horizontal rail that attaches to walls to accommodate WaveWorks and Epic worksurfaces and components. Attaching worksurfaces directly to the wall rail allows the reduction of modesty panels and opens the space for a clean aesthetic.



APPLICATION GUIDELINES

FASTENERS

- Fasteners must tie in directly to the substructure of a structural wall for proper attachment of Exhibit wall rail. National defines a structural wall as a load bearing wall constructed of materials such as poured concrete, concrete block, or studs

MINIMUM REQUIREMENTS

- Wood studs must be nominal 2" x 4" minimum
- Metal studs must be "C" channel, 20 gauge minimum thickness
- Metal or wood studs must be on centers no greater than 24" and have a maximum height of 14' restrained at floor and ceiling
- Interior walls must be designed to resist not less than a force of 5 lbs. per sq. ft. applied perpendicular to the wall. The deflection of such walls under a load of 5 lbs. per square foot shall not exceed 1/240 of the span for walls with brittle finishes and 1/120 of the span for walls with flexible finishes (per International Building Code sections 1604.4 and 1607.13)
- Exhibit wall rail may not extend more than 6" beyond the last solid attachment point
- Minimum width of Exhibit wall rail that can be attached to a wall is 16" mounted to studs 16" apart
- If an overhead is being mounted, the minimum width for Exhibit is 30" with the Exhibit wall rail being centered on studs 24" apart, so as not to extend more than 6" beyond the last solid attachment point

RECOMMENDED FASTENERS

- Selection and purchase of the proper attachment fasteners for your wall conditions is the responsibility of the installer

Type and Size	Description
Steel Studs (½" to ¾" drywall) Hilti® Toggler® anchor toggle bolts, ¼"–20 x 2" grade 5 bolts	
Wood Studs (¼" to ½" drywall) Meets or exceeds ANSI/ASME B18.6.4 and SAE J933. Pan head sheet metal screw	10-2 PHPMS
Solid Masonry Crown Bolt lag shields ¼" x 1½" Buildex Tapcon concrete anchor screw ¼" x 2¾"	
Masonry Block Hilti Toggler anchor toggle bolts, ¼"–20 x 2" grade 5 bolts Crown Bolt lag shields ¼" x 1½" Buildex Tapcon concrete anchor screw ¼" x 2¾"	

- Actual mounting height can be varied to meet specific needs; however, undersurface storage height must be considered
- Variations in the floor surface (peaks and valleys) should be considered, especially where horizontal placement is critical
- Exhibit wall rail extends ⅞" from the wall. This dimensional loss should be considered when space planning for components, when Exhibit wall rails are being used on 2 or more walls of a space
- Select worksurfaces and inserts can be field scribed to fit space
- In fixed wall Exhibit applications, choose your insert height based on your specific application or height of corresponding WaveWorks vertical storage. Consider the height of the cabinet and clearance between the bottom of the overhead and the worksurface

34" Tall Inserts



36" and 48" Tall Inserts

Compatible with WaveWorks and Epic 68" and WaveWorks 79" High WW Models



37" and 49" Tall Inserts

Compatible with WaveWorks 69" and 80" High WWN Models



- Conference and training rooms commonly use 49" tall inserts, but with Exhibit, you can use any of the 5 heights to achieve the customer's needs.

WALL

- Trim when using full insert

EXHIBIT

PRODUCT SPECIFICATIONS

- Exhibit rail can be cut to size in the field
- Alignment brackets are required to align 2 sections of Exhibit rail in line
- Exhibit mount overheads available in the WaveWorks and Epic series, see Casegoods Book 2 Price List
- For worksurface brackets, end trim and end caps see pages 334-336

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

11N72EXFP2 462

- See pages 288-289 for all options available in Exhibit

EXHIBIT WALL RAIL AND FACEPLATE



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WALL RAIL AND FACEPLATE									
11N72EXFP2	Set of 2	$ 381	⅞	72	1¾	—	—	6 lbs.	0.7
11N144EXFP2	Set of 2	547	⅞	144	1¾	—	—	12 lbs.	1.4
11N72EXFP1	Set of 1	$ 219	⅞	72	1¾	—	—	6 lbs.	0.7
11N144EXFP1	Set of 1	303	⅞	144	1¾	—	—	12 lbs.	1.4

- Set of 2 includes 2 rails, 2 faceplates, and 4 alignment brackets
- Set of 1 includes 1 rail, 1 faceplate, and 2 alignment brackets
- Exhibit wall rail available in Concrete, Cinder, Iron, Platinum Metallic or Satin Nickel Metallic
- Faceplates must be used when using an insert

EXHIBIT WALL RAIL



WALL RAIL									
11N72EXP1	1 Rail/No faceplate	$ 133	¾	72	1½	—	—	6 lbs.	0.7
11N144EXP1	1 Rail/No faceplate	193	¾	144	1½	—	—	12 lbs.	1.4

- Includes 1 wall rail and 2 alignment brackets
- Exhibit wall rail available in Concrete, Cinder, Iron, Platinum Metallic or Satin Nickel Metallic
- For use when hanging a worksurface or overhead without the use of an insert

PRODUCT SPECIFICATIONS

- Tack board and HPL marker board inserts can be field scribed, additional trim channels should be specified separately if creating additional inserts. Porcelain marker board inserts cannot be field scribed
- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade
3. Fabric Color

SAMPLE MODEL NUMBERS:

11N1834TB B 25413
11N1836TB B 25413
11N1837TB B 25413

• See pages 288-289 for all options available in Exhibit

TACK BOARD INSERTS



MODEL NO./DESCRIPTION	LIST PRICE GRADE A	LIST PRICE GRADE B/COM	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
34"H TACK BOARD INSERTS									
11N1834TBA	$ 321	$ 376	½	18	34⅛	—	—	3 lbs.	0.5
11N2434TBA	337	392	½	24	34⅛	—	—	4 lbs.	0.6
11N3034TBA	394	449	½	30	34⅛	—	—	5 lbs.	0.8
11N3634TBA	413	479	½	36	34⅛	—	—	6 lbs.	0.9
11N4234TBA	422	488	½	42	34⅛	—	—	7 lbs.	1.0
11N4834TBA	454	531	½	48	34⅛	—	—	8 lbs.	1.2
11N5434TBA	515	603	½	54	34⅛	—	—	9 lbs.	1.3
11N6034TBA	519	607	½	60	34⅛	—	—	10 lbs.	1.4
COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS 36"H TACK BOARD INSERTS									
11N1836TBA	$ 343	$ 398	½	18	36⅜16	—	—	3 lbs.	0.5
11N2436TBA	360	415	½	24	36⅜16	—	—	4 lbs.	0.6
11N3036TBA	416	471	½	30	36⅜16	—	—	5 lbs.	0.8
11N3636TBA	440	506	½	36	36⅜16	—	—	6 lbs.	0.9
11N4236TBA	452	518	½	42	36⅜16	—	—	7 lbs.	1.0
11N4836TBA	481	558	½	48	36⅜16	—	—	8 lbs.	1.2
11N5436TBA	547	635	½	54	36⅜16	—	—	9 lbs.	1.3
11N6036TBA	550	638	½	60	36⅜16	—	—	10 lbs.	1.4
COMPATIBLE WITH WAVEWORKS 69" HIGH WWN MODELS 37"H TACK BOARD INSERTS									
11N1837TBA	$ 343	$ 398	½	18	37	—	—	3 lbs.	0.5
11N2437TBA	360	415	½	24	37	—	—	4 lbs.	0.6
11N3037TBA	416	471	½	30	37	—	—	5 lbs.	0.8
11N3637TBA	440	506	½	36	37	—	—	6 lbs.	0.9
11N4237TBA	452	518	½	42	37	—	—	7 lbs.	1.0
11N4837TBA	481	558	½	48	37	—	—	8 lbs.	1.2
11N5437TBA	547	635	½	54	37	—	—	9 lbs.	1.3
11N6037TBA	550	638	½	60	37	—	—	10 lbs.	1.4

- 2 trim channels included with each tack board insert in the same fabric
- Tack board inserts can be field scribed
- Additional trim channels should be specified separately if creating additional tack board inserts
- Fabric will be railroaded

EXHIBIT

PRODUCT SPECIFICATIONS

- Tack board and HPL marker board inserts can be field scribed, additional trim channels should be specified separately if creating additional inserts. Porcelain marker board inserts cannot be field scribed
- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade
3. Fabric Color

SAMPLE MODEL NUMBERS:

11N1848TB A 8600
11N1849TB A 8600

• See pages 288-289 for all options available in Exhibit

TACK BOARD INSERTS (CONTINUED)



MODEL NO./DESCRIPTION	LIST PRICE GRADE A	LIST PRICE GRADE B/COM	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 79" HIGH WWN MODELS 48"H TACK BOARD INSERTS									
11N1848TBA	$ 394	$ 460	½	18	48⅜	–	–	4 lbs.	1.2
11N2448TBA	410	476	½	24	48⅜	–	–	5 lbs.	1.3
11N3048TBA	479	545	½	30	48⅜	–	–	6 lbs.	1.7
11N3648TBA	486	552	½	36	48⅜	–	–	7 lbs.	2.0
11N4248TBA	506	572	½	42	48⅜	–	–	8 lbs.	2.3
11N4848TBA	528	605	½	48	48⅜	–	–	9 lbs.	2.7
11N5448TBA	602	690	½	54	48⅜	–	–	10 lbs.	3.0
11N6048TBA	607	695	½	60	48⅜	–	–	11 lbs.	3.3
COMPATIBLE WITH WAVEWORKS 80" HIGH WWN MODELS 49"H TACK BOARD INSERTS									
11N1849TBA	$ 394	$ 460	½	18	48 13⁄16	–	–	4 lbs.	1.2
11N2449TBA	410	476	½	24	48 13⁄16	–	–	5 lbs.	1.3
11N3049TBA	479	545	½	30	48 13⁄16	–	–	6 lbs.	1.7
11N3649TBA	486	552	½	36	48 13⁄16	–	–	7 lbs.	2.0
11N4249TBA	506	572	½	42	48 13⁄16	–	–	8 lbs.	2.3
11N4849TBA	528	605	½	48	48 13⁄16	–	–	9 lbs.	2.7
11N5449TBA	602	690	½	54	48 13⁄16	–	–	10 lbs.	3.0
11N6049TBA	607	695	½	60	48 13⁄16	–	–	11 lbs.	3.3

- 2 trim channels included with each tack board insert in the same fabric
- Tack board inserts can be field scribed
- Additional trim channels should be specified separately if creating additional tack board inserts
- Fabric will be railroaded

PRODUCT SPECIFICATIONS

- Tack board and HPL marker board inserts can be field scribed, additional trim channels should be specified separately if creating additional inserts. Porcelain marker board inserts cannot be field scribed
- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

11N2434MB

• See pages 288-289 for all options available in Exhibit

MARKER BOARD INSERTS



34"H MARKER BOARD INSERTS

MODEL NO./DESCRIPTION HPL	LIST PRICE	MODEL NO./DESCRIPTION PORCELAIN	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
11N2434MB	$ 598	11N2434MB2P	$ 910	½	24	34⅛	—	—	14 lbs.	0.6
11N3034MB	600	11N3034MB2P	919	½	30	34⅛	—	—	18 lbs.	0.8
11N3634MB	672	11N3634MB2P	1012	½	36	34⅛	—	—	22 lbs.	0.9
11N4234MB	723	11N4234MB2P	1013	½	42	34⅛	—	—	25 lbs.	1.0
11N4834MB	884	11N4834MB2P	1298	½	48	34⅛	—	—	29 lbs.	1.2
11N5434MB	886	11N5434MB2P	1306	½	54	34⅛	—	—	32 lbs.	1.3
11N6034MB	888	11N6034MB2P	1317	½	60	34⅛	—	—	36 lbs.	1.4

COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS
36"H MARKER BOARD INSERTS

HPL		PORCELAIN								
11N2436MB	$ 620	11N2436MB2P	$ 935	½	24	36⅜₁₆	—	—	14 lbs.	0.6
11N3036MB	622	11N3036MB2P	937	½	30	36⅜₁₆	—	—	18 lbs.	0.8
11N3636MB	697	11N3636MB2P	1038	½	36	36⅜₁₆	—	—	22 lbs.	0.9
11N4236MB	749	11N4236MB2P	1041	½	42	36⅜₁₆	—	—	25 lbs.	1.0
11N4836MB	910	11N4836MB2P	1326	½	48	36⅜₁₆	—	—	29 lbs.	1.2
11N5436MB	912	11N5436MB2P	1334	½	54	36⅜₁₆	—	—	32 lbs.	1.3
11N6036MB	921	11N6036MB2P	1346	½	60	36⅜₁₆	—	—	36 lbs.	1.4

COMPATIBLE WITH WAVEWORKS 69" HIGH WWN MODELS
37"H MARKER BOARD INSERTS

HPL		PORCELAIN								
11N2437MB	$ 620	11N2437MB2P	$ 935	½	24	37	—	—	14 lbs.	0.6
11N3037MB	622	11N3037MB2P	937	½	30	37	—	—	18 lbs.	0.8
11N3637MB	697	11N3637MB2P	1038	½	36	37	—	—	22 lbs.	0.9
11N4237MB	749	11N4237MB2P	1041	½	42	37	—	—	25 lbs.	1.0
11N4837MB	910	11N4837MB2P	1326	½	48	37	—	—	29 lbs.	1.2
11N5437MB	912	11N5437MB2P	1334	½	54	37	—	—	32 lbs.	1.3
11N6037MB	921	11N6037MB2P	1346	½	60	37	—	—	36 lbs.	1.4

- HPL marker board inserts can be field scribed
- Additional trim channels should be specified separately if additional inserts are created
- Porcelain marker board inserts are magnetic
- Porcelain marker board inserts are double sided
- Specify model number only
- 2 trim channels included with each marker board insert in white to match board
- Marker board inserts available in white only

EXHIBIT

PRODUCT SPECIFICATIONS

- Tack board and HPL marker board inserts can be field scribed, additional trim channels should be specified separately if creating additional inserts. Porcelain marker board inserts cannot be field scribed
- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

11N2448MB

• See pages 288-289 for all options available in Exhibit

MARKER BOARD INSERTS (CONTINUED)



COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS
48"H MARKER BOARD INSERTS

MODEL NO./DESCRIPTION HPL	LIST PRICE	MODEL NO./DESCRIPTION PORCELAIN	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
11N2448MB	$ 724	11N2448MB2P	$ 1078	½	24	48⅜	–	–	16 lbs.	1.3
11N3048MB	725	11N3048MB2P	1080	½	30	48⅜	–	–	20 lbs.	1.7
11N3648MB	809	11N3648MB2P	1198	½	36	48⅜	–	–	24 lbs.	2.0
11N4248MB	878	11N4248MB2P	1290	½	42	48⅜	–	–	27 lbs.	2.3
11N4848MB	1063	11N4848MB2P	1536	½	48	48⅜	–	–	31 lbs.	2.7
11N5448MB	1068	11N5448MB2P	1777	½	54	48⅜	–	–	34 lbs.	3.0
11N6048MB	1077	11N6048MB2P	1915	½	60	48⅜	–	–	38 lbs.	3.3

COMPATIBLE WITH WAVEWORKS 80" HIGH WWN MODELS
49"H MARKER BOARD INSERTS

MODEL NO./DESCRIPTION HPL	LIST PRICE	MODEL NO./DESCRIPTION PORCELAIN	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
11N2449MB	$ 724	11N2449MB2P	$ 1078	½	24	48 13⁄16	–	–	16 lbs.	1.3
11N3049MB	725	11N3049MB2P	1080	½	30	48 13⁄16	–	–	20 lbs.	1.7
11N3649MB	809	11N3649MB2P	1198	½	36	48 13⁄16	–	–	24 lbs.	2.0
11N4249MB	878	11N4249MB2P	1290	½	42	48 13⁄16	–	–	27 lbs.	2.3
11N4849MB	1063	11N4849MB2P	1536	½	48	48 13⁄16	–	–	31 lbs.	2.7
11N5449MB	1068	11N5449MB2P	1777	½	54	48 13⁄16	–	–	34 lbs.	3.0
11N6049MB	1077	11N6049MB2P	1915	½	60	48 13⁄16	–	–	38 lbs.	3.3

- HPL marker board inserts can be field scribed
- Additional trim channels should be specified separately if additional inserts are created
- Porcelain marker board inserts are magnetic
- Porcelain marker board inserts are double sided
- Specify model number only
- 2 trim channels included with each marker board insert in white to match board
- Marker board inserts available in white only

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

11N2434SW 462

• See pages 288-289 for all options available in Exhibit

SLAT WALL INSERTS



MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
34"H FULL SLAT								
11N2434SW	$ 1551	½	24	34⅛	—	—	45 lbs.	1.2
11N3034SW	1560	½	30	34⅛	—	—	57 lbs.	1.4
11N3634SW	1784	½	36	34⅛	—	—	69 lbs.	1.7
11N4234SW	1785	½	42	34⅛	—	—	79 lbs.	2.0
11N4834SW	1980	½	48	34⅛	—	—	91 lbs.	2.3
COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS 36"H FULL SLAT								
11N2436SW	$ 1574	½	24	36⅜16	—	—	48 lbs.	1.2
11N3036SW	1583	½	30	36⅜16	—	—	60 lbs.	1.4
11N3636SW	1804	½	36	36⅜16	—	—	72 lbs.	1.7
11N4236SW	1806	½	42	36⅜16	—	—	82 lbs.	2.0
11N4836SW	2010	½	48	36⅜16	—	—	94 lbs.	2.3
COMPATIBLE WITH WAVEWORKS 69" HIGH WWN MODELS 37"H FULL SLAT								
11N2437SW	$ 1574	½	24	37	—	—	48 lbs.	1.2
11N3037SW	1583	½	30	37	—	—	60 lbs.	1.4
11N3637SW	1804	½	36	37	—	—	72 lbs.	1.7
11N4237SW	1806	½	42	37	—	—	82 lbs.	2.0
11N4837SW	2010	½	48	37	—	—	94 lbs.	2.3
COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS 48"H FULL SLAT								
11N2448SW	$ 1856	½	24	48⅜	—	—	63 lbs.	1.6
11N3048SW	1866	½	30	48⅜	—	—	80 lbs.	1.9
11N3648SW	2132	½	36	48⅜	—	—	97 lbs.	2.0
11N4248SW	2134	½	42	48⅜	—	—	111 lbs.	2.2
11N4848SW	2371	½	48	48⅜	—	—	128 lbs.	2.5

- 2 trim channels included with each slat wall insert in corresponding color to match slat
- Slat wall insert requires the use of trim channels and mounting bracket included with the model
- Slat wall should only be used with National certified work tools and monitor arms; reference pages 337-340

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

11N2449SW 462

- See pages 288-289 for all options available in Exhibit

SLAT WALL INSERTS (CONTINUED)



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 80" HIGH WWN MODELS 49"H FULL SLAT								
11N2449SW	$ 1856	½	24	48 13/16	–	–	63 lbs.	1.6
11N3049SW	1866	½	30	48 13/16	–	–	80 lbs.	1.9
11N3649SW	2132	½	36	48 13/16	–	–	97 lbs.	2.0
11N4249SW	2134	½	42	48 13/16	–	–	111 lbs.	2.2
11N4849SW	2371	½	48	48 13/16	–	–	128 lbs.	2.5

- 2 trim channels included with each slat wall insert in corresponding color to match slat
- Slat wall insert requires the use of trim channels and mounting bracket included with the model
- Slat wall should only be used with National certified work tools and monitor arms; reference pages 337-340

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade
3. Fabric Color
4. Paint Color

SAMPLE MODEL NUMBER:

11N2434SWTBF A 8600 501

• See pages 288-289 for all options available in Exhibit

SLAT WALL INSERTS
COMBO SLAT/TACK



MODEL NO./DESCRIPTION			LIST PRICE		DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
					D	W	H	A	KW		
23"H SLAT WITH 11"H TACK			**GRADE A**	**GRADE B/ COM**							
FABRIC TRIM	**PAINTED TRIM**										
11N2434SWTBFA	11N2434SWTBPA	Railroad	$ 1406	$ 1439	½	24	34⅛	—	—	32 lbs.	1.2
11N3034SWTBFA	11N3034SWTBPA	Railroad	1409	1449	½	30	34⅛	—	—	41 lbs.	1.4
11N3634SWTBFA	11N3634SWTBPA	Railroad	1609	1657	½	36	34⅛	—	—	50 lbs.	1.7
11N4234SWTBFA	11N4234SWTBPA	Railroad	1610	1665	½	42	34⅛	—	—	59 lbs.	2.0
11N4834SWTBFA	11N4834SWTBPA	Railroad	1790	1852	½	48	34⅛	—	—	68 lbs.	2.3
COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS											
23"H SLAT WITH 13"H TACK			**GRADE A**	**GRADE B/ COM**							
FABRIC TRIM	**PAINTED TRIM**										
11N2436SWTBFA	11N2436SWTBPA	Railroad	$ 1427	$ 1460	½	24	36⅜	—	—	35 lbs.	1.2
11N3036SWTBFA	11N3036SWTBPA	Railroad	1434	1474	½	30	36⅜	—	—	44 lbs.	1.4
11N3636SWTBFA	11N3636SWTBPA	Railroad	1632	1680	½	36	36⅜	—	—	53 lbs.	1.7
11N4236SWTBFA	11N4236SWTBPA	Railroad	1637	1692	½	42	36⅜	—	—	62 lbs.	2.0
11N4836SWTBFA	11N4836SWTBPA	Railroad	1815	1877	½	48	36⅜	—	—	71 lbs.	2.3
COMPATIBLE WITH WAVEWORKS 69" HIGH WWN MODELS											
23"H SLAT WITH 14"H TACK			**GRADE A**	**GRADE B/ COM**							
FABRIC TRIM	**PAINTED TRIM**										
11N2437SWTBFA	11N2437SWTBPA	Railroad	$ 1427	$ 1460	½	24	37	—	—	35 lbs.	1.2
11N3037SWTBFA	11N3037SWTBPA	Railroad	1434	1474	½	30	37	—	—	44 lbs.	1.4
11N3637SWTBFA	11N3637SWTBPA	Railroad	1632	1680	½	36	37	—	—	53 lbs.	1.7
11N4237SWTBFA	11N4237SWTBPA	Railroad	1637	1692	½	42	37	—	—	62 lbs.	2.0
11N4837SWTBFA	11N4837SWTBPA	Railroad	1815	1877	½	48	37	—	—	71 lbs.	2.3
COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS											
23"H SLAT WITH 25"H TACK			**GRADE A**	**GRADE B/ COM**							
FABRIC TRIM	**PAINTED TRIM**										
11N2448SWTBFA	11N2448SWTBPA	Railroad	$ 1683	$ 1716	½	24	48⅜	—	—	45 lbs.	1.4
11N3048SWTBFA	11N3048SWTBPA	Railroad	1690	1730	½	30	48⅜	—	—	58 lbs.	1.7
11N3648SWTBFA	11N3648SWTBPA	Railroad	1926	1974	½	36	48⅜	—	—	71 lbs.	2.1
11N4248SWTBFA	11N4248SWTBPA	Railroad	1929	1984	½	42	48⅜	—	—	83 lbs.	2.5
11N4848SWTBFA	11N4848SWTBPA	Railroad	2143	2205	½	48	48⅜	—	—	96 lbs.	2.9

- 2 trim channels included with each combo slat wall insert, customer can choose either fabric or painted trim channels
- Slat wall insert requires the use of trim channels and mounting bracket included with the model
- Slat wall should only be used with National certified work tools and monitor arms; reference pages 337-340
- Slat section must be located on the lower portion of the insert
- Fabric will be railroaded
- Not recommended to use more than 2 monitor arms per combo slat/tack model

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade
3. Fabric Color
4. Paint Color

SAMPLE MODEL NUMBER:

11N2449SWTBF A 8600 501

• See pages 288-289 for all options available in Exhibit

SLAT WALL INSERTS COMBO SLAT/TACK (CONTINUED)



COMPATIBLE WITH WAVEWORKS 80" HIGH WWN MODELS

MODEL NO./DESCRIPTION			LIST PRICE		DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
23"H SLAT WITH 26"H TACK FABRIC TRIM	23"H SLAT WITH 26"H TACK PAINTED TRIM	GRADE A	GRADE A	GRADE B/ COM	D	W	H	A	KW		
11N2449SWTBFA	11N2449SWTBPA	Railroad	$ 1683	$ 1716	½	24	48 13/16	—	—	45 lbs.	1.4
11N3049SWTBFA	11N3049SWTBPA	Railroad	1690	1730	½	30	48 13/16	—	—	58 lbs.	1.7
11N3649SWTBFA	11N3649SWTBPA	Railroad	1926	1974	½	36	48 13/16	—	—	71 lbs.	2.1
11N4249SWTBFA	11N4249SWTBPA	Railroad	1929	1984	½	42	48 13/16	—	—	83 lbs.	2.5
11N4849SWTBFA	11N4849SWTBPA	Railroad	2143	2205	½	48	48 13/16	—	—	96 lbs.	2.9

- 2 trim channels included with each combo slat wall insert, customer can choose either fabric or painted trim channels
- Slat wall insert requires the use of trim channels and mounting bracket included with the model
- Slat wall should only be used with National certified work tools and monitor arms; reference pages 337-340
- Slat section must be located on the lower portion of the insert
- Fabric will be railroaded
- Not recommended to use more than 2 monitor arms per combo slat/tack model

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3634SH1W	MH	
11N3634SH1LW	462	CW
11N3634SH1L	405	478

• See pages 288-289 for all options available in Exhibit

ORGANIZER SHELF INSERTS





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
34"H ORGANIZER SHELF INSERTS									
11N3634SH1W	Wood	$ 2582	10½	35 15/16	34⅛	–	–	47 lbs.	3.1
11N3634SH1LW	Laminate Shelves, Wood Wall	2582	10½	35 15/16	34⅛	–	–	47 lbs.	3.1
11N3634SH1L	Laminate	1784	10½	35 15/16	34⅛	–	–	47 lbs.	3.1
11N3634SH1WL	Wood Shelves, Laminate Wall	2582	10½	35 15/16	34⅛	–	–	47 lbs.	3.1
11N4234SH1W	Wood	$ 2583	10½	41 15/16	34⅛	–	–	53 lbs.	3.3
11N4234SH1LW	Laminate Shelves, Wood Wall	2583	10½	41 15/16	34⅛	–	–	53 lbs.	3.3
11N4234SH1L	Laminate	1785	10½	41 15/16	34⅛	–	–	53 lbs.	3.3
11N4234SH1WL	Wood Shelves, Laminate Wall	2583	10½	41 15/16	34⅛	–	–	53 lbs.	3.3
11N4834SH1W	Wood	$ 2872	10½	47 15/16	34⅛	–	–	58 lbs.	3.5
11N4834SH1LW	Laminate Shelves, Wood Wall	2872	10½	47 15/16	34⅛	–	–	58 lbs.	3.5
11N4834SH1L	Laminate	1980	10½	47 15/16	34⅛	–	–	58 lbs.	3.5
11N4834SH1WL	Wood Shelves, Laminate Wall	2872	10½	47 15/16	34⅛	–	–	58 lbs.	3.5
11N5434SH1W	Wood	$ 3161	10½	53⅞	34⅛	–	–	64 lbs.	3.5
11N5434SH1LW	Laminate Shelves, Wood Wall	3161	10½	53⅞	34⅛	–	–	64 lbs.	3.5
11N5434SH1L	Laminate	2178	10½	53⅞	34⅛	–	–	64 lbs.	3.5
11N5434SH1WL	Wood Shelves, Laminate Wall	3161	10½	53⅞	34⅛	–	–	64 lbs.	3.5
11N6034SH1W	Wood	$ 3477	10½	59 15/16	34⅛	–	–	71 lbs.	3.9
11N6034SH1LW	Laminate Shelves, Wood Wall	3477	10½	59 15/16	34⅛	–	–	71 lbs.	3.9
11N6034SH1L	Laminate	2397	10½	59 15/16	34⅛	–	–	71 lbs.	3.9
11N6034SH1WL	Wood Shelves, Laminate Wall	3477	10½	59 15/16	34⅛	–	–	71 lbs.	3.9

- Some assembly required
- 34", 36" and 37" high shelf inserts have 3 shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3634SH2W MH
11N3634SH2LW 462 CW
11N3634SH2L 405 478

• See pages 288-289 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
34"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3634SH2W	Wood	$ 2582	10½	35 15/16	34⅛	—	—	47 lbs.	3.1
11N3634SH2LW	Laminate Shelves, Wood Wall	2582	10½	35 15/16	34⅛	—	—	47 lbs.	3.1
11N3634SH2L	Laminate	1784	10½	35 15/16	34⅛	—	—	47 lbs.	3.1
11N3634SH2WL	Wood Shelves, Laminate Wall	2582	10½	35 15/16	34⅛	—	—	47 lbs.	3.1
11N4234SH2W	Wood	$ 2583	10½	41 15/16	34⅛	—	—	53 lbs.	3.3
11N4234SH2LW	Laminate Shelves, Wood Wall	2583	10½	41 15/16	34⅛	—	—	53 lbs.	3.3
11N4234SH2L	Laminate	1785	10½	41 15/16	34⅛	—	—	53 lbs.	3.3
11N4234SH2WL	Wood Shelves, Laminate Wall	2583	10½	41 15/16	34⅛	—	—	53 lbs.	3.3
11N4834SH2W	Wood	$ 2872	10½	47 15/16	34⅛	—	—	58 lbs.	3.5
11N4834SH2LW	Laminate Shelves, Wood Wall	2872	10½	47 15/16	34⅛	—	—	58 lbs.	3.5
11N4834SH2L	Laminate	1980	10½	47 15/16	34⅛	—	—	58 lbs.	3.5
11N4834SH2WL	Wood Shelves, Laminate Wall	2872	10½	47 15/16	34⅛	—	—	58 lbs.	3.5
11N5434SH2W	Wood	$ 3161	10½	53⅞	34⅛	—	—	64 lbs.	3.5
11N5434SH2LW	Laminate Shelves, Wood Wall	3161	10½	53⅞	34⅛	—	—	64 lbs.	3.5
11N5434SH2L	Laminate	2178	10½	53⅞	34⅛	—	—	64 lbs.	3.5
11N5434SH2WL	Wood Shelves, Laminate Wall	3161	10½	53⅞	34⅛	—	—	64 lbs.	3.5
11N6034SH2W	Wood	$ 3477	10½	59 15/16	34⅛	—	—	71 lbs.	3.9
11N6034SH2LW	Laminate Shelves, Wood Wall	3477	10½	59 15/16	34⅛	—	—	71 lbs.	3.9
11N6034SH2L	Laminate	2397	10½	59 15/16	34⅛	—	—	71 lbs.	3.9
11N6034SH2WL	Wood Shelves, Laminate Wall	3477	10½	59 15/16	34⅛	—	—	71 lbs.	3.9

- Some assembly required
- 34", 36" and 37" high shelf inserts have 3 shelves
- "SH2" shelves are a mirrored version of the "SH1" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3634SH3W	MH	
11N3634SH3LW	462	CW
11N3634SH3L	405	478

• See pages 288-289 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
34"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3634SH3W	Wood	$ 2198	10½	35 15/16	34⅛	–	–	41 lbs.	3.3
11N3634SH3LW	Laminate Shelves, Wood Wall	2198	10½	35 15/16	34⅛	–	–	41 lbs.	3.3
11N3634SH3L	Laminate	1516	10½	35 15/16	34⅛	–	–	41 lbs.	3.3
11N3634SH3WL	Wood Shelves, Laminate Wall	2198	10½	35 15/16	34⅛	–	–	41 lbs.	3.3
11N4234SH3W	Wood	$ 2199	10½	41 15/16	34⅛	–	–	48 lbs.	3.8
11N4234SH3LW	Laminate Shelves, Wood Wall	2199	10½	41 15/16	34⅛	–	–	48 lbs.	3.8
11N4234SH3L	Laminate	1517	10½	41 15/16	34⅛	–	–	48 lbs.	3.8
11N4234SH3WL	Wood Shelves, Laminate Wall	2199	10½	41 15/16	34⅛	–	–	48 lbs.	3.8
11N4834SH3W	Wood	$ 2442	10½	47 15/16	34⅛	–	–	54 lbs.	4.3
11N4834SH3LW	Laminate Shelves, Wood Wall	2442	10½	47 15/16	34⅛	–	–	54 lbs.	4.3
11N4834SH3L	Laminate	1684	10½	47 15/16	34⅛	–	–	54 lbs.	4.3
11N4834SH3WL	Wood Shelves, Laminate Wall	2442	10½	47 15/16	34⅛	–	–	54 lbs.	4.3
11N5434SH3W	Wood	$ 2685	10½	53⅞	34⅛	–	–	59 lbs.	4.8
11N5434SH3LW	Laminate Shelves, Wood Wall	2685	10½	53⅞	34⅛	–	–	59 lbs.	4.8
11N5434SH3L	Laminate	1855	10½	53⅞	34⅛	–	–	59 lbs.	4.8
11N5434SH3WL	Wood Shelves, Laminate Wall	2685	10½	53⅞	34⅛	–	–	59 lbs.	4.8
11N6034SH3W	Wood	$ 2955	10½	59 15/16	34⅛	–	–	66 lbs.	5.3
11N6034SH3LW	Laminate Shelves, Wood Wall	2955	10½	59 15/16	34⅛	–	–	66 lbs.	5.3
11N6034SH3L	Laminate	2041	10½	59 15/16	34⅛	–	–	66 lbs.	5.3
11N6034SH3WL	Wood Shelves, Laminate Wall	2955	10½	59 15/16	34⅛	–	–	66 lbs.	5.3

- Some assembly required
- "SH3" models have 1 shelf that aligns with the top shelf of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3634SH4W MH
11N3634SH4W 462 CW
11N3634SH4L 405 478

• See pages 288-289 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
34"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3634SH4W	Wood	$ 2248	10½	35 15/16	34⅛	—	—	49 lbs.	3.3
11N3634SH4LW	Laminate Shelves, Wood Wall	2248	10½	35 15/16	34⅛	—	—	49 lbs.	3.3
11N3634SH4L	Laminate	1549	10½	35 15/16	34⅛	—	—	49 lbs.	3.3
11N3634SH4WL	Wood Shelves, Laminate Wall	2248	10½	35 15/16	34⅛	—	—	49 lbs.	3.3
11N4234SH4W	Wood	$ 2250	10½	41 15/16	34⅛	—	—	57 lbs.	3.8
11N4234SH4LW	Laminate Shelves, Wood Wall	2250	10½	41 15/16	34⅛	—	—	57 lbs.	3.8
11N4234SH4L	Laminate	1551	10½	41 15/16	34⅛	—	—	57 lbs.	3.8
11N4234SH4WL	Wood Shelves, Laminate Wall	2250	10½	41 15/16	34⅛	—	—	57 lbs.	3.8
11N4834SH4W	Wood	$ 2498	10½	47 15/16	34⅛	—	—	65 lbs.	4.3
11N4834SH4LW	Laminate Shelves, Wood Wall	2498	10½	47 15/16	34⅛	—	—	65 lbs.	4.3
11N4834SH4L	Laminate	1724	10½	47 15/16	34⅛	—	—	65 lbs.	4.3
11N4834SH4WL	Wood Shelves, Laminate Wall	2498	10½	47 15/16	34⅛	—	—	65 lbs.	4.3
11N5434SH4W	Wood	$ 2751	10½	53⅞	34⅛	—	—	73 lbs.	4.8
11N5434SH4LW	Laminate Shelves, Wood Wall	2751	10½	53⅞	34⅛	—	—	73 lbs.	4.8
11N5434SH4L	Laminate	1896	10½	53⅞	34⅛	—	—	73 lbs.	4.8
11N5434SH4WL	Wood Shelves, Laminate Wall	2751	10½	53⅞	34⅛	—	—	73 lbs.	4.8
11N6034SH4W	Wood	$ 3025	10½	59 15/16	34⅛	—	—	81 lbs.	5.3
11N6034SH4LW	Laminate Shelves, Wood Wall	3025	10½	59 15/16	34⅛	—	—	81 lbs.	5.3
11N6034SH4L	Laminate	2086	10½	59 15/16	34⅛	—	—	81 lbs.	5.3
11N6034SH4WL	Wood Shelves, Laminate Wall	3025	10½	59 15/16	34⅛	—	—	81 lbs.	5.3

- Some assembly required
- "SH4" models have 2 shelves that align with the horizontal shelves of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3634SH6W	MH	
11N3634SH6LW	462	CW
11N3634SH6L	405	478

• See pages 288-289 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
34"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3634SH6W	Wood	$ 2198	10½	35 15/16	34⅛	—	—	41 lbs.	3.3
11N3634SH6LW	Laminate Shelves, Wood Wall	2198	10½	35 15/16	34⅛	—	—	41 lbs.	3.3
11N3634SH6L	Laminate	1516	10½	35 15/16	34⅛	—	—	41 lbs.	3.3
11N3634SH6WL	Wood Shelves, Laminate Wall	2198	10½	35 15/16	34⅛	—	—	41 lbs.	3.3
11N4234SH6W	Wood	$ 2199	10½	41 15/16	34⅛	—	—	48 lbs.	3.8
11N4234SH6LW	Laminate Shelves, Wood Wall	2199	10½	41 15/16	34⅛	—	—	48 lbs.	3.8
11N4234SH6L	Laminate	1517	10½	41 15/16	34⅛	—	—	48 lbs.	3.8
11N4234SH6WL	Wood Shelves, Laminate Wall	2199	10½	41 15/16	34⅛	—	—	48 lbs.	3.8
11N4834SH6W	Wood	$ 2442	10½	47 15/16	34⅛	—	—	54 lbs.	4.3
11N4834SH6LW	Laminate Shelves, Wood Wall	2442	10½	47 15/16	34⅛	—	—	54 lbs.	4.3
11N4834SH6L	Laminate	1684	10½	47 15/16	34⅛	—	—	54 lbs.	4.3
11N4834SH6WL	Wood Shelves, Laminate Wall	2442	10½	47 15/16	34⅛	—	—	54 lbs.	4.3
11N5434SH6W	Wood	$ 2685	10½	53⅞	34⅛	—	—	59 lbs.	4.8
11N5434SH6LW	Laminate Shelves, Wood Wall	2685	10½	53⅞	34⅛	—	—	59 lbs.	4.8
11N5434SH6L	Laminate	1855	10½	53⅞	34⅛	—	—	59 lbs.	4.8
11N5434SH6WL	Wood Shelves, Laminate Wall	2685	10½	53⅞	34⅛	—	—	59 lbs.	4.8
11N6034SH6W	Wood	$ 2955	10½	59 15/16	34⅛	—	—	66 lbs.	5.3
11N6034SH6LW	Laminate Shelves, Wood Wall	2955	10½	59 15/16	34⅛	—	—	66 lbs.	5.3
11N6034SH6L	Laminate	2041	10½	59 15/16	34⅛	—	—	66 lbs.	5.3
11N6034SH6WL	Wood Shelves, Laminate Wall	2955	10½	59 15/16	34⅛	—	—	66 lbs.	5.3

- Some assembly required
- "SH6" 34" high models have 1 shelf that aligns with the bottom of a metal overhead
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3636SH1W	MH	
11N3636SH1LW	462	CW
11N3636SH1L	405	478

• See pages 288-289 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS									
36"H ORGANIZER SHELF INSERTS									
11N3636SH1W	Wood	$ 2620	10½	35 15/16	36 9/16	–	–	51 lbs.	3.4
11N3636SH1LW	Laminate Shelves, Wood Wall	2620	10½	35 15/16	36 9/16	–	–	51 lbs.	3.4
11N3636SH1L	Laminate	1804	10½	35 15/16	36 9/16	–	–	51 lbs.	3.4
11N3636SH1WL	Wood Shelves, Laminate Wall	2620	10½	35 15/16	36 9/16	–	–	51 lbs.	3.4
11N4236SH1W	Wood	$ 2624	10½	41 15/16	36 9/16	–	–	57 lbs.	3.6
11N4236SH1LW	Laminate Shelves, Wood Wall	2624	10½	41 15/16	36 9/16	–	–	57 lbs.	3.6
11N4236SH1L	Laminate	1806	10½	41 15/16	36 9/16	–	–	57 lbs.	3.6
11N4236SH1WL	Wood Shelves, Laminate Wall	2624	10½	41 15/16	36 9/16	–	–	57 lbs.	3.6
11N4836SH1W	Wood	$ 2915	10½	47 15/16	36 9/16	–	–	62 lbs.	3.9
11N4836SH1LW	Laminate Shelves, Wood Wall	2915	10½	47 15/16	36 9/16	–	–	62 lbs.	3.9
11N4836SH1L	Laminate	2010	10½	47 15/16	36 9/16	–	–	62 lbs.	3.9
11N4836SH1WL	Wood Shelves, Laminate Wall	2915	10½	47 15/16	36 9/16	–	–	62 lbs.	3.9
11N5436SH1W	Wood	$ 3205	10½	53⅜	36 9/16	–	–	68 lbs.	4.1
11N5436SH1LW	Laminate Shelves, Wood Wall	3205	10½	53⅜	36 9/16	–	–	68 lbs.	4.1
11N5436SH1L	Laminate	2211	10½	53⅜	36 9/16	–	–	68 lbs.	4.1
11N5436SH1WL	Wood Shelves, Laminate Wall	3205	10½	53⅜	36 9/16	–	–	68 lbs.	4.1
11N6036SH1W	Wood	$ 3527	10½	59 15/16	36 9/16	–	–	74 lbs.	4.3
11N6036SH1LW	Laminate Shelves, Wood Wall	3527	10½	59 15/16	36 9/16	–	–	74 lbs.	4.3
11N6036SH1L	Laminate	2432	10½	59 15/16	36 9/16	–	–	74 lbs.	4.3
11N6036SH1WL	Wood Shelves, Laminate Wall	3527	10½	59 15/16	36 9/16	–	–	74 lbs.	4.3

- Some assembly required
- 34", 36" and 37" high shelf inserts have 3 shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3636SH2W	MH	
11N3636SH2LW	462	CW
11N3636SH2L	405	478

• See pages 288-289 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS									
36"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3636SH2W	Wood	$ 2620	10½	35 15/16	36 9/16	–	–	51 lbs.	3.4
11N3636SH2LW	Laminate Shelves, Wood Wall	2620	10½	35 15/16	36 9/16	–	–	51 lbs.	3.4
11N3636SH2L	Laminate	1804	10½	35 15/16	36 9/16	–	–	51 lbs.	3.4
11N3636SH2WL	Wood Shelves, Laminate Wall	2620	10½	35 15/16	36 9/16	–	–	51 lbs.	3.4
11N4236SH2W	Wood	$ 2624	10½	41 15/16	36 9/16	–	–	57 lbs.	3.6
11N4236SH2LW	Laminate Shelves, Wood Wall	2624	10½	41 15/16	36 9/16	–	–	57 lbs.	3.6
11N4236SH2L	Laminate	1806	10½	41 15/16	36 9/16	–	–	57 lbs.	3.6
11N4236SH2WL	Wood Shelves, Laminate Wall	2624	10½	41 15/16	36 9/16	–	–	57 lbs.	3.6
11N4836SH2W	Wood	$ 2915	10½	47 15/16	36 9/16	–	–	62 lbs.	3.9
11N4836SH2LW	Laminate Shelves, Wood Wall	2915	10½	47 15/16	36 9/16	–	–	62 lbs.	3.9
11N4836SH2L	Laminate	2010	10½	47 15/16	36 9/16	–	–	62 lbs.	3.9
11N4836SH2WL	Wood Shelves, Laminate Wall	2915	10½	47 15/16	36 9/16	–	–	62 lbs.	3.9
11N5436SH2W	Wood	$ 3205	10½	53 7/8	36 9/16	–	–	68 lbs.	4.1
11N5436SH2LW	Laminate Shelves, Wood Wall	3205	10½	53 7/8	36 9/16	–	–	68 lbs.	4.1
11N5436SH2L	Laminate	2211	10½	53 7/8	36 9/16	–	–	68 lbs.	4.1
11N5436SH2WL	Wood Shelves, Laminate Wall	3205	10½	53 7/8	36 9/16	–	–	68 lbs.	4.1
11N6036SH2W	Wood	$ 3527	10½	59 15/16	36 9/16	–	–	74 lbs.	4.3
11N6036SH2LW	Laminate Shelves, Wood Wall	3527	10½	59 15/16	36 9/16	–	–	74 lbs.	4.3
11N6036SH2L	Laminate	2432	10½	59 15/16	36 9/16	–	–	74 lbs.	4.3
11N6036SH2WL	Wood Shelves, Laminate Wall	3527	10½	59 15/16	36 9/16	–	–	74 lbs.	4.3

- Some assembly required
- "SH2" shelves are a mirrored version of the "SH1" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3636SH3W MH
11N3636SH3LW 462 CW
11N3636SH3L 405 478

• See pages 288-289 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS									
36"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3636SH3W	Wood	$ 2225	10½	35 15/16	36 9/16	–	–	43 lbs.	3.5
11N3636SH3LW	Laminate Shelves, Wood Wall	2225	10½	35 15/16	36 9/16	–	–	43 lbs.	3.5
11N3636SH3L	Laminate	1535	10½	35 15/16	36 9/16	–	–	43 lbs.	3.5
11N3636SH3WL	Wood Shelves, Laminate Wall	2225	10½	35 15/16	36 9/16	–	–	43 lbs.	3.5
11N4236SH3W	Wood	$ 2230	10½	41 15/16	36 9/16	–	–	49 lbs.	4.1
11N4236SH3LW	Laminate Shelves, Wood Wall	2230	10½	41 15/16	36 9/16	–	–	49 lbs.	4.1
11N4236SH3L	Laminate	1538	10½	41 15/16	36 9/16	–	–	49 lbs.	4.1
11N4236SH3WL	Wood Shelves, Laminate Wall	2230	10½	41 15/16	36 9/16	–	–	49 lbs.	4.1
11N4836SH3W	Wood	$ 2477	10½	47 15/16	36 9/16	–	–	56 lbs.	4.6
11N4836SH3LW	Laminate Shelves, Wood Wall	2477	10½	47 15/16	36 9/16	–	–	56 lbs.	4.6
11N4836SH3L	Laminate	1708	10½	47 15/16	36 9/16	–	–	56 lbs.	4.6
11N4836SH3WL	Wood Shelves, Laminate Wall	2477	10½	47 15/16	36 9/16	–	–	56 lbs.	4.6
11N5436SH3W	Wood	$ 2726	10½	53⅜	36 9/16	–	–	63 lbs.	5.1
11N5436SH3LW	Laminate Shelves, Wood Wall	2726	10½	53⅜	36 9/16	–	–	63 lbs.	5.1
11N5436SH3L	Laminate	1880	10½	53⅜	36 9/16	–	–	63 lbs.	5.1
11N5436SH3WL	Wood Shelves, Laminate Wall	2726	10½	53⅜	36 9/16	–	–	63 lbs.	5.1
11N6036SH3W	Wood	$ 2996	10½	59 15/16	36 9/16	–	–	69 lbs.	5.6
11N6036SH3LW	Laminate Shelves, Wood Wall	2996	10½	59 15/16	36 9/16	–	–	69 lbs.	5.6
11N6036SH3L	Laminate	2068	10½	59 15/16	36 9/16	–	–	69 lbs.	5.6
11N6036SH3WL	Wood Shelves, Laminate Wall	2996	10½	59 15/16	36 9/16	–	–	69 lbs.	5.6

- Some assembly required
- "SH3" models have 1 shelf that aligns with the top shelf of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3636SH4W	MH	
11N3636SH4LW	462	CW
11N3636SH4L	405	478

• See pages 288-289 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS									
36"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3636SH4W	Wood	$ 2277	10½	35 15/16	36 9/16	–	–	51 lbs.	3.5
11N3636SH4LW	Laminate Shelves, Wood Wall	2277	10½	35 15/16	36 9/16	–	–	51 lbs.	3.5
11N3636SH4L	Laminate	1572	10½	35 15/16	36 9/16	–	–	51 lbs.	3.5
11N3636SH4WL	Wood Shelves, Laminate Wall	2277	10½	35 15/16	36 9/16	–	–	51 lbs.	3.5
11N4236SH4W	Wood	$ 2283	10½	41 15/16	36 9/16	–	–	59 lbs.	4.1
11N4236SH4LW	Laminate Shelves, Wood Wall	2283	10½	41 15/16	36 9/16	–	–	59 lbs.	4.1
11N4236SH4L	Laminate	1575	10½	41 15/16	36 9/16	–	–	59 lbs.	4.1
11N4236SH4WL	Wood Shelves, Laminate Wall	2283	10½	41 15/16	36 9/16	–	–	59 lbs.	4.1
11N4836SH4W	Wood	$ 2536	10½	47 15/16	36 9/16	–	–	68 lbs.	4.6
11N4836SH4LW	Laminate Shelves, Wood Wall	2536	10½	47 15/16	36 9/16	–	–	68 lbs.	4.6
11N4836SH4L	Laminate	1749	10½	47 15/16	36 9/16	–	–	68 lbs.	4.6
11N4836SH4WL	Wood Shelves, Laminate Wall	2536	10½	47 15/16	36 9/16	–	–	68 lbs.	4.6
11N5436SH4W	Wood	$ 2790	10½	53 7/8	36 9/16	–	–	76 lbs.	5.1
11N5436SH4LW	Laminate Shelves, Wood Wall	2790	10½	53 7/8	36 9/16	–	–	76 lbs.	5.1
11N5436SH4L	Laminate	1926	10½	53 7/8	36 9/16	–	–	76 lbs.	5.1
11N5436SH4WL	Wood Shelves, Laminate Wall	2790	10½	53 7/8	36 9/16	–	–	76 lbs.	5.1
11N6036SH4W	Wood	$ 3069	10½	59 15/16	36 9/16	–	–	85 lbs.	5.6
11N6036SH4LW	Laminate Shelves, Wood Wall	3069	10½	59 15/16	36 9/16	–	–	85 lbs.	5.6
11N6036SH4L	Laminate	2116	10½	59 15/16	36 9/16	–	–	85 lbs.	5.6
11N6036SH4WL	Wood Shelves, Laminate Wall	3069	10½	59 15/16	36 9/16	–	–	85 lbs.	5.6

- Some assembly required
- "SH4" models have 2 shelves that align with the horizontal shelves of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Shelf Height (SH6 models only)
3. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Shelf Height (SH6 models only)
3. Laminate Shelf Color
4. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Shelf Height (SH6 models only)
3. Laminate Shelf Color
4. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Shelf Height (SH6 models only)
3. Wood Shelf Finish
4. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3636SH6W A MH
11N3636SH6LW A 462 CW
11N3636SH6L A 405 478

• See pages 288-289 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS 36"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3636SH6W	Wood	$ 2225	10½	35 15/16	36 9/16	—	—	43 lbs.	3.5
11N3636SH6LW	Laminate Shelves, Wood Wall	2225	10½	35 15/16	36 9/16	—	—	43 lbs.	3.5
11N3636SH6L	Laminate	1535	10½	35 15/16	36 9/16	—	—	43 lbs.	3.5
11N3636SH6WL	Wood Shelves, Laminate Wall	2225	10½	35 15/16	36 9/16	—	—	49 lbs.	3.5
11N4236SH6W	Wood	$ 2230	10½	41 15/16	36 9/16	—	—	49 lbs.	4.1
11N4236SH6LW	Laminate Shelves, Wood Wall	2230	10½	41 15/16	36 9/16	—	—	49 lbs.	4.1
11N4236SH6L	Laminate	1538	10½	41 15/16	36 9/16	—	—	49 lbs.	4.1
11N4236SH6WL	Wood Shelves, Laminate Wall	2230	10½	41 15/16	36 9/16	—	—	49 lbs.	4.1
11N4836SH6W	Wood	$ 2477	10½	47 15/16	36 9/16	—	—	56 lbs.	4.6
11N4836SH6LW	Laminate Shelves, Wood Wall	2477	10½	47 15/16	36 9/16	—	—	56 lbs.	4.6
11N4836SH6L	Laminate	1708	10½	47 15/16	36 9/16	—	—	56 lbs.	4.6
11N4836SH6WL	Wood Shelves, Laminate Wall	2477	10½	47 15/16	36 9/16	—	—	56 lbs.	4.6
11N5436SH6W	Wood	$ 2726	10½	53⅞	36 9/16	—	—	63 lbs.	5.1
11N5436SH6LW	Laminate Shelves, Wood Wall	2726	10½	53⅞	36 9/16	—	—	63 lbs.	5.1
11N5436SH6L	Laminate	1880	10½	53⅞	36 9/16	—	—	63 lbs.	5.1
11N5436SH6WL	Wood Shelves, Laminate Wall	2726	10½	53⅞	36 9/16	—	—	63 lbs.	5.1
11N6036SH6W	Wood	$ 2996	10½	59 15/16	36 9/16	—	—	69 lbs.	5.6
11N6036SH6LW	Laminate Shelves, Wood Wall	2996	10½	59 15/16	36 9/16	—	—	69 lbs.	5.6
11N6036SH6L	Laminate	2068	10½	59 15/16	36 9/16	—	—	69 lbs.	5.6
11N6036SH6WL	Wood Shelves, Laminate Wall	2996	10½	59 15/16	36 9/16	—	—	69 lbs.	5.6

- Some assembly required
- "SH6" 36"/37" high models have 1 shelf that can be configured to align with the bottom of a 13" or 18" overhead
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3637SH1W	MH	
11N3637SH1LW	462	CW
11N3637SH1L	405	478

• See pages 288-289 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 69" HIGH WWN MODELS 37"H ORGANIZER SHELF INSERTS									
11N3637SH1W	Wood	$ 2620	10½	35 15/16	37	–	–	51 lbs.	3.4
11N3637SH1LW	Laminate Shelves, Wood Wall	2620	10½	35 15/16	37	–	–	51 lbs.	3.4
11N3637SH1L	Laminate	1804	10½	35 15/16	37	–	–	51 lbs.	3.4
11N3637SH1WL	Wood Shelves, Laminate Wall	2620	10½	35 15/16	37	–	–	51 lbs.	3.4
11N4237SH1W	Wood	$ 2624	10½	41 15/16	37	–	–	57 lbs.	3.6
11N4237SH1LW	Laminate Shelves, Wood Wall	2624	10½	41 15/16	37	–	–	57 lbs.	3.6
11N4237SH1L	Laminate	1806	10½	41 15/16	37	–	–	57 lbs.	3.6
11N4237SH1WL	Wood Shelves, Laminate Wall	2624	10½	41 15/16	37	–	–	57 lbs.	3.6
11N4837SH1W	Wood	$ 2915	10½	47 15/16	37	–	–	62 lbs.	3.9
11N4837SH1LW	Laminate Shelves, Wood Wall	2915	10½	47 15/16	37	–	–	62 lbs.	3.9
11N4837SH1L	Laminate	2010	10½	47 15/16	37	–	–	62 lbs.	3.9
11N4837SH1WL	Wood Shelves, Laminate Wall	2915	10½	47 15/16	37	–	–	62 lbs.	3.9
11N5437SH1W	Wood	$ 3205	10½	53⅞	37	–	–	68 lbs.	4.1
11N5437SH1LW	Laminate Shelves, Wood Wall	3205	10½	53⅞	37	–	–	68 lbs.	4.1
11N5437SH1L	Laminate	2211	10½	53⅞	37	–	–	68 lbs.	4.1
11N5437SH1WL	Wood Shelves, Laminate Wall	3205	10½	53⅞	37	–	–	68 lbs.	4.1
11N6037SH1W	Wood	$ 3527	10½	59 15/16	37	–	–	74 lbs.	4.3
11N6037SH1LW	Laminate Shelves, Wood Wall	3527	10½	59 15/16	37	–	–	74 lbs.	4.3
11N6037SH1L	Laminate	2432	10½	59 15/16	37	–	–	74 lbs.	4.3
11N6037SH1WL	Wood Shelves, Laminate Wall	3527	10½	59 15/16	37	–	–	74 lbs.	4.3

- Some assembly required
- 34", 36" and 37" high shelf inserts have 3 shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3637SH2W MH
11N3637SH2LW 462 CW
11N3637SH2L 405 478

• See pages 288-289 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 69" HIGH WWN MODELS 37"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3637SH2W	Wood	$ 2620	10½	35 15/16	37	–	–	51 lbs.	3.4
11N3637SH2LW	Laminate Shelves, Wood Wall	2620	10½	35 15/16	37	–	–	51 lbs.	3.4
11N3637SH2L	Laminate	1804	10½	35 15/16	37	–	–	51 lbs.	3.4
11N3637SH2WL	Wood Shelves, Laminate Wall	2620	10½	35 15/16	37	–	–	51 lbs.	3.4
11N4237SH2W	Wood	$ 2624	10½	41 15/16	37	–	–	57 lbs.	3.6
11N4237SH2LW	Laminate Shelves, Wood Wall	2624	10½	41 15/16	37	–	–	57 lbs.	3.6
11N4237SH2L	Laminate	1806	10½	41 15/16	37	–	–	57 lbs.	3.6
11N4237SH2WL	Wood Shelves, Laminate Wall	2624	10½	41 15/16	37	–	–	57 lbs.	3.6
11N4837SH2W	Wood	$ 2915	10½	47 15/16	37	–	–	62 lbs.	3.9
11N4837SH2LW	Laminate Shelves, Wood Wall	2915	10½	47 15/16	37	–	–	62 lbs.	3.9
11N4837SH2L	Laminate	2010	10½	47 15/16	37	–	–	62 lbs.	3.9
11N4837SH2WL	Wood Shelves, Laminate Wall	2915	10½	47 15/16	37	–	–	62 lbs.	3.9
11N5437SH2W	Wood	$ 3205	10½	53⅜	37	–	–	68 lbs.	4.1
11N5437SH2LW	Laminate Shelves, Wood Wall	3205	10½	53⅜	37	–	–	68 lbs.	4.1
11N5437SH2L	Laminate	2211	10½	53⅜	37	–	–	68 lbs.	4.1
11N5437SH2WL	Wood Shelves, Laminate Wall	3205	10½	53⅜	37	–	–	68 lbs.	4.1
11N6037SH2W	Wood	$ 3527	10½	59 15/16	37	–	–	74 lbs.	4.3
11N6037SH2LW	Laminate Shelves, Wood Wall	3527	10½	59 15/16	37	–	–	74 lbs.	4.3
11N6037SH2L	Laminate	2432	10½	59 15/16	37	–	–	74 lbs.	4.3
11N6037SH2WL	Wood Shelves, Laminate Wall	3527	10½	59 15/16	37	–	–	74 lbs.	4.3

- Some assembly required
- "SH2" shelves are a mirrored version of the "SH1" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3637SH3W	MH	
11N3637SH3LW	462	CW
11N3637SH3L	405	478

• See pages 288-289 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 69" HIGH WWN MODELS 37"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3637SH3W	Wood	$ 2225	10½	35 15/16	37	–	–	43 lbs.	3.6
11N3637SH3LW	Laminate Shelves, Wood Wall	2225	10½	35 15/16	37	–	–	43 lbs.	3.6
11N3637SH3L	Laminate	1535	10½	35 15/16	37	–	–	43 lbs.	3.6
11N3637SH3WL	Wood Shelves, Laminate Wall	2225	10½	35 15/16	37	–	–	43 lbs.	3.6
11N4237SH3W	Wood	$ 2230	10½	41 15/16	37	–	–	50 lbs.	4.1
11N4237SH3LW	Laminate Shelves, Wood Wall	2230	10½	41 15/16	37	–	–	50 lbs.	4.1
11N4237SH3L	Laminate	1538	10½	41 15/16	37	–	–	50 lbs.	4.1
11N4237SH3WL	Wood Shelves, Laminate Wall	2230	10½	41 15/16	37	–	–	50 lbs.	4.1
11N4837SH3W	Wood	$ 2477	10½	47 15/16	37	–	–	56 lbs.	4.6
11N4837SH3LW	Laminate Shelves, Wood Wall	2477	10½	47 15/16	37	–	–	56 lbs.	4.6
11N4837SH3L	Laminate	1708	10½	47 15/16	37	–	–	56 lbs.	4.6
11N4837SH3WL	Wood Shelves, Laminate Wall	2477	10½	47 15/16	37	–	–	56 lbs.	4.6
11N5437SH3W	Wood	$ 2726	10½	53⅞	37	–	–	63 lbs.	5.1
11N5437SH3LW	Laminate Shelves, Wood Wall	2726	10½	53⅞	37	–	–	63 lbs.	5.1
11N5437SH3L	Laminate	1880	10½	53⅞	37	–	–	63 lbs.	5.1
11N5437SH3WL	Wood Shelves, Laminate Wall	2726	10½	53⅞	37	–	–	63 lbs.	5.1
11N6037SH3W	Wood	$ 2996	10½	59 15/16	37	–	–	70 lbs.	5.7
11N6037SH3LW	Laminate Shelves, Wood Wall	2996	10½	59 15/16	37	–	–	70 lbs.	5.7
11N6037SH3L	Laminate	2068	10½	59 15/16	37	–	–	70 lbs.	5.7
11N6037SH3WL	Wood Shelves, Laminate Wall	2996	10½	59 15/16	37	–	–	70 lbs.	5.7

- Some assembly required
- "SH3" models have 1 shelf that aligns with the top shelf of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3637SH4W MH
11N3637SH4LW 462 CW
11N3637SH4L 405 478

• See pages 288-289 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 69" HIGH WWN MODELS 37"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3637SH4W	Wood	$ 2277	10½	35 15/16	37	–	–	51 lbs.	3.6
11N3637SH4LW	Laminate Shelves, Wood Wall	2277	10½	35 15/16	37	–	–	51 lbs.	3.6
11N3637SH4L	Laminate	1572	10½	35 15/16	37	–	–	51 lbs.	3.6
11N3637SH4WL	Wood Shelves, Laminate Wall	2277	10½	35 15/16	37	–	–	51 lbs.	3.6
11N4237SH4W	Wood	$ 2283	10½	41 15/16	37	–	–	60 lbs.	4.1
11N4237SH4LW	Laminate Shelves, Wood Wall	2283	10½	41 15/16	37	–	–	60 lbs.	4.1
11N4237SH4L	Laminate	1575	10½	41 15/16	37	–	–	60 lbs.	4.1
11N4237SH4WL	Wood Shelves, Laminate Wall	2283	10½	41 15/16	37	–	–	60 lbs.	4.1
11N4837SH4W	Wood	$ 2536	10½	47 15/16	37	–	–	68 lbs.	4.6
11N4837SH4LW	Laminate Shelves, Wood Wall	2536	10½	47 15/16	37	–	–	68 lbs.	4.6
11N4837SH4L	Laminate	1749	10½	47 15/16	37	–	–	68 lbs.	4.6
11N4837SH4WL	Wood Shelves, Laminate Wall	2536	10½	47 15/16	37	–	–	68 lbs.	4.6
11N5437SH4W	Wood	$ 2790	10½	53⅜	37	–	–	77 lbs.	5.1
11N5437SH4LW	Laminate Shelves, Wood Wall	2790	10½	53⅜	37	–	–	77 lbs.	5.1
11N5437SH4L	Laminate	1926	10½	53⅜	37	–	–	77 lbs.	5.1
11N5437SH4WL	Wood Shelves, Laminate Wall	2790	10½	53⅜	37	–	–	77 lbs.	5.1
11N6037SH4W	Wood	$ 3069	10½	59 15/16	37	–	–	85 lbs.	5.7
11N6037SH4LW	Laminate Shelves, Wood Wall	3069	10½	59 15/16	37	–	–	85 lbs.	5.7
11N6037SH4L	Laminate	2116	10½	59 15/16	37	–	–	85 lbs.	5.7
11N6037SH4WL	Wood Shelves, Laminate Wall	3069	10½	59 15/16	37	–	–	85 lbs.	5.7

- Some assembly required
- "SH4" models have 2 shelves that align with the horizontal shelves of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Shelf Height (SH6 models only)
3. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Shelf Height (SH6 models only)
3. Laminate Shelf Color
4. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Shelf Height (SH6 models only)
3. Laminate Shelf Color
4. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Shelf Height (SH6 models only)
3. Wood Shelf Finish
4. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3637SH6W A MH
11N3637SH6LW A 462 CW
11N3637SH6L A 405 478

• See pages 288-289 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 69" HIGH WWN MODELS 37"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3637SH6W	Wood	$ 2225	10½	35 15/16	37	—	—	43 lbs.	3.6
11N3637SH6LW	Laminate Shelves, Wood Wall	2225	10½	35 15/16	37	—	—	43 lbs.	3.6
11N3637SH6L	Laminate	1535	10½	35 15/16	37	—	—	43 lbs.	3.6
11N3637SH6WL	Wood Shelves, Laminate Wall	2225	10½	35 15/16	37	—	—	43 lbs.	3.6
11N4237SH6W	Wood	$ 2230	10½	41 15/16	37	—	—	50 lbs.	4.1
11N4237SH6LW	Laminate Shelves, Wood Wall	2230	10½	41 15/16	37	—	—	50 lbs.	4.1
11N4237SH6L	Laminate	1538	10½	41 15/16	37	—	—	50 lbs.	4.1
11N4237SH6WL	Wood Shelves, Laminate Wall	2230	10½	41 15/16	37	—	—	50 lbs.	4.1
11N4837SH6W	Wood	$ 2477	10½	47 15/16	37	—	—	56 lbs.	4.6
11N4837SH6LW	Laminate Shelves, Wood Wall	2477	10½	47 15/16	37	—	—	56 lbs.	4.6
11N4837SH6L	Laminate	1708	10½	47 15/16	37	—	—	56 lbs.	4.6
11N4837SH6WL	Wood Shelves, Laminate Wall	2477	10½	47 15/16	37	—	—	56 lbs.	4.6
11N5437SH6W	Wood	$ 2726	10½	53⅞	37	—	—	63 lbs.	5.1
11N5437SH6LW	Laminate Shelves, Wood Wall	2726	10½	53⅞	37	—	—	63 lbs.	5.1
11N5437SH6L	Laminate	1880	10½	53⅞	37	—	—	63 lbs.	5.1
11N5437SH6WL	Wood Shelves, Laminate Wall	2726	10½	53⅞	37	—	—	63 lbs.	5.1
11N6037SH6W	Wood	$ 2996	10½	59 15/16	37	—	—	70 lbs.	5.7
11N6037SH6LW	Laminate Shelves, Wood Wall	2996	10½	59 15/16	37	—	—	70 lbs.	5.7
11N6037SH6L	Laminate	2068	10½	59 15/16	37	—	—	70 lbs.	5.7
11N6037SH6WL	Wood Shelves, Laminate Wall	2996	10½	59 15/16	37	—	—	70 lbs.	5.7

- Some assembly required
- "SH6" 36"/37" high models have 1 shelf that can be configured to align with the bottom of a 13" or 18" overhead
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3648SH1W MH
11N3648SH1LW 462 CW
11N3648SH1L 405 478

• See pages 288-289 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS 48"H ORGANIZER SHELF INSERTS									
11N3648SH1W	Wood	$ 3093	10½	35 15/16	48 3/8	–	–	69 lbs.	5.0
11N3648SH1LW	Laminate Shelves, Wood Wall	3093	10½	35 15/16	48 3/8	–	–	69 lbs.	5.0
11N3648SH1L	Laminate	2132	10½	35 15/16	48 3/8	–	–	69 lbs.	5.0
11N3648SH1WL	Wood Shelves, Laminate Wall	3093	10½	35 15/16	48 3/8	–	–	69 lbs.	5.0
11N4248SH1W	Wood	$ 3098	10½	41 15/16	48 3/8	–	–	77 lbs.	5.2
11N4248SH1LW	Laminate Shelves, Wood Wall	3098	10½	41 15/16	48 3/8	–	–	77 lbs.	5.2
11N4248SH1L	Laminate	2134	10½	41 15/16	48 3/8	–	–	77 lbs.	5.2
11N4248SH1WL	Wood Shelves, Laminate Wall	3098	10½	41 15/16	48 3/8	–	–	77 lbs.	5.2
11N4848SH1W	Wood	$ 3439	10½	47 15/16	48 3/8	–	–	85 lbs.	5.5
11N4848SH1LW	Laminate Shelves, Wood Wall	3439	10½	47 15/16	48 3/8	–	–	85 lbs.	5.5
11N4848SH1L	Laminate	2371	10½	47 15/16	48 3/8	–	–	85 lbs.	5.5
11N4848SH1WL	Wood Shelves, Laminate Wall	3439	10½	47 15/16	48 3/8	–	–	85 lbs.	5.5
11N5448SH1W	Wood	$ 3786	10½	53 3/8	48 3/8	–	–	93 lbs.	5.8
11N5448SH1LW	Laminate Shelves, Wood Wall	3786	10½	53 3/8	48 3/8	–	–	93 lbs.	5.8
11N5448SH1L	Laminate	2609	10½	53 3/8	48 3/8	–	–	93 lbs.	5.8
11N5448SH1WL	Wood Shelves, Laminate Wall	3786	10½	53 3/8	48 3/8	–	–	93 lbs.	5.8
11N6048SH1W	Wood	$ 4160	10½	59 15/16	48 3/8	–	–	101 lbs.	6.1
11N6048SH1LW	Laminate Shelves, Wood Wall	4160	10½	59 15/16	48 3/8	–	–	101 lbs.	6.1
11N6048SH1L	Laminate	2869	10½	59 15/16	48 3/8	–	–	101 lbs.	6.1
11N6048SH1WL	Wood Shelves, Laminate Wall	4160	10½	59 15/16	48 3/8	–	–	101 lbs.	6.1

- Some assembly required
- 48" and 49" high shelf inserts have 5 shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3648SH2W	MH	
11N3648SH2LW	462	CW
11N3648SH2L	405	478

• See pages 288-289 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS 48"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3648SH2W	Wood	$ 3093	10½	35 15/16	48⅜	–	–	69 lbs.	5.0
11N3648SH2LW	Laminate Shelves, Wood Wall	3093	10½	35 15/16	48⅜	–	–	69 lbs.	5.0
11N3648SH2L	Laminate	2132	10½	35 15/16	48⅜	–	–	69 lbs.	5.0
11N3648SH2WL	Wood Shelves, Laminate Wall	3093	10½	35 15/16	48⅜	–	–	69 lbs.	5.0
11N4248SH2W	Wood	$ 3098	10½	41 15/16	48⅜	–	–	77 lbs.	5.2
11N4248SH2LW	Laminate Shelves, Wood Wall	3098	10½	41 15/16	48⅜	–	–	77 lbs.	5.2
11N4248SH2L	Laminate	2134	10½	41 15/16	48⅜	–	–	77 lbs.	5.2
11N4248SH2WL	Wood Shelves, Laminate Wall	3098	10½	41 15/16	48⅜	–	–	77 lbs.	5.2
11N4848SH2W	Wood	$ 3439	10½	47 15/16	48⅜	–	–	85 lbs.	5.5
11N4848SH2LW	Laminate Shelves, Wood Wall	3439	10½	47 15/16	48⅜	–	–	85 lbs.	5.5
11N4848SH2L	Laminate	2371	10½	47 15/16	48⅜	–	–	85 lbs.	5.5
11N4848SH2WL	Wood Shelves, Laminate Wall	3439	10½	47 15/16	48⅜	–	–	85 lbs.	5.5
11N5448SH2W	Wood	$ 3786	10½	53⅞	48⅜	–	–	93 lbs.	5.8
11N5448SH2LW	Laminate Shelves, Wood Wall	3786	10½	53⅞	48⅜	–	–	93 lbs.	5.8
11N5448SH2L	Laminate	2609	10½	53⅞	48⅜	–	–	93 lbs.	5.8
11N5448SH2WL	Wood Shelves, Laminate Wall	3786	10½	53⅞	48⅜	–	–	93 lbs.	5.8
11N6048SH2W	Wood	$ 4160	10½	59 15/16	48⅜	–	–	101 lbs.	6.1
11N6048SH2LW	Laminate Shelves, Wood Wall	4160	10½	59 15/16	48⅜	–	–	101 lbs.	6.1
11N6048SH2L	Laminate	2869	10½	59 15/16	48⅜	–	–	101 lbs.	6.1
11N6048SH2WL	Wood Shelves, Laminate Wall	4160	10½	59 15/16	48⅜	–	–	101 lbs.	6.1

- Some assembly required
- "SH2" shelves are a mirrored version of the "SH1" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3648SH3W MH
11N3648SH3LW 462 CW
11N3648SH3L 405 478

• See pages 288-289 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS 48"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3648SH3W	Wood	$ 2628	10½	35 15/16	48⅜	—	—	53 lbs.	4.5
11N3648SH3LW	Laminate Shelves, Wood Wall	2628	10½	35 15/16	48⅜	—	—	53 lbs.	4.5
11N3648SH3L	Laminate	1810	10½	35 15/16	48⅜	—	—	53 lbs.	4.5
11N3648SH3WL	Wood Shelves, Laminate Wall	2628	10½	35 15/16	48⅜	—	—	53 lbs.	4.5
11N4248SH3W	Wood	$ 2631	10½	41 15/16	48⅜	—	—	61 lbs.	5.2
11N4248SH3LW	Laminate Shelves, Wood Wall	2631	10½	41 15/16	48⅜	—	—	61 lbs.	5.2
11N4248SH3L	Laminate	1815	10½	41 15/16	48⅜	—	—	61 lbs.	5.2
11N4248SH3WL	Wood Shelves, Laminate Wall	2631	10½	41 15/16	48⅜	—	—	61 lbs.	5.2
11N4848SH3W	Wood	$ 2923	10½	47 15/16	48⅜	—	—	69 lbs.	5.9
11N4848SH3LW	Laminate Shelves, Wood Wall	2923	10½	47 15/16	48⅜	—	—	69 lbs.	5.9
11N4848SH3L	Laminate	2015	10½	47 15/16	48⅜	—	—	69 lbs.	5.9
11N4848SH3WL	Wood Shelves, Laminate Wall	2923	10½	47 15/16	48⅜	—	—	69 lbs.	5.9
11N5448SH3W	Wood	$ 3219	10½	53⅞	48⅜	—	—	77 lbs.	6.5
11N5448SH3LW	Laminate Shelves, Wood Wall	3219	10½	53⅞	48⅜	—	—	77 lbs.	6.5
11N5448SH3L	Laminate	2217	10½	53⅞	48⅜	—	—	77 lbs.	6.5
11N5448SH3WL	Wood Shelves, Laminate Wall	3219	10½	53⅞	48⅜	—	—	77 lbs.	6.5
11N6048SH3W	Wood	$ 3535	10½	59 15/16	48⅜	—	—	86 lbs.	7.2
11N6048SH3LW	Laminate Shelves, Wood Wall	3535	10½	59 15/16	48⅜	—	—	86 lbs.	7.2
11N6048SH3L	Laminate	2440	10½	59 15/16	48⅜	—	—	86 lbs.	7.2
11N6048SH3WL	Wood Shelves, Laminate Wall	3535	10½	59 15/16	48⅜	—	—	86 lbs.	7.2

- Some assembly required
- "SH3" models have 1 shelf that aligns with the middle shelf of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3648SH4W MH
11N3648SH4LW 462 CW
11N3648SH4L 405 478

• See pages 288-289 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS 48"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3648SH4W	Wood	$ 2690	10½	35 15/16	48⅜	–	–	60 lbs.	4.5
11N3648SH4LW	Laminate Shelves, Wood Wall	2690	10½	35 15/16	48⅜	–	–	60 lbs.	4.5
11N3648SH4L	Laminate	1856	10½	35 15/16	48⅜	–	–	60 lbs.	4.5
11N3648SH4WL	Wood Shelves, Laminate Wall	2690	10½	35 15/16	48⅜	–	–	60 lbs.	4.5
11N4248SH4W	Wood	$ 2695	10½	41 15/16	48⅜	–	–	71 lbs.	5.2
11N4248SH4LW	Laminate Shelves, Wood Wall	2695	10½	41 15/16	48⅜	–	–	71 lbs.	5.2
11N4248SH4L	Laminate	1858	10½	41 15/16	48⅜	–	–	71 lbs.	5.2
11N4248SH4WL	Wood Shelves, Laminate Wall	2695	10½	41 15/16	48⅜	–	–	71 lbs.	5.2
11N4848SH4W	Wood	$ 2992	10½	47 15/16	48⅜	–	–	81 lbs.	5.9
11N4848SH4LW	Laminate Shelves, Wood Wall	2992	10½	47 15/16	48⅜	–	–	81 lbs.	5.9
11N4848SH4L	Laminate	2064	10½	47 15/16	48⅜	–	–	81 lbs.	5.9
11N4848SH4WL	Wood Shelves, Laminate Wall	2992	10½	47 15/16	48⅜	–	–	81 lbs.	5.9
11N5448SH4W	Wood	$ 3292	10½	53⅞	48⅜	–	–	90 lbs.	6.5
11N5448SH4LW	Laminate Shelves, Wood Wall	3292	10½	53⅞	48⅜	–	–	90 lbs.	6.5
11N5448SH4L	Laminate	2269	10½	53⅞	48⅜	–	–	90 lbs.	6.5
11N5448SH4WL	Wood Shelves, Laminate Wall	3292	10½	53⅞	48⅜	–	–	90 lbs.	6.5
11N6048SH4W	Wood	$ 3621	10½	59 15/16	48⅜	–	–	100 lbs.	7.2
11N6048SH4LW	Laminate Shelves, Wood Wall	3621	10½	59 15/16	48⅜	–	–	100 lbs.	7.2
11N6048SH4L	Laminate	2497	10½	59 15/16	48⅜	–	–	100 lbs.	7.2
11N6048SH4WL	Wood Shelves, Laminate Wall	3621	10½	59 15/16	48⅜	–	–	100 lbs.	7.2

- Some assembly required
- "SH4" models have 2 shelves that align with the top shelves of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3648SH5W	MH	
11N3648SH5LW	462	CW
11N3648SH5L	405	478

• See pages 288-289 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS 48"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3648SH5W	Wood	$ 2785	10½	35 15/16	48⅜	–	–	69 lbs.	4.5
11N3648SH5LW	Laminate Shelves, Wood Wall	2785	10½	35 15/16	48⅜	–	–	69 lbs.	4.5
11N3648SH5L	Laminate	1917	10½	35 15/16	48⅜	–	–	69 lbs.	4.5
11N3648SH5WL	Wood Shelves, Laminate Wall	2785	10½	35 15/16	48⅜	–	–	69 lbs.	4.5
11N4248SH5W	Wood	$ 2790	10½	41 15/16	48⅜	–	–	81 lbs.	5.2
11N4248SH5LW	Laminate Shelves, Wood Wall	2790	10½	41 15/16	48⅜	–	–	81 lbs.	5.2
11N4248SH5L	Laminate	1920	10½	41 15/16	48⅜	–	–	81 lbs.	5.2
11N4248SH5WL	Wood Shelves, Laminate Wall	2790	10½	41 15/16	48⅜	–	–	81 lbs.	5.2
11N4848SH5W	Wood	$ 3095	10½	47 15/16	48⅜	–	–	92 lbs.	5.9
11N4848SH5LW	Laminate Shelves, Wood Wall	3095	10½	47 15/16	48⅜	–	–	92 lbs.	5.9
11N4848SH5L	Laminate	2133	10½	47 15/16	48⅜	–	–	92 lbs.	5.9
11N4848SH5WL	Wood Shelves, Laminate Wall	3095	10½	47 15/16	48⅜	–	–	92 lbs.	5.9
11N5448SH5W	Wood	$ 3406	10½	53⅞	48⅜	–	–	104 lbs.	6.5
11N5448SH5LW	Laminate Shelves, Wood Wall	3406	10½	53⅞	48⅜	–	–	104 lbs.	6.5
11N5448SH5L	Laminate	2346	10½	53⅞	48⅜	–	–	104 lbs.	6.5
11N5448SH5WL	Wood Shelves, Laminate Wall	3406	10½	53⅞	48⅜	–	–	104 lbs.	6.5
11N6048SH5W	Wood	$ 3744	10½	59 15/16	48⅜	–	–	115 lbs.	7.2
11N6048SH5LW	Laminate Shelves, Wood Wall	3744	10½	59 15/16	48⅜	–	–	115 lbs.	7.2
11N6048SH5L	Laminate	2582	10½	59 15/16	48⅜	–	–	115 lbs.	7.2
11N6048SH5WL	Wood Shelves, Laminate Wall	3744	10½	59 15/16	48⅜	–	–	115 lbs.	7.2

- Some assembly required
- "SH5" models have 3 shelves that align with the horizontal shelves of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Shelf Height (SH6 models only)
3. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Shelf Height (SH6 models only)
3. Laminate Shelf Color
4. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Shelf Height (SH6 models only)
3. Laminate Shelf Color
4. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Shelf Height (SH6 models only)
3. Wood Shelf Finish
4. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3648SH6W	B	MH	
11N3648SH6LW	A	462	CW
11N3648SH6L	B	405	478

• See pages 288-289 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)





COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS 48"H ORGANIZER SHELF INSERTS (CONTINUED)

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
11N3648SH6W	Wood	$ 2628	10½	35 15/16	48⅜	—	—	53 lbs.	4.5
11N3648SH6LW	Laminate Shelves, Wood Wall	2628	10½	35 15/16	48⅜	—	—	53 lbs.	4.5
11N3648SH6L	Laminate	1810	10½	35 15/16	48⅜	—	—	53 lbs.	4.5
11N3648SH6WL	Wood Shelves, Laminate Wall	2628	10½	35 15/16	48⅜	—	—	53 lbs.	4.5
11N4248SH6W	Wood	$ 2631	10½	41 15/16	48⅜	—	—	61 lbs.	5.2
11N4248SH6LW	Laminate Shelves, Wood Wall	2631	10½	41 15/16	48⅜	—	—	61 lbs.	5.2
11N4248SH6L	Laminate	1815	10½	41 15/16	48⅜	—	—	61 lbs.	5.2
11N4248SH6WL	Wood Shelves, Laminate Wall	2631	10½	41 15/16	48⅜	—	—	61 lbs.	5.2
11N4848SH6W	Wood	$ 2923	10½	47 15/16	48⅜	—	—	69 lbs.	5.9
11N4848SH6LW	Laminate Shelves, Wood Wall	2923	10½	47 15/16	48⅜	—	—	69 lbs.	5.9
11N4848SH6L	Laminate	2015	10½	47 15/16	48⅜	—	—	69 lbs.	5.9
11N4848SH6WL	Wood Shelves, Laminate Wall	2923	10½	47 15/16	48⅜	—	—	69 lbs.	5.9
11N5448SH6W	Wood	$ 3219	10½	53⅞	48⅜	—	—	77 lbs.	6.5
11N5448SH6LW	Laminate Shelves, Wood Wall	3219	10½	53⅞	48⅜	—	—	77 lbs.	6.5
11N5448SH6L	Laminate	2217	10½	53⅞	48⅜	—	—	77 lbs.	6.5
11N5448SH6WL	Wood Shelves, Laminate Wall	3219	10½	53⅞	48⅜	—	—	77 lbs.	6.5
11N6048SH6W	Wood	$ 3535	10½	59 15/16	48⅜	—	—	86 lbs.	7.2
11N6048SH6LW	Laminate Shelves, Wood Wall	3535	10½	59 15/16	48⅜	—	—	86 lbs.	7.2
11N6048SH6L	Laminate	2440	10½	59 15/16	48⅜	—	—	86 lbs.	7.2
11N6048SH6WL	Wood Shelves, Laminate Wall	3535	10½	59 15/16	48⅜	—	—	86 lbs.	7.2

- Some assembly required
- "SH6" 48"/49" high models have 1 shelf that can be configured to align with the bottom of a 13", 18", 30" high overhead, or top shelf of the SH1/SH2 48"/49" inserts
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3648SH7W MH
11N3648SH7LW 462 CW
11N3648SH7L 405 478

• See pages 288-289 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS 48"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3648SH7W	Wood	$ 2690	10½	35 15/16	48⅜	–	–	60 lbs.	4.5
11N3648SH7LW	Laminate Shelves, Wood Wall	2690	10½	35 15/16	48⅜	–	–	60 lbs.	4.5
11N3648SH7L	Laminate	1856	10½	35 15/16	48⅜	–	–	60 lbs.	4.5
11N3648SH7WL	Wood Shelves, Laminate Wall	2690	10½	35 15/16	48⅜	–	–	60 lbs.	4.5
11N4248SH7W	Wood	$ 2695	10½	41 15/16	48⅜	–	–	71 lbs.	5.2
11N4248SH7LW	Laminate Shelves, Wood Wall	2695	10½	41 15/16	48⅜	–	–	71 lbs.	5.2
11N4248SH7L	Laminate	1858	10½	41 15/16	48⅜	–	–	71 lbs.	5.2
11N4248SH7WL	Wood Shelves, Laminate Wall	2695	10½	41 15/16	48⅜	–	–	71 lbs.	5.2
11N4848SH7W	Wood	$ 2992	10½	47 15/16	48⅜	–	–	81 lbs.	5.9
11N4848SH7LW	Laminate Shelves, Wood Wall	2992	10½	47 15/16	48⅜	–	–	81 lbs.	5.9
11N4848SH7L	Laminate	2064	10½	47 15/16	48⅜	–	–	81 lbs.	5.9
11N4848SH7WL	Wood Shelves, Laminate Wall	2992	10½	47 15/16	48⅜	–	–	81 lbs.	5.9
11N5448SH7W	Wood	$ 3292	10½	53⅞	48⅜	–	–	90 lbs.	6.5
11N5448SH7LW	Laminate Shelves, Wood Wall	3292	10½	53⅞	48⅜	–	–	90 lbs.	6.5
11N5448SH7L	Laminate	2269	10½	53⅞	48⅜	–	–	90 lbs.	6.5
11N5448SH7WL	Wood Shelves, Laminate Wall	3292	10½	53⅞	48⅜	–	–	90 lbs.	6.5
11N6048SH7W	Wood	$ 3621	10½	59 15/16	48⅜	–	–	100 lbs.	7.2
11N6048SH7LW	Laminate Shelves, Wood Wall	3621	10½	59 15/16	48⅜	–	–	100 lbs.	7.2
11N6048SH7L	Laminate	2497	10½	59 15/16	48⅜	–	–	100 lbs.	7.2
11N6048SH7WL	Wood Shelves, Laminate Wall	3621	10½	59 15/16	48⅜	–	–	100 lbs.	7.2



- Some assembly required
- "SH7" models have 2 shelves; the bottom shelf aligns with the bottom of a 30" overhead
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3649SH1W	MH	
11N3649SH1LW	462	CW
11N3649SH1L	405	478

• See pages 288-289 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 80" HIGH WWN MODELS 49"H ORGANIZER SHELF INSERTS									
11N3649SH1W	Wood	$ 3093	10½	35 15/16	48 13/16	–	–	69 lbs.	5.0
11N3649SH1LW	Laminate Shelves, Wood Wall	3093	10½	35 15/16	48 13/16	–	–	69 lbs.	5.0
11N3649SH1L	Laminate	2132	10½	35 15/16	48 13/16	–	–	69 lbs.	5.0
11N3649SH1WL	Wood Shelves, Laminate Wall	3093	10½	35 15/16	48 13/16	–	–	69 lbs.	5.0
11N4249SH1W	Wood	$ 3098	10½	41 15/16	48 13/16	–	–	77 lbs.	5.2
11N4249SH1LW	Laminate Shelves, Wood Wall	3098	10½	41 15/16	48 13/16	–	–	77 lbs.	5.2
11N4249SH1L	Laminate	2134	10½	41 15/16	48 13/16	–	–	77 lbs.	5.2
11N4249SH1WL	Wood Shelves, Laminate Wall	3098	10½	41 15/16	48 13/16	–	–	77 lbs.	5.2
11N4849SH1W	Wood	$ 3439	10½	47 15/16	48 13/16	–	–	85 lbs.	5.5
11N4849SH1LW	Laminate Shelves, Wood Wall	3439	10½	47 15/16	48 13/16	–	–	85 lbs.	5.5
11N4849SH1L	Laminate	2371	10½	47 15/16	48 13/16	–	–	85 lbs.	5.5
11N4849SH1WL	Wood Shelves, Laminate Wall	3439	10½	47 15/16	48 13/16	–	–	85 lbs.	5.5
11N5449SH1W	Wood	$ 3786	10½	53⅞	48 13/16	–	–	93 lbs.	5.8
11N5449SH1LW	Laminate Shelves, Wood Wall	3786	10½	53⅞	48 13/16	–	–	93 lbs.	5.8
11N5449SH1L	Laminate	2609	10½	53⅞	48 13/16	–	–	93 lbs.	5.8
11N5449SH1WL	Wood Shelves, Laminate Wall	3786	10½	53⅞	48 13/16	–	–	93 lbs.	5.8
11N6049SH1W	Wood	$ 4160	10½	59 15/16	48 13/16	–	–	101 lbs.	6.1
11N6049SH1LW	Laminate Shelves, Wood Wall	4160	10½	59 15/16	48 13/16	–	–	101 lbs.	6.1
11N6049SH1L	Laminate	2869	10½	59 15/16	48 13/16	–	–	101 lbs.	6.1
11N6049SH1WL	Wood Shelves, Laminate Wall	4160	10½	59 15/16	48 13/16	–	–	101 lbs.	6.1

- Some assembly required
- 48" and 49" high shelf inserts have 5 shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3649SH2W MH
11N3649SH2LW 462 CW
11N3649SH2L 405 478

• See pages 288-289 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 80" HIGH WWN MODELS 49"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3649SH2W	Wood	$ 3093	10½	35 15/16	48 13/16	–	–	69 lbs.	5.0
11N3649SH2LW	Laminate Shelves, Wood Wall	3093	10½	35 15/16	48 13/16	–	–	69 lbs.	5.0
11N3649SH2L	Laminate	2132	10½	35 15/16	48 13/16	–	–	69 lbs.	5.0
11N3649SH2WL	Wood Shelves, Laminate Wall	3093	10½	35 15/16	48 13/16	–	–	69 lbs.	5.0
11N4249SH2W	Wood	$ 3098	10½	41 15/16	48 13/16	–	–	77 lbs.	5.2
11N4249SH2LW	Laminate Shelves, Wood Wall	3098	10½	41 15/16	48 13/16	–	–	77 lbs.	5.2
11N4249SH2L	Laminate	2134	10½	41 15/16	48 13/16	–	–	77 lbs.	5.2
11N4249SH2WL	Wood Shelves, Laminate Wall	3098	10½	41 15/16	48 13/16	–	–	77 lbs.	5.2
11N4849SH2W	Wood	$ 3439	10½	47 15/16	48 13/16	–	–	85 lbs.	5.5
11N4849SH2LW	Laminate Shelves, Wood Wall	3439	10½	47 15/16	48 13/16	–	–	85 lbs.	5.5
11N4849SH2L	Laminate	2371	10½	47 15/16	48 13/16	–	–	85 lbs.	5.5
11N4849SH2WL	Wood Shelves, Laminate Wall	3439	10½	47 15/16	48 13/16	–	–	85 lbs.	5.5
11N5449SH2W	Wood	$ 3786	10½	53⅞	48 13/16	–	–	93 lbs.	5.8
11N5449SH2LW	Laminate Shelves, Wood Wall	3786	10½	53⅞	48 13/16	–	–	93 lbs.	5.8
11N5449SH2L	Laminate	2609	10½	53⅞	48 13/16	–	–	93 lbs.	5.8
11N5449SH2WL	Wood Shelves, Laminate Wall	3786	10½	53⅞	48 13/16	–	–	93 lbs.	5.8
11N6049SH2W	Wood	$ 4160	10½	59 15/16	48 13/16	–	–	101 lbs.	6.1
11N6049SH2LW	Laminate Shelves, Wood Wall	4160	10½	59 15/16	48 13/16	–	–	101 lbs.	6.1
11N6049SH2L	Laminate	2869	10½	59 15/16	48 13/16	–	–	101 lbs.	6.1
11N6049SH2WL	Wood Shelves, Laminate Wall	4160	10½	59 15/16	48 13/16	–	–	101 lbs.	6.1

- Some assembly required
- "SH2" shelves are a mirrored version of the "SH1" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3649SH3W	MH	
11N3649SH3LW	462	CW
11N3649SH3L	405	478

• See pages 288-289 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 80" HIGH WWN MODELS 49"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3649SH3W	Wood	$ 2628	10½	35 15/16	48 13/16	–	–	53 lbs.	4.6
11N3649SH3LW	Laminate Shelves, Wood Wall	2628	10½	35 15/16	48 13/16	–	–	53 lbs.	4.6
11N3649SH3L	Laminate	1810	10½	35 15/16	48 13/16	–	–	53 lbs.	4.6
11N3649SH3WL	Wood Shelves, Laminate Wall	2628	10½	35 15/16	48 13/16	–	–	53 lbs.	4.6
11N4249SH3W	Wood	$ 2631	10½	41 15/16	48 13/16	–	–	61 lbs.	5.2
11N4249SH3LW	Laminate Shelves, Wood Wall	2631	10½	41 15/16	48 13/16	–	–	61 lbs.	5.2
11N4249SH3L	Laminate	1815	10½	41 15/16	48 13/16	–	–	61 lbs.	5.2
11N4249SH3WL	Wood Shelves, Laminate Wall	2631	10½	41 15/16	48 13/16	–	–	61 lbs.	5.2
11N4849SH3W	Wood	$ 2923	10½	47 15/16	48 13/16	–	–	69 lbs.	5.9
11N4849SH3LW	Laminate Shelves, Wood Wall	2923	10½	47 15/16	48 13/16	–	–	69 lbs.	5.9
11N4849SH3L	Laminate	2015	10½	47 15/16	48 13/16	–	–	69 lbs.	5.9
11N4849SH3WL	Wood Shelves, Laminate Wall	2923	10½	47 15/16	48 13/16	–	–	69 lbs.	5.9
11N5449SH3W	Wood	$ 3219	10½	53⅞	48 13/16	–	–	78 lbs.	6.6
11N5449SH3LW	Laminate Shelves, Wood Wall	3219	10½	53⅞	48 13/16	–	–	78 lbs.	6.6
11N5449SH3L	Laminate	2217	10½	53⅞	48 13/16	–	–	78 lbs.	6.6
11N5449SH3WL	Wood Shelves, Laminate Wall	3219	10½	53⅞	48 13/16	–	–	78 lbs.	6.6
11N6049SH3W	Wood	$ 3535	10½	59 15/16	48 13/16	–	–	86 lbs.	7.2
11N6049SH3LW	Laminate Shelves, Wood Wall	3535	10½	59 15/16	48 13/16	–	–	86 lbs.	7.2
11N6049SH3L	Laminate	2440	10½	59 15/16	48 13/16	–	–	86 lbs.	7.2
11N6049SH3WL	Wood Shelves, Laminate Wall	3535	10½	59 15/16	48 13/16	–	–	86 lbs.	7.2

- Some assembly required
- "SH3" models have 1 shelf that aligns with the middle shelf of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3649SH4W MH
11N3649SH4LW 462 CW
11N3649SH4L 405 478

• See pages 288-289 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 80" HIGH WWN MODELS 49"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3649SH4W	Wood	$ 2690	10½	35 15/16	48 13/16	–	–	61 lbs.	4.6
11N3649SH4LW	Laminate Shelves, Wood Wall	2690	10½	35 15/16	48 13/16	–	–	61 lbs.	4.6
11N3649SH4L	Laminate	1856	10½	35 15/16	48 13/16	–	–	61 lbs.	4.6
11N3649SH4WL	Wood Shelves, Laminate Wall	2690	10½	35 15/16	48 13/16	–	–	61 lbs.	4.6
11N4249SH4W	Wood	$ 2695	10½	41 15/16	48 13/16	–	–	71 lbs.	5.2
11N4249SH4LW	Laminate Shelves, Wood Wall	2695	10½	41 15/16	48 13/16	–	–	71 lbs.	5.2
11N4249SH4L	Laminate	1858	10½	41 15/16	48 13/16	–	–	71 lbs.	5.2
11N4249SH4WL	Wood Shelves, Laminate Wall	2695	10½	41 15/16	48 13/16	–	–	71 lbs.	5.2
11N4849SH4W	Wood	$ 2992	10½	47 15/16	48 13/16	–	–	81 lbs.	5.9
11N4849SH4LW	Laminate Shelves, Wood Wall	2992	10½	47 15/16	48 13/16	–	–	81 lbs.	5.9
11N4849SH4L	Laminate	2064	10½	47 15/16	48 13/16	–	–	81 lbs.	5.9
11N4849SH4WL	Wood Shelves, Laminate Wall	2992	10½	47 15/16	48 13/16	–	–	81 lbs.	5.9
11N5449SH4W	Wood	$ 3292	10½	53⅞	48 13/16	–	–	91 lbs.	6.6
11N5449SH4LW	Laminate Shelves, Wood Wall	3292	10½	53⅞	48 13/16	–	–	91 lbs.	6.6
11N5449SH4L	Laminate	2269	10½	53⅞	48 13/16	–	–	91 lbs.	6.6
11N5449SH4WL	Wood Shelves, Laminate Wall	3292	10½	53⅞	48 13/16	–	–	91 lbs.	6.6
11N6049SH4W	Wood	$ 3621	10½	59 15/16	48 13/16	–	–	100 lbs.	7.2
11N6049SH4LW	Laminate Shelves, Wood Wall	3621	10½	59 15/16	48 13/16	–	–	100 lbs.	7.2
11N6049SH4L	Laminate	2497	10½	59 15/16	48 13/16	–	–	100 lbs.	7.2
11N6049SH4WL	Wood Shelves, Laminate Wall	3621	10½	59 15/16	48 13/16	–	–	100 lbs.	7.2

- Some assembly required
- "SH4" models have 2 shelves that align with the top shelves of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3649SH5W	MH	
11N3649SH5LW	462	CW
11N3649SH5L	405	478

• See pages 288-289 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 80" HIGH WWN MODELS 49"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3649SH5W	Wood	$ 2785	10½	35 15/16	48 13/16	–	–	69 lbs.	4.6
11N3649SH5LW	Laminate Shelves, Wood Wall	2785	10½	35 15/16	48 13/16	–	–	69 lbs.	4.6
11N3649SH5L	Laminate	1917	10½	35 15/16	48 13/16	–	–	69 lbs.	4.6
11N3649SH5WL	Wood Shelves, Laminate Wall	2785	10½	35 15/16	48 13/16	–	–	69 lbs.	4.6
11N4249SH5W	Wood	$ 2790	10½	41 15/16	48 13/16	–	–	81 lbs.	5.2
11N4249SH5LW	Laminate Shelves, Wood Wall	2790	10½	41 15/16	48 13/16	–	–	81 lbs.	5.2
11N4249SH5L	Laminate	1920	10½	41 15/16	48 13/16	–	–	81 lbs.	5.2
11N4249SH5WL	Wood Shelves, Laminate Wall	2790	10½	41 15/16	48 13/16	–	–	81 lbs.	5.2
11N4849SH5W	Wood	$ 3095	10½	47 15/16	48 13/16	–	–	93 lbs.	5.9
11N4849SH5LW	Laminate Shelves, Wood Wall	3095	10½	47 15/16	48 13/16	–	–	93 lbs.	5.9
11N4849SH5L	Laminate	2133	10½	47 15/16	48 13/16	–	–	93 lbs.	5.9
11N4849SH5WL	Wood Shelves, Laminate Wall	3095	10½	47 15/16	48 13/16	–	–	93 lbs.	5.9
11N5449SH5W	Wood	$ 3406	10½	53⅞	48 13/16	–	–	104 lbs.	6.6
11N5449SH5LW	Laminate Shelves, Wood Wall	3406	10½	53⅞	48 13/16	–	–	104 lbs.	6.6
11N5449SH5L	Laminate	2346	10½	53⅞	48 13/16	–	–	104 lbs.	6.6
11N5449SH5WL	Wood Shelves, Laminate Wall	3406	10½	53⅞	48 13/16	–	–	104 lbs.	6.6
11N6049SH5W	Wood	$ 3744	10½	59 15/16	48 13/16	–	–	116 lbs.	7.2
11N6049SH5LW	Laminate Shelves, Wood Wall	3744	10½	59 15/16	48 13/16	–	–	116 lbs.	7.2
11N6049SH5L	Laminate	2582	10½	59 15/16	48 13/16	–	–	116 lbs.	7.2
11N6049SH5WL	Wood Shelves, Laminate Wall	3744	10½	59 15/16	48 13/16	–	–	116 lbs.	7.2

- Some assembly required
- "SH5" models have 3 shelves that align with the horizontal shelves of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Shelf Height (SH6 models only)
3. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Shelf Height (SH6 models only)
3. Laminate Shelf Color
4. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Shelf Height (SH6 models only)
3. Laminate Shelf Color
4. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Shelf Height (SH6 models only)
3. Wood Shelf Finish
4. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3649SH6W B MH
11N3649SH6LW B 462 CW
11N3649SH6L B 405 478

• See pages 288-289 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 80" HIGH WWN MODELS 49"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3649SH6W	Wood	$ 2628	10½	35 15/16	48 13/16	–	–	53 lbs.	4.6
11N3649SH6LW	Laminate Shelves, Wood Wall	2628	10½	35 15/16	48 13/16	–	–	53 lbs.	4.6
11N3649SH6L	Laminate	1810	10½	35 15/16	48 13/16	–	–	53 lbs.	4.6
11N3649SH6WL	Wood Shelves, Laminate Wall	2628	10½	35 15/16	48 13/16	–	–	53 lbs.	4.6
11N4249SH6W	Wood	$ 2631	10½	41 15/16	48 13/16	–	–	61 lbs.	5.2
11N4249SH6LW	Laminate Shelves, Wood Wall	2631	10½	41 15/16	48 13/16	–	–	61 lbs.	5.2
11N4249SH6L	Laminate	1815	10½	41 15/16	48 13/16	–	–	61 lbs.	5.2
11N4249SH6WL	Wood Shelves, Laminate Wall	2631	10½	41 15/16	48 13/16	–	–	61 lbs.	5.2
11N4849SH6W	Wood	$ 2923	10½	47 15/16	48 13/16	–	–	69 lbs.	5.9
11N4849SH6LW	Laminate Shelves, Wood Wall	2923	10½	47 15/16	48 13/16	–	–	69 lbs.	5.9
11N4849SH6L	Laminate	2015	10½	47 15/16	48 13/16	–	–	69 lbs.	5.9
11N4849SH6WL	Wood Shelves, Laminate Wall	2923	10½	47 15/16	48 13/16	–	–	69 lbs.	5.9
11N5449SH6W	Wood	$ 3219	10½	53⅞	48 13/16	–	–	78 lbs.	6.6
11N5449SH6LW	Laminate Shelves, Wood Wall	3219	10½	53⅞	48 13/16	–	–	78 lbs.	6.6
11N5449SH6L	Laminate	2217	10½	53⅞	48 13/16	–	–	78 lbs.	6.6
11N5449SH6WL	Wood Shelves, Laminate Wall	3219	10½	53⅞	48 13/16	–	–	78 lbs.	6.6
11N6049SH6W	Wood	$ 3535	10½	59 15/16	48 13/16	–	–	86 lbs.	7.2
11N6049SH6LW	Laminate Shelves, Wood Wall	3535	10½	59 15/16	48 13/16	–	–	86 lbs.	7.2
11N6049SH6L	Laminate	2440	10½	59 15/16	48 13/16	–	–	86 lbs.	7.2
11N6049SH6WL	Wood Shelves, Laminate Wall	3535	10½	59 15/16	48 13/16	–	–	86 lbs.	7.2



- Some assembly required
- "SH6" 48"/49" high models have 1 shelf that can be configured to align with the bottom of a 13", 18", 30" high overhead, or top shelf of the SH1/SH2 48"/49" inserts
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3649SH7W	MH	
11N3649SH7LW	462	CW
11N3649SH7L	405	478

• See pages 288-289 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 80" HIGH WWN MODELS 49"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3649SH7W	Wood	$ 2690	10½	35 15/16	48 13/16	–	–	61 lbs.	4.6
11N3649SH7LW	Laminate Shelves, Wood Wall	2690	10½	35 15/16	48 13/16	–	–	61 lbs.	4.6
11N3649SH7L	Laminate	1856	10½	35 15/16	48 13/16	–	–	61 lbs.	4.6
11N3649SH7WL	Wood Shelves, Laminate Wall	2690	10½	35 15/16	48 13/16	–	–	61 lbs.	4.6
11N4249SH7W	Wood	$ 2695	10½	41 15/16	48 13/16	–	–	71 lbs.	5.2
11N4249SH7LW	Laminate Shelves, Wood Wall	2695	10½	41 15/16	48 13/16	–	–	71 lbs.	5.2
11N4249SH7L	Laminate	1858	10½	41 15/16	48 13/16	–	–	71 lbs.	5.2
11N4249SH7WL	Wood Shelves, Laminate Wall	2695	10½	41 15/16	48 13/16	–	–	71 lbs.	5.2
11N4849SH7W	Wood	$ 2992	10½	47 15/16	48 13/16	–	–	81 lbs.	5.9
11N4849SH7LW	Laminate Shelves, Wood Wall	2992	10½	47 15/16	48 13/16	–	–	81 lbs.	5.9
11N4849SH7L	Laminate	2064	10½	47 15/16	48 13/16	–	–	81 lbs.	5.9
11N4849SH7WL	Wood Shelves, Laminate Wall	2992	10½	47 15/16	48 13/16	–	–	81 lbs.	5.9
11N5449SH7W	Wood	$ 3292	10½	53⅞	48 13/16	–	–	91 lbs.	6.6
11N5449SH7LW	Laminate Shelves, Wood Wall	3292	10½	53⅞	48 13/16	–	–	91 lbs.	6.6
11N5449SH7L	Laminate	2269	10½	53⅞	48 13/16	–	–	91 lbs.	6.6
11N5449SH7WL	Wood Shelves, Laminate Wall	3292	10½	53⅞	48 13/16	–	–	91 lbs.	6.6
11N6049SH7W	Wood	$ 3621	10½	59 15/16	48 13/16	–	–	100 lbs.	7.2
11N6049SH7LW	Laminate Shelves, Wood Wall	3621	10½	59 15/16	48 13/16	–	–	100 lbs.	7.2
11N6049SH7L	Laminate	2497	10½	59 15/16	48 13/16	–	–	100 lbs.	7.2
11N6049SH7WL	Wood Shelves, Laminate Wall	3621	10½	59 15/16	48 13/16	–	–	100 lbs.	7.2

- Some assembly required
- "SH7" models have 2 shelves; the bottom shelf aligns with the bottom of a 30" overhead
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

EXHIBIT

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color

SAMPLE MODEL NUMBER:

11N3634WINL 492
NAC12505WGV1

• See pages 288-289 for all options available in Exhibit

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
LAMINATE INSERT	11N3634WINL		$ 483	10½	35 15/16	34⅛	—	—	41 lbs.	3.3
	11N3636WINL		525	10½	35 15/16	36 9/16	—	—	43 lbs.	3.5
	11N3637WINL		525	10½	35 15/16	37	—	—	43 lbs.	3.6
	11N3648WINL		615	10½	35 15/16	48½	—	—	53 lbs.	4.5
	11N3649WINL		615	10½	35 15/16	48 13/16	—	—	53 lbs.	4.6
	• Can be used to hang additional PPE equipment (ie. Glove holders and sanitizer dispensers). Limit of 10 lbs hung on the back									
SINGLE WIRE GLOVE BOX	NAC1205WGV1	Steel	$ 117	3 3/16	11 15/16	4¾	—	—	1 lbs.	1.38
	• Steel wire Glove box is Chrome in color • Includes pre-drilled mounting holes and hardware • Holds 1 std size box of gloves									
DOUBLE WIRE GLOVE BOX	NAC1210WGV2	Steel	$ 160	3 3/16	11 15/16	9½	—	—	1 lbs.	2.7
	• Steel wire Glove box is Chrome in color • Includes pre-drilled mounting holes and hardware • Holds 2 std size boxes of gloves									
QUAD WIRE GLOVE BOX	NAC1219WGV4	Steel	$ 229	3 3/16	11 15/16	19	—	—	1 lbs.	5.2
	• Steel wire Glove box is Chrome in color • Includes pre-drilled mounting holes and hardware • Holds 4 std size boxes of gloves									
AUTOMATIC HAND SANITIZER DISPENSER	NAC0407USD1		$ 794	4¼	6	11	—	—	2.2 lbs.	8.1
	• Dispenser accepts most bulk liquid soaps and sanitizers up to 12mL capacity, inside a solid case of durable ABS plastic • 4 C Batteries sold separately. External On-Off switch • Tamper resistant lock system with key for convenient access for assigned personel • Motion Dispenser: Dispenses within a sense detection of 3"-5" • 2.2 lbs Empty (without fluid)									

PRODUCT SPECIFICATIONS

- Each height of TV mount insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- When TV mount inserts are used at the end of the run, specify Full End Trims for finish detail; see page 334
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER, SPECIFY:

1. Model Number
2. TV Mount (60W only)
3. Finish/Laminate Color (Veneer/Laminate insert only)
4. Fabric Grade (Fabric insert only)
5. Fabric Color (Fabric insert only)

SAMPLE MODEL NUMBERS:

11N3634TVW B 25413
11N6034TVL TS B 25413

• See pages 288-289 for all options available in Exhibit

TV MOUNT EXHIBIT INSERTS





(only 60" models)

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
34"H TV MOUNT EXHIBIT INSERTS									
11N3634TVW	Wood	$ 2747	½	35 15/16	34⅛	—	—	47 lbs.	3.1
11N3634TVL	Laminate	1967	½	35 15/16	34⅛	—	—	47 lbs.	3.1
11N4234TVW	Wood	$ 2750	½	41 15/16	34⅛	—	—	53 lbs.	3.3
11N4234TVL	Laminate	1968	½	41 15/16	34⅛	—	—	53 lbs.	3.3
11N4834TVW	Wood	$ 3026	½	47 15/16	34⅛	—	—	58 lbs.	3.5
11N4834TVL	Laminate	2160	½	47 15/16	34⅛	—	—	58 lbs.	3.5
11N5434TVW	Wood	$ 3304	½	53⅞	34⅛	—	—	64 lbs.	3.5
11N5434TVL	Laminate	2355	½	53⅞	34⅛	—	—	64 lbs.	3.5
11N6034TVW	Wood	$ 3612	½	59 15/16	34⅛	—	—	71 lbs.	3.9
11N6034TVL	Laminate	2566	½	59 15/16	34⅛	—	—	71 lbs.	3.9
COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS									
36"H TV MOUNT EXHIBIT INSERTS									
11N3636TVW	Wood	$ 2780	½	35 15/16	36 9/16	—	—	51 lbs.	3.4
11N3636TVL	Laminate	1991	½	35 15/16	36 9/16	—	—	51 lbs.	3.4
11N4236TVW	Wood	$ 2786	½	41 15/16	36 9/16	—	—	57 lbs.	3.6
11N4236TVL	Laminate	1995	½	41 15/16	36 9/16	—	—	57 lbs.	3.6
11N4836TVW	Wood	$ 3067	½	47 15/16	36 9/16	—	—	62 lbs.	3.9
11N4836TVL	Laminate	2189	½	47 15/16	36 9/16	—	—	62 lbs.	3.9
11N5436TVW	Wood	$ 3348	½	53⅞	36 9/16	—	—	68 lbs.	4.1
11N5436TVL	Laminate	2384	½	53⅞	36 9/16	—	—	68 lbs.	4.1
11N6036TVW	Wood	$ 3661	½	59 15/16	36 9/16	—	—	74 lbs.	4.3
11N6036TVL	Laminate	2599	½	59 15/16	36 9/16	—	—	74 lbs.	4.3

- TV mount included; some assembly required; VESA mounting compliant
- Maximum TV weight is 120 lbs.
- Optional single or dual TV mount on 60" inserts

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of TV mount insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- When TV mount inserts are used at the end of the run, specify Full End Trims for finish detail; see page 334
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER, SPECIFY:

1. Model Number
2. TV Mount (60W only)
3. Finish/Laminate Color

SAMPLE MODEL NUMBERS:

11N3637TVW MC
11N3637TVL 462

• See pages 288-289 for all options available in Exhibit

TV MOUNT EXHIBIT INSERTS (CONTINUED)





(only 60" models)

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 69" HIGH WWN MODELS 37"H TV MOUNT EXHIBIT INSERTS									
11N3637TVW	Wood	$ 2780	½	35 15/16	37	–	–	51 lbs.	3.4
11N3637TVL	Laminate	1991	½	35 15/16	37	–	–	51 lbs.	3.4
11N4237TVW	Wood	$ 2786	½	41 15/16	37	–	–	57 lbs.	3.6
11N4237TVL	Laminate	1995	½	41 15/16	37	–	–	57 lbs.	3.6
11N4837TVW	Wood	$ 3067	½	47 15/16	37	–	–	62 lbs.	3.9
11N4837TVL	Laminate	2189	½	47 15/16	37	–	–	62 lbs.	3.9
11N5437TVW	Wood	$ 3348	½	53⅞	37	–	–	68 lbs.	4.1
11N5437TVL	Laminate	2384	½	53⅞	37	–	–	68 lbs.	4.1
11N6037TVW	Wood	$ 3661	½	59 15/16	37	–	–	74 lbs.	4.3
11N6037TVL	Laminate	2599	½	59 15/16	37	–	–	74 lbs.	4.3
COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS 48"H TV MOUNT EXHIBIT INSERTS									
11N3648TVW	Wood	$ 3240	½	35 15/16	48⅜	–	–	69 lbs.	5.0
11N3648TVL	Laminate	2309	½	35 15/16	48⅜	–	–	69 lbs.	5.0
11N4248TVW	Wood	$ 3244	½	41 15/16	48⅜	–	–	77 lbs.	5.2
11N4248TVL	Laminate	2311	½	41 15/16	48⅜	–	–	77 lbs.	5.2
11N4848TVW	Wood	$ 3578	½	47 15/16	48⅜	–	–	85 lbs.	5.5
11N4848TVL	Laminate	2541	½	47 15/16	48⅜	–	–	85 lbs.	5.5
11N5448TVW	Wood	$ 3912	½	53⅞	48⅜	–	–	93 lbs.	5.8
11N5448TVL	Laminate	2769	½	53⅞	48⅜	–	–	93 lbs.	5.8
11N6048TVW	Wood	$ 4278	½	59 15/16	48⅜	–	–	101 lbs.	6.1
11N6048TVL	Laminate	3024	½	59 15/16	48⅜	–	–	101 lbs.	6.1

- TV mount included; some assembly required; VESA mounting compliant
- Maximum TV weight is 120 lbs.
- Optional single or dual TV mount on 60" inserts

PRODUCT SPECIFICATIONS

- Each height of TV mount insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- When TV mount inserts are used at the end of the run, specify Full End Trims for finish detail; see page 334
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER, SPECIFY:

1. Model Number
2. TV Mount (60W only)
3. Finish/Laminate Color

SAMPLE MODEL NUMBERS:

11N3649TVW MC
11N3649TVL 462

• See pages 288-289 for all options available in Exhibit

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
TV MOUNT EXHIBIT INSERTS (CONTINUED)	**COMPATIBLE WITH WAVEWORKS 80" HIGH WWN MODELS 49"H TV MOUNT EXHIBIT INSERTS**									
	11N3649TVW	Wood	$ 3240	½	35 15/16	48 13/16	—	—	69 lbs.	5.0
	11N3649TVL	Laminate	2309	½	35 15/16	48 13/16	—	—	69 lbs.	5.0
	11N4249TVW	Wood	$ 3244	½	41 15/16	48 13/16	—	—	77 lbs.	5.2
	11N4249TVL	Laminate	2311	½	41 15/16	48 13/16	—	—	77 lbs.	5.2
	11N4849TVW	Wood	$ 3578	½	47 15/16	48 13/16	—	—	85 lbs.	5.5
	11N4849TVL	Laminate	2541	½	47 15/16	48 13/16	—	—	85 lbs.	5.5
(only 60" models)	11N5449TVW	Wood	$ 3912	½	53⅞	48 13/16	—	—	93 lbs.	5.8
	11N5449TVL	Laminate	2769	½	53⅞	48 13/16	—	—	93 lbs.	5.8
	11N6049TVW	Wood	$ 4278	½	59 15/16	48 13/16	—	—	101 lbs.	6.1
	11N6049TVL	Laminate	3024	½	59 15/16	48 13/16	—	—	101 lbs.	6.1

- TV mount included; some assembly required; VESA mounting compliant
- Maximum TV weight is 120 lbs.
- Optional single or dual TV mount on 60" inserts

EXHIBIT TV MOUNT VERTICAL WIRE MANAGER	11N0615WMVW	Wood	$ 475	1½	5⅜	15 7/16	—	—	8 lbs.	0.6
	11N0615WMVL	Laminate	317	1½	5⅜	15 7/16	—	—	8 lbs.	0.6

- Attaches to the Exhibit TV mount inserts; used to conceal power in-feed and data cables
- When using Exhibit TV mount inserts and vertical wire manager with a Mio Exhibit mount worksurface, the worksurface needs to be configured with a notch for the worksurface wire manager

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of trim channel corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color
3. Fabric Grade
4. Fabric Color

SAMPLE MODEL NUMBER:

11N37ETP 501

- See pages 288-289 for all options available in Exhibit

FULL END TRIM

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FOR USE WITH 34"H INSERTS									
11N37ETP	Powder Coated	$ 105	1 1/16	1 1/2	37 1/8	—	—	1 lbs.	0.2
COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS FOR USE WITH 36"H INSERTS									
11N39ETP	Powder Coated	$ 110	1 1/16	1 1/2	39 7/16	—	—	1 lbs.	0.3
COMPATIBLE WITH WAVEWORKS 69" HIGH WW MODELS FOR USE WITH 37"H INSERTS									
11N40ETP	Powder Coated	$ 110	1 1/16	1 1/2	39 7/8	—	—	1 lbs.	0.3
COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS FOR USE WITH 48"H INSERTS									
11N51ETP	Powder Coated	$ 125	1 1/16	1 1/2	51 1/4	—	—	1 lbs.	0.3
COMPATIBLE WITH WAVEWORKS 80" HIGH WW MODELS FOR USE WITH 49"H INSERTS									
11N52ETP	Powder Coated	$ 125	1 1/16	1 1/2	51 11/16	—	—	1 lbs.	0.4

- Specify Full End Trim for finish detail when end of Exhibit rail and tack/marker board insert are exposed
- Full End Trim is attached to top wall rail and extends down to and attaches to bottom rail

VERTICAL CABLE MANAGER

		GRADE A	GRADE B/COM						
11N20WMV	Black Plastic	$ 41		1	1	20	—	—	1 lbs.	0.5
11N20WMVFA	Fabric, Railroad	$ 56	$ 67	1	1	20	—	—	1 lbs.	0.5

- For use with 34", 36" or 37" inserts when a single height overhead cabinet is attached; or 48" and 49" inserts when a double height overhead cabinet is attached
- Fabric will be railroaded

		GRADE A	GRADE B/COM						
11N31WMV	Black Plastic	$ 53		1	1	31	—	—	2 lbs.	0.6
11N31WMVFA	Fabric, Railroad	$ 68	$ 79	1	1	31	—	—	2 lbs.	0.6

- For use with 48" or 49" inserts when a single height cabinet is attached
- Fabric will be railroaded

PRODUCT SPECIFICATIONS

- Each height of trim channel corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color
3. Fabric Grade
4. Fabric Color

SAMPLE MODEL NUMBERS:

11N34TCF B 25413
11N01ETP 501

- See pages 288-289 for all options available in Exhibit

	MODEL NO./DESCRIPTION		LIST PRICE		DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SINGLE END CAP	11N01ETP		$ 48		⅛	1⅜	1⅜	—	—	1 lbs.	0.3



- Specify end caps for finish detail when end of Exhibit rail is exposed, does not work with faceplate on wall rail
- End caps are sold individually
- End caps available in Concrete (423), Cinder (462), Iron (463), Platinum Metallic (501) or Satin Nickel Metallic (503)
- Exhibit end caps can also be used behind overheads or when used with a worksurface

FABRIC WRAPPED TRIM CHANNELS

34"H TRIM CHANNELS

		GRADE A	GRADE B/COM						
11N34TCFA	Fabric, Railroad	$ 65	$ 76	½	¾	34⅛	—	—	1 lbs.	0.3

COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS
36"H TRIM CHANNELS

11N36TCFA	Fabric, Railroad	$ 67	$ 78	½	¾	36⅜₁₆	—	—	1 lbs.	0.3

COMPATIBLE WITH WAVEWORKS 69" HIGH WW MODELS
37"H TRIM CHANNELS

11N37TCFA	Fabric, Railroad	$ 67	$ 78	½	¾	37	—	—	1 lbs.	0.3

COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS
48"H TRIM CHANNELS

11N48TCFA	Fabric, Railroad	$ 75	$ 86	½	¾	48⅜	—	—	1 lbs.	0.3

COMPATIBLE WITH WAVEWORKS 80" HIGH WW MODELS
49"H TRIM CHANNELS

11N49TCFA	Fabric, Railroad	$ 75	$ 86	½	¾	48¹³⁄₁₆	—	—	1 lbs.	0.3

- 2 trim channels are included with every marker/tack board or slat wall insert, if marker board or tack board insert is cut to create new board, additional trim channels must be ordered
- Fabric will be railroaded

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of trim channel corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color
3. Wood/Laminate Finish

SAMPLE MODEL NUMBERS:

11N34TCP 462
11NCPFSL MC

- See pages 288-289 for all options available in Exhibit

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
PAINTED TRIM CHANNELS	**34"H TRIM CHANNELS**									
	11N34TCP	Powder Coated	$ 53	½	¾	34⅛	–	–	1 lbs.	0.3
	COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS 36"H TRIM CHANNELS									
	11N36TCP	Powder Coated	$ 58	½	¾	36⁹⁄₁₆	–	–	1 lbs.	0.3
	COMPATIBLE WITH WAVEWORKS 69" HIGH WW MODELS 37"H TRIM CHANNELS									
	11N37TCP	Powder Coated	$ 58	½	¾	37	–	–	1 lbs.	0.3
	COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS 48"H TRIM CHANNELS									
	11N48TCP	Powder Coated	$ 68	½	¾	48⅜	–	–	1 lbs.	0.3
	COMPATIBLE WITH WAVEWORKS 80" HIGH WW MODELS 49"H TRIM CHANNELS									
	11N49TCP	Powder Coated	$ 68	½	¾	48¹³⁄₁₆	–	–	1 lbs.	0.3

- Available in White (401), Concrete (423), Cinder (462), Iron (463), Platinum Metallic (501) or Satin Nickel Metallic (503)
- 2 trim channels are included with every marker/tack board or slat wall insert, if marker board or tack board insert is cut to create new board, additional trim channels must be ordered

WORKSURFACE MOUNTING BRACKET 	11NBRS	Single Bracket	$ 20	2	3	½	–	–	1 lbs.	0.3

- For use when attaching a WaveWorks or Epic worksurface to Exhibit wall rail
- Standard in anodized aluminum
- Specify model number only

Reference this chart for worksurface bracket requirements

Worksurface Width/Depth	Number of Brackets per edge
Less than or equal to 48"	2
Less than or equal to 72"	3
Greater than 72"	4

FILLER STRIP KIT EXHIBIT MOUNT 	11NCPFSW	Wood	$ 70	1	3	27¼	–	–	3 lbs.	1.0
	11NCPFSL	Laminate	36	1	3	27¼	–	–	3 lbs.	1.0

- For use with Exhibit mounted overheads when an insert is not used behind the overhead
- Must be field scribed for 18" and 13" high overhead models
- Specify solid/woodgrain/Gallery laminate or wood finish

PRODUCT SPECIFICATIONS

- For use with Exhibit and Epicenter slat wall inserts

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

NAC0924SHM 462

- See pages 288-289 for all options available in Exhibit

METAL WORK TOOLS

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SHELF 	NAC0924SHM	Powder Coated	$ 143	9⅛	24	2¼	—	—	5 lbs.	0.9
	NAC0930SHM	Powder Coated	160	9⅛	30	2¼	—	—	6 lbs.	1.1
	NAC0936SHM	Powder Coated	177	9⅛	36	2¼	—	—	7 lbs.	1.2
	NAC0942SHM	Powder Coated	200	9⅛	42	2¼	—	—	8 lbs.	1.3
	NAC0948SHM	Powder Coated	216	9⅛	48	2¼	—	—	9 lbs.	1.4
SINGLE SIDE TRAY 	NAC1217SPTM	Single Tray	$ 128	11⅞	17	2⅜	—	—	5 lbs.	0.7
DOUBLE SIDE TRAY 	NAC1217DPTM	Double Tray	$ 177	1⅜	17	5	—	—	9 lbs.	1.0
POCKET ORGANIZER 	NAC16POM	Single Pocket	$ 109	1⅛	15⅝	7¼	—	—	4 lbs.	1.1
SLANT SORTER	NAC1212SSM	Polished Aluminum Dividers	$ 128	11¾	12	7¾	—	—	4 lbs.	1.1
	• Not recommended for use under Epicenter mounted overhead storage cabinets									
MARKER HOLDER 	NACMRHM		$ 124	2¹⁵⁄₁₆	6¹⁵⁄₁₆	4	—	—	1 lbs.	0.1
BINDER SHELF	NAC0905SHBM		$ 79	9⅛	5	8¹⁄₁₆	—	—	3 lbs.	0.5
	• Not recommended for use under Epicenter mounted overhead storage cabinets									

EXHIBIT

PRODUCT SPECIFICATIONS

- For use with Exhibit and Epicenter slat wall inserts
- Pencil Tray (NAC0510PTB) is only available in black and may not be an exact match

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NAC0510PTB

- See pages 288-289 for all options available in Exhibit

METAL WORK TOOLS

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
PENCIL TRAY	NAC0510PTB	$ 96	5	10	1	—	—	1 lbs.	0.1



- Available in Black only

METAL TOOLS OPERATING LOAD CAPACITIES

Component:	Operating Load Capacity (Functional Loads):
Metal shelves:	10 lbs. per 6" of shelf width
Single side tray:	40 lbs. t.w.
Double side tray:	47 lbs. t.w.
Pocket organizer:	4 lbs. t.w.
Slant Sorter:	19 lbs. t.w.
Binder shelf:	10 lbs. t.w.
Pencil tray:	5 lbs. t.w.

PRODUCT SPECIFICATIONS

- For use with Exhibit and Epicenter slat wall inserts

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NACCP

- See pages 288-289 for all options available in Exhibit

PLASTIC WORK TOOLS

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
PENCIL CUP	NACCP	Black Plastic	$ 53	½	4	4	—	—	1 lbs.	0.4
	NACCPC	Clear Plastic	53	½	4	4	—	—	1 lbs.	0.4
	• Holds pencils, pens, rulers, etc.									
LEGAL PAPER TRAY	NAC1115SPT	Black Plastic	$ 79	10½	15	2	—	—	1 lbs.	0.1
	NAC1115SPTC	Clear Plastic	79	10½	15	2	—	—	1 lbs.	0.1
	• Holds letter or legal width papers, folders, etc.									
ACCESSORY TRAY	NAC1010AT	Black Plastic	$ 70	10	9½	2	—	—	1 lbs.	0.2
	NAC1010ATC	Clear Plastic	70	10	9½	2	—	—	1 lbs.	0.2
	• Holds supplies such as pens, pencils, paper clips, scissors, erasers, rulers, etc.									
SLANT SORTER	NACSS	Black Plastic	$ 83	12½	7	7½	—	—	1 lbs.	0.2
	NACSSC	Clear Plastic	83	12½	7	7½	—	—	1 lbs.	0.2
	• Holds folders, papers, etc. • Not recommended for use under Epicenter mounted overhead storage cabinets									

EXHIBIT

PRODUCT SPECIFICATIONS

- For use with Exhibit and Epicenter slat wall inserts

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NACMAPSMB

- See pages 288-289 for all options available in Exhibit

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
INTUITIVE MONITOR ARM SLAT WALL MOUNT	NACMA1SFB	Black	$ 799	29½	2½	13 1⁄16	–	–	12 lbs.	2.7
	NACMA1SFS	Silver	799	29½	2½	13 1⁄16	–	–	12 lbs.	2.7



- Weight capacity: 5.5 lbs. minimum - 13 lbs. pounds
- 1 monitor arm every 24" on slat wall and only 1 monitor arm recommended for a slat/tack combo insert
- Must properly install slat wall and Epicenter supports when using a monitor arm
- Recommended to not use monitor arm on the upper 4 slats of a full slat wall and slat wall combo insert

MONITOR ARM INFORMATION

National Model	NACMA1SFB/S
Description	slat wall mount black/silver
Monitor Rotation	port/landscape 360°
Monitor Extension	6¾" - 13⅞"
Arm Pivot	30°
Horizontal Monitor Pivot	180°
Monitor Weight Capacity (maximum approved weight)	arm – 5.5 lbs. minimum - 13 lbs. maximum slat rail – 13 lbs.
Mounting Option	slat wall mount
Arm Height Adjustment	10" dynamic
Pole Height	N/A
Maximum Width Per Monitor	no maximum width
Manual Height Adjustment	N/A
Worksurface Requirements– Desk Clamp	N/A (slat wall mount only)
Worksurface Requirements– Grommet Mount	N/A (slat wall mount only)

BOOKCASES

Product Pages 342

BOOKCASES

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Base Model
2. Laminate/Finish

SAMPLE MODEL NUMBERS:

21N3365BC0FL HN2
31N3266BCOFW NM

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
ARROWOOD LAMINATE BOOKCASE	Q21N3365BCOFL		$ 1268	13	33	65⁷⁄₁₆	—	—	135 lbs.	27.4
	21N3365BCOFL		1268	13	33	65⁷⁄₁₆	—	—	135 lbs.	27.4
	• Bookcase shelves hold 100 lbs. of evenly distributed weight • Shaded shelves are adjustable • Bookcase has an unfinished back • Reference Arrowood Laminate for detailed product information, laminates and entire Arrowood Laminate series offering starting on page 15									
ARROWOOD LAMINATE BOOKCASE	21N3353BCOFL		$ 1098	13	33	53	—	—	92 lbs.	22.4
	• Bookcase shelves hold 100 lbs. of evenly distributed weight • Bookcase has an unfinished back • Shaded shelves are adjustable • Reference Arrowood Laminate for detailed product information, laminates and entire Arrowood Laminate series offering starting on page 15									
ARROWOOD LAMINATE BOOKCASE SET-ON	Q21N3336BCOL		$ 893	13	33	36⁹⁄₁₆	—	—	85 lbs.	15.8
	21N3336BCOL		893	13	33	36⁹⁄₁₆	—	—	85 lbs.	15.8
	• Bookcase shelves hold 100 lbs. of evenly distributed weight • Shaded shelf is adjustable • Bookcase has an unfinished back • Reference Arrowood Laminate for detailed product information, laminates and entire Arrowood Laminate series offering starting on page 15									
ARROWOOD VENEER BOOKCASE	Q31N3266BCOFW	Wood Top	$ 2072	13	31½	65¾	—	—	111 lbs.	27.2
	31N3266BCOFW	Wood Top	2072	13	31½	65¾	—	—	111 lbs.	27.2
	• Bookcase shelves hold 100 lbs. of evenly distributed weight • Bookcase has an unfinished back • Shaded shelves are adjustable • Reference Arrowood Veneer for detailed product information, finishes and entire Arrowood Veneer series offering starting on page 29									
ARROWOOD VENEER BOOKCASE	31N3253BCOFW	Wood Top	$ 1621	13	31½	53	—	—	92 lbs.	22.4
	• Bookcase shelves hold 100 lbs. of evenly distributed weight • Bookcase has an unfinished back • Shaded shelves are adjustable • Reference Arrowood Veneer for detailed product information, finishes and entire Arrowood Veneer series offering starting on page 29									
ARROWOOD VENEER BOOKCASE SET-ON	Q31N3238BCOW	Wood Top	$ 1434	13	31½	38	—	—	85 lbs.	16.9
	31N3238BCOW	Wood Top	1434	13	31½	38	—	—	85 lbs.	16.9
	• Bookcase shelves hold 100 lbs. of evenly distributed weight • Bookcase has an unfinished back • Shaded shelf is adjustable • Reference Arrowood Veneer for detailed product information, finishes and entire Arrowood Veneer series offering starting on page 29									

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Base Model
2. Finish

SAMPLE MODEL NUMBER:

50N3452BCOFW MH

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
BARRINGTON BOOKCASE	**DOUBLE BOOKCASE**		**$ 5063**	14⅛	69¼	56½	—	—	243 lbs.	39.4
	Q50N3452BCOFW	Bookcase (each—order 2)	1894	12¼	33½	51¾	—	—	92 lbs.	17.6
	50N3452BCOFW	Bookcase (each—order 2)	1894	12¼	33½	51¾	—	—	92 lbs.	17.6
	50N1469CPCFW	Cornice Frame	800	14⅛	69¼	1⅛	—	—	30 lbs.	1.2
	50N1468CPBW	Base	475	13⅜	68¼	3¼	—	—	29 lbs.	3.0

- Must order (2) bookcases for double unit
- Bookcase components are shipped separately
- For credenza top use, only the bookcase and the cornice frame need to be ordered
- Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight
- Shaded shelves are adjustable
- Reference Barrington for detailed product information, finishes and entire Barrington offering starting on page 51

BARRINGTON BOOKCASE	**SINGLE BOOKCASE**		**$ 2616**	14⅛	35¾	56½	—	—	128 lbs.	19.8
	Q50N3452BCOFW	Bookcase	1894	12¼	33½	51¾	—	—	92 lbs.	17.6
	50N3452BCOFW	Bookcase	1894	12¼	33½	51¾	—	—	92 lbs.	17.6
	Q50N1436CPCFW	Cornice Frame	403	14⅛	35¾	1⅛	—	—	18 lbs.	0.6
	50N1436CPCFW	Cornice Frame	403	14⅛	35¾	1⅛	—	—	18 lbs.	0.6
	Q50N1435CPBW	Base	319	13⅜	34¾	3¼	—	—	18 lbs.	1.6
	50N1435CPBW	Base	319	13⅜	34¾	3¼	—	—	18 lbs.	1.6

- Bookcase components are shipped separately
- For credenza top use, only the bookcase and the cornice frame need to be ordered
- Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight
- Shaded shelves are adjustable
- Reference Barrington for detailed product information, finishes and entire Barrington offering starting on page 51

BARRINGTON BOOKCASE SET-ON	Q50N3436BCOW	Bookcase	$ 1788	12¼	33½	35¾	—	—	76 lbs.	17.2
	50N3436BCOW	Bookcase	1788	12¼	33½	35¾	—	—	76 lbs.	17.2
	Q50N1436CPCFW	Cornice Frame	403	14⅛	35¾	1⅛	—	—	18 lbs.	0.6
	50N1436CPCFW	Cornice Frame	403	14⅛	35¾	1⅛	—	—	18 lbs.	0.6
	Q50N1435CPBW	Base	319	13⅜	34¾	3¼	—	—	18 lbs.	1.6
	50N1435CPBW	Base	319	13⅜	34¾	3¼	—	—	18 lbs.	1.6

- Bookcase components are shipped separately
- Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight
- Shaded shelf is adjustable
- For set-on surface use, only the bookcase and the cornice frame need to be ordered
- Reference Barrington for detailed product information, finishes and entire Barrington offering starting on page 51

BOOKCASES

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Base Model
2. Pull Option
3. Finish

SAMPLE MODEL NUMBERS:

50N3452BCHRW 80AB MH
50N3452BCHGW 80AB DW

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
BARRINGTON BOOKCASE WITH GRILLE DOORS	**DOUBLE BOOKCASE**		**$ 7253**	14⅛	69¼	56½	—	—	361 lbs.	39.4
	50N3452BCHRW	Bookcase (each—order 2)	2989	12¼	33½	51¾	—	—	151 lbs.	17.6
	50N1469CPCFW	Cornice Frame	800	14⅛	69¼	1⅛	—	—	30 lbs.	1.2
	50N1468CPBW	Base	475	13⅜	68¼	3¼	—	—	29 lbs.	3.0

- Must order 2 bookcases for double unit
- For credenza top use, only the bookcase and the cornice frame need to be ordered
- Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight
- Shaded shelves are adjustable
- Random lock core is factory installed
- Reference Barrington for detailed product information, finishes and entire Barrington offering starting on page 51

BARRINGTON BOOKCASE WITH GRILLE DOORS	**SINGLE BOOKCASE**		**$ 3711**	14⅛	35¾	56½	—	—	187 lbs.	19.8
	50N3452BCHRW	Bookcase	2989	12¼	33½	51¾	—	—	151 lbs.	17.6
	Q50N1436CPCFW	Cornice Frame	403	14⅛	35¾	1⅛	—	—	18 lbs.	0.6
	50N1436CPCFW	Cornice Frame	403	14⅛	35¾	1⅛	—	—	18 lbs.	0.6
	Q50N1435CPBW	Base	319	13⅜	34¾	3¼	—	—	18 lbs.	1.6
	50N1435CPBW	Base	319	13⅜	34¾	3¼	—	—	18 lbs.	1.6

- For credenza top use, only the bookcase and the cornice frame need to be ordered
- Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight
- Shaded shelves are adjustable
- Random lock core is factory installed
- Reference Barrington for detailed product information, finishes and entire Barrington offering starting on page 51

BARRINGTON BOOKCASE WITH GLASS DOORS	**DOUBLE BOOKCASE**		**$ 7003**	14⅛	69¼	56½	—	—	361 lbs.	39.4
	50N3452BCHGW	Bookcase (each—order 2)	2864	12¼	33½	51¾	—	—	151 lbs.	17.6
	50N1469CPCFW	Cornice Frame	800	14⅛	69¼	1⅛	—	—	30 lbs.	1.2
	50N1468CPBW	Base	475	13⅜	68¼	3¼	—	—	29 lbs.	3.0

- Must order 2 bookcases for double unit
- For credenza top use, only the bookcase and the cornice frame need to be ordered
- Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight
- Shaded shelves are adjustable
- Random lock core is factory installed
- Reference Barrington for detailed product information, finishes and entire Barrington offering starting on page 51

BARRINGTON BOOKCASE WITH GLASS DOORS	**SINGLE BOOKCASE**		**$ 3586**	14⅛	35¾	56½	—	—	187 lbs.	19.8
	50N3452BCHGW	Bookcase	2864	12¼	33½	51¾	—	—	151 lbs.	17.6
	Q50N1436CPCFW	Cornice Frame	403	14⅛	35¾	1⅛	—	—	18 lbs.	0.6
	50N1436CPCFW	Cornice Frame	403	14⅛	35¾	1⅛	—	—	18 lbs.	0.6
	Q50N1435CPBW	Base	319	13⅜	34¾	3¼	—	—	18 lbs.	1.6
	50N1435CPBW	Base	319	13⅜	34¾	3¼	—	—	18 lbs.	1.6

- For credenza top use, only the bookcase and the cornice frame need to be ordered
- Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight
- Shaded shelves are adjustable
- Random lock core is factory installed
- Reference Barrington for detailed product information, finishes and entire Barrington offering starting on page 51

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Base Model
2. Pull Option
3. Locking
4. Finish

SAMPLE MODEL NUMBERS:

ECN3871BCOFW DW
ECN3871BCOHFW 79SN KRB TF

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
ESCALADE BOOKCASE - OPEN	QECN3871BCOFW	$ 3671	15¾	38³⁄₁₆	70¹⁵⁄₁₆	—	—	190 lbs.	31.3
	ECN3871BCOFW	3671	15¾	38³⁄₁₆	70¹⁵⁄₁₆	—	—	190 lbs.	31.3
	• Shaded shelves are adjustable • Cornice and base detail on 3 sides of unit • Specify finish only • Reference Escalade for detailed product information, finishes and entire Escalade offering starting on page 73								
ESCALADE BOOKCASE - OPEN	ECN3857BCOFW	$ 3311	15¾	38³⁄₁₆	57⅛	—	—	150 lbs.	25.4
	• Shaded shelves are adjustable • Cornice and base detail on 3 sides of unit • Specify finish only • Reference Escalade for detailed product information, finishes and entire Escalade offering starting on page 73								
ESCALADE BOOKCASE - STORAGE	ECN3871BCOHFW	$ 4403	15¾	38³⁄₁₆	70¹⁵⁄₁₆	—	—	210 lbs.	31.3
	• Shaded shelves are adjustable • Cornice and base detail on 3 sides of unit • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Reference Escalade for detailed product information, finishes and entire Escalade offering starting on page 73								
ESCALADE BOOKCASE - STORAGE	ECN3857BCOHFW	$ 4092	15¾	38³⁄₁₆	57⅛	—	—	170 lbs.	25.4
	• Shaded shelf is adjustable • Bookcase has an unfinished back • Cornice and base detail on 3 sides of unit • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Reference Escalade for detailed product information, finishes and entire Escalade offering starting on page 73								
ESCALADE BOOKCASE - SET ON	**WOOD DOORS**								
 	QECN3750BCHW	$ 4183	15½	37⅞	50³⁄₁₆	—	—	130 lbs.	22.5
	ECN3750BCHW	4183	15½	37⅞	50³⁄₁₆	—	—	130 lbs.	22.5
	GLASS DOORS								
	ECN3750BCHGW	$ 4365	15½	37⅞	50³⁄₁₆	—	—	130 lbs.	22.5
	• Shaded shelves are adjustable • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Reference Escalade for detailed product information, finishes and entire Escalade offering starting on page 73								

BOOKCASES

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Base Model
2. Finish

SAMPLE MODEL NUMBERS:

51N3452BCOFW TF
51N1435CPBW TF

ROOSEVELT DOUBLE BOOKCASE

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
DOUBLE BOOKCASE		**$ 5046**	14⅛	69¼	56½	—	—	243 lbs.	39.4
Q51N3452BCOFW	Bookcase (each—order 2)	1896	12¼	33½	51¾	—	—	92 lbs.	17.6
51N3452BCOFW	Bookcase (each—order 2)	1896	12¼	33½	51¾	—	—	92 lbs.	17.6
51N1469CPCFW	Cornice Frame	790	14⅛	69¼	1 1/16	—	—	30 lbs.	1.2
51N1468CPBW	Base	464	13⅜	68¼	3¼	—	—	29 lbs.	3.0

- Must order (2) bookcases for double unit
- Bookcase components are shipped separately
- For set-on surface use, only the bookcase and the cornice frame need to be ordered
- For a freestanding use, order the bookcase, cornice frame and base
- Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight
- Shaded shelves are adjustable
- Reference Roosevelt for detailed product information, finishes and entire Roosevelt offering starting on page 141

ROOSEVELT SINGLE BOOKCASE





SINGLE BOOKCASE		**$ 2596**	14⅛	35¾	56½	—	—	128 lbs.	19.8
Q51N3452BCOFW	Bookcase	1896	12¼	33½	51¾	—	—	92 lbs.	17.6
51N3452BCOFW	Bookcase	1896	12¼	33½	51¾	—	—	92 lbs.	17.6
Q51N1436CPCFW	Cornice Frame	394	14⅛	35¾	1 1/16	—	—	18 lbs.	0.6
51N1436CPCFW	Cornice Frame	394	14⅛	35¾	1 1/16	—	—	18 lbs.	0.6
Q51N1435CPBW	Base	306	13⅜	34¾	3¼	—	—	18 lbs.	1.6
51N1435CPBW	Base	306	13⅜	34¾	3¼	—	—	18 lbs.	1.6

- Bookcase components are shipped separately
- For set-on surface use, only the bookcase and the cornice frame need to be ordered
- For a freestanding use, order the bookcase, cornice frame and base
- Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight
- Shaded shelves are adjustable
- Reference Roosevelt for detailed product information, finishes and entire Roosevelt offering starting on page 141

SINGLE BOOKCASE		**$ 2485**	14⅛	35¾	40 1/16	—	—	112 lbs.	19.4
Q51N3436BCOFW	Bookcase	1785	12¼	33½	35¾	—	—	76 lbs.	17.2
51N3436BCOFW	Bookcase	1785	12¼	33½	35¾	—	—	76 lbs.	17.2
Q51N1436CPCFW	Cornice Frame	394	14⅛	35¾	1 1/16	—	—	18 lbs.	0.6
51N1436CPCFW	Cornice Frame	394	14⅛	35¾	1 1/16	—	—	18 lbs.	0.6
Q51N1435CPBW	Base	306	13⅜	34¾	3¼	—	—	18 lbs.	1.6
51N1435CPBW	Base	306	13⅜	34¾	3¼	—	—	18 lbs.	1.6

- Bookcase components are shipped separately
- For set-on surface use, only the bookcase and the cornice frame need to be ordered
- For a freestanding use, order the bookcase, cornice frame and base
- Bookcase shelves measure 31¾" long and hold 100 lbs. of evenly distributed weight
- Shaded shelf is adjustable
- Reference Roosevelt for detailed product information, finishes and entire Roosevelt offering starting on page 141

FILES

Product Pages 348

FILES

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Base Model
2. Locking
3. Laminate

SAMPLE MODEL NUMBER:

21N2436LFF2L KRB HN2

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
ARROWOOD LAMINATE LATERAL FILE 2 DRAWER	Q21N2436LFF2L	$ 1407	23¾	35¾	29½	–	–	184 lbs.	17.7
	21N2436LFF2L	1407	23¾	35¾	29½	–	–	184 lbs.	17.7

- Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Unit features a semi-finished back
- Reference Arrowood Laminate series for detailed product information, laminates and entire Arrowood Laminate offering starting on page 15

ARROWOOD LAMINATE LATERAL FILE 3 DRAWER	21N2436LFF3L	$ 2292	23¾	35¾	44½	–	–	210 lbs.	30.0

- Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Reference Arrowood Laminate series for detailed product information, laminates and entire Arrowood Laminate offering starting on page 15

ARROWOOD LAMINATE LATERAL FILE 4 DRAWER	21N2436LFF4L	$ 3181	23¾	35¾	58⅜	–	–	291 lbs.	40.2



- Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Reference Arrowood Laminate series for detailed product information, laminates and entire Arrowood Laminate offering starting on page 15

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Base Model
2. Locking
3. Finish

SAMPLE MODEL NUMBER:

31N2136LFF2W KRB DW

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
ARROWOOD VENEER LATERAL FILE 2 DRAWER	Q31N2136LFF2W	Wood Top	$ 2198	21	35½	29½	—	—	193 lbs.	15.6
	31N2136LFF2W	Wood Top	2198	21	35½	29½	—	—	193 lbs.	15.6
	31N2136LFF2LW	HPL Top	2113	21	35½	29½	—	—	201 lbs.	15.6

- Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Reference Arrowood Veneer for detailed product information, finishes and entire Arrowood Veneer offering starting on page 29

ARROWOOD VENEER LATERAL FILE 3 DRAWER	31N2136LFF3W	Wood Top	$ 2850	21	36 1/16	43⅜	—	—	210 lbs.	30.0
	31N2136LFF3LW	HPL Top	2778	21	36 1/16	43⅜	—	—	210 lbs.	30.0

- Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Reference Arrowood Veneer for detailed product information, finishes and entire Arrowood Veneer offering starting on page 29

ARROWOOD VENEER LATERAL FILE 4 DRAWER	31N2136LFF4W	Wood Top	$ 3589	21	36 1/16	57 3/16	—	—	291 lbs.	40.2
	31N2136LFF4LW	HPL Top	3543	21	36 1/16	57 3/16	—	—	291 lbs.	40.2



- Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Reference Arrowood Veneer for detailed product information, finishes and entire Arrowood Veneer offering starting on page 29

FILES

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Base Model
2. Pull Option
3. Locking
4. Finish

SAMPLE MODEL NUMBER:

50N2137LFF2W 81AB KRB MH

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
BARRINGTON LATERAL FILE 2 DRAWER	Q50N2137LFF2W	Wood Top	$ 2867	21	37¼	29½	—	—	158 lbs.	15.6
	50N2137LFF2W	Wood Top	2867	21	37¼	29½	—	—	158 lbs.	15.6
	50N2137LFF2LW	HPL Top	2867	21	37¼	29½	—	—	123 lbs.	15.6

- Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- Lateral file has an unfinished back
- Random lock core (KRB) and specified lock core (KS2B) available
- Reference Barrington for detailed product information, finishes and entire Barrington offering starting on page 51

BARRINGTON LATERAL FILE 3 DRAWER	50N2137LFF3W	Wood Top	$ 3836	21 1/16	37¼	43 1/16	—	—	190 lbs.	24.0
	50N2137LFF3LW	HPL Top	3836	21 1/16	37¼	43 1/16	—	—	190 lbs.	24.0

- Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- Lateral file has an unfinished back
- Random lock core (KRB) and specified lock core (KS1B) available
- Reference Barrington for detailed product information, finishes and entire Barrington offering starting on page 51

BARRINGTON LATERAL FILE 4 DRAWER	50N2137LFF4W	Wood Top	$ 4806	21	37¼	55⅞	—	—	236 lbs.	29.4

- Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- Lateral file has an unfinished back
- Random lock core (KRB) and specified lock core (KS1B) available
- Reference Barrington for detailed product information, finishes and entire Barrington offering starting on page 51

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Base Model
2. Pull Option
3. Locking
4. Finish

SAMPLE MODEL NUMBERS:

ECN2238LFF3W 79SN KRB DW

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
ESCALADE LATERAL FILE 2 DRAWER	QECN2238LFF2W	$ 3536	22¼	38³⁄₁₆	29½	—	—	155 lbs.	17.8
	ECN2238LFF2W	3536	22¼	38³⁄₁₆	29½	—	—	155 lbs.	17.8

- Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- Lateral file has an unfinished back
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Reference Escalade for detailed product information, finishes and entire Escalade offering starting on page 73

ESCALADE LATERAL FILE 3 DRAWER	ECN2238LFF3W	$ 4450	22¼	38³⁄₁₆	41¹⁵⁄₁₆	—	—	210 lbs.	30.0

- Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- Lateral file has an unfinished back
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Reference Escalade for detailed product information, finishes and entire Escalade offering starting on page 73

ESCALADE LATERAL FILE 4 DRAWER	ECN2238LFF4W	$ 5366	22¼	38³⁄₁₆	54½	—	—	265 lbs.	32.9

- Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- Lateral file has an unfinished back
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Reference Escalade for detailed product information, finishes and entire Escalade offering starting on page 73

FILES

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Base Model
2. Pull Option
3. Locking
4. Finish

SAMPLE MODEL NUMBER:

51N2137LFF2W 82AB KRB CW

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
ROOSEVELT LATERAL FILE 2 DRAWER	51N2137LFF2W	Wood Top	$ 2732	21	37¼	29½	—	—	158 lbs.	15.6
	Q51N2137LFF2LW	Laminate Top	2635	21	37¼	29½	—	—	123 lbs.	15.6
	51N2137LFF2LW	Laminate Top	2635	21	37¼	29½	—	—	123 lbs.	15.6



- Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- Random lock core (KRB) and specified lock core (KS2B) available
- Reference Roosevelt for detailed product information, finishes and entire Roosevelt offering starting on page 141

ROOSEVELT LATERAL FILE 3 DRAWER	51N2137LFF3W	Wood Top	$ 3755	21⅛	37¼	43¹⁵⁄₁₆	—	—	190 lbs.	24.0
	51N2137LFF3LW	Laminate Top	3660	21⅛	37¼	43¹⁵⁄₁₆	—	—	190 lbs.	24.0

- Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- Random lock core (KRB) and specified lock core (KS1B) available
- Reference Roosevelt for detailed product information, finishes and entire Roosevelt offering starting on page 141

ROOSEVELT LATERAL FILE 4 DRAWER	51N2137LFF4W	Wood Top	$ 4646	21	37¼	55⅞	—	—	236 lbs.	29.4

- Front-to-back filing is standard with lateral files; 4 rods per drawer are included
- Random lock core (KRB) and specified lock core (KS1B) available
- Reference Roosevelt for detailed product information, finishes and entire Roosevelt offering starting on page 141

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Paint

• See Casegoods Book 2 for all options available in WaveWorks Metal

SAMPLE MODEL NUMBER:

WW1842LFF2M 5 KRB 462

WAVEWORKS METAL LATERAL FILE



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WW1842LFF2M	2 Drawer	$ 1257	18	42	27¼	—	—	121 lbs.	16.4
QWW1836LFF2M	2 Drawer	1106	18	36	27¼	—	—	113 lbs.	14.2
WW1836LFF2M	2 Drawer	1106	18	36	27¼	—	—	113 lbs.	14.2
WW1830LFF2M	2 Drawer	1032	18	30	27¼	—	—	100 lbs.	12.0
WW36CW2M	Counterweight	217	1⅛	23¼	11⅜	—	—	37 lbs.	0.1

• **Counterweight must be used unless ganging multiple lateral file units**



WW1842LFF3M	3 Drawer	$ 1653	18	42	39³⁄₁₆	—	—	164 lbs.	23.0
WW1836LFF3M	3 Drawer	1515	18	36	39³⁄₁₆	—	—	146 lbs.	19.9
WW1830LFF3M	3 Drawer	1436	18	30	39³⁄₁₆	—	—	128 lbs.	16.8
WW36CW2M	Counterweight	217	1⅛	23¼	11⅜	—	—	37 lbs.	0.1

• **Counterweight must be used unless ganging multiple lateral file units**



WW1842LFF4M	4 Drawer	$ 2038	18	42	51⅛	—	—	191 lbs.	29.5
QWW1836LFF4M	4 Drawer	1718	18	36	51⅛	—	—	169 lbs.	25.6
WW1836LFF4M	4 Drawer	1718	18	36	51⅛	—	—	169 lbs.	25.6
WW1830LFF4M	4 Drawer	1629	18	30	51⅛	—	—	148 lbs.	21.7
WW36CW2M	Counterweight	217	1⅛	23¼	11⅜	—	—	37 lbs.	0.1

• **Counterweight must be used unless ganging multiple lateral file units**



WW1842LFF5M	5 Drawer	$ 2465	18	42	64½	—	—	212 lbs.	36.8
WW1836LFF5M	5 Drawer	2272	18	36	64½	—	—	187 lbs.	31.9
WW1830LFF5M	5 Drawer	2134	18	30	64½	—	—	162 lbs.	26.9
WW36CW2M	Counterweight	217	1⅛	23¼	11⅜	—	—	37 lbs.	0.1

• **Counterweight must be used unless ganging multiple lateral file units**

WW1842LFF5DM	5 Drawer with Recessed Door	$ 2615	18	42	64½	—	—	212 lbs.	36.8
WW1836LFF5DM	5 Drawer with Recessed Door	2407	18	36	64½	—	—	187 lbs.	31.9
WW1830LFF5DM	5 Drawer with Recessed Door	2309	18	30	64½	—	—	162 lbs.	26.9
WW36CW2M	Counterweight	217	1⅛	23¼	11⅜	—	—	37 lbs.	0.1

• **Counterweight must be used unless ganging multiple lateral file units**

- Drawer fronts are picture framed
- File drawers accommodate side-to-side letter/legal filing
- Additional filing hardware may be purchased for front-to-back filing capability
- See additional filing hardware in Casegoods Book 2
- Counterweight must be ordered separately; specify model only
- Knockouts are standard to allow for ganging side-by-side
- File cannot be moved loaded
- Quick Delivery lateral files are available in Cinder (462) and Platinum Metallic (501) finishes
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Pulls must be field installed for freestanding lateral files
- Reference WaveWorks Metals for detailed product information, finishes and entire WaveWorks Metal offering in Casegoods Book 2

FILES

ACCESSORIES

Product Specifications 382
Product Options 383
Application Matrix 384
Product Pages 386

POWER/DATA ELECTRICAL SPECIFICATIONS

HEARTH

- Birdhouse shaped power supply with 1 Power and 1 Dual USB-A
- Handmolded concrete body with a wood base detail
- 108" solid brass braided cord
- UL Listed

APPARATUS

- Set on surface
- Available in Flat black with a black braided cord, and matte white with a white braided cord
- 108" cord
- 1 Power and 1 Dual USB-A
- Manufactured with sturdy cast aluminum
- ETL Listed

SIDEKICK

- Felt sofa arm overlay
- Heather Gray unit features power and a braided cord in Poppy. Camel unit features a power and braided cord in Dusk
- 108" cord
- Features a felt pocket to store items while charging
- ETL and UL Listed

ASHLEY DUO

- Includes 2 power, 2 USB
- 72" cord
- Must have at least 5.5" of clearance under surface at point of application to be able to mount
- Ashley Surface Clamp Mount models are only compatible with standard flat rim profile worksurfaces thicknesses between ½" (12.7mm) – 2 13/16" (71mm).
- UL Listed

FINISH

WOOD CENTER DRAWER

AC	Autumn	MC	Amber
AD	Almond*	MH	Mocha
CL	Caramel	NM	Natural
CW	Cordovan	PB	Portobello
DW	Judicial	SM	Sonoma
HN	Honey	TF	Truffle
IM	Brighton	792	Sable

*Select Almond finish on wood center drawer for Clear Walnut Coordinate

PERSONAL PULL-UP TABLE

AC	Autumn	PB	Portobello
AD	Almond	PT	Portico
CL	Caramel	SK	Skyline
CW	Cordovan	SM	Sonoma
DW	Judicial	TF	Truffle
HN	Honey	405	Designer White
IM	Brighton	462	Cinder
MC	Amber	792	Sable
MH	Mocha	793	Acorn*
NM	Natural		

*Acorn is the wood complement to Clear Walnut finish

LAMINATE

Center Drawer, Personal Pull-up Table, Vertical Pigeon Hole Storage

WOODGRAIN LAMINATE

AC2	Autumn 2	PB	Portabello
AD	Almond	PBH	Portobello Horizontal**
ADH	Almond Horizontal**	PC	Porcini
BZ	Brazilwood	PT	Portico
CI	Chai	PTH	Portico Horizontal**
CL	Caramel	SK	Skyline
CW	Cordovan	SKH	Skyline Horizontal**
DW	Judicial	SM	Sonoma
HN2	Honey 2	SMH	Sonoma Horizontal**
IM	Brighton	TF	Truffle
KN	Kona	WL	Willow
MC	Amber	792	Sable
MH	Mocha	792H	Sable Horizontal**
NM	Natural	793	Acorn*

*Acorn is the laminate complement to Clear Walnut finish
**Not available on Personal Pull-Up Table

SOLID LAMINATE

405	Designer White	478	Platinum Grey
419	Wallaby	488	Frosty White
425	Shadow	491	Designer White Linear
440	Cloud	491H	Designer White Linear Horizontal**
457	Dapple	492	Cinder Linear
461	Graphite	492H	Cinder Linear Horizontal**
462	Cinder		

**Not available on Personal Pull-Up Table

GALLERY LAMINATE

Grade 1 – 5% upcharge

G1001	Citadel
G1011	Pepperdust

Grade 2 – 6% upcharge

G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

See page 14 for Gallery program details and upcharges

FINISH APPLICATION

- All Veneer surfaces feature a semi-open pore matte finish

TACK BOARD FABRIC OPTIONS

Dune (Grade A)
100% Polyester

8600	Drift
8601	Windblown
8602	Erosion
8603	Haze
8608	Nectar
8610	Clear Sky
8614	Basin
8615	Raven
8620	Darkness

Repetition (Grade A)
100% Pre-Consumer Recycled Polyester

3700	Ash
3703	White
3709	Java
3713	Stainless
3721	Reed
3744	Tawny

COM (Grade B)

Pact (Grade B)
65% Pre-Consumer Recycled Polyester, 35% Post-Consumer Recycled Polyester

25401	Aloe	25412	Lime
25402	Azure	25413	Midnight
25403	Calla	25414	Nectar
25404	Coastal	25415	Patina
25405	Delft	25416	Putty
25406	Dove	25418	Roma
25409	Fern	25420	Sketch
25410	Harbour	25422	Taupe
25411	Lily	25423	Toasty

RAILROADED TACK BOARD

- Shaded rectangle portrays a railroaded tack board



DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

ACCESSORIES

Use this matrix to determine applicable accessories per model

A	NAC2124CDW	Wood Center Drawer
B	NACC1824CDW	Wood Center Drawer
C	NAC2421CDL	Laminate Center Drawer
D	NAC0613ST	Box Drawer Convenience Tray
E	NAC1211DO	Deluxe Organizer
F	NAC1624CT	Black Carousel Tray
G	NAC1922CD	Plastic Center Drawer
H	NAC1706KK1	Intuitive Adjustable Keyboard Kit
I	NAC2208KK1	Intuitive Adjustable Keyboard Kit
J	NAC1706KK2	Ergonomic Adjustable Keyboard Kit
K	NAC1706KK3	Basic Adjustable Keyboard Kit
L	NACMA1GMB	Flexible Single Monitor Arm
M	NACMA1GMS	Flexible Single Monitor Arm
N	NAC1322SL1	Metal Corner Sleeve
O	NAC1322SL2	Metal Corner Sleeve
P	NAC1222SL	Metal Corner Sleeve
Q	NAC1424KT	Keyboard Tray
R	NAC1924KTM	Keyboard Tray/Mouse Pad
S	NAC2319KKS1	Sit-to-Stand Adjustable Keyboard Kit

- Hinged Modesty models cannot use center drawer or keyboard kits

	ARROWOOD	BARRINGTON	ESCALADE
DOUBLE PEDESTAL DESKS			
36" x 72"	A,B,C,D,E,F,G,H,I,J,K,L,M,Q,R,S	D,E,L,M	A,B,C,D,E,F,G,H,I,J,K,L,M,Q,R,S
30" x 66"	A,B,C,D,E,F,G,L,M,Q,R	D,E,L,M	C,D,E,F,G,L,M,Q,R
30" x 60"			
SINGLE PEDESTAL DESKS			
36" x 72"	A,B,C,D,E,F,G,H,I,J,K,L,M,Q,R,S	D,E,L,M,N	A,B,C,E,F,G,H,J,K,L,M,P,Q,R,S
30" x 66"	D,E,L,M,O	D,E,L,M,N	D,E,L,M,O
U-UNITS AND P-UNITS			
without modesty panel	H,I,J,K,L,M,O,S		A,B,C,F,G,H,I,J,K,L,M,P,Q,R,S
with modesty panel	L,M,O		L,M,P
RECEPTION DESK		A,B,C,D,F,G,L,M,N,Q,R	A,B,C,F,G,H,J,K,L,M,P,Q,R,S
RECEPTION RETURN			A,B,C,F,G,L,M,P,Q,R
RETURNS			
File/File 24" x 50", 25" x 53"	A,B,C,F,G,L,M,O,Q,R	A,B,C,F,G,L,M,N,Q,R	
File/File 24" x 48", 25" x 45"			A,B,C,F,G,L,M,P,Q,R
File/File 24" x 42"	A,B,C,F,G,L,M,O,Q,R		L,M,P
Box/Box/File 24" x 50", 25" x 53"	A,B,C,D,E,F,G,L,M,O,Q,R		
Box/Box/File 24" x 48"			A,B,C,D,E,F,G,L,M,P,Q,R
Box/Box/File 24" x 42", 25" x 45"	A,B,C,D,E,F,G,L,M,O,Q,R		D,E,L,M,P
Multi-File 24" x 72", 24" x 60"	A,B,C,D,E,F,G,L,M,O,Q,R		A,B,C,E,F,G,L,M,P,Q,R
Lateral File 24" x 60"			
CORNER UNITS			
36" x 36"	L,M	L,M	
42" x 42"			
BRIDGES			
24" x 48"	A,B,C,F,G,L,M,O,Q,R	A,B,C,F,G,L,M,N,Q,R	F,G,L,M,P
24" x 42"	A,B,C,F,G,L,M,O,Q,R	A,B,C,F,G,L,M,N,Q,R	F,G,L,M,P
CREDENZAS			
File/File 72"		A,B,C,F,G,L,M,N,Q,R	B,C,F,G,L,M,N
File/File 66"			L,M,N
File/File 60"			
Lateral File 72"		L,M,N	L,M,N
Lateral File 66"			L,M,N
Kneespace 72"		A,B,C,F,G,L,M,Q,R	B,C,F,G,L,M
Kneespace 66"			B,C,F,G,L,M
SHELL BASED DESK			
SHELL BASED RETURN, BRIDGE, CREDENZA			

Use this matrix to determine applicable accessories per model

A	NAC2124CDW	Wood Center Drawer
B	NACC1824CDW	Wood Center Drawer
C	NAC2421CDL	Laminate Center Drawer
D	NAC0613ST	Box Drawer Convenience Tray
E	NAC1211DO	Deluxe Organizer
F	NAC1624CT	Black Carousel Tray
G	NAC1922CD	Plastic Center Drawer
H	NAC1706KK1	Intuitive Adjustable Keyboard Kit
I	NAC2208KK1	Intuitive Adjustable Keyboard Kit
J	NAC1706KK2	Ergonomic Adjustable Keyboard Kit
K	NAC1706KK3	Basic Adjustable Keyboard Kit
L	NACMA1GMB	Flexible Single Monitor Arm
M	NACMA1GMS	Flexible Single Monitor Arm
N	NAC1322SL1	Metal Corner Sleeve
O	NAC1322SL2	Metal Corner Sleeve
P	NAC1222SL	Metal Corner Sleeve
Q	NAC1424KT	Keyboard Tray
R	NAC1924KTM	Keyboard Tray/Mouse Pad
S	NAC2319KKS1	Sit-to-Stand Adjustable Keyboard Kit

- Hinged Modesty models cannot use center drawer or keyboard kits

	RENEGADE	ROOSEVELT
DOUBLE PEDESTAL DESKS		
36" x 72"	C,E,F,G,L,M,Q,R	D,E,L,M
30" x 66"	C,D,E,F,G,L,M,Q,R	D,E,L,M
30" x 60"		D,E,L,M
SINGLE PEDESTAL DESKS		
36" x 72"	C,E,F,G,L,M,Q,R	D,E,L,M,N
30" x 66"	C,D,E,F,G,L,M,O,Q,R	D,E,L,M,N
U-UNITS AND P-UNITS		
without modesty panel	C,F,G,H,J,K,L,M,O,Q,R,S	
with modesty panel	L,M,O	
RECEPTION DESK		A,B,C,D,F,G,L,M,N,Q,R
RECEPTION RETURN		
RETURNS		
File/File 24" x 50", 25" x 53"	C,D,F,G,L,M,O,Q,R	A,B,C,F,G,L,M,N,Q,R
File/File 24" x 48", 25" x 45"	C,D,F,G,L,M,O,Q,R	
File/File 24" x 42"	C,D,F,G,L,M,O,Q,R	
Box/Box/File 24" x 50", 25" x 53"		
Box/Box/File 24" x 48"		
Box/Box/File 24" x 42", 25" x 45"		
Multi-File 24" x 72", 24" x 60"		
Lateral File 24" x 60"		
CORNER UNITS		
36" x 36"	L,M	L,M
42" x 42"	H,I,J,K,L,M,S	
BRIDGES		
24" x 48"	C,F,G,H,J,K,L,M,O,Q,R,S	A,B,C,F,G,L,M,N,Q,R
24" x 42"	C,F,G,H,J,K,L,M,O,Q,R,S	A,B,C,F,G,L,M,N,Q,R
CREDENZAS		
File/File 72"	C,F,G,L,M,O,Q,R	A,B,C,F,G,L,M,N,Q,R
File/File 66"	C,F,G,L,M,O,Q,R	
File/File 60"	L,M,O	
Lateral File 72"		L,M,N
Lateral File 66"		
Kneespace 72"	C,F,G,L,M,Q,R	A,B,C,F,G,L,M,Q,R
Kneespace 66"	C,F,G,L,M,Q,R	
SHELL BASED DESK		
SHELL BASED RETURN, BRIDGE, CREDENZA		

ACCESSORIES

PRODUCT SPECIFICATION

- See pages 384-385 for the application matrix for these accessories

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Finish (wood only)
3. Laminate (laminate only)

SAMPLE MODEL NUMBERS:

NAC2421CDL 405
NAC1824CDW MC
NAC0613ST

- See page 383 for all options available in Accessories

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WOOD CENTER DRAWER 	QNAC2124CDW	Wood	$ 349	21	24	2¾	—	—	9 lbs.	1.1
	NAC2124CDW	Wood	349	21	24	2¾	—	—	9 lbs.	1.1
	QNAC1824CDW	Wood	231	18	24	2¾	—	—	9 lbs.	1.1
	NAC1824CDW	Wood	231	18	24	2¾	—	—	9 lbs.	1.1
	• Drawer extends 10" from worksurface and measures 2¹¹⁄₁₆" from bottom of the worksurface to the bottom of the drawer • Drawer features a pencil divider, drawer stops and hardware • NAC2124CDW features an upgraded suspension • Center drawers are solid ash									
LAMINATE CENTER DRAWER 	QNAC2421CDL	Laminate	$ 201	20	24	2¾	—	—	12 lbs.	1.0
	NAC2421CDL	Laminate	201	20	24	2¾	—	—	12 lbs.	1.0
KEYBOARD TRAY 	NAC1424KT	Black Metal	$ 246	14	25½	1¼	—	—	10 lbs.	1.3
	• Keyboard height can range from 2¹³⁄₃₂" to 3¹³⁄₃₂" in ⁷⁄₃₂" increments • Tray is 24" wide									
KEYBOARD TRAY/MOUSE PAD 	NAC1924KTM	Black Metal	$ 537	19	25½	2⅜	—	—	20 lbs.	1.3
	• Keyboard height can range from 2¹¹⁄₁₆" to 3¹¹⁄₁₆" in ⁷⁄₃₂" increments • Unit features adjustable palm rest and sliding mouse pad • Mouse pad will extend 9" on each side (right or left) of bar keyboard and accommodates an 8½" x 10" or smaller mouse pad • Tray is 24" wide									
BOX DRAWER CONVENIENCE TRAY 	NAC0613ST	Black Plastic	$ 36	5⅝	12⅞	½	—	—	1 lbs.	0.1
	• Applicable for use on letter width drawers • Convenience tray rests on box drawer edge • For use on 15" pedestals									
BLACK CAROUSEL TRAY 	NAC1624CT	Black Plastic	$ 184	16	23⅜	1⅛	—	—	4 lbs.	0.7
	• Rotates outward from either side to gain access to tray and can be pushed or pulled open • Features a self-centering mechanism which acts as a stop and maintains proper alignment with the worksurface front edge									
PLASTIC CENTER DRAWER 	NAC1922CD	Black Plastic	$ 102	19³⁄₁₆	22	2	—	—	5 lbs.	0.5
	• Individual compartments neatly organize pens, pencils, paper clips, etc.									

PRODUCT SPECIFICATION

- See pages 384-385 for the application matrix for these accessories

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NAC1706KK1

- See page 383 for all options available in Accessories

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
INTUITIVE ADJUSTABLE KEYBOARD KIT	NAC1706KK1	17" Arm—Black	$ 964	17	28½	6	—	—	18 lbs.	1.1
	NAC2208KK1	21¾" Arm—Black	1064	21¾	28½	8	—	—	21 lbs.	1.1



- Includes keyboard mechanism, high density polyethylene tray platform, foam gel wrist pad, and thermoplastic mouse tray
- Dial tilt allows for adjustment from -10° to 15° and slides in and out under worksurface
- Arm tilts and moves up and down
- 360° swivel
- Width of keyboard kit includes mouse tray
- Mouse tray can be moved to support right or left-handed users
- Mouse tray has tilt adjustment and fence to protect mouse from falling
- ANSI/HFES compliant

ERGONOMIC ADJUSTABLE KEYBOARD KIT	NAC1706KK2	17" Arm—Black	$ 833	17	28½	6	—	—	17 lbs.	1.1



- Includes keyboard mechanism, high density polyethylene tray platform, foam gel wrist pad, and thermoplastic mouse tray
- Tray adjusts from -15° to 15° and slides in and out under worksurface
- Arm tilts and moves up and down
- 360° swivel
- Width of keyboard kit includes mouse tray
- Mouse tray can be moved to support right or left-handed users
- Mouse tray has tilt adjustment and fence to protect mouse from falling
- ANSI/HFES compliant

BASIC ADJUSTABLE KEYBOARD KIT	NAC1706KK3	17" Arm—Black	$ 680	17	28½	6	—	—	14 lbs.	1.4



- Includes keyboard mechanism, clamp, wrist pad, and mouse tray
- Kit to be used with keyboard
- Simultaneous tilt and height adjustment
- 360° swivel
- Swivel mouse tray can be moved to support right or left-handed users
- ANSI/HFES compliant

SIT-TO-STAND ADJUSTABLE KEYBOARD KIT	NAC2319KKS1		$ 1064	23	28½	10¾	—	—	21 lbs.	1.1



- Black
- Adjusts intuitively from sitting to standing height (range: 7" below surface, 4¼" above surface)
- Tray adjusts from -10° to +15°
- ANSI/HFES compliant

KEYBOARD/DRAWER MOUNTING KIT	NAC0802KMK	Escalade	$ 100	8	2	¾	—	—	5 lbs.	0.1



- Must be used with adjustable keyboard kits, center drawers and keyboard drawers when attaching to Escalade units

ACCESSORIES

PRODUCT SPECIFICATION

- See pages 384-385 for the application matrix for these accessories

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NACMA1GMB

- See page 383 for all options available in Accessories

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FLEXIBLE SINGLE MONITOR ARM GROMMET MOUNT	NACMA1GFB	Black	$ 646	30¼	6½	12½	–	–	10.5 lbs.	1.4
	NACMA1GFS	Silver	646	30¼	6½	12½	–	–	10.5 lbs.	1.4

- Attachment method via bolt through grommet
- Cannot be used on a worksurface if mounting location is directly above a pedestal, modesty panel, or support panel
- Not recommended for use with a top that is utilizing any mobile base
- When there is a worksurface overhang (Ex: 24" pedestal with a 30" worksurface), it is recommended that a customer use a grommet mount monitor arm and not a clamp mount monitor arm
- Not recommended to turn the monitor arms away from the user side
- 360° arm rotation not available in most applications

SINGLE MONITOR ARM GROMMET MOUNT	NACMA1GTS	Silver	$ 646	30¼	6½	12½	–	–	12 lbs.	1.4
										

- Attachment method via bolt through grommet
- Cannot be used on a worksurface if mounting location is directly above a pedestal, modesty panel, or support panel
- Not recommended for use with a top that is utilizing any mobile base
- When there is a worksurface overhang (Ex: 24" pedestal with a 30" worksurface), it is recommended that a customer use a grommet mount monitor arm and not a clamp mount monitor arm
- 20 lbs. load capacity
- Not recommended to turn the monitor arms away from the user side
- Monitor arm is TAA compliant.

FLEXIBLE SINGLE MONITOR ARM CLAMP MOUNT	NACMA1CFB	Black	$ 646	30¼	6½	12½	–	–	12 lbs.	1.4
	NACMA1CFS	Silver	646	30¼	6½	12½	–	–	12 lbs.	1.4

- Not recommended for use with knife edge tops
- Not recommended for use with a top that is utilizing any mobile base
- When there is a worksurface overhang (Ex: 24" pedestal with a 30" worksurface), it is recommended that a customer use a grommet mount monitor arm and not a clamp mount monitor arm
- Not recommended to turn the monitor arms away from the user side
- 360° arm rotation not available in most applications

FLEXIBLE DUAL MONITOR ARM GROMMET MOUNT	NACMA2GFB	Black	$ 1224	30¼	6½	12½	–	–	14 lbs.	1.4
	NACMA2GFS	Silver	1224	30¼	6½	12½	–	–	14 lbs.	1.4

- Not recommended for use with a top that is utilizing any mobile base
- When there is a worksurface overhang (Ex: 24" pedestal with a 30" worksurface), it is recommended that a customer use a grommet mount monitor arm and not a clamp mount monitor arm
- Not recommended to turn the monitor arms away from the user side
- 360° arm rotation not available in most applications

FLEXIBLE DUAL MONITOR ARM CLAMP MOUNT	NACMA2CFB	Black	$ 1224	30¼	6½	12½	–	–	15.5 lbs.	1.4
	NACMA2CFS	Silver	1224	30¼	6½	12½	–	–	15.5 lbs.	1.4

- Not recommended for use with knife edge tops
- Not recommended for use with a top that is utilizing any mobile base
- When there is a worksurface overhang (Ex: 24" pedestal with a 30" worksurface), it is recommended that a customer use a grommet mount monitor arm and not a clamp mount monitor arm
- Not recommended to turn the monitor arms away from the user side
- 360° arm rotation not available in most applications

TRIPLE MOUNT MONITOR ARM KIT	NACMA3KFB	Black	$ 246	6	2½	5¼	–	–	4 lbs.	0.4
	NACMA3KFS	Silver	246	6	2½	5¼	–	–	4 lbs.	0.4

- Add onto Flexible Dual Monitor Arm pole to add a third monitor

MONITOR ARM INFORMATION

NATIONAL MODEL	NACMA1BFS	NACMA1GFB/S	NACMA1CFB/S	NACMA2GFB/S	NACMA2CFB/S	NACMA3KFB/S
DESCRIPTION	Single monitor arm. Dynamic dual extension	MFlex pole with single arm. Dynamic dual extension	MFlex pole with single arm. Dynamic dual extension	MFlex pole with dual arms. Dynamic dual extension	MFlex pole with dual arms. Dynamic dual extension	Add on triple mount ball joint
MONITOR ROTATION	Port/landscape	Port/landscape	Port/landscape	Port/landscape	Port/landscape	Port/landscape
MONITOR EXTENSION	4" - 21½	4" - 21⅞"	4" - 21⅞"	4" - 21⅞"	4" - 21⅞"	fixed at 5½"
MONITOR TILT ADJUSTMENT	+ 80/ - 15°	+ 80/ - 15°	+ 80/ - 15°	+ 80/ - 15°	+ 80/ - 15°	+ or - 25°
HORIZONTAL MONITOR PIVOT	180°	180°	180°	180°	180°	+ or - 30°
ARM ROTATION	90°, 180°, or 360° configurable during installation	90°, 180°, or 360° configurable during installation	90°, 180°, or 360° configurable during installation	90°, 180°, or 360° configurable during installation	90°, 180°, or 360° configurable during installation	N/A
ARM HEIGHT ADJUSTMENT	10" dynamic, 6⅝" manual	10" dynamic, 6⅝" manual	10" dynamic, 6⅝" manual	10" dynamic, 6⅝" manual	10" dynamic, 6⅝" manual	Limits manual adjustment to 3" for all arms
POLE HEIGHT (FROM TOP OF WORK OF WORKSURFACE)	N/A	13¼"	13¼"	13¼"	13¼"	N/A
MONITOR WEIGHT CAPACITY	5.5 - 15.5	5.5 - 15.5	5.5 - 15.5	5.5 - 15.5	5.5 - 15.5	5.5 - 15.5
MOUNTING OPTION	Fixed Height Beam Mount	grommet	desk clamp	grommet	desk clamp	N/A
MAXIMUM WIDTH PER MONITOR	N/A	N/A	N/A	36"	36"	21"
MAXIMUM HEIGHT CLEARANCE CENTER OF MOUNT TO MOUNTING SURFACE	21⅜"	21⅜"	21⅜"	21⅜"	21⅜"	21⅜"
WORKSURFACE REQUIREMENTS	N/A	.75" to 2.5" thick worksurface; hole diameter .5" to 4"	.75" to 3.5" minimum clamp clearance .5" x 3"	.75" to 2.5" thick worksurface; hole diameter .5" to 4"	.75" to 3.5" minimum clamp clearance .5" x 3"	N/A

ACCESSORIES

PRODUCT SPECIFICATION

- See pages 384-385 for the application matrix for these accessories

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NACMAKSS

- See page 383 for all options available in Accessories

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
METAL CORNER SLEEVE	NAC1322SL1	Black Metal	$ 171	13	22	1 1/16	–	–	5 lbs.	0.3
	NAC1322SL2	Black Metal	171	13	22	1 3/16	–	–	5 lbs.	0.3
	NAC1222SL	Black Metal	219	11 3/8	22	1 1/2	–	–	5 lbs.	0.6



- NAC1322SL1 is applicable to Barrington and Roosevelt
- NAC1322SL2 is applicable to Arrowood Laminate, Arrowood Veneer, Epic, Renegade and WaveWorks 1 3/16"
- NAC1222SL is applicable to Escalade and WaveWorks 1 3/16"
- Sleeve attaches securely to the corner of 90° units to create a 45° angle which is ideal for computer use

CPU HOLDER	NACPUH	Black	$ 447	9 3/4	9 1/4	18 1/4	–	–	10 lbs.	0.9



- Vertically mounts to underside of workstation
- Self-locking ratchet style storage device
- Teflon glide storage
- Height adjustable 14 1/2" to 22 1/2"
- Width adjustable 3 1/2" to 9"
- Track mounting plate is 17" deep
- 360° swivel
- Supports up to 85 lbs.

FLAT PANEL WALL MOUNT KIT	15NTVMAS	Black	$ 484	15 3/4-47 1/4		15 3/4-31 1/4	–	–	25 lbs.	2.0



- Adjustable Universal Wall Mount adjusts to allow installation of most 32" to 80" flat panel
- Must mount onto an architectural wall
- Black powder coat
- VESA mounting compliant

PERSONAL MARKER BOARD	NAC1214MBL	Laminate	$ 196	1/8	12	14	–	–	lbs.	



- High gloss, white laminate marker board
- Marker board and hooks sold separately
- Hooks to attach to bottom of worksurface to hang marker boards

PRODUCT SPECIFICATION

- See pages 384-385 for the application matrix for these accessories

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NAC02HKS

- See page 383 for all options available in Accessories

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SINGLE HOOK	NAC02HKS	Stainless Steel	$ 78	¾	½	1¾	—	—	lbs.	
	• Hooks to attach to bottom of worksurface to hang marker boards									
DOUBLE HOOK	NAC03HKD	Aluminum	$ 43	1¾	3¼	2½	—	—	lbs.	
	• Hooks to attach to bottom of worksurface to hang marker boards									
SPECIFIC LOCK CORES AND KEYS	NCCB___	Lock Core and Key, Black	$ 28	—	—	—	—	—	1 lbs.	0.1
	NCCB___S	Lock Core and Key, Silver	28	—	—	—	—	—	1 lbs.	0.1
	• ___Specify key number 001 through 200 for black • ___Specify key number 001 through 200 for silver • A change key must be specified separately to change lock cores • All casegoods product indicating locking will be shipped with random locking • Lock core and key above can be ordered when specified locking is required and will be shipped as a SKU									
	NCCBCK	Change Key	$ 24	—	—	—	—	—	1 lbs.	0.01
	NCCBMK	Master Key	24	—	—	—	—	—	1 lbs.	0.01
	• Master Key will open all locks 001-200									
REED LED LINEAR TASK LIGHT	NAC17TLL	Single/Starter Unit	$ 382	2	17	⅜	—	—	1 lbs.	0.20
	NAC31TLL	Single/Starter Unit	548	2	31	⅜	—	—	2 lbs.	0.25
	NAC44TLL	Single/Starter Unit	711	2	44	⅜	—	—	2 lbs.	0.30
	NAC17TLLA	Adder Unit (Interconnect)	$ 369	2	17	⅜	—	—	2 lbs.	0.20
	NAC31TLLA	Adder Unit (Interconnect)	530	2	31	⅜	—	—	2 lbs.	0.25
	NAC44TLLA	Adder Unit (Interconnect)	694	2	44	⅜	—	—	3 lbs.	0.30
	NACTLSEN	Modular Occupancy Sensor	$ 254	—	—	—	—	—	1 lbs.	0.10
	• Standard output: 17" – 24 LEDs, 31" – 48 LEDs, 44" – 72 LEDs • 60 W power supply • Metal trough reflector with diffuser lens • Soft touch switching with instant on to fade away off • Automatic time out (after 10 hours) • Clear anodized aluminum with white color end caps • Mounting kit includes (1) kit clip/magnets, (1) kit clip/screws, and (1) kit of 2 adhesive cord managers • Interconnect kit includes (1) 8", (1) 30" jumper cord, and (2) adhesive cord managers									

ACCESSORIES

PRODUCT SPECIFICATION

- See pages 384-385 for the application matrix for these accessories

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBERS:

NAC18TLDBPUS
NACLTKA1

- See page 383 for all options available in Accessories

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
ELEMENT LED DESKTOP LIGHT	NAC18TLDBPUS	Task Light w/Desktop Base, Plug/USB, Silver	$ 1360	14	—	14	—	—	3 lbs.	0.7



- Available in silver
- MCX LED freestanding light
- Working height 18" and maximum reach 28"
- 360° swivel from base, 135° front-to-back head tilt, 90° side-to-side head rotation
- 1 120VAC 3 prong receptacle electrical outlet
- 7 levels of light adjustment
- 2 USB charging ports providing 1 Amp 5VDC of power

PIPER LINEAR LED DESKTOP LIGHT	NAC18TLDBUH	Task Light w/Desktop Base, USB, White	$ 761	11½	7½	18¼	—	—	10 lbs.	1.2

- Available in white
- LED freestanding light
- 3 color temps, dimming
- 1 USB charging port that provides 5 volts and 1 Amp of charging power
- 4'11" white cord plus a 3' cord extender
- UL Listed

LED LIGHT KITS

NACLTKA1	Light Kit 1 (for larger walls)	$ 1192	
NACLTKA2	Light Kit 2 (for smaller walls)	710	
NACLTKA3	Light Kit 3 (for shelf only, to turn on)	196	



Light strip



LED driver



Rocker switch

- LED light kits can be added to the back side of the wall panels
- Kit 1 includes 2 light spools, 1 driver, 2 leads, 1 rocker switch, 3 corner connectors, and 2 splice
- Kit 2 includes 1 light spool, 1 driver, 1 lead, 1 rocker switch, 2 corner connectors, and 2 splice
- Kit 2 will work for any reception size
- Kit 3 includes 1 driver and 1 rocker switch
- Kit 1 will light all 4 sides of wall panels that are 120" wide x 52" tall down to 48" wide x 52" tall
- Kit 1 will light all 3 sides of wall panels that are 120" wide x 52" tall down to 90" wide x 52" tall
- Kit 2 will accommodate all sizes smaller than what requires Kit 1
- Kit 3 is required when using lighted shelves to turn the shelf lighting on and off; shelves are sold with lighting installed
- Length of spool of light: 10 meters for Kit 1, 5 meters for Kit 2

NACLTMD	Light Multi-Driver (used when ganging together 2 kits)	$ 45

- Required when ganging 2 light kits together

NACLTSPLA	5m Spool of Lights	$ 473

- Additional light strip when an additional light kit is not needed

REVO DESKTOP LIGHT	NAC1406TLDB1S	Silver	$ 714			14⅛	—	—	8.31 lbs.	1.82
	NAC1406TLDB1B	Black	714			14⅛	—	—	8.31 lbs.	1.82
	NAC1406TLDB1W	White	714			14⅛	—	—	8.31 lbs.	1.82



- 108" power cord
- ETL Listed

VOYAGE DESKTOP LIGHT	NAC1408TLDB1S	Silver	$ 714			14⅛	—	—	8.31 lbs.	1.82
	NAC1408TLDB1B	Black	714			14⅛	—	—	8.31 lbs.	1.82
	NAC1408TLDB1W	White	714			14⅛	—	—	8.31 lbs.	1.82

- 108" power cord
- ETL Listed

PRODUCT SPECIFICATION

- See pages 384-385 for the application matrix for these accessories

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NAC1211DO

- See page 383 for all options available in Accessories

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
DELUXE DRAWER ORGANIZER	NAC1211DO	Black	$ 194	11¾	10⅜	1¾	—	—	3 lbs.	0.6



- Black plastic
- Features compartments for storing post-its, paper clips, pens, pencils, etc.
- Drawer expands to 16" wide

ACCESSORIES

PRODUCT SPECIFICATIONS

- For use with WaveWorks slat walls, Exhibit and Epicenter slat wall inserts
- Available in black and clear plastic
- These products have been designed to be used safely when filled under normal circumstances

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NACCP

• See page 383 for all options available in Accessories

PLASTIC WORK TOOLS

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
PENCIL CUP	NACCP	Black Plastic	$ 53	½	4	4	—	—	1 lbs.	0.4
	NACCPC	Clear Plastic	53	½	4	4	—	—	1 lbs.	0.4
	• Holds pencils, pens, rulers, etc.									
LEGAL PAPER TRAY	NAC1115SPT	Black Plastic	$ 79	10½	15	2	—	—	1 lbs.	0.1
	NAC1115SPTC	Clear Plastic	79	10½	15	2	—	—	1 lbs.	0.1
	• Holds letter or legal width papers, folders, etc.									
ACCESSORY TRAY	NAC1010AT	Black Plastic	$ 70	10	9½	2	—	—	1 lbs.	0.2
	NAC1010ATC	Clear Plastic	70	10	9½	2	—	—	1 lbs.	0.2
	• Holds supplies such as pens, pencils, paper clips, scissors, erasers, rulers, etc.									
SLANT SORTER	NACSS	Black Plastic	$ 83	12½	7	7½	—	—	1 lbs.	0.2
	NACSSC	Clear Plastic	83	12½	7	7½	—	—	1 lbs.	0.2
	• Holds folders, papers, etc. • Not recommended for use under Epicenter mounted overhead storage cabinets									

PRODUCT SPECIFICATION

- See pages 384-385 for the application matrix for these accessories

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NAC03ELUPDC

- See page 383 for all options available in Accessories

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
UNDERSURFACE POWER/DATA	NAC03ELUPDC		$ 381	3	3	1½	—	—	2 lbs.	0.3
	• Can be mounted to the underside of any surface • Contains 1 electrical outlet and 2 USB ports • Mounts under surface • 72" power cord included									
CONVENIENCE OUTLET	NAC0902EL5C	Black	$ 296	13	22	1⅛	—	—	2 lbs.	0.3
	• 5 grounded electrical receptacles • 1 telephone jack with 14 ft. cord • 10 ft. power cord • Includes remote on/off power switch • Black housing and cords • UL Listed									
POWER TOWER	NAC25ELPTB	Black	$ 3078	16¼	16⅝	25½	—	—	68 lbs.	6.5
	NAC25ELPTH	White	3078	16¼	16⅝	25½	—	—	68 lbs.	6.5
	NAC25ELPTS	Silver	3078	16¼	16⅝	25½	—	—	68 lbs.	6.5
	• Available in gloss black or silver with black faceplates, or gloss white with white faceplates • Unit comes with (12) 15 amp 120 volt, tamper resistant receptacles and (6) USB 3.0 power charging ports that provide 2.1 amps. Data ports are not provided • 108" 15 amp power cord included • Circuit breaker located in the bottom of the tower for overload protection • 6 rubber feet prevent sliding and provide ¾" floor clearance • Tri-core design allows for 360° power access • 3 slots in the base provide an anchor for tethering the unit to the floor or pole if stationary application is desired									
GARCIA	NAC03ELPG2GAAW	White	$ 318	4	2¾	1½	—	—	1.27 lbs.	0.9
	NAC03ELPG2GAAB	Black	318	4	2¾	1½	—	—	1.27 lbs.	0.9
	NAC03ELPG2GAAG	Fog	318	4	2¾	1½	—	—	1.27 lbs.	0.9
	• 72" cord • Includes 2 USB-A									
	NAC03ELPG2GABW	White	$ 421	4	2¾	1½	—	—	1.27 lbs.	0.9
	NAC03ELPG2GABB	Black	421	4	2¾	1½	—	—	1.27 lbs.	0.9
	NAC03ELPG2GABG	Fog	421	4	2¾	1½	—	—	1.27 lbs.	0.9
	• 72" cord • Includes 2 USB-A+C									
WILLOW	NAC04ELPG2WLAW	Walnut with black braided cord	$ 440	4	3⅜	2¼	—	—	2.18 lbs.	0.17
	NAC04ELPG2WLAB	Black with black braided cord	440	4	3⅜	2¼	—	—	2.18 lbs.	0.17
	NAC04ELPG2WLAE	Beech with Teal braided cord	440	4	3⅜	2¼	—	—	2.18 lbs.	0.17
	• 108" cord • Includes 2 Power • Tamper resistant									

ACCESSORIES

PRODUCT SPECIFICATION

- See pages 384-385 for the application matrix for these accessories

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NACG1

- See page 383 for all options available in Accessories

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
GROMMET	NACG1	Black	$ 45	2¼	–	13⁄16	–	–	1 lbs.	0.1
	• Field installable									
FLEXI GROMMET	NACG2	Black	$ 45	2⅜	–	13⁄16	–	–	1 lbs.	0.1
	• Field installable									
ROUND GROMMET (G10)	NACG10EL	Electrical Grommet	$ 623	4¼	4¼	5	–	–	2 lbs.	0.12
	NACG10	Grommet	101	4¼	4¼	1⅛	–	–	1 lbs.	0.12
NACG10EL NACG10										
MOIRÉ, G10 POWER/USB GROMMET	NACG10AELPGB	Black	$ 583				–	–	1.7 lbs.	0.24
	NACG10AELPGW	White	583				–	–	1.7 lbs.	0.24
	NACG10AELPGG	Light Grey	583				–	–	1.7 lbs.	0.24
	• 2 power, 2 dual USB-A, 2.0 amps • Black cord on black and light grey, white cord on white, 6 ft, 15 amp plugged cord • Fits in G10 grommet hole diameter 3" • Adjust to thickness from 1⅜" - 1⅝" • UL Listed									
MOIRÉ, G10 POWER GROMMET	NACG10BELPGB	Black	$ 373				–	–	1.7 lbs.	0.24
	NACG10BELPGW	White	373				–	–	1.7 lbs.	0.24
	NACG10BELPGG	Light Grey	373				–	–	1.7 lbs.	0.24
	• 4 power • Black, 6 ft, 15 amp plugged cord with built in circuit breaker • Black cord on black and light grey, white cord on white • Fits in G10 grommet hole diameter 3" • Adjust to thickness from 1⅜" - 1⅝" • UL Listed									
TRIPPEL	NAC08ELPG3TRAW	White	$ 436	3¾	7⅞	3¾	–	–	2 lbs.	0.13
	NAC08ELPG3TRAB	Black	436	3¾	7⅞	3¾	–	–	2 lbs.	0.13
	NAC08ELPG3TRAG	Fog	436	3¾	7⅞	3¾	–	–	2 lbs.	0.13
	• Set on surface unit • Included 2 USB-A and 2 power • Tamper resistant • Features Qi wireless charging									

PRODUCT SPECIFICATION

- See pages 384-385 for the application matrix for these accessories

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NACG12AELPGB

- See page 383 for all options available in Accessories

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
PIVOTING POWER GROMMET (MHO-B) (G12A)	NACG12AELPGB	Black	$ 809	4⅜	8⅜	1½	—	—	2 lbs.	0.2
	NACG12AELPGS	Silver	809	4⅜	8⅜	1½	—	—	2 lbs.	0.2
	NACG12AELPGW	White	809	4⅜	8⅜	1½	—	—	2 lbs.	0.2
 NACG12AELPGB	NACG12AELHCB	Hardwire, Black	$ 809	4⅜	8⅜	1½	—	—	3 lbs.	0.2
	NACG12AELHCS	Hardwire, Silver	809	4⅜	8⅜	1½	—	—	3 lbs.	0.2
	NACG12AELHCW	Hardwire, White	809	4⅜	8⅜	1½	—	—	3 lbs.	0.2
	• 2 power outlets, 1 dual USB-A port, and 1 blank port • Units are powder coated									
PIVOTING POWER GROMMET (MHO-B) (G12B)	NACG12BELPGB	Black	$ 867	4⅜	8⅜	1½	—	—	2 lbs.	0.2
	NACG12BELPGS	Silver	867	4⅜	8⅜	1½	—	—	2 lbs.	0.2
	NACG12BELPGW	White	867	4⅜	8⅜	1½	—	—	2 lbs.	0.2
 NACG12BELPGB	NACG12BELHCB	Hardwire, Black	$ 867	4⅜	8⅜	1½	—	—	3 lbs.	0.2
	NACG12BELHCS	Hardwire, Silver	867	4⅜	8⅜	1½	—	—	3 lbs.	0.2
	NACG12BELHCW	Hardwire, White	867	4⅜	8⅜	1½	—	—	3 lbs.	0.2
	• 2 power outlets and 2 USB-A + C ports • Units are powder coated									
PIVOTING POWER GROMMET (MHO-B) (G12C)	NACG12CELPGB	Black	$ 600	4⅜	8⅜	1½	—	—	2 lbs.	0.2
	NACG12CELPGS	Silver	600	4⅜	8⅜	1½	—	—	2 lbs.	0.2
	NACG12CELPGW	White	600	4⅜	8⅜	1½	—	—	2 lbs.	0.2
 NACG12CELPGB	NACG12CELHCB	Hardwire, Black	$ 600	4⅜	8⅜	1½	—	—	3 lbs.	0.2
	NACG12CELHCS	Hardwire, Silver	600	4⅜	8⅜	1½	—	—	3 lbs.	0.2
	NACG12CELHCW	Hardwire, White	600	4⅜	8⅜	1½	—	—	3 lbs.	0.2
	• 4 power outlets with 72" circuit breaker cord • Units are powder coated									

ACCESSORIES

PRODUCT SPECIFICATION

- See pages 384-385 for the application matrix for these accessories

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NACG17AELPGB

- See page 383 for all options available in Accessories

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1 TOUCH PIVOTING POWER GROMMET (G17A)	NACG17AELPGB	Black	$ 458	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17AELPGS	Silver	458	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17AELPGW	White	458	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17AELHCB	Hardwire, Black	$ 483	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17AELHCS	Hardwire, Silver	483	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17AELHCW	Hardwire, White	483	4¼	5¼	2½	—	—	3 lbs.	0.15
	• Includes 2 power outlets • Units are powder coated									
1 TOUCH PIVOTING POWER GROMMET (G17B)	NACG17BELPGB	Black	$ 471	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17BELPGS	Silver	471	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17BELPGW	White	471	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17BELHCB	Hardwire, Black	$ 568	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17BELHCS	Hardwire, Silver	568	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17BELHCW	Hardwire, White	568	4¼	5¼	2½	—	—	3 lbs.	0.15
	• Includes 1 power outlet and 1 dual USB-A + C combo • Units are powder coated									
1 TOUCH PIVOTING POWER GROMMET (G17C)	NACG17CELPGB	Black	$ 452	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17CELPGS	Silver	452	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17CELPGW	White	452	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17CELHCB	Hardwire, Black	$ 477	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17CELHCS	Hardwire, Silver	477	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17CELHCW	Hardwire, White	477	4¼	5¼	2½	—	—	3 lbs.	0.15
	• Includes 1 power outlet • Units are powder coated									

PRODUCT SPECIFICATION

- See pages 384-385 for the application matrix for these accessories

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NACG17AELPDIQ18B

- See page 383 for all options available in Accessories

INTERLINK IQ SYSTEM (G17A)



NACG17AELPD2IQKS



NACG17AELPD2IQB



NACEL2IQBB



NACEL2IQ60J



NACEL2IQ60TJ

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FULL SET OF 8 UNITS									
NACG17AELPD2IQKB	Set of 8, Black	$ 3860	4¼	5¼	2½	—	—	19 lbs.	1.55
NACG17AELPD2IQKS	Set of 8, Silver	3860	4¼	5¼	2½	—	—	19 lbs.	1.55
NACG17AELPD2IQKW	Set of 8, White	3860	4¼	5¼	2½	—	—	19 lbs.	1.55

- Full sets include 8 grommets and smart box with starter plug

INTERLINK GROMMETS									
NACG17AELPD2IQB	Interlink Grommet, Black	$ 470	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG17AELPD2IQS	Interlink Grommet, Silver	470	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG17AELPD2IQW	Interlink Grommet, White	470	4¼	5¼	2½	—	—	3 lbs.	0.15

- Must order smart box with plug separately

INTERLINK IQ SMART BOX AND JUMPER									
NACEL2IQBB	Interlink IQ smart box w/starter plug	$ 712	—	120	—	—	—	3 lbs.	0.15
NACEL2IQ60J	Interlink IQ Jumper-60"	158	—	60	—	—	—	3 lbs.	0.15
NACEL2IQ60TJ	Transitional Jumper	166	—	60	—	—	—	3 lbs.	0.15

- Must order smart box with plug separately
- UL Recognized
- Non-sequential "Daisy chain" solution
- Interlink IQ system must begin with a smart box with plug (or full set)
- Jumper used between the smart box with plug and grommets when the span between grommet locations are greater than 60"
- Transitional jumper (connections on both ends) used only when using an older IQ model and a new IQ model (as of November 2019)
- Jumpers count as one connection (maximum of 8)
- The Interlink IQ system is ONLY plugged. This system cannot be hardwired
- Units are powder coated
- Built-in status indicator: green means go, red light indicates too many units
- See charts on pages 402-403

ACCESSORIES

PRODUCT SPECIFICATION

- See pages 384-385 for the application matrix for these accessories

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NACG17BELPDIQ18B

- See page 383 for all options available in Accessories

INTERLINK IQ SYSTEM (G17B)



NACG17BELPD2IQKS



NACG17BELPD2IQB



NACEL2IQBB



NACEL2IQ60J



NACEL2IQ60TJ

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FULL SET OF 8 UNITS									
NACG17BELPD2IQKB	Set of 8, Black	$ 5130	4¼	5¼	2½	—	—	19 lbs.	1.55
NACG17BELPD2IQKS	Set of 8, Silver	5130	4¼	5¼	2½	—	—	19 lbs.	1.55
NACG17BELPD2IQKW	Set of 8, White	5130	4¼	5¼	2½	—	—	19 lbs.	1.55

- Full sets include 8 grommets and smart box with starter plug

INTERLINK GROMMETS									
NACG17BELPD2IQB	Interlink Grommet, Black	$ 656	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG17BELPD2IQS	Interlink Grommet, Silver	656	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG17BELPD2IQW	Interlink Grommet, White	656	4¼	5¼	2½	—	—	3 lbs.	0.15

- Must order smart box with plug separately

INTERLINK IQ SMART BOX AND JUMPER									
NACEL2IQBB	Interlink IQ smart box w/starter plug	$ 712	—	120	—	—	—	3 lbs.	0.15
NACEL2IQ60J	Interlink IQ Jumper-60"	158	—	60	—	—	—	3 lbs.	0.15
NACEL2IQ60TJ	Transitional Jumper	166	—	60	—	—	—	3 lbs.	0.15

- Must order smart box with plug separately
- UL Recognized
- Non-sequential "Daisy chain" solution
- Interlink IQ system must begin with a smart box with plug (or full set)
- Jumper used between the smart box with plug and grommets when the span between grommet locations are greater than 60"
- Transitional jumper (connections on both ends) used only when using an older IQ model and a new IQ model (as of November 2019)
- Jumpers count as one connection (maximum of 8)
- The Interlink IQ system is ONLY plugged. This system cannot be hardwired
- Units are powder coated
- Built-in status indicator: green means go, red light indicates too many units
- See charts on pages 402-403

PRODUCT SPECIFICATION

- See pages 384-385 for the application matrix for these accessories

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NACG17CELPDIQ18B

- See page 383 for all options available in Accessories

INTERLINK IQ SYSTEM (G17C)



NACG17CELPD2IQKS



NACG17CELPD2IQB



NACEL2IQBB



NACEL2IQ60J



NACEL2IQ60TJ

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FULL SET OF 8 UNITS									
NACG17CELPD2IQKB	Set of 8, Black	$ 3653	4¼	5¼	2½	—	—	19 lbs.	1.55
NACG17CELPD2IQKS	Set of 8, Silver	3653	4¼	5¼	2½	—	—	19 lbs.	1.55
NACG17CELPD2IQKW	Set of 8, White	3653	4¼	5¼	2½	—	—	19 lbs.	1.55

- Full sets include 8 grommets and smart box with starter plug

INTERLINK GROMMETS									
NACG17CELPD2IQB	Interlink Grommet, Black	$ 443	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG17CELPD2IQS	Interlink Grommet, Silver	443	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG17CELPD2IQW	Interlink Grommet, White	443	4¼	5¼	2½	—	—	3 lbs.	0.15

- Must order smart box with plug separately

INTERLINK IQ SMART BOX AND JUMPER									
NACEL2IQBB	Interlink IQ smart box w/starter plug	$ 712	—	120	—	—	—	3 lbs.	0.15
NACEL2IQ60J	Interlink IQ Jumper-60"	158	—	60	—	—	—	3 lbs.	0.15
NACEL2IQ60TJ	Transitional Jumper	166	—	60	—	—	—	3 lbs.	0.15

- Must order smart box with plug separately
- UL Recognized
- Non-sequential "Daisy chain" solution
- Interlink IQ system must begin with a smart box with plug (or full set)
- Jumper used between the smart box with plug and grommets when the span between grommet locations are greater than 60"
- Transitional jumper (connections on both ends) used only when using an older IQ model and a new IQ model (as of November 2019)
- Jumpers count as one connection (maximum of 8)
- The Interlink IQ system is ONLY plugged. This system cannot be hardwired
- Units are powder coated
- Built-in status indicator: green means go, red light indicates too many units
- See charts on pages 402-403

ACCESSORIES

Configuration of IQ System for 72" WaveWorks Training Tables - Max of 6 IQ Units per run

6 Power Units



Item	Qty
Smart Box	1
Grommet	6
Jumper	2

5 Power Units



Item	Qty
Smart Box	1
Grommet	5
Jumper	2

4 Power Units



Item	Qty
Smart Box	1
Grommet	4
Jumper	1

3 Power Units



Item	Qty
Smart Box	1
Grommet	3
Jumper	1

2 Power Units



Item	Qty
Smart Box	1
Grommet	2

Configuration of IQ System for 66" WaveWorks Training Tables - Max of 6 IQ Units per run

6 Power Units



Item	Qty
Smart Box	1
Grommet	6
Jumper	1

5 Power Units



Item	Qty
Smart Box	1
Grommet	5
Jumper	1

4 Power Units



Item	Qty
Smart Box	1
Grommet	4
Jumper	1

3 Power Units



Item	Qty
Smart Box	1
Grommet	3

2 Power Units



Item	Qty
Smart Box	1
Grommet	2

Configuration of IQ System for 60" WaveWorks Training Tables - Max of 8 IQ Units per run

8 Power Units



Item	Qty
Smart Box	1
Grommet	8

7 Power Units



Item	Qty
Smart Box	1
Grommet	7

6 Power Units



Item	Qty
Smart Box	1
Grommet	6

5 Power Units



Item	Qty
Smart Box	1
Grommet	5

4 Power Units



Item	Qty
Smart Box	1
Grommet	4

3 Power Units



Item	Qty
Smart Box	1
Grommet	3

2 Power Units



Item	Qty
Smart Box	1
Grommet	2

ACCESSORIES

PRODUCT SPECIFICATION

- See pages 384-385 for the application matrix for these accessories

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NACG23ELB

- See page 383 for all options available in Accessories

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
POWER GROMMET (G23)	NACG23ELB	Black	$ 663	2½	4½	3¼	—	—	2.3 lbs.	0.2
	NACG23ELS	Silver	663	2½	4½	3¼	—	—	2.3 lbs.	0.2
	NACG23ELHCB	Black/Hardwire	$ 739	2½	4½	3¼	—	—	2.3 lbs.	0.2
	NACG23ELHCS	Silver/Hardwire	739	2½	4½	3¼	—	—	2.3 lbs.	0.2



- Not intended for use on conference tables
- Includes 2 power outlets and 2 power USB ports
- Units are powder coated

DAISY LINK (G23)

DAISY LINK STARTER UNITS

NACG23ELDLB1	Black - G23, Plugged	$ 754	2½	4½	3¼	—	—	4.1 lbs.	0.4
NACG23ELDLS1	Silver - G23, Plugged	754	2½	4½	3¼	—	—	4.1 lbs.	0.4
NACG23ELDLHB1	Black - G23, Hardwire/Modular Connect	$ 754	2½	4½	3¼	—	—	3.7 lbs.	0.4
NACG23ELDLHS1	Silver - G23, Hardwire/Modular Connect	754	2½	4½	3¼	—	—	3.7 lbs.	0.4



- Modular connect does not meet city code

Plugged Starter Unit

DAISY LINK ADD-ON UNITS/JUMPER KIT

NACG23ELDLB2	Black - G23	$ 792	2½	4½	3¼	—	—	2.3 lbs.	0.4
NACG23ELDLS2	Silver - G23	792	2½	4½	3¼	—	—	2.3 lbs.	0.4



- 60" jumper included with each daisy link add-on unit
- Units are powder coated

Hardwire Starter Unit

DAISY LINK JUMPER (80", 180", AND 240")

NAC80ELDLJ	80" Daisy Chain Jumper	$ 276	¾	80	2	—	—	2.4 lbs.	0.4
NAC180ELDLJ	180" Daisy Chain Jumper	419				—	—	lbs.	
NAC240ELDLJ	240" Daisy Chain Jumper	494				—	—	lbs.	

- 80" jumper is needed when connecting power between tables
- Units are powder coated

NODE POWER GROMMET (G33)

NACG33ELB	Black	$ 422	4	4	3½	—	—	1 lbs.	0.2
NACG33ELS	Silver	422	4	4	3½	—	—	1 lbs.	0.2
NACG33ELW	White	422	4	4	3½	—	—	1 lbs.	0.2



- For use with Maneuver gear, shield, and 120° tables when CUT-G33 option is specified

POWER STRIP

NAC0902EL6PS	Black	$ 103	1⅞	9½	1¼	—	—	lbs.	



- 120" Cord
- Includes 6 power

PRODUCT SPECIFICATION

- See pages 384-385 for the application matrix for these accessories

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NAC08ELPG3AXAB

- See page 383 for all options available in Accessories

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
AXIL M BLUE TOOTH SPEAKER	NAC08ELPG3AXAB	Black	$ 1045				—	—	4.7 lbs.	0.31
	NAC08ELPG3AXAS	Silver	1045				—	—	4.7 lbs.	0.31
	NAC08ELPG3AXAW	White	1045				—	—	4.7 lbs.	0.31

- Freestanding unit
- 1 power outlet, 1 bluetooth speaker with push button pairing button, built in microphone, and 1 2.0 amp charging USB-A port, with stainless steel grille
- Black, 6 ft, 15 amp plugged power cord
- UL Listed

VESTA SET-ON FLOOR, BATTERY-POWERED	NAC29ELPG4VEAB	Black/Dark Grey	$ 2801				—	—	13.9 lbs.	3.14
	NAC29ELPG4VEAW	White/Light Grey	2801				—	—	13.9 lbs.	3.14

- Freestanding unit
- 3 single USB-A 2.0 amp, 1 USB-C 18 watts, 1 LED battery indicator light
- Black, 6 ft, 15 amp plugged power cord for recharging
- UL Listed
- 40 amp hours, 40 watts
- Vesta models have a Lithium battery and MUST ship separately via Fed Ex Ground

BURELÉ, POWER, CLAMP MOUNT	NAC07ELPG4BUAB	Black	$ 441				—	—	1.25 lbs.	0.24
	NAC07ELPG4BUAW	White	441				—	—	1.25 lbs.	0.24
	NAC07ELPG4BUAG	Light Grey	441				—	—	1.25 lbs.	0.24

- Clamp mount unit
- 4 power outlets
- Black, 6 ft, 15 amp plugged cord with built in circuit breaker
- UL Listed

BURELÉ, POWER/USB, CLAMP MOUNT	NAC07ELPG4BUBB	Black	$ 740				—	—	1.25 lbs.	0.24
	NAC07ELPG4BUBW	White	740				—	—	1.25 lbs.	0.24
	NAC07ELPG4BUBG	Light Grey	740				—	—	1.25 lbs.	0.24

- Clamp mount unit
- 2 power, 1 dual USB-A, 2.0 amp, 1 single USB-C -18 Watt
- Black, 6 ft 15 amp plugged power cord
- UL Listed

TULLY	NAC06ELPG3TUAW	White	$ 618	2¼	5⅝	12⅜	—	—	3.05 lbs.	0.40
	NAC06ELPG3TUAB	Black	618	2¼	5⅝	12⅜	—	—	3.05 lbs.	0.40
	NAC06ELPG3TUAG	Fog	618	2¼	5⅝	12⅜	—	—	3.05 lbs.	0.40

- 120" braided cord
- Includes 2 USB-A, 1 USB-C and Power

ACCESSORIES

PRODUCT SPECIFICATION

- See pages 384-385 for the application matrix for these accessories

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NAC04ELPG2DEAB

- See page 383 for all options available in Accessories

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
DEAN, 2 PORT, POWER, CLAMP MOUNT	NAC04ELPG2DEAB	Black	$ 396				–	–	1.95 lbs.	0.24
	NAC04ELPG2DEAW	White	396				–	–	1.95 lbs.	0.24
	NAC04ELPG2DEAG	Light Grey	396				–	–	1.95 lbs.	0.24
	• Plastic face plate and end caps, clear anodized housing, and universal clamp mount • 2 power • Black 6 ft, 15 amp plugged power cord • UL Listed									
DEAN, 2 PORT, POWER/USB, CLAMP MOUNT	NAC04ELPG2DEBB	Black	$ 410				–	–	1.95 lbs.	0.24
	NAC04ELPG2DEBW	White	410				–	–	1.95 lbs.	0.24
	NAC04ELPG2DEBG	Light Grey	410				–	–	1.95 lbs.	0.24
	• Plastic face plate and end caps, clear anodized housing, and universal clamp mount • 1 power, 1 dual USB-A 2.0 amp • Black, 6 ft, 15 amp plugged power cord • UL Listed									
DEAN, 3 PORT, POWER, CLAMP MOUNT	NAC06ELPG3DEAB	Black	$ 404				–	–	1.95 lbs.	0.24
	NAC06ELPG3DEAW	White	404				–	–	1.95 lbs.	0.24
	NAC06ELPG3DEAG	Light Grey	404				–	–	1.95 lbs.	0.24
	• Plastic face plate and end caps, clear anodized housing, and universal clamp mount • 3 power • Black 6 ft, 15 amp plugged power cord • UL Listed									
DEAN, 3 PORT, POWER/USB, CLAMP MOUNT	NAC06ELPG3DEBB	Black	$ 538				–	–	1.95 lbs.	0.24
	NAC06ELPG3DEBW	White	538				–	–	1.95 lbs.	0.24
	NAC06ELPG3DEBG	Light Grey	538				–	–	1.95 lbs.	0.24
	• Plastic face plate and end caps, clear anodized housing, and universal clamp mount • 2 power, 1 USB-A + C combo 18 watt, 2.0 amp; end receptacle rotated 90° • Black, 6 ft, 15 amp plugged power cord • UL Listed									
HITCH, BATTERY-POWERED	NAC04ELPG4HTAB	Black	$ 711				–	–	1.7 lbs.	0.24
	NAC04ELPG4HTAW	White	711				–	–	1.7 lbs.	0.24
	NAC04ELPG4HTAG	Light Grey	711				–	–	1.7 lbs.	0.24
	• Freestanding and portable • 3 single USB-A, 2.0 amps, 1 LED battery indicator light • Black, 6 ft, 15 amp plugged power cord assembly for recharging. 5v, 4 amps • The unit is not UL Listed • The power pack is UL Listed • 11.6 amp hours, 20 watt power supply • Hitch models have a Lithium battery and MUST ship separately via Fed Ex Ground									

PRODUCT SPECIFICATION

- See page 382 for these accessories

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NAC05ELPG2HRAC

- See page 383 for all options available in Accessories

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
HEARTH	NAC05ELPG2HRAC		$ 657	5⅜	3¼	5⁹⁄₁₆	—	—	3 lbs.	0.31



- Includes 1 power, 1 Dual USB-A
- 108" power cord
- Handmolded concrete body with a wood base detail
- Features a solid brass braided cord
- UL Listed

SIDEKICK	NAC29ELPG2SKAG	Heather Gray Felt	$ 514	2³⁄₁₆	15	29½	—	—	2 lbs.	0.59
	NAC29ELPG2SKAC	Camel Felt	514	2³⁄₁₆	15	29½	—	—	2 lbs.	0.59



- Felt sofa arm overlay
- Includes 1 power, 1 Dual USB-A, and felt pocket
- Heather Gray unit features power and a braided cord in Poppy. Camel unit features a power and braided cord in Dusk
- 108" power cord
- UL Listed

APPARATUS	NAC05ELPG2APAB	Black	$ 388	3⅛	4¹³⁄₁₆	2	—	—	lbs.	
	NAC05ELPG2APAW	White	388	3⅛	4¹³⁄₁₆	2	—	—	lbs.	



- Includes 1 power, 1 Dual USB-A
- 108" power cord
- Black unit features a black braided cord and silver hardware. White unit features a white braided cord and silver hardware
- ETL and UL Listed

ASHLEY DUO	NAC06ELPG3ADAB	Black	$ 455	3⅜	5½	1¹³⁄₁₆	—	—	lbs.	
	NAC06ELPG3ADAW	White	455	3⅜	5½	1¹³⁄₁₆	—	—	lbs.	



- Includes 2 power, 2 USB
- 72" power cord
- Must have at least 5½" of clearance under surface at point of application to be able to mount
- Clamp mount; Unit will fit on worksurface thicknesses ½"-2¹³⁄₁₆"
- UL Listed

ACCESSORIES

PRODUCT SPECIFICATION

- See pages 384-385 for the application matrix for these accessories

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NAC30WMV

- See page 383 for all options available in Accessories

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
VERTICAL WIRE MANAGER	NAC30WMV		$ 303	1½	3¼	31	—	—	2 lbs.	0.2
	• Graphite color • Attaches to underside of worksurface; flexible; used to conceal power in-feed and data cables									
WIRE MANAGER	NAC17WM	Black Plastic	$ 36	2 1/16	16¾	1 3/16	—	—	1 lbs.	0.1
	• Wire manager is made of plastic and attaches with Velcro® • Wire manager can be used on any unit to route cords									
HORIZONTAL UNDERSURFACE WIRE MANAGER	NAC30WMH	Black Plastic (Set of 6)	$ 128	3	29½	1½	—	—	1 lbs.	0.1
	• Wire manager can be used on any unit to route cords									
UNDERSURFACE WIRE MANAGER	NAC03WM	Black Plastic (Set of 5)	$ 43	5½	2⅝	1¾	—	—	3 lbs.	0.1
										
MARKER BOARD	NAC3048MBW		$ 620	⅝	47⅞	30	—	—	35 lbs.	1.4
	• Installation hardware included									
VERTICAL PIGEON HOLE STORAGE	NAC1420SMCW	Wood	$ 1080	12	14	19⅞	—	—	13 lbs.	0.9
	NAC1420SMCL	Laminate	512	12	14	19⅞	—	—	13 lbs.	0.9
	• Assembly required • 3 fixed shelves on unit • Specify chassis laminate or finish only • Utilize under Epic, Renegade and WaveWorks highback organizers; sits on worksurface • When using with tack board, see page 413 for applicable tack board that will properly fit in space									

TO ORDER, SPECIFY:

1. Model Number
2. Resin Grade/Color
3. Metal Color (holder)

SAMPLE MODEL NUMBER:

NAC6018PVSP 1 1677 462

• See page 383 for all options available in Accessories

PRIVACY SCREEN
SET-ON SURFACE
RECTANGULAR, RESIN



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
	GRADE 1							
NAC7218PVSP	$ 817	3/16	72	18	—	—	24 lbs.	2.9
NAC6618PVSP	800	3/16	66	18	—	—	22 lbs.	2.6
NAC6018PVSP	784	3/16	60	18	—	—	19 lbs.	2.4
NAC5418PVSP	737	3/16	54	18	—	—	17 lbs.	2.2
NAC4818PVSP	598	3/16	48	18	—	—	16 lbs.	2.0
NAC4218PVSP	592	3/16	42	18	—	—	14 lbs.	1.8
NAC3618PVSP	514	3/16	36	18	—	—	12 lbs.	1.6
NAC3018PVSP	484	3/16	30	18	—	—	10 lbs.	1.3
NAC2718PVSP	448	3/16	27	18	—	—	9 lbs.	1.2
NAC2418PVSP	437	3/16	24	18	—	—	8 lbs.	1.1
NAC2118PVSP	418	3/16	21	18	—	—	7 lbs.	1.0

- Specify resin grade and color: Grade 1 Frosted (1677)
- Specify metal color for holders: Concrete (423), Cinder (462), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503)
- 36" and below includes 2 holders per screen, 42" and 48" includes 3 per screen, 54" and above includes 4 per screen
- Privacy screens are 3/16" thick dual sided resin
- Privacy screen holders are made of 12-gauge steel; holders are 3" wide and 5" deep
- Privacy screens are intended to be stand alone units
- 27" and 21" models can be utilized with Epicenter depth worksurfaces

ACCESSORIES

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade/Color
3. Metal Color (holder)

SAMPLE MODEL NUMBER:

NAC7218PVS2PFA A 8600 423

• See page 383 for all options available in Accessories

PRIVACY SCREEN
SET-ON SURFACE
RECTANGULAR, FABRIC



MODEL NO./DESCRIPTION		GRADE A	LIST PRICE GRADE B/ COM	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
NAC7218PVS2PFA	Railroad	$ 1929	$ 2028	1 1/16	72	18	–	–	24 lbs.	2.9
NAC6618PVS2PFA	Railroad	$ 1806	$ 1894	1 1/16	66	18	–	–	22 lbs.	2.6
NAC6018PVS2PFA	Railroad	$ 1689	$ 1777	1 1/16	60	18	–	–	19 lbs.	2.4
NAC5418PVS2PFA	Railroad	$ 1570	$ 1647	1 1/16	54	18	–	–	17 lbs.	2.2
NAC4818PVS2PFA	Railroad	$ 1459	$ 1525	1 1/16	48	18	–	–	16 lbs.	2.0
NAC4218PVS2PFA	Railroad	$ 1327	$ 1393	1 1/16	42	18	–	–	14 lbs.	1.8
NAC3618PVS2PFA	Railroad	$ 1212	$ 1267	1 1/16	36	18	–	–	12 lbs.	1.6
NAC3018PVS2PFA	Railroad	$ 1090	$ 1145	1 1/16	30	18	–	–	10 lbs.	1.3
NAC2718PVS2PFA	Railroad	$ 1034	$ 1078	1 1/16	27	18	–	–	9 lbs.	1.2
NAC2418PVS2PFA	Railroad	$ 961	$ 1005	1 1/16	24	18	–	–	8 lbs.	1.1
NAC2118PVS2PFA	Railroad	$ 909	$ 942	1 1/16	21	18	–	–	7 lbs.	1.0

- Specify tack fabric grade and color
- Specify metal color for holders: Concrete (423), Cinder (462), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503)
- 36" and below includes 2 holders per screen, 42" and 48" includes 3 per screen, 54" and above includes 4 per screen
- Privacy screens are 1⅛" thick tackable fabric
- Privacy screen holders are made of 12-gauge steel; holders are 3" wide and 5" deep
- Privacy screens are intended to be stand alone units
- 27" and 21" models can be utilized with Epicenter depth worksurfaces
- Not intended to create a continuous screen by placing models end to end

TO ORDER, SPECIFY:

1. Model Number
2. Resin Grade/Color
3. Metal Color (holder)

SAMPLE MODEL NUMBER:

NAC6018PVSTP 2 2877 501

• See page 383 for all options available in Accessories

PRIVACY SCREEN SET-ON SURFACE TAPERED, RESIN

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
	GRADE 1							
NAC7218PVSTP	$ 1152	3/16	72	18	—	—	24 lbs.	2.9
NAC6618PVSTP	1097	3/16	66	18	—	—	22 lbs.	2.6
NAC6018PVSTP	1040	3/16	60	18	—	—	19 lbs.	2.4
NAC5418PVSTP	983	3/16	54	18	—	—	17 lbs.	2.2
NAC4818PVSTP	930	3/16	48	18	—	—	16 lbs.	2.0
NAC4218PVSTP	871	3/16	42	18	—	—	14 lbs.	1.8
NAC3618PVSTP	813	3/16	36	18	—	—	12 lbs.	1.6
NAC3018PVSTP	754	3/16	30	18	—	—	10 lbs.	1.3
NAC2718PVSTP	726	3/16	27	18	—	—	9 lbs.	1.2
NAC2418PVSTP	696	3/16	24	18	—	—	8 lbs.	1.1
NAC2118PVSTP	669	3/16	21	18	—	—	7 lbs.	1.0

- Specify resin grade and color: Grade 1 Frosted (1677)
- Specify metal color for holders: Concrete (423), Cinder (462), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503)
- 36" and below includes 2 holders per screen, 42" and 48" includes 3 per screen, 54" and above includes 4 per screen
- Privacy screens are 3/16" thick dual sided resin
- Privacy screen holders are made of 12-gauge steel; holders are 3" wide and 5" deep
- Privacy screens are intended to be stand alone units
- 27" and 21" models can be utilized with Epicenter depth worksurfaces

ACCESSORIES

TO ORDER, SPECIFY:

1. Model Number
2. Shelf Color
3. Laminate Color

SAMPLE MODEL NUMBER:

10N1867FDSHL PB PB
NAC1205WGV1

• See page 383 for all options available in Accessories

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FREESTANDING KIOSK	10N1867FDSHL	Laminate	$ 1382	13 5/16	17 5/16	66 3/8	–	–	73 lbs.	19.7



• Can be used to hang additional PPE equipment (ie. Glove holders and sanitizer dispensers) Limit of 10 lbs hung on the back

SINGLE WIRE GLOVE BOX	NAC1205WGV1	Steel	$ 117	3 3/16	11 5/16	4 3/4	–	–	1 lbs.	1.38



• Steel wire Glove box is Chrome in color
• Includes pre-drilled mounting holes and hardware
• Holds 1 std size box of gloves

DOUBLE WIRE GLOVE BOX	NAC1210WGV2	Steel	$ 160	3 3/16	11 5/16	9 1/2	–	–	1 lbs.	2.7

• Steel wire Glove box is Chrome in color
• Includes pre-drilled mounting holes and hardware
• Holds 2 std size boxes of gloves

QUAD WIRE GLOVE BOX	NAC1219WGV4	Steel	$ 229	3 3/16	11 5/16	19	–	–	1 lbs.	5.2



• Steel wire Glove box is Chrome in color
• Includes pre-drilled mounting holes and hardware
• Holds 4 std size boxes of gloves

AUTOMATIC HAND SANITIZER DISPENSER	NAC0407USD1		$ 794	4 1/4	6	11	–	–	2.2 lbs.	8.1



• Dispenser accepts most bulk liquid soaps and sanitizers up to 12mL capacity, inside a solid case of durable ABS plastic
• 4 C Batteries sold separately. External On-Off switch
• Tamper resistant lock system with key for convenient access for assigned personel
• Motion Dispenser: Dispenses within a sense detection of 3"-5"
• 2.2 lbs Empty (without fluid)

TACK BOARD APPLICABILITY

HIGHBACK, OVERHEAD OR RECEPTION MODEL NO.	APPLICABLE TACK BOARD
RENEGADE	
75N7238HB_	NAC7019TBRA
75N6638HB_	NAC6419TBRA
75N6038HB_	NAC5819TBRA
75N4838HB_	NAC4619TBRA
75N4818SO_ _	NAC4819TBRA
75N4218SO_ _	NAC4219TBRA
75N3618SO_ _	NAC3619TBRA
75N3018SO_ _	NAC3019TBRA
75N2573DSTF_	NAC2211TBDA2
75N2568BSTF_	NAC4811TBDA

This chart is reflective of using vertical pigeon hole storage models with highback organizers or wall mount cabinets with tack boards.

HIGHBACK OR OVERHEAD MODEL NO.	APPLICABLE TACK BOARD 1 PIGEON HOLE STORAGE	APPLICABLE TACK BOARD 2 PIGEON HOLE STORAGE
RENEGADE		
75N7238HB_	NAC5619TBRA	NAC4219TBRA
75N6638HB_	NAC5019TBRA	NAC3619TBRA
75N6038HB_	NAC4419TBRA	NAC3019TBRA
75N4838HB_	NAC3219TBRA	NAC1819TBRA

Applicable tack board recommendation is the largest model that will fit within the highback organizer or under the overhead. If a smaller size is desired, reference individual dimensions and specify the tack board accordingly.

TACK BOARD APPLICABILITY

HIGHBACK, OVERHEAD OR RECEPTION MODEL NO.	APPLICABLE TACK BOARD
ARROWOOD	
331N8636HBHW	NAC8117TBRA
31N8036HBHW	NAC7517TBRA
31N7836HBHW	NAC7317TBRA
31N6036HBHW	NAC5417TBRA
31N6036HBHW	NAC5417TBRA
31N7236HBH	NAC6617TBRA
31N6983TCW	NAC6714TBDA
31N6983TCLW	NAC6714TBDA
31N6636HBH	NAC6017TBRA
31N6377TCW	NAC6114TBDA
31N6377TCLW	NAC6114TBDA
31N3618SOHM	NAC3618TBRA
31N3018SOHM	NAC3018TBRA
31N1569TCW	NAC6714TBDA
31N1569TCLW	NAC6714TBDA
31N1563TCW	NAC6114TBDA
31N1563TCLW	NAC6114TBDA
21N8136HBHL	NAC7917TBRA
21N7536HBHL	NAC7317TBRA
21N6981TCL	NAC6714TBDA
21N6936HBHL	NAC6617TBRA
21N6375TC	NAC6114TBDA
21N6336HBHL	NAC6017TBRA
21N5736HBHL	NAC5517TBRA
21N5736HBHL	NAC5517TBRA
21N3617SOHML	NAC3618TBRA
21N3017SOHML	NAC3018TBRA
21N1569TCL	NAC6714TBDA
21N1563TCL	4NAC6114TBDA
BARRINGTON	
50N7236HBH	NAC6717TBRA
50N7218SOHM	NAC6917TBRA
50N7149HBH	NAC6617TBRA
50N7129SOHM	NAC6919TBRA
50N6649HBH	NAC6117TBRA
50N6636HBH	NAC6117TBRA
50N6629SOHM	NAC6319TBRA
50N6618SOHM	NAC6317TBRA
50N3072DTRFW1	NAC6813TBDA
50N3072DTRFLW1	NAC6813TBDA
50N3072DTLFW1	NAC6813TBDA
50N3072DTLFLW1	NAC6813TBDA

HIGHBACK, OVERHEAD OR RECEPTION MODEL NO.	APPLICABLE TACK BOARD
ESCALADE	
ECN8450HBHPW	NAC8020TBRA
ECN8450HBHPGW	NAC8020TBRA
ECN7850HBHPW	NAC7420TBRA
ECN7850HBHPGW	NAC7420TBRA
ECN7250HBH	NAC6920TBRA
ECN7242HBHPGW	N/A
ECN7230SOHM	NAC7019TBRA
ECN6650HBH	NAC6320TBRA
ECN6642HBHPGW	N/A
ECN6630SOHM	NAC6419TBRA
ECN6050HBHPW	NAC5720TBRA
ECN6050HBHPW	NAC5720TBRA
ECN6050HBHPGW	NAC5720TBRA
ECN6050HBHPGW	NAC5720TBRA
ECN3276DTRFW1	NAC7212TBDA
ECN3276DTLFW1	NAC7212TBDA
ROOSEVELT	
51N7236HBHW	NAC6717TBRA
51N6636HBHW	NAC6117TBRA
51N3618SOHMW	NAC3617TBRA
51N3072DTRFW1	NAC6813TBDA
51N3072DTRFLW1	NAC6813TBDA
51N3072DTLFW1	NAC6813TBDA
51N3072DTLFLW1	NAC6813TBDA
51N3018SOHMW	NAC3017TBRA

HIGHBACK, OVERHEAD OR RECEPTION MODEL NO.	APPLICABLE TACK BOARD
TESSERA	
59N9024SOS3MGW	NAC2811TBRA
59N9024SOS3MGL	NAC2811TBRA
59N9024SOS3MW	NAC2811TBRA
59N9024SOS3MLW	NAC2811TBRA
59N9024SOS3ML	NAC2811TBRA
59N7224SOS3MGW	NAC2211TBRA
59N7224SOS3MGL	NAC2211TBRA
59N7224SOS3MW	NAC2211TBRA
59N7224SOS3MLW	NAC2211TBRA
59N7224SOS3ML	NAC2211TBRA
59N6024SOS3MGW	NAC1811TBRA
59N6024SOS3MGL	NAC1811TBRA
59N6024SOS3MW	NAC1811TBRA
59N6024SOS3MLW	NAC1811TBRA
59N6024SOS3ML	NAC1811TBRA
59N6036SMTSLLW	NAC2811TBRA
59N6036SMTSLRW	NAC2811TBRA
59N6036SMTSRLW	NAC2811TBRA
59N6036SMTSRRW	NAC2811TBRA
59N6036SMTSCLW	NAC2811TBRA
59N6036SMTSCRW	NAC2811TBRA
59N6036SMTSLLLW	NAC2811TBRA
59N6036SMTSLRLW	NAC2811TBRA
59N6036SMTSRLLW	NAC2811TBRA
59N6036SMTSRRLW	NAC2811TBRA
59N6036SMTSCLLW	NAC2811TBRA
59N6036SMTSCRLW	NAC2811TBRA
59N6036SMTSLLL	NAC2811TBRA
59N6036SMTSLRL	NAC2811TBRA
59N6036SMTSRLL	NAC2811TBRA
59N6036SMTSRRL	NAC2811TBRA
59N6036SMTSCLL	NAC2811TBRA
59N6036SMTSCRL	NAC2811TBRA
59N6036SMTSLLGW	NAC2811TBRA
59N6036SMTSLLGW	NAC2811TBRA
59N6036SMTSLRGW	NAC2811TBRA
59N6036SMTSLRGW	NAC2811TBRA
59N6036SMTSCLGW	NAC2811TBRA
59N6036SMTSCRGW	NAC2811TBRA
59N6036SMTSLLGL	NAC2811TBRA
59N6036SMTSLLGL	NAC2811TBRA
59N6036SMTSLRGL	NAC2811TBRA
59N6036SMTSLRGL	NAC2811TBRA
59N6036SMTSCLGL	NAC2811TBRA
59N6036SMTSCRGL	NAC2811TBRA

Applicable tack board recommendation is the largest model that will fit within the highback organizer or under the overhead. If a smaller size is desired, reference individual dimensions and specify the tack board accordingly.

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade/Color

SAMPLE MODEL NUMBER:

NAC8819TBRA A 3705

• See page 383 for all options available in Accessories

TACK BOARD



Front view

MODEL NO./DESCRIPTION		GRADE A	LIST PRICE GRADE B/COM	D	DIMENSIONS W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
20" HIGH										
NAC8020TBRA	Railroad	$ 744	$ 845	½	80³⁄₁₆	20¼	—	—	26 lbs.	1.5
NAC7420TBRA	Railroad	735	832	½	74¼	20¼	—	—	25 lbs.	1.4
QNAC6920TBRA_ _ _ _	Railroad	672	764	½	68⁹⁄₁₆	20¼	—	—	24 lbs.	1.3
NAC6920TBRA	Railroad	672	764	½	68⁹⁄₁₆	20¼	—	—	24 lbs.	1.3
NAC6320TBRA	Railroad	630	714	½	62⁹⁄₁₆	20¼	—	—	22 lbs.	1.4
NAC5720TBRA	Railroad	595	670	½	56½	20¼	—	—	20 lbs.	1.1
19" HIGH										
NAC8819TBRA	Railroad	$ 773	$ 887	½	88⁹⁄₁₆	19½	—	—	31 lbs.	2.0
NAC8219TBRA	Railroad	728	834	½	82⁹⁄₁₆	19½	—	—	29 lbs.	1.9
NAC7619TBRA	Railroad	685	784	½	76⅛	19½	—	—	26 lbs.	1.7
NAC7419TBRA	Railroad	672	769	½	74⁹⁄₁₆	19½	—	—	24 lbs.	1.5
NAC7219TBRA	Railroad	658	755	½	71¹³⁄₁₆	19½	—	—	25 lbs.	1.6
QNAC7019TBRA_ _ _ _	Railroad	657	749	½	70⅛	19½	—	—	25 lbs.	1.6
NAC7019TBRA	Railroad	657	749	½	70⅛	19½	—	—	25 lbs.	1.6
NAC6919TBRA	Railroad	656	748	½	68¹⁵⁄₁₆	19½	—	—	23 lbs.	1.5
NAC6819TBRA	Railroad	651	739	½	68⅛	19½	—	—	22 lbs.	1.4
NAC6719TBRA	Railroad	649	737	½	66¹³⁄₁₆	19½	—	—	24 lbs.	1.5
NAC6619TBRA	Railroad	648	736	½	65⅞	19½	—	—	23 lbs.	1.5
NAC6419TBRA	Railroad	623	707	½	64⅛	19½	—	—	22 lbs.	1.5
NAC6319TBRA	Railroad	613	697	½	63⁷⁄₁₆	19½	—	—	21 lbs.	1.4
NAC6219TBRA	Railroad	598	682	½	62⅛	19½	—	—	20 lbs.	1.3
NAC6119TBRA	Railroad	593	677	½	61⅛	19½	—	—	21 lbs.	1.4
NAC6019TBRA	Railroad	583	667	½	59⅞	19½	—	—	21 lbs.	1.4
NAC5819TBRA	Railroad	576	653	½	58⅛	19½	—	—	20 lbs.	1.3
NAC5619TBRA	Railroad	567	644	½	56⅛	19½	—	—	18 lbs.	1.2
NAC5419TBRA	Railroad	564	641	½	54⁹⁄₁₆	19½	—	—	17 lbs.	1.3
NAC5219TBRA	Railroad	559	636	½	52⁹⁄₁₆	19½	—	—	18 lbs.	1.2
NAC5019TBRA	Railroad	553	619	½	50⅛	19½	—	—	16 lbs.	1.1

- For use with highback organizers or overhead cabinets
- Tack board is unfinished on back
- Gap provided between spacer blocks to provide cord management
- Hardware included to attach to either a highback organizer or an architectural wall.
- Fabric will be railroaded
- Reference tack board applicability on pages 413-414

TACK BOARDS

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade/Color

SAMPLE MODEL NUMBER:

NAC4919TBRA A 3705

• See page 383 for all options available in Accessories

TACK BOARD (CONTINUED)



Front view

MODEL NO./DESCRIPTION		GRADE A	GRADE B/ COM	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
19" HIGH CONT.										
NAC4919TBRA	Railroad	$ 550	$ 616	½	49³⁄₁₆	19½	–	–	18 lbs.	1.2
NAC4819TBRA	Railroad	548	614	½	47⅞	19½	–	–	17 lbs.	1.1
NAC4619TBRA	Railroad	534	600	½	46³⁄₁₆	19½	–	–	16 lbs.	1.1
NAC4419TBRA	Railroad	523	589	½	44⅛	19½	–	–	14 lbs.	1.0
NAC4219TBRA	Railroad	512	578	½	41¹⁵⁄₁₆	19½	–	–	15 lbs.	1.0
NAC3819TBRA	Railroad	482	548	½	38³⁄₁₆	19½	–	–	12 lbs.	0.8
QNAC3619TBRA	Railroad	461	516	½	35¹⁵⁄₁₆	19½	–	–	13 lbs.	0.9
NAC3619TBRA	Railroad	461	516	½	35¹⁵⁄₁₆	19½	–	–	13 lbs.	0.9
NAC3519TBRA	Railroad	455	510	½	35³⁄₁₆	19½	–	–	12 lbs.	0.8
NAC3219TBRA	Railroad	433	477	½	32³⁄₁₆	19½	–	–	11 lbs.	0.7
QNAC3019TBRA	Railroad	424	468	½	29¹⁵⁄₁₆	19½	–	–	11 lbs.	0.7
NAC3019TBRA	Railroad	424	468	½	29¹⁵⁄₁₆	19½	–	–	11 lbs.	0.7
NAC1819TBRA	Railroad	339	372	½	18³⁄₁₆	19½	–	–	7 lbs.	0.4
18" HIGH										
NAC3618TBRA	Railroad	$ 461	$ 516	½	35⁹⁄₁₆	18⅛	–	–	12 lbs.	0.8
NAC3018TBRA	Railroad	424	468	½	29⁹⁄₁₆	18⅛	–	–	10 lbs.	0.7
17" HIGH										
NAC8117TBRA	Railroad	$ 707	$ 813	½	80¹⁵⁄₁₆	16¹³⁄₁₆	–	–	26 lbs.	1.5
NAC7917TBRA	Railroad	705	806	½	78¾	16¹³⁄₁₆	–	–	25 lbs.	1.5
NAC7517TBRA	Railroad	666	763	½	74¹⁵⁄₁₆	16¹³⁄₁₆	–	–	25 lbs.	1.4
NAC7317TBRA	Railroad	661	753	½	72¹⁵⁄₁₆	16¹³⁄₁₆	–	–	24 lbs.	1.4
QNAC6917TBRA_ _ _ _	Railroad	656	748	½	69⁹⁄₁₆	17⁷⁄₁₆	–	–	22 lbs.	1.4
NAC6917TBRA	Railroad	656	748	½	69⁹⁄₁₆	17⁷⁄₁₆	–	–	22 lbs.	1.4
QNAC6717TBRA_ _ _ _	Railroad	649	737	½	67⅛	16¹³⁄₁₆	–	–	21 lbs.	1.4
NAC6717TBRA	Railroad	649	737	½	67⅛	16¹³⁄₁₆	–	–	21 lbs.	1.4
QNAC6617TBRA_ _ _ _	Railroad	648	736	½	66⅜	16¹³⁄₁₆	–	–	20 lbs.	1.4
NAC6617TBRA	Railroad	648	736	½	66⅜	16¹³⁄₁₆	–	–	20 lbs.	1.4
NAC6317TBRA	Railroad	613	697	½	63⅛	17⁷⁄₁₆	–	–	20 lbs.	1.3
NAC6117TBRA	Railroad	593	677	½	61⅜	16¹³⁄₁₆	–	–	19 lbs.	1.3
NAC6017TBRA	Railroad	583	667	½	60⅜	16¹³⁄₁₆	–	–	19 lbs.	1.2

- For use with highback organizers or overhead cabinets
- Tack board is unfinished on back
- Gap provided between spacer blocks to provide cord management
- Hardware included to attach to either a highback organizer or an architectural wall.
- Fabric will be railroaded
- Reference tack board applicability on pages 413-414

TACK BOARDS

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade/Color

SAMPLE MODEL NUMBER:

NAC8416TBRA A 3705

• See page 383 for all options available in Accessories

TACK BOARD (CONTINUED)



Front view

MODEL NO./DESCRIPTION		GRADE A	GRADE B/COM	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
17" HIGH CONT.											
NAC5517TBRA	Railroad	$ 512	$ 582		½	55	16 15/16	–	–	17 lbs.	1.1
NAC5417TBRA	Railroad	585	655		½	54½	16 15/16	–	–	16 lbs.	1.1
NAC3617TBRA	Railroad	461	516		½	35¾	17 1/16	–	–	12 lbs.	0.8
NAC3017TBRA	Railroad	424	468		½	29⅞	17 1/16	–	–	10 lbs.	0.7
16" HIGH											
NAC8416TBRA	Railroad	$ 640	$ 750		½	84 1/16	16	–	–	24 lbs.	1.6
NAC7616TBRA	Railroad	613	710		½	76	16	–	–	23 lbs.	1.4
NAC6916TBRA	Railroad	565	657		½	69 3/16	16½	–	–	21 lbs.	1.4
QNAC6816TBRA_ _ _ _	Railroad	550	638		½	67 13/16	16	–	–	20 lbs.	1.3
NAC6816TBRA	Railroad	550	638		½	67 13/16	16	–	–	20 lbs.	1.3
NAC6316TBRA	Railroad	520	604		½	63⅛	16½	–	–	19 lbs.	1.3
NAC6216TBRA	Railroad	497	581		½	62 1/16	16	–	–	18 lbs.	1.2
NAC5716TBRA	Railroad	496	573		½	57⅛	16½	–	–	17 lbs.	1.1
NAC5616TBRA	Railroad	494	569		½	56	16	–	–	16 lbs.	1.1
NAC4516TBRA	Railroad	440	506		½	45	16½	–	–	14 lbs.	1.0
NAC3916TBRA	Railroad	395	461		½	39	16½	–	–	12 lbs.	0.8

- For use with highback organizers or overhead cabinets
- Tack board is unfinished on back
- Gap provided between spacer blocks to provide cord management
- Hardware included to attach to either a highback organizer or an architectural wall.
- Fabric will be railroaded
- Reference tack board applicability on pages 413-414

11" HIGH											
NAC2811TBRA	Railroad	$ 386	$ 430		½	27¾	11¾	–	–		
NAC2211TBRA	Railroad	347	391		½	22	11¾	–	–		
NAC1811TBRA	Railroad	309	342		½	18	11¾	–	–		

- For use with Tessera wall mount credenzas and reception storage

TACK BOARDS

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade/Color

SAMPLE MODEL NUMBER:

NAC7014TBDA A 3705

• See page 383 for all options available in Accessories

RECEPTION TACK BOARD



Front view

MODEL NO./DESCRIPTION		LIST PRICE GRADE A	LIST PRICE GRADE B/COM	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
14" HIGH										
NAC7015TBDA	Railroad	$ 565	$ 664	½	70⅛	14½	–	–	16 lbs.	1.5
NAC6415TBDA	Railroad	520	608	½	64⅛	14½	–	–	14 lbs.	1.5
13" HIGH										
NAC7014TBDA	Railroad	$ 565	$ 664	½	69⅞	13⅞	–	–	15 lbs.	1.5
NAC6714TBDA	Railroad	562	650	½	67¼	13⅞	–	–	15 lbs.	1.5
NAC6414TBDA	Railroad	520	608	½	64⅛	13⅞	–	–	14 lbs.	1.5
NAC6114TBDA	Railroad	497	585	½	61¼	13⅞	–	–	14 lbs.	1.0
NAC6713TBDA	Railroad	550	638	½	67⅜	13⅛	–	–	15 lbs.	1.5
12" HIGH										
NAC6813TBDA	Railroad	$ 550	$ 638	½	68	12 13/16	–	–	15 lbs.	1.5
NAC7212TBDA	Railroad	565	664	½	71¾	12 3/16	–	–	16 lbs.	1.5
NAC6912TBDA	Railroad	565	653	½	69¼	12	–	–	15 lbs.	1.5
11" HIGH										
NAC6011TBDA	Railroad	$ 494	$ 582	½	59¾	11¼	–	–	14 lbs.	1.0
NAC5711TBDA	Railroad	494	571	½	57 5/16	11¼	–	–	12 lbs.	1.0
NAC4811TBDA	Railroad	436	502	½	47 13/16	11¼	–	–	10 lbs.	1.0
10" HIGH										
NAC6010TBDA	Railroad	$ 494	$ 582	½	59¾	10⅛	–	–	14 lbs.	1.0
NAC5710TBDA	Railroad	494	571	½	57 5/16	10⅛	–	–	12 lbs.	1.0
NAC4810TBDA	Railroad	436	502	½	47 13/16	10⅛	–	–	10 lbs.	1.0

- For use with reception desks and transaction counters
- Tack board is unfinished on back
- Does not include route in back for wire management
- Recommend specifying a reception counter when using tack boards on a reception desk/transaction counter
- Fabric will be railroaded
- Reference tack board applicability on pages 413-414

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL		RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
BOX/FILE HEIGHT STORAGE CUSHIONS							
NAC1820CUSH, NAC1820CUSHT			0.70	0.90	1.60	3.10	12
NAC1824CUSH, NAC1824CUSHT			0.70	1.20	1.50	2.70	12
NAC1830CUSH, NAC1830CUSHT			0.90	1.40	1.70	2.70	17
NAC1836CUSH, NAC1836CUSHT			1.10	1.40	1.70	2.70	20
NAC1840CUSH, NAC1840CUSHT			1.00	1.40	2.00	2.20	20
NAC1848CUSH, NAC1848CUSHT			1.10	1.40	1.70	2.70	20
NAC1860CUSH, NAC1860CUSHT			1.60	1.80	2.90	4.20	32
NAC1872CUSH, NAC1872CUSHT			1.70	2.10	2.90	4.20	37
NAC2024CUSH, NAC2024CUSHT			0.70	1.30	2.00	3.20	12
NAC24CUSH, NAC24CUSHT			0.80	1.30	2.30	2.20	15
NAC2424CUSH, NAC2424CUSHT			0.80	1.70	2.30	2.70	14.5
NAC2430CUSH, NAC2430CUSHT			1.20	1.70	2.30	2.70	23
NAC2436CUSH, NAC2436CUSHT			1.20	1.70	2.30	2.70	23
NAC2440CUSH, NAC2440CUSHT			1.20	1.70	2.60	3.20	24
NAC2448CUSH, NAC2448CUSHT			1.20	1.60	2.30	2.70	24
NAC2460CUSH, NAC2460CUSHT			2.10	2.70	3.80	4.20	42
NAC2472CUSH, NAC2472CUSHT			2.10	2.70	3.80	4.20	42
NAC2552CUSH, NAC2552CUSHT			1.90	2.80	4.10	4.60	37
NAC2727CUSH, NAC2727CUSHT			1.40	1.80	2.50	2.70	28
NAC2828CUSH, NAC2828CUSHT			1.50	1.90	2.60	3.20	29
NAC36CUSH, NAC36CUSHT			1.60	2.00	2.60	3.60	30
NAC3636CUSH, NAC3636CUSHT			1.70	2.10	2.60	4.10	33
TOSS ACCENT PILLOWS							
N10PBL1806			0.60	0.70	0.70	0.90	12
N10PBL1806X	Upholstery		0.60	0.70	0.70	0.90	6
	Accent		0.30	0.30	0.50	0.70	3
N10PBL1806P			0.60	0.70	0.70	0.90	12
N10PBL1806PX	Upholstery		0.60	0.70	0.70	0.90	6
	Piping		0.10	0.10	0.10	0.10	2
	Accent		0.30	0.30	0.50	0.70	3
N10PSQ1414			0.60	0.70	0.70	0.80	12
N10PSQ1414X	Upholstery		0.60	0.70	0.70	0.80	6
	Back		0.60	0.70	0.70	0.80	6
N10PSQ1414P			0.70	0.70	0.70	0.80	14
N10PSQ1414PX	Upholstery		0.60	0.70	0.70	0.80	6
	Back		0.60	0.70	0.70	0.80	6
	Piping		0.10	0.10	0.10	0.10	2
N10PSQ1414B			0.60	0.70	0.70	0.80	12
N10PSQ1414BX	Upholstery		0.60	0.70	0.70	0.80	6
	Back		0.60	0.70	0.70	0.80	6
	Accent		0.10	0.10	0.10	0.10	1
N10PSQ1414BP			0.70	0.70	0.70	0.80	14
N10PSQ1414BPX	Upholstery		0.60	0.70	0.70	0.80	6
	Back		0.60	0.70	0.70	0.80	6
	Piping		0.10	0.10	0.10	0.10	2
	Accent		0.10	0.10	0.10	0.10	1
N10PSQ1616			0.70	0.80	1.10	2.00	13
N10PSQ1616X	Upholstery		0.70	0.80	1.10	1.30	7
	Back		0.70	0.80	1.10	1.30	7
N10PSQ1616P			0.70	1.10	1.10	2.00	14

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
N10PSQ1616PX	Upholstery	0.70	0.80	1.10	1.30	7
	Back	0.70	0.80	1.10	1.30	7
	Piping	0.20	0.20	0.20	0.20	4
N10PSQ1616B		0.70	0.80	1.10	2.00	13
N10PSQ1616BX	Upholstery	0.70	0.80	1.10	1.30	7
	Back	0.70	0.80	1.10	1.30	7
	Accent	0.20	0.20	0.20	0.20	1
N10PSQ1616BP		0.70	0.80	1.10	2.00	14
N10PSQ1616PBX	Upholstery	0.70	0.80	1.10	1.30	7
	Back	0.70	0.80	1.10	1.30	7
	Piping	0.20	0.20	0.20	0.20	4
	Accent	0.20	0.20	0.20	0.20	1
N10PSQ1818		0.70	0.90	1.70	2.40	14
N10PSQ1818X	Upholstery	0.70	0.90	1.00	1.30	8
	Back	0.70	0.90	1.00	1.30	8
N10PSQ1818P		0.80	0.90	1.70	2.40	13
N10PSQ1818PX	Upholstery	0.70	0.90	1.00	1.30	8
	Back	0.70	0.90	1.00	1.30	8
	Piping	0.20	0.20	0.20	0.20	4
N10PSQ1818B		0.70	0.90	1.70	2.40	14
N10PSQ1818BX	Upholstery	0.70	0.90	1.00	1.30	8
	Back	0.70	0.90	1.00	1.30	8
	Accent	0.20	0.20	0.20	0.20	1
N10PSQ1818BP		0.80	0.90	1.70	2.40	15
N10PSQ1818PBX	Upholstery	0.70	0.90	1.00	1.30	8
	Back	0.70	0.90	1.00	1.30	8
	Piping	0.20	0.20	0.20	0.20	13
	Accent	0.20	0.20	0.20	0.20	1
N10PRT1508		0.40	0.50	0.60	1.30	8
N10PRT1508X	Upholstery	0.40	0.50	0.60	0.80	4
	Back	0.40	0.50	0.60	0.80	4
N10PRT1508L, N10PRT1508R, N10PRT1508C		0.40	0.50	0.60	1.30	8
N10PRT1508LX, N10PRT1508RX, N10PRT1508CX	Upholstery	0.40	0.50	0.60	0.80	4
	Back	0.40	0.50	0.60	0.80	4
	Accent	0.40	0.50	0.60	0.80	4
N10PRT1508P		0.50	0.50	0.60	1.30	10
N10PRT1508PX	Upholstery	0.40	0.50	0.60	0.80	4
	Back	0.40	0.50	0.60	0.80	4
	Piping	0.10	0.10	0.10	0.10	2
N10PRT1508LP, N10PRT1508RP, N10PRT1508CP		0.50	0.50	0.60	1.30	10
N10PRT1508LPX, N10PRT1508RPX, N10PRT1508CPX	Upholstery	0.40	0.50	0.60	0.80	4
	Back	0.40	0.50	0.60	0.80	4
	Piping	0.10	0.10	0.10	0.10	2
	Accent	0.40	0.50	0.60	0.80	4

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
WEDGES						
N10PWD1816		0.90	1.20	1.50	1.80	
N10PWD1816X	Upholstery	0.70	0.70	1.00	1.20	
	Back	0.60	0.60	0.90	0.80	
	Accent	0.60	0.60	0.90	0.80	
N10PWD2116		1.10	1.20	1.50	1.80	
N10PWD2116X	Upholstery	0.70	0.70	1.00	1.20	
	Back	0.60	0.60	0.90	0.80	
	Accent	0.60	0.60	0.90	0.80	
N10PWD2416		1.20	1.50	1.90	1.80	
N10PWD2416X	Upholstery	0.70	0.70	1.00	1.20	
	Back	0.60	0.60	0.90	0.80	
	Accent	0.60	0.60	0.90	0.80	
MOBILE PEDS						
CLN2016PMBFC		0.90	1.00	1.10	1.00	
25N2315PMBFCL		0.90	1.00	1.10	1.00	
25N2315PMBFCW		0.90	1.00	1.10	1.00	
75N2315PMBFC		0.90	1.00	1.10	1.00	
WW2315PMBFCL		0.90	1.00	1.10	1.00	
WW2315PMBFCW		0.90	1.00	1.10	1.00	
WW2315PMBFCM		1.00	1.00	1.00	1.00	
WW2315PMBFC2M		1.00	1.00	1.00	1.00	
TESSERA						
59N1872BN1F		1.50	1.80	2.80	4.60	30
59N1860BN1F		1.50	1.80	2.80	4.60	29
59N1854BN1F		1.50	1.80	2.80	4.60	29
59N1848BN1F		0.90	1.20	1.90	3.00	17
59N1842BN1F		0.90	1.20	1.90	3.00	17

COM YARDAGE REQUIREMENTS

TACKABLE	YARDAGE
11N1834TBA	1.00
11N1836TBA	1.00
11N1837TBA	1.00
11N1848TBA	1.00
11N1849TBA	1.00
11N20WMVF	0.75
11N20WMVFA	0.25
11N2434SWTBF	1.10
11N2434SWTBFA	1.50
11N2434SWTBP	0.50
11N2434SWTBPA	0.80
11N2434TBA	1.00
11N2436SWTBF	1.10
11N2436SWTBFA	1.30
11N2436SWTBP	0.50
11N2436SWTBPA	0.80
11N2436TBA	1.00
11N2437SWTBF	1.20
11N2437SWTBFA	1.30
11N2437SWTBP	0.50
11N2437SWTBPA	0.80
11N2437TBA	1.00
11N2448SWTBF	1.50
11N2448SWTBFA	1.10
11N2448SWTBP	0.90
11N2448SWTBPA	0.80
11N2448TBA	1.00
11N2449SWTBF	1.50
11N2449SWTBFA	1.10
11N2449SWTBP	0.90
11N2449SWTBPA	0.80
11N2449TBA	1.00
11N3034SWTBF	1.10
11N3034SWTBFA	1.60
11N3034SWTBP	0.50
11N3034SWTBPA	1.00
11N3034TBA	1.25
11N3036SWTBF	1.10
11N3036SWTBFA	1.50
11N3036SWTBP	0.50
11N3036SWTBPA	1.00
11N3036TBA	1.25
11N3037SWTBF	1.20
11N3037SWTBFA	1.50
11N3037SWTBP	0.50
11N3037SWTBPA	1.00
11N3037TBA	1.25
11N3048SWTBF	1.50
11N3048SWTBFA	1.30
11N3048SWTBP	0.90
11N3048SWTBPA	1.00
11N3048TBA	1.25
11N3049SWTBF	1.50
11N3049SWTBFA	1.30
11N3049SWTBP	0.90
11N3049SWTBPA	1.00
11N3049TBA	1.25

TACKABLE	YARDAGE
11N31WMVF	1.00
11N31WMVFA	0.25
11N34TCF	1.00
11N34TCFA	0.25
11N3634SWTBF	1.10
11N3634SWTBFA	1.80
11N3634SWTBP	0.50
11N3634SWTBPA	1.10
11N3634TBA	1.50
11N3636SWTBF	1.10
11N3636SWTBFA	1.60
11N3636SWTBP	0.50
11N3636SWTBPA	1.10
11N3636TBA	1.50
11N3637SWTBF	1.20
11N3637SWTBFA	1.60
11N3637SWTBP	0.50
11N3637SWTBPA	1.10
11N3637TBA	1.50
11N3648SWTBF	1.50
11N3648SWTBFA	1.50
11N3648SWTBP	0.90
11N3648SWTBPA	1.10
11N3648TBA	1.50
11N3649SWTBF	1.50
11N3649SWTBFA	1.50
11N3649SWTBP	0.90
11N3649SWTBPA	1.10
11N3649TBA	1.50
11N36TCF	1.25
11N36TCFA	0.25
11N37TCF	1.25
11N37TCFA	0.25
11N4234SWTBF	1.10
11N4234SWTBFA	2.00
11N4234SWTBP	0.50
11N4234SWTBPA	1.30
11N4234TBA	1.50
11N4236SWTBF	1.10
11N4236SWTBFA	1.80
11N4236SWTBP	0.50
11N4236SWTBPA	1.30
11N4236TBA	1.50
11N4237SWTBF	1.20
11N4237SWTBFA	1.80
11N4237SWTBP	0.50
11N4237SWTBPA	1.30
11N4237TBA	1.50
11N4248SWTBF	1.50
11N4248SWTBFA	1.60
11N4248SWTBP	0.90
11N4248SWTBPA	1.30
11N4248TBA	1.50
11N4249SWTBF	1.50
11N4249SWTBFA	1.60
11N4249SWTBP	0.90
11N4249SWTBPA	1.30

COM YARDAGE REQUIREMENTS

TACKABLE	YARDAGE
11N4249TBA	1.50
11N4834SWTBF	1.10
11N4834SWTBFA	2.10
11N4834SWTBP	0.50
11N4834SWTBPA	1.50
11N4834TBA	1.75
11N4836SWTBF	1.10
11N4836SWTBFA	2.00
11N4836SWTBP	0.50
11N4836SWTBPA	1.50
11N4836TBA	1.75
11N4837SWTBF	1.20
11N4837SWTBFA	2.00
11N4837SWTBP	0.50
11N4837SWTBPA	1.50
11N4837TBA	1.75
11N4848SWTBF	1.50
11N4848SWTBFA	1.80
11N4848SWTBP	0.90
11N4848SWTBPA	1.50
11N4848TBA	1.75
11N4849SWTBF	1.50
11N4849SWTBFA	1.80
11N4849SWTBP	0.90
11N4849SWTBPA	1.50
11N4849TBA	1.75
11N48TCF	1.50
11N48TCFA	0.25
11N49TCF	1.50
11N49TCFA	0.25
11N5434TBA	2.00
11N5436TBA	2.00
11N5437TBA	2.00
11N5448TBA	2.00
11N5449TBA	2.00
11N6034TBA	2.00
11N6036TBA	2.00
11N6037TBA	2.00
11N6048TBA	2.00
11N6049TBA	2.00
26N2411SWTBA	0.80
26N2411TBA	0.80
26N2432TBA	0.80
26N2439TBA	0.80
26N3011SWTBA	1.00
26N3011TBA	1.00
26N3032TBA	1.00
26N3039TBA	1.00
26N3611SWTBA	1.10
26N3611TBA	1.10
26N3632TBA	1.10
26N3639TBA	1.20
26N4211SWTBA	1.30
26N4211TBA	1.30
26N4232TBA	1.30
26N4239TBA	1.30
26N4811SWTBA	1.50

TACKABLE	YARDAGE
26N4811TBA	1.50
26N4832TBA	1.50
26N4839TBA	1.50
26N5411SWTBA	1.60
26N5411TBA	1.60
26N5432TBA	1.70
26N5439TBA	1.70
26N6011SWTBA	1.80
26N6011TBA	1.80
26N6032TBA	1.80
26N6039TBA	1.80
26N6611SWTBA	2.00
26N6611TBA	2.00
26N6632TBA	2.00
26N6639TBA	2.00
26N7211SWTBA	2.10
26N7211TBA	2.10
26N7232TBA	2.20
26N7239TBA	2.20
NAC1811TBRA	1.00
NAC1819TBCA	0.75
NAC1819TBRA	0.75
NAC2211TBDA2	0.75
NAC2211TBRA	1.00
NAC2811TBRA	1.00
NAC3017TBRA	1.00
NAC3018TBRA	1.00
NAC3019TBCA	1.00
NAC3019TBRA	1.00
NAC3219TBRA	1.00
NAC3220TBM	0.70
NAC3220TBMA	1.00
NAC3519TBRA	1.25
NAC3617TBRA	1.25
NAC3618TBRA	1.25
NAC3619TBCA	1.25
NAC3619TBRA	1.25
NAC3819TBRA	1.50
NAC3820TBM	0.70
NAC3820TBMA	1.20
NAC3916TBRA	1.50
NAC4219TBCA	1.50
NAC4219TBRA	1.50
NAC4419TBRA	1.50
NAC4420TBM	0.70
NAC4420TBMA	1.40
NAC4516TBRA	1.50
NAC4619TBRA	1.50
NAC4810TBDA	1.50
NAC4811TBDA	1.50
NAC4819TBRA	1.50
NAC4819TBSA	1.50
NAC4919TBRA	1.50
NAC5019TBRA	1.50
NAC5219TBRA	1.75
NAC5417TBRA	1.60
NAC5419TBRA	1.75

COM YARDAGE REQUIREMENTS

TACKABLE	YARDAGE
NAC5517TBRA	1.60
NAC5616TBRA	1.70
NAC5619TBRA	1.75
NAC5620TBM	N/A
NAC5620TBMA	1.70
NAC5710TBDA	1.75
NAC5711TBDA	1.75
NAC5716TBRA	1.75
NAC5720TBRA	1.70
NAC5819TBRA	1.75
NAC6010TBDA	2.00
NAC6011TBDA	2.00
NAC6017TBRA	2.00
NAC6019TBRA	2.00
NAC6019TBSA	2.00
NAC6114TBDA	2.00
NAC6117TBRA	2.00
NAC6119TBRA	2.00
NAC6216TBRA	2.00
NAC6219TBRA	2.00
NAC6316TBRA	2.00
NAC6317TBRA	2.00
NAC6319TBRA	2.00
NAC6320TBRA	2.00
NAC6414TBDA	2.00
NAC6415TBDA	2.00
NAC6419TBRA	2.00
NAC6617TBRA	2.00
NAC6619TBRA	2.00
NAC6619TBSA	2.00
NAC6713TBDA	2.00
NAC6714TBDA	2.00
NAC6717TBRA	2.00
NAC6719TBRA	2.00
NAC6813TBDA	2.00
NAC6816TBRA	2.00
NAC6819TBRA	2.00
NAC6820TBMA	2.10
NAC6912TBDA	2.00
NAC6916TBRA	2.25
NAC6917TBRA	2.25
NAC6919TBRA	2.25
NAC6920TBRA	2.25
NAC7014TBDA	2.25
NAC7015TBDA	2.25
NAC7019TBRA	2.25
NAC7212TBDA	2.25
NAC7219TBRA	2.25
NAC7219TBSA	2.25
NAC7317TBRA	2.10
NAC7419TBRA	2.25
NAC7420TBRA	2.20
NAC7517TBRA	2.20
NAC7616TBRA	2.20
NAC7619TBRA	2.25

TACKABLE	YARDAGE
NAC7917TBRA	2.30
NAC8020TBRA	2.30
NAC8117TBRA	2.40
NAC8219TBRA	2.50
NAC8416TBRA	2.50
NAC8819TBRA	2.75
NAC2132PVMC2PFA	1.50
NAC2432PVMC2PFA	1.75
NAC2732PVMC2PFA	1.75
NAC3032PVMC2PFA	2.00
NAC3632PVMC2PFA	2.25
NAC4232PVMC2PFA	2.60
NAC4832PVMC2PFA	3.00
NAC5432PVMC2PFA	3.25
NAC6032PVMC2PFA	3.60
NAC6632PVMC2PFA	4.00
NAC7232PVMC2PFA	4.25
NAC2124PVC2PFA	0.75
NAC2424PVC2PFA	1.00
NAC2724PVC2PFA	1.00
NAC3024PVC2PFA	1.00
NAC3624PVC2PFA	1.25
NAC4224PVC2PFA	1.50
NAC4824PVC2PFA	1.50
NAC5424PVC2PFA	1.75
NAC6024PVC2PFA	2.00
NAC6624PVC2PFA	2.00
NAC7224PVC2PFA	2.25
NAC2118PVS2PFA	0.75
NAC2418PVS2PFA	1.00
NAC2718PVS2PFA	1.00
NAC3018PVS2PFA	1.00
NAC3618PVS2PFA	1.25
NAC4218PVS2PFA	1.50
NAC4818PVS2PFA	1.50
NAC5418PVS2PFA	1.75
NAC6018PVS2PFA	2.00
NAC6618PVS2PFA	2.00
NAC7218PVS2PFA	2.25
71N4518PVBPFA	1.50
71N5118PVBPFA	2.00
71N5718PVBPFA	2.00
71N6318PVBPFA	2.00
71N6918PVBPFA	2.50
71N4623PVCPFA	1.50
71N5223PVCPFA	2.00
71N5823PVCPFA	2.00
71N6423PVCPFA	2.00
71N7023PVCPFA	2.50
71N3824PVBPFA	1.50
71N4424PVBPFA	1.50
71N5024PVBPFA	2.00
71N5624PVBPFA	2.00
71N6224PVBPFA	2.00

NATIONAL®

1600 ROYAL STREET, JASPER, IN 47546
TOLL FREE **800.482.1717**
WEB **NATIONALOFFICEFURNITURE.COM**

A UNIT OF KIMBALL INTERNATIONAL, ©2018

NPL122

10.03.22

PRICE LIST

CASEGOODS

BACK

TABLE OF CONTENTS

Quick Delivery Program 4
Intellectual Property 4
Finishes and Materials 4
National Seating Upholstery 5
Alliance Program Textiles 11
COM 12
Gallery Laminate Program 14

ALLOY™ CASEGOODS 15

EPIC® CASEGOODS 85

Product Specifications 86
Configuration Options 87
Grommet Location Options 92
Guidelines/General Information 93
Drawer Specifications 93
Assembled 94
EZ Arrangements 94
Assembled Units 98
Components 147
Component Units 148

EPICENTER® 203

Product Specifications 204
Configuration Options 205
Epicenter Units 212

LOCHLYN® 259

Product Specifications 260
Options 261
Metal Frames 266

NAVIYD™ 323

Product Specifications 324
Product Planning Information 325
Options 327
Factory Installed Grommet Options 328
Factory Installed Cutout 329
Table Bases and Worksurfaces 330
Configured Desks 338
Accessories 350
Modesty Panels 351
Privacy Screens 352

WAVEWORKS® CASEGOODS 353

Product Specifications 354
Configuration Options 356
Grommet Location Options 362
Guidelines/General Information 363
Drawer Specifications 363
Assembled 364
EZ Arrangements 364
Assembled Units 372
Components 461
Component Units 484

WAVEWORKS® METAL CASEGOODS 555

Product Specifications 556
Configuration Options 557
Specification Tips 559
Modesty Panels 559
Metals Planning Guide 560
Metal Arrangement Models 564
Metal Units 588

EXHIBIT™WALL RAIL SOLUTION 607

Product Specifications 608
Options 610
Wall Rail 614
Tack Board Inserts 615
Marker Board Inserts 617
Slat Wall/Slat Wall Combo Inserts 619
Shelf Inserts 623
TV Mount Inserts 653
End Trims/Trim Channels 656
Work Tools 659

BASES AND SUPPORT 663

Span Between Table Legs 664
Base Requirements 665
"L" Adjustable Height Bases 700
"L" Worksurfaces 704

ACCESSORIES 741

COM YARDAGE REQUIREMENTS 785

REVISION SUMMARY 791

- DIMENSIONS REFLECTED IN THIS BOOK ARE NOMINAL
- NATIONAL RESERVES THE RIGHT TO CHANGE ANY PRODUCT SPECIFICATIONS CONTAINED IN THIS PRICE LIST

GENERAL INFORMATION

QUICK DELIVERY PROGRAM

Our most popular series and options are available to deliver to you in 10 days or less through our Quick Delivery program. We offer a wide variety of product solutions to outfit any space and coordinate with any style, for no upcharge. From private office and open plan areas to reception and collaborative spaces, our complete portfolio of Quick Delivery solutions offers endless possibilities, all delivered within 10 days or less.

Specific models from the following series are available on Quick Delivery:

Alloy	Bases and Support
Epic	Toss
WaveWorks	Accessories

QUICK DELIVERY MODEL NUMBERS

Quick Delivery model numbers are tagged with a "Q" and/or shaded in grey throughout the price list.

QUICK DELIVERY ORDERING

We will not accept changes or cancellations for Quick Delivery orders. The Quick Delivery orders must contain only Quick Delivery models - submit a separate order for any products that are not included in the program. Remember that t time to complete the order is based on business days and does not include weekends or holidays. The day your order is placed with National counts day zero.

QUICK DELIVERY QUANTITIES

Need 20 guest chairs in 10 business days or less? No problem Delivery program, we've got you covered. Need more than 20 and we'll work with you to get what you need, when you ne demand exceeds capacity. Then, orders are subject to av

INTELLECTUAL PROPERTY

Acquaint®, Admire®, Alloy™, Arlington , Barrington®, Cinch®, Collette®, Confide®, Davari® und™, Eloquence®, Epic®, Epicenter®, Escalade®, Ess , Fierce®, Fold™, Footings™, Fringe®, Fuel®, Grin® vel™, Jiminy®, Jovalie™, Karid™, Kozmic™, Laudio®, La ®, Maneuver®, Marnia™, Mio™, Mix-it®, Monterrey™, M ®, Renegade™, Reno®, Respect®, Rizora®, Roose , Tag®, Tarver™, Tellaro®, Tessera®, Timberlane™ ph™, Volute®, Vora®, WaveWorks®, Weitz®, Weli®, Whims are registered trademarks of National Office Furr ther parties are identified wherever possible and Nati ir rights.

BLOCKaide™ a ered trademarks of Interface, Inc.

Brisa®, Bris aleather™ are registered trademarks of Ultrafabr

Interli nd Willow™ are registered trademarks of Byrne Ele

egistered trademark of McDonough Braungart Design

istered trademark of Crypton, Inc.

oft²™, PERMABLOK®, SILVERGUARD® and Silvertex™ are of Spradling Holdings, Inc.

ggler® is a registered trademark of Hilti Corporation.

or Advantage™ is a trademark of Scientific Certification Systems.

tercoupler™ is a trademark of Power Logic SA (Pty), Ltd.

LEED® is a registered trademark of the U.S. Green Building Council.

level® is a registered trademark of BIFMA International.

Post-it® and Scotchgard™ are registered trademarks of 3M.

Repreve® and U Trust™ are registered trademarks of UNIFI, Inc.

Silverguard® is a registered trademark of Life Bioscience USA, LLC.

Velcro® is a registered trademark of Velcro Industries B.V.

FINISHES AND MATERIALS

WOOD FINISH COLOR MATCHING

Each piece of natural veneer offers unique texture and grain. Minor variations in finish color and value may occur due to the natural characteristics of wood. National carefully selects all materials used in every product ensuring a commercially acceptable color and finish. Factors such as aging and exposure to light alter finishes.

FABRIC COLOR MATCHING

National will always ship a satisfactory commercial match on fabric. Because of industry dye-lot variation, colors may not match exactly.

SEATING FINISH

National's seating finishes can withstand cleaning solutions that include bleach, hydrogen peroxide (Virox), alcohol (CaviWipes, hand sanitizers), quaternary ammonium compounds (Virex, Ecolab A-456 II, Lysol), and phenols (Wex-cide) when they are used in accordance with the manufacturer's label instructions.

For more information about our products and services or to find a certified National® dealer near you, please visit us at NationalOfficeFurniture.com or contact our customer service team at 800.482.1717.

CONTRACT TERMS OF 23109/PC68387 PREVAIL

NATIONAL SEATING FABRIC OFFERING

Shaded patterns are available on Quick Delivery models

CALI — GRADE 1

79% Polyester, 21% Rayon
54" Wide
Livesmart Finish; Polyester Backing
Repeat: None
Cleaning Code: W
75,000 Double Rubs

11601 Cactus	11605 Sunset	11609 Surf
11602 Beach	11606 Boardwalk	11610 Coast
11603 Sand	11607 Pier	11611 Boulder
11604 Desert	11608 Vineyard	

ENTWINE — GRADE 1

100% Polyester, 60% Post-Consumer Recycled
54" Wide
PFOA-Free Stain Repellant Finish/Latex Backing
Repeat: None
Cleaning Code: WS
100,000 Double Rubs

13110 Iron	13117 Deep Sea	13124 Scarlet
13111 Driftwood	13118 Sky	13125 Squash
13112 Pewter	13119 Berry	13126 Emerald
13113 Coconut	13120 Pistachio	13127 Harbor
13114 Khaki	13121 Fatigue	13128 Space
13115 Star	13122 Mykonos	13129 Rose
13116 Sage	13123 Azure	

INPUT — GRADE 1

94% Post-Consumer Recycled Polyester, 6% Pre-Consumer Recycled Polyester
54" Wide
No Finish, Acrylic Backing
Repeat: 12.25" H x 2.5" V
Cleaning Code: WS or 10:1 Bleach Solution
100,000 Double Rubs

14710 Cloud	14770 Lime	14830 Midnight
14720 Dove	14780 Pine	14840 Orchid
14730 Coal	14790 Mint	14850 Raisin
14740 Jet	14800 Tiffany	14860 Crimson
14750 Fossil	14810 Sky	14870 Flame
14760 Bisque	14820 Delft	14880 Squash

MELANGE — GRADE 1

100% Polyester, 75% Post-Consumer Recycled
54" Wide
PFOA-Free Stain Repellant Finish/Latex Backing
Repeat: None
Cleaning Code: WS
100,000 Double Rubs

14110 Lead	14116 Night Sky	14121 Pansy
14111 Ebony	14117 Aspen	14122 Cherry
14112 Stucco	14118 Red Pepper	14123 Leet
14113 Pumice	14119 Aloe	14124 Denim
14114 Coffee Bean	14120 Dijon	14125 Wave
14115 Alloy		

RIDGE — GRADE 1

100% Polyester
54" Wide
Teflon Finish; Latex Backing
Repeat: None
Cleaning Code: W
100,000 Double Rubs

12001 Meadow	12005 Crimson	12009 Sea Breeze
12002 Shine	12006 Driftwood	12010 Midnight
12003 Sunset	12007 Peak	12011 Sand
12004 Fog	12008 Pebble	12012 Dune

SPARK — GRADE 1

100% Polyester, 70% Post-Consumer Recycled
54" Wide
PFOA-Free Stain Repellant Finish/Latex Backing
Repeat: None
Cleaning Code: WS
100,000 Double Rubs

15001 Mallard	15006 Cloud	15111 Lawn
15002 Marine	15007 Asphalt	15112 Mocha
15003 Jam	15008 Jet	15113 Clementine
15004 Boysenberry	15009 Topaz	15114 Sand
15005 Holly	15110 Dill	

VESSEL — GRADE 1

100% Polyester
54" Wide
LiveSmart Finish; Latex Backing
Repeat: None
Cleaning Code: W
95,000 Double Rubs

11501 Leaf	11505 Bark	11509 Stone
11502 Straw	11506 Sand	11510 Coast
11503 Sunset	11507 Midnight	11511 Isle
11504 Berry	11508 Stormcloud	11512 Peacock

NATIONAL SEATING FABRIC OFFERING

Shaded patterns are available on Quick Delivery models

ZIG ZAG — GRADE 1

100% Polyester, 63% Post-Consumer Recycled
54" Wide
PFOA-Free Stain Repellant Finish/Latex Backing
Repeat: .18" H x .19" V
Cleaning Code: WS
100,000 Double Rubs

12110 Cloud	12114 Rouge	12118 Cardinal
12111 Ecru	12115 Salmon	12119 Cinnamon
12112 Sunny	12116 Cocoa	12120 Granite
12113 Leaf	12117 Marine	12121 Ink

BLISS — GRADE 2

80% Polyester, 20% Acrylic
54" Wide
Livesmart Finish; Latex Backing
Repeat: None
Cleaning Code: W
100,000 Double Rubs

21201 Jade	21208 Stream	21215 Nautical
21202 Shadow	21209 Azure	21216 Verdite
21203 Spice	21210 Icicle	21217 Eclipse
21204 Wool	21211 Slate	21218 Cliff
21205 Root	21212 Terra Cotta	21219 Raven
21206 Hearth	21213 Malbec	
21207 Ink	21214 Breeze	

BRILLIANT — GRADE 2

56% Polyester, 32% Post-Consumer Recycled Polyester, 12% Pre-Consumer Recycled Polyester
54" Wide
Stain and Soil Repellant Finish; Acrylic Backing
Repeat: None
Cleaning Code: WS
140,000 Double Rubs

22501 Parrot	22507 Ebony	22513 Almond
22502 Kiwi	22508 Elderberry	22514 Bluegrass
22503 Marigold	22509 Gravel	22515 Cobalt
22504 Azalea	22510 Indigo	22516 Currant
22505 Amaryllis	22511 Moss	22517 Coffee
22506 Cattail	22512 Cinder	

COM — GRADE 2

DOLCE — GRADE 2

100% Polyurethane
54" Wide
Superior Abrasion/Stain Resistant Finish/100% Rayon Backing
Repeat: None
Cleaning Code: Use water-based cleaning agents or foam. Mild water-free solvents may also be used. Cleaning by a professional furniture service is recommended
100,000 Double Rubs

11900 Black	11908 Fuchsia	11918 Mushroom
11901 Mocha	11909 Poppy	11919 Ecru
11902 Meteor	11910 Tangelo	11920 Dune
11903 Artesian	11912 Chocolate	11922 Cumin
11904 Indigo	11914 Latte	11923 Russet
11905 Peacock	11915 Ivory	11926 Moss
11906 Grass	11916 White	11927 Jet
11907 Citron	11917 Camel	

DORSET — GRADE 2

100% Polyester
54" Wide
Livesmart Finish; 100% Polyester Backing
Repeat: None
Cleaning Code: WS
55,000 Double Rubs

20501 Ash	20508 Cayenne	20515 Ocean Blue
20502 Avocado	20509 Charcoal	20516 Platinum
20503 Balsa	20510 Cherry	20517 Silver
20504 Black	20511 Copper	20518 Smoke Blue
20505 Black Indigo	20512 Denim	20519 Soda
20506 Blueberry	20513 Flax	20520 Taupe
20507 Camel	20514 Mulberry	

INTUITION — GRADE 2

55% Post-Consumer Recycled Polyester, 34% Pre-Consumer Recycled Polyester, 11% Polyester
54" Wide
Stain Repellant/Acrylic Backing
Repeat: None
Cleaning Code: WS
100,000 Double Rubs

31711 Bisque	31716 Honey	31721 Sage
31712 Charcoal	31717 Platinum	31722 Peacock
31713 Sand	31718 Ochre	31723 Viridian
31714 Coral	31719 Slate	31724 Admiral
31715 Hickory	31720 Scarlet	

ORBIT — GRADE 2

100% Polyester
54" Wide
Teflon Finish; Acrylic Backing
Repeat: 7" H x 6" V
Cleaning Code: W
40,000 Double Rubs

20401 Galaxy	20404 Moon	20407 Comet
20402 Nebula	20405 Star	20408 Asteroid
20403 Nova	20406 Planet	20409 Cosmic

PHRASE — GRADE 2

100% Post-Consumer Recycled Polyester
54" Wide
No Finish, Acrylic Backing
Repeat: 1.1875" V
Cleaning Code: WS or 10:1 Bleach Solution
100,000 Double Rubs

23011 Maize	23048 Cayenne	23060 Soapstone
23022 Sprout	23055 Shiraz	23070 Shale
23031 Poolside	23056 Truffle	23071 Admiral
23036 Marine	23057 Nutmeg	

Shaded patterns are available on Quick Delivery models

PIXIE — GRADE 2

100% Polyurethane
i-clean™ and Antimicrobial Finish; 85% Polyester, 15% Cotton Backing
Repeat: None
Cleaning Code: Use a soft cloth or sponge with mild soap and water to remove most soil and stains. See swatch card for additional cleaning info.
200,000 Double Rubs

20201 Lime	20206 Chocolate	20211 Malt
20202 Honey	20207 Blackberry	20212 Licorice
20203 Orange	20208 Vanilla	20213 Root Beer
20204 Caramel	20209 Blue Raspberry	
20205 Cinnamon	20210 Blueberry	

SEDONA — GRADE 2

100% Vinyl
54" Wide
PERMA**BLOK**® Finish: 100% Polyester Hi-Loft™ Backing
Repeat: None
Cleaning Code: Use a soft cloth or sponge with mild soap and water to remove most soil and stains. See swatch card for additional cleaning info.
100,000 Double Rubs

22115 Tumbleweed	22138 Botanical	22166 Sagebrush
22123 Sierra	22139 Midnight	22167 Fog
22126 Poppy	22140 Paradise	22168 Pewter
22129 Mirage	22141 Sand	22169 Putty
22131 Adobe	22142 Terra Cotta	22170 Storm
22132 Succulents	22143 Earth	22171 Fawn
22133 Sassafras	22145 Buckskin	22172 Ochre
22134 Zest	22147 Mesa	22173 Mahogany
22135 Brick Red	22151 Plateau	22174 Truffle
22136 Sunset	22157 Horizon	22177 Canyon
22137 Molten	22162 Indigo	22185 Nighthawk

STANCIL — GRADE 2

100% Polyester
54" Wide
LiveSmart/Synthetic Latex Blend Backing
Repeat: None
Cleaning Code: WS
95,000 Double Rubs

20625 Amethyst	20629 Cayenne	20633 Midnight
20626 Barley	20630 Dijon	20634 Platinum
20627 Belgian Flax	20631 Lemon Grass	20635 Slate
20628 Blue Coral	20632 Marble	20636 Turquoise

STRAND — GRADE 2

100% Polyester
54" Wide
No Finish; Acrylic Backing
Repeat: 15" H x 5" V
Cleaning Code: W
40,000 Double Rubs

20101 Charcoal	20105 Red Licorice	20109 Cumulus
20102 Mineral	20106 Wheat	20110 Coast
20103 Fudge	20107 Peacock	20111 Sand
20104 Blueberry	20108 Blaze	20112 Stone

COL — GRADE 3

SILVERTEX™ — GRADE 3

100% Vinyl
54" Wide
PERMA**BLOK**® Finish; 100% Polyester Hi-Loft™ Backing
Repeat: None
SILVER**GUARD**® Silver Ion Technology
Antifungal/Antibacterial
Cleaning Code: Use a soft cloth or sponge with mild soap and water to remove most soil and stains. See swatch card for additional cleaning info.
100,000 Double Rubs

41301 Basil	41314 Cream	41327 Marsh
41302 Ice	41315 Chestnut	41328 Bronze
41303 Mandarin	41316 Luggage	41329 Creme de Menthe
41304 Raspberry	41317 Taupe	41330 Acid
41305 Poppy	41318 Borscht	41331 Peat
41306 Mocha	41319 Lagoon	41332 Bazaar
41307 Carbon	41320 Turquoise	41333 Imperial
41308 Jet	41321 Marine Blue	41334 Plata
41309 Storm	41322 Umber	41335 Sterling
41310 Sapphire	41323 Blackberry	41336 Zest
41311 Champagne	41324 Sage	41337 Limoncello
41312 Celery	41325 Bottle	
41313 Meteor	41326 Neutra	

CONNECT FOUR — GRADE 4

100% Vinyl
54" Wide
PERMA**BLOK**® Finish; 100% Recycled Hi-Loft^{2}™ Backing
Repeat: 18" H x 18" V
Cleaning Code: Use a soft cloth or sponge with mild soap and water to remove most soil and stains. See swatch card for additional cleaning info.
100,000 Double Rubs

42402 Butterscotch	42406 Coffee Bean	42408 Sea Glass
42403 Clementine	42407 Silver Dollar	42409 Blueberry
42404 Snickerdoodle		

ECHO — GRADE 4

100% Pre-Consumer Recycled Polyester
54" Wide
Polyester Binder Finish; No Backing
Repeat: 6.75" H x 11.25" V
Cleaning Code: WS
100,000 Double Rubs

41108 Crystal	41110 Peppercorn	41112 Cedar
41109 Oxide	41111 Cabochon	41114 Henna

NATIONAL SEATING FABRIC OFFERING

Shaded patterns are available on Quick Delivery models

MASQUERADE — GRADE 4

100% Vinyl
54" Wide
PERMA**BLOK**® Finish; 100% Polyester Hi-Loft™ Backing
Repeat: None
Cleaning Code: Use a soft cloth or sponge with mild soap and water to remove most soil and stains or 10:1 Bleach Solution. See swatch card for additional cleaning info.
100,000 Double Rubs

41600 Alaska	41606 Truffle	41612 Vanilla
41601 Sage	41607 Thunder	41613 Viridian
41602 Goldenrod	41608 Wisteria	41614 Aegean
41603 Coral	41609 Indigo	41615 Sky
41604 Clay	41610 Sapphire	41616 Aqua
41605 Rose	41611 Desert	41617 Driftwood

MODE — GRADE 5

80% Post-Consumer Recycled Polyester, 20% Polyester
54" Wide
PFOA-Free Stain Repellent Finish; No Backing
Repeat: None
Cleaning Code: WS
100,000 Double Rubs

51803 Carotene	51809 Denim	51814 Hollow
51804 Kermes	51810 Intaglio	51815 Ominous
51806 Talus	51811 Clavicle	51816 Sassafras
51807 Crush	51812 Billygoat	
51808 Saltwater	51813 Sycamore	

ESSENCE/ULTRALEATHER™ — GRADE 6

100% Polycarbonate Polyurethane
54" Wide
No Finish; 100% Reinforced Rayon Backing
Repeat: None
Cleaning Code: Use a soft cloth or sponge with mild soap and water to remove most soil and stains. See swatch card for additional cleaning info.
400,000 Double Rubs

3614 Stone	3663 Walnut	3684 Charcoal
3615 Dove Grey	3667 Taupe	3690 Papyrus
3617 White	3679 Raven	3691 Pelican
3628 Midnight Metallic	3683 Pecan	3692 Admiral

BRISA® — GRADE 7

100% Polycarbonate Polyurethane
54" Wide
No Finish; 65% Polyester, 35% Rayon Backing
Repeat: None
Cleaning Code: Use a soft cloth or sponge with mild soap and water to remove most soil and stains. See swatch card for additional cleaning info.
200,000 Double Rubs

71001 Black Onyx	71007 Bark	71012 Sterling Blue
71002 Cambridge Blue	71008 Truffle	71013 Canyon
71005 Ash	71011 Desert Clay	

BRISA® DISTRESSED — GRADE 7

100% Polycarbonate Polyurethane
54" Wide
No Finish; 65% Polyester, 35% Rayon Backing
Repeat: None
Cleaning Code: Use a soft cloth or sponge with mild soap and water to remove most soil and stains. See swatch card for additional cleaning info.
200,000 Double Rubs

72003 Lasso	72007 Moccasin	72009 Shield
72005 Iron	72008 Stormy	72010 Steerhide

REEF PRO — GRADE 7

100% Polycarbonate Polyurethane
54" Wide
No Finish 65% Polyester, 35% Rayon Backing
Repeat: None
Cleaning Code: Use a soft cloth or sponge with mild soap and water to remove most soil and stains. See swatch card for additional cleaning info.
400,000 Double Rubs

71201 Captain	71204 Hammerhead	71207 Lionfish
71202 Boardwalk	71205 Stingray	71208 Saltwater
71203 Beluga	71206 Squid	

SILICA™ — GRADE 7

100% Silicone
54" Wide
No Finish; Polyester Backing
Repeat: None
Cleaning Code: W or 4:1 Bleach Solution
365,000 Double Rubs

70901 Appletini	70909 Cumulus	70917 Alloy
70906 Terra	70910 Gallant	70919 Haze
70907 Nero	70912 Ginger	70920 Tropic
70908 Skyward	70915 Quartz	70922 Eclipse

SILICA ETCH — GRADE 7

100% Silicone
54" Wide
No Finish; 100% Polyester Backing
Repeat: None
Cleaning Code: W or 4:1 Bleach Solution
270,000 Double Rubs

70701 Flint	70704 Manta	70707 Slate
70702 Ink	70705 Mink	70708 Wistful
70703 Juniper	70706 Rain	

TOTTORI — GRADE 7

100% Polycarbonate Polyurethane
54" Wide
No Finish 65% Polyester, 35% Rayon Backing
Repeat: None
Cleaning Code: Use a soft cloth or sponge with mild soap and water to remove most soil and stains. See swatch card for additional cleaning info.
400,000 Double Rubs

71401 Ginseng	71406 Soba	71411 Sand Castle
71402 Terrain	71407 Soy Sauce	71412 Classic Grey
71403 Rice Paper	71408 Blue Mirage	71413 Black Sesame
71404 Tatami Mat	71409 Hot Spring	
71405 Desert Dune	71410 Shibori Blue	

Shaded patterns are available on Quick Delivery models

DAVENPORT — GRADE L7

100% Top Grain Leather
Pigments, Protected by Crypton®
Semi-Aniline Finish Powered by Crypton; No Backing
Repeat: None
Cleaning Code: Occasional dusting with a dry cloth should be all that is necessary to clean and maintain. 1:10 Bleach Solution. See swatch card for additional cleaning info.
1,000 Cycles

70102 Camel	70117 Smoke	70123 Berry
70105 Bark	70119 Spring	70124 Bay View
70111 Brown	70120 Porcellana	70125 Fog
70112 Atlantis	70121 Cream	
70115 Black	70122 Wet Sand	

FLORENCE — GRADE L8

100% Top Grain Leather
Aniline Waxy Finish Powered by Crypton; No Backing
Distressed appearance
Repeat: None
Cleaning Code: Occasional dusting with a dry cloth should be all that is necessary to clean and maintain. 1:10 Bleach Solution. See swatch card for additional cleaning info.
500 Cycles

82001 Red Lily	82007 Vino Rosso	82013 Lorenzo
82002 Almond Biscotti	82008 Mezza Luna	82014 Basilica
82003 Brick Path	82009 Struzzo	82015 Loggia
82004 Oceano	82010 Espresso	82016 Black Pearl
82005 Boboli Gardens	82011 Duomo	
82006 Terra	82012 Scorza	

CUT YARDAGE PROGRAM

All National textiles and leathers are available on a cut yardage basis. Cut yardage must be ordered in full yards. List prices include freight.

Fabric Price Grade	US List Price Per Yard
1	$ 65
2	$101
3	$130
4	$174
5	$208
6	$279
7	$352

Leather Price Grade	US List Price Per Half Hide (25-28 sq ft)	US List Price Per Full Hide (50-57 sq ft)
L7	$ 1018	$ 2091
L8	$ 1211	$ 2489

How to specify cut yardage:

1. Model Number

   NOFUPHCUTYDG = seating fabric
   NOFLTHRHHIDE = leather (half hide)
   NOFLTHRFHIDE = leather (full hide)

2. Upholstery Grade

3. Upholstery Number

CLEANING FABRICS:

CLEANING CODE S

- Use only mild, pure water-free cleaning solvents.
- Cleaning by a professional furniture service is recommended.

CLEANING CODE WS

- Use water-based cleaning agents or foam. Mild water-free solvents may also be used.
- Cleaning by a professional furniture service is recommended.

CLEANING CODE W

- Use water-based cleaning agents or foam.
- Cleaning by a professional furniture service is recommended.

CLEANING LEATHER:

REGULAR CLEANING

- Remove as much soil or staining as possible by carefully vacuuming or brushing.
- Dust with a dry or damp cloth.

DEEP CLEANING

- Use mild non-detergent soap or cleaner. Wipe surface with a light circular motion. Repeat with clean water.
- Do not soak leather.
- Pat dry.
- Reference leather card for more information.

FABRIC CHARACTERISTICS

Different fabrics/constructions will respond better than others to specific seating applications. Certain fabrics/constructions are more prone to relaxing over time and can demonstrate characteristics such as wrinkling, pilling, fuzzing, and puddling. Some upholsteries may experience dye transfer (clothing dyes transfer to the seating fabric). This does not mean that the fabric or application is deficient, but rather it is an inherent characteristic of that fabric or application and is considered normal behavior.

LEATHER CHARACTERISTICS

Leather is a natural product. Healed scars, scratches, cuts, and stretch marks are natural markings and are characteristics of leather. Leather may experience dye transfer (clothing dyes transfer to the leather). This does not mean that the leather or application is deficient, but rather it is an inherent characteristic of that leather or application and is considered normal behavior.

NATIONAL SEATING FABRIC GUIDELINES

TEXTILE APPLICATION GUIDELINES

National has listed textile application guidelines for each seating series. These guidelines are intended to help educate you of certain fabric characteristics. **Please make a point to review these guidelines when ordering National seating with National fabrics.** Application of the upholstery will be depicted as on the swatch card unless otherwise instructed on the order.

NATIONAL SEATING FABRICS

PATTERN	GRADE	FABRIC GUIDELINES	PATTERN MATCH
Bliss	2	none	non-matched
Brilliant	2	none	non-matched
Brisa®	7	none	non-matched
Brisa® Distressed	7	none	non-matched
Cali	1	none	non-matched
Connect Four	4	1	non-matched
Davenport	L7	none	non-matched
Dolce	2	none	non-matched
Dorset	2	none	non-matched
Echo	4	none	non-matched
Entwine	1	none	non-matched
Essence/Ultraleather™	6	none	non-matched
Florence	L8	none	non-matched
Input	1	none	non-matched
Intuition	2	none	non-matched
Masquerade	4	none	non-matched
Melange	1	none	non-matched
Mode	5	none	non-matched
Orbit	2	2	matched
Phrase	2	2	matched
Pixie	2	none	non-matched
Reef Pro	7	none	non-matched
Ridge	1	none	non-matched
Sedona	2	1	non-matched
Silica™	7	none	non-matched
Silica Etch	7	none	non-matched
Silvertex™	3	1	non-matched
Spark	1	none	non-matched
Stancil	2	none	non-matched
Strand	2	none	non-matched
Tottori	7	none	non-matched
Vessel	1	none	non-matched
Zig Zag	1	none	non-matched

NATIONAL, ALLIANCE, AND COM FABRIC APPLICATION GUIDELINES

	TEXTILE APPLICATION GUIDELINES						
CASEGOODS SERIES	1	2	3	4	5	6	7
Alloy, Epic and WaveWorks Mobile Pedestal Cushion Tops	✓		✓	✓			
Toss Accent Pillows, Wedges, and Cushions	✓		✓	✓		✓	✓
Lochlyn Pet Bed Liner	✓		✓	✓		✓	

TEXTILE APPEARANCE GUIDELINES

Please note that these guidelines are here to help you have the best looking product that National can provide. Guidelines 1–4 are simply explanations of what you may see on your product. We can still upholster fabrics associated with these guidelines, but you may see some of the characteristics described.

1 Due to thickness and or stiffness this textile may result in gathers and puckers around corners, contours, and certain seams.
2 Patterns are considered matched directional; however, decorative stitching, tufting/buttons, seams, and seat to back on corner, wedge, and diagonal units may not align due to pattern configuration.
3 Textile with high nylon or wool content (more than 50%) may show signs of material stretch and lack of rebound when room temperatures fluctuate.
4 Mohair, velvet, and chenille may be easily bruised or have the potential of crooked seams due to the heavy nap and flip.

TEXTILE RESTRICTION GUIDELINES

Fabrics associated with guidelines 5 and 6 prevent us from upholstering the applicable models.

5 This textile cannot be used for glue application. Potential issues could include poor adhesion quality to the mating surface, separation of the fabric face from the backing, or glue bleeding through the fabric.
6 Thin and/or loosely woven textiles cannot be used due to potential fabric separation at the seams.
7 This textile has an uneven/irregular surface and cannot be used with topstitch upholstering. The topstitch disrupts the visual appearance of the upholstery. You can contact By Design to see if it is possible to remove the model's top stitch in order to use the fabric.

ALLIANCE PROGRAM TEXTILES

ALLIANCE PROGRAM OVERVIEW

National has developed joint programs with Arc-Com, Carnegie, Designtex, Maharam, Mayer, Momentum, Stinson and Ultrafabrics to offer you quality office seating with exciting lines of designer upholsteries. This program enables you to issue just 1 purchase order, providing simplified ordering and the most convenient, yet complete, seating choices available from a single source. All Alliance patterns meet TB117-2013.

APPLICATION

Application of the Alliance Program upholstery will be depicted as on the memo sample or website. If a different application is desired the pattern will need to h custom quoted.

Directional upholstery, such as stripes, patterns, and plaids may not be su for chairs with contoured shapes, tufting, or decorative stitching. Every made to upholster all chairs as expertly as possible; however such ord subject to return.

Fabric that requires non-stock special treatments such as flame anti-microbial treatment, electrical conductive backing, water re repellent, or acrylic backing are not part of this program. Suc ed to be custom quoted.

LEAD TIMES/AVAILABILITY

Models specified with Alliance Program fabrics will ged at standard lead times based on the supplier's delive xceptions may occur when extended lead times apply. Each su the right to discontinue patterns and colors. National will ponsible for suppliers discontinuing patterns/colors or w order quantities apply. Contact customer service for availability b orders.

WARRANTY

Alliance Program fabrics are non-s als and are **not** covered under our warranty.

PRICING

Alliance Pr pricing includes the cost of material. Repeat is also accounte dditional upcharge is required.

FAB EATING CONSTRUCTION

D and seating constructions will respond better than others to g applications. Certain fabric constructions are more prone to time and may demonstrate characteristics such as wrinkling, zing, or puddling. Some upholsteries may experience dye transfer dyes transfer to the seating fabric.) This does not indicate that the or application is deficient, but rather it is an inherent characteristic of that c or application and is considered normal behavior.

nportant: The information provided was the most current information available at the time this price list was printed. Contact customer service for availability before finalizing orders.

FABRIC SAMPLES

If you need samples for presentation(s), contact our alliance partners directly at:

Arc-Com	800.223.5466	arc-com.com
Carnegie	800.727.6770	carnegiefabrics.com
Designtex	800.221.1540	designtex.com
Maharam	800.645.3943	maharam.com
Mayer	800.428.4415	mayerfabrics.com
Momentum	800.366.6839	memosamples.com
Stinson	800.841.6279	cfstinson.com
Ultrafabrics	877.309.6648	ultrafabricsllc.com

Reference NationalOffic /Alliance for the most up-to-date fabric guidelines, grades, and additional pattern/color availability.

CONTRACT TERMS OF 23109/PC68387 PREVAIL

COM

COM (CUSTOMER'S OWN MATERIAL)

Select casegoods can be upholstered with appropriate material furnished by the customer. All COM/COL must meet applicable codes and regulations, including TB117-2013, California Assembly Bill 2998, and California Proposition 65. For more information on California Proposition 65 and AB 2998 go to https://www.p65warnings.ca.gov/products/furniture-products and https://leginfo.legislature.ca.gov/faces/billTextClient.xhtml?bill_id=201720180AB2998, respectively. By selecting COM/COL, customer certifies that the material meets such codes and regulations. Customer is solely responsible for compliance and may contact a) fabric manufacturer to confirm certification or b) assistance from National Office Furniture.

National Office Furniture strives to create upholstered products with no intentionally added fire retardants. Written confirmation is required confirming that fabric or leather (COM/COL) provided by the customer does NOT contain any added fire retardant chemicals, preferably from the material manufacturer. National truly appreciates your understanding and support of this commitment. If you have any questions or comments, please contact your customer support representative(s).

Prices are listed under grade 2/B, depending upon product type.

Grade 2 seating fabric – mobile pedestal cushion tops, box/file height storage cushions, and Tessera

Grade B tack board fabric – Epicenter, Exhibit, privacy screens, and tack boards

COM is not available on Quick Delivery tack board models.

COM yardage requirements for mobile pedestal cushion tops, box/file height storage cushions, and Tessera in this price list are based on the use of 54" wide fabric and the fabric being cut "up the roll". If the COM fabric is to be railroaded, please contact customer service for revised yardage requirements.

COM yardage requirements for Epicenter, Exhibit, privacy screens, and tack boards in this price list are based on the use of non-directional fabric 54" and 66" wide. All tack board products are upholstered with railroaded fabric.

- When ordering 10 or more COM models, consult customer service for exact yardage requirements
- Reference pages 785-790 for COM yardage requirements
- Please refer to the textile application guidelines listed on page 10 or the COM Approval Search/listing on NationalOfficeFurniture.com

COM DISPOSAL

- Leftover COM from an order is held for 6 weeks
- COM not tied to an order is held for 3 months

COM DECORATIVE/DIRECTIONAL FABRICS

Mobile pedestal cushion tops, box/file height storage cushions, and Wixler:

- Yardage requirements are greatly affected by not only size of repeats but also by the print or pattern
- National will cut patterns with aesthetic concerns in mind for high quality and consistency
- Some COM fabrics are considered directional that may not be considered directional by the fabric supplier, due to the upholstering process used by National
- Application of the COM upholstery will be depicted as on the COM supplier memo sample or website. If a different application is desired the pattern would need to be custom quoted.

Epicenter, Exhibit, and Tack Boards:

- Yardage requirements based upon roll width and tack board size. Pattern repeat is not taken into account. If the fabric pattern needs to be upholstered in a specific manner, a quote will be required to see if possible.
- Epicenter, Exhibit, privacy screens, and tack boards will have railroaded fabric application

FLAMMABILITY

- TB133 models are not available for mobile pedestal cushion tops and box/file height storage cushions. This request would need to be custom quoted.
- COM must be U.L. recognized for use on Epicenter
- COM must be U.L. recognized, meet ASTM E84 Class A, NFPA 701, or GSA 100% Polyester Waiver Program for use on Alloy, NAC Edgemount/Set On Privacy Screens, Return to Work Screens, Tackboards - Exhibit, NAC Accessory Tack boards, Tessera, WaveWorks Metal
- If ASTM-E84 Class A is requested for Exhibit, a quote will be required
- If a fabric is selected with specifications different from those listed above, the customer has the option of having it burn tested to see if meets the requirements. ASTM-E84 testing requested by the customer will require a custom quote. For cost estimates, contact customer service. The fabric/tack board burn test results will determine whether future orders can be entered as standard product or custom quotes. Each instance may vary.
- Letters of assurance are available upon request. A letter of assurance verifies that an ASTM E-84 test was conducted on a combination of tack board/fabric comparable to the requested tack board/fabric.

COM EVALUATION

National reserves the right to inspect, approve, or reject any COM. National approval signifies only that such textile can be applied to the products for which intended. Such approval does not constitute any responsibility, liability, or warranty on the part of National as to appearance, behavior, durability, or tailoring of COM.

CONFIRM COM APPLICATION

Visit NationalOfficeFurniture.com to see if your COM has already been evaluated for application.

Mobile pedestal cushion tops and box/file height storage cushions:

If the COM has not been evaluated prior to placing the order, please send a memo sample to:

National Office Furniture
Attn: COM Coordinator
1600 Royal Street
Jasper, IN 47546

Epicenter, Exhibit, Fabric Privacy Screens, Tack Boards (all tackable fabrics):

Application testing is required for non-preapproved COM tack fabrics. Contact your Customer Service Team for the appropriate forms to initiate application testing.

ALL COM ORDERS MUST:

1. Include fabric supplier's name, fabric name/number, and color name/number

To help expedite your order, we recommend the COM supplier to include the following information:

1. Dealer Name and Purchase Order Number
2. National Model Numbers
3. Ship Prepaid to

Mobile Pedestals with Cushion Tops and Cushions for Box/File Height Storage:

National Office Furniture
Attn: COM Administrator
340 East 11th Avenue
Jasper, IN 47546

Epicenter, Exhibit, Privacy Screens, and Tack Boards

Kimball International
Attn: COM Department
1037 E 15th Street Docks 12-13 Plant 5
Jasper, IN 47546

Without all necessary information listed above to properly match the fabric to the dealer's purchase order, extended lead times may apply.

HOW TO ORDER NATIONAL CASEGOODS WITH COM

Specify:

1 Model Number
2. Fabric Manufacturer
3. Pattern Name and/or Number
4. Color Name and/or Number

SAMPLE ORDER NUMBERS:

Following is a sample order number for a Model NAC6920TBRA

NAC6920TBRA—Accessory Tack Board upholstered in Designtex Circuit in 5121 101 Pebble color

NAC6920TBRA	/	COM	/	Designtex	/	Circuit	/	5121 101 Pebble
Model		Grade		Manufacturer		Pattern		Color

GALLERY LAMINATE AND CSL

GALLERY LAMINATE PROGRAM

PROGRAM DETAILS

The Gallery Laminate program is an on-trend collection curated from trusted laminate suppliers. As we know, trends come and go, sometimes quite quickly. When we see colors/patterns losing industry presence, we will delete and replace with new styles. Gallery Laminates that remain popular could possibly transition into the National Standard Laminate program.

- HPL, TFL, and PVC rims are included in the program
- For each Gallery selection made, an upcharge will be applied, based on the grade
- National orders and procures all Gallery Laminates
- Gallery Laminate program is not available on all products within our offering
- Due to Gallery Laminate size availability, some restrictions may occur. This is noted with bullets under impacted model numbers within the price list

GALLERY LAMINATE OPTIONS

GRADE 1 – 5% upcharge
G1001 Citadel
G1011 Pepperdust

GRADE 2 – 6% upcharge
G1002 Planked Raw Oak
G1003 Evening Notte
G1004 Kirsche
G1005 Midnight Run
G1006 Sepia Walnut
G1007 Serotina
G1008 Timeless
G1009 White Nebbia
G1012 Phantom Ecru

GALLERY ORDERING PROCESS

- Order Gallery Laminate in the same manner as ordering National Standard Laminate
- Six week lead time
- Same warranty as National Laminate

UPCHARGE DETAILS

The percentage upcharge is applied to each Gallery Laminate selection and the total is added to the original list price. Gallery Laminate Grade 1 incurs a 5% upcharge, while Gallery Laminate Grade 2 incurs a 6% upcharge. Please note, the same model may incur multiple upcharges based on the total number of Gallery Laminate locations selected on the specific model. Refer to examples below for further details.

UPCHARGE EXAMPLES

25N3672DDFL8 - Epic double pedestal desk
Rim Profile- VG1008 Timeless (Grade 2) = 6% upcharge
Laminate Top- G1008 Timeless (Grade 2) = 6% upcharge
Drawer/Door Laminate- G1008 Timeless (Grade 2) = 6% upcharge
Chassis Laminate- G1008 Timeless (Grade 2) = 6% upcharge
This example incurs a 24% list upcharge as Gallery Grade 2 Laminate was selected within 4 areas of this model

25N3672DDFL8- Epic double pedestal desk
Rim Profile - V478 Platinum Grey (Standard NOF) = no upcharge
Laminate Top- 478 Platinum Grey (Standard NOF) = no upcharge
Drawer/Door Laminate- G1011 Pepperdust (Grade 1) = 5% upcharge
Chassis Laminate- G1003 Evening Notte (Grade 2) = 6% upcharge
This example incurs a 11% list upcharge as Gallery Grade 1 and Gallery Grade 2 Laminate was selected within 2 areas of this model

25N3672DDFL8- Epic double pedestal desk
Rim Profile- V405 Designer White (Standard NOF) = no upcharge
Laminate Top- G1011 Pepperdust (Grade 1) = 5% upcharge
Drawer/Door Laminate- 405 Designer White (Standard NOF) = no upcharge
Chassis Laminate- 405 Designer White (Standard NOF) = no upcharge
This example incurs a 5% list upcharge as Gallery Grade 1 Laminate was selected within 1 area of this model

25N2060WSSLK1- Epic rectangular worksurface
Rim Profile- KG1001 Citadel (Grade 1) = 5% upcharge
Laminate Top- G1001 Citadel (Grade 1) = 5% upcharge
This example incurs a 10% list upcharge as Gallery Grade 1 Laminate was selected within 2 areas of this model

25N2060WSSLK1- Epic rectangular worksurface
Rim Profile- K462 Cinder (Standard NOF) = no upcharge
Laminate Top- G1005 Midnight Run (Grade 2) – 6% upcharge
This example incurs a 6% list upcharge as Gallery Grade 2 Laminate was selected within 1 area of this model

CUSTOMER SPECIFIED LAMINATE (CSL) PROGRAM

PROGRAM DETAILS

National understands that some orders have specialized needs regarding laminate specifications. In order to better service our customers, National has partnered with suppliers to offer a CSL laminate program for **HPL worksurfaces only:**

- A **10% upcharge** applies to all CSL laminate orders
- National orders and procures all CSL customer specified laminates
- CSL program is not available on all laminate products within our offering
- Due to CSL sheet size availability, some restrictions may occur

CSL ORDERING PROCESS

- Laminate sheen level not to exceed 60º for maximum durability of worksurfaces
- Send purchase order and quantities to customer service
  Please include:
  1. Manufacturer's Name
  2. Laminate Name/Laminate Number
- Lead times may vary for certain laminates and quantities, contact customer service for details

CSL POLICY

- National reserves the right to decline a laminate which may not be suitable for application
- National assumes no responsibility for the durability, consistent coloration, or any other performance characteristic of a customer specified laminate

ALLOY
BENCHING

Product Specifications 16
Product Options 19
Fixed Height Base Sizing 23
Adjustable Height Base Sizing 24
Electrical 25
Thought Starters 26
Product Pages 47

ALLOY

ALLOY PRODUCT SPECIFICATIONS

WORKSURFACE

- Laminate surfaces are 1⅜" HPL (high pressure laminate) or 1⅛" TFL (thermally fused laminate), and feature a softened 3mm PVC rim
- Refer to page 19 for rim profiles and colors
- Grain direction runs left-to-right
- Always sold with base

HEIGHT ADJUSTABLE BASES WITH POWERED PHASE 3 SYSTEM

- Rated for a maximum of 220 lbs. (including surface and other accessories)
- Adjustable glides are standard
- Digital readout of position, 4 programmable locations
- 27½" to 43½" (without surface) / 28½" to 44½" (with surface)
- Power cord for base is 124" long
- 2 stage telescoping leg
- Some assembly required
- All hardware and electrical included
- Electrical included with powered units. Phase 3 system; 3-circuit/5-wire system. UL Listed in full compliance with National Electric Code (NEC). 1, 2, 3, or hardwire circuit configurations can be selected for the receptacles. Standard-capacity power block, provides back-to-back or single user power, and has 2 receptacles per user. No more than 12 duplexes / 20 amp circuit. Phase 3 system is rated at 20 amps. The duplex receptacles are rated at 15 amp. The wiring consists of 5 wires: 3 hot, 1 neutral, and 1 ground. Hardwire selection will include 2 installed empty back-to-back or single junction boxes
- Items included with this model: base, worksurfaces, center beam, wire management trough, and electrical
- Double sided units can be ganged together or used as freestanding units
- Single sided units have both ganging and non-ganging models
- Single sided ganging can gang to single or double ganging models
- Ganging kits are sold separately
- Alloy adjustable height powered bases can be plugged into themselves. This will take up 1 of the power outlets in the unit automatically
- Only Underwriters' Laboratory (UL) or Canadian Standards Association (CSA) listed electrical components are used in electrical devices and are so labeled. The customer is responsible for the proper application of products to the local codes under which installation must be made

HEIGHT ADJUSTABLE BASES (DOUBLE SIDED, NON-POWERED)

- Rated for a maximum of 220 lbs. (including surface and other accessories)
- Adjustable glides are standard
- Digital readout of position, 4 programmable locations
- 27½" to 43½" (without surface) / 28½" to 44½" (with surface)
- Power cord for base is 124" long
- 2 stage telescoping leg
- Some assembly required
- Items included with this model: base and worksurfaces
- Double sided units can be ganged together or used as freestanding units
- Ganging kits are sold separately

HEIGHT ADJUSTABLE BASES (SINGLE SIDED, GANGING, POWERED)

- Rated for a maximum of 220 lbs. (including surface and other accessories)
- Adjustable glides are standard
- Digital readout of position, 4 programmable locations
- 27½" to 43½" (without surface) / 28½" to 44½" (with surface)
- Power cord for base is 124" long
- 2 stage telescoping leg
- Some assembly required
- Items included with this model: base, worksurface, beam wire management trough, electrical, and feet
- Ganging kits to gang to single or double sided units sold separately
- Alloy adjustable height powered bases can be plugged into themselves. This will use 1 of the power outlets in the unit

HEIGHT ADJUSTABLE BASES (SINGLE SIDED, GANGING, NON-POWERED)

- Rated for a maximum of 220 lbs. (including surface and other accessories)
- Adjustable glides are standard
- Digital readout of position, 4 programmable locations
- 27½" to 43½" (without surface) / 28½" to 44½" (with surface)
- Power cord for base is 124" long
- 2 stage telescoping leg
- Some assembly required
- Items included with this model: base, worksurface, beam, and feet
- Ganging kits to gang to single or double sided units sold separately

HEIGHT ADJUSTABLE BASES (SINGLE SIDED, NON-GANGING, NON-POWERED)

- Rated for a maximum of 220 lbs. (including surface and other accessories)
- Adjustable glides are standard
- Digital readout of position, 4 programmable locations
- 27½" to 43½" (without surface) / 28½" to 44½" (with surface)
- Power cord for base is 124" long
- 2 stage telescoping leg
- Some assembly required
- Items included with this model: base, worksurface, and feet

HEIGHT ADJUSTABLE FEET

- Single sided, freestanding or single sided, ganging - feet must be used and are included with unit
- If ganging single sided to double sided, with double sided on each side of the single, no foot is required, however, if the single sided unit is at the end of the run, the foot is required
- Feet are not included in double sided models, but can be ordered separately

FIXED HEIGHT BASES WITH POWERED PHASE 3 SYSTEM

- Adjustable glides are standard
- Some assembly required
- All hardware and electrical included
- Electrical included with powered units. Phase 3 system; 3-circuit/5-wire system. UL Listed in full compliance with National Electric Code (NEC). 1, 2, or 3 circuit configurations can be selected for the receptacles. Standard-capacity power block, provides back-to-back or single power, and has 2 receptacles per user. No more than 12 duplexes/ 20 amp circuit. Phase 3 system is rated at 20 amps. The duplex receptacles are rated at 15 amp. The system supports 3 circuits; 1, 2, 3, or hardwire circuits. The customer must order the coordinating duplex receptacles when wiring to the number of circuits needed. The wiring consists of 5 wires: 3 hot, 1 neutral, and 1 ground. Hardwire selection will include 2 installed empty back-to-back or single junction boxes
- Items included with this model: base, worksurfaces, center beam, wire management trough, and electrical
- Only Underwriters' Laboratory (UL) or Canadian Standards Association (CSA) listed electrical components are used in electrical devices and are so labeled. The customer is responsible for the proper application of products to the local codes under which installation must be made
- Double sided units can be ganged with a "start", "mid", and "end" or as freestanding
- Single sided units have both ganging and non-ganging models
- Single sided ganging can gang to single or double freestanding, "start", or "end" units
- Ganging kits are sold separately
- Wire management cutout (2½") is standard on fixed height powered models
- No other grommet options available on these models

FIXED HEIGHT BASES (SINGLE SIDED, GANGING, POWERED)

- Adjustable glides are standard
- Some assembly required
- Items included with this model: base, worksurfaces, beam, wire management trough, and electrical
- Ganging kits to gang to single sided, double sided freestanding, "start", or "end" must be ordered separately
- Wire management cutout (2½") is standard on fixed height powered models
- No other grommet options available on these models

FIXED HEIGHT BASES (SINGLE SIDED, GANGING, NON-POWERED)

- Adjustable glides are standard
- Some assembly required
- Items included with this model: base, worksurfaces, and beam
- Ganging kits to gang to single sided, double sided freestanding, "start", or "end" must be ordered separately

FIXED HEIGHT BASES (NON-POWERED, NON-GANGING)

- Adjustable glides are standard
- Some assembly required
- Items included with this model: base and worksurface

FLOOR POWER ENTRY POLE

- Can be used on adjustable, fixed single, or double sided bases
- Attaches to underside of beam, used to conceal power in-feed and data cables
- Non-supporting and can enter at either end or in between benches at the connection point

CEILING POWER/DATA POLE

- Routes power and data from ceiling access to Alloy units
- Electrical not included in power pole
- Do not recommend cutting in the field
- Must be used on an end of a run
- Fixed height base model and adjustable height base model available
- 132" length
- An optional 288" power entry whip ordered separately

TACKABLE PRIVACY SCREEN - EDGE MOUNTED

- Privacy screens are ⅞" thick dual sided fabric
- Privacy screen holders are 12 gauge steel
- Privacy screens are not intended to be stand alone units
- For use with Alloy height adjustable units and single fixed units
- Screen extends 18" above the surface and 3½" below the surface

TACKABLE PRIVACY SCREEN - BEAM MOUNTED

- Privacy screens are ⅞" thick dual sided fabric
- Privacy screens are not intended to be stand alone units
- For use with height adjustable and fixed height benching units
- Screen extends 18" above the surface

RESIN PRIVACY SCREEN

- For fixed models only
- Mounts in track on beam
- Track available in Designer White, Cinder, or Platinum Metallic
- Screens are 3⁄16" thick
- 13" high and 18" high options

MONITOR ARM - BEAM MOUNTED

- Features 4D adjustment; adjusting in and out, up and down, swiveling left and right, and tilting back and forward
- Dynamic arm has integrated cable management
- Single monitor arm supports 1 monitor up to 5.5 lbs. - 15.5 lbs.
- VESA plates are 100mm x 100mm standard. The standard VESA plates are not compatible with Apple monitors
- Monitor arm is only available in Fixed Height beam mounted application
- Maximum of 2 beam mounted arms per beam. Monitor arms are not to extend past the worksurface (not to extend 180) for stability purposes
- Monitor arms are not to extend past the worksurface (not to extend beyond 180°) for stability.
- Monitor arms not to be turned away from user
- Monitor should always be kept above worksurface

MONITOR ARM - GROMMET MOUNTED

- Attachment method via bolt through grommet
- MFlex pole available w/ single arm or dual arms
- Fixed/ dynamic arm
- Pole height from the top of worksurface is 13¼"; Monitor rotation - port/landscape; Monitor extension 4" - 21⅞" and tilt adjustment + 80/ - 15°; 10" dynamic, 6⅝" Manual
- 5.5 lbs. minimum - 15.5 lbs. maximum weight capacity per monitor
- Monitor arms are not to extend past the worksurface (not to extend beyond 180°) for stability.
- Monitor arms not to be turned away from user

VERTICAL WIRE MANAGER

- Flexible nylon; available in black, white, and silver
- Can be used on powered adjustable height double sided bases
- Attaches to underside of worksurfaces; used to conceal power and data cables

ADJUSTABLE HEIGHT SINGLE SIDED BASE VERTICAL WIRE MANAGER

- Flexible nylon; available in black, white, and silverCAUTION - <price> macro was at local level in Seating GSA and COMM In the CAD version it was at local level but was the same as the one below
- Can be used with adjustable height single sided bases to conceal wires to the floorCAUTION - <price> macro was at local level in Seating GSA and COMM In the CAD version it was at local level but was the same as the one below
- Attaches to underside of worksurfaces; used to conceal power and data cables

DATA CUTOUTS

- Data jack covers and blanks not provided by National
- There is 1 data and 2 electrical cutouts per side in the horizontal wire manager
- Recommended use with Leviton Quickport® Decora® Inserts
  - Decora inserts accept all Quickport snap-in modules

INSERTS

http://www.leviton.com/OA_HTML/SectionDisplay.jsp?section=39381&minisite=10251

- Black inserts:
  80414-W — White QuickPort Decora Multimedia Insert
  80414-GY — Grey QuickPort Decora Multimedia Insert
  80414-E — Black QuickPort Decora Multimedia Insert
- 1 port inserts:
  41641-W — White QuickPort Decora Multimedia Insert
  41641-GY — Grey QuickPort Decora Multimedia Insert
  41641-E — Black QuickPort Decora Multimedia Insert
- 2 port inserts (most common):
  41642-W — White QuickPort Decora Multimedia Insert
  41642-GY — Grey QuickPort Decora Multimedia Insert
  41642-E — Black QuickPort Decora Multimedia Insert

ETHERNET PORTS

http://www.leviton.com/OA_HTML/SectionDisplay.jsp?section=39138&minisite=10251

- Any connector under this category will work

AV PORTS

http://www.leviton.com/OA_HTML/SectionDisplay.jsp?section=67286&minisite=10251

- Any connector under this category will work

FIBER PORTS

http://www.leviton.com/OA_HTML/SectionDisplay.jsp?section=39161&minisite=10251

- Any connector under this category will work

ALLOY METAL STORAGE

PRODUCT SPECIFICATIONS

PEDESTALS AND MOBILE PEDESTALS

- Leveling glides with 1¾" of adjustment featured on all units except mobile pedestals
- Powder coated paint
- Counterweights included
- Mobile pedestals with cushions have a weight limit of 200 lbs. max

DRAWERS

- ⅝" thick drawer front consists of 22-gauge cold-rolled steel
- Silencing bumpers ensure quiet drawer operation
- Cinder steel drawer interiors
- Drawer body consists of 22-gauge cold-rolled steel
- Drawers cannot be bottom loaded
- See interior drawer dimensions below

DRAWER PULLS

- Available in 3 styles, refer to page 19 for styles and colors
- Full overlay drawers on all cabinets unless otherwise noted

DRAWER SUSPENSION

- File drawers have full extension, progressive action slides with precision steel ball bearings
- Box drawers have full extension slides with ball bearing rollers
- All suspensions have a lifetime warranty

FILING

- See filing capabilities below

LOCKING

- Black and silver lock cores are available
- Key Random means lock cores/keys are randomly (1-5) picked and factory installed in unit
- Key Specific means you can pick any number (1-200) for black or silver lock core/key. Must specify the lock core model separately; not factory installed and will ship separately
- Specify a change key to remove and change lock cores
- To order key specific lock cores, change keys, and master keys, reference page 750

CONSTRUCTION VERTICAL STORAGE

- 2¼" glide adjustment
- Units made of 18-gauge cold-rolled steel
- Backs and sides finished
- Drawer bottoms not intended to be used as main support for storage items
- Wardrobe has 2 coat hooks and an adjustable shelf with ½" of adjustment
- All locker models have 3 lockers
- 42" tall units intended to match Alloy units with privacy panels (13")
- 53" tall units intended to match Alloy units with privacy panels (23") and to other WaveWorks storage units

DRAWER DESCRIPTION	INTERIOR DIMENSIONS WIDTH	DEPTH	HEIGHT	FRONT-TO-BACK FILING CAPABILITIES
Box Drawers (24" depth models)	12³⁄₁₆"	20"	3⅝"	N/A
File Drawers (24" depth models)	12³⁄₁₆"	20"	10³⁄₁₆"	Letter front-to-back
Box Drawers (18" depth models)	12³⁄₁₆"	15¹⁵⁄₁₆"	3⅝"	N/A
File Drawers (18" depth models)	12³⁄₁₆"	15¹⁵⁄₁₆"	10³⁄₁₆"	Letter front-to-back

RAILROADED TACK BOARD

- Shaded rectangle portrays a railroaded tack board.



DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

RIM PROFILE OPTIONS



Softened PVC (V)

PVC SOFTENED RIM

AC2	Autumn 2
AD	Almond
BZ	Brazilwood
CI	Chai
CL	Caramel
CW	Cordovan
DW	Judicial
HN2	Honey 2
IM	Brighton
KN	Kona
MC	Amber
MH	Mocha
NM	Natural
PB	Portobello
PC	Porcini
PT	Portico
SK	Skyline
SM	Sonoma
TF	Truffle
WL	Willow
405	Designer White
419	Wallaby
425	Shadow
440	Cloud
457	Dapple
461	Graphite
462	Cinder
478	Platinum Grey
488	Frosty White
491	Designer White Linear
492	Cinder Linear
792	Sable
793	Acorn

GALLERY PVC SOFTENED RIM

Grade 1 – 5% upcharge
G1001 Citadel
G1011 Pepperdust

Grade 2 – 6% upcharge
G1002 Planked Raw Oak
G1003 Evening Notte
G1004 Kirsche
G1005 Midnight Run
G1006 Sepia Walnut
G1007 Serotina
G1008 Timeless
G1009 White Nebbia
G1012 Phantom Ecru

See page 14 for Gallery program details and upcharges

METAL CHASSIS PAINT COLORS

405 Designer White
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
485 Dark Chocolate
488 Frosty White
501 Platinum Metallic*
503 Satin Nickel Metallic*
504 Taupe Metallic*
505 Satin Bronze Metallic*

*10% List Upcharge

LOCKING

KEY RANDOM

KRB Black
KRS Silver

KEY SPECIFIC

KS1B Black, 1 lock per unit
KS1S Silver, 1 lock per unit
KS2B Black, 2 locks per unit
KS2S Silver, 2 locks per unit
KS3B Black, 3 locks per unit
KS3S Silver, 3 locks per unit

Unit list price will be reduced by $28 per lock when selecting Key Specific option. Must order specific lock cores separately ($28 list each).
See page 750 for Key Specific model numbers.

PULL OPTIONS

Integrated (5)



Beam (87)

87MB Cinder
87CC Concrete
81IR Iron
87PL Platinum Metallic
87SN Satin Nickel Metallic
(Boring Pattern 128mm)

Malibu (7)

7MB Cinder
7CC Concrete
7IR Iron
7PL Platinum Metallic
7SN Satin Nickel Metallic
(Boring Pattern 128mm)

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

ALLOY - CONFIGURATION OPTIONS

GROMMET OPTIONS

If no grommet is desired, specify an X (No Grommet)

Racetrack Grommet, Black Nylon



$40 list for each grommet

G1L	Left
G1R	Right
G1LR	Left & Right
G1C	Center

Racetrack Grommet, Cinder



$45 list for each grommet

G11MBL	Left
G11MBR	Right
G11MBLR	Left & Right
G11MBC	Center

Racetrack Grommet, Platinum Metallic



$45 list for each grommet

G11PLL	Left
G11PLR	Right
G11PLLR	Left & Right
G11PLC	Center

Cutout Option for 1 Touch Pivoting Power Grommet

$40 list upcharge per cutout location

CUT-G17L	Left
CUT-G17R	Right
CUT-G17LR	Left & Right
CUT-G17C	Center



• Reference below for cutout locations of CUT-G17

NACG17AELPGB, NACG17AELPGS, and NACG17AELPGW (Sold Separately)



NACG17BELPGB, NACG17BELPGS, and NACG17BELPGW (Sold Separately)



NACG17CELPGB, NACG17CELPGS, and NACG17CELPGW (Sold Separately)

• Reference page 78 pricing and details



NACG17AELPD2IQKB, NACG17AELPD2IQKS, NACG17AELPD2IQKB, NACG17AELPD2IQB, NACG17AELPD2IQS, and NACG17AELPD2IQW (Sold Separately)

• Reference page 79 for pricing and details



NACG17BELPD2IQKB, NACG17BELPD2IQKS, NACG17BELPD2IQKW, NACG17BELPD2IQB, NACG17BELPD2IQS, and NACG17BELPD2IQW (Sold Separately)

• Reference page 80 for pricing and details



NACG17CELPD2IQKB, NACG17CELPD2IQKS, NACG17CELPD2IQKW, NACG17CELPD2IQB, NACG17CELPD2IQS, and NACG17CELPD2IQW (Sold Separately)

• Reference page 81 for pricing and details

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.



- Grommet options are available on adjustable height powered, adjustable height non-powered, and fixed height non-powered
- For double tables, the grommet location consists of the same grommets on both surfaces (upcharge will reflect double grommets)



- Wire management cutout standard on fixed height powered models. No other grommet options available on these models

METAL SPACER CUTOUT OPTIONS

If no cutout is desired, specify an X (No Cutout)

$40 list for each cutout

CT1 Cutout, for Adjustable Height
CT2 Cutout, for Fixed Height

CIRCUIT OPTIONS (POWERED MODELS ONLY)

1 Circuit 1
2 Circuit 2
3 Circuit 3
H Hardwire (Chicago Code)
81 8-wire, Circuit 1
82 8-wire, Circuit 2
83 8-wire, Circuit 3
84 8-wire, Circuit 4

$676 list upcharge for the 4 circuit/8 wire option

ALLOY - CONFIGURATION OPTIONS

LAMINATE WORKSURFACES

WOODGRAIN LAMINATE

AC2 Autumn 2
AD Almond
BZ Brazilwood
CI Chai
CL Caramel
CW Cordovan
DW Judicial
HN2 Honey 2
IM Brighton
KN Kona
MC Amber
MH Mocha
NM Natural
PB Portobello
PC Porcini
PT Portico
SK Skyline
SM Sonoma
TF Truffle
WL Willow
792 Sable
793 Acorn

• CSL available; see page 14 for program details and upcharge

SOLID LAMINATE

405 Designer White
419 Wallaby
425 Shadow
440 Cloud
457 Dapple
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear

PATTERN LAMINATE

814 White Tigris
818 Crisp Linen
819 Flax Gauze
821 Elemental Concrete
822 Smoke Quarstone

• Pattern laminates not available on TFL models

GALLERY LAMINATE

Grade 1 – 5% upcharge
G1001 Citadel
G1011 Pepperdust

Grade 2 – 6% upcharge
G1002 Planked Raw Oak
G1003 Evening Notte
G1004 Kirsche
G1005 Midnight Run
G1006 Sepia Walnut
G1007 Serotina
G1008 Timeless
G1009 White Nebbia
G1012 Phantom Ecru

See page 14 for Gallery program details and upcharges

BEAM PAINT COLOR

21 White
22 Silver
23 Black

BASE PAINT COLOR

21 White
22 Silver
23 Black

FABRIC PRIVACY SCREEN HOLDER PAINT COLOR

21 White
22 Silver
23 Black

PRIVACY SCREEN FABRIC OPTIONS

Dune (Grade A)
100% Polyester

8600 Drift
8601 Windblown
8602 Erosion
8603 Haze
8608 Nectar
8610 Clear Sky
8614 Basin
8615 Raven
8620 Darkness

Repetition (Grade A)
100% Pre-Consumer Recycled Polyester

3700 Ash
3703 White
3709 Java
3713 Stainless
3721 Reed
3744 Tawny

COM (Grade B)

Pact (Grade B)
65% Pre-Consumer Recycled Polyester, 35% Post-Consumer Recycled Polyester

25401 Aloe
25402 Azure
25403 Calla
25404 Coastal
25405 Delft
25406 Dove
25409 Fern
25410 Harbour
25411 Lily
25412 Lime
25413 Midnight
25414 Nectar
25415 Patina
25416 Putty
25418 Roma
25420 Sketch
25422 Taupe
25423 Toasty

PRIVACY SCREEN RESIN OPTIONS

Grade 1
1677 Frosted

RESIN PRIVACY SCREEN HOLDER PAINT COLOR

405 Designer White
462 Cinder
501 Platinum Metallic

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

DOUBLE SIDED FREESTANDING UNITS

POWERED PHASE 3 CENTER BEAM



48" x 48", 54", 60", 66", 72"
60" x 48", 54", 60", 66", 72"

NON-POWERED CENTER BEAM



48" x 48", 54", 60", 66", 72"
60" x 48", 54", 60", 66", 72"

DOUBLE SIDED STARTER UNITS

POWERED PHASE 3 CENTER BEAM



48" x 48", 54", 60", 66", 72"
60" x 48", 54", 60", 66", 72"

NON-POWERED CENTER BEAM



48" x 48", 54", 60", 66", 72"
60" x 48", 54", 60", 66", 72"

DOUBLE SIDED MID UNITS

POWERED PHASE 3 CENTER BEAM



48" x 48", 54", 60", 66", 72"
60" x 48", 54", 60", 66", 72"

NON-POWERED CENTER BEAM



48" x 48", 54", 60", 66", 72"
60" x 48", 54", 60", 66", 72"

DOUBLE SIDED END UNITS

POWERED PHASE 3 CENTER BEAM



48" x 48", 54", 60", 66", 72"
60" x 48", 54", 60", 66", 72"

NON-POWERED CENTER BEAM



48" x 48", 54", 60", 66", 72"
60" x 48", 54", 60", 66", 72"

SINGLE SIDED FREESTANDING UNITS

POWERED PHASE 3 BEAM GANGING (OPTIONAL)



24" x 48", 54", 60", 66", 72"
30" x 48", 54", 60", 66", 72"

NON-POWERED, GANGING (OPTIONAL)



24" x 48", 54", 60", 66", 72"
30" x 48", 54", 60", 66", 72"

NON-POWERED, NON-GANGING (NO CENTER BEAM)



24" x 48", 54", 60", 66", 72"
30" x 48", 54", 60", 66", 72"

ADJUSTABLE HEIGHT BASE SIZING - ALLOY

DOUBLE SIDED GANGING OR FREESTANDING UNITS

POWERED PHASE 3 CENTER BEAM



48" x 48", 54", 60", 66", 72"
60" x 48", 54", 60", 66", 72"

NON-POWERED CENTER BEAM



48" x 48", 54", 60", 66", 72"
60" x 48", 54", 60", 66", 72"

SINGLE SIDED FREESTANDING UNITS

POWERED PHASE 3 BEAM GANGING (OPTIONAL)



24" x 48", 54", 60", 66", 72"
30" x 48", 54", 60", 66", 72"

NON-POWERED, GANGING (OPTIONAL)



24" x 48", 54", 60", 66", 72"
30" x 48", 54", 60", 66", 72"

NOTE: Power will always be in these units strictly for the "height adjustability."

NON-POWERED, NON-GANGING (NO CENTER BEAM)



24" x 48", 54", 60", 66", 72"
30" x 48", 54", 60", 66", 72"

NOTE: Power will always be in these units strictly for the "height adjustability."

- Electrical included with powered units are a Phase 3 system; 5-wire/3-circuit system. 1, 2, 3, or hardwire circuit configurations can be selected for the receptacles. Standard-capacity power block, provides back-to-back or single power, and has 2 receptacles per user. Hardwire selection will include 2 installed empty back-to-back or single junction boxes
- Power entry whips are available in 72", 144" and 288" long and must be ordered separately. The power entry whip has a modular connector at 1 end, attached to a flexible metal conduit with exposed wiring at the other end which is hardwired to the building power. Power entry whips may connect at the end of a run or anywhere within the run, providing power in 1 or both directions
- Jumpers must be ordered separately and are used to connect power between benches
- Duplex receptacles are labeled as to the specific circuit they are connected to: I, II, and III

5 WIRE/3-CIRCUIT
CIRCUIT ARRANGEMENT



Power Receptacle



8 WIRE/4-CIRCUIT
CIRCUIT ARRANGEMENT





- The maximum amount of duplexes that can be used on 1 power entry whip is 12 duplexes per-circuit
- Each double unit has 4 duplexes (2 per side)
- Each single unit has 2 duplexes (per user)

THOUGHT STARTERS - ALLOY

ADJUSTABLE HEIGHT - NON-POWERED DOUBLE SIDED CENTER BEAM

The overall number of units ganged is only limited based on electrical and floor space.

Units can be used as freestanding models or can be ganged together to create a run of units.

Ganging kits must be ordered separately.



	PART NUMBER	PART DESCRIPTION	LIST PRICE	QUANTITY	EXT LIST
6 USER STATION	71N6072AB2NGLL	Adjustable Height Base, Double, Non-Powered, Ganging - TFL Top	$ 5518	3	$16,554
	71NGBK23	Adjustable Ganging Bracket/Cover Kit, Black	$ 72	2	$ 144
**Image shown above				Total	$16,698

	PART NUMBER	PART DESCRIPTION	LIST PRICE	QUANTITY	EXT LIST
10 USER STATION	71N6072AB2NGLL	Adjustable Height Base, Double, Non-Powered, Ganging - TFL Top	$ 5518	5	$27,590
	71NGBK23	Adjustable Ganging Bracket/Cover Kit, Black	$ 72	4	$ 288
				Total	$27,878

	PART NUMBER	PART DESCRIPTION	LIST PRICE	QUANTITY	EXT LIST
12 USER STATION	71N6072AB2NGLL	Adjustable Height Base, Double, Non-Powered, Ganging - TFL Top	$ 5518	6	$33,108
	71NGBK23	Adjustable Ganging Bracket/Cover Kit, Black	$ 72	5	$ 360
				Total	$33,468

- Each adjustable height double sided unit must be plugged in separately
- Center beam mounted and edge mounted privacy screens can be ordered separately
- Grommet mounted monitor arms can be ordered separately
- Non-powered double sided adjustable height units ship with the base, top, and center beam support
- Worksurface grommet cutouts can be selected to add power above the worksurface (see page 20 for grommet selections). The G17A, G17B, or G17C powered grommet must be ordered separately to be installed in the grommet cutout
- Each worksurface is sized 1½" smaller in width than the model number dimensions to eliminate creep factor and pinch points when ganged together
- NOTE: Power will always be in these units strictly for the "height adjustability"

ADJUSTABLE HEIGHT - NON-POWERED SINGLE SIDED BEAM, GANGING

The overall number of units ganged is only limited based on electrical and floor space.

Units can be used as freestanding models or can be ganged together to create a run of units.

Ganging kits must be ordered separately.



Worksurfaces available in HPL or TFL.

	PART NUMBER	PART DESCRIPTION	LIST PRICE	QUANTITY	EXT LIST
3 USER STATION	71N2460AB1NGLL	Adjustable Height Base, Single, Non-Powered, Ganging - TFL Top	$ 2891	3	$ 8,673
	71NGBSA23	Adjustable Single Ganging Bracket/Cover Kit, Black	$ 343	2	$ 686
				Total	$ 9,359

	PART NUMBER	PART DESCRIPTION	LIST PRICE	QUANTITY	EXT LIST
6 USER STATION	71N2460AB1NGLL	Adjustable Height Base, Single, Non-Powered, Ganging - TFL Top	$ 2891	6	$17,346
	71NGBSA23	Adjustable Single Ganging Bracket/Cover Kit, Black	$ 343	5	$ 1,715
**Image shown above				Total	$19,061

- Each adjustable height single sided unit must be plugged in separately
- Beam mounted and edge mounted privacy screens can be ordered separately
- Non-powered single sided adjustable height units ship with the base, top, beam, and feet
- Worksurface grommet cutouts can be selected to add power above the worksurface (see page 20 for grommet selections). The G17A, G17B, or G17C powered grommet must be ordered separately to be installed in the grommet cutout
- Grommet mounted monitor arms can be ordered separately
- Each worksurface is sized 1½" smaller in width than the model number dimensions to eliminate creep factor and pinch points when ganged together
- Powered single sided ganging models available
- Feet must be used
- Ganging bracket/cover kit must be ordered separately
- NOTE: Power will always be in these units strictly for the "height adjustability"

THOUGHT STARTERS - ALLOY

ADJUSTABLE HEIGHT - POWERED DOUBLE SIDED PHASE 3 CENTER BEAM

The overall number of units ganged is only limited based on electrical and floor space.

Units can be used as freestanding models or can be ganged together to create a run of units.

Ganging kits must be ordered separately.



6 USER STATION

PART NUMBER	PART DESCRIPTION	LIST PRICE	QUANTITY	EXT LIST
71N6072AB2PGLL	Adjustable Height Base, Double, Powered, Ganging - TFL Top	$ 6780	3	$20,340
71NGBK23	Adjustable Ganging Bracket/Cover Kit, Black	$ 72	2	$ 144
71N40VWM23	Vertical Wire Manager	$ 199	6	$ 1,194
71N72ELE	Power Entry Whip Hardwire	$ 152	1	$ 152
71N22ELJ	22" Ganging Jumper	$ 86	2	$ 172
71N7023PVCPFA	Edge Mounted Privacy Screen - Railroad, Grade A	$ 1150	6	$ 6,900
			Total	$28,902

**Image shown above

10 USER STATION

PART NUMBER	PART DESCRIPTION	LIST PRICE	QUANTITY	EXT LIST
71N6072AB2PGLL	Adjustable Height Base, Double, Powered, Ganging - TFL Top	$ 6780	5	$33,900
71NGBK23	Adjustable Ganging Bracket/Cover Kit, Black	$ 72	4	$ 288
71N40VWM23	Vertical Wire Manager	$ 199	10	$ 1,990
71N72ELE	Power Entry Whip Hardwire	$ 152	1	$ 152
71N22ELJ	22" Ganging Jumper	$ 86	4	$ 344
71N7023PVCPFA	Edge Mounted Privacy Screen - Railroad, Grade A	$ 1150	10	$11,500
			Total	$48,174

- Electrical included with powered units are a Phase 3 system; 3-circuit/5-wire system. 1, 2, 3, or hardwire circuit configurations can be selected for the receptacles. Standard-capacity power block, provides back-to-back power, and has 2 receptacles per side. Hardwire selection will include 2 installed empty back to back junction boxes
- Vertical wire managers must be ordered separately and are used to conceal conduit and cables between the worksurface and center beam
- Ganging jumpers must be ordered separately and are used to jump power from 1 unit to the next
- Center beam mounted or edge mounted privacy screens can be ordered separately
- Power entry pole can be used to conceal power to the system. This is sold separately and is used to conceal the data and power cables from the floor to the unit. This is non-supporting and can enter at either end or in between benches at the connection point
- Horizontal wire manager included with the base model provides a trough for cable to the power/data through tray cut-outs
- Powered double sided adjustable height units ship with the base, top, center beam support, horizontal wire manager and electrical
- Grommet cutouts can be selected in the worksurface to add above worksurface power (see page 20 for grommet selections). The G17A, G17B, or G17C powered grommet must be ordered separately to be installed in the grommet cutout
- Grommet mounted monitor arms can be ordered separately
- Each worksurface is sized 1½" smaller in width than the model number dimensions to eliminate creep factor and pinch points when ganged together

ADJUSTABLE HEIGHT - POWERED DOUBLE SIDED PHASE 3 CENTER BEAM

The overall number of units ganged is only limited based on electrical and floor space.



12 USER STATION

PART NUMBER	PART DESCRIPTION	LIST PRICE	QUANTITY	EXT LIST
71N6072AB2PGLL	Adjustable Height Base, Double, Powered, Ganging - TFL Top	$ 6780	6	$40,680
71NGBK23	Adjustable Ganging Bracket/Cover Kit, Black	$ 72	5	$ 360
71N40VWM23	Vertical Wire Manager	$ 199	12	$ 2,388
71N72ELE	Power Entry Whip Hardwire	$ 152	1	$ 152
71N22ELJ	22" Ganging Jumper	$ 86	5	$ 430
71N7023PVCPFA	Edge Mounted Privacy Screen - Railroad, Grade A	$ 1150	12	$13,800
			Total	$57,810

- Electrical included with powered units are a Phase 3 system; 3-circuit/5-wire system. 1, 2, 3, or hardwire circuit configurations can be selected for the receptacles. Standard-capacity power block, provides back-to-back power, and has 2 receptacles per side. Hardwire selection will include 2 installed empty back to back junction boxes
- Vertical wire managers must be ordered separately and are used to conceal conduit and cables between the worksurface and center beam
- Ganging jumpers must be ordered separately and are used to jump power from 1 unit to the next
- Center beam mounted or edge mounted privacy screens can be ordered separately
- Power entry pole can be used to conceal power to the system. This is sold separately and is used to conceal the data and power cables from the floor to the unit. This is non-supporting and can enter at either end or in between benches at the connection point
- Horizontal wire manager included with the base model provides a trough for cable to the power/data through tray cut-outs
- Powered double sided adjustable height units ship with the base, top, center beam support, horizontal wire manager and electrical
- Grommet cutouts can be selected in the worksurface to add above worksurface power (see page 20 for grommet selections). The G17A, G17B, or G17C powered grommet must be ordered separately to be installed in the grommet cutout
- Grommet mounted monitor arms can be ordered separately
- Each worksurface is sized 1½" smaller in width than the model number dimensions to eliminate creep factor and pinch points when ganged together

THOUGHT STARTERS - ALLOY

ADJUSTABLE HEIGHT - POWERED SINGLE SIDED PHASE 3 BEAM, GANGING

The overall number of units ganged is only limited based on electrical and floor space.

Units are used as freestanding models or can be ganged together to create a run of units. These can gang to single ganging or double units.

Ganging kits must be ordered separately.



Worksurfaces available in HPL or TFL.

3 USER STATION

PART NUMBER	PART DESCRIPTION	LIST PRICE	QUANTITY	EXT LIST
71N2460AB1PGLL	Adjustable Height Base, Single, Powered, Ganging - TFL Top	$ 3689	3	$11,067
71NGBSA23	Adjustable Single Ganging Bracket/Cover Kit, Black	$ 343	2	$ 686
71N40VWM23	Vertical Wire Manager	$ 199	3	$ 597
71N72ELE	Power Entry Whip Hardwire	$ 152	1	$ 152
71N22ELJ	22" Ganging Jumper	$ 86	2	$ 172
			Total	$12,674

**Image shown above

6 USER STATION

PART NUMBER	PART DESCRIPTION	LIST PRICE	QUANTITY	EXT LIST
71N2460AB1PGLL	Adjustable Height Base, Single, Powered, Ganging - TFL Top	$ 3689	6	$22,134
71NGBSA23	Adjustable Single Ganging Bracket/Cover Kit, Black	$ 343	5	$ 1,715
71N40VWM23	Vertical Wire Manager	$ 199	6	$ 1,194
71N72ELE	Power Entry Whip Hardwire	$ 152	1	$ 152
71N22ELJ	22" Ganging Jumper	$ 86	5	$ 430
			Total	$25,625

- Electrical included with powered units are a Phase 3 system; 3-circuit/5-wire system. 1, 2, 3, or hardwire circuit configurations can be selected for the receptacles. Standard-capacity power block, provides single power, and has 2 receptacles per user. Hardwire selection will include 2 installed empty back to back or single junction boxes
- Vertical wire managers must be ordered separately and are used to conceal conduit and cables between the worksurface and center beam
- Ganging jumpers must be ordered separately and are used to jump power from 1 unit to the next
- Beam mounted or edge mounted privacy screens can be ordered separately
- Power entry pole can be used to conceal power to the system. This is sold separately and is used to conceal the data and power cables from the floor to the unit. This is non-supporting and can enter at either end or in between benches at the connection point
- Grommet mounted monitor arms can be ordered separately
- Horizontal wire manager included with the base model provides a trough for cable to the power/data through tray cut-outs
- Powered single sided adjustable height units ship with the base, top, beam support, horizontal wire manager, electrical, and feet
- Each worksurface is sized 1½" smaller in width than the model number dimensions to eliminate creep factor and pinch points when ganged together
- Feet must be used
- Ganging bracket/cover kit must be ordered separately

ADJUSTABLE HEIGHT - POWERED SINGLE SIDED PHASE 3 BEAM, GANGING (CONTINUED)

The overall number of units ganged is only limited based on electrical and floor space.



Worksurfaces available in HPL or TFL.

12 USER STATION

PART NUMBER	PART DESCRIPTION	LIST PRICE	QUANTITY	EXT LIST
71N2448AB1PGLL	Adjustable Height Base, Single, Powered, Ganging - TFL Top	$ 3497	12	$41,964
71NGBSA23	Adjustable Single Ganging Bracket/Cover Kit, Black	$ 343	11	$ 3,773
71N40VWM23	Vertical Wire Manager	$ 199	12	$ 2,388
71N72ELE	Power Entry Whip Hardwire	$ 152	1	$ 152
71N22ELJ	22" Ganging Jumper	$ 86	11	$ 946
			Total	$49,223

- Electrical included with powered units are a Phase 3 system; 3-circuit/5-wire system. 1, 2, 3, or hardwire circuit configurations can be selected for the receptacles. Standard-capacity power block, provides power, and has 2 receptacles per user. Hardwire selection will include 2 installed empty back to back or single junction boxes
- Vertical wire managers must be ordered separately and are used to conceal conduit and cables between the worksurface and center beam
- Ganging jumpers must be ordered separately and are used to jump power from 1 unit to the next
- Center beam mounted or edge mounted privacy screens can be ordered separately
- Power entry pole can be used to conceal power to the system. This is sold separately and is used to conceal the data and power cables from the floor to the unit. This is non-supporting and can enter at either end or in between benches at the connection point
- Grommet mounted monitor arms can be ordered separately
- Horizontal wire manager included with the base model provides a trough for cable to the power/data through tray cut-outs
- Powered single sided adjustable height units ship with the base, top, beam, horizontal wire manager, electrical, and feet
- Each worksurface is sized 1½" smaller in width than the model number dimensions to eliminate creep factor and pinch points when ganged together
- Ganging bracket/cover kit must be ordered separately
- Feet must be used

THOUGHT STARTERS - ALLOY

FIXED HEIGHT - NON-POWERED DOUBLE SIDED CENTER BEAM

The overall number of units ganged is only limited based on electrical and floor space.

Units are sold as a Start, Mid, or End model. A continuous run of units always require a start and end. Additional Mid models can be added in the middle to create a longer run.



	PART NUMBER	PART DESCRIPTION	LIST PRICE	QUANTITY	EXT LIST
6 USER STATION	71N6072FB2NSLL	Fixed Height Base, Double, Non-Powered, Start - TFL Top	$ 2830	1	$ 2,830
	71N6072FB2NMLL	Fixed Height Base, Double, Non-Powered, Mid - TFL Top	$ 2593	1	$ 2,593
	71N6072FB2NELL	Fixed Height Base, Double, Non-Powered, End - TFL Top	$ 2593	1	$ 2,593
**Image shown above				Total	$ 8,016

	PART NUMBER	PART DESCRIPTION	LIST PRICE	QUANTITY	EXT LIST
10 USER STATION	71N6072FB2NSLL	Fixed Height Base, Double, Non-Powered, Start - TFL Top	$ 2830	1	$ 2,830
	71N6072FB2NMLL	Fixed Height Base, Double, Non-Powered, Mid - TFL Top	$ 2593	3	$ 7,779
	71N6072FB2NELL	Fixed Height Base, Double, Non-Powered, End - TFL Top	$ 2593	1	$ 2,593
				Total	$13,202

- Non-powered double fixed height units ship with the base, top, and center beam support
- Center beam mounted privacy screens can be ordered separately
- Center beam mounted or grommet mounted monitor arms can be ordered separately
- Grommet cutouts can be selected in the worksurface to add above worksurface power (see page 20 for grommet selections). The G17A, G17B, or G17C powered grommet must be ordered separately to be installed in the grommet cutout

FIXED HEIGHT - NON-POWERED DOUBLE SIDED CENTER BEAM

The overall number of units ganged is only limited based on electrical and floor space.



	PART NUMBER	PART DESCRIPTION	LIST PRICE	QUANTITY	EXT LIST
12 USER STATION	71N6072FB2NSLL	Fixed Height Base, Double, Non-Powered, Start - TFL Top	$ 2830	1	$ 2,830
	71N6072FB2NMLL	Fixed Height Base, Double, Non-Powered, Mid - TFL Top	$ 2593	4	$10,372
	71N6072FB2NELL	Fixed Height Base, Double, Non-Powered, End - TFL Top	$ 2593	1	$ 2,593
				Total	$15,795

- Non-powered double fixed height units ship with the base, top, and center beam support
- Center beam mounted privacy screens can be ordered separately
- Center beam mounted or grommet mounted monitor arms can be ordered separately
- Grommet cutouts can be selected in the worksurface to add above worksurface power (see page 20 for grommet selections). The G17A, G17B, or G17C powered grommet must be ordered separately to be installed in the grommet cutout

THOUGHT STARTERS - ALLOY

FIXED HEIGHT - NON-POWERED SINGLE SIDED BEAM, GANGING

The overall number of units ganged is only limited based on electrical and floor space.

Units can be used as freestanding models or can be ganged together to create a run of units. These can gang to single ganging or start, end and double freestanding units. Ganging kits must be ordered separately.



Worksurfaces available in HPL or TFL.

	PART NUMBER	PART DESCRIPTION	LIST PRICE	QUANTITY	EXT LIST
3 USER STATION	71N2460FB1NGLL	Fixed Height Base, Single Sided, Non-Powered - TFL Top	$ 1640	3	$ 4,920
	71NGBSF23	Fixed Height Single Ganging Bracket/Cover Kit, Black	$ 113	2	$ 226
**Image shown above				Total	$ 5,146

	PART NUMBER	PART DESCRIPTION	LIST PRICE	QUANTITY	EXT LIST
6 USER STATION	71N2460FB1NGLL	Fixed Height Base, Single Sided, Non-Powered - TFL Top	$ 1640	6	$ 9,840
	71NGBSF23	Fixed Height Single Ganging Bracket/Cover Kit, Black	$ 113	5	$ 565
				Total	$10,405

- Non-powered single fixed height units ship with the base, top, and beam
- Ganging bracket/cover kit must be ordered separately
- Beam mounted privacy screens can be ordered separately
- Beam mounted or grommet mounted monitor arms can be ordered separately
- Grommet cutouts can be selected in the worksurface to add above worksurface power (see page 20 for grommet selections). The G17A, G17B, or G17C powered grommet must be ordered separately to be installed in the grommet cutout

FIXED HEIGHT - NON-POWERED SINGLE SIDED BEAM, GANGING

The overall number of units ganged is only limited based on electrical and floor space.



Worksurfaces available in HPL or TFL.

	PART NUMBER	PART DESCRIPTION	LIST PRICE	QUANTITY	EXT LIST
12 USER STATION	71N2448FB1NGLL	Fixed Height Base, Single Sided, Non-Powered - TFL Top	$ 1514	12	$18,168
	71NGBSF23	Fixed Height Single Ganging Bracket/Cover Kit, Black	$ 113	11	$ 1,243
	71N4813PVDP	Privacy Screen, Rectangular - Resin, Grade 1	$ 772	12	$ 9,264
				Total	$28,675

- Non-powered single sided fixed height units ship with the base, top, and beam
- Ganging bracket/cover kit must be ordered separately
- Beam mounted privacy screens can be ordered separately
- Beam mounted or grommet mounted monitor arms can be ordered separately
- Grommet cutouts can be selected in the worksurface to add above worksurface power (see page 20 for grommet selections). The G17A, G17B, or G17C powered grommet must be ordered separately to be installed in the grommet cutout

THOUGHT STARTERS - ALLOY

FIXED HEIGHT - POWERED DOUBLE SIDED PHASE 3 CENTER BEAM

The overall number of units ganged is only limited based on electrical and floor space.

Units are sold as a Start, Mid, or End model. A continuous run of units always require a start and end. Additional Mid models can be added in the middle to create a longer run.



Worksurfaces available in HPL or TFL.

4 USER STATION

PART NUMBER	PART DESCRIPTION	LIST PRICE	QUANTITY	EXT LIST
71N6072FB2PSLL	Fixed Height Base, Double, Powered, Start - TFL Top	$ 3896	1	$ 3,896
71N6072FB2PELL	Fixed Height Base, Double, Powered, End - TFL Top	$ 3656	1	$ 3,656
71N72ELE	Power Entry Whip Hardwire	$ 152	1	$ 152
71N22ELJ	22" Ganging Jumper	$ 86	1	$ 86
71N6918PVBPFA	Beam Mounted Privacy Screen - Railroad, Grade A	$ 1118	2	$ 2,236
			Total	$10,026

**Image shown above

8 USER STATION

PART NUMBER	PART DESCRIPTION	LIST PRICE	QUANTITY	EXT LIST
71N6072FB2PSLL	Fixed Height Base, Double, Powered, Start - TFL Top	$ 3896	1	$ 3,896
71N6072FB2PMLL	Fixed Height Base, Double, Powered, Mid - TFL Top	$ 3656	2	$ 7,312
71N6072FB2PELL	Fixed Height Base, Double, Powered, End - TFL Top	$ 3656	1	$ 3,656
71N72ELE	Power Entry Whip Hardwire	$ 152	1	$ 152
71N22ELJ	22" Ganging Jumper	$ 86	3	$ 258
71N6918PVBPFA	Beam Mounted Privacy Screen - Railroad, Grade A	$ 1118	4	$ 4,472
			Total	$19,746

- Electrical included with powered units are a Phase 3 system; 3-circuit/5-wire system. 1, 2, 3, or hardwire circuit configurations can be selected for the receptacles. Standard-capacity power block, provides back-to-back power, and has 2 receptacles per side. Hardwire selection will include 2 installed empty back to back junction boxes
- Ganging jumpers must be ordered separately and are used to jump power from 1 unit to the next
- Center beam mounted privacy screens can be ordered separately
- Power entry pole can be used to conceal power to the system. This is sold separately and is used to conceal the data and power cables from the floor to the unit. This is non-supporting and can enter at either end or in between benches at the connection point
- Center beam mounted monitor arms can be ordered separately
- Horizontal wire manager included with the base model provides a trough for cable to the power/data through tray cut-outs
- Powered double sided fixed height units ship with the base, top, center beam support, horizontal wire manager, and electrical
- Wire management cutout comes standard in the worksurface of a powered fixed height unit; this allows easy access to the below surface electrical

FIXED HEIGHT - POWERED DOUBLE SIDED PHASE 3 CENTER BEAM

The overall number of units ganged is only limited based on electrical and floor space.



Worksurfaces available in HPL or TFL.

12 USER STATION

PART NUMBER	PART DESCRIPTION	LIST PRICE	QUANTITY	EXT LIST
71N6072FB2PSLL	Fixed Height Base, Double, Powered, Start - TFL Top	$ 3896	1	$ 3,896
71N6072FB2PMLL	Fixed Height Base, Double, Powered, Mid - TFL Top	$ 3656	4	$14,624
71N6072FB2PELL	Fixed Height Base, Double, Powered, End - TFL Top	$ 3656	1	$ 3,656
71N72ELE	Power Entry Whip Hardwire	$ 152	1	$ 152
71N22ELJ	22" Ganging Jumper	$ 86	5	$ 430
71N6918PVBPFA	Beam Mounted Privacy Screen - Railroad, Grade A	$ 1118	6	$ 6,708
			Total	$29,466

- Electrical included with powered units are a Phase 3 system; 3-circuit/5-wire system. 1, 2, 3, or hardwire circuit configurations can be selected for the receptacles. Standard-capacity power block, provides back-to-back power, and has 2 receptacles per side. Hardwire selection will include 2 installed empty back to back junction boxes
- Ganging jumpers must be ordered separately and are used to jump power from 1 unit to the next
- Center beam mounted privacy screens can be ordered separately
- Power entry pole can be used to conceal power to the system. This is sold separately and is used to conceal the data and power cables from the floor to the unit. This is non-supporting and can enter at either end or in between benches at the connection point
- Center beam mounted monitor arms can be ordered separately
- Horizontal wire manager included with the base model provides a trough for cable to the power/data through tray cut-outs
- Powered double sided fixed height units ship with the base, top, center beam support, horizontal wire manager, and electrical
- Wire management cutout comes standard in the worksurface of a powered fixed height unit; this allows easy access to the below surface electrical

THOUGHT STARTERS - ALLOY

FIXED HEIGHT - POWERED SINGLE SIDED PHASE 3 CENTER BEAM, GANGING

The overall number of units ganged is only limited based on electrical and floor space.

Units are used as freestanding or can be ganged together to create a run of units. These can gang to single ganging or start, end and double freestanding units.

Ganging kits must be ordered separately.



Worksurfaces available in HPL or TFL.

4 USER STATION

PART NUMBER	PART DESCRIPTION	LIST PRICE	QUANTITY	EXT LIST
71N2460FB1PGLL	Fixed Height Base, Single Sided, Powered - TFL Top	$ 2247	4	$ 8,988
71NGBSF23	Fixed Height Single Ganging Bracket/Cover Kit, Black	$ 113	3	$ 339
71N72ELE	Power Entry Whip Hardwire	$ 152	1	$ 152
71N22ELJ	22" Ganging Jumper	$ 86	3	$ 258
71N6013PVDP	Beam Mounted Privacy Screen - Rectangular - Resin, Grade 1	$ 865	4	$ 3,460
			Total	$13,197

5 USER STATION

PART NUMBER	PART DESCRIPTION	LIST PRICE	QUANTITY	EXT LIST
71N2460FB1PGLL	Fixed Height Base, Single Sided, Powered - TFL Top	$ 2247	5	$11,235
71NGBSF23	Fixed Height Single Ganging Bracket/Cover Kit, Black	$ 113	4	$ 452
71N72ELE	Power Entry Whip Hardwire	$ 152	1	$ 152
71N22ELJ	22" Ganging Jumper	$ 86	4	$ 344
71N6013PVDP	Beam Mounted Privacy Screen - Rectangular - Resin, Grade 1	$ 865	5	$ 4,325
**Image shown above			Total	$16,508

- Electrical included with powered units are a Phase 3 system; 3-circuit/5-wire system. 1, 2, 3, or hardwire circuit configurations can be selected for the receptacles. Standard-capacity power block, provides single power, and has 2 receptacles per user. Hardwire selection will include 2 installed empty back to back or single junction boxes
- Ganging jumpers must be ordered separately and are used to jump power from 1 unit to the next
- Beam mounted privacy screens can be ordered separately
- Power entry pole can be used to conceal power to the system. This is sold separately and is used to conceal the data and power cables from the floor to the unit. This is non-supporting and can enter at either end or in between benches at the connection point
- Beam mounted monitor arms can be ordered separately
- Horizontal wire manager included with the base model provides a trough for cable to the power/data through tray cut-outs
- Powered single sided fixed height units ship with the base, top, beam, horizontal wire manager, and electrical
- Wire management cutout comes standard in the worksurface of a powered fixed height unit; this allows easy access to the below surface electrical
- Ganging bracket/cover kit must be ordered separately

FIXED HEIGHT - POWERED SINGLE SIDED PHASE 3 CENTER BEAM, GANGING

The overall number of units ganged is only limited based on electrical and floor space.



Worksurfaces available in HPL or TFL.

12 USER STATION

PART NUMBER	PART DESCRIPTION	LIST PRICE	QUANTITY	EXT LIST
71N2448FB1PGLL	Fixed Height Base, Single Sided, Powered - TFL Top	$ 2124	12	$25,488
71NGBSF23	Fixed Height Single Ganging Bracket/Cover Kit, Black	$ 113	11	$ 1,243
71N72ELE	Power Entry Whip Hardwire	$ 152	1	$ 152
71N22ELJ	22" Ganging Jumper	$ 86	11	$ 946
			Total	$27,829

- Electrical included with powered units are a Phase 3 system; 3-circuit/5-wire system. 1, 2, 3, or hardwire circuit configurations can be selected for the receptacles. Standard-capacity power block, provides single power, and has 2 receptacles per user. Hardwire selection will include 2 installed empty back to back or single junction boxes
- Ganging jumpers must be ordered separately and are used to jump power from 1 unit to the next
- Beam mounted privacy screens can be ordered separately
- Power entry pole can be used to conceal power to the system. This is sold separately and is used to conceal the data and power cables from the floor to the unit. This is non-supporting and can enter at either end or in between benches at the connection point
- Beam mounted monitor arms can be ordered separately
- Horizontal wire manager included with the base model provides a trough for cable to the power/data through tray cut-outs
- Powered single sided fixed height units ship with the base, top, beam, horizontal wire manager, and electrical
- Wire management cutout comes standard in the worksurface of a powered fixed height unit; this allows easy access to the below surface electrical
- Ganging bracket/cover kit must be ordered separately

THOUGHT STARTERS ADJUSTABLE AND FIXED COMBINATION - ALLOY

The overall number of units ganged is only limited based on electrical and floor space.



ADJUSTABLE

13 USER STATION

PART NUMBER	PART DESCRIPTION	LIST PRICE	QUANTITY	EXT LIST
71N4848AB2PGLL	Adjustable Height Base, Double, Powered - TFL Top	$ 4499	5	$22,495
71N2448AB1PGLL	Adjustable Height Base, Single, Powered - TFL Top	$ 3497	3	$10,491
71N22ELJ	22" Ganging Jumper	$ 86	7	$ 602
71N72ELE	Power Entry Whip Hardwire	$ 152	1	$ 152
71N3824PVBPFA	Beam Mounted Privacy Screen - Railroad, Grade A	$ 956	5	$ 4,780
71NGBK23	Adjustable Ganging Bracket/Cover Kit, Black	$ 72	2	$ 144
71NGBSA23	Adjustable Single Ganging Bracket/Cover Kit, Black	$ 343	5	$ 1,715
71N24FT23	Height Adjustable Feet, Black	$ 177	10	$ 1,770
			Total	$42,149

FIXED

11 USER STATION

PART NUMBER	PART DESCRIPTION	LIST PRICE	QUANTITY	EXT LIST
71N4848FB2PFLL	Fixed Height Base, Double, Powered, Freestanding, Ganging - TFL Top	$ 2878	1	$ 2,878
71N4848FB2PSLL	Fixed Height Base, Double, Starter, Ganging - TFL Top	$ 2878	1	$ 2,878
71N4848FB2PMLL	Fixed Height Base, Double, Mid, Ganging - TFL Top	$ 2639	1	$ 2,639
71N4848FB2PELL	Fixed Height Base, Double, End, Ganging - TFL Top	$ 2639	1	$ 2,639
71N2448FB1PGLL	Fixed Height Base, Single, Powered, Ganging - TFL Top	$ 2124	3	$ 6,372
71NGBSF23	Fixed Height Single Ganging Bracket/Cover Kit, Black	$ 113	4	$ 452
71N4818PVDP	Privacy Screen, Rectangular - Resin, Grade 1	$ 918	7	$ 6,426
71N22ELJ	22" Ganging Jumper	$ 86	6	$ 516
71N72ELE	Power Entry Whip Hardwire	$ 152	1	$ 152
			Total	$24,952

ADJUSTABLE HEIGHT - NON-POWERED GANGING DOUBLE/SINGLE COMBINATION

The overall number of units ganged is only limited based on electrical and floor space.

Double sided and single sided ganging units can be ganged together to create a run of units.

Ganging kits must be ordered separately.

Single ganging kits are used anywhere a single will gang to a single or double. (Only double to double will use 71NGBK.)



6 USER STATION

PART NUMBER	PART DESCRIPTION	LIST PRICE	QUANTITY	EXT LIST
71N6072AB2NGLL	Adjustable Height Base, Double, Non-Powered, Ganging - TFL Top	$ 5518	2	$11,036
71NGBSA23	Adjustable Single Ganging Bracket/Cover Kit, Black	$ 343	3	$ 1,029
71N3072AB1NGLL	Adjustable Height Base, Single, Non-Powered, Ganging - TFL Top	$ 3324	2	$ 6,648
71N5823PVCPFA	Edge Mounted Privacy Screen - Railroad, Grade A	$ 1055	4	$ 4,220
71NGBK23	Adjustable Ganging Bracket/Cover Kit, Black	$ 72	1	$ 72
			Total	$23,005

- Each adjustable height unit must be plugged in separately
- Privacy screens can be ordered separately
- Grommet mounted monitor arms can be ordered separately
- Non-powered adjustable height units ship with the base, top, and beam support
- Worksurface grommet cutouts can be selected to add power above the worksurface (see page 20 for grommet selections). The G17A, G17B, or G17C powered grommet must be ordered separately to be installed in the grommet cutout
- Each worksurface is sized 1½" smaller in width than the model number dimensions to eliminate creep factor and pinch points when ganged together
- When single sided adjustable units are ganged next to double sided, feet are optional. If a single sided adjustable unit is located on an end of a run, however, feet must be used on the single units
- Feet come standard on single sided units
- Feet are optional on double sided units and must be ordered separately
- NOTE: Power will always be in these units strictly for the "height adjustability"

THOUGHT STARTERS - ALLOY

ADJUSTABLE HEIGHT - POWERED GANGING DOUBLE/SINGLE COMBINATION

The overall number of units ganged is only limited based on electrical and floor space.

Double sided and single sided ganging units can be ganged together to create a run of units.

Ganging kits must be ordered separately.

Single ganging kits are used anywhere a single will gang to a single or double. (Only double to double will use 71NGBK.)



Worksurfaces available in HPL or TFL.

6 USER STATION

PART NUMBER	PART DESCRIPTION	LIST PRICE	QUANTITY	EXT LIST
71N6072AB2PGLL	Adjustable Height Base, Double, Powered, Ganging - TFL Top	$ 6780	2	$13,560
71N40VWM23	Vertical Wire Manager	$ 199	6	$ 1,194
71N72ELE	Power Entry Whip Hardwire	$ 152	1	$ 152
71N22ELJ	22" Ganging Jumper	$ 86	3	$ 258
71N3072AB1PGLL	Adjustable Height Base, Single, Powered, Ganging - TFL Top	$ 4122	2	$ 8,244
71NGBSA23	Adjustable Single Ganging Bracket/Cover Kit, Black	$ 343	3	$ 1,029
			Total	$24,437

- Electrical included with powered units are a Phase 3 system; 3-circuit/5-wire system. 1, 2, 3, or hardwire circuit configurations can be selected for the receptacles. Standard-capacity power block, provides back-to-back or single power, and has 2 receptacles per user. Hardwire selection will include 2 installed empty back to back or single junction boxes
- Vertical wire managers must be ordered separately and are used to conceal conduit and cables between the worksurface and center beam
- Ganging jumpers must be ordered separately and are used to jump power from 1 unit to the next
- Beam mounted or edge mounted privacy screens can be ordered separately
- Power entry pole can be used to conceal power to the system. This is sold separately and is used to conceal the data and power cables from the floor to the unit. This is non-supporting and can enter at either end or in between benches at the connection point
- Grommet mounted monitor arms can be ordered separately
- Horizontal wire manager included with the base model provides a trough for cable to the power/data through tray cut-outs
- Powered adjustable height units ship with the base, top, beam support, horizontal wire manager and electrical
- Grommet cutouts can be selected in the worksurface to add above worksurface power (see page 20 for grommet selections). The G17A, G17B, or G17C powered grommet must be ordered separately to be installed in the grommet cutout
- Each worksurface is sized 1½" smaller in width than the model number dimensions to eliminate creep factor and pinch points when ganged together
- When a single sided adjustable height unit is on an end of a run, the feet must be used. Feet come standard with all single sided adjustable units
- Feet are optional on double sided units and must be ordered separately

ADJUSTABLE HEIGHT - POWERED GANGING DOUBLE/SINGLE COMBINATION

The overall number of units ganged is only limited based on electrical and floor space.

Single ganging kits are used anywhere a single will gang to a single or double. (Only double to double will use 71NGBK.)



Worksurfaces available in HPL or TFL.

9 USER STATION

PART NUMBER	PART DESCRIPTION	LIST PRICE	QUANTITY	EXT LIST
71N6072AB2PGLL	Adjustable Height Base, Double, Powered, Ganging - TFL Top	$ 6780	3	$20,340
71N3072AB1PGLL	Adjustable Height Base, Single, Powered, Ganging - TFL Top	$ 4122	3	$12,366
71NGBK23	Adjustable Ganging Bracket/Cover Kit, Black	$ 72	1	$ 72
71NGBSA23	Adjustable Single Ganging Bracket/Cover Kit, Black	$ 343	4	$ 1,372
71N40VWM23	Vertical Wire Manager	$ 199	9	$ 1,791
71N72ELE	Power Entry Whip Hardwire	$ 152	1	$ 152
71N22ELJ	22" Ganging Jumper	$ 86	5	$ 430
71N7023PVCPFA	Edge Mounted Privacy Screen - Railroad, Grade A	$ 1150	9	$10,350
			Total	$46,873

- Electrical included with powered units are a Phase 3 system; 3-circuit/5-wire system. 1, 2, 3, or hardwire circuit configurations can be selected for the receptacles. Standard-capacity power block, provides back-to-back or single power, and has 2 receptacles per unit. Hardwire selection will include 2 installed empty back to back or single junction boxes
- Vertical wire managers must be ordered separately and are used to conceal conduit and cables between the worksurface and center beam
- Ganging jumpers must be ordered separately and are used to jump power from 1 unit to the next
- Beam mounted or edge mounted privacy screens can be ordered separately
- Power entry pole can be used to conceal power to the system. This is sold separately and is used to conceal the data and power cables from the floor to the unit. This is non-supporting and can enter at either end or in between benches at the connection point
- Grommet mounted monitor arms can be ordered separately
- Horizontal wire manager included with the base model provides a trough for cable to the power/data through tray cut-outs
- Powered adjustable height units ship with the base, top, beam support, horizontal wire manager and electrical
- Grommet cutouts can be selected in the worksurface to add above worksurface power (see page 20 for grommet selections). The G17A, G17B, or G17C powered grommet must be ordered separately to be installed in the grommet cutout
- Each worksurface is sized 1½" smaller in width than the model number dimensions to eliminate creep factor and pinch points when ganged together
- When single sided units are not on an end of a run, feet are optional

THOUGHT STARTERS - ALLOY

FIXED HEIGHT - NON-POWERED GANGING DOUBLE/SINGLE COMBINATION

The overall number of units ganged is only limited based on electrical and floor space.

Fixed single sided ganging can gang to single ganging model, freestanding double or a start/end

Double sided units are sold as a Start, Mid, or End model. A continuous run of units always require a start and end. Additional Mid models can be added in the middle to create a longer run. Freestanding double sided units can gang with a flat bracket.



Depths available in 48" or
60" for double depth bases.

Worksurfaces available in HPL or TFL.

10 USER STATION

PART NUMBER	PART DESCRIPTION	LIST PRICE	QUANTITY	EXT LIST
71N6072FB2NSLL	Fixed Height Base, Double, Non-Powered, Start - TFL Top	$ 2830	1	$ 2,830
71N6072FB2NMLL	Fixed Height Base, Double, Non-Powered, Mid - TFL Top	$ 2593	2	$ 5,186
71N6072FB2NELL	Fixed Height Base, Double, Non-Powered, End - TFL Top	$ 2593	1	$ 2,593
71N3072FB1NGLL	Fixed Height Base, Single Sided, Non-Powered - TFL Top	$ 1891	2	$ 3,782
71NGBSF23	Fixed Height Single Ganging Bracket/Cover Kit, Black	$ 113	2	$ 226
			Total	$14,617

- Non-powered fixed height units ship with the base, top, and beam support
- Beam mounted privacy screens can be ordered separately
- Center beam mounted or grommet mounted monitor arms can be ordered separately
- Grommet cutouts can be selected in the worksurface to add above worksurface power (see page 20 for grommet selections). The G17A, G17B, or G17C powered grommet must be ordered separately to be installed in the grommet cutout
- Single sided units can gang to a Fixed Start, End, or Freestanding unit
- Ganging bracket/cover kit must be ordered separately

FIXED HEIGHT - POWERED GANGING DOUBLE/SINGLE COMBINATION

The overall number of units ganged is only limited based on electrical and floor space.

Fixed single sided ganging can gang to single ganging model, freestanding double or a start/end

Double sided units are sold as a Start, Mid, or End model. A continuous run of units always require a start and end. Additional Mid models can be added in the middle to create a longer run. Freestanding double sided units can gang with a flat bracket.



6 USER STATION

PART NUMBER	PART DESCRIPTION	LIST PRICE	QUANTITY	EXT LIST
71N6072FB2PSLL	Fixed Height Base, Double, Starter, Ganging - TFL Top	$ 3896	1	$ 3,896
71N6072FB2PELL	Fixed Height Base, Double, End, Ganging - TFL Top	$ 3656	1	$ 3,656
71N3072FB1PGLL	Fixed Height Base, Single, Powered - TFL Top	$ 2498	2	$ 4,996
71NGBSF23	Fixed Height Single Ganging Bracket/Cover Kit, Black	$ 113	2	$ 226
71N72ELE	Power Entry Whip Hardwire	$ 152	1	$ 152
71N22ELJ	22" Ganging Jumper	$ 86	3	$ 258
71N7213PVDP	Beam Mounted Privacy Screen-Rectangular - Resin, Grade 1	$ 953	4	$ 3,812
			Total	$16,996

- Electrical included with powered units are a Phase 3 system; 3-circuit/5-wire system. 1, 2, 3, or hardwire circuit configurations can be selected for the receptacles. Standard-capacity power block, provides back-to-back or single power, and has 2 receptacles per side. Hardwire selection will include 2 installed empty back to back or single junction boxes
- Ganging jumpers must be ordered separately and are used to jump power from 1 unit to the next
- Beam mounted privacy screens can be ordered separately
- Power entry pole can be used to conceal power to the system. This is sold separately and is used to conceal the data and power cables from the floor to the unit. This is non-supporting and can enter at either end or in between benches at the connection point
- Center beam mounted monitor arms can be ordered separately
- Horizontal wire manager included with the base model provides a trough for cable to the power/data through tray cut-outs
- Powered fixed height units ship with the base, top, beam support, horizontal wire manager, and electrical
- Wire management cutout comes standard in the worksurface of a powered fixed height unit; this allows easy access to the below surface electrical

THOUGHT STARTERS - ALLOY

FIXED HEIGHT - POWERED GANGING DOUBLE/SINGLE COMBINATION

The overall number of units ganged is only limited based on electrical and floor space.

Fixed single sided ganging can gang to single ganging model, freestanding double or a start/end

Double sided units are sold as a Start, Mid, or End model. A continuous run of units always require a start and end. Additional Mid models can be added in the middle to create a longer run. Freestanding double sided units can gang with a flat bracket.



9 USER STATION

PART NUMBER	PART DESCRIPTION	LIST PRICE	QUANTITY	EXT LIST
71N6060FB2PFLL	Fixed Height Base, Double, Powered, Freestanding - TFL Top	$ 3478	3	$10,434
71N3060FB1PGLL	Fixed Height Base, Single, Powered - TFL Top	$ 2360	3	$ 7,080
71NGBSF23	Fixed Height Single Ganging Bracket/Cover Kit, Black	$ 113	4	$ 452
71N72ELE	Power Entry Whip Hardwire	$ 152	1	$ 152
71N22ELJ	22" Ganging Jumper	$ 86	5	$ 430
71N5718PVBPFA	Beam Mounted Privacy Screen - Railroad, Grade A	$ 1024	3	$ 3,072
			Total	$21,620

- Electrical included with powered units are a Phase 3 system; 3-circuit/5-wire system. 1, 2, 3, or hardwire circuit configurations can be selected for the receptacles. Standard-capacity power block, provides back-to-back or single power, and has 2 receptacles per side. Hardwire selection will include 2 installed empty back to back or single junction boxes
- Ganging jumpers must be ordered separately and are used to jump power from 1 unit to the next
- Beam mounted privacy screens can be ordered separately
- Power entry pole can be used to conceal power to the system. This is sold separately and is used to conceal the data and power cables from the floor to the unit. This is non-supporting and can enter at either end or in between benches at the connection point
- Center beam mounted monitor arms can be ordered separately
- Horizontal wire manager included with the base model provides a trough for cable to the power/data through tray cut-outs
- Powered fixed height units ship with the base, top, beam support, horizontal wire manager, and electrical
- Wire management cutout comes standard in the worksurface of a powered fixed height unit; this allows easy access to the below surface electrical

PRODUCT SPECIFICATIONS

- Shipped in multiple cartons

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Circuit
4. Laminate
5. Beam Paint
6. Paint Color

SAMPLE MODEL NUMBER:

71N4848FB2PFL VMC 1 405 21 23

• See pages 19-22 for all options available in Alloy

FIXED HEIGHT DOUBLE POWERED PHASE 3 CENTER BEAM FREESTANDING BASE



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
71N6072FB2PFL	HPL	$ 4196	60 3/16	71 15/16	28 7/8	–	–		34.8
71N6072FB2PFLL	TFL	3896	60 3/16	71 15/16	28 7/8	–	–		34.8
71N6066FB2PFL	HPL	$ 3964	60 3/16	66	28 7/8	–	–		34.6
71N6066FB2PFLL	TFL	3685	60 3/16	66	28 7/8	–	–		34.6
71N6060FB2PFL	HPL	$ 3726	60 3/16	60	28 7/8	–	–		34.3
71N6060FB2PFLL	TFL	3478	60 3/16	60	28 7/8	–	–		34.3
71N6054FB2PFL	HPL	$ 3515	60 3/16	54	28 7/8	–	–		33.6
71N6054FB2PFLL	TFL	3282	60 3/16	54	28 7/8	–	–		33.6
71N6048FB2PFL	HPL	$ 3317	60 3/16	48 1/16	28 7/8	–	–		33.3
71N6048FB2PFLL	TFL	3106	60 3/16	48 1/16	28 7/8	–	–		33.3
71N4872FB2PFL	HPL	$ 3840	47 15/16	71 15/16	28 7/8	–	–		26.2
71N4872FB2PFLL	TFL	3591	47 15/16	71 15/16	28 7/8	–	–		26.2
71N4866FB2PFL	HPL	$ 3646	47 15/16	66	28 7/8	–	–		26.0
71N4866FB2PFLL	TFL	3409	47 15/16	66	28 7/8	–	–		26.0
71N4860FB2PFL	HPL	$ 3469	47 15/16	60	28 7/8	–	–		25.7
71N4860FB2PFLL	TFL	3248	47 15/16	60	28 7/8	–	–		25.7
71N4854FB2PFL	HPL	$ 3239	47 15/16	54	28 7/8	–	–		25.0
71N4854FB2PFLL	TFL	3043	47 15/16	54	28 7/8	–	–		25.0
71N4848FB2PFL	HPL	$ 3053	47 15/16	48 1/16	28 7/8	–	–		24.7
71N4848FB2PFLL	TFL	2878	47 15/16	48 1/16	28 7/8	–	–		24.7

- Grommet option not available
- Wire management cutout standard in powered models

ALLOY

PRODUCT SPECIFICATIONS

- Shipped in multiple cartons

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Laminate
5. Beam Paint
6. Paint Color

SAMPLE MODEL NUMBER:

71N4848FB2NFL VMC X MC 21 23

- See pages 19-22 for all options available in Alloy

FIXED HEIGHT DOUBLE NON-POWERED CENTER BEAM FREESTANDING BASE



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
71N6072FB2NFL	HPL	$ 3133	60 3/16	71 15/16	28 7/8	–	–		33.1
71N6072FB2NFLL	TFL	2830	60 3/16	71 15/16	28 7/8	–	–		33.1
71N6066FB2NFL	HPL	$ 2956	60 3/16	66	28 7/8	–	–		32.7
71N6066FB2NFLL	TFL	2677	60 3/16	66	28 7/8	–	–		32.7
71N6060FB2NFL	HPL	$ 2775	60 3/16	60	28 7/8	–	–		32.3
71N6060FB2NFLL	TFL	2524	60 3/16	60	28 7/8	–	–		32.3
71N6054FB2NFL	HPL	$ 2622	60 3/16	54	28 7/8	–	–		31.4
71N6054FB2NFLL	TFL	2388	60 3/16	54	28 7/8	–	–		31.4
71N6048FB2NFL	HPL	$ 2462	60 3/16	48 1/16	28 7/8	–	–		31.1
71N6048FB2NFLL	TFL	2250	60 3/16	48 1/16	28 7/8	–	–		31.1
71N4872FB2NFL	HPL	$ 2779	47 15/16	71 15/16	28 7/8	–	–		27.3
71N4872FB2NFLL	TFL	2527	47 15/16	71 15/16	28 7/8	–	–		27.3
71N4866FB2NFL	HPL	$ 2634	47 15/16	66	28 7/8	–	–		27.0
71N4866FB2NFLL	TFL	2402	47 15/16	66	28 7/8	–	–		27.0
71N4860FB2NFL	HPL	$ 2519	47 15/16	60	28 7/8	–	–		26.6
71N4860FB2NFLL	TFL	2298	47 15/16	60	28 7/8	–	–		26.6
71N4854FB2NFL	HPL	$ 2344	47 15/16	54	28 7/8	–	–		25.8
71N4854FB2NFLL	TFL	2147	47 15/16	54	28 7/8	–	–		25.8
71N4848FB2NFL	HPL	$ 2200	47 15/16	48 1/16	28 7/8	–	–		25.5
71N4848FB2NFLL	TFL	2024	47 15/16	48 1/16	28 7/8	–	–		25.5

- Grommet options available in worksurface

PRODUCT SPECIFICATIONS

- Shipped in multiple cartons

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Circuit
4. Laminate
5. Beam Paint
6. Paint Color

SAMPLE MODEL NUMBER:

71N4848FB2PSL VMC 1 405 21 21

- See pages 19-22 for all options available in Alloy

FIXED HEIGHT DOUBLE POWERED PHASE 3 CENTER BEAM STARTER BASE



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
71N6072FB2PSL	HPL	$ 4196	60 3/16	71 15/16	28 7/8	—	—		65.1
71N6072FB2PSLL	TFL	3896	60 3/16	71 15/16	28 7/8	—	—		65.1
71N6066FB2PSL	HPL	$ 3964	60 3/16	66	28 7/8	—	—		64.9
71N6066FB2PSLL	TFL	3685	60 3/16	66	28 7/8	—	—		64.9
71N6060FB2PSL	HPL	$ 3726	60 3/16	60	28 7/8	—	—		64.6
71N6060FB2PSLL	TFL	3478	60 3/16	60	28 7/8	—	—		64.6
71N6054FB2PSL	HPL	$ 3515	60 3/16	54	28 7/8	—	—		63.9
71N6054FB2PSLL	TFL	3282	60 3/16	54	28 7/8	—	—		63.9
71N6048FB2PSL	HPL	$ 3317	60 3/16	48 1/16	28 7/8	—	—		63.6
71N6048FB2PSLL	TFL	3106	60 3/16	48 1/16	28 7/8	—	—		63.6
71N4872FB2PSL	HPL	$ 3840	47 15/16	71 15/16	28 7/8	—	—		49.5
71N4872FB2PSLL	TFL	3591	47 15/16	71 15/16	28 7/8	—	—		49.5
71N4866FB2PSL	HPL	$ 3603	47 15/16	66	28 7/8	—	—		49.3
71N4866FB2PSLL	TFL	3409	47 15/16	66	28 7/8	—	—		49.3
71N4860FB2PSL	HPL	$ 3469	47 15/16	60	28 7/8	—	—		49.0
71N4860FB2PSLL	TFL	3248	47 15/16	60	28 7/8	—	—		49.0
71N4854FB2PSL	HPL	$ 3239	47 15/16	54	28 7/8	—	—		48.3
71N4854FB2PSLL	TFL	3043	47 15/16	54	28 7/8	—	—		48.3
71N4848FB2PSL	HPL	$ 3053	47 15/16	48 1/16	28 7/8	—	—		48.0
71N4848FB2PSLL	TFL	2878	47 15/16	48 1/16	28 7/8	—	—		48.0

- Grommet option not available
- Wire management cutout standard in powered models

ALLOY

PRODUCT SPECIFICATIONS

- Shipped in multiple cartons

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Laminate
5. Beam Paint
6. Paint Color

SAMPLE MODEL NUMBER:

71N4848FB2NSL VMC X MC 21 21

- See pages 19-22 for all options available in Alloy

FIXED HEIGHT DOUBLE NON-POWERED CENTER BEAM STARTER BASE



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
71N6072FB2NSL	HPL	$ 3133	60 3/16	71 15/16	28 7/8	–	–		63.4
71N6072FB2NSLL	TFL	2830	60 3/16	71 15/16	28 7/8	–	–		63.4
71N6066FB2NSL	HPL	$ 2956	60 3/16	66	28 7/8	–	–		63.0
71N6066FB2NSLL	TFL	2677	60 3/16	66	28 7/8	–	–		63.0
71N6060FB2NSL	HPL	$ 2775	60 3/16	60	28 7/8	–	–		62.6
71N6060FB2NSLL	TFL	2524	60 3/16	60	28 7/8	–	–		62.6
71N6054FB2NSL	HPL	$ 2622	60 3/16	54	28 7/8	–	–		61.7
71N6054FB2NSLL	TFL	2388	60 3/16	54	28 7/8	–	–		61.7
71N6048FB2NSL	HPL	$ 2462	60 3/16	48 1/16	28 7/8	–	–		61.4
71N6048FB2NSLL	TFL	2250	60 3/16	48 1/16	28 7/8	–	–		61.4
71N4872FB2NSL	HPL	$ 2779	47 15/16	71 15/16	28 7/8	–	–		50.6
71N4872FB2NSLL	TFL	2527	47 15/16	71 15/16	28 7/8	–	–		50.6
71N4866FB2NSL	HPL	$ 2634	47 15/16	66	28 7/8	–	–		50.3
71N4866FB2NSLL	TFL	2402	47 15/16	66	28 7/8	–	–		50.3
71N4860FB2NSL	HPL	$ 2519	47 15/16	60	28 7/8	–	–		49.9
71N4860FB2NSLL	TFL	2298	47 15/16	60	28 7/8	–	–		49.9
71N4854FB2NSL	HPL	$ 2344	47 15/16	54	28 7/8	–	–		49.1
71N4854FB2NSLL	TFL	2147	47 15/16	54	28 7/8	–	–		49.1
71N4848FB2NSL	HPL	$ 2200	47 15/16	48 1/16	28 7/8	–	–		48.8
71N4848FB2NSLL	TFL	2024	47 15/16	48 1/16	28 7/8	–	–		48.8

- Grommet options available in worksurface

PRODUCT SPECIFICATIONS

- Shipped in multiple cartons

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Circuit
4. Laminate
5. Beam Paint
6. Paint Color

SAMPLE MODEL NUMBER:

71N4848FB2PML VMC 1 461 22 22

• See pages 19-22 for all options available in Alloy

FIXED HEIGHT DOUBLE POWERED PHASE 3 CENTER BEAM MID BASE



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
71N6072FB2PML	HPL	$ 3957	60 3/16	71 15/16	28 7/8	—	—		39.5
71N6072FB2PMLL	TFL	3656	60 3/16	71 15/16	28 7/8	—	—		39.5
71N6066FB2PML	HPL	$ 3724	60 3/16	66	28 7/8	—	—		39.3
71N6066FB2PMLL	TFL	3444	60 3/16	66	28 7/8	—	—		39.3
71N6060FB2PML	HPL	$ 3487	60 3/16	60	28 7/8	—	—		39.0
71N6060FB2PMLL	TFL	3238	60 3/16	60	28 7/8	—	—		39.0
71N6054FB2PML	HPL	$ 3277	60 3/16	54	28 7/8	—	—		38.2
71N6054FB2PMLL	TFL	3043	60 3/16	54	28 7/8	—	—		38.2
71N6048FB2PML	HPL	$ 3079	60 3/16	48 1/16	28 7/8	—	—		37.9
71N6048FB2PMLL	TFL	2865	60 3/16	48 1/16	28 7/8	—	—		37.9
71N4872FB2PML	HPL	$ 3600	47 15/16	71 15/16	28 7/8	—	—		29.0
71N4872FB2PMLL	TFL	3351	47 15/16	71 15/16	28 7/8	—	—		29.0
71N4866FB2PML	HPL	$ 3403	47 15/16	66	28 7/8	—	—		28.8
71N4866FB2PMLL	TFL	3170	47 15/16	66	28 7/8	—	—		28.8
71N4860FB2PML	HPL	$ 3229	47 15/16	60	28 7/8	—	—		28.5
71N4860FB2PMLL	TFL	3011	47 15/16	60	28 7/8	—	—		28.5
71N4854FB2PML	HPL	$ 2998	47 15/16	54	28 7/8	—	—		27.7
71N4854FB2PMLL	TFL	2806	47 15/16	54	28 7/8	—	—		27.7
71N4848FB2PML	HPL	$ 2815	47 15/16	48 1/16	28 7/8	—	—		27.4
71N4848FB2PMLL	TFL	2639	47 15/16	48 1/16	28 7/8	—	—		27.4

- Grommet option not available
- Wire management cutout standard in powered models

ALLOY

PRODUCT SPECIFICATIONS

- Shipped in multiple cartons

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Laminate
5. Beam Paint
6. Paint Color

SAMPLE MODEL NUMBER:

71N4848FB2NML VMC X MC 21 21

- See pages 19-22 for all options available in Alloy

FIXED HEIGHT DOUBLE NON-POWERED CENTER BEAM MID BASE



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
71N6072FB2NML	HPL	$ 2892	60 3/16	71 15/16	28 7/8	–	–		37.7
71N6072FB2NMLL	TFL	2593	60 3/16	71 15/16	28 7/8	–	–		37.7
71N6066FB2NML	HPL	$ 2714	60 3/16	66	28 7/8	–	–		37.3
71N6066FB2NMLL	TFL	2438	60 3/16	66	28 7/8	–	–		37.3
71N6060FB2NML	HPL	$ 2536	60 3/16	60	28 7/8	–	–		36.9
71N6060FB2NMLL	TFL	2287	60 3/16	60	28 7/8	–	–		36.9
71N6054FB2NML	HPL	$ 2383	60 3/16	54	28 7/8	–	–		36.0
71N6054FB2NMLL	TFL	2147	60 3/16	54	28 7/8	–	–		36.0
71N6048FB2NML	HPL	$ 2222	60 3/16	48 1/16	28 7/8	–	–		35.7
71N6048FB2NMLL	TFL	2009	60 3/16	48 1/16	28 7/8	–	–		35.7
71N4872FB2NML	HPL	$ 2539	47 15/16	71 15/16	28 7/8	–	–		30.1
71N4872FB2NMLL	TFL	2290	47 15/16	71 15/16	28 7/8	–	–		30.1
71N4866FB2NML	HPL	$ 2397	47 15/16	66	28 7/8	–	–		29.8
71N4866FB2NMLL	TFL	2162	47 15/16	66	28 7/8	–	–		29.8
71N4860FB2NML	HPL	$ 2280	47 15/16	60	28 7/8	–	–		29.4
71N4860FB2NMLL	TFL	2059	47 15/16	60	28 7/8	–	–		29.4
71N4854FB2NML	HPL	$ 2102	47 15/16	54	28 7/8	–	–		28.5
71N4854FB2NMLL	TFL	1908	47 15/16	54	28 7/8	–	–		28.5
71N4848FB2NML	HPL	$ 1963	47 15/16	48 1/16	28 7/8	–	–		28.2
71N4848FB2NMLL	TFL	1784	47 15/16	48 1/16	28 7/8	–	–		28.2

- Grommet options available in worksurface

PRODUCT SPECIFICATIONS

- Shipped in multiple cartons

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Circuit
4. Laminate
5. Beam Paint
6. Paint Color

SAMPLE MODEL NUMBER:

71N4848FB2PEL VMC 1 461 22 22

• See pages 19-22 for all options available in Alloy

FIXED HEIGHT DOUBLE POWERED PHASE 3 CENTER BEAM END BASE



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
71N6072FB2PEL	HPL	$ 3957	60 3/16	71 15/16	28 7/8	—	—		34.8
71N6072FB2PELL	TFL	3656	60 3/16	71 15/16	28 7/8	—	—		34.8
71N6066FB2PEL	HPL	$ 3724	60 3/16	66	28 7/8	—	—		34.6
71N6066FB2PELL	TFL	3444	60 3/16	66	28 7/8	—	—		34.6
71N6060FB2PEL	HPL	$ 3487	60 3/16	60	28 7/8	—	—		34.3
71N6060FB2PELL	TFL	3238	60 3/16	60	28 7/8	—	—		34.3
71N6054FB2PEL	HPL	$ 3277	60 3/16	54	28 7/8	—	—		33.6
71N6054FB2PELL	TFL	3043	60 3/16	54	28 7/8	—	—		33.6
71N6048FB2PEL	HPL	$ 3079	60 3/16	48 1/16	28 7/8	—	—		33.3
71N6048FB2PELL	TFL	2865	60 3/16	48 1/16	28 7/8	—	—		33.3
71N4872FB2PEL	HPL	$ 3600	47 15/16	71 15/16	28 7/8	—	—		26.2
71N4872FB2PELL	TFL	3351	47 15/16	71 15/16	28 7/8	—	—		26.2
71N4866FB2PEL	HPL	$ 3403	47 15/16	66	28 7/8	—	—		26.0
71N4866FB2PELL	TFL	3170	47 15/16	66	28 7/8	—	—		26.0
71N4860FB2PEL	HPL	$ 3229	47 15/16	60	28 7/8	—	—		25.7
71N4860FB2PELL	TFL	3011	47 15/16	60	28 7/8	—	—		25.7
71N4854FB2PEL	HPL	$ 2998	47 15/16	54	28 7/8	—	—		25.0
71N4854FB2PELL	TFL	2806	47 15/16	54	28 7/8	—	—		25.0
71N4848FB2PEL	HPL	$ 2815	47 15/16	48 1/16	28 7/8	—	—		24.7
71N4848FB2PELL	TFL	2639	47 15/16	48 1/16	28 7/8	—	—		24.7

- Grommet option not available
- Wire management cutout standard in powered models

ALLOY

PRODUCT SPECIFICATIONS

- Shipped in multiple cartons

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Laminate
5. Beam Paint
6. Paint Color

SAMPLE MODEL NUMBER:

71N4848FB2NEL VMC X MC 21 21

- See pages 19-22 for all options available in Alloy

FIXED HEIGHT DOUBLE NON-POWERED CENTER BEAM END BASE



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
71N6072FB2NEL	HPL	$ 2892	60 3/16	71 15/16	28 7/8	–	–		33.1
71N6072FB2NELL	TFL	2593	60 3/16	71 15/16	28 7/8	–	–		33.1
71N6066FB2NEL	HPL	$ 2714	60 3/16	66	28 7/8	–	–		32.7
71N6066FB2NELL	TFL	2438	60 3/16	66	28 7/8	–	–		32.7
71N6060FB2NEL	HPL	$ 2536	60 3/16	60	28 7/8	–	–		32.3
71N6060FB2NELL	TFL	2287	60 3/16	60	28 7/8	–	–		32.3
71N6054FB2NEL	HPL	$ 2383	60 3/16	54	28 7/8	–	–		31.4
71N6054FB2NELL	TFL	2147	60 3/16	54	28 7/8	–	–		31.4
71N6048FB2NEL	HPL	$ 2222	60 3/16	48 1/16	28 7/8	–	–		31.1
71N6048FB2NELL	TFL	2009	60 3/16	48 1/16	28 7/8	–	–		31.1
71N4872FB2NEL	HPL	$ 2539	47 15/16	71 15/16	28 7/8	–	–		27.3
71N4872FB2NELL	TFL	2290	47 15/16	71 15/16	28 7/8	–	–		27.3
71N4866FB2NEL	HPL	$ 2397	47 15/16	66	28 7/8	–	–		27.0
71N4866FB2NELL	TFL	2162	47 15/16	66	28 7/8	–	–		27.0
71N4860FB2NEL	HPL	$ 2280	47 15/16	60	28 7/8	–	–		26.6
71N4860FB2NELL	TFL	2059	47 15/16	60	28 7/8	–	–		26.6
71N4854FB2NEL	HPL	$ 2102	47 15/16	54	28 7/8	–	–		25.8
71N4854FB2NELL	TFL	1908	47 15/16	54	28 7/8	–	–		25.8
71N4848FB2NEL	HPL	$ 1963	47 15/16	48 1/16	28 7/8	–	–		25.5
71N4848FB2NELL	TFL	1784	47 15/16	48 1/16	28 7/8	–	–		25.5

- Grommet options available in worksurface

PRODUCT SPECIFICATIONS

- Shipped in multiple cartons

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Circuit
4. Laminate
5. Beam Paint (when applicable)
6. Paint Color

SAMPLE MODEL NUMBER:

71N3072FB1PGL VMC 1 MC 21 21

- See pages 19-22 for all options available in Alloy

FIXED HEIGHT SINGLE POWERED, GANGING FREESTANDING BASE



Front View



Back View

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
71N3072FB1PGL	HPL	$ 2647	30 1/16	71 15/16	28 7/8	—	—		19.6
71N3072FB1PGLL	TFL	2498	30 1/16	71 15/16	28 7/8	—	—		19.6
71N3066FB1PGL	HPL	$ 2566	30 1/16	66	28 7/8	—	—		19.4
71N3066FB1PGLL	TFL	2427	30 1/16	66	28 7/8	—	—		19.4
71N3060FB1PGL	HPL	$ 2484	30 1/16	60	28 7/8	—	—		19.0
71N3060FB1PGLL	TFL	2360	30 1/16	60	28 7/8	—	—		19.0
71N3054FB1PGL	HPL	$ 2416	30 1/16	54	28 7/8	—	—		18.1
71N3054FB1PGLL	TFL	2299	30 1/16	54	28 7/8	—	—		18.1
71N3048FB1PGL	HPL	$ 2345	30 1/16	48 1/16	28 7/8	—	—		17.8
71N3048FB1PGLL	TFL	2240	30 1/16	48 1/16	28 7/8	—	—		17.8
71N2472FB1PGL	HPL	$ 2471	24	71 15/16	28 7/8	—	—		16.4
71N2472FB1PGLL	TFL	2346	24	71 15/16	28 7/8	—	—		16.4
71N2466FB1PGL	HPL	$ 2406	24	66	28 7/8	—	—		16.2
71N2466FB1PGLL	TFL	2290	24	66	28 7/8	—	—		16.2
71N2460FB1PGL	HPL	$ 2355	24	60	28 7/8	—	—		15.9
71N2460FB1PGLL	TFL	2247	24	60	28 7/8	—	—		15.9
71N2454FB1PGL	HPL	$ 2276	24	54	28 7/8	—	—		15.1
71N2454FB1PGLL	TFL	2180	24	54	28 7/8	—	—		15.1
71N2448FB1PGL	HPL	$ 2212	24	48 1/16	28 7/8	—	—		14.9
71N2448FB1PGLL	TFL	2124	24	48 1/16	28 7/8	—	—		14.9

- Ability to gang to single ganging, double freestanding, or double start/end
- Grommet option not available
- Maximum of 2 beam mounted monitor arms per beam. Monitor arms are not to extend past the worksurface (not to extend 180°) for stability purposes

ALLOY

PRODUCT SPECIFICATIONS

- Shipped in multiple cartons

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Laminate
5. Beam Paint (when applicable)
6. Paint Color

SAMPLE MODEL NUMBER:

71N3072FB1NGL VMC G1C MC 21 21

- See pages 19-22 for all options available in Alloy

FIXED HEIGHT SINGLE NON-POWERED, GANGING FREESTANDING BASE



Front View



Back View

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
71N3072FB1NGL	HPL	$ 2038	30 1/16	71 15/16	28 7/8	–	–		19.6
71N3072FB1NGLL	TFL	1891	30 1/16	71 15/16	28 7/8	–	–		19.6
71N3066FB1NGL	HPL	$ 1958	30 1/16	66	28 7/8	–	–		19.4
71N3066FB1NGLL	TFL	1819	30 1/16	66	28 7/8	–	–		19.4
71N3060FB1NGL	HPL	$ 1874	30 1/16	60	28 7/8	–	–		19.0
71N3060FB1NGLL	TFL	1752	30 1/16	60	28 7/8	–	–		19.0
71N3054FB1NGL	HPL	$ 1807	30 1/16	54	28 7/8	–	–		18.1
71N3054FB1NGLL	TFL	1691	30 1/16	54	28 7/8	–	–		18.1
71N3048FB1NGL	HPL	$ 1735	30 1/16	48 1/16	28 7/8	–	–		17.8
71N3048FB1NGLL	TFL	1631	30 1/16	48 1/16	28 7/8	–	–		17.8
71N2472FB1NGL	HPL	$ 1863	24	71 15/16	28 7/8	–	–		16.4
71N2472FB1NGLL	TFL	1737	24	71 15/16	28 7/8	–	–		16.4
71N2466FB1NGL	HPL	$ 1796	24	66	28 7/8	–	–		16.2
71N2466FB1NGLL	TFL	1681	24	66	28 7/8	–	–		16.2
71N2460FB1NGL	HPL	$ 1749	24	60	28 7/8	–	–		15.9
71N2460FB1NGLL	TFL	1640	24	60	28 7/8	–	–		15.9
71N2454FB1NGL	HPL	$ 1668	24	54	28 7/8	–	–		15.1
71N2454FB1NGLL	TFL	1570	24	54	28 7/8	–	–		15.1
71N2448FB1NGL	HPL	$ 1604	24	48 1/16	28 7/8	–	–		14.9
71N2448FB1NGLL	TFL	1514	24	48 1/16	28 7/8	–	–		14.9

- Ability to gang to single ganging, double freestanding, or double start/end
- Grommet options available in worksurface
- Maximum of 2 beam mounted monitor arms per beam. Monitor arms are not to extend past the worksurface (not to extend 180°) for stability purposes

PRODUCT SPECIFICATIONS

- Shipped in multiple cartons

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Laminate
5. Beam Paint (when applicable)
6. Paint Color

SAMPLE MODEL NUMBER:

71N3072FB1NFL VMC G1C MC 21 21

- See pages 19-22 for all options available in Alloy

FIXED HEIGHT SINGLE NON-POWERED, NON-GANGING FREESTANDING BASE



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
71N3072FB1NFL	HPL	$ 1431	30 1/16	71 15/16	28 7/8	–	–		19.6
71N3072FB1NFLL	TFL	1280	30 1/16	71 15/16	28 7/8	–	–		19.6
71N3066FB1NFL	HPL	$ 1348	30 1/16	66	28 7/8	–	–		19.4
71N3066FB1NFLL	TFL	1210	30 1/16	66	28 7/8	–	–		19.4
71N3060FB1NFL	HPL	$ 1268	30 1/16	60	28 7/8	–	–		19.0
Q71N3060FB1NFLL	TFL	1141	30 1/16	60	28 7/8	–	–		19.0
71N3060FB1NFLL	TFL	1141	30 1/16	60	28 7/8	–	–		19.0
71N3054FB1NFL	HPL	$ 1200	30 1/16	54	28 7/8	–	–		18.1
71N3054FB1NFLL	TFL	1083	30 1/16	54	28 7/8	–	–		18.1
71N3048FB1NFL	HPL	$ 1128	30 1/16	48 1/16	28 7/8	–	–		17.8
71N3048FB1NFLL	TFL	1023	30 1/16	48 1/16	28 7/8	–	–		17.8
71N2472FB1NFL	HPL	$ 1253	24	71 15/16	28 7/8	–	–		16.4
71N2472FB1NFLL	TFL	1130	24	71 15/16	28 7/8	–	–		16.4
71N2466FB1NFL	HPL	$ 1191	24	66	28 7/8	–	–		16.2
71N2466FB1NFLL	TFL	1072	24	66	28 7/8	–	–		16.2
71N2460FB1NFL	HPL	$ 1139	24	60	28 7/8	–	–		15.9
71N2460FB1NFLL	TFL	1029	24	60	28 7/8	–	–		15.9
71N2454FB1NFL	HPL	$ 1058	24	54	28 7/8	–	–		15.1
71N2454FB1NFLL	TFL	961	24	54	28 7/8	–	–		15.1
71N2448FB1NFL	HPL	$ 995	24	48 1/16	28 7/8	–	–		14.9
Q71N2448FB1NFLL	TFL	908	24	48 1/16	28 7/8	–	–		14.9
71N2448FB1NFLL	TFL	908	24	48 1/16	28 7/8	–	–		14.9

- Grommet options available in worksurface

ALLOY

PRODUCT SPECIFICATIONS

- Shipped in multiple cartons

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Circuit
5. Laminate
6. Beam Paint (when applicable)
7. Paint Color

SAMPLE MODEL NUMBER:

71N4848AB2PGL VMC X 1 MC 21 21

• See pages 19-22 for all options available in Alloy

ADJUSTABLE HEIGHT DOUBLE POWERED PHASE 3 CENTER BEAM GANGING BASE



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
71N6072AB2PGL	HPL	$ 7082	60⅜	70½	28½-44½		–		16.8
Q71N6072AB2PGLL	TFL	6780	60⅜	70½	28½-44½		–		16.8
71N6072AB2PGLL	TFL	6780	60⅜	70½	28½-44½		–		16.8
71N6066AB2PGL	HPL	$ 6685	60⅜	64⅜	28½-44½		–		16.3
71N6066AB2PGLL	TFL	6405	60⅜	64⅜	28½-44½		–		16.3
71N6060AB2PGL	HPL	$ 6292	60⅜	58½	28½-44½		–		15.7
71N6060AB2PGLL	TFL	6044	60⅜	58½	28½-44½		–		15.7
71N6054AB2PGL	HPL	$ 5938	60⅜	52½	28½-44½		–		14.6
71N6054AB2PGLL	TFL	5703	60⅜	52½	28½-44½		–		14.6
71N6048AB2PGL	HPL	$ 5593	60⅜	46⅜	28½-44½		–		14.0
71N6048AB2PGLL	TFL	5383	60⅜	46⅜	28½-44½		–		14.0
71N4872AB2PGL	HPL	$ 5912	47⅛	70½	28½-44½		–		15.8
71N4872AB2PGLL	TFL	5662	47⅛	70½	28½-44½		–		15.8
71N4866AB2PGL	HPL	$ 5592	47⅛	64⅜	28½-44½		–		15.3
71N4866AB2PGLL	TFL	5359	47⅛	64⅜	28½-44½		–		15.3
71N4860AB2PGL	HPL	$ 5308	47⅛	58½	28½-44½		–		14.8
71N4860AB2PGLL	TFL	5088	47⅛	58½	28½-44½		–		14.8
71N4854AB2PGL	HPL	$ 4969	47⅛	52½	28½-44½		–		13.7
71N4854AB2PGLL	TFL	4776	47⅛	52½	28½-44½		–		13.7
71N4848AB2PGL	HPL	$ 4678	47⅛	46⅜	28½-44½		–		13.2
71N4848AB2PGLL	TFL	4499	47⅛	46⅜	28½-44½		–		13.2

- Adjustable glides
- 48" deep models have (2) 22.5" deep worksurfaces and 60" deep models have (2) 28.5" deep worksurfaces to create a 3" gap
- Grommet options available in worksurface

PRODUCT SPECIFICATIONS

- Shipped in multiple cartons

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Laminate
5. Beam Paint (when applicable)
6. Paint Color

SAMPLE MODEL NUMBER:

71N6072AB2NGL VMC G1C MC 21 21

• See pages 19-22 for all options available in Alloy

ADJUSTABLE HEIGHT DOUBLE NON-POWERED CENTER BEAM GANGING BASE



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
71N6072AB2NGL	HPL	$ 5816	60³⁄₁₆	70½	28½-44½		–		14.9
71N6072AB2NGLL	TFL	5518	60³⁄₁₆	70½	28½-44½		–		14.9
71N6066AB2NGL	HPL	$ 5481	60³⁄₁₆	64⁵⁄₁₆	28½-44½		–		14.5
71N6066AB2NGLL	TFL	5202	60³⁄₁₆	64⁵⁄₁₆	28½-44½		–		14.5
71N6060AB2NGL	HPL	$ 5150	60³⁄₁₆	58½	28½-44½		–		14.1
71N6060AB2NGLL	TFL	4901	60³⁄₁₆	58½	28½-44½		–		14.1
71N6054AB2NGL	HPL	$ 4859	60³⁄₁₆	52½	28½-44½		–		13.1
71N6054AB2NGLL	TFL	4626	60³⁄₁₆	52½	28½-44½		–		13.1
71N6048AB2NGL	HPL	$ 4566	60³⁄₁₆	46⁹⁄₁₆	28½-44½		–		12.7
71N6048AB2NGLL	TFL	4356	60³⁄₁₆	46⁹⁄₁₆	28½-44½		–		12.7
71N4872AB2NGL	HPL	$ 4596	47¹⁵⁄₁₆	70½	28½-44½		–		13.9
71N4872AB2NGLL	TFL	4346	47¹⁵⁄₁₆	70½	28½-44½		–		13.9
71N4866AB2NGL	HPL	$ 4338	47¹⁵⁄₁₆	64⁵⁄₁₆	28½-44½		–		13.5
71N4866AB2NGLL	TFL	4106	47¹⁵⁄₁₆	64⁵⁄₁₆	28½-44½		–		13.5
71N4860AB2NGL	HPL	$ 4118	47¹⁵⁄₁₆	58½	28½-44½		–		13.2
71N4860AB2NGLL	TFL	3898	47¹⁵⁄₁₆	58½	28½-44½		–		13.2
71N4854AB2NGL	HPL	$ 3840	47¹⁵⁄₁₆	52½	28½-44½		–		12.2
71N4854AB2NGLL	TFL	3648	47¹⁵⁄₁₆	52½	28½-44½		–		12.2
71N4848AB2NGL	HPL	$ 3606	47¹⁵⁄₁₆	46⁹⁄₁₆	28½-44½		–		11.9
71N4848AB2NGLL	TFL	3432	47¹⁵⁄₁₆	46⁹⁄₁₆	28½-44½		–		11.9

- Adjustable glides
- 48" deep models have (2) 22.5" deep worksurfaces and 60" deep models have (2) 28.5" deep worksurfaces to create a 3" gap
- Power will always exist in these units strictly for the "height adjustability"
- Grommet options available in worksurface

ALLOY

PRODUCT SPECIFICATIONS

- Shipped in multiple cartons

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Circuit
5. Laminate
6. Beam Paint (when applicable)
7. Paint Color

SAMPLE MODEL NUMBER:

71N3072AB1PGL G1C H MC 21 21

• See pages 19-22 for all options available in Alloy

ADJUSTABLE HEIGHT SINGLE POWERED, GANGING FREESTANDING BASE



Front View



Back View

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
71N3072AB1PGL	HPL	$ 4271	28⅜	71⅝	28½-44½		–		13.8
71N3072AB1PGLL	TFL	4122	28⅜	71⅝	28½-44½		–		13.8
71N3066AB1PGL	HPL	$ 4148	28⅜	66	28½-44½		–		13.5
71N3066AB1PGLL	TFL	4011	28⅜	66	28½-44½		–		13.5
71N3060AB1PGL	HPL	$ 4030	28⅜	60	28½-44½		–		13.2
71N3060AB1PGLL	TFL	3904	28⅜	60	28½-44½		–		13.2
71N3054AB1PGL	HPL	$ 3923	28⅜	54	28½-44½		–		12.3
71N3054AB1PGLL	TFL	3805	28⅜	54	28½-44½		–		12.3
71N3048AB1PGL	HPL	$ 3812	28⅜	48⅛	28½-44½		–		12.0
71N3048AB1PGLL	TFL	3708	28⅜	48⅛	28½-44½		–		12.0
71N2472AB1PGL	HPL	$ 3985	22½	71⅝	28½-44½		–		12.7
71N2472AB1PGLL	TFL	3864	22½	71⅝	28½-44½		–		12.7
71N2466AB1PGL	HPL	$ 3884	22½	66	28½-44½		–		12.5
71N2466AB1PGLL	TFL	3769	22½	66	28½-44½		–		12.5
71N2460AB1PGL	HPL	$ 3798	22½	60	28½-44½		–		12.2
Q71N2460AB1PGLL	TFL	3689	22½	60	28½-44½		–		12.2
71N2460AB1PGLL	TFL	3689	22½	60	28½-44½		–		12.2
71N2454AB1PGL	HPL	$ 3685	22½	54	28½-44½		–		11.4
71N2454AB1PGLL	TFL	3586	22½	54	28½-44½		–		11.4
71N2448AB1PGL	HPL	$ 3584	22½	48⅛	28½-44½		–		11.1
71N2448AB1PGLL	TFL	3497	22½	48⅛	28½-44½		–		11.1

- Can gang to single ganging or double units
- Grommet options available in worksurface

PRODUCT SPECIFICATIONS

- Shipped in multiple cartons

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Laminate
5. Beam Paint (when applicable)
6. Paint Color

SAMPLE MODEL NUMBER:

71N3072AB1NGL VMC G1C MC 21 21

- See pages 19-22 for all options available in Alloy

ADJUSTABLE HEIGHT SINGLE NON-POWERED, GANGING FREESTANDING BASE



Front View



Back View

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
71N3072AB1NGL	HPL	$ 3472	28⅜	71⁵⁄₁₆	28½-44½		–		13.8
71N3072AB1NGLL	TFL	3324	28⅜	71⁵⁄₁₆	28½-44½		–		13.8
71N3066AB1NGL	HPL	$ 3351	28⅜	66	28½-44½		–		13.5
71N3066AB1NGLL	TFL	3212	28⅜	66	28½-44½		–		13.5
71N3060AB1NGL	HPL	$ 3230	28⅜	60	28½-44½		–		13.2
71N3060AB1NGLL	TFL	3106	28⅜	60	28½-44½		–		13.2
71N3054AB1NGL	HPL	$ 3125	28⅜	54	28½-44½		–		12.3
71N3054AB1NGLL	TFL	3005	28⅜	54	28½-44½		–		12.3
71N3048AB1NGL	HPL	$ 3014	28⅜	48⅛	28½-44½		–		12.0
71N3048AB1NGLL	TFL	2912	28⅜	48⅛	28½-44½		–		12.0
71N2472AB1NGL	HPL	$ 3188	22½	71⁵⁄₁₆	28½-44½		–		12.7
71N2472AB1NGLL	TFL	3064	22½	71⁵⁄₁₆	28½-44½		–		12.7
71N2466AB1NGL	HPL	$ 3086	22½	66	28½-44½		–		12.5
71N2466AB1NGLL	TFL	2970	22½	66	28½-44½		–		12.5
71N2460AB1NGL	HPL	$ 2999	22½	60	28½-44½		–		12.2
71N2460AB1NGLL	TFL	2891	22½	60	28½-44½		–		12.2
71N2454AB1NGL	HPL	$ 2886	22½	54	28½-44½		–		11.4
71N2454AB1NGLL	TFL	2785	22½	54	28½-44½		–		11.4
71N2448AB1NGL	HPL	$ 2784	22½	48⅛	28½-44½		–		11.1
71N2448AB1NGLL	TFL	2699	22½	48⅛	28½-44½		–		11.1

- Can gang to single ganging or double units
- Power will always exist in these units strictly for the "height adjustability"
- Grommet options available in worksurface

ALLOY

PRODUCT SPECIFICATIONS

- Shipped in multiple cartons

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Laminate
5. Beam Paint (when applicable)
6. Paint Color

SAMPLE MODEL NUMBER:

71N3072AB1NFL VMC G1C MC 21

• See pages 19-22 for all options available in Alloy

ADJUSTABLE HEIGHT SINGLE NON-POWERED, NON-GANGING FREESTANDING BASE



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
71N3072AB1NFL	HPL	$ 2788	28⅜	71⅝	28½-44½		–		13.8
Q71N3072AB1NFLL	TFL	2639	28⅜	71⅝	28½-44½		–		13.8
71N3072AB1NFLL	TFL	2639	28⅜	71⅝	28½-44½		–		13.8
71N3066AB1NFL	HPL	$ 2668	28⅜	66	28½-44½		–		13.5
71N3066AB1NFLL	TFL	2527	28⅜	66	28½-44½		–		13.5
71N3060AB1NFL	HPL	$ 2547	28⅜	60	28½-44½		–		13.2
71N3060AB1NFLL	TFL	2421	28⅜	60	28½-44½		–		13.2
71N3054AB1NFL	HPL	$ 2439	28⅜	54	28½-44½		–		12.3
71N3054AB1NFLL	TFL	2321	28⅜	54	28½-44½		–		12.3
71N3048AB1NFL	HPL	$ 2330	28⅜	48⅛	28½-44½		–		12.0
71N3048AB1NFLL	TFL	2225	28⅜	48⅛	28½-44½		–		12.0
71N2472AB1NFL	HPL	$ 2502	22½	71⅝	28½-44½		–		12.7
71N2472AB1NFLL	TFL	2380	22½	71⅝	28½-44½		–		12.7
71N2466AB1NFL	HPL	$ 2402	22½	66	28½-44½		–		12.5
71N2466AB1NFLL	TFL	2287	22½	66	28½-44½		–		12.5
71N2460AB1NFL	HPL	$ 2316	22½	60	28½-44½		–		12.2
71N2460AB1NFLL	TFL	2206	22½	60	28½-44½		–		12.2
71N2454AB1NFL	HPL	$ 2201	22½	54	28½-44½		–		11.4
71N2454AB1NFLL	TFL	2102	22½	54	28½-44½		–		11.4
71N2448AB1NFL	HPL	$ 2101	22½	48⅛	28½-44½		–		11.1
71N2448AB1NFLL	TFL	2013	22½	48⅛	28½-44½		–		11.1

- Power will always exist in these units strictly for the "height adjustability"
- Grommet options available in worksurface

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color
3. Paint

SAMPLE MODEL NUMBER:

71N6046EPAL 462 23

• See pages 19-22 for all options available in Alloy

END PANEL ADJUSTABLE



Double width

Single width

MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
71N6046EPAL	Double Width	$ 875	1 3/16	60	46	—	—	59 lbs.	5.9
71N4846EPAL	Double Width	838	1 3/16	48	46	—	—	47 lbs.	4.3
71N2946EPAL	Single Width	$ 533	1 3/16	29	46	—	—	29 lbs.	3.1
71N2346EPAL	Single Width	495	1 3/16	23	46	—	—	23 lbs.	2.5

• For non-ganging models

SINGLE WIDTH LEFT	SINGLE WIDTH RIGHT								
71N3246EPLAL	71N3246EPRAL	$ 533	1 3/16	32	46	—	—	30 lbs.	3.4
71N2646EPLAL	71N2646EPRAL	495	1 3/16	26	46	—	—	25 lbs.	2.8

• Single ganging models are handed due to construction of these models

• End panels 48" deep and 60" deep match double sided units
• Panels 23" deep and 29" deep will match single non-powered units
• Panels 26" deep and 32" deep will match single powered units
• Vertical grain is standard, horizontal grain is optional
• Specify laminate color and paint color

END PANEL FIXED



Double width

Single width

MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
71N6046EPFL	Double Width	$ 646	1 3/16	60	46	—	—	59 lbs.	5.9
71N4846EPFL	Double Width	609	1 3/16	48	46	—	—	47 lbs.	4.8
71N3246EPFL	Single Width	$ 304	1 3/16	32	46	—	—	31 lbs.	3.0
71N3046EPFL	Single Width	304	1 3/16	30	46	—	—	30 lbs.	2.9
71N2646EPFL	Single Width	267	1 3/16	26	46	—	—	25 lbs.	2.8
71N2446EPFL	Single Width	267	1 3/16	24	46	—	—	24 lbs.	2.4

• End panels 48" deep and 60" deep match double sided units
• Panels 24" deep and 30" deep will match single non-powered units
• Panels 26" deep and 32" deep will match single powered units
• Vertical grain is standard, horizontal grain is optional
• Specify laminate color only

ALLOY

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color
3. Paint

SAMPLE MODEL NUMBER:

71N6046SMSAL 462 23

• See pages 19-22 for all options available in Alloy

MID SUPPORT PANEL ADJUSTABLE



Double width



Single width

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
71N6046SMSAL	Double Width	$ 875	1 3/16	60	46	—	—	59 lbs.	5.9
71N4846SMSAL	Double Width	838	1 3/16	48	46	—	—	47 lbs.	4.3
71N2946SMSAL	Single Width	$ 533	1 3/16	29	46	—	—	30 lbs.	3.1
71N2346SMSAL	Single Width	495	1 3/16	23	46	—	—	25 lbs.	2.5
71N3246SMSAL	Single Width	533	1 3/16	32	46	—	—	30 lbs.	3.4
71N2646SMSAL	Single Width	495	1 3/16	26	46	—	—	25 lbs.	2.8

- Mid Support Panels 48" deep and 60" deep match double sided units
- Panels 23" deep and 29" deep will match single non-powered units
- Panels 26" deep and 32" deep will match single powered units
- Vertical grain is standard, horizontal grain is optional
- Specify laminate color and paint color

MID SUPPORT PANEL FIXED



Double width



Single width

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
71N6046SMSFL	Double Width	$ 646	1 3/16	60	46	—	—	59 lbs.	5.9
71N4846SMSFL	Double Width	609	1 3/16	48	46	—	—	47 lbs.	4.8
71N3246SMSFL	Single Width	$ 304	1 3/16	32	46	—	—	31 lbs.	3.0
71N3046SMSFL	Single Width	304	1 3/16	30	46	—	—	30 lbs.	2.9
71N2646SMSFL	Single Width	267	1 3/16	26	46	—	—	25 lbs.	2.8
71N2446SMSFL	Single Width	267	1 3/16	24	46	—	—	24 lbs.	2.4

- Mid Support Panels 48" deep and 60" deep match double sided units
- Panels 24" deep and 30" deep will match single non-powered units
- Panels 26" deep and 32" deep will match single powered units
- Vertical grain is standard, horizontal grain is optional
- Specify laminate color only

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Fabric Grade/Color (mobile cushion pedestal only)
5. Paint

SAMPLE MODEL NUMBER:

71N2315PMBFCM 5 KRB 2 20003 405

- See pages 19-22 for all options available in Alloy

MODEL NO./DESCRIPTION

MOBILE PEDESTAL - CUSHION TOP BOX/FILE 23" DEEP



GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7
71N2315PMBFCM	$	936	965	978	1000	1023	1063	1116

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
$	985	1016	1039	1064	1091	1120	1144	1174	1204	1235

	K	L	M	N	O	P	Q	R	S	T
$	1281	1376	1435	1466	1496	1527	1558	1587	1617	1647

DIMENSIONS

Depth	22¾	Height	22⅞	Weight	85
Width	14¹⁵⁄₁₆			Cubic Ft.	9.4

- Unit can be placed under Alloy fixed height desks
- Unit can be placed under an adjustable height 60" double depth Alloy desk
- Not intended to be used under an adjustable height 48" deep Alloy desk
- File drawer utilizes drawer body sides for front-to-back letter filing
- Additional filing hardware may be purchased for letter or legal side-to-side filing capability
- Non-locking casters
- Integrated counterweight included
- Maximum seat weight is 200 lbs
- Refer to pages 5-13 and www.NationalOfficeFurniture.com/Alliance for available upholstery options
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

MOBILE PEDESTAL - CUSHION TOP BOX/FILE 23" DEEP WITH PULL



GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7
71N2315PMBFC2M	$	1027	1056	1069	1091	1114	1154	1207

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
$	1076	1107	1130	1155	1182	1211	1235	1265	1295	1326

	K	L	M	N	O	P	Q	R	S	T
$	1372	1467	1526	1557	1587	1618	1649	1678	1708	1738

DIMENSIONS

Depth	22¾	Height	23¾	Weight	90
Width	14¹⁵⁄₁₆			Cubic Ft.	9.4

- Unit can be placed under Alloy fixed height desks
- Unit can be placed under an adjustable height 60" double depth Alloy desk
- Not intended to be used under an adjustable height 48" deep Alloy desk
- File drawer utilizes drawer body sides for front-to-back letter filing
- Additional filing hardware may be purchased for letter or legal side-to-side filing capability
- Non-locking casters
- Integrated counterweight included
- Maximum seat weight is 200 lbs
- Refer to pages 5-13 and www.NationalOfficeFurniture.com/Alliance for available upholstery options
- Unit features a fixed pull for ease of mobility
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

ALLOY

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Paint

SAMPLE MODEL NUMBER:

71N1815PMBFM 7MB KRB 461

- See pages 19-22 for all options available in Alloy

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
MOBILE PEDESTAL - METAL TOP BOX/FILE 24" DEEP 	71N2415PMBFM	$ 1254	24	14 1⁵⁄₁₆	22⅞	—	—	90 lbs.	7.0
	• Unit can be placed under Alloy fixed height desks • File drawer utilizes drawer body sides for front-to-back letter filing • Additional filing hardware may be purchased for letter or legal side-to-side filing capability • Non-locking casters • Integrated counterweight included • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available								
MOBILE PEDESTAL - METAL TOP BOX/FILE 18" DEEP 	71N1815PMBFM	$ 1217	18¾	14 1⁵⁄₁₆	22⅞	—	—	80 lbs.	5.4
	• Unit can be placed under Alloy fixed height desks • File drawer utilizes drawer body sides for front-to-back letter filing • Additional filing hardware may be purchased for letter or legal side-to-side filing capability • Non-locking casters • Integrated counterweight included • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available								
MOBILE PEDESTAL - METAL TOP BOX/BOX/FILE 23" DEEP 	71N2415PMBBFM	$ 1102	22¾	15	27	—	—	90 lbs.	7.5
	• Not intended to be used under Alloy desks • File drawer utilizes drawer body sides for front-to-back letter filing • Additional filing hardware may be purchased for letter or legal side-to-side filing capability • Non-locking casters • Integrated counterweight included • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available								

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Paint

SAMPLE MODEL NUMBER:

71N1815PMBBFM 7MB KRB 461

- See pages 19-22 for all options available in Alloy

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
MOBILE PEDESTAL - METAL TOP BOX/BOX/FILE 18" DEEP 	71N1815PMBBFM	$ 1064	18¾	15	27	–	–	82 lbs.	6.3
	• Not intended to be used under Alloy desks • File drawer utilizes drawer body sides for front-to-back letter filing • Additional filing hardware may be purchased for letter or legal side-to-side filing capability • Non-locking casters • Integrated counterweight included • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available								
MOBILE PEDESTAL - METAL TOP FILE/FILE 24" DEEP 	71N2415PMFFM	$ 989	22¾	15	27	–	–	90 lbs.	7.5
	• Not intended to be used under Alloy desks • File drawer utilizes drawer body sides for front-to-back letter filing • Additional filing hardware may be purchased for letter or legal side-to-side filing capability • Non-locking casters • Integrated counterweight included • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available								
MOBILE PEDESTAL - METAL TOP FILE/FILE 18" DEEP 	71N1815PMFFM	$ 951	18¾	15	27	–	–	82 lbs.	6.3
	• Not intended to be used under Alloy desks • File drawer utilizes drawer body sides for front-to-back letter filing • Additional filing hardware may be purchased for letter or legal side-to-side filing capability • Non-locking casters • Integrated counterweight included • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available								

ALLOY

PRODUCT SPECIFICATIONS

- Storage units shipped with appropriate hardware

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Paint

SAMPLE MODEL NUMBER:

71N1554VHL1M 7MB KRB 461

- See pages 19-22 for all options available in Alloy

MODEL NO./DESCRIPTION	LEFT	RIGHT	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
STORAGE CABINET WITH BOX/BOX/FILE PEDESTAL										
	71N1554VHL1M	71N1554VHR1M	$ 1781	23⅞	14¹⁵⁄₁₆	53⅞	—	—	120 lbs.	15.2



Right shown

- Features 1 removable shelf
- File drawers utilize drawer body sides for front-to-back letter filing
- Additional filing hardware may be purchased for letter or legal side-to-side filing capability
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

MODEL NO./DESCRIPTION	LEFT	RIGHT	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
STORAGE/WARDROBE WITH BOX/BOX/FILE PEDESTAL										
	71N2454VHHL1M	71N2454VHHR1M	$ 2377	23⅞	24	53⅞	—	—	145 lbs.	22.9



Right shown

- Features 1 removable shelf
- File drawers utilize drawer body sides for front-to-back letter filing
- Additional filing hardware may be purchased for letter or legal side-to-side filing capability
- Random lock core (KRB, KRS) and specified lock core (KS3B, KS3S) available
- 1 coat hook is standard

MODEL NO./DESCRIPTION	LEFT	RIGHT	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WARDROBE/STORAGE CABINET										
	71N1554VWHLM	71N1554VWHRM	$ 1751	23⅛	14¹⁵⁄₁₆	53⅛	—	—	85 lbs.	15.2
	71N1542VWHLM	71N1542VWHRM	$ 1637	23⅛	14¹⁵⁄₁₆	42⅛	—	—	72 lbs.	11.9



Right shown

- 2 coat hooks are standard
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Metal adjustable shelf

PRODUCT SPECIFICATIONS

- Storage units shipped with appropriate hardware

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Cutout (spacers only)
3. Paint

SAMPLE MODEL NUMBER:

71N1554VSSPM CT1 461

- See pages 19-22 for all options available in Alloy

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SPACERS	71N2454VSSPM		$ 724	12	24	54 1/16	—	—	12 lbs.	2.7
	71N1554VSSPM		684	12	15	54 1/16	—	—	12 lbs.	2.4
	71N1542VSSPM		646	12	15	42 1/16	—	—	10 lbs.	2.0



- Utilize to close space between back of storage in back to back utilization
- Non-handed
- Wire management cutout optional for passing electrical

DOUBLE SIDED HEIGHT ADJUSTABLE GANGING BRACKET/COVER	71NGBK23	Black	$ 72	7	8 3/8	2 3/4	—	—	2 lbs.	0.8
	71NGBK22	Silver	72	7	8 3/8	2 3/4	—	—	2 lbs.	0.8
	71NGBK21	White	72	7	8 3/8	2 3/4	—	—	2 lbs.	0.8



- Ganging bracket is used to connect double adjustable height bases only

SINGLE SIDED GANGING KITS ADJUSTABLE	71NGBSA23	Black	$ 343	6	7	2 3/4	—	—	1 lbs.	0.02
	71NGBSA22	Silver	343	6	7	2 3/4	—	—	1 lbs.	0.02
	71NGBSA21	White	343	6	7	2 3/4	—	—	1 lbs.	0.02



SINGLE SIDED GANGING KITS FIXED	71NGBSF23	Black	$ 113	6	1/8	2 3/4	—	—	1 lbs.	0.1
	71NGBSF22	Silver	113	6	1/8	2 3/4	—	—	1 lbs.	0.1
	71NGBSF21	White	113	6	1/8	2 3/4	—	—	1 lbs.	0.1



SINGLE SIDED END CAPS FIXED	71N03ECP23	Black	$ 104	3	1/8	2 3/4	—	—	0.5 lbs.	0.1
	71N03ECP22	Silver	104	3	1/8	2 3/4	—	—	0.5 lbs.	0.1
	71N03ECP21	White	104	3	1/8	2 3/4	—	—	0.5 lbs.	0.1



- Fixed single sided ganging models only
- Comes in a set of 2 (1 for each end)
- To cap off the end of a single sided ganging model to an end panel or storage

ALLOY

TO ORDER, SPECIFY:

1. Model Number
2. Cutout (spacers only)
3. Paint

SAMPLE MODEL NUMBER:

71NGBDMA23 CT1 461

• See pages 19-22 for all options available in Alloy

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
MID SUPPORT PANEL DOUBLE SIDED HEIGHT ADJUSTABLE GANGING BRACKET/COVER	71NGBDMA23	Black	$ 72	8⅜	10⅜	2¾	—	—	2 lbs.	0.8
	71NGBDMA22	Silver	72	8⅜	10⅜	2¾	—	—	2 lbs.	0.8
	71NGBDMA21	White	72	8⅜	10⅜	2¾	—	—	2 lbs.	0.8
MID SUPPORT PANEL SINGLE SIDED GANGING KITS ADJUSTABLE	71NGBSMA23	Black	$ 343	6	10⅜	2¾	—	—	1 lbs.	0.02
	71NGBSMA22	Silver	343	6	10⅜	2¾	—	—	1 lbs.	0.02
	71NGBSMA21	White	343	6	10⅜	2¾	—	—	1 lbs.	0.02
MID SUPPORT SINGLE SIDED GANGING KITS FIXED	71NGBSMF23	Black	$ 113	6⁹⁄₁₆	5¼	2¾	—	—	1 lbs.	0.02
	71NGBSMF22	Silver	113	6⁹⁄₁₆	5¼	2¾	—	—	1 lbs.	0.02
	71NGBSMF21	White	113	6⁹⁄₁₆	5¼	2¾	—	—	1 lbs.	0.02







Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

71N30FT23

• See pages 19-22 for all options available in Alloy

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
HEIGHT ADJUSTABLE ADD-ON FOOT SET	71N30FT23	Black	$ 199	26¾	3⅛	1¾	—	—		3.5
	71N30FT22	Silver	199	26¾	3⅛	1¾	—	—		3.5
	71N30FT21	White	199	26¾	3⅛	1¾	—	—		3.5
	71N24FT23	Black	$ 177	21¾	3⅛	1¾	—	—		3.5
	71N24FT22	Silver	177	21¾	3⅛	1¾	—	—		3.5
	71N24FT21	White	177	21¾	3⅛	1¾	—	—		3.5

- Add-on foot can be added to the double adjustable height bases for aesthetics
- Specify 2 sets per double sided unit

POWER ENTRY KIT PHASE 3 NYC HARDWIRE	NAC72ELEK3NH	72"	$ 530						5 lbs.	0.38
	NAC66ELEK3NH	66"	515						5 lbs.	0.38
	NAC60ELEK3NH	60"	499						5 lbs.	0.38
	NAC54ELEK3NH	54"	486						4.5 lbs.	0.38
	NAC48ELEK3NH	48"	472						4.5 lbs.	0.38

- Lengths vary on size needed

8-WIRE NYC INFEEDS	NAC72ELEK8NH	72"	$ 583						5 lbs.	0.38
	NAC66ELEK8NH	66"	567						5 lbs.	0.38
	NAC60ELEK8NH	60"	553						5 lbs.	0.38
	NAC54ELEK8NH	54"	538						4.5 lbs.	0.38
	NAC48ELEK8NH	48"	530						4.5 lbs.	0.38

- Lengths vary on size needed

POWER WHIP	71N288ELE	Power Entry Whip Hardwire	$ 441	1⅜	288	2	—	—	5 lbs.	0.5
	71N144ELE	Power Entry Whip Hardwire	$ 255	1⅜	144	2	—	—	4 lbs.	0.4
	71N144ELE8	Power Entry Whip Hardwire/8 Wire - 4 Circuits	357	1⅜	144	2	—	—	4 lbs.	0.4
	71N72ELE	Power Entry Whip Hardwire	$ 152	1⅜	72	2	—	—	2 lbs.	0.3
	71N72ELE8	Power Entry Whip Hardwire/8 Wire - 4 Circuits	232	1⅜	72	2	—	—	2 lbs.	0.3

• See page 25 for additional information

ALLOY

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

71N94ELJ

- See pages 19-22 for all options available in Alloy

JUMPER



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
71N94ELJ	Jumper	$ 273	¾	94	2	–	–	4 lbs.	0.3
71N94ELJ8	Jumper for 8 Wire - 4 Circuit	304	¾	94	2	–	–	4 lbs.	0.3
71N84ELJ	Jumper	$ 254	¾	84	2	–	–	4 lbs.	0.3
71N84ELJ8	Jumper for 8 Wire - 4 Circuit	284	¾	84	2	–	–	4 lbs.	0.3
71N79ELJ	Jumper	$ 241	¾	79	2	–	–	4 lbs.	0.3
71N79ELJ8	Jumper for 8 Wire - 4 Circuit	271	¾	79	2	–	–	4 lbs.	0.3
71N69ELJ	Jumper	$ 213	¾	69	2	–	–	3 lbs.	0.3
71N69ELJ8	Jumper for 8 Wire - 4 Circuit	242	¾	69	2	–	–	3 lbs.	0.3
71N54ELJ	Jumper	$ 164	¾	54	2	–	–	3 lbs.	0.3
71N54ELJ8	Jumper for 8 Wire - 4 Circuit	195	¾	54	2	–	–	3 lbs.	0.3
71N48ELJ	Jumper	$ 156	¾	48	2	–	–	3 lbs.	0.3
71N48ELJ8	Jumper for 8 Wire - 4 Circuit	187	¾	48	2	–	–	3 lbs.	0.3
71N24ELJ	Jumper	$ 86	¾	24	2	–	–	1 lbs.	0.01
71N24ELJ8	Jumper for 8 Wire - 4 Circuit	140	¾	24	2	–	–	1 lbs.	0.01
71N22ELJ	Jumper	$ 86	¾	22	2	–	–	1 lbs.	0.1
71N22ELJ8	Jumper for 8 Wire - 4 Circuit	140	¾	22	2	–	–	1 lbs.	0.1

- Connects power between 2 ganged double units
- See page 25 for additional information
- Jumper size for fixed height with 24" wide storage (no spacer) – 94"
- Jumper size for fixed height with 15" wide storage (no spacer) – 84"
- Jumper size for adjustable height with 24" wide storage (no spacer) – 79"
- Jumper size for adjustable height with 15" wide storage (no spacer) – 69"
- Jumper size for either fixed or adjustable height with 24" spacer with wire management cutout - 54"
- Jumper size for either fixed or adjustable height with 15" spacer with wire management cutout - 48"
- Jumper size to connect between powered units when using the mid support panels- 24"

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

71N132ELCA 501

- See pages 19-22 for all options available in Alloy

CEILING POWER/DATA POLE



Adjustable Fixed

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
71N132ELCA	Adjustable	$ 508	2⅛	2⅛	132	—	—	13 lbs.	1.0
71N132ELCF	Fixed	508	2⅛	2⅛	132	—	—	13 lbs.	1.0

- Used only on ends or end of run
- 462 Cinder, 405 Designer White, 501 Platinum Metallic
- Features a trim cap to finish off connection to Alloy
- Utilize for electrical from ceilings
- Powered Entry Whip specified separately
- Does not include electrical

FLOOR POWER ENTRY POLE



71N21ELC	Power Entry Pole - Adjustable	$ 409	4⅛	2½	20¾	—	—		0.4
71N27ELC	Power Entry Pole - Fixed	409	4⅛	2½	26⁵⁄₁₆	—	—		0.5

- Specify paint color; available in white, silver, or black
- Can be used with adjustable or fixed powered Alloy
- Attaches to underside of beam; used to conceal power in-feed and data cables
- Non-supportive

ALLOY

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

71N40VWM23

• See pages 19-22 for all options available in Alloy

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
VERTICAL WIRE MANAGER	71N40VWM23	Black	$ 199	1	2	40	—	—		3.5
	71N40VWM22	Silver	199	1	2	40	—	—		3.5
	71N40VWM21	White	199	1	2	40	—	—		3.5

• Can be used with adjustable powered Alloy

ADJUSTABLE HEIGHT SINGLE BASE VERTICAL WIRE MANAGER	71N46VWM23	Black	$ 216	1	2	46	—	—		3.5
	71N46VWM22	Silver	216	1	2	46	—	—		3.5
	71N46VWM21	White	216	1	2	46	—	—		3.5

• Can be used with adjustable height single bases to conceal wires to the floor

PRODUCT SPECIFICATIONS

- Beam mounted and edge mounted privacy screens cannot be used on the same unit
- Edge mounted privacy screen cannot be used on fixed height double depth bases

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade/Color
3. Paint Color

SAMPLE MODEL NUMBER:

71N6224PVBPFA B 25422 22

• See pages 19-22 for all options available in Alloy

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

ADJUSTABLE HEIGHT BEAM MOUNTED PRIVACY SCREEN

MODEL NO./DESCRIPTION		LIST PRICE GRADE A	LIST PRICE GRADE B/COM	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
71N6224PVBPFA	For 72" Railroad	$ 1150	$ 1238	13/16	61 7/8	23 3/8	—	—	11 lbs.	4.2
71N5624PVBPFA	For 66" Railroad	1102	1190	13/16	55 7/8	23 3/8	—	—	10 lbs.	3.8
71N5024PVBPFA	For 60" Railroad	1055	1143	13/16	49 15/16	23 3/8	—	—	9 lbs.	3.5
71N4424PVBPFA	For 54" Railroad	1007	1073	13/16	43 15/16	23 3/8	—	—	8 lbs.	3.1
71N3824PVBPFA	For 48" Railroad	956	1022	13/16	37 15/16	23 3/8	—	—	7 lbs.	2.7

- Privacy screens are tackable fabric
- Privacy screen holders are made of 12-gauge steel
- Only 1 beam mounted screen can be used between users

ADJUSTABLE HEIGHT EDGE MOUNTED PRIVACY SCREEN

MODEL NO./DESCRIPTION		LIST PRICE GRADE A	LIST PRICE GRADE B/COM	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
Q71N7023PVCPFA	For 72" Railroad	$ 1150		13/16	70 5/16	23 3/8	—	—	11 lbs.	4.5
71N7023PVCPFA	For 72" Railroad	1150	1260	13/16	70 5/16	23 3/8	—	—	11 lbs.	4.5
71N6423PVCPFA	For 66" Railroad	1102	1190	13/16	64 3/16	23 3/8	—	—	10 lbs.	4.1
71N5823PVCPFA	For 60" Railroad	1055	1143	13/16	58 3/8	23 3/8	—	—	9 lbs.	3.7
71N5223PVCPFA	For 54" Railroad	1007	1095	13/16	52 3/8	23 3/8	—	—	8 lbs.	3.4
71N4623PVCPFA	For 48" Railroad	956	1022	13/16	46 3/8	23 3/8	—	—	7 lbs.	3.0

- Privacy screens are tackable fabric
- Grommet cutouts will need to be selected in the worksurface to route cables below the surface when edge mount screens are being used
- Quick Delivery fabrics available are: 8600 Dune Drift and 8620 Dune Darkness

FIXED HEIGHT BEAM MOUNTED PRIVACY SCREEN

MODEL NO./DESCRIPTION		LIST PRICE GRADE A	LIST PRICE GRADE B/COM	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
71N6918PVBPFA	For 72" Railroad	$ 1118	$ 1228	13/16	69	18	—	—	9 lbs.	3.7
71N6318PVBPFA	For 66" Railroad	1070	1158	13/16	63	18	—	—	8 lbs.	3.4
71N5718PVBPFA	For 60" Railroad	1024	1112	13/16	57	18	—	—	7 lbs.	3.1
71N5118PVBPFA	For 54" Railroad	977	1065	13/16	51	18	—	—	7 lbs.	2.8
71N4518PVBPFA	For 48" Railroad	926	992	13/16	45 1/16	18	—	—	6 lbs.	2.5

- Privacy screens are tackable fabric
- Only 1 beam mounted screen can be used between users

ALLOY

PRODUCT SPECIFICATIONS

- Beam mounted and edge mounted privacy screens cannot be used on the same unit

TO ORDER, SPECIFY:

1. Model Number
2. Resin Grade/Color
3. Paint Color

SAMPLE MODEL NUMBER:

71N7213PVDP 3 3377 462

• See pages 19-22 for all options available in Alloy

13" PRIVACY SCREEN RECTANGULAR, RESIN



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
	GRADE 1							
71N7213PVDP	$ 953	3/16	72	13 3/8	–	–	24 lbs.	1.0
71N6613PVDP	908	3/16	66	13 3/8	–	–	22 lbs.	0.9
71N6013PVDP	865	3/16	59 13/16	13 3/8	–	–	19 lbs.	0.8
71N5413PVDP	815	3/16	53 7/8	13 3/8	–	–	17 lbs.	0.7
71N4813PVDP	772	3/16	47 7/8	13 3/8	–	–	16 lbs.	1.0

- Privacy screens include full length mounting channel and mounts to the fixed height beams
- Privacy screens are 3/16" thick resin

13" PRIVACY SCREEN TAPERED, RESIN



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
	GRADE 1							
71N7213PVDTP	$ 953	3/16	72	13 3/8	–	–	24 lbs.	1.0
71N6613PVDTP	908	3/16	66	13 3/8	–	–	22 lbs.	0.9
71N6013PVDTP	865	3/16	59 13/16	13 3/8	–	–	19 lbs.	0.8
71N5413PVDTP	815	3/16	53 7/8	13 3/8	–	–	17 lbs.	0.7
71N4813PVDTP	772	3/16	47 7/8	13 3/8	–	–	16 lbs.	1.0

- Privacy screens include full length mounting channel and mounts to the fixed height beams
- Privacy screens are 3/16" thick resin

18" PRIVACY SCREEN RECTANGULAR, RESIN



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
	GRADE 1							
71N7218PVDP	$ 1139	3/16	72	18	–	–		
71N6618PVDP	1085	3/16	66	18	–	–		
71N6018PVDP	1028	3/16	59 13/16	18	–	–		
71N5418PVDP	976	3/16	53 7/8	18	–	–		
71N4818PVDP	918	3/16	47 7/8	18	–	–		

- Privacy screens include full length mounting channel and mounts to the fixed height beams
- Privacy screens are 3/16" thick resin

18" PRIVACY SCREEN TAPERED, RESIN



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
	GRADE 1							
71N7218PVDTP	$ 1139	3/16	72	18	–	–		
71N6618PVDTP	1085	3/16	66	18	–	–		
71N6018PVDTP	1028	3/16	59 13/16	18	–	–		
71N5418PVDTP	976	3/16	53 7/8	18	–	–		
71N4818PVDTP	918	3/16	47 7/8	18	–	–		

- Privacy screens include full length mounting channel and mounts to the fixed height beams
- Privacy screens are 3/16" thick resin

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NACMA1BMS

- See pages 19-22 for all options available in Alloy

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
CENTER BEAM MOUNTED MONITOR ARM 	NACMA1BFS	Silver	$ 715	20¾	4½	18¼	–	–	8 lbs.	1.1
	• Used on fixed height bases only • 360° arm rotation not available in most applications • See page 748 for Monitor Arm Information									
FLEXIBLE SINGLE MONITOR ARM GROMMET MOUNTED 	NACMA1GFB	Black	$ 646	30¾	6½	12½	–	–	10.5 lbs.	1.4
	NACMA1GFS	Silver	646	30¾	6½	12½	–	–	10.5 lbs.	1.4
	• 360° arm rotation not available in most applications • See page 748 for Monitor Arm Information									
SINGLE MONITOR ARM GROMMET MOUNT 	NACMA1GTS	Silver	$ 646	30¾	6½	12½	–	–	12 lbs.	1.4
	• Attachment method via bolt through grommet • Cannot be used on a worksurface if mounting location is directly above a pedestal, modesty panel, or support panel • Not recommended for use with a top that is utilizing any mobile base • When there is a worksurface overhang (Ex: 24" pedestal with a 30" worksurface), it is recommended that a customer use a grommet mount monitor arm and not a clamp mount monitor arm • 20 lbs. load capacity • Not recommended to turn the monitor arms away from the user side • Monitor arm is TAA compliant.									
FLEXIBLE DUAL MONITOR ARM GROMMET MOUNTED 	NACMA2GFB	Black	$ 1224	30¾	6½	12½	–	–	14 lbs.	1.4
	NACMA2GFS	Silver	1224	30¾	6½	12½	–	–	14 lbs.	1.4
	• 360° arm rotation not available in most applications • See page 748 for Monitor Arm Information									
TRIPLE MOUNTED MONITOR ARM KIT 	NACMA3KFB	Black	$ 246	6	2½	5¼	–	–	4 lbs.	0.4
	NACMA3KFS	Silver	246	6	2½	5¼	–	–	4 lbs.	0.4
	• Add onto Flexible Dual Monitor Arm pole to add a third monitor • 360° arm rotation not available in most applications • See page 748 for Monitor Arm Information									

ALLOY

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NACG17BELPGB

• See pages 19-22 for all options available in Alloy

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1 TOUCH PIVOTING POWER GROMMET (G17A)	NACG17AELPGB	Black	$ 458	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17AELPGS	Silver	458	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17AELPGW	White	458	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17AELHCB	Hardwire, Black	$ 483	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17AELHCS	Hardwire, Silver	483	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17AELHCW	Hardwire, White	483	4¼	5¼	2½	—	—	3 lbs.	0.15

- Includes 2 power outlets
- Units are powder coated
- See the Tables Price List for details

1 TOUCH PIVOTING POWER GROMMET (G17B) 	NACG17BELPGB	Black	$ 471	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17BELPGS	Silver	471	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17BELPGW	White	471	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17BELHCB	Hardwire, Black	$ 568	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17BELHCS	Hardwire, Silver	568	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17BELHCW	Hardwire, White	568	4¼	5¼	2½	—	—	3 lbs.	0.15

- Includes 1 power outlet and 1 dual USB-A + C combo
- Units are powder coated
- See the Tables Price List for details

1 TOUCH PIVOTING POWER GROMMET (G17C) 	NACG17CELPGB	Black	$ 452	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17CELPGS	Silver	452	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17CELPGW	White	452	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17CELHCB	Hardwire, Black	$ 477	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17CELHCS	Hardwire, Silver	477	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17CELHCW	Hardwire, White	477	4¼	5¼	2½	—	—	3 lbs.	0.15

- Includes 1 power outlet
- Units are powder coated
- See the Tables Price List for details

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NACG17AELPDIQ18B

• See pages 19-22 for all options available in Alloy

INTERLINK IQ SYSTEM (G17A)



NACG17AELPD2IQKS



NACG17AELPD2IQB



NACEL2IQBB



NACEL2IQ60J



NACEL2IQ60TJ

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FULL SET OF 8 UNITS									
NACG17AELPD2IQKB	Set of 8, Black	$ 3860	4¼	5¼	2½	—	—	19 lbs.	1.55
NACG17AELPD2IQKS	Set of 8, Silver	3860	4¼	5¼	2½	—	—	19 lbs.	1.55
NACG17AELPD2IQKW	Set of 8, White	3860	4¼	5¼	2½	—	—	19 lbs.	1.55

• Full sets include 8 grommets and smart box with starter plug

INTERLINK GROMMETS									
NACG17AELPD2IQB	Interlink Grommet, Black	$ 470	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG17AELPD2IQS	Interlink Grommet, Silver	470	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG17AELPD2IQW	Interlink Grommet, White	470	4¼	5¼	2½	—	—	3 lbs.	0.15

• Must order smart box with plug separately

INTERLINK IQ SMART BOX AND JUMPER									
NACEL2IQBB	Interlink IQ smart box w/starter plug	$ 712	—	120	—	—	—	3 lbs.	0.15
NACEL2IQ60J	Interlink IQ Jumper-60"	158	—	60	—	—	—	3 lbs.	0.15
NACEL2IQ60TJ	Transitional Jumper	166	—	60	—	—	—	3 lbs.	0.15

- Must order smart box with plug separately
- UL Recognized
- Non-sequential "Daisy chain" solution
- Interlink IQ system must begin with a smart box with plug (or full set)
- Jumper used between the smart box with plug and grommets when the span between grommet locations are greater than 60"
- Transitional jumper (connections on both ends) used only when using an older IQ model and a new IQ model (as of November 2019)
- Jumpers count as one connection (maximum of 8)
- The Interlink IQ system is ONLY plugged. This system cannot be hardwired
- Units are powder coated
- Built-in status indicator: green means go, red light indicates too many units
- See charts on pages 82-83

ALLOY

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NACG17BELPDIQ18B

• See pages 19-22 for all options available in Alloy

INTERLINK IQ SYSTEM (G17B)



NACG17BELPD2IQKS



NACG17BELPD2IQB



NACEL2IQBB



NACEL2IQ60J



NACEL2IQ60TJ

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FULL SET OF 8 UNITS									
NACG17BELPD2IQKB	Set of 8, Black	$ 5130	4¼	5¼	2½	—	—	19 lbs.	1.55
NACG17BELPD2IQKS	Set of 8, Silver	5130	4¼	5¼	2½	—	—	19 lbs.	1.55
NACG17BELPD2IQKW	Set of 8, White	5130	4¼	5¼	2½	—	—	19 lbs.	1.55

- Full sets include 8 grommets and smart box with starter plug

INTERLINK GROMMETS									
NACG17BELPD2IQB	Interlink Grommet, Black	$ 656	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG17BELPD2IQS	Interlink Grommet, Silver	656	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG17BELPD2IQW	Interlink Grommet, White	656	4¼	5¼	2½	—	—	3 lbs.	0.15

- Must order smart box with plug separately

INTERLINK IQ SMART BOX AND JUMPER									
NACEL2IQBB	Interlink IQ smart box w/starter plug	$ 712	—	120	—	—	—	3 lbs.	0.15
NACEL2IQ60J	Interlink IQ Jumper-60"	158	—	60	—	—	—	3 lbs.	0.15
NACEL2IQ60TJ	Transitional Jumper	166	—	60	—	—	—	3 lbs.	0.15

- Must order smart box with plug separately
- UL Recognized
- Non-sequential "Daisy chain" solution
- Interlink IQ system must begin with a smart box with plug (or full set)
- Jumper used between the smart box with plug and grommets when the span between grommet locations are greater than 60"
- Transitional jumper (connections on both ends) used only when using an older IQ model and a new IQ model (as of November 2019)
- Jumpers count as one connection (maximum of 8)
- The Interlink IQ system is ONLY plugged. This system cannot be hardwired
- Units are powder coated
- Built-in status indicator: green means go, red light indicates too many units
- See charts on pages 82-83

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NACG17CELPDIQ18B

• See pages 19-22 for all options available in Alloy

INTERLINK IQ SYSTEM (G17C)



NACG17CELPD2IQKS



NACG17CELPD2IQB



NACEL2IQBB



NACEL2IQ60J



NACEL2IQ60TJ

FULL SET OF 8 UNITS

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
NACG17CELPD2IQKB	Set of 8, Black	$ 3653	4¼	5¼	2½	—	—	19 lbs.	1.55
NACG17CELPD2IQKS	Set of 8, Silver	3653	4¼	5¼	2½	—	—	19 lbs.	1.55
NACG17CELPD2IQKW	Set of 8, White	3653	4¼	5¼	2½	—	—	19 lbs.	1.55

• Full sets include 8 grommets and smart box with starter plug

INTERLINK GROMMETS

NACG17CELPD2IQB	Interlink Grommet, Black	$ 443	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG17CELPD2IQS	Interlink Grommet, Silver	443	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG17CELPD2IQW	Interlink Grommet, White	443	4¼	5¼	2½	—	—	3 lbs.	0.15

• Must order smart box with plug separately

INTERLINK IQ SMART BOX AND JUMPER

NACEL2IQBB	Interlink IQ smart box w/starter plug	$ 712	—	120	—	—	—	3 lbs.	0.15
NACEL2IQ60J	Interlink IQ Jumper-60"	158	—	60	—	—	—	3 lbs.	0.15
NACEL2IQ60TJ	Transitional Jumper	166	—	60	—	—	—	3 lbs.	0.15

• Must order smart box with plug separately
• UL Recognized
• Non-sequential "Daisy chain" solution
• Interlink IQ system must begin with a smart box with plug (or full set)
• Jumper used between the smart box with plug and grommets when the span between grommet locations are greater than 60"
• Transitional jumper (connections on both ends) used only when using an older IQ model and a new IQ model (as of November 2019)
• Jumpers count as one connection (maximum of 8)
• The Interlink IQ system is ONLY plugged. This system cannot be hardwired
• Units are powder coated
• Built-in status indicator: green means go, red light indicates too many units
• See charts on pages 82-83

ALLOY

Configuration of IQ System for Fixed Height Non-Powered Center Beam 72" Tables- Max of 6 IQ Units per run

6 Power Units



Item	Qty
Smart Box	1
Grommet	6
Jumper	2

5 Power Units



Item	Qty
Smart Box	1
Grommet	5
Jumper	2

4 Power Units



Item	Qty
Smart Box	1
Grommet	4
Jumper	1

3 Power Units



Item	Qty
Smart Box	1
Grommet	3
Jumper	1

2 Power Units



Item	Qty
Smart Box	1
Grommet	2

Configuration of IQ System for Fixed Height Non-Powered Center Beam 66" Tables- Max of 6 IQ Units per run

6 Power Units



Item	Qty
Smart Box	1
Grommet	6
Jumper	1

5 Power Units



Item	Qty
Smart Box	1
Grommet	5
Jumper	1

4 Power Units



Item	Qty
Smart Box	1
Grommet	4
Jumper	1

3 Power Units



Item	Qty
Smart Box	1
Grommet	3

2 Power Units



Item	Qty
Smart Box	1
Grommet	2

*Quantity shown is per side. Quantity would be duplicated for a double sided application.

Configuration of IQ System for Fixed Height Non-Powered Center Beam 60" Tables- Max of 6 IQ Units per run

8 Power Units



Item	Qty
Smart Box	1
Grommet	8

7 Power Units



Item	Qty
Smart Box	1
Grommet	7

6 Power Units



Item	Qty
Smart Box	1
Grommet	6

5 Power Units



Item	Qty
Smart Box	1
Grommet	5

4 Power Units



Item	Qty
Smart Box	1
Grommet	4

3 Power Units



Item	Qty
Smart Box	1
Grommet	3

2 Power Units



Item	Qty
Smart Box	1
Grommet	2

*Quantity shown is per side. Quantity would be duplicated for a double sided application.

ALLOY

EPIC

Product Specifications 86
Configuration Options 87
Grommet Location Options 92
Guidelines/General Information 93
Drawer Specifications 93
Assembled 94
EZ Arrangements 94
Assembled Units 98

PRODUCT SPECIFICATIONS

WORKSURFACE

- Worksurfaces are sized on 6" increments for easy planning
- Laminate surfaces are 1⅜16" HPL (high pressure laminate), and feature a 3mm PVC or wood rim or a knife rim profile
- Veneer surfaces are 1⅜16" plain sliced slipmatched cherry (Amber, Autumn, Mocha, Truffle) or maple veneer (Brighton, Caramel, Honey, Natural), plain sliced bookmatched walnut veneer (Cordovan, Judicial), or quarter cut walnut veneer (Almond, Portobello, Sable), or quarter cut oak veneer (Sonoma). All veneer surfaces feature a 3mm wood rim or knife rim profile
- Knife rim surfaces available on 1 (K1) and/or 2 (K2) sides to simplify space planning
- 1 sided knife rim surfaces are recommended when using in a bridge, return, or credenza style application
- 2 sided knife rim surfaces recommended when using as a desking surface
- Refer to page 87 for rim profiles and colors
- Grain direction runs left-to-right unless otherwise noted
- Size modifications available at no upcharge; many Epic component worksurfaces can be cut down in 1⁄16" increments. See component section for specific models

FINISH APPLICATION

- All Veneer surfaces feature a semi-open pore matte finish

CHASSIS CONSTRUCTION

- All joints are securely fastened by screws, L-brackets, dowels, and concealed fasteners to ensure maximum strength
- Footed-base design features 2⅜" tall cast foot, 1⅞" tall steel façade rail and adjustable leveling glides as standard on all casegoods
- End panels and support panels are 1⅛" thick, modesty panels are ¾" thick
- Laminate modesty panels have horizontal grain direction unless noted
- Wood modesty panels have vertical grain direction unless otherwise noted
- Laminate with horizontal grain (example: Sable Horizontal 792H) will always have horizontal grain direction
- Back panels are fully finished unless noted

SHELVES

- Shelves on open bookcases will be veneer, when ordering a veneer bookcase
- Shelves in doored units will always be laminate; doors on bookcases and above worksurface units come standard with touch latch
- Shelves are ¾" thick

PEDESTALS

- Full, lower height or mobile options available

DRAWERS

- Drawers feature 5-sided construction allowing for easy removal/replacement of drawer fronts
- Sides, back and front are ½" thick woodgrain vinyl wrapped
- Drawer fronts are 3-ply construction with matched woodgrain
- For interior drawer dimensions, reference page 93

DRAWER PULLS

- 4 pull styles: Laguna, Level, Waterfall, Horizon
- Available in Cinder, Concrete, Iron, Platinum Metallic and Satin Nickel Metallic

DRAWER SUSPENSION

- Box and file drawers are equipped with black, full extension, progressive action slides
- Precision steel ball bearings combined with sequence slide movement ensures long lasting operation
- All suspensions have a lifetime warranty

FILING

- Drawers are equipped with black metal filing hardware that accommodates various filing requirements
- No-tool, easy installation allows for quick interchangeable filing capabilities
- Refer to page 93 for complete filing details

CORD MANAGEMENT

- Round grommets, racetrack grommets and wire managers are optional on worksurfaces
- When worksurface grommets are ordered, half-moon grommets in modesty panels and extended radius grommets in pedestal end panels will come standard in all bridges, credenzas and returns
- Round grommets optional on component end panels
- Half-moon grommet optional on component modesty panels
- Extended radius grommet optional on end panels of component pedestals
- Wire manager worksurfaces have a flexible PVC trough that allows cords and cables to be routed along the back edge and sides of worksurfaces of all bridges, credenzas and returns
- Refer to page 90 for available grommet/wire manager colors
- Refer to page 92 for complete grommet locations and details
- Undersurface wire managers are available for additional cable management requirements; see page 765 for options

LOCKING

- Black and silver lock cores are available
- Key Random means lock cores/keys are randomly (1-5) picked and factory installed in unit
- Key Specific means you can pick any number (1-200) for black or silver lock core/key. Must specify the lock core model separately; not factory installed and will ship separately
- Specify a change key to remove and change lock cores
- To order key specific lock cores, change keys, and master keys, reference page 750

EZ ARRANGEMENT MODEL NUMBERS

- Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number and rim profile, then select your laminate colors and you're done

COMPONENTS

- Component models will ship bulk packed when applicable

RIM PROFILE OPTIONS



Softened PVC (V)



Knife (K)



Softened Wood (F)

RIM PROFILES

PVC SOFTENED RIM

AC2	Autumn 2
AD	Almond
BZ	Brazilwood
CI	Chai
CL	Caramel
CW	Cordovan
DW	Judicial
HN2	Honey 2
IM	Brighton
KN	Kona
MC	Amber
MH	Mocha
NM	Natural
PB	Portobello
PC	Porcini
PT	Portico
SK	Skyline
SM	Sonoma
TF	Truffle
WL	Willow
405	Designer White
419	Wallaby
425	Shadow
440	Cloud
457	Dapple
461	Graphite
462	Cinder
478	Platinum Grey
488	Frosty White
491	Designer White Linear
492	Cinder Linear
792	Sable
793	Acorn

WOOD RIM

AC	Autumn
AD	Almond
CL	Caramel
CW	Cordovan
DW	Judicial
HN	Honey
IM	Brighton
MC	Amber
MH	Mocha
NM	Natural
PB	Portobello
SM	Sonoma
TF	Truffle
792	Sable

GALLERY PVC SOFTENED RIM

Grade 1 – 5% upcharge

G1001	Citadel
G1011	Pepperdust

Grade 2 – 6% upcharge

G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

See page 14 for Gallery program details and upcharges

DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

EPIC - CONFIGURATION OPTIONS

WORKSURFACE WIRE MANAGER COLORS

403 Chamois
405 Designer White
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
485 Dark Chocolate

WIRE MANAGER FILLER CAP COLORS

403 Chamois
405 Designer White
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
485 Dark Chocolate

NOTE: 478 not available. Recommended to use 440 Cloud for 478 Platinum Grey on filler caps.

WORKSURFACE FINISH/ LAMINATE	WIRE MANAGER AND FILLER CAP COLOR RECOMMENDATIONS
WOODGRAINS	
AC2 Autumn 2	403 Chamois 419 Wallaby 485 Dark Chocolate
AD Almond	485 Dark Chocolate
BZ Brazilwood	403 Chamois 419 Wallaby
CI Chai	403 Chamois 419 Wallaby
CL Caramel	403 Chamois 419 Wallaby
CW Cordovan	485 Dark Chocolate
DW Judicial	485 Dark Chocolate
HN2 Honey 2	403 Chamois 419 Wallaby
IM Brighton	403 Chamois 405 Designer White 419 Wallaby
KN Kona	425 Shadow
MC Amber	403 Chamois 419 Wallaby 485 Dark Chocolate
MH Mocha	485 Dark Chocolate
NM Natural	403 Chamois 419 Wallaby
PB Portobello	425 Shadow 461 Graphite
PC Porcini	419 Wallaby 425 Shadow
PT Portico	461 Graphite 478 Platinum Grey
SK Skyline	485 Dark Chocolate
SM Sonoma	403 Chamois 419 Wallaby
TF Truffle	403 Chamois 425 Shadow 485 Dark Chocolate
WL Willow	419 Wallaby 425 Shadow
792 Sable	425 Shadow 485 Dark Chocolate
793 Acorn	419 Wallaby 425 Shadow 485 Dark Chocolate

WORKSURFACE FINISH/ LAMINATE	WIRE MANAGER AND FILLER CAP COLOR RECOMMENDATIONS
SOLID LAMINATES	
405 Designer White	405 Designer White
419 Wallaby	419 Wallaby
425 Shadow	425 Shadow
440 Cloud	440 Cloud
457 Dapple	461 Graphite
461 Graphite	461 Graphite
462 Cinder	462 Cinder
478 Platinum Grey	478 Platinum Grey
488 Frosty White	405 Designer White
491 Designer White Linear	405 Designer White
492 Cinder Linear	462 Cinder

WORKSURFACE FINISH/ LAMINATE	WIRE MANAGER AND FILLER CAP COLOR RECOMMENDATIONS
PATTERN LAMINATES	
814 White Tigris	440 Cloud 478 Platinum Grey
818 Crisp Linen	440 Cloud
819 Flax Gauze	403 Chamois 419 Wallaby
821 Elemental Concrete	440 Cloud 478 Platinum Grey
822 Smoke Quarstone	461 Graphite

WORKSURFACE LAMINATE	WIRE MANAGER AND FILLER CAP COLOR RECOMMENDATIONS
GALLERY LAMINATE	
G1001 Citadel	425 Shadow 461 Graphite 478 Platinum Grey
G1002 Planked Raw Oak	405 Designer White 419 Wallaby 440 Cloud
G1003 Evening Notte	425 Shadow 485 Dark Chocolate
G1004 Kirsche	403 Chamois 419 Wallaby 425 Shadow
G1005 Midnight Run	461 Graphite 462 Cinder
G1006 Sepia Walnut	485 Dark Chocolate
G1007 Serotina	425 Shadow
G1008 Timeless	485 Dark Chocolate 425 Shadow
G1009 White Nebbia	405 Designer White 440 Cloud
G1011 Pepperdust	425 Shadow 478 Platinum Grey
G1012 Phantom Ecru	419 Wallaby 440 Cloud 425 Shadow

WOOD FINISHES

AC	Autumn	MC	Amber
AD	Almond	MH	Mocha
CL	Caramel	NM	Natural
CW	Cordovan	PB	Portobello
DW	Judicial	SM	Sonoma
HN	Honey	TF	Truffle
IM	Brighton	792	Sable

WORKSURFACE/MODESTY TYPE

M Main
E Extension
F Filler

M = 0 Connecting Worksurface Flat Brackets
E = 2 Connecting Worksurface Flat Brackets
F = 4 Connecting Worksurface Flat Brackets

LAMINATE WORKSURFACES/ OCCASIONAL TABLES

WOODGRAIN LAMINATE

AC2	Autumn 2	MH	Mocha
AD	Almond	NM	Natural
BZ	Brazilwood	PB	Portobello
CI	Chai	PC	Porcini
CL	Caramel	PT	Portico
CW	Cordovan	SK	Skyline
DW	Judicial	SM	Sonoma
HN2	Honey 2	TF	Truffle
IM	Brighton	WL	Willow
KN	Kona	792	Sable
MC	Amber	793	Acorn

SOLID LAMINATE

405 Designer White
419 Wallaby
425 Shadow
440 Cloud
457 Dapple
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear

PATTERN LAMINATE*

814 White Tigris
818 Crisp Linen
819 Flax Gauze
821 Elemental Concrete
822 Smoke Quarstone

- CSL available; not available on Epic occasional tables. See page 14 for program details and upcharge

*Not available on occasional tables

GALLERY LAMINATE

Grade 1 – 5% upcharge
G1001 Citadel
G1011 Pepperdust

Grade 2 – 6% upcharge
G1002 Planked Raw Oak
G1003 Evening Notte
G1004 Kirsche
G1005 Midnight Run
G1006 Sepia Walnut
G1007 Serotina
G1008 Timeless
G1009 White Nebbia
G1012 Phantom Ecru

LAMINATE DRAWER/DOOR FRONTS & CHASSIS

WOODGRAIN LAMINATE

AC2	Autumn 2	PBH	Portobello Horizontal
AD	Almond	PC	Porcini
ADH	Almond Horizontal	PT	Portico
BZ	Brazilwood	PTH	Portico Horizontal
CI	Chai	SK	Skyline
CL	Caramel	SKH	Skyline Horizontal
CW	Cordovan	SM	Sonoma
DW	Judicial	SMH	Sonoma Horizontal
HN2	Honey 2	TF	Truffle
IM	Brighton	WL	Willow
KN	Kona	792	Sable
MC	Amber	792H	Sable Horizontal
MH	Mocha	793	Acorn
NM	Natural		
PB	Portobello		

SOLID LAMINATE

405 Designer White
419 Wallaby
425 Shadow
440 Cloud
457 Dapple
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
491H Designer White Linear Horizontal
492 Cinder Linear
492H Cinder Linear Horizontal

GALLERY LAMINATE

Grade 1 – 5% upcharge
G1001 Citadel
G1011 Pepperdust

Grade 2 – 6% upcharge
G1002 Planked Raw Oak
G1003 Evening Notte
G1004 Kirsche
G1005 Midnight Run
G1006 Sepia Walnut
G1007 Serotina
G1008 Timeless
G1009 White Nebbia
G1012 Phantom Ecru

METAL SLIDING DOOR COLORS

462 Cinder
501 Platinum Metallic
503 Satin Nickel Metallic

METAL SHELF COLORS

462 Cinder
501 Platinum Metallic
503 Satin Nickel Metallic

RESIN COLORS

Grade 1
1677 Frosted

FOOT COLORS

FR462 Cinder
FR501 Platinum Metallic
FR503 Satin Nickel Metallic

DOOR TRACK PAINT COLORS

462 Cinder
501 Platinum Metallic
503 Satin Nickel Metallic

See page 14 for Gallery program details and upcharges

EPIC - CONFIGURATION OPTIONS

PULL OPTIONS



Laguna (76)

76MB Cinder
76CC Concrete
76IR Iron
76PL Platinum Metallic
76SN Satin Nickel Metallic
(Boring Pattern 128mm)



Level (88)

88MB Cinder
88CC Concrete
88IR Iron
88PL Platinum Metallic
88SN Satin Nickel Metallic
(Boring Pattern 128mm)



Waterfall (89)

89MB Cinder
89CC Concrete
89IR Iron
89PL Platinum Metallic
89SN Satin Nickel Metallic
(Boring Pattern 96mm)



Horizon (91)

91MB Cinder
91CC Concrete
91IR Iron
91PL Platinum Metallic
91SN Satin Nickel Metallic
(Boring Pattern 96mm)

- Horizon pull is always flush to the top left of the door or drawer front

GROMMET OPTIONS

If no grommet is desired, specify an X (No Grommet)

Round Grommet, Black Plastic
$40 list for each grommet



G1L Left
G1R Right
G1LR Left & Right
G1C Center
G1LC Left & Center
G1RC Right & Center
G1A Left, Right & Center

Racetrack Grommet, Satin Nickel Metallic
$45 list for each grommet



G11SNL Left
G11SNR Right
G11SNLR Left & Right
G11SNC Center
G11SNLC Left & Center
G11SNRC Right & Center
G11SNA Left, Right & Center

Racetrack Grommet, Cinder
$45 list for each grommet



G11MBL Left
G11MBR Right
G11MBLR Left & Right
G11MBC Center
G11MBLC Left & Center
G11MBRC Right & Center
G11MBA Left, Right & Center

Racetrack Grommet, Platinum Metallic
$45 list for each grommet



G11PLL Left
G11PLR Right
G11PLLR Left & Right
G11PLC Center
G11PLLC Left & Center
G11PLRC Right & Center
G11PLA Left, Right & Center

Cutout Option for 1 Touch Pivoting Power Grommet
$40 list upcharge per cutout location



CUT-G17L Left
CUT-G17R Right
CUT-G17LR Left & Right
CUT-G17C Center
CUT-G17LC Left & Center
CUT-G17RC Right & Center
CUT-G17A Left, Right & Center

- Reference page 92 for cutout locations of CUT-G17

NACG17AELPGB, NACG17AELPGS, and NACG17AELPGW (Sold Separately)

- Reference page 757 for pricing and details



NACG17BELPGB, NACG17BELPGS, and NACG17BELPGW (Sold Separately)

- Reference page 757 for pricing and details



NACG17CELPGB, NACG17CELPGS, and NACG17CELPGW (Sold Separately)

- Reference page 757 for pricing and details

NOTE: Interlink IQ units are available in the Accessories section

OCCASIONAL TABLE GROMMET OPTIONS

Surface Grommet Option
If no grommet is desired, specify an X (No Grommet)

CUT-G12C Cutout only for G12 1 Touch Pivoting Power Grommet
CUT-G17C Cutout only for G17 1 Touch Pivoting Power Grommet
CUT-G23C Cutout only for G23 Power Grommet

Side Grommet Option
If no grommet is desired, specify an X (No Grommet)

CUT-G23C Cutout only for G23 Power Grommet

PEDESTAL GROMMET

If no grommet is desired, specify an X

G22 Extended Radius ($40 list)

MODESTY GROMMET

If no grommet is desired, specify an X

G21 Half Moon ($40 list)

END PANEL GROMMET

If no grommet is desired, specify an X

GE1L Round, Black, Left ($40 list)
GE1R Round, Black, Right ($40 list)

SET-ON SURFACE OVERHEAD SUPPORTS (STANCHIONS)

O2L-462 O Support, 2 Long, Cinder
O2S-462 O Support, 2 Short, Cinder
O1L1S-462 O Support, 1 Long, 1 Short, Cinder
O2L-501 O Support, 2 Long, Platinum
O2S-501 O Support, 2 Short, Platinum
O1L1S-501 O Support, 1 Long, 1 Short, Platinum
O2L-503 O Support, 2 Long, Satin Nickel
O2S-503 O Support, 2 Short, Satin Nickel
O1L1S-503 O Support, 1 Long, 1 Short, Satin Nickel

U2L-462 U Support, 2 Long, Cinder
U2S-462 U Support, 2 Short, Cinder
U1L1S-462 U Support, 1 Long, 1 Short, Cinder
U2L-501 U Support, 2 Long, Platinum
U2S-501 U Support, 2 Short, Platinum
U1L1S-501 U Support, 1 Long, 1 Short, Platinum
U2L-503 U Support, 2 Long, Satin Nickel
U2S-503 U Support, 2 Short, Satin Nickel
U1L1S-503 U Support, 1 Long, 1 Short, Satin Nickel

WORKSURFACE WIRE MANAGER

If no wire manager is desired, specify an X
(No Wire Manager)

Specify locations and color option
Comes attached to worksurface
$50 list for each location

Locations:

D1B	Back	$50 list
D1L	Left	$50 list
D1R	Right	$50 list
D1LR	Left & Right	$100 list
D1BL	Back & Left	$100 list
D1BR	Back & Right	$100 list

Sample Option Selections:

D1B425 Wire Manager on Back in Shadow, $50 list
D1BL403 Wire Manager on Back and Left in Chamois, $100 list



Colors:

403 Chamois
405 Designer White
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
485 Dark Chocolate

LOCKING

KEY RANDOM

KRB Black
KRS Silver

KEY SPECIFIC

KS1B Black, 1 lock per unit
KS1S Silver, 1 lock per unit
KS2B Black, 2 locks per unit
KS2S Silver, 2 locks per unit
KS3B Black, 3 locks per unit
KS3S Silver, 3 locks per unit
KS4B Black, 4 locks per unit
KS4S Silver, 4 locks per unit

Unit list price will be reduced by $28 per lock when selecting Key Specific option. Must order specific lock cores separately ($28 list each).
See page 750 for Key Specific model numbers.

GROMMET LOCATION OPTIONS

Grommets are available for factory installation in worksurfaces in predetermined locations as shown below. Simply specify the desired grommet style and location in the model number sequence. Refer to page 90 for options.

Round grommets are also available for field installation; see page 755.

- **If specifying a grommet in the center location of a component worksurface, be sure there is clearance under the grommet opening so as not to conflict with undersurface components**

Worksurface grommet locations:

Excluding the corner unit, distance to the center of the grommet is the same for the G1 round grommet, G11 racetrack grommet or the CUT-G17 option.

Excluding the J-Desk and the corner unit, the same locations are available for the round or racetrack grommet and the cutout option.



30" and 36" deep Worksurfaces



18" and 24" deep Worksurfaces



U-Shaped Desk



U-Shaped / P-Shaped Worksurface



Corner Worksurface



Corner Units



Extended U-Shaped Worksurface



Extended Corner Worksurface



P-Shaped Desk



Round Grommet
Plastic



Racetrack Grommet
Zinc



End Panel



Pedestal



Modesty Panel

DRAWER SPECIFICATIONS

DESCRIPTION	INTERIOR DIMENSIONS				FILING CAPABILITIES
	DRAWER	INSIDE WIDTH	INSIDE DEPTH	INSIDE HEIGHT	
Desk—Recessed Modesty Panel 36 x 72	Box File	14 15/16" 14 15/16"	17" 17"	2 1/2" 9 3/8"	Letter, legal, and EDP side-to-side filing Legal filing front-to-back
Desk—Recessed Modesty Panel 30 x 66, 30 x 60	Box File	11 15/16" 11 15/16"	17" 17"	2 1/2" 9 3/8"	Letter filing front-to-back or side-to-side Legal and EDP filing side-to-side
Single Pedestal Desk 36 x 72	Box File	14 15/16" 14 15/16"	17" 17"	2 1/2" 9 3/8"	Letter, legal, and EDP side-to-side filing Legal filing front-to-back
Single Pedestal Desk 30 x 66	Box File	11 15/16" 11 15/16"	17" 17"	2 1/2" 9 3/8"	Letter filing front-to-back or side-to-side Legal and EDP filing side-to-side
Executive Return 24 x 60, 24 x 48, 24 x 42	Box File	11 15/16" 11 15/16"	17" 17"	2 1/2" 9 3/8"	Letter filing front-to-back or side-to-side Legal and EDP filing side-to-side
Credenzas 24 x 72	Box File	14 15/16" 14 15/16"	17" 17"	2 1/2" 9 3/8"	Letter, legal, and EDP side-to-side filing Legal filing front-to-back
Credenzas 24 x 66, 24 x 60	Box File	11 15/16" 11 15/16"	17" 17"	2 1/2" 9 3/8"	Letter filing front-to-back or side-to-side Legal and EDP filing side-to-side
Credenzas 24 x 72	Lateral File	32 15/16"	17"	9 3/8"	Letter, legal and EDP filing front-to-back or side-to-side
Single Pedestal Credenzas 24 x 72	Box File	14 15/16" 14 15/16"	17" 17"	2 1/2" 9 3/8"	Letter, legal, and EDP side-to-side filing Legal filing front-to-back
Single Pedestal Credenzas 24 x 66, 24 x 60	Box File	11 15/16" 11 15/16"	17" 17"	2 1/2" 9 3/8"	Letter filing front-to-back or side-to-side Legal and EDP filing side-to-side
Single Pedestal Credenzas 24 x 72	Lateral File	32 15/16"	17"	9 3/8"	Letter, legal and EDP filing front-to-back or side-to-side
Lateral File (23" depth) 36" width	Lateral File	32 15/16"	17"	9 3/8"	Letter, legal and EDP filing front-to-back or side-to-side
Lateral File (17" depth) 36" width	Lateral File	32 15/16"	12 1/32"	9 3/8"	Letter, legal and EDP filing front-to-back Letter filing side-to-side
Lateral File (23" depth) 30" width	Lateral File	26 15/16"	15"	9 3/8"	Letter, legal and EDP filing front-to-back or side-to-side
Lateral File (17" depth) 30" width	Lateral File	26 15/16"	12 1/32"	9 3/8"	Letter, legal and EDP filing front-to-back Letter filing side-to-side
Vertical Storage Cabinet 18 x 68	Box File	14 15/16" 14 15/16"	17" 17"	2 1/2" 9 3/8"	Letter, legal, and EDP side-to-side filing Legal filing front-to-back
Component Pedestals 23 x 18, 29 x 18	Box File	14 15/16" 14 15/16"	17" 17"	2 1/2" 9 3/8"	Letter, legal, and EDP side-to-side filing Legal filing front-to-back
Component Pedestal 17 x 18	Box File	14 15/16" 14 15/16"	12 1/32" 12 1/32"	2 1/2" 9 3/8"	Letter filing side-to-side Legal filing front-to-back
Component Pedestals 23 x 15, 29 x 15	Box File	11 15/16" 11 15/16"	17" 17"	2 1/2" 9 3/8"	Letter filing front-to-back or side-to-side Legal and EDP filing side-to-side
Component Pedestals 17 x 15	Box File	11 15/16" 11 15/16"	12 1/32" 12 1/32"	2 1/2" 9 3/8"	Letter filing front-to-back or side-to-side
Mobile Pedestals 23 x 15	Box File	11 15/16" 11 15/16"	17" 17"	2 1/2" 9 3/8"	Letter filing front-to-back or side-to-side EDP and legal filing side-to-side

- All file drawers will accommodate A4 and British fools cap filing
- Exterior dimension of legal width pedestal is 18". Letter width is 15"

EPIC L SOFTENED RIM ARRANGEMENTS

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number and rim profile, then select your laminate colors and you're done.

L-CONFIGURATION ARRANGEMENTS INCLUDE:

- Waterfall, Platinum Metallic pulls
- Foot color, Platinum Metallic
- Random silver lock cores
- Softened PVC rim, must specify color
- Center grommet in return
- Matching chassis and door laminates
- Must specify worksurface laminate
- Must specify chassis/door laminate

L-CONFIGURATIONS	MODEL NO./DESCRIPTION		LIST PRICE
LEFT L-CONFIGURATION FULL PEDESTAL SOFTENED RIM WOOD	25N8572LLFW	85D x 72W	$ 8413
	consists of		
	25N3672DRFW1	Right Pedestal Desk	4992
	25N2448RLEFW2	Left Pedestal Return	3421
	25N7972LLFW	79D x 72W	$ 8278
	consists of		
	25N3672DRFW1	Right Pedestal Desk	4992
	25N2442RLEFW2	Left Pedestal Return	3286
	25N7966LLFW	79D x 66W	$ 8099
	consists of		
	25N3066DRFW1	Right Pedestal Desk	4678
	25N2448RLEFW2	Left Pedestal Return	3421
	25N7366LLFW	73D x 66W	$ 7964
	consists of		
	25N3066DRFW1	Right Pedestal Desk	4678
	25N2442RLEFW2	Left Pedestal Return	3286



L-CONFIGURATIONS	MODEL NO./DESCRIPTION		LIST PRICE
RIGHT L-CONFIGURATION FULL PEDESTAL SOFTENED RIM WOOD	25N8572LRFW	85D x 72W	$ 8413
	consists of		
	25N3672DLFW1	Left Pedestal Desk	4992
	25N2448RREFW2	Right Pedestal Return	3421
	25N7972LRFW	79D x 72W	$ 8278
	consists of		
	25N3672DLFW1	Left Pedestal Desk	4992
	25N2442RREFW2	Right Pedestal Return	3286
	25N7966LRFW	79D x 66W	$ 8099
	consists of		
	25N3066DLFW1	Left Pedestal Desk	4678
	25N2448RREFW2	Right Pedestal Return	3421
	25N7366LRFW	73D x 66W	$ 7964
	consists of		
	25N3066DLFW1	Left Pedestal Desk	4678
	25N2442RREFW2	Right Pedestal Return	3286



L-CONFIGURATIONS	MODEL NO./DESCRIPTION		LIST PRICE
LEFT L-CONFIGURATION FULL PEDESTAL SOFTENED RIM LAMINATE	25N8572LLFL	85D x 72W	$ 5392
	consists of		
	25N3672DRFL1	Right Pedestal Desk	3289
	25N2448RLEFL2	Left Pedestal Return	2103
	25N7972LLFL	79D x 72W	$ 5305
	consists of		
	25N3672DRFL1	Right Pedestal Desk	3289
	25N2442RLEFL2	Left Pedestal Return	2016
	25N7966LLFL	79D x 66W	$ 5253
	consists of		
	25N3066DRFL1	Right Pedestal Desk	3150
	25N2448RLEFL2	Left Pedestal Return	2103
	25N7366LLFL	73D x 66W	$ 5166
	consists of		
	25N3066DRFL1	Right Pedestal Desk	3150
	25N2442RLEFL2	Left Pedestal Return	2016



L-CONFIGURATIONS	MODEL NO./DESCRIPTION		LIST PRICE
RIGHT L-CONFIGURATION FULL PEDESTAL SOFTENED RIM LAMINATE	25N8572LRFL	85D x 72W	$ 5392
	consists of		
	25N3672DLFL1	Left Pedestal Desk	3289
	25N2448RREFL2	Right Pedestal Return	2103
	25N7972LRFL	79D x 72W	$ 5305
	consists of		
	25N3672DLFL1	Left Pedestal Desk	3289
	25N2442RREFL2	Right Pedestal Return	2016
	25N7966LRFL	79D x 66W	$ 5253
	consists of		
	25N3066DLFL1	Left Pedestal Desk	3150
	25N2448RREFL2	Right Pedestal Return	2103
	25N7366LRFL	73D x 66W	$ 5166
	consists of		
	25N3066DLFL1	Left Pedestal Desk	3150
	25N2442RREFL2	Right Pedestal Return	2016



EPIC U SOFTENED RIM ARRANGEMENTS

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number and rim profile, then select your laminate colors and you're done.

U-CONFIGURATION ARRANGEMENTS INCLUDE:

- Waterfall, Platinum Metallic pulls
- Foot color, Platinum Metallic
- Random silver lock cores
- Softened PVC rim, must specify color
- Center grommet in bridge
- Left and right grommets in credenza
- Matching chassis and door laminates
- Must specify worksurface laminate
- Must specify chassis/door laminate

U-CONFIGURATIONS	MODEL NO./DESCRIPTION		LIST PRICE
LEFT U-CONFIGURATION FULL PEDESTAL SOFTENED RIM WOOD 	25N10972ULFW	109D x 72W	$ 10416
	consists of		
	25N3672DRFW1	Right Pedestal Desk	4992
	25N2448BEFW	Bridge	1308
	25N2472CLFW2	Left Pedestal Credenza	4116
	25N10372ULFW	103D x 72W	$ 10344
	consists of		
	25N3672DRFW1	Right Pedestal Desk	4992
	25N2442BEFW	Bridge	1236
	25N2472CLFW2	Left Pedestal Credenza	4116
	25N10366ULFW	103D x 66W	$ 10032
	consists of		
	25N3066DRFW1	Right Pedestal Desk	4678
	25N2448BEFW	Bridge	1308
	25N2466CLFW2	Left Pedestal Credenza	4046
	25N9766ULFW	97D x 66W	$ 9960
	consists of		
	25N3066DRFW1	Right Pedestal Desk	4678
	25N2442BEFW	Bridge	1236
	25N2466CLFW2	Left Pedestal Credenza	4046
RIGHT U-CONFIGURATION FULL PEDESTAL SOFTENED RIM WOOD 	25N10972URFW	109D x 72W	$ 10416
	consists of		
	25N3672DLFW1	Left Pedestal Desk	4992
	25N2448BEFW	Bridge	1308
	25N2472CRFW2	Right Pedestal Credenza	4116
	25N10372URFW	103D x 72W	$ 10344
	consists of		
	25N3672DLFW1	Left Pedestal Desk	4992
	25N2442BEFW	Bridge	1236
	25N2472CRFW2	Right Pedestal Credenza	4116
	25N10366URFW	103D x 66W	$ 10032
	consists of		
	25N3066DLFW1	Left Pedestal Desk	4678
	25N2448BEFW	Bridge	1308
	25N2466CRFW2	Right Pedestal Credenza	4046
	25N9766URFW	97D x 66W	$ 9960
	consists of		
	25N3066DLFW1	Left Pedestal Desk	4678
	25N2442BEFW	Bridge	1236
	25N2466CRFW2	Right Pedestal Credenza	4046
LEFT U-CONFIGURATION FULL PEDESTAL SOFTENED RIM LAMINATE 	25N10972ULFL	109D x 72W	$ 7058
	consists of		
	25N3672DRFL1	Right Pedestal Desk	3289
	25N2448BEFL	Bridge	810
	25N2472CLFL2	Left Pedestal Credenza	2959
	25N10372ULFL	103D x 72W	$ 6984
	consists of		
	25N3672DRFL1	Right Pedestal Desk	3289
	25N2442BEFL	Bridge	736
	25N2472CLFL2	Left Pedestal Credenza	2959
	25N10366ULFL	103D x 66W	$ 6797
	consists of		
	25N3066DRFL1	Right Pedestal Desk	3150
	25N2448BEFL	Bridge	810
	25N2466CLFL2	Left Pedestal Credenza	2837
	25N9766ULFL	97D x 66W	$ 6723
	consists of		
	25N3066DRFL1	Right Pedestal Desk	3150
	25N2442BEFL	Bridge	736
	25N2466CLFL2	Left Pedestal Credenza	2837
RIGHT U-CONFIGURATION FULL PEDESTAL SOFTENED RIM LAMINATE 	25N10972URFL	109D x 72W	$ 7058
	consists of		
	25N3672DLFL1	Left Pedestal Desk	3289
	25N2448BEFL	Bridge	810
	25N2472CRFL2	Right Pedestal Credenza	2959
	25N10372URFL	103D x 72W	$ 6984
	consists of		
	25N3672DLFL1	Left Pedestal Desk	3289
	25N2442BEFL	Bridge	736
	25N2472CRFL2	Right Pedestal Credenza	2959
	25N10366URFL	103D x 66W	$ 6797
	consists of		
	25N3066DLFL1	Left Pedestal Desk	3150
	25N2448BEFL	Bridge	810
	25N2466CRFL2	Right Pedestal Credenza	2837
	25N9766URFL	97D x 66W	$ 6723
	consists of		
	25N3066DLFL1	Left Pedestal Desk	3150
	25N2442BEFL	Bridge	736
	25N2466CRFL2	Right Pedestal Credenza	2837

EPIC L KNIFE RIM ARRANGEMENTS

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number and rim profile, then select your laminate colors and you're done.

L-CONFIGURATION ARRANGEMENTS INCLUDE:

- Waterfall, Platinum Metallic pulls
- Foot color, Platinum Metallic
- Random silver lock cores
- Knife rim, must specify color
- Center grommet in return
- Matching chassis and door laminates
- Must specify worksurface laminate
- Must specify chassis/door laminate

L-CONFIGURATIONS	MODEL NO./DESCRIPTION		LIST PRICE
LEFT L-CONFIGURATION FULL PEDESTAL KNIFE RIM WOOD	25N8872LLFWK	88D x 72W	$ 9144
	consists of		
	25N3972DRFW1K2	Right Pedestal Desk	5433
	25N2648RLEFW2K1	Left Pedestal Return	3711
	25N8272LLFWK	82D x 72W	$ 8999
	consists of		
	25N3972DRFW1K2	Right Pedestal Desk	5433
	25N2642RLEFW2K1	Left Pedestal Return	3566
	25N8266LLFWK	82D x 66W	$ 8742
	consists of		
	25N3366DRFW1K2	Right Pedestal Desk	5031
	25N2648RLEFW2K1	Left Pedestal Return	3711
	25N7666LLFWK	76D x 66W	$ 8597
	consists of		
	25N3366DRFW1K2	Right Pedestal Desk	5031
	25N2642RLEFW2K1	Left Pedestal Return	3566



L-CONFIGURATIONS	MODEL NO./DESCRIPTION		LIST PRICE
RIGHT L-CONFIGURATION FULL PEDESTAL KNIFE RIM WOOD	25N8872LRFWK	88D x 72W	$ 9144
	consists of		
	25N3972DLFW1K2	Left Pedestal Desk	5433
	25N2648RREFW2K1	Right Pedestal Return	3711
	25N8272LRFWK	82D x 72W	$ 8999
	consists of		
	25N3972DLFW1K2	Left Pedestal Desk	5433
	25N2642RREFW2K1	Right Pedestal Return	3566
	25N8266LRFWK	82D x 66W	$ 8742
	consists of		
	25N3366DLFW1K2	Left Pedestal Desk	5031
	25N2648RREFW2K1	Right Pedestal Return	3711
	25N7666LRFWK	76D x 66W	$ 8597
	consists of		
	25N3366DLFW1K2	Left Pedestal Desk	5031
	25N2642RREFW2K1	Right Pedestal Return	3566



L-CONFIGURATIONS	MODEL NO./DESCRIPTION		LIST PRICE
LEFT L-CONFIGURATION FULL PEDESTAL KNIFE RIM LAMINATE	25N8872LLFLK	88D x 72W	$ 6189
	consists of		
	25N3972DRFL1K2	Right Pedestal Desk	3846
	25N2648RLEFL2K1	Left Pedestal Return	2343
	25N8272LLFLK	82D x 72W	$ 6082
	consists of		
	25N3972DRFL1K2	Right Pedestal Desk	3846
	25N2642RLEFL2K1	Left Pedestal Return	2236
	25N8266LLFLK	82D x 66W	$ 5869
	consists of		
	25N3366DRFL1K2	Right Pedestal Desk	3526
	25N2648RLEFL2K1	Left Pedestal Return	2343
	25N7666LLFLK	76D x 66W	$ 5762
	consists of		
	25N3366DRFL1K2	Right Pedestal Desk	3526
	25N2642RLEFL2K1	Left Pedestal Return	2236



L-CONFIGURATIONS	MODEL NO./DESCRIPTION		LIST PRICE
RIGHT L-CONFIGURATION FULL PEDESTAL KNIFE RIM LAMINATE	25N8872LRFLK	88D x 72W	$ 6189
	consists of		
	25N3972DLFL1K2	Left Pedestal Desk	3846
	25N2648RREFL2K1	Right Pedestal Return	2343
	25N8272LRFLK	82D x 72W	$ 6082
	consists of		
	25N3972DLFL1K2	Left Pedestal Desk	3846
	25N2642RREFL2K1	Right Pedestal Return	2236
	25N8266LRFLK	82D x 66W	$ 5869
	consists of		
	25N3366DLFL1K2	Left Pedestal Desk	3526
	25N2648RREFL2K1	Right Pedestal Return	2343
	25N7666LRFLK	76D x 66W	$ 5762
	consists of		
	25N3366DLFL1K2	Left Pedestal Desk	3526
	25N2642RREFL2K1	Right Pedestal Return	2236



EPIC U KNIFE RIM ARRANGEMENTS

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number and rim profile, then select your laminate colors and you're done.

U-CONFIGURATION ARRANGEMENTS INCLUDE:

- Waterfall, Platinum Metallic pulls
- Foot color, Platinum Metallic
- Random silver lock cores
- Knife rim, must specify color
- Center grommet in bridge
- Left and right grommets in credenza
- Matching chassis and door laminates
- Must specify worksurface laminate
- Must specify chassis/door laminate

U-CONFIGURATIONS	MODEL NO./DESCRIPTION		LIST PRICE
LEFT U-CONFIGURATION FULL PEDESTAL KNIFE RIM WOOD 	25N11372ULFWK	113D x 72W	$ 11474
	consists of		
	25N3972DRFW1K2	Right Pedestal Desk	5433
	25N2648BEFWK1	Bridge	1599
	25N2672CLFW2K1	Left Pedestal Credenza	4442
	25N10772ULFWK	107D x 72W	$ 11390
	consists of		
	25N3972DRFW1K2	Right Pedestal Desk	5433
	25N2642BEFWK1	Bridge	1515
	25N2672CLFW2K1	Left Pedestal Credenza	4442
	25N10766ULFWK	107D x 66W	$ 10992
	consists of		
	25N3366DRFW1K2	Right Pedestal Desk	5031
	25N2648BEFWK1	Bridge	1599
	25N2666CLFW2K1	Left Pedestal Credenza	4362
	25N10166ULFWK	101D x 66W	$ 10908
	consists of		
	25N3366DRFW1K2	Right Pedestal Desk	5031
	25N2642BEFWK1	Bridge	1515
	25N2666CLFW2K1	Left Pedestal Credenza	4362
RIGHT U-CONFIGURATION FULL PEDESTAL KNIFE RIM WOOD 	25N11372URFWK	113D x 72W	$ 11474
	consists of		
	25N3972DLFW1K2	Left Pedestal Desk	5433
	25N2648BEFWK1	Bridge	1599
	25N2672CRFW2K1	Right Pedestal Credenza	4442
	25N10772URFWK	107D x 72W	$ 11390
	consists of		
	25N3972DLFW1K2	Left Pedestal Desk	5433
	25N2642BEFWK1	Bridge	1515
	25N2672CRFW2K1	Right Pedestal Credenza	4442
	25N10766URFWK	107D x 66W	$ 10992
	consists of		
	25N3366DLFW1K2	Left Pedestal Desk	5031
	25N2648BEFWK1	Bridge	1599
	25N2666CRFW2K1	Right Pedestal Credenza	4362
	25N10166URFWK	101D x 66W	$ 10908
	consists of		
	25N3366DLFW1K2	Left Pedestal Desk	5031
	25N2642BEFWK1	Bridge	1515
	25N2666CRFW2K1	Right Pedestal Credenza	4362
LEFT U-CONFIGURATION FULL PEDESTAL KNIFE RIM LAMINATE 	25N11372ULFLK	113D x 72W	$ 8201
	consists of		
	25N3972DRFL1K2	Right Pedestal Desk	3846
	25N2648BEFLK1	Bridge	1052
	25N2672CLFL2K1	Left Pedestal Credenza	3303
	25N10772ULFLK	107D x 72W	$ 8100
	consists of		
	25N3972DRFL1K2	Right Pedestal Desk	3846
	25N2642BEFLK1	Bridge	951
	25N2672CLFL2K1	Left Pedestal Credenza	3303
	25N10766ULFLK	107D x 66W	$ 7730
	consists of		
	25N3366DRFL1K2	Right Pedestal Desk	3526
	25N2648BEFLK1	Bridge	1052
	25N2666CLFL2K1	Left Pedestal Credenza	3152
	25N10166ULFLK	101D x 66W	$ 7629
	consists of		
	25N3366DRFL1K2	Right Pedestal Desk	3526
	25N2642BEFLK1	Bridge	951
	25N2666CLFL2K1	Left Pedestal Credenza	3152
RIGHT U-CONFIGURATION FULL PEDESTAL KNIFE RIM LAMINATE 	25N11372URFLK	113D x 72W	$ 8201
	consists of		
	25N3972DLFL1K2	Left Pedestal Desk	3846
	25N2648BEFLK1	Bridge	1052
	25N2672CRFL2K1	Right Pedestal Credenza	3303
	25N10772URFLK	107D x 72W	$ 8100
	consists of		
	25N3972DLFL1K2	Left Pedestal Desk	3846
	25N2642BEFLK1	Bridge	951
	25N2672CRFL2K1	Right Pedestal Credenza	3303
	25N10766URFLK	107D x 66W	$ 7730
	consists of		
	25N3366DLFL1K2	Left Pedestal Desk	3526
	25N2648BEFLK1	Bridge	1052
	25N2666CRFL2K1	Right Pedestal Credenza	3152
	25N10166URFLK	101D x 66W	$ 7629
	consists of		
	25N3366DLFL1K2	Left Pedestal Desk	3526
	25N2642BEFLK1	Bridge	951
	25N2666CRFL2K1	Right Pedestal Credenza	3152

EPIC

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 89 for options
- Refer to pages 741-784 for accessories
- Refer to page 93 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 92 for grommet locations and page 90 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks
- Knife rim locations on desks: user and approach sides (indicated by K2)

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Foot Color
8. Laminate Top Color
9. Laminate Door/Drawer Color
10. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBER:

25N3672DDFL8 V405 89MB G1LR KS2B FR462 TF 405 TF

- See pages 87-91 for all options available in Epic

DOUBLE PEDESTAL DESK



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SOFTENED RIM									
25N3672DDFW8	Wood	$ 5826	36 1/16	71 15/16	28 15/16	6 3/16	35 7/8	361 lbs.	56.3
25N3672DDFL8	Laminate	3764	36 1/16	71 15/16	28 15/16	6 3/16	35 7/8	361 lbs.	56.3
25N3066DDFW8	Wood	$ 5590	30 1/16	66	28 15/16	6 5/16	35 7/8	285 lbs.	44.4
25N3066DDFL8	Laminate	3616	30 1/16	66	28 15/16	6 5/16	35 7/8	285 lbs.	44.4
25N3060DDFW8	Wood	$ 5321	30 1/16	60	28 15/16	6 5/16	29 15/16	261 lbs.	40.7
25N3060DDFL8	Laminate	3482	30 1/16	60	28 15/16	6 5/16	29 15/16	261 lbs.	40.7
KNIFE RIM									
25N3972DDFW8K2	Wood	$ 6271	39 1/16	71 15/16	28 15/16	7 1/16	35 7/8	361 lbs.	61.9
25N3972DDFL8K2	Laminate	4320	39 1/16	71 15/16	28 15/16	7 1/16	35 7/8	361 lbs.	61.9
25N3366DDFW8K2	Wood	$ 5940	33 1/16	66	28 15/16	7 3/16	35 7/8	285 lbs.	48.8
25N3366DDFL8K2	Laminate	3991	33 1/16	66	28 15/16	7 3/16	35 7/8	285 lbs.	48.8
25N3360DDFW8K2	Wood	$ 5665	33 1/16	60	28 15/16	7 3/16	29 15/16	261 lbs.	44.8
25N3360DDFL8K2	Laminate	3823	33 1/16	60	28 15/16	7 3/16	29 15/16	261 lbs.	44.8

- 3672 and 3972 desks have 30" deep pedestals
- 3066, 3060, 3366 and 3360 desks have 24" deep pedestals
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 89 for options
- Refer to pages 741-784 for accessories
- Refer to page 93 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 92 for grommet locations and page 90 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks
- Knife rim locations on desks: user and approach sides (indicated by K2)

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Foot Color
8. Laminate Top Color
9. Laminate Door/Drawer Color
10. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBER:

25N3672DLFW1 V405 89MB G1LR KS2B FR462 TF 405 TF

- See pages 87-91 for all options available in Epic

SINGLE PEDESTAL DESK
RECESSED MODESTY



Left shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SOFTENED RIM										
LEFT PEDESTAL DESK	**RIGHT PEDESTAL DESK**									
25N3672DLFW1	25N3672DRFW1	Wood	$ 4992	36 1/16	71 15/16	28 15/16	6 3/16	52 11/16	311 lbs.	56.3
25N3672DLFL1	25N3672DRFL1	Laminate	3289	36 1/16	71 15/16	28 15/16	6 3/16	52 11/16	311 lbs.	56.3
25N3066DLFW1	25N3066DRFW1	Wood	$ 4678	30 1/16	66	28 15/16	6 3/16	52 11/16	245 lbs.	44.4
25N3066DLFL1	25N3066DRFL1	Laminate	3150	30 1/16	66	28 15/16	6 3/16	52 11/16	245 lbs.	44.4
KNIFE RIM										
LEFT PEDESTAL DESK	**RIGHT PEDESTAL DESK**									
25N3972DLFW1K2	25N3972DRFW1K2	Wood	$ 5433	39 1/16	71 15/16	28 15/16	7 1/16	52 11/16	311 lbs.	61.9
25N3972DLFL1K2	25N3972DRFL1K2	Laminate	3846	39 1/16	71 15/16	28 15/16	7 1/16	52 11/16	311 lbs.	61.9
25N3366DLFW1K2	25N3366DRFW1K2	Wood	$ 5031	33 1/16	66	28 15/16	7 3/16	52 11/16	245 lbs.	48.8
25N3366DLFL1K2	25N3366DRFL1K2	Laminate	3526	33 1/16	66	28 15/16	7 3/16	52 11/16	245 lbs.	48.8

- 3672 and 3972 desks have 30" deep pedestal
- 3066 and 3366 desks have 24" deep pedestal
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

EPIC

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 89 for options
- Refer to pages 741-784 for accessories
- Assembled units and component units are interchangeable
- Refer to page 92 for grommet locations and page 90 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Foot Color
6. Laminate Top Color
7. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBER:

25N3672DURW V G11SN FR503 MH

- See pages 87-91 for all options available in Epic

U-SHAPED DESK



Left shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SOFTENED RIM LEFT PEDESTAL DESK	**RIGHT PEDESTAL DESK**									
25N3672DULW	25N3672DURW	Wood	$ 3064	36 1/16	71 15/16	28 15/16	–	–	145 lbs.	8.8
25N3672DULL	25N3672DURL	Laminate	1810	36 1/16	71 15/16	28 15/16	–	–	145 lbs.	8.8
25N3072DULW	25N3072DURW	Wood	$ 2899	30 1/16	71 15/16	28 15/16	–	–	130 lbs.	8.5
25N3072DULL	25N3072DURL	Laminate	1535	30 1/16	71 15/16	28 15/16	–	–	130 lbs.	8.5
25N3066DULW	25N3066DURW	Wood	$ 2731	30 1/16	66	28 15/16	–	–	100 lbs.	6.3
25N3066DULL	25N3066DURL	Laminate	1257	30 1/16	66	28 15/16	–	–	100 lbs.	6.3
KNIFE RIM LEFT PEDESTAL DESK	**RIGHT PEDESTAL DESK**									
25N3974DULWK2	25N3974DURWK2	Wood	$ 3686	39 1/16	73 7/16	28 15/16	–	–	145 lbs.	9.7
25N3974DULLK2	25N3974DURLK2	Laminate	2437	39 1/16	73 7/16	28 15/16	–	–	145 lbs.	9.7
25N3374DULWK2	25N3374DURWK2	Wood	$ 3442	33 1/16	73 7/16	28 15/16	–	–	130 lbs.	9.4
25N3374DULLK2	25N3374DURLK2	Laminate	2014	33 1/16	73 7/16	28 15/16	–	–	130 lbs.	9.4
25N3368DULWK2	25N3368DURWK2	Wood	$ 3244	33 1/16	67 1/2	28 15/16	–	–	100 lbs.	6.9
25N3368DULLK2	25N3368DURLK2	Laminate	1684	33 1/16	67 1/2	28 15/16	–	–	100 lbs.	6.9

- Not recommended as a freestanding unit
- Support base must be ordered separately; see pages 663-696 for support base options
- Some assembly required

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 89 for options
- Refer to pages 741-784 for accessories
- Assembled units and component units are interchangeable
- Refer to page 92 for grommet locations and page 90 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Foot Color
6. Laminate Top Color
7. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBER:

25N3974DULFLK2 K461 G1R FR462 461 461

- See pages 87-91 for all options available in Epic

U-SHAPED DESK WITH MODESTY PANEL



Right shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SOFTENED RIM LEFT PEDESTAL DESK	**RIGHT PEDESTAL DESK**									
25N3672DULFW	25N3672DURFW	Wood	$ 3978	36 1/16	71 15/16	28 15/16	14 1/16	–	165 lbs.	8.9
25N3672DULFL	25N3672DURFL	Laminate	2373	36 1/16	71 15/16	28 15/16	14 1/16	–	165 lbs.	8.9
25N3072DULFW	25N3072DURFW	Wood	$ 3675	30 1/16	71 15/16	28 15/16	14 1/16	–	150 lbs.	8.6
25N3072DULFL	25N3072DURFL	Laminate	2092	30 1/16	71 15/16	28 15/16	14 1/16	–	150 lbs.	8.6
25N3066DULFW	25N3066DURFW	Wood	$ 3379	30 1/16	66	28 15/16	14 1/16	–	120 lbs.	6.5
25N3066DULFL	25N3066DURFL	Laminate	1807	30 1/16	66	28 15/16	14 1/16	–	120 lbs.	6.5
KNIFE RIM LEFT PEDESTAL DESK	**RIGHT PEDESTAL DESK**									
25N3974DULFWK2	25N3974DURFWK2	Wood	$ 4597	39 1/16	73 7/16	28 15/16	16 3/16	–	165 lbs.	9.8
25N3974DULFLK2	25N3974DURFLK2	Laminate	2995	39 1/16	73 7/16	28 15/16	16 3/16	–	165 lbs.	9.8
25N3374DULFWK2	25N3374DURFWK2	Wood	$ 4222	33 1/16	73 7/16	28 15/16	16 3/16	–	150 lbs.	9.5
25N3374DULFLK2	25N3374DURFLK2	Laminate	2574	33 1/16	73 7/16	28 15/16	16 3/16	–	150 lbs.	9.5
25N3368DULFWK2	25N3368DURFWK2	Wood	$ 3894	33 1/16	67 1/2	28 15/16	16 3/16	–	120 lbs.	7.2
25N3368DULFLK2	25N3368DURFLK2	Laminate	2237	33 1/16	67 1/2	28 15/16	16 3/16	–	120 lbs.	7.2

- Not recommended as a freestanding unit
- Support base must be ordered separately; see pages 663-696 for support base options
- Some assembly required

EPIC

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 89 for options
- Refer to pages 741-784 for accessories
- Assembled units and component units are interchangeable
- Refer to page 92 for grommet locations and page 90 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on P-Shaped desks

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Foot Color
6. Laminate Top Color
7. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

25N3072DPRW V X FR501 MC
25N3072DPRFW V X FR501 MC

- See pages 87-91 for all options available in Epic

P-SHAPED DESK



Left shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SOFTENED RIM LEFT PEDESTAL DESK	**RIGHT PEDESTAL DESK**									
25N3072DPLW	25N3072DPRW	Wood	$ 3205	30 1/16	71 15/16	28 15/16	–	–	110 lbs.	6.9
25N3072DPLL	25N3072DPRL	Laminate	1905	30 1/16	71 15/16	28 15/16	–	–	110 lbs.	6.9
KNIFE RIM LEFT PEDESTAL DESK	**RIGHT PEDESTAL DESK**									
25N3374DPLWK2	25N3374DPRWK2	Wood	$ 3856	33 1/16	73 7/16	28 15/16	–	–	110 lbs.	6.9
25N3374DPLLK2	25N3374DPRLK2	Laminate	2731	33 1/16	73 7/16	28 15/16	–	–	110 lbs.	6.9

- Not recommended as a freestanding unit
- Support base must be ordered separately; see pages 663-696 for support base options; some assembly required

P-SHAPED DESK WITH MODESTY PANEL



Left shown

SOFTENED RIM LEFT PEDESTAL DESK	**RIGHT PEDESTAL DESK**									
25N3072DPLFW	25N3072DPRFW	Wood	$ 3982	30 1/16	71 15/16	28 15/16	14 1/16	–	130 lbs.	8.8
25N3072DPLFL	25N3072DPRFL	Laminate	2402	30 1/16	71 15/16	28 15/16	14 1/16	–	130 lbs.	8.8
KNIFE RIM LEFT PEDESTAL DESK	**RIGHT PEDESTAL DESK**									
25N3374DPLFWK2	25N3374DPRFWK2	Wood	$ 4630	33 1/16	73 7/16	28 15/16	16 3/16	–	130 lbs.	9.7
25N3374DPLFLK2	25N3374DPRFLK2	Laminate	3229	33 1/16	73 7/16	28 15/16	16 3/16	–	130 lbs.	9.7

- Not recommended as a freestanding unit
- Support base must be ordered separately; see pages 663-696 for support base options
- Some assembly required

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 89 for options
- Refer to pages 741-784 for accessories
- Refer to page 93 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 92 for grommet locations and page 90 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Knife rim location on credenzas, returns and bridges: user side only (indicated by K1)

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Foot Color
8. Laminate Top Color
9. Laminate Door/Drawer Color
10. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBERS:

25N2448RLEFW1 V 89MB G1LR KS1B FR462 CL
25N2448RLEFW2 V 89MB G1LR KS1B FR462 CL

- See pages 87-91 for all options available in Epic

RETURN BOX/BOX/FILE



Left shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SOFTENED RIM LEFT PEDESTAL RETURN	**RIGHT PEDESTAL RETURN**									
25N2448RLEFW1	25N2448RREFW1	Wood	$ 3381	24	48 1/16	28 15/16	1/16	33	175 lbs.	27.6
25N2448RLEFL1	25N2448RREFL1	Laminate	2063	24	48 1/16	28 15/16	1/16	33	175 lbs.	27.6
25N2442RLEFW1	25N2442RREFW1	Wood	$ 3246	24	42 1/16	28 15/16	1/16	27	166 lbs.	24.5
25N2442RLEFL1	25N2442RREFL1	Laminate	1976	24	42 1/16	28 15/16	1/16	27	166 lbs.	24.5
KNIFE RIM LEFT PEDESTAL RETURN	**RIGHT PEDESTAL RETURN**									
25N2648RLEFW1K1	25N2648RREFW1K1	Wood	$ 3671	25½	48 1/16	28 15/16	1/16	33	175 lbs.	30.4
25N2648RLEFL1K1	25N2648RREFL1K1	Laminate	2303	25½	48 1/16	28 15/16	1/16	33	175 lbs.	30.4
25N2642RLEFW1K1	25N2642RREFW1K1	Wood	$ 3526	25½	42 1/16	28 15/16	1/16	27	166 lbs.	27.0
25N2642RLEFL1K1	25N2642RREFL1K1	Laminate	2196	25½	42 1/16	28 15/16	1/16	27	166 lbs.	27.0

- Grain direction runs front-to-back
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

RETURN FILE/FILE



Left shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SOFTENED RIM LEFT PEDESTAL RETURN	**RIGHT PEDESTAL RETURN**									
25N2448RLEFW2	25N2448RREFW2	Wood	$ 3381	24	48 1/16	28 15/16	1/16	33	175 lbs.	27.6
25N2448RLEFL2	25N2448RREFL2	Laminate	2063	24	48 1/16	28 15/16	1/16	33	175 lbs.	27.6
25N2442RLEFW2	25N2442RREFW2	Wood	$ 3246	24	42 1/16	28 15/16	1/16	27	166 lbs.	24.5
25N2442RLEFL2	25N2442RREFL2	Laminate	1976	24	42 1/16	28 15/16	1/16	27	166 lbs.	24.5
KNIFE RIM LEFT PEDESTAL RETURN	**RIGHT PEDESTAL RETURN**									
25N2648RLEFW2K1	25N2648RREFW2K1	Wood	$ 3671	25½	48 1/16	28 15/16	1/16	33	175 lbs.	30.4
25N2648RLEFL2K1	25N2648RREFL2K1	Laminate	2303	25½	48 1/16	28 15/16	1/16	33	175 lbs.	30.4
25N2642RLEFW2K1	25N2642RREFW2K1	Wood	$ 3526	25½	42 1/16	28 15/16	1/16	27	166 lbs.	27.0
25N2642RLEFL2K1	25N2642RREFL2K1	Laminate	2196	25½	42 1/16	28 15/16	1/16	27	166 lbs.	27.0

- Grain direction runs front-to-back
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

EPIC

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 89 for options
- Assembled units and component units are interchangeable
- Refer to page 92 for grommet locations and page 90 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Knife rim location on credenzas, returns and bridges: user side only (indicated by K1)

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Laminate Top Color
6. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

25N2448BEFW	V	G1C	CW	
25N2448BEFHW	V	G1C	CW	
25N26488BEFHLK1	KNM	X	461	NM
25N2648BEFLK1	KNM	X	461	NM

• See pages 87-91 for all options available in Epic

BRIDGE



MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SOFTENED RIM									
25N2448BEFW	Wood	$ 1268	24	48 1/16	28 13/16	1/16	–	80 lbs.	4.1
25N2448BEFL	Laminate	770	24	48 1/16	28 13/16	1/16	–	80 lbs.	4.1
25N2442BEFW	Wood	$ 1196	24	42 1/16	28 13/16	1/16	–	72 lbs.	3.7
25N2442BEFL	Laminate	696	24	42 1/16	28 13/16	1/16	–	72 lbs.	3.7
KNIFE RIM									
25N2648BEFWK1	Wood	$ 1559	25½	48 1/16	28 13/16	1/16	–	80 lbs.	4.5
25N2648BEFLK1	Laminate	1012	25½	48 1/16	28 13/16	1/16	–	80 lbs.	4.5
25N2642BEFWK1	Wood	$ 1475	25½	42 1/16	28 13/16	1/16	–	72 lbs.	4.1
25N2642BEFLK1	Laminate	911	25½	42 1/16	28 13/16	1/16	–	72 lbs.	4.1

- Some assembly required
- Grain direction runs front-to-back

BRIDGE WITH HINGED MODESTY



MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SOFTENED RIM									
25N2448BEFHW	Wood	$ 1365	24	48 1/16	28 13/16	1/16	–	80 lbs.	4.1
25N2448BEFHL	Laminate	864	24	48 1/16	28 13/16	1/16	–	80 lbs.	4.1
25N2442BEFHW	Wood	$ 1290	24	42 1/16	28 13/16	1/16	–	72 lbs.	3.7
25N2442BEFHL	Laminate	795	24	42 1/16	28 13/16	1/16	–	72 lbs.	3.7
KNIFE RIM									
25N2648BEFHWK1	Wood	$ 1654	25½	48 1/16	28 13/16	1/16	–	80 lbs.	4.5
25N2648BEFHLK1	Laminate	1107	25½	48 1/16	28 13/16	1/16	–	80 lbs.	4.5
25N2642BEFHWK1	Wood	$ 1568	25½	42 1/16	28 13/16	1/16	–	72 lbs.	4.1
25N2642BEFHLK1	Laminate	1012	25½	42 1/16	28 13/16	1/16	–	72 lbs.	4.1

- Some assembly required
- Unit has flexible grommet in modesty for cord management
- Modesty is hinged for access to cords
- Grain direction runs front-to-back

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 89 for options
- Refer to pages 741-784 for accessories
- Assembled units and component units are interchangeable
- Refer to page 92 for grommet locations and page 90 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Knife rim location on credenzas, returns and bridges: user side only (indicated by K1)

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Foot Color
8. Laminate Top Color
9. Laminate Door/Drawer Color
10. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBER:

25N2472CSFL VMH 89PL G1LR KS3S FR501 461 MH MH

- See pages 87-91 for all options available in Epic

STORAGE CREDENZA



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SOFTENED RIM									
25N2472CSFW	Wood	$ 6005	24	71 15/16	28 15/16	3/16	—	346 lbs.	39.8
25N2472CSFL	Laminate	4782	24	71 15/16	28 15/16	3/16	—	346 lbs.	39.8
25N2466CSFW	Wood	$ 5639	24	66	28 15/16	3/16	—	334 lbs.	32.7
25N2466CSFL	Laminate	4599	24	66	28 15/16	3/16	—	334 lbs.	32.7
25N2460CSFW	Wood	$ 5484	24	60	28 15/16	3/16	—	318 lbs.	28.9
25N2460CSFL	Laminate	4514	24	60	28 15/16	3/16	—	318 lbs.	28.9
KNIFE RIM									
25N2672CSFWK1	Wood	$ 6333	25½	71 15/16	28 15/16	3/16	—	346 lbs.	43.8
25N2672CSFLK1	Laminate	5125	25½	71 15/16	28 15/16	3/16	—	346 lbs.	43.8
25N2666CSFWK1	Wood	$ 5951	25½	66	28 15/16	3/16	—	334 lbs.	36.0
25N2666CSFLK1	Laminate	4917	25½	66	28 15/16	3/16	—	334 lbs.	36.0
25N2660CSFWK1	Wood	$ 5787	25½	60	28 15/16	3/16	—	318 lbs.	31.8
25N2660CSFLK1	Laminate	4814	25½	60	28 15/16	3/16	—	318 lbs.	31.8

- 72" credenza features an adjustable shelf (20⅜ deep x 34 3/16 wide)
- 66" credenza features an adjustable shelf (20⅜ deep x 28 3/16 wide)
- 60" credenza features an adjustable shelf (20⅜ deep x 22 3/16 wide)
- Random lock core (KRB, KRS) and specified lock core (KS3B, KS3S) available

EPIC

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 89 for options
- Refer to pages 741-784 for accessories
- Assembled units and component units are interchangeable
- Refer to page 92 for grommet locations and page 90 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Knife rim location on credenzas, returns and bridges: user side only (indicated by K1)

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Foot Color
8. Laminate Top Color
9. Laminate Door/Drawer Color
10. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBER:

25NN2472CVMSL VMH 89PL G1LR KS3S FR501 461 MH MH

- See pages 87-91 for all options available in Epic

MEDIA STORAGE CREDENZA



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SOFTENED RIM 72"—1⅞16" TOP THICKNESS									
25NN2472CVMSW	Wood	$ 9614	24	72	35⅞16	—	—	383 lbs.	36.3
25NN2472CVMSL	Laminate	8477	24	72	35⅞16	—	—	383 lbs.	36.3
60"—1⅞16" TOP THICKNESS									
25NN2460CVMSW	Wood	$ 9313	24	60	35⅞16	—	—	325 lbs.	28.9
25NN2460CVMSL	Laminate	8167	24	60	35⅞16	—	—	325 lbs.	28.9
48"—1⅞16" TOP THICKNESS									
25NN2448CVMSW	Wood	$ 9005	24	48⅛16	35⅞16	—	—	290 lbs.	24.7
25NN2448CVMSL	Laminate	7865	24	48⅛16	35⅞16	—	—	290 lbs.	24.7
KNIFE RIM 72"—1⅞16" TOP THICKNESS									
25NN2672CVMSWK1	Wood	$ 10008	25½	72	35⅞16	—	—	383 lbs.	36.3
25NN2672CVMSLK1	Laminate	8930	25½	72	35⅞16	—	—	383 lbs.	36.3
60"—1⅞16" TOP THICKNESS									
25NN2660CVMSWK1	Wood	$ 9678	25½	60	35⅞16	—	—	325 lbs.	28.9
25NN2660CVMSLK1	Laminate	8579	25½	60	35⅞16	—	—	325 lbs.	28.9
48"—1⅞16" TOP THICKNESS									
25NN2648CVMSWK1	Wood	$ 9360	25½	48⅛16	35⅞16	—	—	290 lbs.	24.7
25NN2648CVMSLK1	Laminate	8215	25½	48⅛16	35⅞16	—	—	290 lbs.	24.7

- Infrared Repeater (IR) included with credenza which allows multi-media equipment to be stored and controlled behind solid doors
- Back panel is not fully finished and includes cutouts for venting
- Rim profile on front only, 1⅞16" top thickness
- Matching wood grommets in end panels for wire access
- Features an adjustable shelf
- Inside dimension of each storage section is 21¼" deep x 34½" wide x 24¾" high for the 25NN2472CVMS models, 21¼" deep x 28½" wide x 24¾" high for the 25NN2460CVMS models and 21¼" deep x 22½" wide x 24¾" high for the 25NN2448CVMS models
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 89 for options
- Refer to pages 741-784 for accessories
- Assembled units and component units are interchangeable
- Refer to page 92 for grommet locations and page 90 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Knife rim location on credenzas, returns and bridges: user side only (indicated by K1)

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Foot Color
8. Laminate Top Color
9. Laminate Door/Drawer Color
10. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBER:

25NN2472CBVL VMH 89PL G1LR KS2S FR501 461 MH MH

- See pages 87-91 for all options available in Epic

ENTERTAINMENT CREDENZA



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SOFTENED RIM 1⅜" TOP THICKNESS									
25NN2472CBVW	Wood	$ 7580	24	71⁵⁄₁₆	35⁷⁄₁₆	—	—	381 lbs.	46.7
25NN2472CBVL	Laminate	6191	24	71⁵⁄₁₆	35⁷⁄₁₆	—	—	381 lbs.	46.7
1⅜" TOP THICKNESS									
25N2472CBVW	Wood	$ 6759	24	71⁵⁄₁₆	35⁷⁄₁₆	—	—	381 lbs.	46.7
25N2472CBVL	Laminate	5519	24	71⁵⁄₁₆	35⁷⁄₁₆	—	—	381 lbs.	46.7
KNIFE RIM 1⅜" TOP THICKNESS									
25NN2672CBVWK1	Wood	$ 7974	25½	71⁵⁄₁₆	35⁷⁄₁₆	—	—	381 lbs.	46.7
25NN2672CBVLK1	Laminate	6646	25½	71⁵⁄₁₆	35⁷⁄₁₆	—	—	381 lbs.	46.7
1⅜" TOP THICKNESS									
25N2672CBVWK1	Wood	$ 7092	25½	71⁵⁄₁₆	35⁷⁄₁₆	—	—	381 lbs.	46.7
25N2672CBVLK1	Laminate	5865	25½	71⁵⁄₁₆	35⁷⁄₁₆	—	—	381 lbs.	46.7

- Back panel is not fully finished and includes cutouts for venting
- Rim profile on front only
- Features an adjustable shelf
- Inside dimension of each storage section is 21¼" deep x 34½" wide x 24¾" high
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

EPIC

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 89 for options
- Refer to pages 741-784 for accessories
- Assembled units and component units are interchangeable
- Refer to page 92 for grommet locations and page 90 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Knife rim location on credenzas, returns and bridges: user side only (indicated by K1)

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Foot Color
8. Laminate Top Color
9. Laminate Door/Drawer Color
10. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBER:

25NN2472CBL VMH 89PL G1LR KS2S FR501 461 MH MH

- See pages 87-91 for all options available in Epic

BUFFET CREDENZA



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SOFTENED RIM 1⁹⁄₁₆" TOP THICKNESS									
25NN2472CBW	Wood	$ 7445	24	71⁵⁄₁₆	35⁷⁄₁₆	–	–	381 lbs.	46.7
25NN2472CBL	Laminate	6081	24	71⁵⁄₁₆	35⁷⁄₁₆	–	–	381 lbs.	46.7
1³⁄₁₆" TOP THICKNESS									
25N2472CBW	Wood	$ 6639	24	71⁵⁄₁₆	35¹⁄₁₆	–	–	381 lbs.	46.7
25N2472CBL	Laminate	5421	24	71⁵⁄₁₆	35¹⁄₁₆	–	–	381 lbs.	46.7
KNIFE RIM 1⁹⁄₁₆" TOP THICKNESS									
25NN2672CBWK1	Wood	$ 7832	25½	71⁵⁄₁₆	35⁷⁄₁₆	–	–	381 lbs.	46.7
25NN2672CBLK1	Laminate	6527	25½	71⁵⁄₁₆	35⁷⁄₁₆	–	–	381 lbs.	46.7
1³⁄₁₆" TOP THICKNESS									
25N2672CBWK1	Wood	$ 6965	25½	71⁵⁄₁₆	35¹⁄₁₆	–	–	381 lbs.	46.7
25N2672CBLK1	Laminate	5761	25½	71⁵⁄₁₆	35¹⁄₁₆	–	–	381 lbs.	46.7

- Grommet option not available
- Features an adjustable shelf behind each set of doors
- Rim profile on front only
- Features a fully finished back
- Inside dimension of each storage section is 21¼" deep x 34½" wide x 24¾" high
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

LATERAL FILE CREDENZA



SOFTENED RIM									
25N2472CFFW	Wood	$ 6393	24	71⁵⁄₁₆	28¹³⁄₁₆	–	–	346 lbs.	39.8
25N2472CFFL	Laminate	4175	24	71⁵⁄₁₆	28¹³⁄₁₆	–	–	346 lbs.	39.8
KNIFE RIM									
25N2672CFFWK1	Wood	$ 6722	25½	71⁵⁄₁₆	28¹³⁄₁₆	–	–	346 lbs.	43.8
25N2672CFFLK1	Laminate	4520	25½	71⁵⁄₁₆	28¹³⁄₁₆	–	–	346 lbs.	43.8

- Rim profile on front only
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 89 for options
- Refer to pages 741-784 for accessories
- Refer to page 93 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 92 for grommet locations and page 90 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Knife rim location on credenzas, returns and bridges: user side only (indicated by K1)

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Foot Color
8. Laminate Top Color
9. Laminate Door/Drawer Color
10. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBER:

25N2472CKFW2 V 89SN G11SNC KRS FR503 TF

- See pages 87-91 for all options available in Epic

KNEESPACE CREDENZA



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SOFTENED RIM									
25N2472CKFW2	Wood	$ 5342	24	71 15/16	28 15/16	3/16	35 7/8	279 lbs.	39.8
25N2472CKFL2	Laminate	3618	24	71 15/16	28 15/16	3/16	35 7/8	279 lbs.	39.8
25N2466CKFW2	Wood	$ 4915	24	66	28 15/16	3/16	35 7/8	267 lbs.	32.7
25N2466CKFL2	Laminate	3452	24	66	28 15/16	3/16	35 7/8	267 lbs.	32.7
25N2460CKFW2	Wood	$ 4756	24	60	28 15/16	3/16	29 15/16	256 lbs.	28.9
25N2460CKFL2	Laminate	3396	24	60	28 15/16	3/16	29 15/16	256 lbs.	28.9
KNIFE RIM									
25N2672CKFW2K1	Wood	$ 5669	25½	71 15/16	28 15/16	3/16	35 7/8	279 lbs.	43.8
25N2672CKFL2K1	Laminate	3961	25½	71 15/16	28 15/16	3/16	35 7/8	279 lbs.	43.8
25N2666CKFW2K1	Wood	$ 5228	25½	66	28 15/16	3/16	35 7/8	267 lbs.	36.0
25N2666CKFL2K1	Laminate	3771	25½	66	28 15/16	3/16	35 7/8	267 lbs.	36.0
25N2660CKFW2K1	Wood	$ 5066	25½	60	28 15/16	3/16	29 15/16	256 lbs.	31.8
25N2660CKFL2K1	Laminate	3696	25½	60	28 15/16	3/16	29 15/16	256 lbs.	31.8

- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

EPIC

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 89 for options
- Refer to pages 741-784 for accessories
- Refer to page 93 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 92 for grommet locations and page 90 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Knife rim location on credenzas, returns and bridges: user side only (indicated by K1)

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Foot Color
8. Laminate Top Color
9. Laminate Door/Drawer Color
10. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBER:

25N2472CLFW2 V 89SN G11SNC KRS FR503 TF

- See pages 87-91 for all options available in Epic

SINGLE PEDESTAL CREDENZA
FILE/FILE



Left shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FILE/FILE SOFTENED RIM										
LEFT PEDESTAL	**RIGHT PEDESTAL**									
25N2472CLFW2	25N2472CRFW2	Wood	$ 4036	24	71 15/16	28 15/16	3/16	52 11/16	239 lbs.	39.8
25N2472CLFL2	25N2472CRFL2	Laminate	2879	24	71 15/16	28 15/16	3/16	52 11/16	239 lbs.	39.8
25N2466CLFW2	25N2466CRFW2	Wood	$ 3966	24	66	28 15/16	3/16	52 11/16	227 lbs.	32.7
25N2466CLFL2	25N2466CRFL2	Laminate	2757	24	66	28 15/16	3/16	52 11/16	227 lbs.	32.7
25N2460CLFW2	25N2460CRFW2	Wood	$ 3893	24	60	28 15/16	3/16	43 11/16	216 lbs.	28.9
25N2460CLFL2	25N2460CRFL2	Laminate	2702	24	60	28 15/16	3/16	43 11/16	216 lbs.	28.9
FILE/FILE KNIFE RIM										
LEFT PEDESTAL	**RIGHT PEDESTAL**									
25N2672CLFW2K1	25N2672CRFW2K1	Wood	$ 4362	25½	71 15/16	28 15/16	3/16	52 11/16	239 lbs.	43.8
25N2672CLFL2K1	25N2672CRFL2K1	Laminate	3223	25½	71 15/16	28 15/16	3/16	52 11/16	239 lbs.	43.8
25N2666CLFW2K1	25N2666CRFW2K1	Wood	$ 4282	25½	66	28 15/16	3/16	52 11/16	227 lbs.	36.0
25N2666CLFL2K1	25N2666CRFL2K1	Laminate	3072	25½	66	28 15/16	3/16	52 11/16	227 lbs.	36.0
25N2660CLFW2K1	25N2660CRFW2K1	Wood	$ 4198	25½	60	28 15/16	3/16	43 11/16	216 lbs.	31.8
25N2660CLFL2K1	25N2660CRFL2K1	Laminate	3004	25½	60	28 15/16	3/16	43 11/16	216 lbs.	31.8

- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 89 for options
- Refer to pages 741-784 for accessories
- Refer to page 93 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 92 for grommet locations and page 90 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Knife rim location on credenzas, returns and bridges: user side only (indicated by K1)

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Foot Color
8. Laminate Top Color
9. Laminate Door/Drawer Color
10. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBER:

25N2472CLFL6 V478 88MB G1R KS1B FR462 478 405 478

- See pages 87-91 for all options available in Epic

SINGLE PEDESTAL CREDENZA LATERAL FILE



Left shown

LATERAL FILE SOFTENED RIM

MODEL NO./DESCRIPTION LEFT PEDESTAL	RIGHT PEDESTAL		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
25N2472CLFW6	25N2472CRFW6	Wood	$ 4835	24	71 15/16	28 15/16	3/16	34 3/4	279 lbs.	39.8
25N2472CLFL6	25N2472CRFL6	Laminate	3150	24	71 15/16	28 15/16	3/16	34 3/4	279 lbs.	39.8

LATERAL FILE KNIFE RIM

MODEL NO./DESCRIPTION LEFT PEDESTAL	RIGHT PEDESTAL		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
25N2672CLFW6K1	25N2672CRFW6K1	Wood	$ 5161	25½	71 15/16	28 15/16	3/16	34 3/4	279 lbs.	43.8
25N2672CLFL6K1	25N2672CRFL6K1	Laminate	3489	25½	71 15/16	28 15/16	3/16	34 3/4	279 lbs.	43.8

- To prevent tipping, it is recommended that cabinets be ganged together or anchored to a suitable wall or floor
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front

SINGLE PEDESTAL CREDENZA MULTI-FILE



Left shown

MULTI-FILE SOFTENED RIM

MODEL NO./DESCRIPTION LEFT PEDESTAL	RIGHT PEDESTAL		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
25N2472CLFW12	25N2472CRFW12	Wood	$ 5068	24	71 15/16	28 15/16	3/16	34 3/4	279 lbs.	39.8
25N2472CLFL12	25N2472CRFL12	Laminate	3618	24	71 15/16	28 15/16	3/16	34 3/4	279 lbs.	39.8

MULTI-FILE KNIFE RIM

MODEL NO./DESCRIPTION LEFT PEDESTAL	RIGHT PEDESTAL		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
25N2672CLFW12K1	25N2672CRFW12K1	Wood	$ 5391	25½	71 15/16	28 15/16	3/16	34 3/4	279 lbs.	43.8
25N2672CLFL12K1	25N2672CRFL12K1	Laminate	3961	25½	71 15/16	28 15/16	3/16	34 3/4	279 lbs.	43.8

- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front

EPIC

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 89 for options
- Refer to pages 741-784 for accessories
- Refer to page 93 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 92 for grommet locations and page 90 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Knife rim location on credenzas, returns and bridges: user side only (indicated by K1)

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Foot Color
8. Laminate Top Color
9. Laminate Door/Drawer Color
10. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBER:

25N3672CLFE2L2 V478 88MB G1R KS1B FR462 478 405 478

- See pages 87-91 for all options available in Epic

EXTENDED CREDENZA



Left shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SOFTENED RIM										
LEFT PEDESTAL	**RIGHT PEDESTAL**									
25N3672CLFE2W2	25N3672CRFE2W2	Wood	$ 4341	36	72	28 13/16	1/16	–	145 lbs.	50.4
25N3672CLFE2L2	25N3672CRFE2L2	Laminate	3188	36	72	28 13/16	1/16	–	145 lbs.	50.4
25N3666CLFE2W2	25N3666CRFE2W2	Wood	$ 4272	36	66	28 13/16	1/16	–	125 lbs.	25.9
25N3666CLFE2L2	25N3666CRFE2L2	Laminate	3062	36	66	28 13/16	1/16	–	125 lbs.	25.9
KNIFE RIM										
LEFT PEDESTAL	**RIGHT PEDESTAL**									
25N3672CLFE2W2K1	25N3672CRFE2W2K1	Wood	$ 4896	36	74	28 13/16	1/16	–	145 lbs.	50.4
25N3672CLFE2L2K1	25N3672CRFE2L2K1	Laminate	4039	36	74	28 13/16	1/16	–	145 lbs.	50.4
25N3666CLFE2W2K1	25N3666CRFE2W2K1	Wood	$ 4810	36	68	28 13/16	1/16	–	125 lbs.	25.9
25N3666CLFE2L2K1	25N3666CRFE2L2K1	Laminate	3871	36	68	28 13/16	1/16	–	125 lbs.	25.9

- Must be connected to 24" deep worksurfaces
- 36" unit has 17" edge to edge for the curved unit
- Not intended to be used as freestanding unit
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

PRODUCT SPECIFICATIONS

- Wood and laminate chassis and doors available; refer to page 89 for options
- Tops of highback units are finished with flat edge detail
- If specifying wood, you must specify the same finish for all options
- Tack boards, task lights, and vertical pigeon hole storage are available - see accessories section pages 741-784

TO ORDER, SPECIFY:

1. Model Number
2. Locking
3. Drawer/Door Laminate Color/Veneer Finish
4. Chassis Laminate Color/Veneer Finish

SAMPLE MODEL NUMBER:

25N8438HBHL KRB 405 CW

- See pages 87-91 for all options available in Epic

HIGHBACK ORGANIZER HINGED DOORS



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
25N8438HBHW	Wood	$ 4070	14¾	83¾	38	—	—	210 lbs.	42.6
25N8438HBHL	Laminate	2004	14¾	83¾	38	—	—	210 lbs.	42.6
25N7838HBHW	Wood	$ 3871	14¾	77¹³⁄₁₆	38	—	—	194 lbs.	39.8
25N7838HBHL	Laminate	1915	14¾	77¹³⁄₁₆	38	—	—	194 lbs.	39.8
25N7238HBHW	Wood	$ 3666	14¾	71¹³⁄₁₆	38	—	—	179 lbs.	37.0
25N7238HBHL	Laminate	1797	14¾	71¹³⁄₁₆	38	—	—	179 lbs.	37.0
25N6638HBHW	Wood	$ 3468	14¾	65¹³⁄₁₆	38	—	—	164 lbs.	34.1
25N6638HBHL	Laminate	1676	14¾	65¹³⁄₁₆	38	—	—	164 lbs.	34.1
25N6038HBHW	Wood	$ 3273	14¾	59¹³⁄₁₆	38	—	—	148 lbs.	31.3
25N6038HBHL	Laminate	1552	14¾	59¹³⁄₁₆	38	—	—	148 lbs.	31.3
25N4838HBHW	Wood	$ 3018	14¾	47⅞	38	—	—	126 lbs.	25.6
25N4838HBHL	Laminate	1437	14¾	47⅞	38	—	—	126 lbs.	25.6

- Not intended for use on table desking
- Highbacks must be placed on lower units with proper structure. The lower unit must consist of an end panel, support panel and/or undersurface pedestal on each side of the lower unit with a modesty panel spanning between
- For additional paper management, reference page 765 in the accessories section for Organizational Stackers that can be inserted in Highback Organizers
- For tack board options, see pages 776-783
- All highbacks except 48" have 4 doors; 48" has 3 doors
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

EPIC

PRODUCT SPECIFICATIONS

- Wood and laminate chassis and doors available; refer to page 89 for options
- Tops of highback units are finished with flat edge detail
- Sliding doors feature a face mount powder coated aluminum track on top and bottom of cabinet
- If specifying wood, you must specify the same finish for all options
- Tack boards, task lights, and vertical pigeon hole storage are available - see accessories section pages 741-784

TO ORDER, SPECIFY:

1. Model Number
2. Locking
3. Resin Grade
4. Resin Door Color/Laminate Door Color
5. Veneer Chassis Finish/Laminate Chassis Color
6. Door Track Paint Color

SAMPLE MODEL NUMBER:

25N8438HBSAL 1 1677 CW 501

- See pages 87-91 for all options available in Epic

HIGHBACK ORGANIZER SLIDING DOORS



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
RESIN DOORS		**GRADE 1**							
25N8438HBSAW	Wood	$ 7043	14¾	83¾	38	—	—	210 lbs.	42.6
25N8438HBSAL	Laminate	3109	14¾	83¾	38	—	—	210 lbs.	42.6
25N7838HBSAW	Wood	$ 6659	14¾	77¹³⁄₁₆	38	—	—	194 lbs.	39.8
25N7838HBSAL	Laminate	2946	14¾	77¹³⁄₁₆	38	—	—	194 lbs.	39.8
25N7238HBSAW	Wood	$ 6276	14¾	71¹³⁄₁₆	38	—	—	179 lbs.	37.0
25N7238HBSAL	Laminate	2717	14¾	71¹³⁄₁₆	38	—	—	179 lbs.	37.0
25N6638HBSAW	Wood	$ 5897	14¾	65¹³⁄₁₆	38	—	—	164 lbs.	34.1
25N6638HBSAL	Laminate	2481	14¾	65¹³⁄₁₆	38	—	—	164 lbs.	34.1
25N6038HBSAW	Wood	$ 5573	14¾	59¹³⁄₁₆	38	—	—	148 lbs.	31.3
25N6038HBSAL	Laminate	2305	14¾	59¹³⁄₁₆	38	—	—	148 lbs.	31.3
25N4838HBSAW	Wood	$ 5269	14¾	47⅞	38	—	—	126 lbs.	25.6
25N4838HBSAL	Laminate	2252	14¾	47⅞	38	—	—	126 lbs.	25.6

- Not intended for use on table desking
- Highbacks must be placed on lower units with proper structure. The lower unit must consist of an end panel, support panel and/or undersurface pedestal on each side of the lower unit with a modesty panel spanning between
- For additional paper management, reference page 765 in the accessories section for Organizational Stackers that can be inserted in Highback Organizers
- For tack board options, see pages 776-783
- All highbacks except 48" have 4 doors; 48" has 2 sliding doors

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 89 for options
- Tops of highback units are finished with flat edge detail
- Sliding doors feature a face mount powder coated aluminum track on top and bottom of cabinet
- If specifying wood, you must specify the same finish for all options
- Tack boards, task lights, and vertical pigeon hole storage are available - see accessories section pages 741-784

TO ORDER, SPECIFY:

1. Model Number
2. Metal Door Color/Laminate Door Color
3. Veneer Chassis Finish/Laminate Chassis Color
4. Door Track Paint Color

SAMPLE MODEL NUMBER:

25N8438HBSML 501 MH 501

- See pages 87-91 for all options available in Epic

HIGHBACK ORGANIZER SLIDING DOORS (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
METAL DOORS									
25N8438HBSMW	Wood	$ 7043	14¾	83¾	38	—	—	210 lbs.	42.6
25N8438HBSML	Laminate	3109	14¾	83¾	38	—	—	210 lbs.	42.6
25N7838HBSMW	Wood	$ 6659	14¾	77 3/16	38	—	—	194 lbs.	39.8
25N7838HBSML	Laminate	2946	14¾	77 3/16	38	—	—	194 lbs.	39.8
25N7238HBSMW	Wood	$ 6276	14¾	71 3/16	38	—	—	179 lbs.	37.0
25N7238HBSML	Laminate	2717	14¾	71 3/16	38	—	—	179 lbs.	37.0
25N6638HBSMW	Wood	$ 5897	14¾	65 3/16	38	—	—	164 lbs.	34.1
25N6638HBSML	Laminate	2481	14¾	65 3/16	38	—	—	164 lbs.	34.1
25N6038HBSMW	Wood	$ 5573	14¾	59 3/16	38	—	—	148 lbs.	31.3
25N6038HBSML	Laminate	2305	14¾	59 3/16	38	—	—	148 lbs.	31.3
25N4838HBSMW	Wood	$ 5269	14¾	47⅞	38	—	—	126 lbs.	25.6
25N4838HBSML	Laminate	2252	14¾	47⅞	38	—	—	126 lbs.	25.6

- Not intended for use on table desking
- Highbacks must be placed on lower units with proper structure. The lower unit must consist of an end panel, support panel and/or undersurface pedestal on each side of the lower unit with a modesty panel spanning between
- For additional paper management, reference page 765 in the accessories section for Organizational Stackers that can be inserted in Highback Organizers
- For tack board options, see pages 776-783
- All highbacks except 48" have 4 doors; 48" has 2 sliding doors

EPIC

PRODUCT SPECIFICATIONS

- Wood and laminate chassis available; refer to page 89 for options
- Tops of highback units are finished with flat edge detail
- If specifying wood, you must specify the same finish for all options
- Tack boards, task lights, and vertical pigeon hole storage are available - see accessories section pages 741-784

TO ORDER, SPECIFY:

1. Model Number
2. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBER:

25N8438HBEW MC

- See pages 87-91 for all options available in Epic

HIGHBACK ORGANIZER NO DOORS



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
25N8438HBEW	Wood	$ 3707	13 15/16	83 3/4	38	–	–	210 lbs.	42.6
25N8438HBEL	Laminate	1636	13 15/16	83 3/4	38	–	–	210 lbs.	42.6
25N7838HBEW	Wood	$ 3505	13 15/16	77 13/16	38	–	–	194 lbs.	39.8
25N7838HBEL	Laminate	1551	13 15/16	77 13/16	38	–	–	194 lbs.	39.8
25N7238HBEW	Wood	$ 3303	13 15/16	71 13/16	38	–	–	179 lbs.	37.0
25N7238HBEL	Laminate	1431	13 15/16	71 13/16	38	–	–	179 lbs.	37.0
25N6638HBEW	Wood	$ 3105	13 15/16	65 13/16	38	–	–	164 lbs.	34.1
25N6638HBEL	Laminate	1306	13 15/16	65 13/16	38	–	–	164 lbs.	34.1
25N6038HBEW	Wood	$ 2907	13 15/16	59 13/16	38	–	–	148 lbs.	31.3
25N6038HBEL	Laminate	1213	13 15/16	59 13/16	38	–	–	148 lbs.	31.3
25N4838HBEW	Wood	$ 2797	13 15/16	47 7/8	38	–	–	126 lbs.	25.6
25N4838HBEL	Laminate	1186	13 15/16	47 7/8	38	–	–	126 lbs.	25.6

- Not intended for use on table desking
- Specify chassis only
- Highbacks must be placed on lower units with proper structure. The lower unit must consist of an end panel, support panel and/or undersurface pedestal on each side of the lower unit with a modesty panel spanning between
- For additional paper management, reference page 765 in the accessories section for Organizational Stackers that can be inserted in Highback Organizers
- For tack board options, see pages 776-783

PRODUCT SPECIFICATIONS

- Wood, laminate, metal and resin door available; refer to page 89 for options
- Tops of units are finished with flat edge detail
- Hinged doors are adjustable
- National will not be liable for Exhibit mounted cabinets or wall mount cabinets that are not properly installed
- Cabinets have a full height back panel
- If specifying wood, you must specify the same finish for all options
- Tack boards, task lights, and vertical pigeon hole storage are available - see accessories section pages 741-784

TO ORDER, SPECIFY:

1. Model Number
2. Locking
3. Resin Grade
4. Resin Door Color/Laminate Door Color
5. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBER:

25N4818SOHML KRS 480 TF 501

- See pages 87-91 for all options available in Epic

OVERHEAD STORAGE CABINET HINGED DOORS WALL MOUNT



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
18" HIGH									
25N4818SOHMW	Wood	$ 1949	14¾	47⅞	18⅛	—	—	115 lbs.	11.8
25N4818SOHML	Laminate	1180	14¾	47⅞	18⅛	—	—	115 lbs.	11.8
25N4218SOHMW	Wood	$ 1869	14¾	41⅞	18⅛	—	—	100 lbs.	11.1
25N4218SOHML	Laminate	1099	14¾	41⅞	18⅛	—	—	100 lbs.	11.1
25N3618SOHMW	Wood	$ 1785	14¾	35⅞	18⅛	—	—	76 lbs.	7.7
25N3618SOHML	Laminate	1020	14¾	35⅞	18⅛	—	—	76 lbs.	7.7
25N3018SOHMW	Wood	$ 1692	14¾	29¹⁵⁄₁₆	18⅛	—	—	64 lbs.	6.4
25N3018SOHML	Laminate	934	14¾	29¹⁵⁄₁₆	18⅛	—	—	64 lbs.	6.4
13" HIGH									
25N4813SOHMW	Wood	$ 1757	14¾	47⅞	13⅜	—	—	105 lbs.	8.9
25N4813SOHML	Laminate	1064	14¾	47⅞	13⅜	—	—	105 lbs.	8.9
25N4213SOHMW	Wood	$ 1680	14¾	41⅞	13⅜	—	—	90 lbs.	8.3
25N4213SOHML	Laminate	992	14¾	41⅞	13⅜	—	—	90 lbs.	8.3
25N3613SOHMW	Wood	$ 1604	14¾	35⅞	13⅜	—	—	66 lbs.	5.8
25N3613SOHML	Laminate	920	14¾	35⅞	13⅜	—	—	66 lbs.	5.8
25N3013SOHMW	Wood	$ 1520	14¾	29¹⁵⁄₁₆	13⅜	—	—	54 lbs.	4.8
25N3013SOHML	Laminate	838	14¾	29¹⁵⁄₁₆	13⅜	—	—	54 lbs.	4.8

- Wall mount bracket, for attachment to wall, is included
- 30" and 36" units have 2 doors; the 42" and 48" units have 3 doors
- National recommends that each overhead cabinet be secured by a minimum of 2 mounting locations (studs); National will not be liable for wall mount cabinets that are not properly installed
- For additional paper management, reference page 765 in the accessories section for Organizational Stackers that can be inserted in Highback Organizers
- For tack board options, see pages 776-783
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Wall mount overheads can be utilized with DIRTT antler extrusion; see page 121

EPIC

PRODUCT SPECIFICATIONS

- Wood, laminate, metal and resin door available; refer to page 89 for options
- Tops of units are finished with flat edge detail
- Sliding doors feature a face mount powder coated aluminum track on top and bottom of cabinet
- National will not be liable for Exhibit mounted cabinets or wall mount cabinets that are not properly installed
- Cabinets have a full height back panel
- If specifying wood, you must specify the same finish for all options
- Tack boards, task lights, and vertical pigeon hole storage are available - see accessories section pages 741-784

TO ORDER, SPECIFY:

1. Model Number
2. Locking
3. Resin Grade
4. Resin Door Color/Laminate Door Color
5. Veneer Chassis Finish/Laminate Chassis Color
6. Door Track Paint Color

SAMPLE MODEL NUMBER:

25N4818SOSMAL 1 1677 TF 501

- See pages 87-91 for all options available in Epic

OVERHEAD STORAGE CABINET SLIDING DOORS WALL MOUNT



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
RESIN DOORS 18" HIGH		**GRADE 1**							
25N4818SOSMAW	Wood	$ 3708	14¾	47⅞	18⅛	–	–	115 lbs.	11.8
25N4818SOSMAL	Laminate	2243	14¾	47⅞	18⅛	–	–	115 lbs.	11.8
25N4218SOSMAW	Wood	$ 3550	14¾	41⅞	18⅛	–	–	100 lbs.	11.1
25N4218SOSMAL	Laminate	2091	14¾	41⅞	18⅛	–	–	100 lbs.	11.1
25N3618SOSMAW	Wood	$ 3389	14¾	35⅞	18⅛	–	–	76 lbs.	7.7
25N3618SOSMAL	Laminate	1940	14¾	35⅞	18⅛	–	–	76 lbs.	7.7
25N3018SOSMAW	Wood	$ 3213	14¾	29¹⁵⁄₁₆	18⅛	–	–	64 lbs.	6.4
25N3018SOSMAL	Laminate	1777	14¾	29¹⁵⁄₁₆	18⅛	–	–	64 lbs.	6.4
13" HIGH									
25N4813SOSMAW	Wood	$ 3339	14¾	47⅞	13⅜	–	–	105 lbs.	8.9
25N4813SOSMAL	Laminate	2017	14¾	47⅞	13⅜	–	–	105 lbs.	8.9
25N4213SOSMAW	Wood	$ 3196	14¾	41⅞	13⅜	–	–	90 lbs.	8.3
25N4213SOSMAL	Laminate	1883	14¾	41⅞	13⅜	–	–	90 lbs.	8.3
25N3613SOSMAW	Wood	$ 3050	14¾	35⅞	13⅜	–	–	66 lbs.	5.8
25N3613SOSMAL	Laminate	1746	14¾	35⅞	13⅜	–	–	66 lbs.	5.8
25N3013SOSMAW	Wood	$ 2893	14¾	29¹⁵⁄₁₆	13⅜	–	–	54 lbs.	4.8
25N3013SOSMAL	Laminate	1596	14¾	29¹⁵⁄₁₆	13⅜	–	–	54 lbs.	4.8

- Wall mount bracket, for attachment to wall, is included
- Cabinets have 2 sliding doors
- National recommends that each overhead cabinet be secured by a minimum of 2 mounting locations (studs)
- For additional paper management, reference page 765 in the accessories section for Organizational Stackers that can be inserted in overhead storage cabinets
- For tack board options, see pages 776-783
- Wall mount overheads can be utilized with DIRTT antler extrusion; see page 121

PRODUCT SPECIFICATIONS

- Wood, laminate, metal and resin door available; refer to page 89 for options
- Tops of units are finished with flat edge detail
- Sliding doors feature a face mount powder coated aluminum track on top and bottom of cabinet
- National will not be liable for Exhibit mounted cabinets or wall mount cabinets that are not properly installed
- Cabinets have a full height back panel
- If specifying wood, you must specify the same finish for all options
- Tack boards, task lights, and vertical pigeon hole storage are available - see accessories section pages 741-784

TO ORDER, SPECIFY:

1. Model Number
2. Metal Door Color/Laminate Door Color
3. Veneer Chassis Finish/Laminate Chassis Color
4. Door Track Paint Color

SAMPLE MODEL NUMBER:

25N4818SOSMMW 501 TF 501

- See pages 87-91 for all options available in Epic

OVERHEAD STORAGE CABINET
SLIDING DOORS
WALL MOUNT
(CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
METAL DOORS 18" HIGH									
25N4818SOSMMW	Wood	$ 3708	14¾	47⅞	18⅛	—	—	115 lbs.	11.8
25N4818SOSMML	Laminate	2243	14¾	47⅞	18⅛	—	—	115 lbs.	11.8
25N4218SOSMMW	Wood	$ 3550	14¾	41⅞	18⅛	—	—	100 lbs.	11.1
25N4218SOSMML	Laminate	2091	14¾	41⅞	18⅛	—	—	100 lbs.	11.1
25N3618SOSMMW	Wood	$ 3389	14¾	35⅞	18⅛	—	—	76 lbs.	7.7
25N3618SOSMML	Laminate	1940	14¾	35⅞	18⅛	—	—	76 lbs.	7.7
25N3018SOSMMW	Wood	$ 3213	14¾	29¹⁵⁄₁₆	18⅛	—	—	64 lbs.	6.4
25N3018SOSMML	Laminate	1777	14¾	29¹⁵⁄₁₆	18⅛	—	—	64 lbs.	6.4
13" HIGH									
25N4813SOSMMW	Wood	$ 3339	14¾	47⅞	13⅜	—	—	105 lbs.	8.9
25N4813SOSMML	Laminate	2017	14¾	47⅞	13⅜	—	—	105 lbs.	8.9
25N4213SOSMMW	Wood	$ 3196	14¾	41⅞	13⅜	—	—	90 lbs.	8.3
25N4213SOSMML	Laminate	1883	14¾	41⅞	13⅜	—	—	90 lbs.	8.3
25N3613SOSMMW	Wood	$ 3050	14¾	35⅞	13⅜	—	—	66 lbs.	5.8
25N3613SOSMML	Laminate	1746	14¾	35⅞	13⅜	—	—	66 lbs.	5.8
25N3013SOSMMW	Wood	$ 2893	14¾	29¹⁵⁄₁₆	13⅜	—	—	54 lbs.	4.8
25N3013SOSMML	Laminate	1596	14¾	29¹⁵⁄₁₆	13⅜	—	—	54 lbs.	4.8

- Wall mount bracket, for attachment to wall, is included
- Cabinets have 2 sliding doors
- National recommends that each overhead cabinet be secured by a minimum of 2 mounting locations (studs)
- For additional paper management, reference page 765 in the accessories section for Organizational Stackers that can be inserted in overhead storage cabinets
- For tack board options, see pages 776-783
- Wall mount overheads can be utilized with DIRTT antler extrusion; see page 121

EPIC

PRODUCT SPECIFICATIONS

- Tops of units are finished with flat edge detail
- National will not be liable for Exhibit mounted cabinets or wall mount cabinets that are not properly installed
- Cabinets have a full height back panel
- If specifying wood, you must specify the same finish for all options
- Tack boards, task lights, and vertical pigeon hole storage are available - see accessories section pages 741-784

TO ORDER, SPECIFY:

1. Model Number
2. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBER:

25N4818SOEMW 501 TF 501

- See pages 87-91 for all options available in Epic

OVERHEAD STORAGE CABINET
NO DOORS
WALL MOUNT



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
18" HIGH									
25N4818SOEMW	Wood	$ 1949	13 5/16	47 7/8	18 1/8	–	–	90 lbs.	11.8
25N4818SOEML	Laminate	1180	13 5/16	47 7/8	18 1/8	–	–	90 lbs.	11.8
25N4218SOEMW	Wood	$ 1869	13 5/16	41 7/8	18 1/8	–	–	80 lbs.	11.1
25N4218SOEML	Laminate	1099	13 5/16	41 7/8	18 1/8	–	–	80 lbs.	11.1
25N3618SOEMW	Wood	$ 1785	13 5/16	35 7/8	18 1/8	–	–	70 lbs.	7.7
25N3618SOEML	Laminate	1020	13 5/16	35 7/8	18 1/8	–	–	70 lbs.	7.7
25N3018SOEMW	Wood	$ 1692	13 5/16	29 15/16	18 1/8	–	–	60 lbs.	6.4
25N3018SOEML	Laminate	934	13 5/16	29 15/16	18 1/8	–	–	60 lbs.	6.4
13" HIGH									
25N4813SOEMW	Wood	$ 1757	13 5/16	47 7/8	13 3/8	–	–	80 lbs.	8.9
25N4813SOEML	Laminate	1064	13 5/16	47 7/8	13 3/8	–	–	80 lbs.	8.9
25N4213SOEMW	Wood	$ 1680	13 5/16	41 7/8	13 3/8	–	–	70 lbs.	8.3
25N4213SOEML	Laminate	992	13 5/16	41 7/8	13 3/8	–	–	70 lbs.	8.3
25N3613SOEMW	Wood	$ 1604	13 5/16	35 7/8	13 3/8	–	–	60 lbs.	5.8
25N3613SOEML	Laminate	920	13 5/16	35 7/8	13 3/8	–	–	60 lbs.	5.8
25N3013SOEMW	Wood	$ 1520	13 5/16	29 15/16	13 3/8	–	–	50 lbs.	4.8
25N3013SOEML	Laminate	838	13 5/16	29 15/16	13 3/8	–	–	50 lbs.	4.8

- Specify chassis only
- Wall mount bracket, for attachment to wall, is included
- Cabinets are open and do not have doors
- National recommends that each overhead cabinet be secured by a minimum of 2 mounting locations (studs)
- For additional paper management, reference page 765 in the accessories section for Organizational Stackers that can be inserted in overhead storage cabinets
- For tack board options, see pages 776-783
- Wall mount overheads can be utilized with DIRTT antler extrusion; see page 121

PRODUCT SPECIFICATIONS

- National will not be liable for Exhibit mounted cabinets or wall mount cabinets that are not properly installed

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NAC48OK

• See pages 87-91 for all options available in Epic

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
DIRTT OVERHEAD MOUNTING KITS	NAC48OK	For 48" Overhead	$ 255	1	6	1⅜	—	—	8 lbs.	2.0
	NAC42OK	For 42" Overhead	246	1	6	1⅜	—	—	8 lbs.	2.0
	NAC36OK	For 36" Overhead	237	1	6	1⅜	—	—	8 lbs.	2.0
	NAC30OK	For 30" Overhead	218	1	6	1⅜	—	—	5 lbs.	1.5

- Available in black only
- For use with Epic, Renegade, and WaveWorks wall mount cabinets
- Bracket designed to interact with the DIRTT antler extrusion
- Can be used with 13", 18", and 30" high cabinets
- 30" comes with 2 brackets; 36"-48" comes with 3 brackets; each kit also includes a mounting extrusion strip that matches the size of the overhead

EPIC

PRODUCT SPECIFICATIONS

- Wood, laminate, metal and resin door available; refer to page 89 for options
- Tops of units are finished with flat edge detail
- Hinged doors are adjustable
- National will not be liable for Exhibit mounted cabinets or wall mount cabinets that are not properly installed
- Cabinets have a full height back panel
- If specifying wood, you must specify the same finish for all options
- Tack boards, task lights, and vertical pigeon hole storage are available - see accessories section pages 741-784

TO ORDER, SPECIFY:

1. Model Number
2. Locking
3. Resin Grade
4. Resin Door Color/Laminate Door Color
5. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBER:

25N4818SOHTL KS2B 478 MC

- See pages 87-91 for all options available in Epic

OVERHEAD STORAGE CABINET
HINGED DOORS
EXHIBIT MOUNT



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
18" HIGH									
25N4818SOHTW	Wood	$ 1949	14¾	47⅞	18⅛	—	—	115 lbs.	11.8
25N4818SOHTL	Laminate	1180	14¾	47⅞	18⅛	—	—	115 lbs.	11.8
25N4218SOHTW	Wood	$ 1869	14¾	41⅞	18⅛	—	—	100 lbs.	11.1
25N4218SOHTL	Laminate	1099	14¾	41⅞	18⅛	—	—	100 lbs.	11.1
25N3618SOHTW	Wood	$ 1785	14¾	35⅞	18⅛	—	—	76 lbs.	7.7
25N3618SOHTL	Laminate	1020	14¾	35⅞	18⅛	—	—	76 lbs.	7.7
25N3018SOHTW	Wood	$ 1692	14¾	29 15/16	18⅛	—	—	64 lbs.	6.4
25N3018SOHTL	Laminate	934	14¾	29 15/16	18⅛	—	—	64 lbs.	6.4
13" HIGH									
25N4813SOHTW	Wood	$ 1757	14¾	47⅞	13⅜	—	—	105 lbs.	8.9
25N4813SOHTL	Laminate	1064	14¾	47⅞	13⅜	—	—	105 lbs.	8.9
25N4213SOHTW	Wood	$ 1680	14¾	41⅞	13⅜	—	—	90 lbs.	8.3
25N4213SOHTL	Laminate	992	14¾	41⅞	13⅜	—	—	90 lbs.	8.3
25N3613SOHTW	Wood	$ 1604	14¾	35⅞	13⅜	—	—	66 lbs.	5.8
25N3613SOHTL	Laminate	920	14¾	35⅞	13⅜	—	—	66 lbs.	5.8
25N3013SOHTW	Wood	$ 1520	14¾	29 15/16	13⅜	—	—	54 lbs.	4.8
25N3013SOHTL	Laminate	838	14¾	29 15/16	13⅜	—	—	54 lbs.	4.8

- Exhibit mount bracket is included, Exhibit Wall Rail needs to be ordered separately
- See page 614 for Exhibit Wall Rail and Filler Strip
- 30" and 36" units have 2 doors; the 42" and 48" units have 3 doors
- It is recommended that overheads are not slid to a new location when there are tack board inserts behind the overheads
- If an overhead needs to be relocated, the overhead must be removed from the Exhibit rail and reinstalled in another location on the Exhibit rail
- For additional paper management, reference page 765 in the accessories section for Organizational Stackers that can be inserted in overhead storage cabinets
- Random lock core (KRB, KRS) and specified lock core available 30" and 36" (KS1B, KS1S) and 42" and 48" (KS2B, KS2S)
- Cannot be used with DIRTT overhead mounting kits

PRODUCT SPECIFICATIONS

- Wood, laminate, metal and resin door available; refer to page 89 for options
- Tops of units are finished with flat edge detail
- Sliding doors feature a face mount powder coated aluminum track on top and bottom of cabinet
- National will not be liable for Exhibit mounted cabinets or wall mount cabinets that are not properly installed
- Cabinets have a full height back panel
- If specifying wood, you must specify the same finish for all options
- Tack boards, task lights, and vertical pigeon hole storage are available - see accessories section pages 741-784

TO ORDER, SPECIFY:

1. Model Number
2. Metal Door Color/Laminate Door Color
3. Veneer Chassis Finish/Laminate Chassis Color
4. Door Track Paint Color

SAMPLE MODEL NUMBER:

25N4818SOSTAW 2 2877 TF 501

- See pages 87-91 for all options available in Epic

OVERHEAD STORAGE CABINET SLIDING DOORS EXHIBIT MOUNT



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
RESIN DOORS 18" HIGH		**GRADE 1**							
25N4818SOSTAW	Wood	$ 3708	14¾	47⅞	18⅛	–	–	115 lbs.	11.8
25N4818SOSTAL	Laminate	2243	14¾	47⅞	18⅛	–	–	115 lbs.	11.8
25N4218SOSTAW	Wood	$ 3550	14¾	41⅞	18⅛	–	–	100 lbs.	11.1
25N4218SOSTAL	Laminate	2091	14¾	41⅞	18⅛	–	–	100 lbs.	11.1
25N3618SOSTAW	Wood	$ 3389	14¾	35⅞	18⅛	–	–	76 lbs.	7.7
25N3618SOSTAL	Laminate	1940	14¾	35⅞	18⅛	–	–	76 lbs.	7.7
25N3018SOSTAW	Wood	$ 3213	14¾	29¹⁵⁄₁₆	18⅛	–	–	64 lbs.	6.4
25N3018SOSTAL	Laminate	1777	14¾	29¹⁵⁄₁₆	18⅛	–	–	64 lbs.	6.4
13" HIGH									
25N4813SOSTAW	Wood	$ 3339	14¾	47⅞	13⅜	–	–	105 lbs.	8.9
25N4813SOSTAL	Laminate	2017	14¾	47⅞	13⅜	–	–	105 lbs.	8.9
25N4213SOSTAW	Wood	$ 3196	14¾	41⅞	13⅜	–	–	90 lbs.	8.3
25N4213SOSTAL	Laminate	1883	14¾	41⅞	13⅜	–	–	90 lbs.	8.3
25N3613SOSTAW	Wood	$ 3050	14¾	35⅞	13⅜	–	–	66 lbs.	5.8
25N3613SOSTAL	Laminate	1746	14¾	35⅞	13⅜	–	–	66 lbs.	5.8
25N3013SOSTAW	Wood	$ 2893	14¾	29¹⁵⁄₁₆	13⅜	–	–	54 lbs.	4.8
25N3013SOSTAL	Laminate	1596	14¾	29¹⁵⁄₁₆	13⅜	–	–	54 lbs.	4.8

- Exhibit mount bracket is included, Exhibit Wall Rail needs to be ordered separately
- Cabinets have 2 sliding doors
- It is recommended that overheads are not slid to a new location when there are tack board inserts behind the overheads
- If an overhead needs to be relocated, the overhead must be removed from the Exhibit rail and reinstalled in another location on the Exhibit rail
- See page 614 for Exhibit Wall Rail and Filler Strip
- For additional paper management, reference page 765 in the accessories section for Organizational Stackers that can be inserted in overhead storage cabinets
- Cannot be used with DIRTT overhead mounting kits

EPIC

PRODUCT SPECIFICATIONS

- Wood, laminate, metal and resin door available; refer to page 89 for options
- Tops of units are finished with flat edge detail
- Sliding doors feature a face mount powder coated aluminum track on top and bottom of cabinet
- National will not be liable for Exhibit mounted cabinets or wall mount cabinets that are not properly installed
- Cabinets have a full height back panel
- If specifying wood, you must specify the same finish for all options
- Tack boards, task lights, and vertical pigeon hole storage are available - see accessories section pages 741-784

TO ORDER, SPECIFY:

1. Model Number
2. Metal Door Color/Laminate Door Color
3. Veneer Chassis Finish/Laminate Chassis Color
4. Door Track Paint Color

SAMPLE MODEL NUMBER:

25N4818SOSTML 462 CL 501

- See pages 87-91 for all options available in Epic

OVERHEAD STORAGE CABINET SLIDING DOORS EXHIBIT MOUNT (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
METAL DOORS 18" HIGH									
25N4818SOSTMW	Wood	$ 3708	14¾	47⅞	18⅛	–	–	115 lbs.	11.8
25N4818SOSTML	Laminate	2243	14¾	47⅞	18⅛	–	–	115 lbs.	11.8
25N4218SOSTMW	Wood	$ 3550	14¾	41⅞	18⅛	–	–	100 lbs.	11.1
25N4218SOSTML	Laminate	2091	14¾	41⅞	18⅛	–	–	100 lbs.	11.1
25N3618SOSTMW	Wood	$ 3389	14¾	35⅞	18⅛	–	–	76 lbs.	7.7
25N3618SOSTML	Laminate	1940	14¾	35⅞	18⅛	–	–	76 lbs.	7.7
25N3018SOSTMW	Wood	$ 3213	14¾	29¹⁵⁄₁₆	18⅛	–	–	64 lbs.	6.4
25N3018SOSTML	Laminate	1777	14¾	29¹⁵⁄₁₆	18⅛	–	–	64 lbs.	6.4
13" HIGH									
25N4813SOSTMW	Wood	$ 3339	14¾	47⅞	13⅜	–	–	105 lbs.	8.9
25N4813SOSTML	Laminate	2017	14¾	47⅞	13⅜	–	–	105 lbs.	8.9
25N4213SOSTMW	Wood	$ 3196	14¾	41⅞	13⅜	–	–	90 lbs.	8.3
25N4213SOSTML	Laminate	1883	14¾	41⅞	13⅜	–	–	90 lbs.	8.3
25N3613SOSTMW	Wood	$ 3050	14¾	35⅞	13⅜	–	–	66 lbs.	5.8
25N3613SOSTML	Laminate	1746	14¾	35⅞	13⅜	–	–	66 lbs.	5.8
25N3013SOSTMW	Wood	$ 2893	14¾	29¹⁵⁄₁₆	13⅜	–	–	54 lbs.	4.8
25N3013SOSTML	Laminate	1596	14¾	29¹⁵⁄₁₆	13⅜	–	–	54 lbs.	4.8

- Exhibit mount bracket is included, Exhibit Wall Rail needs to be ordered separately
- Cabinets have 2 sliding doors
- It is recommended that overheads are not slid to a new location when there are tack board inserts behind the overheads
- If an overhead needs to be relocated, the overhead must be removed from the Exhibit rail and reinstalled in another location on the Exhibit rail
- See page 614 for Exhibit Wall Rail and Filler Strip
- For additional paper management, reference page 765 in the accessories section for Organizational Stackers that can be inserted in overhead storage cabinets
- Cannot be used with DIRTT overhead mounting kits

PRODUCT SPECIFICATIONS

- Exhibit mount overheads available, see pages 122-125
- For worksurface brackets, end trim and end caps, see pages 230-231 and 252
- National will not be liable for Exhibit mounted cabinets or wall mount cabinets that are not properly installed

TO ORDER, SPECIFY:

1. Model Number
2. Veneer Finish/Laminate Color

SAMPLE MODEL NUMBER:

25N4818SOETW CL

- See pages 87-91 for all options available in Epic

OVERHEAD STORAGE CABINET
NO DOORS
EXHIBIT MOUNT



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
18" HIGH									
25N4818SOETW	Wood	$ 1949	13 15/16	47 7/8	18 3/8	–	–	90 lbs.	11.8
25N4818SOETL	Laminate	1180	13 15/16	47 7/8	18 3/8	–	–	90 lbs.	11.8
25N4218SOETW	Wood	$ 1869	13 15/16	41 7/8	18 3/8	–	–	80 lbs.	11.1
25N4218SOETL	Laminate	1099	13 15/16	41 7/8	18 3/8	–	–	80 lbs.	11.1
25N3618SOETW	Wood	$ 1785	13 15/16	35 7/8	18 3/8	–	–	70 lbs.	7.7
25N3618SOETL	Laminate	1020	13 15/16	35 7/8	18 3/8	–	–	70 lbs.	7.7
25N3018SOETW	Wood	$ 1692	13 15/16	29 15/16	18 3/8	–	–	60 lbs.	6.4
25N3018SOETL	Laminate	934	13 15/16	29 15/16	18 3/8	–	–	60 lbs.	6.4
13" HIGH									
25N4813SOETW	Wood	$ 1757	13 15/16	47 7/8	13 3/8	–	–	80 lbs.	8.9
25N4813SOETL	Laminate	1064	13 15/16	47 7/8	13 3/8	–	–	80 lbs.	8.9
25N4213SOETW	Wood	$ 1680	13 15/16	41 7/8	13 3/8	–	–	70 lbs.	8.3
25N4213SOETL	Laminate	992	13 15/16	41 7/8	13 3/8	–	–	70 lbs.	8.3
25N3613SOETW	Wood	$ 1604	13 15/16	35 7/8	13 3/8	–	–	60 lbs.	5.8
25N3613SOETL	Laminate	920	13 15/16	35 7/8	13 3/8	–	–	60 lbs.	5.8
25N3013SOETW	Wood	$ 1520	13 15/16	29 15/16	13 3/8	–	–	50 lbs.	4.8
25N3013SOETL	Laminate	838	13 15/16	29 15/16	13 3/8	–	–	50 lbs.	4.8

- Specify chassis only
- Exhibit mount bracket is included, Exhibit Wall Rail must be ordered separately
- Cabinets are open and do not have doors
- It is recommended that overheads are not slid to a new location when there are tack board inserts behind the overheads
- If an overhead needs to be relocated, the overhead must be removed from the Exhibit rail and reinstalled in another location on the Exhibit rail
- For additional paper management, reference page 765 in the accessories section for Organizational Stackers that can be inserted in overhead storage cabinets
- Cannot be used with DIRTT overhead mounting kits

EPIC

PRODUCT SPECIFICATIONS

- Exhibit rail can be cut to size in the field
- Alignment brackets are required to align 2 sections of the Exhibit rail in line
- Exhibit mount overheads available, see pages 122-125
- For worksurface brackets, end trim and end caps, see pages 230-231 and 252
- National will not be liable for Exhibit mounted cabinets or wall mount cabinets that are not properly installed

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBERS:

11NCPFSL 461
25N4805SMCM 501

- See pages 87-91 for all options available in Epic

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
EXHIBIT WALL RAIL	**WALL RAIL**									
	11N72EXP1	1 Rail/No faceplate	$ 133	¾	72	1¾	—	—	6 lbs.	0.7
	11N144EXP1	1 Rail/No faceplate	193	¾	144	1¾	—	—	12 lbs.	1.4

- Includes 1 wall rail and 2 alignment brackets
- Specify 423 Concrete, 462 Cinder, 463 Iron, 501 Platinum Metallic or 503 Satin Nickel Metallic
- For use when hanging a worksurface or overhead without the use of an insert

FILLER STRIP KIT EXHIBIT MOUNT	11NCPFSW	Wood	$ 70	1	3	27¼	—	—	3 lbs.	1.0
	11NCPFSL	Laminate	36	1	3	27¼	—	—	3 lbs.	1.0

- For use with Exhibit mounted overheads when an insert is not used behind the overhead
- Must be field scribed for 18" and 13" high overhead models
- Specify solid/woodgrain/Gallery laminate or wood finish

METAL STORAGE CUBBY	25N4805SMCM		$ 446	13 15/16	47⅞	4¾	—	—	24 lbs.	1.8
	25N4205SMCM		421	13 15/16	41⅞	4¾	—	—	22 lbs.	1.6
	25N3605SMCM		398	13 15/16	35⅞	4¾	—	—	20 lbs.	1.4
	25N3005SMCM		371	13 15/16	29 15/16	4¾	—	—	19 lbs.	1.1

- Storage cubby has a removable tray and is ideal for organizational storage
- Storage cubby can be added to the underside of any 13" high wall mount or Exhibit mount overhead
- When added to a 13" overhead, bottom storage cubby will align with the bottom of an 18" overhead unit
- Specify Cinder (462), Platinum Metallic (501), or Satin Nickel Metallic (503) paint color
- See page 751 for magnetic mount LED strip light
- Storage cubby can be added to the underside of the set-on surface overheads listed on pages 127-130; cubby size needs to be smaller than the overhead size due to the stanchions; Ex: 48" cubby with a 60" overhead, 42" cubby with a 48" overhead

PRODUCT SPECIFICATIONS

- Tops of units are finished with flat edge detail
- National will not be liable for set-on surface overhead storage cabinets that are not properly installed
- Cabinets have a full height back panel
- Sliding doors feature a face mount powder coated aluminum track on top and bottom of cabinet
- Short overhead supports are 5¼" H and long overhead supports are 10½" H
- See page 90 for details on how to specify

TO ORDER, SPECIFY:

1. Model Number
2. Overhead Support/Color
3. Resin Grade/Color
4. Metal Door Color
5. Veneer Chassis Finish/Laminate Chassis Color
6. Door Track Paint Color

SAMPLE MODEL NUMBERS:

25N4813SOSFAL O2L-462 2 2977 MC 462
25N4813SOSFML U2S-462 503 MC 503

- See pages 87-91 for all options available in Epic

OVERHEAD STORAGE CABINET SLIDING DOORS SET-ON SURFACE



Shown with O supports



Shown with U supports

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
RESIN DOORS			**GRADE 1**							
25N6013SOSFAW	Wood	$	4055	14¾	59 1⁄16	13⅜	—	—	90 lbs.	8.9
25N6013SOSFAL	Laminate		2574	14¾	59 1⁄16	13⅜	—	—	90 lbs.	8.9
25N4813SOSFAW	Wood	$	3552	14¾	47⅞	13⅜	—	—	81 lbs.	8.3
25N4813SOSFAL	Laminate		2236	14¾	47⅞	13⅜	—	—	81 lbs.	8.3
25N4213SOSFAW	Wood	$	3407	14¾	41⅞	13⅜	—	—	70 lbs.	7.8
25N4213SOSFAL	Laminate		2098	14¾	41⅞	13⅜	—	—	70 lbs.	7.8
25N3613SOSFAW	Wood	$	3266	14¾	35⅞	13⅜	—	—	53 lbs.	5.4
25N3613SOSFAL	Laminate		1961	14¾	35⅞	13⅜	—	—	53 lbs.	5.4
25N3013SOSFAW	Wood	$	3109	14¾	29 15⁄16	13⅜	—	—	45 lbs.	4.5
25N3013SOSFAL	Laminate		1810	14¾	29 15⁄16	13⅜	—	—	45 lbs.	4.5
METAL DOORS			**LIST PRICE**							
25N6013SOSFMW	Wood	$	4055	14¾	59 3⁄16	13⅜	—	—	90 lbs.	8.9
25N6013SOSFML	Laminate		2574	14¾	59 3⁄16	13⅜	—	—	90 lbs.	8.9
25N4813SOSFMW	Wood	$	3552	14¾	47⅞	13⅜	—	—	81 lbs.	8.3
25N4813SOSFML	Laminate		2236	14¾	47⅞	13⅜	—	—	81 lbs.	8.3
25N4213SOSFMW	Wood	$	3407	14¾	41⅞	13⅜	—	—	70 lbs.	7.8
25N4213SOSFML	Laminate		2098	14¾	41⅞	13⅜	—	—	70 lbs.	7.8
25N3613SOSFMW	Wood	$	3266	14¾	35⅞	13⅜	—	—	53 lbs.	5.4
25N3613SOSFML	Laminate		1961	14¾	35⅞	13⅜	—	—	53 lbs.	5.4
25N3013SOSFMW	Wood	$	3109	14¾	29 15⁄16	13⅜	—	—	45 lbs.	4.5
25N3013SOSFML	Laminate		1810	14¾	29 15⁄16	13⅜	—	—	45 lbs.	4.5

- Overhead supports included, see page 90 for proper ordering
- Overhead supports are offered in a non-defacing ("O") option or a defacing surface ("U") option; the "U" option attaches to the worksurface
- Cabinets have 2 sliding doors; some assembly required
- For additional paper management, reference page 765 in the accessories section for Organizational Stackers that can be inserted in overhead storage cabinets or metal storage cubbies on page 126
- Short overhead supports are 5¼" H and long overhead supports are 10½" H

EPIC

PRODUCT SPECIFICATIONS

- Tops of units are finished with flat edge detail
- National will not be liable for set-on surface overhead storage cabinets that are not properly installed
- Cabinets have a full height back panel
- Short overhead supports are 5¼" H and long overhead supports are 10½" H
- See page 90 for details on how to specify

TO ORDER, SPECIFY:

1. Model Number
2. Overhead Support/Color
3. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBER:

25N6013SOEFL U2S-462 MC

- See pages 87-91 for all options available in Epic

OVERHEAD STORAGE CABINET
NO DOORS
SET-ON SURFACE



Shown with O supports



Shown with U supports

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
25N6013SOEFW	Wood	$ 2234	13 15/16	59 13/16	13 3/8	—	—	90 lbs.	8.9
25N6013SOEFL	Laminate	1473	13 15/16	59 13/16	13 3/8	—	—	90 lbs.	8.9
25N4813SOEFW	Wood	$ 1970	13 15/16	47 7/8	13 3/8	—	—	63 lbs.	8.3
25N4813SOEFL	Laminate	1280	13 15/16	47 7/8	13 3/8	—	—	63 lbs.	8.3
25N4213SOEFW	Wood	$ 1895	13 15/16	41 7/8	13 3/8	—	—	56 lbs.	7.8
25N4213SOEFL	Laminate	1209	13 15/16	41 7/8	13 3/8	—	—	56 lbs.	7.8
25N3613SOEFW	Wood	$ 1822	13 15/16	35 7/8	13 3/8	—	—	49 lbs.	5.4
25N3613SOEFL	Laminate	1135	13 15/16	35 7/8	13 3/8	—	—	49 lbs.	5.4
25N3013SOEFW	Wood	$ 1734	13 15/16	29 15/16	13 3/8	—	—	42 lbs.	4.5
25N3013SOEFL	Laminate	1056	13 15/16	29 15/16	13 3/8	—	—	42 lbs.	4.5

- Overhead supports included, see page 90 for proper ordering
- Overhead supports are offered in a non-defacing ("O") option or a defacing surface ("U") option; the "U" option attaches to the worksurface
- For additional paper management, reference page 765 in the accessories section for Organizational Stackers that can be inserted in overhead storage cabinets or metal storage cubbies on page 126
- Some assembly required
- Short overhead supports are 5¼" H and long overhead supports are 10½" H

PRODUCT SPECIFICATIONS

- Tops of units are finished with flat edge detail
- National will not be liable for set-on surface overhead storage cabinets that are not properly installed
- Cabinets have a full height back panel
- Sliding doors feature a face mount powder coated aluminum track on top and bottom of cabinet
- Short overhead supports are 5¼" H and long overhead supports are 10½" H
- See page 90 for details on how to specify

TO ORDER, SPECIFY:

1. Model Number
2. Overhead Support/Color
3. Resin Grade/Color
4. Metal Door Color
5. Veneer Chassis Finish/Laminate Chassis Color
6. Door Track Paint Color

SAMPLE MODEL NUMBER:

25N6013SOSSFRMW U2L-501 501 MH 501

- See pages 87-91 for all options available in Epic

OVERHEAD SHARED STORAGE CABINET WITH SLIDING DOORS SET-ON SURFACE



Right shown with O supports



Right shown with U supports

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
RESIN DOORS/WOOD CHASSIS										
LEFT CABINET	**RIGHT CABINET**		**GRADE 1**							
25N6013SOSSFLAW	25N6013SOSSFRAW		$ 4245	13 15/16	59 13/16	13⅜	–	–	84 lbs.	8.9
25N4813SOSSFLAW	25N4813SOSSFRAW		3719	13 15/16	47⅞	13⅜	–	–	63 lbs.	8.3
25N4213SOSSFLAW	25N4213SOSSFRAW		3565	13 15/16	41⅞	13⅜	–	–	56 lbs.	7.8
25N3613SOSSFLAW	25N3613SOSSFRAW		3419	13 15/16	35⅞	13⅜	–	–	49 lbs.	5.4
25N3013SOSSFLAW	25N3013SOSSFRAW		3248	13 15/16	29 15/16	13⅜	–	–	42 lbs.	4.5
RESIN DOORS/LAMINATE CHASSIS										
LEFT CABINET	**RIGHT CABINET**									
25N6013SOSSFLAL	25N6013SOSSFRAL		$ 2655	13 15/16	59 13/16	13⅜	–	–	84 lbs.	8.9
25N4813SOSSFLAL	25N4813SOSSFRAL		2338	13 15/16	47⅞	13⅜	–	–	63 lbs.	8.3
25N4213SOSSFLAL	25N4213SOSSFRAL		2190	13 15/16	41⅞	13⅜	–	–	56 lbs.	7.8
25N3613SOSSFLAL	25N3613SOSSFRAL		2048	13 15/16	35⅞	13⅜	–	–	49 lbs.	5.4
25N3013SOSSFLAL	25N3013SOSSFRAL		1895	13 15/16	29 15/16	13⅜	–	–	42 lbs.	4.5
METAL DOORS										
LEFT CABINET	**RIGHT CABINET**		**LIST PRICE**							
25N6013SOSSFLMW	25N6013SOSSFRMW	Wood	$ 4245	14¾	59 13/16	13⅜	–	–	90 lbs.	8.9
25N6013SOSSFLML	25N6013SOSSFRML	Laminate	2655	14¾	59 13/16	13⅜	–	–	90 lbs.	8.9
25N4813SOSSFLMW	25N4813SOSSFRMW	Wood	$ 3719	14¾	47⅞	13⅜	–	–	81 lbs.	8.3
25N4813SOSSFLML	25N4813SOSSFRML	Laminate	2338	14¾	47⅞	13⅜	–	–	81 lbs.	8.3
25N4213SOSSFLMW	25N4213SOSSFRMW	Wood	$ 3565	14¾	41⅞	13⅜	–	–	70 lbs.	7.8
25N4213SOSSFLML	25N4213SOSSFRML	Laminate	2190	14¾	41⅞	13⅜	–	–	70 lbs.	7.8
25N3613SOSSFLMW	25N3613SOSSFRMW	Wood	$ 3419	14¾	35⅞	13⅜	–	–	53 lbs.	5.4
25N3613SOSSFLML	25N3613SOSSFRML	Laminate	2048	14¾	35⅞	13⅜	–	–	53 lbs.	5.4
25N3013SOSSFLMW	25N3013SOSSFRMW	Wood	$ 3248	14¾	29 15/16	13⅜	–	–	45 lbs.	4.5
25N3013SOSSFLML	25N3013SOSSFRML	Laminate	1895	14¾	29 15/16	13⅜	–	–	45 lbs.	4.5

- Overhead supports included, see page 90 for proper ordering
- Overhead supports are offered in a non-defacing ("O") option or a defacing surface ("U") option; the "U" option attaches to the worksurface
- Cabinets have 1 sliding door per side
- Each user has access to half the width and the full depth of the cabinet
- For additional paper management, reference page 765 in the accessories section for Organizational Stackers that can be inserted in overhead storage cabinets or metal storage cubbies on page 126
- Some assembly required
- Short overhead supports are 5¼" H and long overhead supports are 10½" H

EPIC

PRODUCT SPECIFICATIONS

- Tops of units are finished with flat edge detail
- National will not be liable for set-on surface overhead storage cabinets that are not properly installed
- Cabinets have a full height back panel
- Short overhead supports are 5¼" H and long overhead supports are 10½" H
- See page 90 for details on how to specify

TO ORDER, SPECIFY:

1. Model Number
2. Overhead Support/Color
3. Resin Grade/Color
4. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBER:

25N6013SOESFRW O2L-501 1 MH

- See pages 87-91 for all options available in Epic

OVERHEAD SHARED STORAGE CABINET NO DOORS SET-ON SURFACE



Right shown with O supports



Right shown with U supports

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
LEFT CABINET	RIGHT CABINET									
25N6013SOESFLW	25N6013SOESFRW	Wood	$ 2338	13 15/16	59 13/16	13 3/8	–	–	84 lbs.	8.9
25N6013SOESFLL	25N6013SOESFRL	Laminate	1502	13 15/16	59 13/16	13 3/8	–	–	84 lbs.	8.9
25N4813SOESFLW	25N4813SOESFRW	Wood	$ 2057	13 15/16	47 7/8	13 3/8	–	–	63 lbs.	8.3
25N4813SOESFLL	25N4813SOESFRL	Laminate	1334	13 15/16	47 7/8	13 3/8	–	–	63 lbs.	8.3
25N4213SOESFLW	25N4213SOESFRW	Wood	$ 1981	13 15/16	41 7/8	13 3/8	–	–	56 lbs.	7.8
25N4213SOESFLL	25N4213SOESFRL	Laminate	1257	13 15/16	41 7/8	13 3/8	–	–	56 lbs.	7.8
25N3613SOESFLW	25N3613SOESFRW	Wood	$ 1900	13 15/16	35 7/8	13 3/8	–	–	49 lbs.	5.4
25N3613SOESFLL	25N3613SOESFRL	Laminate	1180	13 15/16	35 7/8	13 3/8	–	–	49 lbs.	5.4
25N3013SOESFLW	25N3013SOESFRW	Wood	$ 1812	13 15/16	29 15/16	13 3/8	–	–	42 lbs.	4.5
25N3013SOESFLL	25N3013SOESFRL	Laminate	1098	13 15/16	29 15/16	13 3/8	–	–	42 lbs.	4.5

- Overhead supports included, see page 90 for proper ordering
- Overhead supports are offered in a non-defacing ("O") option or a defacing surface ("U") option; the "U" option attaches to the worksurface
- Each user has access to half the width and the full depth of the cabinet
- For additional paper management, reference page 765 in the accessories section for Organizational Stackers that can be inserted in overhead storage cabinets or metal storage cubbies on page 126
- Some assembly required
- Short overhead supports are 5¼" H and long overhead supports are 10½" H

PRODUCT SPECIFICATIONS

- Wood and laminate doors/drawers and chassis available; refer to page 89 for options
- If specifying wood, you must specify the same finish for all options
- Refer to page 93 for filing capabilities

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Pull
5. Locking
6. Foot Color
7. Laminate Top Color
8. Laminate Door/Drawer Color
9. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBER:

25N2436LFF2W V 76MB KS1B FR462 AC

- See pages 87-91 for all options available in Epic

LATERAL FILE
2 DRAWER

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SOFTENED RIM									
25N2436LFF2W	Wood	$ 3596	24	36 1/16	28 15/16	—	—	155 lbs.	22.2
25N2436LFF2L	Laminate	2371	24	36 1/16	28 15/16	—	—	155 lbs.	22.2
25N2430LFF2W	Wood	$ 3419	24	30 1/16	28 15/16	—	—	135 lbs.	18.9
25N2430LFF2L	Laminate	2253	24	30 1/16	28 15/16	—	—	135 lbs.	18.9
KNIFE RIM									
25N2636LFF2WK1	Wood	$ 3865	25½	36 1/16	28 15/16	—	—	155 lbs.	22.2
25N2636LFF2LK1	Laminate	2570	25½	36 1/16	28 15/16	—	—	155 lbs.	22.2
25N2630LFF2WK1	Wood	$ 3675	25½	30 1/16	28 15/16	—	—	135 lbs.	18.9
25N2630LFF2LK1	Laminate	2451	25½	30 1/16	28 15/16	—	—	135 lbs.	18.9

- Interlock mechanism allows only 1 drawer to be open at a time
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front

LATERAL FILE
3 DRAWER

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SOFTENED RIM									
25N2436LFF3W	Wood	$ 4850	24	36 1/16	41 7/16	—	—	210 lbs.	30.0
25N2436LFF3L	Laminate	3199	24	36 1/16	41 7/16	—	—	210 lbs.	30.0
25N2430LFF3W	Wood	$ 4607	24	30 1/16	41 7/16	—	—	185 lbs.	25.5
25N2430LFF3L	Laminate	3039	24	30 1/16	41 7/16	—	—	185 lbs.	25.5
KNIFE RIM									
25N2636LFF3WK1	Wood	$ 5116	25½	36 1/16	41 7/16	—	—	210 lbs.	30.0
25N2636LFF3LK1	Laminate	3397	25½	36 1/16	41 7/16	—	—	210 lbs.	30.0
25N2630LFF3WK1	Wood	$ 4868	25½	30 1/16	41 7/16	—	—	185 lbs.	25.5
25N2630LFF3LK1	Laminate	3237	25½	30 1/16	41 7/16	—	—	185 lbs.	25.5

- Interlock mechanism allows only 1 drawer to be open at a time
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front

EPIC

PRODUCT SPECIFICATIONS

- Wood and laminate doors/drawers and chassis available; refer to page 89 for options
- If specifying wood, you must specify the same finish for all options
- Refer to page 93 for filing capabilities

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Pull
5. Locking
6. Foot Color
7. Laminate Top Color
8. Laminate Door/Drawer Color
9. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

25N2436LFF4W V 76MB KS1B FR462 AC
25N2436PF33L V419 76MB KS1B FR462 419 461 419

- See pages 87-91 for all options available in Epic

LATERAL FILE 4 DRAWER

MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SOFTENED RIM									
25N2436LFF4W	Wood	$ 5793	24	36 1/16	54 1/16	–	–	265 lbs.	33.4
25N2436LFF4L	Laminate	3666	24	36 1/16	54 1/16	–	–	265 lbs.	33.4
25N2430LFF4W	Wood	$ 5501	24	30 1/16	54 1/16	–	–	235 lbs.	28.4
25N2430LFF4L	Laminate	3484	24	30 1/16	54 1/16	–	–	235 lbs.	28.4
KNIFE RIM									
25N2636LFF4WK1	Wood	$ 6060	25 1/2	36 1/16	54 1/16	–	–	265 lbs.	33.4
25N2636LFF4LK1	Laminate	3865	25 1/2	36 1/16	54 1/16	–	–	265 lbs.	33.4
25N2630LFF4WK1	Wood	$ 5763	25 1/2	30 1/16	54 1/16	–	–	235 lbs.	28.4
25N2630LFF4LK1	Laminate	3686	25 1/2	30 1/16	54 1/16	–	–	235 lbs.	28.4

- Interlock mechanism allows only 1 drawer to be open at a time
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front

MIXED STORAGE CABINET

Left shown

SOFTENED RIM OPEN STORAGE ON LEFT	OPEN STORAGE ON RIGHT		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
25N2436PF33W	25N2436PF32W	Wood	$ 4107	24	36 1/16	28 13/16	–	–	130 lbs.	22.2
25N2436PF33L	25N2436PF32L	Laminate	2637	24	36 1/16	28 13/16	–	–	130 lbs.	22.2
25N2430PF33W	25N2430PF32W	Wood	$ 3902	24	30 1/16	29 13/16	–	–	120 lbs.	18.9
25N2430PF33L	25N2430PF32L	Laminate	2506	24	30 1/16	29 13/16	–	–	120 lbs.	18.9
KNIFE RIM OPEN STORAGE ON LEFT	**OPEN STORAGE ON RIGHT**									
25N2636PF33WK1	25N2636PF32WK1	Wood	$ 4377	25 1/2	36 1/16	28 13/16	–	–	130 lbs.	22.2
25N2636PF33LK1	25N2636PF32LK1	Laminate	2836	25 1/2	36 1/16	28 13/16	–	–	130 lbs.	22.2
25N2630PF33WK1	25N2630PF32WK1	Wood	$ 4164	25 1/2	30 1/16	28 13/16	–	–	120 lbs.	18.9
25N2630PF33LK1	25N2630PF32LK1	Laminate	2683	25 1/2	30 1/16	28 13/16	–	–	120 lbs.	18.9

- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front

PRODUCT SPECIFICATIONS

- Wood and laminate doors/drawers and chassis available; refer to page 89 for options
- If specifying wood, you must specify the same finish for all options
- Refer to page 93 for filing capabilities

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Pull
5. Locking
6. Foot Color
7. Laminate Top Color
8. Laminate Door/Drawer Color
9. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBER:

25N2436PF11W V 88SN KRS FR503 TF

- See pages 87-91 for all options available in Epic

MULTI-FILE STORAGE CABINET



Left shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SOFTENED RIM FILE DRAWER ON LEFT	**FILE DRAWER ON RIGHT**									
25N2436PF11W	25N2436PF10W	Wood	$ 4829	24	36 1/16	28 13/16	–	–	130 lbs.	22.2
25N2436PF11L	25N2436PF10L	Laminate	3366	24	36 1/16	28 13/16	–	–	130 lbs.	22.2
25N2430PF11W	25N2430PF10W	Wood	$ 4587	24	30 1/16	28 13/16	–	–	120 lbs.	18.9
25N2430PF11L	25N2430PF10L	Laminate	3198	24	30 1/16	28 13/16	–	–	120 lbs.	18.9
KNIFE RIM FILE DRAWER ON LEFT	**FILE DRAWER ON RIGHT**									
25N2636PF11WK1	25N2636PF10WK1	Wood	$ 5096	25½	36 1/16	28 13/16	–	–	130 lbs.	22.2
25N2636PF11LK1	25N2636PF10LK1	Laminate	3561	25½	36 1/16	28 13/16	–	–	130 lbs.	22.2
25N2630PF11WK1	25N2630PF10WK1	Wood	$ 4849	25½	30 1/16	28 13/16	–	–	120 lbs.	18.9
25N2630PF11LK1	25N2630PF10LK1	Laminate	3374	25½	30 1/16	28 13/16	–	–	120 lbs.	18.9

- Locking only on file drawer and lateral file
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front

EPIC

PRODUCT SPECIFICATIONS

- Wood and laminate doors/drawers and chassis available; refer to page 89 for options
- If specifying wood, you must specify the same finish for all options
- Refer to page 93 for filing capabilities

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Pull
5. Locking
6. Foot Color
7. Laminate Top Color
8. Laminate Door/Drawer Color
9. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBER:

25N2436PFHW V 88SN KRS FR503 TF

- See pages 87-91 for all options available in Epic

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
DOUBLE DOOR UNIT	**SOFTENED RIM**									
	25N2436PFHW	Wood	$ 3442	24	36 1/16	28 13/16	–	–	130 lbs.	22.2
	25N2436PFHL	Laminate	2008	24	36 1/16	28 13/16	–	–	130 lbs.	22.2
	25N2430PFHW	Wood	$ 3271	24	30 1/16	28 13/16	–	–	120 lbs.	18.9
	25N2430PFHL	Laminate	1905	24	30 1/16	28 13/16	–	–	120 lbs.	18.9
	KNIFE RIM									
	25N2636PFHWK1	Wood	$ 3708	25 1/2	36 1/16	28 13/16	–	–	130 lbs.	22.2
	25N2636PFHLK1	Laminate	2202	25 1/2	36 1/16	28 13/16	–	–	130 lbs.	22.2
	25N2630PFHWK1	Wood	$ 3532	25 1/2	30 1/16	28 13/16	–	–	120 lbs.	18.9
	25N2630PFHLK1	Laminate	2103	25 1/2	30 1/16	28 13/16	–	–	120 lbs.	18.9

- 1 adjustable shelf behind hinged doors
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FREESTANDING BOX/FILE	**SOFTENED RIM**									
	25N3015PFBFW	Wood	$ 2708	29 15/16	15 1/8	22 5/8	–	–	86 lbs.	10.9
	25N3015PFBFL	Laminate	1720	29 15/16	15 1/8	22 5/8	–	–	86 lbs.	10.9
	25N2415PFBFW	Wood	$ 2640	24	15 1/8	22 5/8	–	–	76 lbs.	8.7
	25N2415PFBFL	Laminate	1647	24	15 1/8	22 5/8	–	–	76 lbs.	8.7
	KNIFE RIM									
	25N3215PFBFWK1	Wood	$ 2841	31 7/16	15 1/8	22 5/8	–	–	86 lbs.	10.9
	25N3215PFBFLK1	Laminate	1812	31 7/16	15 1/8	22 5/8	–	–	86 lbs.	10.9
	25N2615PFBFWK1	Wood	$ 2768	25 1/2	15 1/8	22 5/8	–	–	76 lbs.	8.7
	25N2615PFBFLK1	Laminate	1735	25 1/2	15 1/8	22 5/8	–	–	76 lbs.	8.7

- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

PRODUCT SPECIFICATIONS

- Wood and laminate doors/drawers and chassis available; refer to page 89 for options
- If specifying wood, you must specify the same finish for all options
- Refer to page 93 for filing capabilities

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Pull
5. Locking
6. Foot Color
7. Laminate Top Color
8. Laminate Door/Drawer Color
9. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBER:

25N1867VSWHLW 89SN KRS FR503 CW

- See pages 87-91 for all options available in Epic

WARDROBE/ STORAGE CABINET SINGLE DOOR

Left shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
LEFT HINGED	RIGHT HINGED									
25N1867VSWHLW	25N1867VSWHRW	Wood	$ 3980	23⅜	17⅛	66⅞	—	—	160 lbs.	26.7
25N1867VSWHLL	25N1867VSWHRL	Laminate	2252	23⅜	17⅛	66⅞	—	—	160 lbs.	26.7
25N1853VSWHLW	25N1853VSWHRW	Wood	$ 3660	23⅜	17⅛	52⅛	—	—	151 lbs.	21.4
25N1853VSWHLL	25N1853VSWHRL	Laminate	2071	23⅜	17⅛	52⅛	—	—	151 lbs.	21.4
25N1840VSWHLW	25N1840VSWHRW	Wood	$ 3181	23⅜	17⅛	40⅜	—	—	142 lbs.	16.7
25N1840VSWHLL	25N1840VSWHRL	Laminate	1800	23⅜	17⅛	40⅜	—	—	142 lbs.	16.7

- Can be used as a wardrobe unit by removing adjustable shelves
- Removable coat rod standard
- 67 model has 3 adjustable shelves and 1 fixed shelf
- 53 model has 2 adjustable shelves and 1 fixed shelf
- 40 model has 1 adjustable shelf and 1 fixed shelf
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminate options available on models 60" H or less

MEDIA STORAGE TOWER SINGLE DOOR



Left shown

LEFT HINGED	RIGHT HINGED									
25NN1880VSHLW	25NN1880VSHRW	Wood	$ 4921	23⅜	17⅛	79¼	—	—	197 lbs.	31.0
25NN1880VSHLL	25NN1880VSHRL	Laminate	2921	23⅜	17⅛	79¼	—	—	197 lbs.	31.0

- Shaded shelves are adjustable 1 fixed and 4 adjustable shelves
- Shortened shelves allow for easy wire access in the back of the cabinet
- Features grommets in end panels for wire access
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminate options available on models 60" H or less

EPIC

PRODUCT SPECIFICATIONS

- Wood and laminate doors/drawers and chassis available; refer to page 89 for options
- If specifying wood, you must specify the same finish for all options
- Refer to page 93 for filing capabilities

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Pull
5. Locking
6. Foot Color
7. Laminate Top Color
8. Laminate Door/Drawer Color
9. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBER:

25N2467VHHL2W 89SN KRS FR503 CW

- See pages 87-91 for all options available in Epic

STORAGE CABINET/WARDROBE WITH FILE/FILE PEDESTAL



25N2467VHHL2L



25N2440VHHL2L
Lefts shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
LEFT UNIT	RIGHT UNIT									
25N2467VHHL2W	25N2467VHHR2W	Wood	$ 5613	23⅜	24	66⅞	—	—	213 lbs.	27.0
25N2467VHHL2L	25N2467VHHR2L	Laminate	3601	23⅜	24	66⅞	—	—	213 lbs.	27.0
25N2453VHHL2W	25N2453VHHR2W	Wood	$ 5165	23⅜	24	52¹⁵⁄₁₆	—	—	201 lbs.	21.6
25N2453VHHL2L	25N2453VHHR2L	Laminate	3317	23⅜	24	52¹⁵⁄₁₆	—	—	201 lbs.	21.6
25N2440VHHL2W	25N2440VHHR2W	Wood	$ 4491	23⅜	24	40⁵⁄₁₆	—	—	189 lbs.	16.8
25N2440VHHL2L	25N2440VHHR2L	Laminate	2883	23⅜	24	40⁵⁄₁₆	—	—	189 lbs.	16.8

- Removable coat rod is standard
- 67 model has 2 adjustable shelves and 1 fixed shelf
- 53 model has 1 adjustable shelf and 1 fixed shelf
- 40 model has 1 fixed shelf
- Pedestal is 15" wide
- Wardrobe door is 8⅞" wide, interior width is 8⅛"
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminate options available on models 60" H or less

STORAGE FRONT BOOKCASE/WARDROBE WITH FILE/FILE PEDESTAL



25N2467VBWOL2L

25N2440VBWOL2L
Lefts shown

LEFT HINGED	RIGHT HINGED									
25N2467VBWOL2W	25N2467VBWOR2W	Wood	$ 5913	23⅜	24	66⅞	—	—	213 lbs.	27.0
25N2467VBWOL2L	25N2467VBWOR2L	Laminate	3909	23⅜	24	66⅞	—	—	213 lbs.	27.0
25N2453VBWOL2W	25N2453VBWOR2W	Wood	$ 5438	23⅜	24	52¹⁵⁄₁₆	—	—	201 lbs.	21.6
25N2453VBWOL2L	25N2453VBWOR2L	Laminate	3594	23⅜	24	52¹⁵⁄₁₆	—	—	201 lbs.	21.6
25N2440VBWOL2W	25N2440VBWOR2W	Wood	$ 4731	23⅜	24	40⁵⁄₁₆	—	—	189 lbs.	16.8
25N2440VBWOL2L	25N2440VBWOR2L	Laminate	3127	23⅜	24	40⁵⁄₁₆	—	—	189 lbs.	16.8

- Removable coat rod is standard
- 67 model has 2 adjustable shelves and 1 fixed shelf
- 53 model has 1 adjustable shelf and 1 fixed shelf
- 40 model has 1 fixed shelf
- Pedestal is 15" wide
- Wardrobe door is 8⅞" wide, interior width is 8⅛"
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Wardrobe door features a standard pull
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminate options available on models 60" H or less

PRODUCT SPECIFICATIONS

- Wood and laminate doors/drawers and chassis available; refer to page 89 for options
- If specifying wood, you must specify the same finish for all options
- Refer to page 93 for filing capabilities

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Foot Color
5. Laminate Door/Drawer Color
6. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBER:

25N2467VBWHL2L 89PL KRS FR501 CW CW

- See pages 87-91 for all options available in Epic

STORAGE SIDE BOOKCASE/WARDROBE WITH FILE/FILE



25N2467VBWHL2L

25N2440VBWHL2L
Lefts shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
LEFT HINGED	**RIGHT HINGED**									
25N2467VBWHL2W	25N2467VBWHR2W	Wood	$ 5913	23⅜	24	66⅞	—	—	213 lbs.	27.0
25N2467VBWHL2L	25N2467VBWHR2L	Laminate	3909	23⅜	24	66⅞	—	—	213 lbs.	27.0
25N2453VBWHL2W	25N2453VBWHR2W	Wood	$ 5438	23⅜	24	52¹⁵⁄₁₆	—	—	201 lbs.	21.6
25N2453VBWHL2L	25N2453VBWHR2L	Laminate	3594	23⅜	24	52¹⁵⁄₁₆	—	—	201 lbs.	21.6
25N2440VBWHL2W	25N2440VBWHR2W	Wood	$ 4731	23⅜	24	40⅜	—	—	189 lbs.	16.8
25N2440VBWHL2L	25N2440VBWHR2L	Laminate	3127	23⅜	24	40⅜	—	—	189 lbs.	16.8

- Removable coat rod is standard
- 67 model has 2 adjustable shelves and 1 fixed shelf
- 53 model has 1 adjustable shelf and 1 fixed shelf
- 40 model has 1 fixed shelf
- Pedestal is 15" wide
- Wardrobe door is 8⅞" wide, interior width is 8⅛"
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Wardrobe door features a standard pull
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminate options available on models 60" H or less

STORAGE SIDE BOOKCASE WITH FILE/FILE PEDESTAL



25N1867VBL2L

25N1840VBL2W
Lefts shown

LEFT UNIT	RIGHT UNIT		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
25N1867VBL2W	25N1867VBR2W	Wood	$ 4333	23⅜	17¹⁵⁄₁₆	66⅞	—	—	160 lbs.	26.7
25N1867VBL2L	25N1867VBR2L	Laminate	2566	23⅜	17¹⁵⁄₁₆	66⅞	—	—	160 lbs.	26.7
25N1853VBL2W	25N1853VBR2W	Wood	$ 3990	23⅜	17¹⁵⁄₁₆	52¹⁵⁄₁₆	—	—	151 lbs.	21.4
25N1853VBL2L	25N1853VBR2L	Laminate	2361	23⅜	17¹⁵⁄₁₆	52¹⁵⁄₁₆	—	—	151 lbs.	21.4
25N1840VBL2W	25N1840VBR2W	Wood	$ 3468	23⅜	17¹⁵⁄₁₆	40⅜	—	—	142 lbs.	16.7
25N1840VBL2L	25N1840VBR2L	Laminate	2056	23⅜	17¹⁵⁄₁₆	40⅜	—	—	142 lbs.	16.7

- 67 model has 2 adjustable shelves
- 53 model has 1 adjustable shelf and 1 fixed shelf
- 40 model has 1 fixed shelf
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminate options available on models 60" H or less

EPIC

PRODUCT SPECIFICATIONS

- Wood and laminate doors/drawers and chassis available; refer to page 89 for options
- If specifying wood, you must specify the same finish for all options
- Refer to page 93 for filing capabilities

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Foot Color
5. Laminate Door/Drawer Color
6. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBER:

25N3667VWHW KRS FR501 MH

- See pages 87-91 for all options available in Epic

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
STORAGE FRONT BOOKCASE WITH FILE/FILE PEDESTAL	25N1867VB2W	Wood	$ 4333	23⅜	17⅛	66⅞	–	–	160 lbs.	26.7
	25N1867VB2L	Laminate	2566	23⅜	17⅛	66⅞	–	–	160 lbs.	26.7
	25N1853VB2W	Wood	$ 3990	23⅜	17⅛	52¹⁵⁄₁₆	–	–	151 lbs.	21.4
	25N1853VB2L	Laminate	2361	23⅜	17⅛	52¹⁵⁄₁₆	–	–	151 lbs.	21.4
	25N1840VB2W	Wood	$ 3468	23⅜	17⅛	40⅝	–	–	142 lbs.	16.7
	25N1840VB2L	Laminate	2056	23⅜	17⅛	40⅝	–	–	142 lbs.	16.7



25N1867VB2L

25N1840VB2L

- 67 model has 2 adjustable shelves and 1 fixed shelf
- 53 model has 1 adjustable shelf and 1 fixed shelf
- 40 model has 1 fixed shelf
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminate options available on models 60" H or less

WARDROBE CABINET DOUBLE DOOR	25N3667VWHW	Wood	$ 7277	23⅜	35⅞	66⅞	–	–	160 lbs.	48.6
	25N3667VWHL	Laminate	3814	23⅜	35⅞	66⅞	–	–	160 lbs.	48.6
	25N3653VWHW	Wood	$ 6692	23⅜	35⅞	52¹⁵⁄₁₆	–	–	151 lbs.	38.9
	25N3653VWHL	Laminate	3511	23⅜	35⅞	52¹⁵⁄₁₆	–	–	151 lbs.	38.9
	25N3640VWHW	Wood	$ 5820	23⅜	35⅞	40⅝	–	–	142 lbs.	30.3
	25N3640VWHL	Laminate	3051	23⅜	35⅞	40⅝	–	–	142 lbs.	30.3
	25N3067VWHW	Wood	$ 6910	23⅜	29¹⁵⁄₁₆	66⅞	–	–	155 lbs.	41.3
	25N3067VWHL	Laminate	3628	23⅜	29¹⁵⁄₁₆	66⅞	–	–	155 lbs.	41.3
	25N3053VWHW	Wood	$ 6358	23⅜	29¹⁵⁄₁₆	52¹⁵⁄₁₆	–	–	146 lbs.	33.0
	25N3053VWHL	Laminate	3337	23⅜	29¹⁵⁄₁₆	52¹⁵⁄₁₆	–	–	146 lbs.	33.0
	25N3040VWHW	Wood	$ 5530	23⅜	29¹⁵⁄₁₆	40⅝	–	–	137 lbs.	25.7
	25N3040VWHL	Laminate	2901	23⅜	29¹⁵⁄₁₆	40⅝	–	–	137 lbs.	25.7



25N3667VWHL



25N3040VWHL

- Coat rod standard
- 67 models have 1 fixed shelf
- 53 and 40 models have 1 adjustable shelf
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminate options available on models 60" H or less

PRODUCT SPECIFICATIONS

- Wood and laminate doors/drawers and chassis available; refer to page 89 for options
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Locking
3. Foot Color
4. Laminate Door/Drawer Color
5. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

25N3667VHHL KS1B FR462 CW CW
25N3667VHHW KS1B FR462 CW

- See pages 87-91 for all options available in Epic

WARDROBE/ STORAGE CABINET DOUBLE DOOR



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
25N3667VHHW	Wood	$ 7952	23⅜	35⅞	66⅞	—	—	160 lbs.	48.6
25N3667VHHL	Laminate	4501	23⅜	35⅞	66⅞	—	—	160 lbs.	48.6
25N3653VHHW	Wood	$ 7319	23⅜	35⅞	52¹⁵⁄₁₆	—	—	151 lbs.	38.9
25N3653VHHL	Laminate	4142	23⅜	35⅞	52¹⁵⁄₁₆	—	—	151 lbs.	38.9
25N3640VHHW	Wood	$ 6364	23⅜	35⅞	40⅜	—	—	142 lbs.	30.3
25N3640VHHL	Laminate	3598	23⅜	35⅞	40⅜	—	—	142 lbs.	30.3
25N3067VHHW	Wood	$ 7554	23⅜	29¹⁵⁄₁₆	66⅞	—	—	155 lbs.	41.3
25N3067VHHL	Laminate	4276	23⅜	29¹⁵⁄₁₆	66⅞	—	—	155 lbs.	41.3
25N3053VHHW	Wood	$ 6954	23⅜	29¹⁵⁄₁₆	52¹⁵⁄₁₆	—	—	146 lbs.	33.0
25N3053VHHL	Laminate	3931	23⅜	29¹⁵⁄₁₆	52¹⁵⁄₁₆	—	—	146 lbs.	33.0
25N3040VHHW	Wood	$ 6046	23⅜	29¹⁵⁄₁₆	40⅜	—	—	137 lbs.	25.7
25N3040VHHL	Laminate	3422	23⅜	29¹⁵⁄₁₆	40⅜	—	—	137 lbs.	25.7

- Coat rod standard
- 67 models have 3 adjustable shelves and 1 fixed shelf
- 53 models have 2 adjustable shelves and 1 fixed shelf
- 40 models have 1 adjustable shelf and 1 fixed shelf
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminate options available on models 60" H or less

EPIC

PRODUCT SPECIFICATIONS

- Wood and laminate doors/drawers and chassis available; refer to page 89 for options
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Locking
3. Foot Color
4. Laminate Door/Drawer Color
5. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

25N3667VSHL KS1B FR462 CW CW
25N3667VSHW KS1B FR462 CW

- See pages 87-91 for all options available in Epic

DOUBLE DOOR STORAGE CABINET



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
25N3667VSHW	Wood	$ 7277	23⅜	35⅞	66⅞	—	—	160 lbs.	48.6
25N3667VSHL	Laminate	3814	23⅜	35⅞	66⅞	—	—	160 lbs.	48.6
25N3653VSHW	Wood	$ 6692	23⅜	35⅞	52¹⁵⁄₁₆	—	—	151 lbs.	38.9
25N3653VSHL	Laminate	3511	23⅜	35⅞	52¹⁵⁄₁₆	—	—	151 lbs.	38.9
25N3640VSHW	Wood	$ 5820	23⅜	35⅞	40⅝	—	—	142 lbs.	30.3
25N3640VSHL	Laminate	3051	23⅜	35⅞	40⅝	—	—	142 lbs.	30.3
25N3067VSHW	Wood	$ 6910	23⅜	29¹⁵⁄₁₆	66⅞	—	—	155 lbs.	41.3
25N3067VSHL	Laminate	3628	23⅜	29¹⁵⁄₁₆	66⅞	—	—	155 lbs.	41.3
25N3053VSHW	Wood	$ 6358	23⅜	29¹⁵⁄₁₆	52¹⁵⁄₁₆	—	—	146 lbs.	33.0
25N3053VSHL	Laminate	3337	23⅜	29¹⁵⁄₁₆	52¹⁵⁄₁₆	—	—	146 lbs.	33.0
25N3040VSHW	Wood	$ 5530	23⅜	29¹⁵⁄₁₆	40⅝	—	—	137 lbs.	25.7
25N3040VSHL	Laminate	2901	23⅜	29¹⁵⁄₁₆	40⅝	—	—	137 lbs.	25.7

- Units include shelves from top to bottom
- 67 models have 3 adjustable shelves and 1 fixed shelf
- 53 models have 2 adjustable shelves and 1 fixed shelf
- 40 models have 1 adjustable shelf and 1 fixed shelf
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminate options available on models 60" H or less

PRODUCT SPECIFICATIONS

- Wood and laminate doors/drawers and chassis available; refer to page 89 for options
- If specifying wood, you must specify the same finish for all options
- Refer to page 93 for filing capabilities

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Foot Color
5. Laminate Door/Drawer Color
6. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBER:

25N3667VHF2L KS2B 76MB FR462 NM NM

- See pages 87-91 for all options available in Epic

STORAGE/LATERAL FILE CABINET



25N3667VHF2L



25N3040VHF2L

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
25N3667VHF2W	Wood		$ 7384	23⅜	35⅞	66⅞	—	—	160 lbs.	48.6
25N3667VHF2L	Laminate		3878	23⅜	35⅞	66⅞	—	—	160 lbs.	48.6
25N3653VHF2W	Wood		$ 6794	23⅜	35⅞	52⅝	—	—	151 lbs.	38.9
25N3653VHF2L	Laminate		3570	23⅜	35⅞	52⅝	—	—	151 lbs.	38.9
25N3640VHF2W	Wood		$ 5904	23⅜	35⅞	40⅜	—	—	142 lbs.	30.3
25N3640VHF2L	Laminate		3102	23⅜	35⅞	40⅜	—	—	142 lbs.	30.3
25N3067VHF2W	Wood		$ 7014	23⅜	29⅝	66⅞	—	—	155 lbs.	41.3
25N3067VHF2L	Laminate		3687	23⅜	29⅝	66⅞	—	—	155 lbs.	41.3
25N3053VHF2W	Wood		$ 6454	23⅜	29⅝	52⅝	—	—	146 lbs.	33.0
25N3053VHF2L	Laminate		3389	23⅜	29⅝	52⅝	—	—	146 lbs.	33.0
25N3040VHF2W	Wood		$ 5608	23⅜	29⅝	40⅜	—	—	137 lbs.	25.7
25N3040VHF2L	Laminate		2948	23⅜	29⅝	40⅜	—	—	137 lbs.	25.7

- 67 has 2 adjustable shelves and 1 fixed shelf
- 53 has 1 adjustable shelf and 1 fixed shelf
- 40 has 1 fixed shelf
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminate options available on models 60" H or less

STORAGE CABINET WITH FILE/FILE PEDESTAL



25N1867VHR2L

25N1840VHR2L
Rights shown

LEFT HINGED	RIGHT HINGED		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
25N1867VHL2W	25N1867VHR2W	Wood	$ 4084	23⅜	17⅝	66⅞	—	—	160 lbs.	26.7
25N1867VHL2L	25N1867VHR2L	Laminate	2313	23⅜	17⅝	66⅞	—	—	160 lbs.	26.7
25N1853VHL2W	25N1853VHR2W	Wood	$ 3761	23⅜	17⅝	52⅝	—	—	151 lbs.	21.4
25N1853VHL2L	25N1853VHR2L	Laminate	2127	23⅜	17⅝	52⅝	—	—	151 lbs.	21.4
25N1840VHL2W	25N1840VHR2W	Wood	$ 3270	23⅜	17⅝	40⅜	—	—	142 lbs.	16.7
25N1840VHL2L	25N1840VHR2L	Laminate	1854	23⅜	17⅝	40⅜	—	—	142 lbs.	16.7

- 67 has 2 adjustable shelves and 1 fixed shelf
- 53 has 1 adjustable shelf and 1 fixed shelf
- 40 has 1 fixed shelf
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminate options available on models 60" H or less

EPIC

PRODUCT SPECIFICATIONS

- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Foot Color
3. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBER:

25N3667BCOFW FR462 MC

- See pages 87-91 for all options available in Epic

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
OPEN BOOKCASE 4 SHELF	25N3667BCOFW	Wood	$ 2835	13 15/16	35 7/8	66 7/8	–	–	188 lbs.	31.6
	25N3667BCOFL	Laminate	1408	13 15/16	35 7/8	66 7/8	–	–	188 lbs.	31.6
	25N3067BCOFW	Wood	$ 2690	13 15/16	29 15/16	66 7/8	–	–	173 lbs.	26.9
	25N3067BCOFL	Laminate	1338	13 15/16	29 15/16	66 7/8	–	–	173 lbs.	26.9
	• Shaded shelves are adjustable • Not intended for use as set-on surface storage • Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminate options available on models 60" H or less									
OPEN BOOKCASE 3 SHELF	25N3653BCOFW	Wood	$ 2599	13 15/16	35 7/8	52 13/16	–	–	140 lbs.	26.7
	25N3653BCOFL	Laminate	1273	13 15/16	35 7/8	52 13/16	–	–	140 lbs.	26.7
	25N3053BCOFW	Wood	$ 2468	13 15/16	29 15/16	52 13/16	–	–	125 lbs.	22.7
	25N3053BCOFL	Laminate	1211	13 15/16	29 15/16	52 13/16	–	–	125 lbs.	22.7
	• Shaded shelves are adjustable • Not intended for use as set-on surface storage									
OPEN BOOKCASE 2 SHELF	25N3640BCOFW	Wood	$ 2208	13 15/16	35 7/8	40 5/16	–	–	112 lbs.	20.6
	25N3640BCOFL	Laminate	1112	13 15/16	35 7/8	40 5/16	–	–	112 lbs.	20.6
	25N3040BCOFW	Wood	$ 2099	13 15/16	29 15/16	40 5/16	–	–	97 lbs.	17.5
	25N3040BCOFL	Laminate	1056	13 15/16	29 15/16	40 5/16	–	–	97 lbs.	17.5
	• Shaded shelf is adjustable • Not intended for use as set-on surface storage									
OPEN BOOKCASE 1 SHELF	25N3628BCOFW	Wood	$ 1932	13 15/16	35 7/8	27 5/16	–	–	75 lbs.	13.7
	25N3628BCOFL	Laminate	956	13 15/16	35 7/8	27 5/16	–	–	75 lbs.	13.7
	25N3028BCOFW	Wood	$ 1832	13 15/16	29 15/16	27 5/16	–	–	60 lbs.	11.6
	25N3028BCOFL	Laminate	905	13 15/16	29 15/16	27 5/16	–	–	60 lbs.	11.6
	• Shaded shelf is adjustable • Not intended for use as set-on surface storage									

PRODUCT SPECIFICATIONS

- Wood and laminate doors/drawers and chassis available; refer to page 89 for options
- If specifying wood, you must specify the same finish for all options
- Refer to page 93 for filing capabilities

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Laminate Door/Drawer Color
5. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

25N3638BCHL KRB 461 NM
25N2315PMBFL 88MB KRB 461 CL

- See pages 87-91 for all options available in Epic

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
BOOKCASE WITH DOORS SET-ON SURFACE 	25N3638BCHW	Wood	$ 1791	14¾	35⅞	38	–	–	110 lbs.	19.9
	25N3638BCHL	Laminate	939	14¾	35⅞	38	–	–	110 lbs.	19.9
	25N3038BCHW	Wood	$ 1656	14¾	29¹⁵⁄₁₆	38	–	–	94 lbs.	17.1
	25N3038BCHL	Laminate	832	14¾	29¹⁵⁄₁₆	38	–	–	94 lbs.	17.1
	• Not intended for use on table desking • Cabinet features 2 adjustable shelves • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available									
OPEN BOOKCASE SET-ON SURFACE 	25N3638BCOW	Wood	$ 1619	13¹⁵⁄₁₆	35⅞	38	–	–	100 lbs.	20.6
	25N3638BCOL	Laminate	871	13¹⁵⁄₁₆	35⅞	38	–	–	100 lbs.	20.6
	25N3038BCOW	Wood	$ 1486	13¹⁵⁄₁₆	29¹⁵⁄₁₆	38	–	–	85 lbs.	16.8
	25N3038BCOL	Laminate	788	13¹⁵⁄₁₆	29¹⁵⁄₁₆	38	–	–	85 lbs.	16.8
	• Shaded shelves are adjustable									
MOBILE PEDESTAL BOX/FILE WITH TOP 	25N2315PMBFW	Wood	$ 2708	23³⁄₁₆	15⅛	21⅜	–	–	76 lbs.	8.7
	25N2315PMBFL	Laminate	1533	23³⁄₁₆	15⅛	21⅜	–	–	76 lbs.	8.7
	• 4 double wheel non-locking casters standard • Maximum weight unit can hold is 300 pounds • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available									

EPIC

PRODUCT SPECIFICATIONS

- Wood and laminate drawers and chassis available; refer to page 89 for options
- If specifying wood, you must specify the same finish for all options
- Refer to page 93 for filing capabilities

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Laminate Drawer Color
5. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBER:

25N2315PMBFCL 88MB KRB 2 20020 NM NM

- See pages 87-91 for all options available in Epic

MODEL NO./DESCRIPTION

MOBILE PEDESTAL BOX/FILE CUSHION TOP



GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7
25N2315PMBFCW	Wood	$	2391	2420	2433	2455	2478	2518	2571

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
$	2440	2471	2494	2519	2546	2575	2599	2629	2659	2690

	K	L	M	N	O	P	Q	R	S	T
$	2736	2831	2890	2921	2951	2982	3013	3042	3072	3102

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7
25N2315PMBFCL	Laminate	$	1507	1536	1549	1571	1594	1634	1687

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
$	1556	1587	1610	1635	1662	1691	1715	1745	1775	1806

	K	L	M	N	O	P	Q	R	S	T
$	1852	1947	2006	2037	2067	2098	2129	2158	2188	2218

DIMENSIONS

Depth	22⁵⁄₁₆	Height	23	Weight	78
Width	15⅛			Cubic Ft.	9.2

- 4 double wheel non-locking casters standard
- Maximum weight unit can hold is 300 pounds
- Refer to pages 5-13 and www.NationalOfficeFurniture.com/Alliance for available upholstery options
- Specify fabric grade and color for cushion top
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

PRODUCT SPECIFICATIONS

- Wood and laminate chassis available; refer to page 89 for options
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Surface Grommet
3. Side Grommet
4. Finish/Laminate Paint Color

SAMPLE MODEL NUMBER:

25N2424ENW X X 462 MC

- See pages 87-91 for all options available in Epic

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
EPIC END TABLE	25N2424ENW	Wood	$ 2207	24	24	18⅝	—	—	55 lbs.	12.6
	25N2424ENL	Laminate	1914	24	24	18⅝	—	—	55 lbs.	12.6



Optional Surface and Side Grommet Locations

- Features metal base and feet in 3 color options
- Optional surface grommet cutout available in G12, G17, and G23 cutout (+$40 list)
- Optional side grommet cutout available in G23 cutout (+$40 list)
- Power grommet sold separately; reference pages 756-761 for pricing and details
- Optional glass and solid surface kits available; reference the Tables Price List

EPIC MAGAZINE TABLE	25N2448MGW	Wood	$ 2363	24	48	14¾	—	—	77 lbs.	19.1
	25N2448MGL	Laminate	2081	24	48	14¾	—	—	77 lbs.	19.1



Optional Surface and Side Grommet Locations

- Features metal base and feet in 3 color options
- Optional surface grommet cutout available in G12, G17, and G23 cutout (+$40 list)
- Optional side grommet cutout available in G23 cutout (+$40 list)
- Power grommet sold separately; reference pages 756-761 for pricing and details
- Optional glass and solid surface kits available; reference the Tables Price List

EPIC COFFEE TABLE	25N3636MGW	Wood	$ 2460	36	36	14¹⁄₁₆	—	—	65 lbs.	19.1
	25N3636MGL	Laminate	2178	36	36	14¹⁄₁₆	—	—	65 lbs.	19.1



Optional Surface and Side Grommet Locations

- Features metal base and feet in 3 color options
- Optional surface grommet cutout available in G12, G17, and G23 cutout (+$40 list)
- Optional side grommet cutout available in G23 cutout (+$40 list)
- Power grommet sold separately; reference pages 756-761 for pricing and details
- Optional glass and solid surface kits available; reference the Tables Price List

EPIC

EPIC
COMPONENTS

Component Units 148

EPIC

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of (wood or laminate) softened rim worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Knife rim profile (wood or laminate) available on user side (indicated by K1) or user and approach side (indicated by K2)
- If specifying wood, you must specify the same finish for all options
- Component worksurfaces can be used with assembled units
- Refer to page 92 for grommet locations; and page 90 for grommet upcharge
- Unsupported worksurface spans should not exceed 48"; see page 199 for support options
- Refer to pages 741-784 for accessories

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim Profile
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBER:

25N3984WSSLK2 E K405 G11MBLR D1B403 X X 807

- See pages 87-91 for all options available in Epic

RECTANGULAR WORKSURFACE
36" DEPTH

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SOFTENED RIM									
25N3684WSSW	Wood	$ 1737	36 1/16	83 15/16	1 3/16	–	–	117 lbs.	4.0
25N3684WSSL	Laminate	1183	36 1/16	83 15/16	1 3/16	–	–	117 lbs.	4.0
25N3678WSSW	Wood	$ 1610	36 1/16	77 15/16	1 3/16	–	–	108 lbs.	4.0
25N3678WSSL	Laminate	1093	36 1/16	77 15/16	1 3/16	–	–	108 lbs.	4.0
25N3672WSSW	Wood	$ 1481	36 1/16	71 15/16	1 3/16	–	–	100 lbs.	4.0
25N3672WSSL	Laminate	1005	36 1/16	71 15/16	1 3/16	–	–	100 lbs.	4.0
KNIFE RIM									
25N3884WSSWK1	Wood	$ 2263	37 9/16	83 15/16	1 3/16	–	–	120 lbs.	4.2
25N3884WSSLK1	Laminate	1836	37 9/16	83 15/16	1 3/16	–	–	120 lbs.	4.2
25N3878WSSWK1	Wood	$ 2093	37 9/16	77 15/16	1 3/16	–	–	111 lbs.	4.2
25N3878WSSLK1	Laminate	1693	37 9/16	77 15/16	1 3/16	–	–	111 lbs.	4.2
25N3872WSSWK1	Wood	$ 1928	37 9/16	71 15/16	1 3/16	–	–	103 lbs.	4.2
25N3872WSSLK1	Laminate	1561	37 9/16	71 15/16	1 3/16	–	–	103 lbs.	4.2
25N3984WSSWK2	Wood	$ 2263	39 1/16	83 15/16	1 3/16	–	–	120 lbs.	4.4
25N3984WSSLK2	Laminate	1836	39 1/16	83 15/16	1 3/16	–	–	120 lbs.	4.4
25N3978WSSWK2	Wood	$ 2093	39 1/16	77 15/16	1 3/16	–	–	117 lbs.	4.4
25N3978WSSLK2	Laminate	1693	39 1/16	77 15/16	1 3/16	–	–	117 lbs.	4.4
25N3972WSSWK2	Wood	$ 1928	39 1/16	71 15/16	1 3/16	–	–	108 lbs.	4.4
25N3972WSSLK2	Laminate	1561	39 1/16	71 15/16	1 3/16	–	–	108 lbs.	4.4

- Wire Manager available on left side, back, right side, back & left or back & right; see page 88 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 202
- Worksurfaces can be ordered in 1/16" increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 29" deep component pedestals
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 199
- For undersurface wire managers, see page 765

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of (wood or laminate) softened rim worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Knife rim profile (wood or laminate) available on user side (indicated by K1) or user and approach side (indicated by K2)
- If specifying wood, you must specify the same finish for all options
- Component worksurfaces can be used with assembled units
- Refer to page 92 for grommet locations; and page 90 for grommet upcharge
- Unsupported worksurface spans should not exceed 48"; see page 199 for support options
- Refer to pages 741-784 for accessories

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim Profile
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBER:

25N3096WSSL M V405 G11MBLR X X 83½ 807

- See pages 87-91 for all options available in Epic

RECTANGULAR WORKSURFACE 30" DEPTH

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SOFTENED RIM									
25N3096WSSW	Wood	$ 1610	30 1/16	95 15/16	1 3/16	–	–	111 lbs.	4.0
25N3096WSSL	Laminate	989	30 1/16	95 15/16	1 3/16	–	–	111 lbs.	4.0
25N3090WSSW	Wood	$ 1546	30 1/16	89 15/16	1 3/16	–	–	104 lbs.	3.9
25N3090WSSL	Laminate	958	30 1/16	89 15/16	1 3/16	–	–	104 lbs.	3.9
25N3084WSSW	Wood	$ 1481	30 1/16	83 15/16	1 3/16	–	–	97 lbs.	3.7
25N3084WSSL	Laminate	921	30 1/16	83 15/16	1 3/16	–	–	97 lbs.	3.7
25N3078WSSW	Wood	$ 1349	30 1/16	77 15/16	1 3/16	–	–	90 lbs.	3.6
25N3078WSSL	Laminate	828	30 1/16	77 15/16	1 3/16	–	–	90 lbs.	3.6
25N3072WSSW	Wood	$ 1220	30 1/16	71 15/16	1 3/16	–	–	83 lbs.	3.5
25N3072WSSL	Laminate	747	30 1/16	71 15/16	1 3/16	–	–	83 lbs.	3.5
25N3066WSSW	Wood	$ 1174	30 1/16	66	1 3/16	–	–	76 lbs.	3.4
25N3066WSSL	Laminate	684	30 1/16	66	1 3/16	–	–	76 lbs.	3.4
25N3060WSSW	Wood	$ 1147	30 1/16	60	1 3/16	–	–	69 lbs.	3.3
25N3060WSSL	Laminate	623	30 1/16	60	1 3/16	–	–	69 lbs.	3.3
25N3054WSSW	Wood	$ 1121	30 1/16	54	1 3/16	–	–	63 lbs.	3.0
25N3054WSSL	Laminate	574	30 1/16	54	1 3/16	–	–	63 lbs.	3.0
25N3048WSSW	Wood	$ 1098	30 1/16	48 1/16	1 3/16	–	–	56 lbs.	2.7
25N3048WSSL	Laminate	523	30 1/16	48 1/16	1 3/16	–	–	56 lbs.	2.7

- Wire Manager available on left side, back, right side, back & left or back & right; see page 88 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 202
- Worksurfaces can be ordered in 1/16" increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 23" or 29" deep pedestals
- Worksurfaces up to 72" wide can be used for table desking applications
- Specify center grommet only when using C-leg bases; field installed grommets are also available
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 199
- For Epicenter depth worksurfaces see pages 232-234
- For undersurface wire managers, see page 765

EPIC

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of (wood or laminate) softened rim worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Knife rim profile (wood or laminate) available on user side (indicated by K1) or user and approach side (indicated by K2)
- If specifying wood, you must specify the same finish for all options
- Component worksurfaces can be used with assembled units
- Refer to page 92 for grommet locations; and page 90 for grommet upcharge
- Unsupported worksurface spans should not exceed 48"; see page 199 for support options
- Refer to pages 741-784 for accessories

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim Profile
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBER:

25N3278WSSLK1 M K478 G1A X X X 478

• See pages 87-91 for all options available in Epic

RECTANGULAR WORKSURFACE 30" DEPTH (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
KNIFE RIM									
25N3296WSSWK1	Wood	$ 2093	31⅜	95⅛	1⅜	—	—	119 lbs.	4.2
25N3296WSSLK1	Laminate	1533	31⅜	95⅛	1⅜	—	—	119 lbs.	4.2
25N3290WSSWK1	Wood	$ 2009	31⅜	89⅛	1⅜	—	—	111 lbs.	4.1
25N3290WSSLK1	Laminate	1481	31⅜	89⅛	1⅜	—	—	111 lbs.	4.1
25N3284WSSWK1	Wood	$ 1928	31⅜	83⅛	1⅜	—	—	104 lbs.	3.9
25N3284WSSLK1	Laminate	1426	31⅜	83⅛	1⅜	—	—	104 lbs.	3.9
25N3278WSSWK1	Wood	$ 1755	31⅜	77⅛	1⅜	—	—	96 lbs.	3.8
25N3278WSSLK1	Laminate	1284	31⅜	77⅛	1⅜	—	—	96 lbs.	3.8
25N3272WSSWK1	Wood	$ 1584	31⅜	71⅛	1⅜	—	—	89 lbs.	3.7
25N3272WSSLK1	Laminate	1156	31⅜	71⅛	1⅜	—	—	89 lbs.	3.7
25N3266WSSWK1	Wood	$ 1524	31⅜	66	1⅜	—	—	82 lbs.	3.6
25N3266WSSLK1	Laminate	1059	31⅜	66	1⅜	—	—	82 lbs.	3.6
25N3260WSSWK1	Wood	$ 1493	31⅜	60	1⅜	—	—	74 lbs.	3.5
25N3260WSSLK1	Laminate	967	31⅜	60	1⅜	—	—	74 lbs.	3.5
25N3254WSSWK1	Wood	$ 1459	31⅜	54	1⅜	—	—	67 lbs.	3.2
25N3254WSSLK1	Laminate	888	31⅜	54	1⅜	—	—	67 lbs.	3.2
25N3248WSSWK1	Wood	$ 1430	31⅜	48⅛	1⅜	—	—	59 lbs.	2.8
25N3248WSSLK1	Laminate	809	31⅜	48⅛	1⅜	—	—	59 lbs.	2.8

- Wire Manager available on left side, back, right side, back & left or back & right; see page 88 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 202
- Worksurfaces can be ordered in 1⁄16" increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 23" or 29" deep pedestals
- Worksurfaces up to 72" wide can be used for table desking applications
- Specify center grommet only when using C-leg bases; field installed grommets are also available
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 199
- For Epicenter depth worksurfaces see pages 232-234
- For undersurface wire managers, see page 765

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of (wood or laminate) softened rim worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Knife rim profile (wood or laminate) available on user side (indicated by K1) or user and approach side (indicated by K2)
- If specifying wood, you must specify the same finish for all options
- Component worksurfaces can be used with assembled units
- Refer to page 92 for grommet locations; and page 90 for grommet upcharge
- Unsupported worksurface spans should not exceed 48"; see page 199 for support options
- Refer to pages 741-784 for accessories

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim Profile
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBER:

25N3378WSSLK2 M K478 G1A X X X 478

- See pages 87-91 for all options available in Epic

RECTANGULAR WORKSURFACE 30" DEPTH (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
KNIFE RIM (CONTINUED)									
25N3396WSSWK2	Wood	$ 2093	33⅛	95¹⁵⁄₁₆	1⅜	—	—	122 lbs.	4.4
25N3396WSSLK2	Laminate	1533	33⅛	95¹⁵⁄₁₆	1⅜	—	—	122 lbs.	4.4
25N3390WSSWK2	Wood	$ 2009	33⅛	89¹⁵⁄₁₆	1⅜	—	—	114 lbs.	4.3
25N3390WSSLK2	Laminate	1481	33⅛	89¹⁵⁄₁₆	1⅜	—	—	114 lbs.	4.3
25N3384WSSWK2	Wood	$ 1928	33⅛	83¹⁵⁄₁₆	1⅜	—	—	107 lbs.	4.1
25N3384WSSLK2	Laminate	1426	33⅛	83¹⁵⁄₁₆	1⅜	—	—	107 lbs.	4.1
25N3378WSSWK2	Wood	$ 1755	33⅛	77¹⁵⁄₁₆	1⅜	—	—	99 lbs.	4.0
25N3378WSSLK2	Laminate	1284	33⅛	77¹⁵⁄₁₆	1⅜	—	—	99 lbs.	4.0
25N3372WSSWK2	Wood	$ 1584	33⅛	71¹⁵⁄₁₆	1⅜	—	—	92 lbs.	3.9
25N3372WSSLK2	Laminate	1156	33⅛	71¹⁵⁄₁₆	1⅜	—	—	92 lbs.	3.9
25N3366WSSWK2	Wood	$ 1524	33⅛	66	1⅜	—	—	84 lbs.	3.8
25N3366WSSLK2	Laminate	1059	33⅛	66	1⅜	—	—	84 lbs.	3.8
25N3360WSSWK2	Wood	$ 1493	33⅛	60	1⅜	—	—	76 lbs.	3.6
25N3360WSSLK2	Laminate	967	33⅛	60	1⅜	—	—	76 lbs.	3.6
25N3354WSSWK2	Wood	$ 1459	33⅛	54	1⅜	—	—	69 lbs.	3.3
25N3354WSSLK2	Laminate	888	33⅛	54	1⅜	—	—	69 lbs.	3.3
25N3348WSSWK2	Wood	$ 1430	33⅛	48⅛	1⅜	—	—	61 lbs.	3.0
25N3348WSSLK2	Laminate	809	33⅛	48⅛	1⅜	—	—	61 lbs.	3.0

- Wire Manager available on left side, back, right side, back & left or back & right; see page 88 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 202
- Worksurfaces can be ordered in ⅛" increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 23" or 29" deep pedestals
- Worksurfaces up to 72" wide can be used for table desking applications
- Specify center grommet only when using C-leg bases; field installed grommets are also available
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 199
- For Epicenter depth worksurfaces see pages 232-234
- For undersurface wire managers, see page 765

EPIC

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of (wood or laminate) softened rim worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Knife rim profile (wood or laminate) available on user side (indicated by K1) or user and approach side (indicated by K2)
- If specifying wood, you must specify the same finish for all options
- Component worksurfaces can be used with assembled units
- Refer to page 92 for grommet locations; and page 90 for grommet upcharge
- Unsupported worksurface spans should not exceed 48"; see page 199 for support options
- Refer to pages 741-784 for accessories

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim Profile
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBER:

25N2496WSSW M V X D1B462 X 95.5 CL

- See pages 87-91 for all options available in Epic

RECTANGULAR WORKSURFACE 24" DEPTH



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SOFTENED RIM									
25N2496WSSW	Wood	$ 1482	24	95 15/16	1 3/16	–	–	89 lbs.	3.6
25N2496WSSL	Laminate	871	24	95 15/16	1 3/16	–	–	89 lbs.	3.6
25N2490WSSW	Wood	$ 1417	24	89 15/16	1 3/16	–	–	83 lbs.	3.5
25N2490WSSL	Laminate	837	24	89 15/16	1 3/16	–	–	83 lbs.	3.5
25N2484WSSW	Wood	$ 1350	24	83 15/16	1 3/16	–	–	78 lbs.	3.2
25N2484WSSL	Laminate	803	24	83 15/16	1 3/16	–	–	78 lbs.	3.2
25N2478WSSW	Wood	$ 1221	24	77 15/16	1 3/16	–	–	72 lbs.	3.3
25N2478WSSL	Laminate	715	24	77 15/16	1 3/16	–	–	72 lbs.	3.3
25N2472WSSW	Wood	$ 1089	24	71 15/16	1 3/16	–	–	67 lbs.	3.3
25N2472WSSL	Laminate	623	24	71 15/16	1 3/16	–	–	67 lbs.	3.3
25N2466WSSW	Wood	$ 1046	24	66	1 3/16	–	–	61 lbs.	3.1
25N2466WSSL	Laminate	579	24	66	1 3/16	–	–	61 lbs.	3.1
25N2460WSSW	Wood	$ 1018	24	60	1 3/16	–	–	56 lbs.	2.8
25N2460WSSL	Laminate	548	24	60	1 3/16	–	–	56 lbs.	2.8
25N2454WSSW	Wood	$ 992	24	54	1 3/16	–	–	50 lbs.	2.5
25N2454WSSL	Laminate	483	24	54	1 3/16	–	–	50 lbs.	2.5
25N2448WSSW	Wood	$ 970	24	48 1/16	1 3/16	–	–	44 lbs.	2.3
25N2448WSSL	Laminate	440	24	48 1/16	1 3/16	–	–	44 lbs.	2.3

- Wire Manager available on left side, back, right side, back & left or back & right; see page 88 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 202
- Worksurfaces can be ordered in 1/16" increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 23" deep pedestals
- Worksurfaces up to 72" wide can be used for table desking applications
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 199
- For worksurfaces with grain direction running front-to-back see pages 158-159
- For Epicenter depth worksurfaces see pages 235-239
- For undersurface wire managers, see page 765

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of (wood or laminate) softened rim worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Knife rim profile (wood or laminate) available on user side (indicated by K1) or user and approach side (indicated by K2)
- If specifying wood, you must specify the same finish for all options
- Component worksurfaces can be used with assembled units
- Refer to page 92 for grommet locations; and page 90 for grommet upcharge
- Unsupported worksurface spans should not exceed 48"; see page 199 for support options
- Refer to pages 741-784 for accessories

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim Profile
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBER:

25N2442WSSW M V X D1B462 X 95.5 CL

- See pages 87-91 for all options available in Epic

RECTANGULAR WORKSURFACE 24" DEPTH (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SOFTENED RIM (CONTINUED)									
25N2442WSSW	Wood	$ 927	24	42 1/16	1 3/16	—	—	38 lbs.	2.3
25N2442WSSL	Laminate	395	24	42 1/16	1 3/16	—	—	38 lbs.	2.3
25N2436WSSW	Wood	$ 893	24	36 1/16	1 3/16	—	—	33 lbs.	1.8
25N2436WSSL	Laminate	361	24	36 1/16	1 3/16	—	—	33 lbs.	1.8
25N2430WSSW	Wood	$ 868	24	30 1/16	1 3/16	—	—	28 lbs.	1.5
25N2430WSSL	Laminate	322	24	30 1/16	1 3/16	—	—	28 lbs.	1.5

- Wire Manager available on left side, back, right side, back & left or back & right; see page 88 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 202
- Worksurfaces can be ordered in 1/16" increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 23" deep pedestals
- Worksurfaces up to 72" wide can be used for table desking applications
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 199
- For worksurfaces with grain direction running front-to-back see pages 158-159
- For Epicenter depth worksurfaces see pages 235-239
- For undersurface wire managers, see page 765

EPIC

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of (wood or laminate) softened rim worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Knife rim profile (wood or laminate) available on user side (indicated by K1) or user and approach side (indicated by K2)
- If specifying wood, you must specify the same finish for all options
- Component worksurfaces can be used with assembled units
- Refer to page 92 for grommet locations; and page 90 for grommet upcharge
- Unsupported worksurface spans should not exceed 48"; see page 199 for support options
- Refer to pages 741-784 for accessories

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim Profile
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBER:

25N2696WSSWK1 F K G1LR D1B461 25 94 MC

- See pages 87-91 for all options available in Epic

RECTANGULAR WORKSURFACE 24" DEPTH (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
KNIFE RIM									
25N2696WSSWK1	Wood	$ 1929	25½	95 15/16	1 3/16	—	—	96 lbs.	3.8
25N2696WSSLK1	Laminate	1351	25½	95 15/16	1 3/16	—	—	96 lbs.	3.8
25N2690WSSWK1	Wood	$ 1839	25½	89 15/16	1 3/16	—	—	89 lbs.	3.7
25N2690WSSLK1	Laminate	1300	25½	89 15/16	1 3/16	—	—	89 lbs.	3.7
25N2684WSSWK1	Wood	$ 1756	25½	83 15/16	1 3/16	—	—	81 lbs.	3.6
25N2684WSSLK1	Laminate	1246	25½	83 15/16	1 3/16	—	—	81 lbs.	3.6
25N2678WSSWK1	Wood	$ 1585	25½	77 15/16	1 3/16	—	—	78 lbs.	3.5
25N2678WSSLK1	Laminate	1108	25½	77 15/16	1 3/16	—	—	78 lbs.	3.5
25N2672WSSWK1	Wood	$ 1417	25½	71 15/16	1 3/16	—	—	72 lbs.	3.4
25N2672WSSLK1	Laminate	967	25½	71 15/16	1 3/16	—	—	72 lbs.	3.4
25N2666WSSWK1	Wood	$ 1366	25½	66	1 3/16	—	—	66 lbs.	3.3
25N2666WSSLK1	Laminate	900	25½	66	1 3/16	—	—	66 lbs.	3.3
25N2660WSSWK1	Wood	$ 1324	25½	60	1 3/16	—	—	60 lbs.	2.9
25N2660WSSLK1	Laminate	851	25½	60	1 3/16	—	—	60 lbs.	2.9
25N2654WSSWK1	Wood	$ 1287	25½	54	1 3/16	—	—	54 lbs.	2.6
25N2654WSSLK1	Laminate	751	25½	54	1 3/16	—	—	54 lbs.	2.6
25N2648WSSWK1	Wood	$ 1264	25½	48 1/16	1 3/16	—	—	48 lbs.	2.4
25N2648WSSLK1	Laminate	680	25½	48 1/16	1 3/16	—	—	48 lbs.	2.4

- Wire Manager available on left side, back, right side, back & left or back & right; see page 88 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 202
- Worksurfaces can be ordered in 1/16" increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 23" deep pedestals
- Worksurfaces up to 72" wide can be used for table desking applications
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 199
- For worksurfaces with grain direction running front-to-back see pages 158-159
- For Epicenter depth worksurfaces see pages 235-239
- For undersurface wire managers, see page 765

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of (wood or laminate) softened rim worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Knife rim profile (wood or laminate) available on user side (indicated by K1) or user and approach side (indicated by K2)
- If specifying wood, you must specify the same finish for all options
- Component worksurfaces can be used with assembled units
- Refer to page 92 for grommet locations; and page 90 for grommet upcharge
- Unsupported worksurface spans should not exceed 48"; see page 199 for support options
- Refer to pages 741-784 for accessories

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim Profile
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBER:

25N2642WSSWK1 F K G1LR D1B461 25 94 MC

- See pages 87-91 for all options available in Epic

RECTANGULAR WORKSURFACE 24" DEPTH (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
KNIFE RIM (CONTINUED)									
25N2642WSSWK1	Wood	$ 1202	25½	42 1/16	1 3/16	—	—	42 lbs.	2.4
25N2642WSSLK1	Laminate	613	25½	42 1/16	1 3/16	—	—	42 lbs.	2.4
25N2636WSSWK1	Wood	$ 1162	25½	36 1/16	1 3/16	—	—	36 lbs.	1.9
25N2636WSSLK1	Laminate	559	25½	36 1/16	1 3/16	—	—	36 lbs.	1.9
25N2630WSSWK1	Wood	$ 1128	25½	30 1/16	1 3/16	—	—	30 lbs.	1.6
25N2630WSSLK1	Laminate	498	25½	30 1/16	1 3/16	—	—	30 lbs.	1.6
25N2796WSSWK2	Wood	$ 1929	27	95 15/16	1 3/16	—	—	100 lbs.	4.0
25N2796WSSLK2	Laminate	1351	27	95 15/16	1 3/16	—	—	100 lbs.	4.0
25N2790WSSWK2	Wood	$ 1839	27	89 15/16	1 3/16	—	—	94 lbs.	3.9
25N2790WSSLK2	Laminate	1300	27	89 15/16	1 3/16	—	—	94 lbs.	3.9
25N2784WSSWK2	Wood	$ 1756	27	83 15/16	1 3/16	—	—	88 lbs.	3.7
25N2784WSSLK2	Laminate	1246	27	83 15/16	1 3/16	—	—	88 lbs.	3.7
25N2778WSSWK2	Wood	$ 1585	27	77 15/16	1 3/16	—	—	81 lbs.	3.6
25N2778WSSLK2	Laminate	1108	27	77 15/16	1 3/16	—	—	81 lbs.	3.6
25N2772WSSWK2	Wood	$ 1417	27	71 15/16	1 3/16	—	—	75 lbs.	3.5
25N2772WSSLK2	Laminate	967	27	71 15/16	1 3/16	—	—	75 lbs.	3.5
25N2766WSSWK2	Wood	$ 1366	27	66	1 3/16	—	—	69 lbs.	3.4
25N2766WSSLK2	Laminate	900	27	66	1 3/16	—	—	69 lbs.	3.4

- Wire Manager available on left side, back, right side, back & left or back & right; see page 88 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 202
- Worksurfaces can be ordered in 1/16" increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 23" deep pedestals
- Worksurfaces up to 72" wide can be used for table desking applications
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 199
- For worksurfaces with grain direction running front-to-back see pages 158-159
- For Epicenter depth worksurfaces see pages 235-239
- For undersurface wire managers, see page 765

EPIC

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of (wood or laminate) softened rim worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Knife rim profile (wood or laminate) available on user side (indicated by K1) or user and approach side (indicated by K2)
- If specifying wood, you must specify the same finish for all options
- Component worksurfaces can be used with assembled units
- Refer to page 92 for grommet locations; and page 90 for grommet upcharge
- Unsupported worksurface spans should not exceed 48"; see page 199 for support options
- Refer to pages 741-784 for accessories

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim Profile
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBER:

25N2760WSSWK2 E K G1A X X X CL

- See pages 87-91 for all options available in Epic

RECTANGULAR WORKSURFACE 24" DEPTH (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
KNIFE RIM (CONTINUED)									
25N2760WSSWK2	Wood	$ 1324	27	60	1 3/16	—	—	63 lbs.	3.1
25N2760WSSLK2	Laminate	851	27	60	1 3/16	—	—	63 lbs.	3.1
25N2754WSSWK2	Wood	$ 1287	27	54	1 3/16	—	—	56 lbs.	2.8
25N2754WSSLK2	Laminate	751	27	54	1 3/16	—	—	56 lbs.	2.8
25N2748WSSWK2	Wood	$ 1264	27	48 1/16	1 3/16	—	—	50 lbs.	2.5
25N2748WSSLK2	Laminate	680	27	48 1/16	1 3/16	—	—	50 lbs.	2.5
25N2742WSSWK2	Wood	$ 1202	27	42 1/16	1 3/16	—	—	44 lbs.	2.3
25N2742WSSLK2	Laminate	613	27	42 1/16	1 3/16	—	—	44 lbs.	2.3
25N2736WSSWK2	Wood	$ 1162	27	36 1/16	1 3/16	—	—	38 lbs.	2.0
25N2736WSSLK2	Laminate	559	27	36 1/16	1 3/16	—	—	38 lbs.	2.0
25N2730WSSWK2	Wood	$ 1128	27	30 1/16	1 3/16	—	—	31 lbs.	1.7
25N2730WSSLK2	Laminate	498	27	30 1/16	1 3/16	—	—	31 lbs.	1.7

- Wire Manager available on left side, back, right side, back & left or back & right; see page 88 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 202
- Worksurfaces can be ordered in 1/16" increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 23" deep pedestals
- Worksurfaces up to 72" wide can be used for table desking applications
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 199
- For worksurfaces with grain direction running front-to-back see pages 158-159
- For Epicenter depth worksurfaces see pages 235-239
- For undersurface wire managers, see page 765

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of (wood or laminate) softened rim worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Knife rim profile (wood or laminate) available on user side (indicated by K1) or user and approach side (indicated by K2)
- If specifying wood, you must specify the same finish for all options
- Component worksurfaces can be used with assembled units
- Refer to page 92 for grommet locations; and page 90 for grommet upcharge
- Unsupported worksurface spans should not exceed 48"; see page 199 for support options
- Refer to pages 741-784 for accessories

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim Profile
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBER:

25N26A96WSSLK1 E K G1A X X X CL

- See pages 87-91 for all options available in Epic

RECTANGULAR WORKSURFACE
24" DEEP
FOR STORAGE CREDENZAS



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SOFTENED RIM									
25N24A96WSSL	Laminate	$ 871	24	96 1/16	1 3/16	—	—	89 lbs.	3.6
25N24A90WSSL	Laminate	837	24	90 1/16	1 3/16	—	—	83 lbs.	3.5
25N24A84WSSL	Laminate	803	24	84 1/16	1 3/16	—	—	78 lbs.	3.2
25N24A78WSSL	Laminate	715	24	78 1/16	1 3/16	—	—	72 lbs.	3.3
25N24A72WSSL	Laminate	623	24	72 1/16	1 3/16	—	—	67 lbs.	3.3
25N24A66WSSL	Laminate	579	24	66 1/8	1 3/16	—	—	61 lbs.	3.1
25N24A60WSSL	Laminate	548	24	60 1/8	1 3/16	—	—	56 lbs.	2.8
KNIFE RIM									
25N26A96WSSLK1	Laminate	$ 1351	25 1/2	96 1/16	1 3/16	—	—	96 lbs.	3.8
25N26A90WSSLK1	Laminate	1300	25 1/2	90 1/16	1 3/16	—	—	89 lbs.	3.7
25N26A84WSSLK1	Laminate	1246	25 1/2	84 1/16	1 3/16	—	—	81 lbs.	3.6
25N26A78WSSLK1	Laminate	1108	25 1/2	78 1/16	1 3/16	—	—	78 lbs.	3.5
25N26A72WSSLK1	Laminate	967	25 1/2	72 1/16	1 3/16	—	—	72 lbs.	3.4
25N26A66WSSLK1	Laminate	900	25 1/2	66 1/8	1 3/16	—	—	66 lbs.	3.3
25N26A60WSSLK1	Laminate	851	25 1/2	60 1/8	1 3/16	—	—	60 lbs.	2.9

- For use in storage credenza application
- Wire Manager available on left side, back, right side, back & left or back & right; see page 88 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 202
- For use with 23" deep pedestals
- For use when 2 or more laminate pedestals are ganged together under a common top

EPIC

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of (wood or laminate) softened rim worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Knife rim profile (wood or laminate) available on user side (indicated by K1) or user and approach side (indicated by K2)
- If specifying wood, you must specify the same finish for all options
- Component worksurfaces can be used with assembled units
- Refer to page 92 for grommet locations; and page 90 for grommet upcharge
- Unsupported worksurface spans should not exceed 48"; see page 199 for support options
- Refer to pages 741-784 for accessories

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim Profile
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBER:

25N2660WSSVWK1 M K G1C D1B478 X X MC

- See pages 87-91 for all options available in Epic

RECTANGULAR WORKSURFACE 24" DEPTH



Grain direction runs front-to-back

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SOFTENED RIM									
25N2460WSSVW	Wood	$ 1018	24	60	1 3/16	–	–	56 lbs.	2.8
25N2460WSSVL	Laminate	548	24	60	1 3/16	–	–	56 lbs.	2.8
25N2454WSSVW	Wood	$ 992	24	54	1 3/16	–	–	50 lbs.	2.5
25N2454WSSVL	Laminate	483	24	54	1 3/16	–	–	50 lbs.	2.5
25N2448WSSVW	Wood	$ 970	24	48 1/16	1 3/16	–	–	44 lbs.	2.3
25N2448WSSVL	Laminate	440	24	48 1/16	1 3/16	–	–	44 lbs.	2.3
25N2442WSSVW	Wood	$ 927	24	42 1/16	1 3/16	–	–	38 lbs.	2.1
25N2442WSSVL	Laminate	395	24	42 1/16	1 3/16	–	–	38 lbs.	2.1
25N2436WSSVW	Wood	$ 893	24	36 1/16	1 3/16	–	–	33 lbs.	1.8
25N2436WSSVL	Laminate	361	24	36 1/16	1 3/16	–	–	33 lbs.	1.8
25N2430WSSVW	Wood	$ 868	24	30 1/16	1 3/16	–	–	28 lbs.	1.5
25N2430WSSVL	Laminate	322	24	30 1/16	1 3/16	–	–	28 lbs.	1.5
KNIFE RIM									
25N2660WSSVWK1	Wood	$ 1324	25½	60	1 3/16	–	–	60 lbs.	2.9
25N2660WSSVLK1	Laminate	851	25½	60	1 3/16	–	–	60 lbs.	2.9
25N2654WSSVWK1	Wood	$ 1287	25½	54	1 3/16	–	–	54 lbs.	2.6
25N2654WSSVLK1	Laminate	751	25½	54	1 3/16	–	–	54 lbs.	2.6
25N2648WSSVWK1	Wood	$ 1264	25½	48 1/16	1 3/16	–	–	48 lbs.	2.4
25N2648WSSVLK1	Laminate	680	25½	48 1/16	1 3/16	–	–	48 lbs.	2.4

- Wire Manager available on left side, back, right side, back & left or back & right; see page 88 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 202
- Worksurfaces can be ordered in 1/16" increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- Grain direction runs front-to-back
- For use with 23" deep pedestals
- Intended to be used when building an L or U configuration utilizing components
- For worksurfaces with grain direction running left-to-right, refer to pages 152-156
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 199
- For Epicenter depth worksurfaces see pages 235-239
- For undersurface wire managers, see page 765

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of (wood or laminate) softened rim worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Knife rim profile (wood or laminate) available on user side (indicated by K1) or user and approach side (indicated by K2)
- If specifying wood, you must specify the same finish for all options
- Component worksurfaces can be used with assembled units
- Refer to page 92 for grommet locations; and page 90 for grommet upcharge
- Unsupported worksurface spans should not exceed 48"; see page 199 for support options
- Refer to pages 741-784 for accessories

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim Profile
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBER:

25N2630WSSVWK1 M K G1C D1B478 X X MC

- See pages 87-91 for all options available in Epic

RECTANGULAR WORKSURFACE 24" DEPTH (CONTINUED)



Grain direction runs front-to-back

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
KNIFE RIM (CONTINUED)									
25N2642WSSVWK1	Wood	$ 1202	25½	42 1/16	1 3/16	—	—	42 lbs.	2.2
25N2642WSSVLK1	Laminate	613	25½	42 1/16	1 3/16	—	—	42 lbs.	2.2
25N2636WSSVWK1	Wood	$ 1162	25½	36 1/16	1 3/16	—	—	33 lbs.	1.8
25N2636WSSVLK1	Laminate	559	25½	36 1/16	1 3/16	—	—	33 lbs.	1.8
25N2630WSSVWK1	Wood	$ 1128	25½	30 1/16	1 3/16	—	—	28 lbs.	1.5
25N2630WSSVLK1	Laminate	498	25½	30 1/16	1 3/16	—	—	28 lbs.	1.5
25N2760WSSVWK2	Wood	$ 1324	27	60	1 3/16	—	—	63 lbs.	3.1
25N2760WSSVLK2	Laminate	851	27	60	1 3/16	—	—	63 lbs.	3.1
25N2754WSSVWK2	Wood	$ 1287	27	54	1 3/16	—	—	56 lbs.	2.8
25N2754WSSVLK2	Laminate	751	27	54	1 3/16	—	—	56 lbs.	2.8
25N2748WSSVWK2	Wood	$ 1264	27	48 1/16	1 3/16	—	—	50 lbs.	2.5
25N2748WSSVLK2	Laminate	680	27	48 1/16	1 3/16	—	—	50 lbs.	2.5
25N2742WSSVWK2	Wood	$ 1202	27	42 1/16	1 3/16	—	—	44 lbs.	2.3
25N2742WSSVLK2	Laminate	613	27	42 1/16	1 3/16	—	—	44 lbs.	2.3
25N2736WSSVWK2	Wood	$ 1162	27	36 1/16	1 3/16	—	—	33 lbs.	1.8
25N2736WSSVLK2	Laminate	559	27	36 1/16	1 3/16	—	—	33 lbs.	1.8
25N2730WSSVWK2	Wood	$ 1128	27	30 1/16	1 3/16	—	—	28 lbs.	1.5
25N2730WSSVLK2	Laminate	498	27	30 1/16	1 3/16	—	—	28 lbs.	1.5

- Wire Manager available on left side, back, right side, back & left or back & right; see page 88 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 202
- Worksurfaces can be ordered in 1/16" increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- Grain direction runs front-to-back
- For use with 23" deep pedestals
- Intended to be used when building an L or U configuration utilizing components
- For worksurfaces with grain direction running left-to-right, refer to pages 152-156
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 199
- For Epicenter depth worksurfaces see pages 235-239
- For undersurface wire managers, see page 765

EPIC

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of (wood or laminate) softened rim worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Knife rim profile (wood or laminate) available on user side (indicated by K1) or user and approach side (indicated by K2)
- If specifying wood, you must specify the same finish for all options
- Component worksurfaces can be used with assembled units
- Refer to page 92 for grommet locations; and page 90 for grommet upcharge
- Unsupported worksurface spans should not exceed 48"; see page 199 for support options
- Refer to pages 741-784 for accessories

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim Profile
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBER:

25N1860WSSW M V G1C D1B425 X X CW

- See pages 87-91 for all options available in Epic

RECTANGULAR WORKSURFACE
18" DEPTH



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SOFTENED RIM									
25N1896WSSW	Wood	$ 1379	18⅛	95⁵⁄₁₆	1⅜₁₆	—	—	75 lbs.	3.0
25N1896WSSL	Laminate	813	18⅛	95⁵⁄₁₆	1⅜₁₆	—	—	75 lbs.	3.0
25N1890WSSW	Wood	$ 1318	18⅛	89⁵⁄₁₆	1⅜₁₆	—	—	71 lbs.	2.9
25N1890WSSL	Laminate	781	18⅛	89⁵⁄₁₆	1⅜₁₆	—	—	71 lbs.	2.9
25N1884WSSW	Wood	$ 1255	18⅛	83⁵⁄₁₆	1⅜₁₆	—	—	66 lbs.	2.7
25N1884WSSL	Laminate	749	18⅛	83⁵⁄₁₆	1⅜₁₆	—	—	66 lbs.	2.7
25N1878WSSW	Wood	$ 1133	18⅛	77⁵⁄₁₆	1⅜₁₆	—	—	61 lbs.	2.5
25N1878WSSL	Laminate	663	18⅛	77⁵⁄₁₆	1⅜₁₆	—	—	61 lbs.	2.5
25N1872WSSW	Wood	$ 1013	18⅛	71⁵⁄₁₆	1⅜₁₆	—	—	57 lbs.	2.3
25N1872WSSL	Laminate	579	18⅛	71⁵⁄₁₆	1⅜₁₆	—	—	57 lbs.	2.3
25N1866WSSW	Wood	$ 976	18⅛	66	1⅜₁₆	—	—	52 lbs.	2.2
25N1866WSSL	Laminate	537	18⅛	66	1⅜₁₆	—	—	52 lbs.	2.2
25N1860WSSW	Wood	$ 946	18⅛	60	1⅜₁₆	—	—	48 lbs.	2.0
25N1860WSSL	Laminate	509	18⅛	60	1⅜₁₆	—	—	48 lbs.	2.0
25N1854WSSW	Wood	$ 925	18⅛	54	1⅜₁₆	—	—	43 lbs.	1.8
25N1854WSSL	Laminate	452	18⅛	54	1⅜₁₆	—	—	43 lbs.	1.8
25N1848WSSW	Wood	$ 903	18⅛	48⅛₁₆	1⅜₁₆	—	—	38 lbs.	1.6
25N1848WSSL	Laminate	406	18⅛	48⅛₁₆	1⅜₁₆	—	—	38 lbs.	1.6

- Wire Manager available on left side, back, right side, back & left or back & right; see page 88 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 202
- Worksurfaces can be ordered in ⅛₁₆" increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 17" deep pedestals
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 199
- For Epicenter depth worksurfaces see pages 235-239
- For undersurface wire managers, see page 765

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of (wood or laminate) softened rim worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Knife rim profile (wood or laminate) available on user side (indicated by K1) or user and approach side (indicated by K2)
- If specifying wood, you must specify the same finish for all options
- Component worksurfaces can be used with assembled units
- Refer to page 92 for grommet locations; and page 90 for grommet upcharge
- Unsupported worksurface spans should not exceed 48"; see page 199 for support options
- Refer to pages 741-784 for accessories

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim Profile
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBER:

25N1842WSSW M V G1C D1B425 X X CW

- See pages 87-91 for all options available in Epic

RECTANGULAR WORKSURFACE 18" DEPTH (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SOFTENED RIM (CONTINUED)									
25N1842WSSW	Wood	$ 861	18⅛	42 1/16	1 3/16	—	—	34 lbs.	1.5
25N1842WSSL	Laminate	369	18⅛	42 1/16	1 3/16	—	—	34 lbs.	1.5
25N1836WSSW	Wood	$ 829	18⅛	36 1/16	1 3/16	—	—	29 lbs.	1.3
25N1836WSSL	Laminate	336	18⅛	36 1/16	1 3/16	—	—	29 lbs.	1.3
25N1830WSSW	Wood	$ 809	18⅛	30 1/16	1 3/16	—	—	24 lbs.	1.1
25N1830WSSL	Laminate	301	18⅛	30 1/16	1 3/16	—	—	24 lbs.	1.1
KNIFE RIM									
25N2096WSSWK1	Wood	$ 1694	19⅜	95 15/16	1 3/16	—	—	75 lbs.	3.0
25N2096WSSLK1	Laminate	1097	19⅜	95 15/16	1 3/16	—	—	75 lbs.	3.0
25N2090WSSWK1	Wood	$ 1620	19⅜	89 15/16	1 3/16	—	—	71 lbs.	2.9
25N2090WSSLK1	Laminate	1053	19⅜	89 15/16	1 3/16	—	—	71 lbs.	2.9
25N2084WSSWK1	Wood	$ 1544	19⅜	83 15/16	1 3/16	—	—	66 lbs.	2.7
25N2084WSSLK1	Laminate	1011	19⅜	83 15/16	1 3/16	—	—	66 lbs.	2.7
25N2078WSSWK1	Wood	$ 1395	19⅜	77 15/16	1 3/16	—	—	61 lbs.	2.5
25N2078WSSLK1	Laminate	894	19⅜	77 15/16	1 3/16	—	—	61 lbs.	2.5
25N2072WSSWK1	Wood	$ 1246	19⅜	71 15/16	1 3/16	—	—	57 lbs.	2.3
25N2072WSSLK1	Laminate	781	19⅜	71 15/16	1 3/16	—	—	57 lbs.	2.3
25N2066WSSWK1	Wood	$ 1199	19⅜	66	1 3/16	—	—	52 lbs.	2.2
25N2066WSSLK1	Laminate	724	19⅜	66	1 3/16	—	—	52 lbs.	2.2

- Wire Manager available on left side, back, right side, back & left or back & right; see page 88 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 202
- Worksurfaces can be ordered in 1/16" increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 17" deep pedestals
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 199
- For Epicenter depth worksurfaces see pages 235-239
- For undersurface wire managers, see page 765

EPIC

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of (wood or laminate) softened rim worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Knife rim profile (wood or laminate) available on user side (indicated by K1) or user and approach side (indicated by K2)
- If specifying wood, you must specify the same finish for all options
- Component worksurfaces can be used with assembled units
- Refer to page 92 for grommet locations; and page 90 for grommet upcharge
- Unsupported worksurface spans should not exceed 48"; see page 199 for support options
- Refer to pages 741-784 for accessories

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim Profile
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBER:

25N2060WSSWK1 M K G1C X MH

- See pages 87-91 for all options available in Epic

RECTANGULAR WORKSURFACE 18" DEPTH (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
KNIFE RIM (CONTINUED)									
25N2060WSSWK1	Wood	$ 1166	19⅝	60	1³⁄₁₆	—	—	48 lbs.	2.0
25N2060WSSLK1	Laminate	686	19⅝	60	1³⁄₁₆	—	—	48 lbs.	2.0
25N2054WSSWK1	Wood	$ 1133	19⅝	54	1³⁄₁₆	—	—	43 lbs.	1.8
25N2054WSSLK1	Laminate	609	19⅝	54	1³⁄₁₆	—	—	43 lbs.	1.8
25N2048WSSWK1	Wood	$ 1112	19⅝	48¹⁄₁₆	1³⁄₁₆	—	—	38 lbs.	1.6
25N2048WSSLK1	Laminate	550	19⅝	48¹⁄₁₆	1³⁄₁₆	—	—	38 lbs.	1.6
25N2042WSSWK1	Wood	$ 1062	19⅝	42¹⁄₁₆	1³⁄₁₆	—	—	34 lbs.	1.5
25N2042WSSLK1	Laminate	495	19⅝	42¹⁄₁₆	1³⁄₁₆	—	—	34 lbs.	1.5
25N2036WSSWK1	Wood	$ 1021	19⅝	36¹⁄₁₆	1³⁄₁₆	—	—	29 lbs.	1.3
25N2036WSSLK1	Laminate	453	19⅝	36¹⁄₁₆	1³⁄₁₆	—	—	29 lbs.	1.3
25N2030WSSWK1	Wood	$ 994	19⅝	30¹⁄₁₆	1³⁄₁₆	—	—	24 lbs.	1.1
25N2030WSSLK1	Laminate	406	19⅝	30¹⁄₁₆	1³⁄₁₆	—	—	24 lbs.	1.1

- Wire Manager available on left side, back, right side, back & left or back & right; see page 88 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 202
- Worksurfaces can be ordered in ¹⁄₁₆" increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 17" deep pedestals
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 199
- For Epicenter depth worksurfaces see pages 235-239
- For undersurface wire managers, see page 765

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of (wood or laminate) softened rim worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Knife rim profile (wood or laminate) available on user side (indicated by K1) or user and approach side (indicated by K2)
- If specifying wood, you must specify the same finish for all options
- Component worksurfaces can be used with assembled units
- Refer to page 92 for grommet locations; and page 90 for grommet upcharge
- Unsupported worksurface spans should not exceed 48"; see page 199 for support options
- Refer to pages 741-784 for accessories

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim Profile
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBER:

25N20A96WSSLK1 M K G1C X MH

- See pages 87-91 for all options available in Epic

RECTANGULAR WORKSURFACE
18" DEEP
FOR STORAGE CREDENZAS



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SOFTENED RIM									
25N18A96WSSL	Laminate	$ 813	18⅛	96 1/16	1 3/16	—	—	75 lbs.	3.0
25N18A90WSSL	Laminate	781	18⅛	90 1/16	1 3/16	—	—	71 lbs.	2.9
25N18A84WSSL	Laminate	749	18⅛	84 1/16	1 3/16	—	—	66 lbs.	2.7
25N18A78WSSL	Laminate	663	18⅛	78 1/16	1 3/16	—	—	61 lbs.	2.5
25N18A72WSSL	Laminate	579	18⅛	72 1/16	1 3/16	—	—	57 lbs.	2.3
25N18A66WSSL	Laminate	537	18⅛	66⅛	1 3/16	—	—	52 lbs.	2.2
25N18A60WSSL	Laminate	509	18⅛	60⅛	1 3/16	—	—	48 lbs.	2.0
KNIFE RIM									
25N20A96WSSLK1	Laminate	$ 1097	19⅜	96 1/16	1 3/16	—	—	75 lbs.	3.0
25N20A90WSSLK1	Laminate	1053	19⅜	90 1/16	1 3/16	—	—	71 lbs.	2.9
25N20A84WSSLK1	Laminate	1011	19⅜	84 1/16	1 3/16	—	—	66 lbs.	2.7
25N20A78WSSLK1	Laminate	894	19⅜	78 1/16	1 3/16	—	—	61 lbs.	2.5
25N20A72WSSLK1	Laminate	781	19⅜	72 1/16	1 3/16	—	—	57 lbs.	2.3
25N20A66WSSLK1	Laminate	724	19⅜	66⅛	1 3/16	—	—	52 lbs.	2.2
25N20A60WSSLK1	Laminate	686	19⅜	60⅛	1 3/16	—	—	48 lbs.	2.0

- Wire Manager available on left side, back, right side, back & left or back & right; see page 88 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 202
- Worksurfaces can be ordered in 1/16" increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 17" deep pedestals
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 199
- For Epicenter depth worksurfaces see pages 235-239
- For undersurface wire managers, see page 765

EPIC

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of (wood or laminate) softened rim worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Knife rim profile (wood or laminate) available on user side (indicated by K1) or user and approach side (indicated by K2)
- If specifying wood, you must specify the same finish for all options
- Knife rim profile always on extension
- Component worksurfaces can be used with assembled units
- Refer to page 92 for grommet locations; and page 90 for grommet upcharge
- Unsupported worksurface spans should not exceed 48"; see page 199 for support options
- Refer to pages 741-784 for accessories

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim Profile
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBER:

25N3696WSCERW2 M V G1A X MC

- See pages 87-91 for all options available in Epic

EXTENDED CORNER WORKSURFACE



Left shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SOFTENED RIM LEFT	RIGHT									
25N3696WSCELW2	25N3696WSCERW2	Wood	$ 2419	35 15/16	95 15/16	1 3/16	–	–	106 lbs.	5.9
25N3696WSCELL2	25N3696WSCERL2	Laminate	1747	35 15/16	95 15/16	1 3/16	–	–	106 lbs.	5.9
25N3690WSCELW2	25N3690WSCERW2	Wood	$ 2378	35 15/16	89 15/16	1 3/16	–	–	100 lbs.	5.6
25N3690WSCELL2	25N3690WSCERL2	Laminate	1694	35 15/16	89 15/16	1 3/16	–	–	100 lbs.	5.6
25N3684WSCELW2	25N3684WSCERW2	Wood	$ 2338	35 15/16	83 15/16	1 3/16	–	–	93 lbs.	5.2
25N3684WSCELL2	25N3684WSCERL2	Laminate	1646	35 15/16	83 15/16	1 3/16	–	–	93 lbs.	5.2
25N3678WSCELW2	25N3678WSCERW2	Wood	$ 2098	35 15/16	77 15/16	1 3/16	–	–	86 lbs.	4.6
25N3678WSCELL2	25N3678WSCERL2	Laminate	1596	35 15/16	77 15/16	1 3/16	–	–	86 lbs.	4.6
25N3672WSCELW2	25N3672WSCERW2	Wood	$ 1856	35 15/16	72	1 3/16	–	–	79 lbs.	3.9
25N3672WSCELL2	25N3672WSCERL2	Laminate	1547	35 15/16	72	1 3/16	–	–	79 lbs.	3.9
25N3666WSCELW2	25N3666WSCERW2	Wood	$ 1791	35 15/16	66	1 3/16	–	–	72 lbs.	3.6
25N3666WSCELL2	25N3666WSCERL2	Laminate	1470	35 15/16	66	1 3/16	–	–	72 lbs.	3.6
25N3660WSCELW2	25N3660WSCERW2	Wood	$ 1671	35 15/16	60	1 3/16	–	–	65 lbs.	3.3
25N3660WSCELL2	25N3660WSCERL2	Laminate	1395	35 15/16	60	1 3/16	–	–	65 lbs.	3.3
25N3654WSCELW2	25N3654WSCERW2	Wood	$ 1612	35 15/16	54	1 3/16	–	–	58 lbs.	3.0
25N3654WSCELL2	25N3654WSCERL2	Laminate	1352	35 15/16	54	1 3/16	–	–	58 lbs.	3.0
25N3696WSCELW2K1	25N3696WSCERW2K1	Wood	$ 3144	36 1/16	95 15/16	1 3/16	–	–	106 lbs.	5.9
25N3696WSCELL2K1	25N3696WSCERL2K1	Laminate	2705	36 1/16	95 15/16	1 3/16	–	–	106 lbs.	5.9
25N3690WSCELW2K1	25N3690WSCERW2K1	Wood	$ 3089	36 1/16	90	1 3/16	–	–	100 lbs.	5.6
25N3690WSCELL2K1	25N3690WSCERL2K1	Laminate	2628	36 1/16	90	1 3/16	–	–	100 lbs.	5.6

- Wire Manager available on left side, back or right side; see page 91 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 554
- For additional worksurface support, specify Undersurface Support Rail, see page 550
- Modified width and depth not available on this shape
- Intended for use with 24" deep worksurfaces
- For undersurface wire managers, see page 765

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of (wood or laminate) softened rim worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Knife rim profile (wood or laminate) available on user side (indicated by K1) or user and approach side (indicated by K2)
- If specifying wood, you must specify the same finish for all options
- Knife rim profile always on extension
- Component worksurfaces can be used with assembled units
- Refer to page 92 for grommet locations; and page 90 for grommet upcharge
- Unsupported worksurface spans should not exceed 48"; see page 199 for support options
- Refer to pages 741-784 for accessories

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim Profile
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBER:

25N3684WSCELL2K1 E K405 X D1B405 405

- See pages 87-91 for all options available in Epic

EXTENDED CORNER WORKSURFACE (CONTINUED)



Left shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
KNIFE RIM LEFT	RIGHT									
25N3684WSCELW2K1	25N3684WSCERW2K1	Wood	$ 3037	36 1/16	83 15/16	1 3/16	–	–	93 lbs.	5.2
25N3684WSCELL2K1	25N3684WSCERL2K1	Laminate	2552	36 1/16	83 15/16	1 3/16	–	–	93 lbs.	5.2
25N3678WSCELW2K1	25N3678WSCERW2K1	Wood	$ 2727	36 1/16	78	1 3/16	–	–	86 lbs.	4.6
25N3678WSCELL2K1	25N3678WSCERL2K1	Laminate	2474	36 1/16	78	1 3/16	–	–	86 lbs.	4.6
25N3672WSCELW2K1	25N3672WSCERW2K1	Wood	$ 2413	36 1/16	71 15/16	1 3/16	–	–	79 lbs.	3.9
25N3672WSCELL2K1	25N3672WSCERL2K1	Laminate	2401	36 1/16	71 15/16	1 3/16	–	–	79 lbs.	3.9
25N3666WSCELW2K1	25N3666WSCERW2K1	Wood	$ 2330	36 1/16	66	1 3/16	–	–	72 lbs.	3.6
25N3666WSCELL2K1	25N3666WSCERL2K1	Laminate	2278	36 1/16	66	1 3/16	–	–	72 lbs.	3.6
25N3660WSCELW2K1	25N3660WSCERW2K1	Wood	$ 2170	36 1/16	60	1 3/16	–	–	65 lbs.	3.3
25N3660WSCELL2K1	25N3660WSCERL2K1	Laminate	2164	36 1/16	60	1 3/16	–	–	65 lbs.	3.3
25N3654WSCELW2K1	25N3654WSCERW2K1	Wood	$ 2097	36 1/16	54	1 3/16	–	–	58 lbs.	3.0
25N3654WSCELL2K1	25N3654WSCERL2K1	Laminate	2098	36 1/16	54	1 3/16	–	–	58 lbs.	3.0
25N3896WSCELW2K2	25N3896WSCERW2K2	Wood	$ 3144	37 1/2	95 15/16	1 3/16	–	–	106 lbs.	5.9
25N3896WSCELL2K2	25N3896WSCERL2K2	Laminate	2705	37 1/2	95 15/16	1 3/16	–	–	106 lbs.	5.9
25N3890WSCELW2K2	25N3890WSCERW2K2	Wood	$ 3089	37 1/2	90	1 3/16	–	–	100 lbs.	5.6
25N3890WSCELL2K2	25N3890WSCERL2K2	Laminate	2628	37 1/2	90	1 3/16	–	–	100 lbs.	5.6
25N3884WSCELW2K2	25N3884WSCERW2K2	Wood	$ 3037	37 1/2	83 15/16	1 3/16	–	–	93 lbs.	5.2
25N3884WSCELL2K2	25N3884WSCERL2K2	Laminate	2552	37 1/2	83 15/16	1 3/16	–	–	93 lbs.	5.2
25N3878WSCELW2K2	25N3878WSCERW2K2	Wood	$ 2727	37 1/2	78	1 3/16	–	–	86 lbs.	4.6
25N3878WSCELL2K2	25N3878WSCERL2K2	Laminate	2474	37 1/2	78	1 3/16	–	–	86 lbs.	4.6

- Wire Manager available on left side, back or right side; see page 91 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 554
- For additional worksurface support, specify Undersurface Support Rail, see page 550
- Modified width and depth not available on this shape
- Intended for use with 24" deep worksurfaces
- For undersurface wire managers, see page 765

EPIC

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of (wood or laminate) softened rim worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Knife rim profile (wood or laminate) available on user side (indicated by K1) or user and approach side (indicated by K2)
- If specifying wood, you must specify the same finish for all options
- Knife rim profile always on extension
- Component worksurfaces can be used with assembled units
- Refer to page 92 for grommet locations; and page 90 for grommet upcharge
- Unsupported worksurface spans should not exceed 48"; see page 199 for support options
- Refer to pages 741-784 for accessories

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim Profile
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBER:

25N3872WSCELL2K2 E K405 X D1B405 405

- See pages 87-91 for all options available in Epic

EXTENDED CORNER WORKSURFACE (CONTINUED)



Left shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
KNIFE RIM (CONTINUED)										
LEFT	**RIGHT**									
25N3872WSCELW2K2	25N3872WSCERW2K2	Wood	$ 2413	37½	71¹⁵⁄₁₆	1³⁄₁₆	–	–	79 lbs.	3.9
25N3872WSCELL2K2	25N3872WSCERL2K2	Laminate	2401	37½	71¹⁵⁄₁₆	1³⁄₁₆	–	–	79 lbs.	3.9
25N3866WSCELW2K2	25N3866WSCERW2K2	Wood	$ 2330	37½	66	1³⁄₁₆	–	–	72 lbs.	3.6
25N3866WSCELL2K2	25N3866WSCERL2K2	Laminate	2278	37½	66	1³⁄₁₆	–	–	72 lbs.	3.6
25N3860WSCELW2K2	25N3860WSCERW2K2	Wood	$ 2170	37½	60	1³⁄₁₆	–	–	65 lbs.	3.3
25N3860WSCELL2K2	25N3860WSCERL2K2	Laminate	2164	37½	60	1³⁄₁₆	–	–	65 lbs.	3.3
25N3854WSCELW2K2	25N3854WSCERW2K2	Wood	$ 2097	37½	54	1³⁄₁₆	–	–	58 lbs.	3.0
25N3854WSCELL2K2	25N3854WSCERL2K2	Laminate	2098	37½	54	1³⁄₁₆	–	–	58 lbs.	3.0

- Wire Manager available on left side, back or right side; see page 91 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 554
- For additional worksurface support, specify Undersurface Support Rail, see page 550
- Modified width and depth not available on this shape
- Intended for use with 24" deep worksurfaces
- For undersurface wire managers, see page 765

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of (wood or laminate) softened rim worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Knife rim profile (wood or laminate) available on user side (indicated by K1) or user and approach side (indicated by K2)
- If specifying wood, you must specify the same finish for all options
- Component worksurfaces can be used with assembled units
- Refer to page 92 for grommet locations; and page 90 for grommet upcharge
- Unsupported worksurface spans should not exceed 48"; see page 199 for support options
- Refer to pages 741-784 for accessories

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim Profile
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Width
8. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBER:

25N3672WSUW M V X D1B461 X HN

- See pages 87-91 for all options available in Epic

U-SHAPED WORKSURFACE

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SOFTENED RIM									
25N3672WSUW	Wood	$ 2072	36 1/16	71 15/16	1 3/16	—	—	90 lbs.	3.8
25N3672WSUL	Laminate	1135	36 1/16	71 15/16	1 3/16	—	—	90 lbs.	3.8
25N3072WSUW	Wood	$ 1816	30 1/16	71 15/16	1 3/16	—	—	76 lbs.	3.6
25N3072WSUL	Laminate	871	30 1/16	71 15/16	1 3/16	—	—	76 lbs.	3.6
25N3066WSUW	Wood	$ 1715	30 1/16	66	1 3/16	—	—	70 lbs.	3.3
25N3066WSUL	Laminate	776	30 1/16	66	1 3/16	—	—	70 lbs.	3.3
25N2460WSUW	Wood	$ 1117	24	60	1 3/16	—	—	69 lbs.	2.8
25N2460WSUL	Laminate	623	24	60	1 3/16	—	—	69 lbs.	2.8
25N2448WSUW	Wood	$ 986	24	48	1 3/16	—	—	57 lbs.	2.3
25N2448WSUL	Laminate	548	24	48	1 3/16	—	—	57 lbs.	2.3

- To add full modesty panel, specify a panel that is 18" shorter than the width of the top; end panel, support base, and support base bracket must also be ordered; see page 202 for support base bracket
- Wire Manager available on back, the straight edge of the worksurface; see page 88 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 202
- Worksurfaces can be ordered in 1/16" increments in width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired width
- Modified depth not available on this shape
- For undersurface wire managers, see page 765
- Not recommended for use with Epicenter slat wall

EPIC

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of (wood or laminate) softened rim worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Knife rim profile (wood or laminate) available on user side (indicated by K1) or user and approach side (indicated by K2)
- If specifying wood, you must specify the same finish for all options
- Component worksurfaces can be used with assembled units
- Refer to page 92 for grommet locations; and page 90 for grommet upcharge
- Unsupported worksurface spans should not exceed 48"; see page 199 for support options
- Refer to pages 741-784 for accessories

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim Profile
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Width
8. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBER:

25N3974WSUWK1 M V X D1B461 X HN

- See pages 87-91 for all options available in Epic

U-SHAPED WORKSURFACE (CONTINUED)

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
KNIFE RIM									
25N3974WSUWK1	Wood	$ 2698	39⅛	73⅞	1⅜	—	—	95 lbs.	4.0
25N3974WSULK1	Laminate	1756	39⅛	73⅞	1⅜	—	—	95 lbs.	4.0
25N3374WSUWK1	Wood	$ 2358	33⅛	73⅞	1⅜	—	—	80 lbs.	3.8
25N3374WSULK1	Laminate	1351	33⅛	73⅞	1⅜	—	—	80 lbs.	3.8
25N3368WSUWK1	Wood	$ 2226	33⅛	67½	1⅜	—	—	74 lbs.	3.5
25N3368WSULK1	Laminate	1200	33⅛	67½	1⅜	—	—	74 lbs.	3.5
25N2762WSUWK1	Wood	$ 1450	27	61½	1⅜	—	—	72 lbs.	2.9
25N2762WSULK1	Laminate	967	27	61½	1⅜	—	—	72 lbs.	2.9
25N2750WSUWK1	Wood	$ 1282	27	49½	1⅜	—	—	60 lbs.	2.4
25N2750WSULK1	Laminate	851	27	49½	1⅜	—	—	60 lbs.	2.4

- To add full modesty panel, specify a panel that is 18" shorter than the width of the top; end panel, support base, and support base bracket must also be ordered; see page 202 for support base bracket
- Wire Manager available on back, the straight edge of the worksurface; see page 88 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 202
- Worksurfaces can be ordered in 1⁄16" increments in width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired width
- Modified depth not available on this shape
- For undersurface wire managers, see page 765
- Not recommended for use with Epicenter slat wall

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of (wood or laminate) softened rim worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Knife rim profile (wood or laminate) available on user side (indicated by K1) or user and approach side (indicated by K2)
- If specifying wood, you must specify the same finish for all options
- Component worksurfaces can be used with assembled units
- Refer to page 92 for grommet locations; and page 90 for grommet upcharge
- Unsupported worksurface spans should not exceed 48"; see page 199 for support options
- Refer to pages 741-784 for accessories

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim Profile
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Width
8. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

25N3672WSUERW2	M	V	X	X	MC	
25N3072WSPLL	E	VCW	G1C	D1B485	70.5	CW

- See pages 87-91 for all options available in Epic

EXTENDED U-SHAPED WORKSURFACE



Left shown

MODEL NO./DESCRIPTION LEFT	RIGHT		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SOFTENED RIM										
25N3672WSUELW2	25N3672WSUERW2	Wood	$ 2097	36 1/16	71 15/16	1 3/16	–	–	90 lbs.	3.8
25N3672WSUELL2	25N3672WSUERL2	Laminate	1339	36 1/16	71 15/16	1 3/16	–	–	90 lbs.	3.8
25N3672WSUELW3	25N3672WSUERW3	Wood	$ 2167	36 1/16	71 15/16	1 3/16	–	–	90 lbs.	3.8
25N3672WSUELL3	25N3672WSUERL3	Laminate	1389	36 1/16	71 15/16	1 3/16	–	–	90 lbs.	3.8
KNIFE RIM										
25N3874WSUELW2K1	25N3874WSUERW2K1	Wood	$ 2725	37 3/16	73 3/16	1 3/16	–	–	95 lbs.	4.0
25N3874WSUELL2K1	25N3874WSUERL2K1	Laminate	2075	37 3/16	73 3/16	1 3/16	–	–	95 lbs.	4.0
25N3874WSUELW3K1	25N3874WSUERW3K1	Wood	$ 2816	37 3/16	73 3/16	1 3/16	–	–	95 lbs.	4.0
25N3874WSUELL3K1	25N3874WSUERL3K1	Laminate	2153	37 3/16	73 3/16	1 3/16	–	–	95 lbs.	4.0

- Wire Manager available on back; see page 88 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 202
- Modified depth and width not available on this shape
- For undersurface wire managers, see page 765
- Not recommended for use with Epicenter slat wall
- Models ending in 2 – utilize with 24" deep worksurfaces
- Models ending in 3 – utilize with 30" deep worksurfaces

P-SHAPED WORKSURFACE



Right shown

MODEL NO./DESCRIPTION LEFT	RIGHT		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SOFTENED RIM										
25N3072WSPLW	25N3072WSPRW	Wood	$ 2175	30 1/16	71 15/16	1 3/16	–	–	69 lbs.	3.6
25N3072WSPLL	25N3072WSPRL	Laminate	1504	30 1/16	71 15/16	1 3/16	–	–	69 lbs.	3.6
KNIFE RIM										
25N3374WSPLWK1	25N3374WSPRWK1	Wood	$ 2826	33 1/16	73 3/16	1 3/16	–	–	72 lbs.	3.8
25N3374WSPLLK1	25N3374WSPRLK1	Laminate	2329	33 1/16	73 3/16	1 3/16	–	–	72 lbs.	3.8

- To add full modesty panel, specify a panel that is 18" shorter than the width of the top; end panel, support base, and support base bracket must also be ordered; see page 202 for support base bracket
- Wire Manager available on back, the straight edge of the worksurface; see page 88 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 202
- Worksurfaces can be ordered in 1/16" increments in width to a minimum of 59 15/16" at no upcharge
- When ordering a worksurface with a size modification, specify desired width
- Modified depth not available on this shape
- For undersurface wire managers, see page 765
- Not recommended for use with Epicenter slat wall

EPIC

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of (wood or laminate) softened rim worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Knife rim profile (wood or laminate) available on user side (indicated by K1) or user and approach side (indicated by K2)
- If specifying wood, you must specify the same finish for all options
- Component worksurfaces can be used with assembled units
- Refer to page 92 for grommet locations; and page 90 for grommet upcharge
- Unsupported worksurface spans should not exceed 48"; see page 199 for support options
- Refer to pages 741-784 for accessories

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim Profile
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Width
8. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBER:

25N3672WSPERW2 M V X X MC

- See pages 87-91 for all options available in Epic

EXTENDED CORNER P-SHAPED WORKSURFACE



Left shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SOFTENED RIM										
LEFT	**RIGHT**									
25N3672WSPELW2	25N3672WSPERW2	Wood	$ 2439	35 3/16	71 15/16	1 3/16	–	–	73 lbs.	4.9
25N3672WSPELL2	25N3672WSPERL2	Laminate	1696	35 3/16	71 15/16	1 3/16	–	–	73 lbs.	4.9
25N3672WSPELW3	25N3672WSPERW3	Wood	$ 2511	35 3/16	73 7/16	1 3/16	–	–	73 lbs.	4.9
25N3672WSPELL3	25N3672WSPERL3	Laminate	1749	35 3/16	73 7/16	1 3/16	–	–	73 lbs.	4.9
KNIFE RIM										
LEFT	**RIGHT**									
25N3874WSPELW2K1	25N3874WSPERW2K1	Wood	$ 3168	37 7/16	73 7/16	1 3/16	–	–	77 lbs.	5.1
25N3874WSPELL2K1	25N3874WSPERL2K1	Laminate	2633	37 7/16	73 7/16	1 3/16	–	–	77 lbs.	5.1
25N3874WSPELW3K1	25N3874WSPERW3K1	Wood	$ 3265	37 7/16	73 7/16	1 3/16	–	–	77 lbs.	5.1
25N3874WSPELL3K1	25N3874WSPERL3K1	Laminate	2714	37 7/16	73 7/16	1 3/16	–	–	77 lbs.	5.1

- Models ending in 2 - utilize with 24" deep worksurfaces
- Models ending in 3 - utilize with 30" deep worksurfaces
- To add full modesty panel, specify a panel that is 18" shorter than the width of the top; end panel, support base, and support base bracket must also be ordered; see page 202 for support base bracket
- Wire Manager available on back, the straight edge of the worksurface; see page 88 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 202
- Modified depth and width not available on this shape
- For undersurface wire managers, see page 765

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of (wood or laminate) softened rim worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Knife rim profile (wood or laminate) available on user side (indicated by K1)
- If specifying wood, you must specify the same finish for all options
- Component worksurfaces can be used with assembled units
- Refer to page 92 for grommet locations; and page 90 for grommet upcharge
- Unsupported worksurface spans should not exceed 48"; see page 199 for support options
- Refer to pages 741-784 for accessories

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim Profile
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBER:

25N4242WSCSW2 V G1C X MC

- See pages 87-91 for all options available in Epic

CORNER WORKSURFACE



Grain direction runs diagonally

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SOFTENED RIM									
25N4242WSCSW2	Wood	$ 1507	42 1/16	42 1/16	1 3/16	–	–	59 lbs.	3.8
25N4242WSCSL2	Laminate	946	42 1/16	42 1/16	1 3/16	–	–	59 lbs.	3.8
25N4242WSCSW3	Wood	$ 1658	42 1/16	42 1/16	1 3/16	–	–	59 lbs.	3.8
25N4242WSCSL3	Laminate	1043	42 1/16	42 1/16	1 3/16	–	–	59 lbs.	3.8
25N4242WSCSW7	Wood	$ 1658	42 1/16	42 1/16	1 3/16	–	–	59 lbs.	3.8
25N4242WSCSL7	Laminate	1043	42 1/16	42 1/16	1 3/16	–	–	59 lbs.	3.8
25N4242WSCSW9	Wood	$ 1658	42 1/16	42 1/16	1 3/16	–	–	59 lbs.	3.8
25N4242WSCSL9	Laminate	1043	42 1/16	42 1/16	1 3/16	–	–	59 lbs.	3.8
25N3636WSCSW2	Wood	$ 1386	36 1/16	36 1/16	1 3/16	–	–	45 lbs.	3.8
25N3636WSCSL2	Laminate	869	36 1/16	36 1/16	1 3/16	–	–	45 lbs.	3.8

- Grain direction runs diagonally
- Will accommodate 24" deep extension worksurfaces on both sides
- Models ending in 2 - utilize with 24" deep worksurfaces
- Models ending in 3 - utilize with 30" deep worksurfaces
- Models ending in 7 - utilize with 1 left 30" deep and 1 right 24" deep worksurfaces
- Models ending in 9 - utilize with 1 left 24" deep and 1 right 30" deep worksurfaces
- 42" corner worksurfaces have 25" on front edge
- 36" corner worksurfaces have 17" on front edge
- Corner worksurface assembled to corner unit is not intended for freestanding unit
- Wire Manager available on left side, right side or left & right sides; see page 88 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 202
- Modified depth and width not available on this shape
- For undersurface wire managers, see page 765

EPIC

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Knife rim profile (wood or laminate) available on user side (indicated by K1) or user and approach side (indicated by K2)
- If specifying wood, you must specify the same finish for all options
- Component worksurfaces can be used with assembled units
- Refer to page 92 for grommet locations; and page 90 for grommet upcharge
- Unsupported worksurface spans should not exceed 48"; see page 199 for support options
- Refer to pages 741-784 for accessories

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBER:

25N4242WSCSW2K1 K G1C X CL

- See pages 87-91 for all options available in Epic

CORNER WORKSURFACE (CONTINUED)



Grain direction runs diagonally

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
KNIFE RIM									
25N4242WSCSW2K1	Wood	$ 1959	42 1/16	42 1/16	1 3/16	–	–	62 lbs.	4.0
25N4242WSCSL2K1	Laminate	1470	42 1/16	42 1/16	1 3/16	–	–	62 lbs.	4.0
25N4242WSCSW3K1	Wood	$ 2156	42 1/16	42 1/16	1 3/16	–	–	62 lbs.	4.0
25N4242WSCSL3K1	Laminate	1618	42 1/16	42 1/16	1 3/16	–	–	62 lbs.	4.0
25N4242WSCSW7K1	Wood	$ 2156	42 1/16	42 1/16	1 3/16	–	–	62 lbs.	4.0
25N4242WSCSL7K1	Laminate	1618	42 1/16	42 1/16	1 3/16	–	–	62 lbs.	4.0
25N4242WSCSW9K1	Wood	$ 2156	42 1/16	42 1/16	1 3/16	–	–	62 lbs.	4.0
25N4242WSCSL9K1	Laminate	1618	42 1/16	42 1/16	1 3/16	–	–	62 lbs.	4.0
25N3636WSCSW2K1	Wood	$ 1800	36 1/16	36 1/16	1 3/16	–	–	47 lbs.	4.0
25N3636WSCSL2K1	Laminate	1349	36 1/16	36 1/16	1 3/16	–	–	47 lbs.	4.0

- Grain direction runs diagonally
- Will accommodate 24" deep extension worksurfaces on both sides
- Models ending in 2 - utilize with 24" deep worksurfaces
- Models ending in 3 - utilize with 30" deep worksurfaces
- Models ending in 7 - utilize with 1 left 30" deep and 1 right 24" deep worksurfaces
- Models ending in 9 - utilize with 1 left 24" deep and 1 right 30" deep worksurfaces
- 42" corner worksurfaces have 25" on front edge
- 36" corner worksurfaces have 17" on front edge
- Corner worksurface assembled to corner unit is not intended for freestanding unit
- Wire Manager available on left side, right side or left & right sides; see page 88 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 202
- Modified depth and width not available on this shape
- For undersurface wire managers, see page 765

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Knife rim profile (wood or laminate) available on user side (indicated by K1) or user and approach side (indicated by K2)
- If specifying wood, you must specify the same finish for all options
- Component worksurfaces can be used with assembled units
- Refer to page 92 for grommet locations; and page 90 for grommet upcharge
- Unsupported worksurface spans should not exceed 48"; see page 199 for support options
- Refer to pages 741-784 for accessories

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBER:

25N60WSHRL VCL G1C D1B405 CL

- See pages 87-91 for all options available in Epic

HALF-ROUND WORKSURFACE



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SOFTENED RIM									
25N60WSHRW	Wood	$ 1068	30	60	1 3/16	—	—	69 lbs.	2.8
25N60WSHRL	Laminate	611	30	60	1 3/16	—	—	69 lbs.	2.8
25N48WSHRW	Wood	$ 887	24	48 1/16	1 3/16	—	—	57 lbs.	2.3
25N48WSHRL	Laminate	509	24	48 1/16	1 3/16	—	—	57 lbs.	2.3
KNIFE RIM									
25N63WSHRWK1	Wood	$ 1385	31½	63	1 3/16	—	—	72 lbs.	2.9
25N63WSHRLK1	Laminate	944	31½	63	1 3/16	—	—	72 lbs.	2.9
25N51WSHRWK1	Wood	$ 1152	25½	51 1/16	1 3/16	—	—	60 lbs.	2.4
25N51WSHRLK1	Laminate	791	25½	51 1/16	1 3/16	—	—	60 lbs.	2.4

- Rim profile on radius edge of surface only
- Only available grommet option is center location
- Wire Manager available on back side-the straight side of the worksurface; see page 88 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 202
- Modified depth and width not available on this shape
- For undersurface wire managers, see page 765

EPIC

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of (wood or laminate) softened rim worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Knife rim profile (wood or laminate) available on all 4 sides for round tops
- If specifying wood, you must specify the same finish for all options
- Component worksurfaces can be used with assembled units
- Refer to page 92 for grommet locations; and page 90 for grommet upcharge
- Unsupported worksurface spans should not exceed 48"; see page 199 for support options
- Refer to pages 741-784 for accessories

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim Profile
4. PVC Rim Color (laminate models)
5. Grommet
6. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBER:

25N48WSRNL VCL G1C CL

- See pages 87-91 for all options available in Epic

ROUND TABLE TOP



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SOFTENED RIM			**DI**		**H**				
25N48WSRNW	Wood	$ 1389	48 1/16	–	1 3/16	–	–	71 lbs.	4.5
25N48WSRNL	Laminate	674	48 1/16	–	1 3/16	–	–	71 lbs.	4.5
25N42WSRNW	Wood	$ 1231	42 1/16	–	1 3/16	–	–	54 lbs.	3.8
25N42WSRNL	Laminate	579	42 1/16	–	1 3/16	–	–	54 lbs.	3.8
25N36WSRNW	Wood	$ 1032	36 1/16	–	1 3/16	–	–	40 lbs.	3.0
25N36WSRNL	Laminate	448	36 1/16	–	1 3/16	–	–	40 lbs.	3.0
25N30WSRNW	Wood	$ 875	30 1/16	–	1 3/16	–	–	33 lbs.	2.0
25N30WSRNL	Laminate	381	30 1/16	–	1 3/16	–	–	33 lbs.	2.0
KNIFE RIM									
25N48WSRNWK1	Wood	$ 1806	48 1/16	–	1 3/16	–	–	75 lbs.	4.7
25N48WSRNLK1	Laminate	1044	48 1/16	–	1 3/16	–	–	75 lbs.	4.7
25N42WSRNWK1	Wood	$ 1599	42 1/16	–	1 3/16	–	–	57 lbs.	4.0
25N42WSRNLK1	Laminate	900	42 1/16	–	1 3/16	–	–	57 lbs.	4.0
25N36WSRNWK1	Wood	$ 1339	36 1/16	–	1 3/16	–	–	42 lbs.	3.2
25N36WSRNLK1	Laminate	694	36 1/16	–	1 3/16	–	–	42 lbs.	3.2
25N30WSRNWK1	Wood	$ 1141	30 1/16	–	1 3/16	–	–	33 lbs.	2.0
25N30WSRNLK1	Laminate	591	30 1/16	–	1 3/16	–	–	33 lbs.	2.0

- Reference pages 665-668 for applicable bases
- Do not specify worksurface type
- (K1) knife edge on all 4 sides

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of (wood or laminate) softened rim worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Knife rim profile (wood or laminate) available on all 4 sides
- If specifying wood, you must specify the same finish for all options
- Component worksurfaces can be used with assembled units
- Refer to page 92 for grommet locations; and page 90 for grommet upcharge
- Unsupported worksurface spans should not exceed 48"; see page 199 for support options
- Refer to pages 741-784 for accessories

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim Profile
4. PVC Rim Color (laminate models)
5. Grommet
6. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBER:

25N4848WSSQL M VCL G1C CL

- See pages 87-91 for all options available in Epic

SQUARE TABLE TOP



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SOFTENED RIM									
25N4848WSSQW	Wood	$ 1368	48 1/16	48 1/16	1 3/16	–	–	76 lbs.	4.5
25N4848WSSQL	Laminate	659	48 1/16	48 1/16	1 3/16	–	–	76 lbs.	4.5
25N4242WSSQW	Wood	$ 1205	42 1/16	42 1/16	1 3/16	–	–	59 lbs.	3.8
25N4242WSSQL	Laminate	574	42 1/16	42 1/16	1 3/16	–	–	59 lbs.	3.8
25N3636WSSQW	Wood	$ 1018	36 1/16	36 1/16	1 3/16	–	–	45 lbs.	3.0
25N3636WSSQL	Laminate	440	36 1/16	36 1/16	1 3/16	–	–	45 lbs.	3.0
25N3030WSSQW	Wood	$ 867	30 1/16	30 1/16	1 3/16	–	–	33 lbs.	2.0
25N3030WSSQL	Laminate	373	30 1/16	30 1/16	1 3/16	–	–	33 lbs.	2.0
KNIFE RIM									
25N4848WSSQWK1	Wood	$ 1780	48 1/16	48 1/16	1 3/16	–	–	80 lbs.	4.7
25N4848WSSQLK1	Laminate	1023	48 1/16	48 1/16	1 3/16	–	–	80 lbs.	4.7
25N4242WSSQWK1	Wood	$ 1568	42 1/16	42 1/16	1 3/16	–	–	62 lbs.	4.0
25N4242WSSQLK1	Laminate	888	42 1/16	42 1/16	1 3/16	–	–	62 lbs.	4.0
25N3636WSSQWK1	Wood	$ 1324	36 1/16	36 1/16	1 3/16	–	–	47 lbs.	3.2
25N3636WSSQLK1	Laminate	680	36 1/16	36 1/16	1 3/16	–	–	47 lbs.	3.2
25N3030WSSQWK1	Wood	$ 1124	30 1/16	30 1/16	1 3/16	–	–	33 lbs.	2.0
25N3030WSSQLK1	Laminate	576	30 1/16	30 1/16	1 3/16	–	–	33 lbs.	2.0

- Reference pages 665-668 for applicable bases
- (K1) knife edge on all 4 sides

EPIC

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 202) are recommended to fill the 1" gap
- If undersurface storage is used with Epicenter, a back or modesty panel is not required and pedestal grommet must NOT be specified
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Foot Color
6. Laminate Door/Drawer Color
7. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBER:

25N291829PUBBFL 89MB KRB G22 FR462 405 MH

- See pages 87-91 for all options available in Epic

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
PEDESTAL - UNDERSURFACE BOX/BOX/FILE 29" DEEP	25N291829PUBBFW	Wood	$ 2248	28⅞	17¹⁵⁄₁₆	27¾	–	–	95 lbs.	10.6
	25N291829PUBBFL	Laminate	1409	28⅞	17¹⁵⁄₁₆	27¾	–	–	95 lbs.	10.6
	25N291529PUBBFW	Wood	$ 2118	28⅞	14¹⁵⁄₁₆	27¾	–	–	83 lbs.	8.5
	25N291529PUBBFL	Laminate	1331	28⅞	14¹⁵⁄₁₆	27¾	–	–	83 lbs.	8.5
	• Specify component worksurfaces and backs to finish as needed • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Not intended for use in a freestanding application									
PEDESTAL - UNDERSURFACE BOX/BOX/FILE 23" DEEP	25N231829PUBBFW	Wood	$ 2107	22¹³⁄₁₆	17¹⁵⁄₁₆	27¾	–	–	75 lbs.	11.4
	25N231829PUBBFL	Laminate	1324	22¹³⁄₁₆	17¹⁵⁄₁₆	27¾	–	–	75 lbs.	11.4
	25N231529PUBBFW	Wood	$ 1991	22¹³⁄₁₆	14¹⁵⁄₁₆	27¾	–	–	70 lbs.	9.9
	25N231529PUBBFL	Laminate	1245	22¹³⁄₁₆	14¹⁵⁄₁₆	27¾	–	–	70 lbs.	9.9
	• Specify component worksurfaces and backs to finish as needed • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Not intended for use in a freestanding application									
PEDESTAL - UNDERSURFACE BOX/BOX/FILE 17" DEEP	25N171829PUBBFW	Wood	$ 2107	16¹⁵⁄₁₆	17¹⁵⁄₁₆	27¾	–	–	50 lbs.	9.1
	25N171829PUBBFL	Laminate	1324	16¹⁵⁄₁₆	17¹⁵⁄₁₆	27¾	–	–	50 lbs.	9.1
	25N171529PUBBFW	Wood	$ 1991	16¹⁵⁄₁₆	14¹⁵⁄₁₆	27¾	–	–	49 lbs.	8.1
	25N171529PUBBFL	Laminate	1245	16¹⁵⁄₁₆	14¹⁵⁄₁₆	27¾	–	–	49 lbs.	8.1
	• Specify component worksurfaces and backs to finish as needed • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Not intended for use in a freestanding application									
PEDESTAL - UNDERSURFACE FILE/FILE 29" DEEP	25N291829PUFFW	Wood	$ 2248	28⅞	17¹⁵⁄₁₆	27¾	–	–	95 lbs.	10.6
	25N291829PUFFL	Laminate	1409	28⅞	17¹⁵⁄₁₆	27¾	–	–	95 lbs.	10.6
	25N291529PUFFW	Wood	$ 2118	28⅞	14¹⁵⁄₁₆	27¾	–	–	83 lbs.	8.5
	25N291529PUFFL	Laminate	1331	28⅞	14¹⁵⁄₁₆	27¾	–	–	83 lbs.	8.5
	• Specify component worksurfaces and backs to finish as needed • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Not intended for use in a freestanding application									

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 202) are recommended to fill the 1" gap
- If undersurface storage is used with Epicenter, a back or modesty panel is not required and pedestal grommet must NOT be specified
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Foot Color
6. Laminate Door/Drawer Color
7. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBER:

25N351829SESLW G22 FR462 MH

- See pages 87-91 for all options available in Epic

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
PEDESTAL - UNDERSURFACE FILE/FILE 23" DEEP	25N231829PUFFW	Wood	$ 2107	22 13/16	17 15/16	27 3/4	–	–	75 lbs.	11.4
	25N231829PUFFL	Laminate	1324	22 13/16	17 15/16	27 3/4	–	–	75 lbs.	11.4
	25N231529PUFFW	Wood	$ 1991	22 13/16	14 15/16	27 3/4	–	–	70 lbs.	9.9
	25N231529PUFFL	Laminate	1245	22 13/16	14 15/16	27 3/4	–	–	70 lbs.	9.9
	• Specify component worksurfaces and backs to finish as needed • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Not intended for use in a freestanding application									
PEDESTAL - UNDERSURFACE FILE/FILE 17" DEEP	25N171829PUFFW	Wood	$ 2107	16 15/16	14 15/16	27 3/4	–	–	50 lbs.	9.1
	25N171829PUFFL	Laminate	1324	16 15/16	14 15/16	27 3/4	–	–	50 lbs.	9.1
	25N171529PUFFW	Wood	$ 1991	16 15/16	14 15/16	27 3/4	–	–	49 lbs.	8.1
	25N171529PUFFL	Laminate	1245	16 15/16	14 15/16	27 3/4	–	–	49 lbs.	8.1
	• Specify component worksurfaces and backs to finish as needed • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Not intended for use in a freestanding application									

SUPPORT PEDESTAL	LEFT	RIGHT								
	25N351829SESLW	25N351829SESRW	Wood	$ 1554	35 1/16	17 15/16	27 3/4	–	–	101 lbs.	11.1
	25N351829SESLL	25N351829SESRL	Laminate	959	35 1/16	17 15/16	27 3/4	–	–	101 lbs.	11.1
	25N351529SESLW	25N351529SESRW	Wood	$ 1470	35 1/16	14 15/16	27 3/4	–	–	89 lbs.	9.1
	25N351529SESLL	25N351529SESRL	Laminate	904	35 1/16	14 15/16	27 3/4	–	–	89 lbs.	9.1
	25N291829SESLW	25N291829SESRW	Wood	$ 1462	28 7/8	17 15/16	27 3/4	–	–	95 lbs.	10.6
	25N291829SESLL	25N291829SESRL	Laminate	902	28 7/8	17 15/16	27 3/4	–	–	95 lbs.	10.6
	25N291529SESLW	25N291529SESRW	Wood	$ 1379	28 7/8	14 15/16	27 3/4	–	–	83 lbs.	8.5
	25N291529SESLL	25N291529SESRL	Laminate	851	28 7/8	14 15/16	27 3/4	–	–	83 lbs.	8.5
	25N231829SESLW	25N231829SESRW	Wood	$ 1370	22 13/16	17 15/16	27 3/4	–	–	95 lbs.	10.6
	25N231829SESLL	25N231829SESRL	Laminate	850	22 13/16	17 15/16	27 3/4	–	–	95 lbs.	10.6
	25N231529SESLW	25N231529SESRW	Wood	$ 1297	22 13/16	14 15/16	27 3/4	–	–	83 lbs.	8.5
	25N231529SESLL	25N231529SESRL	Laminate	793	22 13/16	14 15/16	27 3/4	–	–	83 lbs.	8.5
	• Specify component worksurfaces and backs to finish as needed • For use when creating single pedestal desks from components or with U-surfaces or P-surfaces • Not intended for use in a freestanding application									

EPIC

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 202) are recommended to fill the 1" gap
- If undersurface storage is used with Epicenter, a back or modesty panel is not required and pedestal grommet must NOT be specified
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Foot Color
6. Laminate Door/Drawer Color
7. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBER:

25N2336LFM2L 89MB KRB X FR462 CW CW

• See pages 87-91 for all options available in Epic

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
LATERAL FILE UNIT UNDERSURFACE - 2 DRAWER	**23" DEPTH**									
	25N2336LFM2W	Wood	$ 2683	22 13/16	35 7/8	27 3/4	—	—	120 lbs.	20.4
	25N2336LFM2L	Laminate	1486	22 13/16	35 7/8	27 3/4	—	—	120 lbs.	20.4
	25N2330LFM2W	Wood	$ 2473	22 13/16	29 15/16	27 3/4	—	—	101 lbs.	17.4
	25N2330LFM2L	Laminate	1445	22 13/16	29 15/16	27 3/4	—	—	101 lbs.	17.4
	17" DEPTH									
	25N1736LFM2W	Wood	$ 2683	16 15/16	35 7/8	27 3/4	—	—	119 lbs.	16.3
	25N1736LFM2L	Laminate	1486	16 15/16	35 7/8	27 3/4	—	—	119 lbs.	16.3
	25N1730LFM2W	Wood	$ 2473	16 15/16	29 15/16	27 3/4	—	—	102 lbs.	13.7
	25N1730LFM2L	Laminate	1445	16 15/16	29 15/16	27 3/4	—	—	102 lbs.	13.7

- Specify component worksurfaces and backs to finish as needed
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front

LATERAL FILE UNIT UNDERSURFACE - 3 DRAWER	25N2436LFM3W	Wood	$ 4839	23 9/16	35 7/8	40 5/16	—	—	210 lbs.	30.0
	25N2436LFM3L	Laminate	3095	23 9/16	35 7/8	40 5/16	—	—	210 lbs.	30.0
	25N2430LFM3W	Wood	$ 4596	23 9/16	29 15/16	40 5/16	—	—	210 lbs.	30.0
	25N2430LFM3L	Laminate	2940	23 9/16	29 15/16	40 5/16	—	—	210 lbs.	30.0

- Top of unit is finished with flat edge detail
- Interlock mechanism allows only 1 drawer to be open at a time
- For use with component common top when ganging units together
- Unit has full finished back
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 202) are recommended to fill the 1" gap
- If undersurface storage is used with Epicenter, a back or modesty panel is not required and pedestal grommet must NOT be specified
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Foot Color
6. Laminate Door/Drawer Color
7. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBER:

25N2436LFM4L 89MB KS1B FR462 2977 480 462

• See pages 87-91 for all options available in Epic

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
LATERAL FILE UNIT UNDERSURFACE - 4 DRAWER	25N2436LFM4W	Wood	$ 5625	23 3/16	35 7/8	52 13/16	–	–	265 lbs.	33.4
	25N2436LFM4L	Laminate	3560	23 3/16	35 7/8	52 13/16	–	–	265 lbs.	33.4
	25N2430LFM4W	Wood	$ 5342	23 3/16	29 15/16	52 13/16	–	–	265 lbs.	33.4
	25N2430LFM4L	Laminate	3383	23 3/16	29 15/16	52 13/16	–	–	265 lbs.	33.4



- Top of unit is finished with flat edge detail
- Interlock mechanism allows only 1 drawer to be open at a time
- For use with component common top when ganging units together
- Unit has full finished back
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front

DOUBLE DOOR UNIT UNDERSURFACE



23" DEPTH

25N233629PUHW	Wood	$ 2149	22 13/16	35 7/8	27 3/4	–	–	110 lbs.	20.4
25N233629PUHL	Laminate	1293	22 13/16	35 7/8	27 3/4	–	–	110 lbs.	20.4
25N233029PUHW	Wood	$ 1939	22 13/16	29 15/16	27 3/4	–	–	91 lbs.	17.4
25N233029PUHL	Laminate	1220	22 13/16	29 15/16	27 3/4	–	–	91 lbs.	17.4
25N232429PUHW	Wood	$ 1863	22 13/16	23 3/4	27 3/4	–	–	80 lbs.	16.0
25N232429PUHL	Laminate	1145	22 13/16	23 3/4	27 3/4	–	–	80 lbs.	16.0

17" DEPTH

25N173629PUHW	Wood	$ 2149	16 15/16	35 7/8	27 3/4	–	–	119 lbs.	16.3
25N173629PUHL	Laminate	1293	16 15/16	35 7/8	27 3/4	–	–	119 lbs.	16.3
25N173029PUHW	Wood	$ 1939	16 15/16	29 15/16	27 3/4	–	–	90 lbs.	13.7
25N173029PUHL	Laminate	1220	16 15/16	29 15/16	27 3/4	–	–	90 lbs.	13.7
25N172429PUHW	Wood	$ 1863	16 15/16	23 3/4	27 3/4	–	–	75 lbs.	10.8
25N172429PUHL	Laminate	1145	16 15/16	23 3/4	27 3/4	–	–	75 lbs.	10.8

- Specify component worksurfaces and backs to finish as needed
- Unit features an adjustable shelf
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

EPIC

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 202) are recommended to fill the 1" gap
- If undersurface storage is used with Epicenter, a back or modesty panel is not required and pedestal grommet must NOT be specified
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended
- Sliding doors feature a face mount powder coated aluminum track on top and bottom of cabinet

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Resin Grade/Door Color
6. Metal Door Color
7. Foot Color
8. Laminate Door/Drawer Color
9. Veneer Chassis Finish/ Laminate Chassis Color
10. Door Track Paint Color

SAMPLE MODEL NUMBER:

25N233629PUSAW G22 2 FR462 FR462 MH 501

• See pages 87-91 for all options available in Epic

DOUBLE DOOR UNIT SLIDING DOORS UNDERSURFACE



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
RESIN DOORS 23" DEPTH		**GRADE 1**							
25N233629PUSAW	Wood	$ 3663	22 13/16	35 7/8	27 3/4	–	–	110 lbs.	20.4
25N233629PUSAL	Laminate	2230	22 13/16	35 7/8	27 3/4	–	–	110 lbs.	20.4
25N233029PUSAW	Wood	$ 3509	22 13/16	29 15/16	27 3/4	–	–	91 lbs.	17.4
25N233029PUSAL	Laminate	2103	22 13/16	29 15/16	27 3/4	–	–	91 lbs.	17.4
25N232429PUSAW	Wood	$ 3373	22 13/16	23 3/4	27 3/4	–	–	80 lbs.	16.0
25N232429PUSAL	Laminate	1973	22 13/16	23 3/4	27 3/4	–	–	80 lbs.	16.0
17" DEPTH									
25N173629PUSAW	Wood	$ 3663	16 15/16	35 7/8	27 3/4	–	–	119 lbs.	16.3
25N173629PUSAL	Laminate	2230	16 15/16	35 7/8	27 3/4	–	–	119 lbs.	16.3
25N173029PUSAW	Wood	$ 3509	16 15/16	29 15/16	27 3/4	–	–	90 lbs.	13.7
25N173029PUSAL	Laminate	2103	16 15/16	29 15/16	27 3/4	–	–	90 lbs.	13.7
25N172429PUSAW	Wood	$ 3373	16 15/16	23 3/4	27 3/4	–	–	75 lbs.	10.8
25N172429PUSAL	Laminate	1973	16 15/16	23 3/4	27 3/4	–	–	75 lbs.	10.8

- Specify component worksurfaces and backs to finish as needed
- Unit features an adjustable shelf

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 202) are recommended to fill the 1" gap
- If undersurface storage is used with Epicenter, a back or modesty panel is not required and pedestal grommet must NOT be specified
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended
- Sliding doors feature a face mount powder coated aluminum track on top and bottom of cabinet

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Resin Grade/Door Color
6. Metal Door Color
7. Foot Color
8. Laminate Door/Drawer Color
9. Veneer Chassis Finish/ Laminate Chassis Color
10. Door Track Paint Color

SAMPLE MODEL NUMBER:

25N233629PUSMW G22 462 MH 501

• See pages 87-91 for all options available in Epic

DOUBLE DOOR UNIT SLIDING DOORS UNDERSURFACE (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
METAL DOORS 23" DEPTH									
25N233629PUSMW	Wood	$ 3663	22 13/16	35 7/8	27 3/4	—	—	110 lbs.	20.4
25N233629PUSML	Laminate	2230	22 13/16	35 7/8	27 3/4	—	—	110 lbs.	20.4
25N233029PUSMW	Wood	$ 3509	22 13/16	29 15/16	27 3/4	—	—	91 lbs.	17.4
25N233029PUSML	Laminate	2103	22 13/16	29 15/16	27 3/4	—	—	91 lbs.	17.4
25N232429PUSMW	Wood	$ 3373	22 13/16	23 3/4	27 3/4	—	—	80 lbs.	16.0
25N232429PUSML	Laminate	1973	22 13/16	23 3/4	27 3/4	—	—	80 lbs.	16.0
17" DEPTH									
25N173629PUSMW	Wood	$ 3663	16 15/16	35 7/8	27 3/4	—	—	119 lbs.	16.3
25N173629PUSML	Laminate	2230	16 15/16	35 7/8	27 3/4	—	—	119 lbs.	16.3
25N173029PUSMW	Wood	$ 3509	16 15/16	29 15/16	27 3/4	—	—	90 lbs.	13.7
25N173029PUSML	Laminate	2103	16 15/16	29 15/16	27 3/4	—	—	90 lbs.	13.7
25N172429PUSMW	Wood	$ 3373	16 15/16	23 3/4	27 3/4	—	—	75 lbs.	10.8
25N172429PUSML	Laminate	1973	16 15/16	23 3/4	27 3/4	—	—	75 lbs.	10.8

- Specify component worksurfaces and backs to finish as needed
- Unit features an adjustable shelf

EPIC

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 202) are recommended to fill the 1" gap
- If undersurface storage is used with Epicenter, a back or modesty panel is not required and pedestal grommet must NOT be specified
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended

TO ORDER, SPECIFY:

1. Model Number
2. Pedestal Grommet
3. Metal Shelf Color
4. Foot Color
5. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBER:

25N233629PUOSL G22 501 FR501 MH

• See pages 87-91 for all options available in Epic

OPEN BOOKCASE UNDERSURFACE



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
23" DEPTH									
25N233629PUOSW	Wood	$ 1932	22	35⅞	27¾	—	—	90 lbs.	20.4
25N233629PUOSL	Laminate	1164	22	35⅞	27¾	—	—	90 lbs.	20.4
25N233029PUOSW	Wood	$ 1845	22	29 15/16	27¾	—	—	85 lbs.	18.0
25N233029PUOSL	Laminate	1121	22	29 15/16	27¾	—	—	85 lbs.	18.0
25N232429PUOSW	Wood	$ 1774	22	23¾	27¾	—	—	80 lbs.	16.0
25N232429PUOSL	Laminate	1080	22	23¾	27¾	—	—	80 lbs.	16.0
17" DEPTH									
25N173629PUOSW	Wood	$ 1932	16 5/16	35⅞	27¾	—	—	119 lbs.	16.3
25N173629PUOSL	Laminate	1164	16 5/16	35⅞	27¾	—	—	119 lbs.	16.3
25N173029PUOSW	Wood	$ 1845	16 5/16	29 15/16	27¾	—	—	90 lbs.	13.7
25N173029PUOSL	Laminate	1121	16 5/16	29 15/16	27¾	—	—	90 lbs.	13.7
25N172429PUOSW	Wood	$ 1774	16 5/16	23¾	27¾	—	—	75 lbs.	10.8
25N172429PUOSL	Laminate	1080	16 5/16	23¾	27¾	—	—	75 lbs.	10.8

- Specify component worksurfaces and backs to finish as needed
- Unit features an adjustable shelf

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 202) are recommended to fill the 1" gap
- If undersurface storage is used with Epicenter, a back or modesty panel is not required and pedestal grommet must NOT be specified
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Metal Door or Shelf Color
6. Foot Color
7. Laminate Door/Drawer Color
8. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBER:

25N233629PUOSSL G22 501 FR501 MH

• See pages 87-91 for all options available in Epic

STORAGE CABINET
METAL SLIDING SHELVES



MODEL NO./DESCRIPTION			LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
25N233629PUOSSW	Wood		$ 3931	22	35⅞	27¾	—	—	90 lbs.	20.4
25N233629PUOSSL	Laminate		2649	22	35⅞	27¾	—	—	90 lbs.	20.4
• Weight capacity: 49 pounds per shelf										
25N233029PUOSSW	Wood		$ 3870	22	29¹⁵⁄₁₆	27¾	—	—	85 lbs.	18.0
25N233029PUOSSL	Laminate		2603	22	29¹⁵⁄₁₆	27¾	—	—	85 lbs.	18.0
• Weight capacity: 40 pounds per shelf										
25N232429PUOSSW	Wood		$ 3804	22	23¾	27¾	—	—	80 lbs.	16.0
25N232429PUOSSL	Laminate		2559	22	23¾	27¾	—	—	80 lbs.	16.0
• Weight capacity: 31 pounds per shelf										

- Specify component worksurfaces and backs to finish as needed
- Unit features 4 metal shelves on full extension slides
- Shelf sizes are: 18¼D x 32¹⁵⁄₁₆W, 18¼D x 26¹⁵⁄₁₆W, or 18¼D x 20¹⁵⁄₁₆W of storage space and feature a non skid surface

MIXED-STORAGE CABINET
UNDERSURFACE



Left shown

OPEN STORAGE ON LEFT 23" DEPTH	OPEN STORAGE ON RIGHT		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
25N233629PU33W	25N233629PU32W	Wood	$ 3182	22¹³⁄₁₆	35⅞	27¾	—	—	90 lbs.	20.4
25N233629PU33L	25N233629PU32L	Laminate	1990	22¹³⁄₁₆	35⅞	27¾	—	—	90 lbs.	20.4
25N233029PU33W	25N233029PU32W	Wood	$ 2974	22¹³⁄₁₆	29¹⁵⁄₁₆	27¾	—	—	85 lbs.	18.0
25N233029PU33L	25N233029PU32L	Laminate	1949	22¹³⁄₁₆	29¹⁵⁄₁₆	27¾	—	—	85 lbs.	18.0
17" DEPTH										
25N173629PU33W	25N173629PU32W	Wood	$ 3182	16¹⁵⁄₁₆	35⅞	27¾	—	—	119 lbs.	16.3
25N173629PU33L	25N173629PU32L	Laminate	1990	16¹⁵⁄₁₆	35⅞	27¾	—	—	119 lbs.	16.3
25N173029PU33W	25N173029PU32W	Wood	$ 2974	16¹⁵⁄₁₆	29¹⁵⁄₁₆	27¾	—	—	90 lbs.	13.7
25N173029PU33L	25N173029PU32L	Laminate	1949	16¹⁵⁄₁₆	29¹⁵⁄₁₆	27¾	—	—	90 lbs.	13.7

- Specify component worksurfaces and backs to finish as needed
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front

EPIC

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 202) are recommended to fill the 1" gap
- If undersurface storage is used with Epicenter, a back or modesty panel is not required and pedestal grommet must NOT be specified
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Metal Door or Shelf Color
6. Foot Color
7. Laminate Door/Drawer Color
8. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBER:

25N233629PU11L 89PL G22 KRS FR501 MC MC

- See pages 87-91 for all options available in Epic

MULTI-FILE STORAGE UNDERSURFACE



Left shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FILE STORAGE ON LEFT 23" DEPTH	**FILE STORAGE ON RIGHT**									
25N233629PU11W	25N233629PU10W	Wood	$ 3900	22 13/16	35 7/8	27 3/4	–	–	90 lbs.	20.4
25N233629PU11L	25N233629PU10L	Laminate	2716	22 13/16	35 7/8	27 3/4	–	–	90 lbs.	20.4
25N233029PU11W	25N233029PU10W	Wood	$ 3695	22 13/16	29 15/16	27 3/4	–	–	85 lbs.	18.0
25N233029PU11L	25N233029PU10L	Laminate	2679	22 13/16	29 15/16	27 3/4	–	–	85 lbs.	18.0
17" DEPTH										
25N173629PU11W	25N173629PU10W	Wood	$ 3900	16 15/16	35 7/8	27 3/4	–	–	119 lbs.	16.3
25N173629PU11L	25N173629PU10L	Laminate	2716	16 15/16	35 7/8	27 3/4	–	–	119 lbs.	16.3
25N173029PU11W	25N173029PU10W	Wood	$ 3695	16 15/16	29 15/16	27 3/4	–	–	90 lbs.	13.7
25N173029PU11L	25N173029PU10L	Laminate	2679	16 15/16	29 15/16	27 3/4	–	–	90 lbs.	13.7

- Specify component worksurfaces and backs to finish as needed
- Locking only on file drawer and lateral file
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 202) are recommended to fill the 1" gap
- If undersurface storage is used with Epicenter, a back or modesty panel is not required and pedestal grommet must NOT be specified
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended

TO ORDER, SPECIFY:

1. Model Number
2. Pedestal Grommet
3. Metal Shelf Color
4. Foot Color
5. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBER:

25N233622PUOSL G22 501 FR501 MC

• See pages 87-91 for all options available in Epic

OPEN BOOKCASE UNDERSURFACE BOX/FILE HEIGHT



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
23" DEPTH									
25N233622PUOSW	Wood	$ 1932	22	35⅞	21⅞16	—	—	90 lbs.	20.4
25N233622PUOSL	Laminate	1164	22	35⅞	21⅞16	—	—	90 lbs.	20.4
25N233022PUOSW	Wood	$ 1845	22	29¹⁵⁄16	21⅞16	—	—	85 lbs.	18.0
25N233022PUOSL	Laminate	1121	22	29¹⁵⁄16	21⅞16	—	—	85 lbs.	18.0
25N232422PUOSW	Wood	$ 1774	22	23¾	21⅞16	—	—	80 lbs.	16.0
25N232422PUOSL	Laminate	1080	22	23¾	21⅞16	—	—	80 lbs.	16.0
17" DEPTH									
25N173622PUOSW	Wood	$ 1932	16¹⁵⁄16	35⅞	21⅞16	—	—	95 lbs.	12.5
25N173622PUOSL	Laminate	1164	16¹⁵⁄16	35⅞	21⅞16	—	—	95 lbs.	12.5
25N173022PUOSW	Wood	$ 1845	16¹⁵⁄16	29¹⁵⁄16	21⅞16	—	—	97 lbs.	10.8
25N173022PUOSL	Laminate	1121	16¹⁵⁄16	29¹⁵⁄16	21⅞16	—	—	97 lbs.	10.8
25N172422PUOSW	Wood	$ 1774	16¹⁵⁄16	23¾	21⅞16	—	—	67 lbs.	8.4
25N172422PUOSL	Laminate	1080	16¹⁵⁄16	23¾	21⅞16	—	—	67 lbs.	8.4

- Specify component worksurfaces and backs to finish as needed
- Unit features an adjustable shelf

EPIC

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 202) are recommended to fill the 1" gap
- If undersurface storage is used with Epicenter, a back or modesty panel is not required and pedestal grommet must NOT be specified
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended
- Panels shipped with appropriate hardware by specifying modesty type; see page 89 for details
- Modesty and back panels are for use in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewell
- Sliding doors feature a face mount powder coated aluminum track on top and bottom of cabinet

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Metal Shelf Color
6. Foot Color
7. Laminate Door/Drawer Color
8. Veneer Chassis Finish/ Laminate Chassis Color
9. Door Track Paint Color

SAMPLE MODEL NUMBER:

25N233622PUSAW 89PL G22 KRS FR501 MC 501

- See pages 87-91 for all options available in Epic

SLIDING DOUBLE DOOR UNDERSURFACE BOX/FILE HEIGHT



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
RESIN DOORS 23" DEPTH		**GRADE 1**							
25N233622PUSAW	Wood	$ 3663	22 13/16	35 7/8	21 7/16	–	–	90 lbs.	20.4
25N233622PUSAL	Laminate	2004	22 13/16	35 7/8	21 7/16	–	–	90 lbs.	20.4
25N233022PUSAW	Wood	$ 3509	22 13/16	29 15/16	21 7/16	–	–	85 lbs.	18.0
25N233022PUSAL	Laminate	1891	22 13/16	29 15/16	21 7/16	–	–	85 lbs.	18.0
25N232422PUSAW	Wood	$ 3373	22 13/16	23 3/4	21 7/16	–	–	80 lbs.	16.0
25N232422PUSAL	Laminate	1777	22 13/16	23 3/4	21 7/16	–	–	80 lbs.	16.0
17" DEPTH									
25N173622PUSAW	Wood	$ 3663	16 15/16	35 7/8	21 7/16	–	–	95 lbs.	12.5
25N173622PUSAL	Laminate	2004	16 15/16	35 7/8	21 7/16	–	–	95 lbs.	12.5
25N173022PUSAW	Wood	$ 3509	16 15/16	29 15/16	21 7/16	–	–	97 lbs.	10.8
25N173022PUSAL	Laminate	1891	16 15/16	29 15/16	21 7/16	–	–	97 lbs.	10.8
25N172422PUSAW	Wood	$ 3373	16 15/16	23 3/4	21 7/16	–	–	67 lbs.	8.4
25N172422PUSAL	Laminate	1777	16 15/16	23 3/4	21 7/16	–	–	67 lbs.	8.4

- Specify component worksurfaces and backs to finish as needed
- Unit features an adjustable shelf

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 202) are recommended to fill the 1" gap
- If undersurface storage is used with Epicenter, a back or modesty panel is not required and pedestal grommet must NOT be specified
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended
- Panels shipped with appropriate hardware by specifying modesty type; see page 89 for details
- Modesty and back panels are for use in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewell
- Sliding doors feature a face mount powder coated aluminum track on top and bottom of cabinet

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Metal Shelf Color
6. Foot Color
7. Laminate Door/Drawer Color
8. Veneer Chassis Finish/ Laminate Chassis Color
9. Door Track Paint Color

SAMPLE MODEL NUMBER:

25N233622PUSMW 89PL G22 KRB FR501 MC 501

• See pages 87-91 for all options available in Epic

SLIDING DOUBLE DOOR UNDERSURFACE BOX/FILE HEIGHT



MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
METAL DOORS 23" DEPTH									
25N233622PUSMW	Wood	$ 3663	22 13/16	35 7/8	21 7/16	—	—	90 lbs.	20.4
25N233622PUSML	Laminate	2004	22 13/16	35 7/8	21 7/16	—	—	90 lbs.	20.4
25N233022PUSMW	Wood	$ 3509	22 13/16	29 15/16	21 7/16	—	—	85 lbs.	18.0
25N233022PUSML	Laminate	1891	22 13/16	29 15/16	21 7/16	—	—	85 lbs.	18.0
25N232422PUSMW	Wood	$ 3373	22 13/16	23 3/4	21 7/16	—	—	80 lbs.	16.0
25N232422PUSML	Laminate	1777	22 13/16	23 3/4	21 7/16	—	—	80 lbs.	16.0
17" DEPTH									
25N173622PUSMW	Wood	$ 3663	16 15/16	35 7/8	21 7/16	—	—	85 lbs.	12.5
25N173622PUSML	Laminate	2004	16 15/16	35 7/8	21 7/16	—	—	85 lbs.	12.5
25N173022PUSMW	Wood	$ 3509	16 15/16	29 15/16	21 7/16	—	—	80 lbs.	10.8
25N173022PUSML	Laminate	1891	16 15/16	29 15/16	21 7/16	—	—	80 lbs.	10.8
25N172422PUSMW	Wood	$ 3373	16 15/16	23 3/4	21 7/16	—	—	75 lbs.	8.4
25N172422PUSML	Laminate	1777	16 15/16	23 3/4	21 7/16	—	—	75 lbs.	8.4

- Specify component worksurfaces and backs to finish as needed
- Unit features an adjustable shelf

EPIC

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 202) are recommended to fill the 1" gap
- If undersurface storage is used with Epicenter, a back or modesty panel is not required and pedestal grommet must NOT be specified
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended
- Panels shipped with appropriate hardware by specifying modesty type; see page 89 for details
- Modesty and back panels are for use in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewell

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Metal Shelf Color
6. Foot Color
7. Laminate Door/Drawer Color
8. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBERS:

25N233622PUBBLL 89PL G22 KS1S FR501 MC MC
25N233622PUOSSL G22 501 FR501 478

• See pages 87-91 for all options available in Epic

STORAGE CABINET METAL SLIDING SHELVES UNDERSURFACE BOX/FILE HEIGHT



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
25N233622PUOSSW	Wood	$ 3632	22	35⅞	21⅞₁₆	—	—	90 lbs.	20.4
25N233622PUOSSL	Laminate	2445	22	35⅞	21⅞₁₆	—	—	90 lbs.	20.4
• Weight capacity: 49 pounds per shelf									
25N233022PUOSSW	Wood	$ 3567	22	29¹⁵⁄₁₆	21⅞₁₆	—	—	85 lbs.	18.0
25N233022PUOSSL	Laminate	2402	22	29¹⁵⁄₁₆	21⅞₁₆	—	—	85 lbs.	18.0
• Weight capacity: 40 pounds per shelf									
25N232422PUOSSW	Wood	$ 3505	22	23¾	21⅞₁₆	—	—	80 lbs.	16.0
25N232422PUOSSL	Laminate	2360	22	23¾	21⅞₁₆	—	—	80 lbs.	16.0
• Weight capacity: 31 pounds per shelf									

- Specify component worksurfaces and backs to finish as needed
- Unit features 3 metal shelves on full extension slides
- Shelf sizes are: 18¼D x 32¹³⁄₁₆W, 18¼D x 26¹⁵⁄₁₆W, or 18¼D x 20¹³⁄₁₆W of storage space and a non skid surface

BOX/LATERAL FILE UNDERSURFACE BOX/FILE HEIGHT



23" DEPTH									
25N233622PUBBLW	Wood	$ 2606	22¹³⁄₁₆	35⅞	21⅞₁₆	—	—	90 lbs.	20.4
25N233622PUBBLL	Laminate	1409	22¹³⁄₁₆	35⅞	21⅞₁₆	—	—	90 lbs.	20.4
25N233022PUBBLW	Wood	$ 2397	22¹³⁄₁₆	29¹⁵⁄₁₆	21⅞₁₆	—	—	85 lbs.	18.0
25N233022PUBBLL	Laminate	1370	22¹³⁄₁₆	29¹⁵⁄₁₆	21⅞₁₆	—	—	85 lbs.	18.0
17" DEPTH									
25N173622PUBBLW	Wood	$ 2606	16¹⁵⁄₁₆	35⅞	21⅞₁₆	—	—	95 lbs.	12.5
25N173622PUBBLL	Laminate	1409	16¹⁵⁄₁₆	35⅞	21⅞₁₆	—	—	95 lbs.	12.5
25N173022PUBBLW	Wood	$ 2397	16¹⁵⁄₁₆	29¹⁵⁄₁₆	21⅞₁₆	—	—	67 lbs.	11.2
25N173022PUBBLL	Laminate	1370	16¹⁵⁄₁₆	29¹⁵⁄₁₆	21⅞₁₆	—	—	67 lbs.	11.2

- Specify component worksurfaces and backs to finish as needed
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 202) are recommended to fill the 1" gap
- If undersurface storage is used with Epicenter, a back or modesty panel is not required and pedestal grommet must NOT be specified
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended
- Panels shipped with appropriate hardware by specifying modesty type; see page 89 for details
- Modesty and back panels are for use in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewell

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Metal Shelf Color
6. Foot Color
7. Laminate Door/Drawer Color
8. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBER:

25N231822PUBFW 89PL G22 KS1S FR501 MC

- See pages 87-91 for all options available in Epic

BOX/FILE UNDERSURFACE BOX/FILE HEIGHT



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
23" DEPTH									
25N231822PUBFW	Wood	$ 2034	22 13/16	17 15/16	21 7/16	–	–	70 lbs.	10.0
25N231822PUBFL	Laminate	1247	22 13/16	17 15/16	21 7/16	–	–	70 lbs.	10.0
25N231522PUBFW	Wood	$ 1915	22 13/16	14 15/16	21 7/16	–	–	65 lbs.	8.0
25N231522PUBFL	Laminate	1166	22 13/16	14 15/16	21 7/16	–	–	65 lbs.	8.0
17" DEPTH									
25N171822PUBFW	Wood	$ 2034	16 15/16	17 15/16	21 7/16	–	–	65 lbs.	7.3
25N171822PUBFL	Laminate	1247	16 15/16	17 15/16	21 7/16	–	–	65 lbs.	7.3
25N171522PUBFW	Wood	$ 1915	16 15/16	14 15/16	21 7/16	–	–	60 lbs.	6.5
25N171522PUBFL	Laminate	1166	16 15/16	14 15/16	21 7/16	–	–	60 lbs.	6.5

- Specify component worksurfaces and backs to finish as needed
- Not intended to be used as a hanging pedestal
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Not intended for use in a freestanding application

EPIC

PRODUCT SPECIFICATIONS

- Panels shipped with appropriate hardware by specifying modesty type; see page 89 for details
- Modesty and back panels are for use in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewell

TO ORDER, SPECIFY:

1. Model Number
2. Modesty Type
3. Modesty Grommet
4. Modified Width
5. Veneer Finish/Laminate Color

SAMPLE MODEL NUMBER:

25N9625MPW M G21 X CW

- See pages 87-91 for all options available in Epic

MODESTY PANEL WORKSURFACE HEIGHT



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
25N9625MPW	Wood	$ 997	¾	95⅝	25⅜	–	–	57 lbs.	3.0
25N9625MPL	Laminate	526	¾	95⅝	25⅜	–	–	57 lbs.	3.0
25N9025MPW	Wood	$ 938	¾	89⅝	25⅜	–	–	54 lbs.	3.0
25N9025MPL	Laminate	498	¾	89⅝	25⅜	–	–	54 lbs.	3.0
25N8425MPW	Wood	$ 887	¾	83⅜	25⅜	–	–	51 lbs.	3.0
25N8425MPL	Laminate	471	¾	83⅜	25⅜	–	–	51 lbs.	3.0
25N7825MPW	Wood	$ 837	¾	77⅞	25⅜	–	–	48 lbs.	2.8
25N7825MPL	Laminate	444	¾	77⅞	25⅜	–	–	48 lbs.	2.8
25N7225MPW	Wood	$ 790	¾	71⅞	25⅜	–	–	45 lbs.	2.8
25N7225MPL	Laminate	418	¾	71⅞	25⅜	–	–	45 lbs.	2.8
25N6625MPW	Wood	$ 748	¾	65 1⁄16	25⅜	–	–	42 lbs.	2.7
25N6625MPL	Laminate	398	¾	65 1⁄16	25⅜	–	–	42 lbs.	2.7
25N6025MPW	Wood	$ 702	¾	59 1⁄16	25⅜	–	–	39 lbs.	2.7
25N6025MPL	Laminate	367	¾	59 1⁄16	25⅜	–	–	39 lbs.	2.7
25N5425MPW	Wood	$ 666	¾	53 1⁄16	25⅜	–	–	36 lbs.	2.6
25N5425MPL	Laminate	349	¾	53 1⁄16	25⅜	–	–	36 lbs.	2.6
25N4825MPW	Wood	$ 614	¾	47¾	25⅜	–	–	33 lbs.	2.5
25N4825MPL	Laminate	321	¾	47¾	25⅜	–	–	33 lbs.	2.5
25N4225MPW	Wood	$ 593	¾	41¾	25⅜	–	–	31 lbs.	2.5
25N4225MPL	Laminate	286	¾	41¾	25⅜	–	–	31 lbs.	2.5
25N3625MPW	Wood	$ 567	¾	35¾	25⅜	–	–	28 lbs.	2.4
25N3625MPL	Laminate	255	¾	35¾	25⅜	–	–	28 lbs.	2.4

- Modified widths are available on modesty panels in 1⁄16" increments; when ordering a modified width, specify the modesty panel 5⁄16" narrower than the corresponding worksurface
- Wood modesty panels have vertical grain
- Laminate modesty panels have horizontal grain

PRODUCT SPECIFICATIONS

- Panels shipped with appropriate hardware by specifying modesty type; see page 89 for details
- Modesty and back panels are for use in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewell

TO ORDER, SPECIFY:

1. Model Number
2. Modesty Type
3. Modesty Grommet
4. Modified Width
5. Veneer Finish/Laminate Color

SAMPLE MODEL NUMBER:

25N3025MPW M G21 X CW

- See pages 87-91 for all options available in Epic

MODESTY PANEL WORKSURFACE HEIGHT (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
25N3025MPW	Wood	$ 523	¾	29¾	25⅜	—	—	25 lbs.	2.3
25N3025MPL	Laminate	227	¾	29¾	25⅜	—	—	25 lbs.	2.3
25N2425MPW	Wood	$ 512	¾	23⅞	25⅜	—	—	22 lbs.	2.3
25N2425MPL	Laminate	211	¾	23⅞	25⅜	—	—	22 lbs.	2.3
25N1825MPW	Wood	$ 499	¾	17 13⁄16	25⅜	—	—	19 lbs.	2.2
25N1825MPL	Laminate	193	¾	17 13⁄16	25⅜	—	—	19 lbs.	2.2
25N1525MPW	Wood	$ 492	¾	14 13⁄16	25⅜	—	—	17 lbs.	2.2
25N1525MPL	Laminate	167	¾	14 13⁄16	25⅜	—	—	17 lbs.	2.2

- Except for models 1825 and 1525, modified widths are available on modesty panels in 1⁄16" increments; when ordering a modified width, specify the modesty panel 5⁄16" narrower than the corresponding worksurface
- Wood modesty panels have vertical grain
- Laminate modesty panels have horizontal grain

MODESTY PANEL WORKSURFACE HEIGHT



25N6025MPVL	Laminate	$ 367	¾	59 1⁄16	25⅜	—	—	39 lbs.	2.7
25N5425MPVL	Laminate	349	¾	53 1⁄16	25⅜	—	—	36 lbs.	2.6
25N4825MPVL	Laminate	321	¾	47¾	25⅜	—	—	33 lbs.	2.5
25N4225MPVL	Laminate	286	¾	41¾	25⅜	—	—	31 lbs.	2.5
25N3625MPVL	Laminate	255	¾	35¾	25⅜	—	—	28 lbs.	2.4
25N3025MPVL	Laminate	227	¾	29¾	25⅜	—	—	25 lbs.	2.3
25N2425MPVL	Laminate	211	¾	23⅞	25⅜	—	—	22 lbs.	2.3
25N1825MPVL	Laminate	193	¾	17 13⁄16	25⅜	—	—	19 lbs.	2.2
25N1525MPVL	Laminate	167	¾	14 13⁄16	25⅜	—	—	17 lbs.	2.2

- Except for models 1825 and 1525, modified widths are available on modesty panels in 1⁄16" increments; when ordering a modified width, specify the modesty panel 5⁄16" narrower than the corresponding worksurface
- Grain direction runs vertically

EPIC

PRODUCT SPECIFICATIONS

- Panels shipped with appropriate hardware by specifying modesty type; see page 89 for details
- Modesty and back panels are for use in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewell

TO ORDER, SPECIFY:

1. Model Number
2. Modesty Type
3. Modesty Grommet
4. Modified Width
5. Veneer Finish/Laminate Color

SAMPLE MODEL NUMBER:

25N7425MPW M G21 X CW

- See pages 87-91 for all options available in Epic

MODESTY PANEL WORKSURFACE HEIGHT



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
KNIFE RIM RETURN MODESTY									
25N7425MPW	Wood	$ 790	¾	73⁹⁄₁₆	25⅜	—	—	46 lbs.	2.8
25N7425MPL	Laminate	418	¾	73⁹⁄₁₆	25⅜	—	—	46 lbs.	2.8
25N6825MPW	Wood	$ 748	¾	67⁹⁄₁₆	25⅜	—	—	43 lbs.	2.7
25N6825MPL	Laminate	398	¾	67⁹⁄₁₆	25⅜	—	—	43 lbs.	2.7
25N6225MPW	Wood	$ 702	¾	61⅜	25⅜	—	—	40 lbs.	2.7
25N6225MPL	Laminate	367	¾	61⅜	25⅜	—	—	40 lbs.	2.7
25N5625MPW	Wood	$ 666	¾	55⅜	25⅜	—	—	37 lbs.	2.6
25N5625MPL	Laminate	349	¾	55⅜	25⅜	—	—	37 lbs.	2.6
25N5025MPW	Wood	$ 614	¾	49⅜	25⅜	—	—	34 lbs.	2.5
25N5025MPL	Laminate	321	¾	49⅜	25⅜	—	—	34 lbs.	2.5
25N4425MPW	Wood	$ 593	¾	43⅜	25⅜	—	—	31 lbs.	2.5
25N4425MPL	Laminate	286	¾	43⅜	25⅜	—	—	31 lbs.	2.5

- For use when creating a return using component knife rim surfaces
- Wood modesty panels have vertical grain
- Laminate modesty panels have horizontal grain

MODESTY PANEL WORKSURFACE HEIGHT



KNIFE RIM RETURN MODESTY									
25N5625MPVL	Laminate	$ 349	¾	55⁹⁄₁₆	25⅜	—	—	37 lbs.	2.6
25N5025MPVL	Laminate	321	¾	49¼	25⅜	—	—	34 lbs.	2.5
25N4425MPVL	Laminate	286	¾	43¼	25⅜	—	—	31 lbs.	2.5

- For use when creating a return using component knife rim surfaces
- Grain direction runs vertically

PRODUCT SPECIFICATIONS

- Panels shipped with appropriate hardware by specifying modesty type; see page 89 for details
- Modesty and back panels are for use in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewell

TO ORDER, SPECIFY:

1. Model Number
2. Modesty Type
3. Modesty Grommet
4. Modified Width
5. Veneer Finish/Laminate Color

SAMPLE MODEL NUMBER:

25N7525MPW M G21 X CW

- See pages 87-91 for all options available in Epic

MODESTY PANEL WORKSURFACE HEIGHT



KNIFE RIM BRIDGE MODESTY

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
25N7525MPW	Wood	$ 790	¾	74 15⁄16	25⅜	—	—	47 lbs.	2.8
25N7525MPL	Laminate	418	¾	74 15⁄16	25⅜	—	—	47 lbs.	2.8
25N6925MPW	Wood	$ 748	¾	69	25⅜	—	—	45 lbs.	2.8
25N6925MPL	Laminate	398	¾	69	25⅜	—	—	45 lbs.	2.8
25N6325MPW	Wood	$ 702	¾	63	25⅜	—	—	42 lbs.	2.7
25N6325MPL	Laminate	367	¾	63	25⅜	—	—	42 lbs.	2.7
25N5725MPW	Wood	$ 666	¾	57	25⅜	—	—	39 lbs.	2.6
25N5725MPL	Laminate	349	¾	57	25⅜	—	—	39 lbs.	2.6
25N5125MPW	Wood	$ 614	¾	51	25⅜	—	—	36 lbs.	2.6
25N5125MPL	Laminate	321	¾	51	25⅜	—	—	36 lbs.	2.6
25N4525MPW	Wood	$ 593	¾	45	25⅜	—	—	33 lbs.	2.5
25N4525MPL	Laminate	286	¾	45	25⅜	—	—	33 lbs.	2.5

- For use when creating a bridge using component knife rim surfaces
- Wood modesty panels have vertical grain
- Laminate modesty panels have horizontal grain

MODESTY PANEL WORKSURFACE HEIGHT



KNIFE RIM BRIDGE MODESTY

25N5725MPVL	Laminate	$ 349	¾	58 3⁄16	25⅜	—	—	39 lbs.	2.6
25N5125MPVL	Laminate	321	¾	52¼	25⅜	—	—	36 lbs.	2.6
25N4525MPVL	Laminate	286	¾	46¼	25⅜	—	—	33 lbs.	2.5

- For use when creating a bridge using component knife rim surfaces
- Grain direction runs vertically

EPIC

PRODUCT SPECIFICATIONS

- Panels shipped with appropriate hardware by specifying modesty type; see page 89 for details
- Modesty and back panels are for use in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewell

TO ORDER, SPECIFY:

1. Model Number
2. Modesty Type
3. Modesty Grommet
4. Modified Width
5. Veneer Finish/Laminate Color

SAMPLE MODEL NUMBER:

25N9620MPL M G21 94.5 MC

- See pages 87-91 for all options available in Epic

MODESTY PANEL BOX/FILE HEIGHT



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
25N9620MPW	Wood	$ 818	¾	95⅝	18⅞	—	—	45 lbs.	2.8
25N9620MPL	Laminate	439	¾	95⅝	18⅞	—	—	45 lbs.	2.8
25N9020MPW	Wood	$ 762	¾	89⅝	18⅞	—	—	43 lbs.	2.7
25N9020MPL	Laminate	408	¾	89⅝	18⅞	—	—	43 lbs.	2.7
25N8420MPW	Wood	$ 710	¾	83⅝	18⅞	—	—	41 lbs.	2.7
25N8420MPL	Laminate	380	¾	83⅝	18⅞	—	—	41 lbs.	2.7
25N7820MPW	Wood	$ 660	¾	77⅝	18⅞	—	—	39 lbs.	2.6
25N7820MPL	Laminate	352	¾	77⅝	18⅞	—	—	39 lbs.	2.6
25N7220MPW	Wood	$ 611	¾	71⅝	18⅞	—	—	36 lbs.	2.6
25N7220MPL	Laminate	327	¾	71⅝	18⅞	—	—	36 lbs.	2.6
25N6620MPW	Wood	$ 567	¾	65 1⁄16	18⅞	—	—	34 lbs.	2.5
25N6620MPL	Laminate	307	¾	65 1⁄16	18⅞	—	—	34 lbs.	2.5
25N6020MPW	Wood	$ 524	¾	59 1⁄16	18⅞	—	—	32 lbs.	2.5
25N6020MPL	Laminate	275	¾	59 1⁄16	18⅞	—	—	32 lbs.	2.5
25N5420MPW	Wood	$ 488	¾	53 1⁄16	18⅞	—	—	30 lbs.	2.4
25N5420MPL	Laminate	268	¾	53 1⁄16	18⅞	—	—	30 lbs.	2.4
25N4820MPW	Wood	$ 439	¾	47¾	18⅞	—	—	28 lbs.	2.4
25N4820MPL	Laminate	259	¾	47¾	18⅞	—	—	28 lbs.	2.4
25N4220MPW	Wood	$ 413	¾	41¾	18⅞	—	—	25 lbs.	2.3
25N4220MPL	Laminate	241	¾	41¾	18⅞	—	—	25 lbs.	2.3
25N3620MPW	Wood	$ 389	¾	35¾	18⅞	—	—	23 lbs.	2.3
25N3620MPL	Laminate	211	¾	35¾	18⅞	—	—	23 lbs.	2.3

- Modified widths are available on modesty panels in 1⁄16" increments; when ordering a modified width, specify the modesty panel 5⁄16" narrower than the corresponding worksurface
- Do not specify modesty type
- Wood modesty panels have vertical grain
- Laminate modesty panels have horizontal grain

PRODUCT SPECIFICATIONS

- Panels shipped with appropriate hardware by specifying modesty type; see page 89 for details
- Modesty and back panels are for use in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewell

TO ORDER, SPECIFY:

1. Model Number
2. Modesty Type
3. Modesty Grommet
4. Modified Width
5. Veneer Finish/Laminate Color

SAMPLE MODEL NUMBER:

25N3020MPL M G21 94.5 MC

- See pages 87-91 for all options available in Epic

MODESTY PANEL BOX/FILE HEIGHT (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
25N3020MPW	Wood	$ 343	¾	29¾	18⅞	—	—	21 lbs.	2.2
25N3020MPL	Laminate	184	¾	29¾	18⅞	—	—	21 lbs.	2.2
25N2420MPW	Wood	$ 321	¾	23⅞	18⅞	—	—	19 lbs.	2.1
25N2420MPL	Laminate	150	¾	23⅞	18⅞	—	—	19 lbs.	2.1
25N1820MPW	Wood	$ 296	¾	17 13⁄16	18⅞	—	—	17 lbs.	2.1
25N1820MPL	Laminate	109	¾	17 13⁄16	18⅞	—	—	17 lbs.	2.1
25N1520MPW	Wood	$ 251	¾	14 13⁄16	18⅞	—	—	15 lbs.	2.1
25N1520MPL	Laminate	83	¾	14 13⁄16	18⅞	—	—	15 lbs.	2.1

- Except for models 1820 and 1520, modified widths are available on modesty panels in 1⁄16" increments; when ordering a modified width, specify the modesty panel 5⁄16" narrower than the corresponding worksurface
- Wood modesty panels have vertical grain
- Laminate modesty panels have horizontal grain

MODESTY PANEL BOX/FILE HEIGHT



25N6020MPVL	Laminate	$ 275	¾	59 1⁄16	18⅞	—	—	32 lbs.	2.5
25N5420MPVL	Laminate	268	¾	53 1⁄16	18⅞	—	—	30 lbs.	2.4
25N4820MPVL	Laminate	259	¾	47¾	18⅞	—	—	28 lbs.	2.4
25N4220MPVL	Laminate	241	¾	41¾	18⅞	—	—	25 lbs.	2.3
25N3620MPVL	Laminate	211	¾	35¾	18⅞	—	—	23 lbs.	2.3
25N3020MPVL	Laminate	184	¾	29¾	18⅞	—	—	21 lbs.	2.2
25N2420MPVL	Laminate	150	¾	23⅞	18⅞	—	—	19 lbs.	2.1
25N1820MPVL	Laminate	109	¾	17 13⁄16	18⅞	—	—	17 lbs.	2.1
25N1520MPVL	Laminate	83	¾	14 13⁄16	18⅞	—	—	15 lbs.	2.1

- Except for models 1820 and 1520, modified widths are available on modesty panels in 1⁄16" increments; when ordering a modified width, specify the modesty panel 5⁄16" narrower than the corresponding worksurface
- Grain direction runs vertically

EPIC

PRODUCT SPECIFICATIONS

- Panels shipped with appropriate hardware by specifying modesty type; see page 89 for details
- Modesty and back panels are for use in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewell

TO ORDER, SPECIFY:

1. Model Number
2. Modesty Type
3. Modesty Grommet
4. Modified Width
5. Veneer Finish/Laminate Color

SAMPLE MODEL NUMBER:

25N96A25MPL M G21 94.5 MC

- See pages 87-91 for all options available in Epic

MODESTY PANEL
FULL OVERLAY
FOR STORAGE CREDENZAS
(WORKSURFACE HEIGHT)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
25N96A25MPL	Laminate	$ 526	¾	95¾	25⅜	—	—	65 lbs.	11.8
25N90A25MPL	Laminate	498	¾	89¾	25⅜	—	—	62 lbs.	11.1
25N84A25MPL	Laminate	471	¾	83¾	25⅜	—	—	58 lbs.	10.4
25N78A25MPL	Laminate	444	¾	77¾	25⅜	—	—	51 lbs.	7.2
25N72A25MPL	Laminate	418	¾	71¾	25⅜	—	—	44 lbs.	3.9
25N66A25MPL	Laminate	398	¾	65 13/16	25⅜	—	—	41 lbs.	3.6
25N60A25MPL	Laminate	367	¾	59 13/16	25⅜	—	—	38 lbs.	3.3

- Modified widths are available on modesty panels in 1/16" increments; when ordering a modified width, specify the modesty panel 5/16" narrower than the corresponding worksurface
- Wood modesty panels have vertical grain
- Laminate modesty panels have horizontal grain

MODESTY PANEL
FULL OVERLAY
FOR STORAGE CREDENZAS
(WORKSURFACE HEIGHT)



25N60A25MPVL	Laminate	$ 367	¾	59 13/16	27 3/16	—	—	38 lbs.	3.3

- Modified widths are available on modesty panels in 1/16" increments; when ordering a modified width, specify the modesty panel 5/16" narrower than the corresponding worksurface
- Grain direction runs vertically

PRODUCT SPECIFICATIONS

- Panels shipped with appropriate hardware by specifying modesty type; see page 89 for details
- Modesty and back panels are for use in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewell

TO ORDER, SPECIFY:

1. Model Number
2. Modesty Type
3. Modesty Grommet
4. Modified Width
5. Veneer Finish/Laminate Color

SAMPLE MODEL NUMBER:

25N96A20MPL M G21 94.5 MC

- See pages 87-91 for all options available in Epic

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

MODESTY PANEL
FULL OVERLAY
FOR STORAGE CREDENZAS
BOX/FILE HEIGHT



MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
25N96A20MPL	Laminate	$ 439	¾	95¾	19⅛	—	—	60 lbs.	4.1
25N90A20MPL	Laminate	408	¾	89¾	19⅛	—	—	57 lbs.	4.0
25N84A20MPL	Laminate	380	¾	83¾	19⅛	—	—	53 lbs.	3.9
25N78A20MPL	Laminate	352	¾	77¾	19⅛	—	—	46 lbs.	3.8
Q25N72A20MPL	Laminate	327	¾	71¾	19⅛	—	—	39 lbs.	3.7
25N72A20MPL	Laminate	327	¾	71¾	19⅛	—	—	39 lbs.	3.7
25N66A20MPL	Laminate	307	¾	65 13⁄16	19⅛	—	—	36 lbs.	3.4
Q25N60A20MPL	Laminate	275	¾	59 13⁄16	19⅛	—	—	33 lbs.	3.1
25N60A20MPL	Laminate	275	¾	59 13⁄16	19⅛	—	—	33 lbs.	3.1

- Full Overlay Modesty to be used on box/file height storage and when layering surfaces
- Modified widths are available on modesty panels in 1⁄16" increments; when ordering a modified width, specify the modesty panel 5⁄16" narrower than the corresponding worksurface
- Wood modesty panels have vertical grain
- Laminate modesty panels have horizontal grain

MODESTY PANEL
FULL OVERLAY
FOR STORAGE CREDENZAS
BOX/FILE HEIGHT



25N60A20MPVL	Laminate	$ 275	¾	59 13⁄16	19⅛	—	—	33 lbs.	3.1

- Full Overlay Modesty to be used on box/file height storage and when layering surfaces
- Modified widths are available on modesty panels in 1⁄16" increments; when ordering a modified width, specify the modesty panel 5⁄16" narrower than the corresponding worksurface
- Grain direction runs vertically

EPIC

PRODUCT SPECIFICATIONS

- End panels, filler panels and support panels shipped with appropriate hardware

TO ORDER, SPECIFY:

1. Model Number
2. Modesty/End Panel Grommet
3. Modified Depth
4. Modified Width
5. Veneer Finish/Laminate Color

SAMPLE MODEL NUMBER:

25N3528EPL GE1L X 425

- See pages 87-91 for all options available in Epic

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
END PANEL (WORKSURFACE HEIGHT)	25N3528EPW	Wood	$ 759	35 1/16	1 3/16	27 3/4	–	–	35 lbs.	1.9
	25N3528EPL	Laminate	457	35 1/16	1 3/16	27 3/4	–	–	35 lbs.	1.9
	25N2928EPW	Wood	$ 685	29 1/16	1 3/16	27 3/4	–	–	30 lbs.	1.3
	25N2928EPL	Laminate	391	29 1/16	1 3/16	27 3/4	–	–	30 lbs.	1.3
	25N2328EPW	Wood	$ 666	22 15/16	1 3/16	27 3/4	–	–	25 lbs.	1.1
	25N2328EPL	Laminate	356	22 15/16	1 3/16	27 3/4	–	–	25 lbs.	1.1
	25N1728EPW	Wood	$ 623	17 1/16	1 3/16	27 3/4	–	–	18 lbs.	1.1
	25N1728EPL	Laminate	332	17 1/16	1 3/16	27 3/4	–	–	18 lbs.	1.1

- End panels are required when pedestals are not used to support the end of a unit or workstation
- End panels are 1" shallower than worksurfaces to accommodate a modesty panel or filler strip
- Modified depth available on 35", 29", and 23" models only
- Modesty panels are recommended when building a shell unit

END PANEL (BOX/FILE HEIGHT)	25N2321EPW	Wood	$ 642	22 15/16	1 3/16	21 7/16	–	–	25 lbs.	1.1
	25N2321EPL	Laminate	332	22 15/16	1 3/16	21 7/16	–	–	25 lbs.	1.1
	25N1721EPW	Wood	$ 601	17 1/16	1 3/16	21 7/16	–	–	15 lbs.	1.0
	25N1721EPL	Laminate	312	17 1/16	1 3/16	21 7/16	–	–	15 lbs.	1.0

- End panels are required when pedestals are not used to support the end of a unit or workstation
- End panels are 1" shallower than worksurfaces to accommodate a modesty panel or filler strip
- Modified depth available on 23" models only
- Modesty panels are recommended when building a shell unit

PRODUCT SPECIFICATIONS

- End panels, filler panels and support panels shipped with appropriate hardware

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Modesty/End Panel Grommet
3. Modified Depth
4. Modified Width
5. Veneer Finish/Laminate Color

SAMPLE MODEL NUMBER:

25N1228SSW GE1L X 425

- See pages 87-91 for all options available in Epic

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SUPPORT PANEL (WORKSURFACE HEIGHT)	25N1228SSW	Wood	$ 459	11 7/16	1 3/16	27 3/4	–	–	15 lbs.	0.8
	25N1228SSL	Laminate	167	11 7/16	1 3/16	27 3/4	–	–	15 lbs.	0.8



- For use as added support
- Specify wood or laminate only

SUPPORT PANEL (BOX/FILE HEIGHT)	25N1221SSW	Wood	$ 440	11 7/16	1 3/16	21 7/16	–	–	16 lbs.	0.8
	25N1221SSL	Laminate	144	11 7/16	1 3/16	21 7/16	–	–	16 lbs.	0.8



- For use as added support
- Specify wood or laminate only

SUPPORT PANEL U-STYLE	NAC1228UBC	Concrete	$ 550	1½	12	28	–	–	12 lbs.	3.1
	NAC1228UBB	Cinder	550	1½	12	28	–	–	12 lbs.	3.1
	NAC1228UBI	Iron	550	1½	12	28	–	–	12 lbs.	3.1
	NAC1228UBS	Platinum Metallic	550	1½	12	28	–	–	12 lbs.	3.1
	NAC1228UBN	Satin Nickel Metallic	550	1½	12	28	–	–	12 lbs.	3.1
	NAC1228UBH	Designer White	550	1½	12	28	–	–	12 lbs.	3.1



- For use as added support
- Adjustable glides are standard
- Specify model number only
- Metal mounting plate attached to support panel

UNDERSURFACE SUPPORT RAIL (WORKSURFACE)	QNAC0248SUR		$ 266	2¾	48	1	–	–	5 lbs.	0.5
	NAC0248SUR		266	2¾	48	1	–	–	5 lbs.	0.5
	QNAC0236SUR		228	2¾	36	1	–	–	3 lbs.	0.3
	NAC0236SUR		228	2¾	36	1	–	–	3 lbs.	0.3



- Specify model number only
- Model recommended for use when the weight on the table has a uniform weight above 125 lbs. or if the span between table legs or support structures is greater than 48" on a 1 3/16" worksurface and greater than 60" on a 1 7/16" worksurface
- Specify the 36" model to be used up to 66" worksurfaces
- Specify the 48" model to be used up to 72" worksurfaces
- Specify with worksurfaces when overlapping box/file height storage, sit on box/file height storage and supports worksurface height worksurfaces
- Rails are bulk packed per order. The pack may contain both sizes of rails

EPIC

PRODUCT SPECIFICATIONS

- End panels, filler panels and support panels shipped with appropriate hardware

TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Veneer Finish/Laminate Color

SAMPLE MODEL NUMBER:

25N4228STL GE1R 480

- See pages 87-91 for all options available in Epic

T-SUPPORT PANEL (WORKSURFACE HEIGHT)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
25N4228STW	Wood	$ 1264	41⅞	1⅜₁₆	27¾	—	—	49 lbs.	3.4
25N4228STL	Laminate	674	41⅞	1⅜₁₆	27¾	—	—	49 lbs.	3.4
25N3628STW	Wood	$ 1198	35⅞	1⅜₁₆	27¾	—	—	43 lbs.	2.9
25N3628STL	Laminate	611	35⅞	1⅜₁₆	27¾	—	—	43 lbs.	2.9
25N3028STW	Wood	$ 1133	29¹⁵⁄₁₆	1⅜₁₆	27¾	—	—	38 lbs.	2.5
25N3028STL	Laminate	546	29¹⁵⁄₁₆	1⅜₁₆	27¾	—	—	38 lbs.	2.5
25N2428STW	Wood	$ 1106	22¹⁵⁄₁₆	1⅜₁₆	27¾	—	—	32 lbs.	2.1
25N2428STL	Laminate	506	22¹⁵⁄₁₆	1⅜₁₆	27¾	—	—	32 lbs.	2.1
25N1828STW	Wood	$ 1034	17¹⁄₁₆	1⅜₁₆	27¾	—	—	28 lbs.	1.4
25N1828STL	Laminate	473	17¹⁄₁₆	1⅜₁₆	27¾	—	—	28 lbs.	1.4

- Some assembly required
- Specify with U-surfaces, extended U-surfaces, P-surfaces, extended P-surfaces, and J-surfaces

PRODUCT SPECIFICATIONS

- End panels, filler panels and support panels shipped with appropriate hardware

TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Veneer Finish/Laminate Color

SAMPLE MODEL NUMBER:

25N3606STL GE1R 480

- See pages 87-91 for all options available in Epic

T-SUPPORT PANEL (BOX/FILE HEIGHT)



(Not for use with modesty panel)

MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
25N3606STW	Wood	$ 600	35⅞	1⅜₁₆	4⅞	—	—	21 lbs.	2.0
25N3606STL	Laminate	304	35⅞	1⅜₁₆	4⅞	—	—	21 lbs.	2.0
25N3006STW	Wood	$ 567	29¹⁵⁄₁₆	1⅜₁₆	4⅞	—	—	19 lbs.	1.8
25N3006STL	Laminate	272	29¹⁵⁄₁₆	1⅜₁₆	4⅞	—	—	19 lbs.	1.8
25N2406STW	Wood	$ 553	22¹⁵⁄₁₆	1⅜₁₆	4⅞	—	—	16 lbs.	1.6
25N2406STL	Laminate	254	22¹⁵⁄₁₆	1⅜₁₆	4⅞	—	—	16 lbs.	1.6
25N1806STW	Wood	$ 516	17¹⁵⁄₁₆	1⅜₁₆	4⅞	—	—	12 lbs.	1.1
25N1806STL	Laminate	235	17¹⁵⁄₁₆	1⅜₁₆	4⅞	—	—	12 lbs.	1.1

- Some assembly required
- Specify with worksurfaces when overlapping box/file height storage, sits on box/file height storage and supports overlapping worksurfaces
- 36, 30, 24, and 18 models not to be used with modesty panels

T-SUPPORT PANEL (BOX/FILE HEIGHT)



(For use with modesty panel)

25N3506STW	Wood	$ 568	35⅛	1⅜₁₆	4⅞	—	—	21 lbs.	2.0
25N3506STL	Laminate	288	35⅛	1⅜₁₆	4⅞	—	—	21 lbs.	2.0
25N2906STW	Wood	$ 539	29⅛	1⅜₁₆	4⅞	—	—	19 lbs.	1.8
25N2906STL	Laminate	259	29⅛	1⅜₁₆	4⅞	—	—	19 lbs.	1.8
25N2306STW	Wood	$ 525	22⅛	1⅜₁₆	4⅞	—	—	16 lbs.	1.6
25N2306STL	Laminate	241	22⅛	1⅜₁₆	4⅞	—	—	16 lbs.	1.6
25N1706STW	Wood	$ 492	17⅛	1⅜₁₆	4⅞	—	—	12 lbs.	1.1
25N1706STL	Laminate	222	17⅛	1⅜₁₆	4⅞	—	—	12 lbs.	1.1

- Some assembly required
- Specify with worksurfaces when overlapping box/file height storage, sits on box/file height storage and supports overlapping worksurfaces
- 35, 29, 23, and 17 models are 1" shallower than worksurface to accommodate a modesty panel

EPIC

PRODUCT SPECIFICATIONS

- End panels, filler panels and support panels shipped with appropriate hardware

TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Veneer Finish/Laminate Color

SAMPLE MODEL NUMBER:

25N3039SLLW GE1R 480

- See pages 87-91 for all options available in Epic

	MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
CORNER SUPPORT PRIVACY PANEL	**LEFT HANDED**	**RIGHT HANDED**									
 25N3039SLLW Left shown	25N3039SLLW	25N3039SLRW	Wood	$ 1579	31 5/16	31 1/4	39 1/16	–	–	60 lbs.	2.8
	25N3039SLLL	25N3039SLRL	Laminate	903	31 5/16	31 1/4	39 1/16	–	–	60 lbs.	2.8
	25N2439SLLW	25N2439SLRW	Wood	$ 1533	25 3/16	25 1/4	39 1/16	–	–	60 lbs.	2.8
	25N2439SLLL	25N2439SLRL	Laminate	824	25 3/16	25 1/4	39 1/16	–	–	60 lbs.	2.8
	25N3239SLLW	25N3239SLRW	Wood	$ 1579	32 13/16	31 1/4	39 1/16	–	–	60 lbs.	2.8
	25N3239SLLL	25N3239SLRL	Laminate	903	32 13/16	31 1/4	39 1/16	–	–	60 lbs.	2.8
	25N2639SLLW	25N2639SLRW	Wood	$ 1533	26 11/16	25 1/4	39 1/16	–	–	60 lbs.	2.8
	25N2639SLLL	25N2639SLRL	Laminate	824	26 11/16	25 1/4	39 1/16	–	–	60 lbs.	2.8

- Some assembly required
- 32" and 26" models are to be used with K1 worksurfaces
- 30" and 24" models are to be used with 30" and 24" deep worksurfaces
- Corner supports can be used in place of undersurface support or support panels

FILLER STRIP (WORKSURFACE HEIGHT)	25N28CPFSW	Wood	$ 74	¾	2 11/16	25 3/8	–	–	19 lbs.	1.8
	25N28CPFSL	Laminate	53	¾	2 11/16	25 3/8	–	–	19 lbs.	1.8

- When pedestals are positioned against a wall and a modesty panel is not used, specify a filler strip to fill the 1" gap between the worksurface and pedestal depths

FILLER STRIP (BOX/FILE HEIGHT)	25N21CPFSW	Wood	$ 51	¾	2 11/16	18 7/8	–	–	16 lbs.	1.6
	25N21CPFSL	Laminate	34	¾	2 11/16	18 7/8	–	–	16 lbs.	1.6

- When pedestals are positioned against a wall and a modesty panel is not used, specify a filler strip to fill the 1" gap between the worksurface and pedestal depths

SUPPORT BASE BRACKET	25N04BKT		$ 34	⅝	4 1/16	–	–	–	1 lbs.	0.3
											

- Specify metal paint color 462 Cinder, 501 Platinum Metallic, or 503 Satin Nickel Metallic
- For use with an extension surface and using a full modesty

WORKSURFACE WIRE MANAGER FILLER CAP	NAC01WMFM		$ 24	1	1	1	–	–	1 lbs.	0.5
											

- Specify paint color
- Paint options and recommendations are listed on page 88

EPICENTER

Product Specifications 204
Configuration Options 205
Epicenter Units 212

EPICENTER

PRODUCT SPECIFICATIONS

WORKSURFACE

- Laminate surfaces are 1⅜" HPL (high pressure laminate) or 1⅛" TFL (thermally fused laminate), and feature a 3mm PVC or a knife rim profile
- Veneer surfaces are 1⅜" plain sliced slipmatched cherry (Amber, Autumn, Mocha, Truffle) or maple veneer (Brighton, Caramel, Honey, Natural), plain sliced bookmatched walnut veneer (Cordovan, Judicial), quarter cut walnut veneer (Almond, Portobello, Sable), or quarter cut oak veneer (Sonoma). All veneer surfaces feature a 3mm wood rim or knife rim profile
- Knife rim surfaces available on 1 (K1) side to simplify space planning
- Refer to page 207 for rim profiles and colors
- Grain direction runs left-to-right unless otherwise noted

FINISH APPLICATION

- All Veneer surfaces feature a semi-open pore matte finish

UPPER EPICENTER

- Upper Epicenter is a welded assembly that attaches to component pedestals and/or worksurfaces
- Upper Epicenter can be mounted on box/file or worksurface height component pedestals
- Upper Epicenter provides the structure to hang worksurfaces or mount privacy screens
- Upper Epicenter is 13" tall and provides seated height privacy to users
- Available as non-powered or with a multi-circuit electrical solution
- Non-powered Upper Epicenter available in 24"-96" lengths
- Powered Upper Epicenter available in 24"-72" lengths
- Multiple inserts available to personalize the Upper Epicenter
- Multiple sections can be ganged to outfit any space
- Slat and slat/tack inserts must be specified where worksurfaces will be hung from the Upper Epicenter
- Lower and Upper Epicenter must be specified in the same widths
- If undersurface storage is used with Epicenter, pedestal grommets must NOT be specified

LOWER EPICENTER

- Only available as non-powered
- Upper and Lower Epicenters must be specified together to create a single sided Epicenter
- Lower and Upper Epicenter must be specified in the same widths
- Lower Epicenter available in 24"-96" lengths and worksurface and box/file heights
- Multiple single sided inserts available to personalize the Epicenter
- If undersurface storage is used with Epicenter, pedestal grommets must NOT be specified

UPPER EPICENTER TACK BOARD/SLAT WALL/MARKER BOARD INSERTS

- Tack board insert is available in fabric, see page 207 for fabric options
- Tack board and slat/tack inserts have cutout options for access to the multi-circuit electrical solution
- Slat wall inserts are powder coated aluminum and available in Cinder, Platinum Metallic or Satin Nickel Metallic
- Slat wall inserts offer flexibility in placement of work tools; slat/tack inserts offer a slat wall insert combined with a tack board insert providing a multi-functional area
- Magnetic porcelain marker board inserts have erasable writing surface
- Marker board inserts are available in white only
- Slat wall and marker board inserts include 2 trim channels

SINGLE SIDED EPICENTER TACK BOARD/VENEER/LAMINATE INSERTS

- Tack board insert is available in fabric, see page 207 for fabric options
- Veneer/laminate inserts are not available with cutout options
- Laminate inserts are HPL and available in all woodgrain and solid laminate chassis offerings

UPPER EPICENTER POWER AND DATA

- Epicenter features a 3 circuit/5 wire UL listed electrical solution rated at 20 amps per circuit
- Power and data troughs have metal separation
- 15 amp duplex receptacles can be specified for any of the 3 circuits
- Epicenter's electrical solution provides access to power on both sides of the unit
- On 30"-72" lengths of the powered Epicenter a duplex receptacle can be located 12" from each end of the unit, on the 24" powered Epicenter the duplex receptacle can be located in the center of the unit
- Power pole allows power and data to be dropped down from above; attaches to Epicenter trim cap
- Power entry whip allows power to enter at the floor, wall, column or power pole
- Jumpers available in 18" to 126" lengths to distribute power between powered Epicenter sections
- Top channel provides a lay-in data trough

EPICENTER END TRIM

- End trim is powder coated steel
- Full end trim finishes the end of a run

EPICENTER MOUNT OVERHEADS

- Available as shared 13" cabinets
- Overheads feature stanchions that allow them to straddle the Epicenter
- Resin or metal sliding doors or open models
- Shared models available in 30"-60" widths
- Interior space allows for storage of binders

EPICENTER MOUNT PRIVACY SCREEN

- Screen is 3⁄16" thick resin
- 13" height available in 24"-60" widths
- Height aligns with Epicenter overheads

EPICENTER WORKSURFACE BRACKETS

- Epic worksurface brackets attach worksurfaces to the Epicenter
- Worksurface bracket must be attached to a slat or slat/tack combo insert
- Utilized when Epicenter is mounted on box/file height storage to hang worksurfaces at standard height

COMPONENTS

- Component models will ship bulk packed when applicable

UPPER EPICENTER SLAT WALL INSERT PAINT COLORS

462 Cinder
501 Platinum Metallic
503 Satin Nickel Metallic

EPICENTER TRIM PAINT COLORS

462 Cinder
501 Platinum Metallic
503 Satin Nickel Metallic

WORK TOOLS (METAL)

423 Concrete
462 Cinder
463 Iron
501 Platinum Metallic
503 Satin Nickel Metallic

UPPER EPICENTER POWER/DATA CUTOUT

If no cutout desired, specify an X.

E2 Electrical ($40 list)
D2 Data/Electrical ($40 list)
E2LE2R Electric–Left, Electric–Right ($80 list)
E2LD2R Electric–Left, Electric/Data–Right ($80 list)
D2LE2R Electric/Data–Left, Electric–Right ($80 list)
D2LD2R Electric/Data–Left, Electric/Data–Right ($80 list)

For units with 2 cutouts, specify left and right cutout.

WOOD FINISHES

AC Autumn
AD Almond
CL Caramel
CW Cordovan
DW Judicial
HN Honey
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
SM Sonoma
TF Truffle
792 Sable

LAMINATE DOORS, CHASSIS & INSERTS

WOODGRAIN LAMINATE

AC2 Autumn 2
AD Almond
ADH Almond Horizontal
BZ Brazilwood
CI Chai
CL Caramel
CW Cordovan
DW Judicial
HN2 Honey 2
IM Brighton
KN Kona
MC Amber
MH Mocha
NM Natural
PB Portobello
PBH Portobello Horizontal
PC Porcini
PT Portico
PTH Portico Horizontal
SK Skyline
SKH Skyline Horizontal
SM Sonoma
SMH Sonoma Horizontal
TF Truffle
WL Willow
792 Sable
792H Sable Horizontal
793 Acorn

SOLID LAMINATE

405 Designer White
419 Wallaby
425 Shadow
440 Cloud
457 Dapple
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
491H Designer White Linear Horizontal
492 Cinder Linear
492H Cinder Linear Horizontal

METAL SLIDING DOOR COLORS

462 Cinder
501 Platinum Metallic
503 Satin Nickel Metallic

GALLERY LAMINATE

Grade 1 – 5% upcharge
G1001 Citadel
G1011 Pepperdust

Grade 2 – 6% upcharge
G1002 Planked Raw Oak
G1003 Evening Notte
G1004 Kirsche
G1005 Midnight Run
G1006 Sepia Walnut
G1007 Serotina
G1008 Timeless
G1009 White Nebbia
G1012 Phantom Ecru

See page 14 for Gallery program details and upcharges

RESIN COLORS

Grade 1
1677 Frosted

CONFIGURATION OPTIONS - EPICENTER

EPICENTER OVERHEAD SUPPORTS (STANCHIONS)

4L-462	4 Long 0 Short, Cinder
4S-462	0 Long 4 Short, Cinder
3L1S-462	3 Long 1 Short, Cinder
2L2S-462	2 Long 2 Short, Cinder
1L3S-462	1 Long 3 Short, Cinder
4L-501	4 Long 0 Short, Platinum Metallic
4S-501	0 Long 4 Short, Platinum Metallic
3L1S-501	3 Long 1 Short, Platinum Metallic
2L2S-501	2 Long 2 Short, Platinum Metallic
1L3S-501	1 Long 3 Short, Platinum Metallic
4L-503	4 Long 0 Short, Satin Nickel Metallic
4S-503	0 Long 4 Short, Satin Nickel Metallic
3L1S-503	3 Long 1 Short, Satin Nickel Metallic
2L2S-503	2 Long 2 Short, Satin Nickel Metallic
1L3S-503	1 Long 3 Short, Satin Nickel Metallic

EPICENTER END PANEL GROMMET

If no grommet is desired, specify an X

GE11MB	Racetrack, Cinder ($45 list)
GE11PL	Racetrack, Platinum Metallic ($45 list)
GE11SN	Racetrack, Satin Nickel Metallic ($45 list)



Electrical Faceplate



Electrical Data Combo Faceplate

- Data jack covers and blanks not provided by National for faceplates
- Recommended Keystone jack data ports:
  TE-Connectivity 110 Series
  Hubell Xcelerator Series
  Hubell Snap-In Series
  Tyco 110 Series
  Leviton Quickport Series
  Belden Keyconnect Series
  Simeon Z-Max 6A UTP System
- Recommended Keystone blank cover:
  Model #558856-1 from TE-Connectivity

EPICENTER TACK BOARD INSERT/SLAT WITH TACK BOARD INSERT

Dune (Grade A)
100% Polyester

8600 Drift
8601 Windblown
8602 Erosion
8603 Haze
8608 Nectar
8610 Clear Sky
8614 Basin
8615 Raven
8620 Darkness

Repetition (Grade A)
100% Pre-Consumer
Recycled Polyester

3700 Ash
3703 White
3709 Java
3713 Stainless
3721 Reed
3744 Tawny

COM (Grade B)

Pact (Grade B)
65% Pre-Consumer Recycled Polyester,
35% Post-Consumer Recycled Polyester

25401 Aloe
25402 Azure
25403 Calla
25404 Coastal
25405 Delft
25406 Dove
25409 Fern
25410 Harbour
25411 Lily
25412 Lime
25413 Midnight
25414 Nectar
25415 Patina
25416 Putty
25418 Roma
25420 Sketch
25422 Taupe
25423 Toasty

RIM PROFILE OPTIONS



Softened Wood (F) **Reed Wood (R)** **Cove Wood (P)*** **Knife (K)**



Zip Wood (Z) **Concave Wood (C)*** **Step Wood (T)***



Softened PVC (V) **Reed PVC (N)**

*Not recommended with SM Sonoma

PVC REED RIM

AC2 Autumn 2
CL Caramel
CW Cordovan
DW Judicial
HN2 Honey 2
MC Amber
MH Mocha
NM Natural
TF Truffle

PVC SOFTENED RIM

AC2 Autumn 2
AD Almond
BZ Brazilwood
CI Chai
CL Caramel
CW Cordovan
DW Judicial
HN2 Honey 2
IM Brighton
KN Kona
MC Amber
MH Mocha
NM Natural
PB Portobello
PC Porcini
PT Portico
SK Skyline
SM Sonoma
TF Truffle
WL Willow
405 Designer White
419 Wallaby
425 Shadow
440 Cloud
457 Dapple
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear
792 Sable
793 Acorn

WOOD RIM

AC Autumn
AD Almond
CL Caramel
CW Cordovan
DW Judicial
HN Honey
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
SM Sonoma
TF Truffle
792 Sable

GALLERY PVC SOFTENED RIM

Grade 1 – 5% upcharge
G1001 Citadel
G1011 Pepperdust

Grade 2 – 6% upcharge
G1002 Planked Raw Oak
G1003 Evening Notte
G1004 Kirsche
G1005 Midnight Run
G1006 Sepia Walnut
G1007 Serotina
G1008 Timeless
G1009 White Nebbia
G1012 Phantom Ecru

See page 14 for Gallery program details and upcharges

CONFIGURATION OPTIONS - EPICENTER

WORKSURFACE WIRE MANAGER COLORS

403 Chamois
405 Designer White
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
485 Dark Chocolate

WIRE MANAGER FILLER CAP COLORS

403 Chamois
405 Designer White
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
485 Dark Chocolate

NOTE: 478 not available. Recommended to use 440 Cloud for 478 Platinum Grey on filler caps.

WORKSURFACE FINISH/ LAMINATE	WIRE MANAGER AND FILLER CAP COLOR RECOMMENDATIONS
WOODGRAINS	
AC2 Autumn 2	403 Chamois 419 Wallaby 485 Dark Chocolate
AD Almond	485 Dark Chocolate
BZ Brazilwood	403 Chamois 419 Wallaby
CI Chai	403 Chamois 419 Wallaby
CL Caramel	403 Chamois 419 Wallaby
CW Cordovan	485 Dark Chocolate
DW Judicial	485 Dark Chocolate
HN2 Honey 2	403 Chamois 419 Wallaby
KN Kona	425 Shadow
IM Brighton	403 Chamois 405 Designer White 419 Wallaby
MC Amber	403 Chamois 419 Wallaby 485 Dark Chocolate
MH Mocha	485 Dark Chocolate
NM Natural	403 Chamois 419 Wallaby
PB Portobello	425 Shadow 461 Graphite
PC Porcini	419 Wallaby 425 Shadow
PT Portico	461 Graphite 478 Platinum Grey
SK Skyline	485 Dark Chocolate
SM Sonoma	403 Chamois 419 Wallaby
TF Truffle	403 Chamois 425 Shadow 485 Dark Chocolate
WL Willow	419 Wallaby 425 Shadow
792 Sable	425 Shadow 485 Dark Chocolate
793 Acorn	419 Wallaby 425 Shadow 485 Dark Chocolate

WORKSURFACE FINISH/ LAMINATE	WIRE MANAGER AND FILLER CAP COLOR RECOMMENDATIONS
SOLID LAMINATES	
405 Designer White	405 Designer White
419 Wallaby	419 Wallaby
425 Shadow	425 Shadow
440 Cloud	440 Cloud
457 Dapple	461 Graphite
461 Graphite	461 Graphite
462 Cinder	462 Cinder
478 Platinum Grey	478 Platinum Grey
488 Frosty White	405 Designer White
491 Designer White Linear	405 Designer White
492 Cinder Linear	462 Cinder

WORKSURFACE FINISH/ LAMINATE	WIRE MANAGER AND FILLER CAP COLOR RECOMMENDATIONS
PATTERN LAMINATES	
814 White Tigris	440 Cloud 478 Platinum Grey
818 Crisp Linen	440 Cloud
819 Flax Gauze	403 Chamois 419 Wallaby
821 Elemental Concrete	440 Cloud 478 Platinum Grey
822 Smoke Quarstone	461 Graphite

WORKSURFACE LAMINATE	WIRE MANAGER AND FILLER CAP COLOR RECOMMENDATIONS
GALLERY LAMINATE	
G1001 Citadel	425 Shadow 461 Graphite 478 Platinum Grey
G1002 Planked Raw Oak	405 Designer White 419 Wallaby 440 Cloud
G1003 Evening Notte	425 Shadow 485 Dark Chocolate
G1004 Kirsche	403 Chamois 419 Wallaby 425 Shadow
G1005 Midnight Run	461 Graphite 462 Cinder
G1006 Sepia Walnut	485 Dark Chocolate
G1007 Serotina	425 Shadow
G1008 Timeless	485 Dark Chocolate 425 Shadow
G1009 White Nebbia	405 Designer White 440 Cloud
G1011 Pepperdust	425 Shadow 478 Platinum Grey
G1012 Phantom Ecru	419 Wallaby 440 Cloud 425 Shadow

WOOD FINISHES

AC Autumn
AD Almond
CL Caramel
CW Cordovan
DW Judicial
HN Honey
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
SM Sonoma
TF Truffle
792 Sable

WORKSURFACE/MODESTY TYPE

M Main
E Extension
F Filler

M = 0 Connecting Worksurface Flat Brackets
E = 2 Connecting Worksurface Flat Brackets
F = 4 Connecting Worksurface Flat Brackets

LAMINATE WORKSURFACES

WOODGRAIN LAMINATE

AC2 Autumn 2
AD Almond
BZ Brazilwood
CI Chai
CL Caramel
CW Cordovan
DW Judicial
HN2 Honey 2
IM Brighton
KN Kona
MC Amber
MH Mocha
NM Natural
PB Portobello
PC Porcini
PT Portico
SK Skyline
SM Sonoma
TF Truffle
WL Willow
792 Sable
793 Acorn

SOLID LAMINATE

405 Designer White
419 Wallaby
425 Shadow
440 Cloud
457 Dapple
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear

PATTERN LAMINATE

814 White Tigris
818 Crisp Linen
819 Flax Gauze
821 Elemental Concrete
822 Smoke Quarstone

GALLERY LAMINATE

Grade 1 – 5% upcharge
G1001 Citadel
G1011 Pepperdust

Grade 2 – 6% upcharge
G1002 Planked Raw Oak
G1003 Evening Notte
G1004 Kirsche
G1005 Midnight Run
G1006 Sepia Walnut
G1007 Serotina
G1008 Timeless
G1009 White Nebbia
G1012 Phantom Ecru

See page 14 for Gallery program details and upcharges

CONFIGURATION OPTIONS - EPICENTER

GROMMET OPTIONS

If no grommet is desired, specify an X (No Grommet)

Round Grommet, Black Plastic



$40 list for each grommet

G1L	Left
G1R	Right
G1LR	Left & Right
G1C	Center
G1LC	Left & Center
G1RC	Right & Center
G1A	Left, Right & Center

Racetrack Grommet, Satin Nickel Metallic



$45 list for each grommet

G11SNL	Left
G11SNR	Right
G11SNLR	Left & Right
G11SNC	Center
G11SNLC	Left & Center
G11SNRC	Right & Center
G11SNA	Left, Right & Center

Racetrack Grommet, Cinder



$45 list for each grommet

G11MBL	Left
G11MBR	Right
G11MBLR	Left & Right
G11MBC	Center
G11MBLC	Left & Center
G11MBRC	Right & Center
G11MBA	Left, Right & Center

Racetrack Grommet, Platinum Metallic



$45 list for each grommet

G11PLL	Left
G11PLR	Right
G11PLLR	Left & Right
G11PLC	Center
G11PLLC	Left & Center
G11PLRC	Right & Center
G11PLA	Left, Right & Center

Cutout Option for 1 Touch Pivoting Power Grommet

$40 list upcharge per cutout location

CUT-G17L	Left
CUT-G17R	Right
CUT-G17LR	Left & Right
CUT-G17C	Center
CUT-G17LC	Left & Center
CUT-G17RC	Right & Center
CUT-G17A	Left, Right & Center



- Reference page 92 for cutout locations of CUT-G17

NACG17AELPGB, NACG17AELPGS, and NACG17AELPGW (Sold Separately)

- Reference page 757 for pricing and details



NACG17BELPGB, NACG17BELPGS, and NACG17BELPGW (Sold Separately)

- Reference page 757 for pricing and details



NACG17CELPGB, NACG17CELPGS, and NACG17CELPGW (Sold Separately)

- Reference page 757 for pricing and details

NOTE: Interlink IQ units are available in the Accessories section

WORKSURFACE WIRE MANAGER

If no wire manager is desired, specify an X (No Wire Manager)

Specify locations and color option
Comes attached to worksurface
$50 list for each location



Locations:

D1B	Back	$50 list
D1L	Left	$50 list
D1R	Right	$50 list
D1LR	Left & Right	$100 list
D1BL	Back & Left	$100 list
D1BR	Back & Right	$100 list

Colors:

403	Chamois
405	Designer White
419	Wallaby
425	Shadow
440	Cloud
461	Graphite
462	Cinder
478	Platinum Grey
485	Dark Chocolate

Sample Option Selections:

D1B425 Wire Manager on Back in Shadow, $50 list
D1BL403 Wire Manager on Back and Left in Chamois, $100 list

END SUPPORT PRIVACY PANEL

1F462	1 Full Epicenter, Cinder
1U462	1 Upper Epicenter, Cinder
1F501	1 Full Epicenter, Platinum Metallic
1U501	1 Upper Epicenter, Platinum Metallic
1F503	1 Full Epicenter, Satin Nickel Metallic
1U503	1 Upper Epicenter, Satin Nickel Metallic
X	No Epicenter

END SUPPORT PANELS (DOUBLE OR SINGLE DEPTH)



1U462 1F462 X

- Full Epicenter consists of an Upper and a Lower Epicenter
- Choose the option that corresponds with the Upper or Full Epicenter in your configuration

MID SUPPORT PRIVACY PANEL (DOUBLE DEPTH)

1F1U462	Full and Upper Epicenter, Cinder
2F462	2 Full Epicenter, Cinder
2U462	2 Upper Epicenter, Cinder
1F1U501	Full and Upper Epicenter, Platinum Metallic
2F501	2 Full Epicenter, Platinum Metallic
2U501	2 Upper Epicenter, Platinum Metallic
1F1U503	Full and Upper Epicenter, Satin Nickel Metallic
2F503	2 Full Epicenter, Satin Nickel Metallic
2U503	2 Upper Epicenter, Satin Nickel Metallic
X	No Epicenter

MID SUPPORT PANELS (DOUBLE DEPTH)



1F1U462 2F462 2U462

- Full Epicenter consists of an Upper and a Lower Epicenter
- Mid Support Panels (Double Depth) are non-handed
- Choose the option that corresponds with the Upper and/or Full Epicenters in your configuration

MID SUPPORT PRIVACY PANEL (SINGLE DEPTH)

1FR1UL462	Full Right and Upper Left Epicenter, Cinder
1FL1UR462	Full Left and Upper Right Epicenter, Cinder
1FL1FR462	Full Left and Right Epicenter, Cinder
1UL1UR462	Upper Left and Right Epicenter, Cinder
1FR1UL501	Full Right and Upper Left Epicenter, Platinum Metallic
1FL1UR501	Full Left and Upper Right Epicenter, Platinum Metallic
1FL1FR501	Full Left and Right Epicenter, Platinum Metallic
1UL1UR501	Upper Left and Right Epicenter, Platinum Metallic
1FR1UL503	Full Right and Upper Left Epicenter, Satin Nickel Metallic
1FL1UR503	Full Left and Upper Right Epicenter, Satin Nickel Metallic
1FL1FR503	Full Left and Right Epicenter, Satin Nickel Metallic
1UL1UR503	Upper Left and Right Epicenter, Satin Nickel Metallic
X	No Epicenter

MID SUPPORT PANELS (SINGLE DEPTH)



1FL1UR462 1UL1FR462 1FL1FR462

- Full Epicenter consists of an Upper and a Lower Epicenter
- Mid Support Panels (Single Depth) are handed and must be specified as left or right
- Choose the option that corresponds with the Upper and/or Full Epicenters as viewing from the user side of your configuration

EPICENTER

PRODUCT SPECIFICATIONS

- Epicenter is a welded assembly that attaches to component pedestals and/or worksurfaces
- Epicenter can be mounted on box/file or worksurface height component pedestals
- Epicenter provides the structure to hang worksurfaces, overhead storage cabinets or privacy screens
- Epicenter is 13" tall and provides seated height privacy to users
- Slat and Slat/Tack combo units must be specified where worksurfaces will be hung from the Epicenter
- Tack board insert is available in fabric, see page 207 for fabric options
- Tack board and Slat/Tack combo insert have cutout options for access to the multi-circuit electrical solution
- Marker board inserts have erasable writing surface and are magnetic
- Top channel provides a lay-in data trough
- See specification guide for details on how to specify
- Upper and Lower Epicenter must be assembled to create a single sided application
- Single sided application must have 1 side assembled to a worksurface, component peds, and/or Epicenter support bases

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

26N9612DV

- See pages 205-210 for all options available in Epicenter

NON-POWERED UPPER EPICENTER



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
26N9612DV	$ 1055	3¾	96	11⅞	—	—	36 lbs.	1.8
26N9012DV	988	3¾	90	11⅞	—	—	33 lbs.	1.7
26N8412DV	936	3¾	84	11⅞	—	—	30 lbs.	1.6
26N7812DV	881	3¾	78	11⅞	—	—	29 lbs.	1.5
26N7212DV	825	3¾	72	11⅞	—	—	27 lbs.	1.3
26N6612DV	763	3¾	66	11⅞	—	—	26 lbs.	1.2
26N6012DV	699	3¾	60	11⅞	—	—	24 lbs.	1.1
26N5412DV	634	3¾	54	11⅞	—	—	20 lbs.	1.0
26N4812DV	572	3¾	48	11⅞	—	—	17 lbs.	0.9
26N4212DV	530	3¾	42	11⅞	—	—	16 lbs.	0.8
26N3612DV	487	3¾	36	11⅞	—	—	14 lbs.	0.7
26N3012DV	448	3¾	30	11⅞	—	—	11 lbs.	0.6
26N2412DV	405	3¾	24	11⅞	—	—	8 lbs.	0.5

- Mounting brackets must be specified separately, see page 252
- Epicenter can be mounted on box/file or worksurface height WaveWorks and Epic component pedestals; specify storage without the end panel grommet or back panel option
- Inserts must be specified separately
- Slat and slat/tack combo units must be specified where worksurfaces will be hung from the Epicenter
- Standard black, specify model number only
- Upper Epicenter must be used with Lower Epicenter to create the single sided application

EPICENTER

PRODUCT SPECIFICATIONS

- Epicenter is a welded assembly that attaches to component pedestals and/or worksurfaces
- Epicenter can be mounted on box/file or worksurface height component pedestals
- Epicenter provides the structure to hang worksurfaces, overhead storage cabinets or privacy screens
- Epicenter is 13" tall and provides seated height privacy to users
- Slat and Slat/Tack combo units must be specified where worksurfaces will be hung from the Epicenter
- Tack board insert is available in fabric, see page 207 for fabric options
- Tack board and Slat/Tack combo insert have cutout options for access to the multi-circuit electrical solution
- Marker board inserts have erasable writing surface and are magnetic
- Top channel provides a lay-in data trough
- See specification guide for details on how to specify
- Upper and Lower Epicenter must be assembled to create a single sided application
- Single sided application must have 1 side assembled to a worksurface, component peds, and/or Epicenter support bases

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

26N7212DVEL

- See pages 205-210 for all options available in Epicenter

MULTI-CIRCUIT UPPER EPICENTER



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
26N7212DVEL	$ 1168	3¾	72	11⅞	—	—	27 lbs.	1.3
26N6612DVEL	1105	3¾	66	11⅞	—	—	26 lbs.	1.2
26N6012DVEL	1045	3¾	60	11⅞	—	—	24 lbs.	1.1
26N5412DVEL	1001	3¾	54	11⅞	—	—	20 lbs.	1.0
26N4812DVEL	939	3¾	48	11⅞	—	—	17 lbs.	0.9
26N4212DVEL	898	3¾	42	11⅞	—	—	16 lbs.	0.8
26N3612DVEL	832	3¾	36	11⅞	—	—	14 lbs.	0.7
26N3012DVEL	788	3¾	30	11⅞	—	—	11 lbs.	0.6
26N2412DVEL	748	3¾	24	11⅞	—	—	8 lbs.	0.5

- Features a 3 circuit/5 wire UL listed electrical solution
- Duplex receptacles must be specified separately for the 3 dedicated circuits
- On 30"-72" lengths of the powered Epicenter a duplex receptacle can be located 12" from each end of the unit, on the 24" powered Epicenter the duplex receptacle can be located in the center of the unit
- Mounting brackets must be specified separately, see page 252
- Epicenter can be mounted on box/file or worksurface height WaveWorks and Epic component pedestals; specify storage without the end panel grommet or back panel option
- Inserts must be specified separately
- Slat and slat/tack combo units must be specified where worksurfaces will be hung from the Epicenter
- Standard black, specify model number only
- Upper Epicenter must be used with Lower Epicenter to create the single sided application

EPICENTER

PRODUCT SPECIFICATIONS

- Epicenter is a welded assembly that attaches to component pedestals and/or worksurfaces
- Epicenter can be mounted on box/file or worksurface height component pedestals
- Epicenter provides the structure to hang worksurfaces, overhead storage cabinets or privacy screens
- Epicenter is 13" tall and provides seated height privacy to users
- Available as non-powered or with a multi-circuit electrical solution
- Slat and Slat/Tack combo units must be specified where worksurfaces will be hung from the Epicenter
- Tack board insert is available in fabric, see page 207 for fabric options
- Tack board and Slat/Tack combo insert have cutout options for access to the multi-circuit electrical solution
- Marker board inserts have erasable writing surface and are magnetic
- Top channel provides a lay-in data trough
- See specification guide for details on how to specify
- Upper and Lower Epicenter must be assembled to create a single sided application
- Single sided application must have 1 side assembled to a worksurface, component peds, and/or Epicenter support bases

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

26N9628DV

- See pages 205-210 for all options available in Epicenter

LOWER EPICENTER WORKSURFACE HEIGHT



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
28" HIGH								
26N9628DV	$ 1055	3¾	96	29³⁄₁₆	–	–	45 lbs.	3.6
26N9028DV	988	3¾	90	29³⁄₁₆	–	–	41 lbs.	3.4
26N8428DV	936	3¾	84	29³⁄₁₆	–	–	38 lbs.	3.2
26N7828DV	881	3¾	78	29³⁄₁₆	–	–	36 lbs.	3.0
26N7228DV	825	3¾	72	29³⁄₁₆	–	–	34 lbs.	2.6
26N6628DV	763	3¾	66	29³⁄₁₆	–	–	33 lbs.	2.4
26N6028DV	699	3¾	60	29³⁄₁₆	–	–	30 lbs.	2.2
26N5428DV	634	3¾	54	29³⁄₁₆	–	–	25 lbs.	2.0
26N4828DV	572	3¾	48	29³⁄₁₆	–	–	21 lbs.	1.8
26N4228DV	530	3¾	42	29³⁄₁₆	–	–	20 lbs.	1.6
26N3628DV	487	3¾	36	29³⁄₁₆	–	–	18 lbs.	1.4
26N3028DV	448	3¾	30	29³⁄₁₆	–	–	14 lbs.	1.2
26N2428DV	405	3¾	24	29³⁄₁₆	–	–	10 lbs.	1.0

- Inserts must be specified separately
- Standard black, specify model number only
- Lower Epicenter must be attached to Upper Epicenter and specified at the same width
- Single sided Epicenter must have 1 side assembled to a worksurface, component peds, and/or Epicenter support bases
- Lower Epicenter must be attached to Upper Epicenter for single sided applications
- Lower Epicenter can be used in double sided applications to add undersurface privacy
- Lower Epicenter is only available as non-powered but can be used with the multi-circuit Upper Epicenter to provide power above the worksurface

PRODUCT SPECIFICATIONS

- Epicenter is a welded assembly that attaches to component pedestals and/or worksurfaces
- Epicenter can be mounted on box/file or worksurface height component pedestals
- Epicenter provides the structure to hang worksurfaces, overhead storage cabinets or privacy screens
- Epicenter is 13" tall and provides seated height privacy to users
- Available as non-powered or with a multi-circuit electrical solution
- Slat and Slat/Tack combo units must be specified where worksurfaces will be hung from the Epicenter
- Tack board insert is available in fabric, see page 207 for fabric options
- Tack board and Slat/Tack combo insert have cutout options for access to the multi-circuit electrical solution
- Marker board inserts have erasable writing surface and are magnetic
- Top channel provides a lay-in data trough
- See specification guide for details on how to specify
- Upper and Lower Epicenter must be assembled to create a single sided application
- Single sided application must have 1 side assembled to a worksurface, component peds, and/or Epicenter support bases

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

26N9622DV

- See pages 205-210 for all options available in Epicenter

LOWER EPICENTER BOX/FILE HEIGHT



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
22" HIGH								
26N9622DV	$ 1028	3¾	96	22⅞	—	—	45 lbs.	3.6
26N9022DV	959	3¾	90	22⅞	—	—	41 lbs.	3.4
26N8422DV	908	3¾	84	22⅞	—	—	38 lbs.	3.2
26N7822DV	853	3¾	78	22⅞	—	—	36 lbs.	3.0
26N7222DV	800	3¾	72	22⅞	—	—	34 lbs.	2.6
26N6622DV	736	3¾	66	22⅞	—	—	33 lbs.	2.4
26N6022DV	673	3¾	60	22⅞	—	—	30 lbs.	2.2
26N5422DV	609	3¾	54	22⅞	—	—	25 lbs.	2.0
26N4822DV	543	3¾	48	22⅞	—	—	21 lbs.	1.8
26N4222DV	504	3¾	42	22⅞	—	—	20 lbs.	1.6
26N3622DV	461	3¾	36	22⅞	—	—	18 lbs.	1.4
26N3022DV	420	3¾	30	22⅞	—	—	14 lbs.	1.2
26N2422DV	377	3¾	24	22⅞	—	—	10 lbs.	1.0

- Inserts must be specified separately
- Standard black, specify model number only
- Lower Epicenter must be attached to Upper Epicenter and specified at the same width
- Single sided Epicenter must have 1 side assembled to a worksurface, component peds, and/or Epicenter support bases
- Lower Epicenter must be attached to Upper Epicenter for single sided applications
- Lower Epicenter can be used in double sided applications to add undersurface privacy
- Lower Epicenter is only available as non-powered but can be used with the multi-circuit Upper Epicenter to provide power above the worksurface

EPICENTER

PRODUCT SPECIFICATIONS

- Tack board insert is available in fabric, see page 207 for fabric options
- Tack board and Slat/Tack combo insert have cutout options for access to the multi-circuit electrical solution
- Top channel provides a lay-in data trough
- See specification guide for details on how to specify

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade/Color
3. Power Cutout
4. Paint Color

SAMPLE MODEL NUMBER:

26N6011TB B 25422 E2LD2R

- See pages 205-210 for all options available in Epicenter

UPPER EPICENTER TACK BOARD INSERT



MODEL NO./DESCRIPTION		LIST PRICE		DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
11" HIGH		**GRADE A**	**GRADE B/ COM**							
26N7211TBA	Railroad	$ 333	$ 425	7/16	72	10 7/8	–	–	9 lbs.	1.1
26N6611TBA	Railroad	300	384	7/16	66	10 7/8	–	–	8 lbs.	1.0
26N6011TBA	Railroad	271	348	7/16	60	10 7/8	–	–	7 lbs.	1.0
26N5411TBA	Railroad	255	325	7/16	54	10 7/8	–	–	6 lbs.	0.9
26N4811TBA	Railroad	241	303	7/16	48 1/16	10 7/8	–	–	6 lbs.	0.8
26N4211TBA	Railroad	220	275	7/16	42 1/16	10 7/8	–	–	5 lbs.	0.7
26N3611TBA	Railroad	198	246	7/16	36 1/16	10 7/8	–	–	4 lbs.	0.6
26N3011TBA	Railroad	184	224	7/16	30 1/16	10 7/8	–	–	4 lbs.	0.6
26N2411TBA	Railroad	178	211	7/16	24	10 7/8	–	–	3 lbs.	0.4

- 24" model has option for 1 power/data cutout located in center of insert
- 30"-72" models have option for 2 power/data cutouts located 12" from end of insert
- Faceplates are included when specifying power/data cutouts
- Data jack covers and blanks not provided by National for the faceplates, see recommended jack covers and blanks on page 205
- If using electrical, you must use the corresponding size Epicenter and insert

PRODUCT SPECIFICATIONS

- Tack board and Slat/Tack combo insert have cutout options for access to the multi-circuit electrical solution
- Marker board inserts have erasable writing surface and are magnetic
- Top channel provides a lay-in data trough
- See specification guide for details on how to specify

TO ORDER, SPECIFY:

1. Model Number
2. Power Cutout
3. Paint Color

SAMPLE MODEL NUMBER:

26N7211SW 503

- See pages 205-210 for all options available in Epicenter

UPPER EPICENTER SLAT WALL INSERT



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
26N7211SW	$ 1221	7/16	72	10⅞	—	—	94 lbs.	2.4
26N6611SW	1170	7/16	66	10⅞	—	—	87 lbs.	2.2
26N6011SW	1117	7/16	60	10⅞	—	—	80 lbs.	2.0
26N5411SW	1055	7/16	54	10⅞	—	—	71 lbs.	1.8
26N4811SW	1001	7/16	48 1/16	10⅞	—	—	64 lbs.	1.6
26N4211SW	903	7/16	42 1/16	10⅞	—	—	55 lbs.	1.4
26N3611SW	828	7/16	36 1/16	10⅞	—	—	48 lbs.	1.2
26N3011SW	766	7/16	30 1/16	10⅞	—	—	40 lbs.	1.0
26N2411SW	737	7/16	24	10⅞	—	—	32 lbs.	0.8

- 2 trim channels included with each slat wall insert in corresponding color to match slat
- Work tools available reference pages 659-661
- Available in Cinder, Platinum Metallic and Satin Nickel Metallic
- "P" and "U" top worksurfaces are not recommended for use off Upper Epicenter slat wall insert
- Column support bases are not recommended to support worksurfaces off the Upper Epicenter slat wall insert
- Epicenter slat wall should only be used with National certified monitor arms

EPICENTER

PRODUCT SPECIFICATIONS

- Tack board insert is available in fabric, see page 207 for fabric options
- Tack board and Slat/Tack combo insert have cutout options for access to the multi-circuit electrical solution
- Top channel provides a lay-in data trough
- See specification guide for details on how to specify

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade/Color
3. Power Cutout
4. Paint Color

SAMPLE MODEL NUMBER:

26N7211SWTBA B 25422 D2LE2R 503

- See pages 205-210 for all options available in Epicenter

UPPER EPICENTER SLAT WITH TACK INSERT



MODEL NO./DESCRIPTION		LIST PRICE GRADE A	LIST PRICE GRADE B/COM	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
26N7211SWTBA	Railroad	$ 1144	$ 1236	7/16	72	10 7/8	—	—	65 lbs.	2.4
26N6611SWTBA	Railroad	1063	1147	7/16	66	10 7/8	—	—	59 lbs.	2.2
26N6011SWTBA	Railroad	1005	1082	7/16	60	10 7/8	—	—	57 lbs.	2.0
26N5411SWTBA	Railroad	951	1021	7/16	54	10 7/8	—	—	50 lbs.	1.8
26N4811SWTBA	Railroad	902	964	7/16	48 1/16	10 7/8	—	—	48 lbs.	1.6
26N4211SWTBA	Railroad	813	868	7/16	42 1/16	10 7/8	—	—	41 lbs.	1.4
26N3611SWTBA	Railroad	745	793	7/16	36 1/16	10 7/8	—	—	35 lbs.	1.2
26N3011SWTBA	Railroad	692	732	7/16	30 1/16	10 7/8	—	—	29 lbs.	1.0
26N2411SWTBA	Railroad	664	697	7/16	24	10 7/8	—	—	22 lbs.	0.8

- 24" model has option for 1 power/data cutout located in center of insert
- 30"-72" models have option for 2 power/data cutouts located 12" from end of insert
- 2 trim channels included with each slat wall insert in corresponding color to match slat
- Work tools available reference pages 659-661
- Available in Cinder, Platinum Metallic and Satin Nickel Metallic
- Faceplates are included when specifying power/data cutouts
- Data jack covers and blanks not provided by National for the faceplates, see recommended jack covers and blanks on page 205
- If using electrical, you must use the corresponding size Epicenter and insert
- "P" and "U" top worksurfaces are not recommended for use off Upper Epicenter slat wall insert
- Column support bases are not recommended to support worksurfaces off the Upper Epicenter slat wall insert
- Epicenter slat wall should only be used with National certified monitor arms

PRODUCT SPECIFICATIONS

- See specification guide for details on how to specify

TO ORDER, SPECIFY:

1. Model Number
2. Veneer Finish

SAMPLE MODEL NUMBER:

26N7239IW MC

- See pages 205-210 for all options available in Epicenter

EPICENTER VENEER INSERT WORKSURFACE HEIGHT (SINGLE SIDED APPLICATIONS)



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
39" HIGH								
26N7239IW	$ 1622	7/16	72	38 1/16	—	—	49 lbs.	4.3
26N6639IW	1536	7/16	66	38 1/16	—	—	46 lbs.	4.0
26N6039IW	1443	7/16	60	38 1/16	—	—	43 lbs.	3.6
26N5439IW	1368	7/16	54	38 1/16	—	—	40 lbs.	3.3
26N4839IW	1261	7/16	48 1/16	38 1/16	—	—	38 lbs.	3.0
26N4239IW	1217	7/16	42 1/16	38 1/16	—	—	34 lbs.	2.6
26N3639IW	1167	7/16	36 1/16	38 1/16	—	—	29 lbs.	2.3
26N3039IW	1072	7/16	30 1/16	38 1/16	—	—	26 lbs.	2.0
26N2439IW	1055	7/16	24	38 1/16	—	—	26 lbs.	2.0

- Power/data cutouts not available on veneer and laminate inserts
- Single sided insert to be used on 1 side of an Upper Epicenter and Lower Epicenter assembly (single sided application)

EPICENTER VENEER INSERT BOX/FILE HEIGHT (SINGLE SIDED APPLICATIONS)



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
32" HIGH								
26N7232IW	$ 1460	7/16	72	32 3/8	—	—	44 lbs.	4.1
26N6632IW	1380	7/16	66	32 3/8	—	—	41 lbs.	3.8
26N6032IW	1297	7/16	60	32 3/8	—	—	38 lbs.	3.5
26N5432IW	1233	7/16	54	32 3/8	—	—	35 lbs.	3.2
26N4832IW	1137	7/16	48 1/16	32 3/8	—	—	33 lbs.	2.8
26N4232IW	1096	7/16	42 1/16	32 3/8	—	—	29 lbs.	2.5
26N3632IW	1053	7/16	36 1/16	32 3/8	—	—	24 lbs.	2.2
26N3032IW	963	7/16	30 1/16	32 3/8	—	—	21 lbs.	1.9
26N2432IW	948	7/16	24	32 3/8	—	—	21 lbs.	1.9

- Power/data cutouts not available on veneer and laminate inserts
- Single sided insert to be used on 1 side of an Upper Epicenter and Lower Epicenter assembly (single sided application)

EPICENTER

PRODUCT SPECIFICATIONS

- Epicenter single sided inserts are shipped with appropriate hardware to hang inserts on the Upper and Lower Epicenter assembly
- Epicenter single sided inserts are for use in conjunction with the Upper Epicenter and Lower Epicenter assembly to create a finished back for a single sided application

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color

SAMPLE MODEL NUMBER:

26N7239IL 42S

• See pages 205-210 for all options available in Epicenter

EPICENTER LAMINATE INSERT WORKSURFACE HEIGHT (SINGLE SIDED APPLICATIONS)



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
39" HIGH								
26N7239IL	$ 1488	7/16	72	38 1/16	–	–	49 lbs.	4.3
26N6639IL	1415	7/16	66	38 1/16	–	–	46 lbs.	4.0
26N6039IL	1304	7/16	60	38 1/16	–	–	43 lbs.	3.6
26N5439IL	1247	7/16	54	38 1/16	–	–	40 lbs.	3.3
26N4839IL	1141	7/16	48 1/16	38 1/16	–	–	38 lbs.	3.0
26N4239IL	1020	7/16	42 1/16	38 1/16	–	–	34 lbs.	2.6
26N3639IL	908	7/16	36 1/16	38 1/16	–	–	29 lbs.	2.3
26N3039IL	808	7/16	30 1/16	38 1/16	–	–	26 lbs.	2.0
26N2439IL	800	7/16	24	38 1/16	–	–	26 lbs.	2.0

- Grain direction runs horizontally
- HPL (high pressure laminate)
- Power/data cutouts not available on veneer and laminate inserts
- Single sided insert to be used on 1 side of an Upper Epicenter and Lower Epicenter assembly (single sided application)

EPICENTER LAMINATE INSERT BOX/FILE HEIGHT (SINGLE SIDED APPLICATIONS)



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
32" HIGH								
26N7232IL	$ 1276	7/16	72	32 3/8	–	–	44 lbs.	4.1
26N6632IL	1212	7/16	66	32 3/8	–	–	41 lbs.	3.8
26N6032IL	1117	7/16	60	32 3/8	–	–	38 lbs.	3.5
26N5432IL	1066	7/16	54	32 3/8	–	–	35 lbs.	3.2
26N4832IL	980	7/16	48 1/16	32 3/8	–	–	33 lbs.	2.8
26N4232IL	874	7/16	42 1/16	32 3/8	–	–	29 lbs.	2.5
26N3632IL	776	7/16	36 1/16	32 3/8	–	–	24 lbs.	2.2
26N3032IL	694	7/16	30 1/16	32 3/8	–	–	21 lbs.	1.9
26N2432IL	684	7/16	24	32 3/8	–	–	21 lbs.	1.9

- Grain direction runs horizontally
- HPL (high pressure laminate)
- Power/data cutouts not available on veneer and laminate inserts
- Single sided insert to be used on 1 side of an Upper Epicenter and Lower Epicenter assembly (single sided application)

PRODUCT SPECIFICATIONS

- Epicenter single sided inserts are shipped with appropriate hardware to hang inserts on the Upper and Lower Epicenter assembly
- Epicenter single sided inserts are for use in conjunction with the Upper Epicenter and Lower Epicenter assembly to create a finished back for a single sided application

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color

SAMPLE MODEL NUMBER:

26N6039IVL 42S

- See pages 205-210 for all options available in Epicenter

EPICENTER LAMINATE INSERT WORKSURFACE HEIGHT (SINGLE SIDED APPLICATIONS)



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
39" HIGH								
26N6039IVL	$ 1304	7/16	60	38 1/16	–	–	43 lbs.	3.6
26N5439IVL	1247	7/16	54	38 1/16	–	–	40 lbs.	3.3
26N4839IVL	1141	7/16	48 1/16	38 1/16	–	–	38 lbs.	3.0
26N4239IVL	1020	7/16	42 1/16	38 1/16	–	–	34 lbs.	2.6
26N3639IVL	908	7/16	36 1/16	38 1/16	–	–	29 lbs.	2.3
26N3039IVL	808	7/16	30 1/16	38 1/16	–	–	26 lbs.	2.0
26N2439IVL	800	7/16	24	38 1/16	–	–	26 lbs.	2.0

- Grain direction runs vertically
- HPL (high pressure laminate)
- Power/data cutouts not available on veneer and laminate inserts
- Single sided insert to be used on 1 side of an Upper Epicenter and Lower Epicenter assembly (single sided application)

EPICENTER LAMINATE INSERT BOX/FILE HEIGHT (SINGLE SIDED APPLICATIONS)



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
32" HIGH								
26N6032IVL	$ 1117	7/16	60	32 3/8	–	–	43 lbs.	3.6
26N5432IVL	1066	7/16	54	32 3/8	–	–	40 lbs.	3.3
26N4832IVL	980	7/16	48 1/16	32 3/8	–	–	38 lbs.	3.0
26N4232IVL	874	7/16	42 1/16	32 3/8	–	–	34 lbs.	2.6
26N3632IVL	776	7/16	36 1/16	32 3/8	–	–	29 lbs.	2.3
26N3032IVL	694	7/16	30 1/16	32 3/8	–	–	26 lbs.	2.0
26N2432IVL	684	7/16	24	32 3/8	–	–	26 lbs.	2.0

- Grain direction runs vertically
- HPL (high pressure laminate)
- Power/data cutouts not available on veneer and laminate inserts
- Single sided insert to be used on 1 side of an Upper Epicenter and Lower Epicenter assembly (single sided application)

EPICENTER

PRODUCT SPECIFICATIONS

- Epicenter single sided inserts are shipped with appropriate hardware to hang inserts on the Upper and Lower Epicenter assembly
- Epicenter single sided inserts are for use in conjunction with the Upper Epicenter and Lower Epicenter assembly to create a finished back for a single sided application
- Tack board insert is available in fabric, see page 207 for fabric options
- Tack board insert has cutout options for access to the multicircuit electrical solution

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade/Color
3. Power Cutout
4. Paint Color

SAMPLE MODEL NUMBER:

26N6039TB B 25422 E2LD2R

- See pages 205-210 for all options available in Epicenter

EPICENTER
TACK BOARD INSERT
WORKSURFACE HEIGHT
(SINGLE SIDED APPLICATIONS)



MODEL NO./DESCRIPTION		LIST PRICE GRADE A	LIST PRICE GRADE B/COM	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
39" HIGH										
26N7239TBA	Railroad	$ 808	$ 900	7/16	72	38 1/16	—	—	10 lbs.	1.5
26N6639TBA	Railroad	800	884	7/16	66	38 1/16	—	—	10 lbs.	1.5
26N6039TBA	Railroad	792	869	7/16	60	38 1/16	—	—	10 lbs.	1.5
26N5439TBA	Railroad	788	858	7/16	54	38 1/16	—	—	9 lbs.	1.4
26N4839TBA	Railroad	694	756	7/16	48 1/16	38 1/16	—	—	8 lbs.	1.3
26N4239TBA	Railroad	645	700	7/16	42 1/16	38 1/16	—	—	7 lbs.	1.1
26N3639TBA	Railroad	629	680	7/16	36 1/16	38 1/16	—	—	6 lbs.	0.9
26N3039TBA	Railroad	601	652	7/16	30 1/16	38 1/16	—	—	5 lbs.	0.8
26N2439TBA	Railroad	515	566	7/16	24	38 1/16	—	—	4 lbs.	0.6

- 24" model has option for 1 power/data cutout located in center of insert
- 30"-72" models have option for 2 power/data cutouts located 12" from end of insert
- Faceplates are included when specifying power/data cutouts
- Single sided insert to be used on 1 side of an Upper Epicenter and Lower Epicenter assembly (single sided application)
- If using electrical, you must use the corresponding size Epicenter and insert

PRODUCT SPECIFICATIONS

- Epicenter single sided inserts are shipped with appropriate hardware to hang inserts on the Upper and Lower Epicenter assembly
- Epicenter single sided inserts are for use in conjunction with the Upper Epicenter and Lower Epicenter assembly to create a finished back for a single sided application
- Tack board insert is available in fabric, see page 207 for fabric options
- Tack board insert has cutout options for access to the multicircuit electrical solution

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade/Color
3. Power Cutout
4. Paint Color

SAMPLE MODEL NUMBER:

26N6032TB B 25422 E2LD2R

- See pages 205-210 for all options available in Epicenter

EPICENTER TACK BOARD INSERT BOX/FILE HEIGHT (SINGLE SIDED APPLICATIONS)



MODEL NO./DESCRIPTION		GRADE A	GRADE B/COM	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
32" HIGH											
26N7232TBA	Railroad	$ 783	$ 875		7/16	72	32 3/8	—	—	10 lbs.	1.4
26N6632TBA	Railroad	774	858		7/16	66	32 3/8	—	—	10 lbs.	1.4
26N6032TBA	Railroad	765	842		7/16	60	32 3/8	—	—	10 lbs.	1.4
26N5432TBA	Railroad	763	833		7/16	54	32 3/8	—	—	9 lbs.	1.3
26N4832TBA	Railroad	670	732		7/16	48 1/16	32 3/8	—	—	8 lbs.	1.2
26N4232TBA	Railroad	624	679		7/16	42 1/16	32 3/8	—	—	7 lbs.	1.0
26N3632TBA	Railroad	609	657		7/16	36 1/16	32 3/8	—	—	6 lbs.	0.9
26N3032TBA	Railroad	578	622		7/16	30 1/16	32 3/8	—	—	5 lbs.	0.8
26N2432TBA	Railroad	497	541		7/16	24	32 3/8	—	—	4 lbs.	0.6

- 24" model has option for 1 power/data cutout located in center of insert
- 30"-72" models have option for 2 power/data cutouts located 12" from end of insert
- Faceplates are included when specifying power/data cutouts
- Single sided insert to be used on 1 side of an Upper Epicenter and Lower Epicenter assembly (single sided application)
- If using electrical, you must use the corresponding size Epicenter and insert

EPICENTER

PRODUCT SPECIFICATIONS

- Modesty panel inserts are shipped with appropriate hardware to hang inserts on the Epicenter
- Modesty panel inserts are for use in conjunction with the Upper Epicenter and Lower Epicenter to create an enclosed kneewell

TO ORDER, SPECIFY:

1. Model Number
2. Modified Width
3. Veneer Finish/Laminate Color

SAMPLE MODEL NUMBER:

26N7226MPW X CW

- See pages 205-210 for all options available in Epicenter

MODESTY PANEL INSERT WORKSURFACE HEIGHT



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
26N7226MPW	Wood	$ 892	½	71¾	25½	—	—	45 lbs.	2.8
26N7226MPL	Laminate	848	½	71¾	25½	—	—	45 lbs.	2.8
26N6626MPW	Wood	$ 843	½	65¾	25½	—	—	42 lbs.	2.7
26N6626MPL	Laminate	808	½	65¾	25½	—	—	42 lbs.	2.7
26N6026MPW	Wood	$ 793	½	59¾	25½	—	—	39 lbs.	2.7
26N6026MPL	Laminate	745	½	59¾	25½	—	—	39 lbs.	2.7
26N5426MPW	Wood	$ 754	½	53 13/16	25½	—	—	36 lbs.	2.6
26N5426MPL	Laminate	711	½	53 13/16	25½	—	—	36 lbs.	2.6
26N4826MPW	Wood	$ 696	½	47 13/16	25½	—	—	33 lbs.	2.5
26N4826MPL	Laminate	652	½	47 13/16	25½	—	—	33 lbs.	2.5
26N4226MPW	Wood	$ 670	½	41 13/16	25½	—	—	31 lbs.	2.5
26N4226MPL	Laminate	584	½	41 13/16	25½	—	—	31 lbs.	2.5
26N3626MPW	Wood	$ 643	½	35 13/16	25½	—	—	28 lbs.	2.4
26N3626MPL	Laminate	519	½	35 13/16	25½	—	—	28 lbs.	2.4
26N3026MPW	Wood	$ 589	½	29⅞	25½	—	—	25 lbs.	2.3
26N3026MPL	Laminate	463	½	29⅞	25½	—	—	25 lbs.	2.3
26N2426MPW	Wood	$ 563	½	23⅞	25½	—	—	25 lbs.	2.3
26N2426MPL	Laminate	435	½	23⅞	25½	—	—	25 lbs.	2.3

- Laminate modesty panel inserts are HPL (high pressure laminate)
- Modesty panel inserts run between pedestals/end panels and behind support bases
- Modified width must be selected when using end panels or pedestals; after modified width is calculated, choose the larger model number and then specify the modified size. Ex: order 26N6026MP_ when the modified size is 55.625
- **Modesty panel size calculation** when using an end panel or pedestal: "Epicenter width – total pedestal and/or end panel width = modesty insert width." For the formula, use 15.125 for 15" ped, 18.125 for 18" ped, 24.125 for 24" ped, 30.125 for 30" ped, 36.125 for 36" ped, and 1.3125 for end panels

PRODUCT SPECIFICATIONS

- Modesty panel inserts are shipped with appropriate hardware to hang inserts on the Epicenter
- Modesty panel inserts are for use in conjunction with the Upper Epicenter and Lower Epicenter to create an enclosed kneewell

TO ORDER, SPECIFY:

1. Model Number
2. Modified Width
3. Veneer Finish/Laminate Color

SAMPLE MODEL NUMBER:

26N6026MPVL X 478

- See pages 205-210 for all options available in Epicenter

MODESTY PANEL INSERT WORKSURFACE HEIGHT



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
26N6026MPVL	Laminate	$ 745	½	59¾	25½	—	—	39 lbs.	2.7
26N5426MPVL	Laminate	711	½	53 13/16	25½	—	—	36 lbs.	2.6
26N4826MPVL	Laminate	652	½	47 13/16	25½	—	—	33 lbs.	2.5
26N4226MPVL	Laminate	584	½	41 13/16	25½	—	—	31 lbs.	2.5
26N3626MPVL	Laminate	519	½	35 13/16	25½	—	—	28 lbs.	2.4
26N3026MPVL	Laminate	463	½	29⅞	25½	—	—	25 lbs.	2.3
26N2426MPVL	Laminate	435	½	23⅞	25½	—	—	25 lbs.	2.3

- Modesty panel inserts run between pedestals/end panels and behind support bases
- Grain direction runs vertically
- Modified width must be selected when using end panels or pedestals; after modified width is calculated, choose the larger model number and then specify the modified size. Ex: order 26N6026MP_ when the modified size is 55.625
- **Modesty panel size calculation** when using an end panel or pedestal: "Epicenter width – total pedestal and/or end panel width = modesty insert width." For the formula, use 15.125 for 15" ped, 18.125 for 18" ped, 24.125 for 24" ped, 30.125 for 30" ped, 36.125 for 36" ped, and 1.3125 for end panels

EPICENTER

PRODUCT SPECIFICATIONS

- Modesty panel inserts are shipped with appropriate hardware to hang inserts on the Epicenter
- Modesty panel inserts are for use in conjunction with the Upper Epicenter and Lower Epicenter to create an enclosed kneewell

TO ORDER, SPECIFY:

1. Model Number
2. Modified Width
3. Veneer Finish/Laminate Color

SAMPLE MODEL NUMBER:

26N7219MPW X CW

- See pages 205-210 for all options available in Epicenter

MODESTY PANEL INSERT BOX/FILE HEIGHT



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
26N7219MPW	Wood	$ 690	½	71¾	19³⁄₁₆	—	—	36 lbs.	2.6
26N7219MPL	Laminate	668	½	71¾	19³⁄₁₆	—	—	36 lbs.	2.6
26N6619MPW	Wood	$ 643	½	65¾	19³⁄₁₆	—	—	34 lbs.	2.5
26N6619MPL	Laminate	625	½	65¾	19³⁄₁₆	—	—	34 lbs.	2.5
26N6019MPW	Wood	$ 592	½	59¾	19³⁄₁₆	—	—	32 lbs.	2.5
26N6019MPL	Laminate	561	½	59¾	19³⁄₁₆	—	—	32 lbs.	2.5
26N5419MPW	Wood	$ 552	½	53¹³⁄₁₆	19³⁄₁₆	—	—	30 lbs.	2.4
26N5419MPL	Laminate	547	½	53¹³⁄₁₆	19³⁄₁₆	—	—	30 lbs.	2.4
26N4819MPW	Wood	$ 492	½	47¹³⁄₁₆	19³⁄₁₆	—	—	28 lbs.	2.4
26N4819MPL	Laminate	524	½	47¹³⁄₁₆	19³⁄₁₆	—	—	28 lbs.	2.4
26N4219MPW	Wood	$ 466	½	41¹³⁄₁₆	19³⁄₁₆	—	—	25 lbs.	2.3
26N4219MPL	Laminate	489	½	41¹³⁄₁₆	19³⁄₁₆	—	—	25 lbs.	2.3
26N3619MPW	Wood	$ 440	½	35¹³⁄₁₆	19³⁄₁₆	—	—	23 lbs.	2.3
26N3619MPL	Laminate	427	½	35¹³⁄₁₆	19³⁄₁₆	—	—	23 lbs.	2.3
26N3019MPW	Wood	$ 388	½	29⅞	19³⁄₁₆	—	—	21 lbs.	2.2
26N3019MPL	Laminate	377	½	29⅞	19³⁄₁₆	—	—	21 lbs.	2.2
26N2419MPW	Wood	$ 362	½	23⅞	19³⁄₁₆	—	—	21 lbs.	2.2
26N2419MPL	Laminate	352	½	23⅞	19³⁄₁₆	—	—	21 lbs.	2.2

- Laminate modesty panel inserts are HPL (high pressure laminate)
- Modesty panel inserts run between pedestals/end panels and behind support bases
- Modified width must be selected when using end panels or pedestals; after modified width is calculated, choose the larger model number and then specify the modified size. Ex: order 26N6026MP_ when the modified size is 55.625
- **Modesty panel size calculation** when using an end panel or pedestal: "Epicenter width – total pedestal and/or end panel width = modesty insert width." For the formula, use 15.125 for 15" ped, 18.125 for 18" ped, 24.125 for 24" ped, 30.125 for 30" ped, 36.125 for 36" ped, and 1.3125 for end panels

PRODUCT SPECIFICATIONS

- Modesty panel inserts are shipped with appropriate hardware to hang inserts on the Epicenter
- Modesty panel inserts are for use in conjunction with the Upper Epicenter and Lower Epicenter to create an enclosed kneewell

TO ORDER, SPECIFY:

1. Model Number
2. Modified Width
3. Veneer Finish/Laminate Color

SAMPLE MODEL NUMBER:

26N6019MPVL X 478

- See pages 205-210 for all options available in Epicenter

MODESTY PANEL INSERT BOX/FILE HEIGHT



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
26N6019MPVL	Laminate	$ 561	½	59¾	19³⁄₁₆	—	—	32 lbs.	2.5
26N5419MPVL	Laminate	547	½	53¹³⁄₁₆	19³⁄₁₆	—	—	30 lbs.	2.4
26N4819MPVL	Laminate	524	½	47¹³⁄₁₆	19³⁄₁₆	—	—	28 lbs.	2.4
26N4219MPVL	Laminate	489	½	41¹³⁄₁₆	19³⁄₁₆	—	—	25 lbs.	2.3
26N3619MPVL	Laminate	427	½	35¹³⁄₁₆	19³⁄₁₆	—	—	23 lbs.	2.3
26N3019MPVL	Laminate	377	½	29⅞	19³⁄₁₆	—	—	21 lbs.	2.2
26N2419MPVL	Laminate	352	½	23⅞	19³⁄₁₆	—	—	21 lbs.	2.2

- Modesty panel inserts run between pedestals/end panels and behind support bases
- Grain direction runs vertically
- Modified width must be selected when using end panels or pedestals; after modified width is calculated, choose the larger model number and then specify the modified size. Ex: order 26N6026MP_ when the modified size is 55.625
- **Modesty panel size calculation** when using an end panel or pedestal: "Epicenter width – total pedestal and/or end panel width = modesty insert width." For the formula, use 15.125 for 15" ped, 18.125 for 18" ped, 24.125 for 24" ped, 30.125 for 30" ped, 36.125 for 36" ped, and 1.3125 for end panels

EPICENTER

PRODUCT SPECIFICATIONS

- Tack board and Slat/Tack combo insert have cutout options for access to the multi-circuit electrical solution
- Duplex receptacles can be specified for any of the 3 circuits
- Epicenter's electrical solution provides access to power on both sides of the unit
- On 30"-60" lengths of the powered Epicenter, a duplex receptacle can be located 12" from each end of the unit, on the 24" powered Epicenter, the duplex receptacle is located in the center of the unit
- See specification guide for details on how to specify

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

26N93ELC 503

- See pages 205-210 for all options available in Epicenter

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
EPICENTER POWER ENTRY WHIP	26N144ELE		$ 484	1⅜	144	2	—	—	7 lbs.	0.3
	26N72ELE		396	1⅜	72	2	—	—	4 lbs.	0.3
	• Specify model number only									
VERTICAL WIRE MANAGER	NAC30WMV		$ 303	1½	3¼	31	—	—	2 lbs.	0.2
	• Graphite color • Attaches to underside of worksurface; flexible; used to conceal power in-feed and data cables									
EPICENTER POWER POLE	26N93ELC		$ 396	2⅛	2⅜	93	—	—	10 lbs.	0.9
	• Features a trim cap to finish off connection to the Epicenter • Available in Cinder, Platinum Metallic and Satin Nickel Metallic • Utilize for electrical entry from ceiling • Power Entry Whip specified separately									
EPICENTER DUPLEX RECEPTACLES	26NELR1	Circuit 1	$ 62	1½	2⅜	1¼	—	—	3 lbs.	0.4
	26NELR2	Circuit 2	62	1½	2⅜	1¼	—	—	3 lbs.	0.4
	26NELR3	Circuit 3	62	1½	2⅜	1¼	—	—	3 lbs.	0.4
	• Specify model number only • Duplex receptacles are keyed to circuit 1, 2, or 3									
EPICENTER HARDWIRE KIT	26NELHB1		$ 130	2	4¼	3	—	—	1 lbs.	0.2
	• Specify model number only • Includes mounting hardware and junction box									

PRODUCT SPECIFICATIONS

- Tack board and Slat/Tack combo insert have cutout options for access to the multi-circuit electrical solution
- Duplex receptacles can be specified for any of the 3 circuits
- Epicenter's electrical solution provides access to power on both sides of the unit
- See specification guide for details on how to specify

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

26N18ELJ

- See pages 205-210 for all options available in Epicenter

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
JUMPER	26N18ELJ		$ 128	¾	18	2	—	—	1 lbs.	0.3
	26N19ELJ		142	¾	19	2	—	—	1 lbs.	0.3

- Specify model number only
- 19" jumper connects 2 adjacent powered Epicenters when a mid support panel is used

BYPASS JUMPER	26N126ELJ		$ 329	¾	126	2	—	—	6 lbs.	0.3
	26N114ELJ	96" Pass Thru	317	¾	114	2	—	—	5 lbs.	0.3
	26N108ELJ	90" Pass Thru	302	¾	108	2	—	—	5 lbs.	0.3
	26N102ELJ	84" Pass Thru	291	¾	102	2	—	—	5 lbs.	0.3
	26N96ELJ	78" Pass Thru	278	¾	96	2	—	—	5 lbs.	0.3
	26N90ELJ	72" Pass Thru	268	¾	90	2	—	—	4 lbs.	0.3
	26N84ELJ	66" Pass Thru	254	¾	84	2	—	—	4 lbs.	0.3
	26N78ELJ	60" Pass Thru	240	¾	78	2	—	—	4 lbs.	0.3
	26N72ELJ	54" Pass Thru	221	¾	72	2	—	—	4 lbs.	0.3
	26N66ELJ	48" Pass Thru	204	¾	66	2	—	—	3 lbs.	0.3
	26N60ELJ	42" Pass Thru	184	¾	60	2	—	—	3 lbs.	0.3
	26N54ELJ	36" Pass Thru	164	¾	54	2	—	—	3 lbs.	0.3
	26N48ELJ	30" Pass Thru	156	¾	48	2	—	—	3 lbs.	0.3
	26N42ELJ	24" Pass Thru	143	¾	42	2	—	—	2 lbs.	0.3

- Specify model number only
- Bypass Jumpers allow power to be transferred through non-powered Epicenters and around storage
- See specification guide for routing around storage

EPICENTER

PRODUCT SPECIFICATIONS

- See specification guide for details on how to specify

TO ORDER, SPECIFY:

1. Model Number
2. Veneer Finish/Laminate Color
3. Paint Color

SAMPLE MODEL NUMBER:

26N12ETM 462

- See pages 205-210 for all options available in Epicenter

EPICENTER END TRIM

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
26N39ETM		$ 357	⅛	3	39⁹⁄₁₆	—	—	27 lbs.	1.8
26N33ETM		317	⅛	3	32¾	—	—	26 lbs.	1.5
26N27ETM		284	⅛	3	27⁹⁄₁₆	—	—	25 lbs.	1.3
26N21ETM		259	⅛	3	21	—	—	25 lbs.	1.0
26N12ETM		143	⅛	3	11⅞	—	—	20 lbs.	0.5
26N11ETM		143	⅛	3	10⅝	—	—	20 lbs.	0.5

- End trim must be specified to finish the end of run of any Epicenter
- Available in Cinder, Platinum Metallic, and Satin Nickel Metallic
- See specification guide regarding what size end trim to use in the various applications

EPICENTER FILLER STRIP KIT

			LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
25N0228CPFSW	Wood	$	102	1½	2¹¹⁄₁₆	25⅜	—	—	5 lbs.	0.1
25N0228CPFSL	Laminate		67	1½	2¹¹⁄₁₆	25⅜	—	—	5 lbs.	0.1
25N0221CPFSW	Wood	$	56	1½	2¹¹⁄₁₆	19⁹⁄₁₆	—	—	3 lbs.	0.1
25N0221CPFSL	Laminate		39	1½	2¹¹⁄₁₆	19⁹⁄₁₆	—	—	3 lbs.	0.1
WW0228CPFSW	Wood	$	99	1½	2¹¹⁄₁₆	27⁹⁄₁₆	—	—	5 lbs.	0.1
WW0228CPFSL	Laminate		64	1½	2¹¹⁄₁₆	27⁹⁄₁₆	—	—	5 lbs.	0.1
WW0221CPFSW	Wood	$	53	1½	2¹¹⁄₁₆	20¾	—	—	3 lbs.	0.1
WW0221CPFSL	Laminate		36	1½	2¹¹⁄₁₆	20¾	—	—	3 lbs.	0.1

- For use with undersurface storage supporting the Epicenter

PRODUCT SPECIFICATIONS

- See specification guide for details on how to specify

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

26N24TCM 462

- See pages 205-210 for all options available in Epicenter

EPICENTER TRIM CAP



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
26N144TCM	$ 293	2¾	144	1 1/16	–	–	12 lbs.	1.4
26N132TCM	278	2¾	132	1 1/16	–	–	11 lbs.	1.3
26N120TCM	261	2¾	120	1 1/16	–	–	10 lbs.	1.2
26N108TCM	246	2¾	108	1 1/16	–	–	9 lbs.	1.1
26N96TCM	226	2¾	95 7/8	1 1/16	–	–	8 lbs.	0.9
26N90TCM	220	2¾	89 15/16	1 1/16	–	–	8 lbs.	0.9
26N84TCM	214	2¾	83 15/16	1 1/16	–	–	7 lbs.	0.8
26N78TCM	198	2¾	77 15/16	1 1/16	–	–	7 lbs.	0.8
26N72TCM	187	2¾	71 15/16	1 1/16	–	–	6 lbs.	0.7
26N66TCM	179	2¾	66	1 1/16	–	–	6 lbs.	0.6
26N60TCM	170	2¾	60	1 1/16	–	–	5 lbs.	0.6
26N54TCM	161	2¾	54	1 1/16	–	–	5 lbs.	0.5
26N48TCM	153	2¾	48 1/16	1 1/16	–	–	4 lbs.	0.5
26N42TCM	139	2¾	42 1/16	1 1/16	–	–	4 lbs.	0.4
26N36TCM	128	2¾	36 1/16	1 1/16	–	–	3 lbs.	0.4
26N30TCM	118	2¾	30 1/16	1 1/16	–	–	3 lbs.	0.3
26N24TCM	112	2¾	24	1 1/16	–	–	2 lbs.	0.2

- Available in Cinder, Platinum Metallic and Satin Nickel Metallic
- Trims out top of Epicenter
- Field scribable
- Trim cap must be utilized with the Epicenter when overheads and Epicenter mounted privacy screens are used; all components must be specified separately

EPICENTER

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of (wood or laminate) softened rim worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- If specifying wood, you must specify the same finish for all options
- Component worksurfaces can be used with assembled units
- Refer to page 92 for grommet locations; and page 210 for grommet upcharge
- Unsupported worksurface spans should not exceed 48"; see page 211 for support options
- Epicenter depth surfaces are to be used on storage supporting the Epicenter

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim Profile
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBER:

26N2896WSSL M V G1C X 478

- See pages 205-210 for all options available in Epicenter

RECTANGULAR WORKSURFACE EPICENTER DEPTH



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SOFTENED RIM									
26N2896WSSW	Wood	$ 1488	28⅜	95¹⁵⁄₁₆	1³⁄₁₆	—	—	100 lbs.	4.0
26N2896WSSL	Laminate	907	28⅜	95¹⁵⁄₁₆	1³⁄₁₆	—	—	100 lbs.	4.0
26N2896WSSLL	TFL	725	28⅜	95¹⁵⁄₁₆	1⅛	—	—	100 lbs.	4.0
26N2890WSSW	Wood	$ 1431	28⅜	89¹⁵⁄₁₆	1³⁄₁₆	—	—	94 lbs.	3.9
26N2890WSSL	Laminate	875	28⅜	89¹⁵⁄₁₆	1³⁄₁₆	—	—	94 lbs.	3.9
26N2890WSSLL	TFL	699	28⅜	89¹⁵⁄₁₆	1⅛	—	—	94 lbs.	3.9
26N2884WSSW	Wood	$ 1368	28⅜	83¹⁵⁄₁₆	1³⁄₁₆	—	—	88 lbs.	3.7
26N2884WSSL	Laminate	842	28⅜	83¹⁵⁄₁₆	1³⁄₁₆	—	—	88 lbs.	3.7
26N2884WSSLL	TFL	675	28⅜	83¹⁵⁄₁₆	1⅛	—	—	88 lbs.	3.7
26N2878WSSW	Wood	$ 1247	28⅜	77¹⁵⁄₁₆	1³⁄₁₆	—	—	81 lbs.	3.6
26N2878WSSL	Laminate	762	28⅜	77¹⁵⁄₁₆	1³⁄₁₆	—	—	81 lbs.	3.6
26N2878WSSLL	TFL	609	28⅜	77¹⁵⁄₁₆	1⅛	—	—	81 lbs.	3.6
26N2872WSSW	Wood	$ 1128	28⅜	71¹⁵⁄₁₆	1³⁄₁₆	—	—	75 lbs.	3.5
26N2872WSSL	Laminate	683	28⅜	71¹⁵⁄₁₆	1³⁄₁₆	—	—	75 lbs.	3.5
26N2872WSSLL	TFL	547	28⅜	71¹⁵⁄₁₆	1⅛	—	—	75 lbs.	3.5
26N2866WSSW	Wood	$ 1088	28⅜	66	1³⁄₁₆	—	—	69 lbs.	3.4
26N2866WSSL	Laminate	628	28⅜	66	1³⁄₁₆	—	—	69 lbs.	3.4
26N2866WSSLL	TFL	503	28⅜	66	1⅛	—	—	69 lbs.	3.4
26N2860WSSW	Wood	$ 1062	28⅜	60	1³⁄₁₆	—	—	63 lbs.	3.1
26N2860WSSL	Laminate	572	28⅜	60	1³⁄₁₆	—	—	63 lbs.	3.1
26N2860WSSLL	TFL	456	28⅜	60	1⅛	—	—	63 lbs.	3.1

- Wire Manager available; see page 88 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 202
- Wire Manager only recommended on back when using Epicenter
- Epicenter depth surfaces should be used on storage supporting the Epicenter
- Modified depth and width not available
- For undersurface wire managers, see page 765

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of (wood or laminate) softened rim worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Knife rim profile (wood or laminate) available on user side (indicated by K1)
- If specifying wood, you must specify the same finish for all options
- Component worksurfaces can be used with assembled units
- Refer to page 92 for grommet locations; and page 210 for grommet upcharge
- Unsupported worksurface spans should not exceed 48"; see page 211 for support options
- Epicenter depth surfaces are to be used on storage supporting the Epicenter

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim Profile
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBER:

26N2854WSSL M V G1C X 478

- See pages 205-210 for all options available in Epicenter

RECTANGULAR WORKSURFACE EPICENTER DEPTH (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SOFTENED RIM (CONTINUED)									
26N2854WSSW	Wood	$ 1038	28⅜	54	1³⁄₁₆	—	—	56 lbs.	2.8
26N2854WSSL	Laminate	524	28⅜	54	1³⁄₁₆	—	—	56 lbs.	2.8
26N2854WSSLL	TFL	422	28⅜	54	1⅛	—	—	56 lbs.	2.8
26N2848WSSW	Wood	$ 1018	28⅜	48¹⁄₁₆	1³⁄₁₆	—	—	50 lbs.	2.5
26N2848WSSL	Laminate	479	28⅜	48¹⁄₁₆	1³⁄₁₆	—	—	50 lbs.	2.5
26N2848WSSLL	TFL	381	28⅜	48¹⁄₁₆	1⅛	—	—	50 lbs.	2.5
KNIFE RIM									
26N2996WSSWK1	Wood	$ 1935	30⅛	95¹⁵⁄₁₆	1³⁄₁₆	—	—	100 lbs.	4.0
26N2996WSSLK1	Laminate	1406	30⅛	95¹⁵⁄₁₆	1³⁄₁₆	—	—	100 lbs.	4.0
26N2990WSSWK1	Wood	$ 1863	30⅛	89¹⁵⁄₁₆	1³⁄₁₆	—	—	94 lbs.	3.9
26N2990WSSLK1	Laminate	1356	30⅛	89¹⁵⁄₁₆	1³⁄₁₆	—	—	94 lbs.	3.9
26N2984WSSWK1	Wood	$ 1780	30⅛	83¹⁵⁄₁₆	1³⁄₁₆	—	—	88 lbs.	3.7
26N2984WSSLK1	Laminate	1306	30⅛	83¹⁵⁄₁₆	1³⁄₁₆	—	—	88 lbs.	3.7
26N2978WSSWK1	Wood	$ 1621	30⅛	77¹⁵⁄₁₆	1³⁄₁₆	—	—	81 lbs.	3.6
26N2978WSSLK1	Laminate	1179	30⅛	77¹⁵⁄₁₆	1³⁄₁₆	—	—	81 lbs.	3.6
26N2972WSSWK1	Wood	$ 1466	30⅛	71¹⁵⁄₁₆	1³⁄₁₆	—	—	75 lbs.	3.5
26N2972WSSLK1	Laminate	1058	30⅛	71¹⁵⁄₁₆	1³⁄₁₆	—	—	75 lbs.	3.5
26N2966WSSWK1	Wood	$ 1413	30⅛	66	1³⁄₁₆	—	—	69 lbs.	3.4
26N2966WSSLK1	Laminate	976	30⅛	66	1³⁄₁₆	—	—	69 lbs.	3.4

- Wire Manager available; see page 88 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 202
- Wire Manager only recommended on back when using Epicenter
- Epicenter depth surfaces should be used on storage supporting the Epicenter
- Modified depth and width not available
- For undersurface wire managers, see page 765

EPICENTER

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Knife rim profile (wood or laminate) available on user side (indicated by K1)
- If specifying wood, you must specify the same finish for all options
- Component worksurfaces can be used with assembled units
- Refer to page 92 for grommet locations; and page 210 for grommet upcharge
- Unsupported worksurface spans should not exceed 48"; see page 211 for support options
- Epicenter depth surfaces are to be used on storage supporting the Epicenter

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim Profile
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBER:

26N2960WSSLK1 M V G1L X 478

- See pages 205-210 for all options available in Epicenter

RECTANGULAR WORKSURFACE EPICENTER DEPTH (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
KNIFE RIM (CONTINUED)									
26N2960WSSWK1	Wood	$ 1380	30⅛	60	1³⁄₁₆	–	–	63 lbs.	3.1
26N2960WSSLK1	Laminate	885	30⅛	60	1³⁄₁₆	–	–	63 lbs.	3.1
26N2954WSSWK1	Wood	$ 1351	30⅛	54	1³⁄₁₆	–	–	56 lbs.	2.8
26N2954WSSLK1	Laminate	814	30⅛	54	1³⁄₁₆	–	–	56 lbs.	2.8
26N2948WSSWK1	Wood	$ 1324	30⅛	48¹⁄₁₆	1³⁄₁₆	–	–	50 lbs.	2.5
26N2948WSSLK1	Laminate	739	30⅛	48¹⁄₁₆	1³⁄₁₆	–	–	50 lbs.	2.5

- Wire Manager available; see page 88 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 202
- Wire Manager only recommended on back when using Epicenter
- Epicenter depth surfaces should be used on storage supporting the Epicenter
- Modified depth and width not available
- For undersurface wire managers, see page 765

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of (wood or laminate) softened rim worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- If specifying wood, you must specify the same finish for all options
- Component worksurfaces can be used with assembled units
- Refer to page 92 for grommet locations; and page 210 for grommet upcharge
- Unsupported worksurface spans should not exceed 48"; see page 211 for support options
- Epicenter depth surfaces are to be used on storage supporting the Epicenter

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim Profile
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBER:

26N2396WSSL M V G1L X 425

• See pages 205-210 for all options available in Epicenter

RECTANGULAR WORKSURFACE EPICENTER DEPTH



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SOFTENED RIM									
26N2396WSSW	Wood	$ 1434	22 7/16	95 15/16	1 3/16	—	—	85 lbs.	3.5
26N2396WSSL	Laminate	843	22 7/16	95 15/16	1 3/16	—	—	85 lbs.	3.5
26N2396WSSLL	TFL	675	22 7/16	95 15/16	1 1/8	—	—	85 lbs.	3.5
26N2390WSSW	Wood	$ 1373	22 7/16	89 15/16	1 3/16	—	—	80 lbs.	3.4
26N2390WSSL	Laminate	812	22 7/16	89 15/16	1 3/16	—	—	80 lbs.	3.4
26N2390WSSLL	TFL	647	22 7/16	89 15/16	1 1/8	—	—	80 lbs.	3.4
26N2384WSSW	Wood	$ 1307	22 7/16	83 15/16	1 3/16	—	—	75 lbs.	3.3
26N2384WSSL	Laminate	778	22 7/16	83 15/16	1 3/16	—	—	75 lbs.	3.3
26N2384WSSLL	TFL	624	22 7/16	83 15/16	1 1/8	—	—	75 lbs.	3.3
26N2378WSSW	Wood	$ 1184	22 7/16	77 15/16	1 3/16	—	—	69 lbs.	3.0
26N2378WSSL	Laminate	692	22 7/16	77 15/16	1 3/16	—	—	69 lbs.	3.0
26N2378WSSLL	TFL	556	22 7/16	77 15/16	1 1/8	—	—	69 lbs.	3.0
26N2372WSSW	Wood	$ 1060	22 7/16	71 15/16	1 3/16	—	—	64 lbs.	2.9
26N2372WSSL	Laminate	607	22 7/16	71 15/16	1 3/16	—	—	64 lbs.	2.9
26N2372WSSLL	TFL	486	22 7/16	71 15/16	1 1/8	—	—	64 lbs.	2.9
26N2366WSSW	Wood	$ 1021	22 7/16	66	1 3/16	—	—	59 lbs.	2.8
26N2366WSSL	Laminate	563	22 7/16	66	1 3/16	—	—	59 lbs.	2.8
26N2366WSSLL	TFL	451	22 7/16	66	1 1/8	—	—	59 lbs.	2.8
26N2360WSSW	Wood	$ 990	22 7/16	60	1 3/16	—	—	53 lbs.	3.0
26N2360WSSL	Laminate	535	22 7/16	60	1 3/16	—	—	53 lbs.	3.0
26N2360WSSLL	TFL	429	22 7/16	60	1 1/8	—	—	53 lbs.	3.0

- Wire Manager available; see page 88 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 202
- Wire Manager only recommended on back when using with Epicenter
- Epicenter depth surfaces should be used on storage supporting the Epicenter
- Modified depth and width not available
- For undersurface wire managers, see page 765

EPICENTER

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of (wood or laminate) softened rim worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Knife rim profile (wood or laminate) available on user side (indicated by K1)
- If specifying wood, you must specify the same finish for all options
- Component worksurfaces can be used with assembled units
- Refer to page 92 for grommet locations; and page 210 for grommet upcharge
- Unsupported worksurface spans should not exceed 48"; see page 211 for support options
- Epicenter depth surfaces are to be used on storage supporting the Epicenter

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim Profile
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBER:

26N2496WSSWK1 M K G1C X MH

- See pages 205-210 for all options available in Epicenter

RECTANGULAR WORKSURFACE EPICENTER DEPTH (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SOFTENED RIM (CONTINUED)									
26N2354WSSW	Wood	$ 963	22 7/16	54	1 3/16	–	–	48 lbs.	2.8
26N2354WSSL	Laminate	478	22 7/16	54	1 3/16	–	–	48 lbs.	2.8
26N2354WSSLL	TFL	380	22 7/16	54	1 1/8	–	–	48 lbs.	2.8
26N2348WSSW	Wood	$ 946	22 7/16	48 1/16	1 3/16	–	–	43 lbs.	2.7
26N2348WSSL	Laminate	431	22 7/16	48 1/16	1 3/16	–	–	43 lbs.	2.7
26N2348WSSLL	TFL	345	22 7/16	48 1/16	1 1/8	–	–	43 lbs.	2.7
26N2342WSSW	Wood	$ 903	22 7/16	42 1/16	1 3/16	–	–	37 lbs.	2.6
26N2342WSSL	Laminate	389	22 7/16	42 1/16	1 3/16	–	–	37 lbs.	2.6
26N2342WSSLL	TFL	315	22 7/16	42 1/16	1 1/8	–	–	37 lbs.	2.6
26N2336WSSW	Wood	$ 872	22 7/16	36 1/16	1 3/16	–	–	32 lbs.	2.5
26N2336WSSL	Laminate	357	22 7/16	36 1/16	1 3/16	–	–	32 lbs.	2.5
26N2336WSSLL	TFL	284	22 7/16	36 1/16	1 1/8	–	–	32 lbs.	2.5
26N2330WSSW	Wood	$ 847	22 7/16	30 1/16	1 3/16	–	–	27 lbs.	2.4
26N2330WSSL	Laminate	325	22 7/16	30 1/16	1 3/16	–	–	27 lbs.	2.4
26N2330WSSLL	TFL	260	22 7/16	30 1/16	1 1/8	–	–	27 lbs.	2.4
KNIFE RIM									
26N2496WSSWK1	Wood	$ 1781	23 7/8	95 15/16	1 3/16	–	–	89 lbs.	3.7
26N2496WSSLK1	Laminate	1239	23 7/8	95 15/16	1 3/16	–	–	89 lbs.	3.7
26N2490WSSWK1	Wood	$ 1707	23 7/8	89 15/16	1 3/16	–	–	83 lbs.	3.6
26N2490WSSLK1	Laminate	1193	23 7/8	89 15/16	1 3/16	–	–	83 lbs.	3.6
26N2484WSSWK1	Wood	$ 1622	23 7/8	83 15/16	1 3/16	–	–	78 lbs.	3.5
26N2484WSSLK1	Laminate	1141	23 7/8	83 15/16	1 3/16	–	–	78 lbs.	3.5

- Wire Manager available; see page 88 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 202
- Wire Manager only recommended on back when using with Epicenter
- Epicenter depth surfaces should be used on storage supporting the Epicenter
- Modified depth and width not available
- For undersurface wire managers, see page 765

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Knife rim profile (wood or laminate) available on user side (indicated by K1)
- If specifying wood, you must specify the same finish for all options
- Component worksurfaces can be used with assembled units
- Refer to page 92 for grommet locations; and page 210 for grommet upcharge
- Unsupported worksurface spans should not exceed 48"; see page 211 for support options
- Epicenter depth surfaces are to be used on storage supporting the Epicenter

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim Profile
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBER:

26N2478WSSWK1 M K G1C X MH

- See pages 205-210 for all options available in Epicenter

RECTANGULAR WORKSURFACE EPICENTER DEPTH (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
KNIFE RIM (CONTINUED)									
26N2478WSSWK1	Wood	$ 1467	23⅞	71⁵⁄₁₆	1⅜₁₆	—	—	72 lbs.	3.2
26N2478WSSLK1	Laminate	1015	23⅞	77⁵⁄₁₆	1⅜₁₆	—	—	72 lbs.	3.2
26N2472WSSWK1	Wood	$ 1310	23⅞	71⁵⁄₁₆	1⅜₁₆	—	—	67 lbs.	3.1
26N2472WSSLK1	Laminate	885	23⅞	71⁵⁄₁₆	1⅜₁₆	—	—	67 lbs.	3.1
26N2466WSSWK1	Wood	$ 1261	23⅞	66	1⅜₁₆	—	—	61 lbs.	3.0
26N2466WSSLK1	Laminate	823	23⅞	66	1⅜₁₆	—	—	61 lbs.	3.0
26N2460WSSWK1	Wood	$ 1229	23⅞	60	1⅜₁₆	—	—	56 lbs.	3.2
26N2460WSSLK1	Laminate	775	23⅞	60	1⅜₁₆	—	—	56 lbs.	3.2
26N2454WSSWK1	Wood	$ 1193	23⅞	54	1⅜₁₆	—	—	50 lbs.	2.9
26N2454WSSLK1	Laminate	690	23⅞	54	1⅜₁₆	—	—	50 lbs.	2.9
26N2448WSSWK1	Wood	$ 1167	23⅞	48⅛₁₆	1⅜₁₆	—	—	44 lbs.	2.8
26N2448WSSLK1	Laminate	624	23⅞	48⅛₁₆	1⅜₁₆	—	—	44 lbs.	2.8
26N2442WSSWK1	Wood	$ 1114	23⅞	42⅛₁₆	1⅜₁₆	—	—	39 lbs.	2.7
26N2442WSSLK1	Laminate	561	23⅞	42⅛₁₆	1⅜₁₆	—	—	39 lbs.	2.7
26N2436WSSWK1	Wood	$ 1072	23⅞	36⅛₁₆	1⅜₁₆	—	—	33 lbs.	2.6
26N2436WSSLK1	Laminate	513	23⅞	36⅛₁₆	1⅜₁₆	—	—	33 lbs.	2.6
26N2430WSSWK1	Wood	$ 1045	23⅞	30⅛₁₆	1⅜₁₆	—	—	28 lbs.	2.6
26N2430WSSLK1	Laminate	456	23⅞	30⅛₁₆	1⅜₁₆	—	—	28 lbs.	2.6

- Wire Manager available; see page 88 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 202
- Wire Manager only recommended on back when using with Epicenter
- Epicenter depth surfaces should be used on storage supporting the Epicenter
- Modified depth and width not available
- For undersurface wire managers, see page 765

EPICENTER

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of (wood or laminate) softened rim worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- If specifying wood, you must specify the same finish for all options
- Component worksurfaces can be used with assembled units
- Refer to page 92 for grommet locations; and page 210 for grommet upcharge
- Unsupported worksurface spans should not exceed 48"; see page 211 for support options
- Epicenter depth surfaces are to be used on storage supporting the Epicenter

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim Profile
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBER:

26N2360WSSVL M V G1L X 425

- See pages 205-210 for all options available in Epicenter

RECTANGULAR WORKSURFACE EPICENTER DEPTH



Grain Direction runs front-to-back

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SOFTENED RIM									
26N2360WSSVW	Wood	$ 990	22 7/16	60	1 3/16	–	–	53 lbs.	3.0
26N2360WSSVL	Laminate	535	22 7/16	60	1 3/16	–	–	53 lbs.	3.0
26N2360WSSVLL	TFL	429	22 7/16	60	1 1/8	–	–	53 lbs.	3.0
26N2354WSSVW	Wood	$ 963	22 7/16	54	1 3/16	–	–	48 lbs.	2.8
26N2354WSSVL	Laminate	478	22 7/16	54	1 3/16	–	–	48 lbs.	2.8
26N2354WSSVLL	TFL	380	22 7/16	54	1 1/8	–	–	48 lbs.	2.8
26N2348WSSVW	Wood	$ 946	22 7/16	48 1/16	1 3/16	–	–	43 lbs.	2.7
26N2348WSSVL	Laminate	431	22 7/16	48 1/16	1 3/16	–	–	43 lbs.	2.7
26N2348WSSVLL	TFL	345	22 7/16	48 1/16	1 1/8	–	–	43 lbs.	2.7
26N2342WSSVW	Wood	$ 903	22 7/16	42 1/16	1 3/16	–	–	37 lbs.	2.6
26N2342WSSVL	Laminate	389	22 7/16	42 1/16	1 3/16	–	–	37 lbs.	2.6
26N2342WSSVLL	TFL	315	22 7/16	42 1/16	1 1/8	–	–	37 lbs.	2.6
26N2336WSSVW	Wood	$ 872	22 7/16	36 1/16	1 3/16	–	–	33 lbs.	1.8
26N2336WSSVL	Laminate	357	22 7/16	36 1/16	1 3/16	–	–	33 lbs.	1.8
26N2336WSSVLL	TFL	284	22 7/16	36 1/16	1 1/8	–	–	33 lbs.	1.8
26N2330WSSVW	Wood	$ 847	22 7/16	30 1/16	1 3/16	–	–	28 lbs.	1.5
26N2330WSSVL	Laminate	325	22 7/16	30 1/16	1 3/16	–	–	28 lbs.	1.5
26N2330WSSVLL	TFL	260	22 7/16	30 1/16	1 1/8	–	–	28 lbs.	1.5

- Wire Manager available; see page 88 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 202
- Wire Manager only recommended on back when using with Epicenter
- Epicenter depth surfaces should be used on storage supporting the Epicenter
- Modified depth and width not available
- For undersurface wire managers, see page 765
- 72" and 66" width laminate tops only available in standard woodgrain, solid or pattern laminates; CSL not available for vertical grain tops

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Knife rim profile (wood or laminate) available on user side (indicated by K1)
- If specifying wood, you must specify the same finish for all options
- Component worksurfaces can be used with assembled units
- Refer to page 92 for grommet locations; and page 210 for grommet upcharge
- Unsupported worksurface spans should not exceed 48"; see page 211 for support options
- Epicenter depth surfaces are to be used on storage supporting the Epicenter

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim Profile
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBER:

26N2460WSSVLK1 M K480 G1LR X 480

- See pages 205-210 for all options available in Epicenter

RECTANGULAR WORKSURFACE EPICENTER DEPTH (CONTINUED)



Grain Direction runs front-to-back

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
KNIFE RIM									
26N2460WSSVWK1	Wood	$ 1229	23⅞	60	1⅜₁₆	—	—	56 lbs.	3.2
26N2460WSSVLK1	Laminate	775	23⅞	60	1⅜₁₆	—	—	56 lbs.	3.2
26N2454WSSVWK1	Wood	$ 1193	23⅞	54	1⅜₁₆	—	—	50 lbs.	2.9
26N2454WSSVLK1	Laminate	690	23⅞	54	1⅜₁₆	—	—	50 lbs.	2.9
26N2448WSSVWK1	Wood	$ 1167	23⅞	48⅛₁₆	1⅜₁₆	—	—	44 lbs.	2.8
26N2448WSSVLK1	Laminate	624	23⅞	48⅛₁₆	1⅜₁₆	—	—	44 lbs.	2.8
26N2442WSSVWK1	Wood	$ 1114	23⅞	42⅛₁₆	1⅜₁₆	—	—	39 lbs.	2.7
26N2442WSSVLK1	Laminate	561	23⅞	42⅛₁₆	1⅜₁₆	—	—	39 lbs.	2.7
26N2436WSSVWK1	Wood	$ 1072	23⅞	36⅛₁₆	1⅜₁₆	—	—	33 lbs.	1.8
26N2436WSSVLK1	Laminate	513	23⅞	36⅛₁₆	1⅜₁₆	—	—	33 lbs.	1.8
26N2430WSSVWK1	Wood	$ 1045	23⅞	30⅛₁₆	1⅜₁₆	—	—	28 lbs.	1.5
26N2430WSSVLK1	Laminate	456	23⅞	30⅛₁₆	1⅜₁₆	—	—	28 lbs.	1.5

- Wire Manager available; see page 88 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 202
- Wire Manager only recommended on back when using with Epicenter
- Epicenter depth surfaces should be used on storage supporting the Epicenter
- Modified depth and width not available
- For undersurface wire managers, see page 765
- 72" and 66" width laminate tops only available in standard woodgrain, solid or pattern laminates; CSL not available for vertical grain tops

EPICENTER

PRODUCT SPECIFICATIONS

- Tops of units are finished with flat edge detail
- National will not be liable for Epicenter overhead storage cabinets that are not properly installed
- Cabinets have a full height back panel
- Sliding doors feature a face mount powder coated aluminum track on top and bottom of cabinet
- Short overhead supports are 5¼" H and long overhead supports are 10½" H
- See page 205 for details on how to specify

TO ORDER, SPECIFY:

1. Model Number
2. Overhead Support/Color
3. Resin Grade/Color
4. Metal Door Color
5. Veneer Chassis Finish/Laminate Chassis Color
6. Door Track Paint Color

SAMPLE MODEL NUMBERS:

26N4813SOSDAL	4L-462	2	2977	MC	501
26N4813SOSDML	2L2S-462	503	MC	503	

- See pages 205-210 for all options available in Epicenter

EPICENTER OVERHEAD STORAGE CABINET SLIDING DOORS



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
RESIN DOORS		**GRADE 1**							
26N6013SOSDAW	Wood	$ 4168	14¾	59 13/16	13⅜	—	—	90 lbs.	8.9
26N6013SOSDAL	Laminate	2621	14¾	59 13/16	13⅜	—	—	90 lbs.	8.9
26N4813SOSDAW	Wood	$ 3652	14¾	47⅞	13⅜	—	—	81 lbs.	8.3
26N4813SOSDAL	Laminate	2277	14¾	47⅞	13⅜	—	—	81 lbs.	8.3
26N4213SOSDAW	Wood	$ 3504	14¾	41⅞	13⅜	—	—	70 lbs.	7.8
26N4213SOSDAL	Laminate	2136	14¾	41⅞	13⅜	—	—	70 lbs.	7.8
26N3613SOSDAW	Wood	$ 3356	14¾	35⅞	13⅜	—	—	53 lbs.	5.4
26N3613SOSDAL	Laminate	1997	14¾	35⅞	13⅜	—	—	53 lbs.	5.4
26N3013SOSDAW	Wood	$ 3193	14¾	29 15/16	13⅜	—	—	45 lbs.	4.5
26N3013SOSDAL	Laminate	1842	14¾	29 15/16	13⅜	—	—	45 lbs.	4.5
METAL DOORS		**LIST PRICE**							
26N6013SOSDMW	Wood	$ 4168	14¾	59 13/16	13⅜	—	—	90 lbs.	8.9
26N6013SOSDML	Laminate	2621	14¾	59 13/16	13⅜	—	—	90 lbs.	8.9
26N4813SOSDMW	Wood	$ 3652	14¾	47⅞	13⅜	—	—	81 lbs.	8.3
26N4813SOSDML	Laminate	2277	14¾	47⅞	13⅜	—	—	81 lbs.	8.3
26N4213SOSDMW	Wood	$ 3652	14¾	41⅞	13⅜	—	—	70 lbs.	7.8
26N4213SOSDML	Laminate	2136	14¾	41⅞	13⅜	—	—	70 lbs.	7.8
26N3613SOSDMW	Wood	$ 3504	14¾	35⅞	13⅜	—	—	53 lbs.	5.4
26N3613SOSDML	Laminate	1997	14¾	35⅞	13⅜	—	—	53 lbs.	5.4
26N3013SOSDMW	Wood	$ 3193	14¾	29 15/16	13⅜	—	—	45 lbs.	4.5
26N3013SOSDML	Laminate	1842	14¾	29 15/16	13⅜	—	—	45 lbs.	4.5

- Overhead supports included, see specification guide for proper ordering
- Cabinets have 2 sliding doors
- For additional paper management, reference page 765 in the accessories section for Organizational Stackers that can be inserted in overhead storage cabinets
- Some assembly required
- When ganging 2 30", 36", or 48" Epicenter overheads together, the middle stanchion supports can be removed; not recommended for overheads greater than 48"
- Short overhead supports are 5¼" H and long overhead supports are 10½" H
- Overhead stanchions do not deface the worksurface

PRODUCT SPECIFICATIONS

- Tops of units are finished with flat edge detail
- National will not be liable for Epicenter overhead storage cabinets that are not properly installed
- Cabinets have a full height back panel
- Short overhead supports are 5¼" H and long overhead supports are 10½" H
- See page 205 for details on how to specify

TO ORDER, SPECIFY:

1. Model Number
2. Overhead Support/Color
3. Resin Grade/Color
4. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBER:

26N6013SOEDL 4S-462 MC

- See pages 205-210 for all options available in Epicenter

EPICENTER
OVERHEAD STORAGE CABINET
NO DOORS



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
26N6013SOEDW	Wood	$ 2296	13 15/16	59 11/16	13 3/8	—	—	90 lbs.	8.9
26N6013SOEDL	Laminate	1500	13 15/16	59 11/16	13 3/8	—	—	90 lbs.	8.9
26N4813SOEDW	Wood	$ 2026	13 15/16	47 7/8	13 3/8	—	—	63 lbs.	8.3
26N4813SOEDL	Laminate	1304	13 15/16	47 7/8	13 3/8	—	—	63 lbs.	8.3
26N4213SOEDW	Wood	$ 1947	13 15/16	41 7/8	13 3/8	—	—	56 lbs.	7.8
26N4213SOEDL	Laminate	1231	13 15/16	41 7/8	13 3/8	—	—	56 lbs.	7.8
26N3613SOEDW	Wood	$ 1872	13 15/16	35 7/8	13 3/8	—	—	49 lbs.	5.4
26N3613SOEDL	Laminate	1156	13 15/16	35 7/8	13 3/8	—	—	49 lbs.	5.4
26N3013SOEDW	Wood	$ 1784	13 15/16	29 15/16	13 3/8	—	—	42 lbs.	4.5
26N3013SOEDL	Laminate	1075	13 15/16	29 15/16	13 3/8	—	—	42 lbs.	4.5

- Overhead supports included, see specification guide for proper ordering
- For additional paper management, reference page 765 in the accessories section for Organizational Stackers that can be inserted in overhead storage cabinets
- Some assembly required
- When ganging 2 30", 36", or 48" Epicenter overheads together, the middle stanchion supports can be removed; not recommended for overheads greater than 48"
- Short overhead supports are 5¼" H and long overhead supports are 10½" H
- Overhead stanchions do not deface the worksurface

EPICENTER

PRODUCT SPECIFICATIONS

- Tops of units are finished with flat edge detail
- National will not be liable for Epicenter overhead storage cabinets that are not properly installed
- Cabinets have a full height back panel
- Sliding doors feature a face mount powder coated aluminum track on top and bottom of cabinet
- Short overhead supports are 5¼" H and long overhead supports are 10½" H
- See page 205 for details on how to specify

TO ORDER, SPECIFY:

1. Model Number
2. Overhead Support/Color
3. Resin Grade/Color
4. Metal Door Color
5. Veneer Chassis Finish/Laminate Chassis Color
6. Door Track Paint Color

SAMPLE MODEL NUMBERS:

26N6013SOSSDRAW 4L-501 1 1677 MH
26N6013SOSSDRMW 4L-501 501 MH

- See pages 205-210 for all options available in Epicenter

EPICENTER SHARED OVERHEAD STORAGE CABINET WITH SLIDING DOORS



Right shown

MODEL NO./DESCRIPTION			LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
RESIN DOORS/WOOD CHASSIS										
LEFT CABINET	**RIGHT CABINET**		**GRADE 1**							
26N6013SOSSDLAW	26N6013SOSSDRAW		$ 4364	14¾	59¹³⁄₁₆	13⅜	—	—	90 lbs.	8.9
26N4813SOSSDLAW	26N4813SOSSDRAW		3824	14¾	47⅞	13⅜	—	—	81 lbs.	8.3
26N4213SOSSDLAW	26N4213SOSSDRAW		3666	14¾	41⅞	13⅜	—	—	70 lbs.	7.8
26N3613SOSSDLAW	26N3613SOSSDRAW		3512	14¾	35⅞	13⅜	—	—	53 lbs.	5.4
26N3013SOSSDLAW	26N3013SOSSDRAW		3342	14¾	29¹⁵⁄₁₆	13⅜	—	—	45 lbs.	4.5
RESIN DOORS/LAMINATE CHASSIS										
LEFT CABINET	**RIGHT CABINET**									
26N6013SOSSDLAL	26N6013SOSSDRAL		$ 2704	14¾	59¹³⁄₁₆	13⅜	—	—	90 lbs.	8.9
26N4813SOSSDLAL	26N4813SOSSDRAL		2380	14¾	47⅞	13⅜	—	—	81 lbs.	8.3
26N4213SOSSDLAL	26N4213SOSSDRAL		2230	14¾	41⅞	13⅜	—	—	70 lbs.	7.8
26N3613SOSSDLAL	26N3613SOSSDRAL		2085	14¾	35⅞	13⅜	—	—	53 lbs.	5.4
26N3013SOSSDLAL	26N3013SOSSDRAL		1930	14¾	29¹⁵⁄₁₆	13⅜	—	—	45 lbs.	4.5
METAL DOORS										
LEFT CABINET	**RIGHT CABINET**		**LIST PRICE**							
26N6013SOSSDLMW	26N6013SOSSDRMW	Wood	$ 4364	14¾	59¹³⁄₁₆	13⅜	—	—	90 lbs.	8.9
26N6013SOSSDLML	26N6013SOSSDRML	Laminate	2704	14¾	59¹³⁄₁₆	13⅜	—	—	90 lbs.	8.9
26N4813SOSSDLMW	26N4813SOSSDRMW	Wood	$ 3824	14¾	47⅞	13⅜	—	—	81 lbs.	8.3
26N4813SOSSDLML	26N4813SOS4DRML	Laminate	2380	14¾	47⅞	13⅜	—	—	81 lbs.	8.3
26N4213SOSSDLMW	26N4213SOSSDRMW	Wood	$ 3666	14¾	41⅞	13⅜	—	—	70 lbs.	7.8
26N4213SOSSDLML	26N4213SOSSDRML	Laminate	2230	14¾	41⅞	13⅜	—	—	70 lbs.	7.8
26N3613SOSSDLMW	26N3613SOSSDRMW	Wood	$ 3512	14¾	35⅞	13⅜	—	—	53 lbs.	5.4
26N3613SOSSDLML	26N3613SOSSDRML	Laminate	2085	14¾	35⅞	13⅜	—	—	53 lbs.	5.4
26N3013SOSSDLMW	26N3013SOSSDRMW	Wood	$ 3342	14¾	29¹⁵⁄₁₆	13⅜	—	—	45 lbs.	4.5
26N3013SOSSDLML	26N3013SOSSDRML	Laminate	1930	14¾	29¹⁵⁄₁₆	13⅜	—	—	45 lbs.	4.5

- Overhead supports included, see specification guide for proper ordering
- Cabinets have 1 sliding door per side
- Each user has access to half the width and the full depth of the cabinet
- For additional paper management, reference page 765 in the accessories section for Organizational Stackers that can be inserted overhead storage cabinets
- Some assembly required
- When ganging 2 30", 36", or 48" Epicenter overheads together, the middle stanchion supports can be removed; not recommended for overheads greater than 48"
- Short overhead supports are 5¼" H and long overhead supports are 10½" H
- Overhead stanchions do not deface the worksurface

PRODUCT SPECIFICATIONS

- Tops of units are finished with flat edge detail
- National will not be liable for Epicenter overhead storage cabinets that are not properly installed
- Cabinets have a full height back panel
- Short overhead supports are 5¼" H and long overhead supports are 10½" H
- See page 205 for details on how to specify

TO ORDER, SPECIFY:

1. Model Number
2. Overhead Support/Color
3. Resin Grade/Color
4. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBER:

26N6013SOESDRW 4L-501 1 1677 MH

- See pages 205-210 for all options available in Epicenter

EPICENTER SHARED OVERHEAD STORAGE CABINET NO DOORS



Right Shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
LEFT CABINET	RIGHT CABINET									
26N6013SOESDLW	26N6013SOESDRW	Wood	$ 2402	13 15/16	59 3/16	13⅜	–	–	84 lbs.	8.9
26N6013SOESDLL	26N6013SOESDRL	Laminate	1529	13 15/16	59 3/16	13⅜	–	–	84 lbs.	8.9
26N4813SOESDLW	26N4813SOESDRW	Wood	$ 2116	13 15/16	47⅞	13⅜	–	–	63 lbs.	8.3
26N4813SOESDLL	26N4813SOESDRL	Laminate	1359	13 15/16	47⅞	13⅜	–	–	63 lbs.	8.3
26N4213SOESDLW	26N4213SOESDRW	Wood	$ 2037	13 15/16	41⅞	13⅜	–	–	56 lbs.	7.8
26N4213SOESDLL	26N4213SOESDRL	Laminate	1280	13 15/16	41⅞	13⅜	–	–	56 lbs.	7.8
26N3613SOESDLW	26N3613SOESDRW	Wood	$ 1950	13 15/16	35⅞	13⅜	–	–	49 lbs.	5.4
26N3613SOESDLL	26N3613SOESDRL	Laminate	1202	13 15/16	35⅞	13⅜	–	–	49 lbs.	5.4
26N3013SOESDLW	26N3013SOESDRW	Wood	$ 1865	13 15/16	29 15/16	13⅜	–	–	42 lbs.	4.5
26N3013SOESDLL	26N3013SOESDRL	Laminate	1118	13 15/16	29 15/16	13⅜	–	–	42 lbs.	4.5

- Overhead supports included, see specification guide for proper ordering
- Each user has access to half the width and the full depth of the cabinet
- For additional paper management, reference page 765 in the accessories section for Organizational Stackers that can be inserted in overhead storage cabinets
- Some assembly required
- When ganging 2 30", 36", or 48" Epicenter overheads together, the middle stanchion supports can be removed; not recommended for overheads greater than 48"
- Short overhead supports are 5¼" H and long overhead supports are 10½" H
- Overhead stanchions do not deface the worksurface

EPICENTER

PRODUCT SPECIFICATIONS

- Tops of units are finished with flat edge detail
- National will not be liable for Epicenter overhead storage cabinets that are not properly installed
- Cabinets have a full height back panel
- Sliding doors feature a face mount powder coated aluminum track on top and bottom of cabinet
- Short overhead supports are 5¼" H and long overhead supports are 10½" H
- See page 205 for details on how to specify
- Overheads have unfinished back panels

TO ORDER, SPECIFY:

1. Model Number
2. Overhead Support/Color
3. Resin Grade/Color
4. Metal Door Color
5. Veneer Chassis Finish/Laminate Chassis Color
6. Door Track Paint Color

SAMPLE MODEL NUMBERS:

26N6013SOSD1AL	2L-462	2	2977	MC	501
26N4813SOSD1ML	1L1S-462	503	MC	503	

- See pages 205-210 for all options available in Epicenter

EPICENTER OVERHEAD STORAGE CABINET SLIDING DOORS (SINGLE SIDED APPLICATIONS)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
RESIN DOORS		**GRADE 1**							
26N6013SOSD1AW	Wood	$ 3754	14¾	59¹³⁄₁₆	13⅜	—	—	90 lbs.	8.9
26N6013SOSD1AL	Laminate	2358	14¾	59¹³⁄₁₆	13⅜	—	—	90 lbs.	8.9
26N4813SOSD1AW	Wood	$ 3287	14¾	47⅞	13⅜	—	—	81 lbs.	8.3
26N4813SOSD1AL	Laminate	2050	14¾	47⅞	13⅜	—	—	81 lbs.	8.3
26N4213SOSD1AW	Wood	$ 3154	14¾	41⅞	13⅜	—	—	70 lbs.	7.8
26N4213SOSD1AL	Laminate	1925	14¾	41⅞	13⅜	—	—	70 lbs.	7.8
26N3613SOSD1AW	Wood	$ 3022	14¾	35⅞	13⅜	—	—	53 lbs.	5.4
26N3613SOSD1AL	Laminate	1793	14¾	35⅞	13⅜	—	—	53 lbs.	5.4
26N3013SOSD1AW	Wood	$ 2875	14¾	29¹⁵⁄₁₆	13⅜	—	—	45 lbs.	4.5
26N3013SOSD1AL	Laminate	1662	14¾	29¹⁵⁄₁₆	13⅜	—	—	45 lbs.	4.5
METAL DOORS		**LIST PRICE**							
26N6013SOSD1MW	Wood	$ 3754	14¾	59¹³⁄₁₆	13⅜	—	—	90 lbs.	8.9
26N6013SOSD1ML	Laminate	2358	14¾	59¹³⁄₁₆	13⅜	—	—	90 lbs.	8.9
26N4813SOSD1MW	Wood	$ 3287	14¾	47⅞	13⅜	—	—	81 lbs.	8.3
26N4813SOSD1ML	Laminate	2050	14¾	47⅞	13⅜	—	—	81 lbs.	8.3
26N4213SOSD1MW	Wood	$ 3154	14¾	41⅞	13⅜	—	—	70 lbs.	7.8
26N4213SOSD1ML	Laminate	1925	14¾	41⅞	13⅜	—	—	70 lbs.	7.8
26N3613SOSD1MW	Wood	$ 3022	14¾	35⅞	13⅜	—	—	53 lbs.	5.4
26N3613SOSD1ML	Laminate	1793	14¾	35⅞	13⅜	—	—	53 lbs.	5.4
26N3013SOSD1MW	Wood	$ 2875	14¾	29¹⁵⁄₁₆	13⅜	—	—	45 lbs.	4.5
26N3013SOSD1ML	Laminate	1662	14¾	29¹⁵⁄₁₆	13⅜	—	—	45 lbs.	4.5

- Overhead supports included, see specification guide for proper ordering
- Cabinets have 2 sliding doors
- For additional paper management, reference page 765 in the accessories section for Organizational Stackers that can be inserted in overhead storage cabinets
- Some assembly required
- Overhead back panels must be specified separately to create a finished back; see page 246
- When ganging single sided Epicenter overheads, it is not recommended to remove the middle stanchion supports
- Overhead stanchions do not deface the worksurface

PRODUCT SPECIFICATIONS

- Tops of units are finished with flat edge detail
- National will not be liable for Epicenter overhead storage cabinets that are not properly installed
- Cabinets have a full height back panel
- Short overhead supports are 5¼"H and long overhead supports are 11½"H
- See page 205 for details on how to specify
- Overheads have unfinished back panels

TO ORDER, SPECIFY:

1. Model Number
2. Overhead Support/Color
3. Resin Grade/Color
4. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBER:

26N6013SOED1L 2S-462 MC

- See pages 205-210 for all options available in Epicenter

EPICENTER
OVERHEAD STORAGE CABINET
NO DOORS
(SINGLE SIDED APPLICATIONS)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
26N6013SOED1W	Wood	$ 2068	13 15/16	59 3/16	13⅜	—	—	90 lbs.	8.9
26N6013SOED1L	Laminate	1348	13 15/16	59 3/16	13⅜	—	—	90 lbs.	8.9
26N4813SOED1W	Wood	$ 1823	13 15/16	47⅞	13⅜	—	—	63 lbs.	8.3
26N4813SOED1L	Laminate	1173	13 15/16	47⅞	13⅜	—	—	63 lbs.	8.3
26N4213SOED1W	Wood	$ 1755	13 15/16	41⅞	13⅜	—	—	56 lbs.	7.8
26N4213SOED1L	Laminate	1105	13 15/16	41⅞	13⅜	—	—	56 lbs.	7.8
26N3613SOED1W	Wood	$ 1683	13 15/16	35⅞	13⅜	—	—	49 lbs.	5.4
26N3613SOED1L	Laminate	1038	13 15/16	35⅞	13⅜	—	—	49 lbs.	5.4
26N3013SOED1W	Wood	$ 1606	13 15/16	29 15/16	13⅜	—	—	42 lbs.	4.5
26N3013SOED1L	Laminate	967	13 15/16	29 15/16	13⅜	—	—	42 lbs.	4.5

- Overhead supports included, see specification guide for proper ordering
- For additional paper management, reference page 765 in the accessories section for Organizational Stackers that can be inserted in overhead storage cabinets
- Some assembly required
- Overhead back panels must be specified separately to create a finished back; see page 246
- When ganging single sided Epicenter overheads, it is not recommended to remove the middle stanchion supports
- Overhead stanchions do not deface the worksurface

EPICENTER

PRODUCT SPECIFICATIONS

- Overhead back panels are shipped with appropriate hardware to hang the back panel on the back of single sided overheads; see pages 244-245

TO ORDER, SPECIFY:

1. Model Number
2. Veneer Finish/Laminate Color

SAMPLE MODEL NUMBERS:

26N4813BPW CW
26N4813BPMB CW

- See pages 205-210 for all options available in Epicenter

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
OVERHEAD STORAGE CABINET BACK PANEL - VENEER (SINGLE SIDED APPLICATIONS)	26N6013BPW	Wood	$ 1075	½	59 1/16	13⅜	–	–	25 lbs.	1.9
	26N4813BPW	Wood	898	½	47 1/16	13⅜	–	–	21 lbs.	1.5
	26N4213BPW	Wood	848	½	41¾	13⅜	–	–	18 lbs.	1.3
	26N3613BPW	Wood	801	½	35¾	13⅜	–	–	14 lbs.	1.1
	26N3013BPW	Wood	706	½	29¾	13⅜	–	–	12 lbs.	1.0



- Some assembly required

OVERHEAD STORAGE CABINET BACK PANEL - LAMINATE (SINGLE SIDED APPLICATIONS)	26N6013BPL	Laminate	$ 561	½	59 1/16	13⅜	–	–	25 lbs.	1.9
	26N4813BPL	Laminate	524	½	47 1/16	13⅜	–	–	21 lbs.	1.5
	26N4213BPL	Laminate	489	½	41¾	13⅜	–	–	18 lbs.	1.3
	26N3613BPL	Laminate	427	½	35¾	13⅜	–	–	14 lbs.	1.1
	26N3013BPL	Laminate	377	½	29¾	13⅜	–	–	12 lbs.	1.0



- Some assembly required

OVERHEAD STORAGE CABINET BACK PANEL - LAMINATE (SINGLE SIDED APPLICATIONS)	26N6013BPVL	Laminate	$ 561	½	59 1/16	13⅜	–	–	25 lbs.	1.9
	26N4813BPVL	Laminate	524	½	47 1/16	13⅜	–	–	21 lbs.	1.5
	26N4213BPVL	Laminate	489	½	41¾	13⅜	–	–	18 lbs.	1.3
	26N3613BPVL	Laminate	427	½	35¾	13⅜	–	–	14 lbs.	1.1
	26N3013BPVL	Laminate	377	½	29¾	13⅜	–	–	12 lbs.	1.0



- Some assembly required
- Grain direction runs vertically

OVERHEAD STORAGE CABINET BACK PANEL - MARKER BOARD (SINGLE SIDED APPLICATIONS)	26N6013BPMB		$ 599	½	59 1/16	13⅜	–	–	25 lbs.	1.9
	26N4813BPMB		538	½	47 1/16	13⅜	–	–	21 lbs.	1.5
	26N4213BPMB		484	½	41¾	13⅜	–	–	18 lbs.	1.3
	26N3613BPMB		444	½	35¾	13⅜	–	–	14 lbs.	1.1
	26N3013BPMB		411	½	29¾	13⅜	–	–	12 lbs.	1.0



- Available in white HPL (high pressure laminate)
- Some assembly required
- Non-magnetic

PRODUCT SPECIFICATIONS

- Full should be the configuration selected on the side using an Upper and Lower Epicenter
- Upper should be the configuration selected on the side where an Upper Epicenter is being used
- See page 211 for configuration options
- End support privacy panels can be used at the end of a run to support an Epicenter or only worksurfaces
- Mid support privacy panels can be used as a support between Epicenters or between worksurfaces

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

26N6039SESW 2F462 CW

- See page 211 for all options available

END SUPPORT PRIVACY PANEL DOUBLE DEPTH



MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
26N6039SESW	Wood	$ 1931	1 3/16	60 5/16	39 1/16	—	—	80 lbs.	3.2
26N6039SESL	Laminate	1091	1 3/16	60 5/16	39 1/16	—	—	80 lbs.	3.2
26N4839SESW	Wood	$ 1872	1 3/16	48 13/16	39 1/16	—	—	65 lbs.	3.0
26N4839SESL	Laminate	993	1 3/16	48 13/16	39 1/16	—	—	65 lbs.	3.0
26N6339SESW	Wood	$ 1931	1 3/16	63 5/16	39 1/16	—	—	80 lbs.	3.2
26N6339SESL	Laminate	1091	1 3/16	63 5/16	39 1/16	—	—	80 lbs.	3.2

- Horizontal grain direction for all colors

26N5139SESW	Wood	$ 1872	1 3/16	51 1/8	39 1/16	—	—	65 lbs.	3.0
26N5139SESL	Laminate	993	1 3/16	51 1/8	39 1/16	—	—	65 lbs.	3.0

- Privacy screens can be ordered separately and mounted to the top for additional privacy; see page 254
- Epicenter depth worksurfaces must be specified when utilizing an Epicenter with the support privacy panels
- Can be used to support the Epicenter instead of a pedestal at the end of a run

END SUPPORT PRIVACY PANEL SINGLE DEPTH



LEFT	RIGHT									
26N3039SESLW	26N3039SESRW	Wood	$ 1072	1 3/16	31 11/16	39 1/16	—	—	65 lbs.	3.0
26N3039SESLL	26N3039SESRL	Laminate	607	1 3/16	31 11/16	39 1/16	—	—	65 lbs.	3.0
26N2439SESLW	26N2439SESRW	Wood	$ 1038	1 3/16	25 9/16	39 1/16	—	—	60 lbs.	2.8
26N2439SESLL	26N2439SESRL	Laminate	556	1 3/16	25 9/16	39 1/16	—	—	60 lbs.	2.8
26N3239SESLW	26N3239SESRW	Wood	$ 1072	1 3/16	33 3/16	39 1/16	—	—	65 lbs.	3.0
26N3239SESLL	26N3239SESRL	Laminate	607	1 3/16	33 3/16	39 1/16	—	—	65 lbs.	3.0
26N2639SESLW	26N2639SESRW	Wood	$ 1038	1 3/16	27 1/16	39 1/16	—	—	60 lbs.	2.8
26N2639SESLL	26N2639SESRL	Laminate	556	1 3/16	27 1/16	39 1/16	—	—	60 lbs.	2.8

- Privacy screens can be ordered separately and mounted to the top for additional privacy; see page 254
- Epicenter depth worksurfaces must be specified when utilizing an Epicenter with the support privacy panels
- Can be used to support the Epicenter instead of a pedestal at the end of a run

EPICENTER

PRODUCT SPECIFICATIONS

- Full should be the configuration selected on the side using an Upper and Lower Epicenter
- Upper should be the configuration selected on the side where an Upper Epicenter is being used
- See page 211 for configuration options
- End support privacy panels can be used at the end of a run to support an Epicenter or only worksurfaces
- Mid support privacy panels can be used as a support between Epicenters or between worksurfaces

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBERS:

26N6039SMSW 1F1U501 CW
26N3039SMSW 1FR1UL501 CW

- See page 211 for all options available

MID SUPPORT PRIVACY PANEL DOUBLE DEPTH



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
26N6039SMSW	Wood	$ 1931	1 3/16	60 3/16	39 3/16	—	—	80 lbs.	3.2
26N6039SMSL	Laminate	1091	1 3/16	60 3/16	39 3/16	—	—	80 lbs.	3.2
26N4839SMSW	Wood	$ 1872	1 3/16	48 13/16	39 3/16	—	—	80 lbs.	3.2
26N4839SMSL	Laminate	993	1 3/16	48 13/16	39 3/16	—	—	80 lbs.	3.2
26N6339SMSW	Wood	$ 1931	1 3/16	63 3/16	39 3/16	—	—	80 lbs.	3.2
26N6339SMSL	Laminate	1091	1 3/16	63 3/16	39 3/16	—	—	80 lbs.	3.2

- Horizontal grain direction for all colors

26N5139SMSW	Wood	$ 1872	1 3/16	51 1/8	39 3/16	—	—	80 lbs.	3.2
26N5139SMSL	Laminate	993	1 3/16	51 1/8	39 3/16	—	—	80 lbs.	3.2

- When 2 powered Epicenters are used with the mid support privacy panel, the 26N19ELJ must be used; see page 229
- Privacy screens can be ordered separately and mounted to the top for additional privacy; see page 254
- Epicenter depth worksurfaces must be specified when utilizing an Epicenter with the support privacy panels
- Can be used to support the Epicenter and provide privacy between multiple Epicenters

MID SUPPORT PRIVACY PANEL SINGLE DEPTH



26N3039SMSW	Wood	$ 1072	1 3/16	31 1/16	39 3/16	—	—	65 lbs.	3.0
26N3039SMSL	Laminate	607	1 3/16	31 1/16	39 3/16	—	—	65 lbs.	3.0
26N2439SMSW	Wood	$ 1038	1 3/16	25 3/16	39 3/16	—	—	60 lbs.	2.8
26N2439SMSL	Laminate	556	1 3/16	25 3/16	39 3/16	—	—	60 lbs.	2.8
26N3239SMSW	Wood	$ 1072	1 3/16	33 3/16	39 3/16	—	—	65 lbs.	3.0
26N3239SMSL	Laminate	607	1 3/16	33 3/16	39 3/16	—	—	65 lbs.	3.0
26N2639SMSW	Wood	$ 1038	1 3/16	27 1/16	39 3/16	—	—	60 lbs.	2.8
26N2639SMSL	Laminate	556	1 3/16	27 1/16	39 3/16	—	—	60 lbs.	2.8

- When 2 powered Epicenters are used with the mid support privacy panel, the 26N19ELJ must be used; see page 229
- Privacy screens can be ordered separately and mounted to the top for additional privacy; see page 254
- Epicenter depth worksurfaces must be specified when utilizing an Epicenter with the support privacy panels
- Can be used to support the Epicenter and provide privacy between multiple Epicenters

PRODUCT SPECIFICATIONS

- See specification guide for support requirements

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

26N5928DVOBB

- See pages 205-210 for all options available in Epicenter

EPICENTER DOUBLE DEPTH BASE



26N5928DVOBB shown

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
26N5928DVOBB	Cinder	$ 1373	2	57¼	27¾	—	—	38 lbs.	8.4
26N5928DVOBS	Platinum Metallic	1373	2	57¼	27¾	—	—	38 lbs.	8.4
26N5928DVOBN	Satin Nickel Metallic	1373	2	57¼	27¾	—	—	38 lbs.	8.4
26N5928DVOBH	Designer White	1373	2	57¼	27¾	—	—	38 lbs.	8.4
26N4728DVOBB	Cinder	$ 1290	2	45⅛	27¾	—	—	31 lbs.	6.8
26N4728DVOBS	Platinum Metallic	1290	2	45⅛	27¾	—	—	31 lbs.	6.8
26N4728DVOBN	Satin Nickel Metallic	1290	2	45⅛	27¾	—	—	31 lbs.	6.8
26N4728DVOBH	Designer White	1290	2	45⅛	27¾	—	—	31 lbs.	6.8

- Specify model number only
- For use in place of Epicenter pedestals or to support component worksurfaces
- A universal bracket is not needed when specifying a base

EPICENTER BASE



26N2928DVOBB shown



26N2328DVOBB shown

26N2928DVOBB	Cinder	$ 763	2	27⅛	27¾	—	—	19 lbs.	4.2
26N2928DVOBS	Platinum Metallic	763	2	27⅛	27¾	—	—	19 lbs.	4.2
26N2928DVOBN	Satin Nickel Metallic	763	2	27⅛	27¾	—	—	19 lbs.	4.2
26N2928DVOBH	Designer White	763	2	27⅛	27¾	—	—	19 lbs.	4.2
26N2328DVOBB	Cinder	$ 697	1½	23	27¾	—	—	15 lbs.	3.3
26N2328DVOBS	Platinum Metallic	697	1½	23	27¾	—	—	15 lbs.	3.3
26N2328DVOBN	Satin Nickel Metallic	697	1½	23	27¾	—	—	15 lbs.	3.3
26N2328DVOBH	Designer White	697	1½	23	27¾	—	—	15 lbs.	3.3

- Specify model number only
- Can be used to support the Epicenter instead of a pedestal at the end of a run
- 29" and 23" Epicenter bases are intended for single sided Epicenter applications and should not be used side by side without a Lower Epicenter
- 59", 47", 23", and 12" Epicenter bases can be used as a support panel for a double sided Epicenter application when utilizing the center mounting pad
- A universal bracket is not needed when specifying a base

EPICENTER

PRODUCT SPECIFICATIONS

- See specification guide for support requirements

TO ORDER, SPECIFY:

1. Model Number
2. Resin Grade/Color
3. Metal Insert Color
4. Paint Color

SAMPLE MODEL NUMBERS:

26N5928DVOBAM 2 2977 503
26N5928DVOBMM 503 503
26N5906DVOBB

- See pages 205-210 for all options available in Epicenter

EPICENTER DOUBLE DEPTH BASE WITH INSERT



26N5928DVOBAM shown



26N5928DVOBMM shown

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
RESIN INSERT		**GRADE 1**							
26N5928DVOBAM		$ 1840	2	57¼	27¾	—	—	30 lbs.	6.1
26N4728DVOBAM		1732	2	45⁵⁄₁₆	27¾	—	—	24 lbs.	4.8
26N2928DVOBAM		1024	2	27⁵⁄₁₆	27¾	—	—	15 lbs.	3.0
26N2328DVOBAM		961	2	21	27¾	—	—	15 lbs.	3.0
METAL INSERT		**LIST PRICE**							
26N5928DVOBMM		$ 1840	2	57¼	27¾	—	—	30 lbs.	6.1
26N4728DVOBMM		1732	2	45⁵⁄₁₆	27¾	—	—	24 lbs.	4.8
26N2928DVOBMM		1024	2	27⁵⁄₁₆	27¾	—	—	15 lbs.	3.0
26N2328DVOBMM		961	2	21	27¾	—	—	12 lbs.	2.4
VENEER INSERT									
26N5928DVOBWM		$ 2722	2	57¼	27¾	—	—	30 lbs.	6.1
26N4728DVOBWM		2368	2	45⁵⁄₁₆	27¾	—	—	24 lbs.	4.8
26N2928DVOBWM		1511	2	27⁵⁄₁₆	27¾	—	—	15 lbs.	3.0
26N2328DVOBWM		1315	2	21	27¾	—	—	12 lbs.	2.4

- For use in place of Epicenter pedestals or to support component worksurfaces
- 29" and 23" Epicenter bases are intended for single sided Epicenter applications and should not be used side by side without a Lower Epicenter
- 59", 47", 23", and 12" Epicenter bases can be used as a support panel for a double sided Epicenter application when utilizing the center mounting pad
- A universal bracket is not needed when specifying a base

EPICENTER DOUBLE DEPTH BASE



26N5906DVOBB shown

26N5906DVOBB	Cinder	$ 660	2	57¼	5⅛	—	—	9 lbs.	2.0
26N5906DVOBS	Platinum Metallic	660	2	57¼	5⅛	—	—	9 lbs.	2.0
26N5906DVOBN	Satin Nickel Metallic	660	2	57¼	5⅛	—	—	9 lbs.	2.0
26N5906DVOBH	Designer White	660	2	57¼	5⅛	—	—	9 lbs.	2.0
26N4706DVOBB	Cinder	$ 620	2	45⁵⁄₁₆	5⅛	—	—	8 lbs.	1.4
26N4706DVOBS	Platinum Metallic	620	2	45⁵⁄₁₆	5⅛	—	—	8 lbs.	1.4
26N4706DVOBN	Satin Nickel Metallic	620	2	45⁵⁄₁₆	5⅛	—	—	8 lbs.	1.4
26N4706DVOBH	Designer White	620	2	45⁵⁄₁₆	5⅛	—	—	8 lbs.	1.4

- Specify model number only
- Can be used to support the Epicenter at worksurface height off of lower storage
- A universal bracket is not needed when specifying a base

PRODUCT SPECIFICATIONS

- See specification guide for support requirements

TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Veneer Finish/Laminate Color

SAMPLE MODEL NUMBERS:

26N2906DVOBB
26N5928EPDW GE11PL TF
26N5928EPDL CW

- See pages 205-210 for all options available in Epicenter

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
EPICENTER BASE	26N2906DVOBB	Cinder	$ 367	2	27 1/16	5 1/8	—	—	4.6 lbs.	0.9
	26N2906DVOBS	Platinum Metallic	367	2	27 1/16	5 1/8	—	—	4.6 lbs.	0.9
	26N2906DVOBN	Satin Nickel Metallic	367	2	27 1/16	5 1/8	—	—	4.6 lbs.	0.9
	26N2906DVOBH	Designer White	367	2	27 1/16	5 1/8	—	—	4.6 lbs.	0.9
	26N2306DVOBB	Cinder	$ 344	2	21	5 1/8	—	—	3.8 lbs.	0.8
	26N2306DVOBS	Platinum Metallic	344	2	21	5 1/8	—	—	3.8 lbs.	0.8
	26N2306DVOBN	Satin Nickel Metallic	344	2	21	5 1/8	—	—	3.8 lbs.	0.8
	26N2306DVOBH	Designer White	344	2	21	5 1/8	—	—	3.8 lbs.	0.8



26N2906DVOBB shown

- Specify model number only
- Can be used to support the Epicenter at worksurface height off of lower storage
- A universal bracket is not needed when specifying a base

EPICENTER SUPPORT BASE	26N1228DVOBB	Cinder	$ 558	1½	12	27¾	—	—	12 lbs.	3.1
	26N1228DVOBS	Platinum Metallic	558	1½	12	27¾	—	—	12 lbs.	3.1
	26N1228DVOBN	Satin Nickel Metallic	558	1½	12	27¾	—	—	12 lbs.	3.1
	26N1228DVOBH	Designer White	558	1½	12	27¾	—	—	12 lbs.	3.1



26N1228DVOBB shown

- Specify model number only
- Can be used to support the Epicenter mid-run
- A universal bracket is not needed when specifying a base

EPICENTER DOUBLE DEPTH END PANEL	26N5928EPDW	Wood	$ 1270	1 3/16	60	27 11/16	—	—	59 lbs.	3.2
	26N5928EPDL	Laminate	719	1 3/16	60	27 11/16	—	—	59 lbs.	3.2
	26N5906EPDW	Wood	$ 996	1 3/16	60	5 1/8	—	—	59 lbs.	3.2
	26N5906EPDL	Laminate	472	1 3/16	60	5 1/8	—	—	59 lbs.	3.2
	26N4728EPDW	Wood	$ 1233	1 3/16	47 13/16	27 11/16	—	—	47 lbs.	2.6
	26N4728EPDL	Laminate	654	1 3/16	47 13/16	27 11/16	—	—	47 lbs.	2.6
	26N4706EPDW	Wood	$ 976	1 3/16	47 13/16	5 1/8	—	—	47 lbs.	2.6
	26N4706EPDL	Laminate	441	1 3/16	47 13/16	5 1/8	—	—	47 lbs.	2.6



26N4728EPDW shown



"06" shown

- For the 28" high end panels, grommet options GE11MB, GE11PL, GE11SN are available
- For use in place of Epicenter pedestals or to support component worksurfaces

EPICENTER

PRODUCT SPECIFICATIONS

- See specification guide for support requirements

TO ORDER, SPECIFY:

1. Model Number
2. Veneer Finish/Laminate Color

SAMPLE MODEL NUMBERS:

26N2928EPDW TF
26N2928EPDL CW

- See pages 205-210 for all options available in Epicenter

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
EPICENTER END PANEL	26N2928EPDW	Wood	$ 706	1 3/16	29 3/16	27 11/16	–	–	30 lbs.	1.3
	26N2928EPDL	Laminate	398	1 3/16	29 3/16	27 11/16	–	–	30 lbs.	1.3
	26N2906EPDW	Wood	$ 556	1 3/16	29 3/16	5 1/8	–	–	30 lbs.	1.3
	26N2906EPDL	Laminate	263	1 3/16	29 3/16	5 1/8	–	–	30 lbs.	1.3
	26N2328EPDW	Wood	$ 684	1 3/16	23 1/8	27 11/16	–	–	25 lbs.	1.1
	26N2328EPDL	Laminate	363	1 3/16	23 1/8	27 11/16	–	–	25 lbs.	1.1
	26N2306EPDW	Wood	$ 539	1 3/16	23 1/8	5 1/8	–	–	25 lbs.	1.1
	26N2306EPDL	Laminate	245	1 3/16	23 1/8	5 1/8	–	–	25 lbs.	1.1



26N2928EPDW shown



"06" shown

- Grommet option not available
- Can be used to support the Epicenter instead of a pedestal at the end of a run

EPICENTER SLAT WALL MOUNT WORKSURFACE BRACKET	26NBRKT		$ 20	2 1/4	5 1/2	–	–	–	1 lbs.	0.1



- Specify model number only
- Requires 2 brackets when attaching an extension worksurface to the Epicenter slat or slat with tack board insert
- Standard in Cinder
- This bracket cannot be used with Exhibit slat inserts

EPICENTER UNIVERSAL ATTACHMENT BRACKET SET	26NDVWB	Black	$ 45	7 7/8	6 1/2	13 3/8	–	–	1 lbs.	0.3



- For attaching Epicenter to worksurfaces or pedestals
- Sold 2 per box
- Brackets are only needed when specifying the Epicenter with pedestals or the worksurface has an unsupported span greater than 48"
- Not needed when the Epicenter is mounted to support bases, end panels, mid/end support panels, or the worksurface span is less than 48"

The chart below explains how many universal support bracket sets are needed for the width of the Epicenter.

Width of Epicenter	Number of Bracket Sets Needed for Double Sided	Number of Bracket Sets Needed for Single Sided
24" – 48"	2 sets	1 set
54" – 96"	3 sets	2 sets

Not needed when the Epicenter is mounted to support bases, end panels, mid/end support panels, or the worksurface span is less than 48"

PRODUCT SPECIFICATIONS

- See specification guide for support requirements

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NACMAPSMB

- See pages 205-210 for all options available in Epicenter

INTUITIVE MONITOR ARM SLAT WALL MOUNT



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
NACMA1SFB	Black	$ 799	29½	2½	13¹³⁄₁₆	—	—	12 lbs.	2.7
NACMA1SFS	Silver	799	29½	2½	13¹³⁄₁₆	—	—	12 lbs.	2.7

- Weight capacity: 5.5 lbs. minimum - 13 lbs. maximum
- 1 monitor arm every 24" on slat wall and only 1 monitor arm recommended for a slat/tack combo insert
- Must properly install slat wall and Epicenter supports when using a monitor arm
- Recommended to not use monitor arm on the upper 4 slats of a full slat wall and slat wall combo insert

MONITOR ARM INFORMATION

NATIONAL MODEL	NACMA1SFB/S
Description	slat wall mount black/silver
Monitor Rotation	port/landscape 360°
Monitor Extension	6¾" - 13⅜"
Arm Pivot	30°
Horizontal Monitor Pivot	180°
Monitor Weight Capacity (maximum approved weight)	arm – 5.5 lbs. minimum - 13 lbs. maximum slat rail – 13 lbs.
Mounting Option	slat wall mount
Arm Height Adjustment	10" dynamic
Pole Height	N/A
Maximum Width Per Monitor	no maximum width
Manual Height Adjustment	N/A
Worksurface Requirements— Desk Clamp	N/A (slat wall mount only)
Worksurface Requirements— Grommet Mount	N/A (slat wall mount only)

EPICENTER

PRODUCT SPECIFICATIONS

- See specification guide for support requirements

TO ORDER, SPECIFY:

1. Model Number
2. Resin Grade/Color
3. Paint Color

SAMPLE MODEL NUMBER:

26N6013PVDTP 1 1677 462

- See pages 205-210 for all options available in Epicenter

PRIVACY SCREEN - TAPERED



MODEL NO./DESCRIPTION	LIST PRICE GRADE 1	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
26N7213PVDTP	$ 982	3/16	72	13 3/8	–	–	24 lbs.	1.0
26N6613PVDTP	936	3/16	66	13 3/8	–	–	22 lbs.	0.9
26N6013PVDTP	887	3/16	59 13/16	13 3/8	–	–	19 lbs.	0.8
26N5413PVDTP	841	3/16	53 3/8	13 3/8	–	–	17 lbs.	0.7
26N4813PVDTP	795	3/16	47 7/8	13 3/8	–	–	16 lbs.	1.0
26N4213PVDTP	748	3/16	41 7/8	13 3/8	–	–	14 lbs.	0.9
26N3613PVDTP	697	3/16	35 7/8	13 3/8	–	–	12 lbs.	0.7
26N3013PVDTP	647	3/16	29 15/16	13 3/8	–	–	10 lbs.	0.6
26N2413PVDTP	595	3/16	23 13/16	13 3/8	–	–	8 lbs.	0.5

- Privacy screen includes full length mounting channel and attaches on top of the Epicenter trim cap
- Privacy screens can also be mounted on top of the end and mid support privacy panels
- Privacy screens are 3/16" thick resin

PRIVACY SCREEN - RECTANGULAR



26N7213PVDP	$ 982	3/16	72	13 3/8	–	–	24 lbs.	1.0
26N6613PVDP	936	3/16	66	13 3/8	–	–	22 lbs.	0.9
26N6013PVDP	887	3/16	59 13/16	13 3/8	–	–	19 lbs.	0.8
26N5413PVDP	841	3/16	53 3/8	13 3/8	–	–	17 lbs.	0.7
26N4813PVDP	795	3/16	47 7/8	13 3/8	–	–	16 lbs.	1.0
26N4213PVDP	748	3/16	41 7/8	13 3/8	–	–	14 lbs.	0.9
26N3613PVDP	697	3/16	35 7/8	13 3/8	–	–	12 lbs.	0.7
26N3013PVDP	647	3/16	29 15/16	13 3/8	–	–	10 lbs.	0.6
26N2413PVDP	595	3/16	23 13/16	13 3/8	–	–	8 lbs.	0.5

- Privacy screen includes full length mounting channel and attaches on top of the Epicenter trim cap
- Privacy screens can also be mounted on top of the end and mid support privacy panels
- Privacy screens are 3/16" thick resin

PRODUCT SPECIFICATIONS

- For use with Exhibit and Epicenter slat wall inserts

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

NAC0924SHM 462

- See pages 205-210 for all options available in Epicenter

METAL WORK TOOLS

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SHELF	NAC0924SHM	Powder Coated	$ 143	9⅛	24	2¼	–	–	5 lbs.	0.9
	NAC0930SHM	Powder Coated	160	9⅛	30	2¼	–	–	6 lbs.	1.1
	NAC0936SHM	Powder Coated	177	9⅛	36	2¼	–	–	7 lbs.	1.2
	NAC0942SHM	Powder Coated	200	9⅛	42	2¼	–	–	8 lbs.	1.3
	NAC0948SHM	Powder Coated	216	9⅛	48	2¼	–	–	9 lbs.	1.4
SINGLE SIDE TRAY 	NAC1217SPTM	Single Tray	$ 128	11⅜	17	2⅜	–	–	5 lbs.	0.7
DOUBLE SIDE TRAY 	NAC1217DPTM	Double Tray	$ 177	11⅜	17	5	–	–	9 lbs.	1.0
POCKET ORGANIZER 	NAC16POM	Single Pocket	$ 109	1⅛	15⅝	7¼	–	–	4 lbs.	1.1
SLANT SORTER	NAC1212SSM	Polished Aluminum Dividers	$ 128	11¾	12	7¾	–	–	4 lbs.	1.1
	• Not recommended for use under Epicenter mounted overhead storage cabinets									
MARKER HOLDER 	NACMRHM		$ 124	2¹⁵⁄₁₆	6¹⁵⁄₁₆	4	–	–	1 lbs.	0.1

METAL TOOLS OPERATING LOAD CAPACITIES

Component:	Operating Load Capacity (Functional Loads):
Metal shelves:	10 lbs. per 6" of shelf width
Single side tray:	40 lbs. t.w.
Double side tray:	47 lbs. t.w.
Pocket organizer:	4 lbs. t.w.
Slant Sorter:	19 lbs. t.w.

EPICENTER

PRODUCT SPECIFICATIONS

- For use with Exhibit and Epicenter slat wall inserts
- Pencil Tray (NAC0510PTB) is only available in black and may not be an exact match

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

NAC0905SHBM 462

- See pages 205-210 for all options available in Epicenter

METAL WORK TOOLS

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
BINDER SHELF	NAC0905SHBM	$ 79	9⅛	5	8¹⁄₁₆	—	—	3 lbs.	0.5

- Not recommended for use under Epicenter mounted overhead storage cabinets

PENCIL TRAY	NAC0510PTB	$ 96	5	10	1	—	—	1 lbs.	0.1



- Available in Black only
- Specify model number only

METAL TOOLS OPERATING LOAD CAPACITIES

Component:	Operating Load Capacity (Functional Loads):
Binder shelf:	10 lbs. t.w.
Pencil tray:	5 lbs. t.w.

PRODUCT SPECIFICATIONS

- For use with WaveWorks slat walls, Exhibit and Epicenter slat wall inserts
- Available in black and clear plastic
- These products have been designed to be used safely when filled under normal circumstances

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NACCP

- See pages 205-210 for all options available in Epicenter

PLASTIC WORK TOOLS

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
PENCIL CUP	NACCP	Black Plastic	$ 53	½	4	4	—	—	1 lbs.	0.4
	NACCPC	Clear Plastic	53	½	4	4	—	—	1 lbs.	0.4
	• Holds pencils, pens, rulers, etc.									
LEGAL PAPER TRAY	NAC1115SPT	Black Plastic	$ 79	10½	15	2	—	—	1 lbs.	0.1
	NAC1115SPTC	Clear Plastic	79	10½	15	2	—	—	1 lbs.	0.1
	• Holds letter or legal width papers, folders, etc.									
ACCESSORY TRAY	NAC1010AT	Black Plastic	$ 70	10	9½	2	—	—	1 lbs.	0.2
	NAC1010ATC	Clear Plastic	70	10	9½	2	—	—	1 lbs.	0.2
	• Holds supplies such as pens, pencils, paper clips, scissors, erasers, rulers, etc.									
SLANT SORTER	NACSS	Black Plastic	$ 83	12½	7	7½	—	—	1 lbs.	0.2
	NACSSC	Clear Plastic	83	12½	7	7½	—	—	1 lbs.	0.2
	• Holds folders, papers, etc. • Not recommended for use under Epicenter mounted overhead storage cabinets									

EPICENTER

LOCHLYN

Product Specifications 260
Options 261
Configurations 262
Product Pages 266

LOCHLYN

PRODUCT SPECIFICATIONS

FRAMES

- Frames are made of 6060-T6 aluminum
- Must be installed as instructions indicate to warrant product
- Leveling glides are standard
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made
- Shipped flat and unassembled and installed in the field
- Inserts are ordered separately
- Vertical and horizontal frames are used to build and must be placed in correct position for a secure attachment
- Frames are attached with a connector piece that is made of Diecast Zamak, press fit and screwed to the frame ensure maximum strength
- Sizes of 18", 24", 30", 36", 42", 48", 54", 60", 66", 72", 78", 84", 90", 96" widths
- Sizes of 15", 27", 40", 53", 65", 78" heights

INSERTS

- Laminate options; vertical grain direction with the exception of horizontal grain laminates.
- If top open box is used for biophilia—must provide own liner
- Must be ordered separately from frame models
- Module front open box, module top open box, module sliding box drawers, module front box with hinged door(s), module pass-through box (no back boxes), and module trays are all made of laminate material
- Sizes of 17", 23", and 29" widths
- Sizes of 12", 25" heights
- Shelves available in laminate or clear glass
- Door inserts are available with touch latch closure, non-locking
- Drawer available with Level or Beam pull, non-locking
- Specify Pet Bed Liner to fit inside module trays

WALLMOUNT FRAMES

- Frames are made of 6060-T6 aluminum
- Must be installed as instructions indicate to warrant product
- Shipped flat packed and installed in the field
- Inserts are ordered separately
- Intended to be used as a display shelf
- Can be mounted to an architectural wall or a Tessera wall
- Attached flush to wall. Hardware not provided.
- Sizes of 12" – 72" width, 14" depth, and height of 13", 26", and 38"
- For display only, cannot be mounted with the top surface under 39" H on the wall

PRIVACY SCREENS

- Available in PET or Backpainted Glass
- Felt PET (Polyethylene terephthalate) ½" non self-healing tackable panel
- Backpainted Glass is white backpainted, low iron, tempered

WORKSURFACE

- Laminate surfaces are 1⅜" TFL (thermally fused laminate) and feature a 3mm PVC rim
- Grain direction runs left-to-right unless otherwise noted

CHASSIS CONSTRUCTION (DESKS AND BRIDGES)

- Frames are made of 6060-T6 aluminum
- Must be installed as instructions indicate to warrant product
- Leveling glides are standard
- Shipped flat packed
- Frames are attached with a connector piece that is made of Diecast Zamak, press fit and screwed to the frame ensure maximum strength

ADJUSTABLE HEIGHT DESK

- Available in laminate only; TFL top
- When in raised position, leg will be exposed
- Modesty panel optional, ordered separately
- Control pad can be moved to right-handed (RH) or left-handed (LH) by the customer
- Height adjustable customer range: 27⅜"-43¾"
- Duty cycle: 2 minutes ON/18 minutes OFF
- Maximum load should not exceed 100 lbs. on the surface
- Power cord: Type A plug, max 10 A, 125 V; 78¾" length
- Modesty panels are ordered separately and field installed
- Specify laminate color for the top, accent laminate for the laminate shroud, paint for the metal frame, and accent paint for the adjustable height metal legs

DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width
DI	Diameter

METAL FRAME COLOR

BK Black
SV Silver
103 Chive
105 Spinach Green*
106 Cloud Blue*
107 Dark Blue*
111 Apricot Orange*
112 Tango Red*
113 Golden Rod*
405 Designer White
419 Wallaby
420 Sandstone
423 Concrete
425 Shadow
440 Cloud
450 Fog
460 Storm
461 Graphite
462 Cinder
463 Iron
488 Frosty White
501 Platinum Metallic*
503 Satin Nickel Metallic*
544 Silver Pearl*

*10% List Upcharge

- The following paint colors will receive black screws, end caps, and floor anchors (where applicable) Black, Chive, Spinach Green, Dark Blue, Tango Red, Shadow, Graphite, Cinder, Satin Nickel Metallic, Concrete, and Iron
- The following paint colors will receive silver screws, end caps, and floor anchors (where applicable) Silver, Cloud Blue, Apricot Orange, Golden Rod, Designer White, Wallaby, Sandstone, Cloud, Fog, Storm, Frosty White, Platinum Metallic, and Silver Pearl

LAMINATE

WOODGRAIN LAMINATE

AC2 Autumn 2
AD Almond
ADH Almond Horizontal
BZ Brazilwood
CI Chai
CL Caramel
CW Cordovan
DW Judicial
HN2 Honey 2
IM Brighton
KN Kona
MC Amber
MH Mocha
NM Natural
PB Portobello
PBH Portobello Horizontal
PC Porcini
PT Portico
PTH Portico Horizontal
SK Skyline
SKH Skyline Horizontal
SM Sonoma
SMH Sonoma Horizontal
TF Truffle
WL Willow
792 Sable
792H Sable Horizontal
793 Acorn*

SOLID LAMINATE

405 Designer White
419 Wallaby
425 Shadow
440 Cloud
457 Dapple
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
491H Designer White Linear Horizontal
492 Cinder Linear
492H Cinder Linear Horizontal

*Acorn is the laminate complement to Clear Walnut finish

GALLERY LAMINATE

Grade 1 – 5% upcharge
G1001 Citadel
G1011 Pepperdust

Grade 2 – 6% upcharge
G1002 Planked Raw Oak
G1003 Evening Notte
G1004 Kirsche
G1005 Midnight Run
G1006 Sepia Walnut
G1007 Serotina
G1008 Timeless
G1009 White Nebbia
G1012 Phantom Ecru

See page 14 for Gallery program details and upcharges

PET

NOR Nordic Knit

PULL OPTIONS



Beam (87)

87MB Cinder
87CC Concrete
87IR Iron
87PL Platinum Metallic
87SN Satin Nickel Metallic
(Boring Pattern 128mm)

Level (88)

88MB Cinder
88CC Concrete
88IR Iron
88PL Platinum Metallic
88SN Satin Nickel Metallic
(Boring Pattern 128mm)

PET BED LINER FABRICS

Grade 1 Cali
Entwine
Input
Melange
Ridge
Spark
Vessel
Zig Zag

Grade 2 Bliss
Brilliant
COM
Dolce
Dorset
Intuition
Orbit
Phrase
Pixie
Sedona
Stancil
Strand

Grade 3 COL
Silvertex

Grade 4 Connect Four
Echo
Masquerade

Grade 5 Mode

Grade 6 Essence/Ultraleather

Grade 7 Brisa
Brisa Distressed
Reef Pro
Silica
Silica Etch
Tottori

Grade L7 Davenport

Grade L8 Florence

CONFIGURATIONS - DESK EXTENSION

DESK EXTENSION CONFIGURATIONS

- Sitting height used only at 2 high module height with a horizontal aluminum frame
- Standing height used only at 3 high module height with a horizontal aluminum frame

	DESK EXTENSION MODELS					
	17" WIDE SITTING HEIGHT	17" WIDE STANDING HEIGHT	23" WIDE SITTING HEIGHT	23" WIDE STANDING HEIGHT	29" WIDE SITTING HEIGHT	29" WIDE STANDING HEIGHT
	69N174829DSE1MLL	69N174841DSE1MLL	69N234829DSE1MLL	69N234841DSE1MLL	69N294829DSE1MLL	69N294841DSE1MLL
	69N175429DSE1MLL	69N175441DSE1MLL	69N235429DSE1MLL	69N235441DSE1MLL	69N295429DSE1MLL	69N295441DSE1MLL
	69N176029DSE1MLL	69N176041DSE1MLL	69N236029DSE1MLL	69N236041DSE1MLL	69N296029DSE1MLL	69N296041DSE1MLL
	69N176629DSE1MLL	69N176641DSE1MLL	69N236629DSE1MLL	69N236641DSE1MLL	69N296629DSE1MLL	69N296641DSE1MLL
	69N177229DSE1MLL	69N177241DSE1MLL	69N237229DSE1MLL	69N237241DSE1MLL	69N297229DSE1MLL	69N297241DSE1MLL
FREESTANDING LOCHLYN FRAME MODELS	**THE INDICATORS "L", "C", "R", "LEFT CENTER", OR "RIGHT CENTER" WILL APPEAR IN THE MATRIX BELOW. THIS WILL DESIGNATE WHERE A DESK EXTENSION WILL ATTACH TO THE LOCHLYN FRAME IN THE LEFT, CENTER, LEFT CENTER, RIGHT CENTER (WHERE APPLICABLE) OR RIGHT SIDE SECTIONS OF THE FREESTANDING FRAME. MULTIPLE INDICATORS SIGNIFY MULTIPLE FIT LOCATIONS WITHIN THAT FRAME. LEFT, RIGHT, CENTER IS DESIGNATED PER IMAGES IN OUR PRICE LIST**					
69N1827AFRFM	C					
69N2427AFRFM			C			
69N3027AFRFM					C	
69N3627AFRFM	L,R					
69N4227AFRFM	L		R			
69N4227CFRFM	L		R			
69N4827AFRFM			L,R			
69N5427AFRFM			L		R	
69N5427CFRFM			L		R	
69N6027AFRFM					L,R	
69N6627AFRFM	C		L,R			
69N6627CFRFM	C		L,R			
69N7227AFRFM			L,C,R			
69N7227CFRFM			L,C,R			
69N7827AFRFM			L,R		C	
69N7827CFRFM			L,R		C	
69N8427AFRFM			C		L,R	
69N8427CFRFM			C		L,R	
69N9027AFRFM					L,C,R	
69N9027CFRFM					L,C,R	
69N9627AFRFM			LEFT CENTER, RIGHT CENTER, R		L	
69N9627CFRFM			L, RIGHT CENTER, R		LEFT CENTER	
69N1840AFRFM	C	C				
69N2440AFRFM			C	C		
69N3040AFRFM					C	C
69N3640AFRFM	L,R	L,R				
69N3640CFRFM	R	L,R				
69N4240AFRFM	L	L	R	R		
69N4240CFRFM		L	R	R		
69N4840AFRFM			L,R	L,R		
69N4840CFRFM			R	L,R		
69N5440AFRFM			L	L	R	R
69N5440CFRFM				L	R	R
69N6040AFRFM					L,R	L,R

DESK EXTENSION CONFIGURATIONS

- Sitting height used only at 2 high module height with a horizontal aluminum frame
- Standing height used only at 3 high module height with a horizontal aluminum frame

	DESK EXTENSION MODELS					
	17" WIDE SITTING HEIGHT	17" WIDE STANDING HEIGHT	23" WIDE SITTING HEIGHT	23" WIDE STANDING HEIGHT	29" WIDE SITTING HEIGHT	29" WIDE STANDING HEIGHT
	69N174829DSE1MLL	69N174841DSE1MLL	69N234829DSE1MLL	69N234841DSE1MLL	69N294829DSE1MLL	69N294841DSE1MLL
	69N175429DSE1MLL	69N175441DSE1MLL	69N235429DSE1MLL	69N235441DSE1MLL	69N295429DSE1MLL	69N295441DSE1MLL
	69N176029DSE1MLL	69N176041DSE1MLL	69N236029DSE1MLL	69N236041DSE1MLL	69N296029DSE1MLL	69N296041DSE1MLL
	69N176629DSE1MLL	69N176641DSE1MLL	69N236629DSE1MLL	69N236641DSE1MLL	69N296629DSE1MLL	69N296641DSE1MLL
	69N177229DSE1MLL	69N177241DSE1MLL	69N237229DSE1MLL	69N237241DSE1MLL	69N297229DSE1MLL	69N297241DSE1MLL
FREESTANDING LOCHLYN FRAME MODELS	**THE INDICATORS "L", "C", "R", "LEFT CENTER", OR "RIGHT CENTER" WILL APPEAR IN THE MATRIX BELOW. THIS WILL DESIGNATE WHERE A DESK EXTENSION WILL ATTACH TO THE LOCHLYN FRAME IN THE LEFT, CENTER, LEFT CENTER, RIGHT CENTER (WHERE APPLICABLE) OR RIGHT SIDE SECTIONS OF THE FREESTANDING FRAME. MULTIPLE INDICATORS SIGNIFY MULTIPLE FIT LOCATIONS WITHIN THAT FRAME. LEFT, RIGHT, CENTER IS DESIGNATED PER IMAGES IN OUR PRICE LIST**					
69N6040CFRFM					R	L,R
69N6640AFRFM	C	C	L	L,R		
69N6640CFRFM	C	C	R	L,R		
69N7240AFRFM			L,C	L,C,R		
69N7240CFRFM			C,R	L,C,R		
69N7840AFRFM			L	L,R	C	C
69N7840CFRFM			R	L,R	C	C
69N8440AFRFM			C	C	L	L,R
69N8440CFRFM			C	C	R	L,R
69N9040AFRFM					L,C	L,C,R
69N9040CFRFM					C,R	L,C,R
69N9640AFRFM			L, LEFT CENTER, R	L, LEFT CENTER, RIGHT CENTER, R		
69N9640CFRFM			LEFT CENTER, RIGHT CENTER	L, LEFT CENTER, RIGHT CENTER, R		
69N1852AFRFM	C	C				
69N1852CFRFM		C				
69N2452AFRFM			C	C		
69N2452CFRFM				C		
69N3052AFRFM					C	C
69N3052CFRFM						C
69N3652AFRFM	L,R	L				
69N3652CFRFM	R	L,R				
69N4252AFRFM	L	L	R			
69N4252CFRFM		L	R	R		
69N4852AFRFM			L,R	L		
69N4852CFRFM			R	L,R		
69N5452AFRFM			L	L	R	
69N5452CFRFM				L	R	R
69N6052AFRFM					L,R	L
69N6052CFRFM					R	L,R
69N6652AFRFM	C		L	L,R		
69N6652CFRFM	C	C	R	L,R		
69N7252AFRFM			L,C	L,R		
69N7252CFRFM			C,R	L,C,R		

CONFIGURATIONS - DESK EXTENSION

DESK EXTENSION CONFIGURATIONS

- Sitting height used only at 2 high module height with a horizontal aluminum frame
- Standing height used only at 3 high module height with a horizontal aluminum frame

	DESK EXTENSION MODELS					
	17" WIDE SITTING HEIGHT	17" WIDE STANDING HEIGHT	23" WIDE SITTING HEIGHT	23" WIDE STANDING HEIGHT	29" WIDE SITTING HEIGHT	29" WIDE STANDING HEIGHT
	69N174829DSE1MLL	69N174841DSE1MLL	69N234829DSE1MLL	69N234841DSE1MLL	69N294829DSE1MLL	69N294841DSE1MLL
	69N175429DSE1MLL	69N175441DSE1MLL	69N235429DSE1MLL	69N235441DSE1MLL	69N295429DSE1MLL	69N295441DSE1MLL
	69N176029DSE1MLL	69N176041DSE1MLL	69N236029DSE1MLL	69N236041DSE1MLL	69N296029DSE1MLL	69N296041DSE1MLL
	69N176629DSE1MLL	69N176641DSE1MLL	69N236629DSE1MLL	69N236641DSE1MLL	69N296629DSE1MLL	69N296641DSE1MLL
	69N177229DSE1MLL	69N177241DSE1MLL	69N237229DSE1MLL	69N237241DSE1MLL	69N297229DSE1MLL	69N297241DSE1MLL
FREESTANDING LOCHLYN FRAME MODELS	**THE INDICATORS "L", "C", "R", "LEFT CENTER", OR "RIGHT CENTER" WILL APPEAR IN THE MATRIX BELOW. THIS WILL DESIGNATE WHERE A DESK EXTENSION WILL ATTACH TO THE LOCHLYN FRAME IN THE LEFT, CENTER, LEFT CENTER, RIGHT CENTER (WHERE APPLICABLE) OR RIGHT SIDE SECTIONS OF THE FREESTANDING FRAME. MULTIPLE INDICATORS SIGNIFY MULTIPLE FIT LOCATIONS WITHIN THAT FRAME. LEFT, RIGHT, CENTER IS DESIGNATED PER IMAGES IN OUR PRICE LIST**					
69N7852AFRFM			L	L,R	C	
69N7852CFRFM			R	L,R	C	C
69N8452AFRFM			C		L	L,R
69N8452CFRFM			C	C	R	L,R
69N9052AFRFM					L,C	L,R
69N9052CFRFM					C,R	L,C,R
69N9652AFRFM			L,LEFT CENTER,R	L, RIGHT CENTER, R		
69N9652CFRFM			LEFT CENTER, RIGHT CENTER	L, LEFT CENTER, RIGHT CENTER, R		
69N1865AFRFM	C	C				
69N1865CFRFM		C				
69N2465AFRFM			C	C		
69N2465CFRFM				C		
69N3065AFRFM					C	C
69N3065CFRFM						C
69N3665AFRFM	L,R	L				
69N3665CFRFM	R	L,R				
69N4265AFRFM	L	L	R			
69N4265CFRFM		L	R	R		
69N4865AFRFM			L,R	L		
69N4865CFRFM			R	L,R		
69N5465AFRFM			L	L	R	
69N5465CFRFM				L	R	R
69N6065AFRFM					L,R	L
69N6065CFRFM					R	L,R
69N6665AFRFM	C		L	L,R		
69N6665CFRFM	C	C	R	L,R		
69N7265AFRFM			L,C	L,R		
69N7265CFRFM			C,R	L,C,R		
69N7865AFRFM			L	L,R	C	
69N7865CFRFM			R	L,R	C	C
69N8465AFRFM			C		L	L,R
69N8465CFRFM			C	C	R	L,R
69N9065AFRFM					L,C	L,R
69N9065CFRFM					C,R	L,C,R

DESK EXTENSION CONFIGURATIONS

- Sitting height used only at 2 high module height with a horizontal aluminum frame
- Standing height used only at 3 high module height with a horizontal aluminum frame

	DESK EXTENSION MODELS					
	17" WIDE SITTING HEIGHT	17" WIDE STANDING HEIGHT	23" WIDE SITTING HEIGHT	23" WIDE STANDING HEIGHT	29" WIDE SITTING HEIGHT	29" WIDE STANDING HEIGHT
	69N174829DSE1MLL	69N174841DSE1MLL	69N234829DSE1MLL	69N234841DSE1MLL	69N294829DSE1MLL	69N294841DSE1MLL
	69N175429DSE1MLL	69N175441DSE1MLL	69N235429DSE1MLL	69N235441DSE1MLL	69N295429DSE1MLL	69N295441DSE1MLL
	69N176029DSE1MLL	69N176041DSE1MLL	69N236029DSE1MLL	69N236041DSE1MLL	69N296029DSE1MLL	69N296041DSE1MLL
	69N176629DSE1MLL	69N176641DSE1MLL	69N236629DSE1MLL	69N236641DSE1MLL	69N296629DSE1MLL	69N296641DSE1MLL
	69N177229DSE1MLL	69N177241DSE1MLL	69N237229DSE1MLL	69N237241DSE1MLL	69N297229DSE1MLL	69N297241DSE1MLL
FREESTANDING LOCHLYN FRAME MODELS	**THE INDICATORS "L", "C", "R", "LEFT CENTER", OR "RIGHT CENTER" WILL APPEAR IN THE MATRIX BELOW. THIS WILL DESIGNATE WHERE A DESK EXTENSION WILL ATTACH TO THE LOCHLYN FRAME IN THE LEFT, CENTER, LEFT CENTER, RIGHT CENTER (WHERE APPLICABLE) OR RIGHT SIDE SECTIONS OF THE FREESTANDING FRAME. MULTIPLE INDICATORS SIGNIFY MULTIPLE FIT LOCATIONS WITHIN THAT FRAME. LEFT, RIGHT, CENTER IS DESIGNATED PER IMAGES IN OUR PRICE LIST**					
69N9665AFRFM			**L, LEFT CENTER, R**	**L, RIGHT CENTER, R**		
69N9665CFRFM			**LEFT CENTER, RIGHT CENTER**	**L, LEFT CENTER, RIGHT CENTER, R**		
69N1878AFRFM	**C**	**C**				
69N1878CFRFM		**C**				
69N2478AFRFM			**C**	**C**		
69N2478CFRFM				**C**		
69N3078AFRFM					**C**	**C**
69N3078CFRFM						**C**
69N3678AFRFM	**L,R**	**L**				
69N3678CFRFM	**R**	**L,R**				
69N4278AFRFM	**L**	**L**	**R**			
69N4278CFRFM		**L**	**R**	**R**		
69N4878AFRFM			**L,R**	**L**		
69N4878CFRFM			**R**	**L,R**		
69N5478AFRFM			**L**	**L**	**R**	
69N5478CFRFM				**L**	**R**	**R**
69N6078AFRFM					**L,R**	**L**
69N6078CFRFM					**R**	**L,R**
69N6678AFRFM	**C**		**L**	**L,R**		
69N6678CFRFM	**C**	**C**	**R**	**L,R**		
69N7278AFRFM			**L,C**	**L,R**		
69N7278CFRFM			**C,R**	**L,C,R**		
69N7878AFRFM			**L**	**L,R**	**C**	
69N7878CFRFM			**R**	**L,R**	**C**	**C**
69N8478AFRFM			**C**		**L**	**L,R**
69N8478CFRFM			**C**	**C**	**R**	**L,R**
69N9078AFRFM					**L,C**	**L,R**
69N9078CFRFM					**C,R**	**L,C,R**
69N9678AFRFM			**L, LEFT CENTER, R**	**L, RIGHT CENTER, R**		
69N9678CFRFM			**LEFT CENTER, RIGHT CENTER**	**L, LEFT CENTER, RIGHT CENTER, R**		

LOCHLYN

PRODUCT SPECIFICATIONS

- Reference page 261 for options
- Shipped unassembled

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

69N3015AFRFM BK

- See page 261 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FREESTANDING METAL FRAME 1 MODULE HIGH  Style A	69N1815AFRFM • Opening for one 17" wide Module • Shipped unassembled	Style A	$ 1714	13 15/16	18 7/16	15 1/4			5 lbs.	0.8
FREESTANDING METAL FRAME 1 MODULE HIGH  Style A	69N2415AFRFM • Opening for one 23" wide Module • Shipped unassembled	Style A	$ 1928	13 15/16	24 7/16	15 1/4			6 lbs.	0.9
FREESTANDING METAL FRAME 1 MODULE HIGH  Style A	69N3015AFRFM • Opening for one 29" wide Module • Shipped unassembled	Style A	$ 2142	13 15/16	30 7/16	15 1/4			12 lbs.	0.9
FREESTANDING METAL FRAME 1 MODULE HIGH  Style A	69N3615AFRFM • Openings for two 17" wide Modules • Shipped unassembled	Style A	$ 2279	13 15/16	36 1/8	15 1/4			14 lbs.	1.2
FREESTANDING METAL FRAME 1 MODULE HIGH  Style A	69N4215AFRFM • Openings for one 17" wide Module and one 23" wide Module • Shipped unassembled	Style A	$ 2418	13 15/16	42 1/16	15 1/4			15 lbs.	1.2
FREESTANDING METAL FRAME 1 MODULE HIGH  Style A	69N4815AFRFM • Openings for two 23" wide Modules • Shipped unassembled	Style A	$ 2555	13 15/16	48 1/16	15 1/4			16 lbs.	1.2
FREESTANDING METAL FRAME 1 MODULE HIGH  Style A	69N5415AFRFM • Openings for one 23" wide Module and one 29" wide Module • Shipped unassembled	Style A	$ 2693	13 15/16	54 1/16	15 1/4			17 lbs.	1.2

PRODUCT SPECIFICATIONS

- Reference page 261 for options
- Shipped unassembled

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

69N9015AFRFM SV

- See page 261 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FREESTANDING METAL FRAME 1 MODULE HIGH  Style A	69N6015AFRFM • Openings for two 29" wide Modules • Shipped unassembled	Style A	$ 2833	13 5/16	60 1/16	15 1/4			18 lbs.	1.2
FREESTANDING METAL FRAME 1 MODULE HIGH  Style A	69N6615AFRFM • Openings for two 23" wide Modules and one 17" wide Module • Shipped unassembled	Style A	$ 3038	13 5/16	65 1/16	15 1/4			19 lbs.	1.2
FREESTANDING METAL FRAME 1 MODULE HIGH  Style A	69N7215AFRFM • Openings for three 23 wide Modules • Shipped unassembled	Style A	$ 3178	13 5/16	71 1/16	15 1/4			20 lbs.	1.2
FREESTANDING METAL FRAME 1 MODULE HIGH  Style A	69N7815AFRFM • Openings for two 23" wide Modules and one 29" wide Module • Shipped unassembled	Style A	$ 3454	13 5/16	77 1/16	15 1/4			21 lbs.	1.2
FREESTANDING METAL FRAME 1 MODULE HIGH  Style A	69N8415AFRFM • Openings for two 29" wide Modules and one 23" wide Module • Shipped unassembled	Style A	$ 3729	13 5/16	83 1/16	15 1/4			22 lbs.	1.2
FREESTANDING METAL FRAME 1 MODULE HIGH  Style A	69N9015AFRFM • Openings for three 29" wide Modules • Shipped unassembled	Style A	$ 4006	13 5/16	89 5/8	15 1/4			23 lbs.	1.2
FREESTANDING METAL FRAME 1 MODULE HIGH  Style A	69N9615AFRFM • Openings for four 23" wide Modules • Shipped unassembled	Style A	$ 4282	13 5/16	95 5/16	15 1/4			27 lbs.	1.8

LOCHLYN

PRODUCT SPECIFICATIONS

- Reference page 261 for options
- Shipped unassembled

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

69N3027AFRFM BK

- See page 261 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FREESTANDING METAL FRAME 2 MODULE HIGH	69N1827AFRFM	Style A	$ 1990	13 15/16	18 7/16	27 7/8			9 lbs.	1.1
	• Openings for two 17" wide x 12" high Modules • Shipped unassembled									
17"  Style A										
FREESTANDING METAL FRAME 2 MODULE HIGH	69N2427AFRFM	Style A	$ 2237	13 15/16	24 7/16	27 7/8			9 lbs.	1.1
	• Openings for two 23" wide x 12" high Modules • Shipped unassembled									
23"  Style A										
FREESTANDING METAL FRAME 2 MODULE HIGH	69N3027AFRFM	Style A	$ 2487	13 15/16	30 7/16	27 7/8			15 lbs.	1.1
	• Style A has openings for two 29" wide x 12" high Modules • Shipped unassembled									
29"  Style A										
FREESTANDING METAL FRAME 2 MODULE HIGH	69N3627AFRFM	Style A	$ 2693	13 15/16	36 1/8	27 7/8			19 lbs.	1.4
	• Style A has openings for one 17" wide x 25" high Module and two 17" wide x 12" high Modules • Shipped unassembled									
17" 17"  Style A										
FREESTANDING METAL FRAME 2 MODULE HIGH	69N4227AFRFM	Style A	$ 2833	13 15/16	42 1/16	27 7/8			21 lbs.	1.4
	69N4227CFRFM	Style C	2833	13 15/16	42 1/16	27 7/8			21 lbs.	1.4
	• Style A has openings for one 17" wide x 25" high Module and two 23" wide x 12" high Modules • Style C has openings for two 17" wide x 12" high and one 23" wide x 25" high Modules • Shipped unassembled									
17" 23"  Style A										
17" 23"  Style C										

PRODUCT SPECIFICATIONS

- Reference page 261 for options
- Shipped unassembled

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

69N4827AFRFM BK

- See page 261 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FREESTANDING METAL FRAME 2 MODULE HIGH	69N4827AFRFM	Style A	$ 2970	13 15/16	48 1/16	27 7/8			22 lbs.	1.4

- Style A has openings for one 23" wide x 25" high Module and two 23" wide x 12" high Modules
- Shipped unassembled



Style A

FREESTANDING METAL FRAME 2 MODULE HIGH	69N5427AFRFM	Style A	$ 3178	13 15/16	54 1/16	27 7/8			24 lbs.	1.4
	69N5427CFRFM	Style C	3178	13 15/16	54 1/16	27 7/8			24 lbs.	1.4

- Style A has openings for one 23" wide x 25" high and two 29" wide x 12" high Modules
- Style C has openings for two 23" wide x 12" high Modules and one 29" wide x 25" high Module
- Shipped unassembled



Style A



Style C

FREESTANDING METAL FRAME 2 MODULE HIGH	69N6027AFRFM	Style A	$ 3454	13 15/16	60 1/16	27 7/8			24 lbs.	1.4

- Style A has openings for one 29" wide x 25" high Module and two 29" wide x 12" high Modules
- Shipped unassembled



Style A

FREESTANDING METAL FRAME 2 MODULE HIGH	69N6627AFRFM	Style A	$ 3729	13 15/16	65 1/16	27 7/8			28 lbs.	2.0
	69N6627CFRFM	Style C	3729	13 15/16	65 1/16	27 7/8			28 lbs.	2.0

- Style A has openings for one 23" wide x 25" high Module, two 17" wide x 12" high Modules, and two 23" wide x 12" high Modules
- Style C has openings for four 23" wide x 12" high Modules and one 17" wide x 25" high Modules
- Shipped unassembled



Style A



Style C

LOCHLYN

PRODUCT SPECIFICATIONS

- Reference page 261 for options
- Shipped unassembled

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

69N7227AFRFM BK

- See page 261 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FREESTANDING METAL FRAME 2 MODULE HIGH	69N7227AFRFM	Style A	$ 4006	13 15/16	71 1/16	27 7/8			30 lbs.	2.0
	69N7227CFRFM	Style C	4006	13 15/16	71 1/16	27 7/8			30 lbs.	2.0

- Style A has openings for one 23" wide x 25" high Module and four 23" wide x 12" high Modules
- Style C has openings for four 23" wide x 12" high Modules and one 23" wide x 25" high Module
- Shipped unassembled



Style A



Style C

	MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FREESTANDING METAL FRAME 2 MODULE HIGH	69N7827AFRFM	Style A	$ 4420	13 15/16	77 1/16	27 7/8			32 lbs.	2.1
	69N7827CFRFM	Style C	4420	13 15/16	77 1/16	27 7/8			32 lbs.	2.1

- Style A has openings for one 23" wide x 25" high Module, two 29" wide x 12" high Modules, and two 23" wide x 12" high Modules
- Style C has openings for four 23" wide x 12" high Modules and one 29" wide x 25" high Module
- Shipped unassembled



Style A



Style C

	MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FREESTANDING METAL FRAME 2 MODULE HIGH	69N8427AFRFM	Style A	$ 4835	13 15/16	83 1/16	27 7/8			33 lbs.	2.1
	69N8427CFRFM	Style C	4835	13 15/16	83 1/16	27 7/8			33 lbs.	2.1

- Style A has openings for one 29' wide x 25" high Module, two 23" wide x 12" high Modules, and two 29" wide x 12" high Modules
- Style C has openings for four 29" wide x 12" high modules and one 23" wide x 25" high Module
- Shipped unassembled



Style A



Style C

PRODUCT SPECIFICATIONS

- Reference page 261 for options
- Shipped unassembled

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

69N9627AFRFM BK

- See page 261 for all options available in Lochlyn

FREESTANDING METAL FRAME 2 MODULE HIGH



Style A



Style C

MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
69N9027AFRFM	Style A	$ 5250	13 1⁵⁄₁₆	89⅝	27⅞			35 lbs.	2.1
69N9027CFRFM	Style C	5250	13 1⁵⁄₁₆	89⅝	27⅞			35 lbs.	2.1

- Style A has openings for one 29" wide x 25" high Module and four 29" wide x 12" high Module
- Style C has openings for four 29" wide x 12" high Modules and one 29" wide x 25" high Module
- Shipped unassembled

FREESTANDING METAL FRAME 2 MODULE HIGH



Style A



Style C

69N9627AFRFM	Style A	$ 5664	13 1⁵⁄₁₆	95⁵⁄₁₆	27⅞			37 lbs.	2.3
69N9627CFRFM	Style C	5664	13 1⁵⁄₁₆	95⁵⁄₁₆	27⅞			37 lbs.	2.3

- Style A has openings for one 23" wide x 25" high and six openings for 23" wide x 12" high modules
- Style C has openings for one 23" wide x 25" high and six openings for 23" wide x 12" high modules
- Shipped unassembled

LOCHLYN

PRODUCT SPECIFICATIONS

- Reference page 261 for options
- Units 3 high or higher must be anchored Brackets included
- Shipped unassembled

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

69N3040AFRFM SV

- See page 261 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FREESTANDING METAL FRAME 3 MODULE HIGH	69N1840AFRFM	Style A	$ 2100	13 5/16	18 7/16	40 7/16			11 lbs.	1.5



Style A

- Style A has openings for one 17" wide x 12" high Module and one 17" wide x 25" high Module
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made

FREESTANDING METAL FRAME 3 MODULE HIGH	69N2440AFRFM	Style A	$ 2362	13 5/16	24 7/16	40 7/16			12 lbs.	1.5



Style A

- Style A has openings for one 23" wide x 12" high Module and one 23" wide x 25" high Module
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made

FREESTANDING METAL FRAME 3 MODULE HIGH	69N3040AFRFM	Style A	$ 2625	13 5/16	30 7/16	40 7/16			20 lbs.	1.5



Style A

- Style A has openings for one 29" wide x 12" high Module and one 29" wide x 25" high Module
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made

FREESTANDING METAL FRAME 3 MODULE HIGH	69N3640AFRFM	Style A	$ 3315	13 5/16	36 1/8	40 7/16			23 lbs.	1.8
	69N3640CFRFM	Style C	3315	13 5/16	36 1/8	40 7/16			23 lbs.	1.8



Style A



Style C

- Style A has openings for four 17" wide x 12" high Modules and one 17" wide x 25" high Module
- Style C has openings for two 17" wide x 25" high Modules and two 17" wide x 12" high Modules
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made

PRODUCT SPECIFICATIONS

- Reference page 261 for options
- Units 3 high or higher must be anchored Brackets included
- Shipped unassembled

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

69N4240AFRFM SV

- See page 261 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FREESTANDING METAL FRAME 3 MODULE HIGH	69N4240AFRFM	Style A	$ 3454	13 15/16	42 1/16	40 7/16			26 lbs.	1.8
	69N4240CFRFM	Style C	3454	13 15/16	42 1/16	40 7/16			26 lbs.	1.8

- Style A has openings for one 17" wide x 12" high Module, one 17" wide x 25" high Module, and three 23" wide x 12" high Modules
- Style C has openings for one 17" wide x 25" high Module, one 17" wide x 12" high Module, one 23" wide x 25" high Module, and one 23" wide x 12" high Module
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made



Style A



Style C

	MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FREESTANDING METAL FRAME 3 MODULE HIGH	69N4840AFRFM	Style A	$ 3729	13 15/16	48 1/16	40 7/16			30 lbs.	2.4
	69N4840CFRFM	Style C	3729	13 15/16	48 1/16	40 7/16			30 lbs.	2.4

- Style A has openings for four 23" wide x 12" high Modules and one 23" wide x 25" high Module
- Style C has openings for two 23" wide x 25" high Modules and two 23" wide x 12" high Modules
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made



Style A



Style C

LOCHLYN

PRODUCT SPECIFICATIONS

- Reference page 261 for options
- Units 3 high or higher must be anchored Brackets included
- Shipped unassembled

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

69N5440AFRFM BK

- See page 261 for all options available in Lochlyn

FREESTANDING METAL FRAME 3 MODULE HIGH



Style A



Style C

MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
69N5440AFRFM	Style A	$ 4006	13 15/16	54 1/16	40 7/16			32 lbs.	2.4
69N5440CFRFM	Style C	4006	13 15/16	54 1/16	40 7/16			32 lbs.	2.4

- Style A has openings for one 23" wide x 12" high Module, one 23" wide x 25" high Module, three 29" wide x 12" high Modules
- Style C has openings for one 23" wide x 25" high Module, one 23" wide x 12" high Module, one 29" wide x 25" high Module, and one 29" wide x 12" high Module
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made

FREESTANDING METAL FRAME 3 MODULE HIGH



Style A



Style C

MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
69N6040AFRFM	Style A	$ 4420	13 15/16	60 1/16	40 7/16			35 lbs.	2.4
69N6040CFRFM	Style C	4420	13 15/16	60 1/16	40 7/16			35 lbs.	2.4

- Style A openings for four 29" wide x 12" high Modules and one 29" wide x 25" high Module
- Style C has openings for two 29" wide x 25" high Modules and two 29" wide x 12" high Modules
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made

PRODUCT SPECIFICATIONS

- Reference page 261 for options
- Units 3 high or higher must be anchored Brackets included
- Shipped unassembled

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

69N7840AFRFM BK

- See page 261 for all options available in Lochlyn

FREESTANDING METAL FRAME 3 MODULE HIGH



Style A



Style C

MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
69N6640AFRFM	Style A	$ 4835	13 15/16	65 1/16	40 7/16			38 lbs.	2.7
69N6640CFRFM	Style C	4835	13 15/16	65 1/16	40 7/16			38 lbs.	2.7

- Style A has openings for two 23" wide x 12" high modules, two 23" wide x 25" high Modules, and three 17" wide x 12" high Modules
- Style C has one 23" wide x 25" high Module, four 23" wide x 12" high Modules, one 17" wide x 12" high Module, and one 17" wide x 25" high Module
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made

FREESTANDING METAL FRAME 3 MODULE HIGH



Style A



Style C

69N7240AFRFM	Style A	$ 5250	13 15/16	71 1/16	40 7/16			40 lbs.	2.7
69N7240CFRFM	Style C	5250	13 15/16	71 1/16	40 7/16			40 lbs.	2.7

- Style A has openings for two 23" wide x 25" high Module and five 23" wide x 12" high Modules
- Style C has openings for two 23" wide x 25" high Modules and five 23" wide x 12" high Modules
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made

FREESTANDING METAL FRAME 3 MODULE HIGH



Style A



Style C

69N7840AFRFM	Style A	$ 5664	13 15/16	77 1/16	40 7/16			42 lbs.	2.7
69N7840CFRFM	Style C	5664	13 15/16	77 1/16	40 7/16			42 lbs.	2.7

- Style A has openings for two 23" wide x 12" high Modules, two 23" wide x 25" high Modules, and three 29" wide x 12" high Modules
- Style C has openings for one 23" wide x 25" high Module, four 23" wide x 12" high Modules, one 29" wide x 12" high Module, and one 29" wide x 25" high Module
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made

LOCHLYN

PRODUCT SPECIFICATIONS

- Reference page 261 for options
- Units 3 high or higher must be anchored Brackets included
- Shipped unassembled

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

69N8440AFRFM BK

- See page 261 for all options available in Lochlyn

FREESTANDING METAL FRAME 3 MODULE HIGH



Style A



Style C

MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
69N8440AFRFM	Style A	$ 6079	13 5/16	83 1/16	40 7/16			45 lbs.	2.7
69N8440CFRFM	Style C	6079	13 5/16	83 1/16	40 7/16			45 lbs.	2.7

- Style A has openings for two 29" wide x 12" high Modules, two 29" wide x 25" high Modules, and three 23" wide x 12" high Modules
- Style C has openings for one 29" wide x 25" high module, four 29" wide x 12" high Modules, one 23" wide x 12" high Module, and one 23" wide x 25" high Module
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made

FREESTANDING METAL FRAME 3 MODULE HIGH



Style A



Style C

MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
69N9040AFRFM	Style A	$ 6492	13 5/16	89 3/8	40 7/16			47 lbs.	2.7
69N9040CFRFM	Style C	6492	13 5/16	89 3/8	40 7/16			47 lbs.	2.7

- Style A has openings for five 29" wide x 12" high Modules and two 29" wide x 25" high Modules
- Style C has openings for two 29" wide x 25" high Modules and five 29" wide x 12" high Modules
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made

FREESTANDING METAL FRAME 3 MODULE HIGH



Style A



Style C

MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
69N9640AFRFM	Style A	$ 7044	13 5/16	95 5/16	40 7/16			51 lbs.	3.6
69N9640CFRFM	Style C	7044	13 5/16	95 5/16	40 7/16			51 lbs.	3.6

- Style A has openings for eight 23" wide x 12" high Modules, and two 23" wide x 25" high Modules
- Style C has openings for three 23" wide x 25" high Modules, and six 23" wide x 12" high Modules
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made

PRODUCT SPECIFICATIONS

- Reference page 261 for options
- Units 3 high or higher must be anchored Brackets included
- Shipped unassembled

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

69N1852AFRFM BK

- See page 261 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FREESTANDING METAL FRAME 4 MODULE HIGH	69N1852AFRFM	Style A	$ 2873	13 15/16	18 7/16	53 1/16			14 lbs.	1.9
	69N1852CFRFM	Style C	2873	13 15/16	18 7/16	53 1/16			14 lbs.	1.9

- Style A has openings for two 17" wide x 12" high Modules, and one 17" wide x 25" high Module
- Style C has openings for two 17" wide x 12" high Modules, and one 17" wide x 25" high Module
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made



Style A



Style C

	MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FREESTANDING METAL FRAME 4 MODULE HIGH	69N2452AFRFM	Style A	$ 3233	13 15/16	24 7/16	53 1/16			15 lbs.	1.9
	69N2452CFRFM	Style C	3233	13 15/16	24 7/16	53 1/16			15 lbs.	1.9

- Style A has openings for two 23" wide x 12" high Modules, and one 23" wide x 25" high Module
- Style C has openings for two 23" wide x 12" high Modules, and one 23" wide x 25" high Module
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made



Style A



Style C

LOCHLYN

PRODUCT SPECIFICATIONS

- Reference page 261 for options
- Units 3 high or higher must be anchored Brackets included
- Shipped unassembled

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

69N3052AFRFM SV

- See page 261 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FREESTANDING METAL FRAME 4 MODULE HIGH	69N3052AFRFM	Style A	$ 3592	13 5/16	30 7/16	53 3/16			24 lbs.	1.9
	69N3052CFRFM	Style C	3592	13 5/16	30 7/16	53 3/16			24 lbs.	1.9

- Style A has openings for two 29" wide x 12" high Modules, and one 29" wide x 25" high Module
- Style C has two 29" wide x 12" high Modules, and one 29" wide x 25" high Module
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made



Style A



Style C

	MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FREESTANDING METAL FRAME 4 MODULE HIGH	69N3652AFRFM	Style A	$ 4144	13 5/16	36 1/8	53 3/16			28 lbs.	2.3
	69N3652CFRFM	Style C	4144	13 5/16	36 1/8	53 3/16			28 lbs.	2.3

- Style A has openings for four 17" wide x 12" high Modules, and two 17" wide x 25" high Modules
- Style C has openings for four 17" wide x 12" high Modules, and two 17" wide x 25" high Modules
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made



Style A



Style C

PRODUCT SPECIFICATIONS

- Reference page 261 for options
- Units 3 high or higher must be anchored Brackets included
- Shipped unassembled

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

69N4252AFRFM SV

- See page 261 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FREESTANDING METAL FRAME 4 MODULE HIGH	69N4252AFRFM	Style A	$ 4420	13 15/16	42 1/16	53 1/16			31 lbs.	2.3
	69N4252CFRFM	Style C	4420	13 15/16	42 1/16	53 1/16			31 lbs.	2.3

- Style A has openings for two 17" wide x 12" high Modules, one 17" wide x 25" high Module, one 23" wide x 25" high Module, and two 23" wide x 12" high Modules
- Style C has openings for two 17" wide x 12" high Modules, one 17" wide x 25" high Module, two 23" wide x 12" high Modules, and one 23" wide x 25" high Modules
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made



Style A



Style C

	MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FREESTANDING METAL FRAME 4 MODULE HIGH	69N4852AFRFM	Style A	$ 4697	13 15/16	48 1/16	53 1/16			35 lbs.	2.3
	69N4852CFRFM	Style C	4697	13 15/16	48 1/16	53 1/16			35 lbs.	2.3

- Style A has openings for four 23" wide x 12" high Modules and two 23" wide x 25" high Modules
- Style C has openings for four 23" wide x 12" high Modules and two 23" wide x 25" high Modules
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made



Style A



Style C

LOCHLYN

PRODUCT SPECIFICATIONS

- Reference page 261 for options
- Units 3 high or higher must be anchored Brackets included
- Shipped unassembled

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

69N5452AFRFM BK

- See page 261 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FREESTANDING METAL FRAME 4 MODULE HIGH	69N5452AFRFM	Style A	$ 4973	13 15/16	54 1/16	53 1/16			37 lbs.	2.3
	69N5452CFRFM	Style C	4973	13 15/16	54 1/16	53 1/16			37 lbs.	2.3

- Style A has openings for two 23" wide x 12" high Modules, one 23" wide x 25" high Module, one 29" wide x 25" high Module, and two 29" wide x 12" high Modules
- Style C has openings for two 23" wide x 12" high Modules, one 23" wide x 25" high Module, two 29" wide x 12" high Modules, and one 29" wide x 25" high Modules
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made



Style A



Style C

	MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FREESTANDING METAL FRAME 4 MODULE HIGH	69N6052AFRFM	Style A	$ 5664	13 15/16	60 1/16	53 1/16			43 lbs.	3.0
	69N6052CFRFM	Style C	5664	13 15/16	60 1/16	53 1/16			43 lbs.	3.0

- Style A has openings for four 29" wide x 12" high Modules and two 29" wide x 25" high Modules
- Style C has openings for four 29" wide x 12" high Modules, and two 29" wide x 25" high Modules
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made



Style A



Style C

PRODUCT SPECIFICATIONS

- Reference page 261 for options
- Units 3 high or higher must be anchored Brackets included
- Shipped unassembled

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

69N6652AFRFM BK

- See page 261 for all options available in Lochlyn

FREESTANDING METAL FRAME 4 MODULE HIGH



Style A



Style C

MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
69N6652AFRFM	Style A	$ 6079	13 15/16	65 1/16	53 1/16			47 lbs.	3.5
69N6652CFRFM	Style C	6079	13 15/16	65 1/16	53 1/16			47 lbs.	3.5

- Style A has openings for four 23" wide x 12" high Modules, two 23" wide x 25" high Modules, one 17" wide x 25" high Module, and two 17" wide x 12" high Modules
- Style C has openings for six 23" wide x 12" high Modules, one 23" wide x 25" high Module, two 17" wide x 12" high Modules, and one 17" wide x 25" high Module
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made

FREESTANDING METAL FRAME 4 MODULE HIGH



Style A



Style C

MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
69N7252AFRFM	Style A	$ 6492	13 15/16	71 1/16	53 1/16			50 lbs.	3.5
69N7252CFRFM	Style C	6492	13 15/16	71 1/16	53 1/16			50 lbs.	3.5

- Style A has openings for six 23" wide x 12" high Modules, and three 23" wide x 25" high Modules
- Style C has openings for eight 23" wide x 12" high Modules and two 23" wide x 25" high Modules
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made

LOCHLYN

PRODUCT SPECIFICATIONS

- Reference page 261 for options
- Units 3 high or higher must be anchored Brackets included
- Shipped unassembled

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

69N7852AFRFM BK

- See page 261 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FREESTANDING METAL FRAME 4 MODULE HIGH	69N7852AFRFM	Style A	$ 6907	13 5/16	77 1/16	53 3/16			54 lbs.	3.5
	69N7852CFRFM	Style C	6907	13 5/16	77 1/16	53 3/16			54 lbs.	3.5

- Style A has openings for two 23" wide x 25" high Modules, four 23" wide x 12" high Modules, one 29" wide x 25" high Module, and two 29" wide x 12" high Modules
- Style C has openings for six 23" wide x 12" high Modules, one 23" wide x 25" high Module, two 29" wide x 12" high Modules, and one 29" wide x 25" high Module
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made



Style A



Style C

FREESTANDING METAL FRAME 4 MODULE HIGH	69N8452AFRFM	Style A	$ 7322	13 5/16	83 1/16	53 3/16			57 lbs.	3.5
	69N8452CFRFM	Style C	7322	13 5/16	83 1/16	53 3/16			57 lbs.	3.5

- Style A has openings for four 29" wide x 12" high Modules, two 29" wide x 25" high Modules, one 23" wide x 25" high Module, and two 23" wide x 12" high Modules
- Style C has openings for six 29" wide x 12" high Modules, one 29" wide x 25" high Module, two 23" wide x 12" high Modules, and one 23" wide x 25" high Module
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made



Style A



Style C

PRODUCT SPECIFICATIONS

- Reference page 261 for options
- Units 3 high or higher must be anchored Brackets included
- Shipped unassembled

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

69N9052AFRFM BK

- See page 261 for all options available in Lochlyn

FREESTANDING METAL FRAME 4 MODULE HIGH



Style A



Style C

MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
69N9052AFRFM	Style A	$ 7735	13 1⁵⁄₁₆	89⅜	53 1⁄₁₆			62 lbs.	4.1
69N9052CFRFM	Style C	7735	13 1⁵⁄₁₆	89⅜	53 1⁄₁₆			62 lbs.	4.1

- Style A has openings for six 29" wide x 12" high Modules, and three 29" wide x 25" wide Modules
- Style C has openings for eight 29" wide x 12" high Modules, and two 29" wide x 25" high Modules
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made

FREESTANDING METAL FRAME 4 MODULE HIGH



Style A



Style C

69N9652AFRFM	Style A	$ 8289	13 1⁵⁄₁₆	95 5⁄₁₆	53 1⁄₁₆			64 lbs.	3.9
69N9652CFRFM	Style C	8289	13 1⁵⁄₁₆	95 5⁄₁₆	53 1⁄₁₆			64 lbs.	3.9

- Style A has openings for ten 23" wide x 12" high models and three 23" wide x 25" high Modules
- Style C has openings for ten 23" wide x 12" high models and three 23" wide x 25" high Modules
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made

LOCHLYN

PRODUCT SPECIFICATIONS

- Reference page 261 for options
- Units 3 high or higher must be anchored Brackets included
- Shipped unassembled

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

69N1865AFRFM BK

- See page 261 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FREESTANDING METAL FRAME 5 MODULE HIGH	69N1865AFRFM	Style A	$ 3425	13 15/16	18 7/16	65 5/8			16 lbs.	2.2
	69N1865CFRFM	Style C	3425	13 15/16	18 7/16	65 5/8			18 lbs.	2.2

- Style A has openings for two 17" wide x 25" high Modules, and one 17" wide x 12" high Module
- Style C has openings for three 17" wide x 12" high Modules, and one 17" wide x 25" high Module
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made



Style A



Style C

	MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FREESTANDING METAL FRAME 5 MODULE HIGH	69N2465AFRFM	Style A	$ 3854	13 15/16	24 7/16	65 5/8			17 lbs.	2.2
	69N2465CFRFM	Style C	3854	13 15/16	24 7/16	65 5/8			19 lbs.	2.2

- Style A has openings for two 23" wide x 25" high Modules, and one 23" wide x 12" high Module
- Style C has openings for three 23" wide x 12" high Modules, and one 23" wide x 25" high Module
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made



Style A



Style C

PRODUCT SPECIFICATIONS

- Reference page 261 for options
- Units 3 high or higher must be anchored Brackets included
- Shipped unassembled

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

69N3065AFRFM BK

- See page 261 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FREESTANDING METAL FRAME 5 MODULE HIGH	69N3065AFRFM	Style A	$ 4282	13 1⁵⁄₁₆	30 7⁄₁₆	65 5⁄₁₆			26 lbs.	2.2
	69N3065CFRFM	Style C	4282	13 1⁵⁄₁₆	30 7⁄₁₆	65 5⁄₁₆			26 lbs.	2.2

- Style A has openings for two 29" wide x 25" high Modules, and one 29" wide x 12" high Module
- Style C has three 29" wide x 12" high Modules, and one 29" wide x 25" high Module
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made



Style A



Style C

	MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FREESTANDING METAL FRAME 5 MODULE HIGH	69N3665AFRFM	Style A	$ 4835	13 1⁵⁄₁₆	36 1⁄₈	65 5⁄₁₆			31 lbs.	2.8
	69N3665CFRFM	Style C	4835	13 1⁵⁄₁₆	36 1⁄₈	65 5⁄₁₆			31 lbs.	2.8

- Style A has openings for three 17" wide x 25" high Modules, and four 17" wide x 12" high Modules
- Style C has openings for six 17" wide x 12" high Modules, and two 17" wide x 25" high Modules
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made



Style A



Style C

LOCHLYN

PRODUCT SPECIFICATIONS

- Reference page 261 for options
- Units 3 high or higher must be anchored Brackets included
- Shipped unassembled

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

69N4265AFRFM SV

- See page 261 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FREESTANDING METAL FRAME 5 MODULE HIGH	69N4265AFRFM	Style A	$ 4973	13 15/16	42 1/16	65 5/16			35 lbs.	2.8
	69N4265CFRFM	Style C	4973	13 15/16	42 1/16	65 5/16			35 lbs.	2.8

- Style A has openings for two 17" wide x 25" high Modules, one 17" wide x 12" high Module, three 23" wide x 12" high Modules, and one 23" wide x 25" high Module
- Style C has openings for three 17" wide x 12" high Modules, one 17" wide x 25" high Module, three 23" wide x 12" high Modules, and one 23 wide x 25" high Module
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made



Style A



Style C

	MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FREESTANDING METAL FRAME 5 MODULE HIGH	69N4865AFRFM	Style A	$ 5250	13 15/16	48 1/16	65 5/16			39 lbs.	2.8
	69N4865CFRFM	Style C	5250	13 15/16	48 1/16	65 5/16			39 lbs.	2.8

- Style A has openings for three 23" wide x 25" high Modules, and four 23" wide x 12" high Modules
- Style C has openings for six 23" wide x 12" high Modules and two 23" wide x 25" high Modules
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made



Style A



Style C

PRODUCT SPECIFICATIONS

- Reference page 261 for options
- Units 3 high or higher must be anchored Brackets included
- Shipped unassembled

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

69N5465AFRFM SV

- See page 261 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FREESTANDING METAL FRAME 5 MODULE HIGH	69N5465AFRFM	Style A	$ 5525	13 1⁵⁄₁₆	54 1⁄₁₆	65 5⁄₁₆			43 lbs.	2.8
	69N5465CFRFM	Style C	5525	13 1⁵⁄₁₆	54 1⁄₁₆	65 5⁄₁₆			43 lbs.	2.8



Style A



Style C

- Style A has openings for two 23" wide x 25" high Modules, one 23" wide x 12" high Module, three 29" wide x 12" high Modules, and one 29" wide x 25" high Module
- Style C has openings for three 23" wide x 12" high Modules, one 23" wide x 25" high Module, three 29" wide x 12" high Modules, and one 29" wide x 25" high Module
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made

FREESTANDING METAL FRAME 5 MODULE HIGH	69N6065AFRFM	Style A	$ 5940	13 1⁵⁄₁₆	60 1⁄₁₆	65 5⁄₁₆			47 lbs.	2.8
	69N6065CFRFM	Style C	5940	13 1⁵⁄₁₆	60 1⁄₁₆	65 5⁄₁₆			47 lbs.	2.8



Style A



Style C

- Style A has openings for four 29" wide x 12" high Modules and three 29" wide x 25" high Modules
- Style C has openings for six 29" wide x 12" high Modules and two 29" wide x 25" high Modules
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made

LOCHLYN

PRODUCT SPECIFICATIONS

- Reference page 261 for options
- Units 3 high or higher must be anchored Brackets included
- Shipped unassembled

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

69N6665AFRFM BK

- See page 261 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FREESTANDING METAL FRAME 5 MODULE HIGH	69N6665AFRFM	Style A	$ 6354	13 15/16	65 1/16	65 5/16			52 lbs.	3.3
	69N6665CFRFM	Style C	6354	13 15/16	65 1/16	65 5/16			52 lbs.	3.3



Style A



Style C

- Style A has openings for three 23" wide x 25" high Modules, four 23" wide x 12" high Modules, one 17" wide x 25" high Module, and three 17" wide x 12" high Modules
- Style C has openings for six 23" wide x 12" high Modules, two 23" wide x 25" high Modules, one 17" wide x 25" high Module, and three 17" wide x 12" high Modules
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made

FREESTANDING METAL FRAME 5 MODULE HIGH	69N7265AFRFM	Style A	$ 6769	13 15/16	71 1/16	65 5/16			59 lbs.	4.2
	69N7265CFRFM	Style C	6769	13 15/16	71 1/16	65 5/16			59 lbs.	4.2



Style A



Style C

- Style A has openings for four 23" wide x 25" high Modules, and seven 23" wide x 12" high Modules
- Style C has openings for nine 23" wide x 12" high Modules, and three 23" wide x 25" high Modules
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made

PRODUCT SPECIFICATIONS

- Reference page 261 for options
- Units 3 high or higher must be anchored Brackets included
- Shipped unassembled

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

69N7865AFRFM BK

- See page 261 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FREESTANDING METAL FRAME 5 MODULE HIGH	69N7865AFRFM	Style A	$ 7183	13 15/16	77 11/16	65 5/16			63 lbs.	4.2
	69N7865CFRFM	Style C	7183	13 15/16	77 11/16	65 5/16			63 lbs.	4.2

- Style A has openings for three 23" wide x 25" high Modules, four 23" wide x 12" high Modules, three 29" wide x 12" high Modules, and one 29" wide x 25" high Module
- Style C has openings for six 23" wide x 12" high Modules, two 23" wide x 25" high Modules, three 29" wide x 12" high Modules, and one 29" wide x 25" high Module
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made



Style A



Style C

FREESTANDING METAL FRAME 5 MODULE HIGH	69N8465AFRFM	Style A	$ 7735	13 15/16	83 11/16	65 5/16			67 lbs.	4.2
	69N8465CFRFM	Style C	7735	13 15/16	83 11/16	65 5/16			67 lbs.	4.2

- Style A has openings for three 29" wide x 25" high Modules, four 29" wide x 12" high Modules, three 23" wide x 12" high Modules, and one 23" wide x 25" high Module
- Style C has openings for six 29" wide x 12" high Modules, two 29" wide x 25" high Modules, three 23" wide x 12" high Modules, and one 23" wide x 25" high Module
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made



Style A



Style C

LOCHLYN

PRODUCT SPECIFICATIONS

- Reference page 261 for options
- Units 3 high or higher must be anchored Brackets included
- Shipped unassembled

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

69N9065AFRFM BK

- See page 261 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FREESTANDING METAL FRAME 5 MODULE HIGH	69N9065AFRFM	Style A	$ 8289	13 15/16	89 5/8	65 5/16			72 lbs.	4.2
	69N9065CFRFM	Style C	8289	13 15/16	89 5/8	65 5/16			72 lbs.	4.2

- Style A has openings for four 29" wide x 25" high modules, and seven 29" wide x 12" high Modules
- Style C has openings for nine 29" wide x 12" high Modules, and three 29" wide x 25" high Modules
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made



Style A



Style C

	MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FREESTANDING METAL FRAME 5 MODULE HIGH	69N9665AFRFM	Style A	$ 8841	13 15/16	95 5/16	65 5/16			76 lbs.	4.7
	69N9665CFRFM	Style C	8841	13 15/16	95 5/16	65 5/16			76 lbs.	4.7

- Style A has openings for five 23" wide x 25" high Modules and ten 23" wide x 12" high Modules
- Style C has openings for twelve 23" wide x 12" high Modules and four 23" wide x 25" high Modules
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made



Style A



Style C

PRODUCT SPECIFICATIONS

- Reference page 261 for options
- Units 3 high or higher must be anchored Brackets included
- Shipped unassembled

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

69N1878AFRFM SV

- See page 261 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FREESTANDING METAL FRAME 6 MODULE HIGH	69N1878AFRFM	Style A	$ 3535	13 15/16	18 7/16	78 1/4			20 lbs.	2.6
	69N1878CFRFM	Style C	3535	13 15/16	18 7/16	78 1/4			20 lbs.	2.6

- Style A has openings for two 17" wide x 12" high Modules and two 17" wide x 25" high Modules
- Style C has openings for two 17" wide x 25" high Modules and two 17" wide x 12" high Modules
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made



Style A



Style C

	MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FREESTANDING METAL FRAME 6 MODULE HIGH	69N2478AFRFM	Style A	$ 3979	13 15/16	24 7/16	78 1/4			22 lbs.	2.6
	69N2478CFRFM	Style C	3979	13 15/16	24 7/16	78 1/4			22 lbs.	2.6

- Style A has openings for two 23" wide x 12" high Modules and two 23" wide x 25" high Modules
- Style C has openings for two 23" wide x 25" high Modules and two 23" wide x 12" high Modules
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made



Style A



Style C

LOCHLYN

PRODUCT SPECIFICATIONS

- Reference page 261 for options
- Units 3 high or higher must be anchored Brackets included
- Shipped unassembled

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

69N3078AFRFM SV

- See page 261 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FREESTANDING METAL FRAME 6 MODULE HIGH	69N3078AFRFM	Style A	$ 4420	13 5/16	30 7/16	78 1/4			35 lbs.	2.6
	69N3078CFRFM	Style C	4420	13 5/16	30 7/16	78 1/4			35 lbs.	2.6

- Style A has openings for two 29" wide x 12" high Modules and two 29" wide x 25" high Modules
- Style C has openings for two 29" wide x 12" high Modules and two 29" wide x 25" high Modules
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made



Style A



Style C

	MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FREESTANDING METAL FRAME 6 MODULE HIGH	69N3678AFRFM	Style A	$ 5111	13 5/16	36 1/8	78 1/4			40 lbs.	3.3
	69N3678CFRFM	Style C	5111	13 5/16	36 1/8	78 1/4			40 lbs.	3.3

- Style A has openings for six 17" wide x 12" high Modules and three 17" wide x 25" high Modules
- Style C has openings for six 17" wide x 12" high Modules and three 17" wide x 25" high Modules
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made



Style A



Style C

PRODUCT SPECIFICATIONS

- Reference page 261 for options
- Units 3 high or higher must be anchored Brackets included
- Shipped unassembled

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

69N4278AFRFM SV

- See page 261 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FREESTANDING METAL FRAME 6 MODULE HIGH	69N4278AFRFM	Style A	$ 5388	13 15/16	42 1/16	78 1/4			44 lbs.	3.3
	69N4278CFRFM	Style C	5388	13 15/16	42 1/16	78 1/4			44 lbs.	3.3



Style A



Style C

- Style A has openings for two 17" wide x 12" high Module, two 17" wide x 25" high Module, four 23" wide x 12" high Modules, and one 23" wide x 25" high Module
- Style C has openings for two 17" wide x 12" high Module, two 17" wide x 25" high Module, four 23" wide x 12" high Modules, and one 23" wide x 25" high Module
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made

FREESTANDING METAL FRAME 6 MODULE HIGH	69N4878AFRFM	Style A	$ 5664	13 15/16	48 1/16	78 1/4			48 lbs.	3.3
	69N4878CFRFM	Style C	5664	13 15/16	48 1/16	78 1/4			48 lbs.	3.3



Style A



Style C

- Style A has openings for six 23" wide x 12" high Modules, and three 23" wide x 25" high Modules
- Style C has openings for six 23" wide x 12" high Modules, and three 23" wide x 25" high Modules
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made

LOCHLYN

PRODUCT SPECIFICATIONS

- Reference page 261 for options
- Units 3 high or higher must be anchored Brackets included
- Shipped unassembled

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

69N5478AFRFM SV

- See page 261 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FREESTANDING METAL FRAME 6 MODULE HIGH	69N5478AFRFM	Style A	$ 6216	13 15/16	54 1/16	78 1/4			52 lbs.	3.3
	69N5478CFRFM	Style C	6216	13 15/16	54 1/16	78 1/4			52 lbs.	3.3

- Style A has openings for two 23" wide x 12" high Modules, two 23" wide x 25" high Modules, four 29" wide x 12" high Modules, and one 29" wide x 25" high Module
- Style C has openings for two 23" wide x 25" high Modules, two 23" wide x 12" high Module, four 29" wide x 12" high Modules, and one 29" wide x 25" high Module
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made



Style A



Style C

	MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FREESTANDING METAL FRAME 6 MODULE HIGH	69N6078AFRFM	Style A	$ 6769	13 15/16	60 1/16	78 1/4			56 lbs.	3.3
	69N6078CFRFM	Style C	6769	13 15/16	60 1/16	78 1/4			56 lbs.	3.3

- Style A openings for six 29" wide x 12" high Modules and three 29" wide x 25" high Modules
- Style C has openings for six 29" wide x 12" high Modules and three 29" wide x 25" high Modules
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made



Style A



Style C

PRODUCT SPECIFICATIONS

- Reference page 261 for options
- Units 3 high or higher must be anchored Brackets included
- Shipped unassembled

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

69N6678AFRFM BK

- See page 261 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FREESTANDING METAL FRAME 6 MODULE HIGH	69N6678AFRFM	Style A	$ 7322	13 15/16	65 11/16	78 1/4			60 lbs.	3.8
	69N6678CFRFM	Style C	7322	13 15/16	65 11/16	78 1/4			60 lbs.	3.8

- Style A has openings for four 23" wide x 12" high Modules, four 23" wide x 25" high Modules, four 17" wide x 12" high Modules, and one 17" wide x 25" high Modules
- Style C has openings for six 23" wide x 12" high Modules, three 23" wide x 25" high Modules, four 17" wide x 12" high Modules, and one 17" wide x 25" high Modules
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made



Style A



Style C

	MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FREESTANDING METAL FRAME 6 MODULE HIGH	69N7278AFRFM	Style A	$ 7598	13 15/16	71 11/16	78 1/4			64 lbs.	3.8
	69N7278CFRFM	Style C	7598	13 15/16	71 11/16	78 1/4			64 lbs.	3.8

- Style A has openings for eight 23" wide x 12" high Modules and five 23" wide x 25" high Modules
- Style C has openings for four 23" wide x 25" high Module, and ten 23" wide x 12" high Modules
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made



Style A



Style C

LOCHLYN

PRODUCT SPECIFICATIONS

- Reference page 261 for options
- Units 3 high or higher must be anchored Brackets included
- Shipped unassembled

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

69N7878AFRFM BK

- See page 261 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FREESTANDING METAL FRAME 6 MODULE HIGH	69N7878AFRFM	Style A	$ 8012	13 5/16	77 1/16	78 1/4			68 lbs.	3.8
	69N7878CFRFM	Style C	8012	13 5/16	77 1/16	78 1/4			68 lbs.	3.8

- Style A has openings for four 23" wide x 12" high Module, four 23" wide x 25" high Modules, four 29" wide x 12" high Modules, and one 29" wide x 25" high Module
- Style C has openings for three 23" wide x 25" high Modules, six 23" wide x 12" high Modules, four 29" wide x 12" high Modules, and one 29" wide x 25" high Module
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made



Style A



Style C

FREESTANDING METAL FRAME 6 MODULE HIGH	69N8478AFRFM	Style A	$ 8426	13 5/16	83 1/16	78 1/4			76 lbs.	4.9
	69N8478CFRFM	Style C	8426	13 5/16	83 1/16	78 1/4			76 lbs.	4.9

- Style A has openings for four 29" wide x 12" high Modules, four 29" wide x 25" high, four 23" wide x 12" high Modules, and one 23" wide x 25" high Module
- Style C has openings for three 29" wide x 25" high Modules, six 29" wide x 12" high Modules, four 23" wide x 12" high Modules, one 23" wide x 25" high Module
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made.



Style A



Style C

PRODUCT SPECIFICATIONS

- Reference page 261 for options
- Units 3 high or higher must be anchored Brackets included
- Shipped unassembled

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

69N9078AFRFM BK

- See page 261 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	FRAME STYLE	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FREESTANDING METAL FRAME 6 MODULE HIGH	69N9078AFRFM	Style A	$ 8841	13 1⁵⁄₁₆	89⅜	78¼			80 lbs.	4.9
	69N9078CFRFM	Style C	8841	13 1⁵⁄₁₆	89⅜	78¼			80 lbs.	4.9



Style A



Style C

- Style A has openings for eight 29" wide x 12" high Modules, five 29" wide x 25" high Modules
- Style C has openings for four 29" wide x 25" high Modules and ten 29" wide x 12" high Modules
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made.

FREESTANDING METAL FRAME 6 MODULE HIGH	69N9678AFRFM	Style A	$ 9394	13 1⁵⁄₁₆	95⁵⁄₁₆	78¼			85 lbs.	5.6
	69N9678CFRFM	Style C	9394	13 1⁵⁄₁₆	95⁵⁄₁₆	78¼			85 lbs.	5.6



Style A



Style C

- Style A has openings for twelve 23" wide x 12" high Modules and six 23" wide x 25" high Modules
- Style C has openings for five 23" wide x 25" high Modules and fourteen 23" wide x 12" high Modules
- Shipped unassembled
- Units 3 modules high and higher must be anchored. Both floor and wall mount anchors are included. Anchor plate mounting hardware for floor mount will deface the floor. If using the wall mount attachment method, unit must run parallel to the wall. Hardware not provided but recommendations made.

LOCHLYN

PRODUCT SPECIFICATIONS

- Intended to be used as display only
- Brackets to attach to wall included
- See page 261 for options
- Shipped unassembled

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

69N2415FRMM BK

- See page 261 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
METAL WALL MOUNT FRAME 1 HIGH 	69N2415FRMM • 1 opening for 23" wide module shelves • 1 opening for 23" wide x 12" high modules • Shipped unassembled	$ 1934	13 15/16	24 7/16	13 3/8			10 lbs.	
METAL WALL MOUNT FRAME 1 HIGH 	69N3015FRMM • 1 opening for 29" wide module shelves • 1 opening for 29" wide x 12" high modules • Shipped unassembled	$ 2002	13 15/16	30 7/16	13 3/8			11 lbs.	
METAL WALL MOUNT FRAME 1 HIGH 	69N3615FRMM • 1 opening for 35" wide module shelves • 1 opening for 35" wide x 12" high modules • Shipped unassembled	$ 2279	13 15/16	36 1/8	13 3/8			13 lbs.	
METAL WALL MOUNT FRAME 1 HIGH 	69N4215FRMM • openings for one 17" wide module shelf and one 23" wide module shelf • openings for one 17" wide module and one 23" wide x 12" high modules • Shipped unassembled	$ 2418	13 15/16	42 1/16	13 3/8			14 lbs.	
METAL WALL MOUNT FRAME 1 HIGH 	69N4815FRMM • 2 openings for 23" wide module shelves • 2 openings for 23" wide x 12" high modules • Shipped unassembled	$ 2555	13 15/16	48 1/16	13 3/8			15 lbs.	
METAL WALL MOUNT FRAME 1 HIGH 	69N5415FRMM • openings for one 23" wide module shelf and one 29" wide module shelf • openings for one 23" wide module and one 29" wide x 12" high modules • Shipped unassembled	$ 2693	13 15/16	54 1/16	13 3/8			16 lbs.	
METAL WALL MOUNT FRAME 1 HIGH 	69N6015FRMM • 2 openings for 29" wide module shelves • 2 openings for 29" wide x 12" high modules • Shipped unassembled	$ 2833	13 15/16	60 1/16	13 3/8			17 lbs.	
METAL WALL MOUNT FRAME 1 HIGH 	69N6615FRMM • openings for two 23" wide module shelves and one 17" wide module shelf • openings for two 23" wide modules and one 17" wide x 12" high modules • Shipped unassembled	$ 3038	13 15/16	65 1/16	13 3/8			17 lbs.	

PRODUCT SPECIFICATIONS

- Intended to be used as display only
- Brackets to attach to wall included
- See page 261 for options
- Shipped unassembled

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

69N7215FRMM BK

- See page 261 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
METAL WALL MOUNT FRAME 1 HIGH	69N7215FRMM	$ 3178	13 15/16	71 11/16	13 3/8			18 lbs.	



- 3 openings for 23" wide module shelves
- 3 openings for 23" wide x 12" high modules
- Shipped unassembled

LOCHLYN

PRODUCT SPECIFICATIONS

- Intended to be used as display only
- Brackets to attach to wall included
- See page 261 for options
- Shipped unassembled

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

69N2427FRMM BK

- See page 261 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
METAL WALL MOUNT FRAME 2 HIGH 	69N1227FRMM • 2 openings for 11" wide module shelves • Shipped unassembled	$ 2002	13 15/16	12 5/8	26			10 lbs.	
METAL WALL MOUNT FRAME 2 HIGH 	69N1527FRMM • 2 openings for 14" wide module shelves • Shipped unassembled	$ 2072	13 15/16	15 5/8	26			11 lbs.	
METAL WALL MOUNT FRAME 2 HIGH 	69N1827FRMM • 2 openings for 17" wide module shelves • 2 openings for 17" wide x 12" high modules • Shipped unassembled	$ 2142	13 15/16	18 7/16	26			13 lbs.	
METAL WALL MOUNT FRAME 2 HIGH 	69N2427FRMM • 2 openings for 23" wide module shelves • 2 openings for 23" wide x 12" high modules • Shipped unassembled	$ 2210	13 15/16	24 7/16	26			14 lbs.	
METAL WALL MOUNT FRAME 2 HIGH 	69N3027FRMM • 2 openings for 29" wide module shelves • 2 openings for 29" wide x 12" high modules • Shipped unassembled	$ 2487	13 15/16	30 7/16	26			16 lbs.	
METAL WALL MOUNT FRAME 2 HIGH 	69N3627FRMM • 2 openings for 35" wide module shelves • 2 openings for 35" wide x 12" high modules • Shipped unassembled	$ 2693	13 15/16	36 1/8	26			17 lbs.	

PRODUCT SPECIFICATIONS

- Intended to be used as display only
- Brackets to attach to wall included
- See page 261 for options
- Shipped unassembled

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

69N1240FRMM SV

- See page 261 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
METAL WALL MOUNT FRAME 3 HIGH 	69N1240FRMM • 3 openings for 11" wide module shelves • Shipped unassembled	$ 2142	13 15/16	12 5/8	38 9/16			14 lbs.	
METAL WALL MOUNT FRAME 3 HIGH 	69N1540FRMM • 3 openings for 14" wide module shelves • Shipped unassembled	$ 2210	13 15/16	15 5/8	38 9/16			16 lbs.	
METAL WALL MOUNT FRAME 3 HIGH 	69N1840FRMM • 3 openings for 17" wide module shelves • 3 openings for 17" wide x 12" high modules • Shipped unassembled	$ 2279	13 15/16	18 7/16	38 9/16			17 lbs.	
METAL WALL MOUNT FRAME 3 HIGH 	69N2440FRMM • 3 openings for 23" wide module shelves • 3 openings for 23" wide x 12" high modules • Shipped unassembled	$ 2347	13 15/16	24 7/16	38 9/16			18 lbs.	
METAL WALL MOUNT FRAME 3 HIGH 	69N3040FRMM • 3 openings for 29" wide module shelves • 3 openings for 29" wide x 12" high modules • Shipped unassembled	$ 2625	13 15/16	30 7/16	38 9/16			20 lbs.	

LOCHLYN

PRODUCT SPECIFICATIONS

- Intended to be used as display only
- Brackets to attach to wall included
- See page 261 for options
- Shipped unassembled

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

69N3640FRMM BK

- See page 261 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
METAL WALL MOUNT FRAME 3 HIGH	69N3640FRMM	$ 3315	13 15/16	36½	38 9/16			22 lbs.	1.4

- 3 openings for 35" wide module shelves
- 3 openings for 35" wide x 12" high modules
- Shipped unassembled



PRODUCT SPECIFICATIONS

- Glass is clear, low iron, tempered
- Reference page 261 for laminate colors
- Pet bed liner fits inside module trays

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color

SAMPLE MODEL NUMBER:

69N1411SMSHL MC

- See page 261 for all options available in Lochlyn

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
MODULE SHELVES FOR WALL MOUNT FRAME	69N1411SMSHL	Laminate	$ 152	12¼	10¹⁵⁄₁₆	¾			8 lbs.	0.3
	69N1414SMSHL	Laminate	160	12¼	13¹⁵⁄₁₆	¾			10 lbs.	0.4
	• Horizontal grain direction • Not intended to be used in an opening directly over a box; boxes come with a laminate top shelf									
	69N1411SMSHG	Glass	$ 380	12¼	10¹⁵⁄₁₆	¼			5 lbs.	0.3
	69N1414SMSHG	Glass	402	12¼	13¹⁵⁄₁₆	¼			6 lbs.	0.4
	• Clear glass, low iron, tempered • Not intended to be used in an opening directly over a box; boxes come with a laminate top shelf • Specify model number only									
MODULE SHELVES FOR FREESTANDING METAL FRAME, WALL MOUNT FRAME, OR DOUBLE OPEN FRAME DESK	69N1417SMSHL	Laminate	$ 166	12¼	16¾	¾			11 lbs.	0.4
	69N1423SMSHL	Laminate	179	12¼	22¾	¾			14 lbs.	0.5
	69N1429SMSHL	Laminate	194	12¼	28¾	¾			18 lbs.	0.6
	69N1435SMSHL	Laminate	208	12¼	34⁷⁄₁₆	¾			24 lbs.	0.7
	• Horizontal grain direction • Not intended to be used in an opening directly over a box; boxes come with a laminate top shelf									
	69N1417SMSHG	Glass	$ 407	12¼	16¾	¼			7 lbs.	0.4
	69N1423SMSHG	Glass	490	12¼	22¾	¼			10 lbs.	0.5
	69N1429SMSHG	Glass	505	12¼	28¾	¼			12 lbs.	0.6
	69N1435SMSHG	Glass	622	12¼	34⁷⁄₁₆	¼			13 lbs.	0.7
	• Clear glass, low iron, tempered • Not intended to be used in an opening directly over a box; boxes come with a laminate top shelf • Specify model number only									
MODULE TRAYS FOR FREESTANDING METAL FRAME OR WALL MOUNT FRAME	69N1417SMTRL	Laminate	$ 315	13¹³⁄₁₆	16¹¹⁄₁₆	3⅝			14 lbs.	0.8
	69N1423SMTRL	Laminate	337	13¹³⁄₁₆	22¹¹⁄₁₆	3⅝			18 lbs.	1.0
	69N1429SMTRL	Laminate	355	13¹³⁄₁₆	28¹¹⁄₁₆	3⅝			21 lbs.	1.2
	• Shipped unassembled									

LOCHLYN

PRODUCT SPECIFICATIONS

- Reference page 261 for options
- Shipped unassembled
- Drawers available with level or beam pull
- Doors available with touch latch closure, non-locking

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color
3. Top Shelf Color (when applicable)

SAMPLE MODEL NUMBER:

69N2312SMBXFOL MC 405

- See page 261 for all options available in Lochlyn

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
MODULE OPEN FRONT BOX FOR FREESTANDING METAL FRAME OR WALL MOUNT FRAME 1 HIGH	69N1712SMBXFOL	Laminate	$ 415	13 3/16	16 1/16	11 3/4			26 lbs.	1.4
	69N2312SMBXFOL	Laminate	449	13 3/16	22 1/16	11 3/4			33 lbs.	1.7
	69N2912SMBXFOL	Laminate	483	13 3/16	28 1/16	11 3/4			40 lbs.	2.1



- Includes a top shelf to be placed in the module directly above the box and must be attached to box; may specify different laminate color for top shelf
- Top shelf routed to accommodate brackets securing the box to the frame
- Shipped unassembled

MODULE OPEN TOP BOX FOR FREESTANDING METAL FRAME OR WALL MOUNT FRAME 1 HIGH	69N1712SMBXTOL	Laminate	$ 345	13 3/16	16 1/16	12 7/16			25 lbs.	1.3
	69N2312SMBXTOL	Laminate	415	13 3/16	22 1/16	12 7/16			32 lbs.	1.7
	69N2912SMBXTOL	Laminate	449	13 3/16	28 1/16	12 7/16			39 lbs.	2.0



- Can be used for biophilia, liner inserts not included
- Shipped unassembled

MODULE SLIDING BOX DRAWER 1 DRAWER 1 HIGH	69N1712SMDB1L		$ 933	13 3/16	16 1/16	11 3/4			54 lbs.	4.6
	69N2312SMDB1L		1002	13 3/16	22 1/16	11 3/4			69 lbs.	5.9
	69N2912SMDB1L		1070	13 3/16	28 1/16	11 3/4			84 lbs.	7.1



- Includes a top shelf to be placed in the module directly above the box and must be attached to box; may specify different laminate color for top shelf
- Top shelf routed to accommodate brackets securing the box to the frame
- Shipped assembled
- Top of module box to be located at or below 3 module height
- Interior drawer dimension is 3 3/16" high

	LEFT HINGED	RIGHT HINGED								
MODULE FRONT BOX WITH HINGED DOOR SINGLE DOOR 1 HIGH	69N1712SMBXHLL	69N1712SMBXHRL	$ 933	13 3/16	16 1/16	11 3/4			30 lbs.	4.6
	69N2312SMBXHLL	69N2312SMBXHRL	1036	13 3/16	22 1/16	11 3/4			40 lbs.	5.9



- Includes a top shelf to be placed in the module directly above the box and must be attached to box; may specify different laminate color for top shelf
- Top shelf routed to accommodate brackets securing the box to the frame
- Shipped assembled

MODULE FRONT BOX HINGED DOOR DOUBLE DOORS 1 HIGH	69N2912SMBXHDL		$ 1146	13 3/16	28 1/16	11 3/4			55 lbs.	7.1



- Includes a top shelf to be placed in the module directly above the box and must be attached to box; may specify different laminate color for top shelf
- Top shelf routed to accommodate brackets securing the box to the frame
- Shipped assembled

PRODUCT SPECIFICATIONS

- Reference page 261 for options
- Drawers available with level or beam pull
- Doors available with touch latch closure, non-locking

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Drawer/Door Laminate Color
4. Laminate Color

SAMPLE MODEL NUMBER:

69N1723SMDB2L 87IR AD 425 AD

- See page 261 for all options available in Lochlyn

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
MODULE OPEN FRONT BOX FOR FREESTANDING METAL FRAME OR WALL MOUNT FRAME 2 HIGH	69N1725SMBXFOL	Laminate	$ 483	13 3/16	16 1/16	24 3/16			39 lbs.	2.1
	69N2325SMBXFOL	Laminate	553	13 3/16	22 1/16	24 3/16			48 lbs.	2.7
	69N2925SMBXFOL	Laminate	587	13 3/16	28 1/16	24 3/16			57 lbs.	3.3



- Includes a top shelf to be placed in the module directly above the box and must be attached to box; may specify different laminate color for top shelf
- Top shelf routed to accommodate brackets securing the box to the frame
- Shipped unassembled

MODULE PASS THRU BOX FOR FREESTANDING METAL FRAME OR WALL MOUNT FRAME 2 HIGH	69N1725SMBXPL	Laminate	$ 483	13 3/16	16 1/16	24 3/16			30 lbs.	1.6
	69N2325SMBXPL	Laminate	519	13 3/16	22 1/16	24 3/16			35 lbs.	1.6
	69N2925SMBXPL	Laminate	553	13 3/16	28 1/16	24 3/16			41 lbs.	1.8



Pass Thru

- Includes a top shelf to be placed in the module directly above the box and must be attached to box; may specify different laminate color for top shelf
- Top shelf routed to accommodate brackets securing the box to the frame
- Shipped unassembled

MODULE SLIDING BOX DRAWER 2 DRAWER 2 HIGH	69N1723SMDB2L		$ 1348	13 3/16	16 1/16	24 3/16			93 lbs.	7.7
	69N2323SMDB2L		1416	13 3/16	22 1/16	24 3/16			117 lbs.	9.7
	69N2923SMDB2L		1485	13 3/16	28 1/16	24 3/16			155 lbs.	11.8

- Includes a top shelf to be placed in the module directly above the box and must be attached to box; may specify different laminate color for top shelf
- Top shelf routed to accommodate brackets securing the box to the frame
- Shipped assembled
- Top of module box to be located at or below 3 module height
- Interior drawer dimension is 3 3/16" high

	LEFT HINGED	RIGHT HINGED								
MODULE FRONT BOX WITH HINGED DOOR SINGLE DOOR 2 HIGH	69N1723SMBXHLL	69N1723SMBXHRL	$ 1140	13 3/16	16 1/16	24 3/16			50 lbs.	7.7
	69N2323SMBXHLL	69N2323SMBXHRL	1243	13 3/16	22 1/16	24 3/16			63 lbs.	9.7



- Includes a top shelf to be placed in the module directly above the box and must be attached to box; may specify different laminate color for top shelf
- Top shelf routed to accommodate brackets securing the box to the frame
- Shipped assembled

MODULE FRONT BOX HINGED DOOR DOUBLE DOORS 2 HIGH	69N2923SMBXHDL		$ 1354	13 3/16	28 1/16	24 3/16			91 lbs.	11.8



- Includes a top shelf to be placed in the module directly above the box and must be attached to box; may specify different laminate color for top shelf
- Top shelf routed to accommodate brackets securing the box to the frame
- Shipped assembled

LOCHLYN

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color

SAMPLE MODEL NUMBERS:

69N1496CPTFL MC
69N03GB1 SV
69N1054SHFML 792

• See page 261 for all options available in Lochlyn

COMPONENT TOPS FOR METAL FRAMES

MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
69N1496CPTFLL	$ 565	14³⁄₁₆	95¹⁵⁄₁₆	1³⁄₁₆			54 lbs.	3.0
69N1490CPTFLL	531	14³⁄₁₆	89¼	1³⁄₁₆			50 lbs.	2.8
69N1484CPTFLL	497	14³⁄₁₆	83¼	1³⁄₁₆			47 lbs.	2.7
69N1478CPTFLL	462	14³⁄₁₆	77¹⁵⁄₁₆	1³⁄₁₆			44 lbs.	2.5
69N1472CPTFLL	428	14³⁄₁₆	71¹⁵⁄₁₆	1³⁄₁₆			40 lbs.	2.3
69N1466CPTFLL	394	14³⁄₁₆	65¹⁵⁄₁₆	1³⁄₁₆			38 lbs.	2.1
69N1460CPTFLL	360	14³⁄₁₆	60¼	1³⁄₁₆			35 lbs.	2.0
69N1454CPTFLL	332	14³⁄₁₆	54⁵⁄₁₆	1³⁄₁₆			31 lbs.	1.8
69N1448CPTFLL	318	14³⁄₁₆	48⁵⁄₁₆	1³⁄₁₆			28 lbs.	1.6
69N1442CPTFLL	304	14³⁄₁₆	42⁵⁄₁₆	1³⁄₁₆			25 lbs.	1.4
69N1436CPTFLL	289	14³⁄₁₆	36⁵⁄₁₆	1³⁄₁₆			21 lbs.	1.3
69N1430CPTFLL	276	14³⁄₁₆	30¹⁄₁₆	1³⁄₁₆			18 lbs.	1.1

- To be used on top of freestanding units for a finished look
- Hardware will be visible when open front module box or pass-through module box is used in top frame position directly below a component top

LIGHT



NAC0204LTK3	$ 62	2¼	3½	1½		54 lbs.	3.0

- LED light kit will include a set of 3 lights with a remote control
- Battery operated, batteries not included
- Can be attached using screws or double stick tape

GANGING BRACKET



69N03GB1	$ 103	1⁹⁄₁₆	2	¹⁄₁₆		2 lbs.	0.1

- Specify black or silver
- Comes in a set of 4
- All must be used; 2 high and 2 in a low position
- In "L" and "T" applications, must have open modules available at intersection in order to gang

FLOATING SHELVES WALL MOUNT

	WEIGHT LIMIT							
69N1012SHFML	20 lbs.	$ 428	10	11¹⁵⁄₁₆	1³⁄₁₆		7 lbs.	0.4
69N1015SHFML	25 lbs.	443	10	15	1³⁄₁₆		8 lbs.	0.5
69N1018SHFML	30 lbs.	455	10	17¹⁵⁄₁₆	1³⁄₁₆		11 lbs.	0.6
69N1024SHFML	35 lbs.	497	10	24	1³⁄₁₆		13 lbs.	0.7
69N1030SHFML	40 lbs.	512	10	30	1³⁄₁₆		16 lbs.	0.9
69N1036SHFML	45 lbs.	525	10	36	1³⁄₁₆		19 lbs.	1.0
69N1042SHFML	50 lbs.	539	10	42	1³⁄₁₆		22 lbs.	1.1
69N1048SHFML	55 lbs.	553	10	48¹⁄₁₆	1³⁄₁₆		25 lbs.	1.3
69N1054SHFML	60 lbs.	593	10	54	1³⁄₁₆		27 lbs.	1.4
69N1060SHFML	65 lbs.	593	10	60	1³⁄₁₆		31 lbs.	1.6
69N1066SHFML	70 lbs.	622	10	66	1³⁄₁₆		34 lbs.	1.7
69N1072SHFML	75 lbs.	669	10	71¹⁵⁄₁₆	1³⁄₁₆		36 lbs.	1.8

- Shelves are laminate
- Floating shelves are intended for display only
- Brackets included
- Hardware not included

PRODUCT SPECIFICATIONS

- Reference page 261 for options
- Shelves do not work in desk extension metal frames

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color
3. Paint Color

SAMPLE MODEL NUMBER:

69N296029DSE1MLL G1003 420

- See page 261 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
DESK EXTENSION WORKSURFACE HEIGHT 30" DEEP	69N297229DSE1MLL	$ 2992	28 1/16	71 1/16	28 3/16			90 lbs.	7.8
	69N296629DSE1MLL	2944	28 1/16	65 1/16	28 3/16			87 lbs.	7.1
	69N296029DSE1MLL	2897	28 1/16	60 1/16	28 3/16			78 lbs.	6.3
	69N295429DSE1MLL	2859	28 1/16	54 1/16	28 3/16			71 lbs.	6.3
	69N294829DSE1MLL	2818	28 1/16	48 1/16	28 3/16			65 lbs.	5.5

- Specify when using a freestanding metal frame
- Specify with any unit containing horizontal frame member at 2 module height with 29" wide module opening
- Shipped unassembled
- See pages 262-265 for chart

DESK EXTENSION WORKSURFACE HEIGHT 24" DEEP	69N237229DSE1MLL	$ 2897	22 1/16	71 1/16	28 3/16			73 lbs.	6.4
	69N236629DSE1MLL	2862	22 1/16	65 1/16	28 3/16			69 lbs.	5.8
	69N236029DSE1MLL	2839	22 1/16	60 1/16	28 3/16			64 lbs.	5.1
	69N235429DSE1MLL	2791	22 1/16	54 1/16	28 3/16			54 lbs.	5.2
	69N234829DSE1MLL	2757	22 1/16	48 1/16	28 3/16			56 lbs.	4.5

- Specify when using a freestanding metal frame
- Specify with any unit containing horizontal frame member at 2 module height with 23" wide module opening
- Shipped unassembled
- See pages 262-265 for chart

DESK EXTENSION WORKSURFACE HEIGHT 18" DEEP	69N177229DSE1MLL	$ 2862	16 1/16	71 1/16	28 3/16			56 lbs.	5.0
	69N176629DSE1MLL	2830	16 1/16	65 1/16	28 3/16			53 lbs.	4.6
	69N176029DSE1MLL	2809	16 1/16	60 1/16	28 3/16			49 lbs.	4.1
	69N175429DSE1MLL	2764	16 1/16	54 1/16	28 3/16			45 lbs.	4.1
	69N174829DSE1MLL	2730	16 1/16	48 1/16	28 3/16			42 lbs.	3.6

- Specify when using a freestanding metal frame
- Specify with any unit containing horizontal frame member at 2 module height with 17" wide module opening
- Shipped unassembled
- See pages 262-265 for chart

LOCHLYN

PRODUCT SPECIFICATIONS

- Reference page 261 for options
- Shelves do not work in desk extension metal frames

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color
3. Paint Color

SAMPLE MODEL NUMBER:

69N297241DSE1MLL 488 BK

- See page 261 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
DESK EXTENSION BAR HEIGHT 30" DEEP	69N297241DSE1MLL	$ 3372	28 1/16	71 1/16	41 3/16			94 lbs.	7.8
	69N296641DSE1MLL	3323	28 1/16	65 1/16	41 3/16			88 lbs.	7.1
	69N296041DSE1MLL	3277	28 1/16	60 1/16	41 3/16			82 lbs.	6.8
	69N295441DSE1MLL	3238	28 1/16	54 1/16	41 3/16			75 lbs.	6.5
	69N294841DSE1MLL	3198	28 1/16	48 1/16	41 3/16			69 lbs.	6.2

- Specify when using a freestanding metal frame
- Specify with any unit containing horizontal frame member at 3 module height with 29" wide module opening
- Shipped unassembled
- See pages 262-265 for chart

DESK EXTENSION BAR HEIGHT 24" DEEP	69N237241DSE1MLL	$ 3277	22 1/16	71 1/16	41 3/16			77 lbs.	6.4
	69N236641DSE1MLL	3242	22 1/16	65 1/16	41 3/16			72 lbs.	5.9
	69N236041DSE1MLL	3219	22 1/16	60 1/16	41 3/16			68 lbs.	5.6
	69N235441DSE1MLL	3170	22 1/16	54 1/16	41 3/16			62 lbs.	5.4
	69N234841DSE1MLL	3136	22 1/16	48 1/16	41 3/16			57 lbs.	5.1

- Specify when using a freestanding metal frame
- Specify with any unit containing horizontal frame member at 3 module height with 23" wide module opening
- Shipped unassembled
- See pages 262-265 for chart

DESK EXTENSION BAR HEIGHT 18" DEEP	69N177241DSE1MLL	$ 3242	16 1/16	71 1/16	41 3/16			60 lbs.	5.0
	69N176641DSE1MLL	3210	16 1/16	65 1/16	41 3/16			57 lbs.	4.6
	69N176041DSE1MLL	3189	16 1/16	60 1/16	41 3/16			53 lbs.	4.4
	69N175441DSE1MLL	3144	16 1/16	54 1/16	41 3/16			49 lbs.	4.2
	69N174841DSE1MLL	3110	16 1/16	48 1/16	41 3/16			45 lbs.	4.0

- Specify when using a freestanding metal frame
- Specify with any unit containing horizontal frame member at 3 module height with 17" wide module opening
- Shipped unassembled
- See pages 262-265 for chart

PRODUCT SPECIFICATIONS

- Reference page 261 for options
- Reference page 303 for laminate and glass shelves

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color
3. Paint Color

SAMPLE MODEL NUMBER:

69N306029DDOF2MLL PT 503

- See page 261 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
DESK DOUBLE OPEN FRAME FREESTANDING LAMINATE TOP WORKSURFACE HEIGHT 36" DEEP	69N367229DDOF2MLL	$ 6679	36⅛	71 1⁄16	28 9⁄16			114 lbs.	10.7
	69N366629DDOF2MLL	6530	36⅛	65 1⁄16	28 9⁄16			107 lbs.	9.7
	69N366029DDOF2MLL	6483	36⅛	60 1⁄16	28 9⁄16			99 lbs.	8.7
	• Shipped unassembled • Specify 69N1435SMSHL or 69N1435SMSHG for shelves								
DESK DOUBLE OPEN FRAME FREESTANDING LAMINATE TOP WORKSURFACE HEIGHT 30" DEEP	69N307229DDOF2MLL	$ 6064	30 7⁄16	71 1⁄16	28 9⁄16			99 lbs.	9.0
	69N306629DDOF2MLL	5914	30 7⁄16	65 1⁄16	28 9⁄16			93 lbs.	8.1
	69N306029DDOF2MLL	5867	30 7⁄16	60 1⁄16	28 9⁄16			74 lbs.	7.2
	• Shipped unassembled • Specify 69N1429SMSHL or 69N1429SMSHG for shelves								
DESK DOUBLE OPEN FRAME FREESTANDING LAMINATE TOP WORKSURFACE HEIGHT 24" DEEP	69N247229DDOF2MLL	$ 5418	24 7⁄16	71 1⁄16	28 9⁄16			83 lbs.	7.5
	69N246629DDOF2MLL	5280	24 7⁄16	65 1⁄16	28 9⁄16			78 lbs.	6.7
	69N246029DDOF2MLL	5256	24 7⁄16	60 1⁄16	28 9⁄16			73 lbs.	6.0
	• Shipped unassembled • Specify 69N1423SMSHL or 69N1423SMSHG for shelves								
DESK DOUBLE OPEN FRAME FREESTANDING LAMINATE TOP WORKSURFACE HEIGHT 18" DEEP	69N187229DDOF2MLL	$ 5245	18 7⁄16	71 1⁄16	28 9⁄16			67 lbs.	5.8
	69N186629DDOF2MLL	5108	18 7⁄16	65 1⁄16	28 9⁄16			64 lbs.	5.3
	69N186029DDOF2MLL	5089	18 7⁄16	60 1⁄16	28 9⁄16			60 lbs.	4.7
	• Shipped unassembled • Specify 69N1417SMSHL or 69N1417SMSHG for shelves								

LOCHLYN

PRODUCT SPECIFICATIONS

- Reference page 261 for options
- Reference page 303 for laminate and glass shelves

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color
3. Paint Color

SAMPLE MODEL NUMBER:

69N367241DDOF2MLL SK 107

- See page 261 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
DESK DOUBLE OPEN FRAME FREESTANDING LAMINATE TOP BAR HEIGHT 36" DEEP	69N367241DDOF2MLL	$ 8613	36⅛	71¹⁄₁₆	41³⁄₁₆			123 lbs.	10.7
	69N366641DDOF2MLL	8119	36⅛	65¹⁄₁₆	41³⁄₁₆			116 lbs.	9.8
	69N366041DDOF2MLL	8072	36⅛	60¹⁄₁₆	41³⁄₁₆			109 lbs.	9.4
	• Shipped unassembled • Specify 69N1435SMSHL or 69N1435SMSHG for shelves								
DESK DOUBLE OPEN FRAME FREESTANDING LAMINATE TOP BAR HEIGHT 30" DEEP	69N307241DDOF2MLL	$ 6790	30⁷⁄₁₆	71¹⁄₁₆	41³⁄₁₆			108 lbs.	9.0
	69N306641DDOF2MLL	6535	30⁷⁄₁₆	65¹⁄₁₆	41³⁄₁₆			102 lbs.	8.2
	69N306041DDOF2MLL	6488	30⁷⁄₁₆	60¹⁄₁₆	41³⁄₁₆			96 lbs.	7.9
	• Shipped unassembled • Specify 69N1429SMSHL or 69N1429SMSHG for shelves								
DESK DOUBLE OPEN FRAME FREESTANDING LAMINATE TOP BAR HEIGHT 24" DEEP	69N247241DDOF2MLL	$ 6142	24⁷⁄₁₆	71¹⁄₁₆	41³⁄₁₆			92 lbs.	7.5
	69N246641DDOF2MLL	5902	24⁷⁄₁₆	65¹⁄₁₆	41³⁄₁₆			87 lbs.	6.8
	69N246041DDOF2MLL	5877	24⁷⁄₁₆	60¹⁄₁₆	41³⁄₁₆			82 lbs.	6.5
	• Shipped unassembled • Specify 69N1423SMSHL or 69N1423SMSHG for shelves								
DESK DOUBLE OPEN FRAME FREESTANDING LAMINATE TOP BAR HEIGHT 18" DEEP	69N187241DDOF2MLL	$ 5971	18⁷⁄₁₆	71¹⁄₁₆	41³⁄₁₆			75 lbs.	5.8
	69N186641DDOF2MLL	5731	18⁷⁄₁₆	65¹⁄₁₆	41³⁄₁₆			71 lbs.	5.3
	69N186041DDOF2MLL	5710	18⁷⁄₁₆	60¹⁄₁₆	41³⁄₁₆			68 lbs.	5.1
	• Shipped unassembled • Specify 69N1417SMSHL or 69N1417SMSHG for shelves								







PRODUCT SPECIFICATIONS

- Reference page 261 for options

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color

SAMPLE MODEL NUMBER:

69N4413MPL MC BK

- See page 261 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
MODESTY PANEL	69N4413MPL	$ 367	¾	43 1/16	13⅜			13 lbs.	0.9
	69N3813MPL	352	¾	37 1/16	13⅜			12 lbs.	0.8
	69N3213MPL	339	¾	32	13⅜			10 lbs.	0.7



- Specify for open frame desk
- For 72" wide desk, specify 69N4413MPL
- For 66" wide desk, specify 69N3813MPL
- For 60" wide desk, specify 69N3213MPL
- Laminate modesty has horizontal grain direction

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
MODESTY PANEL	69N4413MPVL	$ 367	¾	43 1/16	13⅜			13 lbs.	0.9
	69N3813MPVL	352	¾	37 1/16	13⅜			12 lbs.	0.8
	69N3213MPVL	339	¾	32	13⅜			10 lbs.	0.7



- Specify for open frame desk
- For 72" wide desk, specify 69N4413MPVL
- For 66" wide desk, specify 69N3813MPVL
- For 60" wide desk, specify 69N3213MPVL
- Laminate modesty has vertical grain direction

LOCHLYN

PRODUCT SPECIFICATIONS

- Reference page 261 for options
- Specify laminate color for the top, accent laminate for the laminate shroud, paint for the metal frame, and accent paint for the adjustable height metal legs

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color
3. Accent Laminate
4. Paint Color
5. Accent Paint

SAMPLE MODEL NUMBER:

69N3672DSAF2MLL 405 793 106 BK
69N5713MPL 492 BK

- See page 261 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
ADJUSTABLE HEIGHT DESK FREESTANDING SHROUDED 36" DEEP	69N3672DSAF2MLL	$ 10333	36 1/16	71 15/16	26 5/8			219 lbs.	53.6
	69N3666DSAF2MLL	10168	36 1/16	66	26 5/8			233 lbs.	49.6
	69N3660DSAF2MLL	10003	36 1/16	60	26 5/8			241 lbs.	45.6

- Grain direction on shrouds is always vertical
- Wire manager located on right side of desk; removeable panel allows for easy access
- Control pad can be moved to RH or LH by the customer
- All models feature a 2 position memory
- Legs will be visible in an upper position
- Some assembly required

ADJUSTABLE HEIGHT DESK FREESTANDING SHROUDED 30" DEEP	69N3072DSAF2MLL	$ 9076	30 1/16	71 15/16	26 5/8			248 lbs.	45.8
	69N3066DSAF2MLL	8951	30 1/16	66	26 5/8			213 lbs.	42.4
	69N3060DSAF2MLL	8826	30 1/16	60	26 5/8			207 lbs.	39.0



- Grain direction on shrouds is always vertical
- Wire manager located on right side of desk; removeable panel allows for easy access
- Control pad can be moved to RH or LH by the customer
- All models feature a 2 position memory
- Legs will be visible in an upper position
- Some assembly required

ADJUSTABLE HEIGHT DESK FREESTANDING SHROUDED 24" DEEP	69N2472DSAF2MLL	$ 8909	24	71 15/16	26 5/8			190 lbs.	38.0
	69N2466DSAF2MLL	8786	24	66	26 5/8			185 lbs.	35.1
	69N2460DSAF2MLL	8660	24	60	26 5/8			185 lbs.	32.3

- Grain direction on shrouds is always vertical
- Wire manager located on right side of desk; removeable panel allows for easy access
- Control pad can be moved to RH or LH by the customer
- All models feature a 2 position memory
- Legs will be visible in an upper position
- Some assembly required

MODESTY PANEL	69N5713MPL	$ 380	3/4	56 7/16	13 3/8			16 lbs.	1.1
	69N5113MPL	367	3/4	50 7/16	13 3/8			15 lbs.	1.0
	69N4513MPL	352	3/4	44 7/16	13 3/8			13 lbs.	0.9



- Specify for shrouded desk
- For 72" wide desk, specify 69N5713MPL
- For 66" wide desk, specify 69N5113MPL
- For 60" wide desk, specify 69N4513MPL
- Laminate modesty has horizontal grain direction

MODESTY PANEL	69N5713MPVL	$ 380	3/4	56 7/16	13 3/8			16 lbs.	1.1
	69N5113MPVL	367	3/4	50 7/16	13 3/8			15 lbs.	1.0
	69N4513MPVL	352	3/4	44 7/16	13 3/8			13 lbs.	0.9



- Specify for shrouded desk
- For 72" wide desk, specify 69N5713MPVL
- For 66" wide desk, specify 69N5113MPVL
- For 60" wide desk, specify 69N4513MPVL
- Laminate modesty has vertical grain direction

PRODUCT SPECIFICATIONS

- Reference page 261 for options

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color

SAMPLE MODEL NUMBER:

69N1472WSSLL MC
69N1429SESL MC

- See page 261 for all options available in Lochlyn

WALLMOUNT WORKSURFACE



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
69N1472WSSLL	$ 725	14⅛	72⅜	1⅜			32 lbs.	2.3
69N1466WSSLL	691	14⅛	66⅜	1⅜			29 lbs.	2.2
69N1460WSSLL	657	14⅛	60⅜	1⅜			27 lbs.	2.0
69N1454WSSLL	629	14⅛	54⅞	1⅜			24 lbs.	1.8
69N1448WSSLL	547	14⅛	48⅞	1⅜			22 lbs.	1.6
69N1442WSSLL	531	14⅛	42⅜	1⅜			19 lbs.	1.4
69N1436WSSLL	519	14⅛	36⅜	1⅜			17 lbs.	1.3
69N1430WSSLL	505	14⅛	30⅜	1⅜			14 lbs.	1.1

- Specify 2 end panels to support each wallmount worksurface
- Grain direction always runs horizontal
- Bracket included
- Hardware not included

END PANEL SUPPORT



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
69N1429SESL	$ 386	13³⁄₁₆	1³⁄₁₆	29			13 lbs.	1.0
69N1441SESL	414	13³⁄₁₆	1³⁄₁₆	40			18 lbs.	1.3

- Specify 2 end panels to support each wallmount worksurface
- Grain direction always runs vertical
- Bracket included
- Hardware not included

LOCHLYN

PRODUCT SPECIFICATIONS

- Reference page 261 for options

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color
3. Paint Color

SAMPLE MODEL NUMBER:

69N1848BEXSMLL SK 112

- See page 261 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
BRIDGE, SUSPENDED	69N1848BEXSMLL	$ 2316	16 1/16	47 15/16	3 1/16			34 lbs.	1.8
	69N1842BEXSMLL	2182	16 1/16	41 15/16	3 1/16			30 lbs.	1.4
	69N1836BEXSMLL	1983	16 1/16	36 1/8	3 1/16			26 lbs.	1.2
	69N1830BEXSMLL	1822	16 1/16	30 7/16	3 1/16			23 lbs.	1.6

- Specify to mount between any two freestanding frames
- Shipped unassembled

PRODUCT SPECIFICATIONS

- Reference page 261 for options

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade
3. Fabric Color

SAMPLE MODEL NUMBER:

69N17LNRF 3 30702

- See page 261 for all options available in Lochlyn

MODEL NO./DESCRIPTION

PET BED LINER



GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
69N17LNRF	$	657	678	688	703	720	749	787	969	1027

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
$	692	715	731	749	769	790	808	829	851	873

	K	L	M	N	O	P	Q	R	S	T
$	907	975	1018	1040	1062	1084	1106	1127	1150	1171

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
69N23LNRF	$	747	772	783	801	821	854	899	1111	1179

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
$	788	814	834	855	878	902	923	948	973	999

	K	L	M	N	O	P	Q	R	S	T
$	1038	1118	1168	1194	1220	1245	1271	1296	1322	1347

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
69N29LNRF	$	816	855	872	901	932	984	1055	1388	1495

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
$	881	922	952	985	1022	1060	1092	1132	1171	1212

	K	L	M	N	O	P	Q	R	S	T
$	1274	1399	1477	1518	1559	1599	1640	1678	1719	1759

DIMENSIONS

Width - 69N17LNRF	16	Depth	13	Weight - 69N17LNRF	1
Width - 69N23LNRF	22	Height	3	Weight - 69N23LNRF	2
Width - 69N29LNRF	28			Weight - 69N29LNRF	2
				Cubic Ft.	1.8

- Specify to fit inside module trays page 303
- See page 261 for fabric options
- Specify 69N17LNRF for 17" wide tray
- Specify 69N23LNRF for 23" wide tray
- Specify 69N29LNRF for 29" wide tray

LOCHLYN

PRODUCT SPECIFICATIONS

• Reference page 261 for options

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

69N5060PVMPG 112

• See page 261 for all options available in Lochlyn

PRIVACY SCREEN BACKPAINTED GLASS 50" HIGH



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
69N5060PVMPG	$ 3425	¼	60 1/16	50 3/8			70 lbs.	3.6
69N5054PVMPG	3288	¼	54 1/16	50 3/8			63 lbs.	3.2
69N5048PVMPG	3150	¼	48 1/16	50 3/8			56 lbs.	2.9
69N5042PVMPG	3011	¼	42 1/16	50 3/8			49 lbs.	2.6
69N5036PVMPG	2465	¼	36 1/8	50 3/8			42 lbs.	2.3
69N5030PVMPG	2328	¼	30 7/16	50 3/8			35 lbs.	2.0
69N5024PVMPG	1742	¼	24 7/16	50 3/8			28 lbs.	1.6
69N5018PVMPG	1304	¼	18 7/16	50 3/8			21 lbs.	1.3

• Privacy screens attach to freestanding metal frames. 50" high screens can be used on 4, 5, or 6 module high frames
• 50" high screens are to cover 4 module high openings where a vertical and horizontal aluminum frame intersect
• Screens will fully overlay module openings
• White backpainted glass includes single writable face
• Hardware included for installation
• See thought starters on page 320

PRIVACY SCREEN BACKPAINTED GLASS 38" HIGH



69N3860PVMPG	$ 3117	¼	60 1/16	37 13/16			53 lbs.	2.8
69N3854PVMPG	3046	¼	54 1/16	37 13/16			48 lbs.	2.5
69N3848PVMPG	2974	¼	48 1/16	37 13/16			42 lbs.	2.3
69N3842PVMPG	2547	¼	42 1/16	37 13/16			37 lbs.	2.0
69N3836PVMPG	2120	¼	36 1/8	37 13/16			32 lbs.	1.8
69N3830PVMPG	1693	¼	30 7/16	37 13/16			27 lbs.	1.5
69N3824PVMPG	1265	¼	24 7/16	37 13/16			21 lbs.	2.3
69N3818PVMPG	975	¼	18 7/16	37 13/16			16 lbs.	1.0

• Privacy screens attach to freestanding metal frames. 38" high screens can be used on 3, 4, 5, or 6 module high frames
• 38" high screens are to cover 3 module high openings where a vertical and horizontal aluminum frame intersect
• Screens will fully overlay module openings
• White backpainted glass includes single writable face
• Hardware included for installation
• See thought starters on page 320

PRODUCT SPECIFICATIONS

- Reference page 261 for options

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

69N1330PVMPG BK

- See page 261 for all options available in Lochlyn

PRIVACY SCREEN BACKPAINTED GLASS 25" HIGH



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
69N2560PVMPG	$ 2093	¼	60 1/16	25 3/16			35 lbs.	2.0
69N2554PVMPG	2022	¼	54 1/16	25 3/16			31 lbs.	1.8
69N2548PVMPG	1948	¼	48 1/16	25 3/16			28 lbs.	1.6
69N2542PVMPG	1671	¼	42 1/16	25 3/16			24 lbs.	1.0
69N2536PVMPG	1392	¼	36 1/8	25 3/16			21 lbs.	1.3
69N2530PVMPG	1114	¼	30 7/16	25 3/16			17 lbs.	1.1
69N2524PVMPG	837	¼	24 7/16	25 3/16			14 lbs.	0.8
69N2518PVMPG	723	¼	18 7/16	25 3/16			10 lbs.	0.7

- Privacy screens attach to freestanding metal frames. 25" high screens can be used on 2, 3, 4, 5, or 6 module high frames
- 25" high screens are to cover 2 module high openings where a vertical and horizontal aluminum frame intersect
- Screens will fully overlay module openings
- White backpainted glass includes single writable face
- Hardware included for installation
- See thought starters on page 320

PRIVACY SCREEN BACKPAINTED GLASS 13" HIGH



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
69N1360PVMPG	$ 1443	¼	60 1/16	12 3/8			18 lbs.	1.2
69N1354PVMPG	1373	¼	54 1/16	12 3/8			16 lbs.	1.1
69N1348PVMPG	1300	¼	48 1/16	12 3/8			15 lbs.	1.0
69N1342PVMPG	1107	¼	42 1/16	12 3/8			13 lbs.	0.9
69N1336PVMPG	912	¼	36 1/8	12 3/8			11 lbs.	0.8
69N1330PVMPG	722	¼	30 7/16	12 3/8			9 lbs.	0.7
69N1324PVMPG	584	¼	24 7/16	12 3/8			7 lbs.	0.6
69N1318PVMPG	523	¼	18 7/16	12 3/8			5 lbs.	0.4

- Privacy screens attach to freestanding metal frames. 13" high screens can be used on 1, 2, 3, 4, 5, or 6 module high frames
- 13" high screens are to cover 1 module high openings where a vertical and horizontal aluminum frame intersect
- Screens will fully overlay module openings
- White backpainted glass includes single writable face
- Hardware included for installation
- See thought starters on page 320

LOCHLYN

PRODUCT SPECIFICATIONS

- Reference page 261 for options

TO ORDER, SPECIFY:

1. Model Number
2. PET Color
3. Paint Color

SAMPLE MODEL NUMBER:

69N3824PVMPP NOR 113

- See page 261 for all options available in Lochlyn

PRIVACY SCREEN PET 50" HIGH



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
69N5060PVMPP	$ 2750	½	60 1/16	50 3/8			10 lbs.	3.6
69N5054PVMPP	2638	½	54 1/16	50 3/8			9 lbs.	3.2
69N5048PVMPP	2345	½	48 1/16	50 3/8			8 lbs.	2.9
69N5042PVMPP	1894	½	42 1/16	50 3/8			7 lbs.	2.6
69N5036PVMPP	1883	½	36 1/8	50 3/8			6 lbs.	2.3
69N5030PVMPP	1617	½	30 7/16	50 3/8			5 lbs.	2.0
69N5024PVMPP	1400	½	24 7/16	50 3/8			4 lbs.	1.6
69N5018PVMPP	1329	½	18 7/16	50 3/8			3 lbs.	1.3

- Privacy screens attach to freestanding metal frames. 50" high screens can be used on 4, 5, or 6 module high frames
- 50" high screens are to cover 4 module high openings where a vertical and horizontal aluminum frame intersect
- Screens will fully overlay module openings
- 69N5060PVMPP, 69N5054PVMPP, and 69N5048PVMPP are 2 piece units with a seam
- Hardware included for installation
- See thought starters on page 320

PRIVACY SCREEN PET 38" HIGH



69N3860PVMPP	$ 2499	½	60 1/16	37 13/16			8 lbs.	2.8
69N3854PVMPP	1928	½	54 1/16	37 13/16			7 lbs.	2.5
69N3848PVMPP	1806	½	48 1/16	37 13/16			6 lbs.	2.3
69N3842PVMPP	1568	½	42 1/16	37 13/16			6 lbs.	2.0
69N3836PVMPP	1560	½	36 1/8	37 13/16			5 lbs.	1.8
69N3830PVMPP	1301	½	30 7/16	37 13/16			4 lbs.	1.5
69N3824PVMPP	1086	½	24 7/16	37 13/16			3 lbs.	1.3
69N3818PVMPP	1009	½	18 7/16	37 13/16			2 lbs.	1.0

- Privacy screens attach to freestanding metal frames. 38" high screens can be used on 3, 4, 5, or 6 module high frames
- 38" high screens are to cover 3 module high openings where a vertical and horizontal aluminum frame intersect
- Screens will fully overlay module openings
- Hardware included for installation
- See thought starters on page 320

PRODUCT SPECIFICATIONS

- Reference page 261 for options

TO ORDER, SPECIFY:

1. Model Number
2. PET Color
3. Paint Color

SAMPLE MODEL NUMBER:

69N2518PVMPP NOR 503

- See page 261 for all options available in Lochlyn

PRIVACY SCREEN PET 25" HIGH



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
69N2560PVMPP	$ 2367	½	60 1/16	25 3/16			5 lbs.	2.0
69N2554PVMPP	1538	½	54 1/16	25 3/16			5 lbs.	1.8
69N2548PVMPP	1357	½	48 1/16	25 3/16			4 lbs.	1.6
69N2542PVMPP	1081	½	42 1/16	25 3/16			4 lbs.	1.4
69N2536PVMPP	986	½	36 1/8	25 3/16			3 lbs.	1.3
69N2530PVMPP	949	½	30 7/16	25 3/16			3 lbs.	1.1
69N2524PVMPP	869	½	24 7/16	25 3/16			2 lbs.	0.9
69N2518PVMPP	787	½	18 7/16	25 3/16			2 lbs.	0.7

- Privacy screens attach to freestanding metal frames. 25" high screens can be used on 2, 3, 4, 5, or 6 module high frames
- 25" high screens are to cover 2 module high openings where a vertical and horizontal aluminum frame intersect
- Screens will fully overlay module openings
- Hardware included for installation
- See thought starters on page 320

PRIVACY SCREEN PET 13" HIGH



69N1360PVMPP	$ 1207	½	60 1/16	12 3/8			3 lbs.	1.2
69N1354PVMPP	1166	½	54 1/16	12 3/8			2 lbs.	1.1
69N1348PVMPP	1124	½	48 1/16	12 3/8			2 lbs.	1.0
69N1342PVMPP	925	½	42 1/16	12 3/8			2 lbs.	0.9
69N1336PVMPP	833	½	36 1/8	12 3/8			2 lbs.	0.8
69N1330PVMPP	795	½	30 7/16	12 3/8			1 lbs.	0.7
69N1324PVMPP	616	½	24 7/16	12 3/8			1 lbs.	0.6
69N1318PVMPP	615	½	18 7/16	12 3/8			1 lbs.	0.4

- Privacy screens attach to freestanding metal frames. 13" high screens can be used on 1, 2, 3, 4, 5, or 6 module high frames
- 13" high screens are to cover 1 module high openings where a vertical and horizontal aluminum frame intersect
- Screens will fully overlay module openings
- Hardware included for installation
- See thought starters on page 320

LOCHLYN - THOUGHT STARTERS

- Must have both vertical and horizontal aluminum frame to attach a screen
- Screens will fully overlay the metal frame and attach using brackets with stanchions
- Nominal screen width is approximately 1" larger than nominal module opening width EXCEPT when spanning multiple vertical frames as stack up will occur
- Illustrations below are showing examples only; other combinations can be achieved
- Dimensions shown above each frame section represent the module opening width
- 60" wide screens fit two 29" wide module openings
- 54" wide screens fit a combined 29" wide module + 23" wide module opening
- 48" wide screens fit two 23" wide module openings
- 42" wide screens fit a combined 23" wide module + 17" wide module opening
- 36" wide screens fit two 17" wide module openings
- 30" wide screens fit a single 29" wide module opening
- 24" wide screens fit a single 23" wide module opening
- 18" wide screens fit a single 17" wide module opening

MODEL 69N8427AFRFM (Style A)
FREESTANDING METAL FRAME 2 MODULE HIGH



EXAMPLES

- 69N2530PVMPG fits a 2 high, 29" wide module opening
- 69N1324PVMPG fits a 1 high, 23" wide module opening
- 69N2554PVMPG fits a 2 high, 52" wide combined module openings (23" wide + 29" wide modules)

MODEL 69N6040AFRFM (Style A)
FREESTANDING METAL FRAME 3 MODULE HIGH



EXAMPLES

- 69N3830PVMPG fits a 3 high, 29" wide module opening
- 69N2530PVMPG fits a 2 high, 29" wide module opening
- 69N2560PVMPG fits a 2 high, 58" wide combined module opening (29" wide + 29" wide modules)

- Models 69N3860PVMPG or 69N3860PVMPP would cover the entire frame

MODEL 69N6652AFRFM (Style A)
FREESTANDING METAL FRAME 4 MODULE HIGH



EXAMPLES

- 69N5018PVMPG fits a 4 high, 17" wide module opening
- 69N5024PVMPG fits a 4 high, 23" wide module opening
- 69N2524PVMPG fits a 2 high, 23" wide module opening
- 69N5042PVMPG fits a 4 high, 40" wide combined module opening (17" wide + 23" wide module opening)

MODEL 69N8465AFRFM (Style A)
FREESTANDING METAL FRAME 5 MODULE HIGH



EXAMPLES

- 69N2530PVMPG fits a 2 high, 29" wide module opening
- 69N3854PVMPG fits a 3 high, 52" wide combined module opening (29" wide + 23" wide module opening)
- 69N3830PVMPG fits a 3 high, 29" wide module opening
- 69N5024PVMPG fits a 4 high, 23" wide module opening
- 69N5054PVMPG fits a 4 high, combined 52" wide module opening (23" wide + 29" wide module opening)

MODEL 69N9678AFRFM (Style A)
FREESTANDING METAL FRAME 6 MODULE HIGH



EXAMPLES

- 69N5048PVMPG fits a 4 high, 46" wide combined module opening (23" wide + 23" wide module opening)
- 69N2524PVMPG fits a 2 high, 23" wide module opening
- 69N1324PVMPG fits a 1 high, 23" wide module opening

PRODUCT SPECIFICATIONS

- Reference page 261 for options

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Drawer/Laminate Color
4. Laminate Color
5. Paint Color

SAMPLE MODEL NUMBER:

69N1836MUCMLL 87MB 405 G1002 463

- See page 261 for all options available in Lochlyn

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
MOBILE UTILITY CART	69N1836MUCMLL	$ 4420	18 7/16	36 1/8	35 7/8			128 lbs.	7.8

- Unit has 4 locking casters
- Unit has non-locking drawer and lower shelf
- Some assembly required

MOBILE STORAGE CART	69N1836MSCMLL	$ 4560	18 7/16	36 1/8	35 7/8			129 lbs.	18.9



- Unit has 4 locking casters
- 1 adjustable shelf behind hinged doors
- Unit has non-locking doors
- Some assembly required

LOCHLYN

NAVIYD

Product Specifications 324
Product Planning Information 325
Product Options 327
Factory Installed Grommet and Cutout Options 328
Product Pages 330

NAVIYD

PRODUCT SPECIFICATIONS

DETAILS

- Configured desk models include the base, worksurface and ships ready to assemble
- Component bases include the base frame and ships ready to assemble. IMPORTANT: Worksurfaces must be specified separately
- Models with base top ship in two cartons; assembly is required
- Four table base styles:
  - T-leg
  - T-leg L-configuration
  - C-leg
  - Single-column H

WORKSURFACE



- Table desk worksurface sizes range from a nominal 36" to 72"
- Worksurfaces are available in HPL (high pressure laminate) 1³⁄₁₆" T or TFL (thermally fused laminate) 1⅛" T, and both feature a 3mm PVC rim
- Grain direction runs left-to-right unless otherwise noted
- Factory installed grommets and cut-outs are available in predetermined locations; upcharge applies. See pages 328-329

TABLE BASES

- Bases are formed metal with a powder coat finish available in 3 standard finishes, Designer White, Cinder, Platinum Silver
- Optional powder finishes are available at an upcharge
- Bases are standard with 2" diameter black plastic glides with a ½" adjustment for unlevel floors
- Casters – Field installed caster kit (set of 4) available; order separately:
  - used only on T-legs base style with rectangular worksurface tops 23"-29"
  - not available on C-base styles
  - low profile black plastic – add 1½" to overall heights
  - weight load for desk is 130 pounds with casters

HEIGHT ADJUSTABLE TABLE DESK

- Control pad can be moved to right-handed (RH) or left-handed (LH) by the customer
- Height adjustable range (with worksurface):
  - standard height mechanism is 26" to 42¼"
  - extended height mechanism is 22½" to 48½"
- Lifting Capacity of base without worksurface:
  - table desks are 265 pounds
  - single column H is 132 pounds
- Adjustment speed is 1.3" per second
- Standard with Up and Down controller
- Two Optional Controller are available; see page 350
- Table desk frame width is expandable in 6" increments
- Standard features:
  - anti-collision
  - overheat protection
  - overload protection

CORD MANAGEMENT

- Round grommets, racetrack grommets and wire managers are optional on worksurfaces
- Wire managers are available for vertical cable managers, cable carriers and maple cable basket; see page 765
- Refer to page 765 for available grommet/wire manager colors
- Refer to pages 328-329 for complete grommet locations and details

MONITOR ARMS

Clamp mount monitor arms cannot be used with modesty panel. It is recommended to field install a grommet mount model in a location to clear the modesty.

CONTROL BOX MECHANISM INFORMATION

- Motor per style:
  - straight line table desk has 1 control box, 2 motors
  - single column H has 1 control box, 1 motor
  - L-configurations desk has 1 control box, 3 motors
- Anti-collision function on control box will engage when a firm obstruction is detected and will stop worksurface travel
- Overheat protection will stop the unit should the motor overheat due to being heavily loaded or if driven continuously. Operation of the desk can resume in approximately 15 minutes
- Overload protection detects if the load is too heavy and will stop the unit. Remove the load and resume use
- Control box includes a 9' power cord with two-prong plug

IMPORTANT: The customer bears the responsibility to verify that the installation of Naviyd height adjustable desks complies with all local municipal electrical codes. Some municipalities require the worksurface and base to be sold as an assembly that is listed to UL 962. In these justifications, specify a Naviyd configured desk (base sold with a worksurface) model. Naviyd height adjustable bases (sold separately) will not bear the ETL mark. Base only models are available for use with specific Naviyd worksurfaces (sold separately) which align cut-outs, grommets, and screen brackets with the base understructure.

Naviyd height adjustable, base only models can accept other Kimball and National brand worksurfaces in ¾", ¹³⁄₁₆", and ¹⁹⁄₁₆" thickness. It is the customer's responsibility to maintain recommended safety clearances to minimize pinch/crush hazards when using other Kimball and National brand worksurfaces.

Field installed grommets and cutouts are recommended where standard locations may interfere with the base understructure. Worksurface size should not exceed the recommended size.

Use of non-Kimball and non-National brand worksurfaces are not recommended and is the sole responsibility of the customer and may void the product warranty.

DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

PRODUCT PLANNING INFORMATION

WORKSURFACE CLEARANCE

1" minimum clearance around the sides and back is required when placing height adjustable worksurfaces next to each other to minimize pinch/crush hazards. A clearance of less than 5/16" is acceptable next to a fixed wall or panel where the clearance is maintained through the travel range. Base feet are 23⅜" deep.

STATIONARY STORAGE PLANNING

Pedestals, overhead storage, or components should not be installed in the path of the height adjustable desks. Underside of desk frame to floor is 22 3/16" for standard height and 18⅞" for extended height models with the leveling glide in the lowest position.

MODESTY PANELS



Modesty panels provide user privacy and conceal electrical components. Modesty panels can extend the full width of the worksurface or be narrower than the surface.

TFL modesty panels are ¾" thick and are edge banded in the same material and resin modesty panels are ¼" thick.

When using a narrower modesty panel than the worksurface width, it is recommended to use a center grommet or cut-out, because the left and right locations could sit outside the modesty depending on the width specified.

Modesty panels are not sized to fit 120° curved corner desks or the return side of height adjustable L-configurations. Specify a smaller width, such as 66" wide modesty for a 72" wide worksurface.

To avoid interference, do not place storage, and other objects beneath the desk with modesty panel.

PRIVACY SCREENS



Fabric privacy screens with frame attach to height adjustable desk worksurfaces to provide space division and privacy above and below the worksurface. Privacy screens feature a tackable fabric surface (panel fabric) with an aluminum frame which is available in all paint colors. Attachment brackets are painted to match the frame. IMPORTANT: Privacy screens are prohibited on desks with C-leg bases as they are a tip hazard due to placement of the column being off center.

Privacy screens can be specified to span the full width, or they can be narrower than the desk worksurface. A center cut-out or grommet is recommended on the narrower application to avoid interference with the screen's mounting brackets.

Privacy screens can be mounted with a 1" maximum gap to manage cables and accommodate a clamp-mount monitor arm.

To avoid interference, do not place storage, and other objects beneath the desk with privacy screen.

CONTROLLERS



Standard Memory Programmable

Standard up/down switch ships with all height adjustable desk bases. Switch is 2" D x 2¾" W x ¾" H. Allows for upper and lower limits to be set to avoid collision with storage elements.

Memory control switch with display screen can be specified separately to replace a standard switch. It operates the same as the standard up/down switch. Memory control switch allows for a low position and a high position to be set to prevent the desk from interfering with obstructions, such as pedestals and overheads.

Programmable control switch with display screen allows up to four preset/saved height settings. Specify separately to replace a standard up/down switch.

All switches can be mounted on the left or right side of the work surface and are field installed.

NAVIYD

BASE AND WORKSURFACE CONFIGURATION

- T-leg bases can be paired or are available configured with rectangular main or 120° curved corner worksurfaces
- T-leg L-configuration bases can be paired or are available configured with:
  - Rectangular main worksurface and a rectangular return (non-handed)
  - Rectangular main worksurface and a rectangular return (non-handed)
  - Extended straight (handed)
  - Extended cove (handed)

  Non-handed L-configuration models can be assembled in the field to accommodate left- or right-handed configurations
- C-leg bases can be paired or are available configured with rectangular worksurfaces only. IMPORTANT: C-leg bases are not available with 120° worksurface due to tipping hazard
- Single-column H component bases can be paired with 23" D x 36" W or 23" D x 42" W rectangular main worksurfaces

TOP SHAPE	TOP WIDTH	T-LEG TOP DEPTH	L-CONFIG TOP DEPTH	C-LEG TOP DEPTH	H-LEG TOP DEPTH
Rectangular Main	36" W				23"
	42" W				23"
	48" W	23"/30"		23"/30"	
	54" W	23"/30"		23"/30"	
	60" W	23"/30"	23"/30"	23"/30"	
	66" W	23"/30"	23"/30"	23"/30"	
	72" W	23"/30"	23"/30"	23"/30"	
Rectangular Return	36" W		23"		
	42" W		23"		
	48" W		23"		
120° Curved Corner	83" W	23"/30"			
Extd. Straight/Cove	71" W		23"/30"		

Note: 48" wide returns must be paired with a 23" deep main worksurface for a maximum depth of 72 "; cannot be used with a 29" deep main worksurface. L bases support a maximum overall top width and depth of 72", and a minimum width and depth of 60".

DIMENSIONS





DISTANCE BETWEEN COLUMNS	
Width of Top	*"A" Dimension*
48"	32⅝"
54"	38⅝"
60"	44⅝"
66"	50⅝"
72"	56⅝"





RIM PROFILE OPTIONS



Softened PVC (V)

PVC SOFTENED RIM

AC2	Autumn 2
AD	Almond
BZ	Brazilwood
CI	Chai
CL	Caramel
CW	Cordovan
DW	Judicial
HN2	Honey 2
IM	Brighton
KN	Kona
MC	Amber
MH	Mocha
NM	Natural
PB	Portobello
PC	Porcini
PT	Portico
SK	Skyline
SM	Sonoma
TF	Truffle
WL	Willow
405	Designer White
419	Wallaby
425	Shadow
440	Cloud
457	Dapple
461	Graphite
462	Cinder
478	Platinum Grey
488	Frosty White
491	Designer White Linear
492	Cinder Linear
792	Sable
793	Acorn

GALLERY PVC SOFTENED RIM

Grade 1 – 5% upcharge

G1001	Citadel
G1011	Pepperdust

Grade 2 – 6% upcharge

G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

See page 14 for Gallery program details and upcharges

LAMINATE WORKSURFACES AND TFL MODESTY

WOODGRAIN LAMINATE

AC2	Autumn 2
AD	Almond
BZ	Brazilwood
CI	Chai
CL	Caramel
CW	Cordovan
DW	Judicial
HN2	Honey 2
IM	Brighton
KN	Kona
MC	Amber
MH	Mocha
NM	Natural
PB	Portobello
PC	Porcini
PT	Portico
SK	Skyline
SM	Sonoma
TF	Truffle
WL	Willow
792	Sable
793	Acorn

SOLID LAMINATE

405	Designer White
419	Wallaby
425	Shadow
440	Cloud
457	Dapple
461	Graphite
462	Cinder
478	Platinum Grey
488	Frosty White
491	Designer White Linear
492	Cinder Linear

PATTERN LAMINATE

814	White Tigris
818	Crisp Linen
819	Flax Gauze
821	Elemental Concrete
822	Smoke Quarstone

- Pattern laminates not available on TFL models
- CSL available; see page 14 for program details and upcharge
- CSL not available on TFL models

GALLERY LAMINATE

Grade 1 – 5% upcharge

G1001	Citadel
G1011	Pepperdust

Grade 2 – 6% upcharge

G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

MODESTY PANEL RESIN

Grade 1

1677	Frosted

METAL BASE PAINT COLORS

STANDARD

405	Designer White
462	Cinder
501	Platinum Metallic

PREMIUM*

105	Spinach Green
106	Cloud Blue
107	Dark Blue
111	Apricot Orange
112	Tango Red
113	Golden Rod
419	Wallaby
420	Sandstone
425	Shadow
440	Cloud
450	Fog
460	Storm
461	Graphite
488	Frosty White
504	Silver Pearl

*10% List Upcharge

PRIVACY SCREEN FABRIC OPTIONS

Dune (Grade A)
100% Polyester

8600	Drift
8601	Windblown
8602	Erosion
8603	Haze
8608	Nectar
8610	Clear Sky
8614	Basin
8615	Raven
8620	Darkness

Repetition (Grade A)
100% Pre-Consumer
Recycled Polyester

3700	Ash
3703	White
3709	Java
3713	Stainless
3721	Reed
3744	Tawny

COM (Grade B)

Pact (Grade B)
65% Pre-Consumer Recycled Polyester,
35% Post-Consumer Recycled Polyester

25401	Aloe	25412	Lime
25402	Azure	25413	Midnight
25403	Calla	25414	Nectar
25404	Coastal	25415	Patina
25405	Delft	25416	Putty
25406	Dove	25418	Roma
25409	Fern	25420	Sketch
25410	Harbour	25422	Taupe
25411	Lily	25423	Toasty

NAVIYD - FACTORY INSTALLED GROMMET OPTIONS

FACTORY INSTALLED GROMMET OPTIONS

If no grommet is desired, specify an X (No Grommet)

Round Grommet,
Black Plastic
$40 list for each grommet



G1L	Left
G1R	Right
G1LR	Left & Right
G1C	Center
G1LC	Left & Center
G1RC	Right & Center
G1A	Left, Right & Center

Racetrack Grommet,
Satin Nickel Metallic
$45 list for each grommet

G11SNL	Left
G11SNR	Right
G11SNLR	Left & Right
G11SNC	Center
G11SNLC	Left & Center
G11SNRC	Right & Center
G11SNA	Left, Right & Center

Racetrack Grommet,
Platinum Metallic
$45 list for each grommet

G11PLL	Left
G11PLR	Right
G11PLLR	Left & Right
G11PLC	Center
G11PLLC	Left & Center
G11PLRC	Right & Center
G11PLA	Left, Right & Center

Racetrack Grommet,
Cinder
$45 list for each grommet



G11MBL	Left
G11MBR	Right
G11MBLR	Left & Right
G11MBC	Center
G11MBLC	Left & Center
G11MBRC	Right & Center
G11MBA	Left, Right & Center

IMPORTANT: Grommets are not available for worksurfaces on single column H-base.

CUT OUT	DESIGNATOR	UPCHARGE
G12	CUT-G12C	$40
G17	CUT-G17C	$40
G33	CUT-G33C	$40



Rectangular



Curved Corner



Extended Straight



Extended Cove



L Worksurface Main and Return

Note: All dimensions for grommets are measured from the center of the grommet to the worksurface edge. Grommets are specified separately for the main and return worksurfaces on L models

FACTORY INSTALLED CUTOUT



G12
3 configurations available
available in Black, Silver, & White
sold separately in Accessories Section

G17
3 configuration available
available in Black, Silver, & White
sold separately in Accessories Section



G33
available in Black, Silver, & White
sold separately in Accessories Section

CUTOUT LOCATIONS

Rectangular



Curved Corner



Extended Straight



Extended Cove



L Worksurface Main and Return

NAVIYD

PRODUCT SPECIFICATIONS

- Base includes control box, 9' power cord, and standard up/down control switch
- Worksurfaces must be specified separately; see page 324
- Base ships ready to assemble

TO ORDER, SPECIFY:

1. Model Number
2. Paint

SAMPLE MODEL NUMBER:

65N41ABSTP 501

- See pages 327-329 for all options available in Naviyd

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
T-LEG STANDARD HEIGHT ADJUSTABLE BASE	65N41ABSTP	Paint	$ 1476	23⅜	40¾-64¾	24¾-41⅛		—	61 lbs.	2.7



- Maximum surface weight with caster option is 130 pounds
- Caster options listed on page 350
- Standard height adjustable 24¾"-41⅛"
- Black plastic glides are standard; 2" diameter and adjustable range ½"
- Memory control and programmable switches available; see page 350
- Pedestals, overhead storage or components should not be installed in the path of the height adjustable desks
- Frames are adjustable in 6" increments
- Base feet are 23⅜" deep

T-LEG EXTENDED HEIGHT ADJUSTABLE BASE	65N47ABETP	Paint	$ 1780	23⅜	40¾-64¾	21⅜-47¼		—	65 lbs.	2.7



- Maximum surface weight with caster option is 130 pounds
- Caster options listed on page 350
- Extended height adjustable 21⅜"-47¼"
- Black plastic glides are standard; 2" diameter and adjustable range ½"
- Memory control and programmable switches available; see page 350
- Pedestals, overhead storage or components should not be installed in the path of the height adjustable desks
- Frames are adjustable in 6" increments
- Base feet are 23⅜" deep

PRODUCT SPECIFICATIONS

- Base includes control box, 9' power cord, and standard up/down control switch
- Worksurfaces must be specified separately; see page 324
- Base ships ready to assemble

TO ORDER, SPECIFY:

1. Model Number
2. Paint

SAMPLE MODEL NUMBER:

65N41ABLSTP 501

- See pages 327-329 for all options available in Naviyd

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
T-LEG | L-CONFIGURATION STANDARD HEIGHT ADJUSTABLE BASE	65N41ABLSTP	Paint	$ 2350	47-71	52¾-64¾	24¾-41⅛		—	114.01 lbs.	4.17



- Standard height adjustable 24¾"-41⅛"
- Black plastic glides are standard; 2" diameter and adjustable range ½"
- Memory control and programmable switches available; see page 350
- Pedestals, overhead storage or components should not be installed in the path of the height adjustable desks
- Frames are adjustable in 6" increments
- Available to be paired with rectangular main and return, extended straight and cove worksurfaces
- Base feet are 23⅜" deep

T-LEG | L-CONFIGURATION EXTENDED HEIGHT ADJUSTABLE BASE	65N47ABLETP	Paint	$ 2504	47-71	52¾-64¾	21⅜-47¼		—	114.01 lbs.	4.17



- Extended height adjustable 21⅜"-47¼"
- Black plastic glides are standard; 2" diameter and adjustable range ½"
- Memory control and programmable switches available; see page 350
- Pedestals, overhead storage or components should not be installed in the path of the height adjustable desks
- Frames are adjustable in 6" increments
- Available to be paired with rectangular main and return, extended straight and cove worksurfaces
- Base feet are 23⅜" deep

NAVIYD

PRODUCT SPECIFICATIONS

- Base includes control box, 9' power cord, and standard up/down control switch
- Rectangular worksurface only; must be specified separately; see page 324
- Base ships ready to assemble

TO ORDER, SPECIFY:

1. Model Number
2. Paint

SAMPLE MODEL NUMBER:

65N41ABSCP 501

- See pages 327-329 for all options available in Naviyd

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
C-LEG STANDARD HEIGHT ADJUSTABLE BASE	65N41ABSCP	Paint	$ 1623	23⅜	40¾-64¾	24¾-41⅛		—	61 lbs.	2.7



- Standard height adjustable 24¾"-41⅛"
- Black plastic glides are standard; 2" diameter and adjustable range ½"
- Memory control and programmable switches available; see page 350
- Pedestals, overhead storage or components should not be installed in the path of the height adjustable desks
- Frames are adjustable in 6" increments
- Screens are not to be paired with this unit due to tipping hazard

C-LEG EXTENDED HEIGHT ADJUSTABLE BASE	65N47ABECP	Paint	$ 1958	23⅜	40¾-64¾	21⅜-47¼		—	65 lbs.	2.7



- Extended height adjustable 21⅜"-47¼"
- Black plastic glides are standard; 2" diameter and adjustable range ½"
- Memory control and programmable switches available; see page 350
- Pedestals, overhead storage or components should not be installed in the path of the height adjustable desks
- Frames are adjustable in 6" increments
- Screens are not to be paired with this unit due to tipping hazard

PRODUCT SPECIFICATIONS

- Base includes control box, 9' power cord, and standard up/down control switch
- Worksurfaces must be specified separately; see page 324
- Base ships ready to assemble

TO ORDER, SPECIFY:

1. Model Number
2. Paint

SAMPLE MODEL NUMBER:

65N41ABSHP 501

- See pages 327-329 for all options available in Naviyd

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SINGLE-COLUMN H STANDARD HEIGHT ADJUSTABLE BASE	65N41ABSHP	Paint	$ 1275	23⅜	33½	24¾-41⅛		—	50 lbs.	4.5



- Standard height adjustable 24¾"-41⅛"
- Black plastic glides are standard; 2" diameter and adjustable range ½"
- Memory control and programmable switches available; see page 350
- Pedestals, overhead storage or components should not be installed in the path of the height adjustable tables
- Fixed frame width
- Can be paired with 23" D x 36" W or 23" D x 42" W rectangular main worksurfaces only

NAVIYD

PRODUCT SPECIFICATIONS

- 3mm rim on all 4 sides of worksurfaces
- Grain direction runs with the width of the surface
- Refer to page 328 for grommet locations and options
- See pages 741-784 for accessories
- Base selection must be specified separately; see pages 330-333 for base options

TO ORDER, SPECIFY:

1. Model Number
2. Rim Color
3. Grommet/Cutout Option
4. Laminate Color

SAMPLE MODEL NUMBER:

65N2971WSSLL 405 G1L 405

- See pages 327-329 for all options available in Naviyd

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
RECTANGULAR MAIN WORKSURFACE 29" DEEP	65N2971WSSL	HPL	$ 899	29	71⅜	1³⁄₁₆	–	–	79.57 lbs.	3.31
	65N2971WSSLL	TFL	674	29	71⅜	1⅛	–	–	79.57 lbs.	3.31
	65N2965WSSL	HPL	$ 875	29	65⅜	1³⁄₁₆	–	–	66.90 lbs.	3.05
	65N2965WSSLL	TFL	651	29	65⅜	1⅛	–	–	66.90 lbs.	3.05
	65N2959WSSL	HPL	$ 723	29	59⅜	1³⁄₁₆	–	–	66.29 lbs.	2.79
	65N2959WSSLL	TFL	560	29	59⅜	1⅛	–	–	66.29 lbs.	2.79
	65N2953WSSL	HPL	$ 696	29	53⅜	1³⁄₁₆	–	–	56.10 lbs.	2.57
	65N2953WSSLL	TFL	519	29	53⅜	1⅛	–	–	56.10 lbs.	2.57
	65N2947WSSL	HPL	$ 630	29	47⅜	1³⁄₁₆	–	–	53.36 lbs.	2.27
	65N2947WSSLL	TFL	473	29	47⅜	1⅛	–	–	53.36 lbs.	2.27
RECTANGULAR MAIN WORKSURFACE 23" DEEP	65N2371WSSL	HPL	$ 768	23	71⅜	1³⁄₁₆	–	–	63.93 lbs.	2.74
	65N2371WSSLL	TFL	569	23	71⅜	1⅛	–	–	63.93 lbs.	2.74
	65N2365WSSL	HPL	$ 746	23	65⅜	1³⁄₁₆	–	–	53.70 lbs.	2.53
	65N2365WSSLL	TFL	555	23	65⅜	1⅛	–	–	53.70 lbs.	2.53
	65N2359WSSL	HPL	$ 643	23	59⅜	1³⁄₁₆	–	–	53.26 lbs.	2.31
	65N2359WSSLL	TFL	482	23	59⅜	1⅛	–	–	53.26 lbs.	2.31
	65N2353WSSL	HPL	$ 591	23	53⅜	1³⁄₁₆	–	–	44.00 lbs.	2.10
	65N2353WSSLL	TFL	442	23	53⅜	1⅛	–	–	44.00 lbs.	2.10
	65N2347WSSL	HPL	$ 533	23	47⅜	1³⁄₁₆	–	–	42.88 lbs.	1.90
	65N2347WSSLL	TFL	398	23	47⅜	1⅛	–	–	42.88 lbs.	1.90
	65N2341WSSL	HPL	$ 481	23	41⅜	1³⁄₁₆	–	–	38.60 lbs.	1.80
	65N2341WSSLL	TFL	359	23	41⅜	1⅛	–	–	38.60 lbs.	1.80
	65N2335WSSL	HPL	$ 421	23	35⅜	1³⁄₁₆	–	–	32.87 lbs.	1.80
	65N2335WSSLL	TFL	317	23	35⅜	1⅛	–	–	32.87 lbs.	1.80

PRODUCT SPECIFICATIONS

- 3mm rim on all 4 sides of worksurfaces
- Grain direction runs with the depth of the surface (front to back)
- Refer to page 328 for grommet locations and options
- See pages 741-784 for accessories
- Paired with main worksurfaces to create an L-configuration
- Base selection must be specified separately; see pages 330-333 for base options

TO ORDER, SPECIFY:

1. Model Number
2. Rim Color
3. Grommet/Cutout Option
4. Laminate Color

SAMPLE MODEL NUMBER:

65N2971WSSLL 405 G1L 405

- See pages 327-329 for all options available in Naviyd

RECTANGULAR RETURN WORKSURFACE 23" DEEP



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
65N2347WSSVL	HPL	$ 533	23	47⅜	1³⁄₁₆	—	—	44.09 lbs.	2.4
65N2347WSSVLL	TFL	398	23	47⅜	1⅛	—	—	44.09 lbs.	2.4
65N2341WSSVL	HPL	$ 481	23	41⅜	1³⁄₁₆	—	—	38.60 lbs.	2.1
65N2341WSSVLL	TFL	359	23	41⅜	1⅛	—	—	38.60 lbs.	2.1
65N2335WSSVL	HPL	$ 421	23	35⅜	1³⁄₁₆	—	—	32.87 lbs.	1.8
65N2335WSSVLL	TFL	317	23	35⅜	1⅛	—	—	32.87 lbs.	1.8

- 23" deep non-handed return worksurfaces; can be set up as right or left return

NAVIYD

PRODUCT SPECIFICATIONS

- 3mm rim on all sides of worksurfaces
- Grain direction runs diagonally
- Refer to page 328 for grommet locations and options
- 120° curved corner surfaces can be paired with T-leg bases only; see pages 330-331
- See pages 741-784 for accessories

TO ORDER, SPECIFY:

1. Model Number
2. Rim Color
3. Grommet/Cutout Option
4. Laminate Color

SAMPLE MODEL NUMBER:

65N4747WSCYCLL2 405 G1C 405

- See pages 327-329 for all options available in Naviyd

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
120° CURVED CORNER WORKSURFACE	65N4747WSCYCL2	HPL	$ 1461	43⅜	82	1 1⁄16	—	—	149 lbs.	5.42
	65N4747WSCYCLL2	TFL	1319	43⅜	82	1⅛	—	—	149 lbs.	5.42



- Pair with T-leg bases only

PRODUCT SPECIFICATIONS

- 3mm rim on all sides of worksurfaces
- Grain direction runs with the width of the surface
- Refer to page 328 for grommet locations and options
- Not intended to be paired with a return
- See pages 741-784 for accessories

TO ORDER, SPECIFY:

1. Model Number
2. Rim Color
3. Grommet/Cutout Option
4. Laminate Color

SAMPLE MODEL NUMBER:

65N4771WSCERLL2 405 G1C 405

- See pages 327-329 for all options available in Naviyd

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
EXTENDED CORNER STRAIGHT WORKSURFACE	65N4771WSCERL2	HPL, Right	$ 1399	47⅞	71⅛	1³⁄₁₆	—	—	46.63 lbs.	70.63
	65N4771WSCERLL2	TFL, Right	1088	46⅝	70⅝	1⅛	—	—	46.63 lbs.	70.63
	65N4771WSCELL2	HPL, Left	$ 1399	49⅜	73⅜	1³⁄₁₆	—	—	46.63 lbs.	70.63
	65N4771WSCELLL2	TFL, Left	1088	48⅜	72⅜	1⅛	—	—	46.63 lbs.	70.63



Right shown



Left shown

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
EXTENDED CORNER COVE STRAIGHT WORKSURFACE	65N4771WSCVERL2	HPL, Right	$ 1399	47⅞	71⅛	1³⁄₁₆	—	—	46.63 lbs.	70.63
	65N4771WSCVERLL2	TFL, Right	1088	46⅝	70⅝	1⅛	—	—	46.63 lbs.	70.63
	65N4771WSCVELL2	HPL, Left	$ 1399	49⅜	73⅜	1³⁄₁₆	—	—	46.63 lbs.	70.63
	65N4771WSCVELLL2	TFL, Left	1088	48⅜	72⅜	1⅛	—	—	46.63 lbs.	70.63



Right shown



Left shown

NAVIYD

PRODUCT SPECIFICATIONS

- Base includes control box, 9' power cord, and standard up/down control switch
- Desk ships ready to assemble with appropriate hardware
- Refer to page 328 for grommet locations and options
- 3mm rim on all sides of worksurface
- U.L. 1286/962 listed
- Grain direction runs with the width of the surface

TO ORDER, SPECIFY:

1. Model Number
2. Rim Color
3. Grommet/Cutout Option
4. Laminate Color
5. Paint

SAMPLE MODEL NUMBER:

65N2971DASTL 405 G1C 405 501

- See pages 327-329 for all options available in Naviyd

CONFIGURED DESKS
29" DEEP RECTANGULAR WORKSURFACE
T-LEG STANDARD HEIGHT ADJUSTABLE BASE



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
65N2971DASTL	HPL	$ 2375	29	71⅜	26-42½		–	140.58 lbs.	6.02
65N2971DASTLL	TFL	2150	29	71⅜	26-42½		–	140.58 lbs.	6.02
65N2965DASTL	HPL	$ 2351	29	65⅜	26-42½		–	127.91 lbs.	5.75
65N2965DASTLL	TFL	2127	29	65⅜	26-42½		–	127.91 lbs.	5.75
65N2959DASTL	HPL	$ 2200	29	59⅜	26-42½		–	127.30 lbs.	5.49
65N2959DASTLL	TFL	2036	29	59⅜	26-42½		–	127.30 lbs.	5.49
65N2953DASTL	HPL	$ 2172	29	53⅜	26-42½		–	117.11 lbs.	5.27
65N2953DASTLL	TFL	1995	29	53⅜	26-42½		–	117.11 lbs.	5.27
65N2947DASTL	HPL	$ 2106	29	47⅜	26-42½		–	114.37 lbs.	4.97
65N2947DASTLL	TFL	1949	29	47⅜	26-42½		–	114.37 lbs.	4.97

- Maximum surface weight with caster option is 130 pounds
- Caster options listed on page 350
- Standard height adjustable 24¾"-41⅛"
- Black plastic glides are standard; 2" diameter and adjustable range ½"
- Memory control and programmable switches available; see page 350
- Pedestals, overhead storage or components should not be installed in the path of the height adjustable desks
- Frames are adjustable in 6" increments
- Base feet are 23⅜" deep
- TFL surfaces are 1⅛" thick and HPL surfaces are 1³⁄₁₆" thick

CONFIGURED DESKS
23" DEEP RECTANGULAR WORKSURFACE
T-LEG STANDARD HEIGHT ADJUSTABLE BASE



65N2371DASTL	HPL	$ 2244	23	71⅜	26-42½		–	124.94 lbs.	5.44
65N2371DASTLL	TFL	2045	23	71⅜	26-42½		–	124.94 lbs.	5.44
65N2365DASTL	HPL	$ 2222	23	65⅜	26-42½		–	114.71 lbs.	5.23
65N2365DASTLL	TFL	2032	23	65⅜	26-42½		–	114.71 lbs.	5.23
65N2359DASTL	HPL	$ 2119	23	59⅜	26-42½		–	114.27 lbs.	5.02
65N2359DASTLL	TFL	1958	23	59⅜	26-42½		–	114.27 lbs.	5.02
65N2353DASTL	HPL	$ 2067	23	53⅜	26-42½		–	105.01 lbs.	4.80
65N2353DASTLL	TFL	1918	23	53⅜	26-42½		–	105.01 lbs.	4.80
65N2347DASTL	HPL	$ 2010	23	47⅜	26-42½		–	103.89 lbs.	4.60
65N2347DASTLL	TFL	1874	23	47⅜	26-42½		–	103.89 lbs.	4.60

- Maximum surface weight with caster option is 130 pounds
- Caster options listed on page 350
- Standard height adjustable 24¾"-41⅛"
- Black plastic glides are standard; 2" diameter and adjustable range ½"
- Memory control and programmable switches available; see page 350
- Pedestals, overhead storage or components should not be installed in the path of the height adjustable desks
- Frames are adjustable in 6" increments
- Base feet are 23⅜" deep
- TFL surfaces are 1⅛" thick and HPL surfaces are 1³⁄₁₆" thick

PRODUCT SPECIFICATIONS

- Base includes control box, 9' power cord, and standard up/down control switch
- Desk ships ready to assemble with appropriate hardware
- Refer to page 328 for grommet locations and options
- 3mm rim on all sides of worksurface
- U.L. 1286/962 listed
- Grain direction runs with the width of the surface

TO ORDER, SPECIFY:

1. Model Number
2. Rim Color
3. Grommet/Cutout Option
4. Laminate Color
5. Paint

SAMPLE MODEL NUMBER:

65N2971DAETL 405 G1C 405 501

- See pages 327-329 for all options available in Naviyd

CONFIGURED DESKS
29" DEEP RECTANGULAR WORKSURFACE
T-LEG EXTENDED HEIGHT ADJUSTABLE BASE



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
65N2971DAETL	HPL	$ 2679	29	71⅜	22½-48½		–	144.58 lbs.	6.02
65N2971DAETLL	TFL	2454	29	71⅜	22½-48½		–	144.58 lbs.	6.02
65N2965DAETL	HPL	$ 2654	29	65⅜	22½-48½		–	131.91 lbs.	5.75
65N2965DAETLL	TFL	2431	29	65⅜	22½-48½		–	131.91 lbs.	5.75
65N2959DAETL	HPL	$ 2503	29	59⅜	22½-48½		–	131.30 lbs.	5.49
65N2959DAETLL	TFL	2339	29	59⅜	22½-48½		–	131.30 lbs.	5.49
65N2953DAETL	HPL	$ 2476	29	53⅜	22½-48½		–	121.11 lbs.	5.27
65N2953DAETLL	TFL	2298	29	53⅜	22½-48½		–	121.11 lbs.	5.27
65N2947DAETL	HPL	$ 2410	29	47⅜	22½-48½		–	118.37 lbs.	4.97
65N2947DAETLL	TFL	2252	29	47⅜	22½-48½		–	118.37 lbs.	4.97

- Maximum surface weight with caster option is 130 pounds
- Caster options listed on page 350
- Extended height adjustable 21⅜"-47¼"
- Black plastic glides are standard; 2" diameter and adjustable range ½"
- Memory control and programmable switches available; see page 350
- Pedestals, overhead storage or components should not be installed in the path of the height adjustable desks
- Frames are adjustable in 6" increments
- Base feet are 23⅜" deep
- TFL surfaces are 1⅛" thick and HPL surfaces are 1³⁄₁₆" thick

CONFIGURED DESKS
23" DEEP RECTANGULAR WORKSURFACE
T-LEG EXTENDED HEIGHT ADJUSTABLE BASE



65N2371DAETL	HPL	$ 2547	23	71⅜	22½-48½		–	128.94 lbs.	5.44
65N2371DAETLL	TFL	2349	23	71⅜	22½-48½		–	128.94 lbs.	5.44
65N2365DAETL	HPL	$ 2525	23	65⅜	22½-48½		–	118.71 lbs.	5.23
65N2365DAETLL	TFL	2335	23	65⅜	22½-48½		–	118.71 lbs.	5.23
65N2359DAETL	HPL	$ 2422	23	59⅜	22½-48½		–	118.27 lbs.	5.02
65N2359DAETLL	TFL	2262	23	59⅜	22½-48½		–	118.27 lbs.	5.02
65N2353DAETL	HPL	$ 2371	23	53⅜	22½-48½		–	109.01 lbs.	4.80
65N2353DAETLL	TFL	2222	23	53⅜	22½-48½		–	109.01 lbs.	4.80
65N2347DAETL	HPL	$ 2313	23	47⅜	22½-48½		–	107.89 lbs.	4.60
65N2347DAETLL	TFL	2178	23	47⅜	22½-48½		–	107.89 lbs.	4.60

- Maximum surface weight with caster option is 130 pounds
- Caster options listed on page 350
- Extended height adjustable 21⅜"-47¼"
- Black plastic glides are standard; 2" diameter and adjustable range ½"
- Memory control and programmable switches available; see page 350
- Pedestals, overhead storage or components should not be installed in the path of the height adjustable desks
- Frames are adjustable in 6" increments
- Base feet are 23⅜" deep
- TFL surfaces are 1⅛" thick and HPL surfaces are 1³⁄₁₆" thick

NAVIYD

PRODUCT SPECIFICATIONS

- Base includes control box, 9' power cord, and standard up/down control switch
- Desk ships ready to assemble with appropriate hardware
- Refer to page 328 for grommet locations and options
- 3mm rim on all sides of worksurface
- U.L. 1286/962 listed
- Grain direction runs with the width of the surface

TO ORDER, SPECIFY:

1. Model Number
2. Rim Color
3. Grommet/Cutout Option
4. Laminate Color
5. Paint

SAMPLE MODEL NUMBER:

65N2971DASCL 405 G1C 405 501

- See pages 327-329 for all options available in Naviyd

CONFIGURED DESKS
29" DEEP RECTANGULAR WORKSURFACE
C-LEG STANDARD HEIGHT ADJUSTABLE BASE



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
65N2971DASCL	HPL	$ 2522	29	71⅜	26-42½		–	140.58 lbs.	6.02
65N2971DASCLL	TFL	2297	29	71⅜	26-42½		–	140.58 lbs.	6.02
65N2965DASCL	HPL	$ 2498	29	65⅜	26-42½		–	127.91 lbs.	5.75
65N2965DASCLL	TFL	2274	29	65⅜	26-42½		–	127.91 lbs.	5.75
65N2959DASCL	HPL	$ 2347	29	59⅜	26-42½		–	127.30 lbs.	5.49
65N2959DASCLL	TFL	2183	29	59⅜	26-42½		–	127.30 lbs.	5.49
65N2953DASCL	HPL	$ 2319	29	53⅜	26-42½		–	117.11 lbs.	5.27
65N2953DASCLL	TFL	2142	29	53⅜	26-42½		–	117.11 lbs.	5.27
65N2947DASCL	HPL	$ 2253	29	47⅜	26-42½		–	114.37 lbs.	4.97
65N2947DASCLL	TFL	2096	29	47⅜	26-42½		–	114.37 lbs.	4.97

- Not compatible with monitor arms, privacy screens or casters due to tip hazard
- Standard height adjustable 24¾"-41⅛"
- Black plastic glides are standard; 2" diameter and adjustable range ½"
- Memory control and programmable switches available; see page 350
- Pedestals, overhead storage or components should not be installed in the path of the height adjustable desks
- Frames are adjustable in 6" increments
- Base feet are 23⅝" deep
- TFL surfaces are 1⅛" thick and HPL surfaces are 1³⁄₁₆" thick

CONFIGURED DESKS
23" DEEP RECTANGULAR WORKSURFACE
C-LEG STANDARD HEIGHT ADJUSTABLE BASE



65N2371DASCL	HPL	$ 2391	23	71⅜	26-42½		–	124.94 lbs.	5.44
65N2371DASCLL	TFL	2192	23	71⅜	26-42½		–	124.94 lbs.	5.44
65N2365DASCL	HPL	$ 2369	23	65⅜	26-42½		–	114.71 lbs.	5.23
65N2365DASCLL	TFL	2179	23	65⅜	26-42½		–	114.71 lbs.	5.23
65N2359DASCL	HPL	$ 2266	23	59⅜	26-42½		–	114.27 lbs.	5.02
65N2359DASCLL	TFL	2105	23	59⅜	26-42½		–	114.27 lbs.	5.02
65N2353DASCL	HPL	$ 2214	23	53⅜	26-42½		–	105.01 lbs.	4.80
65N2353DASCLL	TFL	2065	23	53⅜	26-42½		–	105.01 lbs.	4.80
65N2347DASCL	HPL	$ 2157	23	47⅜	26-42½		–	103.89 lbs.	4.60
65N2347DASCLL	TFL	2021	23	47⅜	26-42½		–	103.89 lbs.	4.60

- Not compatible with monitor arms, privacy screens or casters due to tip hazard
- Standard height adjustable 24¾"-41⅛"
- Black plastic glides are standard; 2" diameter and adjustable range ½"
- Memory control and programmable switches available; see page 350
- Pedestals, overhead storage or components should not be installed in the path of the height adjustable desks
- Frames are adjustable in 6" increments
- Base feet are 23⅝" deep
- TFL surfaces are 1⅛" thick and HPL surfaces are 1³⁄₁₆" thick

PRODUCT SPECIFICATIONS

- Base includes control box, 9' power cord, and standard up/down control switch
- Desk ships ready to assemble with appropriate hardware
- Refer to page 328 for grommet locations and options
- 3mm rim on all sides of worksurface
- U.L. 1286/962 listed
- Grain direction runs with the width of the surface

TO ORDER, SPECIFY:

1. Model Number
2. Rim Color
3. Grommet/Cutout Option
4. Laminate Color
5. Paint

SAMPLE MODEL NUMBER:

65N2971DAECL 405 G1C 405 501

- See pages 327-329 for all options available in Naviyd

CONFIGURED DESKS
29" DEEP RECTANGULAR WORKSURFACE
C-LEG EXTENDED HEIGHT ADJUSTABLE BASE



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
65N2971DAECL	HPL	$ 2857	29	71⅜	22½-48½		—	144.58 lbs.	6.02
65N2971DAECLL	TFL	2632	29	71⅜	22½-48½		—	144.58 lbs.	6.02
65N2965DAECL	HPL	$ 2833	29	65⅜	22½-48½		—	131.91 lbs.	5.75
65N2965DAECLL	TFL	2609	29	65⅜	22½-48½		—	131.91 lbs.	5.75
65N2959DAECL	HPL	$ 2682	29	59⅜	22½-48½		—	131.30 lbs.	5.49
65N2959DAECLL	TFL	2518	29	59⅜	22½-48½		—	131.30 lbs.	5.49
65N2953DAECL	HPL	$ 2654	29	53⅜	22½-48½		—	121.11 lbs.	5.27
65N2953DAECLL	TFL	2477	29	53⅜	22½-48½		—	121.11 lbs.	5.27
65N2947DAECL	HPL	$ 2588	29	47⅜	22½-48½		—	118.37 lbs.	4.97
65N2947DAECLL	TFL	2431	29	47⅜	22½-48½		—	118.37 lbs.	4.97

- Not compatible with monitor arms, privacy screens or casters due to tip hazard
- Extended height adjustable 21⅜"-47¼"
- Black plastic glides are standard; 2" diameter and adjustable range ½"
- Memory control and programmable switches available; see page 350
- Pedestals, overhead storage or components should not be installed in the path of the height adjustable desks
- Frames are adjustable in 6" increments
- Base feet are 23⅜" deep
- TFL surfaces are 1⅛" thick and HPL surfaces are 1³⁄₁₆" thick

CONFIGURED DESKS
23" DEEP RECTANGULAR WORKSURFACE
C-LEG EXTENDED HEIGHT ADJUSTABLE BASE



65N2371DAECL	HPL	$ 2726	23	71⅜	22½-48½		—	128.94 lbs.	5.44
65N2371DAECLL	TFL	2527	23	71⅜	22½-48½		—	128.94 lbs.	5.44
65N2365DAECL	HPL	$ 2704	23	65⅜	22½-48½		—	118.71 lbs.	5.23
65N2365DAECLL	TFL	2514	23	65⅜	22½-48½		—	118.71 lbs.	5.23
65N2359DAECL	HPL	$ 2601	23	59⅜	22½-48½		—	118.27 lbs.	5.02
65N2359DAECLL	TFL	2440	23	59⅜	22½-48½		—	118.27 lbs.	5.02
65N2353DAECL	HPL	$ 2549	23	53⅜	22½-48½		—	109.01 lbs.	4.80
65N2353DAECLL	TFL	2400	23	53⅜	22½-48½		—	109.01 lbs.	4.80
65N2347DAECL	HPL	$ 2492	23	47⅜	22½-48½		—	107.89 lbs.	4.60
65N2347DAECLL	TFL	2356	23	47⅜	22½-48½		—	107.89 lbs.	4.60

- Not compatible with monitor arms, privacy screens or casters due to tip hazard
- Extended height adjustable 21⅜"-47¼"
- Black plastic glides are standard; 2" diameter and adjustable range ½"
- Memory control and programmable switches available; see page 350
- Pedestals, overhead storage or components should not be installed in the path of the height adjustable desks
- Frames are adjustable in 6" increments
- Base feet are 23⅜" deep
- TFL surfaces are 1⅛" thick and HPL surfaces are 1³⁄₁₆" thick

NAVIYD

PRODUCT SPECIFICATIONS

- Base includes control box, 9' power cord, and standard up/down control switch
- Desk ships ready to assemble with appropriate hardware
- Refer to page 328 for grommet locations and options
- 3mm rim on all sides of worksurface
- U.L. 1286/962 listed
- Grain direction runs with the width of the surface

TO ORDER, SPECIFY:

1. Model Number
2. Rim Color
3. Grommet/Cutout Option
4. Laminate Color
5. Paint

SAMPLE MODEL NUMBER:

65N2342DASHL 405 G1C 405 501

- See pages 327-329 for all options available in Naviyd

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
CONFIGURED DESKS 23" DEEP RECTANGULAR WORKSURFACE SINGLE-COLUMN H STANDARD HEIGHT ADJUSTABLE BASE	65N2342DASHL	HPL	$ 1756	23	42	26-42¼		—	87.55 lbs.	6.18
	65N2342DASHLL	TFL	1634	23	42	26-42¼		—	87.55 lbs.	6.18
	65N2336DASHL	HPL	$ 1696	23	36	26-42¼		—	82.22 lbs.	5.97
	65N2336DASHLL	TFL	1592	23	36	26-42¼		—	82.22 lbs.	5.97



- Standard height adjustable 24¾"-41⅛"
- Black plastic glides are standard; 2" diameter and adjustable range ½"
- Memory control and programmable switches available; see page 350
- Pedestals, overhead storage or components should not be installed in the path of the height adjustable desks
- Fixed frame width
- Can be paired with 23" D x 36" W or 23" D x 42" W rectangular main worksurfaces only

PRODUCT SPECIFICATIONS

- Base includes control box, 9' power cord, and standard up/down control switch
- Desk ships ready to assemble with appropriate hardware
- Refer to page 328 for grommet locations and options
- 3mm rim on all sides of worksurface
- U.L. 1286/962 listed
- Grain direction runs with the width of the main surface and the depth of return surface
- 23" wide non-handed return worksurfaces; can be set up as right or left return

TO ORDER, SPECIFY:

1. Model Number
2. Rim Color
3. Grommet/Cutout Option
4. Laminate Color
5. Paint

SAMPLE MODEL NUMBER:

65N297171DALSTL 405 G1C 405 501

- See pages 327-329 for all options available in Naviyd

CONFIGURED DESKS
MAIN & RETURN WORKSURFACE
T-LEG | L-CONFIGURATION
STANDARD HEIGHT
ADJUSTABLE BASE



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
29" DEEP MAIN SURFACE 72" WIDE			**OVERALL D**	**RETURN W**		**MAIN W**	**H**		
65N297171DALSTL	HPL	$ 3887	71⅜	42⅜		71⅜	26-42¼	231.12 lbs.	9.15
65N297171DALSTLL	TFL	3527	71⅜	42⅜		71⅜	26-42¼	231.12 lbs.	9.15
65N296571DALSTL	HPL	$ 3863	65⅜	36⅜		71⅜	26-42¼	225.79 lbs.	8.94
65N296571DALSTLL	TFL	3504	65⅜	36⅜		71⅜	26-42¼	225.79 lbs.	8.94
60" WIDE									
65N297159DALSTL	HPL	$ 3775	71⅜	42⅜		59⅜	26-42¼	217.84 lbs.	8.63
65N297159DALSTLL	TFL	3446	71⅜	42⅜		59⅜	26-42¼	217.84 lbs.	8.63
65N296559DALSTL	HPL	$ 3751	65⅜	36⅜		59⅜	26-42¼	212.51 lbs.	8.42
65N296559DALSTLL	TFL	3423	65⅜	36⅜		59⅜	26-42¼	212.51 lbs.	8.42

- Standard height adjustable 24¾"-41⅛"
- Black plastic glides are standard; 2" diameter and adjustable range ½"
- Memory control and programmable switches available; see page 350
- Pedestals, overhead storage or components should not be installed in the path of the height adjustable desks
- Frames are adjustable in 6" increments
- Base feet are 23⅜" deep
- TFL surfaces are 1⅛" thick and HPL surfaces are 1³⁄₁₆" thick

NAVIYD

PRODUCT SPECIFICATIONS

- Base includes control box, 9' power cord, and standard up/down control switch
- Desk ships ready to assemble with appropriate hardware
- Refer to page 328 for grommet locations and options
- 3mm rim on all sides of worksurface
- U.L. 1286/962 listed
- Grain direction runs with the width of the main surface and the depth of return surface
- 23" wide non-handed return worksurfaces; can be set up as right or left return

TO ORDER, SPECIFY:

1. Model Number
2. Rim Color
3. Grommet/Cutout Option
4. Laminate Color
5. Paint

SAMPLE MODEL NUMBER:

65N237171DALSTL 405 G1C 405 501

• See pages 327-329 for all options available in Naviyd

CONFIGURED DESKS
MAIN & RETURN WORKSURFACE
T-LEG | L-CONFIGURATION
STANDARD HEIGHT
ADJUSTABLE BASE
(CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
23" DEEP MAIN SURFACE 72" WIDE			**OVERALL D**	**RETURN W**		**MAIN W**	**H**		
65N237171DALSTL	HPL	$ 3756	71⅜	48⅜		71⅜	26-42¼	221.51 lbs.	8.78
65N237171DALSTLL	TFL	3422	71⅜	48⅜		71⅜	26-42¼	221.51 lbs.	8.78
65N236571DALSTL	HPL	$ 3734	65⅜	42⅜		71⅜	26-42¼	215.48 lbs.	8.58
65N236571DALSTLL	TFL	3408	65⅜	42⅜		71⅜	26-42¼	215.48 lbs.	8.58
65N235971DALSTL	HPL	$ 3631	59⅜	36⅜		71⅜	26-42¼	210.15 lbs.	8.37
65N235971DALSTLL	TFL	3335	59⅜	36⅜		71⅜	26-42¼	210.15 lbs.	8.37
60" WIDE									
65N237159DALSTL	HPL	$ 3644	71⅜	48⅜		59⅜	26-42¼	210.84 lbs.	8.36
65N237159DALSTLL	TFL	3341	71⅜	48⅜		59⅜	26-42¼	210.84 lbs.	8.36
65N236559DALSTL	HPL	$ 3621	65⅜	42⅜		59⅜	26-42¼	204.81 lbs.	8.15
65N236559DALSTLL	TFL	3327	65⅜	42⅜		59⅜	26-42¼	204.81 lbs.	8.15
65N235959DALSTL	HPL	$ 3519	59⅜	36⅜		59⅜	26-42¼	199.48 lbs.	7.94
65N235959DALSTLL	TFL	3254	59⅜	36⅜		59⅜	26-42¼	199.48 lbs.	7.94

- Standard height adjustable 24¾"-41⅛"
- Black plastic glides are standard; 2" diameter and adjustable range ½"
- Memory control and programmable switches available; see page 350
- Pedestals, overhead storage or components should not be installed in the path of the height adjustable desks
- Frames are adjustable in 6" increments
- Base feet are 23⅜" deep
- TFL surfaces are 1⅛" thick and HPL surfaces are 1³⁄₁₆" thick

PRODUCT SPECIFICATIONS

- Base includes control box, 9' power cord, and standard up/down control switch
- Desk ships ready to assemble with appropriate hardware
- Refer to page 328 for grommet locations and options
- 3mm rim on all sides of worksurface
- U.L. 1286/962 listed
- Grain direction runs with the width of the main surface and the depth of return surface
- 23" wide non-handed return worksurfaces; can be set up as right or left return

TO ORDER, SPECIFY:

1. Model Number
2. Rim Color
3. Grommet/Cutout Option
4. Laminate Color
5. Paint

SAMPLE MODEL NUMBER:

65N297171DALETL 405 G1C 405 501

- See pages 327-329 for all options available in Naviyd

CONFIGURED DESKS
MAIN & RETURN WORKSURFACE
T-LEG | L-CONFIGURATION
EXTENDED HEIGHT
ADJUSTABLE BASE



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
29" DEEP MAIN SURFACE 72" WIDE			**OVERALL D**	**RETURN W**		**MAIN W**	**H**		
65N297171DALETL	HPL	$ 3936	71⅜	42⅜		71⅜	22½-48½	231.12 lbs.	9.15
65N297171DALETLL	TFL	3576	71⅜	42⅜		71⅜	22½-48½	231.12 lbs.	9.15
65N296571DALETL	HPL	$ 3912	65⅜	36⅜		71⅜	22½-48½	225.79 lbs.	8.94
65N296571DALETLL	TFL	3553	65⅜	36⅜		71⅜	22½-48½	225.79 lbs.	8.94
60" WIDE									
65N297159DALETL	HPL	$ 3824	71⅜	42⅜		59⅜	22½-48½	217.84 lbs.	8.63
65N297159DALETLL	TFL	3495	71⅜	42⅜		59⅜	22½-48½	217.84 lbs.	8.63
65N296559DALETL	HPL	$ 3800	65⅜	36⅜		59⅜	22½-48½	212.51 lbs.	8.42
65N296559DALETLL	TFL	3472	65⅜	36⅜		59⅜	22½-48½	212.51 lbs.	8.42

- Extended height adjustable 21⅜"-47¼"
- Black plastic glides are standard; 2" diameter and adjustable range ½"
- Memory control and programmable switches available; see page 350
- Pedestals, overhead storage or components should not be installed in the path of the height adjustable desks
- Frames are adjustable in 6" increments
- Base feet are 23⅜" deep
- TFL surfaces are 1⅛" thick and HPL surfaces are 1³⁄₁₆" thick

NAVIYD

PRODUCT SPECIFICATIONS

- Base includes control box, 9' power cord, and standard up/down control switch
- Desk ships ready to assemble with appropriate hardware
- Refer to page 328 for grommet locations and options
- 3mm rim on all sides of worksurface
- U.L. 1286/962 listed
- Grain direction runs with the width of the main surface and the depth of return surface
- 23" wide non-handed return worksurfaces; can be set up as right or left return

TO ORDER, SPECIFY:

1. Model Number
2. Rim Color
3. Grommet/Cutout Option
4. Laminate Color
5. Paint

SAMPLE MODEL NUMBER:

65N237171DALETL 405 G1C 405 501

- See pages 327-329 for all options available in Naviyd

CONFIGURED DESKS
MAIN & RETURN WORKSURFACE
T-LEG | L-CONFIGURATION
EXTENDED HEIGHT
ADJUSTABLE BASE
(CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
23" DEEP MAIN SURFACE 72" WIDE			**OVERALL D**	**RETURN W**		**MAIN W**	**H**		
65N237171DALETL	HPL	$ 3805	71⅜	48⅜		71⅜	22½-48½	221.51 lbs.	8.78
65N237171DALETLL	TFL	3471	71⅜	48⅜		71⅜	22½-48½	221.51 lbs.	8.78
65N236571DALETL	HPL	$ 3783	65⅜	42⅜		71⅜	22½-48½	215.48 lbs.	8.58
65N236571DALETLL	TFL	3458	65⅜	42⅜		71⅜	22½-48½	215.48 lbs.	8.58
65N235971DALETL	HPL	$ 3680	59⅜	36⅜		71⅜	22½-48½	210.15 lbs.	8.37
65N235971DALETLL	TFL	3384	59⅜	36⅜		71⅜	22½-48½	210.15 lbs.	8.37
60" WIDE									
65N237159DALETL	HPL	$ 3693	71⅜	48⅜		59⅜	22½-48½	210.84 lbs.	8.36
65N237159DALETLL	TFL	3390	71⅜	48⅜		59⅜	22½-48½	210.84 lbs.	8.36
65N236559DALETL	HPL	$ 3671	65⅜	42⅜		59⅜	22½-48½	204.81 lbs.	8.15
65N236559DALETLL	TFL	3377	65⅜	42⅜		59⅜	22½-48½	204.81 lbs.	8.15
65N235959DALETL	HPL	$ 3568	59⅜	36⅜		59⅜	22½-48½	199.48 lbs.	7.94
65N235959DALETLL	TFL	3303	59⅜	36⅜		59⅜	22½-48½	199.48 lbs.	7.94

- Extended height adjustable 21⅜"-47¼"
- Black plastic glides are standard; 2" diameter and adjustable range ½"
- Memory control and programmable switches available; see page 350
- Pedestals, overhead storage or components should not be installed in the path of the height adjustable desks
- Frames are adjustable in 6" increments
- Base feet are 23⅜" deep
- TFL surfaces are 1⅛" thick and HPL surfaces are 1³⁄₁₆" thick

PRODUCT SPECIFICATIONS

- Base includes control box, 9' power cord, and standard up/down control switch
- Desk ships ready to assemble with appropriate hardware
- Refer to page 328 for grommet locations and options
- 3mm rim on all sides of worksurface
- U.L. 1286/962 listed
- Grain direction runs with the width of the surface

TO ORDER, SPECIFY:

1. Model Number
2. Rim Color
3. Grommet/Cutout Option
4. Laminate Color
5. Paint

SAMPLE MODEL NUMBER:

65N4771DACERETL2 405 G1C 405 501

- See pages 327-329 for all options available in Naviyd

CONFIGURED DESKS
EXTENDED CORNER
STRAIGHT WORKSURFACE
T-LEG ADJUSTABLE BASE



Left shown



Right shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
EXTENDED HEIGHT										
LEFT	**RIGHT**									
65N4771DACELETL2	65N4771DACERETL2	HPL	$ 3903	46⅝	70⅝	22½-48½		—	213.01 lbs.	9.97
65N4771DACELETLL2	65N4771DACERETLL2	TFL	3592	46⅝	70⅝	22½-48½		—	213.01 lbs.	9.97
STANDARD HEIGHT										
LEFT	**RIGHT**									
65N4771DACELSTL2	65N4771DACERSTL2	HPL	$ 3749	46⅝	70⅝	26-42¼		—	213.01 lbs.	9.97
65N4771DACELSTLL2	65N4771DACERSTLL2	TFL	3438	46⅝	70⅝	26-42¼		—	213.01 lbs.	9.97

- Extended height adjustable 21⅜"-47¼"
- Standard height adjustable 24¾"-41⅛"
- Black plastic glides are standard; 2" diameter and adjustable range ½"
- Memory control and programmable switches available; see page 350
- Pedestals, overhead storage or components should not be installed in the path of the height adjustable desks
- Frames are adjustable in 6" increments
- Base feet are 23⅜" deep
- TFL surfaces are 1⅛" thick and HPL surfaces are 1³⁄₁₆" thick

NAVIYD

PRODUCT SPECIFICATIONS

- Base includes control box, 9' power cord, and standard up/down control switch
- Desk ships ready to assemble with appropriate hardware
- Refer to page 328 for grommet locations and options
- 3mm rim on all sides of worksurface
- U.L. 1286/962 listed
- Grain direction runs with the width of the surface

TO ORDER, SPECIFY:

1. Model Number
2. Rim Color
3. Grommet/Cutout Option
4. Laminate Color
5. Paint

SAMPLE MODEL NUMBER:

65N4771DACVRETL2 405 G1C 405 501

- See pages 327-329 for all options available in Naviyd

CONFIGURED DESKS
EXTENDED COVE WORKSURFACE
T-LEG ADJUSTABLE BASE



Left shown



Right shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
EXTENDED HEIGHT										
LEFT	**RIGHT**									
65N4771DACVLETL2	65N4771DACVRETL2	HPL	$ 3903	46⅝	70⅜	22½-48½		—	213.01 lbs.	9.97
65N4771DACVLETLL2	65N4771DACVRETLL2	TFL	3592	46⅝	70⅜	22½-48½		—	213.01 lbs.	9.97
STANDARD HEIGHT										
LEFT	**RIGHT**									
65N4771DACVLSTL2	65N4771DACVRSTL2	HPL	$ 3749	46⅝	70⅜	26-42¼		—	213.01 lbs.	9.97
65N4771DACVLSTLL2	65N4771DACVRSTLL2	TFL	3438	46⅝	70⅜	26-42¼		—	213.01 lbs.	9.97

- Extended height adjustable 21⅜"-47¼"
- Standard height adjustable 24¾"-41⅛"
- Black plastic glides are standard; 2" diameter and adjustable range ½"
- Memory control and programmable switches available; see page 350
- Pedestals, overhead storage or components should not be installed in the path of the height adjustable desks
- Frames are adjustable in 6" increments
- Base feet are 23⅜" deep
- TFL surfaces are 1⅛" thick and HPL surfaces are 1³⁄₁₆" thick

PRODUCT SPECIFICATIONS

- Base includes control box, 9' power cord, and standard up/down control switch
- Desk ships ready to assemble with appropriate hardware
- Refer to page 328 for grommet locations and options
- 3mm rim on all sides of worksurface
- U.L. 1286/962 listed
- Grain direction runs diagonally

TO ORDER, SPECIFY:

1. Model Number
2. Rim Color
3. Grommet/Cutout Option
4. Laminate Color
5. Paint

SAMPLE MODEL NUMBER:

65N4747DACYCETL2 405 G1C 405 501

- See pages 327-329 for all options available in Naviyd

CONFIGURED DESKS
120° CURVED CORNER WORKSURFACE
T-LEG ADJUSTABLE BASE



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
23" DEEP MAIN WORKSURFACE EXTENDED HEIGHT									
65N4747DACYCETL2	HPL	$ 3240	42⅜	82	26-42¼		—	214.01 lbs.	8.13
65N4747DACYCETLL2	TFL	3099	42⅜	82	26-42¼		—	214.01 lbs.	8.13
STANDARD HEIGHT									
65N4747DACYCSTL2	HPL	$ 2937	42⅜	82	22½-48½		—	210.01 lbs.	8.13
65N4747DACYCSTLL2	TFL	2795	42⅜	82	22½-48½		—	210.01 lbs.	8.13

- Extended height adjustable 21⅜"-47¼"
- Standard height adjustable 24¾"-41⅛"
- Black plastic glides are standard; 2" diameter and adjustable range ½"
- Memory control and programmable switches available; see page 350
- Pedestals, overhead storage or components should not be installed in the path of the height adjustable desks
- Frames are adjustable in 6" increments
- Base feet are 23⅜" deep
- TFL surfaces are 1⅛" thick and HPL surfaces are 1³⁄₁₆" thick

NAVIYD

PRODUCT SPECIFICATIONS

- Refer to planning pages 325-326 for additional information
- Ships with all hardware; field installed

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NAC04MCONB

- See pages 327-329 for all options available in Naviyd

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
MEMORY CONTROL SWITCH 	NAC04MCONB		$ 210	2⅛	4½	1	—	—	0.1 lbs.	0.10
	• Includes display screen • Operates the same as standard up/down switch • Memory control switch allows the user to set a specific high/low position									
BLACK PLASTIC CASTERS	65NCSTB	Set of 4	$ 89	1½	2	2⅛	—	—	1.5 lbs.	0.46
	• Brake lever extends from caster, adding ¾" to depth • Caster adds 1½" to over-all height of table • For use with 23" deep rectangular worksurfaces and T-leg bases only • When casters are used, maximum weight for desk is 130 pounds									
4 POSITION PROGRAMMABLE MEMORY CONTROL FOR ADJUSTABLE HEIGHT UNITS	NAC05PCONB	Black	$ 246	2½	5½	1	—	—	3 lbs.	0.1
	• Will allow 4 position programmable option and digital readout. • To be specified when needing a 4 position memory control on any WaveWorks, Tessera, or Naviyd Height Adjustable Desk models, as these models have a 2 position memory control switch as standard									

PRODUCT SPECIFICATIONS

- See planning pages 325-326 for additional information
- 48" wide includes two mounting brackets; 54"-72" wide includes three mounting brackets
- Pairable with rectangular main, extended straight, and cove worksurfaces
- Attachment hardware included

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color (omit for Resin)

SAMPLE MODEL NUMBER:

65N7110MPLL 405

- See pages 327-329 for all options available in Naviyd

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
RESIN MODESTY PANELS	65N7110MPA	$ 792	¼	71⅜	10	—	—	19.81 lbs.	1.8
	65N6510MPA	746	¼	65⅜	10	—	—	18.30 lbs.	1.7
	65N5910MPA	698	¼	59⅜	10	—	—	17.53 lbs.	1.5
	65N5310MPA	654	¼	53⅜	10	—	—	14.90 lbs.	1.4
	65N4710MPA	609	¼	47⅜	10	—	—	14.34 lbs.	1.3

- Provides user privacy and conceals electrical components on freestanding applications
- Modesty panels can expand the full width or more narrow; see page 325 for more specification details
- Resin color is 1677 Frosted

TFL MODESTY PANELS	65N7110MPLL	$ 462	¾	71⅜	10	—	—	19.81 lbs.	1.8
	65N6510MPLL	439	¾	65⅜	10	—	—	18.30 lbs.	1.7
	65N5910MPLL	415	¾	59⅜	10	—	—	17.53 lbs.	1.5
	65N5310MPLL	404	¾	53⅜	10	—	—	14.90 lbs.	1.4
	65N4710MPLL	389	¾	47⅜	10	—	—	14.34 lbs.	1.3

- Provides user privacy and conceals electrical components on freestanding applications
- Modesty panels can expand the full width or more narrow; see page 325 for more specification details
- Grain direction runs with the width of the modesty

NAVIYD

PRODUCT SPECIFICATIONS

- Tackable fabric screen with frame
- Ships with attachment hardware
- Pairable with the standard height adjustable desk only
- See page 325 for additional specification information

TO ORDER, SPECIFY:

1. Model Number
2. Frame Paint Color
3. Fabric Grade
4. Fabric Color

SAMPLE MODEL NUMBER:

65N7129PVSCPF 501 A 8608

- See pages 327-329 for all options available in Naviyd

29" HIGH FABRIC PRIVACY SCREEN WITH FRAME



MODEL NO./DESCRIPTION	GRADE A	GRADE B/ COM	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
65N7129PVSCPF	$ 1531	$ 1575		1 3/16	71 3/8	29	—	—	50.0 lbs.	10.6
65N6529PVSCPF	1462	1506		1 3/16	65 3/8	29	—	—	46.5 lbs.	9.8
65N5929PVSCPF	1395	1439		1 3/16	59 3/8	29	—	—	43.0 lbs.	8.9
65N5329PVSCPF	1321	1365		1 3/16	53 3/8	29	—	—	39.5 lbs.	8.1
65N4729PVSCPF	1251	1295		1 3/16	47 3/8	29	—	—	36.0 lbs.	7.3
65N4129PVSCPF	1220	1264		1 3/16	41 3/8	29	—	—	35.0 lbs.	2.5
65N3529PVSCPF	1189	1233		1 3/16	35 3/8	29	—	—	31.0 lbs.	2.2

- 29" H privacy screens are 21" above and 6½" below the worksurface
- Privacy screens are not applicable on extended height or C-leg bases due to tipping hazards and interferance with understructures
- Attaches to the underside of the worksurface to provide space division and privacy above and below worksurface
- See page 325 for additional details
- Attachment brackets are painted to match the color of the frame

20" HIGH FABRIC PRIVACY SCREEN WITH FRAME



MODEL NO./DESCRIPTION	GRADE A	GRADE B/ COM	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
65N7120PVSCPF	$ 1319	$ 1363		1 3/16	71 3/8	20	—	—	39.0 lbs.	7.8
65N6520PVSCPF	1256	1300		1 3/16	65 3/8	20	—	—	37.0 lbs.	7.2
65N5920PVSCPF	1189	1233		1 3/16	59 3/8	20	—	—	34.0 lbs.	6.6
65N5320PVSCPF	1121	1165		1 3/16	53 3/8	20	—	—	31.0 lbs.	6.0
65N4720PVSCPF	1054	1098		1 3/16	47 3/8	20	—	—	28.0 lbs.	5.4
65N4120PVSCPF	1024	1068		1 3/16	41 3/8	20	—	—	27.0 lbs.	1.8
65N3520PVSCPF	993	1037		1 3/16	35 3/8	20	—	—	24.0 lbs.	1.6

- 20" H privacy screens are 12" above and 6½" below the worksurface
- Privacy screens are not applicable on extended height or C-leg bases due to tipping hazards and interferance with understructures
- Attaches to the underside of the worksurface to provide space division and privacy above and below worksurface
- See page 325 for additional details
- Attachment brackets are painted to match the color of the frame

WAVEWORKS

Product Specifications 354
Configuration Options 356
Grommet Location Options 362
Guidelines/General Information 363
Drawer Specifications 363
Assembled 364
EZ Arrangements 364
Assembled Units 372

WAVEWORKS

PRODUCT SPECIFICATIONS

WORKSURFACE

- Worksurfaces are sized on 6" increments for easy planning
- Laminate surfaces are 1³⁄₁₆" or 1⁹⁄₁₆" HPL (high pressure laminate) or 1⅛" TFL (thermally fused laminate), and feature a 3mm PVC rim or 6 veneer rim options
- Veneer surfaces are 1³⁄₁₆" or 1⁹⁄₁₆" plain sliced slipmatched cherry (Amber, Autumn, Mocha, Truffle) or maple veneer (Brighton, Caramel, Honey, Natural), plain sliced bookmatched walnut veneer (Clear Walnut, Cordovan, Judicial), quarter cut walnut veneer (Almond, Portobello, Sable), or quarter cut oak veneer (Sonoma). All veneer surfaces feature a 3mm wood rim or knife rim profile
- When specifying Clear Walnut, a clear coat finish, the natural wood characteristics of walnut veneer are visible. These characteristics include, but are not limited to, color and woodgrain variation.
- Refer to page 356 for rim profiles and colors
- Grain direction runs left-to-right unless otherwise noted
- Size modifications available at no upcharge; many WaveWorks component worksurfaces can be cut down in 1⁄16" increments. See component sections for specific models

FINISH APPLICATION

- All Veneer surfaces feature a semi-open pore matte finish

CHASSIS CONSTRUCTION

- All joints are securely fastened by screws, L-brackets, dowels, and concealed fasteners to ensure maximum strength
- Adjustable leveling glides are standard on all casegoods
- End panels and support panels are 1⅛" thick, modesty panels are ¾" thick
- Laminate modesty panels have vertical grain direction unless otherwise noted
- Wood modesty panels have vertical grain direction unless otherwise noted
- Laminate with horizontal grain (example: Sable Horizontal 792H) will always have horizontal grain direction
- Back panels are fully finished unless otherwise noted

SHELVES

- Shelves on open bookcases will be veneer, when ordering a veneer bookcase
- Doors on bookcases and above worksurface units come standard with touch latch
- Shelves are ¾" thick

PEDESTALS

- Full, lower height or mobile options available

DRAWERS

- Drawers feature 5-sided construction allowing for easy removal/replacement of drawer fronts
- Sides, back and front are ½" thick woodgrain vinyl wrapped
- Drawer fronts are 3-ply construction with matched woodgrain
- For interior drawer dimensions, reference page 363

DRAWER PULLS

- Available in 17 pull styles, refer to page 360 for pull styles and colors

DRAWER SUSPENSION

- Box and file drawers are equipped with black, full extension, progressive action slides
- Precision steel ball bearings combined with sequence slide movement ensures long lasting operation
- All suspensions have a lifetime warranty

FILING

- Drawers are equipped with black metal filing hardware that accommodates various filing requirements
- No-tool, easy installation allows for quick interchangeable filing capabilities
- Refer to page 363 for complete filing details

CORD MANAGEMENT

- Round grommets, racetrack grommets and wire managers are optional on worksurfaces
- Round grommets optional on component end panels
- Half-moon grommet optional on component modesty panels
- Extended radius grommet optional on end panels of component pedestals
- Wire manager worksurfaces have a flexible PVC trough that allows cords and cables to be routed along the back edge and sides of worksurfaces
- Refer to page 361 for available grommet/wire manager colors
- Refer to page 362 for complete grommet locations and details
- Undersurface wire managers are available for additional cable management requirements; see pages 697 and 765 for options

LOCKING

- Black and silver lock cores are available
- Key Random means lock cores/keys are randomly (1-5) picked and factory installed in unit
- Key Specific means you can pick any number (1-200) for black or silver lock core/key. Must specify the lock core model separately; not factory installed and will ship separately
- Specify a change key to remove and change lock cores
- To order key specific lock cores, change keys, and master keys, reference page 750

TABLE BASES

- Bases are formed metal with a powder coat finish
- Mobile bases have locking casters, glides are standard on fixed height legs
- Refer to pages 663-696 for recommended base applications

CONFERENCE TABLES, TRAINING TABLES AND PERIPHERAL ITEMS

- For matching conference tables, training tables and peripheral items, see the Tables Price List

EZ ARRANGEMENT MODEL NUMBERS

- Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done

HEIGHT ADJUSTABLE DESKS

- Wood, laminate/wood and laminate options
- Wood models are all wood; Laminate/Wood models are laminate tops with wood rim and wood chassis; laminate models are all laminate
- When in raised position, leg will be exposed
- Rim options are all Waveworks options
- Control pad can be moved to right-handed (RH) or left-handed (LH) by the customer
- Height adjustable customer range: 27⅜"-43¾"
- Duty cycle: 2 minutes ON/18 minutes OFF
- Maximum load should not exceed 100 lbs. on the surface
- Power cord: Type A plug, max 10 A, 125 V; 78¾" length
- Modesty panels are inset 1⁹⁄₁₆" from edge of desk and 3⅜" from floor
- Modesty panel options full flush, full breakfront
- Overall dimensions of desk are undersized to allow for pinch points
- No pull or locking options

DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

BUFFET CREDENZAS

- Models with trashcan will have 2 drawers and 2 sets of double doors. Trashcan will be housed behind one set of the double doors
- The side where trashcan is located determines the handed side (trashcan on left is a left model)
- One 7 gallon trashcan per model is included
- Models with space to house a refrigerator will have 2 sets of double doors (no drawers). Refrigerator will be housed behind one of the double door sets with ventilation
- The side where refrigerator is located determines the handed side (refrigerator on left is a left model)
- Refrigerator is not included
- Overall opening for refrigerator in a 36" high model is 22½" wide x 28¹⁵⁄₁₆" tall x 25¼"deep. Max refrigerator size is 21½" wide x 27¹⁵⁄₁₆" tall x 21¼" deep
- Overall opening for refrigerator in a 41" high model is 22½" wide x 28¹⁵⁄₁₆" tall x 25¼" deep. Max refrigerator size is 21½" wide x 32¹⁵⁄₁₆" tall x 21¼" deep
- Only locking cabinet is the side with an adjustable shelf
- Buffet credenza with refrigerator access will not be covered under standard warranty if unit is placed where vent will be blocked. Nor will the unit be covered under standard warranty for excess moisture because the unit has been designed to prevent this possibility

PULLOUT STORAGE

- Pull-out storage units are finished on all sides and top. A top is recommended for a finished aesthetic
- Available for left and right-hand applications
- Includes one full-depth shelf on top, one fixed and 2 adjustable shelves and one coat hook
- Simplex power unit is standard
- 2 depths of 24" and 30" with 2 height options of 41" and 53"

COMPONENTS

- Component models will ship bulk packed when applicable

- **ELECTRONIC LOCKS**

- Locks ship separately and require field installation
- Available in black or silver
- No pull option on electronic locker models
- Lock is always installed vertically
- Electronic locks feature motorized locking engagement with manual knob
- Battery Life—3 Months usage on Surface Mount
- Micro-B USB port (Android cable) for emergency power jump and battery

charging

- Charging available with wired USB charger or mobile USB power pack
- Keypad locks out for 15 minutes after 5 invalid attempts
- 3 USER MODES
  - Resident employee mode—the passcode will not expire and can be re-used
  - Multi-user mode—in resident employee mode, additional users can be added with each user separately identified for higher security applications (e.g. drug, evidence lockers)
  - Shared use mode—suitable for day lockers/hotel safe
- 2 METHODS OF USE
  - Keypad operation
  - Wesko eLock App (must be downloaded to a smartphone)
- Admin passcodes can be managed by keypad commands (via program mode) or with the Wesko App in Admin mode
- MUST contact Customer Service for administrative passcodes

CONFIGURATION OPTIONS - WAVEWORKS

RIM PROFILE OPTIONS

Softened Wood (F)

Reed Wood (R)



Cove Wood (P)*



Zip Wood (Z)

Concave Wood (C)*

Step Wood (T)*



Softened PVC (V)

Reed PVC (N)

*Not recommended with EW Clear Walnut and SM Sonoma

PVC REED RIM

AC2	Autumn 2
CL	Caramel
CW	Cordovan
DW	Judicial
HN2	Honey 2
MC	Amber
MH	Mocha
NM	Natural
TF	Truffle

PVC SOFTENED RIM

AC2	Autumn 2
AD	Almond
BZ	Brazilwood
CI	Chai
CL	Caramel
CW	Cordovan
DW	Judicial
HN2	Honey 2
IM	Brighton
KN	Kona
MC	Amber
MH	Mocha
NM	Natural
PB	Portobello
PC	Porcini
PT	Portico
SK	Skyline
SM	Sonoma
TF	Truffle
WL	Willow
405	Designer White
419	Wallaby
425	Shadow
440	Cloud
457	Dapple
461	Graphite
462	Cinder
478	Platinum Grey
488	Frosty White
491	Designer White Linear
492	Cinder Linear
792	Sable
793	Acorn

WOOD RIM

AC	Autumn
AD	Almond
CL	Caramel
CW	Cordovan
DW	Judicial
EW	Clear Walnut
HN	Honey
IM	Brighton
MC	Amber
MH	Mocha
NM	Natural
PB	Portobello
SM	Sonoma
TF	Truffle
792	Sable

GALLERY LAMINATE

Grade 1 – 5% upcharge

G1001	Citadel
G1011	Pepperdust

Grade 2 – 6% upcharge

G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

See page 14 for Gallery program details and upcharges

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

WORKSURFACE WIRE MANAGER COLORS

403 Chamois
405 Designer White
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
485 Dark Chocolate

WIRE MANAGER FILLER CAP COLORS

403 Chamois
405 Designer White
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
485 Dark Chocolate

NOTE: 478 not available. Recommended to use 440 Cloud for 478 Platinum Grey on filler caps.

WORKSURFACE FINISH/ LAMINATE	WIRE MANAGER AND FILLER CAP COLOR RECOMMENDATIONS
WOODGRAINS	
AC2 Autumn 2	403 Chamois 419 Wallaby 485 Dark Chocolate
AD Almond	485 Dark Chocolate
BZ Brazilwood	403 Chamois 419 Wallaby
CI Chai	403 Chamois 419 Wallaby
CL Caramel	403 Chamois 419 Wallaby
CW Cordovan	485 Dark Chocolate
DW Judicial	485 Dark Chocolate
EW Clear Walnut	419 Wallaby 425 Shadow 485 Dark Chocolate
HN2 Honey 2	403 Chamois 419 Wallaby
IM Brighton	403 Chamois 405 Designer White 419 Wallaby
KN Kona	425 Shadow
MC Amber	403 Chamois 419 Wallaby 485 Dark Chocolate
MH Mocha	485 Dark Chocolate
NM Natural	403 Chamois 419 Wallaby
PB Portobello	425 Shadow 461 Graphite
PC Porcini	419 Wallaby 425 Shadow
PT Portico	461 Graphite 478 Platinum Grey
SK Skyline	485 Dark Chocolate
SM Sonoma	403 Chamois 419 Wallaby
TF Truffle	403 Chamois 425 Shadow 485 Dark Chocolate
WL Willow	419 Wallaby 425 Shadow
792 Sable	425 Shadow 485 Dark Chocolate
793 Acorn	419 Wallaby 425 Shadow 485 Dark Chocolate

WORKSURFACE FINISH/ LAMINATE	WIRE MANAGER AND FILLER CAP COLOR RECOMMENDATIONS
SOLID LAMINATES	
405 Designer White	405 Designer White
419 Wallaby	419 Wallaby
425 Shadow	425 Shadow
440 Cloud	440 Cloud
457 Dapple	461 Graphite
461 Graphite	461 Graphite
462 Cinder	462 Cinder
478 Platinum Grey	478 Platinum Grey
488 Frosty White	405 Designer White
491 Designer White Linear	405 Designer White
492 Cinder Linear	462 Cinder

WORKSURFACE FINISH/ LAMINATE	WIRE MANAGER AND FILLER CAP COLOR RECOMMENDATIONS
PATTERN LAMINATES	
814 White Tigris	440 Cloud 478 Platinum Grey
818 Crisp Linen	440 Cloud
819 Flax Gauze	403 Chamois 419 Wallaby
821 Elemental Concrete	440 Cloud 478 Platinum Grey
822 Smoke Quarstone	461 Graphite

WORKSURFACE LAMINATE	WIRE MANAGER AND FILLER CAP COLOR RECOMMENDATIONS
GALLERY LAMINATE	
G1001 Citadel	425 Shadow 461 Graphite 478 Platinum Grey
G1002 Planked Raw Oak	405 Designer White 419 Wallaby 440 Cloud
G1003 Evening Notte	425 Shadow 485 Dark Chocolate
G1004 Kirsche	403 Chamois 419 Wallaby 425 Shadow
G1005 Midnight Run	461 Graphite 462 Cinder
G1006 Sepia Walnut	485 Dark Chocolate
G1007 Serotina	425 Shadow
G1008 Timeless	485 Dark Chocolate 425 Shadow
G1009 White Nebbia	405 Designer White 440 Cloud
G1011 Pepperdust	425 Shadow 478 Platinum Grey
G1012 Phantom Ecru	419 Wallaby 440 Cloud 425 Shadow

CONFIGURATION OPTIONS - WAVEWORKS

WOOD FINISHES

AC	Autumn
AD	Almond
CL	Caramel
CW	Cordovan
DW	Judicial
EW	Clear Walnut**
HN	Honey
IM	Brighton
MC	Amber
MH	Mocha
NM	Natural
PB	Portobello
SM	Sonoma
TF	Truffle
792	Sable

WORKSURFACE/MODESTY TYPE

M Main
E Extension
F Filler

M = 0 Connecting Worksurface Flat Brackets
E = 2 Connecting Worksurface Flat Brackets
F = 4 Connecting Worksurface Flat Brackets

LAMINATE WORKSURFACES

WOODGRAIN LAMINATE

AC2	Autumn 2
AD	Almond
BZ	Brazilwood
CI	Chai
CL	Caramel
CW	Cordovan
DW	Judicial
HN2	Honey 2
IM	Brighton
KN	Kona
MC	Amber
MH	Mocha
NM	Natural
PB	Portobello
PC	Porcini
PT	Portico*
SK	Skyline*
SM	Sonoma*
TF	Truffle
WL	Willow
792	Sable
793	Acorn**

SOLID LAMINATE

405	Designer White
419	Wallaby
425	Shadow
440	Cloud
457	Dapple
461	Graphite
462	Cinder
478	Platinum Grey
488	Frosty White
491	Designer White Linear
492	Cinder Linear

PATTERN LAMINATE

814	White Tigris
818	Crisp Linen
819	Flax Gauze
821	Elemental Concrete
822	Smoke Quarstone

- Pattern laminates not available on TFL models
- CSL available; see page 14 for program details and upcharge
- CSL not available on TFL

GALLERY LAMINATE

Grade 1 – 5% upcharge

G1001	Citadel
G1011	Pepperdust

Grade 2 – 6% upcharge

G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

LAMINATE DRAWER/DOOR FRONTS & CHASSIS

WOODGRAIN LAMINATE

AC2	Autumn 2
AD	Almond
ADH	Almond Horizontal
BZ	Brazilwood
CI	Chai
CL	Caramel
CW	Cordovan
DW	Judicial
HN2	Honey 2
IM	Brighton
KN	Kona
MC	Amber
MH	Mocha
NM	Natural
PB	Portobello
PBH	Portobello Horizontal
PC	Porcini
PT	Portico*
PTH	Portico Horizontal*
SK	Skyline*
SKH	Skyline Horizontal*
SM	Sonoma
SMH	Sonoma Horizontal
TF	Truffle
WL	Willow
792	Sable
792H	Sable Horizontal
793	Acorn**

SOLID LAMINATE

405	Designer White
419	Wallaby
425	Shadow
440	Cloud
457	Dapple
461	Graphite
462	Cinder
478	Platinum Grey
488	Frosty White
491	Designer White Linear
491H	Designer White Linear Horizontal
492	Cinder Linear
492H	Cinder Linear Horizontal

GLASS DOOR ALUMINUM FRAME COLORS

462	Cinder
501	Platinum Metallic
503	Satin Nickel Metallic

*Not available on laminate/wood models
**Acorn is the laminate complement to Clear Walnut finish

GALLERY LAMINATE

Grade 1 – 5% upcharge

G1001	Citadel
G1011	Pepperdust

Grade 2 – 6% upcharge

G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

See page 14 for Gallery program details and upcharges

RESIN COLORS

Grade 1
1677 Frosted

SOLID SURFACE TOP OPTIONS

COLORS

7101 Bisque (Grade A)
7201 Glacier White (Grade A)
7202 Canyon (Grade B)
7203 Designer White (Grade B)
7204 Silt (Grade B)
7301 Concrete (Grade C)
7302 Deep Night Sky (Grade C)
7303 Deep Nocturne (Grade C)

LOCKING

KEY RANDOM

KRB Black
KRS Silver

KEY SPECIFIC

KS1B Black, 1 lock per unit
KS1S Silver, 1 lock per unit
KS2B Black, 2 locks per unit
KS2S Silver, 2 locks per unit
KS3B Black, 3 locks per unit
KS3S Silver, 3 locks per unit
KS4B Black, 4 locks per unit
KS4S Silver, 4 locks per unit

Unit list price will be reduced by $28 per lock when selecting Key Specific option. Must order specific lock cores separately ($28 list each).
See page 750 for Key Specific model numbers.

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

WAVEWORKS - CONFIGURATION OPTIONS

PULL OPTIONS



Nantucket (6)

6MB Cinder
6CC Concrete
6IR Iron
6PL Platinum Metallic
6SN Satin Nickel Metallic
(Boring Pattern 128mm)

Malibu (7)

7MB Cinder
7CC Concrete
7IR Iron
7PL Platinum Metallic
7SN Satin Nickel Metallic
(Boring Pattern 128mm)



Laguna (76)

76MB Cinder
76CC Concrete
76IR Iron
76PL Platinum Metallic
76SN Satin Nickel Metallic
(Boring Pattern 128mm)

Summit (70)

70MB Cinder
70CC Concrete
70IR Iron
70PL Platinum Metallic
70SN Satin Nickel Metallic
(Boring Pattern 128mm)



Spiral (71)

71MB Cinder
71CC Concrete
71IR Iron
71PL Platinum Metallic
71SN Satin Nickel Metallic
(Boring Pattern 128mm)



Balance (72)

72MB Cinder
72CC Concrete
72IR Iron
72PL Platinum Metallic
72SN Satin Nickel Metallic
(Boring Pattern 128mm)

Sweep (73)

73MB Cinder
73CC Concrete
73IR Iron
73PL Platinum Metallic
73SN Satin Nickel Metallic
(Boring Pattern 128mm)

Groove (74)

74MB Cinder
74CC Concrete
74IR Iron
74PL Platinum Metallic
74SN Satin Nickel Metallic
(Boring Pattern 128mm)

Beam (87)

87MB Cinder
87CC Concrete
87IR Iron
87PL Platinum Metallic
87SN Satin Nickel Metallic
(Boring Pattern 128mm)

Level (88)

88MB Cinder
88CC Concrete
88IR Iron
88PL Platinum Metallic
88SN Satin Nickel Metallic
(Boring Pattern 128mm)



Waterfall (89)

89MB Cinder
89CC Concrete
89IR Iron
89PL Platinum Metallic
89SN Satin Nickel Metallic
(Boring Pattern 96mm)



Horizon (91)

91MB Cinder
91CC Concrete
91IR Iron
91PL Platinum Metallic
91SN Satin Nickel Metallic
(Boring Pattern 96mm)

- Horizon pull is always flush to the top left of the door or drawer front

Bar (3)

3MB Cinder
3CC Concrete
3IR Iron
3PL Platinum Metallic
(Boring Pattern 32mm)

Curved (83)

83MB Black
83CC Concrete
83IR Iron
83PL Platinum Metallic
(Boring Pattern 128mm)



Elongated (84)

84MB Black
84CC Concrete
84IR Iron
84PL Platinum Metallic
(Boring Pattern 128mm)

Keen (77)

77SN Satin Nickel
(Boring Pattern 96mm)

Leather Pull (93)

93EB Ebony
93CH Chestnut
93CA Camel
(Boring Pattern 128mm)
$56 list upcharge per model

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

GROMMET OPTIONS

If no grommet is desired, specify an X (No Grommet)

Round Grommet, Nylon Plastic



$40 listfor each grommet

G1L	Left
G1R	Right
G1LR	Left & Right
G1C	Center
G1LC	Left & Center
G1RC	Right & Center
G1A	Left, Right & Center

Racetrack Grommet, Satin Nickel Metallic



$45 list for each grommet

G11SNL	Left
G11SNR	Right
G11SNLR	Left & Right
G11SNC	Center
G11SNLC	Left & Center
G11SNRC	Right & Center
G11SNA	Left, Right & Center

Racetrack Grommet, Cinder



$45 list for each grommet

G11MBL	Left
G11MBR	Right
G11MBLR	Left & Right
G11MBC	Center
G11MBLC	Left & Center
G11MBRC	Right & Center
G11MBA	Left, Right & Center

Racetrack Grommet, Platinum Metallic



$45 list for each grommet

G11PLL	Left
G11PLR	Right
G11PLLR	Left & Right
G11PLC	Center
G11PLLC	Left & Center
G11PLRC	Right & Center
G11PLA	Left, Right & Center

Cutout Option for 1 Touch Pivoting Power Grommet

$40 listupcharge per cutout location



CUT-G17L	Left
CUT-G17R	Right
CUT-G17LR	Left & Right
CUT-G17C	Center
CUT-G17LC	Left & Center
CUT-G17RC	Right & Center
CUT-G17A	Left, Right & Center

• Reference page 362 for cutout locations of CUT-G17

NACG17AELPGB, NACG17AELPGS, and NACG17AELPGW (Sold Separately)

• Reference page 757 for pricing and details



NACG17BELPGB, NACG17BELPGS, and NACG17BELPGW (Sold Separately)

• Reference page 757 for pricing and details



NACG17CELPGB, NACG17CELPGS, and NACG17CELPGW (Sold Separately)

• Reference page 757 for pricing and details

NOTE: Interlink IQ units are available in the Accessories section

PEDESTAL GROMMET

If no grommet is desired, specify an X

G22 Extended Radius ($40 list)

MODESTY GROMMET

If no grommet is desired, specify an X

G21 Half Moon ($40 list)

WORKSURFACE WIRE MANAGER

If no wire manager is desired, specify an X (No Wire Manager)

Specify locations and color option
Comes attached to worksurface
$50 list for each location

Locations:

D1B	Back	$50 list
D1L	Left	$50 list
D1R	Right	$50 list
D1LR	Left & Right	$100 list
D1BL	Back & Left	$100 list
D1BR	Back & Right	$100 list

Sample Option Selections:

D1B425 Wire Manager on Back in Shadow, $50 list
D1BL403 Wire Manager on Back and Left in Chamois, $100 list

END PANEL GROMMET

If no grommet is desired, specify an X

G1EL Round, Black, Left ($40 list)
G1ER Round, Black, Right ($40 list)

ADJUSTABLE HEIGHT LEG PAINT

462 Cinder
501 Platinum Metallic



Colors:

403 Chamois
405 Designer White
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
485 Dark Chocolate

PULLOUT STORAGE ELECTRICAL GROMMET

G37PB	Power Grommet	$108
G37UB	USB Grommet	$228

PULLOUT STORAGE SPACER SPACER CUTOUT

CT1	Cutout, 1 Side	$40
CT2	Cutout, 2 Sides	$40

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

GROMMET LOCATION OPTIONS

Grommets are available for factory installation in worksurfaces in predetermined locations as shown below. Simply specify the desired grommet style and location in the model number sequence. Refer to page 361 for options.

Round grommets are also available for field installation; see page 755.

- **If specifying a grommet in the center location of a component worksurface, be sure there is clearance under the grommet opening so as not to conflict with undersurface components**

Worksurface grommet locations:

Excluding the J-Desk and the corner unit, distance to the center of the grommet is the same for the G1 round grommet, G11 racetrack grommet or the CUT-G17 option.

Excluding the J-Desk and the corner unit, the same locations are available for the round or racetrack grommet and the cutout option.



30" and 36" deep Worksurfaces



36" deep Arc Worksurfaces



18" and 24" deep Worksurfaces



U-Shaped Desk



U-Shaped / P-Shaped Worksurface



Corner Worksurface



Corner Units



Extended Corner Worksurface (Right shown)



Extended P/U Shaped Worksurface (Right shown)



End Panel

Pedestal



Round Grommet Plastic



Racetrack Grommet Zinc



Modesty Panel

DRAWER SPECIFICATIONS

DESCRIPTION	INTERIOR DIMENSIONS				FILING CAPABILITIES
	DRAWER	INSIDE WIDTH	INSIDE DEPTH	INSIDE HEIGHT	
Desk—Recessed Modesty Panel 36 x 72	Box File	14 15/16" 14 15/16"	17" 17"	2½" 9⅜"	Letter, legal, and EDP side-to-side filing Legal filing front-to-back
Desk—Recessed Modesty Panel 30 x 66, 30 x 60	Box File	11 15/16" 11 15/16"	17" 17"	2½" 9⅜"	Letter filing front-to-back or side-to-side Legal and EDP filing side-to-side
Single Pedestal Desk 36 x 72	Box File	14 15/16" 14 15/16"	17" 17"	2½" 9⅜"	Letter, legal, and EDP side-to-side filing Legal filing front-to-back
Single Pedestal Desk 30 x 66	Box File	11 15/16" 11 15/16"	17" 17"	2½" 9⅜"	Letter filing front-to-back or side-to-side Legal and EDP filing side-to-side
Executive Return 24 x 60, 24 x 48, 24 x 42	Box File	11 15/16" 11 15/16"	17" 17"	2½" 9⅜"	Letter filing front-to-back or side-to-side Legal and EDP filing side-to-side
Credenzas 24 x 72	Box File	14 15/16" 14 15/16"	17" 17"	2½" 9⅜"	Letter, legal, and EDP side-to-side filing Legal filing front-to-back
Credenzas 24 x 66, 24 x 60	Box File	11 15/16" 11 15/16"	17" 17"	2½" 9⅜"	Letter filing front-to-back or side-to-side Legal and EDP filing side-to-side
Credenzas 24 x 72	Lateral File	32 15/16"	17"	9⅜"	Letter, legal and EDP filing front-to-back or side-to-side
Single Pedestal Credenzas 24 x 72	Box File	14 15/16" 14 15/16"	17" 17"	2½" 9⅜"	Letter, legal, and EDP side-to-side filing Legal filing front-to-back
Single Pedestal Credenzas 24 x 66, 24 x 60	Box File	11 15/16" 11 15/16"	17" 17"	2½" 9⅜"	Letter filing front-to-back or side-to-side Legal and EDP filing side-to-side
Single Pedestal Credenzas 24 x 72	Lateral File	32 15/16"	17"	9⅜"	Letter, legal and EDP filing front-to-back or side-to-side
Lateral File (23" depth) 36" width	Lateral File	32 15/16"	17"	9⅜"	Letter, legal and EDP filing front-to-back or side-to-side
Lateral File (17" depth) 36" width	Lateral File	32 15/16"	12 1/32"	9⅜"	Letter, legal and EDP filing front-to-back Letter filing side-to-side
Lateral File (23" depth) 30" width	Lateral File	26 15/16"	17"	9⅜"	Letter, legal and EDP filing front-to-back or side-to-side
Lateral File (17" depth) 30" width	Lateral File	26 15/16"	12 1/32"	9⅜"	Letter, legal and EDP filing front-to-back Letter filing side-to-side
Vertical Storage Cabinet 18 x 68	Box File	14 15/16" 14 15/16"	17" 17"	2½" 9⅜"	Letter, legal, and EDP side-to-side filing Legal filing front-to-back
Component Pedestals 23 x 18, 29 x 18	Box File	14 15/16" 14 15/16"	17" 17"	2½" 9⅜"	Letter, legal, and EDP side-to-side filing Legal filing front-to-back
Component Pedestal 17 x 18	Box File	14 15/16" 14 15/16"	12 1/32" 12 1/32"	2½" 9⅜"	Letter filing side-to-side Legal filing front-to-back
Component Pedestals 23 x 15, 29 x 15	Box File	11 15/16" 11 15/16"	17" 17"	2½" 9⅜"	Letter filing front-to-back or side-to-side Legal and EDP filing side-to-side
Component Pedestals 17 x 15	Box File	11 15/16" 11 15/16"	12 1/32" 12 1/32"	2½" 9⅜"	Letter filing front-to-back or side-to-side
Mobile Pedestals 23 x 15	Box File	11 15/16" 11 15/16"	17" 17"	2½" 9⅜"	Letter filing front-to-back or side-to-side EDP and legal filing side-to-side

- All file drawers will accommodate A4 and British fools cap filing
- Exterior dimension of legal width pedestal is 18". Letter width is 15"

WAVEWORKS ASSEMBLED L ARRANGEMENTS

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.

ARRANGEMENTS INCLUDE:

- Nantucket, Cinder pulls
- Softened Wood rim profile (wood models)
- Softened PVC, Cinder rim profile (laminate models)
- Random black lock cores
- Center grommet in return
- Must specify finish/laminate

L-CONFIGURATIONS	MODEL NO./DESCRIPTION		LIST PRICE
LEFT L-CONFIGURATION 1¾16" WOOD 	WW8572LLFW	84⅛D x 71¹⁵⁄₁₆W	$ 7225
	consists of		
	WW3672DRFW1	Right Pedestal Desk	4283
	WW2448RLEFW2	Left Pedestal Return	2942
	WW7972LLFW	78⅛D x 71¹⁵⁄₁₆W	$ 7113
	consists of		
	WW3672DRFW1	Right Pedestal Desk	4283
	WW2442RLEFW2	Left Pedestal Return	2830
	WW7966LLFW	78⅛D x 66W	$ 6958
	consists of		
	WW3066DRFW1	Right Pedestal Desk	4016
	WW2448RLEFW2	Left Pedestal Return	2942
	WW7366LLFW	72⅛D x 66W	$ 6846
	consists of		
	WW3066DRFW1	Right Pedestal Desk	4016
	WW2442RLEFW2	Left Pedestal Return	2830
RIGHT L-CONFIGURATION 1¾16" WOOD 	WW8572LRFW	84⅛D x 71¹⁵⁄₁₆W	$ 7225
	consists of		
	WW3672DLFW1	Left Pedestal Desk	4283
	WW2448RREFW2	Right Pedestal Return	2942
	WW7972LRFW	78⅛D x 71¹⁵⁄₁₆W	$ 7113
	consists of		
	WW3672DLFW1	Left Pedestal Desk	4283
	WW2442RREFW2	Right Pedestal Return	2830
	WW7966LRFW	78⅛D x 66W	$ 6958
	consists of		
	WW3066DLFW1	Left Pedestal Desk	4016
	WW2448RREFW2	Right Pedestal Return	2942
	WW7366LRFW	72⅛D x 66W	$ 6846
	consists of		
	WW3066DLFW1	Left Pedestal Desk	4016
	WW2442RREFW2	Right Pedestal Return	2830
LEFT L-CONFIGURATION 1¾16" HPL TOP 	WW8572LLFL	84⅛D x 71¹⁵⁄₁₆W	$ 4635
	consists of		
	WW3672DRFL1	Right Pedestal Desk	2824
	WW2448RLEFL2	Left Pedestal Return	1811
	WW7972LLFL	78⅛D x 71¹⁵⁄₁₆W	$ 4560
	consists of		
	WW3672DRFL1	Right Pedestal Desk	2824
	WW2442RLEFL2	Left Pedestal Return	1736
	WW7966LLFL	78⅛D x 66W	$ 4515
	consists of		
	WW3066DRFL1	Right Pedestal Desk	2704
	WW2448RLEFL2	Left Pedestal Return	1811
	WW7366LLFL	72⅛D x 66W	$ 4440
	consists of		
	WW3066DRFL1	Right Pedestal Desk	2704
	WW2442RLEFL2	Left Pedestal Return	1736
RIGHT L-CONFIGURATION 1¾16" HPL TOP 	WW8572LRFL	84⅛D x 71¹⁵⁄₁₆W	$ 4635
	consists of		
	WW3672DLFL1	Left Pedestal Desk	2824
	WW2448RREFL2	Right Pedestal Return	1811
	WW7972LRFL	78⅛D x 71¹⁵⁄₁₆W	$ 4560
	consists of		
	WW3672DLFL1	Left Pedestal Desk	2824
	WW2442RREFL2	Right Pedestal Return	1736
	WW7966LRFL	78⅛D x 66W	$ 4515
	consists of		
	WW3066DLFL1	Left Pedestal Desk	2704
	WW2448RREFL2	Right Pedestal Return	1811
	WW7366LRFL	72⅛D x 66W	$ 4440
	consists of		
	WW3066DLFL1	Left Pedestal Desk	2704
	WW2442RREFL2	Right Pedestal Return	1736

WAVEWORKS ASSEMBLED L ARRANGEMENTS

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.

ARRANGEMENTS INCLUDE:

- Nantucket, Cinder pulls
- Softened PVC, Cinder rim profile (laminate models)
- Random black lock cores
- Center grommet in return
- Must specify finish/laminate

L-CONFIGURATIONS	MODEL NO./DESCRIPTION		LIST PRICE
LEFT L-CONFIGURATION 1⅛" TFL TOP 	WW8572LLFLL	84⅛D x 71¹⁵⁄₁₆W	$ 3714
	consists of		
	WW3672DRFLL1	Right Pedestal Desk	2258
	WW2448RLEFLL2	Left Pedestal Return	1456
	WW7972LLFLL	78⅛D x 71¹⁵⁄₁₆W	$ 3658
	consists of		
	WW3672DRFLL1	Right Pedestal Desk	2258
	WW2442RLEFLL2	Left Pedestal Return	1400
	WW7966LLFLL	78⅛D x 66W	$ 3620
	consists of		
	WW3066DRFLL1	Right Pedestal Desk	2164
	WW2448RLEFLL2	Left Pedestal Return	1456
	WW7366LLFLL	72⅛D x 66W	$ 3564
	consists of		
	WW3066DRFLL1	Right Pedestal Desk	2164
	WW2442RLEFLL2	Left Pedestal Return	1400

L-CONFIGURATIONS	MODEL NO./DESCRIPTION		LIST PRICE
RIGHT L-CONFIGURATION 1⅛" TFL TOP 	WW8572LRFLL	84⅛D x 71¹⁵⁄₁₆W	$ 3714
	consists of		
	WW3672DLFLL1	Left Pedestal Desk	2258
	WW2448RREFLL2	Right Pedestal Return	1456
	WW7972LRFLL	78⅛D x 71¹⁵⁄₁₆W	$ 3658
	consists of		
	WW3672DLFLL1	Left Pedestal Desk	2258
	WW2442RREFLL2	Right Pedestal Return	1400
	WW7966LRFLL	78⅛D x 66W	$ 3620
	consists of		
	WW3066DLFLL1	Left Pedestal Desk	2164
	WW2448RREFLL2	Right Pedestal Return	1456
	WW7366LRFLL	72⅛D x 66W	$ 3564
	consists of		
	WW3066DLFLL1	Left Pedestal Desk	2164
	WW2442RREFLL2	Right Pedestal Return	1400

WAVEWORKS ASSEMBLED U ARRANGEMENTS

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.

ARRANGEMENTS INCLUDE:

- Nantucket, Cinder pulls
- Softened Wood rim profile (wood models)
- Softened PVC, Cinder rim profile (laminate models)
- Random black lock cores
- Center grommet in bridge
- Left and right grommets in credenza
- Must specify finish/laminate

U-CONFIGURATIONS	MODEL NO./DESCRIPTION		LIST PRICE
LEFT U-CONFIGURATION 1¾6" WOOD 	WW10972ULFW	108⅛D x 71¹⁵⁄₁₆W	$ 9086
	consists of		
	WW3672DRFW1	Right Pedestal Desk	4283
	WW2448BEFW	Bridge	1260
	WW2472CLFW2	Left Pedestal Credenza	3543
	WW10372ULFW	102⅛D x 71¹⁵⁄₁₆W	$ 9014
	consists of		
	WW3672DRFW1	Right Pedestal Desk	4283
	WW2442BEFW	Bridge	1188
	WW2472CLFW2	Left Pedestal Credenza	3543
	WW10366ULFW	102⅛D x 66W	$ 8763
	consists of		
	WW3066DRFW1	Right Pedestal Desk	4016
	WW2448BEFW	Bridge	1260
	WW2466CLFW2	Left Pedestal Credenza	3487
	WW9766ULFW	96⅛D x 66W	$ 8691
	consists of		
	WW3066DRFW1	Right Pedestal Desk	4016
	WW2442BEFW	Bridge	1188
	WW2466CLFW2	Left Pedestal Credenza	3487
RIGHT U-CONFIGURATION 1¾6" WOOD 	WW10972URFW	108⅛D x 71¹⁵⁄₁₆W	$ 9086
	consists of		
	WW3672DLFW1	Left Pedestal Desk	4283
	WW2448BEFW	Bridge	1260
	WW2472CRFW2	Right Pedestal Credenza	3543
	WW10372URFW	102⅛D x 71¹⁵⁄₁₆W	$ 9014
	consists of		
	WW3672DLFW1	Left Pedestal Desk	4283
	WW2442BEFW	Bridge	1188
	WW2472CRFW2	Right Pedestal Credenza	3543
	WW10366URFW	102⅛D x 66W	$ 8763
	consists of		
	WW3066DLFW1	Left Pedestal Desk	4016
	WW2448BEFW	Bridge	1260
	WW2466CRFW2	Right Pedestal Credenza	3487
	WW9766URFW	96⅛D x 66W	$ 8691
	consists of		
	WW3066DLFW1	Left Pedestal Desk	4016
	WW2442BEFW	Bridge	1188
	WW2466CRFW2	Right Pedestal Credenza	3487
LEFT U-CONFIGURATION 1¾6" HPL TOP 	WW10972ULFL	108⅛D x 71¹⁵⁄₁₆W	$ 6159
	consists of		
	WW3672DRFL1	Right Pedestal Desk	2824
	WW2448BEFL	Bridge	781
	WW2472CLFL2	Left Pedestal Credenza	2554
	WW10372ULFL	102⅛D x 71¹⁵⁄₁₆W	$ 6087
	consists of		
	WW3672DRFL1	Right Pedestal Desk	2824
	WW2442BEFL	Bridge	709
	WW2472CLFL2	Left Pedestal Credenza	2554
	WW10366ULFL	102⅛D x 66W	$ 5932
	consists of		
	WW3066DRFL1	Right Pedestal Desk	2704
	WW2448BEFL	Bridge	781
	WW2466CLFL2	Left Pedestal Credenza	2447
	WW9766ULFL	96⅛D x 66W	$ 5860
	consists of		
	WW3066DRFL1	Right Pedestal Desk	2704
	WW2442BEFL	Bridge	709
	WW2466CLFL2	Left Pedestal Credenza	2447
RIGHT U-CONFIGURATION 1¾6" HPL TOP 	WW10972URFL	108⅛D x 71¹⁵⁄₁₆W	$ 6159
	consists of		
	WW3672DLFL1	Left Pedestal Desk	2824
	WW2448BEFL	Bridge	781
	WW2472CRFL2	Right Pedestal Credenza	2554
	WW10372URFL	102⅛D x 71¹⁵⁄₁₆W	$ 6087
	consists of		
	WW3672DLFL1	Left Pedestal Desk	2824
	WW2442BEFL	Bridge	709
	WW2472CRFL2	Right Pedestal Credenza	2554
	WW10366URFL	102⅛D x 66W	$ 5932
	consists of		
	WW3066DLFL1	Left Pedestal Desk	2704
	WW2448BEFL	Bridge	781
	WW2466CRFL2	Right Pedestal Credenza	2447
	WW9766URFL	96⅛D x 66W	$ 5860
	consists of		
	WW3066DLFL1	Left Pedestal Desk	2704
	WW2442BEFL	Bridge	709
	WW2466CRFL2	Right Pedestal Credenza	2447

WAVEWORKS ASSEMBLED U ARRANGEMENTS

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.

ARRANGEMENTS INCLUDE:

- Nantucket, Cinder pulls
- Softened PVC, Cinder rim profile (laminate models)
- Random black lock cores
- Center grommet in bridge
- Left and right grommets in credenza
- Must specify finish/laminate

U-CONFIGURATIONS	MODEL NO./DESCRIPTION		LIST PRICE
LEFT U-CONFIGURATION 1⅛" TFL TOP 	WW10972ULFLL	108⅛D x 71¹⁵⁄₁₆W	$ 4951
	consists of		
	WW3672DRFLL1	Right Pedestal Desk	2258
	WW2448BEFLL	Bridge	633
	WW2472CLFLL2	Left Pedestal Credenza	2060
	WW10372ULFLL	102⅛D x 71¹⁵⁄₁₆W	$ 4895
	consists of		
	WW3672DRFLL1	Right Pedestal Desk	2258
	WW2442BEFLL	Bridge	577
	WW2472CLFLL2	Left Pedestal Credenza	2060
	WW10366ULFLL	102⅛D x 66W	$ 4769
	consists of		
	WW3066DRFLL1	Right Pedestal Desk	2164
	WW2448BEFLL	Bridge	633
	WW2466CLFLL2	Left Pedestal Credenza	1972
	WW9766ULFLL	96⅛D x 66W	$ 4713
	consists of		
	WW3066DRFLL1	Right Pedestal Desk	2164
	WW2442BEFLL	Bridge	577
	WW2466CLFLL2	Left Pedestal Credenza	1972

U-CONFIGURATIONS	MODEL NO./DESCRIPTION		LIST PRICE
RIGHT U-CONFIGURATION 1⅛" TFL TOP 	WW10972URFLL	108⅛D x 71¹⁵⁄₁₆W	$ 4951
	consists of		
	WW3672DLFLL1	Left Pedestal Desk	2258
	WW2448BEFLL	Bridge	633
	WW2472CRFLL2	Right Pedestal Credenza	2060
	WW10372URFLL	102⅛D x 71¹⁵⁄₁₆W	$ 4895
	consists of		
	WW3672DLFLL1	Left Pedestal Desk	2258
	WW2442BEFLL	Bridge	577
	WW2472CRFLL2	Right Pedestal Credenza	2060
	WW10366URFLL	102⅛D x 66W	$ 4769
	consists of		
	WW3066DLFLL1	Left Pedestal Desk	2164
	WW2448BEFLL	Bridge	633
	WW2466CRFLL2	Right Pedestal Credenza	1972
	WW9766URFLL	96⅛D x 66W	$ 4713
	consists of		
	WW3066DLFLL1	Left Pedestal Desk	2164
	WW2442BEFLL	Bridge	577
	WW2466CRFLL2	Right Pedestal Credenza	1972

WAVEWORKS METAL L ARRANGEMENTS

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.

ARRANGEMENTS INCLUDE:

- Integrated pulls
- Softened Wood rim profile (wood models)
- Softened PVC, Cinder rim profile (laminate models)
- Random black lock cores
- Center grommet in return
- Must specify finish/laminate and paint

L-CONFIGURATIONS	MODEL NO./DESCRIPTION		LIST PRICE
L-CONFIGURATION WOOD TOP/METAL CHASSIS (CAN BE CONFIGURED AS RIGHT OR LEFT HANDED) 	WW8572LFWM	84⅛D x 71¹⁵⁄₁₆W	$ 4779
	consists of		
	WW3672WSSDW	Worksurface	1423
	WW2448WSSVDW	Worksurface	973
	WW3015PUBBFM	B/B/F Pedestal	689
	WW2315PUFFM	F/F Pedestal	623
	WW7227MPM	Full Overlay Modesty	327
	WW3027EPM	End Panel	344
	WW0827SRM	Return Support Panel	118
	WW4827MPM	Full Overlay Modesty	282
	WW7972LFWM	78⅛D x 71¹⁵⁄₁₆W	$ 4718
	consists of		
	WW3672WSSDW	Worksurface	1423
	WW2442WSSVDW	Worksurface	932
	WW3015PUBBFM	B/B/F Pedestal	689
	WW2315PUFFM	F/F Pedestal	623
	WW7227MPM	Full Overlay Modesty	327
	WW3027EPM	End Panel	344
	WW0827SRM	Return Support Panel	118
	WW4227MPM	Full Overlay Modesty	262
L-CONFIGURATION HPL TOP/ METAL CHASSIS (CAN BE CONFIGURED AS RIGHT OR LEFT HANDED) 	WW8572LFLM	84⅛D x 71¹⁵⁄₁₆W	$ 3812
	consists of		
	WW3672WSSDL	Worksurface	967
	WW2448WSSVDL	Worksurface	462
	WW3015PUBBFM	B/B/F Pedestal	689
	WW2315PUFFM	F/F Pedestal	623
	WW7227MPM	Full Overlay Modesty	327
	WW3027EPM	End Panel	344
	WW0827SRM	Return Support Panel	118
	WW4827MPM	Full Overlay Modesty	282
	WW7972LFLM	78⅛D x 71¹⁵⁄₁₆W	$ 3750
	consists of		
	WW3672WSSDL	Worksurface	967
	WW2442WSSVDL	Worksurface	420
	WW3015PUBBFM	B/B/F Pedestal	689
	WW2315PUFFM	F/F Pedestal	623
	WW7227MPM	Full Overlay Modesty	327
	WW3027EPM	End Panel	344
	WW0827SRM	Return Support Panel	118
	WW4227MPM	Full Overlay Modesty	262

L-CONFIGURATIONS	MODEL NO./DESCRIPTION		LIST PRICE
L-CONFIGURATION WOOD TOP/METAL CHASSIS (CAN BE CONFIGURED AS RIGHT OR LEFT HANDED) 	WW7966LFWM	78⅛D x 66W	$ 4469
	consists of		
	WW3066WSSDW	Worksurface	1130
	WW2448WSSVDW	Worksurface	973
	WW3015PUBBFM	B/B/F Pedestal	689
	WW2315PUFFM	F/F Pedestal	623
	WW6627MPM	Full Overlay Modesty	310
	WW3027EPM	End Panel	344
	WW0827SRM	Return Support Panel	118
	WW4827MPM	Full Overlay Modesty	282
	WW7366LFWM	72⅛D x 66W	$ 4408
	consists of		
	WW3066WSSDW	Worksurface	1130
	WW2442WSSVDW	Worksurface	932
	WW3015PUBBFM	B/B/F Pedestal	689
	WW2315PUFFM	F/F Pedestal	623
	WW6627MPM	Full Overlay Modesty	310
	WW3027EPM	End Panel	344
	WW0827SRM	Return Support Panel	118
	WW4227MPM	Full Overlay Modesty	262
L-CONFIGURATION HPL TOP/ METAL CHASSIS (CAN BE CONFIGURED AS RIGHT OR LEFT HANDED) 	WW7966LFLM	78⅛D x 66W	$ 3486
	consists of		
	WW3066WSSDL	Worksurface	658
	WW2448WSSVDL	Worksurface	462
	WW3015PUBBFM	B/B/F Pedestal	689
	WW2315PUFFM	F/F Pedestal	623
	WW6627MPM	Full Overlay Modesty	310
	WW3027EPM	End Panel	344
	WW0827SRM	Return Support Panel	118
	WW4827MPM	Full Overlay Modesty	282
	WW7366LFLM	72⅛D x 66W	$ 3424
	consists of		
	WW3066WSSDL	Worksurface	658
	WW2442WSSVDL	Worksurface	420
	WW3015PUBBFM	B/B/F Pedestal	689
	WW2315PUFFM	F/F Pedestal	623
	WW6627MPM	Full Overlay Modesty	310
	WW3027EPM	End Panel	344
	WW0827SRM	Return Support Panel	118
	WW4227MPM	Full Overlay Modesty	262

WAVEWORKS METAL L ARRANGEMENTS

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.

ARRANGEMENTS INCLUDE:

- Integrated pulls
- Softened PVC, Cinder rim profile
- Random black lock cores
- Center grommet in return
- Must specify paint
- Must specify laminate

L-CONFIGURATIONS	MODEL NO./DESCRIPTION		LIST PRICE
L-CONFIGURATION TFL TOP/ METAL CHASSIS (CAN BE CONFIGURED AS RIGHT OR LEFT HANDED) 	WW8572LFLLM	84⅛D x 71¹⁵⁄₁₆W	$ 3536
	consists of		
	WW3672WSSDLL	Worksurface	774
	WW2448WSSVDLL	Worksurface	379
	WW3015PUBBFM	B/B/F Pedestal	689
	WW2315PUFFM	F/F Pedestal	623
	WW7227MPM	Full Overlay Modesty	327
	WW3027EPM	End Panel	344
	WW0827SRM	Return Support Panel	118
	WW4827MPM	Full Overlay Modesty	282
	WW7972LFLLM	78⅛D x 71¹⁵⁄₁₆W	$ 3480
	consists of		
	WW3672WSSDLL	Worksurface	774
	WW2442WSSVDLL	Worksurface	343
	WW3015PUBBFM	B/B/F Pedestal	689
	WW2315PUFFM	F/F Pedestal	623
	WW7227MPM	Full Overlay Modesty	327
	WW3027EPM	End Panel	344
	WW0827SRM	Return Support Panel	118
	WW4227MPM	Full Overlay Modesty	262

L-CONFIGURATIONS	MODEL NO./DESCRIPTION		LIST PRICE
L-CONFIGURATION TFL TOP/ METAL CHASSIS (CAN BE CONFIGURED AS RIGHT OR LEFT HANDED) 	WW7966LFLLM	78⅛D x 66W	$ 3271
	consists of		
	WW3066WSSDLL	Worksurface	526
	WW2448WSSVDLL	Worksurface	379
	WW3015PUBBFM	B/B/F Pedestal	689
	WW2315PUFFM	F/F Pedestal	623
	WW6627MPM	Full Overlay Modesty	310
	WW3027EPM	End Panel	344
	WW0827SRM	Return Support Panel	118
	WW4827MPM	Full Overlay Modesty	282
	WW7366LFLLM	72⅛D x 66W	$ 3215
	consists of		
	WW3066WSSDLL	Worksurface	526
	WW2442WSSVDLL	Worksurface	343
	WW3015PUBBFM	B/B/F Pedestal	689
	WW2315PUFFM	F/F Pedestal	623
	WW6627MPM	Full Overlay Modesty	310
	WW3027EPM	End Panel	344
	WW0827SRM	Return Support Panel	118
	WW4227MPM	Full Overlay Modesty	262

WAVEWORKS METAL U ARRANGEMENTS

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.

ARRANGEMENTS INCLUDE:

- Integrated pulls
- Softened Wood rim profile (wood models)
- Softened PVC, Cinder rim profile (laminate models)
- Random black lock cores
- Center grommet in bridge
- Left and right grommets in credenza
- Must specify finish/laminate and paint

U-CONFIGURATIONS	MODEL NO./DESCRIPTION		LIST PRICE
U-CONFIGURATION WOOD TOP/METAL CHASSIS (CAN BE CONFIGURED AS RIGHT OR LEFT HANDED) 	WW10972UFWM	108⅛D x 71¹⁵⁄₁₆W	$ 6654
	consists of		
	WW3672WSSDW	Worksurface	1423
	WW2448WSSVDW	Worksurface	973
	WW2472WSSDW	Worksurface	1126
	WW3015PUBBFM	B/B/F Pedestal	689
	WW2315PUFFM	F/F Pedestal	623
	WW7227MPM	Full Overlay Modesty	327
	WW7227MPM	Full Overlay Modesty	327
	WW3027EPM	End Panel	344
	WW0827SRM	Return Support Panel	118
	WW0827SRM	Return Support Panel	118
	WW2427EPM	End Panel	304
	WW4827MPM	Full Overlay Modesty	282
	WW10372UFWM	102⅛D x 71¹⁵⁄₁₆W	$ 6593
	consists of		
	WW3672WSSDW	Worksurface	1423
	WW2442WSSVDW	Worksurface	932
	WW2472WSSDW	Worksurface	1126
	WW3015PUBBFM	B/B/F Pedestal	689
	WW2315PUFFM	F/F Pedestal	623
	WW7227MPM	Full Overlay Modesty	327
	WW7227MPM	Full Overlay Modesty	327
	WW3027EPM	End Panel	344
	WW0827SRM	Return Support Panel	118
	WW0827SRM	Return Support Panel	118
	WW2427EPM	End Panel	304
	WW4227MPM	Full Overlay Modesty	262
U-CONFIGURATION WOOD TOP/METAL CHASSIS (CAN BE CONFIGURED AS RIGHT OR LEFT HANDED) 	WW10366UFWM	102⅛D x 66W	$ 6288
	consists of		
	WW3066WSSDW	Worksurface	1130
	WW2448WSSVDW	Worksurface	973
	WW2466WSSDW	Worksurface	1087
	WW3015PUBBFM	B/B/F Pedestal	689
	WW2315PUFFM	F/F Pedestal	623
	WW6627MPM	Full Overlay Modesty	310
	WW6627MPM	Full Overlay Modesty	310
	WW3027EPM	End Panel	344
	WW0827SRM	Return Support Panel	118
	WW0827SRM	Return Support Panel	118
	WW2427EPM	End Panel	304
	WW4827MPM	Full Overlay Modesty	282
	WW9766UFWM	96⅛D x 66W	$ 6227
	consists of		
	WW3066WSSDW	Worksurface	1130
	WW2442WSSVDW	Worksurface	932
	WW2466WSSDW	Worksurface	1087
	WW3015PUBBFM	B/B/F Pedestal	689
	WW2315PUFFM	F/F Pedestal	623
	WW6627MPM	Full Overlay Modesty	310
	WW6627MPM	Full Overlay Modesty	310
	WW3027EPM	End Panel	344
	WW0827SRM	Return Support Panel	118
	WW0827SRM	Return Support Panel	118
	WW2427EPM	End Panel	304
	WW4227MPM	Full Overlay Modesty	262
U-CONFIGURATION HPL TOP/ METAL CHASSIS (CAN BE CONFIGURED AS RIGHT OR LEFT HANDED) 	WW10972UFLM	108⅛D x 71¹⁵⁄₁₆W	$ 5241
	consists of		
	WW3672WSSDL	Worksurface	967
	WW2448WSSVDL	Worksurface	462
	WW2472WSSDL	Worksurface	680
	WW3015PUBBFM	B/B/F Pedestal	689
	WW2315PUFFM	F/F Pedestal	623
	WW7227MPM	Full Overlay Modesty	327
	WW7227MPM	Full Overlay Modesty	327
	WW3027EPM	End Panel	344
	WW0827SRM	Return Support Panel	118
	WW0827SRM	Return Support Panel	118
	WW2427EPM	End Panel	304
	WW4827MPM	Full Overlay Modesty	282
	WW10372UFLM	102⅛D x 71¹⁵⁄₁₆W	$ 5179
	consists of		
	WW3672WSSDL	Worksurface	967
	WW2442WSSVDL	Worksurface	420
	WW2472WSSDL	Worksurface	680
	WW3015PUBBFM	B/B/F Pedestal	689
	WW2315PUFFM	F/F Pedestal	623
	WW7227MPM	Full Overlay Modesty	327
	WW7227MPM	Full Overlay Modesty	327
	WW3027EPM	End Panel	344
	WW0827SRM	Return Support Panel	118
	WW0827SRM	Return Support Panel	118
	WW2427EPM	End Panel	304
	WW4227MPM	Full Overlay Modesty	262
U-CONFIGURATION HPL TOP/ METAL CHASSIS (CAN BE CONFIGURED AS RIGHT OR LEFT HANDED) 	WW10366UFLM	102⅛D x 66W	$ 4854
	consists of		
	WW3066WSSDL	Worksurface	658
	WW2448WSSVDL	Worksurface	462
	WW2466WSSDL	Worksurface	636
	WW3015PUBBFM	B/B/F Pedestal	689
	WW2315PUFFM	F/F Pedestal	623
	WW6627MPM	Full Overlay Modesty	310
	WW6627MPM	Full Overlay Modesty	310
	WW3027EPM	End Panel	344
	WW0827SRM	Return Support Panel	118
	WW0827SRM	Return Support Panel	118
	WW2427EPM	End Panel	304
	WW4827MPM	Full Overlay Modesty	282
	WW9766UFLM	96⅛D x 66W	$ 4792
	consists of		
	WW3066WSSDL	Worksurface	658
	WW2442WSSVDL	Worksurface	420
	WW2466WSSDL	Worksurface	636
	WW3015PUBBFM	B/B/F Pedestal	689
	WW2315PUFFM	F/F Pedestal	623
	WW6627MPM	Full Overlay Modesty	310
	WW6627MPM	Full Overlay Modesty	310
	WW3027EPM	End Panel	344
	WW0827SRM	Return Support Panel	118
	WW0827SRM	Return Support Panel	118
	WW2427EPM	End Panel	304
	WW4227MPM	Full Overlay Modesty	262

WAVEWORKS METAL U ARRANGEMENTS

Specify quickly and accurately with National's EZ Arrangement models. In each series, the most popular options have been pre-selected for a complete L or U configuration. Just choose the left or right model number, add a finish and you're done.

ARRANGEMENTS INCLUDE:

- Integrated pulls
- Softened PVC, Cinder rim profile (laminate models)
- Random black lock cores
- Center grommet in bridge
- Left and right grommets in credenza
- Must specify laminate and paint

U-CONFIGURATIONS	MODEL NO./DESCRIPTION		LIST PRICE
U-CONFIGURATION TFL TOP/ METAL CHASSIS (CAN BE CONFIGURED AS RIGHT OR LEFT HANDED) 	WW10972UFLLM	108⅛D x 71⅕₆W	$ 4845
	consists of		
	WW3672WSSDLL	Worksurface	774
	WW2448WSSVDLL	Worksurface	379
	WW2472WSSDLL	Worksurface	560
	WW3015PUBBFM	B/B/F Pedestal	689
	WW2315PUFFM	F/F Pedestal	623
	WW7227MPM	Full Overlay Modesty	327
	WW7227MPM	Full Overlay Modesty	327
	WW3027EPM	End Panel	344
	WW0827SRM	Return Support Panel	118
	WW0827SRM	Return Support Panel	118
	WW2427EPM	End Panel	304
	WW4827MPM	Full Overlay Modesty	282
	WW10372UFLLM	102⅛D x 71⅕₆W	$ 4789
	consists of		
	WW3672WSSDLL	Worksurface	774
	WW2442WSSVDLL	Worksurface	343
	WW2472WSSDLL	Worksurface	560
	WW3015PUBBFM	B/B/F Pedestal	689
	WW2315PUFFM	F/F Pedestal	623
	WW7227MPM	Full Overlay Modesty	327
	WW7227MPM	Full Overlay Modesty	327
	WW3027EPM	End Panel	344
	WW0827SRM	Return Support Panel	118
	WW0827SRM	Return Support Panel	118
	WW2427EPM	End Panel	304
	WW4227MPM	Full Overlay Modesty	262

U-CONFIGURATIONS	MODEL NO./DESCRIPTION		LIST PRICE
U-CONFIGURATION TFL TOP/ METAL CHASSIS (CAN BE CONFIGURED AS RIGHT OR LEFT HANDED) 	WW10366UFLLM	102⅛D x 66W	$ 4529
	consists of		
	WW3066WSSDLL	Worksurface	526
	WW2448WSSVDLL	Worksurface	379
	WW2466WSSDLL	Worksurface	526
	WW3015PUBBFM	B/B/F Pedestal	689
	WW2315PUFFM	F/F Pedestal	623
	WW6627MPM	Full Overlay Modesty	310
	WW6627MPM	Full Overlay Modesty	310
	WW3027EPM	End Panel	344
	WW0827SRM	Return Support Panel	118
	WW0827SRM	Return Support Panel	118
	WW2427EPM	End Panel	304
	WW4827MPM	Full Overlay Modesty	282
	WW9766UFLLM	96⅛D x 66W	$ 4473
	consists of		
	WW3066WSSDLL	Worksurface	526
	WW2442WSSVDLL	Worksurface	343
	WW2466WSSDLL	Worksurface	526
	WW3015PUBBFM	B/B/F Pedestal	689
	WW2315PUFFM	F/F Pedestal	623
	WW6627MPM	Full Overlay Modesty	310
	WW6627MPM	Full Overlay Modesty	310
	WW3027EPM	End Panel	344
	WW0827SRM	Return Support Panel	118
	WW0827SRM	Return Support Panel	118
	WW2427EPM	End Panel	304
	WW4227MPM	Full Overlay Modesty	262

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 358 for options
- Refer to pages 741-784 for accessories
- Refer to page 363 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 362 for grommet locations and page 361 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Laminate Top Color (laminate/combo models)
8. Laminate Door/Drawer Color (laminate models)
9. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW3672DDFAW8	F	1PL	G1L	KRS	AC		
WW3672DDFAL8	VHN2	1PL	G1L	KRS	HN2	461	HN2
WW3672DDFALW8	F	1PL	G1L	KRS	461	HN	

- See pages 356-361 for all options available in WaveWorks

DOUBLE PEDESTAL DESK
ARC TOP



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⁹⁄₁₆" TOP THICKNESS									
WWN3684DDFAW8	Wood	$ 7323	36 1/16	83 15/16	29 3/8	6 3/16	47 7/16	347 lbs.	65.8
WWN3684DDFALW8	Laminate/Wood	7323	36 1/16	83 15/16	29 3/8	6 3/16	47 7/16	347 lbs.	65.8
WWN3684DDFAL8	Laminate	4816	36 1/16	83 15/16	29 3/8	6 3/16	47 7/16	347 lbs.	65.8
WWN3672DDFAW8	Wood	$ 6604	36 1/16	71 15/16	29 3/8	6 3/16	35 7/8	337 lbs.	52.3
WWN3672DDFALW8	Laminate/Wood	6604	36 1/16	71 15/16	29 3/8	6 3/16	35 7/8	337 lbs.	52.3
WWN3672DDFAL8	Laminate	4342	36 1/16	71 15/16	29 3/8	6 3/16	35 7/8	337 lbs.	52.3
1⁹⁄₁₆" TOP THICKNESS									
WW3684DDFAW8	Wood	$ 6724	36 1/16	83 15/16	28 15/16	6 3/16	47 7/16	347 lbs.	65.8
WW3684DDFALW8	Laminate/Wood	6724	36 1/16	83 15/16	28 15/16	6 3/16	47 7/16	347 lbs.	65.8
WW3684DDFAL8	Laminate	4420	36 1/16	83 15/16	28 15/16	6 3/16	47 7/16	347 lbs.	65.8
WW3684DDFALL8	TFL	3535	36 1/16	83 15/16	28 7/8	6 3/16	47 7/16	347 lbs.	65.8
WW3672DDFAW8	Wood	$ 6004	36 1/16	71 15/16	28 15/16	6 3/16	35 7/8	317 lbs.	56.3
WW3672DDFALW8	Laminate/Wood	6004	36 1/16	71 15/16	28 15/16	6 3/16	35 7/8	317 lbs.	56.3
WW3672DDFAL8	Laminate	3947	36 1/16	71 15/16	28 15/16	6 3/16	35 7/8	317 lbs.	56.3
WW3672DDFALL8	TFL	3157	36 1/16	71 15/16	28 7/8	6 3/16	35 7/8	317 lbs.	56.3

- Arc top desk is 30" deep at ends
- Top overhangs 6" at center
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 358 for options
- Refer to pages 741-784 for accessories
- Refer to page 363 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 362 for grommet locations and page 361 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Laminate Top Color (laminate/combo models)
8. Laminate Door/ Drawer Color (laminate models)
9. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WWN3672DDFBAW8	F	1PL	G1L	KRS	AC		
WWN3672DDFBAL8	VHN2	1PL	G1L	KRS	HN2	461	HN2
WWN3672DDFBALW8	F	1PL	G1L	KRS	461	HN	

- See pages 356-361 for all options available in WaveWorks

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
DOUBLE PEDESTAL DESK ARC TOP BREAKFRONT MODESTY									
									
1⅜" TOP THICKNESS									
WWN3684DDFBAW8	Wood	$ 7543	36 1/16	83 15/16	29⅜	6 3/16	47 3/16	347 lbs.	65.8
WWN3684DDFBALW8	Laminate/Wood	7543	36 1/16	83 15/16	29⅜	6 3/16	47 3/16	347 lbs.	65.8
WWN3684DDFBAL8	Laminate	4962	36 1/16	83 15/16	29⅜	6 3/16	47 3/16	347 lbs.	65.8
WWN3672DDFBAW8	Wood	$ 6802	36 1/16	71 15/16	29⅜	6 3/16	35⅞	337 lbs.	52.3
WWN3672DDFBALW8	Laminate/Wood	6802	36 1/16	71 15/16	29⅜	6 3/16	35⅞	337 lbs.	52.3
WWN3672DDFBAL8	Laminate	4473	36 1/16	71 15/16	29⅜	6 3/16	35⅞	337 lbs.	52.3
									
1⅜" TOP THICKNESS									
WW3684DDFBAW8	Wood	$ 6927	36 1/16	83 15/16	28 15/16	6 3/16	47 3/16	347 lbs.	65.8
WW3684DDFBALW8	Laminate/Wood	6927	36 1/16	83 15/16	28 15/16	6 3/16	47 3/16	347 lbs.	65.8
WW3684DDFBAL8	Laminate	4553	36 1/16	83 15/16	28 15/16	6 3/16	47 3/16	347 lbs.	65.8
WW3684DDFBALL8	TFL	3539	36 1/16	83 15/16	28⅞	6 3/16	47 3/16	347 lbs.	65.8
WW3672DDFBAW8	Wood	$ 6182	36 1/16	71 15/16	28 15/16	6 3/16	35⅞	317 lbs.	56.3
WW3672DDFBALW8	Laminate/Wood	6182	36 1/16	71 15/16	28 15/16	6 3/16	35⅞	317 lbs.	56.3
WW3672DDFBAL8	Laminate	4065	36 1/16	71 15/16	28 15/16	6 3/16	35⅞	317 lbs.	56.3
WW3672DDFBALL8	TFL	3156	36 1/16	71 15/16	28⅞	6 3/16	35⅞	317 lbs.	56.3

- Arc top desk is 30" deep at ends
- Top overhangs 12" at center to the modesty panel
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

DOUBLE PEDESTAL DESK GLASS TOP									
									
WW3672DDFGW8	Wood	$ 6549	36 1/16	71 15/16	29⅜	35⅞	—	275 lbs.	50.0
WW3672DDFGL8	Laminate	4307	36 1/16	71 15/16	29⅜	35⅞	—	275 lbs.	50.0

- Grommet option not available
- Clear ½" thick tempered glass top with pencil polished edge
- Some assembly required; top ships unattached
- Optional modesty panels in veneer or laminate and in full or ⅓ heights available, see page 546
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 358 for options
- Refer to pages 741-784 for accessories
- Refer to page 363 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 362 for grommet locations and page 361 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Laminate Top Color (laminate/combo models)
8. Laminate Door/Drawer Color (laminate models)
9. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW3672DDFW8	F	1PL	G1L	KRS	AC		
WW3672DDFL8	VHN2	1PL	G1L	KRS	HN2	461	HN2
WW3672DDFLW8	F	1PL	G1L	KRS	461	HN	

- See pages 356-361 for all options available in WaveWorks

DOUBLE PEDESTAL DESK
RECESSED MODESTY



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⅜" TOP THICKNESS									
WWN3684DDFW8	Wood	$ 6103	36 1/16	83 15/16	29 3/8	6 3/16	47 3/16	347 lbs.	65.8
WWN3684DDFLW8	Laminate/Wood	6103	36 1/16	83 15/16	29 3/8	6 3/16	47 3/16	347 lbs.	65.8
WWN3684DDFL8	Laminate	3944	36 1/16	83 15/16	29 3/8	6 3/16	47 3/16	347 lbs.	65.8
WWN3672DDFW8	Wood	$ 5500	36 1/16	71 15/16	29 3/8	6 3/16	35 7/8	347 lbs.	52.3
WWN3672DDFLW8	Laminate/Wood	5500	36 1/16	71 15/16	29 3/8	6 3/16	35 7/8	347 lbs.	52.3
WWN3672DDFL8	Laminate	3556	36 1/16	71 15/16	29 3/8	6 3/16	35 7/8	347 lbs.	52.3
WWN3066DDFW8	Wood	$ 5279	30 1/16	66	29 3/8	6 5/16	35 7/8	277 lbs.	40.3
WWN3066DDFLW8	Laminate/Wood	5279	30 1/16	66	29 3/8	6 5/16	35 7/8	277 lbs.	40.3
WWN3066DDFL8	Laminate	3414	30 1/16	66	29 3/8	6 5/16	35 7/8	277 lbs.	40.3
WWN3060DDFW8	Wood	$ 5023	30 1/16	60	29 3/8	6 5/16	29 13/16	263 lbs.	36.7
WWN3060DDFLW8	Laminate/Wood	5023	30 1/16	60	29 3/8	6 5/16	29 13/16	263 lbs.	36.7
WWN3060DDFL8	Laminate	3289	30 1/16	60	29 3/8	6 5/16	29 13/16	263 lbs.	36.7
1⅜" TOP THICKNESS									
WW3684DDFW8	Wood	$ 5602	36 1/16	83 15/16	28 15/16	6 3/16	47 3/16	374 lbs.	65.8
WW3684DDFLW8	Laminate/Wood	5602	36 1/16	83 15/16	28 15/16	6 3/16	47 3/16	374 lbs.	65.8
WW3684DDFL8	Laminate	3620	36 1/16	83 15/16	28 15/16	6 3/16	47 3/16	374 lbs.	65.8
WW3684DDFLL8	TFL	2899	36 1/16	83 15/16	28 7/8	6 3/16	47 3/16	374 lbs.	65.8
WW3672DDFW8	Wood	$ 5001	36 1/16	71 15/16	28 15/16	6 3/16	35 7/8	361 lbs.	56.3
WW3672DDFLW8	Laminate/Wood	5001	36 1/16	71 15/16	28 15/16	6 3/16	35 7/8	361 lbs.	56.3
WW3672DDFL8	Laminate	3235	36 1/16	71 15/16	28 15/16	6 3/16	35 7/8	361 lbs.	56.3
WW3672DDFLL8	TFL	2586	36 1/16	71 15/16	28 7/8	6 3/16	35 7/8	361 lbs.	56.3
WW3066DDFW8	Wood	$ 4799	30 1/16	66	28 15/16	6 5/16	35 7/8	285 lbs.	44.4
WW3066DDFLW8	Laminate/Wood	4799	30 1/16	66	28 15/16	6 5/16	35 7/8	285 lbs.	44.4
WW3066DDFL8	Laminate	3104	30 1/16	66	28 15/16	6 5/16	35 7/8	285 lbs.	44.4
WW3066DDFLL8	TFL	2485	30 1/16	66	28 7/8	6 5/16	35 7/8	285 lbs.	44.4
WW3060DDFW8	Wood	$ 4569	30 1/16	60	28 15/16	6 5/16	29 13/16	261 lbs.	40.7
WW3060DDFLW8	Laminate/Wood	4569	30 1/16	60	28 15/16	6 5/16	29 13/16	261 lbs.	40.7
WW3060DDFL8	Laminate	2991	30 1/16	60	28 15/16	6 5/16	29 13/16	261 lbs.	40.7
WW3060DDFLL8	TFL	2391	30 1/16	60	28 7/8	6 5/16	29 13/16	261 lbs.	40.7

- 3672 desk has 30" deep pedestals
- 3066 and 3060 desks have 24" deep pedestals
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 358 for options
- Refer to pages 741-784 for accessories
- Refer to page 363 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 362 for grommet locations and page 361 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Laminate Top Color (laminate/combo models)
8. Laminate Door/Drawer Color (laminate models)
9. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WWN3672DDFBW8	F	1PL	G1L	KRS	AC		
WWN3672DDFBL8	VHN2	1PL	G1L	KRS	HN2	461	HN2
WWN3672DDFBLW8	F	1PL	G1L	KRS	461	HN	

- See pages 356-361 for all options available in WaveWorks

DOUBLE PEDESTAL DESK BREAKFRONT MODESTY



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1 3/16" TOP THICKNESS									
WWN3684DDFBW8	Wood	$ 6283	36 1/16	83 15/16	29 3/8	6 3/16	47 3/16	374 lbs.	65.8
WWN3684DDFBLW8	Laminate/Wood	6283	36 1/16	83 15/16	29 3/8	6 3/16	47 3/16	374 lbs.	65.8
WWN3684DDFBL8	Laminate	4062	36 1/16	83 15/16	29 3/8	6 3/16	47 3/16	374 lbs.	65.8
WWN3672DDFBW8	Wood	$ 5665	36 1/16	71 15/16	29 3/8	6 3/16	35 7/8	347 lbs.	52.3
WWN3672DDFBLW8	Laminate/Wood	5665	36 1/16	71 15/16	29 3/8	6 3/16	35 7/8	347 lbs.	52.3
WWN3672DDFBL8	Laminate	3662	36 1/16	71 15/16	29 3/8	6 3/16	35 7/8	347 lbs.	52.3
WWN3066DDFBW8	Wood	$ 5436	30 1/16	66	29 3/8	6 3/16	35 7/8	277 lbs.	40.3
WWN3066DDFBLW8	Laminate/Wood	5436	30 1/16	66	29 3/8	6 3/16	35 7/8	277 lbs.	40.3
WWN3066DDFBL8	Laminate	3516	30 1/16	66	29 3/8	6 3/16	35 7/8	277 lbs.	40.3
WWN3060DDFBW8	Wood	$ 5174	30 1/16	60	29 3/8	6 3/16	29 15/16	263 lbs.	36.7
WWN3060DDFBLW8	Laminate/Wood	5174	30 1/16	60	29 3/8	6 3/16	29 15/16	263 lbs.	36.7
WWN3060DDFBL8	Laminate	3388	30 1/16	60	29 3/8	6 3/16	29 15/16	263 lbs.	36.7
1 3/16" TOP THICKNESS									
WW3684DDFBW8	Wood	$ 5770	36 1/16	83 15/16	28 15/16	6 3/16	47 3/16	374 lbs.	65.8
WW3684DDFBLW8	Laminate/Wood	5770	36 1/16	83 15/16	28 15/16	6 3/16	47 3/16	374 lbs.	65.8
WW3684DDFBL8	Laminate	3729	36 1/16	83 15/16	28 15/16	6 3/16	47 3/16	374 lbs.	65.8
WW3684DDFBLL8	TFL	2899	36 1/16	83 15/16	28 7/8	6 3/16	47 3/16	374 lbs.	65.8
WW3672DDFBW8	Wood	$ 5150	36 1/16	71 15/16	28 15/16	6 3/16	35 7/8	361 lbs.	56.3
WW3672DDFBLW8	Laminate/Wood	5150	36 1/16	71 15/16	28 15/16	6 3/16	35 7/8	361 lbs.	56.3
WW3672DDFBL8	Laminate	3330	36 1/16	71 15/16	28 15/16	6 3/16	35 7/8	361 lbs.	56.3
WW3672DDFBLL8	TFL	2584	36 1/16	71 15/16	28 7/8	6 3/16	35 7/8	361 lbs.	56.3
WW3066DDFBW8	Wood	$ 4941	30 1/16	66	28 15/16	6 3/16	35 7/8	285 lbs.	44.4
WW3066DDFBLW8	Laminate/Wood	4941	30 1/16	66	28 15/16	6 3/16	35 7/8	285 lbs.	44.4
WW3066DDFBL8	Laminate	3198	30 1/16	66	28 15/16	6 3/16	35 7/8	285 lbs.	44.4
WW3066DDFBLL8	TFL	2482	30 1/16	66	28 7/8	6 3/16	35 7/8	285 lbs.	44.4
WW3060DDFBW8	Wood	$ 4705	30 1/16	60	28 15/16	6 3/16	29 15/16	261 lbs.	40.7
WW3060DDFBLW8	Laminate/Wood	4705	30 1/16	60	28 15/16	6 3/16	29 15/16	261 lbs.	40.7
WW3060DDFBL8	Laminate	3079	30 1/16	60	28 15/16	6 3/16	29 15/16	261 lbs.	40.7
WW3060DDFBLL8	TFL	2391	30 1/16	60	28 7/8	6 3/16	29 15/16	261 lbs.	40.7

- 3684 and 3672 desks have 35" deep pedestals
- 3066 and 3060 desks have 30" deep pedestals
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Modesty inset

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 358 for options
- Refer to pages 741-784 for accessories
- Refer to page 363 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 362 for grommet locations and page 361 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Laminate Top Color (laminate/combo models)
8. Laminate Door/Drawer Color (laminate models)
9. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW3672DRFAW1	F	1PL	G1L	KRS	AC		
WW3672DRFAL1	VHN2	1PL	G1L	KRS	HN2	461	HN2
WW3672DRFALW1	F	1PL	G1L	KRS	461	HN	

- See pages 356-361 for all options available in WaveWorks

SINGLE PEDESTAL DESK
ARC TOP



Left shown

MODEL NO./DESCRIPTION				LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⁹⁄₁₆" TOP THICKNESS											
LEFT PEDESTAL DESK	**RIGHT PEDESTAL DESK**										
WWN3684DLFAW1	WWN3684DRFAW1	Wood	$	6402	36 1/16	83 15/16	29 3/8	6 3/16	64 11/16	374 lbs.	65.8
WWN3684DLFALW1	WWN3684DRFALW1	Lam/Wood		6402	36 1/16	83 15/16	29 3/8	6 3/16	64 11/16	374 lbs.	65.8
WWN3684DLFAL1	WWN3684DRFAL1	Laminate		4321	36 1/16	83 15/16	29 3/8	6 3/16	64 11/16	374 lbs.	65.8
WWN3672DLFAW1	WWN3672DRFAW1	Wood	$	5775	36 1/16	71 15/16	29 3/8	6 3/16	52 11/16	277 lbs.	52.0
WWN3672DLFALW1	WWN3672DRFALW1	Lam/Wood		5775	36 1/16	71 15/16	29 3/8	6 3/16	52 11/16	277 lbs.	52.0
WWN3672DLFAL1	WWN3672DRFAL1	Laminate		3895	36 1/16	71 15/16	29 3/8	6 3/16	52 11/16	277 lbs.	52.0
1¾₁₆" TOP THICKNESS											
LEFT PEDESTAL DESK	**RIGHT PEDESTAL DESK**										
WW3684DLFAW1	WW3684DRFAW1	Wood	$	5877	36 1/16	83 15/16	28 15/16	6 3/16	64 11/16	374 lbs.	65.8
WW3684DLFALW1	WW3684DRFALW1	Lam/Wood		5877	36 1/16	83 15/16	28 15/16	6 3/16	64 11/16	374 lbs.	65.8
WW3684DLFAL1	WW3684DRFAL1	Laminate		3966	36 1/16	83 15/16	28 15/16	6 3/16	64 11/16	374 lbs.	65.8
WW3684DLFALL1	WW3684DRFALL1	TFL		3171	36 1/16	83 15/16	28 7/8	6 3/16	64 11/16	374 lbs.	65.8
WW3672DLFAW1	WW3672DRFAW1	Wood	$	5248	36 1/16	71 15/16	28 15/16	6 3/16	52 11/16	267 lbs.	56.3
WW3672DLFALW1	WW3672DRFALW1	Lam/Wood		5248	36 1/16	71 15/16	28 15/16	6 3/16	52 11/16	267 lbs.	56.3
WW3672DLFAL1	WW3672DRFAL1	Laminate		3544	36 1/16	71 15/16	28 15/16	6 3/16	52 11/16	267 lbs.	56.3
WW3672DLFALL1	WW3672DRFALL1	TFL		2835	36 1/16	71 15/16	28 7/8	6 3/16	52 11/16	267 lbs.	56.3

- Arc top desk is 30" deep at ends
- Top overhangs 6" at center
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 358 for options
- Refer to pages 741-784 for accessories
- Refer to page 363 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 362 for grommet locations and page 361 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Laminate Top Color (laminate/combo models)
8. Laminate Door/Drawer Color (laminate models)
9. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WWN3672DLFBAW1	F	1PL	G1L	KRS	AC		
WWN3672DLFBAL1	VHN2	1PL	G1L	KRS	HN2	461	HN2
WWN3672DLFBALW1	F	1PL	G1L	KRS	461	HN	

- See pages 356-361 for all options available in WaveWorks

SINGLE PEDESTAL DESK
ARC TOP
BREAKFRONT MODESTY



Left shown



Left shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⁹⁄₁₆" TOP THICKNESS LEFT PEDESTAL DESK	**RIGHT PEDESTAL DESK**									
WWN3684DLFBAW1	WWN3684DRFBAW1	Wood	$ 6595	36 1⁄16	83 15⁄16	29 3⁄8	6 3⁄16	64 11⁄16	374 lbs.	65.8
WWN3684DLFBALW1	WWN3684DRFBALW1	Lam/Wood	6595	36 1⁄16	83 15⁄16	29 3⁄8	6 3⁄16	64 11⁄16	374 lbs.	65.8
WWN3684DLFBAL1	WWN3684DRFBAL1	Laminate	4452	36 1⁄16	83 15⁄16	29 3⁄8	6 3⁄16	64 11⁄16	374 lbs.	65.8
WWN3672DLFBAW1	WWN3672DRFBAW1	Wood	$ 5949	36 1⁄16	71 15⁄16	29 3⁄8	6 3⁄16	52 11⁄16	277 lbs.	52.0
WWN3672DLFBALW1	WWN3672DRFBALW1	Lam/Wood	5949	36 1⁄16	71 15⁄16	29 3⁄8	6 3⁄16	52 11⁄16	277 lbs.	52.0
WWN3672DLFBAL1	WWN3672DRFBAL1	Laminate	4012	36 1⁄16	71 15⁄16	29 3⁄8	6 3⁄16	52 11⁄16	277 lbs.	52.0
1 3⁄16" TOP THICKNESS LEFT PEDESTAL DESK	**RIGHT PEDESTAL DESK**									
WW3684DLFBAW1	WW3684DRFBAW1	Wood	$ 6054	36 1⁄16	83 15⁄16	28 15⁄16	6 3⁄16	64 11⁄16	374 lbs.	65.8
WW3684DLFBALW1	WW3684DRFBALW1	Lam/Wood	6054	36 1⁄16	83 15⁄16	28 15⁄16	6 3⁄16	64 11⁄16	374 lbs.	65.8
WW3684DLFBAL1	WW3684DRFBAL1	Laminate	4087	36 1⁄16	83 15⁄16	28 15⁄16	6 3⁄16	64 11⁄16	374 lbs.	65.8
WW3684DLFBALL1	WW3684DRFBALL1	TFL	3172	36 1⁄16	83 15⁄16	28 7⁄8	6 3⁄16	64 11⁄16	374 lbs.	65.8
WW3672DLFBAW1	WW3672DRFBAW1	Wood	$ 5409	36 1⁄16	71 15⁄16	28 15⁄16	6 3⁄16	52 11⁄16	267 lbs.	56.3
WW3672DLFBALW1	WW3672DRFBALW1	Lam/Wood	5409	36 1⁄16	71 15⁄16	28 15⁄16	6 3⁄16	52 11⁄16	267 lbs.	56.3
WW3672DLFBAL1	WW3672DRFBAL1	Laminate	3650	36 1⁄16	71 15⁄16	28 15⁄16	6 3⁄16	52 11⁄16	267 lbs.	56.3
WW3672DLFBALL1	WW3672DRFBALL1	TFL	2835	36 1⁄16	71 15⁄16	28 7⁄8	6 3⁄16	52 11⁄16	267 lbs.	56.3

- Arc top desk is 30" deep at ends
- Top overhangs 12" at center to the modesty panel
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Modesty inset
- Grain direction runs with the width of all laminate modesty panels that exceed 60"

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 358 for options
- Refer to pages 741-784 for accessories
- Refer to page 363 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 362 for grommet locations and page 361 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Laminate Top Color (laminate/combo models)
8. Laminate Door/Drawer Color (laminate models)
9. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW3672DRFW1	F	1PL	G1L	KRS	AC		
WW3672DRFL1	VHN2	1PL	G1L	KRS	HN2	461	HN2
WW3672DRFLW1	F	1PL	G1L	KRS	461	HN	

- See pages 356-361 for all options available in WaveWorks

SINGLE PEDESTAL DESK
RECESSED MODESTY



Left shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⅜" TOP THICKNESS										
LEFT PEDESTAL DESK	**RIGHT PEDESTAL DESK**									
WWN3684DLFW1	WWN3684DRFW1	Wood	$ 5223	36 1/16	83 15/16	29 3/8	6 3/16	64 11/16	374 lbs.	65.8
WWN3684DLFLW1	WWN3684DRFLW1	Lam/Wood	5223	36 1/16	83 15/16	29 3/8	6 3/16	64 11/16	374 lbs.	65.8
WWN3684DLFL1	WWN3684DRFL1	Laminate	3446	36 1/16	83 15/16	29 3/8	6 3/16	64 11/16	374 lbs.	65.8
WWN3672DLFW1	WWN3672DRFW1	Wood	$ 4711	36 1/16	71 15/16	29 3/8	6 3/16	52 11/16	287 lbs.	52.3
WWN3672DLFLW1	WWN3672DRFLW1	Lam/Wood	4711	36 1/16	71 15/16	29 3/8	6 3/16	52 11/16	287 lbs.	52.3
WWN3672DLFL1	WWN3672DRFL1	Laminate	3105	36 1/16	71 15/16	29 3/8	6 3/16	52 11/16	287 lbs.	52.3
WWN3066DLFW1	WWN3066DRFW1	Wood	$ 4420	30 1/16	66	29 3/8	6 3/16	52 11/16	232 lbs.	40.3
WWN3066DLFLW1	WWN3066DRFLW1	Lam/Wood	4420	30 1/16	66	29 3/8	6 3/16	52 11/16	232 lbs.	40.3
WWN3066DLFL1	WWN3066DRFL1	Laminate	2974	30 1/16	66	29 3/8	6 3/16	52 11/16	232 lbs.	40.3
1⅜" TOP THICKNESS										
LEFT PEDESTAL DESK	**RIGHT PEDESTAL DESK**									
WW3684DLFW1	WW3684DRFW1	Wood	$ 4798	36 1/16	83 15/16	28 15/16	6 3/16	64 11/16	374 lbs.	65.8
WW3684DLFLW1	WW3684DRFLW1	Lam/Wood	4798	36 1/16	83 15/16	28 15/16	6 3/16	64 11/16	374 lbs.	65.8
WW3684DLFL1	WW3684DRFL1	Laminate	3163	36 1/16	83 15/16	28 15/16	6 3/16	64 11/16	374 lbs.	65.8
WW3684DLFLL1	WW3684DRFLL1	TFL	2529	36 1/16	83 15/16	28 7/8	6 3/16	64 11/16	374 lbs.	65.8
WW3672DLFW1	WW3672DRFW1	Wood	$ 4283	36 1/16	71 15/16	28 15/16	6 3/16	52 11/16	311 lbs.	56.3
WW3672DLFLW1	WW3672DRFLW1	Lam/Wood	4283	36 1/16	71 15/16	28 15/16	6 3/16	52 11/16	311 lbs.	56.3
WW3672DLFL1	WW3672DRFL1	Laminate	2824	36 1/16	71 15/16	28 15/16	6 3/16	52 11/16	311 lbs.	56.3
WW3672DLFLL1	WW3672DRFLL1	TFL	2258	36 1/16	71 15/16	28 7/8	6 3/16	52 11/16	311 lbs.	56.3
WW3066DLFW1	WW3066DRFW1	Wood	$ 4016	30 1/16	66	28 15/16	6 3/16	52 11/16	245 lbs.	44.4
WW3066DLFLW1	WW3066DRFLW1	Lam/Wood	4016	30 1/16	66	28 15/16	6 3/16	52 11/16	245 lbs.	44.4
WW3066DLFL1	WW3066DRFL1	Laminate	2704	30 1/16	66	28 15/16	6 3/16	52 11/16	245 lbs.	44.4
WW3066DLFLL1	WW3066DRFLL1	TFL	2164	30 1/16	66	28 7/8	6 3/16	52 11/16	245 lbs.	44.4

- 3684 and 3672 desks have 30" deep pedestal
- 3066 desk has 24" deep pedestal
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Grain direction runs with the width of all laminate modesty panels that exceed 60"

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 358 for options
- Refer to pages 741-784 for accessories
- Refer to page 363 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 362 for grommet locations and page 361 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Laminate Top Color (laminate/combo models)
8. Laminate Door/Drawer Color (laminate models)
9. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WWN3672DRFBW1	F	1PL	G1L	KRS	AC		
WWN3672DRFBL1	VHN2	1PL	G1L	KRS	HN2	461	HN2
WWN3672DRFBLW1	F	1PL	G1L	KRS	461	HN	

- See pages 356-361 for all options available in WaveWorks

SINGLE PEDESTAL DESK BREAKFRONT MODESTY



Left shown



Left shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⅜" TOP THICKNESS LEFT PEDESTAL DESK	**RIGHT PEDESTAL DESK**									
WWN3684DLFBW1	WWN3684DRFBW1	Wood	$ 5381	36 1/16	83 15/16	29⅜	6 3/16	64 11/16	374 lbs.	65.8
WWN3684DLFBLW1	WWN3684DRFBLW1	Lam/Wood	5381	36 1/16	83 15/16	29⅜	6 3/16	64 11/16	374 lbs.	65.8
WWN3684DLFBL1	WWN3684DRFBL1	Laminate	3550	36 1/16	83 15/16	29⅜	6 3/16	64 11/16	374 lbs.	65.8
WWN3672DLFBW1	WWN3672DRFBW1	Wood	$ 4854	36 1/16	71 15/16	29⅜	6 3/16	52 11/16	287 lbs.	52.3
WWN3672DLFBLW1	WWN3672DRFBLW1	Lam/Wood	4854	36 1/16	71 15/16	29⅜	6 3/16	52 11/16	287 lbs.	52.3
WWN3672DLFBL1	WWN3672DRFBL1	Laminate	3202	36 1/16	71 15/16	29⅜	6 3/16	52 11/16	287 lbs.	52.3
WWN3066DLFBW1	WWN3066DRFBW1	Wood	$ 4552	30 1/16	66	29⅜	6 3/16	52 11/16	232 lbs.	40.3
WWN3066DLFBLW1	WWN3066DRFBLW1	Lam/Wood	4552	30 1/16	66	29⅜	6 3/16	52 11/16	232 lbs.	40.3
WWN3066DLFBL1	WWN3066DRFBL1	Laminate	3061	30 1/16	66	29⅜	6 3/16	52 11/16	232 lbs.	40.3
1⅜" TOP THICKNESS LEFT PEDESTAL DESK	**RIGHT PEDESTAL DESK**									
WW3684DLFBW1	WW3684DRFBW1	Wood	$ 4940	36 1/16	83 15/16	28 15/16	6 3/16	64 11/16	374 lbs.	65.8
WW3684DLFBLW1	WW3684DRFBLW1	Lam/Wood	4940	36 1/16	83 15/16	28 15/16	6 3/16	64 11/16	374 lbs.	65.8
WW3684DLFBL1	WW3684DRFBL1	Laminate	3258	36 1/16	83 15/16	28 15/16	6 3/16	64 11/16	374 lbs.	65.8
WW3684DLFBLL1	WW3684DRFBLL1	TFL	2529	36 1/16	83 15/16	28⅞	6 3/16	64 11/16	374 lbs.	65.8
WW3672DLFBW1	WW3672DRFBW1	Wood	$ 4411	36 1/16	71 15/16	28 15/16	6 3/16	52 11/16	311 lbs.	56.3
WW3672DLFBLW1	WW3672DRFBLW1	Lam/Wood	4411	36 1/16	71 15/16	28 15/16	6 3/16	52 11/16	311 lbs.	56.3
WW3672DLFBL1	WW3672DRFBL1	Laminate	2906	36 1/16	71 15/16	28 15/16	6 3/16	52 11/16	311 lbs.	56.3
WW3672DLFBLL1	WW3672DRFBLL1	TFL	2257	36 1/16	71 15/16	28⅞	6 3/16	52 11/16	311 lbs.	56.3
WW3066DLFBW1	WW3066DRFBW1	Wood	$ 4138	30 1/16	66	28 15/16	6 3/16	52 11/16	245 lbs.	44.4
WW3066DLFBLW1	WW3066DRFBLW1	Lam/Wood	4138	30 1/16	66	28 15/16	6 3/16	52 11/16	245 lbs.	44.4
WW3066DLFBL1	WW3066DRFBL1	Laminate	2785	30 1/16	66	28 15/16	6 3/16	52 11/16	245 lbs.	44.4
WW3066DLFBLL1	WW3066DRFBLL1	TFL	2164	30 1/16	66	28⅞	6 3/16	52 11/16	245 lbs.	44.4

- 3684 and 3672 desks have 35" deep pedestal
- 3066 desk has 30" deep pedestal
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Modesty inset
- Grain direction runs with the width of all laminate modesty panels that exceed 60"

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 358 for options
- Refer to page 362 for grommet locations and page 361 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Grommet
5. Paint
6. Laminate Top Color (laminate models)
7. Laminate Chassis Color (laminate models)
8. Finish (wood models)

SAMPLE MODEL NUMBERS:

WWN3084DSFA1W	F	G1L	462	AD	
WWN3084DSFA1LW	F	G1R	462	440	MH
WWN3084DSFA1L	VPB	X	462	PB	PB

- See pages 356-361 for all options available in WaveWorks

ADJUSTABLE HEIGHT DESK SHELL FULL FLUSH MODESTY



Approach view

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⅞" TOP THICKNESS 36" DEPTH									
WWN3684DSFA1W	Wood	$ 9179	36⅛	83⅛	27¹⁄₁₆	–	–	lbs.	
WWN3684DSFA1LW	Laminate/Wood	9179	36⅛	83⅛	27¹⁄₁₆	–	–	lbs.	
WWN3684DSFA1L	Laminate	7934	36⅛	83⅛	27¹⁄₁₆	–	–	lbs.	
WWN3678DSFA1W	Wood	$ 8936	36⅛	77⅛	27¹⁄₁₆	–	–	lbs.	
WWN3678DSFA1LW	Laminate/Wood	8936	36⅛	77⅛	27¹⁄₁₆	–	–	lbs.	
WWN3678DSFA1L	Laminate	7814	36⅛	77⅛	27¹⁄₁₆	–	–	lbs.	
WWN3672DSFA1W	Wood	$ 8693	36⅛	71⅛	27¹⁄₁₆	–	–	lbs.	
WWN3672DSFA1LW	Laminate/Wood	8693	36⅛	71⅛	27¹⁄₁₆	–	–	lbs.	
WWN3672DSFA1L	Laminate	7693	36⅛	71⅛	27¹⁄₁₆	–	–	lbs.	
30" DEPTH									
WWN3084DSFA1W	Wood	$ 8362	30⅛	83⅛	27¹⁄₁₆	–	–	lbs.	
WWN3084DSFA1LW	Laminate/Wood	8362	30⅛	83⅛	27¹⁄₁₆	–	–	lbs.	
WWN3084DSFA1L	Laminate	6731	30⅛	83⅛	27¹⁄₁₆	–	–	lbs.	
WWN3078DSFA1W	Wood	$ 8117	30⅛	77⅛	27¹⁄₁₆	–	–	lbs.	
WWN3078DSFA1LW	Laminate/Wood	8117	30⅛	77⅛	27¹⁄₁₆	–	–	lbs.	
WWN3078DSFA1L	Laminate	6614	30⅛	77⅛	27¹⁄₁₆	–	–	lbs.	
WWN3072DSFA1W	Wood	$ 7874	30⅛	71⅛	27¹⁄₁₆	–	–	lbs.	
WWN3072DSFA1LW	Laminate/Wood	7874	30⅛	71⅛	27¹⁄₁₆	–	–	lbs.	
WWN3072DSFA1L	Laminate	6493	30⅛	71⅛	27¹⁄₁₆	–	–	lbs.	
WWN3066DSFA1W	Wood	$ 7629	30⅛	66	27¹⁄₁₆	–	–	lbs.	
WWN3066DSFA1LW	Laminate/Wood	7629	30⅛	66	27¹⁄₁₆	–	–	lbs.	
WWN3066DSFA1L	Laminate	6374	30⅛	66	27¹⁄₁₆	–	–	lbs.	
WWN3060DSFA1W	Wood	$ 7384	30⅛	60	27¹⁄₁₆	–	–	lbs.	
WWN3060DSFA1LW	Laminate/Wood	7384	30⅛	60	27¹⁄₁₆	–	–	lbs.	
WWN3060DSFA1L	Laminate	6255	30⅛	60	27¹⁄₁₆	–	–	lbs.	
24" DEPTH									
WWN2454DSFA1W	Wood	$ 5905	24	54	27¹⁄₁₆	–	–	lbs.	
WWN2454DSFA1LW	Laminate/Wood	5905	24	54	27¹⁄₁₆	–	–	lbs.	
WWN2454DSFA1L	Laminate	5247	24	54	27¹⁄₁₆	–	–	lbs.	
WWN2448DSFA1W	Wood	$ 5798	24	48⅛	27¹⁄₁₆	–	–	lbs.	
WWN2448DSFA1LW	Laminate/Wood	5798	24	48⅛	27¹⁄₁₆	–	–	lbs.	
WWN2448DSFA1L	Laminate	5141	24	48⅛	27¹⁄₁₆	–	–	lbs.	

- Laminate/Wood combo units consist of a laminate worksurface and veneer shrouds and modesty
- Grain direction on shrouds is always vertical unless specifying a horizontal laminate
- Wire manager located on right side of desk; removeable panel allows for easy access
- Wire manager can be moved to opposite side in field if other side is preferred
- Any laminate modesty over 60" will be horizontal
- Control pad can be moved to RH or LH by the customer
- All models feature a 2 position memory
- Legs will be visible when the desk is in an upper position; specify paint color of Cinder or Platinum Metallic

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 358 for options
- Refer to page 362 for grommet locations and page 361 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Grommet
5. Paint
6. Laminate Top Color (laminate models)
7. Laminate Chassis Color (laminate models)
8. Finish (wood models)

SAMPLE MODEL NUMBERS:

WW3084DSFA1W	F	G1L	462	AD	
WW3084DSFA1LW	F	G1R	462	440	MH
WW3084DSFA1L	VPB	X	462	PB	PB

- See pages 356-361 for all options available in WaveWorks

ADJUSTABLE HEIGHT DESK SHELL FULL FLUSH MODESTY (CONTINUED)



Approach view

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⅜" TOP THICKNESS 36" DEPTH									
WW3684DSFA1W	Wood	$ 9043	36⅛	83¹⁵⁄₁₆	26¹³⁄₁₆	—	—	lbs.	
WW3684DSFA1LW	Laminate/Wood	9043	36⅛	83¹⁵⁄₁₆	26¹³⁄₁₆	—	—	lbs.	
WW3684DSFA1L	Laminate	7794	36⅛	83¹⁵⁄₁₆	26¹³⁄₁₆	—	—	lbs.	
WW3678DSFA1W	Wood	$ 8799	36⅛	77¹⁵⁄₁₆	26¹³⁄₁₆	—	—	lbs.	
WW3678DSFA1LW	Laminate/Wood	8799	36⅛	77¹⁵⁄₁₆	26¹³⁄₁₆	—	—	lbs.	
WW3678DSFA1L	Laminate	7678	36⅛	77¹⁵⁄₁₆	26¹³⁄₁₆	—	—	lbs.	
WW3672DSFA1W	Wood	$ 8555	36⅛	71¹⁵⁄₁₆	26¹³⁄₁₆	—	—	lbs.	
WW3672DSFA1LW	Laminate/Wood	8555	36⅛	71¹⁵⁄₁₆	26¹³⁄₁₆	—	—	lbs.	
WW3672DSFA1L	Laminate	7557	36⅛	71¹⁵⁄₁₆	26¹³⁄₁₆	—	—	lbs.	
30" DEPTH									
WW3084DSFA1W	Wood	$ 8224	30⅛	83¹⁵⁄₁₆	26¹³⁄₁₆	—	—	lbs.	
WW3084DSFA1LW	Laminate/Wood	8224	30⅛	83¹⁵⁄₁₆	26¹³⁄₁₆	—	—	lbs.	
WW3084DSFA1L	Laminate	6594	30⅛	83¹⁵⁄₁₆	26¹³⁄₁₆	—	—	lbs.	
WW3078DSFA1W	Wood	$ 7980	30⅛	77¹⁵⁄₁₆	26¹³⁄₁₆	—	—	lbs.	
WW3078DSFA1LW	Laminate/Wood	7980	30⅛	77¹⁵⁄₁₆	26¹³⁄₁₆	—	—	lbs.	
WW3078DSFA1L	Laminate	6474	30⅛	77¹⁵⁄₁₆	26¹³⁄₁₆	—	—	lbs.	
WW3072DSFA1W	Wood	$ 7736	30⅛	71¹⁵⁄₁₆	26¹³⁄₁₆	—	—	lbs.	
WW3072DSFA1LW	Laminate/Wood	7736	30⅛	71¹⁵⁄₁₆	26¹³⁄₁₆	—	—	lbs.	
WW3072DSFA1L	Laminate	6357	30⅛	71¹⁵⁄₁₆	26¹³⁄₁₆	—	—	lbs.	
WW3066DSFA1W	Wood	$ 7492	30⅛	66	26¹³⁄₁₆	—	—	lbs.	
WW3066DSFA1LW	Laminate/Wood	7492	30⅛	66	26¹³⁄₁₆	—	—	lbs.	
WW3066DSFA1L	Laminate	6237	30⅛	66	26¹³⁄₁₆	—	—	lbs.	
WW3060DSFA1W	Wood	$ 7247	30⅛	60	26¹³⁄₁₆	—	—	lbs.	
WW3060DSFA1LW	Laminate/Wood	7247	30⅛	60	26¹³⁄₁₆	—	—	lbs.	
WW3060DSFA1L	Laminate	6117	30⅛	60	26¹³⁄₁₆	—	—	lbs.	
24" DEPTH									
WW2454DSFA1W	Wood	$ 5385	24	54	26¹³⁄₁₆	—	—	lbs.	
WW2454DSFA1LW	Laminate/Wood	5385	24	54	26¹³⁄₁₆	—	—	lbs.	
WW2454DSFA1L	Laminate	4867	24	54	26¹³⁄₁₆	—	—	lbs.	
WW2448DSFA1W	Wood	$ 5279	24	48⅛	26¹³⁄₁₆	—	—	lbs.	
WW2448DSFA1LW	Laminate/Wood	5279	24	48⅛	26¹³⁄₁₆	—	—	lbs.	
WW2448DSFA1L	Laminate	4759	24	48⅛	26¹³⁄₁₆	—	—	lbs.	

- Laminate/Wood combo units consist of a laminate worksurface and veneer shrouds and modesty
- Grain direction on shrouds is always vertical unless specifying a horizontal laminate
- Wire manager located on right side of desk; removeable panel allows for easy access
- Wire manager can be moved to opposite side in field if other side is preferred
- Any laminate modesty over 60" will be horizontal
- Control pad can be moved to RH or LH by the customer
- All models feature a 2 position memory
- Legs will be visible when the desk is in an upper position; specify paint color of Cinder or Platinum Metallic
- SIN 33721

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 358 for options
- Refer to page 362 for grommet locations and page 361 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Grommet
5. Paint
6. Laminate Top Color (laminate models)
7. Laminate Chassis Color (laminate models)
8. Finish (wood models)

SAMPLE MODEL NUMBERS:

WWN3084DSFBA1W	F	G1L	462	AD	
WWN3084DSFBA1LW	F	G1R	462	440	MH
WWN3084DSFBA1L	VPB	X	462	PB	PB

- See pages 356-361 for all options available in WaveWorks

ADJUSTABLE HEIGHT DESK SHELL BREAKFRONT FULL MODESTY



User side

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⅞" TOP THICKNESS 36" DEPTH									
WWN3684DSFBA1W	Wood	$ 9317	36⅛	83⅝	27⅛	–	–	lbs.	
WWN3684DSFBA1LW	Laminate/Wood	9317	36⅛	83⅝	27⅛	–	–	lbs.	
WWN3684DSFBA1L	Laminate	8069	36⅛	83⅝	27⅛	–	–	lbs.	
WWN3678DSFBA1W	Wood	$ 9073	36⅛	77⅝	27⅛	–	–	lbs.	
WWN3678DSFBA1LW	Laminate/Wood	9073	36⅛	77⅝	27⅛	–	–	lbs.	
WWN3678DSFBA1L	Laminate	7952	36⅛	77⅝	27⅛	–	–	lbs.	
WWN3672DSFBA1W	Wood	$ 8829	36⅛	71⅝	27⅛	–	–	lbs.	
WWN3672DSFBA1LW	Laminate/Wood	8829	36⅛	71⅝	27⅛	–	–	lbs.	
WWN3672DSFBA1L	Laminate	7832	36⅛	71⅝	27⅛	–	–	lbs.	
30" DEPTH									
WWN3084DSFBA1W	Wood	$ 8499	30⅛	83⅝	27⅛	–	–	lbs.	
WWN3084DSFBA1LW	Laminate/Wood	8499	30⅛	83⅝	27⅛	–	–	lbs.	
WWN3084DSFBA1L	Laminate	6868	30⅛	83⅝	27⅛	–	–	lbs.	
WWN3078DSFBA1W	Wood	$ 8254	30⅛	77⅝	27⅛	–	–	lbs.	
WWN3078DSFBA1LW	Laminate/Wood	8254	30⅛	77⅝	27⅛	–	–	lbs.	
WWN3078DSFBA1L	Laminate	6750	30⅛	77⅝	27⅛	–	–	lbs.	
WWN3072DSFBA1W	Wood	$ 8010	30⅛	71⅝	27⅛	–	–	lbs.	
WWN3072DSFBA1LW	Laminate/Wood	8010	30⅛	71⅝	27⅛	–	–	lbs.	
WWN3072DSFBA1L	Laminate	6630	30⅛	71⅝	27⅛	–	–	lbs.	
WWN3066DSFBA1W	Wood	$ 7767	30⅛	66	27⅛	–	–	lbs.	
WWN3066DSFBA1LW	Laminate/Wood	7767	30⅛	66	27⅛	–	–	lbs.	
WWN3066DSFBA1L	Laminate	6512	30⅛	66	27⅛	–	–	lbs.	
WWN3060DSFBA1W	Wood	$ 7521	30⅛	60	27⅛	–	–	lbs.	
WWN3060DSFBA1LW	Laminate/Wood	7521	30⅛	60	27⅛	–	–	lbs.	
WWN3060DSFBA1L	Laminate	6391	30⅛	60	27⅛	–	–	lbs.	

- Laminate/Wood combo units consist of a laminate worksurface and veneer shrouds and modesty
- Grain direction on shrouds is always vertical unless specifying a horizontal laminate
- Wire manager located on right side of desk; removeable panel allows for easy access
- Wire manager can be moved to opposite side in field if other side is preferred
- Any laminate modesty over 60" will be horizontal
- Control pad can be moved to RH or LH by the customer
- All models feature a 2 position memory
- Legs will be visible when the desk is in an upper position; specify paint color of Cinder or Platinum Metallic
- SIN 33721

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 358 for options
- Refer to page 362 for grommet locations and page 361 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Grommet
5. Paint
6. Laminate Top Color (laminate models)
7. Laminate Chassis Color (laminate models)
8. Finish (wood models)

SAMPLE MODEL NUMBERS:

WW3084DSFBA1W	F	G1L	462	AD	
WW3084DSFBA1LW	F	G1R	462	440	MH
WW3084DSFBA1L	VPB	X	462	PB	PB

- See pages 356-361 for all options available in WaveWorks

ADJUSTABLE HEIGHT DESK SHELL BREAKFRONT FULL MODESTY (CONTINUED)



User side

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⅜" TOP THICKNESS 36" DEPTH									
WW3684DSFBA1W	Wood	$ 9179	36 1/16	83 15/16	26 13/16	–	–	lbs.	
WW3684DSFBA1LW	Laminate/Wood	9179	36 1/16	83 15/16	26 13/16	–	–	lbs.	
WW3684DSFBA1L	Laminate	7934	36 1/16	83 15/16	26 13/16	–	–	lbs.	
WW3678DSFBA1W	Wood	$ 8936	36 1/16	77 15/16	26 13/16	–	–	lbs.	
WW3678DSFBA1LW	Laminate/Wood	8936	36 1/16	77 15/16	26 13/16	–	–	lbs.	
WW3678DSFBA1L	Laminate	7814	36 1/16	77 15/16	26 13/16	–	–	lbs.	
WW3672DSFBA1W	Wood	$ 8693	36 1/16	71 15/16	26 13/16	–	–	lbs.	
WW3672DSFBA1LW	Laminate/Wood	8693	36 1/16	71 15/16	26 13/16	–	–	lbs.	
WW3672DSFBA1L	Laminate	7693	36 1/16	71 15/16	26 13/16	–	–	lbs.	
30" DEPTH									
WW3084DSFBA1W	Wood	$ 8362	30 1/16	83 15/16	26 13/16	–	–	lbs.	
WW3084DSFBA1LW	Laminate/Wood	8362	30 1/16	83 15/16	26 13/16	–	–	lbs.	
WW3084DSFBA1L	Laminate	6731	30 1/16	83 15/16	26 13/16	–	–	lbs.	
WW3078DSFBA1W	Wood	$ 8117	30 1/16	77 15/16	26 13/16	–	–	lbs.	
WW3078DSFBA1LW	Laminate/Wood	8117	30 1/16	77 15/16	26 13/16	–	–	lbs.	
WW3078DSFBA1L	Laminate	6614	30 1/16	77 15/16	26 13/16	–	–	lbs.	
WW3072DSFBA1W	Wood	$ 7874	30 1/16	71 15/16	26 13/16	–	–	lbs.	
WW3072DSFBA1LW	Laminate/Wood	7874	30 1/16	71 15/16	26 13/16	–	–	lbs.	
WW3072DSFBA1L	Laminate	6493	30 1/16	71 15/16	26 13/16	–	–	lbs.	
WW3066DSFBA1W	Wood	$ 7629	30 1/16	66	26 13/16	–	–	lbs.	
WW3066DSFBA1LW	Laminate/Wood	7629	30 1/16	66	26 13/16	–	–	lbs.	
WW3066DSFBA1L	Laminate	6374	30 1/16	66	26 13/16	–	–	lbs.	
WW3060DSFBA1W	Wood	$ 7384	30 1/16	60	26 13/16	–	–	lbs.	
WW3060DSFBA1LW	Laminate/Wood	7384	30 1/16	60	26 13/16	–	–	lbs.	
WW3060DSFBA1L	Laminate	6255	30 1/16	60	26 13/16	–	–	lbs.	

- Laminate/Wood combo units consist of a laminate worksurface and veneer shrouds and modesty
- Grain direction on shrouds is always vertical unless specifying a horizontal laminate
- Wire manager located on right side of desk; removeable panel allows for easy access
- Wire manager can be moved to opposite side in field if other side is preferred
- Any laminate modesty over 60" will be horizontal
- Control pad can be moved to RH or LH by the customer
- All models feature a 2 position memory
- Legs will be visible when the desk is in an upper position; specify paint color of Cinder or Platinum Metallic
- SIN 33721

WAVEWORKS

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBERS:

NAC05PCONB

• See pages 356-361 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
4 POSITION PROGRAMMABLE MEMORY CONTROL FOR ADJUSTABLE HEIGHT UNITS	NAC05PCONB	Black	$ 246	2½	5½	1	—	—	3 lbs.	0.1

- Will allow 4 position programmable option and digital readout.
- To be specified when needing a 4 position memory control on any WaveWorks, Tessera, or Naviyd Height Adjustable Desk models, as these models have a 2 position memory control switch as standard

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 358 for options
- Refer to pages 741-784 for accessories
- Assembled units and component units are interchangeable
- Refer to page 362 for grommet locations and page 361 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Grommet
5. Laminate Top Color (laminate/combo models)
6. Laminate Door/Drawer Color (laminate models)
7. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WWN3072DUW	R	G1L	NL	AC
WWN3072DUL	VHN2	G1L	AC2	AC2

- See pages 356-361 for all options available in WaveWorks

U-SHAPED DESK



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⅜" TOP THICKNESS									
WWN3672DUW	Wood	$ 2894	36⅛	71¹⁵⁄₁₆	29⅜	—	—	145 lbs.	8.8
WWN3672DULW	Laminate/Wood	2894	36⅛	71¹⁵⁄₁₆	29⅜	—	—	145 lbs.	8.8
WWN3672DUL	Laminate	1717	36⅛	71¹⁵⁄₁₆	29⅜	—	—	145 lbs.	8.8
WWN3072DUW	Wood	$ 2735	30⅛	71¹⁵⁄₁₆	29⅜	—	—	130 lbs.	8.5
WWN3072DULW	Laminate/Wood	2735	30⅛	71¹⁵⁄₁₆	29⅜	—	—	130 lbs.	8.5
WWN3072DUL	Laminate	1450	30⅛	71¹⁵⁄₁₆	29⅜	—	—	130 lbs.	8.5
WWN3066DUW	Wood	$ 2578	30⅛	66	29⅜	—	—	100 lbs.	6.3
WWN3066DULW	Laminate/Wood	2578	30⅛	66	29⅜	—	—	100 lbs.	6.3
WWN3066DUL	Laminate	1186	30⅛	66	29⅜	—	—	100 lbs.	6.3

- Not recommended as a freestanding unit
- Support base must be ordered separately; see pages 669-672 for support base options
- Some assembly required

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 358 for options
- Refer to pages 741-784 for accessories
- Assembled units and component units are interchangeable
- Refer to page 362 for grommet locations and page 361 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Grommet
5. Laminate Top Color (laminate/combo models)
6. Laminate Door/Drawer Color (laminate models)
7. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW3072DUW	R	G1L	NL	AC
WW3072DUL	VHN2	G1L	AC2	AC2

- See pages 356-361 for all options available in WaveWorks

U-SHAPED DESK (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1¾6" TOP THICKNESS									
WW3672DUW	Wood	$ 2630	36⅛	71 15⁄16	28 15⁄16	–	–	145 lbs.	8.8
WW3672DULW	Laminate/Wood	2630	36⅛	71 15⁄16	28 15⁄16	–	–	145 lbs.	8.8
WW3672DUL	Laminate	1559	36⅛	71 15⁄16	28 15⁄16	–	–	145 lbs.	8.8
WW3672DULL	TFL	1246	36⅛	71 15⁄16	28⅞	–	–	145 lbs.	8.8
WW3072DUW	Wood	$ 2487	30 1⁄16	71 15⁄16	28 15⁄16	–	–	130 lbs.	8.5
WW3072DULW	Laminate/Wood	2487	30 1⁄16	71 15⁄16	28 15⁄16	–	–	130 lbs.	8.5
WW3072DUL	Laminate	1318	30 1⁄16	71 15⁄16	28 15⁄16	–	–	130 lbs.	8.5
WW3072DULL	TFL	1053	30 1⁄16	71 15⁄16	28⅞	–	–	130 lbs.	8.5
WW3066DUW	Wood	$ 2344	30 1⁄16	66	28 15⁄16	–	–	100 lbs.	6.3
WW3066DULW	Laminate/Wood	2344	30 1⁄16	66	28 15⁄16	–	–	100 lbs.	6.3
WW3066DUL	Laminate	1079	30 1⁄16	66	28 15⁄16	–	–	100 lbs.	6.3
WW3066DULL	TFL	861	30 1⁄16	66	28⅞	–	–	100 lbs.	6.3

- Not recommended as a freestanding unit
- Support base must be ordered separately; see pages 669-672 for support base options
- Some assembly required

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 358 for options
- Refer to pages 741-784 for accessories
- Assembled units and component units are interchangeable
- Refer to page 362 for grommet locations and page 361 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Grommet
5. Laminate Top Color (laminate/combo models)
6. Laminate Door/Drawer Color (laminate models)
7. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WWN3072DUFW	R	G1L	NL	AC
WWN3072DUFL	VHN2	G1L	AC2	AC2

- See pages 356-361 for all options available in WaveWorks

U-SHAPED DESK WITH MODESTY PANEL



MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⁹⁄₁₆" TOP THICKNESS									
WWN3672DUFW	Wood	$ 3752	36⅛	71¹⁵⁄₁₆	29⅜	14¹¹⁄₁₆	—	165 lbs.	8.9
WWN3672DUFLW	Laminate/Wood	3752	36⅛	71¹⁵⁄₁₆	29⅜	14¹¹⁄₁₆	—	165 lbs.	8.9
WWN3672DUFL	Laminate	2241	36⅛	71¹⁵⁄₁₆	29⅜	14¹¹⁄₁₆	—	165 lbs.	8.9
WWN3072DUFW	Wood	$ 3473	30¹⁄₁₆	71¹⁵⁄₁₆	29⅜	14¹¹⁄₁₆	—	150 lbs.	8.6
WWN3072DUFLW	Laminate/Wood	3473	30¹⁄₁₆	71¹⁵⁄₁₆	29⅜	14¹¹⁄₁₆	—	150 lbs.	8.6
WWN3072DUFL	Laminate	1977	30¹⁄₁₆	71¹⁵⁄₁₆	29⅜	14¹¹⁄₁₆	—	150 lbs.	8.6
WWN3066DUFW	Wood	$ 3190	30¹⁄₁₆	66	29⅜	14¹¹⁄₁₆	—	120 lbs.	6.5
WWN3066DUFLW	Laminate/Wood	3190	30¹⁄₁₆	66	29⅜	14¹¹⁄₁₆	—	120 lbs.	6.5
WWN3066DUFL	Laminate	1715	30¹⁄₁₆	66	29⅜	14¹¹⁄₁₆	—	120 lbs.	6.5

- Not recommended as a freestanding unit
- Support base must be ordered separately; see pages 669-672 for support base options
- Some assembly required

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 358 for options
- Refer to pages 741-784 for accessories
- Assembled units and component units are interchangeable
- Refer to page 362 for grommet locations and page 361 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on desks

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Grommet
5. Laminate Top Color (laminate/combo models)
6. Laminate Door/Drawer Color (laminate models)
7. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW3072DUFW	R	G1L	NL	AC
WW3072DUFL	VHN2	G1L	AC2	AC2

- See pages 356-361 for all options available in WaveWorks

U-SHAPED DESK WITH MODESTY PANEL (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1¾6" TOP THICKNESS									
WW3672DUFW	Wood	$ 3412	36⅛	71 15⁄16	28 15⁄16	14 1⁄16	–	165 lbs.	8.9
WW3672DUFLW	Laminate/Wood	3412	36⅛	71 15⁄16	28 15⁄16	14 1⁄16	–	165 lbs.	8.9
WW3672DUFL	Laminate	2038	36⅛	71 15⁄16	28 15⁄16	14 1⁄16	–	165 lbs.	8.9
WW3672DUFLL	TFL	1629	36⅛	71 15⁄16	28⅞	14 1⁄16	–	165 lbs.	8.9
WW3072DUFW	Wood	$ 3156	30 1⁄16	71 15⁄16	28 15⁄16	14 1⁄16	–	150 lbs.	8.6
WW3072DUFLW	Laminate/Wood	3156	30 1⁄16	71 15⁄16	28 15⁄16	14 1⁄16	–	150 lbs.	8.6
WW3072DUFL	Laminate	1794	30 1⁄16	71 15⁄16	28 15⁄16	14 1⁄16	–	150 lbs.	8.6
WW3072DUFLL	TFL	1436	30 1⁄16	71 15⁄16	28⅞	14 1⁄16	–	150 lbs.	8.6
WW3066DUFW	Wood	$ 2901	30 1⁄16	66	28 15⁄16	14 1⁄16	–	120 lbs.	6.5
WW3066DUFLW	Laminate/Wood	2901	30 1⁄16	66	28 15⁄16	14 1⁄16	–	120 lbs.	6.5
WW3066DUFL	Laminate	1558	30 1⁄16	66	28 15⁄16	14 1⁄16	–	120 lbs.	6.5
WW3066DUFLL	TFL	1246	30 1⁄16	66	28⅞	14 1⁄16	–	120 lbs.	6.5

- Not recommended as a freestanding unit
- Support base must be ordered separately; see pages 669-672 for support base options
- Some assembly required

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 358 for options
- Refer to pages 741-784 for accessories
- Assembled units and component units are interchangeable
- Refer to page 362 for grommet locations and page 361 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on P-shaped desks

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Laminate Top Color (laminate/combo models)
5. Laminate Door/Drawer Color (laminate models)
6. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW3072DPLW R AC
WW3072DPLL VHN2 AC2 AC2

- See pages 356-361 for all options available in WaveWorks

P-SHAPED DESK



MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⅜" TOP THICKNESS										
LEFT P	**RIGHT P**									
WWN3072DPLW	WWN3072DPRW	Wood	$ 3028	36 1/16	71 15/16	29 7/16	—	—	110 lbs.	6.9
WWN3072DPLLW	WWN3072DPRLW	Laminate/Wood	3028	36 1/16	71 15/16	29 7/16	—	—	110 lbs.	6.9
WWN3072DPLL	WWN3072DPRL	Laminate	1796	36 1/16	71 15/16	29 7/16	—	—	110 lbs.	6.9
1⅜" TOP THICKNESS										
LEFT P	**RIGHT P**									
WW3072DPLW	WW3072DPRW	Wood	$ 2754	36 1/16	71 15/16	29 7/16	—	—	110 lbs.	6.9
WW3072DPLLW	WW3072DPRLW	Laminate/Wood	2754	36 1/16	71 15/16	29 7/16	—	—	110 lbs.	6.9
WW3072DPLL	WW3072DPRL	Laminate	1632	36 1/16	71 15/16	29 7/16	—	—	110 lbs.	6.9
WW3072DPLLL	WW3072DPRLL	TFL	1308	36 1/16	71 15/16	29	—	—	110 lbs.	6.9

- Not recommended as a freestanding unit
- Support base must be ordered separately; see pages 669-672 for support base options; some assembly required

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 358 for options
- Refer to pages 741-784 for accessories
- Assembled units and component units are interchangeable
- Refer to page 362 for grommet locations and page 361 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options
- Center grommet location not available on P-shaped desks

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Laminate Top Color (laminate/combo models)
5. Laminate Door/Drawer Color (laminate models)
6. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW3072DPLFW R AC
WW3072DPLFL VHN2 AC2 AC2

- See pages 356-361 for all options available in WaveWorks

P-SHAPED DESK WITH MODESTY PANEL



Left shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⁹⁄₁₆" TOP THICKNESS WITH MODESTY										
LEFT P	**RIGHT P**									
WWN3072DPLFW	WWN3072DPRFW	Wood	$ 3760	36⅛	71⁵⁄₁₆	29⁷⁄₁₆	14¹⁄₁₆	–	130 lbs.	8.8
WWN3072DPLFLW	WWN3072DPRFLW	Laminate/Wood	3760	36⅛	71⁵⁄₁₆	29⁷⁄₁₆	14¹⁄₁₆	–	130 lbs.	8.8
WWN3072DPLFL	WWN3072DPRFL	Laminate	2268	36⅛	71⁵⁄₁₆	29⁷⁄₁₆	14¹⁄₁₆	–	130 lbs.	8.8
1¾₁₆" TOP THICKNESS WITH MODESTY										
LEFT P	**RIGHT P**									
WW3072DPLFW	WW3072DPRFW	Wood	$ 3416	36⅛	71⁵⁄₁₆	29⁷⁄₁₆	14¹⁄₁₆	–	130 lbs.	8.8
WW3072DPLFLW	WW3072DPRFLW	Laminate/Wood	3416	36⅛	71⁵⁄₁₆	29⁷⁄₁₆	14¹⁄₁₆	–	130 lbs.	8.8
WW3072DPLFL	WW3072DPRFL	Laminate	2064	36⅛	71⁵⁄₁₆	29⁷⁄₁₆	14¹⁄₁₆	–	130 lbs.	8.8
WW3072DPLFLL	WW3072DPRFLL	TFL	1650	36⅛	71⁵⁄₁₆	29	14¹⁄₁₆	–	130 lbs.	8.8

- Not recommended as a freestanding unit
- Support base must be ordered separately; see pages 669-672 for support base options; some assembly required

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 358 for options
- Refer to pages 741-784 for accessories
- Assembled units and component units are interchangeable
- If specifying wood, you must specify the same finish for all options
- Only available grommet option on corner units is center location
- Refer to page 361 for grommet options and upcharge

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Grommet
5. Laminate Top Color (laminate/combo models)
6. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW4242CFSW2	P	G11SNC	MC		
WW4242CFSL2	V	G11SNC	MC	440	MC
WW4242CFSLWL2	P	G11SNC	440	MC	440
WW4242CFSLW2	P	G11SNC	440	MC	

- See pages 356-361 for all options available in WaveWorks

CORNER UNIT



Grain direction runs diagonally

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⅜" TOP THICKNESS									
WWN4242CFSW2	Wood	$ 3220	42 1/16	42 1/16	29 3/8	1/16	–	145 lbs.	50.4
WWN4242CFSLW2	Laminate/Wood	3220	42 1/16	42 1/16	29 3/8	1/16	–	145 lbs.	50.4
WWN4242CFSL2	Laminate	1956	42 1/16	42 1/16	29 3/8	1/16	–	145 lbs.	50.4
WWN4242CFSWL2	Wood/Laminate	2739	42 1/16	42 1/16	29 3/8	1/16	–	145 lbs.	50.4
WWN4242CFSLWL2	Laminate/Wood/Laminate	2739	42 1/16	42 1/16	29 3/8	1/16	–	145 lbs.	50.4
1⅜" TOP THICKNESS									
WW4242CFSW2	Wood	$ 2925	42 1/16	42 1/16	28 15/16	1/16	–	145 lbs.	50.4
WW4242CFSLW2	Laminate/Wood	2925	42 1/16	42 1/16	28 15/16	1/16	–	145 lbs.	50.4
WW4242CFSL2	Laminate	1780	42 1/16	42 1/16	28 15/16	1/16	–	145 lbs.	50.4
WW4242CFSLL2	TFL	1425	42 1/16	42 1/16	28 15/16	1/16	–	145 lbs.	50.4
WW4242CFSWL2	Wood/Laminate	2488	42 1/16	42 1/16	28 15/16	1/16	–	145 lbs.	50.4
WW4242CFSLWL2	Laminate/Wood/Laminate	2488	42 1/16	42 1/16	28 15/16	1/16	–	145 lbs.	50.4

- Must be connected to 24" deep worksurfaces
- 42" corner unit has 25½" on front edge

1⅜" TOP THICKNESS									
WWN3636CFSW2	Wood	$ 3013	36 1/16	36 1/16	29 3/8	1/16	–	125 lbs.	25.9
WWN3636CFSLW2	Laminate/Wood	3013	36 1/16	36 1/16	29 3/8	1/16	–	125 lbs.	25.9
WWN3636CFSL2	Laminate	1840	36 1/16	36 1/16	29 3/8	1/16	–	125 lbs.	25.9
WWN3636CFSWL2	Wood/Laminate	2562	36 1/16	36 1/16	29 3/8	1/16	–	125 lbs.	25.9
WWN3636CFSLWL2	Laminate/Wood/Laminate	2562	36 1/16	36 1/16	29 3/8	1/16	–	125 lbs.	25.9
1⅜" TOP THICKNESS									
WW3636CFSW2	Wood	$ 2739	36 1/16	36 1/16	28 15/16	1/16	–	125 lbs.	25.9
WW3636CFSLW2	Laminate/Wood	2739	36 1/16	36 1/16	28 15/16	1/16	–	125 lbs.	25.9
WW3636CFSL2	Laminate	1676	36 1/16	36 1/16	28 15/16	1/16	–	125 lbs.	25.9
WW3636CFSLL2	TFL	1339	36 1/16	36 1/16	28 15/16	1/16	–	125 lbs.	25.9
WW3636CFSWL2	Wood/Laminate	2330	36 1/16	36 1/16	28 15/16	1/16	–	125 lbs.	25.9
WW3636CFSLWL2	Laminate/Wood/Laminate	2330	36 1/16	36 1/16	28 15/16	1/16	–	125 lbs.	25.9

- Grain direction runs diagonally
- Must be connected to 24" deep worksurfaces
- 36" unit has 17" on front edge
- Not intended to be used as freestanding unit

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 358 for options
- Refer to pages 741-784 for accessories
- Assembled units and component units are interchangeable
- If specifying wood, you must specify the same finish for all options
- Only available grommet option on corner units is center location
- Refer to page 361 for grommet options and upcharge

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Grommet
5. Laminate Top Color (laminate/combo models)
6. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WWN4242CFSW3	P	G11SNC	MC		
WWN4242CFSL3	V	G11SNC	MC	440	
WWN4242CFSLWL3	P	G11SNC	440	MC	440
WWN4242CFSLW3	P	G11SNC	440	MC	

- See pages 356-361 for all options available in WaveWorks

CORNER UNIT



Grain direction runs diagonally

MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⁹⁄₁₆" TOP THICKNESS									
WWN4242CFSW3	Wood	$ 3541	42¹⁄₁₆	42¹⁄₁₆	29³⁄₈	¹⁄₁₆	–	145 lbs.	50.4
WWN4242CFSLW3	Laminate/Wood	3541	42¹⁄₁₆	42¹⁄₁₆	29³⁄₈	¹⁄₁₆	–	145 lbs.	50.4
WWN4242CFSL3	Laminate	2156	42¹⁄₁₆	42¹⁄₁₆	29³⁄₈	¹⁄₁₆	–	145 lbs.	50.4
WWN4242CFSWL3	Wood/Laminate	3007	42¹⁄₁₆	42¹⁄₁₆	29³⁄₈	¹⁄₁₆	–	145 lbs.	50.4
WWN4242CFSLWL3	Laminate/Wood/Laminate	3007	42¹⁄₁₆	42¹⁄₁₆	29³⁄₈	¹⁄₁₆	–	145 lbs.	50.4
1³⁄₁₆" TOP THICKNESS									
WW4242CFSW3	Wood	$ 3219	42¹⁄₁₆	42¹⁄₁₆	28¹³⁄₁₆	¹⁄₁₆	–	145 lbs.	50.4
WW4242CFSLW3	Laminate/Wood	3219	42¹⁄₁₆	42¹⁄₁₆	28¹³⁄₁₆	¹⁄₁₆	–	145 lbs.	50.4
WW4242CFSL3	Laminate	1959	42¹⁄₁₆	42¹⁄₁₆	28¹³⁄₁₆	¹⁄₁₆	–	145 lbs.	50.4
WW4242CFSLL3	TFL	1568	42¹⁄₁₆	42¹⁄₁₆	28¹³⁄₁₆	¹⁄₁₆	–	145 lbs.	50.4
WW4242CFSWL3	Wood/Laminate	2734	42¹⁄₁₆	42¹⁄₁₆	28¹³⁄₁₆	¹⁄₁₆	–	145 lbs.	50.4
WW4242CFSLWL3	Laminate/Wood/Laminate	2734	42¹⁄₁₆	42¹⁄₁₆	28¹³⁄₁₆	¹⁄₁₆	–	145 lbs.	50.4

- Grain direction runs diagonally
- Must be connected to 30" deep worksurfaces
- 42" corner unit has 12¾" on front edge
- Not intended to be used as freestanding unit

TRANSACTION COUNTER



WW1572TCW	Wood	$ 1407	15³⁄₁₆	71¹⁵⁄₁₆	15¹³⁄₁₆	–	–	90 lbs.	15.5
WW1572TCL	Laminate	766	15³⁄₁₆	71¹⁵⁄₁₆	15¹³⁄₁₆	–	–	90 lbs.	15.5
WW1572TCLL	TFL	611	15³⁄₁₆	71¹⁵⁄₁₆	15¹³⁄₁₆	–	–	90 lbs.	15.5
WW1566TCW	Wood	$ 1280	15³⁄₁₆	66	15¹³⁄₁₆	–	–	85 lbs.	14.5
WW1566TCL	Laminate	711	15³⁄₁₆	66	15¹³⁄₁₆	–	–	85 lbs.	14.5
WW1566TCLL	TFL	565	15³⁄₁₆	66	15¹³⁄₁₆	–	–	85 lbs.	14.5

- Some assembly required
- For tack board options, see pages 776-783

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 358 for options
- Refer to pages 741-784 for accessories
- Assembled units and component units are interchangeable
- If specifying wood, you must specify the same finish for all options
- Refer to page 361 for grommet options and upcharge
- See pages 401-405 for reception unit thought starters and examples
- Undersurface pedestals available; see pages 521-531
- Reception worksurfaces available in 1⅜" only

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Grommet
5. Locking
6. Laminate Top Color (laminate/combo models)
7. Laminate Door/Drawer Color (laminate models)
8. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBER:

WW2572DSTF3W RX CW

- See pages 356-361 for all options available in WaveWorks

RECEPTION DESK
MAIN SHELL



MAIN SHELL

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WW2572DSTFW	Wood	$ 6063	25	71³⁄₁₆	40⅜	—	69½	230 lbs.	52.0
WW2572DSTFLW	Laminate/Wood	6063	25	71³⁄₁₆	40⅜	—	69½	230 lbs.	52.0
WW2572DSTFL	Laminate	4910	25	71³⁄₁₆	40⅜	—	69½	230 lbs.	52.0
WW2572DSTFLL	TFL	3928	25	71³⁄₁₆	40⅜	—	69½	230 lbs.	52.0

- Frosted glass accent piece attached to approach side
- Do not specify pull option
- Center grommet location not available due to cords being visible through glass
- Unit is non-handed; can be used left or right to configure a U-station
- 23" deep undersurface pedestals can be ordered for storage; see pages 522-523
- Reception Counter Kits available; see pages 398-400 for additional information
- For tack board options, see pages 776-783
- When ordering a tack board, it is recommended to also order a reception counter kit for the best appearance

RECEPTION DESK
MAIN SHELL



Approach view



User view

MAIN SHELL

QWW2572DSTF3W	Wood	$ 4287	25	71³⁄₁₆	40⅜	—	69½	230 lbs.	52.0
WW2572DSTF3W	Wood	4287	25	71³⁄₁₆	40⅜	—	69½	230 lbs.	52.0

- Wood worksurface/rim, wood front panel, wood chassis-no glass on unit

WW2572DSTF3L	Laminate	$ 3117	25	71³⁄₁₆	40⅜	—	69½	230 lbs.	52.0
QWW2572DSTF3LL	TFL	2494	25	71³⁄₁₆	40⅜	—	69½	230 lbs.	52.0
WW2572DSTF3LL	TFL	2494	25	71³⁄₁₆	40⅜	—	69½	230 lbs.	52.0

- Laminate worksurface/PVC rim, laminate front panel, laminate chassis-no glass on unit

- Do not specify pull option
- Unit is non-handed; can be used left or right to configure a U-station
- 23" deep undersurface pedestals can be ordered for storage; see pages 522-523
- Reception Counter Kits available; see pages 398-400 for additional information
- For tack board options, see pages 776-783
- When ordering a tack board, it is recommended to also order a reception counter kit for the best appearance

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 358 for options
- Refer to pages 741-784 for accessories
- Assembled units and component units are interchangeable
- If specifying wood, you must specify the same finish for all options
- Refer to page 361 for grommet options and upcharge
- See pages 401-405 for reception unit thought starters and examples
- Undersurface pedestals available; see pages 521-531
- Reception worksurfaces available in 1⅜" only

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Laminate Top Color (laminate/combo models)
8. Laminate Door/Drawer Color (laminate models)
9. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBER:

WW2575DSTFLW F 72CC KRB AC

- See pages 356-361 for all options available in WaveWorks

RECEPTION DESK ADA MAIN SHELL WITH VERTICAL TOWER



Left shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
MAIN SHELL—ADA										
LEFT	**RIGHT**									
WW2575DSTFLW	WW2575DSTFRW	Wood	$ 6546	26 15/16	74 15/16	29 3/16	8	54	230 lbs.	52.0
WW2575DSTFLLW	WW2575DSTFRLW	Lam/Wood	6546	26 15/16	74 15/16	29 3/16	8	54	230 lbs.	52.0
WW2575DSTFLL	WW2575DSTFRL	Laminate	5287	26 15/16	74 15/16	29 3/16	8	54	230 lbs.	52.0
WW2575DSTFLLL	WW2575DSTFRLL	TFL	4228	26 15/16	74 15/16	29 3/16	8	54	230 lbs.	52.0

- Includes glass shelf on approach side
- Grommet option not available
- Kneespace depth is 15 5/32"
- Vertical tower has access door on approach side to access cords, 24" x 18" cornice tops available for tower; see page 484
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

- In order to meet ADA standards from the approach side, specify an ADA compliant main shell and a reception return
- Measurements of unit are compliant with the clearances outlined in the Americans with Disabilities Act guidelines for office furniture
- In order to meet ADA standards from the user side, use the WW2866BSTF__, WW2866BSTF2__ or WW2563BSTF__ reception bridge

RECEPTION DESK ADA MAIN SHELL WITH VERTICAL TOWER



Left shown

MAIN SHELL—ADA LEFT	RIGHT									
QWW2472DSTFLW	QWW2472DSTFRW	Wood	$ 4855	24	72	29 3/16	8	54	230 lbs.	52.0
WW2472DSTFLW	WW2472DSTFRW	Wood	4855	24	72	29 3/16	8	54	230 lbs.	52.0
WW2472DSTFLLW	WW2472DSTFRLW	Lam/Wood	4855	24	72	29 3/16	8	54	230 lbs.	52.0
WW2472DSTFLL	WW2472DSTFRL	Laminate	3584	24	72	29 3/16	8	54	230 lbs.	52.0
QWW2472DSTFLLL	QWW2472DSTFRLL	TFL	2866	24	72	29 3/16	8	54	230 lbs.	52.0
WW2472DSTFLLL	WW2472DSTFRLL	TFL	2866	24	72	29 3/16	8	54	230 lbs.	52.0

- No glass on unit
- Reception Counter Kits available; see below
- Grommet option not available
- Kneespace depth is 15 3/16"
- Vertical tower has access door on approach side to access cords, 24" x 18" cornice tops available for tower; see page 484
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

- Measurements of unit are compliant with the clearances outlined in the Americans with Disabilities Act guidelines for office furniture
- In order to meet ADA standards from the approach side, specify an ADA compliant main shell and a reception return
- In order to meet ADA standard from the user side, use the WW2866BSTF__, WW2866BSTF2__ or WW2563BSTF__ reception bridge

RECEPTION COUNTER KITS—ADA

1 3/16" TOP THICKNESS									
QWW1154TSW	Wood	$ 933	11	54	1⅞	—	—	42 lbs.	1.8
WW1154TSW	Wood	933	11	54	1⅞	—	—	42 lbs.	1.8
WW1154TSLW	Laminate/Wood	933	11	54	1⅞	—	—	42 lbs.	1.8
WW1154TSL	Laminate	905	11	54	1⅞	—	—	42 lbs.	1.8
QWW1154TSLL	TFL	725	11	54	1⅞	—	—	42 lbs.	1.8
WW1154TSLL	TFL	725	11	54	1⅞	—	—	42 lbs.	1.8

- For use with Reception Desk ADA Main Shell above
- Unit includes stanchions to attach to the ADA Reception unit

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 358 for options
- Refer to pages 741-784 for accessories
- Assembled units and component units are interchangeable
- If specifying wood, you must specify the same finish for all options
- Refer to page 361 for grommet options and upcharge
- See pages 401-405 for reception unit thought starters and examples
- Undersurface pedestals available; see pages 521-531
- Reception worksurfaces available in 1⅜" only

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Grommet
5. Laminate Top Color (laminate/combo models)
6. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW2866BSTFW	P	G1C	AC	
WW2866BSTFL	NMH	G1C	MH	
WW2866BSTFLW	F	G1C	461	NH

- See pages 356-361 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
RECEPTION BRIDGE	WW2866BSTFW	Wood	$ 1430	28⅜	66	42⅞	—	66	260 lbs.	60.0
	WW2866BSTFLW	Laminate/Wood	1430	28⅜	66	42⅞	—	66	260 lbs.	60.0
	WW2866BSTFL	Laminate	986	28⅜	66	42⅞	—	66	260 lbs.	60.0
	WW2866BSTFLL	TFL	790	28⅜	66	42⅞	—	66	260 lbs.	60.0
	WW2854BSTFW	Wood	$ 1230	28⅜	54	42⅞	—	54	243 lbs.	51.0
	WW2854BSTFLW	Laminate/Wood	1230	28⅜	54	42⅞	—	54	243 lbs.	51.0
	WW2854BSTFL	Laminate	750	28⅜	54	42⅞	—	54	243 lbs.	51.0
	WW2854BSTFLL	TFL	601	28⅜	54	42⅞	—	54	243 lbs.	51.0



- Includes 11" deep clear glass reception counter and frosted glass accent piece attached to approach side
- Specify WW2866BSTF_ reception bridge for ADA compliant user side
- When WW2866BSTFL is ordered with woodgrain laminate, laminate will run left-to-right on modesty panel
- Do not specify pull option
- Woodgrain on worksurfaces runs front-to-back
- For tack board options, see pages 776-783

RECEPTION BRIDGE	WW2866BSTF2W	Wood	$ 1373	28⅜	66	42⅞	—	66	260 lbs.	60.0
	WW2866BSTF2LW	Laminate/Wood	1373	28⅜	66	42⅞	—	66	260 lbs.	60.0
	WW2866BSTF2L	Laminate	970	28⅜	66	42⅞	—	66	260 lbs.	60.0
	WW2866BSTF2LL	TFL	774	28⅜	66	42⅞	—	66	260 lbs.	60.0
	WW2854BSTF2W	Wood	$ 1200	28⅜	54	42⅞	—	66	243 lbs.	51.0
	WW2854BSTF2LW	Laminate/Wood	1200	28⅜	54	42⅞	—	66	243 lbs.	51.0
	WW2854BSTF2L	Laminate	711	28⅜	54	42⅞	—	66	243 lbs.	51.0
	WW2854BSTF2LL	TFL	565	28⅜	54	42⅞	—	66	243 lbs.	51.0



Approach view



User view

- Includes 11" deep clear glass reception counter
- Specify WW2866BSTF_ or WW2866BSTF2_ reception bridge for ADA compliant user side
- When WW2866BSTF2L is ordered with woodgrain laminate, laminate will run left-to-right on modesty panel
- Do not specify pull option
- Grain direction runs front-to-back on worksurface
- For tack board options, see pages 776-783

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 358 for options
- Refer to pages 741-784 for accessories
- Assembled units and component units are interchangeable
- If specifying wood, you must specify the same finish for all options
- Refer to page 361 for grommet options and upcharge
- See pages 401-405 for reception unit thought starters and examples
- Undersurface pedestals available; see pages 521-531
- Reception worksurfaces available in 1⅜" only

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Grommet
5. Laminate Top Color (laminate/combo models)
6. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW2563BSTFW	P	G1C	AC	
WW2563BSTFL	NMH	G1C	MH	
WW2563BSTFLW	F	G1C	461	NH

- See pages 356-361 for all options available in WaveWorks

RECEPTION BRIDGE



Approach view



User view

MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
QWW2563BSTFW	Wood	$ 1323	25⅛	62⅜	40⅜	—	66	260 lbs.	60.0
WW2563BSTFW	Wood	1323	25⅛	62⅜	40⅜	—	66	260 lbs.	60.0
WW2563BSTFLW	Laminate/Wood	1323	25⅛	62⅜	40⅜	—	66	260 lbs.	60.0
WW2563BSTFL	Laminate	921	25⅛	62⅜	40⅜	—	66	260 lbs.	60.0
QWW2563BSTFLL	TFL	734	25⅛	62⅜	40⅜	—	66	260 lbs.	60.0
WW2563BSTFLL	TFL	734	25⅛	62⅜	40⅜	—	66	260 lbs.	60.0
QWW2550BSTFW	Wood	$ 1148	25⅛	50⅞	40⅜	—	66	243 lbs.	51.0
WW2550BSTFW	Wood	1148	25⅛	50⅞	40⅜	—	66	243 lbs.	51.0
WW2550BSTFLW	Laminate/Wood	1148	25⅛	50⅞	40⅜	—	66	243 lbs.	51.0
WW2550BSTFL	Laminate	658	25⅛	50⅞	40⅜	—	66	243 lbs.	51.0
QWW2550BSTFLL	TFL	526	25⅛	50⅞	40⅜	—	66	243 lbs.	51.0
WW2550BSTFLL	TFL	526	25⅛	50⅞	40⅜	—	66	243 lbs.	51.0

- No glass on unit
- Reception Counter Kits available; see pages 398-400 for additional information
- Specify WW2563BSTF_ reception bridge for ADA compliant user side
- When WW2563BSTFL is ordered with woodgrain laminate, laminate will run left-to-right on modesty panel
- Grain direction runs front-to-back on worksurface
- For tack board options, see pages 776-783
- When ordering a tack board, it is recommended to also order a reception counter kit for the best appearance

RECEPTION RETURN



Left Shown

RECEPTION RETURN LEFT–SHELL	RIGHT–SHELL		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WW2860RSTFLW	WW2860RSTFRW	Wood	$ 2190	27¾	60	42⅝	—	59¼	175 lbs.	47.0
WW2860RSTFLLW	WW2860RSTFRLW	Lam/Wood	2190	27¾	60	42⅝	—	59¼	175 lbs.	47.0
WW2860RSTFLL	WW2860RSTFRL	Laminate	2044	27¾	60	42⅝	—	59¼	175 lbs.	47.0
WW2860RSTFLLL	WW2860RSTFRLL	TFL	1637	27¾	60	42⅝	—	59¼	175 lbs.	47.0

- Includes 11" deep clear glass reception counter and frosted glass accent piece attached to approach side
- Use with a main shell to make a reception L-station
- 23" deep undersurface pedestals can be ordered for storage; see pages 522-523
- Grain direction runs front-to-back on worksurface
- For tack board options, see pages 776-783

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 358 for options
- Refer to pages 741-784 for accessories
- Assembled units and component units are interchangeable
- If specifying wood, you must specify the same finish for all options
- Refer to page 361 for grommet options and upcharge
- See pages 401-405 for reception unit thought starters and examples
- Undersurface pedestals available; see pages 521-531
- Reception worksurfaces available in 1⅜6" only
- Counter kits shipped with appropriate hardware to attach to reception units
- Rim on all 4 sides of laminate and wood counter kits
- Refer to pages 401-402 for examples of how the counter kits can be used

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Grommet
5. Laminate Top Color (laminate/combo models)
6. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW2860RSTFL2W	P	G1C	AC	
WW2860RSTFL2LW	NMH	G1C	MH	
WW2860RSTFL2L	F	G1C	461	NH

- See pages 356-361 for all options available in WaveWorks

RECEPTION RETURN



Approach view–left shown



User view–left shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
LEFT–SHELL	**RIGHT–SHELL**									
WW2860RSTFL2W	WW2860RSTFR2W	Wood	$ 2134	27¾	60	42⅝	—	59¼	175 lbs.	47.0
WW2860RSTFL2LW	WW2860RSTFR2LW	Lam/Wood	2134	27¾	60	42⅝	—	59¼	175 lbs.	47.0
WW2860RSTFL2L	WW2860RSTFR2L	Laminate	2004	27¾	60	42⅝	—	59¼	175 lbs.	47.0
WW2860RSTFL2LL	WW2860RSTFR2LL	TFL	1604	27¾	60	42⅝	—	59¼	175 lbs.	47.0

- Includes 11" deep clear glass reception counter
- Use with a main shell to make a reception L-station
- 23" deep undersurface pedestals can be ordered for storage; see pages 522-523
- Grain direction runs front-to-back on worksurface
- For tack board options, see pages 776-783

RECEPTION RETURN



Approach view–right shown



User view–right shown

LEFT–SHELL	RIGHT–SHELL									
QWW2460RSTFLW	QWW2460RSTFRW	Wood	$ 2083	24¼	59⅞	40⅜	—	59¼	175 lbs.	47.0
WW2460RSTFLW	WW2460RSTFRW	Wood	2083	24¼	59⅞	40⅜	—	59¼	175 lbs.	47.0
WW2460RSTFLLW	WW2460RSTFRLW	Lam/Wood	2083	24¼	59⅞	40⅜	—	59¼	175 lbs.	47.0
WW2460RSTFLL	WW2460RSTFRL	Laminate	1954	24¼	59⅞	40⅜	—	59¼	175 lbs.	47.0
QWW2460RSTFLLL	QWW2460RSTFRLL	TFL	1563	24¼	59⅞	40⅜	—	59¼	175 lbs.	47.0
WW2460RSTFLLL	WW2460RSTFRLL	TFL	1563	24¼	59⅞	40⅜	—	59¼	175 lbs.	47.0

- No glass on unit
- Reception Counter Kits available; see pages 398-400 for additional information
- Use with a main shell to make a reception L-station
- 23" deep undersurface pedestals can be ordered for storage; see pages 522-523
- Grain direction runs front-to-back on worksurface
- For tack board options, see pages 776-783
- When ordering a tack board, it is recommended to also order a reception counter kit for the best appearance

WAVEWORKS

PRODUCT SPECIFICATIONS

- Counter kits shipped with appropriate hardware to attach to reception units
- Rim on all 4 sides of laminate and wood counter kits
- Refer to pages 401-402 for examples of how the counter kits can be used

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Laminate Top Color/Veneer Top Finish
5. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN15109TSW F MH
WWN15109TSLW F 405 MH
WWN15109TSL V405 MH

- See pages 356-361 for all options available in WaveWorks

RECEPTION COUNTER KITS



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⅜" TOP THICKNESS									
WWN15109TSW	Wood	$ 1715	15⅜	108 1⁄16	1⅜	–	–	86 lbs.	3.5
WWN15109TSLW	Laminate/Wood	1715	15⅜	108 1⁄16	1⅜	–	–	86 lbs.	3.5
WWN15109TSL	Laminate	1667	15⅜	108 1⁄16	1⅜	–	–	86 lbs.	3.5
WWN1597TSW	Wood	$ 1397	15⅜	96 1⁄16	1⅜	–	–	76 lbs.	3.1
WWN1597TSLW	Laminate/Wood	1397	15⅜	96 1⁄16	1⅜	–	–	76 lbs.	3.1
WWN1597TSL	Laminate	1357	15⅜	96 1⁄16	1⅜	–	–	76 lbs.	3.1
WWN1584TSW	Wood	$ 1135	15⅜	83 5⁄16	1⅜	–	–	66 lbs.	2.7
WWN1584TSLW	Laminate/Wood	1135	15⅜	83 5⁄16	1⅜	–	–	66 lbs.	2.7
WWN1584TSL	Laminate	1103	15⅜	83 5⁄16	1⅜	–	–	66 lbs.	2.7
WWN1578TSW	Wood	$ 1087	15⅜	77 5⁄16	1⅜	–	–	62 lbs.	2.5
WWN1578TSLW	Laminate/Wood	1087	15⅜	77 5⁄16	1⅜	–	–	62 lbs.	2.5
WWN1578TSL	Laminate	1059	15⅜	77 5⁄16	1⅜	–	–	62 lbs.	2.5
WWN1572TSW	Wood	$ 1041	15⅜	71 5⁄16	1⅜	–	–	56 lbs.	2.3
WWN1572TSLW	Laminate/Wood	1041	15⅜	71 5⁄16	1⅜	–	–	56 lbs.	2.3
WWN1572TSL	Laminate	1012	15⅜	71 5⁄16	1⅜	–	–	56 lbs.	2.3
WWN1566TSW	Wood	$ 1003	15⅜	65 5⁄16	1⅜	–	–	52 lbs.	2.2
WWN1566TSLW	Laminate/Wood	1003	15⅜	65 5⁄16	1⅜	–	–	52 lbs.	2.2
WWN1566TSL	Laminate	978	15⅜	65 5⁄16	1⅜	–	–	52 lbs.	2.2
WWN1560TSW	Wood	$ 968	15⅜	59 5⁄16	1⅜	–	–	48 lbs.	2.0
WWN1560TSLW	Laminate/Wood	968	15⅜	59 5⁄16	1⅜	–	–	48 lbs.	2.0
WWN1560TSL	Laminate	937	15⅜	59 5⁄16	1⅜	–	–	48 lbs.	2.0
WWN1554TSW	Wood	$ 933	15⅜	53 5⁄16	1⅜	–	–	44 lbs.	1.8
WWN1554TSLW	Laminate/Wood	933	15⅜	53 5⁄16	1⅜	–	–	44 lbs.	1.8
WWN1554TSL	Laminate	905	15⅜	53 5⁄16	1⅜	–	–	44 lbs.	1.8

- Reference pages 401-402 for the multiple ways you can use Reception Counter Kits
- All hardware included to attach to reception units
- Reception Counter Kits can be used with Reception Mains, Reception Bridges and Reception Returns that do not have a Glass Reception Counters
- Reception Counter Kits can span the size of the unit or can extend beyond the unit and wrap around an entire L- or U-station to utilize counters on all sides

PRODUCT SPECIFICATIONS

- Counter kits shipped with appropriate hardware to attach to reception units
- Rim on all 4 sides of laminate and wood counter kits
- Refer to pages 401-402 for examples of how the counter kits can be used

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Laminate Top Color/Veneer Top Finish
5. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW15109TSW F MH
WW15109TSLW F 405 MH
WW15109TSL V405 MH

- See pages 356-361 for all options available in WaveWorks

RECEPTION COUNTER KITS (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1¾₁₆" TOP THICKNESS									
QWW15109TSW	Wood	$ 1531	15³⁄₁₆	108¹¹⁄₁₆	1³⁄₁₆	–	–	86 lbs.	3.5
WW15109TSW	Wood	1531	15³⁄₁₆	108¹¹⁄₁₆	1³⁄₁₆	–	–	86 lbs.	3.5
WW15109TSLW	Laminate/Wood	1531	15³⁄₁₆	108¹¹⁄₁₆	1³⁄₁₆	–	–	86 lbs.	3.5
WW15109TSL	Laminate	1486	15³⁄₁₆	108¹¹⁄₁₆	1³⁄₁₆	–	–	86 lbs.	3.5
QWW15109TSLL	TFL	1189	15³⁄₁₆	108¹¹⁄₁₆	1⅛	–	–	86 lbs.	3.5
WW15109TSLL	TFL	1189	15³⁄₁₆	108¹¹⁄₁₆	1⅛	–	–	86 lbs.	3.5
QWW1597TSW	Wood	$ 1212	15³⁄₁₆	96¹¹⁄₁₆	1³⁄₁₆	–	–	76 lbs.	3.1
WW1597TSW	Wood	1212	15³⁄₁₆	96¹¹⁄₁₆	1³⁄₁₆	–	–	76 lbs.	3.1
WW1597TSLW	Laminate/Wood	1212	15³⁄₁₆	96¹¹⁄₁₆	1³⁄₁₆	–	–	76 lbs.	3.1
WW1597TSL	Laminate	1179	15³⁄₁₆	96¹¹⁄₁₆	1³⁄₁₆	–	–	76 lbs.	3.1
QWW1597TSLL	TFL	944	15³⁄₁₆	96¹¹⁄₁₆	1⅛	–	–	76 lbs.	3.1
WW1597TSLL	TFL	944	15³⁄₁₆	96¹¹⁄₁₆	1⅛	–	–	76 lbs.	3.1
QWW1584TSW	Wood	$ 949	15³⁄₁₆	83¹⁵⁄₁₆	1³⁄₁₆	–	–	66 lbs.	2.7
WW1584TSW	Wood	949	15³⁄₁₆	83¹⁵⁄₁₆	1³⁄₁₆	–	–	66 lbs.	2.7
WW1584TSLW	Laminate/Wood	949	15³⁄₁₆	83¹⁵⁄₁₆	1³⁄₁₆	–	–	66 lbs.	2.7
WW1584TSL	Laminate	925	15³⁄₁₆	83¹⁵⁄₁₆	1³⁄₁₆	–	–	66 lbs.	2.7
QWW1584TSLL	TFL	740	15³⁄₁₆	83¹⁵⁄₁₆	1⅛	–	–	66 lbs.	2.7
WW1584TSLL	TFL	740	15³⁄₁₆	83¹⁵⁄₁₆	1⅛	–	–	66 lbs.	2.7
QWW1578TSW	Wood	$ 903	15³⁄₁₆	77¹⁵⁄₁₆	1³⁄₁₆	–	–	62 lbs.	2.5
WW1578TSW	Wood	903	15³⁄₁₆	77¹⁵⁄₁₆	1³⁄₁₆	–	–	62 lbs.	2.5
WW1578TSLW	Laminate/Wood	903	15³⁄₁₆	77¹⁵⁄₁₆	1³⁄₁₆	–	–	62 lbs.	2.5
WW1578TSL	Laminate	878	15³⁄₁₆	77¹⁵⁄₁₆	1³⁄₁₆	–	–	62 lbs.	2.5
QWW1578TSLL	TFL	702	15³⁄₁₆	77¹⁵⁄₁₆	1⅛	–	–	62 lbs.	2.5
WW1578TSLL	TFL	702	15³⁄₁₆	77¹⁵⁄₁₆	1⅛	–	–	62 lbs.	2.5

- Reference pages 401-402 for the multiple ways you can use Reception Counter Kits
- All hardware included to attach to reception units
- Reception Counter Kits can be used with Reception Mains, Reception Bridges and Reception Returns that do not have a Glass Reception Counters
- Reception Counter Kits can span the size of the unit or can extend beyond the unit and wrap around an entire L- or U-station to utilize counters on all sides

WAVEWORKS

PRODUCT SPECIFICATIONS

- Counter kits shipped with appropriate hardware to attach to reception units
- Rim on all 4 sides of laminate and wood counter kits
- Refer to pages 401-402 for examples of how the counter kits can be used

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Laminate Top Color/Veneer Top Finish
5. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW1572TSW	F	MH	
WW1572TSLW	F	405	MH
WW1572TSL	V405	MH	

- See pages 356-361 for all options available in WaveWorks

RECEPTION COUNTER KITS (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1¾₁₆" TOP THICKNESS (CONTINUED)									
QWW1572TSW	Wood	$ 858	15³⁄₁₆	71¹⁵⁄₁₆	1³⁄₁₆	–	–	56 lbs.	2.3
WW1572TSW	Wood	858	15³⁄₁₆	71¹⁵⁄₁₆	1³⁄₁₆	–	–	56 lbs.	2.3
WW1572TSLW	Laminate/Wood	858	15³⁄₁₆	71¹⁵⁄₁₆	1³⁄₁₆	–	–	56 lbs.	2.3
WW1572TSL	Laminate	832	15³⁄₁₆	71¹⁵⁄₁₆	1³⁄₁₆	–	–	56 lbs.	2.3
QWW1572TSLL	TFL	667	15³⁄₁₆	71¹⁵⁄₁₆	1⅛	–	–	56 lbs.	2.3
WW1572TSLL	TFL	667	15³⁄₁₆	71¹⁵⁄₁₆	1⅛	–	–	56 lbs.	2.3
QWW1566TSW	Wood	$ 821	15³⁄₁₆	65¹⁵⁄₁₆	1³⁄₁₆	–	–	52 lbs.	2.2
WW1566TSW	Wood	821	15³⁄₁₆	65¹⁵⁄₁₆	1³⁄₁₆	–	–	52 lbs.	2.2
WW1566TSLW	Laminate/Wood	821	15³⁄₁₆	65¹⁵⁄₁₆	1³⁄₁₆	–	–	52 lbs.	2.2
WW1566TSL	Laminate	798	15³⁄₁₆	65¹⁵⁄₁₆	1³⁄₁₆	–	–	52 lbs.	2.2
QWW1566TSLL	TFL	660	15³⁄₁₆	65¹⁵⁄₁₆	1⅛	–	–	52 lbs.	2.2
WW1566TSLL	TFL	660	15³⁄₁₆	65¹⁵⁄₁₆	1⅛	–	–	52 lbs.	2.2
QWW1560TSW	Wood	$ 782	15³⁄₁₆	59¹⁵⁄₁₆	1³⁄₁₆	–	–	48 lbs.	2.0
WW1560TSW	Wood	782	15³⁄₁₆	59¹⁵⁄₁₆	1³⁄₁₆	–	–	48 lbs.	2.0
WW1560TSLW	Laminate/Wood	782	15³⁄₁₆	59¹⁵⁄₁₆	1³⁄₁₆	–	–	48 lbs.	2.0
WW1560TSL	Laminate	761	15³⁄₁₆	59¹⁵⁄₁₆	1³⁄₁₆	–	–	48 lbs.	2.0
QWW1560TSLL	TFL	609	15³⁄₁₆	59¹⁵⁄₁₆	1⅛	–	–	48 lbs.	2.0
WW1560TSLL	TFL	609	15³⁄₁₆	59¹⁵⁄₁₆	1⅛	–	–	48 lbs.	2.0
QWW1554TSW	Wood	$ 748	15³⁄₁₆	53¹⁵⁄₁₆	1³⁄₁₆	–	–	44 lbs.	1.8
WW1554TSW	Wood	748	15³⁄₁₆	53¹⁵⁄₁₆	1³⁄₁₆	–	–	44 lbs.	1.8
WW1554TSLW	Laminate/Wood	748	15³⁄₁₆	53¹⁵⁄₁₆	1³⁄₁₆	–	–	44 lbs.	1.8
WW1554TSL	Laminate	727	15³⁄₁₆	53¹⁵⁄₁₆	1³⁄₁₆	–	–	44 lbs.	1.8
QWW1554TSLL	TFL	582	15³⁄₁₆	53¹⁵⁄₁₆	1⅛	–	–	44 lbs.	1.8
WW1554TSLL	TFL	582	15³⁄₁₆	53¹⁵⁄₁₆	1⅛	–	–	44 lbs.	1.8

- Reference pages 401-402 for the multiple ways you can use Reception Counter Kits
- All hardware included to attach to reception units
- Reception Counter Kits can be used with Reception Mains, Reception Bridges and Reception Returns that do not have a Glass Reception Counters
- Reception Counter Kits can span the size of the unit or can extend beyond the unit and wrap around an entire L- or U-station to utilize counters on all sides

WAVEWORKS RECEPTION - THOUGHT STARTERS

- National's reception units are offered without the glass reception counters allowing the customer to keep the space open or add the laminate or wood Reception Counter Kits
- Shown below are thought starters or ideas for how the Reception Counter Kits can be used on 1 side only or used to wrap an entire unit
- Model numbers are shown as examples of sizes used and fit of counter
- Reception Counter Kits will have an overhang on the approach side



Fig. A – Main Shell with Reception Return
(Counter on main shell)



Fig. B – Main Shell with Reception Return
(Counter on reception return spanning main shell)



Fig. C – Main Shell with Reception Return
(Counters across entire unit)



Fig. D – 2 Main Shells with Reception Bridge
(Counters on main shell)



Fig. E – 2 Main Shells with Reception Bridge
(Counter on reception bridge spanning main shells)



Fig. F – 2 Main Shells with Reception Bridge
(Counter on reception bridge spanning main shells)

THOUGHT STARTERS - WAVEWORKS RECEPTION



Fig. G – 2 Main Shells with Reception Bridge
(Counters across entire unit)



Fig. H – 2 Main Shells with Reception Bridge
(Counters across entire unit)

	CONFIGURATION		
	RECEPTION COUNTER KIT(S) COVER MAIN AND/OR ADA SHELL ONLY (SEE FIG. A OR D)	**RECEPTION COUNTER KIT COVERS BRIDGE OR RETURN ONLY (SEE FIG. B, E, OR F)**	**RECEPTION COUNTER KIT(S) COVER ENTIRE UNIT (SEE FIG. C, G, OR H)**
WAVEWORKS ADA COMPLIANT U-RECEPTION STATION			
Main Shell	WW1572TS	–	WW1578TS
ADA Shell	WW1154TS	–	WW1154TS
– 63" Bridge	–	WW1566TS	WW1572TS
WAVEWORKS U-RECEPTION STATION			
Main Shell	WW1572TS	–	WW1578TS
ADA Shell	WW1154TS	–	WW1154TS
– 63" Bridge	–	WW1554TS	WW1560TS
WAVEWORKS ADA COMPLIANT L-RECEPTION STATION			
ADA Shell	WW1154TS	–	WW1154TS
– 60" Return	–	WW1566TS	WW1566TS
WAVEWORKS RECEPTION U-UNIT			
2 Main Shells	WW1572TS x 2	–	WW1578TS x 2
– 63" Bridge	–	WW15109TS	WW1584TS
WAVEWORKS RECEPTION U-UNIT			
2 Main Shells	WW1572TS x 2	–	WW1578TS x 2
– 63" Bridge	–	WWN1597TS	WW1572TS
WAVEWORKS RECEPTION L-UNIT			
Main Shell	WW1572TS	–	WW1578TS
– 60" Return	–	WW1566TS	WW1572TS

WAVEWORKS RECEPTION - THOUGHT STARTERS

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 358 for options
- Refer to pages 741-784 for accessories
- Assembled units and component units are interchangeable
- If specifying wood, you must specify the same finish for all options
- Refer to page 361 for grommet options and upcharge

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Laminate Top Color (laminate/combo models)
8. Laminate Door/Drawer (laminate models)
9. Veneer Chassis Finish/Laminate Chassis Color

- See pages 356-361 for all options available in WaveWorks

WAVEWORKS ADA COMPLIANT RECEPTION STATION

ITEM	PAGE	MODEL NO./DESCRIPTION		LIST	QTY	EXT. LIST
WOOD CHASSIS/WORKSURFACE						**$ 14,039**
A.	393	WW2572DSTFW	Reception Desk-Main Shell	$ 6063	1	6,063
B.	395	WW2866BSTFW	Reception Bridge-66"	1430	1	1,430
C.	394	WW2575DSTFRW	Main Right-Shell-ADA	6546	1	6,546
ADDITIONAL ADD-ONS:						**$ 3,447**
	484	WW2418CPTW	Cornice Top for ADA Tower	$ 782	1	782
	522	WW2318PUBBFW	Undersurface Box/Box/File Pedestal	1807	1	1,807
	400	WW1572TSW	Reception Counter Kit	858	1	858
LAMINATE CHASSIS/WORKSURFACE:						**$ 11,183**
A.	393	WW2572DSTFL	Reception Desk-Main Shell	$ 4910	1	4,910
B.	395	WW2866BSTFL	Reception Bridge-66"	986	1	986
C.	394	WW2575DSTFRL	Main Right-Shell-ADA	5287	1	5,287
ADDITIONAL ADD-ONS:						**$ 2,726**
	484	WW2418CPTL	Cornice Top for ADA Tower	$ 761	1	761
	522	WW2318PUBBFL	Undersurface Box/Box/File Pedestal	1133	1	1,133
	400	WW1572TSL	Reception Counter Kit	832	1	832
WOOD CHASSIS/LAMINATE WORKSURFACE WITH WOOD RIM						**$ 14,039**
A.	393	WW2572DSTFLW	Reception Desk-Main Shell	$ 6063	1	6,063
B.	395	WW2866BSTFLW	Reception Bridge-66"	1430	1	1,430
C.	394	WW2575DSTFRLW	Main Right-Shell-ADA	6546	1	6,546
ADDITIONAL ADD-ONS:						**$ 1,640**
	484	WW2418CPTLW	Cornice Top for ADA Tower	$ 782	1	782
	400	WW1572TSLW	Reception Counter Kit	858	1	858

THOUGHT STARTERS - WAVEWORKS RECEPTION

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 358 for options
- Refer to pages 741-784 for accessories
- Assembled units and component units are interchangeable
- If specifying wood, you must specify the same finish for all options
- Refer to page 361 for grommet options and upcharge

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Laminate Top Color (laminate/combo models)
8. Laminate Door/Drawer (laminate models)
9. Veneer Chassis Finish/Laminate Chassis Color

- See pages 356-361 for all options available in WaveWorks

WAVEWORKS RECEPTION U-UNIT



ITEM	PAGE	MODEL NO./DESCRIPTION		LIST	QTY	EXT. LIST
WOOD CHASSIS/WORKSURFACE						**$ 13,601**
A.	393	WW2572DSTFW	Reception Desk-Main Shell	$ 6063	2	12,126
B.	395	WW2866BSTFW	Reception Bridge-66"	1430	1	1,430
C.		Racetrack Grommet		45	1	45
ADDITIONAL ADD-ONS:						**$ 3,614**
	522	WW2318PUBBFW	Undersurface Box/Box/File Pedestal	$ 1807	2	3,614
LAMINATE CHASSIS/WORKSURFACE:						**$ 10,851**
A.	393	WW2572DSTFL	Reception Desk-Main Shell	$ 4910	2	9,820
B.	395	WW2866BSTFL	Reception Bridge-66"	986	1	986
C.		Racetrack Grommet		45	1	45
ADDITIONAL ADD-ONS:						**$ 2,266**
	522	WW2318PUBBFL	Undersurface Box/Box/File Pedestal	$ 1133	2	2,266
WOOD CHASSIS/LAMINATE WORKSURFACE WITH WOOD RIM						**$ 13,601**
A.	393	WW2572DSTFLW	Reception Desk-Main Shell	$ 6063	2	12,126
B.	395	WW2866BSTFLW	Reception Bridge-66"	1430	1	1,430
C.		Racetrack Grommet		45	1	45

WAVEWORKS RECEPTIONS - THOUGHT STARTERS

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 358 for options
- Refer to pages 741-784 for accessories
- Refer to page 363 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 362 for grommet locations and page 361 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Laminate Top Color (laminate/combo models)
8. Laminate Door/Drawer (laminate models)
9. Veneer Chassis Finish/Laminate Chassis Color

- See pages 356-361 for all options available in WaveWorks

WAVEWORKS RECEPTION L-UNIT

ITEM	PAGE	MODEL NO./DESCRIPTION		LIST	QTY	EXT. LIST
WOOD CHASSIS/WORKSURFACE						**$ 10,105**
A.	393	WW2572DSTFW	Reception Desk-Main Shell	$ 6063	1	6,063
B.	396	WW2860RSTFLW	Reception Return-Left	2190	1	2,190
C.	523	WW2318PUFFW	Undersurface File/File Pedestal	1807	1	1,807
D.		Racetrack Grommet	Grommet	45	1	45
ADDITIONAL ADD-ONS:						**$ 858**
	400	WW1572TSW	Reception Counter Kit	$ 858	1	858
LAMINATE CHASSIS/WORKSURFACE:						**$ 8,132**
A.	393	WW2572DSTFL	Reception Desk-Main Shell	$ 4910	1	4,910
B.	396	WW2860RSTFLL	Reception Return-Left	2044	1	2,044
C.	523	WW2318PUFFL	Undersurface File/File Pedestal	1133	1	1,133
D.		Racetrack Grommet	Grommet	45	1	45
ADDITIONAL ADD-ONS:						**$ 832**
	400	WW1572TSL	Reception Counter Kit	$ 832	1	832
WOOD CHASSIS/LAMINATE WORKSURFACE WITH WOOD RIM						**$ 8,298**
A.	393	WW2572DSTFLW	Reception Desk-Main Shell	$ 6063	1	6,063
B.	396	WW2860RSTFLLW	Reception Return-Left	2190	1	2,190
C.		Racetrack Grommet	Grommet	45	1	45
ADDITIONAL ADD-ONS:						**$ 858**
	400	WW1572TSLW	Reception Counter Kit	$ 858	1	858

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 358 for options
- Refer to pages 741-784 for accessories
- Refer to page 363 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 362 for grommet locations and page 361 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Laminate Top Color (laminate/combo models)
8. Laminate Door/Drawer Color (laminate models)
9. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW2442RREFW1	P	7SN	G1C	KRB	AC		
WW2442RREFL1	NAC2	7SN	G1C	KRB	405	AC2	AC2
WW2442RREFLW1	P	7SN	G1C	KRB	405	AC	

- See pages 356-361 for all options available in WaveWorks

RETURN BOX/BOX/FILE



Left shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⅜" TOP THICKNESS LEFT RETURN	**RIGHT RETURN**									
WWN2460RLEFW1	WWN2460RREFW1	Wood	$ 3315	24	60	29⅜	1⁄16	44	180 lbs.	28.9
WWN2460RLEFLW1	WWN2460RREFLW1	Laminate/Wood	3315	24	60	29⅜	1⁄16	44	180 lbs.	28.9
WWN2460RLEFL1	WWN2460RREFL1	Laminate	2078	24	60	29⅜	1⁄16	44	180 lbs.	28.9
WWN2448RLEFW1	WWN2448RREFW1	Wood	$ 3191	24	48⅛	29⅜	1⁄16	33	160 lbs.	24.7
WWN2448RLEFLW1	WWN2448RREFLW1	Laminate/Wood	3191	24	48⅛	29⅜	1⁄16	33	160 lbs.	24.7
WWN2448RLEFL1	WWN2448RREFL1	Laminate	1945	24	48⅛	29⅜	1⁄16	33	160 lbs.	24.7
WWN2442RLEFW1	WWN2442RREFW1	Wood	$ 3067	24	42⅛	29⅜	1⁄16	27	140 lbs.	20.5
WWN2442RLEFLW1	WWN2442RREFLW1	Laminate/Wood	3067	24	42⅛	29⅜	1⁄16	27	140 lbs.	20.5
WWN2442RLEFL1	WWN2442RREFL1	Laminate	1867	24	42⅛	29⅜	1⁄16	27	140 lbs.	20.5
1⅜" TOP THICKNESS LEFT RETURN	**RIGHT RETURN**									
WW2460RLEFW1	WW2460RREFW1	Wood	$ 3013	24	60	28¹⁵⁄₁₆	1⁄16	44	186 lbs.	33.7
WW2460RLEFLW1	WW2460RREFLW1	Laminate/Wood	3013	24	60	28¹⁵⁄₁₆	1⁄16	44	186 lbs.	33.7
WW2460RLEFL1	WW2460RREFL1	Laminate	1890	24	60	28¹⁵⁄₁₆	1⁄16	44	186 lbs.	33.7
WW2460RLEFLL1	WW2460RREFLL1	TFL	1513	24	60	28⅞	1⁄16	44	186 lbs.	33.7
WW2448RLEFW1	WW2448RREFW1	Wood	$ 2902	24	48⅛	28¹⁵⁄₁₆	1⁄16	33	175 lbs.	27.6
WW2448RLEFLW1	WW2448RREFLW1	Laminate/Wood	2902	24	48⅛	28¹⁵⁄₁₆	1⁄16	33	175 lbs.	27.6
WW2448RLEFL1	WW2448RREFL1	Laminate	1771	24	48⅛	28¹⁵⁄₁₆	1⁄16	33	175 lbs.	27.6
WW2448RLEFLL1	WW2448RREFLL1	TFL	1416	24	48⅛	28⅞	1⁄16	33	175 lbs.	27.6
WW2442RLEFW1	WW2442RREFW1	Wood	$ 2790	24	42⅛	28¹⁵⁄₁₆	1⁄16	27	166 lbs.	24.5
WW2442RLEFLW1	WW2442RREFLW1	Laminate/Wood	2790	24	42⅛	28¹⁵⁄₁₆	1⁄16	27	166 lbs.	24.5
WW2442RLEFL1	WW2442RREFL1	Laminate	1696	24	42⅛	28¹⁵⁄₁₆	1⁄16	27	166 lbs.	24.5
WW2442RLEFLL1	WW2442RREFLL1	TFL	1360	24	42⅛	28⅞	1⁄16	27	166 lbs.	24.5

- Grain direction runs front-to-back
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 358 for options
- Refer to pages 741-784 for accessories
- Refer to page 363 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 362 for grommet locations and page 361 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Laminate Top Color (laminate/combo models)
8. Laminate Door/Drawer Color (laminate models)
9. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW2442RREFW2	P	7SN	G1C	KS1B	AC		
WW2442RREFL2	NAC2	7SN	G1C	KS1B	405	AC2	AC2
WW2442RREFLW2	P	7SN	G1C	KS1B	405	AC	

- See pages 356-361 for all options available in WaveWorks

RETURN FILE/FILE



Left shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⁹⁄₁₆" TOP THICKNESS LEFT RETURN	**RIGHT RETURN**									
WWN2460RLEFW2	WWN2460RREFW2	Wood	$ 3315	24	60	29⅜	1⁄16	44	180 lbs.	28.9
WWN2460RLEFLW2	WWN2460RREFLW2	Laminate/Wood	3315	24	60	29⅜	1⁄16	44	180 lbs.	28.9
WWN2460RLEFL2	WWN2460RREFL2	Laminate	2078	24	60	29⅜	1⁄16	44	180 lbs.	28.9
WWN2448RLEFW2	WWN2448RREFW2	Wood	$ 3191	24	48¹⁄₁₆	29⅜	1⁄16	33	160 lbs.	24.7
WWN2448RLEFLW2	WWN2448RREFLW2	Laminate/Wood	3191	24	48¹⁄₁₆	29⅜	1⁄16	33	160 lbs.	24.7
WWN2448RLEFL2	WWN2448RREFL2	Laminate	1945	24	48¹⁄₁₆	29⅜	1⁄16	33	160 lbs.	24.7
WWN2442RLEFW2	WWN2442RREFW2	Wood	$ 3067	24	42¹⁄₁₆	29⅜	1⁄16	27	140 lbs.	20.5
WWN2442RLEFLW2	WWN2442RREFLW2	Laminate/Wood	3067	24	42¹⁄₁₆	29⅜	1⁄16	27	140 lbs.	20.5
WWN2442RLEFL2	WWN2442RREFL2	Laminate	1867	24	42¹⁄₁₆	29⅜	1⁄16	27	140 lbs.	20.5
1⁹⁄₁₆" TOP THICKNESS LEFT RETURN	**RIGHT RETURN**									
WW2460RLEFW2	WW2460RREFW2	Wood	$ 3013	24	60	28¹⁵⁄₁₆	1⁄16	44	186 lbs.	33.7
WW2460RLEFLW2	WW2460RREFLW2	Laminate/Wood	3013	24	60	28¹⁵⁄₁₆	1⁄16	44	186 lbs.	33.7
WW2460RLEFL2	WW2460RREFL2	Laminate	1890	24	60	28¹⁵⁄₁₆	1⁄16	44	186 lbs.	33.7
WW2460RLEFLL2	WW2460RREFLL2	TFL	1513	24	60	28⅞	1⁄16	44	186 lbs.	33.7
WW2448RLEFW2	WW2448RREFW2	Wood	$ 2902	24	48¹⁄₁₆	28¹⁵⁄₁₆	1⁄16	33	175 lbs.	27.6
WW2448RLEFLW2	WW2448RREFLW2	Laminate/Wood	2902	24	48¹⁄₁₆	28¹⁵⁄₁₆	1⁄16	33	175 lbs.	27.6
WW2448RLEFL2	WW2448RREFL2	Laminate	1771	24	48¹⁄₁₆	28¹⁵⁄₁₆	1⁄16	33	175 lbs.	27.6
WW2448RLEFLL2	WW2448RREFLL2	TFL	1416	24	48¹⁄₁₆	28⅞	1⁄16	33	175 lbs.	27.6
WW2442RLEFW2	WW2442RREFW2	Wood	$ 2790	24	42¹⁄₁₆	28¹⁵⁄₁₆	1⁄16	27	166 lbs.	24.5
WW2442RLEFLW2	WW2442RREFLW2	Laminate/Wood	2790	24	42¹⁄₁₆	28¹⁵⁄₁₆	1⁄16	27	166 lbs.	24.5
WW2442RLEFL2	WW2442RREFL2	Laminate	1696	24	42¹⁄₁₆	28¹⁵⁄₁₆	1⁄16	27	166 lbs.	24.5
WW2442RLEFLL2	WW2442RREFLL2	TFL	1360	24	42¹⁄₁₆	28⅞	1⁄16	27	166 lbs.	24.5

- Grain direction runs front-to-back
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 358 for options
- Refer to pages 741-784 for accessories
- Refer to page 363 for filing capabilities
- Refer to page 362 for grommet locations and page 361 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Grommet
5. Laminate Top Color (laminate/combo models)
6. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WWN2442BEFW	F	X	N	MC
WWN2442BEFLW	F	X	NM	NM
WWN2442BEFL	F	G1C	PB	PB

- See pages 356-361 for all options available in WaveWorks

BRIDGE



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⁹⁄₁₆" TOP THICKNESS									
WWN2448BEFW	Wood	$ 1340	24	48 1⁄16	29 3⁄8	1⁄16	–	80 lbs.	4.1
WWN2448BEFLW	Laminate/Wood	1340	24	48 1⁄16	29 3⁄8	1⁄16	–	80 lbs.	4.1
WWN2448BEFL	Laminate	820	24	48 1⁄16	29 3⁄8	1⁄16	–	80 lbs.	4.1
WWN2442BEFW	Wood	$ 1265	24	42 1⁄16	29 3⁄8	1⁄16	–	72 lbs.	3.7
WWN2442BEFLW	Laminate/Wood	1265	24	42 1⁄16	29 3⁄8	1⁄16	–	72 lbs.	3.7
WWN2442BEFL	Laminate	739	24	42 1⁄16	29 3⁄8	1⁄16	–	72 lbs.	3.7
1³⁄₁₆" TOP THICKNESS									
WW2448BEFW	Wood	$ 1220	24	48 1⁄16	28 15⁄16	1⁄16	–	80 lbs.	4.1
WW2448BEFLW	Laminate/Wood	1220	24	48 1⁄16	28 15⁄16	1⁄16	–	80 lbs.	4.1
WW2448BEFL	Laminate	741	24	48 1⁄16	28 15⁄16	1⁄16	–	80 lbs.	4.1
WW2448BEFLL	TFL	593	24	48 1⁄16	28 7⁄8	1⁄16	–	80 lbs.	4.1
WW2442BEFW	Wood	$ 1148	24	42 1⁄16	28 15⁄16	1⁄16	–	72 lbs.	3.7
WW2442BEFLW	Laminate/Wood	1148	24	42 1⁄16	28 15⁄16	1⁄16	–	72 lbs.	3.7
WW2442BEFL	Laminate	669	24	42 1⁄16	28 15⁄16	1⁄16	–	72 lbs.	3.7
WW2442BEFLL	TFL	537	24	42 1⁄16	28 7⁄8	1⁄16	–	72 lbs.	3.7

- Some assembly required
- Grain direction runs front-to-back

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 358 for options
- Refer to pages 741-784 for accessories
- Refer to page 363 for filing capabilities
- Refer to page 362 for grommet locations and page 361 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Grommet
5. Laminate Top Color (laminate/combo models)
6. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WWN2448BEFHW	FX	CW	
WWN2448BEFHL	FX	793	793
WWN2448BEFHLW	FX	PB	PB

- See pages 356-361 for all options available in WaveWorks

BRIDGE WITH HINGED MODESTY



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⁹⁄₁₆" TOP THICKNESS									
WWN2448BEFHW	Wood	$ 1432	24	48 1⁄16	29 3⁄8	1⁄16	–	80 lbs.	4.1
WWN2448BEFHLW	Laminate/Wood	1432	24	48 1⁄16	29 3⁄8	1⁄16	–	80 lbs.	4.1
WWN2448BEFHL	Laminate	905	24	48 1⁄16	29 3⁄8	1⁄16	–	80 lbs.	4.1
WWN2442BEFHW	Wood	$ 1357	24	42 1⁄16	29 3⁄8	1⁄16	–	72 lbs.	3.7
WWN2442BEFHLW	Laminate/Wood	1357	24	42 1⁄16	29 3⁄8	1⁄16	–	72 lbs.	3.7
WWN2442BEFHL	Laminate	827	24	42 1⁄16	29 3⁄8	1⁄16	–	72 lbs.	3.7
1³⁄₁₆" TOP THICKNESS									
WW2448BEFHW	Wood	$ 1312	24	48 1⁄16	28 15⁄16	1⁄16	–	80 lbs.	4.1
WW2448BEFHLW	Laminate/Wood	1312	24	48 1⁄16	28 15⁄16	1⁄16	–	80 lbs.	4.1
WW2448BEFHL	Laminate	829	24	48 1⁄16	28 15⁄16	1⁄16	–	80 lbs.	4.1
WW2448BEFHLL	TFL	663	24	48 1⁄16	28 7⁄8	1⁄16	–	80 lbs.	4.1
WW2442BEFHW	Wood	$ 1241	24	42 1⁄16	28 15⁄16	1⁄16	–	72 lbs.	3.7
WW2442BEFHLW	Laminate/Wood	1241	24	42 1⁄16	28 15⁄16	1⁄16	–	72 lbs.	3.7
WW2442BEFHL	Laminate	766	24	42 1⁄16	28 15⁄16	1⁄16	–	72 lbs.	3.7
WW2442BEFHLL	TFL	611	24	42 1⁄16	28 7⁄8	1⁄16	–	72 lbs.	3.7

- Some assembly required
- Unit has flexible grommet in modesty for cord management
- Modesty is hinged for access to cords
- Grain direction runs front-to-back

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 358 for options
- Refer to pages 741-784 for accessories
- Refer to page 363 for filing capabilities
- Refer to page 362 for grommet locations and page 361 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Laminate Top Color (laminate/combo models)
8. Laminate Door/Drawer Color (laminate models)
9. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW2472CSFW	P	7SN	X	KRB	AC		
WW2472CSFL	NAC2	7SN	X	KRB	405	AC2	AC2
WW2472CSFLW	P	7SN	X	KRB	405	AC	

- See pages 356-361 for all options available in WaveWorks

STORAGE CREDENZA



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⁹⁄₁₆" TOP THICKNESS									
WWN2472CSFW	Wood	$ 5668	24	71⁵⁄₁₆	29⅜	3⁄16	–	383 lbs.	36.3
WWN2472CSFLW	Laminate/Wood	5668	24	71⁵⁄₁₆	29⅜	3⁄16	–	383 lbs.	36.3
WWN2472CSFL	Laminate	4517	24	71⁵⁄₁₆	29⅜	3⁄16	–	383 lbs.	36.3
WWN2466CSFW	Wood	$ 5324	24	66	29⅜	3⁄16	–	355 lbs.	32.7
WWN2466CSFLW	Laminate/Wood	5324	24	66	29⅜	3⁄16	–	355 lbs.	32.7
WWN2466CSFL	Laminate	4342	24	66	29⅜	3⁄16	–	355 lbs.	32.7
WWN2460CSFW	Wood	$ 5179	24	60	29⅜	3⁄16	–	325 lbs.	28.9
WWN2460CSFLW	Laminate/Wood	5179	24	60	29⅜	3⁄16	–	325 lbs.	28.9
WWN2460CSFL	Laminate	4260	24	60	29⅜	3⁄16	–	325 lbs.	28.9
1⅜₁₆" TOP THICKNESS									
WW2472CSFW	Wood	$ 5158	24	71⁵⁄₁₆	28¹³⁄₁₆	3⁄16	–	346 lbs.	39.8
WW2472CSFLW	Laminate/Wood	5158	24	71⁵⁄₁₆	28¹³⁄₁₆	3⁄16	–	346 lbs.	39.8
WW2472CSFL	Laminate	4105	24	71⁵⁄₁₆	28¹³⁄₁₆	3⁄16	–	346 lbs.	39.8
WW2472CSFLL	TFL	3286	24	71⁵⁄₁₆	28⅞	3⁄16	–	346 lbs.	39.8
WW2466CSFW	Wood	$ 4839	24	66	28¹³⁄₁₆	3⁄16	–	334 lbs.	32.7
WW2466CSFLW	Laminate/Wood	4839	24	66	28¹³⁄₁₆	3⁄16	–	334 lbs.	32.7
WW2466CSFL	Laminate	3947	24	66	28¹³⁄₁₆	3⁄16	–	334 lbs.	32.7
WW2466CSFLL	TFL	3157	24	66	28⅞	3⁄16	–	334 lbs.	32.7
WW2460CSFW	Wood	$ 4706	24	60	28¹³⁄₁₆	3⁄16	–	318 lbs.	33.7
WW2460CSFLW	Laminate/Wood	4706	24	60	28¹³⁄₁₆	3⁄16	–	318 lbs.	33.7
WW2460CSFL	Laminate	3874	24	60	28¹³⁄₁₆	3⁄16	–	318 lbs.	33.7
WW2460CSFLL	TFL	3101	24	60	28⅞	3⁄16	–	318 lbs.	33.7

- 72" credenza features an adjustable shelf (20⅜ deep x 34³⁄₁₆ wide)
- 66" credenza features an adjustable shelf (20⅜ deep x 28³⁄₁₆ wide)
- 60" credenza features an adjustable shelf (20⅜ deep x 22³⁄₁₆ wide)
- Random lock core (KRB, KRS) and specified lock core (KS3B, KS3S) available

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 358 for options
- Refer to pages 741-784 for accessories
- Refer to page 363 for filing capabilities
- Refer to page 362 for grommet locations and page 361 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Laminate Top Color (laminate/combo models)
8. Laminate Door/Drawer Color (laminate models)
9. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WWN2472CBVW	P	7MB	G1L	KS2B	AC	
WWN2472CBVL	VHN2	7MB	X	KS2B	HN2	HN2
WWN2472CBVLW	R	7MB	X	KS2B	405	AC

- See pages 356-361 for all options available in WaveWorks

MEDIA STORAGE CREDENZA



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
72"—1⅜6" TOP THICKNESS									
WWN2472CVMSW	Wood	$ 8253	24	72	35⅞6	—	—	383 lbs.	36.3
WWN2472CVMSLW	Laminate/Wood	8253	24	72	35⅞6	—	—	383 lbs.	36.3
WWN2472CVMSL	Laminate	7280	24	72	35⅞6	—	—	383 lbs.	36.3
60"—1⅜6" TOP THICKNESS									
WWN2460CVMSW	Wood	$ 7995	24	60	35⅞6	—	—	325 lbs.	28.9
WWN2460CVMSLW	Laminate/Wood	7995	24	60	35⅞6	—	—	325 lbs.	28.9
WWN2460CVMSL	Laminate	7016	24	60	35⅞6	—	—	325 lbs.	28.9
48"—1⅜6" TOP THICKNESS									
WWN2448CVMSW	Wood	$ 7731	24	48⅛6	35⅞6	—	—	290 lbs.	24.7
WWN2448CVMSLW	Laminate/Wood	7731	24	48⅛6	35⅞6	—	—	290 lbs.	24.7
WWN2448CVMSL	Laminate	6749	24	48⅛6	35⅞6	—	—	290 lbs.	24.7

- Infrared Repeater (IR) included with credenza which allows multi-media equipment to be stored and controlled behind solid doors
- Back panel is not fully finished and includes cutouts for venting
- Rim profile on front and sides only, 1⅜6" thick worksurface available
- Matching wood grommets in end panels for wire access
- Features an adjustable shelf
- Inside dimension of each storage section is 21¼" deep x 34½" wide x 24¾" high for the WWN2472CVMS models, 21¼" deep x 28½" wide x 24¾" high for the WWN2460CVMS models and 21¼" deep x 22½" wide x 24¾" high for the WWN2448CVMS models
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

ENTERTAINMENT CREDENZA



1⅜6" TOP THICKNESS									
WWN2472CBVW	Wood	$ 6509	24	71⅝6	35⅞6	—	—	381 lbs.	46.7
WWN2472CBVLW	Laminate/Wood	6509	24	71⅝6	35⅞6	—	—	381 lbs.	46.7
WWN2472CBVL	Laminate	5317	24	71⅝6	35⅞6	—	—	381 lbs.	46.7
1⅜6" TOP THICKNESS									
WW2472CBVW	Wood	$ 5805	24	71⅝6	35⅞6	—	—	381 lbs.	46.7
WW2472CBVLW	Laminate/Wood	5805	24	71⅝6	35⅞6	—	—	381 lbs.	46.7
WW2472CBVL	Laminate	4738	24	71⅝6	35⅞6	—	—	381 lbs.	46.7
WW2472CBVLL	TFL	3789	24	71⅝6	35	—	—	381 lbs.	46.7

- Back panel is not fully finished and includes cutouts for venting
- Rim profile on front and sides only
- Features an adjustable shelf
- Inside dimension of each storage section is 21¼" deep x 34½" wide x 24¾" high
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 358 for options
- Refer to pages 741-784 for accessories
- Refer to page 363 for filing capabilities
- Refer to page 362 for grommet locations and page 361 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Pull
5. Locking
6. Laminate Top Color (laminate/combo models)
7. Laminate Door/Drawer Color (laminate models)
8. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW2472CBW	P	7MB	KS2B	AC		
WW2472CBL	VHN2	7MB	KS2B	HN2	HN2	HN2
WW2472CBLW	R	7MB	KS2B	405	AC	

- See pages 356-361 for all options available in WaveWorks

BUFFET CREDENZA



MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⁹⁄₁₆" TOP THICKNESS										
WWN2472CBW	Wood	$	6393	24	71⁵⁄₁₆	35⁷⁄₁₆	—	—	381 lbs.	46.7
WWN2472CBLW	Laminate/Wood		6393	24	71⁵⁄₁₆	35⁷⁄₁₆	—	—	381 lbs.	46.7
WWN2472CBL	Laminate		5222	24	71⁵⁄₁₆	35⁷⁄₁₆	—	—	381 lbs.	46.7
1¾₁₆" TOP THICKNESS										
WW2472CBW	Wood	$	5701	24	71⁵⁄₁₆	35⁵⁄₁₆	—	—	381 lbs.	46.7
WW2472CBLW	Laminate/Wood		5701	24	71⁵⁄₁₆	35⁵⁄₁₆	—	—	381 lbs.	46.7
WW2472CBL	Laminate		4653	24	71⁵⁄₁₆	35⁵⁄₁₆	—	—	381 lbs.	46.7
WW2472CBLL	TFL		3721	24	71⁵⁄₁₆	35	—	—	381 lbs.	46.7

- Grommet option not available
- Features an adjustable shelf behind each set of doors
- Rim profile on front and sides only
- Features a fully finished back
- Inside dimension of each storage section is 21¼" deep x 34½" wide x 24¾" high
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

BUFFET CREDENZA WITH TRASH RECEPTACLE



Left shown

LEFT	RIGHT			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⁹⁄₁₆" TOP THICKNESS											
WWN2472CBTLW	WWN2472CBTRW	Wood	$	6465	24	71⁵⁄₁₆	35⁷⁄₁₆	—	—	lbs.	
WWN2472CBTLLW	WWN2472CBTRLW	Laminate/Wood		6465	24	71⁵⁄₁₆	35⁷⁄₁₆	—	—	lbs.	
WWN2472CBTLL	WWN2472CBTRL	Laminate		5257	24	71⁵⁄₁₆	35⁷⁄₁₆	—	—	lbs.	
1¾₁₆" TOP THICKNESS											
WW2472CBTLW	WW2472CBTRW	Wood	$	5844	24	71⁵⁄₁₆	35⁵⁄₁₆	—	—	lbs.	
WW2472CBTLLW	WW2472CBTRLW	Laminate/Wood		5844	24	71⁵⁄₁₆	35⁵⁄₁₆	—	—	lbs.	
WW2472CBTLL	WW2472CBTRL	Laminate		4725	24	71⁵⁄₁₆	35⁵⁄₁₆	—	—	lbs.	
WW2472CBTLLL	WW2472CBTRLL	TFL		3862	24	71⁵⁄₁₆	35⁵⁄₁₆	—	—	lbs.	

- Specify a left model to have the trash receptacle on the far left side; right to have it on the right
- Includes 7 gallon trash receptacle

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 358 for options
- Refer to pages 741-784 for accessories
- Refer to page 363 for filing capabilities
- Refer to page 362 for grommet locations and page 361 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Laminate Top Color (laminate/combo models)
8. Laminate Door/Drawer Color (laminate models)
9. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WWN2472CFFW	P	7MB	G1L	KS2B	AC		
WWN2472CFFL	VHN2	7MB	X	KS2B	HN2	HN2	HN2
WWN2472CFFLW	R	7MB	X	KS2B	405	AC	

- See pages 356-361 for all options available in WaveWorks

BUFFET CREDENZA WITH REFRIGERATOR ACCESS



MODEL NO./DESCRIPTION LEFT	RIGHT		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⅜" TOP THICKNESS										
WWN287241CBFLW	WWN287241CBFRW	Wood	$ 7901	28	71⅝	41⅜	–	–	lbs.	
WWN287241CBFLLW	WWN287241CBFRLW	Laminate/Wood	7901	28	71⅝	41⅜	–	–	lbs.	
WWN287241CBFLL	WWN287241CBFRL	Laminate	6119	28	71⅝	41⅜	–	–	lbs.	
WWN287236CBFLW	WWN287236CBFRW	Wood	$ 7470	28	71⅝	35⅝	–	–	lbs.	
WWN287236CBFLLW	WWN287236CBFRLW	Laminate/Wood	7470	28	71⅝	35⅝	–	–	lbs.	
WWN287236CBFLL	WWN287236CBFRL	Laminate	5976	28	71⅝	35⅝	–	–	lbs.	
1⅜" TOP THICKNESS										
WW287241CBFLW	WW287241CBFRW	Wood	$ 7281	28	71⅝	41⅜	–	–	lbs.	
WW287241CBFLLW	WW287241CBFRLW	Laminate/Wood	7281	28	71⅝	41⅜	–	–	lbs.	
WW287241CBFLL	WW287241CBFRL	Laminate	5155	28	71⅝	41⅜	–	–	lbs.	
WW287241CBFLLL	WW287241CBFRLL	TFL	4222	28	71⅝	41⅜	–	–	lbs.	
WW287236CBFLW	WW287236CBFRW	Wood	$ 6850	28	71⅝	35⅛	–	–	lbs.	
WW287236CBFLLW	WW287236CBFRLW	Laminate/Wood	6850	28	71⅝	35⅛	–	–	lbs.	
WW287236CBFLL	WW287236CBFRL	Laminate	5012	28	71⅝	35⅛	–	–	lbs.	
WW287236CBFLLL	WW287236CBFRLL	TFL	4079	28	71⅝	35⅛	–	–	lbs.	

- Specify a left model to have the refrigerator on the far left side; right to have it on the right, 7 gallon trash receptacle in center section
- Back panel not fully finished and includes cutouts for venting in refrigerator section
- 36" H models only: Maximum refrigerator size 21¼" deep, 21½" wide, x 27¹⁵⁄₁₆" high
- 41" H models only: Maximum refrigerator size 21¼" deep, 21½" wide, x 32¹⁵⁄₁₆" high

LATERAL FILE CREDENZA



1⅜" TOP THICKNESS									
WWN2472CFFW	Wood	$ 6039	24	71⅝	29⅜	3⁄16	–	346 lbs.	36.3
WWN2472CFFLW	Laminate/Wood	6039	24	71⅝	29⅜	3⁄16	–	346 lbs.	36.3
WWN2472CFFL	Laminate	3944	24	71⅝	29⅜	3⁄16	–	346 lbs.	36.3
1⅜" TOP THICKNESS									
WW2472CFFW	Wood	$ 5490	24	71⅝	28¹⁵⁄₁₆	3⁄16	–	346 lbs.	39.8
WW2472CFFLW	Laminate/Wood	5490	24	71⅝	28¹⁵⁄₁₆	3⁄16	–	346 lbs.	39.8
WW2472CFFL	Laminate	3589	24	71⅝	28¹⁵⁄₁₆	3⁄16	–	346 lbs.	39.8
WW2472CFFLL	TFL	2869	24	71⅝	28⅞	3⁄16	–	346 lbs.	39.8

- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front
- End panel grommets come standard

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 358 for options
- Refer to pages 741-784 for accessories
- Refer to page 363 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 362 for grommet locations and page 361 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Laminate Top Color (laminate/combo models)
8. Laminate Door/Drawer Color (laminate models)
9. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WWN2472CKFW2	P	7MB	G1L	KRB	AC	
WWN2472CKFL2	VHN2	7MB	X	KRB	HN2	HN2
WWN2472CKFLW2	R	7MB	X	KRB	405	AC

- See pages 356-361 for all options available in WaveWorks

KNEESPACE CREDENZA



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⁹⁄₁₆" TOP THICKNESS									
WWN2472CKFW2	Wood	$ 5044	24	71 15⁄16	29 3⁄8	3⁄16	35 7⁄8	273 lbs.	36.3
WWN2472CKFLW2	Laminate/Wood	5044	24	71 15⁄16	29 3⁄8	3⁄16	35 7⁄8	273 lbs.	36.3
WWN2472CKFL2	Laminate	3416	24	71 15⁄16	29 3⁄8	3⁄16	35 7⁄8	273 lbs.	36.3
WWN2466CKFW2	Wood	$ 4639	24	66	29 3⁄8	3⁄16	35 7⁄8	264 lbs.	32.7
WWN2466CKFLW2	Laminate/Wood	4639	24	66	29 3⁄8	3⁄16	35 7⁄8	264 lbs.	32.7
WWN2466CKFL2	Laminate	3263	24	66	29 3⁄8	3⁄16	35 7⁄8	264 lbs.	32.7
WWN2460CKFW2	Wood	$ 4495	24	60	29 3⁄8	3⁄16	29 15⁄16	250 lbs.	28.9
WWN2460CKFLW2	Laminate/Wood	4495	24	60	29 3⁄8	3⁄16	29 15⁄16	250 lbs.	28.9
WWN2460CKFL2	Laminate	3205	24	60	29 3⁄8	3⁄16	29 15⁄16	250 lbs.	28.9
1³⁄₁₆" TOP THICKNESS									
WW2472CKFW2	Wood	$ 4588	24	71 15⁄16	28 15⁄16	3⁄16	35 7⁄8	279 lbs.	39.8
WW2472CKFLW2	Laminate/Wood	4588	24	71 15⁄16	28 15⁄16	3⁄16	35 7⁄8	279 lbs.	39.8
WW2472CKFL2	Laminate	3105	24	71 15⁄16	28 15⁄16	3⁄16	35 7⁄8	279 lbs.	39.8
WW2472CKFLL2	TFL	2486	24	71 15⁄16	28 7⁄8	3⁄16	35 7⁄8	279 lbs.	39.8
WW2466CKFW2	Wood	$ 4217	24	66	28 15⁄16	3⁄16	35 7⁄8	267 lbs.	32.7
WW2466CKFLW2	Laminate/Wood	4217	24	66	28 15⁄16	3⁄16	35 7⁄8	267 lbs.	32.7
WW2466CKFL2	Laminate	2966	24	66	28 15⁄16	3⁄16	35 7⁄8	267 lbs.	32.7
WW2466CKFLL2	TFL	2372	24	66	28 7⁄8	3⁄16	35 7⁄8	267 lbs.	32.7
WW2460CKFW2	Wood	$ 4084	24	60	28 15⁄16	3⁄16	29 15⁄16	256 lbs.	33.7
WW2460CKFLW2	Laminate/Wood	4084	24	60	28 15⁄16	3⁄16	29 15⁄16	256 lbs.	33.7
WW2460CKFL2	Laminate	2915	24	60	28 15⁄16	3⁄16	29 15⁄16	256 lbs.	33.7
WW2460CKFLL2	TFL	2333	24	60	28 7⁄8	3⁄16	29 15⁄16	256 lbs.	33.7

- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 358 for options
- Refer to pages 741-784 for accessories
- Refer to page 363 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 362 for grommet locations and page 361 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Laminate Top Color (laminate/combo models)
8. Laminate Door/Drawer Color (laminate models)
9. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW2472CRFW2	P	7MB	G1L	KRB	AC	
WW2472CRFL2	VHN2	7MB	X	KRB	HN2	HN2
WW2472CRFLW2	R	7MB	X	KRB	405	AC

- See pages 356-361 for all options available in WaveWorks

SINGLE PEDESTAL CREDENZA FILE/FILE



MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⁹⁄₁₆" TOP THICKNESS LEFT PEDESTAL	**RIGHT PEDESTAL**									
WWN2472CLFW2	WWN2472CRFW2	Wood	$ 3808	24	71 15⁄16	29 3⁄8	3⁄16	52 11⁄16	223 lbs.	36.3
WWN2472CLFLW2	WWN2472CRFLW2	Laminate/Wood	3808	24	71 15⁄16	29 3⁄8	3⁄16	52 11⁄16	223 lbs.	36.3
WWN2472CLFL2	WWN2472CRFL2	Laminate	2721	24	71 15⁄16	29 3⁄8	3⁄16	52 11⁄16	223 lbs.	36.3
WWN2466CLFW2	WWN2466CRFW2	Wood	$ 3744	24	66	29 3⁄8	3⁄16	52 11⁄16	214 lbs.	32.7
WWN2466CLFLW2	WWN2466CRFLW2	Laminate/Wood	3744	24	66	29 3⁄8	3⁄16	52 11⁄16	214 lbs.	32.7
WWN2466CLFL2	WWN2466CRFL2	Laminate	2600	24	66	29 3⁄8	3⁄16	52 11⁄16	214 lbs.	32.7
WWN2460CLFW2	WWN2460CRFW2	Wood	$ 3675	24	60	29 3⁄8	3⁄16	43 11⁄16	205 lbs.	28.9
WWN2460CLFLW2	WWN2460CRFLW2	Laminate/Wood	3675	24	60	29 3⁄8	3⁄16	43 11⁄16	205 lbs.	28.9
WWN2460CLFL2	WWN2460CRFL2	Laminate	2553	24	60	29 3⁄8	3⁄16	43 11⁄16	205 lbs.	28.9
1⁵⁄₁₆" TOP THICKNESS LEFT PEDESTAL	**RIGHT PEDESTAL**									
WW2472CLFW2	WW2472CRFW2	Wood	$ 3463	24	71 15⁄16	28 15⁄16	3⁄16	52 11⁄16	239 lbs.	39.8
WW2472CLFLW2	WW2472CRFLW2	Laminate/Wood	3463	24	71 15⁄16	28 15⁄16	3⁄16	52 11⁄16	239 lbs.	39.8
WW2472CLFL2	WW2472CRFL2	Laminate	2474	24	71 15⁄16	28 15⁄16	3⁄16	52 11⁄16	239 lbs.	39.8
WW2472CLFLL2	WW2472CRFLL2	TFL	1980	24	71 15⁄16	28 7⁄8	3⁄16	52 11⁄16	239 lbs.	39.8
WW2466CLFW2	WW2466CRFW2	Wood	$ 3407	24	66	28 15⁄16	3⁄16	52 11⁄16	227 lbs.	32.7
WW2466CLFLW2	WW2466CRFLW2	Laminate/Wood	3407	24	66	28 15⁄16	3⁄16	52 11⁄16	227 lbs.	32.7
WW2466CLFL2	WW2466CRFL2	Laminate	2367	24	66	28 15⁄16	3⁄16	52 11⁄16	227 lbs.	32.7
WW2466CLFLL2	WW2466CRFLL2	TFL	1892	24	66	28 7⁄8	3⁄16	52 11⁄16	227 lbs.	32.7
WW2460CLFW2	WW2460CRFW2	Wood	$ 3343	24	60	28 15⁄16	3⁄16	43 11⁄16	216 lbs.	33.7
WW2460CLFLW2	WW2460CRFLW2	Laminate/Wood	3343	24	60	28 15⁄16	3⁄16	43 11⁄16	216 lbs.	33.7
WW2460CLFL2	WW2460CRFL2	Laminate	2320	24	60	28 15⁄16	3⁄16	43 11⁄16	216 lbs.	33.7
WW2460CLFLL2	WW2460CRFLL2	TFL	1858	24	60	28 7⁄8	3⁄16	43 11⁄16	216 lbs.	33.7

- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Grain direction runs with the width of all laminate modesty panels that exceed 60"

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood and laminate tops and chassis available; refer to page 358 for options
- Refer to pages 741-784 for accessories
- Refer to page 363 for filing capabilities
- Assembled units and component units are interchangeable
- Refer to page 362 for grommet locations and page 361 for grommet options and upcharge
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Laminate Top Color (laminate/combo models)
8. Laminate Door/Drawer Color (laminate models)
9. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW2472CLFW12	F	7MB	G1L	KS2S	AC		
WW2472CLFL12	VHN2	7MB	G1LX	KS2S	HN2	461	HN2
WW2472CLFLW12	F	7MB	G1L	KS2S	461	HN	

- See pages 356-361 for all options available in WaveWorks

SINGLE PEDESTAL CREDENZA LATERAL FILE



1⁹⁄₁₆" TOP THICKNESS

MODEL NO./DESCRIPTION LEFT PEDESTAL	RIGHT PEDESTAL		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WWN2472CLFW6	WWN2472CRFW6	Wood	$ 4564	24	71 15⁄16	29 3⁄8	3⁄16	34 3⁄4	223 lbs.	36.3
WWN2472CLFLW6	WWN2472CRFLW6	Laminate/Wood	4564	24	71 15⁄16	29 3⁄8	3⁄16	34 3⁄4	223 lbs.	36.3
WWN2472CLFL6	WWN2472CRFL6	Laminate	2974	24	71 15⁄16	29 3⁄8	3⁄16	34 3⁄4	223 lbs.	36.3

1¾₁₆" TOP THICKNESS

MODEL NO./DESCRIPTION LEFT PEDESTAL	RIGHT PEDESTAL		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WW2472CLFW6	WW2472CRFW6	Wood	$ 4149	24	71 15⁄16	28 13⁄16	3⁄16	34 3⁄4	279 lbs.	39.8
WW2472CLFLW6	WW2472CRFLW6	Laminate/Wood	4149	24	71 15⁄16	28 13⁄16	3⁄16	34 3⁄4	279 lbs.	39.8
WW2472CLFL6	WW2472CRFL6	Laminate	2704	24	71 15⁄16	28 13⁄16	3⁄16	34 3⁄4	279 lbs.	39.8
WW2472CLFLL6	WW2472CRFLL6	TFL	2164	24	71 15⁄16	28 7⁄8	3⁄16	34 3⁄4	279 lbs.	39.8

- To prevent tipping, it is recommended that cabinets be ganged together or anchored to a suitable wall or floor
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front

SINGLE PEDESTAL CREDENZA BOX/BOX/FILE FILE/FILE



1⁹⁄₁₆" TOP THICKNESS

MODEL NO./DESCRIPTION LEFT PEDESTAL	RIGHT PEDESTAL		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WWN2472CLFW12	WWN2472CRFW12	Wood	$ 4785	24	71 15⁄16	29 3⁄8	3⁄16	34 3⁄4	223 lbs.	36.3
WWN2472CLFLW12	WWN2472CRFLW12	Laminate/Wood	4785	24	71 15⁄16	29 3⁄8	3⁄16	34 3⁄4	223 lbs.	36.3
WWN2472CLFL12	WWN2472CRFL12	Laminate	3416	24	71 15⁄16	29 3⁄8	3⁄16	34 3⁄4	223 lbs.	36.3

1¾₁₆" TOP THICKNESS

MODEL NO./DESCRIPTION LEFT PEDESTAL	RIGHT PEDESTAL		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WW2472CLFW12	WW2472CRFW12	Wood	$ 4349	24	71 15⁄16	28 13⁄16	3⁄16	34 3⁄4	279 lbs.	39.8
WW2472CLFLW12	WW2472CRFLW12	Laminate/Wood	4349	24	71 15⁄16	28 13⁄16	3⁄16	34 3⁄4	279 lbs.	39.8
WW2472CLFL12	WW2472CRFL12	Laminate	3105	24	71 15⁄16	28 13⁄16	3⁄16	34 3⁄4	279 lbs.	39.8
WW2472CLFLL12	WW2472CRFLL12	TFL	2486	24	71 15⁄16	28 7⁄8	3⁄16	34 3⁄4	279 lbs.	39.8

- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

PRODUCT SPECIFICATIONS

- Wood and laminate chassis and doors available; refer to page 358 for options
- Tops of units are finished with flat edge detail
- Adjustable hinged doors
- If specifying wood, you must specify the same finish for all options
- Tack boards, task lights and vertical pigeon hole storage are available—see accessories section pages 741-784

TO ORDER, SPECIFY:

1. Model Number
2. Locking
3. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW7238HBHW KRB HN
WW7238HBHL KRB AC2 AC2

- See pages 356-361 for all options available in WaveWorks

HIGHBACK ORGANIZER OPEN BACK



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
38" HIGH—4 DOORS									
WW7238HBHW	Wood	$ 3526	14¾	71 13/16	38	—	—	200 lbs.	16.2
WW7238HBHL	Laminate	1728	14¾	71 13/16	38	—	—	200 lbs.	16.2
WW6638HBHW	Wood	$ 3336	14¾	65 13/16	38	—	—	180 lbs.	14.9
WW6638HBHL	Laminate	1612	14¾	65 13/16	38	—	—	180 lbs.	14.9
WW6038HBHW	Wood	$ 3146	14¾	59 13/16	38	—	—	160 lbs.	13.6
WW6038HBHL	Laminate	1493	14¾	59 13/16	38	—	—	160 lbs.	13.6
38" HIGH—3 DOORS									
WW4838HBHW	Wood	$ 2902	14¾	47⅞	38	—	—	145 lbs.	11.9
WW4838HBHL	Laminate	1382	14¾	47⅞	38	—	—	145 lbs.	11.9

- Units feature 4 adjustable curved shelves and partially open back
- All units have 4 doors except 48" unit which has 3 doors
- Highbacks must be placed on lower units with proper structure. The lower unit must consist of an end panel, support panel and/or undersurface pedestal on each side of the lower unit with a modesty panel spanning between
- For tack board options, see pages 776-783
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

HIGHBACK ORGANIZER OPEN BACK - NO DOORS



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
38" HIGH—NO DOORS									
WW7238HBEW	Wood	$ 3177	13 3/10	71 13/16	38	—	—	200 lbs.	16.2
WW7238HBEL	Laminate	1376	13 3/10	71 13/16	38	—	—	200 lbs.	16.2
WW6638HBEW	Wood	$ 2985	13 3/10	65 13/16	38	—	—	180 lbs.	14.9
WW6638HBEL	Laminate	1255	13 3/10	65 13/16	38	—	—	180 lbs.	14.9
WW6038HBEW	Wood	$ 2796	13 3/10	59 13/16	38	—	—	160 lbs.	13.6
WW6038HBEL	Laminate	1140	13 3/10	59 13/16	38	—	—	160 lbs.	13.6
WW4838HBEW	Wood	$ 2690	13 3/10	47⅞	38	—	—	145 lbs.	11.9
WW4838HBEL	Laminate	1166	13 3/10	47⅞	38	—	—	145 lbs.	11.9

- Units feature 4 adjustable curved shelves and partially open back
- Specify chassis finish only
- Highbacks must be placed on lower units with proper structure. The lower unit must consist of an end panel, support panel and/or undersurface pedestal on each side of the lower unit with a modesty panel spanning between
- For tack board options, see pages 776-783

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood and laminate chassis and doors available; refer to page 358 for options
- Tops of units are finished with flat edge detail
- Adjustable hinged doors
- If specifying wood, you must specify the same finish for all options
- Tack boards, task lights and vertical pigeon hole storage are available—see accessories section pages 741-784

TO ORDER, SPECIFY:

1. Model Number
2. Locking
3. Door Frame Color (glass door models)
4. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW9050HBH2W KS3S NH
WW9050HBH2L KS3S 440 AC2

- See pages 356-361 for all options available in WaveWorks

HIGHBACK ORGANIZER FULL BACK













MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
50" HIGH—6 DOORS										
WW10850HBH2GW	Glass/Wood	2 Pieces	$ 6383	14¾	107¹¹⁄₁₆	49¹⁵⁄₁₆	—	—	378 lbs.	72.9
WW10850HBH2GL	Glass/Laminate	2 Pieces	5893	14¾	107¹¹⁄₁₆	49¹⁵⁄₁₆	—	—	378 lbs.	72.9
WW10850HBH2W	Wood	2 Pieces	4784	14¾	107¹¹⁄₁₆	49¹⁵⁄₁₆	—	—	378 lbs.	72.9
WW10850HBH2L	Laminate	2 Pieces	2888	14¾	107¹¹⁄₁₆	49¹⁵⁄₁₆	—	—	378 lbs.	72.9
• Random lock core (KRB, KRS) and specified lock core (KS4B, KS4S) available • 49" task lights will not work under 2 piece highbacks										
WW10250HBH2GW	Glass/Wood	2 Pieces	$ 6189	14¾	101¾	49¹⁵⁄₁₆	—	—	362 lbs.	69.3
WW10250HBH2GL	Glass/Laminate	2 Pieces	5718	14¾	101¾	49¹⁵⁄₁₆	—	—	362 lbs.	69.3
WW10250HBH2W	Wood	2 Pieces	4598	14¾	101¾	49¹⁵⁄₁₆	—	—	362 lbs.	69.3
WW10250HBH2L	Laminate	2 Pieces	2707	14¾	101¾	49¹⁵⁄₁₆	—	—	362 lbs.	69.3
• Random lock core (KRB, KRS) and specified lock core (KS4B, KS4S) available • 49" task lights will not work under 2 piece highbacks										
WW9650HBH2GW	Glass/Wood	2 Pieces	$ 5991	14¾	95¾	49¹⁵⁄₁₆	—	—	346 lbs.	61.9
WW9650HBH2GL	Glass/Laminate	2 Pieces	5534	14¾	95¾	49¹⁵⁄₁₆	—	—	346 lbs.	61.9
WW9650HBH2W	Wood	2 Pieces	4417	14¾	95¾	49¹⁵⁄₁₆	—	—	346 lbs.	61.9
WW9650HBH2L	Laminate	2 Pieces	2527	14¾	95¾	49¹⁵⁄₁₆	—	—	346 lbs.	61.9
• Random lock core (KRB, KRS) and specified lock core (KS4B, KS4S) available • 49" task lights will not work under 2 piece highbacks										
WW9050HBH2GW	Glass/Wood	2 Pieces	$ 5793	14¾	89¾	49¹⁵⁄₁₆	—	—	313 lbs.	58.3
WW9050HBH2GL	Glass/Laminate		5347	14¾	89¾	49¹⁵⁄₁₆	—	—	313 lbs.	58.3
WW9050HBH2W	Wood		4370	14¾	89¾	49¹⁵⁄₁₆	—	—	313 lbs.	58.3
WW9050HBH2L	Laminate		2481	14¾	89¾	49¹⁵⁄₁₆	—	—	313 lbs.	58.3
• Random lock core (KRB, KRS) and specified lock core (KS3B, KS3S) available										
50" HIGH—4 DOORS										
WW8450HBH2GW	Glass/Wood		$ 5592	14¾	83¾	49¹⁵⁄₁₆	—	—	281 lbs.	54.6
WW8450HBH2GL	Glass/Laminate		5168	14¾	83¾	49¹⁵⁄₁₆	—	—	281 lbs.	54.6
WW8450HBH2W	Wood		4323	14¾	83¾	49¹⁵⁄₁₆	—	—	281 lbs.	54.6
WW8450HBH2L	Laminate		2439	14¾	83¾	49¹⁵⁄₁₆	—	—	281 lbs.	54.6
• Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available										

- Glass doors do not lock
- Not intended for use on table desking
- Highbacks must be placed on lower units with proper structure. The lower unit must consist of an end panel, support panel and/or undersurface pedestal on each side of the lower unit with a modesty panel spanning between
- Features an adjustable shelf
- For tack board options, see pages 776-783

PRODUCT SPECIFICATIONS

- Wood and laminate chassis and doors available; refer to page 358 for options
- Tops of units are finished with flat edge detail
- Adjustable hinged doors
- If specifying wood, you must specify the same finish for all options
- Tack boards, task lights and vertical pigeon hole storage are available—see accessories section pages 741-784

TO ORDER, SPECIFY:

1. Model Number
2. Locking
3. Door Frame Color (glass door models)
4. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW7250HBH2W KS2S NH
WW7250HBH2L KS2S 440 AC2

- See pages 356-361 for all options available in WaveWorks

HIGHBACK ORGANIZER FULL BACK





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
50" HIGH—4 DOORS									
WW7850HBH2GW	Glass/Wood	$ 5391	14¾	77¹³⁄₁₆	49¹⁵⁄₁₆	—	—	261 lbs.	51.0
WW7850HBH2GL	Glass/Laminate	4982	14¾	77¹³⁄₁₆	49¹⁵⁄₁₆	—	—	261 lbs.	51.0
WW7850HBH2W	Wood	4232	14¾	77¹³⁄₁₆	49¹⁵⁄₁₆	—	—	261 lbs.	51.0
WW7850HBH2L	Laminate	2347	14¾	77¹³⁄₁₆	49¹⁵⁄₁₆	—	—	261 lbs.	51.0
WW7250HBH2GW	Glass/Wood	$ 5192	14¾	71¹³⁄₁₆	49¹⁵⁄₁₆	—	—	242 lbs.	47.4
WW7250HBH2GL	Glass/Laminate	4798	14¾	71¹³⁄₁₆	49¹⁵⁄₁₆	—	—	242 lbs.	47.4
WW7250HBH2W	Wood	4047	14¾	71¹³⁄₁₆	49¹⁵⁄₁₆	—	—	242 lbs.	47.4
WW7250HBH2L	Laminate	2168	14¾	71¹³⁄₁₆	49¹⁵⁄₁₆	—	—	242 lbs.	47.4
WW6650HBH2GW	Glass/Wood	$ 5013	14¾	65¹³⁄₁₆	49¹⁵⁄₁₆	—	—	223 lbs.	43.7
WW6650HBH2GL	Glass/Laminate	4628	14¾	65¹³⁄₁₆	49¹⁵⁄₁₆	—	—	223 lbs.	43.7
WW6650HBH2W	Wood	3859	14¾	65¹³⁄₁₆	49¹⁵⁄₁₆	—	—	223 lbs.	43.7
WW6650HBH2L	Laminate	1990	14¾	65¹³⁄₁₆	49¹⁵⁄₁₆	—	—	223 lbs.	43.7
WW6050HBH2GW	Glass/Wood	$ 4814	14¾	59¹³⁄₁₆	49¹⁵⁄₁₆	—	—	203 lbs.	40.1
WW6050HBH2GL	Glass/Laminate	4447	14¾	59¹³⁄₁₆	49¹⁵⁄₁₆	—	—	203 lbs.	40.1
WW6050HBH2W	Wood	3680	14¾	59¹³⁄₁₆	49¹⁵⁄₁₆	—	—	203 lbs.	40.1
WW6050HBH2L	Laminate	1812	14¾	59¹³⁄₁₆	49¹⁵⁄₁₆	—	—	203 lbs.	40.1





50" HIGH—3 DOORS									
WW4850HBH2GW	Glass/Wood	$ 4479	14¾	47⅞	49¹⁵⁄₁₆	—	—	173 lbs.	32.8
WW4850HBH2GL	Glass/Laminate	3702	14¾	47⅞	49¹⁵⁄₁₆	—	—	173 lbs.	32.8
WW4850HBH2W	Wood	3629	14¾	47⅞	49¹⁵⁄₁₆	—	—	173 lbs.	32.8
WW4850HBH2L	Laminate	1728	14¾	47⅞	49¹⁵⁄₁₆	—	—	173 lbs.	32.8

- Not intended for use on table desking
- Highbacks must be placed on lower units with proper structure. The lower unit must consist of an end panel, support panel and/or undersurface pedestal on each side of the lower unit with a modesty panel spanning between
- Features an adjustable shelf
- For tack board options, see pages 776-783
- Glass doors do not lock
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood and laminate chassis and doors available; refer to page 358 for options
- Tops of units are finished with flat edge detail
- Adjustable hinged doors
- If specifying wood, you must specify the same finish for all options
- Tack boards, task lights and vertical pigeon hole storage are available—see accessories section pages 741-784

TO ORDER, SPECIFY:

1. Model Number
2. Locking
3. Door Frame Color (glass door models)
4. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW9038HBH2W	KS3S	NH	
WW9038HBH2L	KS3S	440	AC2
WW9038HBH2GW	503	HN	

- See pages 356-361 for all options available in WaveWorks

HIGHBACK ORGANIZER FULL BACK













MODEL NO./DESCRIPTION			LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
38" HIGH—6 DOORS										
WW10838HBH2GW	Glass/Wood	2 Pieces	$ 5554	14¾	107 1/16	38⅛	—	—	282 lbs.	56.9
WW10838HBH2GL	Glass/Laminate	2 Pieces	5126	14¾	107 1/16	38⅛	—	—	282 lbs.	56.9
WW10838HBH2W	Wood	2 Pieces	4711	14¾	107 1/16	38⅛	—	—	282 lbs.	56.9
WW10838HBH2L	Laminate	2 Pieces	2523	14¾	107 1/16	38⅛	—	—	282 lbs.	56.9

- Random lock core (KRB, KRS) and specified lock core (KS4B, KS4S) available
- 49" task lights will not work under 2 piece highbacks

WW10238HBH2GW	Glass/Wood	2 Pieces	$ 5360	14¾	101¾	38⅛	—	—	266 lbs.	54.1
WW10238HBH2GL	Glass/Laminate	2 Pieces	4950	14¾	101¾	38⅛	—	—	266 lbs.	54.1
WW10238HBH2W	Wood	2 Pieces	4514	14¾	101¾	38⅛	—	—	266 lbs.	54.1
WW10238HBH2L	Laminate	2 Pieces	2346	14¾	101¾	38⅛	—	—	266 lbs.	54.1

- Random lock core (KRB, KRS) and specified lock core (KS4B, KS4S) available
- 49" task lights will not work under 2 piece highbacks

WW9638HBH2GW	Glass/Wood	2 Pieces	$ 5171	14¾	95¾	38⅛	—	—	252 lbs.	48.3
WW9638HBH2GL	Glass/Laminate	2 Pieces	4775	14¾	95¾	38⅛	—	—	252 lbs.	48.3
WW9638HBH2W	Wood	2 Pieces	4311	14¾	95¾	38⅛	—	—	252 lbs.	48.3
WW9638HBH2L	Laminate	2 Pieces	2167	14¾	95¾	38⅛	—	—	252 lbs.	48.3

- Random lock core (KRB, KRS) and specified lock core (KS4B, KS4S) available
- 49" task lights will not work under 2 piece highbacks

WW9038HBH2GW	Glass/Wood		$ 4964	14¾	89¾	38⅛	—	—	233 lbs.	45.5
WW9038HBH2GL	Glass/Laminate		4585	14¾	89¾	38⅛	—	—	233 lbs.	45.5
WW9038HBH2W	Wood		4114	14¾	89¾	38⅛	—	—	233 lbs.	45.5
WW9038HBH2L	Laminate		1989	14¾	89¾	38⅛	—	—	233 lbs.	45.5

- Random lock core (KRB, KRS) and specified lock core (KS3B, KS3S) available

38" HIGH—4 DOORS

WW8438HBH2GW	Glass/Wood		$ 4764	14¾	83¾	38⅛	—	—	210 lbs.	42.6
WW8438HBH2GL	Glass/Laminate		4401	14¾	83¾	38⅛	—	—	210 lbs.	42.6
WW8438HBH2W	Wood		3913	14¾	83¾	38⅛	—	—	210 lbs.	42.6
WW8438HBH2L	Laminate		1928	14¾	83¾	38⅛	—	—	210 lbs.	42.6

- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

- Glass doors do not lock
- Not intended for use on table desking
- Highbacks must be placed on lower units with proper structure. The lower unit must consist of an end panel, support panel and/or undersurface pedestal on each side of the lower unit with a modesty panel spanning between
- For tack board options, see pages 776-783

PRODUCT SPECIFICATIONS

- Wood and laminate chassis and doors available; refer to page 358 for options
- Tops of units are finished with flat edge detail
- Adjustable hinged doors
- If specifying wood, you must specify the same finish for all options
- Tack boards, task lights and vertical pigeon hole storage are available—see accessories section pages 741-784

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Locking
3. Door Frame Color (glass door models)
4. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW7838HBH2W	KS2S	NH	
WW7838HBH2L	KS2S	440	AC2
WW7838HBH2GW	503	HN	

- See pages 356-361 for all options available in WaveWorks

HIGHBACK ORGANIZER FULL BACK





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
38" HIGH—4 DOORS									
WW7838HBH2GW	Glass/Wood	$ 4564	14¾	77¹³⁄₁₆	38⅛	—	—	194 lbs.	39.8
WW7838HBH2GL	Glass/Laminate	4214	14¾	77¹³⁄₁₆	38⅛	—	—	194 lbs.	39.8
WW7838HBH2W	Wood	3721	14¾	77¹³⁄₁₆	38⅛	—	—	194 lbs.	39.8
WW7838HBH2L	Laminate	1841	14¾	77¹³⁄₁₆	38⅛	—	—	194 lbs.	39.8
WW7238HBH2GW	Glass/Wood	$ 4366	14¾	71¹³⁄₁₆	38⅛	—	—	179 lbs.	37.0
WW7238HBH2GL	Glass/Laminate	4033	14¾	71¹³⁄₁₆	38⅛	—	—	179 lbs.	37.0
QWW7238HBH2W	Wood	3526	14¾	71¹³⁄₁₆	38⅛	—	—	179 lbs.	37.0
WW7238HBH2W	Wood	3526	14¾	71¹³⁄₁₆	38⅛	—	—	179 lbs.	37.0
QWW7238HBH2L	Laminate	1728	14¾	71¹³⁄₁₆	38⅛	—	—	179 lbs.	37.0
WW7238HBH2L	Laminate	1728	14¾	71¹³⁄₁₆	38⅛	—	—	179 lbs.	37.0
WW6638HBH2GW	Glass/Wood	$ 4175	14¾	65¹³⁄₁₆	38⅛	—	—	164 lbs.	34.1
WW6638HBH2GL	Glass/Laminate	3853	14¾	65¹³⁄₁₆	38⅛	—	—	164 lbs.	34.1
WW6638HBH2W	Wood	3336	14¾	65¹³⁄₁₆	38⅛	—	—	164 lbs.	34.1
WW6638HBH2L	Laminate	1612	14¾	65¹³⁄₁₆	38⅛	—	—	164 lbs.	34.1
WW6038HBH2GW	Glass/Wood	$ 3983	14¾	59¹³⁄₁₆	38⅛	—	—	148 lbs.	31.3
WW6038HBH2GL	Glass/Laminate	3676	14¾	59¹³⁄₁₆	38⅛	—	—	148 lbs.	31.3
WW6038HBH2W	Wood	3146	14¾	59¹³⁄₁₆	38⅛	—	—	148 lbs.	31.3
WW6038HBH2L	Laminate	1493	14¾	59¹³⁄₁₆	38⅛	—	—	148 lbs.	31.3
38" HIGH—3 DOORS									
WW4838HBH2GW	Glass/Wood	$ 3815	14¾	47⅞	38⅛	—	—	126 lbs.	25.6
WW4838HBH2GL	Glass/Laminate	3524	14¾	47⅞	38⅛	—	—	126 lbs.	25.6
WW4838HBH2W	Wood	2902	14¾	47⅞	38⅛	—	—	126 lbs.	25.6
WW4838HBH2L	Laminate	1382	14¾	47⅞	38⅛	—	—	126 lbs.	25.6





- Not intended for use on table desking
- Highbacks must be placed on lower units with proper structure. The lower unit must consist of an end panel, support panel and/or undersurface pedestal on each side of the lower unit with a modesty panel spanning between
- For tack board options, see pages 776-783
- Glass doors do not lock
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood or laminate chassis available, refer to page 358 for options
- If specifying wood, you must specify the same finish for all options
- Tops of units are finished with flat edge detail
- Tack boards, task lights and vertical pigeon hole storage are available—see accessories section pages 741-784

TO ORDER, SPECIFY:

1. Model Number
2. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW10838HBE2W AC
WW10838HBE2L 440

- See pages 356-361 for all options available in WaveWorks

HIGHBACK ORGANIZER
FULL BACK - NO DOORS





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
38" HIGH—NO DOORS									
WW10838HBE2W	Wood	$ 4178	13⁹⁄₁₀	107¹¹⁄₁₆	38⅛	—	—	282 lbs.	56.9
WW10838HBE2L	Laminate	1989	13⁹⁄₁₀	107¹¹⁄₁₆	38⅛	—	—	282 lbs.	56.9
• 49" task lights will not work under 2 piece highbacks									
WW10238HBE2W	Wood	$ 3982	13⁹⁄₁₀	101¾	38⅛	—	—	266 lbs.	54.1
WW10238HBE2L	Laminate	1812	13⁹⁄₁₀	101¾	38⅛	—	—	266 lbs.	54.1
• 49" task lights will not work under 2 piece highbacks									
WW9638HBE2W	Wood	$ 3780	13⁹⁄₁₀	95¾	38⅛	—	—	252 lbs.	48.3
WW9638HBE2L	Laminate	1628	13⁹⁄₁₀	95¾	38⅛	—	—	252 lbs.	48.3
• 49" task lights will not work under 2 piece highbacks									
WW9038HBE2W	Wood	$ 3583	13⁹⁄₁₀	89¾	38⅛	—	—	233 lbs.	45.5
WW9038HBE2L	Laminate	1452	13⁹⁄₁₀	89¾	38⅛	—	—	233 lbs.	45.5
WW8438HBE2W	Wood	$ 3564	13⁹⁄₁₀	83¾	38⅛	—	—	210 lbs.	42.6
WW8438HBE2L	Laminate	1572	13⁹⁄₁₀	83¾	38⅛	—	—	210 lbs.	42.6
WW7838HBE2W	Wood	$ 3370	13⁹⁄₁₀	77¹³⁄₁₆	38⅛	—	—	194 lbs.	39.8
WW7838HBE2L	Laminate	1492	13⁹⁄₁₀	77¹³⁄₁₆	38⅛	—	—	194 lbs.	39.8
WW7238HBE2W	Wood	$ 3177	13⁹⁄₁₀	71¹³⁄₁₆	38⅛	—	—	179 lbs.	37.0
WW7238HBE2L	Laminate	1376	13⁹⁄₁₀	71¹³⁄₁₆	38⅛	—	—	179 lbs.	37.0
WW6638HBE2W	Wood	$ 2985	13⁹⁄₁₀	65¹³⁄₁₆	38⅛	—	—	164 lbs.	34.1
WW6638HBE2L	Laminate	1255	13⁹⁄₁₀	65¹³⁄₁₆	38⅛	—	—	164 lbs.	34.1
WW6038HBE2W	Wood	$ 2796	13⁹⁄₁₀	59¹³⁄₁₆	38⅛	—	—	148 lbs.	31.3
WW6038HBE2L	Laminate	1166	13⁹⁄₁₀	59¹³⁄₁₆	38⅛	—	—	148 lbs.	31.3
WW4838HBE2W	Wood	$ 2690	13⁹⁄₁₀	47⅞	38⅛	—	—	126 lbs.	25.6
WW4838HBE2L	Laminate	1140	13⁹⁄₁₀	47⅞	38⅛	—	—	126 lbs.	25.6

- Not intended for use on table desking
- Specify chassis finish only
- Highbacks must be placed on lower units with proper structure. The lower unit must consist of an end panel, support panel and/or undersurface pedestal on each side of the lower unit with a modesty panel spanning between
- For tack board options, see pages 776-783

PRODUCT SPECIFICATIONS

- Wood, laminate, glass or no doors and wood or laminate chassis available; refer to page 358 for options
- All shelves are ¾" thick
- Tops of units are finished with flat edge detail
- Adjustable hinged doors
- If specifying wood, you must specify the same finish for all options
- Tack boards, slat walls, task lights and vertical pigeon hole storage are available—see accessories section pages 741-784
- National will not be liable for Exhibit mount cabinets or wall mount cabinets that are not properly installed
- Cabinets have a full height back panel

TO ORDER, SPECIFY:

1. Model Number
2. Locking
3. Door Frame Color (glass door models)
4. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW3030SOHMW	KS1B	AC	
WW3030SOHML	KS1B	440	AC2
WW3030SOHMGW	501	AC	

- See pages 356-361 for all options available in WaveWorks

OVERHEAD STORAGE CABINET WALL MOUNT





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
30" HIGH—3 DOORS									
WW4830SOHMGW	Glass/Wood	$ 3273	14¾	47⅞	29 15⁄16	—	—	150 lbs.	34.0
WW4830SOHMGL	Glass/Laminate	2154	14¾	47⅞	29 15⁄16	—	—	150 lbs.	34.0
WW4830SOHMW	Wood	2356	14¾	47⅞	29 15⁄16	—	—	150 lbs.	34.0
WW4830SOHML	Laminate	1531	14¾	47⅞	29 15⁄16	—	—	150 lbs.	34.0

- Glass doors do not lock
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

WW4230SOHMGW	Glass/Wood	$ 3155	14¾	41⅞	29 15⁄16	—	—	129 lbs.	29.2
WW4230SOHMGL	Glass/Laminate	2035	14¾	41⅞	29 15⁄16	—	—	129 lbs.	29.2
WW4230SOHMW	Wood	2246	14¾	41⅞	29 15⁄16	—	—	129 lbs.	29.2
WW4230SOHML	Laminate	1453	14¾	41⅞	29 15⁄16	—	—	129 lbs.	29.2

- Glass doors do not lock
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

30" HIGH—2 DOORS									
WW3630SOHMGW	Glass/Wood	$ 3034	14¾	35⅞	29 15⁄16	—	—	102 lbs.	25.5
WW3630SOHMGL	Glass/Laminate	1920	14¾	35⅞	29 15⁄16	—	—	102 lbs.	25.5
WW3630SOHMW	Wood	2143	14¾	35⅞	29 15⁄16	—	—	102 lbs.	25.5
WW3630SOHML	Laminate	1377	14¾	35⅞	29 15⁄16	—	—	102 lbs.	25.5

- Glass doors do not lock
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

WW3030SOHMGW	Glass/Wood	$ 2901	14¾	29 15⁄16	29 15⁄16	—	—	89 lbs.	21.9
WW3030SOHMGL	Glass/Laminate	1790	14¾	29 15⁄16	29 15⁄16	—	—	89 lbs.	21.9
WW3030SOHMW	Wood	2034	14¾	29 15⁄16	29 15⁄16	—	—	89 lbs.	21.9
WW3030SOHML	Laminate	1291	14¾	29 15⁄16	29 15⁄16	—	—	89 lbs.	21.9

- Glass doors do not lock
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

- Wall mount bracket, for attachment to wall, is included
- National recommends that each overhead cabinet be secured by a minimum of 2 mounting locations (studs)
- Features an adjustable shelf
- For tack board options, see pages 776-783
- Wall mount overheads can be utilized with DIRTT antler extrusion; see page 121

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood, laminate, glass or no doors and wood or laminate chassis available; refer to page 358 for options
- All shelves are ¾" thick
- Tops of units are finished with flat edge detail
- Adjustable hinged doors
- If specifying wood, you must specify the same finish for all options
- Tack boards, slat walls, task lights and vertical pigeon hole storage are available—see accessories section pages 741-784
- National will not be liable for Exhibit mount cabinets or wall mount cabinets that are not properly installed
- Cabinets have a full height back panel

TO ORDER, SPECIFY:

1. Model Number
2. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW4830SOEMW AC
WW4830SOEML 440

- See pages 356-361 for all options available in WaveWorks

OVERHEAD STORAGE CABINET NO DOORS - WALL MOUNT



WW4230SOEMW shown-
Center Divider Panel

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
30" HIGH—CENTER DIVIDER PANEL									
WW4830SOEMW	Wood	$ 2356	13⅜₀	47⅞	29¹⁵⁄₁₆	—	—	140 lbs.	34.0
WW4830SOEML	Laminate	1531	13⅜₀	47⅞	29¹⁵⁄₁₆	—	—	140 lbs.	34.0
WW4230SOEMW	Wood	$ 2246	13⅜₀	41⅞	29¹⁵⁄₁₆	—	—	119 lbs.	29.2
WW4230SOEML	Laminate	1453	13⅜₀	41⅞	29¹⁵⁄₁₆	—	—	119 lbs.	29.2
30" HIGH—NO DIVIDER PANEL									
WW3630SOEMW	Wood	$ 2143	13⅜₀	35⅞	29¹⁵⁄₁₆	—	—	92 lbs.	25.5
WW3630SOEML	Laminate	1377	13⅜₀	35⅞	29¹⁵⁄₁₆	—	—	92 lbs.	25.5
WW3030SOEMW	Wood	$ 2034	13⅜₀	29¹⁵⁄₁₆	29¹⁵⁄₁₆	—	—	79 lbs.	21.9
WW3030SOEML	Laminate	1291	13⅜₀	29¹⁵⁄₁₆	29¹⁵⁄₁₆	—	—	79 lbs.	21.9

- Wall mount bracket, for attachment to wall, is included
- Cabinets are open and do not have doors
- National recommends that each overhead cabinet be secured by a minimum of 2 mounting locations (studs)
- Features an adjustable shelf
- For tack board options, see pages 776-783
- Wall mount overheads can be utilized with DIRTT antler extrusion; see page 121

PRODUCT SPECIFICATIONS

- Wood, laminate, glass or no doors and wood or laminate chassis available; refer to page 358 for options
- All shelves are ¾" thick
- Tops of units are finished with flat edge detail
- Adjustable hinged doors
- If specifying wood, you must specify the same finish for all options
- Tack boards, slat walls, task lights and vertical pigeon hole storage are available—see accessories section pages 741-784
- National will not be liable for Exhibit mount cabinets or wall mount cabinets that are not properly installed
- Cabinets have a full height back panel

TO ORDER, SPECIFY:

1. Model Number
2. Locking
3. Door Frame Color (glass door models)
4. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW3018SOHMW	KS1B	AC	
WW3018SOHML	KS1B	440	AC2
WW3018SOHMGW	501	AC	

- See pages 356-361 for all options available in WaveWorks

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

OVERHEAD STORAGE CABINET - WALL MOUNT



MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
18" HIGH—3 DOORS									
WW4818SOHMGW	Glass/Wood	$ 2339	14¾	47⅞	18⅛	—	—	115 lbs.	11.8
WW4818SOHMGL	Glass/Laminate	1583	14¾	47⅞	18⅛	—	—	115 lbs.	11.8
WW4818SOHMW	Wood	1876	14¾	47⅞	18⅛	—	—	115 lbs.	11.8
WW4818SOHML	Laminate	1136	14¾	47⅞	18⅛	—	—	115 lbs.	11.8

- Glass doors do not lock
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

WW4218SOHMGW	Glass/Wood	$ 2258	14¾	41⅞	18⅛	—	—	100 lbs.	11.1
WW4218SOHMGL	Glass/Laminate	1508	14¾	41⅞	18⅛	—	—	100 lbs.	11.1
WW4218SOHMW	Wood	1797	14¾	41⅞	18⅛	—	—	100 lbs.	11.1
WW4218SOHML	Laminate	1057	14¾	41⅞	18⅛	—	—	100 lbs.	11.1

- Glass doors do not lock
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

18" HIGH—2 DOORS									
WW3618SOHMGW	Glass/Wood	$ 2178	14¾	35⅞	18⅛	—	—	76 lbs.	7.7
WW3618SOHMGL	Glass/Laminate	1430	14¾	35⅞	18⅛	—	—	76 lbs.	7.7
QWW3618SOHMW	Wood	1717	14¾	35⅞	18⅛	—	—	76 lbs.	7.7
WW3618SOHMW	Wood	1717	14¾	35⅞	18⅛	—	—	76 lbs.	7.7
QWW3618SOHML	Laminate	980	14¾	35⅞	18⅛	—	—	76 lbs.	7.7
WW3618SOHML	Laminate	980	14¾	35⅞	18⅛	—	—	76 lbs.	7.7

- Glass doors do not lock
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

WW3018SOHMGW	Glass/Wood	$ 2088	14¾	29 15/16	18⅛	—	—	64 lbs.	6.4
WW3018SOHMGL	Glass/Laminate	1343	14¾	29 15/16	18⅛	—	—	64 lbs.	6.4
QWW3018SOHMW	Wood	1626	14¾	29 15/16	18⅛	—	—	64 lbs.	6.4
WW3018SOHMW	Wood	1626	14¾	29 15/16	18⅛	—	—	64 lbs.	6.4
QWW3018SOHML	Laminate	899	14¾	29 15/16	18⅛	—	—	64 lbs.	6.4
WW3018SOHML	Laminate	899	14¾	29 15/16	18⅛	—	—	64 lbs.	6.4

- Glass doors do not lock
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

- Wall mount bracket, for attachment to wall, is included
- 30" and 36" units have 2 doors; the 42" and 48" units have 3 doors
- National recommends that each overhead cabinet be secured by a minimum of 2 mounting locations (studs); National will not be liable for wall mount cabinets that are not properly installed
- For tack board options, see pages 776-783
- Wall mount overheads can be utilized with DIRTT antler extrusion; see page 121

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood, laminate, glass or no doors and wood or laminate chassis available; refer to page 358 for options
- All shelves are ¾" thick
- Tops of units are finished with flat edge detail
- Adjustable hinged doors
- If specifying wood, you must specify the same finish for all options
- Tack boards, slat walls, task lights and vertical pigeon hole storage are available—see accessories section pages 741-784
- National will not be liable for Exhibit mount cabinets or wall mount cabinets that are not properly installed
- Cabinets have a full height back panel

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW4818SOEMW AC
WW4818SOEML 440

- See pages 356-361 for all options available in WaveWorks

OVERHEAD STORAGE CABINET NO DOORS - WALL MOUNT



Center Divider Panel shown



No Divider Panel shown

MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
18" HIGH—CENTER DIVIDER PANEL									
WW4818SOEMW	Wood	$ 1876	13⅜₀	47⅞	18⅛	—	—	90 lbs.	13.0
WW4818SOEML	Laminate	1136	13⅜₀	47⅞	18⅛	—	—	90 lbs.	13.0
WW4218SOEMW	Wood	$ 1797	13⅜₀	41⅞	18⅛	—	—	80 lbs.	11.1
WW4218SOEML	Laminate	1057	13⅜₀	41⅞	18⅛	—	—	80 lbs.	11.1
18" HIGH—NO DIVIDER PANEL									
QWW3618SOEMW	Wood	$ 1717	13⅜₀	35⅞	18⅛	—	—	70 lbs.	7.7
WW3618SOEMW	Wood	1717	13⅜₀	35⅞	18⅛	—	—	70 lbs.	7.7
QWW3618SOEML	Laminate	980	13⅜₀	35⅞	18⅛	—	—	70 lbs.	7.7
WW3618SOEML	Laminate	980	13⅜₀	35⅞	18⅛	—	—	70 lbs.	7.7
QWW3018SOEMW	Wood	$ 1626	13⅜₀	29¹⁵⁄₁₆	18⅛	—	—	60 lbs.	6.4
WW3018SOEMW	Wood	1626	13⅜₀	29¹⁵⁄₁₆	18⅛	—	—	60 lbs.	6.4
QWW3018SOEML	Laminate	899	13⅜₀	29¹⁵⁄₁₆	18⅛	—	—	60 lbs.	6.4
WW3018SOEML	Laminate	899	13⅜₀	29¹⁵⁄₁₆	18⅛	—	—	60 lbs.	6.4

- Wall mount bracket, for attachment to wall, is included
- Cabinets are open and do not have doors
- National recommends that each overhead cabinet be secured by a minimum of 2 mounting locations (studs)
- For tack board options, see pages 776-783
- Wall mount overheads can be utilized with DIRTT antler extrusion; see below

DIRTT OVERHEAD MOUNTING KITS



NAC48OK	For 48" Overhead	$ 255	1	6	1⁹⁄₁₆	—	—	8 lbs.	2.0
NAC42OK	For 42" Overhead	246	1	6	1⁹⁄₁₆	—	—	8 lbs.	2.0
NAC36OK	For 36" Overhead	237	1	6	1⁹⁄₁₆	—	—	8 lbs.	2.0
NAC30OK	For 30" Overhead	218	1	6	1⁹⁄₁₆	—	—	8 lbs.	1.5

- Available in black only
- For use with Epic, Renegade, and WaveWorks wall mount cabinets
- Bracket designed to interact with the DIRTT antler extrusion
- Can be used with 13", 18", and 30" high cabinets
- 30" comes with 2 brackets; 36"-48" comes with 3 brackets; each kit also includes a mounting extrusion strip that matches the size of the overhead

PRODUCT SPECIFICATIONS

- Wood or laminate chassis available; refer to page 358 for options
- All shelves are ¾" thick
- Tops of units are finished with flat edge detail
- Tack boards, slat walls, task lights and vertical pigeon hole storage are available—see accessories section pages 741-784
- National will not be liable for Exhibit mount cabinets or wall mount cabinets that are not properly installed
- Cabinets have a full height back panel

TO ORDER, SPECIFY:

1. Model Number
2. Locking
3. Door Frame Color (glass door models)
4. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW4230SOHTGW 503 HN
WW4230SOHTL KRS 440 HN2
WW4230SOHTW KRS HN

- See pages 356-361 for all options available in WaveWorks

OVERHEAD STORAGE CABINET EXHIBIT MOUNT





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
30" HIGH—3 DOORS									
WW4830SOHTGW	Glass/Wood	$ 3273	14¾	47⅞	29 15/16	—	—	150 lbs.	34.0
WW4830SOHTGL	Glass/Laminate	2154	14¾	47⅞	29 15/16	—	—	150 lbs.	34.0
WW4830SOHTW	Wood	2356	14¾	47⅞	29 15/16	—	—	150 lbs.	34.0
WW4830SOHTL	Laminate	1531	14¾	47⅞	29 15/16	—	—	150 lbs.	34.0

- Glass doors do not lock
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

WW4230SOHTGW	Glass/Wood	$ 3155	14¾	41⅞	29 15/16	—	—	129 lbs.	29.2
WW4230SOHTGL	Glass/Laminate	2035	14¾	41⅞	29 15/16	—	—	129 lbs.	29.2
WW4230SOHTW	Wood	2246	14¾	41⅞	29 15/16	—	—	129 lbs.	29.2
WW4230SOHTL	Laminate	1453	14¾	41⅞	29 15/16	—	—	129 lbs.	29.2

- Glass doors do not lock
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

30" HIGH—2 DOORS									
WW3630SOHTGW	Glass/Wood	$ 3034	14¾	35⅞	29 15/16	—	—	102 lbs.	25.5
WW3630SOHTGL	Glass/Laminate	1920	14¾	35⅞	29 15/16	—	—	102 lbs.	25.5
WW3630SOHTW	Wood	2143	14¾	35⅞	29 15/16	—	—	102 lbs.	25.5
WW3630SOHTL	Laminate	1377	14¾	35⅞	29 15/16	—	—	102 lbs.	25.5

- Glass doors do not lock
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

WW3030SOHTGW	Glass/Wood	$ 2901	14¾	29 15/16	29 15/16	—	—	89 lbs.	21.9
WW3030SOHTGL	Glass/Laminate	1790	14¾	29 15/16	29 15/16	—	—	89 lbs.	21.9
WW3030SOHTW	Wood	2034	14¾	29 15/16	29 15/16	—	—	89 lbs.	21.9
WW3030SOHTL	Laminate	1291	14¾	29 15/16	29 15/16	—	—	89 lbs.	21.9

- Glass doors do not lock
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

- Exhibit mount bracket is included, must order Exhibit wall rail separately
- It is recommended that overheads are not slid to a new location when there are tack board inserts behind the overheads
- If an overhead needs to be relocated, the overhead must be removed from the Exhibit rail and reinstalled in another location on the Exhibit rail
- See page 430 for Exhibit Wall Rail and Filler Strip
- Features an adjustable shelf

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood or laminate chassis available; refer to page 358 for options
- All shelves are ¾" thick
- Tops of units are finished with flat edge detail
- Tack boards, slat walls, task lights and vertical pigeon hole storage are available—see accessories section pages 741-784
- National will not be liable for Exhibit mount cabinets or wall mount cabinets that are not properly installed
- Cabinets have a full height back panel

TO ORDER, SPECIFY:

1. Model Number
2. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW4830SOETW AC
WW4830SOETL 440

- See pages 356-361 for all options available in WaveWorks

OVERHEAD STORAGE CABINET NO DOORS - EXHIBIT MOUNT



WW3030SOETW shown-
No Divider Panel

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
30" HIGH—CENTER DIVIDER PANEL									
WW4830SOETW	Wood	$ 2356	13⅜₀	47⅞	29¹⁵⁄₁₆	—	—	140 lbs.	34.0
WW4830SOETL	Laminate	1531	13⅜₀	47⅞	29¹⁵⁄₁₆	—	—	140 lbs.	34.0
WW4230SOETW	Wood	$ 2246	13⅜₀	41⅞	29¹⁵⁄₁₆	—	—	119 lbs.	29.2
WW4230SOETL	Laminate	1453	13⅜₀	41⅞	29¹⁵⁄₁₆	—	—	119 lbs.	29.2
30" HIGH—NO DIVIDER PANEL									
WW3630SOETW	Wood	$ 2143	13⅜₀	35⅞	29¹⁵⁄₁₆	—	—	92 lbs.	25.5
WW3630SOETL	Laminate	1377	13⅜₀	35⅞	29¹⁵⁄₁₆	—	—	92 lbs.	25.5
WW3030SOETW	Wood	$ 2034	13⅜₀	29¹⁵⁄₁₆	29¹⁵⁄₁₆	—	—	79 lbs.	21.9
WW3030SOETL	Laminate	1291	13⅜₀	29¹⁵⁄₁₆	29¹⁵⁄₁₆	—	—	79 lbs.	21.9

- Exhibit mount bracket is included, Exhibit wall rail must be ordered separately
- It is recommended that overheads are not slid to a new location when there are tack board inserts behind the overheads
- If an overhead needs to be relocated, the overhead must be removed from the Exhibit rail and reinstalled in another location on the Exhibit rail
- See page 430 for Exhibit Wall Rail and Filler Strip
- Features an adjustable shelf

PRODUCT SPECIFICATIONS

- Wood, laminate, glass or no doors and wood or laminate chassis available; refer to page 358 for options
- Tack boards, slat walls, task lights and vertical pigeon hole storage are available—see accessories section pages 741-784
- Tops of units are finished with flat edge detail
- Adjustable hinged doors
- If specifying wood, you must specify the same finish for all options
- National will not be liable for Exhibit mount cabinets or wall mount cabinets that are not properly installed
- Cabinets have a full height back panel

TO ORDER, SPECIFY:

1. Model Number
2. Locking
3. Door Frame Color (glass door models)
4. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW4218SOHTGW	503	HN	
WW4218SOHTL	KRS	440	HN2
WW4218SOHTW	KRS	HN	

- See pages 356-361 for all options available in WaveWorks

OVERHEAD STORAGE CABINET - EXHIBIT MOUNT





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
18" HIGH—3 DOORS									
WW4818SOHTGW	Glass/Wood	$ 2339	14¾	47⅞	18⅛	—	—	115 lbs.	11.8
WW4818SOHTGL	Glass/Laminate	1583	14¾	47⅞	18⅛	—	—	115 lbs.	11.8
WW4818SOHTW	Wood	1876	14¾	47⅞	18⅛	—	—	115 lbs.	11.8
WW4818SOHTL	Laminate	1136	14¾	47⅞	18⅛	—	—	115 lbs.	11.8

- Glass doors do not lock
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

WW4218SOHTGW	Glass/Wood	$ 2258	14¾	41⅞	18⅛	—	—	100 lbs.	11.1
WW4218SOHTGL	Glass/Laminate	1508	14¾	41⅞	18⅛	—	—	100 lbs.	11.1
WW4218SOHTW	Wood	1797	14¾	41⅞	18⅛	—	—	100 lbs.	11.1
WW4218SOHTL	Laminate	1057	14¾	41⅞	18⅛	—	—	100 lbs.	11.1

- Glass doors do not lock
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

18" HIGH—2 DOORS									
WW3618SOHTGW	Glass/Wood	$ 2178	14¾	35⅞	18⅛	—	—	76 lbs.	7.7
WW3618SOHTGL	Glass/Laminate	1430	14¾	35⅞	18⅛	—	—	76 lbs.	7.7
WW3618SOHTW	Wood	1717	14¾	35⅞	18⅛	—	—	76 lbs.	7.7
WW3618SOHTL	Laminate	980	14¾	35⅞	18⅛	—	—	76 lbs.	7.7

- Glass doors do not lock
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

WW3018SOHTGW	Glass/Wood	$ 2088	14¾	29 15⁄16	18⅛	—	—	64 lbs.	6.4
WW3018SOHTGL	Glass/Laminate	1343	14¾	29 15⁄16	18⅛	—	—	64 lbs.	6.4
WW3018SOHTW	Wood	1626	14¾	29 15⁄16	18⅛	—	—	64 lbs.	6.4
WW3018SOHTL	Laminate	899	14¾	29 15⁄16	18⅛	—	—	64 lbs.	6.4

- Glass doors do not lock
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

- Exhibit mount bracket is included, Exhibit Wall Rail needs to be ordered separately
- It is recommended that overheads are not slid to a new location when there are tack board inserts behind the overheads
- If an overhead needs to be relocated, the overhead must be removed from the Exhibit rail and reinstalled in another location on the Exhibit rail
- See page 430 for Exhibit Wall Rail and Filler Strip

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood, laminate, glass or no doors and wood or laminate chassis available; refer to page 358 for options
- Tack boards, slat walls, task lights and vertical pigeon hole storage are available—see accessories section pages 741-784
- Tops of units are finished with flat edge detail
- Adjustable hinged doors
- If specifying wood, you must specify the same finish for all options
- National will not be liable for Exhibit mount cabinets or wall mount cabinets that are not properly installed
- Cabinets have a full height back panel

TO ORDER, SPECIFY:

1. Model Number
2. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW4818SOETW AC
WW4818SOETL 440

- See pages 356-361 for all options available in WaveWorks

OVERHEAD STORAGE CABINET NO DOORS - EXHIBIT MOUNT



Center Divider Panel shown



No Divider Panel shown

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
18" HIGH—CENTER DIVIDER PANEL									
WW4818SOETW	Wood	$ 1876	13⅜₀	47⅞	18⅛	—	—	115 lbs.	11.8
WW4818SOETL	Laminate	1136	13⅜₀	47⅞	18⅛	—	—	115 lbs.	11.8
WW4218SOETW	Wood	$ 1797	13⅜₀	41⅞	18⅛	—	—	100 lbs.	11.1
WW4218SOETL	Laminate	1057	13⅜₀	41⅞	18⅛	—	—	100 lbs.	11.1
18" HIGH—NO DIVIDER PANEL									
WW3618SOETW	Wood	$ 1717	13⅜₀	35⅞	18⅛	—	—	76 lbs.	7.7
WW3618SOETL	Laminate	980	13⅜₀	35⅞	18⅛	—	—	76 lbs.	7.7
WW3018SOETW	Wood	$ 1626	13⅜₀	29¹⁵⁄₁₆	18⅛	—	—	64 lbs.	6.4
WW3018SOETL	Laminate	899	13⅜₀	29¹⁵⁄₁₆	18⅛	—	—	64 lbs.	6.4

- Exhibit mount bracket is included, Exhibit Wall Rail must be ordered separately
- Cabinets are open and do not have doors
- It is recommended that overheads are not slid to a new location when there are tack board inserts behind the overheads
- If an overhead needs to be relocated, the overhead must be removed from the Exhibit rail and reinstalled in another location on the Exhibit rail
- See below for Exhibit Wall Rail and Filler Strip

OVERHEAD STORAGE CABINET FILLER PANEL



FILLER PANELS									
WW1329CPOFPL	$ 136	6	14	29¹⁵⁄₁₆	—	—	—	0.8
WW1318CPOFPL	123	6	14	14¾	—	—	—	0.4

- To be used with overhead storage cabinets to fill in space as needed
- Can be field cut to desired width

EXHIBIT WALL RAIL



WALL RAIL									
11N72EXP1	1 Rail/No faceplate	$ 133	¾	72	1¾	—	—	6 lbs.	0.7
11N144EXP1	1 Rail/No faceplate	193	¾	144	1¾	—	—	12 lbs.	1.4

- Includes 1 wall rail and 2 alignment brackets
- Specify 423 Concrete, 462 Cinder, 463 Iron, 501 Platinum Metallic or 503 Satin Nickel Metallic
- For use when hanging a worksurface or overhead without the use of an insert

FILLER STRIP KIT EXHIBIT MOUNT



11NCPFSW	Wood	$ 70	1	3	27¼	—	—	3 lbs.	1.0
11NCPFSL	Laminate	36	1	3	27¼	—	—	3 lbs.	1.0

- For use with Exhibit mounted overheads when an insert is not used behind the overhead
- Must be field scribed for 18" and 13" high overhead models
- Specify solid/woodgrain/Gallery laminate or wood finish

PRODUCT SPECIFICATIONS

- Wood, laminate, glass doors and wood or laminate chassis available; refer to page 358 for options
- Refer to pages 741-784 for accessories
- Tops of units are finished with flat edge detail
- Adjustable hinged doors
- If specifying wood, you must specify the same finish for all options
- Wood drawers feature dowel construction
- Wood drawers feature sides and backs that are ½" thick, bottoms are ¼" thick with veneer faces that are sealed and finished with a clear coat

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Rim Color (laminate units only)
4. Pull
5. Locking
6. Top Finish (laminate units only)
7. Drawer Finish (laminate units only)
8. Chassis Finish

SAMPLE MODEL NUMBERS:

WW2436LFF2W	C	7MB	KRB	MC	
WW2436LFF2L	VMH	7MB	KRB	480	480
WW2436LFF2LW	V	440	7MB	KRB	MH

- See pages 356-361 for all options available in WaveWorks

LATERAL FILE 2 DRAWER



MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⅜" TOP THICKNESS									
WWN2436LFF2W	Wood	$ 3397	24	36⅛	29⅜	—	—	155 lbs.	22.2
WWN2436LFF2LW	Laminate/Wood	3397	24	36⅛	29⅜	—	—	155 lbs.	22.2
WWN2436LFF2L	Laminate	2240	24	36⅛	29⅜	—	—	155 lbs.	22.2
1⅜" TOP THICKNESS									
WW2436LFF2W	Wood	$ 3088	24	36⅛	28¹⅝	—	—	155 lbs.	22.2
WW2436LFF2LW	Laminate/Wood	3088	24	36⅛	28¹⅝	—	—	155 lbs.	22.2
WW2436LFF2L	Laminate	2037	24	36⅛	28¹⅝	—	—	155 lbs.	22.2
WW2436LFF2LL	TFL	1628	24	36⅛	28⅞	—	—	155 lbs.	22.2

- Interlock mechanism allows only 1 drawer to be open at a time
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front
- Wood drawers can be specified on 1⅜" Wood models; add a "W" to the end of the model number and add $329 to the list price

LATERAL FILE 3 DRAWER

MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⅜" TOP THICKNESS									
WWN2436LFF3W	Wood	$ 4580	24	36⅛	41⅞	—	—	210 lbs.	30.0
WWN2436LFF3LW	Laminate/Wood	4580	24	36⅛	41⅞	—	—	210 lbs.	30.0
WWN2436LFF3L	Laminate	3020	24	36⅛	41⅞	—	—	210 lbs.	30.0
1⅜" TOP THICKNESS									
WW2436LFF3W	Wood	$ 4164	24	36⅛	41½	—	—	210 lbs.	30.0
WW2436LFF3LW	Laminate/Wood	4164	24	36⅛	41½	—	—	210 lbs.	30.0
WW2436LFF3L	Laminate	2743	24	36⅛	41½	—	—	210 lbs.	30.0
WW2436LFF3LL	TFL	2198	24	36⅛	41⅛	—	—	210 lbs.	30.0

- Interlock mechanism allows only 1 drawer to be open at a time
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood and laminate doors/drawers and chassis available; refer to page 358 for options
- Refer to page 363 for filing capabilities
- If specifying wood, you must specify the same finish for all options
- Wood drawers feature dowel construction
- Wood drawers feature sides and backs that are ½" thick, bottoms are ¼" thick with veneer faces that are sealed and finished with a clear coat

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Rim Color (laminate units only)
4. Pull
5. Locking
6. Top Finish (laminate units only)
7. Drawer Finish (laminate units only)
8. Chassis Finish

SAMPLE MODEL NUMBERS:

WWN2436PF33W	C	7MB	KS1B	MC	
WWN2436PF33L	VMH	7MB	KS1B	480	480
WWN2436PF33LW	V	440	7MB	KS1B	MH

- See pages 356-361 for all options available in WaveWorks

LATERAL FILE 4 DRAWER



MODEL NO./DESCRIPTION			LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⁹⁄₁₆" TOP THICKNESS										
WWN2436LFF4W	Wood		$ 5476	24	36 1⁄16	54 7⁄16	—	—	265 lbs.	33.4
WWN2436LFF4LW	Laminate/Wood		5476	24	36 1⁄16	54 7⁄16	—	—	265 lbs.	33.4
WWN2436LFF4L	Laminate		3461	24	36 1⁄16	54 7⁄16	—	—	265 lbs.	33.4
1³⁄₁₆" TOP THICKNESS										
WW2436LFF4W	Wood		$ 4973	24	36 1⁄16	54 1⁄16	—	—	265 lbs.	33.4
WW2436LFF4LW	Laminate/Wood		4973	24	36 1⁄16	54 1⁄16	—	—	265 lbs.	33.4
WW2436LFF4L	Laminate		3150	24	36 1⁄16	54 1⁄16	—	—	265 lbs.	33.4
WW2436LFF4LL	TFL		2520	24	36 1⁄16	54	—	—	265 lbs.	33.4

- Interlock mechanism allows only 1 drawer to be open at a time
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front
- Wood drawers can be specified on 1³⁄₁₆" Wood models; add a "W" to the end of the model number and add $659 to the list price

MIXED STORAGE CABINET



Left shown

1⁹⁄₁₆" TOP THICKNESS OPEN STORAGE ON LEFT	OPEN STORAGE ON RIGHT		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WWN2436PF33W	WWN2436PF32W	Wood	$ 3835	24	36 1⁄16	29 3⁄8	—	—	130 lbs.	22.2
WWN2436PF33LW	WWN2436PF32LW	Lam/Wood	3835	24	36 1⁄16	29 3⁄8	—	—	130 lbs.	22.2
WWN2436PF33L	WWN2436PF32L	Laminate	2471	24	36 1⁄16	29 3⁄8	—	—	130 lbs.	22.2

1³⁄₁₆" TOP THICKNESS OPEN STORAGE ON LEFT	OPEN STORAGE ON RIGHT		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WW2436PF33W	WW2436PF32W	Wood	$ 3526	24	36 1⁄16	28 15⁄16	—	—	130 lbs.	22.2
WW2436PF33LW	WW2436PF32LW	Lam/Wood	3526	24	36 1⁄16	28 15⁄16	—	—	130 lbs.	22.2
WW2436PF33L	WW2436PF32L	Laminate	2266	24	36 1⁄16	28 15⁄16	—	—	130 lbs.	22.2
WW2436PF33LL	WW2436PF32LL	TFL	1812	24	36 1⁄16	28 7⁄8	—	—	130 lbs.	22.2

- Interior dimensions of open storage are 16¾" W, 12" H
- Locking only on lateral file
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front

PRODUCT SPECIFICATIONS

- Wood and laminate doors/drawers and chassis available; refer to page 358 for options
- Refer to page 363 for filing capabilities
- If specifying wood, you must specify the same finish for all options
- Wood drawers feature dowel construction
- Wood drawers feature sides and backs that are ½" thick, bottoms are ¼" thick with veneer faces that are sealed and finished with a clear coat

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Rim Color (laminate units only)
4. Pull
5. Locking
6. Top Finish (laminate units only)
7. Drawer Finish (laminate units only)
8. Chassis Finish

SAMPLE MODEL NUMBERS:

WW2436PFHW	C	7MB	KS1B	MC	
WW2436PFHL	VMH	7MB	KS1B	480	480
WW2436PFHLW	V	440	7MB	KS1B	MH

- See pages 356-361 for all options available in WaveWorks

MULTI-FILE STORAGE CABINET



Left shown

MODEL NO./DESCRIPTION			LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⅜" TOP THICKNESS										
FILE DRAWER ON LEFT	**FILE DRAWER ON RIGHT**									
WWN2436PF11W	WWN2436PF10W	Wood	$ 4452	24	36⅛	29⅜	—	—	130 lbs.	22.2
WWN2436PF11LW	WWN2436PF10LW	Lam/Wood	4452	24	36⅛	29⅜	—	—	130 lbs.	22.2
WWN2436PF11L	WWN2436PF10L	Laminate	3093	24	36⅛	29⅜	—	—	130 lbs.	22.2
1⅜" TOP THICKNESS										
FILE DRAWER ON LEFT	**FILE DRAWER ON RIGHT**									
WW2436PF11W	WW2436PF10W	Wood	$ 4144	24	36⅛	28⅝	—	—	130 lbs.	22.2
WW2436PF11LW	WW2436PF10LW	Lam/Wood	4144	24	36⅛	28⅝	—	—	130 lbs.	22.2
WW2436PF11L	WW2436PF10L	Laminate	2891	24	36⅛	28⅝	—	—	130 lbs.	22.2
WW2436PF11LL	WW2436PF10LL	TFL	2312	24	36⅛	28⅞	—	—	130 lbs.	22.2

- Locking only on file drawer and lateral file
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front

DOUBLE DOOR UNIT



1⅜" TOP THICKNESS										
WWN2436PFHW	Wood	$ 3252	24	36⅛	29⅜	—	—	130 lbs.	22.2
WWN2436PFHLW	Laminate/Wood	3252	24	36⅛	29⅜	—	—	130 lbs.	22.2
WWN2436PFHL	Laminate	1892	24	36⅛	29⅜	—	—	130 lbs.	22.2
1⅜" TOP THICKNESS										
WW2436PFHW	Wood	$ 2954	24	36⅛	28⅝	—	—	130 lbs.	22.2
WW2436PFHLW	Laminate/Wood	2954	24	36⅛	28⅝	—	—	130 lbs.	22.2
WW2436PFHL	Laminate	1723	24	36⅛	28⅝	—	—	130 lbs.	22.2
WW2436PFHLL	TFL	1377	24	36⅛	28⅞	—	—	130 lbs.	22.2

- Features an adjustable shelf
- Unit features a 110° door hinge
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood drawers feature dowel construction
- Wood drawers feature sides and backs that are ½" thick, bottoms are ¼" thick with veneer faces that are sealed and finished with a clear coat

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Grommet
4. Locking
5. Laminate Door Color
6. Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW301853VPO1LW	6CC	G37PB	KRB	405	MH
WW301853VPO1LL	61R	X	KRB	405	MH
WW0653VSSPW	X	405			
WW0653VSSPL	CT1	405			

- See pages 356-361 for all options available in WaveWorks

PULLOUT STORAGE



MODEL NO./DESCRIPTION LEFT	RIGHT		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
30" DEPTH										
WW301853VPO1LW	WW301853VPO1RW	Wood	$ 6334	29½	17 15/16	52⅞	–	–	lbs.	
WW301853VPO1LL	WW301853VPO1RL	Laminate	4489	29½	17 15/16	52⅞	–	–	lbs.	
WW301841VPO1LW	WW301841VPO1RW	Wood	$ 6048	29½	17 15/16	40 3/16	–	–	lbs.	
WW301841VPO1LL	WW301841VPO1RL	Laminate	4202	29½	17 15/16	40 3/16	–	–	lbs.	
24" DEPTH										
WW241853VPO1LW	WW241853VPO1RW	Wood	$ 5761	23 3/16	17 15/16	52⅞	–	–	lbs.	
WW241853VPO1LL	WW241853VPO1RL	Laminate	3914	23 3/16	17 15/16	52⅞	–	–	lbs.	
WW241841VPO1LW	WW241841VPO1RW	Wood	$ 5473	23 3/16	17 15/16	40 3/16	–	–	lbs.	
WW241841VPO1LL	WW241841VPO1RL	Laminate	3628	23 3/16	17 15/16	40 3/16	–	–	lbs.	

- See pages for component top for pullout storage pages 519-520
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- All WaveWorks pull options available with exception of Horizon
- 1 coathook
- 2 adjustable shelves
- 1 full shelf at top where electrical is mounted

PULLOUT STORAGE SPACER

WW0653VSSPW	Wood	$ 946	6	17 15/16	52⅞	–	–	lbs.	
WW0653VSSPL	Laminate	587	6	17 15/16	52⅞	–	–	lbs.	
WW0641VSSPW	Wood	$ 928	6	17 15/16	40 3/16	–	–	lbs.	
WW0641VSSPL	Laminate	568	6	17 15/16	40 3/16	–	–	lbs.	
WW1253VSSPW	Wood	$ 1894	11 5/16	17 15/16	52⅞	–	–	lbs.	
WW1253VSSPL	Laminate	1175	11 5/16	17 15/16	52⅞	–	–	lbs.	
WW1241VSSPW	Wood	$ 1857	11 5/16	17 15/16	40 3/16	–	–	lbs.	
WW1241VSSPL	Laminate	1139	11 5/16	17 15/16	40 3/16	–	–	lbs.	

- Specify spacer to pass thru electrical when ganging 2 pullout storage back to back
- Specify grommet cutout option and finish/laminate only
- Can be used with Alloy

PRODUCT SPECIFICATIONS

- Wood, laminate or glass doors and wood or laminate chassis available; refer to page 358 for options
- Refer to page 363 for filing capabilities
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Locking
3. Door Frame Color (glass door models)
4. Veneer Door Finish/Laminate Door Color (laminate/combo models)
5. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WWN1880VSWHLW	KRB	MH	
WWN1880VSWHLL	KRB	405	405
WWN1880VSWHLGW	503	MH	
WWN1880VSWHLGL	503	405	

• See pages 356-361 for all options available in WaveWorks

WARDROBE/STORAGE CABINET
SINGLE DOOR





Left shown

INTENDED FOR USE WITH 1⅜" THICK WORKSURFACE MODELS

LEFT HINGED	RIGHT HINGED		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WWN1880VSWHLGW	WWN1880VSWHRGW	Glass/Wood	$ 5070	23⅜	17⅛	79¹¹⁄₁₆	–	–	197 lbs.	31.0
WWN1880VSWHLGL	WWN1880VSWHRGL	Glass/Lam	3255	23⅜	17⅛	79¹¹⁄₁₆	–	–	197 lbs.	31.0
WWN1880VSWHLW	WWN1880VSWHRW	Wood	3893	23⅜	17⅛	79¹¹⁄₁₆	–	–	197 lbs.	31.0
WWN1880VSWHLL	WWN1880VSWHRL	Laminate	2203	23⅜	17⅛	79¹¹⁄₁₆	–	–	197 lbs.	31.0
WWN1869VSWHLGW	WWN1869VSWHRGW	Glass/Wood	$ 4428	23⅜	17⅛	67¼	–	–	160 lbs.	26.7
WWN1869VSWHLGL	WWN1869VSWHRGL	Glass/Lam	2841	23⅜	17⅛	67¼	–	–	160 lbs.	26.7
WWN1869VSWHLW	WWN1869VSWHRW	Wood	3414	23⅜	17⅛	67¼	–	–	160 lbs.	26.7
WWN1869VSWHLL	WWN1869VSWHRL	Laminate	1934	23⅜	17⅛	67¼	–	–	160 lbs.	26.7

INTENDED FOR USE WITH 1⅜" THICK WORKSURFACE MODELS

LEFT HINGED	RIGHT HINGED		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WW1879VSWHLGW	WW1879VSWHRGW	Glass/Wood	$ 5070	23⅜	17⅛	79¼	–	–	197 lbs.	31.0
WW1879VSWHLGL	WW1879VSWHRGL	Glass/Lam	3255	23⅜	17⅛	79¼	–	–	197 lbs.	31.0
WW1879VSWHLW	WW1879VSWHRW	Wood	3893	23⅜	17⅛	79¼	–	–	197 lbs.	31.0
WW1879VSWHLL	WW1879VSWHRL	Laminate	2203	23⅜	17⅛	79¼	–	–	197 lbs.	31.0
WW1868VSWHLGW	WW1868VSWHRGW	Glass/Wood	$ 4428	23⅜	17⅛	66⅞	–	–	160 lbs.	26.7
WW1868VSWHLGL	WW1868VSWHRGL	Glass/Lam	2841	23⅜	17⅛	66⅞	–	–	160 lbs.	26.7
WW1868VSWHLW	WW1868VSWHRW	Wood	3414	23⅜	17⅛	66⅞	–	–	160 lbs.	26.7
WW1868VSWHLL	WW1868VSWHRL	Laminate	1934	23⅜	17⅛	66⅞	–	–	160 lbs.	26.7

- Can be used as a wardrobe unit by removing adjustable shelves
- Removable coat rod standard
- Shaded shelves are adjustable, 1868 and 1869 models have 1 fixed shelf and 3 adjustable shelves, 1879 and 1880 models have 1 fixed shelf and 4 adjustable shelves
- Glass doors do not lock
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminate options available on models 60" H or less

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood, laminate or glass doors and wood or laminate chassis available; refer to page 358 for options
- Refer to page 363 for filing capabilities
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Locking
3. Door Frame Color (glass door models)
4. Veneer Door Finish/Laminate Door Color (laminate/combo models)
5. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WWN1880VSHLW	KRB	MH	
WWN1880VSHLL	KRB	405	405
WWN1880VSHLGW	503	MH	
WWN1880VSHLGL	503	405	

- See pages 356-361 for all options available in WaveWorks

MEDIA STORAGE TOWER SINGLE DOOR



LEFT HINGED	RIGHT HINGED		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WWN1880VSHLW	WWN1880VSHRW	Wood	$ 4222	23⅜	17⁵⁄₁₆	79¼	–	–	197 lbs.	31.0
WWN1880VSHLL	WWN1880VSHRL	Laminate	2508	23⅜	17⁵⁄₁₆	79¼	–	–	197 lbs.	31.0
WWN1880VSHLGW	WWN1880VSHRGW	Glass/Wood	5425	23⅜	17⁵⁄₁₆	79¼	–	–	197 lbs.	31.0
WWN1880VSHLGL	WWN1880VSHRGL	Glass/Lam	3577	23⅜	17⁵⁄₁₆	79¼	–	–	197 lbs.	31.0

- Glass units feature opaque glass with aluminum frame
- Shaded shelves are adjustable 1 fixed and 4 adjustable shelves
- Shortened shelves allow for easy wire access in the back of the cabinet
- Features grommets in end panels for wire access
- Glass doors do not lock
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminate options available on models 60" H or less

STORAGE/WARDROBE WITH FILE/FILE PEDESTAL



Left shown

INTENDED FOR USE WITH 1⁵⁄₁₆" THICK WORKSURFACE MODELS

LEFT HINGED	RIGHT HINGED		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WWN2480VHHL2W	WWN2480VHHR2W	Wood	$ 5313	23⅜	24	79¹¹⁄₁₆	–	–	250 lbs.	31.3
WWN2480VHHL2L	WWN2480VHHR2L	Laminate	3373	23⅜	24	79¹¹⁄₁₆	–	–	250 lbs.	31.3
WWN2469VHHL2W	WWN2469VHHR2W	Wood	$ 4820	23⅜	24	67¼	–	–	213 lbs.	27.0
WWN2469VHHL2L	WWN2469VHHR2L	Laminate	3095	23⅜	24	67¼	–	–	213 lbs.	27.0

INTENDED FOR USE WITH 1¾₁₆" THICK WORKSURFACE MODELS

LEFT HINGED	RIGHT HINGED		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WW2479VHHL2W	WW2479VHHR2W	Wood	$ 5313	23⅜	24	79¼	–	–	250 lbs.	31.3
WW2479VHHL2L	WW2479VHHR2L	Laminate	3373	23⅜	24	79¼	–	–	250 lbs.	31.3
WW2468VHHL2W	WW2468VHHR2W	Wood	$ 4820	23⅜	24	66⅞	–	–	213 lbs.	27.0
WW2468VHHL2L	WW2468VHHR2L	Laminate	3095	23⅜	24	66⅞	–	–	213 lbs.	27.0

- Removable coat rod is standard
- Storage cabinet contains 2 adjustable shelves in 2468 and 2469 models and 3 adjustable shelves in the 2479 and 2480 models
- Wardrobe door is 5½" wide, interior width is 5"
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminate options available on models 60" H or less

PRODUCT SPECIFICATIONS

- Wood and laminate doors/drawers and chassis available; refer to page 358 for options
- Refer to page 363 for filing capabilities
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Veneer Door Finish/Laminate Door Color (laminate/combo models)
5. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WWN2480VBWHL2W 7SN KS1B HN
WWN2480VBWHL2L 7SN KS1B 461 461

- See pages 356-361 for all options available in WaveWorks

STORAGE SIDE BOOKCASE/WARDROBE WITH FILE/FILE PEDESTAL



Left shown with Wood/Laminate

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
INTENDED FOR USE WITH 1⅜" THICK WORKSURFACE MODELS										
LEFT HINGED	**RIGHT HINGED**									
WWN2480VBWHL2W	WWN2480VBWHR2W	Wood	$ 5567	23⅜	24	79 1⁄16	–	–	250 lbs.	31.3
WWN2480VBWHL2L	WWN2480VBWHR2L	Laminate	3631	23⅜	24	79 1⁄16	–	–	250 lbs.	31.3
WWN2469VBWHL2W	WWN2469VBWHR2W	Wood	$ 5075	23⅜	24	67¼	–	–	213 lbs.	27.0
WWN2469VBWHL2L	WWN2469VBWHR2L	Laminate	3353	23⅜	24	67¼	–	–	213 lbs.	27.0
INTENDED FOR USE WITH 1⅜" THICK WORKSURFACE MODELS										
LEFT HINGED	**RIGHT HINGED**									
WW2479VBWHL2W	WW2479VBWHR2W	Wood	$ 5567	23⅜	24	79¼	–	–	250 lbs.	31.3
WW2479VBWHL2L	WW2479VBWHR2L	Laminate	3631	23⅜	24	79¼	–	–	250 lbs.	31.3
WW2468VBWHL2W	WW2468VBWHR2W	Wood	$ 5075	23⅜	24	66⅞	–	–	213 lbs.	27.0
WW2468VBWHL2L	WW2468VBWHR2L	Laminate	3353	23⅜	24	66⅞	–	–	213 lbs.	27.0

- Removable coat rod is standard
- Open bookcase contains 2 adjustable shelves in 2468 and 2469 models and 3 adjustable shelves in the 2479 and 2480 models
- Wardrobe door is 5½" wide, interior width is 5"
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Wardrobe door features a standard pull
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminate options available on models 60" H or less

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood, laminate or glass doors and wood or laminate drawer fronts and chassis available; refer to page 358 for options
- Refer to page 363 for filing capabilities
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Veneer Door-Drawer Finish/Laminate Door-Drawer Color (laminate/combo models)
5. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WWN1880VBL2W 7SN KS1B HN
WWN1880VBR2L 7SN KS1B 461 461

- See pages 356-361 for all options available in WaveWorks

STORAGE SIDE BOOKCASE WITH FILE/FILE PEDESTAL



Left shown



Left shown with Wood/Laminate

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
INTENDED FOR USE WITH 1⅜" THICK WORKSURFACE MODELS										
LEFT UNIT	**RIGHT UNIT**									
WWN1880VBL2W	WWN1880VBR2W	Wood	$ 4211	23⅜	17⅝	79¹¹⁄₁₆	—	—	207 lbs.	31.0
WWN1880VBL2L	WWN1880VBR2L	Laminate	2476	23⅜	17⅝	79¹¹⁄₁₆	—	—	207 lbs.	31.0
WWN1869VBL2W	WWN1869VBR2W	Wood	$ 3721	23⅜	17⅝	67¼	—	—	175 lbs.	26.7
WWN1869VBL2L	WWN1869VBR2L	Laminate	2203	23⅜	17⅝	67¼	—	—	175 lbs.	26.7
INTENDED FOR USE WITH 1⅜" THICK WORKSURFACE MODELS										
LEFT UNIT	**RIGHT UNIT**									
WW1879VBL2W	WW1879VBR2W	Wood	$ 4211	23⅜	17⅝	79¼	—	—	207 lbs.	31.0
WW1879VBL2L	WW1879VBR2L	Laminate	2476	23⅜	17⅝	79¼	—	—	207 lbs.	31.0
WW1868VBL2W	WW1868VBR2W	Wood	$ 3721	23⅜	17⅝	66⅞	—	—	175 lbs.	26.7
WW1868VBL2L	WW1868VBR2L	Laminate	2203	23⅜	17⅝	66⅞	—	—	175 lbs.	26.7

- Open bookcase contains 2 adjustable shelves in 1868 and 1869 models and 3 adjustable shelves in the 1879 and 1880 models
- Shaded area denotes wood drawer fronts and wood panel
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminate options available on models 60" H or less

PRODUCT SPECIFICATIONS

- Wood, laminate or glass doors and wood or laminate drawer fronts and chassis available; refer to page 358 for options
- Refer to page 363 for filing capabilities
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Locking
3. Door Frame Color (glass door models)
4. Veneer Door-Drawer Finish/Laminate Door-Drawer Color (laminate/combo models)
5. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW3680VSWHGW 501 MH
WW3680VSWHW KS1B MH
WW3680VSWHL KS1B MH MH

- See pages 356-361 for all options available in WaveWorks

WARDROBE/STORAGE CABINET DOUBLE DOOR





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
INTENDED FOR USE WITH 1⁹⁄₁₆" THICK WORKSURFACE MODELS									
WWN3680VSWHGW	Glass/Wood	$ 8205	23⅜	35⅞	79¹¹⁄₁₆	–	–	345 lbs.	51.4
WWN3680VSWHGL	Glass/Laminate	5269	23⅜	35⅞	79¹¹⁄₁₆	–	–	345 lbs.	51.4
WWN3680VSWHW	Wood	7785	23⅜	35⅞	79¹¹⁄₁₆	–	–	345 lbs.	51.4
WWN3680VSWHL	Laminate	4408	23⅜	35⅞	79¹¹⁄₁₆	–	–	345 lbs.	51.4
WWN3669VSWHGW	Glass/Wood	$ 7113	23⅜	35⅞	67¼	–	–	160 lbs.	44.1
WWN3669VSWHGL	Glass/Laminate	4565	23⅜	35⅞	67¼	–	–	160 lbs.	44.1
WWN3669VSWHW	Wood	6828	23⅜	35⅞	67¼	–	–	160 lbs.	44.1
WWN3669VSWHL	Laminate	3865	23⅜	35⅞	67¼	–	–	160 lbs.	44.1
INTENDED FOR USE WITH 1⅜" THICK WORKSURFACE MODELS									
WW3679VSWHGW	Glass/Wood	$ 8205	23⅜	35⅞	79¼	–	–	345 lbs.	51.4
WW3679VSWHGL	Glass/Laminate	5269	23⅜	35⅞	79¼	–	–	345 lbs.	51.4
WW3679VSWHW	Wood	7785	23⅜	35⅞	79¼	–	–	345 lbs.	51.4
WW3679VSWHL	Laminate	4408	23⅜	35⅞	79¼	–	–	345 lbs.	51.4
WW3668VSWHGW	Glass/Wood	$ 7113	23⅜	35⅞	66⅞	–	–	160 lbs.	44.1
WW3668VSWHGL	Glass/Laminate	4565	23⅜	35⅞	66⅞	–	–	160 lbs.	44.1
WW3668VSWHW	Wood	6828	23⅜	35⅞	66⅞	–	–	160 lbs.	44.1
WW3668VSWHL	Laminate	3865	23⅜	35⅞	66⅞	–	–	160 lbs.	44.1

- Coat rod standard
- Shaded shelves are adjustable, 3668 and 3669 models have 1 fixed and 3 adjustable shelves, 3679 and 3680 models have 2 fixed and 3 adjustable shelves
- Glass doors do not lock
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminate options available on models 60" H or less

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood, laminate or glass doors and wood or laminate drawer fronts and chassis available; refer to page 358 for options
- Refer to page 363 for filing capabilities
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Locking
3. Door Frame Color (glass door models)
4. Veneer Door-Drawer Finish/Laminate Door-Drawer Color (laminate/combo models)
5. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WWN3680VSHGW	501	MH	
WWN3680VSHW	KS1B	MH	
WWN3680VSHL	KS1B	MH	MH

- See pages 356-361 for all options available in WaveWorks

DOUBLE DOOR STORAGE CABINET





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
INTENDED FOR USE WITH 1⅜" THICK WORKSURFACE MODELS									
WWN3680VSHGW	Glass/Wood	$ 7624	23⅜	35⅞	79 1⅛	–	–	345 lbs.	51.4
WWN3680VSHGL	Glass/Laminate	4675	23⅜	35⅞	79 1⅛	–	–	345 lbs.	51.4
WWN3680VSHW	Wood	7200	23⅜	35⅞	79 1⅛	–	–	345 lbs.	51.4
WWN3680VSHL	Laminate	3818	23⅜	35⅞	79 1⅛	–	–	345 lbs.	51.4
WWN3669VSHGW	Glass/Wood	$ 6531	23⅜	35⅞	67¼	–	–	160 lbs.	44.1
WWN3669VSHGL	Glass/Laminate	3979	23⅜	35⅞	67¼	–	–	160 lbs.	44.1
WWN3669VSHW	Wood	6248	23⅜	35⅞	67¼	–	–	160 lbs.	44.1
WWN3669VSHL	Laminate	3277	23⅜	35⅞	67¼	–	–	160 lbs.	44.1
INTENDED FOR USE WITH 1⅜" THICK WORKSURFACE MODELS									
WW3679VSHGW	Glass/Wood	$ 7624	23⅜	35⅞	79¼	–	–	345 lbs.	51.4
WW3679VSHGL	Glass/Laminate	4675	23⅜	35⅞	79¼	–	–	345 lbs.	51.4
WW3679VSHW	Wood	7200	23⅜	35⅞	79¼	–	–	345 lbs.	51.4
WW3679VSHL	Laminate	3818	23⅜	35⅞	79¼	–	–	345 lbs.	51.4
WW3668VSHGW	Glass/Wood	$ 6531	23⅜	35⅞	66⅞	–	–	160 lbs.	44.1
WW3668VSHGL	Glass/Laminate	3979	23⅜	35⅞	66⅞	–	–	160 lbs.	44.1
WW3668VSHW	Wood	6248	23⅜	35⅞	66⅞	–	–	160 lbs.	44.1
WW3668VSHL	Laminate	3277	23⅜	35⅞	66⅞	–	–	160 lbs.	44.1

- 3668 and 3669 models have 2 fixed and 2 adjustable shelves, 3679 and 3680 models have 2 fixed and 3 adjustable shelves
- Units includes shelves from top to bottom, see above bullet for correct number of shelves according to size
- Glass doors do not lock
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminate options available on models 60" H or less

PRODUCT SPECIFICATIONS

- Wood, laminate or glass doors and wood or laminate drawer fronts and chassis available; refer to page 358 for options
- Refer to page 363 for filing capabilities
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Door Frame Color (glass door models)
5. Veneer Door-Drawer Finish/Laminate Door-Drawer Color (laminate/combo models)
6. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WWN3680VHF2GW 501 MH
WWN3680VHF2W KS1B MH
WWN3680VHF2L KS1B MH MH

- See pages 356-361 for all options available in WaveWorks

STORAGE/LATERAL FILE CABINET





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
INTENDED FOR USE WITH 1⅜" THICK WORKSURFACE MODELS									
WWN3680VHF2GW	Glass/Wood	$ 7798	23⅜	35⅞	79¹¹⁄₁₆	–	–	345 lbs.	56.5
WWN3680VHF2GL	Glass/Laminate	4789	23⅜	35⅞	79¹¹⁄₁₆	–	–	345 lbs.	56.5
WWN3680VHF2W	Wood	7306	23⅜	35⅞	79¹¹⁄₁₆	–	–	345 lbs.	56.5
WWN3680VHF2L	Laminate	3879	23⅜	35⅞	79¹¹⁄₁₆	–	–	345 lbs.	56.5
WWN3669VHF2GW	Glass/Wood	$ 6692	23⅜	35⅞	67¼	–	–	160 lbs.	48.6
WWN3669VHF2GL	Glass/Laminate	4079	23⅜	35⅞	67¼	–	–	160 lbs.	48.6
WWN3669VHF2W	Wood	6336	23⅜	35⅞	67¼	–	–	160 lbs.	48.6
WWN3669VHF2L	Laminate	3331	23⅜	35⅞	67¼	–	–	160 lbs.	48.6
INTENDED FOR USE WITH 1⅜" THICK WORKSURFACE MODELS									
WW3679VHF2GW	Glass/Wood	$ 7798	23⅜	35⅞	79¼	–	–	345 lbs.	56.5
WW3679VHF2GL	Glass/Laminate	4789	23⅜	35⅞	79¼	–	–	345 lbs.	56.5
WW3679VHF2W	Wood	7306	23⅜	35⅞	79¼	–	–	345 lbs.	56.5
WW3679VHF2L	Laminate	3879	23⅜	35⅞	79¼	–	–	345 lbs.	56.5
WW3668VHF2GW	Glass/Wood	$ 6692	23⅜	35⅞	66⅞	–	–	160 lbs.	48.6
WW3668VHF2GL	Glass/Laminate	4079	23⅜	35⅞	66⅞	–	–	160 lbs.	48.6
WW3668VHF2W	Wood	6336	23⅜	35⅞	66⅞	–	–	160 lbs.	48.6
WW3668VHF2L	Laminate	3331	23⅜	35⅞	66⅞	–	–	160 lbs.	48.6

- 3679 and 3680 models have 1 fixed and 2 adjustable shelves, 3668 and 3669 models have 1 fixed and 1 adjustable shelf
- For glass/wood or glass/laminate units: random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- For wood, wood/laminate or laminate units: random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminate options available on models 60" H or less

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood, laminate or glass doors and wood or laminate drawer fronts and chassis available; refer to page 358 for options
- Refer to page 363 for filing capabilities
- Tops of units are finished with flat edge detail
- Adjustable hinged doors
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Door Frame Color (glass door models)
5. Veneer Door-Drawer Finish/Laminate Door-Drawer Color (laminate/combo models)
6. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW1868VHL2GW	75PL	501	MH	
WW1868VHL2GL	75PL	501	480	
WW1868VHL2W	75PL	KS2B	MH	
WW1868VHL2L	75PL	KS2B	480	MH

- See pages 356-361 for all options available in WaveWorks

STORAGE CABINET WITH FILE/FILE PEDESTAL





MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
INTENDED FOR USE WITH 1⅜" THICK WORKSURFACE MODELS										
LEFT HINGED	**RIGHT HINGED**									
WWN1880VHL2GW	WWN1880VHR2GW	Glass/Wood	$ 5243	23⅜	17⅝	79¹¹⁄₁₆	—	—	207 lbs.	31.0
WWN1880VHL2GL	WWN1880VHR2GL	Glass/Lam	3366	23⅜	17⅝	79¹¹⁄₁₆	—	—	207 lbs.	31.0
WWN1880VHL2W	WWN1880VHR2W	Wood	3996	23⅜	17⅝	79¹¹⁄₁₆	—	—	207 lbs.	31.0
WWN1880VHL2L	WWN1880VHR2L	Laminate	2265	23⅜	17⅝	79¹¹⁄₁₆	—	—	207 lbs.	31.0
WWN1869VHL2GW	WWN1869VHR2GW	Glass/Wood	$ 4588	23⅜	17⅝	67¼	—	—	175 lbs.	26.7
WWN1869VHL2GL	WWN1869VHR2GL	Glass/Lam	2943	23⅜	17⅝	67¼	—	—	175 lbs.	26.7
WWN1869VHL2W	WWN1869VHR2W	Wood	3508	23⅜	17⅝	67¼	—	—	175 lbs.	26.7
WWN1869VHL2L	WWN1869VHR2L	Laminate	1988	23⅜	17⅝	67¼	—	—	175 lbs.	26.7
INTENDED FOR USE WITH 1⅜" THICK WORKSURFACE MODELS										
LEFT HINGED	**RIGHT HINGED**									
WW1879VHL2GW	WW1879VHR2GW	Glass/Wood	$ 5243	23⅜	17⅝	79¼	—	—	207 lbs.	31.0
WW1879VHL2GL	WW1879VHR2GL	Glass/Lam	3366	23⅜	17⅝	79¼	—	—	207 lbs.	31.0
WW1879VHL2W	WW1879VHR2W	Wood	3996	23⅜	17⅝	79¼	—	—	207 lbs.	31.0
WW1879VHL2L	WW1879VHR2L	Laminate	2265	23⅜	17⅝	79¼	—	—	207 lbs.	31.0
WW1868VHL2GW	WW1868VHR2GW	Glass/Wood	$ 4588	23⅜	17⅝	66⅞	—	—	175 lbs.	26.7
WW1868VHL2GL	WW1868VHR2GL	Glass/Lam	2943	23⅜	17⅝	66⅞	—	—	175 lbs.	26.7
WW1868VHL2W	WW1868VHR2W	Wood	3508	23⅜	17⅝	66⅞	—	—	175 lbs.	26.7
WW1868VHL2L	WW1868VHR2L	Laminate	1988	23⅜	17⅝	66⅞	—	—	175 lbs.	26.7

- Shaded shelves are adjustable
- 1879 and 1880 models include 3 adjustable shelves, 1868 and 1869 models include 2 adjustable shelves
- For glass/wood or glass/laminate units: random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- For wood, wood/laminate or laminate units: random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminate options available on models 60" H or less

PRODUCT SPECIFICATIONS

- Wood and laminate doors and chassis available; refer to page 358 for options
- Tops of units are finished with flat edge detail
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WWN3680BCOFW MH
WWN3680BCOFL AD

- See pages 356-361 for all options available in WaveWorks

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

5 SHELF OPEN BOOKCASE



MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
INTENDED FOR USE WITH 1⅜" THICK WORKSURFACE MODELS									
WWN3680BCOFW	Wood	$ 2797	13 15/16	35 7/8	79 11/16	–	–	184 lbs.	38.3
WWN3680BCOFL	Laminate	1389	13 15/16	35 7/8	79 11/16	–	–	184 lbs.	38.3
INTENDED FOR USE WITH 1⅜" THICK WORKSURFACE MODELS									
QWW3679BCOFW	Wood	$ 2797	13 15/16	35 7/8	79¼	–	–	184 lbs.	38.3
WW3679BCOFW	Wood	2797	13 15/16	35 7/8	79¼	–	–	184 lbs.	38.3
QWW3679BCOFL	Laminate	1389	13 15/16	35 7/8	79¼	–	–	184 lbs.	38.3
WW3679BCOFL	Laminate	1389	13 15/16	35 7/8	79¼	–	–	184 lbs.	38.3

- Specify chassis finish only
- Shaded shelves are adjustable
- Not intended for use as set-on surface storage
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminate options available on models 60" H or less

4 SHELF OPEN BOOKCASE



MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
INTENDED FOR USE WITH 1⅜" THICK WORKSURFACE MODELS									
WWN3669BCOFW	Wood	$ 2432	13 15/16	35 7/8	67¼	–	–	188 lbs.	31.6
WWN3669BCOFL	Laminate	1211	13 15/16	35 7/8	67¼	–	–	188 lbs.	31.6
INTENDED FOR USE WITH 1⅜" THICK WORKSURFACE MODELS									
QWW3668BCOFW	Wood	$ 2432	13 15/16	35 7/8	66⅞	–	–	188 lbs.	31.6
WW3668BCOFW	Wood	2432	13 15/16	35 7/8	66⅞	–	–	188 lbs.	31.6
QWW3668BCOFL	Laminate	1211	13 15/16	35 7/8	66⅞	–	–	188 lbs.	31.6
WW3668BCOFL	Laminate	1211	13 15/16	35 7/8	66⅞	–	–	188 lbs.	31.6

- Specify chassis finish only
- Shaded shelves are adjustable
- Not intended for use as set-on surface storage
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminate options available on models 60" H or less

3 SHELF OPEN BOOKCASE



QWW3653BCOFW	Wood	$ 2234	13 15/16	35 7/8	52 13/16	–	–	140 lbs.	26.7
WW3653BCOFW	Wood	2234	13 15/16	35 7/8	52 13/16	–	–	140 lbs.	26.7
QWW3653BCOFL	Laminate	1093	13 15/16	35 7/8	52 13/16	–	–	140 lbs.	26.7
WW3653BCOFL	Laminate	1093	13 15/16	35 7/8	52 13/16	–	–	140 lbs.	26.7

- Specify chassis finish only
- Shaded shelves are adjustable
- Not intended for use as set-on surface storage

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood and laminate doors and chassis available; refer to page 358 for options
- Tops of units are finished with flat edge detail
- Adjustable hinged doors
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Veneer Door-Drawer Finish/Laminate Door-Drawer Color (laminate/combo models)
5. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW3640BCOFW AC
WW3640BCOFL AC2

- See pages 356-361 for all options available in WaveWorks

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

2 SHELF OPEN BOOKCASE



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
QWW3640BCOFW	Wood	$ 1894	13 15/16	35 7/8	40 3/16	–	–	112 lbs.	20.6
WW3640BCOFW	Wood	1894	13 15/16	35 7/8	40 3/16	–	–	112 lbs.	20.6
QWW3640BCOFL	Laminate	955	13 15/16	35 7/8	40 3/16	–	–	112 lbs.	20.6
WW3640BCOFL	Laminate	955	13 15/16	35 7/8	40 3/16	–	–	112 lbs.	20.6

- Specify chassis finish only
- Shaded shelf is adjustable
- Not intended for use as set-on surface storage

1 SHELF OPEN BOOKCASE



QWW3628BCOFW	Wood	$ 1656	13 15/16	35 7/8	27 5/16	–	–	75 lbs.	13.7
WW3628BCOFW	Wood	1656	13 15/16	35 7/8	27 5/16	–	–	75 lbs.	13.7
QWW3628BCOFL	Laminate	820	13 15/16	35 7/8	27 5/16	–	–	75 lbs.	13.7
WW3628BCOFL	Laminate	820	13 15/16	35 7/8	27 5/16	–	–	75 lbs.	13.7

- Specify chassis finish only
- Shaded shelf is adjustable
- Not intended for use as set-on surface storage

BOOKCASE WITH DOORS







INTENDED FOR USE WITH 1 9/16" THICK WORKSURFACES

WWN3680BCOHFW	Wood	$ 3423	14 3/4	35 7/8	79 11/16	–	–	220 lbs.	35.0
WWN3680BCOHFL	Laminate	1943	14 3/4	35 7/8	79 11/16	–	–	220 lbs.	35.0
WWN3669BCOHFW	Wood	$ 2977	14 3/4	35 7/8	67 1/4	–	–	193 lbs.	31.6
WWN3669BCOHFL	Laminate	1690	14 3/4	35 7/8	67 1/4	–	–	193 lbs.	31.6

INTENDED FOR USE WITH 1 3/16" THICK WORKSURFACES

WW3679BCOHFW	Wood	$ 3423	14 3/4	35 7/8	79 1/4	–	–	220 lbs.	35.0
WW3679BCOHFL	Laminate	1943	14 3/4	35 7/8	79 1/4	–	–	220 lbs.	35.0
WW3668BCOHFW	Wood	$ 2977	14 3/4	35 7/8	66 7/8	–	–	193 lbs.	31.6
WW3668BCOHFL	Laminate	1690	14 3/4	35 7/8	66 7/8	–	–	193 lbs.	31.6
WW3653BCOHFW	Wood	$ 2768	14 3/4	35 7/8	52 1/4	–	–	145 lbs.	26.7
WW3653BCOHFL	Laminate	1566	14 3/4	35 7/8	52 1/4	–	–	145 lbs.	26.7

- Shaded shelves are adjustable
- Cabinet features an adjustable shelf in bottom storage behind doors
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminate options available on models 60" H or less

PRODUCT SPECIFICATIONS

- Wood and laminate doors and chassis available; refer to page 358 for options
- Tops of units are finished with flat edge detail
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW3650BCOW AC
WW3650BCOL AC2

- See pages 356-361 for all options available in WaveWorks

OPEN BOOKCASE SET-ON SURFACE







MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
50" HIGH									
WW3650BCOW	Wood	$ 1972	13 15/16	35 7/8	50	—	—	109 lbs.	25.5
WW3650BCOL	Laminate	1130	13 15/16	35 7/8	50	—	—	109 lbs.	25.5
WW3050BCOW	Wood	$ 1837	13 15/16	29 15/16	50	—	—	97 lbs.	21.9
WW3050BCOL	Laminate	1057	13 15/16	29 15/16	50	—	—	97 lbs.	21.9
WW1850BCOW	Wood	$ 1617	13 15/16	17 15/16	50	—	—	81 lbs.	14.7
WW1850BCOL	Laminate	955	13 15/16	17 15/16	50	—	—	81 lbs.	14.7
WW1550BCOW	Wood	$ 1484	13 15/16	14 15/16	50	—	—	68 lbs.	9.5
WW1550BCOL	Laminate	878	13 15/16	14 15/16	50	—	—	68 lbs.	9.5
38" HIGH									
WW3638BCOW	Wood	$ 1558	13 15/16	35 7/8	38	—	—	100 lbs.	20.6
WW3638BCOL	Laminate	748	13 15/16	35 7/8	38	—	—	100 lbs.	20.6
WW3038BCOW	Wood	$ 1430	13 15/16	29 15/16	38	—	—	85 lbs.	16.8
WW3038BCOL	Laminate	680	13 15/16	29 15/16	38	—	—	85 lbs.	16.8
WW1838BCOW	Wood	$ 1212	13 15/16	17 15/16	38	—	—	60 lbs.	11.0
WW1838BCOL	Laminate	576	13 15/16	17 15/16	38	—	—	60 lbs.	11.0
WW1538BCOW	Wood	$ 1081	13 15/16	14 15/16	38	—	—	55 lbs.	9.5
WW1538BCOL	Laminate	507	13 15/16	14 15/16	38	—	—	55 lbs.	9.5

- Specify chassis finish only
- Not intended for use on table desking
- Shaded shelves are adjustable
- 50" high models have 3 adjustable shelves; 38" high models have 2 adjustable shelves

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood, laminate or glass doors and wood or laminate chassis available; refer to page 358 for options
- Tops of units are finished with flat edge detail
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Locking
3. Door Frame Color (glass door models)
4. Veneer Door-Drawer Finish/Laminate Door-Drawer Color (laminate/combo models)
5. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW3650BCHW KRB CW
WW3650BCHL KRB 405 405

- See pages 356-361 for all options available in WaveWorks

BOOKCASE WITH DOORS SET-ON SURFACE





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
50" HIGH									
WW3650BCHGW	Glass/Wood	$ 4384	14¾	35⅞	49¹⁵⁄₁₆	–	–	144 lbs.	25.5
WW3650BCHGL	Glass/Laminate	3409	14¾	35⅞	49¹⁵⁄₁₆	–	–	144 lbs.	25.5
WW3650BCHW	Wood	2143	14¾	35⅞	49¹⁵⁄₁₆	–	–	144 lbs.	25.5
WW3650BCHL	Laminate	1188	14¾	35⅞	49¹⁵⁄₁₆	–	–	144 lbs.	25.5
WW3050BCHGW	Glass/Wood	$ 3983	14¾	29¹⁵⁄₁₆	49¹⁵⁄₁₆	–	–	126 lbs.	21.9
WW3050BCHGL	Glass/Laminate	3098	14¾	29¹⁵⁄₁₆	49¹⁵⁄₁₆	–	–	126 lbs.	21.9
WW3050BCHW	Wood	2013	14¾	29¹⁵⁄₁₆	49¹⁵⁄₁₆	–	–	126 lbs.	21.9
WW3050BCHL	Laminate	1095	14¾	29¹⁵⁄₁₆	49¹⁵⁄₁₆	–	–	126 lbs.	21.9
38" HIGH									
WW3638BCHGW	Glass/Wood	$ 3911	14¾	35⅞	38⅛	–	–	110 lbs.	19.9
WW3638BCHGL	Glass/Laminate	2114	14¾	35⅞	38⅛	–	–	110 lbs.	19.9
WW3638BCHW	Wood	1723	14¾	35⅞	38⅛	–	–	110 lbs.	19.9
WW3638BCHL	Laminate	809	14¾	35⅞	38⅛	–	–	110 lbs.	19.9
WW3038BCHGW	Glass/Wood	$ 3553	14¾	29¹⁵⁄₁₆	38⅛	–	–	94 lbs.	17.1
WW3038BCHGL	Glass/Laminate	1920	14¾	29¹⁵⁄₁₆	38⅛	–	–	94 lbs.	17.1
WW3038BCHW	Wood	1593	14¾	29¹⁵⁄₁₆	38⅛	–	–	94 lbs.	17.1
WW3038BCHL	Laminate	717	14¾	29¹⁵⁄₁₆	38⅛	–	–	94 lbs.	17.1

- Not intended for use on table desking
- Shaded shelves are adjustable
- 50" high models have 3 adjustable shelves; 38" high models have 2 adjustable shelves
- Glass doors do not lock
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

PRODUCT SPECIFICATIONS

- Wood, laminate or glass doors and wood or laminate chassis available; refer to page 358 for options
- Tops of units are finished with flat edge detail
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Locking
3. Door Frame Color (glass door models)
4. Veneer Door-Drawer Finish/Laminate Door-Drawer Color (laminate/combo models)
5. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW1850BCHLW KRB CW
WW1850BCHLL KRB 405 405

- See pages 356-361 for all options available in WaveWorks

BOOKCASE WITH DOOR SET-ON SURFACE





Left shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
50" HIGH										
LEFT HINGED	**RIGHT HINGED**									
WW1850BCHLGW	WW1850BCHRGW	Glass/Wood	$ 3620	14¾	17 15/16	49 15/16	–	–	98 lbs.	14.7
WW1850BCHLGL	WW1850BCHRGL	Glass/Lam	2545	14¾	17 15/16	49 15/16	–	–	98 lbs.	14.7
WW1850BCHLW	WW1850BCHRW	Wood	1692	14¾	17 15/16	49 15/16	–	–	98 lbs.	14.7
WW1850BCHLL	WW1850BCHRL	Laminate	987	14¾	17 15/16	49 15/16	–	–	98 lbs.	14.7
WW1550BCHLGW	WW1550BCHRGW	Glass/Wood	$ 3418	14¾	14 15/16	49 15/16	–	–	98 lbs.	14.7
WW1550BCHLGL	WW1550BCHRGL	Glass/Lam	1865	14¾	14 15/16	49 15/16	–	–	98 lbs.	14.7
WW1550BCHLW	WW1550BCHRW	Wood	1579	14¾	14 15/16	49 15/16	–	–	98 lbs.	14.7
WW1550BCHLL	WW1550BCHRL	Laminate	905	14¾	14 15/16	49 15/16	–	–	98 lbs.	14.7
38" HIGH										
LEFT HINGED	**RIGHT HINGED**									
WW1838BCHLGW	WW1838BCHRGW	Glass/Wood	$ 2325	14¾	17 15/16	38⅛	–	–	77 lbs.	11.4
WW1838BCHLGL	WW1838BCHRGL	Glass/Lam	1255	14¾	17 15/16	38⅛	–	–	77 lbs.	11.4
WW1838BCHLW	WW1838BCHRW	Wood	1283	14¾	17 15/16	38⅛	–	–	77 lbs.	11.4
WW1838BCHLL	WW1838BCHRL	Laminate	611	14¾	17 15/16	38⅛	–	–	77 lbs.	11.4
WW1538BCHLGW	WW1538BCHRGW	Glass/Wood	$ 2157	14¾	14 15/16	38⅛	–	–	77 lbs.	11.4
WW1538BCHLGL	WW1538BCHRGL	Glass/Lam	1166	14¾	14 15/16	38⅛	–	–	77 lbs.	11.4
WW1538BCHLW	WW1538BCHRW	Wood	1174	14¾	14 15/16	38⅛	–	–	77 lbs.	11.4
WW1538BCHLL	WW1538BCHRL	Laminate	531	14¾	14 15/16	38⅛	–	–	77 lbs.	11.4

- Not intended for use on table desking
- Shaded shelves are adjustable
- 50" high models have 3 adjustable shelves; 38" high models have 2 adjustable shelves
- Glass doors do not lock
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood and laminate doors and chassis available; refer to page 358 for options
- Tops of units are finished with flat edge detail
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Finish (wood models)
3. Door Laminate Color (laminate models)
4. Laminate Color (laminate models)

SAMPLE MODEL NUMBERS:

WW3664BCOHMALW CW
WW3664BCOHMALL 405 PB

- See pages 356-361 for all options available in WaveWorks

SET-ON BOOKCASE STYLE A



Left shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
64" HIGH										
LEFT	**RIGHT**									
WW3664BCOHMALW	WW3664BCOHMARW	Wood	$ 3262	14¾	35⅞	63¾	—	—	lbs.	
WW3664BCOHMALL	WW3664BCOHMARL	Laminate	2113	14¾	35⅞	63¾	—	—	lbs.	
WW3064BCOHMALW	WW3064BCOHMARW	Wood	$ 3161	14¾	29 15/16	63¾	—	—	lbs.	
WW3064BCOHMALL	WW3064BCOHMARL	Laminate	2012	14¾	29 15/16	63¾	—	—	lbs.	

- Cornice frames are available. See pages 485-491
- Not intended for table desking
- Shaded shelves are adjustable
- Back not finished; for use with wall
- Not to be used in open plan; however, units can be used if back to back and ganged
- Must be attached to wall
- Non-locking, no pull

SET-ON BOOKCASE STYLE B



MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
64" HIGH										
WW3664BCOHMBW	Wood		$ 3262	14¾	35⅞	63¾	—	—	lbs.	
WW3664BCOHMBL	Laminate		2113	14¾	35⅞	63¾	—	—	lbs.	
WW3064BCOHMBW	Wood		$ 3161	14¾	29 15/16	63¾	—	—	lbs.	
WW3064BCOHMBL	Laminate		2012	14¾	29 15/16	63¾	—	—	lbs.	

- Cornice frames are available. See pages 485-491
- Not intended for table desking
- Shaded shelves are adjustable
- Back not finished; for use with wall
- Not to be used in open plan; however, units can be used if back to back and ganged
- Must be attached to wall
- Non-locking, no pull

SET-ON BOOKCASE STYLE C



Right shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
64" HIGH										
LEFT	**RIGHT**									
WW3664BCOHMCLW	WW3664BCOHMCRW	Wood	$ 3262	14¾	35⅞	63¾	—	—	lbs.	
WW3664BCOHMCLL	WW3664BCOHMCRL	Laminate	2113	14¾	35⅞	63¾	—	—	lbs.	
WW3064BCOHMCLW	WW3064BCOHMCRW	Wood	$ 3161	14¾	29 15/16	63¾	—	—	lbs.	
WW3064BCOHMCLL	WW3064BCOHMCRL	Laminate	2012	14¾	29 15/16	63¾	—	—	lbs.	

- Cornice frames are available. See pages 485-491
- Not intended for table desking
- Shaded shelves are adjustable
- Back not finished; for use with wall
- Not to be used in open plan; however, units can be used if back to back and ganged
- Must be attached to wall
- Non-locking, no pull

PRODUCT SPECIFICATIONS

- Wood and laminate doors and chassis available; refer to page 358 for options
- Tops of units are finished with flat edge detail
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Finish (wood models)
3. Door Laminate Color (laminate models)
4. Laminate Color (laminate models)

SAMPLE MODEL NUMBERS:

WW3050BCOHMALW MC
WW3050BCOHMALL 405 462

- See pages 356-361 for all options available in WaveWorks

SET-ON BOOKCASE STYLE A



Left shown

50" HIGH

MODEL NO./DESCRIPTION LEFT	RIGHT		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WW3650BCOHMALW	WW3650BCOHMARW	Wood	$ 2544	14¾	35⅞	50	—	—	lbs.	
WW3650BCOHMALL	WW3650BCOHMARL	Laminate	1825	14¾	35⅞	50	—	—	lbs.	
WW3050BCOHMALW	WW3050BCOHMARW	Wood	$ 2443	14¾	29 15⁄16	50	—	—	lbs.	
WW3050BCOHMALL	WW3050BCOHMARL	Laminate	1724	14¾	29 15⁄16	50	—	—	lbs.	

- Cornice frames are available. See pages 485-491
- Not intended for table desking
- Shaded shelves are adjustable
- Back not finished; for use with wall
- Not to be used in open plan; however, units can be used if back to back and ganged
- Must be attached to wall
- Non-locking, no pull

SET-ON BOOKCASE STYLE B



50" HIGH

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WW3650BCOHMBW	Wood		$ 2544	14¾	35⅞	50	—	—	lbs.	
WW3650BCOHMBL	Laminate		1825	14¾	35⅞	50	—	—	lbs.	
WW3050BCOHMBW	Wood		$ 2443	14¾	29 15⁄16	50	—	—	lbs.	
WW3050BCOHMBL	Laminate		1724	14¾	29 15⁄16	50	—	—	lbs.	

- Cornice frames are available. See pages 485-491
- Not intended for table desking
- Shaded shelves are adjustable
- Back not finished; for use with wall
- Not to be used in open plan; however, units can be used if back to back and ganged
- Must be attached to wall
- Non-locking, no pull

SET-ON BOOKCASE STYLE C



Right shown

50" HIGH

MODEL NO./DESCRIPTION LEFT	RIGHT		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WW3650BCOHMCLW	WW3650BCOHMCRW	Wood	$ 2544	14¾	35⅞	50	—	—	lbs.	
WW3650BCOHMCLL	WW3650BCOHMCRL	Laminate	1825	14¾	35⅞	50	—	—	lbs.	
WW3050BCOHMCLW	WW3050BCOHMCRW	Wood	$ 2443	14¾	29 15⁄16	50	—	—	lbs.	
WW3050BCOHMCLL	WW3050BCOHMCRL	Laminate	1724	14¾	29 15⁄16	50	—	—	lbs.	

- Cornice frames are available. See pages 485-491
- Not intended for table desking
- Shaded shelf is adjustable
- Back not finished; for use with wall
- Not to be used in open plan; however, units can be used if back to back and ganged
- Must be attached to wall
- Non-locking, no pull

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood and laminate doors and chassis available; refer to page 358 for options
- Tops of units are finished with flat edge detail
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Finish (wood models)
3. Door Laminate Color (laminate models)
4. Laminate Color (laminate models)

SAMPLE MODEL NUMBERS:

WW3638BCOHMALW MC
WW3638BCOHMALL 462 PB

- See pages 356-361 for all options available in WaveWorks

SET-ON BOOKCASE STYLE A



Left shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
38" HIGH										
LEFT	**RIGHT**									
WW3638BCOHMALW	WW3638BCOHMARW	Wood	$ 2255	14¾	35⅞	38	—	—	lbs.	
WW3638BCOHMALL	WW3638BCOHMARL	Laminate	1538	14¾	35⅞	38	—	—	lbs.	
WW3038BCOHMALW	WW3038BCOHMARW	Wood	$ 2154	14¾	29¹⁵⁄₁₆	38	—	—	lbs.	
WW3038BCOHMALL	WW3038BCOHMARL	Laminate	1437	14¾	29¹⁵⁄₁₆	38	—	—	lbs.	

- Cornice frames are available. See pages 485-491
- Not intended for table desking
- Shaded shelf is adjustable
- Back not finished; for use with wall
- Not to be used in open plan; however, units can be used if back to back and ganged
- Must be attached to wall
- Non-locking, no pull

SET-ON BOOKCASE STYLE B



MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
38" HIGH										
WW3638BCOHMBW	Wood		$ 2255	14¾	35⅞	38	—	—	lbs.	
WW3638BCOHMBL	Laminate		1538	14¾	35⅞	38	—	—	lbs.	
WW3038BCOHMBW	Wood		$ 2154	14¾	29¹⁵⁄₁₆	38	—	—	lbs.	
WW3038BCOHMBL	Laminate		1437	14¾	29¹⁵⁄₁₆	38	—	—	lbs.	

- Cornice frames are available. See pages 485-491
- Not intended for table desking
- Back not finished; for use with wall
- Not to be used in open plan; however, units can be used if back to back and ganged
- Must be attached to wall
- Non-locking, no pull

SET-ON BOOKCASE STYLE C



Right shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
38" HIGH										
LEFT	**RIGHT**									
WW3638BCOHMCLW	WW3638BCOHMCRW	Wood	$ 2255	14¾	35⅞	38	—	—	lbs.	
WW3638BCOHMCLL	WW3638BCOHMCRL	Laminate	1538	14¾	35⅞	38	—	—	lbs.	
WW3038BCOHMCLW	WW3038BCOHMCRW	Wood	$ 2154	14¾	29¹⁵⁄₁₆	38	—	—	lbs.	
WW3038BCOHMCLL	WW3038BCOHMCRL	Laminate	1437	14¾	29¹⁵⁄₁₆	38	—	—	lbs.	

- Cornice frames are available. See pages 485-491
- Not intended for table desking
- Back not finished; for use with wall
- Not to be used in open plan; however, units can be used if back to back and ganged
- Must be attached to wall
- Non-locking, no pull

PRODUCT SPECIFICATIONS

- Wood and laminate doors and chassis available; refer to page 358 for options
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color
4. Pull
5. Grommet
6. Locking
7. Laminate Top Color (laminate models)
8. Laminate Door/Drawer Color (laminate models)
9. Veneer Chassis Finish/Laminate Chassis Color
10. Metal Color

SAMPLE MODEL NUMBERS:

WWN2415PFBBFW F 3CC KRB
WWN2415PFBBFL F 6CC KRB

- See pages 356-361 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FREESTANDING PEDESTAL BOX/BOX/FILE	**1⅜" TOP THICKNESS**									
	WWN2415PFBBFW	Wood	$ 2379	23 1/16	15 9/16	29 1/4	—	—	83 lbs.	11.4
	WWN2415PFBBFL	Laminate	1507	23 1/16	15 9/16	29 1/4	—	—	83 lbs.	11.4
	1⅞" TOP THICKNESS									
	WW2415PFBBFW	Wood	$ 1895	23 1/16	15 3/16	28 7/8	—	—	83 lbs.	11.4
	WW2415PFBBFL	Laminate	1249	23 1/16	15 3/16	28 7/8	—	—	83 lbs.	11.4
FREESTANDING PEDESTAL FILE/FILE	**1⅜" TOP THICKNESS**									
	WWN2415PFFFW	Wood	$ 2379	23 1/16	15 9/16	29 1/4	—	—	83 lbs.	11.4
	WWN2415PFFFL	Laminate	1507	23 1/16	15 9/16	29 1/4	—	—	83 lbs.	11.4
	1⅞" TOP THICKNESS									
	WW2415PFFFW	Wood	$ 1895	23 1/16	15 3/16	28 7/8	—	—	83 lbs.	11.4
	WW2415PFFFL	Laminate	1249	23 1/16	15 3/16	28 7/8	—	—	83 lbs.	11.4
MOBILE PEDESTAL BOX/BOX/FILE WITH TOP	WW2315PMBBF2W	Wood	$ 2327	22 13/16	14 15/16	25 1/8	—	—	75 lbs.	9.9
	WW2315PMBBF2L	Laminate	1475	22 13/16	14 15/16	25 1/8	—	—	75 lbs.	9.9

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood and laminate doors and chassis available; refer to page 358 for options
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color
4. Pull
5. Grommet
6. Locking
7. Laminate Top Color (laminate models)
8. Laminate Door/Drawer Color (laminate models)
9. Veneer Chassis Finish/Laminate Chassis Color
10. Metal Color

SAMPLE MODEL NUMBER:

WW2315PMFFW 6MB KRB HN

- See pages 356-361 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
MOBILE PEDESTAL FILE/FILE	WW2315PMFFW	Wood	$ 2050	23 1/16	15 1/8	26 5/16	—	—	70 lbs.	9.9
	WW2315PMFFL	Laminate	1299	23 1/16	15 1/8	26 5/16	—	—	70 lbs.	9.9



- Unit features a finished back
- Top is a black, high impact polystyrene organizer tray with exposed, easy access filing
- Top drawer does not pull out due to filing from the top
- 4 double wheel non-locking casters standard
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

MOBILE PEDESTAL BOX/FILE	WW2315PMBFW	Wood	$ 1999	23 1/16	15 1/8	26 5/16	—	—	70 lbs.	9.9
	WW2315PMBFL	Laminate	1268	23 1/16	15 1/8	26 5/16	—	—	70 lbs.	9.9



- Unit features a finished back
- Top is a black, high impact polystyrene organizer tray
- 4 double wheel non-locking casters standard
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

MOBILE PEDESTAL BOX/FILE WITH TOP	WW2315PMBF2W	Wood	$ 2327	22 15/16	15 1/8	21 1/8	—	—	76 lbs.	8.7
	WW2315PMBF2L	Laminate	1475	22 15/16	15 1/8	21 1/8	—	—	76 lbs.	8.7

- 4 double wheel non-locking casters standard
- Maximum weight unit can hold is 300 pounds
- Do not specify rim option
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

MOBILE PEDESTAL FILE/FILE WITH TOP	WW2315PMFF2W	Wood	$ 2327	22 13/16	14 15/16	25 1/8	—	—	75 lbs.	9.9
	WW2315PMFF2L	Laminate	1475	22 13/16	14 15/16	25 1/8	—	—	75 lbs.	9.9



PRODUCT SPECIFICATIONS

- Wood and laminate doors and chassis available; refer to page 358 for options
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color
4. Pull
5. Grommet
6. Locking
7. Laminate Top Color (laminate models)
8. Laminate Door/Drawer Color (laminate models)
9. Veneer Chassis Finish/Laminate Chassis Color
10. Metal Color

SAMPLE MODEL NUMBER:

WW2315PMBFCW 6MB KRB 4 41301 HN

- See pages 356-361 for all options available in WaveWorks

MODEL NO./DESCRIPTION

MOBILE PEDESTAL CUSHION TOP

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7
WW2315PMBFCW	Wood	$	2052	2081	2094	2116	2139	2179	2232

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
$	2101	2132	2155	2180	2207	2236	2260	2290	2320	2351

	K	L	M	N	O	P	Q	R	S	T
$	2397	2492	2551	2582	2612	2643	2674	2703	2733	2763

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7
WW2315PMBFCL	Laminate	$	1449	1478	1491	1513	1536	1576	1629

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
$	1498	1529	1552	1577	1604	1633	1657	1687	1717	1748

	K	L	M	N	O	P	Q	R	S	T
$	1794	1889	1948	1979	2009	2040	2071	2100	2130	2160

DIMENSIONS

Depth	22 13/16	Height	23	Weight	78
Width	15 1/8			Cubic Ft.	9.2

- Maximum weight unit can hold is 300 pounds
- Refer to pages 5-13 and www.NationalOfficeFurniture.com/Alliance for available upholstery options
- Specify fabric grade and color for cushion top
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood and laminate doors and chassis available; refer to page 358 for options
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color
4. Pull
5. Grommet
6. Locking
7. Laminate Top Color (laminate models)
8. Laminate Door/Drawer Color (laminate models)
9. Veneer Chassis Finish/Laminate Chassis Color
10. Metal Color

SAMPLE MODEL NUMBER:

WWN2436MUCW 6MB KRB HN

- See pages 356-361 for all options available in WaveWorks

MOBILE UTILITY CART



MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⁹⁄₁₆" TOP THICKNESS									
WWN2436MUCW	Wood	$ 2919	26⁷⁄₁₆	36¹⁄₁₆	34⅞	—	—	155 lbs.	17.1
WWN2436MUCLW	Laminate/Wood	2919	26⁷⁄₁₆	36¹⁄₁₆	34⅞	—	—	155 lbs.	17.1
WWN2436MUCL	Laminate	2187	26⁷⁄₁₆	36¹⁄₁₆	34⅞	—	—	155 lbs.	17.1
1³⁄₁₆" TOP THICKNESS									
WW2436MUCW	Wood	$ 2654	26⁷⁄₁₆	36¹⁄₁₆	34½	—	—	155 lbs.	17.1
WW2436MUCLW	Laminate/Wood	2654	26⁷⁄₁₆	36¹⁄₁₆	34½	—	—	155 lbs.	17.1
WW2436MUCL	Laminate	1989	26⁷⁄₁₆	36¹⁄₁₆	34½	—	—	155 lbs.	17.1
WW2436MUCLL	TFL	1591	26⁷⁄₁₆	36¹⁄₁₆	34⁷⁄₁₆	—	—	155 lbs.	17.1

- Can function as a serving cart or media cart
- 1 adjustable shelf behind hinged doors
- 4 double wheel non-locking casters standard
- Center grommet option available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

MOBILE COMPUTER CART



WW2436MCCW	Wood	$ 3348	27³⁄₁₆	36⅛	43¼	—	—	85 lbs.	24.5
WW2436MCCL	Laminate	2681	27³⁄₁₆	36⅛	43¼	—	—	85 lbs.	24.5
WW2436MCCLL	TFL	2144	27³⁄₁₆	36⅛	43³⁄₁₆	—	—	85 lbs.	24.5

- Do not specify pull, grommet or door finish
- Mesh cord manager included
- Power director included in worksurface
- 4 double wheel locking casters standard
- Worksurface height is 28¹⁵⁄₁₆"
- This unit is available with Cinder (462) or Silver Platinum (508) metal components; must specify metal color

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Finish
4. Laminate
5. Paint

SAMPLE MODEL NUMBER:

WW243626NKBW F CW

• See pages 356-361 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
NESTING TABLE KIDNEY SHAPED	WW243626NKBW	Wood	$ 1901	24	36	26¾	—	—	45 lbs.	5.8
	WW243626NKBLW	Laminate/Wood	1901	24	36	26¾	—	—	45 lbs.	5.8
	WW243626NKBL	Laminate	1375	24	36	26¾	—	—	45 lbs.	5.8
	WW243626NKBLL	TFL	1101	24	36	26 1⁄16	—	—	45 lbs.	5.8



- Unit shipped with 4 legs
- Table height is 26¾"; slides underneath standard worksurface
- Locking casters
- Zip rim option does not have "run-out" on curves of kidney shaped table
- Table leg finishes:
  462 Cinder
  501 Platinum Metallic
  503 Satin Nickel Metallic

NESTING TABLE CONVEX SHAPED	WW243626NCVW	Wood	$ 1901	24	36	26¾	—	—	45 lbs.	5.8
	WW243626NCVLW	Laminate/Wood	1901	24	36	26¾	—	—	45 lbs.	5.8
	WW243626NCVL	Laminate	1375	24	36	26¾	—	—	45 lbs.	5.8
	WW243626NCVLL	TFL	1101	24	36	26 1⁄16	—	—	45 lbs.	5.8



- Unit shipped with 4 legs
- Table height is 26¾"; slides underneath standard worksurface
- Locking casters
- Table leg finishes:
  462 Cinder
  501 Platinum Metallic
  503 Satin Nickel Metallic

WAVEWORKS

WAVEWORKS
COMPONENTS

Component Units 462

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 362 for grommet locations; and page 361 for grommet options and upcharge
- Unsupported 1³⁄₁₆" worksurface spans should not exceed 48"; unsupported 1⁹⁄₁₆" worksurface spans should not exceed 60"; see page 550 for support options
- Refer to pages 741-784 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/ Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN3684WSSADW	M	F	X	D1BL403	X	83½	MH	
WWN3684WSSADL	M	V440	X	D1L440	X	83	440	
WWN3684WSSADLW	M	F	X	D1B440	X	X	MH	MH

- See pages 356-361 for all options available in WaveWorks

ARC COMPONENT



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⁹⁄₁₆" TOP THICKNESS									
WWN3684WSSADW	Wood	$ 2170	36¹⁄₁₆	83¹⁵⁄₁₆	1⁹⁄₁₆	—	—	132 lbs.	5.4
WWN3684WSSADLW	Laminate/Wood	2170	36¹⁄₁₆	83¹⁵⁄₁₆	1⁹⁄₁₆	—	—	132 lbs.	5.4
WWN3684WSSADL	Laminate	1541	36¹⁄₁₆	83¹⁵⁄₁₆	1⁹⁄₁₆	—	—	132 lbs.	5.4
WWN3672WSSADW	Wood	$ 1876	36¹⁄₁₆	71¹⁵⁄₁₆	1⁹⁄₁₆	—	—	120 lbs.	4.7
WWN3672WSSADLW	Laminate/Wood	1876	36¹⁄₁₆	71¹⁵⁄₁₆	1⁹⁄₁₆	—	—	120 lbs.	4.7
WWN3672WSSADL	Laminate	1340	36¹⁄₁₆	71¹⁵⁄₁₆	1⁹⁄₁₆	—	—	120 lbs.	4.7
1³⁄₁₆" TOP THICKNESS									
WW3684WSSADW	Wood	$ 1959	36¹⁄₁₆	83¹⁵⁄₁₆	1³⁄₁₆	—	—	132 lbs.	5.4
WW3684WSSADLW	Laminate/Wood	1959	36¹⁄₁₆	83¹⁵⁄₁₆	1³⁄₁₆	—	—	132 lbs.	5.4
WW3684WSSADL	Laminate	1331	36¹⁄₁₆	83¹⁵⁄₁₆	1³⁄₁₆	—	—	132 lbs.	5.4
WW3684WSSADLL	TFL	1066	36¹⁄₁₆	83¹⁵⁄₁₆	1⅛	—	—	132 lbs.	5.4
WW3672WSSADW	Wood	$ 1663	36¹⁄₁₆	71¹⁵⁄₁₆	1³⁄₁₆	—	—	120 lbs.	4.7
WW3672WSSADLW	Laminate/Wood	1663	36¹⁄₁₆	71¹⁵⁄₁₆	1³⁄₁₆	—	—	120 lbs.	4.7
WW3672WSSADL	Laminate	1133	36¹⁄₁₆	71¹⁵⁄₁₆	1³⁄₁₆	—	—	120 lbs.	4.7
WW3672WSSADLL	TFL	904	36¹⁄₁₆	71¹⁵⁄₁₆	1⅛	—	—	120 lbs.	4.7

- TFL worksurfaces are 1⅛" thick
- Wire manager locations: right or left; see page 361 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 554
- Worksurfaces can be ordered in ¹⁄₁₆" increments in depth to a minimum of 30⅛"
- When ordering a worksurface with a size modification, specify desired depth
- For use with 29" deep component pedestals
- For additional worksurface support, specify Undersurface Support Rail, see page 550
- Modified width not available
- For undersurface wire managers, see page 765

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 362 for grommet locations; and page 361 for grommet options and upcharge
- Unsupported 1⅜" worksurface spans should not exceed 60"; see page 550 for support options
- Refer to pages 741-784 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/ Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW3684WSSDW	M	F	X	D1BL403	X	83½	MH	
WW3684WSSDL	M	V440	X	D1L440	X	83	440	
WW3684WSSDLW	M	F	X	D1B440	X	X	MH	MH

- See pages 356-361 for all options available in WaveWorks

RECTANGULAR WORKSURFACE 36" DEPTH



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⅜" TOP THICKNESS									
WWN3684WSSDW	Wood	$ 1858	36⅛	83¹⁵⁄₁₆	1⅜	–	–	132 lbs.	5.4
WWN3684WSSDLW	Laminate/Wood	1858	36⅛	83¹⁵⁄₁₆	1⅜	–	–	132 lbs.	5.4
WWN3684WSSDL	Laminate	1318	36⅛	83¹⁵⁄₁₆	1⅜	–	–	132 lbs.	5.4
WWN3678WSSDW	Wood	$ 1728	36⅛	77¹⁵⁄₁₆	1⅜	–	–	120 lbs.	4.7
WWN3678WSSDLW	Laminate/Wood	1728	36⅛	77¹⁵⁄₁₆	1⅜	–	–	120 lbs.	4.7
WWN3678WSSDL	Laminate	1231	36⅛	77¹⁵⁄₁₆	1⅜	–	–	120 lbs.	4.7
WWN3672WSSDW	Wood	$ 1604	36⅛	71¹⁵⁄₁₆	1⅜	–	–	95 lbs.	4.0
WWN3672WSSDLW	Laminate/Wood	1604	36⅛	71¹⁵⁄₁₆	1⅜	–	–	95 lbs.	4.0
WWN3672WSSDL	Laminate	1146	36⅛	71¹⁵⁄₁₆	1⅜	–	–	95 lbs.	4.0
WWN3666WSSDW	Wood	$ 1561	36⅛	66	1⅜	–	–	90 lbs.	3.8
WWN3666WSSDLW	Laminate/Wood	1561	36⅛	66	1⅜	–	–	90 lbs.	3.8
WWN3666WSSDL	Laminate	1089	36⅛	66	1⅜	–	–	90 lbs.	3.8
WWN3660WSSDW	Wood	$ 1538	36⅛	60	1⅜	–	–	87 lbs.	3.5
WWN3660WSSDLW	Laminate/Wood	1538	36⅛	60	1⅜	–	–	87 lbs.	3.5
WWN3660WSSDL	Laminate	1032	36⅛	60	1⅜	–	–	87 lbs.	3.5

- Wire manager locations: back, right or left, or back and left, or back and right; see page 361 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 554
- Worksurfaces can be ordered in ⅛" increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 29" deep component pedestals
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 550
- Worksurfaces up to 72" wide can be used for table desking applications
- For undersurface wire managers, see page 765

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 362 for grommet locations; and page 361 for grommet options and upcharge
- Unsupported 1³⁄₁₆" worksurface spans should not exceed 48"; see page 550 for support options
- Refer to pages 741-784 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/ Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW3684WSSDW	M	F	G1C	D1BL403	X	83½	TF	
WW3684WSSDL	M	V405	G1C	D1BL403		83½	TF	
WW3684WSSDLW	M	F	G1C	D1BL403	X	83½	TF	TF

- See pages 356-361 for all options available in WaveWorks

RECTANGULAR WORKSURFACE 36" DEPTH (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1³⁄₁₆" TOP THICKNESS									
WW3684WSSDW	Wood	$ 1671	36¹⁄₁₆	83¹⁵⁄₁₆	1³⁄₁₆	–	–	132 lbs.	5.4
WW3684WSSDLW	Laminate/Wood	1671	36¹⁄₁₆	83¹⁵⁄₁₆	1³⁄₁₆	–	–	132 lbs.	5.4
WW3684WSSDL	Laminate	1137	36¹⁄₁₆	83¹⁵⁄₁₆	1³⁄₁₆	–	–	132 lbs.	5.4
WW3684WSSDLL	TFL	909	36¹⁄₁₆	83¹⁵⁄₁₆	1⅛	–	–	132 lbs.	5.4
WW3678WSSDW	Wood	$ 1547	36¹⁄₁₆	77¹⁵⁄₁₆	1³⁄₁₆	–	–	120 lbs.	4.7
WW3678WSSDLW	Laminate/Wood	1547	36¹⁄₁₆	77¹⁵⁄₁₆	1³⁄₁₆	–	–	120 lbs.	4.7
WW3678WSSDL	Laminate	1052	36¹⁄₁₆	77¹⁵⁄₁₆	1³⁄₁₆	–	–	120 lbs.	4.7
WW3678WSSDLL	TFL	842	36¹⁄₁₆	77¹⁵⁄₁₆	1⅛	–	–	120 lbs.	4.7
WW3672WSSDW	Wood	$ 1423	36¹⁄₁₆	71¹⁵⁄₁₆	1³⁄₁₆	–	–	95 lbs.	4.0
WW3672WSSDLW	Laminate/Wood	1423	36¹⁄₁₆	71¹⁵⁄₁₆	1³⁄₁₆	–	–	95 lbs.	4.0
WW3672WSSDL	Laminate	967	36¹⁄₁₆	71¹⁵⁄₁₆	1³⁄₁₆	–	–	95 lbs.	4.0
WW3672WSSDLL	TFL	774	36¹⁄₁₆	71¹⁵⁄₁₆	1⅛	–	–	95 lbs.	4.0
WW3666WSSDW	Wood	$ 1379	36¹⁄₁₆	66	1³⁄₁₆	–	–	90 lbs.	3.8
WW3666WSSDLW	Laminate/Wood	1379	36¹⁄₁₆	66	1³⁄₁₆	–	–	90 lbs.	3.8
WW3666WSSDL	Laminate	909	36¹⁄₁₆	66	1³⁄₁₆	–	–	90 lbs.	3.8
WW3666WSSDLL	TFL	727	36¹⁄₁₆	66	1⅛	–	–	90 lbs.	3.8
WW3660WSSDW	Wood	$ 1354	36¹⁄₁₆	60	1³⁄₁₆	–	–	87 lbs.	3.5
WW3660WSSDLW	Laminate/Wood	1354	36¹⁄₁₆	60	1³⁄₁₆	–	–	87 lbs.	3.5
WW3660WSSDL	Laminate	853	36¹⁄₁₆	60	1³⁄₁₆	–	–	87 lbs.	3.5
WW3660WSSDLL	TFL	682	36¹⁄₁₆	60	1⅛	–	–	87 lbs.	3.5

- TFL worksurfaces are 1⅛" thick
- Wire manager locations: back, right or left, or back and left, or back and right; see page 361 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 554
- Worksurfaces can be ordered in ¹⁄₁₆" increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 29" deep component pedestals
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 550
- Worksurfaces up to 72" wide can be used for table desking applications
- For undersurface wire managers, see page 765

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 362 for grommet locations; and page 361 for grommet options and upcharge
- Unsupported 1⅜" worksurface spans should not exceed 60"; see page 550 for support options
- Refer to pages 741-784 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/ Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN3096WSSDW	M	F	G1C	D1BL403	X	83½	TF	
WWN3096WSSDL	M	V405	G1C	D1BL403		83½	TF	
WWN3096WSSDLW	M	F	G1C	D1BL403	X	83½	TF	TF

- See pages 356-361 for all options available in WaveWorks

RECTANGULAR WORKSURFACE 30" DEPTH



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⅜" TOP THICKNESS									
WWN3096WSSDW	Wood	$ 1728	30 1/16	95 15/16	1 3/16	—	—	152 lbs.	6.2
WWN3096WSSDLW	Laminate/Wood	1728	30 1/16	95 15/16	1 3/16	—	—	152 lbs.	6.2
WWN3096WSSDL	Laminate	1131	30 1/16	95 15/16	1 3/16	—	—	152 lbs.	6.2
WWN3090WSSDW	Wood	$ 1668	30 1/16	89 15/16	1 3/16	—	—	142 lbs.	5.8
WWN3090WSSDLW	Laminate/Wood	1668	30 1/16	89 15/16	1 3/16	—	—	142 lbs.	5.8
WWN3090WSSDL	Laminate	1098	30 1/16	89 15/16	1 3/16	—	—	142 lbs.	5.8
WWN3084WSSDW	Wood	$ 1604	30 1/16	83 15/16	1 3/16	—	—	132 lbs.	5.4
WWN3084WSSDLW	Laminate/Wood	1604	30 1/16	83 15/16	1 3/16	—	—	132 lbs.	5.4
WWN3084WSSDL	Laminate	1066	30 1/16	83 15/16	1 3/16	—	—	132 lbs.	5.4
WWN3078WSSDW	Wood	$ 1483	30 1/16	77 15/16	1 3/16	—	—	124 lbs.	5.0
WWN3078WSSDLW	Laminate/Wood	1483	30 1/16	77 15/16	1 3/16	—	—	124 lbs.	5.0
WWN3078WSSDL	Laminate	979	30 1/16	77 15/16	1 3/16	—	—	124 lbs.	5.0
WWN3072WSSDW	Wood	$ 1355	30 1/16	71 15/16	1 3/16	—	—	95 lbs.	4.0
WWN3072WSSDLW	Laminate/Wood	1355	30 1/16	71 15/16	1 3/16	—	—	95 lbs.	4.0
WWN3072WSSDL	Laminate	895	30 1/16	71 15/16	1 3/16	—	—	95 lbs.	4.0
WWN3066WSSDW	Wood	$ 1313	30 1/16	66	1 3/16	—	—	88 lbs.	3.7
WWN3066WSSDLW	Laminate/Wood	1313	30 1/16	66	1 3/16	—	—	88 lbs.	3.7
WWN3066WSSDL	Laminate	835	30 1/16	66	1 3/16	—	—	88 lbs.	3.7
WWN3060WSSDW	Wood	$ 1285	30 1/16	60	1 3/16	—	—	81 lbs.	3.3
WWN3060WSSDLW	Laminate/Wood	1285	30 1/16	60	1 3/16	—	—	81 lbs.	3.3
WWN3060WSSDL	Laminate	778	30 1/16	60	1 3/16	—	—	81 lbs.	3.3

- Wire manager locations: back, right or left, or back and left, or back and right; see page 361 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 554
- Worksurfaces can be ordered in 1/16" increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 23" or 29" deep pedestals
- Worksurfaces up to 72" wide can be used for table desking applications
- When using C-leg bases in a table desking application, left or right grommet locations will interfere with C-Leg
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 550
- For undersurface wire managers, see page 765

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 362 for grommet locations; and page 361 for grommet options and upcharge
- Unsupported 1³⁄₁₆" worksurface spans should not exceed 48"; unsupported 1⁹⁄₁₆" worksurface spans should not exceed 60"; see page 550 for support options
- Refer to pages 741-784 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/ Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW3084WSSDW	M	F	X	D1BL403	X	83½	MH	
WW3084WSSDL	M	V440	X	D1L440	X	83	440	
WW3084WSSDLW	M	F	X	D1B440	X	X	MH	MH

- See pages 356-361 for all options available in WaveWorks

RECTANGULAR WORKSURFACE 30" DEPTH (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1³⁄₁₆" TOP THICKNESS (CONTINUED)									
WWN3054WSSDW	Wood	$ 1264	30³⁄₁₆	54	1³⁄₁₆	–	–	74 lbs.	3.0
WWN3054WSSDLW	Laminate/Wood	1264	30³⁄₁₆	54	1³⁄₁₆	–	–	74 lbs.	3.0
WWN3054WSSDL	Laminate	728	30³⁄₁₆	54	1³⁄₁₆	–	–	74 lbs.	3.0
WWN3048WSSDW	Wood	$ 1241	30³⁄₁₆	48	1³⁄₁₆	–	–	67 lbs.	2.7
WWN3048WSSDLW	Laminate/Wood	1241	30³⁄₁₆	48	1³⁄₁₆	–	–	67 lbs.	2.7
WWN3048WSSDL	Laminate	681	30³⁄₁₆	48	1³⁄₁₆	–	–	67 lbs.	2.7
1³⁄₁₆" TOP THICKNESS									
WW3096WSSDW	Wood	$ 1547	30³⁄₁₆	95¹⁵⁄₁₆	1³⁄₁₆	–	–	152 lbs.	6.2
WW3096WSSDLW	Laminate/Wood	1547	30³⁄₁₆	95¹⁵⁄₁₆	1³⁄₁₆	–	–	152 lbs.	6.2
WW3096WSSDL	Laminate	952	30³⁄₁₆	95¹⁵⁄₁₆	1³⁄₁₆	–	–	152 lbs.	6.2
WW3096WSSDLL	TFL	760	30³⁄₁₆	95¹⁵⁄₁₆	1⅛	–	–	152 lbs.	6.2
WW3090WSSDW	Wood	$ 1486	30³⁄₁₆	89¹⁵⁄₁₆	1³⁄₁₆	–	–	142 lbs.	5.8
WW3090WSSDLW	Laminate/Wood	1486	30³⁄₁₆	89¹⁵⁄₁₆	1³⁄₁₆	–	–	142 lbs.	5.8
WW3090WSSDL	Laminate	921	30³⁄₁₆	89¹⁵⁄₁₆	1³⁄₁₆	–	–	142 lbs.	5.8
WW3090WSSDLL	TFL	734	30³⁄₁₆	89¹⁵⁄₁₆	1⅛	–	–	142 lbs.	5.8
WW3084WSSDW	Wood	$ 1423	30³⁄₁₆	83¹⁵⁄₁₆	1³⁄₁₆	–	–	132 lbs.	5.4
WW3084WSSDLW	Laminate/Wood	1423	30³⁄₁₆	83¹⁵⁄₁₆	1³⁄₁₆	–	–	132 lbs.	5.4
WW3084WSSDL	Laminate	884	30³⁄₁₆	83¹⁵⁄₁₆	1³⁄₁₆	–	–	132 lbs.	5.4
WW3084WSSDLL	TFL	707	30³⁄₁₆	83¹⁵⁄₁₆	1⅛	–	–	132 lbs.	5.4
WW3078WSSDW	Wood	$ 1297	30³⁄₁₆	77¹⁵⁄₁₆	1³⁄₁₆	–	–	124 lbs.	5.0
WW3078WSSDLW	Laminate/Wood	1297	30³⁄₁₆	77¹⁵⁄₁₆	1³⁄₁₆	–	–	124 lbs.	5.0
WW3078WSSDL	Laminate	798	30³⁄₁₆	77¹⁵⁄₁₆	1³⁄₁₆	–	–	124 lbs.	5.0
WW3078WSSDLL	TFL	640	30³⁄₁₆	77¹⁵⁄₁₆	1⅛	–	–	124 lbs.	5.0

- TFL worksurfaces are 1⅛" thick
- Wire manager locations: back, right or left, or back and left, or back and right; see page 361 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 554
- Worksurfaces can be ordered in ¹⁄₁₆" increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 23" or 29" deep pedestals
- Worksurfaces up to 72" wide can be used for table desking applications
- When using C-leg bases in a table desking application, left or right grommet locations will interfere with C-Leg
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 550
- For undersurface wire managers, see page 765

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 362 for grommet locations; and page 361 for grommet options and upcharge
- Unsupported 1⅜" worksurface spans should not exceed 48"; see page 550 for support options
- Refer to pages 741-784 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/ Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW3066WSSDW	M	F	X	D1BL403	X	83½	MH	
WW3066WSSDL	M	V440	X	D1L440	X	83	440	
WW3066WSSDLW	M	F	X	D1B440	X	X	MH	MH

- See pages 356-361 for all options available in WaveWorks

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

RECTANGULAR WORKSURFACE 30" DEPTH (CONTINUED)



1⅜" TOP THICKNESS (CONTINUED)

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
QWW3072WSSDW	Wood	$ 1173	30 1/16	71 15/16	1 3/16	—	—	95 lbs.	4.0
WW3072WSSDW	Wood	1173	30 1/16	71 15/16	1 3/16	—	—	95 lbs.	4.0
WW3072WSSDLW	Laminate/Wood	1173	30 1/16	71 15/16	1 3/16	—	—	95 lbs.	4.0
WW3072WSSDL	Laminate	717	30 1/16	71 15/16	1 3/16	—	—	95 lbs.	4.0
QWW3072WSSDLL	TFL	574	30 1/16	71 15/16	1⅛	—	—	95 lbs.	4.0
WW3072WSSDLL	TFL	574	30 1/16	71 15/16	1⅛	—	—	95 lbs.	4.0
WW3066WSSDW	Wood	$ 1130	30 1/16	66	1 3/16	—	—	88 lbs.	3.7
WW3066WSSDLW	Laminate/Wood	1130	30 1/16	66	1 3/16	—	—	88 lbs.	3.7
WW3066WSSDL	Laminate	658	30 1/16	66	1 3/16	—	—	88 lbs.	3.7
WW3066WSSDLL	TFL	526	30 1/16	66	1⅛	—	—	88 lbs.	3.7
WW3060WSSDW	Wood	$ 1104	30 1/16	60	1 3/16	—	—	81 lbs.	3.3
WW3060WSSDLW	Laminate/Wood	1104	30 1/16	60	1 3/16	—	—	81 lbs.	3.3
WW3060WSSDL	Laminate	600	30 1/16	60	1 3/16	—	—	81 lbs.	3.3
WW3060WSSDLL	TFL	480	30 1/16	60	1⅛	—	—	81 lbs.	3.3
WW3054WSSDW	Wood	$ 1079	30 1/16	54	1 3/16	—	—	74 lbs.	3.0
WW3054WSSDLW	Laminate/Wood	1079	30 1/16	54	1 3/16	—	—	74 lbs.	3.0
WW3054WSSDL	Laminate	551	30 1/16	54	1 3/16	—	—	74 lbs.	3.0
WW3054WSSDLL	TFL	441	30 1/16	54	1⅛	—	—	74 lbs.	3.0
WW3048WSSDW	Wood	$ 1056	30 1/16	48	1 3/16	—	—	67 lbs.	2.7
WW3048WSSDLW	Laminate/Wood	1056	30 1/16	48	1 3/16	—	—	67 lbs.	2.7
WW3048WSSDL	Laminate	503	30 1/16	48	1 3/16	—	—	67 lbs.	2.7
WW3048WSSDLL	TFL	402	30 1/16	48	1⅛	—	—	67 lbs.	2.7

- TFL worksurfaces are 1⅛" thick
- Wire manager locations: back, right or left, or back and left, or back and right; see page 361 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 554
- Worksurfaces can be ordered in 1/16" increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 23" or 29" deep pedestals
- Worksurfaces up to 72" wide can be used for table desking applications
- When using C-leg bases in a table desking application, left or right grommet locations will interfere with C-Leg
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 550
- For undersurface wire managers, see page 765

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 362 for grommet locations; and page 361 for grommet options and upcharge
- Unsupported 1⁹⁄₁₆" worksurface spans should not exceed 60"; see page 550 for support options
- Refer to pages 741-784 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/ Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN2496WSSDW	M	F	X	D1BL403	X	92¾	MH	
WWN2496WSSDL	M	V440	X	D1L440	X	92	440	
WWN2496WSSDLW	M	F	X	D1B440	X	X	MH	MH

- See pages 356-361 for all options available in WaveWorks

RECTANGULAR WORKSURFACE 24" DEPTH



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⁹⁄₁₆" TOP THICKNESS									
WWN2496WSSDW	Wood	$ 1608	24	95¹⁵⁄₁₆	1⁹⁄₁₆	–	–	95 lbs.	3.6
WWN2496WSSDLW	Laminate/Wood	1608	24	95¹⁵⁄₁₆	1⁹⁄₁₆	–	–	95 lbs.	3.6
WWN2496WSSDL	Laminate	1018	24	95¹⁵⁄₁₆	1⁹⁄₁₆	–	–	95 lbs.	3.6
WWN2490WSSDW	Wood	$ 1544	24	89¹⁵⁄₁₆	1⁹⁄₁₆	–	–	130 lbs.	3.4
WWN2490WSSDLW	Laminate/Wood	1544	24	89¹⁵⁄₁₆	1⁹⁄₁₆	–	–	130 lbs.	3.4
WWN2490WSSDL	Laminate	986	24	89¹⁵⁄₁₆	1⁹⁄₁₆	–	–	130 lbs.	3.4
WWN2484WSSDW	Wood	$ 1484	24	83¹⁵⁄₁₆	1⁹⁄₁₆	–	–	88 lbs.	3.4
WWN2484WSSDLW	Laminate/Wood	1484	24	83¹⁵⁄₁₆	1⁹⁄₁₆	–	–	88 lbs.	3.4
WWN2484WSSDL	Laminate	954	24	83¹⁵⁄₁₆	1⁹⁄₁₆	–	–	88 lbs.	3.4
WWN2478WSSDW	Wood	$ 1357	24	77¹⁵⁄₁₆	1⁹⁄₁₆	–	–	90 lbs.	3.3
WWN2478WSSDLW	Laminate/Wood	1357	24	77¹⁵⁄₁₆	1⁹⁄₁₆	–	–	90 lbs.	3.3
WWN2478WSSDL	Laminate	868	24	77¹⁵⁄₁₆	1⁹⁄₁₆	–	–	90 lbs.	3.3
WWN2472WSSDW	Wood	$ 1231	24	71¹⁵⁄₁₆	1⁹⁄₁₆	–	–	85 lbs.	3.2
WWN2472WSSDLW	Laminate/Wood	1231	24	71¹⁵⁄₁₆	1⁹⁄₁₆	–	–	85 lbs.	3.2
WWN2472WSSDL	Laminate	778	24	71¹⁵⁄₁₆	1⁹⁄₁₆	–	–	85 lbs.	3.2
WWN2466WSSDW	Wood	$ 1195	24	66	1⁹⁄₁₆	–	–	81 lbs.	3.0
WWN2466WSSDLW	Laminate/Wood	1195	24	66	1⁹⁄₁₆	–	–	81 lbs.	3.0
WWN2466WSSDL	Laminate	734	24	66	1⁹⁄₁₆	–	–	81 lbs.	3.0
WWN2460WSSDW	Wood	$ 1163	24	60	1⁹⁄₁₆	–	–	76 lbs.	2.8
WWN2460WSSDLW	Laminate/Wood	1163	24	60	1⁹⁄₁₆	–	–	76 lbs.	2.8
WWN2460WSSDL	Laminate	707	24	60	1⁹⁄₁₆	–	–	76 lbs.	2.8

- Wire manager locations: back, right or left, or back and left, or back and right; see page 361 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 554
- Worksurfaces can be ordered in ⁹⁄₁₆" increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 23" deep component pedestals
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 550
- Worksurfaces up to 72" wide can be used for table desking applications
- For undersurface wire managers, see page 765

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 362 for grommet locations; and page 361 for grommet options and upcharge
- Unsupported 1⅜" worksurface spans should not exceed 60"; see page 550 for support options
- Refer to pages 741-784 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/ Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN2454WSSDW	M	F	X	D1BL403	X	92¾	MH	
WWN2454WSSDL	M	V440	X	D1L440	X	92	440	
WWN2454WSSDLW	M	F	X	D1B440	X	X	MH	MH

- See pages 356-361 for all options available in WaveWorks

RECTANGULAR WORKSURFACE 24" DEPTH (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⅜" TOP THICKNESS (CONTINUED)									
WWN2454WSSDW	Wood	$ 1139	24	54	1⅜	—	—	74 lbs.	2.5
WWN2454WSSDLW	Laminate/Wood	1139	24	54	1⅜	—	—	74 lbs.	2.5
WWN2454WSSDL	Laminate	647	24	54	1⅜	—	—	74 lbs.	2.5
WWN2448WSSDW	Wood	$ 1117	24	48⅛	1⅜	—	—	67 lbs.	2.3
WWN2448WSSDLW	Laminate/Wood	1117	24	48⅛	1⅜	—	—	67 lbs.	2.3
WWN2448WSSDL	Laminate	601	24	48⅛	1⅜	—	—	67 lbs.	2.3
WWN2442WSSDW	Wood	$ 1077	24	42⅛	1⅜	—	—	65 lbs.	2.0
WWN2442WSSDLW	Laminate/Wood	1077	24	42⅛	1⅜	—	—	65 lbs.	2.0
WWN2442WSSDL	Laminate	559	24	42⅛	1⅜	—	—	65 lbs.	2.0
WWN2436WSSDW	Wood	$ 1041	24	36⅛	1⅜	—	—	63 lbs.	1.8
WWN2436WSSDLW	Laminate/Wood	1041	24	36⅛	1⅜	—	—	63 lbs.	1.8
WWN2436WSSDL	Laminate	525	24	36⅛	1⅜	—	—	63 lbs.	1.8
WWN2430WSSDW	Wood	$ 1021	24	30⅛	1⅜	—	—	61 lbs.	1.5
WWN2430WSSDLW	Laminate/Wood	1021	24	30⅛	1⅜	—	—	61 lbs.	1.5
WWN2430WSSDL	Laminate	490	24	30⅛	1⅜	—	—	61 lbs.	1.5
WWN2424WSSDW	Wood	$ 1000	24	24	1⅜	—	—		1.5
WWN2424WSSDLW	Laminate/Wood	1000	24	24	1⅜	—	—		1.5
WWN2424WSSDL	Laminate	465	24	24	1⅜	—	—		1.5

- 24" wide models will only have a center grommet option
- 24" models will only have modified sizing on the depth

- Wire manager locations: back, right or left, or back and left, or back and right; see page 361 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 554
- Worksurfaces can be ordered in ⅛" increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 23" deep component pedestals
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 550
- Worksurfaces up to 72" wide can be used for table desking applications
- For undersurface wire managers, see page 765

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 362 for grommet locations; and page 361 for grommet options and upcharge
- Unsupported 1⅜" worksurface spans should not exceed 48"; see page 550 for support options
- Refer to pages 741-784 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/ Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW2478WSSDW	M	F	X	D1BL403	X	76⅛	MH	
WW2478WSSDL	M	V440	X	D1L440	X	76	440	
WW2478WSSDLW	M	F	X	D1B440	X	X	MH	MH

- See pages 356-361 for all options available in WaveWorks

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

RECTANGULAR WORKSURFACE 24" DEPTH (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⅜" TOP THICKNESS									
WW2496WSSDW	Wood	$ 1425	24	95 15/16	1⅜	–	–	95 lbs.	3.6
WW2496WSSDLW	Laminate/Wood	1425	24	95 15/16	1⅜	–	–	95 lbs.	3.6
WW2496WSSDL	Laminate	838	24	95 15/16	1⅜	–	–	95 lbs.	3.6
WW2496WSSDLL	TFL	671	24	95 15/16	1⅛	–	–	95 lbs.	3.6
WW2490WSSDW	Wood	$ 1363	24	89 15/16	1⅜	–	–	130 lbs.	3.4
WW2490WSSDLW	Laminate/Wood	1363	24	89 15/16	1⅜	–	–	130 lbs.	3.4
WW2490WSSDL	Laminate	804	24	89 15/16	1⅜	–	–	130 lbs.	3.4
WW2490WSSDLL	TFL	647	24	89 15/16	1⅛	–	–	130 lbs.	3.4
WW2484WSSDW	Wood	$ 1298	24	83 15/16	1⅜	–	–	88 lbs.	3.4
WW2484WSSDLW	Laminate/Wood	1298	24	83 15/16	1⅜	–	–	88 lbs.	3.4
WW2484WSSDL	Laminate	773	24	83 15/16	1⅜	–	–	88 lbs.	3.4
WW2484WSSDLL	TFL	617	24	83 15/16	1⅛	–	–	88 lbs.	3.4
WW2478WSSDW	Wood	$ 1174	24	77 15/16	1⅜	–	–	90 lbs.	3.3
WW2478WSSDLW	Laminate/Wood	1174	24	77 15/16	1⅜	–	–	90 lbs.	3.3
WW2478WSSDL	Laminate	686	24	77 15/16	1⅜	–	–	90 lbs.	3.3
WW2478WSSDLL	TFL	549	24	77 15/16	1⅛	–	–	90 lbs.	3.3
QWW2472WSSDW	Wood	$ 1046	24	71 15/16	1⅜	–	–	85 lbs.	3.2
WW2472WSSDW	Wood	1046	24	71 15/16	1⅜	–	–	85 lbs.	3.2
WW2472WSSDLW	Laminate/Wood	1046	24	71 15/16	1⅜	–	–	85 lbs.	3.2
WW2472WSSDL	Laminate	600	24	71 15/16	1⅜	–	–	85 lbs.	3.2
QWW2472WSSDLL	TFL	480	24	71 15/16	1⅛	–	–	85 lbs.	3.2
WW2472WSSDLL	TFL	480	24	71 15/16	1⅛	–	–	85 lbs.	3.2
WW2466WSSDW	Wood	$ 1007	24	66	1⅜	–	–	81 lbs.	3.0
WW2466WSSDLW	Laminate/Wood	1007	24	66	1⅜	–	–	81 lbs.	3.0
WW2466WSSDL	Laminate	556	24	66	1⅜	–	–	81 lbs.	3.0
WW2466WSSDLL	TFL	446	24	66	1⅛	–	–	81 lbs.	3.0
WW2460WSSDW	Wood	$ 979	24	60	1⅜	–	–	76 lbs.	2.8
WW2460WSSDLW	Laminate/Wood	979	24	60	1⅜	–	–	76 lbs.	2.8
WW2460WSSDL	Laminate	526	24	60	1⅜	–	–	76 lbs.	2.8
WW2460WSSDLL	TFL	421	24	60	1⅛	–	–	76 lbs.	2.8

- TFL worksurfaces are 1⅛" thick
- Wire manager locations: back, right or left, or back and left, or back and right; see page 361 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 554
- Worksurfaces can be ordered in 1/16" increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 23" deep component pedestals
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 550
- Worksurfaces up to 72" wide can be used for table desking applications
- For undersurface wire managers, see page 765

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 362 for grommet locations; and page 361 for grommet options and upcharge
- Unsupported 1⅜" worksurface spans should not exceed 48"; see page 550 for support options
- Refer to pages 741-784 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/ Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW2454WSSDW	M	F	X	D1BL403	X	76⅛	MH	
WW2454WSSDL	M	V440	X	D1L440	X	76	440	
WW2454WSSDLW	M	F	X	D1B440	X	X	MH	MH

- See pages 356-361 for all options available in WaveWorks

RECTANGULAR WORKSURFACE 24" DEPTH (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⅜" TOP THICKNESS (CONTINUED)									
WW2454WSSDW	Wood	$ 954	24	54	1⅜	—	—	74 lbs.	2.5
WW2454WSSDLW	Laminate/Wood	954	24	54	1⅜	—	—	74 lbs.	2.5
WW2454WSSDL	Laminate	465	24	54	1⅜	—	—	74 lbs.	2.5
WW2454WSSDLL	TFL	373	24	54	1⅛	—	—	74 lbs.	2.5
WW2448WSSDW	Wood	$ 933	24	48⅛	1⅜	—	—	67 lbs.	2.3
WW2448WSSDLW	Laminate/Wood	933	24	48⅛	1⅜	—	—	67 lbs.	2.3
WW2448WSSDL	Laminate	422	24	48⅛	1⅜	—	—	67 lbs.	2.3
WW2448WSSDLL	TFL	339	24	48⅛	1⅛	—	—	67 lbs.	2.3
WW2442WSSDW	Wood	$ 892	24	42⅛	1⅜	—	—	65 lbs.	2.0
WW2442WSSDLW	Laminate/Wood	892	24	42⅛	1⅜	—	—	65 lbs.	2.0
WW2442WSSDL	Laminate	380	24	42⅛	1⅜	—	—	65 lbs.	2.0
WW2442WSSDLL	TFL	303	24	42⅛	1⅛	—	—	65 lbs.	2.0
WW2436WSSDW	Wood	$ 858	24	36⅛	1⅜	—	—	63 lbs.	1.8
WW2436WSSDLW	Laminate/Wood	858	24	36⅛	1⅜	—	—	63 lbs.	1.8
WW2436WSSDL	Laminate	347	24	36⅛	1⅜	—	—	63 lbs.	1.8
WW2436WSSDLL	TFL	276	24	36⅛	1⅛	—	—	63 lbs.	1.8
WW2430WSSDW	Wood	$ 834	24	30⅛	1⅜	—	—	61 lbs.	1.5
WW2430WSSDLW	Laminate/Wood	834	24	30⅛	1⅜	—	—	61 lbs.	1.5
WW2430WSSDL	Laminate	311	24	30⅛	1⅜	—	—	61 lbs.	1.5
WW2430WSSDLL	TFL	248	24	30⅛	1⅛	—	—	61 lbs.	1.5
WW2424WSSDW	Wood	$ 813	24	24	1⅜	—	—		1.5
WW2424WSSDLW	Laminate/Wood	813	24	24	1⅜	—	—		1.5
WW2424WSSDL	Laminate	275	24	24	1⅜	—	—		1.5
WW2424WSSDLL	TFL	220	24	24	1⅜	—	—		1.5

- 24" wide models will only have a center grommet option
- 24" models will only have modified sizing on the depth

- TFL worksurfaces are 1⅛" thick
- Wire manager locations: back, right or left, or back and left, or back and right; see page 361 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 554
- Worksurfaces can be ordered in 1⁄16" increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 23" deep component pedestals
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 550
- Worksurfaces up to 72" wide can be used for table desking applications
- For undersurface wire managers, see page 765

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 362 for grommet locations; and page 361 for grommet options and upcharge
- Unsupported 1³⁄₁₆" worksurface spans should not exceed 48"; unsupported 1³⁄₁₆" worksurface spans should not exceed 60"; see page 550 for support options
- Refer to pages 741-784 for accessories

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color
10. Veneer Rim Finish (laminate models)

SAMPLE MODEL NUMBER:

WW24A78WSSDL M V440 X D1L440 X 76 440

- See pages 356-361 for all options available in WaveWorks

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

RECTANGULAR WORKSURFACE 24" DEEP FOR STORAGE CREDENZAS



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1³⁄₁₆" TOP THICKNESS									
WWN24A96WSSDL	Laminate	$ 1018	24	96¹⁄₁₆	1³⁄₁₆	–	–	95 lbs.	3.6
WWN24A90WSSDL	Laminate	986	24	90¹⁄₁₆	1³⁄₁₆	–	–	130 lbs.	3.4
WWN24A84WSSDL	Laminate	954	24	84¹⁄₁₆	1³⁄₁₆	–	–	88 lbs.	3.4
WWN24A78WSSDL	Laminate	868	24	78¹⁄₁₆	1³⁄₁₆	–	–	90 lbs.	3.3
WWN24A72WSSDL	Laminate	778	24	72¹⁄₁₆	1³⁄₁₆	–	–	85 lbs.	3.2
WWN24A66WSSDL	Laminate	734	24	66⅛	1³⁄₁₆	–	–	81 lbs.	3.0
WWN24A60WSSDL	Laminate	707	24	60⅛	1³⁄₁₆	–	–	76 lbs.	2.8
1³⁄₁₆" TOP THICKNESS									
WW24A96WSSDL	Laminate	$ 838	24	96¹⁄₁₆	1³⁄₁₆	–	–	95 lbs.	3.6
WW24A96WSSDLL	TFL	671	24	96¹⁄₁₆	1⅛	–	–	95 lbs.	3.6
WW24A90WSSDL	Laminate	$ 804	24	90¹⁄₁₆	1³⁄₁₆	–	–	130 lbs.	3.4
WW24A90WSSDLL	TFL	647	24	90¹⁄₁₆	1⅛	–	–	130 lbs.	3.4
WW24A84WSSDL	Laminate	$ 773	24	84¹⁄₁₆	1³⁄₁₆	–	–	88 lbs.	3.4
WW24A84WSSDLL	TFL	617	24	84¹⁄₁₆	1⅛	–	–	88 lbs.	3.4
WW24A78WSSDL	Laminate	$ 686	24	78¹⁄₁₆	1³⁄₁₆	–	–	90 lbs.	3.3
WW24A78WSSDLL	TFL	549	24	78¹⁄₁₆	1⅛	–	–	90 lbs.	3.3
WW24A72WSSDL	Laminate	$ 600	24	72¹⁄₁₆	1³⁄₁₆	–	–	85 lbs.	3.2
QWW24A72WSSDLL	TFL	480	24	72¹⁄₁₆	1⅛	–	–	85 lbs.	3.2
WW24A72WSSDLL	TFL	480	24	72¹⁄₁₆	1⅛	–	–	85 lbs.	3.2
WW24A66WSSDL	Laminate	$ 556	24	66⅛	1³⁄₁₆	–	–	81 lbs.	3.0
WW24A66WSSDLL	TFL	446	24	66⅛	1⅛	–	–	81 lbs.	3.0
WW24A60WSSDL	Laminate	$ 526	24	60⅛	1³⁄₁₆	–	–	76 lbs.	2.8
QWW24A60WSSDLL	TFL	421	24	60⅛	1⅛	–	–	76 lbs.	2.8
WW24A60WSSDLL	TFL	421	24	60⅛	1⅛	–	–	76 lbs.	2.8

- TFL worksurfaces are 1⅛" thick
- For use in storage credenza application
- Wire manager locations: back, right or left, or back and left, or back and right; see page 361 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 554
- For use with 23" deep component pedestals
- For use when 2 or more laminate pedestals are ganged together under a common top

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 362 for grommet locations; and page 361 for grommet options and upcharge
- Unsupported 1⅜" worksurface spans should not exceed 60"; see page 550 for support options
- Refer to pages 741-784 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/ Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN2460WSSVDW	M	F	X	D1BL403	X	55½	MH	
WWN2460WSSVDL	M	V440	X	D1L440	X	55	440	
WWN2460WSSVDLW	M	F	X	D1B440	X	X	MH	MH

- See pages 356-361 for all options available in WaveWorks

RECTANGULAR WORKSURFACE 24" DEPTH



Direction of arrow designates woodgrain direction

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⅜" TOP THICKNESS									
WWN2460WSSVDW	Wood	$ 1163	24	60	1⅜	–	–	76 lbs.	2.8
WWN2460WSSVDLW	Laminate/Wood	1163	24	60	1⅜	–	–	76 lbs.	2.8
WWN2460WSSVDL	Laminate	707	24	60	1⅜	–	–	76 lbs.	2.8
WWN2454WSSVDW	Wood	$ 1139	24	54	1⅜	–	–	74 lbs.	2.5
WWN2454WSSVDLW	Laminate/Wood	1139	24	54	1⅜	–	–	74 lbs.	2.5
WWN2454WSSVDL	Laminate	647	24	54	1⅜	–	–	74 lbs.	2.5
WWN2448WSSVDW	Wood	$ 1117	24	48⅛	1⅜	–	–	67 lbs.	2.3
WWN2448WSSVDLW	Laminate/Wood	1117	24	48⅛	1⅜	–	–	67 lbs.	2.3
WWN2448WSSVDL	Laminate	601	24	48⅛	1⅜	–	–	67 lbs.	2.3
WWN2442WSSVDW	Wood	$ 1077	24	42⅛	1⅜	–	–	65 lbs.	2.0
WWN2442WSSVDLW	Laminate/Wood	1077	24	42⅛	1⅜	–	–	65 lbs.	2.0
WWN2442WSSVDL	Laminate	559	24	42⅛	1⅜	–	–	65 lbs.	2.0
WWN2436WSSVDW	Wood	$ 1041	24	36⅛	1⅜	–	–	63 lbs.	1.8
WWN2436WSSVDLW	Laminate/Wood	1041	24	36⅛	1⅜	–	–	63 lbs.	1.8
WWN2436WSSVDL	Laminate	525	24	36⅛	1⅜	–	–	63 lbs.	1.8
WWN2430WSSVDW	Wood	$ 1021	24	30⅛	1⅜	–	–	61 lbs.	1.5
WWN2430WSSVDLW	Laminate/Wood	1021	24	30⅛	1⅜	–	–	61 lbs.	1.5
WWN2430WSSVDL	Laminate	490	24	30⅛	1⅜	–	–	61 lbs.	1.5

- Wire manager locations: back, right or left, or back and left, or back and right; see page 361 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 554
- Worksurfaces can be ordered in ⅛" increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 23" deep pedestals
- Grain direction runs front-to-back
- Intended to be used when building an L or U configuration utilizing component worksurfaces
- For worksurfaces with grain direction running left-to-right, refer to pages 468-471
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 550
- For undersurface wire managers, see page 765

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 362 for grommet locations; and page 361 for grommet options and upcharge
- Unsupported 1³⁄₁₆" worksurface spans should not exceed 48"; see page 550 for support options
- Refer to pages 741-784 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/ Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW2460WSSVDW	M	F	X	D1BL403	X	55½	MH	
WW2460WSSVDL	M	V440	X	D1L440	X	55	440	
WW2460WSSVDLW	M	F	X	D1B440	X	X	MH	MH

- See pages 356-361 for all options available in WaveWorks

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

RECTANGULAR WORKSURFACE 24" DEPTH (CONTINUED)



Direction of arrow designates woodgrain direction

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1³⁄₁₆" TOP THICKNESS									
QWW2460WSSVDW	Wood	$ 979	24	60	1³⁄₁₆	–	–	76 lbs.	2.8
WW2460WSSVDW	Wood	979	24	60	1³⁄₁₆	–	–	76 lbs.	2.8
WW2460WSSVDLW	Laminate/Wood	979	24	60	1³⁄₁₆	–	–	76 lbs.	2.8
WW2460WSSVDL	Laminate	526	24	60	1³⁄₁₆	–	–	76 lbs.	2.8
WW2460WSSVDLL	TFL	421	24	60	1⅛	–	–	76 lbs.	2.8
WW2454WSSVDW	Wood	$ 954	24	54	1³⁄₁₆	–	–	74 lbs.	2.5
WW2454WSSVDLW	Laminate/Wood	954	24	54	1³⁄₁₆	–	–	74 lbs.	2.5
WW2454WSSVDL	Laminate	465	24	54	1³⁄₁₆	–	–	74 lbs.	2.5
WW2454WSSVDLL	TFL	373	24	54	1⅛	–	–	74 lbs.	2.5
QWW2448WSSVDW	Wood	$ 933	24	48¹⁄₁₆	1³⁄₁₆	–	–	67 lbs.	2.3
WW2448WSSVDW	Wood	933	24	48¹⁄₁₆	1³⁄₁₆	–	–	67 lbs.	2.3
WW2448WSSVDLW	Laminate/Wood	933	24	48¹⁄₁₆	1³⁄₁₆	–	–	67 lbs.	2.3
WW2448WSSVDL	Laminate	422	24	48¹⁄₁₆	1³⁄₁₆	–	–	67 lbs.	2.3
QWW2448WSSVDLL	TFL	339	24	48¹⁄₁₆	1⅛	–	–	67 lbs.	2.3
WW2448WSSVDLL	TFL	339	24	48¹⁄₁₆	1⅛	–	–	67 lbs.	2.3
WW2442WSSVDW	Wood	$ 892	24	42¹⁄₁₆	1³⁄₁₆	–	–	65 lbs.	2.0
WW2442WSSVDLW	Laminate/Wood	892	24	42¹⁄₁₆	1³⁄₁₆	–	–	65 lbs.	2.0
WW2442WSSVDL	Laminate	380	24	42¹⁄₁₆	1³⁄₁₆	–	–	65 lbs.	2.0
WW2442WSSVDLL	TFL	303	24	42¹⁄₁₆	1⅛	–	–	65 lbs.	2.0
WW2436WSSVDW	Wood	$ 858	24	36¹⁄₁₆	1³⁄₁₆	–	–	63 lbs.	1.8
WW2436WSSVDLW	Laminate/Wood	858	24	36¹⁄₁₆	1³⁄₁₆	–	–	63 lbs.	1.8
WW2436WSSVDL	Laminate	347	24	36¹⁄₁₆	1³⁄₁₆	–	–	63 lbs.	1.8
WW2436WSSVDLL	TFL	276	24	36¹⁄₁₆	1⅛	–	–	63 lbs.	1.8
WW2430WSSVDW	Wood	$ 834	24	30¹⁄₁₆	1³⁄₁₆	–	–	61 lbs.	1.5
WW2430WSSVDLW	Laminate/Wood	834	24	30¹⁄₁₆	1³⁄₁₆	–	–	61 lbs.	1.5
WW2430WSSVDL	Laminate	311	24	30¹⁄₁₆	1³⁄₁₆	–	–	61 lbs.	1.5
WW2430WSSVDLL	TFL	248	24	30¹⁄₁₆	1⅛	–	–	61 lbs.	1.5

- TFL worksurfaces are 1⅛" thick
- Wire manager locations: back, right or left, or back and left, or back and right; see page 361 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 554
- Worksurfaces can be ordered in ¹⁄₁₆" increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 23" deep pedestals
- Grain direction runs front-to-back
- Intended to be used when building an L or U configuration utilizing component worksurfaces
- For worksurfaces with grain direction running left-to-right, refer to pages 468-471
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 550
- For undersurface wire managers, see page 765

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 362 for grommet locations; and page 361 for grommet options and upcharge
- Unsupported 1⅜" worksurface spans should not exceed 60"; see page 550 for support options
- Refer to pages 741-784 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/ Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN1896WSSDW	M	F	X	D1BL403	X	94½	MH	
WWN1896WSSDL	M	V440	X	D1L440	X	94	440	
WWN1896WSSDLW	M	F	X	D1B440	X	X	MH	MH

- See pages 356-361 for all options available in WaveWorks

RECTANGULAR WORKSURFACE
18" DEPTH



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⅜" TOP THICKNESS									
WWN1896WSSDW	Wood	$ 1495	18⅛	95¹⁵⁄₁₆	1⅜	—	—	75 lbs.	3.0
WWN1896WSSDLW	Laminate/Wood	1495	18⅛	95¹⁵⁄₁₆	1⅜	—	—	75 lbs.	3.0
WWN1896WSSDL	Laminate	947	18⅛	95¹⁵⁄₁₆	1⅜	—	—	75 lbs.	3.0
WWN1890WSSDW	Wood	$ 1439	18⅛	89¹⁵⁄₁₆	1⅜	—	—	71 lbs.	2.9
WWN1890WSSDLW	Laminate/Wood	1439	18⅛	89¹⁵⁄₁₆	1⅜	—	—	71 lbs.	2.9
WWN1890WSSDL	Laminate	921	18⅛	89¹⁵⁄₁₆	1⅜	—	—	71 lbs.	2.9
WWN1884WSSDW	Wood	$ 1379	18⅛	83¹⁵⁄₁₆	1⅜	—	—	66 lbs.	2.7
WWN1884WSSDLW	Laminate/Wood	1379	18⅛	83¹⁵⁄₁₆	1⅜	—	—	66 lbs.	2.7
WWN1884WSSDL	Laminate	886	18⅛	83¹⁵⁄₁₆	1⅜	—	—	66 lbs.	2.7
WWN1878WSSDW	Wood	$ 1264	18⅛	77¹⁵⁄₁₆	1⅜	—	—	61 lbs.	2.5
WWN1878WSSDLW	Laminate/Wood	1264	18⅛	77¹⁵⁄₁₆	1⅜	—	—	61 lbs.	2.5
WWN1878WSSDL	Laminate	804	18⅛	77¹⁵⁄₁₆	1⅜	—	—	61 lbs.	2.5
WWN1872WSSDW	Wood	$ 1145	18⅛	71¹⁵⁄₁₆	1⅜	—	—	57 lbs.	2.3
WWN1872WSSDLW	Laminate/Wood	1145	18⅛	71¹⁵⁄₁₆	1⅜	—	—	57 lbs.	2.3
WWN1872WSSDL	Laminate	723	18⅛	71¹⁵⁄₁₆	1⅜	—	—	57 lbs.	2.3
WWN1866WSSDW	Wood	$ 1111	18⅛	66	1⅜	—	—	52 lbs.	2.2
WWN1866WSSDLW	Laminate/Wood	1111	18⅛	66	1⅜	—	—	52 lbs.	2.2
WWN1866WSSDL	Laminate	684	18⅛	66	1⅜	—	—	52 lbs.	2.2
WWN1860WSSDW	Wood	$ 1081	18⅛	60	1⅜	—	—	48 lbs.	2.0
WWN1860WSSDLW	Laminate/Wood	1081	18⅛	60	1⅜	—	—	48 lbs.	2.0
WWN1860WSSDL	Laminate	657	18⅛	60	1⅜	—	—	48 lbs.	2.0

- Wire manager locations: back, right or left, or back and left, or back and right; see page 361 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 554
- Worksurfaces can be ordered in ⅛" increments in depth to a minimum of 9" and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 550
- Worksurfaces up to 72" wide can be used for table desking applications
- For undersurface wire managers, see page 765

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 362 for grommet locations; and page 361 for grommet options and upcharge
- Unsupported 1⅜" worksurface spans should not exceed 60"; see page 550 for support options
- Refer to pages 741-784 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/ Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN1854WSSDW	M	F	X	D1BL403	X	94⅜	MH	
WWN1854WSSDL	M	V440	X	D1L440	X	94	440	
WWN1854WSSDLW	M	F	X	D1B440	X	X	MH	MH

- See pages 356-361 for all options available in WaveWorks

RECTANGULAR WORKSURFACE 18" DEPTH (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⅜" TOP THICKNESS (CONTINUED)									
WWN1854WSSDW	Wood	$ 1057	18⅛	54	1⅜	–	–	43 lbs.	1.8
WWN1854WSSDLW	Laminate/Wood	1057	18⅛	54	1⅜	–	–	43 lbs.	1.8
WWN1854WSSDL	Laminate	601	18⅛	54	1⅜	–	–	43 lbs.	1.8
WWN1848WSSDW	Wood	$ 1038	18⅛	48⅛	1⅜	–	–	38 lbs.	1.6
WWN1848WSSDLW	Laminate/Wood	1038	18⅛	48⅛	1⅜	–	–	38 lbs.	1.6
WWN1848WSSDL	Laminate	558	18⅛	48⅛	1⅜	–	–	38 lbs.	1.6
WWN1842WSSDW	Wood	$ 1000	18⅛	42⅛	1⅜	–	–	34 lbs.	1.5
WWN1842WSSDLW	Laminate/Wood	1000	18⅛	42⅛	1⅜	–	–	34 lbs.	1.5
WWN1842WSSDL	Laminate	520	18⅛	42⅛	1⅜	–	–	34 lbs.	1.5
WWN1836WSSDW	Wood	$ 971	18⅛	36⅛	1⅜	–	–	29 lbs.	1.3
WWN1836WSSDLW	Laminate/Wood	971	18⅛	36⅛	1⅜	–	–	29 lbs.	1.3
WWN1836WSSDL	Laminate	488	18⅛	36⅛	1⅜	–	–	29 lbs.	1.3
WWN1830WSSDW	Wood	$ 947	18⅛	30⅛	1⅜	–	–	24 lbs.	1.1
WWN1830WSSDLW	Laminate/Wood	947	18⅛	30⅛	1⅜	–	–	24 lbs.	1.1
WWN1830WSSDL	Laminate	455	18⅛	30⅛	1⅜	–	–	24 lbs.	1.1
WWN1824WSSDW	Wood	$ 921	18⅛	24	1⅜	–	–		1.1
WWN1824WSSDLW	Laminate/Wood	921	18⅛	24	1⅜	–	–		1.1
WWN1824WSSDL	Laminate	430	18⅛	24	1⅜	–	–		1.1

- 24" wide models will only have a center grommet option
- 24" models will only have modified sizing on the depth

- Wire manager locations: back, right or left, or back and left, or back and right; see page 361 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 554
- Worksurfaces can be ordered in ⅛" increments in depth to a minimum of 9" and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 550
- Worksurfaces up to 72" wide can be used for table desking applications
- For undersurface wire managers, see page 765

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 362 for grommet locations; and page 361 for grommet options and upcharge
- Unsupported 1⅜" worksurface spans should not exceed 48"; see page 550 for support options
- Refer to pages 741-784 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/ Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW1896WSSDW	M	F	X	D1BL403	X	94⅜	MH	
WW1896WSSDL	M	V440	X	D1L440	X	94	440	
WW1896WSSDLW	M	F	X	D1B440	X	X	MH	MH

- See pages 356-361 for all options available in WaveWorks

RECTANGULAR WORKSURFACE 18" DEPTH (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⅜" TOP THICKNESS									
WW1896WSSDW	Wood	$ 1326	18⅛	95¹⁵⁄₁₆	1⅜	—	—	75 lbs.	3.0
WW1896WSSDLW	Laminate/Wood	1326	18⅛	95¹⁵⁄₁₆	1⅜	—	—	75 lbs.	3.0
WW1896WSSDL	Laminate	781	18⅛	95¹⁵⁄₁₆	1⅜	—	—	75 lbs.	3.0
WW1896WSSDLL	TFL	625	18⅛	95¹⁵⁄₁₆	1⅛	—	—	75 lbs.	3.0
WW1890WSSDW	Wood	$ 1267	18⅛	89¹⁵⁄₁₆	1⅜	—	—	71 lbs.	2.9
WW1890WSSDLW	Laminate/Wood	1267	18⅛	89¹⁵⁄₁₆	1⅜	—	—	71 lbs.	2.9
WW1890WSSDL	Laminate	750	18⅛	89¹⁵⁄₁₆	1⅜	—	—	71 lbs.	2.9
WW1890WSSDLL	TFL	601	18⅛	89¹⁵⁄₁₆	1⅛	—	—	71 lbs.	2.9
WW1884WSSDW	Wood	$ 1207	18⅛	83¹⁵⁄₁₆	1⅜	—	—	66 lbs.	2.7
WW1884WSSDLW	Laminate/Wood	1207	18⅛	83¹⁵⁄₁₆	1⅜	—	—	66 lbs.	2.7
WW1884WSSDL	Laminate	719	18⅛	83¹⁵⁄₁₆	1⅜	—	—	66 lbs.	2.7
WW1884WSSDLL	TFL	575	18⅛	83¹⁵⁄₁₆	1⅛	—	—	66 lbs.	2.7
WW1878WSSDW	Wood	$ 1089	18⅛	77¹⁵⁄₁₆	1⅜	—	—	61 lbs.	2.5
WW1878WSSDLW	Laminate/Wood	1089	18⅛	77¹⁵⁄₁₆	1⅜	—	—	61 lbs.	2.5
WW1878WSSDL	Laminate	638	18⅛	77¹⁵⁄₁₆	1⅜	—	—	61 lbs.	2.5
WW1878WSSDLL	TFL	509	18⅛	77¹⁵⁄₁₆	1⅛	—	—	61 lbs.	2.5
WW1872WSSDW	Wood	$ 976	18⅛	71¹⁵⁄₁₆	1⅜	—	—	57 lbs.	2.3
WW1872WSSDLW	Laminate/Wood	976	18⅛	71¹⁵⁄₁₆	1⅜	—	—	57 lbs.	2.3
WW1872WSSDL	Laminate	556	18⅛	71¹⁵⁄₁₆	1⅜	—	—	57 lbs.	2.3
WW1872WSSDLL	TFL	446	18⅛	71¹⁵⁄₁₆	1⅛	—	—	57 lbs.	2.3
WW1866WSSDW	Wood	$ 937	18⅛	66	1⅜	—	—	52 lbs.	2.2
WW1866WSSDLW	Laminate/Wood	937	18⅛	66	1⅜	—	—	52 lbs.	2.2
WW1866WSSDL	Laminate	515	18⅛	66	1⅜	—	—	52 lbs.	2.2
WW1866WSSDLL	TFL	413	18⅛	66	1⅛	—	—	52 lbs.	2.2
WW1860WSSDW	Wood	$ 910	18⅛	60	1⅜	—	—	48 lbs.	2.0
WW1860WSSDLW	Laminate/Wood	910	18⅛	60	1⅜	—	—	48 lbs.	2.0
WW1860WSSDL	Laminate	490	18⅛	60	1⅜	—	—	48 lbs.	2.0
WW1860WSSDLL	TFL	393	18⅛	60	1⅛	—	—	48 lbs.	2.0

- TFL worksurfaces are 1⅛" thick
- Wire manager locations: back, right or left, or back and left, or back and right; see page 361 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 554
- Worksurfaces can be ordered in 1⁄16" increments in depth to a minimum of 9" and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 550
- Worksurfaces up to 72" wide can be used for table desking applications
- For undersurface wire managers, see page 765

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 362 for grommet locations; and page 361 for grommet options and upcharge
- Unsupported 1³⁄₁₆" worksurface spans should not exceed 48"; see page 550 for support options
- Refer to pages 741-784 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/ Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW1848WSSDW	M	F	X	D1BL403	X	45½	MH	
WW1848WSSDL	M	V440	X	D1L440	X	45	440	
WW1848WSSDLW	M	F	X	D1B440	X	X	MH	MH

- See pages 356-361 for all options available in WaveWorks

RECTANGULAR WORKSURFACE 18" DEPTH (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1³⁄₁₆" TOP THICKNESS (CONTINUED)									
WW1854WSSDW	Wood	$ 888	18⅛	54	1³⁄₁₆	–	–	43 lbs.	1.8
WW1854WSSDLW	Laminate/Wood	888	18⅛	54	1³⁄₁₆	–	–	43 lbs.	1.8
WW1854WSSDL	Laminate	433	18⅛	54	1³⁄₁₆	–	–	43 lbs.	1.8
WW1854WSSDLL	TFL	347	18⅛	54	1⅛	–	–	43 lbs.	1.8
WW1848WSSDW	Wood	$ 869	18⅛	48¹⁄₁₆	1³⁄₁₆	–	–	38 lbs.	1.6
WW1848WSSDLW	Laminate/Wood	869	18⅛	48¹⁄₁₆	1³⁄₁₆	–	–	38 lbs.	1.6
WW1848WSSDL	Laminate	391	18⅛	48¹⁄₁₆	1³⁄₁₆	–	–	38 lbs.	1.6
WW1848WSSDLL	TFL	312	18⅛	48¹⁄₁₆	1⅛	–	–	38 lbs.	1.6
WW1842WSSDW	Wood	$ 828	18⅛	42¹⁄₁₆	1³⁄₁₆	–	–	34 lbs.	1.5
WW1842WSSDLW	Laminate/Wood	828	18⅛	42¹⁄₁₆	1³⁄₁₆	–	–	34 lbs.	1.5
WW1842WSSDL	Laminate	353	18⅛	42¹⁄₁₆	1³⁄₁₆	–	–	34 lbs.	1.5
WW1842WSSDLL	TFL	284	18⅛	42¹⁄₁₆	1⅛	–	–	34 lbs.	1.5
WW1836WSSDW	Wood	$ 799	18⅛	36¹⁄₁₆	1³⁄₁₆	–	–	29 lbs.	1.3
WW1836WSSDLW	Laminate/Wood	799	18⅛	36¹⁄₁₆	1³⁄₁₆	–	–	29 lbs.	1.3
WW1836WSSDL	Laminate	321	18⅛	36¹⁄₁₆	1³⁄₁₆	–	–	29 lbs.	1.3
WW1836WSSDLL	TFL	256	18⅛	36¹⁄₁₆	1⅛	–	–	29 lbs.	1.3
WW1830WSSDW	Wood	$ 778	18⅛	30¹⁄₁₆	1³⁄₁₆	–	–	24 lbs.	1.1
WW1830WSSDLW	Laminate/Wood	778	18⅛	30¹⁄₁₆	1³⁄₁₆	–	–	24 lbs.	1.1
WW1830WSSDL	Laminate	289	18⅛	30¹⁄₁₆	1³⁄₁₆	–	–	24 lbs.	1.1
WW1830WSSDLL	TFL	233	18⅛	30¹⁄₁₆	1⅛	–	–	24 lbs.	1.1
WW1824WSSDW	Wood	$ 756	18⅛	24	1³⁄₁₆	–	–		1.1
WW1824WSSDLW	Laminate/Wood	756	18⅛	24	1³⁄₁₆	–	–		1.1
WW1824WSSDL	Laminate	254	18⅛	24	1³⁄₁₆	–	–		1.1
WW1824WSSDLL	TFL	209	18⅛	24	1³⁄₁₆	–	–		1.1

- 24" wide models will only have a center grommet option
- 24" models will only have modified sizing on the depth

- TFL worksurfaces are 1⅛" thick
- Wire manager locations: back, right or left, or back and left, or back and right; see page 361 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 554
- Worksurfaces can be ordered in ¹⁄₁₆" increments in depth to a minimum of 9" and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 550
- Worksurfaces up to 72" wide can be used for table desking applications
- For undersurface wire managers, see page 765

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 362 for grommet locations; and page 361 for grommet options and upcharge
- Unsupported 1³⁄₁₆" worksurface spans should not exceed 48"; unsupported 1⁹⁄₁₆" worksurface spans should not exceed 60"; see page 550 for support options
- Refer to pages 741-784 for accessories

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color
10. Veneer Rim Finish (laminate models)

SAMPLE MODEL NUMBER:

WWN18A96WSSDL M V440 X D1L440 X 76 440

- See pages 356-361 for all options available in WaveWorks

RECTANGULAR WORKSURFACE
18" DEEP
FOR STORAGE CREDENZAS



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⁹⁄₁₆" TOP THICKNESS									
WWN18A96WSSDL	Laminate	$ 947	18⅛	96¹⁄₁₆	1⁹⁄₁₆	–	–	75 lbs.	3.0
WWN18A90WSSDL	Laminate	921	18⅛	90¹⁄₁₆	1⁹⁄₁₆	–	–	71 lbs.	2.9
WWN18A84WSSDL	Laminate	886	18⅛	84¹⁄₁₆	1⁹⁄₁₆	–	–	66 lbs.	2.7
WWN18A78WSSDL	Laminate	804	18⅛	78¹⁄₁₆	1⁹⁄₁₆	–	–	61 lbs.	2.5
WWN18A72WSSDL	Laminate	723	18⅛	72¹⁄₁₆	1⁹⁄₁₆	–	–	57 lbs.	2.3
WWN18A66WSSDL	Laminate	684	18⅛	66⅛	1⁹⁄₁₆	–	–	52 lbs.	2.2
WWN18A60WSSDL	Laminate	657	18⅛	60⅛	1⁹⁄₁₆	–	–	48 lbs.	2.0
1³⁄₁₆" TOP THICKNESS									
WW18A96WSSDL	Laminate	$ 781	18⅛	96¹⁄₁₆	1³⁄₁₆	–	–	75 lbs.	3.0
WW18A96WSSDLL	TFL	625	18⅛	96¹⁄₁₆	1⅛	–	–	75 lbs.	3.0
WW18A90WSSDL	Laminate	$ 750	18⅛	90¹⁄₁₆	1³⁄₁₆	–	–	71 lbs.	2.9
WW18A90WSSDLL	TFL	601	18⅛	90¹⁄₁₆	1⅛	–	–	71 lbs.	2.9
WW18A84WSSDL	Laminate	$ 719	18⅛	84¹⁄₁₆	1³⁄₁₆	–	–	66 lbs.	2.7
WW18A84WSSDLL	TFL	575	18⅛	84¹⁄₁₆	1⅛	–	–	66 lbs.	2.7
WW18A78WSSDL	Laminate	$ 638	18⅛	78¹⁄₁₆	1³⁄₁₆	–	–	61 lbs.	2.5
WW18A78WSSDLL	TFL	509	18⅛	78¹⁄₁₆	1⅛	–	–	61 lbs.	2.5
WW18A72WSSDL	Laminate	$ 556	18⅛	72¹⁄₁₆	1³⁄₁₆	–	–	57 lbs.	2.3
WW18A72WSSDLL	TFL	446	18⅛	72¹⁄₁₆	1⅛	–	–	57 lbs.	2.3
WW18A66WSSDL	Laminate	$ 515	18⅛	66⅛	1³⁄₁₆	–	–	52 lbs.	2.2
WW18A66WSSDLL	TFL	413	18⅛	66⅛	1⅛	–	–	52 lbs.	2.2
WW18A60WSSDL	Laminate	$ 490	18⅛	60⅛	1³⁄₁₆	–	–	48 lbs.	2.0
WW18A60WSSDLL	TFL	393	18⅛	60⅛	1⅛	–	–	48 lbs.	2.0

- TFL worksurfaces are 1⅛" thick
- Wire manager locations: back, right or left, or back and left, or back and right; see page 361 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 554
- Worksurfaces can be ordered in ¹⁄₁₆" increments in depth to a minimum of 9" and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 550
- Worksurfaces up to 72" wide can be used for table desking applications
- For undersurface wire managers, see page 765
- For use when 2 or more laminate pedestals are ganged together under a common top

WAVEWORKS

PRODUCT SPECIFICATIONS

- Laminate only available, see page 358 for options

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color
3. Modified Width

SAMPLE MODEL NUMBER:

WW9604WSBL MC

BACKSPLASH



LAMINATE BACKSPLASHES

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WW9604WSBL	Laminate	$ 453	1	95⅞	4	—	—		0.9
WW9004WSBL	Laminate	453	1	90	4	—	—		0.9
WW8404WSBL	Laminate	408	1	84	4	—	—		0.8
WW7804WSBL	Laminate	373	1	78	4	—	—		0.8
WW7204WSBL	Laminate	373	1	72	4	—	—		0.7
WW6604WSBL	Laminate	338	1	66	4	—	—		0.7
WW6004WSBL	Laminate	317	1	60	4	—	—		0.6
WW5404WSBL	Laminate	317	1	54	4	—	—		0.5
WW4804WSBL	Laminate	266	1	48	4	—	—		0.5
WW4204WSBL	Laminate	266	1	42	4	—	—		0.4
WW3604WSBL	Laminate	230	1	36	4	—	—		0.4
WW3004WSBL	Laminate	216	1	30	4	—	—		0.3
WW2404WSBL	Laminate	186	1	24	4	—	—		0.3

- Laminate Self edge
- Backsplashes can be ordered in 1/16" increments in width to the next smallest available size at no upcharge
- May be used with Waveworks Component worksurfaces

SIDESPLASH



LAMINATE SIDESPLASHES

WW2304WSEL	Laminate	$ 184	1	22⅞	4	—	—		0.3
WW1704WSEL	Laminate	166	1	17	4	—	—		0.2

- Laminate Self edge
- Sidesplash can be ordered in 1/16" increments in width to the next smallest available size at no upcharge
- May be used with Waveworks Component worksurfaces

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Component worksurfaces can be used with assembled units
- Refer to page 362 for grommet locations; and page 361 for grommet options and upcharge
- Unsupported Solid Surface worksurface spans should not exceed 48"; see page 550 for support options
- Refer to pages 741-784 for accessories
- See page 358 for options

TO ORDER, SPECIFY:

1. Model Number
2. Solid Surface Color
3. Grommet

SAMPLE MODEL NUMBER:

WW1896WSSS X A 7201

SOLID SURFACE WORKSURFACE

MODEL NO./DESCRIPTION		LIST PRICE GRADE A	LIST PRICE GRADE B	LIST PRICE GRADE C	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SOLID SURFACE WORKSURFACES 18" DEPTH											
WW1896WSSS	Solid Surface	$ 3138	$ 3570	$ 4158	18⅛	95⅞	1	–	–		3.6
WW1890WSSS	Solid Surface	2968	3373	3924	18⅛	90	1	–	–		3.4
WW1884WSSS	Solid Surface	2794	3172	3687	18⅛	84	1	–	–		3.1
WW1878WSSS	Solid Surface	2622	2973	3451	18⅛	78	1	–	–		2.9
WW1872WSSS	Solid Surface	2449	2773	3214	18⅛	72	1	–	–		2.7
WW1866WSSS	Solid Surface	2277	2574	2978	18⅛	66	1	–	–		2.5
WW1860WSSS	Solid Surface	2105	2375	2743	18⅛	60	1	–	–		2.3
WW1854WSSS	Solid Surface	1933	2176	2507	18⅛	54	1	–	–		2.0
WW1848WSSS	Solid Surface	1760	1976	2270	18⅛	48	1	–	–		1.8
WW1842WSSS	Solid Surface	1587	1776	2033	18⅛	42	1	–	–		1.6
WW1836WSSS	Solid Surface	1415	1577	1798	18⅛	36	1	–	–		1.4
WW1830WSSS	Solid Surface	1243	1378	1562	18⅛	30	1	–	–		1.2
WW1824WSSS	Solid Surface	1070	1178	1325	18⅛	24	1	–	–		1.0

- Not intended for use with adjustable height bases
- Intended to be fully pedestal supported; not to exceed a maximum span of 48" of unsupported space
- Sink and waste ring cutouts available as a By Design product modification, and exact template of cutout will be needed

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Component worksurfaces can be used with assembled units
- Refer to page 362 for grommet locations; and page 361 for grommet options and upcharge
- Unsupported Solid Surface worksurface spans should not exceed 48"; see page 550 for support options
- Refer to pages 741-784 for accessories
- See page 358 for options

TO ORDER, SPECIFY:

1. Model Number
2. Solid Surface Color
3. Grommet

SAMPLE MODEL NUMBER:

WW2496WSSS X A 7201

SOLID SURFACE WORKSURFACE

MODEL NO./DESCRIPTION		LIST PRICE			DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SOLID SURFACE WORKSURFACES 24" DEPTH		**GRADE A**	**GRADE B**	**GRADE C**							
WW2496WSSS	Solid Surface	$ 3937	$ 4513	$ 5297	24	95⅞	1	–	–		4.4
WW2490WSSS	Solid Surface	3721	4261	4996	24	90	1	–	–		4.2
WW2484WSSS	Solid Surface	3469	3973	4659	24	84	1	–	–		3.9
WW2478WSSS	Solid Surface	3325	3793	4430	24	78	1	–	–		3.6
WW2472WSSS	Solid Surface	3182	3614	4202	24	72	1	–	–		3.3
WW2466WSSS	Solid Surface	3003	3399	3938	24	66	1	–	–		3.1
WW2460WSSS	Solid Surface	2752	3112	3602	24	60	1	–	–		2.8
WW2454WSSS	Solid Surface	2499	2823	3264	24	54	1	–	–		2.5
WW2448WSSS	Solid Surface	2356	2644	3036	24	48	1	–	–		2.3
WW2442WSSS	Solid Surface	2142	2394	2737	24	42	1	–	–		2.0
WW2436WSSS	Solid Surface	1998	2214	2508	24	36	1	–	–		1.7
WW2430WSSS	Solid Surface	1782	1962	2207	24	30	1	–	–		1.4
WW2424WSSS	Solid Surface	1566	1710	1906	24	24	1	–	–		1.2

- Not intended for use with adjustable height bases
- Intended to be fully pedestal supported; not to exceed a maximum span of 48" of unsupported space
- Sink and waste ring cutouts available as a By Design product modification, and exact template of cutout will be needed

PRODUCT SPECIFICATIONS

- Solid Surface available, see page 358 for options

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

WW9604WSBS N A 7101

SOLID SURFACE BACKSPLASH



MODEL NO./DESCRIPTION		LIST PRICE			DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SOLID SURFACE BACKSPLASHES		**GRADE A**	**GRADE B**	**GRADE C**							
WW9604WSBS	Solid Surface	$ 1566	$ 1663	$ 1796	1	95⅞	4	–	–		0.9
WW9004WSBS	Solid Surface	1566	1656	1779	1	90	4	–	–		0.9
WW8404WSBS	Solid Surface	1521	1604	1717	1	84	4	–	–		0.8
WW7804WSBS	Solid Surface	1451	1530	1638	1	78	4	–	–		0.8
WW7204WSBS	Solid Surface	1451	1523	1621	1	72	4	–	–		0.7
WW6604WSBS	Solid Surface	1307	1372	1460	1	66	4	–	–		0.7
WW6004WSBS	Solid Surface	1164	1225	1309	1	60	4	–	–		0.6
WW5404WSBS	Solid Surface	1020	1074	1148	1	54	4	–	–		0.5
WW4804WSBS	Solid Surface	947	994	1058	1	48	4	–	–		0.5
WW4204WSBS	Solid Surface	876	919	978	1	42	4	–	–		0.4
WW3604WSBS	Solid Surface	803	839	888	1	36	4	–	–		0.4
WW3004WSBS	Solid Surface	733	762	801	1	30	4	–	–		0.3
WW2404WSBS	Solid Surface	660	685	720	1	24	4	–	–		0.3

- Intended for use with Solid Surface worksurfaces

SOLID SURFACE SIDESPLASH



SOLID SURFACE SIDESPLASHES		**GRADE A**	**GRADE B**	**GRADE C**							
WW2304WSES	Solid Surface	$ 660	$ 682	$ 711	1	23	4	–	–		0.3
WW1704WSES	Solid Surface	516	534	559	1	17	4	–	–		0.3

- Intended for use with Solid Surface worksurfaces

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces
- Component worksurfaces can be used with assembled units
- Unsupported 1⅜" worksurface spans should not exceed 48"; unsupported 1⅜" worksurface spans should not exceed 60"; see page 550 for support options
- Refer to pages 741-784 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Laminate Top Color/ Veneer Top Finish
5. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN2436CPTW R MC
WWN2436CPTL VMC MC
WWn2436CPTLW R 440 MC

- See pages 356-361 for all options available in WaveWorks

CORNICE TOP 24" DEEP



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⁹⁄₁₆" TOP THICKNESS									
WWN2436CPTW	Wood	$ 1013	24	36	1⁹⁄₁₆	–	–	45 lbs.	1.5
WWN2436CPTLW	Laminate/Wood Rim	1013	24	36	1⁹⁄₁₆	–	–	45 lbs.	1.5
WWN2436CPTL	Laminate	986	24	36	1⁹⁄₁₆	–	–	45 lbs.	1.5
WWN2418CPTW	Wood	$ 968	24	18	1⁹⁄₁₆	–	–	28 lbs.	1.0
WWN2418CPTLW	Laminate/Wood Rim	968	24	18	1⁹⁄₁₆	–	–	28 lbs.	1.0
WWN2418CPTL	Laminate	937	24	18	1⁹⁄₁₆	–	–	28 lbs.	1.0
1⅜" TOP THICKNESS									
WW2436CPTW	Wood	$ 829	24	36	1⅜	–	–	45 lbs.	1.5
WW2436CPTLW	Laminate/Wood Rim	829	24	36	1⅜	–	–	45 lbs.	1.5
WW2436CPTL	Laminate	806	24	36	1⅜	–	–	45 lbs.	1.5
WW2436CPTLL	TFL	647	24	36	1⅛	–	–	45 lbs.	1.5
WW2418CPTW	Wood	$ 782	24	18	1⅜	–	–	28 lbs.	1.0
WW2418CPTLW	Laminate/Wood Rim	782	24	18	1⅜	–	–	28 lbs.	1.0
WW2418CPTL	Laminate	761	24	18	1⅜	–	–	28 lbs.	1.0
WW2418CPTLL	TFL	609	24	18	1⅛	–	–	28 lbs.	1.0

- TFL cornice tops are 1⅛" thick
- 24" deep cornice tops for use on entertainment cabinets, wardrobes (double and single), storage cabinets (double and single), and ADA main shell storage tower
- Not intended to be used to create freestanding pedestals

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces
- Component worksurfaces can be used with assembled units
- Unsupported 1⅜" worksurface spans should not exceed 60"; see page 550 for support options
- Refer to pages 741-784 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Laminate Top Color/ Veneer Top Finish
5. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN15108CPTW R MC
WWN15108CPTL VMC MC
WWN15108CPTLW R 440 MC

- See pages 356-361 for all options available in WaveWorks

CORNICE TOP
15" DEEP



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⅜" TOP THICKNESS									
WWN15120CPTW	Wood	$ 1192	15⅛	120	1⅜	—	—	lbs.	
WWN15120CPTFW	Wood/Finished Bottom	3031	15⅛	120	1⅜	—	—	lbs.	
WWN15120CPTLW	Laminate/Wood Rim	1192	15⅛	120	1⅜	—	—	lbs.	
WWN15120CPTFLW	Laminate/Wood Rim/Finished Bottom	3031	15⅛	120	1⅜	—	—	lbs.	
WWN15120CPTL	Laminate	761	15⅛	120	1⅜	—	—	lbs.	
WWN15120CPTFL	Laminate/Finished Bottom	2547	15⅛	120	1⅜	—	—	lbs.	
WWN15108CPTW	Wood	$ 1692	15⅛	108	1⅜	—	—	86 lbs.	3.5
WWN15108CPTFW	Wood/Finished Bottom	3526	15⅛	108	1⅜	—	—	86 lbs.	3.5
WWN15108CPTLW	Laminate/Wood Rim	1692	15⅛	108	1⅜	—	—	86 lbs.	3.5
WWN15108CPTFLW	Laminate/Wood Rim/Finished Bottom	3526	15⅛	108	1⅜	—	—	86 lbs.	3.5
WWN15108CPTL	Laminate	1645	15⅛	108	1⅜	—	—	86 lbs.	3.5
WWN15108CPTFL	Laminate/Finished Bottom	3432	15⅛	108	1⅜	—	—	86 lbs.	3.5
WWN15102CPTW	Wood	$ 1513	15⅛	102	1⅜	—	—	81 lbs.	3.3
WWN15102CPTFW	Wood/Finished Bottom	3450	15⅛	102	1⅜	—	—	81 lbs.	3.3
WWN15102CPTLW	Laminate/Wood Rim	1513	15⅛	102	1⅜	—	—	81 lbs.	3.3
WWN15102CPTFLW	Laminate/Wood Rim/Finished Bottom	3450	15⅛	102	1⅜	—	—	81 lbs.	3.3
WWN15102CPTL	Laminate	1470	15⅛	102	1⅜	—	—	81 lbs.	3.3
WWN15102CPTFL	Laminate/Finished Bottom	3350	15⅛	102	1⅜	—	—	81 lbs.	3.3
WWN1596CPTW	Wood	$ 1375	15⅛	96	1⅜	—	—	76 lbs.	3.1
WWN1596CPTFW	Wood/Finished Bottom	3365	15⅛	96	1⅜	—	—	76 lbs.	3.1
WWN1596CPTLW	Laminate/Wood Rim	1375	15⅛	96	1⅜	—	—	76 lbs.	3.1
WWN1596CPTFLW	Laminate/Wood Rim/Finished Bottom	3365	15⅛	96	1⅜	—	—	76 lbs.	3.1
WWN1596CPTL	Laminate	1335	15⅛	96	1⅜	—	—	76 lbs.	3.1
WWN1596CPTFL	Laminate/Finished Bottom	3273	15⅛	96	1⅜	—	—	76 lbs.	3.1
WWN1590CPTW	Wood	$ 1253	15⅛	90	1⅜	—	—	71 lbs.	2.9
WWN1590CPTFW	Wood/Finished Bottom	3289	15⅛	90	1⅜	—	—	71 lbs.	2.9
WWN1590CPTLW	Laminate/Wood Rim	1253	15⅛	90	1⅜	—	—	71 lbs.	2.9
WWN1590CPTFLW	Laminate/Wood Rim/Finished Bottom	3289	15⅛	90	1⅜	—	—	71 lbs.	2.9
WWN1590CPTL	Laminate	1220	15⅛	90	1⅜	—	—	71 lbs.	2.9
WWN1590CPTFL	Laminate/Finished Bottom	3196	15⅛	90	1⅜	—	—	71 lbs.	2.9

- 15" deep cornice tops for use on highbacks, wall mount cabinets, bookcases, or to span an open overhead space
- When spanning an open overhead space, a "finished bottom" cornice top should be ordered

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces
- Component worksurfaces can be used with assembled units
- Unsupported 1⅜" worksurface spans should not exceed 60"; see page 550 for support options
- Refer to pages 741-784 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Laminate Top Color/ Veneer Top Finish
5. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN1584CPTW R MC
WWN1584CPTL VMC MC
WWN1584CPTLW R 440 MC

- See pages 356-361 for all options available in WaveWorks

CORNICE TOP 15" DEEP (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⅜" TOP THICKNESS (CONTINUED)									
WWN1584CPTW	Wood	$ 1135	15⅛	84	1⅜	—	—	66 lbs.	2.7
WWN1584CPTFW	Wood/Finished Bottom	2299	15⅛	84	1⅜	—	—	66 lbs.	2.7
WWN1584CPTLW	Laminate/Wood Rim	1135	15⅛	84	1⅜	—	—	66 lbs.	2.7
WWN1584CPTFLW	Laminate/Wood Rim/Finished Bottom	2299	15⅛	84	1⅜	—	—	66 lbs.	2.7
WWN1584CPTL	Laminate	1103	15⅛	84	1⅜	—	—	66 lbs.	2.7
WWN1584CPTFL	Laminate/Finished Bottom	2234	15⅛	84	1⅜	—	—	66 lbs.	2.7
WWN1578CPTW	Wood	$ 1087	15⅛	78	1⅜	—	—	62 lbs.	2.5
WWN1578CPTFW	Wood/Finished Bottom	2178	15⅛	78	1⅜	—	—	62 lbs.	2.5
WWN1578CPTLW	Laminate/Wood Rim	1087	15⅛	78	1⅜	—	—	62 lbs.	2.5
WWN1578CPTFLW	Laminate/Wood Rim/Finished Bottom	2178	15⅛	78	1⅜	—	—	62 lbs.	2.5
WWN1578CPTL	Laminate	1059	15⅛	78	1⅜	—	—	62 lbs.	2.5
WWN1578CPTFL	Laminate/Finished Bottom	2115	15⅛	78	1⅜	—	—	62 lbs.	2.5
WWN1572CPTW	Wood	$ 1041	15⅛	72	1⅜	—	—	56 lbs.	2.3
WWN1572CPTFW	Wood/Finished Bottom	2049	15⅛	72	1⅜	—	—	56 lbs.	2.3
WWN1572CPTLW	Laminate/Wood Rim	1041	15⅛	72	1⅜	—	—	56 lbs.	2.3
WWN1572CPTFLW	Laminate/Wood Rim/Finished Bottom	2049	15⅛	72	1⅜	—	—	56 lbs.	2.3
WWN1572CPTL	Laminate	1012	15⅛	72	1⅜	—	—	56 lbs.	2.3
WWN1572CPTFL	Laminate/Finished Bottom	1992	15⅛	72	1⅜	—	—	56 lbs.	2.3
WWN1566CPTW	Wood	$ 1003	15⅛	66	1⅜	—	—	52 lbs.	2.2
WWN1566CPTLW	Laminate/Wood Rim	1003	15⅛	66	1⅜	—	—	52 lbs.	2.2
WWN1566CPTL	Laminate	978	15⅛	66	1⅜	—	—	52 lbs.	2.2
WWN1560CPTW	Wood	$ 968	15⅛	60	1⅜	—	—	48 lbs.	2.0
WWN1560CPTLW	Laminate/Wood Rim	968	15⅛	60	1⅜	—	—	48 lbs.	2.0
WWN1560CPTL	Laminate	937	15⅛	60	1⅜	—	—	48 lbs.	2.0

- 15" deep cornice tops for use on highbacks, wall mount cabinets, bookcases, or to span an open overhead space
- When spanning an open overhead space, a "finished bottom" cornice top should be ordered

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces
- Component worksurfaces can be used with assembled units
- Unsupported 1⅜" worksurface spans should not exceed 60"; see page 550 for support options
- Refer to pages 741-784 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Laminate Top Color/ Veneer Top Finish
5. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN1554CPTW	R	MC	
WWN1554CPTL	VMC	MC	
WWN1554CPTLW	R	440	MC

- See pages 356-361 for all options available in WaveWorks

CORNICE TOP
15" DEEP (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⅜" TOP THICKNESS (CONTINUED)									
WWN1554CPTW	Wood	$ 933	15⅛	54	1⅜	—	—	44 lbs.	1.8
WWN1554CPTLW	Laminate/Wood Rim	933	15⅛	54	1⅜	—	—	44 lbs.	1.8
WWN1554CPTL	Laminate	905	15⅛	54	1⅜	—	—	44 lbs.	1.8
WWN1548CPTW	Wood	$ 894	15⅛	48	1⅜	—	—	40 lbs.	1.6
WWN1548CPTLW	Laminate/Wood Rim	894	15⅛	48	1⅜	—	—	40 lbs.	1.6
WWN1548CPTL	Laminate	870	15⅛	48	1⅜	—	—	40 lbs.	1.6
WWN1542CPTW	Wood	$ 858	15⅛	42	1⅜	—	—	36 lbs.	1.4
WWN1542CPTLW	Laminate/Wood Rim	858	15⅛	42	1⅜	—	—	36 lbs.	1.4
WWN1542CPTL	Laminate	832	15⅛	42	1⅜	—	—	36 lbs.	1.4
WWN1536CPTW	Wood	$ 813	15⅛	36	1⅜	—	—	32 lbs.	1.2
WWN1536CPTLW	Laminate/Wood Rim	813	15⅛	36	1⅜	—	—	32 lbs.	1.2
WWN1536CPTL	Laminate	790	15⅛	36	1⅜	—	—	32 lbs.	1.2
WWN1530CPTW	Wood	$ 782	15⅛	30	1⅜	—	—	28 lbs.	1.0
WWN1530CPTLW	Laminate/Wood Rim	782	15⅛	30	1⅜	—	—	28 lbs.	1.0
WWN1530CPTL	Laminate	761	15⅛	30	1⅜	—	—	28 lbs.	1.0
WWN1518CPTW	Wood	$ 745	15⅛	18	1⅜	—	—	21 lbs.	0.7
WWN1518CPTLW	Laminate/Wood Rim	745	15⅛	18	1⅜	—	—	21 lbs.	0.7
WWN1518CPTL	Laminate	724	15⅛	18	1⅜	—	—	21 lbs.	0.7

- 15" deep cornice tops for use on highbacks, wall mount cabinets, bookcases, or to span an open overhead space
- When spanning an open overhead space, a "finished bottom" cornice top should be ordered

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces
- Component worksurfaces can be used with assembled units
- Unsupported 1⅜" worksurface spans should not exceed 48"; see page 550 for support options
- Refer to pages 741-784 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Laminate Top Color/ Veneer Top Finish
5. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW15108CPTW R MC
WW15108CPTL VMC MC
WW15108CPTLW R 440 MC

• See pages 356-361 for all options available in WaveWorks

CORNICE TOP 15" DEEP (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⅜" TOP THICKNESS									
WW15120CPTW	Wood	$ 1020	15⅛	120	1⅜	–	–	lbs.	
WW15120CPTFW	Wood/Finished Bottom	2860	15⅛	120	1⅜	–	–	lbs.	
WW15120CPTLW	Laminate/Wood Rim	1020	15⅛	120	1⅜	–	–	lbs.	
WW15120CPTFLW	Laminate/Wood Rim/Finished Bottom	2860	15⅛	120	1⅜	–	–	lbs.	
WW15120CPTL	Laminate	589	15⅛	120	1⅜	–	–	lbs.	
WW15120CPTFL	Laminate/Finished Bottom	2373	15⅛	120	1⅜	–	–	lbs.	
WW15120CPTLL	TFL	516	15⅛	120	1⅛	–	–	lbs.	
WW15120CPTFLL	TFL/Finished Bottom	1945	15⅛	120	1⅛	–	–	lbs.	
WW15108CPTW	Wood	$ 1507	15⅛	108	1⅜	–	–	86 lbs.	3.5
WW15108CPTFW	Wood/Finished Bottom	3345	15⅛	108	1⅜	–	–	86 lbs.	3.5
WW15108CPTLW	Laminate/Wood Rim	1507	15⅛	108	1⅜	–	–	86 lbs.	3.5
WW15108CPTFLW	Laminate/Wood Rim/Finished Bottom	3345	15⅛	108	1⅜	–	–	86 lbs.	3.5
WW15108CPTL	Laminate	1465	15⅛	108	1⅜	–	–	86 lbs.	3.5
WW15108CPTFL	Laminate/Finished Bottom	3248	15⅛	108	1⅜	–	–	86 lbs.	3.5
WW15108CPTLL	TFL	1173	15⅛	108	1⅛	–	–	86 lbs.	3.5
WW15108CPTFLL	TFL/Finished Bottom	2599	15⅛	108	1⅛	–	–	86 lbs.	3.5
WW15102CPTW	Wood	$ 1329	15⅛	102	1⅜	–	–	81 lbs.	3.3
WW15102CPTFW	Wood/Finished Bottom	3263	15⅛	102	1⅜	–	–	81 lbs.	3.3
WW15102CPTLW	Laminate/Wood Rim	1329	15⅛	102	1⅜	–	–	81 lbs.	3.3
WW15102CPTFLW	Laminate/Wood Rim/Finished Bottom	3263	15⅛	102	1⅜	–	–	81 lbs.	3.3
WW15102CPTL	Laminate	1290	15⅛	102	1⅜	–	–	81 lbs.	3.3
WW15102CPTFL	Laminate/Finished Bottom	3171	15⅛	102	1⅜	–	–	81 lbs.	3.3
WW15102CPTLL	TFL	1032	15⅛	102	1⅛	–	–	81 lbs.	3.3
WW15102CPTFLL	TFL/Finished Bottom	2538	15⅛	102	1⅛	–	–	81 lbs.	3.3
WW1596CPTW	Wood	$ 1189	15⅛	96	1⅜	–	–	76 lbs.	3.1
WW1596CPTFW	Wood/Finished Bottom	3180	15⅛	96	1⅜	–	–	76 lbs.	3.1
WW1596CPTLW	Laminate/Wood Rim	1189	15⅛	96	1⅜	–	–	76 lbs.	3.1
WW1596CPTFLW	Laminate/Wood Rim/Finished Bottom	3180	15⅛	96	1⅜	–	–	76 lbs.	3.1
WW1596CPTL	Laminate	1156	15⅛	96	1⅜	–	–	76 lbs.	3.1
WW1596CPTFL	Laminate/Finished Bottom	3092	15⅛	96	1⅜	–	–	76 lbs.	3.1
WW1596CPTLL	TFL	926	15⅛	96	1⅛	–	–	76 lbs.	3.1
WW1596CPTFLL	TFL/Finished Bottom	2473	15⅛	96	1⅛	–	–	76 lbs.	3.1

- TFL cornice tops are 1⅛" thick
- 15" deep cornice tops for use on highbacks, wall mount cabinets, bookcases, or to span an open overhead space
- When spanning an open overhead space, a "finished bottom" cornice top should be ordered
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL models wider than 96"

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces
- Component worksurfaces can be used with assembled units
- Unsupported 1⅜" worksurface spans should not exceed 48"; see page 550 for support options
- Refer to pages 741-784 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Laminate Top Color/ Veneer Top Finish
5. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW1590CPTW	R	MC	
WW1590CPTL	VMC	MC	
WW1590CPTLW	R	440	MC

- See pages 356-361 for all options available in WaveWorks

CORNICE TOP
15" DEEP (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⅜" TOP THICKNESS (CONTINUED)									
WW1590CPTW	Wood	$ 1070	15⅛	90	1⅜	—	—	71 lbs.	2.9
WW1590CPTFW	Wood/Finished Bottom	3101	15⅛	90	1⅜	—	—	71 lbs.	2.9
WW1590CPTLW	Laminate/Wood Rim	1070	15⅛	90	1⅜	—	—	71 lbs.	2.9
WW1590CPTFLW	Laminate/Wood Rim/Finished Bottom	3101	15⅛	90	1⅜	—	—	71 lbs.	2.9
WW1590CPTL	Laminate	1038	15⅛	90	1⅜	—	—	71 lbs.	2.9
WW1590CPTFL	Laminate/Finished Bottom	3016	15⅛	90	1⅜	—	—	71 lbs.	2.9
WW1590CPTLL	TFL	829	15⅛	90	1⅛	—	—	71 lbs.	2.9
WW1590CPTFLL	TFL/Finished Bottom	2412	15⅛	90	1⅛	—	—	71 lbs.	2.9
WW1584CPTW	Wood	$ 949	15⅛	84	1⅜	—	—	66 lbs.	2.7
WW1584CPTFW	Wood/Finished Bottom	2114	15⅛	84	1⅜	—	—	66 lbs.	2.7
WW1584CPTLW	Laminate/Wood Rim	949	15⅛	84	1⅜	—	—	66 lbs.	2.7
WW1584CPTFLW	Laminate/Wood Rim/Finished Bottom	2114	15⅛	84	1⅜	—	—	66 lbs.	2.7
WW1584CPTL	Laminate	925	15⅛	84	1⅜	—	—	66 lbs.	2.7
WW1584CPTFL	Laminate/Finished Bottom	2052	15⅛	84	1⅜	—	—	66 lbs.	2.7
WW1584CPTLL	TFL	740	15⅛	84	1⅛	—	—	66 lbs.	2.7
WW1584CPTFLL	TFL/Finished Bottom	1643	15⅛	84	1⅛	—	—	66 lbs.	2.7
WW1578CPTW	Wood	$ 903	15⅛	78	1⅜	—	—	62 lbs.	2.5
WW1578CPTFW	Wood/Finished Bottom	1989	15⅛	78	1⅜	—	—	62 lbs.	2.5
WW1578CPTLW	Laminate/Wood Rim	903	15⅛	78	1⅜	—	—	62 lbs.	2.5
WW1578CPTFLW	Laminate/Wood Rim/Finished Bottom	1989	15⅛	78	1⅜	—	—	62 lbs.	2.5
WW1578CPTL	Laminate	878	15⅛	78	1⅜	—	—	62 lbs.	2.5
WW1578CPTFL	Laminate/Finished Bottom	1937	15⅛	78	1⅜	—	—	62 lbs.	2.5
WW1578CPTLL	TFL	702	15⅛	78	1⅛	—	—	62 lbs.	2.5
WW1578CPTFLL	TFL/Finished Bottom	1550	15⅛	78	1⅛	—	—	62 lbs.	2.5

- TFL cornice tops are 1⅛" thick
- 15" deep cornice tops for use on highbacks, wall mount cabinets, bookcases, or to span an open overhead space
- When spanning an open overhead space, a "finished bottom" cornice top should be ordered

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces
- Component worksurfaces can be used with assembled units
- Unsupported 1⅜" worksurface spans should not exceed 48"; see page 550 for support options
- Refer to pages 741-784 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Laminate Top Color/ Veneer Top Finish
5. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW1572CPTW R MC
WW1572CPTL VMC MC
WW1572CPTLW R 440 MC

• See pages 356-361 for all options available in WaveWorks

CORNICE TOP
15" DEEP (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⅜" TOP THICKNESS (CONTINUED)									
WW1572CPTW	Wood	$ 858	15⅛	72	1⅜	—	—	56 lbs.	2.3
WW1572CPTFW	Wood/Finished Bottom	1867	15⅛	72	1⅜	—	—	56 lbs.	2.3
WW1572CPTLW	Laminate/Wood Rim	858	15⅛	72	1⅜	—	—	56 lbs.	2.3
WW1572CPTFLW	Laminate/Wood Rim/Finished Bottom	1867	15⅛	72	1⅜	—	—	56 lbs.	2.3
WW1572CPTL	Laminate	832	15⅛	72	1⅜	—	—	56 lbs.	2.3
WW1572CPTFL	Laminate/Finished Bottom	1816	15⅛	72	1⅜	—	—	56 lbs.	2.3
WW1572CPTLL	TFL	667	15⅛	72	1⅛	—	—	56 lbs.	2.3
WW1572CPTFLL	TFL/Finished Bottom	1452	15⅛	72	1⅛	—	—	56 lbs.	2.3
WW1566CPTW	Wood	$ 821	15⅛	66	1⅜	—	—	52 lbs.	2.2
WW1566CPTLW	Laminate/Wood Rim	821	15⅛	66	1⅜	—	—	52 lbs.	2.2
WW1566CPTL	Laminate	798	15⅛	66	1⅜	—	—	52 lbs.	2.2
WW1566CPTLL	TFL	640	15⅛	66	1⅛	—	—	52 lbs.	2.2
WW1560CPTW	Wood	$ 782	15⅛	60	1⅜	—	—	48 lbs.	2.0
WW1560CPTLW	Laminate/Wood Rim	782	15⅛	60	1⅜	—	—	48 lbs.	2.0
WW1560CPTL	Laminate	761	15⅛	60	1⅜	—	—	48 lbs.	2.0
WW1560CPTLL	TFL	609	15⅛	60	1⅛	—	—	48 lbs.	2.0
WW1554CPTW	Wood	$ 748	15⅛	54	1⅜	—	—	44 lbs.	1.8
WW1554CPTLW	Laminate/Wood Rim	748	15⅛	54	1⅜	—	—	44 lbs.	1.8
WW1554CPTL	Laminate	727	15⅛	54	1⅜	—	—	44 lbs.	1.8
WW1554CPTLL	TFL	582	15⅛	54	1⅛	—	—	44 lbs.	1.8
WW1548CPTW	Wood	$ 711	15⅛	48	1⅜	—	—	40 lbs.	1.6
WW1548CPTLW	Laminate/Wood Rim	711	15⅛	48	1⅜	—	—	40 lbs.	1.6
WW1548CPTL	Laminate	690	15⅛	48	1⅜	—	—	40 lbs.	1.6
WW1548CPTLL	TFL	551	15⅛	48	1⅛	—	—	40 lbs.	1.6

- TFL cornice tops are 1⅛" thick
- 15" deep cornice tops for use on highbacks, wall mount cabinets, bookcases, or to span an open overhead space
- When spanning an open overhead space, a "finished bottom" cornice top should be ordered

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces
- Component worksurfaces can be used with assembled units
- Unsupported 1⅜" worksurface spans should not exceed 48"; see page 550 for support options
- Refer to pages 741-784 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Laminate Top Color/ Veneer Top Finish
5. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW1542CPTW	R	MC	
WW1542CPTL	VMC	MC	
WW1542CPTLW	R	440	MC

- See pages 356-361 for all options available in WaveWorks

CORNICE TOP
15" DEEP (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⅜" TOP THICKNESS (CONTINUED)									
WW1542CPTW	Wood	$ 674	15⅛	42	1⅜	—	—	36 lbs.	1.4
WW1542CPTLW	Laminate/Wood Rim	674	15⅛	42	1⅜	—	—	36 lbs.	1.4
WW1542CPTL	Laminate	656	15⅛	42	1⅜	—	—	36 lbs.	1.4
WW1542CPTLL	TFL	525	15⅛	42	1⅛	—	—	36 lbs.	1.4
WW1536CPTW	Wood	$ 636	15⅛	36	1⅜	—	—	32 lbs.	1.2
WW1536CPTLW	Laminate/Wood Rim	636	15⅛	36	1⅜	—	—	32 lbs.	1.2
WW1536CPTL	Laminate	617	15⅛	36	1⅜	—	—	32 lbs.	1.2
WW1536CPTLL	TFL	495	15⅛	36	1⅛	—	—	32 lbs.	1.2
WW1530CPTW	Wood	$ 598	15⅛	30	1⅜	—	—	28 lbs.	1.0
WW1530CPTLW	Laminate/Wood Rim	598	15⅛	30	1⅜	—	—	28 lbs.	1.0
WW1530CPTL	Laminate	580	15⅛	30	1⅜	—	—	28 lbs.	1.0
WW1530CPTLL	TFL	462	15⅛	30	1⅛	—	—	28 lbs.	1.0
WW1518CPTW	Wood	$ 560	15⅛	18	1⅜	—	—	21 lbs.	0.7
WW1518CPTLW	Laminate/Wood Rim	560	15⅛	18	1⅜	—	—	21 lbs.	0.7
WW1518CPTL	Laminate	547	15⅛	18	1⅜	—	—	21 lbs.	0.7
WW1518CPTLL	TFL	439	15⅛	18	1⅛	—	—	21 lbs.	0.7

- TFL cornice tops are 1⅛" thick
- 15" deep cornice tops for use on highbacks, wall mount cabinets, bookcases, or to span an open overhead space
- When spanning an open overhead space, a "finished bottom" cornice top should be ordered

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 362 for grommet locations; and page 361 for grommet options and upcharge
- Unsupported 1⁹⁄₁₆" worksurface spans should not exceed 60"; see page 550 for support options
- Refer to pages 741-784 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Laminate Top Color/ Veneer Top Finish
8. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN4896WSCEDLW7	M	F	X	D1B403	MH
WWN4896WSCEDLL7	M	V440	X	D1L440	440
WWN4896WSCEDLLW7	M	F	X	D1R440	MH MH

- See pages 356-361 for all options available in WaveWorks

EXTENDED CORNER WORKSURFACE



Left shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⁹⁄₁₆" TOP THICKNESS										
LEFT	**RIGHT**									
WWN4896WSCEDLW7	WWN4896WSCEDRW7	Wood	$ 2761	48	95¹⁵⁄₁₆	1⁹⁄₁₆	—	—	102 lbs.	7.9
WWN4896WSCEDLLW7	WWN4896WSCEDRLW7	Laminate/Wood	2761	48	95¹⁵⁄₁₆	1⁹⁄₁₆	—	—	102 lbs.	7.9
WWN4896WSCEDLL7	WWN4896WSCEDRL7	Laminate	2041	48	95¹⁵⁄₁₆	1⁹⁄₁₆	—	—	102 lbs.	7.9
WWN4884WSCEDLW7	WWN4884WSCEDRW7	Wood	$ 2674	48	83¹⁵⁄₁₆	1⁹⁄₁₆	—	—	90 lbs.	7.0
WWN4884WSCEDLLW7	WWN4884WSCEDRLW7	Laminate/Wood	2674	48	83¹⁵⁄₁₆	1⁹⁄₁₆	—	—	90 lbs.	7.0
WWN4884WSCEDLL7	WWN4884WSCEDRL7	Laminate	1938	48	83¹⁵⁄₁₆	1⁹⁄₁₆	—	—	90 lbs.	7.0
WWN4872WSCEDLW7	WWN4872WSCEDRW7	Wood	$ 2166	48	72	1⁹⁄₁₆	—	—	78 lbs.	6.0
WWN4872WSCEDLLW7	WWN4872WSCEDRLW7	Laminate/Wood	2166	48	72	1⁹⁄₁₆	—	—	78 lbs.	6.0
WWN4872WSCEDLL7	WWN4872WSCEDRL7	Laminate	1837	48	72	1⁹⁄₁₆	—	—	78 lbs.	6.0
WWN4866WSCEDLW7	WWN4866WSCEDRW7	Wood	$ 2102	48	66	1⁹⁄₁₆	—	—	72 lbs.	5.5
WWN4866WSCEDLLW7	WWN4866WSCEDRLW7	Laminate/Wood	2102	48	66	1⁹⁄₁₆	—	—	72 lbs.	5.5
WWN4866WSCEDLL7	WWN4866WSCEDRL7	Laminate	1753	48	66	1⁹⁄₁₆	—	—	72 lbs.	5.5
WWN4860WSCEDLW7	WWN4860WSCEDRW7	Wood	$ 1973	48	60	1⁹⁄₁₆	—	—	66 lbs.	5.1
WWN4860WSCEDLLW7	WWN4860WSCEDRLW7	Laminate/Wood	1973	48	60	1⁹⁄₁₆	—	—	66 lbs.	5.1
WWN4860WSCEDLL7	WWN4860WSCEDRL7	Laminate	1673	48	60	1⁹⁄₁₆	—	—	66 lbs.	5.1
WWN4854WSCEDLW7	WWN4854WSCEDRW7	Wood	$ 1906	48	54	1⁹⁄₁₆	—	—	60 lbs.	4.6
WWN4854WSCEDLLW7	WWN4854WSCEDRLW7	Laminate/Wood	1906	48	54	1⁹⁄₁₆	—	—	60 lbs.	4.6
WWN4854WSCEDLL7	WWN4854WSCEDRL7	Laminate	1627	48	54	1⁹⁄₁₆	—	—	60 lbs.	4.6

- Wire Manager available on left side, back or right side; see page 361 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 554
- For additional worksurface support, specify Undersurface Support Rail, see page 550
- Modified width and depth not available on this shape
- Intended for use with 36" and 24" deep worksurfaces (42" deep tops intended to be used with 30" and 24" tops)
- For undersurface wire managers, see page 765

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 362 for grommet locations; and page 361 for grommet options and upcharge
- Unsupported 1⅜" worksurface spans should not exceed 60"; see page 550 for support options
- Refer to pages 741-784 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Laminate Top Color/ Veneer Top Finish
8. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN4296WSCEDLW7	M	F	X	D1B403	MH	
WWN4296WSCEDLL7	M	V440	X	D1L420	440	
WWN4296WSCEDLLW7	M	F	X	D1R420	MH	MH

- See pages 356-361 for all options available in WaveWorks

EXTENDED CORNER WORKSURFACE (CONTINUED)



Left shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⅜" TOP THICKNESS (CONTINUED)										
LEFT	**RIGHT**									
WWN4296WSCEDLW7	WWN4296WSCEDRW7	Wood	$ 2633	42	95 15/16	1⅜	—	—	96 lbs.	7.0
WWN4296WSCEDLLW7	WWN4296WSCEDRLW7	Laminate/Wood	2633	42	95 15/16	1⅜	—	—	96 lbs.	7.0
WWN4296WSCEDLL7	WWN4296WSCEDRL7	Laminate	1948	42	95 15/16	1⅜	—	—	96 lbs.	7.0
WWN4284WSCEDLW7	WWN4284WSCEDRW7	Wood	$ 2554	42	83 15/16	1⅜	—	—	84 lbs.	6.2
WWN4284WSCEDLLW7	WWN4284WSCEDRLW7	Laminate/Wood	2554	42	83 15/16	1⅜	—	—	84 lbs.	6.2
WWN4284WSCEDLL7	WWN4284WSCEDRL7	Laminate	1854	42	83 15/16	1⅜	—	—	84 lbs.	6.2
WWN4272WSCEDLW7	WWN4272WSCEDRW7	Wood	$ 2068	42	72	1⅜	—	—	72 lbs.	5.4
WWN4272WSCEDLLW7	WWN4272WSCEDRLW7	Laminate/Wood	2068	42	72	1⅜	—	—	72 lbs.	5.4
WWN4272WSCEDLL7	WWN4272WSCEDRL7	Laminate	1755	42	72	1⅜	—	—	72 lbs.	5.4
WWN4266WSCEDLW7	WWN4266WSCEDRW7	Wood	$ 2008	42	66	1⅜	—	—	66 lbs.	4.9
WWN4266WSCEDLLW7	WWN4266WSCEDRLW7	Laminate/Wood	2008	42	66	1⅜	—	—	66 lbs.	4.9
WWN4266WSCEDLL7	WWN4266WSCEDRL7	Laminate	1672	42	66	1⅜	—	—	66 lbs.	4.9
WWN4260WSCEDLW7	WWN4260WSCEDRW7	Wood	$ 1885	42	60	1⅜	—	—	60 lbs.	4.5
WWN4260WSCEDLLW7	WWN4260WSCEDRLW7	Laminate/Wood	1885	42	60	1⅜	—	—	60 lbs.	4.5
WWN4260WSCEDLL7	WWN4260WSCEDRL7	Laminate	1595	42	60	1⅜	—	—	60 lbs.	4.5
WWN4254WSCEDLW7	WWN4254WSCEDRW7	Wood	$ 1822	42	54	1⅜	—	—	54 lbs.	4.1
WWN4254WSCEDLLW7	WWN4254WSCEDRLW7	Laminate/Wood	1822	42	54	1⅜	—	—	54 lbs.	4.1
WWN4254WSCEDLL7	WWN4254WSCEDRL7	Laminate	1554	42	54	1⅜	—	—	54 lbs.	4.1

- Wire Manager available on left side, back or right side; see page 361 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 554
- For additional worksurface support, specify Undersurface Support Rail, see page 550
- Modified width and depth not available on this shape
- Intended for use with 30" and 24" deep worksurfaces
- For undersurface wire managers, see page 765

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 362 for grommet locations; and page 361 for grommet options and upcharge
- Unsupported 1⁹⁄₁₆" worksurface spans should not exceed 60"; see page 550 for support options
- Refer to pages 741-784 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Laminate Top Color/ Veneer Top Finish
8. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN3696WSCEDLW2	M	F	X	D1B403	MH
WWN3696WSCEDLL2	M	V440	X	D1L440	440
WWN3696WSCEDLLW2	M	F	X	D1R440	MH MH

- See pages 356-361 for all options available in WaveWorks

EXTENDED CORNER WORKSURFACE (CONTINUED)



Left shown

1⁹⁄₁₆" TOP THICKNESS (CONTINUED)

MODEL NO./DESCRIPTION LEFT	RIGHT		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WWN3696WSCEDLW2	WWN3696WSCEDRW2	Wood	$ 2511	35¹³⁄₁₆	95¹⁵⁄₁₆	1⁹⁄₁₆	—	—	106 lbs.	5.9
WWN3696WSCEDLLW2	WWN3696WSCEDRLW2	Laminate/Wood	2511	35¹³⁄₁₆	95¹⁵⁄₁₆	1⁹⁄₁₆	—	—	106 lbs.	5.9
WWN3696WSCEDLL2	WWN3696WSCEDRL2	Laminate	1857	35¹³⁄₁₆	95¹⁵⁄₁₆	1⁹⁄₁₆	—	—	106 lbs.	5.9
WWN3684WSCEDLW2	WWN3684WSCEDRW2	Wood	$ 2432	35¹³⁄₁₆	83¹⁵⁄₁₆	1⁹⁄₁₆	—	—	93 lbs.	5.2
WWN3684WSCEDLLW2	WWN3684WSCEDRLW2	Laminate/Wood	2432	35¹³⁄₁₆	83¹⁵⁄₁₆	1⁹⁄₁₆	—	—	93 lbs.	5.2
WWN3684WSCEDLL2	WWN3684WSCEDRL2	Laminate	1762	35¹³⁄₁₆	83¹⁵⁄₁₆	1⁹⁄₁₆	—	—	93 lbs.	5.2
WWN3672WSCEDLW2	WWN3672WSCEDRW2	Wood	$ 1968	35¹³⁄₁₆	72	1⁹⁄₁₆	—	—	79 lbs.	3.9
WWN3672WSCEDLLW2	WWN3672WSCEDRLW2	Laminate/Wood	1968	35¹³⁄₁₆	72	1⁹⁄₁₆	—	—	79 lbs.	3.9
WWN3672WSCEDLL2	WWN3672WSCEDRL2	Laminate	1671	35¹³⁄₁₆	72	1⁹⁄₁₆	—	—	79 lbs.	3.9
WWN3666WSCEDLW2	WWN3666WSCEDRW2	Wood	$ 1911	35¹³⁄₁₆	66	1⁹⁄₁₆	—	—	72 lbs.	3.6
WWN3666WSCEDLLW2	WWN3666WSCEDRLW2	Laminate/Wood	1911	35¹³⁄₁₆	66	1⁹⁄₁₆	—	—	72 lbs.	3.6
WWN3666WSCEDLL2	WWN3666WSCEDRL2	Laminate	1592	35¹³⁄₁₆	66	1⁹⁄₁₆	—	—	72 lbs.	3.6
WWN3660WSCEDLW2	WWN3660WSCEDRW2	Wood	$ 1795	35¹³⁄₁₆	60	1⁹⁄₁₆	—	—	65 lbs.	3.3
WWN3660WSCEDLLW2	WWN3660WSCEDRLW2	Laminate/Wood	1795	35¹³⁄₁₆	60	1⁹⁄₁₆	—	—	65 lbs.	3.3
WWN3660WSCEDLL2	WWN3660WSCEDRL2	Laminate	1520	35¹³⁄₁₆	60	1⁹⁄₁₆	—	—	65 lbs.	3.3
WWN3654WSCEDLW2	WWN3654WSCEDRW2	Wood	$ 1731	35¹³⁄₁₆	54	1⁹⁄₁₆	—	—	58 lbs.	3.0
WWN3654WSCEDLLW2	WWN3654WSCEDRLW2	Laminate/Wood	1731	35¹³⁄₁₆	54	1⁹⁄₁₆	—	—	58 lbs.	3.0
WWN3654WSCEDLL2	WWN3654WSCEDRL2	Laminate	1481	35¹³⁄₁₆	54	1⁹⁄₁₆	—	—	58 lbs.	3.0

- Wire Manager available on left side, back or right side; see page 361 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 554
- For additional worksurface support, specify Undersurface Support Rail, see page 550
- Modified width and depth not available on this shape
- Intended for use with 24" deep worksurfaces
- For undersurface wire managers, see page 765

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 362 for grommet locations; and page 361 for grommet options and upcharge
- Unsupported 1⅜" worksurface spans should not exceed 48"; see page 550 for support options
- Refer to pages 741-784 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Laminate Top Color/ Veneer Top Finish
8. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW4896WSCEDLW7	M	F	X	D1B403	MH	
WW4896WSCEDLL7	M	V440	X	D1L440	440	
WW4896WSCEDLLW7	M	F	X	D1R440	MH	MH

- See pages 356-361 for all options available in WaveWorks

EXTENDED CORNER WORKSURFACE (CONTINUED)



Left shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⅜" TOP THICKNESS LEFT	**RIGHT**									
WW4896WSCEDLW7	WW4896WSCEDRW7	Wood	$ 2558	48	95⅛	1⅜	–	–	102 lbs.	7.9
WW4896WSCEDLLW7	WW4896WSCEDRLW7	Laminate/Wood	2558	48	95⅛	1⅜	–	–	102 lbs.	7.9
WW4896WSCEDLL7	WW4896WSCEDRL7	Laminate	1844	48	95⅛	1⅜	–	–	102 lbs.	7.9
WW4896WSCEDLLL7	WW4896WSCEDRLL7	TFL	1477	48	95⅛	1⅛	–	–	102 lbs.	7.9
WW4884WSCEDLW7	WW4884WSCEDRW7	Wood	$ 2472	48	83⅛	1⅜	–	–	90 lbs.	7.0
WW4884WSCEDLLW7	WW4884WSCEDRLW7	Laminate/Wood	2472	48	83⅛	1⅜	–	–	90 lbs.	7.0
WW4884WSCEDLL7	WW4884WSCEDRL7	Laminate	1738	48	83⅛	1⅜	–	–	90 lbs.	7.0
WW4884WSCEDLLL7	WW4884WSCEDRLL7	TFL	1393	48	83⅛	1⅛	–	–	90 lbs.	7.0
WW4872WSCEDLW7	WW4872WSCEDRW7	Wood	$ 1964	48	72	1⅜	–	–	78 lbs.	6.0
WW4872WSCEDLLW7	WW4872WSCEDRLW7	Laminate/Wood	1964	48	72	1⅜	–	–	78 lbs.	6.0
WW4872WSCEDLL7	WW4872WSCEDRL7	Laminate	1638	48	72	1⅜	–	–	78 lbs.	6.0
WW4872WSCEDLLL7	WW4872WSCEDRLL7	TFL	1312	48	72	1⅛	–	–	78 lbs.	6.0
WW4866WSCEDLW7	WW4866WSCEDRW7	Wood	$ 1894	48	66	1⅜	–	–	72 lbs.	5.5
WW4866WSCEDLLW7	WW4866WSCEDRLW7	Laminate/Wood	1894	48	66	1⅜	–	–	72 lbs.	5.5
WW4866WSCEDLL7	WW4866WSCEDRL7	Laminate	1557	48	66	1⅜	–	–	72 lbs.	5.5
WW4866WSCEDLLL7	WW4866WSCEDRLL7	TFL	1243	48	66	1⅛	–	–	72 lbs.	5.5
WW4860WSCEDLW7	WW4860WSCEDRW7	Wood	$ 1768	48	60	1⅜	–	–	66 lbs.	5.1
WW4860WSCEDLLW7	WW4860WSCEDRLW7	Laminate/Wood	1768	48	60	1⅜	–	–	66 lbs.	5.1
WW4860WSCEDLL7	WW4860WSCEDRL7	Laminate	1477	48	60	1⅜	–	–	66 lbs.	5.1
WW4860WSCEDLLL7	WW4860WSCEDRLL7	TFL	1183	48	60	1⅛	–	–	66 lbs.	5.1
WW4854WSCEDLW7	WW4854WSCEDRW7	Wood	$ 1704	48	54	1⅜	–	–	60 lbs.	4.6
WW4854WSCEDLLW7	WW4854WSCEDRLW7	Laminate/Wood	1704	48	54	1⅜	–	–	60 lbs.	4.6
WW4854WSCEDLL7	WW4854WSCEDRL7	Laminate	1431	48	54	1⅜	–	–	60 lbs.	4.6
WW4854WSCEDLLL7	WW4854WSCEDRLL7	TFL	1142	48	54	1⅛	–	–	60 lbs.	4.6

- TFL worksurfaces are 1⅛" thick
- Wire Manager available on left side, back or right side; see page 361 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 554
- For additional worksurface support, specify Undersurface Support Rail, see page 550
- Modified width and depth not available on this shape
- Intended for use with 36" and 24" deep worksurfaces
- For undersurface wire managers, see page 765

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 362 for grommet locations; and page 361 for grommet options and upcharge
- Unsupported 1³⁄₁₆" worksurface spans should not exceed 48"; see page 550 for support options
- Refer to pages 741-784 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Laminate Top Color/ Veneer Top Finish
8. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW4296WSCEDLW7	M	F	X	D1B403	MH	
WW4296WSCEDLL7	M	V440	X	D1L440	440	
WW4296WSCEDLLW7	M	F	X	D1R440	MH	MH

- See pages 356-361 for all options available in WaveWorks

EXTENDED CORNER WORKSURFACE (CONTINUED)



Left shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1³⁄₁₆" TOP THICKNESS (CONTINUED)										
LEFT	**RIGHT**									
WW4296WSCEDLW7	WW4296WSCEDRW7	Wood	$ 2444	42	95¹⁵⁄₁₆	1³⁄₁₆	–	–	96 lbs.	7.0
WW4296WSCEDLLW7	WW4296WSCEDRLW7	Laminate/Wood	2444	42	95¹⁵⁄₁₆	1³⁄₁₆	–	–	96 lbs.	7.0
WW4296WSCEDLL7	WW4296WSCEDRL7	Laminate	1762	42	95¹⁵⁄₁₆	1³⁄₁₆	–	–	96 lbs.	7.0
WW4296WSCEDLLL7	WW4296WSCEDRLL7	TFL	1409	42	95¹⁵⁄₁₆	1⅛	–	–	96 lbs.	7.0
WW4284WSCEDLW7	WW4284WSCEDRW7	Wood	$ 2360	42	83¹⁵⁄₁₆	1³⁄₁₆	–	–	84 lbs.	6.2
WW4284WSCEDLLW7	WW4284WSCEDRLW7	Laminate/Wood	2360	42	83¹⁵⁄₁₆	1³⁄₁₆	–	–	84 lbs.	6.2
WW4284WSCEDLL7	WW4284WSCEDRL7	Laminate	1661	42	83¹⁵⁄₁₆	1³⁄₁₆	–	–	84 lbs.	6.2
WW4284WSCEDLLL7	WW4284WSCEDRLL7	TFL	1331	42	83¹⁵⁄₁₆	1⅛	–	–	84 lbs.	6.2
WW4272WSCEDLW7	WW4272WSCEDRW7	Wood	$ 1871	42	72	1³⁄₁₆	–	–	72 lbs.	5.4
WW4272WSCEDLLW7	WW4272WSCEDRLW7	Laminate/Wood	1871	42	72	1³⁄₁₆	–	–	72 lbs.	5.4
WW4272WSCEDLL7	WW4272WSCEDRL7	Laminate	1563	42	72	1³⁄₁₆	–	–	72 lbs.	5.4
WW4272WSCEDLLL7	WW4272WSCEDRLL7	TFL	1250	42	72	1⅛	–	–	72 lbs.	5.4
WW4266WSCEDLW7	WW4266WSCEDRW7	Wood	$ 1807	42	66	1³⁄₁₆	–	–	66 lbs.	4.9
WW4266WSCEDLLW7	WW4266WSCEDRLW7	Laminate/Wood	1807	42	66	1³⁄₁₆	–	–	66 lbs.	4.9
WW4266WSCEDLL7	WW4266WSCEDRL7	Laminate	1484	42	66	1³⁄₁₆	–	–	66 lbs.	4.9
WW4266WSCEDLLL7	WW4266WSCEDRLL7	TFL	1187	42	66	1⅛	–	–	66 lbs.	4.9
WW4260WSCEDLW7	WW4260WSCEDRW7	Wood	$ 1685	42	60	1³⁄₁₆	–	–	60 lbs.	4.5
WW4260WSCEDLLW7	WW4260WSCEDRLW7	Laminate/Wood	1685	42	60	1³⁄₁₆	–	–	60 lbs.	4.5
WW4260WSCEDLL7	WW4260WSCEDRL7	Laminate	1409	42	60	1³⁄₁₆	–	–	60 lbs.	4.5
WW4260WSCEDLLL7	WW4260WSCEDRLL7	TFL	1128	42	60	1⅛	–	–	60 lbs.	4.5
WW4254WSCEDLW7	WW4254WSCEDRW7	Wood	$ 1626	42	54	1³⁄₁₆	–	–	54 lbs.	4.1
WW4254WSCEDLLW7	WW4254WSCEDRLW7	Laminate/Wood	1626	42	54	1³⁄₁₆	–	–	54 lbs.	4.1
WW4254WSCEDLL7	WW4254WSCEDRL7	Laminate	1366	42	54	1³⁄₁₆	–	–	54 lbs.	4.1
WW4254WSCEDLLL7	WW4254WSCEDRLL7	TFL	1090	42	54	1⅛	–	–	54 lbs.	4.1

- TFL worksurfaces are 1⅛" thick
- Wire Manager available on left side, back or right side; see page 361 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 554
- For additional worksurface support, specify Undersurface Support Rail, see page 550
- Modified width and depth not available on this shape
- Intended for use with 30" and 24" deep worksurfaces
- For undersurface wire managers, see page 765

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 362 for grommet locations; and page 361 for grommet options and upcharge
- Unsupported 1⅜" worksurface spans should not exceed 48"; see page 550 for support options
- Refer to pages 741-784 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Laminate Top Color/ Veneer Top Finish
8. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW3696WSCEDLW2	M	F	X	D1B403	MH	
WW3696WSCEDLL2	M	V440	X	D1L440	440	
WW3696WSCEDLLW2	M	F	X	D1R440	MH	MH

- See pages 356-361 for all options available in WaveWorks

EXTENDED CORNER WORKSURFACE (CONTINUED)



Left shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⅜" TOP THICKNESS (CONTINUED)										
LEFT	**RIGHT**									
WW3696WSCEDLW2	WW3696WSCEDRW2	Wood	$ 2327	35¹³⁄₁₆	95¹⁵⁄₁₆	1³⁄₁₆	—	—	106 lbs.	5.9
WW3696WSCEDLLW2	WW3696WSCEDRLW2	Laminate/Wood	2327	35¹³⁄₁₆	95¹⁵⁄₁₆	1³⁄₁₆	—	—	106 lbs.	5.9
WW3696WSCEDLL2	WW3696WSCEDRL2	Laminate	1679	35¹³⁄₁₆	95¹⁵⁄₁₆	1³⁄₁₆	—	—	106 lbs.	5.9
WW3696WSCEDLLL2	WW3696WSCEDRLL2	TFL	1342	35¹³⁄₁₆	95¹⁵⁄₁₆	1⅛	—	—	106 lbs.	5.9
WW3684WSCEDLW2	WW3684WSCEDRW2	Wood	$ 2248	35¹³⁄₁₆	83¹⁵⁄₁₆	1³⁄₁₆	—	—	93 lbs.	5.2
WW3684WSCEDLLW2	WW3684WSCEDRLW2	Laminate/Wood	2248	35¹³⁄₁₆	83¹⁵⁄₁₆	1³⁄₁₆	—	—	93 lbs.	5.2
WW3684WSCEDLL2	WW3684WSCEDRL2	Laminate	1583	35¹³⁄₁₆	83¹⁵⁄₁₆	1³⁄₁₆	—	—	93 lbs.	5.2
WW3684WSCEDLLL2	WW3684WSCEDRLL2	TFL	1267	35¹³⁄₁₆	83¹⁵⁄₁₆	1⅛	—	—	93 lbs.	5.2
WW3672WSCEDLW2	WW3672WSCEDRW2	Wood	$ 1784	35¹³⁄₁₆	72	1³⁄₁₆	—	—	79 lbs.	3.9
WW3672WSCEDLLW2	WW3672WSCEDRLW2	Laminate/Wood	1784	35¹³⁄₁₆	72	1³⁄₁₆	—	—	79 lbs.	3.9
WW3672WSCEDLL2	WW3672WSCEDRL2	Laminate	1487	35¹³⁄₁₆	72	1³⁄₁₆	—	—	79 lbs.	3.9
WW3672WSCEDLLL2	WW3672WSCEDRLL2	TFL	1190	35¹³⁄₁₆	72	1⅛	—	—	79 lbs.	3.9
WW3666WSCEDLW2	WW3666WSCEDRW2	Wood	$ 1723	35¹³⁄₁₆	66	1³⁄₁₆	—	—	72 lbs.	3.6
WW3666WSCEDLLW2	WW3666WSCEDRLW2	Laminate/Wood	1723	35¹³⁄₁₆	66	1³⁄₁₆	—	—	72 lbs.	3.6
WW3666WSCEDLL2	WW3666WSCEDRL2	Laminate	1414	35¹³⁄₁₆	66	1³⁄₁₆	—	—	72 lbs.	3.6
WW3666WSCEDLLL2	WW3666WSCEDRLL2	TFL	1131	35¹³⁄₁₆	66	1⅛	—	—	72 lbs.	3.6
WW3660WSCEDLW2	WW3660WSCEDRW2	Wood	$ 1608	35¹³⁄₁₆	60	1³⁄₁₆	—	—	65 lbs.	3.3
WW3660WSCEDLLW2	WW3660WSCEDRLW2	Laminate/Wood	1608	35¹³⁄₁₆	60	1³⁄₁₆	—	—	65 lbs.	3.3
WW3660WSCEDLL2	WW3660WSCEDRL2	Laminate	1342	35¹³⁄₁₆	60	1³⁄₁₆	—	—	65 lbs.	3.3
WW3660WSCEDLLL2	WW3660WSCEDRLL2	TFL	1074	35¹³⁄₁₆	60	1⅛	—	—	65 lbs.	3.3
WW3654WSCEDLW2	WW3654WSCEDRW2	Wood	$ 1549	35¹³⁄₁₆	54	1³⁄₁₆	—	—	58 lbs.	3.0
WW3654WSCEDLLW2	WW3654WSCEDRLW2	Laminate/Wood	1549	35¹³⁄₁₆	54	1³⁄₁₆	—	—	58 lbs.	3.0
WW3654WSCEDLL2	WW3654WSCEDRL2	Laminate	1300	35¹³⁄₁₆	54	1³⁄₁₆	—	—	58 lbs.	3.0
WW3654WSCEDLLL2	WW3654WSCEDRLL2	TFL	1038	35¹³⁄₁₆	54	1⅛	—	—	58 lbs.	3.0

- TFL worksurfaces are 1⅛" thick
- Wire Manager available on left side, back or right side; see page 361 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 554
- For additional worksurface support, specify Undersurface Support Rail, see page 550
- Modified width and depth not available on this shape
- Intended for use with 24" deep worksurfaces
- For undersurface wire managers, see page 765

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 362 for grommet locations; and page 361 for grommet options and upcharge
- Unsupported 1⅜" worksurface spans should not exceed 60"; see page 550 for support options
- Refer to pages 741-784 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Width
8. Laminate Top Color/ Veneer Top Finish
9. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN3672WSUDW	M	F	X	D1B440	X	MH	
WWN3672WSUDL	M	F440	X	D1B440	71½	440	
WWN3672WSUDLW	M	V	X	X	71½	440	MH

- See pages 356-361 for all options available in WaveWorks

U-SHAPED WORKSURFACE

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⅜" THICKNESS									
WWN3672WSUDW	Wood	$ 2179	36⅛	72	1⅜	—	—	79 lbs.	3.8
WWN3672WSUDLW	Laminate/Wood	2179	36⅛	72	1⅜	—	—	79 lbs.	3.8
WWN3672WSUDL	Laminate	1272	36⅛	72	1⅜	—	—	79 lbs.	3.8
WWN3072WSUDW	Wood	$ 1929	30⅛	72	1⅜	—	—	76 lbs.	3.6
WWN3072WSUDLW	Laminate/Wood	1929	30⅛	72	1⅜	—	—	76 lbs.	3.6
WWN3072WSUDL	Laminate	1018	30⅛	72	1⅜	—	—	76 lbs.	3.6
WWN3066WSUDW	Wood	$ 1832	30⅛	65¾	1⅜	—	—	70 lbs.	3.3
WWN3066WSUDLW	Laminate/Wood	1832	30⅛	65¾	1⅜	—	—	70 lbs.	3.3
WWN3066WSUDL	Laminate	926	30⅛	65¾	1⅜	—	—	70 lbs.	3.3
WWN2460WSUDW	Wood	$ 1257	24	60	1⅜	—	—	69 lbs.	2.8
WWN2460WSUDLW	Laminate/Wood	1257	24	60	1⅜	—	—	69 lbs.	2.8
WWN2460WSUDL	Laminate	778	24	60	1⅜	—	—	69 lbs.	2.8
WWN2448WSUDW	Wood	$ 1133	24	48⅛	1⅜	—	—	57 lbs.	2.3
WWN2448WSUDLW	Laminate/Wood	1133	24	48⅛	1⅜	—	—	57 lbs.	2.3
WWN2448WSUDL	Laminate	707	24	48⅛	1⅜	—	—	57 lbs.	2.3

- If not using worksurface with Exhibit wall rail, undersurface supports must be ordered separately (Support Bases, T support panels, etc.)
- To add full modesty panel, specify a panel that is 18" shorter than the width of the top; end panel, support base, and support base bracket must also be ordered
- Wire Manager available on back, the straight edge of the worksurface; see page 361 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 554
- Worksurfaces can be ordered in ⅛" increments in width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired width
- For additional worksurface support, specify Undersurface Support Rail, see page 550
- For undersurface wire managers, see page 765
- Not recommended for use with Epicenter slat wall

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 362 for grommet locations; and page 361 for grommet options and upcharge
- Unsupported 1⅜" worksurface spans should not exceed 48"; see page 550 for support options
- Refer to pages 741-784 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Width
8. Laminate Top Color/ Veneer Top Finish
9. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW3672WSUDW	M	F	X	D1B440	X	MH
WW3672WSUDL	M	F440	X	D1B440	71½	440
WW3672WSUDLW	M	V	X	X	71½	440 MH

- See pages 356-361 for all options available in WaveWorks

U-SHAPED WORKSURFACE (CONTINUED)

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⅜" THICKNESS									
WW3672WSUDW	Wood	$ 1992	36⅛	72	1⅜	—	—	79 lbs.	3.8
WW3672WSUDLW	Laminate/Wood	1992	36⅛	72	1⅜	—	—	79 lbs.	3.8
WW3672WSUDL	Laminate	1090	36⅛	72	1⅜	—	—	79 lbs.	3.8
WW3672WSUDLL	TFL	873	36⅛	72	1⅛	—	—	79 lbs.	3.8
WW3072WSUDW	Wood	$ 1747	30⅛	72	1⅜	—	—	76 lbs.	3.6
WW3072WSUDLW	Laminate/Wood	1747	30⅛	72	1⅜	—	—	76 lbs.	3.6
WW3072WSUDL	Laminate	838	30⅛	72	1⅜	—	—	76 lbs.	3.6
WW3072WSUDLL	TFL	671	30⅛	72	1⅛	—	—	76 lbs.	3.6
WW3066WSUDW	Wood	$ 1648	30⅛	65¾	1⅜	—	—	70 lbs.	3.3
WW3066WSUDLW	Laminate/Wood	1648	30⅛	65¾	1⅜	—	—	70 lbs.	3.3
WW3066WSUDL	Laminate	747	30⅛	65¾	1⅜	—	—	70 lbs.	3.3
WW3066WSUDLL	TFL	596	30⅛	65¾	1⅛	—	—	70 lbs.	3.3
WW2460WSUDW	Wood	$ 1074	24	60	1⅜	—	—	69 lbs.	2.8
WW2460WSUDLW	Laminate/Wood	1074	24	60	1⅜	—	—	69 lbs.	2.8
WW2460WSUDL	Laminate	600	24	60	1⅜	—	—	69 lbs.	2.8
WW2460WSUDLL	TFL	480	24	60	1⅛	—	—	69 lbs.	2.8
WW2448WSUDW	Wood	$ 947	24	48⅛	1⅜	—	—	57 lbs.	2.3
WW2448WSUDLW	Laminate/Wood	947	24	48⅛	1⅜	—	—	57 lbs.	2.3
WW2448WSUDL	Laminate	526	24	48⅛	1⅜	—	—	57 lbs.	2.3
WW2448WSUDLL	TFL	421	24	48⅛	1⅛	—	—	57 lbs.	2.3

- TFL worksurfaces are 1⅛" thick
- If not using worksurface with Exhibit wall rail, undersurface supports must be ordered separately (Support Bases, T support panels, etc.)
- To add full modesty panel, specify a panel that is 18" shorter than the width of the top; end panel, support base, and support base bracket must also be ordered
- Wire Manager available on back, the straight edge of the worksurface; see page 361 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 554
- Worksurfaces can be ordered in ⅛" increments in width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired width
- For additional worksurface support, specify Undersurface Support Rail, see page 550
- For undersurface wire managers, see page 765
- Not recommended for use with Epicenter slat wall

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 362 for grommet locations; and page 361 for grommet options and upcharge
- Unsupported 1⁹⁄₁₆" worksurface spans should not exceed 60"; see page 550 for support options
- Refer to pages 741-784 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Laminate Top Color/ Veneer Top Finish
8. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBER:

WWN3672WSUERW2 M V X X MC

- See pages 356-361 for all options available in WaveWorks

EXTENDED U-SHAPED WORKSURFACE



Left shown

MODEL NO./DESCRIPTION 1⁹⁄₁₆" THICKNESS LEFT	RIGHT		LIST PRICE	D	DIMENSIONS W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WWN4872WSUELW2	WWN4872WSUERW2	Wood	$ 2372	48	71¹⁵⁄₁₆	1⁹⁄₁₆	–	–	91 lbs.	5.4
WWN4872WSUELLW2	WWN4872WSUERLW2	Laminate/Wood	2372	48	71¹⁵⁄₁₆	1⁹⁄₁₆	–	–	91 lbs.	5.4
WWN4872WSUELL2	WWN4872WSUERL2	Laminate	1516	48	71¹⁵⁄₁₆	1⁹⁄₁₆	–	–	91 lbs.	5.4
WWN4872WSUELW3	WWN4872WSUERW3	Wood	$ 2452	48	71¹⁵⁄₁₆	1⁹⁄₁₆	–	–	91 lbs.	5.4
WWN4872WSUELLW3	WWN4872WSUERLW3	Laminate/Wood	2452	48	71¹⁵⁄₁₆	1⁹⁄₁₆	–	–	91 lbs.	5.4
WWN4872WSUELL3	WWN4872WSUERL3	Laminate	1572	48	71¹⁵⁄₁₆	1⁹⁄₁₆	–	–	91 lbs.	5.4
WWN3672WSUELW2	WWN3672WSUERW2	Wood	$ 2236	36⁹⁄₁₆	71¹⁵⁄₁₆	1⁹⁄₁₆	–	–	79 lbs.	3.8
WWN3672WSUELLW2	WWN3672WSUERLW2	Laminate/Wood	2236	36⁹⁄₁₆	71¹⁵⁄₁₆	1⁹⁄₁₆	–	–	79 lbs.	3.8
WWN3672WSUELL2	WWN3672WSUERL2	Laminate	1430	36⁹⁄₁₆	71¹⁵⁄₁₆	1⁹⁄₁₆	–	–	79 lbs.	3.8
WWN3672WSUELW3	WWN3672WSUERW3	Wood	$ 2312	36⁹⁄₁₆	71¹⁵⁄₁₆	1⁹⁄₁₆	–	–	79 lbs.	3.8
WWN3672WSUELLW3	WWN3672WSUERLW3	Laminate/Wood	2312	36⁹⁄₁₆	71¹⁵⁄₁₆	1⁹⁄₁₆	–	–	79 lbs.	3.8
WWN3672WSUELL3	WWN3672WSUERL3	Laminate	1483	36⁹⁄₁₆	71¹⁵⁄₁₆	1⁹⁄₁₆	–	–	79 lbs.	3.8

- Wire Manager available on back; see page 361 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 554
- Modified depth and width not available on this shape
- For undersurface wire managers, see page 765
- Not recommended for use with Epicenter slat wall
- Models ending in 2 – utilize with 24" deep worksurfaces
- Models ending in 3 – utilize with 30" deep worksurfaces

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 362 for grommet locations; and page 361 for grommet options and upcharge
- Unsupported 1³⁄₁₆" worksurface spans should not exceed 48"; see page 550 for support options
- Refer to pages 741-784 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Laminate Top Color/ Veneer Top Finish
8. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBER:

WW3672WSUERW2 M V X X MC

- See pages 356-361 for all options available in WaveWorks

EXTENDED U-SHAPED WORKSURFACE (CONTINUED)



Left shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1³⁄₁₆" THICKNESS										
LEFT	**RIGHT**									
WW4872WSUELW2	WW4872WSUERW2	Wood	$ 2135	48	71¹⁵⁄₁₆	1³⁄₁₆	—	—	91 lbs.	5.4
WW4872WSUELLW2	WW4872WSUERLW2	Laminate/Wood	2135	48	71¹⁵⁄₁₆	1³⁄₁₆	—	—	91 lbs.	5.4
WW4872WSUELL2	WW4872WSUERL2	Laminate	1365	48	71¹⁵⁄₁₆	1³⁄₁₆	—	—	91 lbs.	5.4
WW4872WSUELLL2	WW4872WSUERLL2	TFL	1091	48	71¹⁵⁄₁₆	1⅛	—	—	91 lbs.	5.4
WW4872WSUELW3	WW4872WSUERW3	Wood	$ 2208	48	71¹⁵⁄₁₆	1³⁄₁₆	—	—	91 lbs.	5.4
WW4872WSUELLW3	WW4872WSUERLW3	Laminate/Wood	2208	48	71¹⁵⁄₁₆	1³⁄₁₆	—	—	91 lbs.	5.4
WW4872WSUELL3	WW4872WSUERL3	Laminate	1416	48	71¹⁵⁄₁₆	1³⁄₁₆	—	—	91 lbs.	5.4
WW4872WSUELLL3	WW4872WSUERLL3	TFL	1135	48	71¹⁵⁄₁₆	1⅛	—	—	91 lbs.	5.4
WW3672WSUELW2	WW3672WSUERW2	Wood	$ 2015	36¹⁄₁₆	71¹⁵⁄₁₆	1³⁄₁₆	—	—	79 lbs.	3.8
WW3672WSUELLW2	WW3672WSUERLW2	Laminate/Wood	2015	36¹⁄₁₆	71¹⁵⁄₁₆	1³⁄₁₆	—	—	79 lbs.	3.8
WW3672WSUELL2	WW3672WSUERL2	Laminate	1287	36¹⁄₁₆	71¹⁵⁄₁₆	1³⁄₁₆	—	—	79 lbs.	3.8
WW3672WSUELLL2	WW3672WSUERLL2	TFL	1031	36¹⁄₁₆	71¹⁵⁄₁₆	1⅛	—	—	79 lbs.	3.8
WW3672WSUELW3	WW3672WSUERW3	Wood	$ 2082	36¹⁄₁₆	71¹⁵⁄₁₆	1³⁄₁₆	—	—	79 lbs.	3.8
WW3672WSUELLW3	WW3672WSUERLW3	Laminate/Wood	2082	36¹⁄₁₆	71¹⁵⁄₁₆	1³⁄₁₆	—	—	79 lbs.	3.8
WW3672WSUELL3	WW3672WSUERL3	Laminate	1335	36¹⁄₁₆	71¹⁵⁄₁₆	1³⁄₁₆	—	—	79 lbs.	3.8
WW3672WSUELLL3	WW3672WSUERLL3	TFL	1069	36¹⁄₁₆	71¹⁵⁄₁₆	1⅛	—	—	79 lbs.	3.8

- TFL worksurfaces are 1⅛" thick
- Wire Manager available on back; see page 361 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 554
- Modified depth and width not available on this shape
- For undersurface wire managers, see page 765
- Not recommended for use with Epicenter slat wall
- Models ending in 2 – utilize with 24" deep worksurfaces
- Models ending in 3 – utilize with 30" deep worksurfaces

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 362 for grommet locations; and page 361 for grommet options and upcharge
- Unsupported 1³⁄₁₆" worksurface spans should not exceed 48"; unsupported 1³⁄₁₆" worksurface spans should not exceed 60"; see page 550 for support options
- Refer to pages 741-784 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Width
8. Laminate Top Color/ Veneer Top Finish
9. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN3072WSPDLW	M	F	X	D1B440	59¹⁵⁄₁₆	AC	
WWN3072WSPDLLW	M	F	X	X	X	440	AC
WWN3072WSPDLL	M	V440	X	D1B440	X	440	

- See pages 356-361 for all options available in WaveWorks

P-SHAPED WORKSURFACE



Right shown

MODEL NO./DESCRIPTION LEFT	RIGHT		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1³⁄₁₆" TOP THICKNESS										
WWN3072WSPDLW	WWN3072WSPDRW	Wood	$ 2276	30¹⁄₁₆	72	1³⁄₁₆	—	—	69 lbs.	3.6
WWN3072WSPDLLW	WWN3072WSPDRLW	Lam/Wood	2276	30¹⁄₁₆	72	1³⁄₁₆	—	—	69 lbs.	3.6
WWN3072WSPDLL	WWN3072WSPDRL	Laminate	1626	30¹⁄₁₆	72	1³⁄₁₆	—	—	69 lbs.	3.6
1³⁄₁₆" TOP THICKNESS										
WW3072WSPDLW	WW3072WSPDRW	Wood	$ 2091	30¹⁄₁₆	72	1³⁄₁₆	—	—	69 lbs.	3.6
WW3072WSPDLLW	WW3072WSPDRLW	Lam/Wood	2091	30¹⁄₁₆	72	1³⁄₁₆	—	—	69 lbs.	3.6
WW3072WSPDLL	WW3072WSPDRL	Laminate	1444	30¹⁄₁₆	72	1³⁄₁₆	—	—	69 lbs.	3.6
WW3072WSPDLLL	WW3072WSPDRLL	TFL	1156	30¹⁄₁₆	72	1⅛	—	—	69 lbs.	3.6

- TFL worksurfaces are 1⅛" thick
- If not using worksurface with Exhibit wall rail, undersurface supports must be ordered separately (Support Bases, T support panels, etc.)
- To add full modesty panel, specify a panel that is 18" shorter than the width of the top; end panel, support base, and support base bracket must also be ordered
- Wire Manager available on back, the straight edge of the worksurface; see page 361 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 554
- Worksurfaces can be ordered in ¹⁄₁₆" increments in width to a minimum of 59¹⁵⁄₁₆" at no upcharge
- When ordering a worksurface with a size modification, specify desired width
- For additional worksurface support, specify Undersurface Support Rail, see page 550
- For undersurface wire managers, see page 765
- Not recommended for use with Epicenter slat wall

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 362 for grommet locations; and page 361 for grommet options and upcharge
- Unsupported 1³⁄₁₆" worksurface spans should not exceed 48"; unsupported 1³⁄₁₆" worksurface spans should not exceed 60"; see page 550 for support options
- Refer to pages 741-784 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Laminate Top Color/ Veneer Top Finish
8. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN3672WSPEDLW2	M	F	X	D1B440	59¹⁵⁄₁₆	AC
WWN3672WSPEDLLW2	M	F	X	X	X	440 AC
WWN3672WSPEDLL2	M	V440	X	D1B440	X	440

• See pages 356-361 for all options available in WaveWorks

EXTENDED CORNER P-SHAPED WORKSURFACE



Left shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1³⁄₁₆" TOP THICKNESS										
LEFT	**RIGHT**									
WWN3672WSPEDLW2	WWN3672WSPEDRW2	Wood	$ 2528	35³⁄₁₆	72	1³⁄₁₆	—	—	73 lbs.	4.9
WWN3672WSPEDLLW2	WWN3672WSPEDRLW2	Laminate/Wood	2528	35³⁄₁₆	72	1³⁄₁₆	—	—	73 lbs.	4.9
WWN3672WSPEDLL2	WWN3672WSPEDRL2	Laminate	1815	35³⁄₁₆	72	1³⁄₁₆	—	—	73 lbs.	4.9
WWN3672WSPEDLW3	WWN3672WSPEDRW3	Wood	$ 2598	35³⁄₁₆	72	1³⁄₁₆	—	—	73 lbs.	4.9
WWN3672WSPEDLLW3	WWN3672WSPEDRLW3	Laminate/Wood	2598	35³⁄₁₆	72	1³⁄₁₆	—	—	73 lbs.	4.9
WWN3672WSPEDLL3	WWN3672WSPEDRL3	Laminate	1863	35³⁄₁₆	72	1³⁄₁₆	—	—	73 lbs.	4.9
1³⁄₁₆" TOP THICKNESS										
LEFT	**RIGHT**									
WW3672WSPEDLW2	WW3672WSPEDRW2	Wood	$ 2344	35³⁄₁₆	72	1³⁄₁₆	—	—	73 lbs.	4.9
WW3672WSPEDLLW2	WW3672WSPEDRLW2	Laminate/Wood	2344	35³⁄₁₆	72	1³⁄₁₆	—	—	73 lbs.	4.9
WW3672WSPEDLL2	WW3672WSPEDRL2	Laminate	1630	35³⁄₁₆	72	1³⁄₁₆	—	—	73 lbs.	4.9
WW3672WSPEDLLL2	WW3672WSPEDRLL2	TFL	1306	35³⁄₁₆	72	1⅛	—	—	73 lbs.	4.9
WW3672WSPEDLW3	WW3672WSPEDRW3	Wood	$ 2413	35³⁄₁₆	72	1³⁄₁₆	—	—	73 lbs.	4.9
WW3672WSPEDLLW3	WW3672WSPEDRLW3	Laminate/Wood	2413	35³⁄₁₆	72	1³⁄₁₆	—	—	73 lbs.	4.9
WW3672WSPEDLL3	WW3672WSPEDRL3	Laminate	1681	35³⁄₁₆	72	1³⁄₁₆	—	—	73 lbs.	4.9
WW3672WSPEDLLL3	WW3672WSPEDRLL3	TFL	1344	35³⁄₁₆	72	1⅛	—	—	73 lbs.	4.9

- TFL worksurfaces are 1⅛" thick
- If not using worksurface with Exhibit wall rail, undersurface supports must be ordered separately (Support Bases, T support panels, etc.)
- Models ending in 2 - utilize with 24" deep worksurfaces
- Models ending in 3 - utilize with 30" deep worksurfaces
- To add full modesty panel, specify a panel that is 18" shorter than the width of the top; end panel, support base, and support base bracket must also be ordered
- Wire Manager available on back, the straight edge of the worksurface; see page 361 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 554
- For additional worksurface support, specify Undersurface Support Rail, see page 550
- Modified width and depth not available on this shape
- For undersurface wire managers, see page 765

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 362 for grommet locations; and page 361 for grommet options and upcharge
- Unsupported 1⅜" worksurface spans should not exceed 60"; see page 550 for support options
- Refer to pages 741-784 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Laminate Top Color/ Veneer Top Finish
8. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN4272WSCSDW2	M	F	X	D1B440	AC	
WWN4242WSCSDLW2	M	F	X	X	440	AC
WWN4242WSCSDL2	M	V440	X	X	AC2	

- See pages 356-361 for all options available in WaveWorks

CORNER WORKSURFACE



Grain direction runs diagonally

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⅜" TOP THICKNESS									
WWN4242WSCSDW2	Wood	$ 1636	42⅛	42⅛	1⅜	—	—	59 lbs.	3.8
WWN4242WSCSDLW2	Laminate/Wood	1636	42⅛	42⅛	1⅜	—	—	59 lbs.	3.8
WWN4242WSCSDL2	Laminate	1090	42⅛	42⅛	1⅜	—	—	59 lbs.	3.8
• Will accommodate 24" deep extension worksurfaces on both sides									
WWN4242WSCSDW3	Wood	$ 1827	42⅛	42⅛	1⅜	—	—	59 lbs.	3.8
WWN4242WSCSDLW3	Laminate/Wood	1827	42⅛	42⅛	1⅜	—	—	59 lbs.	3.8
WWN4242WSCSDL3	Laminate	1214	42⅛	42⅛	1⅜	—	—	59 lbs.	3.8
• Will accommodate 30" deep extension worksurfaces on both sides									
WWN4242WSCSDW7	Wood	$ 1827	42⅛	42⅛	1⅜	—	—	59 lbs.	3.8
WWN4242WSCSDLW7	Laminate/Wood	1827	42⅛	42⅛	1⅜	—	—	59 lbs.	3.8
WWN4242WSCSDL7	Laminate	1214	42⅛	42⅛	1⅜	—	—	59 lbs.	3.8
• Will accommodate 1 left 30" deep and 1 right 24" deep extension worksurface									
WWN4242WSCSDW9	Wood	$ 1827	42⅛	42⅛	1⅜	—	—	59 lbs.	3.8
WWN4242WSCSDLW9	Laminate/Wood	1827	42⅛	42⅛	1⅜	—	—	59 lbs.	3.8
WWN4242WSCSDL9	Laminate	1214	42⅛	42⅛	1⅜	—	—	59 lbs.	3.8
• Will accommodate 1 left 24" deep and 1 right 30" deep extension worksurface									
WWN3636WSCSDW2	Wood	$ 1517	36⅛	36⅛	1⅜	—	—	45 lbs.	3.8
WWN3636WSCSDLW2	Laminate/Wood	1517	36⅛	36⅛	1⅜	—	—	45 lbs.	3.8
WWN3636WSCSDL2	Laminate	1014	36⅛	36⅛	1⅜	—	—	45 lbs.	3.8
• Will accommodate 24" deep extension worksurfaces on both sides									

- Grain direction runs diagonally
- If not using worksurface with Exhibit wall rail, undersurface supports must be ordered separately (Support Bases, T support panels, etc.)
- 42" corner worksurfaces have 25" on front edge
- 36" corner worksurfaces have 17" on front edge
- Corner worksurface assembled to corner unit is not intended for freestanding unit
- Wire Manager available on left side, right side or left & right sides; see page 361 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 554
- Modified width and depth not available on this shape
- For undersurface wire managers, see page 765

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 362 for grommet locations; and page 361 for grommet options and upcharge
- Unsupported 1⅜" worksurface spans should not exceed 48"; see page 550 for support options
- Refer to pages 741-784 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Laminate Top Color/ Veneer Top Finish
8. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW4242WSCSDW2	M	F	X	D1B440	AC	
WW4242WSCSDLW2	M	F	X	X	440	AC
WW4242WSCSDL2	M	V440	X	X	AC2	

- See pages 356-361 for all options available in WaveWorks

CORNER WORKSURFACE (CONTINUED)



Grain direction runs diagonally

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⅜" TOP THICKNESS									
WW4242WSCSDW2	Wood	$ 1449	42⅛	42⅛	1⅜	—	—	59 lbs.	3.8
WW4242WSCSDLW2	Laminate/Wood	1449	42⅛	42⅛	1⅜	—	—	59 lbs.	3.8
WW4242WSCSDL2	Laminate	910	42⅛	42⅛	1⅜	—	—	59 lbs.	3.8
WW4242WSCSDLL2	TFL	728	42⅛	42⅛	1⅛	—	—	59 lbs.	3.8
• Will accommodate 24" deep extension worksurfaces on both sides									
WW4242WSCSDW3	Wood	$ 1594	42⅛	42⅛	1⅜	—	—	59 lbs.	3.8
WW4242WSCSDLW3	Laminate/Wood	1594	42⅛	42⅛	1⅜	—	—	59 lbs.	3.8
WW4242WSCSDL3	Laminate	1003	42⅛	42⅛	1⅜	—	—	59 lbs.	3.8
WW4242WSCSDLL3	TFL	802	42⅛	42⅛	1⅛	—	—	59 lbs.	3.8
• Will accommodate 30" deep extension worksurfaces on both sides									
WW4242WSCSDW7	Wood	$ 1594	42⅛	42⅛	1⅜	—	—	59 lbs.	3.8
WW4242WSCSDLW7	Laminate/Wood	1594	42⅛	42⅛	1⅜	—	—	59 lbs.	3.8
WW4242WSCSDL7	Laminate	1003	42⅛	42⅛	1⅜	—	—	59 lbs.	3.8
WW4242WSCSDLL7	TFL	802	42⅛	42⅛	1⅛	—	—	59 lbs.	3.8
• Will accommodate 1 left 30" deep and 1 right 24" deep extension worksurface									
WW4242WSCSDW9	Wood	$ 1594	42⅛	42⅛	1⅜	—	—	59 lbs.	3.8
WW4242WSCSDLW9	Laminate/Wood	1594	42⅛	42⅛	1⅜	—	—	59 lbs.	3.8
WW4242WSCSDL9	Laminate	1003	42⅛	42⅛	1⅜	—	—	59 lbs.	3.8
WW4242WSCSDLL9	TFL	802	42⅛	42⅛	1⅛	—	—	59 lbs.	3.8
• Will accommodate 1 left 24" deep and 1 right 30" deep extension worksurface									
WW3636WSCSDW2	Wood	$ 1333	36⅛	36⅛	1⅜	—	—	45 lbs.	3.8
WW3636WSCSDLW2	Laminate/Wood	1333	36⅛	36⅛	1⅜	—	—	45 lbs.	3.8
WW3636WSCSDL2	Laminate	835	36⅛	36⅛	1⅜	—	—	45 lbs.	3.8
WW3636WSCSDLL2	TFL	669	36⅛	36⅛	1⅛	—	—	45 lbs.	3.8
• Will accommodate 24" deep extension worksurfaces on both sides									

- TFL worksurfaces are 1⅛" thick
- Grain direction runs diagonally
- If not using worksurface with Exhibit wall rail, undersurface supports must be ordered separately (Support Bases, T support panels, etc.)
- 42" corner worksurfaces have 25" on front edge
- 36" corner worksurfaces have 17" on front edge
- Corner worksurface assembled to corner unit is not intended for freestanding unit
- Wire Manager available on left side, right side or left & right sides; see page 361 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 554
- Modified width and depth not available on this shape
- For undersurface wire managers, see page 765

WAVEWORKS

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to page 362 for grommet locations; and page 361 for grommet options and upcharge
- Unsupported 1³⁄₁₆" worksurface spans should not exceed 48"; unsupported 1⁹⁄₁₆" worksurface spans should not exceed 60"; see page 550 for support options
- Refer to pages 741-784 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Grommet
5. Wire Manager
6. Laminate Top Color/ Veneer Top Finish
7. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN60WSHRDW	M	F	X	D1B440	MH	
WWN60WSHRDLW	M	F	X	X	MH	MH
WWN60WSHRDL	M	V440	X	D1B440	MH	

- See pages 356-361 for all options available in WaveWorks

HALF ROUND WORKSURFACE



MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⁹⁄₁₆" TOP THICKNESS									
WWN60WSHRDW	Wood	$ 1207	30	60	1⁹⁄₁₆	—	—	69 lbs.	2.8
WWN60WSHRDLW	Laminate/Wood	1207	30	60	1⁹⁄₁₆	—	—	69 lbs.	2.8
WWN60WSHRDL	Laminate	767	30	60	1⁹⁄₁₆	—	—	69 lbs.	2.8
WWN48WSHRDW	Wood	$ 1036	24	48¹⁄₁₆	1⁹⁄₁₆	—	—	57 lbs.	2.3
WWN48WSHRDLW	Laminate/Wood	1036	24	48¹⁄₁₆	1⁹⁄₁₆	—	—	57 lbs.	2.3
WWN48WSHRDL	Laminate	668	24	48¹⁄₁₆	1⁹⁄₁₆	—	—	57 lbs.	2.3
1³⁄₁₆" TOP THICKNESS									
WW60WSHRDW	Wood	$ 1027	30	60	1³⁄₁₆	—	—	69 lbs.	2.8
WW60WSHRDLW	Laminate/Wood	1027	30	60	1³⁄₁₆	—	—	69 lbs.	2.8
WW60WSHRDL	Laminate	587	30	60	1³⁄₁₆	—	—	69 lbs.	2.8
WW60WSHRDLL	TFL	471	30	60	1⅛	—	—	69 lbs.	2.8
WW48WSHRDW	Wood	$ 853	24	48¹⁄₁₆	1³⁄₁₆	—	—	57 lbs.	2.3
WW48WSHRDLW	Laminate/Wood	853	24	48¹⁄₁₆	1³⁄₁₆	—	—	57 lbs.	2.3
WW48WSHRDL	Laminate	490	24	48¹⁄₁₆	1³⁄₁₆	—	—	57 lbs.	2.3
WW48WSHRDLL	TFL	393	24	48¹⁄₁₆	1⅛	—	—	57 lbs.	2.3

- TFL worksurfaces are 1⅛" thick
- Rim profile on radius edge of surface only
- Only available grommet option is center location
- Do not specify worksurface type
- Wire Manager available on back side-the straight side of the worksurface; see page 361 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 554
- Modified width and depth not available on this shape
- For undersurface wire managers, see page 765

PRODUCT SPECIFICATIONS

- Rim on radius edge of laminate and wood worksurfaces
- Component worksurfaces can be used with assembled units
- Unsupported 1⅜" worksurface spans should not exceed 60"; see page 550 for support options
- Refer to pages 741-784 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Laminate Top Color/ Veneer Top Finish
5. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN2424WSQRW	R	HN	
WWN2424WSQRL	V405	405	
WWN2424WSQRLW	R	405	HN

- See pages 356-361 for all options available in WaveWorks

QUARTER ROUND WORKSURFACE



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⅜" TOP THICKNESS									
WWN2424WSQRW	Wood	$ 1021	24	24	1⅜	—	—	25 lbs.	1.1
WWN2424WSQRLW	Laminate/Wood	1021	24	24	1⅜	—	—	25 lbs.	1.1
WWN2424WSQRL	Laminate	657	24	24	1⅜	—	—	25 lbs.	1.1
• Utilize with 24" deep worksurfaces									
WWN3030WSQRW	Wood	$ 1189	30⅛	30⅛	1⅜	—	—	33 lbs.	2.0
WWN3030WSQRLW	Laminate/Wood	1189	30⅛	30⅛	1⅜	—	—	33 lbs.	2.0
WWN3030WSQRL	Laminate	754	30⅛	30⅛	1⅜	—	—	33 lbs.	2.0
• Utilize with 30" deep worksurfaces									
WWN3024WSQRW	Wood	$ 1667	30⅛	24	1⅜	—	—	33 lbs.	2.0
WWN3024WSQRLW	Laminate/Wood	1667	30⅛	24	1⅜	—	—	33 lbs.	2.0
WWN3024WSQRL	Laminate	1113	30⅛	24	1⅜	—	—	33 lbs.	2.0
• Utilize with 24" deep worksurface on left and 30" deep worksurface on right									
WWN2430WSQRW	Wood	$ 1667	24	30⅛	1⅜	—	—	33 lbs.	2.0
WWN2430WSQRLW	Laminate/Wood	1667	24	30⅛	1⅜	—	—	33 lbs.	2.0
WWN2430WSQRL	Laminate	1113	24	30⅛	1⅜	—	—	33 lbs.	2.0
• Utilize with 30" deep worksurface on left and 24" deep worksurface on right									

- Rim profile on radius edge of worksurface only
- Grommet option not available

WAVEWORKS

PRODUCT SPECIFICATIONS

- Rim on radius edge of laminate and wood worksurfaces
- Component worksurfaces can be used with assembled units
- Unsupported 1⅜" worksurface spans should not exceed 48"; see page 550 for support options
- Refer to pages 741-784 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Laminate Top Color/ Veneer Top Finish
5. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW2424WSQRW	R	HN	
WW2424WSQRL	V405	405	
WW2424WSQRLW	R	405	HN

• See pages 356-361 for all options available in WaveWorks

QUARTER ROUND WORKSURFACE (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⅜" TOP THICKNESS									
WW2424WSQRW	Wood	$ 834	24	24	1⅜	—	—	25 lbs.	1.1
WW2424WSQRLW	Laminate/Wood	834	24	24	1⅜	—	—	25 lbs.	1.1
WW2424WSQRL	Laminate	477	24	24	1⅜	—	—	25 lbs.	1.1
WW2424WSQRLL	TFL	382	24	24	1⅛	—	—	25 lbs.	1.1
• Utilize with 24" deep worksurfaces									
WW3030WSQRW	Wood	$ 1003	30⅛	30⅛	1⅜	—	—	33 lbs.	2.0
WW3030WSQRLW	Laminate/Wood	1003	30⅛	30⅛	1⅜	—	—	33 lbs.	2.0
WW3030WSQRL	Laminate	575	30⅛	30⅛	1⅜	—	—	33 lbs.	2.0
WW3030WSQRLL	TFL	459	30⅛	30⅛	1⅛	—	—	33 lbs.	2.0
• Utilize with 30" deep worksurfaces									
WW3024WSQRW	Wood	$ 1528	30⅛	24	1⅜	—	—	33 lbs.	2.0
WW3024WSQRLW	Laminate/Wood	1528	30⅛	24	1⅜	—	—	33 lbs.	2.0
WW3024WSQRL	Laminate	960	30⅛	24	1⅜	—	—	33 lbs.	2.0
WW3024WSQRLL	TFL	768	30⅛	24	1⅛	—	—	33 lbs.	2.0
• Utilize with 24" deep worksurface on left and 30" deep worksurface on right									
WW2430WSQRW	Wood	$ 1528	24	30⅛	1⅜	—	—	33 lbs.	2.0
WW2430WSQRLW	Laminate/Wood	1528	24	30⅛	1⅜	—	—	33 lbs.	2.0
WW2430WSQRL	Laminate	960	24	30⅛	1⅜	—	—	33 lbs.	2.0
WW2430WSQRLL	TFL	768	24	30⅛	1⅛	—	—	33 lbs.	2.0
• Utilize with 30" deep worksurface on left and 24" deep worksurface on right									

- TFL worksurfaces are 1⅛" thick
- Rim profile on radius edge of worksurface only
- Grommet option not available

PRODUCT SPECIFICATIONS

- Standard round or racetrack grommet available in center location for an upcharge
- NACG10 and NACG10EL can be ordered separately and field installed
- Refer to pages 665-668 for applicable bases

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Grommet
5. Laminate Top Color/ Veneer Top Finish
6. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN36WSRNW	F	MC	
WWN36WSRNLW	F	440	MH
WWN36WSRNL	V440	440	

- See pages 356-361 for all options available in WaveWorks

ROUND TABLE TOP 1⅜" THICK

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
30" ROUND	**1⅜" TOP THICKNESS**		**DI**		**H**				
WWN30WSRNW	Wood	$ 1000	30⅛	–	1⅜	–	–	33 lbs.	2.0
WWN30WSRNLW	Laminate/Wood	1000	30⅛	–	1⅜	–	–	33 lbs.	2.0
WWN30WSRNL	Laminate	520	30⅛	–	1⅜	–	–	33 lbs.	2.0
36" ROUND									
WWN36WSRNW	Wood	$ 1177	36⅛	–	1⅜	–	–	40 lbs.	3.0
WWN36WSRNLW	Laminate/Wood	1177	36⅛	–	1⅜	–	–	40 lbs.	3.0
WWN36WSRNL	Laminate	611	36⅛	–	1⅜	–	–	40 lbs.	3.0
42" ROUND									
WWN42WSRNW	Wood	$ 1368	42⅛	–	1⅜	–	–	54 lbs.	3.8
WWN42WSRNLW	Laminate/Wood	1368	42⅛	–	1⅜	–	–	54 lbs.	3.8
WWN42WSRNL	Laminate	734	42⅛	–	1⅜	–	–	54 lbs.	3.8
48" ROUND									
WWN48WSRNW	Wood	$ 1520	48⅛	–	1⅜	–	–	71 lbs.	4.5
WWN48WSRNLW	Laminate/Wood	1520	48⅛	–	1⅜	–	–	71 lbs.	4.5
WWN48WSRNL	Laminate	826	48⅛	–	1⅜	–	–	71 lbs.	4.5

- Zip rim does not have "run-out" on round tops
- Reference pages 665-668 for applicable bases
- See the Tables Price List for coordinating conference table tops

WAVEWORKS

PRODUCT SPECIFICATIONS

- Standard round or racetrack grommet available in center location for an upcharge
- NACG10 and NACG10EL can be ordered separately and field installed
- Refer to pages 665-668 for applicable bases

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Grommet
5. Laminate Top Color/ Veneer Top Finish
6. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW36WSRNW	F	MC	
WW36WSRNLW	F	440	MH
WW36WSRNL	V440	440	

- See pages 356-361 for all options available in WaveWorks

ROUND TABLE TOP 1⅜" THICK

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
30" ROUND	**1⅜" TOP THICKNESS**		**DI**		**H**				
WW30WSRNW	Wood	$ 842	30⅛	–	1⅜	–	–	33 lbs.	2.0
WW30WSRNLW	Laminate/Wood	842	30⅛	–	1⅜	–	–	33 lbs.	2.0
WW30WSRNL	Laminate	367	30⅛	–	1⅜	–	–	33 lbs.	2.0
WW30WSRNLL	TFL	295	30⅛	–	1⅛	–	–	33 lbs.	2.0
36" ROUND									
WW36WSRNW	Wood	$ 992	36⅛	–	1⅜	–	–	40 lbs.	3.0
WW36WSRNLW	Laminate/Wood	992	36⅛	–	1⅜	–	–	40 lbs.	3.0
WW36WSRNL	Laminate	430	36⅛	–	1⅜	–	–	40 lbs.	3.0
WW36WSRNLL	TFL	347	36⅛	–	1⅛	–	–	40 lbs.	3.0
42" ROUND									
WW42WSRNW	Wood	$ 1184	42⅛	–	1⅜	–	–	54 lbs.	3.8
WW42WSRNLW	Laminate/Wood	1184	42⅛	–	1⅜	–	–	54 lbs.	3.8
WW42WSRNL	Laminate	556	42⅛	–	1⅜	–	–	54 lbs.	3.8
WW42WSRNLL	TFL	446	42⅛	–	1⅛	–	–	54 lbs.	3.8
48" ROUND									
WW48WSRNW	Wood	$ 1335	48⅛	–	1⅜	–	–	71 lbs.	4.5
WW48WSRNLW	Laminate/Wood	1335	48⅛	–	1⅜	–	–	71 lbs.	4.5
WW48WSRNL	Laminate	648	48⅛	–	1⅜	–	–	71 lbs.	4.5
WW48WSRNLL	TFL	519	48⅛	–	1⅛	–	–	71 lbs.	4.5

- TFL worksurfaces are 1⅛" thick
- Zip rim does not have "run-out" on round tops
- Reference pages 665-668 for applicable bases
- See the Tables Price List for coordinating conference table tops

PRODUCT SPECIFICATIONS

- Standard round or racetrack grommet available in center location for an upcharge
- NACG10 and NACG10EL can be ordered separately and field installed
- Refer to pages 665-668 for applicable bases

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Grommet
5. Laminate Top Color/ Veneer Top Finish
6. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN3636WSSQW	F	MC	
WWN3636WSSQLW	F	440	MH
WWN3636WSSQL	V440	440	

- See pages 356-361 for all options available in WaveWorks

SQUARE TABLE TOP 1⅜" THICK



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
30" SQUARE	**1⅜" TOP THICKNESS**								
WWN3030WSSQW	Wood	$ 989	30 1/16	30 1/16	1 3/16	–	–	33 lbs.	2.0
WWN3030WSSQLW	Laminate/Wood	989	30 1/16	30 1/16	1 3/16	–	–	33 lbs.	2.0
WWN3030WSSQL	Laminate	525	30 1/16	30 1/16	1 3/16	–	–	33 lbs.	2.0
36" SQUARE									
WWN3636WSSQW	Wood	$ 1163	36 1/16	36 1/16	1 3/16	–	–	45 lbs.	3.0
WWN3636WSSQLW	Laminate/Wood	1163	36 1/16	36 1/16	1 3/16	–	–	45 lbs.	3.0
WWN3636WSSQL	Laminate	615	36 1/16	36 1/16	1 3/16	–	–	45 lbs.	3.0
42" SQUARE									
WWN4242WSSQW	Wood	$ 1343	42 1/16	42 1/16	1 3/16	–	–	59 lbs.	3.8
WWN4242WSSQLW	Laminate/Wood	1343	42 1/16	42 1/16	1 3/16	–	–	59 lbs.	3.8
WWN4242WSSQL	Laminate	728	42 1/16	42 1/16	1 3/16	–	–	59 lbs.	3.8
48" SQUARE									
WWN4848WSSQW	Wood	$ 1498	48 1/16	48 1/16	1 3/16	–	–	76 lbs.	4.5
WWN4848WSSQLW	Laminate/Wood	1498	48 1/16	48 1/16	1 3/16	–	–	76 lbs.	4.5
WWN4848WSSQL	Laminate	817	48 1/16	48 1/16	1 3/16	–	–	76 lbs.	4.5

- Reference pages 665-668 for applicable bases
- See the Tables Price List for coordinating conference table tops

WAVEWORKS

PRODUCT SPECIFICATIONS

- Standard round or racetrack grommet available in center location for an upcharge
- NACG10 and NACG10EL can be ordered separately and field installed
- Refer to pages 665-668 for applicable bases
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Grommet
5. Laminate Top Color/ Veneer Top Finish
6. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW3036WSSQW F MC
WW3036WSSQLW F 440 MH
WW3036WSSQL V440 440

- See pages 356-361 for all options available in WaveWorks

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

SQUARE TABLE TOP 1⅜" THICK



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
30" SQUARE	**1⅜" TOP THICKNESS**								
WW3030WSSQW	Wood	$ 833	30⅛	30⅛	1⅜	–	–	33 lbs.	2.0
WW3030WSSQLW	Laminate/Wood	833	30⅛	30⅛	1⅜	–	–	33 lbs.	2.0
WW3030WSSQL	Laminate	360	30⅛	30⅛	1⅜	–	–	33 lbs.	2.0
WW3030WSSQLL	TFL	288	30⅛	30⅛	1⅛	–	–	33 lbs.	2.0
36" SQUARE									
QWW3636WSSQW	Wood	$ 979	36⅛	36⅛	1⅜	–	–	45 lbs.	3.0
WW3636WSSQW	Wood	979	36⅛	36⅛	1⅜	–	–	45 lbs.	3.0
WW3636WSSQLW	Laminate/Wood	979	36⅛	36⅛	1⅜	–	–	45 lbs.	3.0
WW3636WSSQL	Laminate	422	36⅛	36⅛	1⅜	–	–	45 lbs.	3.0
QWW3636WSSQLL	TFL	339	36⅛	36⅛	1⅛	–	–	45 lbs.	3.0
WW3636WSSQLL	TFL	339	36⅛	36⅛	1⅛	–	–	45 lbs.	3.0
42" SQUARE									
WW4242WSSQW	Wood	$ 1158	42⅛	42⅛	1⅜	–	–	59 lbs.	3.8
WW4242WSSQLW	Laminate/Wood	1158	42⅛	42⅛	1⅜	–	–	59 lbs.	3.8
WW4242WSSQL	Laminate	551	42⅛	42⅛	1⅜	–	–	59 lbs.	3.8
WW4242WSSQLL	TFL	441	42⅛	42⅛	1⅛	–	–	59 lbs.	3.8
48" SQUARE									
WW4848WSSQW	Wood	$ 1316	48⅛	48⅛	1⅜	–	–	76 lbs.	4.5
WW4848WSSQLW	Laminate/Wood	1316	48⅛	48⅛	1⅜	–	–	76 lbs.	4.5
WW4848WSSQL	Laminate	634	48⅛	48⅛	1⅜	–	–	76 lbs.	4.5
WW4848WSSQLL	TFL	507	48⅛	48⅛	1⅛	–	–	76 lbs.	4.5

- TFL worksurfaces are 1⅛" thick
- Reference pages 665-668 for applicable bases
- See the Tables Price List for coordinating conference table tops

PRODUCT SPECIFICATIONS

- Rim on all 4 sides of component worksurfaces
- Component worksurfaces can be used with assembled units
- If specifying wood you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. End Panel Usage
5. Laminate Top Color (laminate models)
6. Finish (wood models)

SAMPLE MODEL NUMBERS:

WWN48110CMPTW	F	0EP	AD	
WWN48110CMPTLW	V	MH	1EP	MH
WWN48110CMPTL	VMH	2EP	MH	

- See pages 356-361 for all options available in WaveWorks

COMPONENT TOP (MODULAR STORAGE) 48" DEPTH



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⁹⁄₁₆" TOP THICKNESS									
WWN48110CMPTW	Wood	$ 2268	47½	110³⁄₁₆	1⁹⁄₁₆	—	—	lbs.	
WWN48110CMPTLW	Laminate/Wood	2268	47½	110³⁄₁₆	1⁹⁄₁₆	—	—	lbs.	
WWN48110CMPTL	Laminate	1544	47½	110³⁄₁₆	1⁹⁄₁₆	—	—	lbs.	
WWN48104CMPTW	Wood	$ 2198	47½	104³⁄₁₆	1⁹⁄₁₆	—	—	lbs.	
WWN48104CMPTLW	Laminate/Wood	2198	47½	104³⁄₁₆	1⁹⁄₁₆	—	—	lbs.	
WWN48104CMPTL	Laminate	1509	47½	104³⁄₁₆	1⁹⁄₁₆	—	—	lbs.	
WWN4898CMPTW	Wood	$ 2125	47½	98¼	1⁹⁄₁₆	—	—	lbs.	
WWN4898CMPTLW	Laminate/Wood	2125	47½	98¼	1⁹⁄₁₆	—	—	lbs.	
WWN4898CMPTL	Laminate	1473	47½	98¼	1⁹⁄₁₆	—	—	lbs.	
WWN4892CMPTW	Wood	$ 2064	47½	92¼	1⁹⁄₁₆	—	—	lbs.	
WWN4892CMPTLW	Laminate/Wood	2064	47½	92¼	1⁹⁄₁₆	—	—	lbs.	
WWN4892CMPTL	Laminate	1440	47½	92¼	1⁹⁄₁₆	—	—	lbs.	
WWN4874CMPTW	Wood	$ 1751	47½	74⁵⁄₁₆	1⁹⁄₁₆	—	—	lbs.	
WWN4874CMPTLW	Laminate/Wood	1751	47½	74⁵⁄₁₆	1⁹⁄₁₆	—	—	lbs.	
WWN4874CMPTL	Laminate	1231	47½	74⁵⁄₁₆	1⁹⁄₁₆	—	—	lbs.	
WWN4868CMPTW	Wood	$ 1714	47½	68⁵⁄₁₆	1⁹⁄₁₆	—	—	lbs.	
WWN4868CPTLW	Laminate/Wood	1714	47½	68⁵⁄₁₆	1⁹⁄₁₆	—	—	lbs.	
WWN4868CMPTL	Laminate	1188	47½	68⁵⁄₁₆	1⁹⁄₁₆	—	—	lbs.	
WWN4862CMPTW	Wood	$ 1681	47½	62⁵⁄₁₆	1⁹⁄₁₆	—	—	lbs.	
WWN4862CMPTLW	Laminate/Wood	1681	47½	62⁵⁄₁₆	1⁹⁄₁₆	—	—	lbs.	
WWN4862CMPTL	Laminate	1162	47½	62⁵⁄₁₆	1⁹⁄₁₆	—	—	lbs.	
WWN4838CMPTW	Wood	$ 1487	47½	38⅜	1⁹⁄₁₆	—	—	lbs.	
WWN4838CMPTLW	Laminate/Wood	1487	47½	38⅜	1⁹⁄₁₆	—	—	lbs.	
WWN4838CMPTL	Laminate	919	47½	38⅜	1⁹⁄₁₆	—	—	lbs.	
WWN4832CMPTW	Wood	$ 1241	47½	32⅜	1⁹⁄₁₆	—	—	lbs.	
WWN4832CMPTLW	Laminate/Wood	1241	47½	32⅜	1⁹⁄₁₆	—	—	lbs.	
WWN4832CMPTL	Laminate	681	47½	32⅜	1⁹⁄₁₆	—	—	lbs.	

- For use when specifying modular storage/lateral files back to back
- Specify 2EP when using 2 end panels, 1EP with 1 end panel, and OEP when not using end panels. Worksurface will be sized appropriately
- See page 549 for end panel

WAVEWORKS

PRODUCT SPECIFICATIONS

- Rim on all 4 sides of component worksurfaces
- Component worksurfaces can be used with assembled units
- If specifying wood you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. End Panel Usage
5. Laminate Top Color (laminate models)
6. Finish (wood models)

SAMPLE MODEL NUMBERS:

WW48110CMPTW	F	0EP	AD	
WW48110CMPTLW	V	MH	1EP	MH
WW48110CMPTL	VMH	2EP	MH	

• See pages 356-361 for all options available in WaveWorks

COMPONENT TOP (MODULAR STORAGE) 48" DEPTH (CONTINUED)



1⅜" TOP THICKNESS

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WW48110CMPTW	Wood	$ 2097	47½	110³⁄₁₆	1³⁄₁₆	–	–	lbs.	
WW48110CMPTLW	Laminate/Wood	2097	47½	110³⁄₁₆	1³⁄₁₆	–	–	lbs.	
WW48110CMPTL	Laminate	1373	47½	110³⁄₁₆	1³⁄₁₆	–	–	lbs.	
WW48110CMPTLL	TFL	1229	47½	110³⁄₁₆	1³⁄₁₆	–	–	lbs.	
WW48104CMPTW	Wood	$ 2024	47½	104³⁄₁₆	1³⁄₁₆	–	–	lbs.	
WW48104CMPTLW	Laminate/Wood	2024	47½	104³⁄₁₆	1³⁄₁₆	–	–	lbs.	
WW48104CMPTL	Laminate	1335	47½	104³⁄₁₆	1³⁄₁₆	–	–	lbs.	
WW48104CMPTLL	TFL	1192	47½	104³⁄₁₆	1³⁄₁₆	–	–	lbs.	
WW4898CMPTW	Wood	$ 1954	47½	98¼	1³⁄₁₆	–	–	lbs.	
WW4898CMPTLW	Laminate/Wood	1954	47½	98¼	1³⁄₁₆	–	–	lbs.	
WW4898CMPTL	Laminate	1300	47½	98¼	1³⁄₁₆	–	–	lbs.	
WW4898CMPTLL	TFL	1156	47½	98¼	1³⁄₁₆	–	–	lbs.	
WW4892CMPTW	Wood	$ 1891	47½	92½	1³⁄₁₆	–	–	lbs.	
WW4892CMPTLW	Laminate/Wood	1891	47½	92½	1³⁄₁₆	–	–	lbs.	
WW4892CMPTL	Laminate	1267	47½	92½	1³⁄₁₆	–	–	lbs.	
WW4892CMPTLL	TFL	1123	47½	92½	1³⁄₁₆	–	–	lbs.	
WW4874CMPTW	Wood	$ 1577	47½	74³⁄₁₆	1³⁄₁₆	–	–	lbs.	
WW4874CMPTLW	Laminate/Wood	1577	47½	74³⁄₁₆	1³⁄₁₆	–	–	lbs.	
WW4874CMPTL	Laminate	1059	47½	74³⁄₁₆	1³⁄₁₆	–	–	lbs.	
WW4874CMPTLL	TFL	913	47½	74³⁄₁₆	1³⁄₁₆	–	–	lbs.	
WW4868CMPTW	Wood	$ 1541	47½	68³⁄₁₆	1³⁄₁₆	–	–	lbs.	
WW4868CMPTLW	Laminate/Wood	1541	47½	68³⁄₁₆	1³⁄₁₆	–	–	lbs.	
WW4868CMPTL	Laminate	1014	47½	68³⁄₁₆	1³⁄₁₆	–	–	lbs.	
WW4868CMPTLL	TFL	871	47½	68³⁄₁₆	1³⁄₁₆	–	–	lbs.	
WW4862CMPTW	Wood	$ 1509	47½	62³⁄₁₆	1³⁄₁₆	–	–	lbs.	
WW4862CMPTLW	Laminate/Wood	1509	47½	62³⁄₁₆	1³⁄₁₆	–	–	lbs.	
WW4862CMPTL	Laminate	989	47½	62³⁄₁₆	1³⁄₁₆	–	–	lbs.	
WW4862CMPTLL	TFL	845	47½	62³⁄₁₆	1³⁄₁₆	–	–	lbs.	

- For use when specifying modular storage/lateral files back to back
- Specify 2EP when using 2 end panels, 1EP with 1 end panel, and OEP when not using end panels. Worksurface will be sized appropriately
- TFL worksurfaces are 1⅛" thick
- See page 549 for end panel
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL models wider than 96"

PRODUCT SPECIFICATIONS

- Rim on all 4 sides of component worksurfaces
- Component worksurfaces can be used with assembled units
- If specifying wood you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. End Panel Usage
5. Laminate Top Color (laminate models)
6. Finish (wood models)

SAMPLE MODEL NUMBERS:

WW4838CMPTW	F	0EP	AD	
WW4838CMPTLW	V	MH	1EP	MH
WW4838CMPTL	VMH	2EP	MH	

• See pages 356-361 for all options available in WaveWorks

COMPONENT TOP (MODULAR STORAGE) 48" DEPTH (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⅜" TOP THICKNESS (CONTINUED)									
WW4838CMPTW	Wood	$ 1317	47½	38⅜	1⅜₁₆	—	—	lbs.	
WW4838CMPTLW	Laminate/Wood	1317	47½	38⅜	1⅜₁₆	—	—	lbs.	
WW4838CMPTL	Laminate	745	47½	38⅜	1⅜₁₆	—	—	lbs.	
WW4838CMPTLL	TFL	601	47½	38⅜	1⅜₁₆	—	—	lbs.	
WW4832CMPTW	Wood	$ 1068	47½	32⅜	1⅜₁₆	—	—	lbs.	
WW4832CMPTLW	Laminate/Wood	1068	47½	32⅜	1⅜₁₆	—	—	lbs.	
WW4832CMPTL	Laminate	507	47½	32⅜	1⅜₁₆	—	—	lbs.	
WW4832CMPTLL	TFL	364	47½	32⅜	1⅜₁₆	—	—	lbs.	

- For use when specifying modular storage/lateral files back to back
- Specify 2EP when using 2 end panels, 1EP with 1 end panel, and OEP when not using end panels. Worksurface will be sized appropriately
- TFL worksurfaces are 1⅛" thick
- See page 549 for end panel

WAVEWORKS

PRODUCT SPECIFICATIONS

- Rim on all 4 sides of component worksurfaces
- Component worksurfaces can be used with assembled units
- If specifying wood you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Laminate Top Color (laminate models)
5. Finish (wood models)

SAMPLE MODEL NUMBERS:

WWN24108CMPTW	F	0EP	AD	
WWN24108CMPTLW	V	MH	1EP	MH
WWN24108CMPTL	VMH	2EP	MH	

• See pages 356-361 for all options available in WaveWorks

COMPONENT TOP (MODULAR STORAGE) 24" DEPTH



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⅜" TOP THICKNESS									
WWN24108CMPTW	Wood	$ 1729	24	107⅞	1⅜	–	–	lbs.	
WWN24108CMPTLW	Laminate/Wood	1729	24	107⅞	1⅜	–	–	lbs.	
WWN24108CMPTL	Laminate	1085	24	107⅞	1⅜	–	–	lbs.	
WWN24102CMPTW	Wood	$ 1668	24	101⅞	1⅜	–	–	lbs.	
WWN24102CMPTLW	Laminate/Wood	1668	24	101⅞	1⅜	–	–	lbs.	
WWN24102CMPTL	Laminate	1052	24	101⅞	1⅜	–	–	lbs.	
WWN2496CMPTW	Wood	$ 1608	24	95⅞	1⅜	–	–	lbs.	
WWN2496CMPTLW	Laminate/Wood	1608	24	95⅞	1⅜	–	–	lbs.	
WWN2496CMPTL	Laminate	1018	24	95⅞	1⅜	–	–	lbs.	
WWN2490CMPTW	Wood	$ 1544	24	89¹⁵⁄₁₆	1⅜	–	–	lbs.	
WWN2490CMPTLW	Laminate/Wood	1544	24	89¹⁵⁄₁₆	1⅜	–	–	lbs.	
WWN2490CMPTL	Laminate	986	24	89¹⁵⁄₁₆	1⅜	–	–	lbs.	
WWN2472CMPTW	Wood	$ 1231	24	71¹⁵⁄₁₆	1⅜	–	–	lbs.	
WWN2472CMPTLW	Laminate/Wood	1231	24	71¹⁵⁄₁₆	1⅜	–	–	lbs.	
WWN2472CMPTL	Laminate	778	24	71¹⁵⁄₁₆	1⅜	–	–	lbs.	
WWN2466CMPTW	Wood	$ 1195	24	66	1⅜	–	–	lbs.	
WWN2466CMPTLW	Laminate/Wood	1195	24	66	1⅜	–	–	lbs.	
WWN2466CMPTL	Laminate	734	24	66	1⅜	–	–	lbs.	
WWN2460CMPTW	Wood	$ 1163	24	60	1⅜	–	–	lbs.	
WWN2460CMPTLW	Laminate/Wood	1163	24	60	1⅜	–	–	lbs.	
WWN2460CMPTL	Laminate	707	24	60	1⅜	–	–	lbs.	
WWN2436CMPTW	Wood	$ 1041	24	36⅛	1⅜	–	–	lbs.	
WWN2436CMPTLW	Laminate/Wood	1041	24	36⅛	1⅜	–	–	lbs.	
WWN2436CMPTL	Laminate	525	24	36⅛	1⅜	–	–	lbs.	
WWN2430CMPTW	Wood	$ 1021	24	30⅛	1⅜	–	–	lbs.	
WWN2430CMPTLW	Laminate/Wood	1021	24	30⅛	1⅜	–	–	lbs.	
WWN2430CMPTL	Laminate	490	24	30⅛	1⅜	–	–	lbs.	

• For use as a common top when specifying modular storage/lateral files

PRODUCT SPECIFICATIONS

- Rim on all 4 sides of component worksurfaces
- Component worksurfaces can be used with assembled units
- If specifying wood you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Laminate Top Color (laminate models)
5. Finish (wood models)

SAMPLE MODEL NUMBERS:

WW24108CMPTW	F	0EP	AD	
WW24108CMPTLW	V	MH	1EP	MH
WW24108CMPTL	VMH	2EP	MH	

- See pages 356-361 for all options available in WaveWorks

COMPONENT TOP (MODULAR STORAGE) 24" DEPTH (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1¾₁₆" TOP THICKNESS									
WW24108CMPTW	Wood	$ 1544	24	107⅞	1¾₁₆	—	—	lbs.	
WW24108CMPTLW	Laminate/Wood	1544	24	107⅞	1¾₁₆	—	—	lbs.	
WW24108CMPTL	Laminate	871	24	107⅞	1¾₁₆	—	—	lbs.	
WW24108CMPTLL	TFL	719	24	107⅞	1¾₁₆	—	—	lbs.	
WW24102CMPTW	Wood	$ 1484	24	101⅞	1¾₁₆	—	—	lbs.	
WW24102CMPTLW	Laminate/Wood	1484	24	101⅞	1¾₁₆	—	—	lbs.	
WW24102CMPTL	Laminate	871	24	101⅞	1¾₁₆	—	—	lbs.	
WW24102CMPTLL	TFL	694	24	101⅞	1¾₁₆	—	—	lbs.	
WW2496CMPTW	Wood	$ 1425	24	95⅞	1¾₁₆	—	—	lbs.	
WW2496CMPTLW	Laminate/Wood	1425	24	95⅞	1¾₁₆	—	—	lbs.	
WW2496CMPTL	Laminate	838	24	95⅞	1¾₁₆	—	—	lbs.	
WW2496CMPTLL	TFL	671	24	95⅞	1¾₁₆	—	—	lbs.	
WW2490CMPTW	Wood	$ 1363	24	89¹⁵⁄₁₆	1¾₁₆	—	—	lbs.	
WW2490CMPTLW	Laminate/Wood	1363	24	89¹⁵⁄₁₆	1¾₁₆	—	—	lbs.	
WW2490CMPTL	Laminate	804	24	89¹⁵⁄₁₆	1¾₁₆	—	—	lbs.	
WW2490CMPTLL	TFL	647	24	89¹⁵⁄₁₆	1¾₁₆	—	—	lbs.	
WW2472CMPTW	Wood	$ 1046	24	71¹⁵⁄₁₆	1¾₁₆	—	—	lbs.	
WW2472CMPTLW	Laminate/Wood	1046	24	71¹⁵⁄₁₆	1¾₁₆	—	—	lbs.	
WW2472CMPTL	Laminate	600	24	71¹⁵⁄₁₆	1¾₁₆	—	—	lbs.	
WW2472CMPTLL	TFL	480	24	71¹⁵⁄₁₆	1¾₁₆	—	—	lbs.	
WW2466CMPTW	Wood	$ 1007	24	66	1¾₁₆	—	—	lbs.	
WW2466CMPTLW	Laminate/Wood	1007	24	66	1¾₁₆	—	—	lbs.	
WW2466CMPTL	Laminate	556	24	66	1¾₁₆	—	—	lbs.	
WW2466CMPTLL	TFL	446	24	66	1¾₁₆	—	—	lbs.	
WW2460CMPTW	Wood	$ 979	24	60	1¾₁₆	—	—	lbs.	
WW2460CMPTLW	Laminate/Wood	979	24	60	1¾₁₆	—	—	lbs.	
WW2460CMPTL	Laminate	526	24	60	1¾₁₆	—	—	lbs.	
WW2460CMPTLL	TFL	421	24	60	1¾₁₆	—	—	lbs.	

- For use as a common top when specifying modular storage/lateral files
- TFL worksurfaces are 1⅛" thick
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL models wider than 96"

WAVEWORKS

PRODUCT SPECIFICATIONS

- Rim on all 4 sides of component worksurfaces
- Component worksurfaces can be used with assembled units
- If specifying wood you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Laminate Top Color (laminate models)
5. Finish (wood models)

SAMPLE MODEL NUMBERS:

WW2436CMPTW	F	0EP	AD	
WW2436CMPTLW	V	MH	1EP	MH
WW2436CMPTL	VMH	2EP	MH	

• See pages 356-361 for all options available in WaveWorks

COMPONENT TOP (MODULAR STORAGE) 24" DEPTH (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1¾₁₆" TOP THICKNESS (CONTINUED)									
WW2436CMPTW	Wood	$ 858	24	36¹⁄₁₆	1³⁄₁₆	–	–	lbs.	
WW2436CMPTLW	Laminate/Wood	858	24	36¹⁄₁₆	1³⁄₁₆	–	–	lbs.	
WW2436CMPTL	Laminate	347	24	36¹⁄₁₆	1³⁄₁₆	–	–	lbs.	
WW2436CMPTLL	TFL	276	24	36¹⁄₁₆	1³⁄₁₆	–	–	lbs.	
WW2430CMPTW	Wood	$ 834	24	30¹⁄₁₆	1³⁄₁₆	–	–	lbs.	
WW2430CMPTLW	Laminate/Wood	834	24	30¹⁄₁₆	1³⁄₁₆	–	–	lbs.	
WW2430CMPTL	Laminate	311	24	30¹⁄₁₆	1³⁄₁₆	–	–	lbs.	
WW2430CMPTLL	TFL	248	24	30¹⁄₁₆	1³⁄₁₆	–	–	lbs.	

- For use as a common top when specifying modular storage/lateral files
- TFL worksurfaces are 1⅛" thick

PRODUCT SPECIFICATIONS

- Rim on all 4 sides of component worksurfaces
- Component worksurfaces can be used with assembled units
- If specifying wood you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Laminate Top Color (laminate models)
5. Finish (wood models)

SAMPLE MODEL NUMBERS:

WWN3018CMPTW	F	DW	
WWN3018CMPTLW	F	SM	SM
WWN3018CMPTL	V462	SK	

• See pages 356-361 for all options available in WaveWorks

COMPONENT TOP (PULLOUT STORAGE)

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1¾6" TOP THICKNESS									
WWN3018CMPTW	Wood	$ 947	29 15⁄16	18⅞	1 3⁄16	—	—	lbs.	
WWN3018CMPTLW	Laminate/Wood	947	29 15⁄16	18⅞	1 3⁄16	—	—	lbs.	
WWN3018CMPTL	Laminate	455	29 15⁄16	18⅞	1 3⁄16	—	—	lbs.	
WWN2418CMPTW	Wood	$ 921	24	18⅞	1 3⁄16	—	—	lbs.	
WWN2418CMPTLW	Laminate/Wood	921	24	18⅞	1 3⁄16	—	—	lbs.	
WWN2418CMPTL	Laminate	459	24	18⅞	1 3⁄16	—	—	lbs.	
1¾6" TOP THICKNESS									
WW3018CMPTW	Wood	$ 778	29 15⁄16	18⅞	1 3⁄16	—	—	lbs.	
WW3018CMPTLW	Laminate/Wood	778	29 15⁄16	18⅞	1 3⁄16	—	—	lbs.	
WW3018CMPTL	Laminate	289	29 15⁄16	18⅞	1 3⁄16	—	—	lbs.	
WW3018CMPTLL	TFL	233	29 15⁄16	18⅞	1	—	—	lbs.	
WW2418CMPTW	Wood	$ 756	24	18⅞	1 3⁄16	—	—	lbs.	
WW2418CMPTLW	Laminate/Wood	756	24	18⅞	1 3⁄16	—	—	lbs.	
WW2418CMPTL	Laminate	254	24	18⅞	1 3⁄16	—	—	lbs.	
WW2418CMPTLL	TFL	209	24	18⅞	1	—	—	lbs.	

COMPONENT TOP (PULLOUT STORAGE)



1¾6" TOP THICKNESS									
WWN4818CMPTW	Wood	$ 1038	47½	18⅞	1 3⁄16	—	—	lbs.	
WWN4818CMPTLW	Laminate/Wood	1038	47½	18⅞	1 3⁄16	—	—	lbs.	
WWN4818CMPTL	Laminate	558	47½	18⅞	1 3⁄16	—	—	lbs.	

- For use when specifying pull out storage back to back
- Spacers available for wire management see page 69

1¾6" TOP THICKNESS									
WW4818CMPTW	Wood	$ 869	47½	18⅞	1 3⁄16	—	—	lbs.	
WW4818CMPTLW	Laminate/Wood	869	47½	18⅞	1 3⁄16	—	—	lbs.	
WW4818CMPTL	Laminate	391	47½	18⅞	1 3⁄16	—	—	lbs.	
WW4818CMPTLL	TFL	312	47½	18⅞	1	—	—	lbs.	

- For use when specifying pull out storage back to back
- Spacers available for wire management see page 69

- Grain direction runs horizontal

WAVEWORKS

PRODUCT SPECIFICATIONS

- Rim on all 4 sides of component worksurfaces
- Component worksurfaces can be used with assembled units
- If specifying wood you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Laminate Top Color (laminate models)
5. Finish (wood models)

SAMPLE MODEL NUMBERS:

WWN6018CMPTW	F	DW	
WWN6018CMPTLW	F	SM	SM
WWN6018CMPTL	V462	SK	

• See pages 356-361 for all options available in WaveWorks

COMPONENT TOP (PULLOUT STORAGE) 60" DEPTH



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⅜" TOP THICKNESS									
WWN7218CMPTW	Wood	$ 1145	71⅞	18⅞	1⅜	–	–	lbs.	
WWN7218CMPTLW	Laminate/Wood	1145	71⅞	18⅞	1⅜	–	–	lbs.	
WWN7218CMPTL	Laminate	723	71⅞	18⅞	1⅜	–	–	lbs.	
WWN6618CMPTW	Wood	$ 1111	65½	18⅞	1⅜	–	–	lbs.	
WWN6618CMPTLW	Laminate/Wood	1111	65½	18⅞	1⅜	–	–	lbs.	
WWN6618CMPTL	Laminate	641	65½	18⅞	1⅜	–	–	lbs.	
WWN6018CMPTW	Wood	$ 1038	59½	18⅞	1⅜	–	–	lbs.	
WWN6018CMPTLW	Laminate/Wood	1038	59½	18⅞	1⅜	–	–	lbs.	
WWN6018CMPTL	Laminate	558	59½	18⅞	1⅜	–	–	lbs.	
WWN5418CMPTW	Wood	$ 1057	53½	18⅞	1⅜	–	–	lbs.	
WWN5418CMPTLW	Laminate/Wood	1057	53½	18⅞	1⅜	–	–	lbs.	
WWN5418CMPTL	Laminate	601	53½	18⅞	1⅜	–	–	lbs.	
1¾6" TOP THICKNESS									
WW7218CMPTW	Wood	$ 976	71⅞	18⅞	1¾6	–	–	lbs.	
WW7218CMPTLW	Laminate/Wood	976	71⅞	18⅞	1¾6	–	–	lbs.	
WW7218CMPTL	Laminate	556	71⅞	18⅞	1¾6	–	–	lbs.	
WW7218CMPTLL	TFL	446	71⅞	18⅞	1	–	–	lbs.	
WW6618CMPTW	Wood	$ 937	65½	18⅞	1¾6	–	–	lbs.	
WW6618CMPTLW	Laminate/Wood	937	65½	18⅞	1¾6	–	–	lbs.	
WW6618CMPTL	Laminate	515	65½	18⅞	1¾6	–	–	lbs.	
WW6618CMPTLL	TFL	413	65½	18⅞	1	–	–	lbs.	
WW6018CMPTW	Wood	$ 910	59½	18⅞	1¾6	–	–	lbs.	
WW6018CMPTLW	Laminate/Wood	910	59½	18⅞	1¾6	–	–	lbs.	
WW6018CMPTL	Laminate	490	59½	18⅞	1¾6	–	–	lbs.	
WW6018CMPTLL	TFL	393	59½	18⅞	1	–	–	lbs.	
WW5418CMPTW	Wood	$ 888	53½	18⅞	1¾6	–	–	lbs.	
WW5418CMPTLW	Laminate/Wood	888	53½	18⅞	1¾6	–	–	lbs.	
WW5418CMPTL	Laminate	433	53½	18⅞	1¾6	–	–	lbs.	
WW5418CMPTLL	TFL	347	53½	18⅞	1	–	–	lbs.	

- For use when specifying pull out storage back to back
- Spacers available for wire management see page 69
- Grain direction runs horizontal on veneer models
- Grain direction runs horizontal on laminate models 60" wide and smaller. On 66" and 72" wide models, the grain direction runs vertical

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 554) are recommended to fill the 1" gap
- If undersurface storage is used with Epicenter, a back or modesty panel is not required and pedestal grommet must NOT be specified
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended
- Wood drawers feature dowel construction
- Box drawers feature an adjustable divider when specifying wood drawers
- Wood drawers feature sides and backs that are ½" thick, bottoms are ¼" thick with veneer faces that are sealed and finished with a clear coat

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Veneer Door-Drawer Finish/ Laminate Door-Drawer Color
6. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW2918PUBBFW 2PL G22 KRB MC
WW2918PUBBFL 2PL G22 KRB MC 440

- See pages 356-361 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
PEDESTAL - UNDERSURFACE BOX/BOX/FILE 35" DEEP	WW3518PUBBFW	Wood	$ 2044	34⅞	17¹⁵⁄₁₆	27¾	—	—	105 lbs.	12.6
	WW3518PUBBFL	Laminate	1291	34⅞	17¹⁵⁄₁₆	27¾	—	—	105 lbs.	12.6
	WW3515PUBBFW	Wood	$ 1936	34⅞	14¹⁵⁄₁₆	27¾	—	—	93 lbs.	10.5
	WW3515PUBBFL	Laminate	1222	34⅞	14¹⁵⁄₁₆	27¾	—	—	93 lbs.	10.5

- Tops and backs are open; specify component worksurfaces and backs to finish as needed
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Not intended for use in a freestanding application

PEDESTAL - UNDERSURFACE BOX/BOX/FILE 29" DEEP	WW2918PUBBFW	Wood	$ 1931	28⅞	17¹⁵⁄₁₆	27¾	—	—	95 lbs.	10.6
	WW2918PUBBFL	Laminate	1206	28⅞	17¹⁵⁄₁₆	27¾	—	—	95 lbs.	10.6
	WW2915PUBBFW	Wood	$ 1821	28⅞	14¹⁵⁄₁₆	27¾	—	—	83 lbs.	8.5
	WW2915PUBBFL	Laminate	1137	28⅞	14¹⁵⁄₁₆	27¾	—	—	83 lbs.	8.5

- Tops and backs are open; specify component worksurfaces and backs to finish as needed
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Not intended for use in a freestanding application
- Wood drawers can be specified on Wood models; add a "W" to the end of the model number and add $248 to the list price

WAVEWORKS

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 554) are recommended to fill the 1" gap
- If undersurface storage is used with Epicenter, a back or modesty panel is not required and pedestal grommet must NOT be specified
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended
- Wood drawers feature dowel construction
- Box drawers feature an adjustable divider when specifying wood drawers
- Wood drawers feature sides and backs that are ½" thick, bottoms are ¼" thick with veneer faces that are sealed and finished with a clear coat

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Veneer Door-Drawer Finish/ Laminate Door-Drawer Color
6. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW2318PUBBFW 2PL G22 KRB MC
WW2318PUBBFL 2PL G22 KRB MC 440

- See pages 356-361 for all options available in WaveWorks

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
PEDESTAL - UNDERSURFACE BOX/BOX/FILE 23" DEEP	WW2318PUBBFW	Wood	$ 1807	22 3/16	17 15/16	27 3/4	–	–	75 lbs.	11.4
	WW2318PUBBFL	Laminate	1133	22 3/16	17 15/16	27 3/4	–	–	75 lbs.	11.4
	QWW2315PUBBFW	Wood	$ 1712	22 3/16	14 15/16	27 3/4	–	–	70 lbs.	9.9
	WW2315PUBBFW	Wood	1712	22 3/16	14 15/16	27 3/4	–	–	70 lbs.	9.9
	QWW2315PUBBFL	Laminate	1065	22 3/16	14 15/16	27 3/4	–	–	70 lbs.	9.9
	WW2315PUBBFL	Laminate	1065	22 3/16	14 15/16	27 3/4	–	–	70 lbs.	9.9

- Tops and backs are open; specify component worksurfaces and backs to finish as needed
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Not intended for use in a freestanding application
- Wood drawers can be specified on Wood models; add a "W" to the end of the model number and add $248 to the list price

PEDESTAL - UNDERSURFACE BOX/BOX/FILE 17" DEEP	WW1718PUBBFW	Wood	$ 1807	16 15/16	17 15/16	27 3/4	–	–	50 lbs.	9.1
	WW1718PUBBFL	Laminate	1133	16 15/16	17 15/16	27 3/4	–	–	50 lbs.	9.1
	WW1715PUBBFW	Wood	$ 1712	16 15/16	14 15/16	27 3/4	–	–	45 lbs.	7.9
	WW1715PUBBFL	Laminate	1065	16 15/16	14 15/16	27 3/4	–	–	45 lbs.	7.9

- Tops and backs are open; specify component worksurfaces and backs to finish as needed
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Not intended for use in a freestanding application

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 554) are recommended to fill the 1" gap
- If undersurface storage is used with Epicenter, a back or modesty panel is not required and pedestal grommet must NOT be specified
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended
- Wood drawers feature dowel construction
- Box drawers feature an adjustable divider when specifying wood drawers
- Wood drawers feature sides and backs that are ½" thick, bottoms are ¼" thick with veneer faces that are sealed and finished with a clear coat

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Veneer Door-Drawer Finish/ Laminate Door-Drawer Color
6. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW2918PUFFW 2PL G22 KRB MC
WW2918PUFFL 2PL G22 KRB MC 440

- See pages 356-361 for all options available in WaveWorks

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
PEDESTAL - UNDERSURFACE FILE/FILE 35" DEEP	WW3518PUFFW	Wood	$ 2044	34⅞	17 15⁄16	27¾	—	—	105 lbs.	12.6
	WW3518PUFFL	Laminate	1291	34⅞	17 15⁄16	27¾	—	—	105 lbs.	12.6
	WW3515PUFFW	Wood	$ 1936	34⅞	14 15⁄16	27¾	—	—	93 lbs.	10.5
	WW3515PUFFL	Laminate	1222	34⅞	14 15⁄16	27¾	—	—	93 lbs.	10.5
	• Tops and backs are open; specify component worksurfaces and backs to finish as needed • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Not intended for use in a freestanding application									
PEDESTAL - UNDERSURFACE FILE/FILE 29" DEEP	WW2918PUFFW	Wood	$ 1931	28⅞	17 15⁄16	27¾	—	—	95 lbs.	10.6
	WW2918PUFFL	Laminate	1206	28⅞	17 15⁄16	27¾	—	—	95 lbs.	10.6
	WW2915PUFFW	Wood	$ 1821	28⅞	14 15⁄16	27¾	—	—	83 lbs.	8.5
	WW2915PUFFL	Laminate	1137	28⅞	14 15⁄16	27¾	—	—	83 lbs.	8.5
	• Tops and backs are open; specify component worksurfaces and backs to finish as needed • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Not intended for use in a freestanding application • Wood drawers can be specified on Wood models; add a "W" to the end of the model number and add $248 to the list price									
PEDESTAL - UNDERSURFACE FILE/FILE 23" DEEP	WW2318PUFFW	Wood	$ 1807	22 13⁄16	17 15⁄16	27¾	—	—	75 lbs.	11.4
	WW2318PUFFL	Laminate	1133	22 13⁄16	17 15⁄16	27¾	—	—	75 lbs.	11.4
	QWW2315PUFFW	Wood	$ 1712	22 13⁄16	14 15⁄16	27¾	—	—	70 lbs.	9.9
	WW2315PUFFW	Wood	1712	22 13⁄16	14 15⁄16	27¾	—	—	70 lbs.	9.9
	QWW2315PUFFL	Laminate	1065	22 13⁄16	14 15⁄16	27¾	—	—	70 lbs.	9.9
	WW2315PUFFL	Laminate	1065	22 13⁄16	14 15⁄16	27¾	—	—	70 lbs.	9.9
	• Tops and backs are open; specify component worksurfaces and backs to finish as needed • Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available • Not intended for use in a freestanding application • Wood drawers can be specified on Wood models; add a "W" to the end of the model number and add $248 to the list price									

WAVEWORKS

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 554) are recommended to fill the 1" gap
- If undersurface storage is used with Epicenter, a back or modesty panel is not required and pedestal grommet must NOT be specified
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended
- Wood drawers feature dowel construction
- Box drawers feature an adjustable divider when specifying wood drawers
- Wood drawers feature sides and backs that are ½" thick, bottoms are ¼" thick with veneer faces that are sealed and finished with a clear coat

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Veneer Door-Drawer Finish/ Laminate Door-Drawer Color
6. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW1718PUFFW 2PL G22 KRB MC
WW1718PUFFL 2PL G22 KRB MC 440

- See pages 356-361 for all options available in WaveWorks

PEDESTAL - UNDERSURFACE FILE/FILE 17" DEEP



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WW1718PUFFW	Wood	$ 1807	16 15/16	17 15/16	27 3/4	–	–	56 lbs.	9.1
WW1718PUFFL	Laminate	1133	16 15/16	17 15/16	27 3/4	–	–	56 lbs.	9.1
WW1715PUFFW	Wood	$ 1712	16 15/16	14 15/16	27 3/4	–	–	45 lbs.	7.9
WW1715PUFFL	Laminate	1065	16 15/16	14 15/16	27 3/4	–	–	45 lbs.	7.9

- Tops and backs are open; specify component worksurfaces and backs to finish as needed
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Not intended for use in a freestanding application

SUPPORT PEDESTAL



LEFT	RIGHT		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WW351829SESLW	WW351829SESRW	Wood	$ 1316	35 1/16	17 15/16	27 3/4	–	–	101 lbs.	4.0
WW351829SESLL	WW351829SESRL	Laminate	809	35 1/16	17 15/16	27 3/4	–	–	101 lbs.	4.0
WW351529SESLW	WW351529SESRW	Wood	$ 1243	35 1/16	14 15/16	27 3/4	–	–	89 lbs.	3.5
WW351529SESLL	WW351529SESRL	Laminate	767	35 1/16	14 15/16	27 3/4	–	–	89 lbs.	3.5
WW291829SESLW	WW291829SESRW	Wood	$ 1238	29 1/16	17 15/16	27 3/4	–	–	95 lbs.	3.0
WW291829SESLL	WW291829SESRL	Laminate	762	29 1/16	17 15/16	27 3/4	–	–	95 lbs.	3.0
WW291529SESLW	WW291529SESRW	Wood	$ 1166	29 1/16	14 15/16	27 3/4	–	–	83 lbs.	2.5
WW291529SESLL	WW291529SESRL	Laminate	719	29 1/16	14 15/16	27 3/4	–	–	83 lbs.	2.5

- Specify component worksurfaces and backs to finish as needed
- For use when creating single pedestal desks from components
- Not intended for use in a freestanding application

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 554) are recommended to fill the 1" gap
- If undersurface storage is used with Epicenter, a back or modesty panel is not required and pedestal grommet must NOT be specified
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended
- Wood drawers feature dowel construction
- Wood drawers feature sides and backs that are ½" thick, bottoms are ¼" thick with veneer faces that are sealed and finished with a clear coat

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Veneer Door-Drawer Finish/ Laminate Door-Drawer Color
6. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW2336LFM2W 2PL G22 KRB MC
WW2336LFM2L 2PL G22 KRB MC 440

- See pages 356-361 for all options available in WaveWorks

LATERAL FILE UNIT UNDERSURFACE



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
23" DEPTH									
WW2336LFM2W	Wood	$ 2303	22 13/16	35 7/8	27 3/4	—	—	120 lbs.	20.4
WW2336LFM2L	Laminate	1272	22 13/16	35 7/8	27 3/4	—	—	120 lbs.	20.4
WW2330LFM2W	Wood	$ 2123	22 13/16	29 15/16	27 3/4	—	—	101 lbs.	17.4
WW2330LFM2L	Laminate	1238	22 13/16	29 15/16	27 3/4	—	—	101 lbs.	17.4
17" DEPTH									
WW1736LFM2W	Wood	$ 2303	16 15/16	35 7/8	27 3/4	—	—	119 lbs.	16.3
WW1736LFM2L	Laminate	1272	16 15/16	35 7/8	27 3/4	—	—	119 lbs.	16.3
WW1730LFM2W	Wood	$ 2123	16 15/16	29 15/16	27 3/4	—	—	105 lbs.	13.7
WW1730LFM2L	Laminate	1238	16 15/16	29 15/16	27 3/4	—	—	105 lbs.	13.7

- Tops and backs are open; specify component worksurfaces and backs to finish as needed
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front
- Wood drawers can be specified on Wood models; add a "W" to the end of the model number and add $329 to the list price

LATERAL FILE - 3 DRAWER MODULAR



WW2436LFM3W	Wood	$ 4140	23 3/16	35 7/8	40 3/16	—	—	210 lbs.	30.0
WW2436LFM3L	Laminate	2650	23 3/16	35 7/8	40 3/16	—	—	210 lbs.	30.0
WW2430LFM3W	Wood	$ 3996	23 3/16	29 15/16	40 3/16	—	—	lbs.	
WW2430LFM3L	Laminate	2578	23 3/16	29 15/16	40 3/16	—	—	lbs.	

- Top of unit is finished with flat edge detail
- Interlock mechanism allows only 1 drawer to be open at a time
- For use with component common top when ganging units together
- Unit has full finished back
- Do not specify pedestal grommet option
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood drawers feature dowel construction
- Wood drawers feature sides and backs that are ½" thick, bottoms are ¼" thick with veneer faces that are sealed and finished with a clear coat

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Veneer Door-Drawer Finish/ Laminate Door-Drawer Color
6. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW2436LFM4W 2PL G22 KRB MC
WW2436LFM4L 2PL G22 KRB MC 440

• See pages 356-361 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
LATERAL FILE - 4 DRAWER MODULAR	WW2436LFM4W	Wood	$ 4829	23⅜	35⅞	52¹³⁄₁₆	—	—	265 lbs.	33.4
	WW2436LFM4L	Laminate	3058	23⅜	35⅞	52¹³⁄₁₆	—	—	265 lbs.	33.4
	WW2430LFM4W	Wood	$ 4684	23⅜	29¹⁵⁄₁₆	52¹³⁄₁₆	—	—	lbs.	
	WW2430LFM4L	Laminate	2984	23⅜	29¹⁵⁄₁₆	52¹³⁄₁₆	—	—	lbs.	



- Top of unit is finished with flat edge detail
- Interlock mechanism allows only 1 drawer to be open at a time
- For use with component common top when ganging units together
- Unit has full finished back
- Do not specify pedestal grommet option
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front

DOUBLE DOOR STORAGE/LATERAL FILE MODULAR	WW2436LFM1H1W	Wood	$ 3853	23⅜	35⅞	40³⁄₁₆	—	—	lbs.	
	WW2436LFM1H1L	Laminate	2362	23⅜	35⅞	40³⁄₁₆	—	—	lbs.	
	WW2430LFM1H1W	Wood	$ 3672	23⅜	29¹⁵⁄₁₆	40³⁄₁₆	—	—	lbs.	
	WW2430LFM1H1L	Laminate	2327	23⅜	29¹⁵⁄₁₆	40³⁄₁₆	—	—	lbs.	



- Top of unit is finished with flat edge detail
- For use with component common top when ganging units together
- Unit has full finished back
- Do not specify pedestal grommet option
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front

OPEN CUBBY/2 LATERAL FILES MODULAR	WW2436LFM2O1W	Wood	$ 3565	23⅜	35⅞	40³⁄₁₆	—	—	lbs.	
	WW2436LFM2O1L	Laminate	2219	23⅜	35⅞	40³⁄₁₆	—	—	lbs.	
	WW2430LFM2O1W	Wood	$ 3385	23⅜	29¹⁵⁄₁₆	40³⁄₁₆	—	—	lbs.	
	WW2430LFM2O1L	Laminate	2182	23⅜	29¹⁵⁄₁₆	40³⁄₁₆	—	—	lbs.	



- Top of unit is finished with flat edge detail
- For use with component common top when ganging units together
- Unit has full finished back
- Do not specify pedestal grommet option
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front

PRODUCT SPECIFICATIONS

- Wood drawers feature dowel construction
- Wood drawers feature sides and backs that are ½" thick, bottoms are ¼" thick with veneer faces that are sealed and finished with a clear coat

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Paint Color
5. Finish
6. Laminate Door/Drawer Color
7. Laminate Color Chassis

SAMPLE MODEL NUMBERS:

WW2436LFM1SS4W 61R KRB 462 AD
WW2436LFM1SS4L 61R KRB 462 405 AD

• See pages 356-361 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
4 METAL SLIDING SHELVES/LATERAL FILE MODULAR	WW2436LFM1SS4W	Wood	$ 5089	23⅜	35⅞	40⅜	—	—	lbs.	
	WW2436LFM1SS4L	Laminate	3990	23⅜	35⅞	40⅜	—	—	lbs.	
	WW2430LFM1SS4W	Wood	$ 4909	23⅜	29¹⁵⁄₁₆	40⅜	—	—	lbs.	
	WW2430LFM1SS4L	Laminate	3953	23⅜	29¹⁵⁄₁₆	40⅜	—	—	lbs.	



- Top of unit is finished with flat edge detail
- For use with component common top when ganging units together
- Unit has full finished back
- Do not specify pedestal grommet option
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front

2 METAL SLIDING SHELVES/2 LATERAL FILES MODULAR	WW2436LFM2SS2W	Wood	$ 4514	23⅜	35⅞	40⅜	—	—	lbs.	
	WW2436LFM2SS2L	Laminate	3416	23⅜	35⅞	40⅜	—	—	lbs.	
	WW2430LFM2SS2W	Wood	$ 4335	23⅜	29¹⁵⁄₁₆	40⅜	—	—	lbs.	
	WW2430LFM2SS2L	Laminate	3379	23⅜	29¹⁵⁄₁₆	40⅜	—	—	lbs.	



- Top of unit is finished with flat edge detail
- For use with component common top when ganging units together
- Unit has full finished back
- Do not specify pedestal grommet option
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front

WAVEWORKS

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 554) are recommended to fill the 1" gap
- If undersurface storage is used with Epicenter, a back or modesty panel is not required and pedestal grommet must NOT be specified
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended
- Wood drawers feature dowel construction
- Wood drawers feature sides and backs that are ½" thick, bottoms are ¼" thick with veneer faces that are sealed and finished with a clear coat

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Veneer Door-Drawer Finish/ Laminate Door-Drawer Color
6. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW2336PUHW 2PL G22 KRB MC
WW2336PUHL 2PL G22 KRB MC 440

• See pages 356-361 for all options available in WaveWorks

DOUBLE DOOR UNIT UNDERSURFACE



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
23" DEPTH									
WW2336PUHW	Wood	$ 1844	22 13/16	35 7/8	27 3/4	—	—	110 lbs.	20.4
WW2336PUHL	Laminate	1108	22 13/16	35 7/8	27 3/4	—	—	110 lbs.	20.4
WW2330PUHW	Wood	$ 1663	22 13/16	29 15/16	27 3/4	—	—	91 lbs.	17.4
WW2330PUHL	Laminate	1043	22 13/16	29 15/16	27 3/4	—	—	91 lbs.	17.4
WW2324PUHW	Wood	$ 1595	22 13/16	23 3/4	27 3/4	—	—	80 lbs.	16.0
WW2324PUHL	Laminate	1002	22 13/16	23 3/4	27 3/4	—	—	80 lbs.	16.0
17" DEPTH									
WW1736PUHW	Wood	$ 1844	16 15/16	35 7/8	27 3/4	—	—	119 lbs.	16.3
WW1736PUHL	Laminate	1108	16 15/16	35 7/8	27 3/4	—	—	119 lbs.	16.3
WW1730PUHW	Wood	$ 1663	16 15/16	29 15/16	27 3/4	—	—	78 lbs.	13.7
WW1730PUHL	Laminate	1043	16 15/16	29 15/16	27 3/4	—	—	78 lbs.	13.7
WW1724PUHW	Wood	$ 1595	16 15/16	23 3/4	27 3/4	—	—	75 lbs.	10.8
WW1724PUHL	Laminate	1002	16 15/16	23 3/4	27 3/4	—	—	75 lbs.	10.8

- Tops are open, backs are unfinished; specify component worksurfaces and backs to finish as needed
- Units feature an adjustable shelf
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 554) are recommended to fill the 1" gap
- If undersurface storage is used with Epicenter, a back or modesty panel is not required and pedestal grommet must NOT be specified
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Veneer Door-Drawer Finish/ Laminate Door-Drawer Color
6. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW233629PU33W 2PL G22 KRB MC
WW233629PU33L 2PL G22 KRB MC 440

- See pages 356-361 for all options available in WaveWorks

BOOKCASE UNDERSURFACE



MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
23" DEPTH										
WW233629PUOSW	Wood		$ 1656	22 13/16	35 7/8	27 3/4	—	—	90 lbs.	20.4
WW233629PUOSL	Laminate		994	22 13/16	35 7/8	27 3/4	—	—	90 lbs.	20.4
WW233029PUOSW	Wood		$ 1587	22 13/16	29 15/16	27 3/4	—	—	85 lbs.	18.0
WW233029PUOSL	Laminate		959	22 13/16	29 15/16	27 3/4	—	—	85 lbs.	18.0
WW232429PUOSW	Wood		$ 1521	22 13/16	23 3/4	27 3/4	—	—	80 lbs.	16.0
WW232429PUOSL	Laminate		922	22 13/16	23 3/4	27 3/4	—	—	80 lbs.	16.0
17" DEPTH										
WW173629PUOSW	Wood		$ 1656	16 15/16	35 7/8	27 3/4	—	—	119 lbs.	16.3
WW173629PUOSL	Laminate		994	16 15/16	35 7/8	27 3/4	—	—	119 lbs.	16.3
WW173029PUOSW	Wood		$ 1587	16 15/16	29 15/16	27 3/4	—	—	90 lbs.	13.7
WW173029PUOSL	Laminate		959	16 15/16	29 15/16	27 3/4	—	—	90 lbs.	13.7
WW172429PUOSW	Wood		$ 1521	16 15/16	23 3/4	27 3/4	—	—	57 lbs.	11.0
WW172429PUOSL	Laminate		922	16 15/16	23 3/4	27 3/4	—	—	57 lbs.	11.0

- Unit features standard adjustable shelf
- Specify component worksurfaces and backs to finish as needed

MIXED STORAGE CABINET UNDERSURFACE



Left shown

OPEN STORAGE ON LEFT 23" DEPTH	OPEN STORAGE ON RIGHT		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WW233629PU33W	WW233629PU32W	Wood	$ 2731	22 13/16	35 7/8	27 3/4	—	—	90 lbs.	20.4
WW233629PU33L	WW233629PU32L	Laminate	1706	22 13/16	35 7/8	27 3/4	—	—	90 lbs.	20.4
WW233029PU33W	WW233029PU32W	Wood	$ 2552	22 13/16	29 15/16	27 3/4	—	—	85 lbs.	18.0
WW233029PU33L	WW233029PU32L	Laminate	1671	22 13/16	29 15/16	27 3/4	—	—	85 lbs.	18.0
17" DEPTH										
WW173629PU33W	WW173629PU32W	Wood	$ 2731	16 15/16	35 7/8	27 3/4	—	—	119 lbs.	16.3
WW173629PU33L	WW173629PU32L	Laminate	1706	16 15/16	35 7/8	27 3/4	—	—	119 lbs.	16.3
WW173029PU33W	WW173029PU32W	Wood	$ 2552	16 15/16	29 15/16	27 3/4	—	—	90 lbs.	13.7
WW173029PU33L	WW173029PU32L	Laminate	1671	16 15/16	29 15/16	27 3/4	—	—	90 lbs.	13.7

- Specify component worksurfaces and backs to finish as needed
- Locking only on lateral file
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front

WAVEWORKS

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 554) are recommended to fill the 1" gap
- If undersurface storage is used with Epicenter, a back or modesty panel is not required and pedestal grommet must NOT be specified
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Veneer Door-Drawer Finish/ Laminate Door-Drawer Color
6. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW233629PU11W 2PL G22 KS1B MC
WW233629PU11L 2PL G22 KS1B MC 440

- See pages 356-361 for all options available in WaveWorks

MULTI-FILE CABINET UNDERSURFACE



Left shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FILE DRAWER ON LEFT	**FILE DRAWER ON RIGHT**									
23" DEPTH										
WW233629PU11W	WW233629PU10W	Wood	$ 3348	22 13/16	35 7/8	27 3/4	–	–	90 lbs.	20.4
WW233629PU11L	WW233629PU10L	Laminate	2328	22 13/16	35 7/8	27 3/4	–	–	90 lbs.	20.4
WW233029PU11W	WW233029PU10W	Wood	$ 3169	22 13/16	29 15/16	27 3/4	–	–	85 lbs.	18.0
WW233029PU11L	WW233029PU10L	Laminate	2294	22 13/16	29 15/16	27 3/4	–	–	85 lbs.	18.0
17" DEPTH										
WW173629PU11W	WW173629PU10W	Wood	$ 3348	16 15/16	35 7/8	27 3/4	–	–	119 lbs.	16.3
WW173629PU11L	WW173629PU10L	Laminate	2328	16 15/16	35 7/8	27 3/4	–	–	119 lbs.	16.3
WW173029PU11W	WW173029PU10W	Wood	$ 3169	16 15/16	29 15/16	27 3/4	–	–	90 lbs.	13.7
WW173029PU11L	WW173029PU10L	Laminate	2294	16 15/16	29 15/16	27 3/4	–	–	90 lbs.	13.7

- Specify component worksurfaces and backs to finish as needed
- Locking only on file drawer and lateral file
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 554) are recommended to fill the 1" gap
- If undersurface storage is used with Epicenter, a back or modesty panel is not required and pedestal grommet must NOT be specified
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW233622PUOSW 2PL G22 KS1B MC
WW233622PUOSL 2PL G22 KS1B MC

• See pages 356-361 for all options available in WaveWorks

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

STORAGE CABINET METAL SLIDING SHELVES



MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WW233629PUOSSW	Wood	$ 3365	22	35⅞	27¾	—	—	90 lbs.	20.4
WW233629PUOSSL	Laminate	2266	22	35⅞	27¾	—	—	90 lbs.	20.4
• Weight capacity: 49 pounds per shelf									
WW233029PUOSSW	Wood	$ 3311	22	29¹⁵⁄₁₆	27¾	—	—	85 lbs.	18.0
WW233029PUOSSL	Laminate	2229	22	29¹⁵⁄₁₆	27¾	—	—	85 lbs.	18.0
• Weight capacity: 40 pounds per shelf									
WW232429PUOSSW	Wood	$ 3256	22	23¾	27¾	—	—	80 lbs.	16.0
WW232429PUOSSL	Laminate	2190	22	23¾	27¾	—	—	80 lbs.	16.0
• Weight capacity: 31 pounds per shelf									

- Specify component worksurfaces and backs to finish as needed
- Unit features 4 metal shelves on full extension slides
- Shelf sizes are: 18¼D x 32¹⁵⁄₁₆W, 18¼D x 26¹⁵⁄₁₆W, or 18¼D x 20¹⁵⁄₁₆W of storage space and feature a non skid surface
- Not intended for a freestanding application

BOOKCASE UNDERSURFACE - BOX/FILE HEIGHT



23" DEPTH

QWW233622PUOSW	Wood	$ 1656	22¹³⁄₁₆	35⅞	21⅞	—	—	90 lbs.	20.4
WW233622PUOSW	Wood	1656	22¹³⁄₁₆	35⅞	21⅞	—	—	90 lbs.	20.4
QWW233622PUOSL	Laminate	994	22¹³⁄₁₆	35⅞	21⅞	—	—	90 lbs.	20.4
WW233622PUOSL	Laminate	994	22¹³⁄₁₆	35⅞	21⅞	—	—	90 lbs.	20.4
QWW233022PUOSW	Wood	$ 1587	22¹³⁄₁₆	29¹⁵⁄₁₆	21⅞	—	—	85 lbs.	18.0
WW233022PUOSW	Wood	1587	22¹³⁄₁₆	29¹⁵⁄₁₆	21⅞	—	—	85 lbs.	18.0
QWW233022PUOSL	Laminate	959	22¹³⁄₁₆	29¹⁵⁄₁₆	21⅞	—	—	85 lbs.	18.0
WW233022PUOSL	Laminate	959	22¹³⁄₁₆	29¹⁵⁄₁₆	21⅞	—	—	85 lbs.	18.0
WW232422PUOSW	Wood	$ 1521	22¹³⁄₁₆	23¾	21⅞	—	—	80 lbs.	16.0
WW232422PUOSL	Laminate	922	22¹³⁄₁₆	23¾	21⅞	—	—	80 lbs.	16.0

17" DEPTH

WW173622PUOSW	Wood	$ 1656	16⅛	35⅞	21⅞	—	—	95 lbs.	12.5
WW173622PUOSL	Laminate	994	16⅛	35⅞	21⅞	—	—	95 lbs.	12.5
WW173022PUOSW	Wood	$ 1587	16⅛	29¹⁵⁄₁₆	21⅞	—	—	97 lbs.	10.8
WW173022PUOSL	Laminate	959	16⅛	29¹⁵⁄₁₆	21⅞	—	—	97 lbs.	10.8
WW172422PUOSW	Wood	$ 1521	16⅛	23¾	21⅞	—	—	67 lbs.	8.4
WW172422PUOSL	Laminate	922	16⅛	23¾	21⅞	—	—	67 lbs.	8.4

- Unit features standard adjustable shelf

WAVEWORKS

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 554) are recommended to fill the 1" gap
- If undersurface storage is used with Epicenter, a back or modesty panel is not required and pedestal grommet must NOT be specified
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Veneer Door-Drawer Finish/ Laminate Door-Drawer Color
6. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW233622PUBLW 2PL G22 KS1B MC
WW233622PUBLL 2PL G22 KS1B MC 440

• See pages 356-361 for all options available in WaveWorks

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

BOX/LATERAL FILE UNDERSURFACE - BOX/FILE HEIGHT



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
23" DEPTH									
QWW233622PUBLW	Wood	$ 2236	22 13/16	35 7/8	21 7/16	–	–	90 lbs.	20.4
WW233622PUBLW	Wood	2236	22 13/16	35 7/8	21 7/16	–	–	90 lbs.	20.4
QWW233622PUBLL	Laminate	1206	22 13/16	35 7/8	21 7/16	–	–	90 lbs.	20.4
WW233622PUBLL	Laminate	1206	22 13/16	35 7/8	21 7/16	–	–	90 lbs.	20.4
QWW233022PUBLW	Wood	$ 2059	22 13/16	29 15/16	21 7/16	–	–	85 lbs.	18.0
WW233022PUBLW	Wood	2059	22 13/16	29 15/16	21 7/16	–	–	85 lbs.	18.0
QWW233022PUBLL	Laminate	1172	22 13/16	29 15/16	21 7/16	–	–	85 lbs.	18.0
WW233022PUBLL	Laminate	1172	22 13/16	29 15/16	21 7/16	–	–	85 lbs.	18.0
17" DEPTH									
WW173622PUBLW	Wood	$ 2236	16 15/16	35 7/8	21 7/16	–	–	95 lbs.	12.5
WW173622PUBLL	Laminate	1206	16 15/16	35 7/8	21 7/16	–	–	95 lbs.	12.5
WW173022PUBLW	Wood	$ 2059	16 15/16	29 15/16	21 7/16	–	–	90 lbs.	10.8
WW173022PUBLL	Laminate	1172	16 15/16	29 15/16	21 7/16	–	–	90 lbs.	10.8

- Tops and backs are open; specify component worksurfaces and backs to finish as needed
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- When specifying Horizon pulls, lateral files will have 2 pulls on each drawer front

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 554) are recommended to fill the 1" gap
- If undersurface storage is used with Epicenter, a back or modesty panel is not required and pedestal grommet must NOT be specified
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Veneer Door-Drawer Finish/ Laminate Door-Drawer Color
6. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW231822PUBFW 2PL G22 KS1B MC
WW231822PUBFL 2PL G22 KS1B MC 440

- See pages 356-361 for all options available in WaveWorks

BOX/FILE HEIGHT PEDESTAL UNDERSURFACE - BOX/FILE HEIGHT



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
23" DEPTH									
WW231822PUBFW	Wood	$ 1746	22 3/16	17 5/16	21 7/16	—	—	70 lbs.	10.0
WW231822PUBFL	Laminate	1068	22 3/16	17 5/16	21 7/16	—	—	70 lbs.	10.0
WW231522PUBFW	Wood	$ 1646	22 3/16	14 5/16	21 7/16	—	—	65 lbs.	8.0
WW231522PUBFL	Laminate	1000	22 3/16	14 5/16	21 7/16	—	—	65 lbs.	8.0
17" DEPTH									
WW171822PUBFW	Wood	$ 1746	16 5/16	17 5/16	21 7/16	—	—	42 lbs.	7.3
WW171822PUBFL	Laminate	1068	16 5/16	17 5/16	21 7/16	—	—	42 lbs.	7.3
WW171522PUBFW	Wood	$ 1646	16 5/16	14 5/16	21 7/16	—	—	34 lbs.	6.3
WW171522PUBFL	Laminate	1000	16 5/16	14 5/16	21 7/16	—	—	34 lbs.	6.3

- Tops and backs are open; specify component worksurfaces and backs to finish as needed
- Not intended to be used as a hanging pedestal
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Not intended for use in a freestanding application

GANGING BRACKET



NACGB1	Ganging Bracket	$ 99	5¾	1¾	1⅛	—	—	2 lbs.	0.1

- Specify base model only
- Shipped 1 per kit
- Can be used when 2 or more pedestals or cabinets are positioned side by side creating a built up appearance without defacing the outside of the units

WAVEWORKS

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 554) are recommended to fill the 1" gap
- If undersurface storage is used with Epicenter, a back or modesty panel is not required and pedestal grommet must NOT be specified
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Veneer Door-Drawer Finish/ Laminate Door-Drawer Color
6. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBER:

WW233633PUHL 2PL G22 KRG MC 440

- See pages 356-361 for all options available in WaveWorks

STORAGE CABINET METAL SLIDING SHELVES UNDERSURFACE BOX/FILE HEIGHT



MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WW233622PUOSSW	Wood	$ 3110	22	35⅞	21⅞₁₆	—	—	90 lbs.	20.4
WW233622PUOSSL	Laminate	2092	22	35⅞	21⅞₁₆	—	—	90 lbs.	20.4
• Weight capacity: 49 pounds per shelf									
WW233022PUOSSW	Wood	$ 3053	22	29¹⁵⁄₁₆	21⅞₁₆	—	—	85 lbs.	18.0
WW233022PUOSSL	Laminate	2056	22	29¹⁵⁄₁₆	21⅞₁₆	—	—	85 lbs.	18.0
• Weight capacity: 40 pounds per shelf									
WW232422PUOSSW	Wood	$ 3001	22	23¾	21⅞₁₆	—	—	80 lbs.	16.0
WW232422PUOSSL	Laminate	2019	22	23¾	21⅞₁₆	—	—	80 lbs.	16.0
• Weight capacity: 31 pounds per shelf									

- Specify component worksurfaces and backs to finish as needed
- Unit features 3 metal shelves on full extension slides
- Shelf sizes are: 18¼D x 32¹⁵⁄₁₆W, 18¼D x 26¹⁵⁄₁₆W, or 18¼D x 20¹⁵⁄₁₆W of storage space and a non skid surface
- Not intended for a freestanding application

DOUBLE DOOR UNDERSURFACE COUNTER HEIGHT CABINET



23" DEPTH

WW233633PUHL	Laminate	$ 1552	22¹³⁄₁₆	35⅞	33¹³⁄₁₆	—	—		23.0
WW233033PUHL	Laminate	1521	22¹³⁄₁₆	29¹⁵⁄₁₆	33¹³⁄₁₆	—	—		19.7
WW232433PUHL	Laminate	1493	22¹³⁄₁₆	23¹⁵⁄₁₆	33¹³⁄₁₆	—	—		16.4

17" DEPTH

WW173633PUHL	Laminate	$ 1423	16¹⁵⁄₁₆	35⅞	33¹³⁄₁₆	—	—		18.2
WW173033PUHL	Laminate	1397	16¹⁵⁄₁₆	29¹⁵⁄₁₆	33¹³⁄₁₆	—	—		15.6
WW172433PUHL	Laminate	1372	16¹⁵⁄₁₆	23¹⁵⁄₁₆	33¹³⁄₁₆	—	—		12.9

- Tops are open, backs are unfinished; specify component worksurfaces and counter height back panels to finish as needed
- Units feature one adjustable shelf
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Pedestals do not include back panels and are 1" less than worksurface depth to accommodate optional back or modesty panels, or to provide space for cable access
- If undersurface storage is used against a wall, a back or modesty panel may be specified, but is not required
- Filler strips (page 554) are recommended to fill the 1" gap
- If pedestals are being used in a freestanding open plan, modesty or back panels are ALWAYS recommended

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Pedestal Grommet
4. Locking
5. Veneer Door-Drawer Finish/ Laminate Door-Drawer Color
6. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBER:

WW233633PUOSL 2PL G22 KRB MC 440

- See pages 356-361 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
OPEN CABINET COUNTER HEIGHT	**23" DEPTH**									
	WW233633PUOSL	Laminate	$ 1318	22	35⅞	33Ⅼ	—	—		22.4
	WW233033PUOSL	Laminate	1287	22	29Ⅼ	33Ⅼ	—	—		19.1
	WW232433PUOSL	Laminate	1256	22	23Ⅼ	33Ⅼ	—	—		15.9
	17" DEPTH									
	WW173633PUOSL	Laminate	$ 1258	16⅛	35⅞	33Ⅼ	—	—		17.9
	WW173033PUOSL	Laminate	1230	16⅛	29Ⅼ	33Ⅼ	—	—		15.0
	WW172433PUOSL	Laminate	1199	16⅛	23Ⅼ	33Ⅼ	—	—		12.4

- Tops are open, backs are unfinished; specify component worksurfaces and counter height back panels to finish as needed
- Units feature adjustable/fixed shelf

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
4 DRAWER COUNTER HEIGHT CABINET	**23" DEPTH**									
	WW233633PU4BL	Laminate	$ 1977	22Ⅼ	35⅞	33Ⅼ	—	—		23.0
	WW233033PU4BL	Laminate	1906	22Ⅼ	29Ⅼ	33Ⅼ	—	—		19.7
	WW232433PU4BL	Laminate	1835	22Ⅼ	23Ⅼ	33Ⅼ	—	—		16.4
	17" DEPTH									
	WW173633PU4BL	Laminate	$ 1977	16Ⅼ	35⅞	33Ⅼ	—	—		18.2
	WW173033PU4BL	Laminate	1906	16Ⅼ	29Ⅼ	33Ⅼ	—	—		15.6
	WW172433PU4BL	Laminate	1835	16Ⅼ	23Ⅼ	33Ⅼ	—	—		12.9

- Locking top drawer only
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Tops are open, backs are unfinished; specify component worksurfaces and counter height back panels to finish as needed

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
UNDERSURFACE FILLER PANELS	WW0633CPFPL		$ 174	¾	6	33⅜	—	—		0.3
	WW0628CPFPL		158	¾	6	27Ⅼ	—	—		0.3

- To be used with undersurface storage cabinets and pedestals to fill in space as needed
- Can be field cut to desired width

WAVEWORKS

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware by specifying modesty type; see page 358 for details
- Modesty and back panels are for use in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewall

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Modesty Type
3. Modesty Grommet
4. Modified Width
5. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW3627MPW M G21 X MH
WW1827MPW MC
WW1837MPL 440

- See pages 356-361 for all options available in WaveWorks

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
MODESTY/BACK PANEL LATERAL FILE									
									
WW3627MPW	Wood	$ 547	¾	35¾	27⁹⁄₁₆	—	—	24 lbs.	2.1
WW3627MPL	Laminate	245	¾	35¾	27⁹⁄₁₆	—	—	24 lbs.	2.1
WW3027MPW	Wood	$ 503	¾	29¾	27⁹⁄₁₆	—	—	21 lbs.	1.8
WW3027MPL	Laminate	217	¾	29¾	27⁹⁄₁₆	—	—	21 lbs.	1.8
• Wood modesty panels have vertical grain • Laminate modesty panels have horizontal grain									
MODESTY/BACK PANEL LATERAL FILE									
									
WW3627MPVL	Laminate	$ 245	¾	35¾	27⁹⁄₁₆	—	—	24 lbs.	2.1
WW3027MPVL	Laminate	217	¾	29¾	27⁹⁄₁₆	—	—	21 lbs.	1.8
• Grain direction runs vertically									
MODESTY/BACK PANEL PEDESTAL									
									
WW1827MPW	Wood	$ 481	¾	17¹³⁄₁₆	27⁹⁄₁₆	—	—	14 lbs.	1.1
WW1827MPL	Laminate	185	¾	17¹³⁄₁₆	27⁹⁄₁₆	—	—	14 lbs.	1.1
QWW1527MPW	Wood	$ 473	¾	14¹³⁄₁₆	27⁹⁄₁₆	—	—	13 lbs.	1.0
WW1527MPW	Wood	473	¾	14¹³⁄₁₆	27⁹⁄₁₆	—	—	13 lbs.	1.0
QWW1527MPL	Laminate	161	¾	14¹³⁄₁₆	27⁹⁄₁₆	—	—	13 lbs.	1.0
WW1527MPL	Laminate	161	¾	14¹³⁄₁₆	27⁹⁄₁₆	—	—	13 lbs.	1.0
• Wood modesty panels have vertical grain • Laminate modesty panels have horizontal grain									
MODESTY/BACK PANEL PEDESTAL									
									
WW1827MPVL	Laminate	$ 185	¾	17¹³⁄₁₆	27⁹⁄₁₆	—	—	14 lbs.	1.1
WW1527MPVL	Laminate	161	¾	14¹³⁄₁₆	27⁹⁄₁₆	—	—	13 lbs.	1.0
• Grain direction runs vertically									

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware by specifying modesty type; see page 358 for details
- Modesty and back panels are for use in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewall

TO ORDER, SPECIFY:

1. Model Number
2. Modesty Type
3. Modesty Grommet
4. Modified Width
5. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW1821MPW MC
WW1821MPL 440

- See pages 356-361 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
MODESTY/BACK PANEL PEDESTAL (BOX/FILE HEIGHT)	WW1821MPW	Wood	$ 285	¾	17 13/16	20 29/32	–	–	9 lbs.	1.0
	WW1821MPL	Laminate	105	¾	17 13/16	20 29/32	–	–	9 lbs.	1.0
	WW1521MPW	Wood	$ 242	¾	14 13/16	20 29/32	–	–	8 lbs.	0.9
	WW1521MPL	Laminate	79	¾	14 13/16	20 29/32	–	–	8 lbs.	0.9



- Wood modesty panels have vertical grain
- Laminate modesty panels have horizontal grain

MODESTY/BACK PANEL PEDESTAL (BOX/FILE HEIGHT)	WW1821MPVL	Laminate	$ 105	¾	17 13/16	20 29/32	–	–	9 lbs.	1.0
	WW1521MPVL	Laminate	79	¾	14 13/16	20 29/32	–	–	8 lbs.	0.9



- Grain direction runs vertically

WAVEWORKS

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware by specifying modesty type; see page 358 for details
- Modesty and back panels are for use in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewall

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Modesty Type
3. Modesty Grommet
4. Modified Width
5. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBER:

WW9627MPW M G21 94½ CW

- See pages 356-361 for all options available in WaveWorks

MODESTY PANEL FULL OVERLAY (WORKSURFACE HEIGHT)



MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WW9627MPW	Wood	$ 958	¾	95⅝	27³⁄₁₆	—	—	65 lbs.	11.8
WW9627MPL	Laminate	506	¾	95⅝	27³⁄₁₆	—	—	65 lbs.	11.8
WW9027MPW	Wood	$ 903	¾	89⅝	27³⁄₁₆	—	—	62 lbs.	11.1
WW9027MPL	Laminate	480	¾	89⅝	27³⁄₁₆	—	—	62 lbs.	11.1
WW8427MPW	Wood	$ 853	¾	83⅜	27³⁄₁₆	—	—	58 lbs.	10.4
WW8427MPL	Laminate	452	¾	83⅜	27³⁄₁₆	—	—	58 lbs.	10.4
WW7827MPW	Wood	$ 804	¾	77⅜	27³⁄₁₆	—	—	51 lbs.	7.2
WW7827MPL	Laminate	427	¾	77⅜	27³⁄₁₆	—	—	51 lbs.	7.2
QWW7227MPW	Wood	$ 759	¾	71⅛	27³⁄₁₆	—	—	44 lbs.	3.9
WW7227MPW	Wood	759	¾	71⅛	27³⁄₁₆	—	—	44 lbs.	3.9
QWW7227MPL	Laminate	402	¾	71⅛	27³⁄₁₆	—	—	44 lbs.	3.9
WW7227MPL	Laminate	402	¾	71⅛	27³⁄₁₆	—	—	44 lbs.	3.9
WW6627MPW	Wood	$ 718	¾	65¹¹⁄₁₆	27³⁄₁₆	—	—	41 lbs.	3.6
WW6627MPL	Laminate	382	¾	65¹¹⁄₁₆	27³⁄₁₆	—	—	41 lbs.	3.6
QWW6027MPW	Wood	$ 675	¾	59¹¹⁄₁₆	27³⁄₁₆	—	—	38 lbs.	3.3
WW6027MPW	Wood	675	¾	59¹¹⁄₁₆	27³⁄₁₆	—	—	38 lbs.	3.3
QWW6027MPL	Laminate	352	¾	59¹¹⁄₁₆	27³⁄₁₆	—	—	38 lbs.	3.3
WW6027MPL	Laminate	352	¾	59¹¹⁄₁₆	27³⁄₁₆	—	—	38 lbs.	3.3
WW5427MPW	Wood	$ 640	¾	53¹¹⁄₁₆	27³⁄₁₆	—	—	35 lbs.	3.0
WW5427MPL	Laminate	337	¾	53¹¹⁄₁₆	27³⁄₁₆	—	—	35 lbs.	3.0
QWW4827MPW	Wood	$ 590	¾	47¾	27³⁄₁₆	—	—	33 lbs.	2.7
WW4827MPW	Wood	590	¾	47¾	27³⁄₁₆	—	—	33 lbs.	2.7
WW4827MPL	Laminate	310	¾	47¾	27³⁄₁₆	—	—	33 lbs.	2.7
WW4227MPW	Wood	$ 572	¾	41¾	27³⁄₁₆	—	—	29 lbs.	2.4
WW4227MPL	Laminate	275	¾	41¾	27³⁄₁₆	—	—	29 lbs.	2.4
WW3627MPW	Wood	$ 547	¾	35¾	27³⁄₁₆	—	—	24 lbs.	2.1
WW3627MPL	Laminate	245	¾	35¾	27³⁄₁₆	—	—	24 lbs.	2.1
WW3027MPW	Wood	$ 503	¾	29¾	27³⁄₁₆	—	—	21 lbs.	1.8
WW3027MPL	Laminate	217	¾	29¾	27³⁄₁₆	—	—	21 lbs.	1.8

- Modified widths are available on modesty panels in 1⁄16" increments; when ordering a modified width, specify the modesty panel 5⁄16" narrower than the corresponding worksurface
- Wood modesty panels have vertical grain
- Laminate modesty panels have horizontal grain

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware by specifying modesty type; see page 358 for details
- Modesty and back panels are for use in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewall

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Modesty Type
3. Modesty Grommet
4. Modified Width
5. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBER:

WW96A27MPL M G21 94½ MC

- See pages 356-361 for all options available in WaveWorks

MODESTY PANEL
FULL OVERLAY
FOR STORAGE CREDENZAS
(WORKSURFACE HEIGHT)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WW96A27MPL	Laminate	$ 506	¾	95¾	27⁵⁄₁₆	—	—	65 lbs.	11.8
WW90A27MPL	Laminate	480	¾	89¾	27⁵⁄₁₆	—	—	62 lbs.	11.1
WW84A27MPL	Laminate	452	¾	83¾	27⁵⁄₁₆	—	—	58 lbs.	10.4
WW78A27MPL	Laminate	427	¾	77¾	27⁵⁄₁₆	—	—	51 lbs.	7.2
WW72A27MPL	Laminate	402	¾	71¾	27⁵⁄₁₆	—	—	44 lbs.	3.9
WW66A27MPL	Laminate	382	¾	65¹³⁄₁₆	27⁵⁄₁₆	—	—	41 lbs.	3.6
WW60A27MPL	Laminate	352	¾	59¹³⁄₁₆	27⁵⁄₁₆	—	—	38 lbs.	3.3

- Modified widths are available on modesty panels in 1⁄16" increments; when ordering a modified width, specify the modesty panel 5⁄16" narrower than the corresponding worksurface
- Wood modesty panels have vertical grain
- Laminate modesty panels have horizontal grain

MODESTY PANEL
FULL OVERLAY
(WORKSURFACE HEIGHT)



WW6027MPVL	Laminate	$ 352	¾	59¹¹⁄₁₆	27⁵⁄₁₆	—	—	38 lbs.	3.3
WW5427MPVL	Laminate	337	¾	53¹¹⁄₁₆	27⁵⁄₁₆	—	—	35 lbs.	3.0
QWW4827MPVL	Laminate	310	¾	47¾	27⁵⁄₁₆	—	—	33 lbs.	2.7
WW4827MPVL	Laminate	310	¾	47¾	27⁵⁄₁₆	—	—	33 lbs.	2.7
WW4227MPVL	Laminate	275	¾	41¾	27⁵⁄₁₆	—	—	29 lbs.	2.4
WW3627MPVL	Laminate	245	¾	35¾	27⁵⁄₁₆	—	—	24 lbs.	2.1
WW3027MPVL	Laminate	217	¾	29¾	27⁵⁄₁₆	—	—	21 lbs.	1.8

- Modified widths are available on modesty panels in 1⁄16" increments; when ordering a modified width, specify the modesty panel 5⁄16" narrower than the corresponding worksurface
- Grain direction runs vertically

MODESTY PANEL
FULL OVERLAY
FOR STORAGE CREDENZAS
(WORKSURFACE HEIGHT)



WW60A27MPVL	Laminate	$ 352	¾	59¹¹⁄₁₆	27⁵⁄₁₆	—	—	38 lbs.	3.3

- Modified widths are available on modesty panels in 1⁄16" increments; when ordering a modified width, specify the modesty panel 5⁄16" narrower than the corresponding worksurface
- Grain direction runs vertically

WAVEWORKS

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware by specifying modesty type; see page 358 for details
- Modesty and back panels are for use in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewall

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Modesty Type
3. Modesty Grommet
4. Modified Width
5. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBER:

WW9621MPW M G21 94½ CW

- See pages 356-361 for all options available in WaveWorks

MODESTY PANEL FULL OVERLAY - BOX/FILE HEIGHT



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WW9621MPW	Wood	$ 787	¾	95⅝	20²⁹⁄₃₂	—	—	60 lbs.	4.1
WW9621MPL	Laminate	421	¾	95⅝	20²⁹⁄₃₂	—	—	60 lbs.	4.1
WW9021MPW	Wood	$ 734	¾	89⅝	20²⁹⁄₃₂	—	—	57 lbs.	4.0
WW9021MPL	Laminate	394	¾	89⅝	20²⁹⁄₃₂	—	—	57 lbs.	4.0
WW8421MPW	Wood	$ 682	¾	83⅝	20²⁹⁄₃₂	—	—	53 lbs.	3.9
WW8421MPL	Laminate	365	¾	83⅝	20²⁹⁄₃₂	—	—	53 lbs.	3.9
WW7821MPW	Wood	$ 635	¾	77⅝	20²⁹⁄₃₂	—	—	46 lbs.	3.8
WW7821MPL	Laminate	343	¾	77⅝	20²⁹⁄₃₂	—	—	46 lbs.	3.8
QWW7221MPW	Wood	$ 587	¾	71⅛	20²⁹⁄₃₂	—	—	39 lbs.	3.7
WW7221MPW	Wood	587	¾	71⅛	20²⁹⁄₃₂	—	—	39 lbs.	3.7
WW7221MPL	Laminate	315	¾	71⅛	20²⁹⁄₃₂	—	—	39 lbs.	3.7
WW6621MPW	Wood	$ 547	¾	65¹¹⁄₁₆	20²⁹⁄₃₂	—	—	36 lbs.	3.4
WW6621MPL	Laminate	295	¾	65¹¹⁄₁₆	20²⁹⁄₃₂	—	—	36 lbs.	3.4
QWW6021MPW	Wood	$ 504	¾	59¹¹⁄₁₆	20²⁹⁄₃₂	—	—	33 lbs.	3.1
WW6021MPW	Wood	504	¾	59¹¹⁄₁₆	20²⁹⁄₃₂	—	—	33 lbs.	3.1
WW6021MPL	Laminate	264	¾	59¹¹⁄₁₆	20²⁹⁄₃₂	—	—	33 lbs.	3.1

- Full Overlay Modesty to be used on box/file height storage and when layering surfaces
- Modified widths are available on modesty panels in 1⁄16" increments; when ordering a modified width, specify the modesty panel 5⁄16" narrower than the corresponding worksurface
- Wood modesty panels have vertical grain
- Laminate modesty panels have horizontal grain

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware by specifying modesty type; see page 358 for details
- Modesty and back panels are for use in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewall

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Modesty Type
3. Modesty Grommet
4. Modified Width
5. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBER:

WW5421MPW M G21 94½ CW

- See pages 356-361 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
MODESTY PANEL FULL OVERLAY - BOX/FILE HEIGHT (CONTINUED)	WW5421MPW	Wood	$ 471	¾	53 1/16	20 29/32	—	—	30 lbs.	2.8
	WW5421MPL	Laminate	259	¾	53 1/16	20 29/32	—	—	30 lbs.	2.8
	WW4821MPW	Wood	$ 421	¾	47¾	20 29/32	—	—	28 lbs.	2.5
	WW4821MPL	Laminate	248	¾	47¾	20 29/32	—	—	28 lbs.	2.5
	WW4221MPW	Wood	$ 396	¾	41¾	20 29/32	—	—	24 lbs.	2.1
	WW4221MPL	Laminate	231	¾	41¾	20 29/32	—	—	24 lbs.	2.1
	QWW3621MPW	Wood	$ 374	¾	35¾	20 29/32	—	—	19 lbs.	1.9
	WW3621MPW	Wood	374	¾	35¾	20 29/32	—	—	19 lbs.	1.9
	QWW3621MPL	Laminate	204	¾	35¾	20 29/32	—	—	19 lbs.	1.9
	WW3621MPL	Laminate	204	¾	35¾	20 29/32	—	—	19 lbs.	1.9
	QWW3021MPW	Wood	$ 329	¾	29¾	20 29/32	—	—	16 lbs.	1.6
	WW3021MPW	Wood	329	¾	29¾	20 29/32	—	—	16 lbs.	1.6
	QWW3021MPL	Laminate	177	¾	29¾	20 29/32	—	—	16 lbs.	1.6
	WW3021MPL	Laminate	177	¾	29¾	20 29/32	—	—	16 lbs.	1.6

- Full Overlay Modesty to be used on box/file height storage and when layering surfaces
- Modified widths are available on modesty panels in 1/16" increments; when ordering a modified width, specify the modesty panel 5/16" narrower than the corresponding worksurface
- Wood modesty panels have vertical grain
- Laminate modesty panels have horizontal grain

MODESTY PANEL FULL OVERLAY FOR STORAGE CREDENZAS BOX/FILE HEIGHT	WW96A21MPL	Laminate	$ 421	¾	95¾	20 29/32	—	—	60 lbs.	4.1
	WW90A21MPL	Laminate	394	¾	89¾	20 29/32	—	—	57 lbs.	4.0
	WW84A21MPL	Laminate	365	¾	83¾	20 29/32	—	—	53 lbs.	3.9
	WW78A21MPL	Laminate	343	¾	77¾	20 29/32	—	—	46 lbs.	3.8
	QWW72A21MPL	Laminate	315	¾	71¾	20 29/32	—	—	39 lbs.	3.7
	WW72A21MPL	Laminate	315	¾	71¾	20 29/32	—	—	39 lbs.	3.7
	WW66A21MPL	Laminate	295	¾	65 13/16	20 29/32	—	—	36 lbs.	3.4
	QWW60A21MPL	Laminate	264	¾	59 13/16	20 29/32	—	—	33 lbs.	3.1
	WW60A21MPL	Laminate	264	¾	59 13/16	20 29/32	—	—	33 lbs.	3.1

- Full Overlay Modesty to be used on box/file height storage and when layering surfaces
- Modified widths are available on modesty panels in 1/16" increments; when ordering a modified width, specify the modesty panel 5/16" narrower than the corresponding worksurface
- Wood modesty panels have vertical grain
- Laminate modesty panels have horizontal grain

WAVEWORKS

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware by specifying modesty type; see page 358 for details
- Modesty and back panels are for use in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewall

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Modesty Type
3. Modesty Grommet
4. Modified Width
5. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBER:

WW6021MPVL G21 52½ MC

- See pages 356-361 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
MODESTY PANEL FULL OVERLAY - BOX/FILE HEIGHT	WW6021MPVL	Laminate	$ 264	¾	59 1/16	20 29/32	—	—	33 lbs.	3.1
	WW5421MPVL	Laminate	259	¾	53 1/16	20 29/32	—	—	30 lbs.	2.8
	WW4821MPVL	Laminate	248	¾	47¾	20 29/32	—	—	28 lbs.	2.5
	WW4221MPVL	Laminate	231	¾	41¾	20 29/32	—	—	24 lbs.	2.1
	QWW3621MPVL	Laminate	204	¾	35¾	20 29/32	—	—	19 lbs.	1.9
	WW3621MPVL	Laminate	204	¾	35¾	20 29/32	—	—	19 lbs.	1.9
	QWW3021MPVL	Laminate	177	¾	29¾	20 29/32	—	—	16 lbs.	1.6
	WW3021MPVL	Laminate	177	¾	29¾	20 29/32	—	—	16 lbs.	1.6



- Full Overlay Modesty to be used on box/file height storage and when layering surfaces
- Modified widths are available on modesty panels in 1/16" increments; when ordering a modified width, specify the modesty panel 5/16" narrower than the corresponding worksurface
- Grain direction runs vertically

MODESTY PANEL FULL OVERLAY FOR STORAGE CREDENZAS BOX/FILE HEIGHT	WW60A21MPVL	Laminate	$ 264	¾	59 13/16	20 29/32	—	—	33 lbs.	3.1



- Full Overlay Modesty to be used on box/file height storage and when layering surfaces
- Modified widths are available on modesty panels in 1/16" increments; when ordering a modified width, specify the modesty panel 5/16" narrower than the corresponding worksurface
- Grain direction runs vertically

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware by specifying modesty type; see page 358 for details
- Modesty and back panels are for use in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewall

TO ORDER, SPECIFY:

1. Model Number
2. Modesty Type
3. Modesty Grommet
4. Modified Width
5. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBER:

WW6027MPKW G21 52½ CW

- See pages 356-361 for all options available in WaveWorks

MODESTY PANEL BREAKFRONT (WORKSURFACE HEIGHT)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WW6027MPKW	Wood	$ 675	¾	59⅞	27³⁄₁₆	—	—	38 lbs.	3.3
WW6027MPKL	Laminate	352	¾	59⅞	27³⁄₁₆	—	—	38 lbs.	3.3
WW5427MPKW	Wood	$ 640	¾	53⅞	27³⁄₁₆	—	—	35 lbs.	3.0
WW5427MPKL	Laminate	337	¾	53⅞	27³⁄₁₆	—	—	35 lbs.	3.0
WW4827MPKW	Wood	$ 590	¾	47⅞	27³⁄₁₆	—	—	33 lbs.	2.7
WW4827MPKL	Laminate	310	¾	47⅞	27³⁄₁₆	—	—	33 lbs.	2.7
WW4227MPKW	Wood	$ 572	¾	41⅞	27³⁄₁₆	—	—	29 lbs.	2.4
WW4227MPKL	Laminate	275	¾	41⅞	27³⁄₁₆	—	—	29 lbs.	2.4
WW3627MPKW	Wood	$ 547	¾	35¹⁵⁄₁₆	27³⁄₁₆	—	—	24 lbs.	2.1
WW3627MPKL	Laminate	245	¾	35¹⁵⁄₁₆	27³⁄₁₆	—	—	24 lbs.	2.1
WW3027MPKW	Wood	$ 503	¾	29¹⁵⁄₁₆	27³⁄₁₆	—	—	21 lbs.	1.8
WW3027MPKL	Laminate	217	¾	29¹⁵⁄₁₆	27³⁄₁₆	—	—	21 lbs.	1.8

- Modified widths are available on modesty panels in 1⁄16" increments; when ordering a modified width, specify the modesty panel 5⁄16" narrower than the corresponding worksurface
- Wood modesty panels have vertical grain
- Laminate modesty panels have horizontal grain

MODESTY PANEL BREAKFRONT (WORKSURFACE HEIGHT)



WW6027MPKVL	Laminate	$ 352	¾	59⅞	27³⁄₁₆	—	—	38 lbs.	3.3
WW5427MPKVL	Laminate	337	¾	53⅞	27³⁄₁₆	—	—	35 lbs.	3.0
WW4827MPKVL	Laminate	310	¾	47⅞	27³⁄₁₆	—	—	33 lbs.	2.7
WW4227MPKVL	Laminate	275	¾	41⅞	27³⁄₁₆	—	—	29 lbs.	2.4
WW3627MPKVL	Laminate	245	¾	35¹⁵⁄₁₆	27³⁄₁₆	—	—	24 lbs.	2.1
WW3027MPKVL	Laminate	217	¾	29¹⁵⁄₁₆	27³⁄₁₆	—	—	21 lbs.	1.8

- Modified widths are available on modesty panels in 1⁄16" increments; when ordering a modified width, specify the modesty panel 5⁄16" narrower than the corresponding worksurface
- Grain direction runs vertically

WAVEWORKS

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware by specifying modesty type; see page 358 for details
- Modesty and back panels are for use in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewall
- ⅓ height modesty panel gives full cable access to wall outlet

TO ORDER, SPECIFY:

1. Model Number
2. Modesty Type
3. Modified Width
4. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW8108MPW M 80½ CL
WW8108MPL M X 405

- See pages 356-361 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
⅓ HEIGHT MODESTY PANEL FOR SINGLE PEDESTAL UNIT	WW8108MPW	Wood	$ 649	¾	80⅜	8⅛	–	–	16 lbs.	1.3
	WW8108MPL	Laminate	349	¾	80⅜	8⅛	–	–	16 lbs.	1.3
	WW6908MPW	Wood	$ 583	¾	68¹⁄₁₆	8⅛	–	–	13 lbs.	1.1
	WW6908MPL	Laminate	300	¾	68¹⁄₁₆	8⅛	–	–	13 lbs.	1.1
	WW5708MPW	Wood	$ 509	¾	56¹⁄₁₆	8⅛	–	–	14 lbs.	1.1
	WW5708MPL	Laminate	253	¾	56¹⁄₁₆	8⅛	–	–	14 lbs.	1.1
	WW5108MPW	Wood	$ 452	¾	50¹⁄₁₆	8⅛	–	–	13 lbs.	1.0
	WW5108MPL	Laminate	228	¾	50¹⁄₁₆	8⅛	–	–	13 lbs.	1.0
	WW4508MPW	Wood	$ 429	¾	44¾	8⅛	–	–	12 lbs.	0.9
	WW4508MPL	Laminate	206	¾	44¾	8⅛	–	–	12 lbs.	0.9
	WW3908MPW	Wood	$ 403	¾	38¾	8⅛	–	–	12 lbs.	0.8
	WW3908MPL	Laminate	179	¾	38¾	8⅛	–	–	12 lbs.	0.8
	WW3308MPW	Wood	$ 389	¾	32¾	8⅛	–	–	11 lbs.	0.7
	WW3308MPL	Laminate	153	¾	32¾	8⅛	–	–	11 lbs.	0.7
	WW2708MPW	Wood	$ 367	¾	26¾	8⅛	–	–	10 lbs.	0.6
	WW2708MPL	Laminate	123	¾	26¾	8⅛	–	–	10 lbs.	0.6

- Must also specify pedestal back panel to complete pedestal back if used in the kneewell area
- Modified widths are available on modesty panels in ¹⁄₁₆" increments
- Used in conjunction with 1 15" pedestal
- Modesty grommet option not available
- Wood modesty panels have vertical grain
- Laminate modesty panels have horizontal grain

⅓ HEIGHT MODESTY PANEL FOR SINGLE PEDESTAL UNIT	WW5708MPVL	Laminate	$ 253	¾	56¹⁄₁₆	8⅛	–	–	14 lbs.	1.1
	WW5108MPVL	Laminate	228	¾	50¹⁄₁₆	8⅛	–	–	13 lbs.	1.0
	WW4508MPVL	Laminate	206	¾	44¾	8⅛	–	–	12 lbs.	0.9
	WW3908MPVL	Laminate	179	¾	38¾	8⅛	–	–	12 lbs.	0.8
	WW3308MPVL	Laminate	153	¾	32¾	8⅛	–	–	11 lbs.	0.7
	WW2708MPVL	Laminate	123	¾	26¾	8⅛	–	–	10 lbs.	0.6

- Must also specify pedestal back panel to complete pedestal back if used in the kneewell area
- Modified widths are available on modesty panels in ¹⁄₁₆" increments
- Used in conjunction with 1 15" pedestal
- Modesty grommet option not available
- Grain direction runs vertically

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware by specifying modesty type; see page 358 for details
- Modesty and back panels are for use in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewall
- ⅓ height modesty panel gives full cable access to wall outlet

TO ORDER, SPECIFY:

1. Model Number
2. Modesty Type
3. Modesty Grommet
4. Modified Width
5. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBER:

WW9608MPW M MC

- See pages 356-361 for all options available in WaveWorks

⅓ HEIGHT MODESTY PANEL FOR DOUBLE PEDESTAL UNIT



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WW9608MPW	Wood	$ 766	¾	95⅝	8⅛	—	—	18 lbs.	1.5
WW9608MPL	Laminate	422	¾	95⅝	8⅛	—	—	18 lbs.	1.5
WW9008MPW	Wood	$ 724	¾	89⅝	8⅛	—	—	18 lbs.	1.5
WW9008MPL	Laminate	394	¾	89⅝	8⅛	—	—	18 lbs.	1.5
WW8408MPW	Wood	$ 681	¾	83⅝	8⅛	—	—	17 lbs.	1.4
WW8408MPL	Laminate	364	¾	83⅝	8⅛	—	—	17 lbs.	1.4
WW7808MPW	Wood	$ 635	¾	77⅝	8⅛	—	—	17 lbs.	1.4
WW7808MPL	Laminate	337	¾	77⅝	8⅛	—	—	17 lbs.	1.4
WW7208MPW	Wood	$ 590	¾	71⅝	8⅛	—	—	17 lbs.	1.4
WW7208MPL	Laminate	310	¾	71⅝	8⅛	—	—	17 lbs.	1.4
WW6608MPW	Wood	$ 554	¾	65¹⁄₁₆	8⅛	—	—	16 lbs.	1.3
WW6608MPL	Laminate	287	¾	65¹⁄₁₆	8⅛	—	—	16 lbs.	1.3
WW6008MPW	Wood	$ 513	¾	59¹⁄₁₆	8⅛	—	—	15 lbs.	1.2
WW6008MPL	Laminate	256	¾	59¹⁄₁₆	8⅛	—	—	15 lbs.	1.2
WW5408MPW	Wood	$ 463	¾	53¹⁄₁₆	8⅛	—	—	14 lbs.	1.1
WW5408MPL	Laminate	245	¾	53¹⁄₁₆	8⅛	—	—	14 lbs.	1.1
WW4808MPW	Wood	$ 443	¾	47¹⁄₁₆	8⅛	—	—	13 lbs.	1.0
WW4808MPL	Laminate	217	¾	47¹⁄₁₆	8⅛	—	—	13 lbs.	1.0
WW4208MPW	Wood	$ 419	¾	41¾	8⅛	—	—	12 lbs.	0.9
WW4208MPL	Laminate	193	¾	41¾	8⅛	—	—	12 lbs.	0.9
WW3608MPW	Wood	$ 396	¾	35¾	8⅛	—	—	11 lbs.	0.7
WW3608MPL	Laminate	161	¾	35¾	8⅛	—	—	11 lbs.	0.7
WW3008MPW	Wood	$ 376	¾	29¾	8⅛	—	—	10 lbs.	0.6
WW3008MPL	Laminate	140	¾	29¾	8⅛	—	—	10 lbs.	0.6

- Must also specify pedestal back panel to complete pedestal back if used in the kneewell area
- Modified widths are available on modesty panels in 1⁄16" increments
- Wood modesty panels have vertical grain
- Laminate modesty panels have horizontal grain

WAVEWORKS

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware by specifying modesty type; see page 358 for details
- Modesty and back panels are for use in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewall
- ⅓ height modesty panel gives full cable access to wall outlet

TO ORDER, SPECIFY:

1. Model Number
2. Modesty Type
3. Modified Width
4. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBER:

WW6008MPVL M X 405

- See pages 356-361 for all options available in WaveWorks

⅓ HEIGHT MODESTY PANEL FOR DOUBLE PEDESTAL UNIT



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WW6008MPVL	Laminate	$ 256	¾	59 1/16	8⅛	—	—	15 lbs.	1.2
WW5408MPVL	Laminate	245	¾	53 1/16	8⅛	—	—	14 lbs.	1.1
WW4808MPVL	Laminate	217	¾	47 1/16	8⅛	—	—	13 lbs.	1.0
WW4208MPVL	Laminate	193	¾	41¾	8⅛	—	—	12 lbs.	0.9
WW3608MPVL	Laminate	161	¾	35¾	8⅛	—	—	11 lbs.	0.7
WW3008MPVL	Laminate	140	¾	29¾	8⅛	—	—	10 lbs.	0.6

- Must also specify pedestal back panel to complete pedestal back if used in the kneewell area
- Modified widths are available on modesty panels in 1/16" increments
- Grain direction runs vertically

COUNTER HEIGHT MODESTY PANELS



WW9633MPL		$ 534	¾	95 5/16	33⅜	—	—	4.0 lbs.	
WW9033MPL		505	¾	89⅝	33⅜	—	—	3.8 lbs.	
WW8433MPL		474	¾	83⅜	33⅜	—	—	3.6 lbs.	
WW7833MPL		444	¾	77⅝	33⅜	—	—	3.4 lbs.	
WW7233MPL		415	¾	71⅛	33⅜	—	—	3.1 lbs.	
WW6633MPL		383	¾	65 1/16	33⅜	—	—	2.9 lbs.	
WW6033MPL		353	¾	59 1/16	33⅜	—	—	2.7 lbs.	
WW5433MPL		322	¾	53 1/16	33⅜	—	—	2.5 lbs.	
WW4833MPL		293	¾	47 1/16	33⅜	—	—	2.2 lbs.	
WW4233MPL		277	¾	41¾	33⅜	—	—	2.0 lbs.	
WW3633MPL		248	¾	35¾	33⅜	—	—	1.8 lbs.	
WW3033MPL		235	¾	29¾	33⅜	—	—	1.5 lbs.	
WW2433MPL		219	¾	23 1/16	33⅜	—	—	1.3 lbs.	

- Modified widths are available on modesty panels in 1/16" increments; when ordering a modified width, specify the modesty 5/16" narrower than the corresponding worksurface
- Laminate modesty has horizontal grain direction

COUNTER HEIGHT MODESTY PANELS



WW6033MPVL		$ 353	¾	59 1/16	33⅜	—	—	2.7 lbs.	
WW5433MPVL		322	¾	53 1/16	33⅜	—	—	2.5 lbs.	
WW4833MPVL		293	¾	47 1/16	33⅜	—	—	2.2 lbs.	
WW4233MPVL		277	¾	41¾	33⅜	—	—	2.0 lbs.	
WW3633MPVL		248	¾	35¾	33⅜	—	—	1.8 lbs.	
WW3033MPVL		235	¾	29¾	33⅜	—	—	1.5 lbs.	
WW2433MPVL		218	¾	23 1/16	33⅜	—	—	1.3 lbs.	

- Modified widths are available on modesty panels in 1/16" increments; when ordering a modified width, specify the modesty 5/16" narrower than the corresponding worksurface
- Laminate modesty has vertical grain direction

PRODUCT SPECIFICATIONS

- Modesty and back panels are for use in conjunction with undersurface component worksurfaces to create a finished back or enclosed kneewall

TO ORDER, SPECIFY:

1. Model Number
2. Modesty Type
3. Modified Width
4. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBER:

WW3672MP2W MC

- See pages 356-361 for all options available in WaveWorks

END PANEL (COUNTER HEIGHT)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WW2333EPL		$ 184	1 3/16	22 15/16	33 3/8	—	—		1.7
WW1733EPL		154	1 3/16	17 1/16	33 3/8	—	—		1.3

- For use with counter height cabinets
- End Panels are required when pedestals are not used to support the end of a unit or workstations
- End Panels are 1" shallower than worksurface to accommodate a modesty panel or filler strip
- Modified depths are available on 24" end panels in 1/16" increments when ordering a modified depth, specify the end panel 1" shallower than the corresponding worksurface
- Modesty panels are recommended when building a shell unit

MODESTY PANEL FOR GLASS TOP DESK





WW3627MP2W	Wood—Full Modesty	$ 547	3/4	35 3/4	27 3/16	—	—	24 lbs.	2.1
WW3627MP2L	Laminate—Full Modesty	245	3/4	35 3/4	27 3/16	—	—	24 lbs.	2.1
WW3608MP2W	Wood—1/3 Modesty	$ 396	3/4	35 3/4	8 1/8	—	—	11 lbs.	0.7
WW3608MP2L	Laminate—1/3 Modesty	161	3/4	35 3/4	8 1/8	—	—	11 lbs.	0.7

- To be used on glass top desk, WW3672DDFGW8 or WW3672DDFGL8
- Both modesty heights fit between the pedestals
- Do not specify modesty type
- Modified width not available
- Wood modesty panels have vertical grain
- Laminate modesty panels have horizontal grain

MODESTY PANEL FOR GLASS TOP DESK





WW3627MPV2L	Laminate—Full Modesty	$ 245	3/4	35 3/4	27 3/16	—	—	24 lbs.	2.1
WW3608MPV2L	Laminate—1/3 Modesty	161	3/4	35 3/4	8 1/8	—	—	11 lbs.	0.7

- To be used on glass top desk, WW3672DDFGW8 or WW3672DDFGL8
- Both modesty heights fit between the pedestals
- Do not specify modesty type
- Modified width not available
- Grain direction runs vertically

WAVEWORKS

PRODUCT SPECIFICATIONS

- End panels, filler panels and support panels shipped with appropriate hardware

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Modified Depth
4. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW3528EPW G1EL 33½ CW
WW3528EPL G1EL X 405

• See pages 356-361 for all options available in WaveWorks

MESH MODESTY PANEL



MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
NAC5408MPM	$ 364	¼	54	8	—	—	5 lbs.	0.7
NAC4808MPM	321	¼	48	8	—	—	4 lbs.	0.6
NAC4208MPM	286	¼	42	8	—	—	4 lbs.	0.5

- Specify model number only
- Used only for privacy, not support
- Offers horizontal cable management
- Fabric is a black mesh material

END PANEL (WORKSURFACE HEIGHT)



				D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WW4728EPW	Wood	$	801	47⅛	1⅜	27¾	—	—	47 lbs.	2.6
WW4728EPL	Laminate		483	47⅛	1⅜	27¾	—	—	47 lbs.	2.6
WW4128EPW	Wood	$	767	41⅛	1⅜	27¾	—	—	41 lbs.	2.3
WW4128EPL	Laminate		461	41⅛	1⅜	27¾	—	—	41 lbs.	2.3
WW3528EPW	Wood	$	728	35⅛	1⅜	27¾	—	—	35 lbs.	1.9
WW3528EPL	Laminate		440	35⅛	1⅜	27¾	—	—	35 lbs.	1.9
WW2928EPW	Wood	$	659	29⅛	1⅜	27¾	—	—	30 lbs.	1.3
WW2928EPL	Laminate		376	29⅛	1⅜	27¾	—	—	30 lbs.	1.3
QWW2328EPW	Wood	$	640	22⅝	1⅜	27¾	—	—	25 lbs.	1.1
WW2328EPW	Wood		640	22⅝	1⅜	27¾	—	—	25 lbs.	1.1
QWW2328EPL	Laminate		344	22⅝	1⅜	27¾	—	—	25 lbs.	1.1
WW2328EPL	Laminate		344	22⅝	1⅜	27¾	—	—	25 lbs.	1.1
WW1728EPW	Wood	$	600	17⅛	1⅜	27¾	—	—	23 lbs.	1.0
WW1728EPL	Laminate		319	17⅛	1⅜	27¾	—	—	23 lbs.	1.0

- End panels are required when pedestals are not used to support the end of a unit or workstation
- End panels are 1" shallower than worksurfaces to accommodate a modesty panel or filler strip
- Modified depths are available on 35", 29", and 23" end panels in ⅛" increments; when ordering a modified depth, specify the end panel 1" shallower than the corresponding worksurface
- Modesty panels are recommended when building a shell unit

END PANEL (BOX/FILE HEIGHT)



				D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WW2421EPW	Wood	$	617	22⅝	1⅜	21⅞	—	—	20 lbs.	0.9
WW2421EPL	Laminate		319	22⅝	1⅜	21⅞	—	—	20 lbs.	0.9
WW1821EPW	Wood	$	579	17⅛	1⅜	21⅞	—	—	18 lbs.	0.8
WW1821EPL	Laminate		300	17⅛	1⅜	21⅞	—	—	18 lbs.	0.8

- End panels are required when pedestals are not used to support the end of a unit or workstation
- End panels are 1" shallower than worksurfaces to accommodate a modesty panel or filler strip
- Modified depths are available on 24" end panels in ⅛" increments; when ordering a modified depth, specify the end panel 1" shallower than the corresponding worksurface
- Modesty panels are recommended when building a shell unit

PRODUCT SPECIFICATIONS

- End panels, filler panels, and support panels shipped with appropriate hardware

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color (laminate models)
3. Finish (wood models)

SAMPLE MODEL NUMBERS:

WW4840EPW MC
WW4840EPL MC

- See pages 356-361 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
END PANELS (MODULAR STORAGE)	WW4840EPW	Wood	$ 934	1 3/16	47 3/16	40 3/16	—	—	lbs.	
	WW4840EPL	Laminate	360	1 3/16	47 3/16	40 3/16	—	—	lbs.	



- For use when 2 vertical storage units are used back to back

WAVEWORKS

PRODUCT SPECIFICATIONS

- End panels, filler panels and support panels shipped with appropriate hardware

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW1228SSW G1EL CW
WW1228SSL G1EL 405

- See pages 356-361 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SUPPORT PANEL (WORKSURFACE HEIGHT)	WW1228SSW	Wood	$ 443	11 7/16	1 3/16	27 3/4	–	–	15 lbs.	0.8
	WW1228SSL	Laminate	161	11 7/16	1 3/16	27 3/4	–	–	15 lbs.	0.8



- For use as added support
- Specify wood or laminate only

SUPPORT PANEL (BOX/FILE HEIGHT)	WW1221SSW	Wood	$ 422	11 7/8	1 3/16	21 7/16	–	–	15 lbs.	0.8
	WW1221SSL	Laminate	140	11 7/8	1 3/16	21 7/16	–	–	15 lbs.	0.8



- For use as added support
- Specify wood or laminate only

SUPPORT PANEL (COUNTER HEIGHT)	WW1233SSL		$ 187	1 3/16	11 7/16	33 3/8	–	–		1.0

- For use as added support
- Specify laminate only

SUPPORT PANEL U-STYLE	NAC1228UBC	Concrete	$ 550	1½	12	28	–	–	12 lbs.	3.1
	NAC1228UBB	Cinder	550	1½	12	28	–	–	12 lbs.	3.1
	NAC1228UBI	Iron	550	1½	12	28	–	–	12 lbs.	3.1
	NAC1228UBS	Platinum Metallic	550	1½	12	28	–	–	12 lbs.	3.1
	NAC1228UBN	Satin Nickel Metallic	550	1½	12	28	–	–	12 lbs.	3.1
	NAC1228UBH	Designer White	550	1½	12	28	–	–	12 lbs.	3.1



- For use as added support
- Adjustable glides are standard
- Specify model number only
- Metal mounting plate attached to support panel

UNDERSURFACE SUPPORT RAIL (WORKSURFACE)	QNAC0248SUR		$ 266	2¾	48	1	–	–	5 lbs.	0.5
	NAC0248SUR		266	2¾	48	1	–	–	5 lbs.	0.5
	QNAC0236SUR		228	2¾	36	1	–	–	3 lbs.	0.3
	NAC0236SUR		228	2¾	36	1	–	–	3 lbs.	0.3



- Specify model number only
- Model recommended for use when the weight on the table has a uniform weight above 125 lbs. or if the span between table legs or support structures is greater than 48" on a 1 3/16" worksurface and greater than 60" on a 1 3/16" worksurface
- Specify the 36" model to be used up to 66" worksurfaces
- Specify the 48" model to be used up to 72" worksurfaces
- Specify with worksurfaces when overlapping box/file height storage, sit on box/file height storage and supports worksurface height worksurfaces
- Rails are bulk packed per order. The pack may contain both sizes of rails

PRODUCT SPECIFICATIONS

- End panels, filler panels and support panels shipped with appropriate hardware
- Some assembly required

TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW4828STW G1EL MH
WW4828STL X 480

• See pages 356-361 for all options available in WaveWorks

T-SUPPORT PANEL (WORKSURFACE HEIGHT)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WW4828STW	Wood	$ 1268	47⅞	1³⁄₁₆	27¾	—	—	55 lbs.	3.4
WW4828STL	Laminate	647	47⅞	1³⁄₁₆	27¾	—	—	55 lbs.	3.4
WW4228STW	Wood	$ 1214	41⅞	1³⁄₁₆	27¾	—	—	49 lbs.	3.4
WW4228STL	Laminate	648	41⅞	1³⁄₁₆	27¾	—	—	49 lbs.	3.4
WW3628STW	Wood	$ 1152	35⅞	1³⁄₁₆	27¾	—	—	43 lbs.	2.9
WW3628STL	Laminate	587	35⅞	1³⁄₁₆	27¾	—	—	43 lbs.	2.9
WW3028STW	Wood	$ 1089	29¹⁵⁄₁₆	1³⁄₁₆	27¾	—	—	38 lbs.	2.5
WW3028STL	Laminate	524	29¹⁵⁄₁₆	1³⁄₁₆	27¾	—	—	38 lbs.	2.5
WW2428STW	Wood	$ 1063	22¹⁵⁄₁₆	1³⁄₁₆	27¾	—	—	32 lbs.	2.1
WW2428STL	Laminate	486	22¹⁵⁄₁₆	1³⁄₁₆	27¾	—	—	32 lbs.	2.1
WW1828STW	Wood	$ 993	17¹⁄₁₆	1³⁄₁₆	27¾	—	—	28 lbs.	1.8
WW1828STL	Laminate	454	17¹⁄₁₆	1³⁄₁₆	27¾	—	—	28 lbs.	1.8

• Specify with U-surfaces, P-surfaces, and extended P-surfaces

WAVEWORKS

PRODUCT SPECIFICATIONS

- End panels, filler panels and support panels shipped with appropriate hardware
- Some assembly required

TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WWN3605STW G1EL MH
WWN3605STL X 480

• See pages 356-361 for all options available in WaveWorks

T-SUPPORT PANEL BOX/FILE HEIGHT



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
INTENDED FOR USE WITH 1⅜" THICK WORKSURFACE MODELS									
WWN3605STW	Wood	$ 576	35⅞	1³⁄₁₆	4⅞	—	—	21 lbs.	2.0
WWN3605STL	Laminate	293	35⅞	1³⁄₁₆	4⅞	—	—	21 lbs.	2.0
WWN3505STW	Wood	$ 548	35¹⁄₁₆	1³⁄₁₆	4⅞	—	—	21 lbs.	2.0
WWN3505STL	Laminate	277	35¹⁄₁₆	1³⁄₁₆	4⅞	—	—	21 lbs.	2.0
WWN3005STW	Wood	$ 547	29¹⁵⁄₁₆	1³⁄₁₆	4⅞	—	—	19 lbs.	1.8
WWN3005STL	Laminate	262	29¹⁵⁄₁₆	1³⁄₁₆	4⅞	—	—	19 lbs.	1.8
WWN2905STW	Wood	$ 519	29¹⁄₁₆	1³⁄₁₆	4⅞	—	—	19 lbs.	1.8
WWN2905STL	Laminate	248	29¹⁄₁₆	1³⁄₁₆	4⅞	—	—	19 lbs.	1.8
WWN2405STW	Wood	$ 531	22¹⁵⁄₁₆	1³⁄₁₆	4⅞	—	—	16 lbs.	1.6
WWN2405STL	Laminate	244	22¹⁵⁄₁₆	1³⁄₁₆	4⅞	—	—	16 lbs.	1.6
WWN1805STW	Wood	$ 497	17¹⁵⁄₁₆	1³⁄₁₆	4⅞	—	—	12 lbs.	1.4
WWN1805STL	Laminate	227	17¹⁵⁄₁₆	1³⁄₁₆	4⅞	—	—	12 lbs.	1.4
WWN2305STW	Wood	$ 505	22⅛	1³⁄₁₆	4⅞	—	—	16 lbs.	1.6
WWN2305STL	Laminate	231	22⅛	1³⁄₁₆	4⅞	—	—	16 lbs.	1.6
WWN1705STW	Wood	$ 473	17¹⁄₁₆	1³⁄₁₆	4⅞	—	—	12 lbs.	1.4
WWN1705STL	Laminate	216	17¹⁄₁₆	1³⁄₁₆	4⅞	—	—	12 lbs.	1.4

- Specify with worksurfaces when overlapping box/file height storage, sits on box/file height storage and supports overlapping worksurfaces
- 36, 30, 24, and 18 models not to be used with modesty panels
- 35, 29, 23, and 17 models are 1" shallower than worksurface to accommodate a modesty panel

PRODUCT SPECIFICATIONS

- End panels, filler panels and support panels shipped with appropriate hardware
- Some assembly required

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW3606STW G1EL MH
WW3606STL X 480

• See pages 356-361 for all options available in WaveWorks

T-SUPPORT PANEL BOX/FILE HEIGHT (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
INTENDED FOR USE WITH 1 3/16" THICK WORKSURFACE MODELS									
WW3606STW	Wood	$ 576	35⅞	1 3/16	5⅞	–	–	21 lbs.	2.0
WW3606STL	Laminate	293	35⅞	1 3/16	5⅞	–	–	21 lbs.	2.0
WW3506STW	Wood	$ 548	35⅛	1 3/16	5⅞	–	–	21 lbs.	2.0
WW3506STL	Laminate	277	35⅛	1 3/16	5⅞	–	–	21 lbs.	2.0
QWW3006STW	Wood	$ 547	29 15/16	1 3/16	5⅞	–	–	19 lbs.	1.8
WW3006STW	Wood	547	29 15/16	1 3/16	5⅞	–	–	19 lbs.	1.8
QWW3006STL	Laminate	262	29 15/16	1 3/16	5⅞	–	–	19 lbs.	1.8
WW3006STL	Laminate	262	29 15/16	1 3/16	5⅞	–	–	19 lbs.	1.8
WW2906STW	Wood	$ 519	29⅛	1 3/16	5⅞	–	–	19 lbs.	1.8
WW2906STL	Laminate	248	29⅛	1 3/16	5⅞	–	–	19 lbs.	1.8
WW2406STW	Wood	$ 531	22 15/16	1 3/16	5⅞	–	–	16 lbs.	1.6
WW2406STL	Laminate	244	22 15/16	1 3/16	5⅞	–	–	16 lbs.	1.6
WW1806STW	Wood	$ 497	17 15/16	1 3/16	5⅞	–	–	12 lbs.	1.4
WW1806STL	Laminate	227	17 15/16	1 3/16	5⅞	–	–	12 lbs.	1.4
WW2306STW	Wood	$ 505	22⅛	1 3/16	5⅞	–	–	16 lbs.	1.6
WW2306STL	Laminate	231	22⅛	1 3/16	5⅞	–	–	16 lbs.	1.6
WW1706STW	Wood	$ 473	17 1/16	1 3/16	5⅞	–	–	12 lbs.	1.4
WW1706STL	Laminate	216	17 1/16	1 3/16	5⅞	–	–	12 lbs.	1.4

- Specify with worksurfaces when overlapping box/file height storage, sits on box/file height storage and supports overlapping worksurfaces
- 36, 30, 24, and 18 models not to be used with modesty panels
- 35, 29, 23, and 17 models are 1" shallower than worksurface to accommodate a modesty panel

WAVEWORKS

PRODUCT SPECIFICATIONS

- End panels, filler panels and support panels shipped with appropriate hardware
- Some assembly required

TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WW28CPFSW G1EL MH
WW28CPFSL X 480

• See pages 356-361 for all options available in WaveWorks

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FILLER STRIP WORKSURFACE HEIGHT	WW28CPFSW	Wood	$ 70	¾	2 1⁄16	27 7⁄16	—	—	5 lbs.	0.1
	WW28CPFSL	Laminate	51	¾	2 1⁄16	27 7⁄16	—	—	5 lbs.	0.1



- When pedestals are positioned against a wall and a modesty panel is not used, specify a filler strip to fill the 1" gap between the worksurface and pedestal depths
- Specify wood or laminate

FILLER STRIP (BOX/FILE HEIGHT)	WW21CPFSW	Wood	$ 50	¾	2 1⁄16	21 7⁄16	—	—	3 lbs.	0.1
	WW21CPFSL	Laminate	33	¾	2 1⁄16	21 7⁄16	—	—	3 lbs.	0.1



- When pedestals are positioned against a wall and a modesty panel is not used, specify a filler strip to fill the 1" gap between the worksurface and pedestal depths
- Specify wood or laminate

FILLER STRIP (COUNTER HEIGHT)	WW33CPFSL		$ 174	¾	2 1⁄16	33 3⁄16	—	—		0.2



- When pedestals are positioned against a wall and a modesty panel is not used, specify a filler strip to fill the 1" gap between the worksurface and pedestal depths
- Specify laminate only

WORKSURFACE WIRE MANAGER FILLER CAP	NAC01WMFM		$ 24	1	1	1	—	—	1 lbs.	0.5



- Specify paint color
- Paint options and recommendations are listed on page 357

WAVEWORKS
METAL

Product Specifications 556
Configuration Options 557
Specification Tips 559
Modesty Panels 559
Metals Planning Guide 560
Metal Arrangements Models 564
Metal Units 588

WAVEWORKS METAL

PRODUCT SPECIFICATIONS

PEDESTALS AND STORAGE UNITS

- Leveling glides with 1¼" of adjustment featured on all units except mobile pedestals
- Powder coated paint

DRAWERS

- ⅝" thick drawer front consists of 22-gauge cold-rolled steel
- Silencing bumpers ensure quiet drawer operation
- Cinder steel drawer interiors
- Drawer body consists of 22-gauge cold-rolled steel
- Drawers cannot be bottom loaded
- See interior drawer dimensions below

DRAWER PULLS

- Available in 3 styles, refer to page 557 for styles and colors
- Full overlay drawers on all cabinets unless otherwise noted (exceptions are 2 and 4 drawer freestanding lateral files)

DRAWER SUSPENSION

- File drawers have full extension, progressive action slides with precision steel ball bearings
- Box drawers have full extension slides with ball bearing rollers
- All suspensions have a lifetime warranty

FILING

- See filing capabilities below

LOCKING

- Black and silver lock cores are available
- Key Random means lock cores/keys are randomly (1-5) picked and factory installed in unit
- Key Specific means you can pick any number (1-200) for black or silver lock core/key. Must specify the lock core model separately; not factory installed and will ship separately
- Specify a change key to remove and change lock cores
- To order key specific lock cores, change keys, and master keys, reference page 750

CONSTRUCTION

UNDERSURFACE STORAGE

- Outer chassis is a single piece U-case of 22-gauge cold-rolled steel
- Inner components consist of O-frame of 20-gauge cold-rolled steel

FREESTANDING LATERAL FILES/WARDROBE

- Outer chassis consists of 22-gauge cold-rolled steel
- Lateral file top is mechanically fastened

ARRANGEMENT MODEL NUMBERS

- Specify quickly and accurately using WaveWorks Metal Arrangement model numbers; see pages 564-587
- Arrangement models include all the components required to assemble the unit
- All components will ship separately

FREESTANDING LATERAL FILES

- Dual-interlock system ensures only 1 drawer may be opened at a time

DRAWER DESCRIPTION	INTERIOR DIMENSIONS WIDTH	DEPTH	HEIGHT	FRONT-TO-BACK FILING CAPABILITIES
Box Drawers	12 3/16"	20"	3⅝"	N/A
File Drawers	12 3/16"	20"	10 3/16"	Letter Front-To-Back
30" ULF	26 13/16"	15 3/16"	9⅜"	Letter and Legal Side-To-Side
36" ULF	32 13/16"	15 3/16"	9⅜"	Letter and Legal Side-To-Side
Freestanding Lateral File	32⅞"	15 3/16"	9⅜"	Letter and Legal Side-To-Side

RAILROADED TACK BOARD

- Shaded rectangle portrays a railroaded tack board





DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

RIM PROFILE OPTIONS



Softened PVC (V)

Reed PVC (N)

PVC REED RIM

AC2	Autumn 2
CL	Caramel
CW	Cordovan
DW	Judicial
HN2	Honey 2
MC	Amber
MH	Mocha
NM	Natural
TF	Truffle

PVC SOFTENED RIM

AC2	Autumn 2
AD	Almond
BZ	Brazilwood
CI	Chai
CL	Caramel
CW	Cordovan
DW	Judicial
HN2	Honey 2
IM	Brighton
KN	Kona
MC	Amber
MH	Mocha
NM	Natural
PB	Portobello
PC	Porcini
PT	Portico
SK	Skyline
SM	Sonoma
TF	Truffle
WL	Willow
405	Designer White
419	Wallaby
425	Shadow
440	Cloud
457	Dapple
461	Graphite
462	Cinder
478	Platinum Grey
488	Frosty White
491	Designer White Linear
492	Cinder Linear
792	Sable
793	Acorn

LAMINATE WORKSURFACES

WOODGRAIN LAMINATE

AC2	Autumn 2
AD	Almond
BZ	Brazilwood
CI	Chai
CL	Caramel
CW	Cordovan
DW	Judicial
HN2	Honey 2
IM	Brighton
KN	Kona
MC	Amber
MH	Mocha
NM	Natural
PB	Portobello
PC	Porcini
PT	Portico
SK	Skyline
SM	Sonoma
TF	Truffle
WL	Willow
792	Sable
793	Acorn

SOLID LAMINATE

405	Designer White
419	Wallaby
425	Shadow
440	Cloud
457	Dapple
461	Graphite
462	Cinder
478	Platinum Grey
488	Frosty White
491	Designer White Linear
492	Cinder Linear

PATTERN LAMINATE

814	White Tigris
818	Crisp Linen
819	Flax Gauze
821	Elemental Concrete
822	Smoke Quarstone

- CSL available; see page 14 for program details and upcharge
- CSL not available on TFL

GALLERY LAMINATE

Grade 1 – 5% upcharge

G1001	Citadel
G1011	Pepperdust

Grade 2 – 6% upcharge

G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

CHASSIS PAINT COLORS

405	Designer White
419	Wallaby
425	Shadow
440	Cloud
461	Graphite
462	Cinder
485	Dark Chocolate
488	Frosty White
501	Platinum Metallic*
503	Satin Nickel Metallic*
504	Taupe Metallic*
505	Satin Bronze Metallic*

*10% List Upcharge

LOCKING

KEY RANDOM

KRB	Black
KRS	Silver

KEY SPECIFIC

KS1B	Black, 1 lock per unit
KS1S	Silver, 1 lock per unit
KS2B	Black, 2 locks per unit
KS2S	Silver, 2 locks per unit
KS3B	Black, 3 locks per unit
KS3S	Silver, 3 locks per unit
KS4B	Black, 4 locks per unit
KS4S	Silver, 4 locks per unit

Unit list price will be reduced by $28 per lock when selecting Key Specific option. Must order specific lock cores separately ($28 list each). See page 750 for Key Specific model numbers.

GALLERY PVC SOFTENED RIM

Grade 1 – 5% upcharge

G1001	Citadel
G1011	Pepperdust

Grade 2 – 6% upcharge

G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

See page 14 for Gallery program details and upcharges

PULL OPTIONS

Integrated (5)

Beam (87)

87MB	Cinder
87CC	Concrete
87IR	Iron
87PL	Platinum Metallic
87SN	Satin Nickel Metallic

(Boring Pattern 128mm)

Malibu (7)

7MB	Cinder
7CC	Concrete
7IR	Iron
7PL	Platinum Metallic
7SN	Satin Nickel Metallic

(Boring Pattern 128mm)

WAVEWORKS METAL - CONFIGURATION OPTIONS

WORKSURFACE GROMMET OPTIONS

If no grommet is desired, specify an X (No Grommet)

Round Grommet, Nylon Plastic



$40 list for each grommet

G1L	Left
G1R	Right
G1LR	Left & Right
G1C	Center
G1LC	Left & Center
G1RC	Right & Center
G1A	Left, Right & Center

Racetrack Grommet, Satin Nickel Metallic



$45 list for each grommet

G11SNL	Left
G11SNR	Right
G11SNLR	Left & Right
G11SNC	Center
G11SNLC	Left & Center
G11SNRC	Right & Center
G11SNA	Left, Right & Center

Racetrack Grommet, Cinder



$45 list for each grommet

G11MBL	Left
G11MBR	Right
G11MBLR	Left & Right
G11MBC	Center
G11MBLC	Left & Center
G11MBRC	Right & Center
G11MBA	Left, Right & Center

Racetrack Grommet, Platinum Metallic



$45 list for each grommet

G11PLL	Left
G11PLR	Right
G11PLLR	Left & Right
G11PLC	Center
G11PLLC	Left & Center
G11PLRC	Right & Center
G11PLA	Left, Right & Center

Cutout Option for 1 Touch Pivoting Power Grommet

$40 list upcharge per cutout location



CUT-G17L	Left
CUT-G17R	Right
CUT-G17LR	Left & Right
CUT-G17C	Center
CUT-G17LC	Left & Center
CUT-G17RC	Right & Center
CUT-G17A	Left, Right & Center

• Reference page 362 for cutout locations of CUT-G17

NACG17AELPGB, NACG17AELPGS, and NACG17AELPGW (Sold Separately)

• Reference page 757 for pricing and details



NACG17BELPGB, NACG17BELPGS, and NACG17BELPGW (Sold Separately)

• Reference page 757 for pricing and details



NACG17CELPGB, NACG17CELPGS, and NACG17CELPGW (Sold Separately)

• Reference page 757 for pricing and details

TACK BOARD FABRIC OPTIONS

Dune (Grade A)
100% Polyester

8600	Drift
8601	Windblown
8602	Erosion
8603	Haze
8608	Nectar
8610	Clear Sky
8614	Basin
8615	Raven
8620	Darkness

Repetition (Grade A)
100% Pre-Consumer Recycled Polyester

3700	Ash
3703	White
3709	Java
3713	Stainless
3721	Reed
3744	Tawny

COM (Grade B)

Pact (Grade B)
65% Pre-Consumer Recycled Polyester, 35% Post-Consumer Recycled Polyester

25401	Aloe
25402	Azure
25403	Calla
25404	Coastal
25405	Delft
25406	Dove
25409	Fern
25410	Harbour
25411	Lily
25412	Lime
25413	Midnight
25414	Nectar
25415	Patina
25416	Putty
25418	Roma
25420	Sketch
25422	Taupe
25423	Toasty

MODESTY PANELS

FULL OVERLAY MODESTY PANELS - METAL

- Main modesty panels are used in conjunction with component worksurfaces to create modular units, and specified to create a recessed modesty panel



KNEESPACE MODESTY PANELS - METAL

- Gap between top of modesty panel and underside of worksurface is 1½"; gap between bottom of modesty panel and floor is 3";
- Modesty panel not applicable for attachment to suspended pedestals



FULL END PANEL

- Designed for securement to modesty panel
- Intended use for single pedestal desks/credenzas



HALF END PANEL

- Designed for securement to modesty panel
- Utilize on all corner surfaces with cylinder leg and for continuous surface connections when needing additional support



SUPPORT PANEL

- Designed for securement to modesty panel
- Utilize on 36" corner worksurfaces only with cylinder leg and for continuous surface connections



RETURN SUPPORT PANEL

- Designed for securement to modesty panel
- Utilize 1 return support panel for returns
- Utilize 2 return support panels for bridge units
- Use WW0827SRM to create 24" deep return
- Use WW1227SRM to create 30" deep return



CORNER POST

- Creates corner unit utilizing modesty panels
- Designed to secure modesty panels to corner unit
- Corner post must be used with modesty panels



WAVEWORKS - SPECIFICATION TIPS

METALS PLANNING - KNEESPACE MODESTY

RECTANGULAR WORKSURFACES—DOUBLE PEDESTAL DESK/CREDENZA



RECTANGULAR WORKSURFACES	WORKSURFACE WIDTH	MODESTY PANEL MODEL NUMBERS
Double Pedestal Desk/Credenza	96"	WW6623MPM
	84"	WW5423MPM
	72"	WW4223MPM
	66"	WW3623MPM
	60"	WW3023MPM

RECTANGULAR WORKSURFACES-SHELL



RECTANGULAR WORKSURFACES	WORKSURFACE WIDTH	MODESTY PANEL MODEL NUMBERS
Shell (24", 30" and 36" deep shell units)	96"	WW9423MPM
	84"	WW8223MPM
	72"	WW7023MPM
	66"	WW6423MPM
	60"	WW5823MPM
	54"	WW5223MPM
	48"	WW4523MPM
	42"	WW4023MPM
	36"	WW3423MPM
	30"	WW2823MPM

METALS PLANNING - KNEESPACE MODESTY (CONTINUED)

RECTANGULAR WORKSURFACES—SINGLE PEDESTAL DESK/CREDENZA



RECTANGULAR WORKSURFACES	WORKSURFACE WIDTH	MODESTY PANEL MODEL NUMBERS
Single Pedestal Desk/Credenza	96"	WW8023MPM
	84"	WW6823MPM
	72"	WW5623MPM
	66"	WW5023MPM
	60"	WW4323MPM
	54"	WW3823MPM
	48"	WW3223MPM
	42"	WW2623MPM
	36"	WW2023MPM
	30"	WW1423MPM

RECTANGULAR WORKSURFACES—2 PEDESTALS (SIDE-BY-SIDE)



RECTANGULAR WORKSURFACES	WORKSURFACE WIDTH	MODESTY PANEL MODEL NUMBERS
2 Pedestals (side-by-side)	96"	WW6523MPM
	84"	WW52A23MPM
	72"	WW40A23MPM
	66"	WW3523MPM
	60"	WW2923MPM
	54"	WW2323MPM
	48"	WW1723MPM

WAVEWORKS - SPECIFICATION TIPS

METALS PLANNING - KNEESPACE MODESTY (CONTINUED)

EXTENDED CORNER WORKSURFACES—SHELL



EXTENDED CORNER WORKSURFACES	WORKSURFACE WIDTH	MODESTY PANEL MODEL NUMBERS
Shell	96"	WW8323MPM
	84"	WW7123MPM
	72"	WW5923MPM
	66"	WW5323MPM
	60"	WW4723MPM
	54"	WW4123MPM
	36"	WW2323MPM

EXTENDED CORNER WORKSURFACES—SINGLE PEDESTAL



EXTENDED CORNER WORKSURFACES	WORKSURFACE WIDTH	MODESTY PANEL MODEL NUMBERS
Single Pedestal Desk/Credenza	96"	WW6923MPM
	84"	WW5723MPM
	72"	WW4423MPM
	66"	WW3923MPM
	60"	WW3323MPM
	54"	WW2723MPM

METALS PLANNING - KNEESPACE MODESTY (CONTINUED)

EXTENDED CORNER WORKSURFACES—2 PEDESTALS (SIDE BY SIDE)



EXTENDED CORNER WORKSURFACES	WORKSURFACE WIDTH	MODESTY PANEL MODEL NUMBERS
2 Pedestals (side-by-side)	96"	WW54A23MPM
	84"	WW42A23MPM
	72"	WW3123MPM

WAVEWORKS METAL - ARRANGEMENT MODELS

- Arrangement model numbers have predetermined worksurface types assigned (Main, Extension, Filler), no need to specify separately
- Worksurfaces on arrangement models cannot be specified with wire managers, modified depth or modified width
- Specify quickly and accurately using WaveWorks Metal Arrangement model numbers
- Arrangement models include all the components required to assemble the unit
- All components will ship separately

TO ORDER, SPECIFY:

1. Model Number
2. PVC Rim/Color
3. Pull
4. Grommet
5. Locking
6. Laminate Top Color
7. Paint

SAMPLE MODEL NUMBER:

WW3672DDFLM8 NCL 5 G1LR KRB CL 461

• See pages 557-558 for all options available in WaveWorks Metal

	MODEL NO./DESCRIPTION		QTY	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
DOUBLE PEDESTAL DESK FULL PEDESTAL	WW3672DDFLM8			$ 2521	36 1/16	71 15/16	28 15/16	–	35 7/8	255 lbs.	31.3
	consists of										
	WW3672WSSDL	Worksurface	1								
	WW3015PUBBFM	B/B/F Pedestal	1								
	WW3015PUFFM	F/F Pedestal	1								
	WW4223MPM	Kneespace Modesty	1								
	WW3066DDFLM8			$ 2190	30 1/16	66	28 15/16	–	35 7/8	229 lbs.	30.8
	consists of										
	WW3066WSSDL	Worksurface	1								
	WW3015PUBBFM	B/B/F Pedestal	1								
	WW3015PUFFM	F/F Pedestal	1								
	WW3623MPM	Kneespace Modesty	1								
	WW3060DDFLM8			$ 2116	30 1/16	60	28 15/16	–	29 13/16	221 lbs.	30.2
	consists of										
	WW3060WSSDL	Worksurface	1								
	WW3015PUBBFM	B/B/F Pedestal	1								
	WW3015PUFFM	F/F Pedestal	1								
	WW3023MPM	Kneespace Modesty	1								

- Assembly required
- 36" deep models feature a 6" overhang on approach side; 30" deep models have no overhang
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Grommets may be specified in kneespace areas only. Grommets specified over a pedestal will interfere with pedestal attachment. Grommets may also be field cut to desired location

DOUBLE PEDESTAL DESK FULL PEDESTAL TFL	WW3672DDFLLM8			$ 2328	36 1/16	71 15/16	28 7/8	–	35 7/8	255 lbs.	31.3
	consists of										
	WW3672WSSDLL	Worksurface	1								
	WW3015PUBBFM	B/B/F Pedestal	1								
	WW3015PUFFM	F/F Pedestal	1								
	WW4223MPM	Kneespace Modesty	1								
	WW3066DDFLLM8			$ 2058	30 1/16	66	28 7/8	–	35 7/8	229 lbs.	30.8
	consists of										
	WW3066WSSDLL	Worksurface	1								
	WW3015PUBBFM	B/B/F Pedestal	1								
	WW3015PUFFM	F/F Pedestal	1								
	WW3623MPM	Kneespace Modesty	1								
	WW3060DDFLLM8			$ 1996	30 1/16	60	28 7/8	–	29 13/16	221 lbs.	30.2
	consists of										
	WW3060WSSDLL	Worksurface	1								
	WW3015PUBBFM	B/B/F Pedestal	1								
	WW3015PUFFM	F/F Pedestal	1								
	WW3023MPM	Kneespace Modesty	1								

- Assembly required
- 36" deep models feature a 6" overhang on approach side; 30" deep models have no overhang
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Grommets may be specified in kneespace areas only. Grommets specified over a pedestal will interfere with pedestal attachment. Grommets may also be field cut to desired location

ARRANGEMENT MODELS - WAVEWORKS METAL

- Arrangement model numbers have predetermined worksurface types assigned (Main, Extension, Filler), no need to specify separately
- Worksurfaces on arrangement models cannot be specified with wire managers, modified depth or modified width
- Specify quickly and accurately using WaveWorks Metal Arrangement model numbers
- Arrangement models include all the components required to assemble the unit
- All components will ship separately

TO ORDER, SPECIFY:

1. Model Number
2. PVC Rim/Color
3. Pull
4. Grommet
5. Locking
6. Laminate Top Color
7. Paint

SAMPLE MODEL NUMBER:

WW3672DDYLM3 NCL 5 G1LR KRB CL 461

• See pages 557-558 for all options available in WaveWorks Metal

DOUBLE PEDESTAL DESK ¾ PEDESTAL



MODEL NO./DESCRIPTION		QTY	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WW3672DDYLM3			$ 3008	36 1/16	71 15/16	28 15/16	—	35 7/8	276 lbs.	24.7
consists of										
WW3672WSSDL	Worksurface	1								
WW3015PUBFM	B/F Pedestal	2								
WW7227MPM	Overlay Modesty	1								
WW3027EPM	End panel	2								
WW3066DDYLM3			$ 2682	30 1/16	66	28 15/16	—	35 7/8	250 lbs.	24.3
consists of										
WW3066WSSDL	Worksurface	1								
WW3015PUBFM	B/F Pedestal	2								
WW6627MPM	Overlay Modesty	1								
WW3027EPM	End panel	2								
WW3060DDYLM3			$ 2606	30 1/16	60	28 15/16	—	29 15/16	241 lbs.	23.7
consists of										
WW3060WSSDL	Worksurface	1								
WW3015PUBFM	B/F Pedestal	2								
WW6027MPM	Overlay Modesty	1								
WW3027EPM	End panel	2								

- Assembly required
- 36" deep models feature a 6" overhang on approach side; 30" deep models have no overhang
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Grommets may be specified in kneespace areas only. Grommets specified over a pedestal will interfere with pedestal attachment. Grommets may also be field cut to desired location

DOUBLE PEDESTAL DESK ¾ PEDESTAL TFL



MODEL NO./DESCRIPTION		QTY	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WW3672DDYLLM3			$ 2815	36 1/16	71 15/16	28 7/8	—	35 7/8	276 lbs.	24.7
consists of										
WW3672WSSDLL	Worksurface	1								
WW3015PUBFM	B/F Pedestal	2								
WW7227MPM	Overlay Modesty	1								
WW3027EPM	End panel	2								
WW3066DDYLLM3			$ 2550	30 1/16	66	28 7/8	—	35 7/8	250 lbs.	24.3
consists of										
WW3066WSSDLL	Worksurface	1								
WW3015PUBFM	B/F Pedestal	2								
WW6627MPM	Overlay Modesty	1								
WW3027EPM	End panel	2								
WW3060DDYLLM3			$ 2486	30 1/16	60	28 7/8	—	29 15/16	241 lbs.	23.7
consists of										
WW3060WSSDLL	Worksurface	1								
WW3015PUBFM	B/F Pedestal	2								
WW6027MPM	Overlay Modesty	1								
WW3027EPM	End panel	2								

- Assembly required
- 36" deep models feature a 6" overhang on approach side; 30" deep models have no overhang
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Grommets may be specified in kneespace areas only. Grommets specified over a pedestal will interfere with pedestal attachment. Grommets may also be field cut to desired location

WAVEWORKS METAL - ARRANGEMENT MODELS

- Arrangement model numbers have predetermined worksurface types assigned (Main, Extension, Filler), no need to specify separately
- Worksurfaces on arrangement models cannot be specified with wire managers, modified depth or modified width
- Specify quickly and accurately using WaveWorks Metal Arrangement model numbers
- Arrangement models include all the components required to assemble the unit
- All components will ship separately

TO ORDER, SPECIFY:

1. Model Number
2. PVC Rim/Color
3. Pull
4. Grommet
5. Locking
6. Laminate Top Color
7. Paint

SAMPLE MODEL NUMBER:

WW3672DLFLM1 NCL 5 G1LR KRB CL 461

• See pages 557-558 for all options available in WaveWorks Metal

SINGLE PEDESTAL DESK
FULL PEDESTAL



Right Shown

MODEL NO./DESCRIPTION		QTY	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WW3672DLFLM1	Left		$ 2262	36 1/16	71 15/16	28 15/16	—	52 1/16	219 lbs.	19.7
WW3672DRFLM1	Right		2262	37 1/16	72 15/16	29 15/16	—	52 1/16	219 lbs.	19.7
consists of										
WW3672WSSDL	Worksurface	1								
WW3015PUBBFM	B/B/F Pedestal	1								
WW5623MPM	Kneespace Modesty	1								
WW3027EPM	End Panel	1								
WW3066DLFLM1	Left		$ 1945	30 1/16	66	28 15/16	—	49 1/16	193 lbs.	19.2
WW3066DRFLM1	Right		1945	30 1/16	66	28 15/16	—	49 1/16	193 lbs.	19.2
consists of										
WW3066WSSDL	Worksurface	1								
WW3015PUBBFM	B/B/F Pedestal	1								
WW5023MPM	Kneespace Modesty	1								
WW3027EPM	End Panel	1								
WW3060DLFLM1	Left		$ 1872	30 1/16	60	28 15/16	—	—	184 lbs.	18.6
WW3060DRFLM1	Right		1872	30 1/16	60	28 15/16	—	—	184 lbs.	18.6
consists of										
WW3060WSSDL	Worksurface	1								
WW3015PUBBFM	B/B/F Pedestal	1								
WW4323MPM	Kneespace Modesty	1								
WW3027EPM	End Panel	1								
WW3048DLFLM1	Left		$ 1736	30 1/16	48 1/16	28 15/16	—	—	168 lbs.	17.7
WW3048DRFLM1	Right		1736	30 1/16	48 1/16	28 15/16	—	—	168 lbs.	17.7
consists of										
WW3048WSSDL	Worksurface	1								
WW3015PUBBFM	B/B/F Pedestal	1								
WW3223MPM	Kneespace Modesty	1								
WW3027EPM	End Panel	1								

- Assembly required
- 36" deep models feature a 6" overhang on approach side; 30" deep models have no overhang
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Grommets may be specified in kneespace areas only. Grommets specified over a pedestal will interfere with pedestal attachment. Grommets may also be field cut to desired location

ARRANGEMENT MODELS - WAVEWORKS METAL

- Arrangement model numbers have predetermined worksurface types assigned (Main, Extension, Filler), no need to specify separately
- Worksurfaces on arrangement models cannot be specified with wire managers, modified depth or modified width
- Specify quickly and accurately using WaveWorks Metal Arrangement model numbers
- Arrangement models include all the components required to assemble the unit
- All components will ship separately

TO ORDER, SPECIFY:

1. Model Number
2. PVC Rim/Color
3. Pull
4. Grommet
5. Locking
6. Laminate Top Color
7. Paint

SAMPLE MODEL NUMBER:

WW3672DLFLLM1 NCL 5 G1LR KRB CL 461

• See pages 557-558 for all options available in WaveWorks Metal

SINGLE PEDESTAL DESK
FULL PEDESTAL
TFL



Right Shown

MODEL NO./DESCRIPTION		QTY	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WW3672DLFLLM1	Left		$ 2069	36 1/16	71 15/16	28 7/8	—	52 1/16	219 lbs.	19.7
WW3672DRFLLM1	Right		2069	37 1/16	72 15/16	28 7/8	—	52 1/16	219 lbs.	19.7
consists of										
WW3672WSSDLL	Worksurface	1								
WW3015PUBBFM	B/B/F Pedestal	1								
WW5623MPM	Kneespace Modesty	1								
WW3027EPM	End Panel	1								
WW3066DLFLLM1	Left		$ 1813	30 1/16	66	28 7/8	—	49 1/16	193 lbs.	19.2
WW3066DRFLLM1	Right		1813	30 1/16	66	28 7/8	—	49 1/16	193 lbs.	19.2
consists of										
WW3066WSSDLL	Worksurface	1								
WW3015PUBBFM	B/B/F Pedestal	1								
WW5023MPM	Kneespace Modesty	1								
WW3027EPM	End Panel	1								
WW3060DLFLLM1	Left		$ 1752	30 1/16	60	28 7/8	—	—	184 lbs.	18.6
WW3060DRFLLM1	Right		1752	30 1/16	60	28 7/8	—	—	184 lbs.	18.6
consists of										
WW3060WSSDLL	Worksurface	1								
WW3015PUBBFM	B/B/F Pedestal	1								
WW4323MPM	Kneespace Modesty	1								
WW3027EPM	End Panel	1								
WW3048DLFLLM1	Left		$ 1635	30 1/16	48 1/16	28 7/8	—	—	168 lbs.	17.7
WW3048DRFLLM1	Right		1635	30 1/16	48 1/16	28 7/8	—	—	168 lbs.	17.7
consists of										
WW3048WSSDLL	Worksurface	1								
WW3015PUBBFM	B/B/F Pedestal	1								
WW3223MPM	Kneespace Modesty	1								
WW3027EPM	End Panel	1								

- Assembly required
- 36" deep models feature a 6" overhang on approach side; 30" deep models have no overhang
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Grommets may be specified in kneespace areas only. Grommets specified over a pedestal will interfere with pedestal attachment. Grommets may also be field cut to desired location

WAVEWORKS METAL - ARRANGEMENT MODELS

- Arrangement model numbers have predetermined worksurface types assigned (Main, Extension, Filler), no need to specify separately
- Worksurfaces on arrangement models cannot be specified with wire managers, modified depth or modified width
- Specify quickly and accurately using WaveWorks Metal Arrangement model numbers
- Arrangement models include all the components required to assemble the unit
- All components will ship separately

TO ORDER, SPECIFY:

1. Model Number
2. PVC Rim/Color
3. Pull
4. Grommet
5. Locking
6. Laminate Top Color
7. Paint

SAMPLE MODEL NUMBER:

WW3672DLYLM3 NTF 7MB G1A KS1B TF 405

• See pages 557-558 for all options available in WaveWorks Metal

SINGLE PEDESTAL DESK
¾ PEDESTAL



Right Shown

MODEL NO./DESCRIPTION		QTY	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WW3672DLYLM3	Left		$ 2495	36 1/16	71 15/16	28 13/16	—	52 1/16	230 lbs.	16.4
WW3672DRYLM3	Right		2495	37 1/16	72 15/16	28 13/16	—	52 1/16	230 lbs.	16.4
consists of										
WW3672WSSDL	Worksurface	1								
WW3015PUBFM	B/F Pedestal	1								
WW7227MPM	Overlay Modesty	1								
WW3027EPM	End Panel	2								
WW3066DLYLM3	Left		$ 2169	30 1/16	66	28 13/16	—	49 1/16	174 lbs.	15.0
WW3066DRYLM3	Right		2169	30 1/16	66	28 13/16	—	49 1/16	174 lbs.	15.0
consists of										
WW3066WSSDL	Worksurface	1								
WW3015PUBFM	B/F Pedestal	1								
WW6627MPM	Overlay Modesty	1								
WW3027EPM	End Panel	1								
WW3060DLYLM3	Left		$ 2093	30 1/16	60	28 13/16	—	—	195 lbs.	15.4
WW3060DRYLM3	Right		2093	30 1/16	60	28 13/16	—	—	195 lbs.	15.4
consists of										
WW3060WSSDL	Worksurface	1								
WW3015PUBFM	B/F Pedestal	1								
WW6027MPM	Overlay Modesty	1								
WW3027EPM	End Panel	2								
WW3048DLYLM3	Left		$ 1986	30 1/16	48 1/16	28 13/16	—	—	178 lbs.	14.4
WW3048DRYLM3	Right		1986	30 1/16	48 1/16	28 13/16	—	—	178 lbs.	14.4
consists of										
WW3048WSSDL	Worksurface	1								
WW3015PUBFM	B/F Pedestal	1								
WW4827MPM	Overlay Modesty	1								
WW3027EPM	End Panel	2								

- Assembly required
- 36" deep models feature a 6" overhang on approach side; 30" deep models have no overhang
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Grommets may be specified in kneespace areas only. Grommets specified over a pedestal will interfere with pedestal attachment. Grommets may also be field cut to desired location

ARRANGEMENT MODELS - WAVEWORKS METAL

- Arrangement model numbers have predetermined worksurface types assigned (Main, Extension, Filler), no need to specify separately
- Worksurfaces on arrangement models cannot be specified with wire managers, modified depth or modified width
- Specify quickly and accurately using WaveWorks Metal Arrangement model numbers
- Arrangement models include all the components required to assemble the unit
- All components will ship separately

TO ORDER, SPECIFY:

1. Model Number
2. PVC Rim/Color
3. Pull
4. Grommet
5. Locking
6. Laminate Top Color
7. Paint

SAMPLE MODEL NUMBER:

WW3672DLYLLM3 NTF 7MB G1A KS1B TF 405

• See pages 557-558 for all options available in WaveWorks Metal

SINGLE PEDESTAL DESK
¾ PEDESTAL
TFL



Right Shown

MODEL NO./DESCRIPTION		QTY	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WW3672DLYLLM3	Left		$ 2302	36 1/16	71 15/16	28 7/8	—	52 1/16	230 lbs.	16.4
WW3672DRYLLM3	Right		2302	37 1/16	72 15/16	28 7/8	—	52 1/16	230 lbs.	16.4
consists of										
WW3672WSSDLL	Worksurface	1								
WW3015PUBFM	B/F Pedestal	1								
WW7227MPM	Overlay Modesty	1								
WW3027EPM	End Panel	2								
WW3066DLYLLM3	Left		$ 2037	30 1/16	66	28 7/8	—	49 1/16	174 lbs.	15.0
WW3066DRYLLM3	Right		2037	30 1/16	66	28 7/8	—	49 1/16	174 lbs.	15.0
consists of										
WW3066WSSDLL	Worksurface	1								
WW3015PUBFM	B/F Pedestal	1								
WW6627MPM	Overlay Modesty	1								
WW3027EPM	End Panel	1								
WW3060DLYLLM3	Left		$ 1973	30 1/16	60	28 7/8	—	—	195 lbs.	15.4
WW3060DRYLLM3	Right		1973	30 1/16	60	28 7/8	—	—	195 lbs.	15.4
consists of										
WW3060WSSDLL	Worksurface	1								
WW3015PUBFM	B/F Pedestal	1								
WW6027MPM	Overlay Modesty	1								
WW3027EPM	End Panel	2								
WW3048DLYLLM3	Left		$ 1885	30 1/16	48 1/16	28 7/8	—	—	178 lbs.	14.4
WW3048DRYLLM3	Right		1885	30 1/16	48 1/16	28 7/8	—	—	178 lbs.	14.4
consists of										
WW3048WSSDLL	Worksurface	1								
WW3015PUBFM	B/F Pedestal	1								
WW4827MPM	Overlay Modesty	1								
WW3027EPM	End Panel	2								

- Assembly required
- 36" deep models feature a 6" overhang on approach side; 30" deep models have no overhang
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Grommets may be specified in kneespace areas only. Grommets specified over a pedestal will interfere with pedestal attachment. Grommets may also be field cut to desired location

WAVEWORKS METAL - ARRANGEMENT MODELS

- Arrangement model numbers have predetermined worksurface types assigned (Main, Extension, Filler), no need to specify separately
- Worksurfaces on arrangement models cannot be specified with wire managers, modified depth or modified width
- Specify quickly and accurately using WaveWorks Metal Arrangement model numbers
- Arrangement models include all the components required to assemble the unit
- All components will ship separately

TO ORDER, SPECIFY:

1. Model Number
2. PVC Rim/Color
3. Grommet
4. Laminate Top Color
5. Paint

SAMPLE MODEL NUMBER:

WW3672DULM V478 X 478 480

- See pages 557-558 for all options available in WaveWorks Metal

	MODEL NO./DESCRIPTION		QTY	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
U-SHAPE DESK	WW3672DULM			$ 1684	36 1/16	72	28 13/16	–	–	126 lbs.	5.3
	consists of										
	WW3672WSUDL	Worksurface	1								
	WW3627EPM	End Panel	1								
	WW1227SSM	Support Panel	1								
	WW3072DULM			$ 1393	30 1/16	72	28 13/16	–	–	116 lbs.	5.0
	consists of										
	WW3072WSUDL	Worksurface	1								
	WW3027EPM	End Panel	1								
	WW1227SSM	Support Panel	1								
	WW3066DULM			$ 1302	30 1/16	65 3/4	28 13/16	–	–	110 lbs.	4.7
	consists of										
	WW3066WSUDL	Worksurface	1								
	WW3027EPM	End Panel	1								
	WW1227SSM	Support Panel	1								
	WW2460DULM			$ 1115	24	60	28 13/16	–	–	104 lbs.	4.0
	consists of										
	WW2460WSUDL	Worksurface	1								
	WW2427EPM	End Panel	1								
	WW1227SSM	Support Panel	1								
	WW2448DULM			$ 1041	24	48 1/16	28 13/16	–	–	97 lbs.	4.2
	consists of										
	WW2448WSUDL	Worksurface	1								
	WW2427EPM	End Panel	1								
	WW1227SSM	Support Panel	1								

- Not recommended as a freestanding unit
- Support base must be ordered separately; see pages 669-672 for support base options
- Assembly required

ARRANGEMENT MODELS - WAVEWORKS METAL

- Arrangement model numbers have predetermined worksurface types assigned (Main, Extension, Filler), no need to specify separately
- Worksurfaces on arrangement models cannot be specified with wire managers, modified depth or modified width
- Specify quickly and accurately using WaveWorks Metal Arrangement model numbers
- Arrangement models include all the components required to assemble the unit
- All components will ship separately

TO ORDER, SPECIFY:

1. Model Number
2. PVC Rim/Color
3. Grommet
4. Laminate Top Color
5. Paint

SAMPLE MODEL NUMBER:

WW3672DULLM V478 X 478 480

• See pages 557-558 for all options available in WaveWorks Metal

U-SHAPE DESK
TFL



MODEL NO./DESCRIPTION		QTY	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WW3672DULLM			$ 1467	36⅛	72	28⅞	—	—	126 lbs.	5.3
consists of										
WW3672WSUDLL	Worksurface	1								
WW3627EPM	End Panel	1								
WW1227SSM	Support Panel	1								
WW3072DULLM			$ 1226	30⅛	72	28⅞	—	—	116 lbs.	5.0
consists of										
WW3072WSUDLL	Worksurface	1								
WW3027EPM	End Panel	1								
WW1227SSM	Support Panel	1								
WW3066DULLM			$ 1151	30⅛	65¾	28⅞	—	—	110 lbs.	4.7
consists of										
WW3066WSUDLL	Worksurface	1								
WW3027EPM	End Panel	1								
WW1227SSM	Support Panel	1								
WW2460DULLM			$ 995	24	60	28⅞	—	—	104 lbs.	4.0
consists of										
WW2460WSUDLL	Worksurface	1								
WW2427EPM	End Panel	1								
WW1227SSM	Support Panel	1								
WW2448DULLM			$ 936	24	48⅛	28⅞	—	—	97 lbs.	4.2
consists of										
WW2448WSUDLL	Worksurface	1								
WW2427EPM	End Panel	1								
WW1227SSM	Support Panel	1								

- Not recommended as a freestanding unit
- Support base must be ordered separately; see pages 669-672 for support base options
- Assembly required

WAVEWORKS METAL - ARRANGEMENT MODELS

- Arrangement model numbers have predetermined worksurface types assigned (Main, Extension, Filler), no need to specify separately
- Worksurfaces on arrangement models cannot be specified with wire managers, modified depth or modified width
- Specify quickly and accurately using WaveWorks Metal Arrangement model numbers
- Arrangement models include all the components required to assemble the unit
- All components will ship separately

TO ORDER, SPECIFY:

1. Model Number
2. PVC Rim/Color
3. Grommet
4. Laminate Top Color
5. Paint

SAMPLE MODEL NUMBER:

WW3672DUFLM V478 X 478 480

- See pages 557-558 for all options available in WaveWorks Metal

	MODEL NO./DESCRIPTION		QTY	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
U-SHAPE DESK WITH MODESTY	WW3672DUFLM			$ 1729	36⅛	72	28¹³⁄₁₆	–	–	134 lbs.	6.5
	consists of										
	WW3672WSUDL	Worksurface	1								
	WW3627EPM	End Panel	1								
	WW5323MPM	Kneespace Modesty	1								
	WW3072DUFLM			$ 1438	30⅛	72	28¹³⁄₁₆	–	–	124 lbs.	6.2
	consists of										
	WW3072WSUDL	Worksurface	1								
	WW3027EPM	End Panel	1								
	WW5323MPM	Kneespace Modesty	1								
	WW3066DUFLM			$ 1345	30⅛	65¾	28¹³⁄₁₆	–	–	116 lbs.	5.7
	consists of										
	WW3066WSUDL	Worksurface	1								
	WW3027EPM	End Panel	1								
	WW4723MPM	Kneespace Modesty	1								

- Not recommended as a freestanding unit
- 3" or 4" support base must be ordered separately; see pages 669-672 for support base options
- Assembly required
- Non-defacing column kit WWSBNDF must be ordered separately; see page 601

	MODEL NO./DESCRIPTION		QTY	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
U-SHAPE DESK WITH MODESTY TFL	WW3672DUFLLM			$ 1512	36⅛	72	28⅞	–	–	134 lbs.	6.5
	consists of										
	WW3672WSUDLL	Worksurface	1								
	WW3627EPM	End Panel	1								
	WW5323MPM	Kneespace Modesty	1								
	WW3072DUFLLM			$ 1271	30⅛	72	28⅞	–	–	124 lbs.	6.2
	consists of										
	WW3072WSUDLL	Worksurface	1								
	WW3027EPM	End Panel	1								
	WW5323MPM	Kneespace Modesty	1								
	WW3066DUFLLM			$ 1194	30⅛	65¾	28⅞	–	–	116 lbs.	5.7
	consists of										
	WW3066WSUDLL	Worksurface	1								
	WW3027EPM	End Panel	1								
	WW4723MPM	Kneespace Modesty	1								

- Not recommended as a freestanding unit
- 3" or 4" support base must be ordered separately; see pages 669-672 for support base options
- Assembly required
- Non-defacing column kit WWSBNDF must be ordered separately; see page 601

ARRANGEMENT MODELS - WAVEWORKS METAL

- Arrangement model numbers have predetermined worksurface types assigned (Main, Extension, Filler), no need to specify separately
- Worksurfaces on arrangement models cannot be specified with wire managers, modified depth or modified width
- Specify quickly and accurately using WaveWorks Metal Arrangement model numbers
- Arrangement models include all the components required to assemble the unit
- All components will ship separately

TO ORDER, SPECIFY:

1. Model Number
2. PVC Rim/Color
3. Grommet
4. Laminate Top Color
5. Paint

SAMPLE MODEL NUMBER:

WW3072DPLLM V405 X 405 461

- See pages 557-558 for all options available in WaveWorks Metal

	MODEL NO./DESCRIPTION		QTY	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
P-SHAPE DESK	WW3072DPLLM	Left		$ 1999	30⅛	72	28⅝	—	—	109 lbs.	5.0
	WW3072DPRLM	Right		1999	30⅛	72	28⅝	—	—	109 lbs.	5.0
	consists of										
	WW3072WSPDLL/RL	Worksurface	1								
	WW3027EPM	End Panel	1								
	WW1227SSM	Support Panel	1								



Left shown

- Not recommended as a freestanding unit
- Support base must be ordered separately; see pages 669-672 for support base options
- Assembly required

P-SHAPE DESK TFL	WW3072DPLLLM	Left		$ 1711	30⅛	72	28⅞	—	—	109 lbs.	5.0
	WW3072DPRLLM	Right		1711	30⅛	72	28⅞	—	—	109 lbs.	5.0
	consists of										
	WW3072WSPDLLL/RLL	Worksurface	1								
	WW3027EPM	End Panel	1								
	WW1227SSM	Support Panel	1								



Left shown

- Not recommended as a freestanding unit
- Support base must be ordered separately; see pages 669-672 for support base options
- Assembly required

P-SHAPE DESK WITH MODESTY	WW3072DPLFLM	Left		$ 2044	30⅛	72	28⅝	—	—	117 lbs.	6.2
	WW3072DPRFLM	Right		2044	30⅛	72	28⅝	—	—	117 lbs.	6.2
	consists of										
	WW3072WSPDLL/RL	Worksurface	1								
	WW3027EPM	End Panel	1								
	WW5323MPM	Kneespace Modesty	1								



Left shown

- Not recommended as a freestanding unit
- 3" or 4" support base must be ordered separately; see pages 669-672 for support base options
- Assembly required
- Non-defacing column kit WWSBNDF must be ordered separately; see page 601

P-SHAPE DESK WITH MODESTY TFL	WW3072DPLFLLM	Left		$ 1756	30⅛	72	28⅞	—	—	117 lbs.	6.2
	WW3072DPRFLLM	Right		1756	30⅛	72	28⅞	—	—	117 lbs.	6.2
	consists of										
	WW3072WSPDLLL/RLL	Worksurface	1								
	WW3027EPM	End Panel	1								
	WW5323MPM	Kneespace Modesty	1								



Left shown

- Not recommended as a freestanding unit
- 3" or 4" support base must be ordered separately; see pages 669-672 for support base options
- Assembly required
- Non-defacing column kit WWSBNDF must be ordered separately; see page 601

WAVEWORKS METAL - ARRANGEMENT MODELS

- Arrangement model numbers have predetermined worksurface types assigned (Main, Extension, Filler), no need to specify separately
- Worksurfaces on arrangement models cannot be specified with wire managers, modified depth or modified width
- Specify quickly and accurately using WaveWorks Metal Arrangement model numbers
- Arrangement models include all the components required to assemble the unit
- All components will ship separately

TO ORDER, SPECIFY:

1. Model Number
2. PVC Rim/Color
3. Grommet
4. Laminate Top Color
5. Paint

SAMPLE MODEL NUMBER:

WW4242CFSLM3 V405 G1C 405 461

• See pages 557-558 for all options available in WaveWorks Metal

	MODEL NO./DESCRIPTION		QTY	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
CORNER UNIT	WW4242CFSLM3			$ 2020	42 1/16	42 1/16	28 13/16	–	–	111 lbs.	8.0
	consists of										
	WW4242WSCSDL3	Worksurface	1								
	WW0827SPM	Corner post	1								
	WW2923MPM	Kneespace Modesty	2								
	WW0827SRM	Return Support Panel	2								
	WW4242CFSLM2			$ 1927	42 1/16	42 1/16	28 13/16	–	–	111 lbs.	8.0
	consists of										
	WW4242WSCSDL2	Worksurface	1								
	WW0827SPM	Corner post	1								
	WW2923MPM	Kneespace Modesty	2								
	WW0827SRM	Return Support Panel	2								
	WW3636CFSLM2			$ 1834	36 1/16	36 1/16	28 13/16	–	–	91 lbs.	7.6
	consists of										
	WW3636WSCSDL2	Worksurface	1								
	WW0827SPM	Corner post	1								
	WW2323MPM	Kneespace Modesty	2								
	WW0827SRM	Return Support Panel	2								

- Not recommended as a freestanding unit
- Models ending in 3 must be connected to 30" deep worksurface
- Models ending in 2 must be connected to 24" deep worksurface
- Assembly required

	MODEL NO./DESCRIPTION		QTY	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
CORNER UNIT TFL	WW4242CFSLLM3			$ 1819	42 1/16	42 1/16	28 7/8	–	–	111 lbs.	8.0
	consists of										
	WW4242WSCSDLL3	Worksurface	1								
	WW0827SPM	Corner post	1								
	WW2923MPM	Kneespace Modesty	2								
	WW0827SRM	Return Support Panel	2								
	WW4242CFSLLM2			$ 1745	42 1/16	42 1/16	28 7/8	–	–	111 lbs.	8.0
	consists of										
	WW4242WSCSDLL2	Worksurface	1								
	WW0827SPM	Corner post	1								
	WW2923MPM	Kneespace Modesty	2								
	WW0827SRM	Return Support Panel	2								
	WW3636CFSLLM2			$ 1668	36 1/16	36 1/16	28 7/8	–	–	91 lbs.	7.6
	consists of										
	WW3636WSCSDLL2	Worksurface	1								
	WW0827SPM	Corner post	1								
	WW2323MPM	Kneespace Modesty	2								
	WW0827SRM	Return Support Panel	2								

- Not recommended as a freestanding unit
- Models ending in 3 must be connected to 30" deep worksurface
- Models ending in 2 must be connected to 24" deep worksurface
- Assembly required

ARRANGEMENT MODELS - WAVEWORKS METAL

- Arrangement model numbers have predetermined worksurface types assigned (Main, Extension, Filler), no need to specify separately
- Worksurfaces on arrangement models cannot be specified with wire managers, modified depth or modified width
- Specify quickly and accurately using WaveWorks Metal Arrangement model numbers
- Arrangement models include all the components required to assemble the unit
- All components will ship separately

TO ORDER, SPECIFY:

1. Model Number
2. PVC Rim/Color
3. Grommet
4. Laminate Top Color
5. Paint

SAMPLE MODEL NUMBER:

WW3672CFELLM2 V405 G1C 405 461

- See pages 557-558 for all options available in WaveWorks Metal

	MODEL NO./DESCRIPTION		QTY	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
EXTENDED CORNER UNIT	WW3672CFELLM2	Left		$ 2588	35 13/16	72	28 15/16	—	—	173 lbs.	8.3
	WW3672CFERLM2	Right		2588	35 13/16	72	28 15/16	—	—	173 lbs.	8.3
	consists of										
	WW3672WSCEDLL2/RL2	Worksurface	1								
	WW2427EPM	End Panel	1								
	WW3627EPM	End Panel	1								
	WW7023MPM	Kneespace Modesty	1								
	WW0827SRM	Return Support Panel	1								
	WW3666CFELLM2	Left		$ 2496	35 3/16	66	28 15/16	—	—	164 lbs.	7.8
	WW3666CFERLM2	Right		2496	35 3/16	66	28 15/16	—	—	164 lbs.	7.8
	consists of										
	WW3666WSCEDLL2/RL2	Worksurface	1								
	WW2427EPM	End Panel	1								
	WW3627EPM	End Panel	1								
	WW6423MPM	Kneespace Modesty	1								
	WW0827SRM	Return Support Panel	1								

- Not recommended as a freestanding unit
- Must be connected to 24" deep worksurface
- Assembly required; (support panel WW1227SSM or undersurface support rail NAC0236SUR) required when kneespace area is greater than 48"

	MODEL NO./DESCRIPTION		QTY	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
EXTENDED CORNER UNIT TFL	WW3672CFELLLM2	Left		$ 2291	35 13/16	72	28 7/8	—	—	173 lbs.	8.3
	WW3672CFERLLM2	Right		2291	35 13/16	72	28 7/8	—	—	173 lbs.	8.3
	consists of										
	WW3672WSCEDLLL2/RLL2	Worksurface	1								
	WW2427EPM	End Panel	1								
	WW3627EPM	End Panel	1								
	WW7023MPM	Kneespace Modesty	1								
	WW0827SRM	Return Support Panel	1								
	WW3666CFELLLM2	Left		$ 2213	35 3/16	66	28 7/8	—	—	164 lbs.	7.8
	WW3666CFERLLM2	Right		2213	35 3/16	66	28 7/8	—	—	164 lbs.	7.8
	consists of										
	WW3666WSCEDLLL2/RLL2	Worksurface	1								
	WW2427EPM	End Panel	1								
	WW3627EPM	End Panel	1								
	WW6423MPM	Kneespace Modesty	1								
	WW0827SRM	Return Support Panel	1								

- Not recommended as a freestanding unit
- Must be connected to 24" deep worksurface
- Assembly required; (support panel WW1227SSM or undersurface support rail NAC0236SUR) required when kneespace area is greater than 48"

WAVEWORKS METAL - ARRANGEMENT MODELS

- Arrangement model numbers have predetermined worksurface types assigned (Main, Extension, Filler), no need to specify separately
- Worksurfaces on arrangement models cannot be specified with wire managers, modified depth or modified width
- Specify quickly and accurately using WaveWorks Metal Arrangement model numbers
- Arrangement models include all the components required to assemble the unit
- All components will ship separately

TO ORDER, SPECIFY:

1. Model Number
2. PVC Rim/Color
3. Pull
4. Grommet
5. Locking
6. Laminate Top Color
7. Paint

SAMPLE MODEL NUMBER:

WW2448RLEFLM2 NCW 7MB G1C KS1B CW 461

• See pages 557-558 for all options available in WaveWorks Metal

	MODEL NO./DESCRIPTION		QTY	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
RETURN FILE/FILE FULL PEDESTAL	WW2448RLEFLM2	Left		$ 1363	24	48 1/16	28 13/16	—	33	136 lbs.	16.7
	WW2448RREFLM2	Right		1363	24	48 1/16	28 13/16	—	33	136 lbs.	16.7
	consists of										
	WW2448WSSVDL	Worksurface	1								
	WW2315PUFFM	F/F Pedestal	1								
	WW3223MPM	Kneespace Modesty	1								
	WW0827SRM	Return Support Panel	1								
	WW2442RLEFLM2	Left		$ 1317	24	42 1/16	28 13/16	—	27	127 lbs.	16.4
	WW2442RREFLM2	Right		1317	24	42 1/16	28 13/16	—	27	127 lbs.	16.4
	consists of										
	WW2442WSSVDL	Worksurface	1								
	WW2315PUFFM	F/F Pedestal	1								
	WW2623MPM	Kneespace Modesty	1								
	WW0827SRM	Return Support Panel	1								



Right shown

- Not recommended as a freestanding unit
- Grain direction runs front-to-back
- Assembly required
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Grommets may be specified in kneespace areas only. Grommets specified over a pedestal will interfere with pedestal attachment. Grommets may also be field cut to desired location

RETURN FILE/FILE FULL PEDESTAL TFL	WW2448RLEFLLM2	Left		$ 1280	24	48 1/16	28 7/8	—	33	136 lbs.	16.7
	WW2448RREFLLM2	Right		1280	24	48 1/16	28 7/8	—	33	136 lbs.	16.7
	consists of										
	WW2448WSSVDLL	Worksurface	1								
	WW2315PUFFM	F/F Pedestal	1								
	WW3223MPM	Kneespace Modesty	1								
	WW0827SRM	Return Support Panel	1								
	WW2442RLEFLLM2	Left		$ 1240	24	42 1/16	28 7/8	—	27	127 lbs.	16.4
	WW2442RREFLLM2	Right		1240	24	42 1/16	28 7/8	—	27	127 lbs.	16.4
	consists of										
	WW2442WSSVDLL	Worksurface	1								
	WW2315PUFFM	F/F Pedestal	1								
	WW2623MPM	Kneespace Modesty	1								
	WW0827SRM	Return Support Panel	1								



Right shown

- Not recommended as a freestanding unit
- Grain direction runs front-to-back
- Assembly required
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Grommets may be specified in kneespace areas only. Grommets specified over a pedestal will interfere with pedestal attachment. Grommets may also be field cut to desired location

ARRANGEMENT MODELS - WAVEWORKS METAL

- Arrangement model numbers have predetermined worksurface types assigned (Main, Extension, Filler), no need to specify separately
- Worksurfaces on arrangement models cannot be specified with wire managers, modified depth or modified width
- Specify quickly and accurately using WaveWorks Metal Arrangement model numbers
- Arrangement models include all the components required to assemble the unit
- All components will ship separately

TO ORDER, SPECIFY:

1. Model Number
2. PVC Rim/Color
3. Pull
4. Grommet
5. Locking
6. Laminate Top Color
7. Paint

SAMPLE MODEL NUMBER:

WW2448RLEYLM3 NCW 7MB G1C KS1B CW 461

• See pages 557-558 for all options available in WaveWorks Metal

	MODEL NO./DESCRIPTION		QTY	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
RETURN FILE/FILE ¾ PEDESTAL	WW2448RLEYLM3	Left		$ 1634	24	48 1/16	28 15/16	—	33	116 lbs.	12.4
	WW2448RREYLM3	Right		1634	24	48 1/16	28 15/16	—	33	116 lbs.	12.4
	consists of										
	WW2448WSSVDL	Worksurface	1								
	WW2315PUBFM	B/F Pedestal	1								
	WW4827MPM	Full Overlay Modesty	1								
	WW0827SRM	Return Support Panel	1								
	WW2427EPM	End Panel	1								
	WW2442RLEYLM3	Left		$ 1572	24	42 1/16	28 15/16	—	27	109 lbs.	12.3
	WW2442RREYLM3	Right		1572	24	42 1/16	28 15/16	—	27	109 lbs.	12.3
	consists of										
	WW2442WSSVDL	Worksurface	1								
	WW2315PUBFM	B/F Pedestal	1								
	WW4227MPM	Full Overlay Modesty	1								
	WW0827SRM	Return Support Panel	1								
	WW2427EPM	End Panel	1								



Right shown

- Not recommended as a freestanding unit
- Grain direction runs front-to-back
- Assembly required
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Grommets may be specified in kneespace areas only. Grommets specified over a pedestal will interfere with pedestal attachment. Grommets may also be field cut to desired location

	MODEL NO./DESCRIPTION		QTY	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
RETURN FILE/FILE ¾ PEDESTAL TFL	WW2448RLEYLLM3	Left		$ 1551	24	48 1/16	28⅞	—	33	116 lbs.	12.4
	WW2448RREYLLM3	Right		1551	24	48 1/16	28⅞	—	33	116 lbs.	12.4
	consists of										
	WW2448WSSVDLL	Worksurface	1								
	WW2315PUBFM	B/F Pedestal	1								
	WW4827MPM	Full Overlay Modesty	1								
	WW0827SRM	Return Support Panel	1								
	WW2427EPM	End Panel	1								
	WW2442RLEYLLM3	Left		$ 1495	24	42 1/16	28⅞	—	27	109 lbs.	12.3
	WW2442RREYLLM3	Right		1495	24	42 1/16	28⅞	—	27	109 lbs.	12.3
	consists of										
	WW2442WSSVDLL	Worksurface	1								
	WW2315PUBFM	B/F Pedestal	1								
	WW4227MPM	Full Overlay Modesty	1								
	WW0827SRM	Return Support Panel	1								
	WW2427EPM	End Panel	1								



Right shown

- Not recommended as a freestanding unit
- Grain direction runs front-to-back
- Assembly required
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Grommets may be specified in kneespace areas only. Grommets specified over a pedestal will interfere with pedestal attachment. Grommets may also be field cut to desired location

WAVEWORKS METAL - ARRANGEMENT MODELS

- Arrangement model numbers have predetermined worksurface types assigned (Main, Extension, Filler), no need to specify separately
- Worksurfaces on arrangement models cannot be specified with wire managers, modified depth or modified width
- Specify quickly and accurately using WaveWorks Metal Arrangement model numbers
- Arrangement models include all the components required to assemble the unit
- All components will ship separately

TO ORDER, SPECIFY:

1. Model Number
2. PVC Rim/Color
3. Grommet
4. Laminate Top Color
5. Paint

SAMPLE MODEL NUMBER:

WW2448RSLFLM NCW G1C CW 461

• See pages 557-558 for all options available in WaveWorks Metal

	MODEL NO./DESCRIPTION		QTY	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
RETURN SHELL	WW2448RSLFLM	Left		$ 1126	24	48 1/16	28 13/16	–	–	95 lbs.	4.9
	WW2448RSRFLM	Right		1126	24	48 1/16	28 13/16	–	–	95 lbs.	4.9
	consists of										
	WW2448WSSVDL	Worksurface	1								
	WW2427EPM	End Panel	1								
	WW4827MPM	Full Overlay Modesty	1								
	WW0827SRM	Return Support Panel	1								
	WW2442RSLFLM	Left		$ 1064	24	42 1/16	28 13/16	–	–	88 lbs.	4.8
	WW2442RSRFLM	Right		1064	24	42 1/16	28 13/16	–	–	88 lbs.	4.8
	consists of										
	WW2442WSSVDL	Worksurface	1								
	WW2427EPM	End Panel	1								
	WW4227MPM	Full Overlay Modesty	1								
	WW0827SRM	Return Support Panel	1								



Right shown

- Not recommended as a freestanding unit
- Grain direction runs front-to-back
- Assembly required; (support panel WW1227SSM or undersurface support rail NAC0236SUR) required when kneespace area is greater than 48"
- Grommets may be specified in kneespace areas only. Grommets specified over a pedestal will interfere with pedestal attachment. Grommets may also be field cut to desired location

RETURN SHELL TFL	WW2448RSLFLLM	Left		$ 1043	24	48 1/16	28 7/8	–	–	95 lbs.	4.9
	WW2448RSRFLLM	Right		1043	24	48 1/16	28 7/8	–	–	95 lbs.	4.9
	consists of										
	WW2448WSSVDLL	Worksurface	1								
	WW2427EPM	End Panel	1								
	WW4827MPM	Full Overlay Modesty	1								
	WW0827SRM	Return Support Panel	1								
	WW2442RSLFLLM	Left		$ 987	24	42 1/16	28 7/8	–	–	88 lbs.	4.8
	WW2442RSRFLLM	Right		987	24	42 1/16	28 7/8	–	–	88 lbs.	4.8
	consists of										
	WW2442WSSVDLL	Worksurface	1								
	WW2427EPM	End Panel	1								
	WW4227MPM	Full Overlay Modesty	1								
	WW0827SRM	Return Support Panel	1								



Right shown

- Not recommended as a freestanding unit
- Grain direction runs front-to-back
- Assembly required; (support panel WW1227SSM or undersurface support rail NAC0236SUR) required when kneespace area is greater than 48"
- Grommets may be specified in kneespace areas only. Grommets specified over a pedestal will interfere with pedestal attachment. Grommets may also be field cut to desired location

ARRANGEMENT MODELS - WAVEWORKS METAL

- Arrangement model numbers have predetermined worksurface types assigned (Main, Extension, Filler), no need to specify separately
- Worksurfaces on arrangement models cannot be specified with wire managers, modified depth or modified width
- Specify quickly and accurately using WaveWorks Metal Arrangement model numbers
- Arrangement models include all the components required to assemble the unit
- All components will ship separately

TO ORDER, SPECIFY:

1. Model Number
2. PVC Rim/Color
3. Grommet
4. Laminate Top Color
5. Paint

SAMPLE MODEL NUMBER:

WW2448BEFLM NCW G1C CW 461

• See pages 557-558 for all options available in WaveWorks Metal

	MODEL NO./DESCRIPTION		QTY	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
BRIDGE	WW2448BEFLM			$ 897	24	48 1/16	28 15/16	—	—	79 lbs.	4.5
	consists of										
	WW2448WSSVDL	Worksurface	1								
	WW4523MPM	Kneespace Modesty	1								
	WW0827SRM	Return Support Panel	2								
	WW2442BEFLM			$ 838	24	42 1/16	28 15/16	—	—	71 lbs.	4.3
	consists of										
	WW2442WSSVDL	Worksurface	1								
	WW4023MPM	Kneespace Modesty	1								
	WW0827SRM	Return Support Panel	2								

- Not recommended as a freestanding unit
- Grain direction runs front-to-back
- Assembly required; (support panel WW1227SSM or undersurface support rail NAC0236SUR) required when kneespace area is greater than 48"
- Grommets may be specified in kneespace areas only. Grommets specified over a pedestal will interfere with pedestal attachment. Grommets may also be field cut to desired location

	MODEL NO./DESCRIPTION		QTY	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
BRIDGE TFL	WW2448BEFLLM			$ 814	24	48 1/16	28 7/8	—	—	79 lbs.	4.5
	consists of										
	WW2448WSSVDLL	Worksurface	1								
	WW4523MPM	Kneespace Modesty	1								
	WW0827SRM	Return Support Panel	2								
	WW2442BEFLLM			$ 761	24	42 1/16	28 7/8	—	—	71 lbs.	4.3
	consists of										
	WW2442WSSVDLL	Worksurface	1								
	WW4023MPM	Kneespace Modesty	1								
	WW0827SRM	Return Support Panel	2								

- Not recommended as a freestanding unit
- Grain direction runs front-to-back
- Assembly required; (support panel WW1227SSM or undersurface support rail NAC0236SUR) required when kneespace area is greater than 48"
- Grommets may be specified in kneespace areas only. Grommets specified over a pedestal will interfere with pedestal attachment. Grommets may also be field cut to desired location

WAVEWORKS METAL - ARRANGEMENT MODELS

- Arrangement model numbers have predetermined worksurface types assigned (Main, Extension, Filler), no need to specify separately
- Worksurfaces on arrangement models cannot be specified with wire managers, modified depth or modified width
- Specify quickly and accurately using WaveWorks Metal Arrangement model numbers
- Arrangement models include all the components required to assemble the unit
- All components will ship separately

TO ORDER, SPECIFY:

1. Model Number
2. PVC Rim/Color
3. Pull
4. Grommet
5. Locking
6. Laminate Top Color
7. Paint

SAMPLE MODEL NUMBER:

WW2472CKFLM2 VMC 5 G1C KRB MC 405

• See pages 557-558 for all options available in WaveWorks Metal

	MODEL NO./DESCRIPTION		QTY	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
KNEESPACE CREDENZA FULL PEDESTAL 	WW2472CKFLM2			$ 2084	24	71 15/16	28 13/16	–	35 7/8	198 lbs.	27.3
	consists of										
	WW2472WSSDL	Worksurface	1								
	WW2315PUFFM	F/F Pedestal	2								
	WW4223MPM	Kneespace Modesty	1								
	WW2466CKFLM2			$ 2018	24	66	28 13/16	–	35 7/8	193 lbs.	27.1
	consists of										
	WW2466WSSDL	Worksurface	1								
	WW2315PUFFM	F/F Pedestal	2								
	WW3623MPM	Kneespace Modesty	1								
	WW2460CKFLM2			$ 1972	24	60	28 13/16	–	29 13/16	187 lbs.	26.8
	consists of										
	WW2460WSSDL	Worksurface	1								
	WW2315PUFFM	F/F Pedestal	2								
	WW3023MPM	Kneespace Modesty	1								

- Assembly required; (support panel WW1227SSM or undersurface support rail NAC0236SUR) required when kneespace area is greater than 48"
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Grommets may be specified in kneespace areas only. Grommets specified over a pedestal will interfere with pedestal attachment. Grommets may also be field cut to desired location

KNEESPACE CREDENZA FULL PEDESTAL TFL 	WW2472CKFLLM2			$ 1964	24	71 15/16	28 7/8	–	35 7/8	198 lbs.	27.3
	consists of										
	WW2472WSSDLL	Worksurface	1								
	WW2315PUFFM	F/F Pedestal	2								
	WW4223MPM	Kneespace Modesty	1								
	WW2466CKFLLM2			$ 1908	24	66	28 7/8	–	35 7/8	193 lbs.	27.1
	consists of										
	WW2466WSSDLL	Worksurface	1								
	WW2315PUFFM	F/F Pedestal	2								
	WW3623MPM	Kneespace Modesty	1								
	WW2460CKFLLM2			$ 1867	24	60	28 7/8	–	29 13/16	187 lbs.	26.8
	consists of										
	WW2460WSSDLL	Worksurface	1								
	WW2315PUFFM	F/F Pedestal	2								
	WW3023MPM	Kneespace Modesty	1								

- Assembly required; (support panel WW1227SSM or undersurface support rail NAC0236SUR) required when kneespace area is greater than 48"
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Grommets may be specified in kneespace areas only. Grommets specified over a pedestal will interfere with pedestal attachment. Grommets may also be field cut to desired location

ARRANGEMENT MODELS - WAVEWORKS METAL

- Arrangement model numbers have predetermined worksurface types assigned (Main, Extension, Filler), no need to specify separately
- Worksurfaces on arrangement models cannot be specified with wire managers, modified depth or modified width
- Specify quickly and accurately using WaveWorks Metal Arrangement model numbers
- Arrangement models include all the components required to assemble the unit
- All components will ship separately

TO ORDER, SPECIFY:

1. Model Number
2. PVC Rim/Color
3. Pull
4. Grommet
5. Locking
6. Laminate Top Color
7. Paint

SAMPLE MODEL NUMBER:

WW2472CLFLM2 VMC 5 G1C KRB MC 405

- See pages 557-558 for all options available in WaveWorks Metal

	MODEL NO./DESCRIPTION		QTY	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SINGLE PEDESTAL CREDENZA FULL PEDESTAL	WW2472CLFLM2	Left		$ 1789	24	71 15/16	28 5/16	—	52 1/16	172 lbs.	16.8
	WW2472CRFLM2	Right		1789	24	71 15/16	28 5/16	—	52 1/16	172 lbs.	16.8
	consists of										
	WW2472WSSDL	Worksurface	1								
	WW2315PUFFM	F/F Pedestal	1								
	WW5623MPM	Kneespace Modesty	1								
	WW2427EPM	End Panel	1								
	WW2466CLFLM2	Left		$ 1737	24	66	28 5/16	—	49 1/16	165 lbs.	16.4
	WW2466CRFLM2	Right		1737	24	66	28 5/16	—	49 1/16	165 lbs.	16.4
	consists of										
	WW2466WSSDL	Worksurface	1								
	WW2315PUFFM	F/F Pedestal	1								
	WW5023MPM	Kneespace Modesty	1								
	WW2427EPM	End Panel	1								
	WW2460CLFLM2	Left		$ 1692	24	60	28 5/16	—	43 1/16	157 lbs.	15.9
	WW2460CRFLM2	Right		1692	24	60	28 5/16	—	43 1/16	157 lbs.	15.9
	consists of										
	WW2460WSSDL	Worksurface	1								
	WW2315PUFFM	F/F Pedestal	1								
	WW4323MPM	Kneespace Modesty	1								
	WW2427EPM	End Panel	1								

- Assembly required; (support panel WW1227SSM or undersurface support rail NAC0236SUR) required when kneespace area is greater than 48"
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Grommets may be specified in kneespace areas only. Grommets specified over a pedestal will interfere with pedestal attachment. Grommets may also be field cut to desired location

SINGLE PEDESTAL CREDENZA FULL PEDESTAL TFL	WW2472CLFLLM2	Left		$ 1669	24	71 15/16	28 7/8	—	52 1/16	172 lbs.	16.8
	WW2472CRFLLM2	Right		1669	24	71 15/16	28 7/8	—	52 1/16	172 lbs.	16.8
	consists of										
	WW2472WSSDLL	Worksurface	1								
	WW2315PUFFM	F/F Pedestal	1								
	WW5623MPM	Kneespace Modesty	1								
	WW2427EPM	End Panel	1								
	WW2466CLFLLM2	Left		$ 1627	24	66	28 7/8	—	49 1/16	165 lbs.	16.4
	WW2466CRFLLM2	Right		1627	24	66	28 7/8	—	49 1/16	165 lbs.	16.4
	consists of										
	WW2466WSSDLL	Worksurface	1								
	WW2315PUFFM	F/F Pedestal	1								
	WW5023MPM	Kneespace Modesty	1								
	WW2427EPM	End Panel	1								
	WW2460CLFLLM2	Left		$ 1587	24	60	28 7/8	—	43 1/16	157 lbs.	15.9
	WW2460CRFLLM2	Right		1587	24	60	28 7/8	—	43 1/16	157 lbs.	15.9
	consists of										
	WW2460WSSDLL	Worksurface	1								
	WW2315PUFFM	F/F Pedestal	1								
	WW4323MPM	Kneespace Modesty	1								
	WW2427EPM	End Panel	1								

- Assembly required; (support panel WW1227SSM or undersurface support rail NAC0236SUR) required when kneespace area is greater than 48"
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Grommets may be specified in kneespace areas only. Grommets specified over a pedestal will interfere with pedestal attachment. Grommets may also be field cut to desired location

WAVEWORKS METAL - ARRANGEMENT MODELS

- Arrangement model numbers have predetermined worksurface types assigned (Main, Extension, Filler), no need to specify separately
- Worksurfaces on arrangement models cannot be specified with wire managers, modified depth or modified width
- Specify quickly and accurately using WaveWorks Metal Arrangement model numbers
- Arrangement models include all the components required to assemble the unit
- All components will ship separately

TO ORDER, SPECIFY:

1. Model Number
2. PVC Rim/Color
3. Pull
4. Grommet
5. Locking
6. Laminate Top Color
7. Paint

SAMPLE MODEL NUMBER:

WW2472CKYLM3 VMC 5 G1C KRB MC 405

• See pages 557-558 for all options available in WaveWorks Metal

	MODEL NO./DESCRIPTION		QTY	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
KNEESPACE CREDENZA ¾ PEDESTAL 	WW2472CKYLM3			$ 2551	24	71 15/16	28 15/16	–	35 7/8	232 lbs.	23.6
	consists of										
	WW2472WSSDL	Worksurface	1								
	WW2315PUBFM	B/F Pedestal	2								
	WW7227MPM	Overlay Modesty	1								
	WW2427EPM	End Panel	2								
	WW2466CKYLM3			$ 2490	24	66	28 15/16	–	35 7/8	225 lbs.	23.3
	consists of										
	WW2466WSSDL	Worksurface	1								
	WW2315PUBFM	B/F Pedestal	2								
	WW6627MPM	Overlay Modesty	1								
	WW2427EPM	End Panel	2								
	WW2460CKYLM3			$ 2442	24	60	28 15/16	–	29 13/16	217 lbs.	22.8
	consists of										
	WW2460WSSDL	Worksurface	1								
	WW2315PUBFM	B/F Pedestal	2								
	WW6027MPM	Overlay Modesty	1								
	WW2427EPM	End Panel	2								

- Assembly required; (support panel WW1227SSM or undersurface support rail NAC0236SUR) required when kneespace area is greater than 48"
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Grommets may be specified in kneespace areas only. Grommets specified over a pedestal will interfere with pedestal attachment. Grommets may also be field cut to desired location

	MODEL NO./DESCRIPTION		QTY	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
KNEESPACE CREDENZA ¾ PEDESTAL TFL 	WW2472CKYLLM3			$ 2431	24	71 15/16	28 7/8	–	35 7/8	232 lbs.	23.6
	consists of										
	WW2472WSSDLL	Worksurface	1								
	WW2315PUBFM	B/F Pedestal	2								
	WW7227MPM	Overlay Modesty	1								
	WW2427EPM	End Panel	2								
	WW2466CKYLLM3			$ 2380	24	66	28 7/8	–	35 7/8	225 lbs.	23.3
	consists of										
	WW2466WSSDLL	Worksurface	1								
	WW2315PUBFM	B/F Pedestal	2								
	WW6627MPM	Overlay Modesty	1								
	WW2427EPM	End Panel	2								
	WW2460CKYLLM3			$ 2337	24	60	28 7/8	–	29 13/16	217 lbs.	22.8
	consists of										
	WW2460WSSDLL	Worksurface	1								
	WW2315PUBFM	B/F Pedestal	2								
	WW6027MPM	Overlay Modesty	1								
	WW2427EPM	End Panel	2								

- Assembly required; (support panel WW1227SSM or undersurface support rail NAC0236SUR) required when kneespace area is greater than 48"
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- Grommets may be specified in kneespace areas only. Grommets specified over a pedestal will interfere with pedestal attachment. Grommets may also be field cut to desired location

ARRANGEMENT MODELS - WAVEWORKS METAL

- Arrangement model numbers have predetermined worksurface types assigned (Main, Extension, Filler), no need to specify separately
- Worksurfaces on arrangement models cannot be specified with wire managers, modified depth or modified width
- Specify quickly and accurately using WaveWorks Metal Arrangement model numbers
- Arrangement models include all the components required to assemble the unit
- All components will ship separately

TO ORDER, SPECIFY:

1. Model Number
2. PVC Rim/Color
3. Pull
4. Grommet
5. Locking
6. Laminate Top Color
7. Paint

SAMPLE MODEL NUMBER:

WW2472CLYLM3 VMC 5 G1C KRB MC 405

- See pages 557-558 for all options available in WaveWorks Metal

	MODEL NO./DESCRIPTION		QTY	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SINGLE PEDESTAL CREDENZA ¾ PEDESTAL	WW2472CLYLM3	Left		$ 2043	24	71 15/16	28 15/16	—	35⅞	186 lbs.	15.3
	WW2472CRYLM3	Right		2043	24	71 15/16	28 15/16	—	35⅞	186 lbs.	15.3
	consists of										
	WW2472WSSDL	Worksurface	1								
	WW2315PUBFM	B/F Pedestal	1								
	WW7227MPM	Overlay Modesty	1								
	WW2427EPM	End Panel	2								
	WW2466CLYLM3	Left		$ 1982	24	66	28 15/16	—	35⅞	179 lbs.	15.0
	WW2466CRYLM3	Right		1982	24	66	28 15/16	—	35⅞	179 lbs.	15.0
	consists of										
	WW2466WSSDL	Worksurface	1								
	WW2315PUBFM	B/F Pedestal	1								
	WW6627MPM	Overlay Modesty	1								
	WW2427EPM	End Panel	2								
	WW2460CLYLM3	Left		$ 1934	24	60	28 15/16	—	29 15/16	171 lbs.	14.5
	WW2460CRYLM3	Right		1934	24	60	28 15/16	—	29 15/16	171 lbs.	14.5
	consists of										
	WW2460WSSDL	Worksurface	1								
	WW2315PUBFM	B/F Pedestal	1								
	WW6027MPM	Overlay Modesty	1								
	WW2427EPM	End Panel	2								

- Assembly required; (support panel WW1227SSM or undersurface support rail NAC0236SUR) required when kneespace area is greater than 48"
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Grommets may be specified in kneespace areas only. Grommets specified over a pedestal will interfere with pedestal attachment. Grommets may also be field cut to desired location

SINGLE PEDESTAL CREDENZA ¾ PEDESTAL TFL	WW2472CLYLLM3	Left		$ 1923	24	71 15/16	28⅞	—	35⅞	186 lbs.	15.3
	WW2472CRYLLM3	Right		1923	24	71 15/16	28⅞	—	35⅞	186 lbs.	15.3
	consists of										
	WW2472WSSDLL	Worksurface	1								
	WW2315PUBFM	B/F Pedestal	1								
	WW7227MPM	Overlay Modesty	1								
	WW2427EPM	End Panel	2								
	WW2466CLYLLM3	Left		$ 1872	24	66	28⅞	—	35⅞	179 lbs.	15.0
	WW2466CRYLLM3	Right		1872	24	66	28⅞	—	35⅞	179 lbs.	15.0
	consists of										
	WW2466WSSDLL	Worksurface	1								
	WW2315PUBFM	B/F Pedestal	1								
	WW6627MPM	Overlay Modesty	1								
	WW2427EPM	End Panel	2								
	WW2460CLYLLM3	Left		$ 1829	24	60	28⅞	—	29 15/16	171 lbs.	14.5
	WW2460CRYLLM3	Right		1829	24	60	28⅞	—	29 15/16	171 lbs.	14.5
	consists of										
	WW2460WSSDLL	Worksurface	1								
	WW2315PUBFM	B/F Pedestal	1								
	WW6027MPM	Overlay Modesty	1								
	WW2427EPM	End Panel	2								

- Assembly required; (support panel WW1227SSM or undersurface support rail NAC0236SUR) required when kneespace area is greater than 48"
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Grommets may be specified in kneespace areas only. Grommets specified over a pedestal will interfere with pedestal attachment. Grommets may also be field cut to desired location

WAVEWORKS METAL - ARRANGEMENT MODELS

- Arrangement model numbers have predetermined worksurface types assigned (Main, Extension, Filler), no need to specify separately
- Worksurfaces on arrangement models cannot be specified with wire managers, modified depth or modified width
- Specify quickly and accurately using WaveWorks Metal Arrangement model numbers
- Arrangement models include all the components required to assemble the unit
- All components will ship separately

TO ORDER, SPECIFY:

1. Model Number
2. PVC Rim/Color
3. Grommet
4. Laminate Top Color
5. Paint

SAMPLE MODEL NUMBER:

WW3672DSFLM VCL G1A CL 461

• See pages 557-558 for all options available in WaveWorks Metal

DESK SHELL



MODEL NO./DESCRIPTION		QTY	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WW3672DSFLM			$ 1982	36 1/16	71 15/16	28 15/16	–	–	184 lbs.	8.1
consists of										
WW3672WSSDL	Worksurface	1								
WW7227MPM	Modesty Panel	1								
WW3027EPM	End Panel	2								
WW3072DSFLM			$ 1732	30 1/16	71 15/16	28 15/16	–	–	167 lbs.	8.1
consists of										
WW3072WSSDL	Worksurface	1								
WW7227MPM	Overlay Modesty	1								
WW3027EPM	End Panel	2								
WW3066DSFLM			$ 1656	30 1/16	66	28 15/16	–	–	158 lbs.	7.7
consists of										
WW3066WSSDL	Worksurface	1								
WW6627MPM	Overlay Modesty	1								
WW3027EPM	End Panel	2								
WW3060DSFLM			$ 1580	30 1/16	60	28 15/16	–	–	149 lbs.	7.1
consists of										
WW3060WSSDL	Worksurface	1								
WW6027MPM	Overlay Modesty	1								
WW3027EPM	End Panel	2								
WW3048DSFLM			$ 1473	30 1/16	48 1/16	28 15/16	–	–	132 lbs.	6.1
consists of										
WW3048WSSDL	Worksurface	1								
WW4827MPM	Overlay Modesty	1								
WW3027EPM	End Panel	2								

- Assembly required; (support panel WW1227SSM or undersurface support rail NAC0236SUR) required when kneespace area is greater than 48"
- 36" deep models feature a 6" overhang on approach side; 30" deep models have no overhang
- Pedestals can be found on page 588
- Grommets may be specified in kneespace areas only. Grommets specified over a pedestal will interfere with pedestal attachment. Grommets may also be field cut to desired location

ARRANGEMENT MODELS - WAVEWORKS METAL

- Arrangement model numbers have predetermined worksurface types assigned (Main, Extension, Filler), no need to specify separately
- Worksurfaces on arrangement models cannot be specified with wire managers, modified depth or modified width
- Specify quickly and accurately using WaveWorks Metal Arrangement model numbers
- Arrangement models include all the components required to assemble the unit
- All components will ship separately

TO ORDER, SPECIFY:

1. Model Number
2. PVC Rim/Color
3. Grommet
4. Laminate Top Color
5. Paint

SAMPLE MODEL NUMBER:

WW3672DSFLLM VCL G1A CL 461

• See pages 557-558 for all options available in WaveWorks Metal

DESK SHELL
TFL



MODEL NO./DESCRIPTION		QTY	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WW3672DSFLLM			$ 1789	36⅛	71⅝	28⅞	—	—	184 lbs.	8.1
consists of										
WW3672WSSDLL	Worksurface	1								
WW7227MPM	Modesty Panel	1								
WW3027EPM	End Panel	2								
WW3072DSFLLM			$ 1589	30⅛	71⅝	28⅞	—	—	167 lbs.	8.1
consists of										
WW3072WSSDLL	Worksurface	1								
WW7227MPM	Overlay Modesty	1								
WW3027EPM	End Panel	2								
WW3066DSFLLM			$ 1524	30⅛	66	28⅞	—	—	158 lbs.	7.7
consists of										
WW3066WSSDLL	Worksurface	1								
WW6627MPM	Overlay Modesty	1								
WW3027EPM	End Panel	2								
WW3060DSFLLM			$ 1460	30⅛	60	28⅞	—	—	149 lbs.	7.1
consists of										
WW3060WSSDLL	Worksurface	1								
WW6027MPM	Overlay Modesty	1								
WW3027EPM	End Panel	2								
WW3048DSFLLM			$ 1372	30⅛	48⅛	28⅞	—	—	132 lbs.	6.1
consists of										
WW3048WSSDLL	Worksurface	1								
WW4827MPM	Overlay Modesty	1								
WW3027EPM	End Panel	2								

- Assembly required; (support panel WW1227SSM or undersurface support rail NAC0236SUR) required when kneespace area is greater than 48"
- 36" deep models feature a 6" overhang on approach side; 30" deep models have no overhang
- Pedestals can be found on page 588
- Grommets may be specified in kneespace areas only. Grommets specified over a pedestal will interfere with pedestal attachment. Grommets may also be field cut to desired location

WAVEWORKS METAL - ARRANGEMENT MODELS

- Arrangement model numbers have predetermined worksurface types assigned (Main, Extension, Filler), no need to specify separately
- Worksurfaces on arrangement models cannot be specified with wire managers, modified depth or modified width
- Specify quickly and accurately using WaveWorks Metal Arrangement model numbers
- Arrangement models include all the components required to assemble the unit
- All components will ship separately

TO ORDER, SPECIFY:

1. Model Number
2. PVC Rim/Color
3. Grommet
4. Laminate Top Color
5. Paint

SAMPLE MODEL NUMBER:

WW2472CSHFLM VCL G1A CL 461

• See pages 557-558 for all options available in WaveWorks Metal

CREDENZA SHELL



MODEL NO./DESCRIPTION		QTY	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WW2472CSHFLM			$ 1535	24	71 15/16	28 13/16	–	–	140 lbs.	7.0
consists of										
WW2472WSSDL	Worksurface	1								
WW7227MPM	Overlay Modesty	1								
WW2427EPM	End Panel	2								
WW2466CSHFLM			$ 1474	24	66	28 13/16	–	–	133 lbs.	6.7
consists of										
WW2466WSSDL	Worksurface	1								
WW6627MPM	Overlay Modesty	1								
WW2427EPM	End Panel	2								
WW2460CSHFLM			$ 1426	24	60	28 13/16	–	–	125 lbs.	6.2
consists of										
WW2460WSSDL	Worksurface	1								
WW6027MPM	Overlay Modesty	1								
WW2427EPM	End Panel	2								
WW2448CSHFLM			$ 1312	24	48 1/16	28 13/16	–	–	111 lbs.	5.3
consists of										
WW2448WSSDL	Worksurface	1								
WW4827MPM	Overlay Modesty	1								
WW2427EPM	End Panel	2								

- Assembly required; (support panel WW1227SSM or undersurface support rail NAC0236SUR) required when kneespace area is greater than 48"
- Pedestals can be found on page 588
- Grommets may be specified in kneespace areas only. Grommets specified over a pedestal will interfere with pedestal attachment. Grommets may also be field cut to desired location

ARRANGEMENT MODELS - WAVEWORKS METAL

- Arrangement model numbers have predetermined worksurface types assigned (Main, Extension, Filler), no need to specify separately
- Worksurfaces on arrangement models cannot be specified with wire managers, modified depth or modified width
- Specify quickly and accurately using WaveWorks Metal Arrangement model numbers
- Arrangement models include all the components required to assemble the unit
- All components will ship separately

TO ORDER, SPECIFY:

1. Model Number
2. PVC Rim/Color
3. Grommet
4. Laminate Top Color
5. Paint

SAMPLE MODEL NUMBER:

WW2472CSHFLLM VCL G1A CL 461

• See pages 557-558 for all options available in WaveWorks Metal

CREDENZA SHELL TFL



MODEL NO./DESCRIPTION		QTY	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WW2472CSHFLLM			$ 1415	24	71 15/16	28⅞	—	—	140 lbs.	7.0
consists of										
WW2472WSSDLL	Worksurface	1								
WW7227MPM	Overlay Modesty	1								
WW2427EPM	End Panel	2								
WW2466CSHFLLM			$ 1364	24	66	28⅞	—	—	133 lbs.	6.7
consists of										
WW2466WSSDLL	Worksurface	1								
WW6627MPM	Overlay Modesty	1								
WW2427EPM	End Panel	2								
WW2460CSHFLLM			$ 1321	24	60	28⅞	—	—	125 lbs.	6.2
consists of										
WW2460WSSDLL	Worksurface	1								
WW6027MPM	Overlay Modesty	1								
WW2427EPM	End Panel	2								
WW2448CSHFLLM			$ 1229	24	48 1/16	28⅞	—	—	111 lbs.	5.3
consists of										
WW2448WSSDLL	Worksurface	1								
WW4827MPM	Overlay Modesty	1								
WW2427EPM	End Panel	2								

- Assembly required; (support panel WW1227SSM or undersurface support rail NAC0236SUR) required when kneespace area is greater than 48"
- Pedestals can be found on page 588
- Grommets may be specified in kneespace areas only. Grommets specified over a pedestal will interfere with pedestal attachment. Grommets may also be field cut to desired location

WAVEWORKS METAL

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Not to be used to support Epicenter

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Paint

SAMPLE MODEL NUMBER:

WW2315PUBBFM 5 KRB 461

• See pages 557-558 for all options available in WaveWorks Metal

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
PEDESTAL - UNDERSURFACE BOX/BOX/FILE	WW3015PUBBFM	$ 689	28 1⁄16	15	27¼	—	—	70 lbs.	13.0
	WW2315PUBBFM	682	22¾	15	27¼	—	—	62 lbs.	11.0



- File drawers utilize drawer body sides for front-to-back letter filing
- Additional filing hardware may be purchased for letter or legal side-to-side filing capability
- Pedestal is not for use as a stand alone unit
- Not to be used to support Epicenter
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Malibu and Beam pulls must be field installed

PEDESTAL - UNDERSURFACE FILE/FILE	WW3015PUFFM	$ 627	28 1⁄16	15	27¼	—	—	70 lbs.	13.0
	WW2315PUFFM	623	22¾	15	27¼	—	—	57 lbs.	11.0



- File drawers utilize drawer body sides for front-to-back letter filing
- Additional filing hardware may be purchased for letter or legal side-to-side filing capability
- Pedestal is not for use as a stand alone unit
- Not to be used to support Epicenter
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Malibu and Beam pulls must be field installed

PEDESTAL - HANGING UNDERSURFACE BOX/FILE	WW3015PUBFM	$ 513	28 1⁄16	15	19¼	—	—	46 lbs.	8.3
	WW2315PUBFM	508	22¾	15	19¼	—	—	46 lbs.	8.3



- File drawers utilize drawer body sides for front-to-back letter filing
- Additional filing hardware may be purchased for letter or legal side-to-side filing capability
- When utilizing the hanging pedestal with a 24" deep surface, the pedestal must be attached to the inside of the end panel
- When utilizing the hanging pedestal with a 30" or 36" deep surface, the pedestal must be used within a shell unit with modesty panel
- Must be utilized with end panels
- Pedestal is not for use as a stand alone unit
- Not to be used to support Epicenter
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Not to be used to support Epicenter

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Fabric Grade/Color
5. Paint

SAMPLE MODEL NUMBER:

WW2315PMBFCM 5 KRB 2 20003 405

- See pages 557-558 for all options available in WaveWorks Metal

MODEL NO./DESCRIPTION

MOBILE PEDESTAL - CUSHION TOP BOX/FILE 23" DEEP



GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7
WW2315PMBFCM	$	883	912	925	947	970	1010	1063

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
$	932	963	986	1011	1038	1067	1091	1121	1151	1182

	K	L	M	N	O	P	Q	R	S	T
$	1228	1323	1382	1413	1443	1474	1505	1534	1564	1594

DIMENSIONS

Depth	22¾	Height	22⅞	Weight	93
Width	14¹⁵⁄₁₆			Cubic Ft.	9.4

- File drawer utilizes drawer body sides for front-to-back letter filing
- Additional filing hardware may be purchased for letter or legal side-to-side filing capability
- Non-locking casters
- Integrated counterweight included
- Maximum seat weight is 200 lbs
- Refer to pages 5-13 and www.NationalOfficeFurniture.com/Alliance for available upholstery options
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

MOBILE PEDESTAL - CUSHION TOP BOX/FILE 23" DEEP WITH PULL



GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7
WW2315PMBFC2M	$	970	999	1012	1034	1057	1097	1150

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
$	1019	1050	1073	1098	1125	1154	1178	1208	1238	1269

	K	L	M	N	O	P	Q	R	S	T
$	1315	1410	1469	1500	1530	1561	1592	1621	1651	1681

DIMENSIONS

Depth	22¾	Height	23¾	Weight	93
Width	14¹⁵⁄₁₆			Cubic Ft.	9.4

- File drawer utilizes drawer body sides for front-to-back letter filing
- Additional filing hardware may be purchased for letter or legal side-to-side filing capability
- Non-locking casters
- Integrated counterweight included
- Maximum seat weight is 200 lbs
- Refer to pages 5-13 and www.NationalOfficeFurniture.com/Alliance for available upholstery options
- Unit features a fixed pull for ease of mobility
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

WAVEWORKS METAL

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Not to be used to support Epicenter

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Paint

SAMPLE MODEL NUMBER:

WW2336LFM2M 5 KS1B 462

• See pages 557-558 for all options available in WaveWorks Metal

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
LATERAL FILE - UNDERSURFACE FILE/FILE 23" DEEP	WW2336LFM2M		$ 1211	22¾	36	27¼	—	—	95 lbs.	15.0
	WW2330LFM2M		1156	22¾	30	27¼	—	—	84 lbs.	12.8
	WW36CW2M	Counterweight—2 Drawer	217	1⅛	23¼	11⅝	—	—	37 lbs.	0.1



- File drawers accommodate letter/legal side-to-side filing
- Additional filing hardware may be purchased for front-to-back filing capability
- See additional filing hardware on page 604
- **When using in a freestanding application (as a single unit or in a credenza), 2 counterweights must be specified**
- Not to be used to support Epicenter
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

LATERAL FILE - UNDERSURFACE FILE/FILE 18¾" DEEP	WW1836LFM2M	$ 989	18¾	36	27¼	—	—	87 lbs.	14.0
	WW1830LFM2M	899	18¾	30	27¼	—	—	78 lbs.	11.8



- File drawers accommodate letter/legal side-to-side filing
- Additional filing hardware may be purchased for front-to-back filing capability
- See additional filing hardware on page 604
- Lateral file is not for use as a stand alone unit
- Not to be used to support Epicenter
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- When ordering a worksurface, specify 24" deep with modified sizing

HINGED DOOR - UNDERSURFACE DOUBLE DOOR 23" DEEP	WW2336PFHM	$ 1285	22¾	36	27¼	—	—	95 lbs.	15.0
	WW2330PFHM	1233	22¾	30	27¼	—	—	84 lbs.	12.8



- Unit features standard adjustable shelf
- Not to be used to support Epicenter
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

HINGED DOOR - UNDERSURFACE DOUBLE DOOR 18" DEEP	WW1836PFHM	$ 1115	18	36	27¼	—	—	87 lbs.	14.0
	WW1830PFHM	931	18	30	27¼	—	—	78 lbs.	11.8



- Unit features standard adjustable shelf
- Not to be used to support Epicenter
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Not to be used to support Epicenter

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Paint

SAMPLE MODEL NUMBER:

WW233629PU11M 5 KS1B 462

• See pages 557-558 for all options available in WaveWorks Metal

MULTI-FILE - UNDERSURFACE 23" DEEP



Right shown

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FILE DRAWER ON LEFT	**FILE DRAWER ON RIGHT**								
WW233629PU11M	WW233629PU10M	$ 2034	22¾	36	27¼	—	—	95 lbs.	15.0
WW233029PU11M	WW233029PU10M	1722	22¾	30	27¼	—	—	85 lbs.	12.4
WW36CW2M	Counterweight—2 Drawer	217	1⅛	23¼	11⅜	—	—	37 lbs.	0.1

- File drawer utilizes drawer body sides for front-to-back letter filing
- Additional filing hardware may be purchased for front-to-back filing capability in lateral file drawer
- See additional filing hardware on page 604
- **When using in a freestanding application (as a single unit or in a credenza), 2 counterweights must be specified**
- Not to be used to support Epicenter
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

MULTI-FILE - UNDERSURFACE 18¾" DEEP



Left shown

WW1830PUBBFLLM	Left	$ 1690	18¾	30	27¼	—	—	78 lbs.	11.8
WW1830PUBBFLRM	Right	1690	18¾	30	27¼	—	—	78 lbs.	11.8

- File drawer utilizes drawer body sides for front-to-back letter filing
- Additional filing hardware may be purchased for front-to-back filing capability in lateral file drawer
- See additional filing hardware on page 604
- Multi-file is not for use as a stand alone unit
- Not to be used to support Epicenter
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Metal multi-file units – "left" is opposite of what the veneer/laminate units are set-up
- When ordering a worksurface, specify 24" deep with modified sizing

MIXED STORAGE - UNDERSURFACE 23" DEEP



Right shown

OPEN STORAGE ON LEFT	**OPEN STORAGE ON RIGHT**								
WW233629PU33M	WW233629PU32M	$ 1417	22¾	36	27¼	—	—	95 lbs.	15.0
WW233029PU33M	WW233029PU32M	1106	22¾	30	27¼	—	—	85 lbs.	12.4
WW36CW2M	Counterweight—2 Drawer	217	1⅛	23⅓	11⅜	—	—	37 lbs.	0.1

- File drawer utilizes drawer body sides for front-to-back letter filing
- Additional filing hardware may be purchased for front-to-back filing capability in lateral file drawer
- See additional filing hardware on page 604
- **When using in a freestanding application (as a single unit or in a credenza), 2 counterweights must be specified**
- Not to be used to support Epicenter
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

WAVEWORKS METAL

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware
- Not to be used to support Epicenter

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Paint

SAMPLE MODEL NUMBER:

WW231522PUBFM 5 KRB 462

• See pages 557-558 for all options available in WaveWorks Metal

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
OPEN BOOKCASE - UNDERSURFACE 23" DEEP	WW233629PUOSM		$ 891	22¾	36	27¼	—	—	85 lbs.	15.0
	WW233029PUOSM		732	22¾	30	27¼	—	—	75 lbs.	12.4



- Bookcase is not for use as a stand alone unit
- Not to be used to support Epicenter

PEDESTAL - UNDERSURFACE BOX/FILE HEIGHT	WW231522PUBFM		$ 556	22¾	15	21⅛	—	—	46 lbs.	8.3



- File drawers utilize drawer body sides for front-to-back letter filing
- Additional filing hardware may be purchased for letter or legal side-to-side filing capability
- Pedestal is not for use as a stand alone unit
- Not intended to be used as a hanging pedestal
- Not to be used to support Epicenter
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

BOX/LATERAL FILE - UNDERSURFACE BOX/FILE HEIGHT 23" DEEP	WW233622PUBLM		$ 925	22¾	36	21⅛	—	—	85 lbs.	15.0
	WW233022PUBLM		833	22¾	30	21⅛	—	—	75 lbs.	12.4
	WW36CW2M	Counterweight—2 Drawer	217	1⅛	23¼	11⅝	—	—	37 lbs.	0.1



- Box/Lateral File is not for use as a stand alone unit
- See additional filing hardware on page 604
- **When using in a freestanding application (as a single unit or in a credenza), 2 counterweights must be specified**
- Not to be used to support Epicenter
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

BOOKCASE - UNDERSURFACE BOX/FILE HEIGHT 23" DEEP	WW233622PUOSM		$ 891	22¾	36	21⅛	—	—	85 lbs.	15.0
	WW233022PUOSM		732	22¾	30	21⅛	—	—	75 lbs.	12.4



- Unit features standard adjustable shelf
- Bookcase not for use as a stand alone unit
- Not to be used to support Epicenter

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Paint

SAMPLE MODEL NUMBER:

WW1836LFF5DM 5 KRB 440

• See pages 557-558 for all options available in WaveWorks Metal

LATERAL FILE



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WW1842LFF2M	2 Drawer	$ 1257	18	42	27¼	—	—	121 lbs.	16.4
QWW1836LFF2M	2 Drawer	1106	18	36	27¼	—	—	113 lbs.	14.2
WW1836LFF2M	2 Drawer	1106	18	36	27¼	—	—	113 lbs.	14.2
WW1830LFF2M	2 Drawer	1032	18	30	27¼	—	—	100 lbs.	12.0
WW36CW2M	Counterweight	217	1⅛	23¼	11⅜	—	—	37 lbs.	0.1

• **Counterweight must be used unless ganging multiple lateral file units**



WW1842LFF3M	3 Drawer	$ 1653	18	42	39³⁄₁₆	—	—	164 lbs.	23.0
WW1836LFF3M	3 Drawer	1515	18	36	39³⁄₁₆	—	—	146 lbs.	19.9
WW1830LFF3M	3 Drawer	1436	18	30	39³⁄₁₆	—	—	128 lbs.	16.8
WW36CW2M	Counterweight	217	1⅛	23¼	11⅜	—	—	37 lbs.	0.1

• **Counterweight must be used unless ganging multiple lateral file units**



WW1842LFF4M	4 Drawer	$ 2038	18	42	51⅛	—	—	191 lbs.	29.5
QWW1836LFF4M	4 Drawer	1718	18	36	51⅛	—	—	169 lbs.	25.6
WW1836LFF4M	4 Drawer	1718	18	36	51⅛	—	—	169 lbs.	25.6
WW1830LFF4M	4 Drawer	1629	18	30	51⅛	—	—	148 lbs.	21.7
WW36CW2M	Counterweight	217	1⅛	23¼	11⅜	—	—	37 lbs.	0.1

• **Counterweight must be used unless ganging multiple lateral file units**



WW1842LFF5M	5 Drawer	$ 2465	18	42	64½	—	—	212 lbs.	36.8
WW1836LFF5M	5 Drawer	2272	18	36	64½	—	—	187 lbs.	31.9
WW1830LFF5M	5 Drawer	2134	18	30	64½	—	—	162 lbs.	26.9
WW36CW2M	Counterweight	217	1⅛	23¼	11⅜	—	—	37 lbs.	0.1

• **Counterweight must be used unless ganging multiple lateral file units**



WW1842LFF5DM	5 Drawer with Recessed Door	$ 2615	18	42	64½	—	—	212 lbs.	36.8
WW1836LFF5DM	5 Drawer with Recessed Door	2407	18	36	64½	—	—	187 lbs.	31.9
WW1830LFF5DM	5 Drawer with Recessed Door	2309	18	30	64½	—	—	162 lbs.	26.9
WW36CW2M	Counterweight	217	1⅛	23¼	11⅜	—	—	37 lbs.	0.1

• **Counterweight must be used unless ganging multiple lateral file units**

- Drawer fronts are picture framed
- File drawers accommodate side-to-side letter/legal filing
- Additional filing hardware may be purchased for front-to-back filing capability
- See additional filing hardware on page 604
- Counterweight must be ordered separately; specify model only
- Knockouts are standard to allow for ganging side-by-side
- File cannot be moved loaded
- Quick Delivery lateral files are available in Cinder (462) and Platinum Metallic (501) finishes
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Counterweights must be field installed for freestanding lateral files

WAVEWORKS METAL

PRODUCT SPECIFICATIONS

- Overfiles and Storage Cabinets shipped with appropriate hardware
- Overfiles and Storage Cabinets available with integrated pulls

TO ORDER, SPECIFY:

1. Model Number
2. Locking
3. Paint

SAMPLE MODEL NUMBER:

WW3029LOFHM KRB 461

• See pages 557-558 for all options available in WaveWorks Metal

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
OVERFILE HINGED DOORS	WW4229LOFHM		$ 1715	18	42	29¼	—	—	97 lbs.	15.13
	WW3629LOFHM		1597	18	36	29¼	—	—	89 lbs.	13.06
	WW3029LOFHM		1495	18	30	29¼	—	—	80 lbs.	10.99



- Unit includes 1 adjustable shelf
- Knockouts are standard to allow for ganging side-by-side
- Cannot be moved loaded
- Random lock core (KRB,KRS) and specified lock core (KS1B, KS1S) available

STORAGE CABINET HINGED DOORS	WW4239LSCHM	3 High	$ 1854	18	42	39³⁄₁₆	—	—	153 lbs.	26.10
	WW3639LSCHM	3 High	1763	18	36	39³⁄₁₆	—	—	135 lbs.	22.54
	WW3039LSCHM	3 High	1566	18	30	39³⁄₁₆	—	—	118 lbs.	18.97



- Unit includes 2 adjustable shelves

	WW4251LSCHM	4 High	$ 2292	18	42	51⅛	—	—	118 lbs.	18.97
	WW3651LSCHM	4 High	2131	18	36	51⅛	—	—	135 lbs.	22.54
	WW3051LSCHM	4 High	1939	18	30	51⅛	—	—	153 lbs.	26.10

- Unit includes 3 adjustable shelves

	WW4265LSCHM	5 High	$ 2643	18	42	64½	—	—	170 lbs.	32.92
	WW3665LSCHM	5 High	2439	18	36	64½	—	—	150 lbs.	28.42
	WW3065LSCHM	5 High	2171	18	30	64½	—	—	130 lbs.	23.93

- Unit includes 4 adjustable shelves

- Knockouts are standard to allow for ganging side-by-side
- Cannot be moved loaded
- Random lock core (KRB,KRS) and specified lock core (KS1B, KS1S) available
- Floor glides adjustable to ¾"

PRODUCT SPECIFICATIONS

- Pedestals shipped with appropriate hardware

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Paint

SAMPLE MODEL NUMBER:

WW2454VBWHL2M 5 KRB 462

- See pages 557-558 for all options available in WaveWorks Metal

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
STORAGE CABINET WITH FILE/FILE PEDESTAL	**LEFT HINGED**	**RIGHT HINGED**							
	WW1566VHL2M	WW1566VHR2M	$ 1689	23⅞	14¹⁵⁄₁₆	65¹⁵⁄₁₆	—	—	140 lbs.	17.4
	WW1554VHL2M	WW1554VHR2M	1584	23⅞	14¹⁵⁄₁₆	53⅞	—	—	120 lbs.	14.4



Left shown

- 54" storage cabinet contains 1 removable shelf
- 66" storage cabinet contains 2 removable shelves
- File drawers utilize drawer body sides for front-to-back letter filing
- Additional filing hardware may be purchased for letter or legal side-to-side filing capability
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

STORAGE/WARDROBE WITH FILE/FILE PEDESTAL	**LEFT HINGED**	**RIGHT HINGED**							
	WW2466VHHL2M	WW2466VHHR2M	$ 2322	23⅞	24	65¹⁵⁄₁₆	—	—	170 lbs.	26.6
	WW2454VHHL2M	WW2454VHHR2M	2164	23⅞	24	53⅞	—	—	145 lbs.	21.9



Left shown

- Coat hook is standard
- Storage cabinet in 54" unit contains 1 removable shelf
- Storage cabinet in 66" unit contains 2 removable shelves
- File drawers utilize drawer body sides for front-to-back letter filing
- Additional filing hardware may be purchased for letter or legal side-to-side filing capability
- Random lock core (KRB, KRS) and specified lock core (KS3B, KS3S) available

STORAGE BOOKCASE/WARDROBE WITH FILE/FILE PEDESTAL	**LEFT HINGED**	**RIGHT HINGED**							
	WW2466VBWHL2M	WW2466VBWHR2M	$ 2583	23⅞	24	65¹⁵⁄₁₆	—	—	180 lbs.	26.6
	WW2454VBWHL2M	WW2454VBWHR2M	2394	23⅞	24	53⅞	—	—	152 lbs.	21.9



Right shown

- Coat hook is standard
- 54" storage bookcase/wardrobe contains 1 removable shelf
- 66" storage bookcase/wardrobe contains 2 removable shelves
- File drawers utilize drawer body sides for front-to-back letter filing
- Additional filing hardware may be purchased for letter or legal side-to-side filing capability
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

WAVEWORKS METAL

PRODUCT SPECIFICATIONS

- Highbacks shipped with appropriate hardware

TO ORDER, SPECIFY:

1. Model Number
2. Pull
3. Locking
4. Paint

SAMPLE MODEL NUMBER:

WW7237HBRM 5 KRB 440

- See pages 557-558 for all options available in WaveWorks Metal

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
HIGHBACK ORGANIZER RECESSED DOORS	WW7237HBRM	$ 1689	15	71¾	37⅛	—	—	170 lbs.	21.9
	WW6037HBRM	1451	15	59¾	37⅛	—	—	145 lbs.	18.3
	WW4837HBRM	1343	15	47¾	37⅛	—	—	120 lbs.	11.1
	WW4237HBRM	1233	15	41¾	37⅛	—	—	95 lbs.	3.9
	WW3637HBRM	1117	15	35¾	37⅛	—	—	75 lbs.	2.0



- Not intended for use on table desking
- An end panel, support panel, or pedestal must be located under end panels of highback for proper support
- 36", 42" and 48" units have 1 locking door; 60" and 72" units have 2 individually locking doors
- Doors recess into top of cabinet
- 72" and 60" units: Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- 36", 42" and 48" units: Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Back of highback has cutouts for cable routing
- Some assembly required
- Reference tack board applicability on page 776

HIGHBACK ORGANIZER FLIPPER DOORS WITH SOFT CLOSE HINGE	WW7237HBFM	$ 1937	14⁵⁄₁₆	71¾	37⁷⁄₁₆	—	—	170 lbs.	21.9
	WW6037HBFM	1704	14⁵⁄₁₆	59¾	37⁷⁄₁₆	—	—	145 lbs.	18.3
	WW4837HBFM	1470	14⁵⁄₁₆	47¾	37⁷⁄₁₆	—	—	120 lbs.	11.1
	WW4237HBFM	1361	14⁵⁄₁₆	41¾	37⁷⁄₁₆	—	—	95 lbs.	3.9
	WW3637HBFM	1242	14⁵⁄₁₆	35¾	37⁷⁄₁₆	—	—	75 lbs.	2.0



- Not intended for use on table desking
- An end panel, support panel, or pedestal must be located under end and center panels of highback for proper support
- Doors flip up over the top of the unit
- Features soft close hinges
- 36", 42" and 48" units have 1 locking door; 60" and 72" units have 2 individually locking doors
- 72" and 60" units: Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available
- 36", 42" and 48" units: Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Back of highback has cutouts for cable routing
- Some assembly required
- Reference tack board applicability on page 776

HIGHBACK ORGANIZER NO DOORS	WW7237HBEM	$ 1561	15	71¾	37⅛	—	—	170 lbs.	21.9
	WW6037HBEM	1329	15	59¾	37⅛	—	—	145 lbs.	18.3
	WW4837HBEM	1282	15	47¾	37⅛	—	—	120 lbs.	11.1
	WW4237HBEM	1174	15	41¾	37⅛	—	—	95 lbs.	3.9
	WW3637HBEM	1053	15	35¾	37⅛	—	—	75 lbs.	2.0



- Not intended for use on table desking
- An end panel, support panel, or pedestal must be located under end panels of highback for proper support
- Back of highback has cutouts for cable routing
- Some assembly required
- Reference tack board applicability on page 776

PRODUCT SPECIFICATIONS

- Overheads shipped with appropriate hardware

TO ORDER, SPECIFY:

1. Model Number
2. Locking
3. Paint

SAMPLE MODEL NUMBER:

WW4814SOFTM KRB 461

- See pages 557-558 for all options available in WaveWorks Metal

TACK BOARD



MODEL NO./DESCRIPTION		GRADE A	GRADE B/ COM	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
NAC6820TBMA	Railroad	$ 499	$ 591	½	68¼	19¾	—	—	13 lbs.	2.2
NAC5620TBMA	Railroad	394	464	½	56¼	19¾	—	—	9 lbs.	1.8
NAC4420TBMA	Railroad	355	412	½	44¼	19¾	—	—	8 lbs.	1.5
NAC3820TBMA	Railroad	336	386	½	38¼	19¾	—	—	7 lbs.	1.3
NAC3220TBMA	Railroad	307	350	½	32¼	19¾	—	—	6 lbs.	1.0

- For use with WaveWorks metal highback organizers only
- Tack board is unfinished on back
- Hardware is included to attach to highback organizer
- See page 558 for fabric options
- Reference tack board applicability on page 776

OVERHEAD STORAGE CABINET RECESSED DOOR EXHIBIT MOUNT



			D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WW4814SOFTM	$ 972		14⅞	47¾	16⅝	—	—	67 lbs.	11.7
WW4214SOFTM	947		14⅞	41¾	16⅝	—	—	62 lbs.	11.5
WW3614SOFTM	927		14⅞	35¾	16⅝	—	—	57 lbs.	10.1
WW3014SOFTM	903		14⅞	29¾	16⅝	—	—	43 lbs.	6.6

- Exhibit mount bracket and filler strip is included, Exhibit wall rail must be ordered separately
- Filler strip is removable in the field if overhead is used with tack/marker board insert
- Door recesses into top of cabinet
- Unit features 1 door
- Unit features an open back
- It is recommended that overheads are not slid to a new location when there are tack board inserts behind the overheads
- If an overhead needs to be relocated, the overhead must be removed from the Exhibit rail and reinstalled in another location on the Exhibit rail
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

OVERHEAD STORAGE CABINET FLIPPER DOOR WITH SOFT CLOSE HINGE EXHIBIT MOUNT



			D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WW4814SOF2TM	$ 1098		14 15/16	47¾	16⅝	—	—	67 lbs.	11.7
WW4214SOF2TM	1074		14 15/16	41¾	16⅝	—	—	62 lbs.	11.5
WW3614SOF2TM	1052		14 15/16	35¾	16⅝	—	—	57 lbs.	10.1
WW3014SOF2TM	1032		14 15/16	29¾	16⅝	—	—	43 lbs.	6.6

- Exhibit mount bracket and filler strip is included, Exhibit wall rail must be ordered separately
- Filler strip is removable in the field if overhead is used with tack/marker board insert
- Door flips up over the top of the unit
- Features soft close hinges
- Unit features 1 door
- Unit features an open back
- It is recommended that overheads are not slid to a new location when there are tack board inserts behind the overheads
- If an overhead needs to be relocated, the overhead must be removed from the Exhibit rail and reinstalled in another location on the Exhibit rail
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

WAVEWORKS METAL

PRODUCT SPECIFICATIONS

- Overheads shipped with appropriate hardware

TO ORDER, SPECIFY:

1. Model Number
2. Paint

SAMPLE MODEL NUMBERS:

WW3642BCOFM 501
11N72EXP1 462

- See pages 557-558 for all options available in WaveWorks Metal

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
OVERHEAD STORAGE CABINET NO DOORS EXHIBIT MOUNT	WW4814SOETM		$ 909	14⅞	47¾	16⅝	–	–	67 lbs.	11.7
	WW4214SOETM		887	14⅞	41¾	16⅝	–	–	62 lbs.	11.5
	WW3614SOETM		866	14⅞	35¾	16⅝	–	–	57 lbs.	10.1
	WW3014SOETM		842	14⅞	29¾	16⅝	–	–	43 lbs.	6.6



- Exhibit mount bracket and filler strip is included, Exhibit wall rail must be ordered separately
- Filler strip is removable in the field if overhead is used with tack/marker board insert
- It is recommended that overheads are not slid to a new location when there are tack board inserts behind the overheads
- If an overhead needs to be relocated, the overhead must be removed from the Exhibit rail and reinstalled in another location on the Exhibit rail

	WALL RAIL									
EXHIBIT WALL RAIL	11N72EXP1	1 Rail/No faceplate	$ 133	¾	72	1¾	–	–	6 lbs.	0.7
	11N144EXP1	1 Rail/No faceplate	193	¾	144	1¾	–	–	12 lbs.	1.4



- Includes 1 wall rail and 2 alignment brackets
- Specify 423 Concrete, 462 Cinder, 463 Iron, 501 Platinum Metallic or 503 Satin Nickel Metallic
- For use when hanging a worksurface or overhead without the use of an insert

2 SHELF BOOKCASE	WW3642BCOFM	$ 803	15½	35 15/16	41 15/16	–	–	82 lbs.	16.9



- Not intended for use as set-on surface storage
- Shelves are ⅞" thick
- Shaded shelves are adjustable

3 SHELF BOOKCASE	WW3654BCOFM	$ 927	15½	35 15/16	53 15/16	–	–	103 lbs.	21.6



- Not intended for use as set-on surface storage
- Shelves are ⅞" thick
- Shaded shelves are adjustable

4 SHELF BOOKCASE	WW3666BCOFM	$ 1073	15½	35 15/16	65 15/16	–	–	124 lbs.	26.2



- Not intended for use as set-on surface storage
- Shelves are ⅞" thick
- Shaded shelves are adjustable

PRODUCT SPECIFICATIONS

- See pages 559-563 for modesty panel matrix and guidelines

TO ORDER, SPECIFY:

1. Model Number
2. Paint

SAMPLE MODEL NUMBER:

WW4827MPM 440

- See pages 557-558 for all options available in WaveWorks Metal

MODESTY PANEL FULL OVERLAY MODESTY



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WW9627MPM		$ 396	1½	96	27	—	—	32 lbs.	3.0
WW8427MPM		372	1½	84	27	—	—	29 lbs.	2.5
WW7227MPM		327	1½	72	27	—	—	24 lbs.	2.1
WW6627MPM		310	1½	66	27	—	—	22 lbs.	2.0
WW6027MPM		292	1½	60	27	—	—	20 lbs.	1.8
WW5427MPM		285	1½	54	27	—	—	18 lbs.	1.6
WW4827MPM		282	1½	48	27	—	—	16 lbs.	1.4
WW4227MPM		262	1½	42	27	—	—	15 lbs.	1.3
WW3627MPM		239	1½	36	27	—	—	13 lbs.	1.1
WW3427MPM		227	1½	34	27	—	—	13 lbs.	1.0
WW3027MPM		217	1½	30	27	—	—	12 lbs.	0.9

- Modesty panel completely covers back of pedestals and kneespace and from underside of worksurface to floor

MODESTY PANEL FULL OVERLAY - BOX/FILE HEIGHT



WW9621MPM	Metal	$ 354	1½	96	21¼	—	—	30 lbs.	2.9
WW8421MPM	Metal	327	1½	84	21¼	—	—	27 lbs.	2.4
WW7221MPM	Metal	285	1½	72	21¼	—	—	22 lbs.	2.0
WW6621MPM	Metal	266	1½	66	21¼	—	—	20 lbs.	1.9
WW6021MPM	Metal	250	1½	60	21¼	—	—	18 lbs.	1.7
WW5421MPM	Metal	243	1½	54	21¼	—	—	16 lbs.	1.5
WW4821MPM	Metal	239	1½	48	21¼	—	—	14 lbs.	1.3
WW4221MPM	Metal	218	1½	42	21¼	—	—	13 lbs.	1.2
WW3621MPM	Metal	200	1½	36	21¼	—	—	11 lbs.	1.0
WW3021MPM	Metal	175	1½	30	21¼	—	—	10 lbs.	0.8

- Modesty panel completely covers back of pedestals and kneespace and from underside of worksurface to floor

WAVEWORKS METAL

PRODUCT SPECIFICATIONS

- See pages 559-563 for modesty panel matrix and guidelines

TO ORDER, SPECIFY:

1. Model Number
2. Paint

SAMPLE MODEL NUMBER:

WW9423MPM 440

- See pages 557-558 for all options available in WaveWorks Metal

MODESTY PANEL
KNEESPACE MODESTY



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WW9423MPM	$ 361	1½	93¼	23	—	—	32 lbs.	2.8
WW8323MPM	334	1½	82⅜	23	—	—	29 lbs.	2.5
WW8223MPM	334	1½	81¼	23	—	—	25 lbs.	2.4
WW8023MPM	334	1½	79⅜₁₆	23	—	—	28 lbs.	2.4
WW7123MPM	296	1½	70¹⅛₁₆	23	—	—	23 lbs.	2.1
WW7023MPM	296	1½	69⅜	23	—	—	23 lbs.	2.1
WW6923MPM	277	1½	69	23	—	—	23 lbs.	2.1
WW6823MPM	277	1½	67⅞	23	—	—	23 lbs.	2.0
WW6623MPM	277	1½	65⅞	23	—	—	22 lbs.	2.0
WW6523MPM	277	1½	64⅜	23	—	—	22 lbs.	2.0
WW6423MPM	277	1½	63½	23	—	—	21 lbs.	1.9
WW5923MPM	262	1½	58¾	23	—	—	20 lbs.	1.8
WW5823MPM	262	1½	57¼	23	—	—	20 lbs.	1.7
WW5723MPM	262	1½	57	23	—	—	19 lbs.	1.7
WW5623MPM	262	1½	55⅜	23	—	—	19 lbs.	1.7
WW54A23MPM	256	1½	54	23	—	—	19 lbs.	1.6
WW5423MPM	256	1½	53⅜	23	—	—	18 lbs.	1.6
WW5323MPM	256	1½	52¾	23	—	—	18 lbs.	1.6
WW52A23MPM	256	1½	52⅜	23	—	—	18 lbs.	1.6
WW5223MPM	256	1½	51⅜	23	—	—	18 lbs.	1.6
WW5023MPM	254	1½	49¾	23	—	—	17 lbs.	1.5
WW4723MPM	254	1½	46¾	23	—	—	16 lbs.	1.4
WW4523MPM	239	1½	45⅜	23	—	—	16 lbs.	1.4
WW4423MPM	239	1½	45⅛₁₆	23	—	—	15 lbs.	1.3
WW4323MPM	239	1½	43⅜	23	—	—	15 lbs.	1.3
WW42A23MPM	238	1½	42⅛₁₆	23	—	—	14 lbs.	1.3
WW4223MPM	238	1½	41⅞	23	—	—	15 lbs.	1.3
WW4123MPM	222	1½	40¾	23	—	—	15 lbs.	1.2
WW40A23MPM	222	1½	40¹⅛₁₆	23	—	—	14 lbs.	1.2
WW4023MPM	222	1½	39⅜	23	—	—	14 lbs.	1.2
WW3923MPM	216	1½	39⅛₁₆	23	—	—	14 lbs.	1.2
WW3823MPM	216	1½	37½	23	—	—	14 lbs.	1.2

- Modesty panels are pre-drilled for installation
- Gap between top of modesty panel and underside of worksurface is 1½"; gap between bottom of modesty panel and floor is 3"
- Modesty panel not applicable for attachment to suspended pedestals
- Shell units must be used with suspended pedestals
- See pages 560-563 for planning guideline chart

PRODUCT SPECIFICATIONS

- See pages 559-563 for modesty panel matrix and guidelines

TO ORDER, SPECIFY:

1. Model Number
2. Paint

SAMPLE MODEL NUMBER:

WW3623MPM 501

- See pages 557-558 for all options available in WaveWorks Metal

MODESTY PANEL KNEESPACE MODESTY (CONTINUED)



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WW3623MPM	$ 216	1½	36	23	—	—	13 lbs.	1.1
WW3523MPM	209	1½	34¾	23	—	—	13 lbs.	1.1
WW3423MPM	205	1½	33⅜	23	—	—	13 lbs.	1.0
WW3323MPM	205	1½	33 1/16	23	—	—	13 lbs.	1.0
WW3223MPM	200	1½	31⅛	23	—	—	12 lbs.	1.0
WW3123MPM	200	1½	30⅛	23	—	—	12 lbs.	1.0
WW3023MPM	200	1½	30	23	—	—	12 lbs.	0.9
WW2923MPM	200	1½	28 13/16	23	—	—	11 lbs.	0.9
WW2823MPM	200	1½	27 7/16	23	—	—	11 lbs.	0.9
WW2723MPM	196	1½	27 1/16	23	—	—	11 lbs.	0.8
WW2623MPM	196	1½	25¾	23	—	—	9 lbs.	0.7
WW2323MPM	191	1½	22 13/16	23	—	—	9 lbs.	0.7
WW2023MPM	191	1½	19¾	23	—	—	8 lbs.	0.7
WW1723MPM	188	1½	16¾	23	—	—	7 lbs.	0.7
WW1423MPM	184	1½	13¾	23	—	—	6 lbs.	0.7

- Modesty panels are pre-drilled for installation
- Gap between top of modesty panel and underside of worksurface is 1½"; gap between bottom of modesty panel and floor is 3"
- Modesty panel not applicable for attachment to suspended pedestals
- Shell units must be used with suspended pedestals
- See pages 560-563 for planning guideline chart

NON-DEFACING PEDESTAL KIT



WWMNDF		$ 68	—	—	—	—	—	1 lbs.	0.3

- Allows attachment of pedestal to modesty panel without drilling holes in sides of cabinet
- Includes hardware for attachment
- Environmental grey finish
- Order 1 non-defacing kit per pedestal
- Specify model number only

NON-DEFACING COLUMN LEG KIT



WWSBNDF	Cinder	$ 68	—	—	—	—	—	1 lbs.	0.3

- Allows attachment of column to metal modesty panel without defacing the column
- Available in 4 paint options: Designer White (405), Cinder (462), Platinum Metallic (501) and Satin Nickel Metallic (503)

WAVEWORKS METAL

TO ORDER, SPECIFY:

1. Model Number
2. Paint

SAMPLE MODEL NUMBER:

WW1827EPM 405

• See pages 557-558 for all options available in WaveWorks Metal

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FULL END PANEL WORKSURFACE HEIGHT	WW3627EPM	$ 383	34⅝	1¼	27¼	—	—	37 lbs.	1.1
	WW3027EPM	344	28¹¹⁄₁₆	1¼	27¼	—	—	30 lbs.	1.0
	WW2427EPM	304	22⅝	1¼	27¼	—	—	25 lbs.	0.8



- Non-structural and non-handed
- Designed for securement to modesty panel
- Intended use for single pedestal desks/credenzas
- Includes 2 glides
- In single pedestal applications without modesty panels, 2 gusset brackets must be purchased to ensure structural stability

FULL END PANEL (BOX/FILE HEIGHT)	WW2421EPM	$ 282	22⅝	1¼	21¼	—	—	20 lbs.	0.6



- Non-structural and non-handed
- Designed for securement to modesty panel
- Includes 2 glides
- In single pedestal applications without modesty panels, 2 gusset brackets must be purchased to ensure structural stability

HALF END PANEL	WW1827EPM	$ 276	16	1¼	27¼	—	—	19 lbs.	0.6



- Non-structural and non-handed
- Designed for securement to modesty panel
- Includes 2 glides
- In applications without modesty panels, 2 gusset brackets must be purchased to ensure structural stability
- Utilize on all corner surfaces with cylinder leg and for continuous surface connections when needing additional support

SUPPORT PANEL	WW1227SSM	$ 211	11⅜	1¼	27¼	—	—	10 lbs.	0.4



- Non-structural and non-handed
- Designed for securement to modesty panel
- Utilize on 36" corner surfaces only with cylinder leg and for continuous surface connections
- Includes 2 glides
- In applications without modesty panels, a gusset bracket must be purchased to ensure structural stability

SUPPORT PANEL (BOX/FILE HEIGHT)	WW1221SSM	$ 120	11⅜	1¼	21¼	—	—	13 lbs.	0.8



- Non-structural and non-handed
- Designed for securement to modesty panel
- Includes 2 glides
- In applications without modesty panels, a gusset bracket must be purchased to ensure structural stability

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Paint

SAMPLE MODEL NUMBER:

WW0827SRM 462

• See pages 557-558 for all options available in WaveWorks Metal

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
RETURN SUPPORT PANEL	WW0827SRM		$ 118	7⅜	1¼	27¼	—	—	7 lbs.	0.2
	WW1227SRM		168	11⅜	1¼	27¼	—	—	9 lbs.	0.4

- Non-structural and non-handed
- Designed for securement to modesty panel
- Utilize 1 return support panel for returns
- Utilize 2 return support panels for bridge units
- Includes 1 glide for WW0827SRM; includes 2 glides for WW1227SRM
- Use WW0827SRM to create 24"D return
- Use WW1227SRM to create 30"D return

T-SUPPORT PANEL HALF HEIGHT



INTENDED FOR USE WITH 1⁹⁄₁₆" THICK WORKSURFACE MODELS

WWN3605STM	Metal	$ 275	35⅞	1¼	4⅞	—	—	19 lbs.	2.0
WWN3005STM	Metal	244	29¹⁵⁄₁₆	1¼	4⅞	—	—	17 lbs.	1.8
WWN2405STM	Metal	222	22¹⁵⁄₁₆	1¼	4⅞	—	—	14 lbs.	1.6

INTENDED FOR USE WITH 1³⁄₁₆" THICK WORKSURFACE MODELS

WW3606STM	Metal	$ 275	35⅞	1¼	5⅞	—	—	19 lbs.	2.0
WW3006STM	Metal	244	29¹⁵⁄₁₆	1¼	5⅞	—	—	17 lbs.	1.8
WW2406STM	Metal	222	22¹⁵⁄₁₆	1¼	5⅞	—	—	14 lbs.	1.6

- Some assembly required
- Specify with worksurfaces when overlapping box/file height storage, T-support panel will sit on box/file height storage and support worksurface height worksurfaces

UNDERSURFACE SUPPORT RAIL (WORKSURFACE)



QNAC0248SUR	$ 266	2¾	48	1	—	—	5 lbs.	0.5
NAC0248SUR	266	2¾	48	1	—	—	5 lbs.	0.5
QNAC0236SUR	228	2¾	36	1	—	—	3 lbs.	0.3
NAC0236SUR	228	2¾	36	1	—	—	3 lbs.	0.3

- Specify model number only
- Model recommended for use when the weight on the table has a uniform weight above 125 lbs. or if the span between table legs or support structures is greater than 48" on a 1³⁄₁₆" worksurface and greater than 60" on a 1³⁄₁₆" worksurface
- Specify the 36" model to be used up to 66" worksurfaces
- Specify the 48" model to be used up to 72" worksurfaces
- Specify with worksurfaces when overlapping box/file height storage, sit on box/file height storage and supports worksurface height worksurfaces
- Rails are bulk packed per order. The pack may contain both sizes of rails

WAVEWORKS METAL

TO ORDER, SPECIFY:

1. Model Number
2. Paint

SAMPLE MODEL NUMBERS:

WW0827SPM 480
WWGB
WW0127CPFSM

• See pages 557-558 for all options available in WaveWorks Metal

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
CORNER POST	WW0827SPM	$ 381	8	8	27¼	—	—	11 lbs.	1.6



- Creates corner unit utilizing modesty panels
- Designed to secure modesty panels to corner unit
- Corner post must be used with modesty panels
- Includes 1 glide

GUSSET BRACKET	WWGB	$ 42	9⅞	—	9⅞	—	—	1 lbs.	0.2



- When modesty panels are not utilized, gusset brackets are required for stabilization and support of end and support panels
- Non-handed
- Includes 1 bracket
- Specify model number only
- Gusset Brackets are not to be used in place of support panels

MODESTY FILLER STRIP (WORKSURFACE HEIGHT)	WW0127CPFSM	$ 73	1⅛	1	27⅛	—	—	1 lbs.	0.2

- Utilize to close space between back of pedestal and wall
- Utilize for 24" deep surfaces/undersurface pedestals
- Non-handed
- Specify model number only

MODESTY FILLER STRIP (BOX/FILE HEIGHT)	WW0121CPFSM	$ 51	1⅛	1	21¼	—	—	1 lbs.	0.2

- Utilize to close space between back of pedestal and wall
- Utilize for 24" deep surfaces/undersurface pedestals
- Non-handed
- Specify model number only

LATERAL FILE FILING HARDWARE	WW15FFB	$ 42	¾	15¾	¾	—	—	1 lbs.	2.0



- Allows front-to-back letter filing
- Set of 2
- Front-to back file bars provide:
  2 rows of letter or 1 row of legal in 30" W
  2 rows of letter or 2 rows of legal in 36" W
  3 rows of letter or 2 rows of legal in 42" W

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NAC0612PT

• See pages 557-558 for all options available in WaveWorks Metal

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
PENCIL TRAY	NAC0612PT	Black	$ 44	5½	12	1⅛	—	—	1 lbs.	0.2
	• Holds pencils, pens, rulers, etc. • For use in WaveWorks Metal box drawer									
BOX DRAWER DIVIDER	NAC1303DD	Black	$ 36	12⅞	3³⁄₁₆	—	—	—	1 lbs.	0.2
	• For use in WaveWorks Metal box drawer									
OVERHEAD/SHELF DIVIDER	NAC9SD	Black (Set of 3)	$ 89	6	9¼	7	—	—	1 lbs.	0.3
	• Sits in a WaveWorks Metal highback organizer or overhead									

WAVEWORKS METAL

EXHIBIT
WALL RAIL SOLUTION

Product Specifications 608
Production Options 610
Product Overview 612
Application Guidelines 613
Product Pages 614

EXHIBIT

PRODUCT SPECIFICATIONS

HORIZONTAL WALL RAIL AND FACEPLATE

- Wall rail and faceplate are a powder coated aluminum extrusion
- Available in lengths of 72" and 144"
- Wall rails come in sets of 1 or 2 and include faceplate and alignment brackets
- Wall rails can also be ordered without faceplates
- When attaching worksurfaces to the wall rail without the use of tack board, marker board, or slat wall inserts, wall rail can be ordered without the faceplate
- Faceplate snaps onto wall rail to secure marker board, tack board and slat wall inserts in place; Inserts can be removed or replaced without removing wall rail
- Faceplate conceals alignment brackets, fasteners and provides a clean aesthetic look
- Wall rail is mounted horizontally providing tie in to appropriate load bearing studs
- Alignment bracket is required to align 2 adjacent sections of wall rail and is included with wall rails
- Alignment bracket is hidden from view once installation is complete
- Wall rails can be cut to size in the field
- WaveWorks and Epic worksurfaces can be attached to wall rails with worksurface brackets
- Worksurfaces that are attached to the wall rail can be ordered with or without a wire manager; Worksurfaces with a wire manager have a flexible PVC trough that allows cords and cables to be routed along the back edge or sides of worksurface

MARKER BOARD INSERTS

- Marker board inserts have erasable writing surface and are available in HPL or magnetic porcelain models
- Marker board inserts are available in white only
- HPL marker board and tack board insert models can be scribed in field
- Marker board, tack board and slat wall inserts include 2 trim channels

TACK BOARD INSERTS

- Tack board insert is available in fabric, see page 610 for fabric options
- Shaded rectangle portrays a railroaded tack board



SLAT WALL INSERTS

- Slat wall inserts are powder coated aluminum
- Slat wall inserts offer flexibility in placement of work tools; Combo slat wall inserts offer a slat wall insert combined with a tack board insert providing a multi-functional area and is an economical alternative when overhead storage will be used

ORGANIZER SHELF INSERTS

- Veneer organizer shelf inserts are plain sliced slipmatched cherry (Amber, Autumn, Mocha, Truffle) or maple veneer (Brighton, Caramel, Honey, Natural), plain sliced bookmatched walnut veneer (Clear Walnut, Cordovan, Judicial), quarter cut walnut veneer (Almond, Portobello, Sable), or quarter cut oak veneer (Sonoma).
- When specifying Clear Walnut, a clear coat finish, the natural wood characteristics of walnut veneer are visible. These characteristics include, but are not limited to, color and woodgrain variation
- All Veneer surfaces feature a semi-open pore matte finish

EXHIBIT TV MOUNT INSERT

- Single TV Mount included with laminate or veneer inserts
- Dual TV Mount available as an option on 60" inserts for additional upcharge

TRIM CHANNELS

- Quantity of 2 is standard with each board/insert
- Available in powder coat paint or fabric
- Provides an expansion joint, vertical cable manager attachment and compensates for out-of-plumb walls
- Trim Channels can be ordered separately for boards/inserts that have been scribed in the field

FULL END TRIM

- Full end trim is steel and powder coated
- Full end trim finishes the end of a run and connects the top and bottom wall rail

SINGLE END CAP

- Single end cap is steel and powder coated
- Single end cap finishes the end of a single wall rail by capping off the wall rail, perfect for when a wall rail is used without inserts and a faceplate

VERTICAL CABLE MANAGER

- Vertical cable manager attaches between the insert and trim channel
- Conceals and allows for power cords to be managed and routed from overhead to outlet

VERTICAL CABLE MANAGER FOR TV MOUNT INSERT

- Vertical Cable Manager attaches to the Exhibit TV Mount Insert
- Conceals and allows for power cords to be managed and routed from TV to outlet

WORKSURFACE BRACKETS

- Exhibit worksurface brackets attach worksurfaces to lower wall rail
- A worksurface bracket is required every 48" along back edge of worksurface
- Worksurface bracket is anodized aluminum

PLANNING TIPS

- Wall rails can be mounted at any height if not utilizing with WaveWorks or Epic vertical storage units
- Consider the worksurface load when planning support; For worksurfaces that will hold office equipment, such as printers and copiers, additional support other than standard worksurface brackets is recommended
- Undersurface storage and pedestals satisfy both storage and support needs
- Reconfiguring existing worksurfaces may require new supports or brackets
- When worksurfaces meet end-to-end, a support panel or undersurface storage is required for additional support of the front edge
- Perpendicular worksurfaces can use flat brackets and worksurface brackets to provide adequate support from 1 surface to the other at the worksurface joint
- Worksurface brackets and supports can be positioned anywhere along the worksurface without the limitations of pre-drilled or predetermined locations
- Knife rim adds 1½" per side to worksurface depth. Knife rim is not recommended on lower storage as it affects user's kneespace
- Consider where you specify a worksurface with Worksurface wire manager. When attached to Exhibit lower wall rail, do not use at the end of run for a cleaner aesthetic
- Tack boards may be field scribed to match Epic knife rim worksurface depth

DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

CONFIGURATION OPTIONS - EXHIBIT

WALL RAIL/FACEPLATE/ SLAT WALL INSERT PAINT COLORS

423 Concrete
462 Cinder
463 Iron
501 Platinum Metallic
503 Satin Nickel Metallic

TRIM CHANNEL PAINT COLORS

401 White
423 Concrete
462 Cinder
463 Iron
501 Platinum Metallic
503 Satin Nickel Metallic

END TRIM/END CAP PAINT COLORS

423 Concrete
462 Cinder
463 Iron
501 Platinum Metallic
503 Satin Nickel Metallic

WORK TOOLS (METAL)

423 Concrete
462 Cinder
463 Iron
501 Platinum Metallic
503 Satin Nickel Metallic

TACK BOARD INSERT/TRIM CHANNEL FABRIC OPTIONS

Dune (Grade A)
100% Polyester

8600 Drift
8601 Windblown
8602 Erosion
8603 Haze
8608 Nectar
8610 Clear Sky
8614 Basin
8615 Raven
8620 Darkness

Repetition (Grade A)
100% Pre-Consumer Recycled Polyester

3700 Ash
3703 White
3709 Java
3713 Stainless
3721 Reed
3744 Tawny

COM (Grade B)

Pact (Grade B)
65% Pre-Consumer Recycled Polyester, 35% Post-Consumer Recycled Polyester

25401 Aloe
25402 Azure
25403 Calla
25404 Coastal
25405 Delft
25406 Dove
25409 Fern
25410 Harbour
25411 Lily
25412 Lime
25413 Midnight
25414 Nectar
25415 Patina
25416 Putty
25418 Roma
25420 Sketch
25422 Taupe
25423 Toasty

EXHIBIT TV MOUNT INSERT OPTIONS

TS Single TV Mount, Front
TD Dual TV Mount, Front ($968 list upcharge)

EXHIBIT COMPONENTS



SH6 ORGANIZER SHELF HEIGHT 36"/37"/48"/49" HIGH MODELS

A Align with 13H Overhead
B Align with 18H Overhead
C Align with 30H Overhead*
*48"/49" high models only
D Align with SH1 top shelf

WOOD FINISHES (ORGANIZER SHELF INSERT)

AC Autumn
AD Almond
CL Caramel
CW Cordovan
DW Judicial
EW Clear Walnut**
HN Honey
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
SM Sonoma
TF Truffle
792 Sable

LAMINATE COLORS (ORGANIZER SHELF INSERT)

WOODGRAIN LAMINATE

AC2 Autumn 2
AD Almond
ADH Almond Horizontal
BZ Brazilwood
CI Chai
CL Caramel
CW Cordovan
DW Judicial
HN2 Honey 2
IM Brighton
KN Kona
MC Amber
MH Mocha
NM Natural
TF Truffle
PB Portobello
PBH Portobello Horizontal
PC Porcini
PT Portico*
PTH Portico Horizontal*
SK Skyline*
SKH Skyline Horizontal*
SM Sonoma
SMH Sonoma Horizontal
WL Willow
792 Sable
792H Sable Horizontal
793 Acorn**

SOLID LAMINATE

405 Designer White
419 Wallaby
425 Shadow
440 Cloud
457 Dapple
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
491H Designer White Linear Horizontal
492 Cinder Linear
492H Cinder Linear Horizontal

*Not available on laminate/wood models
**Acorn is the laminate complement to Clear Walnut finish

GALLERY LAMINATE

Grade 1 – 5% upcharge
G1001 Citadel
G1011 Pepperdust

Grade 2 – 6% upcharge
G1002 Planked Raw Oak
G1003 Evening Notte
G1004 Kirsche
G1005 Midnight Run
G1006 Sepia Walnut
G1007 Serotina
G1008 Timeless
G1009 White Nebbia
G1012 Phantom Ecru

See page 14 for Gallery program details and upcharges

EXHIBIT

OVERVIEW

Exhibit is a series consisting of a horizontal rail, marker board, tack board, and slat wall inserts, and work tools.

Exhibit can be used in numerous applications. Here are a few examples of how it can be used with National Office Furniture products.

EXHIBIT WITH WAVEWORKS AND EPIC MODELS

The Exhibit rail is a horizontal rail that attaches to walls to accommodate WaveWorks and Epic worksurfaces and components. Attaching worksurfaces directly to the wall rail allows the reduction of modesty panels and opens the space for a clean aesthetic.



APPLICATION GUIDELINES

FASTENERS

- Fasteners must tie in directly to the substructure of a structural wall for proper attachment of Exhibit wall rail. National defines a structural wall as a load bearing wall constructed of materials such as poured concrete, concrete block, or studs

MINIMUM REQUIREMENTS

- Wood studs must be nominal 2" x 4" minimum
- Metal studs must be "C" channel, 20 gauge minimum thickness
- Metal or wood studs must be on centers no greater than 24" and have a maximum height of 14' restrained at floor and ceiling
- Interior walls must be designed to resist not less than a force of 5 lbs. per sq. ft. applied perpendicular to the wall. The deflection of such walls under a load of 5 lbs. per square foot shall not exceed 1/240 of the span for walls with brittle finishes and 1/120 of the span for walls with flexible finishes (per International Building Code sections 1604.4 and 1607.13)
- Exhibit wall rail may not extend more than 6" beyond the last solid attachment point
- Minimum width of Exhibit wall rail that can be attached to a wall is 16" mounted to studs 16" apart
- If an overhead is being mounted, the minimum width for Exhibit is 30" with the Exhibit wall rail being centered on studs 24" apart, so as not to extend more than 6" beyond the last solid attachment point

RECOMMENDED FASTENERS

- Selection and purchase of the proper attachment fasteners for your wall conditions is the responsibility of the installer

Type and Size	Description
Steel Studs (½" to ¾" drywall) Hilti® Toggler® anchor toggle bolts, ¼"–20 x 2" grade 5 bolts	
Wood Studs (¼" to ½" drywall) Meets or exceeds ANSI/ASME B18.6.4 and SAE J933. Pan head sheet metal screw	10-2 PHPMS
Solid Masonry Crown Bolt lag shields ¼" x 1½" Buildex Tapcon concrete anchor screw ¼" x 2¾"	
Masonry Block Hilti Toggler anchor toggle bolts, ¼"–20 x 2" grade 5 bolts Crown Bolt lag shields ¼" x 1½" Buildex Tapcon concrete anchor screw ¼" x 2¾"	

- Actual mounting height can be varied to meet specific needs; however, undersurface storage height must be considered
- Variations in the floor surface (peaks and valleys) should be considered, especially where horizontal placement is critical
- Exhibit wall rail extends ⅞" from the wall. This dimensional loss should be considered when space planning for components, when Exhibit wall rails are being used on 2 or more walls of a space
- Select worksurfaces and inserts can be field scribed to fit space
- In fixed wall Exhibit applications, choose your insert height based on your specific application or height of corresponding WaveWorks vertical storage. Consider the height of the cabinet and clearance between the bottom of the overhead and the worksurface

34" Tall Inserts



36" and 48" Tall Inserts

Compatible with WaveWorks and Epic 68" and WaveWorks 79" High WW Models



37" and 49" Tall Inserts

Compatible with WaveWorks 69" and 80" High WWN Models



- Conference and training rooms commonly use 49" tall inserts, but with Exhibit, you can use any of the 5 heights to achieve the customer's needs.

WALL

- Trim when using full insert

EXHIBIT

PRODUCT SPECIFICATIONS

- Exhibit rail can be cut to size in the field
- Alignment brackets are required to align 2 sections of Exhibit rail in line
- Exhibit mount overheads available in the WaveWorks and Epic series, see Casegoods Book 2 Price List
- For worksurface brackets, end trim and end caps see pages 656-658

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

11N72EXFP2 462

- See pages 610-611 for all options available in Exhibit

EXHIBIT WALL RAIL AND FACEPLATE



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WALL RAIL AND FACEPLATE									
11N72EXFP2	Set of 2	$ 381	⅞	72	1¾	—	—	6 lbs.	0.7
11N144EXFP2	Set of 2	547	⅞	144	1¾	—	—	12 lbs.	1.4
11N72EXFP1	Set of 1	$ 219	⅞	72	1¾	—	—	6 lbs.	0.7
11N144EXFP1	Set of 1	303	⅞	144	1¾	—	—	12 lbs.	1.4

- Set of 2 includes 2 rails, 2 faceplates, and 4 alignment brackets
- Set of 1 includes 1 rail, 1 faceplate, and 2 alignment brackets
- Exhibit wall rail available in Concrete, Cinder, Iron, Platinum Metallic or Satin Nickel Metallic
- Faceplates must be used when using an insert

EXHIBIT WALL RAIL



WALL RAIL									
11N72EXP1	1 Rail/No faceplate	$ 133	¾	72	1½	—	—	6 lbs.	0.7
11N144EXP1	1 Rail/No faceplate	193	¾	144	1½	—	—	12 lbs.	1.4

- Includes 1 wall rail and 2 alignment brackets
- Exhibit wall rail available in Concrete, Cinder, Iron, Platinum Metallic or Satin Nickel Metallic
- For use when hanging a worksurface or overhead without the use of an insert

PRODUCT SPECIFICATIONS

- Tack board and HPL marker board inserts can be field scribed, additional trim channels should be specified separately if creating additional inserts. Porcelain marker board inserts cannot be field scribed
- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade
3. Fabric Color

SAMPLE MODEL NUMBERS:

11N1834TB B 25413
11N1836TB B 25413
11N1837TB B 25413

• See pages 610-611 for all options available in Exhibit

TACK BOARD INSERTS



34"H TACK BOARD INSERTS

MODEL NO./DESCRIPTION	GRADE A	GRADE B/ COM	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
11N1834TBA	$ 321	$ 376	½	18	34⅛	—	—	3 lbs.	0.5
11N2434TBA	337	392	½	24	34⅛	—	—	4 lbs.	0.6
11N3034TBA	394	449	½	30	34⅛	—	—	5 lbs.	0.8
11N3634TBA	413	479	½	36	34⅛	—	—	6 lbs.	0.9
11N4234TBA	422	488	½	42	34⅛	—	—	7 lbs.	1.0
11N4834TBA	454	531	½	48	34⅛	—	—	8 lbs.	1.2
11N5434TBA	515	603	½	54	34⅛	—	—	9 lbs.	1.3
11N6034TBA	519	607	½	60	34⅛	—	—	10 lbs.	1.4

COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS
36"H TACK BOARD INSERTS

11N1836TBA	$ 343	$ 398	½	18	36⅜16	—	—	3 lbs.	0.5
11N2436TBA	360	415	½	24	36⅜16	—	—	4 lbs.	0.6
11N3036TBA	416	471	½	30	36⅜16	—	—	5 lbs.	0.8
11N3636TBA	440	506	½	36	36⅜16	—	—	6 lbs.	0.9
11N4236TBA	452	518	½	42	36⅜16	—	—	7 lbs.	1.0
11N4836TBA	481	558	½	48	36⅜16	—	—	8 lbs.	1.2
11N5436TBA	547	635	½	54	36⅜16	—	—	9 lbs.	1.3
11N6036TBA	550	638	½	60	36⅜16	—	—	10 lbs.	1.4

COMPATIBLE WITH WAVEWORKS 69" HIGH WWN MODELS
37"H TACK BOARD INSERTS

11N1837TBA	$ 343	$ 398	½	18	37	—	—	3 lbs.	0.5
11N2437TBA	360	415	½	24	37	—	—	4 lbs.	0.6
11N3037TBA	416	471	½	30	37	—	—	5 lbs.	0.8
11N3637TBA	440	506	½	36	37	—	—	6 lbs.	0.9
11N4237TBA	452	518	½	42	37	—	—	7 lbs.	1.0
11N4837TBA	481	558	½	48	37	—	—	8 lbs.	1.2
11N5437TBA	547	635	½	54	37	—	—	9 lbs.	1.3
11N6037TBA	550	638	½	60	37	—	—	10 lbs.	1.4

- 2 trim channels included with each tack board insert in the same fabric
- Tack board inserts can be field scribed
- Additional trim channels should be specified separately if creating additional tack board inserts
- Fabric will be railroaded

EXHIBIT

PRODUCT SPECIFICATIONS

- Tack board and HPL marker board inserts can be field scribed, additional trim channels should be specified separately if creating additional inserts. Porcelain marker board inserts cannot be field scribed
- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade
3. Fabric Color

SAMPLE MODEL NUMBERS:

11N1848TB A 8600
11N1849TB A 8600

• See pages 610-611 for all options available in Exhibit

TACK BOARD INSERTS (CONTINUED)



MODEL NO./DESCRIPTION	LIST PRICE GRADE A	LIST PRICE GRADE B/COM	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 79" HIGH WWN MODELS 48"H TACK BOARD INSERTS									
11N1848TBA	$ 394	$ 460	½	18	48⅜	—	—	4 lbs.	1.2
11N2448TBA	410	476	½	24	48⅜	—	—	5 lbs.	1.3
11N3048TBA	479	545	½	30	48⅜	—	—	6 lbs.	1.7
11N3648TBA	486	552	½	36	48⅜	—	—	7 lbs.	2.0
11N4248TBA	506	572	½	42	48⅜	—	—	8 lbs.	2.3
11N4848TBA	528	605	½	48	48⅜	—	—	9 lbs.	2.7
11N5448TBA	602	690	½	54	48⅜	—	—	10 lbs.	3.0
11N6048TBA	607	695	½	60	48⅜	—	—	11 lbs.	3.3
COMPATIBLE WITH WAVEWORKS 80" HIGH WWN MODELS 49"H TACK BOARD INSERTS									
11N1849TBA	$ 394	$ 460	½	18	48 13⁄16	—	—	4 lbs.	1.2
11N2449TBA	410	476	½	24	48 13⁄16	—	—	5 lbs.	1.3
11N3049TBA	479	545	½	30	48 13⁄16	—	—	6 lbs.	1.7
11N3649TBA	486	552	½	36	48 13⁄16	—	—	7 lbs.	2.0
11N4249TBA	506	572	½	42	48 13⁄16	—	—	8 lbs.	2.3
11N4849TBA	528	605	½	48	48 13⁄16	—	—	9 lbs.	2.7
11N5449TBA	602	690	½	54	48 13⁄16	—	—	10 lbs.	3.0
11N6049TBA	607	695	½	60	48 13⁄16	—	—	11 lbs.	3.3

- 2 trim channels included with each tack board insert in the same fabric
- Tack board inserts can be field scribed
- Additional trim channels should be specified separately if creating additional tack board inserts
- Fabric will be railroaded

PRODUCT SPECIFICATIONS

- Tack board and HPL marker board inserts can be field scribed, additional trim channels should be specified separately if creating additional inserts. Porcelain marker board inserts cannot be field scribed
- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

11N2434MB

• See pages 610-611 for all options available in Exhibit

MARKER BOARD INSERTS



MODEL NO./DESCRIPTION	LIST PRICE		DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
34"H MARKER BOARD INSERTS									
HPL		**PORCELAIN**							
11N2434MB	$ 598	11N2434MB2P	$ 910	½	24	34⅛	—	—	14 lbs.	0.6
11N3034MB	600	11N3034MB2P	919	½	30	34⅛	—	—	18 lbs.	0.8
11N3634MB	672	11N3634MB2P	1012	½	36	34⅛	—	—	22 lbs.	0.9
11N4234MB	723	11N4234MB2P	1013	½	42	34⅛	—	—	25 lbs.	1.0
11N4834MB	884	11N4834MB2P	1298	½	48	34⅛	—	—	29 lbs.	1.2
11N5434MB	886	11N5434MB2P	1306	½	54	34⅛	—	—	32 lbs.	1.3
11N6034MB	888	11N6034MB2P	1317	½	60	34⅛	—	—	36 lbs.	1.4
COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS									
36"H MARKER BOARD INSERTS									
HPL		**PORCELAIN**							
11N2436MB	$ 620	11N2436MB2P	$ 935	½	24	36⅜16	—	—	14 lbs.	0.6
11N3036MB	622	11N3036MB2P	937	½	30	36⅜16	—	—	18 lbs.	0.8
11N3636MB	697	11N3636MB2P	1038	½	36	36⅜16	—	—	22 lbs.	0.9
11N4236MB	749	11N4236MB2P	1041	½	42	36⅜16	—	—	25 lbs.	1.0
11N4836MB	910	11N4836MB2P	1326	½	48	36⅜16	—	—	29 lbs.	1.2
11N5436MB	912	11N5436MB2P	1334	½	54	36⅜16	—	—	32 lbs.	1.3
11N6036MB	921	11N6036MB2P	1346	½	60	36⅜16	—	—	36 lbs.	1.4
COMPATIBLE WITH WAVEWORKS 69" HIGH WWN MODELS									
37"H MARKER BOARD INSERTS									
HPL		**PORCELAIN**							
11N2437MB	$ 620	11N2437MB2P	$ 935	½	24	37	—	—	14 lbs.	0.6
11N3037MB	622	11N3037MB2P	937	½	30	37	—	—	18 lbs.	0.8
11N3637MB	697	11N3637MB2P	1038	½	36	37	—	—	22 lbs.	0.9
11N4237MB	749	11N4237MB2P	1041	½	42	37	—	—	25 lbs.	1.0
11N4837MB	910	11N4837MB2P	1326	½	48	37	—	—	29 lbs.	1.2
11N5437MB	912	11N5437MB2P	1334	½	54	37	—	—	32 lbs.	1.3
11N6037MB	921	11N6037MB2P	1346	½	60	37	—	—	36 lbs.	1.4

- HPL marker board inserts can be field scribed
- Additional trim channels should be specified separately if additional inserts are created
- Porcelain marker board inserts are magnetic
- Porcelain marker board inserts are double sided
- Specify model number only
- 2 trim channels included with each marker board insert in white to match board
- Marker board inserts available in white only

EXHIBIT

PRODUCT SPECIFICATIONS

- Tack board and HPL marker board inserts can be field scribed, additional trim channels should be specified separately if creating additional inserts. Porcelain marker board inserts cannot be field scribed
- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

11N2448MB

• See pages 610-611 for all options available in Exhibit

MARKER BOARD INSERTS (CONTINUED)



COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS
48"H MARKER BOARD INSERTS

MODEL NO./DESCRIPTION HPL	LIST PRICE	MODEL NO./DESCRIPTION PORCELAIN	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
11N2448MB	$ 724	11N2448MB2P	$ 1078	½	24	48⅜	–	–	16 lbs.	1.3
11N3048MB	725	11N3048MB2P	1080	½	30	48⅜	–	–	20 lbs.	1.7
11N3648MB	809	11N3648MB2P	1198	½	36	48⅜	–	–	24 lbs.	2.0
11N4248MB	878	11N4248MB2P	1290	½	42	48⅜	–	–	27 lbs.	2.3
11N4848MB	1063	11N4848MB2P	1536	½	48	48⅜	–	–	31 lbs.	2.7
11N5448MB	1068	11N5448MB2P	1777	½	54	48⅜	–	–	34 lbs.	3.0
11N6048MB	1077	11N6048MB2P	1915	½	60	48⅜	–	–	38 lbs.	3.3

COMPATIBLE WITH WAVEWORKS 80" HIGH WWN MODELS
49"H MARKER BOARD INSERTS

MODEL NO./DESCRIPTION HPL	LIST PRICE	MODEL NO./DESCRIPTION PORCELAIN	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
11N2449MB	$ 724	11N2449MB2P	$ 1078	½	24	48¹³⁄₁₆	–	–	16 lbs.	1.3
11N3049MB	725	11N3049MB2P	1080	½	30	48¹³⁄₁₆	–	–	20 lbs.	1.7
11N3649MB	809	11N3649MB2P	1198	½	36	48¹³⁄₁₆	–	–	24 lbs.	2.0
11N4249MB	878	11N4249MB2P	1290	½	42	48¹³⁄₁₆	–	–	27 lbs.	2.3
11N4849MB	1063	11N4849MB2P	1536	½	48	48¹³⁄₁₆	–	–	31 lbs.	2.7
11N5449MB	1068	11N5449MB2P	1777	½	54	48¹³⁄₁₆	–	–	34 lbs.	3.0
11N6049MB	1077	11N6049MB2P	1915	½	60	48¹³⁄₁₆	–	–	38 lbs.	3.3

- HPL marker board inserts can be field scribed
- Additional trim channels should be specified separately if additional inserts are created
- Porcelain marker board inserts are magnetic
- Porcelain marker board inserts are double sided
- Specify model number only
- 2 trim channels included with each marker board insert in white to match board
- Marker board inserts available in white only

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

11N2434SW 462

• See pages 610-611 for all options available in Exhibit

SLAT WALL INSERTS



MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
34"H FULL SLAT								
11N2434SW	$ 1551	½	24	34⅛	—	—	45 lbs.	1.2
11N3034SW	1560	½	30	34⅛	—	—	57 lbs.	1.4
11N3634SW	1784	½	36	34⅛	—	—	69 lbs.	1.7
11N4234SW	1785	½	42	34⅛	—	—	79 lbs.	2.0
11N4834SW	1980	½	48	34⅛	—	—	91 lbs.	2.3
COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS								
36"H FULL SLAT								
11N2436SW	$ 1574	½	24	36⅜16	—	—	48 lbs.	1.2
11N3036SW	1583	½	30	36⅜16	—	—	60 lbs.	1.4
11N3636SW	1804	½	36	36⅜16	—	—	72 lbs.	1.7
11N4236SW	1806	½	42	36⅜16	—	—	82 lbs.	2.0
11N4836SW	2010	½	48	36⅜16	—	—	94 lbs.	2.3
COMPATIBLE WITH WAVEWORKS 69" HIGH WWN MODELS								
37"H FULL SLAT								
11N2437SW	$ 1574	½	24	37	—	—	48 lbs.	1.2
11N3037SW	1583	½	30	37	—	—	60 lbs.	1.4
11N3637SW	1804	½	36	37	—	—	72 lbs.	1.7
11N4237SW	1806	½	42	37	—	—	82 lbs.	2.0
11N4837SW	2010	½	48	37	—	—	94 lbs.	2.3
COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS								
48"H FULL SLAT								
11N2448SW	$ 1856	½	24	48⅜	—	—	63 lbs.	1.6
11N3048SW	1866	½	30	48⅜	—	—	80 lbs.	1.9
11N3648SW	2132	½	36	48⅜	—	—	97 lbs.	2.0
11N4248SW	2134	½	42	48⅜	—	—	111 lbs.	2.2
11N4848SW	2371	½	48	48⅜	—	—	128 lbs.	2.5

- 2 trim channels included with each slat wall insert in corresponding color to match slat
- Slat wall insert requires the use of trim channels and mounting bracket included with the model
- Slat wall should only be used with National certified work tools and monitor arms; reference pages 659-662

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

11N2449SW 462

- See pages 610-611 for all options available in Exhibit

SLAT WALL INSERTS (CONTINUED)



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 80" HIGH WWN MODELS 49"H FULL SLAT								
11N2449SW	$ 1856	½	24	48 13/16	–	–	63 lbs.	1.6
11N3049SW	1866	½	30	48 13/16	–	–	80 lbs.	1.9
11N3649SW	2132	½	36	48 13/16	–	–	97 lbs.	2.0
11N4249SW	2134	½	42	48 13/16	–	–	111 lbs.	2.2
11N4849SW	2371	½	48	48 13/16	–	–	128 lbs.	2.5

- 2 trim channels included with each slat wall insert in corresponding color to match slat
- Slat wall insert requires the use of trim channels and mounting bracket included with the model
- Slat wall should only be used with National certified work tools and monitor arms; reference pages 659-662

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade
3. Fabric Color
4. Paint Color

SAMPLE MODEL NUMBER:

11N2434SWTBF A 8600 501

• See pages 610-611 for all options available in Exhibit

SLAT WALL INSERTS
COMBO SLAT/TACK



MODEL NO./DESCRIPTION			LIST PRICE		DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
					D	W	H	A	KW		
23"H SLAT WITH 11"H TACK			**GRADE A**	**GRADE B/ COM**							
FABRIC TRIM	**PAINTED TRIM**										
11N2434SWTBFA	11N2434SWTBPA	Railroad	$ 1406	$ 1439	½	24	34⅛	—	—	32 lbs.	1.2
11N3034SWTBFA	11N3034SWTBPA	Railroad	1409	1449	½	30	34⅛	—	—	41 lbs.	1.4
11N3634SWTBFA	11N3634SWTBPA	Railroad	1609	1657	½	36	34⅛	—	—	50 lbs.	1.7
11N4234SWTBFA	11N4234SWTBPA	Railroad	1610	1665	½	42	34⅛	—	—	59 lbs.	2.0
11N4834SWTBFA	11N4834SWTBPA	Railroad	1790	1852	½	48	34⅛	—	—	68 lbs.	2.3
COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS											
23"H SLAT WITH 13"H TACK			**GRADE A**	**GRADE B/ COM**							
FABRIC TRIM	**PAINTED TRIM**										
11N2436SWTBFA	11N2436SWTBPA	Railroad	$ 1427	$ 1460	½	24	36⅜	—	—	35 lbs.	1.2
11N3036SWTBFA	11N3036SWTBPA	Railroad	1434	1474	½	30	36⅜	—	—	44 lbs.	1.4
11N3636SWTBFA	11N3636SWTBPA	Railroad	1632	1680	½	36	36⅜	—	—	53 lbs.	1.7
11N4236SWTBFA	11N4236SWTBPA	Railroad	1637	1692	½	42	36⅜	—	—	62 lbs.	2.0
11N4836SWTBFA	11N4836SWTBPA	Railroad	1815	1877	½	48	36⅜	—	—	71 lbs.	2.3
COMPATIBLE WITH WAVEWORKS 69" HIGH WWN MODELS											
23"H SLAT WITH 14"H TACK			**GRADE A**	**GRADE B/ COM**							
FABRIC TRIM	**PAINTED TRIM**										
11N2437SWTBFA	11N2437SWTBPA	Railroad	$ 1427	$ 1460	½	24	37	—	—	35 lbs.	1.2
11N3037SWTBFA	11N3037SWTBPA	Railroad	1434	1474	½	30	37	—	—	44 lbs.	1.4
11N3637SWTBFA	11N3637SWTBPA	Railroad	1632	1680	½	36	37	—	—	53 lbs.	1.7
11N4237SWTBFA	11N4237SWTBPA	Railroad	1637	1692	½	42	37	—	—	62 lbs.	2.0
11N4837SWTBFA	11N4837SWTBPA	Railroad	1815	1877	½	48	37	—	—	71 lbs.	2.3
COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS											
23"H SLAT WITH 25"H TACK			**GRADE A**	**GRADE B/ COM**							
FABRIC TRIM	**PAINTED TRIM**										
11N2448SWTBFA	11N2448SWTBPA	Railroad	$ 1683	$ 1716	½	24	48⅜	—	—	45 lbs.	1.4
11N3048SWTBFA	11N3048SWTBPA	Railroad	1690	1730	½	30	48⅜	—	—	58 lbs.	1.7
11N3648SWTBFA	11N3648SWTBPA	Railroad	1926	1974	½	36	48⅜	—	—	71 lbs.	2.1
11N4248SWTBFA	11N4248SWTBPA	Railroad	1929	1984	½	42	48⅜	—	—	83 lbs.	2.5
11N4848SWTBFA	11N4848SWTBPA	Railroad	2143	2205	½	48	48⅜	—	—	96 lbs.	2.9

- 2 trim channels included with each combo slat wall insert, customer can choose either fabric or painted trim channels
- Slat wall insert requires the use of trim channels and mounting bracket included with the model
- Slat wall should only be used with National certified work tools and monitor arms; reference pages 659-662
- Slat section must be located on the lower portion of the insert
- Fabric will be railroaded
- Not recommended to use more than 2 monitor arms per combo slat/tack model

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade
3. Fabric Color
4. Paint Color

SAMPLE MODEL NUMBER:

11N2449SWTBF A 8600 501

• See pages 610-611 for all options available in Exhibit

SLAT WALL INSERTS COMBO SLAT/TACK (CONTINUED)



MODEL NO./DESCRIPTION			LIST PRICE		DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 80" HIGH WWN MODELS 23"H SLAT WITH 26"H TACK FABRIC TRIM	**PAINTED TRIM**	**GRADE A**	**GRADE A**	**GRADE B/ COM**							
11N2449SWTBFA	11N2449SWTBPA	Railroad	$ 1683	$ 1716	½	24	48 13/16	—	—	45 lbs.	1.4
11N3049SWTBFA	11N3049SWTBPA	Railroad	1690	1730	½	30	48 13/16	—	—	58 lbs.	1.7
11N3649SWTBFA	11N3649SWTBPA	Railroad	1926	1974	½	36	48 13/16	—	—	71 lbs.	2.1
11N4249SWTBFA	11N4249SWTBPA	Railroad	1929	1984	½	42	48 13/16	—	—	83 lbs.	2.5
11N4849SWTBFA	11N4849SWTBPA	Railroad	2143	2205	½	48	48 13/16	—	—	96 lbs.	2.9

- 2 trim channels included with each combo slat wall insert, customer can choose either fabric or painted trim channels
- Slat wall insert requires the use of trim channels and mounting bracket included with the model
- Slat wall should only be used with National certified work tools and monitor arms; reference pages 659-662
- Slat section must be located on the lower portion of the insert
- Fabric will be railroaded
- Not recommended to use more than 2 monitor arms per combo slat/tack model

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3634SH1W	MH	
11N3634SH1LW	462	CW
11N3634SH1L	405	478

• See pages 610-611 for all options available in Exhibit

ORGANIZER SHELF INSERTS





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
34"H ORGANIZER SHELF INSERTS									
11N3634SH1W	Wood	$ 2582	10½	35 15/16	34⅛	–	–	47 lbs.	3.1
11N3634SH1LW	Laminate Shelves, Wood Wall	2582	10½	35 15/16	34⅛	–	–	47 lbs.	3.1
11N3634SH1L	Laminate	1784	10½	35 15/16	34⅛	–	–	47 lbs.	3.1
11N3634SH1WL	Wood Shelves, Laminate Wall	2582	10½	35 15/16	34⅛	–	–	47 lbs.	3.1
11N4234SH1W	Wood	$ 2583	10½	41 15/16	34⅛	–	–	53 lbs.	3.3
11N4234SH1LW	Laminate Shelves, Wood Wall	2583	10½	41 15/16	34⅛	–	–	53 lbs.	3.3
11N4234SH1L	Laminate	1785	10½	41 15/16	34⅛	–	–	53 lbs.	3.3
11N4234SH1WL	Wood Shelves, Laminate Wall	2583	10½	41 15/16	34⅛	–	–	53 lbs.	3.3
11N4834SH1W	Wood	$ 2872	10½	47 15/16	34⅛	–	–	58 lbs.	3.5
11N4834SH1LW	Laminate Shelves, Wood Wall	2872	10½	47 15/16	34⅛	–	–	58 lbs.	3.5
11N4834SH1L	Laminate	1980	10½	47 15/16	34⅛	–	–	58 lbs.	3.5
11N4834SH1WL	Wood Shelves, Laminate Wall	2872	10½	47 15/16	34⅛	–	–	58 lbs.	3.5
11N5434SH1W	Wood	$ 3161	10½	53⅞	34⅛	–	–	64 lbs.	3.5
11N5434SH1LW	Laminate Shelves, Wood Wall	3161	10½	53⅞	34⅛	–	–	64 lbs.	3.5
11N5434SH1L	Laminate	2178	10½	53⅞	34⅛	–	–	64 lbs.	3.5
11N5434SH1WL	Wood Shelves, Laminate Wall	3161	10½	53⅞	34⅛	–	–	64 lbs.	3.5
11N6034SH1W	Wood	$ 3477	10½	59 15/16	34⅛	–	–	71 lbs.	3.9
11N6034SH1LW	Laminate Shelves, Wood Wall	3477	10½	59 15/16	34⅛	–	–	71 lbs.	3.9
11N6034SH1L	Laminate	2397	10½	59 15/16	34⅛	–	–	71 lbs.	3.9
11N6034SH1WL	Wood Shelves, Laminate Wall	3477	10½	59 15/16	34⅛	–	–	71 lbs.	3.9

- Some assembly required
- 34", 36" and 37" high shelf inserts have 3 shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3634SH2W MH
11N3634SH2LW 462 CW
11N3634SH2L 405 478

• See pages 610-611 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
34"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3634SH2W	Wood	$ 2582	10½	35 15/16	34⅛	—	—	47 lbs.	3.1
11N3634SH2LW	Laminate Shelves, Wood Wall	2582	10½	35 15/16	34⅛	—	—	47 lbs.	3.1
11N3634SH2L	Laminate	1784	10½	35 15/16	34⅛	—	—	47 lbs.	3.1
11N3634SH2WL	Wood Shelves, Laminate Wall	2582	10½	35 15/16	34⅛	—	—	47 lbs.	3.1
11N4234SH2W	Wood	$ 2583	10½	41 15/16	34⅛	—	—	53 lbs.	3.3
11N4234SH2LW	Laminate Shelves, Wood Wall	2583	10½	41 15/16	34⅛	—	—	53 lbs.	3.3
11N4234SH2L	Laminate	1785	10½	41 15/16	34⅛	—	—	53 lbs.	3.3
11N4234SH2WL	Wood Shelves, Laminate Wall	2583	10½	41 15/16	34⅛	—	—	53 lbs.	3.3
11N4834SH2W	Wood	$ 2872	10½	47 15/16	34⅛	—	—	58 lbs.	3.5
11N4834SH2LW	Laminate Shelves, Wood Wall	2872	10½	47 15/16	34⅛	—	—	58 lbs.	3.5
11N4834SH2L	Laminate	1980	10½	47 15/16	34⅛	—	—	58 lbs.	3.5
11N4834SH2WL	Wood Shelves, Laminate Wall	2872	10½	47 15/16	34⅛	—	—	58 lbs.	3.5
11N5434SH2W	Wood	$ 3161	10½	53⅞	34⅛	—	—	64 lbs.	3.5
11N5434SH2LW	Laminate Shelves, Wood Wall	3161	10½	53⅞	34⅛	—	—	64 lbs.	3.5
11N5434SH2L	Laminate	2178	10½	53⅞	34⅛	—	—	64 lbs.	3.5
11N5434SH2WL	Wood Shelves, Laminate Wall	3161	10½	53⅞	34⅛	—	—	64 lbs.	3.5
11N6034SH2W	Wood	$ 3477	10½	59 15/16	34⅛	—	—	71 lbs.	3.9
11N6034SH2LW	Laminate Shelves, Wood Wall	3477	10½	59 15/16	34⅛	—	—	71 lbs.	3.9
11N6034SH2L	Laminate	2397	10½	59 15/16	34⅛	—	—	71 lbs.	3.9
11N6034SH2WL	Wood Shelves, Laminate Wall	3477	10½	59 15/16	34⅛	—	—	71 lbs.	3.9

- Some assembly required
- 34", 36" and 37" high shelf inserts have 3 shelves
- "SH2" shelves are a mirrored version of the "SH1" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3634SH3W	MH	
11N3634SH3LW	462	CW
11N3634SH3L	405	478

• See pages 610-611 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
34"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3634SH3W	Wood	$ 2198	10½	35 15/16	34⅛	–	–	41 lbs.	3.3
11N3634SH3LW	Laminate Shelves, Wood Wall	2198	10½	35 15/16	34⅛	–	–	41 lbs.	3.3
11N3634SH3L	Laminate	1516	10½	35 15/16	34⅛	–	–	41 lbs.	3.3
11N3634SH3WL	Wood Shelves, Laminate Wall	2198	10½	35 15/16	34⅛	–	–	41 lbs.	3.3
11N4234SH3W	Wood	$ 2199	10½	41 15/16	34⅛	–	–	48 lbs.	3.8
11N4234SH3LW	Laminate Shelves, Wood Wall	2199	10½	41 15/16	34⅛	–	–	48 lbs.	3.8
11N4234SH3L	Laminate	1517	10½	41 15/16	34⅛	–	–	48 lbs.	3.8
11N4234SH3WL	Wood Shelves, Laminate Wall	2199	10½	41 15/16	34⅛	–	–	48 lbs.	3.8
11N4834SH3W	Wood	$ 2442	10½	47 15/16	34⅛	–	–	54 lbs.	4.3
11N4834SH3LW	Laminate Shelves, Wood Wall	2442	10½	47 15/16	34⅛	–	–	54 lbs.	4.3
11N4834SH3L	Laminate	1684	10½	47 15/16	34⅛	–	–	54 lbs.	4.3
11N4834SH3WL	Wood Shelves, Laminate Wall	2442	10½	47 15/16	34⅛	–	–	54 lbs.	4.3
11N5434SH3W	Wood	$ 2685	10½	53⅞	34⅛	–	–	59 lbs.	4.8
11N5434SH3LW	Laminate Shelves, Wood Wall	2685	10½	53⅞	34⅛	–	–	59 lbs.	4.8
11N5434SH3L	Laminate	1855	10½	53⅞	34⅛	–	–	59 lbs.	4.8
11N5434SH3WL	Wood Shelves, Laminate Wall	2685	10½	53⅞	34⅛	–	–	59 lbs.	4.8
11N6034SH3W	Wood	$ 2955	10½	59 15/16	34⅛	–	–	66 lbs.	5.3
11N6034SH3LW	Laminate Shelves, Wood Wall	2955	10½	59 15/16	34⅛	–	–	66 lbs.	5.3
11N6034SH3L	Laminate	2041	10½	59 15/16	34⅛	–	–	66 lbs.	5.3
11N6034SH3WL	Wood Shelves, Laminate Wall	2955	10½	59 15/16	34⅛	–	–	66 lbs.	5.3

- Some assembly required
- "SH3" models have 1 shelf that aligns with the top shelf of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3634SH4W MH
11N3634SH4W 462 CW
11N3634SH4L 405 478

• See pages 610-611 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
34"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3634SH4W	Wood	$ 2248	10½	35 15/16	34⅛	—	—	49 lbs.	3.3
11N3634SH4LW	Laminate Shelves, Wood Wall	2248	10½	35 15/16	34⅛	—	—	49 lbs.	3.3
11N3634SH4L	Laminate	1549	10½	35 15/16	34⅛	—	—	49 lbs.	3.3
11N3634SH4WL	Wood Shelves, Laminate Wall	2248	10½	35 15/16	34⅛	—	—	49 lbs.	3.3
11N4234SH4W	Wood	$ 2250	10½	41 15/16	34⅛	—	—	57 lbs.	3.8
11N4234SH4LW	Laminate Shelves, Wood Wall	2250	10½	41 15/16	34⅛	—	—	57 lbs.	3.8
11N4234SH4L	Laminate	1551	10½	41 15/16	34⅛	—	—	57 lbs.	3.8
11N4234SH4WL	Wood Shelves, Laminate Wall	2250	10½	41 15/16	34⅛	—	—	57 lbs.	3.8
11N4834SH4W	Wood	$ 2498	10½	47 15/16	34⅛	—	—	65 lbs.	4.3
11N4834SH4LW	Laminate Shelves, Wood Wall	2498	10½	47 15/16	34⅛	—	—	65 lbs.	4.3
11N4834SH4L	Laminate	1724	10½	47 15/16	34⅛	—	—	65 lbs.	4.3
11N4834SH4WL	Wood Shelves, Laminate Wall	2498	10½	47 15/16	34⅛	—	—	65 lbs.	4.3
11N5434SH4W	Wood	$ 2751	10½	53⅞	34⅛	—	—	73 lbs.	4.8
11N5434SH4LW	Laminate Shelves, Wood Wall	2751	10½	53⅞	34⅛	—	—	73 lbs.	4.8
11N5434SH4L	Laminate	1896	10½	53⅞	34⅛	—	—	73 lbs.	4.8
11N5434SH4WL	Wood Shelves, Laminate Wall	2751	10½	53⅞	34⅛	—	—	73 lbs.	4.8
11N6034SH4W	Wood	$ 3025	10½	59 15/16	34⅛	—	—	81 lbs.	5.3
11N6034SH4LW	Laminate Shelves, Wood Wall	3025	10½	59 15/16	34⅛	—	—	81 lbs.	5.3
11N6034SH4L	Laminate	2086	10½	59 15/16	34⅛	—	—	81 lbs.	5.3
11N6034SH4WL	Wood Shelves, Laminate Wall	3025	10½	59 15/16	34⅛	—	—	81 lbs.	5.3

- Some assembly required
- "SH4" models have 2 shelves that align with the horizontal shelves of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3634SH6W	MH	
11N3634SH6LW	462	CW
11N3634SH6L	405	478

• See pages 610-611 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
34"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3634SH6W	Wood	$ 2198	10½	35 15/16	34⅛	–	–	41 lbs.	3.3
11N3634SH6LW	Laminate Shelves, Wood Wall	2198	10½	35 15/16	34⅛	–	–	41 lbs.	3.3
11N3634SH6L	Laminate	1516	10½	35 15/16	34⅛	–	–	41 lbs.	3.3
11N3634SH6WL	Wood Shelves, Laminate Wall	2198	10½	35 15/16	34⅛	–	–	41 lbs.	3.3
11N4234SH6W	Wood	$ 2199	10½	41 15/16	34⅛	–	–	48 lbs.	3.8
11N4234SH6LW	Laminate Shelves, Wood Wall	2199	10½	41 15/16	34⅛	–	–	48 lbs.	3.8
11N4234SH6L	Laminate	1517	10½	41 15/16	34⅛	–	–	48 lbs.	3.8
11N4234SH6WL	Wood Shelves, Laminate Wall	2199	10½	41 15/16	34⅛	–	–	48 lbs.	3.8
11N4834SH6W	Wood	$ 2442	10½	47 15/16	34⅛	–	–	54 lbs.	4.3
11N4834SH6LW	Laminate Shelves, Wood Wall	2442	10½	47 15/16	34⅛	–	–	54 lbs.	4.3
11N4834SH6L	Laminate	1684	10½	47 15/16	34⅛	–	–	54 lbs.	4.3
11N4834SH6WL	Wood Shelves, Laminate Wall	2442	10½	47 15/16	34⅛	–	–	54 lbs.	4.3
11N5434SH6W	Wood	$ 2685	10½	53⅞	34⅛	–	–	59 lbs.	4.8
11N5434SH6LW	Laminate Shelves, Wood Wall	2685	10½	53⅞	34⅛	–	–	59 lbs.	4.8
11N5434SH6L	Laminate	1855	10½	53⅞	34⅛	–	–	59 lbs.	4.8
11N5434SH6WL	Wood Shelves, Laminate Wall	2685	10½	53⅞	34⅛	–	–	59 lbs.	4.8
11N6034SH6W	Wood	$ 2955	10½	59 15/16	34⅛	–	–	66 lbs.	5.3
11N6034SH6LW	Laminate Shelves, Wood Wall	2955	10½	59 15/16	34⅛	–	–	66 lbs.	5.3
11N6034SH6L	Laminate	2041	10½	59 15/16	34⅛	–	–	66 lbs.	5.3
11N6034SH6WL	Wood Shelves, Laminate Wall	2955	10½	59 15/16	34⅛	–	–	66 lbs.	5.3

- Some assembly required
- "SH6" 34" high models have 1 shelf that aligns with the bottom of a metal overhead
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3636SH1W MH
11N3636SH1LW 462 CW
11N3636SH1L 405 478

• See pages 610-611 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)

COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS



36"H ORGANIZER SHELF INSERTS

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
11N3636SH1W	Wood	$ 2620	10½	35⁵⁄₁₆	36⁹⁄₁₆	—	—	51 lbs.	3.4
11N3636SH1LW	Laminate Shelves, Wood Wall	2620	10½	35⁵⁄₁₆	36⁹⁄₁₆	—	—	51 lbs.	3.4
11N3636SH1L	Laminate	1804	10½	35⁵⁄₁₆	36⁹⁄₁₆	—	—	51 lbs.	3.4
11N3636SH1WL	Wood Shelves, Laminate Wall	2620	10½	35⁵⁄₁₆	36⁹⁄₁₆	—	—	51 lbs.	3.4
11N4236SH1W	Wood	$ 2624	10½	41⁵⁄₁₆	36⁹⁄₁₆	—	—	57 lbs.	3.6
11N4236SH1LW	Laminate Shelves, Wood Wall	2624	10½	41⁵⁄₁₆	36⁹⁄₁₆	—	—	57 lbs.	3.6
11N4236SH1L	Laminate	1806	10½	41⁵⁄₁₆	36⁹⁄₁₆	—	—	57 lbs.	3.6
11N4236SH1WL	Wood Shelves, Laminate Wall	2624	10½	41⁵⁄₁₆	36⁹⁄₁₆	—	—	57 lbs.	3.6
11N4836SH1W	Wood	$ 2915	10½	47⁵⁄₁₆	36⁹⁄₁₆	—	—	62 lbs.	3.9
11N4836SH1LW	Laminate Shelves, Wood Wall	2915	10½	47⁵⁄₁₆	36⁹⁄₁₆	—	—	62 lbs.	3.9
11N4836SH1L	Laminate	2010	10½	47⁵⁄₁₆	36⁹⁄₁₆	—	—	62 lbs.	3.9
11N4836SH1WL	Wood Shelves, Laminate Wall	2915	10½	47⁵⁄₁₆	36⁹⁄₁₆	—	—	62 lbs.	3.9
11N5436SH1W	Wood	$ 3205	10½	53⅜	36⁹⁄₁₆	—	—	68 lbs.	4.1
11N5436SH1LW	Laminate Shelves, Wood Wall	3205	10½	53⅜	36⁹⁄₁₆	—	—	68 lbs.	4.1
11N5436SH1L	Laminate	2211	10½	53⅜	36⁹⁄₁₆	—	—	68 lbs.	4.1
11N5436SH1WL	Wood Shelves, Laminate Wall	3205	10½	53⅜	36⁹⁄₁₆	—	—	68 lbs.	4.1
11N6036SH1W	Wood	$ 3527	10½	59⁵⁄₁₆	36⁹⁄₁₆	—	—	74 lbs.	4.3
11N6036SH1LW	Laminate Shelves, Wood Wall	3527	10½	59⁵⁄₁₆	36⁹⁄₁₆	—	—	74 lbs.	4.3
11N6036SH1L	Laminate	2432	10½	59⁵⁄₁₆	36⁹⁄₁₆	—	—	74 lbs.	4.3
11N6036SH1WL	Wood Shelves, Laminate Wall	3527	10½	59⁵⁄₁₆	36⁹⁄₁₆	—	—	74 lbs.	4.3



- Some assembly required
- 34", 36" and 37" high shelf inserts have 3 shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3636SH2W	MH	
11N3636SH2LW	462	CW
11N3636SH2L	405	478

• See pages 610-611 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)





COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS
36"H ORGANIZER SHELF INSERTS (CONTINUED)

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
11N3636SH2W	Wood	$ 2620	10½	35 15/16	36 9/16	–	–	51 lbs.	3.4
11N3636SH2LW	Laminate Shelves, Wood Wall	2620	10½	35 15/16	36 9/16	–	–	51 lbs.	3.4
11N3636SH2L	Laminate	1804	10½	35 15/16	36 9/16	–	–	51 lbs.	3.4
11N3636SH2WL	Wood Shelves, Laminate Wall	2620	10½	35 15/16	36 9/16	–	–	51 lbs.	3.4
11N4236SH2W	Wood	$ 2624	10½	41 15/16	36 9/16	–	–	57 lbs.	3.6
11N4236SH2LW	Laminate Shelves, Wood Wall	2624	10½	41 15/16	36 9/16	–	–	57 lbs.	3.6
11N4236SH2L	Laminate	1806	10½	41 15/16	36 9/16	–	–	57 lbs.	3.6
11N4236SH2WL	Wood Shelves, Laminate Wall	2624	10½	41 15/16	36 9/16	–	–	57 lbs.	3.6
11N4836SH2W	Wood	$ 2915	10½	47 15/16	36 9/16	–	–	62 lbs.	3.9
11N4836SH2LW	Laminate Shelves, Wood Wall	2915	10½	47 15/16	36 9/16	–	–	62 lbs.	3.9
11N4836SH2L	Laminate	2010	10½	47 15/16	36 9/16	–	–	62 lbs.	3.9
11N4836SH2WL	Wood Shelves, Laminate Wall	2915	10½	47 15/16	36 9/16	–	–	62 lbs.	3.9
11N5436SH2W	Wood	$ 3205	10½	53 7/8	36 9/16	–	–	68 lbs.	4.1
11N5436SH2LW	Laminate Shelves, Wood Wall	3205	10½	53 7/8	36 9/16	–	–	68 lbs.	4.1
11N5436SH2L	Laminate	2211	10½	53 7/8	36 9/16	–	–	68 lbs.	4.1
11N5436SH2WL	Wood Shelves, Laminate Wall	3205	10½	53 7/8	36 9/16	–	–	68 lbs.	4.1
11N6036SH2W	Wood	$ 3527	10½	59 15/16	36 9/16	–	–	74 lbs.	4.3
11N6036SH2LW	Laminate Shelves, Wood Wall	3527	10½	59 15/16	36 9/16	–	–	74 lbs.	4.3
11N6036SH2L	Laminate	2432	10½	59 15/16	36 9/16	–	–	74 lbs.	4.3
11N6036SH2WL	Wood Shelves, Laminate Wall	3527	10½	59 15/16	36 9/16	–	–	74 lbs.	4.3

- Some assembly required
- "SH2" shelves are a mirrored version of the "SH1" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3636SH3W MH
11N3636SH3LW 462 CW
11N3636SH3L 405 478

• See pages 610-611 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)

COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS
36"H ORGANIZER SHELF INSERTS (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
11N3636SH3W	Wood	$ 2225	10½	35⁵⁄₁₆	36⁹⁄₁₆	—	—	43 lbs.	3.5
11N3636SH3LW	Laminate Shelves, Wood Wall	2225	10½	35⁵⁄₁₆	36⁹⁄₁₆	—	—	43 lbs.	3.5
11N3636SH3L	Laminate	1535	10½	35⁵⁄₁₆	36⁹⁄₁₆	—	—	43 lbs.	3.5
11N3636SH3WL	Wood Shelves, Laminate Wall	2225	10½	35⁵⁄₁₆	36⁹⁄₁₆	—	—	43 lbs.	3.5
11N4236SH3W	Wood	$ 2230	10½	41⁵⁄₁₆	36⁹⁄₁₆	—	—	49 lbs.	4.1
11N4236SH3LW	Laminate Shelves, Wood Wall	2230	10½	41⁵⁄₁₆	36⁹⁄₁₆	—	—	49 lbs.	4.1
11N4236SH3L	Laminate	1538	10½	41⁵⁄₁₆	36⁹⁄₁₆	—	—	49 lbs.	4.1
11N4236SH3WL	Wood Shelves, Laminate Wall	2230	10½	41⁵⁄₁₆	36⁹⁄₁₆	—	—	49 lbs.	4.1
11N4836SH3W	Wood	$ 2477	10½	47⁵⁄₁₆	36⁹⁄₁₆	—	—	56 lbs.	4.6
11N4836SH3LW	Laminate Shelves, Wood Wall	2477	10½	47⁵⁄₁₆	36⁹⁄₁₆	—	—	56 lbs.	4.6
11N4836SH3L	Laminate	1708	10½	47⁵⁄₁₆	36⁹⁄₁₆	—	—	56 lbs.	4.6
11N4836SH3WL	Wood Shelves, Laminate Wall	2477	10½	47⁵⁄₁₆	36⁹⁄₁₆	—	—	56 lbs.	4.6
11N5436SH3W	Wood	$ 2726	10½	53⅜	36⁹⁄₁₆	—	—	63 lbs.	5.1
11N5436SH3LW	Laminate Shelves, Wood Wall	2726	10½	53⅜	36⁹⁄₁₆	—	—	63 lbs.	5.1
11N5436SH3L	Laminate	1880	10½	53⅜	36⁹⁄₁₆	—	—	63 lbs.	5.1
11N5436SH3WL	Wood Shelves, Laminate Wall	2726	10½	53⅜	36⁹⁄₁₆	—	—	63 lbs.	5.1
11N6036SH3W	Wood	$ 2996	10½	59⁵⁄₁₆	36⁹⁄₁₆	—	—	69 lbs.	5.6
11N6036SH3LW	Laminate Shelves, Wood Wall	2996	10½	59⁵⁄₁₆	36⁹⁄₁₆	—	—	69 lbs.	5.6
11N6036SH3L	Laminate	2068	10½	59⁵⁄₁₆	36⁹⁄₁₆	—	—	69 lbs.	5.6
11N6036SH3WL	Wood Shelves, Laminate Wall	2996	10½	59⁵⁄₁₆	36⁹⁄₁₆	—	—	69 lbs.	5.6



- Some assembly required
- "SH3" models have 1 shelf that aligns with the top shelf of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3636SH4W MH
11N3636SH4LW 462 CW
11N3636SH4L 405 478

• See pages 610-611 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)





COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS
36"H ORGANIZER SHELF INSERTS (CONTINUED)

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
11N3636SH4W	Wood	$ 2277	10½	35 15/16	36 9/16	—	—	51 lbs.	3.5
11N3636SH4LW	Laminate Shelves, Wood Wall	2277	10½	35 15/16	36 9/16	—	—	51 lbs.	3.5
11N3636SH4L	Laminate	1572	10½	35 15/16	36 9/16	—	—	51 lbs.	3.5
11N3636SH4WL	Wood Shelves, Laminate Wall	2277	10½	35 15/16	36 9/16	—	—	51 lbs.	3.5
11N4236SH4W	Wood	$ 2283	10½	41 15/16	36 9/16	—	—	59 lbs.	4.1
11N4236SH4LW	Laminate Shelves, Wood Wall	2283	10½	41 15/16	36 9/16	—	—	59 lbs.	4.1
11N4236SH4L	Laminate	1575	10½	41 15/16	36 9/16	—	—	59 lbs.	4.1
11N4236SH4WL	Wood Shelves, Laminate Wall	2283	10½	41 15/16	36 9/16	—	—	59 lbs.	4.1
11N4836SH4W	Wood	$ 2536	10½	47 15/16	36 9/16	—	—	68 lbs.	4.6
11N4836SH4LW	Laminate Shelves, Wood Wall	2536	10½	47 15/16	36 9/16	—	—	68 lbs.	4.6
11N4836SH4L	Laminate	1749	10½	47 15/16	36 9/16	—	—	68 lbs.	4.6
11N4836SH4WL	Wood Shelves, Laminate Wall	2536	10½	47 15/16	36 9/16	—	—	68 lbs.	4.6
11N5436SH4W	Wood	$ 2790	10½	53 7/8	36 9/16	—	—	76 lbs.	5.1
11N5436SH4LW	Laminate Shelves, Wood Wall	2790	10½	53 7/8	36 9/16	—	—	76 lbs.	5.1
11N5436SH4L	Laminate	1926	10½	53 7/8	36 9/16	—	—	76 lbs.	5.1
11N5436SH4WL	Wood Shelves, Laminate Wall	2790	10½	53 7/8	36 9/16	—	—	76 lbs.	5.1
11N6036SH4W	Wood	$ 3069	10½	59 15/16	36 9/16	—	—	85 lbs.	5.6
11N6036SH4LW	Laminate Shelves, Wood Wall	3069	10½	59 15/16	36 9/16	—	—	85 lbs.	5.6
11N6036SH4L	Laminate	2116	10½	59 15/16	36 9/16	—	—	85 lbs.	5.6
11N6036SH4WL	Wood Shelves, Laminate Wall	3069	10½	59 15/16	36 9/16	—	—	85 lbs.	5.6

- Some assembly required
- "SH4" models have 2 shelves that align with the horizontal shelves of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Shelf Height (SH6 models only)
3. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Shelf Height (SH6 models only)
3. Laminate Shelf Color
4. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Shelf Height (SH6 models only)
3. Laminate Shelf Color
4. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Shelf Height (SH6 models only)
3. Wood Shelf Finish
4. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3636SH6W A MH
11N3636SH6LW A 462 CW
11N3636SH6L A 405 478

• See pages 610-611 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS 36"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3636SH6W	Wood	$ 2225	10½	35 15/16	36 9/16	—	—	43 lbs.	3.5
11N3636SH6LW	Laminate Shelves, Wood Wall	2225	10½	35 15/16	36 9/16	—	—	43 lbs.	3.5
11N3636SH6L	Laminate	1535	10½	35 15/16	36 9/16	—	—	43 lbs.	3.5
11N3636SH6WL	Wood Shelves, Laminate Wall	2225	10½	35 15/16	36 9/16	—	—	49 lbs.	3.5
11N4236SH6W	Wood	$ 2230	10½	41 15/16	36 9/16	—	—	49 lbs.	4.1
11N4236SH6LW	Laminate Shelves, Wood Wall	2230	10½	41 15/16	36 9/16	—	—	49 lbs.	4.1
11N4236SH6L	Laminate	1538	10½	41 15/16	36 9/16	—	—	49 lbs.	4.1
11N4236SH6WL	Wood Shelves, Laminate Wall	2230	10½	41 15/16	36 9/16	—	—	49 lbs.	4.1
11N4836SH6W	Wood	$ 2477	10½	47 15/16	36 9/16	—	—	56 lbs.	4.6
11N4836SH6LW	Laminate Shelves, Wood Wall	2477	10½	47 15/16	36 9/16	—	—	56 lbs.	4.6
11N4836SH6L	Laminate	1708	10½	47 15/16	36 9/16	—	—	56 lbs.	4.6
11N4836SH6WL	Wood Shelves, Laminate Wall	2477	10½	47 15/16	36 9/16	—	—	56 lbs.	4.6
11N5436SH6W	Wood	$ 2726	10½	53⅜	36 9/16	—	—	63 lbs.	5.1
11N5436SH6LW	Laminate Shelves, Wood Wall	2726	10½	53⅜	36 9/16	—	—	63 lbs.	5.1
11N5436SH6L	Laminate	1880	10½	53⅜	36 9/16	—	—	63 lbs.	5.1
11N5436SH6WL	Wood Shelves, Laminate Wall	2726	10½	53⅜	36 9/16	—	—	63 lbs.	5.1
11N6036SH6W	Wood	$ 2996	10½	59 15/16	36 9/16	—	—	69 lbs.	5.6
11N6036SH6LW	Laminate Shelves, Wood Wall	2996	10½	59 15/16	36 9/16	—	—	69 lbs.	5.6
11N6036SH6L	Laminate	2068	10½	59 15/16	36 9/16	—	—	69 lbs.	5.6
11N6036SH6WL	Wood Shelves, Laminate Wall	2996	10½	59 15/16	36 9/16	—	—	69 lbs.	5.6

- Some assembly required
- "SH6" 36"/37" high models have 1 shelf that can be configured to align with the bottom of a 13" or 18" overhead
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3637SH1W	MH	
11N3637SH1LW	462	CW
11N3637SH1L	405	478

• See pages 610-611 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 69" HIGH WWN MODELS 37"H ORGANIZER SHELF INSERTS									
11N3637SH1W	Wood	$ 2620	10½	35 15/16	37	–	–	51 lbs.	3.4
11N3637SH1LW	Laminate Shelves, Wood Wall	2620	10½	35 15/16	37	–	–	51 lbs.	3.4
11N3637SH1L	Laminate	1804	10½	35 15/16	37	–	–	51 lbs.	3.4
11N3637SH1WL	Wood Shelves, Laminate Wall	2620	10½	35 15/16	37	–	–	51 lbs.	3.4
11N4237SH1W	Wood	$ 2624	10½	41 15/16	37	–	–	57 lbs.	3.6
11N4237SH1LW	Laminate Shelves, Wood Wall	2624	10½	41 15/16	37	–	–	57 lbs.	3.6
11N4237SH1L	Laminate	1806	10½	41 15/16	37	–	–	57 lbs.	3.6
11N4237SH1WL	Wood Shelves, Laminate Wall	2624	10½	41 15/16	37	–	–	57 lbs.	3.6
11N4837SH1W	Wood	$ 2915	10½	47 15/16	37	–	–	62 lbs.	3.9
11N4837SH1LW	Laminate Shelves, Wood Wall	2915	10½	47 15/16	37	–	–	62 lbs.	3.9
11N4837SH1L	Laminate	2010	10½	47 15/16	37	–	–	62 lbs.	3.9
11N4837SH1WL	Wood Shelves, Laminate Wall	2915	10½	47 15/16	37	–	–	62 lbs.	3.9
11N5437SH1W	Wood	$ 3205	10½	53⅞	37	–	–	68 lbs.	4.1
11N5437SH1LW	Laminate Shelves, Wood Wall	3205	10½	53⅞	37	–	–	68 lbs.	4.1
11N5437SH1L	Laminate	2211	10½	53⅞	37	–	–	68 lbs.	4.1
11N5437SH1WL	Wood Shelves, Laminate Wall	3205	10½	53⅞	37	–	–	68 lbs.	4.1
11N6037SH1W	Wood	$ 3527	10½	59 15/16	37	–	–	74 lbs.	4.3
11N6037SH1LW	Laminate Shelves, Wood Wall	3527	10½	59 15/16	37	–	–	74 lbs.	4.3
11N6037SH1L	Laminate	2432	10½	59 15/16	37	–	–	74 lbs.	4.3
11N6037SH1WL	Wood Shelves, Laminate Wall	3527	10½	59 15/16	37	–	–	74 lbs.	4.3

- Some assembly required
- 34", 36" and 37" high shelf inserts have 3 shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3637SH2W MH
11N3637SH2LW 462 CW
11N3637SH2L 405 478

• See pages 610-611 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 69" HIGH WWN MODELS 37"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3637SH2W	Wood	$ 2620	10½	35 15/16	37	–	–	51 lbs.	3.4
11N3637SH2LW	Laminate Shelves, Wood Wall	2620	10½	35 15/16	37	–	–	51 lbs.	3.4
11N3637SH2L	Laminate	1804	10½	35 15/16	37	–	–	51 lbs.	3.4
11N3637SH2WL	Wood Shelves, Laminate Wall	2620	10½	35 15/16	37	–	–	51 lbs.	3.4
11N4237SH2W	Wood	$ 2624	10½	41 15/16	37	–	–	57 lbs.	3.6
11N4237SH2LW	Laminate Shelves, Wood Wall	2624	10½	41 15/16	37	–	–	57 lbs.	3.6
11N4237SH2L	Laminate	1806	10½	41 15/16	37	–	–	57 lbs.	3.6
11N4237SH2WL	Wood Shelves, Laminate Wall	2624	10½	41 15/16	37	–	–	57 lbs.	3.6
11N4837SH2W	Wood	$ 2915	10½	47 15/16	37	–	–	62 lbs.	3.9
11N4837SH2LW	Laminate Shelves, Wood Wall	2915	10½	47 15/16	37	–	–	62 lbs.	3.9
11N4837SH2L	Laminate	2010	10½	47 15/16	37	–	–	62 lbs.	3.9
11N4837SH2WL	Wood Shelves, Laminate Wall	2915	10½	47 15/16	37	–	–	62 lbs.	3.9
11N5437SH2W	Wood	$ 3205	10½	53⅜	37	–	–	68 lbs.	4.1
11N5437SH2LW	Laminate Shelves, Wood Wall	3205	10½	53⅜	37	–	–	68 lbs.	4.1
11N5437SH2L	Laminate	2211	10½	53⅜	37	–	–	68 lbs.	4.1
11N5437SH2WL	Wood Shelves, Laminate Wall	3205	10½	53⅜	37	–	–	68 lbs.	4.1
11N6037SH2W	Wood	$ 3527	10½	59 15/16	37	–	–	74 lbs.	4.3
11N6037SH2LW	Laminate Shelves, Wood Wall	3527	10½	59 15/16	37	–	–	74 lbs.	4.3
11N6037SH2L	Laminate	2432	10½	59 15/16	37	–	–	74 lbs.	4.3
11N6037SH2WL	Wood Shelves, Laminate Wall	3527	10½	59 15/16	37	–	–	74 lbs.	4.3

- Some assembly required
- "SH2" shelves are a mirrored version of the "SH1" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3637SH3W	MH	
11N3637SH3LW	462	CW
11N3637SH3L	405	478

• See pages 610-611 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)





COMPATIBLE WITH WAVEWORKS 69" HIGH WWN MODELS 37"H ORGANIZER SHELF INSERTS (CONTINUED)

MODEL NO.	DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
11N3637SH3W	Wood	$ 2225	10½	35 15/16	37	—	—	43 lbs.	3.6
11N3637SH3LW	Laminate Shelves, Wood Wall	2225	10½	35 15/16	37	—	—	43 lbs.	3.6
11N3637SH3L	Laminate	1535	10½	35 15/16	37	—	—	43 lbs.	3.6
11N3637SH3WL	Wood Shelves, Laminate Wall	2225	10½	35 15/16	37	—	—	43 lbs.	3.6
11N4237SH3W	Wood	$ 2230	10½	41 15/16	37	—	—	50 lbs.	4.1
11N4237SH3LW	Laminate Shelves, Wood Wall	2230	10½	41 15/16	37	—	—	50 lbs.	4.1
11N4237SH3L	Laminate	1538	10½	41 15/16	37	—	—	50 lbs.	4.1
11N4237SH3WL	Wood Shelves, Laminate Wall	2230	10½	41 15/16	37	—	—	50 lbs.	4.1
11N4837SH3W	Wood	$ 2477	10½	47 15/16	37	—	—	56 lbs.	4.6
11N4837SH3LW	Laminate Shelves, Wood Wall	2477	10½	47 15/16	37	—	—	56 lbs.	4.6
11N4837SH3L	Laminate	1708	10½	47 15/16	37	—	—	56 lbs.	4.6
11N4837SH3WL	Wood Shelves, Laminate Wall	2477	10½	47 15/16	37	—	—	56 lbs.	4.6
11N5437SH3W	Wood	$ 2726	10½	53⅞	37	—	—	63 lbs.	5.1
11N5437SH3LW	Laminate Shelves, Wood Wall	2726	10½	53⅞	37	—	—	63 lbs.	5.1
11N5437SH3L	Laminate	1880	10½	53⅞	37	—	—	63 lbs.	5.1
11N5437SH3WL	Wood Shelves, Laminate Wall	2726	10½	53⅞	37	—	—	63 lbs.	5.1
11N6037SH3W	Wood	$ 2996	10½	59 15/16	37	—	—	70 lbs.	5.7
11N6037SH3LW	Laminate Shelves, Wood Wall	2996	10½	59 15/16	37	—	—	70 lbs.	5.7
11N6037SH3L	Laminate	2068	10½	59 15/16	37	—	—	70 lbs.	5.7
11N6037SH3WL	Wood Shelves, Laminate Wall	2996	10½	59 15/16	37	—	—	70 lbs.	5.7

- Some assembly required
- "SH3" models have 1 shelf that aligns with the top shelf of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3637SH4W MH
11N3637SH4LW 462 CW
11N3637SH4L 405 478

• See pages 610-611 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 69" HIGH WWN MODELS 37"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3637SH4W	Wood	$ 2277	10½	35 15/16	37	–	–	51 lbs.	3.6
11N3637SH4LW	Laminate Shelves, Wood Wall	2277	10½	35 15/16	37	–	–	51 lbs.	3.6
11N3637SH4L	Laminate	1572	10½	35 15/16	37	–	–	51 lbs.	3.6
11N3637SH4WL	Wood Shelves, Laminate Wall	2277	10½	35 15/16	37	–	–	51 lbs.	3.6
11N4237SH4W	Wood	$ 2283	10½	41 15/16	37	–	–	60 lbs.	4.1
11N4237SH4LW	Laminate Shelves, Wood Wall	2283	10½	41 15/16	37	–	–	60 lbs.	4.1
11N4237SH4L	Laminate	1575	10½	41 15/16	37	–	–	60 lbs.	4.1
11N4237SH4WL	Wood Shelves, Laminate Wall	2283	10½	41 15/16	37	–	–	60 lbs.	4.1
11N4837SH4W	Wood	$ 2536	10½	47 15/16	37	–	–	68 lbs.	4.6
11N4837SH4LW	Laminate Shelves, Wood Wall	2536	10½	47 15/16	37	–	–	68 lbs.	4.6
11N4837SH4L	Laminate	1749	10½	47 15/16	37	–	–	68 lbs.	4.6
11N4837SH4WL	Wood Shelves, Laminate Wall	2536	10½	47 15/16	37	–	–	68 lbs.	4.6
11N5437SH4W	Wood	$ 2790	10½	53⅜	37	–	–	77 lbs.	5.1
11N5437SH4LW	Laminate Shelves, Wood Wall	2790	10½	53⅜	37	–	–	77 lbs.	5.1
11N5437SH4L	Laminate	1926	10½	53⅜	37	–	–	77 lbs.	5.1
11N5437SH4WL	Wood Shelves, Laminate Wall	2790	10½	53⅜	37	–	–	77 lbs.	5.1
11N6037SH4W	Wood	$ 3069	10½	59 15/16	37	–	–	85 lbs.	5.7
11N6037SH4LW	Laminate Shelves, Wood Wall	3069	10½	59 15/16	37	–	–	85 lbs.	5.7
11N6037SH4L	Laminate	2116	10½	59 15/16	37	–	–	85 lbs.	5.7
11N6037SH4WL	Wood Shelves, Laminate Wall	3069	10½	59 15/16	37	–	–	85 lbs.	5.7

- Some assembly required
- "SH4" models have 2 shelves that align with the horizontal shelves of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Shelf Height (SH6 models only)
3. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Shelf Height (SH6 models only)
3. Laminate Shelf Color
4. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Shelf Height (SH6 models only)
3. Laminate Shelf Color
4. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Shelf Height (SH6 models only)
3. Wood Shelf Finish
4. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3637SH6W A MH
11N3637SH6LW A 462 CW
11N3637SH6L A 405 478

• See pages 610-611 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 69" HIGH WWN MODELS 37"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3637SH6W	Wood	$ 2225	10½	35 15/16	37	–	–	43 lbs.	3.6
11N3637SH6LW	Laminate Shelves, Wood Wall	2225	10½	35 15/16	37	–	–	43 lbs.	3.6
11N3637SH6L	Laminate	1535	10½	35 15/16	37	–	–	43 lbs.	3.6
11N3637SH6WL	Wood Shelves, Laminate Wall	2225	10½	35 15/16	37	–	–	43 lbs.	3.6
11N4237SH6W	Wood	$ 2230	10½	41 15/16	37	–	–	50 lbs.	4.1
11N4237SH6LW	Laminate Shelves, Wood Wall	2230	10½	41 15/16	37	–	–	50 lbs.	4.1
11N4237SH6L	Laminate	1538	10½	41 15/16	37	–	–	50 lbs.	4.1
11N4237SH6WL	Wood Shelves, Laminate Wall	2230	10½	41 15/16	37	–	–	50 lbs.	4.1
11N4837SH6W	Wood	$ 2477	10½	47 15/16	37	–	–	56 lbs.	4.6
11N4837SH6LW	Laminate Shelves, Wood Wall	2477	10½	47 15/16	37	–	–	56 lbs.	4.6
11N4837SH6L	Laminate	1708	10½	47 15/16	37	–	–	56 lbs.	4.6
11N4837SH6WL	Wood Shelves, Laminate Wall	2477	10½	47 15/16	37	–	–	56 lbs.	4.6
11N5437SH6W	Wood	$ 2726	10½	53⅞	37	–	–	63 lbs.	5.1
11N5437SH6LW	Laminate Shelves, Wood Wall	2726	10½	53⅞	37	–	–	63 lbs.	5.1
11N5437SH6L	Laminate	1880	10½	53⅞	37	–	–	63 lbs.	5.1
11N5437SH6WL	Wood Shelves, Laminate Wall	2726	10½	53⅞	37	–	–	63 lbs.	5.1
11N6037SH6W	Wood	$ 2996	10½	59 15/16	37	–	–	70 lbs.	5.7
11N6037SH6LW	Laminate Shelves, Wood Wall	2996	10½	59 15/16	37	–	–	70 lbs.	5.7
11N6037SH6L	Laminate	2068	10½	59 15/16	37	–	–	70 lbs.	5.7
11N6037SH6WL	Wood Shelves, Laminate Wall	2996	10½	59 15/16	37	–	–	70 lbs.	5.7

- Some assembly required
- "SH6" 36"/37" high models have 1 shelf that can be configured to align with the bottom of a 13" or 18" overhead
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3648SH1W MH
11N3648SH1LW 462 CW
11N3648SH1L 405 478

• See pages 610-611 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS 48"H ORGANIZER SHELF INSERTS									
11N3648SH1W	Wood	$ 3093	10½	35 15/16	48⅜	–	–	69 lbs.	5.0
11N3648SH1LW	Laminate Shelves, Wood Wall	3093	10½	35 15/16	48⅜	–	–	69 lbs.	5.0
11N3648SH1L	Laminate	2132	10½	35 15/16	48⅜	–	–	69 lbs.	5.0
11N3648SH1WL	Wood Shelves, Laminate Wall	3093	10½	35 15/16	48⅜	–	–	69 lbs.	5.0
11N4248SH1W	Wood	$ 3098	10½	41 15/16	48⅜	–	–	77 lbs.	5.2
11N4248SH1LW	Laminate Shelves, Wood Wall	3098	10½	41 15/16	48⅜	–	–	77 lbs.	5.2
11N4248SH1L	Laminate	2134	10½	41 15/16	48⅜	–	–	77 lbs.	5.2
11N4248SH1WL	Wood Shelves, Laminate Wall	3098	10½	41 15/16	48⅜	–	–	77 lbs.	5.2
11N4848SH1W	Wood	$ 3439	10½	47 15/16	48⅜	–	–	85 lbs.	5.5
11N4848SH1LW	Laminate Shelves, Wood Wall	3439	10½	47 15/16	48⅜	–	–	85 lbs.	5.5
11N4848SH1L	Laminate	2371	10½	47 15/16	48⅜	–	–	85 lbs.	5.5
11N4848SH1WL	Wood Shelves, Laminate Wall	3439	10½	47 15/16	48⅜	–	–	85 lbs.	5.5
11N5448SH1W	Wood	$ 3786	10½	53⅞	48⅜	–	–	93 lbs.	5.8
11N5448SH1LW	Laminate Shelves, Wood Wall	3786	10½	53⅞	48⅜	–	–	93 lbs.	5.8
11N5448SH1L	Laminate	2609	10½	53⅞	48⅜	–	–	93 lbs.	5.8
11N5448SH1WL	Wood Shelves, Laminate Wall	3786	10½	53⅞	48⅜	–	–	93 lbs.	5.8
11N6048SH1W	Wood	$ 4160	10½	59 15/16	48⅜	–	–	101 lbs.	6.1
11N6048SH1LW	Laminate Shelves, Wood Wall	4160	10½	59 15/16	48⅜	–	–	101 lbs.	6.1
11N6048SH1L	Laminate	2869	10½	59 15/16	48⅜	–	–	101 lbs.	6.1
11N6048SH1WL	Wood Shelves, Laminate Wall	4160	10½	59 15/16	48⅜	–	–	101 lbs.	6.1

- Some assembly required
- 48" and 49" high shelf inserts have 5 shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3648SH2W	MH	
11N3648SH2LW	462	CW
11N3648SH2L	405	478

• See pages 610-611 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS 48"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3648SH2W	Wood	$ 3093	10½	35 15/16	48⅜	–	–	69 lbs.	5.0
11N3648SH2LW	Laminate Shelves, Wood Wall	3093	10½	35 15/16	48⅜	–	–	69 lbs.	5.0
11N3648SH2L	Laminate	2132	10½	35 15/16	48⅜	–	–	69 lbs.	5.0
11N3648SH2WL	Wood Shelves, Laminate Wall	3093	10½	35 15/16	48⅜	–	–	69 lbs.	5.0
11N4248SH2W	Wood	$ 3098	10½	41 15/16	48⅜	–	–	77 lbs.	5.2
11N4248SH2LW	Laminate Shelves, Wood Wall	3098	10½	41 15/16	48⅜	–	–	77 lbs.	5.2
11N4248SH2L	Laminate	2134	10½	41 15/16	48⅜	–	–	77 lbs.	5.2
11N4248SH2WL	Wood Shelves, Laminate Wall	3098	10½	41 15/16	48⅜	–	–	77 lbs.	5.2
11N4848SH2W	Wood	$ 3439	10½	47 15/16	48⅜	–	–	85 lbs.	5.5
11N4848SH2LW	Laminate Shelves, Wood Wall	3439	10½	47 15/16	48⅜	–	–	85 lbs.	5.5
11N4848SH2L	Laminate	2371	10½	47 15/16	48⅜	–	–	85 lbs.	5.5
11N4848SH2WL	Wood Shelves, Laminate Wall	3439	10½	47 15/16	48⅜	–	–	85 lbs.	5.5
11N5448SH2W	Wood	$ 3786	10½	53⅞	48⅜	–	–	93 lbs.	5.8
11N5448SH2LW	Laminate Shelves, Wood Wall	3786	10½	53⅞	48⅜	–	–	93 lbs.	5.8
11N5448SH2L	Laminate	2609	10½	53⅞	48⅜	–	–	93 lbs.	5.8
11N5448SH2WL	Wood Shelves, Laminate Wall	3786	10½	53⅞	48⅜	–	–	93 lbs.	5.8
11N6048SH2W	Wood	$ 4160	10½	59 15/16	48⅜	–	–	101 lbs.	6.1
11N6048SH2LW	Laminate Shelves, Wood Wall	4160	10½	59 15/16	48⅜	–	–	101 lbs.	6.1
11N6048SH2L	Laminate	2869	10½	59 15/16	48⅜	–	–	101 lbs.	6.1
11N6048SH2WL	Wood Shelves, Laminate Wall	4160	10½	59 15/16	48⅜	–	–	101 lbs.	6.1

- Some assembly required
- "SH2" shelves are a mirrored version of the "SH1" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3648SH3W MH
11N3648SH3LW 462 CW
11N3648SH3L 405 478

• See pages 610-611 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS 48"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3648SH3W	Wood	$ 2628	10½	35 15/16	48⅜	–	–	53 lbs.	4.5
11N3648SH3LW	Laminate Shelves, Wood Wall	2628	10½	35 15/16	48⅜	–	–	53 lbs.	4.5
11N3648SH3L	Laminate	1810	10½	35 15/16	48⅜	–	–	53 lbs.	4.5
11N3648SH3WL	Wood Shelves, Laminate Wall	2628	10½	35 15/16	48⅜	–	–	53 lbs.	4.5
11N4248SH3W	Wood	$ 2631	10½	41 15/16	48⅜	–	–	61 lbs.	5.2
11N4248SH3LW	Laminate Shelves, Wood Wall	2631	10½	41 15/16	48⅜	–	–	61 lbs.	5.2
11N4248SH3L	Laminate	1815	10½	41 15/16	48⅜	–	–	61 lbs.	5.2
11N4248SH3WL	Wood Shelves, Laminate Wall	2631	10½	41 15/16	48⅜	–	–	61 lbs.	5.2
11N4848SH3W	Wood	$ 2923	10½	47 15/16	48⅜	–	–	69 lbs.	5.9
11N4848SH3LW	Laminate Shelves, Wood Wall	2923	10½	47 15/16	48⅜	–	–	69 lbs.	5.9
11N4848SH3L	Laminate	2015	10½	47 15/16	48⅜	–	–	69 lbs.	5.9
11N4848SH3WL	Wood Shelves, Laminate Wall	2923	10½	47 15/16	48⅜	–	–	69 lbs.	5.9
11N5448SH3W	Wood	$ 3219	10½	53⅞	48⅜	–	–	77 lbs.	6.5
11N5448SH3LW	Laminate Shelves, Wood Wall	3219	10½	53⅞	48⅜	–	–	77 lbs.	6.5
11N5448SH3L	Laminate	2217	10½	53⅞	48⅜	–	–	77 lbs.	6.5
11N5448SH3WL	Wood Shelves, Laminate Wall	3219	10½	53⅞	48⅜	–	–	77 lbs.	6.5
11N6048SH3W	Wood	$ 3535	10½	59 15/16	48⅜	–	–	86 lbs.	7.2
11N6048SH3LW	Laminate Shelves, Wood Wall	3535	10½	59 15/16	48⅜	–	–	86 lbs.	7.2
11N6048SH3L	Laminate	2440	10½	59 15/16	48⅜	–	–	86 lbs.	7.2
11N6048SH3WL	Wood Shelves, Laminate Wall	3535	10½	59 15/16	48⅜	–	–	86 lbs.	7.2

- Some assembly required
- "SH3" models have 1 shelf that aligns with the middle shelf of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3648SH4W	MH	
11N3648SH4LW	462	CW
11N3648SH4L	405	478

• See pages 610-611 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS 48"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3648SH4W	Wood	$ 2690	10½	35 15/16	48⅜	–	–	60 lbs.	4.5
11N3648SH4LW	Laminate Shelves, Wood Wall	2690	10½	35 15/16	48⅜	–	–	60 lbs.	4.5
11N3648SH4L	Laminate	1856	10½	35 15/16	48⅜	–	–	60 lbs.	4.5
11N3648SH4WL	Wood Shelves, Laminate Wall	2690	10½	35 15/16	48⅜	–	–	60 lbs.	4.5
11N4248SH4W	Wood	$ 2695	10½	41 15/16	48⅜	–	–	71 lbs.	5.2
11N4248SH4LW	Laminate Shelves, Wood Wall	2695	10½	41 15/16	48⅜	–	–	71 lbs.	5.2
11N4248SH4L	Laminate	1858	10½	41 15/16	48⅜	–	–	71 lbs.	5.2
11N4248SH4WL	Wood Shelves, Laminate Wall	2695	10½	41 15/16	48⅜	–	–	71 lbs.	5.2
11N4848SH4W	Wood	$ 2992	10½	47 15/16	48⅜	–	–	81 lbs.	5.9
11N4848SH4LW	Laminate Shelves, Wood Wall	2992	10½	47 15/16	48⅜	–	–	81 lbs.	5.9
11N4848SH4L	Laminate	2064	10½	47 15/16	48⅜	–	–	81 lbs.	5.9
11N4848SH4WL	Wood Shelves, Laminate Wall	2992	10½	47 15/16	48⅜	–	–	81 lbs.	5.9
11N5448SH4W	Wood	$ 3292	10½	53⅞	48⅜	–	–	90 lbs.	6.5
11N5448SH4LW	Laminate Shelves, Wood Wall	3292	10½	53⅞	48⅜	–	–	90 lbs.	6.5
11N5448SH4L	Laminate	2269	10½	53⅞	48⅜	–	–	90 lbs.	6.5
11N5448SH4WL	Wood Shelves, Laminate Wall	3292	10½	53⅞	48⅜	–	–	90 lbs.	6.5
11N6048SH4W	Wood	$ 3621	10½	59 15/16	48⅜	–	–	100 lbs.	7.2
11N6048SH4LW	Laminate Shelves, Wood Wall	3621	10½	59 15/16	48⅜	–	–	100 lbs.	7.2
11N6048SH4L	Laminate	2497	10½	59 15/16	48⅜	–	–	100 lbs.	7.2
11N6048SH4WL	Wood Shelves, Laminate Wall	3621	10½	59 15/16	48⅜	–	–	100 lbs.	7.2

- Some assembly required
- "SH4" models have 2 shelves that align with the top shelves of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3648SH5W MH
11N3648SH5LW 462 CW
11N3648SH5L 405 478

• See pages 610-611 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS 48"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3648SH5W	Wood	$ 2785	10½	35 15/16	48⅜	–	–	69 lbs.	4.5
11N3648SH5LW	Laminate Shelves, Wood Wall	2785	10½	35 15/16	48⅜	–	–	69 lbs.	4.5
11N3648SH5L	Laminate	1917	10½	35 15/16	48⅜	–	–	69 lbs.	4.5
11N3648SH5WL	Wood Shelves, Laminate Wall	2785	10½	35 15/16	48⅜	–	–	69 lbs.	4.5
11N4248SH5W	Wood	$ 2790	10½	41 15/16	48⅜	–	–	81 lbs.	5.2
11N4248SH5LW	Laminate Shelves, Wood Wall	2790	10½	41 15/16	48⅜	–	–	81 lbs.	5.2
11N4248SH5L	Laminate	1920	10½	41 15/16	48⅜	–	–	81 lbs.	5.2
11N4248SH5WL	Wood Shelves, Laminate Wall	2790	10½	41 15/16	48⅜	–	–	81 lbs.	5.2
11N4848SH5W	Wood	$ 3095	10½	47 15/16	48⅜	–	–	92 lbs.	5.9
11N4848SH5LW	Laminate Shelves, Wood Wall	3095	10½	47 15/16	48⅜	–	–	92 lbs.	5.9
11N4848SH5L	Laminate	2133	10½	47 15/16	48⅜	–	–	92 lbs.	5.9
11N4848SH5WL	Wood Shelves, Laminate Wall	3095	10½	47 15/16	48⅜	–	–	92 lbs.	5.9
11N5448SH5W	Wood	$ 3406	10½	53⅞	48⅜	–	–	104 lbs.	6.5
11N5448SH5LW	Laminate Shelves, Wood Wall	3406	10½	53⅞	48⅜	–	–	104 lbs.	6.5
11N5448SH5L	Laminate	2346	10½	53⅞	48⅜	–	–	104 lbs.	6.5
11N5448SH5WL	Wood Shelves, Laminate Wall	3406	10½	53⅞	48⅜	–	–	104 lbs.	6.5
11N6048SH5W	Wood	$ 3744	10½	59 15/16	48⅜	–	–	115 lbs.	7.2
11N6048SH5LW	Laminate Shelves, Wood Wall	3744	10½	59 15/16	48⅜	–	–	115 lbs.	7.2
11N6048SH5L	Laminate	2582	10½	59 15/16	48⅜	–	–	115 lbs.	7.2
11N6048SH5WL	Wood Shelves, Laminate Wall	3744	10½	59 15/16	48⅜	–	–	115 lbs.	7.2

- Some assembly required
- "SH5" models have 3 shelves that align with the horizontal shelves of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Shelf Height (SH6 models only)
3. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Shelf Height (SH6 models only)
3. Laminate Shelf Color
4. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Shelf Height (SH6 models only)
3. Laminate Shelf Color
4. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Shelf Height (SH6 models only)
3. Wood Shelf Finish
4. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3648SH6W	B	MH	
11N3648SH6LW	A	462	CW
11N3648SH6L	B	405	478

• See pages 610-611 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)





COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS 48"H ORGANIZER SHELF INSERTS (CONTINUED)

MODEL NO.	DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
11N3648SH6W	Wood	$ 2628	10½	35 15/16	48⅜	—	—	53 lbs.	4.5
11N3648SH6LW	Laminate Shelves, Wood Wall	2628	10½	35 15/16	48⅜	—	—	53 lbs.	4.5
11N3648SH6L	Laminate	1810	10½	35 15/16	48⅜	—	—	53 lbs.	4.5
11N3648SH6WL	Wood Shelves, Laminate Wall	2628	10½	35 15/16	48⅜	—	—	53 lbs.	4.5
11N4248SH6W	Wood	$ 2631	10½	41 15/16	48⅜	—	—	61 lbs.	5.2
11N4248SH6LW	Laminate Shelves, Wood Wall	2631	10½	41 15/16	48⅜	—	—	61 lbs.	5.2
11N4248SH6L	Laminate	1815	10½	41 15/16	48⅜	—	—	61 lbs.	5.2
11N4248SH6WL	Wood Shelves, Laminate Wall	2631	10½	41 15/16	48⅜	—	—	61 lbs.	5.2
11N4848SH6W	Wood	$ 2923	10½	47 15/16	48⅜	—	—	69 lbs.	5.9
11N4848SH6LW	Laminate Shelves, Wood Wall	2923	10½	47 15/16	48⅜	—	—	69 lbs.	5.9
11N4848SH6L	Laminate	2015	10½	47 15/16	48⅜	—	—	69 lbs.	5.9
11N4848SH6WL	Wood Shelves, Laminate Wall	2923	10½	47 15/16	48⅜	—	—	69 lbs.	5.9
11N5448SH6W	Wood	$ 3219	10½	53⅞	48⅜	—	—	77 lbs.	6.5
11N5448SH6LW	Laminate Shelves, Wood Wall	3219	10½	53⅞	48⅜	—	—	77 lbs.	6.5
11N5448SH6L	Laminate	2217	10½	53⅞	48⅜	—	—	77 lbs.	6.5
11N5448SH6WL	Wood Shelves, Laminate Wall	3219	10½	53⅞	48⅜	—	—	77 lbs.	6.5
11N6048SH6W	Wood	$ 3535	10½	59 15/16	48⅜	—	—	86 lbs.	7.2
11N6048SH6LW	Laminate Shelves, Wood Wall	3535	10½	59 15/16	48⅜	—	—	86 lbs.	7.2
11N6048SH6L	Laminate	2440	10½	59 15/16	48⅜	—	—	86 lbs.	7.2
11N6048SH6WL	Wood Shelves, Laminate Wall	3535	10½	59 15/16	48⅜	—	—	86 lbs.	7.2

- Some assembly required
- "SH6" 48"/49" high models have 1 shelf that can be configured to align with the bottom of a 13", 18", 30" high overhead, or top shelf of the SH1/SH2 48"/49" inserts
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3648SH7W MH
11N3648SH7LW 462 CW
11N3648SH7L 405 478

• See pages 610-611 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS 48"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3648SH7W	Wood	$ 2690	10½	35 15/16	48⅜	–	–	60 lbs.	4.5
11N3648SH7LW	Laminate Shelves, Wood Wall	2690	10½	35 15/16	48⅜	–	–	60 lbs.	4.5
11N3648SH7L	Laminate	1856	10½	35 15/16	48⅜	–	–	60 lbs.	4.5
11N3648SH7WL	Wood Shelves, Laminate Wall	2690	10½	35 15/16	48⅜	–	–	60 lbs.	4.5
11N4248SH7W	Wood	$ 2695	10½	41 15/16	48⅜	–	–	71 lbs.	5.2
11N4248SH7LW	Laminate Shelves, Wood Wall	2695	10½	41 15/16	48⅜	–	–	71 lbs.	5.2
11N4248SH7L	Laminate	1858	10½	41 15/16	48⅜	–	–	71 lbs.	5.2
11N4248SH7WL	Wood Shelves, Laminate Wall	2695	10½	41 15/16	48⅜	–	–	71 lbs.	5.2
11N4848SH7W	Wood	$ 2992	10½	47 15/16	48⅜	–	–	81 lbs.	5.9
11N4848SH7LW	Laminate Shelves, Wood Wall	2992	10½	47 15/16	48⅜	–	–	81 lbs.	5.9
11N4848SH7L	Laminate	2064	10½	47 15/16	48⅜	–	–	81 lbs.	5.9
11N4848SH7WL	Wood Shelves, Laminate Wall	2992	10½	47 15/16	48⅜	–	–	81 lbs.	5.9
11N5448SH7W	Wood	$ 3292	10½	53⅞	48⅜	–	–	90 lbs.	6.5
11N5448SH7LW	Laminate Shelves, Wood Wall	3292	10½	53⅞	48⅜	–	–	90 lbs.	6.5
11N5448SH7L	Laminate	2269	10½	53⅞	48⅜	–	–	90 lbs.	6.5
11N5448SH7WL	Wood Shelves, Laminate Wall	3292	10½	53⅞	48⅜	–	–	90 lbs.	6.5
11N6048SH7W	Wood	$ 3621	10½	59 15/16	48⅜	–	–	100 lbs.	7.2
11N6048SH7LW	Laminate Shelves, Wood Wall	3621	10½	59 15/16	48⅜	–	–	100 lbs.	7.2
11N6048SH7L	Laminate	2497	10½	59 15/16	48⅜	–	–	100 lbs.	7.2
11N6048SH7WL	Wood Shelves, Laminate Wall	3621	10½	59 15/16	48⅜	–	–	100 lbs.	7.2

- Some assembly required
- "SH7" models have 2 shelves; the bottom shelf aligns with the bottom of a 30" overhead
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3649SH1W	MH	
11N3649SH1LW	462	CW
11N3649SH1L	405	478

• See pages 610-611 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 80" HIGH WWN MODELS 49"H ORGANIZER SHELF INSERTS									
11N3649SH1W	Wood	$ 3093	10½	35 5/16	48 3/16	–	–	69 lbs.	5.0
11N3649SH1LW	Laminate Shelves, Wood Wall	3093	10½	35 5/16	48 3/16	–	–	69 lbs.	5.0
11N3649SH1L	Laminate	2132	10½	35 5/16	48 3/16	–	–	69 lbs.	5.0
11N3649SH1WL	Wood Shelves, Laminate Wall	3093	10½	35 5/16	48 3/16	–	–	69 lbs.	5.0
11N4249SH1W	Wood	$ 3098	10½	41 5/16	48 3/16	–	–	77 lbs.	5.2
11N4249SH1LW	Laminate Shelves, Wood Wall	3098	10½	41 5/16	48 3/16	–	–	77 lbs.	5.2
11N4249SH1L	Laminate	2134	10½	41 5/16	48 3/16	–	–	77 lbs.	5.2
11N4249SH1WL	Wood Shelves, Laminate Wall	3098	10½	41 5/16	48 3/16	–	–	77 lbs.	5.2
11N4849SH1W	Wood	$ 3439	10½	47 5/16	48 3/16	–	–	85 lbs.	5.5
11N4849SH1LW	Laminate Shelves, Wood Wall	3439	10½	47 5/16	48 3/16	–	–	85 lbs.	5.5
11N4849SH1L	Laminate	2371	10½	47 5/16	48 3/16	–	–	85 lbs.	5.5
11N4849SH1WL	Wood Shelves, Laminate Wall	3439	10½	47 5/16	48 3/16	–	–	85 lbs.	5.5
11N5449SH1W	Wood	$ 3786	10½	53⅞	48 3/16	–	–	93 lbs.	5.8
11N5449SH1LW	Laminate Shelves, Wood Wall	3786	10½	53⅞	48 3/16	–	–	93 lbs.	5.8
11N5449SH1L	Laminate	2609	10½	53⅞	48 3/16	–	–	93 lbs.	5.8
11N5449SH1WL	Wood Shelves, Laminate Wall	3786	10½	53⅞	48 3/16	–	–	93 lbs.	5.8
11N6049SH1W	Wood	$ 4160	10½	59 5/16	48 3/16	–	–	101 lbs.	6.1
11N6049SH1LW	Laminate Shelves, Wood Wall	4160	10½	59 5/16	48 3/16	–	–	101 lbs.	6.1
11N6049SH1L	Laminate	2869	10½	59 5/16	48 3/16	–	–	101 lbs.	6.1
11N6049SH1WL	Wood Shelves, Laminate Wall	4160	10½	59 5/16	48 3/16	–	–	101 lbs.	6.1

- Some assembly required
- 48" and 49" high shelf inserts have 5 shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3649SH2W MH
11N3649SH2LW 462 CW
11N3649SH2L 405 478

• See pages 610-611 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 80" HIGH WWN MODELS 49"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3649SH2W	Wood	$ 3093	10½	35 15/16	48 13/16	–	–	69 lbs.	5.0
11N3649SH2LW	Laminate Shelves, Wood Wall	3093	10½	35 15/16	48 13/16	–	–	69 lbs.	5.0
11N3649SH2L	Laminate	2132	10½	35 15/16	48 13/16	–	–	69 lbs.	5.0
11N3649SH2WL	Wood Shelves, Laminate Wall	3093	10½	35 15/16	48 13/16	–	–	69 lbs.	5.0
11N4249SH2W	Wood	$ 3098	10½	41 15/16	48 13/16	–	–	77 lbs.	5.2
11N4249SH2LW	Laminate Shelves, Wood Wall	3098	10½	41 15/16	48 13/16	–	–	77 lbs.	5.2
11N4249SH2L	Laminate	2134	10½	41 15/16	48 13/16	–	–	77 lbs.	5.2
11N4249SH2WL	Wood Shelves, Laminate Wall	3098	10½	41 15/16	48 13/16	–	–	77 lbs.	5.2
11N4849SH2W	Wood	$ 3439	10½	47 15/16	48 13/16	–	–	85 lbs.	5.5
11N4849SH2LW	Laminate Shelves, Wood Wall	3439	10½	47 15/16	48 13/16	–	–	85 lbs.	5.5
11N4849SH2L	Laminate	2371	10½	47 15/16	48 13/16	–	–	85 lbs.	5.5
11N4849SH2WL	Wood Shelves, Laminate Wall	3439	10½	47 15/16	48 13/16	–	–	85 lbs.	5.5
11N5449SH2W	Wood	$ 3786	10½	53⅞	48 13/16	–	–	93 lbs.	5.8
11N5449SH2LW	Laminate Shelves, Wood Wall	3786	10½	53⅞	48 13/16	–	–	93 lbs.	5.8
11N5449SH2L	Laminate	2609	10½	53⅞	48 13/16	–	–	93 lbs.	5.8
11N5449SH2WL	Wood Shelves, Laminate Wall	3786	10½	53⅞	48 13/16	–	–	93 lbs.	5.8
11N6049SH2W	Wood	$ 4160	10½	59 15/16	48 13/16	–	–	101 lbs.	6.1
11N6049SH2LW	Laminate Shelves, Wood Wall	4160	10½	59 15/16	48 13/16	–	–	101 lbs.	6.1
11N6049SH2L	Laminate	2869	10½	59 15/16	48 13/16	–	–	101 lbs.	6.1
11N6049SH2WL	Wood Shelves, Laminate Wall	4160	10½	59 15/16	48 13/16	–	–	101 lbs.	6.1

- Some assembly required
- "SH2" shelves are a mirrored version of the "SH1" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3649SH3W MH
11N3649SH3LW 462 CW
11N3649SH3L 405 478

• See pages 610-611 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 80" HIGH WWN MODELS 49"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3649SH3W	Wood	$ 2628	10½	35 15/16	48 3/16	–	–	53 lbs.	4.6
11N3649SH3LW	Laminate Shelves, Wood Wall	2628	10½	35 15/16	48 3/16	–	–	53 lbs.	4.6
11N3649SH3L	Laminate	1810	10½	35 15/16	48 3/16	–	–	53 lbs.	4.6
11N3649SH3WL	Wood Shelves, Laminate Wall	2628	10½	35 15/16	48 3/16	–	–	53 lbs.	4.6
11N4249SH3W	Wood	$ 2631	10½	41 15/16	48 3/16	–	–	61 lbs.	5.2
11N4249SH3LW	Laminate Shelves, Wood Wall	2631	10½	41 15/16	48 3/16	–	–	61 lbs.	5.2
11N4249SH3L	Laminate	1815	10½	41 15/16	48 3/16	–	–	61 lbs.	5.2
11N4249SH3WL	Wood Shelves, Laminate Wall	2631	10½	41 15/16	48 3/16	–	–	61 lbs.	5.2
11N4849SH3W	Wood	$ 2923	10½	47 15/16	48 3/16	–	–	69 lbs.	5.9
11N4849SH3LW	Laminate Shelves, Wood Wall	2923	10½	47 15/16	48 3/16	–	–	69 lbs.	5.9
11N4849SH3L	Laminate	2015	10½	47 15/16	48 3/16	–	–	69 lbs.	5.9
11N4849SH3WL	Wood Shelves, Laminate Wall	2923	10½	47 15/16	48 3/16	–	–	69 lbs.	5.9
11N5449SH3W	Wood	$ 3219	10½	53⅞	48 3/16	–	–	78 lbs.	6.6
11N5449SH3LW	Laminate Shelves, Wood Wall	3219	10½	53⅞	48 3/16	–	–	78 lbs.	6.6
11N5449SH3L	Laminate	2217	10½	53⅞	48 3/16	–	–	78 lbs.	6.6
11N5449SH3WL	Wood Shelves, Laminate Wall	3219	10½	53⅞	48 3/16	–	–	78 lbs.	6.6
11N6049SH3W	Wood	$ 3535	10½	59 15/16	48 3/16	–	–	86 lbs.	7.2
11N6049SH3LW	Laminate Shelves, Wood Wall	3535	10½	59 15/16	48 3/16	–	–	86 lbs.	7.2
11N6049SH3L	Laminate	2440	10½	59 15/16	48 3/16	–	–	86 lbs.	7.2
11N6049SH3WL	Wood Shelves, Laminate Wall	3535	10½	59 15/16	48 3/16	–	–	86 lbs.	7.2

- Some assembly required
- "SH3" models have 1 shelf that aligns with the middle shelf of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3649SH4W MH
11N3649SH4LW 462 CW
11N3649SH4L 405 478

• See pages 610-611 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 80" HIGH WWN MODELS 49"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3649SH4W	Wood	$ 2690	10½	35 15/16	48 13/16	–	–	61 lbs.	4.6
11N3649SH4LW	Laminate Shelves, Wood Wall	2690	10½	35 15/16	48 13/16	–	–	61 lbs.	4.6
11N3649SH4L	Laminate	1856	10½	35 15/16	48 13/16	–	–	61 lbs.	4.6
11N3649SH4WL	Wood Shelves, Laminate Wall	2690	10½	35 15/16	48 13/16	–	–	61 lbs.	4.6
11N4249SH4W	Wood	$ 2695	10½	41 15/16	48 13/16	–	–	71 lbs.	5.2
11N4249SH4LW	Laminate Shelves, Wood Wall	2695	10½	41 15/16	48 13/16	–	–	71 lbs.	5.2
11N4249SH4L	Laminate	1858	10½	41 15/16	48 13/16	–	–	71 lbs.	5.2
11N4249SH4WL	Wood Shelves, Laminate Wall	2695	10½	41 15/16	48 13/16	–	–	71 lbs.	5.2
11N4849SH4W	Wood	$ 2992	10½	47 15/16	48 13/16	–	–	81 lbs.	5.9
11N4849SH4LW	Laminate Shelves, Wood Wall	2992	10½	47 15/16	48 13/16	–	–	81 lbs.	5.9
11N4849SH4L	Laminate	2064	10½	47 15/16	48 13/16	–	–	81 lbs.	5.9
11N4849SH4WL	Wood Shelves, Laminate Wall	2992	10½	47 15/16	48 13/16	–	–	81 lbs.	5.9
11N5449SH4W	Wood	$ 3292	10½	53⅞	48 13/16	–	–	91 lbs.	6.6
11N5449SH4LW	Laminate Shelves, Wood Wall	3292	10½	53⅞	48 13/16	–	–	91 lbs.	6.6
11N5449SH4L	Laminate	2269	10½	53⅞	48 13/16	–	–	91 lbs.	6.6
11N5449SH4WL	Wood Shelves, Laminate Wall	3292	10½	53⅞	48 13/16	–	–	91 lbs.	6.6
11N6049SH4W	Wood	$ 3621	10½	59 15/16	48 13/16	–	–	100 lbs.	7.2
11N6049SH4LW	Laminate Shelves, Wood Wall	3621	10½	59 15/16	48 13/16	–	–	100 lbs.	7.2
11N6049SH4L	Laminate	2497	10½	59 15/16	48 13/16	–	–	100 lbs.	7.2
11N6049SH4WL	Wood Shelves, Laminate Wall	3621	10½	59 15/16	48 13/16	–	–	100 lbs.	7.2

- Some assembly required
- "SH4" models have 2 shelves that align with the top shelves of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3649SH5W MH
11N3649SH5LW 462 CW
11N3649SH5L 405 478

• See pages 610-611 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)





COMPATIBLE WITH WAVEWORKS 80" HIGH WWN MODELS
49"H ORGANIZER SHELF INSERTS (CONTINUED)

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
11N3649SH5W	Wood	$ 2785	10½	35 15/16	48 13/16	—	—	69 lbs.	4.6
11N3649SH5LW	Laminate Shelves, Wood Wall	2785	10½	35 15/16	48 13/16	—	—	69 lbs.	4.6
11N3649SH5L	Laminate	1917	10½	35 15/16	48 13/16	—	—	69 lbs.	4.6
11N3649SH5WL	Wood Shelves, Laminate Wall	2785	10½	35 15/16	48 13/16	—	—	69 lbs.	4.6
11N4249SH5W	Wood	$ 2790	10½	41 15/16	48 13/16	—	—	81 lbs.	5.2
11N4249SH5LW	Laminate Shelves, Wood Wall	2790	10½	41 15/16	48 13/16	—	—	81 lbs.	5.2
11N4249SH5L	Laminate	1920	10½	41 15/16	48 13/16	—	—	81 lbs.	5.2
11N4249SH5WL	Wood Shelves, Laminate Wall	2790	10½	41 15/16	48 13/16	—	—	81 lbs.	5.2
11N4849SH5W	Wood	$ 3095	10½	47 15/16	48 13/16	—	—	93 lbs.	5.9
11N4849SH5LW	Laminate Shelves, Wood Wall	3095	10½	47 15/16	48 13/16	—	—	93 lbs.	5.9
11N4849SH5L	Laminate	2133	10½	47 15/16	48 13/16	—	—	93 lbs.	5.9
11N4849SH5WL	Wood Shelves, Laminate Wall	3095	10½	47 15/16	48 13/16	—	—	93 lbs.	5.9
11N5449SH5W	Wood	$ 3406	10½	53⅞	48 13/16	—	—	104 lbs.	6.6
11N5449SH5LW	Laminate Shelves, Wood Wall	3406	10½	53⅞	48 13/16	—	—	104 lbs.	6.6
11N5449SH5L	Laminate	2346	10½	53⅞	48 13/16	—	—	104 lbs.	6.6
11N5449SH5WL	Wood Shelves, Laminate Wall	3406	10½	53⅞	48 13/16	—	—	104 lbs.	6.6
11N6049SH5W	Wood	$ 3744	10½	59 15/16	48 13/16	—	—	116 lbs.	7.2
11N6049SH5LW	Laminate Shelves, Wood Wall	3744	10½	59 15/16	48 13/16	—	—	116 lbs.	7.2
11N6049SH5L	Laminate	2582	10½	59 15/16	48 13/16	—	—	116 lbs.	7.2
11N6049SH5WL	Wood Shelves, Laminate Wall	3744	10½	59 15/16	48 13/16	—	—	116 lbs.	7.2

- Some assembly required
- "SH5" models have 3 shelves that align with the horizontal shelves of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Shelf Height (SH6 models only)
3. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Shelf Height (SH6 models only)
3. Laminate Shelf Color
4. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Shelf Height (SH6 models only)
3. Laminate Shelf Color
4. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Shelf Height (SH6 models only)
3. Wood Shelf Finish
4. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3649SH6W B MH
11N3649SH6LW B 462 CW
11N3649SH6L B 405 478

• See pages 610-611 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 80" HIGH WWN MODELS 49"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3649SH6W	Wood	$ 2628	10½	35 15/16	48 13/16	–	–	53 lbs.	4.6
11N3649SH6LW	Laminate Shelves, Wood Wall	2628	10½	35 15/16	48 13/16	–	–	53 lbs.	4.6
11N3649SH6L	Laminate	1810	10½	35 15/16	48 13/16	–	–	53 lbs.	4.6
11N3649SH6WL	Wood Shelves, Laminate Wall	2628	10½	35 15/16	48 13/16	–	–	53 lbs.	4.6
11N4249SH6W	Wood	$ 2631	10½	41 15/16	48 13/16	–	–	61 lbs.	5.2
11N4249SH6LW	Laminate Shelves, Wood Wall	2631	10½	41 15/16	48 13/16	–	–	61 lbs.	5.2
11N4249SH6L	Laminate	1815	10½	41 15/16	48 13/16	–	–	61 lbs.	5.2
11N4249SH6WL	Wood Shelves, Laminate Wall	2631	10½	41 15/16	48 13/16	–	–	61 lbs.	5.2
11N4849SH6W	Wood	$ 2923	10½	47 15/16	48 13/16	–	–	69 lbs.	5.9
11N4849SH6LW	Laminate Shelves, Wood Wall	2923	10½	47 15/16	48 13/16	–	–	69 lbs.	5.9
11N4849SH6L	Laminate	2015	10½	47 15/16	48 13/16	–	–	69 lbs.	5.9
11N4849SH6WL	Wood Shelves, Laminate Wall	2923	10½	47 15/16	48 13/16	–	–	69 lbs.	5.9
11N5449SH6W	Wood	$ 3219	10½	53⅞	48 13/16	–	–	78 lbs.	6.6
11N5449SH6LW	Laminate Shelves, Wood Wall	3219	10½	53⅞	48 13/16	–	–	78 lbs.	6.6
11N5449SH6L	Laminate	2217	10½	53⅞	48 13/16	–	–	78 lbs.	6.6
11N5449SH6WL	Wood Shelves, Laminate Wall	3219	10½	53⅞	48 13/16	–	–	78 lbs.	6.6
11N6049SH6W	Wood	$ 3535	10½	59 15/16	48 13/16	–	–	86 lbs.	7.2
11N6049SH6LW	Laminate Shelves, Wood Wall	3535	10½	59 15/16	48 13/16	–	–	86 lbs.	7.2
11N6049SH6L	Laminate	2440	10½	59 15/16	48 13/16	–	–	86 lbs.	7.2
11N6049SH6WL	Wood Shelves, Laminate Wall	3535	10½	59 15/16	48 13/16	–	–	86 lbs.	7.2



- Some assembly required
- "SH6" 48"/49" high models have 1 shelf that can be configured to align with the bottom of a 13", 18", 30" high overhead, or top shelf of the SH1/SH2 48"/49" inserts
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3649SH7W MH
11N3649SH7LW 462 CW
11N3649SH7L 405 478

• See pages 610-611 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 80" HIGH WWN MODELS 49"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3649SH7W	Wood	$ 2690	10½	35 15/16	48 13/16	–	–	61 lbs.	4.6
11N3649SH7LW	Laminate Shelves, Wood Wall	2690	10½	35 15/16	48 13/16	–	–	61 lbs.	4.6
11N3649SH7L	Laminate	1856	10½	35 15/16	48 13/16	–	–	61 lbs.	4.6
11N3649SH7WL	Wood Shelves, Laminate Wall	2690	10½	35 15/16	48 13/16	–	–	61 lbs.	4.6
11N4249SH7W	Wood	$ 2695	10½	41 15/16	48 13/16	–	–	71 lbs.	5.2
11N4249SH7LW	Laminate Shelves, Wood Wall	2695	10½	41 15/16	48 13/16	–	–	71 lbs.	5.2
11N4249SH7L	Laminate	1858	10½	41 15/16	48 13/16	–	–	71 lbs.	5.2
11N4249SH7WL	Wood Shelves, Laminate Wall	2695	10½	41 15/16	48 13/16	–	–	71 lbs.	5.2
11N4849SH7W	Wood	$ 2992	10½	47 15/16	48 13/16	–	–	81 lbs.	5.9
11N4849SH7LW	Laminate Shelves, Wood Wall	2992	10½	47 15/16	48 13/16	–	–	81 lbs.	5.9
11N4849SH7L	Laminate	2064	10½	47 15/16	48 13/16	–	–	81 lbs.	5.9
11N4849SH7WL	Wood Shelves, Laminate Wall	2992	10½	47 15/16	48 13/16	–	–	81 lbs.	5.9
11N5449SH7W	Wood	$ 3292	10½	53⅞	48 13/16	–	–	91 lbs.	6.6
11N5449SH7LW	Laminate Shelves, Wood Wall	3292	10½	53⅞	48 13/16	–	–	91 lbs.	6.6
11N5449SH7L	Laminate	2269	10½	53⅞	48 13/16	–	–	91 lbs.	6.6
11N5449SH7WL	Wood Shelves, Laminate Wall	3292	10½	53⅞	48 13/16	–	–	91 lbs.	6.6
11N6049SH7W	Wood	$ 3621	10½	59 15/16	48 13/16	–	–	100 lbs.	7.2
11N6049SH7LW	Laminate Shelves, Wood Wall	3621	10½	59 15/16	48 13/16	–	–	100 lbs.	7.2
11N6049SH7L	Laminate	2497	10½	59 15/16	48 13/16	–	–	100 lbs.	7.2
11N6049SH7WL	Wood Shelves, Laminate Wall	3621	10½	59 15/16	48 13/16	–	–	100 lbs.	7.2

- Some assembly required
- "SH7" models have 2 shelves; the bottom shelf aligns with the bottom of a 30" overhead
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

EXHIBIT

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color

SAMPLE MODEL NUMBER:

11N3634WINL 492
NAC12505WGV1

• See pages 610-611 for all options available in Exhibit

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
LAMINATE INSERT	11N3634WINL		$ 483	10½	35 15/16	34⅛	—	—	41 lbs.	3.3
	11N3636WINL		525	10½	35 15/16	36 9/16	—	—	43 lbs.	3.5
	11N3637WINL		525	10½	35 15/16	37	—	—	43 lbs.	3.6
	11N3648WINL		615	10½	35 15/16	48½	—	—	53 lbs.	4.5
	11N3649WINL		615	10½	35 15/16	48 13/16	—	—	53 lbs.	4.6
	• Can be used to hang additional PPE equipment (ie. Glove holders and sanitizer dispensers). Limit of 10 lbs hung on the back									
SINGLE WIRE GLOVE BOX	NAC1205WGV1	Steel	$ 117	3 3/16	11 15/16	4¾	—	—	1 lbs.	1.38
	• Steel wire Glove box is Chrome in color • Includes pre-drilled mounting holes and hardware • Holds 1 std size box of gloves									
DOUBLE WIRE GLOVE BOX	NAC1210WGV2	Steel	$ 160	3 3/16	11 15/16	9½	—	—	1 lbs.	2.7
	• Steel wire Glove box is Chrome in color • Includes pre-drilled mounting holes and hardware • Holds 2 std size boxes of gloves									
QUAD WIRE GLOVE BOX	NAC1219WGV4	Steel	$ 229	3 3/16	11 15/16	19	—	—	1 lbs.	5.2
	• Steel wire Glove box is Chrome in color • Includes pre-drilled mounting holes and hardware • Holds 4 std size boxes of gloves									
AUTOMATIC HAND SANITIZER DISPENSER	NAC0407USD1		$ 794	4¼	6	11	—	—	2.2 lbs.	8.1
	• Dispenser accepts most bulk liquid soaps and sanitizers up to 12mL capacity, inside a solid case of durable ABS plastic • 4 C Batteries sold separately. External On-Off switch • Tamper resistant lock system with key for convenient access for assigned personel • Motion Dispenser: Dispenses within a sense detection of 3"-5" • 2.2 lbs Empty (without fluid)									

PRODUCT SPECIFICATIONS

- Each height of TV mount insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- When TV mount inserts are used at the end of the run, specify Full End Trims for finish detail; see page 656
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER, SPECIFY:

1. Model Number
2. TV Mount (60W only)
3. Finish/Laminate Color (Veneer/Laminate insert only)
4. Fabric Grade (Fabric insert only)
5. Fabric Color (Fabric insert only)

SAMPLE MODEL NUMBERS:

11N3634TVW B 25413
11N6034TVL TS B 25413

• See pages 610-611 for all options available in Exhibit

TV MOUNT EXHIBIT INSERTS





(only 60" models)

MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
34"H TV MOUNT EXHIBIT INSERTS									
11N3634TVW	Wood	$ 2747	½	35 15/16	34⅛	—	—	47 lbs.	3.1
11N3634TVL	Laminate	1967	½	35 15/16	34⅛	—	—	47 lbs.	3.1
11N4234TVW	Wood	$ 2750	½	41 15/16	34⅛	—	—	53 lbs.	3.3
11N4234TVL	Laminate	1968	½	41 15/16	34⅛	—	—	53 lbs.	3.3
11N4834TVW	Wood	$ 3026	½	47 15/16	34⅛	—	—	58 lbs.	3.5
11N4834TVL	Laminate	2160	½	47 15/16	34⅛	—	—	58 lbs.	3.5
11N5434TVW	Wood	$ 3304	½	53⅞	34⅛	—	—	64 lbs.	3.5
11N5434TVL	Laminate	2355	½	53⅞	34⅛	—	—	64 lbs.	3.5
11N6034TVW	Wood	$ 3612	½	59 15/16	34⅛	—	—	71 lbs.	3.9
11N6034TVL	Laminate	2566	½	59 15/16	34⅛	—	—	71 lbs.	3.9
COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS									
36"H TV MOUNT EXHIBIT INSERTS									
11N3636TVW	Wood	$ 2780	½	35 15/16	36 9/16	—	—	51 lbs.	3.4
11N3636TVL	Laminate	1991	½	35 15/16	36 9/16	—	—	51 lbs.	3.4
11N4236TVW	Wood	$ 2786	½	41 15/16	36 9/16	—	—	57 lbs.	3.6
11N4236TVL	Laminate	1995	½	41 15/16	36 9/16	—	—	57 lbs.	3.6
11N4836TVW	Wood	$ 3067	½	47 15/16	36 9/16	—	—	62 lbs.	3.9
11N4836TVL	Laminate	2189	½	47 15/16	36 9/16	—	—	62 lbs.	3.9
11N5436TVW	Wood	$ 3348	½	53⅞	36 9/16	—	—	68 lbs.	4.1
11N5436TVL	Laminate	2384	½	53⅞	36 9/16	—	—	68 lbs.	4.1
11N6036TVW	Wood	$ 3661	½	59 15/16	36 9/16	—	—	74 lbs.	4.3
11N6036TVL	Laminate	2599	½	59 15/16	36 9/16	—	—	74 lbs.	4.3

- TV mount included; some assembly required; VESA mounting compliant
- Maximum TV weight is 120 lbs.
- Optional single or dual TV mount on 60" inserts

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of TV mount insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- When TV mount inserts are used at the end of the run, specify Full End Trims for finish detail; see page 656
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER, SPECIFY:

1. Model Number
2. TV Mount (60W only)
3. Finish/Laminate Color

SAMPLE MODEL NUMBERS:

11N3637TVW MC
11N3637TVL 462

• See pages 610-611 for all options available in Exhibit

TV MOUNT EXHIBIT INSERTS (CONTINUED)





(only 60" models)

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 69" HIGH WWN MODELS 37"H TV MOUNT EXHIBIT INSERTS									
11N3637TVW	Wood	$ 2780	½	35 15/16	37	–	–	51 lbs.	3.4
11N3637TVL	Laminate	1991	½	35 15/16	37	–	–	51 lbs.	3.4
11N4237TVW	Wood	$ 2786	½	41 15/16	37	–	–	57 lbs.	3.6
11N4237TVL	Laminate	1995	½	41 15/16	37	–	–	57 lbs.	3.6
11N4837TVW	Wood	$ 3067	½	47 15/16	37	–	–	62 lbs.	3.9
11N4837TVL	Laminate	2189	½	47 15/16	37	–	–	62 lbs.	3.9
11N5437TVW	Wood	$ 3348	½	53⅞	37	–	–	68 lbs.	4.1
11N5437TVL	Laminate	2384	½	53⅞	37	–	–	68 lbs.	4.1
11N6037TVW	Wood	$ 3661	½	59 15/16	37	–	–	74 lbs.	4.3
11N6037TVL	Laminate	2599	½	59 15/16	37	–	–	74 lbs.	4.3
COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS 48"H TV MOUNT EXHIBIT INSERTS									
11N3648TVW	Wood	$ 3240	½	35 15/16	48⅜	–	–	69 lbs.	5.0
11N3648TVL	Laminate	2309	½	35 15/16	48⅜	–	–	69 lbs.	5.0
11N4248TVW	Wood	$ 3244	½	41 15/16	48⅜	–	–	77 lbs.	5.2
11N4248TVL	Laminate	2311	½	41 15/16	48⅜	–	–	77 lbs.	5.2
11N4848TVW	Wood	$ 3578	½	47 15/16	48⅜	–	–	85 lbs.	5.5
11N4848TVL	Laminate	2541	½	47 15/16	48⅜	–	–	85 lbs.	5.5
11N5448TVW	Wood	$ 3912	½	53⅞	48⅜	–	–	93 lbs.	5.8
11N5448TVL	Laminate	2769	½	53⅞	48⅜	–	–	93 lbs.	5.8
11N6048TVW	Wood	$ 4278	½	59 15/16	48⅜	–	–	101 lbs.	6.1
11N6048TVL	Laminate	3024	½	59 15/16	48⅜	–	–	101 lbs.	6.1

- TV mount included; some assembly required; VESA mounting compliant
- Maximum TV weight is 120 lbs.
- Optional single or dual TV mount on 60" inserts

PRODUCT SPECIFICATIONS

- Each height of TV mount insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- When TV mount inserts are used at the end of the run, specify Full End Trims for finish detail; see page 656
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER, SPECIFY:

1. Model Number
2. TV Mount (60W only)
3. Finish/Laminate Color

SAMPLE MODEL NUMBERS:

11N3649TVW MC
11N3649TVL 462

• See pages 610-611 for all options available in Exhibit

TV MOUNT EXHIBIT INSERTS (CONTINUED)





(only 60" models)

COMPATIBLE WITH WAVEWORKS 80" HIGH WWN MODELS
49"H TV MOUNT EXHIBIT INSERTS

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
11N3649TVW	Wood	$ 3240	½	35 15/16	48 13/16	—	—	69 lbs.	5.0
11N3649TVL	Laminate	2309	½	35 15/16	48 13/16	—	—	69 lbs.	5.0
11N4249TVW	Wood	$ 3244	½	41 15/16	48 13/16	—	—	77 lbs.	5.2
11N4249TVL	Laminate	2311	½	41 15/16	48 13/16	—	—	77 lbs.	5.2
11N4849TVW	Wood	$ 3578	½	47 15/16	48 13/16	—	—	85 lbs.	5.5
11N4849TVL	Laminate	2541	½	47 15/16	48 13/16	—	—	85 lbs.	5.5
11N5449TVW	Wood	$ 3912	½	53⅞	48 13/16	—	—	93 lbs.	5.8
11N5449TVL	Laminate	2769	½	53⅞	48 13/16	—	—	93 lbs.	5.8
11N6049TVW	Wood	$ 4278	½	59 15/16	48 13/16	—	—	101 lbs.	6.1
11N6049TVL	Laminate	3024	½	59 15/16	48 13/16	—	—	101 lbs.	6.1

- TV mount included; some assembly required; VESA mounting compliant
- Maximum TV weight is 120 lbs.
- Optional single or dual TV mount on 60" inserts

EXHIBIT TV MOUNT VERTICAL WIRE MANAGER

11N0615WMVW	Wood	$ 475	1½	5⅜	15 7/16	—	—	8 lbs.	0.6
11N0615WMVL	Laminate	317	1½	5⅜	15 7/16	—	—	8 lbs.	0.6

- Attaches to the Exhibit TV mount inserts; used to conceal power in-feed and data cables
- When using Exhibit TV mount inserts and vertical wire manager with a Mio Exhibit mount worksurface, the worksurface needs to be configured with a notch for the worksurface wire manager

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of trim channel corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color
3. Fabric Grade
4. Fabric Color

SAMPLE MODEL NUMBER:

11N37ETP 501

- See pages 610-611 for all options available in Exhibit

FULL END TRIM

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FOR USE WITH 34"H INSERTS									
11N37ETP	Powder Coated	$ 105	1 1/16	1 1/2	37 1/8	—	—	1 lbs.	0.2
COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS FOR USE WITH 36"H INSERTS									
11N39ETP	Powder Coated	$ 110	1 1/16	1 1/2	39 7/16	—	—	1 lbs.	0.3
COMPATIBLE WITH WAVEWORKS 69" HIGH WW MODELS FOR USE WITH 37"H INSERTS									
11N40ETP	Powder Coated	$ 110	1 1/16	1 1/2	39 7/8	—	—	1 lbs.	0.3
COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS FOR USE WITH 48"H INSERTS									
11N51ETP	Powder Coated	$ 125	1 1/16	1 1/2	51 1/4	—	—	1 lbs.	0.3
COMPATIBLE WITH WAVEWORKS 80" HIGH WW MODELS FOR USE WITH 49"H INSERTS									
11N52ETP	Powder Coated	$ 125	1 1/16	1 1/2	51 11/16	—	—	1 lbs.	0.4

- Specify Full End Trim for finish detail when end of Exhibit rail and tack/marker board insert are exposed
- Full End Trim is attached to top wall rail and extends down to and attaches to bottom rail

VERTICAL CABLE MANAGER

		GRADE A	GRADE B/COM						
11N20WMV	Black Plastic	$ 41		1	1	20	—	—	1 lbs.	0.5
11N20WMVFA	Fabric, Railroad	$ 56	$ 67	1	1	20	—	—	1 lbs.	0.5

- For use with 34", 36" or 37" inserts when a single height overhead cabinet is attached; or 48" and 49" inserts when a double height overhead cabinet is attached
- Fabric will be railroaded

		GRADE A	GRADE B/COM						
11N31WMV	Black Plastic	$ 53		1	1	31	—	—	2 lbs.	0.6
11N31WMVFA	Fabric, Railroad	$ 68	$ 79	1	1	31	—	—	2 lbs.	0.6

- For use with 48" or 49" inserts when a single height cabinet is attached
- Fabric will be railroaded

PRODUCT SPECIFICATIONS

- Each height of trim channel corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color
3. Fabric Grade
4. Fabric Color

SAMPLE MODEL NUMBERS:

11N34TCF B 25413
11N01ETP 501

- See pages 610-611 for all options available in Exhibit

	MODEL NO./DESCRIPTION		LIST PRICE		DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SINGLE END CAP	11N01ETP		$ 48		⅛	1⅜	1⅜	—	—	1 lbs.	0.3



- Specify end caps for finish detail when end of Exhibit rail is exposed, does not work with faceplate on wall rail
- End caps are sold individually
- End caps available in Concrete (423), Cinder (462), Iron (463), Platinum Metallic (501) or Satin Nickel Metallic (503)
- Exhibit end caps can also be used behind overheads or when used with a worksurface

FABRIC WRAPPED TRIM CHANNELS

34"H TRIM CHANNELS

		GRADE A	GRADE B/COM						
11N34TCFA	Fabric, Railroad	$ 65	$ 76	½	¾	34⅛	—	—	1 lbs.	0.3

COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS
36"H TRIM CHANNELS

11N36TCFA	Fabric, Railroad	$ 67	$ 78	½	¾	36⅜₁₆	—	—	1 lbs.	0.3

COMPATIBLE WITH WAVEWORKS 69" HIGH WW MODELS
37"H TRIM CHANNELS

11N37TCFA	Fabric, Railroad	$ 67	$ 78	½	¾	37	—	—	1 lbs.	0.3

COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS
48"H TRIM CHANNELS

11N48TCFA	Fabric, Railroad	$ 75	$ 86	½	¾	48⅜	—	—	1 lbs.	0.3

COMPATIBLE WITH WAVEWORKS 80" HIGH WW MODELS
49"H TRIM CHANNELS

11N49TCFA	Fabric, Railroad	$ 75	$ 86	½	¾	48¹³⁄₁₆	—	—	1 lbs.	0.3

- 2 trim channels are included with every marker/tack board or slat wall insert, if marker board or tack board insert is cut to create new board, additional trim channels must be ordered
- Fabric will be railroaded

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of trim channel corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color
3. Wood/Laminate Finish

SAMPLE MODEL NUMBERS:

11N34TCP 462
11NCPFSL MC

- See pages 610-611 for all options available in Exhibit

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
PAINTED TRIM CHANNELS	**34"H TRIM CHANNELS**									
	11N34TCP	Powder Coated	$ 53	½	¾	34⅛	—	—	1 lbs.	0.3
	COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS 36"H TRIM CHANNELS									
	11N36TCP	Powder Coated	$ 58	½	¾	36⁹⁄₁₆	—	—	1 lbs.	0.3
	COMPATIBLE WITH WAVEWORKS 69" HIGH WW MODELS 37"H TRIM CHANNELS									
	11N37TCP	Powder Coated	$ 58	½	¾	37	—	—	1 lbs.	0.3
	COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS 48"H TRIM CHANNELS									
	11N48TCP	Powder Coated	$ 68	½	¾	48⅜	—	—	1 lbs.	0.3
	COMPATIBLE WITH WAVEWORKS 80" HIGH WW MODELS 49"H TRIM CHANNELS									
	11N49TCP	Powder Coated	$ 68	½	¾	48¹³⁄₁₆	—	—	1 lbs.	0.3

- Available in White (401), Concrete (423), Cinder (462), Iron (463), Platinum Metallic (501) or Satin Nickel Metallic (503)
- 2 trim channels are included with every marker/tack board or slat wall insert, if marker board or tack board insert is cut to create new board, additional trim channels must be ordered

WORKSURFACE MOUNTING BRACKET	11NBRS	Single Bracket	$ 20	2	3	½	—	—	1 lbs.	0.3



- For use when attaching a WaveWorks or Epic worksurface to Exhibit wall rail
- Standard in anodized aluminum
- Specify model number only

Reference this chart for worksurface bracket requirements

Worksurface Width/Depth	Number of Brackets per edge
Less than or equal to 48"	2
Less than or equal to 72"	3
Greater than 72"	4

FILLER STRIP KIT EXHIBIT MOUNT	11NCPFSW	Wood	$ 70	1	3	27¼	—	—	3 lbs.	1.0
	11NCPFSL	Laminate	36	1	3	27¼	—	—	3 lbs.	1.0



- For use with Exhibit mounted overheads when an insert is not used behind the overhead
- Must be field scribed for 18" and 13" high overhead models
- Specify solid/woodgrain/Gallery laminate or wood finish

PRODUCT SPECIFICATIONS

- For use with Exhibit and Epicenter slat wall inserts

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

NAC0924SHM 462

- See pages 610-611 for all options available in Exhibit

METAL WORK TOOLS

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SHELF 	NAC0924SHM	Powder Coated	$ 143	9⅛	24	2¼	—	—	5 lbs.	0.9
	NAC0930SHM	Powder Coated	160	9⅛	30	2¼	—	—	6 lbs.	1.1
	NAC0936SHM	Powder Coated	177	9⅛	36	2¼	—	—	7 lbs.	1.2
	NAC0942SHM	Powder Coated	200	9⅛	42	2¼	—	—	8 lbs.	1.3
	NAC0948SHM	Powder Coated	216	9⅛	48	2¼	—	—	9 lbs.	1.4
SINGLE SIDE TRAY 	NAC1217SPTM	Single Tray	$ 128	11⅞	17	2⅜	—	—	5 lbs.	0.7
DOUBLE SIDE TRAY 	NAC1217DPTM	Double Tray	$ 177	1⅜	17	5	—	—	9 lbs.	1.0
POCKET ORGANIZER 	NAC16POM	Single Pocket	$ 109	1⅛	15⅝	7¼	—	—	4 lbs.	1.1
SLANT SORTER	NAC1212SSM	Polished Aluminum Dividers	$ 128	11¾	12	7¾	—	—	4 lbs.	1.1
	• Not recommended for use under Epicenter mounted overhead storage cabinets									
MARKER HOLDER 	NACMRHM		$ 124	2¹⁵⁄₁₆	6¹⁵⁄₁₆	4	—	—	1 lbs.	0.1
BINDER SHELF	NAC0905SHBM		$ 79	9⅛	5	8¹⁄₁₆	—	—	3 lbs.	0.5
	• Not recommended for use under Epicenter mounted overhead storage cabinets									

EXHIBIT

PRODUCT SPECIFICATIONS

- For use with Exhibit and Epicenter slat wall inserts
- Pencil Tray (NAC0510PTB) is only available in black and may not be an exact match

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NAC0510PTB

- See pages 610-611 for all options available in Exhibit

METAL WORK TOOLS

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
PENCIL TRAY	NAC0510PTB	$ 96	5	10	1	—	—	1 lbs.	0.1



- Available in Black only

METAL TOOLS OPERATING LOAD CAPACITIES

Component:	Operating Load Capacity (Functional Loads):
Metal shelves:	10 lbs. per 6" of shelf width
Single side tray:	40 lbs. t.w.
Double side tray:	47 lbs. t.w.
Pocket organizer:	4 lbs. t.w.
Slant Sorter:	19 lbs. t.w.
Binder shelf:	10 lbs. t.w.
Pencil tray:	5 lbs. t.w.

PRODUCT SPECIFICATIONS

- For use with Exhibit and Epicenter slat wall inserts

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NACCP

- See pages 610-611 for all options available in Exhibit

PLASTIC WORK TOOLS

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
PENCIL CUP	NACCP	Black Plastic	$ 53	½	4	4	—	—	1 lbs.	0.4
	NACCPC	Clear Plastic	53	½	4	4	—	—	1 lbs.	0.4
	• Holds pencils, pens, rulers, etc.									
LEGAL PAPER TRAY	NAC1115SPT	Black Plastic	$ 79	10½	15	2	—	—	1 lbs.	0.1
	NAC1115SPTC	Clear Plastic	79	10½	15	2	—	—	1 lbs.	0.1
	• Holds letter or legal width papers, folders, etc.									
ACCESSORY TRAY	NAC1010AT	Black Plastic	$ 70	10	9½	2	—	—	1 lbs.	0.2
	NAC1010ATC	Clear Plastic	70	10	9½	2	—	—	1 lbs.	0.2
	• Holds supplies such as pens, pencils, paper clips, scissors, erasers, rulers, etc.									
SLANT SORTER	NACSS	Black Plastic	$ 83	12½	7	7½	—	—	1 lbs.	0.2
	NACSSC	Clear Plastic	83	12½	7	7½	—	—	1 lbs.	0.2
	• Holds folders, papers, etc. • Not recommended for use under Epicenter mounted overhead storage cabinets									

EXHIBIT

PRODUCT SPECIFICATIONS

- For use with Exhibit and Epicenter slat wall inserts

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NACMAPSMB

- See pages 610-611 for all options available in Exhibit

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
INTUITIVE MONITOR ARM SLAT WALL MOUNT	NACMA1SFB	Black	$ 799	29½	2½	13 1⁄16	–	–	12 lbs.	2.7
	NACMA1SFS	Silver	799	29½	2½	13 1⁄16	–	–	12 lbs.	2.7



- Weight capacity: 5.5 lbs. minimum - 13 lbs. pounds
- 1 monitor arm every 24" on slat wall and only 1 monitor arm recommended for a slat/tack combo insert
- Must properly install slat wall and Epicenter supports when using a monitor arm
- Recommended to not use monitor arm on the upper 4 slats of a full slat wall and slat wall combo insert

MONITOR ARM INFORMATION

National Model	NACMA1SFB/S
Description	slat wall mount black/silver
Monitor Rotation	port/landscape 360°
Monitor Extension	6¾" - 13⅞"
Arm Pivot	30°
Horizontal Monitor Pivot	180°
Monitor Weight Capacity (maximum approved weight)	arm – 5.5 lbs. minimum - 13 lbs. maximum slat rail – 13 lbs.
Mounting Option	slat wall mount
Arm Height Adjustment	10" dynamic
Pole Height	N/A
Maximum Width Per Monitor	no maximum width
Manual Height Adjustment	N/A
Worksurface Requirements– Desk Clamp	N/A (slat wall mount only)
Worksurface Requirements– Grommet Mount	N/A (slat wall mount only)

BASES AND SUPPORT

Span Between Table Legs	664
Base Requirements	665
Base Units	669
“L” Adjustable Height Bases	700
“L” Worksurfaces	708

BASES AND SUPPORT

SPAN BETWEEN TABLE LEGS

For leg-based applications, the maximum recommended span of an unsupported 1⅜" thick worksurface is 48" between legs. The maximum recommended span of an unsupported 1⅞" thick worksurface is 60" between legs. Additional support is recommended for deflection for longer distances. When using mobile legs with tops that are 60" and greater, undersupport rails are recommended.



RECTANGULAR WORKSURFACES
RECOMMENDED SPAN BETWEEN LEGS FOR STABILITY AND VISUAL APPEARANCE

LENGTH	1⅜" WORKSURFACE		1⅞" WORKSURFACE	
	C-LEG / T-LEG	COLUMN LEG	C-LEG / T-LEG	COLUMN LEG
96"	N/A	N/A	N/A	N/A
84"	N/A	N/A	N/A	N/A
72"	48"	48"	48"	48"
66"	48"	48"	48"	48"
60"	42"	48"	42"	48"
54"	36"	46"	36"	46"
48"	30"	40"	30"	40"
42"	24"	34"	24"	34"

U-SHAPED WORKSURFACE
RECOMMENDED SPAN BETWEEN LEGS

LENGTH	1⅜" WORKSURFACE		1⅞" WORKSURFACE	
	C-LEG / T-LEG	COLUMN LEG	C-LEG / T-LEG	COLUMN LEG
60"	40"	40 1/16"	40"	40 1/16"
48"	28 3/16"	28⅛"	28 3/16"	28⅛"

See table/base matrix for specific base options (pages 665-668)

For leg-based training applications, use Undersurface Support Rail for extra support and deflection on 60", 66" and 72" worksurfaces. (See page 697)

DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width
DI	Diameter

BASE REQUIREMENTS

	18" D 48" - 72"	24" D 48" - 72"	30" D, 36" D 48" - 72"	 48" & 60"
3" Square Support Base 3" or 4" Round Support Base	(4)	(4)	(4)	(3)
Static Column Mobile Column	(4) (N/A) for mobile column	(4)	(4)	(3) (N/A) for mobile column
Adjustable Height Column Pin Leg Adjustable Height Mobile Column Pin Leg	(N/A)	(4)	(4)	(N/A)
 H-Style (24", 30", 36")  U-Style (18", 24", 30", 36")	(2) (N/A) for H-Style	(2)	(2)	(N/A)
21" C-Legs (Static, Mobile, Adjustable Height)	(N/A)	(2)	(N/A)	(N/A)
27" C-Legs (Static, Mobile, Adjustable Height)	(N/A)	(N/A)	30" D (2) 36" D (N/A)	(N/A)
21" Static T 21" Mobile T	(N/A)	(2)	(N/A)	(N/A)
38" Static 4 Star 38" Mobile 4 Star	(N/A)	(N/A)	(N/A)	(N/A)
32" Static 4 Star 32" Mobile 4 Star	(N/A)	(N/A)	(N/A)	(N/A)
27" Static 4 Star 27" Mobile 4 Star	(N/A)	(N/A)	(N/A)	(N/A)

BASES AND SUPPORT

BASE REQUIREMENTS (CONTINUED)

	24" D 48" - 72"	30" D 48" - 72"	30" x 24", 24" x 24" 30" x 30", 24" x 30"	30", 36", 42" or 48"	30", 36", 42" or 48"
3" Square Support Base 3" or 4" Round Support Base	(4)	(4)	(N/A)	36", 42" and 48" (4) 30" (N/A)	36", 42" and 48" (4) 30" (N/A)
Static Column Mobile Column	(4)	(4)	(N/A)	36", 42" and 48" (4) 30" (N/A)	36", 42" and 48" (4) 30" (N/A)
Adjustable Height Column Pin Leg Adjustable Height Mobile Column Pin Leg	(4)	(4)	(N/A)	36", 42" and 48" (4) 30" (N/A)	36", 42" and 48" (4) 30" (N/A)
 H-Style (24", 30", 36")  U-Style (18", 24", 30", 36")	(N/A)	(N/A)	(N/A)	(N/A)	(N/A)
21" C-Legs (Static, Mobile, Adjustable Height)	(2)	(N/A)	(N/A)	(N/A)	(N/A)
 27" C-Legs (Static, Mobile, Adjustable Height)	(N/A)	(2)	(N/A)	(N/A)	(N/A)
21" Static T 21" Mobile T	(2)	(N/A)	(N/A)	(N/A)	(N/A)
38" Static 4 Star 38" Mobile 4 Star	(N/A)	(N/A)	(N/A)	30" and 36" (N/A) 42" and 48" (1)	30" and 36" (N/A) 42" and 48" (1)
32" Static 4 Star 32" Mobile 4 Star	(N/A)	(N/A)	(N/A)	36" (1) 30", 42" and 48" (N/A)	36" (1) 30", 42" and 48" (N/A)
27" Static 4 Star 27" Mobile 4 Star	(N/A)	(N/A)	(N/A)	30" (1) 36", 42" and 48" (N/A)	30" (1) 36", 42" and 48" (N/A)

BASE REQUIREMENTS (CONTINUED)

	18" D  48" - 72"	24" D  48" - 72"	30" D, 36" D  48" - 72"	 48" & 60"
 32" Counter Height 32" Bar Height 32" Adjustable Height	(N/A)	(N/A)	(N/A)	(N/A)
 27" Counter Height 27" Bar Height	(N/A)	(N/A)	(N/A)	(N/A)
 Electric Adjustable Base 30" and 24" models	(N/A)	(1) for 24" models (N/A) for 30" models	(1) for 30" models (N/A) for 24" models	(N/A)
 Manual (Hand Crank) Adjustable Height Base 30" and 24" models	(N/A)	(1) for 24" models (N/A) for 30" models	(1) for 30" models (N/A) for 24" models	(N/A)
 22" Disc Base Bar, Counter, Occasional Table Hts 22" Soft Square Base Bar, Counter, Occasional Table Hts	(N/A)	(2)	(2) for 30" D (N/A) for 36" D	(N/A)
 27" Disc Base Bar, Counter Heights 27" Soft Square Base Bar, Counter Heights	(N/A)	(N/A)	(2)	(N/A)
 22"/27" Disc Base Worksurface Height	(N/A)	(2) for 22" base (N/A) for 27" base	(2)	(N/A)
 22"/27" Soft Square Base Worksurface Height	(N/A)	(2) for 22" base (N/A) for 27" base	(2)	(N/A)

BASES AND SUPPORT

BASE REQUIREMENTS (CONTINUED)

	24" D, 30"D, 36"D  48" - 72"	 30" x 24", 24" x 24" 30" x 30", 24" x 30"	 30", 36", 42" or 48"	 30", 36", 42" or 48"
 32" Counter Height 32" Bar Height 32" Adjustable Height	(N/A)	(N/A)	36" (1) 30", 42" and 48" (N/A)	36" (1) 30", 42" and 48" (N/A)
 27" Counter Height 27" Bar Height	(N/A)	(N/A)	30" (1) 36", 42" and 48" (N/A)	30" (1) 36", 42" and 48" (N/A)
 Electric Adjustable Base 30" and 24" models	(N/A)	(N/A)	(N/A)	(N/A)
 Manual (Hand Crank) Adjustable Height Base 30" and 24" models	(N/A)	(N/A)	(N/A)	(N/A)
 22" Disc Base Bar, Counter, Occasional Table Hts  22" Soft Square Base Bar, Counter, Occasional Table Hts	(2) for 24" D, 30" D (N/A) for 36" D	(N/A)	30" (1) 36", 42" and 48" (N/A)	30" and 36" (1) 42" and 48" (N/A)
 27" Disc Base Bar, Counter Heights  27" Soft Square Base Bar, Counter Heights	(2) for 36" D (N/A) for 24" D and 30" D	(N/A)	30" and 36" (1) 42" and 48" (N/A)	30" and 36" (1) 42" and 48" (N/A)
 22"/27" Disc Base Worksurface Height	(2) for 22" base (2) for 27" base with 36" D (N/A) for 27" base with 24" D and 30" D	(N/A)	30" and 36" (1) 42" and 48" (N/A)	30" and 36" (1) 42" and 48" (N/A)
 22"/27" Soft Square Base Worksurface Height	(2) for 22" base (2) for 27" base with 36" D (N/A) for 27" base with 24" D and 30" D	(N/A)	30" and 36" (1) 42" and 48" (N/A)	30" and 36" (1) 42" and 48" (N/A)

PRODUCT SPECIFICATIONS

- Refer to base/table matrix on pages 665-668 for recommended worksurface and base applications

TO ORDER, SPECIFY:

1. Model Number
2. Wire Management Cutout (if applicable)
3. Paint Color (if applicable)
4. Finish (if applicable)

SAMPLE MODEL NUMBERS:

NAC0428SFRNB CUL 501
NAC2804SFBW TF

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
4" SUPPORT BASE ROUND			DI		H				
NAC0428SFRNB	Metal	$ 285	4	–	27¾-29¼		–	10 lbs.	1.0
NAC2804SFBW	Wood	770	4	–	27¾-29¼		–	6 lbs.	1.0



- Adjustable glide standard
- Metal base, specify paint colors: (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Metal base, optional upper and lower (CUL) wire management cutout
- Wood base, specify finish: Brighton (IM), Natural (NM), Honey (HN), Caramel (CL), Truffle (TF), Autumn (AC), Amber (MC), Cordovan (CW), Judicial (DW), Mocha (MH)

3" SUPPORT BASE ROUND	NAC0328SFRNB	$ 217	3	–	27¾-29¼		–	8 lbs.	0.8



- Adjustable glide standard
- Optional upper and lower (CUL) wire management cutout
- Optional paint colors available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic

3" SUPPORT BASE ROUND COUNTER HEIGHT	NAC0334SFRNB	$ 329	3	–	34⅛	–	–	10 lbs.	1.0



- Adjustable glide standard
- Optional upper and lower (CUL) wire management cutout
- Optional paint colors available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic

3" SUPPORT BASE ROUND BAR HEIGHT	NAC0340SFRNB	$ 373	3	–	40⅜	–	–	11 lbs.	1.1



- Adjustable glide standard
- Optional upper and lower (CUL) wire management cutout
- Optional paint colors available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic

BASES AND SUPPORT

PRODUCT SPECIFICATIONS

- Refer to base/table matrix on pages 665-668 for recommended worksurface and base applications

TO ORDER, SPECIFY:

1. Model Number
2. Wire Management Cutout (if applicable)
3. Paint Color (if applicable)
4. Finish (if applicable)

SAMPLE MODEL NUMBER:

NAC0328SFSQB CUL 501

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
3" SUPPORT BASE SQUARE	NAC0328SFSQB	$ 217	3	3	27¾-29¼		—	8 lbs.	0.8



- Adjustable glide standard
- Optional upper and lower (CUL) wire management cutout
- Optional paint colors available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic

3" SUPPORT BASE SQUARE COUNTER HEIGHT	NAC0334SFSQB	$ 329	3	3	34⅛	—	—	10 lbs.	1.0



- Adjustable glide standard
- Optional upper and lower (CUL) wire management cutout
- Optional paint colors available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic

3" SUPPORT BASE SQUARE BAR HEIGHT	NAC0340SFSQB	$ 373	3	3	40⅜	—	—	11 lbs.	1.1



- Adjustable glide standard
- Optional upper and lower (CUL) wire management cutout
- Optional paint colors available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic

2" SUPPORT BASE SQUARE	NAC0228SFSQB	$ 179	2	2	27¾	—	—	6 lbs.	0.6



- Adjustable glide standard
- Not intended for use with U- and P-shaped desks with modesty
- Optional upper and lower (CUL) wire management cutout
- Optional paint colors available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic

PRODUCT SPECIFICATIONS

- Refer to base/table matrix on pages 665-668 for recommended worksurface and base applications

TO ORDER, SPECIFY:

1. Model Number
2. Wire Management Cutout (if applicable)
3. Column Paint Color

SAMPLE MODEL NUMBER:

CBV0228COBP CUL 462

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
NON-DEFACING COLUMN LEG KIT	WWSBNDF	Cinder	$ 68	–	–	–	–	–	1 lbs.	0.3



- Allows attachment of column to metal modesty panel without defacing the column
- Available in 4 paint options: Designer White (405), Cinder (462), Platinum Metallic (501) and Satin Nickel Metallic (503)

SUPPORT BASE BRACKET	NAC04BKT		$ 34	⅝	4 11⁄16	–	–	–	1 lbs.	0.2



- Support Base Bracket to be used when attaching any Round or Square Support Base to a Full Wood or Laminate Modesty Panel when using WaveWorks components
- Bracket is black in color and is attached to the underside of the round or square support base and the modesty panel

				DI	W	H				
COLUMN LEG STATIC	CBV0228COBP		$ 152	2	–	27¾	–	–	6 lbs.	0.6

- Adjustable glide standard
- Some assembly required
- Sold 1 per box
- Optional upper and lower (CUL) wire management cutout
- Optional paint colors available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic

COLUMN LEG MOBILE	CBV0228COBMP		$ 183	2	–	27¾	–	–	6 lbs.	0.6



- Dual wheel locking caster
- Some assembly required
- Sold 1 per box
- Optional upper and lower (CUL) wire management cutout
- Optional paint colors available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic

BASES AND SUPPORT

PRODUCT SPECIFICATIONS

- Refer to base/table matrix on pages 665-668 for recommended worksurface and base applications

TO ORDER, SPECIFY:

1. Model Number
2. Wire Management Cutout (if applicable)
3. Column Paint Color

SAMPLE MODEL NUMBER:

CBV0228COA2BP CUL 265 462

ADJUSTABLE HEIGHT COLUMN PIN LEG STATIC



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
		DI		H				
CBV0228COA2BP	$ 304	1½	–	24⅜-33⅜	–		6 lbs.	0.6

- Sold 2 per box
- Weight limit of 200 pounds if concentrated; 326 pounds if weight is distributed
- Optional paint colors available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic

ADJUSTABLE HEIGHT COLUMN PIN LEG MOBILE



MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
CBV0228COA2BMP	$ 335	1½	–	26⅜-35⅜	–		6 lbs.	0.6

- Sold 2 per box
- Weight limit of 200 pounds if concentrated; 326 pounds if weight is distributed
- Optional paint colors available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic

WOOD HALF SUPPORT BASE

MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
NAC2812SHB	Wood Half Support Base	$ 964	6	11⅞	27¾	–	–	13 lbs.	2.6

- Adjustable glide standard
- Specify finish: Brighton (IM), Natural (NM), Honey (HN), Caramel (CL), Truffle (TF), Autumn (AC), Amber (MC), Cordovan (CW), Judicial (DW), Mocha (MH)
- For use with P- and U-shaped surfaces

PRODUCT SPECIFICATIONS

- Refer to base/table matrix on pages 665-668 for recommended worksurface and base applications

TO ORDER, SPECIFY:

1. Model Number
2. Wire Management Cutout (if applicable)
3. Column Paint Color
4. Foot Paint Color (if applicable)

SAMPLE MODEL NUMBERS:

CBV4028XBMP	CU	265	462
CBV3241XBP	X	462	462

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
X BASE WORKSURFACE HEIGHT, MOBILE	CBV4028XBMP		$ 1105	–	38 1/16	27 3/4	–	–	36 lbs.	12.0
	CBV3228XBMP		850	–	31 15/16	27 3/4	–	–	33 lbs.	12.0
	CBV2728XBMP		725	–	27 5/16	27 3/4	–	–	33 lbs.	12.0



- Dual wheel locking casters
- Some assembly required
- Reference pages 665-668 for table base guide
- Optional upper (CU) base column wire management
- Specify base column and base foot paint colors

X BASE COUNTER HEIGHT	CBV3235XBP		$ 1104	2 1/2	32	33 13/16	–	–	32 lbs.	12.0
	CBV2735XBP		941	2 1/2	27 5/16	33 13/16	–	–	32 lbs.	12.0



- Adjustable glides standard
- Some assembly required
- Reference pages 665-668 for table base guide
- Optional upper (CU) base column wire management
- Specify base column and base foot paint colors

X BASE BAR HEIGHT	CBV3241XBP		$ 1214	2 1/2	32	40 13/16	–	–	33 lbs.	14.0
	CBV2741XBP		1032	2 1/2	27 5/16	40 13/16	–	–	33 lbs.	14.0



- Adjustable glides standard
- Some assembly required
- Reference pages 665-668 for table base guide
- Optional upper (CU) base column wire management
- Specify base column and base foot paint colors

ADJUSTABLE HEIGHT BASE MOBILE	CBV3226XBAB	Cinder	$ 2751	2 1/2	32	26-40 13/16	–		33 lbs.	12.0
	CBV3226XBAS	Platinum Metallic	2751	2 1/2	32	26-40 13/16	–		33 lbs.	12.0
	CBV3226XBAN	Satin Nickel Metallic	2751	2 1/2	32	26-40 13/16	–		33 lbs.	12.0



- Some assembly required
- Paddle arm release allows pneumatic adjustment
- Locking casters only

BASES AND SUPPORT

PRODUCT SPECIFICATIONS

- Refer to base/table matrix on pages 665-668 for recommended worksurface and base applications

TO ORDER, SPECIFY:

1. Model Number
2. Wire Management Cutout (if applicable)
3. Column Paint Color
4. Foot Paint Color (if applicable)

SAMPLE MODEL NUMBER:

CBV4028XBP X 462 462

X BASE WORKSURFACE HEIGHT



MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
CBV4028XBP	$ 1060	–	38 1/16	27 3/4	–	–	36 lbs.	12.0
CBV3228XBP	793	–	31 15/16	27 3/4	–	–	33 lbs.	12.0
CBV2728XBP	673	–	27 3/16	27 3/4	–	–	33 lbs.	12.0

- Adjustable glides standard
- Some assembly required
- Reference pages 665-668 for table base guide
- Optional upper (CU) base column wire management
- Specify base column and base foot paint colors

C-LEG BASE STATIC



		DI	W	H				
CBV2728CL2BP	$ 850	2½	26 9/16	27 3/4	–	–	30 lbs.	7.2
CBV2128CL2BP	762	2½	20½	27 3/4	–	–	26 lbs.	2.8

- Adjustable glides standard
- Some assembly required
- Sold 2 per box
- Grommets should be field installed on surfaces utilizing a C-leg
- Optional upper and lower (CUL) wire management cutout
- Optional column and foot paint colors available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic

C-LEG BASE MOBILE



CBV2728CL2BMP	$ 889	2½	26 9/16	27 3/4	–	–	30 lbs.	7.2
CBV2128CL2BMP	800	2½	20½	27 3/4	–	–	26 lbs.	2.8

- Dual wheel locking casters
- Some assembly required
- Sold 2 per box
- Grommets should be field installed on surfaces utilizing a C-leg
- Optional upper and lower (CUL) wire management cutout
- Optional column and foot paint colors available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic

BASIC C-LEG BASE STATIC



CBV2728CL1	Black	$ 380	2	26 9/16	27 3/4	–	–	10 lbs.	3.8
CBV2728CL1S	Platinum Metallic	380	2	26 9/16	27 3/4	–	–	10 lbs.	3.8
CBV2128CL1	Black	$ 349	2	20½	27 3/4	–	–	9 lbs.	3.0
CBV2128CL1S	Platinum Metallic	349	2	20½	27 3/4	–	–	9 lbs.	3.0

- Adjustable glides standard
- Grommets should be field installed on surfaces utilizing a C Leg
- Sold 1 per box

PRODUCT SPECIFICATIONS

- Refer to base/table matrix on pages 665-668 for recommended worksurface and base applications

TO ORDER, SPECIFY:

1. Model Number
2. Wire Management Cutout (if applicable)
3. Column Paint Color (if applicable)
4. Foot Paint Color (if applicable)

SAMPLE MODEL NUMBERS:

CBV2728CLM1
CBV2128TL2BP CUL 501 501

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
BASIC C-LEG BASE MOBILE	CBV2728CLM1	Black	$ 409	2	26⅜	27¾	—	—	10 lbs.	3.8
	CBV2728CLM1S	Platinum Metallic	409	2	26⅜	27¾	—	—	10 lbs.	3.8
	CBV2128CLM1	Black	$ 371	2	20½	27¾	—	—	9 lbs.	3.0
	CBV2128CLM1S	Platinum Metallic	371	2	20½	27¾	—	—	9 lbs.	3.0

- Dual wheel locking casters
- Grommets should be field installed on surfaces utilizing a C Leg
- Sold 1 per box

ADJUSTABLE HEIGHT STATIC C-LEG PIN ADJUSTMENT	CBV2628CLA2B	Cinder	$ 1287	2¼	26¾	24¾-33⅜	—		11 lbs.	7.2
	CBV2628CLA2S	Platinum Metallic	1287	2¼	26¾	24¾-33⅜	—		11 lbs.	7.2
	CBV2628CLA2N	Satin Nickel Metallic	1287	2¼	26¾	24¾-33⅜	—		11 lbs.	7.2
	CBV2128CLA2B	Cinder	$ 1200	2¼	21¾	24¾-33⅜	—		11 lbs.	2.8
	CBV2128CLA2S	Platinum Metallic	1200	2¼	21¾	24¾-33⅜	—		11 lbs.	2.8
	CBV2128CLA2N	Satin Nickel Metallic	1200	2¼	21¾	24¾-33⅜	—		11 lbs.	2.8

- Sold 2 per box
- Ships fully assembled
- Grommets should be field installed on surfaces utilizing a C-leg

				DI	W	H				
T-LEG BASE STATIC	CBV2128TL2BP		$ 762	2½	20½	27¾	—	—	28 lbs.	5.6
										

- Adjustable glides standard
- Some assembly required
- Sold 2 per box
- Optional upper and lower (CUL) wire management cutout
- Optional column and foot paint colors available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic

T-LEG BASE MOBILE	CBV2128TL2BMP		$ 800	2½	20½	27¾	—	—	28 lbs.	5.6
										

- Dual wheel locking casters
- Some assembly required
- Sold 2 per box
- Optional upper and lower (CUL) wire management cutout
- Optional column and foot paint colors available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic

BASES AND SUPPORT

PRODUCT SPECIFICATIONS

- Refer to base/table matrix on pages 665-668 for recommended worksurface and base applications

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

CBV2128T1

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
BASIC T-LEG BASE STATIC	CBV2128T1	Black	$ 349	2	20½	27¾	—	—	10 lbs.	3.0
	CBV2128T1S	Platinum Metallic	349	2	20½	27¾	—	—	10 lbs.	3.0



- Adjustable glides standard
- Sold 1 per box

BASIC T-LEG BASE MOBILE	CBV2128TM1	Black	$ 371	2	20½	27¾	—	—	10 lbs.	3.0
	CBV2128TM1S	Platinum Metallic	371	2	20½	27¾	—	—	10 lbs.	3.0



- Dual wheel locking casters
- Sold 1 per box

BASIC FOLDING LEG	CBV2128TF (Set)	Black	$ 1039	2	20½	27¾	—	—	21 lbs.	2.3



- Includes 2 legs per carton
- Folding leg to be used with 24", 30", and 36" deep worksurfaces
- Folding leg to be used on all 48", 54" and 60" long worksurfaces

PRODUCT SPECIFICATIONS

- Refer to base/table matrix on pages 665-668 for recommended worksurface and base applications

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Column Paint Color (if applicable)
3. Foot Paint Color (if applicable)

SAMPLE MODEL NUMBER:

CBV2715DRNBP 265 462

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
DISC BASE OCCASIONAL TABLE HEIGHT	CBV2715DRNBP	$ 1046	3	27 3/16	16	—	—	60 lbs.	1.9
	CBV2215DRNBP	790	3	22	16	—	—	43 lbs.	1.9



- 3" column base
- Some assembly required
- Reference Base Requirements Chart on pages 667-668
- Glide adjustment of +/– ⅛"
- Optional column paint color available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Optional base paint color available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic

SOFT SQUARE BASE OCCASIONAL TABLE HEIGHT	CBV2715DSQBP	$ 1217	3	27 3/16	16	—	—	60 lbs.	1.9
	CBV2215DSQBP	959	3	22	16	—	—	50 lbs.	1.9



- 3" column base
- Some assembly required
- Reference Base Requirements Chart on pages 667-668
- Glide adjustment of +/– ⅛"
- Optional column paint color available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Optional base paint color available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic

DISC BASE WORKSURFACE HEIGHT	CBV2728DRNBP	$ 1113	3	27 3/16	27 7/16	—	—	73 lbs.	2.8
	CBV2228DRNBP	833	3	22	27 7/16	—	—	56 lbs.	2.8



- 3" column base
- Some assembly required
- Reference Base Requirements Chart on pages 667-668
- Glide adjustment of +/– ⅛"
- Optional column paint color available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Optional base paint color available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic

SOFT SQUARE BASE WORKSURFACE HEIGHT	CBV2728DSQBP	$ 1287	3	27 3/16	27 7/16	—	—	84 lbs.	2.8
	QCBV2228DSQBP	1004	3	22	27 7/16	—	—	63 lbs.	2.8
	CBV2228DSQBP	1004	3	22	27 7/16	—	—	63 lbs.	2.8



- 3" column base
- Some assembly required
- Reference Base Requirements Chart on pages 667-668
- Glide adjustment of +/– ⅛"
- Optional column paint color available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Optional base paint color available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic

BASES AND SUPPORT

PRODUCT SPECIFICATIONS

- Refer to base/table matrix on pages 665-668 for recommended worksurface and base applications

TO ORDER, SPECIFY:

1. Model Number
2. Column Paint Color (if applicable)
3. Foot Paint Color (if applicable)

SAMPLE MODEL NUMBER:

CBV2735DRNBP 265 462

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
DISC BASE COUNTER HEIGHT	CBV2735DRNBP	$ 1202	3	27 3/16	35	—	—	75 lbs.	3.4
	CBV2235DRNBP	1159	3	22	35	—	—	58 lbs.	3.4



- 3" column base
- Some assembly required
- Reference Base Requirements Chart on pages 667-668
- Glide adjustment of +/– ⅛"
- Optional column paint color available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Optional base paint color available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic

SOFT SQUARE COUNTER HEIGHT	CBV2735DSQBP	$ 1374	3	27 3/16	35	—	—	86 lbs.	3.4
	CBV2235DSQBP	1329	3	22	35	—	—	65 lbs.	3.4



- 3" column base
- Some assembly required
- Reference Base Requirements Chart on pages 667-668
- Glide adjustment of +/– ⅛"
- Optional column paint color available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Optional base paint color available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic

DISC BASE BAR HEIGHT	CBV2740DRNBP	$ 1287	3	27 3/16	40¾	—	—	76 lbs.	3.8
	CBV2240DRNBP	1242	3	22	40¾	—	—	59 lbs.	3.8



- 3" column base
- Some assembly required
- Reference Base Requirements Chart on pages 667-668
- Glide adjustment of +/– ⅛"
- Optional column paint color available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Optional base paint color available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic

SOFT SQUARE BASE BAR HEIGHT	CBV2740DSQBP	$ 1456	3	27 3/16	40¾	—	—	87 lbs.	3.8
	CBV2240DSQBP	1413	3	22	40¾	—	—	66 lbs.	3.8



- 3" column base
- Some assembly required
- Reference Base Requirements Chart on pages 667-668
- Glide adjustment of +/– ⅛"
- Optional column paint color available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Optional base paint color available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic

PRODUCT SPECIFICATIONS

- Refer to base/table matrix on pages 665-668 for recommended worksurface and base applications

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

CBV3628HBB

SUPPORT BASE H-STYLE



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
CBV3628HBC	Concrete	$ 799	1½	33 1/16	27¾	—	—	18 lbs.	3.7
CBV3628HBB	Cinder	799	1½	33 1/16	27¾	—	—	18 lbs.	3.7
CBV3628HBI	Iron	799	1½	33 1/16	27¾	—	—	18 lbs.	3.7
CBV3628HBS	Platinum Metallic	799	1½	33 1/16	27¾	—	—	18 lbs.	3.7
CBV3628HBN	Satin Nickel Metallic	799	1½	33 1/16	27¾	—	—	18 lbs.	3.7
CBV3628HBH	Designer White	799	1½	33 1/16	27¾	—	—	18 lbs.	3.7
CBV3028HBC	Concrete	$ 763	1½	27 1/16	27¾	—	—	17 lbs.	3.5
CBV3028HBB	Cinder	763	1½	27 1/16	27¾	—	—	17 lbs.	3.5
CBV3028HBI	Iron	763	1½	27 1/16	27¾	—	—	17 lbs.	3.5
CBV3028HBS	Platinum Metallic	763	1½	27 1/16	27¾	—	—	17 lbs.	3.5
CBV3028HBN	Satin Nickel Metallic	763	1½	27 1/16	27¾	—	—	17 lbs.	3.5
CBV3028HBH	Designer White	763	1½	27 1/16	27¾	—	—	17 lbs.	3.5
CBV2428HBC	Concrete	$ 718	1½	21	27¾	—	—	15 lbs.	3.3
CBV2428HBB	Cinder	718	1½	21	27¾	—	—	15 lbs.	3.3
CBV2428HBI	Iron	718	1½	21	27¾	—	—	15 lbs.	3.3
CBV2428HBS	Platinum Metallic	718	1½	21	27¾	—	—	15 lbs.	3.3
CBV2428HBN	Satin Nickel Metallic	718	1½	21	27¾	—	—	15 lbs.	3.3
CBV2428HBH	Designer White	718	1½	21	27¾	—	—	15 lbs.	3.3

- Specify model number only
- 2 6" x 6" mounting plates are attached to each H-style base
- H-style support bases are not recommended for use with U- or P-shaped worksurfaces
- Adjustable glides are standard

BASES AND SUPPORT

PRODUCT SPECIFICATIONS

- Refer to base/table matrix on pages 665-668 for recommended worksurface and base applications

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

CBV3634HBB

SUPPORT BASE H-STYLE COUNTER HEIGHT



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
CBV3634HBC	Concrete	$ 1107	2	33 1/16	34	—	—	22 lbs.	4.5
CBV3634HBB	Cinder	1107	2	33 1/16	34	—	—	22 lbs.	4.5
CBV3634HBI	Iron	1107	2	33 1/16	34	—	—	22 lbs.	4.5
CBV3634HBS	Platinum Metallic	1107	2	33 1/16	34	—	—	22 lbs.	4.5
CBV3634HBN	Satin Nickel Metallic	1107	2	33 1/16	34	—	—	22 lbs.	4.5
CBV3634HBH	Designer White	1107	2	33 1/16	34	—	—	22 lbs.	4.5
CBV3034HBC	Concrete	$ 1058	2	27 1/16	34	—	—	21 lbs.	4.3
CBV3034HBB	Cinder	1058	2	27 1/16	34	—	—	21 lbs.	4.3
CBV3034HBI	Iron	1058	2	27 1/16	34	—	—	21 lbs.	4.3
CBV3034HBS	Platinum Metallic	1058	2	27 1/16	34	—	—	21 lbs.	4.3
CBV3034HBN	Satin Nickel Metallic	1058	2	27 1/16	34	—	—	21 lbs.	4.3
CBV3034HBH	Designer White	1058	2	27 1/16	34	—	—	21 lbs.	4.3
CBV2434HBC	Concrete	$ 993	2	21	34	—	—	18 lbs.	3.9
CBV2434HBB	Cinder	993	2	21	34	—	—	18 lbs.	3.9
CBV2434HBI	Iron	993	2	21	34	—	—	18 lbs.	3.9
CBV2434HBS	Platinum Metallic	993	2	21	34	—	—	18 lbs.	3.9
CBV2434HBN	Satin Nickel Metallic	993	2	21	34	—	—	18 lbs.	3.9
CBV2434HBH	Designer White	993	2	21	34	—	—	18 lbs.	3.9

- Not intended to use in Table Desking Application
- Recommended for use with WaveWorks or Epic component surfaces when hanging off Exhibit Wall Rail

PRODUCT SPECIFICATIONS

- Refer to base/table matrix on pages 665-668 for recommended worksurface and base applications

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

CBV3640HBB

SUPPORT BASE H-STYLE BAR HEIGHT



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
CBV3640HBC	Concrete	$ 1220	2	33 1/16	40 15/16	—	—	25 lbs.	5.1
CBV3640HBB	Cinder	1220	2	33 1/16	40 15/16	—	—	25 lbs.	5.1
CBV3640HBI	Iron	1220	2	33 1/16	40 15/16	—	—	25 lbs.	5.1
CBV3640HBS	Platinum Metallic	1220	2	33 1/16	40 15/16	—	—	25 lbs.	5.1
CBV3640HBN	Satin Nickel Metallic	1220	2	33 1/16	40 15/16	—	—	25 lbs.	5.1
CBV3640HBH	Designer White	1220	2	33 1/16	40 15/16	—	—	25 lbs.	5.1
CBV3040HBC	Concrete	$ 1166	2	27 1/16	40 15/16	—	—	24 lbs.	4.9
CBV3040HBB	Cinder	1166	2	27 1/16	40 15/16	—	—	24 lbs.	4.9
CBV3040HBI	Iron	1166	2	27 1/16	40 15/16	—	—	24 lbs.	4.9
CBV3040HBS	Platinum Metallic	1166	2	27 1/16	40 15/16	—	—	24 lbs.	4.9
CBV3040HBN	Satin Nickel Metallic	1166	2	27 1/16	40 15/16	—	—	24 lbs.	4.9
CBV3040HBH	Designer White	1166	2	27 1/16	40 15/16	—	—	24 lbs.	4.9
CBV2440HBC	Concrete	$ 1096	2	21	40 15/16	—	—	22 lbs.	4.7
CBV2440HBB	Cinder	1096	2	21	40 15/16	—	—	22 lbs.	4.7
CBV2440HBI	Iron	1096	2	21	40 15/16	—	—	22 lbs.	4.7
CBV2440HBS	Platinum Metallic	1096	2	21	40 15/16	—	—	22 lbs.	4.7
CBV2440HBN	Satin Nickel Metallic	1096	2	21	40 15/16	—	—	22 lbs.	4.7
CBV2440HBH	Designer White	1096	2	21	40 15/16	—	—	22 lbs.	4.7

- Not intended to use in Table Desking Application
- May be used with Epic 40" high storage units to support a surface
- Recommended for use with WaveWorks or Epic component surfaces when hanging off Exhibit Wall Rail

BASES AND SUPPORT

PRODUCT SPECIFICATIONS

- Refer to base/table matrix on pages 665-668 for recommended worksurface and base applications

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

CBV3628UB

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

SUPPORT BASE U-STYLE



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
CBV3628UC	Concrete	$ 799	1½	33 1/16	27¾	—	—	18 lbs.	3.7
CBV3628UB	Cinder	799	1½	33 1/16	27¾	—	—	18 lbs.	3.7
CBV3628UI	Iron	799	1½	33 1/16	27¾	—	—	18 lbs.	3.7
CBV3628US	Platinum Metallic	799	1½	33 1/16	27¾	—	—	18 lbs.	3.7
CBV3628UN	Satin Nickel Metallic	799	1½	33 1/16	27¾	—	—	18 lbs.	3.7
CBV3628UH	Designer White	799	1½	33 1/16	27¾	—	—	18 lbs.	3.7
CBV3028UC	Concrete	$ 763	1½	27 1/16	27¾	—	—	17 lbs.	3.5
CBV3028UB	Cinder	763	1½	27 1/16	27¾	—	—	17 lbs.	3.5
CBV3028UI	Iron	763	1½	27 1/16	27¾	—	—	17 lbs.	3.5
CBV3028US	Platinum Metallic	763	1½	27 1/16	27¾	—	—	17 lbs.	3.5
CBV3028US	Platinum Metallic	763	1½	27 1/16	27¾	—	—	17 lbs.	3.5
CBV3028UN	Satin Nickel Metallic	763	1½	27 1/16	27¾	—	—	17 lbs.	3.5
CBV3028UH	Designer White	763	1½	27 1/16	27¾	—	—	17 lbs.	3.5
CBV2428UC	Concrete	$ 718	1½	21	27¾	—	—	15 lbs.	3.3
CBV2428UB	Cinder	718	1½	21	27¾	—	—	15 lbs.	3.3
CBV2428UI	Iron	718	1½	21	27¾	—	—	15 lbs.	3.3
CBV2428US	Platinum Metallic	718	1½	21	27¾	—	—	15 lbs.	3.3
CBV2428US	Platinum Metallic	718	1½	21	27¾	—	—	15 lbs.	3.3
CBV2428UN	Satin Nickel Metallic	718	1½	21	27¾	—	—	15 lbs.	3.3
CBV2428UH	Designer White	718	1½	21	27¾	—	—	15 lbs.	3.3
CBV1828UC	Concrete	$ 670	1½	15⅛	27¾	—	—	13 lbs.	3.0
CBV1828UB	Cinder	670	1½	15⅛	27¾	—	—	13 lbs.	3.0
CBV1828UI	Iron	670	1½	15⅛	27¾	—	—	13 lbs.	3.0
CBV1828US	Platinum Metallic	670	1½	15⅛	27¾	—	—	13 lbs.	3.0
CBV1828UN	Satin Nickel Metallic	670	1½	15⅛	27¾	—	—	13 lbs.	3.0
CBV1828UH	Designer White	670	1½	15⅛	27¾	—	—	13 lbs.	3.0

- Specify model number only
- 2 6" x 6" mounting plates are attached to each U-style base
- U-style support bases are not recommended for use with U- or P-shaped worksurfaces
- Adjustable glides are standard

PRODUCT SPECIFICATIONS

- Refer to base/table matrix on pages 665-668 for recommended worksurface and base applications

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

CBV3634UB

SUPPORT BASE U-STYLE COUNTER HEIGHT



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
CBV3634UC	Concrete	$ 1107	2	33 1/16	34	—	—	22 lbs.	4.5
CBV3634UB	Cinder	1107	2	33 1/16	34	—	—	22 lbs.	4.5
CBV3634UI	Iron	1107	2	33 1/16	34	—	—	22 lbs.	4.5
CBV3634US	Platinum Metallic	1107	2	33 1/16	34	—	—	22 lbs.	4.5
CBV3634UN	Satin Nickel Metallic	1107	2	33 1/16	34	—	—	22 lbs.	4.5
CBV3634UH	Designer White	1107	2	33 1/16	34	—	—	22 lbs.	4.5
CBV3034UC	Concrete	$ 1058	2	27 1/16	34	—	—	21 lbs.	4.3
CBV3034UB	Cinder	1058	2	27 1/16	34	—	—	21 lbs.	4.3
CBV3034UI	Iron	1058	2	27 1/16	34	—	—	21 lbs.	4.3
CBV3034US	Platinum Metallic	1058	2	27 1/16	34	—	—	21 lbs.	4.3
CBV3034UN	Satin Nickel Metallic	1058	2	27 1/16	34	—	—	21 lbs.	4.3
CBV3034UH	Designer White	1058	2	27 1/16	34	—	—	21 lbs.	4.3
CBV2434UC	Concrete	$ 993	2	21	34	—	—	18 lbs.	3.9
CBV2434UB	Cinder	993	2	21	34	—	—	18 lbs.	3.9
CBV2434UI	Iron	993	2	21	34	—	—	18 lbs.	3.9
CBV2434US	Platinum Metallic	993	2	21	34	—	—	18 lbs.	3.9
CBV2434UN	Satin Nickel Metallic	993	2	21	34	—	—	18 lbs.	3.9
CBV2434UH	Designer White	993	2	21	34	—	—	18 lbs.	3.9

- Not intended to use in Table Desking Application
- Recommended for use with WaveWorks or Epic component surfaces when hanging off Exhibit Wall Rail

BASES AND SUPPORT

PRODUCT SPECIFICATIONS

- Refer to base/table matrix on pages 665-668 for recommended worksurface and base applications

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

CBV3640UB

SUPPORT BASE U-STYLE BAR HEIGHT



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
CBV3640UC	Concrete	$ 1220	2	33 1/16	40 5/16	—	—	25 lbs.	5.1
CBV3640UB	Cinder	1220	2	33 1/16	40 5/16	—	—	25 lbs.	5.1
CBV3640UI	Iron	1220	2	33 1/16	40 5/16	—	—	25 lbs.	5.1
CBV3640US	Platinum Metallic	1220	2	33 1/16	40 5/16	—	—	25 lbs.	5.1
CBV3640UN	Satin Nickel Metallic	1220	2	33 1/16	40 5/16	—	—	25 lbs.	5.1
CBV3640UH	Designer White	1220	2	33 1/16	40 5/16	—	—	25 lbs.	5.1
CBV3040UC	Concrete	$ 1166	2	27 1/16	40 5/16	—	—	24 lbs.	4.9
CBV3040UB	Cinder	1166	2	27 1/16	40 5/16	—	—	24 lbs.	4.9
CBV3040UI	Iron	1166	2	27 1/16	40 5/16	—	—	24 lbs.	4.9
CBV3040US	Platinum Metallic	1166	2	27 1/16	40 5/16	—	—	24 lbs.	4.9
CBV3040UN	Satin Nickel Metallic	1166	2	27 1/16	40 5/16	—	—	24 lbs.	4.9
CBV3040UH	Designer White	1166	2	27 1/16	40 5/16	—	—	24 lbs.	4.9
CBV2440UC	Concrete	$ 1096	2	21	40 5/16	—	—	22 lbs.	4.7
CBV2440UB	Cinder	1096	2	21	40 5/16	—	—	22 lbs.	4.7
CBV2440UI	Iron	1096	2	21	40 5/16	—	—	22 lbs.	4.7
CBV2440US	Platinum Metallic	1096	2	21	40 5/16	—	—	22 lbs.	4.7
CBV2440UN	Satin Nickel Metallic	1096	2	21	40 5/16	—	—	22 lbs.	4.7
CBV2440UH	Designer White	1096	2	21	40 5/16	—	—	22 lbs.	4.7

- Not intended to use in Table Desking Application
- May be used with Epic 40" high storage units to support a surface
- Recommended for use with WaveWorks or Epic component surfaces when hanging off Exhibit Wall Rail

PRODUCT SPECIFICATIONS

- Refer to base/table matrix on pages 665-668 for recommended worksurface and base applications

TO ORDER, SPECIFY:

1. Model Number
2. Resin Insert Grade/Color
3. Metal Insert Color
4. Veneer Insert Finish
5. Base Color

SAMPLE MODEL NUMBERS:

CBV3628OAM	1	1677	501
CBV3628OMM	501	501	
CBV3634OAM	1	1677	462
CBV3634OMM	405	462	
CBV3634OWM	CL	462	

SUPPORT BASE U-STYLE WITH INSERT



CBV3628OAM shown



CBV3628OMM shown



CBV3628OWM shown

MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
RESIN INSERT	**GRADE 1**							
CBV3628OAM	$ 1074	1½	33⅛	27¾	—	—	18 lbs.	3.7
CBV3028OAM	1024	1½	27⅛	27¾	—	—	17 lbs.	3.5
CBV2428OAM	961	1½	21	27¾	—	—	15 lbs.	3.3
METAL INSERT	**LIST PRICE**							
CBV3628OMM	$ 1074	1½	33⅛	27¾	—	—	18 lbs.	3.7
CBV3028OMM	1024	1½	27⅛	27¾	—	—	17 lbs.	3.5
CBV2428OMM	961	1½	21	27¾	—	—	15 lbs.	3.3
VENEER INSERT								
CBV3628OWM	$ 1709	1½	33⅛	27¾	—	—	18 lbs.	3.7
CBV3028OWM	1511	1½	27⅛	27¾	—	—	17 lbs.	3.5
CBV2428OWM	1315	1½	21	27¾	—	—	15 lbs.	3.3

- 2 6" x 6" mounting plates are attached to each U-style base
- U-style support bases are not recommended for use with U- or P-shaped worksurfaces
- Adjustable glides are standard
- Metal base and metal base inserts are available in 6 paint options: Designer White (405), Concrete (423), Cinder (462), Iron (463), Platinum Metallic (501), and Satin Nickel Metallic (503)

SUPPORT BASE U-STYLE WITH INSERT COUNTER HEIGHT



CBV3634OAM shown



CBV3634OMM shown



CBV3634OWM shown

MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
RESIN INSERT	**GRADE 1**							
CBV3634OAM	$ 1493	2	33⅛	34	—	—	22 lbs.	4.5
CBV3034OAM	1424	2	27⅛	34	—	—	21 lbs.	4.3
CBV2434OAM	1340	2	21	34	—	—	18 lbs.	4.9
METAL INSERT	**LIST PRICE**							
CBV3634OMM	$ 1493	2	33⅛	34	—	—	22 lbs.	4.5
CBV3034OMM	1424	2	27⅛	34	—	—	21 lbs.	4.3
CBV2434OMM	1340	2	21	34	—	—	18 lbs.	3.9
VENEER INSERT								
CBV3634OWM	$ 2275	2	33⅛	34	—	—	22 lbs.	4.5
CBV3034OWM	2036	2	27⅛	34	—	—	21 lbs.	4.3
CBV2434OWM	1777	2	21	34	—	—	18 lbs.	3.9

- Not intended to use in Table Desking Application
- Recommended for use with WaveWorks or Epic component surfaces when hanging off Exhibit Wall Rail
- Metal base and metal base inserts are available in 6 paint options: Designer White (405), Concrete (423), Cinder (462), Iron (463), Platinum Metallic (501), and Satin Nickel Metallic (503)
- Clear Walnut (EW) is available on veneer insert

BASES AND SUPPORT

PRODUCT SPECIFICATIONS

- Refer to base/table matrix on pages 665-668 for recommended worksurface and base applications

TO ORDER, SPECIFY:

1. Model Number
2. Resin Insert Grade/Color
3. Metal Insert Color
4. Veneer Insert Finish
5. Base Color

SAMPLE MODEL NUMBERS:

CBV3640OAM	1	1677	501
CBV3640OMM	501	501	
CBV3640OWM	CL	462	

SUPPORT BASE U-STYLE WITH INSERT BAR HEIGHT



CBV3640OAM shown



CBV3640OMM shown



CBV3640OWM shown

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
RESIN INSERT	**GRADE 1**							
CBV3640OAM	$ 1646	2	33 1/16	40 5/16	–	–	25 lbs.	5.1
CBV3040OAM	1568	2	27 1/16	40 5/16	–	–	24 lbs.	4.9
CBV2440OAM	1472	2	21	40 5/16	–	–	22 lbs.	4.7
METAL INSERT	**LIST PRICE**							
CBV3640OMM	$ 1646	2	33 1/16	40 5/16	–	–	25 lbs.	5.1
CBV3040OMM	1568	2	27 1/16	40 5/16	–	–	24 lbs.	4.9
CBV2440OMM	1472	2	21	40 5/16	–	–	22 lbs.	4.7
VENEER INSERT								
CBV3640OWM	$ 2579	2	33 1/16	40 5/16	–	–	25 lbs.	5.1
CBV3040OWM	2296	2	27 1/16	40 5/16	–	–	24 lbs.	4.9
CBV2440OWM	1997	2	21	40 5/16	–	–	22 lbs.	4.7

- Not intended to use in Table Desking Application
- May be used with Epic 40" high storage units to support a surface
- Recommended for use with WaveWorks or Epic component surfaces when hanging off Exhibit Wall Rail
- Metal base and metal base inserts are available in 6 paint options: Designer White (405), Concrete (423), Cinder (462), Iron (463), Platinum Metallic (501), and Satin Nickel Metallic (503)
- Clear Walnut (EW) is available on veneer insert

PRODUCT SPECIFICATIONS

- Refer to base/table matrix on pages 665-668 for recommended worksurface and base applications

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NAC3606SESB

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

END SUPPORT BASE



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
NAC3606SESC	Concrete	$ 378	2	33 1/16	5 1/8	—	—	5 lbs.	0.9
NAC3606SESB	Cinder	378	2	33 1/16	5 1/8	—	—	5 lbs.	0.9
NAC3606SESI	Iron	378	2	33 1/16	5 1/8	—	—	5 lbs.	0.9
NAC3606SESS	Platinum Metallic	378	2	33 1/16	5 1/8	—	—	5 lbs.	0.9
NAC3606SESN	Satin Nickel Metallic	378	2	33 1/16	5 1/8	—	—	5 lbs.	0.9
NAC3606SESH	Designer White	378	2	33 1/16	5 1/8	—	—	5 lbs.	0.9
NAC3605SESC	Concrete	$ 378	2	33 1/16	4 3/4	—	—	5 lbs.	0.9
NAC3605SESB	Cinder	378	2	33 1/16	4 3/4	—	—	5 lbs.	0.9
NAC3605SESI	Iron	378	2	33 1/16	4 3/4	—	—	5 lbs.	0.9
NAC3605SESS	Platinum Metallic	378	2	33 1/16	4 3/4	—	—	5 lbs.	0.9
NAC3605SESN	Satin Nickel Metallic	378	2	33 1/16	4 3/4	—	—	5 lbs.	0.9
NAC3605SESH	Designer White	378	2	33 1/16	4 3/4	—	—	5 lbs.	0.9
NAC3006SESC	Concrete	$ 361	2	27 1/16	5 1/8	—	—	4 lbs.	0.9
NAC3006SESB	Cinder	361	2	27 1/16	5 1/8	—	—	4 lbs.	0.9
NAC3006SESI	Iron	361	2	27 1/16	5 1/8	—	—	4 lbs.	0.9
NAC3006SESS	Platinum Metallic	361	2	27 1/16	5 1/8	—	—	4 lbs.	0.9
NAC3006SESN	Satin Nickel Metallic	361	2	27 1/16	5 1/8	—	—	4 lbs.	0.9
NAC3006SESH	Designer White	361	2	27 1/16	5 1/8	—	—	4 lbs.	0.9
NAC3005SESC	Concrete	$ 361	2	27 1/16	4 3/4	—	—	4 lbs.	0.9
NAC3005SESB	Cinder	361	2	27 1/16	4 3/4	—	—	4 lbs.	0.9
NAC3005SESI	Iron	361	2	27 1/16	4 3/4	—	—	4 lbs.	0.9
NAC3005SESS	Platinum Metallic	361	2	27 1/16	4 3/4	—	—	4 lbs.	0.9
NAC3005SESN	Satin Nickel Metallic	361	2	27 1/16	4 3/4	—	—	4 lbs.	0.9
NAC3005SESH	Designer White	361	2	27 1/16	4 3/4	—	—	4 lbs.	0.9
NAC2406SESC	Concrete	$ 338	2	21	5 1/8	—	—	4 lbs.	0.8
NAC2406SESB	Cinder	338	2	21	5 1/8	—	—	4 lbs.	0.8
NAC2406SESI	Iron	338	2	21	5 1/8	—	—	4 lbs.	0.8
NAC2406SESS	Platinum Metallic	338	2	21	5 1/8	—	—	4 lbs.	0.8
NAC2406SESN	Satin Nickel Metallic	338	2	21	5 1/8	—	—	4 lbs.	0.8
NAC2406SESH	Designer White	338	2	21	5 1/8	—	—	4 lbs.	0.8

- Some assembly required
- Specify with worksurfaces when overlapping box/file height storage, end support base will sit on box/file height storage and support worksurface height worksurfaces
- 5⅛" H to be used with 1⅜" worksurfaces
- 4¾" H to be used with 1⅞" worksurfaces

BASES AND SUPPORT

PRODUCT SPECIFICATIONS

- Refer to base/table matrix on pages 665-668 for recommended worksurface and base applications

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NAC2405SESB

END SUPPORT BASE (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
NAC2405SESC	Concrete	$ 338	2	21	4¾	–	–	4 lbs.	0.8
NAC2405SESB	Cinder	338	2	21	4¾	–	–	4 lbs.	0.8
NAC2405SESI	Iron	338	2	21	4¾	–	–	4 lbs.	0.8
NAC2405SESS	Platinum Metallic	338	2	21	4¾	–	–	4 lbs.	0.8
NAC2405SESN	Satin Nickel Metallic	338	2	21	4¾	–	–	4 lbs.	0.8
NAC2405SESH	Designer White	338	2	21	4¾	–	–	4 lbs.	0.8
NAC1806SESC	Concrete	$ 317	2	15⅛	5⅛	–	–	4 lbs.	0.7
NAC1806SESB	Cinder	317	2	15⅛	5⅛	–	–	4 lbs.	0.7
NAC1806SESI	Iron	317	2	15⅛	5⅛	–	–	4 lbs.	0.7
NAC1806SESS	Platinum Metallic	317	2	15⅛	5⅛	–	–	4 lbs.	0.7
NAC1806SESN	Satin Nickel Metallic	317	2	15⅛	5⅛	–	–	4 lbs.	0.7
NAC1806SESH	Designer White	317	2	15⅛	5⅛	–	–	4 lbs.	0.7
NAC1805SESC	Concrete	$ 317	2	15⅛	4¾	–	–	4 lbs.	0.7
NAC1805SESB	Cinder	317	2	15⅛	4¾	–	–	4 lbs.	0.7
NAC1805SESI	Iron	317	2	15⅛	4¾	–	–	4 lbs.	0.7
NAC1805SESS	Platinum Metallic	317	2	15⅛	4¾	–	–	4 lbs.	0.7
NAC1805SESN	Satin Nickel Metallic	317	2	15⅛	4¾	–	–	4 lbs.	0.7
NAC1805SESH	Designer White	317	2	15⅛	4¾	–	–	4 lbs.	0.7

- Some assembly required
- Specify with worksurfaces when overlapping box/file height storage, end support base will sit on box/file height storage and support worksurface height worksurfaces
- 5⅛" H to be used with 1³⁄₁₆" worksurfaces
- 4¾" H to be used with 1³⁄₁₆" worksurfaces

SUPPORT PANEL U-STYLE



NAC1228UBC	Concrete	$ 550	1½	12	28	–	–	12 lbs.	3.1
NAC1228UBB	Cinder	550	1½	12	28	–	–	12 lbs.	3.1
NAC1228UBI	Iron	550	1½	12	28	–	–	12 lbs.	3.1
NAC1228UBS	Platinum Metallic	550	1½	12	28	–	–	12 lbs.	3.1
NAC1228UBN	Satin Nickel Metallic	550	1½	12	28	–	–	12 lbs.	3.1
NAC1228UBH	Designer White	550	1½	12	28	–	–	12 lbs.	3.1

- For use as added support
- Adjustable glides are standard
- Specify model number only
- Metal mounting plate attached to support panel

PRODUCT SPECIFICATIONS

- Refer to base/table matrix on pages 665-668 for recommended worksurface and base applications

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

26N5928DVOBS

EPICENTER DOUBLE DEPTH BASE



26N5928DVOBB shown

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
26N5928DVOBB	Cinder	$ 1373	2	57¼	27¾	—	—	38 lbs.	8.4
26N5928DVOBS	Platinum Metallic	1373	2	57¼	27¾	—	—	38 lbs.	8.4
26N5928DVOBN	Satin Nickel Metallic	1373	2	57¼	27¾	—	—	38 lbs.	8.4
26N5928DVOBH	Designer White	1373	2	57¼	27¾	—	—	38 lbs.	8.4
26N4728DVOBB	Cinder	$ 1290	2	45⅛	27¾	—	—	31 lbs.	6.8
26N4728DVOBS	Platinum Metallic	1290	2	45⅛	27¾	—	—	31 lbs.	6.8
26N4728DVOBN	Satin Nickel Metallic	1290	2	45⅛	27¾	—	—	31 lbs.	6.8
26N4728DVOBH	Designer White	1290	2	45⅛	27¾	—	—	31 lbs.	6.8

- Not for use with Conference Table
- See Specification Guide for proper application

EPICENTER DOUBLE DEPTH BASE WITH INSERT



26N5928DVOBAM shown



26N5928DVOBMM shown

RESIN INSERT	GRADE 1							
26N5928DVOBAM	$ 1840	2	57¼	27¾	—	—	30 lbs.	6.1
26N4728DVOBAM	1732	2	45⅛	27¾	—	—	24 lbs.	4.8
26N2928DVOBAM	1024	2	27⅛	27¾	—	—	15 lbs.	3.0
26N2328DVOBAM	961	2	21	27¾	—	—	12 lbs.	2.4
METAL INSERT	**LIST PRICE**							
26N5928DVOBMM	$ 1840	2	57¼	27¾	—	—	30 lbs.	6.1
26N4728DVOBMM	1732	2	45⅛	27¾	—	—	24 lbs.	4.8
26N2928DVOBMM	1024	2	27⅛	27¾	—	—	15 lbs.	3.0
26N2328DVOBMM	961	2	21	27¾	—	—	12 lbs.	2.4
VENEER INSERT								
26N5928DVOBWM	$ 2722	2	57¼	27¾	—	—	30 lbs.	6.1
26N4728DVOBWM	2368	2	45⅛	27¾	—	—	24 lbs.	4.8
26N2928DVOBWM	1511	2	27⅛	27¾	—	—	15 lbs.	3.0
26N2328DVOBWM	1315	2	21	27¾	—	—	12 lbs.	2.4

- Not for use with Conference Table
- See Specification Guide for proper application

BASES AND SUPPORT

PRODUCT SPECIFICATIONS

- Refer to base/table matrix on pages 665-668 for recommended worksurface and base applications

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBERS:

26N5906DVOBB
CBV367240HBK 405

EPICENTER DOUBLE DEPTH BASE



26N5906DVOBB shown

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
26N5906DVOBB	Cinder	$ 660	2	57¼	5⅛	—	—	9 lbs.	2.0
26N5906DVOBS	Platinum Metallic	660	2	57¼	5⅛	—	—	9 lbs.	2.0
26N5906DVOBN	Satin Nickel Metallic	660	2	57¼	5⅛	—	—	9 lbs.	2.0
26N5906DVOBH	Designer White	660	2	57¼	5⅛	—	—	9 lbs.	2.0
NAC5905SESB	Cinder	$ 648	2	57¼	5⅛₁₆	—	—	9 lbs.	2.0
NAC5905SESS	Platinum Metallic	648	2	57¼	5⅛₁₆	—	—	9 lbs.	2.0
NAC5905SESN	Satin Nickel Metallic	648	2	57¼	5⅛₁₆	—	—	9 lbs.	2.0
NAC5905SESH	Designer White	648	2	57¼	5⅛₁₆	—	—	9 lbs.	2.0
26N4706DVOBB	Cinder	$ 620	2	45⅛₁₆	5⅛	—	—	8 lbs.	1.4
26N4706DVOBS	Platinum Metallic	620	2	45⅛₁₆	5⅛	—	—	8 lbs.	1.4
26N4706DVOBN	Satin Nickel Metallic	620	2	45⅛₁₆	5⅛	—	—	8 lbs.	1.4
26N4706DVOBH	Designer White	620	2	45⅛₁₆	5⅛	—	—	8 lbs.	1.4
NAC4705SESB	Cinder	$ 609	2	45⅛₁₆	4¾	—	—	8 lbs.	1.4
NAC4705SESS	Platinum Metallic	609	2	45⅛₁₆	4¾	—	—	8 lbs.	1.4
NAC4705SESN	Satin Nickel Metallic	609	2	45⅛₁₆	4¾	—	—	8 lbs.	1.4
NAC4705SESH	Designer White	609	2	45⅛₁₆	4¾	—	—	8 lbs.	1.4

- Specify model number only
- 26N models can be used to support the Epicenter at worksurface height off of lower storage

SUPPORT BASE KIT H-STYLE BAR HEIGHT



CBV367240HBK		$ 3659	33⅛₁₆	65	40⅜	—	60	69 lbs.	7.8
CBV366640HBK		3641	33⅛₁₆	59	40⅜	—	54	68 lbs.	7.7
CBV366040HBK		3612	33⅛₁₆	53	40⅜	—	48	66 lbs.	7.6
CBV307240HBK		$ 3496	27⅛₁₆	65	40⅜	—	60	60 lbs.	6.6
CBV306640HBK		3476	27⅛₁₆	59	40⅜	—	54	59 lbs.	6.5
CBV306040HBK		3451	27⅛₁₆	53	40⅜	—	48	57 lbs.	6.4
CBV305440HBK		3427	27⅛₁₆	47⅛₁₆	40⅜	—	42⅛₁₆	54 lbs.	6.3
CBV304840HBK		3403	27⅛₁₆	47⅛₁₆	40⅜	—	36⅛₁₆	51 lbs.	6.2
CBV247240HBK		$ 3285	21	65	40⅜	—	60	51 lbs.	5.5
CBV246640HBK		3266	21	59	40⅜	—	54	50 lbs.	5.4
CBV246040HBK		3242	21	53	40⅜	—	48	48 lbs.	5.3
CBV245440HBK		3221	21	47⅛₁₆	40⅜	—	42⅛₁₆	45 lbs.	5.2
CBV244840HBK		3195	21	47⅛₁₆	40⅜	—	36⅛₁₆	42 lbs.	5.1

- Reference the Base Kit model number to specify the appropriate rectangular worksurface size (ex. CBV**3672**40HBK uses a 36x72 top)
- Each base includes 2 6" x 6" mounting plates
- Intended to be used with rectangular component surfaces from WaveWorks or Epic
- Adjustable glides are standard
- Intended to use same size rectangular top as size of base kit
- Specify paint color 405 Designer White, 462 Cinder, 501 Platinum Metallic, or 503 Satin Nickel Metallic
- Assembly required
- Cannot specify a left, right, or center grommet on worksurfaces when using with a support base kit H-style

PRODUCT SPECIFICATIONS

- Refer to base/table matrix on pages 665-668 for recommended worksurface and base applications

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

CBV367234HBK 405

SUPPORT BASE KIT
H-STYLE
COUNTER HEIGHT



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
CBV367234HBK	$ 3324	36	72	34	—	—	55 lbs.	6.8
CBV366634HBK	3300	36	66	34	—	—	68 lbs.	7.7
CBV366034HBK	3278	36	60	34	—	—	66 lbs.	7.6
CBV307234HBK	$ 3174	30	72	34	—	—	60 lbs.	6.6
CBV306634HBK	3154	30	66	34	—	—	59 lbs.	6.5
CBV306034HBK	3133	30	60	34	—	—	57 lbs.	6.4
CBV305434HBK	3114	30	54	34	—	—	54 lbs.	6.3
CBV304834HBK	3089	30	48	34	—	—	51 lbs.	6.2
CBV247234HBK	$ 2983	24	72	34	—	—	51 lbs.	5.5
CBV246634HBK	2964	24	66	34	—	—	50 lbs.	5.4
CBV246034HBK	2943	24	60	34	—	—	48 lbs.	5.3
CBV245434HBK	2924	24	54	34	—	—	45 lbs.	5.2
CBV244834HBK	2903	24	48	34	—	—	42 lbs.	5.1

- Base Kits include 2 bases and stretcher rails
- Each base includes 2 6" x 6" mounting plates
- Intended to be used with rectangular component surfaces from WaveWorks or Epic
- Adjustable glides are standard
- Intended to use same size rectangular top as size of base kit
- Specify paint color 405 Designer White, 462 Cinder, 501 Platinum Metallic, or 503 Satin Nickel Metallic
- Assembly required
- Cannot specify a left, right, or center grommet on worksurfaces when using with a support base kit H-style

SUPPORT BASE KIT
U-STYLE
BAR HEIGHT



CBV367240UK	$ 3659	33 1/16	65	40 3/8	—	59	69 lbs.	7.8
CBV366640UK	3641	33 1/16	59	40 3/8	—	53	68 lbs.	7.7
CBV366040UK	3612	33 1/16	53	40 3/8	—	47	66 lbs.	7.6
CBV307240UK	$ 3496	27 1/16	65	40 3/8	—	59	60 lbs.	6.6
CBV306640UK	3476	27 1/16	59	40 3/8	—	53	59 lbs.	6.5
CBV306040UK	3451	27 1/16	53	40 3/8	—	47	57 lbs.	6.4
CBV305440UK	3427	27 1/16	47 1/16	40 3/8	—	41 1/16	54 lbs.	6.3
CBV304840UK	3403	27 1/16	47 1/16	40 3/8	—	35 1/16	51 lbs.	6.2
CBV247240UK	$ 3285	21	65	40 3/8	—	59	51 lbs.	5.5
CBV246640UK	3266	21	59	40 3/8	—	53	50 lbs.	5.4
CBV246040UK	3242	21	53	40 3/8	—	53	48 lbs.	5.3
CBV245440UK	3221	21	47 1/16	40 3/8	—	41 1/16	45 lbs.	5.2
CBV244840UK	3195	21	47 1/16	40 3/8	—	35 1/16	42 lbs.	5.1

- Reference the Base Kit model number to specify the appropriate rectangular worksurface size (ex. CBV**3672**40UK uses a 36x72 top)
- Each base includes 2 6" x 6" mounting plates
- Intended to be used with rectangular component surfaces from WaveWorks or Epic
- Adjustable glides are standard
- Intended to use same size rectangular top as size of base kit
- Specify paint color 405 Designer White, 423 Concrete, 462 Cinder, 463 Iron, 501 Platinum Metallic, or 503 Satin Nickel Metallic
- Assembly required
- Cannot specify a left, right, or center grommet on worksurfaces when using with a support base kit U-style

BASES AND SUPPORT

PRODUCT SPECIFICATIONS

- Refer to base/table matrix on pages 665-668 for recommended worksurface and base applications

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

CBV367234UK 405

SUPPORT BASE KIT
U-STYLE
COUNTER HEIGHT



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
CBV367234UK	$ 3324	33 1/16	65	34 1/16	—	59	55 lbs.	6.8
CBV366634UK	3300	33 1/16	59	34 1/16	—	53	68 lbs.	7.7
CBV366034UK	3278	33 1/16	53	34 1/16	—	47	66 lbs.	7.6
CBV307234UK	$ 3174	27 1/16	65	34 1/16	—	59	60 lbs.	6.6
CBV306634UK	3154	27 1/16	59	34 1/16	—	53	59 lbs.	6.5
CBV306034UK	3133	27 1/16	53	34 1/16	—	47	57 lbs.	6.4
CBV305434UK	3114	27 1/16	47 1/16	34 1/16	—	41 1/16	54 lbs.	6.3
CBV304834UK	3089	27 1/16	41 1/16	34 1/16	—	35 1/16	51 lbs.	6.2
CBV247234UK	$ 2983	21	65	34 1/16	—	59	51 lbs.	5.5
CBV246634UK	2964	21	59	34 1/16	—	53	50 lbs.	5.4
CBV246034UK	2943	21	53	34 1/16	—	47	48 lbs.	5.3
CBV245434UK	2924	21	47 1/16	34 1/16	—	41 1/16	45 lbs.	5.2
CBV244834UK	2903	21	41 1/16	34 1/16	—	35 1/16	42 lbs.	5.1

- Reference the Base Kit model number to specify the appropriate rectangular worksurface size (ex. CBV**3672**4UK uses a 36x72 top)
- Each base includes 2 6" x 6" mounting plates
- Intended to be used with rectangular component surfaces from WaveWorks or Epic
- Adjustable glides are standard
- Intended to use same size rectangular top as size of base kit
- Specify paint color 405 Designer White, 423 Concrete, 462 Cinder, 463 Iron, 501 Platinum Metallic, or 503 Satin Nickel Metallic
- Assembly required
- Cannot specify a left, right, or center grommet on worksurfaces when using with a support base kit U-style

PRODUCT SPECIFICATIONS

- Refer to base/table matrix on pages 665-668 for recommended worksurface and base applications

TO ORDER, SPECIFY:

1. Model Number
2. Resin Insert Grade/Color
3. Base Color

SAMPLE MODEL NUMBER:

CBV367234UAK 1677 462

SUPPORT BASE KIT U-STYLE WITH INSERT COUNTER HEIGHT



CBV367234UAK shown

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
RESIN INSERT	**GRADE 1**							
CBV367234UAK	$ 4482	33⅛	65	34⅛	—	59	55 lbs.	6.8
CBV366634UAK	4453	33⅛	59	34⅛	—	53	68 lbs.	7.7
CBV366034UAK	4421	33⅛	53	34⅛	—	47	66 lbs.	7.6
CBV307234UAK	$ 4275	27⅛	65	34⅛	—	59	60 lbs.	6.6
CBV306634UAK	4247	27⅛	59	34⅛	—	53	59 lbs.	6.5
CBV306034UAK	4218	27⅛	53	34⅛	—	47	57 lbs.	6.4
CBV305434UAK	4190	27⅛	47⅛	34⅛	—	41⅛	54 lbs.	6.3
CBV304834UAK	4161	27⅛	41⅛	34⅛	—	35⅛	51 lbs.	6.2
CBV247234UAK	$ 4015	21	65	34⅛	—	59	51 lbs.	5.5
CBV246634UAK	3987	21	59	34⅛	—	53	50 lbs.	5.4
CBV246034UAK	3960	21	53	34⅛	—	47	48 lbs.	5.3
CBV245434UAK	3933	21	47⅛	34⅛	—	41⅛	45 lbs.	5.2
CBV244834UAK	3909	21	41⅛	34⅛	—	35⅛	42 lbs.	5.1

- Reference the Base Kit model number to specify the appropriate rectangular worksurface size (ex. CBV**3672**34UAK uses a 36x72 top)
- Each base includes 2 6" x 6" mounting plates
- Intended to be used with rectangular component surfaces from WaveWorks or Epic
- Adjustable glides are standard
- Intended to use same size rectangular top as size of base kit
- Assembly required
- Cannot specify a left, right, or center grommet on worksurfaces when using with a support base kit U-style

BASES AND SUPPORT

PRODUCT SPECIFICATIONS

- Refer to base/table matrix on pages 665-668 for recommended worksurface and base applications

TO ORDER, SPECIFY:

1. Model Number
2. Metal Insert Color
3. Veneer Insert Finish
4. Base Color

SAMPLE MODEL NUMBERS:

CBV367234UMK 405 462
CBV367234UWK CL 462

SUPPORT BASE KIT U-STYLE WITH INSERT COUNTER HEIGHT (CONTINUED)



CBV367234UMK shown



CBV367234UWK shown

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
METAL INSERT								
CBV367234UMK	$ 4482	33 1/16	65	34 1/16	–	59	55 lbs.	6.8
CBV366634UMK	4453	33 1/16	59	34 1/16	–	53	68 lbs.	7.7
CBV366034UMK	4421	33 1/16	53	34 1/16	–	47	66 lbs.	7.6
CBV307234UMK	$ 4275	27 1/16	65	34 1/16	–	59	60 lbs.	6.6
CBV306634UMK	4247	27 1/16	59	34 1/16	–	53	59 lbs.	6.5
CBV306034UMK	4218	27 1/16	53	34 1/16	–	47	57 lbs.	6.4
CBV305434UMK	4190	27 1/16	47 1/16	34 1/16	–	41 1/16	54 lbs.	6.3
CBV304834UMK	4161	27 1/16	41 1/16	34 1/16	–	35 1/16	51 lbs.	6.2
CBV247234UMK	$ 4015	21	65	34 1/16	–	59	51 lbs.	5.5
CBV246634UMK	3987	21	59	34 1/16	–	53	50 lbs.	5.4
CBV246034UMK	3960	21	53	34 1/16	–	47	48 lbs.	5.3
CBV245434UMK	3933	21	47 1/16	34 1/16	–	41 1/16	45 lbs.	5.2
CBV244834UMK	3909	21	41 1/16	34 1/16	–	35 1/16	42 lbs.	5.1
VENEER INSERT								
CBV367234UWK	$ 6819	33 1/16	65	34 1/16	–	59	55 lbs.	6.8
CBV366634UWK	6774	33 1/16	59	34 1/16	–	53	68 lbs.	7.7
CBV366034UWK	6727	33 1/16	53	34 1/16	–	47	66 lbs.	7.6
CBV307234UWK	$ 6100	27 1/16	65	34 1/16	–	59	60 lbs.	6.6
CBV306634UWK	6059	27 1/16	59	34 1/16	–	53	59 lbs.	6.5
CBV306034UWK	6019	27 1/16	53	34 1/16	–	47	57 lbs.	6.4
CBV305434UWK	5977	27 1/16	47 1/16	34 1/16	–	41 1/16	54 lbs.	6.3
CBV304834UWK	5938	27 1/16	41 1/16	34 1/16	–	35 1/16	51 lbs.	6.2
CBV247234UWK	$ 5329	21	65	34 1/16	–	59	51 lbs.	5.5
CBV246634UWK	5294	21	59	34 1/16	–	53	50 lbs.	5.4
CBV246034UWK	5257	21	53	34 1/16	–	47	48 lbs.	5.3
CBV245434UWK	5223	21	47 1/16	34 1/16	–	41 1/16	45 lbs.	5.2
CBV244834UWK	5184	21	41 1/16	34 1/16	–	35 1/16	42 lbs.	5.1

- Reference the Base Kit model number to specify the appropriate rectangular worksurface size (ex. CBV**3672**34UMK uses a 36x72 top)
- Each base includes 2 6" x 6" mounting plates
- Intended to be used with rectangular component surfaces from WaveWorks or Epic
- Adjustable glides are standard
- Intended to use same size rectangular top as size of base kit
- Assembly required
- Cannot specify a left, right, or center grommet on worksurfaces when using with a support base kit U-style
- Metal base and metal base inserts are available in 6 paint options: Designer White (405), Concrete (423), Cinder (462), Iron (463), Platinum Metallic (501), and Satin Nickel Metallic (503)
- Clear Walnut (EW) is available on veneer insert

PRODUCT SPECIFICATIONS

- Refer to base/table matrix on pages 665-668 for recommended worksurface and base applications

TO ORDER, SPECIFY:

1. Model Number
2. Resin Insert Grade/Color
3. Base Color

SAMPLE MODEL NUMBER:

CBV367240UAK 1677 462

SUPPORT BASE KIT U-STYLE WITH INSERT BAR HEIGHT



CBV367240UAK shown

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
RESIN INSERT	**GRADE 1**							
CBV367240UAK	$ 4930	33⅛	65	40⅜	—	59	69 lbs.	7.8
CBV366640UAK	4897	33⅛	59	40⅜	—	53	68 lbs.	7.7
CBV366040UAK	4865	33⅛	53	40⅜	—	47	66 lbs.	7.6
CBV307240UAK	$ 4704	27⅛	65	40⅜	—	59	60 lbs.	6.6
CBV306640UAK	4672	27⅛	59	40⅜	—	53	59 lbs.	6.5
CBV306040UAK	4640	27⅛	53	40⅜	—	47	57 lbs.	6.4
CBV305440UAK	4609	27⅛	47 1/16	40⅜	—	41 1/16	54 lbs.	6.3
CBV304840UAK	4577	27⅛	41 1/16	40⅜	—	35 1/16	51 lbs.	6.2
CBV247240UAK	$ 4418	21	65	40⅜	—	59	51 lbs.	5.5
CBV246640UAK	4388	21	59	40⅜	—	53	50 lbs.	5.4
CBV246040UAK	4359	21	53	40⅜	—	47	48 lbs.	5.3
CBV245440UAK	4329	21	47 1/16	40⅜	—	41⅛	45 lbs.	5.2
CBV244840UAK	4300	21	41 1/16	40⅜	—	35 1/16	42 lbs.	5.1

- Reference the Base Kit model number to specify the appropriate rectangular worksurface size (ex. CBV**3672**40UAK uses a 36x72 top)
- Each base includes 2 6" x 6" mounting plates
- Intended to be used with rectangular component surfaces from WaveWorks or Epic
- Adjustable glides are standard
- Intended to use same size rectangular top as size of base kit
- Assembly required
- Cannot specify a left, right, or center grommet on worksurfaces when using with a support base kit U-style

BASES AND SUPPORT

PRODUCT SPECIFICATIONS

- Refer to base/table matrix on pages 665-668 for recommended worksurface and base applications

TO ORDER, SPECIFY:

1. Model Number
2. Metal Insert Color
3. Veneer Insert Finish
4. Base Color

SAMPLE MODEL NUMBERS:

CBV367240UMK 405 462
CBV367240UWK CL 462

SUPPORT BASE KIT U-STYLE WITH INSERT BAR HEIGHT (CONTINUED)



CBV367240UMK shown



CBV367240UWK shown

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
METAL INSERT								
CBV367240UMK	$ 4930	33 1/16	65	40 3/8	—	59	69 lbs.	7.8
CBV366640UMK	4897	33 1/16	59	40 3/8	—	53	68 lbs.	7.7
CBV366040UMK	4865	33 1/16	53	40 3/8	—	47	66 lbs.	7.6
CBV307240UMK	$ 4704	27 1/16	65	40 3/8	—	59	60 lbs.	6.6
CBV306640UMK	4672	27 1/16	59	40 3/8	—	53	59 lbs.	6.5
CBV306040UMK	4640	27 1/16	53	40 3/8	—	47	57 lbs.	6.4
CBV305440UMK	4609	27 1/16	47 1/16	40 3/8	—	41 1/16	54 lbs.	6.3
CBV304840UMK	4577	27 1/16	41 1/16	40 3/8	—	35 1/16	51 lbs.	6.2
CBV247240UMK	$ 4418	21	65	40 3/8	—	59	51 lbs.	5.5
CBV246640UMK	4388	21	59	40 3/8	—	53	50 lbs.	5.4
CBV246040UMK	4359	21	53	40 3/8	—	47	48 lbs.	5.3
CBV245440UMK	4329	21	47 1/16	40 3/8	—	41 1/16	45 lbs.	5.2
CBV244840UMK	4300	21	41 1/16	40 3/8	—	35 1/16	42 lbs.	5.1
VENEER INSERT								
CBV367240UWK	$ 7743	33 1/16	65	40 3/8	—	59	69 lbs.	7.8
CBV366640UWK	7690	33 1/16	59	40 3/8	—	53	68 lbs.	7.7
CBV366040UWK	7636	33 1/16	53	40 3/8	—	47	66 lbs.	7.6
CBV307240UWK	$ 6892	27 1/16	65	40 3/8	—	59	60 lbs.	6.6
CBV306640UWK	6847	27 1/16	59	40 3/8	—	53	59 lbs.	6.5
CBV306040UWK	6801	27 1/16	53	40 3/8	—	47	57 lbs.	6.4
CBV305440UWK	6757	27 1/16	47 1/16	40 3/8	—	41 1/16	54 lbs.	6.3
CBV304840UWK	6709	27 1/16	41 1/16	40 3/8	—	35 1/16	51 lbs.	6.2
CBV247240UWK	$ 5988	21	65	40 3/8	—	59	51 lbs.	5.5
CBV246640UWK	5948	21	59	40 3/8	—	53	50 lbs.	5.4
CBV246040UWK	5912	21	53	40 3/8	—	47	48 lbs.	5.3
CBV245440UWK	5868	21	47 1/16	40 3/8	—	41 1/16	45 lbs.	5.2
CBV244840UWK	5827	21	41 1/16	40 3/8	—	35 1/16	42 lbs.	5.1

- Reference the Base Kit model number to specify the appropriate rectangular worksurface size (ex. CBV**3672**40UWK uses a 36x72 top)
- Each base includes 2 6" x 6" mounting plates
- Intended to be used with rectangular component surfaces from WaveWorks or Epic
- Adjustable glides are standard
- Intended to use same size rectangular top as size of base kit
- Assembly required
- Cannot specify a left, right, or center grommet on worksurfaces when using with a support base kit U-style
- Metal base and metal base inserts are available in 6 paint options: Designer White (405), Concrete (423), Cinder (462), Iron (463), Platinum Metallic (501), and Satin Nickel Metallic (503)
- Clear Walnut (EW) is available on veneer insert

PRODUCT SPECIFICATIONS

- Refer to base/table matrix on pages 665-668 for recommended worksurface and base applications

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NAC03WM

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
UNDERSURFACE WIRE MANAGER	NAC03WM	Black Plastic (Set of 5)	$ 43	5¼	2⅝	1¾	—	—	3 lbs.	0.1
	• Not recommended for use with WaveWorks flip/nest training tables									
MESH WIRE MANAGER	NAC0318WMM	Black	$ 133	3	17½	—	—	—	2 lbs.	0.1
	• Applicable to all 2½" diameter C, T and X bases • Wraps around leg and is secured with Velcro®									
VERTICAL WIRE MANAGER	NAC0318WMV	Cinder	$ 271	3	18	—	—	—	2 lbs.	0.1
	NAC0318WMVS	Platinum Metallic	271	3	18	—	—	—	2 lbs.	0.1
	NAC0318WMVN	Satin Nickel Metallic	271	3	18	—	—	—	2 lbs.	0.1
	• Applicable to all 2½" diameter C, T and X bases • Clamps to leg; no hardware required									
UNDERSURFACE SUPPORT RAIL (WORKSURFACE)	QNAC0248SUR		$ 266	2¾	48	1	—	—	5 lbs.	0.5
	NAC0248SUR		266	2¾	48	1	—	—	5 lbs.	0.5
	QNAC0236SUR		228	2¾	36	1	—	—	3 lbs.	0.3
	NAC0236SUR		228	2¾	36	1	—	—	3 lbs.	0.3
	• Specify model number only • Model recommended for use when the weight on the table has a uniform weight above 125 lbs. or if the span between table legs or support structures is greater than 48" on a 1⅜" worksurface and greater than 60" on a 1⅜" worksurface • Specify the 36" model to be used up to 66" worksurfaces • Specify the 48" model to be used up to 72" worksurfaces • Specify with worksurfaces when overlapping box/file height storage, sit on box/file height storage and supports worksurface height worksurfaces • Rails are bulk packed per order. The pack may contain both sizes of rails									
WORKSURFACE TO STORAGE BRACKET	NACBRWSS	Black	$ 44	2	16	1⅜	—	—	2 lbs.	0.3
	• Specify when supporting a surface ganged to vertical storage • Cannot be used with metal storage units									

BASES AND SUPPORT

PRODUCT SPECIFICATIONS

- Refer to base/table matrix on pages 665-668 for recommended worksurface and base applications

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

CBV3072ABEB

ELECTRIC ADJUSTABLE HEIGHT BASE

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
CBV3072ABEB	Cinder	$ 2986	29	62⅞	25³⁄₁₆-44¹⁄₁₆		–	67 lbs.	2.3
CBV3072ABES	Platinum Metallic	2986	29	62⅞	25³⁄₁₆-44¹⁄₁₆		–	67 lbs.	2.3
CBV3072ABEN	Satin Nickel Metallic	2986	29	62⅞	25³⁄₁₆-44¹⁄₁₆		–	67 lbs.	2.3
CBV3066ABEB	Cinder	$ 2978	29	56⅞	25³⁄₁₆-44¹⁄₁₆		–	67 lbs.	2.3
CBV3066ABES	Platinum Metallic	2978	29	56⅞	25³⁄₁₆-44¹⁄₁₆		–	67 lbs.	2.3
CBV3066ABEN	Satin Nickel Metallic	2978	29	56⅞	25³⁄₁₆-44¹⁄₁₆		–	67 lbs.	2.3
CBV3060ABEB	Cinder	$ 2970	29	50⅞	25³⁄₁₆-44¹⁄₁₆		–	65 lbs.	2.1
CBV3060ABES	Platinum Metallic	2970	29	50⅞	25³⁄₁₆-44¹⁄₁₆		–	65 lbs.	2.1
CBV3060ABEN	Satin Nickel Metallic	2970	29	50⅞	25³⁄₁₆-44¹⁄₁₆		–	65 lbs.	2.1
CBV3048ABEB	Cinder	$ 2890	29	38⅞	25³⁄₁₆-44¹⁄₁₆		–	65 lbs.	2.1
CBV3048ABES	Platinum Metallic	2890	29	38⅞	25³⁄₁₆-44¹⁄₁₆		–	65 lbs.	2.1
CBV3048ABEN	Satin Nickel Metallic	2890	29	38⅞	25³⁄₁₆-44¹⁄₁₆		–	65 lbs.	2.1
CBV2472ABEB	Cinder	$ 2825	23	62⅞	25³⁄₁₆-44¹⁄₁₆		–	65 lbs.	2.1
CBV2472ABES	Platinum Metallic	2825	23	62⅞	25³⁄₁₆-44¹⁄₁₆		–	65 lbs.	2.1
CBV2472ABEN	Satin Nickel Metallic	2825	23	62⅞	25³⁄₁₆-44¹⁄₁₆		–	65 lbs.	2.1
CBV2466ABEB	Cinder	$ 2817	23	56⅞	25³⁄₁₆-44¹⁄₁₆		–	65 lbs.	2.1
CBV2466ABES	Platinum Metallic	2817	23	56⅞	25³⁄₁₆-44¹⁄₁₆		–	65 lbs.	2.1
CBV2466ABEN	Satin Nickel Metallic	2817	23	56⅞	25³⁄₁₆-44¹⁄₁₆		–	65 lbs.	2.1
CBV2460ABEB	Cinder	$ 2810	23	50⅞	25³⁄₁₆-44¹⁄₁₆		–	64 lbs.	2.1
CBV2460ABES	Platinum Metallic	2810	23	50⅞	25³⁄₁₆-44¹⁄₁₆		–	64 lbs.	2.1
CBV2460ABEN	Satin Nickel Metallic	2810	23	50⅞	25³⁄₁₆-44¹⁄₁₆		–	64 lbs.	2.1
CBV2448ABEB	Cinder	$ 2731	23	38⅞	25³⁄₁₆-44¹⁄₁₆		–	64 lbs.	2.1
CBV2448ABES	Platinum Metallic	2731	23	38⅞	25³⁄₁₆-44¹⁄₁₆		–	64 lbs.	2.1
CBV2448ABEN	Satin Nickel Metallic	2731	23	38⅞	25³⁄₁₆-44¹⁄₁₆		–	64 lbs.	2.1

- Reference the model number to specify the approximate worksurface size (ex. CBV**3072**ABEB uses a 30 x 72 top)
- For use with 30" and 24" WaveWorks and Epic worksurfaces
- Rated for maximum of 250 lbs.
- Some assembly required
- All hardware and electrical included
- 1 touch button allows for up/down adjustment
- Electrical cord is 9' long (108")
- Adjustable glides

PRODUCT SPECIFICATIONS

- Refer to base/table matrix on pages 665-668 for recommended worksurface and base applications

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

CBV3072ABCB

MANUAL (HAND CRANK) ADJUSTABLE HEIGHT BASE

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
CBV3072ABCB	Cinder	$ 2408	29	62⅞	25³⁄₁₆-43½		—	67 lbs.	2.3
CBV3072ABCS	Platinum Metallic	2408	29	62⅞	25³⁄₁₆-43½		—	67 lbs.	2.3
CBV3072ABCN	Satin Nickel Metallic	2408	29	62⅞	25³⁄₁₆-43½		—	67 lbs.	2.3
CBV3066ABCB	Cinder	$ 2329	29	56⅞	25³⁄₁₆-43½			67 lbs.	2.3
CBV3066ABCS	Platinum Metallic	2329	29	56⅞	25³⁄₁₆-43½		—	67 lbs.	2.3
CBV3066ABCN	Satin Nickel Metallic	2329	29	56⅞	25³⁄₁₆-43½		—	67 lbs.	2.3
CBV3060ABCB	Cinder	$ 2248	29	50⅞	25³⁄₁₆-43½		—	65 lbs.	2.1
CBV3060ABCS	Platinum Metallic	2248	29	50⅞	25³⁄₁₆-43½		—	65 lbs.	2.1
CBV3060ABCN	Satin Nickel Metallic	2248	29	50⅞	25³⁄₁₆-43½			65 lbs.	2.1
CBV3048ABCB	Cinder	$ 2168	29	38⅞	25³⁄₁₆-43½		—	65 lbs.	2.1
CBV3048ABCS	Platinum Metallic	2168	29	38⅞	25³⁄₁₆-43½		—	65 lbs.	2.1
CBV3048ABCN	Satin Nickel Metallic	2168	29	38⅞	25³⁄₁₆-43½		—	65 lbs.	2.1
CBV2472ABCB	Cinder	$ 2022	23	62⅞	25³⁄₁₆-43½		—	65 lbs.	2.1
CBV2472ABCS	Platinum Metallic	2022	23	62⅞	25³⁄₁₆-43½		—	65 lbs.	2.1
CBV2472ABCN	Satin Nickel Metallic	2022	23	62⅞	25³⁄₁₆-43½		—	65 lbs.	2.1
CBV2466ABCB	Cinder	$ 2017	23	56⅞	25³⁄₁₆-43½		—	65 lbs.	2.1
CBV2466ABCS	Platinum Metallic	2017	23	56⅞	25³⁄₁₆-43½		—	65 lbs.	2.1
CBV2466ABCN	Satin Nickel Metallic	2017	23	56⅞	25³⁄₁₆-43½		—	65 lbs.	2.1
CBV2460ABCB	Cinder	$ 2008	23	50⅞	25³⁄₁₆-43½		—	64 lbs.	2.1
CBV2460ABCS	Platinum Metallic	2008	23	50⅞	25³⁄₁₆-43½		—	64 lbs.	2.1
CBV2460ABCN	Satin Nickel Metallic	2008	23	50⅞	25³⁄₁₆-43½		—	64 lbs.	2.1
CBV2448ABCB	Cinder	$ 1925	23	38⅞	25³⁄₁₆-43½		—	64 lbs.	2.1
CBV2448ABCS	Platinum Metallic	1925	23	38⅞	25³⁄₁₆-43½		—	64 lbs.	2.1
CBV2448ABCN	Satin Nickel Metallic	1925	23	38⅞	25³⁄₁₆-43½		—	64 lbs.	21

- Reference the model number to specify the approximate worksurface size (ex. CBV**3072**ABCB uses a 30 x 72 top)
- For use with 30" and 24" WaveWorks and Epic worksurfaces
- Rated for maximum of 250 lbs.
- Some assembly required
- All hardware included
- Hand crank takes 5 full turns per inch of adjustment
- Adjustable glides

"L" ADJUSTABLE HEIGHT BASES

"L" ADJUSTABLE HEIGHT BASE AND WORKSURFACE MATRIX



- The "L" adjustable height base, extended corner component worksurface, and the rectangular component top worksurfaces are all specified separately; base can be used as right handed or left handed
- Extended corner can be ordered as left hand or right hand component tops
- Extended corner component tops should be configured as an extension so there are worksurface mounting brackets
- Rectangular component tops must be ordered in the vertical grain direction
- Epic or WaveWorks component worksurfaces can be utilized with the "L" adjustable height bases
- Rectangular component knife tops must be K1 models
- Not recommended to modify the size of the top from the standard size
- The following matrix shows what size extended corner worksurface and rectangular component top should be specified when ordering the Adjustable Height "L" Base

ELECTRICAL ADJUSTABLE HEIGHT "L" BASE	BASE MODEL NUMBER	COLOR	DEPTH A	DEPTH B	WIDTH A	WIDTH B	EXTENDED CORNER (LEFT OR RIGHT)	RECTANGULAR COMPONENT TOP
	CBV7272ALBEB	Cinder	24	24	72	72	36 x 72	24 x 36
							38 x 72 (K2)	26 x 36 (K1)
	CBV7272ALBES	Platinum Metallic	24	24	72	72	36 x 72	24 x 36
							38 x 72 (K2)	26 x 36 (K1)
	CBV7272ALBEN	Satin Nickel Metallic	24	24	72	72	36 x 72	24 x 36
							38 x 72 (K2)	26 x 36 (K1)
	CBV7266ALBEB	Cinder	24	24	72	66	36 x 72	24 x 30
							38 x 72 (K2)	26 x 30 (K1)
	CBV7266ALBES	Platinum Metallic	24	24	72	66	36 x 72	24 x 30
							38 x 72 (K2)	26 x 30 (K1)
	CBV7266ALBEN	Satin Nickel Metallic	24	24	72	66	36 x 72	24 x 30
							38 x 72 (K2)	26 x 30 (K1)
	CBV7266ALBEB	Cinder	24	24	66	72	36 x 66	24 x 36
							38 x 66 (K2)	26 x 36 (K1)
	CBV7266ALBES	Platinum Metallic	24	24	66	72	36 x 66	24 x 36
							38 x 66 (K2)	26 x 36 (K1)
	CBV7266ALBEN	Satin Nickel Metallic	24	24	66	72	36 x 66	24 x 36
							38 x 66 (K2)	26 x 36 (K1)
	CBV6666ALBEB	Cinder	24	24	66	66	36 x 66	24 x 30
							38 x 66 (K2)	26 x 30 (K1)
	CBV6666ALBES	Platinum Metallic	24	24	66	66	36 x 66	24 x 30
							38 x 66 (K2)	26 x 30 (K1)
	CBV6666ALBEN	Satin Nickel Metallic	24	24	66	66	36 x 66	24 x 30
							38 x 66 (K2)	26 x 30 (K1)
	CBV6072ALBEB	Cinder	24	24	72	60	36 x 60	24 x 36
							38 x 60 (K2)	26 x 36 (K1)
	CBV6072ALBES	Platinum Metallic	24	24	72	60	36 x 60	24 x 36
							38 x 60 (K2)	26 x 36 (K1)
	CBV6072ALBEN	Satin Nickel Metallic	24	24	72	60	36 x 60	24 x 36
							38 x 60 (K2)	26 x 36 (K1)
	CBV6066ALBEB	Cinder	24	24	66	60	36 x 60	24 x 30
							38 x 60 (K2)	26 x 30 (K1)
	CBV6066ALBES	Platinum Metallic	24	24	66	60	36 x 60	24 x 30
							38 x 60 (K2)	26 x 30 (K1)
	CBV6066ALBEN	Satin Nickel Metallic	24	24	66	60	36 x 60	24 x 30
							38 x 60 (K2)	26 x 30 (K1)

"L" ADJUSTABLE HEIGHT BASES

MANUAL (HAND CRANK) ADJUSTABLE HEIGHT "L" BASE	BASE MODEL NUMBER	COLOR	DEPTH A	DEPTH B	WIDTH A	WIDTH B	EXTENDED CORNER (LEFT OR RIGHT)	RECTANGULAR COMPONENT TOP
	CBV7272ALBCB	Cinder	24	24	72	72	36 x 72	24 x 36
							38 x 72 (K2)	26 x 36 (K1)
	CBV7272ALBCS	Platinum Metallic	24	24	72	72	36 x 72	24 x 36
							38 x 72 (K2)	26 x 36 (K1)
	CBV7272ALBCN	Satin Nickel Metallic	24	24	72	72	36 x 72	24 x 36
							38 x 72 (K2)	26 x 36 (K1)
	CBV7266ALBCB	Cinder	24	24	72	66	36 x 72	24 x 30
							38 x 72 (K2)	26 x 30 (K1)
	CBV7266ALBCS	Platinum Metallic	24	24	72	66	36 x 72	24 x 30
							38 x 72 (K2)	26 x 30 (K1)
	CBV7266ALBCN	Satin Nickel Metallic	24	24	72	66	36 x 72	24 x 30
							38 x 72 (K2)	26 x 30 (K1)
	CBV7266ALBCB	Cinder	24	24	66	72	36 x 66	24 x 36
							38 x 66 (K2)	26 x 36 (K1)
	CBV7266ALBCS	Platinum Metallic	24	24	66	72	36 x 66	24 x 36
							38 x 66 (K2)	26 x 36 (K1)
	CBV7266ALBCN	Satin Nickel Metallic	24	24	66	72	36 x 66	24 x 36
							38 x 66 (K2)	26 x 36 (K1)
	CBV6666ALBCB	Cinder	24	24	66	66	36 x 66	24 x 30
							38 x 66 (K2)	26 x 30 (K1)
	CBV6666ALBCS	Platinum Metallic	24	24	66	66	36 x 66	24 x 30
							38 x 66 (K2)	26 x 30 (K1)
	CBV6666ALBCN	Satin Nickel Metallic	24	24	66	66	36 x 66	24 x 30
							38 x 66 (K2)	26 x 30 (K1)
	CBV6072ALBCB	Cinder	24	24	72	60	36 x 60	24 x 36
							38 x 60 (K2)	26 x 36 (K1)
	CBV6072ALBCS	Platinum Metallic	24	24	72	60	36 x 60	24 x 36
							38 x 60 (K2)	26 x 36 (K1)
	CBV6072ALBCN	Satin Nickel Metallic	24	24	72	60	36 x 60	24 x 36
							38 x 60 (K2)	26 x 36 (K1)
	CBV6066ALBCB	Cinder	24	24	66	60	36 x 60	24 x 30
							38 x 60 (K2)	26 x 30 (K1)
	CBV6066ALBCS	Platinum Metallic	24	24	66	60	36 x 60	24 x 30
							38 x 60 (K2)	26 x 30 (K1)
	CBV6066ALBCN	Satin Nickel Metallic	24	24	66	60	36 x 60	24 x 30
							38 x 60 (K2)	26 x 30 (K1)

"L" ADJUSTABLE HEIGHT BASES

TO ORDER, SPECIFY:

1. Model Number

ELECTRICAL ADJUSTABLE HEIGHT "L" BASE KIT



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
CBV7272ALBEB	Cinder	$ 4460	23	62⅞	25³⁄₁₆-44¹⁄₁₆		–	87 lbs.	3.1
CBV7272ALBES	Platinum Metallic	4460	23	62⅞	25³⁄₁₆-44¹⁄₁₆		–	87 lbs.	3.1
CBV7272ALBEN	Satin Nickel Metallic	4460	23	62⅞	25³⁄₁₆-44¹⁄₁₆		–	87 lbs.	3.1
CBV7266ALBEB	Cinder	$ 4350	23	62⅞	25³⁄₁₆-44¹⁄₁₆		–	87 lbs.	3.1
CBV7266ALBES	Platinum Metallic	4350	23	62⅞	25³⁄₁₆-44¹⁄₁₆		–	87 lbs.	3.1
CBV7266ALBEN	Satin Nickel Metallic	4350	23	62⅞	25³⁄₁₆-44¹⁄₁₆		–	87 lbs.	3.1
CBV6666ALBEB	Cinder	$ 4240	23	56⅞	25³⁄₁₆-44¹⁄₁₆		–	87 lbs.	3.1
CBV6666ALBES	Platinum Metallic	4240	23	56⅞	25³⁄₁₆-44¹⁄₁₆		–	87 lbs.	3.1
CBV6666ALBEN	Satin Nickel Metallic	4240	23	56⅞	25³⁄₁₆-44¹⁄₁₆		–	87 lbs.	3.1
CBV6072ALBEB	Cinder	$ 4240	23	50⅞	25³⁄₁₆-44¹⁄₁₆		–	87 lbs.	3.1
CBV6072ALBES	Platinum Metallic	4240	23	50⅞	25³⁄₁₆-44¹⁄₁₆		–	87 lbs.	3.1
CBV6072ALBEN	Satin Nickel Metallic	4240	23	50⅞	25³⁄₁₆-44¹⁄₁₆		–	87 lbs.	3.1
CBV6066ALBEB	Cinder	$ 4124	23	50⅞	25³⁄₁₆-44¹⁄₁₆		–	80 lbs.	2.8
CBV6066ALBES	Platinum Metallic	4124	23	50⅞	25³⁄₁₆-44¹⁄₁₆		–	80 lbs.	2.8
CBV6066ALBEN	Satin Nickel Metallic	4124	23	50⅞	25³⁄₁₆-44¹⁄₁₆		–	80 lbs.	2.8

- Rated for a maximum of 300 lbs.
- Reference the matrix on pages 700-701 when specifying the Adjustable Height "L" Base Kit, extended corner component worksurface, and the rectangular component top worksurface
- Can be configured as right or left handed
- Hold button in to move up and down
- Electrical cord is 9' long (108")
- Adjustable glides

"L" ADJUSTABLE HEIGHT BASES

TO ORDER, SPECIFY:

1. Model Number

MANUAL (HAND CRANK) ADJUSTABLE HEIGHT "L" BASE KIT



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
CBV7272ALBCB	Cinder	$ 3357	23	62⅞	25¾₁₆-43½		—	87 lbs.	3.1
CBV7272ALBCS	Platinum Metallic	3357	23	62⅞	25¾₁₆-43½		—	87 lbs.	3.1
CBV7272ALBCN	Satin Nickel Metallic	3357	23	62⅞	25¾₁₆-43½		—	87 lbs.	3.1
CBV7266ALBCB	Cinder	$ 3242	23	62⅞	25¾₁₆-43½		—	87 lbs.	3.1
CBV7266ALBCS	Platinum Metallic	3242	23	62⅞	25¾₁₆-43½		—	87 lbs.	3.1
CBV7266ALBCN	Satin Nickel Metallic	3242	23	62⅞	25¾₁₆-43½		—	87 lbs.	3.1
CBV6666ALBCB	Cinder	$ 3130	23	56⅞	25¾₁₆-43½		—	87 lbs.	3.1
CBV6666ALBCS	Platinum Metallic	3130	23	56⅞	25¾₁₆-43½		—	87 lbs.	3.1
CBV6666ALBCN	Satin Nickel Metallic	3130	23	56⅞	25¾₁₆-43½		—	87 lbs.	3.1
CBV6072ALBCB	Cinder	$ 3130	23	50⅞	25¾₁₆-43½		—	87 lbs.	3.1
CBV6072ALBCS	Platinum Metallic	3130	23	50⅞	25¾₁₆-43½		—	87 lbs.	3.1
CBV6072ALBCN	Satin Nickel Metallic	3130	23	50⅞	25¾₁₆-43½		—	87 lbs.	3.1
CBV6066ALBCB	Cinder	$ 3019	23	50⅞	25¾₁₆-43½		—	80 lbs.	2.8
CBV6066ALBCS	Platinum Metallic	3019	23	50⅞	25¾₁₆-43½		—	80 lbs.	2.8
CBV6066ALBCN	Satin Nickel Metallic	3019	23	50⅞	25¾₁₆-43½		—	80 lbs.	2.8

- Rated for a maximum of 300 lbs.
- Reference the matrix on pages 700-701 when specifying the Adjustable Height "L" Base Kit, extended corner component worksurface, and the rectangular component top worksurface
- Can be configured as right or left handed
- Hand crank takes 5 full turns per inch of adjustment
- Adjustable glides

"L" CONFIGURATION WAVEWORKS WORKSURFACES

WAVEWORKS PRODUCT SPECIFICATIONS

WORKSURFACE

- Laminate surfaces are 1⅜" or 1⅜" HPL (high pressure laminate) or 1⅛" TFL (thermally fused laminate), and feature a 3mm PVC rim or 6 veneer rim options
- Veneer surfaces are 1⅜" plain sliced slipmatched cherry (Amber, Autumn, Mocha, Truffle) or maple veneer (Brighton, Caramel, Honey, Natural), plain sliced bookmatched walnut veneer (Cordovan, Judicial), quarter cut walnut veneer (Almond, Portobello, Sable), or quarter cut oak veneer (Sonoma). All veneer surfaces feature a 3mm wood rim

FINISH APPLICATION

- All Veneer surfaces feature a semi-open pore matte finish
- When specifying Clear Walnut, a clear coat finish, the natural wood characteristics of walnut veneer are visible. These characteristics include, but are not limited to, color and woodgrain variation

RIM PROFILE OPTIONS



Softened Wood (F)

Reed Wood (R)



Cove Wood (P)*

Zip Wood (Z)

Concave Wood (C)*

Step Wood (T)*



Softened PVC (V)



Reed PVC (N)

*Not recommended with SM Sonoma

PVC REED RIM

AC2	Autumn 2
CL	Caramel
CW	Cordovan
DW	Judicial
HN2	Honey 2
MC	Amber
MH	Mocha
NM	Natural
TF	Truffle

PVC SOFTENED RIM

AC2	Autumn 2
AD	Almond
BZ	Brazilwood
CI	Chai
CL	Caramel
CW	Cordovan
DW	Judicial
HN2	Honey 2
IM	Brighton
KN	Kona
MC	Amber
MH	Mocha
NM	Natural
PB	Portobello
PC	Porcini
PT	Portico
SK	Skyline
SM	Sonoma
TF	Truffle
WL	Willow
405	Designer White
419	Wallaby
425	Shadow
440	Cloud
457	Dapple
461	Graphite
462	Cinder
478	Platinum Grey
488	Frosty White
491	Designer White Linear
492	Cinder Linear
792	Sable
793	Acorn

WOOD RIM

AC	Autumn
AD	Almond
CL	Caramel
CW	Cordovan
DW	Judicial
EW	Clear Walnut
HN	Honey
IM	Brighton
MC	Amber
MH	Mocha
NM	Natural
PB	Portobello
SM	Sonoma
TF	Truffle
792	Sable

GALLERY PVC SOFTENED RIM

Grade 1 – 5% upcharge

G1001	Citadel
G1011	Pepperdust

Grade 2 – 6% upcharge

G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

See page 14 for Gallery program details and upcharges

WOOD FINISHES

AC	Autumn
AD	Almond
CL	Caramel
CW	Cordovan
DW	Judicial
EW	Clear Walnut**
HN	Honey
IM	Brighton
MC	Amber
MH	Mocha
NM	Natural
PB	Portobello
SM	Sonoma
TF	Truffle
792	Sable

WORKSURFACE/MODESTY TYPE

M Main
E Extension
F Filler

M = 0 Connecting Worksurface Flat Brackets
E = 2 Connecting Worksurface Flat Brackets
F = 4 Connecting Worksurface Flat Brackets

LAMINATE WORKSURFACES

WOODGRAIN LAMINATE

AC2	Autumn 2
AD	Almond
BZ	Brazilwood
CI	Chai
CL	Caramel
CW	Cordovan
DW	Judicial
HN2	Honey 2
IM	Brighton
KN	Kona
MC	Amber
NM	Natural
PB	Portobello
PC	Porcini
PT	Portico*
SK	Skyline*
SM	Sonoma
TF	Truffle
WL	Willow
792	Sable
793	Acorn*

*Not available on laminate/wood models
**Acorn is the laminate complement to Clear Walnut finish

SOLID LAMINATE

405	Designer White
419	Wallaby
425	Shadow
440	Cloud
457	Dapple
461	Graphite
462	Cinder
478	Platinum Grey
488	Frosty White
491	Designer White Linear
492	Cinder Linear

- CSL available; see page 14 for program details and upcharge
- CSL not available on TFL

PATTERN LAMINATE

814	White Tigris
818	Crisp Linen
819	Flax Gauze
821	Elemental Concrete
822	Smoke Quarstone

- Pattern laminates not available on TFL models

GALLERY LAMINATE

Grade 1 – 5% upcharge

G1001	Citadel
G1011	Pepperdust

Grade 2 – 6% upcharge

G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

See page 14 for Gallery program details and upcharges

GROMMET OPTIONS

If no grommet is desired, specify an X (No Grommet)

Round Grommet, Nylon Plastic



$40 list for each grommet

G1L	Left
G1R	Right
G1LR	Left & Right
G1C	Center
G1LC	Left & Center
G1RC	Right & Center
G1A	Left, Right & Center

Racetrack Grommet, Satin Nickel Metallic



$45 list for each grommet

G11SNL	Left
G11SNR	Right
G11SNLR	Left & Right
G11SNC	Center
G11SNLC	Left & Center
G11SNRC	Right & Center
G11SNA	Left, Right & Center

Racetrack Grommet, Cinder



$45 list for each grommet

G11MBL	Left
G11MBR	Right
G11MBLR	Left & Right
G11MBC	Center
G11MBLC	Left & Center
G11MBRC	Right & Center
G11MBA	Left, Right & Center

Racetrack Grommet, Platinum Metallic



$45 list for each grommet

G11PLL	Left
G11PLR	Right
G11PLLR	Left & Right
G11PLC	Center
G11PLLC	Left & Center
G11PLRC	Right & Center
G11PLA	Left, Right & Center

Cutout Option for 1 Touch Pivoting Power Grommet

$40 list upcharge per cutout location

CUT-G17L	Left
CUT-G17R	Right
CUT-G17LR	Left & Right
CUT-G17C	Center
CUT-G17LC	Left & Center
CUT-G17RC	Right & Center
CUT-G17A	Left, Right & Center



- Reference page 362 for cutout locations of CUT-G17

NACG17AELPGB, NACG17AELPGS, and NACG17AELPGW (Sold Separately)



NACG17BELPGB, NACG17BELPGS, and NACG17BELPGW (Sold Separately)



NACG17CELPGB, NACG17CELPGS, and NACG17CELPGW (Sold Separately)

- Reference page 757 for pricing and details

NOTE: Interlink IQ units are available in the Accessories section

WORKSURFACE WIRE MANAGER COLORS

403	Chamois	425	Shadow	462	Cinder
405	Designer White	440	Cloud	478	Platinum Grey
419	Wallaby	461	Graphite	485	Dark Chocolate

"L" CONFIGURATION EPIC WORKSURFACES

EPIC PRODUCT SPECIFICATIONS

WORKSURFACE

- Laminate surfaces are 1⅜" HPL (high pressure laminate), and feature a 3mm PVC or wood rim or a knife rim profile
- Veneer surfaces are 1⅜" plain sliced slipmatched cherry (Amber, Autumn, Mocha, Truffle) or maple veneer (Brighton, Caramel, Honey, Natural), plain sliced bookmatched walnut veneer (Cordovan, Judicial), or quarter cut walnut veneer (Almond, Portobello, Sable), or quarter cut oak veneer (Sonoma), and feature a 3mm wood rim or knife rim profile
- Knife rim surfaces available on 1 (K1) and/or 2 (K2) sides to simplify space planning

FINISH APPLICATION

- All Veneer surfaces feature a semi-open pore matte finish

RIM PROFILE OPTIONS



Softened PVC (V)



Softened Wood (F)



Knife (K)

WOOD FINISHES

AC Autumn
AD Almond
CL Caramel
CW Cordovan
DW Judicial
HN Honey
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
SM Sonoma
TF Truffle
792 Sable

PVC SOFTENED RIM

AC2 Autumn 2
AD Almond
BZ Brazilwood
CI Chai
CL Caramel
CW Cordovan
DW Judicial
HN2 Honey 2
IM Brighton
KN Kona
MC Amber
MH Mocha
NM Natural
PB Portobello
PC Porcini
PT Portico
SK Skyline
SM Sonoma
TF Truffle
WL Willow
405 Designer White
419 Wallaby
425 Shadow
440 Cloud
457 Dapple
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear
792 Sable
793 Acorn

WOOD RIM

AC Autumn
AD Almond
CL Caramel
CW Cordovan
DW Judicial
HN Honey
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
SM Sonoma
TF Truffle
792 Sable

GALLERY PVC SOFTENED RIM

Grade 1 – 5% upcharge
G1001 Citadel
G1011 Pepperdust

Grade 2 – 6% upcharge
G1002 Planked Raw Oak
G1003 Evening Notte
G1004 Kirsche
G1005 Midnight Run
G1006 Sepia Walnut
G1007 Serotina
G1008 Timeless
G1009 White Nebbia
G1012 Phantom Ecru

See page 14 for Gallery program details and upcharges

LAMINATE WORKSURFACES

WOODGRAIN LAMINATE

AC2	Autumn 2	MH	Mocha
AD	Almond	NM	Natural
BZ	Brazilwood	PB	Portobello
CI	Chai	PC	Porcini
CL	Caramel	PT	Portico
CW	Cordovan	SK	Skyline
DW	Judicial	SM	Sonoma
HN2	Honey 2	TF	Truffle
IM	Brighton	WL	Willow
KN	Kona	792	Sable
MC	Amber	793	Acorn

SOLID LAMINATE

405	Designer White
419	Wallaby
425	Shadow
440	Cloud
457	Dapple
461	Graphite
462	Cinder
478	Platinum Grey
488	Frosty White
491	Designer White Linear
492	Cinder Linear

- CSL available; see page 14 for program details and upcharge

PATTERN LAMINATE

814	White Tigris
818	Crisp Linen
819	Flax Gauze
821	Elemental Concrete
822	Smoke Quarstone

GALLERY LAMINATE

Grade 1 – 5% upcharge

G1001	Citadel
G1011	Pepperdust

Grade 2 – 6% upcharge

G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

See page 14 for Gallery program details and upcharges

GROMMET OPTIONS

If no grommet is desired, specify an X (No Grommet)

Round Grommet, Black Plastic



$40 list for each grommet

G1L	Left
G1R	Right
G1LR	Left & Right
G1C	Center
G1LC	Left & Center
G1RC	Right & Center
G1A	Left, Right & Center

Racetrack Grommet, Satin Nickel Metallic



$45 list for each grommet

G11SNL	Left
G11SNR	Right
G11SNLR	Left & Right
G11SNC	Center
G11SNLC	Left & Center
G11SNRC	Right & Center
G11SNA	Left, Right & Center

Racetrack Grommet, Cinder



$45 list for each grommet

G11MBL	Left
G11MBR	Right
G11MBLR	Left & Right
G11MBC	Center
G11MBLC	Left & Center
G11MBRC	Right & Center
G11MBA	Left, Right & Center

Racetrack Grommet, Platinum Metallic



$45 list for each grommet

G11PLL	Left
G11PLR	Right
G11PLLR	Left & Right
G11PLC	Center
G11PLLC	Left & Center
G11PLRC	Right & Center
G11PLA	Left, Right & Center

Cutout Option for 1 Touch Pivoting Power Grommet

$40 list upcharge per cutout location

CUT-G17L	Left
CUT-G17R	Right
CUT-G17LR	Left & Right
CUT-G17C	Center
CUT-G17LC	Left & Center
CUT-G17RC	Right & Center
CUT-G17A	Left, Right & Center



- Reference page 362 for cutout locations of CUT-G17

NACG17AELPGB, NACG17AELPGS, and NACG17AELPGW (Sold Separately)



NACG17BELPGB, NACG17BELPGS, and NACG17BELPGW (Sold Separately)



NACG17CELPGB, NACG17CELPGS, and NACG17CELPGW (Sold Separately)

- Reference page 757 for pricing and details

NOTE: Interlink IQ units are available in the Accessories section

WORKSURFACE/MODESTY TYPE

M	Main
E	Extension
F	Filler

M = 0 Connecting Worksurface Flat Brackets
E = 2 Connecting Worksurface Flat Brackets
F = 4 Connecting Worksurface Flat Brackets

WORKSURFACE WIRE MANAGER COLORS

403	Chamois	425	Shadow	462	Cinder
405	Designer White	440	Cloud	478	Platinum Grey
419	Wallaby	461	Graphite	485	Dark Chocolate

"L" CONFIGURATION WAVEWORKS WORKSURFACES

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Extended corner worksurfaces should be configured as an extension so there are worksurface mounting brackets
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Refer to page 362 for grommet locations; and page 705 for grommet upcharge
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim Profile
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Laminate Top Color/ Veneer Top Finish
8. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN3672WSCEDLW2	E	F	X	D1B403	MH	
WWN3672WSCEDLL2	E	V440	X	D1L440	440	
WWN3672WSCEDLLW2	E	F	X	D1R440	MH	MH

• See pages 704-705 for all options available in Bases and Support

EXTENDED CORNER WORKSURFACE



Left shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1 9/16" TOP THICKNESS										
LEFT	**RIGHT**									
WWN3672WSCEDLW2	WWN3672WSCEDRW2	Wood	$ 1968	35 13/16	72	1 9/16	–	–	79 lbs.	3.9
WWN3672WSCEDLLW2	WWN3672WSCEDRLW2	Laminate/Wood	1968	35 13/16	72	1 9/16	–	–	79 lbs.	3.9
WWN3672WSCEDLL2	WWN3672WSCEDRL2	Laminate	1671	35 13/16	72	1 9/16	–	–	79 lbs.	3.9
WWN3666WSCEDLW2	WWN3666WSCEDRW2	Wood	$ 1911	35 13/16	66	1 9/16	–	–	72 lbs.	3.6
WWN3666WSCEDLLW2	WWN3666WSCEDRLW2	Laminate/Wood	1911	35 13/16	66	1 9/16	–	–	72 lbs.	3.6
WWN3666WSCEDLL2	WWN3666WSCEDRL2	Laminate	1592	35 13/16	66	1 9/16	–	–	72 lbs.	3.6
WWN3660WSCEDLW2	WWN3660WSCEDRW2	Wood	$ 1795	35 13/16	60	1 9/16	–	–	65 lbs.	3.3
WWN3660WSCEDLLW2	WWN3660WSCEDRLW2	Laminate/Wood	1795	35 13/16	60	1 9/16	–	–	65 lbs.	3.3
WWN3660WSCEDLL2	WWN3660WSCEDRL2	Laminate	1520	35 13/16	60	1 9/16	–	–	65 lbs.	3.3

- Wire Manager available on left side, back or right side; see page 361 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 554
- For additional worksurface support, specify Undersurface Support Rail, see page 550
- Modified width and depth not available on this shape
- Intended for use with 24" deep worksurfaces
- For undersurface wire managers, see page 765

"L" CONFIGURATION WAVEWORKS WORKSURFACES

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Extended corner worksurfaces should be configured as an extension so there are worksurface mounting brackets
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Refer to page 362 for grommet locations; and page 705 for grommet upcharge
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim Profile
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Laminate Top Color/ Veneer Top Finish
8. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW3672WSCEDLW2	E	F	X	D1B403	MH	
WW3672WSCEDLL2	E	V440	X	D1L440	440	
WW3672WSCEDLLW2	E	F	X	D1R440	MH	MH

• See pages 704-705 for all options available in Bases and Support

EXTENDED CORNER WORKSURFACE (CONTINUED)



Left shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1 3/16" TOP THICKNESS LEFT	**RIGHT**									
WW3672WSCEDLW2	WW3672WSCEDRW2	Wood	$ 1784	35 13/16	72	1 3/16	–	–	79 lbs.	3.9
WW3672WSCEDLLW2	WW3672WSCEDRLW2	Laminate/Wood	1784	35 13/16	72	1 3/16	–	–	79 lbs.	3.9
WW3672WSCEDLL2	WW3672WSCEDRL2	Laminate	1487	35 13/16	72	1 3/16	–	–	79 lbs.	3.9
WW3672WSCEDLLL2	WW3672WSCEDRLL2	TFL	1190	35 13/16	72	1 1/8	–	–	79 lbs.	3.9
WW3666WSCEDLW2	WW3666WSCEDRW2	Wood	$ 1723	35 13/16	66	1 3/16	–	–	72 lbs.	3.6
WW3666WSCEDLLW2	WW3666WSCEDRLW2	Laminate/Wood	1723	35 13/16	66	1 3/16	–	–	72 lbs.	3.6
WW3666WSCEDLL2	WW3666WSCEDRL2	Laminate	1414	35 13/16	66	1 3/16	–	–	72 lbs.	3.6
WW3666WSCEDLLL2	WW3666WSCEDRLL2	TFL	1131	35 13/16	66	1 1/8	–	–	72 lbs.	3.6
WW3660WSCEDLW2	WW3660WSCEDRW2	Wood	$ 1608	35 13/16	60	1 3/16	–	–	65 lbs.	3.3
WW3660WSCEDLLW2	WW3660WSCEDRLW2	Laminate/Wood	1608	35 13/16	60	1 3/16	–	–	65 lbs.	3.3
WW3660WSCEDLL2	WW3660WSCEDRL2	Laminate	1342	35 13/16	60	1 3/16	–	–	65 lbs.	3.3
WW3660WSCEDLLL2	WW3660WSCEDRLL2	TFL	1074	35 13/16	60	1 1/8	–	–	65 lbs.	3.3

- Wire Manager available on left side, back or right side; see page 361 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 554
- For additional worksurface support, specify Undersurface Support Rail, see page 550
- Modified width and depth not available on this shape
- Intended for use with 24" deep worksurfaces
- For undersurface wire managers, see page 765

"L" CONFIGURATION EPIC WORKSURFACES

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Extended corner worksurfaces should be configured as an extension so there are worksurface mounting brackets
- Rim on all 4 sides of (wood or laminate) softened rim worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Knife rim profile (wood or laminate) available on user side (indicated by K1) or user and approach side (indicated by K2)
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim Profile
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBER:

25N3672WSCERW2 E V G1A X MC

• See pages 706-707 for all options available in Bases and Support

EXTENDED CORNER WORKSURFACE



Left shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SOFTENED RIM										
LEFT	**RIGHT**									
25N3672WSCELW2	25N3672WSCERW2	Wood	$ 1856	35 15/16	72	1 3/16	–	–	72 lbs.	3.9
25N3672WSCELL2	25N3672WSCERL2	Laminate	1547	35 15/16	72	1 3/16	–	–	72 lbs.	3.9
25N3666WSCELW2	25N3666WSCERW2	Wood	$ 1791	35 15/16	66	1 3/16	–	–	72 lbs.	3.6
25N3666WSCELL2	25N3666WSCERL2	Laminate	1470	35 15/16	66	1 3/16	–	–	72 lbs.	3.6
25N3660WSCELW2	25N3660WSCERW2	Wood	$ 1671	35 15/16	60	1 3/16	–	–	65 lbs.	3.3
25N3660WSCELL2	25N3660WSCERL2	Laminate	1395	35 15/16	60	1 3/16	–	–	65 lbs.	3.3
KNIFE RIM										
LEFT	**RIGHT**									
25N3672WSCELW2K1	25N3672WSCERW2K1	Wood	$ 2413	36 1/16	71 15/16	1 3/16	–	–	79 lbs.	3.9
25N3672WSCELL2K1	25N3672WSCERL2K1	Laminate	2401	36 1/16	71 15/16	1 3/16	–	–	79 lbs.	3.9
25N3666WSCELW2K1	25N3666WSCERW2K1	Wood	$ 2330	36 1/16	66	1 3/16	–	–	72 lbs.	3.6
25N3666WSCELL2K1	25N3666WSCERL2K1	Laminate	2278	36 1/16	66	1 3/16	–	–	72 lbs.	3.6
25N3660WSCELW2K1	25N3660WSCERW2K1	Wood	$ 2170	36 1/16	60	1 3/16	–	–	65 lbs.	3.3
25N3660WSCELL2K1	25N3660WSCERL2K1	Laminate	2164	36 1/16	60	1 3/16	–	–	65 lbs.	3.3

- Wire Manager available on left side, back or right side; see page 361 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 554
- For additional worksurface support, specify Undersurface Support Rail, see page 550
- Modified width and depth not available on this shape
- Intended for use with 24" deep worksurfaces
- For undersurface wire managers, see page 765

"L" CONFIGURATION EPIC WORKSURFACES

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Extended corner worksurfaces should be configured as an extension so there are worksurface mounting brackets
- Rim on all 4 sides of (wood or laminate) softened rim worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Knife rim profile (wood or laminate) available on user side (indicated by K1) or user and approach side (indicated by K2)
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim Profile
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Veneer Top Finish/ Laminate Top Color

SAMPLE MODEL NUMBER:

25N3872WSCELW2K2 E V G1A X MC

- See pages 706-707 for all options available in Bases and Support

EXTENDED CORNER WORKSURFACE (CONTINUED)



Left shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
KNIFE RIM (CONTINUED)										
LEFT	**RIGHT**									
25N3872WSCELW2K2	25N3872WSCERW2K2	Wood	$ 2413	37½	71 15/16	1 3/16	—	—	79 lbs.	3.9
25N3872WSCELL2K2	25N3872WSCERL2K2	Laminate	2401	37½	71 15/16	1 3/16	—	—	79 lbs.	3.9
25N3866WSCELW2K2	25N3866WSCERW2K2	Wood	$ 2330	37½	66	1 3/16	—	—	72 lbs.	3.6
25N3866WSCELL2K2	25N3866WSCERL2K2	Laminate	2278	37½	66	1 3/16	—	—	72 lbs.	3.6
25N3860WSCELW2K2	25N3860WSCERW2K2	Wood	$ 2170	37½	60	1 3/16	—	—	65 lbs.	3.3
25N3860WSCELL2K2	25N3860WSCERL2K2	Laminate	2164	37½	60	1 3/16	—	—	65 lbs.	3.3

- Wire Manager available on left side, back or right side; see page 361 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 554
- For additional worksurface support, specify Undersurface Support Rail, see page 550
- Modified width and depth not available on this shape
- Intended for use with 24" deep worksurfaces
- For undersurface wire managers, see page 765

"L" CONFIGURATION WAVEWORKS WORKSURFACES

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Extended corner worksurfaces should be configured as an extension so there are worksurface mounting brackets
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Refer to page 362 for grommet locations; and page 705 for grommet upcharge
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Worksurface Type
4. Rim Profile
5. PVC Rim Color (laminate models)
6. Grommet
7. Wire Manager
8. Modified Depth
9. Modified Width
10. Laminate Top Color/ Veneer Top Finish
11. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN2436WSSVDW	M	F	X	D1BL403	X	55½	MH	
WWN2436WSSVDL	M	V440	X	D1L440	X	55	440	
WWN2436WSSVDLW	M	F	X	D1B440	X	X	MH	MH

• See pages 704-705 for all options available in Bases and Support

RECTANGULAR WORKSURFACE 24" DEPTH



Direction of arrow designates woodgrain direction

1⁹⁄₁₆" TOP THICKNESS

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WWN2436WSSVDW	Wood	$ 1041	24	36¹⁄₁₆	1⁹⁄₁₆	—	—	63 lbs.	1.8
WWN2436WSSVDLW	Laminate/Wood	1041	24	36¹⁄₁₆	1⁹⁄₁₆	—	—	63 lbs.	1.8
WWN2436WSSVDL	Laminate	525	24	36¹⁄₁₆	1⁹⁄₁₆	—	—	63 lbs.	1.8
WWN2430WSSVDW	Wood	$ 1021	24	30¹⁄₁₆	1⁹⁄₁₆	—	—	61 lbs.	1.5
WWN2430WSSVDLW	Laminate/Wood	1021	24	30¹⁄₁₆	1⁹⁄₁₆	—	—	61 lbs.	1.5
WWN2430WSSVDL	Laminate	490	24	30¹⁄₁₆	1⁹⁄₁₆	—	—	61 lbs.	1.5

- Grain direction runs front-to-back
- Intended to be used when building an L configuration utilizing component worksurfaces

1⁹⁄₁₆" TOP THICKNESS

WW2436WSSVDW	Wood	$ 858	24	36¹⁄₁₆	1⁹⁄₁₆	—	—	63 lbs.	1.8
WW2436WSSVDLW	Laminate/Wood	858	24	36¹⁄₁₆	1⁹⁄₁₆	—	—	63 lbs.	1.8
WW2436WSSVDL	Laminate	347	24	36¹⁄₁₆	1⁹⁄₁₆	—	—	63 lbs.	1.8
WW2436WSSVDLL	TFL	276	24	36¹⁄₁₆	1⅛	—	—	63 lbs.	1.8
WW2430WSSVDW	Wood	$ 834	24	30¹⁄₁₆	1⁹⁄₁₆	—	—	61 lbs.	1.5
WW2430WSSVDLW	Laminate/Wood	834	24	30¹⁄₁₆	1⁹⁄₁₆	—	—	61 lbs.	1.5
WW2430WSSVDL	Laminate	311	24	30¹⁄₁₆	1⁹⁄₁₆	—	—	61 lbs.	1.5
WW2430WSSVDLL	TFL	248	24	30¹⁄₁₆	1⅛	—	—	61 lbs.	1.5

- Grain direction runs front-to-back
- Intended to be used when building an L configuration utilizing component worksurfaces
- For undersurface wire managers, see page 765

"L" CONFIGURATION EPIC WORKSURFACES

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Extended corner worksurfaces should be configured as an extension so there are worksurface mounting brackets
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Refer to page 362 for grommet locations; and page 707 for grommet upcharge
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Worksurface Type
4. Rim Profile
5. PVC Rim Color (laminate models)
6. Grommet
7. Wire Manager
8. Modified Depth
9. Modified Width
10. Laminate Top Color/ Veneer Top Finish
11. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

25N2436WSSVW	M	F	X	D1BL403	X	55½	MH
25N2436WSSVL	M	V440	X	D1L440	X	55	440

- See pages 706-707 for all options available in Bases and Support

RECTANGULAR WORKSURFACE 24" DEPTH



Grain direction runs front-to-back

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SOFTENED RIM									
25N2436WSSVW	Wood	$ 893	24	36⅛	1⅜	–	–	33 lbs.	1.8
25N2436WSSVL	Laminate	361	24	36⅛	1⅜	–	–	33 lbs.	1.8
25N2430WSSVW	Wood	$ 868	24	30⅛	1⅜	–	–	28 lbs.	1.5
25N2430WSSVL	Laminate	322	24	30⅛	1⅜	–	–	28 lbs.	1.5
KNIFE RIM									
25N2636WSSVWK1	Wood	$ 1162	25½	36⅛	1⅜	–	–	33 lbs.	1.8
25N2636WSSVLK1	Laminate	559	25½	36⅛	1⅜	–	–	33 lbs.	1.8
25N2630WSSVWK1	Wood	$ 1128	25½	30⅛	1⅜	–	–	28 lbs.	1.5
25N2630WSSVLK1	Laminate	498	25½	30⅛	1⅜	–	–	28 lbs.	1.5

- Grain direction runs front-to-back
- Intended to be used when building an L configuration utilizing components
- For undersurface wire managers, see page 765

"L" CONFIGURATION WAVEWORKS WORKSURFACES

ACCESSORIES

Product Specifications 742
Product Options 743
Application Matrix 744
Product Pages 745

POWER/DATA ELECTRICAL SPECIFICATIONS

HEARTH

- Birdhouse shaped power supply with 1 Power and 1 Dual USB-A
- Handmolded concrete body with a wood base detail
- 108" solid brass braided cord
- UL Listed

APPARATUS

- Set on surface
- Available in Flat black with a black braided cord, and matte white with a white braided cord
- 108" cord
- 1 Power and 1 Dual USB-A
- Manufactured with sturdy cast aluminum
- ETL Listed

SIDEKICK

- Felt sofa arm overlay
- Heather Gray unit features power and a braided cord in Poppy. Camel unit features a power and braided cord in Dusk
- 108" cord
- Features a felt pocket to store items while charging
- ETL and UL Listed

ASHLEY DUO

- Includes 2 power, 2 USB
- 72" cord
- Must have at least 5.5" of clearance under surface at point of application to be able to mount
- Ashley Surface Clamp Mount models are only compatible with standard flat rim profile worksurfaces thicknesses between ½" (12.7mm) – 2 13/16" (71mm).
- UL Listed

FINISH

WOOD CENTER DRAWER

AC	Autumn	MC	Amber
AD	Almond*	MH	Mocha
CL	Caramel	NM	Natural
CW	Cordovan	PB	Portobello
DW	Judicial	SM	Sonoma
HN	Honey	TF	Truffle
IM	Brighton	792	Sable

*Select Almond finish on wood center drawer for Clear Walnut Coordinate

PERSONAL PULL-UP TABLE

AC	Autumn	PB	Portobello
AD	Almond	PT	Portico
CL	Caramel	SK	Skyline
CW	Cordovan	SM	Sonoma
DW	Judicial	TF	Truffle
HN	Honey	405	Designer White
IM	Brighton	462	Cinder
MC	Amber	792	Sable
MH	Mocha	793	Acorn*
NM	Natural		

*Acorn is the wood complement to Clear Walnut finish

LAMINATE

Center Drawer, Personal Pull-up Table, Vertical Pigeon Hole Storage

WOODGRAIN LAMINATE

AC2	Autumn 2	PB	Portobello
AD	Almond	PBH	Portobello Horizontal**
ADH	Almond Horizontal**	PC	Porcini
BZ	Brazilwood	PT	Portico
CI	Chai	PTH	Portico Horizontal**
CL	Caramel	SK	Skyline
CW	Cordovan	SKH	Skyline Horizontal**
DW	Judicial	SM	Sonoma
HN2	Honey 2	SMH	Sonoma Horizontal**
IM	Brighton	TF	Truffle
KN	Kona	WL	Willow
MC	Amber	792	Sable
MH	Mocha	792H	Sable Horizontal**
NM	Natural	793	Acorn*

*Acorn is the laminate complement to Clear Walnut finish
**Not available on Personal Pull-Up Table

SOLID LAMINATE

405	Designer White	478	Platinum Grey
419	Wallaby	488	Frosty White
425	Shadow	491	Designer White Linear
440	Cloud	491H	Designer White Linear Horizontal**
457	Dapple	492	Cinder Linear
461	Graphite	492H	Cinder Linear Horizontal**
462	Cinder		

**Not available on Personal Pull-Up Table

GALLERY LAMINATE

Grade 1 – 5% upcharge

G1001	Citadel
G1011	Pepperdust

Grade 2 – 6% upcharge

G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

See page 14 for Gallery program details and upcharges

FINISH APPLICATION

- All Veneer surfaces feature a semi-open pore matte finish

TACK BOARD FABRIC OPTIONS

Dune (Grade A)
100% Polyester

8600	Drift
8601	Windblown
8602	Erosion
8603	Haze
8608	Nectar
8610	Clear Sky
8614	Basin
8615	Raven
8620	Darkness

Repetition (Grade A)
100% Pre-Consumer Recycled Polyester

3700	Ash
3703	White
3709	Java
3713	Stainless
3721	Reed
3744	Tawny

COM (Grade B)

Pact (Grade B)
65% Pre-Consumer Recycled Polyester,
35% Post-Consumer Recycled Polyester

25401	Aloe	25412	Lime
25402	Azure	25413	Midnight
25403	Calla	25414	Nectar
25404	Coastal	25415	Patina
25405	Delft	25416	Putty
25406	Dove	25418	Roma
25409	Fern	25420	Sketch
25410	Harbour	25422	Taupe
25411	Lily	25423	Toasty

RAILROADED TACK BOARD

- Shaded rectangle portrays a railroaded tack board





DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

ACCESSORIES

Use this matrix to determine applicable accessories per model

A	NAC2124CDW	Wood Center Drawer
B	NACC1824CDW	Wood Center Drawer
C	NAC2421CDL	Laminate Center Drawer
D	NAC0613ST	Box Drawer Convenience Tray
E	NAC1211DO	Deluxe Organizer
F	NAC1624CT	Black Carousel Tray
G	NAC1922CD	Plastic Center Drawer
H	NAC1706KK1	Intuitive Adjustable Keyboard Kit
I	NAC2208KK1	Intuitive Adjustable Keyboard Kit
J	NAC1706KK2	Ergonomic Adjustable Keyboard Kit
K	NAC1706KK3	Basic Adjustable Keyboard Kit
L	NACMA1GMB	Flexible Single Monitor Arm
M	NACMA1GMS	Flexible Single Monitor Arm
N	NAC1322SL2	Metal Corner Sleeve
O	NAC1222SL	Metal Corner Sleeve
P	NAC1424KT	Keyboard Tray
Q	NAC1924KTM	Keyboard Tray/Mouse Pad
R	NAC2319KKS1	Sit-to-Stand Adjustable Keyboard Kit

- Hinged Modesty models cannot use center drawer or keyboard kits
- Keyboard Trays, Kits, Center Drawers and Carousel Trays will not work on WaveWorks glass top desks

	EPIC	WAVEWORKS
DOUBLE PEDESTAL DESKS		
36" x 72"	A,B,C,E,F,G,L,M,P,Q	A,B,C,E,F,G,L,M,P,Q
30" x 66"	A,B,C,D,E,F,G,L,M,P,Q	A,B,C,D,E,F,G,L,M,P,Q
30" x 60"	D,E,L,M	D,E,L,M
SINGLE PEDESTAL DESKS		
36" x 72"	A,B,C,E,F,G,L,M,N,P,Q	A,B,C,E,F,G,L,M,N,P,Q
30" x 66"	A,B,C,D,E,F,G,L,M,N,P,Q	A,B,C,D,E,F,G,L,M,N,P,Q
U-UNITS AND P-UNITS		
without modesty panel	A,B,C,F,G,H,J,K,L,M,N,P,Q,R	A,B,C,F,G,H,J,K,L,M,N,P,Q,R
with modesty panel	L,M,N	L,M,N
RECEPTION DESK		
RECEPTION RETURN		
RETURNS		
File/File 24" x 50", 25" x 53"	A,B,C,D,F,G,L,M,N,P,Q	A,B,C,D,F,G,L,M,N,P,Q
File/File 24" x 48", 25" x 45"	A,B,C,D,F,G,L,M,N,P,Q	A,B,C,D,F,G,L,M,N,P,Q
File/File 24" x 42"	A,B,C,D,F,G,L,M,N,P,Q	A,B,C,D,F,G,L,M,N,P,Q
Box/Box/File 24" x 50", 25" x 53"		
Box/Box/File 24" x 48"		
Box/Box/File 24" x 42", 25" x 45"		
Multi-File 24" x 72", 24" x 60"		
Lateral File 24" x 60"		
CORNER UNITS		
36" x 36"	L,M	L,M
42" x 42"	H,I,J,K,L,M,R	H,I,J,K,L,M,R
BRIDGES		
24" x 48"	C,F,G,H,J,K,L,M,N,P,Q,R	A,B,C,F,G,H,J,K,L,M,N,P,Q,R
24" x 42"	C,F,G,H,J,K,L,M,N,P,Q,R	A,B,C,F,G,H,J,K,L,M,N,P,Q,R
CREDENZAS		
File/File 72"	A,B,C,F,G,L,M,N,P,Q	A,B,C,F,G,L,M,N,P,Q
File/File 66"	A,B,C,F,G,L,M,N,P,Q	A,B,C,F,G,L,M,N,P,Q
File/File 60"	L,M,N	L,M,N
Lateral File 72"		
Lateral File 66"		
Kneespace 72"	A,B,C,F,G,L,M,P,Q	A,B,C,F,G,L,M,P,Q
Kneespace 66"	A,B,C,F,G,L,M,P,Q	A,B,C,F,G,L,M,P,Q
SHELL BASED DESK		
SHELL BASED RETURN, BRIDGE, CREDENZA		

PRODUCT SPECIFICATION

- See page 744 for the application matrix for these accessories

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Finish (wood only)
3. Laminate (laminate only)

SAMPLE MODEL NUMBERS:

NAC2421CDL 405
NAC1824CDW MC
NAC0613ST

- See page 743 for all options available in Accessories

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WOOD CENTER DRAWER 	QNAC2124CDW	Wood	$ 349	21	24	2¾	–	–	9 lbs.	1.1
	NAC2124CDW	Wood	349	21	24	2¾	–	–	9 lbs.	1.1
	QNAC1824CDW	Wood	231	18	24	2¾	–	–	9 lbs.	1.1
	NAC1824CDW	Wood	231	18	24	2¾	–	–	9 lbs.	1.1
	• Drawer extends 10" from worksurface and measures 2¹³⁄₁₆" from bottom of the worksurface to the bottom of the drawer • Drawer features a pencil divider, drawer stops and hardware • NAC2124CDW features an upgraded suspension • Center drawers are solid ash									
LAMINATE CENTER DRAWER 	QNAC2421CDL	Laminate	$ 201	20	24	2¾	–	–	12 lbs.	1.0
	NAC2421CDL	Laminate	201	20	24	2¾	–	–	12 lbs.	1.0
KEYBOARD TRAY 	NAC1424KT	Black Metal	$ 246	14	25½	1¼	–	–	10 lbs.	1.3
	• Keyboard height can range from 2¹³⁄₃₂" to 3¹³⁄₃₂" in 7⁄₃₂" increments • Tray is 24" wide									
KEYBOARD TRAY/MOUSE PAD 	NAC1924KTM	Black Metal	$ 537	19	25½	2⅜	–	–	20 lbs.	1.3
	• Keyboard height can range from 2¹³⁄₁₆" to 3¹³⁄₁₆" in 7⁄₃₂" increments • Unit features adjustable palm rest and sliding mouse pad • Mouse pad will extend 9" on each side (right or left) of bar keyboard and accommodates an 8½" x 10" or smaller mouse pad • Tray is 24" wide									
BOX DRAWER CONVENIENCE TRAY 	NAC0613ST	Black Plastic	$ 36	5⅝	12⅞	½	–	–	1 lbs.	0.1
	• Applicable for use on letter width drawers • Convenience tray rests on box drawer edge • For use on 15" pedestals									
BLACK CAROUSEL TRAY 	NAC1624CT	Black Plastic	$ 184	16	23⅝	1⅝	–	–	4 lbs.	0.7
	• Rotates outward from either side to gain access to tray and can be pushed or pulled open • Features a self-centering mechanism which acts as a stop and maintains proper alignment with the worksurface front edge									
PLASTIC CENTER DRAWER 	NAC1922CD	Black Plastic	$ 102	19³⁄₁₆	22	2	–	–	5 lbs.	0.5
	• Individual compartments neatly organize pens, pencils, paper clips, etc.									

ACCESSORIES

PRODUCT SPECIFICATION

- See page 744 for the application matrix for these accessories

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NAC1706KK1

- See page 743 for all options available in Accessories

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
INTUITIVE ADJUSTABLE KEYBOARD KIT	NAC1706KK1	17" Arm—Black	$ 964	17	28½	6	—	—	18 lbs.	1.1
	NAC2208KK1	21¾" Arm—Black	1064	21¾	28½	8	—	—	21 lbs.	1.1



- Includes keyboard mechanism, high density polyethylene tray platform, foam gel wrist pad, and thermoplastic mouse tray
- Dial tilt allows for adjustment from -10° to 15° and slides in and out under worksurface
- Arm tilts and moves up and down
- 360° swivel
- Width of keyboard kit includes mouse tray
- Mouse tray can be moved to support right or left-handed users
- Mouse tray has tilt adjustment and fence to protect mouse from falling
- ANSI/HFES compliant

ERGONOMIC ADJUSTABLE KEYBOARD KIT	NAC1706KK2	17" Arm—Black	$ 833	17	28½	6	—	—	17 lbs.	1.1



- Includes keyboard mechanism, high density polyethylene tray platform, foam gel wrist pad, and thermoplastic mouse tray
- Tray adjusts from -15° to 15° and slides in and out under worksurface
- Arm tilts and moves up and down
- 360° swivel
- Width of keyboard kit includes mouse tray
- Mouse tray can be moved to support right or left-handed users
- Mouse tray has tilt adjustment and fence to protect mouse from falling
- ANSI/HFES compliant

BASIC ADJUSTABLE KEYBOARD KIT	NAC1706KK3	17" Arm—Black	$ 680	17	28½	6	—	—	14 lbs.	1.4



- Includes keyboard mechanism, clamp, wrist pad, and mouse tray
- Kit to be used with keyboard
- Simultaneous tilt and height adjustment
- 360° swivel
- Swivel mouse tray can be moved to support right or left-handed users
- ANSI/HFES compliant

SIT-TO-STAND ADJUSTABLE KEYBOARD KIT	NAC2319KKS1		$ 1064	23	28½	10¾	—	—	21 lbs.	1.1



- Black
- Adjusts intuitively from sitting to standing height (range: 7" below surface, 4¼" above surface)
- Tray adjusts from -10° to +15°
- ANSI/HFES compliant

PRODUCT SPECIFICATION

- See page 744 for the application matrix for these accessories

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NACMA1GMB

- See page 743 for all options available in Accessories

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FLEXIBLE SINGLE MONITOR ARM GROMMET MOUNT	NACMA1GFB	Black	$ 646	30¼	6½	12½	—	—	10.5 lbs.	1.4
	NACMA1GFS	Silver	646	30¼	6½	12½	—	—	10.5 lbs.	1.4

- Attachment method via bolt through grommet
- Cannot be used on a worksurface if mounting location is directly above a pedestal, modesty panel, or support panel
- Not recommended for use with a top that is utilizing any mobile base
- When there is a worksurface overhang (Ex: 24" pedestal with a 30" worksurface), it is recommended that a customer use a grommet mount monitor arm and not a clamp mount monitor arm
- Not recommended to turn the monitor arms away from the user side
- 360° arm rotation not available in most applications

SINGLE MONITOR ARM GROMMET MOUNT	NACMA1GTS	Silver	$ 646	30¼	6½	12½	—	—	12 lbs.	1.4
										

- Attachment method via bolt through grommet
- Cannot be used on a worksurface if mounting location is directly above a pedestal, modesty panel, or support panel
- Not recommended for use with a top that is utilizing any mobile base
- When there is a worksurface overhang (Ex: 24" pedestal with a 30" worksurface), it is recommended that a customer use a grommet mount monitor arm and not a clamp mount monitor arm
- 20 lbs. load capacity
- Not recommended to turn the monitor arms away from the user side
- Monitor arm is TAA compliant.

FLEXIBLE SINGLE MONITOR ARM CLAMP MOUNT	NACMA1CFB	Black	$ 646	30¼	6½	12½	—	—	12 lbs.	1.4
	NACMA1CFS	Silver	646	30¼	6½	12½	—	—	12 lbs.	1.4

- Not recommended for use with knife edge tops
- Not recommended for use with a top that is utilizing any mobile base
- When there is a worksurface overhang (Ex: 24" pedestal with a 30" worksurface), it is recommended that a customer use a grommet mount monitor arm and not a clamp mount monitor arm
- Not recommended to turn the monitor arms away from the user side
- 360° arm rotation not available in most applications

FLEXIBLE DUAL MONITOR ARM GROMMET MOUNT	NACMA2GFB	Black	$ 1224	30¼	6½	12½	—	—	14 lbs.	1.4
	NACMA2GFS	Silver	1224	30¼	6½	12½	—	—	14 lbs.	1.4

- Not recommended for use with a top that is utilizing any mobile base
- When there is a worksurface overhang (Ex: 24" pedestal with a 30" worksurface), it is recommended that a customer use a grommet mount monitor arm and not a clamp mount monitor arm
- Not recommended to turn the monitor arms away from the user side
- 360° arm rotation not available in most applications

FLEXIBLE DUAL MONITOR ARM CLAMP MOUNT	NACMA2CFB	Black	$ 1224	30¼	6½	12½	—	—	15.5 lbs.	1.4
	NACMA2CFS	Silver	1224	30¼	6½	12½	—	—	15.5 lbs.	1.4

- Not recommended for use with knife edge tops
- Not recommended for use with a top that is utilizing any mobile base
- When there is a worksurface overhang (Ex: 24" pedestal with a 30" worksurface), it is recommended that a customer use a grommet mount monitor arm and not a clamp mount monitor arm
- Not recommended to turn the monitor arms away from the user side
- 360° arm rotation not available in most applications

TRIPLE MOUNT MONITOR ARM KIT	NACMA3KFB	Black	$ 246	6	2½	5¼	—	—	4 lbs.	0.4
	NACMA3KFS	Silver	246	6	2½	5¼	—	—	4 lbs.	0.4

- Add onto Flexible Dual Monitor Arm pole to add a third monitor

ACCESSORIES

MONITOR ARM INFORMATION

NATIONAL MODEL	NACMA1BFS	NACMA1GFB/S	NACMA1CFB/S	NACMA2GFB/S	NACMA2CFB/S	NACMA3KFB/S
DESCRIPTION	Single monitor arm. Dynamic dual extension	MFlex pole with single arm. Dynamic dual extension	MFlex pole with single arm. Dynamic dual extension	MFlex pole with dual arms. Dynamic dual extension	MFlex pole with dual arms. Dynamic dual extension	Add on triple mount ball joint
MONITOR ROTATION	Port/landscape	Port/landscape	Port/landscape	Port/landscape	Port/landscape	Port/landscape
MONITOR EXTENSION	4" - 21½	4" - 21⅞"	4" - 21⅞"	4" - 21⅞"	4" - 21⅞"	fixed at 5½"
MONITOR TILT ADJUSTMENT	+ 80/ - 15°	+ 80/ - 15°	+ 80/ - 15°	+ 80/ - 15°	+ 80/ - 15°	+ or - 25°
HORIZONTAL MONITOR PIVOT	180°	180°	180°	180°	180°	+ or - 30°
ARM ROTATION	90°, 180°, or 360° configurable during installation	90°, 180°, or 360° configurable during installation	90°, 180°, or 360° configurable during installation	90°, 180°, or 360° configurable during installation	90°, 180°, or 360° configurable during installation	N/A
ARM HEIGHT ADJUSTMENT	10" dynamic, 6⅝" manual	10" dynamic, 6⅝" manual	10" dynamic, 6⅝" manual	10" dynamic, 6⅝" manual	10" dynamic, 6⅝" manual	Limits manual adjustment to 3" for all arms
POLE HEIGHT (FROM TOP OF WORK OF WORKSURFACE)	N/A	13¼"	13¼"	13¼"	13¼"	N/A
MONITOR WEIGHT CAPACITY	5.5 - 15.5	5.5 - 15.5	5.5 - 15.5	5.5 - 15.5	5.5 - 15.5	5.5 - 15.5
MOUNTING OPTION	Fixed Height Beam Mount	grommet	desk clamp	grommet	desk clamp	N/A
MAXIMUM WIDTH PER MONITOR	N/A	N/A	N/A	36"	36"	21"
MAXIMUM HEIGHT CLEARANCE CENTER OF MOUNT TO MOUNTING SURFACE	21⅜"	21⅜"	21⅜"	21⅜"	21⅜"	21⅜"
WORKSURFACE REQUIREMENTS	N/A	.75" to 2.5" thick worksurface; hole diameter .5" to 4"	.75" to 3.5" minimum clamp clearance .5" x 3"	.75" to 2.5" thick worksurface; hole diameter .5" to 4"	.75" to 3.5" minimum clamp clearance .5" x 3"	N/A

PRODUCT SPECIFICATION

- See page 744 for the application matrix for these accessories

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NAC1322SL2

- See page 743 for all options available in Accessories

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
METAL CORNER SLEEVE	NAC1322SL2	Black Metal	$ 171	13	22	1 3/16	—	—	5 lbs.	0.3
	NAC1222SL	Black Metal	219	11 3/8	22	1 1/2	—	—	5 lbs.	0.6



- NAC1322SL2 is applicable to Epic, Renegade and WaveWorks 1 3/16"
- NAC1222SL is applicable to WaveWorks 1 9/16"
- Sleeve attaches securely to the corner of 90° units to create a 45° angle which is ideal for computer use

CPU HOLDER	NACPUH	Black	$ 447	9 3/4	9 1/4	18 1/4	—	—	10 lbs.	0.9



- Vertically mounts to underside of workstation
- Self-locking ratchet style storage device
- Teflon glide storage
- Height adjustable 14 1/2" to 22 1/2"
- Width adjustable 3 1/2" to 9"
- Track mounting plate is 17" deep
- 360° swivel
- Supports up to 85 lbs.

FLAT PANEL WALL MOUNT KIT	15NTVMAS	Black	$ 484	15 3/4-47 1/4		15 3/4-31 1/4		—	25 lbs.	2.0



- Adjustable Universal Wall Mount adjusts to allow installation of most 32" to 80" flat panel
- Must mount onto an architectural wall
- Black powder coat
- VESA mounting compliant

PERSONAL MARKER BOARD	NAC1214MBL	Laminate	$ 196	1/8	12	14	—	—	lbs.	



- High gloss, white laminate marker board
- Marker board and hooks sold separately
- Hooks to attach to bottom of worksurface to hang marker boards

ACCESSORIES

PRODUCT SPECIFICATION

- See page 744 for the application matrix for these accessories

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NAC1214MBL30

- See page 743 for all options available in Accessories

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
PERSONAL MARKER BOARD 30-PACK	NAC1214MBL30	Laminate	$ 4770	⅛	12	14	—	—	lbs.	
	• High gloss, white laminate marker board • Marker board and hooks sold separately • Hooks to attach to bottom of worksurface to hang marker boards • Pack of 30									
SINGLE HOOK	NAC02HKS	Stainless Steel	$ 78	¾	1/12	1¾	—	—	lbs.	
	• Hooks to attach to bottom of worksurface to hang marker boards									
DOUBLE HOOK	NAC03HKD	Aluminum	$ 43	1¾	3¼	2½	—	—	lbs.	
	• Hooks to attach to bottom of worksurface to hang marker boards									
SPECIFIC LOCK CORES AND KEYS	NCCB___	Lock Core and Key, Black	$ 28	—	—	—	—	—	1 lbs.	0.1
	NCCB___S	Lock Core and Key, Silver	28	—	—	—	—	—	1 lbs.	0.1
	• ___Specify key number 001 through 200 for black • ___Specify key number 001 through 200 for silver • A change key must be specified separately to change lock cores • All casegoods product indicating locking will be shipped with random locking • Lock core and key above can be ordered when specified locking is required and will be shipped as a SKU									
	NCCBCK	Change Key	$ 24	—	—	—	—	—	1 lbs.	0.01
	NCCBMK	Master Key	24	—	—	—	—	—	1 lbs.	0.01
	• Master Key will open all locks 001-200									

PRODUCT SPECIFICATION

- See page 744 for the application matrix for these accessories

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NAC18TLDBPUS

- See page 743 for all options available in Accessories

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
REED LED LINEAR TASK LIGHT	NAC17TLL	Single/Starter Unit	$ 382	2	17	⅗	—	—	1 lbs.	0.20
	NAC31TLL	Single/Starter Unit	548	2	31	⅗	—	—	2 lbs.	0.25
	NAC44TLL	Single/Starter Unit	711	2	44	⅗	—	—	2 lbs.	0.30
	NAC17TLLA	Adder Unit (Interconnect)	$ 369	2	17	⅗	—	—	2 lbs.	0.20
	NAC31TLLA	Adder Unit (Interconnect)	530	2	31	⅗	—	—	2 lbs.	0.25
	NAC44TLLA	Adder Unit (Interconnect)	694	2	44	⅗	—	—	3 lbs.	0.30
	NACTLSEN	Modular Occupancy Sensor	$ 254	—	—	—	—	—	1 lbs.	0.10

- Standard output: 17" – 24 LEDs, 31" – 48 LEDs, 44" – 72 LEDs
- 60 W power supply
- Metal trough reflector with diffuser lens
- Soft touch switching with instant on to fade away off
- Automatic time out (after 10 hours)
- Clear anodized aluminum with white color end caps
- Mounting kit includes (1) kit clip/magnets, (1) kit clip/screws, and (1) kit of 2 adhesive cord managers
- Interconnect kit includes (1) 8", (1) 30" jumper cord, and (2) adhesive cord managers
- Occupancy sensor is on a 30 minute timer

ELEMENT LED DESKTOP LIGHT	NAC18TLDBPUS	Task Light w/Desktop Base, Plug/USB, Silver	$ 1360	14	—	14	—	—	3 lbs.	0.70
										

- Available in silver
- MCX LED freestanding light
- Working height 18" and maximum reach 28"
- 360° swivel from base, 135° front-to-back head tilt, 90° side-to-side head rotation
- 1 120VAC 3 prong receptacle electrical outlet
- 7 levels of light adjustment
- 2 USB charging ports providing 1 Amp 5VDC of power

PIPER LINEAR LED DESKTOP LIGHT	NAC18TLDBUH	Task Light w/Desktop Base, USB, White	$ 761	11½	7½	18¼	—	—	10 lbs.	1.2

- Available in white
- LED freestanding light
- 3 color temps, dimming
- 1 USB charging port that provides 5 volts and 1 Amp of charging power
- 4'11" white cord plus a 3' cord extender
- UL Listed

REVO DESKTOP LIGHT	NAC1406TLDB1S	Silver	$ 714			14⅛	—	—	8.31 lbs.	1.82
	NAC1406TLDB1B	Black	714			14⅛	—	—	8.31 lbs.	1.82
	NAC1406TLDB1W	White	714			14⅛	—	—	8.31 lbs.	1.82

- 108" power cord
- ETL Listed

VOYAGE DESKTOP LIGHT	NAC1408TLDB1S	Silver	$ 714			14⅛	—	—	8.31 lbs.	1.82
	NAC1408TLDB1B	Black	714			14⅛	—	—	8.31 lbs.	1.82
	NAC1408TLDB1W	White	714			14⅛	—	—	8.31 lbs.	1.82

- 108" power cord
- ETL Listed

ACCESSORIES

PRODUCT SPECIFICATION

- See page 744 for the application matrix for these accessories

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NAC1211DO

- See page 743 for all options available in Accessories

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
DELUXE DRAWER ORGANIZER	NAC1211DO	Black	$ 194	11¾	10⅜	1¾	—	—	3 lbs.	0.6



- Black plastic
- Features compartments for storing post-its, paper clips, pens, pencils, etc.
- Drawer expands to 16" wide

PRODUCT SPECIFICATIONS

- For use with WaveWorks slat walls, Exhibit and Epicenter slat wall inserts
- Available in black and clear plastic
- These products have been designed to be used safely when filled under normal circumstances

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NACCP

• See page 743 for all options available in Accessories

PLASTIC WORK TOOLS

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
PENCIL CUP	NACCP	Black Plastic	$ 53	½	4	4	—	—	1 lbs.	0.4
	NACCPC	Clear Plastic	53	½	4	4	—	—	1 lbs.	0.4
	• Holds pencils, pens, rulers, etc.									
LEGAL PAPER TRAY	NAC1115SPT	Black Plastic	$ 79	10½	15	2	—	—	1 lbs.	0.1
	NAC1115SPTC	Clear Plastic	79	10½	15	2	—	—	1 lbs.	0.1
	• Holds letter or legal width papers, folders, etc.									
ACCESSORY TRAY	NAC1010AT	Black Plastic	$ 70	10	9½	2	—	—	1 lbs.	0.2
	NAC1010ATC	Clear Plastic	70	10	9½	2	—	—	1 lbs.	0.2
	• Holds supplies such as pens, pencils, paper clips, scissors, erasers, rulers, etc.									
SLANT SORTER	NACSS	Black Plastic	$ 83	12½	7	7½	—	—	1 lbs.	0.2
	NACSSC	Clear Plastic	83	12½	7	7½	—	—	1 lbs.	0.2
	• Holds folders, papers, etc. • Not recommended for use under Epicenter mounted overhead storage cabinets									

ACCESSORIES

PRODUCT SPECIFICATION

- See page 744 for the application matrix for these accessories

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NAC03ELUPDC

- See page 743 for all options available in Accessories

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
POWER DIRECTOR	NAC1002ELPD2	Black	$ 186	4½	9¾	2	—	—	3 lbs.	0.1



- 10 foot heavy-duty right angle power cord
- UL Listed
- Solid state phone/fax/modem, surge protector
- 12 Amp, 120 Volt, 60 Hz
- 3 receptacles in back are controlled by main switch, and 3 non-switched receptacles (1 in back, 2 in front of unit)
- 5 high speed data ports
- 2 sets of dual USB ports

UNDERSURFACE POWER/DATA	NAC03ELUPDC		$ 381	3	3	1½	—	—	2 lbs.	0.3



- Can be mounted to the underside of any surface
- Contains 1 electrical outlet and 2 USB ports
- Mounts under surface
- 72" power cord included

CONVENIENCE OUTLET	NAC0902EL5C	Black	$ 296	13	22	1 1/16	—	—	2 lbs.	0.3



- 5 grounded electrical receptacles
- 1 telephone jack with 14 ft. cord
- 10 ft. power cord
- Includes remote on/off power switch
- Black housing and cords
- UL Listed

POWER TOWER	NAC25ELPTB	Black	$ 3078	16¼	16⅝	25½	—	—	68 lbs.	6.5
	NAC25ELPTH	White	3078	16¼	16⅝	25½	—	—	68 lbs.	6.5
	NAC25ELPTS	Silver	3078	16¼	16⅝	25½	—	—	68 lbs.	6.5



- Available in gloss black or silver with black faceplates, or gloss white with white faceplates
- Unit comes with (12) 15 amp 120 volt, tamper resistant receptacles and (6) USB 3.0 power charging ports that provide 2.1 amps. Data ports are not provided
- 108" 15 amp power cord included
- Circuit breaker located in the bottom of the tower for overload protection
- 6 rubber feet prevent sliding and provide ¾" floor clearance
- Tri-core design allows for 360° power access
- 3 slots in the base provide an anchor for tethering the unit to the floor or pole if stationary application is desired

GARCIA	NAC03ELPG2GAAW	White	$ 318	4	2¾	1½	—	—	1.27 lbs.	0.9
	NAC03ELPG2GAAB	Black	318	4	2¾	1½	—	—	1.27 lbs.	0.9
	NAC03ELPG2GAAG	Fog	318	4	2¾	1½	—	—	1.27 lbs.	0.9



- 72" cord
- Includes 2 USB-A

	NAC03ELPG2GABW	White	$ 421	4	2¾	1½	—	—	1.27 lbs.	0.9
	NAC03ELPG2GABB	Black	421	4	2¾	1½	—	—	1.27 lbs.	0.9
	NAC03ELPG2GABG	Fog	421	4	2¾	1½	—	—	1.27 lbs.	0.9

- 72" cord
- Includes 2 USB-A+C

PRODUCT SPECIFICATION

- See page 744 for the application matrix for these accessories

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NACG1

- See page 743 for all options available in Accessories

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
GROMMET	NACG1	Black	$ 45	2¼	–	13⁄16	–	–	1 lbs.	0.1
	• Field installable									
FLEXI GROMMET	NACG2	Black	$ 45	2⅜	–	13⁄16	–	–	1 lbs.	0.1
	• Field installable									
ROUND GROMMET (G10)	NACG10EL	Electrical Grommet	$ 623	4¼	4¼	5	–	–	2 lbs.	0.12
	NACG10	Grommet	101	4¼	4¼	1⅞	–	–	1 lbs.	0.12
 NACG10EL NACG10										
MOIRÉ, G10 POWER/USB GROMMET	NACG10AELPGB	Black	$ 583				–	–	1.7 lbs.	0.24
	NACG10AELPGW	White	583				–	–	1.7 lbs.	0.24
	NACG10AELPGG	Light Grey	583				–	–	1.7 lbs.	0.24
	• 2 power, 2 dual USB-A, 2.0 amps • Black cord on black and light grey, white cord on white, 6 ft, 15 amp plugged cord • Fits in G10 grommet hole diameter 3" • Adjust to thickness from 1⅜" - 1⅝" • UL Listed									
MOIRÉ, G10 POWER GROMMET	NACG10BELPGB	Black	$ 373				–	–	1.7 lbs.	0.24
	NACG10BELPGW	White	373				–	–	1.7 lbs.	0.24
	NACG10BELPGG	Light Grey	373				–	–	1.7 lbs.	0.24
	• 4 power • Black, 6 ft, 15 amp plugged cord with built in circuit breaker • Black cord on black and light grey, white cord on white • Fits in G10 grommet hole diameter 3" • Adjust to thickness from 1⅜" - 1⅝" • UL Listed									
WILLOW	NAC04ELPG2WLAW	Walnut with black braided cord	$ 440	4	3⅜16	2¼	–	–	2.18 lbs.	0.17
	NAC04ELPG2WLAB	Black with black braided cord	440	4	3⅜16	2¼	–	–	2.18 lbs.	0.17
	NAC04ELPG2WLAE	Beech with Teal braided cord	440	4	3⅜16	2¼	–	–	2.18 lbs.	0.17
	• 108" cord • Includes 2 Power • Tamper resistant									

ACCESSORIES

PRODUCT SPECIFICATION

- See page 744 for the application matrix for these accessories

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NACG12AELPGB

- See page 743 for all options available in Accessories

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
PIVOTING POWER GROMMET (MHO-B) (G12A)	NACG12AELPGB	Black	$ 809	4⅜	8⅜	1½	—	—	2 lbs.	0.2
	NACG12AELPGS	Silver	809	4⅜	8⅜	1½	—	—	2 lbs.	0.2
	NACG12AELPGW	White	809	4⅜	8⅜	1½	—	—	2 lbs.	0.2
 NACG12AELPGB	NACG12AELHCB	Hardwire, Black	$ 809	4⅜	8⅜	1½	—	—	3 lbs.	0.2
	NACG12AELHCS	Hardwire, Silver	809	4⅜	8⅜	1½	—	—	3 lbs.	0.2
	NACG12AELHCW	Hardwire, White	809	4⅜	8⅜	1½	—	—	3 lbs.	0.2

- 2 power outlets, 1 dual USB-A port, and 1 blank port
- Units are powder coated

PIVOTING POWER GROMMET (MHO-B) (G12B)	NACG12BELPGB	Black	$ 867	4⅜	8⅜	1½	—	—	2 lbs.	0.2
	NACG12BELPGS	Silver	867	4⅜	8⅜	1½	—	—	2 lbs.	0.2
	NACG12BELPGW	White	867	4⅜	8⅜	1½	—	—	2 lbs.	0.2
 NACG12BELPGB	NACG12BELHCB	Hardwire, Black	$ 867	4⅜	8⅜	1½	—	—	3 lbs.	0.2
	NACG12BELHCS	Hardwire, Silver	867	4⅜	8⅜	1½	—	—	3 lbs.	0.2
	NACG12BELHCW	Hardwire, White	867	4⅜	8⅜	1½	—	—	3 lbs.	0.2

- 2 power outlets and 2 USB-A + C ports
- Units are powder coated

PIVOTING POWER GROMMET (MHO-B) (G12C)	NACG12CELPGB	Black	$ 600	4⅜	8⅜	1½	—	—	2 lbs.	0.2
	NACG12CELPGS	Silver	600	4⅜	8⅜	1½	—	—	2 lbs.	0.2
	NACG12CELPGW	White	600	4⅜	8⅜	1½	—	—	2 lbs.	0.2
 NACG12CELPGB	NACG12CELHCB	Hardwire, Black	$ 600	4⅜	8⅜	1½	—	—	3 lbs.	0.2
	NACG12CELHCS	Hardwire, Silver	600	4⅜	8⅜	1½	—	—	3 lbs.	0.2
	NACG12CELHCW	Hardwire, White	600	4⅜	8⅜	1½	—	—	3 lbs.	0.2

- 4 power outlets with 72" circuit breaker cord
- Units are powder coated

PRODUCT SPECIFICATION

- See page 744 for the application matrix for these accessories

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NACG17AELPGB

- See page 743 for all options available in Accessories

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1 TOUCH PIVOTING POWER GROMMET (G17A)	NACG17AELPGB	Black	$ 458	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17AELPGS	Silver	458	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17AELPGW	White	458	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17AELHCB	Hardwire, Black	$ 483	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17AELHCS	Hardwire, Silver	483	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17AELHCW	Hardwire, White	483	4¼	5¼	2½	—	—	3 lbs.	0.15
	• Includes 2 power outlets • Units are powder coated									
1 TOUCH PIVOTING POWER GROMMET (G17B) 	NACG17BELPGB	Black	$ 471	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17BELPGS	Silver	471	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17BELPGW	White	471	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17BELHCB	Hardwire, Black	$ 568	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17BELHCS	Hardwire, Silver	568	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17BELHCW	Hardwire, White	568	4¼	5¼	2½	—	—	3 lbs.	0.15
	• Includes 1 power outlet and 1 dual USB-A + C combo • Units are powder coated									
1 TOUCH PIVOTING POWER GROMMET (G17C) 	NACG17CELPGB	Black	$ 452	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17CELPGS	Silver	452	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17CELPGW	White	452	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17CELHCB	Hardwire, Black	$ 477	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17CELHCS	Hardwire, Silver	477	4¼	5¼	2½	—	—	3 lbs.	0.15
	NACG17CELHCW	Hardwire, White	477	4¼	5¼	2½	—	—	3 lbs.	0.15
	• Includes 1 power outlet • Units are powder coated									

ACCESSORIES

PRODUCT SPECIFICATION

- See page 744 for the application matrix for these accessories

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NACG17AELPDIQ18B

- See page 743 for all options available in Accessories

INTERLINK IQ SYSTEM (G17A)



NACG17AELPD2IQKS



NACG17AELPD2IQB



NACEL2IQBB



NACEL2IQ60J



NACEL2IQ60TJ

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FULL SET OF 8 UNITS									
NACG17AELPD2IQKB	Set of 8, Black	$ 3860	4¼	5¼	2½	–	–	19 lbs.	1.55
NACG17AELPD2IQKS	Set of 8, Silver	3860	4¼	5¼	2½	–	–	19 lbs.	1.55
NACG17AELPD2IQKW	Set of 8, White	3860	4¼	5¼	2½	–	–	19 lbs.	1.55

- Full sets include 8 grommets and smart box with starter plug

INTERLINK GROMMETS									
NACG17AELPD2IQB	Interlink Grommet, Black	$ 470	4¼	5¼	2½	–	–	3 lbs.	0.15
NACG17AELPD2IQS	Interlink Grommet, Silver	470	4¼	5¼	2½	–	–	3 lbs.	0.15
NACG17AELPD2IQW	Interlink Grommet, White	470	4¼	5¼	2½	–	–	3 lbs.	0.15

- Must order smart box with plug separately

INTERLINK IQ SMART BOX AND JUMPER									
NACEL2IQBB	Interlink IQ smart box w/starter plug	$ 712	–	120	–	–	–	3 lbs.	0.15
NACEL2IQ60J	Interlink IQ Jumper-60"	158	–	60	–	–	–	3 lbs.	0.15
NACEL2IQ60TJ	Transitional Jumper	166	–	60	–	–	–	3 lbs.	0.15

- Must order smart box with plug separately
- UL Recognized
- Non-sequential "Daisy chain" solution
- Interlink IQ system must begin with a smart box with plug (or full set)
- Jumper used between the smart box with plug and grommets when the span between grommet locations are greater than 60"
- Transitional jumper (connections on both ends) used only when using an older IQ model and a new IQ model (as of November 2019)
- Jumpers count as one connection (maximum of 8)
- The Interlink IQ system is ONLY plugged. This system cannot be hardwired
- Units are powder coated
- Built-in status indicator: green means go, red light indicates too many units
- See charts on pages 82-83

PRODUCT SPECIFICATION

- See page 744 for the application matrix for these accessories

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NACG17BELPDIQ18B

- See page 743 for all options available in Accessories

INTERLINK IQ SYSTEM (G17B)



NACG17BELPD2IQKS



NACG17BELPD2IQB



NACEL2IQBB



NACEL2IQ60J



NACEL2IQ60TJ

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FULL SET OF 8 UNITS									
NACG17BELPD2IQKB	Set of 8, Black	$ 5130	4¼	5¼	2½	—	—	19 lbs.	1.55
NACG17BELPD2IQKS	Set of 8, Silver	5130	4¼	5¼	2½	—	—	19 lbs.	1.55
NACG17BELPD2IQKW	Set of 8, White	5130	4¼	5¼	2½	—	—	19 lbs.	1.55

- Full sets include 8 grommets and smart box with starter plug

INTERLINK GROMMETS									
NACG17BELPD2IQB	Interlink Grommet, Black	$ 656	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG17BELPD2IQS	Interlink Grommet, Silver	656	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG17BELPD2IQW	Interlink Grommet, White	656	4¼	5¼	2½	—	—	3 lbs.	0.15

- Must order smart box with plug separately

INTERLINK IQ SMART BOX AND JUMPER									
NACEL2IQBB	Interlink IQ smart box w/starter plug	$ 712	—	120	—	—	—	3 lbs.	0.15
NACEL2IQ60J	Interlink IQ Jumper-60"	158	—	60	—	—	—	3 lbs.	0.15
NACEL2IQ60TJ	Transitional Jumper	166	—	60	—	—	—	3 lbs.	0.15

- Must order smart box with plug separately
- UL Recognized
- Non-sequential "Daisy chain" solution
- Interlink IQ system must begin with a smart box with plug (or full set)
- Jumper used between the smart box with plug and grommets when the span between grommet locations are greater than 60"
- Transitional jumper (connections on both ends) used only when using an older IQ model and a new IQ model (as of November 2019)
- Jumpers count as one connection (maximum of 8)
- The Interlink IQ system is ONLY plugged. This system cannot be hardwired
- Units are powder coated
- Built-in status indicator: green means go, red light indicates too many units
- See charts on pages 82-83

ACCESSORIES

PRODUCT SPECIFICATION

- See page 744 for the application matrix for these accessories

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NACG17CELPDIQ18B

- See page 743 for all options available in Accessories

INTERLINK IQ SYSTEM (G17C)



NACG17CELPD2IQKS



NACG17CELPD2IQB



NACEL2IQBB



NACEL2IQ60J



NACEL2IQ60TJ

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FULL SET OF 8 UNITS									
NACG17CELPD2IQKB	Set of 8, Black	$ 3653	4¼	5¼	2½	–	–	19 lbs.	1.55
NACG17CELPD2IQKS	Set of 8, Silver	3653	4¼	5¼	2½	–	–	19 lbs.	1.55
NACG17CELPD2IQKW	Set of 8, White	3653	4¼	5¼	2½	–	–	19 lbs.	1.55

- Full sets include 8 grommets and smart box with starter plug

INTERLINK GROMMETS									
NACG17CELPD2IQB	Interlink Grommet, Black	$ 443	4¼	5¼	2½	–	–	3 lbs.	0.15
NACG17CELPD2IQS	Interlink Grommet, Silver	443	4¼	5¼	2½	–	–	3 lbs.	0.15
NACG17CELPD2IQW	Interlink Grommet, White	443	4¼	5¼	2½	–	–	3 lbs.	0.15

- Must order smart box with plug separately

INTERLINK IQ SMART BOX AND JUMPER									
NACEL2IQBB	Interlink IQ smart box w/starter plug	$ 712	–	120	–	–	–	3 lbs.	0.15
NACEL2IQ60J	Interlink IQ Jumper-60"	158	–	60	–	–	–	3 lbs.	0.15
NACEL2IQ60TJ	Transitional Jumper	166	–	60	–	–	–	3 lbs.	0.15

- Must order smart box with plug separately
- UL Recognized
- Non-sequential "Daisy chain" solution
- Interlink IQ system must begin with a smart box with plug (or full set)
- Jumper used between the smart box with plug and grommets when the span between grommet locations are greater than 60"
- Transitional jumper (connections on both ends) used only when using an older IQ model and a new IQ model (as of November 2019)
- Jumpers count as one connection (maximum of 8)
- The Interlink IQ system is ONLY plugged. This system cannot be hardwired
- Units are powder coated
- Built-in status indicator: green means go, red light indicates too many units
- See charts on pages 82-83

PRODUCT SPECIFICATION

- See page 744 for the application matrix for these accessories

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NACG23ELB

- See page 743 for all options available in Accessories

POWER GROMMET (G23)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
NACG23ELB	Black	$ 663	2½	4½	3¼	—	—	2.3 lbs.	0.2
NACG23ELS	Silver	663	2½	4½	3¼	—	—	2.3 lbs.	0.2
NACG23ELHCB	Black/Hardwire	$ 739	2½	4½	3¼	—	—	2.3 lbs.	0.2
NACG23ELHCS	Silver/Hardwire	739	2½	4½	3¼	—	—	2.3 lbs.	0.2

- Not intended for use on conference tables
- Includes 2 power outlets and 2 power USB ports
- Units are powder coated

DAISY LINK (G23)



Plugged Starter Unit



Hardwire Starter Unit

DAISY LINK STARTER UNITS

NACG23ELDLB1	Black - G23, Plugged	$ 754	2½	4½	3¼	—	—	4.1 lbs.	0.4
NACG23ELDLS1	Silver - G23, Plugged	754	2½	4½	3¼	—	—	4.1 lbs.	0.4
NACG23ELDLHB1	Black - G23, Hardwire/Modular Connect	$ 754	2½	4½	3¼	—	—	3.7 lbs.	0.4
NACG23ELDLHS1	Silver - G23, Hardwire/Modular Connect	754	2½	4½	3¼	—	—	3.7 lbs.	0.4

- Modular connect does not meet city code

DAISY LINK ADD-ON UNITS/JUMPER KIT

NACG23ELDLB2	Black - G23	$ 792	2½	4½	3¼	—	—	2.3 lbs.	0.4
NACG23ELDLS2	Silver - G23	792	2½	4½	3¼	—	—	2.3 lbs.	0.4

- 60" jumper included with each daisy link add-on unit
- Units are powder coated

DAISY LINK JUMPER (80", 180", AND 240")

NAC80ELDLJ	80" Daisy Chain Jumper	$ 276	¾	80	2	—	—	2.4 lbs.	0.4
NAC180ELDLJ	180" Daisy Chain Jumper	419				—	—	lbs.	
NAC240ELDLJ	240" Daisy Chain Jumper	494				—	—	lbs.	

- 80" jumper is needed when connecting power between tables
- Units are powder coated

NODE POWER GROMMET (G33)



NACG33ELB	Black	$ 422	4	4	3½	—	—	1 lbs.	0.2
NACG33ELS	Silver	422	4	4	3½	—	—	1 lbs.	0.2
NACG33ELW	White	422	4	4	3½	—	—	1 lbs.	0.2

- For use with Maneuver gear and shield when CUT-G33 option is specified

POWER STRIP



NAC0902EL6PS	Black	$ 103	1⅞	9½	1¾	—	—	lbs.	

- 120" Cord
- Includes 6 power

ACCESSORIES

PRODUCT SPECIFICATION

- See page 744 for the application matrix for these accessories

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NAC08ELPG3AXAB

- See page 743 for all options available in Accessories

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
AXIL M BLUE TOOTH SPEAKER	NAC08ELPG3AXAB	Black	$ 1045				–	–	4.7 lbs.	0.31
	NAC08ELPG3AXAS	Silver	1045				–	–	4.7 lbs.	0.31
	NAC08ELPG3AXAW	White	1045				–	–	4.7 lbs.	0.31



- Freestanding unit
- 1 power outlet, 1 bluetooth speaker with push button pairing button, built in microphone, and 1 2.0 amp charging USB-A port, with stainless steel grille
- Black, 6 ft, 15 amp plugged power cord
- UL Listed

VESTA SET-ON FLOOR, BATTERY-POWERED	NAC29ELPG4VEAB	Black/Dark Grey	$ 2801				–	–	13.9 lbs.	3.14
	NAC29ELPG4VEAW	White/Light Grey	2801				–	–	13.9 lbs.	3.14

- Freestanding unit
- 3 single USB-A 2.0 amp, 1 USB-C 18 watts, 1 LED battery indicator light
- Black, 6 ft, 15 amp plugged power cord for recharging
- UL Listed
- 40 amp hours, 40 watts
- Vesta models have a Lithium battery and MUST ship separately via Fed Ex Ground

BURELÉ, POWER, CLAMP MOUNT	NAC07ELPG4BUAB	Black	$ 441				–	–	1.25 lbs.	0.24
	NAC07ELPG4BUAW	White	441				–	–	1.25 lbs.	0.24
	NAC07ELPG4BUAG	Light Grey	441				–	–	1.25 lbs.	0.24



- Clamp mount unit
- 4 power outlets
- Black, 6 ft, 15 amp plugged cord with built in circuit breaker
- UL Listed

BURELÉ, POWER/USB, CLAMP MOUNT	NAC07ELPG4BUBB	Black	$ 740				–	–	1.25 lbs.	0.24
	NAC07ELPG4BUBW	White	740				–	–	1.25 lbs.	0.24
	NAC07ELPG4BUBG	Light Grey	740				–	–	1.25 lbs.	0.24



- Clamp mount unit
- 2 power, 1 dual USB-A, 2.0 amp, 1 single USB-C -18 Watt
- Black, 6 ft 15 amp plugged power cord
- UL Listed

TULLY	NAC06ELPG3TUAW	White	$ 618	2¼	5⅝	12⅜	–	–	3.05 lbs.	0.40
	NAC06ELPG3TUAB	Black	618	2¼	5⅝	12⅜	–	–	3.05 lbs.	0.40
	NAC06ELPG3TUAG	Fog	618	2¼	5⅝	12⅜	–	–	3.05 lbs.	0.40



- 120" braided cord
- Includes 2 USB-A, 1 USB-C and Power

TRIPPEL	NAC08ELPG3TRAW	White	$ 436	3¾	7⅞	3¾	–	–	2 lbs.	0.13
	NAC08ELPG3TRAB	Black	436	3¾	7⅞	3¾	–	–	2 lbs.	0.13
	NAC08ELPG3TRAG	Fog	436	3¾	7⅞	3¾	–	–	2 lbs.	0.13



- Set on surface unit
- Included 2 USB-A and 2 power
- Tamper resistant
- Features Qi wireless charging

PRODUCT SPECIFICATION

- See page 744 for the application matrix for these accessories

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NAC04ELPG2DEAB

- See page 743 for all options available in Accessories

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
DEAN, 2 PORT, POWER, CLAMP MOUNT 	NAC04ELPG2DEAB	Black	$ 396				–	–	1.95 lbs.	0.24
	NAC04ELPG2DEAW	White	396				–	–	1.95 lbs.	0.24
	NAC04ELPG2DEAG	Light Grey	396				–	–	1.95 lbs.	0.24

- Plastic face plate and end caps, clear anodized housing, and universal clamp mount
- 2 power
- Black 6 ft, 15 amp plugged power cord
- UL Listed

DEAN, 2 PORT, POWER/USB, CLAMP MOUNT 	NAC04ELPG2DEBB	Black	$ 410				–	–	1.95 lbs.	0.24
	NAC04ELPG2DEBW	White	410				–	–	1.95 lbs.	0.24
	NAC04ELPG2DEBG	Light Grey	410				–	–	1.95 lbs.	0.24

- Plastic face plate and end caps, clear anodized housing, and universal clamp mount
- 1 power, 1 dual USB-A 2.0 amp
- Black, 6 ft, 15 amp plugged power cord
- UL Listed

DEAN, 3 PORT, POWER, CLAMP MOUNT 	NAC06ELPG3DEAB	Black	$ 404				–	–	1.95 lbs.	0.24
	NAC06ELPG3DEAW	White	404				–	–	1.95 lbs.	0.24
	NAC06ELPG3DEAG	Light Grey	404				–	–	1.95 lbs.	0.24

- Plastic face plate and end caps, clear anodized housing, and universal clamp mount
- 3 power
- Black 6 ft, 15 amp plugged power cord
- UL Listed

DEAN, 3 PORT, POWER/USB, CLAMP MOUNT 	NAC06ELPG3DEBB	Black	$ 538				–	–	1.95 lbs.	0.24
	NAC06ELPG3DEBW	White	538				–	–	1.95 lbs.	0.24
	NAC06ELPG3DEBG	Light Grey	538				–	–	1.95 lbs.	0.24

- Plastic face plate and end caps, clear anodized housing, and universal clamp mount
- 2 power, 1 USB-A + C combo 18 watt, 2.0 amp; end receptacle rotated 90°
- Black, 6 ft, 15 amp plugged power cord
- UL Listed

HITCH, BATTERY-POWERED 	NAC04ELPG4HTAB	Black	$ 711				–	–	1.7 lbs.	0.24
	NAC04ELPG4HTAW	White	711				–	–	1.7 lbs.	0.24
	NAC04ELPG4HTAG	Light Grey	711				–	–	1.7 lbs.	0.24

- Freestanding and portable
- 3 single USB-A, 2.0 amps, 1 LED battery indicator light
- Black, 6 ft, 15 amp plugged power cord assembly for recharging. 5v, 4 amps
- The unit is not UL Listed
- The power pack is UL Listed
- 11.6 amp hours, 20 watt power supply
- Hitch models have a Lithium battery and MUST ship separately via Fed Ex Ground

ACCESSORIES

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NAC05ELPG2HRAC

• See page 743 for all options available in Accessories

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
HEARTH	NAC05ELPG2HRAC		$ 657	5⅜	3¼	5⁹⁄₁₆	—	—	3 lbs.	0.31



- Includes 1 power, 1 Dual USB-A
- 108" power cord
- Handmolded concrete body with a wood base detail
- Features a solid brass braided cord
- UL Listed

SIDEKICK	NAC29ELPG2SKAG	Heather Gray Felt	$ 514	2³⁄₁₆	15	29½	—	—	2 lbs.	0.59
	NAC29ELPG2SKAC	Camel Felt	514	2³⁄₁₆	15	29½	—	—	2 lbs.	0.59



- Felt sofa arm overlay
- Includes 1 power, 1 Dual USB-A, and felt pocket
- Heather Gray unit features power and a braided cord in Poppy. Camel unit features a power and braided cord in Dusk
- 108" power cord
- UL Listed

APPARATUS	NAC05ELPG2APAB	Black	$ 388	3⅛	4¹³⁄₁₆	2	—	—	lbs.	
	NAC05ELPG2APAW	White	388	3⅛	4¹³⁄₁₆	2	—	—	lbs.	



- Includes 1 power, 1 Dual USB-A
- 108" power cord
- Black unit features a black braided cord and silver hardware. White unit features a white braided cord and silver hardware
- ETL and UL Listed

ASHLEY DUO	NAC06ELPG3ADAB	Black	$ 455	3³⁄₁₆	5½	1¹³⁄₁₆	—	—	lbs.	
	NAC06ELPG3ADAW	White	455	3³⁄₁₆	5½	1¹³⁄₁₆	—	—	lbs.	



- Includes 2 power, 2 USB
- 72" power cord
- Must have at least 5½" of clearance under surface at point of application to be able to mount
- Clamp mount; Unit will fit on worksurface thicknesses ½"-2³⁄₁₆"
- UL Listed

PRODUCT SPECIFICATION

- See page 744 for the application matrix for these accessories

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Veneer Chassis Finish/ Laminate Chassis Color

SAMPLE MODEL NUMBERS:

NAC30WMV
NAC1420SMCW CW
NAC1420SMCL 405

- See page 743 for all options available in Accessories

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
VERTICAL WIRE MANAGER	NAC30WMV		$ 303	1½	3¼	31	—	—	2 lbs.	0.2
	• Graphite color • Attaches to underside of worksurface; flexible; used to conceal power in-feed and data cables									
WIRE MANAGER	NAC17WM	Black Plastic	$ 36	2 1/16	16¾	1 3/16	—	—	1 lbs.	0.1
	• Wire manager is made of plastic and attaches with Velcro® • Wire manager can be used on any unit to route cords									
HORIZONTAL UNDERSURFACE WIRE MANAGER	NAC30WMH	Black Plastic (Set of 6)	$ 128	3	29½	1½	—	—	1 lbs.	0.1
	• Wire manager can be used on any unit to route cords									
HORIZONTAL WIRE MANAGER	NAC17WMH	Black Plastic	$ 74	2½	17	4¼	—	—	3 lbs.	0.5
	NAC24WMH	Black Plastic	85	2½	24	4¼	—	—	3 lbs.	0.5
	• Attaches below worksurface; can be installed horizontally or vertically • Used to conceal power in-feed and data cables									
UNDERSURFACE WIRE MANAGER	NAC03WM	Black Plastic (Set of 5)	$ 43	5½	2⅜	1¾	—	—	3 lbs.	0.1
	• Not recommended for use with WaveWorks flip/nest training tables									
MARKER BOARD	NAC3048MBW		$ 620	⅛	47⅞	30	—	—	35 lbs.	1.4
	• Installation hardware included									
VERTICAL PIGEON HOLE STORAGE	NAC1420SMCW	Wood	$ 1080	12	14	19⅞	—	—	13 lbs.	0.9
	NAC1420SMCL	Laminate	512	12	14	19⅞	—	—	13 lbs.	0.9
	• Assembly required • 3 fixed shelves on unit • Specify chassis laminate or finish only • Utilize under Epic, Renegade and WaveWorks highback organizers; sits on worksurface • When using with tack board, see page 776 for applicable tack board that will properly fit in space									

ACCESSORIES

TO ORDER, SPECIFY:

1. Model Number
2. Resin Grade/Color
3. Metal Color (holder)

SAMPLE MODEL NUMBER:

NAC7232PVMCP 1 1677 462

• See page 743 for all options available in Accessories

EDGE MOUNTED PRIVACY/MODESTY SCREEN RECTANGULAR, RESIN



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
	GRADE 1							
NAC7232PVMCP	$ 1166	3/16	72	32	—	—	46 lbs.	6.0
NAC6632PVMCP	1163	3/16	66	32	—	—	34 lbs.	5.5
NAC6032PVMCP	794	3/16	60	32	—	—	32 lbs.	5.1
NAC5432PVMCP	790	3/16	54	32	—	—	30 lbs.	4.6
NAC4832PVMCP	760	3/16	48	32	—	—	28 lbs.	4.1
NAC4232PVMCP	693	3/16	42	32	—	—	26 lbs.	3.7
NAC3632PVMCP	663	3/16	36	32	—	—	24 lbs.	3.2
NAC3032PVMCP	503	3/16	30	32	—	—	22 lbs.	2.8
NAC2732PVMCP	486	3/16	27	32	—	—	22 lbs.	2.5
NAC2432PVMCP	452	3/16	24	32	—	—	20 lbs.	2.3
NAC2132PVMCP	439	3/16	21	32	—	—	18 lbs.	2.1

- Specify resin grade and color: Grade 1 Frosted (1677)
- Specify metal color for holders: Concrete (423), Cinder (462), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503)
- Privacy screens are 3/16" thick dual sided resin; the overall assembly thickness, including the holders, is 1⅞"
- Privacy screen holders are made of 12-gauge steel
- Privacy screens are not intended to be stand alone units
- For use on 1 3/16" and 1 9/16" surfaces with a softened or profiled rim. Not to be used with knife edge rims
- Screen extends 18" above the surface and 12" below the surface

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade/Color
3. Metal Color (holder)

SAMPLE MODEL NUMBER:

NAC7232PVMC2PFA A 8600 423

• See page 743 for all options available in Accessories

EDGE MOUNTED PRIVACY/MODESTY SCREEN RECTANGULAR, FABRIC

MODEL NO./DESCRIPTION	LIST PRICE GRADE A	LIST PRICE GRADE B/COM	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
NAC7232PVMC2PFA	$ 1609	$ 1796	1 1/16	72	32	—	—	46 lbs.	6.0
NAC6632PVMC2PFA	1511	1687	1 1/16	66	32	—	—	34 lbs.	5.5
NAC6032PVMC2PFA	1401	1559	1 1/16	60	32	—	—	32 lbs.	5.1
NAC5432PVMC2PFA	1308	1451	1 1/16	54	32	—	—	30 lbs.	4.6
NAC4832PVMC2PFA	1207	1339	1 1/16	48	32	—	—	28 lbs.	4.1
NAC4232PVMC2PFA	1114	1228	1 1/16	42	32	—	—	26 lbs.	3.7
NAC3632PVMC2PFA	997	1096	1 1/16	36	32	—	—	24 lbs.	3.2
NAC3032PVMC2PFA	904	992	1 1/16	30	32	—	—	22 lbs.	2.8
NAC2732PVMC2PFA	854	931	1 1/16	27	32	—	—	22 lbs.	2.5
NAC2432PVMC2PFA	754	831	1 1/16	24	32	—	—	20 lbs.	2.3
NAC2132PVMC2PFA	719	785	1 1/16	21	32	—	—	18 lbs.	2.1

- Privacy screens are 1 1/16" thick dual sided fabric; the overall assembly thickness
- Privacy screen holders are made of 12-gauge steel
- Privacy screens are not intended to be stand alone units
- Specify tack fabric grade and color
- Specify metal color for holders: Concrete (423), Cinder (462), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503)
- For use on 1 3/16" and 1 9/16" surfaces with a softened or profiled rim. Not to be used with knife edge rims
- Fabric will be railroaded
- Screen extends 18" above the surface and 12" below the surface

ACCESSORIES

TO ORDER, SPECIFY:

1. Model Number
2. Resin Grade/Color
3. Metal Color (holder)

SAMPLE MODEL NUMBER:

NAC7224PVCP 1 1677 462

• See page 743 for all options available in Accessories

EDGE MOUNTED PRIVACY SCREEN RECTANGULAR, RESIN

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
	GRADE 1							
NAC7224PVCP	$ 664	3/16	71 13/16	24	—	—	24 lbs.	4.7
NAC6624PVCP	661	3/16	65 13/16	24	—	—	22 lbs.	4.3
NAC6024PVCP	484	3/16	59 13/16	24	—	—	19 lbs.	4.0
NAC5424PVCP	474	3/16	53 13/16	24	—	—	17 lbs.	3.6
NAC4824PVCP	416	3/16	47 7/8	24	—	—	16 lbs.	3.3
NAC4224PVCP	441	3/16	41 7/8	24	—	—	14 lbs.	2.9
NAC3624PVCP	339	3/16	35 7/8	24	—	—	12 lbs.	2.5
NAC3024PVCP	319	3/16	29 15/16	24	—	—	10 lbs.	2.2
NAC2724PVCP	315	3/16	27	24	—	—	9 lbs.	2.0
NAC2424PVCP	287	3/16	23 13/16	24	—	—	8 lbs.	1.8
NAC2124PVCP	284	3/16	21	24	—	—	7 lbs.	1.6

- Specify resin grade and color: Grade 1 Frosted (1677)
- Specify metal color for holders: Concrete (423), Cinder (462), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503)
- Privacy screens are 3/16" thick dual sided resin; the overall assembly thickness, including the holders, is 1 5/8"
- Privacy screen holders are made of 12-gauge steel
- Privacy screens are not intended to be stand alone units
- For use on 1 3/16" and 1 9/16" surfaces with a softened or profiled rim. Not to be used with knife edge rims
- Screen extends 18" above the surface and 4" below the surface

EDGE MOUNTED PRIVACY SCREEN TAPERED, RESIN

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
	GRADE 1							
NAC7224PVCTP	$ 1152	3/16	71 13/16	24	—	—	24 lbs.	4.7
NAC6624PVCTP	1097	3/16	65 13/16	24	—	—	22 lbs.	4.3
NAC6024PVCTP	1040	3/16	59 13/16	24	—	—	19 lbs.	4.0
NAC5424PVCTP	983	3/16	53 13/16	24	—	—	17 lbs.	3.6
NAC4824PVCTP	930	3/16	47 7/8	24	—	—	16 lbs.	3.3
NAC4224PVCTP	871	3/16	41 7/8	24	—	—	14 lbs.	2.9
NAC3624PVCTP	813	3/16	35 7/8	24	—	—	12 lbs.	2.5
NAC3024PVCTP	754	3/16	29 15/16	24	—	—	10 lbs.	2.2
NAC2724PVCTP	726	3/16	27	24	—	—	9 lbs.	2.0
NAC2424PVCTP	696	3/16	23 13/16	24	—	—	8 lbs.	1.8
NAC2124PVCTP	669	3/16	21	24	—	—	7 lbs.	1.6

- Specify resin grade and color: Grade 1 Frosted (1677)
- Specify metal color for holders: Concrete (423), Cinder (462), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503)
- Privacy screens are 3/16" thick dual sided resin; the overall assembly thickness, including the holders, is 1 5/8"
- Privacy screen holders are made of 12-gauge steel
- Privacy screens are not intended to be stand alone units
- For use on 1 3/16" and 1 9/16" surfaces with a softened or profiled rim. Not to be used with knife edge rims
- Screen extends 18" above the surface and 4" below the surface

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade/Color
3. Metal Color (holder)

SAMPLE MODEL NUMBER:

NAC7224PVC2PFA A 8600 423

• See page 743 for all options available in Accessories

EDGE MOUNTED PRIVACY SCREEN RECTANGULAR, FABRIC

MODEL NO./DESCRIPTION	LIST PRICE GRADE A	LIST PRICE GRADE B/COM	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
NAC7224PVC2PFA	$ 1148	$ 1247	1 1/16	71 3/16	24	—	—	24 lbs.	4.7
NAC6624PVC2PFA	1089	1177	1 1/16	65 3/16	24	—	—	22 lbs.	4.3
NAC6024PVC2PFA	1030	1118	1 1/16	59 3/16	24	—	—	19 lbs.	4.0
NAC5424PVC2PFA	963	1040	1 1/16	53 3/16	24	—	—	17 lbs.	3.6
NAC4824PVC2PFA	900	966	1 1/16	47 7/8	24	—	—	16 lbs.	3.3
NAC4224PVC2PFA	843	909	1 1/16	41 7/8	24	—	—	14 lbs.	2.9
NAC3624PVC2PFA	756	811	1 1/16	35 7/8	24	—	—	12 lbs.	2.5
NAC3024PVC2PFA	697	741	1 1/16	29 15/16	24	—	—	10 lbs.	2.2
NAC2724PVC2PFA	663	707	1 1/16	27	24	—	—	9 lbs.	2.0
NAC2424PVC2PFA	626	670	1 1/16	23 3/16	24	—	—	8 lbs.	1.8
NAC2124PVC2PFA	590	623	1 1/16	21	24	—	—	7 lbs.	1.6

- Privacy screens are 1 1/16" thick dual sided fabric
- Privacy screen holders are made of 12-gauge steel
- Privacy screens are not intended to be stand alone units
- Specify tack fabric grade and color
- Specify metal color for holders: Concrete (423), Cinder (462), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503)
- For use on 1 3/16" and 1 9/16" surfaces with a softened or profiled rim. Not to be used with knife edge rims
- Fabric will be railroaded
- Screen extends 18" above the surface and 4" below the surface

ACCESSORIES

TO ORDER, SPECIFY:

1. Model Number
2. Resin Grade/Color
3. Metal Color (holder)

SAMPLE MODEL NUMBER:

NAC6018PVSP 1 1677 462

• See page 743 for all options available in Accessories

PRIVACY SCREEN
SET-ON SURFACE
RECTANGULAR, RESIN



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
	GRADE 1							
NAC7218PVSP	$ 817	3/16	72	18	–	–	24 lbs.	2.9
NAC6618PVSP	800	3/16	66	18	–	–	22 lbs.	2.6
NAC6018PVSP	784	3/16	60	18	–	–	19 lbs.	2.4
NAC5418PVSP	737	3/16	54	18	–	–	17 lbs.	2.2
NAC4818PVSP	598	3/16	48	18	–	–	16 lbs.	2.0
NAC4218PVSP	592	3/16	42	18	–	–	14 lbs.	1.8
NAC3618PVSP	514	3/16	36	18	–	–	12 lbs.	1.6
NAC3018PVSP	484	3/16	30	18	–	–	10 lbs.	1.3
NAC2718PVSP	448	3/16	27	18	–	–	9 lbs.	1.2
NAC2418PVSP	437	3/16	24	18	–	–	8 lbs.	1.1
NAC2118PVSP	418	3/16	21	18	–	–	7 lbs.	1.0

- Specify resin grade and color: Grade 1 Frosted (1677)
- Specify metal color for holders: Concrete (423), Cinder (462), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503)
- 36" and below includes 2 holders per screen, 42" and 48" includes 3 per screen, 54" and above includes 4 per screen
- Privacy screens are 3/16" thick dual sided resin
- Privacy screen holders are made of 12-gauge steel; holders are 3" wide and 5" deep
- Privacy screens are intended to be stand alone units
- 27" and 21" models can be utilized with Epicenter depth worksurfaces

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade/Color
3. Metal Color (holder)

SAMPLE MODEL NUMBER:

NAC7218PVS2PFA A 8600 423

• See page 743 for all options available in Accessories

PRIVACY SCREEN
SET-ON SURFACE
RECTANGULAR, FABRIC



MODEL NO./DESCRIPTION	LIST PRICE GRADE A	LIST PRICE GRADE B/COM	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
NAC7218PVS2PFA	$ 1929	$ 2028	1 1/16	72	18	—	—	24 lbs.	2.9
NAC6618PVS2PFA	1806	1894	1 1/16	66	18	—	—	22 lbs.	2.6
NAC6018PVS2PFA	1689	1777	1 1/16	60	18	—	—	19 lbs.	2.4
NAC5418PVS2PFA	1570	1647	1 1/16	54	18	—	—	17 lbs.	2.2
NAC4818PVS2PFA	1459	1525	1 1/16	48	18	—	—	16 lbs.	2.0
NAC4218PVS2PFA	1327	1393	1 1/16	42	18	—	—	14 lbs.	1.8
NAC3618PVS2PFA	1212	1267	1 1/16	36	18	—	—	12 lbs.	1.6
NAC3018PVS2PFA	1090	1145	1 1/16	30	18	—	—	10 lbs.	1.3
NAC2718PVS2PFA	1034	1078	1 1/16	27	18	—	—	9 lbs.	1.2
NAC2418PVS2PFA	961	1005	1 1/16	24	18	—	—	8 lbs.	1.1
NAC2118PVS2PFA	909	942	1 1/16	21	18	—	—	7 lbs.	1.0

- Specify tack fabric grade and color
- Specify metal color for holders: Concrete (423), Cinder (462), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503)
- 36" and below includes 2 holders per screen, 42" and 48" includes 3 per screen, 54" and above includes 4 per screen
- Privacy screens are 1 1/16" thick tackable fabric
- Privacy screen holders are made of 12-gauge steel; holders are 3" wide and 5" deep
- Privacy screens are intended to be stand alone units
- 27" and 21" models can be utilized with Epicenter depth worksurfaces
- Fabric will be railroaded
- Not intended to create a continuous screen by placing models end to end

ACCESSORIES

TO ORDER, SPECIFY:

1. Model Number
2. Resin Grade/Color
3. Metal Color (holder)

SAMPLE MODEL NUMBER:

NAC6018PVSTP 2 2877 501

• See page 743 for all options available in Accessories

PRIVACY SCREEN SET-ON SURFACE TAPERED, RESIN

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
	GRADE 1							
NAC7218PVSTP	$ 1152	3/16	72	18	–	–	24 lbs.	2.9
NAC6618PVSTP	1097	3/16	66	18	–	–	22 lbs.	2.6
NAC6018PVSTP	1040	3/16	60	18	–	–	19 lbs.	2.4
NAC5418PVSTP	983	3/16	54	18	–	–	17 lbs.	2.2
NAC4818PVSTP	930	3/16	48	18	–	–	16 lbs.	2.0
NAC4218PVSTP	871	3/16	42	18	–	–	14 lbs.	1.8
NAC3618PVSTP	813	3/16	36	18	–	–	12 lbs.	1.6
NAC3018PVSTP	754	3/16	30	18	–	–	10 lbs.	1.3
NAC2718PVSTP	726	3/16	27	18	–	–	9 lbs.	1.2
NAC2418PVSTP	696	3/16	24	18	–	–	8 lbs.	1.1
NAC2118PVSTP	669	3/16	21	18	–	–	7 lbs.	1.0

- Specify resin grade and color: Grade 1 Frosted (1677)
- Specify metal color for holders: Concrete (423), Cinder (462), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503)
- 36" and below includes 2 holders per screen, 42" and 48" includes 3 per screen, 54" and above includes 4 per screen
- Privacy screens are 3/16" thick dual sided resin
- Privacy screen holders are made of 12-gauge steel; holders are 3" wide and 5" deep
- Privacy screens are intended to be stand alone units
- 27" and 21" models can be utilized with Epicenter depth worksurfaces

TO ORDER, SPECIFY:

1. Model Number
2. Shelf Color
3. Laminate Color

SAMPLE MODEL NUMBER:

10N1867FDSHL PB PB
NAC1205WGV1

• See page 743 for all options available in Accessories

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FREESTANDING KIOSK	10N1867FDSHL	Laminate	$ 1382	13 15/16	17 15/16	66 3/8	–	–	73 lbs.	19.7



• Can be used to hang additional PPE equipment (ie. Glove holders and sanitizer dispensers) Limit of 10 lbs hung on the back

SINGLE WIRE GLOVE BOX	NAC1205WGV1	Steel	$ 117	3 3/16	11 15/16	4 3/4	–	–	1 lbs.	1.38



- Steel wire Glove box is Chrome in color
- Includes pre-drilled mounting holes and hardware
- Holds 1 std size box of gloves

DOUBLE WIRE GLOVE BOX	NAC1210WGV2	Steel	$ 160	3 3/16	11 15/16	9 1/2	–	–	1 lbs.	2.7

- Steel wire Glove box is Chrome in color
- Includes pre-drilled mounting holes and hardware
- Holds 2 std size boxes of gloves

QUAD WIRE GLOVE BOX	NAC1219WGV4	Steel	$ 229	3 3/16	11 15/16	19	–	–	1 lbs.	5.2



- Steel wire Glove box is Chrome in color
- Includes pre-drilled mounting holes and hardware
- Holds 4 std size boxes of gloves

AUTOMATIC HAND SANITIZER DISPENSER	NAC0407USD1		$ 794	4 1/4	6	11	–	–	2.2 lbs.	8.1



- Dispenser accepts most bulk liquid soaps and sanitizers up to 12mL capacity, inside a solid case of durable ABS plastic
- 4 C Batteries sold separately. External On-Off switch
- Tamper resistant lock system with key for convenient access for assigned personel
- Motion Dispenser: Dispenses within a sense detection of 3"-5"
- 2.2 lbs Empty (without fluid)

ACCESSORIES

TO ORDER, SPECIFY:

1. Model Number
2. Resin Grade/Color

SAMPLE MODEL NUMBER:

NAC6012MPA 2 2877

• See page 743 for all options available in Accessories

RECTANGULAR MODESTY PANEL ⅓ HEIGHT RESIN

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
	GRADE 1							
NAC6012MPA	$ 902	3/16	59 1/16	12 5/8	—	—	5 lbs.	3.9
NAC5412MPA	811	3/16	53 1/16	12 5/8	—	—	5 lbs.	3.8
NAC4812MPA	719	3/16	47 1/16	12 5/8	—	—	4 lbs.	3.7
NAC4212MPA	631	3/16	41 3/4	12 5/8	—	—	4 lbs.	3.7
NAC3612MPA	540	3/16	35 3/4	12 5/8	—	—	4 lbs.	3.7
NAC3012MPA	452	3/16	29 3/4	12 5/8	—	—	3 lbs.	3.6
NAC2412MPA	361	3/16	23 1/16	12 5/8	—	—	3 lbs.	3.6

- Specify resin grade and color: Grade 1 Frosted (1677)
- Resin modesty can be used with Epic and WaveWorks worksurfaces and flip/nest tables
- Double sided 3/16" resin
- Modesty has stiffener rail which comes with brackets that attach to the underside of the worksurface
- 72" flip/nest training table requires 60" modesty, 60" table requires 48" modesty, and 48" table requires 36" modesty

TAPERED MODESTY PANEL ⅓ HEIGHT RESIN

	GRADE 1							
NAC6012MPTA	$ 902	3/16	59 1/16	12 5/8	—	—	5 lbs.	3.9
NAC5412MPTA	811	3/16	53 1/16	12 5/8	—	—	5 lbs.	3.8
NAC4812MPTA	719	3/16	47 1/16	12 5/8	—	—	4 lbs.	3.7
NAC4212MPTA	631	3/16	41 3/4	12 5/8	—	—	4 lbs.	3.7
NAC3612MPTA	540	3/16	35 3/4	12 5/8	—	—	4 lbs.	3.7
NAC3012MPTA	452	3/16	29 3/4	12 5/8	—	—	3 lbs.	3.6
NAC2412MPTA	361	3/16	23 13/16	12 5/8	—	—	3 lbs.	3.6

- Specify resin grade and color: Grade 1 Frosted (1677)
- Resin modesty can be used with Epic and WaveWorks worksurfaces and flip/nest tables
- Double sided 3/16" resin
- Modesty has stiffener rail which comes with brackets that attach to the underside of the worksurface
- 72" flip/nest training table requires 60" modesty, 60" table requires 48" modesty, and 48" table requires 36" modesty

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

NAC1203SMSM 501

• See page 743 for all options available in Accessories

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
RECTANGULAR MODESTY PANEL ⅓ HEIGHT METAL 	NAC6012MP2M		$ 902	1/16	59 11/16	12 3/8	—	—	10 lbs.	3.9
	NAC5412MP2M		811	1/16	53 11/16	12 3/8	—	—	10 lbs.	3.8
	NAC4812MP2M		719	1/16	47 11/16	12 3/8	—	—	8 lbs.	3.7
	NAC4212MP2M		631	1/16	41 3/4	12 3/8	—	—	8 lbs.	3.7
	NAC3612MP2M		540	1/16	35 3/4	12 3/8	—	—	8 lbs.	3.7
	NAC3012MP2M		452	1/16	29 3/4	12 3/8	—	—	6 lbs.	3.6
	NAC2412MP2M		361	1/16	23 13/16	12 3/8	—	—	6 lbs.	3.6

- Specify Style E for embossed design
- Specify metal color: 423 Concrete, 462 Cinder, 463 Iron, 501 Platinum Metallic, 503 Satin Nickel Metallic and 405 Designer White
- Metal modesty can be used with Epic and WaveWorks worksurfaces and flip/nest tables
- Modesty comes with brackets that attach to the underside of the worksurface
- Metal modesty has raised square embossed design (the raised design appears on the approach side of the modesty)
- Metal modesty is 16-gauge steel
- 72" flip/nest training table requires 60" modesty, 60" table requires 48" modesty, and 48" table requires 36" modesty

STORAGE MODULE STACKER 	NAC1203SMSM	Metal	$ 217	11 15/16	11 15/16	2 5/16	—	—	4 lbs.	0.2

- Sets on surface and keeps papers neat and tidy
- Can stack up to 3 high
- Specify paint color 405 Designer White, 462 Cinder, 501 Platinum Metallic, or 503 Satin Nickel Metallic

GANGING BRACKET 	NACGBT	Metal	$ 75	—	—	—	—	—	2 lbs.	0.6

- Used to gang 2 surfaces together
- Shipped as a set of 2
- Specify model number only

GANGING BRACKET	NACGBT2	Table Ganging Bracket Kit	$ 117	—	—	—	—	—	1 lbs.	0.1

- Quantity of 6 (set of 3 pairs) hook and loop "dog bone" shaped brackets
- All hardware included
- Available in black only
- Specify model number only

TACK BOARD APPLICABILITY

HIGHBACK, OVERHEAD OR RECEPTION MODEL NO.	APPLICABLE TACK BOARD
RENEGADE	
75N7238HB_	NAC7019TBRA
75N6638HB_	NAC6419TBRA
75N6038HB_	NAC5819TBRA
75N4838HB_	NAC4619TBRA
75N4818SO_ _	NAC4819TBRA
75N4218SO_ _	NAC4219TBRA
75N3618SO_ _	NAC3619TBRA
75N3018SO_ _	NAC3019TBRA
75N2573DSTF_	NAC2211TBDA2
75N2568BSTF_	NAC4811TBDA

This chart is reflective of using vertical pigeon hole storage models with highback organizers or wall mount cabinets with tack boards.

HIGHBACK OR OVERHEAD MODEL NO.	APPLICABLE TACK BOARD 1 PIGEON HOLE STORAGE	APPLICABLE TACK BOARD 2 PIGEON HOLE STORAGE
RENEGADE		
75N7238HB_	NAC5619TBRA	NAC4219TBRA
75N6638HB_	NAC5019TBRA	NAC3619TBRA
75N6038HB_	NAC4419TBRA	NAC3019TBRA
75N4838HB_	NAC3219TBRA	NAC1819TBRA

Applicable tack board recommendation is the largest model that will fit within the highback organizer or under the overhead. If a smaller size is desired, reference individual dimensions and specify the tack board accordingly.

TACK BOARD APPLICABILITY

HIGHBACK, OVERHEAD OR RECEPTION MODEL NO.	APPLICABLE TACK BOARD
ARROWOOD	
331N8636HBHW	NAC8117TBRA
31N8036HBHW	NAC7517TBRA
31N7836HBHW	NAC7317TBRA
31N6036HBHW	NAC5417TBRA
31N6036HBHW	NAC5417TBRA
31N7236HBH	NAC6617TBRA
31N6983TCW	NAC6714TBDA
31N6983TCLW	NAC6714TBDA
31N6636HBH	NAC6017TBRA
31N6377TCW	NAC6114TBDA
31N6377TCLW	NAC6114TBDA
31N3618SOHM	NAC3618TBRA
31N3018SOHM	NAC3018TBRA
31N1569TCW	NAC6714TBDA
31N1569TCLW	NAC6714TBDA
31N1563TCW	NAC6114TBDA
31N1563TCLW	NAC6114TBDA
21N8136HBHL	NAC7917TBRA
21N7536HBHL	NAC7317TBRA
21N6981TCL	NAC6714TBDA
21N6936HBHL	NAC6617TBRA
21N6375TC	NAC6114TBDA
21N6336HBHL	NAC6017TBRA
21N5736HBHL	NAC5517TBRA
21N5736HBHL	NAC5517TBRA
21N3617SOHML	NAC3618TBRA
21N3017SOHML	NAC3018TBRA
21N1569TCL	NAC6714TBDA
21N1563TCL	4NAC6114TBDA
BARRINGTON	
50N7236HBH	NAC6717TBRA
50N7218SOHM	NAC6917TBRA
50N7149HBH	NAC6617TBRA
50N7129SOHM	NAC6919TBRA
50N6649HBH	NAC6117TBRA
50N6636HBH	NAC6117TBRA
50N6629SOHM	NAC6319TBRA
50N6618SOHM	NAC6317TBRA
50N3072DTRFW1	NAC6813TBDA
50N3072DTRFLW1	NAC6813TBDA
50N3072DTLFW1	NAC6813TBDA
50N3072DTLFLW1	NAC6813TBDA

HIGHBACK, OVERHEAD OR RECEPTION MODEL NO.	APPLICABLE TACK BOARD
ESCALADE	
ECN8450HBHPW	NAC8020TBRA
ECN8450HBHPGW	NAC8020TBRA
ECN7850HBHPW	NAC7420TBRA
ECN7850HBHPGW	NAC7420TBRA
ECN7250HBH	NAC6920TBRA
ECN7242HBHPGW	N/A
ECN7230SOHM	NAC7019TBRA
ECN6650HBH	NAC6320TBRA
ECN6642HBHPGW	N/A
ECN6630SOHM	NAC6419TBRA
ECN6050HBHPW	NAC5720TBRA
ECN6050HBHPW	NAC5720TBRA
ECN6050HBHPGW	NAC5720TBRA
ECN6050HBHPGW	NAC5720TBRA
ECN3276DTRFW1	NAC7212TBDA
ECN3276DTLFW1	NAC7212TBDA
ROOSEVELT	
51N7236HBHW	NAC6717TBRA
51N6636HBHW	NAC6117TBRA
51N3618SOHMW	NAC3617TBRA
51N3072DTRFW1	NAC6813TBDA
51N3072DTRFLW1	NAC6813TBDA
51N3072DTLFW1	NAC6813TBDA
51N3072DTLFLW1	NAC6813TBDA
51N3018SOHMW	NAC3017TBRA

HIGHBACK, OVERHEAD OR RECEPTION MODEL NO.	APPLICABLE TACK BOARD
TESSERA	
59N9024SOS3MGW	NAC2811TBRA
59N9024SOS3MGL	NAC2811TBRA
59N9024SOS3MW	NAC2811TBRA
59N9024SOS3MLW	NAC2811TBRA
59N9024SOS3ML	NAC2811TBRA
59N7224SOS3MGW	NAC2211TBRA
59N7224SOS3MGL	NAC2211TBRA
59N7224SOS3MW	NAC2211TBRA
59N7224SOS3MLW	NAC2211TBRA
59N7224SOS3ML	NAC2211TBRA
59N6024SOS3MGW	NAC1811TBRA
59N6024SOS3MGL	NAC1811TBRA
59N6024SOS3MW	NAC1811TBRA
59N6024SOS3MLW	NAC1811TBRA
59N6024SOS3ML	NAC1811TBRA
59N6036SMTSLLW	NAC2811TBRA
59N6036SMTSLRW	NAC2811TBRA
59N6036SMTSRLW	NAC2811TBRA
59N6036SMTSRRW	NAC2811TBRA
59N6036SMTSCLW	NAC2811TBRA
59N6036SMTSCRW	NAC2811TBRA
59N6036SMTSLLLW	NAC2811TBRA
59N6036SMTSLRLW	NAC2811TBRA
59N6036SMTSRLLW	NAC2811TBRA
59N6036SMTSRRLW	NAC2811TBRA
59N6036SMTSCLLW	NAC2811TBRA
59N6036SMTSCRLW	NAC2811TBRA
59N6036SMTSLLL	NAC2811TBRA
59N6036SMTSLRL	NAC2811TBRA
59N6036SMTSRLL	NAC2811TBRA
59N6036SMTSRRL	NAC2811TBRA
59N6036SMTSCLL	NAC2811TBRA
59N6036SMTSCRL	NAC2811TBRA
59N6036SMTSLLGW	NAC2811TBRA
59N6036SMTSLLGW	NAC2811TBRA
59N6036SMTSLRGW	NAC2811TBRA
59N6036SMTSLRGW	NAC2811TBRA
59N6036SMTSCLGW	NAC2811TBRA
59N6036SMTSCRGW	NAC2811TBRA
59N6036SMTSLLGL	NAC2811TBRA
59N6036SMTSLLGL	NAC2811TBRA
59N6036SMTSLRGL	NAC2811TBRA
59N6036SMTSLRGL	NAC2811TBRA
59N6036SMTSCLGL	NAC2811TBRA
59N6036SMTSCRGL	NAC2811TBRA

Applicable tack board recommendation is the largest model that will fit within the highback organizer or under the overhead. If a smaller size is desired, reference individual dimensions and specify the tack board accordingly.

ORGANIZING STACKER APPLICABILITY

HIGHBACK OR OVERHEAD MODEL NO.	APPLICABLE ORGANIZING STACKER
EPIC	
25N8438HBH_	NAC4005SMS_
25N8438HBS_	NAC4005SMS_
25N8438HBE_	NAC4105SMS_
25N7838HBH_	NAC3605SMS_
25N7838HBS_	NAC3605SMS_
25N7838HBE_	NAC3705SMS_
25N7238HBH_	NAC3405SMS_
25N7238HBS_	NAC3405SMS_
25N7238HBE_	NAC3505SMS_
25N6638HBH_	NAC3105SMS_
25N6638HBS_	NAC3105SMS_
25N6638HBE_	NAC3105SMS_
25N6038HBH_	NAC2805SMS_
25N6038HBS_	NAC2805SMS_
25N6038HBE_	NAC2805SMS_
25N4838HBH_	NAC3005SMS_
25N4838HBS_	NAC3005SMS_
25N4838HBE_	NAC2205SMS_
25N4818SOH_	NAC3005SMS_
25N4818SOS_	NAC2205SMS_
25N4818SOE_	NAC2205SMS_
25N4813SOH_	NAC3005SMS_
25N4813SOS_	NAC2205SMS_
25N4813SOE_	NAC2205SMS_
25N4218SOH_	NAC2605SMS_
25N4218SOS_	NAC1905SMS_
25N4218SOE_	NAC1905SMS_
25N4213SOH_	NAC2605SMS_
25N4213SOS_	NAC1905SMS_
25N4213SOE_	NAC1905SMS_
25N3618SOH_	NAC3405SMS_
25N3618SOS_	NAC3405SMS_
25N3618SOE_	NAC3405SMS_
25N3613SOH_	NAC3405SMS_
25N3613SOS_	NAC3405SMS_
25N3613SOE_	NAC3405SMS_
25N3018SOH_	NAC2805SMS_
25N3018SOS_	NAC2805SMS_
25N3018SOE_	NAC2805SMS_
25N3013SOH_	NAC2805SMS_
25N3013SOS_	NAC2805SMS_
25N3013SOE_	NAC2805SMS_
25N6013SOSS_	NAC2905SMS_
25N6013SOES_	NAC2905SMS_
25N4813SOSS_	NAC2205SMS_
25N4813SOES_	NAC2205SMS_
25N4213SOSS_	NAC1905SMS_
25N4213SOES_	NAC1905SMS_
25N3613SOSS_	N/A
25N3613SOES_	N/A
25N3013SOSS_	N/A
25N3013SOES_	N/A

HIGHBACK OR OVERHEAD MODEL NO.	APPLICABLE ORGANIZING STACKER
WAVEWORKS	
WW10850HBH2_	NAC3405SMS_
WW10838HBH2_	NAC3405SMS_
WW10838HBE2_	NAC2505SMS_
WW10250HBH2_	NAC3305SMS_
WW10238HBH2_	NAC3305SMS_
WW10238HBE2_	NAC2405SMS_
WW9650HBH2_	NAC3005SMS_
WW9638HBH2_	NAC3005SMS_
WW9638HBE2_	NAC2305SMS_
WW9050HBH2_	NAC2805SMS_
WW9038HBH2_	NAC2805SMS_
WW9038HBE2_	NAC2905SMS_
WW8450HBH2_	NAC4005SMS_
WW8438HBH2_	NAC4005SMS_
WW8438HBE2_	NAC4105SMS_
WW7850HBH2_	NAC3605SMS_
WW7838HBH2_	NAC3605SMS_
WW7838HBE2_	NAC3705SMS_
WW7250HBH2_	NAC3405SMS_
WW7238HBH2_	NAC3405SMS_
WW7238HBH_	NAC3405SMS_
WW7238HBE2_	NAC3505SMS_
WW6650HBH2_	NAC3105SMS_
WW6638HBH2_	NAC3105SMS_
WW6638HBH_	NAC3205SMS_
WW6638HBE2_	NAC3105SMS_
WW6050HBH2_	NAC2805SMS_
WW6038HBH2_	NAC2805SMS_
WW6038HBH_	NAC2805SMS_
WW6038HBE2_	NAC2905SMS_
WW4850HBH2_	NAC3005SMS_
WW4838HBH2_	NAC3005SMS_
WW4838HBH_	NAC3005SMS_
WW4838HBE2_	NAC2205SMS_
WW4830SOH_	NAC3005SMS_
WW4830SOE_	NAC2205SMS_
WW4818SOH_	NAC3005SMS_
WW4818SOE_	NAC2205SMS_
WW4230SOH_	NAC2605SMS_
WW4230SOE_	NAC1905SMS_
WW4218SOH_	NAC2605SMS_
WW4218SOE_	NAC1905SMS_
WW3630SOH_	NAC3405SMS_
WW3630SOE_	NAC3405SMS_
WW3618SOH_	NAC3405SMS_
WW3618SOE_	NAC3405SMS_
WW3030SOH_	NAC2805SMS_
WW3030SOE_	NAC2805SMS_
WW3018SOH_	NAC2805SMS_
WW3018SOE_	NAC2805SMS_

TACK BOARD APPLICABILITY

HIGHBACK, OVERHEAD OR RECEPTION MODEL NO.	APPLICABLE TACK BOARD
EPIC	
25N8438HB_	NAC8219TBRA
25N7838HB_	NAC7619TBRA
25N7238HB_	NAC7019TBRA
25N6638HB_	NAC6419TBRA
25N6038HB_	NAC5819TBRA
25N4838HB_	NAC4619TBRA
25N4818SO_ _	NAC4819TBRA
25N4813SO_ _	NAC4819TBRA
25N4218SO_ _	NAC4219TBRA
25N4213SO_ _	NAC4219TBRA
25N3618SO_ _	NAC3619TBRA
25N3613SO_ _	NAC3619TBRA
25N3018SO_ _	NAC3019TBRA
25N3013SO_ _	NAC3019TBRA
WAVEWORKS	
WW10850HB_2	Use 2 — NAC5219TBRA
WW10838HB_2	Use 2 — NAC5219TBRA
WW10250HB_2	Use 2 — NAC4919TBRA
WW10238HB_2	Use 2 — NAC4919TBRA
WW9650HB_2	Use 2 — NAC4619TBRA
WW9638HB_2	Use 2 — NAC4619TBRA
WW9050HB_2	NAC8819TBRA
WW9038HB_2	NAC8819TBRA
WW8450HB_2	NAC8219TBRA
WW8438HB_2	NAC8219TBRA
WW7850HB_2	NAC7619TBRA
WW7838HB_2	NAC7619TBRA
WW7250HB_2	NAC7019TBRA
WW7238HB_2	NAC7019TBRA
WW6650HB_2	NAC6419TBRA
WW6638HB_2	NAC6419TBRA
WW6050HB_2	NAC5819TBRA
WW6038HB_2	NAC5819TBRA
WW4850HB_2	NAC4619TBRA
WW4838HB_2	NAC4619TBRA
WW4830SO_ _	NAC4819TBRA
WW4818SO_ _	NAC4819TBRA
WW4230SO_ _	NAC4219TBRA
WW4218SO_ _	NAC4219TBRA
WW3630SO_ _	NAC3619TBRA
WW3618SO_ _	NAC3619TBRA
WW3030SO_ _	NAC3019TBRA
WW3018SO_ _	NAC3019TBRA
WW2866BSTF2_ _	NAC6010TBDA
WW2866BSTF_ _	NAC6010TBDA
WW2860RSTF_ _ _	NAC5710TBDA
WW2860RSTF_2_ _	NAC5710TBDA
WW2854BSTF2_ _	NAC4810TBDA
WW2854BSTF_ _	NAC4810TBDA
WW2572DSTF3_ _	NAC2211TBDA2
WW2572DSTF_ _	NAC2211TBDA2
WW2563BSTF_ _	NAC6011TBDA
WW2550BSTF_ _	NAC4811TBDA
WW2460RSTFL_ _ _	NAC5711TBDA
WW1572TC_	NAC7015TBDA
WW1566TC_	NAC6415TBDA

HIGHBACK OR OVERHEAD MODEL NO.	APPLICABLE TACK BOARD 1 PIGEON HOLE STORAGE	APPLICABLE TACK BOARD 2 PIGEON HOLE STORAGE
This chart is reflective of using vertical pigeon hole storage models with highback organizers or wall mount cabinets with tack boards.		
EPIC		
25N8438HB_	NAC6819TBRA	NAC5419TBRA
25N7838HB_	NAC6219TBRA	NAC4819TBRA
25N7238HB_	NAC5619TBRA	NAC4219TBRA
25N6638HB_	NAC5019TBRA	NAC3619TBRA
25N6038HB_	NAC4419TBRA	NAC3019TBRA
25N4838HB_	NAC3219TBRA	NAC1819TBRA
WAVEWORKS		
WW10850HB_2	Use 1 — NAC5219TBRA Use 1 — NAC3819TBRA	Use 2 — NAC3819TBRA
WW10838HB_2	Use 1 — NAC5219TBRA Use 1 — NAC3819TBRA	Use 2 — NAC3819TBRA
WW10250HB_2	Use 1 — NAC4919TBRA Use 1 — NAC3519TBRA	Use 2 — NAC3519TBRA
WW10238HB_2	Use 1 — NAC4919TBRA Use 1 — NAC3519TBRA	Use 2 — NAC3519TBRA
WW9650HB_2	Use 1 — NAC4619TBRA Use 1 — NAC3219TBRA	Use 2 — NAC3219TBRA
WW9638HB_2	Use 1 — NAC4619TBRA Use 1 — NAC3219TBRA	Use 2 — NAC3219TBRA
WW9050HB_2	NAC7419TBRA	NAC6019TBRA
WW9038HB_2	NAC7419TBRA	NAC6019TBRA
WW8450HB_2	NAC6819TBRA	NAC5419TBRA
WW8438HB_2	NAC6819TBRA	NAC5419TBRA
WW7850HB_2	NAC6219TBRA	NAC4819TBRA
WW7838HB_2	NAC6219TBRA	NAC4819TBRA
WW7250HB_2	NAC5619TBRA	NAC4219TBRA
WW7238HB_2	NAC5619TBRA	NAC4219TBRA
WW6650HB_2	NAC5019TBRA	NAC3619TBRA
WW6638HB_2	NAC5019TBRA	NAC3619TBRA
WW6050HB_2	NAC4419TBRA	NAC3019TBRA
WW6038HB_2	NAC4419TBRA	NAC3019TBRA
WW4850HB_2	NAC3219TBRA	NAC1819TBRA
WW4838HB_2	NAC3219TBRA	NAC1819TBRA

HIGHBACK OR OVERHEAD MODEL NO.	APPLICABLE TACK BOARD	APPLICABLE TACK BOARD FOR OPEN PLAN USE
WAVEWORKS HIGHBACK ORGANIZER - OPEN BACK		
WW7238HBH	NAC4219TBCA	NAC7219TBSA
WW6638HBH	NAC3619TBCA	NAC6619TBSA
WW6038HBH	NAC3019TBCA	NAC6019TBSA
WW4838HBH	NAC1819TBCA	NAC4819TBSA
WAVEWORKS HIGHBACK ORGANIZER - METAL		
WW7237HB_M	NAC6820TBMA	
WW6037HB_M	NAC5620TBM/A	
WW4837HB_M	NAC4420TBM/A	
WW4237HB_M	NAC3820TBM/A	
WW3637HB_M	NAC3220TBM/A	

Applicable tack board recommendation is the largest model that will fit within the highback organizer or under the overhead. If a smaller size is desired, reference individual dimensions and specify the tack board accordingly.

TACK BOARDS

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade/Color

SAMPLE MODEL NUMBER:

NAC8819TBRA A 3705

• See page 743 for all options available in Accessories

TACK BOARD



Front view

MODEL NO./DESCRIPTION		GRADE A	LIST PRICE GRADE B/ COM	D	DIMENSIONS W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
20" HIGH										
QNAC6920TBRA_ _ _ _	Railroad	$ 672	$ 764	½	68 9/16	20¼	–	–	24 lbs.	1.6
NAC6920TBRA	Railroad	672	764	½	68 9/16	20¼	–	–	24 lbs.	1.6
NAC6320TBRA	Railroad	630	714	½	62 9/16	20¼	–	–	22 lbs.	1.4
19" HIGH										
NAC8819TBRA	Railroad	$ 773	$ 887	½	88 1/16	19½	–	–	31 lbs.	2.0
NAC8219TBRA	Railroad	728	834	½	82 1/16	19½	–	–	29 lbs.	1.9
NAC7619TBRA	Railroad	685	784	½	76⅛	19½	–	–	26 lbs.	1.7
NAC7419TBRA	Railroad	672	769	½	74 1/16	19½	–	–	24 lbs.	1.5
NAC7219TBRA	Railroad	658	755	½	71 13/16	19½	–	–	25 lbs.	1.6
QNAC7019TBRA_ _ _ _	Railroad	657	749	½	70⅛	19½	–	–	25 lbs.	1.6
NAC7019TBRA	Railroad	657	749	½	70⅛	19½	–	–	25 lbs.	1.6
NAC6919TBRA	Railroad	656	748	½	68 15/16	19½	–	–	23 lbs.	1.5
NAC6819TBRA	Railroad	651	739	½	68 1/16	19½	–	–	22 lbs.	1.4
NAC6719TBRA	Railroad	649	737	½	66 13/16	19½	–	–	24 lbs.	1.5
NAC6619TBRA	Railroad	648	736	½	65⅞	19½	–	–	23 lbs.	1.5
NAC6419TBRA	Railroad	623	707	½	64⅛	19½	–	–	22 lbs.	1.5
NAC6319TBRA	Railroad	613	697	½	63 1/16	19½	–	–	21 lbs.	1.4
NAC6219TBRA	Railroad	598	682	½	62⅛	19½	–	–	20 lbs.	1.3
NAC6119TBRA	Railroad	593	677	½	61⅛	19½	–	–	21 lbs.	1.4
NAC6019TBRA	Railroad	583	667	½	59⅞	19½	–	–	21 lbs.	1.4
NAC5819TBRA	Railroad	576	653	½	58⅛	19½	–	–	20 lbs.	1.3
NAC5619TBRA	Railroad	567	644	½	56⅛	19½	–	–	18 lbs.	1.2
NAC5419TBRA	Railroad	564	641	½	54 1/16	19½	–	–	17 lbs.	1.3
NAC5219TBRA	Railroad	559	636	½	52 3/16	19½	–	–	18 lbs.	1.2
NAC5019TBRA	Railroad	553	619	½	50⅛	19½	–	–	16 lbs.	1.1
NAC4919TBRA	Railroad	550	616	½	49 3/16	19½	–	–	18 lbs.	1.2

- For use with highback organizers or overhead cabinets
- Tack board is unfinished on back
- Gap provided between spacer blocks to provide cord management
- Hardware included to attach to either a highback organizer or an architectural wall.
- Fabric will be railroaded
- Reference tack board applicability on page 776

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade/Color

SAMPLE MODEL NUMBER:

NAC4819TBRA A 3705

• See page 743 for all options available in Accessories

TACK BOARD (CONTINUED)



Front view



Back view

MODEL NO./DESCRIPTION		GRADE A	LIST PRICE GRADE B/COM	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
19" HIGH CONT.										
NAC4819TBRA	Railroad	$ 548	$ 614	½	47⅞	19½	—	—	17 lbs.	1.1
NAC4619TBRA	Railroad	534	600	½	46⅜₁₆	19½	—	—	16 lbs.	1.1
NAC4419TBRA	Railroad	523	589	½	44⅛	19½	—	—	14 lbs.	1.0
NAC4219TBRA	Railroad	512	578	½	41⁵⁄₁₆	19½	—	—	15 lbs.	1.0
NAC3819TBRA	Railroad	482	548	½	38⅜₁₆	19½	—	—	12 lbs.	0.8
QNAC3619TBRA	Railroad	461	516	½	35⁵⁄₁₆	19½	—	—	13 lbs.	0.9
NAC3619TBRA	Railroad	461	516	½	35⁵⁄₁₆	19½	—	—	13 lbs.	0.9
NAC3519TBRA	Railroad	455	510	½	35⅜₁₆	19½	—	—	12 lbs.	0.8
NAC3219TBRA	Railroad	433	477	½	32⅜₁₆	19½	—	—	11 lbs.	0.7
QNAC3019TBRA	Railroad	424	468	½	29⁵⁄₁₆	19½	—	—	11 lbs.	0.7
NAC3019TBRA	Railroad	424	468	½	29⁵⁄₁₆	19½	—	—	11 lbs.	0.7
NAC1819TBRA	Railroad	339	372	½	18⅜₁₆	19½	—	—	7 lbs.	0.4
18" HIGH										
NAC3618TBRA	Railroad	$ 461	$ 516	½	35⁹⁄₁₆	18⅛	—	—	12 lbs.	0.8
NAC3018TBRA	Railroad	424	468	½	29⁹⁄₁₆	18⅛	—	—	10 lbs.	0.7
17" HIGH										
QNAC6917TBRA_ _ _ _	Railroad	$ 656	$ 748	½	69⁹⁄₁₆	17⁷⁄₁₆	—	—	22 lbs.	1.4
NAC6917TBRA	Railroad	656	748	½	69⁹⁄₁₆	17⁷⁄₁₆	—	—	22 lbs.	1.4
QNAC6717TBRA_ _ _ _	Railroad	649	737	½	67⅛₁₆	16¹⁵⁄₁₆	—	—	21 lbs.	1.4
NAC6717TBRA	Railroad	649	737	½	67⅛₁₆	16¹⁵⁄₁₆	—	—	21 lbs.	1.4
QNAC6617TBRA_ _ _ _	Railroad	648	736	½	66⅝₁₆	16¹⁵⁄₁₆	—	—	20 lbs.	1.4
NAC6617TBRA	Railroad	648	736	½	66⅝₁₆	16¹⁵⁄₁₆	—	—	20 lbs.	1.4
NAC6317TBRA	Railroad	613	697	½	63⅞₁₆	17⁷⁄₁₆	—	—	20 lbs.	1.3
NAC6117TBRA	Railroad	593	677	½	61⅝₁₆	16¹⁵⁄₁₆	—	—	19 lbs.	1.3
NAC6017TBRA	Railroad	583	667	½	60⅝₁₆	16¹⁵⁄₁₆	—	—	19 lbs.	1.2
NAC3617TBRA	Railroad	461	516	½	35¾	17⁷⁄₁₆	—	—	12 lbs.	0.8
NAC3017TBRA	Railroad	424	468	½	29⅝	17⁷⁄₁₆	—	—	10 lbs.	0.7

- For use with highback organizers or overhead cabinets
- Tack board is unfinished on back
- Gap provided between spacer blocks to provide cord management
- Hardware included to attach to either a highback organizer or an architectural wall.
- Fabric will be railroaded
- Reference tack board applicability on page 776

TACK BOARDS

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade/Color

SAMPLE MODEL NUMBERS:

NAC8416TBRA A 3705
NAC4219TBCA A 3705

• See page 743 for all options available in Accessories

TACK BOARD (CONTINUED)



Front view



Back view

MODEL NO./DESCRIPTION		GRADE A	GRADE B/COM	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
16" HIGH		LIST PRICE	LIST PRICE	DIMENSIONS						
NAC8416TBRA	Railroad	$ 640	$ 750	½	84 1/16	16	—	—	24 lbs.	1.6
NAC6916TBRA	Railroad	565	657	½	69 3/16	16½	—	—	21 lbs.	1.4
QNAC6816TBRA_ _ _ _	Railroad	550	638	½	67 13/16	16	—	—	20 lbs.	1.3
NAC6816TBRA	Railroad	550	638	½	67 13/16	16	—	—	20 lbs.	1.3
NAC6316TBRA	Railroad	520	604	½	63⅜	16½	—	—	19 lbs.	1.3
NAC6216TBRA	Railroad	497	581	½	62 1/16	16	—	—	18 lbs.	1.2
NAC5716TBRA	Railroad	496	573	½	57⅞	16½	—	—	17 lbs.	1.1
NAC4516TBRA	Railroad	440	506	½	45	16½	—	—	14 lbs.	1.0
NAC3916TBRA	Railroad	395	461	½	39	16½	—	—	12 lbs.	0.8

- For use with highback organizers or overhead cabinets
- Tack board is unfinished on back
- Gap provided between spacer blocks to provide cord management
- Hardware included to attach to either a highback organizer or an architectural wall.
- Fabric will be railroaded
- Reference tack board applicability on page 776

TACK BOARD FOR WAVEWORKS HIGHBACK ORGANIZER OPEN BACK



		GRADE A	GRADE B/COM							
NAC4219TBCA	Railroad	$ 512	$ 578	⅞	41 5/16	19½	—	—	15 lbs.	1.0
NAC3619TBCA	Railroad	461	516	⅞	35 5/16	19½	—	—	13 lbs.	0.9
NAC3019TBCA	Railroad	424	468	⅞	29 5/16	19½	—	—	11 lbs.	0.7
NAC1819TBCA	Railroad	339	372	⅞	17 5/16	19½	—	—	7 lbs.	0.5
NAC7219TBSA	Railroad	658	755	⅞	71 13/16	19½	—	—	25 lbs.	1.6
NAC6619TBSA	Railroad	648	736	⅞	65⅞	19½	—	—	23 lbs.	1.5
NAC6019TBSA	Railroad	583	667	⅞	59⅞	19½	—	—	21 lbs.	1.4
NAC4819TBSA	Railroad	548	625	⅞	47⅞	19½	—	—	17 lbs.	1.1

- For use with WaveWorks open highback organizer with curved shelves; reference page 417
- Tack board is unfinished on back
- Gap provided between spacer blocks to provide cord management
- Hardware included to attach to either a highback organizer or an architectural wall.
- TBC model mounts on highback organizer between the paper management shelves
- TBS model mounts on back side of highback organizer if used in open plan
- Does not include route in back for task light cord
- Fabric will be railroaded
- Reference tack board applicability on page 776

TACK BOARDS

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade/Color

SAMPLE MODEL NUMBER:

NAC7014TBDA A 3705

• See page 743 for all options available in Accessories

RECEPTION TACK BOARD



Front view

MODEL NO./DESCRIPTION		LIST PRICE GRADE A	LIST PRICE GRADE B/COM	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
14" HIGH										
NAC7015TBDA	Railroad	$ 565	$ 664	½	70⅛	14½	—	—	16 lbs.	1.5
NAC6415TBDA	Railroad	520	608	½	64⅛	14½	—	—	14 lbs.	1.5
13" HIGH										
NAC7014TBDA	Railroad	$ 565	$ 664	½	69⅞	13⅞	—	—	15 lbs.	1.5
NAC6714TBDA	Railroad	562	650	½	67¼	13⅞	—	—	15 lbs.	1.5
NAC6414TBDA	Railroad	520	608	½	64⅛	13⅞	—	—	14 lbs.	1.5
NAC6114TBDA	Railroad	497	585	½	61¼	13⅞	—	—	14 lbs.	1.0
NAC6713TBDA	Railroad	550	638	½	67⅜	13⅛	—	—	15 lbs.	1.5
12" HIGH										
NAC7212TBDA	Railroad	$ 565	$ 664	½	71¾	12³⁄₁₆	—	—	16 lbs.	1.5
NAC6912TBDA	Railroad	565	653	½	69¼	12	—	—	15 lbs.	1.5
NAC6813TBDA	Railroad	550	638	½	68	12³⁄₁₆	—	—	15 lbs.	1.5
11" HIGH										
NAC6011TBDA	Railroad	$ 494	$ 582	½	59¾	11¼	—	—	14 lbs.	1.0
NAC5711TBDA	Railroad	494	571	½	57⁵⁄₁₆	11¼	—	—	12 lbs.	1.0
NAC4811TBDA	Railroad	436	502	½	47¹³⁄₁₆	11¼	—	—	10 lbs.	1.0
11" HIGH - SET OF 2										
NAC2211TBDA2	Railroad - Set of 2	$ 642	$ 675	½	21⅝	11¼	—	—	9 lbs.	1.0



User view
NAC2211TBDA2 and NAC2211TBD2

- Line art shaded area denotes place of set of 2 tack boards

10" HIGH										
NAC6010TBDA	Railroad	$ 494	$ 582	½	59¾	10⅛	—	—	14 lbs.	1.0
NAC5710TBDA	Railroad	494	571	½	57⁵⁄₁₆	10⅛	—	—	12 lbs.	1.0
NAC4810TBDA	Railroad	436	502	½	47¹³⁄₁₆	10⅛	—	—	10 lbs.	1.0

- For use with reception desks and transaction counters
- Tack board is unfinished on back
- Does not include route in back for wire management
- Recommend specifying a reception counter when using tack boards on a reception desk/transaction counter
- Fabric will be railroaded
- Reference tack board applicability on page 776

TACK BOARDS

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NAC4221SW

• See page 743 for all options available in Accessories

SLAT WALL



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
NAC4221SW	Black	$ 668	1	41⅞	19⁷⁄₁₆	—	—	28 lbs.	0.5
NAC3621SW	Black	614	1	35⅞	19⁷⁄₁₆	—	—	22 lbs.	0.4
NAC3021SW	Black	559	1	29⅞	19⁷⁄₁₆	—	—	20 lbs.	0.3

- Specify base model only
- Work tools available on page 753
- For use with WaveWorks open back highback organizer with curved shelves; reference page 417
- Mounts on highback organizer between paper management shelves or to the wall
- Does not include route in back for task light cord
- Includes tackable space at the top of the slat wall; tackable area available in black only
- Total load capacity of slat wall is 100 pounds
- All required hardware is included for mounting application

Reference chart for mounting appropriate size slat wall or tack board between 2 support shelves on inside of high-back organizer.

HIGHBACK ORGANIZER MODEL	SLAT WALL/TACK BOARD SIZES APPLICABLE
WW4838HBH	NA
WW6038HBH	30" W Slat Wall/Tack Board
WW6638HBH	36" W Slat Wall/Tack Board
WW7238HBH	42" W Slat Wall/Tack Board

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL		RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
BOX/FILE HEIGHT STORAGE CUSHIONS							
NAC1820CUSH, NAC1820CUSHT			0.70	0.90	1.60	3.10	12
NAC1824CUSH, NAC1824CUSHT			0.70	1.20	1.50	2.70	12
NAC1830CUSH, NAC1830CUSHT			0.90	1.40	1.70	2.70	17
NAC1836CUSH, NAC1836CUSHT			1.10	1.40	1.70	2.70	20
NAC1840CUSH, NAC1840CUSHT			1.00	1.40	2.00	2.20	20
NAC1848CUSH, NAC1848CUSHT			1.10	1.40	1.70	2.70	20
NAC1860CUSH, NAC1860CUSHT			1.60	1.80	2.90	4.20	32
NAC1872CUSH, NAC1872CUSHT			1.70	2.10	2.90	4.20	37
NAC2024CUSH, NAC2024CUSHT			0.70	1.30	2.00	3.20	12
NAC24CUSH, NAC24CUSHT			0.80	1.30	2.30	2.20	15
NAC2424CUSH, NAC2424CUSHT			0.80	1.70	2.30	2.70	14.5
NAC2430CUSH, NAC2430CUSHT			1.20	1.70	2.30	2.70	23
NAC2436CUSH, NAC2436CUSHT			1.20	1.70	2.30	2.70	23
NAC2440CUSH, NAC2440CUSHT			1.20	1.70	2.60	3.20	24
NAC2448CUSH, NAC2448CUSHT			1.20	1.60	2.30	2.70	24
NAC2460CUSH, NAC2460CUSHT			2.10	2.70	3.80	4.20	42
NAC2472CUSH, NAC2472CUSHT			2.10	2.70	3.80	4.20	42
NAC2552CUSH, NAC2552CUSHT			1.90	2.80	4.10	4.60	37
NAC2727CUSH, NAC2727CUSHT			1.40	1.80	2.50	2.70	28
NAC2828CUSH, NAC2828CUSHT			1.50	1.90	2.60	3.20	29
NAC36CUSH, NAC36CUSHT			1.60	2.00	2.60	3.60	30
NAC3636CUSH, NAC3636CUSHT			1.70	2.10	2.60	4.10	33
TOSS ACCENT PILLOWS							
N10PBL1806			0.60	0.70	0.70	0.90	12
N10PBL1806X	Upholstery Accent		0.60 0.30	0.70 0.30	0.70 0.50	0.90 0.70	6 3
N10PBL1806P			0.60	0.70	0.70	0.90	12
N10PBL1806PX	Upholstery Piping Accent		0.60 0.10 0.30	0.70 0.10 0.30	0.70 0.10 0.50	0.90 0.10 0.70	6 2 3
N10PSQ1414			0.60	0.70	0.70	0.80	12
N10PSQ1414X	Upholstery Back		0.60 0.60	0.70 0.70	0.70 0.70	0.80 0.80	6 6
N10PSQ1414P			0.70	0.70	0.70	0.80	14
N10PSQ1414PX	Upholstery Back Piping		0.60 0.60 0.10	0.70 0.70 0.10	0.70 0.70 0.10	0.80 0.80 0.10	6 6 2
N10PSQ1414B			0.60	0.70	0.70	0.80	12
N10PSQ1414BX	Upholstery Back Accent		0.60 0.60 0.10	0.70 0.70 0.10	0.70 0.70 0.10	0.80 0.80 0.10	6 6 1
N10PSQ1414BP			0.70	0.70	0.70	0.80	14
N10PSQ1414BPX	Upholstery Back Piping Accent		0.60 0.60 0.10 0.10	0.70 0.70 0.10 0.10	0.70 0.70 0.10 0.10	0.80 0.80 0.10 0.10	6 6 2 1
N10PSQ1616			0.70	0.80	1.10	2.00	13
N10PSQ1616X	Upholstery Back		0.70 0.70	0.80 0.80	1.10 1.10	1.30 1.30	7 7
N10PSQ1616P			0.70	1.10	1.10	2.00	14

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
N10PSQ1616PX	Upholstery	0.70	0.80	1.10	1.30	7
	Back	0.70	0.80	1.10	1.30	7
	Piping	0.20	0.20	0.20	0.20	4
N10PSQ1616B		0.70	0.80	1.10	2.00	13
N10PSQ1616BX	Upholstery	0.70	0.80	1.10	1.30	7
	Back	0.70	0.80	1.10	1.30	7
	Accent	0.20	0.20	0.20	0.20	1
N10PSQ1616BP		0.70	0.80	1.10	2.00	14
N10PSQ1616PBX	Upholstery	0.70	0.80	1.10	1.30	7
	Back	0.70	0.80	1.10	1.30	7
	Piping	0.20	0.20	0.20	0.20	4
	Accent	0.20	0.20	0.20	0.20	1
N10PSQ1818		0.70	0.90	1.70	2.40	14
N10PSQ1818X	Upholstery	0.70	0.90	1.00	1.30	8
	Back	0.70	0.90	1.00	1.30	8
N10PSQ1818P		0.80	0.90	1.70	2.40	13
N10PSQ1818PX	Upholstery	0.70	0.90	1.00	1.30	8
	Back	0.70	0.90	1.00	1.30	8
	Piping	0.20	0.20	0.20	0.20	4
N10PSQ1818B		0.70	0.90	1.70	2.40	14
N10PSQ1818BX	Upholstery	0.70	0.90	1.00	1.30	8
	Back	0.70	0.90	1.00	1.30	8
	Accent	0.20	0.20	0.20	0.20	1
N10PSQ1818BP		0.80	0.90	1.70	2.40	15
N10PSQ1818PBX	Upholstery	0.70	0.90	1.00	1.30	8
	Back	0.70	0.90	1.00	1.30	8
	Piping	0.20	0.20	0.20	0.20	13
	Accent	0.20	0.20	0.20	0.20	1
N10PRT1508		0.40	0.50	0.60	1.30	8
N10PRT1508X	Upholstery	0.40	0.50	0.60	0.80	4
	Back	0.40	0.50	0.60	0.80	4
N10PRT1508L, N10PRT1508R, N10PRT1508C		0.40	0.50	0.60	1.30	8
N10PRT1508LX, N10PRT1508RX, N10PRT1508CX	Upholstery	0.40	0.50	0.60	0.80	4
	Back	0.40	0.50	0.60	0.80	4
	Accent	0.40	0.50	0.60	0.80	4
N10PRT1508P		0.50	0.50	0.60	1.30	10
N10PRT1508PX	Upholstery	0.40	0.50	0.60	0.80	4
	Back	0.40	0.50	0.60	0.80	4
	Piping	0.10	0.10	0.10	0.10	2
N10PRT1508LP, N10PRT1508RP, N10PRT1508CP		0.50	0.50	0.60	1.30	10
N10PRT1508LPX, N10PRT1508RPX, N10PRT1508CPX	Upholstery	0.40	0.50	0.60	0.80	4
	Back	0.40	0.50	0.60	0.80	4
	Piping	0.10	0.10	0.10	0.10	2
	Accent	0.40	0.50	0.60	0.80	4

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
WEDGES						
N10PWD1816		0.90	1.20	1.50	1.80	
N10PWD1816X	Upholstery	0.70	0.70	1.00	1.20	
	Back	0.60	0.60	0.90	0.80	
	Accent	0.60	0.60	0.90	0.80	
N10PWD2116		1.10	1.20	1.50	1.80	
N10PWD2116X	Upholstery	0.70	0.70	1.00	1.20	
	Back	0.60	0.60	0.90	0.80	
	Accent	0.60	0.60	0.90	0.80	
N10PWD2416		1.20	1.50	1.90	1.80	
N10PWD2416X	Upholstery	0.70	0.70	1.00	1.20	
	Back	0.60	0.60	0.90	0.80	
	Accent	0.60	0.60	0.90	0.80	
MOBILE PEDS						
CLN2016PMBFC		0.90	1.00	1.10	1.00	
25N2315PMBFCL		0.90	1.00	1.10	1.00	
25N2315PMBFCW		0.90	1.00	1.10	1.00	
75N2315PMBFC		0.90	1.00	1.10	1.00	
WW2315PMBFCL		0.90	1.00	1.10	1.00	
WW2315PMBFCW		0.90	1.00	1.10	1.00	
WW2315PMBFCM		1.00	1.00	1.00	1.00	
WW2315PMBFC2M		1.00	1.00	1.00	1.00	
TESSERA						
59N1872BN1F		1.50	1.80	2.80	4.60	30
59N1860BN1F		1.50	1.80	2.80	4.60	29
59N1854BN1F		1.50	1.80	2.80	4.60	29
59N1848BN1F		0.90	1.20	1.90	3.00	17
59N1842BN1F		0.90	1.20	1.90	3.00	17
LOCHLYN						
69N17LNRF		19.70	0.60	0.80	1.30	1.6
69N23LNRF		25.10	0.70	1.10	1.60	3.1
69N29LNRF		38.50	1.10	1.50	1.60	3.1

COM YARDAGE REQUIREMENTS

TACKABLE	YARDAGE
11N1834TBA	1.00
11N1836TBA	1.00
11N1837TBA	1.00
11N1848TBA	1.00
11N1849TBA	1.00
11N20WMVF	0.75
11N20WMVFA	0.25
11N2434SWTBF	1.10
11N2434SWTBFA	1.50
11N2434SWTBP	0.50
11N2434SWTBPA	0.80
11N2434TBA	1.00
11N2436SWTBF	1.10
11N2436SWTBFA	1.30
11N2436SWTBP	0.50
11N2436SWTBPA	0.80
11N2436TBA	1.00
11N2437SWTBF	1.20
11N2437SWTBFA	1.30
11N2437SWTBP	0.50
11N2437SWTBPA	0.80
11N2437TBA	1.00
11N2448SWTBF	1.50
11N2448SWTBFA	1.10
11N2448SWTBP	0.90
11N2448SWTBPA	0.80
11N2448TBA	1.00
11N2449SWTBF	1.50
11N2449SWTBFA	1.10
11N2449SWTBP	0.90
11N2449SWTBPA	0.80
11N2449TBA	1.00
11N3034SWTBF	1.10
11N3034SWTBFA	1.60
11N3034SWTBP	0.50
11N3034SWTBPA	1.00
11N3034TBA	1.25
11N3036SWTBF	1.10
11N3036SWTBFA	1.50
11N3036SWTBP	0.50
11N3036SWTBPA	1.00
11N3036TBA	1.25
11N3037SWTBF	1.20
11N3037SWTBFA	1.50
11N3037SWTBP	0.50
11N3037SWTBPA	1.00
11N3037TBA	1.25
11N3048SWTBF	1.50
11N3048SWTBFA	1.30
11N3048SWTBP	0.90
11N3048SWTBPA	1.00
11N3048TBA	1.25
11N3049SWTBF	1.50
11N3049SWTBFA	1.30
11N3049SWTBP	0.90
11N3049SWTBPA	1.00
11N3049TBA	1.25

TACKABLE	YARDAGE
11N31WMVF	1.00
11N31WMVFA	0.25
11N34TCF	1.00
11N34TCFA	0.25
11N3634SWTBF	1.10
11N3634SWTBFA	1.80
11N3634SWTBP	0.50
11N3634SWTBPA	1.10
11N3634TBA	1.50
11N3636SWTBF	1.10
11N3636SWTBFA	1.60
11N3636SWTBP	0.50
11N3636SWTBPA	1.10
11N3636TBA	1.50
11N3637SWTBF	1.20
11N3637SWTBFA	1.60
11N3637SWTBP	0.50
11N3637SWTBPA	1.10
11N3637TBA	1.50
11N3648SWTBF	1.50
11N3648SWTBFA	1.50
11N3648SWTBP	0.90
11N3648SWTBPA	1.10
11N3648TBA	1.50
11N3649SWTBF	1.50
11N3649SWTBFA	1.50
11N3649SWTBP	0.90
11N3649SWTBPA	1.10
11N3649TBA	1.50
11N36TCF	1.25
11N36TCFA	0.25
11N37TCF	1.25
11N37TCFA	0.25
11N4234SWTBF	1.10
11N4234SWTBFA	2.00
11N4234SWTBP	0.50
11N4234SWTBPA	1.30
11N4234TBA	1.50
11N4236SWTBF	1.10
11N4236SWTBFA	1.80
11N4236SWTBP	0.50
11N4236SWTBPA	1.30
11N4236TBA	1.50
11N4237SWTBF	1.20
11N4237SWTBFA	1.80
11N4237SWTBP	0.50
11N4237SWTBPA	1.30
11N4237TBA	1.50
11N4248SWTBF	1.50
11N4248SWTBFA	1.60
11N4248SWTBP	0.90
11N4248SWTBPA	1.30
11N4248TBA	1.50
11N4249SWTBF	1.50
11N4249SWTBFA	1.60
11N4249SWTBP	0.90
11N4249SWTBPA	1.30

COM YARDAGE REQUIREMENTS

TACKABLE	YARDAGE
11N4249TBA	1.50
11N4834SWTBF	1.10
11N4834SWTBFA	2.10
11N4834SWTBP	0.50
11N4834SWTBPA	1.50
11N4834TBA	1.75
11N4836SWTBF	1.10
11N4836SWTBFA	2.00
11N4836SWTBP	0.50
11N4836SWTBPA	1.50
11N4836TBA	1.75
11N4837SWTBF	1.20
11N4837SWTBFA	2.00
11N4837SWTBP	0.50
11N4837SWTBPA	1.50
11N4837TBA	1.75
11N4848SWTBF	1.50
11N4848SWTBFA	1.80
11N4848SWTBP	0.90
11N4848SWTBPA	1.50
11N4848TBA	1.75
11N4849SWTBF	1.50
11N4849SWTBFA	1.80
11N4849SWTBP	0.90
11N4849SWTBPA	1.50
11N4849TBA	1.75
11N48TCF	1.50
11N48TCFA	0.25
11N49TCF	1.50
11N49TCFA	0.25
11N5434TBA	2.00
11N5436TBA	2.00
11N5437TBA	2.00
11N5448TBA	2.00
11N5449TBA	2.00
11N6034TBA	2.00
11N6036TBA	2.00
11N6037TBA	2.00
11N6048TBA	2.00
11N6049TBA	2.00
26N2411SWTBA	0.80
26N2411TBA	0.80
26N2432TBA	0.80
26N2439TBA	0.80
26N3011SWTBA	1.00
26N3011TBA	1.00
26N3032TBA	1.00
26N3039TBA	1.00
26N3611SWTBA	1.10
26N3611TBA	1.10
26N3632TBA	1.10
26N3639TBA	1.20
26N4211SWTBA	1.30
26N4211TBA	1.30
26N4232TBA	1.30
26N4239TBA	1.30
26N4811SWTBA	1.50

TACKABLE	YARDAGE
26N4811TBA	1.50
26N4832TBA	1.50
26N4839TBA	1.50
26N5411SWTBA	1.60
26N5411TBA	1.60
26N5432TBA	1.70
26N5439TBA	1.70
26N6011SWTBA	1.80
26N6011TBA	1.80
26N6032TBA	1.80
26N6039TBA	1.80
26N6611SWTBA	2.00
26N6611TBA	2.00
26N6632TBA	2.00
26N6639TBA	2.00
26N7211SWTBA	2.10
26N7211TBA	2.10
26N7232TBA	2.20
26N7239TBA	2.20
NAC1811TBRA	1.00
NAC1819TBCA	0.75
NAC1819TBRA	0.75
NAC2211TBDA2	0.75
NAC2211TBRA	1.00
NAC2811TBRA	1.00
NAC3017TBRA	1.00
NAC3018TBRA	1.00
NAC3019TBCA	1.00
NAC3019TBRA	1.00
NAC3219TBRA	1.00
NAC3220TBM	0.70
NAC3220TBMA	1.00
NAC3519TBRA	1.25
NAC3617TBRA	1.25
NAC3618TBRA	1.25
NAC3619TBCA	1.25
NAC3619TBRA	1.25
NAC3819TBRA	1.50
NAC3820TBM	0.70
NAC3820TBMA	1.20
NAC3916TBRA	1.50
NAC4219TBCA	1.50
NAC4219TBRA	1.50
NAC4419TBRA	1.50
NAC4420TBM	0.70
NAC4420TBMA	1.40
NAC4516TBRA	1.50
NAC4619TBRA	1.50
NAC4810TBDA	1.50
NAC4811TBDA	1.50
NAC4819TBRA	1.50
NAC4819TBSA	1.50
NAC4919TBRA	1.50
NAC5019TBRA	1.50
NAC5219TBRA	1.75
NAC5417TBRA	1.60
NAC5419TBRA	1.75

COM YARDAGE REQUIREMENTS

TACKABLE	YARDAGE
NAC5517TBRA	1.60
NAC5616TBRA	1.70
NAC5619TBRA	1.75
NAC5620TBM	N/A
NAC5620TBMA	1.70
NAC5710TBDA	1.75
NAC5711TBDA	1.75
NAC5716TBRA	1.75
NAC5720TBRA	1.70
NAC5819TBRA	1.75
NAC6010TBDA	2.00
NAC6011TBDA	2.00
NAC6017TBRA	2.00
NAC6019TBRA	2.00
NAC6019TBSA	2.00
NAC6114TBDA	2.00
NAC6117TBRA	2.00
NAC6119TBRA	2.00
NAC6216TBRA	2.00
NAC6219TBRA	2.00
NAC6316TBRA	2.00
NAC6317TBRA	2.00
NAC6319TBRA	2.00
NAC6320TBRA	2.00
NAC6414TBDA	2.00
NAC6415TBDA	2.00
NAC6419TBRA	2.00
NAC6617TBRA	2.00
NAC6619TBRA	2.00
NAC6619TBSA	2.00
NAC6713TBDA	2.00
NAC6714TBDA	2.00
NAC6717TBRA	2.00
NAC6719TBRA	2.00
NAC6813TBDA	2.00
NAC6816TBRA	2.00
NAC6819TBRA	2.00
NAC6820TBMA	2.10
NAC6912TBDA	2.00
NAC6916TBRA	2.25
NAC6917TBRA	2.25
NAC6919TBRA	2.25
NAC6920TBRA	2.25
NAC7014TBDA	2.25
NAC7015TBDA	2.25
NAC7019TBRA	2.25
NAC7212TBDA	2.25
NAC7219TBRA	2.25
NAC7219TBSA	2.25
NAC7317TBRA	2.10
NAC7419TBRA	2.25
NAC7420TBRA	2.20
NAC7517TBRA	2.20
NAC7616TBRA	2.20
NAC7619TBRA	2.25

TACKABLE	YARDAGE
NAC7917TBRA	2.30
NAC8020TBRA	2.30
NAC8117TBRA	2.40
NAC8219TBRA	2.50
NAC8416TBRA	2.50
NAC8819TBRA	2.75
NAC2132PVMC2PFA	1.50
NAC2432PVMC2PFA	1.75
NAC2732PVMC2PFA	1.75
NAC3032PVMC2PFA	2.00
NAC3632PVMC2PFA	2.25
NAC4232PVMC2PFA	2.60
NAC4832PVMC2PFA	3.00
NAC5432PVMC2PFA	3.25
NAC6032PVMC2PFA	3.60
NAC6632PVMC2PFA	4.00
NAC7232PVMC2PFA	4.25
NAC2124PVC2PFA	0.75
NAC2424PVC2PFA	1.00
NAC2724PVC2PFA	1.00
NAC3024PVC2PFA	1.00
NAC3624PVC2PFA	1.25
NAC4224PVC2PFA	1.50
NAC4824PVC2PFA	1.50
NAC5424PVC2PFA	1.75
NAC6024PVC2PFA	2.00
NAC6624PVC2PFA	2.00
NAC7224PVC2PFA	2.25
NAC2118PVS2PFA	0.75
NAC2418PVS2PFA	1.00
NAC2718PVS2PFA	1.00
NAC3018PVS2PFA	1.00
NAC3618PVS2PFA	1.25
NAC4218PVS2PFA	1.50
NAC4818PVS2PFA	1.50
NAC5418PVS2PFA	1.75
NAC6018PVS2PFA	2.00
NAC6618PVS2PFA	2.00
NAC7218PVS2PFA	2.25
71N4518PVBPFA	1.50
71N5118PVBPFA	2.00
71N5718PVBPFA	2.00
71N6318PVBPFA	2.00
71N6918PVBPFA	2.50
71N4623PVCPFA	1.50
71N5223PVCPFA	2.00
71N5823PVCPFA	2.00
71N6423PVCPFA	2.00
71N7023PVCPFA	2.50
71N3824PVBPFA	1.50
71N4424PVBPFA	1.50
71N5024PVBPFA	2.00
71N5624PVBPFA	2.00
71N6224PVBPFA	2.00

NATIONAL®

1600 ROYAL STREET, JASPER, IN 47546
TOLL FREE **800.482.1717**
WEB **NATIONALOFFICEFURNITURE.COM**

A UNIT OF KIMBALL INTERNATIONAL, ©2018

NPL222

RETURN TO WORK

Product Specifications 2
Product Options 3
Product Pages 7

PRODUCT SPECIFICATIONS

SCREENS

DESKS+WORKSTATIONS+BENCHING+TABLES

Accommodate new ways of working by utilizing your existing products and blending new solutions into workspaces

Create space division by adding a screen to your workspace. Select the screen style that best fits your situation: set on surface, edge mount, clamp mount, full metal edge mount, or freestanding

- Select style and height of screen based on floorplate layout and occupancy density. Taller screens are appropriate when employees must be situated face-to-face or are near high traffic areas
- Create additional shielding by adding set on surface screens to stations that already have existing edge mount screens
- Screens are available in a variety of materials. Be sure to specify bleach cleanable fabrics or hard surfaces such as acrylic
- Bulk pack pricing available – save money and reduce onsite packing materials by choosing this option. Contact our By Design Product Modifications Team for a price quote.

Keep in mind that it is essential to balance the need for privacy and protection with the overall feeling of the workplace environment.

Note: If you require screens that move with a height-adjustable worksurface, you will have to remove center screens. National recommends a 1" clearance on all sides to avoid pinch point hazards

Accessory Edge Mount Screens with Alloy Height Adjust + Epicenter Spine and Screens + Waveworks Pedestals

Accessory Edge Mount Screen + Alloy Height Adjustable Desk

DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width
DI	Diameter

SCREENS

SCREEN TYPE



Set-On

Comes in Polycarbonate QD
30"H, 24"H, 21-72"W
Comes in 2 Resins Standard Lead Time
Comes in PET Standard Lead Time
30"H, 24"H, 18"H, 21-72"W
1 person to install



Edge Mount

Comes in Polycarbonate QD
40/34"H, 30/24"H, 24/18"H, 21-72"W (privacy)
44/30"H, 38/24"H, 32/18"H, 21-72"W (privacy/modesty)
Comes in 2 Resins Standard Lead Time
Comes in PET Standard Lead Time
Comes in 3 Tack Board Fabric Patterns Standard Lead Time
40/34"H, 30/24"H, 24/18"H, 21-72"W (privacy)
44/30"H, 38/24"H, 32/18"H, 21-72"W (privacy/modesty)
2 people to install



Full Metal Edge Mount

Comes in 2 Resins Standard Lead Time
Comes in Glass Standard Lead Time
24"H, 23-72"W
2 people to install



Full Edge Mount: PET

Comes in 1 PET Standard Lead Time
24-30"H, 23-72"W
2 people to install



Clamp Mount

Comes in TFL White Laminate/Platinum Metallic paint brackets QD
27H, 23-71W
Comes in 2 Resins Standard Lead Time
27"H, 23-71"W
1 person to install



Universal Panel Mount

Comes in 2 Resins Standard Lead Time
Comes in Glass Standard Lead Time
18"H, 24-48"W
2 people to install

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

SCREENS, *continued*

SCREEN TYPE

Static Floor Screen

Comes in Reeded Polycarbonate Standard Lead Time
Comes in Glass Standard Lead Time
Comes in HPL Laminate Standard Lead Time
Comes in HPL Marker Board Laminate Standard Lead Time
Comes in PET Standard Lead Time
Comes in 3 Tack Board Fabric Patterns Standard Lead Time
60"H or 72"H, 24-48"W
2 people to install



Mobile Floor Screen

Comes in Reeded Polycarbonate Standard Lead Time
Comes in Glass Standard Lead Time
Comes in HPL Laminate Standard Lead Time
Comes in HPL Marker Board Laminate Standard Lead Time
Comes in PET Standard Lead Time
Comes in 3 Tack Board Fabric Patterns Standard Lead Time
60"H or 72"H, 24-48"W
2 people to install



Static Surface/Floor Screen

Comes in Reeded Polycarbonate Standard Lead Time
Comes in Glass Standard Lead Time
Comes in HPL Laminate Standard Lead Time
Comes in HPL Marker Board Laminate Standard Lead Time
Comes in PET Standard Lead Time
Comes in 3 Tack Board Fabric Patterns Standard Lead Time
60"H or 72"H, 24-48"W
2 people to install

ACCESSORIES

EQUIPMENT RAIL

Wall Equipment Rail

Extruded Aluminum Rail with Silver Inlay
18¼"-48¼"W
2 people to install

ACCESSORIES FOR RAIL (1 PERSON INSTALL)



Mounting Kit for Wide-Body Soap/Sanitizer Dispenser

Designed to hold most wide-body soap or sanitizer dispensers



Mounting Kit for Narrow-Body Soap/Sanitizer Dispenser

Designed to hold most narrow-body soap or sanitizer dispensers



Single Universal Glove Box Holder

Clear Acrylic
Holds one glove box



Double Universal Glove Box Holder

Clear Acrylic
Holds two glove boxes



Triple Universal Glove Box Holder

Clear Acrylic
Holds three glove boxes



Small PPE Dispenser

ABS plastic
Universal small box dispenser for shoe cover, cap, and other items



PPE Dispenser Cabinet

Holds 2 boxes of gloves, 1 box of face masks, and 1 hand sanitizer bottle



U-Shaped Wire Basket

Plastic coated wire
Holds blood pressure cuff and other accessories



Mounting Kit for Paper Towel Dispenser

Designed to hold most paper towel dispensers



Mounting Kit for Tri-Fold Paper Towel Dispenser

Designed to hold most tri-fold dispensers



Wipe Holder

Designed to hold most brands of sanitizing wipes and some industrial style spray bottles

RETURN TO WORK

SCREEN PRODUCT OPTIONS

LAMINATE+BRACKET OPTIONS

CLAMP MOUNT TFL WOODGRAIN LAMINATE

IM Brighton
MC Amber
MH Mocha

CLAMP MOUNT TFL SOLID LAMINATE

405 Designer White
440 Cloud
461 Graphite
462 Cinder

POLYCARBONATE

Fluted, Semi-Opaque Polycarbonate

EDGE MOUNT AND SET-ON BRACKET PAINT COLORS

423 Concrete
462 Cinder
463 Iron
501 Platinum Metallic
503 Satin Nickel Metallic

CLAMP MOUNT AND FULL EDGE MOUNT BRACKET, AND FLOOR SCREEN FRAME PAINT COLORS

405 Designer White
462 Cinder
501 Platinum Metallic

RESIN COLORS

1677 Frosted
1377 Clear

EDGE MOUNT BRACKET APPLICATION

FL Flush
WG Wire Gap (+$36 upcharge)

FLOOR SCREEN LAMINATE COLORS

AC2 Autumn 2
AD Almond
BZ Brazilwood
CI Chai
CL Caramel
CW Cordovan
DW Judicial
HN2 Honey 2
IM Brighton
KN Kona
MC Amber
MH Mocha
NM Natural
PB Portobello
PC Porcini
PT Portico
SK Skyline
SM Sonoma
TF Truffle
WL Willow
405 Designer White
419 Wallaby
425 Shadow
440 Cloud
451 Dapple
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear
792 Sable
793 Acorn

PET+TACKABLE UPHOLSTERY OPTIONS

PET FABRICS*

NOR Nordic Knit

DUNE (GRADE A) 100% POLYESTER*

8600 Drift
8601 Windblown
8602 Erosion
8603 Haze
8606 Pebble
8608 Nectar
8610 Clear
8614 Basin
8615 Raven
8620 Darkness

REPETITION (GRADE A) 100% PRE-CONSUMER RECYCLED POLYESTER*

3700 Ash
3703 White
3709 Java
3713 Stainless
3715 Almond
3721 Reed
3744 Tawny

PACT (GRADE B) 65% PRECONSUMER GRADE POLYESTER 35% POST-CONSUMER RECYCLED POLYESTER*

25401 Aloe
25402 Azure
25403 Calla
25404 Coastal
25405 Delft
25406 Dove
25409 Fern
25410 Harbour
25411 Lily
25412 Lime
25413 Midnight
25414 Nectar
25415 Patina
25416 Putty
25418 Roma
25420 Sketch
25422 Taupe
25423 Toasty

COM (GRADE B)*

*Available for Clamp Mount, Full Edge Mount, and Floor Screens

SET-ON SCREEN - DESKS+BENCHING

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

- Quick Delivery lead times applicable to orders of 20 screens or less

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NAC7230PVSBP

• See page 3 for Return To Work options

POLYCARBONATE SET-ON SURFACE SCREEN

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
¼" POLYCARBONATE THICKNESS 30" HIGH								
NAC7230PVSBP	$ 663		72	30				
NAC6630PVSBP	651		66	30				
NAC6030PVSBP	636		60	30				
NAC5430PVSBP	625		54	30				
NAC4830PVSBP	537		48	30				
NAC4230PVSBP	534		42	30				
NAC3630PVSBP	448		36	30				
NAC3030PVSBP	403		30	30				
NAC2730PVSBP	344		27	30				
NAC2430PVSBP	336		24	30				
NAC2130PVSBP	330		21	30				
24" HIGH								
NAC7224PVSBP	$ 618		72	24				
NAC6624PVSBP	609		66	24				
NAC6024PVSBP	595		60	24				
NAC5424PVSBP	584		54	24				
NAC4824PVSBP	497		48	24				
NAC4224PVSBP	496		42	24				
NAC3624PVSBP	380		36	24				
NAC3024PVSBP	352		30	24				
NAC2724PVSBP	327		27	24				
NAC2424PVSBP	320		24	24				
NAC2124PVSBP	317		21	24				

- Quick Delivery Polycarbonate Set-On Screens feature Platinum Metallic brackets
- When ordering both back and side set-on screens, size down for side screens in order to avoid interference
- Clear rubber bumpers on bottom of brackets
- Clear U-Channel Edge Molding on all exposed edges
- Polycarbonate Thickness ¼"
- Foot dimension is 3" wide x 5" deep
- Semi-Opaque Reeded Polycarbonate
- Screen Metal Mounting Bracket
- Brackets ship in box with screen
- Remove protective film from screen
- Pressure fit screen into bracket and set in place
- Low level of complexity – can be installed by 1 person

SET-ON SCREEN - DESKS+BENCHING

TO ORDER, SPECIFY:

1. Model Number
2. Resin Color
3. Bracket Paint Color

SAMPLE MODEL NUMBER:

NAC7230PVSP

• See page 3 for Return To Work options

RESIN SET-ON SURFACE SCREEN

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
¼" RESIN THICKNESS 30" HIGH								
NAC7230PVSP	$ 1734		72	30				
NAC6630PVSP	1719		66	30				
NAC6030PVSP	1702		60	30				
NAC5430PVSP	1560		54	30				
NAC4830PVSP	936		48	30				
NAC4230PVSP	925		42	30				
NAC3630PVSP	826		36	30				
NAC3030PVSP	793		30	30				
NAC2730PVSP	646		27	30				
NAC2430PVSP	629		24	30				
NAC2130PVSP	596		21	30				
24" HIGH								
NAC7224PVSP	$ 1236		72	24				
NAC6624PVSP	1222		66	24				
NAC6024PVSP	1207		60	24				
NAC5424PVSP	1158		54	24				
NAC4824PVSP	961		48	24				
NAC4224PVSP	765		42	24				
NAC3624PVSP	675		36	24				
NAC3024PVSP	658		30	24				
NAC2724PVSP	548		27	24				
NAC2424PVSP	537		24	24				
NAC2124PVSP	484		21	24				
18" HIGH								
NAC7218PVSP	$ 817		72	18				
NAC6618PVSP	800		66	18				
NAC6018PVSP	784		60	18				
NAC5418PVSP	737		54	18				
NAC4818PVSP	598		48	18				
NAC4218PVSP	592		42	18				
NAC3618PVSP	514		36	18				
NAC3018PVSP	484		30	18				
NAC2718PVSP	448		27	18				
NAC2418PVSP	437		24	18				
NAC2118PVSP	418		21	18				

- When ordering both back and side set-on screens, size down for side screens in order to avoid interference
- Clear rubber bumpers on bottom of brackets
- Bulk pack pricing available – save money and reduce onsite packing materials by choosing this option. Contact our By Design Product Modifications Team for a price quote
- Resin Thickness ¼"
- Foot dimension is 3" wide x 5" deep
- Clear or Frosted Resin Screen
- Metal Mounting Bracket
- Brackets ship in box with screen
- Remove protective film from screen
- Pressure fit screen into bracket and set in place
- Medium complexity – 4 minutes, 2 people

SET-ON SCREEN - DESKS+BENCHING

TO ORDER, SPECIFY:

1. Model Number
2. Bracket Paint Color

SAMPLE MODEL NUMBER:

NAC7230PVSPP

• See page 3 for Return To Work options

PET SET-ON SURFACE SCREEN



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
½" PET THICKNESS								
30" HIGH								
NAC7230PVSPP	$ 1593		72	30				
NAC6630PVSPP	1536		66	30				
NAC6030PVSPP	1502		60	30				
NAC5430PVSPP	1253		54	30				
NAC4830PVSPP	826		48	30				
NAC4230PVSPP	793		42	30				
NAC3630PVSPP	726		36	30				
NAC3030PVSPP	675		30	30				
NAC2730PVSPP	604		27	30				
NAC2430PVSPP	420		24	30				
NAC2130PVSPP	419		21	30				
24" HIGH								
NAC7224PVSPP	$ 882		72	24				
NAC6624PVSPP	837		66	24				
NAC6024PVSPP	826		60	24				
NAC5424PVSPP	734		54	24				
NAC4824PVSPP	664		48	24				
NAC4224PVSPP	598		42	24				
NAC3624PVSPP	503		36	24				
NAC3024PVSPP	465		30	24				
NAC2724PVSPP	373		27	24				
NAC2424PVSPP	343		24	24				
NAC2124PVSPP	303		21	24				
18" HIGH								
NAC7218PVSPP	$ 867		72	18				
NAC6618PVSPP	834		66	18				
NAC6018PVSPP	813		60	18				
NAC5418PVSPP	724		54	18				
NAC4818PVSPP	641		48	18				
NAC4218PVSPP	580		42	18				
NAC3618PVSPP	487		36	18				
NAC3018PVSPP	450		30	18				
NAC2718PVSPP	327		27	18				
NAC2418PVSPP	271		24	18				
NAC2118PVSPP	270		21	18				

- When ordering both back and side set-on screens, size down for side screens in order to avoid interference
- Clear rubber bumpers on bottom of brackets
- PET Thickness ½"
- Foot dimension is 3" wide x 5" deep
- Nordic Knit PET Screen
- Metal Mounting Bracket
- Brackets ship in box with screen
- Remove protective film from screen
- Pressure fit screen into bracket and set in place
- Medium complexity – 4 minutes, 2 people

CLAMP MOUNT SCREEN - DESKS+BENCHING

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

- Quick Delivery lead times applicable to orders of 20 screens or less

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color
3. Clamp Paint Color

SAMPLE MODEL NUMBERS:

QNAC7127PVC2405501
NAC7127PVCC2LLP

- See page 3 for Return To Work options

TFL CLAMP MOUNT SCREEN

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
½" TFL THICKNESS								
QNAC7127PVC2405501	$ 868		71	27				
QNAC6527PVC2405501	853		65	27				
QNAC5927PVC2405501	809		59	27				
QNAC5327PVC2405501	692		53	27				
QNAC4727PVC2405501	666		47	27				
QNAC2927PVC2405501	587		29	27				
QNAC2327PVC2405501	560		23	27				

- Quick Delivery models feature Designer White Laminate and Platinum Metallic Clamps

½" TFL THICKNESS								
NAC7127PVCC2LLP	$ 868		71	27				
NAC6527PVCC2LLP	853		65	27				
NAC5927PVCC2LLP	809		59	27				
NAC5327PVCC2LLP	692		53	27				
NAC4727PVCC2LLP	666		47	27				
NAC2927PVCC2LLP	587		29	27				
NAC2327PVCC2LLP	560		23	27				

- Bulk pack pricing available – save money and reduce onsite packing materials by choosing this option. Contact our By Design Product Modifications Team for a price quote

- Above worksurface height is 24"
- Extends 3" below the worksurface
- Fits on ¾" – 1⅜" worksurface thicknesses
- Grain direction is always Horizontal
- Size down to avoid pinch points on height adjust worksurfaces, as well as when both front and side screens are specified
- Clamp is plastic with a non-marring foam
- TFL Thickness ½"
- Above surface height is 24"
- TFL Panel
- Metal Clamp
- Brackets ship attached to screen
- Tighten thumb screw to secure to surface
- Low level of complexity – can be installed by 1 person

CLAMP MOUNT SCREEN - DESKS+BENCHING

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color
3. Clamp Paint Color

SAMPLE MODEL NUMBER:

NAC7127PVCC2P

• See page 3 for Return To Work options

RESIN CLAMP MOUNT SCREEN



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
¼" RESIN THICKNESS								
NAC7127PVCC2P	$ 1460		71	27				
NAC6527PVCC2P	1437		65	27				
NAC5927PVCC2P	1418		59	27				
NAC5327PVCC2P	1047		53	27				
NAC4727PVCC2P	938		47	27				
NAC2927PVCC2P	832		29	27				
NAC2327PVCC2P	644		23	27				

- Size down to avoid pinch points on height adjust worksurfaces, as well as when both front and side screens are specified
- Fits on ¾" – 1⅜6" worksurface thicknesses
- Screen extends 24" above worksurface
- Extends 3" Below Worksurface
- Clamp is plastic with a non-marring foam
- Bulk pack pricing available – save money and reduce onsite packing materials by choosing this option. Contact our By Design Product Modifications Team for a price quote
- Resin Thickness ¼"
- Clear or Frosted Resin Screen
- Metal Clamp
- Brackets ship attached to screen
- Tighten thumb screw to secure to surface
- Easy to install - can be installed by 1 person

EDGE MOUNT SCREEN - DESKS+BENCHING

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

- Quick Delivery lead times applicable to orders of 20 screens or less

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NAC7240PVCBP

- See page 3 for Return To Work options

POLYCARBONATE EDGE MOUNT SURFACE SCREEN

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
¼" POLYCARBONATE THICKNESS 40" HIGH					**ABOVE WORKSURFACE H**			
NAC7240PVCBP	$ 505		72	40	34			
NAC6640PVCBP	495		66	40	34			
NAC6040PVCBP	483		60	40	34			
NAC5440PVCBP	474		54	40	34			
NAC4840PVCBP	462		48	40	34			
NAC4240PVCBP	452		42	40	34			
NAC3640PVCBP	420		36	40	34			
NAC3040PVCBP	314		30	40	34			
NAC2740PVCBP	284		27	40	34			
NAC2440PVCBP	271		24	40	34			
NAC2140PVCBP	264		21	40	34			
30" HIGH								
NAC7230PVCBP	$ 429		72	30	24			
NAC6630PVCBP	422		66	30	24			
NAC6030PVCBP	414		60	30	24			
NAC5430PVCBP	405		54	30	24			
NAC4830PVCBP	396		48	30	24			
NAC4230PVCBP	388		42	30	24			
NAC3630PVCBP	356		36	30	24			
NAC3030PVCBP	276		30	30	24			
NAC2730PVCBP	272		27	30	24			
NAC2430PVCBP	244		24	30	24			
NAC2130PVCBP	239		21	30	24			
24" HIGH								
NAC7224PVCBP	$ 386		72	24	18			
NAC6624PVCBP	380		66	24	18			
NAC6024PVCBP	371		60	24	18			
NAC5424PVCBP	365		54	24	18			
NAC4824PVCBP	355		48	24	18			
NAC4224PVCBP	349		42	24	18			
NAC3624PVCBP	263		36	24	18			
NAC3024PVCBP	254		30	24	18			
NAC2724PVCBP	251		27	24	18			
NAC2424PVCBP	230		24	24	18			
NAC2124PVCBP	222		21	24	18			

- Quick Delivery Screens will feature Platinum Metallic mounting brackets. Specify bracket application
- Screen extends 4" below worksurface
- Clear U-Channel edge molding attached on all sides of screen
- Fits on 1⅛" – 1⅜" worksurface thicknesses
- Polycarbonate Thickness ¼"
- Semi-Opaque Reeded Polycarbonate Screen
- Metal Mounting Bracket
- When ordering both back and side edge mount screens, size down for side screens to avoid interference
- Brackets ship in box with screen
- Remove protective film from screen
- Edge Mount Privacy Panel faceplate can be installed horizontally or vertically
- Will require attachment to surface with fasteners – 2 people recommended for installation

EDGE MOUNT SCREEN - DESKS+BENCHING

TO ORDER, SPECIFY:

1. Model Number
2. Bracket Application
3. Resin Color
4. Bracket Paint Color

SAMPLE MODEL NUMBER:

NAC7240PVCP

• See page 3 for Return To Work options

RESIN EDGE MOUNT SURFACE SCREEN

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
¼" RESIN THICKNESS 40" HIGH					**ABOVE WORKSURFACE H**			
NAC7240PVCP	$ 1265		72	40	34			
NAC6640PVCP	1251		66	40	34			
NAC6040PVCP	1090		60	40	34			
NAC5440PVCP	1077		54	40	34			
NAC4840PVCP	1037		48	40	34			
NAC4240PVCP	1026		42	40	34			
NAC3640PVCP	717		36	40	34			
NAC3040PVCP	630		30	40	34			
NAC2740PVCP	623		27	40	34			
NAC2440PVCP	541		24	40	34			
NAC2140PVCP	534		21	40	34			
30" HIGH								
NAC7230PVCP	$ 983		72	30	24			
NAC6630PVCP	978		66	30	24			
NAC6030PVCP	858		60	30	24			
NAC5430PVCP	849		54	30	24			
NAC4830PVCP	759		48	30	24			
NAC4230PVCP	750		42	30	24			
NAC3630PVCP	574		36	30	24			
NAC3030PVCP	537		30	30	24			
NAC2730PVCP	531		27	30	24			
NAC2430PVCP	444		24	30	24			
NAC2130PVCP	439		21	30	24			
24" HIGH								
NAC7224PVCP	$ 664		72	24	18			
NAC6624PVCP	661		66	24	18			
NAC6024PVCP	484		60	24	18			
NAC5424PVCP	474		54	24	18			
NAC4824PVCP	416		48	24	18			
NAC4224PVCP	441		42	24	18			
NAC3624PVCP	339		36	24	18			
NAC3024PVCP	319		30	24	18			
NAC2724PVCP	315		27	24	18			
NAC2424PVCP	287		24	24	18			
NAC2124PVCP	284		21	24	18			

- Screen extends 4" below worksurface
- Resin available in Clear or Frosted with radiused corners
- Fits on 1⅛" – 1⅜" worksurface thicknesses
- Bulk pack pricing available – save money and reduce onsite packing materials by choosing this option. Contact our By Design Product Modifications Team for a price quote
- Resin Thickness ¼"
- Clear or Frosted Resin Screen
- Metal Mounting Bracket
- When ordering both back and side edge mount screens, size down for side screens to avoid interface
- Brackets ship in box with screen
- Remove protective film from screen
- Edge Mount Privacy Panel faceplate can be installed horizontally or vertically
- Will require attachment to surface with fasteners – 2 people recommended for installation

EDGE MOUNT SCREEN - DESKS+BENCHING

TO ORDER, SPECIFY:

1. Model Number
2. Bracket Application
3. Bracket Paint Color

SAMPLE MODEL NUMBER:

NAC7240PVCPP

• See page 3 for Return To Work options

PET EDGE MOUNT SCREEN

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
½" PET THICKNESS 40" HIGH					**ABOVE WORKSURFACE H**			
NAC7240PVCPP	$ 1609		72	40	34			
NAC6640PVCPP	1543		66	40	34			
NAC6040PVCPP	1513		60	40	34			
NAC5440PVCPP	1272		54	40	34			
NAC4840PVCPP	1150		48	40	34			
NAC4240PVCPP	1051		42	40	34			
NAC3640PVCPP	1041		36	40	34			
NAC3040PVCPP	784		30	40	34			
NAC2740PVCPP	634		27	40	34			
NAC2440PVCPP	567		24	40	34			
NAC2140PVCPP	490		21	40	34			
30" HIGH								
NAC7230PVCPP	$ 1592		72	30	24			
NAC6630PVCPP	1528		66	30	24			
NAC6030PVCPP	1499		60	30	24			
NAC5430PVCPP	1253		54	30	24			
NAC4830PVCPP	965		48	30	24			
NAC4230PVCPP	824		42	30	24			
NAC3630PVCPP	784		36	30	24			
NAC3030PVCPP	758		30	30	24			
NAC2730PVCPP	539		27	30	24			
NAC2430PVCPP	415		24	30	24			
NAC2130PVCPP	413		21	30	24			
24" HIGH								
NAC7224PVCPP	$ 875		72	24	18			
NAC6624PVCPP	843		66	24	18			
NAC6024PVCPP	820		60	24	18			
NAC5424PVCPP	724		54	24	18			
NAC4824PVCPP	656		48	24	18			
NAC4224PVCPP	590		42	24	18			
NAC3624PVCPP	494		36	24	18			
NAC3024PVCPP	455		30	24	18			
NAC2724PVCPP	393		27	24	18			
NAC2424PVCPP	373		24	24	18			
NAC2124PVCPP	343		21	24	18			

- Screen extends 4" below worksurface
- PET Screen with radiused corners
- Fits on 1 1/18" – 1 3/16" worksurface thicknesses
- PET Thickness ½"
- Nordic Knit PET Screen
- Metal Mounting Bracket
- When ordering both back and side edge mount screens, size down for side screens to avoid interface
- Brackets ship in box with screen
- Remove protective film from screen
- Edge Mount Privacy Panel faceplate can be installed horizontally or vertically
- Will require attachment to surface with fasteners – 2 people recommended for installation

EDGE MOUNT SCREEN - DESKS+BENCHING

TO ORDER, SPECIFY:

1. Model Number
2. Bracket Application
3. Fabric Grade / Color
4. Bracket Paint Color

SAMPLE MODEL NUMBER:

NAC7240PVC2PFA

• See page 3 for Return To Work options

TACK BOARD FABRIC EDGE MOUNT SCREEN

MODEL NO./DESCRIPTION	GRADE A	LIST PRICE GRADE B/ COM	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1" FABRIC SCREEN THICKNESS 40" HIGH						**ABOVE WORKSURFACE H**			
NAC7240PVC2PFA	$ 1687	$ 1874		72	40	34			
NAC6640PVC2PFA	1595	1767		66	40	34			
NAC6040PVC2PFA	1485	1643		60	40	34			
NAC5440PVC2PFA	1382	1525		54	40	34			
NAC4840PVC2PFA	1273	1401		48	40	34			
NAC4240PVC2PFA	1196	1310		42	40	34			
NAC3640PVC2PFA	1097	1196		36	40	34			
NAC3040PVC2PFA	993	1077		30	40	34			
NAC2740PVC2PFA	942	1019		27	40	34			
NAC2440PVC2PFA	858	928		24	40	34			
NAC2140PVC2PFA	820	882		21	40	34			
30" HIGH									
NAC7230PVC2PFA	$ 1443	$ 1630		72	30	24			
NAC6630PVC2PFA	1355	1527		66	30	24			
NAC6030PVC2PFA	1268	1426		60	30	24			
NAC5430PVC2PFA	1178	1321		54	30	24			
NAC4830PVC2PFA	1090	1218		48	30	24			
NAC4230PVC2PFA	1003	1117		42	30	24			
NAC3630PVC2PFA	913	1012		36	30	24			
NAC3030PVC2PFA	827	911		30	30	24			
NAC2730PVC2PFA	779	856		27	30	24			
NAC2430PVC2PFA	672	742		24	30	24			
NAC2130PVC2PFA	640	702		21	30	24			
24" HIGH									
NAC7224PVC2PFA	$ 1148	$ 1247		72	24	18			
NAC6624PVC2PFA	1089	1177		66	24	18			
NAC6024PVC2PFA	1030	1118		60	24	18			
NAC5424PVC2PFA	963	1040		54	24	18			
NAC4824PVC2PFA	900	966		48	24	18			
NAC4224PVC2PFA	843	909		42	24	18			
NAC3624PVC2PFA	756	811		36	24	18			
NAC3024PVC2PFA	697	741		30	24	18			
NAC2724PVC2PFA	663	707		27	24	18			
NAC2424PVC2PFA	626	670		24	24	18			
NAC2124PVC2PFA	590	623		21	24	18			

- Screen extends 4" below worksurface
- PET Screen with radiused corners
- Fits on 1⅛" – 1⅜" worksurface thicknesses
- Fabric Screen Thickness 1"
- Dune , Repetition (grade A), or Pact (grade B) tack board fabrics
- Metal Mounting Bracket
- When ordering both back and side edge mount screens, size down for side screens to avoid interface
- Brackets ship in box with screen
- Remove protective film from screen
- Edge Mount Privacy Panel faceplate can be installed horizontally or vertically
- Will require attachment to surface with fasteners – 2 people recommended for installation

EDGE MOUNT SCREEN/MODESTY - DESKS+BENCHING

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

- Quick Delivery lead times applicable to orders of 20 screens or less

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NAC7244PVMCBP

- See page 3 for Return To Work options

POLYCARBONATE EDGE MOUNT SURFACE SCREEN/MODESTY

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
¼" POLYCARBONATE THICKNESS 44" HIGH					**ABOVE WORKSURFACE H**			
NAC7244PVMCBP	$ 1179		72	44	30			
NAC6644PVMCBP	1177		66	44	30			
NAC6044PVMCBP	818		60	44	30			
NAC5444PVMCBP	817		54	44	30			
NAC4844PVMCBP	710		48	44	30			
NAC4244PVMCBP	705		42	44	30			
NAC3644PVMCBP	683		36	44	30			
NAC3044PVMCBP	509		30	44	30			
NAC2744PVMCBP	507		27	44	30			
NAC2444PVMCBP	454		24	44	30			
NAC2144PVMCBP	452		21	44	30			
38" HIGH								
NAC7238PVMCBP	$ 1172		72	38	24			
NAC6638PVMCBP	1169		66	38	24			
NAC6038PVMCBP	809		60	38	24			
NAC5438PVMCBP	807		54	38	24			
NAC4838PVMCBP	701		48	38	24			
NAC4238PVMCBP	697		42	38	24			
NAC3638PVMCBP	675		36	38	24			
NAC3038PVMCBP	504		30	38	24			
NAC2738PVMCBP	499		27	38	24			
NAC2438PVMCBP	448		24	38	24			
NAC2138PVMCBP	447		21	38	24			
32" HIGH								
NAC7232PVMCBP	$ 482		72	32	18			
NAC6632PVMCBP	480		66	32	18			
NAC6032PVMCBP	455		60	32	18			
NAC5432PVMCBP	454		54	32	18			
NAC4832PVMCBP	450		48	32	18			
NAC4232PVMCBP	447		42	32	18			
NAC3632PVMCBP	329		36	32	18			
NAC3032PVMCBP	322		30	32	18			
NAC2732PVMCBP	320		27	32	18			
NAC2432PVMCBP	287		24	32	18			
NAC2132PVMCBP	286		21	32	18			

- Quick Delivery Screens will feature Platinum Metallic mounting brackets. Specify bracket application
- Screen extends 12" below worksurface
- Clear U-Channel edge molding attached on all sides of screen
- Fits on 1⅛" – 1⅜" worksurface thicknesses
- Polycarbonate Thickness ¼"
- Semi-Opaque Reeded Polycarbonate Screen
- Metal Mounting Bracket
- When ordering both back and side edge mount screens, size down for side screens to avoid interference
- Brackets ship in box with screen
- Remove protective film from screen
- Edge Mount Privacy Panel faceplate can be installed horizontally or vertically
- Will require attachment to surface with fasteners – 2 people recommended for installation

EDGE MOUNT SCREEN/MODESTY - DESKS+BENCHING

TO ORDER, SPECIFY:

1. Model Number
2. Bracket Application
3. Resin Color
4. Bracket Paint Color

SAMPLE MODEL NUMBER:

NAC7244PVMCP

• See page 3 for Return To Work options

RESIN EDGE MOUNT SURFACE SCREEN/MODESTY

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
¼" RESIN THICKNESS 44" HIGH					**ABOVE WORKSURFACE H**			
NAC7244PVMCP	$ 1667		72	44	30			
NAC6644PVMCP	1661		66	44	30			
NAC6044PVMCP	1408		60	44	30			
NAC5444PVMCP	1406		54	44	30			
NAC4844PVMCP	1001		48	44	30			
NAC4244PVMCP	994		42	44	30			
NAC3644PVMCP	922		36	44	30			
NAC3044PVMCP	725		30	44	30			
NAC2744PVMCP	722		27	44	30			
NAC2444PVMCP	598		24	44	30			
NAC2144PVMCP	595		21	44	30			
38" HIGH								
NAC7238PVMCP	$ 1196		72	38	24			
NAC6638PVMCP	1190		66	38	24			
NAC6038PVMCP	1015		60	38	24			
NAC5438PVMCP	1013		54	38	24			
NAC4838PVMCP	983		48	38	24			
NAC4238PVMCP	978		42	38	24			
NAC3638PVMCP	683		36	38	24			
NAC3038PVMCP	604		30	38	24			
NAC2738PVMCP	600		27	38	24			
NAC2438PVMCP	523		24	38	24			
NAC2138PVMCP	521		21	38	24			
32" HIGH								
NAC7232PVMCP	$ 1166		72	32	18			
NAC6632PVMCP	1163		66	32	18			
NAC6032PVMCP	794		60	32	18			
NAC5432PVMCP	790		54	32	18			
NAC4832PVMCP	760		48	32	18			
NAC4232PVMCP	693		42	32	18			
NAC3632PVMCP	663		36	32	18			
NAC3032PVMCP	503		30	32	18			
NAC2732PVMCP	486		27	32	18			
NAC2432PVMCP	452		24	32	18			
NAC2132PVMCP	439		21	32	18			

- Screen extends 12" below worksurface
- Resin available in Clear or Frosted with radiused corners
- Fits on 1⅛" – 1⅞₁₆" worksurface thicknesses
- Bulk pack pricing available – save money and reduce onsite packing materials by choosing this option. Contact our By Design Product Modifications Team for a price quote
- Resin Thickness ¼"
- Clear or Frosted Resin Screen
- Metal Mounting Bracket
- When ordering both back and side edge mount screens, size down for side screens to avoid interface
- Brackets ship in box with screen
- Remove protective film from screen
- Edge Mount Privacy Panel faceplate can be installed horizontally or vertically
- Will require attachment to surface with fasteners – 2 people recommended for installation

EDGE MOUNT SCREEN/MODESTY - DESKS+BENCHING

TO ORDER, SPECIFY:

1. Model Number
2. Bracket Application
3. Bracket Paint Color

SAMPLE MODEL NUMBER:

NAC7244PVMCPP

• See page 3 for Return To Work options

PET EDGE MOUNT SURFACE SCREEN/MODESTY SCREEN

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
½" PET THICKNESS 44" HIGH					**ABOVE WORKSURFACE H**			
NAC7244PVMCPP	$ 1609		72	44	30			
NAC6644PVMCPP	1549		66	44	30			
NAC6044PVMCPP	1525		60	44	30			
NAC5444PVMCPP	1285		54	44	30			
NAC4844PVMCPP	1156		48	44	30			
NAC4244PVMCPP	1065		42	44	30			
NAC3644PVMCPP	1055		36	44	30			
NAC3044PVMCPP	788		30	44	30			
NAC2744PVMCPP	647		27	44	30			
NAC2444PVMCPP	572		24	44	30			
NAC2144PVMCPP	499		21	44	30			
38" HIGH								
NAC7238PVMCPP	$ 1604		72	38	24			
NAC6638PVMCPP	1541		66	38	24			
NAC6038PVMCPP	1510		60	38	24			
NAC5438PVMCPP	1267		54	38	24			
NAC4838PVMCPP	1146		48	38	24			
NAC4238PVMCPP	1041		42	38	24			
NAC3638PVMCPP	1025		36	38	24			
NAC3038PVMCPP	774		30	38	24			
NAC2738PVMCPP	611		27	38	24			
NAC2438PVMCPP	559		24	38	24			
NAC2138PVMCPP	482		21	38	24			
32" HIGH								
NAC7232PVMCPP	$ 1597		72	32	18			
NAC6632PVMCPP	1532		66	32	18			
NAC6032PVMCPP	1507		60	32	18			
NAC5432PVMCPP	1258		54	32	18			
NAC4832PVMCPP	987		48	32	18			
NAC4232PVMCPP	845		42	32	18			
NAC3632PVMCPP	799		36	32	18			
NAC3032PVMCPP	769		30	32	18			
NAC2732PVMCPP	549		27	32	18			
NAC2432PVMCPP	421		24	32	18			
NAC2132PVMCPP	420		21	32	18			

- Screen extends 12" below worksurface
- PET Screen with radiused corners
- Fits on 1 1/8" – 1 3/16" worksurface thicknesses
- PET Thickness ½"
- Nordic Knit PET Screen
- Metal Mounting Bracket
- When ordering both back and side edge mount screens, size down for side screens to avoid interface
- Brackets ship in box with screen
- Remove protective film from screen
- Edge Mount Privacy Panel faceplate can be installed horizontally or vertically
- Will require attachment to surface with fasteners – 2 people recommended for installation

EDGE MOUNT SCREEN/MODESTY - DESKS+BENCHING

TO ORDER, SPECIFY:

1. Model Number
2. Bracket Application
3. Fabric Grade / Color
4. Bracket Paint Color

SAMPLE MODEL NUMBER:

NAC7244PVMC2PFA

• See page 3 for Return To Work options

TACK BOARD FABRIC EDGE MOUNT SURFACE SCREEN/MODESTY SCREEN



MODEL NO./DESCRIPTION	LIST PRICE		DIMENSIONS				CARTONED WEIGHT	CUBIC FEET
			D	W	H	A KW		
1" FABRIC SCREEN THICKNESS 44" HIGH	**GRADE A**	**GRADE B/ COM**				**ABOVE WORKSURFACE H**		
NAC7244PVMC2PFA	$ 1599	$ 1786		72	44	30		
NAC6644PVMC2PFA	1506	1678		66	44	30		
NAC6044PVMC2PFA	1395	1553		60	44	30		
NAC5444PVMC2PFA	1299	1442		54	44	30		
NAC4844PVMC2PFA	1202	1330		48	44	30		
NAC4244PVMC2PFA	1113	1227		42	44	30		
NAC3644PVMC2PFA	1014	1113		36	44	30		
NAC3044PVMC2PFA	921	1005		30	44	30		
NAC2744PVMC2PFA	867	944		27	44	30		
NAC2444PVMC2PFA	798	868		24	44	30		
NAC2144PVMC2PFA	762	824		21	44	30		
38" HIGH								
NAC7238PVMC2PFA	$ 1540	$ 1727		72	38	24		
NAC6638PVMC2PFA	1443	1615		66	38	24		
NAC6038PVMC2PFA	1334	1492		60	38	24		
NAC5438PVMC2PFA	1246	1389		54	38	24		
NAC4838PVMC2PFA	1150	1278		48	38	24		
NAC4238PVMC2PFA	1063	1177		42	38	24		
NAC3638PVMC2PFA	972	1071		36	38	24		
NAC3038PVMC2PFA	877	961		30	38	24		
NAC2738PVMC2PFA	829	906		27	38	24		
NAC2438PVMC2PFA	744	814		24	38	24		
NAC2138PVMC2PFA	710	772		21	38	24		
32" HIGH								
NAC7232PVMC2PFA	$ 1609	$ 1796		72	32	18		
NAC6632PVMC2PFA	1511	1687		66	32	18		
NAC6032PVMC2PFA	1401	1559		60	32	18		
NAC5432PVMC2PFA	1308	1451		54	32	18		
NAC4832PVMC2PFA	1207	1339		48	32	18		
NAC4232PVMC2PFA	1114	1228		42	32	18		
NAC3632PVMC2PFA	997	1096		36	32	18		
NAC3032PVMC2PFA	904	992		30	32	18		
NAC2732PVMC2PFA	854	931		27	32	18		
NAC2432PVMC2PFA	754	831		24	32	18		
NAC2132PVMC2PFA	719	785		21	32	18		

- Screen extends 12" below worksurface
- Tack board fabric Screen with radiused corners
- Fits on 1⅛" – 1⅜" worksurface thicknesses
- Fabric Screen Thickness 1"
- Dune , Repetition (grade A), or Pact (grade B) tack board fabrics
- Metal Mounting Bracket
- When ordering both back and side edge mount screens, size down for side screens to avoid interface
- Brackets ship in box with screen
- Remove protective film from screen
- Edge Mount Privacy Panel faceplate can be installed horizontally or vertically
- Will require attachment to surface with fasteners – 2 people recommended for installation

FULL EDGE MOUNT SCREEN - DESKS+BENCHING

TO ORDER, SPECIFY:

1. Model Number
2. Bracket Paint Color

SAMPLE MODEL NUMBER:

NAC7224PVEGP

• See page 3 for Return To Work options

GLASS FULL EDGE MOUNT SCREEN

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
¼" GLASS THICKNESS 24" HIGH								
NAC7224PVEGP	$ 664		72	24				
NAC6624PVEGP	622		66	24				
NAC6024PVEGP	583		60	24				
NAC5424PVEGP	538		54	24				
NAC4824PVEGP	503		48	24				
NAC2924PVSEGP	394		29	24				
NAC2324PVSEGP	353		23	24				

- Screen extends 24" above worksurface
- Size down to avoid pinch points on height adjust surfaces, as well as when both front and side screens are specified
- Fits on 1⅜" and 1⅞" worksurface thicknesses
- Bulk pack pricing available – save money and reduce onsite packing materials by choosing this option. Contact our By Design Product Modifications Team for a price quote
- Glass Thickness ¼"
- Clear Tempered Glass Screen
- Metal Edge Bracket
- Bracket ships attached to screen
- Secure under surface with screws
- Remove protective film from screen
- Attaches to the underneath side of the worksurface with fasteners – 2 people recommended for installation

FULL EDGE MOUNT SCREEN - DESKS+BENCHING

TO ORDER, SPECIFY:

1. Model Number
2. Resin Color
3. Bracket Paint Color

SAMPLE MODEL NUMBER:

NAC7224PVEP

• See page 3 for Return To Work options

RESIN FULL EDGE MOUNT SCREEN

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
¼" RESIN THICKNESS 24" HIGH								
NAC7224PVEP	$ 1047		72	24				
NAC6624PVEP	913		66	24				
NAC6024PVEP	754		60	24				
NAC5424PVEP	745		54	24				
NAC4824PVEP	733		48	24				
NAC2924PVSEP	444		29	24				
NAC2324PVSEP	370		23	24				

- Screen extends 24" above worksurface
- Size down to avoid pinch points on height adjust surfaces, as well as when both front and side screens are specified
- Fits on 1⅜" and 1⅞" worksurface thicknesses
- Bulk pack pricing available – save money and reduce onsite packing materials by choosing this option. Contact our By Design Product Modifications Team for a price quote
- Resin Thickness ¼"
- Clear or Frosted Resin Screen
- Metal Edge Bracket
- Bracket ships attached to screen
- Secure under surface with screws
- Remove protective film from screen
- Attaches to the underneath side of the worksurface with fasteners – 2 people recommended for installation

BACK

FULL EDGE MOUNT SCREEN - DESKS+BENCHING

TO ORDER, SPECIFY:

1. Model Number
2. Bracket Paint Color

SAMPLE MODEL NUMBER:

NAC7230PVEPP

• See page 3 for Return To Work options

PET FULL EDGE MOUNT SCREEN



MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
½" PET THICKNESS								
30" HIGH								
NAC7230PVEPP	$ 1728		72	30				
NAC6630PVEPP	1635		66	30				
NAC6030PVEPP	1569		60	30				
NAC5430PVEPP	1213		54	30				
NAC4830PVEPP	853		48	30				
NAC2930PVSEPP	766		29	30				
NAC2330PVSEPP	648		23	30				
24" HIGH								
NAC7224PVEPP	$ 1000		72	24				
NAC6624PVEPP	953		66	24				
NAC6024PVEPP	908		60	24				
NAC5424PVEPP	818		54	24				
NAC4824PVEPP	702		48	24				
NAC2924PVSEPP	496		29	24				
NAC2324PVSEPP	382		23	24				

- 24"H Screen extends 24" above worksurface; 30"H Screen extends 30" above worksurface
- Size down to avoid pinch points on height adjust surfaces, as well as when both front and side screens are specified
- Fits on 1⅜" and 1⅞" worksurface thicknesses
- PET Thickness ½"
- Nordic Knit PET Screen
- Metal Edge Bracket
- Bracket ships attached to screen
- Secure under surface with screws
- Remove protective film from screen
- Attaches to the underneath side of the worksurface with fasteners – 2 people recommended for installation

STATIC FLOOR SCREEN - DESKS+BENCHING

TO ORDER, SPECIFY:

1. Model Number
2. Frame Paint Color

SAMPLE MODEL NUMBERS:

NAC4872FLSGP
NAC4872FLSBP

• See page 3 for Return To Work options

GLASS STATIC FLOOR SCREEN

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1½" X 1½" FRAME THICKNESS 72" HIGH								
NAC4872FLSGP	$ 2072	18	48	72				
NAC3672FLSGP	1668	18	36	72				
NAC3072FLSGP	1572	18	30	72				
NAC2472FLSGP	1459	18	24	72				
60" HIGH								
NAC4860FLSGP	$ 1857	18	48	60				
NAC3660FLSGP	1662	18	36	60				
NAC3060FLSGP	1465	18	30	60				
NAC2460FLSGP	1372	18	24	60				

- Clear Glass
- Aluminum frame with flat metal feet
- Clear rubber bumpers on feet
- Bulk pack pricing available – save money and reduce onsite packing materials by choosing this option. Contact our By Design Product Modifications Team for a price quote
- Frame Thickness 1½" x 1½"
- 60" High Frame has Foot Dimensions of 18" deep x 4" wide
- 72" High Frame has Foot Dimensions 19½" deep x 4" wide
- Clear Tempered Glass Screen
- Aluminum Painted Frame
- Feet ship in box with screen unattached
- Attach feet with screwdriver
- 2 people recommended for installation

FLUTED POLYCARBONATE STATIC FLOOR SCREEN

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1½" X 1½" FRAME THICKNESS 72" HIGH								
NAC4872FLSBP	$ 1795	18	48	72				
NAC3672FLSBP	1445	18	36	72				
NAC3072FLSBP	1409	18	30	72				
NAC2472FLSBP	1299	18	24	72				
60" HIGH								
NAC4860FLSBP	$ 1609	18	48	60				
NAC3660FLSBP	1464	18	36	60				
NAC3060FLSBP	1322	18	30	60				
NAC2460FLSBP	1228	18	24	60				

- Semi-opaque fluted polycarbonate
- Aluminum frame with flat metal feet
- Clear rubber bumpers on feet
- Bulk pack pricing available – save money and reduce onsite packing materials by choosing this option. Contact our By Design Product Modifications Team for a price quote
- Frame Thickness 1½" x 1½"
- 60" High Frame has Foot Dimensions of 18" deep x 4" wide
- 72" High Frame has Foot Dimensions 19½" deep x 4" wide
- Fluted, Semi-Opaque Polycarbonate Screen
- Aluminum Painted Frame
- Feet ship in box with screen unattached
- Attach feet with screwdriver
- 2 people recommended for installation

STATIC FLOOR SCREEN - DESKS+BENCHING

TO ORDER, SPECIFY:

1. Model Number
2. HPL Color
3. Frame Paint Color

SAMPLE MODEL NUMBER:

NAC4872FLSGP

• See page 3 for Return To Work options

HPL STATIC FLOOR SCREEN

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1½" X 1½" FRAME THICKNESS								
72" HIGH								
NAC4872FLSLP	$ 2203	18	48	72				
NAC3672FLSLP	1936	18	36	72				
NAC3072FLSLP	1784	18	30	72				
NAC2472FLSLP	1620	18	24	72				
60" HIGH								
NAC4860FLSLP	$ 1991	18	48	60				
NAC3660FLSLP	1810	18	36	60				
NAC3060FLSLP	1628	18	30	60				
NAC2460FLSLP	1494	18	24	60				

- HPL
- Aluminum frame with flat metal feet
- Clear rubber bumpers on feet
- Bulk pack pricing available – save money and reduce onsite packing materials by choosing this option. Contact our By Design Product Modifications Team for a price quote
- Frame Thickness 1½" x 1½"
- 60" High Frame has Foot Dimensions of 18" deep x 4" wide
- 72" High Frame has Foot Dimensions 19½" deep x 4" wide
- HPL Screen
- Aluminum Painted Frame
- Feet ship in box with screen unattached
- Attach feet with screwdriver
- 2 people recommended for installation

STATIC FLOOR SCREEN - DESKS+BENCHING

TO ORDER, SPECIFY:

1. Model Number
2. Frame Paint Color

SAMPLE MODEL NUMBERS:

NAC4872FLSMP
NAC4872FLSPP

• See page 3 for Return To Work options

HPL MARKER BOARD STATIC FLOOR SCREEN

1½" X 1½" FRAME THICKNESS

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
72" HIGH								
NAC4872FLSMP	$ 2203	18	48	72				
NAC3672FLSMP	1936	18	36	72				
NAC3072FLSMP	1784	18	30	72				
NAC2472FLSMP	1620	18	24	72				
60" HIGH								
NAC4860FLSMP	$ 1991	18	48	60				
NAC3660FLSMP	1810	18	36	60				
NAC3060FLSMP	1628	18	30	60				
NAC2460FLSMP	1494	18	24	60				

- HPL Marker Board
- Aluminum frame with flat metal feet
- Clear rubber bumpers on feet
- Bulk pack pricing available – save money and reduce onsite packing materials by choosing this option. Contact our By Design Product Modifications Team for a price quote
- Frame Thickness 1½" x 1½"
- 60" High Frame has Foot Dimensions of 18" deep x 4" wide
- 72" High Frame has Foot Dimensions 19½" deep x 4" wide
- HPL Marker Board Screen
- Aluminum Painted Frame
- Feet ship in box with screen unattached
- Attach feet with screwdriver
- 2 people recommended for installation

PET STATIC FLOOR SCREEN



1½" X 1½" FRAME THICKNESS

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
72" HIGH								
NAC4872FLSPP	$ 2739	18	48	72				
NAC3672FLSPP	2671	18	36	72				
NAC3072FLSPP	2633	18	30	72				
NAC2472FLSPP	1954	18	24	72				
60" HIGH								
NAC4860FLSPP	$ 2659	18	48	60				
NAC3660FLSPP	2592	18	36	60				
NAC3060FLSPP	2562	18	30	60				
NAC2460FLSPP	1879	18	24	60				

- Nordic Knit PET
- Aluminum frame with flat metal feet
- Clear rubber bumpers on feet
- Frame Thickness 1½" x 1½"
- 60" High Frame has Foot Dimensions of 18" deep x 4" wide
- 72" High Frame has Foot Dimensions 19½" deep x 4" wide
- Nordic Knit PET Screen
- Aluminum Painted Frame
- Feet ship in box with screen unattached
- Attach feet with screwdriver
- 2 people recommended for installation

STATIC FLOOR SCREEN - DESKS+BENCHING

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Color
3. Frame Paint Color

SAMPLE MODEL NUMBER:

NAC4872FLSPF

• See page 3 for Return To Work options

TACK BOARD STATIC FLOOR SCREEN



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1½" X 1½" FRAME THICKNESS 72" HIGH	**GRADE A**	**GRADE B/ COM**							
NAC4872FLSPF	$ 1847	$ 2032	18	48	72				
NAC3672FLSPF	1696	1881	18	36	72				
NAC3072FLSPF	1584	1769	18	30	72				
NAC2472FLSPF	1552	1737	18	24	72				
60" HIGH									
NAC4860FLSPF	$ 1756	$ 1910	18	48	60				
NAC3660FLSPF	1577	1731	18	36	60				
NAC3060FLSPF	1509	1663	18	30	60				
NAC2460FLSPF	1445	1599	18	24	60				

- Tack Board Fabric
- Aluminum frame with flat metal feet
- Clear rubber bumpers on feet
- Frame Thickness 1½" x 1½"
- 60" High Frame has Foot Dimensions of 18" deep x 4" wide
- 72" High Frame has Foot Dimensions 19½" deep x 4" wide
- Dune , Repetition (grade A), or Pact (grade B) tack board fabrics
- Aluminum Painted Frame
- Feet ship in box with screen unattached
- Attach feet with screwdriver
- 2 people recommended for installation

STATIC FLOOR SCREEN - DESKS+BENCHING

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

NAC20FLSGBP

• See page 3 for Return To Work options

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
STATIC FLOOR SCREEN GANGING BRACKET	NAC20FLSGBP	$ 193	6	19	1 3/16				

- To connect 2 static floor screens together in an L, or T configuration
- Bracket Thickness 5/16"
- Bracket is 6" deep x 19" wide
- Steel
- 2 people recommended for installation

STATIC FLOOR SCREEN - DESKS+BENCHING

TO ORDER, SPECIFY:

1. Model Number
2. Frame Paint Color

SAMPLE MODEL NUMBERS:

NAC6072FLH30GP
NAC6072FLH30BP

• See page 3 for Return To Work options

GLASS STATIC SURFACE/FLOOR SCREEN

1½" X 1½" FRAME THICKNESS

MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
72" HIGH								
NAC6072FLH30GP	$ 2278	18	60	72				
NAC4872FLH24GP	2052	18	48	72				
60" HIGH								
NAC6060FLH30GP	$ 2103	18	60	60				
NAC4860FLH24GP	1904	18	48	60				

- Clear Glass
- Aluminum frame with flat metal feet
- Clear rubber bumpers on feet
- Specify 60" Wide models with 30" deep worksurfaces (30" will overhang worksurface)
- Specify 48" Wide models with 24" deep worksurfaces (24" will overhang worksurface)
- Bulk pack pricing available – save money and reduce onsite packing materials by choosing this option. Contact our By Design Product Modifications Team for a price quote
- Frame Thickness 1½" x 1½"
- 60" High Frame has Foot Dimensions of 18" deep x 4" wide
- 72" High Frame has Foot Dimensions 19½" deep x 4" wide
- Clear Tempered Glass Screen
- Aluminum Painted Frame
- Feet ship in box with screen unattached
- Attach feet with screwdriver
- 2 people recommended for installation

FLUTED POLYCARBONATE STATIC SURFACE/FLOOR SCREEN

1½" X 1½" FRAME THICKNESS

MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
72" HIGH								
NAC6072FLH30BP	$ 2000	18	60	72				
NAC4872FLH24BP	1610	18	48	72				
60" HIGH								
NAC6060FLH30BP	$ 1719	18	60	60				
NAC4860FLH24BP	1508	18	48	60				

- Semi-opaque fluted polycarbonate
- Aluminum frame with flat metal feet
- Clear rubber bumpers on feet
- Specify 60" Wide models with 30" deep worksurfaces (30" will overhang worksurface)
- Specify 48" Wide models with 24" deep worksurfaces (24" will overhang worksurface)
- Bulk pack pricing available – save money and reduce onsite packing materials by choosing this option. Contact our By Design Product Modifications Team for a price quote
- Frame Thickness 1½" x 1½"
- 60" High Frame has Foot Dimensions of 18" deep x 4" wide
- 72" High Frame has Foot Dimensions 19½" deep x 4" wide
- Fluted, Semi-Opaque Polycarbonate Screen
- Aluminum Painted Frame
- Feet ship in box with screen unattached
- Attach feet with screwdriver
- 2 people recommended for installation

STATIC FLOOR SCREEN - DESKS+BENCHING

TO ORDER, SPECIFY:

1. Model Number
2. HPL Color
3. Frame Paint Color

SAMPLE MODEL NUMBER:

NAC6072FLH30LP

• See page 3 for Return To Work options

HPL STATIC SURFACE/FLOOR SCREEN

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1½" X 1½" FRAME THICKNESS 72" HIGH								
NAC6072FLH30LP	$ 2663	18	60	72				
NAC4872FLH24LP	2338	18	48	72				
60" HIGH								
NAC6060FLH30LP	$ 2409	18	60	60				
NAC4860FLH24LP	2126	18	48	60				

- HPL
- Aluminum frame with flat metal feet
- Clear rubber bumpers on feet
- Specify 60" Wide models with 30" deep worksurfaces (30" will overhang worksurface)
- Specify 48" Wide models with 24" deep worksurfaces (24" will overhang worksurface)
- Bulk pack pricing available – save money and reduce onsite packing materials by choosing this option. Contact our By Design Product Modifications Team for a price quote
- Frame Thickness 1½" x 1½"
- 60" High Frame has Foot Dimensions of 18" deep x 4" wide
- 72" High Frame has Foot Dimensions 19½" deep x 4" wide
- HPL Screen
- Aluminum Painted Frame
- Feet ship in box with screen unattached
- Attach feet with screwdriver
- 2 people recommended for installation

STATIC FLOOR SCREEN - DESKS+BENCHING

TO ORDER, SPECIFY:

1. Model Number
2. Frame Paint Color

SAMPLE MODEL NUMBERS:

NAC6072FLH30MP
NAC6072FLH30PP

• See page 3 for Return To Work options

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
HPL MARKER BOARD STATIC SURFACE/FLOOR SCREEN	**1½" X 1½" FRAME THICKNESS**								
	72" HIGH								
	NAC6072FLH30MP	$ 2681	18	60	72				
	NAC4872FLH24MP	2338	18	48	72				
	60" HIGH								
	NAC6060FLH30MP	$ 2423	18	60	60				
	NAC4860FLH24MP	2126	18	48	60				

- HPL Marker Board
- Aluminum frame with flat metal feet
- Clear rubber bumpers on feet
- Specify 60" Wide models with 30" deep worksurfaces (30" will overhang worksurface)
- Specify 48" Wide models with 24" deep worksurfaces (24" will overhang worksurface)
- Bulk pack pricing available – save money and reduce onsite packing materials by choosing this option. Contact our By Design Product Modifications Team for a price quote
- Frame Thickness 1½" x 1½"
- 60" High Frame has Foot Dimensions of 18" deep x 4" wide
- 72" High Frame has Foot Dimensions 19½" deep x 4" wide
- HPL Marker Board Screen
- Aluminum Painted Frame
- Feet ship in box with screen unattached
- Attach feet with screwdriver
- 2 people recommended for installation

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
PET STATIC SURFACE/FLOOR SCREEN	**1½" X 1½" FRAME THICKNESS**								
	72" HIGH								
	NAC6072FLH30PP	$ 3244	18	60	72				
	NAC4872FLH24PP	3027	18	48	72				
	60" HIGH								
	NAC6060FLH30PP	$ 3205	18	60	60				
	NAC4860FLH24PP	2995	18	48	60				

- PET
- Aluminum frame with flat metal feet
- Clear rubber bumpers on feet
- Specify 60" Wide models with 30" deep worksurfaces (30" will overhang worksurface)
- Specify 48" Wide models with 24" deep worksurfaces (24" will overhang worksurface)
- Frame Thickness 1½" x 1½"
- 60" High Frame has Foot Dimensions of 18" deep x 4" wide
- 72" High Frame has Foot Dimensions 19½" deep x 4" wide
- Nordic Knit PET Screen
- Aluminum Painted Frame
- Feet ship in box with screen unattached
- Attach feet with screwdriver
- 2 people recommended for installation

STATIC FLOOR SCREEN - DESKS+BENCHING

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Color
3. Frame Paint Color

SAMPLE MODEL NUMBER:

NAC6072FLH30PF

• See page 3 for Return To Work options

TACK BOARD FABRIC
STATIC SURFACE/FLOOR SCREEN

MODEL NO./DESCRIPTION	LIST PRICE GRADE A	LIST PRICE GRADE B/COM	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1½" X 1½" FRAME THICKNESS 72" HIGH									
NAC6072FLH30PF	$ 2327	$ 2512	18	60	72				
NAC4872FLH24PF	1992	2177	18	48	72				
60" HIGH									
NAC6060FLH30PF	$ 2232	$ 2386	18	60	60				
NAC4860FLH24PF	1917	2071	18	48	60				

- Tack board fabric
- Aluminum frame with flat metal feet
- Clear rubber bumpers on feet
- Specify 60" Wide models with 30" deep worksurfaces (30" will overhang worksurface)
- Specify 48" Wide models with 24" deep worksurfaces (24" will overhang worksurface)
- Frame Thickness 1½" x 1½"
- 60" High Frame has Foot Dimensions of 18" deep x 4" wide
- 72" High Frame has Foot Dimensions 19½" deep x 4" wide
- Dune , Repetition (grade A), or Pact (grade B) tack board fabrics
- Aluminum Painted Frame
- Feet ship in box with screen unattached
- Attach feet with screwdriver
- 2 people recommended for installation

MOBILE FLOOR SCREEN - DESKS+BENCHING

TO ORDER, SPECIFY:

1. Model Number
2. Frame Paint Color

SAMPLE MODEL NUMBERS:

NAC4872FLMGP
NAC4872FLMBP

• See page 3 for Return To Work options

GLASS MOBILE FLOOR SCREEN

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1½" X 1½" FRAME THICKNESS 74⁹⁄₁₆" HIGH								
NAC4872FLMGP	$ 2209	18	48	74⁹⁄₁₆				
NAC3672FLMGP	1957	18	36	74⁹⁄₁₆				
NAC3072FLMGP	1703	18	30	74⁹⁄₁₆				
NAC2472FLMGP	1591	18	24	74⁹⁄₁₆				
62⁹⁄₁₆" HIGH								
NAC4860FLMGP	$ 1990	18	48	62⁹⁄₁₆				
NAC3660FLMGP	1794	18	36	62⁹⁄₁₆				
NAC3060FLMGP	1597	18	30	62⁹⁄₁₆				
NAC2460FLMGP	1504	18	24	62⁹⁄₁₆				

- Clear Glass
- Aluminum frame with flat metal feet with locking 1⁷⁄₁₆" diameter caster
- Bulk pack pricing available – save money and reduce onsite packing materials by choosing this option. Contact our By Design Product Modifications Team for a price quote
- Frame Thickness 1½" x 1½"
- 60" high Frame is 62⁹⁄₁₆" high with casters (Foot Dimension 18" deep x 4" wide)
- 72" high Frame is 74⁹⁄₁₆" high with casters (Foot Dimension 19½" deep x 4" wide)
- Clear Tempered Glass Screen
- Aluminum Painted Frame
- Feet ship in box with screen unattached
- Attach feet with screwdriver
- 2 people recommended for installation

FLUTED POLYCARBONATE MOBILE FLOOR SCREEN



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1½" X 1½" FRAME THICKNESS 74⁹⁄₁₆" HIGH								
NAC4872FLMBP	$ 1912	18	48	74⁹⁄₁₆				
NAC3672FLMBP	1727	18	36	74⁹⁄₁₆				
NAC3072FLMBP	1542	18	30	74⁹⁄₁₆				
NAC2472FLMBP	1430	18	24	74⁹⁄₁₆				
62⁹⁄₁₆" HIGH								
NAC4860FLMBP	$ 1738	18	48	62⁹⁄₁₆				
NAC3660FLMBP	1596	18	36	62⁹⁄₁₆				
NAC3060FLMBP	1453	18	30	62⁹⁄₁₆				
NAC2460FLMBP	1357	18	24	62⁹⁄₁₆				

- Semi-opaque fluted polycarbonate
- Aluminum frame with flat metal feet with locking 1⁷⁄₁₆" diameter caster
- Bulk pack pricing available – save money and reduce onsite packing materials by choosing this option. Contact our By Design Product Modifications Team for a price quote
- Frame Thickness 1½" x 1½"
- 60" high Frame is 62⁹⁄₁₆" high with casters (Foot Dimension 18" deep x 4" wide)
- 72" high Frame is 74⁹⁄₁₆" high with casters (Foot Dimension 19½" deep x 4" wide)
- Fluted, Semi-Opaque Polycarbonate Screen
- Aluminum Painted Frame
- Feet ship in box with screen unattached
- Attach feet with screwdriver
- 2 people recommended for installation

MOBILE FLOOR SCREEN - DESKS+BENCHING

TO ORDER, SPECIFY:

1. Model Number
2. HPL Color
3. Frame Paint Color

SAMPLE MODEL NUMBER:

NAC4872FLMLP

• See page 3 for Return To Work options

HPL MOBILE FLOOR SCREEN

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1½" X 1½" FRAME THICKNESS 74⁹⁄₁₆" HIGH								
NAC4872FLMLP	$ 2335	18	48	74⁹⁄₁₆				
NAC3672FLMLP	2126	18	36	74⁹⁄₁₆				
NAC3072FLMLP	1915	18	30	74⁹⁄₁₆				
NAC2472FLMLP	1752	18	24	74⁹⁄₁₆				
62⁹⁄₁₆" HIGH								
NAC4860FLMLP	$ 2123	18	48	62⁹⁄₁₆				
NAC3660FLMLP	1942	18	36	62⁹⁄₁₆				
NAC3060FLMLP	1761	18	30	62⁹⁄₁₆				
NAC2460FLMLP	1626	18	24	62⁹⁄₁₆				

- HPL
- Aluminum frame with flat metal feet with locking 1⁷⁄₁₆" diameter caster
- Bulk pack pricing available – save money and reduce onsite packing materials by choosing this option. Contact our By Design Product Modifications Team for a price quote
- Frame Thickness 1½" x 1½"
- 60" high Frame is 62⁹⁄₁₆" high with casters (Foot Dimension 18" deep x 4" wide)
- 72" high Frame is 74⁹⁄₁₆" high with casters (Foot Dimension 19½" deep x 4" wide)
- HPL Screen
- Aluminum Painted Frame
- Feet ship in box with screen unattached
- Attach feet with screwdriver
- 2 people recommended for installation

MOBILE FLOOR SCREEN - DESKS+BENCHING

TO ORDER, SPECIFY:

1. Model Number
2. Frame Paint Color

SAMPLE MODEL NUMBERS:

NAC4872FLMMP
NAC4872FLMPP

• See page 3 for Return To Work options

HPL MARKER BOARD MOBILE FLOOR SCREEN

1½" X 1½" FRAME THICKNESS

74⁹⁄₁₆" HIGH

MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
NAC4872FLMMP	$ 2335	18	48	74⁹⁄₁₆				
NAC3672FLMMP	2126	18	36	74⁹⁄₁₆				
NAC3072FLMMP	1915	18	30	74⁹⁄₁₆				
NAC2472FLMMP	1752	18	24	74⁹⁄₁₆				

62⁹⁄₁₆" HIGH

NAC4860FLMMP	$ 2123	18	48	62⁹⁄₁₆				
NAC3660FLMMP	1942	18	36	62⁹⁄₁₆				
NAC3060FLMMP	1761	18	30	62⁹⁄₁₆				
NAC2460FLMMP	1626	18	24	62⁹⁄₁₆				

- HPL Marker Board
- Aluminum frame with flat metal feet with locking 1⁷⁄₁₆" diameter caster
- Bulk pack pricing available – save money and reduce onsite packing materials by choosing this option. Contact our By Design Product Modifications Team for a price quote
- Frame Thickness 1½" x 1½"
- 60" high Frame is 62⁹⁄₁₆" high with casters (Foot Dimension 18" deep x 4" wide)
- 72" high Frame is 74⁹⁄₁₆" high with casters (Foot Dimension 19½" deep x 4" wide)
- HPL Marker Board Screen
- Aluminum Painted Frame
- Feet ship in box with screen unattached
- Attach feet with screwdriver
- 2 people recommended for installation

PET MOBILE FLOOR SCREEN



1½" X 1½" FRAME THICKNESS

72" HIGH

NAC4872FLMPP	$ 2877	18	48	72				
NAC3672FLMPP	2808	18	36	72				
NAC3072FLMPP	2772	18	30	72				
NAC2472FLMPP	2091	18	24	72				

60" HIGH

NAC4860FLMPP	$ 2797	18	48	60				
NAC3660FLMPP	2730	18	36	60				
NAC3060FLMPP	2701	18	30	60				
NAC2460FLMPP	2016	18	24	60				

- Nordic Knit PET
- Aluminum frame with flat metal feet with locking 1⁷⁄₁₆" diameter caster
- Frame Thickness 1½" x 1½"
- 60" high Frame has 18" deep x 4" wide feet with casters
- 72" high Frame has 19½" deep x 4" wide feet with casters
- Nordic Knit PET Screen
- Aluminum Painted Frame
- Feet ship in box with screen unattached
- Attach feet with screwdriver
- 2 people recommended for installation

MOBILE FLOOR SCREEN - DESKS+BENCHING

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Color
3. Frame Paint Color

SAMPLE MODEL NUMBER:

NAC4872FLMPF

• See page 3 for Return To Work options

TACK BOARD FABRIC MOBILE FLOOR SCREEN



MODEL NO./DESCRIPTION	GRADE A	GRADE B/ COM	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1½" X 1½" FRAME THICKNESS 72" HIGH										
NAC4872FLMPF	$ 1984	$ 2169		18	48	72				
NAC3672FLMPF	1835	2020		18	36	72				
NAC3072FLMPF	1722	1907		18	30	72				
NAC2472FLMPF	1692	1877		18	24	72				
60" HIGH										
NAC4860FLMPF	$ 1894	$ 2048		18	48	60				
NAC3660FLMPF	1717	1871		18	36	60				
NAC3060FLMPF	1647	1801		18	30	60				
NAC2460FLMPF	1585	1739		18	24	60				

- Tack board fabric
- Aluminum frame with flat metal feet with locking 1⅞" diameter caster
- Frame Thickness 1½" x 1½"
- 60" high Frame has 18" deep x 4" wide feet with casters
- 72" high Frame has 19½" deep x 4" wide feet with casters
- Dune , Repetition (grade A), or Pact (grade B) tack board fabrics
- Aluminum Painted Frame
- Feet ship in box with screen unattached
- Attach feet with screwdriver
- 2 people recommended for installation

UNIVERSAL PANEL MOUNT PRIVACY SCREEN - DESKS+BENCHING

TO ORDER, SPECIFY:

1. Model Number
2. Resin Color

SAMPLE MODEL NUMBER:

NAC4818PVUPR

• See page 3 for Return To Work options

BASIC SCREEN WITH UNIVERSAL BRACKET - RESIN: FOR ¾"; 1½" - 2½" THICK PANELS

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
¼" RESIN THICKNESS 18" HIGH								
NAC4818PVUPR	$ 640		48	18				
NAC4218PVUPR	631		42	18				
NAC3618PVUPR	526		36	18				
NAC3018PVUPR	496		30	18				
NAC2418PVUPR	428		24	18				

- Universal bracket is silver
- Resin available in Clear or Frosted with radiused corners
- Fits on ¾"; 1½" – 2½" panel thicknesses. Use included spacers for secure fit. Spacers not recommended for field cut
- Bulk pack pricing available – save money and reduce onsite packing materials by choosing this option. Contact our By Design Product Modifications Team for a price quote
- Resin Thickness ¼"
- Clear or Frosted Resin Screen
- Metal Mounting Bracket
- Brackets ship in box with screen
- Remove protective film from screen
- Will require attachment to panel with fasteners – 2 people recommended for installation



Use one ⅛" foam pad per side for 1½" to 2½" thick panels



Use one ¼" foam pad per side for 1" to 1½" thick panels



Use two ¼" foam pads per side for ¾" to 1" thick panels

UNIVERSAL PANEL MOUNT PRIVACY SCREEN - DESKS+C2NG

TO ORDER, SPECIFY:

1. Model Number
2. Resin Color

SAMPLE MODEL NUMBER:

NAC4818PVUP3R

• See page 3 for Return To Work options

BASIC SCREEN WITH UNIVERSAL BRACKET - RESIN: FOR 2½" - 3½" THICK PANELS

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
3/16" RESIN THICKNESS 18" HIGH								
NAC4818PVUP3R	$ 791		48	18				
NAC4218PVUP3R	773		42	18				
NAC3618PVUP3R	626		36	18				
NAC3018PVUP3R	563		30	18				
NAC2418PVUP3R	463		24	18				

- Universal bracket is silver
- Resin available in Clear or Frosted with radiused corners
- Fits on 2½" – 3½" panel thicknesses. Use included spacers for secure fit
- Resin Thickness 3/16"
- Clear or Frosted Resin Screen
- Metal Mounting Bracket
- Brackets ship in box with screen
- Remove protective film from screen
- Will require attachment to panel with fasteners – 2 people recommended for installation

UNIVERSAL PANEL MOUNT PRIVACY SCREEN - DESKS+BENCHING

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NAC4818PVUPG

• See page 3 for Return To Work options

BASIC SCREEN WITH UNIVERSAL BRACKET - GLASS: FOR ¾"; 1½" - 2½" THICK PANELS

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
¼" GLASS THICKNESS 18" HIGH								
NAC4818PVUPG	$ 537		48	18				
NAC4218PVUPG	498		42	18				
NAC3618PVUPG	459		36	18				
NAC3018PVUPG	420		30	18				
NAC2418PVUPG	381		24	18				

- Universal bracket is silver
- Fits on ¾"; 1½" – 2½" panel thicknesses. Use included spacers for secure fit. Spacers not recommended for field cut
- Bulk pack pricing available – save money and reduce onsite packing materials by choosing this option. Contact our By Design Product Modifications Team for a price quote
- Glass Thickness ¼"
- Clear Glass Screen
- Metal Mounting Bracket
- Brackets ship in box with screen
- Remove protective film from screen
- Will require attachment to panel with fasteners – 2 people recommended for installation



Use one ⅛" foam pad per side for 1½" to 2½" thick panels



Use one ¼" foam pad per side for 1" to 1½" thick panels



Use two ¼" foam pads per side for ¾" to 1" thick panels

UNIVERSAL PANEL MOUNT PRIVACY SCREEN - DESKS+C2NG

TO ORDER, SPECIFY:

1. Model Number
2. Glass

SAMPLE MODEL NUMBER:

NAC4818PVUP3G

• See page 3 for Return To Work options

BASIC SCREEN WITH UNIVERSAL BRACKET - GLASS: FOR 2½" - 3½" THICK PANELS

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
¼" GLASS THICKNESS 18" HIGH								
NAC4818PVUP3G	$ 573		48	18				
NAC4218PVUP3G	534		42	18				
NAC3618PVUP3G	488		36	18				
NAC3018PVUP3G	444		30	18				
NAC2418PVUP3G	405		24	18				

- Universal bracket is silver
- Fits on 2½" – 3½" panel thicknesses. Use included spacers for secure fit
- Glass Thickness ¼"
- Clear Glass Screen
- Metal Mounting Bracket
- Brackets ship in box with screen
- Remove protective film from screen
- Will require attachment to panel with fasteners – 2 people recommended for installation

WALL EQUIPMENT RAIL - ACCESSORIES

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NAC48ER

• See page 3 for Return To Work options

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WALL ACCESSORY RAIL	NAC48ER	$ 583	1	48¼	1				
	NAC42ER	562	1	42¼	1				
	NAC36ER	486	1	36¼	1				
	NAC30ER	469	1	30¼	1				
	NAC24ER	389	1	24¼	1				
	NAC18ER	372	1	18¼	1				

- Attaches to architectural wall to hold accessories
- 18" – 48" rail lengths available
- Extruded Aluminum rail with Silver inlay
- Predrilled mounting holes
- Two friction-fit injection molded thermoplastic end caps
- Will require attachment to wall with fasteners – 2 people recommended for installation

ADD-ONS FOR WALL EQUIPMENT RAIL - ACCESSORIES

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NAC1ERKWSD

• See page 3 for Return To Work options

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
MOUNTING KIT FOR WIDE-BODY SOAP/SANITIZER DISPENSER	NAC1ERKWSD	$ 575	¾	5	7				
	• Designed to hold most wide-body soap or sanitizer dispenser • Dispenser is not included								
MOUNTING KIT FOR NARROW-BODY SOAP/SANITIZER DISPENSER	NAC1ERKNSD	$ 525	¾	5	4¼				
	• Designed to hold most narrow-body soap or sanitizer dispenser • Dispenser is not included								
SINGLE UNIVERSAL GLOVE BOX HOLDER	NAC1ERGV1	$ 876	5	5¾	10				
	• Holds one glove box • Clear acrylic								
DOUBLE UNIVERSAL GLOVE BOX HOLDER	NAC1ERGV2	$ 990	5	16¼	10				
	• Holds two glove boxes • Clear acrylic								
TRIPLE UNIVERSAL GLOVE BOX HOLDER	NAC1ERGV3	$ 1141	5	11¼	10				
	• Holds three glove boxes • Clear acrylic								

ADD-ONS FOR WALL EQUIPMENT RAIL - ACCESSORIES

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NAC14ERKPPD

• See page 3 for Return To Work options

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SMALL PPE DISPENSER	NAC14ERKPPD	$ 977	7	13¾	5¾				
	• Universal small box dispenser for shoe cover, cap and other items • Horizontal top feed or vertical side feed application								
PPE DISPENSER CABINET	NAC19ERKPPDC	$ 1158	4½	18½	11⅝				
	• Holds 2 boxes of gloves, 1 box of face masks and 1 hand sanitizer bottle • Horizontal top feed application								
U-SHAPED WIRE BASKET	NAC07ERKUWB	$ 682	4	6¾	7				
	• Plastic coated wire • Holds blood pressure cuff and other accessories								
MOUNTING KIT FOR PAPER TOWEL DISPENSER	NAC1ERKSPTD	$ 675	¾	5	7				
	• Designed to hold most paper towel dispensers • Includes stand-off bracket • Dispenser is not included								
MOUNTING KIT FOR TRI-FOLD PAPER TOWEL DISPENSER	NAC1ERKTPTD	$ 525	¾	6	2¾				
	• Designed to hold most tri-fold dispensers • Dispenser is not included								
WIPE HOLDER	NAC1ERKWPH	$ 770	5	5	6				
	• For most brands of sanitizing wipes • Also fits some industrial style spray bottles								

ALLOY MID-SUPPORT PANELS - DESKS+BENCHING

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

71N6046SMSAL

• See page 3 for Return To Work options

ALLOY MID-SUPPORT PANEL

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
71N6046SMSAL	$ 875		60	46				
71N4846SMSAL	838		48	46				
71N2946SMSAL	533		29	46				
71N2346SMSAL	495		23	46				
71N3246SMSAL	533		32	46				
71N2646SMSAL	495		26	46				
71N6046SMSFL	646		60	46				
71N4846SMSFL	609		48	46				
71N3246SMSFL	304		32	46				
71N3046SMSFL	304		30	46				
71N2646SMSFL	267		26	46				
71N2446SMSFL	267		24	46				
71NGBDMA21	72							
71NGBDMA22	72							
71NGBDMA23	72							
71NGBSMA21	343							
71NGBSMA22	343							
71NGBSMA23	343							
71NGBSMF21	113							
71NGBSMF22	113							
71NGBSMF23	113							
71N24ELJ	86							
71N24ELJ8	140							

- Similar to existing Alloy end panels, these new mid-support panels create separation between users, side to side
- Intended for new product installations, as well as retrofitting of existing installations
- Accommodates double sided and single sided models
- Can be used with height adjustable and freestanding models, does not apply to starter, mid, and ender models
- New jumper size added to support use with mid-support panels
- New ganging | cover brackets offered in silver, black, and white
- 48" – 60" Wide x 46" High Double Sided
- 24" – 30" Wide x 46" High Single Sided
- HPL Laminate
- Medium level of complexity – these would require a 2 person installation

BACK

REVISION SUMMARY

EFFECTIVE 10.03.22

GLOBAL

Pricing has been updated throughout the price list

10.03.22

PRICE LIST

SEATING

BACK

TABLE OF CONTENTS

Seating At-A-Glance 4
Quick Delivery Program 6
Chair Features and Adjustments 7
Intellectual Property 8
Finishes and Materials 8
National Seating Upholstery 9
Alliance Program Textiles 15
COM and COL 16
Gallery Laminate Program 21

LOUNGE

Collette® 73
Confide® 91
Eklund™ 133
Eloquence® 157
Farrah® 183
Fringe® 195
Grin® 281
Hobsen® 291
Idara® 299
Jovalie™ 319
Kozmic™ 335
Mabel® 389
Monterrey™ 423
Reno® 437
Swift™ 467
Tellaro® 509
Weli® 585

GUEST

Acquaint® 23
Admire® 33
Arlington™ 41
Aurora® 47
Cinch® 55
Confide® 91
Davari® 113
Delgado® 119
Ditto™ 127
Eloquence® 157
Fringe® 195
Grin® 281
Jewel™ 309
Jiminy® 313
Lavoro® 355
Mix-it® 397
Respect® 455
Rizora® 461
Tag® 493
Timberlane™ 519
Tizelle® 529
Triumph™ 561
Volute® 567
Weli® 585
Whimsy® 605

STACKING AND NESTING

Cinch® 55
Ditto™ 127
Jewel™ 309
Jiminy® 313
Lavoro® 355
Tag® 493

TASK

Cinch® 55
Essay® 173
Fierce® 191
Fuel® 275
Laudio® 349
Lavoro® 355
Mix-it® 397
Vora® 573
Whirl® 619

SPECIALTY TASK

Essay® 173
Fuel® Large and Tall 275
Fuel® Intensive Use 275
Ralla® 431

EXECUTIVE AND CONFERENCE

Arlington™ 41
Aurora® 47
Cinch® 55
Delgado® 119
Eloquence® 157
Karid™ 329
Laudio® 349
Lavoro® 355
Mabel® 389
Mix-it® 397
Respect® 455
Triumph™ 561
Volute® 567
Whirl® 619

STOOLS

Cinch® 55
Ditto™ 127
Essay® 173
Grin® 281
Jewel™ 309
Lavoro® 355
Mix-it® 397
Ralla® 431
Rizora® 461
Tag® 493
Weitz® 579

BEAM AND TANDEM

Cinch® 55
Confide® 91
Eloquence® 157
Timberlane™ 519
Weli® 585

IMPROMPTU

Kozmic™ 335
Weitz® 579

BARIATRIC AND PATIENT

Acquaint® 23
Confide® 91
Eloquence® 157
Tag® 493
Timberlane™ 519
Weli® 585

BENCHES

Confide® 91
Eklund™ 133
Eloquence® 157
Farrah® 183
Fringe® 195
Reno® 437
Swift™ 467
Weli® 585

ROCKERS

Delgado® 119
Eklund™ 133
Weli® 585

OTTOMANS

Collette® 73
Eklund™ 133
Grin® 281
Hobsen® 291
Mabel® 389
Reno® 437
Weli® 585

ACCESSORIES

. . . . . .

. . . . . .

. . . . . .

. . . . . .

POWER/DATA ELECTRICAL 637

ALLIANCE PROGRAM PRICING 643

ACT PERFORMANCE ICONS 676

REVISION SUMMARY 677

BACK

SEATING AT-A-GLANCE

SERIES	TASK	LOUNGE	GUEST/STACKING/ NESTING	EXECUTIVE/ CONFERENCE	STOOLS	TABLES	BEAM/ TANDEM	BARIATRIC/ PATIENT
Acquaint			•					•
Admire			•					
Arlington			•	•				
Aurora			•	•				
Cinch	•		•	•	•	•	•	
Collette		•				•		
Confide		•	•			•	•	•
Davari			•					
Delgado			•	•				
Ditto			•		•			
Eklund		•				•		
Eloquence		•	•	•		•	•	•
Essay	•				•			
Farrah		•				•		
Fierce	•							
Fringe		•				•		
Fuel	•							•
Grin		•	•		•			
Hobsen		•				•		
Idara		•	•	•				
Jewel			•		•			
Jiminy			•					
Jovalie		•						
Karid				•				
Kozmic		•				•		

SEATING AT-A-GLANCE

SERIES	TASK	LOUNGE	GUEST/STACKING/ NESTING	EXECUTIVE/ CONFERENCE	STOOLS	TABLES	BEAM/ TANDEM	BARIATRIC/ PATIENT
Laudio	•			•				
Lavoro	•		•	•	•			
Mabel		•		•				
Mix-it	•		•	•	•			
Monterrey		•						
Ralla					•			
Reno		•				•		
Respect			•	•				
Rizora			•		•			
Swift		•				•		
Tag			•		•	•		•
Tellaro		•						
Timberlane			•			•	•	•
Tizelle			•					
Triumph			•	•				
Volute			•	•				
Vora	•			•	•			
Weitz					•			
Weli		•	•			•	•	•
Whimsy			•					
Whirl	•		•	•	•			

QUICK DELIVERY PROGRAM

QUICK DELIVERY PROGRAM

Our most popular series and options are available to deliver to you in 10 days or less through our Quick Delivery program. We offer a wide variety of product solutions to outfit any space and coordinate with any style, for no upcharge. From private office and open plan areas to reception and collaborative spaces, our complete portfolio of Quick Delivery solutions offers endless possibilities, all delivered within 10 days or less.

In addition to the robust offering of products that we have available to deliver within 10 days, we also have task seating solutions that ship within 48 hours. This expedited process offers you even quicker solutions when turnaround time is essential.

Specific models from the following series are available on Quick Delivery:

Acquaint
Admire
Cinch
Collette
Confide
Davari
Ditto
Eloquence
Essay
Farrah
Fringe
Fuel
Grin
Jewel
Jiminy
Karid
Laudio
Lavoro
Mabel
Mix-it
Monterrey
Ralla
Reno
Respect
Rizora
Swift
Tag
Tellaro
Timberland
Tizelle
Toss
Tri

QUICK DELIVERY MODEL

Quick Delivery model numb ... a "Q" and/or shaded in grey throughout the price list ... ship within 48 hours are designated with this icon (48).

QUICK DELIV ... G

We will not ... cancellations for Quick Delivery orders. The Quick Delivery ... n only Quick Delivery models - submit a separate order ... at are not included in the program. Remember that the tim... order is based on business days and does not include weeke... ys. The day your order is placed with National counts as day zero.

QUICK DELIVERY QUANTITIES

Need 20 guest chairs in 10 business days or less? No problem, with our Quick Delivery program, we've got you covered. Need more than 20? Just give us a call, and we'll work with you to get what you need, when you need it. Once in a while, demand exceeds capacity. Then, orders are subject to availability.

CONTRACT TERMS OF 23109/PC68387 PREVAIL

CHAIR FEATURES AND ADJUSTMENTS

National chairs offer various levels of adjustability. The diagrams below help you to easily understand the many options available so you can select a chair that best fit your needs.

ADJUSTABILITY FEATURES

A **Pneumatic Height Adjustment:** Allows the user to adjust the chair height quickly and easily.

B **Back Height Adjustment:** Allows the user to position lumbar support for desired comfort.

C **Seat Depth Adjustment (Seat Slide):** Allows the user to move the seat forward and back.

D **Tilt Tension:** Allows the user to control the amount of recline resistance.

E **Tilt Lock:** Allows the user to lock the back in upright position or release it to recline.

CONTROLS

F **Swivel Mechanism:** Chair swivels 360° only. Chair does not recline.

G **Swivel Tilt Mechanism:** Chair swivels 360° and back and seat recline simultaneously.

H **Knee Tilt Mechanism:** Chair swivels 360° and back and seat recline simultaneously. The pivot point is forward allowing user's feet to remain planted on the floor when reclining.

I **Synchro-tilt Mechanism:** Chair swivels 360° and allows the back and seat to move in a synchronized 2.3:1 ratio motion.

ARM OPTIONS

J **Fixed Arm**

K **Adjustable Arms:** Arms can be adjusted in height and width to best fit the user.

L **Fully Adjustable Arms:** Same adjustability as adjustable arms and also allows the arm pad to rotate.

M **High Performance Arms:** Same adjustability as adjustable and fully adjustable arms but also has depth and width adjustment on the arm pad.



GENERAL INFORMATION

INTELLECTUAL PROPERTY

Acquaint®, Admire®, Alloy™, Arlington™, Arrowood™, Aurora®, Barrington®, Cinch®, Collette®, Confide®, Davari®, Delgado®, Ditto™, Eklund™, Eloquence®, Epic®, Epicenter®, Escalade®, Essay®, Exhibit™, Farrah®, Fierce®, Fold™, Footings™, Fringe®, Fuel®, Grin®, Hobsen®, Idara®, Jewel™, Jiminy®, Jovalie™, Karid™, Kozmic™, Laudio®, Lavoro®, Lochlyn®, Mabel®, Maneuver®, Marnia™, Mio™, Mix-it®, Monterrey™, Myriad™, Naviyd™, Ralla®, Renegade™, Reno®, Respect®, Rizora®, Roosevelt™, Strassa®, Swift™, Tag®, Tarver™, Tellaro®, Tessera®, Timberlane™, Tizelle®, Toss™, Triumph™, Volute®, Vora®, WaveWorks®, Weitz®, Weli®, Whimsy®, Whirl®, and Wixler® are registered trademarks of National Office Furniture. Trademarks of other parties are identified wherever possible and National acknowledges their rights.

BLOCKaide™ and Terratex® are registered trademarks of Interface, Inc.

Brisa®, Brisa® Distressed and Ultraleather™ are registered trademarks of Ultrafabrics, LLC.

Interlink®, Tully®, Trippel™, and Willow™ are registered trademarks of Byrne Electrical Specialists, Inc.

Cradle to Cradle™ is a registered trademark of McDonough Braungart Design Chemistry, LLC.

Crypton® is a registered trademark of Crypton, Inc.

Hi-Loft™, Hi-Loft^2™, PERMABLOK®, SILVERGUARD® and Silvertex™ are trademarks of Spradling Holdings, Inc.

Hilti® Toggler® is a registered trademark of Hilti Corporation.

Indoor Advantage™ is a trademark of Scientific Certification Systems.

Intercoupler™ is a trademark of Power Logic SA (Pty), Ltd.

LEED® is a registered trademark of the U.S. Green Building Council.

level® is a registered trademark of BIFMA International.

Post-it® and Scotchgard™ are registered trademarks of 3M.

Repreve® and U Trust™ are registered trademarks of UNIFI, Inc.

Silverguard® is a registered trademark of Life Bioscience USA, LLC.

Velcro® is a registered trademark of Velcro Industries B.V.

WOOD FINISH COLOR MATCHING

Each piece of natural veneer offers unique texture and grain. Minor variations in finish color and value may occur due to the natural characteristics of wood. National carefully selects all materials used in every product ensuring a commercially acceptable color and finish. Factors such as aging and exposure to light alter finishes.

FABRIC COLOR MATCHING

National will always ship a satisfactory commercial match on fabric. Because of industry dye-lot variation, colors may not match exactly.

FIRE RETARDANT PRODUCTS

All National seating currently meets California Technical Bulletin #117-2013. For California Technical Bulletin #133 requirements, contact customer service for lead times and pages 9-13 for applicable fabrics. For TB133 pricing, go to NationalOfficeFurniture.com/TB133

Fabric listing for "no added" fire retardant fabrics can be found at NationalOfficeFurniture.com

SEATING FINISH

National's seating finishes can withstand cleaning solutions that include bleach, hydrogen peroxide (Virox), alcohol (CaviWipes, hand sanitizers), quaternary ammonium compounds (Virex, Ecolab A-456 II, Lysol,) and phenols (Wex-cide) when they are used in accordance with the manufacturer's label instructions.

For more information about our products and services or to find a certified National® dealer near you, please visit us at NationalOfficeFurniture.com or contact our customer service team at 800.482.1717.

NATIONAL SEATING FABRIC OFFERING

Shaded patterns are available on Quick Delivery models

CALI — GRADE 1

79% Polyester, 21% Rayon
54" Wide
Livesmart Finish; Polyester Backing
Repeat: None
Cleaning Code: W
75,000 Double Rubs

11601 Cactus	11605 Sunset	11609 Surf
11602 Beach	11606 Boardwalk	11610 Coast
11603 Sand	11607 Pier	11611 Boulder
11604 Desert	11608 Vineyard	

ENTWINE — GRADE 1

100% Polyester, 60% Post-Consumer Recycled
54" Wide
PFOA-Free Stain Repellant Finish/Latex Backing
Repeat: None
Cleaning Code: WS
100,000 Double Rubs

13110 Iron	13117 Deep Sea	13124 Scarlet
13111 Driftwood	13118 Sky	13125 Squash
13112 Pewter	13119 Berry	13126 Emerald
13113 Coconut	13120 Pistachio	13127 Harbor
13114 Khaki	13121 Fatigue	13128 Space
13115 Star	13122 Mykonos	13129 Rose
13116 Sage	13123 Azure	

INPUT — GRADE 1

94% Post-Consumer Recycled Polyester, 6% Pre-Consumer Recycled Polyester
54" Wide
No Finish, Acrylic Backing
Repeat: 12.25" H x 2.5" V
Cleaning Code: WS or 10:1 Bleach Solution
100,000 Double Rubs

14710 Cloud	14770 Lime	14830 Midnight
14720 Dove	14780 Pine	14840 Orchid
14730 Coal	14790 Mint	14850 Raisin
14740 Jet	14800 Tiffany	14860 Crimson
14750 Fossil	14810 Sky	14870 Flame
14760 Bisque	14820 Delft	14880 Squash

MELANGE — GRADE 1

100% Polyester, 75% Post-Consumer Recycled
54" Wide
PFOA-Free Stain Repellant Finish/Latex Backing
Repeat: None
Cleaning Code: WS
100,000 Double Rubs

14110 Lead	14116 Night Sky	14121 Pansy
14111 Ebony	14117 Aspen	14122 Cherry
14112 Stucco	14118 Red Pepper	14123 Leet
14113 Pumice	14119 Aloe	14124 Denim
14114 Coffee Bean	14120 Dijon	14125 Wave
14115 Alloy		

RIDGE — GRADE 1

100% Polyester
54" Wide
Teflon Finish; Latex Backing
Repeat: None
Cleaning Code: W
100,000 Double Rubs

12001 Meadow	12005 Crimson	12009 Sea Breeze
12002 Shine	12006 Driftwood	12010 Midnight
12003 Sunset	12007 Peak	12011 Sand
12004 Fog	12008 Pebble	12012 Dune

SPARK — GRADE 1

100% Polyester, 70% Post-Consumer Recycled
54" Wide
PFOA-Free Stain Repellant Finish/Latex Backing
Repeat: None
Cleaning Code: WS
100,000 Double Rubs

15001 Mallard	15006 Cloud	15111 Lawn
15002 Marine	15007 Asphalt	15112 Mocha
15003 Jam	15008 Jet	15113 Clementine
15004 Boysenberry	15009 Topaz	15114 Sand
15005 Holly	15110 Dill	

VESSEL — GRADE 1

100% Polyester
54" Wide
LiveSmart Finish; Latex Backing
Repeat: None
Cleaning Code: W
95,000 Double Rubs

11501 Leaf	11505 Bark	11509 Stone
11502 Straw	11506 Sand	11510 Coast
11503 Sunset	11507 Midnight	11511 Isle
11504 Berry	11508 Stormcloud	11512 Peacock

NATIONAL SEATING FABRIC OFFERING

Shaded patterns are available on Quick Delivery models

ZIG ZAG — GRADE 1

100% Polyester, 63% Post-Consumer Recycled
54" Wide
PFOA-Free Stain Repellant Finish/Latex Backing
Repeat: .18" H x .19" V
Cleaning Code: WS
100,000 Double Rubs

12110 Cloud	12114 Rouge	12118 Cardinal
12111 Ecru	12115 Salmon	12119 Cinnamon
12112 Sunny	12116 Cocoa	12120 Granite
12113 Leaf	12117 Marine	12121 Ink

BLISS — GRADE 2

80% Polyester, 20% Acrylic
54" Wide
Livesmart Finish; Latex Backing
Repeat: None
Cleaning Code: W
100,000 Double Rubs

21201 Jade	21208 Stream	21215 Nautical
21202 Shadow	21209 Azure	21216 Verdite
21203 Spice	21210 Icicle	21217 Eclipse
21204 Wool	21211 Slate	21218 Cliff
21205 Root	21212 Terra Cotta	21219 Raven
21206 Hearth	21213 Malbec	
21207 Ink	21214 Breeze	

BRILLIANT — GRADE 2

56% Polyester, 32% Post-Consumer Recycled Polyester, 12% Pre-Consumer Recycled Polyester
54" Wide
Stain and Soil Repellant Finish; Acrylic Backing
Repeat: None
Cleaning Code: WS
140,000 Double Rubs

22501 Parrot	22507 Ebony	22513 Almond
22502 Kiwi	22508 Elderberry	22514 Bluegrass
22503 Marigold	22509 Gravel	22515 Cobalt
22504 Azalea	22510 Indigo	22516 Currant
22505 Amaryllis	22511 Moss	22517 Coffee
22506 Cattail	22512 Cinder	

COM — GRADE 2

DOLCE — GRADE 2

100% Polyurethane
54" Wide
Superior Abrasion/Stain Resistant Finish/100% Rayon Backing
Repeat: None
Cleaning Code: Use water-based cleaning agents or foam. Mild water-free solvents may also be used. Cleaning by a professional furniture service is recommended
100,000 Double Rubs

11900 Black	11908 Fuchsia	11918 Mushroom
11901 Mocha	11909 Poppy	11919 Ecru
11902 Meteor	11910 Tangelo	11920 Dune
11903 Artesian	11912 Chocolate	11922 Cumin
11904 Indigo	11914 Latte	11923 Russet
11905 Peacock	11915 Ivory	11926 Moss
11906 Grass	11916 White	11927 Jet
11907 Citron	11917 Camel	

DORSET — GRADE 2

100% Polyester
54" Wide
Livesmart Finish; 100% Polyester Backing
Repeat: None
Cleaning Code: WS
55,000 Double Rubs

20501 Ash	20508 Cayenne	20515 Ocean Blue
20502 Avocado	20509 Charcoal	20516 Platinum
20503 Balsa	20510 Cherry	20517 Silver
20504 Black	20511 Copper	20518 Smoke Blue
20505 Black Indigo	20512 Denim	20519 Soda
20506 Blueberry	20513 Flax	20520 Taupe
20507 Camel	20514 Mulberry	

INTUITION — GRADE 2

55% Post-Consumer Recycled Polyester, 34% Pre-Consumer Recycled Polyester, 11% Polyester
54" Wide
Stain Repellant/Acrylic Backing
Repeat: None
Cleaning Code: WS
100,000 Double Rubs

31711 Bisque	31716 Honey	31721 Sage
31712 Charcoal	31717 Platinum	31722 Peacock
31713 Sand	31718 Ochre	31723 Viridian
31714 Coral	31719 Slate	31724 Admiral
31715 Hickory	31720 Scarlet	

ORBIT — GRADE 2

100% Polyester
54" Wide
Teflon Finish; Acrylic Backing
Repeat: 7" H x 6" V
Cleaning Code: W
40,000 Double Rubs

20401 Galaxy	20404 Moon	20407 Comet
20402 Nebula	20405 Star	20408 Asteroid
20403 Nova	20406 Planet	20409 Cosmic

PHRASE — GRADE 2

100% Post-Consumer Recycled Polyester
54" Wide
No Finish, Acrylic Backing
Repeat: 1.1875" V
Cleaning Code: WS or 10:1 Bleach Solution
100,000 Double Rubs

23011 Maize	23048 Cayenne	23060 Soapstone
23022 Sprout	23055 Shiraz	23070 Shale
23031 Poolside	23056 Truffle	23071 Admiral
23036 Marine	23057 Nutmeg	

Shaded patterns are available on Quick Delivery models

PIXIE — GRADE 2

100% Polyurethane
i-clean™ and Antimicrobial Finish; 85% Polyester, 15% Cotton Backing
Repeat: None
Cleaning Code: Use a soft cloth or sponge with mild soap and water to remove most soil and stains. See swatch card for additional cleaning info.
200,000 Double Rubs

20201 Lime	20206 Chocolate	20211 Malt
20202 Honey	20207 Blackberry	20212 Licorice
20203 Orange	20208 Vanilla	20213 Root Beer
20204 Caramel	20209 Blue Raspberry	
20205 Cinnamon	20210 Blueberry	

SEDONA — GRADE 2

100% Vinyl
54" Wide
PERMA**BLOK**® Finish: 100% Polyester Hi-Loft™ Backing
Repeat: None
Cleaning Code: Use a soft cloth or sponge with mild soap and water to remove most soil and stains. See swatch card for additional cleaning info.
100,000 Double Rubs

22115 Tumbleweed	22138 Botanical	22166 Sagebrush
22123 Sierra	22139 Midnight	22167 Fog
22126 Poppy	22140 Paradise	22168 Pewter
22129 Mirage	22141 Sand	22169 Putty
22131 Adobe	22142 Terra Cotta	22170 Storm
22132 Succulents	22143 Earth	22171 Fawn
22133 Sassafras	22145 Buckskin	22172 Ochre
22134 Zest	22147 Mesa	22173 Mahogany
22135 Brick Red	22151 Plateau	22174 Truffle
22136 Sunset	22157 Horizon	22177 Canyon
22137 Molten	22162 Indigo	22185 Nighthawk

STANCIL — GRADE 2

100% Polyester
54" Wide
LiveSmart/Synthetic Latex Blend Backing
Repeat: None
Cleaning Code: WS
95,000 Double Rubs

20625 Amethyst	20629 Cayenne	20633 Midnight
20626 Barley	20630 Dijon	20634 Platinum
20627 Belgian Flax	20631 Lemon Grass	20635 Slate
20628 Blue Coral	20632 Marble	20636 Turquoise

STRAND — GRADE 2

100% Polyester
54" Wide
No Finish; Acrylic Backing
Repeat: 15" H x 5" V
Cleaning Code: W
40,000 Double Rubs

20101 Charcoal	20105 Red Licorice	20109 Cumulus
20102 Mineral	20106 Wheat	20110 Coast
20103 Fudge	20107 Peacock	20111 Sand
20104 Blueberry	20108 Blaze	20112 Stone

COL — GRADE 3

SILVERTEX™ — GRADE 3

100% Vinyl
54" Wide
PERMA**BLOK**® Finish; 100% Polyester Hi-Loft™ Backing
Repeat: None
SILVER**GUARD**® Silver Ion Technology
Antifungal/Antibacterial
Cleaning Code: Use a soft cloth or sponge with mild soap and water to remove most soil and stains. See swatch card for additional cleaning info.
100,000 Double Rubs

41301 Basil	41314 Cream	41327 Marsh
41302 Ice	41315 Chestnut	41328 Bronze
41303 Mandarin	41316 Luggage	41329 Creme de Menthe
41304 Raspberry	41317 Taupe	41330 Acid
41305 Poppy	41318 Borscht	41331 Peat
41306 Mocha	41319 Lagoon	41332 Bazaar
41307 Carbon	41320 Turquoise	41333 Imperial
41308 Jet	41321 Marine Blue	41334 Plata
41309 Storm	41322 Umber	41335 Sterling
41310 Sapphire	41323 Blackberry	41336 Zest
41311 Champagne	41324 Sage	41337 Limoncello
41312 Celery	41325 Bottle	
41313 Meteor	41326 Neutra	

CONNECT FOUR — GRADE 4

100% Vinyl
54" Wide
PERMA**BLOK**® Finish; 100% Recycled Hi-Loft^{2}™ Backing
Repeat: 18" H x 18" V
Cleaning Code: Use a soft cloth or sponge with mild soap and water to remove most soil and stains. See swatch card for additional cleaning info.
100,000 Double Rubs

42402 Butterscotch	42406 Coffee Bean	42408 Sea Glass
42403 Clementine	42407 Silver Dollar	42409 Blueberry
42404 Snickerdoodle		

ECHO — GRADE 4

100% Pre-Consumer Recycled Polyester
54" Wide
Polyester Binder Finish; No Backing
Repeat: 6.75" H x 11.25" V
Cleaning Code: WS
100,000 Double Rubs

41108 Crystal	41110 Peppercorn	41112 Cedar
41109 Oxide	41111 Cabochon	41114 Henna

NATIONAL SEATING FABRIC OFFERING

Shaded patterns are available on Quick Delivery models

MASQUERADE — GRADE 4

100% Vinyl
54" Wide
PERMA**BLOK**® Finish; 100% Polyester Hi-Loft™ Backing
Repeat: None
Cleaning Code: Use a soft cloth or sponge with mild soap and water to remove most soil and stains or 10:1 Bleach Solution. See swatch card for additional cleaning info.
100,000 Double Rubs

41600 Alaska	41606 Truffle	41612 Vanilla
41601 Sage	41607 Thunder	41613 Viridian
41602 Goldenrod	41608 Wisteria	41614 Aegean
41603 Coral	41609 Indigo	41615 Sky
41604 Clay	41610 Sapphire	41616 Aqua
41605 Rose	41611 Desert	41617 Driftwood

MODE — GRADE 5

80% Post-Consumer Recycled Polyester, 20% Polyester
54" Wide
PFOA-Free Stain Repellent Finish; No Backing
Repeat: None
Cleaning Code: WS
100,000 Double Rubs

51803 Carotene	51809 Denim	51814 Hollow
51804 Kermes	51810 Intaglio	51815 Ominous
51806 Talus	51811 Clavicle	51816 Sassafras
51807 Crush	51812 Billygoat	
51808 Saltwater	51813 Sycamore	

ESSENCE/ULTRALEATHER™ — GRADE 6

100% Polycarbonate Polyurethane
54" Wide
No Finish; 100% Reinforced Rayon Backing
Repeat: None
Cleaning Code: Use a soft cloth or sponge with mild soap and water to remove most soil and stains. See swatch card for additional cleaning info.
400,000 Double Rubs

3614 Stone	3663 Walnut	3684 Charcoal
3615 Dove Grey	3667 Taupe	3690 Papyrus
3617 White	3679 Raven	3691 Pelican
3628 Midnight Metallic	3683 Pecan	3692 Admiral

BRISA® — GRADE 7

100% Polycarbonate Polyurethane
54" Wide
No Finish; 65% Polyester, 35% Rayon Backing
Repeat: None
Cleaning Code: Use a soft cloth or sponge with mild soap and water to remove most soil and stains. See swatch card for additional cleaning info.
200,000 Double Rubs

71001 Black Onyx	71007 Bark	71012 Sterling Blue
71002 Cambridge Blue	71008 Truffle	71013 Canyon
71005 Ash	71011 Desert Clay	

BRISA® DISTRESSED — GRADE 7

100% Polycarbonate Polyurethane
54" Wide
No Finish; 65% Polyester, 35% Rayon Backing
Repeat: None
Cleaning Code: Use a soft cloth or sponge with mild soap and water to remove most soil and stains. See swatch card for additional cleaning info.
200,000 Double Rubs

72003 Lasso	72007 Moccasin	72009 Shield
72005 Iron	72008 Stormy	72010 Steerhide

REEF PRO — GRADE 7

100% Polycarbonate Polyurethane
54" Wide
No Finish 65% Polyester, 35% Rayon Backing
Repeat: None
Cleaning Code: Use a soft cloth or sponge with mild soap and water to remove most soil and stains. See swatch card for additional cleaning info.
400,000 Double Rubs

71201 Captain	71204 Hammerhead	71207 Lionfish
71202 Boardwalk	71205 Stingray	71208 Saltwater
71203 Beluga	71206 Squid	

SILICA™ — GRADE 7

100% Silicone
54" Wide
No Finish; Polyester Backing
Repeat: None
Cleaning Code: W or 4:1 Bleach Solution
365,000 Double Rubs

70901 Appletini	70909 Cumulus	70917 Alloy
70906 Terra	70910 Gallant	70919 Haze
70907 Nero	70912 Ginger	70920 Tropic
70908 Skyward	70915 Quartz	70922 Eclipse

SILICA ETCH — GRADE 7

100% Silicone
54" Wide
No Finish; 100% Polyester Backing
Repeat: None
Cleaning Code: W or 4:1 Bleach Solution
270,000 Double Rubs

70701 Flint	70704 Manta	70707 Slate
70702 Ink	70705 Mink	70708 Wistful
70703 Juniper	70706 Rain	

TOTTORI — GRADE 7

100% Polycarbonate Polyurethane
54" Wide
No Finish 65% Polyester, 35% Rayon Backing
Repeat: None
Cleaning Code: Use a soft cloth or sponge with mild soap and water to remove most soil and stains. See swatch card for additional cleaning info.
400,000 Double Rubs

71401 Ginseng	71406 Soba	71411 Sand Castle
71402 Terrain	71407 Soy Sauce	71412 Classic Grey
71403 Rice Paper	71408 Blue Mirage	71413 Black Sesame
71404 Tatami Mat	71409 Hot Spring	
71405 Desert Dune	71410 Shibori Blue	

NATIONAL SEATING FABRIC OFFERING

Shaded patterns are available on Quick Delivery models

DAVENPORT — GRADE L7

100% Top Grain Leather
Pigments, Protected by Crypton®
Semi-Aniline Finish Powered by Crypton; No Backing
Repeat: None
Cleaning Code: Occasional dusting with a dry cloth should be all that is necessary to clean and maintain. 1:10 Bleach Solution. See swatch card for additional cleaning info.
1,000 Cycles

70102 Camel	70117 Smoke	70123 Berry
70105 Bark	70119 Spring	70124 Bay View
70111 Brown	70120 Porcellana	70125 Fog
70112 Atlantis	70121 Cream	
70115 Black	70122 Wet Sand	

FLORENCE — GRADE L8

100% Top Grain Leather
Aniline Waxy Finish Powered by Crypton; No Backing
Distressed appearance
Repeat: None
Cleaning Code: Occasional dusting with a dry cloth should be all that is necessary to clean and maintain. 1:10 Bleach Solution. See swatch card for additional cleaning info.
500 Cycles

82001 Red Lily	82007 Vino Rosso	82013 Lorenzo
82002 Almond Biscotti	82008 Mezza Luna	82014 Basilica
82003 Brick Path	82009 Struzzo	82015 Loggia
82004 Oceano	82010 Espresso	82016 Black Pearl
82005 Boboli Gardens	82011 Duomo	
82006 Terra	82012 Scorza	

CUT YARDAGE PROGRAM

All National textiles and leathers are available on a cut yardage basis. Cut yardage must be ordered in full yards. List prices include freight.

Fabric Price Grade	US List Price Per Yard
1	$ 65
2	$101
3	$130
4	$174
5	$208
6	$279
7	$352

Leather Price Grade	US List Price Per Half Hide (25-28 sq ft)	US List Price Per Full Hide (50-57 sq ft)
L7	$ 1018	$ 2091
L8	$ 1211	$ 2489

How to specify cut yardage:

1. Model Number
   NOFUPHCUTYDG = seating fabric
   NOFLTHRHHIDE = leather (half hide)
   NOFLTHRFHIDE = leather (full hide)
2. Upholstery grade
3. Upholstery number

CLEANING FABRICS:

CLEANING CODE S

- Use only mild, pure water-free cleaning solvents.
- Cleaning by a professional furniture service is recommended.

CLEANING CODE WS

- Use water-based cleaning agents or foam. Mild water-free solvents may also be used.
- Cleaning by a professional furniture service is recommended.

CLEANING CODE W

- Use water-based cleaning agents or foam.
- Cleaning by a professional furniture service is recommended.

CLEANING LEATHER:

REGULAR CLEANING

- Remove as much soil or staining as possible by carefully vacuuming or brushing.
- Dust with a dry or damp cloth.

DEEP CLEANING

- Use mild non-detergent soap or cleaner. Wipe surface with a light circular motion. Repeat with clean water.
- Do not soak leather.
- Pat dry.
- Reference leather card for more information.

FABRIC CHARACTERISTICS

Different fabrics/constructions will respond better than others to specific seating applications. Certain fabrics/constructions are more prone to relaxing over time and can demonstrate characteristics such as wrinkling, pilling, fuzzing, and puddling. Some upholsteries may experience dye transfer (clothing dyes transfer to the seating fabric). This does not mean that the fabric or application is deficient, but rather it is an inherent characteristic of that fabric or application and is considered normal behavior.

LEATHER CHARACTERISTICS

Leather is a natural product. Healed scars, scratches, cuts, and stretch marks are natural markings and are characteristics of leather. Leather may experience dye transfer (clothing dyes transfer to the leather). This does not mean that the leather or application is deficient, but rather it is an inherent characteristic of that leather or application and is considered normal behavior.

NATIONAL SEATING FABRIC GUIDELINES

TEXTILE APPLICATION GUIDELINES

National has listed textile application guidelines for each seating series. These guidelines are intended to help educate you of certain fabric characteristics. **Please make a point to review these guidelines when ordering National seating with National fabrics.** Application of the upholstery will be depicted as on the swatch card unless otherwise instructed on the order.

NATIONAL SEATING FABRICS

PATTERN	GRADE	FABRIC GUIDELINES	PATTERN MATCH	RESTRICTIONS
Bliss	2	none	non-matched	Volute
Brilliant	2	none	non-matched	Volute
Brisa®	7	none	non-matched	Volute
Brisa® Distressed	7	none	non-matched	Volute
Cali	1	none	non-matched	
Connect Four	4	1	non-matched	Volute
Davenport	L7	none	non-matched	Volute
Dolce	2	none	non-matched	Volute
Dorset	2	none	non-matched	Volute
Echo	4	none	non-matched	Volute
Entwine	1	none	non-matched	Volute
Essence/Ultraleather™	6	none	non-matched	Volute
Florence	L8	none	non-matched	Volute
Input	1	none	non-matched	Volute
Intuition	2	none	non-matched	Volute
Masquerade	4	none	non-matched	Volute
Melange	1	none	non-matched	Volute
Mode	5	none	non-matched	
Orbit	2	2	matched	Volute
Phrase	2	2	matched	Volute
Pixie	2	none	non-matched	Delgado, Mabel, Grin, Idara, Volute
Reef Pro	7	none	non-matched	Volute
Ridge	1	none	non-matched	Volute
Sedona	2	1	non-matched	
Silica™	7	none	non-matched	Volute
Silica Etch	7	none	non-matched	Collette (for specific colors please see individual price list), Volute
Silvertex™	3	1	non-matched	Collette (for specific colors please see individual price list)
Spark	1	none	non-matched	Volute
Stancil	2	none	non-matched	Volute
Strand	2	none	non-matched	Fuel and Mix-it upholstered back models, Volute
Tottori	7	none	non-matched	Volute
Vessel	1	none	non-matched	Volute
Zig Zag	1	none	non-matched	Volute

TEXTILE APPEARANCE GUIDELINES

Please note that these guidelines are here to help you have the best looking product that National can provide to you. Guidelines 1–4 are simply explanations of what you may see on your chair. We can still upholster fabrics associated with these guidelines, but you may see some of the characteristics described.

1 Due to thickness and or stiffness this textile may result in gathers and puckers around corners, contours, and certain seams.
2 Patterns are considered matched directional; however, decorative stitching, tufting/buttons, seams, and seat to back on corner, wedge, and diagonal units may not align due to pattern configuration.
3 Textile with high nylon or wool content (more than 50%) may show signs of material stretch and lack of rebound when room temperatures fluctuate.
4 Mohair, velvet, and chenille may be easily bruised or have the potential of crooked seams due to the heavy nap and flip.

TEXTILE RESTRICTION GUIDELINES

Fabrics associated with guidelines 5 and 6 prevent us from upholstering the applicable chair series.

5 This textile cannot be used for glue application. Potential issues could include poor adhesion quality to the mating surface, separation of the fabric face from the backing or glue bleeding through the fabric.
6 Thin and/or loosely woven textiles cannot be used due to potential fabric separation at the seams.
7 This textile has an uneven/irregular surface and cannot be used with topstitch upholstering. The topstitch disrupts the visual appearance of the upholstery. You can contact By Design to see if it is possible to remove the model's top stitch in order to use the fabric.

ALLIANCE PROGRAM OVERVIEW

National has developed joint programs with Arc-Com, Carnegie, Designtex, Maharam, Mayer, Momentum, Stinson and Ultrafabrics to offer you quality office seating with exciting lines of designer upholsteries. This program enables you to issue just 1 purchase order, providing simplified ordering and the most convenient, yet complete, seating choices available from a single source. All Alliance patterns meet TB117-2013.

APPLICATION

Application of the Alliance Program upholstery will be depicted as on the memo sample or website. Toss bean bags are an exception as they are always upholstered up the roll. If a different application is desired the pattern will need to be custom quoted.

Directional upholstery, such as stripes, patterns, and plaids may not be suitable for chairs with contoured shapes, tufting, or decorative stitching. Every effort is made to upholster all chairs as expertly as possible; however such orders are not subject to return.

Fabric that requires non-stock special treatments such as flame proofing, anti-microbial treatment, electrical conductive backing, water repellent, stain repellent, or acrylic backing are not part of this program. Such orders should be specified as COM.

LEAD TIMES/AVAILABILITY

Models specified with Alliance Program fabrics will be acknowledged with standard lead times based on the supplier's delivery schedule. Exceptions occur when extended lead times apply. Each supplier reserves the right to discontinue patterns and colors. National will not be held responsible for suppliers discontinuing patterns/colors or when minimum requirements apply. Contact customer service for availability before finalizing orders.

WARRANTY

Alliance Program fabrics are non-standard and are not covered under our warranty.

PRICING

Alliance Program graded prices are based on cost of material. Repeat is also accounted for and no additional charges required.

FABRIC AND CONSTRUCTION

Different fabric constructions will respond better than others to specific seating. Certain fabric constructions are more prone to relaxing and may demonstrate characteristics such as wrinkling, pilling and snagging. Some upholsteries may experience dye transfer (color transfer to the seating fabric.) This does not indicate that the fabric construction is deficient, but rather it is an inherent characteristic of that fabric construction and is considered normal behavior.

Important: The information provided was the most current information available at the time this price list was printed. Contact customer service for availability before finalizing orders.

TB133

California Technical Bulletin No. 133 – Flammability test procedure for seating furniture used in public occupancies. National has pre-approval for TB133 chair/alliance fabric combinations. Availability of TB133 on specific chair/alliance fabric combinations found at NationalOfficeFurniture.com/Alliance. Each listings denote TB133 applicability. Even though we try to present as accurate as possible, the supplier may change content ...without our knowledge. Customer needs to confirm information on this listing matches the content information with partner. If no test data is available for a particular fabric, the TB133 order will not be allowed. These pre-approved combinations can be ordered as standard product – no custom quote required.

To order seating to meet TB133 fire code, specify an "F" at the end of the model number.

If a fabric/chair has not been burn tested, the customer has the option of pricing for the testing will be $1,300 list, including shipping and services plus the chair price (test sample). TB133 testing requires customer will require a custom quote. The fabric/chair burn will determine whether future orders can be ordered as standard or custom quotes. Each instance may vary.

For alliance pricing, go to NationalOfficeFurniture.com/TB133

Certificates of assurance are available upon request. A letter of assurance verifies that a TB133 test was conducted on a combination of chair/fabric comparable to the requested chair/fabric.

FABRIC SAMPLES

If you need samples for presentation(s), contact our alliance partners directly at:

Arc-Com	800.223.5466	arc-com.com
Carnegie	800.727.6770	carnegiefabrics.com
Designtex	800.221.1540	designtex.com
Maharam	800.645.3943	maharam.com
Mayer	800.428.4415	mayerfabrics.com
Momentum	800.366.6839	memosamples.com
Stinson	800.841.6279	cfstinson.com
Ultrafabrics	877.309.6648	ultrafabricsllc.com

CONTRACT TERMS OF 23109/PC68387 PREVAIL

Reference NationalOfficeFurniture.com/Alliance for the most up-to-date fabric guidelines, grades and additional pattern/color availability.

ALLIANCE/COM/COL APPLICATION GUIDELINES

SEATING SERIES	TEXTILE APPLICATION GUIDELINES						
	1	2	3	4	5	6	7
Acquaint	✓		✓	✓		✓	✓
Admire	✓		✓	✓			✓
Arlington	✓		✓	✓			
Arlington Tufted	✓	✓	✓	✓			
Aurora Executive	✓	✓	✓	✓	✓	✓	
Aurora Guest	✓		✓	✓		✓	✓
Cinch	✓		✓	✓	✓		
Collette	✓		✓	✓		✓	✓
Confide Lounge	✓		✓	✓	✓	✓	✓
Confide Guest	✓		✓	✓		✓	✓
Davari	✓		✓	✓		✓	✓
Delgado	✓		✓	✓	✓	✓	✓
Ditto	✓		✓	✓			
Eklund	✓	✓	✓	✓		✓	✓
Eloquence Executive/Lounge	✓		✓	✓		✓	✓
Eloquence Guest/Tandem/Bariatric	✓		✓	✓			✓
Essay	✓		✓	✓	✓		
Farrah	✓		✓	✓		✓	✓
Fringe	✓	✓	✓	✓		✓	✓
Fuel Plastic Back	✓		✓	✓			
Fuel Upholstered Back	✓		✓	✓	✓		
Grin	✓		✓	✓	✓	✓	✓
Hobsen	✓	✓	✓	✓		✓	✓
Idara	✓	✓	✓	✓		✓	✓
Jovalie	✓	✓	✓	✓		✓	✓
Karid	✓	✓	✓	✓		✓	✓
Laudio	✓		✓	✓		✓	✓
Lavoro Mesh/Plastic Back	✓		✓	✓		✓	✓
Lavoro Upholstered Back	✓		✓	✓	✓	✓	✓
Mabel	✓		✓	✓	✓	✓	✓
Mix-it Mesh/Plastic Back	✓		✓	✓		✓	
Mix-it Upholstered Back	✓		✓	✓	✓	✓	
Monterrey	✓	✓	✓	✓		✓	✓
Ralla	✓		✓	✓			
Reno	✓		✓	✓		✓	✓
Respect	✓	✓	✓	✓		✓	✓
Rizora	✓		✓	✓			
Swift	✓	✓	✓	✓		✓	✓
Tag	✓		✓	✓		✓	
Tellaro	✓	✓	✓	✓		✓	✓
Timberlane	✓		✓	✓			
Tizelle	✓	✓	✓	✓		✓	✓
Toss Accent Pillows, Bean Bags, Floor Cushions, Wedges, and Cushions	✓		✓	✓		✓	✓
Triumph Wood	✓	✓	✓	✓		✓	
Vora	✓		✓	✓		✓	
Weitz	✓		✓	✓			
Weli	✓	✓	✓	✓		✓	✓
Whimsy	✓		✓	✓		✓	✓
Whirl	✓		✓	✓		✓	✓

TEXTILE APPEARANCE GUIDELINES

Please note that these guidelines are here to help you have the best looking product that National can provide to you. Guidelines 1–4 are simply explanations of what you may see on your chair. We can still upholster fabrics associated with these guidelines, but you may see some of the characteristics described.

1 Due to thickness and or stiffness this textile may result in gathers and puckers around corners, contours and certain seams.
2 Patterns are considered matched directional; however, decorative stitching, tufting/buttons, seams and seat to back on corner, wedge and diagonal units may not align due to pattern configuration.
3 Textile with high nylon or wool content (more than 50%) may show signs of material stretch and lack of rebound when room temperatures fluctuate.
4 Mohair, velvet, and chenille may be easily bruised or have the potential of crooked seams due to the heavy nap and flip.

TEXTILE RESTRICTION GUIDELINES

Fabrics associated with guidelines 5 and 6 prevent us from upholstering the applicable chair series.

5 This textile cannot be used for glue application. Potential issues could include poor adhesion quality to the mating surface, separation of the fabric face from the backing or glue bleeding through the fabric.
6 Thin and/or loosely woven textiles cannot be used due to potential fabric separation at the seams.
7 This textile has an uneven/irregular surface and cannot be used with topstitch upholstering. The topstitch disrupts the visual appearance of the upholstery. You can contact By Design to see if it is possible to remove the model's top stitch in order to use the fabric.

Reference NationalOfficeFurniture.com/COMApprovalSearch to search previously evaluated textiles.

COM (CUSTOMER'S OWN MATERIAL)

All seating can be upholstered with appropriate material furnished by the customer. All COM/COL must meet applicable codes and regulations, including TB117-2013, California Assembly Bill 2998, and California Proposition 65. For more information on California Proposition 65 and AB 2998 go to https://www.p65warnings.ca.gov/products/furniture-products and https://leginfo.legislature.ca.gov/faces/billTextClient.xhtml?bill_id=201720180AB2998, respectively. By selecting COM/COL, customer certifies that the material meets such codes and regulations. Customer is solely responsible for compliance and may contact a) fabric manufacturer to confirm certification or b) assistance from National Office Furniture.

National Office Furniture strives to create upholstered products with no intentionally added fire retardants. Written confirmation is required confirming that fabric or leather (COM/COL) provided by the customer does NOT contain any added fire retardant chemicals, preferably from the material manufacturer. National truly appreciates your understanding and support of this commitment. If you have any questions or comments, please contact your customer support representative(s).

Prices are listed under grade 2.

Yardage requirements shown in this list are based on the use of non-directional fabric 54" wide and the fabric being cut "up the roll." If the COM fabric is to be railroaded, please contact customer service for revised yardage requirements.

- When ordering 10 or more COM chairs, consult customer service for exact yardage requirements.
- Reference the end of each series for specific repeat COM yardage requirements.
- Directional covers, such as stripes, patterns, and plaids may not meet your satisfaction due to contoured shapes and tufting of some models. Should you require such a selection, orders are not subject to return. If in doubt, contact customer service prior to placing the order.
- Please refer to textile application guidelines listed on page 16 or the COM Approval Search/listing on NationalOfficeFurniture.com

CUSTOMER'S OWN LEATHER (COL)

National is pleased to cooperate with COL selections whenever this special need arises. Customer's own leather specifications for National seating shown within this price list are based on an average hide size of 45-50 square feet. Consult customer service for requirements for other hide sizes. Customer is responsible for the leather meeting the appropriate California TB117 Standard. Prices are listed under grade 3.

- Please note, leather is a natural product and variation in texture is a pleasing quality belonging exclusively to high grade, full top grain leathers.
- All square footage requirements are based on usable footage; the shape of a hide and the usable, clean footage may make it necessary for us to request more leather after COL is received.
- Calf hides must be at least 30 square feet of clean and usable matching hides. When specifying calf hides, add 15% to COL requirements shown in the price list.

COM DISPOSAL

- Leftover COM from an order is held for 4 weeks
- COM not tied to an order is held for 3 months

COM/COL EVALUATION

National reserves the right to inspect, approve, or reject any COM/COL. National approval signifies only that such textile/leather can be applied to the products for which intended. Such approval does not constitute any responsibility, liability, or warranty on the part of National as to appearance, behavior, durability, or tailoring of COM/COL.

COM DECORATIVE PATTERNS

- Yardage requirements are greatly affected by not only size of repeats, but also by the print or pattern.
- National cuts all seating patterns with aesthetic concerns in mind for high quality and consistency.
- Refer to particular model in price list to find yardage required for pattern.

The line drawing below depicts 2 seat cushions in necessary/proper placement on a piece of decorative fabric. Please note the unusable fabric.

It is not always appropriate to place a seat pattern at the edge of the fabric. Due to this circumstance, please include an additional ½ yard per order.



COM DIRECTIONAL FABRICS

- Some COM fabrics are considered directional that may not be considered directional by the fabric supplier, due to the upholstering process used by National.
- Application of COM upholstery will be depicted as on the COM supplier memo sample or website. Toss bean bags are an exception as they are always upholstered up the roll. If a different application is desired the pattern would need to be custom quoted.
- Arc-Com/Carnegie/Maharam/Mayer/Momentum/Stinson/Ultrafabrics Alliance upholsteries will be applied as depicted on the supplier memo sample or website. Toss bean bags are an exception as they are always upholstered up the roll. If a different application is desired the pattern would need to be custom quoted.

TB133

California Technical Bulletin No. 133 – Flammability test procedure for seating furniture used in public occupancies. National provides pre-approval for TB133 chair/COM fabric combinations. The availability of TB133 on specific chair/alliance fabric combinations can be found at NationalOfficeFurniture.com/COMApprovalSearch. Even though we try to keep this document as accurate as possible, the supplier may change contents, finishes, etc...without our knowledge. Customer needs to confirm that the information on this listing matches the content information from the COM supplier. If no test data is available for a particular fabric/chair combination, the TB133 order will not be allowed. These pre-approved alliance fabrics can be ordered as standard product – no custom quote required.

To order seating to meet the TB133 fire code, specify an "F" at the end of the model number (Ex: N59AAF).

If the COM material you want is not in the COM database, please submit a sample per the instructions outlined on page 18.

If a fabric/chair combination has not been burn tested, the customer has the option of having it tested. Pricing for the testing will be $1,300 list, including shipping for testing services plus the chair price (test sample). TB133 testing requested by the customer will require a custom quote. The fabric/chair burn test results will determine whether future orders can be ordered as standard product or custom quotes. Each instance may vary.

For TB133 COM list pricing, go to NationalOfficeFurniture.com/TB133

Letters of assurance are available upon request. A letter of assurance verifies that a TB133 test was conducted on a combination of chair/fabric comparable to the requested chair/fabric.

COM/COL

CONFIRM COM/COL APPLICATION AND TB133 AVAILABILITY

To confirm that a COM fabric is applicable to National seating, send an 8" x 10" memo sample for COM approval to:

To confirm that a COL is applicable to National seating, send a 4" x 4" memo sample for COL approval to:

National Office Furniture
Attn: COM Administrator
1600 Royal Street
Jasper, Indiana 47546

Reference NationalOfficeFurniture.com/COMApprovalSearch to see if your COM has already been evaluated for application and TB133.

ALL COM/COL ORDERS MUST:

1) Include fabric supplier's name, fabric number, and color.

To help expedite your order, we recommend the COM or COL supplier to include the following information:

1) Dealer Name and Purchase Order Number
2) National Model Numbers
3) Ship Prepaid To:
   National Office Furniture
   340 East 11th Avenue
   Jasper, Indiana 47546

Without all necessary information listed above to properly match the fabric to the dealer's purchase order, extended lead times may apply.

HOW TO ORDER NATIONAL SEATING WITH COM/COL

Specify:

1. Model Number
2. Grade/COM
3. Fabric Manufacturer
4. Pattern Name and/or Number
5. Color Name and/or Number
6. Finish Designator
7. Casters

SAMPLE ORDER NUMBERS:

Following is a sample order number for a Model **89X-EWEXC**
Triumph High Back in Honey finish and upholstered in Knoll Posh in K11635 Turquoise color.

89X-EWEXC	/	COM	/	Knoll	/	Posh	/	K11635 Turquoise	/	HN	/	C3
Model		Grade/ COM		Manufacturer		Pattern		Color		Finish		Casters

STITCH-IT PRODUCT SPECIFICATIONS

APPLICABILITY GUIDELINES

- Toss pillows can only be stitched on 1 side
- If stitching on front and back of unit, Stitch-it patterns may not match at seams
- Patterned fabrics are not recommended; if customer chooses a patterned fabric, we cannot guarantee that the Stitch-it design will match the fabric pattern
- Mohair, velvet, and chenille fabric are not recommended with top stitching as the fabric may be easily bruised or have the appearance of crooked seams due to the heavy nap and flip

STITCH-IT THREADS

- When Matching thread option is selected, a thread color will be used that blends with the fabric
- Thread colors listed below are for the Stitch-it standard program, other colors are available through the By Design Product Modifications Program

PATTERNS

HRZ1	Horizontal, Single Stitch
VRT1	Vertical, Single Stitch
DGN1	Diagonal Incline, Single Stitch
DGD1	Diagonal Decline, Single Stitch
GRD1	Grid, Single Stitch
DMD1	Diamond, Single Stitch
HRZ2	Horizontal, Double Stitch
VRT2	Vertical, Double Stitch
DGN2	Diagonal Incline, Double Stitch
DGD2	Diagonal Decline, Double Stitch
GRD2	Grid, Double Stitch
DMD2	Diamond, Double Stitch

STITCH SIZES

075	¾"
150	1 ½"
300	3"
600	6"

THREAD OPTIONS

AA	Matching
AB	White
AC	Beige
AD	Saddle
AE	Dark Brown
AF	Red
AG	Wine
AH	Marine
AJ	Navy
AK	Dark Green
AL	Silver
AM	Graphite
AN	Black

- Example of 10 Digit Stitch Option: HRZ1_075AA (horizontal single stitch pattern, ¾" stitch size, matching thread color)
- ¾" stitch size is not available in double stitch

STITCH-IT

STITCH-IT PATTERNS

Double stitch option is available on all patterns except the ¾" stitch


Horizontal ¾" Single


Horizontal 1½" Single


Horizontal 3" Single


Horizontal 6" Single


Vertical ¾" Single


Vertical 1½" Single


Vertical 3" Single


Vertical 6" Single


Diagonal Incline
(Right to Left)
¾" Single


Diagonal Incline
(Right to Left)
1½" Single


Diagonal Incline
(Right to Left)
3" Single


Diagonal Incline
(Right to Left)
6" Single


Diagonal Incline
(Left to Right)
¾" Single


Diagonal Incline
(Left to Right)
1½" Single


Diagonal Incline
(Left to Right)
3" Single


Diagonal Incline
(Left to Right)
6" Single


Grid ¾" Single


Grid 1½" Single


Grid 3" Single


Grid 6" Single


Diamond ¾" Single


Diamond 1½" Single


Diamond 3" Single


Diamond 6" Single

GALLERY LAMINATE PROGRAM

PROGRAM DETAILS

The Gallery Laminate program is an on-trend collection curated from trusted laminate suppliers. As we know, trends come and go, sometimes quite quickly. When we see colors/patterns losing industry presence, we will delete and replace with new styles. Gallery Laminates that remain popular could possibly transition into the National Standard Laminate program.

- HPL, TFL, and PVC rims are included in the program
- For each Gallery selection made, an upcharge will be applied, based on the grade
- National orders and procures all Gallery Laminates
- Gallery Laminate program is not available on all products within our offering
- Due to Gallery Laminate size availability, some restrictions may occur. This is noted with bullets under impacted model numbers within the price list

GALLERY LAMINATE OPTIONS

GRADE 1 – 5% upcharge
G1001 Citadel
G1011 Pepperdust

GRADE 2 – 6% upcharge
G1002 Planked Raw Oak
G1003 Evening Notte
G1004 Kirsche
G1005 Midnight Run
G1006 Sepia Walnut
G1007 Serotina
G1008 Timeless
G1009 White Nebbia
G1012 Phantom Ecru

GALLERY ORDERING PROCESS

- Order Gallery Laminate in the same manner as ordering National Standard Laminate
- Six week lead time
- Same warranty as National Laminate

UPCHARGE DETAILS

The percentage upcharge is applied to each Gallery Laminate selection and the total is added to the original list price. Gallery Laminate Grade 1 incurs a 5% upcharge, while Gallery Laminate Grade 2 incurs a 6% upcharge. Please note, the same model may incur multiple upcharges based on the total number of Gallery Laminate locations selected on the specific model. Refer to examples below for further details.

UPCHARGE EXAMPLES

N93HTL3RR Fringe Bistro Table, Laminate Back, Right Table Arm
Bistro Table Laminate – G1008 Timeless (Grade 2) = 6% upcharge
Tablet Arm Laminate – G1008 Timeless (Grade 2) = 6% upcharge
Back Laminate - G1008 Timeless (Grade 2) = 6% upcharge
This example incurs an 18% list upcharge as Gallery Grade 2 Laminate was selected within 3 areas of this model

N93HTL3RR Fringe Bistro Table, Laminate Back, Right Table Arm
Bistro Table Laminate – 478 Platinum Grey (Standard NOF) = no upcharge
Tablet Arm Laminate – G1011 Pepperdust (Grade 1) = 5% upcharge
Back Laminate - G1003 Evening Notte (Grade 2) = 6% upcharge
This example incurs an 11% list upcharge as Gallery Grade 1 and Gallery 2 Laminate was selected within 2 areas of this model

N93TEN2724L Fringe End Table
Table Laminate - G1005 Midnight Run (Grade 2) – 6% upcharge
This example incurs a 6% list upcharge as Gallery Grade 2 Laminate was selected within 1 area of this model

N86PD1TLP Eklund Freestanding Nook
Tablet Arm Laminate- G1001 Citadel (Grade 1) = 5% upcharge
Console Laminate- G1001 Citadel (Grade 1) = 5% upcharge
This example incurs a 10% list upcharge as Gallery Grade 1 Laminate was selected within 2 areas of this model

CUSTOMER SPECIFIED LAMINATE (CSL) PROGRAM

PROGRAM DETAILS

National understands that some orders have specialized needs regarding laminate specifications. In order to better service our customers, National has partnered with suppliers to offer a CSL laminate program for **HPL worksurfaces only:**

- A **10% upcharge** applies to all CSL laminate orders
- National orders and procures all CSL customer specified laminates
- CSL program is not available on all laminate products within our offering
- Due to CSL sheet size availability, some restrictions may occur

CSL ORDERING PROCESS

- Laminate sheen level not to exceed 60º for maximum durability of worksurfaces
- Send purchase order and quantities to customer service
  Please include:
  1. Manufacturer's Name
  2. Laminate Name/Laminate Number
- Lead times may vary for certain laminates and quantities, contact customer service for details

CSL POLICY

- National reserves the right to decline a laminate which may not be suitable for application
- National assumes no responsibility for the durability, consistent coloration, or any other performance characteristic of a customer specified laminate

GALLERY LAMINATE AND CSL

ACQUAINT

Product Specifications 24
Fabrics and Options 25
Contrasting Fabrics Specifications 26
Stitch-it Specifications 26
Product Pages 27
COM Yardage Requirements 31
Stitch-It Yardage Requirements 32

ACQUAINT

ACQUAINT PRODUCT SPECIFICATIONS



FRAME CONSTRUCTION

- Constructed of exterior beech with mortise and tenon joints that are securely glued for maximum joint stability
- Wall saving design feature on back legs
- Non-marring nylon glides

SEAT CONSTRUCTION

- 4" high grade polyurethane foam covers a plywood panel for added comfort and support
- Corner blocks screwed and glued in all 4 corners of the seat

BACK CONSTRUCTION (ALL MODELS)

- Features exterior rails and slats cut from beech wood

UPHOLSTERED BACK CONSTRUCTION

- ½" high grade polyurethane foam covers contoured panel for added support and comfort

ARMS

- Available with black protective polyurethane arm caps for added durability

EASY ACCESS CHAIR FOOT REST

- ¾" x 2¾" (19mm x 70mm) full length foot rest, solid wood (Beech)
- Anti-slip material applied to top face

CONTRASTING FABRICS

- All models available with contrasting fabric

STITCH-IT

- All models available with Stitch-it option, except bariatric

FINISH

- A catalyzed top coat that resists denting, peeling and reactions to chemicals
- Can be cleaned with a damp cloth
- When specifying Brighton, Natural, and Sonoma finish, variation in color is acceptable due to the nature of wood characteristics

WOOD SPECIES

- Beech

All Acquaint models may be ordered to meet TB133 fire code.

To order seating to meet the TB133 fire code, specify an "F" at the end of the model number (Ex: N59AAF).

For TB133 pricing go to www.NationalOfficeFurniture.com/TB133

Please consult customer service for applicable Arc-Com, Carnegie, Designtex, Maharam, Mayer, Momentum, Stinson, or Ultrafabrics fabric.

FABRICS

Grade 1	Cali
	Entwine
	Input
	Melange
	Ridge
	Spark
	Vessel
	Zig Zag
Grade 2	Bliss
	Brilliant
	COM
	Dolce
	Dorset
	Intuition
	Orbit
	Phrase
	Pixie
	Sedona
	Stancil
	Strand
Grade 3	COL
	Silvertex
Grade 4	Connect Four
	Echo
	Masquerade
Grade 5	Mode
Grade 6	Essence/Ultraleather
Grade 7	Brisa
	Brisa Distressed
	Reef Pro
	Silica
	Silica Etch
	Tottori
Grade L7	Davenport
Grade L8	Florence

FINISHES

AC	Autumn	NM	Natural
AD	Almond	PB	Portobello
BZ	Brazilwood	PC	Porcini
CI	Chai	PT	Portico
CL	Caramel	SK	Skyline
CW	Cordovan	SM	Sonoma
DW	Judicial	TF	Truffle
HN	Honey	WL	Willow
IM	Brighton	405	Designer White
KN	Kona	462	Cinder
MC	Amber	792	Sable
MH	Mocha	793	Acorn*

*Acorn is the finish complement to Clear Walnut finish

TO ORDER CONTRASTING FABRIC, SPECIFY

ACQUAINT
Half Upholstered page 27
Fully Upholstered Back page 28
Slat Back Upholstered Lumbar page 28

1. Model Number plus "X"
2. Back Fabric Grade Number/Cover Number
3. Lumbar Fabric Grade Number/Cover Number (when applicable)
4. Extreme Back Fabric Grade Number/Cover Number (when applicable)
5. Extreme Lumbar Fabric Grade Number/Cover Number (when applicable)
6. Seat Fabric Grade Number/Cover Number
7. Finish Designator



N59BBX



N59JJX

Bariatric Half Upholstered page 29
Easy Access Chair Half Upholstered page 30

1. Model Number plus "X"
2. Back Fabric Grade Number/Cover Number
3. Extreme Back Fabric Grade Number/Cover Number
4. Seat Fabric Grade Number/Cover Number
5. Finish Designator



N59MMX

N59PPX

TO ORDER WITH STITCH-IT, SPECIFY

ACQUAINT
Half Upholstered page 27
Fully Upholstered Back page 28
Slat Back Upholstered Lumbar page 28
Note: Locations not applicable to all models

1. Model Number
2. Back Fabric Grade Number/Cover Number
3. Back Stitch-it Options
4. Lumbar Fabric Grade Number/Cover Number
5. Lumbar Stitch-it Options
6. Extreme Back Fabric Grade Number/Cover Number
7. Extreme Back Stitch-it Options
8. Extreme Lumbar Fabric Grade Number/Cover Number
9. Extreme Lumbar Stitch-it Options
10. Seat Fabric Grade Number/Cover Number
11. Seat Stitch-it Options
12. Finish Designator

Slat Back page 29
Easy Access Chair Half Upholstered page 30
Easy Access Chair Slat Back page 30

1. Model Number
2. Seat Fabric Grade Number/Cover Number
3. Seat Stitch-it Options
4. Finish Designator

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Cover Number
4. Finish Designator

• See page 25 for Acquaint options
• See pages 19-20 for Stitch-it options

See pages 31-32 for COM fabric yardage

HALF UPHOLSTERED

N59AA

N59AAT

N59DD

N59AL

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
N59AA	Arms	$	1395	1427	1441	1464	1490	1533	1590	1863	1950
QN59AA	Arms		1395	1427	1441	1464	1490	1533	1590		
N59AAT	Arms, Black Polyurethane Arm Caps		1531	1563	1577	1600	1626	1669	1726	1999	2086
N59DD	Arms, Exposed Wood Slats		1538	1570	1584	1607	1633	1676	1733	2006	2093
N59DDT	Arms, Exposed Wood Slats/ Black Polyurethane Arm Caps		1669	1701	1715	1738	1764	1807	1864	2137	2224
N59AL	Armless		1342	1374	1388	1411	1437	1480	1537	1810	1897
QN59AL	Armless		1342	1374	1388	1411	1437	1480	1537		
N59DL	Armless, Exposed Wood Slats		1485	1517	1531	1554	1580	1623	1680	1953	2040

DIMENSIONS

Width	24	Seat Height	18½	Arm Height	27	Arm Weight	34
Depth	24	Seat Depth	19½	Back Height	17¼	Armless Weight	33
Height	34	Seat Width	20¾	Back Width	17½	Cubic Ft.	15.5

• Contrasting fabric option – specify X (i.e., N59AAX); see page 26. For list pricing, use your electronic specification tool or contact customer service
• Stitch-it option – specify V (i.e., N59AAV). For list pricing, use your electronic specification tool or contact customer service
• Stitch-it locations; Front Back, Seat and Extreme Back

ACQUAINT

QD

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Cover Number
4. Finish Designator

• See page 25 for Acquaint options
• See pages 19-20 for Stitch-it options

See pages 31-32 for COM fabric yardage

FULLY UPHOLSTERED BACK

MODEL NO.

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N59BB	Arms	$	1475	1517	1536	1567	1601	1659	1735	2099	2215
QN59BB	Arms		1475	1517	1536	1567	1601	1659	1735		
N59BBT	Arms, Black Polyurethane Arm Caps		1604	1646	1665	1696	1730	1788	1864	2228	2344
N59JJ	Arms, Exposed Wood Slats		1617	1656	1673	1702	1733	1785	1856	2189	2296
N59JJT	Arms, Exposed Wood Slats/ Black Polyurethane Arm Caps		1751	1790	1807	1836	1867	1919	1990	2323	2430
N59BL	Armless		1423	1465	1484	1515	1549	1607	1683	2047	2163
QN59BL	Armless		1423	1465	1484	1515	1549	1607	1683		
N59JL	Armless, Exposed Wood Slats		1561	1600	1617	1646	1677	1729	1800	2133	2240

N59BB

N59BBT

N59JJ

N59BL

DIMENSIONS

Width	24	Seat Height	18½	Arm Height	27	Arm Weight	36
Depth	24	Seat Depth	18¾	Back Height	17¼	Armless Weight	35
Height	34	Seat Width	20¾	Back Width	17½	Cubic Ft.	15.5

- Contrasting fabric option – specify X (i.e., N59BBX); see page 26. For list pricing, use your electronic specification tool or contact customer service
- Stitch-it option – specify V (i.e., N59BBV). For list pricing, use your electronic specification tool or contact customer service
- Stitch-it locations; Front Back, Extreme Back, Seat, Lumbar and Extreme Lumbar

SLAT BACK UPHOLSTERED LUMBAR

			1	2/COM	3/COL	4	5	6	7	L7	L8
N59HH	Arms	$	1591	1623	1637	1660	1686	1729	1786	2059	2146
N59HHT	Arms, Black Polyurethane Arm Caps		1722	1754	1768	1791	1817	1860	1917	2190	2277
N59HL	Armless		1538	1570	1584	1607	1633	1676	1733	2006	2093

N59HH

N59HHT

N59HL

DIMENSIONS

Width	24	Seat Height	18½	Arm Height	27	Arm Weight	34
Depth	24	Seat Depth	18¾	Back Height	17¼	Armless Weight	31
Height	34	Seat Width	20¾	Back Width	17½	Cubic Ft.	15.5

- Contrasting fabric option – specify X (i.e., N59HHX); see page 26. For list pricing, use your electronic specification tool or contact customer service
- Stitch-it option – specify V (i.e., N59HHV). For list pricing, use your electronic specification tool or contact customer service
- Stitch-it locations; Seat, Lumbar and Extreme Lumbar

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Cover Number
4. Finish Designator

• See page 25 for Acquaint options
• See pages 19-20 for Stitch-it options

See pages 31-32 for COM fabric yardage

SLAT BACK

N59CC

N59CCT

N59CL

MODEL NO.

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N59CC	Arms	$	1502	1534	1548	1571	1597	1640	1697	1970	2057
N59CCT	Arms, Black Polyurethane Arm Caps		1637	1669	1683	1706	1732	1775	1832	2105	2192
N59CL	Armless		1449	1481	1495	1518	1544	1587	1644	1917	2004

DIMENSIONS

Width	24	Seat Height	18½	Arm Height	27	Arm Weight	33
Depth	24	Seat Depth	19½	Back Height	17¼	Armless Weight	32
Height	34	Seat Width	20¾	Back Width	17½	Cubic Ft.	15.5

- Stitch-it option – specify V (i.e., N59CCV). For list pricing, use your electronic specification tool or contact customer service
- Stitch-it location; Seat

BARIATRIC HALF UPHOLSTERED

N59MM

N59MMT



N59PP

			1	2/COM	3/COL	4	5	6	7	L7	L8
N59MM		$	2455	2508	2532	2571	2613	2685	2781	3235	3381
N59MMT	Black Polyurethane Arm Caps		2588	2641	2665	2704	2746	2818	2914	3368	3514
N59PP	Exposed Wood Slats		2588	2637	2659	2696	2735	2802	2892	3316	3452
N59PPT	Exposed Wood Slats/ Black Polyurethane Arm Caps		2724	2773	2795	2832	2871	2938	3028	3452	3588

DIMENSIONS

Width	35	Seat Height	18½	Arm Height	27	Weight	47
Depth	24	Seat Depth	19½	Back Height	17¼	Cubic Ft.	24.5
Height	34	Seat Width	31	Back Width	38½		

- Contrasting fabric option – specify X (i.e., N59MMX); see page 26. For list pricing, use your electronic specification tool or contact customer service
- Meets 500 lb. weight load

ACQUAINT

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Cover Number
4. Finish Designator

• See page 25 for Acquaint options
• See pages 19-20 for Stitch-it options

See pages 31-32 for COM fabric yardage

BARIATRIC SLAT BACK

N59KK

N59KKT

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
N59KK		$	2532	2564	2578	2601	2627	2670	2727	3000	3087
N59KKT	Black Polyurethane Arm Caps		2665	2697	2711	2734	2760	2803	2860	3133	3220

DIMENSIONS

Width	35	Seat Height	18½	Arm Height	27	Weight	45
Depth	24	Seat Depth	19½	Back Height	17¼	Cubic Ft.	24.5
Height	34	Seat Width	31	Back Width	38½		

• Meets 500 lb. weight load

EASY ACCESS CHAIR HALF UPHOLSTERED

N59HAA

N59HAAT

			1	2/COM	3/COL	4	5	6	7	L7	L8
N59HAA	Arms	$	1942	1974	1988	2011	2037	2080	2137	2410	2497
N59HAAT	Arms, Black Polyurethane Arm Caps		2072	2104	2118	2141	2167	2210	2267	2540	2627

DIMENSIONS

Width	24	Seat Height	24½	Arm Height	33	Foot Rest Depth	2¾	Weight	40
Depth	25⅛	Seat Depth	19½	Back Height	17¼	Foot Rest Width	20⅝	Cubic Ft.	18.4
Height	40	Seat Width	20¾	Back Width	17½	Foot Rest Height from floor to top of step	7¼		

• Contrasting fabric option – specify X (i.e., N59HAAX); see page 26. For list pricing, use your electronic specification tool or contact customer service
• Stitch-it option – specify V (i.e., N59HAAV). For list pricing, use your electronic specification tool or contact customer service
• Stitch-it locations; Front Back, Seat, Extreme Back

EASY ACCESS CHAIR SLAT BACK

N59HCC

N59HCCT

			1	2/COM	3/COL	4	5	6	7	L7	L8
N59HCC	Arms	$	2010	2042	2056	2079	2105	2148	2205	2478	2565
N59HCCT	Arms, Black Polyurethane Arm Caps		2141	2173	2187	2210	2236	2279	2336	2609	2696

DIMENSIONS

Width	24	Seat Height	24½	Arm Height	33	Foot Rest Depth	2¾	Weight	40
Depth	25⅛	Seat Depth	19½	Back Height	17¼	Foot Rest Width	20⅝	Cubic Ft.	18.4
Height	40	Seat Width	20¾	Back Width	17½	Foot Rest Height from floor to top of step	7¼		

• Stitch-it option – specify V (i.e., N59HCCV). For list pricing, use your electronic specification tool or contact customer service
• Stitch-it location; Seat

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
N59AA, N59AAT, N59AL		0.90	1.40	1.60	2.40	18
N59BB, N59BBT, N59BL		1.20	1.60	1.90	3.40	24
N59CC, N59CCT, N59CL		0.90	1.10	1.20	1.10	18
N59DD, N59DDT, N59DL		0.90	1.30	1.50	1.90	18
N59HAA, N59HAAT		0.90	1.40	1.60	2.40	18
N59HCC, N59HCCT		0.90	1.10	1.20	1.10	18
N59HH, N59HHT, N59HL		0.90	1.40	1.60	2.40	18
N59JJ, N59JJT, N59JL		1.10	1.60	1.80	2.90	22
N59KK, N59KKT		0.90	1.00	1.20	1.50	18
N59MM, N59MMT		1.50	1.60	2.10	2.30	30
N59PP, N59PPT		1.40	1.50	1.70	2.20	28
N59AAX, N59HAAX	Back	0.40	0.60	0.70	0.90	2.6
N59AATX, N59HAATX	Extreme	0.40	0.60	0.70	0.90	2.6
N59ALX	Seat	0.90	1.10	1.20	1.10	18
N59BBX	Back	0.40	0.60	0.70	0.90	2.6
N59BBTX	Lumbar	0.40	0.60	0.70	0.90	2.6
N59BLX	Extreme Back	0.40	0.60	0.70	0.90	2.6
	Extreme Lumbar	0.40	0.60	0.70	0.90	2.6
	Seat	0.90	1.10	1.20	1.10	18
N59DDX	Back	0.40	0.60	0.70	0.90	2.6
N59DDTX	Extreme Back	0.30	0.40	0.60	0.80	1.5
N59DLX	Seat	0.90	1.10	1.20	1.10	18
N59HHX	Lumbar	0.40	0.60	0.70	0.90	2.6
N59HHTX	Extreme Lumbar	0.40	0.60	0.70	0.90	2.6
N59HLX	Seat	0.90	1.10	1.20	1.10	18
N59JJX	Back	0.40	0.60	0.70	0.90	2.6
N59JJTX	Lumbar	0.40	0.60	0.70	0.90	2.6
N59JLX	Extreme Back	0.30	0.40	0.60	0.80	1.5
	Extreme Lumbar	0.40	0.60	0.70	0.90	2.6
	Seat	0.90	1.10	1.20	1.10	18
N59MMX	Back	0.40	0.50	0.60	0.90	4
N59MMTX	Extreme Back	0.40	0.50	0.60	0.90	4
	Seat	0.90	1.00	1.10	1.40	18
N59PPX	Back	0.40	0.50	0.60	0.90	4
N59PPTX	Extreme Back	0.20	0.30	0.50	0.70	2.5
	Seat	0.90	1.00	1.10	1.40	18

COM YARDAGE REQUIREMENTS

STITCH-IT YARDAGE REQUIREMENTS
For Non-Stitch-It locations, reference contrasting model yardage requirements in the Master Seating Pricelist.

MODEL NUMBER	STITCH-IT LOCATION	NON DIRECTIONAL YARDAGE
N59AAV, N59AATV, N59ALV	Back	0.90
	Extreme Back	0.90
	Seat	1.50
N59DDV, N59DDTV, N59DLV	Back	0.90
	Seat	1.50
N59BBV, N59BBTV, N59BLV	Back	0.90
	Lumbar	0.90
	Extreme Back	0.90
	Extreme Lumbar	0.90
	Seat	1.50
N59JJV, N59JJTV, N59JLV	Back	0.90
	Lumbar	0.90
	Extreme Lumbar	0.90
	Seat	1.50
N59HHV, N59HHTV, N59HLV	Lumbar	0.90
	Extreme Lumbar	0.90
	Seat	1.50
N59CCV, N59CCTV, N59CLV	Seat	1.50

ADMIRE

Product Specifications 34
Fabrics and Options 35
Contrasting Fabrics Specifications 36
Stitch-it Specifications 36
Product Pages 37
COM Yardage Requirements 39
Stitch-It Yardage Requirements 39

ADMIRE

ADMIRE PRODUCT SPECIFICATIONS



FRAME CONSTRUCTION

- Constructed of exterior beech with mortise and tenon joints that are securely glued for maximum joint stability
- Non-marring nylon glides

SEAT CONSTRUCTION

- 2" high grade polyurethane foam covers a plywood panel with high tension strip webbing for comfort
- Corner blocks screwed and glued in all 4 corners of the seat

BACK CONSTRUCTION (ALL MODELS)

- Features exterior rails and/or slats cut from steam bent beech wood

BACK CONSTRUCTION (N55AA, N55BB, N55EE, N55HH MODELS)

- 1" high grade polyurethane foam covers the front of a molded contour plywood back for support and comfort
- The outer (extreme) back features ½" of high grade polyurethane foam

CONTRASTING FABRICS

- All models available with contrasting fabric

STITCH-IT

- All models available with Stitch-it option

FINISH

- A catalyzed top coat resists denting, peeling, and reactions to chemicals
- Can be cleaned with a damp cloth
- When specifying Brighton, Natural, and Sonoma finish, variation in color is acceptable due to the nature of wood characteristics

WOOD SPECIES

- Beech

All Admire models may be ordered to meet TB133 fire code.

To order seating to meet the TB133 fire code, specify an "F" at the end of the model number (Ex: N55AAF).

For TB133 pricing go to www.NationalOfficeFurniture.com/TB133

Please consult customer service for applicable Arc-Com, Carnegie, Designtex, Maharam, Mayer, Momentum, Stinson, or Ultrafabrics fabric.

FABRICS

Grade 1	Cali
	Entwine
	Input
	Melange
	Ridge
	Spark
	Vessel
	Zig Zag
Grade 2	Bliss
	Brilliant
	COM
	Dolce
	Dorset
	Intuition
	Orbit
	Phrase
	Pixie
	Sedona
	Stancil
	Strand
Grade 3	COL
	Silvertex
Grade 4	Connect Four
	Echo
	Masquerade
Grade 5	Mode
Grade 6	Essence/Ultraleather
Grade 7	Brisa
	Brisa Distressed
	Reef Pro
	Silica
	Silica Etch
	Tottori
Grade L7	Davenport
Grade L8	Florence

FINISHES

AC	Autumn	NM	Natural
AD	Almond	PB	Portobello
BZ	Brazilwood	PC	Porcini
CI	Chai	PT	Portico
CL	Caramel	SK	Skyline
CW	Cordovan	SM	Sonoma
DW	Judicial	TF	Truffle
HN	Honey	WL	Willow
IM	Brighton	405	Designer White
KN	Kona	462	Cinder
MC	Amber	792	Sable
MH	Mocha	793	Acorn*

*Acorn is the finish complement to Clear Walnut finish

TO ORDER CONTRASTING FABRIC, SPECIFY

ADMIRE
Guest Half Upholstered Back page 37
Guest Fully Upholstered Back page 37

1. Model Number plus "X"
2. Back Fabric Grade Number/Cover Number
3. Extreme Back Fabric Grade Number/Cover Number
4. Seat Fabric Grade Number/Cover Number
5. Finish Designator



Contrasting Upholstery



Contrasting Fabric Back View

TO ORDER WITH STITCH-IT, SPECIFY

ADMIRE
Guest Half Upholstered Back page 37
Guest Fully Upholstered Back page 37
Guest Horizontal Slat Back page 38
Note: Locations not applicable to all models

1. Model Number
2. Back Fabric Grade Number/Cover Number
3. Back Stitch-it Options
4. Extreme Back Fabric Grade Number/Cover Number
5. Extreme Back Stitch-it Options
6. Seat Fabric Grade Number/Cover Number
7. Seat Stitch-it Options
8. Finish Designator

See pages 19-20 for Stitch-It Options

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Cover Number
4. Finish Designator

• See page 35 for Admire options
• See pages 19-20 for Stitch-it options

See page 39 for COM fabric yardage

GUEST HALF UPHOLSTERED BACK



Arms



Armless

MODEL NO. | **GRADE / LIST PRICE**

			1	2/COM	3/COL	4	5	6	7	L7	L8
N55EE	Arms	$	1151	1186	1202	1228	1256	1304	1368	1671	1768
N55HH	Armless		1023	1058	1074	1100	1128	1176	1240	1543	1640

DIMENSIONS

Width	24	Seat Width	19⅜	Arm Height	25¾	Arm Weight	32
Depth	24	Seat Depth	19½	Back Height	19	Armless Weight	30
Height	33¾	Seat Height	17½	Back Width	17¾	Arm Cubic Ft.	13.4
						Armless Cubic Ft.	14.6

- Contrasting fabric option – specify X (i.e., N55EEX); see page 36. For list pricing, use your electronic specification tool or contact customer service
- Stitch-it option – specify V (i.e., N55EEV). For list pricing, use your electronic specification tool or contact customer service
- Stitch-it locations; Front Back, Extreme Back and Seat

GUEST FULLY UPHOLSTERED BACK



Arms



Armless

			1	2/COM	3/COL	4	5	6	7	L7	L8
N55AA	Arms	$	1226	1279	1303	1342	1384	1456	1552	2006	2152
QN55AA	Arms		1226	1279	1303	1342	1384	1456	1552		
N55BB	Armless		1099	1152	1176	1215	1257	1329	1425	1879	2025

DIMENSIONS

Width	24	Seat Width	19⅜	Arm Height	25¾	Arm Weight	32
Depth	24	Seat Depth	19½	Back Height	19	Armless Weight	30
Height	33¾	Seat Height	17½	Back Width	17¾	Arm Cubic Ft.	13.4
						Armless Cubic Ft.	14.6

- Contrasting fabric option – specify X (i.e., N55AAX); see page 36. For list pricing, use your electronic specification tool or contact customer service
- Stitch-it option – specify V (i.e., N55AAV). For list pricing, use your electronic specification tool or contact customer service
- Stitch-it locations; Front Back, Extreme Back and Seat

ADMIRE

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Cover Number
4. Finish Designator

- See page 35 for Admire options
- See pages 19-20 for Stitch-it options

See page 39 for COM fabric yardage

GUEST HORIZONTAL SLAT BACK

MODEL NO.

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N55CC	Arms	$	1256	1279	1290	1307	1325	1357	1399	1599	1663
N55DD	Armless		1130	1153	1164	1181	1199	1231	1273	1473	1537



Arms



Armless

DIMENSIONS

Width	24	Seat Width	19⅜	Arm Height	25¾	Arm Weight	32
Depth	24	Seat Depth	19½	Back Height	19	Armless Weight	30
Height	33¾	Seat Height	17½	Back Width	17¾	Arm Cubic Ft.	13.4
						Armless Cubic Ft.	14.6

- Stitch-it option – specify V (i.e., N55CCV). For list pricing, use your electronic specification tool or contact customer service
- Stitch-it locations; Seat

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
N55AA, N55BB		1.20	1.50	2.30	2.90	23
N55CC, N55DD		0.80	1.00	1.10	1.10	10
N55EE, N55HH		0.80	1.20	1.70	1.80	15
N55AAX	Back	0.70	0.70	0.70	0.90	6.5
N55BBX	Extreme	0.70	0.70	0.70	0.90	6
	Seat	0.80	0.80	1.00	1.10	7.5
N55EEX	Back	0.50	0.50	0.60	0.80	4.5
N55HHX	Extreme	0.40	0.50	0.60	0.80	3.5
	Seat	0.80	0.80	1.00	1.10	7.5

STITCH-IT YARDAGE REQUIREMENTS

For Non-Stitch-It locations, reference contrasting model yardage requirements in the Master Seating Pricelist.

MODEL NUMBER	STITCH-IT LOCATION	NON DIRECTIONAL YARDAGE
N55AAV, N55BBV,	Front Back	0.90
N55EEV, N55HHV	Extreme Back	0.90
	Seat	0.90
N55CCV, N55DDV	Seat	0.90

ADMIRE

ARLINGTON

Product Specifications 42
Fabrics and Options 43
Product Pages 44
COM Yardage Requirements 46

ARLINGTON

ARLINGTON PRODUCT SPECIFICATIONS

FRAME CONSTRUCTION

- Interior and exterior frame constructed of kiln-dried hardwoods, with joints double doweled and securely glued for maximum joint stability
- Tie screws are installed at all critical joints for added strength
- 48-E model side-to-side rails provide strength and mounting platform for the swivel tilt mechanism
- Guest conference models have seat joints supported with additional corner blocks secured with high tensile screws

SEAT AND BACK CONSTRUCTION

- High grade polyurethane foam covers high tension strip webbing for comfort
- 64X-GWXX back offers a high grade polyurethane foam covering a non-stretch suspension with an extra layer of suspension in the lumbar area for increased support

CONTROL MECHANISM/LIFT (48-EK)

- A standard knee tilt mechanism with a forward locking lever, features a heavy-duty adjustable tension spring for a variety of body sizes
- The standard pneumatic gas cylinder lift allows the seat to raise and lower 2½" and provides spring action for added comfort
- Fingertip adjustment is quick and easy

CONTROL MECHANISM/LIFT (48-ES)

- The standard swivel tilt control features a heavy-duty adjustable tension spring for a variety of body sizes. Made of heavy-duty steel, it operates on dual coil springs with self-lubricating nylon bushings and a quiet rubber stop cushion
- The standard pneumatic gas cylinder lift allows the seat to raise and lower 2½" and provides spring action for added comfort

BASE AND CASTERS

- A 5-prong, rigid steel understructure base ensures long life
- Caster posts fit directly into steel sleeves, greatly reducing caster socket failure
- A self-lubricating nylon hub liner is standard
- Decorative hardwood caps complement the chair design
- English hooded ball casters are standard

JURY BASE

- Pneumatic jury base
- Auto return swivel

GLIDES

- Guest models feature non-marring nylon glides

TUFTING

- Button tufting utilizes a metal prong unit pulled through both the foam and fabric, then inserted through a self-locking steel washer that is clinched for long life

TRIM NAILS

- Decorative antique brass trim nails are individually hand applied to the arm and seat base for a clean, tailored appearance

FINISH

- All finishes feature a catalyzed top coat which resists denting, peeling and reactions to chemicals
- Can be cleaned with a damp cloth
- When specifying Brighton, Natural, and Sonoma finish, variation in color is acceptable due to the nature of wood characteristics

WOOD SPECIES

- Maple

All Arlington models may be ordered to meet TB133 fire code.

To order seating to meet the TB133 fire code, specify an "F" at the end of the model number (Ex: 48-EKF).

For TB133 pricing go to www.NationalOfficeFurniture.com/TB133

Please consult customer service for applicable Arc-Com, Carnegie, Designtex, Maharam, Mayer, Momentum, Stinson, or Ultrafabrics fabric.

FABRICS

Grade 1	Cali
	Entwine
	Input
	Melange
	Ridge
	Spark
	Vessel
	Zig Zag
Grade 2	Bliss
	Brilliant
	COM
	Dolce
	Dorset
	Intuition
	Orbit
	Phrase
	Pixie
	Sedona
	Stancil
	Strand
Grade 3	COL
	Silvertex
Grade 4	Connect Four
	Echo
	Masquerade
Grade 5	Mode
Grade 6	Essence/Ultraleather
Grade 7	Brisa
	Brisa Distressed
	Reef Pro
	Silica
	Silica Etch
	Tottori
Grade L7	Davenport
Grade L8	Florence

FINISHES

AC	Autumn	NM	Natural
AD	Almond	PB	Portobello
BZ	Brazilwood	PC	Porcini
CI	Chai	PT	Portico
CL	Caramel	SK	Skyline
CW	Cordovan	SM	Sonoma
DW	Judicial	TF	Truffle
HN	Honey	WL	Willow
IM	Brighton	405	Designer White
KN	Kona	462	Cinder
MC	Amber	792	Sable
MH	Mocha	793	Acorn*

*Acorn is the finish complement to Clear Walnut finish

ARLINGTON

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Cover Number
4. Finish Designator

• See page 43 for Arlington options

Due to the contour shapes and tufted appearance, striped patterns are not recommended on tufted models. Should you require such a selection, such orders are not subject to return.

See page 46 for COM fabric yardage

HIGH BACK WRAPPED ARMS

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
48-EK	Knee Tilt	$	2387	2489	2535	2610	2692	2831	3016	3895	4176
48-EKN	Knee Tilt/Trim Nails		2387	2489	2535	2610	2692	2831	3016	3895	4176
48-ES	Swivel Tilt		2086	2202	2254	2340	2433	2591	2802	3802	4122
48-ESN	Swivel Tilt/Trim Nails		2086	2202	2254	2340	2433	2591	2802	3802	4122
48-EKJ	Knee Tilt, Jury Base		2734	2836	2882	2957	3039	3178	3363	4242	4523
48-EKNJ	Knee Tilt/Trim Nails, Jury Base		2734	2836	2882	2957	3039	3178	3363	4242	4523
48-ESJ	Swivel Tilt, Jury Base		2433	2549	2601	2687	2780	2938	3149	4149	4469
48-ESNJ	Swivel Tilt/Trim Nails, Jury Base		2433	2549	2601	2687	2780	2938	3149	4149	4469

DIMENSIONS

		48-EK & EKN		48-ES & ESN			
Width	26½	Height	37¾-40¾	Height	38½-41¼	Weight	50
Depth	30¼	Arm Height	25¼-28½	Arm Height	26-28¾	Cubic Ft.	15.9
Seat Depth	18½	Seat Height	17½-20½	Seat Height	18½-21¼		
Seat Width	23½						

GUEST WRAPPED ARMS



			1	2/COM	3/COL	4	5	6	7	L7	L8
48-GC		$	1588	1690	1736	1811	1893	2032	2217	3096	3377
48-GCN	Trim Nails		1588	1690	1736	1811	1893	2032	2217	3096	3377

DIMENSIONS

Width	26	Arm Height	26⅜	Seat Width	19⅜	Weight	43
Depth	28	Seat Height	19½			Cubic Ft.	15.9
Height	38½	Seat Depth	19				

GUEST CLUB





			1	2/COM	3/COL	4	5	6	7	L7	L8
451	Non-tufted/Trim Nails, Static	$	1647	1763	1815	1901	1994	2152	2363	3363	3683
451T	Tufted/Trim Nails, Static		1703	1829	1887	1980	2081	2254	2484	3575	3924
452	Non-tufted/Trim Nails, Mobile		1672	1788	1840	1926	2019	2177	2388	3388	3708
452T	Tufted/Trim Nails, Mobile		1722	1848	1906	1999	2100	2273	2503	3594	3943

DIMENSIONS

Width	28¼	Arm Height	25¾	Seat Width	20	Weight	52
Depth	27¾	Seat Height	19½			Cubic Ft.	15.0
Height	32	Seat Depth	19				

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Cover Number
4. Finish Designator

• See page 43 for Arlington options

Due to the contour shapes and tufted appearance, striped patterns are not recommended on tufted models. Should you require such a selection, such orders are not subject to return.

See page 46 for COM fabric yardage

GUEST CAPTAIN

MODEL NO. | **GRADE / LIST PRICE**

			1	2/COM	3/COL	4	5	6	7	L7	L8
72X-GUXX	Non-tufted	$	1030	1072	1091	1122	1156	1214	1290	1654	1770
72X-GUXT	Non-tufted/Trim Nails		1035	1077	1096	1127	1161	1219	1295	1659	1775

DIMENSIONS

Width	25¾	Arm Height	26	Seat Width	18½	Weight	36
Depth	22¾	Seat Height	18½			Cubic Ft.	14.6
Height	30½	Seat Depth	18				

GUEST WOOD ARMS



		1	2/COM	3/COL	4	5	6	7	L7	L8
64X-GWXX	$	1146	1194	1215	1251	1289	1354	1441	1853	1985

DIMENSIONS

Width	22¼	Arm Height	25¾	Seat Width	19½	Weight	27
Depth	25	Seat Height	17¾			Cubic Ft.	16.6
Height	35	Seat Depth	17¼				

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
451		3.30	4.05	5.35	5.90	67
451T		3.60	4.15	5.30	5.90	73
452		3.30	4.05	5.35	5.90	67
452T		3.60	4.15	5.30	5.90	73
48-EK, 48-EKN		2.90	3.10	3.90	3.90	59
48-ES, 48-ESN		2.90	3.10	3.90	3.90	59
48-GC, 48-GCN		2.90	3.10	3.90	3.90	59
64X-GWXX		1.36	1.58	2.97	2.97	28
72X-GUXT, 72-GUXX		1.20	1.70	1.80	2.20	25

AURORA

Product Specifications 48
Fabrics and Options 49
Product Pages 50
COM Yardage Requirements 53

AURORA

AURORA PRODUCT SPECIFICATIONS



FRAME CONSTRUCTION
GUEST MODELS

- Legs are 1¼" x ¾" steel rectangular tube
- Cross members are welded ½" diameter wire with ½" diameter x 14-gauge cold-rolled tube
- Available in powder coated Cinder, Platinum Metallic and Satin Nickel Metallic
- Wall saving design feature on back legs
- Non-marring nylon glides

SEAT CONSTRUCTION
HIGH BACK AND MID BACK MODELS

- 3½" of high grade polyurethane foam covers a 9-ply solid contoured molded plywood seat panel for support and comfort

GUEST MODELS

- 2" of high grade polyurethane foam covers a solid contoured molded plywood seat panel for support and comfort

BACK CONSTRUCTION
HIGH BACK AND MID BACK MODELS

- 2" of high grade polyurethane foam covers a 3-ply solid contoured molded plywood panel
- 9-ply outer molded shell wrapped in ¼" polyurethane foam

GUEST MODELS

- 1½" of high grade polyurethane foam covers a solid contoured molded plywood panel on upholstered back
- 13-ply curved plywood back with polished decorative fasteners on wood back

ARMS
HIGH BACK AND MID BACK MODELS

- Arms are die-cast aluminum available in polished aluminum or powder coated Cinder, Platinum Metallic and Satin Nickel Metallic
- Arm pads are soft black polyurethane

GUEST MODELS

- Arms are die-cast aluminum available in polished aluminum or powder coated Cinder, Platinum Metallic and Satin Nickel Metallic

CONTROL MECHANISM—KNEE TILT

- The standard knee tilt mechanism features a heavy-duty adjustment tension spring for a variety of body sizes and minimal rise of front seat edge; this allows the users feet to remain on the floor when the chair is in the reclining position
- The combination gas lift/tilt lock lever allows dual functions with a simple in/out movement for lockout and an up/down movement for height adjustment
- Standard pneumatic gas cylinder lift allows seat to raise and lower 4" and provides spring action for added comfort

CONTROL MECHANISM—SYNCHRONOUS

- Synchronous control allows the back and seat to move in a synchronized 2.3:1 ratio motion
- Free float feature allows the chair to tilt freely
- A side activated telescoping tension adjustment handle provides a comfortable way to adjust back tension to meet individual needs
- The back angle can be locked in 1 of 5 positions
- Standard pneumatic gas cylinder lift allows seat to raise and lower 4¼" and provides spring action for added comfort

SEAT SLIDE

- Seat depth can be adjusted to 7 different positions within a 2½" range

BASE AND CASTERS

- Die-cast aluminum 5-prong base available in polished aluminum or powder coated Cinder, Platinum Metallic and Satin Nickel Metallic
- Black, hard double wheel casters, which work on multiple surfaces, are standard
- Black, soft double wheel casters, for use on hard floors, are available at an upcharge

FINISH

- Wood models feature a catalyzed top coat that resists denting, peeling and reactions to chemicals
- Can be cleaned with a damp cloth
- When specifying Brighton, Natural, and Sonoma finish, variation in color is acceptable due to the nature of wood characteristics

WOOD SPECIES

- Hard maple

All Aurora models may be ordered to meet TB133 fire code.

To order seating to meet the TB133 fire code, specify an "F" at the end of the model number (Ex: N65AAPF).

For TB133 pricing go to www.NationalOfficeFurniture.com/TB133

Please consult customer service for applicable Arc-Com, Carnegie, Designtex, Maharam, Mayer, Momentum, Stinson, or Ultrafabrics fabric.

FABRICS

Grade 1	Cali
	Entwine
	Input
	Melange
	Ridge
	Spark
	Vessel
	Zig Zag
Grade 2	Bliss
	Brilliant
	COM
	Dolce
	Dorset
	Intuition
	Orbit
	Phrase
	Pixie
	Sedona
	Stancil
	Strand
Grade 3	COL
	Silvertex
Grade 4	Connect Four
	Echo
	Masquerade
Grade 5	Mode
Grade 6	Essence/Ultraleather
Grade 7	Brisa
	Brisa Distressed
	Reef Pro
	Silica
	Silica Etch
	Tottori
Grade L7	Davenport
Grade L8	Florence

WOOD FINISHES

N65GG MODELS ONLY

AC	Autumn	NM	Natural
AD	Almond	PB	Portobello
BZ	Brazilwood	PC	Porcini
CI	Chai	PT	Portico
CL	Caramel	SK	Skyline
CW	Cordovan	SM	Sonoma
DW	Judicial	TF	Truffle
HN	Honey	WL	Willow
IM	Brighton	405	Designer White
KN	Kona	462	Cinder
MC	Amber	792	Sable
MH	Mocha	793	Acorn*

*Acorn is the finish complement to Clear Walnut finish

POWDER COAT PAINTS

462	Cinder
501	Platinum Metallic
503	Satin Nickel Metallic

CASTERS

C3	Hard (standard)
C4	Soft (add $36 list)

AURORA

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Cover Number
4. Powder Coat Paint (if applicable)
5. Casters

• See page 49 for Aurora options

See page 53 for COM fabric yardage

HIGH BACK
KNEE TILT



MODEL NO. | **GRADE / LIST PRICE**

			1	2/COM	3/COL	4	5	6	7	L7	L8
N65CCP	Powder Coat	$	2024	2091	2121	2170	2224	2315	2436	3012	3196
N65CCSP	Powder Coat/Seat Slide		2168	2235	2265	2314	2368	2459	2580	3156	3340
N65CCA	Polished Aluminum		2295	2362	2392	2441	2495	2586	2707	3283	3467
N65CCSA	Polished Aluminum/Seat Slide		2437	2504	2534	2583	2637	2728	2849	3425	3609

DIMENSIONS

Width	27	Arm Height	27¾- 32½	Seat Depth	18¾	Weight	60
Depth	27½	Seat Height	17¾- 21¼	Seat Depth with		Weight with	
Depth with		Seat Height with		Seat Slide	19½-21½	Seat Slide	64
Seat Slide	28¼-30½	Seat Slide	18¾-22¾	Back Height	28	Cubic Ft.	20.4
Height	43¾-47½	Seat Width	21	Back Width	17¾		

MID BACK
KNEE TILT

			1	2/COM	3/COL	4	5	6	7	L7	L8
N65DDP	Powder Coat	$	1938	2001	2030	2077	2127	2213	2329	2874	3049
N65DDSP	Powder Coat/Seat Slide		2076	2139	2168	2215	2265	2351	2467	3012	3187
N65DDA	Polished Aluminum		2207	2270	2299	2346	2396	2482	2598	3143	3318
N65DDSA	Polished Aluminum/Seat Slide		2346	2409	2438	2485	2535	2621	2737	3282	3457

DIMENSIONS

Width	27	Arm Height	27¾-32½	Seat Depth	18¾	Weight	59
Depth	27½	Seat Height	17¾-21¼	Seat Depth with		Weight with	
Depth with		Seat Height with		Seat Slide	19½-21½	Seat Slide	63
Seat Slide	28¼-30½	Seat Slide	18¾-22¾	Back Height	23	Cubic Ft.	20.4
Height	38¾-42½	Seat Width	21	Back Width	17¾		

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Cover Number
4. Powder Coat Paint (if applicable)
5. Casters

• See page 49 for Aurora options

See page 53 for COM fabric yardage

HIGH BACK SYNCHRONOUS



MODEL NO. | **GRADE / LIST PRICE**

			1	2/COM	3/COL	4	5	6	7	L7	L8
N65AAP	Powder Coat	$	2162	2229	2259	2308	2362	2453	2574	3150	3334
N65AASP	Powder Coat/Seat Slide		2303	2370	2400	2449	2503	2594	2715	3291	3475
N65AAA	Polished Aluminum		2431	2498	2528	2577	2631	2722	2843	3419	3603
N65AASA	Polished Aluminum/Seat Slide		2574	2641	2671	2720	2774	2865	2986	3562	3746

DIMENSIONS

Width	27	Arm Height	27¾-32½	Seat Depth	18½	Weight	62
Depth	27	Seat Height	18-21½	Seat Depth with		Weight with	
Depth with		Seat Height with		Seat Slide	19-21	Seat Slide	65
Seat Slide	26¾-29	Seat Slide	18¼-22¾	Back Height	27¾	Cubic Ft.	20.4
Height	44½-48	Seat Width	21	Back Width	17¾		

MID BACK SYNCHRONOUS



			1	2/COM	3/COL	4	5	6	7	L7	L8
N65BBP	Powder Coat	$	2071	2134	2163	2210	2260	2346	2462	3007	3182
N65BBSP	Powder Coat/Seat Slide		2211	2274	2303	2350	2400	2486	2602	3147	3322
N65BBA	Polished Aluminum		2343	2406	2435	2482	2532	2618	2734	3279	3454
N65BBSA	Polished Aluminum/Seat Slide		2481	2544	2573	2620	2670	2756	2872	3417	3592

DIMENSIONS

Width	27	Arm Height	27¾-32½	Seat Depth	18½	Weight	61
Depth	27	Seat Height	18-21½	Seat Depth with		Weight with	
Depth with		Seat Height with		Seat Slide	19-21	Seat Slide	64
Seat Slide	28¼-30½	Seat Slide	18¼-22¾	Back Height	22¾	Cubic Ft.	20.4
Height	39½-43	Seat Width	21	Back Width	17¾		

AURORA

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Cover Number
4. Finish Designator (if applicable)
5. Powder Coat Paint

• See page 49 for Aurora options

See page 53 for COM fabric yardage

GUEST



Upholstered back



Wood back

MODEL NO.			GRADE / LIST PRICE								
UPHOLSTERED BACK			1	2/COM	3/COL	4	5	6	7	L7	L8
N65EEP	Powder Coat	$	1478	1513	1529	1555	1583	1631	1695	1998	2095
N65EEA	Polished Aluminum/Powder Coat		1638	1673	1689	1715	1743	1791	1855	2158	2255
WOOD BACK			1	2/COM	3/COL	4	5	6	7	L7	L8
N65GGP	Powder Coat	$	1560	1595	1611	1637	1665	1713	1777	2080	2177
N65GGA	Polished Aluminum/Powder Coat		1723	1758	1774	1800	1828	1876	1940	2243	2340

DIMENSIONS

Width	23	Arm Height	26	Seat Depth	18¾	Weight	31
Depth	23½	Seat Height	19	Back Height	14	Cubic Ft.	16.8
Height	30	Seat Width	19	Back Width	18½		

• Must specify wood finish

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
N65AAA		1.90	2.80	3.10	4.10	37
N65AAP		1.90	2.80	3.10	4.10	37
N65AASA		1.90	2.80	3.10	4.10	37
N65AASP		1.90	2.80	3.10	4.10	37
N65BBA		1.80	2.40	3.00	3.40	36
N65BBP		1.80	2.40	3.00	3.40	36
N65BBSA		1.80	2.40	3.00	3.40	36
N65BBSP		1.80	2.40	3.00	3.40	36
N65CCA		1.90	2.80	3.10	4.10	37
N65CCP		1.90	2.80	3.10	4.10	37
N65CCSA		1.90	2.80	3.10	4.10	37
N65CCSP		1.90	2.80	3.10	4.10	37
N65DDA		1.80	2.40	3.00	3.40	36
N65DDP		1.80	2.40	3.00	3.40	36
N65DDSA		1.80	2.40	3.00	3.40	36
N65DDSP		1.80	2.40	3.00	3.40	36
N65EEA		1.00	1.50	2.00	2.40	19
N65EEP		1.00	1.50	2.00	2.40	19
N65GGA		1.00	1.10	1.30	1.20	11
N65GGP		1.00	1.10	1.30	1.20	11

AURORA

CINCH

GUEST

Product Specifications	56
Fabrics and Options	57
Product Pages	58
Guest/Stools	61

TASK

Product Specifications	62
Fabrics and Options	63
Product Pages	64

BEAM

Product Specifications	65
Fabrics and Options	66
Configurations	70
Product Pages	67

COM Yardage Requirements	71

CINCH GUEST PRODUCT SPECIFICATIONS



FRAME CONSTRUCTION

- Legs are made of 1¼" x ⅝" thick steel for strength and durability
- Cross members are constructed of ¾" x 15-gauge thick steel
- Leg is joined to cross member bar with metal inert gas (MIG) welds
- Back support brackets utilize 5⁄16" thick steel plates

SEAT AND BACK CONSTRUCTION

- Contoured, injection molded polypropylene seat and back
- Seat and backrest are attached to the frame with screws

UPHOLSTERED SEAT CONSTRUCTION

- ½" foam

ARM REST

- Die-cast aluminum arm upright covered with an (ABS) black plastic arm cap
- Can be easily installed or removed with an Allen wrench

STANDARD AND OVERSIZED TABLET ARMS

- Black 3D Laminate MDF hinged surface with radius edge mounted on V-shaped arm rest
- Available as left-handed or right-handed
- Can be easily installed or removed with an Allen wrench

GANGING BRACKET—STACKER

- Chair is equipped with simple to align and easy to assemble ganging device; works for ganging non-mobile armless to armless
- Separate metal ganging bracket (N45GB) can be specified when ganging non-mobile arm, armless, or tablet arm models
- N45GB comes with a display card for row and seat indication
- Ganging not recommended for mobile models
- Offered in black only

BOOKRACK

- Made of 5⁄16" and ¼" steel wire
- For convenient storage use, installs easily with simple clip-on method
- Offered in black only

GLIDES

- Durable hard black nylon glides are standard
- Become scratch-resistant protectors when stacking chairs
- Soft glides are available for an additional upcharge

CASTERS

- Durable casters work on multiple surfaces

TRANSPORT DOLLY

- 1" x 16-gauge tubular steel handle, 1¼" x 16-gauge tubular steel base
- 4" wheels with locks
- Foldable handle allows for storage
- Transport dolly not necessary for mobile models

FINISH

- Cinder and Platinum Metallic frames are finished with electrostatically baked-on powder coat paint

STACKING CAPABILITIES

CINCH MODEL	STACKED ON FLOOR	STACKED ON DOLLY
Plastic Stacker	15 High	12 High
Plastic Stacker w/Arms	5 High	N/A
Plastic Stacker w/ Small Tablet Arm	4 High	Not Recommended
Plastic Stacker w/ Large Tablet Arm	Not Recommended	Not Recommended
Mobile Stacker	12 High	No Dolly Needed
Mobile Stacker w/Arms	4 High	N/A
Mobile Stacker w/ Small Tablet Arm	3 High	Not Recommended
Mobile Stacker w/ Large Tablet Arm	Not Recommended	Not Recommended
Plastic Stacker w/Arms Upholstered Seats	Stacking Not Recommended	Stacking Not Recommended

All Cinch models meet TB133 fire code.

No special indicator or upcharge required for plastic models.

To order upholstered models to meet the TB133 fire code, specify an "F" at the end of the model number (Ex: N45AUF).

For TB133 pricing go to www.NationalOfficeFurniture.com/TB133

Please consult customer service for applicable Arc-Com, Carnegie, Designtex, Maharam, Mayer, Momentum, Stinson, or Ultrafabrics fabric.

FABRICS

Grade 1	Cali
	Entwine
	Input
	Melange
	Ridge
	Spark
	Vessel
	Zig Zag
Grade 2	Bliss
	Brilliant
	COM
	Dolce
	Dorset
	Intuition
	Orbit
	Phrase
	Pixie
	Sedona
	Stancil
	Strand
Grade 3	COL
	Silvertex
Grade 4	Connect Four
	Echo
	Masquerade
Grade 5	Mode
Grade 6	Essence/Ultraleather
Grade 7	Brisa
	Brisa Distressed
	Reef Pro
	Silica
	Silica Etch
	Tottori
Grade L7	Davenport
Grade L8	Florence

PLASTIC COLORS

P02	Red
P03	Blue
P06	Pebble
P07	Currant
P08	Marshmallow
P10	Black
P11	Blueberry
P12	Lemon
P14	Lime
P19	Brownie

FRAME COLORS

462	Cinder
501	Platinum Metallic

CASTERS

STD	Hard (standard)
C4	Soft (add $36 list per chair)

GLIDES

STD	Standard
C30	Soft (add $24 list per chair)

CINCH

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Back Plastic Color
3. Seat Fabric Grade / Cover Number (when applicable)
4. Seat Plastic Color (when applicable)
5. Frame Color
6. Casters (mobile models only)
7. Glides (static models only)

• See page 57 for Cinch options

See page 71 for COM fabric yardage

PLASTIC STACKER ARMLESS

Plastic Seat



Upholstered Seat

MODEL NO.		GRADE / LIST PRICE									
N45APR	Package of 1, Plastic, Static	$ 371									
QN45APR	Package of 1, Plastic, Static	371									
N45AP	Package of 4, Plastic, Static	1126									
QN45AP	Package of 4, Plastic, Static	1126									
N45BPR	Package of 1, Plastic, Mobile	$ 499									
QN45BPR	Package of 1, Plastic, Mobile	499									
N45BP	Package of 4, Plastic, Mobile	1520									
QN45BP	Package of 4, Plastic, Mobile	1520									
		1	2/COM	3/COL	4	5	6	7	L7	L8	
N45AUR	Package of 1, Upholstered, Static	$ 622	633	639	647	656	672	693	791	823	
QN45AUR	Package of 1, Upholstered, Static	622	633	639	647	656	672	693			
N45AU	Package of 4, Upholstered, Static	1890	1936	1956	1990	2027	2089	2172	2566	2692	
QN45AU	Package of 4, Upholstered, Static	1890	1936	1956	1990	2027	2089	2172			
N45BUR	Package of 1, Upholstered, Mobile	$ 752	763	769	777	786	802	823	921	953	
QN45BUR	Package of 1, Upholstered, Mobile	752	763	769	777	786	802	823			
N45BU	Package of 4, Upholstered, Mobile	2283	2329	2349	2383	2420	2482	2565	2959	3085	
QN45BU	Package of 4, Upholstered, Mobile	2283	2329	2349	2383	2420	2482	2565			

DIMENSIONS

Width	21¼	Seat Height	18	Back Height	16½	Weight (1)	18
Depth	25¼	Seat Depth	17¾	Back Width	18½	Cubic Ft. (1)	13
Height	31	Seat Width	17¾			Weight (4) - Static	65
						Weight (4) - Mobile	72
						Cubic Ft. (4)	20

- Ordering (1) of model N45BP or N45BU will result in (1) carton being shipped, containing (4) chairs
- Pricing, weight and cubic ft. shown are per carton
- Each carton must have the same options
- Caster model not recommended for ganging
- Platinum Metallic frame option available for a $42 list upcharge per chair ($168 for package of 4)
- Soft glide option available for a $24 list upcharge per chair ($96 for package of 4)
- Soft caster option available for a $36 list upcharge per chair ($144 for package of 4)

TRANSPORT DOLLY



N45TD	Black	$	671

DIMENSIONS

Width	25¾	Weight	31
Depth	35½	Cubic Ft.	4.28
Height	38⅜		

- Specify model number only
- For use with non-mobile plastic stacker
- Transport dolly is not needed for the mobile stacker; the weight of the stacked chairs will engage the casters for easy transport

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number

• See page 57 for Cinch options

ARMS



MODEL NO.		LIST PRICE		
N45MAR	Platinum Metallic	$ 219	Package of 1 Pair	
N45MA	Platinum Metallic	718	Package of 4 Pairs	
N45MMR	Cinder	180	Package of 1 Pair	
N45MM	Cinder	539	Package or 4 Pairs	

DIMENSIONS (Installed on Chair)

Width	22½	Seat Height	18	Seat Width	17¾	Weight (1)	5
Depth	25¼	Seat Depth	17¾	Arm Height	26	Cubic Ft. (1)	0.5
Height	31					Weight (4)	12
						Cubic Ft. (4)	0.73

- Ordering (1) of model N45MA or N45MM will result in (1) carton being shipped, containing (4) arm sets
- Pricing, weight and cubic ft. shown are per carton
- For use with Cinch stacking chair

STANDARD TABLET ARM



N45RTR	Right-Handed (as seated)	$ 262	Package of 1	
N45RT	Right-Handed (as seated)	785	Package of 4	
N45LTR	Left-Handed (as seated)	262	Package of 1	
N45LT	Left-Handed (as seated)	785	Package of 4	

DIMENSIONS (Installed on Chair)

Width	25	Seat Height	18	Seat Width	17¾	Weight (1)	11
Depth	28	Seat Depth	17¾	Arm Height	28½	Cubic Ft. (1)	0.81
Height	31					Weight (4)	44
						Cubic Ft. (4)	2.5

- Ordering (1) of model N45RT or N45LT will result in (1) carton being shipped, containing (4) tablets
- P-shaped writing surface is 14¼" W x 10½" D
- Pricing, weight and cubic ft. shown are per carton
- Available in black only
- For use with Cinch stacking chair

OVERSIZED TABLET ARM



N45RT2R	Right-Handed (as seated)	$ 391	Package of 1	
N45RT2	Right-Handed (as seated)	1186	Package of 4	
N45LT2R	Left-Handed (as seated)	391	Package of 1	
N45LT2	Left-Handed (as seated)	1186	Package of 4	

DIMENSIONS (Installed on Chair)

Width	25	Seat Height	18	Seat Width	17¾	Weight (1)	13
Depth	29½	Seat Depth	17¾	Arm Height	28½	Cubic Ft. (1)	0.81
Height	31					Weight (4)	61
						Cubic Ft. (4)	2.5

- Ordering (1) of model N45RT2 or N45LT2 will result in (1) carton being shipped, containing (4) tablets
- Oversized P-shaped writing surface is 16½" W x 12" D
- Pricing, weight and cubic ft. shown are per carton
- Available in black only
- For use with Cinch stacking chair

CINCH

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number

• See page 57 for Cinch options

BOOKRACK



MODEL NO.		LIST PRICE		
N45BKR	Black	$ 120	Package of 1	
N45BK	Black	361	Package of 4	

DIMENSIONS

Width	17	Weight (1)	4
Depth	12¼	Cubic Ft. (1)	0.5
Height	7¾	Weight (4)	10
		Cubic Ft. (4)	1.5

- Ordering (1) of model N45BK will result in (1) carton being shipped, containing (4) bookracks
- Pricing, weight and cubic ft. shown are per carton
- For use with Cinch stacking chair

GANGING BRACKET



N45GB	Black	$ 376	Package of 20	

DIMENSIONS

Width	4½	Weight	6
Depth	1	Cubic Ft.	0.10
Height	1⅛		

- For use with non-mobile plastic stacker
- Only required if ganging arm or tablet models or in case additional space is needed between armless models
- Ordered and shipped (20) ganging brackets per carton
- Pricing, weight and cubic ft. shown are per carton
- Ordering (1) of model N45GB will result in (1) carton being shipped, containing (20) ganging brackets
- Bracket features a label for chair numbering

QD

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Back Plastic Color
3. Seat Fabric Grade / Cover Number (when applicable)
4. Seat Plastic Color (when applicable)
5. Frame Color
6. Glides (static models only)

• See page 57 for Cinch options

See page 71 for COM fabric yardage

COUNTER HEIGHT STOOL

Plastic Back
Plastic Seat

Plastic Back
Upholstered Seat

MODEL NO.		GRADE / LIST PRICE								
PLASTIC										
N45CCP	Package of 1	$ 675								
QN45CCP	Package of 1	675								
N45CC2P	Package of 2	1351								
QN45CC2P	Package of 2	1351								
UPHOLSTERED SEAT		1	2/COM	3/COL	4	5	6	7	L7	L8
N45CCU	Package of 1	$ 864	889	900	918	938	971	1016	1228	1296
QN45CCU	Package of 1	864	889	900	918	938	971	1016		
N45CC2U	Package of 2	1727	1752	1763	1781	1801	1834	1879	2091	2159
QN45CC2U	Package of 2	1727	1752	1763	1781	1801	1834	1879		

DIMENSIONS

Width	20½	Seat Height	24¼	Back Height	17⅛	Weight (1)	25
Depth	21¼	Seat Depth	17⅜	Back Width	19	Cubic Ft. (1)	12.2
Height	38⅞	Seat Width	17⅝			Weight (2)	42
						Cubic Ft. (2)	14.7

- Platinum Metallic frame option available for a $50 list upcharge per chair
- Stools cannot be used with arms, tablet arms, bookracks or ganging brackets
- Soft glide option available for a $24 list upcharge per chair

BAR HEIGHT STOOL



Plastic Back
Plastic Seat



Plastic Back
Upholstered Seat

PLASTIC										
N45CBP	Package of 1	$ 675								
QN45CBP	Package of 1	675								
N45CB2P	Package of 2	1351								
QN45CB2P	Package of 2	1351								
UPHOLSTERED SEAT		1	2/COM	3/COL	4	5	6	7	L7	L8
N45CBU	Package of 1	$ 864	889	900	918	938	971	1016	1228	1296
QN45CBU	Package of 1	864	889	900	918	938	971	1016		
N45CB2U	Package of 2	1727	1752	1763	1781	1801	1834	1879	2091	2159
QN45CB2U	Package of 2	1727	1752	1763	1781	1801	1834	1879		

DIMENSIONS

Width	20⅝	Seat Height	30⅛	Back Height	17	Weight (1)	27
Depth	22½	Seat Depth	17⅜	Back Width	19	Cubic Ft. (1)	16.5
Height	44¼	Seat Width	17⅝			Weight (2)	46
						Cubic Ft. (2)	19.5

- Platinum Metallic frame option available for a $50 list upcharge per chair
- Stools cannot be used with arms, tablet arms, bookracks or ganging brackets
- Soft glide option available for a $24 list upcharge per chair

CINCH

CINCH TASK PRODUCT SPECIFICATIONS



FRAME CONSTRUCTION

- Frame is made of 1¼" x ⅝" thick steel for strength and durability
- Seat pan frame constructed of 10-gauge thick steel
- Back support brackets utilize 5/16" thick steel plates

SEAT AND BACK CONSTRUCTION

- Contoured, injection molded polypropylene seat and back
- Seat and backrest are attached to the frame with screws

UPHOLSTERED SEAT CONSTRUCTION

- ½" foam

ARM REST

- Die-cast aluminum arm upright covered with an (ABS) black plastic arm cap

CONTROL

- Swivel control
- The pneumatic gas cylinder lift allows the seat to raise and lower

BASE AND CASTERS

- Nylon 5-prong base features glass filled nylon for beauty and a long life
- Black, hard double wheel casters, which work on multiple surfaces, are standard
- Black, soft double wheel casters are available for use on hard floors; upcharge applies to this option
- Platinum Metallic option features a cast aluminum base

FINISH

- Cinder and Platinum Metallic frames are finished with electrostatically baked-on powder coat paint

All Cinch Task models may be ordered to meet TB133 fire code.

To order seating to meet the TB133 fire code, specify an "F" at the end of the model number (Ex: N45HUF).

For TB133 pricing go to www.NationalOfficeFurniture.com/TB133

Please consult customer service for applicable Arc-Com, Carnegie, Designtex, Maharam, Mayer, Momentum, Stinson, or Ultrafabrics fabric.

FABRICS

Grade 1	Cali
	Entwine
	Input
	Melange
	Ridge
	Spark
	Vessel
	Zig Zag
Grade 2	Bliss
	Brilliant
	COM
	Dolce
	Dorset
	Intuition
	Orbit
	Phrase
	Pixie
	Sedona
	Stancil
	Strand
Grade 3	COL
	Silvertex
Grade 4	Connect Four
	Echo
	Masquerade
Grade 5	Mode
Grade 6	Essence/Ultraleather
Grade 7	Brisa
	Brisa Distressed
	Reef Pro
	Silica
	Silica Etch
	Tottori
Grade L7	Davenport
Grade L8	Florence

PLASTIC COLORS

P02	Red
P03	Blue
P06	Pebble
P07	Currant
P08	Marshmallow
P10	Black
P11	Blueberry
P12	Lemon
P14	Lime
P19	Brownie

FRAME COLORS

462	Cinder
501	Platinum Metallic

CASTERS

C15	Hard (standard)
C2	Soft (add $36 list)

CINCH

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Back Plastic Color
3. Seat Fabric Grade / Cover Number (when applicable)
4. Seat Plastic Color (when applicable)
5. Frame Color
6. Casters

• See page 63 for Cinch options

See page 71 for COM fabric yardage

TASK

Arms - Plastic Back
Plastic Seat

Armless - Plastic Back
Upholstered Seat

MODEL NO.

GRADE / LIST PRICE

PLASTIC

N45HP	Arms	$	884
QN45HP	Arms		884
N45HPL	Armless		716
QN45HPL	Armless		716

UPHOLSTERED SEAT			1	2/COM	3/COL	4	5	6	7	L7	L8
N45HU	Arms	$	1069	1080	1086	1094	1103	1119	1140	1238	1270
QN45HU	Arms		1069	1080	1086	1094	1103	1119	1140		
N45HUL	Armless		901	912	918	926	935	951	972	1070	1102
QN45HUL	Armless		901	912	918	926	935	951	972		

DIMENSIONS

Arm Width	24¼	Seat Height	15¼-20¼	Arm Height	23¼-28¼	Arm Weight	31
Armless Width	24¼	Seat Depth	17¾	Back Height	16½	Armless Weight	27
Depth	23½	Seat Width	17¾	Back Width	18½	Cubic Ft.	14.3
Height	29¾-34¾						

• Platinum Metallic frame option with cast aluminum base available for a $158 list upcharge

TASK STOOL

Arms - Plastic Back
Plastic Seat

Armless - Plastic Back
Upholstered Seat

PLASTIC

N45JP	Arms	$	1069
QN45JP	Arms		1069
N45JPL	Armless		901
QN45JPL	Armless		901

UPHOLSTERED SEAT			1	2/COM	3/COL	4	5	6	7	L7	L8
N45JU	Arms	$	1253	1264	1270	1278	1287	1303	1324	1422	1454
QN45JU	Arms		1253	1264	1270	1278	1287	1303	1324		
N45JUL	Armless		1085	1096	1102	1110	1119	1135	1156	1254	1286
QN45JUL	Armless		1085	1096	1102	1110	1119	1135	1156		

DIMENSIONS

Arm Width	24¼	Seat Height	21¾-31¾	Arm Height	29¾-39¾	Arm Weight	41
Armless Width	24¼	Seat Depth	17¾	Back Height	16½	Armless Weight	36
Depth	23½	Seat Width	17¾	Back Width	18½	Cubic Ft.	16.7
Height	36⅛-46⅛						

• Platinum Metallic frame option with cast aluminum base available for a $158 list upcharge

CINCH BEAM PRODUCT SPECIFICATIONS



BEAM FRAME CONSTRUCTION

- Frame features 1½" x 3¼" rectangular steel tube for strength and durability
- Leg uprights feature 1½" x 3¼" oval steel tube

CHAIR KIT CONSTRUCTION

- Frame is made of 1¼" x ⅝" thick steel for strength and durability
- Cross members are constructed of ¾" x 15-gauge thick steel
- Back support brackets utilize 5⁄16" thick steel plates

SEAT AND BACK CONSTRUCTION

- Contoured, injection molded polypropylene seat and back
- Seat features metal attachment plate for strength and durability
- Backrest is attached to the frame with screws

UPHOLSTERED SEAT CONSTRUCTION

- ½" foam

ARM REST

- Die-cast aluminum arm upright covered with a black urethane arm cap

TABLET ARMS

- ¾" thick black laminated MDF hinged surface mounted on die-cast aluminum V-shaped arm rest
- 21" W x 13½" D writing surface
- Available as right-handed only

TABLE

- ¾" thick black 3D Laminate MDF surface
- 17¾" x 17¾" writing surface

GLIDES

- Durable hard black nylon adjustable glides are standard
- Soft glides are available for an additional upcharge

FINISH

- Cinder and Platinum Metallic frames are finished with electrostatically baked-on powder coat paint

All Cinch Beam models may be ordered to meet TB133 fire code.

To order seating to meet the TB133 fire code, specify an "F" at the end of the model number (Ex: N45U1F).

For TB133 pricing go to www.NationalOfficeFurniture.com/TB133

Please consult customer service for applicable Arc-Com, Carnegie, Designtex, Maharam, Mayer, Momentum, Stinson, or Ultrafabrics fabric.

CINCH

FABRICS

Grade 1	Cali
	Entwine
	Input
	Melange
	Ridge
	Spark
	Vessel
	Zig Zag
Grade 2	Bliss
	Brilliant
	COM
	Dolce
	Dorset
	Intuition
	Orbit
	Phrase
	Pixie
	Sedona
	Stancil
	Strand
Grade 3	COL
	Silvertex
Grade 4	Connect Four
	Echo
	Masquerade
Grade 5	Mode
Grade 6	Essence/Ultraleather
Grade 7	Brisa
	Brisa Distressed
	Reef Pro
	Silica
	Silica Etch
	Tottori
Grade L7	Davenport
Grade L8	Florence

PLASTIC COLORS

P02	Red
P03	Blue
P06	Pebble
P07	Currant
P08	Marshmallow
P10	Black
P11	Blueberry
P12	Lemon
P14	Lime
P19	Brownie

FRAME COLORS

462	Cinder
501	Platinum Metallic

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number

• See page 66 for Cinch options

2-SEAT BEAM



MODEL NO.		LIST PRICE
N45K2B	Black	$ 758
N45K2P	Platinum Metallic	792

DIMENSIONS

Width	48	Weight	23.5
Depth	23	Cubic Ft.	1.25

• Beams can be configured by using any combination of chair, table, tablet and arm kits

3-SEAT BEAM



N45K3B	Black	$ 1093
N45K3P	Platinum Metallic	1145

DIMENSIONS

Width	72	Weight	25
Depth	23	Cubic Ft.	1.35

• Beams can be configured by using any combination of chair, table, tablet and arm kits

4-SEAT BEAM



N45K4B	Black	$ 1430
N45K4P	Platinum Metallic	1482

DIMENSIONS

Width	96	Weight	35
Depth	23	Cubic Ft.	2.21

• Beams can be configured by using any combination of chair, table, tablet and arm kits

5-SEAT BEAM



N45K5B	Black	$ 1763
N45K5P	Platinum Metallic	1816

DIMENSIONS

Width	120	Weight	37
Depth	23	Cubic Ft.	2.32

• Beams can be configured by using any combination of chair, table, tablet and arm kits

CINCH

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Back Plastic Color
3. Seat Fabric Grade / Cover Number (when applicable)
4. Seat Plastic Color (when applicable)
5. Frame Color

• See page 66 for Cinch options
See page 71 for COM fabric yardage

BEAM CHAIR KITS



Plastic



Upholstered

MODEL NO.		GRADE / LIST PRICE								
PLASTIC										
N45P1	1 - Chair Kit, Plastic	$ 461								
QN45P1	1 - Chair Kit, Plastic	461								
N45P2	2 - Chair Kit, Plastic	927								
QN45P2	2 - Chair Kit, Plastic	927								
N45P3	3 - Chair Kit, Plastic	1388								
QN45P3	3 - Chair Kit, Plastic	1388								

UPHOLSTERED SEAT			1	2/COM	3/COL	4	5	6	7	L7	L8
N45U1	1 - Chair Kit, Upholstered	$	589	600	606	614	623	639	660	758	790
QN45U1	1 - Chair Kit, Upholstered		589	600	606	614	623	639	660		
N45U2	2 - Chair Kit, Upholstered		1178	1201	1211	1228	1246	1277	1319	1516	1579
QN45U2	2 - Chair Kit, Upholstered		1178	1201	1211	1228	1246	1277	1319		
N45U3	3 - Chair Kit, Upholstered		1763	1797	1813	1838	1865	1912	1975	2270	2365
QN45U3	3 - Chair Kit, Upholstered		1763	1797	1813	1838	1865	1912	1975		

DIMENSIONS (Installed on Beam)

Height	32½	Seat Height	18¼	Back Height	16½	1 Chair Kit	
Depth	23	Seat Depth	17¾	Back Width	18½	Weight	18
		Seat Width	17¾			Cubic Ft.	6.7
						2 Chair Kit	
						Weight	33
						Cubic Ft.	7.7
						3 Chair Kit	
						Weight	47
						Cubic Ft.	8.8

- Platinum Metallic frame option available for a $42 list upcharge, per chair; 1-Chair Kit = $42, 2-Chair Kit = $84, 3-Chair Kit = $126
- Chairs attach to the beam, hardware included

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Back Plastic Color
3. Seat Fabric Grade / Cover Number (when applicable)
4. Seat Plastic Color (when applicable)
5. Frame Color

• See page 66 for Cinch options

BEAM ARM KIT





MODEL NO.		LIST PRICE	
N45MBB	Black, Package of 1	$ 211	
N45MCB	Black, Package of 2	421	
N45MBP	Platinum Metallic, Package of 1	263	
N45MCP	Platinum Metallic, Package of 2	473	

DIMENSIONS (Installed on Beam)

Arm Height 26¾

1 Arm Kit
Weight 6
Cubic Ft. 0.50
2 Arm Kit
Weight 10
Cubic Ft. 0.60

• Arms attach to the beam with U-bracket, included in kit

BEAM TABLET KIT



N45TB	Black	$ 295	
N45TP	Platinum Metallic	347	

DIMENSIONS (Installed on Beam)

Tablet Height 28⅝

Weight 11
Cubic Ft. 0.81

• Tablet folds down to side of arm when not in use
• Right-handed tablet only
• Tablet arms attach to the beam with U-bracket, included in kit
• Tablet writing surface is 21" W x 13½" D

BEAM TABLE KIT



N45TAB	Black Bracket	$ 461	
N45TAP	Platinum Metallic Bracket	514	

DIMENSIONS (Installed on Beam)

Table Height 18½
Table Width 17¾
Table Depth 17¾

Weight 20
Cubic Ft. 1.12

• Tables attach to the beam with U-bracket, included in kit
• Black 3D Laminate surface

CINCH BEAM CONFIGURATIONS



1) N45K2B 2-Seat Beam
1) N45P2 2-Chair Kit - Plastic
1) N45MBB Beam Arm Kit - package of 1
1) N45MCB Beam Arm Kit - package of 2



1) N45K3B 3-Seat Beam
1) N45P3 3-Chair Kit - Plastic
1) N45MCB Beam Arm Kit - package of 2



1) N45K3B 3-Seat Beam
1) N45P3 3-Chair Kit - Plastic
3) N45TB Beam Tablet Kit (right-handed only)
1) N45MBB Beam Arm Kit - package of 1



1) N45K4B 4-Seat Beam
1) N45P2 2-Chair Kit - Plastic
2) N45TAB Beam Table Kit



1) N45K5B 5-Seat Beam
1) N45P1 1-Chair Kit - Plastic
1) N45P2 2-Chair Kit - Plastic
2) N45TAB Beam Table Kit

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
N45AUR, N45BUR, N45HU, N45HUL, N45JU, N45JUL, N45U1, N45U2		0.70	0.80	0.80	0.90	5
N45AU, N45BU, N45U3		1.30	1.50	1.40	4.00	24.5

CINCH

COLLETTE

Product Specifications 74
Fabrics and Options 75
Contrasting Fabrics Specifications 76
Product Pages 77
COM Yardage Requirements 87

COLLETTE

COLLETTE PRODUCT SPECIFICATIONS



Dashed lines represent areas where matching or contrasting thread color is available



FRAME CONSTRUCTION

- Interior frame is constructed of oriented strand board with tenon joints that are glued and stapled for maximum joint stability
- Frames and table platforms are wrapped in high grade polyurethane foam, custom shaped, fabricated, and slip-covered

SEAT CONSTRUCTION

- Seat cushions are attached to frame and feature an 8½" cushion constructed of an inner steel springcoil pack enveloped by high grade polyurethane foam

BACK CONSTRUCTION

- Back pillows are attached to back frame and feature a recycled polyester filled insert
- Back and seat cushions are attached but replaceable

ARM CONSTRUCTION

- Arms are wrapped in high grade polyurethane foam, custom shaped, fabricated and slip-covered
- Arms are connected to frame using 4 bolts per arm

UPHOLSTERY DETAILS

- Top stitch is a French seam and is offered in matching or contrasting thread colors, except on tables
- Comfort wrinkles on the seat and back cushions are an inherent part of the design
- Contrasting fabric available on all models, except tables

TABLE TOP

- Laminate surfaces are 1³⁄₁₆" thick HPL (high pressure laminate) and feature standard 3mm PVC edge
- Solid surfaces are 1³⁄₁₆" thick and feature a flat rim profile

LEGS

- Extruded aluminum square legs offered in Concrete, Cinder, Iron, Polished Aluminum, Platinum Metallic, and Satin Nickel Metallic
- Wood square legs offered in all National seating finishes
- When specifying Brighton, Sonoma, and Natural finish, variation in color is acceptable due to the nature of wood characteristics
- U-Legs offered in Concrete, Cinder, Iron, Platinum Metallic, and Satin Nickel Metallic

GLIDES

- Features 1" adjustable nylon leveling glides
- Soft/non-skid 1" adjustable glides are available for an additional upcharge

POWER AND USB GROMMET

- UL Listed
- 4-Trac® non-sequential daisy chain, hardwire, or plug solutions available
- Features 1 power outlet and 1 USB A+C combo ports
- Grommet available in black, silver, and white
- Up to 20 4-Trac grommets can be linked together
- Field installable when CUT-G35 is specified
- 4-Trac grommet must be used with 4-Trac power entry and electrical kits
- Tamper resistant and spill proof

POWER AND USB GROMMET - UNDERMOUNT

- UL Listed
- Features 1 power outlet and 2 USB (A) ports
- Only available in black
- Field installable, unit can be placed on the underside of any flat surface

TOSS PILLOWS

- Please refer to pages 535-540 under the Toss Accent Pillows section to review complementary pillow options that work well with the Collette series

FABRICS

Grade 1
- Cali
- Entwine
- Input
- Melange
- Ridge
- Spark
- Vessel
- Zig Zag

*Silica approved colors

70909	Cumulus
70912	Ginger
70915	Quartz
70917	Alloy
70919	Haze

Grade 2
- Bliss
- Brilliant
- COM
- Dolce
- Dorset
- Intuition
- Orbit
- Phrase
- Pixie
- Sedona
- Stancil
- Strand

Grade 3
- COL
- Silvertex

*Silica Etch approved colors

70701	Flint
70708	Wistful

Grade 4
- Connect Four
- Echo
- Masquerade

Grade 5
- Mode

Grade 6
- Essence/Ultraleather

Grade 7
- Brisa
- Brisa Distressed
- Reef Pro
- *Silica
- *Silica Etch
- Tottori

Grade L7 Davenport

Grade L8 Florence

SQUARE LEG COLORS

METAL

S-423	Concrete
S-462	Cinder
S-463	Iron
S-497	Polished Aluminum
S-501	Platinum Metallic
S-503	Satin Nickel Metallic

WOOD

S-WAC	Autumn
S-WAD	Almond
S-WBZ	Brazilwood
S-WCI	Chai
S-WCL	Caramel
S-WCW	Cordovan
S-WDW	Judicial
S-WHN	Honey
S-WIM	Brighton
S-WKN	Kona
S-WMC	Amber
S-WMH	Mocha
S-WNM	Natural
S-WPB	Portobello
S-WPC	Porcini
S-WPT	Portico
S-WSK	Skyline
S-WSM	Sonoma
S-WTF	Truffle
S-WWL	Willow
S-W405	Designer White
S-W462	Cinder
S-W792	Sable
S-W793	Acorn*

U-LEG COLORS

U-423	Concrete
U-462	Cinder
U-463	Iron
U-501	Platinum Metallic
U-503	Satin Nickel Metallic

GLIDES

STD	Standard
C66	Soft (add $41 list)

THREAD COLORS

AA	Matching Thread
AB	White
AC	Beige
AD	Saddle
AG	Wine
AN	Black
AP	Buttercream
AQ	Tan
AR	Taupe
AS	Brown
AT	Rust
AU	Nickel
AV	Grey
AW	Cool Grey
AX	Scarlet
AY	Orange
AZ	Yellow
BA	Hunter
BB	Lime
BC	Turquoise
BD	Light Blue
BE	Royal
BF	Indigo
BG	Purple
BH	Pink

LAMINATE COLORS

WOODGRAIN LAMINATE

AC2	Autumn 2
AD	Almond
BZ	Brazilwood
CI	Chai
CL	Caramel
CW	Cordovan
DW	Judicial
HN2	Honey 2
IM	Brighton
KN	Kona
MC	Amber
MH	Mocha
NM	Natural
PB	Portobello
PC	Porcini
PT	Portico
SK	Skyline
SM	Sonoma
TF	Truffle
WL	Willow
792	Sable
793	Acorn*

*Acorn is the finish and laminate complement to Clear Walnut finish

SOLID LAMINATE

405	Designer White
419	Wallaby
425	Shadow
440	Cloud
457	Dapple
461	Graphite
462	Cinder
478	Platinum Grey
488	Frosty White
491	Designer White Linear
492	Cinder Linear

POWER/USB GROMMET CUTOUT OPTIONS

If no grommet cutout is desired, specify an X (No Grommet)

$40 list upcharge per cutout

CUT-G35L	Left
CUT-G35R	Right
CUT-G35LR	Left & Right
CUT-G35C	Center
CUT-G35LC	Left & Center
CUT-G35RC	Right & Center
CUT-G35A	Left, Right, & Center

Grommets sold separately; reference page 85 for model numbers and pricing.

SOLID SURFACE COLORS

7101	Bisque (Grade A)
7201	Glacier White (Grade A)
7202	Canyon (Grade B)
7203	Designer White (Grade B)
7204	Silt (Grade B)
7301	Concrete (Grade C)
7302	Deep Night Sky (Grade C)
7303	Deep Nocturne (Grade C)

GALLERY LAMINATE

Grade 1 – 5% upcharge

G1001	Citadel
G1011	Pepperdust

Grade 2 – 6% upcharge

G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

See page 21 for Gallery program details and upcharges

TO ORDER CONTRASTING FABRIC, SPECIFY

COLLETTE
1 Seat Lounge Square Leg page 77
Chaise Lounge Square Leg page 77
2 Seat Lounge Square Leg page 79
3 Seat Lounge Square Leg page 80
90° Inside Corner Square Leg page 80
Ottoman Square Leg page 81
1 Seat Lounge U-Leg page 82
Chaise Lounge U-Leg page 82
2 Seat Lounge U-Leg page 83
3 Seat Lounge U-Leg page 83
Ottoman U-Leg page 83

1. Model Number plus "X"
2. Back Fabric Grade Number/Cover Number
3. Seat Fabric Grade Number/Cover Number
4. Arm Fabric Grade Number/Cover Number (when applicable)
5. Upholstery Fabric Grade Number/Cover Number
6. Thread Color
7. Grommet
8. Leg Color
9. Glides



Contrasting Upholstery



Ottoman Contrasting Upholstery



Slope Arm Contrasting Upholstery



Chaise Lounge Contrasting Upholstery

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Thread Color
4. Grommet
5. Leg Color
6. Glides

• See page 75 for Collette options

See pages 87-89 for COM fabric yardage

1 SEAT LOUNGE
SQUARE LEG



Straight Arm, Left



Straight Arms, Grommet



Slope Arms

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
STRAIGHT ARM											
N84L1M	Armless	$	2730	2930	3021	3169	3329	3602	3967	5694	6247
QN84L1M	Armless		2730	2930	3021	3169	3329	3602	3967		
N84L1R	Straight Arm, Right		2980	3225	3337	3519	3715	4051	4499	6620	7299
N84L1L	Straight Arm, Left		2980	3225	3337	3519	3715	4051	4499	6620	7299
N84L1A	Straight Arms		3233	3524	3656	3872	4105	4503	5034	7549	8354
QN84L1A	Straight Arms		3233	3524	3656	3872	4105	4503	5034		
SLOPE ARM											
N84L1RO	Slope Arm, Right	$	2980	3225	3337	3519	3715	4051	4499	6620	7299
N84L1LO	Slope Arm, Left		2980	3225	3337	3519	3715	4051	4499	6620	7299
N84L1AO	Slope Arms		3233	3524	3656	3872	4105	4503	5034	7549	8354

DIMENSIONS

Armless Width	30	Seat Height	18½	Arm Width		Armless Weight	66
Single Arm Width		Seat Depth	22	Straight	5⅛	Single Arm Weight	
Straight	35	Seat Width	30	Slope	4	Straight	84
Slope	33⅞			Arm Height		Slope	82
Double Arm Width				Straight	25¼	Double Arm Weight	
Straight	40			Slope	25¼	Straight	104
Slope	37¾			Back Height	29	Slope	100
Depth	35¼					Armless Cubic Ft.	32.0
Height	34½					Single Arm Cubic Ft.	
						Straight	32.0
						Slope	30.8
						Arms Cubic Ft.	
						Straight	33.8
						Slope	34.9

- Contrasting fabric option – specify X (i.e., N84L1MX); see page 76. For list pricing, use your electronic specification tool or contact customer service
- Grommet cutout option CUT-G35C is available

COLLETTE

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Thread Color
4. Grommet
5. Leg Color
6. Glides

• See page 75 for Collette options

See pages 87-89 for COM fabric yardage

CHAISE LOUNGE SQUARE LEG



Straight Arms



Slope Arm, Left



Slope Arms

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
STRAIGHT ARM											
N84CH1M	Armless	$	4428	4691	4811	5006	5216	5576	6056	8328	9056
N84CH1R	Straight Arm, Right		4681	4989	5130	5359	5605	6027	6591	9257	10111
N84CH1L	Straight Arm, Left		4681	4989	5130	5359	5605	6027	6591	9257	10111
N84CH1A	Straight Arms		4934	5288	5449	5712	5995	6479	7126	10186	11166
SLOPE ARM											
N84CH1RO	Slope Arm, Right	$	4681	4989	5130	5359	5605	6027	6591	9257	10111
N84CH1LO	Slope Arm, Left		4681	4989	5130	5359	5605	6027	6591	9257	10111
N84CH1AO	Slope Arms		4934	5288	5449	5712	5995	6479	7126	10186	11166

DIMENSIONS

Armless Width	30	Seat Height	18½	Arm Width		Armless Weight	90
Single Arm Width		Seat Depth	52½	Straight	5⅛	Single Arm Weight	
Straight	35	Seat Width	30	Slope	4	Straight	112
Slope	33⅞			Arm Height		Slope	110
Double Arm Width				Straight	25¼	Double Arm Weight	
Straight	40			Slope	25¼	Straight	130
Slope	37¾			Back Height	29	Slope	126
Depth	66					Armless Cubic Ft.	46.8
Height	34½					Single Arm Cubic Ft.	
						Straight	54
						Slope	50.8
						Arms Cubic Ft.	
						Straight	59.5
						Slope	56.3

- Contrasting fabric option – specify X (i.e., N84CH1AX); see page 76. For list pricing, use your electronic specification tool or contact customer service
- Grommet cutout option CUT-G35C is available

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Thread Color
4. Grommet
5. Leg Color
6. Glides

• See page 75 for Collette options

See pages 87-89 for COM fabric yardage

2 SEAT LOUNGE
SQUARE LEG



Straight Arm, Left



Straight Arms, Grommets



Slope Arms

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
STRAIGHT ARM											
N84L2M	Armless	$	4382	4757	4928	5206	5506	6019	6704	9946	10984
QN84L2M	Armless		4382	4757	4928	5206	5506	6019	6704		
N84L2R	Straight Arm, Right		4632	5052	5244	5556	5892	6468	7236	10872	12036
N84L2L	Straight Arm, Left		4632	5052	5244	5556	5892	6468	7236	10872	12036
N84L2A	Straight Arms		4884	5350	5562	5908	6281	6919	7770	11800	13090
QN84L2A	Straight Arms		4884	5350	5562	5908	6281	6919	7770		
SLOPE ARM											
N84L2RO	Slope Arm, Right	$	4632	5052	5244	5556	5892	6468	7236	10872	12036
N84L2LO	Slope Arm, Left		4632	5052	5244	5556	5892	6468	7236	10872	12036
N84L2AO	Slope Arms		4884	5350	5562	5908	6281	6919	7770	11800	13090

DIMENSIONS

Armless Width	60	Seat Height	18½	Arm Width		Armless Weight	137
Single Arm Width		Seat Depth	22	Straight	5⅛	Single Arm Weight	
Straight	65	Seat Width	60	Slope	4	Straight	155
Slope	63⅜			Arm Height		Slope	153
Double Arm Width				Straight	25¼	Double Arm Weight	
Straight	70			Slope	25¼	Straight	165
Slope	67¾			Back Height	29	Slope	161
Depth	35¼					Armless Cubic Ft.	56.6
Height	34½					Single Arm Cubic Ft.	
						Straight	56.6
						Slope	55.5
						Arms Cubic Ft.	
						Straight	50.9
						Slope	59.6

- Contrasting fabric option – specify X (i.e., N84L2MX); see page 76. For list pricing, use your electronic specification tool or contact customer service
- Grommet cutout options CUT-G35L, CUT-G35R, CUT-G35LR are available

COLLETTE

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Thread Color
4. Grommet
5. Leg Color
6. Glides

• See page 75 for Collette options

See pages 87-89 for COM fabric yardage

3 SEAT LOUNGE SQUARE LEG



Straight Arm, Left



Straight Arms, Grommets



Slope Arms

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
STRAIGHT ARM											
N84L3M	Armless	$	5962	6512	6763	7171	7611	8364	9369	14126	15649
QN84L3M	Armless		5962	6512	6763	7171	7611	8364	9369		
N84L3R	Straight Arm, Right		6214	6809	7081	7523	7999	8815	9903	15054	16703
N84L3L	Straight Arm, Left		6214	6809	7081	7523	7999	8815	9903	15054	16703
N84L3A	Straight Arms		6465	7106	7398	7874	8387	9265	10436	15981	17756
QN84L3A	Straight Arms		6465	7106	7398	7874	8387	9265	10436		
SLOPE ARM											
N84L3RO	Slope Arm, Right	$	6214	6809	7081	7523	7999	8815	9903	15054	16703
N84L3LO	Slope Arm, Left		6214	6809	7081	7523	7999	8815	9903	15054	16703
N84L3AO	Slope Arms		6465	7106	7398	7874	8387	9265	10436	15981	17756

DIMENSIONS

Armless Width	90	Seat Height	18½	Arm Width		Armless Weight	188
Single Arm Width		Seat Depth	22	Straight	5⅛	Single Arm Weight	
Straight	95	Seat Width	90	Slope	4	Straight	206
Slope	93⅞			Arm Height		Slope	204
Double Arm Width				Straight	25¼	Double Arm Weight	
Straight	100			Slope	25¼	Straight	225
Slope	97¾			Back Height	29	Slope	221
Depth	35¼					Armless Cubic Ft.	68.5
Height	34½					Single Arm Cubic Ft.	
						Straight	80.2
						Slope	80.2
						Arms Cubic Ft.	
						Straight	84.4
						Slope	84.4

- Contrasting fabric option – specify X (i.e., N84L3MX); see page 76. For list pricing, use your electronic specification tool or contact customer service
- All grommet cutout options are available

90° INSIDE CORNER SQUARE LEG

Left, Grommet



Right



Diagonal

			1	2/COM	3/COL	4	5	6	7	L7	L8
N84IN9L	90° Inside Corner Left, Square Leg	$	3161	3441	3569	3777	4001	4385	4897	7321	8097
N84IN9R	90° Inside Corner Right, Square Leg		3161	3441	3569	3777	4001	4385	4897	7321	8097
N84IN9D	90° Inside Corner Diagonal, Square Leg		3161	3455	3589	3808	4043	4446	4984	7529	8344

DIMENSIONS

Width	35¼	Seat Height	18½	Back Height	29	Weight	86
Depth	35¼	Seat Depth	22			Cubic Ft.	32.0
Height	34½	Seat Width	22				

- Contrasting fabric option – specify X (i.e., N84IN9LX); see page 76. For list pricing, use your electronic specification tool or contact customer service
- Grommet cutout options CUT-G35L and CUT-G35R are available

QD

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Laminate (when applicable)
3. Solid Surface Grade/Color (when applicable)
4. Fabric Grade / Cover Number
5. Thread Color (when applicable)
6. Leg Color
7. Grommet
8. Glides

• See page 75 for Collette options

See pages 87-89 for COM fabric yardage

OTTOMAN SQUARE LEG



Grommets

MODEL NO. | **GRADE / LIST PRICE**

			1	2/COM	3/COL	4	5	6	7	L7	L8
N84D1	Ottoman, 30", Square Leg	$	1796	1912	1964	2050	2143	2301	2512	3512	3832
QN84D1	Ottoman, 30", Square Leg		1796	1912	1964	2050	2143	2301	2512		
N84D2	Ottoman, 36", Square Leg		2241	2364	2420	2511	2609	2777	3001	4061	4401
QN84D2	Ottoman, 36", Square Leg		2241	2364	2420	2511	2609	2777	3001		

30" DIMENSIONS

Width	30
Depth	30
Height	18½
Weight	52
Cubic Ft.	12.2

36" DIMENSIONS

Width	35¼
Depth	35¼
Height	18½
Weight	78
Cubic Ft.	17.3

• Contrasting fabric option – specify X (i.e., N84D1X); see page 76. For list pricing, use your electronic specification tool or contact customer service
• All grommet cutout options are available

END TABLE SQUARE LEG



Grommets

			1	2/COM	3/COL	4	5	6	7	L7	L8
N84T36ENL	Laminate Top, Square Leg	$	1401	1447	1467	1501	1538	1600	1683	2077	2203
N84T36ENS	Solid Surface Top, Grade A, Square Leg		3376	3422	3442	3476	3513	3575	3658	4052	4178

DIMENSIONS

Width	35¼
Depth	35¼
Height	11½

Weight	94
Weight - Solid Surface	125
Cubic Ft.	17.3

• Solid Surface Grades B and C list pricing – use your electronic specification tool or contact customer service
• All grommet cutout options are available

MAGAZINE TABLE SQUARE LEG



Grommets

			1	2/COM	3/COL	4	5	6	7	L7	L8
N84T60MGL	Laminate Top, Square Leg	$	2586	2653	2683	2732	2786	2877	2998	3574	3758
N84T60MGS	Solid Surface Top, Grade A, Square Leg		6179	6246	6276	6325	6379	6470	6591	7167	7351

DIMENSIONS

Width	60
Depth	35¼
Height	11½

Weight	151
Weight - Solid Surface	202
Cubic Ft.	26.0

• Solid Surface Grades B and C list pricing – use your electronic specification tool or contact customer service
• Grommet cutout options CUT-G35L, CUT-G35R, CUT-G35LR are available

COLLETTE

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Thread Color
4. Grommet
5. Leg Color
6. Glides

• See page 75 for Collette options

See pages 87-89 for COM fabric yardage

1 SEAT LOUNGE U-LEG



Straight Arms



Slope Arm

MODEL NO.

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N84L1UM	Armless	$	3110	3310	3401	3549	3709	3982	4347	6074	6627
N84L1UA	Straight Arms		3592	3883	4015	4231	4464	4862	5393	7908	8713
N84L1UAO	Slope Arms		3592	3883	4015	4231	4464	4862	5393	7908	8713

DIMENSIONS

Armless Width	30	Seat Height	18½	Arm Width		Armless Weight	69
Single Arm Width		Seat Depth	22	Straight	5⅛	Double Arm Weight	
Straight	40	Seat Width	30	Slope	4	Straight	110
Slope	33⅞			Arm Height		Slope	106
Depth	35¼			Straight	25¼	Armless Cubic Ft.	32
Height	34½			Slope	25¼	Arms Cubic Ft.	
				Back Height	29	Straight	33.8

• Contrasting fabric option – specify X (i.e., N84L1UAX); see page 76. For list pricing, use your electronic specification tool or contact customer service
• Grommet cutout option CUT-G35C is available

CHAISE LOUNGE U-LEG



Straight Arms



Slope Arm, Left



Slope Arms

			1	2/COM	3/COL	4	5	6	7	L7	L8
STRAIGHT ARM											
N84CH1UM	Armless	$	4785	5048	5168	5363	5573	5933	6413	8685	9413
N84CH1UR	Straight Arm, Right		5038	5346	5487	5716	5962	6384	6948	9614	10468
N84CH1UL	Straight Arm, Left		5038	5346	5487	5716	5962	6384	6948	9614	10468
N84CH1UA	Straight Arms		5291	5645	5806	6069	6352	6836	7483	10543	11523
SLOPE ARM											
N84CH1URO	Slope Arm, Right	$	5038	5346	5487	5716	5962	6384	6948	9614	10468
N84CH1ULO	Slope Arm, Left		5038	5346	5487	5716	5962	6384	6948	9614	10468
N84CH1UAO	Slope Arms		5291	5645	5806	6069	6352	6836	7483	10543	11523

DIMENSIONS

Armless Width	30	Seat Height	18½	Arm Width		Armless Weight	97
Single Arm Width		Seat Depth	52½	Straight	5⅛	Single Arm Weight	
Straight	35	Seat Width	30	Slope	4	Straight	117
Slope	33⅞			Arm Height		Slope	115
Double Arm Width				Straight	25¼	Double Arm Weight	
Straight	40			Slope	25¼	Straight	134
Slope	37¾			Back Height	29	Slope	130
Depth	66					Armless Cubic Ft.	46.8
Height	34½					Single Arm Cubic Ft.	
						Straight	54
						Slope	50.8
						Arms Cubic Ft.	
						Straight	59.5
						Slope	56.3

• Contrasting fabric option – specify X (i.e., N84CH1UAX); see page 76. For list pricing, use your electronic specification tool or contact customer service
• Grommet cutout option CUT-G35C is available

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Thread Color
4. Grommet
5. Leg Color
6. Glides

• See page 75 for Collette options

See pages 87-89 for COM fabric yardage

2 SEAT LOUNGE
U-LEG



Straight Arms



Slope Arms

MODEL NO.

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N84L2UM	Armless	$	4105	4480	4651	4929	5229	5742	6427	9669	10707
N84L2UA	Straight Arms		5244	5710	5922	6268	6641	7279	8130	12160	13450
N84L2UAO	Slope Arms		5244	5710	5922	6268	6641	7279	8130	12160	13450

DIMENSIONS

Armless Width	30	Seat Height	18½	Arm Width		Armless Weight	140
Double Arm Width		Seat Depth	22	Straight	5⅛	Double Arm Weight	
Straight	70	Seat Width	60	Slope	4	Straight	171
Slope	67¾			Arm Height		Slope	167
Depth	35¼			Straight	25¼	Armless Cubic Ft.	56.6
Height	34½			Slope	25¼	Arms Cubic Ft.	
				Back Height	29	Straight	50.9

- Contrasting fabric option – specify X (i.e., N84L2UAX); see page 76. For list pricing, use your electronic specification tool or contact customer service
- Grommet cutout options CUT-G35L, CUT-G35R, CUT-G35LR are available

3 SEAT LOUNGE
U-LEG



Straight Arms



Slope Arms

			1	2/COM	3/COL	4	5	6	7	L7	L8
N84L3UM	Armless	$	5686	6236	6487	6895	7335	8088	9093	13850	15373
N84L3UA	Straight Arms		6824	7465	7757	8233	8746	9624	10795	16340	18115
N84L3UAO	Slope Arms		6824	7465	7757	8233	8746	9624	10795	16340	18115

DIMENSIONS

Armless Width	90	Seat Height	18½	Arm Width		Armless Weight	191
Double Arm Width		Seat Depth	22	Straight	5⅛	Double Arm Weight	
Straight	100	Seat Width	90	Slope	4	Straight	231
Slope	97¾			Arm Height		Slope	227
Depth	35¼			Straight	25¼	Armless Cubic Ft.	68.5
Height	34½			Slope	25¼	Arms Cubic Ft.	
				Back Height	29	Straight	84.4

- Contrasting fabric option – specify X (i.e., N84L3UAX); see page 76. For list pricing, use your electronic specification tool or contact customer service
- All grommet cutout options are available

OTTOMAN
U-LEG



			1	2/COM	3/COL	4	5	6	7	L7	L8
N84D1U	Ottoman, 30", U-Leg	$	2082	2198	2250	2336	2429	2587	2798	3798	4118
N84D2U	Ottoman, 36", U-Leg		2599	2722	2778	2869	2967	3135	3359	4419	4759

30" DIMENSIONS		**36" DIMENSIONS**	
Width	30	Width	35¼
Depth	30	Depth	35¼
Height	18½	Height	18½
Weight	58	Weight	84
Cubic Ft.	12.2	Cubic Ft.	17.3

- Contrasting fabric option – specify X (i.e., N84D1UX); see page 76. For list pricing, use your electronic specification tool or contact customer service
- All grommet cutout options are available

COLLETTE

TO ORDER, SPECIFY:

1. Model Number
2. Laminate (when applicable)
3. Solid Surface Grade/Color (when applicable)
4. Fabric Grade / Cover Number
5. Leg Color
6. Grommet
7. Glides

• See page 75 for Collette options

See pages 87-89 for COM fabric yardage

END TABLE
U-LEG



MODEL NO.		GRADE / LIST PRICE	1	2/COM	3/COL	4	5	6	7	L7	L8
N84T36ENUL	Laminate Top, U-Leg	$	1689	1735	1755	1789	1826	1888	1971	2365	2491
N84T36ENUS	Solid Surface Top, Grade A, U-Leg		3736	3782	3802	3836	3873	3935	4018	4412	4538

DIMENSIONS

Width	35¼	Weight	94
Depth	35¼	Weight - Solid Surface	125
Height	11½	Cubic Ft.	17.3

- Solid Surface Grades B and C list pricing – use your electronic specification tool or contact customer service
- All grommet cutout options are available

MAGAZINE TABLE
U-LEG



			1	2/COM	3/COL	4	5	6	7	L7	L8
N84T60MGUL	Laminate Top, U-Leg	$	2945	3012	3042	3091	3145	3236	3357	3933	4117
N84T60MGUS	Solid Surface Top, Grade A, U-Leg		6536	6603	6633	6682	6736	6827	6948	7524	7708

DIMENSIONS

Width	60	Weight	151
Depth	35¼	Weight - Solid Surface	202
Height	11½	Cubic Ft.	26.0

- Solid Surface Grades B and C list pricing – use your electronic specification tool or contact customer service
- Grommet cutout options CUT-G35L, CUT-G35R, CUT-G35LR are available

TO ORDER, SPECIFY:

1. Model Number

• See page 75 for Collette options

POWER/USB GROMMET - PLUGGED



MODEL NO.		LIST PRICE	CARTONED WEIGHT	CUBIC FEET
NACG35AELPGB	Black	$ 590	1.5 lbs.	0.3
NACG35AELPGS	Silver	590	1.5 lbs.	0.3
NACG35AELPGW	White	590	1.5 lbs.	0.3

- Features 1 power outlet and 1 USB (A+C) combo ports
- Includes black 72" long 3-prong power cord
- Power outlet provides 15 amps

POWER/USB GROMMET HARDWIRE



NACG35AELHCB	Hardwire, Black	$ 682	1.75 lbs.	0.3
NACG35AELHCS	Hardwire, Silver	682	1.75 lbs.	0.3
NACG35AELHCW	Hardwire, White	682	1.75 lbs.	0.3

- Features 1 power outlet and 1 USB (A+C) combo ports
- Metal conduit hardwire is 72" long
- Power outlet provides 15 amps

POWER/USB GROMMET 4-TRAC



NACG35AELPDB	Black	$ 606	2.0 lbs.	0.3
NACG35AELPDS	Silver	606	2.0 lbs.	0.3
NACG35AELPDW	White	606	2.0 lbs.	0.3

- Non-sequential daisy chain solution
- Must use with power entry and electrical kit
- Features 1 power outlet and 1 USB (A+C) combo ports
- 36" long cord
- Up to 20 grommets can be linked together for each power entry

POWER ENTRY 4-TRAC



Plug View

NAC72ELE4H	72" Hardwire	$ 201	1.95 lbs.	0.38
NAC48ELE4P	48" Plug	293	1.95 lbs.	0.38
NAC72ELE4P	72" Plug	330	1.95 lbs.	0.38

- Must be ordered with 4-Trac electrical kit and 4-Trac power/USB grommet
- 1 power entry is necessary to power 1 or multiple units
- Power entry provides 20 amps



COLLETTE

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number

• See page 75 for Collette options

ELECTRICAL KITS 4-TRAC

MODEL NO.		LIST PRICE		CARTONED WEIGHT	CUBIC FEET
NACEL4KTA1	1 H-Block, 42" Jumper Male / Male End	$	140	1.36 lbs.	0.38
NACEL4KTA2	2 – H-Block 1 - 42" Jumper Male / Male End 1 - 20" Jumper Male / Male End		262	2.34 lbs.	0.38
NACEL4KTA3	3 – H-Block 2 - 42" Jumper Male / Male End 1 - 20" Jumper Male / Male End		370	3.20 lbs.	0.38

• Use specification guide below to determine the appropriate electrical kit for each unit

ELECTRICAL KIT SPECIFICATION GUIDE

COMPONENT	FOR POWER OPTION, SPECIFY:	FOR PASS THRU OPTION (NON-POWER UNITS), SPECIFY:
1 Seat	NACEL4KTA1	NACEL4KTA1
2 Seat	NACEL4KTA2	NACEL4KTA2
3 Seat	NACEL4KTA3	NACEL4KTA3
Corner	NACEL4KTA1	NACEL4KTA1
Ottoman	NACEL4KTA1	NACEL4KTA1
End Table	NACEL4KTA1	NACEL4KTA1
Magazine Table	NACEL4KTA2	NACEL4KTA2

4-Trac electrical kits are only needed if units with electrical are being ganged

UNDERMOUNT USB POWER UNIT



NAC03ELUPDC	Black only	$	381	2 lbs.	0.3

DIMENSIONS

Width	3
Depth	3
Height	1½

• Can be mounted to the underside of any flat surface
• Features 1 power outlet and 2 USB (A) ports
• 72" 15 amp cord

GANGING BRACKET



Ganging Bracket Kit



Leg Ganging Bracket Kit

N84GK	Ganging Bracket Kit (2 Brackets)	$	123	2.5 lbs.	0.2
N84GKL	Leg Ganging Bracket Kit (2 Brackets With Legs)		209	3.0 lbs.	0.2
N84GKAL	Large Leg Ganging Bracket Kit (2 Brackets With Legs)		278	3.0 lbs.	0.2

• Ganging bracket kit includes required brackets to join 2 units together
• Leg ganging bracket kit allows the removal of front and back legs when ganging 2 units
• Large leg ganging bracket kit for intermediate arm ganging
• All bracket models provide wire management

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
N84L1A, N84L1AO, N81UAO		8.30	8.90	12.20	14.70	165
N84L1AX, N84L1AOX, N81L1UAOX	Upholstery	2.40	2.90	4.20	4.70	47
	Seat	2.10	2.70	4.60	5.70	41
	Back	1.30	1.60	2.20	3.30	26
	Arm	2.60	3.20	3.90	7.50	52
N84L1UA		8.30	8.90	12.20	14.70	165
N84L1UAX	Upholstery	2.40	2.90	4.20	4.70	47
	Seat	2.10	2.70	4.60	5.70	41
	Back	1.30	1.60	2.20	3.30	26
	Arm	2.60	3.20	3.90	7.50	52
N84L1L, N84L1LO		7.00	7.80	10.80	13.20	139
N84L1LX, N84L1LOX	Upholstery	2.40	2.90	4.20	4.70	47
	Seat	2.10	2.90	4.20	4.70	47
	Back	1.30	1.60	2.20	3.30	26
	Arm	1.30	1.70	2.50	4.50	27
N84L1R, N84L1RO		7.00	7.50	10.80	13.20	138
N84L1RX, N84L1ROX	Upholstery	2.40	2.90	4.20	4.70	47
	Seat	2.10	2.70	2.70	5.70	41
	Back	1.30	1.60	2.20	3.30	26
	Arm	1.30	1.70	2.50	4.50	27
N84L1M		5.70	6.60	9.40	10.70	39
N84L1MX	Upholstery	2.40	2.90	4.20	4.70	47
	Seat	2.10	2.70	4.60	5.70	41
	Back	1.30	1.60	2.20	3.30	26
N84L1UM		5.70	6.60	9.40	10.70	39
N84L1UMX	Upholstery	2.40	2.90	4.20	4.70	47
	Seat	2.10	2.70	4.60	5.70	41
	Back	1.30	1.60	2.20	3.30	26
N84L2A, N84L2AO		13.30	14.70	19.70	23.20	266
N84L2AX, N84L2AOX	Upholstery	4.20	4.80	6.70	7.00	82
	Seat	4.20	5.00	8.70	10.70	83
	Back	2.60	2.80	3.40	3.50	51
	Arm	2.60	3.20	3.90	7.50	52
N84L2UA, N84L2UAO		13.30	14.70	19.70	23.20	266
N84L2UAX, N84L2UAOX	Upholstery	4.20	4.80	6.70	7.00	82
	Seat	4.20	5.00	8.70	10.70	83
	Back	2.60	2.80	3.40	3.50	51
	Arm	2.60	3.20	3.90	7.50	52
N84L2L, N84L2LO		12.00	13.40	18.40	21.20	241
N84L2LX, N84L2LOX	Upholstery	4.20	4.80	6.70	7.00	82
	Seat	4.20	5.00	8.70	10.70	83
	Back	2.60	2.80	3.40	3.50	51
	Arm	1.30	1.70	2.50	4.50	27
N84L2R, N84L2RO		12.00	13.40	18.40	21.20	241
N84L2RX, N84L2RX	Upholstery	4.20	4.80	6.70	7.00	82
	Seat	4.20	5.00	8.70	10.70	83
	Back	2.60	2.80	3.40	3.40	51
	Arm	1.30	1.70	2.50	4.50	27
N84L2M		10.70	12.00	16.10	18.70	214
N84L2MX	Upholstery	4.20	4.80	6.70	7.00	82
	Seat	4.20	5.00	8.80	10.70	83
	Back	2.60	2.80	3.40	3.40	51
N84L2UM		10.70	12.00	16.10	18.70	214
N84L2UMX	Upholstery	4.20	4.80	6.70	7.00	82
	Seat	4.20	5.00	8.80	10.70	83
	Back	2.60	2.80	3.40	3.40	51
N84L3A, N84L3AO		18.30	20.10	27.30	31.20	364

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
N84L3AX, N84L3AOX	Upholstery	5.90	9.00	12.20	12.50	120
	Seat	6.30	7.00	12.90	15.70	124
	Back	3.90	4.20	4.80	5.00	73
	Arm	2.60	3.20	3.90	7.50	52
N84L3UA, N84L3UAO		18.30	20.10	27.30	31.20	364
N84L3UAX, N84L3UAOX	Upholstery	5.90	9.00	12.20	12.50	120
	Seat	6.30	7.00	12.90	15.70	124
	Back	3.90	4.20	4.80	5.00	73
	Arm	2.60	3.20	3.90	7.50	52
N84L3L, N84L3LO		17.00	18.90	25.90	29.10	338
N84L3LX, N84L3LOX	Upholstery	5.90	9.30	12.20	12.70	120
	Seat	6.30	9.00	12.20	12.50	128
	Back	3.90	4.20	4.80	5.00	73
	Arm	1.30	1.70	2.50	4.50	27
N84L3R, N84L3RO		17.00	18.90	25.90	29.10	338
N84L3RX, N84L3ROX	Upholstery	5.90	9.30	12.20	12.70	120
	Seat	6.30	9.00	12.20	12.50	128
	Back	3.90	4.20	4.80	5.00	73
	Arm	1.30	1.70	2.50	4.50	27
N84L3M		15.70	17.70	24.50	26.70	313
N84L3MX	Upholstery	5.90	9.30	12.20	12.70	120
	Seat	6.30	9.30	12.20	12.70	128
	Back	3.90	4.20	4.80	5.00	73
N84L3UM		15.70	17.70	24.50	26.70	313
N84L3UMX	Upholstery	5.90	9.30	12.20	12.70	120
	Seat	6.30	9.30	12.20	12.70	128
	Back	3.90	4.20	4.80	5.00	73
N84IN9L		8.00	8.70	11.50	11.70	160
N84IN9LX	Upholstery	3.70	4.00	5.60	5.90	80
	Seat	2.10	9.00	12.20	12.50	44
	Back	2.50	2.90	3.40	3.70	50
N84IN9R		8.00	8.70	11.50	11.70	160
N84IN9RX	Upholstery	3.70	4.00	5.60	5.90	80
	Seat	2.10	9.00	12.20	12.50	44
	Back	2.50	2.90	3.40	3.70	50
N84IN9D		8.40	9.60	12.90	15.20	173
N84IN9DX	Upholstery	3.70	4.70	6.70	7.00	83
	Seat	2.50	2.80	4.60	6.70	48
	Back	2.50	2.90	3.40	3.90	50
N84D1		3.30	3.80	7.00	9.10	67
N84D1X	Upholstery	1.20	1.80	3.20	4.70	26
	Seat	2.10	2.50	4.30	5.20	42
N84D1U		3.30	3.80	7.00	9.10	67
N84D1UX	Upholstery	1.20	1.80	3.20	4.70	26
	Seat	2.10	2.50	4.30	5.20	42
N84D2		3.50	4.00	7.00	10.10	70
N84D2X	Upholstery	1.20	1.80	3.20	4.70	26
	Seat	2.30	2.60	4.30	6.20	45
N84D2U		3.50	4.00	7.00	10.10	70
N84D2UX	Upholstery	1.20	1.80	3.20	4.70	26
	Seat	2.30	2.60	4.30	6.20	45
N84T36ENL		1.30	2.30	4.60	6.70	37
N84T36ENUL		1.30	2.30	4.60	6.70	37
N84T36ENS		1.30	2.30	4.60	6.70	37
N84T36ENUS		1.30	2.30	4.60	6.70	37
N84T60MGL		1.90	2.00	3.10	4.70	26
N84T60MGUL		1.90	2.00	3.10	4.70	26
N84T60MGS		1.90	2.00	3.40	4.70	26

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
N84T60MGUS		1.90	2.00	3.40	4.70	26
N84CH1AO		10.1	11.20	13.80	15.60	201.45
N84CH1AOX	Upholstery	2.9	3.50	3.50	4.70	57.56
	Seat	3.6	4.00	5.90	8.10	70.84
	Back	1.3	1.50	2.10	2.30	26.57
	Arm	2.8	3.80	4.80	6.40	56.45
N84CH1LO		8.8	9.90	12.00	14.00	175.44
N84CH1LOX	Upholstery	2.9	3.50	3.50	4.70	57.56
	Seat	3.6	4.00	5.90	8.10	70.84
	Back	1.3	1.50	2.10	2.30	26.57
	Arm	1.6	2.40	3.00	3.40	30.99
N84CH1RO		8.8	9.90	12.00	14.00	175.44
N84CH1ROX	Upholstery	2.9	3.50	3.50	4.70	57.56
	Seat	3.6	4.00	5.90	8.10	70.84
	Back	1.3	1.50	2.10	2.30	26.57
	Arm	1.6	2.40	3.00	3.40	30.99
N84CH1M		7.5	8.40	10.70	13.00	149.98
N84CH1MX	Upholstery	2.9	3.50	3.50	4.70	57.56
	Seat	3.6	4.00	5.90	8.10	70.84
	Back	1.3	1.50	2.10	2.30	26.57

COLLETTE

CONFIDE

LOUNGE, FREESTANDING TABLES
Product Specifications 92
Fabrics and Options 93
Contrasting Fabrics Specifications 94
Product Pages 95

GUEST, TANDEM, BARIATRIC, GANGING STARTERS AND TABLES, BENCHES
Product Specifications 99
Fabrics and Options 100
Contrasting Fabrics Specifications 101
Product Pages 103

GANGING MATRIX 102

TYPICALS 110

COM YARDAGE REQUIREMENTS 111

CONFIDE

CONFIDE PRODUCT SPECIFICATIONS—LOUNGE, FREESTANDING TABLES



LOUNGE WITH UPHOLSTERED BACK PANELS

FRAME CONSTRUCTION
- Interior frame is constructed of plywood with tenon joints that are glued and stapled for maximum joint stability
- Welded leg assembly is screwed within the arm frame assembly
- 12-gauge back brackets are attached to the frame with wood screws

FULLY UPHOLSTERED BACK CONSTRUCTION
- 1" of high grade polyurethane foam covers a plywood back panel

EXPOSED WOOD BACK CONSTRUCTION
- 1" of high grade polyurethane foam covers a plywood back panel

SEAT CONSTRUCTION
- 3¼" of high grade polyurethane foam covers a plywood seat panel
- Easy clean wipe out feature

ARMS
- ⅜" of high grade polyurethane foam covers a plywood constructed arm frame

CONTRASTING FABRIC
- Contrasting fabric available on all models

LEGS
- Front and back legs and cross member are made from ⅞" x 1¼" 16-gauge elliptical tubular steel. Cross member is joined to the front and back leg with metal inert gas (MIG) welds
- Wall saving design feature

TABLET ARM
- ¾" thick MDF core with black 3D Laminate or ¾" plywood core with maple veneer
- Attached with ¼" steel base plate and screws that mount over ¾" diameter insert rod and fits into structure of arm
- Allows for 360° swivel and writing surface of 14" W x 9½" D

GLIDES
- Front legs feature a 1" adjustable leveling glide
- Back legs feature a 1" adjustable 1" swivel leveling glide
- Soft glides are available for an additional upcharge

ARM CAPS
- Available with black protective polyurethane or decorative solid hard maple
- Arm cap is not an option on arm where tablet is specified
- Arm caps cannot be retrofitted to non-arm cap models
- Arm caps are field serviceable

FINISHES
- Concrete, Cinder, Iron, Platinum Metallic and Satin Nickel Metallic frames are finished with an electrostatic baked-on powder coat
- Wood components feature a catalyzed top coat that resists denting, peeling and reactions to chemicals
- Can be cleaned with a damp cloth
- When specifying Brighton, Natural, and Sonoma finish, variation in color is acceptable due to the nature of wood characteristics

WOOD SPECIES
- Hard maple

TABLES

FRAME CONSTRUCTION
- Table frame is made from ⅞" x 1¼" 16-gauge elliptical tubular steel
- Cross members are made from ⅞" 16-gauge round tubular steel
- Cross members are joined to the U-bent side members with metal inert gas (MIG) welds

TOPS
- Veneer models feature a ¾" molded laminated HDF core slipmatched maple veneer
- Laminate models feature a ¾" molded laminated HDF core with laminate (HPL) top

All Confide Lounge models may be ordered to meet TB133 fire code.

To order seating to meet the TB133 fire code, specify an "F" at the end of the model number (Ex: N78LAUF).

For TB133 pricing go to www.NationalOfficeFurniture.com/TB133

Please consult customer service for applicable Arc-Com, Carnegie, Designtex, Maharam, Mayer, Momentum, Stinson, or Ultrafabrics fabric.

FABRICS

Grade 1	Cali
	Entwine
	Input
	Melange
	Ridge
	Spark
	Vessel
	Zig Zag
Grade 2	Bliss
	Brilliant
	COM
	Dolce
	Dorset
	Intuition
	Orbit
	Phrase
	Pixie
	Sedona
	Stancil
	Strand
Grade 3	COL
	Silvertex
Grade 4	Connect Four
	Echo
	Masquerade
Grade 5	Mode
Grade 6	Essence/Ultraleather
Grade 7	Brisa
	Brisa Distressed
	Reef Pro
	Silica
	Silica Etch
	Tottori
Grade L7	Davenport
Grade L8	Florence

TABLET ARM

T	3D Laminate, Black
WAC	Wood, Autumn
WAD	Wood, Almond
WBZ	Wood, Brazilwood
WCI	Wood, Chai
WCL	Wood, Caramel
WCW	Wood, Cordovan
WDW	Wood, Judicial
WHN	Wood, Honey
WIM	Wood, Brighton
WKN	Wood, Kona
WMC	Wood, Amber
WMH	Wood, Mocha
WNM	Wood, Natural
WPB	Wood, Portobello
WPC	Wood, Porcini
WPT	Wood, Portico
WSK	Wood, Skyline
WSM	Wood, Sonoma
WTF	Wood, Truffle
WWL	Wood, Willow
W405	Wood, Designer White
W462	Wood, Cinder
W792	Wood, Sable
W793	Wood, Acorn*

FINISHES

AC	Autumn	NM	Natural
AD	Almond	PB	Portobello
BZ	Brazilwood	PC	Porcini
CI	Chai	PT	Portico
CL	Caramel	SK	Skyline
CW	Cordovan	SM	Sonoma
DW	Judicial	TF	Truffle
HN	Honey	WL	Willow
IM	Brighton	405	Designer White
KN	Kona	462	Cinder
MC	Amber	792	Sable
MH	Mocha	793	Acorn*

LAMINATES

AC2	Autumn 2	NM	Natural
AD	Almond	PB	Portobello
BZ	Brazilwood	PC	Porcini
CI	Chai	PT	Portico
CL	Caramel	SK	Skyline
CW	Cordovan	SM	Sonoma
DW	Judicial	TF	Truffle
HN2	Honey 2	WL	Willow
IM	Brighton	405	Designer White
KN	Kona	462	Cinder
MC	Amber	792	Sable
MH	Mocha	793	Acorn*

*Acorn is the finish and laminate complement to Clear Walnut finish

ARM CAP

($125 upcharge per polyurethane arm cap, $213 upcharge per wood arm cap)

CAP_U	Polyurethane	CAP_NM	Natural
CAP_AC	Autumn	CAP_PB	Portobello
CAP_AD	Almond	CAP_PC	Porcini
CAP_BZ	Brazilwood	CAP_PT	Portico
CAP_CI	Chai	CAP_SK	Skyline
CAP_CL	Caramel	CAP_SM	Sonoma
CAP_CW	Cordovan	CAP_TF	Truffle
CAP_DW	Judicial	CAP_WL	Willow
CAP_HN	Honey	CAP_405	Designer White
CAP_IM	Brighton	CAP_462	Cinder
CAP_KN	Kona	CAP_792	Sable
CAP_MC	Amber	CAP_793	Acorn*
CAP_MH	Mocha	X	No Cap

LEG COLORS

423	Concrete
462	Cinder
463	Iron
501	Platinum Metallic
503	Satin Nickel Metallic

GLIDES

STD	Standard
C10	Soft (add $41 list)

TO ORDER CONTRASTING FABRIC, SPECIFY

CONFIDE, LOUNGE
1 Seat Lounge page 95
2 Seat Lounge page 95
3 Seat Lounge page 96
2 Seat Tandem Lounge page 96
3 Seat Tandem Lounge page 97
Bariatric Lounge page 97

1. Model Number plus "X"
2. Back Fabric Grade Number/Cover Number
3. Extreme Back Fabric Grade Number/Cover Number
4. Seat Fabric Grade Number/Cover Number
5. Arm Fabric Grade Number/Cover Number
6. Tablet and Finish (when applicable)
7. Arm Cap (when applicable)
8. Wood Back Finish Color (when applicable)
9. Leg Color



Contrasting Upholstery



Contrasting Upholstery Back View


Contrasting Upholstery Wood Back


Contrasting Upholstery Wood Back Back View



Contrasting Upholstery

Contrasting Upholstery Back View

CONFIDE

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Fabric Cover Number
4. Tablet and Finish (when applicable)
5. Arm Cap (when applicable)
6. Wood Back Finish Color (when applicable)
7. Leg Color

• See page 93 for Confide options
See pages 111-112 for COM fabric yardage

1 SEAT LOUNGE

Upholstered

Wood Back

Tablet and Arm Cap

MODEL NO. | **GRADE / LIST PRICE**

			1	2/COM	3/COL	4	5	6	7	L7	L8
N78LAU	Upholstered Back	$	3031	3143	3194	3277	3367	3521	3725	4695	5005
QN78LAU	Upholstered Back		3031	3143	3194	3277	3367	3521	3725		
N78LAW	Wood Back		3246	3351	3399	3477	3561	3705	3897	4806	5097
N78LAUR	Upholstered Back Tablet Right Arm		3422	3534	3585	3668	3758	3912	4116	5086	5396
N78LAUL	Upholstered Back Tablet Left Arm		3422	3534	3585	3668	3758	3912	4116	5086	5396
N78LAWR	Wood Back Tablet Right Arm		3637	3742	3790	3868	3952	4096	4288	5197	5488
N78LAWL	Wood Back Tablet Left Arm		3637	3742	3790	3868	3952	4096	4288	5197	5488

DIMENSIONS

Width	27¼	Seat Height	18½	Arm Height	26	Weight	70
Depth	26⅝	Seat Depth	19	Back Height	33⅜	Cubic Ft.	21.8
Height	33⅜	Seat Width	21½	Back Width	21½	Weight with Tablet	77
						Cubic Ft. with Tablet	21.8

- Contrasting fabric option – specify X (i.e., N78LAUX); see page 94. For list pricing, use your electronic specification tool or contact customer service
- Arm cap is not an option on arm where tablet is specified
- Soft glide option available
- Polyurethane arm cap option available for a $125 list upcharge per cap
- Wood arm cap option available for a $213 list upcharge per cap

2 SEAT LOUNGE

Upholstered



Wood Back



Tablet and Arm Cap

			1	2/COM	3/COL	4	5	6	7	L7	L8
N78LBU	Upholstered Back	$	3939	4104	4179	4301	4433	4658	4959	6383	6839
N78LBW	Wood Back		4375	4529	4599	4714	4837	5048	5330	6663	7090
N78LBUR	Upholstered Back Tablet Right Arm		4330	4495	4570	4692	4824	5049	5350	6774	7230
N78LBUL	Upholstered Back Tablet Left Arm		4330	4495	4570	4692	4824	5049	5350	6774	7230
N78LBUB	Upholstered Back Tablet Both Arms		4720	4885	4960	5082	5214	5439	5740	7164	7620
N78LBWR	Wood Back Tablet Right Arm		4765	4919	4989	5104	5227	5438	5720	7053	7480
N78LBWL	Wood Back Tablet Left Arm		4765	4919	4989	5104	5227	5438	5720	7053	7480
N78LBWB	Wood Back Tablet Both Arms		5152	5306	5376	5491	5614	5825	6107	7440	7867

DIMENSIONS

Width	49	Seat Height	18½	Arm Height	26	Weight	105
Depth	26⅝	Seat Depth	19	Back Height	33⅜	Cubic Ft.	37.5
Height	33⅜	Seat Width	21½	Back Width	21½	Weight with Tablet	119
						Cubic Ft. with Tablet	37.5

- Contrasting fabric option – specify X (i.e., N78LBUX); see page 94. For list pricing, use your electronic specification tool or contact customer service
- Arm cap is not an option on arm where tablet is specified
- Soft glide option available
- Polyurethane arm cap option available for a $125 list upcharge per cap
- Wood arm cap option available for a $213 list upcharge per cap

CONFIDE

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Fabric Cover Number
4. Tablet and Finish (when applicable)
5. Arm Cap (when applicable)
6. Wood Back Finish Color (when applicable)
7. Leg Color

• See page 93 for Confide options

See pages 111-112 for COM fabric yardage

3 SEAT LOUNGE



Upholstered



Wood Back



Tablet and Arm Cap

MODEL NO.

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N78LCU	Upholstered Back	$	4936	5160	5262	5429	5608	5915	6325	8264	8885
N78LCW	Wood Back		5655	5869	5966	6125	6296	6588	6979	8827	9419
N78LCUR	Upholstered Back Tablet Right Arm		5327	5551	5653	5820	5999	6306	6716	8655	9276
N78LCUL	Upholstered Back Tablet Left Arm		5327	5551	5653	5820	5999	6306	6716	8655	9276
N78LCUB	Upholstered Back Tablet Both Arms		5715	5939	6041	6208	6387	6694	7104	9043	9664
N78LCWR	Wood Back Tablet Right Arm		6046	6260	6357	6516	6687	6979	7370	9218	9810
N78LCWL	Wood Back Tablet Left Arm		6046	6260	6357	6516	6687	6979	7370	9218	9810
N78LCWB	Wood Back Tablet Both Arms		6433	6647	6744	6903	7074	7366	7757	9605	10197

DIMENSIONS

Width	71	Seat Height	18½	Arm Height	26	Weight	140
Depth	26⅝	Seat Depth	19	Back Height	33⅜	Cubic Ft.	51.8
Height	33⅜	Seat Width	21½	Back Width	21½	Weight with Tablet	154
						Cubic Ft. with Tablet	63.9

- Contrasting fabric option – specify X (i.e., N78LCUX); see page 94. For list pricing, use your electronic specification tool or contact customer service
- Arm cap is not an option on arm where tablet is specified
- Soft glide option available
- Polyurethane arm cap option available for a $125 list upcharge per cap
- Wood arm cap option available for a $213 list upcharge per cap

2 SEAT TANDEM LOUNGE



Upholstered



Wood Back



Tablet and Arm Caps

			1	2/COM	3/COL	4	5	6	7	L7	L8
N78LAAU	Upholstered Back	$	4503	4692	4778	4919	5070	5329	5675	7311	7835
N78LAAW	Wood Back		4936	5115	5196	5329	5472	5716	6043	7588	8083
N78LAAUR	Upholstered Back Tablet Right Arm		4893	5082	5168	5309	5460	5719	6065	7701	8225
N78LAAUL	Upholstered Back Tablet Left Arm		4893	5082	5168	5309	5460	5719	6065	7701	8225
N78LAAUB	Upholstered Back Tablet Both Arms		5282	5471	5557	5698	5849	6108	6454	8090	8614
N78LAAWR	Wood Back Tablet Right Arm		5327	5506	5587	5720	5863	6107	6434	7979	8474
N78LAAWL	Wood Back Tablet Left Arm		5327	5506	5587	5720	5863	6107	6434	7979	8474
N78LAAWB	Wood Back Tablet Both Arms		5715	5894	5975	6108	6251	6495	6822	8367	8862

DIMENSIONS

Width	51½	Seat Height	18½	Arm Height	26	Weight	115
Depth	26⅝	Seat Depth	19	Back Height	33⅜	Cubic Ft.	37.5
Height	33⅜	Seat Width	21½	Back Width	21½	Weight with Tablet	129
						Cubic Ft. with Tablet	37.5

- Contrasting fabric option – specify X (i.e., N78LAAUX); see page 94. For list pricing, use your electronic specification tool or contact customer service
- Arm cap is not an option on arm where tablet is specified
- Soft glide option available
- Polyurethane arm cap option available for a $125 list upcharge per cap
- Wood arm cap option available for a $213 list upcharge per cap

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Fabric Cover Number
4. Tablet and Finish (when applicable)
5. Arm Cap (when applicable)
6. Wood Back Finish Color (when applicable)
7. Leg Color

• See page 93 for Confide options

See pages 111-112 for COM fabric yardage

3 SEAT TANDEM LOUNGE



Upholstered



Wood Back



Tablet and Arm Caps

MODEL NO.

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N78LAAAU	Upholstered Back	$	6062	6328	6450	6647	6860	7225	7711	10014	10751
N78LAAAW	Wood Back		6739	7005	7127	7324	7537	7902	8388	10691	11428
N78LAAAUR	Upholstered Back Tablet Right Arm		6454	6720	6842	7039	7252	7617	8103	10406	11143
N78LAAAUL	Upholstered Back Tablet Left Arm		6454	6720	6842	7039	7252	7617	8103	10406	11143
N78LAAAUB	Upholstered Back Tablet Both Arms		6844	7110	7232	7429	7642	8007	8493	10796	11533
N78LAAAWR	Wood Back Tablet Right Arm		7126	7392	7514	7711	7924	8289	8775	11078	11815
N78LAAAWL	Wood Back Tablet Left Arm		7126	7392	7514	7711	7924	8289	8775	11078	11815
N78LAAAWB	Wood Back Tablet Both Arms		7516	7782	7904	8101	8314	8679	9165	11468	12205

DIMENSIONS

Width	75⅞	Seat Height	18½	Arm Height	26	Weight	150
Depth	26⅝	Seat Depth	19	Back Height	33⅜	Cubic Ft.	51.8
Height	33⅜	Seat Width	21½	Back Width	21½	Weight with Tablet	164
						Cubic Ft. with Tablet	63.9

- Contrasting fabric option – specify X (i.e., N78LAAAUX); see page 94. For list pricing, use your electronic specification tool or contact customer service
- Arm cap is not an option on arm where tablet is specified
- Soft glide option available
- Polyurethane arm cap option available for a $125 list upcharge per cap
- Wood arm cap option available for a $213 list upcharge per cap

BARIATRIC LOUNGE

Upholstered

Wood Back

Arm Caps

			1	2/COM	3/COL	4	5	6	7	L7	L8
N78LEU	Upholstered Back	$	3378	3522	3587	3694	3809	4005	4268	5510	5908
N78LEW	Wood Back		3685	3818	3879	3978	4084	4266	4510	5661	6030

DIMENSIONS

Width	37	Seat Height	18½	Arm Height	26	Weight	75
Depth	26⅝	Seat Depth	19	Back Height	33⅜	Cubic Ft.	31.0
Height	35⅝	Seat Width	31½	Back Width	31½		

- Meets 500 lb. weight load
- Contrasting fabric option – specify X (i.e., N78LEUX); see page 94. For list pricing, use your electronic specification tool or contact customer service
- Soft glide option available
- Polyurethane arm cap option available for a $125 list upcharge per cap
- Wood arm cap option available for a $213 list upcharge per cap

CONFIDE

TO ORDER, SPECIFY:

1. Model Number
2. Finish/Laminate Designator
3. Leg Color
4. Glide

• See page 93 for Confide options

END TABLE

End Table

N78SNW	Wood	$	1560
N78SNL	Laminate		1560

DIMENSIONS

Width	22	Weight	15
Depth	21¼	Cubic Ft.	6.8
Height	16⁹⁄₁₆		

• Soft glide option available

MAGAZINE TABLE



Magazine Table

N78SMW	Wood	$	2426
N78SML	Laminate		2426

DIMENSIONS

Width	44	Weight	24
Depth	21¼	Cubic Ft.	14.2
Height	16⁹⁄₁₆		

• Soft glide option available

CONFIDE PRODUCT SPECIFICATIONS—GUEST, TANDEM, BARIATRIC, GANGING STARTERS AND TABLES, BENCHES

SIDE SEATING

SEAT CONSTRUCTION
- 2" of high grade polyurethane foam covers a plywood seat panel
- Easy clean wipe out feature

FULLY UPHOLSTERED BACK CONSTRUCTION
- 1" of high grade polyurethane foam covers a plywood back panel

EXPOSED WOOD BACK CONSTRUCTION
- 1" of high grade polyurethane foam covers a plywood back panel

ARMS
- Arms are die-cast aluminum available in Cinder, Platinum Metallic and Satin Nickel Metallic

FRAME CONSTRUCTION
- Frame is made from ⅞" x 1¼" 16-gauge elliptical tubular steel
- Cross members are joined with metal inert gas (MIG) welds
- Wall saving design feature

CONTRASTING FABRIC
- Contrasting fabric available on all models except benches

ARM CAPS
- Black protective polyurethane is standard on all models
- Decorative solid hard maple cap option is available

GLIDES
- Front leg features a 1" adjustable leveling glide
- Back leg features a 1" adjustable swivel glide
- Soft glides are available for an additional upcharge

FINISHES
- Concrete, Cinder, Iron, Platinum Metallic and Satin Nickel Metallic frames are finished with an electrostatic baked-on powder coat
- Wood components feature a catalyzed top coat that resists denting, peeling and reactions to chemicals
- Can be cleaned with a damp cloth
- When specifying Brighton, Natural, and Sonoma finish, variation in color is acceptable due to the nature of wood characteristics

WOOD SPECIES
- Hard maple

TABLES

FRAME CONSTRUCTION
- Table frame is made from ⅞" x 1¼" 16-gauge elliptical tubular steel
- Cross members are made from ⅞" 16-gauge round tubular steel
- Cross members are joined to the U-bent side members with metal inert gas (MIG) welds

TOPS
- Veneer models feature a ¾" molded laminated HDF core slipmatched maple veneer
- Laminate models feature a ¾" molded laminated HDF core with laminate (HPL) top

All Confide Side Seating models may be ordered to meet TB133 fire code.

To order seating to meet the TB133 fire code, specify an "F" at the end of the model number (Ex: N78GFAUF).

For TB133 pricing go to www.NationalOfficeFurniture.com/TB133

Please consult customer service for applicable Arc-Com, Carnegie, Designtex, Maharam, Mayer, Momentum, Stinson, or Ultrafabrics fabric.

CONFIDE

FABRICS

Grade 1	Cali
	Entwine
	Input
	Melange
	Ridge
	Spark
	Vessel
	Zig Zag
Grade 2	Bliss
	Brilliant
	COM
	Dolce
	Dorset
	Intuition
	Orbit
	Phrase
	Pixie
	Sedona
	Stancil
	Strand
Grade 3	COL
	Silvertex
Grade 4	Connect Four
	Echo
	Masquerade
Grade 5	Mode
Grade 6	Essence/Ultraleather
Grade 7	Brisa
	Brisa Distressed
	Reef Pro
	Silica
	Silica Etch
	Tottori
Grade L7	Davenport
Grade L8	Florence

FINISHES

AC	Autumn	NM	Natural
AD	Almond	PB	Portobello
BZ	Brazilwood	PC	Porcini
CI	Chai	PT	Portico
CL	Caramel	SK	Skyline
CW	Cordovan	SM	Sonoma
DW	Judicial	TF	Truffle
HN	Honey	WL	Willow
IM	Brighton	405	Designer White
KN	Kona	462	Cinder
MC	Amber	792	Sable
MH	Mocha	793	Acorn*

LAMINATES

AC2	Autumn 2	NM	Natural
AD	Almond	PB	Portobello
BZ	Brazilwood	PC	Porcini
CI	Chai	PT	Portico
CL	Caramel	SK	Skyline
CW	Cordovan	SM	Sonoma
DW	Judicial	TF	Truffle
HN2	Honey 2	WL	Willow
IM	Brighton	405	Designer White
KN	Kona	462	Cinder
MC	Amber	792	Sable
MH	Mocha	793	Acorn*

*Acorn is the finish and laminate complement to Clear Walnut finish

ARM CAP

($87 upcharge per wood arm cap)

CAP_U	Polyurethane
CAP_AC	Autumn
CAP_AD	Almond
CAP_BZ	Brazilwood
CAP_CI	Chai
CAP_CL	Caramel
CAP_CW	Cordovan
CAP_DW	Judicial
CAP_HN	Honey
CAP_IM	Brighton
CAP_KN	Kona
CAP_MC	Amber
CAP_MH	Mocha
CAP_NM	Natural
CAP_PB	Portobello
CAP_PC	Porcini
CAP_PT	Portico
CAP_SK	Skyline
CAP_SM	Sonoma
CAP_TF	Truffle
CAP_WL	Willow
CAP_405	Designer White
CAP_462	Cinder
CAP_792	Sable
CAP_793	Acorn*

POWDER COAT PAINTS

423	Concrete
462	Cinder
463	Iron
501	Platinum Metallic
503	Satin Nickel Metallic

GLIDES

STD	Standard
C10	Soft (add $41 list)

TO ORDER CONTRASTING FABRIC, SPECIFY

CONFIDE
Guest page 103
Starter page 104
Add-On page 104
2 Seat Tandem page 105
3 Seat Tandem page 106
Patient Guest page 107
Bariatric Guest page 107

1. Model Number plus "X"
2. Back Fabric Grade Number/Cover Number
3. Extreme Back Fabric Grade Number/Cover Number
4. Seat Fabric Grade Number/Cover Number
5. Arm Cap (when applicable)
6. Arm Cap Finish (when applicable)
7. Wood Back Finish Color (when applicable)
8. Frame Color
9. Glides



Contrasting Upholstery

Contrasting Upholstery Back View

Contrasting Upholstery Wood Back

Contrasting Upholstery Wood Back
Back View

CONFIDE

CONFIDE GANGING MATRIX

		N78SFAW / N78SFAU Starter, Arm, Wood or Uph Back	N78SFMW / N78SFMU Starter, Armless, Wood or Uph Back	N78T2AW / N78T2AU 2 Seat Tandem, Arms and Legs, Wood or Uph Back	N78B2AW / N78B2AU 2 Seat Tandem, Arms, No Center Leg Wood or Uph Back	N78B2EW / N78B2EU 2 Seat Tandem, No Center Arms or Leg, Wood or Uph Back	N78T3AW / N78T3AU 3 Seat Tandem, Arms and Legs, Wood or Uph Back	N78B3AW / N78B3AU 3 Seat Tandem, Arms, No Center Leg Wood or Uph Back	N78B3EW / N78B3EU 3 Seat Tandem, No Center Arms or Leg, Wood or Uph Back	N78AFLAW / N78AFLAU Guest Add-On, Left Arm/Leg, Wood or Uph Back	N78AFLMW / N78AFLM Guest Add-On, Armless/Left Leg, Wood or Uph Back	N78AFRAW / N78AFRAU Guest Add-On, Right Arm/Leg, Wood or Uph Back	N78AFRMW / N78AFRMU Guest Add-On, Armless/Right Leg, Wood or Uph Back	N78GEAW / N78GEAU Bariatric, Wood or Uph Back	N78TCW /N78TCL Table, Ganging Center, Wood or Lam	N78TEW / N78TEL Table, Ganging End, Wood or Lam	N78TNW / N78TNL Table, Ganging Corner, Wood or Lam	N78D1M Bench, 1 Seat, Armless	N78D2M / N78D2A Bench, 2 Seat, Arm, Armless	N78D3M / N78D3A Bench, 3 Seat, Arm, Armless
N78SFAW N78SFAU	Starter, Arm, Wood or Uph Back									X	X	X	X		X*	X	X*			
N78SFMW N78SFMU	Starter, Armless, Wood or Uph Back									X	X	X	X		X*	X	X*			
N78T2AW N78T2AU	2 Seat Tandem, Arms and Legs, Wood or Uph Back									X	X	X	X		X*	X	X*			
N78B2AW N78B2AU	2 Seat Tandem, Arms, No Center Leg Wood or Uph Back														X*	X	X*			
N78B2EW N78B2EU	2 Seat Tandem, No Center Arms or Leg, Wood or Uph Back														X*	X	X*			
N78T3AW N78T3AU	3 Seat Tandem, Arms and Legs, Wood or Uph Back									X	X	X	X		X*	X	X*			
N78B3AW N78B3AU	3 Seat Tandem, Arms, No Center Leg Wood or Uph Back														X*	X	X*			
N78B3EW N78B3EU	3 Seat Tandem, No Center Arms or Leg, Wood or Uph Back														X*	X	X*			
N78AFLAW N78AFLAU	Guest Add-On, Left Arm/Leg, Wood or Uph Back	X	X	X			X			X	X				X*	X	X*			
N78AFLMW N78AFLMU	Guest Add-On, Armless, Left Leg, Wood or Uph Back	X	X	X			X			X	X				X*	X	X*			
N78AFRAW N78AFRAU	Guest Add-On, Right Arm/Leg, Wood or Uph Back	X	X	X			X					X	X		X*	X	X*			
N78AFRMW N78AFRMU	Guest Add-On, Armless, Right Leg, Wood or Uph Back	X	X	X			X					X	X		X*	X	X*			
N78GEAW N78GEAU	Bariatric, Wood or Uph Back														X*	X	X*			
N78TCW N78TCL	Table, Ganging Center, Wood or Lam	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*				X*	X*	X*
N78TEW N78TEL	Table, Ganging End, Wood or Lam	X	X	X	X	X	X	X	X	X	X	X	X	X				X	X	X
N78TNW N78TNL	Table, Ganging Corner, Wood or Lam	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*	X*				X*	X*	X*
N78D1M	Bench, 1 Seat, Armless														X*	X	X*			
N78D2M N78D2A	Bench, 2 Seat, Arm, Armless														X*	X	X*			
N78D3M N78D3A	Bench, 3 Seat, Arm, Armless														X*	X	X*			

*Corner and center tables must be ganged between starter chairs, tandem seating, bariatric chairs or benches

- Non-Ganging models not in chart N78GFAW, N78GFAU, N78PAU.
- Tandem with no center legs, bariatric, and benches can only be ganged to tables
- Guest side and patient chairs cannot be ganged to other units
- No limit the number of add-on connections
- End and corner tables are non-handed
- Add-on models are listed as seated

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Fabric Cover Number
4. Arm Cap (when applicable)
5. Arm Cap Finish (when applicable)
6. Wood Back Finish Color (when applicable)
7. Frame Color
8. Glides

• See page 100 for Confide options

See pages 111-112 for COM fabric yardage

GUEST

Upholstered

Upholstered

Wood Back

MODEL NO.

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N78GFMU	Armless, Upholstered Back	$	1731	1784	1808	1847	1889	1961	2057	2511	2657
QN78GFMU	Armless, Upholstered Back		1731	1784	1808	1847	1889	1961	2057		
N78GFMW	Armless, Wood Back		1948	1997	2019	2056	2095	2162	2252	2676	2812
QN78GFMW	Armless, Wood Back		1948	1997	2019	2056	2095	2162	2252		
N78GFAU	Arms, Upholstered Back		1861	1914	1938	1977	2019	2091	2187	2641	2787
QN78GFAU	Arms, Upholstered Back		1861	1914	1938	1977	2019	2091	2187		
N78GFAW	Arms, Wood Back		2078	2127	2149	2186	2225	2292	2382	2806	2942
QN78GFAW	Arms, Wood Back		2078	2127	2149	2186	2225	2292	2382		

DIMENSIONS

Width	24	Seat Height	19	Arm Height	26¾	Armless Weight	46
Depth	23	Seat Depth	20	Back Height	33¼	Arm Weight	48
Height	33½	Seat Width	22½	Back Width	20¾	Cubic Ft.	16.3

- Contrasting fabric option – specify X (i.e., N78GFAUX); see page 101. For list pricing, use your electronic specification tool or contact customer service
- Polyurethane arm caps are standard. Wood arm cap option available for a $87 list upcharge per cap
- Soft glide option available

CONFIDE

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Fabric Cover Number
4. Arm Cap (when applicable)
5. Arm Cap Finish (when applicable)
6. Wood Back Finish Color (when applicable)
7. Frame Color
8. Glides

• See page 100 for Confide options
See pages 111-112 for COM fabric yardage

STARTER

Upholstered

Upholstered

Wood Back

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
N78SFMU	Armless, Upholstered Back	$	1905	1958	1982	2021	2063	2135	2231	2685	2831
N78SFMW	Armless, Wood Back		2122	2171	2193	2230	2269	2336	2426	2850	2986
N78SFAU	Arms, Upholstered Back		2034	2087	2111	2150	2192	2264	2360	2814	2960
N78SFAW	Arms, Wood Back		2252	2301	2323	2360	2399	2466	2556	2980	3116

DIMENSIONS

Width	24	Seat Height	19	Arm Height	26¾	Armless Weight	48
Depth	23	Seat Depth	20	Back Height	33¼	Arm Weight	50
Height	33½	Seat Width	22½	Back Width	20¾	Cubic Ft.	16.3

- Contrasting fabric option – specify X (i.e., N78SFAUX); see page 101. For list pricing, use your electronic specification tool or contact customer service
- Polyurethane arm caps are standard. Wood arm cap option available for a $87 list upcharge per cap
- Soft glide option available

ADD-ON

Upholstered Right Leg

Wood Left Arm

			1	2/COM	3/COL	4	5	6	7	L7	L8
N78AFLMU	Upholstered Back Armless Left Leg	$	1689	1742	1766	1805	1847	1919	2015	2469	2615
N78AFRMU	Upholstered Back Armless Right Leg		1689	1742	1766	1805	1847	1919	2015	2469	2615
N78AFLMW	Wood Back Armless Left Leg		1905	1954	1976	2013	2052	2119	2209	2633	2769
N78AFRMW	Wood Back Armless Right Leg		1905	1954	1976	2013	2052	2119	2209	2633	2769
N78AFLAU	Upholstered Back Left Arm		1818	1871	1895	1934	1976	2048	2144	2598	2744
N78AFRAU	Upholstered Back Right Arm		1818	1871	1895	1934	1976	2048	2144	2598	2744
N78AFLAW	Wood Back Left Arm		2034	2083	2105	2142	2181	2248	2338	2762	2898
N78AFRAW	Wood Back Right Arm		2034	2083	2105	2142	2181	2248	2338	2762	2898

DIMENSIONS

Width	24	Seat Height	19	Arm Height	26¾	Armless Weight	40
Depth	23	Seat Depth	20	Back Height	33¼	Arm Weight	42
Height	33½	Seat Width	22½	Back Width	20¾	Cubic Ft.	16.3

- Contrasting fabric option – specify X (i.e., N78AFLAUX); see page 101. For list pricing, use your electronic specification tool or contact customer service
- Polyurethane arm caps are standard. Wood arm cap option available for a $87 list upcharge per cap
- Soft glide option available

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Fabric Cover Number
4. Arm Cap (when applicable)
5. Arm Cap Finish (when applicable)
6. Wood Back Finish Color (when applicable)
7. Frame Color
8. Glides

• See page 100 for Confide options

See pages 111-112 for COM fabric yardage

2 SEAT TANDEM

Wood Back

Upholstered



Upholstered

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
ARMS AND LEGS											
N78T2AU	Upholstered Back	$	3766	3864	3909	3982	4060	4194	4374	5222	5494
N78T2AW	Wood Back		4201	4285	4323	4386	4453	4568	4722	5449	5682
ARMS AND NO CENTER LEGS											
N78B2AU	Upholstered Back	$	3809	3907	3952	4025	4103	4237	4417	5265	5537
N78B2AW	Wood Back		4245	4329	4367	4430	4497	4612	4766	5493	5726
NO CENTER ARMS AND LEGS											
N78B2EU	Upholstered Back	$	3725	3823	3868	3941	4019	4153	4333	5181	5453
N78B2EW	Wood Back		4156	4240	4278	4341	4408	4523	4677	5404	5637

DIMENSIONS

Width	46½	Seat Height	19	Arm Height	26¾
Depth	23	Seat Depth	20	Back Height	33¼
Height	33½	Seat Width	22½	Back Width	20¾

ARMS AND LEGS:
Weight 83
Cubic Ft. 29.4

ARMS AND NO CENTER LEGS:
Weight 83
Cubic Ft. 29.4

NO CENTER ARMS AND LEGS:
Weight 80
Cubic Ft. 29.4

- Contrasting fabric option – specify X (i.e., N78T2AUX); see page 101. For list pricing, use your electronic specification tool or contact customer service
- Polyurethane arm caps are standard. Wood arm cap option available for a $87 list upcharge per cap
- Soft glide option available

CONFIDE

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Fabric Cover Number
4. Arm Cap (when applicable)
5. Arm Cap Finish (when applicable)
6. Wood Back Finish Color (when applicable)
7. Frame Color
8. Glides

• See page 100 for Confide options

See pages 111-112 for COM fabric yardage

3 SEAT TANDEM

Wood Back



Upholstered



Upholstered

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
ARMS AND LEGS											
N78T3AU	Upholstered Back	$	5589	5733	5798	5905	6020	6216	6479	7721	8119
N78T3AW	Wood Back		6238	6368	6427	6523	6627	6804	7041	8162	8521
ARMS AND NO CENTER LEGS											
N78B3AU	Upholstered Back	$	5631	5775	5840	5947	6062	6258	6521	7763	8161
N78B3AW	Wood Back		6278	6408	6467	6563	6667	6844	7081	8202	8561
NO CENTER ARMS AND LEGS											
N78B3EU	Upholstered Back	$	5542	5686	5751	5858	5973	6169	6432	7674	8072
N78B3EW	Wood Back		6191	6321	6380	6476	6580	6757	6994	8115	8474

DIMENSIONS

Width	69	Seat Height	19	Arm Height	26¾
Depth	23	Seat Depth	20	Back Height	33¼
Height	33½	Seat Width	22½	Back Width	20¾

ARMS AND LEGS:
Weight 117
Cubic Ft. 42.6

ARMS AND NO CENTER LEGS:
Weight 117
Cubic Ft. 42.6

NO CENTER ARMS AND LEGS:
Weight 115
Cubic Ft. 42.6

- Contrasting fabric option – specify X (i.e., N78T3AUX); see page 101. For list pricing, use your electronic specification tool or contact customer service
- Polyurethane arm caps are standard. Wood arm cap option available for a $87 list upcharge per cap
- Soft glide option available

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Fabric Cover Number
4. Arm Cap (when applicable)
5. Arm Cap Finish (when applicable)
6. Wood Back Finish Color (when applicable)
7. Frame Color
8. Glides

• See page 100 for Confide options

See pages 111-112 for COM fabric yardage

PATIENT GUEST

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
N78PAU	Upholstered Back	$	2167	2230	2259	2306	2356	2442	2558	3103	3278

DIMENSIONS

Width	24	Seat Height	19	Arm Height	26¾	Weight	51
Depth	23	Seat Depth	20	Back Height	33¼	Cubic Ft.	20.2
Height	44	Seat Width	22½	Back Width	20¾		

- Contrasting fabric option – specify X (i.e., N78PAUX); see page 101. For list pricing, use your electronic specification tool or contact customer service
- Polyurethane arm caps are standard. Wood arm cap option available for a $87 list upcharge per cap
- Soft glide option available

BARIATRIC GUEST



Upholstered

Wood Back

			1	2/COM	3/COL	4	5	6	7	L7	L8
N78GEAU	Upholstered Back	$	2902	2976	3009	3064	3123	3223	3358	3994	4198
N78GEAW	Wood Back		3205	3272	3302	3351	3405	3496	3617	4193	4377

DIMENSIONS

Width	34	Seat Height	19	Arm Height	26¾	Weight	60
Depth	23	Seat Depth	20	Back Height	33¼	Cubic Ft.	24.6
Height	33½	Seat Width	32	Back Width	30¾		

- Contrasting fabric option – specify X (i.e., N78GEAUX); see page 101. For list pricing, use your electronic specification tool or contact customer service
- Polyurethane arm caps are standard. Wood arm cap option available for a $87 list upcharge per cap
- Meets 500 lb. weight load
- Soft glide option available

CONFIDE

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Fabric Cover Number
4. Arm Cap (when applicable)
5. Arm Cap Finish (when applicable)
6. Frame Color
7. Glides

• See page 100 for Confide options

See pages 111-112 for COM fabric yardage

1 SEAT BENCH



MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
N78D1M	Armless	$	1430	1469	1486	1515	1546	1598	1669	2002	2109

DIMENSIONS

Width	24	Seat Height	18¾	Weight	55
Depth	22½	Seat Depth	22½	Cubic Ft.	8.2
Height	18¾	Seat Width	24		

• Soft glide option available

2 SEAT BENCH



Armless



Arms

			1	2/COM	3/COL	4	5	6	7	L7	L8
N78D2M	Armless	$	1818	1881	1910	1957	2007	2093	2209	2754	2929
N78D2A	Arms		2426	2489	2518	2565	2615	2701	2817	3362	3537

DIMENSIONS

Width	46¼	Seat Height	18¾	Arm Height	24¾	Armless Weight	65
Depth	22½	Seat Depth	22½			Arm Weight	70
Armless Height	18¾	Seat Width	46			Armless Cubic Ft.	20.6
Arm Height	24¾					Arm Cubic Ft.	22.6

• Polyurethane arm caps are standard. Wood arm cap option available for a $87 list upcharge per cap
• Soft glide option available

3 SEAT BENCH



Armless



Arms

			1	2/COM	3/COL	4	5	6	7	L7	L8
N78D3M	Armless	$	2426	2503	2538	2595	2657	2763	2903	3570	3783
N78D3A	Arms		3075	3152	3187	3244	3306	3412	3552	4219	4432

DIMENSIONS

Width	67	Seat Height	18¾	Arm Height	24¾	Armless Weight	75
Depth	22½	Seat Depth	22½			Arm Weight	80
Armless Height	18¾	Seat Width	63			Armless Cubic Ft.	29.7
Arm Height	24¾					Arm Cubic Ft.	32.1

• Polyurethane arm caps are standard. Wood arm cap option available for a $87 list upcharge per cap
• Soft glide option available

TO ORDER, SPECIFY:

1. Model Number
2. Finish/Laminate Designator
3. Frame Color
4. Glides (when applicable)

• See page 100 for Confide options

GANGING END TABLE



MODEL NO.		LIST PRICE
N78TEW	Wood	$ 1560
N78TEL	Laminate	1560

DIMENSIONS

Width	22	Weight	15
Depth	21¼	Cubic Ft.	8.2
Height	16⁹⁄₁₆		

• Soft glide option available

GANGING CORNER TABLE



N78TNW	Wood	$ 2426
N78TNL	Laminate	2426

DIMENSIONS

Width	42	Weight	30
Depth	32	Cubic Ft.	13.2
Height	16⁹⁄₁₆		

GANGING CENTER TABLE



N78TCW	Wood	$ 1517
N78TCL	Laminate	1517

DIMENSIONS

Width	22	Weight	15
Depth	21¼	Cubic Ft.	1.7
Height	16⁹⁄₁₆		

CONFIDE



2) N78GEAU Bariatric Guest
2) N78TCW Ganging Center Table
2) N78AFRAU Add-On with Arm – Right
2) N78T3AU 3 Seat Tandem
2) N78TEW Ganging End Table



1) N78GEAU Bariatric Guest
2) N78B2AU 2 Seat Tandem, Arms, No Center Leg
2) N78TNL Ganging Corner Table



4) N78D1M 1 Seat Bench
3) N78TNW Ganging Corner Table



4) N78GFAU Guest with Arms
1) N78B3EU 3 Seat Tandem, No Center Arms or Legs
1) N78SMW Magazine Table



1) N78TEW Ganging End Table
1) N78T3AW 3 Seat Tandem
1) N78TNW Ganging Corner Table
1) N78SFAW Starter with Arms
5) N78AFRAW Add-On with Arms – Right



2) N78T2AU 2 Seat Tandem
2) N78TNL Ganging Corner Table
1) N78T3AU 3 Seat Tandem



4) N78SFAW Starter with Arms
3) N78TCW Ganging Center Table
2) N78T2AW 2 Seat Tandem
2) N78SMW Magazine Table



4) N78T3AU 3 Seat Tandem

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
N78PAU		1.80	2.20	2.90	3.00	35.5
N78GEAU		2.10	2.30	3.50	3.90	41.5
N78GEAW		1.90	2.00	3.20	3.50	36.5
N78GFAU, N78GFMU, N78SFAU, N78SFMU, N78AFLAU, N78AFRAU, N78AFLMU, N78AFRMU		1.50	1.70	2.60	2.90	30
N78T2AU, N78B2AU, N78B2EU		2.80	3.40	4.10	5.90	55
N78T3AU, N78B3AU, N78B3EU		4.10	5.10	6.50	8.90	80
N78GFAW, N78GFMW, N78SFAW, N78SFMW, N78AFLAW, N78AFRAW, N78AFLMW, N78AFRMW		1.40	1.50	2.20	2.90	26.5
N78T2AW, N78B2AW, N78B2EW		2.40	2.80	3.70	5.40	46.5
N78T3AW, N78B3AW, N78B3EW		3.70	4.30	5.60	7.90	72
N78D1M		1.10	1.20	1.30	1.70	21.5
N78D2M, N78D2A		1.80	1.90	2.20	3.20	34
N78D3M, N78D3A		2.20	2.30	2.90	4.70	43
N78PAUX	Back	1.00	1.20	1.20	1.10	20
	Extreme	1.00	1.10	1.20	1.10	19.5
	Seat	0.90	1.00	1.10	1.30	17
N78GEAUX	Back	0.80	0.80	1.40	1.40	14.5
	Extreme	0.70	0.80	0.80	0.90	12.75
	Seat	1.00	1.10	2.10	1.90	20
N78GEAWX	Back	0.60	0.70	1.20	1.30	12
	Extreme	0.60	0.70	0.70	0.90	10.5
	Seat	1.00	1.10	2.10	1.90	20
N78GFAUX, N78GFMUX, N78SFAUX, N78SFMUX, N78AFLAUX, N78AFRAUX, N78AFLMUX, N78AFRMUX	Back	0.80	0.90	1.10	1.00	14.5
	Extreme	0.70	0.80	0.70	0.90	7
	Seat	0.90	1.00	1.10	1.30	17
N78T2AUX, N78B2AUX, N78B2EUX	Back	1.30	1.50	1.40	2.00	25
	Extreme	0.70	1.40	1.30	1.90	12
	Seat	1.60	1.80	2.00	2.30	31
N78T3AUX, N78B32AUX, N78B32EUX	Back	1.50	1.80	2.30	3.00	28
	Extreme	1.30	2.10	2.00	2.90	24.5
	Seat	2.40	2.50	3.00	3.30	47
N78GFAWX, N78GFMWX, N78SFAWX, N78SFMWX, N78AFLAWX, N78AFRAWX, N78AFLMWX, N78AFRMWX	Back	0.60	0.70	0.70	0.90	12
	Extreme	0.60	0.70	0.70	0.90	5
	Seat	0.90	1.00	1.10	1.30	17
N78T2AWX, N78B2AWX, N78B2EWX	Back	0.90	1.20	1.30	1.30	18
	Extreme	0.60	1.30	1.30	1.40	10.5
	Seat	1.60	1.80	2.00	2.30	31
N78T3AWX, N78B3AWX, N78B3EWX	Back	1.20	1.30	1.90	2.90	22
	Extreme	1.10	1.80	1.90	1.90	20.5
	Seat	2.40	2.50	3.00	3.30	47
N78LAAAU, N78LAAAUB, N78LAAAUR, N78LAAAUL		7.60	9.10	14.80	18.40	150
N78LAAAUX, N78LAAAUBX, N78LAAAURX, N78LAAAULX	Seat	2.80	3.80	3.70	7.80	54
	Back	1.90	2.60	3.00	3.10	35.5
	Arm	2.90	3.20	5.00	7.90	56
	Extreme Back	1.70	2.70	3.00	3.00	33
N78LAAAW, N78LAAAWR, N78LAAAWL, N78LAAAWB		7.70	9.10	14.40	18.40	151

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
N78LAAAWX, N78LAAAWRX,	Seat	2.80	3.80	3.70	7.80	54
N78LAAAWLX, N78LAAAWBX	Front Back	1.60	1.80	2.90	3.00	30.5
	Arm	2.90	3.20	5.00	7.90	56
	Extreme Back	1.50	2.50	2.90	3.00	28.5
N78LAAU, N78LAAUR						
N78LAAUL, N78LAAUB		5.40	6.40	10.20	12.90	105
N78LAAUX, N78LAAURX,	Seat	1.90	2.60	2.50	5.30	40
N78LAAULX, N78LAAUBX	Back	1.70	1.80	2.10	2.10	32
	Arm	2.40	2.60	3.30	5.90	45
	Extreme Back	0.90	1.90	2.10	2.00	17
N78LAAW, N78LAAWR						
N78LAAWL, N78LAAWB		5.10	6.10	10.20	12.90	100
N78LAAWX, N78LAAWRX	Seat	1.90	2.60	2.50	7.30	40
N78LAAWLX, N78LAAWBX	Front Back	1.50	1.70	2.00	2.00	28
	Arm	2.40	2.60	3.30	5.90	45
	Extreme Back	0.80	1.70	2.00	2.00	14.5
N78LAU, N78LAUR, N78LAUL		3.20	3.70	5.90	7.40	61
N78LAUX, N78LAURX,	Seat	1.30	1.30	1.30	2.80	23.5
N78LAULX	Back	1.00	1.00	1.20	1.10	18.5
	Arm	1.80	1.80	2.80	3.90	34
	Extreme Back	0.90	1.00	1.10	1.00	8
N78LAW, N78LAWR,						
N78LAWL		3.00	3.70	5.90	7.40	57.5
N78LAWX, N78LAWRX,	Seat	1.30	1.30	1.30	2.80	23.5
N78LAWLX	Front Back	0.90	0.90	1.10	1.00	15.5
	Arm	1.80	1.80	2.80	3.90	34
	Extreme Back	0.80	0.90	1.10	1.00	8
N78LBU, N78LBUR,						
N78LBUL, N78LBUB		4.70	5.90	8.90	11.30	92
N78LBUX, N78LBURX,	Seat	1.90	2.60	2.50	5.30	40
N78LBULX, N78LBUBX	Back	1.70	1.80	2.10	2.10	32
	Arm	1.80	1.80	2.80	3.90	34
	Extreme Back	0.90	1.90	2.10	2.00	17
N78LBW, N78LBWR,						
N78LBWL, N78LBWB		4.40	5.50	8.70	11.30	87
N78LBWX, N78LBWRX,	Seat	1.90	2.60	2.50	5.30	40
N78LBWLX, N78LBWBX	Front Back	1.50	1.70	2.00	2.00	28
	Arm	1.80	1.80	2.80	3.90	34
	Extreme Back	0.80	1.70	2.00	2.00	14.5
N78LCU, N78LCUR,						
N78LCUL, N78LCUB		6.40	7.60	12.00	15.80	126
N78LCUX, N78LCURX,	Seat	2.80	3.80	3.70	7.80	54
N78LCULX, N78LCUBX	Back	1.90	2.60	3.00	3.10	35.5
	Arm	1.80	1.80	2.80	3.90	34
	Extreme Back	1.70	2.70	3.00	3.00	33
N78LCW, N78LCWR,						
N78LCWL, N78LCWB		6.10	7.30	12.00	15.80	118.5
N78LCWX, N78LCWRX,	Seat	2.80	3.80	3.70	7.80	54
N78LCWLX, N78LCWBX	Front Back	1.60	1.80	2.90	3.00	30.5
	Arm	1.80	1.80	2.80	3.90	34
	Extreme Back	1.50	2.50	2.90	3.00	28.5
N78LEU		4.10	4.80	5.90	7.40	78.5
N78LEUX	Seat	1.30	1.70	1.80	2.80	24
	Back	1.00	1.00	1.20	1.50	18.5
	Arm	1.80	1.80	2.80	3.90	34
	Extreme Back	0.90	1.00	1.10	1.00	17
N78LEW		3.80	4.50	5.90	7.40	74
N78LEWX	Seat	1.30	1.70	1.80	2.80	24
	Front Back	0.90	0.90	1.10	1.40	15.5
	Arm	1.80	1.80	2.80	3.90	34
	Extreme Back	0.80	0.90	1.10	1.00	14.5

DAVARI

Product Specifications 114
Fabrics and Options 115
Contrasting Fabrics Specifications 116
Stitch-it Specifications 116
Product Pages 117
COM Yardage Requirements 118
Stitch-It Yardage Requirements 118

DAVARI

DAVARI PRODUCT SPECIFICATIONS



GUEST SEATING

FRAME CONSTRUCTION

- Constructed of exterior steam bent beech with mortise and tenon joints that are securely glued for maximum joint stability
- Features an interior metal support frame for added strength
- Wall saving design feature on back legs
- Non-marring nylon glides

SEAT CONSTRUCTION

- 2" of custom molded, controlled density polyurethane foam covers a plywood panel with high tension strip webbing for comfort

BACK CONSTRUCTION

- 1¼" high grade polyurethane foam covers a contoured plywood panel for added support and comfort

CONTRASTING FABRICS

- Available with contrasting fabric

STITCH-IT

- All models available with Stitch-it option

FINISH

- Wood components feature a catalyzed top coat that resists denting, peeling and reactions to chemicals
- Can be cleaned with damp cloth
- When specifying Brighton, Natural, and Sonoma finish, variation in color is acceptable due to the nature of wood characteristics

WOOD SPECIES

- Beech

All Davari models may be ordered to meet TB133 fire code.

To order seating to meet the TB133 fire code, specify an "F" at the end of the model number (Ex: N48GFAF).

For TB133 pricing go to www.NationalOfficeFurniture.com/TB133

Please consult customer service for applicable Arc-Com, Carnegie, Designtex, Maharam, Mayer, Momentum, Stinson, or Ultrafabrics fabric.

FABRICS

Grade 1	Cali
	Entwine
	Input
	Melange
	Ridge
	Spark
	Vessel
	Zig Zag
Grade 2	Bliss
	Brilliant
	COM
	Dolce
	Dorset
	Intuition
	Orbit
	Phrase
	Pixie
	Sedona
	Stancil
	Strand
Grade 3	COL
	Silvertex
Grade 4	Connect Four
	Echo
	Masquerade
Grade 5	Mode
Grade 6	Essence/Ultraleather
Grade 7	Brisa
	Brisa Distressed
	Reef Pro
	Silica
	Silica Etch
	Tottori
Grade L7	Davenport
Grade L8	Florence

FINISHES

AC	Autumn	NM	Natural
AD	Almond	PB	Portobello
BZ	Brazilwood	PC	Porcini
CI	Chai	PT	Portico
CL	Caramel	SK	Skyline
CW	Cordovan	SM	Sonoma
DW	Judicial	TF	Truffle
HN	Honey	WL	Willow
IM	Brighton	405	Designer White
KN	Kona	462	Cinder
MC	Amber	792	Sable
MH	Mocha	793	Acorn*

*Acorn is the finish complement to Clear Walnut finish

TO ORDER CONTRASTING FABRIC, SPECIFY

DAVARI
Arms page 117
Armless page 117

1. Model Number plus "X"
2. Back Fabric Grade Number/Cover Number
3. Extreme Back Fabric Grade Number/Cover Number
4. Seat Fabric Grade Number/Cover Number
5. Finish Designator



Contrasting

Contrasting Back View

TO ORDER WITH STITCH-IT, SPECIFY

DAVARI
Arms page 117
Armless page 117

1. Model Number
2. Back Fabric Grade Number/Cover Number
3. Back Stitch-it Options
4. Extreme Back Fabric Grade Number/Cover Number
5. Seat Fabric Grade Number/Cover Number
6. Seat Stitch-it Options
7. Finish Designator

Note: Locations not applicable to all models

DAVARI

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Cover Number
4. Finish Designator

- See page 115 for Davari options
- See pages 19-20 for Stitch-it options

See page 118 for COM fabric yardage

ARMS



MODEL NO.

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
N48GFA	$	1956	2016	2043	2087	2135	2216	2325	2840	3005
QN48GFA		1956	2016	2043	2087	2135	2216	2325		

DIMENSIONS

Width	23⅜	Seat Height	18	Arm Height	26	Weight	39
Depth	26½	Seat Depth	17½	Back Height	14½	Cubic Ft.	16.8
Height	32¾	Seat Width	20⅛	Back Width	20⅛		

- Contrasting fabric option – specify X (i.e., N48GFAX); see page 116. For list pricing, use your electronic specification tool or contact customer service
- Stitch-it option – specify V (i.e., N48GFAV). For list pricing, use your electronic specification tool or contact customer service
- Stitch-it locations; Front Back and Seat

ARMLESS



		1	2/COM	3/COL	4	5	6	7	L7	L8
N48GFM	$	1855	1915	1942	1986	2034	2115	2224	2739	2904
QN48GFM		1855	1915	1942	1986	2034	2115	2224		

DIMENSIONS

Width	23⅜	Seat Height	18	Back Height	14½	Weight	38
Depth	26½	Seat Depth	17½	Back Width	20⅛	Cubic Ft.	16.8
Height	32¾	Seat Width	20⅛				

- Contrasting fabric option – specify X (i.e., N48GFMX); see page 116. For list pricing, use your electronic specification tool or contact customer service
- Stitch-it option – specify V (i.e., N48GFMV). For list pricing, use your electronic specification tool or contact customer service
- Stitch-it locations; Front Back and Seat

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
N48GFA, N48GFM		1.70	1.70	2.90	3.00	31.5
N48GFAX	Back	0.90	0.90	1.00	1.30	8
N48GFMX	Extreme	0.80	0.90	0.90	0.80	6.5
	Seat	1.10	1.10	1.20	1.10	19

STITCH-IT YARDAGE REQUIREMENTS
For Non-Stitch-It locations, reference contrasting model yardage requirements in the Master Seating Pricelist.

MODEL NUMBER	STITCH-IT LOCATION	NON DIRECTIONAL YARDAGE
N48GFAV, N48GFMV	Front Back	1.00
	Seat	1.50

DELGADO

Product Specifications 120
Fabrics and Options 121
Contrasting Fabrics Specifications 122
Product Pages 123
COM Yardage Requirements 125

DELGADO

DELGADO PRODUCT SPECIFICATIONS

SEAT AND BACK CONSTRUCTION

- ½" molded plywood, cross banded for strength, forms seat and back
- 1½" of high grade polyurethane foam covers seat and back

EXPOSED PLYWOOD BACK

- 9-ply, solid molded quarter-cut maple plywood panels

CONTROL MECHANISM

- Polished aluminum control mechanism and cylinder
- Static model features 360° swivel with auto-return
- Mobile model features 360° swivel

BASE, CASTERS AND GLIDES
4-Prong Low and High Profile Polished Aluminum Base

- Silver polyethylene glides are standard
- Felt pad glides are available for an additional upcharge

5-Prong Mobile Polished Aluminum Base

- Available in Static or Height Adjustable
- Black, hard double wheel casters, which work on multiple surfaces, are standard
- Soft casters are available for an additional upcharge

4-Prong High Profile Wood Base

- Maple
- Non-marring nylon glides are standard

Sled Base

- 15/32" welded, polished, tubular steel
- Translucent, polyethylene glides are standard and work on all floor types

Wood Rocker Base

- Maple
- Polished, tubular steel

UPHOLSTERY DETAIL

- Contrasting fabric available on all models
- Due to dimensional design of back and arms, horizontal stripes and large patterns are not recommended, as they will appear distorted or wavy
- Due to the inherent characteristics of upholstery materials, loose comfort wrinkles may be present or appear over time

FINISH

- Features a catalyzed top coat that resists denting, peeling, and reactions to chemicals
- Can be cleaned with a damp cloth
- When specifying Brighton, Natural, and Sonoma finish, variation in color is acceptable due to the nature of wood characteristics

FABRICS

Grade 1	Cali
	Entwine
	Input
	Melange
	Ridge
	Spark
	Vessel
	Zig Zag
Grade 2	Bliss
	Brilliant
	COM
	Dolce
	Dorset
	Intuition
	Orbit
	Phrase
	Sedona
	Stancil
	Strand
Grade 3	COL
	Silvertex
Grade 4	Connect Four
	Echo
	Masquerade
Grade 5	Mode
Grade 6	Essence/Ultraleather
Grade 7	Brisa
	Brisa Distressed
	Reef Pro
	Silica
	Silica Etch
	Tottori
Grade L7	Davenport
Grade L8	Florence

FINISHES

BACK PANELS AND BASES

AC	Autumn	NM	Natural
AD	Almond	PB	Portobello
BZ	Brazilwood	PC	Porcini
CI	Chai	PT	Portico
CL	Caramel	SK	Skyline
CW	Cordovan	SM	Sonoma
DW	Judicial	TF	Truffle
HN	Honey	WL	Willow
IM	Brighton	405	Designer White
KN	Kona	462	Cinder
MC	Amber	792	Sable
MH	Mocha	793	Acorn*

*Acorn is the finish complement to Clear Walnut finish

CASTERS

5-PRONG MOBILE POLISHED ALUMINUM BASE

C3	Hard (standard)
C4	Soft (add $36 list)

GLIDES

4-PRONG LOW AND HIGH PROFILE POLISHED ALUMINUM BASE

STD	Hard (standard)
C58	Soft (add $41 list)

BASES

4-PRONG LOW PROFILE POLISHED ALUMINUM



4-PRONG HIGH PROFILE POLISHED ALUMINUM



4-PRONG HIGH PROFILE WOOD



5-PRONG MOBILE LOW PROFILE POLISHED ALUMINUM



SLED BASE



WOOD ROCKER BASE



TO ORDER CONTRASTING FABRIC, SPECIFY

DELGADO
4-Prong Low Profile Polished Aluminum Base page 123
4-Prong High Profile Polished Aluminum Base page 123
4-Prong High Profile Wood Base page 123
5-Prong Low Profile Mobile Base page 123
5-Prong Low Profile Height Adjustable Mobile Base page 124
Sled Base page 124
Wood Rocker Base page 124

1. Model Number plus "X"
2. Back Fabric Grade Number/Cover Number
3. Extreme Back Fabric Grade Number/Cover Number
4. Seat Fabric Grade Number/Cover Number
5. Finish (when applicable)
6. Casters/Glides (when applicable)



Contrasting Fabric Front View
Upholstered Back



Contrasting Fabric Back View
Upholstered Back



Contrasting Fabric Back View
Exposed Plywood Back

DELGADO

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Finish (when applicable)
4. Glides / Casters (when applicable)

• See page 121 for Delgado options
See page 125 for COM fabric yardage

4-PRONG LOW PROFILE POLISHED ALUMINUM BASE



MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
N53GU4LM	Fully Upholstered	$	2092	2176	2214	2277	2344	2459	2613	3340	3573
N53GW4LM	Exposed Plywood Back		2391	2461	2493	2545	2601	2697	2825	3431	3625

DIMENSIONS

Width	27¾	Seat Height	18¼	Arm Height	28	Weight	42
Depth	26	Seat Depth	18¾	Back Height	18½	Cubic Ft.	16.7
Height	33¼	Seat Width	17	Back Width	18		

• Contrasting fabric option – specify X (i.e., N53GU4LMX); see page 122. For list pricing, use your electronic specification tool or contact customer service

4-PRONG HIGH PROFILE POLISHED ALUMINUM BASE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N53GU4HM	Fully Upholstered	$	2092	2176	2214	2277	2344	2459	2613	3340	3573
N53GW4HM	Exposed Plywood Back		2391	2461	2493	2545	2601	2697	2825	3431	3625

DIMENSIONS

Width	27¾	Seat Height	18½	Arm Height	28¼	Weight	42
Depth	26	Seat Depth	18¾	Back Height	18½	Cubic Ft.	20.3
Height	33½	Seat Width	17	Back Width	18		

• Contrasting fabric option – specify X (i.e., N53GU4HMX); see page 122. For list pricing, use your electronic specification tool or contact customer service

4-PRONG HIGH PROFILE WOOD BASE



			1	2/COM	3/COL	4	5	6	7	L7	L8
N53GU4HW	Fully Upholstered	$	2465	2549	2587	2650	2717	2832	2986	3713	3946
N53GW4HW	Exposed Plywood Back		2764	2834	2866	2918	2974	3070	3198	3804	3998

DIMENSIONS

Width	27¾	Seat Height	18¾	Arm Height	28¼	Weight	41
Depth	26	Seat Depth	18¾	Back Height	18½	Cubic Ft.	20.3
Height	33¾	Seat Width	17	Back Width	18		

• Contrasting fabric option – specify X (i.e., N53GU4HWX); see page 122. For list pricing, use your electronic specification tool or contact customer service

5-PRONG LOW PROFILE MOBILE BASE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N53GU5LMC	Fully Upholstered	$	2092	2176	2214	2277	2344	2459	2613	3340	3573
N53GW5LMC	Exposed Plywood Back		2391	2461	2493	2545	2601	2697	2825	3431	3625

DIMENSIONS

Width	27¾	Seat Height	18¼	Arm Height	28	Weight	44
Depth	26	Seat Depth	18¾	Back Height	18½	Cubic Ft.	20.3
Height	33¼	Seat Width	17	Back Width	18		

• Contrasting fabric option – specify X (i.e., N53GU5LMCX); see page 122. For list pricing, use your electronic specification tool or contact customer service

DELGADO

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Finish (when applicable)
4. Glides / Casters (when applicable)

• See page 121 for Delgado options
See page 125 for COM fabric yardage

5-PRONG LOW PROFILE HEIGHT ADJUSTABLE MOBILE BASE

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
N53GU5LAMC	Fully Upholstered	$	2235	2319	2357	2420	2487	2602	2756	3483	3716
N53GW5LAMC	Exposed Plywood Back		2533	2603	2635	2687	2743	2839	2967	3573	3767

DIMENSIONS

Width	27¾	Seat Height	15⅜-19⅞	Arm Height	25½-31½	Weight	44
Depth	26	Seat Depth	18¾	Back Height	18½	Cubic Ft.	20.3
Height	29¾-34½	Seat Width	17	Back Width	18		

• Contrasting fabric option – specify X (i.e., N53GU5LAMCX); see page 122. For list pricing, use your electronic specification tool or contact customer service

SLED BASE



			1	2/COM	3/COL	4	5	6	7	L7	L8
N53GUMD	Fully Upholstered	$	2092	2176	2214	2277	2344	2459	2613	3340	3573
N53GWMD	Exposed Plywood Back		2391	2461	2493	2545	2601	2697	2825	3431	3625

DIMENSIONS

Width	27¾	Seat Height	18	Arm Height	27¾	Weight	44
Depth	26	Seat Depth	18¾	Back Height	18½	Cubic Ft.	20.3
Height	33	Seat Width	17	Back Width	18		

• Contrasting fabric option – specify X (i.e., N53GUMDX); see page 122. For list pricing, use your electronic specification tool or contact customer service

WOOD ROCKER BASE



			1	2/COM	3/COL	4	5	6	7	L7	L8
N53GURKW	Fully Upholstered	$	2321	2405	2443	2506	2573	2688	2842	3569	3802
N53GWRKW	Exposed Plywood Back		2621	2691	2723	2775	2831	2927	3055	3661	3855

DIMENSIONS

Width	27¾	Seat Height	17½	Arm Height	27¼	Weight	44
Depth	26	Seat Depth	18¾	Back Height	18½	Cubic Ft.	20.3
Height	32½	Seat Width	17	Back Width	18		

• Contrasting fabric option – specify X (i.e., N53GURKWX); see page 122. For list pricing, use your electronic specification tool or contact customer service

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
N53GU4LM, N53GU4HM, N53GU4HW, N53GU5LMC, N53GU5LAMC, N53GURKW N53GUMD	Complete	2.90	3.20	4.00	4.50	57.6
N53GU4LMX, N53GU4HMX, N53GU4HWX, N53GU5LMCX, N53GU5LAMCX, N53GURKWX N53GUMDX	Seat	0.90	1.00	1.40	1.50	17.2
	Back	0.90	1.00	1.40	1.50	17.2
	Extreme	1.30	1.00	1.40	1.50	24.4
N53GW4LM, N53GW4HM, N53GW4HW, N53GW5LMC, N53GW5LAMC, N53GWRKW, N53GWMD	Complete	1.70	1.90	2.30	2.50	33.8
N53GW4LMX, N53GW4HMX, N53GW4HWX, N53GW5LMCX, N53GW5LAMCX, N53GWRKWX N53GWMDX	Seat	0.90	1.00	1.40	1.50	17.2
	Back	0.90	1.00	1.40	1.50	17.2

DELGADO

DITTO

Product Specifications 128
Fabrics and Options 129
Product Pages 130

DITTO

DITTO PRODUCT SPECIFICATIONS



FRAME CONSTRUCTION

- Sled base frame legs are made of ⅝" thick steel for strength and durability
- Cross members are constructed of 1½" x ⅛" 15-gauge thick steel
- Legs are joined to cross member bars with metal inert gas (MIG) welds

STOOL FRAME CONSTRUCTION

- Frame legs are made of ¾" thick steel for strength and durability
- Cross members are constructed of 1½" x ⅛" 15-gauge thick steel
- Legs are joined to cross member bars with metal inert gas (MIG) welds

BACK AND SEAT CONSTRUCTION

- Contoured, injection molded polypropylene seat and back
- Seats and back are attached to the frame with screws

UPHOLSTERED SEAT PAD

- Polypropelene seat panel
- ½" polyurethane foam

GLIDES

- Durable clear nylon glides are standard
- Glides are ganging on guest chair, stool model is non-ganging
- Clear felt glide option available for an upcharge

FINISHED

- Polished aluminum

TRANSPORT DOLLY

- ¾" x 14-gauge tubular steel
- 3" locking casters
- Black electrostatically baked-on powder coat paint is standard
- Some assembly required

STACKING CAPABILITIES

- Plastic seat models can be stacked up to 25 high on transport dolly and 8 high on floor
- Upholstered seat models can be stacked up to 20 high on transport dolly and 6 high on floor

All Ditto models may be ordered to meet TB133 fire code.

FABRICS

Grade 1	Cali
	Entwine
	Input
	Melange
	Ridge
	Spark
	Vessel
	Zig Zag
Grade 2	Bliss
	Brilliant
	COM
	Dolce
	Dorset
	Intuition
	Orbit
	Phrase
	Pixie
	Sedona
	Stancil
	Strand
Grade 3	COL
	Silvertex
Grade 4	Connect Four
	Echo
	Masquerade
Grade 5	Mode
Grade 6	Essence/Ultraleather
Grade 7	Brisa
	Brisa Distressed
	Reef Pro
	Silica
	Silica Etch
	Tottori
Grade L7	Davenport
Grade L8	Florence

BACK/SEAT COLORS

201	White
202	Light Grey
204	Taupe
205	Red
206	Blue
208	Black
209	Orange

GLIDES

STD	Hard (standard)
C56	Soft (add $24 list per chair)

DITTO

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Back/Seat Color
3. Glides

• See page 129 for Ditto options

GUEST STACKER

MODEL NO.		GRADE / LIST PRICE	
N36GM	Package of 1, Plastic	$	372
QN36GM	Package of 1, Plastic		372
N36G4M	Package of 4, Plastic		1158
QN36G4M	Package of 4, Plastic		1158

			1	2/COM	3/COL	4	5	6	7	L7	L8
N36GMU	Upholstered Seat Pad, Package of 1	$	625	646	656	671	688	717	755	937	995
N36G4MU	Upholstered Seat Pad, Package of 4		1942	2026	2064	2127	2194	2309	2463	3190	3423

DIMENSIONS

Width	22¼	Seat Height	18⅜	Back Height	17¼	Weight (1)	27
Depth	21½	Seat Depth	17⅛	Back Width	17⅞	Cubic Ft. (1)	16.7
Height	33⅜	Seat Width	18			Weight (4)	69
						Cubic Ft. (4)	17.3

• Felt ganging glide option available

COUNTER HEIGHT STOOL

N36CM	Package of 1, Plastic	$	556
QN36CM	Package of 1, Plastic		556
N36C2M	Package of 2, Plastic		1032
QN36C2M	Package of 2, Plastic		1032

			1	2/COM	3/COL	4	5	6	7	L7	L8
N36CMU	Upholstered Seat Pad, Package of 1	$	770	791	801	816	833	862	900	1082	1140
N36C2MU	Upholstered Seat Pad, Package of 2		1431	1473	1492	1523	1557	1615	1691	2055	2171

DIMENSIONS

Width	21½	Seat Height	24½	Back Height	17⅛	Weight (1)	29
Depth	23½	Seat Depth	17½	Back Width	17¾	Cubic Ft. (1)	14.3
Height	38¾	Seat Width	18			Weight (2)	49
						Cubic Ft. (2)	15.3

• Felt non-ganging glide option available

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Back/Seat Color
3. Glides

• See page 129 for Ditto options

BAR HEIGHT STOOL





MODEL NO.		GRADE / LIST PRICE	
N36SM	Package of 1, Plastic	$	556
QN36SM	Package of 1, Plastic		556
N36S2M	Package of 2, Plastic		1032
QN36S2M	Package of 2, Plastic		1032

			1	2/COM	3/COL	4	5	6	7	L7	L8
N36SMU	Upholstered Seat Pad, Package of 1	$	770	791	801	816	833	862	900	1082	1140
N36S2MU	Upholstered Seat Pad, Package of 2		1431	1473	1492	1523	1557	1615	1691	2055	2171

DIMENSIONS

Width	21¼	Seat Height	30¼	Back Height	17¼	Weight (1)	31
Depth	22¾	Seat Depth	17⅛	Back Width	17⅞	Cubic Ft. (1)	17.2
Height	45	Seat Width	18			Weight (2)	50
						Cubic Ft. (2)	19.2

• Felt non-ganging glide option available

TRANSPORT DOLLY



N36TD	Black	$	652

DIMENSIONS

Width	26
Depth	42
Height	21¾

DIMENSIONS WITH 25 CHAIRS

Width	26 (front view)	Weight	29
Depth	43¼ (side view)	Cubic Ft.	10.6
Height	69¼		

• For use with the Guest Stacker model only

DITTO

EKLUND

Product Specifications 134
Fabrics and Options 135
Contrasting Fabrics Specifications 136
Product Pages 137
Typicals 151
COM Yardage Requirements 154

EKLUND

EKLUND PRODUCT SPECIFICATIONS



FRAME CONSTRUCTION
- Interior frame is constructed of oriented strand board with tenon joints that are glued and stapled for maximum joint stability
- Frames and table platforms are wrapped in high grade polyurethane foam and upholstered

SEAT CONSTRUCTION
- Seat cushions are attached and feature 7" high grade polyurethane foam placed on a plywood panel

BACK & ARM CONSTRUCTION
- Back and arms consist of 4" high grade polyurethane foam which is custom shaped, stretched over web sheet, and attached to frame

PRIVACY PANEL CONSTRUCTION
- Wrapped in high grade polyurethane foam and shipped attached to lounge unit
- Modular units come with panel brackets which are installed in-field and ensure panel to panel alignment
- Media spanner panels feature threaded inserts to accept a TV mount (for up to a 32" flat panel), shipped separately
- Privacy panels are non-tackable

UPHOLSTERY DETAIL
- Due to dimensional design of the back, horizontal stripes and large patterns are not recommended, as they will appear distorted or wavy
- Contrasting fabric available on all models, except tables. See page 136 for contrasting locations
- Accent upholstery present on all tables
- Thicker fabrics may cause minor puckering on tufted models
- Leather is not recommended for use on curved privacy panels, (i.e. curved extension panel, lounge nook or desk nook)



TABLES / DESK NOOK
- Laminate surfaces are 1³⁄₁₆" thick HPL (high pressure laminate) and feature standard 3mm PVC edge
- Solid surfaces are 1³⁄₁₆" thick and feature a flat rim profile, available on square and corner tables

CONSOLE TABLES
- Constructed of ¾" TFL (thermally fused laminate) with a 0.5mm self-edge top panel
- Solid surface models feature TFL vertical panels with 1" thick solid surface tops

TABLET
- 1" thick reversed half-bullnose profile laminate with clear-coated exposed plywood core
- Allows for 90° swivel and writing surface of 11.5"W x 22.5"L
- Attached to the frame with a ¼" steel base plate with machine screws into threaded inserts
- Tablet height is 27½" from floor to top of tablet surface
- Tablet support column is made of steel and always black

ROCKER
- Solid Beech runners are attached to a welded and powder coated steel frame

LOUNGE LEGS
- 8" tall, 1½" inch diameter steel tube powder coated with adjustable glide
- Tapered wood leg is solid Beech and comes in multiple finish options with adjustable glide
- Ships unattached for installation in the field
- Starter models come with standard legs and ganging legs, add-ons come with ganging legs only, and end models come with standard legs only. Unique hardware kits are shipped for proper attachment

GLIDES
- Features 1" adjustable nylon leveling glides
- Soft/non-skid 1" adjustable glides are available for an additional upcharge

FINISH
- Features a catalyzed top coat that resists denting, peeling, and reactions to chemicals
- Can be cleaned with a damp cloth
- When specifying Brighton, Natural, and Sonoma finish, variation in color is acceptable due to the nature of wood characteristics

POWER & USB GROMMET
- Power grommet cutout available on lounge nook, desk nook, and laminate console tables
- UL Listed
- Hardwire, plug, and 4-trac solutions available
- Features 1 power outlet and 1 USB A+C combo ports
- Grommet available in black, silver, and white
- Field installable when CUT-G38 is specified
- Tamper resistant and spill proof

UNDERMOUNT & CONVENIENCE OUTLETS
- UL Listed
- Undermount grommet features 1 power outlet and 2 USB (A) ports
- Convenience grommet features 2 power outlets
- Only available in black
- Field installable, units can be placed on the underside of any flat surface

LED LIGHT
- Available on Desk Nook and field installable when CUT-LT1L (LEFT) or CUT-LT1R (RIGHT) is specified
- UL Listed
- Powered via plug
- Available in silver only
- Features one-touch on/off and flexible neck for user adjustability

FABRICS

Grade 1	Cali
	Entwine
	Input
	Melange
	Ridge
	Spark
	Vessel
	Zig Zag
Grade 2	Bliss
	Brilliant
	COM
	Dolce
	Dorset
	Intuition
	Orbit
	Phrase
	Pixie
	Sedona
	Stancil
	Strand
Grade 3	COL
	Silvertex
Grade 4	Connect Four
	Echo
	Masquerade
Grade 5	Mode
Grade 6	Essence/Ultraleather
Grade 7	Brisa
	Brisa Distressed
	Reef Pro
	Silica
	Silica Etch
	Tottori
Grade L7	Davenport
Grade L8	Florence

PAINT COLORS - METAL LEG AND PANEL BRACKET

103	Chive*	425	Shadow*
105	Spinach Green**	440	Cloud*
106	Cloud Blue**	450	Fog*
107	Dark Blue**	460	Storm*
111	Apricot Orange**	461	Graphite*
112	Tango Red**	462	Cinder
113	Golden Rod**	463	Iron*
405	Designer White	488	Frosty White*
419	Wallaby*	501	Platinum Metallic
420	Sandstone*	503	Satin Nickel Metallic
423	Concrete*		

*Extended lead time
**10% list upcharge and four week lead time

- The following paint colors will receive black screws (where applicable) Cinder, Chive, Spinach Green, Dark Blue, Tango Red, Shadow, Graphite, Satin Nickel Metallic, Concrete, and Iron
- The following paint colors will receive silver screws (where applicable) Platinum Metallic, Cloud Blue, Apricot Orange, Golden Rod, Designer White, Wallaby, Sandstone, Cloud, Fog, Storm, and Frosty White

WOOD LEG FINISH COLORS

WAC	Autumn	WPB	Portobello
WAD	Almond	WPC	Porcini
WBZ	Brazilwood	WPT	Portico
WCI	Chai	WSK	Skyline
WCL	Caramel	WSM	Sonoma
WCW	Cordovan	WTF	Truffle
WDN	Judicial	WWL	Willow
WHN	Honey	W405	Designer White
WIM	Brighton	W462	Cinder
WKN	Kona	W792	Sable
WMC	Amber	W793	Acorn
WMH	Mocha		
WNM	Natural		

LAMINATE COLORS

WOODGRAIN LAMINATE

AC2	Autumn 2	MH	Mocha
AD	Almond**	NM	Natural
BZ	Brazilwood	PB	Portobello
CI	Chai	PC	Porcini
CL	Caramel	PT	Portico
CW	Cordovan	SK	Skyline
DW	Judicial	SM	Sonoma
HN2	Honey 2	TF	Truffle
IM	Brighton	WL	Willow
KN	Kona	792	Sable
MC	Amber	793	Acorn*

SOLID LAMINATE

405	Designer White
419	Wallaby
425	Shadow
440	Cloud
457	Dapple
461	Graphite
462	Cinder
478	Platinum Grey
488	Frosty White
491	Designer White Linear
492	Cinder Linear

*Acorn is the laminate complement to Clear Walnut finish
**Almond is the leg finish complement to Clear Walnut finish

GALLERY LAMINATE

Grade 1 – 5% upcharge

G1001	Citadel
G1011	Pepperdust

Grade 2 – 6% upcharge

G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

See page 21 for Gallery program details and upcharges

GLIDES

STD	Standard
C66	Soft (add $41 list)

SOLID SURFACE TOP OPTIONS

7101	Bisque (Grade A)
7201	Glacier White (Grade A)
7202	Canyon (Grade B)
7203	Designer White (Grade B)
7204	Silt (Grade B)
7301	Concrete (Grade C)
7302	Deep Night Sky (Grade C)
7303	Deep Nocturne (Grade C)

LED LIGHT CUTOUT OPTIONS - DESK NOOK

($40 list upcharge per location)

CUT-LT1L	Light Cutout, Left
CUT-LT1R	Light Cutout, Right
X	No Light

Lights sold separately; reference page 150 for model number and pricing

POWER/USB GROMMET CUTOUT OPTIONS

($40 list upcharge per location)

CUT-G38C	G38 Cutout
X	No Grommet

Grommets sold separately; reference page 149 for model numbers and pricing

TO ORDER CONTRASTING FABRIC, SPECIFY

EKLUND
Freestanding Lounge with Privacy pages 137-141
Modular Lounge with Privacy page 144

1. Model Number plus "X"
2. Back Fabric Grade Number/Cover Number
3. Back Accent Fabric Grade Number/Cover Number
4. Extreme Back Fabric Grade Number/Cover Number
5. Seat Fabric Grade Number/Cover Number
6. Accent Fabric Grade Number/Cover Number
7. Grommet (when applicable)
8. Tablet Arm Laminate (when applicable)
9. Laminate Color (when applicable)
10. Panel Bracket Paint (when applicable)
11. Leg Material/Finish
12. Glides



Lounge Nook Contrasting Upholstery

Freestanding Lounge without Privacy page 137
Modular Lounge without Privacy page 142

1. Model Number plus "X"
2. Back Fabric Grade Number/Cover Number
3. Extreme Back Fabric Grade Number/Cover Number
4. Seat Fabric Grade Number/Cover Number
5. Accent Fabric Grade Number/Cover Number
6. Leg Material/Finish
7. Glides



Lounge Contrasting Upholstery

Freestanding Bench page 141
Modular Bench page 143

1. Model Number plus "X"
2. Seat Fabric Grade Number/Cover Number
3. Accent Fabric Grade Number/Cover Number
4. Leg Material/Finish
5. Glides



Bench Contrasting Upholstery

Desk Nook and Curved Extension Panel page 141
Spanner and Extension Panels page 145

1. Model Number plus "X"
2. Extreme Back Fabric Grade Number/Cover Number
3. Back Accent Fabric Grade Number/Cover Number
4. Leg Material/Finish (when applicable)
5. Glides



Spanner Panel Contrasting Upholstery

Tufted Models pages 137, 139-140

1. Model Number plus "X"
2. Upholstery Fabric Grade Number/Cover Number
3. Seat Fabric Grade Number/Cover Number
4. Leg Material/Finish
5. Glides



Tufted Contrasting Upholstery

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Leg Material / Finish
4. Glide

• See page 135 for Eklund options

See pages 154-156 for COM fabric yardage

FREESTANDING SINGLE SEAT ARMLESS



Single Seat Armless

MODEL NO. | **GRADE / LIST PRICE**

			1	2/COM	3/COL	4	5	6	7	L7	L8
N86LF1M	Single Seat, Armless	$	2833	2945	2996	3079	3169	3323	3527	4497	4807
N86LF1MT	Single Seat, Armless, Tufted		3872	4156	4285	4496	4723	5111	5630	8084	8870

DIMENSIONS

Width	29	Seat Width	29	Back Width	29	Weight	65
Depth	29	Seat Depth	22¼	Back Height	14½	Cubic Ft.	15.9
Height	30	Seat Height	16¼				

• Legs shipped unattached for installment in the field
• Contrasting fabric option – specify X (i.e., N86LF1MX); see page 136. For list pricing, use your electronic specification tool or contact customer service

FREESTANDING SINGLE SEAT WITH ARMS



Tufted Single Seat Arms

			1	2/COM	3/COL	4	5	6	7	L7	L8
N86LF1A	Single Seat, Arms	$	3178	3304	3362	3455	3556	3729	3959	5050	5399
N86LF1AT	Single Seat, Arms, Tufted		4855	5224	5393	5667	5963	6469	7144	10341	11364

DIMENSIONS

Width	38½	Seat Width	24¾	Arm Height	24¼	Back Width	19	Weight	83
Depth	30¼	Seat Depth	20¾	Arm Width	7	Back Height	13¾	Cubic Ft.	20.7
Height	30	Seat Height	16¼						

• Legs shipped unattached for installment in the field
• Contrasting fabric option – specify X (i.e., N86LF1AX); see page 136. For list pricing, use your electronic specification tool or contact customer service

FREESTANDING TWO SEAT



Two Seat

			1	2/COM	3/COL	4	5	6	7	L7	L8
N86LF2A	Two Seat	$	4560	4742	4825	4960	5106	5356	5688	7264	7768
N86LF2AT	Two Seat, Tufted		6423	6812	6989	7278	7589	8121	8832	12195	13272

DIMENSIONS

Width	68	Seat Width	54½	Arm Height	24¼	Back Width	38¾	Weight	150
Depth	30	Seat Depth	20¾	Arm Width	7	Back Height	14½	Cubic Ft.	36.0
Height	30	Seat Height	16½						

• Legs shipped unattached for installment in the field
• Contrasting fabric option – specify X (i.e., N86LF2AX); see page 136. For list pricing, use your electronic specification tool or contact customer service

FREESTANDING THREE SEAT



Tufted Three Seat

			1	2/COM	3/COL	4	5	6	7	L7	L8
N86LF3A	Three Seat	$	5940	6210	6333	6533	6749	7118	7611	9944	10691
N86LF3AT	Three Seat, Tufted		8103	8712	8990	9443	9930	10765	11879	17151	18839

DIMENSIONS

Width	94¼	Seat Width	81	Arm Height	24¼	Back Width	65	Weight	175
Depth	30	Seat Depth	20¾	Arm Width	7	Back Height	14½	Cubic Ft.	49.1
Height	30	Seat Height	16½						

• Legs shipped unattached for installment in the field
• Contrasting fabric option – specify X (i.e., N86LF3AX); see page 136. For list pricing, use your electronic specification tool or contact customer service

EKLUND

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Leg Material / Finish
4. Glide

• See page 135 for Eklund options

See pages 154-156 for COM fabric yardage

FREESTANDING SINGLE SEAT ARMLESS WITH PRIVACY



MODEL NO.		GRADE / LIST PRICE	1	2/COM	3/COL	4	5	6	7	L7	L8
N86LF1MP	Single Seat, Armless	$	3454	3650	3740	3885	4042	4311	4669	6366	6909

DIMENSIONS

Width	29	Seat Width	29	Back Width	29	Weight	85
Depth	32	Seat Depth	22¼	Back Height	14¼	Cubic Ft.	27.8
Height	48	Seat Height	16¼				

- Legs shipped unattached for installment in the field
- Contrasting fabric option – specify X (i.e., N86LF1MPX); see page 136. For list pricing, use your electronic specification tool or contact customer service

FREESTANDING SINGLE SEAT WITH ARM AND PRIVACY



			1	2/COM	3/COL	4	5	6	7	L7	L8
N86LF1RP	Single Seat, Right Arm	$	3729	3971	4081	4260	4454	4785	5226	7317	7986
N86LF1LP	Single Seat, Left Arm		3729	3971	4081	4260	4454	4785	5226	7317	7986

DIMENSIONS

Width	34½	Seat Width	27¾	Arm Height	24¼	Back Width	21½	Weight	83
Depth	30	Seat Depth	20¾	Arm Width	7	Back Height	14½	Cubic Ft.	18.5
Height	48	Seat Height	16¼						

- Legs shipped unattached for installment in the field
- For configuring a single booth, use with model N86PVST3636L or N86PVSVT3636L on page 145
- Contrasting fabric option – specify X (i.e., N86LF1RPX); see page 136. For list pricing, use your electronic specification tool or contact customer service

FREESTANDING SINGLE SEAT ARMS WITH PRIVACY



			1	2/COM	3/COL	4	5	6	7	L7	L8
N86LF1AP	Single Seat, Arms	$	4144	4470	4618	4860	5121	5567	6162	8980	9882

DIMENSIONS

Width	43	Seat Width	24¾	Arm Height	24¼	Back Width	19	Weight	103
Depth	32	Seat Depth	20¾	Arm Width	7	Back Height	13¾	Cubic Ft.	39.7
Height	48	Seat Height	16¼						

- Legs shipped unattached for installment in the field
- Contrasting fabric option – specify X (i.e., N86LF1APX); see page 136. For list pricing, use your electronic specification tool or contact customer service

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Panel Bracket Paint Color (if applicable)
4. Leg Material / Finish
5. Glide

• See page 135 for Eklund options

See pages 154-156 for COM fabric yardage

FREESTANDING TWO SEAT WITH PRIVACY



MODEL NO. | **GRADE / LIST PRICE**

			1	2/COM	3/COL	4	5	6	7	L7	L8
N86LF2AP	Two Seat	$	5801	6242	6444	6771	7124	7729	8535	12353	13575

DIMENSIONS

Width	73	Seat Width	54½	Arm Height	24¼	Back Width	38¾	Weight	170
Depth	32	Seat Depth	20¾	Arm Width	7	Back Height	14½	Cubic Ft.	66.5
Height	48	Seat Height	16½						

- Please specify panel bracket paint color
- Legs shipped unattached for installment in the field
- Contrasting fabric option – specify X (i.e., N86LF2APX); see page 136. For list pricing, use your electronic specification tool or contact customer service

FREESTANDING THREE SEAT WITH PRIVACY



			1	2/COM	3/COL	4	5	6	7	L7	L8
N86LF3AP	Three Seat	$	7735	8330	8602	9044	9520	10336	11424	16575	18224

DIMENSIONS

Width	99½	Seat Width	81	Arm Height	24¼	Back Width	65	Weight	195
Depth	32	Seat Depth	20¾	Arm Width	7	Back Height	14½	Cubic Ft.	90.6
Height	48	Seat Height	16½						

- Please specify panel bracket paint color
- Legs shipped unattached for installment in the field
- Contrasting fabric option – specify X (i.e., N86LF3APX); see page 136. For list pricing, use your electronic specification tool or contact customer service

FREESTANDING BENCH



Center Bench



Tufted Center Bench

			1	2/COM	3/COL	4	5	6	7	L7	L8
N86BF1C	Center, Freestanding	$	1934	2015	2051	2111	2176	2286	2433	3130	3353
N86BF1CT	Center, Freestanding, Tufted		2842	2938	2982	3054	3131	3263	3439	4272	4539

DIMENSIONS

Width	30¼	Weight	44
Depth	30	Cubic Ft.	9.6
Height	16¼		

- Legs shipped unattached for installment in the field
- Contrasting fabric option – specify X (i.e., N86BF1CX); see page 136. For list pricing, use your electronic specification tool or contact customer service

OTTOMAN



			1	2/COM	3/COL	4	5	6	7	L7	L8
N86D1	Ottoman	$	1519	1554	1570	1596	1624	1672	1736	2039	2136

DIMENSIONS

Width	26¼	Weight	25
Depth	18¼	Cubic Ft.	5.9
Height	16		

- Legs shipped unattached for installment in the field
- Contrasting fabric option – specify X (i.e., N86D1X); see page 136. For list pricing, use your electronic specification tool or contact customer service

EKLUND

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Metal Paint
4. Wood Finish

• See page 135 for Eklund options

See pages 154-156 for COM fabric yardage

ROCKER



Tufted Rocker

MODEL NO.

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N86RK1A	Rocker	$	4560	4686	4744	4837	4938	5111	5341	6432	6781
N86RK1AT	Rocker, Tufted		6142	6511	6680	6954	7250	7756	8431	11628	12651

DIMENSIONS

Width	38½	Seat Width	24¾	Arm Height	24¼	Back Width	19	Weight	146
Depth	39¼	Seat Depth	20¾	Arm Width	7	Back Height	14½	Cubic Ft.	29.7
Height	30	Seat Height	16¼						

- Shipped fully assembled
- Contrasting fabric option – specify X (i.e., N86RK1AX); see page 136. For list pricing, use your electronic specification tool or contact customer service

ROCKER WITH PRIVACY



			1	2/COM	3/COL	4	5	6	7	L7	L8
N86RK1AP	Rocker	$	5525	5851	5999	6241	6502	6948	7543	10361	11263

DIMENSIONS

Width	43	Seat Width	24¾	Arm Height	24¼	Back Width	19	Weight	156
Depth	30¼	Seat Depth	20¾	Arm Width	7	Back Height	14½	Cubic Ft.	52.0
Height	48	Seat Height	16¼						

- Shipped fully assembled
- Contrasting fabric option – specify X (i.e., N86RK1APX); see page 136. For list pricing, use your electronic specification tool or contact customer service

LOUNGE NOOK TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Grommet
4. Tablet Arm Laminate Color
5. Console Laminate Color
6. Leg Material / Finish
7. Glide

DESK NOOK TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Grommet
4. Light
5. Worksurface Laminate Color
6. Glide

CURVED EXTENSION TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Panel Bracket Paint Color
4. Glide

• See page 135 for Eklund options

See pages 154-156 for COM fabric yardage

FREESTANDING LOUNGE NOOK



Left Nook

MODEL NO. | **GRADE / LIST PRICE**

			1	2/COM	3/COL	4	5	6	7	L7	L8
N86PD1TLP	Lounge Nook, Left	$	5801	6134	6286	6533	6799	7255	7863	10741	11663
N86PD1TRP	Lounge Nook, Right		5801	6134	6286	6533	6799	7255	7863	10741	11663

DIMENSIONS

Width	49¼	Seat Width	27¾	Arm Height	24¼	Back Width	20¼	Console Width	10	Weight	100
Depth	32	Seat Depth	20¾	Arm Width	7	Back Height	14½	Console Height	20¾	Cubic Ft.	44.5
Height	48	Seat Height	16¼					Tablet Surface Height	27¼		

- Legs shipped unattached for installment in the field
- Grommet cutout option CUT-G38C is available on all models. For grommet location, see line art for Console Tables on page 147
- Contrasting fabric option – specify X (i.e., N86PD1TLPX); see page 136. For list pricing, use your electronic specification tool or contact customer service

FREESTANDING DESK NOOK



			1	2/COM	3/COL	4	5	6	7	L7	L8
N86NK1PL	Desk Nook, Laminate	$	5407	5754	5912	6169	6447	6922	7555	10555	11515

DIMENSIONS

Width	49⅜	Desk Width	44¹¹⁄₁₆	Weight	141
Depth	38⅜	Desk Depth	28	Cubic Ft.	70.3
Height	54	Desk Height	29		

- Power cutout CUT-G38 available in worksurface. See options page 135
- Light cutout, CUT-LT1L for left-hand and CUT-LT1R for right-hand, available in worksurface. See options page 135
- Built in wire manager is standard, additional wire management recommended for use when combining power grommet and LED light. See page 150
- When combining power grommet and LED light, also specify the convenience outlet on page 149 for a single plug solution
- Adjustable leveling glides support privacy panel structure
- Contrasting fabric option – specify X (i.e., N86NK1PLX); see page 136. For list pricing, use your electronic specification tool or contact customer service

CURVED EXTENSION PANEL



Right Extension Panel

			1	2/COM	3/COL	4	5	6	7	L7	L8
N86PVECR	Curved Panel, Right	$	2564	2736	2814	2941	3079	3314	3627	5112	5587
N86PVECL	Curved Panel, Left		2564	2736	2814	2941	3079	3314	3627	5112	5587

DIMENSIONS

Width	24¹¹⁄₁₆	Weight	63
Depth	38⅜	Cubic Ft.	24.4
Height	54		

- For use with desk nook, hardware included for field installation
- Adjustable leveling glides support privacy panel structure
- Contrasting fabric option – specify X (i.e., N86PVECRX); see page 136. For list pricing, use your electronic specification tool or contact customer service

EKLUND

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Leg Material / Finish
4. Glide

• See page 135 for Eklund options

See pages 154-156 for COM fabric yardage

MODULAR SINGLE SEAT ARMLESS



Armless, Starter



Armless, Add-on



Armless, End

MODEL NO. | **GRADE / LIST PRICE**

			1	2/COM	3/COL	4	5	6	7	L7	L8
N86LS1M	Armless, Starter	$	2625	2737	2788	2871	2961	3115	3319	4289	4599
N86LA1M	Armless, Add-On		2487	2599	2650	2733	2823	2977	3181	4151	4461
N86LE1M	Armless, End		2487	2599	2650	2733	2823	2977	3181	4151	4461

DIMENSIONS

Width	29	Seat Width	29	Back Width	29	Weight	65
Depth	29	Seat Depth	22¼	Back Height	14½	Cubic Ft.	15.9
Height	30	Seat Height	16¼				

- When using ganging models, a "Starter" model must be used at the start of a run and an "End" model to end the run. "Add-on" models are used between the starter and end to add additional seats
- Ganging hardware is integrated within the leg design, shipped unattached
- Contrasting fabric option – specify X (i.e., N86LS1MX); see page 136. For list pricing, use your electronic specification tool or contact customer service

MODULAR SINGLE SEAT WITH ARM



Left Arm Starter

			1	2/COM	3/COL	4	5	6	7	L7	L8
N86LS1R	Right Arm, Starter	$	2901	3006	3054	3132	3216	3360	3552	4461	4752
N86LE1R	Right Arm, End		2763	2868	2916	2994	3078	3222	3414	4323	4614
N86LS1L	Left Arm, Starter		2901	3006	3054	3132	3216	3360	3552	4461	4752
N86LE1L	Left Arm, End		2763	2868	2916	2994	3078	3222	3414	4323	4614

DIMENSIONS

Width	34½	Seat Width	27¾	Arm Height	24¼	Back Width	21½	Weight	83
Depth	30	Seat Depth	20¾	Arm Width	7	Back Height	14½	Cubic Ft.	18.5
Height	30	Seat Height	16¼						

- Ganging hardware is integrated within the leg design, shipped unattached
- Contrasting fabric option – specify X (i.e., N86LS1RX); see page 136. For list pricing, use your electronic specification tool or contact customer service

MODULAR CORNER



Corner Starter

			1	2/COM	3/COL	4	5	6	7	L7	L8
N86LSCNM	Corner, Starter	$	3454	3605	3673	3785	3906	4112	4387	5690	6107
N86LACNM	Corner, Add-On		3315	3466	3534	3646	3767	3973	4248	5551	5968
N86LECNM	Corner, End		3315	3466	3534	3646	3767	3973	4248	5551	5968

DIMENSIONS

Width	66	Seat Width	56½	Back Width	56½	Weight	130
Depth	34½	Seat Depth	27¼	Back Height	14½	Cubic Ft.	39.5
Height	30	Seat Height	16¼				

- Ganging hardware is integrated within the leg design, shipped unattached
- Contrasting fabric option – specify X (i.e., N86LSCNMX); see page 136. For list pricing, use your electronic specification tool or contact customer service

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Leg Material / Finish
4. Glide

• See page 135 for Eklund options

See pages 154-156 for COM fabric yardage

MODULAR BENCH



Center, Starter



Right, Starter



Left, Starter

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
N86BS1C	Center, Starter	$	1796	1877	1913	1973	2038	2148	2295	2992	3215
N86BA1C	Center, Add-On		1658	1739	1775	1835	1900	2010	2157	2854	3077
N86BE1C	Center, End		1658	1739	1775	1835	1900	2010	2157	2854	3077
N86BS1R	Right, Starter		1796	1870	1903	1958	2017	2117	2252	2888	3092
N86BE1R	Right, End		1658	1732	1765	1820	1879	1979	2114	2750	2954
N86BS1L	Left, Starter		1796	1870	1903	1958	2017	2117	2252	2888	3092
N86BE1L	Left, End		1658	1732	1765	1820	1879	1979	2114	2750	2954

DIMENSIONS

Width - Center	30¼	Width - Left/Right	35½	Weight	44
Depth - Center	30	Depth - Left/Right	30	Cubic Ft. - Center	11
Height - Center	16¼	Height - Left/Right	16¼	Cubic Ft. - Left/Right	9.6

- Ganging hardware is integrated within the leg design, shipped unattached
- Contrasting fabric option – specify X (i.e., N86BS1CX); see page 136. For list pricing, use your electronic specification tool or contact customer service

MODULAR CORNER BENCH



Corner Starter

			1	2/COM	3/COL	4	5	6	7	L7	L8
N86BSCN	Corner, Starter	$	2487	2571	2609	2672	2739	2854	3008	3735	3968
N86BACN	Corner, Add-On		2347	2431	2469	2532	2599	2714	2868	3595	3828
N86BECN	Corner, End		2347	2431	2469	2532	2599	2714	2868	3595	3828

DIMENSIONS

Width	67½	Weight	80
Depth	35¼	Cubic Ft.	22.4
Height	16¼		

- Ganging hardware is integrated within the leg design, shipped unattached
- Contrasting fabric option – specify X (i.e., N86BSCNX); see page 136. For list pricing, use your electronic specification tool or contact customer service

EKLUND

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Panel Bracket Paint
4. Leg Material / Finish
5. Glide

• See page 135 for Eklund options

See pages 154-156 for COM fabric yardage

MODULAR SINGLE SEAT WITH PRIVACY



Armless Starter

MODEL NO. **GRADE / LIST PRICE**

			1	2/COM	3/COL	4	5	6	7	L7	L8
N86LS1MP	Armless, Starter	$	3315	3511	3601	3746	3903	4172	4530	6227	6770
N86LA1MP	Armless, Add-On		3178	3374	3464	3609	3766	4035	4393	6090	6633
N86LE1MP	Armless, End		3178	3374	3464	3609	3766	4035	4393	6090	6633

DIMENSIONS

Width	29	Seat Width	29	Back Width	29	Weight	85
Depth	32	Seat Depth	22¼	Back Height	14½	Cubic Ft.	27.8
Height	48	Seat Height	16¼				

- Ganging hardware is integrated within the leg design, shipped unattached
- Contrasting fabric option – specify X (i.e., N86LS1MPX); see page 136. For list pricing, use your electronic specification tool or contact customer service

MODULAR SINGLE SEAT WITH ARM AND PRIVACY



Left Arm Starter

			1	2/COM	3/COL	4	5	6	7	L7	L8
N86LS1RP	Right Arm, Starter	$	3592	3834	3944	4123	4317	4648	5089	7180	7849
N86LE1RP	Right Arm, End		3454	3696	3806	3985	4179	4510	4951	7042	7711
N86LS1LP	Left Arm, Starter		3592	3834	3944	4123	4317	4648	5089	7180	7849
N86LE1LP	Left Arm, End		3454	3696	3806	3985	4179	4510	4951	7042	7711

DIMENSIONS

Width	37	Seat Width	27¾	Arm Height	24¼	Back Width	21½	Weight	103
Depth	32	Seat Depth	20¾	Arm Width	7	Back Height	14¼	Cubic Ft.	34.2
Height	48	Seat Height	16¼						

- Ganging hardware is integrated within the leg design, shipped unattached
- Contrasting fabric option – specify X (i.e., N86LS1RPX); see page 136. For list pricing, use your electronic specification tool or contact customer service

MODULAR CORNER WITH PRIVACY



Corner Starter

			1	2/COM	3/COL	4	5	6	7	L7	L8
N86LSCNMP	Corner, Starter	$	4697	4963	5085	5282	5495	5860	6346	8649	9386
N86LACNMP	Corner, Add-On		4560	4826	4948	5145	5358	5723	6209	8512	9249
N86LECNMP	Corner, End		4560	4826	4948	5145	5358	5723	6209	8512	9249

DIMENSIONS

Width	69½	Seat Width	56½	Back Width	56½	Weight	130
Depth	37	Seat Depth	27¼	Back Height	14½	Cubic Ft.	79.8
Height	48	Seat Height	16¼				

- Ganging hardware is integrated within the leg design, shipped unattached
- Contrasting fabric option – specify X (i.e., N86LSCNMPX); see page 136. For list pricing, use your electronic specification tool or contact customer service

PRIVACY PANEL TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Panel Bracket Paint Color
4. Leg Material / Finish (if applicable)
5. Glide (if applicable)

PANEL WITH TABLE TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Panel Bracket Paint Color
4. Leg Color
5. Laminate Color
6. Grommet
7. Glide

• See page 135 for Eklund options

See pages 154-156 for COM fabric yardage

MODULAR PRIVACY PANEL



MODEL NO. | **GRADE / LIST PRICE**

			1	2/COM	3/COL	4	5	6	7	L7	L8
N86PVS	Spanner Panel	$	1106	1194	1234	1299	1369	1489	1649	2406	2649
N86PVE	Extension Panel		1243	1331	1371	1436	1506	1626	1786	2543	2786

DIMENSIONS

Width	29	Weight	45
Depth	2½	Cubic Ft.	2.9
Height - Spanner	40		
Height - Extension	48		

- Spanner panels are supported by the privacy panels of lounge units on either side with four panel connection brackets, installed in field
- Extension panels are supported by the privacy panel of an adjacent lounge model on one side and an included leg on the free end
- Spanner and Extension panels cannot be attached to each other in any variation
- Due to spanner and extension panel attachment, they cannot be added onto lounge units without privacy, or onto benches or tables
- Panels extend the privacy panels of privacy lounge units, therefore, cannot be used on the end of a unit (perpendicular to existing privacy)
- Contrasting fabric option – specify X (i.e., N86PVEX); see page 136. For list pricing, use your electronic specification tool or contact customer service

PRIVACY PANEL WITH TABLE



			1	2/COM	3/COL	4	5	6	7	L7	L8
N86PVST3636L	36" x 36", Laminate	$	2792	2906	2958	3042	3133	3289	3497	4482	4797
N86PVST3666L	36" x 66", Laminate		3178	3292	3344	3428	3519	3675	3883	4868	5183

DIMENSIONS

				SINGLE SEAT		**TWO SEAT**	
Width	36	Table Width	36	Weight	118	Weight	183
Single Seat Depth	38¾	Table Height	27¼	Cubic Ft.	10	Cubic Ft.	12
Two Seat Depth	68						
Height	53¾						

- Spanner panels are supported by the privacy panels of adjacent lounge units. Note: Once installed in field, attachment brackets are present on panels of adjacent lounge units
- Laminate worksurface requires field installation
- When grommet cutout CUT-G38 is specified, a 36" unit always receives one cutout and a 66" unit always receives two cutouts
- Electrical kit NACEL4KTB5 and a 4-trac power infeed should be specified to power a 66" unit with grommets
- The free end of spanner panel tables are supported by a cylinder base and foot with adjustable glides. Available in all metal colors
- Contrasting fabric option – specify X (i.e., N86PVST3636LX); see page 136. For list pricing, use your electronic specification tool or contact customer service

PRIVACY PANEL WITH MEDIA AND TABLE



			1	2/COM	3/COL	4	5	6	7	L7	L8
N86PVSVT3636L	36" x 36", Laminate	$	3202	3316	3368	3452	3543	3699	3907	4892	5207
N86PVSVT3666L	36" x 66", Laminate		3586	3700	3752	3836	3927	4083	4291	5276	5591

DIMENSIONS

				SINGLE SEAT		**TWO SEAT**	
Width	36	Table Width	36	Weight	143	Weight	208
Two Seat Depth	38¾	Table Height	27¼	Cubic Ft.	12	Cubic Ft.	14
Three Seat Depth	68						
Height	53¾						

- Spanner panels are supported by the privacy panels of adjacent lounge units. Note: Once installed in field, attachment brackets are present on panels of adjacent lounge units
- Included TV Mount has a 100 lb. weight limit once installed and is shipped separately for field installation
- When grommet cutout CUT-G38 is specified, a 36" unit always receives one cutout 4" from the panel and a 66" unit always receives two cutouts, 4" and 35½" from the panel
- Electrical kit NACEL4KTB5 and a 4-trac power infeed should be specified to power a 66" unit with grommets. Convenience outlet NAC03ELUPPC can be specified to power the TV
- Laminate worksurface requires field installation
- Grommet cutout CUT-G38 available in worksurface
- The free end of spanner panel tables are supported by a cylinder base and foot with adjustable glides. Available in all metal colors
- Contrasting fabric option – specify X (i.e., N86PVSVT3636LX); see page 136. For list pricing, use your electronic specification tool or contact customer service

EKLUND

TO ORDER, SPECIFY:

1. Model Number
2. Laminate / Solid Surface Color
3. Fabric Grade / Cover Number
4. Leg Material / Finish
5. Glide

• See page 135 for Eklund options

See pages 154-156 for COM fabric yardage

SQUARE END TABLES



Freestanding End Table

MODEL NO.		GRADE / LIST PRICE	1	2/COM	3/COL	4	5	6	7	L7	L8
N86T2929ENL	Freestanding, Laminate	$	1658	1683	1694	1712	1732	1765	1810	2022	2090
N86T2929ENS	Freestanding, Solid Surface, Grade A		2901	2926	2937	2955	2975	3008	3053	3265	3333
N86TS29EL	Starter, Laminate		1519	1544	1555	1573	1593	1626	1671	1883	1951
N86TS29ES	Starter, Solid Surface, Grade A		2693	2718	2729	2747	2767	2800	2845	3057	3125
N86TA29EL	Add-On, Laminate		1519	1544	1555	1573	1593	1626	1671	1883	1951
N86TA29ES	Add-On, Solid Surface, Grade A		2555	2580	2591	2609	2629	2662	2707	2919	2987
N86TE29EL	End, Laminate		1519	1544	1555	1573	1593	1626	1671	1883	1951
N86TE29ES	End, Solid Surface, Grade A		2555	2580	2591	2609	2629	2662	2707	2919	2987

DIMENSIONS

Width	29	Weight - Laminate	75
Depth	29	Weight - Solid Surface	85
Height	11½	Cubic Ft.	5.3

- For Solid Surface Grades B and C list pricing, use your electronic specification tool or contact customer service
- Legs shipped unattached for installment in the field
- Ganging hardware is integrated within the leg design, shipped unattached (if applicable)

CORNER TABLES



Starter Corner

			1	2/COM	3/COL	4	5	6	7	L7	L8
N86TS10NL	Starter, Laminate	$	2487	2501	2507	2518	2529	2548	2574	2695	2734
N86TS10NS	Starter, Solid Surface, Grade A		4006	4020	4026	4037	4048	4067	4093	4214	4253
N86TA10NL	Add-On, Laminate		2347	2361	2367	2378	2389	2408	2434	2555	2594
N86TA10NS	Add-On, Solid Surface, Grade A		3869	3883	3889	3900	3911	3930	3956	4077	4116
N86TE10NL	End, Laminate		2347	2361	2367	2378	2389	2408	2434	2555	2594
N86TE10NS	End, Solid Surface, Grade A		3869	3883	3889	3900	3911	3930	3956	4077	4116

DIMENSIONS

Width	65¾	Weight - Laminate	100
Depth	34¾	Weight - Solid Surface	130
Height	11½	Cubic Ft.	12.8

- For Solid Surface Grades B and C list pricing, use your electronic specification tool or contact customer service
- Ganging hardware is integrated within the leg design, shipped unattached

TO ORDER, SPECIFY:

1. Model Number
2. Tablet Arm Laminate (if applicable)
3. Laminate / Solid Surface Color
4. Fabric Grade / Cover Number
5. Grommet (if applicable)
6. Leg Material / Finish
7. Glide

• See page 135 for Eklund options

See pages 154-156 for COM fabric yardage

CONSOLE TABLES



Starter Console Table, Grommet

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
N86TS10CL	Starter, Laminate	$	1658	1672	1678	1689	1700	1719	1745	1866	1905
N86TS10CS	Starter, Solid Surface, Grade A		2347	2361	2367	2378	2389	2408	2434	2555	2594
N86TA10CL	Add-On, Laminate		1519	1533	1539	1550	1561	1580	1606	1727	1766
N86TA10CS	Add-On, Solid Surface, Grade A		2210	2224	2230	2241	2252	2271	2297	2418	2457
N86TE10CL	End, Laminate		1519	1533	1539	1550	1561	1580	1606	1727	1766
N86TE10CS	End, Solid Surface, Grade A		2210	2224	2230	2241	2252	2271	2297	2418	2457

DIMENSIONS

Width	10	Weight - Laminate	50
Depth	29	Weight - Solid Surface	60
Height	20¾	Cubic Ft.	5.3

- For Solid Surface Grades B and C list pricing, use your electronic specification tool or contact customer service
- Solid surface models feature laminate vertical panels
- Ganging hardware is integrated within the leg design, shipped unattached
- Grommet cutout option CUT-G38C is available on laminate models

TABLET CONSOLE TABLES



Left Starter Tablet Console Table

			1	2/COM	3/COL	4	5	6	7	L7	L8
N86TS10CTLL	Starter, Laminate, Left	$	1934	1948	1954	1965	1976	1995	2021	2142	2181
N86TS10CTRL	Starter, Laminate, Right		1934	1948	1954	1965	1976	1995	2021	2142	2181
N86TA10CTLL	Add-On, Laminate, Left		1796	1810	1816	1827	1838	1857	1883	2004	2043
N86TA10CTRL	Add-On, Laminate, Right		1796	1810	1816	1827	1838	1857	1883	2004	2043
N86TE10CTLL	End, Laminate, Left		1796	1810	1816	1827	1838	1857	1883	2004	2043
N86TE10CTRL	End, Laminate, Right		1796	1810	1816	1827	1838	1857	1883	2004	2043

DIMENSIONS

Width	10	Tablet Surface Height	27¼	Weight	70
Depth	28¾			Cubic Ft.	4.9
Height	20¾				

- Tablet support column is always black
- Ganging hardware is integrated within the leg design, shipped unattached
- Grommet cutout option CUT-G38C is available on all models. For grommet location, see line art for Console Tables

EKLUND

TO ORDER, SPECIFY:

1. Model Number

POWER ENTRY



Plug View

MODEL NO.		LIST PRICE		CARTONED WEIGHT	CUBIC FEET
NAC72ELE4H	Electrical Power Entry (Hardwire) + 4WC	$ 201	Circuits 1 and 2	1.95 lbs.	0.38
NAC48ELE4P	48" Electrical Power Entry (20 amp Plug)	293	Circuit 1	1.95 lbs.	0.38
NAC72ELE4P	72" Electrical power entry (20 amp Plug)	330	Circuit 1	2.45 lbs.	0.38

- Specify model number only
- Must be ordered with power or USB grommet and electrical kits
- 1 power entry is necessary to power 1 or multiple units



ELECTRICAL KITS

NACEL4KTB5	H-Block	$ 41	1 lbs.	0.25
NACEL4KTB1	H-Block, 12" Jumper Male / Male	202	1.1 lbs.	0.28
NACEL4KTB2	H-Block, 31" Jumper Male / Male	224	1.3 lbs.	0.33
NACEL4KTB3	H-Block, 37" Jumper Male / Male	231	1.36 lbs.	0.36
NACEL4KTB4	H-Block, 47" Jumper Male / Male	245	1.4 lbs.	0.39

- Specify model number only
- Use specification guide below to determine necessary power kits for each unit in a configuration
- Reference typicals on pages 151-153 for visual representation

ELECTRICAL KIT SPECIFICATION GUIDE

MODULAR COMPONENT	4-TRAC KIT NEEDED	QUANTITY
Console Tables	NACEL4KTB1	1
End Tables, Center Bench, Armless Lounge	NACEL4KTB2	1
Single Arm Lounge, Left and Right Bench	NACEL4KTB3	1
Corner Lounge, Benches and Tables	NACEL4KTB4	1
Spanner Panel with Table, 36" Table	NACEL4KTB5	1
Spanner Panel with Table, 66" Table	NACEL4KTB5	1

TO ORDER, SPECIFY:

1. Model Number

POWER/USB GROMMET - PLUGGED



MODEL NO.		LIST PRICE	CARTONED WEIGHT	CUBIC FEET
NACG38AELPGB	Black	$ 512	1.5 lbs.	0.3
NACG38AELPGS	Silver	512	1.5 lbs.	0.3
NACG38AELPGW	White	512	1.5 lbs.	0.3

- Features 1 power outlet and 1 USB (A+C) combo ports
- Includes black 108" long 3-prong power cord
- Power outlet provides 15 amps

POWER/USB GROMMET HARDWIRE



NACG38AELHCB	Hardwire, Black	$ 616	1.75 lbs.	0.3
NACG38AELHCS	Hardwire, Silver	616	1.75 lbs.	0.3
NACG38AELHCW	Hardwire, White	616	1.75 lbs.	0.3

- Features 1 power outlet and 1 USB (A+C) combo ports
- Metal conduit hardwire is 108" long
- Power outlet provides 15 amps

POWER/USB GROMMET 4-TRAC



NACG38AELPDB	Black	$ 606	2.0 lbs.	0.3
NACG38AELPDS	Silver	606	2.0 lbs.	0.3
NACG38AELPDW	White	606	2.0 lbs.	0.3

- Non-sequential daisy chain solution
- Must use with power entry and electrical kit
- Features 1 power outlet and 1 USB (A+C) combo ports
- 36" long cord
- Up to 20 grommets can be linked together for each power entry

UNDERMOUNT USB POWER UNIT



NAC03ELUPDC	Black only	$ 381	2 lbs.	0.3

DIMENSIONS

Width	3
Depth	3
Height	1½

- Can be mounted to the underside of any flat surface
- Features 1 power outlet and 2 USB (A) ports
- 72" 15 amp cord

UNDERMOUNT MINI-TAP OUTLET



NAC03ELUPPC	Black only	$ 158	1.2 lbs.	2.3

DIMENSIONS

Width	3
Depth	3
Height	1½

- For use on Desk Nook when power and light are both specified
- Available to power TV on 66" Privacy Panel with Media and Table

EKLUND

TO ORDER, SPECIFY:

1. Model Number
2. Paint (when applicable)

LED LIGHT

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	CARTONED WEIGHT	CUBIC FEET
NAC13LTM	Silver	$ 321	2⅜	9	15	lbs.	0.3

- For use in desk nook worksurface when cut-out is specified, see options page 135
- If using in conjunction with power grommet, convenience outlet NAC03ELUPPC is recommended
- Features flexible neck for customer adjustability
- Features integrated touch dimmer

UNDERSURFACE WIRE MANAGER

NAC17WMH	Black	$ 74	2½	17	4¼	3 lbs.	0.5

- Recommended for use on desk nook when combining power and light

PANEL GANGING BRACKET

Single Bracket



Double Bracket

N86SBKT	Single Panel Connection Bracket	$ 133	2½	6	2	1 lbs.	1.0
N86DBKT	Double Panel Connection Bracket	239	4⅞	6	2	1.5 lbs.	0.3

- For use when ganging two freestanding units that feature privacy panels
- Single Bracket for use when ganging two panels end-to-end, see typicals on page 152
- Double bracket for use when ganging two panels back-to-back, see typicals on pages 151-152
- Installation instructions and necessary hardware included
- Available in all metal paint colors

MAGNETIC MARKER BOARD



Small Marker Board



Large Marker Board

						MARKER TRAY DEPTH		
N86MBS1618	Marker Board, Small	$ 498	5⅛	16	18	2¼	8 lbs.	1.9
N86MBS2820	Marker Board, Large	598	5⅛	28	20	2¼	16 lbs.	3.2

- For use on any flat span of privacy panel
- Made from 14 gauge sheet metal and painted with writable designer white powder-coat
- Marker boards can be permanently attached with flathead Phillips #14x1 screws

HOOK



N86CH	Hook	$ 200	1½	4⅞	4	0.3 lbs.	0.3

- For use on any privacy panel
- Available in all metal paint colors
- A hook can be permanently attached with a flathead Phillips #14x1 screw



MODEL NO.	QUANTITY	DESCRIPTION	GRADE 1 LIST PRICE
N86NK1PL	(2)	Desk Nook (with light and grommet cutouts)	$ 5487 ea
NAC13LTM	(2)	LED Light	321 ea
N86DBKT	(2)	Double Panel Connection Bracket	239 ea
N86MBS1618	(1)	Magnetic Marker Board	498
NACG38AELPGB	(2)	Power/USB Grommet Plug	512 ea
NAC03ELUPPC	(2)	Convenience Mini-Tap Outlet	158 ea
Total			$ 13,932



MODEL NO.	QUANTITY	DESCRIPTION	GRADE 1 LIST PRICE
N86NK1PL	(2)	Desk Nook (with light and grommet cutouts)	$ 5487 ea
N86PVECL	(2)	Curved Extension Panel, Left	2564 ea
N86DBKT	(2)	Double Panel Connection Bracket	239 ea
NAC13LTM	(2)	LED Light	321 ea
NACG38AELPGB	(2)	Power/USB Grommet Plug	512 ea
NAC03ELUPPC	(2)	Convenience Mini-Tap Outlet	158 ea
Total			$ 18,562

*Connection brackets are shipped with curved extension panels models, N86PVECL and N86PVECR, for attachment to desk nook





MODEL NO.	QUANTITY	DESCRIPTION	GRADE 1 LIST PRICE
N86PD1TLP	(1)	Lounge Nook, Left (with grommet cutout)	$ 5841
N86PD1TRP	(1)	Lounge Nook, Right (with grommet cutout)	5841
N86DBKT	(2)	Double Panel Connection Bracket	239 ea
NACG38AELPDB	(2)	Power/USB Grommet 4-trac	606 ea
NACEL4KTB1	(1)	H-Block, 12" Jumper Male/Male	202
NACEL4KTB5	(1)	H-Block	41
NAC48ELE4P	(1)	48" Power Entry	293
Total			$ 13,908

*Both configurations pictured to the left can be accomplished with the specifications listed above

EKLUND



MODEL NO.	QUANTITY	DESCRIPTION	GRADE 1 LIST PRICE
N86PD1TLP	(2)	Lounge Nook, Left (with grommet cutout)	$ 5841 ea
N86SBKT	(2)	Single Panel Connection Bracket	133 ea
NACG38AELPGB	(2)	Power/USB Grommet Plug	512 ea
Total			$ 12,972



MODEL NO.	QUANTITY	DESCRIPTION	GRADE 1 LIST PRICE
N86PD1TRP	(4)	Lounge Nook, Right (with grommet cutout)	$ 5841 ea
N86DBKT	(8)	Double Panel Connection Bracket	239 ea
NACG38AELPDB	(4)	Power/USB Grommet 4-trac	606 ea
NACEL4KTB1	(3)	H-Block, 12" Jumper Male/Male	202 ea
NACEL4KTB5	(1)	H-Block	41
NAC48ELE4P	(1)	48" Power Entry	293
Total			$ 28,640



Shown with power grommet options

MODEL NO.	QUANTITY	DESCRIPTION	GRADE 1 LIST PRICE
N86TS10CTLL	(1)	Tablet Console Table, Left, Starter (with grommet cutout)	$ 1974
N86LA1MP	(2)	Armless Single Seat w/ Privacy, Add-On	3178 ea
N86LACNMP	(1)	Corner Lounge w/ Privacy, Add-On	4560
N86LA1M	(1)	Armless Single Seat, Add-On	2487
N86TA10CL	(1)	Console Table, Add-On (with grommet cutout)	1559
N86LE1M	(1)	Armless Single Seat, End	2487
NACEL4KTB1	(2)	1 H-Block, 12" Jumper Male/Male	202 ea
NACEL4KTB2	(4)	1 H-Block, 31" Jumper Male/Male	224 ea
NACEL4KTB4	(1)	1 H-Block, 47" Jumper Male/Male	245
NACG38AELPDB	(2)	Power/USB Grommet 4-trac	606 ea
NAC48ELE4P	(1)	48" Power Entry	293
Total			$ 22,473

EKLUND



MODEL NO.	QUANTITY	DESCRIPTION	GRADE 1 LIST PRICE
N86LS1L	(1)	Single Seat, Left Arm, Starter	$ 2901
N86LA1M	(2)	Single Seat, Armless, Add-On	2487 ea
N86LACNM	(2)	Corner Lounge, Add-On	3315 ea
N86TA29EL	(1)	Square End Table, Add-On, Laminate	1519
N86LE1L	(1)	Single Seat, Left, End	2763
Total			$ 18,787



Shown with power grommet options

MODEL NO.	QUANTITY	DESCRIPTION	GRADE 1 LIST PRICE
N86LE1MP	(2)	Modular Single Seat w/ Privacy, End	$ 3178 ea
N86LS1RP	(1)	Modular Single Seat w/ Arm and Privacy, Right	3592
N86LS1LP	(1)	Modular Single Seat w/ Arm and Privacy, Left	3592
N86PVSVT3666L	(1)	Modular Privacy Panel w/ Media and Table, 66" Laminate (w/ CUT-G38C Grommet Cut-out)	3626
NACG38AELPDB	(2)	Power/USB Grommet - 4-trac, Black	606 ea
NACEL4KTB5	(1)	H-Block	41
NAC48ELE4P	(1)	48" Power Entry	293
NAC03ELUPPC	(1)	Convenience Mini-Tap Outlet	158
Total			$ 18,870

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
N86BA1C, N86BE1C, N86BF1C, N86BS1C		2.30	2.90	3.70	5.00	45.94
N86BA1CX, N86BE1CX, N86BF1CX, N86BS1CX	Accent	0.70	1.10	1.60	2.60	13.84
	Seat	1.70	2.10	2.40	3.00	33.76
N86BF1CT		2.72	3.10	3.60	4.60	54.24
N86BF1CTX	Accent	1.17	1.30	1.50	2.00	23.24
	Seat	1.69	2.00	2.40	3.10	33.76
N86BACN, N86BECN, N86BSCN		2.40	3.90	5.60	9.00	48.15
N86BACNX, N86BECNX, N86BSCNX	Accent	0.80	1.50	2.20	3.60	15.5
	Seat	1.90	2.90	3.80	6.00	37.63
N86BE1L, N86BE1R, N86BS1L, N86BS1R		2.10	2.50	3.70	5.00	40.95
N86BE1LX, N86BE1RX, N86BS1LX, N86BS1RX	Accent	0.80	1.00	1.60	2.60	14.94
	Seat	1.50	2.00	2.40	3.00	30.44
N86D1		1.00	1.00	1.70	2.70	19.92
N86LA1M, N86LE1M, N86LF1M, N86LS1M		3.20	4.00	5.30	6.00	64.2
N86LA1MX, N86LE1MX, N86LF1MX, N86LS1MX	Accent	0.70	0.60	1.60	2.60	13.84
	Seat	1.30	1.80	2.20	2.60	24.9
	Back	0.80	1.00	2.10	2.20	16.6
	Extreme	0.70	0.90	1.20	1.30	14.39
N86LF1MT		8.08	8.70	9.40	10.00	161.05
N86LF1MTX	Seat	1.28	1.80	2.20	2.60	25.46
	Upholstery	6.92	7.20	8.10	8.30	137.81
N86LA1MP, N86LE1MP, N86LF1MP, N86LS1MP		5.60	6.40	7.70	9.00	111.79
N86LA1MPX, N86LE1MPX, N86LF1MPX, N86LS1MPX	Accent	0.70	1.10	1.60	2.60	13.84
	Seat	1.30	1.80	2.20	2.60	25.46
	Back	1.50	1.70	2.20	2.80	29.33
	Extreme	1.30	1.60	2.70	2.50	26.57
	Back Accent	1.30	1.50	1.50	2.10	24.9
N86LACNM, N86LECNM, N86LSCNM		4.30	5.60	10.20	12.60	86.34
N86LACNMX, N86LECNMX, N86LSCNMX	Accent	0.80	1.30	2.20	3.60	15.5
	Seat	1.40	1.90	2.80	4.10	27.67
	Back	1.80	2.10	3.10	3.40	36.53
	Extreme	1.40	1.60	3.00	3.20	27.12
N86LACNMP, N86LECNMP, N86LSCNMP		7.60	9.90	16.40	19.00	152.2
N86LACNMPX, N86LECNMPX, N86LSCNMPX	Accent	0.60	0.90	1.30	2.10	11.62
	Seat	1.40	1.90	2.80	4.00	27.67
	Back	2.00	2.60	4.10	5.90	39.29
	Extreme	2.70	3.00	4.90	6.60	53.13
	Back Accent	2.40	2.70	4.00	5.00	48.15
N86LE1L, N86LE1R, N86LS1L, N86LS1R		3.00	4.70	6.20	6.60	59.77
N86LE1LX, N86LE1RX, N86LS1LX, N86LS1RX	Accent	0.80	1.10	1.60	2.60	14.94
	Seat	1.10	1.30	1.70	2.10	21.58
	Back	1.40	1.70	2.20	2.40	27.67
	Extreme	1.20	1.40	1.80	2.10	23.8
N86LE1LP, N86LE1RP, N86LF1LP, N86LF1RP, N86LS1LP, N86LS1RP		6.90	8.90	10.40	14.00	137.25
N86LE1LPX, N86LE1RPX, N86LS1LPX, N86LS1RPX	Accent	0.40	0.60	1.00	1.60	8.3
	Seat	1.10	1.40	1.90	2.10	21.58
	Back	1.60	2.30	2.80	3.20	32.65
	Extreme	2.60	3.00	3.40	4.50	52.02
	Back Accent	2.40	2.70	2.80	3.60	48.15
N86LF1A, N86RK1A		3.60	5.50	7.40	8.00	71.95

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
N86LF1AX, N86RK1AX	Accent	0.70	1.10	1.60	2.60	13.84
	Seat	1.20	1.50	1.90	2.30	23.24
	Back	1.60	1.90	2.40	3.20	32.1
	Extreme	1.60	1.90	2.40	2.70	32.65
N86LF1AP, N86RK1AP		9.30	11.40	13.00	15.60	184.29
N86LF1APX, N86RK1APX	Accent	0.30	0.40	0.70	1.10	4.98
	Seat	1.20	1.50	1.90	2.30	23.24
	Back	1.90	2.70	3.30	4.20	38.19
	Extreme	3.90	4.40	4.90	6.60	78.03
	Back Accent	3.60	3.90	4.00	5.00	71.39
N86LF1AT, N86RK1AT		10.56	11.30	12.70	14.00	210.31
N86LF1ATX, N86RK1ATX	Seat	1.08	1.50	1.90	2.50	21.58
	Upholstery	9.50	10.00	11.20	12.50	189.28
N86LF2A		5.20	8.40	9.90	13.00	103.49
N86LF2AX	Accent	1.00	1.50	2.20	3.60	19.37
	Seat	1.70	2.30	2.80	3.10	33.76
	Back	2.10	2.90	4.00	4.40	41.51
	Extreme	2.20	2.70	3.30	4.00	43.72
N86LF2AP		12.60	16.20	18.30	21.90	251.81
N86LF2APX	Accent	0.40	0.60	1.00	1.60	7.75
	Seat	1.70	2.30	2.80	3.10	33.76
	Back	2.40	3.70	5.20	5.50	47.6
	Extreme	5.10	5.70	6.40	8.50	101.83
	Back Accent	4.80	5.20	5.20	6.60	94.64
N86LF2AT		12.06	13.00	14.80	17.00	240.19
N86LF2ATX	Seat	1.72	2.30	2.80	3.10	34.31
	Upholstery	10.42	11.20	12.40	15.50	207.54
N86LF3A		7.70	11.00	13.20	17.00	152.75
N86LF3AX	Accent	1.30	2.00	2.80	4.60	25.46
	Seat	2.20	3.20	4.00	4.60	44.28
	Back	2.50	3.70	4.30	5.40	50.36
	Extreme	2.80	3.30	3.90	5.10	55.34
N86LF3AP		17.00	21.90	23.80	29.00	339.26
N86LF3APX	Accent	0.50	0.90	1.30	2.10	10.52
	Seat	2.20	3.20	4.00	4.60	44.28
	Back	3.00	4.80	5.90	7.40	60.32
	Extreme	6.30	7.00	7.90	10.00	126.18
	Back Accent	5.90	6.40	6.40	8.00	117.88
N86LF3AT		15.70	17.60	20.00	23.00	312.10
N86LF3ATX	Seat	2.20	3.10	4.00	4.60	43.10
	Upholstery	13.50	14.60	16.10	20.00	269.70
N86NK1PL		9.67	10.00	12.10	13.80	192.60
N86NK1PLX	Extreme Back	4.69	4.90	5.70	6.30	93.53
	Back Accent	5.08	5.40	6.60	9.30	101.28
N86PVSVT3636L, N86PVSVT3666L, N86PVST3636L, N86PVST3666L		3.25	3.50	3.90	6.30	64.75
N86PVSVT3636LX, N86PVSVT3666LX, N86PVST3636LX, N86PVST3666LX	Extreme Back	1.64	1.80	2.00	2.30	32.65
	Back Accent	1.72	1.90	3.90	4.30	34.31
N86PVECR, N86PVECL		4.69	5.10	6.30	8.80	93.53
N86PVECRX, N86PVECLX	Extreme Back	1.64	3.40	3.90	4.30	32.65
	Back Accent	3.28	3.50	4.20	6.30	65.31
N86PD1TLP, N86PD1TRP		9.50	11.00	12.90	18.60	189.28
N86PD1TLPX, N86PD1TRPX	Accent	0.40	0.60	1.00	1.60	7.75
	Seat	1.10	1.40	1.90	2.10	22.14
	Back	1.60	2.40	2.80	3.20	32.65
	Extreme	3.90	4.40	5.50	9.00	76.93
	Back Accent	3.60	3.90	4.00	5.00	71.95

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
N86PVE, N86PVS		2.50	2.80	3.00	4.00	49.81
N86PVEX, N86PVSX	Back Accent	1.30	1.50	1.50	2.00	24.9
	Extreme	1.30	1.60	2.70	2.50	26.57
N86T2929ENL, N86T2929ENS, N86TA29EL, N86TA29ES, N86TE29EL, N86TE29ES, N86TS29EL, N86TS29ES		0.70	1.00	1.60	2.60	13.84
N86TA10CL, N86TA10CS, N86TA10CTLL, N86TA10CTRL, N86TE10CL, N86TE10CS, N86TE10CTLL, N86TE10CTRL, N86TS10CL, N86TS10CS, N86TS10CTLL, N86TS10CTRL		0.40	0.60	1.00	2.00	8.3
N86TA10NL, N86TA10NS, N86TE10NL, N86TE10NS, N86TS10NL, N86TS10NS		0.80	1.50	2.20	3.60	15.5

ELOQUENCE

GUEST, TANDEM, BARIATRIC, GANGING TABLES
Product Specifications 158
Fabrics and Options 159
Contrasting Fabrics Specifications 160
Stitch-it Specifications 160
Product Pages 161

LOUNGE, FREESTANDING TABLES
Product Specifications 164
Fabrics and Options 165
Contrasting Fabrics Specifications 166
Product Pages 167

EXECUTIVE
Product Specifications 169
Fabrics and Options 170
Product Pages 171

COM YARDAGE REQUIREMENTS 172

STITCH-IT YARDAGE REQUIREMENTS 172

ELOQUENCE PRODUCT SPECIFICATIONS—GUEST, TANDEM, BARIATRIC, GANGING TABLES



FRAME CONSTRUCTION

- Constructed of beech with mortise and tenon joints on top rail and doweled joints on front and back rails
- Each joint is securely glued for maximum joint stability
- Features back legs cut from steam bent beech wood
- Non-marring nylon glides

ARMS

- Available with black protective polyurethane arm caps for added durability

SEAT CONSTRUCTION (N85SA, N85SB, N85SC, N85SAA, N85SAAA, N85SACA)

- 2" of high grade polyurethane foam covers a plywood panel with high tension strip webbing for comfort
- Corner blocks are screwed and glued in all 4 corners of the seat

SEAT CONSTRUCTION (N85SE)

- 2" of high grade polyurethane foam covers a solid seat panel
- Corner blocks are screwed and glued in all 4 corners of the seat

BACK CONSTRUCTION (ALL MODELS)

- ¾" of high grade polyurethane foam covers the front of a contoured panel for support and comfort
- The outer (extreme) back features ¼" of high grade polyurethane foam

CONTRASTING FABRICS

- Guest and tandem seating available with contrasting fabric

FINISH

- Features a catalyzed top coat that resists denting, peeling and reactions to chemicals
- Can be cleaned with a damp cloth
- When specifying Brighton, Natural, and Sonoma finish, variation in color is acceptable due to the nature of wood characteristics

WOOD SPECIES

- Beech

TABLES

- Laminate models feature ¾" particle board with laminate (HPL) top and European beech façade rails and legs

STITCH-IT

- All models available with Stitch-it option, except bariatric

All Eloquence models may be ordered to meet TB133 fire code.

To order seating to meet the TB133 fire code, specify an "F" at the end of the model number (Ex: N85SAF).

For TB133 pricing go to www.NationalOfficeFurniture.com/TB133

Please consult customer service for applicable Arc-Com, Carnegie, Designtex, Maharam, Mayer, Momentum, Stinson, or Ultrafabrics fabric.

FABRICS

Grade 1	Cali
	Entwine
	Input
	Melange
	Ridge
	Spark
	Vessel
	Zig Zag
Grade 2	Bliss
	Brilliant
	COM
	Dolce
	Dorset
	Intuition
	Orbit
	Phrase
	Pixie
	Sedona
	Stancil
	Strand
Grade 3	COL
	Silvertex
Grade 4	Connect Four
	Echo
	Masquerade
Grade 5	Mode
Grade 6	Essence/Ultraleather
Grade 7	Brisa
	Brisa Distressed
	Reef Pro
	Silica
	Silica Etch
	Tottori
Grade L7	Davenport
Grade L8	Florence

FINISHES

AC	Autumn	NM	Natural
AD	Almond	PB	Portobello
BZ	Brazilwood	PC	Porcini
CI	Chai	PT	Portico
CL	Caramel	SK	Skyline
CW	Cordovan	SM	Sonoma
DW	Judicial	TF	Truffle
HN	Honey	WL	Willow
IM	Brighton	405	Designer White
KN	Kona	462	Cinder
MC	Amber	792	Sable
MH	Mocha	793	Acorn*

LAMINATES

TABLES ONLY

AC2	Autumn 2	NM	Natural
AD	Almond	PB	Portobello
BZ	Brazilwood	PC	Porcini
CI	Chai	PT	Portico
CL	Caramel	SK	Skyline
CW	Cordovan	SM	Sonoma
DW	Judicial	TF	Truffle
HN2	Honey 2	WL	Willow
IM	Brighton	405	Designer White
KN	Kona	462	Cinder
MC	Amber	792	Sable
MH	Mocha	793	Acorn*

*Acorn is the finish and laminate complement to Clear Walnut finish

POLYURETHANE ARM CAPS

GUEST HALF UPHOLSTERED BACK

GUEST WOOD BACK

TANDEM 2 SEAT HALF UPHOLSTERED BACK



GUEST FULLY UPHOLSTERED BACK

GUEST BARIATRIC FULLY UPHOLSTERED BACK



TANDEM 3 SEAT HALF UPHOLSTERED BACK



TANDEM 3 SEAT WOOD, HALF UPHOLSTERED

ELOQUENCE

TO ORDER CONTRASTING FABRIC, SPECIFY

ELOQUENCE
Guest Half Upholstered Back page 161
Guest Fully Upholstered Back page 161
Guest Bariatric Fully Upholstered Back page 161
Tandem 2 Seat Half Upholstered Back page 162
Tandem 3 Seat Half Upholstered Back page 162
Tandem 3 Seat Wood, Half Upholstered page 162

1. Model Number plus "X"
2. Back Fabric Grade Number/Cover Number
3. Seat Fabric Grade Number/Cover Number
4. Finish Color



Contrasting Fabric



Contrasting Fabric

TO ORDER WITH STITCH-IT, SPECIFY

ELOQUENCE
Guest Half Upholstered Back page 161
Guest Fully Upholstered Back page 161
Guest Wood Back page 161
Tandem 2 Seat Half Upholstered Back page 162
Tandem 3 Seat Half Upholstered Back page 162
Tandem 3 Seat Wood, Half Upholstered page 162
Note: Locations not applicable to all models

1. Model Number
2. Back/Extreme Fabric Grade Number/Cover Number
3. Back Stitch-it Option
4. Extreme Back Stitch-it Options
5. Seat Fabric Grade Number/Cover Number
6. Seat Stitch-it Options
7. Finish Designator

QD

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Cover Number
4. Finish Designator

• See page 159 for Eloquence options
• See pages 19-20 for Stitch-it options

See page 172 for COM fabric yardage

GUEST HALF UPHOLSTERED BACK

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
N85SA		$	1338	1366	1379	1400	1422	1460	1512	1754	1832
QN85SA			1338	1366	1379	1400	1422	1460	1512		
N85SAT	Black Polyurethane Arm Caps		1470	1498	1511	1532	1554	1592	1644	1886	1964

DIMENSIONS

Width	22 13/16	Seat Height	19 11/32	Arm Height	27 3/8	Weight	18
Depth	22 1/32	Seat Depth	18	Back Height	14 29/32	Cubic Ft.	15.5
Height	34 1/4	Seat Width	20 1/4	Back Width	20 1/4		

- Contrasting fabric option – specify X (i.e., N85SAX); see page 160. For list pricing, use your electronic specification tool or contact customer service
- Stitch-it option – specify V (i.e., N85SAV). For list pricing, use your electronic specification tool or contact customer service
- Stitch-it locations; Front Back, Extreme Back and Seat

GUEST FULLY UPHOLSTERED BACK

			1	2/COM	3/COL	4	5	6	7	L7	L8
N85SB		$	1416	1455	1472	1501	1532	1584	1655	1988	2095
QN85SB			1416	1455	1472	1501	1532	1584	1655		
N85SBT	Black Polyurethane Arm Caps		1546	1585	1602	1631	1662	1714	1785	2118	2225

DIMENSIONS

Width	22 13/16	Seat Height	19 11/32	Arm Height	27 3/8	Weight	18
Depth	22 1/32	Seat Depth	18	Back Height	14 29/32	Cubic Ft.	15.5
Height	34 1/4	Seat Width	20 1/4	Back Width	20 1/4		

- Contrasting fabric option – specify X (i.e., N85SBX); see page 160. For list pricing, use your electronic specification tool or contact customer service
- Stitch-it option – specify V (i.e., N85SBV). For list pricing, use your electronic specification tool or contact customer service
- Stitch-it locations; Front Back, Extreme Back and Seat

GUEST WOOD BACK

			1	2/COM	3/COL	4	5	6	7	L7	L8
N85SC		$	1443	1471	1484	1505	1527	1565	1617	1859	1937
N85SCT	Black Polyurethane Arm Caps		1577	1605	1618	1639	1661	1699	1751	1993	2071

DIMENSIONS

Width	22 13/16	Seat Height	19 11/32	Arm Height	27 3/8	Weight	18
Depth	22 1/32	Seat Depth	18	Back Height	14 29/32	Cubic Ft.	15.5
Height	34 1/4	Seat Width	20 1/4	Back Width	20 1/4		

- Stitch-it option – specify V (i.e., N85SCV). For list pricing, use your electronic specification tool or contact customer service
- Stitch-it location; Seat

GUEST BARIATRIC FULLY UPHOLSTERED BACK



			1	2/COM	3/COL	4	5	6	7	L7	L8
N85SE		$	2516	2583	2613	2662	2716	2807	2928	3504	3688
N85SET	Black Polyurethane Arm Caps		2651	2718	2748	2797	2851	2942	3063	3639	3823

DIMENSIONS

Width	35 3/4	Seat Height	19 11/32	Arm Height	27 3/8	Weight	33
Depth	22 1/32	Seat Depth	18	Back Height	14 29/32	Cubic Ft.	24.5
Height	34 1/4	Seat Width	33	Back Width	33		

- Meets 500 lb. weight load
- Contrasting fabric option – specify X (i.e., N85SEX); see page 160. For list pricing, use your electronic specification tool or contact customer service

ELOQUENCE

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Cover Number
4. Finish Designator

- See page 159 for Eloquence options
- See pages 19-20 for Stitch-it options

See page 172 for COM fabric yardage

CHAIR GANGING BRACKET



MODEL NO.		GRADE / LIST PRICE	
N85SJ	Wood	$	100
QN85SJ	Wood		100

DIMENSIONS

Width	3 3/16	Weight	3
Depth	17 3/16	Cubic Ft.	0.6
Height	2 1/32		

- Some assembly required
- Wood bracket attaches under seat rail
- Separates adjoining chairs by ½"

TANDEM 2 SEAT HALF UPHOLSTERED BACK



			1	2/COM	3/COL	4	5	6	7	L7	L8
N85SAA		$	2449	2505	2531	2572	2617	2694	2796	3281	3436
QN85SAA			2449	2505	2531	2572	2617	2694	2796		
N85SAAT	Black Polyurethane Arm Caps		2650	2706	2732	2773	2818	2895	2997	3482	3637

DIMENSIONS

Width	44 17/32	Seat Height	19 1/32	Arm Height	27 3/8	Weight	36
Depth	22 1/32	Seat Depth	18	Back Height	14 23/32	Cubic Ft.	26.0
Height	34 1/4	Seat Width	20 1/4	Back Width	20 1/4		

- Contrasting fabric option – specify X (i.e., N85SAAX); see page 160. For list pricing, use your electronic specification tool or contact customer service
- Stitch-it option – specify V (i.e., N85SAAV). For list pricing, use your electronic specification tool or contact customer service
- Stitch-it locations; Front Back, Extreme Back and Seat

TANDEM 3 SEAT HALF UPHOLSTERED BACK



			1	2/COM	3/COL	4	5	6	7	L7	L8
N85SAAA		$	3672	3760	3800	3865	3935	4055	4215	4972	5215
QN85SAAA			3672	3760	3800	3865	3935	4055	4215		
N85SAAAT	Black Polyurethane Arm Caps		3938	4026	4066	4131	4201	4321	4481	5238	5481

DIMENSIONS

Width	66 1/8	Seat Height	19 1/32	Arm Height	27 3/8	Weight	48
Depth	22 1/32	Seat Depth	18	Back Height	14 23/32	Cubic Ft.	37.6
Height	34 1/4	Seat Width	20 1/4	Back Width	20 1/4		

- Contrasting fabric option – specify X (i.e., N85SAAAX); see page 160. For list pricing, use your electronic specification tool or contact customer service
- Stitch-it option – specify V (i.e., N85SAAAV). For list pricing, use your electronic specification tool or contact customer service
- Stitch-it locations; Front Back, Extreme Back and Seat

TANDEM 3 SEAT WOOD, HALF UPHOLSTERED



			1	2/COM	3/COL	4	5	6	7	L7	L8
N85SACA		$	3779	3863	3901	3964	4031	4146	4300	5027	5260
N85SACAT	Black Polyurethane Arm Caps		4045	4129	4167	4230	4297	4412	4566	5293	5526

DIMENSIONS

Width	66 1/8	Seat Height	19 1/32	Arm Height	27 3/8	Weight	48
Depth	22 1/32	Seat Depth	18	Back Height	14 23/32	Cubic Ft.	37.6
Height	34 1/4	Seat Width	20 1/4	Back Width	20 1/4		

- Wood back is featured as center chair
- Contrasting fabric option – specify X (i.e., N85SACAX); see page 160. For list pricing, use your electronic specification tool or contact customer service
- Stitch-it option – specify V (i.e., N85SACAV). For list pricing, use your electronic specification tool or contact customer service
- Stitch-it locations; Front Back, Extreme Back and Seat

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Designator

• See page 159 for Eloquence options

GANGING CENTER TABLE



GANGING CORNER TABLE



MODEL NO.		GRADE / LIST PRICE
N85SGLW	Laminate Top - Center	$ 1066
N85SHLW	Laminate Top - Corner	$ 1263

CENTER TABLE DIMENSIONS

Width	24⁹⁄₁₆	Weight	14
Depth	19¹⁄₁₆	Cubic Ft.	1.4
Height	2²⁷⁄₃₂		

CORNER TABLE DIMENSIONS

Width	41²⁹⁄₃₂	Weight	25
Depth	26¹⁄₃₂	Cubic Ft.	2.7
Height	17⅞		

- Some assembly required
- Notched to fit snugly to adjoining chairs and bariatric seating
- Fastens with U-Shaped brackets under side rails of ganging chairs

ELOQUENCE PRODUCT SPECIFICATIONS—LOUNGE, FREESTANDING TABLES



FRAME CONSTRUCTION

- Interior frame is constructed of plywood with tenon joints that are glued and screwed for maximum joint stability
- Exterior frame is constructed of beech with mortise and tenon joints
- Each joint is securely glued for maximum joint stability
- Non-marring nylon glides

SEAT CONSTRUCTION

- 4" of high grade polyurethane foam covers a plywood panel with high tension strip webbing for comfort

BACK CONSTRUCTION

- 2" of high grade polyurethane foam which is stretched over web sheet and attached to frame

ARM CONSTRUCTION

- ¼" of high grade polyurethane foam covers both the interior and exterior upholstery panel
- Available with black protective polyurethane arm caps for added durability

CONTRASTING FABRICS

- Available with contrasting fabric locations: back, seat, and arms/outer back

FINISH

- Features a catalyzed top coat that resists denting, peeling and reactions to chemicals
- Can be cleaned with a damp cloth
- When specifying Brighton, Natural, and Sonoma finish, variation in color is acceptable due to the nature of wood characteristics

WOOD SPECIES

- Beech

TABLES

- Veneer models feature ¾" grade A, slipmatched, European beech veneer tops with European beech façade rails and legs
- Laminate models feature ¾" particle board with laminate (HPL) top and European beech façade rails and legs

All Eloquence models may be ordered to meet TB133 fire code.

To order seating to meet the TB133 fire code, specify an "F" at the end of the model number (Ex: N85LAF).

For TB133 pricing go to www.NationalOfficeFurniture.com/TB133

Please consult customer service for applicable Arc-Com, Carnegie, Designtex, Maharam, Mayer, Momentum, Stinson, or Ultrafabrics fabric.

FABRICS

Grade 1	Cali
	Entwine
	Input
	Melange
	Ridge
	Spark
	Vessel
	Zig Zag
Grade 2	Bliss
	Brilliant
	COM
	Dolce
	Dorset
	Intuition
	Orbit
	Phrase
	Pixie
	Sedona
	Stancil
	Strand
Grade 3	COL
	Silvertex
Grade 4	Connect Four
	Echo
	Masquerade
Grade 5	Mode
Grade 6	Essence/Ultraleather
Grade 7	Brisa
	Brisa Distressed
	Reef Pro
	Silica
	Silica Etch
	Tottori
Grade L7	Davenport
Grade L8	Florence

FINISHES

AC	Autumn	NM	Natural
AD	Almond	PB	Portobello
BZ	Brazilwood	PC	Porcini
CI	Chai	PT	Portico
CL	Caramel	SK	Skyline
CW	Cordovan	SM	Sonoma
DW	Judicial	TF	Truffle
HN	Honey	WL	Willow
IM	Brighton	405	Designer White
KN	Kona	462	Cinder
MC	Amber	792	Sable
MH	Mocha	793	Acorn*

LAMINATES

TABLES ONLY

AC2	Autumn 2	NM	Natural
AD	Almond	PB	Portobello
BZ	Brazilwood	PC	Porcini
CI	Chai	PT	Portico
CL	Caramel	SK	Skyline
CW	Cordovan	SM	Sonoma
DW	Judicial	TF	Truffle
HN2	Honey 2	WL	Willow
IM	Brighton	405	Designer White
KN	Kona	462	Cinder
MC	Amber	792	Sable
MH	Mocha	793	Acorn*

*Acorn is the finish and laminate complement to Clear Walnut finish

POLYURETHANE ARM CAPS

1 SEAT LOUNGE

2 SEAT LOUNGE



3 SEAT LOUNGE



LOUNGE BENCH



TO ORDER CONTRASTING FABRIC, SPECIFY

ELOQUENCE, LOUNGE
1 Seat Lounge page 167
2 Seat Lounge page 167
3 Seat Lounge page 167

1. Model Number plus "X"
2. Back Fabric Grade Number/Cover Number
3. Seat Fabric Grade Number/Cover Number
4. Upholstery (Arm) Fabric Grade Number/Cover Number
5. Finish Color



Contrasting Fabric

Lounge Bench page 167

1. Model Number plus "X"
2. Seat Fabric Grade Number/Cover Number
3. Upholstery (Arm) Fabric Grade Number/Cover Number
4. Finish Color



Contrasting Fabric

QD

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Cover Number
4. Finish Designator

• See page 165 for Eloquence options

See page 172 for COM fabric yardage

1 SEAT LOUNGE

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
N85LA		$	3157	3255	3300	3373	3451	3585	3765	4613	4885
QN85LA			3157	3255	3300	3373	3451	3585	3765		
N85LAT	Black Polyurethane Arm Caps		3337	3435	3480	3553	3631	3765	3945	4793	5065
QN85LAT	Black Polyurethane Arm Caps		3337	3435	3480	3553	3631	3765	3945		

DIMENSIONS

Width	27	Seat Height	19	Arm Height	27½	Weight	79
Depth	28¾	Seat Depth	19			Cubic Ft.	20.3
Height	34	Seat Width	22				

• Contrasting fabric option – specify X (i.e., N85LAX); see page 166. For list pricing, use your electronic specification tool or contact customer service

2 SEAT LOUNGE



			1	2/COM	3/COL	4	5	6	7	L7	L8
N85LB		$	3992	4133	4198	4302	4415	4609	4867	6088	6479
N85LBT	Black Polyurethane Arm Caps		4172	4313	4378	4482	4595	4789	5047	6268	6659

DIMENSIONS

Width	47¾	Seat Height	19	Arm Height	27½	Weight	105
Depth	28¾	Seat Depth	19			Cubic Ft.	34.7
Height	34	Seat Width	42½				

• Cushion is 1 piece with stitching
• Contrasting fabric option – specify X (i.e., N85LBX); see page 166. For list pricing, use your electronic specification tool or contact customer service

3 SEAT LOUNGE



			1	2/COM	3/COL	4	5	6	7	L7	L8
N85LC		$	4924	5106	5189	5324	5470	5720	6052	7628	8132
N85LCT	Black Polyurethane Arm Caps		5105	5287	5370	5505	5651	5901	6233	7809	8313

DIMENSIONS

Width	68	Seat Height	19	Arm Height	27½	Weight	135
Depth	28¾	Seat Depth	19			Cubic Ft.	49.1
Height	34	Seat Width	62¾				

• Cushion is 1 piece with stitching
• Contrasting fabric option – specify X (i.e., N85LCX); see page 166. For list pricing, use your electronic specification tool or contact customer service

LOUNGE BENCH



			1	2/COM	3/COL	4	5	6	7	L7	L8
N85LD		$	2520	2608	2648	2713	2783	2903	3063	3820	4063
N85LDT	Black Polyurethane Arm Caps		2701	2789	2829	2894	2964	3084	3244	4001	4244

DIMENSIONS

Width	50¼	Seat Height	20¼	Arm Height	24¾	Weight	56
Depth	24¾	Seat Depth	24¾			Cubic Ft.	23.4
Height	24¾	Seat Width	45				

• Cushion is 1 piece with stitching
• Contrasting fabric option – specify X (i.e., N85LDX); see page 166. For list pricing, use your electronic specification tool or contact customer service

ELOQUENCE

TO ORDER, SPECIFY:

1. Model Number
2. Finish Designator

• See page 165 for Eloquence options

END TABLE



85N2024EN	Wood Top	$	1263
85N2024ENLW	Laminate Top		1263

DIMENSIONS

Width	21 1/32	Weight	19
Depth	24 9/16	Cubic Ft.	1.4
Height	20 1/8		

• Some assembly required

MAGAZINE TABLE



85N2040MG	Wood Top	$	1451
85N2040MGLW	Laminate Top		1451

DIMENSIONS

Width	39 7/8	Weight	26
Depth	19 21/32	Cubic Ft.	2.2
Height	18 5/32		

• Some assembly required

ELOQUENCE PRODUCT SPECIFICATIONS—EXECUTIVE

SEAT AND BACK CONSTRUCTION

- 11-ply, 1 piece solid molded plywood shell forms the seat and back
- 3" of high density foam covers the seat and 2½" of high density foam covers the back

ARM CONSTRUCTION

- Constructed of exterior beech with doweled and barrel nut joints
- Arms are attached to the seat and back with metal L-brackets
- Available with black protective polyurethane arm caps for added durability

CONTROL MECHANISM/LIFT

- The standard knee tilt mechanism features a heavy-duty adjustment tension spring for a variety of body sizes and minimal rise of front seat edge; this allows the user's feet to remain on the floor when the chair is in the reclining position
- The combination gas lift/tilt lock lever allows dual functions with a simple in/out movement for lockout and an up/down movement for height adjustment

BASE AND CASTERS

- Wood base features a standard 5-prong, rigid steel understructure to ensure long life
- Caster posts fit directly into steel sleeves, greatly reducing caster socket failure
- Decorative hardwood caps complement the chair design
- Black, hard double wheel casters, which work on multiple surfaces, are standard
- Black, soft double wheel casters are available for use on hard floors; upcharge applies to this option

FINISH

- Features a catalyzed top coat that resists denting, peeling and reactions to chemicals
- Can be cleaned with a damp cloth
- When specifying Brighton, Natural, and Sonoma finish, variation in color is acceptable due to the nature of wood characteristics

WOOD SPECIES

- Beech

All Eloquence models may be ordered to meet TB133 fire code.

To order seating to meet the TB133 fire code, specify an "F" at the end of the model number (Ex: N85CACF).

For TB133 pricing go to www.NationalOfficeFurniture.com/TB133

Please consult customer service for applicable Arc-Com, Carnegie, Designtex, Maharam, Mayer, Momentum, Stinson, or Ultrafabrics fabric.

ELOQUENCE

FABRICS

Grade 1	Cali
	Entwine
	Input
	Melange
	Ridge
	Spark
	Vessel
	Zig Zag
Grade 2	Bliss
	Brilliant
	COM
	Dolce
	Dorset
	Intuition
	Orbit
	Phrase
	Pixie
	Sedona
	Stancil
	Strand
Grade 3	COL
	Silvertex
Grade 4	Connect Four
	Echo
	Masquerade
Grade 5	Mode
Grade 6	Essence/Ultraleather
Grade 7	Brisa
	Brisa Distressed
	Reef Pro
	Silica
	Silica Etch
	Tottori
Grade L7	Davenport
Grade L8	Florence

FINISHES

AC	Autumn	NM	Natural
AD	Almond	PB	Portobello
BZ	Brazilwood	PC	Porcini
CI	Chai	PT	Portico
CL	Caramel	SK	Skyline
CW	Cordovan	SM	Sonoma
DW	Judicial	TF	Truffle
HN	Honey	WL	Willow
IM	Brighton	405	Designer White
KN	Kona	462	Cinder
MC	Amber	792	Sable
MH	Mocha	793	Acorn*

*Acorn is the finish complement to Clear Walnut finish

CASTERS

C3 Hard (standard)
C4 Soft (add $36 list)

ELOQUENCE

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Cover Number
4. Finish Designator
5. Casters

• See page 170 for Eloquence options
See page 172 for COM fabric yardage

HIGH BACK

MODEL NO.

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N85CAC	Black Polyurethane Arm Caps	$	2013	2073	2100	2144	2192	2273	2382	2897	3062

DIMENSIONS

Width	27¼	Seat Height	18¼-23	Arm Height	27¼-32¼	Weight	45
Depth	28	Seat Depth	18¼			Cubic Ft.	20.4
Height	41½-46¾	Seat Width	22				

MID BACK

			1	2/COM	3/COL	4	5	6	7	L7	L8
N85CBC	Black Polyurethane Arm Caps	$	1949	2005	2031	2072	2117	2194	2296	2781	2936

DIMENSIONS

Width	27	Seat Height	18¼-23	Arm Height	27¼-32¼	Weight	44
Depth	27¼	Seat Depth	18¼			Cubic Ft.	19.5
Height	38-43¼	Seat Width	22				

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
N85CAC		1.70	2.40	3.00	3.00	35
N85CBC		1.60	2.30	2.70	3.00	34
N85LA, N85LAT		2.80	4.90	5.80	7.00	56
N85LAX, N85LATX	Back	0.90	1.00	1.20	1.10	18
	Seat	1.10	1.20	1.80	2.30	22
	Outer Shell	1.90	3.10	3.90	5.00	38
N85LB, N85LBT		4.00	7.60	8.90	10.80	80
N85LBX, N85LBTX	Back	1.00	2.00	2.20	2.10	20
	Seat	1.30	2.20	2.80	3.30	26
	Outer Shell	2.10	3.80	4.80	6.00	42
N85LC, N85LCT		5.30	10.40	11.30	13.80	106
N85LCX, N85LCTX	Back	1.80	2.90	3.10	3.20	36
	Seat	1.90	3.50	3.10	4.80	38
	Outer Shell	2.70	4.60	5.70	7.00	54
N85LD, N85LDT		2.60	4.40	6.40	6.30	52
N85LDX, N85LDTX	Seat	1.70	3.40	4.00	4.30	34
	Outer Shell	1.10	1.30	2.60	2.40	22
N85SA, N85SAT		0.90	1.50	2.30	2.40	18
N85SAA, N85SAAT		1.80	2.90	4.10	4.40	36
N85SAAA, N85SAAAT		2.50	4.10	5.90	6.40	50
N85SAAAX, N85SAAATX	Back	1.30	1.50	3.20	3.40	26
	Seat	2.50	2.80	3.10	3.10	50
N85SAAX, N85SAATX	Back	0.90	1.10	2.20	2.40	18
	Seat	1.70	1.90	2.20	2.10	34
N85SACA, N85SACAT		2.50	3.80	5.30	5.40	50
N85SACAX, N85SACATX	Back	0.90	1.10	2.30	2.40	18
	Seat	2.50	2.80	3.10	3.10	50
N85SAX, N85SATX	Back	0.50	0.70	1.30	1.40	10
	Seat	0.90	1.10	1.20	1.10	18
N85SB, N85SBT		1.20	1.60	2.60	3.00	24
N85SBX, N85SBTX	Back	0.60	0.80	1.40	2.00	12
	Seat	0.90	1.10	1.20	1.10	18
N85SC, N85SCT		0.80	1.00	1.10	1.00	17
N85SE, N85SET		2.00	2.20	2.60	3.00	40
N85SEX, N85SETX	Back	1.20	1.40	1.40	2.00	24
	Seat	0.90	1.10	1.20	1.10	18

STITCH-IT YARDAGE REQUIREMENTS
For Non-Stitch-It locations, reference contrasting model yardage requirements in the Master Seating Pricelist.

MODEL NUMBER	STITCH-IT LOCATION	NON DIRECTIONAL YARDAGE
N85SAV, N85SATV, N85SBV, N85SBTV	Front Back	0.90
	Extreme Back	0.90
	Seat	0.90
N85SCV, N85SACATV	Seat	0.90
N85SAAV, N85SAATV	Front Back	1.75
	Extreme Back	1.75
	Seat	1.75
N85SAAAV, N85SAAATV	Front Back	2.60
	Extreme Back	2.60
	Seat	2.60
N85SACAV, N85SACATV	Front Back	1.75
	Extreme Back	1.75
	Seat	2.60

ESSAY

Product Specifications 174
Fabrics and Options 175
Product Pages 176
COM Yardage Requirements 181

ESSAY

ESSAY PRODUCT SPECIFICATIONS



SHELL CONSTRUCTION
- Contoured, injection molded polypropylene
- Wall friendly design

UPHOLSTERED SEAT FOAM
- ⅜" foam

4-LEG BASE
- Injection molded glass filled nylon

TRAY
- Injection molded polypropylene

TABLET ARM
- Chevron surface available in black HPL (24¾" W x 12" D)
- Rectangle surface available in black HPL (23¾" W x 11¾" D) (student chairs only)

CUP HOLDER
- Available as an option on tablet models only
- Injection molded polypropylene
- Light assembly required

SWIVEL MECHANISM
- 360° fixed height swivel

CONTROL (TASK/STOOL OPTION)
- Swivel control
- The pneumatic gas cylinder lift allows the seat to raise and lower

CASTER
- Black, hard double wheel casters, which work on multiple surfaces, are standard
- Black, soft double wheel roll control casters, for use on hard surfaces, are available at an upcharge

GLIDES
- Soft glides are available at an upcharge

ASSEMBLY (STUDENT CHAIRS ONLY)
- Product is shipped ready-to-assemble
- 3 subassemblies join with no tools required

National seating meets or exceeds the ANSI/BIFMA X6.1 Educational Seating standard.

All plastic models meet TB133 fire code.

Please consult customer service for applicable Arc-Com, Carnegie, Designtex, Maharam, Mayer, Momentum, Stinson, or Ultrafabrics fabric.

FABRICS

Grade 1
- Cali
- Entwine
- Input
- Melange
- Ridge
- Spark
- Vessel
- Zig Zag

Grade 2
- Bliss
- Brilliant
- COM
- Dolce
- Dorset
- Intuition
- Orbit
- Phrase
- Pixie
- Sedona
- Stancil
- Strand

Grade 3
- COL
- Silvertex

Grade 4
- Connect Four
- Echo
- Masquerade

Grade 5
- Mode

Grade 6
- Essence/Ultraleather

Grade 7
- Brisa
- Brisa Distressed
- Reef Pro
- Silica
- Silica Etch
- Tottori

Grade L7
- Davenport

Grade L8
- Florence

STUDENT CHAIR

SHELL AND TRAY COLORS

151 White
152 Light Grey
153 Dark Grey
154 Taupe
157 Navy
158 Black

FRAME COLOR (TABLET ARM SUPPORT AND BASE)

153 Dark Grey
158 Black

CUP HOLDER OPTIONS

($78 list upcharge)

CPB Cup Holder, Black
X No Cup Holder

CASTERS

C3 Hard (standard)
C29 Soft (add $36 list per chair)

GLIDES

C27 Hard (standard)
C28 Soft (add $41 list per chair)

TASK AND TASK STOOLS

SHELL COLORS

151 White
152 Light Grey
153 Dark Grey
154 Taupe
157 Navy
158 Black

- Task chair tablet arm support is black
- Task and task stool chair base is black
- Tablet surface is black

CUP HOLDER OPTIONS

($78 list upcharge)

CPB Cup Holder, Black
X No Cup Holder

CASTERS

C3 Hard (standard)
C29 Soft (add $36 list per chair)

GLIDES

C27 Hard (standard)
C28 Soft (add $41 list per chair)

TABLET

RT Rectangle, HPL (student chair only)
CV* Chevron, HPL

*($103 list upcharge)

- Tablet surface is black



Rectangle



Chevron

ESSAY

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Shell Color
3. Fabric Grade / Cover Number (when applicable)
4. Tray Color
5. Frame Color
6. Tablet
7. Cup Holder (when applicable)
8. Caster or Glide

• See page 175 for Essay options

See page 181 for COM fabric yardage

STUDENT CHAIR WITH TABLET



Mobile

Static

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
N21AATC	Mobile	$	1062								
QN21AATC	Mobile		1062								
N21AATUC	Upholstered Seat, Mobile		1241	1266	1277	1295	1315	1348	1393	1605	1673
QN21AATUC	Upholstered Seat, Mobile		1241	1266	1277	1295	1315	1348	1393		
N21AATG	Static	$	1062								
QN21AATG	Static		1062								
N21AATUG	Upholstered Seat, Static		1241	1266	1277	1295	1315	1348	1393	1605	1673
QN21AATUG	Upholstered Seat, Static		1241	1266	1277	1295	1315	1348	1393		

DIMENSIONS

Width	26	Seat Height	17¾	Arm Height	27	Weight	55
Depth	33	Seat Depth	17	Back Height	18¼	Upholstered Seat Model Weight	60
Height	36½	Seat Width	19½	Back Width	17	Cubic Ft.	9.5

- Overall width and depth measurements are with Chevron tablet positioned in center of chair
- Tablet surface is available in black only; shapes available in Rectangle or Chevron
- Tool-less assembly required

STUDENT CHAIR



Mobile

Static

			1	2/COM	3/COL	4	5	6	7	L7	L8
N21AAC	Mobile	$	785								
QN21AAC	Mobile		785								
N21AAUC	Upholstered Seat, Mobile		965	990	1001	1019	1039	1072	1117	1329	1397
QN21AAUC	Upholstered Seat, Mobile		965	990	1001	1019	1039	1072	1117		
N21AAG	Static	$	785								
QN21AAG	Static		785								
N21AAUG	Upholstered Seat, Static		965	990	1001	1019	1039	1072	1117	1329	1397
QN21AAUG	Upholstered Seat, Static		965	990	1001	1019	1039	1072	1117		

DIMENSIONS

Width	26	Seat Height	17¾	Arm Height	27	Weight	45
Depth	24¼	Seat Depth	17	Back Height	18¼	Upholstered Seat Model Weight	50
Height	36½	Seat Width	19½	Back Width	17	Cubic Ft.	9.5

- Tool-less assembly required

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Shell Color
3. Fabric Grade / Cover Number (when applicable)
4. Tablet
5. Cup Holder (when applicable)
6. Caster or Glide

• See page 175 for Essay options

See page 181 for COM fabric yardage

TASK CHAIR WITH TABLET

Mobile

Static

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
N21BBTC	Mobile	$	903								
QN21BBTC	Mobile		903								
N21BBTUC	Upholstered Seat, Mobile		1082	1107	1118	1136	1156	1189	1234	1446	1514
QN21BBTUC	Upholstered Seat, Mobile		1082	1107	1118	1136	1156	1189	1234		
N21BBTG	Static	$	903								
QN21BBTG	Static		903								
N21BBTUG	Upholstered Seat, Static		1082	1107	1118	1136	1156	1189	1234	1446	1514
QN21BBTUG	Upholstered Seat, Static		1082	1107	1118	1136	1156	1189	1234		

DIMENSIONS

Width	26	Seat Height	16¼-20¾	Arm Height	24¼-28¾	Weight	55
Depth	33	Seat Depth	17	Back Height	18¼	Upholstered Seat Model Weight	60
Height	34¼-38¾	Seat Width	19½	Back Width	17	Cubic Ft.	17.5

- Overall width and depth measurements are with Chevron tablet positioned in center of chair
- Available only with Chevron tablet surface
- Tablet surface and arm support are available in black only

TASK CHAIR

Mobile

Static

			1	2/COM	3/COL	4	5	6	7	L7	L8
N21BBC	Mobile	$	627								
QN21BBC	Mobile		627								
N21BBUC	Upholstered Seat, Mobile		809	834	845	863	883	916	961	1173	1241
QN21BBUC	Upholstered Seat, Mobile		809	834	845	863	883	916	961		
N21BBG	Static	$	627								
QN21BBG	Static		627								
N21BBUG	Upholstered Seat, Static		809	834	845	863	883	916	961	1173	1241
QN21BBUG	Upholstered Seat, Static		809	834	845	863	883	916	961		

DIMENSIONS

Width	26	Seat Height	16¼-20¾	Arm Height	24¼-28¾	Weight	45
Depth	24¾	Seat Depth	17	Back Height	18¼	Upholstered Seat Model Weight	50
Height	34¼-38¾	Seat Width	19½	Back Width	17	Cubic Ft.	17.5

- Base is available in black only

ESSAY

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Shell Color (when applicable)
3. Fabric Grade / Cover Number (when applicable)
4. Caster or Glide (when applicable)

• See page 175 for Essay options
See page 181 for COM fabric yardage

TASK STOOL

Mobile

Static

MODEL NO.

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N21CCC	Mobile	$	825								
QN21CCC	Mobile		825								
N21CCUC	Upholstered Seat, Mobile		1005	1030	1041	1059	1079	1112	1157	1369	1437
QN21CCUC	Upholstered Seat, Mobile		1005	1030	1041	1059	1079	1112	1157		
N21CCG	Static	$	825								
QN21CCG	Static		825								
N21CCUG	Upholstered Seat, Static		1005	1030	1041	1059	1079	1112	1157	1369	1437
QN21CCUG	Upholstered Seat, Static		1005	1030	1041	1059	1079	1112	1157		

DIMENSIONS

Width	26	Seat Height	19½-27¼	Arm Height	27¾-35½	Weight	58
Depth	24¾	Seat Depth	17	Back Height	18¼	Upholstered Seat Model Weight	63
Height	37¼-45	Seat Width	19½	Back Width	17	Cubic Ft.	17.5

• Base is available in black only

UPHOLSTERED SEAT CUSHION

		1	2/COM	3/COL	4	5	6	7	L7	L8
N21UPH	$	237	262	273	291	311	344	389	601	669
QN21UPH		237	262	273	291	311	344	389		

DIMENSIONS

Width	17¾	Weight	8
Depth	16½	Cubic Ft.	1.2
Height	½		

• Field installable

CUP HOLDER

N21CUP	Black, Package of 1	$	78	
QN21CUP	Black, Package of 1		78	

Weight	5
Cubic Ft.	0.5

• Option for tablet models only
• Cup holder is available in black only
• Field installable
• Light assembly required



STUDENT CHAIR - FRONT VIEW



STUDENT CHAIR - SIDE VIEW



STUDENT CHAIR - TOP DOWN VIEW

*Chevron shape shown

*Rectangle shape
Overall tablet width: 23.75"
Tablet depth: 11.75"



STUDENT CHAIR - TABLET SWING VIEW

ESSAY







COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
N21AAUC, N21AAUG N21AATUC, N21AATUG N21BBUC, N21BBUG N21BBTUC, N21BBTUG N21CCUC, N21CCUG, N21UPH		0.70	0.70	0.70	0.90	7

ESSAY

FARRAH

Product Specifications 184
Fabrics and Options 185
Contrasting Fabrics Specifications 186
Stitch-it Specifications 186
Product Pages 187
COM Yardage Requirements 190
Stitch-It Yardage Requirements 190

FARRAH

FARRAH PRODUCT SPECIFICATIONS



BACK CONSTRUCTION (CHAIR)

- 1⅜" of polyurethane foam covers a contoured plywood frame

SEAT CONSTRUCTION (CHAIR AND BENCH)

- 2" of polyurethane foam covers a plywood frame with high tension sheet webbing for support

ARM CONSTRUCTION (CHAIR)

- Armrest frames are wrapped with high grade polyurethane foam and slipcovered
- Arms are attached to the back and seat with mechanical fasteners

LEGS AND GLIDES

- Die cast aluminum faceted legs available in Polished Aluminum, Concrete, Cinder, Iron, Platinum Metallic, Designer White and Satin Nickel Metallic
- Durable hard black nylon height adjustable glides are standard
- Soft / non-skid adjustable glides are available for an additional upcharge

INSET PANELS (STATIC GUEST CHAIR AND BENCH)

- Formed metal sheet panels finished in corresponding leg color: Concrete, Cinder, Iron, Platinum Metallic, Designer White and Satin Nickel Metallic
- When polished legs are specified, inset panels will be Platinum Metallic

UPHOLSTERY DETAIL (CHAIR)

- Available with contrasting fabric locations; back, seat, and arms

SWIVEL MECHANISM (SWIVEL GUEST CHAIR)

- 360° swivel with auto-return

TABLE TOP

- Veneer surfaces are 1⅜₁₆" slipmatched maple (Brighton, Caramel, Honey, Natural), cherry (Amber, Autumn, Cordovan, Judicial, Mocha, Truffle), quarter cut walnut (Almond, Portobello, Sable), or quarter cut oak (Sonoma) veneer and feature a standard flat wood edge or clear exposed plywood edge
- Laminate surfaces are 1⅜₁₆" HPL (high pressure laminate), and feature standard 0.5mm PVC edge or clear exposed plywood edge
- Solid surfaces feature a flat rim profile
- All Veneer surfaces feature a semi-open pore matte finish

STITCH-IT

- All models available with Stitch-it option, except 2 seat bench

All Farrah models may be ordered to meet TB133 fire code.

To order seating to meet the TB133 fire code, specify an "F" at the end of the model number (Ex: N71M1MF).

For TB133 pricing go to www.NationalOfficeFurniture.com/TB133

Please consult customer service for applicable Arc-Com, Carnegie, Designtex, Maharam, Mayer, Momentum, Stinson, or Ultrafabrics fabric.

FABRICS

Grade 1	Cali
	Entwine
	Input
	Melange
	Ridge
	Spark
	Vessel
	Zig Zag
Grade 2	Bliss
	Brilliant
	COM
	Dolce
	Dorset
	Intuition
	Orbit
	Phrase
	Pixie
	Sedona
	Stancil
	Strand
Grade 3	COL
	Silvertex
Grade 4	Connect Four
	Echo
	Masquerade
Grade 5	Mode
Grade 6	Essence/Ultraleather
Grade 7	Brisa
	Brisa Distressed
	Reef Pro
	Silica
	Silica Etch
	Tottori
Grade L7	Davenport
Grade L8	Florence

VENEER FINISHES

AC	Autumn
AD	Almond
CL	Caramel
CW	Cordovan
DW	Judicial
HN	Honey
IM	Brighton
MC	Amber
MH	Mocha
NM	Natural
PB	Portobello
SM	Sonoma
TF	Truffle
405	Designer White
462	Cinder
792	Sable

FRAME COLORS

405	Designer White
423	Concrete
462	Cinder
463	Iron
497	Polished Aluminum
501	Platinum Metallic
503	Satin Nickel Metallic

SOLID SURFACE COLORS

7101	Bisque (Grade A)
7201	Glacier White (Grade A)
7202	Canyon (Grade B)
7203	Designer White (Grade B)
7204	Silt (Grade B)
7301	Concrete (Grade C)
7302	Deep Night Sky (Grade C)
7303	Deep Nocturne (Grade C)

GLIDES

STD	Hard (standard)
C57	Soft (add $41 list)

LAMINATE COLORS

WOODGRAIN LAMINATE

AC2	Autumn 2
AD	Almond
BZ	Brazilwood
CI	Chai
CL	Caramel
CW	Cordovan
DW	Judicial
HN2	Honey 2
IM	Brighton
KN	Kona
MC	Amber
MH	Mocha
NM	Natural
PB	Portobello
PC	Porcini
PT	Portico
SK	Skyline
SM	Sonoma
TF	Truffle
WL	Willow
792	Sable
793	Acorn*

*Acorn is the laminate complement to Clear Walnut finish

SOLID LAMINATE

405	Designer White
419	Wallaby
425	Shadow
440	Cloud
457	Dapple
461	Graphite
462	Cinder
478	Platinum Grey
488	Frosty White
491	Designer White Linear
492	Cinder Linear

GALLERY LAMINATE

Grade 1 – 5% upcharge

G1001	Citadel
G1011	Pepperdust

Grade 2 – 6% upcharge

G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

See page 21 for Gallery program details and upcharges

TO ORDER CONTRASTING FABRIC, SPECIFY

FARRAH
Guest page 187
Guest Swivel page 187

1. Model Number plus "X"
2. Back Fabric Grade Number/Cover Number
3. Seat Fabric Grade Number/Cover Number
4. Arm Fabric Grade Number/Cover Number (when applicable)
5. Frame Color
6. Glides



Contrasting Upholstery

TO ORDER WITH STITCH-IT, SPECIFY

FARRAH
Guest page 187
Guest Swivel page 187
Bench page 188
Note: Locations not applicable to all models

1. Model Number
2. Back Fabric Grade Number/Cover Number
3. Back Stitch-it Options
4. Seat Fabric Grade Number/Cover Number
5. Seat Stitch-it Options
6. Arm Fabric Grade Number/Cover Number
7. Frame Color
8. Glides

FARRAH

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Frame Color
4. Glides

- See page 185 for Farrah options
- See pages 19-20 for Stitch-it options

See page 190 for COM fabric yardage

GUEST



Arms



Left Arm

MODEL NO.		GRADE / LIST PRICE	1	2/COM	3/COL	4	5	6	7	L7	L8
N71M1M	Armless	$	2850	2910	2937	2981	3029	3110	3219	3734	3899
QN71M1M	Armless		2850	2910	2937	2981	3029	3110	3219		
N71M1A	Arms		3543	3617	3650	3705	3764	3864	3999	4635	4839
QN71M1A	Arms		3543	3617	3650	3705	3764	3864	3999		
N71M1R	Right Arm		3197	3264	3294	3343	3397	3488	3609	4185	4369
N71M1L	Left Arm		3197	3264	3294	3343	3397	3488	3609	4185	4369

DIMENSIONS

Armless Width	26½	Seat Height	15⅝	Arm Height	24	Armless Weight	65
Single Arm Width	26½	Seat Depth	19¾	Back Height	30⅝	Single Arm Weight	67
Double Arm Width	26½	Arm Seat Height	20	Back Width	20	Double Arm Weight	70
Depth	27½	Armless Seat Width	26½			Armless Cubic Ft.	14.2
Height	30⅝					Arm Cubic Ft.	14.2

- Contrasting fabric option – specify X (i.e., N71M1MX); see page 186. For list pricing, use your electronic specification tool or contact customer service
- Stitch-it option – specify V (i.e., N71M1MV). For list pricing, use your electronic specification tool or contact customer service
- Stitch-it locations; Front Back and Seat

GUEST SWIVEL



Arms

			1	2/COM	3/COL	4	5	6	7	L7	L8
N71MS1M	Armless	$	2850	2910	2937	2981	3029	3110	3219	3734	3899
N71MS1A	Arms		3543	3617	3650	3705	3764	3864	3999	4635	4839

DIMENSIONS

Armless Width	26½	Seat Height	15⅝	Arm Height	24	Armless Weight	65
Arm Width	26½	Seat Depth	19¾	Back Height	30⅝	Arm Weight	67
Depth	27½	Arm Seat Width	20	Back Width	20	Armless Cubic Ft.	14.2
Height	30⅝	Armless Seat Width	26½			Arm Cubic Ft.	14.2

- Features 360° swivel with auto-return
- Contrasting fabric option – specify X (i.e., N71MS1MX). For list pricing, use your electronic specification tool or contact customer service
- Stitch-it option – specify V (i.e., N71MS1MV). For list pricing, use your electronic specification tool or contact customer service
- Stitch-it locations; Front Back and Seat

FARRAH

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Frame Color
4. Glides
5. Glides

- See page 185 for Farrah options
- See pages 19-20 for Stitch-it options

See page 190 for COM fabric yardage

BENCH



MODEL NO.

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N71D1	Single Seat Bench	$	2389	2428	2445	2474	2505	2557	2628	2961	3068
QN71D1	Single Seat Bench		2389	2428	2445	2474	2505	2557	2628		

DIMENSIONS

Width	26½	Weight	63
Depth	25	Cubic Ft.	13.5
Height	15⅝		

- Stitch-it option – specify V (i.e., N71D1V). For list pricing, use your electronic specification tool or contact customer service
- Stitch-it locations; Seat

BENCH



			1	2/COM	3/COL	4	5	6	7	L7	L8
N71D2	2 Seat Bench	$	3002	3055	3079	3118	3160	3232	3328	3782	3928

DIMENSIONS

Width	53	Weight	112
Depth	25	Cubic Ft.	19.7
Height	15⅝		

TO ORDER, SPECIFY:

1. Model Number
2. Wood/Laminate Finish (when applicable)
3. Solid Surface Grade/Color (when applicable)
4. Frame Color (when applicable)
5. Glides (when applicable)

• See page 185 for Farrah options

END TABLE



MODEL NO.		GRADE / LIST PRICE			
			GRADE A	GRADE B	GRADE C
N71T2525ENL	Laminate	$	2001		
N71T2525ENDLW	Laminate - Exposed Plywood Rim		2233		
N71T2525ENW	Veneer		2386		
N71T2525ENDW	Veneer - Exposed Plywood Rim		2617		
N71T2525ENS	Solid Surface		3347	3503	3716

DIMENSIONS

Width	25	Weight	64
Depth	25	Weight - Solid Surface	71
Height	14	Cubic Ft.	10.4

MAGAZINE TABLE



			GRADE A	GRADE B	GRADE C
N71T2552MGL	Laminate	$	2617		
N71T2552MGDLW	Laminate - Exposed Plywood Rim		2847		
N71T2552MGW	Veneer		3002		
N71T2552MGDW	Veneer - Exposed Plywood Rim		3233		
N71T2552MGS	Solid Surface		4462	4784	5222

DIMENSIONS

Width	51½	Weight	112
Depth	24½	Weight - Solid Surface	126
Height	14	Cubic Ft.	19.7

GANGING CENTER TABLE



			GRADE A	GRADE B	GRADE C
N71TCL	Laminate	$	615		
N71TCDLW	Laminate - Exposed Plywood Rim		693		
N71TCW	Veneer		1002		
N71TCDW	Veneer - Exposed Plywood Rim		1078		
N71TCS	Solid Surface		1845	2001	2214

DIMENSIONS

Width	25	Weight	24.5
Depth	25	Weight - Solid Surface	31.5
Height (attached to chairs)	14	Cubic Ft.	1.5

- 2 metal attachment brackets and hardware included
- For use between any non-swivel Farrah guest chairs or benches

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
N71M1M, N71MS1M		1.70	2.70	3.40	4.80	34
N71M1A, N71MS1A		2.10	2.80	4.10	5.20	42
N71M1R, N71M1L		1.90	2.80	3.90	5.00	38
N71M1MX, N71MS1MX	Back	1.10	1.30	1.50	2.30	22
	Seat	1.10	1.70	2.60	3.20	22
N71M1AX, N71MS1AX	Back	1.10	1.30	1.50	2.30	22
	Seat	1.10	1.70	2.60	3.20	22
	Arm	0.90	1.00	1.70	2.70	18
N71M1RX, N71M1LX	Back	1.10	1.30	1.50	2.30	22
	Seat	1.10	1.70	2.60	3.20	22
	Arm	0.90	1.00	1.60	1.70	18
N71D1		1.10	1.70	2.60	3.20	22
N71D2		2.00	3.00	4.00	4.50	40

STITCH-IT YARDAGE REQUIREMENTS
For Non-Stitch-It locations, reference contrasting model yardage requirements in the Master Seating Pricelist.

MODEL NUMBER	STITCH-IT LOCATION	NON DIRECTIONAL YARDAGE
N71M1MV, N71MS1MV,		
N71M1AV, N71MS1AV,	Front Back	1.40
N71M1RV, N71M1LV	Seat	1.20
N71D1V	Seat	1.20

FIERCE

Product Specifications 192
Fabrics and Options 192
Product Pages 193

FIERCE

FIERCE PRODUCT SPECIFICATIONS

BACK AND SEAT CONSTRUCTION

- Injection molded frame

MESH

- Elastomer (Hytrel) 40% and Polyester 60%
- Cleaning code: W

ARMS

- Encased uprights are made of reinforced glass filled nylon
- Height adjustable arm adjusts in height with a push button to one of 6 positions with a 3⅜" range

CONTROL

- Weight balanced synchro control with seat slide
- 3 positions available in the seat slide depth adjustment range of 1¼"

BASE AND CASTERS

- Black nylon 5-prong base features glass filled nylon
- Black, hard double wheel casters, which work on multiple surfaces, are standard
- Black, soft double wheel casters are available for use on hard floors

UPHOLSTERY

Black Mesh only

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number

BLACK MESH BACK
BLACK SEAT
HEIGHT ADJUSTABLE
ARMS

48

MODEL NO.		LIST PRICE
N76MM2SB		$ 815
N10CSC4	Set of 5 Soft Casters	48

DIMENSIONS

Width	26¼	Seat Height	16½-20¼	Arm Height	27¼-31	Weight	40
Depth	28	Seat Depth	16⅞-18½	Back Height	22¾	Cubic Ft.	6.05
Height	37⅞-41¾	Seat Width	18⅞	Back Width	16⅛		

- Specify model number only
- Ships KD, tool included

FIERCE

FRINGE

LOUNGE
Product Specifications 196
Fabrics and Options 197
Contrasting Fabrics Specifications 199
Product Pages 201

BISTRO
Product Specifications 226
Fabrics and Options 227
Contrasting Fabrics Specifications 229
Product Pages 230

TABLES
Product Specifications 243
Fabrics and Options 244
Product Pages 246

TYPICALS 257

COM YARDAGE REQUIREMENTS 259

FRINGE

FRINGE LOUNGE PRODUCT SPECIFICATIONS





FRAME CONSTRUCTION

- Interior frame is constructed of oriented strand board with tenon joints that are glued and screwed for maximum joint stability
- Each joint is securely glued for maximum stability

SEAT CONSTRUCTION

- Lounge chairs feature 5½" of high grade polyurethane foam covering an oriented strand board seat panel
- Club chair features 7½" of high grade polyurethane foam covering an oriented strand board seat panel

BACK CONSTRUCTION

- Lounge chairs feature 1½" of high grade custom shaped polyurethane foam stretched over web sheet and attached to frame
- Club chair features 2¼" of high grade custom shaped polyurethane foam stretched over web sheet and attached to frame

ARM REST

- Lounge chairs feature oriented strand board constructed arm frame covered with ¾" high grade polyurethane foam on arm surface and ⅜" on the sides
- Club chair features oriented strand board constructed arm frame covered with 2" high grade polyurethane foam on arm surface and ⅜" on the sides

TABLET ARMS

- ¾" thick laminate with MDF core or ¾" thick plywood with veneer surface
- Attached with ¼" steel base plate with screws that mounts over a ¾" insert rod and fits into structure of arm
- Allows for 360° swivel and writing surface of 17" W x 12" D
- Tablet height is 28½" from floor to top of tablet surface

LEGS AND GLIDES

- Die-cast aluminum legs available in polished or powder coated Concrete, Cinder, Iron, Platinum Metallic, or Satin Nickel Metallic
- Wood legs finished with catalyzed top coat which resists denting, peeling and reactions to chemicals
- Can be cleaned with a damp cloth
- When specifying Brighton, Natural, and Sonoma finish, variation in color is acceptable due to the nature of wood characteristics
- Features a black 1" adjustable leveling glide
- Soft glides are available for an additional upcharge
- Black LPL plinth base; available on booth models only

CLUB CHAIR BASE AND GLIDES

- Die-cast aluminum 5-prong base available in polished or powder coated Cinder, Platinum Metallic, or Satin Nickel Metallic
- Non-marring nylon glides

CLUB CHAIR CONTROL

- Features 360° swivel with auto-return, static model only

UPHOLSTERY DETAIL

- Contrasting fabric available on all models, except benches and armless club chair

POWER GROMMET

- Features 2 electrical receptacles and 2 power USB ports
- Die-cast zinc in black or silver powder coat
- 9 foot, 15 Amp cord
- UL Listed

UPHOLSTERED DIVIDER PANELS

- Constructed with an oriented strand board frame covered with ¾" high grade polyurethane foam on top and ⅜" on the sides
- Upholstered divider panels are able to be attached on either side of a lounge, or in between ganged lounge units within a configuration
- If attaching to an armed unit, arm must be removed before mounting divider panel
- Compatible on N93 models
- Compatible with one, two and three seat lounge, with the exception of bistro and booth models

LAMINATE AND VENEER DIVIDER AND BACK PRIVACY PANELS

- ¾" edge banded HPL or Veneer
- Veneer features a semi-open pore matte sheen
- Attached with silver visible fasteners
- Laminate and Veneer Divider panels are able to be attached on either side of a lounge, or in between lounge units within a configuration
- Divider panels can be attached to an armless unit, or attached to an arm of any height, with the exception of tablet arms
- Divider panels and back panels are compatible on both N92 and N93 one, two and three seat lounge models, and single-sided booths
- Divider panels are compatible with bistro models, corners, curves, wedges, and coves
- When retrofitting a back panel onto a bistro model, the bistro table must be removed for the life of the back panel

FABRICS

Grade 1
Cali
Entwine
Input
Melange
Ridge
Spark
Vessel
Zig Zag

Grade 2
Bliss
Brilliant
COM
Dolce
Dorset
Intuition
Orbit
Phrase
Pixie
Sedona
Stancil
Strand

Grade 3
COL
Silvertex

Grade 4
Connect Four
Echo
Masquerade

Grade 5
Mode

Grade 6
Essence/Ultraleather

Grade 7
Brisa
Brisa Distressed
Reef Pro
Silica
Silica Etch
Tottori

Grade L7
Davenport

Grade L8
Florence

TABLET ARM

LAMINATE

LAC2	Autumn 2
LAD	Almond
LBZ	Brazilwood
LCI	Chai
LCL	Caramel
LCW	Cordovan
LDW	Judicial
LHN2	Honey 2
LIM	Brighton
LKN	Kona
LMC	Amber
LMH	Mocha
LNM	Natural
LPB	Portobello
LPC	Porcini
LPT	Portico
LSK	Skyline
LSM	Sonoma
LTF	Truffle
LWL	Willow
L405	Designer White
L419	Wallaby
L425	Shadow
L440	Cloud
L457	Dapple
L461	Graphite
L462	Cinder
L478	Platinum Grey
L488	Frosty White
L491	Designer White Linear
L492	Cinder Linear
L792	Sable
L793	Acorn*

WOOD

WAC	Autumn
WAD	Almond
WBZ	Brazilwood
WCI	Chai
WCL	Caramel
WCW	Cordovan
WDW	Judicial
WHN	Honey
WIM	Brighton
WKN	Kona
WMC	Amber
WMH	Mocha
WNM	Natural
WPB	Portobello
WPC	Porcini
WPT	Portico
WSK	Skyline
WSM	Sonoma
WTF	Truffle
WWL	Willow
W405	Designer White
W462	Cinder
W792	Sable
W793	Acorn*

*Acorn is the wood and laminate complement to Clear Walnut finish

GALLERY TABLET ARM

Grade 1 – 5% upcharge

LG1001	Laminate, Citadel
LG1011	Laminate, Pepperdust

Grade 2 – 6% upcharge

LG1002	Laminate, Planked Raw Oak
LG1003	Laminate, Evening Notte
LG1004	Laminate, Kirsche
LG1005	Laminate, Midnight Run
LG1006	Laminate, Sepia Walnut
LG1007	Laminate, Serotina
LG1008	Laminate, Timeless
LG1009	Laminate, White Nebbia
LG1012	Laminate, Phantom Ecru

See page 21 for Gallery program details and upcharges

LEG/BASE COLORS

METAL

423	Concrete
462	Cinder
463	Iron
497	Polished Aluminum
501	Platinum Metallic
503	Satin Nickel Metallic

WOOD ($200 LIST UPCHARGE PER CHAIR)

WAC	Autumn	WDW	Judicial	WNM	Natural	WTF	Truffle
WAD	Almond	WHN	Honey	WPB	Portobello	WWL	Willow
WBZ	Brazilwood	WIM	Brighton	WPC	Porcini	W405	Designer White
WCI	Chai	WKN	Kona	WPT	Portico	W462	Cinder
WCL	Caramel	WMC	Amber	WSK	Skyline	W792	Sable
WCW	Cordovan	WMH	Mocha	WSM	Sonoma	W793	Acorn*

GLIDES

STD	Standard
C10	Soft (add $41 list)

FRINGE

POWER GROMMET OPTIONS

($703 list upcharge per location)

G23BL	Black, Left
G23BR	Black, Right
G23BLR	Black, Left & Right
G23SL	Silver, Left
G23SR	Silver, Right
G23SLR	Silver, Left & Right
X	No Grommet

CORNER WITH POWER GROMMETS



WEDGES WITH POWER GROMMETS



BENCH WITH POWER GROMMETS



LOUNGE WITH POWER GROMMETS



COVE WITH POWER GROMMETS



FRINGE, LOUNGE

Mid Back 1 Seat Lounge page 201
Mid Back 1 Seat Lounge with Clean Out page 201
Mid Back 1 Seat Lounge Single Arm page 202
Mid Back 1 Seat Lounge Single Arm with Clean Out page 202
Mid Back 1 Seat Single Booth page 218
Mid Back 2 Seat Lounge page 205
Mid Back 2 Seat Lounge with Clean Out page 205
Mid Back 2 Seat Lounge Single Arm page 206
Mid Back 2 Seat Lounge Single Arm with Clean Out page 206
Mid Back 2 Seat Double Booth page 220
Mid Back 2 Seat Double Booth Clean Out page 220
Mid Back 2 Seat Cove Lounge page 213
Mid Back 3 Seat Lounge page 209
Mid Back 3 Seat Lounge with Clean Out page 209
Mid Back 3 Seat Lounge Single Arm page 210
Mid Back 3 Seat Lounge Single Arm with Clean Out page 210
Mid Back 3 Seat Cove Lounge page 213
Mid Back Square 90° Corner page 214

1. Model Number plus "X"
2. Back Fabric Grade Number/Cover Number
3. Lumbar Fabric Grade Number/Cover Number
4. Extreme Back Grade Number/Cover Number
5. Seat Fabric Grade Number/Cover Number
6. Arm Fabric Grade Number/Cover Number (when applicable)
7. Front Arm Grommet
8. Front Seat Grommet
9. Tablet and Finish (when applicable)
10. Leg Color (when applicable)
11. Glides



Contrasting Upholstery



Contrasting Upholstery Back View

High Back 1 Seat Lounge page 203
High Back 1 Seat Lounge with Clean Out page 203
High Back 1 Seat Lounge Single Arm page 204
High Back 1 Seat Lounge Single Arm with Clean Out page 204
High Back 1 Seat Single Booth page 218
High Back 2 Seat Lounge page 207
High Back 2 Seat Lounge with Clean Out page 207
High Back 2 Seat Lounge Single Arm page 208
High Back 2 Seat Lounge Single Arm with Clean Out page 208
High Back 2 Seat Double Booth page 220
High Back 2 Seat Double Booth Clean Out page 220
High Back 2 Seat Cove Lounge page 213
High Back 3 Seat Lounge page 211
High Back 3 Seat Lounge with Clean Out page 211
High Back 3 Seat Lounge Single Arm page 212
High Back 3 Seat Lounge Single Arm with Clean Out page 212
High Back 3 Seat Cove Lounge page 213
High Back Square 90° Corner page 215

1. Model Number plus "X"
2. Back Fabric Grade Number/Cover Number
3. Lumbar Fabric Grade Number/Cover Number
4. Extreme Back Grade Number/Cover Number
5. Seat Fabric Grade Number/Cover Number
6. Arm Fabric Grade Number/Cover Number (when applicable)
7. Accent (headrest) Fabric Grade Number/Cover Number
8. Front Arm Grommet
9. Front Seat Grommet
10. Tablet and Finish (when applicable)
11. Leg Color (when applicable)
12. Glides



Contrasting Upholstery



Contrasting Upholstery Back View



Contrasting Upholstery Back View



Contrasting Upholstery



Contrasting Upholstery Back View



Contrasting Upholstery



Contrasting Upholstery Back View

TO ORDER CONTRASTING FABRIC, SPECIFY

Mid Back Outside 90° Wedge page 216
Mid Back Outside 90° Round page 216
Mid Back Inside 90° Wedge page 216
Mid Back Inside 90° Round page 216
High Back Outside 90° Wedge page 217
High Back Outside 90° Round page 217
High Back Inside 90° Wedge page 217
High Back Inside 90° Round page 217

1. Model Number plus "X"
2. Back Fabric Grade Number/Cover Number
3. Lumbar Fabric Grade Number/Cover Number
4. Extreme Back Grade Number/Cover Number
5. Seat Fabric Grade Number/Cover Number
6. Accent (headrest) Fabric Grade Number/Cover Number (when applicable)
7. Front Seat Grommet
8. Leg Color
9. Glides



Contrasting Upholstery



Contrasting Upholstery Back View

Club Chair page 223

1. Model Number plus "X"
2. Back Fabric Grade Number/Cover Number
3. Seat Fabric Grade Number/Cover Number
4. Arm Fabric Grade Number/Cover Number
5. Tablet Finish (when applicable)
6. Base Color



Contrasting Upholstery



Contrasting Upholstery Back View

FABRIC APPLICATION DIAGRAMS (VERTICAL STRIPE DEPICTED)



TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Front Arm Grommet
4. Front Seat Grommet
5. Tablet and Finish (when applicable)
6. Leg Color
7. Glides

• See page 197 for Fringe options

See pages 259-273 for COM fabric yardage

MID BACK
1 SEAT LOUNGE



Armless with Clean Out



Tablet Right Arm



Mid Arms

MODEL NO.

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N93M1M	Armless	$	2192	2301	2350	2431	2518	2666	2865	3804	4105
N93M1B	Arms		2864	3071	3165	3318	3484	3767	4144	5932	6504
N93M1BR	Tablet Right Arm		3198	3405	3499	3652	3818	4101	4478	6266	6838
N93M1BL	Tablet Left Arm		3198	3405	3499	3652	3818	4101	4478	6266	6838
N93M1BM	Mid Arms		3297	3556	3674	3867	4074	4429	4903	7145	7863
N93M1OM	Armless with Clean Out		2237	2346	2395	2476	2563	2711	2910	3849	4150
N93M1OB	Arms with Clean Out		2924	3131	3225	3378	3544	3827	4204	5992	6564
N93M1OBM	Mid Arms with Clean Out		3368	3627	3745	3938	4145	4500	4974	7216	7934

DIMENSIONS

Width	24	Seat Height	18½	Arm Height	27½	Weight	69
Width with Arms	32	Seat Depth	20½	Mid Arm Height	40¼	Weight with Arms	107
Depth	27	Seat Width	24	Back Height	22½	Weight with Tablet	114
Height	40¼			Back Width	24	Weight with Mid Arms	123
						Cubic Ft.	21.4
						Cubic Ft. with Arms	26.9
						Cubic Ft. with Tablet	30.4

- Power grommet available on front of arm or seat (factory installed); specify grommet option
- Contrasting fabric option – specify X (i.e., N93M1MX); see page 199. For list pricing, use your electronic specification tool or contact customer service
- Accepts upholstered, laminate or veneer divider panels (page 224)
- Upholstered divider panels cannot be added to an existing arm
- Laminate and veneer divider panels can be added to an armless unit, onto the arm of a unit, or replace an existing arm
- Laminate and veneer divider panels cannot be added onto a tablet arm due to interference
- Accepts laminate and veneer back panels (page 225) which will be the height and width of a high back armless model

FRINGE

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Front Arm Grommet
4. Front Seat Grommet
5. Tablet and Finish (when applicable)
6. Leg Color
7. Glides

• See page 197 for Fringe options

See pages 259-273 for COM fabric yardage

MID BACK
1 SEAT LOUNGE
SINGLE ARM



Left Arm



Tablet Right Arm



Left Mid Arm with Clean Out

MODEL NO.		GRADE / LIST PRICE								
		1	2/COM	3/COL	4	5	6	7	L7	L8
N93M1R	Right Arm	$ 2527	2692	2767	2889	3021	3246	3547	4971	5427
N93M1RR	Tablet Right Arm	2864	3029	3104	3226	3358	3583	3884	5308	5764
N93M1RM	Right Mid Arms	2743	2932	3018	3159	3310	3569	3915	5551	6075
N93M1L	Left Arm	2527	2692	2767	2889	3021	3246	3547	4971	5427
N93M1LL	Tablet Left Arm	2864	3029	3104	3226	3358	3583	3884	5308	5764
N93M1LM	Left Mid Arms	2743	2932	3018	3159	3310	3569	3915	5551	6075
N93M1OR	Right Arm with Clean Out	2581	2746	2821	2943	3075	3300	3601	5025	5481
N93M1ORM	Right Mid Arms with Clean Out	2805	2994	3080	3221	3372	3631	3977	5613	6137
N93M1OL	Left Arm with Clean Out	2581	2746	2821	2943	3075	3300	3601	5025	5481
N93M1OLM	Left Mid Arms with Clean Out	2805	2994	3080	3221	3372	3631	3977	5613	6137

DIMENSIONS

Width	28	Seat Height	18½	Arm Height	27½	Weight	88
Depth	27	Seat Depth	20½	Mid Arm Height	40¼	Weight with Tablet	95
Height	40¼	Seat Width	24	Back Height	22½	Weight with Mid Arms	96
				Back Width	24	Cubic Ft.	24.1
						Cubic Ft. with Tablet	27.4

- Power grommet available on front of arm or seat (factory installed); specify grommet option
- Contrasting fabric option – specify X (i.e., N93M1RX); see page 199. For list pricing, use your electronic specification tool or contact customer service
- Accepts upholstered, laminate or veneer divider panels (page 224)
- Upholstered divider panels cannot be added to an existing arm
- Laminate and veneer divider panels can be added to an armless unit, onto the arm of a unit, or replace an existing arm
- Laminate and veneer divider panels cannot be added onto a tablet arm due to interference
- Accepts laminate and veneer back panels (page 225) which will be the height and width of a high back armless model

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Front Arm Grommet
4. Front Seat Grommet
5. Tablet and Finish (when applicable)
6. Leg Color
7. Glides

• See page 197 for Fringe options

See pages 259-273 for COM fabric yardage

HIGH BACK
1 SEAT LOUNGE



Armless with Clean Out



Tablet Right Arm



Mid Arms



High Arms

MODEL NO.

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N93H1M	Armless	$	2938	3054	3106	3192	3285	3443	3654	4654	4974
N93H1B	Arms		3611	3825	3922	4081	4252	4544	4935	6783	7375
N93H1BR	Tablet Right Arm		3946	4160	4257	4416	4587	4879	5270	7118	7710
N93H1BL	Tablet Left Arm		3946	4160	4257	4416	4587	4879	5270	7118	7710
N93H1BM	Mid Arms		4045	4315	4438	4638	4854	5223	5716	8049	8796
N93H1BH	High Arms		4116	4435	4580	4817	5072	5508	6091	8848	9731
N93H1OM	Armless with Clean Out		3001	3117	3169	3255	3348	3506	3717	4717	5037
N93H1OB	Arms with Clean Out		3687	3901	3998	4157	4328	4620	5011	6859	7451
N93H1OBM	Mid Arms with Clean Out		4129	4399	4522	4722	4938	5307	5800	8133	8880
N93H1OBH	High Arms with Clean Out		4203	4522	4667	4904	5159	5595	6178	8935	9818

DIMENSIONS

Width	24	Seat Height	18½	Arm Height	27½	Weight	83
Width with Arms	32	Seat Depth	20½	Mid Arm Height	40¼	Weight with Arms	121
Depth	27	Seat Width	24	High Arm Height	53¼	Weight with Tablet	128
Height	53¼			Back Height	35¼	Weight with Mid Arms	137
				Back Width	24	Weight with High Arms	153
						Cubic Ft.	27.2
						Cubic Ft. with Arms	34.3
						Cubic Ft. with Tablet	38.7

- Power grommet available on front of arm or seat (factory installed); specify grommet option
- Contrasting fabric option – specify X (i.e., N93H1MX); see page 199. For list pricing, use your electronic specification tool or contact customer service
- Accepts upholstered, laminate or veneer divider panels (page 224)
- Upholstered divider panels cannot be added to an existing arm
- Laminate and veneer divider panels can be added to an armless unit, onto the arm of a unit, or replace an existing arm
- Laminate and veneer divider panels cannot be added onto a tablet arm due to interference
- Accepts laminate and veneer back panels (page 225) which will be the height and width of a high back armless model

FRINGE

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Front Arm Grommet
4. Front Seat Grommet
5. Tablet and Finish (when applicable)
6. Leg Color
7. Glides

• See page 197 for Fringe options

See pages 259-273 for COM fabric yardage

HIGH BACK
1 SEAT LOUNGE
SINGLE ARM



Left Arm with Clean Out



Tablet Right Arm



Left Mid Arm



Left High Arm

MODEL NO.

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N93H1R	Right Arm	$	3274	3446	3524	3651	3789	4024	4337	5822	6297
N93H1RR	Tablet Right Arm		3611	3783	3861	3988	4126	4361	4674	6159	6634
N93H1RM	Right Mid Arms		3489	3685	3775	3920	4077	4346	4704	6401	6944
N93H1RH	Right High Arms		3527	3748	3848	4012	4189	4491	4894	6803	7414
N93H1L	Left Arm		3274	3446	3524	3651	3789	4024	4337	5822	6297
N93H1LL	Tablet Left Arm		3611	3783	3861	3988	4126	4361	4674	6159	6634
N93H1LM	Left Mid Arms		3489	3685	3775	3920	4077	4346	4704	6401	6944
N93H1LH	Left High Arms		3527	3748	3848	4012	4189	4491	4894	6803	7414
N93H1OR	Right Arm with Clean Out		3343	3515	3593	3720	3858	4093	4406	5891	6366
N93H1ORM	Right Mid Arms with Clean Out		3562	3758	3848	3993	4150	4419	4777	6474	7017
N93H1ORH	Right High Arms with Clean Out		3600	3821	3921	4085	4262	4564	4967	6876	7487
N93H1OL	Left Arm with Clean Out		3343	3515	3593	3720	3858	4093	4406	5891	6366
N93H1OLM	Left Mid Arms with Clean Out		3562	3758	3848	3993	4150	4419	4777	6474	7017
N93H1OLH	Left High Arms with Clean Out		3600	3821	3921	4085	4262	4564	4967	6876	7487

DIMENSIONS

Width	28	Seat Height	18½	Arm Height	27½	Weight	102
Depth	27	Seat Depth	20½	Mid Arm Height	40¼	Weight with Tablet	109
Height	53¼	Seat Width	24	High Arm Height	53¼	Weight with Mid Arms	110
				Back Height	35¼	Weight with High Arms	118
				Back Width	24	Cubic Ft.	30.8
						Cubic Ft. with Tablet	35.0

- Power grommet available on front of arm or seat (factory installed); specify grommet option
- Contrasting fabric option – specify X (i.e., N93H1RX); see page 199. For list pricing, use your electronic specification tool or contact customer service
- Accepts upholstered, laminate or veneer divider panels (page 224)
- Upholstered divider panels cannot be added to an existing arm
- Laminate and veneer divider panels can be added to an armless unit, onto the arm of a unit, or replace an existing arm
- Laminate and veneer divider panels cannot be added onto a tablet arm due to interference
- Accepts laminate and veneer back panels (page 225) which will be the height and width of a high back armless model

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Front Arm Grommet
4. Front Seat Grommet
5. Tablet and Finish (when applicable)
6. Leg Color
7. Glides

• See page 197 for Fringe options

See pages 259-273 for COM fabric yardage

MID BACK
2 SEAT LOUNGE



Armless with Clean Out



Tablet Right Arm



Mid Arms

MODEL NO.

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N93M2M	Armless	$	3198	3352	3422	3537	3660	3871	4153	5486	5913
N93M2B	Arms		3871	4123	4238	4425	4627	4973	5433	7615	8313
N93M2BR	Tablet Right Arm		4206	4458	4573	4760	4962	5308	5768	7950	8648
N93M2BL	Tablet Left Arm		4206	4458	4573	4760	4962	5308	5768	7950	8648
N93M2BB	Tablet Both Arms		4540	4792	4907	5094	5296	5642	6102	8284	8982
N93M2BM	Mid Arms		4304	4612	4753	4982	5228	5650	6214	8880	9734
N93M2OM	Armless with Clean Out		3266	3431	3506	3628	3760	3985	4286	5710	6166
N93M2OB	Arms with Clean Out		3952	4218	4340	4537	4750	5115	5601	7904	8641
N93M2OBM	Mid Arms with Clean Out		4393	4708	4852	5086	5338	5770	6346	9073	9946

DIMENSIONS

Width	47½	Seat Height	18½	Arm Height	27½	Weight	122
Width with Arms	55½	Seat Depth	20½	Mid Arm Height	40¼	Weight with Arms	160
Depth	27	Seat Width	47½	Back Height	22½	Weight with Tablet	168
Height	40¼			Back Width	47½	Weight with 2 Tablets	173
						Weight with Mid Arms	176
						Cubic Ft.	40.2
						Cubic Ft. with Arms	45.8
						Cubic Ft. with Tablet	50.5
						Cubic Ft. with 2 Tablets	52.2

- Power grommet available on front of arm or seat (factory installed); specify grommet option
- Contrasting fabric option – specify X (i.e., N93M2MX); see page 199. For list pricing, use your electronic specification tool or contact customer service
- Accepts upholstered, laminate or veneer divider panels (page 224)
- Upholstered divider panels cannot be added to an existing arm
- Laminate and veneer divider panels can be added to an armless unit, onto the arm of a unit, or replace an existing arm
- Laminate and veneer divider panels cannot be added onto a tablet arm due to interference
- Accepts laminate and veneer back panels (page 225) which will be the height and width of a high back armless model

FRINGE

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Front Arm Grommet
4. Front Seat Grommet
5. Tablet and Finish (when applicable)
6. Leg Color
7. Glides

• See page 197 for Fringe options

See pages 259-273 for COM fabric yardage

MID BACK
2 SEAT LOUNGE
SINGLE ARM



Left Arm with Clean Out



Tablet Right Arm



Left Mid Arm

MODEL NO.		GRADE / LIST PRICE								
		1	2/COM	3/COL	4	5	6	7	L7	L8
N93M2R	Right Arm	$ 3533	3743	3839	3995	4163	4451	4835	6653	7235
N93M2RR	Tablet Right Arm	3871	4081	4177	4333	4501	4789	5173	6991	7573
N93M2RM	Right Mid Arms	3752	3987	4094	4268	4456	4777	5206	7236	7886
N93M2L	Left Arm	3533	3743	3839	3995	4163	4451	4835	6653	7235
N93M2LL	Tablet Left Arm	3871	4081	4177	4333	4501	4789	5173	6991	7573
N93M2LM	Left Mid Arms	3752	3987	4094	4268	4456	4777	5206	7236	7886
N93M2OR	Right Arm with Clean Out	3607	3824	3923	4084	4258	4556	4952	6831	7432
N93M2ORM	Right Mid Arms with Clean Out	3831	4076	4188	4370	4566	4902	5350	7471	8150
N93M2OL	Left Arm with Clean Out	3607	3824	3923	4084	4258	4556	4952	6831	7432
N93M2OLM	Left Mid Arms with Clean Out	3831	4076	4188	4370	4566	4902	5350	7471	8150

DIMENSIONS

Width	51½	Seat Height	18½	Arm Height	27½	Weight	141
Depth	27	Seat Depth	20½	Mid Arm Height	40¼	Weight with Tablet	149
Height	40¼	Seat Width	47½	Back Height	22½	Weight with Mid Arms	149
				Back Width	47½	Cubic Ft.	43.0
						Cubic Ft. with Tablet	47.6

- Power grommet available on front of arm or seat (factory installed); specify grommet option
- Contrasting fabric option – specify X (i.e., N93M2RX); see page 199. For list pricing, use your electronic specification tool or contact customer service
- Accepts upholstered, laminate or veneer divider panels (page 224)
- Upholstered divider panels cannot be added to an existing arm
- Laminate and veneer divider panels can be added to an armless unit, onto the arm of a unit, or replace an existing arm
- Laminate and veneer divider panels cannot be added onto a tablet arm due to interference
- Accepts laminate and veneer back panels (page 225) which will be the height and width of a high back armless model

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Front Arm Grommet
4. Front Seat Grommet
5. Tablet and Finish (when applicable)
6. Leg Color
7. Glides

• See page 197 for Fringe options

See pages 259-273 for COM fabric yardage

HIGH BACK
2 SEAT LOUNGE



Armless with Clean Out



Tablet Right Arm



Mid Arms



High Arms

MODEL NO.		GRADE / LIST PRICE								
		1	2/COM	3/COL	4	5	6	7	L7	L8
N93H2M	Armless $	4690	4869	4950	5083	5226	5470	5797	7342	7837
N93H2B	Arms	5361	5638	5764	5969	6191	6570	7075	9469	10235
N93H2BR	Tablet Right Arm	5699	5976	6102	6307	6529	6908	7413	9807	10573
N93H2BL	Tablet Left Arm	5699	5976	6102	6307	6529	6908	7413	9807	10573
N93H2BB	Tablet Both Arms	6032	6309	6435	6640	6862	7241	7746	10140	10906
N93H2BM	Mid Arms	5796	6129	6281	6528	6794	7250	7858	10736	11658
N93H2BH	High Arms	5869	6251	6425	6708	7014	7537	8234	11537	12594
N93H2OM	Armless with Clean Out	4788	4977	5063	5204	5355	5614	5960	7596	8120
N93H2OB	Arms with Clean Out	5473	5760	5891	6104	6334	6728	7252	9737	10532
N93H2OBM	Mid Arms with Clean Out	5919	6259	6414	6666	6938	7403	8024	10963	11904
N93H2OBH	High Arms with Clean Out	5994	6386	6565	6856	7170	7708	8424	11818	12904

DIMENSIONS

Width	47½	Seat Height	18½	Arm Height	27½	Weight	149
Width with Arms	55½	Seat Depth	20½	Mid Arm Height	40¼	Weight with Arms	187
Depth	27	Seat Width	47½	High Arm Height	53¼	Weight with Tablet	195
Height	53¼			Back Height	35¼	Weight with 2 Tablets	200
				Back Width	47½	Weight with Mid Arms	203
						Weight with High Arms	219
						Cubic Ft.	51.3
						Cubic Ft. with Arms	58.3
						Cubic Ft. with Tablet	64.4
						Cubic Ft. with 2 Tablets	66.5

- Power grommet available on front of arm or seat (factory installed); specify grommet option
- Contrasting fabric option – specify X (i.e., N93H2MX); see page 199. For list pricing, use your electronic specification tool or contact customer service
- Accepts upholstered, laminate or veneer divider panels (page 224)
- Upholstered divider panels cannot be added to an existing arm
- Laminate and veneer divider panels can be added to an armless unit, onto the arm of a unit, or replace an existing arm
- Laminate and veneer divider panels cannot be added onto a tablet arm due to interference
- Accepts laminate and veneer back panels (page 225) which will be the height and width of a high back armless model

FRINGE

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Front Arm Grommet
4. Front Seat Grommet
5. Tablet and Finish (when applicable)
6. Leg Color
7. Glides

• See page 197 for Fringe options

See pages 259-273 for COM fabric yardage

HIGH BACK
2 SEAT LOUNGE
SINGLE ARM



Left Arm with Clean Out



Tablet Right Arm



Left Mid Arm



Left High Arm

MODEL NO.

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N93H2R	Right Arm	$	5026	5261	5368	5542	5730	6051	6480	8510	9160
N93H2RR	Tablet Right Arm		5361	5596	5703	5877	6065	6386	6815	8845	9495
N93H2RM	Right Mid Arms		5244	5503	5621	5814	6021	6376	6850	9092	9810
N93H2RH	Right High Arms		5280	5564	5693	5904	6131	6519	7038	9492	10278
N93H2L	Left Arm		5026	5261	5368	5542	5730	6051	6480	8510	9160
N93H2LL	Tablet Left Arm		5361	5596	5703	5877	6065	6386	6815	8845	9495
N93H2LM	Left Mid Arms		5244	5503	5621	5814	6021	6376	6850	9092	9810
N93H2LH	Left High Arms		5280	5564	5693	5904	6131	6519	7038	9492	10278
N93H2OR	Right Arm with Clean Out		5133	5375	5485	5664	5858	6189	6630	8721	9390
N93H2ORM	Right Mid Arms with Clean Out		5355	5621	5743	5940	6153	6518	7004	9307	10044
N93H2ORH	Right High Arms with Clean Out		5390	5681	5813	6029	6262	6660	7191	9706	10511
N93H2OL	Left Arm with Clean Out		5133	5375	5485	5664	5858	6189	6630	8721	9390
N93H2OLM	Left Mid Arms with Clean Out		5355	5621	5743	5940	6153	6518	7004	9307	10044
N93H2OLH	Left High Arms with Clean Out		5390	5681	5813	6029	6262	6660	7191	9706	10511

DIMENSIONS

Width	51½	Seat Height	18½	Arm Height	27½	Weight	168
Depth	27	Seat Depth	20½	Mid Arm Height	40¼	Weight with Tablet	176
Height	53¼	Seat Width	47½	High Arm Height	53¼	Weight with Mid Arms	176
				Back Height	35¼	Weight with High Arms	184
				Back Width	47½	Cubic Ft.	54.8
						Cubic Ft. with Tablet	60.6

- Power grommet available on front of arm or seat (factory installed); specify grommet option
- Contrasting fabric option – specify X (i.e., N93H2RX); see page 199. For list pricing, use your electronic specification tool or contact customer service
- Accepts upholstered, laminate or veneer divider panels (page 224)
- Upholstered divider panels cannot be added to an existing arm
- Laminate and veneer divider panels can be added to an armless unit, onto the arm of a unit, or replace an existing arm
- Laminate and veneer divider panels cannot be added onto a tablet arm due to interference
- Accepts laminate and veneer back panels (page 225) which will be the height and width of a high back armless model

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Front Arm Grommet
4. Front Seat Grommet
5. Tablet and Finish (when applicable)
6. Leg Color
7. Glides

• See page 197 for Fringe options

See pages 259-273 for COM fabric yardage

MID BACK
3 SEAT LOUNGE



Armless with Clean Out



Tablet Right Arm



Mid Arms

MODEL NO.

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N93M3M	Armless	$	4206	4416	4512	4668	4836	5124	5508	7326	7908
N93M3B	Arms		4876	5188	5330	5561	5811	6238	6807	9504	10367
N93M3BR	Tablet Right Arm		5212	5524	5666	5897	6147	6574	7143	9840	10703
N93M3BL	Tablet Left Arm		5212	5524	5666	5897	6147	6574	7143	9840	10703
N93M3BB	Tablet Both Arms		5548	5860	6002	6233	6483	6910	7479	10176	11039
N93M3BM	Mid Arms		5311	5675	5841	6112	6403	6902	7568	10719	11728
N93M3OM	Armless with Clean Out		4296	4524	4628	4797	4979	5291	5707	7676	8307
N93M3OB	Arms with Clean Out		4979	5305	5453	5695	5956	6402	6997	9815	10717
N93M3OBM	Mid Arms with Clean Out		5422	5804	5978	6261	6567	7090	7787	11090	12147

DIMENSIONS

Width	70¾	Seat Height	18½	Arm Height	27½	Weight	163
Width with Arms	78¾	Seat Depth	20½	Mid Arm Height	40¼	Weight with Arms	201
Depth	27	Seat Width	70¾	Back Height	22½	Weight with Tablet	209
Height	40¼			Back Width	70¾	Weight with 2 Tablets	214
						Weight with Mid Arms	217
						Cubic Ft.	58.3
						Cubic Ft. with Arms	63.8
						Cubic Ft. with Tablet	69.8
						Cubic Ft. with 2 Tablets	71.5

- Power grommet available on front of arm or seat (factory installed); specify grommet option
- Contrasting fabric option – specify X (i.e., N93M3MX); see page 199. For list pricing, use your electronic specification tool or contact customer service
- Accepts upholstered, laminate or veneer divider panels (page 224)
- Upholstered divider panels cannot be added to an existing arm
- Laminate and veneer divider panels can be added to an armless unit, onto the arm of a unit, or replace an existing arm
- Laminate and veneer divider panels cannot be added onto a tablet arm due to interference
- Accepts laminate and veneer back panels (page 225) which will be the height and width of a high back armless model

FRINGE

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Front Arm Grommet
4. Front Seat Grommet
5. Tablet and Finish (when applicable)
6. Leg Color
7. Glides

• See page 197 for Fringe options

See pages 259-273 for COM fabric yardage

MID BACK
3 SEAT LOUNGE
SINGLE ARM



Left Arm with Clean Out



Tablet Right Arm



Left Mid Arm

MODEL NO.

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N93M3R	Right Arm	$	4540	4806	4928	5125	5338	5703	6189	8492	9229
N93M3RR	Tablet Right Arm		4876	5142	5264	5461	5674	6039	6525	8828	9565
N93M3RM	Right Mid Arms		4760	5051	5183	5399	5632	6030	6561	9076	9881
N93M3L	Left Arm		4540	4806	4928	5125	5338	5703	6189	8492	9229
N93M3LL	Tablet Left Arm		4876	5142	5264	5461	5674	6039	6525	8828	9565
N93M3LM	Left Mid Arms		4760	5051	5183	5399	5632	6030	6561	9076	9881
N93M3OR	Right Arm with Clean Out		4637	4921	5050	5261	5488	5876	6395	8849	9635
N93M3ORM	Right Mid Arms with Clean Out		4859	5167	5308	5537	5783	6205	6769	9435	10289
N93M3OL	Left Arm with Clean Out		4637	4921	5050	5261	5488	5876	6395	8849	9635
N93M3OLM	Left Mid Arms with Clean Out		4859	5167	5308	5537	5783	6205	6769	9435	10289

DIMENSIONS

Width	74¾	Seat Height	18½	Arm Height	27½	Weight	182
Depth	27	Seat Depth	20½	Mid Arm Height	40¼	Weight with Tablet	190
Height	40¼	Seat Width	70¾	Back Height	22½	Weight with Mid Arms	190
				Back Width	70¾	Cubic Ft.	61.1
						Cubic Ft. with Tablet	66.8

- Power grommet available on front of arm or seat (factory installed); specify grommet option
- Contrasting fabric option – specify X (i.e., N93M3RX); see page 199. For list pricing, use your electronic specification tool or contact customer service
- Accepts upholstered, laminate or veneer divider panels (page 224)
- Upholstered divider panels cannot be added to an existing arm
- Laminate and veneer divider panels can be added to an armless unit, onto the arm of a unit, or replace an existing arm
- Laminate and veneer divider panels cannot be added onto a tablet arm due to interference
- Accepts laminate and veneer back panels (page 225) which will be the height and width of a high back armless model

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Front Arm Grommet
4. Front Seat Grommet
5. Tablet and Finish (when applicable)
6. Leg Color
7. Glides

• See page 197 for Fringe options

See pages 259-273 for COM fabric yardage

HIGH BACK
3 SEAT LOUNGE



Armless with Clean Out



Tablet Right Arm



Mid Arms



High Arms

MODEL NO.

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N93H3M	Armless	$	6445	6694	6807	6992	7191	7531	7986	10137	10826
N93H3B	Arms		7113	7460	7618	7875	8153	8628	9261	12261	13221
N93H3BR	Tablet Right Arm		7448	7795	7953	8210	8488	8963	9596	12596	13556
N93H3BL	Tablet Left Arm		7448	7795	7953	8210	8488	8963	9596	12596	13556
N93H3BB	Tablet Both Arms		7785	8132	8290	8547	8825	9300	9933	12933	13893
N93H3BM	Mid Arms		7548	7951	8135	8434	8756	9308	10044	13528	14644
N93H3BH	High Arms		7622	8074	8280	8615	8977	9596	10421	14330	15581
N93H3OM	Armless with Clean Out		6580	6846	6968	7165	7378	7743	8229	10532	11269
N93H3OB	Arms with Clean Out		7262	7626	7792	8063	8354	8853	9519	12670	13679
N93H3OBM	Mid Arms with Clean Out		7707	8124	8314	8623	8957	9528	10289	13895	15049
N93H3OBH	High Arms with Clean Out		7781	8250	8464	8813	9188	9831	10689	14749	16049

DIMENSIONS

Width	70¾	Seat Height	18½	Arm Height	27½	Weight	204
Width with Arms	78¾	Seat Depth	20½	Mid Arm Height	40¼	Weight with Arms	242
Depth	27	Seat Width	70¾	High Arm Height	53¼	Weight with Tablet	250
Height	53¼			Back Height	35¼	Weight with 2 Tablets	250
				Back Width	70¾	Weight with Mid Arms	258
						Weight with High Arms	274
						Cubic Ft.	74.3
						Cubic Ft. with Arms	81.4
						Cubic Ft. with Tablet	88.9
						Cubic Ft. with 2 Tablets	91.1

- Power grommet available on front of arm or seat (factory installed); specify grommet option
- Contrasting fabric option – specify X (i.e., N93H3MX); see page 199. For list pricing, use your electronic specification tool or contact customer service
- Accepts upholstered, laminate or veneer divider panels (page 224)
- Upholstered divider panels cannot be added to an existing arm
- Laminate and veneer divider panels can be added to an armless unit, onto the arm of a unit, or replace an existing arm
- Laminate and veneer divider panels cannot be added onto a tablet arm due to interference
- Accepts laminate and veneer back panels (page 225) which will be the height and width of a high back armless model

FRINGE

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Front Arm Grommet
4. Front Seat Grommet
5. Tablet and Finish (when applicable)
6. Leg Color
7. Glides

• See page 197 for Fringe options

See pages 259-273 for COM fabric yardage

HIGH BACK
3 SEAT LOUNGE
SINGLE ARM



Left Arm with Clean Out



Tablet Right Arm



Left Mid Arm



Left High Arm

MODEL NO.		GRADE / LIST PRICE								
		1	2/COM	3/COL	4	5	6	7	L7	L8
N93H3R	Right Arm	$ 6778	7083	7222	7448	7692	8109	8666	11302	12146
N93H3RR	Tablet Right Arm	7113	7418	7557	7783	8027	8444	9001	11637	12481
N93H3RM	Right Mid Arms	6996	7325	7475	7720	7983	8434	9036	11884	12796
N93H3RH	Right High Arms	7032	7386	7547	7810	8093	8577	9224	12284	13264
N93H3L	Left Arm	6778	7083	7222	7448	7692	8109	8666	11302	12146
N93H3LL	Tablet Left Arm	7113	7418	7557	7783	8027	8444	9001	11637	12481
N93H3LM	Left Mid Arms	6996	7325	7475	7720	7983	8434	9036	11884	12796
N93H3LH	Left High Arms	7032	7386	7547	7810	8093	8577	9224	12284	13264
N93H3OR	Right Arm with Clean Out	6921	7240	7385	7622	7877	8313	8896	11653	12536
N93H3ORM	Right Mid Arms with Clean Out	7142	7485	7642	7897	8171	8641	9269	12238	13189
N93H3ORH	Right High Arms with Clean Out	7179	7547	7715	7988	8282	8786	9458	12639	13658
N93H3OL	Left Arm with Clean Out	6921	7240	7385	7622	7877	8313	8896	11653	12536
N93H3OLM	Left Mid Arms with Clean Out	7142	7485	7642	7897	8171	8641	9269	12238	13189
N93H3OLH	Left High Arms with Clean Out	7179	7547	7715	7988	8282	8786	9458	12639	13658

DIMENSIONS

Width	74¾	Seat Height	18½	Arm Height	27½	Weight	223
Depth	27	Seat Depth	20½	Mid Arm Height	40¼	Weight with Tablet	231
Height	53¼	Seat Width	70¾	High Arm Height	53¼	Weight with Mid Arms	231
				Back Height	35¼	Weight with High Arms	239
				Back Width	70¾	Cubic Ft.	77.8
						Cubic Ft. with Tablet	85.2

- Power grommet available on front of arm or seat (factory installed); specify grommet option
- Contrasting fabric option – specify X (i.e., N93H3RX); see page 199. For list pricing, use your electronic specification tool or contact customer service
- Accepts upholstered, laminate or veneer divider panels (page 224)
- Upholstered divider panels cannot be added to an existing arm
- Laminate and veneer divider panels can be added to an armless unit, onto the arm of a unit, or replace an existing arm
- Laminate and veneer divider panels cannot be added onto a tablet arm due to interference
- Accepts laminate and veneer back panels (page 225) which will be the height and width of a high back armless model

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Front Seat Grommet
4. Leg Color
5. Glides

• See page 197 for Fringe options

See pages 259-273 for COM fabric yardage

MID BACK 2 SEAT COVE LOUNGE



MODEL NO. | **GRADE / LIST PRICE**

			1	2/COM	3/COL	4	5	6	7	L7	L8
N93MC2	Upholstered Back	$	5727	5979	6094	6281	6483	6829	7289	9471	10169

DIMENSIONS

Width	53¾	Seat Height	18½	Back Height	22½	Weight	184
Depth	27	Seat Depth	20½	Back Width	53½	Cubic Ft.	45.0
Height	40¼	Seat Width	40				

- Specify grommet option; left, right or both
- Contrasting fabric option – specify X (i.e., N93MC2X); see page 199. For list pricing, use your electronic specification tool or contact customer service

HIGH BACK 2 SEAT COVE LOUNGE



			1	2/COM	3/COL	4	5	6	7	L7	L8
N93HC2	Upholstered Back	$	7964	8300	8454	8703	8972	9433	10047	12956	13887

DIMENSIONS

Width	53¾	Seat Height	18½	Back Height	35¼	Weight	238
Depth	27	Seat Depth	20½	Back Width	53½	Cubic Ft.	57.3
Height	53¼	Seat Width	40				

- Specify grommet option; left, right or both
- Contrasting fabric option – specify X (i.e., N93HC2X); see page 199. For list pricing, use your electronic specification tool or contact customer service

MID BACK 3 SEAT COVE LOUNGE



			1	2/COM	3/COL	4	5	6	7	L7	L8
N93MC3	Upholstered Back	$	7523	7898	8069	8347	8647	9160	9845	13087	14125

DIMENSIONS

Width	77¼	Seat Height	18½	Back Height	22½	Weight	253
Depth	27	Seat Depth	20½	Back Width	79¾	Cubic Ft.	63.0
Height	40¼	Seat Width	64				

- Specify grommet option; left, center, right, combination or all
- Contrasting fabric option – specify X (i.e., N93MC3X); see page 199. For list pricing, use your electronic specification tool or contact customer service

HIGH BACK 3 SEAT COVE LOUNGE



			1	2/COM	3/COL	4	5	6	7	L7	L8
N93HC3	Upholstered Back	$	10358	10841	11062	11421	11807	12469	13353	17534	18873

DIMENSIONS

Width	77¼	Seat Height	18½	Back Height	35¼	Weight	321
Depth	27	Seat Depth	20½	Back Width	79¾	Cubic Ft.	83.4
Height	53¼	Seat Width	64				

- Specify grommet option; left, center, right, combination or all
- Contrasting fabric option – specify X (i.e., N93HC3X); see page 199. For list pricing, use your electronic specification tool or contact customer service

FRINGE

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Front Seat Grommet
4. Leg Color
5. Glides

• See page 197 for Fringe options

See pages 259-273 for COM fabric yardage

MID BACK SQUARE 90° CORNER



Right



Left



Diagonal
(Vertical Stripe Depicted)

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
N93MSQ9R	Square 90°, Right	$	3013	3160	3227	3336	3454	3656	3924	5197	5604
N93MSQ9L	Square 90°, Left		3013	3160	3227	3336	3454	3656	3924	5197	5604
N93MSQ9D	Square 90°, Diagonal		3013	3160	3227	3336	3454	3656	3924	5197	5604

DIMENSIONS

Width	27	Seat Height	18½	Back Height	22½	Weight	92
Depth	27	Seat Depth	20½	Back Width	20½	Cubic Ft.	23.7
Height	40¼	Seat Width	20½				

- Power grommet available on front of seat (factory installed); specify grommet option
- Contrasting fabric option – specify X (i.e., N93MSQ9RX); see page 199. For list pricing, use your electronic specification tool or contact customer service
- Diagonal model is recommended for directional fabrics
- Accepts laminate or veneer corner back panels (page 225)

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Front Seat Grommet
4. Leg Color
5. Glides

• See page 197 for Fringe options

See pages 259-273 for COM fabric yardage

HIGH BACK SQUARE 90° CORNER



Right



Left



Diagonal
(Vertical Stripe Depicted)

MODEL NO.

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N93HSQ9R	Square 90°, Right	$	4192	4381	4467	4608	4759	5018	5364	7000	7524
N93HSQ9L	Square 90°, Left		4192	4381	4467	4608	4759	5018	5364	7000	7524
N93HSQ9D	Square 90°, Diagonal		4192	4381	4467	4608	4759	5018	5364	7000	7524

DIMENSIONS

Width	27	Seat Height	18½	Back Height	22½	Weight	119
Depth	27	Seat Depth	20½	Back Width	20½	Cubic Ft.	30.3
Height	53¼	Seat Width	20½				

- Power grommet available on front of seat (factory installed); specify grommet option
- Contrasting fabric option – specify X (i.e., N93HSQ9RX); see page 199. For list pricing, use your electronic specification tool or contact customer service
- Diagonal model is recommended for directional fabrics
- Accepts laminate or veneer corner back panels (page 225)

FRINGE

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Front Seat Grommet (not available on round models)
4. Leg Color
5. Glides

• See page 197 for Fringe options

See pages 259-273 for COM fabric yardage

MID BACK OUTSIDE 90° WEDGE



MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
N93MOU9	Outside 90°	$	3366	3524	3596	3713	3839	4055	4343	5706	6143

DIMENSIONS

Width	63½	Seat Height	18½	Back Height	22½	Weight	112
Depth	27	Seat Depth	20½	Back Width	34½	Cubic Ft.	57.9
Height	40¼	Seat Width	63½				

- Power grommet available on front of seat (factory installed); specify grommet option
- Contrasting fabric option – specify X (i.e., N93MOU9X); see page 200. For list pricing, use your electronic specification tool or contact customer service
- Accepts laminate or veneer divider panels (page 224)

MID BACK OUTSIDE 90° ROUND



			1	2/COM	3/COL	4	5	6	7	L7	L8
N93MOUR9	Outside 90°	$	3654	3833	3914	4047	4190	4434	4761	6306	6801

DIMENSIONS

Width	63½	Seat Height	18½	Back Height	22½	Weight	126
Depth	32	Seat Depth	20½	Back Width	34½	Cubic Ft.	60.2
Height	40¼	Seat Width	63½				

- Power grommet not available
- Contrasting fabric option – specify X (i.e., N93MOUR9X); see page 200. For list pricing, use your electronic specification tool or contact customer service
- Fabrics with distinct pattern do not lend themselves to the curved design of the round models and are not recommended for use on these units
- Accepts laminate or veneer divider panels (page 224)

MID BACK INSIDE 90° WEDGE



			1	2/COM	3/COL	4	5	6	7	L7	L8
N93MIN9	Inside 90°	$	3366	3552	3636	3774	3923	4177	4516	6122	6636

DIMENSIONS

Width	63½	Seat Height	18½	Back Height	22½	Weight	137
Depth	27	Seat Depth	20½	Back Width	60	Cubic Ft.	57.9
Height	40¼	Seat Width	55				

- Power grommet available on front of seat (factory installed); specify grommet option
- Contrasting fabric option – specify X (i.e., N93MIN9X); see page 200. For list pricing, use your electronic specification tool or contact customer service
- Accepts laminate or veneer divider panels (page 224)

MID BACK INSIDE 90° ROUND



			1	2/COM	3/COL	4	5	6	7	L7	L8
N93MINR9	Inside 90°	$	3654	3861	3955	4108	4274	4557	4934	6722	7294

DIMENSIONS

Width	63½	Seat Height	18½	Back Height	22½	Weight	153
Depth	32	Seat Depth	20½	Back Width	60	Cubic Ft.	60.2
Height	40¼	Seat Width	55				

- Power grommet not available
- Contrasting fabric option – specify X (i.e., N93MINR9X); see page 200. For list pricing, use your electronic specification tool or contact customer service
- Fabrics with distinct pattern do not lend themselves to the curved design of the round models and are not recommended for use on these units
- Accepts laminate or veneer divider panels (page 224)

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Front Seat Grommet (not available on round models)
4. Leg Color
5. Glides

• See page 197 for Fringe options

See pages 259-273 for COM fabric yardage

HIGH BACK OUTSIDE 90° WEDGE



MODEL NO. **GRADE / LIST PRICE**

			1	2/COM	3/COL	4	5	6	7	L7	L8
N93HOU9	Outside 90°	$	4545	4738	4826	4969	5123	5387	5739	7405	7939

DIMENSIONS

Width	63½	Seat Height	18½	Back Height	35¼	Weight	126
Depth	27	Seat Depth	20½	Back Width	34½	Cubic Ft.	73.8
Height	53¼	Seat Width	63½				

- Power grommet available on front of seat (factory installed); specify grommet option
- Contrasting fabric option – specify X (i.e., N93HOU9X); see page 200. For list pricing, use your electronic specification tool or contact customer service
- Accepts laminate or veneer divider panels (page 224)

HIGH BACK OUTSIDE 90° ROUND



			1	2/COM	3/COL	4	5	6	7	L7	L8
N93HOUR9	Outside 90°	$	4832	5042	5138	5294	5462	5750	6134	7952	8534

DIMENSIONS

Width	63½	Seat Height	18½	Back Height	35¼	Weight	138
Depth	32	Seat Depth	20½	Back Width	34½	Cubic Ft.	76.7
Height	53¼	Seat Width	63½				

- Power grommet not available
- Contrasting fabric option – specify X (i.e., N93HOUR9X); see page 200. For list pricing, use your electronic specification tool or contact customer service
- Fabrics with distinct pattern do not lend themselves to the curved design of the round models and are not recommended for use on these units
- Accepts laminate or veneer divider panels (page 224)

HIGH BACK INSIDE 90° WEDGE



			1	2/COM	3/COL	4	5	6	7	L7	L8
N93HIN9	Inside 90°	$	4545	4773	4877	5046	5228	5540	5956	7925	8556

DIMENSIONS

Width	63½	Seat Height	18½	Back Height	35¼	Weight	158
Depth	27	Seat Depth	20½	Back Width	60	Cubic Ft.	73.8
Height	53¼	Seat Width	55				

- Power grommet available on front of seat (factory installed); specify grommet option
- Contrasting fabric option – specify X (i.e., N93HIN9X); see page 200. For list pricing, use your electronic specification tool or contact customer service
- Accepts laminate or veneer divider panels (page 224)

HIGH BACK INSIDE 90° ROUND



			1	2/COM	3/COL	4	5	6	7	L7	L8
N93HINR9	Inside 90°	$	4832	5084	5199	5386	5588	5934	6394	8576	9274

DIMENSIONS

Width	63½	Seat Height	18½	Back Height	35¼	Weight	174
Depth	32	Seat Depth	20½	Back Width	60	Cubic Ft.	76.7
Height	53¼	Seat Width	55				

- Power grommet not available
- Contrasting fabric option – specify X (i.e., N93HINR9X); see page 200. For list pricing, use your electronic specification tool or contact customer service
- Fabrics with distinct pattern do not lend themselves to the curved design of the round models and are not recommended for use on these units
- Accepts laminate or veneer divider panels (page 224)

FRINGE

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Front Seat Grommet
4. Leg Color (not on plinth base)
5. Glides

• See page 197 for Fringe options

See pages 259-273 for COM fabric yardage

MID BACK 1 SEAT SINGLE BOOTH



Plinth Base

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
N93MBH1MSP	Mid Back, Single Booth, Plinth Base	$	2495	2604	2653	2734	2821	2969	3168	4107	4408

DIMENSIONS

Width	24	Seat Height	18½	Back Height	22½	Weight	109
Depth	27	Seat Depth	20½	Back Width	24	Cubic Ft.	19.1
Height	40¼	Seat Width	24				

- Ships fully assembled
- Plinth base models do not gang
- Accepts laminate or veneer divider panels and back panels (pages 224-225)

HIGH BACK 1 SEAT SINGLE BOOTH



Plinth Base

			1	2/COM	3/COL	4	5	6	7	L7	L8
N93HBH1MSP	High Back, Single Booth, Plinth Base	$	3216	3332	3384	3470	3563	3721	3932	4932	5252

DIMENSIONS

Width	24	Seat Height	18½	Back Height	35¼	Weight	123
Depth	27	Seat Depth	20½	Back Width	24	Cubic Ft.	24.7
Height	53¼	Seat Width	24				

- Ships fully assembled
- Plinth base models do not gang
- Accepts laminate or veneer divider panels and back panels (pages 224-225)

MID BACK 1 SEAT DOUBLE BOOTH



With Clean Out



Plinth Base

			1	2/COM	3/COL	4	5	6	7	L7	L8
N93MBH1MD	Mid Back, Double Booth	$	3034	3185	3253	3365	3486	3692	3967	5270	5687
N93MBH1OMD	Mid Back, Double Booth with Clean Out		3095	3246	3314	3426	3547	3753	4028	5331	5748
N93MBH1MDP	Mid Back, Double Booth, Plinth Base		3363	3514	3582	3694	3815	4021	4296	5599	6016

DIMENSIONS

Width	24	Seat Height	18½	Back Height	22½	Weight	104
Depth	53	Seat Depth	20½	Back Width	24	Cubic Ft.	39.1
Height	40¼	Seat Width	24			Plinth Weight	144
						Plinth Cubic Ft.	36.4

- Ships fully assembled
- Plinth base models do not gang

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Front Seat Grommet
4. Leg Color (not on plinth base)
5. Glides

• See page 197 for Fringe options

See pages 259-273 for COM fabric yardage

HIGH BACK 1 SEAT DOUBLE BOOTH



With Clean Out



Plinth Base

MODEL NO. — **GRADE / LIST PRICE**

			1	2/COM	3/COL	4	5	6	7	L7	L8
N93HBH1MD	High Back, Double Booth	$	3708	3873	3948	4070	4202	4427	4728	6152	6608
N93HBH1OMD	High Back, Double Booth with Clean Out		3783	3948	4023	4145	4277	4502	4803	6227	6683
N93HBH1MDP	High Back, Double Booth, Plinth Base		4007	4172	4247	4369	4501	4726	5027	6451	6907

DIMENSIONS

Width	24	Seat Height	18½	Back Height	22½	Weight	118
Depth	53	Seat Depth	20½	Back Width	24	Cubic Ft.	49.9
Height	53¼	Seat Width	24			Plinth Weight	158
						Plinth Cubic Ft.	46.9

- Ships fully assembled
- Plinth base models do not gang

MID BACK 2 SEAT SINGLE BOOTH



Plinth Base

			1	2/COM	3/COL	4	5	6	7	L7	L8
N93MBH2MSP	Mid Back, Single Booth, Plinth Base	$	3641	3795	3865	3980	4103	4314	4596	5929	6356

DIMENSIONS

Width	47½	Seat Height	18½	Back Height	22½	Weight	124
Depth	27	Seat Depth	20½	Back Width	47½	Cubic Ft.	38.9
Height	40¼	Seat Width	47½				

- Ships fully assembled
- Plinth base models do not gang
- Accepts laminate or veneer divider panels and back panels (pages 224-225)

HIGH BACK 2 SEAT SINGLE BOOTH



Plinth Base

			1	2/COM	3/COL	4	5	6	7	L7	L8
N93HBH2MSP	High Back, Single Booth, Plinth Base	$	5134	5313	5394	5527	5670	5914	6241	7786	8281

DIMENSIONS

Width	47½	Seat Height	18½	Back Height	35¼	Weight	151
Depth	27	Seat Depth	20½	Back Width	47½	Cubic Ft.	50.1
Height	53¼	Seat Width	47½				

- Ships fully assembled
- Plinth base models do not gang
- Accepts laminate or veneer divider panels and back panels (pages 224-225)

FRINGE

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Front Seat Grommet
4. Leg Color (not on plinth base)
5. Glides

• See page 197 for Fringe options

See pages 259-273 for COM fabric yardage

MID BACK 2 SEAT DOUBLE BOOTH



With Clean Out



Plinth Base

MODEL NO. | **GRADE / LIST PRICE**

			1	2/COM	3/COL	4	5	6	7	L7	L8
N93MBH2MD	Mid Back, Double Booth	$	4426	4636	4732	4888	5056	5344	5728	7546	8128
N93MBH2OMD	Mid Back, Double Booth with Clean Out		4520	4765	4877	5059	5255	5591	6039	8160	8839
N93MBH2MDP	Mid Back, Double Booth, Plinth Base		4905	5115	5211	5367	5535	5823	6207	8025	8607

DIMENSIONS

Width	47½	Seat Height	18½	Back Height	22½	Weight	174
Depth	53	Seat Depth	20½	Back Width	47½	Cubic Ft.	46.9
Height	40¼	Seat Width	47½			Plinth Weight	186
						Plinth Cubic Ft.	44.8

- Double Booth with feet ships KD; some assembly required
- Double Booth with plinth base ships fully assembled
- Plinth base models do not gang

HIGH BACK 2 SEAT DOUBLE BOOTH



With Clean Out



Plinth Base

			1	2/COM	3/COL	4	5	6	7	L7	L8
N93HBH2MD	High Back, Double Booth	$	5918	6160	6270	6449	6643	6974	7415	9506	10175
N93HBH2OMD	High Back, Double Booth with Clean Out		6041	6311	6434	6634	6850	7219	7712	10045	10792
N93HBH2MDP	High Back, Double Booth, Plinth Base		6395	6637	6747	6926	7120	7451	7892	9983	10652

DIMENSIONS

Width	47½	Seat Height	18½	Back Height	35¼	Weight	207
Depth	53	Seat Depth	20½	Back Width	47½	Cubic Ft.	59.7
Height	53¾	Seat Width	47½			Plinth Weight	219
						Plinth Cubic Ft.	57.7

- Double Booth with feet ships KD; some assembly required
- Double Booth with plinth base ships fully assembled
- Plinth base models do not gang

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Front Seat Grommet
4. Leg Color (not on plinth base)
5. Glides

• See page 197 for Fringe options

See pages 259-273 for COM fabric yardage

1 SEAT BENCH



MODEL NO.		GRADE / LIST PRICE	1	2/COM	3/COL	4	5	6	7	L7	L8
N93B1S27	1 Seat Bench - 27"	$	1836	1931	1974	2044	2120	2249	2422	3240	3502
N93B1S24	1 Seat Bench - 24"		1746	1802	1828	1869	1914	1991	2093	2578	2733

DIMENSIONS - 27"

Width	27	Weight	40
Depth	27	Cubic Ft.	15.6
Height	18½		

• Specify grommet option
• To be used when aligning with 27" depth

DIMENSIONS - 24"

Width	24	Weight	35
Depth	27	Cubic Ft.	15.6
Height	18½		

• To be used when aligning with 24" depth

¼ ROUND BENCH



		1	2/COM	3/COL	4	5	6	7	L7	L8
N93BQR27	$	2015	2113	2158	2231	2309	2443	2623	3471	3743

DIMENSIONS

Width	27	Weight	28
Depth	27	Cubic Ft.	10.7
Height	18½		

• Power grommet not available

2 SEAT BENCH



			1	2/COM	3/COL	4	5	6	7	L7	L8
N93B2S54	2 Seat Bench - 53½"	$	2426	2580	2650	2765	2888	3099	3381	4714	5141
N93B2S48	2 Seat Bench - 47½"		2305	2389	2427	2490	2557	2672	2826	3553	3786

DIMENSIONS - 53½"

Width	53½	Weight	75
Depth	27	Cubic Ft.	23.0
Height	18½		

• Specify grommet option
• To be used when aligning with 27" depth

DIMENSIONS - 47½"

Width	47½	Weight	65
Depth	27	Cubic Ft.	23.0
Height	18½		

• To be used when aligning with 24" depth

½ ROUND BENCH



		1	2/COM	3/COL	4	5	6	7	L7	L8
N93BHR54	$	2605	2759	2829	2944	3067	3278	3560	4893	5320

DIMENSIONS

Width	53½	Weight	54
Depth	27	Cubic Ft.	20.5
Height	18½		

• Power grommet not available

FRINGE

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Front Seat Grommet
4. End Seat Grommet
5. Leg Color
6. Glides

• See page 197 for Fringe options

See pages 259-273 for COM fabric yardage

3 SEAT BENCH



MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
N93B3S80	3 Seat Bench - 79¾"	$	3013	3227	3324	3483	3654	3946	4337	6185	6777
N93B3S71	3 Seat Bench - 70¾"		2864	2980	3032	3118	3211	3369	3580	4580	4900

DIMENSIONS - 79¾"

Width	79¾	Weight	106
Depth	27	Cubic Ft.	33.5
Height	18½		

• Specify grommet option
• To be used when aligning with 27" depth

DIMENSIONS - 70¾"

Width	70¾	Weight	90
Depth	27	Cubic Ft.	33.5
Height	18½		

• To be used when aligning with 24" depth

90° WEDGE



			1	2/COM	3/COL	4	5	6	7	L7	L8
N93BWD64	90° Wedge	$	2660	2762	2808	2883	2965	3104	3289	4168	4449

DIMENSIONS

Width	63½	Weight	81
Depth	27	Cubic Ft.	29.6
Height	18½		

• Power grommet available on front of seat (factory installed); specify grommet option

90° CORNER ROUND



			1	2/COM	3/COL	4	5	6	7	L7	L8
N93BCR64	90° Corner Round	$	2948	3067	3121	3210	3305	3468	3686	4716	5046

DIMENSIONS

Width	63½	Weight	89
Depth	32	Cubic Ft.	29.5
Height	18½		

• Power grommet not available

QD

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Tablet Finish (when applicable)
4. Base Color

• See page 197 for Fringe options

See pages 259-273 for COM fabric yardage

CLUB CHAIR

Armless Static



Arms, Mobile



Tablet Right Arm



Right Arm, Right Tablet

MODEL NO.		GRADE / LIST PRICE								
		1	2/COM	3/COL	4	5	6	7	L7	L8
N93CSM	Armless	$ 2316	2393	2428	2485	2547	2653	2793	3460	3673
QN93CSM	Armless	2316	2393	2428	2485	2547	2653	2793		
N93CSMC	Armless, Mobile	2316	2393	2428	2485	2547	2653	2793	3460	3673
QN93CSMC	Armless, Mobile	2316	2393	2428	2485	2547	2653	2793		
N93CSA	Arms	3021	3140	3194	3283	3378	3541	3759	4789	5119
QN93CSA	Arms	3021	3140	3194	3283	3378	3541	3759		
N93CSAC	Arms, Mobile	3021	3140	3194	3283	3378	3541	3759	4789	5119
QN93CSAC	Arms, Mobile	3021	3140	3194	3283	3378	3541	3759		
N93CSAR	Arms, Right Tablet	3375	3494	3548	3637	3732	3895	4113	5143	5473
N93CSARC	Arms, Right Tablet, Mobile	3375	3494	3548	3637	3732	3895	4113	5143	5473
N93CSRR	Right Arm, Right Tablet	3018	3116	3161	3234	3312	3446	3626	4474	4746
N93CSRRC	Right Arm, Right Tablet, Mobile	3018	3116	3161	3234	3312	3446	3626	4474	4746
N93CSAL	Arms, Left Tablet	3375	3494	3548	3637	3732	3895	4113	5143	5473
N93CSALC	Arms, Left Tablet, Mobile	3375	3494	3548	3637	3732	3895	4113	5143	5473
N93CSLL	Left Arm, Left Tablet	3018	3116	3161	3234	3312	3446	3626	4474	4746
N93CSLLC	Left Arm, Left Tablet, Mobile	3018	3116	3161	3234	3312	3446	3626	4474	4746

DIMENSIONS

Width	26¼	Seat Height	18½	Arm Height	26¾	Weight	59
Width with Arms	30½	Seat Depth	19	Back Height	18	Weight with Tablet	81
Depth	28	Seat Width	23½	Back Width	23½	Weight with Tablet and 1 Arm	71
Height	34¼					Weight with Tablet and 2 Arms	93
						Cubic Ft.	18.6
						Cubic Ft. with Tablet	20.0
						Cubic Ft. with Arms	21.4

- Static models feature 360° swivel with auto-return
- Contrasting fabric option for arm model – specify X (i.e., N93CSAX); see page 200. For list pricing, use your electronic specification tool or contact customer service

GANGING BRACKET KIT



N93GB2	Ganging Bracket Kit	$ 99

DIMENSIONS

Weight	1.2
Cubic Ft.	1.5

- Ganging bracket kit includes required brackets to join 2 units together
- Once installed, units slide together for a secure connection
- To disconnect, lift up and pull outward

FRINGE

TO ORDER SPECIFY:

1. Model Number
2. Fabric Grade/Cover Number (When Applicable)
3. Arm Grommet (When Applicable)
4. Laminate/Veneer Color (When Applicable)

• See page 197 for Fringe options

See pages 259-273 for COM fabric yardage

UPHOLSTERED DIVIDER PANEL



Mid Arm Height



High Arm Height

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
N93MALU	Mid Arm Height, Left	$	887	943	969	1010	1055	1132	1234	1719	1874
N93MARU	Mid Arm Height, Right		887	943	969	1010	1055	1132	1234	1719	1874
N93HALU	High Arm Height, Left		1057	1113	1139	1180	1225	1302	1404	1889	2044
N93HARU	High Arm Height, Right		1057	1113	1139	1180	1225	1302	1404	1889	2044

DIMENSIONS

Width	4	Mid Arm Weight	27
Depth	27	High Arm Weight	53
Mid Arm Height	35¾	Mid Arm Cubic Ft.	3.8
High Arm Height	49⅜	High Arm Cubic Ft.	4.9

- Upholstered divider panels are able to be attached on either side of a lounge, or in between ganged lounge units within a configuration
- If attaching to an armed unit, arm must be removed before mounting divider panel
- Compatible with one, two and three seat lounge, with the exception of bistro and booth models

DIVIDER PANEL



Mid Arm Height



High Arm Height

N93MALL	Mid Arm Height, Left, Laminate	$	631
N93MALW	Mid Arm Height, Left, Veneer		903
N93MARL	Mid Arm Height, Right, Laminate		631
N93MARW	Mid Arm Height, Right, Veneer		903
N93HALL	High Arm Height, Left, Laminate		801
N93HALW	High Arm Height, Left, Veneer		1073
N93HARL	High Arm Height, Right, Laminate		801
N93HARW	High Arm Height, Right, Veneer		1073

DIMENSIONS

Width	¾	Mid Arm Weight	22
Depth	26½	High Arm Weight	31
Mid Arm Height	36	Mid Arm Cubic Ft.	1.1
High Arm Height	47¾	High Arm Cubic Ft.	1.5

- ¾" edge banded HPL or Veneer
- Attached with silver visible fasteners
- Laminate and Veneer Divider panels are able to be attached on either side of a lounge, or in between lounge units within a configuration
- Divider panels can be attached to an armless unit, or attached to an arm of any height, with the exception of tablet arms
- Divider panels are compatible on one, two and three seat lounge models and single-sided booths
- Divider panels are compatible with bistro models, corners, curves, wedges, and coves

TO ORDER SPECIFY:

1. Model Number
2. Laminate/Veneer Color

• See page 197 for Fringe options

BACK PANEL



MODEL NO.		LIST PRICE
N93BP1ML	Single Seat, Laminate	$ 760
N93BP1MW	Single Seat, Veneer	1032
N93BP2ML	Two Seat, Laminate	1140
N93BP2MW	Two Seat, Veneer	1549
N93BP3ML	Three Seat, Laminate	1711
N93BP3MW	Three Seat, Veneer	2327

DIMENSIONS

Depth	¾
Height	47¾
Single Seat Width	23⅞
Two Seat Width	47⅜
Three Seat Width	70⅝

Single Seat Weight	28
Two Seat Weight	50
Three Seat Weight	73
Two Seat Cubic Ft.	1.4
Two Seat Cubic Ft.	2.4
Three Seat Cubic Ft.	3.2

- ¾" edge banded HPL or Veneer
- Attached with silver visible fasteners
- Back panels are compatible on one, two and three seat lounge models
- When retrofitting a back panel onto a bistro model, the bistro table must be removed for the life of the back panel

SQUARE 90° CORNER BACK PANEL



N93BPS9ML	Corner Back Panel, Laminate	$ 1233
N93BPS9MW	Corner Back Panel, Veneer	1551

DIMENSIONS

Width	27⅞
Depth	27⅞
Height	47¾

Weight	64
Cubic Ft.	2.6

- ¾" edge banded HPL or Veneer
- Attached with silver visible fasteners

FRINGE

FRINGE BISTRO PRODUCT SPECIFICATIONS



FRAME CONSTRUCTION

- Interior frame is constructed of oriented strand board with tenon joints that are glued and screwed for maximum joint stability
- Each joint is securely glued for maximum stability
- Counterweight installed under seat to ensure stability

SEAT CONSTRUCTION

- Lounge chairs feature 5½" of high grade polyurethane foam covering an oriented strand board seat panel

BACK CONSTRUCTION

- Lounge chairs feature 1½" of high grade custom shaped polyurethane foam stretched over web sheet and attached to frame

ARM REST

- Lounge chairs feature oriented strand board constructed arm frame covered with ¾" high grade polyurethane foam on arm surface and ⅜" on the sides

TABLET ARMS

- ¾" thick laminate with MDF core or ¾" thick plywood with veneer surface
- Attached with ¼" steel base plate with screws that mounts over a ¾" insert rod and fits into structure of arm
- Allows for 360° swivel and writing surface of 17" W x 12" D
- Tablet height is 28½" from floor to top of tablet surface

LEGS AND GLIDES

- Die-cast aluminum legs available in polished or powder coated Concrete, Cinder, Iron, Platinum Metallic, or Satin Nickel Metallic
- Wood legs finished with catalyzed top coat which resists denting, peeling and reactions to chemicals
- Can be cleaned with a damp cloth
- When specifying Brighton, Natural, and Sonoma finish, variation in color is acceptable due to the nature of wood characteristics
- Features a black 1" adjustable leveling glide
- Soft glides are available for an additional upcharge

UPHOLSTERY DETAIL

- Contrasting fabric available on all models, except benches and armless club chair

POWER GROMMET

- Power grommet only available on arm models (factory installed); specify grommet option
- Features 2 electrical receptacles and 2 power USB ports
- Die-cast zinc in black or silver powder coat
- 9 foot, 15 Amp cord
- UL Listed

BISTRO TABLE

FRAME CONSTRUCTION

- Grade A slipmatched maple veneer or HPL and die-cast aluminum brackets
- Veneer features a semi-open pore matte sheen
- 50 lb. weight limit per seat location (i.e., 100 lb. weight limit for 2 seat, 150 lb. weight limit for 3 seat)
- 40" from top of table to floor

FABRICS

Grade 1	Cali
	Entwine
	Input
	Melange
	Ridge
	Spark
	Vessel
	Zig Zag
Grade 2	Bliss
	Brilliant
	COM
	Dolce
	Dorset
	Intuition
	Orbit
	Phrase
	Pixie
	Sedona
	Stancil
	Strand
Grade 3	COL
	Silvertex
Grade 4	Connect Four
	Echo
	Masquerade
Grade 5	Mode
Grade 6	Essence/Ultraleather
Grade 7	Brisa
	Brisa Distressed
	Reef Pro
	Silica
	Silica Etch
	Tottori
Grade L7	Davenport
Grade L8	Florence

TABLET ARM/BISTRO TABLE

LAMINATE

LAC2	Autumn 2
LAD	Almond
LBZ	Brazilwood
LCI	Chai
LCL	Caramel
LCW	Cordovan
LDW	Judicial
LHN2	Honey 2
LIM	Brighton
LKN	Kona
LMC	Amber
LMH	Mocha
LNM	Natural
LPB	Portobello
LPC	Porcini
LPT	Portico
LSK	Skyline
LSM	Sonoma
LTF	Truffle
LWL	Willow
L405	Designer White
L419	Wallaby
L425	Shadow
L440	Cloud
L457	Dapple
L461	Graphite
L462	Cinder
L478	Platinum Grey
L488	Frosty White
L491	Designer White Linear
L492	Cinder Linear
L792	Sable
L793	Acorn*

†Acorn is the wood and laminate complement to Clear Walnut finish

WOOD

WAC	Autumn
WAD	Almond**
WBZ	Brazilwood
WCI	Chai
WCL	Caramel
WCW	Cordovan
WDW	Judicial
WHN	Honey
WIM	Brighton
WKN	Kona
WMC	Amber
WMH	Mocha
WNM	Natural
WPB	Portobello**
WPC	Porcini
WPT	Portico**
WSK	Skyline**
WSM	Sonoma**
WTF	Truffle
WWL	Willow
W405	Designer White
W462	Cinder
W792	Sable
W793	Acorn**†

**Not available on Bistro Table

GALLERY LAMINATE

Grade 1 – 5% upcharge

LG1001	Laminate, Citadel
LG1011	Laminate, Pepperdust

Grade 2 – 6% upcharge

LG1002	Laminate, Planked Raw Oak
LG1003	Laminate, Evening Notte
LG1004	Laminate, Kirsche
LG1005	Laminate, Midnight Run
LG1006	Laminate, Sepia Walnut
LG1007	Laminate, Serotina
LG1008	Laminate, Timeless
LG1009	Laminate, White Nebbia
LG1012	Laminate, Phantom Ecru

See page 21 for Gallery program details and upcharges

VENEER FINISHES - BACK PANELS

AC	Autumn
CL	Caramel
CW	Cordovan
DW	Judicial
HN	Honey
IM	Brighton
MC	Amber
MH	Mocha
NM	Natural
TF	Truffle
405	Designer White
462	Cinder
792	Sable

LAMINATES - BACK PANELS

AC2	Autumn 2
AD	Almond
BZ	Brazilwood
CI	Chai
CL	Caramel
CW	Cordovan
DW	Judicial
HN2	Honey 2
IM	Brighton
KN	Kona
MC	Amber
MH	Mocha
NM	Natural
PB	Portobello
PC	Porcini
PT	Portico
SK	Skyline
SM	Sonoma
TF	Truffle
WL	Willow
405	Designer White
419	Wallaby
425	Shadow
440	Cloud
457	Dapple
461	Graphite
462	Cinder
478	Platinum Grey
488	Frosty White
491	Designer White Linear
492	Cinder Linear
792	Sable
793	Acorn†

†Acorn is the finish complement to Clear Walnut finish

GALLERY LAMINATE - BACK PANELS

Grade 1 – 5% upcharge

G1001	Citadel
G1011	Pepperdust

Grade 2 – 6% upcharge

G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

FRINGE

GLIDES

STD Standard
C10 Soft (add $41 list)

POWER GROMMET OPTIONS

($703 list upcharge per location)

G23BL Black, Left
G23BR Black, Right
G23BLR Black, Left & Right
G23SL Silver, Left
G23SR Silver, Right
G23SLR Silver, Left & Right
X No Grommet

WORKSURFACE MID BACK INSIDE 90° ROUND SURFACE GROMMET OPTIONS

($40 list upcharge per location)

G1C Round Grommet, Center
X No Grommet

BISTRO WITH POWER GROMMETS





LEG/BASE COLORS

METAL

423 Concrete
462 Cinder
463 Iron
497 Polished Aluminum
501 Platinum Metallic
503 Satin Nickel Metallic

WOOD ($200 LIST UPCHARGE PER CHAIR)

WAC Autumn
WAD Almond
WBZ Brazilwood
WCI Chai
WCL Caramel
WCW Cordovan
WDW Judicial
WHN Honey
WIM Brighton
WKN Kona
WMC Amber
WMH Mocha
WNM Natural
WPB Portobello
WPC Porcini
WPT Portico
WSK Skyline
WTF Truffle
WWL Willow
W405 Designer White
W462 Cinder
W792 Sable
W793 Acorn†

†Acorn is the wood complement to Clear Walnut finish

METAL BRACKETS

423 Concrete
462 Cinder
463 Iron
497 Polished Aluminum
501 Platinum Metallic
503 Satin Nickel Metallic

FRINGE
Bistro Table Mid Back 2 Seat Lounge page 230
Bistro Table Mid Back 2 Seat Lounge Single Arm page 231
Bistro Table Mid Back 3 Seat Lounge page 234
Bistro Table Mid Back 3 Seat Lounge Single Arm page 235

1. Model Number plus "X"
2. Back Fabric Grade Number/Cover Number
3. Lumbar Fabric Grade Number/Cover Number
4. Extreme Back Grade Number/Cover Number
5. Seat Fabric Grade Number/Cover Number
6. Arm Fabric Grade Number/Cover Number
7. Power Grommet - Front of Arm
8. Power Grommet - Back of Arm
9. Bistro Table Finish
10. Tablet and Finish (when applicable)
11. Finish/Laminate
12. Leg Color
13. Glides



Contrasting Upholstery - Upholstery Back



Contrasting Upholstery - Veneer or Laminate Back

Bistro Table High Back 2 Seat Lounge page 232
Bistro Table High Back 2 Seat Lounge Single Arm page 233
Bistro Table High Back 3 Seat Lounge page 236
Bistro Table High Back 3 Seat Lounge Single Arm page 237

1. Model Number plus "X"
2. Back Fabric Grade Number/Cover Number
3. Lumbar Fabric Grade Number/Cover Number
4. Extreme Back Grade Number/Cover Number
5. Seat Fabric Grade Number/Cover Number
6. Arm Fabric Grade Number/Cover Number
7. Accent (headrest) Fabric Grade Number/Cover Number
8. Power Grommet - Front of Arm
9. Power Grommet - Back of Arm
10. Bistro Table Finish
11. Tablet and Finish (when applicable)
12. Finish/Laminate
13. Leg Color
14. Glides



Contrasting Upholstery - Veneer or Laminate Back



Contrasting Upholstery - Upholstered Back

Bistro Table Mid Back 2 Seat Cove page 238
Bistro Table High Back 2 Seat Cove page 238
Bistro Table Mid Back 3 Seat Cove page 239
Bistro Table High Back 3 Seat Cove page 239
Bistro Table Mid Back Square 90° Corner page 240
Bistro Table High Back Square 90° Corner page 240
Bistro Table Mid Back Inside 90° Wedge page 241
Bistro Table Mid Back Inside 90° Round page 241
Worksurface Mid Back Inside 90° Round page 241
Bistro Table High Back Inside 90° Wedge page 242
Bistro Table High Back Inside 90° Round page 242

1. Model Number plus "X"
2. Back Fabric Grade Number/Cover Number
3. Lumbar Fabric Grade Number/Cover Number
4. Extreme Back Grade Number/Cover Number
5. Seat Fabric Grade Number/Cover Number
6. Accent (headrest) Fabric Grade Number/Cover Number (when applicable)
7. Bistro Table Finish
8. Finish/Laminate (when applicable)
9. Leg Color
10. Glides



Contrasting Upholstery



Contrasting Upholstery Back View

FRINGE

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Power Grommet - Front of Arm
4. Power Grommet - Back of Arm
5. Bistro Table Finish
6. Tablet and Finish (when applicable)
7. Finish/Laminate
8. Metal Bracket Color
9. Leg Color
10. Glides

• See pages 227-228 for Fringe options
See pages 259-273 for COM fabric yardage

BISTRO TABLE
MID BACK
2 SEAT LOUNGE



Armless - Upholstered Back



Tablet Right Arm -
Upholstered Back



Mid Arms -
Veneer or Laminate Back

MODEL NO.		GRADE / LIST PRICE								
		1	2/COM	3/COL	4	5	6	7	L7	L8
UPHOLSTERED BACK										
N93MTU2M	Armless, Upholstered Back $	4391	4545	4615	4730	4853	5064	5346	6679	7106
N93MTU2B	Arms, Upholstered Back	5066	5318	5433	5620	5822	6168	6628	8810	9508
N93MTU2BR	Tablet Right Arm, Upholstered Back	5398	5650	5765	5952	6154	6500	6960	9142	9840
N93MTU2BL	Tablet Left Arm, Upholstered Back	5398	5650	5765	5952	6154	6500	6960	9142	9840
N93MTU2BB	Tablet Both Arms, Upholstered Back	5734	5986	6101	6288	6490	6836	7296	9478	10176
N93MTU2BM	Mid Arms, Upholstered Back	5498	5806	5947	6176	6422	6844	7408	10074	10928
LAMINATE BACK										
N93MTL2M	Armless, Laminate Back $	5584	5707	5763	5854	5952	6120	6344	7404	7744
N93MTL2B	Arms, Laminate Back	6258	6479	6579	6743	6920	7222	7625	9534	10145
N93MTL2BR	Tablet Right Arm, Laminate Back	6593	6814	6914	7078	7255	7557	7960	9869	10480
N93MTL2BL	Tablet Left Arm, Laminate Back	6593	6814	6914	7078	7255	7557	7960	9869	10480
N93MTL2BB	Tablet Both Arms, Laminate Back	6929	7150	7250	7414	7591	7893	8296	10205	10816
N93MTL2BM	Mid Arms, Laminate Back	6692	6969	7095	7300	7522	7901	8406	10800	11566
VENEER BACK										
N93MTW2M	Armless, Veneer Back $	5584	5707	5763	5854	5952	6120	6344	7404	7744
N93MTW2B	Arms, Veneer Back	6258	6479	6579	6743	6920	7222	7625	9534	10145
N93MTW2BR	Tablet Right Arm, Veneer Back	6593	6814	6914	7078	7255	7557	7960	9869	10480
N93MTW2BL	Tablet Left Arm, Veneer Back	6593	6814	6914	7078	7255	7557	7960	9869	10480
N93MTW2BB	Tablet Both Arms, Veneer Back	6929	7150	7250	7414	7591	7893	8296	10205	10816
N93MTW2BM	Mid Arms, Veneer Back	6692	6969	7095	7300	7522	7901	8406	10800	11566

DIMENSIONS

Width	47½	Seat Height	18½	Arm Height	27½	Weight	187
Width with Arms	55½	Seat Depth	20½	Mid Arm Height	40¼	Weight with Arms	225
Depth	39	Seat Width	47½	Back Height	22½	Weight with Tablet	232
Height	40¼			Back Width	47½	Weight with 2 Tablets	237
						Weight with Mid Arms	241
						Cubic Ft.	40.2
						Cubic Ft. with Arms	45.8
						Cubic Ft. with Tablet	50.5
						Cubic Ft. with 2 Tablets	52.2

- Power grommet only available on arm models (factory installed); specify grommet option
- Power unavailable on front on bistro model seats due to built-in counterweight that ensures the stability of the unit
- Contrasting fabric option – specify X (i.e., N93MTU2MX); see page 229. For list pricing, use your electronic specification tool or contact customer service
- Add 28.75 lbs. for laminate and veneer back models
- Some assembly required
- Accepts laminate and veneer divider panels (page 224)
- Laminate and veneer divider panels can be added to an armless unit, onto the arm of a unit, or replace an existing arm
- Laminate and veneer divider panels cannot be added onto a tablet arm due to interference
- Accepts laminate and veneer back panels (page 225) which will be the height and width of a high back armless model

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Power Grommet - Front of Arm
4. Power Grommet - Back of Arm
5. Bistro Table Finish
6. Tablet and Finish (when applicable)
7. Finish/Laminate
8. Metal Bracket Color
9. Leg Color
10. Glides

• See pages 227-228 for Fringe options

See pages 259-273 for COM fabric yardage

BISTRO TABLE
MID BACK
2 SEAT LOUNGE
SINGLE ARM



Left Arm - Upholstered Back



Tablet Right Arm -
Veneer or Laminate Back



Left Mid Arms -
Veneer or Laminate Back

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
UPHOLSTERED BACK											
N93MTU2R	Right Arm, Upholstered Back	$	4729	4939	5035	5191	5359	5647	6031	7849	8431
N93MTU2RR	Tablet Right Arm, Upholstered Back		5066	5276	5372	5528	5696	5984	6368	8186	8768
N93MTU2RM	Right Mid Arms, Upholstered Back		4945	5180	5287	5461	5649	5970	6399	8429	9079
N93MTU2L	Left Arm, Upholstered Back		4729	4939	5035	5191	5359	5647	6031	7849	8431
N93MTU2LL	Tablet Left Arm, Upholstered Back		5066	5276	5372	5528	5696	5984	6368	8186	8768
N93MTU2LM	Left Mid Arms, Upholstered Back		4945	5180	5287	5461	5649	5970	6399	8429	9079
LAMINATE BACK											
N93MTL2R	Right Arm, Laminate Back	$	5920	6099	6180	6313	6456	6700	7027	8572	9067
N93MTL2RR	Tablet Right Arm, Laminate Back		6258	6437	6518	6651	6794	7038	7365	8910	9405
N93MTL2RM	Right Mid Arms, Laminate Back		6138	6341	6434	6585	6747	7025	7397	9154	9717
N93MTL2L	Left Arm, Laminate Back		5920	6099	6180	6313	6456	6700	7027	8572	9067
N93MTL2LL	Tablet Left Arm, Laminate Back		6258	6437	6518	6651	6794	7038	7365	8910	9405
N93MTL2LM	Left Mid Arms, Laminate Back		6138	6341	6434	6585	6747	7025	7397	9154	9717
VENEER BACK											
N93MTW2R	Right Arm, Veneer Back	$	5920	6099	6180	6313	6456	6700	7027	8572	9067
N93MTW2RR	Tablet Right Arm, Veneer Back		6258	6437	6518	6651	6794	7038	7365	8910	9405
N93MTW2RM	Right Mid Arms, Veneer Back		6138	6341	6434	6585	6747	7025	7397	9154	9717
N93MTW2L	Left Arm, Veneer Back		5920	6099	6180	6313	6456	6700	7027	8572	9067
N93MTW2LL	Tablet Left Arm, Veneer Back		6258	6437	6518	6651	6794	7038	7365	8910	9405
N93MTW2LM	Left Mid Arms, Veneer Back		6138	6341	6434	6585	6747	7025	7397	9154	9717

DIMENSIONS

Width	51½	Seat Height	18½	Arm Height	27½	Weight	206
Depth	39	Seat Depth	20½	Mid Arm Height	40¼	Weight with Tablet	213
Height	40¼	Seat Width	47½	Back Height	22½	Weight with Mid Arms	214
				Back Width	47½	Cubic Ft.	40.2
						Cubic Ft. with Tablet	47.6

- Power grommet only available on arm models (factory installed); specify grommet option
- Power unavailable on front on bistro model seats due to built-in counterweight that ensures the stability of the unit
- Contrasting fabric option – specify X (i.e., N93MTU2RX); see page 229. For list pricing, use your electronic specification tool or contact customer service
- Add 28.75 lbs. for laminate and veneer back models
- Some assembly required
- Accepts laminate and veneer divider panels (page 224)
- Laminate and veneer divider panels can be added to an armless unit, onto the arm of a unit, or replace an existing arm
- Laminate and veneer divider panels cannot be added onto a tablet arm due to interference
- Accepts laminate and veneer back panels (page 225) which will be the height and width of a high back armless model

FRINGE

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Power Grommet - Front of Arm
4. Power Grommet - Back of Arm
5. Bistro Table Finish
6. Tablet and Finish (when applicable)
7. Finish/Laminate
8. Metal Bracket Color
9. Leg Color
10. Glides

• See pages 227-228 for Fringe options

See pages 259-273 for COM fabric yardage

BISTRO TABLE
HIGH BACK
2 SEAT LOUNGE



Armless - Upholstered Back



Tablet Right Arm - Upholstered Back



Mid Arms - Veneer or Laminate Back



High Arms - Veneer or Laminate Back

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
UPHOLSTERED BACK											
N93HTU2M	Armless, Upholstered Back	$	5883	6062	6143	6276	6419	6663	6990	8535	9030
N93HTU2B	Arms, Upholstered Back		6556	6833	6959	7164	7386	7765	8270	10664	11430
N93HTU2BR	Tablet Right Arm, Upholstered Back		6892	7169	7295	7500	7722	8101	8606	11000	11766
N93HTU2BL	Tablet Left Arm, Upholstered Back		6892	7169	7295	7500	7722	8101	8606	11000	11766
N93HTU2BB	Tablet Both Arms, Upholstered Back		7225	7502	7628	7833	8055	8434	8939	11333	12099
N93HTU2BM	Mid Arms, Upholstered Back		6989	7322	7474	7721	7987	8443	9051	11929	12851
N93HTU2BH	High Arms, Upholstered Back		7061	7443	7617	7900	8206	8729	9426	12729	13786
LAMINATE BACK											
N93HTL2M	Armless, Laminate Back	$	7076	7227	7295	7407	7528	7734	8009	9312	9729
N93HTL2B	Arms, Laminate Back		7748	7997	8110	8295	8494	8834	9289	11440	12129
N93HTL2BR	Tablet Right Arm, Laminate Back		8084	8333	8446	8631	8830	9170	9625	11776	12465
N93HTL2BL	Tablet Left Arm, Laminate Back		8084	8333	8446	8631	8830	9170	9625	11776	12465
N93HTL2BB	Tablet Both Arms, Laminate Back		8418	8667	8780	8965	9164	9504	9959	12110	12799
N93HTL2BM	Mid Arms, Laminate Back		8183	8523	8678	8930	9202	9667	10288	13227	14168
N93HTL2BH	High Arms, Laminate Back		8256	8610	8771	9034	9317	9801	10448	13508	14488
VENEER BACK											
N93HTW2M	Armless, Veneer Back	$	7076	7227	7295	7407	7528	7734	8009	9312	9729
N93HTW2B	Arms, Veneer Back		7748	7997	8110	8295	8494	8834	9289	11440	12129
N93HTW2BR	Tablet Right Arm, Veneer Back		8084	8333	8446	8631	8830	9170	9625	11776	12465
N93HTW2BL	Tablet Left Arm, Veneer Back		8084	8333	8446	8631	8830	9170	9625	11776	12465
N93HTW2BB	Tablet Both Arms, Veneer Back		8418	8667	8780	8965	9164	9504	9959	12110	12799
N93HTW2BM	Mid Arms, Veneer Back		8183	8523	8678	8930	9202	9667	10288	13227	14168
N93HTW2BH	High Arms, Veneer Back		8256	8610	8771	9034	9317	9801	10448	13508	14488

DIMENSIONS

Width	47½	Seat Height	18½	Arm Height	27½	Weight	215
Width with Arms	55½	Seat Depth	20½	Mid Arm Height	40¼	Weight with Arms	253
Depth	39	Seat Width	47½	High Arm Height	53¼	Weight with Tablet	259
Height	53¼			Back Height	35¼	Weight with 2 Tablets	264
				Back Width	47½	Weight with Mid Arms	269
						Weight with High Arms	285
						Cubic Ft.	51.3
						Cubic Ft. with Arms	58.3
						Cubic Ft. with Tablet	64.4
						Cubic Ft. with 2 Tablets	66.5

- Power grommet only available on arm models (factory installed); specify grommet option
- Power unavailable on front on bistro model seats due to built-in counterweight that ensures the stability of the unit
- Contrasting fabric option – specify X (i.e., N93HTU2MX); see page 229. For list pricing, use your electronic specification tool or contact customer service
- Add 28.75 lbs. for laminate and veneer back models
- Some assembly required
- Accepts laminate and veneer divider panels (page 224)
- Laminate and veneer divider panels can be added to an armless unit, onto the arm of a unit, or replace an existing arm
- Laminate and veneer divider panels cannot be added onto a tablet arm due to interference
- Accepts laminate and veneer back panels (page 225) which will be the height and width of a high back armless model

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Power Grommet - Front of Arm
4. Power Grommet - Back of Arm
5. Bistro Table Finish
6. Tablet and Finish (when applicable)
7. Finish/Laminate
8. Metal Bracket Color
9. Leg Color
10. Glides

• See pages 227-228 for Fringe options

See pages 259-273 for COM fabric yardage

BISTRO TABLE HIGH BACK 2 SEAT LOUNGE SINGLE ARM



Left Arm - Upholstered Back



Tablet Right Arm -
Veneer or Laminate Back



Left Mid Arm -
Veneer or Laminate Back



Left High Arm -
Veneer or Laminate Back

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
UPHOLSTERED BACK											
N93HTU2R	Right Arm, Upholstered Back	$	6218	6453	6560	6734	6922	7243	7672	9702	10352
N93HTU2RR	Tablet Right Arm, Upholstered Back		6556	6791	6898	7072	7260	7581	8010	10040	10690
N93HTU2RM	Right Mid Arms, Upholstered Back		6434	6693	6811	7004	7211	7566	8040	10282	11000
N93HTU2RH	Right High Arms, Upholstered Back		6471	6755	6884	7095	7322	7710	8229	10683	11469
N93HTU2L	Left Arm, Upholstered Back		6218	6453	6560	6734	6922	7243	7672	9702	10352
N93HTU2LL	Tablet Left Arm, Upholstered Back		6556	6791	6898	7072	7260	7581	8010	10040	10690
N93HTU2LM	Left Mid Arms, Upholstered Back		6434	6693	6811	7004	7211	7566	8040	10282	11000
N93HTU2LH	Left High Arms, Upholstered Back		6471	6755	6884	7095	7322	7710	8229	10683	11469
LAMINATE BACK											
N93HTL2R	Right Arm, Laminate Back	$	7412	7619	7713	7866	8032	8315	8692	10480	11052
N93HTL2RR	Tablet Right Arm, Laminate Back		7748	7955	8049	8202	8368	8651	9028	10816	11388
N93HTL2RM	Right Mid Arms, Laminate Back		7630	7858	7962	8131	8313	8625	9041	11010	11641
N93HTL2RH	Right High Arms, Laminate Back		7666	7922	8038	8228	8433	8783	9250	11462	12170
N93HTL2L	Left Arm, Laminate Back		7412	7619	7713	7866	8032	8315	8692	10480	11052
N93HTL2LL	Tablet Left Arm, Laminate Back		7748	7955	8049	8202	8368	8651	9028	10816	11388
N93HTL2LM	Left Mid Arms, Laminate Back		7630	7858	7962	8131	8313	8625	9041	11010	11641
N93HTL2LH	Left High Arms, Laminate Back		7666	7922	8038	8228	8433	8783	9250	11462	12170
VENEER BACK											
N93HTW2R	Right Arm, Veneer Back	$	7412	7619	7713	7866	8032	8315	8692	10480	11052
N93HTW2RR	Tablet Right Arm, Veneer Back		7748	7955	8049	8202	8368	8651	9028	10816	11388
N93HTW2RM	Right Mid Arms, Veneer Back		7630	7858	7962	8131	8313	8625	9041	11010	11641
N93HTW2RH	Right High Arms, Veneer Back		7666	7922	8038	8228	8433	8783	9250	11462	12170
N93HTW2L	Left Arm, Veneer Back		7412	7619	7713	7866	8032	8315	8692	10480	11052
N93HTW2LL	Tablet Left Arm, Veneer Back		7748	7955	8049	8202	8368	8651	9028	10816	11388
N93HTW2LM	Left Mid Arms, Veneer Back		7630	7858	7962	8131	8313	8625	9041	11010	11641
N93HTW2LH	Left High Arms, Veneer Back		7666	7922	8038	8228	8433	8783	9250	11462	12170

DIMENSIONS

Width	51½	Seat Height	18½	Arm Height	27½	Weight	234
Depth	39	Seat Depth	20½	Mid Arm Height	40¼	Weight with Tablet	240
Height	53¼	Seat Width	47½	High Arm Height	53¼	Weight with Mid Arms	242
				Back Height	35¼	Weight with High Arms	250
				Back Width	47½	Cubic Ft.	54.8
						Cubic Ft. with Tablet	60.6

- Power grommet only available on arm models (factory installed); specify grommet option
- Power unavailable on front on bistro model seats due to built-in counterweight that ensures the stability of the unit
- Contrasting fabric option – specify X (i.e., N93HTU2RX); see page 229. For list pricing, use your electronic specification tool or contact customer service
- Add 28.75 lbs. for laminate and veneer back models
- Some assembly required
- Accepts laminate and veneer divider panels (page 224)
- Laminate and veneer divider panels can be added to an armless unit, onto the arm of a unit, or replace an existing arm
- Laminate and veneer divider panels cannot be added onto a tablet arm due to interference
- Accepts laminate and veneer back panels (page 225) which will be the height and width of a high back armless model

FRINGE

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Power Grommet - Front of Arm
4. Power Grommet - Back of Arm
5. Bistro Table Finish
6. Tablet and Finish (when applicable)
7. Finish/Laminate
8. Metal Bracket Color
9. Leg Color
10. Glides

• See pages 227-228 for Fringe options
See pages 259-273 for COM fabric yardage

BISTRO TABLE
MID BACK
3 SEAT LOUNGE



Armless - Upholstered Back



Tablet Right Arm - Upholstered Back



Mid Arms - Veneer or Laminate Back

MODEL NO.		GRADE / LIST PRICE								
		1	2/COM	3/COL	4	5	6	7	L7	L8
UPHOLSTERED BACK										
N93MTU3M	Armless, Upholstered Back	$ 5996	6206	6302	6458	6626	6914	7298	9116	9698
N93MTU3B	Arms, Upholstered Back	6667	6979	7121	7352	7602	8029	8598	11295	12158
N93MTU3BR	Tablet Right Arm, Upholstered Back	7003	7315	7457	7688	7938	8365	8934	11631	12494
N93MTU3BL	Tablet Left Arm, Upholstered Back	7003	7315	7457	7688	7938	8365	8934	11631	12494
N93MTU3BB	Tablet Both Arms, Upholstered Back	7337	7649	7791	8022	8272	8699	9268	11965	12828
N93MTU3BM	Mid Arms, Upholstered Back	7102	7466	7632	7903	8194	8693	9359	12510	13519
LAMINATE BACK										
N93MTL3M	Armless, Laminate Back	$ 7785	7950	8025	8147	8279	8504	8805	10229	10685
N93MTL3B	Arms, Laminate Back	8454	8717	8837	9032	9242	9602	10082	12354	13082
N93MTL3BR	Tablet Right Arm, Laminate Back	8793	9056	9176	9371	9581	9941	10421	12693	13421
N93MTL3BL	Tablet Left Arm, Laminate Back	8793	9056	9176	9371	9581	9941	10421	12693	13421
N93MTL3BB	Tablet Both Arms, Laminate Back	9128	9391	9511	9706	9916	10276	10756	13028	13756
N93MTL3BM	Mid Arms, Laminate Back	8890	9205	9349	9583	9835	10267	10843	13570	14443
VENEER BACK										
N93MTW3M	Armless, Veneer Back	$ 7785	7950	8025	8147	8279	8504	8805	10229	10685
N93MTW3B	Arms, Veneer Back	8454	8717	8837	9032	9242	9602	10082	12354	13082
N93MTW3BR	Tablet Right Arm, Veneer Back	8793	9056	9176	9371	9581	9941	10421	12693	13421
N93MTW3BL	Tablet Left Arm, Veneer Back	8793	9056	9176	9371	9581	9941	10421	12693	13421
N93MTW3BB	Tablet Both Arms, Veneer Back	9128	9391	9511	9706	9916	10276	10756	13028	13756
N93MTW3BM	Mid Arms, Veneer Back	8890	9205	9349	9583	9835	10267	10843	13570	14443

DIMENSIONS

Width	70¾	Seat Height	18½	Arm Height	27½	Weight	260
Width with Arms	78¾	Seat Depth	20½	Mid Arm Height	40¼	Weight with Arms	298
Depth	39	Seat Width	70¾	Back Height	22½	Weight with Tablet	304
Height	40¼			Back Width	70¾	Weight with 2 Tablets	309
						Weight with Mid Arms	314
						Cubic Ft.	58.3
						Cubic Ft. with Arms	63.8
						Cubic Ft. with Tablet	69.8
						Cubic Ft. with 2 Tablets	71.5

- Power grommet only available on arm models (factory installed); specify grommet option
- Power unavailable on front on bistro model seats due to built-in counterweight that ensures the stability of the unit
- Contrasting fabric option – specify X (i.e., N93MTU3MX); see page 229. For list pricing, use your electronic specification tool or contact customer service
- Add 43 lbs. for laminate and veneer back models
- Some assembly required
- Accepts laminate and veneer divider panels (page 224)
- Laminate and veneer divider panels can be added to an armless unit, onto the arm of a unit, or replace an existing arm
- Laminate and veneer divider panels cannot be added onto a tablet arm due to interference
- Accepts laminate and veneer back panels (page 225) which will be the height and width of a high back armless model

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Power Grommet - Front of Arm
4. Power Grommet - Back of Arm
5. Bistro Table Finish
6. Tablet and Finish (when applicable)
7. Finish/Laminate
8. Metal Bracket Color
9. Leg Color
10. Glides

• See pages 227-228 for Fringe options

See pages 259-273 for COM fabric yardage

BISTRO TABLE
MID BACK
3 SEAT LOUNGE
SINGLE ARM



Left Arm - Upholstered Back



Tablet Right Arm -
Veneer or Laminate Back



Left Mid Arm -
Veneer or Laminate Back

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
UPHOLSTERED BACK											
N93MTU3R	Right Arm, Upholstered Back	$	6328	6594	6716	6913	7126	7491	7977	10280	11017
N93MTU3RR	Tablet Right Arm, Upholstered Back		6667	6933	7055	7252	7465	7830	8316	10619	11356
N93MTU3RM	Right Mid Arms, Upholstered Back		6549	6840	6972	7188	7421	7819	8350	10865	11670
N93MTU3L	Left Arm, Upholstered Back		6328	6594	6716	6913	7126	7491	7977	10280	11017
N93MTU3LL	Tablet Left Arm, Upholstered Back		6667	6933	7055	7252	7465	7830	8316	10619	11356
N93MTU3LM	Left Mid Arms, Upholstered Back		6549	6840	6972	7188	7421	7819	8350	10865	11670
LAMINATE BACK											
N93MTL3R	Right Arm, Laminate Back	$	8120	8337	8436	8597	8771	9069	9465	11344	11945
N93MTL3RR	Tablet Right Arm, Laminate Back		8454	8671	8770	8931	9105	9403	9799	11678	12279
N93MTL3RM	Right Mid Arms, Laminate Back		8338	8580	8690	8869	9063	9394	9835	11926	12595
N93MTL3L	Left Arm, Laminate Back		8120	8337	8436	8597	8771	9069	9465	11344	11945
N93MTL3LL	Tablet Left Arm, Laminate Back		8454	8671	8770	8931	9105	9403	9799	11678	12279
N93MTL3LM	Left Mid Arms, Laminate Back		8338	8580	8690	8869	9063	9394	9835	11926	12595
VENEER BACK											
N93MTW3R	Right Arm, Veneer Back	$	8120	8337	8436	8597	8771	9069	9465	11344	11945
N93MTW3RR	Tablet Right Arm, Veneer Back		8454	8671	8770	8931	9105	9403	9799	11678	12279
N93MTW3RM	Right Mid Arms, Veneer Back		8338	8580	8690	8869	9063	9394	9835	11926	12595
N93MTW3L	Left Arm, Veneer Back		8120	8337	8436	8597	8771	9069	9465	11344	11945
N93MTW3LL	Tablet Left Arm, Veneer Back		8454	8671	8770	8931	9105	9403	9799	11678	12279
N93MTW3LM	Left Mid Arms, Veneer Back		8338	8580	8690	8869	9063	9394	9835	11926	12595

DIMENSIONS

Width	74¾	Seat Height	18½	Arm Height	27½	Weight	279
Depth	39	Seat Depth	20½	Mid Arm Height	40¼	Weight with Tablet	285
Height	40¼	Seat Width	70¾	Back Height	22½	Weight with Mid Arms	287
				Back Width	70¾	Cubic Ft.	61.1
						Cubic Ft. with Tablet	66.8

- Power grommet only available on arm models (factory installed); specify grommet option
- Power unavailable on front on bistro model seats due to built-in counterweight that ensures the stability of the unit
- Contrasting fabric option – specify X (i.e., N93MTU3RX); see page 229. For list pricing, use your electronic specification tool or contact customer service
- Add 43 lbs. for laminate and veneer back models
- Some assembly required
- Accepts laminate and veneer divider panels (page 224)
- Laminate and veneer divider panels can be added to an armless unit, onto the arm of a unit, or replace an existing arm
- Laminate and veneer divider panels cannot be added onto a tablet arm due to interference
- Accepts laminate and veneer back panels (page 225) which will be the height and width of a high back armless model

FRINGE

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Power Grommet - Front of Arm
4. Power Grommet - Back of Arm
5. Bistro Table Finish
6. Tablet and Finish (when applicable)
7. Finish/Laminate
8. Metal Bracket Color
9. Leg Color
10. Glides

• See pages 227-228 for Fringe options

See pages 259-273 for COM fabric yardage

BISTRO TABLE HIGH BACK 3 SEAT LOUNGE



Armless - Upholstered Back



Tablet Right Arm - Upholstered Back



Mid Arms - Veneer or Laminate Back



High Arms - Veneer or Laminate Back

MODEL NO.		GRADE / LIST PRICE								
		1	2/COM	3/COL	4	5	6	7	L7	L8
UPHOLSTERED BACK										
N93HTU3M	Armless, Upholstered Back	$ 7488	7737	7850	8035	8234	8574	9029	11180	11869
N93HTU3B	Arms, Upholstered Back	8157	8504	8662	8919	9197	9672	10305	13305	14265
N93HTU3BR	Tablet Right Arm, Upholstered Back	8493	8840	8998	9255	9533	10008	10641	13641	14601
N93HTU3BL	Tablet Left Arm, Upholstered Back	8493	8840	8998	9255	9533	10008	10641	13641	14601
N93HTU3BB	Tablet Both Arms, Upholstered Back	8830	9177	9335	9592	9870	10345	10978	13978	14938
N93HTU3BM	Mid Arms, Upholstered Back	8591	8994	9178	9477	9799	10351	11087	14571	15687
N93HTU3BH	High Arms, Upholstered Back	8666	9118	9324	9659	10021	10640	11465	15374	16625
LAMINATE BACK										
N93HTL3M	Armless, Laminate Back	$ 9276	9479	9572	9723	9885	10163	10535	12292	12855
N93HTL3B	Arms, Laminate Back	9946	10247	10385	10608	10849	11262	11812	14418	15252
N93HTL3BR	Tablet Right Arm, Laminate Back	10282	10583	10721	10944	11185	11598	12148	14754	15588
N93HTL3BL	Tablet Left Arm, Laminate Back	10282	10583	10721	10944	11185	11598	12148	14754	15588
N93HTL3BB	Tablet Both Arms, Laminate Back	10621	10922	11060	11283	11524	11937	12487	15093	15927
N93HTL3BM	Mid Arms, Laminate Back	10383	10740	10903	11168	11454	11944	12596	15687	16676
N93HTL3BH	High Arms, Laminate Back	10456	10862	11048	11349	11674	12231	12973	16488	17613
VENEER BACK										
N93HTW3M	Armless, Veneer Back	$ 9276	9479	9572	9723	9885	10163	10535	12292	12855
N93HTW3B	Arms, Veneer Back	9946	10247	10385	10608	10849	11262	11812	14418	15252
N93HTW3BR	Tablet Right Arm, Veneer Back	10282	10583	10721	10944	11185	11598	12148	14754	15588
N93HTW3BL	Tablet Left Arm, Veneer Back	10282	10583	10721	10944	11185	11598	12148	14754	15588
N93HTW3BB	Tablet Both Arms, Veneer Back	10621	10922	11060	11283	11524	11937	12487	15093	15927
N93HTW3BM	Mid Arms, Veneer Back	10383	10740	10903	11168	11454	11944	12596	15687	16676
N93HTW3BH	High Arms, Veneer Back	10456	10862	11048	11349	11674	12231	12973	16488	17613

DIMENSIONS

Width	70¾	Seat Height	18½	Arm Height	27½	Weight	300
Width with Arms	78¾	Seat Depth	20½	Mid Arm Height	40¼	Weight with Arms	338
Depth	39	Seat Width	70¾	High Arm Height	53¼	Weight with Tablet	345
Height	53¼			Back Height	35¼	Weight with 2 Tablets	350
				Back Width	70¾	Weight with Mid Arms	354
						Weight with High Arms	370
						Cubic Ft.	74.3
						Cubic Ft. with Arms	81.4
						Cubic Ft. with Tablet	88.9
						Cubic Ft. with 2 Tablets	91.1

- Power grommet only available on arm models (factory installed); specify grommet option
- Power unavailable on front on bistro model seats due to built-in counterweight that ensures the stability of the unit
- Contrasting fabric option – specify X (i.e., N93HTU3MX); see page 229. For list pricing, use your electronic specification tool or contact customer service
- Add 43 lbs. for laminate and veneer back models
- Some assembly required
- Accepts laminate and veneer divider panels (page 224)
- Laminate and veneer divider panels can be added to an armless unit, onto the arm of a unit, or replace an existing arm
- Laminate and veneer divider panels cannot be added onto a tablet arm due to interference
- Accepts laminate and veneer back panels (page 225) which will be the height and width of a high back armless model

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Power Grommet - Front of Arm
4. Power Grommet - Back of Arm
5. Bistro Table Finish
6. Tablet and Finish (when applicable)
7. Finish/Laminate
8. Metal Bracket Color
9. Leg Color
10. Glides

• See pages 227-228 for Fringe options

See pages 259-273 for COM fabric yardage

BISTRO TABLE
HIGH BACK
3 SEAT LOUNGE
SINGLE ARM



Left Arm - Upholstered Back



Tablet Right Arm -
Veneer or Laminate Back



Left Mid Arm -
Veneer or Laminate Back



Left High Arm -
Veneer or Laminate Back

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
UPHOLSTERED BACK											
N93HTU3R	Right Arm, Upholstered Back	$	7820	8125	8264	8490	8734	9151	9708	12344	13188
N93HTU3RR	Tablet Right Arm, Upholstered Back		8157	8462	8601	8827	9071	9488	10045	12681	13525
N93HTU3RM	Right Mid Arms, Upholstered Back		8040	8369	8519	8764	9027	9478	10080	12928	13840
N93HTU3RH	Right High Arms, Upholstered Back		8074	8428	8589	8852	9135	9619	10266	13326	14306
N93HTU3L	Left Arm, Upholstered Back		7820	8125	8264	8490	8734	9151	9708	12344	13188
N93HTU3LL	Tablet Left Arm, Upholstered Back		8157	8462	8601	8827	9071	9488	10045	12681	13525
N93HTU3LM	Left Mid Arms, Upholstered Back		8040	8369	8519	8764	9027	9478	10080	12928	13840
N93HTU3LH	Left High Arms, Upholstered Back		8074	8428	8589	8852	9135	9619	10266	13326	14306
LAMINATE BACK											
N93HTL3R	Right Arm, Laminate Back	$	9612	9871	9989	10182	10389	10744	11218	13460	14178
N93HTL3RR	Tablet Right Arm, Laminate Back		9946	10205	10323	10516	10723	11078	11552	13794	14512
N93HTL3RM	Right Mid Arms, Laminate Back		9831	10111	10239	10447	10671	11055	11567	13991	14767
N93HTL3RH	Right High Arms, Laminate Back		9866	10174	10315	10544	10790	11212	11776	14442	15296
N93HTL3L	Left Arm, Laminate Back		9612	9871	9989	10182	10389	10744	11218	13460	14178
N93HTL3LL	Tablet Left Arm, Laminate Back		9946	10205	10323	10516	10723	11078	11552	13794	14512
N93HTL3LM	Left Mid Arms, Laminate Back		9831	10111	10239	10447	10671	11055	11567	13991	14767
N93HTL3LH	Left High Arms, Laminate Back		9866	10174	10315	10544	10790	11212	11776	14442	15296
VENEER BACK											
N93HTW3R	Right Arm, Veneer Back	$	9612	9871	9989	10182	10389	10744	11218	13460	14178
N93HTW3RR	Tablet Right Arm, Veneer Back		9946	10205	10323	10516	10723	11078	11552	13794	14512
N93HTW3RM	Right Mid Arms, Veneer Back		9831	10111	10239	10447	10671	11055	11567	13991	14767
N93HTW3RH	Right High Arms, Veneer Back		9866	10174	10315	10544	10790	11212	11776	14442	15296
N93HTW3L	Left Arm, Veneer Back		9612	9871	9989	10182	10389	10744	11218	13460	14178
N93HTW3LL	Tablet Left Arm, Veneer Back		9946	10205	10323	10516	10723	11078	11552	13794	14512
N93HTW3LM	Left Mid Arms, Veneer Back		9831	10111	10239	10447	10671	11055	11567	13991	14767
N93HTW3LH	Left High Arms, Veneer Back		9866	10174	10315	10544	10790	11212	11776	14442	15296

DIMENSIONS

Width	74¾	Seat Height	18½	Arm Height	27½	Weight	319
Depth	39	Seat Depth	20½	Mid Arm Height	40¼	Weight with Tablet	326
Height	53¼	Seat Width	70¾	High Arm Height	53¼	Weight with Mid Arms	327
				Back Height	35¼	Weight with High Arms	335
				Back Width	70¾	Cubic Ft.	77.8
						Cubic Ft. with Tablet	85.2

- Power grommet only available on arm models (factory installed); specify grommet option
- Power unavailable on front on bistro model seats due to built-in counterweight that ensures the stability of the unit
- Contrasting fabric option – specify X (i.e., N93HTU3RX); see page 229. For list pricing, use your electronic specification tool or contact customer service
- Add 43 lbs. for laminate and veneer back models
- Some assembly required
- Accepts laminate and veneer divider panels (page 224)
- Laminate and veneer divider panels can be added to an armless unit, onto the arm of a unit, or replace an existing arm
- Laminate and veneer divider panels cannot be added onto a tablet arm due to interference
- Accepts laminate and veneer back panels (page 225) which will be the height and width of a high back armless model

FRINGE

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Bistro Table Finish
4. Finish/Laminate (when applicable)
5. Metal Bracket Color
6. Leg Color
7. Glides

• See pages 227-228 for Fringe options

See pages 259-273 for COM fabric yardage

BISTRO TABLE
MID BACK
2 SEAT COVE



Upholstered Back



Veneer or Laminate Back

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
N93MTUC2	Upholstered Back	$	6945	7197	7312	7499	7701	8047	8507	10689	11387
N93MTLC2	Laminate Back		8164	8371	8465	8618	8784	9067	9444	11232	11804
N93MTWC2	Veneer Back		8164	8371	8465	8618	8784	9067	9444	11232	11804

DIMENSIONS

Width	53¾	Seat Height	18½	Back Height	22½	Weight	184
Depth	27	Seat Depth	20½	Back Width	53½	Cubic Ft.	45.0
Height	40¼	Seat Width	53½				

• Contrasting fabric option – specify X (i.e., N93MTUC2X); see page 229. For list pricing, use your electronic specification tool or contact customer service
• Power grommet option not available

BISTRO TABLE
HIGH BACK
2 SEAT COVE



Upholstered Back



Veneer or Laminate Back

			1	2/COM	3/COL	4	5	6	7	L7	L8
N93HTUC2	Upholstered Back	$	9184	9520	9674	9923	10192	10653	11267	14176	15107
N93HTLC2	Laminate Back		10404	10674	10797	10997	11213	11582	12075	14408	15155
N93HTWC2	Veneer Back		10404	10674	10797	10997	11213	11582	12075	14408	15155

DIMENSIONS

Width	53¾	Seat Height	18½	Back Height	35¼	Weight	238
Depth	27	Seat Depth	20½	Back Width	53½	Cubic Ft.	57.3
Height	53¼	Seat Width	53½				

• Contrasting fabric option – specify X (i.e., N93HTUC2X); see page 229. For list pricing, use your electronic specification tool or contact customer service
• Power grommet option not available

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Bistro Table Finish
4. Finish/Laminate (when applicable)
5. Metal Bracket Color
6. Leg Color
7. Glides

• See pages 227-228 for Fringe options

See pages 259-273 for COM fabric yardage

BISTRO TABLE
MID BACK
3 SEAT COVE



Upholstered Back



Veneer or Laminate Back

MODEL NO.

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N93MTUC3	Upholstered Back	$	8681	9056	9227	9505	9805	10318	11003	14245	15283
N93MTLC3	Laminate Back		10418	10719	10857	11080	11321	11734	12284	14890	15724
N93MTWC3	Veneer Back		10418	10719	10857	11080	11321	11734	12284	14890	15724

DIMENSIONS

Width	77¼	Seat Height	18½	Back Height	22½	Weight	253
Depth	27	Seat Depth	20½	Back Width	76¾	Cubic Ft.	63.0
Height	40¼	Seat Depth	76¾				

• Contrasting fabric option – specify X (i.e., N93MTUC3X); see page 229. For list pricing, use your electronic specification tool or contact customer service
• Power grommet option not available

BISTRO TABLE
HIGH BACK
3 SEAT COVE



Upholstered Back



Veneer or Laminate Back

			1	2/COM	3/COL	4	5	6	7	L7	L8
N93HTUC3	Upholstered Back	$	11517	12000	12221	12580	12966	13628	14512	18693	20032
N93HTLC3	Laminate Back		13254	13646	13825	14116	14430	14968	15684	19078	20164
N93HTWC3	Veneer Back		13254	13646	13825	14116	14430	14968	15684	19078	20164

DIMENSIONS

Width	77¼	Seat Height	18½	Back Height	35¼	Weight	321
Depth	27	Seat Depth	20½	Back Width	76¾	Cubic Ft.	80.4
Height	53¼	Seat Width	76¾				

• Contrasting fabric option – specify X (i.e., N93HTUC3X); see page 229. For list pricing, use your electronic specification tool or contact customer service
• Power grommet option not available

FRINGE

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Bistro Table Finish
4. Finish/Laminate (when applicable)
5. Metal Bracket Color
6. Leg Color
7. Glides

• See pages 227-228 for Fringe options

See pages 259-273 for COM fabric yardage

BISTRO TABLE MID BACK SQUARE 90° CORNER



Upholstered Back

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
UPHOLSTERED BACK											
N93MTUSQ9R	Square 90°, Upholstered Back, Right	$	4234	4381	4448	4557	4675	4877	5145	6418	6825
N93MTUSQ9L	Square 90°, Upholstered Back, Left		4234	4381	4448	4557	4675	4877	5145	6418	6825
N93MTUSQ9D	Square 90°, Upholstered Back, Diagonal		4234	4381	4448	4557	4675	4877	5145	6418	6825
LAMINATE BACK											
N93MTLSQ9R	Square 90°, Laminate Back, Right	$	5454	5580	5638	5731	5832	6005	6235	7326	7675
N93MTLSQ9L	Square 90°, Laminate Back, Left		5454	5580	5638	5731	5832	6005	6235	7326	7675
N93MTLSQ9D	Square 90°, Laminate Back, Diagonal		5454	5580	5638	5731	5832	6005	6235	7326	7675
VENEER BACK											
N93MTWSQ9R	Square 90°, Veneer Back, Right	$	5454	5580	5638	5731	5832	6005	6235	7326	7675
N93MTWSQ9L	Square 90°, Veneer Back, Left		5454	5580	5638	5731	5832	6005	6235	7326	7675
N93MTWSQ9D	Square 90°, Veneer Back, Diagonal		5454	5580	5638	5731	5832	6005	6235	7326	7675

DIMENSIONS

Width	27	Seat Height	18½	Back Height	22½	Weight	92
Depth	27	Seat Depth	20½	Back Width	20½	Cubic Ft.	23.7
Height	40¼	Seat Width	20½				

- Contrasting fabric option – specify X (i.e., N93MTUSQ9RX); see page 229. For list pricing, use your electronic specification tool or contact customer service
- Diagonal model is recommended for directional fabrics
- Power grommet option not available
- Accepts laminate or veneer corner back panels (page 225). The bistro table must be removed for the life of the back panel

BISTRO TABLE HIGH BACK SQUARE 90° CORNER



Upholstered Back

			1	2/COM	3/COL	4	5	6	7	L7	L8
UPHOLSTERED BACK											
N93HTUSQ9R	Square 90°, Upholstered Back, Right	$	5413	5602	5688	5829	5980	6239	6585	8221	8745
N93HTUSQ9L	Square 90°, Upholstered Back, Left		5413	5602	5688	5829	5980	6239	6585	8221	8745
N93HTUSQ9D	Square 90°, Upholstered Back, Diagonal		5413	5602	5688	5829	5980	6239	6585	8221	8745
LAMINATE BACK											
N93HTLSQ9R	Square 90°, Laminate Back, Right	$	6631	6796	6871	6993	7125	7350	7651	9075	9531
N93HTLSQ9L	Square 90°, Laminate Back, Left		6631	6796	6871	6993	7125	7350	7651	9075	9531
N93HTLSQ9D	Square 90°, Laminate Back, Diagonal		6631	6796	6871	6993	7125	7350	7651	9075	9531
VENEER BACK											
N93HTWSQ9R	Square 90°, Veneer Back, Right	$	6631	6796	6871	6993	7125	7350	7651	9075	9531
N93HTWSQ9L	Square 90°, Veneer Back, Left		6631	6796	6871	6993	7125	7350	7651	9075	9531
N93HTWSQ9D	Square 90°, Veneer Back, Diagonal		6631	6796	6871	6993	7125	7350	7651	9075	9531

DIMENSIONS

Width	27	Seat Height	18½	Back Height	22½	Weight	119
Depth	27	Seat Depth	20½	Back Width	20½	Cubic Ft.	30.3
Height	53¼	Seat Width	20½				

- Contrasting fabric option – specify X (i.e., N93HTUSQ9RX); see page 229. For list pricing, use your electronic specification tool or contact customer service
- Diagonal model is recommended for directional fabrics
- Power grommet option not available
- Accepts laminate or veneer corner back panels (page 225). The bistro table must be removed for the life of the back panel

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Bistro Table Finish
4. Finish/Laminate (when applicable)
5. Metal Bracket Color
6. Leg Color
7. Glides

• See pages 227-228 for Fringe options

See pages 259-273 for COM fabric yardage

BISTRO TABLE MID BACK INSIDE 90° WEDGE



Veneer or Laminate Back

MODEL NO. **GRADE / LIST PRICE**

			1	2/COM	3/COL	4	5	6	7	L7	L8
N93MTUIN9	Inside 90°, Upholstered Back	$	4587	4773	4857	4995	5144	5398	5737	7343	7857
N93MTLIN9	Inside 90°, Laminate Back		5195	5321	5379	5472	5573	5746	5976	7067	7416
N93MTWIN9	Inside 90°, Veneer Back		5195	5321	5379	5472	5573	5746	5976	7067	7416

DIMENSIONS

Width	63½	Seat Height	18½	Back Height	22½	Weight	166
Depth	27	Seat Depth	20½	Back Width	60	Cubic Ft.	57.9
Height	40¼	Seat Width	55				

- Contrasting fabric option – specify X (i.e., N93MTUIN9X); see page 229. For list pricing, use your electronic specification tool or contact customer service
- Power grommet option not available
- Accepts laminate and veneer divider panels (page 224)

BISTRO TABLE MID BACK INSIDE 90° ROUND



			1	2/COM	3/COL	4	5	6	7	L7	L8
N93MTUINR9	Inside 90°, Upholstered Back	$	4873	5080	5174	5327	5493	5776	6153	7941	8513

DIMENSIONS

Width	63½	Seat Height	18½	Back Height	22½	Weight	196
Depth	32	Seat Depth	20½	Back Width	60	Cubic Ft.	60.2
Height	40¼	Seat Width	55				

- Contrasting fabric option – specify X (i.e., N93MTUINR9X); see page 229. For list pricing, use your electronic specification tool or contact customer service
- Power grommet option not available
- Fabrics with distinct pattern do not lend themselves to the curved design of the round models and are not recommended for use on these units
- Accepts laminate and veneer divider panels (page 224)

WORKSURFACE MID BACK INSIDE 90° ROUND



			1	2/COM	3/COL	4	5	6	7	L7	L8
N93MINR9SL	Inside 90°, Laminate Worksurface	$	4873	5111	5220	5397	5587	5913	6349	8409	9069
N93MINR9SW	Inside 90°, Veneer Worksurface		5058	5296	5405	5582	5772	6098	6534	8594	9254

DIMENSIONS

Width	63½	Seat Height	18½	Back Height	22½	Weight	191
Depth	50¼	Seat Depth	20½	Back Width	60	Cubic Ft.	55.0
Height	40¼	Seat Width	55				

- Contrasting fabric option – specify X (i.e., N93MINR9SWX); see page 229. For list pricing, use your electronic specification tool or contact customer service
- Power grommet option not available on upholstered unit
- G1C Round Grommet, Center option available on worksurface
- Fabrics with distinct pattern do not lend themselves to the curved design of the round models and are not recommended for use on these units
- Accepts laminate and veneer divider panels (page 224)

FRINGE

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Bistro Table Finish
4. Finish/Laminate (when applicable)
5. Metal Bracket Color
6. Leg Color
7. Glides

• See pages 227-228 for Fringe options

See pages 259-273 for COM fabric yardage

BISTRO TABLE HIGH BACK INSIDE 90° WEDGE



Upholstered Back

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
N93HTUIN9	Inside 90°, Upholstered Back	$	5763	5991	6095	6264	6446	6758	7174	9143	9774
N93HTLIN9	Inside 90°, Laminate Back		6983	7158	7238	7368	7508	7748	8068	9583	10068
N93HTWIN9	Inside 90°, Veneer Back		6983	7158	7238	7368	7508	7748	8068	9583	10068

DIMENSIONS

Width	63½	Seat Height	18½	Back Height	35¼	Weight	187
Depth	27	Seat Depth	20½	Back Width	60	Cubic Ft.	73.8
Height	53¼	Seat Width	55				

- Contrasting fabric option – specify X (i.e., N93HTUIN9X); see page 229. For list pricing, use your electronic specification tool or contact customer service
- Power grommet option not available
- Accepts laminate and veneer divider panels (page 224)

BISTRO TABLE HIGH BACK INSIDE 90° ROUND



			1	2/COM	3/COL	4	5	6	7	L7	L8
N93HTUINR9	Inside 90°, Upholstered Back	$	6050	6302	6417	6604	6806	7152	7612	9794	10492

DIMENSIONS

Width	63½	Seat Height	18½	Back Height	35¼	Weight	217
Depth	32	Seat Depth	20½	Back Width	60	Cubic Ft.	76.7
Height	53¼	Seat Width	55				

- Contrasting fabric option – specify X (i.e., N93HTUINR9X); see page 229. For list pricing, use your electronic specification tool or contact customer service
- Power grommet option not available
- Fabrics with distinct pattern do not lend themselves to the curved design of the round models and are not recommended for use on these units
- Accepts laminate and veneer divider panels (page 224)

FRINGE TABLES PRODUCT SPECIFICATIONS



FRAME CONSTRUCTION

- Grade A slipmatched maple (Brighton, Caramel, Honey, Natural), or cherry veneer (Amber, Autumn, Cordovan, Judicial, Mocha, Truffle) or laminate with mitered corners
- Veneer features a semi-open pore matte sheen
- Wood legs finished with catalyzed top coat which resists denting, peeling and reactions to chemicals
- Can be cleaned with a damp cloth
- When specifying Brighton, Natural, and Sonoma finish, variation in color is acceptable due to the nature of wood characteristics

POWER GROMMET

- 3 power grommets available; specify cutout option and order electrical grommet model separately. See pages 639-640 for details and pricing
- Round black plastic grommet available

FRINGE

FINISHES

AC	Autumn	PB	Portobello*
AD	Almond*	PT	Portico*
CL	Caramel	SK	Skyline*
CW	Cordovan	SM	Sonoma*
DW	Judicial	TF	Truffle
HN	Honey	405	Designer White*
IM	Brighton	462	Cinder*
MC	Amber	792	Sable*
MH	Mocha	793	Acorn*†
NM	Natural		

*Not available on wood inline, corner or end tables
†Acorn is the finish and laminate complement to Clear Walnut finish

TABLES SURFACE GROMMETS/CUTOUTS

($40 list upcharge per location)

G1L	Round Grommet, Left
G1R	Round Grommet, Right
CUT-G17	G17 Cutout
CUT-G23	G23 Cutout
CUT-G17G1L	G17 Cutout & Left Round Grommet
CUT-G17G1R	G17 Cutout & Right Round Grommet
CUT-G23G1L	G23 Cutout & Left Grommet
CUT-G23G1R	G23 Cutout & Right Round Grommet
X	No Grommet

INLINE TABLE WITH GROMMETS/CUTOUTS
*End table has same cutout locations



INLINE CORNER TABLE WITH GROMMETS/CUTOUTS



LAMINATE

AC2	Autumn 2	NM	Natural
AD	Almond	PB	Portobello
BZ	Brazilwood	PC	Porcini
CI	Chai	PT	Portico
CL	Caramel	SK	Skyline
CW	Cordovan	SM	Sonoma
DW	Judicial	TF	Truffle
HN2	Honey 2	WL	Willow
IM	Brighton	405	Designer White
KN	Kona	462	Cinder
MC	Amber	792	Sable
MH	Mocha	793	Acorn†

TABLES SIDE GROMMETS/CUTOUTS

($40 list upcharge per location)

CUT-G23C	G23 Cutout
X	No Grommet

If specifying cutout, reference pages 639-640 for pricing and details to order power grommet.

DOUBLE INLINE TABLE WITH GROMMETS/CUTOUTS
*Half round table has same cutout locations on the surface



DOUBLE INLINE TABLE WITH SHELF AND WITH GROMMETS/CUTOUTS



Center surface grommet not available on Media Table

GALLERY LAMINATE

Grade 1 – 5% upcharge

G1001	Citadel	G1011	Pepperdust

Grade 2 – 6% upcharge

G1002	Planked Raw Oak	G1007	Serotina
G1003	Evening Notte	G1008	Timeless
G1004	Kirsche	G1009	White Nebbia
G1005	Midnight Run	G1012	Phantom Ecru
G1006	Sepia Walnut		

See page 21 for Gallery program details and upcharges

GLIDES

STD	Standard
C10	Soft (add $41 list)

LEG/BASE COLORS

METAL

423	Concrete	497	Polished Aluminum
462	Cinder	501	Platinum Metallic
463	Iron	503	Satin Nickel Metallic

WOOD ($200 LIST UPCHARGE PER CHAIR)

WAC	Autumn	WNM	Natural
WAD	Almond	WPB	Portobello
WBZ	Brazilwood	WPC	Porcini
WCI	Chai	WPT	Portico
WCL	Caramel	WSK	Skyline
WCW	Cordovan	WTF	Truffle
WDW	Judicial	WWL	Willow
WHN	Honey	W405	Designer White
WIM	Brighton	W462	Cinder
WKN	Kona	W792	Sable
WMC	Amber	W793	Acorn†
WMH	Mocha		

†Acorn is the wood complement to Clear Walnut finish

¼ ROUND AND ½ ROUND TABLES SURFACE GROMMETS/CUTOUTS

($40 list upcharge per location)

X	No Grommet
CUT-G17A	G17 Cutout, All
CUT-G17C	G17 Cutout, Center
*CUT-G17L	G17 Cutout, Left
*CUT-G17LR	G17 Cutout, Left & Right
*CUT-G17R	G17 Cutout, Right
CUT-G23A	G23 Cutout, All
CUT-G23C	G23 Cutout, Center
*CUT-G23L	G23 Cutout, Left
*CUT-G23LR	G23 Cutout, Left & Right
*CUT-G23R	G23 Cutout, Right
G1A	Round Grommet, All
G1C	Round Grommet, Center
*G1L	Round Grommet, Left
*G1LR	Round Grommet, Left & Right
*G1R	Round Grommet, Right

*¼ Round options

SOLID SURFACE COLORS

7101 Bisque (Grade A)
7201 Glacier White (Grade A)
7202 Canyon (Grade B)
7203 Designer White (Grade B)
7204 Silt (Grade B)
7301 Concrete (Grade C)
7302 Deep Night Sky (Grade C)
7303 Deep Nocturne (Grade C)

SOLID SURFACE RIM PROFILE

FRINGE

TO ORDER, SPECIFY:

1. Model Number
2. Surface Grommet
3. Side Grommet
4. Wood/Laminate Finish
5. Leg Color
6. Glides

• See pages 244-245 for Fringe options

END TABLE



MODEL NO.		LIST PRICE	
N93TEN2724W	Wood, Metal Legs - 24"	$	2052
N93TEN2724WW	Wood, Wood Legs - 24"		2233
N93TEN2724L	Laminate, Metal Legs - 24"		1866
N93TEN2724LW	Laminate, Wood Legs - 24"		2046

DIMENSIONS - 24"

Width	23½	Weight	55
Depth	26½	Cubic Ft.	13.5
Height	19½		

• To be used when aligning with 24" width

N93TEN2727W	Wood, Metal Legs - 27"	$	2160
N93TEN2727WW	Wood, Wood Legs - 27"		2350
N93TEN2727L	Laminate, Metal Legs - 27"		1965
N93TEN2727LW	Laminate, Wood Legs - 27"		2153

DIMENSIONS - 27"

Width	26½	Weight	61
Depth	26½	Cubic Ft.	13.5
Height	19½		

• Power grommet is sold separately; reference pages 639-640 for pricing and details
• Power grommet cutout is always center
• To be used when aligning with 27" depth

QUARTER TABLE



N93TQRW	Wood, Metal Legs	$	2742
N93TQRWW	Wood, Wood Legs		2984
N93TQRL	Laminate, Metal Legs		2494
N93TQRLW	Laminate, Wood Legs		2735

DIMENSIONS

Width	26½	Weight	40
Depth	26½	Cubic Ft.	10.7
Height	19½		

• Power grommet is sold separately; reference pages 639-640 for pricing and details
• No side grommet option

TO ORDER, SPECIFY:

1. Model Number
2. Surface Grommet
3. Side Grommet
4. Wood/Laminate Finish
5. Leg Color
6. Glides

• See pages 244-245 for Fringe options

HALF ROUND TABLE



MODEL NO.		LIST PRICE
N93THRW	Wood, Metal Legs	$ 3414
N93THRWW	Wood, Wood Legs	3714
N93THRL	Laminate, Metal Legs	3103
N93THRLW	Laminate, Wood Legs	3403

DIMENSIONS

Width	53	Weight	77
Depth	26½	Cubic Ft.	20.5
Height	19½		

- Power grommet is sold separately; reference pages 639-640 for pricing and details
- No side grommet option

MID BACK INLINE TABLE



N93TMIBW	Ganging Wood, Metal Legs	$ 2498
N93TMIBWW	Ganging Wood, Wood Legs	2681
N93TMIBL	Ganging Laminate, Metal Legs	2236
N93TMIBLW	Ganging Laminate, Wood Legs	2418

DIMENSIONS

Width	23½	Weight	97
Depth	26½	Cubic Ft.	7.4
Height	40		

- Power grommet is sold separately; reference pages 639-640 for pricing and details
- Power grommet cutout is always center

HIGH BACK INLINE TABLE



N93THIBW	Ganging Wood, Metal Legs	$ 2574
N93THIBWW	Ganging Wood, Wood Legs	2756
N93THIBL	Ganging Laminate, Metal Legs	2311
N93THIBLW	Ganging Laminate, Wood Legs	2494

DIMENSIONS

Width	23½	Weight	109
Depth	26½	Cubic Ft.	7.7
Height	53		

- Power grommet is sold separately; reference pages 639-640 for pricing and details
- Power grommet cutout is always center

FRINGE

TO ORDER, SPECIFY:

1. Model Number
2. Surface Grommet
3. Side Grommet
4. Wood/Laminate Finish
5. Leg Color
6. Glides

• See pages 244-245 for Fringe options

MID BACK INLINE CORNER TABLE



Left



Right



Mid Back Corner Table
Back View - Right

MODEL NO.		LIST PRICE
N93TMCLW	Left Corner Wood, Metal Legs	$ 3101
N93TMCLWW	Left Corner Wood, Wood Legs	3291
N93TMCLL	Left Corner Laminate, Metal Legs	2750
N93TMCLLW	Left Corner Laminate, Wood Legs	2940
N93TMCRW	Right Corner Wood, Metal Legs	3101
N93TMCRWW	Right Corner Wood, Wood Legs	3291
N93TMCRL	Right Corner Laminate, Metal Legs	2750
N93TMCRLW	Right Corner Laminate, Wood Legs	2940

DIMENSIONS

Width	26½	Weight	130
Depth	26½	Cubic Ft.	7.5
Height	40		

- Power grommet is sold separately; reference pages 639-640 for pricing and details
- Power grommet cutout is always center
- When specifying Cinder as the leg color, decorative fasteners will be black
- When specifying Concrete, Iron, Polished Aluminum, Platinum Metallic, or Satin Nickel Metallic as the leg color, decorative fasteners will be Polished Aluminum

TO ORDER, SPECIFY:

1. Model Number
2. Surface Grommet
3. Side Grommet
4. Wood/Laminate Finish
5. Leg Color
6. Glides

• See pages 244-245 for Fringe options

HIGH BACK INLINE CORNER TABLE



Left



Right



High Back Corner Table
Back View - Left

MODEL NO.		LIST PRICE
N93THCLW	Left Corner Wood, Metal Legs	$ 3257
N93THCLWW	Left Corner Wood, Wood Legs	3449
N93THCLL	Left Corner Laminate, Metal Legs	2904
N93THCLLW	Left Corner Laminate, Wood Legs	3097
N93THCRW	Right Corner Wood, Metal Legs	3257
N93THCRWW	Right Corner Wood, Wood Legs	3449
N93THCRL	Right Corner Laminate, Metal Legs	2904
N93THCRLW	Right Corner Laminate, Wood Legs	3097

DIMENSIONS

Width	26½	Weight	152
Depth	26½	Cubic Ft.	7.9
Height	53		

- Power grommet is sold separately; reference pages 639-640 for pricing and details
- Power grommet cutout is always center
- When specifying Cinder as the leg color, decorative fasteners will be black
- When specifying Concrete, Iron, Polished Aluminum, Platinum Metallic, or Satin Nickel Metallic as the leg color, decorative fasteners will be Polished Aluminum

FRINGE

TO ORDER, SPECIFY:

1. Model Number
2. Surface Grommet
3. Side Grommet
4. Wood/Laminate Finish
5. Leg Color
6. Glides

• See pages 244-245 for Fringe options

MID BACK DOUBLE INLINE TABLE



MODEL NO.		LIST PRICE
LAMINATE		
N93TMIB18L	18" Depth, Metal Legs	$ 4176
N93TMIB18LW	18" Depth, Wood Legs	4355
N93TMIB27L	27" Depth, Metal Legs	4475
N93TMIB27LW	27" Depth, Wood Legs	4655
VENEER		
N93TMIB18W	18" Depth, Metal Legs	$ 4698
N93TMIB18WW	18" Depth, Wood Legs	4880
N93TMIB27W	27" Depth, Metal Legs	4998
N93TMIB27WW	27" Depth, Wood Legs	5177

DIMENSIONS

Width	47	18" Weight	142
Depth	18 or 27	18" Cubic Ft.	8.5
Height	40	27" Weight	161
		27" Cubic Ft.	11.8

- Power grommet is sold separately; reference pages 639-640 for pricing and details
- Power grommet cutout is always center

HIGH BACK DOUBLE INLINE TABLE



MODEL NO.		LIST PRICE
LAMINATE		
N93THIB18L	18" Depth, Metal Legs	$ 4325
N93THIB18LW	18" Depth, Wood Legs	4505
N93THIB27L	27" Depth, Metal Legs	4624
N93THIB27LW	27" Depth, Wood Legs	4806
VENEER		
N93THIB18W	18" Depth, Metal Legs	$ 4698
N93THIB18WW	18" Depth, Wood Legs	4880
N93THIB27W	27" Depth, Metal Legs	4998
N93THIB27WW	27" Depth, Wood Legs	5177

DIMENSIONS

Width	47	18" Weight	168
Depth	18 or 27	18" Cubic Ft.	8.5
Height	53	27" Weight	185
		27" Cubic Ft.	11.8

- Power grommet is sold separately; reference pages 639-640 for pricing and details
- Power grommet cutout is always center

TO ORDER, SPECIFY:

1. Model Number
2. Surface Grommet
3. Side Grommet
4. Wood/Laminate Finish
5. Leg Color
6. Glides

• See pages 244-245 for Fringe options

MID BACK DOUBLE INLINE TABLE WITH SHELF



MODEL NO.		LIST PRICE
LAMINATE		
N93TMIBS18L	18" Depth, Metal Legs	$ 4464
N93TMIBS18LW	18" Depth, Wood Legs	4646
N93TMIBS27L	27" Depth, Metal Legs	4764
N93TMIBS27LW	27" Depth, Wood Legs	4945
VENEER		
N93TMIBS18W	18" Depth, Metal Legs	$ 4986
N93TMIBS18WW	18" Depth, Wood Legs	5170
N93TMIBS27W	27" Depth, Metal Legs	5287
N93TMIBS27WW	27" Depth, Wood Legs	5467

DIMENSIONS

Width	47	18" Weight	168
Depth	18 or 27	18" Cubic Ft.	8.5
Height	40	27" Weight	185
		27" Cubic Ft.	11.8

- Power grommet is sold separately; reference pages 639-640 for pricing and details
- Power grommet cutout is always center

HIGH BACK DOUBLE INLINE TABLE WITH SHELF



LAMINATE		
N93THIBS18L	18" Depth, Metal Legs	$ 4615
N93THIBS18LW	18" Depth, Wood Legs	4793
N93THIBS27L	27" Depth, Metal Legs	4914
N93THIBS27LW	27" Depth, Wood Legs	5095
VENEER		
N93THIBS18W	18" Depth, Metal Legs	$ 4986
N93THIBS18WW	18" Depth, Wood Legs	5170
N93THIBS27W	27" Depth, Metal Legs	5287
N93THIBS27WW	27" Depth, Wood Legs	5467

DIMENSIONS

Width	47	18" Weight	200
Depth	18 or 27	18" Cubic Ft.	8.5
Height	53	27" Weight	218
		27" Cubic Ft.	11.8

- Power grommet is sold separately; reference pages 639-640 for pricing and details
- Power grommet cutout is always center

FRINGE

TO ORDER, SPECIFY:

1. Model Number
2. Surface Grommet
3. Side Grommet
4. Wood/Laminate Finish
5. Leg Color
6. Glides

• See pages 244-245 for Fringe options

HIGH BACK DOUBLE INLINE MEDIA TABLE



MODEL NO.		LIST PRICE
LAMINATE		
N93THIBV18L	18" Depth, Metal Legs	$ 4762
N93THIBV18LW	18" Depth, Wood Legs	4940
N93THIBV27L	27" Depth, Metal Legs	5058
N93THIBV27LW	27" Depth, Wood Legs	5239
VENEER		
N93THIBV18W	18" Depth, Metal Legs	$ 5282
N93THIBV18WW	18" Depth, Wood Legs	5464
N93THIBV27W	27" Depth, Metal Legs	5581
N93THIBV27WW	27" Depth, Wood Legs	5761

DIMENSIONS

Width	47	18" Weight	168
Depth	18 or 27	18" Cubic Ft.	8.5
Height	53	27" Weight	185
		27" Cubic Ft.	11.8

- Includes TV mounting kit
- Center surface grommet not available
- Power grommet is sold separately; reference pages 639-640 for pricing and details

HIGH BACK DOUBLE INLINE MEDIA TABLE WITH SHELF



LAMINATE		
N93THIBVS18L	18" Depth, Metal Legs	$ 5484
N93THIBVS18LW	18" Depth, Wood Legs	5665
N93THIBVS27L	27" Depth, Metal Legs	5782
N93THIBVS27LW	27" Depth, Wood Legs	5964
VENEER		
N93THIBVS18W	18" Depth, Metal Legs	$ 6005
N93THIBVS18WW	18" Depth, Wood Legs	6186
N93THIBVS27W	27" Depth, Metal Legs	6306
N93THIBVS27WW	27" Depth, Wood Legs	6485

DIMENSIONS

Width	47	18" Weight	200
Depth	18 or 27	18" Cubic Ft.	8.5
Height	53	27" Weight	218
		27" Cubic Ft.	11.8

- Includes TV mounting kit
- Power grommet is sold separately; reference pages 639-640 for pricing and details
- Power grommet cutout is always center

TO ORDER, SPECIFY:

1. Model Number
2. Wood/Laminate Finish (when applicable)

• See pages 244-245 for Fringe options

FLAT PANEL WALL MOUNT KIT



MODEL NO.		GRADE / LIST PRICE	CARTONED WEIGHT	CUBIC FEET
15NTVMAS	Black	$ 484		

DIMENSIONS

Depth	15¾-47¼	Weight	25
Height	15¾-31¼	Cubic Ft.	2.0

- Adjustable Universal Wall Mount adjusts to allow installation of most 32" to 80" flat panel
- Must mount onto an architectural wall
- Black powder coat
- VESA mounting compliant

SET-ON RECTANGLE WORKSURFACE



SOFTENED EDGE

30" x 60"

N93TRT3060W	Wood	$ 1921	62 lbs	3.6
N93TRT3060L	Laminate	1280	62 lbs	3.6

30" x 84"

N93TRT3084W	Wood	$ 2177	90 lbs	5.2
N93TRT3084L	Laminate	1536	90 lbs	5.2

KNIFE EDGE

30" x 60"

N93TRT3060WK	Wood	$ 2378	76 lbs	5.2
N93TRT3060LK	Laminate	1736	76 lbs	4.4

30" x 84"

N93TRT3084WK	Wood	$ 2816	104 lbs	5.8
N93TRT3084LK	Laminate	1921	104 lbs	5.8

SOLID SURFACE

30" x 60"

			GRADE A	GRADE B	GRADE C		
N93TRT3060S	Solid Surface	$	4358	4596	4919	65 lbs	6.6

30" x 84"

			GRADE A	GRADE B	GRADE C		
N93TRT3084S	Solid Surface	$	5652	5980	6426	88 lbs	9.1

- Recommended for use with Fringe double inline or double inline media tables
- Attachment hardware included with collaborative height bases
- Requires 1 leveling disk base
- Inline table surface will be defaced when worksurface is attached
- 60" table works with 2 seat lounge
- 84" table works with 3 seat lounge

FRINGE

TO ORDER, SPECIFY:

1. Model Number

• See pages 244-245 for Fringe options

ROUND LEVELING DISC BASE COLLABORATIVE HEIGHT



MODEL NO.		LIST PRICE	CARTONED WEIGHT	CUBIC FEET
CBV2219DLC	Concrete	$ 1058	50 lbs	2.6
CBV2219DLB	Cinder	1058	50 lbs	2.6
CBV2219DLI	Iron	1058	50 lbs	2.6
CBV2219DLS	Platinum Metallic	1058	50 lbs	2.6
CBV2219DLN	Satin Nickel Metallic	1058	50 lbs	2.6

DIMENSIONS

Width	22
Diameter	3
Height	19-20½

- Not to be used in freestanding table application
- Attachment hardware for set-on worksurfaces included

SQUARE LEVELING DISC BASE COLLABORATIVE HEIGHT



CBV2219SQDLC	Concrete	$ 1220	50 lbs	2.6
CBV2219SQDLB	Cinder	1220	50 lbs	2.6
CBV2219SQDLI	Iron	1220	50 lbs	2.6
CBV2219SQDLS	Platinum Metallic	1220	50 lbs	2.6
CBV2219SQDLN	Satin Nickel Metallic	1220	50 lbs	2.6

DIMENSIONS

Width	22
Diameter	3
Height	19-20½

- Not to be used in freestanding table application
- Attachment hardware for set-on worksurfaces included

TO ORDER, SPECIFY:

1. Model Number

• See pages 244-245 for Fringe options

FREESTANDING RECTANGLE WORKSURFACE

MODEL NO.		GRADE / LIST PRICE				CARTONED WEIGHT	CUBIC FEET
SOFTENED EDGE							
30" x 48"							
N93TRT3048W	Wood	$ 1669				67 lbs	2.8
N93TRT3048L	Laminate	1113				67 lbs	2.8
30" x 72"							
N93TRT3072W	Wood	$ 2083				95 lbs	4.0
N93TRT3072L	Laminate	1389				95 lbs	4.0
KNIFE EDGE							
30" x 48"							
N93TRT3048WK	Wood	$ 2035				67 lbs	2.8
N93TRT3048LK	Laminate	1357				67 lbs	2.8
30" x 72"							
N93TRT3072WK	Wood	$ 2580				95 lbs	4.0
N93TRT3072LK	Laminate	1720				95 lbs	4.0
SOLID SURFACE			GRADE A	GRADE B	GRADE C		
30" x 48"							
N93TRT3048S	Solid Surface	$	3736	3930	4195	52 lbs	5.4
30" x 72"							
N93TRT3072S	Solid Surface	$	5023	5307	5695	78 lbs	7.9

- Requires 2 bases
- 48" table works with 2 seat lounge
- 72" table works with 3 seat lounge

FRINGE

TO ORDER, SPECIFY:

1. Model Number

• See pages 244-245 for Fringe options

ROUND DISC BASE



MODEL NO.		LIST PRICE	CARTONED WEIGHT	CUBIC FEET
CBV2219DC	Concrete	$ 1007	45 lbs	2.3
CBV2219DB	Cinder	1007	45 lbs	2.3
CBV2219DI	Iron	1007	45 lbs	2.3
CBV2219DS	Platinum Metallic	1007	45 lbs	2.3
CBV2219DN	Satin Nickel Metallic	1007	45 lbs	2.3

DIMENSIONS

Width 22
Diameter 3
Height 19⅓

• Not to be used in set-on table application

SQUARE DISC BASE



CBV2219SQDC	Concrete	$ 1168	45 lbs	2.3
CBV2219SQDB	Cinder	1168	45 lbs	2.3
CBV2219SQDI	Iron	1168	45 lbs	2.3
CBV2219SQDS	Platinum Metallic	1168	45 lbs	2.3
CBV2219SQDN	Satin Nickel Metallic	1168	45 lbs	2.3

DIMENSIONS

Width 22
Diameter 3
Height 19⅓

• Not to be used in set-on table application



MODEL NO.	QUANTITY	DESCRIPTION	GRADE 1 LIST PRICE
N93B1S27	(2)	Single Seat Bench	$ 1836 ea
N93M2RR	(2)	Mid Back 2 Seat Right Arm With Tablet	3871 ea
N93M1M	(1)	Mid Back Single Seat Armless	2192
N93MSQ9D	(1)	Mid Back Square 90° Corner	3013
N93MOU9	(1)	Mid Back Outside 90° Wedge	3366
N93GB2	(5)	Ganging Bracket Kit	99 ea
Total			$ 20,480



MODEL NO.	QUANTITY	DESCRIPTION	GRADE 1 LIST PRICE
N93MTU3M	(3)	Bistro Table Mid Back 3 Seat upholstered Back	$ 5996 ea
N93MTUSQ9R	(1)	Bistro Table Mid Back Square 90° Corner, right	4234
N93MTUSQ9L	(1)	Bistro Table Mid Back Square 90° Corner, left	4234
N93TEN2727L	(1)	End Table Laminate	1965
N93GB2	(8)	Ganging Bracket Kit	99 ea
Total			$ 29,213

FRINGE



MODEL NO.	QUANTITY	DESCRIPTION	GRADE 1 LIST PRICE
N93MSQ9D	(2)	Mid Back Square 90° Corner	$ 3013 ea
N93M1M	(2)	Mid Back Single Seat Armless	2192 ea
N93H2M	(2)	High Back 2 Seat Armless	4690 ea
N93THCLL	(1)	High Back Inline Corner Table Laminate (Right Or Left)	2904
N93B2S48	(1)	2 Seat Bench	2305
N93GB2	(7)	Ganging Bracket Kit	99 ea
Total			$ 25,692



MODEL NO.	QUANTITY	DESCRIPTION	GRADE 1 LIST PRICE
N93H2M	(4)	High Back 2 Seat Armless	$ 4690 ea
N93H1RR	(1)	High Back Single Seat Right Arm with Tablet	3611
N93H1LL	(1)	High Back Single Seat Left Arm With Tablet	3611
N93THCRL	(1)	High Back Inline Corner Table Right Laminate	2904
N93THCLL	(1)	High Back Inline Corner Table Left Laminate	2904
N93THIBL	(2)	High Back Inline Table Laminate	2311 ea
N93GB2	(8)	Ganging Bracket Kit	99 ea
Total			$ 37,204

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
N93B1S24		1.53	3.25	4.00	4.75	30.5
N93B1S27		2.69	3.25	4.00	4.00	53.7
N93B2S48		2.31	5.25	6.00	7.50	46
N93B2S54		4.39	5.50	6.00	6.00	87.4
N93B3S71		3.22	7.50	8.50	10.00	64.2
N93B3S80		6.08	7.50	8.25	8.25	121.2
N93BCR64		2.64	3.68	5.12	5.23	50.89
N93BHR54		2.57	3.79	3.90	4.52	49.63
N93BQR27		2.07	2.68	2.98	3.00	39.5
N93BWD64		2.69	4.00	5.00	5.00	53.7
N93CSA, N93CSAC, N93CSAL, N93CSALC, N93CSAR, N93CSARC		3.40	4.30	6.50	6.50	67
N93CSACX, N93CSALCX, N93CSALX, N93CSARCX, N93CSARX, N93CSAX	Back Seat Arm	1.70 1.20 1.80	2.00 1.30 2.00	2.30 3.00 3.30	3.00 3.00 3.30	33 23 35
N93CSLL, N93CSLLC, N93CSRR, N93CSRRC		2.80	3.50	5.50	5.50	55
N93CSLLCX, N93CSLLX, N93CSRRCX, N93CSRRX	Back Seat Arm	1.70 1.20 1.00	2.00 1.30 1.50	2.30 3.00 1.80	3.00 3.00 2.00	33 23 19
N93CSM, N93CSMC		2.20	3.00	4.50	4.50	43
N93CSMCX, N93CSMX	Back Seat	1.70 1.20	2.00 1.30	2.30 3.00	3.00 3.00	33 23
N93H10RH, N93H1LH, N93H1OLH, N93H1RH		6.30	8.80	11.50	12.00	126
N93H10RHX, N93H1LHX, N93H1OLHX, N93H1RHX	Back Seat Lumbar Extreme Accent Arm	1.20 1.60 0.90 1.20 0.70 3.00	1.50 2.00 1.00 2.00 0.80 3.30	2.00 3.50 1.30 2.00 1.00 4.50	2.00 4.00 1.50 2.50 1.30 4.50	24 31 17 24 13 60
N93H1B, N93H1BL, N93H1BR, N93H1OB		6.10	8.90	11.60	12.80	122
N93H1BH, N93H1OBH		9.10	11.50	14.50	15.00	182
N93H1BHX, N93H1OBH	Back Seat Lumbar Extreme Accent Arm	1.20 1.60 0.90 1.20 0.70 5.80	1.50 2.00 1.00 2.00 0.80 6.00	2.00 3.50 1.30 2.00 1.00 7.50	2.00 4.00 1.50 2.50 1.30 7.50	24 31 17 24 13 116
N93H1BLX, N93H1BRX, N93H1BX, N93H1OBX	Back Seat Lumbar Extreme Accent Arm	1.20 1.60 0.90 1.20 0.70 2.90	1.50 2.00 1.00 2.00 0.80 3.40	2.00 3.50 1.30 2.00 1.00 4.60	2.00 4.00 1.50 2.50 1.30 5.00	24 31 17 24 13 56
N93H1BM, N93H1OBM		7.70	10.30	13.00	14.50	153
N93H1BMX, N93H1OBMX	Back Seat Lumbar Extreme Accent Arm	1.20 1.60 0.90 1.20 0.70 4.40	1.50 2.00 1.00 2.00 0.80 4.80	2.00 3.50 1.30 2.00 1.00 6.00	2.00 4.00 1.50 2.50 1.30 7.00	24 31 17 24 13 87
N93H1L, N93H1LL, N93H1OL, N93H1OR, N93H1R, N93H1RR		4.90	7.30	9.80	10.50	97

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
N93H1LLX, N93H1LX, N93H1OLX, N93H1ORX, N93H1RRX, N93H1RX	Back	1.20	1.50	2.00	2.00	24
	Seat	1.60	2.00	3.50	4.00	31
	Lumbar	0.90	1.00	1.30	1.50	17
	Extreme	1.20	2.00	2.00	2.50	24
	Accent	0.70	0.80	1.00	1.30	13
	Arm	1.60	1.80	2.80	3.00	31
N93H1M, N93H1OM		3.30	5.50	7.00	7.50	66
N93H1MX, N93H1OMX	Back	1.20	1.50	2.00	2.00	24
	Seat	1.60	2.00	3.50	4.00	31
	Lumbar	0.90	1.00	1.30	1.50	17
	Extreme	1.20	2.00	2.00	2.50	24
	Accent	0.70	0.80	1.00	1.30	13
N93H1OLM, N93H1ORM, N93H1RM		5.60	8.00	11.00	11.80	111
N93H1OLMX, N93H1ORMX, N93H1RMX	Back	1.20	1.50	2.00	2.00	24
	Seat	1.60	2.00	3.50	4.00	31
	Lumbar	0.90	1.00	1.30	1.50	17
	Extreme	1.20	2.00	2.00	2.50	24
	Accent	0.70	0.80	1.00	1.30	13
	Arm	2.30	2.50	4.00	4.30	45
N93H20BH, N93H2BH		10.90	15.00	19.00	19.00	218
N93H20BHX, N93H2BHX	Back	1.20	1.30	2.50	2.50	24
	Seat	1.90	3.50	4.60	5.50	38
	Lumbar	0.90	1.50	2.00	2.00	17
	Extreme	1.60	3.50	4.00	4.30	31
	Accent	1.00	1.30	1.50	2.00	19
	Arm	5.80	6.00	7.50	7.50	116
N93H20BM, N93H2BM		9.50	13.80	17.50	18.50	189
N93H20BMX, N93H2BMX	Back	1.20	1.30	2.50	2.50	24
	Seat	1.90	3.50	4.60	5.50	38
	Lumbar	0.90	1.50	2.00	2.00	17
	Extreme	1.60	3.50	4.00	4.30	31
	Accent	1.00	1.30	1.50	2.00	19
	Arm	4.40	4.80	6.00	7.00	87
N93H2B, N93H2BB, N93H2BL, N93H2BR, N93H2OB		7.90	12.40	16.10	16.50	158
N93H2BBX, N93H2BLX, N93H2BRX, N93H2BX, N93H2OBX	Back	1.20	1.30	2.50	2.50	24
	Seat	1.90	3.50	4.60	5.50	38
	Lumbar	0.90	1.50	2.00	2.00	17
	Extreme	1.60	3.50	4.00	4.30	31
	Accent	1.00	1.30	1.50	2.00	19
	Arm	2.90	3.40	4.60	5.00	56
N93H2L, N93H2LL, N93H2OL, N93H2OR, N93H2R, N93H2RR		6.70	10.80	14.30	14.50	133
N93H2LH, N93H2OLH, N93H2ORH, N93H2RH		8.10	12.30	16.00	16.00	162
N93H2LHX, N93H2OLHX, N93H2ORHX, N93H2RHX	Back	1.20	1.30	2.50	2.50	24
	Seat	1.90	3.50	4.60	5.50	38
	Lumbar	0.90	1.50	2.00	2.00	17
	Extreme	1.60	3.50	4.00	4.30	31
	Accent	1.00	1.30	1.50	2.00	19
	Arm	3.00	3.30	4.50	4.50	60
N93H2LLX, N93H2LX, N93H2OLX, N93H2ORX, N93H2RRX, N93H2RX	Back	1.20	1.30	2.50	2.50	24
	Seat	1.90	3.50	4.60	5.50	38
	Lumbar	0.90	1.50	2.00	2.00	17
	Extreme	1.60	3.50	4.00	4.30	31
	Accent	1.00	1.30	1.50	2.00	19
	Arm	1.60	1.80	2.80	3.00	31
N93H2LM, N93H2OLM, N93H2ORM, N93H2RM		7.40	11.50	15.50	15.80	147

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
N93H2LMX, N93H2OLMX, N93H2ORMX, N93H2RMX	Back	1.20	1.30	2.50	2.50	24
	Seat	1.90	3.50	4.60	5.50	38
	Lumbar	0.90	1.50	2.00	2.00	17
	Extreme	1.60	3.50	4.00	4.30	31
	Accent	1.00	1.30	1.50	2.00	19
	Arm	2.30	2.50	4.00	4.30	45
N93H2M, N93H2OM		5.10	9.00	11.50	11.50	102
N93H2MX, N93H2OMX	Back	1.20	1.30	2.50	2.50	24
	Seat	1.90	3.50	4.60	5.50	38
	Lumbar	0.90	1.50	2.00	2.00	17
	Extreme	1.60	3.50	4.00	4.30	31
	Accent	1.00	1.30	1.50	2.00	19
N93H3B, N93H3BB, N93H3BL, N93H3BR, N93H3OB		9.90	16.90	21.10	22.00	197
N93H3BBX, N93H3BLX, N93H3BRX, N93H3BX, N93H3OBX	Back	1.70	2.00	2.80	4.30	33
	Seat	2.50	4.50	6.30	7.50	50
	Lumbar	1.10	2.00	2.30	3.00	22
	Extreme	2.30	3.80	1.30	4.80	43
	Accent	1.10	2.00	2.30	3.00	22
	Arm	2.90	3.40	4.60	5.00	56
N93H3BH, N93H3OBH		12.90	19.50	24.00	24.50	257
N93H3BHX, N93H3OBHX	Back	1.70	2.00	2.80	4.30	33
	Seat	2.50	4.50	6.30	7.50	50
	Lumbar	1.10	2.00	2.30	3.00	22
	Extreme	2.30	3.80	1.30	4.80	43
	Accent	1.10	2.00	2.30	3.00	22
	Arm	5.80	6.00	7.50	7.50	116
N93H3BM, N93H3OBM		11.50	18.30	22.50	24.00	228
N93H3BMX, N93H3OBMX	Back	1.70	2.00	2.80	4.30	33
	Seat	2.50	4.50	6.30	7.50	50
	Lumbar	1.10	2.00	2.30	3.00	22
	Extreme	2.30	3.80	1.30	4.80	43
	Accent	1.10	2.00	2.30	3.00	22
	Arm	4.40	4.80	6.00	7.00	87
N93H3L, N93H3LL, N93H3OL, N93H3OR, N93H3R, N93H3RR		8.70	15.30	19.30	20.00	172
N93H3LH, N93H3OLH, N93H3ORH, N93H3RH		10.10	16.80	21.00	21.50	201
N93H3LHX, N93H3OLHX, N93H3ORHX, N93H3RHX	Back	1.70	2.00	2.80	4.30	33
	Seat	2.50	4.50	6.30	7.50	50
	Lumbar	1.10	2.00	2.30	3.00	22
	Extreme	2.30	3.80	1.30	4.80	43
	Accent	1.10	2.00	2.30	3.00	22
	Arm	3.00	3.30	4.50	4.50	60
N93H3LLX, N93H3LX, N93H3OLX, N93H3ORX, N93H3RRX, N93H3RX	Back	1.70	2.00	2.80	4.30	33
	Seat	2.50	4.50	6.30	7.50	50
	Lumbar	1.10	2.00	2.30	3.00	22
	Extreme	2.30	3.80	1.30	4.80	43
	Accent	1.10	2.00	2.30	3.00	22
	Arm	1.60	1.80	2.80	3.00	31
N93H3LM, N93H3OLM, N93H3ORM, N93H3RM		9.40	16.00	20.50	21.30	186
N93H3LMX, N93H3OLMX, N93H3ORMX, N93H3RMX	Back	1.70	2.00	2.80	4.30	33
	Seat	2.50	4.50	6.30	7.50	50
	Lumbar	1.10	2.00	2.30	3.00	22
	Extreme	2.30	3.80	1.30	4.80	43
	Accent	1.10	2.00	2.30	3.00	22
	Arm	2.30	2.50	4.00	4.30	45
N93H3M, N93H3OM		7.10	13.50	16.50	17.00	141

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
N93H3MX, N93H3OMX	Back	1.70	2.00	2.80	4.30	33
	Seat	2.50	4.50	6.30	7.50	50
	Lumbar	1.10	2.00	2.30	3.00	22
	Extreme	2.30	5.00	6.00	6.50	45
	Accent	1.10	2.00	2.30	3.00	22
N93HALU, N93HARU		3.00	3.30	4.50	4.50	60
N93HBH1MD, N93HBH1MDP, N93HBH1OMD		4.70	7.00	10.00	12.00	93
N93HBH1MDPX, N93HBH1MDX, N93HBH1OMDX	Back	1.20	2.00	2.50	3.50	24
	Seat	2.70	3.80	6.50	8.00	52
	Lumbar	0.90	2.00	2.50	2.50	17
	Accent	1.00	1.30	1.50	2.00	20
N93HBH1MSP		3.30	5.50	7.00	7.50	66
N93HBH1MSPX	Back	1.20	1.50	2.00	2.00	24
	Seat	1.60	2.00	3.50	4.00	31
	Lumbar	0.90	1.00	1.30	1.50	17
	Extreme	1.20	2.00	2.00	2.50	24
	Accent	0.70	0.80	1.00	1.30	13
N93HBH2MD, N93HBH2MDP, N93HBH2OMD		6.90	11.50	15.00	18.00	138
N93HBH2MDPX, N93HBH2MDX, N93HBH2OMDX	Back	1.70	2.50	3.00	5.00	34
	Seat	3.60	6.00	9.00	12.50	72
	Lumbar	1.50	2.80	3.30	4.50	30
	Accent	1.50	2.50	3.00	4.30	29
N93HBH2MSP		5.10	9.00	11.50	11.50	102
N93HBH2MSPX	Back	1.20	1.30	2.50	2.50	24
	Seat	1.90	3.50	4.60	5.50	38
	Lumbar	0.90	1.50	2.00	2.00	17
	Extreme	1.60	3.50	4.00	4.30	31
	Accent	1.00	1.30	1.50	2.00	2.3
N93HC2	Complete	7.86	11.00	18.00	18.50	156.6
N93HC2X	Back	1.39	2.00	3.00	4.00	27.7
	Seat	1.97	2.50	4.50	5.50	39.3
	Lumbar	1.03	1.50	2.50	3.00	20.5
	Extreme	5.75	6.50	7.50	8.50	114.6
	Accent	1.39	2.20	3.00	3.00	27.7
N93HC3	Complete	9.53	13.50	23.00	23.00	189.8
N93HC3X	Back	1.64	2.00	3.50	4.25	32.7
	Seat	2.72	3.25	6.75	7.00	54.2
	Lumbar	1.50	2.00	3.00	3.50	29.9
	Extreme	5.75	7.75	9.50	10.25	114.6
	Accent	1.50	2.50	3.50	3.50	29.9
N93HIN9	Complete	5.78	8.00	10.50	12.00	115.1
N93HIN9X	Back	1.17	1.75	2.00	2.50	23.2
	Seat	1.78	2.50	3.75	5.00	35.4
	Lumbar	1.03	1.50	1.75	2.50	20.5
	Extreme	2.28	3.50	4.00	4.50	45.4
	Accent	1.00	1.50	2.00	2.00	19.9
N93HINR9	Complete	7.11	8.50	11.50	12.75	141.7
N93HINR9X	Back	1.28	1.50	2.75	3.25	25.5
	Seat	2.25	3.00	4.50	6.50	44.8
	Lumbar	1.28	1.75	2.00	2.50	25.5
	Extreme	2.97	3.50	4.00	4.50	59.2
	Accent	1.11	1.50	2.00	2.75	22.1
N93HOU9	Complete	4.11	6.00	8.00	9.00	81.9
N93HOU9X	Back	1.14	1.50	2.00	2.75	22.7
	Seat	2.22	3.00	4.50	5.80	44.3
	Lumbar	0.75	1.00	1.40	1.25	14.9
	Extreme	1.50	1.75	2.10	2.50	29.9
	Accent	0.56	1.00	1.25	1.75	11.1

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
N93HOUR9	Complete	4.67	6.00	8.50	9.00	93
N93HOUR9X	Back	1.17	1.50	2.20	3.00	23.2
	Seat	2.78	3.80	4.50	5.50	55.3
	Lumbar	0.81	1.00	1.00	1.80	16
	Extreme	1.22	1.50	2.00	2.50	24.4
	Accent	0.67	0.75	1.50	1.75	13.3
N93HSQ9D	Complete	4.39	6.00	9.00	12.00	87.4
N93HSQ9DX	Back	1.14	1.50	2.00	3.25	22.7
	Seat	1.22	1.75	3.25	3.50	24.4
	Lumbar	0.78	1.00	2.00	2.50	15.5
	Extreme	2.94	3.00	4.00	4.50	58.7
	Accent	0.94	1.25	1.50	2.25	18.8
N93HSQ9L, N93HSQ9R	Complete	4.22	6.00	9.00	12.00	84.1
N93HSQ9LX, N93HSQ9RX	Back	1.14	1.50	2.00	3.25	22.7
	Seat	1.17	1.50	3.00	4.00	23.2
	Lumbar	0.78	1.00	2.00	2.50	15.5
	Extreme	2.94	3.00	4.00	4.50	58.7
	Accent	0.94	1.25	1.50	2.25	18.8
N93HTL2B, N93HTL2BB, N93HTL2BL, N93HTL2BR, N93HTW2B, N93HTW2BB, N93HTW2BL, N93HTW2BR		7.10	10.70	14.10	15.00	141
N93HTL2BBX, N93HTL2BLX, N93HTL2BRX, N93HTL2BX, N93HTW2BBX, N93HTW2BLX, N93HTW2BRX, N93HTW2BX	Back	1.20	1.30	2.50	2.50	24
	Seat	1.90	3.50	4.60	5.50	38
	Lumbar	0.90	1.50	2.00	2.00	17
	Extreme	1.20	1.80	2.80	3.00	24
	Accent	1.00	1.30	1.50	2.00	19
	Arm	2.90	3.40	4.60	5.00	56
N93HTL2BH, N93HTW2BH		10.10	13.30	17.00	17.50	201
N93HTL2BHX, N93HTW2BHX	Back	1.20	1.30	2.50	2.50	24
	Seat	1.90	3.50	4.60	5.50	38
	Lumbar	0.90	1.50	2.00	2.00	17
	Extreme	1.20	1.80	2.80	3.00	24
	Accent	1.00	1.30	1.50	2.00	19
	Arm	5.80	6.00	7.50	7.50	116
N93HTL2BM, N93HTW2BM		9.70	12.00	15.50	17.00	172
N93HTL2BMX, N93HTW2BMX	Back	1.20	1.30	2.50	2.50	24
	Seat	1.90	3.50	4.60	5.50	38
	Lumbar	0.90	1.50	2.00	2.00	17
	Extreme	1.20	1.80	2.80	3.00	24
	Accent	1.00	1.30	1.50	2.00	19
	Arm	4.40	4.80	6.00	7.00	87
N93HTL2L, N93HTL2LL, N93HTL2R, N93HTL2RR, N93HTW2L, N93HTW2LL, N93HTW2R, N93HTW2RR		5.90	9.00	12.30	13.00	116
N93HTL2LH, N93HTL2RH, N93HTW2LH, N93HTW2RH		7.30	10.50	14.00	14.50	145
N93HTL2LHX, N93HTL2RHX, N93HTW2LHX, N93HTW2RHX	Back	1.20	1.30	2.50	2.50	24
	Seat	1.90	3.50	4.60	5.50	38
	Lumbar	0.90	1.50	2.00	2.00	17
	Extreme	1.20	1.80	2.80	3.00	24
	Accent	1.00	1.30	1.50	2.00	19
	Arm	3.00	3.30	4.50	4.50	60
N93HTL2LLX, N93HTL2LX, N93HTL2RRX, N93HTL2RX, N93HTW2LLX, N93HTW2LX, N93HTW2RRX, N93HTW2RX	Back	1.20	1.30	2.50	2.50	24
	Seat	1.90	3.50	4.60	5.50	38
	Lumbar	0.90	1.50	2.00	2.00	17
	Extreme	1.20	1.80	2.80	3.00	24
	Accent	1.00	1.30	1.50	2.00	19
	Arm	1.60	1.80	2.80	3.00	31

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
N93HTL2LM, N93HTL2RM, N93HTW2LM, N93HTW2RM		6.50	9.80	13.50	14.30	130
N93HTL2LMX, N93HTL2RMX, N93HTW2LMX, N93HTW2RMX	Back	1.20	1.30	2.50	2.50	24
	Seat	1.90	3.50	4.60	5.50	38
	Lumbar	0.90	1.50	2.00	2.00	17
	Extreme	1.20	1.80	2.80	3.00	24
	Accent	1.00	1.30	1.50	2.00	19
	Arm	2.30	2.50	4.00	4.30	45
N93HTL2M, N93HTW2M		4.30	7.30	9.50	10.00	85
N93HTL2MX, N93HTW2MX	Back	1.20	1.30	2.50	2.50	24
	Seat	1.90	3.50	4.60	5.50	38
	Lumbar	0.90	1.50	2.00	2.00	17
	Extreme	1.20	1.80	2.80	3.00	24
	Accent	1.00	1.30	1.50	2.00	19
N93HTL3B, N93HTL3BB, N93HTL3BL, N93HTL3BR, N93HTW3B, N93HTW3BB, N93HTW3BL, N93HTW3BR		8.60	14.40	18.60	21.00	171
N93HTL3BBX, N93HTL3BLX, N93HTL3BRX, N93HTL3BX, N93HTW3BBX, N93HTW3BLX, N93HTW3BRX, N93HTW3BX	Back	1.70	2.00	2.80	4.30	33
	Seat	2.50	4.50	6.30	7.50	50
	Lumbar	1.10	2.00	2.30	3.00	22
	Extreme	1.60	2.30	3.00	4.50	31
	Accent	1.10	2.00	2.30	3.00	22
	Arm	2.90	3.40	4.60	5.00	56
N93HTL3BH, N93HTW3BH		11.60	17.00	21.50	23.50	231
N93HTL3BHX, N93HTW3BHX	Back	1.70	2.00	2.80	4.30	33
	Seat	2.50	4.50	6.30	7.50	50
	Lumbar	1.10	2.00	2.30	3.00	22
	Extreme	1.60	2.30	3.00	4.50	31
	Accent	1.10	2.00	2.30	3.00	22
	Arm	5.80	6.00	7.50	7.50	116
N93HTL3BM, N93HTW3BM		10.20	15.80	20.00	23.00	202
N93HTL3BMX, N93HTW3BMX	Back	1.70	2.00	2.80	4.30	33
	Seat	2.50	4.50	6.30	7.50	50
	Lumbar	1.10	2.00	2.30	3.00	22
	Extreme	1.60	2.30	3.00	4.50	31
	Accent	1.10	2.00	2.30	3.00	22
	Arm	4.40	4.80	6.00	7.00	87
N93HTL3L, N93HTL3LL, N93HTL3R, N93HTL3RR, N93HTW3L, N93HTW3LL, N93HTW3R, N93HTW3RR		7.40	12.80	16.80	19.00	146
N93HTL3LH, N93HTL3RH, N93HTW3LH, N93HTW3RH		8.80	14.30	18.50	20.50	175
N93HTL3LHX, N93HTL3RHX, N93HTW3LHX, N93HTW3RHX	Back	1.70	2.00	2.80	4.30	33
	Seat	2.50	4.50	6.30	7.50	50
	Lumbar	1.10	2.00	2.30	3.00	22
	Extreme	1.60	2.30	3.00	4.50	31
	Accent	1.10	2.00	2.30	3.00	22
	Arm	3.00	3.30	4.50	4.50	60
N93HTL3LLX, N93HTL3LX, N93HTL3RRX, N93HTL3RX, N93HTW3LLX, N93HTW3LX, N93HTW3RRX, N93HTW3RX	Back	1.70	2.00	2.80	4.30	33
	Seat	2.50	4.50	6.30	7.50	50
	Lumbar	1.10	2.00	2.30	3.00	22
	Extreme	1.60	2.30	3.00	4.50	31
	Accent	1.10	2.00	2.30	3.00	22
	Arm	1.60	1.80	2.80	3.00	31
N93HTL3LM, N93HTL3RM, N93HTW3LM, N93HTW3RM		8.00	13.50	18.00	20.30	160

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
N93HTL3LMX, N93HTL3RMX, N93HTW3LMX, N93HTW3RMX	Back	1.70	2.00	2.80	4.30	33
	Seat	2.50	4.50	6.30	7.50	50
	Lumbar	1.10	2.00	2.30	3.00	22
	Extreme	1.60	2.30	3.00	4.50	31
	Accent	1.10	2.00	2.30	3.00	22
	Arm	2.30	2.50	4.00	4.30	45
N93HTL3M, N93HTW3M		5.80	11.00	14.00	16.00	115
N93HTL3MX, N93HTW3MX	Back	1.70	2.00	2.80	4.30	33
	Seat	2.50	4.50	6.30	7.50	50
	Lumbar	1.10	2.00	2.30	3.00	22
	Extreme	1.60	2.30	3.00	4.50	31
	Accent	1.10	2.00	2.30	3.00	22
N93HTLC2, N93HTWC2	Complete	5.97	8.00	14.00	15.00	119
N93HTLC2X, N93HTWC2X	Back	1.39	2.00	2.50	3.75	27.7
	Seat	1.97	2.50	4.50	5.50	39.3
	Lumbar	1.03	1.50	2.25	2.75	20.5
	Extreme	2.19	2.75	4.00	6.00	43.7
	Accent	1.39	2.50	2.75	3.00	27.7
N93HTLC3, N93HTWC3	Complete	7.42	10.50	18.50	18.50	147.8
N93HTLC3X, N93HTWC3X	Back	1.64	2.00	3.50	4.25	32.7
	Seat	2.72	3.25	6.75	7.00	54.2
	Lumbar	1.50	2.00	3.00	3.50	29.9
	Extreme	2.19	3.25	5.00	5.75	43.7
	Accent	1.50	2.50	3.50	3.50	29.9
N93HTLIN9, N93HTWIN9	Complete	4.69	7.00	9.50	10.50	93.5
N93HTLIN9X, N93HTWIN9X	Back	1.17	1.75	2.00	2.50	23.2
	Seat	1.78	2.50	3.75	5.00	35.4
	Lumbar	1.03	1.50	1.75	2.50	20.5
	Extreme	1.17	2.00	2.75	3.75	23.2
	Accent	1.00	1.50	2.00	2.00	19.9
N93HTLSQ9D, N93HTWSQ9D	Complete	3.53	5.00	7.00	12.00	70.3
N93HTLSQ9DX, N93HTWSQ9D	Back	1.14	1.50	2.00	3.25	22.7
	Seat	1.22	1.75	3.25	3.50	24.4
	Lumbar	0.78	1.00	2.00	2.50	15.5
	Extreme	1.25	1.50	2.25	2.50	24.9
	Accent	0.94	1.25	1.50	2.25	18.8
N93HTLSQ9L, N93HTLSQ9R, N93HTWSQ9L, N93HTWSQ9R	Complete	3.47	5.00	7.00	12.00	69.2
N93HTLSQ9LX, N93HTLSQ9RX, N93HTWSQ9LX, N93HTWSQ9RX	Back	1.14	1.50	2.00	3.25	22.7
	Seat	1.17	1.50	3.00	4.00	23.2
	Lumbar	0.78	1.00	2.00	2.50	15.5
	Extreme	1.25	1.50	2.25	2.50	24.9
	Accent	0.94	1.25	1.50	2.25	18.8
N93HTU2B, N93HTU2BB, N93HTU2BL, N93HTU2BR		7.90	12.40	16.10	16.50	158
N93HTU2BBX, N93HTU2BLX, N93HTU2BRX, N93HTU2BX	Back	1.20	1.30	2.50	2.50	24
	Seat	1.90	3.50	4.60	5.50	38
	Lumbar	0.90	1.50	2.00	2.00	17
	Extreme	1.60	3.50	4.00	4.30	31
	Accent	1.00	1.30	1.50	2.00	19
	Arm	2.90	3.40	4.60	5.00	56
N93HTU2BH		10.90	15.00	19.00	19.00	218
N93HTU2BHX	Back	1.20	1.30	2.50	2.50	24
	Seat	1.90	3.50	4.60	5.50	38
	Lumbar	0.90	1.50	2.00	2.00	17
	Extreme	1.60	3.50	4.00	4.30	31
	Accent	1.00	1.30	1.50	2.00	19
	Arm	5.80	6.00	7.50	7.50	116
N93HTU2BM		9.50	13.80	17.50	18.50	189

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
N93HTU2BMX	Back	1.20	1.30	2.50	2.50	24
	Seat	1.90	3.50	4.60	5.50	38
	Lumbar	0.90	1.50	2.00	2.00	17
	Extreme	1.60	3.50	4.00	4.30	31
	Accent	1.00	1.30	1.50	2.00	19
	Arm	4.40	4.80	6.00	7.00	87
N93HTU2L, N93HTU2LL, N93HTU2R, N93HTU2RR		6.70	10.80	14.30	14.50	133
N93HTU2LH, N93HTU2RH		8.10	12.30	16.00	16.00	162
N93HTU2LHX, N93HTU2RHX	Back	1.20	1.30	2.50	2.50	24
	Seat	1.90	3.50	4.60	5.50	38
	Lumbar	0.90	1.50	2.00	2.00	17
	Extreme	1.60	3.50	4.00	4.30	31
	Accent	1.00	1.30	1.50	2.00	19
	Arm	3.00	3.30	4.50	4.50	60
N93HTU2LLX, N93HTU2LX, N93HTU2RRX, N93HTU2RX	Back	1.20	1.30	2.50	2.50	24
	Seat	1.90	3.50	4.60	5.50	38
	Lumbar	0.90	1.50	2.00	2.00	17
	Extreme	1.60	3.50	4.00	4.30	31
	Accent	1.00	1.30	1.50	2.00	19
	Arm	1.60	1.80	2.80	3.00	31
N93HTU2LM, N93HTU2RM		7.40	11.50	15.50	15.80	147
N93HTU2LMX, N93HTU2RMX	Back	1.20	1.30	2.50	2.50	24
	Seat	1.90	3.50	4.60	5.50	38
	Lumbar	0.90	1.50	2.00	2.00	17
	Extreme	1.60	3.50	4.00	4.30	31
	Accent	1.00	1.30	1.50	2.00	19
	Arm	2.30	2.50	4.00	4.30	45
N93HTU2M		5.10	9.00	11.50	11.50	102
N93HTU2MX	Back	1.20	1.30	2.50	2.50	24
	Seat	1.90	3.50	4.60	5.50	38
	Lumbar	0.90	1.50	2.00	2.00	17
	Extreme	1.60	3.50	4.00	4.30	31
	Accent	1.00	1.30	1.50	2.00	19
N93HTU3B, N93HTU3BB, N93HTU3BL, N93HTU3BR		9.90	16.90	21.10	22.00	197
N93HTU3BBX, N93HTU3BLX, N93HTU3BRX, N93HTU3BX	Back	1.70	2.00	2.80	4.30	33
	Seat	2.50	4.50	6.30	7.50	50
	Lumbar	1.10	2.00	2.30	3.00	22
	Extreme	2.30	3.80	1.30	4.80	43
	Accent	1.10	2.00	2.30	3.00	22
	Arm	2.90	3.40	4.60	5.00	56
N93HTU3BH		12.90	19.50	24.00	24.50	257
N93HTU3BHX	Back	1.70	2.00	2.80	4.30	33
	Seat	2.50	4.50	6.30	7.50	50
	Lumbar	1.10	2.00	2.30	3.00	22
	Extreme	2.30	3.80	1.30	4.80	43
	Accent	1.10	2.00	2.30	3.00	22
	Arm	5.80	6.00	7.50	7.50	116
N93HTU3BM		11.50	18.30	22.50	24.00	228
N93HTU3BMX	Back	1.70	2.00	2.80	4.30	33
	Seat	2.50	4.50	6.30	7.50	50
	Lumbar	1.10	2.00	2.30	3.00	22
	Extreme	2.30	3.80	1.30	4.80	43
	Accent	1.10	2.00	2.30	3.00	22
	Arm	4.40	4.80	6.00	7.00	87
N93HTU3L, N93HTU3LL, N93HTU3R, N93HTU3RR		8.70	15.30	19.30	20.00	172
N93HTU3LH, N93HTU3RH		10.10	16.80	21.00	21.50	201

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
N93HTU3LHX, N93HTU3RHX	Back	1.70	2.00	2.80	4.30	33
	Seat	2.50	4.50	6.30	7.50	50
	Lumbar	1.10	2.00	2.30	3.00	22
	Extreme	2.30	3.80	1.30	4.80	43
	Accent	1.10	2.00	2.30	3.00	22
	Arm	3.00	3.30	4.50	4.50	60
N93HTU3LLX, N93HTU3LX, N93HTU3RRX, N93HTU3RX	Back	1.70	2.00	2.80	4.30	33
	Seat	2.50	4.50	6.30	7.50	50
	Lumbar	1.10	2.00	2.30	3.00	22
	Extreme	2.30	3.80	1.30	4.80	43
	Accent	1.10	2.00	2.30	3.00	22
	Arm	1.60	1.80	2.80	3.00	31
N93HTU3LM, N93HTU3RM		9.40	16.00	20.50	21.30	186
N93HTU3LMX, N93HTU3RMX	Back	1.70	2.00	2.80	4.30	33
	Seat	2.50	4.50	6.30	7.50	50
	Lumbar	1.10	2.00	2.30	3.00	22
	Extreme	2.30	3.80	1.30	4.80	43
	Accent	1.10	2.00	2.30	3.00	22
	Arm	2.30	2.50	4.00	4.30	45
N93HTU3M		7.10	13.50	16.50	17.00	141
N93HTU3MX	Back	1.70	2.00	2.80	4.30	33
	Seat	2.50	4.50	6.30	7.50	50
	Lumbar	1.10	2.00	2.30	3.00	22
	Extreme	2.30	3.80	1.30	4.80	43
	Accent	1.10	2.00	2.30	3.00	22
N93HTUC2	Complete	7.86	11.00	18.00	18.50	156.6
N93HTUC2X	Back	1.39	2.00	3.00	4.00	27.7
	Seat	1.97	2.50	4.50	5.50	39.3
	Lumbar	1.03	1.50	2.50	3.00	20.5
	Extreme	5.75	6.50	7.50	8.50	114.6
	Accent	1.39	2.20	3.00	3.00	27.7
N93HTUC3	Complete	9.53	13.50	23.00	23.00	189.8
N93HTUC3X	Back	1.64	2.00	3.50	4.25	32.7
	Seat	2.72	3.25	6.75	7.00	54.2
	Lumbar	1.50	2.00	3.00	3.50	29.9
	Extreme	5.75	7.75	9.50	10.25	114.6
	Accent	1.50	2.50	3.50	3.50	29.9
N93HTUIN9	Complete	5.78	8.00	10.50	12.00	115.1
N93HTUIN9X	Back	1.17	1.75	2.00	2.50	23.2
	Seat	1.78	2.50	3.75	5.00	35.4
	Lumbar	1.03	1.50	1.75	2.50	20.5
	Extreme	2.28	3.50	4.00	4.50	45.4
	Accent	1.00	1.50	2.00	2.00	19.9
N93HTUINR9	Complete	7.11	8.50	11.50	12.75	141.7
N93HTUINR9X	Back	1.28	1.50	2.75	3.25	25.5
	Seat	2.25	3.00	4.50	6.50	44.8
	Lumbar	1.28	1.75	2.00	2.50	25.5
	Extreme	2.97	3.50	4.00	4.50	59.2
	Accent	1.11	1.50	2.00	2.75	22.1
N93HTUSQ9D	Complete	4.39	6.00	9.00	12.00	87.4
N93HTUSQ9DX	Back	1.14	1.50	2.00	3.25	22.7
	Seat	1.22	1.75	3.25	3.50	24.4
	Lumbar	0.78	1.00	2.00	2.50	15.5
	Extreme	2.94	3.00	4.00	4.50	58.7
	Accent	0.94	1.25	1.50	2.25	18.8
N93HTUSQ9L, N93HTUSQ9R	Complete	4.22	6.00	9.00	12.00	84.1
N93HTUSQ9LX, N93HTUSQ9RX	Back	1.14	1.50	2.00	3.25	22.7
	Seat	1.17	1.50	3.00	4.00	23.2
	Lumbar	0.78	1.00	2.00	2.50	15.5
	Extreme	2.94	3.00	4.00	4.50	58.7
	Accent	0.94	1.25	1.50	2.25	18.8

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
N93M1B, N93M1BL, N93M1BR, N93M1OB		5.90	7.90	10.60	11.50	117
N93M1BLX, N93M1BRX, N93M1BX, N93M1OBX	Back	1.20	1.50	2.00	2.00	24
	Seat	1.60	2.00	3.50	4.00	31
	Lumbar	0.90	1.00	1.30	1.50	17
	Extreme	1.20	1.50	1.80	2.00	24
	Arm	2.90	3.40	4.60	5.00	56
N93M1BM, N93M1OBM		7.40	9.30	12.00	13.50	148
N93M1BMX, N93M1OBMX	Back	1.20	1.50	2.00	2.00	24
	Seat	1.60	2.00	3.50	4.00	31
	Lumbar	0.90	1.00	1.30	1.50	17
	Extreme	1.20	1.50	1.80	2.00	24
	Arm	4.40	4.80	6.00	7.00	87
N93M1L, N93M1LL, N93M1OL, N93M1OR, N93M1R, N93M1RR		4.70	6.30	8.80	9.50	92
N93M1LM, N93M1OLM, N93M1ORM, N93M1RM		5.40	7.00	10.00	10.80	106
N93M1LMX, N93M1OLMX, N93M1ORMX, N93M1RMX	Back	1.20	1.50	2.00	2.00	24
	Seat	1.60	2.00	3.50	4.00	31
	Lumbar	0.90	1.00	1.30	1.50	17
	Extreme	1.20	1.50	1.80	2.00	24
	Arm	2.30	2.50	4.00	4.30	45
N93M1M, N93M1OM		3.10	4.50	6.00	6.50	61
N93M1MX, N93M1OMX	Back	1.20	1.50	2.00	2.00	24
	Seat	1.60	2.00	3.50	4.00	31
	Lumbar	0.90	1.00	1.30	1.50	17
	Extreme	1.20	1.50	1.80	2.00	24
N93M1RX	Back	1.20	1.50	2.00	2.00	24
	Seat	1.60	2.00	3.50	4.00	31
	Lumbar	0.90	1.00	1.30	1.50	17
	Extreme	1.20	1.50	1.80	2.00	24
	Arm	1.60	1.80	2.80	3.00	31
N93M2B, N93M2BB, N93M2BL, N93M2BR, N93M2OB		7.20	10.80	14.10	15.50	143
N93M2BBX, N93M2BLX, N93M2BRX, N93M2BX, N93M2OBX	Back	1.20	1.30	2.50	2.50	24
	Seat	1.90	3.50	4.60	5.50	38
	Lumbar	0.90	1.50	2.00	2.00	17
	Extreme	1.20	2.50	2.90	3.30	24
	Arm	2.90	3.40	4.60	5.00	56
N93M2BM, N93M2OBM		8.80	12.20	17.00	18.00	174
N93M2BMX, N93M2OBMX	Back	1.20	1.30	2.50	2.50	24
	Seat	1.90	3.50	4.60	5.50	38
	Lumbar	0.90	1.50	2.00	2.00	17
	Extreme	1.20	2.50	2.90	3.30	24
	Arm	4.40	4.80	6.00	7.00	87
N93M2L, N93M2LL, N93M2OL, N93M2OR, N93M2R, N93M2RR		6.00	9.20	12.30	13.50	118
N93M2LLX, N93M2LX, N93M2OLX, N93M2ORX, N93M2RRX, N93M2RX	Back	1.20	1.30	2.50	2.50	24
	Seat	1.90	3.50	4.60	5.50	38
	Lumbar	0.90	1.50	2.00	2.00	17
	Extreme	1.20	2.50	2.90	3.30	24
	Arm	1.60	1.80	2.80	3.00	31
N93M2LM, N93M2OLM, N93M2ORM, N93M2RM		6.70	9.90	13.50	14.80	132
N93M2LMX, N93M2OLMX, N93M2ORMX, N93M2RMX	Back	1.20	1.30	2.50	2.50	24
	Seat	1.90	3.50	4.60	5.50	38
	Lumbar	0.90	1.50	2.00	2.00	17
	Extreme	1.20	2.50	2.90	3.30	24
	Arm	2.30	2.50	4.00	4.30	45
N93M2M, N93M2OM		4.40	7.40	9.50	10.50	87

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
N93M2MX, N93M2OMX	Back	1.20	1.30	2.50	2.50	24
	Seat	1.90	3.50	4.60	5.50	38
	Lumbar	0.90	1.50	2.00	2.00	17
	Extreme	1.20	2.50	2.90	3.30	24
N93M3B, N93M3BB, N93M3BL, N93M3BR, N93M3OB		8.90	14.40	18.10	20.00	176
N93M3BBX, N93M3BLX, N93M3BRX, N93M3BX, N93M3OBX	Back	1.70	2.00	2.80	4.30	33
	Seat	2.50	4.50	6.30	7.50	50
	Lumbar	1.10	2.00	2.30	3.00	22
	Extreme	2.30	3.80	1.30	4.80	43
	Arm	2.90	3.40	4.60	5.00	56
N93M3BM, N93M3OBM		10.40	15.80	19.50	22.00	207
N93M3BMX, N93M3OBMX	Back	1.70	2.00	2.80	4.30	33
	Seat	2.50	4.50	6.30	7.50	50
	Lumbar	1.10	2.00	2.30	3.00	22
	Extreme	2.30	3.80	1.30	4.80	43
	Arm	4.40	4.80	6.00	7.00	87
N93M3L, N93M3LL, N93M3OL, N93M3OR, N93M3R, N93M3RR		7.60	12.80	16.30	18.00	151
N93M3LLX, N93M3LX, N93M3OLX, N93M3ORX, N93M3RRX, N93M3RX	Back	1.70	2.00	2.80	4.30	33
	Seat	2.50	4.50	6.30	7.50	50
	Lumbar	1.10	2.00	2.30	3.00	22
	Extreme	2.30	3.80	1.30	4.80	43
	Arm	1.60	1.80	2.80	3.00	31
N93M3LM, N93M3OLM, N93M3ORM, N93M3RM		8.30	13.50	17.50	19.30	165
N93M3LMX, N93M3OLMX, N93M3ORMX, N93M3RMX	Back	1.70	2.00	2.80	4.30	33
	Seat	2.50	4.50	6.30	7.50	50
	Lumbar	1.10	2.00	2.30	3.00	22
	Extreme	2.30	3.80	1.30	4.80	43
	Arm	2.30	2.50	4.00	4.30	45
N93M3M, N93M3OM		6.00	11.00	13.50	15.00	120
N93M3MX, N93M3OMX	Back	1.70	2.00	2.80	4.30	33
	Seat	2.50	4.50	6.30	7.50	50
	Lumbar	1.10	2.00	2.30	3.00	22
	Extreme	2.30	3.80	4.30	4.80	45
N93MALU, N93MARU		2.30	2.50	4.00	4.30	45
N93MBH1MD, N93MBH1MDP, N93MBH1OMD		4.30	6.50	9.50	12.00	85
N93MBH1MDPX, N93MBH1MDX, N93MBH1OMDX	Back	1.20	2.00	2.50	3.50	24
	Seat	2.70	3.80	6.50	8.00	52
	Lumbar	0.90	2.00	2.50	2.50	17
N93MBH1MSP		3.10	4.50	6.00	6.50	61
N93MBH1MSPX	Back	1.20	1.50	2.00	2.00	24
	Seat	1.60	2.00	3.50	4.00	31
	Lumbar	0.90	1.00	1.30	1.50	17
	Extreme	1.20	1.50	1.80	2.00	24
N93MBH2MD, N93MBH2MDP, N93MBH2OMD		6.00	10.30	14.00	20.50	120
N93MBH2MDPX, N93MBH2MDX, N93MBH2OMDX	Back	1.70	2.50	3.00	5.00	34
	Seat	3.60	6.00	9.00	12.50	72
	Lumbar	1.50	2.80	3.30	4.50	30
N93MBH2MSP		4.40	7.40	9.50	10.50	87
N93MBH2MSPX	Back	1.20	1.30	2.50	2.50	24
	Seat	1.90	3.50	4.60	5.50	38
	Lumbar	0.90	1.50	2.00	2.00	17
	Extreme	1.20	2.50	2.90	3.30	24
N93MC2	Complete	6.00	8.00	12.75	14.50	119.5

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
N93MC2X	Back	1.67	2.25	3.00	5.25	33.2
	Seat	1.97	2.50	4.50	5.50	39.3
	Lumbar	1.03	1.50	2.25	2.75	20.5
	Extreme	4.25	4.75	5.00	6.00	84.7
N93MC3	Complete	7.69	10.00	17.25	17.25	153.3
N93MC3X	Back	2.08	2.50	3.50	5.50	41.5
	Seat	2.72	3.25	6.75	7.00	54.2
	Lumbar	1.50	2.00	3.00	3.50	29.9
	Extreme	4.25	6.00	6.50	7.75	84.7
N93MIN9	Complete	4.83	6.50	8.50	10.00	96.3
N93MIN9X	Back	1.17	2.00	2.75	2.75	23.2
	Seat	1.78	2.50	3.75	5.00	35.4
	Lumbar	1.03	1.50	1.75	2.50	20.5
	Extreme	2.17	2.50	2.75	3.25	43.2
N93MINR9	Complete	5.72	7.00	9.25	11.25	114
N93MINR9SL, N93MINR9SW	Complete	6.25	8.00	10.00	12.00	124.5
N93MINR9SLX, N93MINR9SWX	Back	1.94	3.00	3.50	3.50	38.7
	Seat	2.22	3.00	4.50	5.50	44.3
	Lumbar	1.25	1.75	2.00	2.50	24.9
	Extreme	2.19	2.50	3.00	3.50	43.7
N93MINR9X	Back	1.28	2.00	2.75	3.00	25.5
	Seat	2.25	3.00	4.50	6.50	44.8
	Lumbar	1.28	1.75	2.00	2.50	25.5
	Extreme	2.25	2.50	2.75	3.50	44.8
N93MOU9	Complete	3.72	5.50	7.00	8.50	74.2
N93MOU9X	Back	1.14	1.50	2.00	2.50	22.7
	Seat	2.22	3.00	4.50	5.80	44.3
	Lumbar	0.75	1.00	1.00	1.25	14.9
	Extreme	1.14	1.50	1.70	2.00	22.7
N93MOUR9	Complete	4.36	5.50	7.50	8.30	86.9
N93MOUR9X	Back	1.17	1.50	2.20	3.00	23.2
	Seat	2.78	3.80	4.50	5.50	55.3
	Lumbar	0.81	1.00	1.00	1.80	16
	Extreme	1.22	1.50	1.75	1.75	24.4
N93MSQ9D	Complete	3.61	5.00	7.00	10.50	71.9
N93MSQ9DX	Back	1.17	1.50	2.00	3.25	23.2
	Seat	1.22	1.75	3.25	3.50	24.4
	Lumbar	0.78	1.00	2.00	2.50	15.5
	Extreme	2.17	2.50	2.75	3.25	43.2
N93MSQ9L, N93MSQ9R	Complete	3.61	4.50	7.00	10.50	71.9
N93MSQ9LX	Back	1.17	1.50	2.00	3.50	23.2
	Seat	1.17	1.50	3.00	4.00	23.2
	Lumbar	0.78	1.00	2.00	2.50	15.5
	Extreme	2.17	2.50	3.00	3.25	43.2
N93MTL2B, N93MTL2BB, N93MTL2BL, N93MTL2BR, N93MTW2B, N93MTW2BB, N93MTW2BL, N93MTW2BR		6.30	9.20	12.20	13.50	126
N93MTL2BBX, N93MTL2BLX, N93MTL2BRX, N93MTL2BX, N93MTW2BBX, N93MTW2BLX, N93MTW2BRX, N93MTW2BX	Back	1.20	1.30	2.50	2.50	24
	Seat	1.90	3.50	4.60	5.50	38
	Lumbar	0.90	1.50	2.00	2.00	17
	Extreme	1.20	2.50	2.90	3.30	24
	Arm	2.90	3.40	4.60	5.00	56
N93MTL2BM, N93MTW2BM		7.90	10.50	13.60	15.50	157
N93MTL2BMX, N93MTW2BMX	Back	1.20	1.30	2.50	2.50	24
	Seat	1.90	3.50	4.60	5.50	38
	Lumbar	0.90	1.50	2.00	2.00	17
	Extreme	1.20	2.50	2.90	3.30	24
	Arm	4.40	4.80	6.00	7.00	87

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
N93MTL2L, N93MTL2LL, N93MTL2R, N93MTL2RR, N93MTW2L, N93MTW2LL, N93MTW2R, N93MTW2RR		5.10	7.50	10.40	11.50	101
N93MTL2LLX, N93MTL2LX, N93MTL2RRX, N93MTL2RX, N93MTW2LLX, N93MTW2LX, N93MTW2RRX, N93MTW2RX	Back	1.20	1.30	2.50	2.50	24
	Seat	1.90	3.50	4.60	5.50	38
	Lumbar	0.90	1.50	2.00	2.00	17
	Extreme	1.20	2.50	2.90	3.30	24
	Arm	1.60	1.80	2.80	3.00	31
N93MTL2LM, N93MTL2RM, N93MTW2LM, N93MTW2RM		5.80	8.30	11.60	12.80	115
N93MTL2LMX, N93MTL2RMX, N93MTW2LMX, N93MTW2RMX	Back	1.20	1.30	2.50	2.50	24
	Seat	1.90	3.50	4.60	5.50	38
	Lumbar	0.90	1.50	2.00	2.00	17
	Extreme	1.20	2.50	2.90	3.30	24
	Arm	2.30	2.50	4.00	4.30	45
N93MTL2M, N93MTW2M		3.50	5.80	7.60	8.50	70
N93MTL2MX, N93MTW2MX	Back	1.20	1.30	2.50	2.50	24
	Seat	1.90	3.50	4.60	5.50	38
	Lumbar	0.90	1.50	2.00	2.00	17
	Extreme	1.20	1.80	2.00	2.30	24
N93MTL3B, N93MTL3BB, N93MTL3BL, N93MTL3BR, N93MTW3B, N93MTW3BB, N93MTW3BL, N93MTW3BR		7.50	11.90	15.60	18.00	149
N93MTL3BBX, N93MTL3BLX, N93MTL3BRX, N93MTL3BX, N93MTW3BBX, N93MTW3BLX, N93MTW3BRX, N93MTW3BX	Back	1.70	2.00	2.80	4.30	33
	Seat	2.50	4.50	6.30	7.50	50
	Lumbar	1.10	2.00	2.30	3.00	22
	Extreme	1.20	1.80	2.00	3.00	24
	Arm	2.90	3.40	4.60	5.00	56
N93MTL3BM, N93MTW3BM		9.00	13.30	17.00	20.00	180
N93MTL3BMX, N93MTW3BMX	Back	1.70	2.00	2.80	4.30	33
	Seat	2.50	4.50	6.30	7.50	50
	Lumbar	1.10	2.00	2.30	3.00	22
	Extreme	1.20	1.80	2.00	3.00	24
	Arm	4.40	4.80	6.00	7.00	87
N93MTL3L, N93MTL3LL, N93MTL3R, N93MTL3RR, N93MTW3L, N93MTW3LL, N93MTW3R, N93MTW3RR		6.20	10.30	13.80	16.00	124
N93MTL3LLX, N93MTL3LX, N93MTL3RRX, N93MTL3RX, N93MTW3LLX, N93MTW3LX, N93MTW3RRX, N93MTW3RX	Back	1.70	2.00	2.80	4.30	33
	Seat	2.50	4.50	6.30	7.50	50
	Lumbar	1.10	2.00	2.30	3.00	22
	Extreme	1.20	1.80	2.00	3.00	24
	Arm	1.60	1.80	2.80	3.00	31
N93MTL3LM, N93MTL3RM, N93MTW3LM, N93MTW3RM		6.90	11.00	15.00	17.30	138
N93MTL3LMX, N93MTL3RMX, N93MTW3LMX, N93MTW3RMX	Back	1.70	2.00	2.80	4.30	33
	Seat	2.50	4.50	6.30	7.50	50
	Lumbar	1.10	2.00	2.30	3.00	22
	Extreme	1.20	1.80	2.00	3.00	24
	Arm	2.30	2.50	4.00	4.30	45
N93MTL3M, N93MTW3M		4.70	8.50	11.00	13.00	93
N93MTL3MX, N93MTW3MX	Back	1.70	2.00	2.80	4.30	33
	Seat	2.50	4.50	6.30	7.50	50
	Lumbar	1.10	2.00	2.30	3.00	22
	Extreme	1.20	1.80	2.00	3.00	24
N93MTLC2, N93MTWC2	Complete	4.47	6.00	9.00	11.25	89.1

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
N93MTLC2X, N93MTWC2X	Back	1.67	2.25	3.00	5.25	33.2
	Seat	1.97	2.50	4.50	5.50	39.3
	Lumbar	1.03	1.50	2.50	3.00	20.5
	Extreme	1.28	1.75	2.00	4.00	25.5
N93MTLC3, N93MTWC3	Complete	5.47	7.50	12.50	13.50	109
N93MTLC3X, N93MTWC3X	Back	2.08	2.50	3.50	5.50	41.5
	Seat	2.72	3.25	6.75	7.00	54.2
	Lumbar	1.50	2.00	3.00	3.50	29.9
	Extreme	1.28	2.00	2.50	4.00	25.5
N93MTLIN9, N93MTWIN9	Complete	3.72	5.25	7.00	8.50	74.2
N93MTLIN9X, N93MTWIN9X	Back	1.17	2.00	2.75	2.75	23.2
	Seat	1.78	2.50	3.75	5.00	35.4
	Lumbar	1.03	1.50	1.75	2.50	20.5
	Extreme	1.17	1.75	2.00	3.00	23.2
N93MTLSQ9D, N93MTWSQ9D	Complete	2.86	4.00	5.50	10.25	57
N93MTLSQ9DX, N93MTWSQ9DX	Back	1.17	1.50	2.00	3.25	23.2
	Seat	1.22	1.75	3.25	3.50	24.4
	Lumbar	0.78	1.00	2.00	2.50	15.5
	Extreme	1.28	1.50	1.75	3.25	25.5
N93MTLSQ9L, N93MTLSQ9R, N93MTWSQ9L, N93MTWSQ9R	Complete	2.69	4.00	5.25	10.25	53.7
N93MTLSQ9LX, N93MTLSQ9RX, N93MTWSQ9LX, N93MTWSQ9RX	Back	1.17	1.50	2.00	3.50	23.2
	Seat	1.17	1.50	3.00	4.00	23.2
	Lumbar	0.78	1.00	2.00	2.50	15.5
	Extreme	1.28	1.50	1.75	3.25	25.5
N93MTU2B, N93MTU2BB, N93MTU2BL, N93MTU2BR		7.20	10.80	14.10	15.50	143
N93MTU2BBX, N93MTU2BLX, N93MTU2BRX, N93MTU2BX	Back	1.20	1.30	2.50	2.50	24
	Seat	1.90	3.50	4.60	5.50	38
	Lumbar	0.90	1.50	2.00	2.00	17
	Extreme	1.20	2.50	2.90	3.30	24
	Arm	2.90	3.40	4.60	5.00	56
N93MTU2BM		8.80	12.20	17.00	18.00	174
N93MTU2BMX	Back	1.20	1.30	2.50	2.50	24
	Seat	1.90	3.50	4.60	5.50	38
	Lumbar	0.90	1.50	2.00	2.00	17
	Extreme	1.20	2.50	2.90	3.30	24
	Arm	4.40	4.80	6.00	7.00	87
N93MTU2L, N93MTU2LL, N93MTU2R, N93MTU2RR		6.00	9.20	12.30	13.50	118
N93MTU2LLX, N93MTU2LX, N93MTU2RRX, N93MTU2RX	Back	1.20	1.30	2.50	2.50	24
	Seat	1.90	3.50	4.60	5.50	38
	Lumbar	0.90	1.50	2.00	2.00	17
	Extreme	1.20	2.50	2.90	3.30	24
	Arm	1.60	1.80	2.80	3.00	31
N93MTU2LM, N93MTU2RM		6.70	9.90	13.50	14.80	132
N93MTU2LMX, N93MTU2RMX	Back	1.20	1.30	2.50	2.50	24
	Seat	1.90	3.50	4.60	5.50	38
	Lumbar	0.90	1.50	2.00	2.00	17
	Extreme	1.20	2.50	2.90	3.30	24
	Arm	2.30	2.50	4.00	4.30	45
N93MTU2M		4.40	7.40	9.50	10.50	87
N93MTU2MX	Back	1.20	1.30	2.50	2.50	24
	Seat	1.90	3.50	4.60	5.50	38
	Lumbar	0.90	1.50	2.00	2.00	17
	Extreme	1.20	2.50	2.90	3.30	24
N93MTU3B, N93MTU3BB, N93MTU3BL, N93MTU3BR		8.90	14.40	18.10	20.00	176

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
N93MTU3BBX, N93MTU3BLX,	Back	1.70	2.00	2.80	4.30	33
N93MTU3BRX, N93MTU3BX	Seat	2.50	4.50	6.30	7.50	50
	Lumbar	1.10	2.00	2.30	3.00	22
	Extreme	2.30	3.80	1.30	4.80	43
	Arm	2.90	3.40	4.60	5.00	56
N93MTU3BM		10.40	15.80	19.50	22.00	207
N93MTU3BMX	Back	1.70	2.00	2.80	4.30	33
	Seat	2.50	4.50	6.30	7.50	50
	Lumbar	1.10	2.00	2.30	3.00	22
	Extreme	2.30	3.80	1.30	4.80	43
	Arm	4.40	4.80	6.00	7.00	87
N93MTU3L, N93MTU3LL, N93MTU3R, N93MTU3RR		7.60	12.80	16.30	18.00	151
N93MTU3LLX, N93MTU3LX,	Back	1.70	2.00	2.80	4.30	33
N93MTU3RRX, N93MTU3RX	Seat	2.50	4.50	6.30	7.50	50
	Lumbar	1.10	2.00	2.30	3.00	22
	Extreme	2.30	3.80	1.30	4.80	43
	Arm	1.60	1.80	2.80	3.00	31
N93MTU3LM, N93MTU3RM		8.30	13.50	17.50	19.30	165
N93MTU3LMX, N93MTU3RMX	Back	1.70	2.00	2.80	4.30	33
	Seat	2.50	4.50	6.30	7.50	50
	Lumbar	1.10	2.00	2.30	3.00	22
	Extreme	2.30	3.80	1.30	4.80	43
	Arm	2.30	2.50	4.00	4.30	45
N93MTU3M		6.00	11.00	13.50	15.00	120
N93MTU3MX	Back	1.70	2.00	2.80	4.30	33
	Seat	2.50	4.50	6.30	7.50	50
	Lumbar	1.10	2.00	2.30	3.00	22
	Extreme	2.30	3.80	1.30	4.80	43
N93MTUC2	Complete	6.00	8.00	12.75	14.50	119.5
N93MTUC2X	Back	1.67	2.25	3.00	5.25	33.2
	Seat	1.97	2.50	4.50	5.50	39.3
	Lumbar	1.03	1.50	2.25	2.75	20.5
	Extreme	4.25	4.75	5.00	6.00	84.7
N93MTUC3	Complete	7.69	10.00	17.25	17.25	153.3
N93MTUC3X	Back	2.08	2.50	3.50	5.50	41.5
	Seat	2.72	3.25	6.75	7.00	54.2
	Lumbar	1.50	2.00	3.00	3.50	29.9
	Extreme	4.25	6.00	6.50	7.75	84.7
N93MTUIN9	Complete	4.83	6.50	8.50	10.00	96.3
N93MTUIN9X	Back	1.17	2.00	2.75	2.75	23.2
	Seat	1.78	2.50	3.75	5.00	35.4
	Lumbar	1.03	1.50	1.75	2.50	20.5
	Extreme	2.17	2.50	2.75	3.25	43.2
N93MTUINR9	Complete	5.72	7.00	9.25	11.25	114
N93MTUINR9X	Back	1.28	2.00	2.75	3.00	25.5
	Seat	2.25	3.00	4.50	6.50	44.8
	Lumbar	1.28	1.75	2.00	2.50	25.5
	Extreme	2.25	2.50	2.75	3.50	44.8
N93MTUSQ9D	Complete	3.61	5.00	7.00	10.50	71.9
N93MTUSQ9DX	Back	1.17	1.50	2.00	3.25	23.2
	Seat	1.22	1.75	3.25	3.50	24.4
	Lumbar	0.78	1.00	2.00	2.50	15.5
	Extreme	2.17	2.50	2.75	3.25	43.2
N93MTUSQ9L, N93MTUSQ9R	Complete	3.61	4.50	7.00	10.50	71.9
N93MTUSQ9LX, N93MTUSQ9RX	Back	1.17	1.50	2.00	3.50	23.2
	Seat	1.17	1.50	3.00	4.00	23.2
	Lumbar	0.78	1.00	2.00	2.50	15.5
	Extreme	2.17	2.50	3.00	3.25	43.2

FRINGE

FUEL

Product Specifications 276
Fabrics and Options 277
Product Pages 278
COM Yardage Requirements 280

FUEL

FUEL PRODUCT SPECIFICATIONS

SEAT CONSTRUCTION

- 2½" of high grade polyurethane foam covers a solid contoured molded plywood seat panel for support and comfort

BACK CONSTRUCTION

- Injection molded polypropylene outer shell
- Blow molded polyethylene inner back shell designed with deep ribbing to provide extra support
- Backs feature 2½" of custom molded, controlled density polyurethane foam for consistency and good contoured support on all models
- Large and tall models feature solid molded plywood panels

BACK REST

- Back height can be adjusted by simply lifting up on the back
- The range of adjustment is approximately 2"

ARMS

- Loop arms have encased high strength steel uprights made of polyurethane

CONTROL MECHANISM—INTENSIVE USE

- Synchronous control allows the back and seat to move in a synchronized 2.3:1 ratio motion
- Free float feature allows the chair to tilt freely
- A side activated telescoping tension adjustment handle provides a comfortable way to adjust back tension to meet individual needs
- The back angle can be locked in 1 of 5 positions
- Standard pneumatic gas cylinder lift allows seat to raise and lower 4¼" and provides spring action for added comfort

CONTROL MECHANISM—LARGE AND TALL MODELS

- Synchronous control allows the back and seat to move in a synchronized 2:1 ratio motion
- Free float feature allows the chair to tilt freely or be locked in the neutral position
- Standard pneumatic gas cylinder lift allows seat to raise and lower 4¼" and provides spring action for added comfort

BASE AND CASTERS

- Intensive use - Black, 5-prong fiberglass reinforced nylon base ensures long life
- Large and Tall - Feature a black, 27" 5-prong aluminum base tested using 4500 lbs. of force
- Hard, double wheel casters, which work on multiple surfaces, are standard

PERFORMANCE STANDARDS

- Intensive use models meet the Federal Intensive Usage Standard FED-STD 834
- Large and tall models meet BIFMA X5.11 Large Occupant Standard

QUICK DELIVERY PROGRAM

- All Fuel models available on Quick Delivery, including TB133

All Fuel models may be ordered to meet TB133 fire code.

To order seating to meet the TB133 fire code, specify an "F" at the end of the model number (Ex: N35MACF).

For TB133 pricing go to www.NationalOfficeFurniture.com/TB133

Please consult customer service for applicable Arc-Com, Carnegie, Designtex, Maharam, Mayer, Momentum, Stinson, or Ultrafabrics fabric.

FABRICS

Grade 1
- Cali**
- Entwine
- Input**
- Melange
- Ridge**
- Spark
- Vessel**
- Zig Zag

Grade 2
- Bliss**
- Brilliant**
- COM
- Dolce
- Dorset
- Intuition
- Orbit
- Phrase**
- Pixie**
- Sedona**
- Stancil
- Strand*

Grade 3
- COL
- Silvertex**

Grade 4
- Connect Four**
- Echo**
- Masquerade**

Grade 5
- Mode**

Grade 6
- Essence/Ultraleather**

Grade 7
- Brisa**
- Brisa Distressed**
- Reef Pro**
- Silica**
- Silica Etch**
- Tottori**

Grade L7
- Davenport**

Grade L8
- Florence**

*Strand restricted on upholstered back models
**These fabrics meet the FED-STD 834 requirements

FINISHES

Standard Black

PACK

KD Tool-less Knock Down – back, seat, and arms attached
FA Fully Assembled (add $114 list)

FUEL

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Fabric Grade Number
4. Cover Number
5. Casters

• See page 277 for Fuel options
See page 280 for COM fabric yardage

LARGE AND TALL ARMLESS SYNCHRONOUS TILT CONTROL

MODEL NO. | **GRADE / LIST PRICE**

			1	2/COM	3/COL	4	5	6	7	L7	L8
N35MAC	Upholstered Back	$	2464	2555	2597	2664	2737	2862	3028	3816	4068
QN35MAC	Upholstered Back		2464	2555	2597	2664	2737	2862	3028		

DIMENSIONS

Width	31¼	Seat Height	18-22¼	Back Height	24-26¼	Weight	69
Depth	27½	Seat Width	24¼	Back Width	20¼	Cubic Ft.	25.5
Height	39½-47¼	Seat Depth	18				

- Meets BIFMA X5.11 Large Occupant Standard
- Ships fully assembled

LARGE AND TALL STATIC LOOP ARMS SYNCHRONOUS TILT CONTROL

			1	2/COM	3/COL	4	5	6	7	L7	L8
N35MBC	Upholstered Back	$	2750	2841	2883	2950	3023	3148	3314	4102	4354
QN35MBC	Upholstered Back		2750	2841	2883	2950	3023	3148	3314		

DIMENSIONS

Width	31¼	Arm Height	10	Seat Depth	18	Weight	70
Depth	27½	Arm Width	23¼	Back Height	24-26¼	Cubic Ft.	25.5
Height	39½-47¼	Seat Height	18-22¼	Back Width	20¼		
		Seat Width	24¼				

- Meets BIFMA X5.11 Large Occupant Standard
- Ships fully assembled

QD

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Fabric Grade Number
4. Cover Number
5. Casters

• See page 277 for Fuel options

See page 280 for COM fabric yardage

INTENSIVE USE ARMLESS SYNCHRONOUS

MODEL NO. **GRADE / LIST PRICE**

			1	2/COM	3/COL	4	5	6	7	L7	L8
N35JAC	Plastic Back	$	1803	1842	1859	1888	1919	1971	2042	2375	2482
QN35JAC	Plastic Back		1803	1842	1859	1888	1919	1971	2042		

DIMENSIONS

Width	27½	Seat Height	16½-21	Back Height	23¼-25½	Weight	56
Depth	25½	Seat Width	20½	Back Width	18	FA Cubic Ft.	18.3
Height	38¼-45¾	Seat Depth	17¼			KD Cubic Ft.	13.3

• Pack option is not available on Quick Delivery models

INTENSIVE USE STATIC LOOP ARMS SYNCHRONOUS

			1	2/COM	3/COL	4	5	6	7	L7	L8
N35JCC	Plastic Back	$	2087	2126	2143	2172	2203	2255	2326	2659	2766
QN35JCC	Plastic Back		2087	2126	2143	2172	2203	2255	2326		

DIMENSIONS

Width	27½	Arm Height	10	Seat Depth	17¼	Weight	58
Depth	25½	Arm Width	19½	Back Height	23¼-25½	FA Cubic Ft.	18.3
Height	38¼-45¾	Seat Height	16½-21	Back Width	18	KD Cubic Ft.	13.3
		Seat Width	20½				

• Pack option is not available on Quick Delivery models

TYPE OF TEST	FEDERAL INTENSIVE USAGE TESTING REQUIREMENTS FOR FED-STD 834	ANSI/BIFMA ACCEPTANCE
Cyclic Back and Back Tilt Mechanism Fatigue Test	1,000,000 Cycles Minimum	120,000 Cycles
Cyclic Vertical Load Test on 1 Arm	100 lbs. to 250 lbs. in 50 lb. Increments 25,000 Cycles at Each Load Level	200 lbs. 1 Time Function Load 300 lbs. 1 Time Proof Load 2,500 lbs. 1 Time Proof Load (Base Only)
Cyclic Vertical Load Test on Seats, Bases and Casters	200 lbs. to 1,300 lbs. in 50 lb. Increments 25,000 Cycles at Each Load Level	3,000 lbs. 6" 1 Drop 2,500 lbs. 1 Load (Base Only)
Cyclic Side Thrust Load Test on Arms	50 lbs. to 200 lbs. in 50 lb. Increments 25,000 Cycles at Each Load Level	100 lbs. 1 Time Function Load 150 lbs. 1 Time Proof Load
Cyclic Pneumatic Seat Height Adjustment Test	250 lbs. Cyclic Seat Load Cycle Pneumatic Unit 125,000 Full Cycles	No Comparable Test Requirement
Caster/Chair Base Durability Test	36,000 Cycles 5 lbs. Retention After Cycling	36,000 Cycles 5 lbs. Retention Minimum After Cycling

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
N35JAC		1.10	1.80	2.10	2.20	21
N35JCC		1.10	1.80	2.10	2.20	21
N35MAC		2.60	3.10	3.40	3.70	50.5
N35MBC		2.60	3.10	3.40	3.70	50.5

GRIN

Product Specifications 282
Fabrics and Options 283
Contrasting Fabrics Specifications 284
Contrasting Piping Specifications 284
Product Pages 285
COM Yardage Requirements 289

GRIN

GRIN PRODUCT SPECIFICATIONS



SEAT AND BACK CONSTRUCTION

- Lounge - 1¼" of high grade polyurethane foam covers ½" molded plywood shell
- Guest and Stools - ¾" of high grade polyurethane foam covers ½" molded plywood shell

CONTROL MECHANISM—LOUNGE

- Polished aluminum control mechanism and cylinder
- Static model features 360° swivel with auto-return
- Mobile model features 360° swivel

BASE, CASTERS AND GLIDES
4-Prong High Profile Polished Aluminum Base

- Silver polyethylene glides are standard
- Felt pad glides are available for an additional upcharge

4-Prong Low Profile Polished Aluminum Base

- Silver polyethylene glides are standard
- Felt pad glides are available for an additional upcharge

4-Prong Low Profile Mobile Polished Aluminum Base

- Black, hard double wheel casters, which work on multiple surfaces, are standard
- Soft casters are available for an additional upcharge

4-Prong High Profile Wood Base

- Maple
- Non-marring nylon glides are standard and work on all floors

Sled Base—Lounge

- 25/32" welded, tubular steel in matte black or polished
- Black polyethylene glides are standard and work on all floors

Sled Base—Guest and Stools

- ½" formed and welded, steel rod in matte black or polished
- Clear polyethylene glides are standard
- Felt glide option available for an upcharge

4-Leg Wood Frame

- Maple
- ½" tubular steel footrest in matte black or polished
- Non-marring nylon glides are standard and work on all floors

UPHOLSTERY DETAIL

- Contrasting fabric available on all models
- Stitch options are available
- Due to stitch detail and dimensional design of the back and seat, horizontal stripes and large patterns are not recommended, as they will appear distorted or wavy across the front back and seat
- Due to the inherent characteristics of upholstery materials, loose comfort wrinkles may be present or appear over time

FINISH

- Features a catalyzed top coat that resists denting, peeling, and reactions to chemicals
- Can be cleaned with a damp cloth
- When specifying Brighton, Natural, and Sonoma finish, variation in color is acceptable due to the nature of wood characteristics

FABRICS

Grade 1	Cali
	Entwine
	Input
	Melange
	Ridge
	Spark
	Vessel
	Zig Zag
Grade 2	Bliss
	Brilliant
	COM
	Dolce
	Dorset
	Intuition
	Orbit
	Phrase
	Sedona
	Stancil
	Strand
Grade 3	COL
	Silvertex
Grade 4	Connect Four
	Echo
	Masquerade
Grade 5	Mode
Grade 6	Essence/Ultraleather
Grade 7	Brisa
	Brisa Distressed
	Reef Pro
	Silica
	Silica Etch
	Tottori
Grade L7	Davenport
Grade L8	Florence

LOUNGE CASTERS

4-PRONG MOBILE LOW PROFILE BASE

C3 Hard (standard)
C4 Soft (add $36 list)

LOUNGE & OTTOMAN GLIDES

4-PRONG HIGH PROFILE POLISHED ALUMINUM BASE

STD Hard (standard)
C58 Soft (add $41 list)

GUEST & STOOL GLIDES

WOOD BASE

STD Hard (standard)

SLED BASE

STD Hard (standard)
C73 Soft (add $24 list)

SLED BASE FRAME COLORS

BK Black
497 Polished

FINISHES

AC	Autumn	NM	Natural
AD	Almond	PB	Portobello
BZ	Brazilwood	PC	Porcini
CI	Chai	PT	Portico
CL	Caramel	SK	Skyline
CW	Cordovan	SM	Sonoma
DW	Judicial	TF	Truffle
HN	Honey	WL	Willow
IM	Brighton	405	Designer White
KN	Kona	462	Cinder
MC	Amber	792	Sable
MH	Mocha	793	Acorn*

*Acorn is the finish complement to Clear Walnut finish

WOOD LEG FOOT REST COLORS

BK Black
497 Polished

STITCH OPTION

NO STITCH | **HRZ_150 (1½" WIDTH)** | **HRZ1_250 (2½" WIDTH)** | **HRZ1_600 (6" WIDTH)**

LOUNGE

GUEST

STOOL

TO ORDER CONTRASTING FABRIC, SPECIFY

GRIN
Lounge Sled Base page 285
Lounge 4-Prong Low Profile Polished Aluminum Base with Auto Return page 285
Lounge 4-Prong Low Profile Mobile Base page 286
Lounge 4-Prong High Profile Polished Aluminum Base with Auto Return page 286
Lounge 4-Prong High Profile Wood Base with Auto Return page 286

1. Model Number plus "X"
2. Front Back/Welt Cord Fabric Grade Number/Cover Number
3. Extreme Back Fabric Grade Number/Cover Number
4. Stitch Option (when applicable)
5. Finish (when applicable)
6. Glides or Casters (when applicable)



Contrasting Fabric Back View

Ottoman page 287

1. Model Number plus "X"
2. Seat Fabric Grade Number/Cover Number
3. Seat Accent Fabric Grade Number/Cover Number
4. Stitch Option
5. Paint (when applicable)
6. Finish (when applicable)
7. Glides (when applicable)



Contrasting Upholstery

Guest page 287
Counter page 288
Bar page 288

1. Model Number plus "X"
2. Front Back Fabric Grade Number/Cover Number
3. Extreme Back Fabric Grade Number/Cover Number
4. Stitch Option (when applicable)
5. Paint (when applicable)
6. Finish (when applicable)
7. Glides (when applicable)

Counter Contrasting
Metal Base 2½" Stitch

TO ORDER CONTRASTING PIPING, SPECIFY

GRIN
Lounge Sled Base page 285
Lounge 4-Prong Low Profile Polished Aluminum Base with Auto Return page 285
Lounge 4-Prong Low Profile Mobile Base page 286
Lounge 4-Prong High Profile Polished Aluminum Base with Auto Return page 286
Lounge 4-Prong High Profile Wood Base with Auto Return page 286

1. Model Number plus "P"
2. Fabric Grade / Cover Number
3. Piping Fabric Grade/ Cover Number
4. Stitch Option
5. Finish/Paint
6. Casters/Glides (when applicable)

Ottoman page 287

1. Model Number plus "P"
2. Fabric Grade / Cover Number
3. Piping Fabric Grade / Cover Number
4. Stitch Option
5. Paint (when applicable)
6. Finish (when applicable)
7. Glides (when applicable)

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Stitch Option (when applicable)
4. Finish (when applicable)
5. Casters/Glides (when applicable)

• See page 283 for Grin options
• See page 284 for Contrasting Piping options

See page 289 for COM fabric yardage

LOUNGE
SLED BASE



MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
N49GMD1		$	1794	1871	1906	1963	2025	2131	2271	2938	3151
QN49GMD1			1794	1871	1906	1963	2025	2131	2271		
N49GMND1	No Stitch, No Piping		1757	1831	1864	1919	1978	2078	2213	2849	3053
QN49GMND1	No Stitch, No Piping		1757	1831	1864	1919	1978	2078	2213		

DIMENSIONS

Width	27	Seat Height	13¾	Back Height	19¾	Weight	35
Depth	31	Seat Depth	20½	Back Width	27	Cubic Ft.	22.9
Height	30	Seat Width	27				

- Contrasting fabric option - specify X (i.e. N49GMD1X); see page 284. For list pricing, use your electronic specification tool or contact customer service
- The front back and welt cord will be the same fabric when the contrasting option is selected
- Contrasting piping option - specify P (i.e. N49GMD1P). For list pricing, use your electronic specification tool or contact customer service
- Contrasting piping only available in National fabrics and leathers
- Due to stitch detail and dimensional design of the back and seat, horizontal stripes and large patterns are not recommended, as they will appear distorted or wavy across the back and seat
- Due to the inherent characteristics of certain upholstery materials, loose comfort wrinkles may be present or appear over time, especially with non-stretch vinyls and upholsteries
- Sled base model seat height is 1¾" -2" lower than the swivel base model

LOUNGE
4-PRONG
LOW PROFILE
POLISHED ALUMINUM
BASE WITH AUTO RETURN

Static

			1	2/COM	3/COL	4	5	6	7	L7	L8
N49GMS1		$	1794	1871	1906	1963	2025	2131	2271	2938	3151
QN49GMS1			1794	1871	1906	1963	2025	2131	2271		
N49GMNS1	No Stitch, No Piping		1757	1831	1864	1919	1978	2078	2213	2849	3053
QN49GMNS1	No Stitch, No Piping		1757	1831	1864	1919	1978	2078	2213		

DIMENSIONS

Width	27	Seat Height	15½	Back Height	19¾	Weight	34
Depth	28	Seat Depth	20½	Back Width	27	Cubic Ft.	22.9
Height	31¾	Seat Width	27				

- Contrasting fabric option – specify X (i.e., N49GMS1X); see page 284. For list pricing, use your electronic specification tool or contact customer service
- The front back and welt cord will be the same fabric when the contrasting option is selected
- Contrasting piping option - specify P (i.e. N49GMS1P). For list pricing, use your electronic specification tool or contact customer service
- Contrasting piping only available in National fabrics and leathers
- Due to stitch detail and dimensional design of the back and seat, horizontal stripes and large patterns are not recommended, as they will appear distorted or wavy across the back and seat
- Due to the inherent characteristics of certain upholstery materials, loose comfort wrinkles may be present or appear over time, especially with non-stretch vinyls and upholsteries
- Swivel base model seat height is 1¾" -2" higher than the sled base model

GRIN

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Stitch Option (when applicable)
4. Finish (when applicable)
5. Casters/Glides (when applicable)

- See page 283 for Grin options
- See page 284 for Contrasting Piping options

See page 289 for COM fabric yardage

LOUNGE 4-PRONG LOW PROFILE MOBILE BASE

Mobile

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
N49GMSC1	Mobile	$	1794	1871	1906	1963	2025	2131	2271	2938	3151
QN49GMSC1	Mobile		1794	1871	1906	1963	2025	2131	2271		
N49GMNSC1	No Stitch, No Piping		1757	1831	1864	1919	1978	2078	2213	2849	3053
QN49GMNSC1	No Stitch, No Piping		1757	1831	1864	1919	1978	2078	2213		

DIMENSIONS

Width	28	Seat Height	15	Back Height	20¼	Weight	34
Depth	28½	Seat Depth	20½	Back Width	28	Cubic Ft.	22.9
Height	30¼	Seat Width	28				

- Contrasting fabric option - specify X (i.e. N49GMSC1X); see page 284. For list pricing, use your electronic specification tool or contact customer service
- The front back and piping will be the same fabric when the contrasting option is selected
- Contrasting piping option - specify P (i.e. N49GMSC1P). For list pricing, use your electronic specification tool or contact customer service
- Contrasting piping only available in National fabrics and leathers
- Due to stitch detail and dimensional design of the back and seat, horizontal stripes and large patterns are not recommended, as they will appear distorted or wavy across the back and seat
- Due to the inherent characteristics of upholstery materials, loose comfort wrinkles may be present or appear over time

LOUNGE 4-PRONG HIGH PROFILE POLISHED ALUMINUM BASE WITH AUTO RETURN

Polished Aluminum Base
Static

			1	2/COM	3/COL	4	5	6	7	L7	L8
N49GMS1H	Polished Aluminum Base	$	1794	1871	1906	1963	2025	2131	2271	2938	3151
N49GMNS1H	No Stitch, No Piping		1757	1831	1864	1919	1978	2078	2213	2849	3053

DIMENSIONS

Width	28	Seat Height	16¼	Back Height	20¼	Weight	34
Depth	28½	Seat Depth	20½	Back Width	28	Cubic Ft.	22.9
Height	31½	Seat Width	28				

- Contrasting fabric option - specify X (i.e. N49GMS1HX); see page 284. For list pricing, use your electronic specification tool or contact customer service
- The front back and piping will be the same fabric when the contrasting option is selected
- Contrasting piping option - specify P (i.e. N49GMS1HP). For list pricing, use your electronic specification tool or contact customer service
- Contrasting piping only available in National fabrics and leathers
- Due to stitch detail and dimensional design of the back and seat, horizontal stripes and large patterns are not recommended, as they will appear distorted or wavy across the back and seat
- Due to the inherent characteristics of upholstery materials, loose comfort wrinkles may be present or appear over time

LOUNGE 4-PRONG HIGH PROFILE WOOD BASE WITH AUTO RETURN

Wood Base
Static

			1	2/COM	3/COL	4	5	6	7	L7	L8
N49GMS1W	Wood Base	$	2167	2244	2279	2336	2398	2504	2644	3311	3524
N49GMNS1W	No Stitch, No Piping		2131	2205	2238	2293	2352	2452	2587	3223	3427

DIMENSIONS

Width	28	Seat Height	16⅝	Back Height	20¼	Weight	34
Depth	28½	Seat Depth	20½	Back Width	28	Cubic Ft.	22.9
Height	32¼	Seat Width	28				

- Contrasting fabric option - specify X (i.e. N49GMS1WX); see page 284. For list pricing, use your electronic specification tool or contact customer service
- The front back and piping will be the same fabric when the contrasting option is selected
- Contrasting piping option - specify P (i.e. N49GMS1WP). For list pricing, use your electronic specification tool or contact customer service
- Contrasting piping only available in National fabrics and leathers
- Due to stitch detail and dimensional design of the back and seat, horizontal stripes and large patterns are not recommended, as they will appear distorted or wavy across the back and seat
- Due to the inherent characteristics of upholstery materials, loose comfort wrinkles may be present or appear over time

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Stitch Option (when applicable)
4. Paint (when applicable)
5. Finish (when applicable)
6. Glides (when applicable)

• See page 283 for Grin options
• See page 284 for Contrasting Piping options

See page 289 for COM fabric yardage

OTTOMAN

Sled Base
Shown with 2½" Stitching

Swivel Base
Shown with 2½" Stitching

MODEL NO. | **GRADE / LIST PRICE**

			1	2/COM	3/COL	4	5	6	7	L7	L8
N49D1DM	Sled Base	$	1196	1245	1267	1304	1343	1410	1500	1924	2060
N49DN1DM	Sled Base, No Stitch, No Piping		1161	1193	1207	1230	1256	1299	1356	1629	1716
N49D14LM	4-Prong Swivel Base		1196	1245	1267	1304	1343	1410	1500	1924	2060
N49DN14LM	4-Prong Swivel Base, No Stitch, No Piping		1161	1193	1207	1230	1256	1299	1356	1629	1716

DIMENSIONS

Width	21¼	Sled Base Weight	19.5
Depth	18½	Swivel Base Weight	19.7
Height	15½	Cubic Ft	8.2

- Contrasting fabric option – specify X (i.e., N49D1DMX); see page 284. For list pricing, use your electronic specification tool or contact customer service
- The seat and welt cord will be the same fabric when the contrasting option is selected
- Contrasting piping option - specify P (i.e. N49D1DMP). For list pricing, use your electronic specification tool or contact customer service
- Contrasting piping only available in National fabrics and leathers
- Due to stitch detail and dimensional design of the seat, horizontal stripes and large patterns are not recommended, as they will appear distorted or wavy across the back and seat
- Due to the inherent characteristics of certain upholstery materials, loose comfort wrinkles may be present or appear over time, especially with non-stretch vinyls and upholsteries

GUEST

Sled

Wood Leg

			1	2/COM	3/COL	4	5	6	7	L7	L8
N49GUM	Metal	$	1035	1084	1106	1143	1182	1249	1339	1763	1899
QN49GUM	Metal		1035	1084	1106	1143	1182	1249	1339		
N49GUNM	Metal, No Stitch		1000	1039	1056	1085	1116	1168	1239	1572	1679
QN49GUNM	Metal, No Stitch		1000	1039	1056	1085	1116	1168	1239		
N49GUW	Wood		1221	1270	1292	1329	1368	1435	1525	1949	2085
QN49GUW	Wood		1221	1270	1292	1329	1368	1435	1525		
N49GUNW	Wood, No Stitch		1186	1225	1242	1271	1302	1354	1425	1758	1865
QN49GUNW	Wood, No Stitch		1186	1225	1242	1271	1302	1354	1425		

DIMENSIONS

Width	19¾	Seat Height	18¼	Back Height	17	Weight (M)	25
Depth	22½	Seat Depth	17	Back Width	16¾	Weight (W)	24
Height	32¾	Seat Width	18¼			Cubic Ft	11.5

- Contrasting fabric option - specify X (i.e. N49GUMX); see page 284. For list pricing, use your electronic specification tool or contact customer service
- Available with 1½" and 2½" stitch options, unless No Stitch model is specified

GRIN

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Stitch Option (when applicable)
4. Paint (when applicable)
5. Finish (when applicable)
6. Glides (when applicable)

• See page 283 for Grin options
See page 289 for COM fabric yardage

COUNTER

Sled

Wood Leg

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
N49CUM	Metal	$	1107	1139	1153	1176	1202	1245	1302	1575	1662
QN49CUM	Metal		1107	1139	1153	1176	1202	1245	1302		
N49CUNM	Metal, No Stitch		1070	1095	1106	1124	1144	1177	1222	1434	1502
QN49CUNM	Metal, No Stitch		1070	1095	1106	1124	1144	1177	1222		
N49CUW	Wood		1365	1397	1411	1434	1460	1503	1560	1833	1920
QN49CUW	Wood		1365	1397	1411	1434	1460	1503	1560		
N49CUNW	Wood, No Stitch		1329	1354	1365	1383	1403	1436	1481	1693	1761
QN49CUNW	Wood, No Stitch		1329	1354	1365	1383	1403	1436	1481		

DIMENSIONS

Width	18½	Seat Height	23¾	Back Height	7¼	Weight (M)	26
Depth	18¾	Seat Depth	15¾	Back Width	14¾	Weight (W)	24
Height	30¼	Seat Width	18¾			Cubic Ft	11.5

- Contrasting fabric option - specify X (i.e. N49CUMX); see page 284. For list pricing, use your electronic specification tool or contact customer service
- Available with 1½" and 2½" stitch options, unless No Stitch model is specified

BAR

Sled



Wood Leg

			1	2/COM	3/COL	4	5	6	7	L7	L8
N49BUM	Metal	$	1142	1174	1188	1211	1237	1280	1337	1610	1697
QN49BUM	Metal		1142	1174	1188	1211	1237	1280	1337		
N49BUNM	Metal, No Stitch		1107	1132	1143	1161	1181	1214	1259	1471	1539
QN49BUNM	Metal, No Stitch		1107	1132	1143	1161	1181	1214	1259		
N49BUW	Wood		1401	1433	1447	1470	1496	1539	1596	1869	1956
QN49BUW	Wood		1401	1433	1447	1470	1496	1539	1596		
N49BUNW	Wood, No Stitch		1365	1390	1401	1419	1439	1472	1517	1729	1797
QN49BUNW	Wood, No Stitch		1365	1390	1401	1419	1439	1472	1517		

DIMENSIONS

Width	19¾	Seat Height	30½	Back Height	7¼	Weight (M)	29
Depth	18¾	Seat Depth	15⅝	Back Width	14¾	Weight (W)	26
Height	36½	Seat Width	15¾			Cubic Ft	12.6

- Contrasting fabric option - specify X (i.e. N49BUMX); see page 284. For list pricing, use your electronic specification tool or contact customer service
- Available with 1½" and 2½" stitch options, unless No Stitch model is specified

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
N49D14LM, N49D1DM	Complete	1.40	1.50	2.30	3.70	26.6
N49D14LMP, N49D1DMP	Upholstery	1.30	1.40	2.30	3.70	24.4
	Piping	0.20				2.8
N49D14LMX, N49D1DMX	Seat	1.00	1.20	1.50	1.60	20
	Seat Accent	0.50	0.70	1.40	2.70	7.2
N49GMD1, N49GMS1, N49GMSC1, N49GMS1H, N49GMS1W		2.20	2.40	3.80	4.10	44
N49GMD1X, N49GMS1X, N49GMSC1X, N49GMS1HX, N49GMS1WX	Upholstery	1.40	1.60	2.20	2.60	28
	Extreme	1.00	1.20	1.90	2.20	20
N49GMD1P, N49GMS1P, N49GMSC1P, N49GMS1HP, N49GMS1WP	Upholstery	2.20	2.40	3.10	3.40	44
	Piping	0.30	0.30	0.30	0.30	6
N49GUW, N49GUM	Complete	1.30	1.50	2.50	3.50	26.6
N49GUWX, N49GUMX	Upholstery	0.80	1.00	1.80	2.50	14.9
	Extreme back (include part under the seat)	0.80	1.00	1.30	2.00	14.9
N49BUW, N49BUM N49CUW, N49CUM	Complete	0.90	1.30	2.00	2.50	17.2
N49BUWX, N49BUMX, N49CUWX, N49CUMX	Upholstery	0.80	1.00	1.40	1.80	14.9
	Extreme back (include part under the seat)	0.60	0.80	1.00	1.80	12.2
N49GUNW, N49GUNM	Complete	1.10	1.40	2.00	2.70	22.1
N49GUNWX, N49GUNMX	Upholstery	0.70	0.80	1.00	1.80	13.8
	Extreme back (include part under the seat)	0.80	1.00	1.20	1.80	14.9
N49BUNW, N49BUNM, N49CUNW, N49CUNM	Complete	0.70	1.00	1.50	2.30	13.8
N49BUNWX, N49BUNMX, N49CUNWX, N49CUNMX	Upholstery	0.60	0.80	1.00	1.80	11.1
	Extreme back (include part under the seat)	0.60	0.80	1.00	1.80	12.2
N49GMND1, N49GMNS1H, N49GMNS1W, N49GMNS1, N49GMNSC1	Complete	2.10	2.50	3.50	4.00	42.6
N49GMND1X, N49GMNS1HX, N49GMNS1WX, N49GMNS1X, N49GMNSC1X	Upholstery	1.30	1.50	2.00	2.50	24.9
	Extreme back (include part under the seat)	1.00	1.30	2.00	2.80	19.9
N49DN1DM, N49DN14LM	Complete	0.80	1.00	2.30	3.20	16.6
N49DN1DMX, N49DN14LMX	Seat	0.70	0.80	1.00	1.30	14.4
	Seat Accent	0.50	0.60	1.70	2.70	10

GRIN

HOBSEN

Product Specifications 292
Fabrics and Options 293
Contrasting Fabrics Specifications 294
Product Pages 295
COM Yardage Requirements 297

HOBSEN

HOBSEN PRODUCT SPECIFICATIONS



LOUNGE

FRAME CONSTRUCTION

- Walnut or Maple with mortise and tenon joints that are securely glued for maximum joint stability
- Arm assembly constructed of finger joints and securely glued
- Non-marring nylon glides

SEAT CONSTRUCTION

- 3" polyurethane foam covers a plywood panel with high tension sheet webbing

BACK CONSTRUCTION

- Polyurethane foam covers a 7/16" molded plywood shell

UPHOLSTERY DETAIL

- Contrasting fabric options available on lounge models
- Thicker polyurethanes and leathers may exaggerate the thickness of the back pillow



OTTOMAN

FRAME CONSTRUCTION

- Walnut or Maple with mortise and tenon joints that are securely glued for maximum joint stability
- Non-marring nylon glides

SEAT CONSTRUCTION

- 3" polyurethane foam covers a plywood panel with high tension sheet webbing

TABLES

FRAME CONSTRUCTION

- Walnut or Maple with mortise and tenon joints that are securely glued for maximum joint stability
- Non-marring nylon glides

TOPS

- Laminate surfaces are 1" HPL (high pressure laminate)
- Veneer surfaces are 1" plain sliced slipmatched cherry (Amber, Autumn, Mocha, Truffle) or maple veneer (Brighton, Caramel, Honey, Natural), plain sliced bookmatched walnut veneer (Clear Walnut, Cordovan, Judicial), quarter cut walnut veneer (Almond, Portobello, Sable), or quarter cut oak veneer (Sonoma)
- When specifying Clear Walnut, a clear coat finish, the natural wood characteristics of walnut veneer are visible. These characteristics include, but are not limited to, color and woodgrain variation
- Veneer and Laminate models feature an edgebanded 3mm softened rim
- Solid surface is 1" thick and features a reversed half-bullnose rim profile
- Glass surfaces are 3/8" thick tempered low-iron glass with a 45 degree beveled edge profile and are attached with a clear adhesive

FRAME FINISHES

- Maple wood species - All finishes are available except for Clear Walnut (EW)
- Walnut wood species - Clear Walnut (EW) finish at an additional upcharge
- When specifying Clear Walnut finish, the natural wood characteristics of Walnut are visible. These characteristics include, but are not limited to color & woodgrain variation
- Features a catalyzed top coat that resists denting, peeling, and reactions to chemicals
- Can be cleaned with a damp cloth
- When specifying Brighton, Natural, and Sonoma finish, variation in color is acceptable due to the nature of wood characteristics

FABRICS

Grade 1	Cali
	Entwine
	Input
	Melange
	Ridge
	Spark
	Vessel
	Zig Zag
Grade 2	Bliss
	Brilliant
	COM
	Dolce
	Dorset
	Intuition
	Orbit
	Phrase
	Pixie
	Sedona
	Stancil
	Strand
Grade 3	COL
	Silvertex
Grade 4	Connect Four
	Echo
	Masquerade
Grade 5	Mode
Grade 6	Essence/Ultraleather
Grade 7	Brisa
	Brisa Distressed
	Reef Pro
	Silica
	Silica Etch
	Tottori
Grade L7	Davenport
Grade L8	Florence

WOOD TOP/FRAME FINISHES

AC	Autumn	NM	Natural
AD	Almond	PB	Portobello
BZ	Brazilwood	PC	Porcini
CI	Chai	PT	Portico
CL	Caramel	SK	Skyline
CW	Cordovan	SM	Sonoma
DW	Judicial	TF	Truffle
EW	Clear Walnut*	WL	Willow
HN	Honey	405	Designer White
IM	Brighton	462	Cinder
KN	Kona	792	Sable
MC	Amber	793	Acorn
MH	Mocha		

*Additional $415 upcharge

TOP LAMINATE COLORS

WOODGRAIN LAMINATE

AC2	Autumn 2	MH	Mocha
AD	Almond	NM	Natural
BZ	Brazilwood	PB	Portobello
CI	Chai	PC	Porcini
CL	Caramel	PT	Portico
CW	Cordovan	SK	Skyline
DW	Judicial	SM	Sonoma
HN2	Honey 2	TF	Truffle
IM	Brighton	WL	Willow
KN	Kona	792	Sable
MC	Amber	793	Acorn*

SOLID LAMINATE

405	Designer White
419	Wallaby
425	Shadow
440	Cloud
457	Dapple
461	Graphite
462	Cinder
478	Platinum Grey
488	Frosty White
491	Designer White Linear
492	Cinder Linear

GALLERY LAMINATE

Grade 1 – 5% upcharge	
G1001	Citadel
G1011	Pepperdust

*Acorn is the laminate complement to Clear Walnut finish

See page 21 for Gallery program details and upcharges

SOLID SURFACE TOP OPTIONS

COLORS

7101	Bisque (Grade A)
7201	Glacier White (Grade A)
7202	Canyon (Grade B)
7203	Designer White (Grade B)
7204	Silt (Grade B)
7301	Concrete (Grade C)
7302	Deep Night Sky (Grade C)
7303	Deep Nocturne (Grade C)

RIM PROFILE



TO ORDER CONTRASTING FABRIC, SPECIFY

HOBSEN
Lowback, Arms page 295
Midback, Arms page 295

1. Model Number plus "X"
2. Back Fabric Grade/Cover Number
3. Extreme Back Fabric Grade/Cover Number
4. Seat Fabric Grade/Cover Number
5. Accent Fabric Grade/Cover Number
6. Wood Finish



Contrasting Fabric



Contrasting Fabric Back View

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Cover Number
4. Wood Finish

• See page 293 for Hobsen options

See page 297 for COM fabric yardage

LOWBACK LOUNGE



MODEL NO. **GRADE / LIST PRICE**

			1	2/COM	3/COL	4	5	6	7	L7	L8
N58L1LUA	Lowback, Arms	$	3144	3225	3261	3321	3386	3496	3643	4340	4563

DIMENSIONS

Width	33½	Seat Width	23	Arm Height	24	Weight	42.2
Depth	31	Seat Depth	22¼	Back Width	27	Cubic Ft.	22.9
Height	28	Seat Height	16½	Back Height	15		

• Contrasting fabric option – specify X (i.e., N58L1LUAX); see page 294. For list pricing, use your electronic specification tool or contact customer service

MIDBACK LOUNGE



			1	2/COM	3/COL	4	5	6	7	L7	L8
N58L1MUA	Midback, Arms	$	3246	3383	3445	3546	3656	3843	4092	5274	5652

DIMENSIONS

Width	33½	Seat Width	23	Arm Height	24	Weight	48
Depth	31	Seat Depth	22¾	Back Width	27	Cubic Ft.	27.5
Height	34	Seat Height	16½	Back Height	21		

• Contrasting fabric option – specify X (i.e., N58L1MUAX); see page 294. For list pricing, use your electronic specification tool or contact customer service

OTTOMAN



			1	2/COM	3/COL	4	5	6	7	L7	L8
N58D1		$	1451	1486	1502	1528	1556	1604	1668	1971	2068

DIMENSIONS

Width	21½	Weight	23
Depth	24	Cubic Ft.	9
Height	15¼		

HOBSEN

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color (if applicable)
3. Solid Surface Grade (if applicable)
4. Solid Surface Color (if applicable)
5. Wood Finish

• See page 293 for Hobsen options

END TABLE

Laminate/Veneer

Glass

MODEL NO.		GRADE / LIST PRICE			
		LIST/GRADE A	GRADE B	GRADE C	
N58T18ENRDL	Round, Laminate	$ 1990			
N58T18ENRDW	Round, Wood	2334			
N58T18ENRDG	Round, Glass	2467			
N58T18ENRDS	Round, Solid Surface	3859	3938	4046	

DIMENSIONS

Width	17½	Weight	22
Depth	17½	Weight - Glass	21
Height	23	Weight - Solid Surface	26
Height - Glass	22⅜	Cubic Ft.	8.0
		Cubic Ft. - Glass	7.7

- Ships assembled
- The veneer tops on wood models will always match the frame finish
- Laminate and veneer models feature a softened 3mm rim profile
- Solid surface models feature a reversed half-bullnose rim profile, see page 293
- Glass surfaces are ⅜" thick tempered low-iron glass with a 45 degree beveled edge profile and are attached with a clear adhesive

MAGAZINE TABLE

Laminate/Veneer

Glass

		LIST/GRADE A	GRADE B	GRADE C	
N58T2745MGOL	Oval, Laminate	$ 2391			
N58T2745MGOW	Oval, Wood	2714			
N58T2745MGOG	Oval, Glass	3163			
N58T2745MGOS	Oval, Solid Surface	5421	5723	6135	

DIMENSIONS

Width	45	Weight	61
Depth	27	Weight - Glass	65
Height	14⅜	Weight - Solid Surface	77
Height - Glass	13½	Cubic Ft.	18.0
		Cubic Ft. - Glass	17.1

- Ships assembled
- The veneer tops on wood models will always match the frame finish
- Laminate and veneer models feature a softened 3mm rim profile
- Solid surface models feature a reversed half-bullnose rim profile, see page 293
- Glass surfaces are ⅜" thick tempered low-iron glass with a 45 degree beveled edge profile and are attached with a clear adhesive

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
N58D1		1.00	1.00	1.50	1.50	17
N58L1LUA		2.30	3.10	4.30	7.10	45.4
N58L1LUAX	Back	1.10	1.30	1.70	3.20	21
	Seat	0.90	1.10	2.10	2.10	18.8
	Extreme	1.00	1.30	2.30	3.10	20.5
	Accent	0.40	0.60	1.10	1.70	7.8
N58L1MUA		2.83	3.50	6.75	6.75	56.45
N58L1MUAX	Back	1.25	1.80	2.50	2.50	24.9
	Seat	0.97	1.20	2.00	2.00	19.37
	Extreme	1.25	1.80	2.50	2.50	24.9
	Accent	0.56	1.00	1.60	2.00	11.07

HOBSEN

IDARA

Product Specifications 300
Fabrics and Options 301
Contrasting Fabrics Specifications 302
Product Pages 303
COM Yardage Requirements 307

IDARA

IDARA PRODUCT SPECIFICATIONS



FRAME CONSTRUCTION

- Welded steel frame encased in high grade polyurethane foam

SEAT CONSTRUCTION

- Plywood panel encased in high grade polyurethane foam

BASE AND GLIDES

Disc Base

- Available in polished or matte black
- Features 360° swivel
- Formed and welded steel mounting plate
- Adhesive backed fiber pad glides

4-Prong Low-Profile, Metal

- Available in polished or matte black
- Features 360° swivel
- Fully welded base construction
- White polypropylene glides

4-Leg Wood

- Beech wood legs utilizing tennon joints and glued for strength
- Guest models available as static or with auto-return swivel
- Non-marring nylon glides



4-Leg Wood with Metal Frame

- Beech wood legs supported by welded metal frame with screws and epoxy for strength
- Metal frame is always black
- Non-marring nylon glides

5-Prong Mobile Base

- Cylinder and base available in polished or matte black
- Features height adjustment and 360° swivel
- Control mechanism always black, powder coated steel with plastic handle
- Black, hard double wheel casters, which work on multiple surfaces, are standard
- Soft casters are available for an additional upcharge

UPHOLSTERY DETAIL

- Contrasting fabric available on all models
- Due to dimensional design of the back, horizontal stripes and large patterns are not recommended, as they will appear distorted or wavy
- All models feature a complementary zipper placed vertically down the center of the extreme back
- When specifying Florence leather on 2-Seat models, comfort wrinkles may be present due to the dimensional design of the back and arms

FINISH

- Features a catalyzed top coat that resists denting, peeling, and reactions to chemicals
- Can be cleaned with a damp cloth
- When specifying Brighton, Natural, and Sonoma finish, variation in color is acceptable due to the nature of wood characteristics

FABRICS

Grade 1	Cali
	Entwine
	Input
	Melange
	Ridge
	Spark
	Vessel
	Zig Zag
Grade 2	Bliss
	Brilliant
	COM
	Dolce
	Dorset
	Intuition
	Orbit
	Phrase
	Sedona
	Stancil
	Strand
Grade 3	COL
	Silvertex
Grade 4	Connect Four
	Echo
	Masquerade
Grade 5	Mode
Grade 6	Essence/Ultraleather
Grade 7	Brisa
	Brisa Distressed
	Reef Pro
	Silica
	Silica Etch
	Tottori
Grade L7	Davenport
Grade L8	Florence

FINISHES

WOOD BASE

AC	Autumn	NM	Natural
AD	Almond	PB	Portobello
BZ	Brazilwood	PC	Porcini
CI	Chai	PT	Portico
CL	Caramel	SK	Skyline
CW	Cordovan	SM	Sonoma
DW	Judicial	TF	Truffle
HN	Honey	WL	Willow
IM	Brighton	405	Designer White
KN	Kona	462	Cinder
MC	Amber	792	Sable
MH	Mocha	793	Acorn*

*Acorn is the finish complement to Clear Walnut finish

BASE PAINT OPTIONS

MB	Matte Black
PO	Polished

CASTERS

5-PRONG LOW PROFILE HEIGHT ADJUSTABLE MOBILE BASE

C3	Hard (standard)
C4	Soft (add $36 list)

TO ORDER CONTRASTING FABRIC, SPECIFY

IDARA

1. Model Number plus "X"
2. Back Fabric Grade Number/Cover Number
3. Extreme Back Fabric Grade Number/Cover Number
4. Seat Fabric Grade Number/Cover Number
5. Finish (wood leg base models only)



Contrasting Fabric



Contrasting Fabric



Contrasting Fabric

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Paint

• See page 301 for Idara options

See page 307 for COM fabric yardage

4-PRONG BASE

Midback



Highback

MODEL NO.

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N83GM4LM	Midback	$	2797	2885	2925	2990	3060	3180	3340	4097	4340
N83GH4LM	Highback		3143	3259	3311	3397	3490	3648	3859	4859	5179

DIMENSIONS

Width	32¼	Arm Height	23	Back Width	31	Weight - Mid	40
Depth	32¾	Seat Height	16½	Back Height - Mid	22½	Cubic Ft. - Mid	22.3
Height - Mid	36½	Seat Depth	20	Back Height - High	31	Weight - High	46
Height - High	45	Seat Width	18½			Cubic Ft. - High	27.5

• Contrasting fabric option – specify X (i.e., N85GH4LMX); see page 302. For list pricing, use your electronic specification tool or contact customer service

DISC BASE



Midback



Highback

			1	2/COM	3/COL	4	5	6	7	L7	L8
N83GMDA	Midback	$	2867	2955	2995	3060	3130	3250	3410	4167	4410
N83GHDA	Highback		3212	3328	3380	3466	3559	3717	3928	4928	5248

DIMENSIONS

Width	32¼	Arm Height	23	Back Width	31	Weight - Mid	60
Depth	32¾	Seat Height	16½	Back Height - Mid	22½	Cubic Ft. - Mid	22.3
Height - Mid	36½	Seat Depth	20	Back Height - High	31	Weight - High	66
Height - High	45	Seat Width	18½			Cubic Ft. - High	27.5

• Contrasting fabric option – specify X (i.e., N83GHDAX); see page 302. For list pricing, use your electronic specification tool or contact customer service

IDARA

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Finish

• See page 301 for Idara options
See page 307 for COM fabric yardage

4-LEG WOOD BASE



Midback



Highback

MODEL NO. **GRADE / LIST PRICE**

			1	2/COM	3/COL	4	5	6	7	L7	L8
N83GM4W	Midback	$	2970	3058	3098	3163	3233	3353	3513	4270	4513
N83GH4W	Highback		3315	3431	3483	3569	3662	3820	4031	5031	5351

DIMENSIONS

Width	32¼	Arm Height	23	Back Width	31	Weight - Mid	26
Depth	32¾	Seat Height	16½	Back Height - Mid	22½	Cubic Ft. - Mid	22.3
Height - Mid	36½	Seat Depth	20	Back Height - High	31	Weight - High	32
Height - High	45	Seat Width	18½			Cubic Ft. - High	27.5

• Contrasting fabric option – specify X (i.e., N83GM4WX); see page 302. For list pricing, use your electronic specification tool or contact customer service

2-SEAT WOOD BASE



Midback



Highback

			1	2/COM	3/COL	4	5	6	7	L7	L8
N83L2M4W	Midback	$	6769	6923	6993	7108	7231	7442	7724	9057	9484
N83L2H4W	Highback		7735	7924	8010	8151	8302	8561	8907	10543	11067

DIMENSIONS

Width	56⅞	Arm Height	23	Back Width	56½	Weight - Mid	106
Depth	32½	Seat Height	16¼	Back Height - Mid	22½	Cubic Ft. - Mid	44.1
Height - Mid	35½	Seat Depth	20½	Back Height - High	31	Weight - High	120
Height - High	42½	Seat Width	46½			Cubic Ft. - High	52.3

• Contrasting fabric option – specify X (i.e., N83L2M4WX); see page 302. For list pricing, use your electronic specification tool or contact customer service

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Wood Finish (if applicable)
4. Metal Paint (if applicable)

• See page 301 for Idara options

See page 307 for COM fabric yardage

GUEST DISC BASE



MODEL NO.		GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
N83GLDA	Guest, Disc	$	2203	2266	2295	2342	2392	2478	2594	3139	3314

DIMENSIONS

Width	25½	Seat Height	18¼	Arm Height	7⅝	Back Width	17½	Weight
Depth	25¼	Seat Depth	17¾	Arm Width	1½	Back Height	19	Cubic Ft. 15.7
Height	34¼	Seat Width	16¾					

• Contrasting fabric option – specify X (i.e., N83GLDAX); see page 302. For list pricing, use your electronic specification tool or contact customer service

GUEST METAL 4-PRONG

			1	2/COM	3/COL	4	5	6	7	L7	L8
N83GL4LM	Guest, 4-Prong	$	2203	2266	2295	2342	2392	2478	2594	3139	3314

DIMENSIONS

Width	25½	Seat Height	18¼	Arm Height	7⅝	Back Width	17½	Weight 39
Depth	25¼	Seat Depth	17¾	Arm Width	1½	Back Height	19	Cubic Ft. 15.7
Height	34¼	Seat Width	16¾					

• Contrasting fabric option – specify X (i.e., N83GL4LMX); see page 302. For list pricing, use your electronic specification tool or contact customer service

GUEST 5-PRONG LOW PROFILE MOBILE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N83GL5MC	Guest, 5-Prong Mobile	$	2203	2266	2295	2342	2392	2478	2594	3139	3314

DIMENSIONS

Width	27	Seat Height	15⅝-20⅛	Arm Height	7⅝	Back Width	17½	Weight
Depth	25½	Seat Depth	17¾	Arm Width	1½	Back Height	19	Cubic Ft. 15.5
Height	31½-36¼	Seat Width	16¾					

• Height Adjustable and 360 Swivel
• Contrasting fabric option – specify X (i.e., N83GL5MCX); see page 302. For list pricing, use your electronic specification tool or contact customer service

GUEST 4-LEG WOOD WITH METAL SUPPORT



			1	2/COM	3/COL	4	5	6	7	L7	L8
N83GLW4W	Guest, Wood with Metal Support	$	2242	2305	2334	2381	2431	2517	2633	3178	3353

DIMENSIONS

Width	25½	Seat Height	18½	Arm Height	7⅝	Back Width	17½	Weight
Depth	25¼	Seat Depth	17¾	Arm Width	1½	Back Height	19	Cubic Ft. 16.2
Height	34	Seat Width	16¾					

• Metal support is always black
• Contrasting fabric option – specify X (i.e., N83GLW4WX); see page 302. For list pricing, use your electronic specification tool or contact customer service

IDARA

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Wood Finish

• See page 301 for Idara options
See page 307 for COM fabric yardage

GUEST 4-LEG WOOD

MODEL NO.

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N83GL4W	Guest, Wood, Static	$	2154	2217	2246	2293	2343	2429	2545	3090	3265
N83GLS4W	Guest, Wood, Swivel		2290	2353	2382	2429	2479	2565	2681	3226	3401

DIMENSIONS

Width	25¾	Seat Height - Static	18⅛	Arm Height	7⅝	Back Width	17½	Weight - Static	28.4
Depth	25¼	Seat Height - Swivel	18¼	Arm Width	1½	Back Height	19	Weight - Swivel	31.4
Height - Static	33⅜	Seat Depth	17¾					Cubic Ft.	17.7
Height - Swivel	33½	Seat Width	16¾						

- Swivel rotates 180 degrees and features auto-return functionality
- Contrasting fabric option – specify X (i.e., N83GL4WX); see page 302. For list pricing, use your electronic specification tool or contact customer service

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
N83GHDA, N83GH4LM, N83GH4W		3.17	4.00	6.00	7.50	63.09
N83GHDAX, N83GH4LMX,	Back	1.22	1.80	2.30	4.30	24.35
N83GH4WX	Seat	0.83	1.00	2.00	2.30	16.60
	Extreme	1.72	2.20	3.50	4.00	34.31
N83GLDA, N893GLS4W, N83GLW4W, N83GL4LM, N83GL4W, N83GL5MC		1.80	2.50	3.30	4.80	35.97
N83GLDAX, N83GLS4WX,	Back	0.80	1.10	1.90	2.00	15.50
N83GLW4WX, N83GL4MX,	Seat	0.70	0.90	1.00	2.40	13.84
N83GL4WX, N83GL5MCX	Extreme	1.00	1.40	2.10	2.60	20.48
N83GMDA, N83GM4LM, N83GM4W		2.56	3.50	5.00	5.70	50.92
N83GMDAX, N83GM4LMX,	Back	1.00	1.50	1.90	2.00	19.92
N83GM4WX	Seat	0.83	1.00	2.00	2.30	16.60
	Extreme	1.39	1.80	2.80	3.40	27.67
N83L2H4W		5.40	6.70	8.00	10.10	106.81
N83L2H4WX	Back	1.90	2.50	2.80	3.20	38.74
	Seat	1.60	2.00	2.20	3.40	31.55
	Extreme	2.60	3.20	5.30	7.10	52.02
N83L2M4W		4.40	5.30	6.60	7.40	86.89
N83L2M4WX	Back	1.40	1.70	2.00	2.00	27.67
	Seat	1.60	2.10	2.40	2.80	31.55
	Extreme	2.20	2.70	3.70	4.90	43.17

IDARA

JEWEL

Product Specifications 310
Product Pages 311

JEWEL

JEWEL PRODUCT SPECIFICATIONS



FRAME CONSTRUCTION
- 25/32" hot rolled, welded, polished, tubular steel

SEAT AND BACK
- 7/16" molded plywood cross banded for strength
- Custom molded and contoured for comfort and support

ARM CAPS
- 1⅜" thick solid bentwood, finished to match the shell

GLIDES
- Black nylon glides are standard

FINISH
- Brighton, Pecan, Grey, White, and Black feature a catalyzed top coat
- White is enamel paint
- When specifying Brighton, Pecan, and Grey finish, variation in color is acceptable due to the nature of wood characteristics

WOOD
- Beech

STACKABILITY
- Side chair and stool bumpers are each stackable up to 4 high
- Rubber stack bumpers are standard

GANGING BRACKETS
- Sold in package of 5 pairs
- 1 pair is required to gang 2 chairs, 2 pairs will gang 3 chairs
- Ganging brackets snap onto the legs
- Armless models or alternating armless and arm chair may be connected
- 2 arm chair models cannot be ganged side by side

All Jewel models meet TB133 fire code.

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number

ARMLESS

MODEL NO.		LIST PRICE
N44GM1WPE	Pecan	$ 672
N44GM1WIM	Brighton	672
N44GM1WBL	Black	672
N44GM1WGR	Grey	672
N44GM1WWH	White	672

DIMENSIONS

Width	19¾	Seat Height	18⅛	Back Height	17⅜	Weight	15
Depth	23¼	Seat Depth	17¾	Back Width	17¼	Cubic Ft.	4.5
Height	31¾	Seat Width	18				

ARMS

N44GA1WPE	Pecan	$ 828
N44GA1WIM	Brighton	828
N44GA1WBL	Black	828
N44GA1WGR	Grey	828
N44GA1WWH	White	828

DIMENSIONS

Width	19¾	Seat Height	18⅛	Arm Height	26½	Weight	18
Depth	23¼	Seat Depth	17¾	Back Height	17⅜	Cubic Ft.	4.5
Height	31¾	Seat Width	18	Back Width	17¼		

ARMLESS STOOL



N44SM2WPE	Pecan, Package of 2	$ 2019
N44SM2WIM	Brighton, Package of 2	2019
N44SM2WBL	Black, Package of 2	2019
N44SM2WGR	Grey, Package of 2	2019
N44SM2WWH	White, Package of 2	2019

DIMENSIONS

Width	21½	Seat Height	29¾	Back Height	17⅜	Weight	24.5
Depth	24¾	Seat Depth	17¾	Back Width	17¼	Cubic Ft.	9.6
Height	43¾	Seat Width	18				

GANGING BRACKET

N44GB	Package of 5 pairs	$ 78

DIMENSIONS

Width	4½	Weight	4
Depth	1	Cubic Ft.	0.5
Height	1½		

- 1 pair is required to gang 2 chairs, 2 pairs will gang 3 chairs
- Armless models or alternating armless and arm chair may be ganged
- 2 arm chairs cannot be ganged together

JEWEL

JIMINY

Product Specifications 314
Fabrics and Options 315
Contrasting Fabrics Specifications 316
Product Pages 317
COM Yardage Requirements 318

JIMINY

JIMINY PRODUCT SPECIFICATIONS



FRAME CONSTRUCTION

- Legs are made of 1¼" x ⅝" thick steel for strength and durability
- Cross members are constructed of ⅝" x 14-gauge thick steel
- Leg is joined to cross member bar with metal inert gas (MIG) welds
- Flexible back mechanism and frame connectors are die-cast polished aluminum

SEAT CONSTRUCTION

- 1⅝" of high grade polyurethane foam
- Contoured, injection molded nylon seat panel with an inner polyethylene seat support

BACK CONSTRUCTION

- Contoured, injection mold glass filled nylon
- Flexible back mechanism allows 9° of recline

MESH

- 64% polyelastomeric, 36% polyester
- Cleaning code W
- 100,000+ double rubs

BACK UPHOLSTERY

- Two-piece plastic back with 1" foam thickness

ARMREST

- ABS plastic arm cap attached to a glass filled nylon arm support
- Arms adjust 2" forward to backward

GLIDES

- Durable hard black nylon glides
- Back static legs feature small glide rollers to allow for ease of mobility when nesting
- Soft glides are available at an upcharge
- Soft glides do not feature small glide roller on back legs

CASTERS

- 44 mm black double wheel, which work on multiple surfaces
- Soft, double wheel casters, for use on hard floors, are available at an upcharge

FINISH

- Cinder and Platinum Metallic frames are finished with electrostatically baked-on powder coat paint

NESTED DIMENSIONS

- Nested depth of 2 chairs is 31"; add 10" for each additional nested chair

Jiminy mesh back models may be ordered to meet TB133 fire code.

To order seating to meet the TB133 fire code, specify an "F" at the end of the model number (Ex: N52GHMF).

For TB133 pricing go to www.NationalOfficeFurniture.com/TB133

Please consult customer service for applicable Arc-Com, Carnegie, Designtex, Maharam, Mayer, Momentum, Stinson, or Ultrafabrics fabric.

FABRICS

Grade 1	Cali
	Entwine
	Input
	Melange
	Ridge
	Spark
	Vessel
	Zig Zag
Grade 2	Bliss
	Brilliant
	COM
	Dolce
	Dorset
	Intuition
	Orbit
	Phrase
	Pixie
	Sedona
	Stancil
	Strand
Grade 3	COL
	Silvertex
Grade 4	Connect Four
	Echo
	Masquerade
Grade 5	Mode
Grade 6	Essence/Ultraleather
Grade 7	Brisa
	Brisa Distressed
	Reef Pro
	Silica
	Silica Etch
	Tottori
Grade L7	Davenport
Grade L8	Florence

FRAME COLORS

462	Cinder
501	Platinum Metallic

CASTERS

C11	Hard (standard)
C12	Soft (add $36 list)

GLIDES

STD	Standard
C21	Soft (add $34 list)

TO ORDER CONTRASTING FABRIC, SPECIFY

JIMINY
Static page 317
Mobile page 317

1. Model Number plus "X"
2. Back Fabric Grade Number/Cover Number
3. Seat Fabric Grade Number/Cover Number
4. Frame Color
5. Glides or Casters



Contrasting Upholstery

JIMINY

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Cover Number
4. Frame Color
5. Glides or Casters

• See page 315 for Jiminy options
See page 318 for COM fabric yardage

STATIC

N52GHM

N52GUA

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
N52GHM	Armless Mesh	$	928	956	969	990	1012	1050	1102	1344	1422
QN52GHM	Armless Mesh		928	956	969	990	1012	1050	1102		
N52GHA	Arms Mesh		970	998	1011	1032	1054	1092	1144	1386	1464
QN52GHA	Arms Mesh		970	998	1011	1032	1054	1092	1144		
N52GUM	Armless Upholstered		1001	1033	1047	1070	1096	1139	1196	1469	1556
QN52GUM	Armless Upholstered		1001	1033	1047	1070	1096	1139	1196		
N52GUA	Arms Upholstered		1041	1073	1087	1110	1136	1179	1236	1509	1596
QN52GUA	Arms Upholstered		1041	1073	1087	1110	1136	1179	1236		

DIMENSIONS

Width	23½	Seat Height	17¾	Arm Height	26½	Weight	23
Depth	22	Seat Depth	16¾	Back Height	16¾	Cubic Ft.	14.5
Height	33½	Seat Width	17½	Back Width	17		

- Chairs will be shipped 4 per carton when applicable
- Contrasting fabric option – specify X (i.e., N52GUMX); see page 316. For list pricing, use your electronic specification tool or contact customer service

MOBILE

N52GHAC

N52GUMC

			1	2/COM	3/COL	4	5	6	7	L7	L8
N52GHMC	Armless Mesh	$	970	998	1011	1032	1054	1092	1144	1386	1464
QN52GHMC	Armless Mesh		970	998	1011	1032	1054	1092	1144		
N52GHAC	Arms Mesh		1013	1041	1054	1075	1097	1135	1187	1429	1507
QN52GHAC	Arms Mesh		1013	1041	1054	1075	1097	1135	1187		
N52GUMC	Armless Upholstered		1041	1073	1087	1110	1136	1179	1236	1509	1596
QN52GUMC	Armless Upholstered		1041	1073	1087	1110	1136	1179	1236		
N52GUAC	Arms Upholstered		1086	1118	1132	1155	1181	1224	1281	1554	1641
QN52GUAC	Arms Upholstered		1086	1118	1132	1155	1181	1224	1281		

DIMENSIONS

Width	23½	Seat Height	17¾	Arm Height	26½	Weight	23
Depth	22	Seat Depth	16¾	Back Height	16¾	Cubic Ft.	17
Height	33½	Seat Width	17½	Back Width	17		

- Chairs will be shipped 4 per carton when applicable
- Contrasting fabric option – specify X (i.e., N52GUMCX); see page 316. For list pricing, use your electronic specification tool or contact customer service

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
N52GHA, N52GHAC, N52GHM, N52GHMC		0.80	0.80	1.10	1.00	14
N52GUM, N52GUA N52GUMC, N52GUAC		0.70	0.90	1.50	1.80	13.8
N52GUMX, N52GUAX	Back	0.50	0.70	0.50	1.10	9.4
N52GUMCX, N52GUACX	Seat	0.70	0.70	0.90	1.00	13.8

JOVALIE

Product Specifications 320
Fabrics and Options 321
Contrasting Fabrics Specifications 322
Contrasting Piping Specifications 322
Product Pages 323
COM Yardage Requirements 327

JOVALIE

JOVALIE PRODUCT SPECIFICATIONS



LOUNGE

FRAME CONSTRUCTION

- Interior frame is constructed of plywood with tenon joints that are glued and stapled for maximum joint stability
- Extreme back is shaped by a 100% recycled plastic shell

SEAT CONSTRUCTION

- Seat cushions are attached and feature 5" high grade polyurethane foam placed on a webbed panel

BACK & ARM CONSTRUCTION

- Back consists of 2" high grade polyurethane foam stretched over coil springs
- Arms are integrated into the curve of the back and consist of 2" high grade polyurethane foam stretched over plywood frame

UPHOLSTERY DETAIL

- Due to dimensional design of the back, stripes and large patterns are not recommended, as they will appear distorted or wavy
- All models feature welt cord framing detail, referred to as piping. Small patterns are not recommended for the piping as it may appear distorted or wavy
- Available with contrasting fabric or contrasting piping
- To maintain a soft sit, comfort wrinkles are acceptable with certain fabrics
- On larger units, puddling may occur over time with certain fabrics

MOBILE

- Available with hard or soft 1½" non-locking, dual-wheel casters

SWIVEL

- Metal swivel base is 25" in diameter with rubber glides
- Features 360° swivel

GLIDES

- Black, hard, and soft combination glides are standard

POWER & USB GROMMETS

- Integrated power grommet available on static models only when CUT-G32 is specified
- UL Listed
- Hardwire and Plug solutions available
- Features 1 power outlet or 1 USB A+C combo ports
- Grommet available in black, white, light grey, and dark grey
- Must be field installed

FABRICS

Grade 1	Cali
	Entwine
	Input
	Melange
	Ridge
	Spark
	Vessel
	Zig Zag
Grade 2	Bliss
	Brilliant
	COM
	Dolce
	Dorset
	Intuition
	Orbit
	Phrase
	Pixie
	Sedona
	Stancil
	Strand
Grade 3	COL
	Silvertex
Grade 4	Connect Four
	Echo
	Masquerade
Grade 5	Mode
Grade 6	Essence/Ultraleather
Grade 7	Brisa
	Brisa Distressed
	Reef Pro
	Silica
	Silica Etch
	Tottori
Grade L7	Davenport
Grade L8	Florence

POWER/USB GROMMET CUTOUT OPTIONS

($40 list upcharge per location)

CUT-G32L	Cutout, Left
CUT-G32R	Cutout, Right
CUT-G32LR	Cutout, Left & Right
X	No Cutout

Grommets sold separately; reference pages 325-326 for model numbers and pricing.

CASTERS

C31	Hard Dual Wheel, Black (standard)
C32	Soft Dual Wheel, Black (add $74 list)

TO ORDER CONTRASTING FABRIC, SPECIFY

JOVALIE
Lounge w/ Contrasting Fabric
One Seat page 323
Two Seat page 324
Three Seat page 324

1. Model Number plus "X"
2. Back Fabric Grade Number/Cover Number
3. Extreme Back Fabric Grade Number/Cover Number
4. Seat Fabric Grade Number/Cover Number
5. Piping Fabric Grade Number/Cover Number
6. Grommet (when applicable)
7. Casters (when applicable)



Contrasting Upholstery and Piping

TO ORDER CONTRASTING PIPING, SPECIFY

JOVALIE
Lounge w/ Contrasting Piping
One Seat page 323
Two Seat page 324
Three Seat page 324

1. Model Number plus "P"
2. Upholstery Fabric Grade Number/Cover Number
3. Piping Fabric Grade Number/Cover Number
4. Grommet (when applicable)
5. Casters (when applicable)


Contrasting Piping

JOVALIE

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Cover Number
4. Grommet (when applicable)
5. Casters (when applicable)

- See page 321 for Jovalie options
- See page 322 for Contrasting Piping options

See page 327 for COM fabric yardage

SINGLE SEAT



Single Seat without Grommet



Single Seat with Grommet

MODEL NO.

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N94L1A	Single Seat, Static	$	3958	4105	4172	4281	4399	4601	4869	6142	6549
N94L1AC	Single Seat, Mobile		4167	4314	4381	4490	4608	4810	5078	6351	6758
N94L1ASM	Single Seat w/ 360° Swivel		4398	4545	4612	4721	4839	5041	5309	6582	6989

DIMENSIONS

Width	38½	Seat Height	15¾	Arm Height	26¾	Weight	83
Depth	34	Seat Depth	21	Arm Width	4	Swivel Weight	93
Height	28¾	Seat Width	26¾	Back Height	15½	Cubic Ft.	21.8
				Back Width	17½		

- Grommet cut-outs are only available on static models, in the right or left position
- Contrasting fabric option – specify X (i.e., N94L1AX); see page 322. For list pricing, use your electronic specification tool or contact customer service
- Contrasting piping option - specify P (i.e. N94L1AP). For list pricing, use your electronic specification tool or contact customer service
- Contrasting piping only available in National fabrics and leathers

JOVALIE

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Cover Number
4. Grommet (when applicable)

- See page 321 for Jovalie options
- See page 322 for Contrasting Piping options

See page 327 for COM fabric yardage

TWO SEAT



MODEL NO.		GRADE / LIST PRICE	1	2/COM	3/COL	4	5	6	7	L7	L8
N94L2A	Two Seat	$	5718	5928	6024	6180	6348	6636	7020	8838	9420

DIMENSIONS

Width	66½	Seat Height	16⅔	Arm Height	26¾	Weight		
Depth	34	Seat Depth	21	Arm Width	4	Cubic Ft.	37.6	
Height	28¾	Seat Width	54¾	Back Height	15½			
				Back Width	45½			

- Due to the spanning nature of this model, varying degrees of puddling may occur with certain fabrics
- Grommet cut-outs are available in the left position, right position, or both for two and three seat models
- A power in-feed is needed for each grommet location
- Contrasting fabric option – specify X (i.e., N94L2AX); see page 322. For list pricing, use your electronic specification tool or contact customer service
- Contrasting piping option - specify P (i.e. N94L2AP). For list pricing, use your electronic specification tool or contact customer service
- Contrasting piping only available in National fabrics and leathers

THREE SEAT



			1	2/COM	3/COL	4	5	6	7	L7	L8
N94L3A	Three Seat	$	7368	7680	7822	8053	8303	8730	9299	11996	12859

DIMENSIONS

Width	94¼	Seat Height	15¾	Arm Height	26¾	Weight		
Depth	34	Seat Depth	21	Arm Width	4	Cubic Ft.	53.3	
Height	28¾	Seat Width	48½	Back Height	15½			
				Back Width	83¼			

- Due to the spanning nature of this model, varying degrees of puddling may occur with certain fabrics
- Grommet cut-outs are available in the left position, right position, or both for two and three seat models
- A power in-feed is needed for each grommet location
- Contrasting fabric option – specify X (i.e., N94L3AX); see page 322. For list pricing, use your electronic specification tool or contact customer service
- Contrasting piping option - specify P (i.e. N94L3AP). For list pricing, use your electronic specification tool or contact customer service
- Contrasting piping only available in National fabrics and leathers

TO ORDER, SPECIFY:

1. Model Number

POWER ENTRY

Plug View

MODEL NO.		LIST PRICE	CARTONED WEIGHT	CUBIC FEET
NAC72ELE4H	Electrical Power Entry (Hardwire) + 4WC	$ 201	1.95 lbs.	0.38
NAC48ELE4P	48" Electrical Power Entry (20 amp Plug)	293	1.95 lbs.	0.38
NAC72ELE4P	72" Electrical power entry (20 amp Plug)	330	2.45 lbs.	0.38

- Specify model number only
- Must be ordered with power or USB grommet
- 1 power entry is necessary to power 1 or multiple units

POWER GROMMET



NACG32P1ELW	White	$ 231	1.23 lbs.	0.15
NACG32P1ELB	Black	231	1.23 lbs.	0.15
NACG32P1ELG	Light Grey	231	1.23 lbs.	0.15
NACG32P1ELD	Dark Grey	231	1.23 lbs.	0.15

- Specify model number only
- Must use with power entry
- Features 1 power outlet

USB A/C GROMMET



NACG32A1ELPDW	White	$ 370	1.23 lbs.	0.15
NACG32A1ELPDB	Black	370	1.23 lbs.	0.15
NACG32A1ELPDG	Light Grey	370	1.23 lbs.	0.15
NACG32A1ELPDD	Dark Grey	370	1.23 lbs.	0.15

- Specify model number only
- Must use with power entry
- Features USB A/C combo ports

JOVALIE

TO ORDER, SPECIFY:

1. Model Number

POWER GROMMET CHICAGO HARDWIRE



MODEL NO.		LIST PRICE	CARTONED WEIGHT	CUBIC FEET
NACG32PELH6W	White, 6' Length	$ 322	1.23 lbs.	0.15
NACG32PELH6B	Black, 6' Length	322	1.23 lbs.	0.15
NACG32PELH6G	Light Grey, 6' Length	322	1.23 lbs.	0.15
NACG32PELH6D	Dark Grey, 6' Length	322	1.23 lbs.	0.15

- Specify model number only
- Features 1 power outlet
- No power entry required

USB A/C GROMMET CHICAGO HARDWIRE



NACG32AELHCW	White, 6' Length	$ 461	1.23 lbs.	0.15
NACG32AELHCB	Black, 6' Length	461	1.23 lbs.	0.15
NACG32AELHCG	Light Grey, 6' Length	461	1.23 lbs.	0.15
NACG32AELHCD	Dark Grey, 6' Length	461	1.23 lbs.	0.15

- Specify model number only
- Features 2 USB A/C combo ports
- No power entry required

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
N94L1A, N94L1AC, N94L1ASM		4.20	5.40	6.90	8.20	83.57
N94L1AX, N94L1ACX, N94L1ASMX	Back	1.80	2.20	3.50	5.20	36.53
	Extreme	2.40	2.70	2.70	3.70	47.04
	Seat	1.40	2.40	2.40	3.10	28.23
	Piping	0.30	0.30	0.30	0.30	4.98
N94L1AP, N94L1ACP, N94L1ASMP	Upholstery	4.20	5.40	6.90	8.20	83.57
	Piping	0.30	0.30	0.30	0.30	4.98
N94L2A		6.00	8.60	10.90	13.70	120.1
N94L2AX	Back	2.50	3.00	4.60	5.20	49.26
	Extreme	3.10	3.60	4.10	4.70	61.99
	Seat	2.50	4.00	4.20	4.80	49.26
	Piping	0.30	0.30	0.30	0.30	6.64
N94L2AP	Upholstery	6.00	8.60	10.90	13.70	120.1
	Piping	0.30	0.30	0.30	0.30	6.64
N94L3A		8.90	11.90	14.50	16.50	177.1
N94L3AX	Back	2.90	3.50	5.80	5.80	57.56
	Extreme	3.90	4.60	5.10	5.70	77.48
	Seat	3.80	4.20	5.00	6.90	75.27
	Piping	0.30	0.30	0.30	0.30	6.64
N94L3AP	Upholstery	8.90	11.90	14.50	16.50	177.1
	Piping	0.30	0.30	0.30	0.30	6.64

JOVALIE

KARID

Product Specifications 330
Fabrics and Options 331
Contrasting Fabrics Specifications 332
Product Pages 333
COM Yardage Requirements 334

KARID

KARID PRODUCT SPECIFICATIONS



BACK CONSTRUCTION

- Back consists of a metal frame with a 1½" thick polyurethane molded foam overlay with horizontal decorative stitching

HEADREST CONSTRUCTION

- Headrest on high back unit has 4¼" thick molded foam

SEAT CONSTRUCTION

- Seat consists of a plywood core panel with a 4" molded polyurethane foam with piping around the seat edge

ARM CONSTRUCTION

- Static arms are aluminum with a polyurethane black arm cap

CONTRASTING FABRICS

- Contrasting fabric available on all models except the 48 hour Quick Delivery

CONTROL MECHANISM—SYNCHRONOUS TILT

- In synchronous one lock tilt, the backrest and seat pan of a chair recline at a different ratio. For every 2" of back recline, the seat angle tilts 1" (2:1 ratio) as you lean back. This minimizes the seat pan rise as you tilt, allowing your feet to remain on the floor while your gaze remains straight ahead
- Tension control allows for greater spring tension control for a firmer or softer tilting motion. Turn knob counterclockwise to decrease. Tension control is important so that a chair can be adjusted to accommodate users of different body types and sizes and for different work styles. It regulates the amount of resistance you feel when leaning back in the chair, and the effort required to recline backwards

HEIGHT ADJUSTMENT

- The pneumatic height adjustment raises or lowers the seat to the desired height
- Seat height should be adjusted to allow your legs to maintain a 90° angle to the floor or footrest. This keeps pressure off the back of your legs, so blood flow isn't restricted
- 5-star swivel base gives 5" of height adjustment and swivels 360°
- Base comes in polished aluminum or black nylon

CASTERS

- Black/polished 65mm, hard dual-wheel casters are standard
- Soft dual-wheel casters are available as an option on configurable task models

FABRICS

Grade 1
- Cali
- Entwine
- Input
- Melange
- Ridge
- Spark
- Vessel
- Zig Zag

Grade 2
- Bliss
- Brilliant
- COM
- Dolce
- Dorset
- Intuition
- Orbit
- Phrase
- Pixie
- Sedona
- Stancil
- Strand

Grade 3
- COL
- Silvertex

Grade 4
- Connect Four
- Echo
- Masquerade

Grade 5
- Mode

Grade 6
- Essence/Ultraleather

Grade 7
- Brisa
- Brisa Distressed
- Reef Pro
- Silica
- Silica Etch
- Tottori

Grade L7
- Davenport

Grade L8
- Florence

BASE

462 Black
497 Polished Aluminum (add $133 list)

CASTERS

C62 Hard 65mm Polished/Black Dual Wheel
For Use On Carpet
C63 Soft 65mm Polished/Black Dual Wheel
For Use On Hard Floors (add $41 list)

PACK

KD Ready To Assemble
FA Full Assembly (add $114 list)

BACK

TO ORDER CONTRASTING FABRIC, SPECIFY

KARID
Mid Back page 333
High Back page 333

1. Model Number plus "X"
2. Back Fabric Grade Number/Cover Number
3. Seat Fabric Grade Number/Cover Number
4. Base
5. Casters



Contrasting Upholstery

QD

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Cover Number
4. Base
5. Casters

• See page 331 for Karid options

See page 334 for COM fabric yardage

EXECUTIVE MID BACK CONFERENCE ARMS SYNCHRONOUS

48

MODEL NO.		GRADE / LIST PRICE	
N42BME8SA	Black Faux Leather, Polished Aluminum Base	$	1135

DIMENSIONS

Width	25¼	Seat Height	16½-21¼	Arm Height	24¼	Weight	46.3
Depth	25½	Seat Depth	18¼	Arm Width	2	Cubic Ft.	7.1
Height	38¾	Seat Width	19¼				

• Pack option is not available on Quick Delivery models

EXECUTIVE MID BACK CONFERENCE ARMS SYNCHRONOUS

		1	2/COM	3/COL	4	5	6	7	L7	L8
N42ME8S	$	1728	1781	1805	1844	1886	1958	2054	2508	2654

DIMENSIONS

Width	25¼	Seat Height	16½-21¼	Arm Height	24¼	FA Weight	47
Depth	25½	Seat Depth	18¼	Arm Width	2	KD Weight	45.9
Height	38¾	Seat Width	19¼			FA Cubic Ft.	14.4
						KD Cubic Ft.	15

• Contrasting fabric option – specify X (i.e., N42ME8SX); see page 332. For list pricing, use your electronic specification tool or contact customer service

EXECUTIVE HIGH BACK CONFERENCE ARMS SYNCHRONOUS



		1	2/COM	3/COL	4	5	6	7	L7	L8
N42HE8S	$	1841	1904	1933	1980	2030	2116	2232	2777	2952

DIMENSIONS

Width	25¼	Seat Height	16½-21¼	Arm Height	24¼	FA Weight	51
Depth	25½	Seat Depth	18¼	Arm Width	2	KD Weight	50.8
Height	47¼	Seat Width	19¼			FA Cubic Ft.	27.7
						KD Cubic Ft.	18.5

• Contrasting fabric option – specify X (i.e., N42HE8SX); see page 332. For list pricing, use your electronic specification tool or contact customer service

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
N42HE8S		1.80	2.40	3.10	4.70	34.87
N42HE8SX	Back	1.30	1.60	2.80	4.00	25.46
	Seat	0.90	1.10	1.40	1.70	18.82
N42ME8S		1.50	2.10	3.00	3.70	29.6
N42ME8SX	Back	1.00	1.40	2.70	3.00	19.92
	Seat	0.90	1.10	1.40	1.70	18.82

KOZMIC

Product Specifications 336
Fabrics and Options 337
Contrasting Fabrics Specifications 338
Product Pages 339
Typicals 346
COM Yardage Requirements 348

KOZMIC PRODUCT SPECIFICATIONS



SPINE CONSTRUCTION

- Interior frame is constructed of plywood with tenon joints
- 1" of high grade polyurethane foam covers the top of spine
- Each unit includes ganging brackets that also serve as wire management

SPINE LEGS AND GLIDES

- Aluminum legs available in polished or powder coated Concrete, Cinder, Iron, Platinum Metallic, or Satin Nickel Metallic
- Features a black 1½" adjustable leveling glide
- White, soft leveling glides with 1½" adjustment are available for an additional upcharge

SEAT CONSTRUCTION

- 3" of high grade polyurethane foam covers a plywood seat construction

IMPROMPTU SEATING CASTERS

- Black, 37 mm double wheel, roll control casters are standard. Casters are free rolling when sitting on unit
- Black, 50 mm double wheel, braking casters are available for an additional upcharge. Casters are non-rolling when sitting on unit
- Recommend braking casters for use on hard floors

IMPROMPTU SEATING GLIDES

- Black 1½" adjustable leveling glides are standard
- White, soft glides with 1½" adjustment are available for an additional upcharge

UPHOLSTERY DETAIL

- Contrasting fabric available on all models

TABLES

- 1" thick worksurfaces are laminate with PVC softened rim or clear PVC exposed plywood rim
- 1" thick bistro worksurfaces are laminate with clear exposed plywood edge
- CSL option available, except bistro table

TABLE LEGS

- Steel rectangular legs with 2" adjustable glides available in powder coated Concrete, Cinder, Iron, Platinum Metallic, or Satin Nickel Metallic

POWER AND USB GROMMET OPTION

- UL Listed
- Non-sequential "daisy chain" solution
- Use of 1 circuit allows 26 power grommets to be linked together
- Use of 2 circuits allows 52 power grommets to be linked together
- Field installable
- Grommet available in white, black, light grey and dark grey
- USB grommet features 2 USB ports
- Power grommet features 1 power outlet

All Kozmic models may be ordered to meet TB133 fire code.

To order seating to meet the TB133 fire code, specify an "F" at the end of the model number (Ex: N87IN3616CF).

For TB133 pricing go to www.NationalOfficeFurniture.com/TB133

Please consult customer service for applicable Arc-Com, Carnegie, Designtex, Maharam, Mayer, Momentum, Stinson, or Ultrafabrics fabric.

FABRICS

Grade 1	Cali
	Entwine
	Input
	Melange
	Ridge
	Spark
	Vessel
	Zig Zag
Grade 2	Bliss
	Brilliant
	COM
	Dolce
	Dorset
	Intuition
	Orbit
	Phrase
	Pixie
	Sedona
	Stancil
	Strand
Grade 3	COL
	Silvertex
Grade 4	Connect Four
	Echo
	Masquerade
Grade 5	Mode
Grade 6	Essence/Ultraleather
Grade 7	Brisa
	Brisa Distressed
	Reef Pro
	Silica
	Silica Etch
	Tottori
Grade L7	Davenport
Grade L8	Florence

LAMINATE WORKSURFACES

WOODGRAIN LAMINATE

AC2	Autumn 2	MH	Mocha
AD	Almond	NM	Natural
BZ	Brazilwood	PB	Portobello
CI	Chai	PC	Porcini
CL	Caramel	PT	Portico
CW	Cordovan	SK	Skyline
DW	Judicial	SM	Sonoma
HN2	Honey 2	TF	Truffle
IM	Brighton	WL	Willow
KN	Kona	792	Sable
MC	Amber	793	Acorn*

*Acorn is the laminate complement to Clear Walnut finish

PATTERN LAMINATE

814	White Tigris
818	Crisp Linen
819	Flax Gauze
821	Elemental Concrete
822	Smoke Quarstone

SOLID LAMINATE

405	Designer White	462	Cinder
419	Wallaby	478	Platinum Grey
425	Shadow	488	Frosty White
440	Cloud	491	Designer White Linear
457	Dapple	492	Cinder Linear
461	Graphite		

- CSL available; see page 21 for program details and upcharge

GALLERY LAMINATE

Grade 1 – 5% upcharge

G1001	Citadel
G1011	Pepperdust

Grade 2 – 6% upcharge

G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

RIM PROFILE



Softened PVC

PVC SOFTENED RIM

AC2	Autumn 2	SM	Sonoma
AD	Almond	TF	Truffle
BZ	Brazilwood	WL	Willow
CI	Chai	405	Designer White
CL	Caramel	419	Wallaby
CW	Cordovan	425	Shadow
DW	Judicial	440	Cloud
HN2	Honey 2	457	Dapple
IM	Brighton	461	Graphite
KN	Kona	462	Cinder
MC	Amber	478	Platinum Grey
MH	Mocha	488	Frosty White
NM	Natural	491	Designer White Linear
PB	Portobello	492	Cinder Linear
PC	Porcini	792	Sable
PT	Portico	793	Acorn
SK	Skyline		

GALLERY PVC SOFTENED RIM

Grade 1 – 5% upcharge

G1001	Citadel
G1011	Pepperdust

Grade 2 – 6% upcharge

G1002	Planked Raw Oak

Grade 3 – 6% upcharge

G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

CASTERS - IMPROMPTU SEATING

C59	Roll Control (standard)
C60	Braking (add $51 list)

GLIDES

STD	Hard (standard)
C10	White Soft (add $41 list)

GROMMET CUTOUT OPTIONS

If no grommet cutout is desired, specify an X (No Grommet)

CUTOUT OPTION FOR G32

($40 list upcharge per cutout)

CUT-1G32	Cutout, 1 grommet per unit
CUT-2G32	Cutout, 2 grommets per unit
CUT-3G32	Cutout, 3 grommets per unit
CUT-4G32	Cutout, 4 grommets per unit
CUT-5G32	Cutout, 5 grommets per unit

Grommets sold separately; reference pages 325-326 for model numbers and pricing.

SPINE AND SEAT LEG PAINT COLORS

265	Polished
423	Concrete
462	Cinder
463	Iron
501	Platinum Metallic
503	Satin Nickel Metallic

See page 21 for Gallery program details and upcharges

BACK

TO ORDER CONTRASTING FABRIC, SPECIFY

KOZMIC
Inline Spine page 339
T-Spine page 339
L-Spine page 340
120° Spine page 340

1. Model Number plus "X"
2. Back Fabric Grade Number/Cover Number
3. Back Accent Fabric Grade Number/Cover Number
4. Upholstery Fabric Grade Number/Cover Number
5. Seat Fabric Grade Number/Cover Number (when applicable)
6. Extreme Fabric Grade Number/Cover Number (when applicable)
7. Grommet
8. Leg
9. Glide



Extreme location not available



Extreme location not available on 2 seat model





Impromptu - Bench page 341
Impromptu - 120° page 341

1. Model Number plus "X"
2. Seat Fabric Grade Number/Cover Number (when applicable)
3. Upholstery Fabric Grade Number/Cover Number
4. Leg Paint Color
5. Caster/Glide



Contrasting Fabric





TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Grommet
4. Leg Paint Color
5. Glide

• See page 337 for Kozmic options

See page 348 for COM fabric yardage

Directional fabrics with distinct repeats may not align, therefore are not recommended on the back accent location. Arrows indicate fabric direction.

INLINE SPINE





Single Seat



Double Seat shown with grommet option

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
N87AAA36	Inline Spine	$	1462	1523	1551	1597	1646	1730	1842	2372	2542
N87AS1A36	Inline Spine - Single Seat		2924	3043	3097	3186	3281	3444	3662	4692	5022
N87AS2A36	Inline Spine - Double Seat		4462	4630	4707	4832	4966	5196	5504	6958	7424

DIMENSIONS

Width	36	Seat Width	36	Weight	53	Cubic Ft.	13.3
Depth	15¼	Seat Depth	18	Weight - Single Seat	93.1	Cubic Ft. - Single Seat	26.2
Depth with Single Seat	31	Seat Height	16	Weight - Double Seat	131.5	Cubic Ft. - Double Seat	35.7
Depth with Double Seat	46¾						
Height	27¾						

- Contrasting fabric option - specify X (i.e. N87AAA36X); see page 338. For list pricing, use your electronic specification tool or contact customer service
- Worksurfaces can be added to any spine in the field
- Ganging brackets are included with each spine
- Ganging brackets serve as wire management
- Grommet cutout option CUT-2G32 is available

T-SPINE





T-Spine with Seats shown with grommet option

			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
N87TA	T-Spine	$	3694	3831	3893	3994	4104	4291	4540	5722	6100
N87TSA	T-Spine with Seats		7388	7607	7707	7869	8044	8344	8744	10638	11244

DIMENSIONS

Width	66¼	Seat Height	16	Weight	106.1	Cubic Ft.	56.6
Depth	40¾			Weight with Seats	201.8	Cubic Ft. with Seats	56.6
Height	27¾						

- Contrasting fabric option - specify X (i.e. N87TAX); see page 338. For list pricing, use your electronic specification tool or contact customer service
- Worksurfaces can be added to any spine in the field
- Ganging brackets are included with each spine
- Ganging brackets serve as wire management
- Grommet cutout option CUT-5G32 is available

KOZMIC





TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Grommet
4. Leg Paint Color
5. Glide

• See page 337 for Kozmic options

See page 348 for COM fabric yardage

Directional fabrics with distinct repeats may not align, therefore are not recommended on the back accent location. Arrows indicate fabric direction.

L-SPINE





L-Spine with Seat shown with grommet option

MODEL NO. | **GRADE / LIST PRICE**

			1	2/COM	3/COL	4	5	6	7	L7	L8
N87LALAR	L-Spine	$	1926	2049	2105	2196	2294	2462	2686	3746	4086
N87LSALAR	L-Spine with Seat		3847	4015	4092	4217	4351	4581	4889	6343	6809

DIMENSIONS

Width	40¾	Seat Height	16	Weight	110.9	Cubic Ft.	33.8
Depth	40¾			Weight with Seat	140.9	Cubic Ft. with Seat	33.8
Height	27¾						

- Contrasting fabric option - specify X (i.e. N87LALARX); see page 338. For list pricing, use your electronic specification tool or contact customer service
- Worksurfaces can be added to any spine in the field
- Ganging brackets are included with each spine
- Ganging brackets serve as wire management
- Grommet cutout option CUT-4G32 is available

120° SPINE





120° Spine with Seats shown with grommet option

			1	2/COM	3/COL	4	5	6	7	L7	L8
N87C120	120° Spine	$	2541	2643	2689	2764	2846	2985	3170	4049	4330
N87CS120	120° Spine with Seats		6235	6428	6516	6659	6813	7077	7429	9095	9629

DIMENSIONS

Width	38¾	Height	27¾	Weight	106.1	Cubic Ft.	26.2
Width with Seat	54	Seat Height	16	Weight with Seats	174.8	Cubic Ft. with Seats	52.4
Depth	33½						
Depth with Seats	47						

- Contrasting fabric option - specify X (i.e. N87C120X); see page 338. For list pricing, use your electronic specification tool or contact customer service
- Worksurfaces can be added to any spine in the field
- Ganging brackets are included with each spine
- Ganging brackets serve as wire management
- Grommet cutout option CUT-3G32 is available

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Leg Paint Color
4. Caster/Glide

• See page 337 for Kozmic options

See page 348 for COM fabric yardage

IMPROMPTU - BENCH



Mobile



Static

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
N87IN3616C	Mobile, 16"	$	1639	1700	1728	1774	1823	1907	2019	2549	2719
N87IN3616G	Static, 16"		1601	1662	1690	1736	1785	1869	1981	2511	2681
N87IN3618C	Mobile, 18"		1708	1771	1800	1847	1897	1983	2099	2644	2819
N87IN3618G	Static, 18"		1671	1734	1763	1810	1860	1946	2062	2607	2782

16" DIMENSIONS

Width	36
Depth	17
Height	16
Weight	43.6
Cubic Ft.	9.1

18" DIMENSIONS

Width	36
Depth	17½
Height	18
Weight	45.6
Cubic Ft.	9.1

- Contrasting fabric option - specify X (i.e. N87IN3616CX); see page 338. For list pricing, use your electronic specification tool or contact customer service
- Add ½" to height for braking caster option
- 18" models recommended for use with seated height worksurfaces
- Braking casters are recommended for use on hard floors

IMPROMPTU - 120°



Mobile



Static

			1	2/COM	3/COL	4	5	6	7	L7	L8
N87CR12016C	Mobile, 16"	$	1308	1357	1379	1416	1455	1522	1612	2036	2172
N87CR12016G	Static, 16"		1231	1280	1302	1339	1378	1445	1535	1959	2095
N87CR12018C	Mobile, 18"		1354	1403	1425	1462	1501	1568	1658	2082	2218
N87CR12018G	Static, 18"		1278	1327	1349	1386	1425	1492	1582	2006	2142

16" DIMENSIONS

Width	24½
Depth	19
Height	16
Weight	27.7
Cubic Ft.	5.7

18" DIMENSIONS

Width	25½
Depth	19¼
Height	18
Weight	29.7
Cubic Ft.	5.7

- Contrasting fabric option - specify X (i.e. N87CR12016CX); see page 338. For list pricing, use your electronic specification tool or contact customer service
- Add ½" to height for braking caster option
- 18" models recommended for use with seated height worksurfaces
- Braking casters are recommended for use on hard floors

KOZMIC

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile / Color (when applicable)
3. Grommet
4. Laminate Color

• See page 337 for Kozmic options

RECTANGULAR WORKSURFACES



36x38 shown with grommet option



29x48 shown with grommet option



29x96 shown with grommet option

MODEL NO.		LIST PRICE	DEPTH	WIDTH	CARTONED WEIGHT	CUBIC FEET
N87TRT3638L	36x38 - PVC Softened Rim	$ 1038	36	38	59 lbs.	2.6
N87TRT2948L	29x48 - PVC Softened Rim	1038	29	48	62 lbs.	2.1
N87TRT2996L	29x96 - PVC Softened Rim	1462	29	96	122 lbs.	3.9
N87TRT3638DL	36x38 - PVC Exposed Plywood Rim	$ 1038	36	38	59 lbs.	2.6
N87TRT2948DL	29x48 - PVC Exposed Plywood Rim	1038	29	48	62 lbs.	2.1
N87TRT2996DL	29x96 - PVC Exposed Plywood Rim	1462	29	96	122 lbs.	3.9

- Grommet cutout option CUT-2G32 available
- Worksurface attachment will deface spine
- 29" x 48" must be used with 2 legs
- 29" x 96" must be used with 4 legs; used to span across spine, provides a worksurface for users on each side
- 36" x 38" rectangular worksurface is to be attached to a 120° to maintain proper stability
- N87TRT2996L and N87TRT2996DL worksurface includes undersurface support rail
- N87TRT3638L and N87TRT3638DL Grommet location - 9" from edge 19" to center
- N87TRT2948L and N87TRT2948DL Grommet location - 5½" from side edge and 2" from top edge
- N87TRT2996L and N87TRT2996DL Grommet location - 5½" from side edge and 46" to center
- Arrows indicate grain direction

WORKSURFACE EXTENSION



N87TRTE3638L	36x38 - PVC Softened Rim	$ 886	36	38	59 lbs.	2.6
N87TRTE3638DL	36x38 - PVC Exposed Plywood Rim	886	36	38	59 lbs.	2.6

- Grommet cutout option not available
- Can only be used as an extension off the 120° surface
- Must be supported by 2 legs
- Arrow indicates grain direction

120° WORKSURFACE



Shown with grommet option

N87TRD120L	120° - PVC Softened Rim	$ 1308			67 lbs.	4.9
N87TRD120DL	120° - PVC Exposed Plywood Rim	1308			67 lbs.	4.9

- Grommet cutout option CUT-3G32 available
- Worksurface attachment will deface spine
- For use only with 120° spine"
- Grommet location - 9" from edge
- Arrow indicates grain direction



WEDGE WORKSURFACE



Shown with grommet option CUT-1G32



Shown with grommet option CUT-2G32

N87TWG4860L	Wedge - PVC Softened Rim	$ 1653			90 lbs.	4.0
N87TWG4860DL	Wedge - PVC Exposed Plywood Rim	1653			90 lbs.	4.0

- Grommet cutout option CUT-1G32 or CUT-2G32 available
- Worksurface attachment will deface spine
- Must be supported by 2 legs
- Grommet cutout option CUT-1G32 is for attachment of the worksurface off the end of a spine
- Grommet cutout option CUT-2G32 is for attachment of the worksurface off the side of a spine
- Worksurface includes undersurface support rail
- Grommet CUT-1G32 is 9" from attachment edge
- Grommet CUT-2G32 is 2" from attachment edge
- Arrow indicates grain direction



TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color (when applicable)

• See page 337 for Kozmic options

BISTRO TABLE



MODEL NO.		LIST PRICE	DEPTH	WIDTH	CARTONED WEIGHT	CUBIC FEET
N87TSH36L		$ 2617	36	44½	73 lbs.	15

- Grommet cutout option not available
- Worksurface attachment will deface spine
- Exposed plywood edge, always clear
- Bistro table can be attached to any L or T spines (with or without integrated seating)
- Bistro table surfaces may not align when placed side by side
- When attaching a bistro table to an inline spine, the following must apply:
  - Spine with bistro table is ganged to an L, T or 120° spine (with or without integrated seating) or;
  - Bistro table is attached to an inline spine with integrated seating
- Attachment hardware in black and silver included
- Worksurface height is 44½" from top of surface to the floor
- CSL not available
- Arrow indicates grain direction

RECTANGULAR TABLE LEGS

CBV0228RTB	Black, 1 per Package	$ 205			6 lbs.	0.51
CBV0228RTC	Concrete, 1 per Package	205			6 lbs.	0.51
CBV0228RTI	Iron, 1 per Package	205			6 lbs.	0.51
CBV0228RTS	Platinum Metallic, 1 per Package	205			6 lbs.	0.51
CBV0228RTN	Satin Nickel Metallic, 1 per Package	205			6 lbs.	0.51

- Specify model number only
- Legs can be attached to worksurface at different angles

POWER ENTRY



NAC72ELE4H	Electrical Power Entry (Hardwire) + 4WC	$ 201	Circuits 1 and 2		1.95 lbs.	0.38
NAC48ELE4P	48" Electrical Power Entry (20 amp Plug)	293	Circuit 1		1.95 lbs.	0.38
NAC72ELE4P	72" Electrical power entry (20 amp Plug)	330	Circuit 1		2.45 lbs.	0.38

- Specify model number only
- Must be ordered with power or USB grommet and electrical kits
- 1 power entry is necessary to power 1 or multiple units



KOZMIC

TO ORDER, SPECIFY:

1. Model Number

• See page 337 for Kozmic options

ELECTRICAL KITS

MODEL NO.		LIST PRICE	CARTONED WEIGHT	CUBIC FEET
NACEL4KTA1	1 H-Block, 42" Jumper Male / Male End	$ 140	1.36 lbs.	0.38
NACEL4KTA2	2 – H-Block 1 - 42" Jumper Male / Male End 1 - 20" Jumper Male / Male End	262	2.34 lbs.	0.38
NACEL4KTA3	3 – H-Block 2 - 42" Jumper Male / Male End 1 - 20" Jumper Male / Male End	370	3.20 lbs.	0.38

- Specify model number only
- Use specification guide below to determine necessary power or pass thru kits for each unit

ELECTRICAL KIT SPECIFICATION GUIDE

COMPONENT	FOR POWER OPTION, SPECIFY:	FOR PASS THRU OPTION (NON-POWER UNITS), SPECIFY:
Inline Spine	NACEL4KTA1	NACEL4KTA1
120° Spine	NACEL4KTA2	NACEL4KTA1
L-Spine	NACEL4KTA2	NACEL4KTA2
T-Spine	NACEL4KTA3	NACEL4KTA3

POWER GROMMET



NACG32P1ELW	Circuit 1, White	$ 231	1.23 lbs.	0.15
NACG32P1ELB	Circuit 1, Black	231	1.23 lbs.	0.15
NACG32P1ELG	Circuit 1, Light Grey	231	1.23 lbs.	0.15
NACG32P1ELD	Circuit 1, Dark Grey	231	1.23 lbs.	0.15

NACG32P2ELW	Circuit 2, White	$ 231	1.23 lbs.	0.15
NACG32P2ELB	Circuit 2, Black	231	1.23 lbs.	0.15
NACG32P2ELG	Circuit 2, Light Grey	231	1.23 lbs.	0.15
NACG32P2ELD	Circuit 2, Dark Grey	231	1.23 lbs.	0.15

- Specify model number only
- Must use with power entry and electrical kits
- Features 1 power outlet
- Each circuit allows 26 power grommets to be linked together
- Circuit 2 grommets not compatible with plugged infeed

USB A/C GROMMET



NACG32A1ELPDW	Circuit 1, White	$ 370	1.23 lbs.	0.15
NACG32A1ELPDB	Circuit 1, Black	370	1.23 lbs.	0.15
NACG32A1ELPDG	Circuit 1, Light Grey	370	1.23 lbs.	0.15
NACG32A1ELPDD	Circuit 1, Dark Grey	370	1.23 lbs.	0.15

NACG32A2ELPDW	Circuit 2, White	$ 370	1.23 lbs.	0.15
NACG32A2ELPDB	Circuit 2, Black	370	1.23 lbs.	0.15
NACG32A2ELPDG	Circuit 2, Light Grey	370	1.23 lbs.	0.15
NACG32A2ELPDD	Circuit 2, Dark Grey	370	1.23 lbs.	0.15

- Specify model number only
- Must use with power entry and electrical kits
- Features USB A/C combo ports
- Circuit 1 option allows 26 power grommets to be linked together
- Circuit 2 grommets not compatible with plugged infeed

TO ORDER, SPECIFY:

1. Model Number

POWER GROMMET CHICAGO HARDWIRE



MODEL NO.		LIST PRICE	CARTONED WEIGHT	CUBIC FEET
NACG32PELH6W	White, 6' Length	$ 322	1.23 lbs.	0.15
NACG32PELH6B	Black, 6' Length	322	1.23 lbs.	0.15
NACG32PELH6G	Light Grey, 6' Length	322	1.23 lbs.	0.15
NACG32PELH6D	Dark Grey, 6' Length	322	1.23 lbs.	0.15

- Specify model number only
- Features 1 power outlet
- No power entry required

USB A/C GROMMET CHICAGO HARDWIRE



NACG32AELHCW	White, 6' Length	$ 461	1.23 lbs.	0.15
NACG32AELHCB	Black, 6' Length	461	1.23 lbs.	0.15
NACG32AELHCG	Light Grey, 6' Length	461	1.23 lbs.	0.15
NACG32AELHCD	Dark Grey, 6' Length	461	1.23 lbs.	0.15

- Specify model number only
- Features USB A/C combo ports
- No power entry required

GANGING BRACKET



N87BR1	Ganging Bracket Kit	$ 48	3 lbs.	0.15

- Serves as wire management
- All spine units include necessary ganging brackets
- Only need to order ganging brackets if extra brackets are wanted or need replacement brackets

KOZMIC



Shown with power grommet options

MODEL NO.	QUANTITY	DESCRIPTION	GRADE 1 LIST PRICE
NON-POWERED			
N87CS120	(2)	120° Spine with Seats	$ 6235 ea
N87AS2A36	(1)	Inline Spine - Double Seat	4462
Total			$ 16,932

POWERED - shown with all optional locations powered

N87CS120 / CUT-3G32	(2)	120° Spine with Seats with Grommet CUT	$ 6355 ea
N87AS2A36 / CUT-2G32	(1)	Inline Spine - Double Seat with Grommet CUT	4542
NAC48ELE4P	(1)	48" Power Entry - Circuit 1	293
NACG32P1ELW	(4)	Power Grommet - Circuit 1	231 ea
NACG32A1ELPDW	(4)	USB Grommet - Circuit 1	370 ea
NACEL4KTA1	(1)	Inline Spine Power Kit	140
NACEL4KTA2	(2)	120° Spine Power Kit	262 ea
Total			$ 20,613

Note: Ganging brackets are included with each spine and do not need to be ordered separately. They also serve as wire management.



Shown with power grommet options

MODEL NO.	QUANTITY	DESCRIPTION	GRADE 1 LIST PRICE
NON-POWERED			
N87AS1A36	(3)	Inline Spine - Single Seat	$ 2924 ea
N87LSALAR	(3)	L-Spine with Seat	3847 ea
N87TSH36L	(2)	Bistro Table	2617 ea
Total			$ 25,547

POWERED - shown with all optional locations powered

N87AS1A36 / CUT-2G32	(3)	Inline Spine - Single Seat with Grommet CUT	$ 3004 ea
N87LSALAR / CUT-4G32	(3)	L-Spine with Seat with Grommet CUT	4007 ea
NAC48ELE4P	(1)	48" Power Entry - Circuit 1	293
NACG32P1ELW	(9)	Power Grommet - Circuit 1	231 ea
NACG32A1ELPDW	(9)	USB Grommet - Circuit 1	370 ea
NACEL4KTA1	(3)	Inline Spine Power Kit	140 ea
NACEL4KTA2	(3)	L-Spine Power Kit	262 ea
N87TSH36L	(2)	Bistro Table	2617 ea
Total			$ 33,175

Note: Ganging brackets are included with each spine and do not need to be ordered separately. They also serve as wire management.



Shown with power grommet options

MODEL NO.	QUANTITY	DESCRIPTION	GRADE 1 LIST PRICE
NON-POWERED			
N87C120	(2)	120° Spine	$ 2541 ea
N87AAA36	(4)	Inline Spine	1462 ea
N87CR12018C	(6)	Impromptu 120 mobile	1354 ea
N87IN3618C	(2)	Impromptu Bench mobile	1708 ea
N87TRD120L	(2)	120 Worksurface	1308 ea
N87TRT2948L	(2)	29x48 Worksurface	1038 ea
CBV0228RTB	(4)	Table Leg	205 ea
Total			$ 27,982

POWERED - shown with all optional locations powered

N87C120 / CUT-3G32	(2)	120° Spine with Grommet CUT	$ 2661 ea
N87AAA36 / CUT-2G32	(4)	Inline Spine with Grommet CUT	1542 ea
N87CR12018C	(6)	Impromptu 120 mobile	1354 ea
N87IN3618C	(2)	Impromptu Bench mobile	1708 ea
N87TRD120L / CUT-3G32	(2)	120 Worksurface with Grommet CUT	1428 ea
N87TRT2948L / CUT-2G32	(2)	29x48 Worksurface with Grommet CUT	1118 ea
CBV0228RTB	(4)	Table Leg	205 ea
NAC48ELE4P	(1)	48" Power Entry - Circuit 1	293
NACG32P1ELW	(7)	Power Grommet - Circuit 1	231 ea
NACG32A1ELPDW	(7)	USB Grommet - Circuit 1	370 ea
NACEL4KTA1	(4)	Inline Spine Power Kit	140 ea
NACEL4KTA2	(2)	120° Spine Power Kit	262 ea
Total			$ 34,526

Note: Ganging brackets are included with each spine and do not need to be ordered separately. They also serve as wire management.

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
N87AAA36		2.10	2.50	3.90	3.30	42
N87AAA36X	Back	1.50	1.80	2.10	2.30	29
	Back Accent	1.10	1.20	1.20	1.50	21
	Upholstery	0.80	1.00	1.20	1.30	15
N87C120		2.80	3.20	3.90	5.00	52
N87C120X	Back	2.30	2.50	3.20	3.50	44
	Back Accent	0.80	0.80	1.80	1.80	12
	Upholstery	0.80	1.10	2.20	2.20	16
N87TA		4.00	3.00	4.00	6.90	79
N87TAX	Back	1.30	1.80	2.40	2.40	32
	Back Accent	1.20	1.30	2.40	2.40	23
	Upholstery	0.80	1.10	2.40	2.30	16
	Extreme	1.50	1.80	2.40	2.40	29
N87LALAR		3.00	3.80	4.50	4.80	59
N87LALARX	Back	1.00	1.10	1.20	1.80	18
	Back Accent	1.10	1.30	1.80	1.90	22
	Upholstery	0.80	1.00	1.70	1.70	16
	Extreme	1.50	1.80	2.20	2.30	29
N87AS1A36		3.00	3.70	5.00	5.20	59
N87AS1A36X	Back	0.80	1.00	1.20	1.30	15
	Back Accent	1.10	1.20	1.20	1.50	21
	Upholstery	0.80	1.00	1.70	1.80	15
	Extreme	0.50	1.00	1.20	1.30	15
	Seat	1.30	1.40	1.80	2.00	25
N87AS2A36		4.50	5.30	6.20	6.70	88
N87AS2A36X	Back	1.50	1.80	2.10	2.30	29
	Back Accent	1.10	1.20	1.20	1.50	21
	Upholstery	1.10	1.40	2.60	2.80	22
	Seat	3.00	3.50	3.80	5.20	61
N87CS120		4.10	5.00	8.00	9.50	82
N87CS120X	Back	2.20	2.50	3.40	3.50	44
	Back Accent	0.60	0.80	1.80	1.80	12
	Upholstery	1.50	2.00	3.80	3.80	30
	Seat	2.10	2.80	5.20	5.20	42
N87TSA		6.20	5.40	6.30	8.30	123
N87TSAX	Back	1.30	1.80	2.40	2.40	31
	Back Accent	1.20	1.30	2.40	2.40	23
	Upholstery	0.80	1.10	2.30	2.40	16
	Extreme	1.50	1.80	2.40	2.40	29
	Seat	2.30	2.50	2.80	2.90	47
N87LSALAR		4.00	4.60	5.50	5.30	78
N87LSALARX	Back	1.00	1.10	1.20	1.80	18
	Back Accent	1.10	1.30	1.80	1.90	22
	Upholstery	1.50	1.70	2.40	2.40	29
	Extreme	1.50	1.80	2.20	2.30	29
	Seat	1.20	1.40	1.70	1.70	24
N87IN3616C, N87IN3616G		1.50	0.60	2.40	2.70	30
N87IN3616CX, N87IN3616GX	Upholstery	0.40	0.70	0.90	1.80	8
	Seat	1.20	1.50	1.80	2.20	24
N87IN3618C, N87IN3618G		1.80	2.00	2.40	3.30	35
N87IN3618CX, N87IN3618GX	Upholstery	0.50	0.70	0.90	1.80	10
	Seat	1.40	1.50	1.90	2.30	26
N87CR12016C, N87CR12016G		1.00	1.50	1.80	2.80	20
N87CR12016CX, N87CR12016GX	Upholstery	0.40	0.70	0.90	1.80	8
	Seat	1.00	1.10	1.80	2.30	19
N87CR12018C, N87CR12018G		1.30	1.60	2.10	2.80	25
N87CR12018CX, N87CR12018GX	Upholstery	0.50	0.70	0.90	1.80	10
	Seat	1.00	1.10	2.00	2.30	20

LAUDIO

Product Specifications 350
Fabrics and Options 351
Product Pages 352
COM Yardage Requirements 354

LAUDIO

LAUDIO PRODUCT SPECIFICATIONS

SEAT CONSTRUCTION

- 2" of polyurethane foam covers a 12 mm cross-banded plywood seat panel

BACK CONSTRUCTION

- Injection molded outer frame

MESH

- 100% polyester

ARMS

- Encased uprights are made of reinforced glass filled nylon
- Height adjustable arm adjusts in height with a push button to one of 4 positions with a 5¾" range
- Arm width adjustment allows arm pad to adjust within a 1⁷⁄₁₆" range
- Arm depth adjustment allows arm pad to adjust within a 1¾" range
- Arm pads are soft polyurethane

CONTROL

- Synchronous control features adjustable tension and back lock
- Standard pneumatic gas cylinder lift allows seat to raise and lower 4"
- Seat slide option adjusts seat depth within a 2" range

BASE AND CASTERS

- Black nylon 5-prong base features glass filled nylon for beauty and long life
- Black, multi-surface 60 mm double wheel casters, work on all surfaces, are standard

FABRICS

Grade 1	Cali
	Entwine
	Input
	Melange
	Ridge
	Spark
	Vessel
	Zig Zag
Grade 2	Bliss
	Brilliant
	COM
	Dolce
	Dorset
	Intuition
	Orbit
	Phrase
	Pixie
	Sedona
	Stancil
	Strand
Grade 3	COL
	Silvertex
Grade 4	Connect Four
	Echo
	Masquerade
Grade 5	Mode
Grade 6	Essence/Ultraleather
Grade 7	Brisa
	Brisa Distressed
	Reef Pro
	Silica
	Silica Etch
	Tottori
Grade L7	Davenport
Grade L8	Florence

FRAME COLORS

BK Black
GR Grey

MESH COLORS

BK Black
BL Blue
GN Green
LG Light Grey
MG Medium Grey
RD Red

PACK

KD Tool-less Knock Down – back, seat, and arms attached
FA Fully Assembled (add $114 list)

LAUDIO

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Frame Color
4. Mesh Color
5. Fabric Grade / Cover Number

• See page 351 for Laudio options

See page 354 for COM fabric yardage

BLACK MESH BACK HEIGHT ADJUSTABLE ARMS

48

MODEL NO.		GRADE / LIST PRICE	
N27MM3PSB	Black Mesh, Black Seat Only, Seat Slide	$	963

DIMENSIONS

Width	26¾-28	Arm Height	24½- 30¼	Seat Depth with		Weight with	
Depth with		Seat Height with		Seat Slide	17¾-19¾	Seat Slide	45
Seat Slide	26⅞-28¾	Seat Slide	16-19⅝	Back Height	23½	Cubic Ft.	8.0
Height	37⅞-41½	Seat Width	20¼	Back Width	18¼		

- Some assembly required, tool included
- Seat fabric is 100% polyester

MESH BACK ARMLESS

			1	2/COM	3/COL	4	5	6	7	L7	L8
N27MM1P		$	1002	1037	1053	1079	1107	1155	1219	1522	1619
QN27MM1P			1002	1037	1053	1079	1107	1155	1219		
N27MM1PS	Seat Slide		1030	1065	1081	1107	1135	1183	1247	1550	1647
QN27MM1PS	Seat Slide		1030	1065	1081	1107	1135	1183	1247		

DIMENSIONS

Width	24¼	Seat Height	15⅝-19¼	Seat Depth	17¾	Weight	37
Depth	25¼	Seat Height with		Seat Depth with		Weight with	
Depth with		Seat Slide	16-19⅝	Seat Slide	17¾-19¾	Seat Slide	40
Seat Slide	26⅞-28¾	Seat Width	21	Back Height	23½	Cubic Ft.	13.0
Height	37⅞-41½			Back Width	18¼		

MESH BACK STATIC ARMS

			1	2/COM	3/COL	4	5	6	7	L7	L8
N27MM2P		$	1057	1092	1108	1134	1162	1210	1274	1577	1674
QN27MM2P			1057	1092	1108	1134	1162	1210	1274		
N27MM2PS	Seat Slide		1085	1120	1136	1162	1190	1238	1302	1605	1702
QN27MM2PS	Seat Slide		1085	1120	1136	1162	1190	1238	1302		

DIMENSIONS

Width	26¾-28	Arm Height	25½	Seat Depth	17¾	Weight	42
Depth	25¼	Seat Height	15⅝-19¼	Seat Depth with		Weight with	
Depth with		Seat Height with		Seat Slide	17¾-19¾	Seat Slide	45
Seat Slide	26⅞-28¾	Seat Slide	16-19⅝	Back Height	23½	Cubic Ft.	13.0
Height	37⅞-41½	Seat Width	20¼	Back Width	18¼		

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Frame Color
4. Mesh Color
5. Fabric Grade / Cover Number

• See page 351 for Laudio options

See page 354 for COM fabric yardage

MESH BACK HEIGHT ADJUSTABLE ARMS

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
N27MM3P		$	1070	1105	1121	1147	1175	1223	1287	1590	1687
QN27MM3P			1070	1105	1121	1147	1175	1223	1287		
N27MM3PS	Seat Slide		1098	1133	1149	1175	1203	1251	1315	1618	1715
QN27MM3PS	Seat Slide		1098	1133	1149	1175	1203	1251	1315		

DIMENSIONS

Width	26¾-28	Arm Height	24½-30¼	Seat Depth	17¾	Weight	42
Depth	25¼	Seat Height	15⅝-19¼	Seat Depth with		Weight with	
Depth with		Seat Height with		Seat Slide	17¾-19¾	Seat Slide	45
Seat Slide	26⅞-28¾	Seat Slide	16-19⅜	Back Height	23½	Cubic Ft.	13.0
Height	37⅞-41½	Seat Width	20¼	Back Width	18¼		

• Pack option is not available on Quick Delivery models

MESH BACK WITH HEADREST STATIC ARMS

			1	2/COM	3/COL	4	5	6	7	L7	L8
N27MHM2P		$	1162	1197	1213	1239	1267	1315	1379	1682	1779
QN27MHM2P			1162	1197	1213	1239	1267	1315	1379		
N27MHM2PS	Seat Slide		1188	1223	1239	1265	1293	1341	1405	1708	1805
QN27MHM2PS	Seat Slide		1188	1223	1239	1265	1293	1341	1405		

DIMENSIONS

Width	26¾-28	Arm Height	25½	Seat Depth	17¾	Weight	44
Depth	25¼	Seat Height	15⅝-19¼	Seat Depth with		Weight with	
Depth with		Seat Height with		Seat Slide	17¾-19¾	Seat Slide	47
Seat Slide	26⅞-28¾	Seat Slide	16-19⅜	Back Height	23½	Cubic Ft.	13.0
Height	41¾-46¼	Seat Width	20¼	Back Width	18¼		

MESH BACK WITH HEADREST HEIGHT ADJUSTABLE ARMS

			1	2/COM	3/COL	4	5	6	7	L7	L8
N27MHM3P		$	1174	1209	1225	1251	1279	1327	1391	1694	1791
QN27MHM3P			1174	1209	1225	1251	1279	1327	1391		
N27MHM3PS	Seat Slide		1202	1237	1253	1279	1307	1355	1419	1722	1819
QN27MHM3PS	Seat Slide		1202	1237	1253	1279	1307	1355	1419		

DIMENSIONS

Width	26¾-28	Arm Height	24½-30¼	Seat Depth	17¾	Weight	44
Depth	25¼	Seat Height	15⅝-19¼	Seat Depth with		Weight with	
Depth with		Seat Height with		Seat Slide	17¾-19¾	Seat Slide	47
Seat Slide	26⅞-28¾	Seat Slide	16-19⅜	Back Height	23½	Cubic Ft.	13.0
Height	41¾-46¼	Seat Width	20¼	Back Width	18¼		

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
N27MM1P, N27MM1PS N27MM2P, N27MM2PS N27MM3P, N27MM3PS N27MHM2P, N27MHM2PS N27MHM3P, N27MHM3PS		0.90	1.00	2.00	2.50	10

LAVORO

Product Specifications 356
Fabrics and Options 357
Contrasting Fabrics Specifications 358
Product Pages 359
COM Yardage Requirements 385

LAVORO

LAVORO PRODUCT SPECIFICATIONS



FRAME CONSTRUCTION
GUEST MODELS

- Legs and cross members are made of 1" tubular steel
- Available in polished aluminum or Cinder powder coat

SEAT CONSTRUCTION
TASK MODELS

- 2½" of high grade polyurethane foam covers a contoured injection molded seat panel

GUEST MODELS

- 1½" of high grade polyurethane foam covers an injection molded seat panel

BACK CONSTRUCTION
TASK MODELS

- Injection molded polypropylene outer shell
- Injection molded polyethylene inner back shell designed with deep ribbing to provide extra support
- Upholstered back features 1" of custom molded foam

GUEST MODELS

- Injection molded polypropylene inner and outer back panels
- Upholstered back features 1" of custom molded foam

BACK REST (UPHOLSTERED BACK MODELS)

- Back height can be adjusted by simply lifting up on the back of upholstered back models
- The range of adjustment is approximately 3"



MESH

- 100% polypropylene
- Cleaning code: W
- 100,000+ double rubs

LUMBAR (MESH BACK MODELS)

- Lumbar on mesh back adjusts approximately 2¼" by simply lifting and lowering the lumbar pad
- Cannot be field installed to non-lumbar models

ARMS

- Encased uprights are made of reinforced nylon or polished aluminum
- Height adjustable arms adjust in height with a push button to 1 of 8 positions within a 3" range
- Arms with width adjustment allow arms to adjust within a 2½" range
- Arms with depth adjustment allows arm pad to adjust within a 2" range
- Arm pads are soft black polyurethane
- Guest arms are black glass filled polypropylene

CONFERENCE ARMS

- Die cast polished aluminum
- Arm pads are soft black polyurethane

CONTROL MECHANISM

- Synchronous tilt control allows the back and seat to move in a synchronized 2.3:1 ratio motion
- Free float feature allows the chair to tilt freely
- The back angle can be locked in infinite position
- Standard pneumatic gas cylinder lift allows seat to raise and lower 5" and provides spring action for added comfort
- Seat slide option adjusts seat depth within a 2¼" range

BASE AND CASTERS

- Features a 5-prong black glass filled nylon base or a polished cast aluminum base
- All bases have black, hard double wheel casters, which work on multiple surfaces
- Black, soft double wheel casters are available for use on hard floors; upcharge applies to this option

GLIDE

- Durable hard black nylon glides are standard
- Soft glides are available for an upcharge

GUEST STACKING

- Plastic seat models can be stacked up to 4 high
- Stacking upholstered seat models is not recommended

All Lavoro upholstered back models may be ordered to meet TB133 fire code.

To order seating to meet the TB133 fire code, specify an "F" at the end of the model number (Ex: N30HP1SPF).

For TB133 pricing go to www.NationalOfficeFurniture.com/TB133

Please consult customer service for applicable Arc-Com, Carnegie, Designtex, Maharam, Mayer, Momentum, Stinson, or Ultrafabrics fabric.

FABRICS

Grade 1
- Cali
- Entwine
- Input
- Melange
- Ridge
- Spark
- Vessel
- Zig Zag

Grade 2
- Bliss
- Brilliant
- COM
- Dolce
- Dorset
- Intuition
- Orbit
- Phrase
- Pixie
- Sedona
- Stancil
- Strand

Grade 3
- COL
- Silvertex

Grade 4
- Connect Four
- Echo
- Masquerade

Grade 5
- Mode

Grade 6
- Essence/Ultraleather

Grade 7
- Brisa
- Brisa Distressed
- Reef Pro
- Silica
- Silica Etch
- Tottori

Grade L7
- Davenport

Grade L8
- Florence

CASTERS

ALL MODELS

C3 Hard (standard)
C4 Soft (add $36 list)

GLIDES

FOR TASK STOOL MODELS

C54 Hard (standard)
C55 Soft (add $36 list)

FOR GUEST MODELS

C53 Hard (standard)
C52 Soft (add $36 list)

PACK

KD Tool-less Knock Down – back, seat, and arms attached
FA Fully Assembled (add $114 list)

TO ORDER CONTRASTING FABRIC, SPECIFY

LAVORO
High Back Upholstered Armless page 364
High Back Upholstered Height, Arm Cap Depth page 365
High Back Upholstered Height, Width, Arm Cap Depth page 366
High Back Upholstered Static Arms page 367
High Back Upholstered Conference Arms page 368
Mid Back Upholstered Armless page 369
Mid Back Upholstered Height, Arm Cap Depth page 370
Mid Back Upholstered Height, Width, Arm Cap Depth page 371
Mid Back Upholstered Static Arms page 372
Mid Back Upholstered Conference Arms page 373

1. Model Number plus "X"
2. Pack
3. Back Fabric Grade Number/Cover Number
4. Extreme Back Fabric Grade Number/Cover Number (when applicable)
5. Seat Fabric Grade Number/Cover Number
6. Caster or Glide

Contrasting Fabric

Stool Mid Back Upholstered Armless page 374
Stool Mid Back Upholstered Height, Arm Cap Depth page 375
Stool Mid Back Upholstered Height, Width, Arm Cap Depth page 376
Stool Mid Back Upholstered Static Arms page 377
Stool Mid Back Upholstered Conference Arms page 378
Guest Fully Upholstered Back Armless page 383
Guest Fully Upholstered Back Arms page 384

1. Model Number plus "X"
2. Back Fabric Grade Number/Cover Number
3. Extreme Back Fabric Grade Number/Cover Number (when applicable)
4. Seat Fabric Grade Number/Cover Number
5. Caster or Glide



Contrasting Fabric
Front View



Back View

Guest Upholstered Back Armless page 381
Guest Upholstered Back Arms page 382

1. Model Number plus "X"
2. Back Fabric Grade Number/Cover Number
3. Seat Fabric Grade Number/Cover Number
4. Caster or Glide

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Mesh Color
4. Fabric Grade / Cover Number
5. Caster or Glide

• See page 357 for Lavoro options

See pages 385-387 for COM fabric yardage

HIGH BACK MESH ARMLESS



MODEL NO.		GRADE / LIST PRICE								
		1	2/COM	3/COL	4	5	6	7	L7	L8
N30HM1SP	$	987	1015	1028	1049	1071	1109	1161	1403	1481
QN30HM1SP		987	1015	1028	1049	1071	1109	1161		
N30HML1SP	Lumbar	1098	1126	1139	1160	1182	1220	1272	1514	1592
QN30HML1SP	Lumbar	1098	1126	1139	1160	1182	1220	1272		
N30HM1SSP	Seat Slide	1121	1149	1162	1183	1205	1243	1295	1537	1615
QN30HM1SSP	Seat Slide	1121	1149	1162	1183	1205	1243	1295		
N30HML1SSP	Lumbar, Seat Slide	1232	1260	1273	1294	1316	1354	1406	1648	1726
QN30HML1SSP	Lumbar, Seat Slide	1232	1260	1273	1294	1316	1354	1406		
N30HM1SN	Polished Aluminum	1137	1165	1178	1199	1221	1259	1311	1553	1631
QN30HM1SN	Polished Aluminum	1137	1165	1178	1199	1221	1259	1311		
N30HML1SN	Lumbar, Polished Aluminum	1247	1275	1288	1309	1331	1369	1421	1663	1741
QN30HML1SN	Lumbar, Polished Aluminum	1247	1275	1288	1309	1331	1369	1421		
N30HM1SSN	Seat Slide, Polished Aluminum	1272	1300	1313	1334	1356	1394	1446	1688	1766
QN30HM1SSN	Seat Slide, Polished Aluminum	1272	1300	1313	1334	1356	1394	1446		
N30HML1SSN	Lumbar, Seat Slide, Polished Aluminum	1382	1410	1423	1444	1466	1504	1556	1798	1876
QN30HML1SSN	Lumbar, Seat Slide, Polished Aluminum	1382	1410	1423	1444	1466	1504	1556		

DIMENSIONS

Width	25¼	Seat Height	16¾-21¾	Seat Depth	17	Weight	52
Depth	25¼	Seat Height with		Seat Depth with		FA Cubic Ft.	18.7
Depth with		Seat Slide	17¼-22¼	Seat Slide	16½-18¾	KD Cubic Ft.	15.0
Seat Slide	25¼-27¾	Seat Width	20¼	Back Height	25		
Height	42¼-47			Back Width	17¾		

• All height measurements for polished aluminum base models are ½" less than shown above

LAVORO

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Mesh Color
4. Fabric Grade / Cover Number
5. Caster or Glide

• See page 357 for Lavoro options

See pages 385-387 for COM fabric yardage

HIGH BACK
MESH
HEIGHT, ARM CAP DEPTH

MODEL NO.		GRADE / LIST PRICE								
		1	2/COM	3/COL	4	5	6	7	L7	L8
N30HM2SP	$	1137	1165	1178	1199	1221	1259	1311	1553	1631
QN30HM2SP		1137	1165	1178	1199	1221	1259	1311		
N30HML2SP	Lumbar	1247	1275	1288	1309	1331	1369	1421	1663	1741
QN30HML2SP	Lumbar	1247	1275	1288	1309	1331	1369	1421		
N30HM2SSP	Seat Slide	1272	1300	1313	1334	1356	1394	1446	1688	1766
QN30HM2SSP	Seat Slide	1272	1300	1313	1334	1356	1394	1446		
N30HML2SSP	Lumbar, Seat Slide	1382	1410	1423	1444	1466	1504	1556	1798	1876
QN30HML2SSP	Lumbar, Seat Slide	1382	1410	1423	1444	1466	1504	1556		
N30HM2SN	Polished Aluminum	1285	1313	1326	1347	1369	1407	1459	1701	1779
QN30HM2SN	Polished Aluminum	1285	1313	1326	1347	1369	1407	1459		
N30HML2SN	Lumbar, Polished Aluminum	1397	1425	1438	1459	1481	1519	1571	1813	1891
QN30HML2SN	Lumbar, Polished Aluminum	1397	1425	1438	1459	1481	1519	1571		
N30HM2SSN	Seat Slide, Polished Aluminum	1422	1450	1463	1484	1506	1544	1596	1838	1916
QN30HM2SSN	Seat Slide, Polished Aluminum	1422	1450	1463	1484	1506	1544	1596		
N30HML2SSN	Lumbar, Seat Slide, Polished Aluminum	1532	1560	1573	1594	1616	1654	1706	1948	2026
QN30HML2SSN	Lumbar, Seat Slide, Polished Aluminum	1532	1560	1573	1594	1616	1654	1706		

DIMENSIONS

Width	26½	Arm Height	24¾- 32½	Seat Depth	17	Weight	52
Depth	25¼	Arm Width	19¼	Seat Depth with		FA Cubic Ft.	18.7
Depth with		Seat Height	16¾-21¾	Seat Slide	16½-18¾	KD Cubic Ft.	15.0
Seat Slide	25¼-27¾	Seat Height with		Back Height	25		
Height	42¼-47	Seat Slide	17¼-22¼	Back Width	17¾		
		Seat Width	20¼				

- All height measurements for polished aluminum base models are ½" less than shown above
- Pack option is not available on Quick Delivery models

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Mesh Color
4. Fabric Grade / Cover Number
5. Caster or Glide

• See page 357 for Lavoro options

See pages 385-387 for COM fabric yardage

HIGH BACK MESH HEIGHT, WIDTH, ARM CAP DEPTH

MODEL NO.

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N30HM3SP		$	1212	1240	1253	1274	1296	1334	1386	1628	1706
QN30HM3SP			1212	1240	1253	1274	1296	1334	1386		
N30HML3SP	Lumbar		1323	1351	1364	1385	1407	1445	1497	1739	1817
QN30HML3SP	Lumbar		1323	1351	1364	1385	1407	1445	1497		
N30HM3SSP	Seat Slide		1344	1372	1385	1406	1428	1466	1518	1760	1838
QN30HM3SSP	Seat Slide		1344	1372	1385	1406	1428	1466	1518		
N30HML3SSP	Lumbar, Seat Slide		1459	1487	1500	1521	1543	1581	1633	1875	1953
QN30HML3SSP	Lumbar, Seat Slide		1459	1487	1500	1521	1543	1581	1633		
N30HM3SN	Polished Aluminum		1360	1388	1401	1422	1444	1482	1534	1776	1854
QN30HM3SN	Polished Aluminum		1360	1388	1401	1422	1444	1482	1534		
N30HML3SN	Lumbar, Polished Aluminum		1473	1501	1514	1535	1557	1595	1647	1889	1967
QN30HML3SN	Lumbar, Polished Aluminum		1473	1501	1514	1535	1557	1595	1647		
N30HM3SSN	Seat Slide, Polished Aluminum		1494	1522	1535	1556	1578	1616	1668	1910	1988
QN30HM3SSN	Seat Slide, Polished Aluminum		1494	1522	1535	1556	1578	1616	1668		
N30HML3SSN	Lumbar, Seat Slide, Polished Aluminum		1609	1637	1650	1671	1693	1731	1783	2025	2103
QN30HML3SSN	Lumbar, Seat Slide, Polished Aluminum		1609	1637	1650	1671	1693	1731	1783		

DIMENSIONS

Width	28¼	Arm Height	24¾- 32½	Seat Depth	17	Weight	52
Depth	25¼	Arm Width	18¼-20½	Seat Depth with		FA Cubic Ft.	18.7
Depth with		Seat Height	16¾-21¾	Seat Slide	16½-18¾	KD Cubic Ft.	15.0
Seat Slide	25¼-27¾	Seat Height with		Back Height	25		
Height	42¼-47	Seat Slide	17¼-22¼	Back Width	17¾		
		Seat Width	20¼				

- All height measurements for polished aluminum base models are ½" less than shown above
- Pack option is not available on Quick Delivery models

LAVORO

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Mesh Color
4. Fabric Grade / Cover Number
5. Caster or Glide

• See page 357 for Lavoro options

See pages 385-387 for COM fabric yardage

HIGH BACK
MESH
STATIC ARMS

MODEL NO.		GRADE / LIST PRICE								
		1	2/COM	3/COL	4	5	6	7	L7	L8
N30HM9SP	$	1063	1091	1104	1125	1147	1185	1237	1479	1557
QN30HM9SP		1063	1091	1104	1125	1147	1185	1237		
N30HML9SP	Lumbar	1174	1202	1215	1236	1258	1296	1348	1590	1668
QN30HML9SP	Lumbar	1174	1202	1215	1236	1258	1296	1348		
N30HM9SSP	Seat Slide	1196	1224	1237	1258	1280	1318	1370	1612	1690
QN30HM9SSP	Seat Slide	1196	1224	1237	1258	1280	1318	1370		
N30HML9SSP	Lumbar, Seat Slide	1308	1336	1349	1370	1392	1430	1482	1724	1802
QN30HML9SSP	Lumbar, Seat Slide	1308	1336	1349	1370	1392	1430	1482		
N30HM9SN	Polished Aluminum	1212	1240	1253	1274	1296	1334	1386	1628	1706
QN30HM9SN	Polished Aluminum	1212	1240	1253	1274	1296	1334	1386		
N30HML9SN	Lumbar, Polished Aluminum	1323	1351	1364	1385	1407	1445	1497	1739	1817
QN30HML9SN	Lumbar, Polished Aluminum	1323	1351	1364	1385	1407	1445	1497		
N30HM9SSN	Seat Slide, Polished Aluminum	1344	1372	1385	1406	1428	1466	1518	1760	1838
QN30HM9SSN	Seat Slide, Polished Aluminum	1344	1372	1385	1406	1428	1466	1518		
N30HML9SSN	Lumbar, Seat Slide, Polished Aluminum	1459	1487	1500	1521	1543	1581	1633	1875	1953
QN30HML9SSN	Lumbar, Seat Slide, Polished Aluminum	1459	1487	1500	1521	1543	1581	1633		

DIMENSIONS

Width	26½	Arm Height	26¾-31½	Seat Depth	17	Weight	52
Depth	25¼	Arm Width	19½	Seat Depth with		FA Cubic Ft.	18.7
Depth with		Seat Height	16¾-21¾	Seat Slide	16½-18¾	KD Cubic Ft.	15.0
Seat Slide	25¼-27¾	Seat Height with		Back Height	25		
Height	42¼-47	Seat Slide	17¼-22¼	Back Width	17¾		
		Seat Width	20¼				

• All height measurements for polished aluminum base models are ½" less than shown above

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Mesh Color
4. Fabric Grade / Cover Number
5. Caster or Glide

• See page 357 for Lavoro options

See pages 385-387 for COM fabric yardage

HIGH BACK MESH CONFERENCE ARMS

MODEL NO.

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N30HM8SN	Polished Aluminum	$	1510	1538	1551	1572	1594	1632	1684	1926	2004
QN30HM8SN	Polished Aluminum		1510	1538	1551	1572	1594	1632	1684		
N30HML8SN	Lumbar, Polished Aluminum		1621	1649	1662	1683	1705	1743	1795	2037	2115
QN30HML8SN	Lumbar, Polished Aluminum		1621	1649	1662	1683	1705	1743	1795		
N30HM8SSN	Seat Slide, Polished Aluminum		1645	1673	1686	1707	1729	1767	1819	2061	2139
QN30HM8SSN	Seat Slide, Polished Aluminum		1645	1673	1686	1707	1729	1767	1819		
N30HML8SSN	Lumbar, Seat Slide, Polished Aluminum		1757	1785	1798	1819	1841	1879	1931	2173	2251
QN30HML8SSN	Lumbar, Seat Slide, Polished Aluminum		1757	1785	1798	1819	1841	1879	1931		

DIMENSIONS

Width	25½	Arm Height	26¾-31½	Seat Depth	17	Weight	52
Depth	25¼	Arm Width	20¼	Seat Depth with		FA Cubic Ft.	18.7
Depth with		Seat Height	16¼-21¼	Seat Slide	16½-18¾	KD Cubic Ft.	15.0
Seat Slide	25¼-27¾	Seat Height with		Back Height	25		
Height	41¾-46½	Seat Slide	17¼-22¼	Back Width	17¾		
		Seat Width	20¼				

LAVORO

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Fabric Grade / Cover Number
4. Caster or Glide

• See page 357 for Lavoro options
See pages 385-387 for COM fabric yardage

HIGH BACK UPHOLSTERED ARMLESS



MODEL NO.		GRADE / LIST PRICE								
		1	2/COM	3/COL	4	5	6	7	L7	L8
N30HP1SP	Plastic Extreme Back $	1166	1212	1232	1266	1303	1365	1448	1842	1968
QN30HP1SP	Plastic Extreme Back	1166	1212	1232	1266	1303	1365	1448		
N30HP1SSP	Plastic Extreme Back, Seat Slide	1300	1346	1366	1400	1437	1499	1582	1976	2102
QN30HP1SSP	Plastic Extreme Back, Seat Slide	1300	1346	1366	1400	1437	1499	1582		
N30HP1SN	Plastic Extreme Back, Polished Aluminum	1317	1363	1383	1417	1454	1516	1599	1993	2119
QN30HP1SN	Plastic Extreme Back, Polished Aluminum	1317	1363	1383	1417	1454	1516	1599		
N30HP1SSN	Plastic Extreme Back, Seat Slide, Polished Aluminum	1450	1496	1516	1550	1587	1649	1732	2126	2252
QN30HP1SSN	Plastic Extreme Back, Seat Slide, Polished Aluminum	1450	1496	1516	1550	1587	1649	1732		
N30HU1SP	Upholstered Back, Plastic Base	1241	1294	1318	1357	1399	1471	1567	2021	2167
QN30HU1SP	Upholstered Back, Plastic Base	1241	1294	1318	1357	1399	1471	1567		
N30HU1SSP	Upholstered Back, Seat Slide	1375	1428	1452	1491	1533	1605	1701	2155	2301
QN30HU1SSP	Upholstered Back, Seat Slide	1375	1428	1452	1491	1533	1605	1701		
N30HU1SN	Upholstered Back, Polished Aluminum	1389	1442	1466	1505	1547	1619	1715	2169	2315
QN30HU1SN	Upholstered Back, Polished Aluminum	1389	1442	1466	1505	1547	1619	1715		
N30HU1SSN	Upholstered Back, Seat Slide, Polished Aluminum	1524	1577	1601	1640	1682	1754	1850	2304	2450
QN30HU1SSN	Upholstered Back, Seat Slide, Polished Aluminum	1524	1577	1601	1640	1682	1754	1850		

DIMENSIONS

Width	25¼	Seat Height	16¾-21¾	Seat Depth	17	Weight	53
Depth	25¼	Seat Height with		Seat Depth with		FA Cubic Ft.	18.7
Depth with		Seat Slide	17¼-22¼	Seat Slide	16½-18¾	KD Cubic Ft.	15.0
Seat Slide	25¼-27¾	Seat Width	20¼	Back Height	24¼-27		
Height	42¼-47			Back Width	18¼		

- All height measurements for polished aluminum base models are ½" less than shown above
- Contrasting fabric option – specify X (i.e., N30HP1SPX); see page 358. For list pricing, use your electronic specification tool or contact customer service

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Fabric Grade / Cover Number
4. Caster or Glide

• See page 357 for Lavoro options

See pages 385-387 for COM fabric yardage

HIGH BACK UPHOLSTERED HEIGHT, ARM CAP DEPTH

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
N30HP2SP	Plastic Extreme Back	$	1317	1363	1383	1417	1454	1516	1599	1993	2119
QN30HP2SP	Plastic Extreme Back		1317	1363	1383	1417	1454	1516	1599		
N30HP2SSP	Plastic Extreme Back, Seat Slide		1450	1496	1516	1550	1587	1649	1732	2126	2252
QN30HP2SSP	Plastic Extreme Back, Seat Slide		1450	1496	1516	1550	1587	1649	1732		
N30HP2SN	Plastic Extreme Back, Polished Aluminum		1465	1511	1531	1565	1602	1664	1747	2141	2267
QN30HP2SN	Plastic Extreme Back, Polished Aluminum		1465	1511	1531	1565	1602	1664	1747		
N30HP2SSN	Plastic Extreme Back, Seat Slide, Polished Aluminum		1599	1645	1665	1699	1736	1798	1881	2275	2401
QN30HP2SSN	Plastic Extreme Back, Seat Slide, Polished Aluminum		1599	1645	1665	1699	1736	1798	1881		
N30HU2SP	Upholstered Back, Plastic Base		1389	1442	1466	1505	1547	1619	1715	2169	2315
QN30HU2SP	Upholstered Back, Plastic Base		1389	1442	1466	1505	1547	1619	1715		
N30HU2SSP	Upholstered Back, Seat Slide		1524	1577	1601	1640	1682	1754	1850	2304	2450
QN30HU2SSP	Upholstered Back, Seat Slide		1524	1577	1601	1640	1682	1754	1850		
N30HU2SN	Upholstered Back, Polished Aluminum		1540	1593	1617	1656	1698	1770	1866	2320	2466
QN30HU2SN	Upholstered Back, Polished Aluminum		1540	1593	1617	1656	1698	1770	1866		
N30HU2SSN	Upholstered Back, Seat Slide, Polished Aluminum		1673	1726	1750	1789	1831	1903	1999	2453	2599
QN30HU2SSN	Upholstered Back, Seat Slide, Polished Aluminum		1673	1726	1750	1789	1831	1903	1999		

DIMENSIONS

Width	26½	Arm Height	24¾-32½	Seat Depth	17	Weight	53
Depth	25¼	Arm Width	19¼	Seat Depth with		FA Cubic Ft.	18.7
Depth with		Seat Height	16¾-21¾	Seat Slide	16½-18¾	KD Cubic Ft.	15.0
Seat Slide	25¼-27¾	Seat Height with		Back Height	24¼-27		
Height	42¼-47	Seat Slide	17¼-22¼	Back Width	18¼		
		Seat Width	20¼				

- All height measurements for polished aluminum base models are ½" less than shown above
- Contrasting fabric option – specify X (i.e., N30HP2SPX); see page 358. For list pricing, use your electronic specification tool or contact customer service
- Pack option is not available on Quick Delivery models

LAVORO

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Fabric Grade / Cover Number
4. Caster or Glide

• See page 357 for Lavoro options
See pages 385-387 for COM fabric yardage

HIGH BACK UPHOLSTERED HEIGHT, WIDTH, ARM CAP DEPTH

MODEL NO.		GRADE / LIST PRICE								
		1	2/COM	3/COL	4	5	6	7	L7	L8
N30HP3SP	Plastic Extreme Back $	1389	1435	1455	1489	1526	1588	1671	2065	2191
QN30HP3SP	Plastic Extreme Back	1389	1435	1455	1489	1526	1588	1671		
N30HP3SSP	Plastic Extreme Back, Seat Slide	1524	1570	1590	1624	1661	1723	1806	2200	2326
QN30HP3SSP	Plastic Extreme Back, Seat Slide	1524	1570	1590	1624	1661	1723	1806		
N30HP3SN	Plastic Extreme Back, Polished Aluminum	1540	1586	1606	1640	1677	1739	1822	2216	2342
QN30HP3SN	Plastic Extreme Back, Polished Aluminum	1540	1586	1606	1640	1677	1739	1822		
N30HP3SSN	Plastic Extreme Back, Seat Slide, Polished Aluminum	1673	1719	1739	1773	1810	1872	1955	2349	2475
QN30HP3SSN	Plastic Extreme Back, Seat Slide, Polished Aluminum	1673	1719	1739	1773	1810	1872	1955		
N30HU3SP	Upholstered Back	1465	1518	1542	1581	1623	1695	1791	2245	2391
QN30HU3SP	Upholstered Back	1465	1518	1542	1581	1623	1695	1791		
N30HU3SSP	Upholstered Back, Seat Slide	1599	1652	1676	1715	1757	1829	1925	2379	2525
QN30HU3SSP	Upholstered Back, Seat Slide	1599	1652	1676	1715	1757	1829	1925		
N30HU3SN	Upholstered Back, Polished Aluminum	1616	1669	1693	1732	1774	1846	1942	2396	2542
QN30HU3SN	Upholstered Back, Polished Aluminum	1616	1669	1693	1732	1774	1846	1942		
N30HU3SSN	Upholstered Back, Seat Slide, Polished Aluminum	1749	1802	1826	1865	1907	1979	2075	2529	2675
QN30HU3SSN	Upholstered Back, Seat Slide, Polished Aluminum	1749	1802	1826	1865	1907	1979	2075		

DIMENSIONS

Width	25½	Arm Height	24¾-32½	Seat Depth	17	Weight	53
Depth	25¼	Arm Width	18¼-20½	Seat Depth with		FA Cubic Ft.	18.7
Depth with		Seat Height	16¾-21¾	Seat Slide	16½-18¾	KD Cubic Ft.	15.0
Seat Slide	25½-27¾	Seat Height with		Back Height	24¼-27		
Height	42¼-47	Seat Slide	17¼-22¼	Back Width	18¼		
		Seat Width	20¼				

- All height measurements for polished aluminum base models are ½" less than shown above
- Contrasting fabric option – specify X (i.e., N30HP3SPX); see page 358. For list pricing, use your electronic specification tool or contact customer service
- Pack option is not available on Quick Delivery models

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Fabric Grade / Cover Number
4. Caster or Glide

• See page 357 for Lavoro options

See pages 385-387 for COM fabric yardage

HIGH BACK UPHOLSTERED STATIC ARMS

MODEL NO.

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N30HP9SP	Plastic Extreme Back	$	1241	1287	1307	1341	1378	1440	1523	1917	2043
QN30HP9SP	Plastic Extreme Back		1241	1287	1307	1341	1378	1440	1523		
N30HP9SSP	Plastic Extreme Back, Seat Slide		1375	1421	1441	1475	1512	1574	1657	2051	2177
QN30HP9SSP	Plastic Extreme Back, Seat Slide		1375	1421	1441	1475	1512	1574	1657		
N30HP9SN	Plastic Extreme Back, Polished Aluminum		1389	1435	1455	1489	1526	1588	1671	2065	2191
QN30HP9SN	Plastic Extreme Back, Polished Aluminum		1389	1435	1455	1489	1526	1588	1671		
N30HP9SSN	Plastic Extreme Back, Seat Slide, Polished Aluminum		1524	1570	1590	1624	1661	1723	1806	2200	2326
QN30HP9SSN	Plastic Extreme Back, Seat Slide, Polished Aluminum		1524	1570	1590	1624	1661	1723	1806		
N30HU9SP	Upholstered Back		1317	1370	1394	1433	1475	1547	1643	2097	2243
QN30HU9SP	Upholstered Back		1317	1370	1394	1433	1475	1547	1643		
N30HU9SSP	Upholstered Back, Seat Slide		1450	1503	1527	1566	1608	1680	1776	2230	2376
QN30HU9SSP	Upholstered Back, Seat Slide		1450	1503	1527	1566	1608	1680	1776		
N30HU9SN	Upholstered Back, Polished Aluminum		1465	1518	1542	1581	1623	1695	1791	2245	2391
QN30HU9SN	Upholstered Back, Polished Aluminum		1465	1518	1542	1581	1623	1695	1791		
N30HU9SSN	Upholstered Back, Seat Slide, Polished Aluminum		1599	1652	1676	1715	1757	1829	1925	2379	2525
QN30HU9SSN	Upholstered Back, Seat Slide, Polished Aluminum		1599	1652	1676	1715	1757	1829	1925		

DIMENSIONS

Width	25½	Arm Height	26¾-31½	Seat Depth	17	Weight	53
Depth	25¼	Arm Width	19½	Seat Depth with		FA Cubic Ft.	18.7
Depth with		Seat Height	16¾-21¾	Seat Slide	16½-18¾	KD Cubic Ft.	15.0
Seat Slide	25½-27¾	Seat Height with		Back Height	24¼-27		
Height	42¼-47	Seat Slide	17¼-22¼	Back Width	18¼		
		Seat Width	20¼				

- All height measurements for polished aluminum base models are ½" less than shown above
- Contrasting fabric option – specify X (i.e., N30HP9SPX); see page 358. For list pricing, use your electronic specification tool or contact customer service

LAVORO

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Fabric Grade / Cover Number
4. Caster or Glide

• See page 357 for Lavoro options

See pages 385-387 for COM fabric yardage

HIGH BACK UPHOLSTERED CONFERENCE ARMS

MODEL NO.		GRADE / LIST PRICE								
		1	2/COM	3/COL	4	5	6	7	L7	L8
N30HP8SN	Plastic Extreme Back, Polished Aluminum	$ 1689	1735	1755	1789	1826	1888	1971	2365	2491
QN30HP8SN	Plastic Extreme Back, Polished Aluminum	1689	1735	1755	1789	1826	1888	1971		
N30HP8SSN	Plastic Extreme Back, Seat Slide, Polished Aluminum	1824	1870	1890	1924	1961	2023	2106	2500	2626
QN30HP8SSN	Plastic Extreme Back, Seat Slide, Polished Aluminum	1824	1870	1890	1924	1961	2023	2106		
N30HU8SN	Upholstered Back, Polished Aluminum	1763	1816	1840	1879	1921	1993	2089	2543	2689
QN30HU8SN	Upholstered Back, Polished Aluminum	1763	1816	1840	1879	1921	1993	2089		
N30HU8SSN	Upholstered Back, Seat Slide, Polished Aluminum	1898	1951	1975	2014	2056	2128	2224	2678	2824
QN30HU8SSN	Upholstered Back, Seat Slide, Polished Aluminum	1898	1951	1975	2014	2056	2128	2224		

DIMENSIONS

Width	25½	Arm Height	26¾- 31½	Seat Depth	16½	Weight	53
Depth	25¼	Arm Width	20¼	Seat Depth with		FA Cubic Ft.	18.7
Depth with		Seat Height	16¼-21¼	Seat Slide	16½-18¾	KD Cubic Ft.	15.0
Seat Slide	25½-27¾	Seat Height with		Back Height	24¼-27		
Height	41¾-46½	Seat Slide	17¼-22¼	Back Width	18¼		
		Seat Width	20¼				

• Contrasting fabric option – specify X (i.e., N30HP8SNX); see page 358. For list pricing, use your electronic specification tool or contact customer service

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Fabric Grade / Cover Number
4. Caster or Glide

• See page 357 for Lavoro options

See pages 385-387 for COM fabric yardage

MID BACK UPHOLSTERED ARMLESS

MODEL NO.		GRADE / LIST PRICE								
		1	2/COM	3/COL	4	5	6	7	L7	L8
N30MP1SP	Plastic Extreme Back	$ 1098	1140	1159	1190	1224	1282	1358	1722	1838
QN30MP1SP	Plastic Extreme Back	1098	1140	1159	1190	1224	1282	1358		
N30MP1SSP	Plastic Extreme Back, Seat Slide	1232	1274	1293	1324	1358	1416	1492	1856	1972
QN30MP1SSP	Plastic Extreme Back, Seat Slide	1232	1274	1293	1324	1358	1416	1492		
N30MP1SN	Plastic Extreme Back, Polished Aluminum	1247	1289	1308	1339	1373	1431	1507	1871	1987
QN30MP1SN	Plastic Extreme Back, Polished Aluminum	1247	1289	1308	1339	1373	1431	1507		
N30MP1SSN	Plastic Extreme Back, Seat Slide, Polished Aluminum	1382	1424	1443	1474	1508	1566	1642	2006	2122
QN30MP1SSN	Plastic Extreme Back, Seat Slide, Polished Aluminum	1382	1424	1443	1474	1508	1566	1642		
N30MU1SP	Upholstered Back	1174	1223	1245	1282	1321	1388	1478	1902	2038
QN30MU1SP	Upholstered Back	1174	1223	1245	1282	1321	1388	1478		
N30MU1SSP	Upholstered Back, Seat Slide	1308	1357	1379	1416	1455	1522	1612	2036	2172
QN30MU1SSP	Upholstered Back, Seat Slide	1308	1357	1379	1416	1455	1522	1612		
N30MU1SN	Upholstered Back, Polished Aluminum	1323	1372	1394	1431	1470	1537	1627	2051	2187
QN30MU1SN	Upholstered Back, Polished Aluminum	1323	1372	1394	1431	1470	1537	1627		
N30MU1SSN	Upholstered Back, Seat Slide, Polished Aluminum	1459	1508	1530	1567	1606	1673	1763	2187	2323
QN30MU1SSN	Upholstered Back, Seat Slide, Polished Aluminum	1459	1508	1530	1567	1606	1673	1763		

DIMENSIONS

Width	25¼	Seat Height	16¾-21¾	Seat Depth	16½	Weight	50
Depth	25¼	Seat Height with		Seat Depth with		FA Cubic Ft.	16.3
Depth with		Seat Slide	17¼-22¼	Seat Slide	16½-18¾	KD Cubic Ft.	15.0
Seat Slide	25½-27¾	Seat Width	20¼	Back Height	22¼-24¾		
Height	39½-44			Back Width	18		

- All height measurements for polished aluminum base models are ½" less than shown above
- Contrasting fabric option – specify X (i.e., N30MP1SPX); see page 358. For list pricing, use your electronic specification tool or contact customer service

LAVORO

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Fabric Grade / Cover Number
4. Caster or Glide

• See page 357 for Lavoro options
See pages 385-387 for COM fabric yardage

MID BACK UPHOLSTERED HEIGHT, ARM CAP DEPTH

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
N30MP2SP	Plastic Extreme Back	$	1247	1289	1308	1339	1373	1431	1507	1871	1987
QN30MP2SP	Plastic Extreme Back		1247	1289	1308	1339	1373	1431	1507		
N30MP2SSP	Plastic Extreme Back, Seat Slide		1382	1424	1443	1474	1508	1566	1642	2006	2122
QN30MP2SSP	Plastic Extreme Back, Seat Slide		1382	1424	1443	1474	1508	1566	1642		
N30MP2SN	Plastic Extreme Back, Polished Aluminum		1397	1439	1458	1489	1523	1581	1657	2021	2137
QN30MP2SN	Plastic Extreme Back, Polished Aluminum		1397	1439	1458	1489	1523	1581	1657		
N30MP2SSN	Plastic Extreme Back, Seat Slide, Polished Aluminum		1532	1574	1593	1624	1658	1716	1792	2156	2272
QN30MP2SSN	Plastic Extreme Back, Seat Slide, Polished Aluminum		1532	1574	1593	1624	1658	1716	1792		
N30MU2SP	Upholstered Back		1323	1372	1394	1431	1470	1537	1627	2051	2187
QN30MU2SP	Upholstered Back		1323	1372	1394	1431	1470	1537	1627		
N30MU2SSP	Upholstered Back, Seat Slide		1459	1508	1530	1567	1606	1673	1763	2187	2323
QN30MU2SSP	Upholstered Back, Seat Slide		1459	1508	1530	1567	1606	1673	1763		
N30MU2SN	Upholstered Back, Polished Aluminum		1473	1522	1544	1581	1620	1687	1777	2201	2337
QN30MU2SN	Upholstered Back, Polished Aluminum		1473	1522	1544	1581	1620	1687	1777		
N30MU2SSN	Upholstered Back, Seat Slide, Polished Aluminum		1609	1658	1680	1717	1756	1823	1913	2337	2473
QN30MU2SSN	Upholstered Back, Seat Slide, Polished Aluminum		1609	1658	1680	1717	1756	1823	1913		

DIMENSIONS

Width	26½	Arm Height	24¾- 32½	Seat Depth	16½	Weight	50
Depth	25¼	Arm Width	19½	Seat Depth with		FA Cubic Ft.	16.3
Depth with		Seat Height	16¾-21¾	Seat Slide	16½-18¾	KD Cubic Ft.	15.0
Seat Slide	25¼-27¾	Seat Height with		Back Height	22¼-24¾		
Height	39½-44	Seat Slide	17¼-22¼	Back Width	18		
		Seat Width	20¼				

- All height measurements for polished aluminum base models are ½" less than shown above
- Contrasting fabric option – specify X (i.e., N30MP2SPX); see page 358. For list pricing, use your electronic specification tool or contact customer service
- Pack option is not available on Quick Delivery models

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Fabric Grade / Cover Number
4. Caster or Glide

• See page 357 for Lavoro options

See pages 385-387 for COM fabric yardage

MID BACK UPHOLSTERED HEIGHT, WIDTH, ARM CAP DEPTH

MODEL NO.		GRADE / LIST PRICE								
		1	2/COM	3/COL	4	5	6	7	L7	L8
N30MP3SP	Plastic Extreme Back $	1323	1365	1384	1415	1449	1507	1583	1947	2063
QN30MP3SP	Plastic Extreme Back	1323	1365	1384	1415	1449	1507	1583		
N30MP3SSP	Plastic Extreme Back, Seat Slide	1459	1501	1520	1551	1585	1643	1719	2083	2199
QN30MP3SSP	Plastic Extreme Back, Seat Slide	1459	1501	1520	1551	1585	1643	1719		
N30MP3SN	Plastic Extreme Back, Polished Aluminum	1473	1515	1534	1565	1599	1657	1733	2097	2213
QN30MP3SN	Plastic Extreme Back, Polished Aluminum	1473	1515	1534	1565	1599	1657	1733		
N30MP3SSN	Plastic Extreme Back, Seat Slide, Polished Aluminum	1609	1651	1670	1701	1735	1793	1869	2233	2349
QN30MP3SSN	Plastic Extreme Back, Seat Slide, Polished Aluminum	1609	1651	1670	1701	1735	1793	1869		
N30MU3SP	Upholstered Back	1397	1446	1468	1505	1544	1611	1701	2125	2261
QN30MU3SP	Upholstered Back	1397	1446	1468	1505	1544	1611	1701		
N30MU3SSP	Upholstered Back, Seat Slide	1532	1581	1603	1640	1679	1746	1836	2260	2396
QN30MU3SSP	Upholstered Back, Seat Slide	1532	1581	1603	1640	1679	1746	1836		
N30MU3SN	Upholstered Back, Polished Aluminum	1546	1595	1617	1654	1693	1760	1850	2274	2410
QN30MU3SN	Upholstered Back, Polished Aluminum	1546	1595	1617	1654	1693	1760	1850		
N30MU3SSN	Upholstered Back, Seat Slide, Polished Aluminum	1681	1730	1752	1789	1828	1895	1985	2409	2545
QN30MU3SSN	Upholstered Back, Seat Slide, Polished Aluminum	1681	1730	1752	1789	1828	1895	1985		

DIMENSIONS

Width	26½	Arm Height	24¾-32½	Seat Depth	16½	Weight	50
Depth	25¼	Arm Width	18¼-20½	Seat Depth with		FA Cubic Ft.	16.3
Depth with		Seat Height	16¾-21¾	Seat Slide	16½-18¾	KD Cubic Ft.	15.0
Seat Slide	25¼-27¾	Seat Height with		Back Height	22¼-24¾		
Height	39½-44	Seat Slide	17¼-22¼	Back Width	18		
		Seat Width	20¼				

- All height measurements for polished aluminum base models are ½" less than shown above
- Contrasting fabric option – specify X (i.e., N30MP3SPX); see page 358. For list pricing, use your electronic specification tool or contact customer service
- Pack option is not available on Quick Delivery models

LAVORO

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Fabric Grade / Cover Number
4. Caster or Glide

• See page 357 for Lavoro options
See pages 385-387 for COM fabric yardage

MID BACK UPHOLSTERED STATIC ARMS

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
N30MP9SP	Plastic Extreme Back	$	1174	1216	1235	1266	1300	1358	1434	1798	1914
QN30MP9SP	Plastic Extreme Back		1174	1216	1235	1266	1300	1358	1434		
N30MP9SSP	Plastic Extreme Back, Seat Slide		1308	1350	1369	1400	1434	1492	1568	1932	2048
QN30MP9SSP	Plastic Extreme Back, Seat Slide		1308	1350	1369	1400	1434	1492	1568		
N30MP9SN	Plastic Extreme Back, Polished Aluminum		1323	1365	1384	1415	1449	1507	1583	1947	2063
QN30MP9SN	Plastic Extreme Back, Polished Aluminum		1323	1365	1384	1415	1449	1507	1583		
N30MP9SSN	Plastic Extreme Back, Seat Slide, Polished Aluminum		1459	1501	1520	1551	1585	1643	1719	2083	2199
QN30MP9SSN	Plastic Extreme Back, Seat Slide, Polished Aluminum		1459	1501	1520	1551	1585	1643	1719		
N30MU9SP	Upholstered Back		1247	1296	1318	1355	1394	1461	1551	1975	2111
QN30MU9SP	Upholstered Back		1247	1296	1318	1355	1394	1461	1551		
N30MU9SSP	Upholstered Back, Seat Slide		1382	1431	1453	1490	1529	1596	1686	2110	2246
QN30MU9SSP	Upholstered Back, Seat Slide		1382	1431	1453	1490	1529	1596	1686		
N30MU9SN	Upholstered Back, Polished Aluminum		1397	1446	1468	1505	1544	1611	1701	2125	2261
QN30MU9SN	Upholstered Back, Polished Aluminum		1397	1446	1468	1505	1544	1611	1701		
N30MU9SSN	Upholstered Back, Seat Slide, Polished Aluminum		1532	1581	1603	1640	1679	1746	1836	2260	2396
QN30MU9SSN	Upholstered Back, Seat Slide, Polished Aluminum		1532	1581	1603	1640	1679	1746	1836		

DIMENSIONS

Width	26½	Arm Height	26¾-31½	Seat Depth	16½	Weight	50
Depth	25¼	Arm Width	19½	Seat Depth with		FA Cubic Ft.	16.3
Depth with		Seat Height	16¾-21¾	Seat Slide	16½-18¾	KD Cubic Ft.	15.0
Seat Slide	25¼-27¾	Seat Height with		Back Height	22¼-24¾		
Height	39½-44	Seat Slide	17¼-22¼	Back Width	18		
		Seat Width	20¼				

- All height measurements for polished aluminum base models are ½" less than shown above
- Contrasting fabric option – specify X (i.e., N30MP9SPX); see page 358. For list pricing, use your electronic specification tool or contact customer service

LAVORO

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Fabric Grade / Cover Number
4. Caster or Glide

• See page 357 for Lavoro options
See pages 385-387 for COM fabric yardage

MID BACK UPHOLSTERED CONFERENCE ARMS

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
N30MP8SN	Plastic Extreme Back, Polished Aluminum	$	1621	1663	1682	1713	1747	1805	1881	2245	2361
QN30MP8SN	Plastic Extreme Back, Polished Aluminum		1621	1663	1682	1713	1747	1805	1881		
N30MP8SSN	Plastic Extreme Back, Seat Slide, Polished Aluminum		1757	1799	1818	1849	1883	1941	2017	2381	2497
QN30MP8SSN	Plastic Extreme Back, Seat Slide, Polished Aluminum		1757	1799	1818	1849	1883	1941	2017		
N30MU8SN	Upholstered Back, Polished Aluminum		1695	1744	1766	1803	1842	1909	1999	2423	2559
QN30MU8SN	Upholstered Back, Polished Aluminum		1695	1744	1766	1803	1842	1909	1999		
N30MU8SSN	Upholstered Back, Seat Slide, Polished Aluminum		1830	1879	1901	1938	1977	2044	2134	2558	2694
QN30MU8SSN	Upholstered Back, Seat Slide, Polished Aluminum		1830	1879	1901	1938	1977	2044	2134		

DIMENSIONS

Width	25½	Arm Height	26¼-31	Seat Depth	16½	Weight	50
Depth	25¼	Arm Width	20¼	Seat Depth with		FA Cubic Ft.	16.3
Depth with		Seat Height	16¼-21¼	Seat Slide	16½-18¾	KD Cubic Ft.	15.0
Seat Slide	25¼-27¾	Seat Height with		Back Height	22¼-24¾		
Height	39-43½	Seat Slide	17¼-22¼	Back Width	18		
		Seat Width	20¼				

• Contrasting fabric option – specify X (i.e., N30MP8SNX); see page 358. For list pricing, use your electronic specification tool or contact customer service

LAVORO

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Caster or Glide

• See page 357 for Lavoro options

See pages 385-387 for COM fabric yardage

STOOL MID BACK UPHOLSTERED ARMLESS



Mobile



Static

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
N30SP1SP	Plastic Extreme Back	$	1137	1179	1198	1229	1263	1321	1397	1761	1877
QN30SP1SP	Plastic Extreme Back		1137	1179	1198	1229	1263	1321	1397		
N30SP1SPG	Plastic Extreme Back, Glides		1137	1179	1198	1229	1263	1321	1397	1761	1877
QN30SP1SPG	Plastic Extreme Back, Glides		1137	1179	1198	1229	1263	1321	1397		
N30SP1SN	Plastic Extreme Back, Polished Aluminum		1285	1327	1346	1377	1411	1469	1545	1909	2025
QN30SP1SN	Plastic Extreme Back, Polished Aluminum		1285	1327	1346	1377	1411	1469	1545		
N30SP1SNG	Plastic Extreme Back, Polished Aluminum, Glides		1285	1327	1346	1377	1411	1469	1545	1909	2025
QN30SP1SNG	Plastic Extreme Back, Polished Aluminum, Glides		1285	1327	1346	1377	1411	1469	1545		
N30SU1SP	Upholstered Back		1247	1296	1318	1355	1394	1461	1551	1975	2111
QN30SU1SP	Upholstered Back		1247	1296	1318	1355	1394	1461	1551		
N30SU1SPG	Upholstered Back, Glides		1247	1296	1318	1355	1394	1461	1551	1975	2111
QN30SU1SPG	Upholstered Back, Glides		1247	1296	1318	1355	1394	1461	1551		
N30SU1SN	Upholstered Back, Polished Aluminum		1397	1446	1468	1505	1544	1611	1701	2125	2261
QN30SU1SN	Upholstered Back, Polished Aluminum		1397	1446	1468	1505	1544	1611	1701		
N30SU1SNG	Upholstered Back, Polished Aluminum, Glides		1397	1446	1468	1505	1544	1611	1701	2125	2261
QN30SU1SNG	Upholstered Back, Polished Aluminum, Glides		1397	1446	1468	1505	1544	1611	1701		

DIMENSIONS

Width	25¼	Seat Height	21-28¾	Back Height	22¼-24¾	Weight	60
Depth	25¼	Seat Depth	16½	Back Width	18	Cubic Ft.	18.7
Height	42¾-53½	Seat Width	20¼				

- All height measurements for polished aluminum base models are ½" less than shown above
- Contrasting fabric option – specify X (i.e., N30SP1SPX); see page 358. For list pricing, use your electronic specification tool or contact customer service
- Ships fully assembled

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Caster or Glide

• See page 357 for Lavoro options

See pages 385-387 for COM fabric yardage

STOOL MID BACK UPHOLSTERED HEIGHT, ARM CAP DEPTH



Mobile



Static

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
N30SP2SP	Plastic Extreme Back	$	1285	1327	1346	1377	1411	1469	1545	1909	2025
QN30SP2SP	Plastic Extreme Back		1285	1327	1346	1377	1411	1469	1545		
N30SP2SPG	Plastic Extreme Back, Glides		1285	1327	1346	1377	1411	1469	1545	1909	2025
QN30SP2SPG	Plastic Extreme Back, Glides		1285	1327	1346	1377	1411	1469	1545		
N30SP2SN	Plastic Extreme Back, Polished Aluminum		1436	1478	1497	1528	1562	1620	1696	2060	2176
QN30SP2SN	Plastic Extreme Back, Polished Aluminum		1436	1478	1497	1528	1562	1620	1696		
N30SP2SNG	Plastic Extreme Back, Polished Aluminum, Glides		1436	1478	1497	1528	1562	1620	1696	2060	2176
QN30SP2SNG	Plastic Extreme Back, Polished Aluminum, Glides		1436	1478	1497	1528	1562	1620	1696		
N30SU2SP	Upholstered Back		1397	1446	1468	1505	1544	1611	1701	2125	2261
QN30SU2SP	Upholstered Back		1397	1446	1468	1505	1544	1611	1701		
N30SU2SPG	Upholstered Back, Glides		1397	1446	1468	1505	1544	1611	1701	2125	2261
QN30SU2SPG	Upholstered Back, Glides		1397	1446	1468	1505	1544	1611	1701		
N30SU2SN	Upholstered Back, Polished Aluminum		1546	1595	1617	1654	1693	1760	1850	2274	2410
QN30SU2SN	Upholstered Back, Polished Aluminum		1546	1595	1617	1654	1693	1760	1850		
N30SU2SNG	Upholstered Back, Polished Aluminum, Glides		1546	1595	1617	1654	1693	1760	1850	2274	2410
QN30SU2SNG	Upholstered Back, Polished Aluminum, Glides		1546	1595	1617	1654	1693	1760	1850		

DIMENSIONS

Width	26½	Seat Height	21-28¾	Arm Height	27½-38¾	Weight	60
Depth	25¼	Seat Depth	16½	Arm Width	19⅜	Cubic Ft.	18.7
Height	42¾-53½	Seat Width	20¼	Back Height	22¼-24¾		
				Back Width	18		

- All height measurements for polished aluminum base models are ½" less than shown above
- Contrasting fabric option – specify X (i.e., N30SP2SPX); see page 358. For list pricing, use your electronic specification tool or contact customer service
- Ships fully assembled

LAVORO

QD

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Caster or Glide

• See page 357 for Lavoro options

See pages 385-387 for COM fabric yardage

STOOL MID BACK UPHOLSTERED HEIGHT, WIDTH, ARM CAP DEPTH

Mobile



Static

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
N30SP3SP	Plastic Extreme Back	$	1360	1402	1421	1452	1486	1544	1620	1984	2100
QN30SP3SP	Plastic Extreme Back		1360	1402	1421	1452	1486	1544	1620		
N30SP3SPG	Plastic Extreme Back, Glides		1360	1402	1421	1452	1486	1544	1620	1984	2100
QN30SP3SPG	Plastic Extreme Back, Glides		1360	1402	1421	1452	1486	1544	1620		
N30SP3SN	Plastic Extreme Back, Polished Aluminum		1510	1552	1571	1602	1636	1694	1770	2134	2250
QN30SP3SN	Plastic Extreme Back, Polished Aluminum		1510	1552	1571	1602	1636	1694	1770		
N30SP3SNG	Plastic Extreme Back, Polished Aluminum, Glides		1510	1552	1571	1602	1636	1694	1770	2134	2250
QN30SP3SNG	Plastic Extreme Back, Polished Aluminum, Glides		1510	1552	1571	1602	1636	1694	1770		
N30SU3SP	Upholstered Back		1473	1522	1544	1581	1620	1687	1777	2201	2337
QN30SU3SP	Upholstered Back		1473	1522	1544	1581	1620	1687	1777		
N30SU3SPG	Upholstered Back, Glides		1473	1522	1544	1581	1620	1687	1777	2201	2337
QN30SU3SPG	Upholstered Back, Glides		1473	1522	1544	1581	1620	1687	1777		
N30SU3SN	Upholstered Back, Polished Aluminum		1621	1670	1692	1729	1768	1835	1925	2349	2485
QN30SU3SN	Upholstered Back, Polished Aluminum		1621	1670	1692	1729	1768	1835	1925		
N30SU3SNG	Upholstered Back, Polished Aluminum, Glides		1621	1670	1692	1729	1768	1835	1925	2349	2485
QN30SU3SNG	Upholstered Back, Polished Aluminum, Glides		1621	1670	1692	1729	1768	1835	1925		

DIMENSIONS

Width	26½	Seat Height	21-28¾	Arm Height	27½-38½	Weight	60
Depth	25¼	Seat Depth	16½	Arm Width	18¼-20½	Cubic Ft.	18.7
Height	42¾-53½	Seat Width	20¼	Back Height	22¼-24¾		
				Back Width	18		

- All height measurements for polished aluminum base models are ½" less than shown above
- Contrasting fabric option – specify X (i.e., N30SP3SPX); see page 358. For list pricing, use your electronic specification tool or contact customer service
- Ships fully assembled

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Caster or Glide

• See page 357 for Lavoro options

See pages 385-387 for COM fabric yardage

STOOL MID BACK UPHOLSTERED STATIC ARMS



Mobile



Static

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
N30SP9SP	Plastic Extreme Back	$	1212	1254	1273	1304	1338	1396	1472	1836	1952
QN30SP9SP	Plastic Extreme Back		1212	1254	1273	1304	1338	1396	1472		
N30SP9SPG	Plastic Extreme Back, Glides		1212	1254	1273	1304	1338	1396	1472	1836	1952
QN30SP9SPG	Plastic Extreme Back, Glides		1212	1254	1273	1304	1338	1396	1472		
N30SP9SN	Plastic Extreme Back, Polished Aluminum		1360	1402	1421	1452	1486	1544	1620	1984	2100
QN30SP9SN	Plastic Extreme Back, Polished Aluminum		1360	1402	1421	1452	1486	1544	1620		
N30SP9SNG	Plastic Extreme Back, Polished Aluminum, Glides		1360	1402	1421	1452	1486	1544	1620	1984	2100
QN30SP9SNG	Plastic Extreme Back, Polished Aluminum, Glides		1360	1402	1421	1452	1486	1544	1620		
N30SU9SP	Upholstered Back		1323	1372	1394	1431	1470	1537	1627	2051	2187
QN30SU9SP	Upholstered Back		1323	1372	1394	1431	1470	1537	1627		
N30SU9SPG	Upholstered Back, Glides		1323	1372	1394	1431	1470	1537	1627	2051	2187
QN30SU9SPG	Upholstered Back, Glides		1323	1372	1394	1431	1470	1537	1627		
N30SU9SN	Upholstered Back, Polished Aluminum		1473	1522	1544	1581	1620	1687	1777	2201	2337
QN30SU9SN	Upholstered Back, Polished Aluminum		1473	1522	1544	1581	1620	1687	1777		
N30SU9SNG	Upholstered Back, Polished Aluminum, Glides		1473	1522	1544	1581	1620	1687	1777	2201	2337
QN30SU9SNG	Upholstered Back, Polished Aluminum, Glides		1473	1522	1544	1581	1620	1687	1777		

DIMENSIONS

Width	26½	Seat Height	21-28¾	Arm Height	30-38	Weight	60
Depth	25¼	Seat Depth	16½	Arm Width	19½	Cubic Ft.	18.7
Height	42¾-53½	Seat Width	20¼	Back Height	22¼-24¾		
				Back Width	18		

- All height measurements for polished aluminum base models are ½" less than shown above
- Contrasting fabric option – specify X (i.e., N30SP9SPX); see page 358. For list pricing, use your electronic specification tool or contact customer service
- Ships fully assembled

LAVORO

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Caster or Glide

• See page 357 for Lavoro options

See pages 385-387 for COM fabric yardage

STOOL MID BACK UPHOLSTERED CONFERENCE ARMS



Mobile



Static

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
N30SP8SN	Plastic Extreme Back, Polished Aluminum	$	1659	1701	1720	1751	1785	1843	1919	2283	2399
QN30SP8SN	Plastic Extreme Back, Polished Aluminum		1659	1701	1720	1751	1785	1843	1919		
N30SP8SNG	Plastic Extreme Back, Polished Aluminum, Glides		1659	1701	1720	1751	1785	1843	1919	2283	2399
QN30SP8SNG	Plastic Extreme Back, Polished Aluminum, Glides		1659	1701	1720	1751	1785	1843	1919		
N30SU8SN	Upholstered Back, Polished Aluminum		1771	1820	1842	1879	1918	1985	2075	2499	2635
QN30SU8SN	Upholstered Back, Polished Aluminum		1771	1820	1842	1879	1918	1985	2075		
N30SU8SNG	Upholstered Back, Polished Aluminum, Glides		1771	1820	1842	1879	1918	1985	2075	2499	2635
QN30SU8SNG	Upholstered Back, Polished Aluminum, Glides		1771	1820	1842	1879	1918	1985	2075		

DIMENSIONS

Width	26½	Seat Height	21-28¼	Arm Height	29½-37½	Weight	60
Depth	25¼	Seat Depth	16½	Arm Width	20½	Cubic Ft.	18.7
Height	42¼-53	Seat Width	20¼	Back Height	22¼-24¾		
				Back Width	18		

- Contrasting fabric option – specify X (i.e., N30SP8SNX); see page 358. For list pricing, use your electronic specification tool or contact customer service
- Ships fully assembled

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Mesh Color (when applicable)
3. Fabric Grade / Cover Number
4. Caster or Glide

• See page 357 for Lavoro options

See pages 385-387 for COM fabric yardage

GUEST MESH BACK ARMLESS

Upholstered Seat Static

Plastic Seat Mobile

MODEL NO.		GRADE / LIST PRICE								
		1	2/COM	3/COL	4	5	6	7	L7	L8
N30GM1PP	Plastic Seat, Static, Black	$ 674								
QN30GM1PP	Plastic Seat, Static, Black	674								
N30GM1PPC	Plastic Seat, Mobile, Black	674								
QN30GM1PPC	Plastic Seat, Mobile, Black	674								
N30GM1PN	Plastic Seat, Static, Polished Aluminum	711								
QN30GM1PN	Plastic Seat, Static, Polished Aluminum	711								
N30GM1PNC	Plastic Seat, Mobile, Polished Aluminum	711								
QN30GM1PNC	Plastic Seat, Mobile, Polished Aluminum	711								
N30GM1UP	Upholstered Seat, Static, Black	748	780	794	817	843	886	943	1216	1303
QN30GM1UP	Upholstered Seat, Static, Black	748	780	794	817	843	886	943		
N30GM1UPC	Upholstered Seat, Mobile, Black	748	780	794	817	843	886	943	1216	1303
QN30GM1UPC	Upholstered Seat, Mobile, Black	748	780	794	817	843	886	943		
N30GM1UN	Upholstered Seat, Static, Polished Aluminum	785	817	831	854	880	923	980	1253	1340
QN30GM1UN	Upholstered Seat, Static, Polished Aluminum	785	817	831	854	880	923	980		
N30GM1UNC	Upholstered Seat, Mobile, Polished Aluminum	785	817	831	854	880	923	980	1253	1340
QN30GM1UNC	Upholstered Seat, Mobile, Polished Aluminum	785	817	831	854	880	923	980		

DIMENSIONS

Width	21¼	Seat Height	18½	Back Height	16½	Weight	29
Depth	22¼	Seat Depth	17½	Back Width	18	Cubic Ft.	16.7
Height	33	Seat Width	18½				

- For mobile option, add 1" to all heights
- Plastic seat models can stack up to 4 high
- Stacking upholstered seat models is not recommended

LAVORO

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Mesh Color (when applicable)
3. Fabric Grade / Cover Number
4. Caster or Glide

• See page 357 for Lavoro options

See pages 385-387 for COM fabric yardage

GUEST MESH BACK ARMS

Upholstered Seat Static

Plastic Seat Mobile

MODEL NO.		GRADE / LIST PRICE								
		1	2/COM	3/COL	4	5	6	7	L7	L8
N30GM9PP	Plastic Seat, Static, Black	$ 748								
QN30GM9PP	Plastic Seat, Static, Black	748								
N30GM9PPC	Plastic Seat, Mobile, Black	748								
QN30GM9PPC	Plastic Seat, Mobile, Black	748								
N30GM9PN	Plastic Seat, Static, Polished Aluminum	785								
QN30GM9PN	Plastic Seat, Static, Polished Aluminum	785								
N30GM9PNC	Plastic Seat, Mobile, Polished Aluminum	785								
QN30GM9PNC	Plastic Seat, Mobile, Polished Aluminum	785								
N30GM9UP	Upholstered Seat, Static, Black	824	856	870	893	919	962	1019	1292	1379
QN30GM9UP	Upholstered Seat, Static, Black	824	856	870	893	919	962	1019		
N30GM9UPC	Upholstered Seat, Mobile, Black	824	856	870	893	919	962	1019	1292	1379
QN30GM9UPC	Upholstered Seat, Mobile, Black	824	856	870	893	919	962	1019		
N30GM9UN	Upholstered Seat, Static, Polished Aluminum	859	891	905	928	954	997	1054	1327	1414
QN30GM9UN	Upholstered Seat, Static, Polished Aluminum	859	891	905	928	954	997	1054		
N30GM9UNC	Upholstered Seat, Mobile, Polished Aluminum	859	891	905	928	954	997	1054	1327	1414
QN30GM9UNC	Upholstered Seat, Mobile, Polished Aluminum	859	891	905	928	954	997	1054		

DIMENSIONS

Width	25¼	Seat Height	18½	Arm Height	27	Weight	29
Depth	22¼	Seat Depth	17½	Arm Width	21½	Cubic Ft.	16.7
Height	33	Seat Width	18½	Back Height	16½		
				Back Width	18		

- For mobile option, add 1" to all heights
- Plastic seat models can stack up to 4 high
- Stacking upholstered seat models is not recommended

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Fabric Grade / Cover Number
4. Caster or Glide

• See page 357 for Lavoro options

See pages 385-387 for COM fabric yardage

GUEST UPHOLSTERED BACK ARMLESS

Upholstered Seat Static

Plastic Seat Mobile

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
N30GP1PP	Plastic Seat, Static, Black	$	748	769	779	794	811	840	878	1060	1118
QN30GP1PP	Plastic Seat, Static, Black		748	769	779	794	811	840	878		
N30GP1PPC	Plastic Seat, Mobile, Black		748	769	779	794	811	840	878	1060	1118
QN30GP1PPC	Plastic Seat, Mobile, Black		748	769	779	794	811	840	878		
N30GP1PN	Plastic Seat, Static, Polished Aluminum		785	806	816	831	848	877	915	1097	1155
QN30GP1PN	Plastic Seat, Static, Polished Aluminum		785	806	816	831	848	877	915		
N30GP1PNC	Plastic Seat, Mobile, Polished Aluminum		785	806	816	831	848	877	915	1097	1155
QN30GP1PNC	Plastic Seat, Mobile, Polished Aluminum		785	806	816	831	848	877	915		
N30GP1UP	Upholstered Seat, Static, Black		824	856	870	893	919	962	1019	1292	1379
QN30GP1UP	Upholstered Seat, Static, Black		824	856	870	893	919	962	1019		
N30GP1UPC	Upholstered Seat, Mobile, Black		824	856	870	893	919	962	1019	1292	1379
QN30GP1UPC	Upholstered Seat, Mobile, Black		824	856	870	893	919	962	1019		
N30GP1UN	Upholstered Seat, Static, Polished Aluminum		859	891	905	928	954	997	1054	1327	1414
QN30GP1UN	Upholstered Seat, Static, Polished Aluminum		859	891	905	928	954	997	1054		
N30GP1UNC	Upholstered Seat, Mobile, Polished Aluminum		859	891	905	928	954	997	1054	1327	1414
QN30GP1UNC	Upholstered Seat, Mobile, Polished Aluminum		859	891	905	928	954	997	1054		

DIMENSIONS

Width	21¼	Seat Height	18½	Back Height	16½	Weight	29
Depth	22¼	Seat Depth	17½	Back Width	18	Cubic Ft.	16.7
Height	33	Seat Width	18½				

- Contrasting fabric option – specify X (i.e., N30GP1UPX); see page 358. For list pricing, use your electronic specification tool or contact customer service
- For mobile option, add 1" to all heights
- Plastic seat models can stack up to 4 high
- Stacking upholstered seat models is not recommended

LAVORO

QD

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Fabric Grade / Cover Number
4. Caster or Glide

• See page 357 for Lavoro options

See pages 385-387 for COM fabric yardage

GUEST UPHOLSTERED BACK ARMS

Upholstered Seat Static

Plastic Seat Mobile

MODEL NO.		GRADE / LIST PRICE								
		1	2/COM	3/COL	4	5	6	7	L7	L8
N30GP9PP	Plastic Seat, Static, Black $	824	845	855	870	887	916	954	1136	1194
QN30GP9PP	Plastic Seat, Static, Black	824	845	855	870	887	916	954		
N30GP9PPC	Plastic Seat, Mobile, Black	824	845	855	870	887	916	954	1136	1194
QN30GP9PPC	Plastic Seat, Mobile, Black	824	845	855	870	887	916	954		
N30GP9PN	Plastic Seat, Static, Polished Aluminum	859	880	890	905	922	951	989	1171	1229
QN30GP9PN	Plastic Seat, Static, Polished Aluminum	859	880	890	905	922	951	989		
N30GP9PNC	Plastic Seat, Mobile, Polished Aluminum	859	880	890	905	922	951	989	1171	1229
QN30GP9PNC	Plastic Seat, Mobile, Polished Aluminum	859	880	890	905	922	951	989		
N30GP9UP	Upholstered Seat, Static, Black	897	929	943	966	992	1035	1092	1365	1452
QN30GP9UP	Upholstered Seat, Static, Black	897	929	943	966	992	1035	1092		
N30GP9UPC	Upholstered Seat, Mobile, Black	897	929	943	966	992	1035	1092	1365	1452
QN30GP9UPC	Upholstered Seat, Mobile, Black	897	929	943	966	992	1035	1092		
N30GP9UN	Upholstered Seat, Static, Polished Aluminum	934	966	980	1003	1029	1072	1129	1402	1489
QN30GP9UN	Upholstered Seat, Static, Polished Aluminum	934	966	980	1003	1029	1072	1129		
N30GP9UNC	Upholstered Seat, Mobile, Polished Aluminum	934	966	980	1003	1029	1072	1129	1402	1489
QN30GP9UNC	Upholstered Seat, Mobile, Polished Aluminum	934	966	980	1003	1029	1072	1129		

DIMENSIONS

Width	25¼	Seat Height	18½	Arm Height	27	Weight	29
Depth	22¼	Seat Depth	17½	Arm Width	21½	Cubic Ft.	16.7
Height	33	Seat Width	18½	Back Height	16½		
				Back Width	18		

- Contrasting fabric option – specify X (i.e., N30GP9UPX); see page 358. For list pricing, use your electronic specification tool or contact customer service
- For mobile option, add 1" to all heights
- Plastic seat models can stack up to 4 high
- Stacking upholstered seat models is not recommended

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Caster or Glide

• See page 357 for Lavoro options

See pages 385-387 for COM fabric yardage

GUEST
FULLY UPHOLSTERED BACK
ARMLESS

Upholstered Seat Static

Plastic Seat Mobile

MODEL NO.		GRADE / LIST PRICE								
		1	2/COM	3/COL	4	5	6	7	L7	L8
N30GU1PP	Plastic Seat, Static, Black $	824	845	855	870	887	916	954	1136	1194
QN30GU1PP	Plastic Seat, Static, Black	824	845	855	870	887	916	954		
N30GU1PPC	Plastic Seat, Mobile, Black	824	845	855	870	887	916	954	1136	1194
QN30GU1PPC	Plastic Seat, Mobile, Black	824	845	855	870	887	916	954		
N30GU1PN	Plastic Seat, Static, Polished Aluminum	859	880	890	905	922	951	989	1171	1229
QN30GU1PN	Plastic Seat, Static, Polished Aluminum	859	880	890	905	922	951	989		
N30GU1PNC	Plastic Seat, Mobile, Polished Aluminum	859	880	890	905	922	951	989	1171	1229
QN30GU1PNC	Plastic Seat, Mobile, Polished Aluminum	859	880	890	905	922	951	989		
N30GU1UP	Upholstered Seat, Static, Black	897	929	943	966	992	1035	1092	1365	1452
QN30GU1UP	Upholstered Seat, Static, Black	897	929	943	966	992	1035	1092		
N30GU1UPC	Upholstered Seat, Mobile, Black	897	929	943	966	992	1035	1092	1365	1452
QN30GU1UPC	Upholstered Seat, Mobile, Black	897	929	943	966	992	1035	1092		
N30GU1UN	Upholstered Seat, Static, Polished Aluminum	934	966	980	1003	1029	1072	1129	1402	1489
QN30GU1UN	Upholstered Seat, Static, Polished Aluminum	934	966	980	1003	1029	1072	1129		
N30GU1UNC	Upholstered Seat, Mobile, Polished Aluminum	934	966	980	1003	1029	1072	1129	1402	1489
QN30GU1UNC	Upholstered Seat, Mobile, Polished Aluminum	934	966	980	1003	1029	1072	1129		

DIMENSIONS

Width	21¼	Seat Height	18½	Back Height	16½	Weight	29
Depth	22¼	Seat Depth	17½	Back Width	18	Cubic Ft.	16.7
Height	33	Seat Width	18½				

- Contrasting fabric option – specify X (i.e., N30GU1UPX); see page 358. For list pricing, use your electronic specification tool or contact customer service
- For mobile option, add 1" to all heights
- Plastic seat models can stack up to 4 high
- Stacking upholstered seat models is not recommended

LAVORO

QD

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Caster or Glide

• See page 357 for Lavoro options

See pages 385-387 for COM fabric yardage

GUEST
FULLY UPHOLSTERED BACK
ARMS

Upholstered Seat Static

Plastic Seat Mobile

MODEL NO.		GRADE / LIST PRICE								
		1	2/COM	3/COL	4	5	6	7	L7	L8
N30GU9PP	Plastic Seat, Static, Black $	897	918	928	943	960	989	1027	1209	1267
QN30GU9PP	Plastic Seat, Static, Black	897	918	928	943	960	989	1027		
N30GU9PPC	Plastic Seat, Mobile, Black	897	918	928	943	960	989	1027	1209	1267
QN30GU9PPC	Plastic Seat, Mobile, Black	897	918	928	943	960	989	1027		
N30GU9PN	Plastic Seat, Static, Polished Aluminum	934	955	965	980	997	1026	1064	1246	1304
QN30GU9PN	Plastic Seat, Static, Polished Aluminum	934	955	965	980	997	1026	1064		
N30GU9PNC	Plastic Seat, Mobile, Polished Aluminum	934	955	965	980	997	1026	1064	1246	1304
QN30GU9PNC	Plastic Seat, Mobile, Polished Aluminum	934	955	965	980	997	1026	1064		
N30GU9UP	Upholstered Seat, Static, Black	972	1004	1018	1041	1067	1110	1167	1440	1527
QN30GU9UP	Upholstered Seat, Static, Black	972	1004	1018	1041	1067	1110	1167		
N30GU9UPC	Upholstered Seat, Mobile, Black	972	1004	1018	1041	1067	1110	1167	1440	1527
QN30GU9UPC	Upholstered Seat, Mobile, Black	972	1004	1018	1041	1067	1110	1167		
N30GU9UN	Upholstered Seat, Static, Polished Aluminum	1009	1041	1055	1078	1104	1147	1204	1477	1564
QN30GU9UN	Upholstered Seat, Static, Polished Aluminum	1009	1041	1055	1078	1104	1147	1204		
N30GU9UNC	Upholstered Seat, Mobile, Polished Aluminum	1009	1041	1055	1078	1104	1147	1204	1477	1564
QN30GU9UNC	Upholstered Seat, Mobile, Polished Aluminum	1009	1041	1055	1078	1104	1147	1204		

DIMENSIONS

Width	25¼	Seat Height	18½	Arm Height	27	Weight	29
Depth	22¼	Seat Depth	17½	Arm Width	21½	Cubic Ft.	16.7
Height	33	Seat Width	18½	Back Height	16½		
				Back Width	18		

- Contrasting fabric option – specify X (i.e., N30GU9PPX); see page 358. For list pricing, use your electronic specification tool or contact customer service
- For mobile option, add 1" to all heights
- Plastic seat models can stack up to 4 high
- Stacking upholstered seat models is not recommended

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
N30HM1SP, N30HM1SSP N30HM1SN, N30HM1SSN N30HM2SP, N30HM2SSP N30HM2SN, N30HM2SSN N30HM3SP, N30HM3SSP N30HM3SN, N30HM3SSN N30HM9SP, N30HM9SSP H30HM9SN, N30HM9SSN N30HM8SN, N30HM8SSN N30HML1SP, N30HML1SSP N30HML1SN, N30HML1SSN N30HML2SP, N30HML2SSP N30HML2SN, N30HML2SSN N30HML3SP, N30HML3SSP N30HML3SN, N30HML3SSN N30HML9SP, N30HML9SSP N30HML9SN, N30HML9SSN N30HML8SN, N30HML8SSN		0.80	1.00	1.20	2.10	16
N30HP1SP, N30HP1SSP N30HP1SN, N30HP1SSN N30HP2SP, N30HP2SSP N30HP2SN, N30HP2SSN N30HP3SP, N30HP3SSP N30HP3SN, N30HP3SSN N30HP9SP, N30HP9SSP N30HP9SN, N30HP9SSN N30HP8SN, N30HP8SSN		1.30	1.50	2.10	3.40	26
N30HP1SPX, N30HP1SSPX N30HP1SNX, N30HP1SSNX N30HP2SPX, N30HP2SSPX N30HP2SNX, N30HP2SSNX N30HP3SPX, N30HP3SSPX N30HP3SNX, N30HP3SSNX N30HP9SPX, N30HP9SSPX N30HP9SNX, N30HP9SSNX N30HP8SNX, N30HP8SSNX	Back Seat	0.90 0.80	1.10 1.00	1.50 1.20	2.50 2.10	18 16
N30HU1SP, N30HU1SSP N30HU1SN, N30HU1SSN N30HU2SP, N30HU2SSP N30HU2SN, N30HU2SSN N30HU3SP, N30HU3SSP N30HU3SN, N30HU3SSN N30HU9SP, N30HU9SSP N30HU9SN, N30HU9SSN N30HU8SN, N30HU8SSN		1.50	1.80	2.60	4.40	30
N30HU1SPX, N30HU1SSPX N30HU1SNX, N30HU1SSNX N30HU2SPX, N30HU2SSPX N30HU2SNX, N30HU2SSNX N30HU3SPX, N30HU3SSPX N30HU3SNX, N30HU3SSNX N30HU9SPX, N30HU9SSPX N30HU9SNX, N30HU9SSNX N30HU8SNX, N30HU8SSNX	Back Extreme Back Seat	0.90 0.60 0.80	1.10 1.00 1.00	1.50 1.40 1.20	2.50 1.50 2.10	18 18 16

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
N30MP1SP, N30MP1SSP N30MP1SN, N30MP1SSN N30MP2SP, N30MP2SSP N30MP2SN, N30MP2SSN N30MP3SP, N30MP3SSP N30MP3SN, N30MP3SSN N30MP9SP, N30MP9SSP N30MP9SN, N30MP9SSN N30MP8SN, N30MP8SSN N30SP1SP, N30SP1SPG N30SP1SN, N30SP1SNG N30SP2SP, N30SP2SPG N30SP2SN, N30SP2SNG N30SP3SP, N30SP3SPG N30SP3SN, N30SP3SNG N30SP9SP, N30SP9SPG N30SP9SN, N30SP9SNG N30SP8SN, N30SP8SNG		1.20	1.50	2.20	3.00	24
N30MP1SPX, N30MP1SSPX N30MP1SNX, N30MP1SSNX N30MP2SPX, N30MP2SSPX N30MP2SNX, N30MP2SSNX N30MP3SPX, N30MP3SSPX N30MP3SNX, N30MP3SSNX N30MP9SPX, N30MP9SSPX N30MP9SNX, N30MP9SSNX N30MP8SNX, N30MP8SSNX N30SP1SPX, N30SP1SPGX N30SP1SNX, N30SP1SNGX N30SP2SPX, N30SP2SPGX N30SP2SNX, N30SP2SNGX N30SP3SPX, N30SP3SPGX N30SP3SNX, N30SP3SNGX N30SP9SPX, N30SP9SPGX N30SP9SNX, N30SP9SNGX	Back	0.80	0.90	1.40	1.90	16
N30SP8SNX, N30SP8SNGX	Seat	0.80	1.00	1.20	2.10	16
N30MU1SP, N30MU1SSP N30MU1SN, N30MU1SSN N30MU2SP, N30MU2SSP N30MU2SN, N30MU2SSN N30MU3SP, N30MU3SSP N30MU3SN, N30MU3SSN N30MU9SP, N30MU9SSP N30MU9SN, N30MU9SSN N30MU8SN, N30MU8SSN N30SU1SP, N30SU1SPG N30SU1SN, N30SU1SNG N30SU2SP, N30SU2SPG N30SU2SN, N30SU2SNG N30SU3SP, N30SU3SPG N30SU3SN, N30SU3SNG N30SU9SP, N30SU9SPG N30SU9SN, N30SU9SNG N30SU8SN, N30SU8SNG		1.40	1.60	2.60	3.60	28

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
N30MU1SPX, N30MU1SSPX N30MU1SNX, N30MU1SSNX N30MU2SPX, N30MU2SSPX N30MU2SNX, N30MU2SSNX N30MU3SPX, N30MU3SSPX N30MU3SNX, N30MU3SSNX N30MU9SPX, N30MU9SSPX N30MU9SNX, N30MU9SSNX N30MU8SNX, N30MU8SSNX N30SU1SPX, N30SU1SPGX N30SU1SNX, N30SU1SNGX N30SU2SPX, N30SU2SPGX N30SU2SNX, N30SU2SNGX N30SU3SPX, N30SU3SPGX N30SU3SNX, N30SU3SNGX						
N30SU9SPX, N30SU9SPGX	Back	0.80	0.90	1.40	1.90	16
N30SU9SNX, N30SU9SNGX	Extreme Back	0.80	1.00	1.30	1.40	16
N30SU8SNX, N30SU8SNGX	Seat	0.80	1.00	1.20	2.10	16
N30GU1UPC, N30GU1UP N30GU1UNC, N30GU1UN N30GU9UPC, N30GU9UP N30GU9UNC, N30GU9UN		0.90	1.20	1.80	2.80	18
N30GU1UPCX, N30GU1UPX						
N30GU1UNCX, N30GU1UNX	Back	0.60	0.80	1.20	1.80	12
N30GU9UPCX, N30GU9UPX	Extreme Back	0.40	0.60	0.90	1.30	8
N30GU9UNCX, N30GU9UNX	Seat	0.90	1.10	1.40	2.40	18
N30GM1UPC, N30GM1UP N30GM1UNC, N30GM1UN N30GM9UPC, N30GM9UP N30GM9UNC, N30GM9UN		0.90	1.10	1.40	2.40	18
N30GP1UPC, N30GP1UP N30GP1UNC, N30GP1UN N30GP9UPC, N30GP9UP N30GP9UNC, N30GP9UN		0.90	1.20	1.70	2.80	18
N30GP1UPCX, N30GP1UPX N30GP1UNCX, N30GP1UNX						
N30GP9UPCX, N30GP9UPX	Back	0.60	0.80	1.20	1.80	12
N30GP9UNCX, N30GP9UNX	Seat	0.90	1.10	1.40	2.40	18
N30GP1PPC, N30GP1PP N30GP1PNC, N30GP1PN N30GP9PPC, N30GP9PP N30GP9PNC, N30GP9PN		0.60	0.80	1.20	1.80	12
N30GU1PPC, N30GU1PP N30GU1PNC, N30GU1PN N30GU9PPC, N30GU9PP N30GU9PNC, N30GU9PN N30GU1PPCX, N30GU1PPX		0.60	0.80	1.20	1.80	12
N30GU1PNCX, N30GU1PNX	Back	0.60	0.80	1.20	1.80	12
N30GU9PPCX, N30GU9PPX	Extreme Back	0.40	0.60	0.90	1.30	8

LAVORO

MABEL

Product Specifications 390
Fabrics and Options 391
Contrasting Fabrics Specifications 392
Product Pages 393
COM Yardage Requirements 395

MABEL

MABEL PRODUCT SPECIFICATIONS



LOUNGE MODELS

SEAT AND BACK CONSTRUCTION

- ½" molded plywood, cross banded for strength, forms seat and back
- 1¼" of high grade polyurethane foam covers seat and back

BASE AND GLIDES
4-Prong Low and High Profile Polished Aluminum Base

- Polished aluminum control mechanism and cylinder
- Features 360° swivel with auto-return
- Silver polyethylene glides are standard
- Felt pad glides are available for an additional upcharge



4-Prong High Profile Wood Base

- Polished aluminum control mechanism and cylinder
- Features 360° swivel with auto-return
- Maple
- Non-marring nylon glides are standard

4-Leg Wood Base

- Maple
- Non-marring nylon glides are standard

UPHOLSTERY DETAIL

- Contrasting fabric available on all models
- Due to dimensional design of back and seat, horizontal stripes and large patterns are not recommended, as they will appear distorted or wavy
- Due to the inherent characteristics of upholstery materials, loose comfort wrinkles may be present or appear over time

FINISH

- Features a catalyzed top coat that resists denting, peeling, and reactions to chemicals
- Can be cleaned with a damp cloth
- When specifying Brighton, Natural, and Sonoma finish, variation in color is acceptable due to the nature of wood characteristics

EXECUTIVE CONFERENCE MODELS

SEAT AND BACK CONSTRUCTION

- Injection molded high resistance techno-polymer plastic frame encased with high grade polyurethane foam

ARMS

- Arms are die cast aluminum available in polished aluminum or matte black powder coat

CONTROL MECHANISM

- Synchronous control allows the back and seat to move in a synchronized 2:3:1 ratio motion
- Backrest tilt can be locked in 1 of 3 positions
- Standard pneumatic gas cylinder lift allows seat to raise and lower 5" and provides spring action for added comfort

UPHOLSTERY DETAIL

- Contrasting fabric options available on all models
- Top stitch is offered in matching or contrasting thread colors

FINISH

- Available in polished aluminum or matte black powder coat

BASE AND CASTERS

- 5 prong mobile features height adjustment and 360° swivel
- Available in matte black and polished aluminum
- Black, hard double wheel casters which work on multiple surfaces are standard
- Soft casters are available for an additional upcharge
- Black, open double wheel casters with polished accents are available for additional upcharge and work on multiple floors

FABRICS

Grade 1	Cali
	Entwine
	Input
	Melange
	Ridge
	Spark
	Vessel
	Zig Zag
Grade 2	Bliss
	Brilliant
	COM
	Dolce
	Dorset
	Intuition
	Orbit
	Phrase
	Sedona
	Stancil
	Strand
Grade 3	COL
	Silvertex
Grade 4	Connect Four
	Echo
	Masquerade
Grade 5	Mode
Grade 6	Essence/Ultraleather
Grade 7	Brisa
	Brisa Distressed
	Reef Pro
	Silica
	Silica Etch
	Tottori
Grade L7	Davenport
Grade L8	Florence

FINISHES

LOUNGE
WOOD BASE

AC	Autumn	NM	Natural
AD	Almond	PB	Portobello
BZ	Brazilwood	PC	Porcini
CI	Chai	PT	Portico
CL	Caramel	SK	Skyline
CW	Cordovan	SM	Sonoma
DW	Judicial	TF	Truffle
HN	Honey	WL	Willow
IM	Brighton	405	Designer White
KN	Kona	462	Cinder
MC	Amber	792	Sable
MH	Mocha	793	Acorn*

*Acorn is the finish complement to Clear Walnut finish

EXECUTIVE CONFERENCE
THREAD COLORS

AA	Matching Thread
AB	White
AC	Beige
AD	Saddle
AE	Dark Brown
AF	Red
AG	Wine
AH	Marine
AJ	Navy
AK	Dark Green
AL	Silver
AM	Graphite
AN	Black

GLIDES

LOUNGE
4-PRONG POLISHED ALUMINUM
LOW AND HIGH PROFILE BASE

STD	Hard (standard)
C58	Soft (add $41 list)

EXECUTIVE CONFERENCE

C40	Hard
C41	Soft (add $36 list)
C70	Open (add $95 list)

TO ORDER CONTRASTING FABRIC, SPECIFY

MABEL
4-Prong Low Profile Polished Aluminum Base with Auto Return page 393
4-Prong High Profile Polished Aluminum Base with Auto Return page 393
4-Leg Wood Base page 393
4-Prong High Profile Wood Base with Auto Return page 394

1. Model Number plus "X"
2. Upholstery Fabric Grade Number/Cover Number
3. Extreme Back Fabric Grade Number/Cover Number
4. Accent (headrest) Fabric Grade Number/Cover Number (when applicable)
5. Glides (when applicable)

Contrasting Fabric Front View



Contrasting Fabric Back View

Ottoman 4-Leg Wood Base page 394
Ottoman 4-Prong Low Profile Swivel Base page 394

1. Model Number plus "X"
2. Seat Fabric Grade Number/Cover Number
3. Seat Accent Fabric Grade Number/Cover Number
4. Glides



Contrasting Upholstery

Executive Conference High Back Arms 5-Prong Base page 394

1. Model Number plus "X"
2. Upholstery Fabric Grade Number/Cover Number
3. Extreme Back Fabric Grade Number/Cover Number
4. Thread
5. Casters

Contrasting Fabric Front View



Contrasting Fabric Back View

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Glides (when applicable)

• See page 391 for Mabel options

See page 395 for COM fabric yardage

4-PRONG LOW PROFILE POLISHED ALUMINUM BASE WITH AUTO RETURN

Low Back

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
N77GL4LM	Low Back	$	1794	1861	1891	1940	1994	2085	2206	2782	2966
QN77GL4LM	Low Back		1794	1861	1891	1940	1994	2085	2206		
N77GM4LM	Mid Back		1942	2012	2044	2096	2152	2248	2376	2982	3176
QN77GM4LM	Mid Back		1942	2012	2044	2096	2152	2248	2376		
N77GH4LM	High Back		2167	2241	2274	2329	2388	2488	2623	3259	3463

DIMENSIONS

Width	26½	Seat Height	16¼	Back Width	26½	Weight - Low	33
Depth	29⅛	Seat Depth	19½	Back Height - Low	19	Cubic Ft. - Low	16.2
Height - Low	31¾	Seat Width	27½	Back Height - Mid	22¾	Weight - Mid	37
Height - Mid	35½			Back Height - High	32¾	Cubic Ft. - Mid	20.3
Height - High	45½					Weight - High	43
						Cubic Ft. - High	27.5

• Contrasting fabric option – specify X (i.e., N77GL4LMX); see page 392. For list pricing, use your electronic specification tool or contact customer service

4-PRONG HIGH PROFILE POLISHED ALUMINUM BASE WITH AUTO RETURN

Mid Back

			1	2/COM	3/COL	4	5	6	7	L7	L8
N77GL4HM	Low Back	$	1794	1861	1891	1940	1994	2085	2206	2782	2966
QN77GL4HM	Low Back		1794	1861	1891	1940	1994	2085	2206		
N77GM4HM	Mid Back		1942	2012	2044	2096	2152	2248	2376	2982	3176
QN77GM4HM	Mid Back		1942	2012	2044	2096	2152	2248	2376		
N77GH4HM	High Back		2167	2241	2274	2329	2388	2488	2623	3259	3463

DIMENSIONS

Width	26½	Seat Height	17¼	Back Width	26½	Weight - Low	33
Depth	29⅛	Seat Depth	19½	Back Height - Low	19	Cubic Ft. - Low	12.2
Height - Low	32¾	Seat Width	27½	Back Height - Mid	22¾	Weight - Mid	37
Height - Mid	36½			Back Height - High	33¾	Cubic Ft. - Mid	24.1
Height - High	46½					Weight - High	43
						Cubic Ft. - High	27.5

• Contrasting fabric option – specify X (i.e., N77GL4HMX); see page 392. For list pricing, use your electronic specification tool or contact customer service

4-LEG WOOD BASE

Mid Back

			1	2/COM	3/COL	4	5	6	7	L7	L8
N77GL4W	Low Back	$	2108	2175	2205	2254	2308	2399	2520	3096	3280
N77GM4W	Mid Back		2259	2329	2361	2413	2469	2565	2693	3299	3493
N77GH4W	High Back		2520	2594	2627	2682	2741	2841	2976	3612	3816

DIMENSIONS

Width	26½	Seat Height	16⅝	Back Width	26½	Weight - Low	31
Depth	29⅛	Seat Depth	19½	Back Height - Low	19	Cubic Ft. - Low	17.8
Height - Low	31⅛	Seat Width	27½	Back Height - Mid	22¾	Weight - Mid	37
Height - Mid	35			Back Height - High	32¾	Cubic Ft. - Mid	21.4
Height - High	47					Weight - High	43
						Cubic Ft. - High	28.8

• Contrasting fabric option – specify X (i.e., N77GL4WX); see page 392. For list pricing, use your electronic specification tool or contact customer service

MABEL

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Glides (when applicable)
4. Thread (when applicable)
5. Casters (when applicable)

• See page 391 for Mabel options

See page 395 for COM fabric yardage

4-PRONG HIGH PROFILE WOOD BASE WITH AUTO RETURN



High Back

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
N77GL4HW	Low Back	$	2167	2234	2264	2313	2367	2458	2579	3155	3339
N77GM4HW	Mid Back		2316	2386	2418	2470	2526	2622	2750	3356	3550
N77GH4HW	High Back		2541	2615	2648	2703	2762	2862	2997	3633	3837

DIMENSIONS

Width	26½	Seat Height	17½	Back Width	26½	Weight - Low	30
Depth	29⅛	Seat Depth	19½	Back Height - Low	19	Cubic Ft. - Low	16.2
Height - Low	33	Seat Width	27½	Back Height - Mid	22¾	Weight - Mid	34
Height - Mid	36¾			Back Height - High	32¾	Cubic Ft. - Mid	24.1
Height - High	46¾					Weight - High	40
						Cubic Ft. - High	27.5

• Contrasting fabric option – specify X (i.e., N77GL4HWX); see page 392. For list pricing, use your electronic specification tool or contact customer service

4-LEG WOOD BASE OTTOMAN

		1	2/COM	3/COL	4	5	6	7	L7	L8
N77D14W	$	1085	1113	1126	1147	1169	1207	1259	1501	1579

DIMENSIONS

Width	21¼	Weight	19
Depth	18	Cubic Ft.	7.9
Height	13⅗		

• Contrasting fabric option – specify X (i.e., N77D14WX); see page 392. For list pricing, use your electronic specification tool or contact customer service

OTTOMAN 4-PRONG LOW PROFILE SWIVEL BASE

		1	2/COM	3/COL	4	5	6	7	L7	L8
N77D14LM	$	1196	1224	1237	1258	1280	1318	1370	1612	1690
QN77D14LM		1196	1224	1237	1258	1280	1318	1370		

DIMENSIONS

Width	21	Weight	19.5
Depth	21	Cubic Ft.	8.2
Height	15½		

• Contrasting fabric option – specify X (i.e., N77D14LMX); see page 392. For list pricing, use your electronic specification tool or contact customer service

TASK HIGH BACK ARMS 5-PRONG BASE

		1	2/COM	3/COL	4	5	6	7	L7	L8
N77HUA5HP	Matte Black Base and Arms $	2245	2301	2327	2368	2413	2490	2592	3077	3232
N77HUA5HA	Polished Aluminum Base and Arms	2279	2335	2361	2402	2447	2524	2626	3111	3266

DIMENSIONS

Width	27½	Seat Height	16¾-21¾	Arm Height	25-30	Weight	48
Depth	27½	Seat Depth	21	Arm Width	22½	Cubic Ft.	11.5
Height	38½-43½	Seat Width	20¼	Back Width	20		
				Back Height	27		

• Contrasting fabric option – specify X (i.e., N77HUA5HPX); see page 392. For list pricing, use your electronic specification tool or contact customer service

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
N77D14LM, N77D14W		0.80	1.00	2.00	3.20	14.4
N77D14LMX, N77D14WX	Seat	0.70	0.80	1.00	1.40	12.2
	Seat Accent	0.40	0.70	1.40	2.70	7.2
N77GL4LM, N77GL4HM, N77GL4HW, N77GL4W		1.80	1.90	3.40	3.40	34.9
N77GL4LMX, N77GL4HMX,	Back	1.20	1.50	1.80	2.50	22.2
N77GL4HWX, N77GL4WX	Extreme	1.20	1.50	2.00	2.50	22.2
N77GM4LM, N77GM4HM, N77GM4HW, N77GM4W		2.00	2.40	3.90	4.00	38.2
N77GM4LMX, N77GM4HMX,	Back	1.30	1.70	2.20	2.50	24.9
N77GM4HWX, N77GM4WX	Extreme	1.20	1.70	2.30	2.50	22.2
N77GH4LM, N77GH4HM, N77GH4HW, N77GH4W		2.10	2.80	4.80	4.80	41.6
N77GH4LMX, N77GH4HMX,	Back	1.30	1.70	2.20	2.50	24.9
N77GH4HWX, N77GH4WX	Extreme	1.20	1.70	2.30	2.50	22.2
	Accent	0.50	1.70	1.50	1.80	10.0
N77HUA5HP, N77HUA5HA		1.36	2.00	2.50	3.50	27.12
N77HUA5HPX, N77HUA5HAX	Upholstery	0.78	1.00	1.50	2.50	15.50
	Extreme	0.92	1.50	1.75	2.25	18.26

MABEL

MIX-IT

Mesh Back Product Specifications 398
Mesh Back Fabrics and Options 399
Mesh Product Pages 400
Upholstered Back Product Specifications 408
Upholstered Back Fabrics and Options 409
Upholstered Back Product Pages 410
COM Yardage Requirements 421

MIX-IT MESH BACK PRODUCT SPECIFICATIONS



SEAT CONSTRUCTION

- Recycled plastic inner seat shell designed with a deep ribbing pattern to ensure rigidity
- Seats feature 2½" of custom molded controlled density polyurethane foam for consistency and good contoured support on all models

BACK CONSTRUCTION

- Injection molded inner and outer shell
- Back features ¼" of high grade polyurethane foam on outside edge for support and comfort

MESH

- 100% Polyester
- Cleaning code: W
- 100,000+ double rubs

LUMBAR

- Lumbar can be adjusted approximately 2" by simply lifting and lowering the lumbar pad
- Lumbar pad features 1½" of high grade polyurethane foam for support and comfort

ADJUSTABLE ARMS

- Attached to the seat with metal brackets and screws; encased uprights are made of reinforced nylon
- Adjusts 8 positions in height within a 4" range
- Adjusts 5 positions in width and a 4" range for optimum comfort

STATIC ARMS

- Static arms have twin ⅞" x 16-gauge tubular steel uprights
- Seat and arm mounting components are made of ⅛" x 1" steel plates

HIGH PERFORMANCE ARMS

- Adjusts 10 positions in height within a 4" range
- Width adjustment allows arms to adjust within a 3" range
- Arm pad features depth, width and pivot adjustment
- Encased uprights are made of reinforced nylon

ARM PADS

- Arm pads are soft black polyurethane

CONTROL MECHANISM—SYNCHRONOUS TILT

- Synchronous tilt control allows the back and seat to move in a synchronized 2.3:1 ratio motion
- Free float feature allows the chair to tilt freely
- A side activated telescoping tension adjustment handle provides a comfortable way to adjust back tension to meet individual needs
- The back angle can be locked in 1 of 5 positions
- Standard pneumatic gas cylinder lift allows seat to raise and lower 4¼" and provides spring action for added comfort
- Seat slide option adjusts seat depth within a 2½" range

CONTROL MECHANISM—KNEE TILT

- Standard knee tilt mechanism features heavy-duty adjustable tension spring for a variety of body sizes and minimal rise of front seat edge; this allows the user's feet to remain on the floor when chair is in a reclining position
- The combination gas lift/tilt lock lever allows dual function with simple in/out movement for lockout and up/down movement for height adjustment

LIFT

- Pneumatic gas cylinder lift allows seat to raise and lower 5" and provides spring action for added comfort; finger grip lever adjustment is quick and easy

BASE AND CASTERS

- Black nylon 5-prong base features glass filled nylon for beauty and a long life
- All bases have black, hard double wheel casters, which work on multiple surfaces
- Black, soft double wheel casters are available for use on hard floors; upcharge applies to this option
- Platinum Metallic option models feature a cast aluminum base

GLIDES

- Black nylon ball glides are standard

PAINT

- Metal paint features an electrostatically baked on black textured powder coat or smooth Platinum Metallic; can be cleaned with a damp cloth

FABRICS

Grade 1
- Cali
- Entwine
- Input
- Melange
- Ridge
- Spark
- Vessel
- Zig Zag

Grade 2
- Bliss
- Brilliant
- COM
- Dolce
- Dorset
- Intuition
- Orbit
- Phrase
- Pixie
- Sedona
- Stancil
- Strand

Grade 3
- COL
- Silvertex

Grade 4
- Connect Four
- Echo
- Masquerade

Grade 5
- Mode

Grade 6
- Essence/Ultraleather

Grade 7
- Brisa
- Brisa Distressed
- Reef Pro
- Silica
- Silica Etch
- Tottori

Grade L7
- Davenport

Grade L8
- Florence

CASTERS

FOR BLACK BASE

C15 Hard (standard)
C2 Soft (add $36 list)

FOR PLATINUM BASE

C1 Hard (standard)
C2 Soft (add $36 list)

PACK

KD Tool-less Knock Down – back, seat, and arms attached
FA Fully Assembled (add $114 list)

MIX-IT

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Fabric Grade Number
4. Cover Number
5. Casters

• See page 399 for Mix-it options
See pages 421-422 for COM fabric yardage

MESH BACK ARMLESS KNEE TILT PLASTIC BASE

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
N15GR		$	972	1004	1018	1041	1067	1110	1167	1440	1527
N15GRS	Seat Slide		1118	1150	1164	1187	1213	1256	1313	1586	1673
N15LR	Lumbar		1141	1173	1187	1210	1236	1279	1336	1609	1696
N15LRS	Lumbar/Seat Slide		1291	1323	1337	1360	1386	1429	1486	1759	1846

DIMENSIONS

Width	26¼	Seat Height	16-20	Back Height	23½	Weight	36
Depth	26	Seat Height with		Back Width	17¾	Weight with	
Depth with		Seat Slide	16½-20½			Seat Slide	39
Seat Slide	25¼-26⅝	Seat Depth	16¾			FA Cubic Ft.	19.1
Height	39½-43½	Seat Depth with				KD Cubic Ft.	13.3
Height with		Seat Slide	16¾-19¼				
Seat Slide	40-44	Seat Width	20¼				

• Platinum Metallic option – specify P (i.e., N15GRP) available for a $208 list upcharge

MESH BACK STATIC ARMS KNEE TILT PLASTIC BASE

Static Arms

			1	2/COM	3/COL	4	5	6	7	L7	L8
N15ER		$	1214	1246	1260	1283	1309	1352	1409	1682	1769
N15ERS	Seat Slide		1363	1395	1409	1432	1458	1501	1558	1831	1918
N15HR	Lumbar		1390	1422	1436	1459	1485	1528	1585	1858	1945
N15HRS	Lumbar/Seat Slide		1536	1568	1582	1605	1631	1674	1731	2004	2091

DIMENSIONS

Width	26¼	Seat Height	16-20	Arm Height	26½-30	Weight	45
Depth	26	Seat Height with		Back Height	23½	Weight with	
Depth with		Seat Slide	16½-20½	Back Width	17¾	Seat Slide	48
Seat Slide	25¼-26⅝	Seat Depth	16¾			FA Cubic Ft.	19.1
Height	39½-43½	Seat Depth with				KD Cubic Ft.	13.3
Height with		Seat Slide	16¾-19¼				
Seat Slide	40-44	Seat Width	20¼				

• Platinum Metallic option – specify P (i.e., N15ERP) available for a $208 list upcharge

MESH BACK HEIGHT ADJUSTABLE ARMS KNEE TILT PLASTIC BASE

Height Adjustable Arms

			1	2/COM	3/COL	4	5	6	7	L7	L8
N15TR		$	1204	1236	1250	1273	1299	1342	1399	1672	1759
N15TRS	Seat Slide		1356	1388	1402	1425	1451	1494	1551	1824	1911
N15PT	Lumbar		1375	1407	1421	1444	1470	1513	1570	1843	1930
N15PTS	Lumbar/Seat Slide		1527	1559	1573	1596	1622	1665	1722	1995	2082

DIMENSIONS

Width	26¼	Seat Height	16-20	Arm Height	24¼-32¼	Weight	47
Depth	26	Seat Height with		Back Height	23½	Weight with	
Depth with		Seat Slide	16½-20½	Back Width	17¼	Seat Slide	50
Seat Slide	25¼-26⅝	Seat Depth	16¾			FA Cubic Ft.	19.1
Height	39½-43½	Seat Depth with				KD Cubic Ft.	13.3
Height with		Seat Slide	16¾-19¼				
Seat Slide	40-44	Seat Width	20				

• Platinum Metallic option – specify P (i.e., N15TRP) available for a $208 list upcharge

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Fabric Grade Number
4. Cover Number
5. Finish Designator (when applicable)
6. Casters

• See page 399 for Mix-it options

See pages 421-422 for COM fabric yardage

MESH BACK
HEIGHT, WIDTH
ADJUSTABLE ARMS
KNEE TILT
PLASTIC BASE

Height, Width Adjustable Arms

MODEL NO. | **GRADE / LIST PRICE**

			1	2/COM	3/COL	4	5	6	7	L7	L8
N15MR		$	1243	1275	1289	1312	1338	1381	1438	1711	1798
N15MRS	Seat Slide		1397	1429	1443	1466	1492	1535	1592	1865	1952
N15PR	Lumbar		1415	1447	1461	1484	1510	1553	1610	1883	1970
N15PRS	Lumbar/Seat Slide		1568	1600	1614	1637	1663	1706	1763	2036	2123

DIMENSIONS

Width	26¼-29¼	Seat Height	16-20	Arm Height	24¼-32¼	Weight	47
Depth	26	Seat Height with		Back Height	23½	Weight with	
Depth with		Seat Slide	16½-20½	Back Width	17¾	Seat Slide	50
Seat Slide	25¼-26⅝	Seat Depth	16¾			FA Cubic Ft.	19.1
Height	39½-43½	Seat Depth with				KD Cubic Ft.	13.3
Height with		Seat Slide	16¾-19¼				
Seat Slide	40-44	Seat Width	20¼				

• Platinum Metallic option – specify P (i.e., N15MRP) available for a $208 list upcharge

MESH BACK
HIGH PERFORMANCE ARMS
KNEE TILT
PLASTIC BASE

High Performance Arms

			1	2/COM	3/COL	4	5	6	7	L7	L8
N15MRE		$	1415	1447	1461	1484	1510	1553	1610	1883	1970
N15MRES	Seat Slide		1568	1600	1614	1637	1663	1706	1763	2036	2123
N15PRE	Lumbar		1587	1619	1633	1656	1682	1725	1782	2055	2142
N15PRES	Lumbar/Seat Slide		1739	1771	1785	1808	1834	1877	1934	2207	2294

DIMENSIONS

Width	26¼-29¼	Seat Height	16-20	Arm Height	24¼-32¼	Weight	47
Depth	26	Seat Height with		Back Height	23½	Weight with	
Depth with		Seat Slide	16½-20	Back Width	17¾	Seat Slide	50
Seat Slide	25¼-26⅝	Seat Depth	16¾			FA Cubic Ft.	19.1
Height	39½-43½	Seat Depth with				KD Cubic Ft.	13.3
Height with		Seat Slide	16¾-19¼				
Seat Slide	40-44	Seat Width	20¼				

• Platinum Metallic option – specify P (i.e., N15MREP) available for a $208 list upcharge

MIX-IT

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Fabric Grade Number
4. Cover Number
5. Casters

• See page 399 for Mix-it options

See pages 421-422 for COM fabric yardage

MESH BACK ARMLESS SYNCHRONOUS PLASTIC BASE

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
N15GG		$	1100	1132	1146	1169	1195	1238	1295	1568	1655
N15GGS	Seat Slide		1250	1282	1296	1319	1345	1388	1445	1718	1805
N15LL	Lumbar		1271	1303	1317	1340	1366	1409	1466	1739	1826
N15LLS	Lumbar/Seat Slide		1420	1452	1466	1489	1515	1558	1615	1888	1975

DIMENSIONS

Width	26¼	Seat Height	17¼-22¼	Back Height	23½	Weight	41
Depth	26	Seat Height with		Back Width	17¾	Weight with	
Depth with		Seat Slide	17¾-22¾			Seat Slide	44
Seat Slide	25¼-26½	Seat Depth	16¾			FA Cubic Ft.	19.1
Height	40¾-45¾	Seat Depth with				KD Cubic Ft.	13.3
Height with		Seat Slide	16½-18¾				
Seat Slide	41¼-46¼	Seat Width	20¼				

• Platinum Metallic option – specify P (i.e., N15GGP) available for a $208 list upcharge

MESH BACK STATIC ARMS SYNCHRONOUS PLASTIC BASE

Static Arms

			1	2/COM	3/COL	4	5	6	7	L7	L8
N15EE		$	1343	1375	1389	1412	1438	1481	1538	1811	1898
N15EES	Seat Slide		1492	1524	1538	1561	1587	1630	1687	1960	2047
N15HH	Lumbar		1516	1548	1562	1585	1611	1654	1711	1984	2071
N15HHS	Lumbar/Seat Slide		1668	1700	1714	1737	1763	1806	1863	2136	2223

DIMENSIONS

Width	26¼	Seat Height	17¼-22¼	Arm Height	27¼-32¼	Weight	47
Depth	26	Seat Height with		Back Height	23½	Weight with	
Depth with		Seat Slide	17¾-22¾	Back Width	17¾	Seat Slide	50
Seat Slide	25¼-26½	Seat Depth	16¾			FA Cubic Ft.	19.1
Height	40¾-45¾	Seat Depth with				KD Cubic Ft.	13.3
Height with		Seat Slide	16½-18¾				
Seat Slide	41¼-46¼	Seat Width	20¼				

• Platinum Metallic option – specify P (i.e., N15EEP) available for a $208 list upcharge

MESH BACK HEIGHT ADJUSTABLE ARMS SYNCHRONOUS PLASTIC BASE

Height Adjustable Arms

			1	2/COM	3/COL	4	5	6	7	L7	L8
N15TM		$	1304	1336	1350	1373	1399	1442	1499	1772	1859
N15TMS	Seat Slide		1453	1485	1499	1522	1548	1591	1648	1921	2008
QN15TMS	Seat Slide		1453	1485	1499	1522	1548	1591	1648		
N15TP	Lumbar		1508	1540	1554	1577	1603	1646	1703	1976	2063
N15TPS	Lumbar/Seat Slide		1655	1687	1701	1724	1750	1793	1850	2123	2210

DIMENSIONS

Width	26¼	Seat Height	17¼-22¼	Arm Height	25½-34½	Weight	49
Depth	26	Seat Height with		Back Height	23¼	Weight with	
Depth with		Seat Slide	17¾-22¾	Back Width	17¾	Seat Slide	52
Seat Slide	25¼-26½	Seat Depth	17			FA Cubic Ft.	19.1
Height	40¾-45¾	Seat Depth with				KD Cubic Ft.	13.3
Height with		Seat Slide	16½-18¾				
Seat Slide	41¼-46¼	Seat Width	20¼				

• Platinum Metallic option – specify P (i.e., N15TMP) available for a $208 list upcharge
• Pack option is not available on Quick Delivery models

QD

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Fabric Grade Number
4. Cover Number
5. Casters

• See page 399 for Mix-it options

See pages 421-422 for COM fabric yardage

MESH BACK HEIGHT, WIDTH ADJUSTABLE ARMS SYNCHRONOUS PLASTIC BASE

Height, Width Adjustable Arms

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
N15MM		$	1373	1405	1419	1442	1468	1511	1568	1841	1928
N15MMS	Seat Slide		1522	1554	1568	1591	1617	1660	1717	1990	2077
QN15MMS	Seat Slide		1522	1554	1568	1591	1617	1660	1717		
N15PP	Lumbar		1546	1578	1592	1615	1641	1684	1741	2014	2101
N15PPS	Lumbar/Seat Slide		1695	1727	1741	1764	1790	1833	1890	2163	2250

DIMENSIONS

Width	26¼-29¼	Seat Height	17½-22½	Arm Height	25½-34½	Weight	49
Depth	26	Seat Height with		Back Height	23¼	Weight with	
Depth with		Seat Slide	17¾-22¾	Back Width	17¾	Seat Slide	52
Seat Slide	25¼-26½	Seat Depth	17			FA Cubic Ft.	19.1
Height	40¾-45¾	Seat Depth with				KD Cubic Ft.	13.3
Height with		Seat Slide	16½-18¾				
Seat Slide	41¼-46¼	Seat Width	20¼				

- Platinum Metallic option – specify P (i.e., N15MMP) available for a $208 list upcharge
- Pack option is not available on Quick Delivery models

MESH BACK HIGH PERFORMANCE ARMS SYNCHRONOUS PLASTIC BASE

High Performance Arms

			1	2/COM	3/COL	4	5	6	7	L7	L8
N15MME		$	1546	1578	1592	1615	1641	1684	1741	2014	2101
N15MMES	Seat Slide		1695	1727	1741	1764	1790	1833	1890	2163	2250
QN15MMES	Seat Slide		1695	1727	1741	1764	1790	1833	1890		
N15PPE	Lumbar		1719	1751	1765	1788	1814	1857	1914	2187	2274
N15PPES	Lumbar/Seat Slide		1868	1900	1914	1937	1963	2006	2063	2336	2423

DIMENSIONS

Width	26¼-29¼	Seat Height	17¼-22¼	Arm Height	25½-34½	Weight	49
Depth	26	Seat Height with		Back Height	23¼	Weight with	
Depth with		Seat Slide	17¾-22¾	Back Width	17¾	Seat Slide	52
Seat Slide	25¼-26½	Seat Depth	17			FA Cubic Ft.	19.1
Height	40¾-45¾	Seat Depth with				KD Cubic Ft.	13.3
Height with		Seat Slide	16½-18¾				
Seat Slide	41¼-46¼	Seat Width	20¼				

- Platinum Metallic option – specify P (i.e., N15MMEP) available for a $208 list upcharge
- Pack option is not available on Quick Delivery models

MESH BACK GUEST POLYURETHANE ARMS



			1	2/COM	3/COL	4	5	6	7	L7	L8
N15RR		$	984	1016	1030	1053	1079	1122	1179	1452	1539
QN15RR			984	1016	1030	1053	1079	1122	1179		

DIMENSIONS

Width	24¾	Seat Height	18½	Arm Height	26¼	Weight	29
Depth	24	Seat Depth	18¼	Kneespace	20	Cubic Ft.	16.4
Height	36¼	Seat Width	20¾				

- Platinum Metallic option – specify P (i.e., N15RRP) available for a $54 list upcharge

MIX-IT

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Cover Number
4. Casters

• See page 399 for Mix-it options
See pages 421-422 for COM fabric yardage

MESH BACK STOOL ARMLESS KNEE TILT PLASTIC BASE

MODEL NO.		1	2/COM	3/COL	4	5	6	7	L7	L8
N15ARY	$	1114	1146	1160	1183	1209	1252	1309	1582	1669

DIMENSIONS

Width	26¼	Seat Height	22½-28¾	Back Height	19¼	Weight	42
Depth	26	Seat Depth	16¾	Back Width	17	Cubic Ft.	20.4
Height	41-50	Seat Width	20¼				

- Platinum Metallic option – specify P (i.e., N15ARYP) available for a $208 list upcharge
- Ships fully assembled

MESH BACK STOOL STATIC ARMS KNEE TILT PLASTIC BASE

Static Arms

		1	2/COM	3/COL	4	5	6	7	L7	L8
N15CRY	$	1360	1392	1406	1429	1455	1498	1555	1828	1915

DIMENSIONS

Width	26¼	Seat Height	22½-28¾	Arm Height	32¾-39	Weight	48
Depth	26	Seat Depth	16¾	Back Height	19¼	Cubic Ft.	21.4
Height	41-50	Seat Width	20¼	Back Width	17		

- Platinum Metallic option – specify P (i.e., N15CRYP) available for a $208 list upcharge
- Ships fully assembled

MESH BACK STOOL HEIGHT ADJUSTABLE ARMS KNEE TILT PLASTIC BASE

Height Adjustable Arms

		1	2/COM	3/COL	4	5	6	7	L7	L8
N15TRY	$	1353	1385	1399	1422	1448	1491	1548	1821	1908

DIMENSIONS

Width	26¼-29¼	Seat Height	22½-28¾	Arm Height	31½-41	Weight	48
Depth	26	Seat Depth	16¾	Back Height	19¼	Cubic Ft.	20.4
Height	41-50	Seat Width	20¼	Back Width	17		

- Platinum Metallic option – specify P (i.e., N15TRYP) available for a $208 list upcharge
- Ships fully assembled

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Cover Number
4. Casters

• See page 399 for Mix-it options

See pages 421-422 for COM fabric yardage

MESH BACK STOOL
HEIGHT, WIDTH ADJUSTABLE ARMS
KNEE TILT
PLASTIC BASE

Height, Width Adjustable Arms

MODEL NO.		GRADE / LIST PRICE								
		1	2/COM	3/COL	4	5	6	7	L7	L8
N15JRY	$	1393	1425	1439	1462	1488	1531	1588	1861	1948

DIMENSIONS

Width	26¼-29¼	Seat Height	22½-28¾	Arm Height	31½-41	Weight	48
Depth	26	Seat Depth	16¾	Back Height	19¼	Cubic Ft.	20.4
Height	41-50	Seat Width	20¼	Back Width	17		

- Platinum Metallic option – specify P (i.e., N15JRYP) available for a $208 list upcharge
- Ships fully assembled

MESH BACK STOOL
HIGH PERFORMANCE ARMS
KNEE TILT
PLASTIC BASE

High Performance Arms

		1	2/COM	3/COL	4	5	6	7	L7	L8
N15JRYE	$	1564	1596	1610	1633	1659	1702	1759	2032	2119

DIMENSIONS

Width	26¼-29¼	Seat Height	22½-28¾	Arm Height	31-41½	Weight	50
Depth	26	Seat Depth	16¾	Back Height	19¼	Cubic Ft.	20.4
Height	41-50	Seat Width	20¼	Back Width	17		

- Platinum Metallic option – specify P (i.e., N15JRYEP) available for a $208 list upcharge
- Ships fully assembled

MESH BACK STOOL
ARMLESS
SYNCHRONOUS
PLASTIC BASE

		1	2/COM	3/COL	4	5	6	7	L7	L8
N15AAY	$	1245	1277	1291	1314	1340	1383	1440	1713	1800

DIMENSIONS

Width	26¼	Seat Height	21¾-28¾	Back Height	19¼	Weight	47
Depth	26	Seat Depth	17	Back Width	17	Cubic Ft.	20.4
Height	39½-47½	Seat Width	20¼				

- Platinum Metallic option – specify P (i.e., N15AAYP) available for a $208 list upcharge
- Ships fully assembled

MIX-IT

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Cover Number
4. Casters

• See page 399 for Mix-it options

See pages 421-422 for COM fabric yardage

MESH BACK STOOL STATIC ARMS SYNCHRONOUS PLASTIC BASE

Static Arms

MODEL NO.		GRADE / LIST PRICE								
		1	2/COM	3/COL	4	5	6	7	L7	L8
N15CCY	$	1488	1520	1534	1557	1583	1626	1683	1956	2043

DIMENSIONS

Width	26¼	Seat Height	21¾-28¾	Arm Height	32-39	Weight	53
Depth	26	Seat Depth	17	Back Height	19¼	Cubic Ft.	20.4
Height	39½-47½	Seat Width	20¼	Back Width	17		

- Platinum Metallic option – specify P (i.e., N15CCYP) available for a $208 list upcharge
- Ships fully assembled

MESH BACK STOOL HEIGHT ADJUSTABLE ARMS SYNCHRONOUS PLASTIC BASE

Height Adjustable Arms

		1	2/COM	3/COL	4	5	6	7	L7	L8
N15TJY	$	1478	1510	1524	1547	1573	1616	1673	1946	2033

DIMENSIONS

Width	26¼-29¼	Seat Height	21¾-28¾	Arm Height	30¾-41	Weight	53
Depth	26	Seat Depth	17	Back Height	19¾	Cubic Ft.	20.4
Height	39½-47½	Seat Width	20¼	Back Width	17		

- Platinum Metallic option – specify P (i.e., N15TJYP) available for a $208 list upcharge
- Ships fully assembled

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Cover Number
4. Casters

• See page 399 for Mix-it options

See pages 421-422 for COM fabric yardage

MESH BACK STOOL
HEIGHT, WIDTH ADJUSTABLE ARMS
SYNCHRONOUS
PLASTIC BASE

Height, Width Adjustable Arms

MODEL NO.		GRADE / LIST PRICE								
		1	2/COM	3/COL	4	5	6	7	L7	L8
N15JJY	$	1520	1552	1566	1589	1615	1658	1715	1988	2075

DIMENSIONS

Width	26¼-29¼	Seat Height	21¾-28¾	Arm Height	30¾-41	Weight	53
Depth	26	Seat Depth	17	Back Height	19¼	Cubic Ft.	20.4
Height	39½-47½	Seat Width	20¼	Back Width	17		

- Platinum Metallic option – specify P (i.e., N15JJYP) available for a $208 list upcharge
- Ships fully assembled

MESH BACK STOOL
HIGH PERFORMANCE ARMS
SYNCHRONOUS
PLASTIC BASE

High Performance Arms

		1	2/COM	3/COL	4	5	6	7	L7	L8
N15JJYE	$	1691	1723	1737	1760	1786	1829	1886	2159	2246

DIMENSIONS

Width	26¼-29¼	Seat Height	21¾-28¾	Arm Height	30¾-41	Weight	55
Depth	26	Seat Depth	17	Back Height	19¼	Cubic Ft.	20.4
Height	39½-47½	Seat Width	20¼	Back Width	17		

- Platinum Metallic option – specify P (i.e., N15JJYEP) available for a $208 list upcharge
- Ships fully assembled

MIX-IT UPHOLSTERED BACK PRODUCT SPECIFICATIONS



SEAT CONSTRUCTION

- Recycled plastic inner seat shell designed with a deep ribbing pattern to ensure rigidity
- Seats feature 2½" of custom molded controlled density polyurethane foam for consistency and good contoured support on all models

BACK CONSTRUCTION

- Injection molded polypropylene outer shell
- Blow molded polyethylene inner back shell designed with a deep ribbing to ensure rigidity
- Backs feature 1¾" of custom molded, controlled density polyurethane foam for consistency and good contoured support on all models

BACK REST

- Back height can be adjusted by simply lifting up on the back
- Adjusts 6 positions within a range of approximately 2¾"

ADJUSTABLE ARMS

- Attached to the seat with metal brackets and screws; encased uprights are made of reinforced nylon
- Adjusts 8 positions in height within a 4" range
- Adjusts 5 positions in width and a 4" range for optimum comfort

STATIC ARMS

- Static arms have twin ⅞" x 16-gauge tubular steel uprights
- Seat and arm mounting components are made of ⅛" x 1" steel plates

HIGH PERFORMANCE ARMS

- Adjusts 10 positions in height within a 4" range
- Width adjustment allows arms to adjust within a 3" range
- Arm pad features depth, width and pivot adjustment
- Encased uprights are made of reinforced nylon

ARM PADS

- Arm pads are soft black polyurethane

CONTROL MECHANISM—SYNCHRONOUS TILT

- Synchronous tilt control allows the back and seat to move in a synchronized 2.3:1 ratio motion
- Free float feature allows the chair to tilt freely
- A side activated telescoping tension adjustment handle provides a comfortable way to adjust back tension to meet individual needs
- The back angle can be locked in 1 of 5 positions
- Standard pneumatic gas cylinder lift allows seat to raise and lower 4¼" and provides spring action for added comfort
- Seat slide option adjusts seat depth within a 2½" range

CONTROL MECHANISM—KNEE TILT

- Standard knee tilt mechanism features heavy-duty adjustable tension spring for a variety of body sizes and minimal rise of front seat edge; this allows the user's feet to remain on the floor when chair is in a reclining position
- The combination gas lift/tilt lock lever allows dual function with simple in/out movement for lockout and up/down movement for height adjustment

LIFT

- Pneumatic gas cylinder lift allows seat to raise and lower 5" and provides spring action for added comfort; finger grip lever adjustment is quick and easy

BASE AND CASTERS

- Black nylon 5-prong base features glass filled nylon for beauty and a long life
- All bases have black, hard double wheel casters, which work on multiple surfaces
- Black, soft double wheel casters are available for use on hard floors; upcharge applies to this option
- Platinum Metallic option models feature a cast aluminum base

GLIDES

- Black nylon ball glides are standard
- For rough textured or soft surface flooring, we recommend using soft glides, contact customer service for pricing and availability

PAINT

- Metal paint features an electrostatically baked on black textured powder coat or smooth Platinum Metallic; can be cleaned with a damp cloth

All Mix-it upholstered back models may be ordered to meet TB133 fire code.

To order seating to meet the TB133 fire code, specify an "F" at the end of the model number (Ex: N12CCYF).

For TB133 pricing go to www.NationalOfficeFurniture.com/TB133

Please consult customer service for applicable Arc-Com, Carnegie, Designtex, Maharam, Mayer, Momentum, Stinson, or Ultrafabrics fabric.

FABRICS

Grade 1
- Cali
- Entwine
- Input
- Melange
- Ridge
- Spark
- Vessel
- Zig Zag

Grade 2
- Bliss
- Brilliant
- COM
- Dolce
- Dorset
- Intuition
- Orbit
- Phrase
- Pixie
- Sedona
- Stancil
- Strand*

Grade 3
- COL
- Silvertex

Grade 4
- Connect Four
- Echo
- Masquerade

Grade 5
- Mode

Grade 6
- Essence/Ultraleather

Grade 7
- Brisa
- Brisa Distressed
- Reef Pro
- Silica
- Silica Etch
- Tottori

Grade L7
- Davenport

Grade L8
- Florence

*Strand restricted on upholstered back models

CASTERS

FOR BLACK BASE

C15 Hard (standard)
C2 Soft (add $36 list)

FOR PLATINUM BASE

C1 Hard (standard)
C2 Soft (add $36 list)

PACK

KD Tool-less Knock Down – back, seat, and arms attached
FA Fully Assembled (add $114 list)

MIX-IT

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Fabric Grade Number
4. Cover Number
5. Casters

• See page 409 for Mix-it options
See pages 421-422 for COM fabric yardage

MID BACK ARMLESS KNEE TILT PLASTIC BASE

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
N12AR	Plastic Back	$	1099	1141	1160	1191	1225	1283	1359	1723	1839
N12ARS	Plastic Back/Seat Slide		1247	1289	1308	1339	1373	1431	1507	1871	1987
N12BR	Upholstered Back		1140	1193	1217	1256	1298	1370	1466	1920	2066
N12BRS	Upholstered Back/Seat Slide		1291	1344	1368	1407	1449	1521	1617	2071	2217

DIMENSIONS

Width	26¼	Seat Height	16-20	Back Height	19-21½	Weight	53
Depth	26	Seat Height with		Back Width	18	Weight with	
Depth with		Seat Slide	16½-20½			Seat Slide	56
Seat Slide	25¼-26⅝	Seat Depth	16¾			FA Cubic Ft.	18.3
Height	32-41¾	Seat Depth with				KD Cubic Ft.	13.3
Height with		Seat Slide	16¾-19¼				
Seat Slide	32½-42¼	Seat Width	20¼				

• Platinum Metallic option – specify P (i.e., N12ARP) available for a $208 list upcharge

MID BACK STATIC ARMS KNEE TILT PLASTIC BASE

Static Arms

			1	2/COM	3/COL	4	5	6	7	L7	L8
N12CR	Plastic Back	$	1342	1384	1403	1434	1468	1526	1602	1966	2082
N12CRS	Plastic Back/Seat Slide		1491	1533	1552	1583	1617	1675	1751	2115	2231
N12DR	Upholstered Back		1393	1446	1470	1509	1551	1623	1719	2173	2319
N12DRS	Upholstered Back/Seat Slide		1539	1592	1616	1655	1697	1769	1865	2319	2465

DIMENSIONS

Width	26¼	Seat Height	16-20	Arm Height	26½-30	Weight	63
Depth	26	Seat Height with		Back Height	19-21½	Weight with	
Depth with		Seat Slide	16½-20½	Back Width	18	Seat Slide	66
Seat Slide	25¼-26⅝	Seat Depth	16¾			FA Cubic Ft.	18.3
Height	32-41¾	Seat Depth with				KD Cubic Ft.	13.3
Height with		Seat Slide	16¾-19¼				
Seat Slide	32½-42¼	Seat Width	20¼				

• Platinum Metallic option – specify P (i.e., N12CRP) available for a $208 list upcharge

MID BACK HEIGHT ADJUSTABLE ARMS KNEE TILT PLASTIC BASE

Height Adjustable Arms

			1	2/COM	3/COL	4	5	6	7	L7	L8
N12TR	Plastic Back	$	1333	1375	1394	1425	1459	1517	1593	1957	2073
N12TRS	Plastic Back/Seat Slide		1480	1522	1541	1572	1606	1664	1740	2104	2220
N12KT	Upholstered Back		1379	1432	1456	1495	1537	1609	1705	2159	2305
N12KTS	Upholstered Back/Seat Slide		1533	1586	1610	1649	1691	1763	1859	2313	2459

DIMENSIONS

Width	26¼	Seat Height	16-20	Arm Height	26½-30	Weight	63
Depth	26	Seat Height with		Back Height	19-21½	Weight with	
Depth with		Seat Slide	16½-20	Back Width	18	Seat Slide	66
Seat Slide	25¼-26⅝	Seat Depth	16¾			FA Cubic Ft.	18.3
Height	32-41¾	Seat Depth with				KD Cubic Ft.	13.3
Height with		Seat Slide	16¾-19¼				
Seat Slide	32½-41¼	Seat Width	20¼				

• Platinum Metallic option – specify P (i.e., N12TRP) available for a $208 list upcharge

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Fabric Grade Number
4. Cover Number
5. Casters

• See page 409 for Mix-it options

See pages 421-422 for COM fabric yardage

MID BACK HEIGHT, WIDTH ADJUSTABLE ARMS KNEE TILT PLASTIC BASE

Height, Width Adjustable Arms

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
N12JR	Plastic Back	$	1374	1416	1435	1466	1500	1558	1634	1998	2114
N12JRS	Plastic Back/Seat Slide		1521	1563	1582	1613	1647	1705	1781	2145	2261
N12KR	Upholstered Back		1417	1470	1494	1533	1575	1647	1743	2197	2343
N12KRS	Upholstered Back/Seat Slide		1571	1624	1648	1687	1729	1801	1897	2351	2497

DIMENSIONS

Width	26¼-29¼	Seat Height	16-20	Arm Height	25¼-32	Weight	58
Depth	26	Seat Height with		Back Height	19-21½	Weight with	
Depth with		Seat Slide	16½-20½	Back Width	18	Seat Slide	61
Seat Slide	25¼-26⅝	Seat Depth	16¾			FA Cubic Ft.	18.3
Height	32-41¾	Seat Depth with				KD Cubic Ft.	13.3
Height with		Seat Slide	16¾-19¼				
Seat Slide	32½-42¼	Seat Width	20¼				

• Platinum Metallic option – specify P (i.e., N12JRP) available for a $208 list upcharge

MID BACK HIGH PERFORMANCE ARMS KNEE TILT PLASTIC BASE

High Performance Arms

			1	2/COM	3/COL	4	5	6	7	L7	L8
N12JRE	Plastic Back	$	1547	1589	1608	1639	1673	1731	1807	2171	2287
N12JRES	Plastic Back/Seat Slide		1693	1735	1754	1785	1819	1877	1953	2317	2433
N12KRE	Upholstered Back		1589	1642	1666	1705	1747	1819	1915	2369	2515
N12KRES	Upholstered Back/Seat Slide		1745	1798	1822	1861	1903	1975	2071	2525	2671

DIMENSIONS

Width	26¼-29¼	Seat Height	16-20	Arm Height	24¾-32½	Weight	58
Depth	26	Seat Height with		Back Height	19-21½	Weight with	
Depth with		Seat Slide	16½-20½	Back Width	18	Seat Slide	61
Seat Slide	25¼-26⅝	Seat Depth	16¾			FA Cubic Ft.	18.3
Height	32-41¾	Seat Depth with				KD Cubic Ft.	13.3
Height with		Seat Slide	16¾-19¼				
Seat Slide	32½-42¼	Seat Width	20¼				

• Platinum Metallic option – specify P (i.e., N12JREP) available for a $208 list upcharge

MID BACK ARMLESS SYNCHRONOUS PLASTIC BASE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N12AAC	Plastic Back	$	1229	1271	1290	1321	1355	1413	1489	1853	1969
N12AACS	Plastic Back/Seat Slide		1376	1418	1437	1468	1502	1560	1636	2000	2116
N12BBC	Upholstered Back		1270	1323	1347	1386	1428	1500	1596	2050	2196
N12BBCS	Upholstered Back/Seat Slide		1420	1473	1497	1536	1578	1650	1746	2200	2346

DIMENSIONS

Width	26¼	Seat Height	17¼-22¼	Back Height	19-21½	Weight	50.2
Depth	26	Seat Height with		Back Width	18	Weight with	
Depth with		Seat Slide	17¾-22¾			Seat Slide	53.8
Seat Slide	25¼-26½	Seat Depth	16¾			FA Cubic Ft.	18.3
Height	35½-43½	Seat Depth with				KD Cubic Ft.	13.3
Height with		Seat Slide	16½-18¾				
Seat Slide	36¼-44¼	Seat Width	20¼				

• Platinum Metallic option – specify P (i.e., N12AACP) available for a $208 list upcharge

MIX-IT

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Fabric Grade Number
4. Cover Number
5. Casters

• See page 409 for Mix-it options

See pages 421-422 for COM fabric yardage

MID BACK STATIC ARMS SYNCHRONOUS PLASTIC BASE

Static Arms

MODEL NO. | **GRADE / LIST PRICE**

			1	2/COM	3/COL	4	5	6	7	L7	L8
N12CCC	Plastic Back	$	1471	1513	1532	1563	1597	1655	1731	2095	2211
N12CCCS	Plastic Back/Seat Slide		1621	1663	1682	1713	1747	1805	1881	2245	2361
N12DDC	Upholstered Back		1520	1573	1597	1636	1678	1750	1846	2300	2446
N12DDCS	Upholstered Back/Seat Slide		1672	1725	1749	1788	1830	1902	1998	2452	2598

DIMENSIONS

Width	26¼	Seat Height	17¼-22¼	Arm Height	27¼-32¼	Weight	60
Depth	26	Seat Height with		Back Height	19-21½	Weight with	
Depth with		Seat Slide	17¾-22¾	Back Width	18	Seat Slide	63.6
Seat Slide	25¼-26½	Seat Depth	16¾			FA Cubic Ft.	18.3
Height	35½-43½	Seat Depth with				KD Cubic Ft.	13.3
Height with		Seat Slide	16½-18¾				
Seat Slide	36¼-44¼	Seat Width	20¼				

• Platinum Metallic option – specify P (i.e., N12CCCP) available for a $208 list upcharge

MID BACK HEIGHT ADJUSTABLE ARMS SYNCHRONOUS PLASTIC BASE

Height Adjustable Arms

			1	2/COM	3/COL	4	5	6	7	L7	L8
N12TJC	Plastic Back	$	1463	1505	1524	1555	1589	1647	1723	2087	2203
QN12TJC	Plastic Back		1463	1505	1524	1555	1589	1647	1723		
N12TJCS	Plastic Back/Seat Slide		1613	1655	1674	1705	1739	1797	1873	2237	2353
QN12TJCS	Plastic Back/Seat Slide		1613	1655	1674	1705	1739	1797	1873		
N12KTC	Upholstered Back		1511	1564	1588	1627	1669	1741	1837	2291	2437
N12KTCS	Upholstered Back/Seat Slide		1662	1715	1739	1778	1820	1892	1988	2442	2588

DIMENSIONS

Width	26¼-29¼	Seat Height	17¼-22¼	Arm Height	26-34	Weight	55.8
Depth	26	Seat Height with		Back Height	19-21½	Weight with	
Depth with		Seat Slide	17¾-22¾	Back Width	18	Seat Slide	59.4
Seat Slide	25¼-26½	Seat Depth	16¾			FA Cubic Ft.	18.3
Height	35½-43½	Seat Depth with				KD Cubic Ft.	13.3
Height with		Seat Slide	16½-18¾				
Seat Slide	36¼-44¼	Seat Width	20¼				

• Platinum Metallic option – specify P (i.e., N12TJCP) available for a $208 list upcharge
• Pack option is not available on Quick Delivery models

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Fabric Grade Number
4. Cover Number
5. Casters

• See page 409 for Mix-it options

See pages 421-422 for COM fabric yardage

MID BACK HEIGHT, WIDTH ADJUSTABLE ARMS SYNCHRONOUS PLASTIC BASE

Height, Width Adjustable Arms

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
N12JJC	Plastic Back	$	1505	1547	1566	1597	1631	1689	1765	2129	2245
QN12JJC	Plastic Back		1505	1547	1566	1597	1631	1689	1765		
N12JJCS	Plastic Back/Seat Slide		1651	1693	1712	1743	1777	1835	1911	2275	2391
QN12JJCS	Plastic Back/Seat Slide		1651	1693	1712	1743	1777	1835	1911		
N12KKC	Upholstered Back		1549	1602	1626	1665	1707	1779	1875	2329	2475
N12KKCS	Upholstered Back/Seat Slide		1702	1755	1779	1818	1860	1932	2028	2482	2628

DIMENSIONS

Width	26¼-29¼	Seat Height	17¼-22¼	Arm Height	26-34	Weight	55.8
Depth	26	Seat Height with		Back Height	19-21½	Weight with	
Depth with		Seat Slide	17¾-22¾	Back Width	18	Seat Slide	59.4
Seat Slide	25¼-26½	Seat Depth	16¾			FA Cubic Ft.	18.3
Height	35½-43½	Seat Depth with				KD Cubic Ft.	13.3
Height with		Seat Slide	16½-18¾				
Seat Slide	36¼-44¼	Seat Width	20¼				

- Platinum Metallic option – specify P (i.e., N12JJCP) available for a $208 list upcharge
- Pack option is not available on Quick Delivery models

MID BACK HIGH PERFORMANCE ARMS SYNCHRONOUS PLASTIC BASE

High Performance Arms

			1	2/COM	3/COL	4	5	6	7	L7	L8
N12JJCE	Plastic Back	$	1677	1719	1738	1769	1803	1861	1937	2301	2417
QN12JJCE	Plastic Back		1677	1719	1738	1769	1803	1861	1937		
N12JJCES	Plastic Back/Seat Slide		1828	1870	1889	1920	1954	2012	2088	2452	2568
QN12JJCES	Plastic Back/Seat Slide		1828	1870	1889	1920	1954	2012	2088		
N12KKCE	Upholstered Back		1723	1776	1800	1839	1881	1953	2049	2503	2649
N12KKCES	Upholstered Back/Seat Slide		1875	1928	1952	1991	2033	2105	2201	2655	2801

DIMENSIONS

Width	26¼-29¼	Seat Height	17¼-22¼	Arm Height	25½-34½	Weight	55.8
Depth	26	Seat Height with		Back Height	19-21½	Weight with	
Depth with		Seat Slide	17¾-22¾	Back Width	18	Seat Slide	59.4
Seat Slide	25¼-26½	Seat Depth	16¾			FA Cubic Ft.	18.3
Height	35½-43½	Seat Depth with				KD Cubic Ft.	13.3
Height with		Seat Slide	16½-18¾				
Seat Slide	36¼-44¼	Seat Width	20¼				

- Platinum Metallic option – specify P (i.e., N12JJCEP) available for a $208 list upcharge
- Pack option is not available on Quick Delivery models

MIX-IT

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Fabric Grade Number
4. Cover Number
5. Casters

• See page 409 for Mix-it options
See pages 421-422 for COM fabric yardage

HIGH BACK STATIC ARMS KNEE TILT PLASTIC BASE

Static Arms

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
N12ER	Plastic Back	$	1390	1436	1456	1490	1527	1589	1672	2066	2192
N12ERS	Plastic Back/Seat Slide		1536	1582	1602	1636	1673	1735	1818	2212	2338
N12HR	Upholstered Back		1435	1491	1517	1558	1603	1680	1782	2267	2422
N12HRS	Upholstered Back/Seat Slide		1583	1639	1665	1706	1751	1828	1930	2415	2570

DIMENSIONS

Width	26¼	Seat Height	16-20	Arm Height	26½-30	Weight	66
Depth	26	Seat Height with		Back Height	22-24½	Weight with	
Depth with		Seat Slide	16½-20½	Back Width	18½	Seat Slide	70
Seat Slide	25¼-26⅝	Seat Depth	16¾			FA Cubic Ft.	19.1
Height	35¾-46½	Seat Depth with				KD Cubic Ft.	13.3
Height with		Seat Slide	16¾-19¼				
Seat Slide	36¼-46	Seat Width	20¼				

• Platinum Metallic option – specify P (i.e., N12ERP) available for a $208 list upcharge

HIGH BACK HEIGHT ADJUSTABLE ARMS KNEE TILT PLASTIC BASE

Height Adjustable Arms

			1	2/COM	3/COL	4	5	6	7	L7	L8
N12MT	Plastic Back	$	1375	1421	1441	1475	1512	1574	1657	2051	2177
N12MTS	Plastic Back/Seat Slide		1527	1573	1593	1627	1664	1726	1809	2203	2329
N12PT	Upholstered Back		1422	1478	1504	1545	1590	1667	1769	2254	2409
N12PTS	Upholstered Back/Seat Slide		1574	1630	1656	1697	1742	1819	1921	2406	2561

DIMENSIONS

Width	26¼-29¼	Seat Height	16-20	Arm Height	25¼-32	Weight	64
Depth	26	Seat Height with		Back Height	22-24½	Weight with	
Depth with		Seat Slide	16½-20½	Back Width	18½	Seat Slide	67
Seat Slide	25¼-26⅝	Seat Depth	16¾			FA Cubic Ft.	19.1
Height	35¾-45½	Seat Depth with				KD Cubic Ft.	13.3
Height with		Seat Slide	16¾-19¼				
Seat Slide	36¼-46	Seat Width	20¼				

• Platinum Metallic option – specify P (i.e., N12MTP) available for a $208 list upcharge

HIGH BACK HEIGHT, WIDTH ADJUSTABLE ARMS KNEE TILT PLASTIC BASE

Height, Width Adjustable Arms

			1	2/COM	3/COL	4	5	6	7	L7	L8
N12MR	Plastic Back	$	1415	1461	1481	1515	1552	1614	1697	2091	2217
N12MRS	Plastic Back/Seat Slide		1568	1614	1634	1668	1705	1767	1850	2244	2370
N12PR	Upholstered Back		1462	1518	1544	1585	1630	1707	1809	2294	2449
N12PRS	Upholstered Back/Seat Slide		1614	1670	1696	1737	1782	1859	1961	2446	2601

DIMENSIONS

Width	26¼-29¼	Seat Height	16-20	Arm Height	25¼-32	Weight	64
Depth	26	Seat Height with		Back Height	22-24½	Weight with	
Depth with		Seat Slide	16½-20½	Back Width	18½	Seat Slide	67
Seat Slide	25¼-26⅝	Seat Depth	16¾			FA Cubic Ft.	19.1
Height	35¾-45½	Seat Depth with				KD Cubic Ft.	13.3
Height with		Seat Slide	16¾-19¼				
Seat Slide	36¼-46	Seat Width	20¼				

• Platinum Metallic option – specify P (i.e., N12MRP) available for a $208 list upcharge

QD Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Fabric Grade Number
4. Cover Number
5. Casters

• See page 409 for Mix-it options

See pages 421-422 for COM fabric yardage

HIGH BACK HIGH PERFORMANCE ARMS KNEE TILT PLASTIC BASE

High Performance Arms

MODEL NO.		GRADE / LIST PRICE								
		1	2/COM	3/COL	4	5	6	7	L7	L8
N12MRE	Plastic Back	$ 1587	1633	1653	1687	1724	1786	1869	2263	2389
N12MRES	Plastic Back/Seat Slide	1739	1785	1805	1839	1876	1938	2021	2415	2541
N12PRE	Upholstered Back	1633	1689	1715	1756	1801	1878	1980	2465	2620
N12PRES	Upholstered Back/Seat Slide	1786	1842	1868	1909	1954	2031	2133	2618	2773

DIMENSIONS

Width	26¼-29¼	Seat Height	16-20	Arm Height	24¾-32½	Weight	64
Depth	26	Seat Height with		Back Height	22-24½	Weight with	
Depth with		Seat Slide	16½-20½	Back Width	18½	Seat Slide	67
Seat Slide	25¼-26⅝	Seat Depth	16¾			FA Cubic Ft.	19.1
Height	35¾-45½	Seat Depth with				KD Cubic Ft.	13.3
Height with		Seat Slide	16¾-19¼				
Seat Slide	36¼-46	Seat Width	20¼				

• Platinum Metallic option – specify P (i.e., N12MREP) available for a $208 list upcharge

HIGH BACK STATIC ARMS SYNCHRONOUS PLASTIC BASE

Static Arms

			1	2/COM	3/COL	4	5	6	7	L7	L8
N12EEC	Plastic Back	$	1516	1562	1582	1616	1653	1715	1798	2192	2318
N12EECS	Plastic Back/Seat Slide		1668	1714	1734	1768	1805	1867	1950	2344	2470
N12HHC	Upholstered Back		1566	1622	1648	1689	1734	1811	1913	2398	2553
N12HHCS	Upholstered Back/Seat Slide		1716	1772	1798	1839	1884	1961	2063	2548	2703

DIMENSIONS

Width	26¼	Seat Height	17¼-22¼	Arm Height	27¼-32¼	Weight	63.5
Depth	26	Seat Height with		Back Height	22-24½	Weight with	
Depth with		Seat Slide	17¾-22¾	Back Width	18½	Seat Slide	67.1
Seat Slide	25¼-26½	Seat Depth	16¾			FA Cubic Ft.	19.1
Height	39¼-47¼	Seat Depth with				KD Cubic Ft.	13.3
Height with		Seat Slide	16½-18¾				
Seat Slide	40-48	Seat Width	20¼				

• Platinum Metallic option – specify P (i.e., N12EECP) available for a $208 list upcharge

HIGH BACK HEIGHT ADJUSTABLE ARMS SYNCHRONOUS PLASTIC BASE

Height Adjustable Arms

			1	2/COM	3/COL	4	5	6	7	L7	L8
N12TMC	Plastic Back	$	1508	1554	1574	1608	1645	1707	1790	2184	2310
N12TMCS	Plastic Back/Seat Slide		1655	1701	1721	1755	1792	1854	1937	2331	2457
QN12TMCS	Plastic Back/Seat Slide		1655	1701	1721	1755	1792	1854	1937		
N12TPC	Upholstered Back		1552	1608	1634	1675	1720	1797	1899	2384	2539
N12TPCS	Upholstered Back/Seat Slide		1704	1760	1786	1827	1872	1949	2051	2536	2691

DIMENSIONS

Width	26¼	Seat Height	17¼-22¼	Arm Height	27¼-32¼	Weight	63.5
Depth	26	Seat Height with		Back Height	22-24½	Weight with	
Depth with		Seat Slide	17¾-22¾	Back Width	18½	Seat Slide	67.1
Seat Slide	25¼-26½	Seat Depth	16¾			FA Cubic Ft.	19.1
Height	39¼-47¼	Seat Depth with				KD Cubic Ft.	13.3
Height with		Seat Slide	16½-18¾				
Seat Slide	40-48	Seat Width	20¼				

• Platinum Metallic option – specify P (i.e., N12TMCP) available for a $208 list upcharge
• Pack option is not available on Quick Delivery models

MIX-IT

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Pack
3. Fabric Grade Number
4. Cover Number
5. Casters

• See page 409 for Mix-it options

See pages 421-422 for COM fabric yardage

HIGH BACK HEIGHT, WIDTH ADJUSTABLE ARMS SYNCHRONOUS PLASTIC BASE

Height, Width Adjustable Arms

MODEL NO.		GRADE / LIST PRICE	1	2/COM	3/COL	4	5	6	7	L7	L8
N12MMC	Plastic Back	$	1546	1592	1612	1646	1683	1745	1828	2222	2348
N12MMCS	Plastic Back/Seat Slide		1695	1741	1761	1795	1832	1894	1977	2371	2497
QN12MMCS	Plastic Back/Seat Slide		1695	1741	1761	1795	1832	1894	1977		
N12PPC	Upholstered Back		1592	1648	1674	1715	1760	1837	1939	2424	2579
N12PPCS	Upholstered Back/Seat Slide		1743	1799	1825	1866	1911	1988	2090	2575	2730

DIMENSIONS

Width	26¼-29¼	Seat Height	17¼-22¼	Arm Height	26-34	Weight	61.3
Depth	26	Seat Height with		Back Height	22-24½	Weight with	
Depth with		Seat Slide	17¾-22¾	Back Width	18½	Seat Slide	64.9
Seat Slide	25¼-26½	Seat Depth	16¾			FA Cubic Ft.	19.1
Height	39¼-47¼	Seat Depth with				KD Cubic Ft.	13.3
Height with		Seat Slide	16½-18¾				
Seat Slide	40-48	Seat Width	20¼				

- Platinum Metallic option – specify P (i.e., N12MMCP) available for a $208 list upcharge
- Pack option is not available on Quick Delivery models

HIGH BACK HIGH PERFORMANCE ARMS SYNCHRONOUS PLASTIC BASE

High Performance Arms

			1	2/COM	3/COL	4	5	6	7	L7	L8
N12MMCE	Plastic Back	$	1719	1765	1785	1819	1856	1918	2001	2395	2521
N12MMCES	Plastic Back/Seat Slide		1868	1914	1934	1968	2005	2067	2150	2544	2670
QN12MMCES	Plastic Back/Seat Slide		1868	1914	1934	1968	2005	2067	2150		
N12PPCE	Upholstered Back		1766	1822	1848	1889	1934	2011	2113	2598	2753
N12PPCES	Upholstered Back/Seat Slide		1914	1970	1996	2037	2082	2159	2261	2746	2901

DIMENSIONS

Width	26¼-29¼	Seat Height	17¼-22¼	Arm Height	25½-34½	Weight	61.3
Depth	26	Seat Height with		Back Height	22-24½	Weight with	
Depth with		Seat Slide	17¾-22¾	Back Width	18½	Seat Slide	64.9
Seat Slide	25¼-26½	Seat Depth	16¾			FA Cubic Ft.	19.1
Height	39¼-47¼	Seat Depth with				KD Cubic Ft.	13.3
Height with		Seat Slide	16½-18¾				
Seat Slide	40-48	Seat Width	20¼				

- Platinum Metallic option – specify P (i.e., N12MMCEP) available for a $208 list upcharge
- Pack option is not available on Quick Delivery models

GUEST POLYURETHANE ARMS

			1	2/COM	3/COL	4	5	6	7	L7	L8
N12RR	Plastic Back	$	939	978	995	1024	1055	1107	1178	1511	1618
QN12RR	Plastic Back		939	978	995	1024	1055	1107	1178		
N12QQ	Upholstered Back		984	1033	1055	1092	1131	1198	1288	1712	1848
QN12QQ	Upholstered Back		984	1033	1055	1092	1131	1198	1288		

DIMENSIONS

Width	24¾	Seat Height	18½	Arm Height	26¼	Weight	40
Depth	24	Seat Depth	18¼	Kneespace	20	Cubic Ft.	16.4
Height	34¾	Seat Width	20¾				

- Platinum Metallic option – specify P (i.e., N12RRP) available for a $54 list upcharge

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Cover Number
4. Casters

• See page 409 for Mix-it options

See pages 421-422 for COM fabric yardage

STOOL ARMLESS KNEE TILT PLASTIC BASE

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
N12ARY	Plastic Back	$	1289	1331	1350	1381	1415	1473	1549	1913	2029
N12BRY	Upholstered Back		1332	1385	1409	1448	1490	1562	1658	2112	2258

DIMENSIONS

Width	26¼	Seat Height	22½-28¾	Back Height	19-21½	Weight	48
Depth	26	Seat Depth	16¾	Back Width	18	Cubic Ft.	20.4
Height	41-50	Seat Width	20¼				

- Platinum Metallic option – specify P (i.e., N12ARYP) available for a $208 list upcharge
- Ships fully assembled

STOOL STATIC ARMS KNEE TILT PLASTIC BASE

Static Arms

			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
N12CRY	Plastic Back	$	1533	1575	1594	1625	1659	1717	1793	2157	2273
N12DRY	Upholstered Back		1579	1632	1656	1695	1737	1809	1905	2359	2505

DIMENSIONS

Width	26¼	Seat Height	22½-28¾	Arm Height	32¾-39	Weight	54
Depth	26	Seat Depth	16¾	Back Height	19-21½	Cubic Ft.	20.4
Height	41-50	Seat Width	20¼	Back Width	18		

- Platinum Metallic option – specify P (i.e., N12CRYP) available for a $208 list upcharge
- Ships fully assembled

STOOL HEIGHT ADJUSTABLE ARMS KNEE TILT PLASTIC BASE

Height Adjustable Arms

			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
N12JTY	Plastic Back	$	1523	1565	1584	1615	1649	1707	1783	2147	2263
N12KTY	Upholstered Back		1570	1623	1647	1686	1728	1800	1896	2350	2496

DIMENSIONS

Width	26¼-29¼	Seat Height	22½-28¾	Arm Height	31½-41	Weight	56
Depth	26	Seat Depth	16¾	Back Height	19-21½	Cubic Ft.	20.4
Height	41-50	Seat Width	20¼	Back Width	18		

- Platinum Metallic option – specify P (i.e., N12JTYP) available for a $208 list upcharge
- Ships fully assembled

MIX-IT

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Cover Number
4. Casters

• See page 409 for Mix-it options

See pages 421-422 for COM fabric yardage

STOOL
HEIGHT, WIDTH ADJUSTABLE ARMS
KNEE TILT
PLASTIC BASE

Height, Width Adjustable Arms

MODEL NO.		GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
N12JRY	Plastic Back	$	1564	1606	1625	1656	1690	1748	1824	2188	2304
N12KRY	Upholstered Back		1611	1664	1688	1727	1769	1841	1937	2391	2537

DIMENSIONS

Width	26¼-29¼	Seat Height	22½-28¾	Arm Height	31½-41	Weight	56
Depth	26	Seat Depth	16¾	Back Height	19-21½	Cubic Ft.	20.4
Height	41-50	Seat Width	20¼	Back Width	18		

- Platinum Metallic option – specify P (i.e., N12JRYP) available for a $208 list upcharge
- Ships fully assembled

STOOL
HIGH PERFORMANCE ARMS
KNEE TILT
PLASTIC BASE

High Performance Arms

			1	2/COM	3/COL	4	5	6	7	L7	L8
N12JRYE	Plastic Back	$	1735	1777	1796	1827	1861	1919	1995	2359	2475
N12KRYE	Upholstered Back		1783	1836	1860	1899	1941	2013	2109	2563	2709

DIMENSIONS

Width	26¼-29¼	Seat Height	22½-28¾	Arm Height	31-41½	Weight	56
Depth	26	Seat Depth	16¾	Back Height	19-21½	Cubic Ft.	20.4
Height	41-50	Seat Width	20¼	Back Width	18		

- Platinum Metallic option – specify P (i.e., N12JRYEP) available for a $208 list upcharge
- Ships fully assembled

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Cover Number
4. Casters

• See page 409 for Mix-it options

See pages 421-422 for COM fabric yardage

STOOL ARMLESS SYNCHRONOUS PLASTIC BASE

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
N12AAY	Plastic Back	$	1417	1459	1478	1509	1543	1601	1677	2041	2157
N12BBY	Upholstered Back		1460	1513	1537	1576	1618	1690	1786	2240	2386

DIMENSIONS

Width	26¼	Seat Height	21¾-28¾	Back Height	19-21½	Weight	45
Depth	26	Seat Depth	16¾	Back Width	18	Cubic Ft.	20.4
Height	39¾-50½	Seat Width	20¼				

- Platinum Metallic option – specify P (i.e., N12AAYP) available for a $208 list upcharge
- Ships fully assembled

STOOL STATIC ARMS SYNCHRONOUS PLASTIC BASE

Static Arms

			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
N12CCY	Plastic Back	$	1665	1707	1726	1757	1791	1849	1925	2289	2405
N12DDY	Upholstered Back		1714	1767	1791	1830	1872	1944	2040	2494	2640

DIMENSIONS

Width	26¼	Seat Height	21¾-28¾	Arm Height	32-39	Weight	51
Depth	26	Seat Depth	16¾	Back Height	19-21½	Cubic Ft.	20.4
Height	39¾-50½	Seat Width	20¼	Back Width	18½		

- Platinum Metallic option – specify P (i.e., N12CCYP) available for a $208 list upcharge
- Ships fully assembled

STOOL HEIGHT ADJUSTABLE ARMS SYNCHRONOUS PLASTIC BASE

Height Adjustable Arms

			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
N12TJY	Plastic Back	$	1651	1693	1712	1743	1777	1835	1911	2275	2391
N12TKY	Upholstered Back		1699	1752	1776	1815	1857	1929	2025	2479	2625

DIMENSIONS

Width	26¼-29¼	Seat Height	21¾-28¾	Arm Height	30¾-41	Weight	53
Depth	26	Seat Depth	16¾	Back Height	19-21½	Cubic Ft.	20.4
Height	39¾-50½	Seat Width	20¼	Back Width	18		

- Platinum Metallic option – specify P (i.e., N12TJYP) available for a $208 list upcharge
- Ships fully assembled

MIX-IT

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Cover Number
4. Casters

• See page 409 for Mix-it options

See pages 421-422 for COM fabric yardage

STOOL
HEIGHT, WIDTH ADJUSTABLE ARMS
SYNCHRONOUS
PLASTIC BASE

Height, Width Adjustable Arms

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
N12JJY	Plastic Back	$	1691	1733	1752	1783	1817	1875	1951	2315	2431
N12KKY	Upholstered Back		1737	1790	1814	1853	1895	1967	2063	2517	2663

DIMENSIONS

Width	26¼-29¼	Seat Height	21¾-28¾	Arm Height	30¾-41	Weight	53
Depth	26	Seat Depth	16¾	Back Height	19-21½	Cubic Ft.	20.4
Height	39¾-50½	Seat Width	20¼	Back Width	18		

- Platinum Metallic option – specify P (i.e., N12JJYP) available for a $208 list upcharge
- Ships fully assembled

STOOL
HIGH PERFORMANCE ARMS
SYNCHRONOUS
PLASTIC BASE

High Performance Arms

			1	2/COM	3/COL	4	5	6	7	L7	L8
N12JJYE	Plastic Back	$	1865	1907	1926	1957	1991	2049	2125	2489	2605
N12KKYE	Upholstered Back		1910	1963	1987	2026	2068	2140	2236	2690	2836

DIMENSIONS

Width	26¼-29¼	Seat Height	21¾-28¾	Arm Height	30¼-41½	Weight	53
Depth	26	Seat Depth	16¾	Back Height	19-21½	Cubic Ft.	20.4
Height	39¾-50½	Seat Width	20¼	Back Width	18		

- Platinum Metallic option – specify P (i.e., N12JJYEP) available for a $208 list upcharge
- Ships fully assembled

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
N12AAC(S)		1.20	1.50	1.90	2.10	24
N12AAY		1.20	1.50	1.90	2.10	24
N12AR		1.20	1.50	1.90	2.10	24
N12ARS		1.20	1.50	1.90	2.10	24
N12ARY		1.20	1.50	1.90	2.10	24
N12BBC(S)		1.50	1.70	2.00	3.00	31
N12BBY		1.50	1.70	2.00	3.00	31
N12BR		1.50	1.70	2.00	3.00	31
N12BRS		1.50	1.70	2.00	3.00	31
N12BRY		1.50	1.70	2.00	3.00	31
N12CCC(S)		1.20	1.50	1.90	2.10	24
N12CCY		1.20	1.50	1.90	2.10	24
N12CR		1.20	1.50	1.90	2.10	24
N12CRS		1.20	1.50	1.90	2.10	24
N12CRY		1.20	1.50	1.90	2.10	24
N12DDC(S)		1.50	1.70	2.00	3.00	31
N12DDY		1.50	1.70	2.00	3.00	31
N12DR		1.50	1.70	2.00	3.00	31
N12DRS		1.50	1.70	2.00	3.00	31
N12DRY		1.50	1.70	2.00	3.00	31
N12EEC(S)		1.30	1.50	2.00	2.10	26
N12ER		1.30	1.50	2.00	2.10	26
N12ERS		1.30	1.50	2.00	2.10	26
N12HHC(S)		1.60	1.70	2.50	3.00	33
N12HR		1.60	1.70	2.50	3.00	33
N12HRS		1.60	1.70	2.50	3.00	33
N12JJC(S)		1.20	1.50	1.90	2.10	24
N12JJCE		1.20	1.50	1.90	2.10	24
N12JJCES		1.20	1.50	1.90	2.10	24
N12JJY		1.20	1.50	1.90	2.10	24
N12JJYE		1.20	1.50	1.90	2.10	24
N12JR		1.20	1.50	1.90	2.10	24
N12JRE		1.20	1.50	1.90	2.10	24
N12JRES		1.20	1.50	1.90	2.10	24
N12JRS		1.20	1.50	1.90	2.10	24
N12JRY		1.20	1.50	1.90	2.10	24
N12JRYE		1.20	1.50	1.90	2.10	24
N12KKC(S)		1.50	1.70	2.00	3.00	31
N12KKCE		1.50	1.70	2.00	3.00	31
N12KKCES		1.50	1.70	2.00	3.00	31
N12KKY		1.50	1.70	2.00	3.00	31
N12KKYE		1.50	1.70	2.00	3.00	31
N12KR		1.50	1.70	2.00	3.00	31
N12KRE		1.50	1.70	2.00	3.00	31
N12KRES		1.50	1.70	2.00	3.00	31
N12KRS		1.50	1.70	2.00	3.00	31
N12KRY		1.50	1.70	2.00	3.00	31
N12KRYE		1.50	1.70	2.00	3.00	31
N12MMC(S)		1.30	1.50	2.00	2.10	26
N12MMCE		1.30	1.50	2.00	2.10	26
N12MMCES		1.30	1.50	2.00	2.10	26
N12MR		1.30	1.50	2.00	2.10	26
N12MRE		1.30	1.50	2.00	2.10	26

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
N12MRES		1.30	1.50	2.00	2.10	26
N12MRS		1.30	1.50	2.00	2.10	26
N12PPC(S)		1.60	1.70	2.50	3.00	33
N12PPCE		1.60	1.70	2.50	3.00	33
N12PPCES		1.60	1.70	2.50	3.00	33
N12PR		1.60	1.70	2.50	3.00	33
N12PRE		1.60	1.70	2.50	3.00	33
N12PRES		1.60	1.70	2.50	3.00	33
N12PRS		1.60	1.70	2.50	3.00	33
N12QQ		1.40	1.60	2.20	3.00	28
N12RR		1.10	1.50	1.90	2.00	22
N15AAY		0.90	1.10	1.30	1.20	18
N15ARY		0.90	1.10	1.30	1.20	18
N15CCY		0.90	1.10	1.30	1.20	18
N15CRY		0.90	1.10	1.30	1.20	18
N15EE		0.90	1.10	1.30	1.20	18
N15EES		0.90	1.10	1.30	1.20	18
N15ER		0.90	1.10	1.30	1.20	18
N15ERS		0.90	1.10	1.30	1.20	18
N15GG		0.90	1.10	1.30	1.20	18
N15GGS		0.90	1.10	1.30	1.20	18
N15GR		0.90	1.10	1.30	1.20	18
N15GRS		0.90	1.10	1.30	1.20	18
N15HH		0.90	1.10	1.30	1.20	18
N15HHS		0.90	1.10	1.30	1.20	18
N15HR		0.90	1.10	1.30	1.20	18
N15HRS		0.90	1.10	1.30	1.20	18
N15JJY		0.90	1.10	1.30	1.20	18
N15JJYE		0.90	1.10	1.30	1.20	18
N15JRY		0.90	1.10	1.30	1.20	18
N15JRYE		0.90	1.10	1.30	1.20	18
N15LL		0.90	1.10	1.30	1.20	18
N15LLS		0.90	1.10	1.30	1.20	18
N15LR		0.90	1.10	1.30	1.20	18
N15LRS		0.90	1.10	1.30	1.20	18
N15MM		0.90	1.10	1.30	1.20	18
N15MME		0.90	1.10	1.30	1.20	18
N15MMES		0.90	1.10	1.30	1.20	18
N15MMS		0.90	1.10	1.30	1.20	18
N15MR		0.90	1.10	1.30	1.20	18
N15MRE		0.90	1.10	1.30	1.20	18
N15MRES		0.90	1.10	1.30	1.20	18
N15MRS		0.90	1.10	1.30	1.20	18
N15PP		0.90	1.10	1.30	1.20	18
N15PPE		0.90	1.10	1.30	1.20	18
N15PPES		0.90	1.10	1.30	1.20	18
N15PPS		0.90	1.10	1.30	1.20	18
N15PR		0.90	1.10	1.30	1.20	18
N15PRE		0.90	1.10	1.30	1.20	18
N15PRES		0.90	1.10	1.30	1.20	18
N15PRS		0.90	1.10	1.30	1.20	18
N15RR		0.90	1.00	1.20	1.10	18

MONTERREY

Product Specifications 424
Fabrics and Options 425
Contrasting Fabrics Specifications 426
Contrasting Piping Specifications 426
Product Pages 427
COM Yardage Requirements 429

MONTERREY

MONTERREY PRODUCT SPECIFICATIONS



FRAME CONSTRUCTION

- Interior frame is constructed of plywood with tenon joints that are glued and screwed for maximum joint stability
- Seat joints are supported by corner blocks
- Non-marring nylon glides

SEAT CONSTRUCTION

- Seat cushion is removable and features 5" of high grade polyurethane foam, which is custom shaped and fabricated and placed on high tension strip webbing
- Seat cushion is secured with fastener clips on 2 and 3 seat lounge models

BACK CONSTRUCTION

- 2½" of high grade polyurethane foam, which is custom shaped and stretched over web sheet and attached to frame

ARM CONSTRUCTION

- Armrest frames are wrapped with 1" of high grade polyurethane foam

UPHOLSTERY DETAIL

- Available with contrasting fabric or contrasting piping
- Welt cord framing referred to as piping
- Tufted models available and feature 9/16" round buttons

FINISH

- A catalyzed top coat resists denting, peeling, and reactions to chemicals
- Can be cleaned with a damp cloth
- When specifying Brighton, Natural, and Sonoma finish, variation in color is acceptable due to the nature of wood characteristics

WOOD SPECIES

- Exposed wood base is constructed from soft maple

All Monterrey models may be ordered to meet TB133 fire code.

To order seating to meet the TB133 fire code, specify an "F" at the end of the model number (Ex: N90AAF).

For TB133 pricing go to www.NationalOfficeFurniture.com/TB133

Please consult customer service for applicable Arc-Com, Carnegie, Designtex, Maharam, Mayer, Momentum, Stinson, or Ultrafabrics fabric.

FABRICS

Grade 1	Cali
	Entwine
	Input
	Melange
	Ridge
	Spark
	Vessel
	Zig Zag
Grade 2	Bliss
	Brilliant
	COM
	Dolce
	Dorset
	Intuition
	Orbit
	Phrase
	Pixie
	Sedona
	Stancil
	Strand
Grade 3	COL
	Silvertex
Grade 4	Connect Four
	Echo
	Masquerade
Grade 5	Mode
Grade 6	Essence/Ultraleather
Grade 7	Brisa
	Brisa Distressed
	Reef Pro
	Silica
	Silica Etch
	Tottori
Grade L7	Davenport
Grade L8	Florence

FINISHES

AC	Autumn	NM	Natural
AD	Almond	PB	Portobello
BZ	Brazilwood	PC	Porcini
CI	Chai	PT	Portico
CL	Caramel	SK	Skyline
CW	Cordovan	SM	Sonoma
DW	Judicial	TF	Truffle
HN	Honey	WL	Willow
IM	Brighton	405	Designer White
KN	Kona	462	Cinder
MC	Amber	792	Sable
MH	Mocha	793	Acorn*

*Acorn is the finish complement to Clear Walnut finish

LAMINATES

AC	Autumn	NM	Natural
AD	Almond	PB	Portobello
BZ	Brazilwood	PC	Porcini
CI	Chai	PT	Portico
CL	Caramel	SK	Skyline
CW	Cordovan	SM	Sonoma
DW	Judicial	TF	Truffle
HN	Honey	WL	Willow
IM	Brighton	405	Designer White
KN	Kona	462	Cinder
MC	Amber	792	Sable
MH	Mocha	793	Acorn*

*Acorn is the finish complement to Clear Walnut finish

TO ORDER CONTRASTING FABRIC, SPECIFY

MONTERREY
1 Seat Lounge page 427
2 Seat Lounge page 427
3 Seat Lounge page 427

1. Model Number
2. Seat/Back Grade Number/Cover Number
3. Upholstery (Arm) Grade Number/Cover Number
4. Finish Designator



TO ORDER CONTRASTING PIPING, SPECIFY:

MONTERREY
1 Seat Lounge page 427
2 Seat Lounge page 427
3 Seat Lounge page 427

1. Model Number
2. Upholstery Grade Number/Cover Number
3. Piping Grade Number/Cover Number
4. Finish Designator

QD

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Cover Number
4. Finish Designator

• See page 425 for Monterrey options

See page 429 for COM fabric yardage

1 SEAT LOUNGE

Tufted

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
N90AA	Non-Tufted	$	3012	3180	3257	3382	3516	3746	4054	5508	5974
QN90AA	Non-Tufted		3012	3180	3257	3382	3516	3746	4054		
N90AAT	Button Tufted Back And Seat		3341	3509	3586	3711	3845	4075	4383	5837	6303
N90AATB	Button Tufted Back		3168	3336	3413	3538	3672	3902	4210	5664	6130

DIMENSIONS

Width	34½	Seat Width	22	Arm Height	27¾	Weight	90
Depth	30¼	Seat Depth	21			Cubic Ft.	27.0
Height	31¾	Seat Height	19½				

- Contrasting fabric or piping option – specify X (i.e., N90AAX) for contrasting fabric or specify P (i.e., N90AAP) for contrasting piping; see page 426. For list pricing, use your electronic specification tool or contact customer service
- Contrasting piping only available in National fabrics and leather

2 SEAT LOUNGE



Tufted

			1	2/COM	3/COL	4	5	6	7	L7	L8
N90BB	Non-Tufted	$	3809	4100	4232	4448	4681	5079	5610	8125	8930
N90BBT	Button Tufted Back And Seat		4453	4747	4881	5100	5335	5738	6276	8821	9636
N90BBTB	Button Tufted Back		4122	4413	4545	4761	4994	5392	5923	8438	9243

DIMENSIONS

Width	63½	Seat Width	51	Arm Height	27¾	Weight	135
Depth	30¼	Seat Depth	21			Cubic Ft.	51.0
Height	31¾	Seat Height	19½				

- Cushion is 1 piece with stitching
- Contrasting fabric or piping option – specify X (i.e., N90BBX) for contrasting fabric or specify P (i.e., N90BBP) for contrasting piping; see page 426. For list pricing, use your electronic specification tool or contact customer service
- Contrasting piping only available in National fabrics and leather

3 SEAT LOUNGE





Tufted

			1	2/COM	3/COL	4	5	6	7	L7	L8
N90CC	Non-Tufted	$	4696	5015	5160	5397	5652	6088	6671	9428	10311
N90CCT	Button Tufted Back And Seat		5653	5975	6122	6361	6619	7061	7649	10437	11329
N90CCTB	Button Tufted Back		5167	5486	5631	5868	6123	6559	7142	9899	10782

DIMENSIONS

Width	85½	Seat Width	73	Arm Height	27¾	Weight	165
Depth	30¼	Seat Depth	21			Cubic Ft.	66.0
Height	31¾	Seat Height	19½				

- Cushion is 1 piece with stitching
- Contrasting fabric or piping option – specify X (i.e., N90CCX) for contrasting fabric or specify P (i.e., N90CCP) for contrasting piping; see page 426. For list pricing, use your electronic specification tool or contact customer service
- Contrasting piping only available in National fabrics and leather

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
N90AA, N90AAT, N90AATB		4.80	7.10	8.50	8.90	106
N90BB, N90BBT, N90BBTB		8.40	10.90	12.40	13.50	184
N90CC, N90CCT, N90CCTB		9.20	15.10	16.60	17.50	203
N90AAP, N90AATP, N09AATBP	Upholstery	4.80	7.10	8.50	8.90	106
N90AAX, N90AATX, N90AATBX	Seat/Back	1.40	2.40	3.60	3.70	32
	Upholstery	4.00	4.60	5.10	6.50	90
N90BBP, N90BBTP, N90BBTBP	Upholstery	8.40	10.90	12.40	13.50	184
N90BBX, N90BBTX, N90BBTBX	Seat/Back	3.40	5.20	5.80	5.80	74
	Upholstery	5.40	5.90	7.40	7.90	119
N90CCP, N90CCTP, N90CCTBP	Upholstery	9.20	15.10	16.60	17.50	203
N90CCX, N90CCTX, N90CCTBX	Seat/Back	5.00	7.70	8.60	8.60	110
	Upholstery	6.20	7.90	8.00	9.40	136

MONTERREY

RALLA

Product Specifications 432
Fabrics and Options 433
Product Pages 434
COM Yardage Requirements 435

RALLA

RALLA PRODUCT SPECIFICATIONS



SEAT CONSTRUCTION

- Upholstered seat cushion
- High grade polyurethane foam covers a plywood seat panel

BASE AND CASTERS

- Black 5-star plastic base
- Hard, dual wheel casters: black
- Optional soft, dual wheel casters for use on hard floors; black; available for an upcharge
- Black footring available on applicable model

FABRICS

Grade 1	Cali
	Entwine
	Input
	Melange
	Ridge
	Spark
	Vessel
	Zig Zag
Grade 2	Bliss
	Brilliant
	COM
	Dolce
	Dorset
	Intuition
	Orbit
	Phrase
	Pixie
	Sedona
	Stancil
	Strand
Grade 3	COL
	Silvertex
Grade 4	Connect Four
	Echo
	Masquerade
Grade 5	Mode
Grade 6	Essence/Ultraleather
Grade 7	Brisa
	Brisa Distressed
	Reef Pro
	Silica
	Silica Etch
	Tottori
Grade L7	Davenport
Grade L8	Florence

CASTERS

C3 Hard (standard)
C4 Soft (add $36 list)

RALLA

QD

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Caster

• See page 433 for Ralla options

See page 435 for COM fabric yardage

TASK STOOL

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
N61PES		$	481	506	517	535	555	588	633	845	913
QN61PES			481	506	517	535	555	588	633		

DIMENSIONS

Width	23½	Seat Diameter	14½	Cushion Thickness	2⅜	Weight	16.6
Height	16¾-21¾					Cubic Ft.	7.3

TASK STOOL WITH FOOTRING

				GRADE / LIST PRICE								
				1	2/COM	3/COL	4	5	6	7	L7	L8
N61PESR	With Footring		$	589	614	625	643	663	696	741	953	1021
QN61PESR	With Footring			589	614	625	643	663	696	741		

DIMENSIONS

Width	23½	Seat Diameter	14½	Cushion Thickness	2⅜	Weight	18.6
Height	16¾-21¾	Footring Diameter	18			Cubic Ft.	7.3

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
N61PES, N61PESR		0.70	0.75	1.00	1.30	6.5

RALLA

RENO

Product Specifications 438
Fabrics and Options 439
Contrasting Fabrics Specifications 440
Product Pages 441
COM Yardage Requirements 452

RENO

RENO PRODUCT SPECIFICATIONS



FRAME CONSTRUCTION
- Interior frame is constructed of plywood with tenon joints that are glued and screwed for maximum joint stability
- Seat joints are supported by corner blocks with high tensile screws
- Reno Slim models feature a reduced footprint – see model dimensions for details

SEAT CONSTRUCTION
- Seat cushions are attached and feature 6" of high grade polyurethane foam, which is custom shaped and fabricated, and placed on high tension strip webbing

BACK CONSTRUCTION
- 5" of high grade polyurethane foam, which is custom shaped and stretched over web sheet and attached to frame

ARM CONSTRUCTION
- Armrest frames are wrapped with high grade polyurethane foam and slipcovered
- The frame is attached to the unit with 3 bolts per arm

WOOD ARM CONSTRUCTION
- Arms are molded of linear laminated hard maple veneers

CUP HOLDER
- Available on standard Reno upholstered arm

CONTRASTING FABRICS
- Available with 3 contrasting fabric locations: back, seat, and arms

LEGS
- Die-cast zinc legs are Platinum Metallic plated, Satin Nickel Metallic plated or Cinder powder coat paint and have nylon glides
- Wood legs are constructed of maple with nylon glides
- When specifying Brighton, Natural, and Sonoma finish, variation in color is acceptable due to the nature of wood characteristics

HANDLE AND CASTERS
N32BB AND N32DD
- Handle featured on mobile lounge is die-cast zinc that is Platinum Metallic plated, Satin Nickel Metallic plated or Cinder powder coat paint
- Heavy-duty black double wheel casters

TABLET ARM
- ¾" thick black 3D Laminate with MDF core or ¾" thick maple
- Attached with ¼" steel base plate and screws that mounts over ¾" metal insert rod and fits into structure of arm
- Tablet height is 28" from floor to top of tablet surface
- Allows for 360° swivel and writing surface of 21" W x 13½" D

BENCHES
- 8" of foam covers a ½" plywood panel on top of fiberboard frame
- Black, double wheel, roll control casters are standard and work on all floors

POWER GROMMET
- G23 black or silver grommet is available in right, left or both sides of the back for an additional upcharge
- Features 2 electrical receptacles and 2 power USB ports

TABLES
- Grade A slipmatched maple (Brighton, Caramel, Honey, Natural), or cherry veneer (Amber, Autumn, Cordovan, Judicial, Mocha, Truffle) or laminate
- All Veneer surfaces feature a semi-open poor matte finish
- Die-cast zinc legs with nylon glides
- 3 power grommets available; specify cutout option and order electrical grommet model separately. See pages 639-640 for details and pricing
- Optional glass and solid surface kits available; reference the Tables Price List

All Reno models may be ordered to meet TB133 fire code.

To order seating to meet the TB133 fire code, specify an "F" at the end of the model number (Ex: N32AAMF).

For TB133 pricing go to www.NationalOfficeFurniture.com/TB133

Please consult customer service for applicable Arc-Com, Carnegie, Designtex, Maharam, Mayer, Momentum, Stinson, or Ultrafabrics fabric.

FABRICS

Grade 1	Cali
	Entwine
	Input
	Melange
	Ridge
	Spark
	Vessel
	Zig Zag
Grade 2	Bliss
	Brilliant
	COM
	Dolce
	Dorset
	Intuition
	Orbit
	Phrase
	Pixie
	Sedona
	Stancil
	Strand
Grade 3	COL
	Silvertex
Grade 4	Connect Four
	Echo
	Masquerade
Grade 5	Mode
Grade 6	Essence/Ultraleather
Grade 7	Brisa
	Brisa Distressed
	Reef Pro
	Silica
	Silica Etch
	Tottori
Grade L7	Davenport
Grade L8	Florence

LOUNGE POWER GROMMET OPTIONS

($703 list upcharge per location)

G23BL	Black, Left
G23BR	Black, Right
G23BLR	Black, Left & Right
G23SL	Silver, Left
G23SR	Silver, Right
G23SLR	Silver, Left & Right
X	No Grommet

TABLES SURFACE GROMMETS/CUTOUTS

($40 list upcharge per location)

CUT-G12C	G12 Cutout, Center
CUT-G17C	G17 Cutout, Center
CUT-G23C	G23 Cutout, Center
X	No Grommet

TABLES SIDE GROMMETS/CUTOUTS

($40 list upcharge per location)

CUT-G23C	G23 Cutout
X	No Grommet

If specifying cutout, reference pages 639-640 for pricing and details to order power grommet.

FINISHES (WOOD ARMS, LEGS AND TABLES)

AC	Autumn	NM	Natural
AD	Almond*	PB	Portobello*
BZ	Brazilwood	PC	Porcini
CI	Chai	PT	Portico*
CL	Caramel	SK	Skyline*
CW	Cordovan	SM	Sonoma*
DW	Judicial	TF	Truffle
HN	Honey	WL	Willow
IM	Brighton	405	Designer White*
KN	Kona	462	Cinder*
MC	Amber	792	Sable*
MH	Mocha	793	Acorn*†

*Not available on tables
†Acorn is the finish and laminate complement to Clear Walnut finish

LAMINATES (TABLES ONLY)

AC2	Autumn 2	SM	Sonoma
AD	Almond	TF	Truffle
BZ	Brazilwood	WL	Willow
CI	Chai	405	Designer White
CL	Caramel	419	Wallaby
CW	Cordovan	425	Shadow
DW	Judicial	440	Cloud
HN2	Honey 2	457	Dapple
IM	Brighton	461	Graphite
KN	Kona	462	Cinder
MC	Amber	478	Platinum Grey
MH	Mocha	488	Frosty White
NM	Natural	491	Designer White Linear
PB	Portobello	492	Cinder Linear
PC	Porcini	792	Sable
PT	Portico	793	Acorn†
SK	Skyline		

GALLERY LAMINATE (TABLES ONLY)

Grade 1 – 5% upcharge

G1001	Citadel
G1011	Pepperdust

Grade 2 – 6% upcharge

G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

See page 21 for Gallery program details and upcharges

CUP HOLDER OPTIONS

($85 list upcharge per location)

CPL	Cup Holder, Left
CPR	Cup Holder, Right
CPLR	Cup Holder, Left & Right

• Cannot have cup holder and tablet on same arm

TABLET ARM

T	3D Laminate, Black	WNM	Wood, Natural
WAC	Wood, Autumn	WPB	Wood, Portobello
WAD	Wood, Almond	WPC	Wood, Porcini
WBZ	Wood, Brazilwood	WPT	Wood, Portico
WCI	Wood, Chai	WSK	Wood, Skyline
WCL	Wood, Caramel	WSM	Wood, Sonoma
WCW	Wood, Cordovan	WTF	Wood, Truffle
WDW	Wood, Judicial	WWL	Wood, Willow
WHN	Wood, Honey	W405	Wood, Designer White
WIM	Wood, Brighton	W462	Wood, Cinder
WKN	Wood, Kona	W792	Wood, Sable
WMC	Wood, Amber	W793	Wood, Acorn†
WMH	Wood, Mocha		

PAINT COLORS (LEGS AND HANDLE)

423	Concrete
462	Cinder
463	Iron
501	Platinum Metallic
503	Satin Nickel Metallic

TO ORDER CONTRASTING FABRIC, SPECIFY

RENO
1 Seat Lounge page 441
Mobile 1 Seat Lounge page 441
2½ Seat Lounge page 442
3 Seat Lounge page 442

1. Model Number plus "X"
2. Back Fabric Grade Number/Cover Number
3. Seat Fabric Grade Number/Cover Number
4. Arm Fabric Grade Number/Cover Number
5. Power Grommet
6. Tablet and Finish (when applicable)
7. Cup Holder
8. Paint (when applicable)
9. Wood Leg Finish (when applicable)



Contrasting Fabric

1 Seat Lounge Wood Arms page 443
2½ Seat Lounge Wood Arms page 443
3 Seat Lounge Wood Arms page 444
1 Seat Lounge Wood Arms - Slim page 447
2½ Seat Lounge Wood Arms - Slim page 447
3 Seat Lounge Wood Arms - Slim page 448

1. Model Number plus "X"
2. Back Fabric Grade Number/Cover Number
3. Seat Fabric Grade Number/Cover Number
4. Power Grommet
5. Paint (when applicable)
6. Wood Leg Finish (when applicable)
7. Glides



Contrasting Upholstery

1 Seat Lounge - Slim page 445
Mobile 1 Seat Lounge - Slim page 445
2½ Seat Lounge - Slim page 446
3 Seat Lounge - Slim page 446

1. Model Number plus "X"
2. Back Fabric Grade Number/Cover Number
3. Seat Fabric Grade Number/Cover Number
4. Arm Fabric Grade Number/Cover Number
5. Power Grommet
6. Tablet and Finish (when applicable)
7. Paint (when applicable)
8. Wood Leg Finish (when applicable)



Contrasting Fabric



Contrasting Fabric

QD

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Power Grommet
4. Cup Holder
5. Tablet and Finish (when applicable)
6. Paint (when applicable)
7. Wood Leg Finish (when applicable)

• See page 439 for Reno options

See pages 452-453 for COM fabric yardage

1 SEAT LOUNGE



Metal Legs



Wood Legs

MODEL NO.

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N32AAM	Metal Legs	$	2315	2487	2565	2692	2830	3065	3378	4863	5338
QN32AAM	Metal Legs		2315	2487	2565	2692	2830	3065	3378		
N32AAW	Wood Legs		2486	2658	2736	2863	3001	3236	3549	5034	5509
QN32AAW	Wood Legs		2486	2658	2736	2863	3001	3236	3549		
N32CCMR	Metal Legs, Tablet Right Arm		2860	3032	3110	3237	3375	3610	3923	5408	5883
N32CCML	Metal Legs, Tablet Left Arm		2860	3032	3110	3237	3375	3610	3923	5408	5883
N32CCWR	Wood Legs, Tablet Right Arm		3033	3205	3283	3410	3548	3783	4096	5581	6056
N32CCWL	Wood Legs, Tablet Left Arm		3033	3205	3283	3410	3548	3783	4096	5581	6056

DIMENSIONS

Width	34½	Arm Height	27	Seat Width	22	Weight	83
Depth	34½	Seat Height	19			Tablet Weight	95
Height	33	Seat Depth	21¼			Cubic Ft.	32

• Contrasting fabric option – specify X (i.e., N32AAMX); see page 440. For list pricing, use your electronic specification tool or contact customer service

MOBILE 1 SEAT LOUNGE



Metal Legs



Wood Legs

			1	2/COM	3/COL	4	5	6	7	L7	L8
N32BBM	Metal Legs	$	2533	2705	2783	2910	3048	3283	3596	5081	5556
N32BBW	Wood Legs		2705	2877	2955	3082	3220	3455	3768	5253	5728
N32DDMR	Metal Legs, Tablet Right Arm		3060	3232	3310	3437	3575	3810	4123	5608	6083
N32DDML	Metal Legs, Tablet Left Arm		3060	3232	3310	3437	3575	3810	4123	5608	6083
N32DDWR	Wood Legs, Tablet Right Arm		3230	3402	3480	3607	3745	3980	4293	5778	6253
N32DDWL	Wood Legs, Tablet Left Arm		3230	3402	3480	3607	3745	3980	4293	5778	6253

DIMENSIONS

Width	34½	Arm Height	27	Seat Width	22	Weight	83
Depth	34½	Seat Height	19			Tablet Weight	95
Height	33	Seat Depth	21¼			Cubic Ft.	32

• Contrasting fabric option – specify X (i.e., N32BBMX); see page 440. For list pricing, use your electronic specification tool or contact customer service
• Features a handle on the back for ease of mobility
• Paint finish option represents handle on wood leg models and legs and handle on metal leg models

RENO

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Power Grommet
4. Cup Holder
5. Tablet and Finish (when applicable)
6. Paint (when applicable)
7. Wood Leg Finish (when applicable)

• See page 439 for Reno options

See pages 452-453 for COM fabric yardage

2½ SEAT LOUNGE



Metal Legs



Wood Legs

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
N32HHM	Metal Legs	$	3084	3399	3543	3777	4029	4461	5037	7764	8637
N32HHW	Wood Legs		3257	3572	3716	3950	4202	4634	5210	7937	8810
N32JJMR	Metal Legs, Tablet Right Arm		3630	3945	4089	4323	4575	5007	5583	8310	9183
N32JJML	Metal Legs, Tablet Left Arm		3630	3945	4089	4323	4575	5007	5583	8310	9183
N32JJMB	Metal Legs, Tablet Both Arms		4177	4492	4636	4870	5122	5554	6130	8857	9730
N32JJWR	Wood Legs, Tablet Right Arm		3801	4116	4260	4494	4746	5178	5754	8481	9354
N32JJWL	Wood Legs, Tablet Left Arm		3801	4116	4260	4494	4746	5178	5754	8481	9354
N32JJWB	Wood Legs, Tablet Both Arms		4349	4664	4808	5042	5294	5726	6302	9029	9902

DIMENSIONS

Width	67½	Arm Height	27	Seat Width	55¾	Weight	125
Depth	34½	Seat Height	19			Tablet Weight	137
Height	33	Seat Depth	21¼			Cubic Ft. Weight with Tablet Both Arms	56.1
							149

• Contrasting fabric option – specify X (i.e., N32JJMRX); see page 440. For list pricing, use your electronic specification tool or contact customer service

3 SEAT LOUNGE



Metal Legs



Wood Legs

			1	2/COM	3/COL	4	5	6	7	L7	L8
N32LLM	Metal Legs	$	3852	4164	4306	4537	4787	5214	5783	8480	9343
N32LLW	Wood Legs		4024	4336	4478	4709	4959	5386	5955	8652	9515
N32MMMR	Metal Legs, Tablet Right Arm		4396	4708	4850	5081	5331	5758	6327	9024	9887
N32MMML	Metal Legs, Tablet Left Arm		4396	4708	4850	5081	5331	5758	6327	9024	9887
N32MMMB	Metal Legs, Tablet Both Arms		4944	5256	5398	5629	5879	6306	6875	9572	10435
N32MMWR	Wood Legs, Tablet Right Arm		4570	4882	5024	5255	5505	5932	6501	9198	10061
N32MMWL	Wood Legs, Tablet Left Arm		4570	4882	5024	5255	5505	5932	6501	9198	10061
N32MMWB	Wood Legs, Tablet Both Arms		5119	5431	5573	5804	6054	6481	7050	9747	10610

DIMENSIONS

Width	78	Arm Height	27	Seat Width	66¼	Weight	148
Depth	34½	Seat Height	19			Tablet Weight	160
Height	33	Seat Depth	21¼			Cubic Ft. Weight with Tablet Both Arms	69.4
							172

• Contrasting fabric option – specify X (i.e., N32MMMRX); see page 440. For list pricing, use your electronic specification tool or contact customer service

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Cover Number
4. Power Grommet
5. Paint (when applicable)
6. Finish Designator (when applicable)
7. Glides

• See page 439 for Reno options

See pages 452-453 for COM fabric yardage

1 SEAT LOUNGE WOOD ARMS



Wood Arms



Armless – Metal Legs



Armless – Metal Legs – Mobile

MODEL NO.

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N32TAAW	Wood Legs	$	3267	3365	3410	3483	3561	3695	3875	4723	4995
N32MAAM	Armless – Metal Legs		2153	2251	2296	2369	2447	2581	2761	3609	3881
N32MAAW	Armless – Wood Legs		2326	2424	2469	2542	2620	2754	2934	3782	4054
N32MBBM	Armless – Metal Legs – Mobile		2369	2467	2512	2585	2663	2797	2977	3825	4097
N32MBBW	Armless – Wood Legs – Mobile		2542	2640	2685	2758	2836	2970	3150	3998	4270

DIMENSIONS

Width	32	Seat Height	19	Arm Height	27	Armless Weight	52
Armless Width	23	Seat Depth	21¼			Arm Weight	65
Depth	34½	Seat Width	22½			Armless Cubic Ft.	28.0
Height	33					Arm Cubic Ft.	32.0

- Contrasting fabric option – specify X (i.e., N32TAAWX); see page 440. For list pricing, use your electronic specification tool or contact customer service
- Cup holder not available

2½ SEAT LOUNGE WOOD ARMS



Wood Arms



Armless – Metal Legs

			1	2/COM	3/COL	4	5	6	7	L7	L8
N32THHW	Wood Legs	$	4034	4265	4371	4542	4727	5044	5466	7466	8106
N32MHHM	Armless – Metal Legs		2923	3154	3260	3431	3616	3933	4355	6355	6995
N32MHHW	Armless – Wood Legs		3094	3325	3431	3602	3787	4104	4526	6526	7166

DIMENSIONS

Width	65	Seat Height	19	Arm Height	27	Armless Weight	97
Armless Width	56	Seat Depth	21¼			Arm Weight	110
Depth	34½	Seat Width	55½			Armless Cubic Ft.	49.7
Height	33					Arm Cubic Ft.	56.1

- Contrasting fabric option – specify X (i.e., N32THHWX); see page 440. For list pricing, use your electronic specification tool or contact customer service
- Cup holder not available

RENO

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Cover Number
4. Power Grommet
5. Paint (when applicable)
6. Finish Designator (when applicable)
7. Glides

• See page 439 for Reno options

See pages 452-453 for COM fabric yardage

3 SEAT LOUNGE
WOOD ARMS



Wood Arms



Armless – Metal Legs

MODEL NO.

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N32TLLW	Wood Legs	$	4803	5003	5094	5242	5402	5675	6040	7767	8320
N32MLLM	Armless – Metal Legs		3693	3893	3984	4132	4292	4565	4930	6657	7210
N32MLLW	Armless – Wood Legs		3863	4063	4154	4302	4462	4735	5100	6827	7380

DIMENSIONS

Width	75½	Seat Height	19	Arm Height	27	Armless Weight	118
Armless Width	66½	Seat Depth	21¼			Arm Weight	133
Depth	34½	Seat Width	66			Armless Cubic Ft.	56.1
Height	33					Arm Cubic Ft.	69.4

- Contrasting fabric option – specify X (i.e., N32TLLWX); see page 440. For list pricing, use your electronic specification tool or contact customer service
- Cup holder not available

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Cover Number
4. Power Grommet
5. Tablet and Finish (when applicable)
6. Paint (when applicable)
7. Wood Leg Finish (when applicable)

• See page 439 for Reno options

See pages 452-453 for COM fabric yardage

1 SEAT LOUNGE - SLIM



Wood Legs



Wood Legs

MODEL NO.

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N32SAAM	Metal Legs	$	2315	2487	2565	2692	2830	3065	3378	4863	5338
N32SAAW	Wood Legs		2486	2658	2736	2863	3001	3236	3549	5034	5509
N32SCCMR	Metal Legs, Tablet Right Arm		2860	3032	3110	3237	3375	3610	3923	5408	5883
N32SCCML	Metal Legs, Tablet Left Arm		2860	3032	3110	3237	3375	3610	3923	5408	5883
N32SCCWR	Wood Legs, Tablet Right Arm		3033	3205	3283	3410	3548	3783	4096	5581	6056
N32SCCWL	Wood Legs, Tablet Left Arm		3033	3205	3283	3410	3548	3783	4096	5581	6056

DIMENSIONS

Width	32	Arm Height	27	Seat Width	22	Weight	74
Depth	31	Seat Height	19			Tablet Weight	87
Height	33	Seat Depth	21¼			Cubic Ft.	32.0

- Contrasting fabric option – specify X (i.e., N32SCCMRX); see page 440. For list pricing, use your electronic specification tool or contact customer service
- Cup holder not available

MOBILE 1 SEAT LOUNGE - SLIM



Metal Legs



Wood Legs

			1	2/COM	3/COL	4	5	6	7	L7	L8
N32SBBM	Metal Legs	$	2533	2705	2783	2910	3048	3283	3596	5081	5556
N32SBBW	Wood Legs		2705	2877	2955	3082	3220	3455	3768	5253	5728
N32SDDMR	Metal Legs, Tablet Right Arm		3060	3232	3310	3437	3575	3810	4123	5608	6083
N32SDDML	Metal Legs, Tablet Left Arm		3060	3232	3310	3437	3575	3810	4123	5608	6083
N32SDDWR	Wood Legs, Tablet Right Arm		3230	3402	3480	3607	3745	3980	4293	5778	6253
N32SDDWL	Wood Legs, Tablet Left Arm		3230	3402	3480	3607	3745	3980	4293	5778	6253

DIMENSIONS

Width	32	Arm Height	27	Seat Width	22	Weight	74
Depth	31	Seat Height	19			Tablet Weight	87
Height	33	Seat Depth	21¼			Cubic Ft.	32.0

- Contrasting fabric option – specify X (i.e., N32SDDMRX); see page 440. For list pricing, use your electronic specification tool or contact customer service
- Features a handle on the back for ease of mobility
- Paint finish option represents handle on wood leg models and legs and handle on metal leg models
- Cup holder not available

RENO

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Cover Number
4. Power Grommet
5. Tablet and Finish (when applicable)
6. Paint (when applicable)
7. Wood Leg Finish (when applicable)

• See page 439 for Reno options

See pages 452-453 for COM fabric yardage

2½ SEAT LOUNGE - SLIM



Metal Legs



Wood Legs

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
N32SHHM	Metal Legs	$	3084	3399	3543	3777	4029	4461	5037	7764	8637
N32SHHW	Wood Legs		3257	3572	3716	3950	4202	4634	5210	7937	8810
N32SJJMR	Metal Legs, Tablet Right Arm		3630	3945	4089	4323	4575	5007	5583	8310	9183
N32SJJML	Metal Legs, Tablet Left Arm		3630	3945	4089	4323	4575	5007	5583	8310	9183
N32SJJMB	Metal Legs, Tablet Both Arms		4177	4492	4636	4870	5122	5554	6130	8857	9730
N32SJJWR	Wood Legs, Tablet Right Arm		3801	4116	4260	4494	4746	5178	5754	8481	9354
N32SJJWL	Wood Legs, Tablet Left Arm		3801	4116	4260	4494	4746	5178	5754	8481	9354
N32SJJWB	Wood Legs, Tablet Both Arms		4349	4664	4808	5042	5294	5726	6302	9029	9902

DIMENSIONS

Width	65	Arm Height	27	Seat Width	55¾	Weight	117
Depth	31	Seat Height	19			Cubic Ft.	56.0
Height	33	Seat Depth	21¼			Tablet Weight	129
						Cubic Ft	56.1
						Weight with Tablet Both Arms	141

- Contrasting fabric option – specify X (i.e., N32SHHMX); see page 440. For list pricing, use your electronic specification tool or contact customer service
- Cup holder not available

3 SEAT LOUNGE - SLIM



Metal Legs



Wood Legs

			1	2/COM	3/COL	4	5	6	7	L7	L8
N32SLLM	Metal Legs	$	3852	4164	4306	4537	4787	5214	5783	8480	9343
N32SLLW	Wood Legs		4024	4336	4478	4709	4959	5386	5955	8652	9515
N32SMMMR	Metal Legs, Tablet Right Arm		4396	4708	4850	5081	5331	5758	6327	9024	9887
N32SMMML	Metal Legs, Tablet Left Arm		4396	4708	4850	5081	5331	5758	6327	9024	9887
N32SMMMB	Metal Legs, Tablet Both Arms		4944	5256	5398	5629	5879	6306	6875	9572	10435
N32SMMWR	Wood Legs, Tablet Right Arm		4570	4882	5024	5255	5505	5932	6501	9198	10061
N32SMMWL	Wood Legs, Tablet Left Arm		4570	4882	5024	5255	5505	5932	6501	9198	10061
N32SMMWB	Wood Legs, Tablet Both Arms		5119	5431	5573	5804	6054	6481	7050	9747	10610

DIMENSIONS

Width	75½	Arm Height	27	Seat Width	66¼	Weight	139
Depth	31	Seat Height	19			Cubic Ft.	69.4
Height	33	Seat Depth	21¼			Tablet Weight	151
						Cubic Ft.	69.4
						Weight with Tablet Both Arms	163

- Contrasting fabric option – specify X (i.e., N32SLLMX); see page 440. For list pricing, use your electronic specification tool or contact customer service
- Cup holder not available

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Cover Number
4. Power Grommet
5. Paint (when applicable)
6. Wood Leg Finish (when applicable)

• See page 439 for Reno options

See pages 452-453 for COM fabric yardage

1 SEAT LOUNGE WOOD ARMS - SLIM



Wood Arms



Armless – Metal Legs



Armless – Metal Legs, Mobile

MODEL NO.

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N32STAAW	Arms - Wood Leg	$	3267	3365	3410	3483	3561	3695	3875	4723	4995
N32SMAAM	Armless – Metal Legs		2153	2251	2296	2369	2447	2581	2761	3609	3881
N32SMAAW	Armless – Wood Legs		2326	2424	2469	2542	2620	2754	2934	3782	4054
N32SMBBM	Armless – Metal Legs, Mobile		2369	2467	2512	2585	2663	2797	2977	3825	4097
N32SMBBW	Armless – Wood Legs, Mobile		2542	2640	2685	2758	2836	2970	3150	3998	4270

DIMENSIONS

Width	29	Seat Height	19	Arm Height	27	Armless Weight	44
Armless Width	23	Seat Depth	21¼			Arm Weight	63
Depth	31	Seat Width	22½			Armless Cubic Ft.	28.0
Height	33					Arm Cubic Ft.	32.0

• Contrasting fabric option – specify X (i.e., N32STAAWX); see page 440. For list pricing, use your electronic specification tool or contact customer service

2½ SEAT LOUNGE WOOD ARMS - SLIM



Wood Arms



Armless – Metal Legs

			1	2/COM	3/COL	4	5	6	7	L7	L8
N32STHHW	Arms - Wood Leg	$	4034	4265	4371	4542	4727	5044	5466	7466	8106
N32SMHHM	Armless – Metal Legs		2923	3154	3260	3431	3616	3933	4355	6355	6995
N32SMHHW	Armless – Wood Legs		3094	3325	3431	3602	3787	4104	4526	6526	7166

DIMENSIONS

Width	62	Seat Height	19	Arm Height	27	Armless Weight	87
Armless Width	56	Seat Depth	21¼			Arm Weight	100
Depth	31	Seat Width	55½			Armless Cubic Ft.	49.7
Height	33					Arm Cubic Ft.	56.1

• Contrasting fabric option – specify X (i.e., N32STHHWX); see page 440. For list pricing, use your electronic specification tool or contact customer service

RENO

LOUNGE
TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Cover Number
4. Power Grommet
5. Paint (when applicable)
6. Wood Leg Finish (when applicable)

PULL-UP TABLE
TO ORDER, SPECIFY:

1. Model Number
2. Laminate or Finish
3. Paint

• See page 439 for Reno options

See pages 452-453 for COM fabric yardage

3 SEAT LOUNGE
WOOD ARMS - SLIM



Wood Arms



Armless – Metal Legs

MODEL NO.

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N32STLLW	Arms	$	4803	5003	5094	5242	5402	5675	6040	7767	8320
N32SMLLM	Armless – Metal Legs		3693	3893	3984	4132	4292	4565	4930	6657	7210
N32SMLLW	Armless – Wood Legs		3863	4063	4154	4302	4462	4735	5100	6827	7380

DIMENSIONS

Width	73	Seat Height	19	Arm Height	27	Armless Weight	106
Armless Width	66½	Seat Depth	21¼			Arm Weight	121
Depth	31	Seat Width	66½			Armless Cubic Ft.	56.1
Height	33					Arm Cubic Ft.	69.4

• Contrasting fabric option – specify X (i.e., N32STLLWX); see page 440. For list pricing, use your electronic specification tool or contact customer service

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Cover Number
4. Paint (when applicable)
5. Wood Leg Finish (when applicable)

• See page 439 for Reno options

See pages 452-453 for COM fabric yardage

1 SEAT BENCH



Metal Legs



Wood Legs



Mobile

MODEL NO.		GRADE / LIST PRICE	1	2/COM	3/COL	4	5	6	7	L7	L8
N32KKM	Metal Legs	$	903	950	972	1007	1045	1110	1196	1605	1736
N32KKW	Wood Legs		1078	1125	1147	1182	1220	1285	1371	1780	1911
N32KKC	Mobile		1187	1234	1256	1291	1329	1394	1480	1889	2020

DIMENSIONS

Width	24	Weight	28
Depth	24	Cubic Ft.	13.5
Height	17½		

2½ SEAT BENCH



Metal Legs



Wood Legs

			1	2/COM	3/COL	4	5	6	7	L7	L8
N32HKM	Metal Legs	$	1988	2107	2161	2250	2345	2508	2726	3756	4086
N32HKW	Wood Legs		2163	2282	2336	2425	2520	2683	2901	3931	4261

DIMENSIONS

Width	56	Weight	57
Depth	24	Cubic Ft.	16.9
Height	17½		

3 SEAT BENCH



Metal Legs



Wood Legs

			1	2/COM	3/COL	4	5	6	7	L7	L8
N32LKM	Metal Legs	$	2351	2463	2514	2597	2687	2841	3045	4015	4325
N32LKW	Wood Legs		2526	2638	2689	2772	2862	3016	3220	4190	4500

DIMENSIONS

Width	68	Weight	68
Depth	24	Cubic Ft.	17.3
Height	17½		

RENO

TO ORDER, SPECIFY:

1. Model Number
2. Surface Grommet
3. Side Grommet (when applicable)
4. Wood/Laminate Finish
5. Paint (when applicable)
6. Finish

• See page 439 for Reno options

END TABLE





Optional Surface Grommet Location

MODEL NO.		LIST PRICE
ROUND		
N32T24ENW	Wood	$ 1925
N32T24ENL	Laminate	1620

DIMENSIONS (Round Models)

Diameter	24	Weight	35
Height	20 15/16	Cubic Ft.	11.0

- Side grommet not available on round models
- Optional surface grommet cutout available in G12, G17, and G23 cutout





Optional Surface and Side Grommet Locations

MODEL NO.		LIST PRICE
SQUARE		
N32T2424ENW	Wood	$ 1925
N32T2424ENL	Laminate	1620

DIMENSIONS (Square Models)

Width	24	Weight	55
Depth	24	Cubic Ft.	12.6
Height	20 15/16		

- Optional surface grommet cutout available in G12, G17, and G23 cutout
- Optional side grommet cutout on square table available in G23 cutout

- Some assembly required; feet are field installed
- Power grommet sold separately; reference pages 639-640 for pricing and details
- Optional glass and solid surface kits available; reference the Tables Price List

MAGAZINE TABLE





Optional Surface and Side Grommet Locations

N32T2448MGW	Wood	$ 2063
N32T2448MGL	Laminate	1768

DIMENSIONS

Width	48	Weight	77
Depth	24	Cubic Ft.	19.1
Height	16 15/16		

- Optional surface grommet cutout available in G12, G17, and G23 cutout
- Optional side grommet cutout available in G23 cutout
- Some assembly required; feet are field installed
- Power grommet sold separately; reference pages 639-640 for pricing and details
- Optional glass and solid surface kits available; reference the Tables Price List

TO ORDER, SPECIFY:

1. Model Number
2. Surface Grommet
3. Side Grommet (when applicable)
4. Wood/Laminate Finish
5. Paint (when applicable)
6. Finish

• See page 439 for Reno options

COFFEE TABLE





Optional Surface Grommet Location

MODEL NO.		LIST PRICE
ROUND		
N32T36MGW	Wood	$ 2147
N32T36MGL	Laminate	1852

DIMENSIONS (Round Models)

Diameter	36 1/16	Weight	55
Height	16 3/16	Cubic Ft.	18.6

- Side grommet not available on round models
- Optional surface grommet cutout available in G12, G17, and G23 cutout





Optional Surface and Side Grommet Locations

SQUARE			
N32T3636MGW	Wood	$ 2147	
N32T3636MGL	Laminate	1852	

DIMENSIONS (Square Models)

Width	36	Weight	65
Depth	36	Cubic Ft.	15
Height	16 3/16		

- Optional surface grommet cutout available in G12, G17, and G23 cutout
- Optional side grommet cutout on square table available in G23 cutout

- Some assembly required; feet are field installed
- Power grommet sold separately; reference pages 639-640 for pricing and details
- Optional glass and solid surface kits available; reference the Tables Price List

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
N32AAM, N32AAW, N32BBM, N32BBW, N32CCML, N32CCMR, N32CCWL, N32CCWR, N32DDMR, N32DDML, N32DDWR, N32DDWL		4.90	5.60	7.30	8.90	98
N32SAAM, N32SAAW, N32SBBM, N32SBBW, N32SCCML, N32SCCMR, N32SCCWL, N32SCCWR, N32SDDMR, N32SDDML, N32SDDWR, N32SDDWL		5.00	6.40	6.90	8.30	100
N32HHM, N32HHW, N32JJMR, N32JJML, N32JJMB, N32JJWR, N32JJWL, N32JJWB		9.00	10.00	10.70	12.30	179
N32SHHM, N32SHHW, N32SJJMR, N32SJJML, N32SJJMB, N32SJJWR, N32SJJWL, N32SJJWB		9.30	10.80	10.90	13.20	185
N32LLM, N32LLW, N32MMMR, N32MMML, N32MMMB, N32MMWR, N32MMWL, N32MMWB		8.90	13.50	14.70	16.90	177
N32SLLM, N32SLLW, N32SMMMR, N32SMMML, N32SMMMB, N32SMMWR, N32SMMWL, N32SMMWB		8.60	10.90	15.50	17.80	171
N32AAMX, N32AAWX, N32BBMX, N32BBWX, N32CCMLX, N32CCMRX,	Arm	2.80	3.40	3.80	6.00	56
N32CCWLX, N32CCWRX,	Seat	1.20	1.80	2.10	2.40	24
N32DDMRX, N32DDMLX,	Back	2.00	2.20	2.50	2.20	40
N32DDWRX, N32DDWLX						
N32SAAMX, N32SAAWX, N32SBBMX, N32SBBWX, N32SCCMLX, N32SCCMRX,	Arm	3.00	3.10	3.40	4.00	60
N32SCCWLX, N32SCCWRX,	Seat	1.60	1.70	2.40	3.40	32
N32SDDMRX, N32SDDMLX,	Back	1.90	2.00	2.10	2.40	38
N32SDDWRX, N32SDDWLX						
N32HHMX, N32HHWX,						
N32JJMRX, N32JJMLX,	Arm	2.80	3.40	3.80	6.00	56
N32JJMBX, N32JJWRX,	Seat	2.90	3.40	3.90	2.90	58
N32JJWLX, N32JJWBX	Back	3.90	4.20	5.00	5.20	78
N32SHHMX, N32SHHWX,						
N32SJJMRX, N32SJJMLX,	Arm	3.00	3.10	3.40	4.00	60
N32SJJMBX, N32SJJWRX,	Seat	3.70	3.90	4.90	6.20	74
N32SJJWLX, N32SJJWBX	Back	3.70	3.90	4.10	5.10	74
N32LLMX, N32LLWX,						
N32MMMRX, N32MMMLX,	Arm	2.80	3.40	3.80	6.00	56
N32MMMBX, N32MMWRX,	Seat	3.40	4.80	5.00	6.40	68
N32MMWLX, N32MMWBX	Back	3.90	6.30	7.40	6.20	78
N32SLLMX, N32SLLWX,						
N32SMMMRX, N32SMMMLX,	Arm	3.00	3.10	3.40	4.00	60
N32SMMMBX, N32SMMWRX,	Seat	3.40	4.60	7.30	9.40	68
N32SMMWLX, N32SMMWBX	Back	3.70	3.80	5.80	6.40	74

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
N32KKC, N32KKM, N32KKW		1.60	2.30	3.40	4.80	32
N32HKM, N32HKW		3.40	4.60	5.10	7.20	68
N32LKM, N32LKW		3.20	3.70	7.00	7.20	64
N32THHW, N32MHHM, N32MHHW		6.60	7.00	8.20	7.50	132
N32MAAM, N32MAAW, N32MBBM, N32TAAW, N32MBBW		2.80	3.00	4.20	4.40	56
N32MAAMX, N32MAAWX, N32MBBMX, N32MBBWX, N32TAAWX	Seat Back	1.30 1.90	2.10 2.00	2.50 2.30	2.70 2.50	26 38
N32MHHMX, N32MHHWX, N32THHWX	Seat Back	3.10 3.60	3.50 3.90	3.70 5.30	4.20 4.50	62 72
N32MLLM, N32MLLW, N32TLLW		5.70	6.10	10.60	8.00	113.5
N32MLLMX, N32MLLWX, N32TLLWX	Seat Back	2.40 3.60	3.30 3.70	5.00 6.60	4.20 4.50	48 72
N32STAAW, N32SMAAM, N32SMAAW, N32SMBBM, N32SMBBW		2.70	2.80	4.00	4.40	54
N32STHHW, N32SMHHM, N32SMHHW		6.40	6.80	7.80	7.50	127.5
N32STLLW, N32SMLLM, N32SMLLW		5.40	5.70	10.20	7.50	107.5
N32STAAWX, N32SMAAMX, N32SMAAWX, N32SMBBMX, N32SMBBWX	Seat Back	1.30 1.70	2.10 1.80	2.40 2.20	2.70 2.40	26 34
N32STHHWX, N32SMHHMX, N32SMHHWX	Seat Back	3.20 3.40	3.50 3.60	3.70 4.50	4.20 4.40	64 68
N32STLLWX, N32SMLLMX, N32SMLLWX	Seat Back	2.40 3.40	3.30 3.40	4.90 5.90	4.20 4.40	48 68

RENO

RESPECT

Product Specifications 456
Fabrics and Options 457
Product Pages 458
COM Yardage Requirements 460

RESPECT PRODUCT SPECIFICATIONS



FRAME CONSTRUCTION
GUEST MODEL

- Frame constructed of exterior beech with joints double doweled and glued for maximum joint stability
- Features a metal seat understructure for added strength

SEAT AND BACK CONSTRUCTION
HIGH AND MID BACK MODELS

- 2½" of high grade polyurethane foam covers seat
- 7-ply inner, 1 piece molded plywood shell forms seat and back
- High back model consists of 1½" of high grade polyurethane foam on the lower back and 2½" on the upper back
- Mid back model consists of 1½" of high grade polyurethane foam on the back

GUEST MODEL

- 2" of high grade polyurethane foam covers a solid plywood seat panel
- 1" of high grade polyurethane foam covers a solid plywood back panel

CONTROL MECHANISM/LIFT

- The standard knee tilt mechanism features a heavy-duty adjustment tension spring for a variety of body sizes and minimal rise of front seat edge. This allows the user's feet to remain on the floor when chair is in reclining position
- The combination gas lift/tilt lock lever allows dual function with simple in/out movement for lockout and up/down movement for height adjustment

BASE AND CASTERS

- Wood base features a standard 5-prong, rigid steel understructure to ensure long life
- Black and powder coated Satin Nickel Metallic bases feature reinforced nylon
- Black, hard double wheel casters, which work on multiple surfaces, are standard
- Black, soft double wheel casters are available for use on hard floors; upcharge applies to this option

ARMS

- Arms constructed of reinforced nylon available in black or powder coated Satin Nickel Metallic finish
- Arms are attached to seat and back with screws
- Arm pads are soft black polyurethane

UPHOLSTERY

- Gathering may result in upholstery due to the pillow back design

FINISH

- Wood models feature a catalyzed top coat that resists denting, peeling, and reactions to chemicals
- Can be cleaned with a damp cloth
- When specifying Brighton, Natural, and Sonoma finish, variation in color is acceptable due to the nature of wood characteristics

WOOD SPECIES

- Beech

All Respect models may be ordered to meet TB133 fire code.

To order seating to meet the TB133 fire code, specify an "F" at the end of the model number (Ex: N75BACF).

For TB133 pricing go to www.NationalOfficeFurniture.com/TB133

Please consult customer service for applicable Arc-Com, Carnegie, Designtex, Maharam, Mayer, Momentum, Stinson, or Ultrafabrics fabric.

FABRICS

Grade 1	Cali
	Entwine
	Input
	Melange
	Ridge
	Spark
	Vessel
	Zig Zag
Grade 2	Bliss
	Brilliant
	COM
	Dolce
	Dorset
	Intuition
	Orbit
	Phrase
	Pixie
	Sedona
	Stancil
	Strand
Grade 3	COL
	Silvertex
Grade 4	Connect Four
	Echo
	Masquerade
Grade 5	Mode
Grade 6	Essence/Ultraleather
Grade 7	Brisa
	Brisa Distressed
	Reef Pro
	Silica
	Silica Etch
	Tottori
Grade L7	Davenport
Grade L8	Florence

FINISHES

AC	Autumn	NM	Natural
AD	Almond	PB	Portobello
BZ	Brazilwood	PC	Porcini
CI	Chai	PT	Portico
CL	Caramel	SK	Skyline
CW	Cordovan	SM	Sonoma
DW	Judicial	TF	Truffle
HN	Honey	WL	Willow
IM	Brighton	405	Designer White
KN	Kona	462	Cinder
MC	Amber	792	Sable
MH	Mocha	793	Acorn*

*Acorn is the finish complement to Clear Walnut finish

CASTERS

FOR WOOD BASE

C3 Hard (standard)
C4 Soft (add $36 list)

FOR PLASTIC BASE

C15 Hard (standard)
C2 Soft (add $36 list)

RESPECT

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Cover Number
4. Finish Designator
5. Casters

• See page 457 for Respect options
See page 460 for COM fabric yardage

HIGH BACK PLASTIC BASE

All Covers

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
N75BAC	Black Arms/Black Base	$	1440	1521	1557	1617	1682	1792	1939	2636	2859
QN75BAC	Black Arms/Black Base		1440	1521	1557	1617	1682	1792	1939		
N75SAC	Satin Nickel Metallic Arms/ Satin Nickel Metallic Base		1671	1752	1788	1848	1913	2023	2170	2867	3090
N75SSC	Satin Nickel Metallic Arms/ Black Base		1558	1639	1675	1735	1800	1910	2057	2754	2977

DIMENSIONS

Width	26½	Arm Height	26-31¼	Seat Width	22¼	Weight	40
Depth	27¾	Seat Height	16½-21⅜			Cubic Ft.	20.4
Height	43¼-48½	Seat Depth	17½				

• Gathering may result in upholstery due to the pillow back design

MID BACK PLASTIC BASE

Leathers and Vinyls

All Fabrics

			1	2/COM	3/COL	4	5	6	7	L7	L8
N75BCC	Black Arms/Black Base	$	1397	1474	1509	1566	1628	1734	1874	2541	2754
QN75BCC	Black Arms/Black Base		1397	1474	1509	1566	1628	1734	1874		
N75SCC	Satin Nickel Metallic Arms/ Satin Nickel Metallic Base		1627	1704	1739	1796	1858	1964	2104	2771	2984
N75SPC	Satin Nickel Metallic Arms/ Black Base		1518	1595	1630	1687	1749	1855	1995	2662	2875

DIMENSIONS

Width	26½	Arm Height	26½-31½	Seat Width	22¼	Weight	39
Depth	26¼	Seat Height	17¼-22⅛			Cubic Ft.	19.3
Height	39½-44¾	Seat Depth	16¾				

• Gathering may result in upholstery due to the pillow back design

QD

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Cover Number
4. Finish Designator
5. Casters

• See page 457 for Respect options

See page 460 for COM fabric yardage

HIGH BACK WOOD BASE

All Covers

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
N75BBC	Black Arms/Wood Base	$	1715	1796	1832	1892	1957	2067	2214	2911	3134
N75SBC	Satin Nickel Metallic Arms/Wood Base		1836	1917	1953	2013	2078	2188	2335	3032	3255

DIMENSIONS

Width	26½	Arm Height	26-31¼	Seat Width	22¼	Weight	46
Depth	27¾	Seat Height	16½-21⅜			Cubic Ft.	20.4
Height	43¼-48½	Seat Depth	17½				

• Gathering may result in upholstery due to the pillow back design

MID BACK WOOD BASE

Leather & Vinyls

All Fabrics

			1	2/COM	3/COL	4	5	6	7	L7	L8
N75BDC	Black Arms/Wood Base	$	1678	1755	1790	1847	1909	2015	2155	2822	3035
N75SDC	Satin Nickel Metallic Arms/Wood Base		1794	1871	1906	1963	2025	2131	2271	2938	3151

DIMENSIONS

Width	26½	Arm Height	26½-31½	Seat Width	22¼	Weight	45
Depth	26¼	Seat Height	17¼-22⅛			Cubic Ft.	19.3
Height	39½-44¾	Seat Depth	16¾				

• Gathering may result in upholstery due to the pillow back design

GUEST



All Covers

			1	2/COM	3/COL	4	5	6	7	L7	L8
N75WS	Wood Frame	$	1131	1177	1197	1231	1268	1330	1413	1807	1933
QN75WS	Wood Frame		1131	1177	1197	1231	1268	1330	1413		

DIMENSIONS

Width	24¾	Arm Height	27¼	Seat Width	20½	Weight	19
Depth	22⅜	Seat Height	18			Cubic Ft.	15.3
Height	34¾	Seat Depth	16½				

• Gathering may result in upholstery due to the pillow back design

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
N75BAC		2.30	3.10	3.50	5.40	47
N75BBC		2.30	3.10	3.50	5.40	47
N75BCC		2.20	2.60	3.00	5.00	45
N75BDC		2.20	2.60	3.00	5.00	45
N75SAC		2.30	3.10	3.50	5.40	47
N75SBC		2.30	3.10	3.50	5.40	47
N75SCC		2.20	2.60	3.00	5.00	45
N75SDC		2.20	2.60	3.00	5.00	45
N75SPC		2.20	2.60	3.00	5.00	45
N75SSC		2.30	3.10	3.50	5.40	47
N75WS		1.30	1.50	2.20	2.90	26

RIZORA

Product Specifications 462
Fabrics and Options 463
Product Pages 464
COM Yardage Requirements 466

RIZORA

RIZORA PRODUCT SPECIFICATIONS



FRAME CONSTRUCTION

- Injection molded polypropylene seat
- Beech wood legs
- Polished metal footrest

FINISH

- Wood legs are available in all National standard finishes
- When specifying Brighton, Natural, and Sonoma finish, variation in color is acceptable due to the nature of beech wood characteristics

UPHOLSTERED SEAT PAD

- Wood seat panel
- Polyurethane foam

All Rizora models that do not feature an upholstered seat pad meet TB133 fire code. For TB133 availability on models with an upholstered seat pad, please contact customer service.

FABRICS

Grade 1	Cali
	Entwine
	Input
	Melange
	Ridge
	Spark
	Vessel
	Zig Zag
Grade 2	Bliss
	Brilliant
	COM
	Dolce
	Dorset
	Intuition
	Orbit
	Phrase
	Pixie
	Sedona
	Stancil
	Strand
Grade 3	COL
	Silvertex
Grade 4	Connect Four
	Echo
	Masquerade
Grade 5	Mode
Grade 6	Essence/Ultraleather
Grade 7	Brisa
	Brisa Distressed
	Reef Pro
	Silica
	Silica Etch
	Tottori
Grade L7	Davenport
Grade L8	Florence

SEAT COLORS

BG	Burgundy
BK	Black
DG	Dark Grey
LG	Light Grey
NV	Navy
TP	Taupe
WH	White

WOOD LEG FINISHES

AC	Autumn	NM	Natural
AD	Almond	PB	Portobello
BZ	Brazilwood	PC	Porcini
CI	Chai	PT	Portico
CL	Caramel	SK	Skyline
CW	Cordovan	SM	Sonoma
DW	Judicial	TF	Truffle
HN	Honey	WL	Willow
IM	Brighton	405	Designer White
KN	Kona	462	Cinder
MC	Amber	792	Sable
MH	Mocha	793	Acorn*

*Acorn is the finish complement to Clear Walnut finish

RIZORA

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Plastic Seat Color
3. Fabric Grade / Cover Number (when applicable)
4. Wood Leg Finish

• See page 463 for Rizora options

See page 466 for COM fabric yardage

GUEST STOOL

Upholstered Seat Pad

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
N40G1	Package of 1	$	740								
QN40G1	Package of 1		740								
N40G2	Package of 2		1437								
QN40G2	Package of 2		1437								
N40GU1	Upholstered Seat Pad, Package of 1	$	849	867	875	888	902	926	958	1109	1158
QN40GU1	Upholstered Seat Pad, Package of 1		849	867	875	888	902	926	958		
N40GU2	Upholstered Seat Pad, Package of 2		1652	1670	1678	1691	1705	1729	1761	1912	1961
QN40GU2	Upholstered Seat Pad, Package of 2		1652	1670	1678	1691	1705	1729	1761		

DIMENSIONS

Width	17½	Seat Height	18	Weight (1)	10.8
Depth	15¼	Seat Depth	13¾	Cubic Ft. (1)	3.3
Height	18	Seat Width	15½	Weight (2)	19.6
				Cubic Ft. (2)	3.9

• For the upholstered seat pad models, add ¾" to all height dimensions and 1 lb. to weight per unit

COUNTER HEIGHT STOOL

Upholstered Seat Pad

			1	2/COM	3/COL	4	5	6	7	L7	L8
N40C1	Package of 1	$	776								
QN40C1	Package of 1		776								
N40C2	Package of 2		1509								
QN40C2	Package of 2		1509								
N40CU1	Upholstered Seat Pad, Package of 1	$	884	902	910	923	937	961	993	1144	1193
QN40CU1	Upholstered Seat Pad, Package of 1		884	902	910	923	937	961	993		
N40CU2	Upholstered Seat Pad, Package of 2		1724	1742	1750	1763	1777	1801	1833	1984	2033
QN40CU2	Upholstered Seat Pad, Package of 2		1724	1742	1750	1763	1777	1801	1833		

DIMENSIONS

Width	18	Seat Height	24	Weight (1)	12.9
Depth	15⅝	Seat Depth	13¾	Cubic Ft. (1)	4.6
Height	24	Seat Width	15½	Weight (2)	22.8
				Cubic Ft. (2)	6.6

• For the upholstered seat pad models, add ¾" to all height dimensions and 1 lb. to weight per unit

QD

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Plastic Seat Color
3. Fabric Grade / Cover Number (when applicable)
4. Wood Leg Finish

• See page 463 for Rizora options

See page 466 for COM fabric yardage

BAR HEIGHT STOOL

Upholstered Seat Pad

MODEL NO.		GRADE / LIST PRICE									
			1	2/COM	3/COL	4	5	6	7	L7	L8
N40B1	Package of 1	$	813								
QN40B1	Package of 1		813								
N40B2	Package of 2		1582								
QN40B2	Package of 2		1582								
N40BU1	Upholstered Seat Pad, Package of 1	$	921	939	947	960	974	998	1030	1181	1230
QN40BU1	Upholstered Seat Pad, Package of 1		921	939	947	960	974	998	1030		
N40BU2	Upholstered Seat Pad, Package of 2		1796	1814	1822	1835	1849	1873	1905	2056	2105
QN40BU2	Upholstered Seat Pad, Package of 2		1796	1814	1822	1835	1849	1873	1905		

DIMENSIONS

Width	18⅝	Seat Height	30	Weight (1)	13.5
Depth	16	Seat Depth	13¾	Cubic Ft. (1)	6.0
Height	30	Seat Width	15½	Weight (2)	24.0
				Cubic Ft. (2)	6.6

• For the upholstered seat pad models, add ¾" to all height dimensions and 1 lb. to weight per unit

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
N40GU1, N40CU1, N40BU1		0.50	0.70	0.90	1.25	5
N40GU2, N40CU2, N40BU2		0.50	0.70	0.90	1.80	10

SWIFT

Product Specifications 468
Fabrics and Options 469
Contrasting Fabric 470
Product Pages - Non-Tufting 472
Product Pages - Tufting 481
COM Yardage Requirements 489

SWIFT

SWIFT PRODUCT SPECIFICATIONS





LOUNGE

FRAME CONSTRUCTION
- Interior frame is constructed of plywood with tenon joints that are glued and screwed for maximum joint stability
- Exterior base frame features wood and metal-look accents
- Each joint is securely glued for maximum joint stability

SEAT CONSTRUCTION
- 4" of high grade polyurethane foam covers a plywood seat panel with high tension strip webbing for comfort

BACK CONSTRUCTION
- 4½" of high grade custom shaped polyurethane foam stretched over web sheet and attached to frame

ARM CONSTRUCTION
- ½" of high grade polyurethane foam covers a plywood constructed arm frame

UPHOLSTERY DETAIL
- Contrasting fabric available on all models
- Railroaded fabrics cannot be specified for vertical tufted models

LEGS
- Extruded aluminum legs with nylon leveling glides

MOBILE UNIT CASTERS
- Black, double wheel, roll control casters are standard and work on all floors

TABLET ARM
- ¾" thick black 3D Laminate with MDF core or ¾" thick maple
- Attached with ¼" steel base plate and screws that mounts over ¼" metal insert rod and fits into structure of arm
- Allows for 360° swivel and writing surface of 21" W x 13½" D

FINISH
- Tablet arm features a catalyzed top coat that resists denting, peeling and reactions to chemicals
- Can be cleaned with a damp cloth
- When specifying Brighton, Natural, and Sonoma finish, variation in color is acceptable due to the nature of wood characteristics

PLINTH BASE
- Available on tufting models only
- Black PVC edge
- Includes leveling glides

GANGING - TUFTING MODELS
- Ganging option available for an additional upcharge on the armless side(s) of lounges, benches and tables
- A right ganging bolt and left V-bracket is necessary for units to be ganged
- To gang units, simply lift unit and insert ganging bolt into ganging V-bracket

TABLES

FRAME CONSTRUCTION
- Grade A slipmatched maple (Brighton, Caramel, Honey, Natural), or cherry veneer (Amber, Autumn, Cordovan, Judicial, Mocha, Truffle) with mitered corners and extruded aluminum legs with rails
- Veneer features a semi-open pore matte sheen

POWER AND DATA GROMMET
- Available in the 30°, 45°, 90° and small end tables
- 3 power grommets available; specify cutout option and order electrical grommet model separately. See pages 639-640 for details and pricing
- Power grommet not available on coffee or console tables

All Swift models may be ordered to meet TB133 fire code with the exception of the Vertical Tufting with Plinth Base models.

To order seating to meet the TB133 fire code, specify an "F" at the end of the model number (Ex: N95MAF).

For TB133 pricing go to www.NationalOfficeFurniture.com/TB133

Please consult customer service for applicable Arc-Com, Carnegie, Designtex, Maharam, Mayer, Momentum, Stinson, or Ultrafabrics fabric.

FABRICS

Grade 1	Cali
	Entwine
	Input
	Melange
	Ridge
	Spark
	Vessel
	Zig Zag
Grade 2	Bliss
	Brilliant
	COM
	Dolce
	Dorset
	Intuition
	Orbit
	Phrase
	Pixie
	Sedona
	Stancil
	Strand
Grade 3	COL
	Silvertex
Grade 4	Connect Four
	Echo
	Masquerade
Grade 5	Mode
Grade 6	Essence/Ultraleather
Grade 7	Brisa
	Brisa Distressed
	Reef Pro
	Silica
	Silica Etch
	Tottori
Grade L7	Davenport
Grade L8	Florence

TABLES SURFACE GROMMETS/CUTOUTS

($40 list upcharge per location)

CUT-G12	G12 Cutout
CUT-G17	G17 Cutout
CUT-G23	G23 Cutout
X	No Grommet

TABLES SIDE GROMMETS/CUTOUTS

($40 list upcharge per location)

CUT-G23C	Power Grommet
X	No Grommet

Reference pages 639-640 for pricing and details

TABLET ARM

T	3D Laminate, Black
W	Wood

FRAME COLORS - NON-TUFTING MODELS

423	Concrete
462	Cinder
463	Iron
497	Polished Aluminum
501	Platinum Metallic
503	Satin Nickel Metallic

FINISHES

AC	Autumn	PB	Portobello*
AD	Almond*	PT	Portico*
CL	Caramel	SK	Skyline*
CW	Cordovan	SM	Sonoma*
DW	Judicial	TF	Truffle
HN	Honey	405	Designer White*
IM	Brighton	462	Cinder*
MC	Amber	792	Sable*
MH	Mocha	793	Acorn*†
NM	Natural		

*Not available on tables
†Acorn is the finish and laminate complement to Clear Walnut finish

LAMINATES

AC2	Autumn 2	TF	Truffle
AD	Almond	405	Designer White
CL	Caramel	419	Wallaby
CW	Cordovan	425	Shadow
DW	Judicial	440	Cloud
HN2	Honey 2	461	Graphite
IM	Brighton	462	Cinder
MC	Amber	478	Platinum Grey
MH	Mocha	488	Frosty White
NM	Natural	491	Designer White
PB	Portobello		Linear
PT	Portico	492	Cinder Linear
SK	Skyline	792	Sable
SM	Sonoma	793	Acorn†

GANGING OPTIONS TUFTING MODELS ONLY

($69 list upcharge per ganging location)

LOUNGE

L	Ganging Left
R	Ganging Right
LR	Ganging Left and Right
X	No Ganging

TABLES

1	Ganging 1 Side
2	Ganging 2 Sides
X	No Ganging

GANGING BRACKET DETAILS (AS SEATED)

RIGHT SIDE GANGING

Ganging Bolt

LEFT SIDE GANGING



Ganging V-Bracket

TO ORDER CONTRASTING FABRIC, SPECIFY

SWIFT
1 Seat Lounge page 472
1 Seat Lounge - Single Arm page 472
2 Seat Lounge page 473
2 Seat Lounge - Single Arm page 473
3 Seat Lounge page 474
3 Seat Lounge - Single Arm page 474

1. Model Number plus "X"
2. Back Fabric Grade Number/Cover Number
3. Extreme Fabric Grade Number/Cover Number
4. Back Accent Fabric Grade Number/Cover Number
5. Seat Fabric Grade Number/Cover Number
6. Seat Accent Fabric Grade Number/Cover Number
7. Arm Fabric Grade Number/Cover Number
8. Tablet (when applicable)
9. Finish Designator
10. Frame Color



Contrasting Fabric
Tablet Both Arms



Contrasting Fabric Back View

30° Corner Unit page 475
45° Inside Corner Unit page 475
45° Outside Corner Unit page 475
90° Inside Corner Unit page 476
90° Outside Corner Unit page 476

1. Model Number plus "X"
2. Back Fabric Grade Number/Cover Number
3. Extreme Fabric Grade Number/Cover Number
4. Back Accent Fabric Grade Number/Cover Number
5. Seat Fabric Grade Number/Cover Number
6. Seat Accent Fabric Grade Number/Cover Number
7. Finish Designator
8. Frame Color



Contrasting Fabric



Contrasting Upholstery Back View

1 Seat Bench page 477
2 Seat Bench page 477
3 Seat Bench page 477

1. Model Number plus "X"
2. Seat Fabric Grade Number/Cover Number
3. Seat Accent Fabric Grade Number/Cover Number
4. Finish Designator
5. Frame Color



Contrasting Fabric

TO ORDER CONTRASTING FABRIC, SPECIFY

SWIFT
1 Seat Lounge Vertical Tuft Plinth Base page 481
2 Seat Lounge Vertical Tuft Plinth Base page 481
3 Seat Lounge Vertical Tuft Plinth Base page 481

1. Model Number plus "X"
2. Ganging
3. Back Fabric Grade Number/Cover Number
4. Extreme Fabric Grade Number/Cover Number
5. Back Accent Fabric Grade Number/Cover Number
6. Seat Fabric Grade Number/Cover Number
7. Seat Accent Fabric Grade Number/Cover Number
8. Arm Fabric Grade Number/Cover Number



Contrasting Fabric



Contrasting Fabric Back View

30° Inside Corner Lounge Vertical Tuft Plinth Base page 482
30° Outside Corner Lounge Vertical Tuft Plinth Base page 482
45° Inside Corner Lounge Vertical Tuft Plinth Base page 482
45° Outside Corner Lounge Vertical Tuft Plinth Base page 482
90° Inside Corner Lounge Vertical Tuft Plinth Base page 483
90° Outside Corner Lounge Vertical Tuft Plinth Base page 483

1. Model Number plus "X"
2. Ganging
3. Back Fabric Grade Number/Cover Number
4. Extreme Fabric Grade Number/Cover Number
5. Back Accent Fabric Grade Number/Cover Number
6. Seat Fabric Grade Number/Cover Number
7. Seat Accent Fabric Grade Number/Cover Number



Contrasting Fabric



Contrasting Upholstery Back View

1 Seat Bench Vertical Tuft Plinth Base page 483
2 Seat Bench Vertical Tuft Plinth Base page 483
3 Seat Bench Vertical Tuft Plinth Base page 483

1. Model Number plus "X"
2. Ganging
3. Seat Fabric Grade Number/Cover Number
4. Seat Accent Fabric Grade Number/Cover Number



Contrasting Fabric

SWIFT

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Cover Number
4. Tablet (when applicable)
5. Finish Designator
6. Frame Color

• See page 469 for Swift options

See pages 489-492 for COM fabric yardage

1 SEAT LOUNGE



Armless



Tablet Right Arm - Mobile

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
N95MA	Armless	$	2477	2586	2635	2716	2803	2951	3150	4089	4390
QN95MA	Armless		2477	2586	2635	2716	2803	2951	3150		
N95MAC	Armless - Mobile		2695	2804	2853	2934	3021	3169	3368	4307	4608
QN95MAC	Armless - Mobile		2695	2804	2853	2934	3021	3169	3368		
N95AA	Arms		3225	3425	3516	3664	3824	4097	4462	6189	6742
QN95AA	Arms		3225	3425	3516	3664	3824	4097	4462		
N95AAR	Tablet Right Arm		3550	3750	3841	3989	4149	4422	4787	6514	7067
N95AAL	Tablet Left Arm		3550	3750	3841	3989	4149	4422	4787	6514	7067
N95AAC	Arms - Mobile		3442	3642	3733	3881	4041	4314	4679	6406	6959
QN95AAC	Arms - Mobile		3442	3642	3733	3881	4041	4314	4679		
N95AARC	Tablet Right Arm - Mobile		3770	3970	4061	4209	4369	4642	5007	6734	7287
N95AALC	Tablet Left Arm - Mobile		3770	3970	4061	4209	4369	4642	5007	6734	7287

DIMENSIONS

Armless Width	26½	Arm Height	27¼	Seat Depth	21¾	Armless Weight	49
Arm Width	32	Seat Height	19¼	Back Height	32½	Arm Weight	78
Depth	30	Seat Width	26½	Back Width	26½	Cubic Ft.	26.3
Height	32½						

• Contrasting fabric option – specify X (i.e., N95MAX); see page 470. For list pricing, use your electronic specification tool or contact customer service

1 SEAT LOUNGE - SINGLE ARM



Right Arm



Left Arm

			1	2/COM	3/COL	4	5	6	7	L7	L8
N95MAR	Right Arm	$	2820	2974	3044	3159	3282	3493	3775	5108	5535
N95MART	Tablet Right Arm		3210	3364	3434	3549	3672	3883	4165	5498	5925
N95MAL	Left Arm		2820	2974	3044	3159	3282	3493	3775	5108	5535
N95MALT	Tablet Left Arm		3210	3364	3434	3549	3672	3883	4165	5498	5925

DIMENSIONS

Width	29½	Arm Height	27¼	Seat Depth	21¾	Weight	67
Depth	30	Seat Height	19¼	Back Height	32½	Cubic Ft.	26.3
Height	32½	Seat Width	26½	Back Width	26½		

• Contrasting fabric option – specify X (i.e., N95MALX); see page 470. For list pricing, use your electronic specification tool or contact customer service

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Cover Number
4. Tablet (when applicable)
5. Finish Designator
6. Frame Color

• See page 469 for Swift options

See pages 489-492 for COM fabric yardage

2 SEAT LOUNGE





Tablet Right Arm

MODEL NO.

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N95MB	Armless	$	3593	3761	3838	3963	4097	4327	4635	6089	6555
N95BB	Arms		4344	4572	4676	4845	5027	5339	5755	7724	8355
N95BBR	Tablet Right Arm		4669	4897	5001	5170	5352	5664	6080	8049	8680
N95BBL	Tablet Left Arm		4669	4897	5001	5170	5352	5664	6080	8049	8680
N95BBB	Tablet Both Arms		4996	5224	5328	5497	5679	5991	6407	8376	9007

DIMENSIONS

Armless Width	51½	Arm Height	27¼	Seat Depth	21¾	Armless Weight	84
Arm Width	59¼	Seat Height	19¼	Back Height	32½	Arm Weight	120
Depth	30	Seat Width	51½	Back Width	51½	Cubic Ft.	48.8
Height	32½						

• Contrasting fabric option – specify X (i.e., N95MBX); see page 470. For list pricing, use your electronic specification tool or contact customer service

2 SEAT LOUNGE - SINGLE ARM



Right Arm



Left Arm

			1	2/COM	3/COL	4	5	6	7	L7	L8
N95MBR	Right Arm	$	3936	4122	4206	4344	4493	4747	5086	6692	7206
N95MBRT	Tablet Right Arm		4324	4510	4594	4732	4881	5135	5474	7080	7594
N95MBL	Left Arm		3936	4122	4206	4344	4493	4747	5086	6692	7206
N95MBLT	Tablet Left Arm		4324	4510	4594	4732	4881	5135	5474	7080	7594

DIMENSIONS

Width	55¾	Arm Height	27¼	Seat Depth	21¾	Weight	113
Depth	30	Seat Height	19¼	Back Height	32½	Cubic Ft.	48.8
Height	32½	Seat Width	51½	Back Width	51½		

• Contrasting fabric option – specify X (i.e., N95MBLX); see page 470. For list pricing, use your electronic specification tool or contact customer service

SWIFT

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Cover Number
4. Tablet (when applicable)
5. Finish Designator
6. Frame Color

• See page 469 for Swift options

See pages 489-492 for COM fabric yardage

3 SEAT LOUNGE





Tablet Right Arm

MODEL NO.

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N95MC	Armless	$	4711	4946	5053	5227	5415	5736	6165	8195	8845
N95CC	Arms		5458	5763	5902	6128	6372	6789	7346	9982	10826
N95CCR	Tablet Right Arm		5787	6092	6231	6457	6701	7118	7675	10311	11155
N95CCL	Tablet Left Arm		5787	6092	6231	6457	6701	7118	7675	10311	11155
N95CCB	Tablet Both Arms		6111	6416	6555	6781	7025	7442	7999	10635	11479

DIMENSIONS

Armless Width	76	Arm Height	27¼	Seat Depth	21¾	Armless Weight	141
Arm Width	83	Seat Height	19¼	Back Height	32½	Arm Weight	155
Depth	30	Seat Width	79½	Back Width	79½	Cubic Ft.	72.2
Height	32½						

• Contrasting fabric option – specify X (i.e., N95CCX); see page 470. For list pricing, use your electronic specification tool or contact customer service

3 SEAT LOUNGE - SINGLE ARM



Right Arm



Left Arm

			1	2/COM	3/COL	4	5	6	7	L7	L8
N95MCR	Right Arm	$	5055	5314	5432	5625	5832	6187	6661	8903	9621
N95MCRT	Tablet Right Arm		5444	5703	5821	6014	6221	6576	7050	9292	10010
N95MCL	Left Arm		5055	5314	5432	5625	5832	6187	6661	8903	9621
N95MCLT	Tablet Left Arm		5444	5703	5821	6014	6221	6576	7050	9292	10010

DIMENSIONS

Width	82¼	Arm Height	27¼	Seat Depth	21¾	Weight	148
Depth	30	Seat Height	19¼	Back Height	32½	Cubic Ft.	72.2
Height	32½	Seat Width	79½	Back Width	79½		

• Contrasting fabric option – specify X (i.e., N95MCLX); see page 470. For list pricing, use your electronic specification tool or contact customer service

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Cover Number
4. Finish Designator
5. Frame Color

• See page 469 for Swift options

See pages 489-492 for COM fabric yardage

30° CORNER UNIT



30° Inside Corner



30° Outside Corner

MODEL NO.

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N95MH	Inside Corner	$	2391	2482	2524	2591	2664	2789	2955	3743	3995
N95MHA	Outside Corner		2391	2475	2513	2576	2643	2758	2912	3639	3872

DIMENSIONS - INSIDE CORNER

Width	25¾	Seat Height	19¼	Weight	40
Depth	32			Cubic Ft.	31.9
Height	32½				

DIMENSIONS - OUTSIDE CORNER

Width	27	Seat Height	19¼	Weight	40
Depth	31			Cubic Ft.	31.9
Height	32½				

• Contrasting fabric option – specify X (i.e., N95MHAX); see page 470. For list pricing, use your electronic specification tool or contact customer service
• Stripes and plaids are not recommended as the fabrics may not align at the seams

45° CORNER UNIT



45° Inside Corner



45° Outside Corner

			1	2/COM	3/COL	4	5	6	7	L7	L8
N95MJ	Inside Corner	$	2777	2886	2935	3016	3103	3251	3450	4389	4690
N95MJA	Outside Corner		2777	2872	2915	2985	3061	3190	3363	4181	4443

DIMENSIONS - INSIDE CORNER

Width	32½	Seat Height	19¼	Weight	45
Depth	32½			Cubic Ft.	31.9
Height	32½				

DIMENSIONS - OUTSIDE CORNER

Width	33½	Seat Height	19¼	Weight	45
Depth	33½			Cubic Ft.	31.9
Height	32½				

• Contrasting fabric option – specify X (i.e., N95MJAX); see page 470. For list pricing, use your electronic specification tool or contact customer service
• Stripes and plaids are not recommended as the fabrics may not align at the seams

SWIFT

90° CORNER UNIT TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Cover Number
4. Finish Designator
5. Frame Color

PULL-UP TABLE TO ORDER, SPECIFY:

1. Model Number
2. Laminate or Finish
3. Paint

• See page 469 for Swift options

See pages 489-492 for COM fabric yardage

90° CORNER UNIT



90° Inside Corner



90° Outside Corner

MODEL NO.

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N95MK	Inside Corner	$	3593	3744	3812	3924	4045	4251	4526	5829	6246
N95MKA	Outside Corner		3593	3702	3751	3832	3919	4067	4266	5205	5506

DIMENSIONS - INSIDE CORNER

Width	50½	Seat Height	19¼	Weight	56
Depth	30			Cubic Ft.	31.9
Height	32½				

DIMENSIONS - OUTSIDE CORNER

Width	48⅞	Seat Height	19¼	Weight	56
Depth	33⅜			Cubic Ft.	36.9
Height	32½				

- Contrasting fabric option – specify X (i.e., N95MKAX); see page 470. For list pricing, use your electronic specification tool or contact customer service
- Stripes and plaids are not recommended as the fabrics may not align at the seams

QD

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Cover Number
4. Finish Designator
5. Frame Color

• See page 469 for Swift options

See pages 489-492 for COM fabric yardage

1 SEAT BENCH





Mobile

MODEL NO. | **GRADE / LIST PRICE**

			1	2/COM	3/COL	4	5	6	7	L7	L8
N95DD	1 Seat Bench	$	1918	2009	2051	2118	2191	2316	2482	3270	3522
QN95DD	1 Seat Bench		1918	2009	2051	2118	2191	2316	2482		
N95DDC	1 Seat Bench - Mobile		2136	2227	2269	2336	2409	2534	2700	3488	3740
QN95DDC	1 Seat Bench - Mobile		2136	2227	2269	2336	2409	2534	2700		

DIMENSIONS

Width	26¼	Weight	35
Depth	30	Cubic Ft.	16.7
Height	19¼		

- Contrasting fabric option – specify X (i.e., N95DDX); see page 470. For list pricing, use your electronic specification tool or contact customer service
- Railroaded fabrics will require a seam on the front and back edges of bench

2 SEAT BENCH



			1	2/COM	3/COL	4	5	6	7	L7	L8
N95EE	2 Seat Bench	$	2648	2767	2821	2910	3005	3168	3386	4416	4746

DIMENSIONS

Width	51½	Weight	65
Depth	30	Cubic Ft.	29.4
Height	19¼		

- Contrasting fabric option – specify X (i.e., N95EEX); see page 470. For list pricing, use your electronic specification tool or contact customer service
- Railroaded fabrics will require a seam on the front and back edges of bench

3 SEAT BENCH



			1	2/COM	3/COL	4	5	6	7	L7	L8
N95GG	3 Seat Bench	$	3380	3587	3681	3834	4000	4283	4660	6448	7020

DIMENSIONS

Width	76	Weight	95
Depth	30	Cubic Ft.	44.8
Height	19¼		

- Contrasting fabric option – specify X (i.e., N95GGX); see page 470. For list pricing, use your electronic specification tool or contact customer service
- Railroaded fabrics will require a seam on the front and back edges of bench

SWIFT

TO ORDER, SPECIFY:

1. Model Number
2. Surface Grommet
3. Side Grommet
4. Wood/Laminate Finish
5. Frame Color

• See page 469 for Swift options

30° TABLE





Optional Surface and Side Grommet Locations

MODEL NO.		LIST PRICE	
N95KKW	Wood	$	2106
N95KKL	Laminate		1977

DIMENSIONS

Width	25	Weight	40
Depth	30¼	Cubic Ft.	12.6
Height	16½		

- Power grommet sold separately; reference pages 639-640 for pricing and details
- Optional surface grommet cutout available in G12, G17, and G23 cutout (+40 list)
- Optional side grommet cutout available in G23 cutout (+40 list)

45° TABLE





Optional Surface and Side Grommet Locations

N95LLW	Wood	$	2279
N95LLL	Laminate		2149

DIMENSIONS

Width	31½	Weight	45.2
Depth	32¼	Cubic Ft.	16.3
Height	16½		

- Power grommet sold separately; reference pages 639-640 for pricing and details
- Optional surface grommet cutout available in G12, G17, and G23 cutout (+40 list)
- Optional side grommet cutout available in G23 cutout (+40 list)

90° TABLE





Optional Surface and Side Grommet Locations

N95NNW	Wood	$	2365
N95NNL	Laminate		2237

DIMENSIONS

Width	28	Weight	47.8
Depth	28	Cubic Ft.	13.1
Height	16½		

- Power grommet sold separately; reference pages 639-640 for pricing and details
- Optional surface grommet cutout available in G12, G17, and G23 cutout (+40 list)
- Optional side grommet cutout available in G23 cutout (+40 list)

TO ORDER, SPECIFY:

1. Model Number
2. Surface Grommet
3. Side Grommet
4. Wood/Laminate Finish
5. Frame Color

• See page 469 for Swift options

SMALL END TABLE





Optional Surface and Side Grommet Locations

MODEL NO.		LIST PRICE	
N95PPW	Wood	$	1761
N95PPL	Laminate		1634

DIMENSIONS

Width	14	Weight	31.8
Depth	28	Cubic Ft.	7.5
Height	16½		

- Power grommet sold separately; reference pages 639-640 for pricing and details
- Optional surface grommet cutout available in G12, G17, and G23 cutout (+40 list)
- Optional side grommet cutout available in G23 cutout (+40 list)

COFFEE TABLE



N95RRW	Wood	$	2750
N95RRL	Laminate		2625

DIMENSIONS

Width	36	Weight	70
Depth	36	Cubic Ft.	16.8
Height	13¼		

- Power grommet option not available
- Frosted ⅜" thick glass insert

CONSOLE TABLE



N95SSW	Wood	$	2939
N95SSL	Laminate		2811

DIMENSIONS

Width	50	Weight	74.2
Depth	18	Cubic Ft.	26.4
Height	33½		

- Power grommet option not available
- Frosted ⅜" thick glass insert

SWIFT

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Surface Grommet
3. Side Grommet
4. Wood/Laminate Finish
5. Frame Color

• See page 469 for Swift options

GANGING BRACKET KIT



MODEL NO.		LIST PRICE
N95TR	1 Bracket Kit	$ 122

DIMENSIONS

Weight	2
Cubic Ft.	0.05

- Ganging bracket recommended for use in static applications for rigid ganging
- Ganging bracket intended for armless-to-armless or armless-to-table connections
- 1 bracket kit used for each connection

TO ORDER, SPECIFY:

1. Model Number
2. Ganging
3. Fabric Grade Number
4. Cover Number

• See page 469 for Swift options

See pages 489-492 for COM fabric yardage

1 SEAT LOUNGE VERTICAL TUFT PLINTH BASE



Left Arm



Arms

MODEL NO.

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N95MATP	Armless	$	2477	2617	2681	2785	2897	3089	3345	4557	4945
N95MARTP	Right Arm		2820	3002	3085	3220	3366	3616	3948	5524	6028
N95MALTP	Left Arm		2820	3002	3085	3220	3366	3616	3948	5524	6028
N95AATP	Arms		3225	3456	3562	3733	3918	4235	4657	6657	7297

DIMENSIONS

Armless Width	26½	Seat Width	26½	Arm Height	24¼	Armless Weight	49
Single Arm Width	29½	Seat Depth	21¾	Back Height	29½	Single Arm Weight	67
Arm Width	32	Seat Height	16¼	Back Width	26½	Arm Weight	78
Depth	31					Armless Cubic Ft.	17.9
Height	29½					Single Arm Cubic Ft.	19.8
						Arm Cubic Ft.	21.7

• Contrasting fabric option – specify X (i.e., N95MATPX); see page 471. For list pricing, use your electronic specification tool or contact customer service

2 SEAT LOUNGE VERTICAL TUFT PLINTH BASE



Left Arm



Arms

			1	2/COM	3/COL	4	5	6	7	L7	L8
N95MBTP	Armless	$	3593	3828	3935	4109	4297	4618	5047	7077	7727
N95MBRTP	Right Arm		3936	4206	4329	4529	4745	5114	5607	7940	8687
N95MBLTP	Left Arm		3936	4206	4329	4529	4745	5114	5607	7940	8687
N95BBTP	Arms		4344	4645	4783	5006	5247	5660	6210	8816	9650

DIMENSIONS

Armless Width	51½	Seat Width	51½	Arm Height	24¼	Armless Weight	84
Single Arm Width	55¾	Seat Depth	21¾	Back Height	29½	Single Arm Weight	113
Arm Width	59¼	Seat Height	16¼	Back Width	51½	Arm Weight	120
Depth	31					Armless Cubic Ft.	34.7
Height	29½					Single Arm Cubic Ft.	37.2
						Arm Cubic Ft.	39.8

• Contrasting fabric option – specify X (i.e., N95MBTPX); see page 471. For list pricing, use your electronic specification tool or contact customer service

3 SEAT LOUNGE VERTICAL TUFT PLINTH BASE



Left Arm



Arms

			1	2/COM	3/COL	4	5	6	7	L7	L8
N95MCTP	Armless	$	4711	5044	5196	5443	5709	6165	6773	9651	10573
N95MCRTP	Right Arm		5055	5423	5591	5864	6158	6662	7334	10515	11534
N95MCLTP	Left Arm		5055	5423	5591	5864	6158	6662	7334	10515	11534
N95CCTP	Arms		5458	5857	6039	6336	6655	7202	7932	11386	12492

DIMENSIONS

Armless Width	76	Seat Width	79½	Arm Height	24¼	Armless Weight	141
Single Arm Width	79½	Seat Depth	21¾	Back Height	29½	Single Arm Weight	148
Arm Width	83	Seat Height	16¼	Back Width	79½	Arm Weight	155
Depth	31					Armless Cubic Ft.	56.9
Height	29½					Single Arm Cubic Ft.	54.3
						Arm Cubic Ft.	56.9

• Contrasting fabric option – specify X (i.e., N95MCTPX); see page 471. For list pricing, use your electronic specification tool or contact customer service

SWIFT

TO ORDER, SPECIFY:

1. Model Number
2. Ganging
3. Fabric Grade Number
4. Cover Number

• See page 469 for Swift options

See pages 489-492 for COM fabric yardage

30° CORNER LOUNGE VERTICAL TUFT PLINTH BASE



30° Inside Corner



30° Outside Corner

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
N95MHTP	Inside Corner	$	2391	2510	2564	2653	2748	2911	3129	4159	4489
N95MHATP	Outside Corner		2391	2510	2564	2653	2748	2911	3129	4159	4489

DIMENSIONS - INSIDE CORNER

Width	25¾	Seat Height	16¼	Weight	40
Depth	32	Back Height	29½	Cubic Ft.	19.3
Height	29½				

DIMENSIONS - OUTSIDE CORNER

Width	27	Seat Height	16¼	Weight	40
Depth	31	Back Height	29½	Cubic Ft.	19.3
Height	29½				

• Contrasting fabric option – specify X (i.e., N95MHATPX); see page 471. For list pricing, use your electronic specification tool or contact customer service

45° CORNER LOUNGE VERTICAL TUFT PLINTH BASE



45° Inside Corner



45° Outside Corner

			1	2/COM	3/COL	4	5	6	7	L7	L8
N95MJTP	Inside Corner	$	2777	2921	2986	3093	3208	3404	3667	4909	5307
N95MJATP	Outside Corner		2777	2900	2956	3047	3145	3313	3537	4597	4937

DIMENSIONS - INSIDE CORNER

Width	32½	Seat Height	16¼	Weight	45
Depth	32½	Back Height	29½	Cubic Ft.	26.2
Height	29½				

DIMENSIONS - OUTSIDE CORNER

Width	33½	Seat Height	16¼	Weight	45
Depth	33½	Back Height	29½	Cubic Ft.	26.2
Height	29½				

• Contrasting fabric option – specify X (i.e., N95MJATPX); see page 471. For list pricing, use your electronic specification tool or contact customer service

TO ORDER, SPECIFY:

1. Model Number
2. Ganging
3. Fabric Grade Number
4. Cover Number

• See page 469 for Swift options

See pages 489-492 for COM fabric yardage

90° CORNER LOUNGE VERTICAL TUFT PLINTH BASE



90° Inside Corner



90° Outside Corner

MODEL NO.		GRADE / LIST PRICE	1	2/COM	3/COL	4	5	6	7	L7	L8
N95MKTP	Inside Corner	$	3593	3772	3853	3986	4129	4373	4700	6245	6740
N95MKATP	Outside Corner		3593	3740	3807	3916	4034	4236	4504	5777	6184

DIMENSIONS - INSIDE CORNER

Width	50½	Seat Height	16¼	Weight	56
Depth	30	Back Height	29½	Cubic Ft.	30
Height	29½				

• Contrasting fabric option – specify X (i.e., N95MKATPX); see page 471. For list pricing, use your electronic specification tool or contact customer service

DIMENSIONS - OUTSIDE CORNER

Width	48⅞	Seat Height	16¼	Weight	56
Depth	33⅜	Back Height	29½	Cubic Ft.	30
Height	29½				

• Contrasting fabric option – specify X (i.e., N95MKATPX); see page 471. For list pricing, use your electronic specification tool or contact customer service

1 SEAT BENCH VERTICAL TUFT PLINTH BASE



			1	2/COM	3/COL	4	5	6	7	L7	L8
N95DDTP	1 Seat Bench	$	1918	2023	2071	2149	2233	2377	2569	3478	3769

DIMENSIONS

Width	26¼	Weight	35
Depth	30	Cubic Ft.	10.9
Height	16¼		

• Contrasting fabric option – specify X (i.e., N95DDTPX); see page 471. For list pricing, use your electronic specification tool or contact customer service

2 SEAT BENCH VERTICAL TUFT PLINTH BASE



			1	2/COM	3/COL	4	5	6	7	L7	L8
N95EETP	2 Seat Bench	$	2648	2795	2862	2971	3089	3291	3559	4832	5239

DIMENSIONS

Width	51½	Weight	65
Depth	30	Cubic Ft.	21.6
Height	16¼		

• Contrasting fabric option – specify X (i.e., N95EETPX); see page 471. For list pricing, use your electronic specification tool or contact customer service

3 SEAT BENCH VERTICAL TUFT PLINTH BASE



			1	2/COM	3/COL	4	5	6	7	L7	L8
N95GGTP	3 Seat Bench	$	3380	3629	3742	3927	4126	4466	4921	7072	7761

DIMENSIONS

Width	76	Weight	95
Depth	30	Cubic Ft.	32.3
Height	16¼		

• Contrasting fabric option – specify X (i.e., N95GGTPX); see page 471. For list pricing, use your electronic specification tool or contact customer service

SWIFT

TO ORDER, SPECIFY:

1. Model Number
2. Surface Grommet
3. Side Grommet
4. Ganging
5. Wood/Laminate Finish

• See page 469 for Swift options

30° TABLE PLINTH BASE





MODEL NO.		LIST PRICE
N95KKWP	Wood	$ 2106
N95KKLP	Laminate	1977

DIMENSIONS

Width	25	Weight	40
Depth	30¼	Cubic Ft.	12.6
Height	16½		

• Optional surface and side grommet locations are available

45° TABLE PLINTH BASE





N95LLWP	Wood	$	2279
N95LLLP	Laminate		2149

DIMENSIONS

Width	31½	Weight	45.2
Depth	32¼	Cubic Ft.	16.3
Height	16½		

• Optional surface and side grommet locations are available

90° TABLE PLINTH BASE





N95NNWP	Wood	$	2365
N95NNLP	Laminate		2237

DIMENSIONS

Width	28	Weight	47.8
Depth	28	Cubic Ft.	13.1
Height	16½		

• Optional surface and side grommet locations are available

SMALL END TABLE PLINTH BASE





N95PPWP	Wood	$	1761
N95PPLP	Laminate		1634

DIMENSIONS

Width	14	Weight	31.8
Depth	28	Cubic Ft.	7.5
Height	16½		

• Optional surface and side grommet locations are available



MODEL NO.	QUANTITY	DESCRIPTION	GRADE 1 LIST PRICE
N95MART	(2)	Tablet Right Arm	$ 3210 ea
N95DD	(1)	1 Seat Bench	1918
N95TR	(2)	Ganging Bracket Kit	122 ea
Total			$ 8582



MODEL NO.	QUANTITY	DESCRIPTION	GRADE 1 LIST PRICE
N95MB	(2)	Armless 2 Seat Lounge	$ 3593 ea
N95NNW	(1)	90° Table, Wood	2365
N95TR	(2)	Ganging Bracket Kit	122 ea
Total			$ 9795



MODEL NO.	QUANTITY	DESCRIPTION	GRADE 1 LIST PRICE
N95MBR	(1)	2 Seat Right Arm	$ 3936
N95MK	(2)	90° Inside Corner	3593 ea
N95MA	(2)	1 Seat Armless	2477 ea
N95MBL	(1)	2 Seat Left Arm	3936
N95NNW	(1)	90° Table, Wood	2365
N95TR	(6)	Ganging Bracket Kit	122 ea
Total			$ 23,109



MODEL NO.	QUANTITY	DESCRIPTION	GRADE 1 LIST PRICE
N95MKA	(4)	90° Outside Corner	$ 3593 ea
N95TR	(4)	Ganging Bracket Kit	122 ea
Total			$ 14,860

SWIFT



MODEL NO.	QUANTITY	DESCRIPTION	GRADE 1 LIST PRICE
N95DD	(2)	1 Seat Bench	$ 1918 ea
N95PPW	(1)	Small End Table, Wood	1761
N95TR	(2)	Ganging Bracket Kit	122 ea
Total			$ 5841



MODEL NO.	QUANTITY	DESCRIPTION	GRADE 1 LIST PRICE
N95EE	(4)	2 Seat Bench	$ 2648 ea
N95NNW	(2)	90° Table, Wood	2365 ea
N95PPW	(1)	Small End Table, Wood	1761
N95TR	(6)	Ganging Bracket Kit	122 ea
Total			$ 17,815



MODEL NO.	QUANTITY	DESCRIPTION	GRADE 1 LIST PRICE
N95MJ	(4)	45° Inside Corner	$ 2777 ea
N95MJA	(4)	45° Outside Corner	2777 ea
N95MA	(2)	1 Seat Armless	2477 ea
N95MC	(1)	3 Seat Armless	4711
N95TR	(10)	Ganging Bracket Kit	122 ea
Total			$ 33,101



MODEL NO.	QUANTITY	DESCRIPTION	GRADE 1 LIST PRICE
N95MA	(6)	1 Seat Armless	$ 2477 ea
N95MH	(6)	30° Inside Corner	2391 ea
N95TR	(9)	Ganging Bracket Kit	122 ea
Total			$ 30,306



MODEL NO.	QUANTITY	DESCRIPTION	GRADE 1 LIST PRICE
N95MA	(2)	1 Seat Armless	$ 2477 ea
N95MHA	(4)	30° Outside Corner	2391 ea
N95MH	(4)	30° Inside Corner	2391 ea
N95TR	(9)	Ganging Bracket Kit	122 ea
Total			$ 25,180



MODEL NO.	QUANTITY	DESCRIPTION	GRADE 1 LIST PRICE
N95MA	(3)	1 Seat Armless	$ 2477 ea
N95KKW	(2)	30° Corner Table	2106 ea
N95TR	(4)	Ganging Bracket Kit	122 ea
Total			$ 12,131



MODEL NO.	QUANTITY	DESCRIPTION	GRADE 1 LIST PRICE
N95EE	(2)	2 Seat Bench	$ 2648 ea
N95KKW	(1)	30° Corner Table	2106
N95TR	(2)	Ganging Bracket Kit	122 ea
Total			$ 7646



MODEL NO.	QUANTITY	DESCRIPTION	GRADE 1 LIST PRICE
N95PPW	(2)	Small End Table, Wood	$ 1761 ea
N95MJA	(2)	45° Outside Corner Unit	2777 ea
N95MJ	(6)	45° Inside Corner Unit	2777 ea
N95MKA	(2)	90° Outside Corner Unit	3593 ea
N95KKW	(1)	30° Corner Table	2106
N95TR	(11)	Ganging Bracket Kit	122 ea
Total			$ 36,372

SWIFT



MODEL NO.	QUANTITY	DESCRIPTION	GRADE 1 LIST PRICE
N95MKA	(4)	90° Outside Corner Unit	$ 3593 ea
N95MA	(6)	1 Seat Armless	2477 ea
N95TR	(20)	Ganging Bracket Kit	122 ea
Total			$ 31,674



MODEL NO.	QUANTITY	DESCRIPTION	GRADE 1 LIST PRICE
N95MBTP	(2)	Armless 2 Seat Lounge Vertical Tuft Plinth Base (Price includes Ganging Left (L) and Ganging Right (R) Options +$69 list each)	$ 3662 ea
N95NNWP	(1)	90° Table Plinth Base, Wood (Price includes Ganging Left and Right (LR) Option $138 list)	2503
Total			$ 9827



MODEL NO.	QUANTITY	DESCRIPTION	GRADE 1 LIST PRICE
N95MKATP	(4)	90° Outside Corner (Price includes Vertical Plinth Base Ganging Left and Right (LR) Option $138 list each)	$ 3731 ea
Total			$ 14,924



MODEL NO.	QUANTITY	DESCRIPTION	GRADE 1 LIST PRICE
N95DDTP	(2)	One Seat Bench Vertical Stitch Plinth Base (Price includes Ganging Left (L) and Ganging Right (R) Options +$69 list each)	$ 1987 ea
N95PPWP	(1)	Small End Table Plinth Base, Wood (Price includes Ganging Left and Right (LR) Option $138 list)	1899
Total			$ 5873

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
N95AA, N95AAC, N95AAL, N95AALC, N95AAR, N95AARC		5.80	7.00	8.40	9.50	116
N95AATP	Complete	6.90	8.00	9.90	10.60	136
N95AAX, N95AACX, N95AALX, N95AALCX, N95AARX, N95AARCX	Back	0.90	1.00	1.10	1.00	8
	Extreme	1.00	1.00	1.20	1.10	9
	Back Accent	1.00	1.00	1.20	1.10	6
	Seat	1.30	1.40	1.80	1.70	12
	Seat Accent	1.00	1.00	1.20	1.30	17
	Arm	2.50	2.80	3.80	4.00	48
N95AATPX	Back	1.20	1.20	1.50	2.10	23
	Extreme	1.00	1.00	1.20	1.10	9
	Back Accent	1.00	1.00	1.20	1.80	11
	Seat	1.70	1.80	2.10	2.30	33.50
	Seat Accent	1.00	1.30	1.50	1.80	19
	Arm	2.50	3.20	4.50	4.30	48.50
N95BB, N95BBB, N95BBL, N95BBR		7.00	10.60	12.70	13.90	140
N95BBTP	Complete	10.40	11.60	13.90	14.10	205
N95BBX, N95BBBX, N95BBLX, N95BBRX	Back	1.40	1.70	2.00	2.00	26
	Extreme	1.80	1.90	2.10	2.10	34
	Back Accent	1.00	1.00	1.20	1.10	6
	Seat	1.90	3.40	4.00	4.30	35
	Seat Accent	1.00	1.00	1.20	1.30	17
	Arm	2.50	2.80	3.80	4.00	48
N95BBTPX	Back	2.20	2.30	2.70	3.60	44
	Extreme	1.80	1.90	2.10	2.10	34
	Back Accent	1.00	1.00	1.20	1.80	11
	Seat	3.30	3.50	3.90	4.30	65
	Seat Accent	1.00	1.30	1.50	1.80	19
	Arm	2.50	3.20	4.50	4.30	48.50
N95CC, N95CCB, N95CCL, N95CCR		9.00	14.10	16.30	18.40	179
N95CCTP	Complete	13.80	15.10	17.90	18.10	273
N95CCTPX	Back	3.30	3.50	3.90	5.10	64.50
	Extreme	2.60	2.80	3.00	3.00	50.50
	Back Accent	1.00	1.00	1.20	1.80	11
	Seat	4.90	5.20	5.70	6.30	96.50
	Seat Accent	1.00	1.30	1.50	1.80	19
	Arm	2.50	3.20	4.50	4.30	48.50
N95CCX, N95CCBX, N95CCLX, N95CCRX	Back	1.70	2.50	3.00	3.00	31
	Extreme	2.60	2.80	3.00	3.00	50.50
	Back Accent	1.00	1.00	1.20	1.10	6
	Seat	3.00	5.30	6.10	6.80	58
	Seat Accent	1.00	1.00	1.20	1.30	17
	Arm	2.50	2.80	3.80	4.00	48
N95DD, N95DDC		2.60	2.90	3.20	3.50	52
N95DDX, N95DDCX	Seat	1.70	1.80	1.80	1.90	22.50
	Seat Accent	1.00	1.00	1.30	1.40	18
N95EE		3.40	5.50	6.20	6.50	68
N95EEX	Seat	2.60	4.50	4.90	5.40	49.25
	Seat Accent	1.00	1.00	1.30	1.40	18
N95GG		5.90	8.00	9.30	9.50	118
N95GGX	Seat	5.00	7.00	8.00	8.40	98
	Seat Accent	1.00	1.00	1.30	1.40	18
N95MA, N95MAC		3.20	4.30	5.00	5.40	64
N95MAL, N95MALT, N95MAR, N95MART		4.20	5.70	6.60	7.40	84
N95MALTP, N95MARTP	Complete	5.80	6.50	8.15	9.05	115.20

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
N95MALTPX, N95MARTPX	Back	1.20	1.20	1.50	2.10	23
	Extreme	1.00	1.00	1.20	1.10	9
	Back Accent	1.00	1.00	1.20	1.80	11
	Seat	1.70	1.80	2.10	2.30	33.50
	Seat Accent	1.00	1.30	1.50	1.80	19
	Arm	1.40	1.70	2.75	2.75	28
N95MALX, N95MALTX, N95MARX, N95MARTX	Back	0.90	1.00	1.10	1.00	8
	Extreme	1.00	1.00	1.20	1.10	9
	Back Accent	1.00	1.00	1.20	1.10	6
	Seat	1.30	1.40	1.80	1.70	12
	Seat Accent	1.00	1.00	1.20	1.30	17
	Arm	1.50	1.50	2.00	2.00	27
N95MAX, N95MACX	Back	0.90	1.00	1.10	1.00	8
	Extreme	1.00	1.00	1.20	1.10	9
	Back Accent	1.00	1.00	1.20	1.10	6
	Seat	1.30	1.40	1.80	1.70	12
	Seat Accent	1.00	1.00	1.20	1.30	17
N95MB		5.10	7.90	9.30	9.90	102
N95MBL, N95MBLT, N95MBR, N95MBRT		6.10	9.20	10.50	11.90	122
N95MBLTP, N95MBRTP	Complete	9.30	10.10	12.15	12.55	184
N95MBLTPX, N95MBRTPX	Back	2.20	2.30	2.70	3.60	44
	Extreme	1.80	1.90	2.10	2.10	34
	Back Accent	1.00	1.00	1.20	1.80	11
	Seat	3.30	3.50	3.90	4.30	65
	Seat Accent	1.00	1.30	1.50	1.80	19
	Arm	1.40	1.70	2.75	2.75	28
N95MBLX, N95MBLTX, N95MBRX, N95MBRTX	Back	1.40	1.70	2.00	2.00	26
	Extreme	1.80	1.90	2.10	2.10	34
	Back Accent	1.00	1.00	1.20	1.10	6
	Seat	1.90	3.40	4.00	4.30	35
	Seat Accent	1.00	1.00	1.20	1.30	17
	Arm	1.50	1.50	2.00	2.00	27
N95MBX	Back	1.40	1.70	2.00	2.00	26
	Extreme	1.80	1.90	2.10	2.10	34
	Back Accent	1.00	1.00	1.20	1.10	6
	Seat	1.90	3.40	4.00	4.30	35
	Seat Accent	1.00	1.00	1.20	1.30	17
N95MC		7.10	11.40	13.00	14.40	142
N95MCL, N95MCLT, N95MCR, N95MCRT		8.10	12.80	14.50	16.40	162
N95MCLTP, N95MCRTP	Complete	12.70	13.60	16.15	16.55	252.17
N95MCLTPX, N95MCRTPX	Back	3.30	3.50	3.90	5.10	64.50
	Extreme	2.60	2.80	3.00	3.00	50.50
	Back Accent	1.00	1.00	1.20	1.80	11
	Seat	4.90	5.20	5.70	6.30	96.50
	Seat Accent	1.00	1.30	1.50	1.80	19
	Arm	1.40	1.70	2.75	2.75	28
N95MCLX, N95MCLTX, N95MCRX, N95MCRTX	Back	1.70	2.50	3.00	3.00	31
	Extreme	2.60	2.80	3.00	3.00	50.50
	Back Accent	1.00	1.00	1.20	1.10	6
	Seat	3.00	5.30	6.10	6.80	58
	Seat Accent	1.00	1.00	1.20	1.30	17
	Arm	1.50	1.50	2.00	2.00	27
N95MCX	Back	1.70	2.50	3.00	3.00	31
	Extreme	2.60	2.80	3.00	3.00	50.50
	Back Accent	1.00	1.00	1.20	1.10	6
	Seat	3.00	5.30	6.10	6.80	58
	Seat Accent	1.00	1.00	1.20	1.30	17
N95MH		2.60	3.30	4.10	5.00	52

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
N95MHX	Back	0.90	1.00	1.10	1.00	17
	Extreme	1.00	1.00	1.20	1.10	10.50
	Back Accent	1.00	1.00	1.20	1.10	6
	Seat	1.40	1.40	1.70	1.80	26.50
	Seat Accent	1.00	1.00	1.20	1.30	17
N95MHA		2.60	3.40	4.10	4.40	52
N95MHAX	Back	0.90	1.00	1.10	1.00	17
	Extreme	1.00	1.00	1.20	1.10	10.50
	Back Accent	1.00	1.00	1.20	1.10	6
	Seat	1.50	1.60	1.70	1.80	28
	Seat Accent	1.00	1.00	1.20	1.30	17
N95MJ		3.30	3.70	5.00	5.20	66
N95MJX	Back	1.00	1.00	1.20	1.00	17
	Extreme	1.00	1.00	1.20	1.10	12.50
	Back Accent	1.00	1.00	1.20	1.10	6
	Seat	1.50	1.60	1.70	1.80	29
	Seat Accent	1.00	1.00	1.20	1.30	17
N95MJA		2.50	3.30	3.70	4.40	50
N95MJAX	Back	0.90	0.90	1.10	1.00	15
	Extreme	1.00	1.00	1.20	1.10	4.50
	Back Accent	1.00	1.00	1.20	1.10	6
	Seat	1.50	1.60	1.70	3.30	28
	Seat Accent	1.00	1.00	1.20	1.30	17
N95MK		4.10	4.40	6.60	7.10	82
N95MKX	Back	1.70	1.70	2.00	2.00	31
	Extreme	1.80	1.90	2.10	2.10	34
	Back Accent	1.00	1.00	1.20	1.10	6
	Seat	1.40	1.50	1.70	1.80	26.50
	Seat Accent	1.00	1.00	1.20	1.30	17
N95MKA		3.40	3.70	4.60	6.00	68
N95MKAX	Back	0.90	1.00	1.10	1.00	15
	Extreme	1.00	1.00	1.20	1.10	6
	Back Accent	1.00	1.00	1.20	1.30	17
	Seat	2.00	2.20	2.60	4.70	39
	Seat Accent	1.00	1.00	1.20	1.30	17
N95MATP	Complete	4.40	4.80	5.40	6.30	87.50
N95MATPX	Back	1.20	1.20	1.50	2.10	23
	Extreme	1.00	1.00	1.20	1.10	9
	Back Accent	1.00	1.00	1.20	1.80	11
	Seat	1.70	1.80	2.10	2.30	33.50
	Seat Accent	1.00	1.30	1.50	1.80	19
N95MBTP	Complete	7.90	8.40	9.40	9.80	156
N95MBTPX	Back	2.20	2.30	2.70	3.60	44
	Extreme	1.80	1.90	2.10	2.10	34
	Back Accent	1.00	1.00	1.20	1.80	11
	Seat	3.30	3.50	3.90	4.30	65
	Seat Accent	1.00	1.30	1.50	1.80	19
N95MCTP	Complete	11.30	11.90	13.40	13.80	224.50
N95MCTPX	Back	3.30	3.50	3.90	5.10	64.50
	Extreme	2.60	2.80	3.00	3.00	50.50
	Back Accent	1.00	1.00	1.20	1.80	11
	Seat	4.90	5.20	5.70	6.30	96.50
	Seat Accent	1.00	1.30	1.50	1.80	19
N95MHATP	Complete	6.30	6.60	8.50	8.60	124
N95MHATPX	Back	2.20	2.30	2.70	3.60	44
	Extreme	1.00	1.00	1.20	1.10	10.50
	Back Accent	1.00	1.00	1.20	1.10	6
	Seat	3.25	3.50	3.90	4.30	65
	Seat Accent	1.00	1.00	1.20	1.30	17

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
N95MHTP	Complete	5.50	5.80	6.60	7.60	108.50
N95MHTPX	Back	2.20	2.30	2.70	2.60	44
	Extreme	1.00	1.00	1.20	1.10	10.50
	Back Accent	1.00	1.00	1.20	1.10	6
	Seat	1.70	1.80	2.10	2.30	33.50
	Seat Accent	1.00	1.00	1.20	1.30	17
N95MJATP	Complete	6.20	6.70	8.50	8.60	123.50
N95MJATPX	Back	2.20	2.30	2.70	3.60	44
	Extreme	1.00	1.00	1.20	1.10	4.50
	Back Accent	1.00	1.00	1.20	1.10	6
	Seat	3.30	3.40	3.90	4.40	64.50
	Seat Accent	1.00	1.00	1.20	1.30	17
N95MJTP	Complete	7.40	7.80	8.50	8.80	146
N95MJTPX	Back	3.30	3.50	3.90	4.30	65
	Extreme	1.00	1.00	1.20	1.10	12.50
	Back Accent	1.00	1.00	1.20	1.10	6
	Seat	2.50	2.60	2.80	3.20	50
	Seat Accent	1.00	1.00	1.20	1.30	17
N95MKATP	Complete	8.90	9.30	11.20	11.80	176
N95MKATPX	Back	3.30	3.50	3.90	5.10	64.50
	Extreme	1.00	1.00	1.20	1.10	6
	Back Accent	1.00	1.00	1.20	1.30	17
	Seat	4.90	5.20	5.70	6.30	96.50
	Seat Accent	1.00	1.00	1.20	1.30	17
N95MKTP	Complete	6.80	7.40	8.80	10.10	134
N95MKTPX	Back	3.80	4.00	5.00	5.10	75
	Extreme	1.80	1.90	2.10	2.10	34
	Back Accent	1.00	1.00	1.20	1.10	6
	Seat	2.70	2.80	3.00	3.60	53.50
	Seat Accent	1.00	1.00	1.20	1.30	17
N95DDTP	Complete	3.50	3.75	4.00	4.25	69.50
N95DDTPX	Seat	2.50	2.50	2.75	3.20	49.50
	Seat Accent	1.20	1.25	1.50	2.25	22.50
N95EETP	Complete	5.90	6.00	6.40	6.70	116.25
N95EETPX	Seat	4.90	5.00	5.20	5.70	96.30
	Seat Accent	1.20	1.25	1.50	2.25	22.50
N95GGTP	Complete	8.20	8.50	8.90	9.20	163.50
N95GGTPX	Seat	7.20	7.50	7.60	8.20	143.50
	Seat Accent	1.20	1.25	1.50	2.25	22.50

TAG

Product Specifications 494
Fabrics and Options 495
Contrasting Fabrics Specifications 496
Product Pages 497
COM Yardage Requirements 508

TAG

TAG PRODUCT SPECIFICATIONS



FRAME CONSTRUCTION

- Legs are made of ⅞" x 14-gauge tubular steel in either powder coated Cinder or Platinum Metallic
- Cross members constructed of ¾" x 14-gauge tubular steel
- Leg is joined to cross member bar with metal inert gas (MIG) welds
- Back brackets utilize sturdy 11-gauge steel plates
- Bariatric back brackets utilize sturdy 7-gauge steel plates
- Wall saving option available

SEAT CONSTRUCTION

- Guest model features a contoured, blow molded, polyethylene seat pan with molded channels, which incorporate the seat frame cross members
- 1¼" thick high resilience polyurethane foam covers seat panel for added comfort and support
- Seat pan is attached to the frame with 4 machine screws and threaded metal inserts (T-nuts)
- Bariatric model features a plywood seat panel and is attached to the frame with 6 machine screws and threaded metal inserts (T-nuts)

BACK CONSTRUCTION—UPHOLSTERED

- Injection molded polypropylene plastic back rest
- Bariatric back features 9-ply curved plywood panel
- ¾" high resilience polyurethane foam covers the front of the back rest while ¼" high density polyurethane foam covers the back of the back rest
- Back rest is secured to the chair frame with 4 countersunk flat head screws, steel back plates and threaded metal inserts (T-nuts)

BACK CONSTRUCTION—WOOD

- 8-ply curved maple plywood back with decorative fasteners, steel back plates and threaded metal inserts (T-nuts)
- Bariatric back features 9-ply curved maple plywood back with decorative fasteners, steel back plates and threaded metal inserts (T-nuts)

FINISH

- A catalyzed top coat that resists denting, peeling and reactions to chemicals
- Can be cleaned with a damp cloth
- When specifying Brighton, Natural, and Sonoma finish, variation in color is acceptable due to the nature of wood characteristics

ARM

- Injection molded arms connect to a metal tubular leg framework with a pressure fit
- Available in black and grey

CONTRASTING FABRICS

- Available contrasting fabric locations on seat and back

TABLE FRAME CONSTRUCTION

- Legs are made of ⅞" x 14-gauge tubular steel in either powder coated Cinder or Platinum Metallic
- Cross members constructed of ¾" x 14-gauge tubular steel
- Leg is joined to cross member bar with metal inert gas (MIG) welds

TABLE TOP

- Veneer models feature ¾" grade A slipmatched maple veneer tops
- Laminate models feature ¾" particle board with laminate (HPL) top

GANGING BRACKET

- Set of 2 2½" x 5¾" polypropylene ganging brackets snap onto the legs of 2 like model chairs
- Set of 2 metal ganging brackets that fasten into the chair or table frames

TRANSPORT DOLLY

- Tubular steel frame construction with 8" semi-pneumatic ball bearing wheels
- Standard in green powder coat finish
- Designed to move up to 6 chairs at 1 time
- Removable handle allows for storage

STACKING CAPABILITIES

- Static and mobile guest chair models can be stacked up to 6 high
- Bariatric models do not stack
- If stacking chair with arms, 100% vinyl upholstery is not recommended on the seat

FINISH

- Black frames are finished with electrostatically baked-on textured powder coat paint
- Platinum Metallic frames are finished with electrostatically baked-on smooth powder coat paint

GLIDES AND LEG END CAPS

- Black nylon ball glides are standard
- ⅞" diameter metal top caps used on armless models match the frame color
- For rough textured or soft surface flooring, we recommend ordering the C8 glide for an additional upcharge

CASTERS

- Black, hard double wheel casters, which work on multiple surfaces, are standard
- Black, soft double wheel casters are available for use on hard floors; upcharge applies to this option

All Tag models may be ordered to meet TB133 fire code.

To order seating to meet the TB133 fire code, specify an "F" at the end of the model number (Ex: N60AAF).

For TB133 pricing go to www.NationalOfficeFurniture.com/TB133

Please consult customer service for applicable Arc-Com, Carnegie, Designtex, Maharam, Mayer, Momentum, Stinson, or Ultrafabrics fabric.

FABRICS

Grade 1	Cali
	Entwine
	Input
	Melange
	Ridge
	Spark
	Vessel
	Zig Zag
Grade 2	Bliss
	Brilliant
	COM
	Dolce
	Dorset
	Intuition
	Orbit
	Phrase
	Pixie
	Sedona
	Stancil
	Strand
Grade 3	COL
	Silvertex
Grade 4	Connect Four
	Echo
	Masquerade
Grade 5	Mode
Grade 6	Essence/Ultraleather
Grade 7	Brisa
	Brisa Distressed
	Reef Pro
	Silica
	Silica Etch
	Tottori
Grade L7	Davenport
Grade L8	Florence

FINISHES

AC	Autumn	NM	Natural
AD	Almond	PB	Portobello
BZ	Brazilwood	PC	Porcini
CI	Chai	PT	Portico
CL	Caramel	SK	Skyline
CW	Cordovan	SM	Sonoma
DW	Judicial	TF	Truffle
HN	Honey	WL	Willow
IM	Brighton	405	Designer White
KN	Kona	462	Cinder
MC	Amber	792	Sable
MH	Mocha	793	Acorn*

*Acorn is the finish complement to Clear Walnut finish

GLIDES

STD	Standard
C8	Soft (add $34 list)

CASTERS

C3	Hard (standard)
C29	Soft (add $36 list)

LAMINATES

AC2	Autumn 2	SM	Sonoma
AD	Almond	TF	Truffle
BZ	Brazilwood	WL	Willow
CI	Chai	405	Designer White
CL	Caramel	419	Wallaby
CW	Cordovan	425	Shadow
DW	Judicial	440	Cloud
HN2	Honey 2	457	Dapple
IM	Brighton	461	Graphite
KN	Kona	462	Cinder
MC	Amber	478	Platinum Grey
MH	Mocha	488	Frosty White
NM	Natural	491	Designer White Linear
PB	Portobello	492	Cinder Linear
PC	Porcini	792	Sable
PT	Portico	793	Acorn*
SK	Skyline		

GALLERY LAMINATE

Grade 1 – 5% upcharge

G1001	Citadel
G1011	Pepperdust

Grade 2 – 6% upcharge

G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

See page 21 for Gallery program details and upcharges

FRAME COLORS

462	Cinder
501	Platinum Metallic (add $53 list)

ARM COLORS

BK	Black
GY	Grey

TO ORDER CONTRASTING FABRIC, SPECIFY

TAG
Upholstered Arc Back page 497
Wall Saver Upholstered Arc Back page 497
Upholstered Square Back page 498
Wall Saver Upholstered Square Back page 498
Wall Saver Mobile Upholstered Arc Back page 499
Wall Saver Mobile Upholstered Square Back page 499
27" Bariatric Upholstered Arc Back (Mid-Sized) page 500
Wall Saver 27" Bariatric Upholstered Arc Back (Mid-Sized) page 500
27" Bariatric Upholstered Square Back (Mid-Sized) page 501
Wall Saver 27" Bariatric Upholstered Square Back (Mid-Sized) page 501
35" Bariatric Upholstered Arc Back (Standard) page 502
Wall Saver 35" Bariatric Upholstered Arc Back (Standard) page 502
35" Bariatric Upholstered Square Back (Standard) page 503
Wall Saver 35" Bariatric Upholstered Square Back (Standard) page 503
Wall Saver Counter Stool Upholstered Arc Back page 504
Wall Saver Counter Stool Upholstered Square Back page 504
Wall Saver Barstool Upholstered Arc Back page 505
Wall Saver Barstool Upholstered Square Back page 505

1. Model Number plus "X"
2. Back Fabric Grade Number/Cover Number
3. Seat Fabric Grade Number/Cover Number
4. Frame Color
5. Arm Color
6. Glides/Casters



Contrasting Fabric

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Cover Number
4. Finish (when applicable)
5. Frame Color
6. Arm Color
7. Glides/Casters

• See page 495 for Tag options

See page 508 for COM fabric yardage

ARC BACK

Arms - Upholstered Back

Armless - Wood Back

MODEL NO.

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N60AA	Arms - Upholstered Back	$	523	555	569	592	618	661	718	991	1078
QN60AA	Arms - Upholstered Back		523	555	569	592	618	661	718		
N60BB	Armless - Upholstered Back		480	512	526	549	575	618	675	948	1035
QN60BB	Armless - Upholstered Back		480	512	526	549	575	618	675		
N60AW	Arms - Wood Back		912	944	958	981	1007	1050	1107	1380	1467
N60BW	Armless - Wood Back		873	905	919	942	968	1011	1068	1341	1428

DIMENSIONS

Arm Width	23½	Seat Height	17⅞	Arm Height	25	Arm Weight	20
Armless Width	19¾	Seat Depth	17½	Back Height	15¾	Armless Weight	19
Depth	21	Seat Width	18	Back Width	18	Cubic Ft.	11.1
Height	31						

- Platinum Metallic option available
- Contrasting fabric option – specify X (i.e., N60AAX); see page 496. For list pricing, use your electronic specification tool or contact customer service
- Can stack 6 high
- If stacking chair with arms, 100% vinyl upholstery is not recommended on the seat
- Chairs will be shipped 4 per carton when applicable

WALL SAVER ARC BACK



Arms - Upholstered Back



Armless - Wood Back

			1	2/COM	3/COL	4	5	6	7	L7	L8
N60SAA	Arms - Upholstered Back	$	657	689	703	726	752	795	852	1125	1212
QN60SAA	Arms - Upholstered Back		657	689	703	726	752	795	852		
N60SBB	Armless - Upholstered Back		614	646	660	683	709	752	809	1082	1169
QN60SBB	Armless - Upholstered Back		614	646	660	683	709	752	809		
N60SAW	Arms - Wood Back		1047	1079	1093	1116	1142	1185	1242	1515	1602
N60SBW	Armless - Wood Back		1009	1041	1055	1078	1104	1147	1204	1477	1564

DIMENSIONS

Arm Width	23½	Seat Height	17⅞	Arm Height	25	Arm Weight	20
Armless Width	19¾	Seat Depth	17½	Back Height	15¾	Armless Weight	19
Depth	22¼	Seat Width	18	Back Width	18	Cubic Ft.	11.1
Height	31						

- Platinum Metallic option available
- Contrasting fabric option – specify X (i.e., N60SAAX); see page 496. For list pricing, use your electronic specification tool or contact customer service
- Can stack 6 high
- If stacking chair with arms, 100% vinyl upholstery is not recommended on the seat
- Chairs will be shipped 4 per carton when applicable

TAG

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Cover Number
4. Finish (when applicable)
5. Frame Color
6. Arm Color
7. Glides/Casters

• See page 495 for Tag options

See page 508 for COM fabric yardage

SQUARE BACK



Arms - Upholstered Back

Armless - Wood Back

MODEL NO.

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N60CC	Arms - Upholstered Back	$	613	648	664	690	718	766	830	1133	1230
QN60CC	Arms - Upholstered Back		613	648	664	690	718	766	830		
N60DD	Armless - Upholstered Back		568	603	619	645	673	721	785	1088	1185
QN60DD	Armless - Upholstered Back		568	603	619	645	673	721	785		
N60CW	Arms - Wood Back		912	944	958	981	1007	1050	1107	1380	1467
N60DW	Armless - Wood Back		873	905	919	942	968	1011	1068	1341	1428

DIMENSIONS

Arm Width	23½	Seat Height	17⅞	Arm Height	25	Arm Weight	20
Armless Width	19¾	Seat Depth	17½	Back Height	15¾	Armless Weight	19
Depth	21	Seat Width	18	Back Width	18	Cubic Ft.	11.1
Height	31						

- Platinum Metallic option available
- Contrasting fabric option – specify X (i.e., N60CCX); see page 496. For list pricing, use your electronic specification tool or contact customer service
- Can stack 6 high
- If stacking chair with arms, 100% vinyl upholstery is not recommended on the seat
- Chairs will be shipped 4 per carton when applicable

WALL SAVER SQUARE BACK



Arms - Upholstered Back

Armless - Wood Back

			1	2/COM	3/COL	4	5	6	7	L7	L8
N60SCC	Arms - Upholstered Back	$	748	783	799	825	853	901	965	1268	1365
QN60SCC	Arms - Upholstered Back		748	783	799	825	853	901	965		
N60SDD	Armless - Upholstered Back		706	741	757	783	811	859	923	1226	1323
QN60SDD	Armless - Upholstered Back		706	741	757	783	811	859	923		
N60SCW	Arms - Wood Back		1047	1079	1093	1116	1142	1185	1242	1515	1602
N60SDW	Armless - Wood Back		1009	1041	1055	1078	1104	1147	1204	1477	1564

DIMENSIONS

Arm Width	23½	Seat Height	17⅞	Arm Height	25	Arm Weight	20
Armless Width	19¾	Seat Depth	17½	Back Height	15¾	Armless Weight	19
Depth	22¼	Seat Width	18	Back Width	18	Cubic Ft.	11.1
Height	31						

- Platinum Metallic option available
- Contrasting fabric option – specify X (i.e., N60SCCX); see page 496. For list pricing, use your electronic specification tool or contact customer service
- Can stack 6 high
- If stacking chair with arms, 100% vinyl upholstery is not recommended on the seat
- Chairs will be shipped 4 per carton when applicable

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Cover Number
4. Finish (when applicable)
5. Frame Color
6. Arm Color
7. Glides/Casters

• See page 495 for Tag options

See page 508 for COM fabric yardage

WALL SAVER MOBILE ARC BACK



Arms - Upholstered Back



Armless - Wood Back

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
N60SAAC	Arms - Upholstered Back	$	613	645	659	682	708	751	808	1081	1168
N60SBBC	Armless - Upholstered Back		568	600	614	637	663	706	763	1036	1123
N60SAWC	Arms - Wood Back		1004	1036	1050	1073	1099	1142	1199	1472	1559
N60SBWC	Armless - Wood Back		964	996	1010	1033	1059	1102	1159	1432	1519

DIMENSIONS

Arm Width	23½	Seat Height	17⅞	Arm Height	25	Arm Weight	20
Armless Width	19¾	Seat Depth	17½	Back Height	15¾	Armless Weight	19
Depth	22¼	Seat Width	18	Back Width	18	Cubic Ft.	11.1
Height	31						

- Platinum Metallic option available
- Contrasting fabric option – specify X (i.e., N60SAACX); see page 496. For list pricing, use your electronic specification tool or contact customer service
- Can stack 6 high
- If stacking chair with arms, 100% vinyl upholstery is not recommended on the seat
- Chairs will be shipped 4 per carton when applicable

WALL SAVER MOBILE SQUARE BACK



Arms - Upholstered Back



Armless - Wood Back

			1	2/COM	3/COL	4	5	6	7	L7	L8
N60SCCC	Arms - Upholstered Back	$	702	737	753	779	807	855	919	1222	1319
N60SDDC	Armless - Upholstered Back		659	694	710	736	764	812	876	1179	1276
N60SCWC	Arms - Wood Back		1004	1036	1050	1073	1099	1142	1199	1472	1559
N60SDWC	Armless - Wood Back		964	996	1010	1033	1059	1102	1159	1432	1519

DIMENSIONS

Arm Width	23½	Seat Height	17⅞	Arm Height	25	Arm Weight	20
Armless Width	19¾	Seat Depth	17½	Back Height	15¾	Armless Weight	19
Depth	22¼	Seat Width	18	Back Width	18	Cubic Ft.	11.1
Height	31						

- Platinum Metallic option available
- Contrasting fabric option – specify X (i.e., N60SCCCX); see page 496. For list pricing, use your electronic specification tool or contact customer service
- Can stack 6 high
- If stacking chair with arms, 100% vinyl upholstery is not recommended on the seat
- Chairs will be shipped 4 per carton when applicable

TAG

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Cover Number
4. Finish (when applicable)
5. Frame Color
6. Arm Color
7. Glides

• See page 495 for Tag options

See page 508 for COM fabric yardage

27" BARIATRIC ARC BACK (MID-SIZED)



Arms - Upholstered Back



Armless - Wood Back

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
N60EM	Arms - Upholstered Back	$	1220	1262	1281	1312	1346	1404	1480	1844	1960
N60PM	Armless - Upholstered Back		1220	1262	1281	1312	1346	1404	1480	1844	1960
N60EMW	Arms - Wood Back		1601	1629	1642	1663	1685	1723	1775	2017	2095
N60PMW	Armless - Wood Back		1601	1629	1642	1663	1685	1723	1775	2017	2095

DIMENSIONS

Arm Width	27¼	Seat Height	18¼	Arm Height	25	Arm Weight	30
Armless Width	23½	Seat Depth	17¼	Back Height	15	Armless Weight	29
Depth	21⅜	Seat Width	22	Back Width	22	Cubic Ft.	15.5
Height	31						

- Platinum Metallic option available
- Meets 500 lb. weight load
- Contrasting fabric option – specify X (i.e., N60EMX); see page 496. For list pricing, use your electronic specification tool or contact customer service

WALL SAVER 27" BARIATRIC ARC BACK (MID-SIZED)



Arms - Upholstered Back



Armless - Wood Back

			1	2/COM	3/COL	4	5	6	7	L7	L8
N60SEM	Arms - Upholstered Back	$	1354	1396	1415	1446	1480	1538	1614	1978	2094
N60SPM	Armless - Upholstered Back		1354	1396	1415	1446	1480	1538	1614	1978	2094
N60SEMW	Arms - Wood Back		1735	1763	1776	1797	1819	1857	1909	2151	2229
N60SPMW	Armless - Wood Back		1735	1763	1776	1797	1819	1857	1909	2151	2229

DIMENSIONS

Arm Width	27¼	Seat Height	18¼	Arm Height	25	Arm Weight	30
Armless Width	23½	Seat Depth	17¼	Back Height	15	Armless Weight	29
Depth	22¾	Seat Width	22	Back Width	22	Cubic Ft.	15.5
Height	31						

- Platinum Metallic option available
- Meets 500 lb. weight load
- Contrasting fabric option – specify X (i.e., N60SEMX); see page 496. For list pricing, use your electronic specification tool or contact customer service

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Cover Number
4. Finish (when applicable)
5. Frame Color
6. Arm Color
7. Glides

• See page 495 for Tag options

See page 508 for COM fabric yardage

27" BARIATRIC SQUARE BACK (MID-SIZED)



Arms - Upholstered Back



Armless - Wood Back

MODEL NO. | **GRADE / LIST PRICE**

			1	2/COM	3/COL	4	5	6	7	L7	L8
N60GM	Arms - Upholstered Back	$	1308	1350	1369	1400	1434	1492	1568	1932	2048
N60RM	Armless - Upholstered Back		1308	1350	1369	1400	1434	1492	1568	1932	2048
N60GMW	Arms - Wood Back		1601	1629	1642	1663	1685	1723	1775	2017	2095
N60RMW	Armless - Wood Back		1601	1629	1642	1663	1685	1723	1775	2017	2095

DIMENSIONS

Arm Width	27¼	Seat Height	18¼	Arm Height	25	Arm Weight	30
Armless Width	23½	Seat Depth	17¼	Back Height	15	Armless Weight	29
Depth	21⅜	Seat Width	22	Back Width	22	Cubic Ft.	15.5
Height	31						

- Platinum Metallic option available
- Meets 500 lb. weight load
- Contrasting fabric option – specify X (i.e., N60GMX); see page 496. For list pricing, use your electronic specification tool or contact customer service

WALL SAVER 27" BARIATRIC SQUARE BACK (MID-SIZED)



Arms - Upholstered Back



Armless - Wood Back

			1	2/COM	3/COL	4	5	6	7	L7	L8
N60SGM	Arms - Upholstered Back	$	1443	1485	1504	1535	1569	1627	1703	2067	2183
N60SRM	Armless - Upholstered Back		1443	1485	1504	1535	1569	1627	1703	2067	2183
N60SGMW	Arms - Wood Back		1735	1763	1776	1797	1819	1857	1909	2151	2229
N60SRMW	Armless - Wood Back		1735	1763	1776	1797	1819	1857	1909	2151	2229

DIMENSIONS

Arm Width	27¼	Seat Height	18¼	Arm Height	25	Arm Weight	30
Armless Width	23½	Seat Depth	17¼	Back Height	15	Armless Weight	29
Depth	22¾	Seat Width	22	Back Width	22	Cubic Ft.	15.5
Height	31						

- Platinum Metallic option available
- Meets 500 lb. weight load
- Contrasting fabric option – specify X (i.e., N60SGMX); see page 496. For list pricing, use your electronic specification tool or contact customer service

TAG

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Cover Number
4. Finish (when applicable)
5. Frame Color
6. Arm Color
7. Glides

• See page 495 for Tag options

See page 508 for COM fabric yardage

35" BARIATRIC ARC BACK (STANDARD)



Arms - Upholstered Back



Armless - Wood Back

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
N60EE	Arms - Upholstered Back	$	1473	1529	1555	1596	1641	1718	1820	2305	2460
N60PP	Armless - Upholstered Back		1473	1529	1555	1596	1641	1718	1820	2305	2460
N60EW	Arms - Wood Back		1837	1893	1919	1960	2005	2082	2184	2669	2824
N60PW	Armless - Wood Back		1837	1893	1919	1960	2005	2082	2184	2669	2824

DIMENSIONS

Arm Width	35	Seat Height	18¼	Arm Height	25	Arm Weight	35
Armless Width	31¼	Seat Depth	17¼	Back Height	15	Armless Weight	34
Depth	21⅜	Seat Width	30	Back Width	30	Cubic Ft.	20.8
Height	31						

- Platinum Metallic option available
- Meets 500 lb. weight load
- Contrasting fabric option – specify X (i.e., N60EEX); see page 496. For list pricing, use your electronic specification tool or contact customer service

WALL SAVER 35" BARIATRIC ARC BACK (STANDARD)



Arms - Upholstered Back



Armless - Wood Back

			1	2/COM	3/COL	4	5	6	7	L7	L8
N60SEE	Arms - Upholstered Back	$	1609	1665	1691	1732	1777	1854	1956	2441	2596
N60SPP	Armless - Upholstered Back		1609	1665	1691	1732	1777	1854	1956	2441	2596
N60SEEW	Arms - Wood Back		1970	2026	2052	2093	2138	2215	2317	2802	2957
N60SPPW	Armless - Wood Back		1970	2026	2052	2093	2138	2215	2317	2802	2957

DIMENSIONS

Arm Width	35	Seat Height	18¼	Arm Height	25	Arm Weight	35
Armless Width	34¼	Seat Depth	17¼	Back Height	15	Armless Weight	34
Depth	22¾	Seat Width	30	Back Width	30	Cubic Ft.	20.8
Height	31						

- Platinum Metallic option available
- Meets 500 lb. weight load
- Contrasting fabric option – specify X (i.e., N60SEEX); see page 496. For list pricing, use your electronic specification tool or contact customer service

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Cover Number
4. Finish (when applicable)
5. Frame Color
6. Arm Color
7. Glides

• See page 495 for Tag options

See page 508 for COM fabric yardage

35" BARIATRIC SQUARE BACK (STANDARD)



Arms - Upholstered Back



Armless - Wood Back

MODEL NO.

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N60GG	Arms - Upholstered Back	$	1560	1616	1642	1683	1728	1805	1907	2392	2547
N60RR	Armless - Upholstered Back		1560	1616	1642	1683	1728	1805	1907	2392	2547
N60GW	Arms - Wood Back		1837	1893	1919	1960	2005	2082	2184	2669	2824
N60RW	Armless - Wood Back		1837	1893	1919	1960	2005	2082	2184	2669	2824

DIMENSIONS

Arm Width	35	Seat Height	18¼	Arm Height	25	Arm Weight	35
Armless Width	31¼	Seat Depth	17¼	Back Height	15	Armless Weight	34
Depth	21⅜	Seat Width	30	Back Width	30	Cubic Ft.	20.8
Height	31						

- Platinum Metallic option available
- Meets 500 lb. weight load
- Contrasting fabric option – specify X (i.e., N60GGX); see page 496. For list pricing, use your electronic specification tool or contact customer service

WALL SAVER 35" BARIATRIC SQUARE BACK (STANDARD)

Arms - Upholstered Back



Armless - Wood Back

			1	2/COM	3/COL	4	5	6	7	L7	L8
N60SGG	Arms - Upholstered Back	$	1693	1749	1775	1816	1861	1938	2040	2525	2680
N60SRR	Armless - Upholstered Back		1693	1749	1775	1816	1861	1938	2040	2525	2680
N60SGGW	Arms - Wood Back		1970	2026	2052	2093	2138	2215	2317	2802	2957
N60SRRW	Armless - Wood Back		1970	2026	2052	2093	2138	2215	2317	2802	2957

DIMENSIONS

Arm Width	35	Seat Height	18¼	Arm Height	25	Arm Weight	35
Armless Width	31¼	Seat Depth	17¼	Back Height	15	Armless Weight	34
Depth	22¾	Seat Width	30	Back Width	30	Cubic Ft.	20.8
Height	31						

- Platinum Metallic option available
- Meets 500 lb. weight load
- Contrasting fabric option – specify X (i.e., N60SGGX); see page 496. For list pricing, use your electronic specification tool or contact customer service

TAG

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Cover Number
4. Finish (when applicable)
5. Frame Color
6. Arm Color
7. Glides

• See page 495 for Tag options

See page 508 for COM fabric yardage

WALL SAVER COUNTER STOOL ARC BACK



Arms - Upholstered Back



Armless - Wood Back

MODEL NO.

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N60SFA	Arms - Upholstered Back	$	1051	1083	1097	1120	1146	1189	1246	1519	1606
N60SFB	Armless - Upholstered Back		1011	1043	1057	1080	1106	1149	1206	1479	1566
N60SFAW	Arms - Wood Back		1432	1464	1478	1501	1527	1570	1627	1900	1987
N60SFBW	Armless - Wood Back		1392	1424	1438	1461	1487	1530	1587	1860	1947

DIMENSIONS

Arm Width	23	Seat Height	24	Arm Height	31¾	Arm Weight	29
Armless Width	20	Seat Depth	17½	Back Height	15¾	Armless Weight	28
Depth	23	Seat Width	18	Back Width	18	Cubic Ft.	17.3
Height	38						

- Platinum Metallic option available
- Contrasting fabric option – specify X (i.e., N60SFAX); see page 496. For list pricing, use your electronic specification tool or contact customer service

WALL SAVER COUNTER STOOL SQUARE BACK



Arms - Upholstered Back



Armless - Wood Back

			1	2/COM	3/COL	4	5	6	7	L7	L8
N60SFC	Arms - Upholstered Back	$	1141	1176	1192	1218	1246	1294	1358	1661	1758
N60SFD	Armless - Upholstered Back		1099	1134	1150	1176	1204	1252	1316	1619	1716
N60SFCW	Arms - Wood Back		1432	1464	1478	1501	1527	1570	1627	1900	1987
N60SFDW	Armless - Wood Back		1392	1424	1438	1461	1487	1530	1587	1860	1947

DIMENSIONS

Arm Width	23	Seat Height	24	Arm Height	31¾	Arm Weight	29
Armless Width	20	Seat Depth	17½	Back Height	15¾	Armless Weight	28
Depth	23	Seat Width	18	Back Width	18	Cubic Ft.	17.3
Height	38						

- Platinum Metallic option available
- Contrasting fabric option – specify X (i.e., N60SFCX); see page 496. For list pricing, use your electronic specification tool or contact customer service

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Cover Number
4. Finish (when applicable)
5. Frame Color
6. Arm Color
7. Glides

• See page 495 for Tag options

See page 508 for COM fabric yardage

WALL SAVER BARSTOOL ARC BACK



Arms - Upholstered Back



Armless - Wood Back

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
N60STA	Arms - Upholstered Back	$	1051	1083	1097	1120	1146	1189	1246	1519	1606
N60STB	Armless - Upholstered Back		1011	1043	1057	1080	1106	1149	1206	1479	1566
N60STAW	Arms - Wood Back		1432	1464	1478	1501	1527	1570	1627	1900	1987
N60STBW	Armless - Wood Back		1392	1424	1438	1461	1487	1530	1587	1860	1947

DIMENSIONS

Arm Width	23	Seat Height	30¼	Arm Height	37¾	Arm Weight	32
Armless Width	20	Seat Depth	17½	Back Height	15¾	Armless Weight	31
Depth	23	Seat Width	18	Back Width	18	Cubic Ft.	20.8
Height	44						

- Platinum Metallic option available
- Contrasting fabric option – specify X (i.e., N60STAX); see page 496. For list pricing, use your electronic specification tool or contact customer service

WALL SAVER BARSTOOL SQUARE BACK



Arms - Upholstered Back



Armless - Upholstered Back

			1	2/COM	3/COL	4	5	6	7	L7	L8
N60STC	Arms - Upholstered Back	$	1141	1176	1192	1218	1246	1294	1358	1661	1758
N60STD	Armless - Upholstered Back		1099	1134	1150	1176	1204	1252	1316	1619	1716
N60STCW	Arms - Wood Back		1432	1464	1478	1501	1527	1570	1627	1900	1987
N60STDW	Armless - Wood Back		1392	1424	1438	1461	1487	1530	1587	1860	1947

DIMENSIONS

Arm Width	23	Seat Height	30¼	Arm Height	37¾	Arm Weight	32
Armless Width	20	Seat Depth	17½	Back Height	15¾	Armless Weight	31
Depth	23	Seat Width	18	Back Width	18	Cubic Ft.	20.8
Height	44						

- Platinum Metallic option available
- Contrasting fabric option – specify X (i.e., N60STCX); see page 496. For list pricing, use your electronic specification tool or contact customer service

TAG

TO ORDER, SPECIFY:

1. Model Number
2. Finish Designator
3. Frame Color

• See page 495 for Tag options

END TABLE



MODEL NO.		LIST PRICE
N60SGW	Wood Top	$ 824
N60SGL	Laminate Top	$ 693

DIMENSIONS

Width	20	Weight	20
Depth	18	Cubic Ft.	6.1
Height	17¾		

• Platinum Metallic option available

CORNER TABLE

N60SHW	Wood Top	$ 1162
N60SHL	Laminate Top	$ 1032

DIMENSIONS

Width	28	Weight	24
Depth	28	Cubic Ft.	11.5
Height	17¾		

• Platinum Metallic option available

MAGAZINE TABLE



N60SKW	Wood Top	$ 1126
N60SKL	Laminate Top	$ 997

DIMENSIONS

Width	39⅞	Weight	24
Depth	19⅝	Cubic Ft.	10.7
Height	16		

• Platinum Metallic option available

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number

• See page 495 for Tag options

METAL GANGING BRACKETS



MODEL NO.		LIST PRICE
N60SJ	Arm-to-Arm Connection	$ 101
N60SL	Armless-to-Armless Connection	101

DIMENSIONS

Width	1½	Weight	1
Depth	9¼	Cubic Ft.	0.01
Height	5⁄16		

DIMENSIONS N60SL:

Width	1½		
Depth	7⅞		
Height	5⁄16	Weight	1
		Cubic Ft.	0.01

- Specify model number only
- N60SL also is used for arm-to-table connection and armless-to-table connection
- 2 brackets come for each connection
- Arm-to-arm connection separates seats by approximately 5⅜"
- Armless-to-armless connection separates seats by approximately 4"

GANGING BRACKET



N60GB	Plastic	$ 77
QN60GB	Plastic	77

DIMENSIONS

Width	5¾	Weight	1
Depth	1	Cubic Ft.	0.01
Height	2		

- Specify model number only
- 1 pair is required for each ganging connection
- Sold in packages of 5 pairs
- Used to gang like models
- If chair is purchased on same order, brackets will be shipped inside chair carton
- Standard black

TRANSPORT DOLLY



N60DO		$ 787

DIMENSIONS

Width	19	Weight	21
Depth	32½	Cubic Ft.	10
Height	44¾		

- Specify model number only
- Accommodates 6 stacked chairs
- Green powder coat finish
- Does not ship in a carton

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
N60AA, N60SAA, N60BB, N60SBB, N60CC, N60SCC, N60DD, N60SDD, N60SAAC, N60SBBC, N60SCCC, N60SDDC, N60SFA, N60SFB, N60SFC, N60SFD, N60STA, N60STB, N60STC, N60STD		0.90	1.10	1.80	2.80	18
N60AAX, N60SAAX, N60BBX, N60SBBX, N60SAACX, N60SBBCX, N60SFAX, N60SFBX, N60STAX, N60STBX	Back	0.50	0.60	0.70	1.70	10
	Seat	0.90	0.90	1.10	1.40	7
N60AW, N60BW, N60CW, N60DW, N60SAW, N60SBW, N60SAWC, N60SBWC, N60SFAW, N60SFBW, N60STAW, N60STBW, N60STCW, N60STDW, N60SCW, N60SDW, N60SCWC, N60SDWC, N60SFCW, N60SFDW		1.00	1.00	1.30	1.30	7
N60CCX, N60SCCX, N60DDX, N60SDDX, N60SCCCX, N60SDDCX, N60SFCX, N60SFDX, N60STCX, N60STDX	Back	0.60	0.60	0.70	1.30	12
	Seat	0.90	0.90	1.10	1.00	7
N60EM, N60SEM, N60PM, N60SPM		1.20	1.60	1.90	1.90	22
N60EMX, N60SEMX, N60PMX, N60SPMX	Back	0.60	0.90	1.00	1.40	9
	Seat	0.80	0.90	1.10	1.00	14
N60EMW, N60GMW, N60SEMW, N60SGMW, N60RMW, N60PMW, N60SRMW, N60SPMW		0.80	0.90	1.10	1.00	14
N60EE, N60SEE, N60GG, N60SGG, N60PP, N60SPP, N60RR, N60SRR		1.60	1.80	2.10	2.30	30.5
N60EEX, N60SEEX, N60GGX, N60SGGX, N60PPX, N60SPPX, N60RRX, N60SRRX	Back	0.80	0.90	1.10	1.00	14
	Seat	0.90	1.00	1.20	1.30	17
N60EW, N60SEEW, N60GW, N60SGGW, N60PW, N60SPPW, N60RW		0.80	0.90	1.10	1.00	14
N60GM, N60SGM, N60RM, N60SRRW		1.20	1.70	2.20	1.90	22
N60GMX, N60SGMX, N60RMX, N60SRMX	Back	0.60	0.90	1.30	1.40	9
	Seat	0.80	0.90	1.10	1.00	14

TELLARO

Product Specifications 510
Fabrics and Options 511
Contrasting Fabrics Specifications 512
Product Pages 513
COM Yardage Requirements 516

TELLARO

TELLARO PRODUCT SPECIFICATIONS







FRAME CONSTRUCTION

- Interior frame is constructed of plywood with tenon joints that are glued and screwed for maximum joint stability
- Separate interior components are joined with bolts
- Nylon ¾" adjustable leveling glide

SEAT CONSTRUCTION

- Seat cushions are tethered and feature 6" of high grade polyurethane foam, custom shaped and fabricated
- Black denim and ¼" felt insulator cover high tension strip webbing for comfort

BACK CONSTRUCTION

- 4½" of high grade polyurethane foam custom shaped and fabricated covers a plywood panel
- Panel is securely fastened to interior back frame with screws

ARM CONSTRUCTION

- Arms are wrapped with ½" of high grade polyurethane foam custom shaped, fabricated and slip-covered
- Arms are connected to seat and wall frame using 5 bolts per arm

LEGS

- Metal cylinder legs offered in Concrete, Cinder, Iron, Polished, Platinum Metallic, and Satin Nickel Metallic
- Metal U-legs offered in Cinder, Polished, Platinum Metallic, and Satin Nickel Metallic
- Wood U-legs offered in all National seating finishes

Please contact customer service for Tellaro models that may be ordered to meet TB133 fire code.

To order seating to meet the TB133 fire code, specify an "F" at the end of the model number (Ex: N74M1AF).

For TB133 pricing go to www.NationalOfficeFurniture.com/TB133

Please consult customer service for applicable Arc-Com, Carnegie, Designtex, Maharam, Mayer, Momentum, Stinson, or Ultrafabrics fabric.

FABRICS

Grade 1	Cali
	Entwine
	Input
	Melange
	Ridge
	Spark
	Vessel
	Zig Zag
Grade 2	Bliss
	Brilliant
	COM
	Dolce
	Dorset
	Intuition
	Orbit
	Phrase
	Pixie
	Sedona
	Stancil
	Strand
Grade 3	COL
	Silvertex
Grade 4	Connect Four
	Echo
	Masquerade
Grade 5	Mode
Grade 6	Essence/Ultraleather
Grade 7	Brisa
	Brisa Distressed
	Reef Pro
	Silica
	Silica Etch
	Tottori
Grade L7	Davenport
Grade L8	Florence

METAL LEG COLORS

265	Polished
423	Concrete
462	Cinder
463	Iron
501	Platinum Metallic
503	Satin Nickel Metallic

WOOD LEG COLORS

AC	Autumn
AD	Almond
BZ	Brazilwood
CI	Chai
CL	Caramel
CW	Cordovan
DW	Judicial
HN	Honey
IM	Brighton
KN	Kona
MC	Amber
MH	Mocha
NM	Natural
PB	Portobello
PC	Porcini
PT	Portico
SK	Skyline
SM	Sonoma
TF	Truffle
WL	Willow
405	Designer White
462	Cinder
792	Sable
793	Acorn*

*Acorn is the finish complement to Clear Walnut finish

TO ORDER CONTRASTING FABRIC, SPECIFY

TELLARO
1 Seat Lounge page 513
1 Seat Lounge Cylinder Leg page 513
1 Seat Lounge U-Leg Metal page 513
1 Seat Lounge U-Leg Wood page 513
2½ Seat Lounge page 514
2½ Seat Lounge Cylinder Leg page 514
2½ Seat Lounge U-Leg Metal page 514
2½ Seat Lounge U-Leg Wood page 514
4 Seat Lounge page 515
4 Seat Lounge Cylinder Leg page 515
4 Seat Lounge U-Leg Metal page 515
4 Seat Lounge U-Leg Wood page 515

1. Model Number plus "X"
2. Back Fabric Grade Number/Cover Number
3. Seat Fabric Grade Number/Cover Number
4. Upholstery Fabric Grade Number/Cover Number



Contrasting Upholstery
Front View



Contrasting Upholstery
Back View



Contrasting Upholstery
Front View

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Metal / Wood Leg Finish

• See page 511 for Tellaro options

See pages 516-517 for COM fabric yardage

1 SEAT LOUNGE



Fully Upholstered Leg
Non-Tufted



Cylinder Leg
Horizon Back Stitch



U-Leg Wood
Tufted Back



U-Leg Metal
Tufted Seat and Back

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
FULLY UPHOLSTERED LEG											
N74M1A	Non-Tufted	$	2316	2509	2597	2740	2894	3158	3510	5176	5710
QN74M1A	Non-Tufted		2316	2509	2597	2740	2894	3158	3510		
N74M1AT	Sewn-Tufted Back and Seat		2615	2853	2962	3139	3329	3655	4091	6151	6811
N74M1ATB	Sewn-Tufted Back		2465	2682	2781	2942	3116	3414	3810	5689	6290
N74M1AS	Horizon Back Stitch		2465	2658	2746	2889	3043	3307	3659	5325	5859
CYLINDER LEG											
N74M1AC	Non-Tufted	$	2674	2840	2916	3040	3173	3401	3705	5144	5605
N74M1ATC	Sewn-Tufted Back and Seat		2974	3184	3280	3436	3604	3892	4276	6094	6676
N74M1ATBC	Sewn-Tufted Back		2825	3018	3106	3249	3403	3667	4019	5685	6219
N74M1ASC	Horizon Back Stitch		2825	2991	3067	3191	3324	3552	3856	5295	5756
U-LEG WOOD											
N74M1AUW	Non-Tufted	$	2962	3128	3204	3328	3461	3689	3993	5432	5893
N74M1ATUW	Sewn-Tufted Back and Seat		3262	3472	3568	3724	3892	4180	4564	6382	6964
N74M1ATBUW	Sewn-Tufted Back		3112	3305	3393	3536	3690	3954	4306	5972	6506
N74M1ASUW	Horizon Back Stitch		3112	3278	3354	3478	3611	3839	4143	5582	6043
U-LEG METAL											
N74M1AUM	Non-Tufted	$	3034	3200	3276	3400	3533	3761	4065	5504	5965
N74M1ATUM	Sewn-Tufted Back and Seat		3334	3544	3640	3796	3964	4252	4636	6454	7036
N74M1ATBUM	Sewn-Tufted Back		3185	3378	3466	3609	3763	4027	4379	6045	6579
N74M1ASUM	Horizon Back Stitch		3185	3351	3427	3551	3684	3912	4216	5655	6116

DIMENSIONS

Width	30⅞	Seat Width	24	Weight	83
Depth	32⅝	Seat Depth	21½	Cubic Ft.	23.5
Height	26⅝	Seat Height	16⅝		

• Contrasting fabric option - specify X (i.e. N74M1AX); see page 512. For list pricing, use your electronic specification tool or contact customer service
• Sewn tufted detail on stripes and large patterns are not recommended, as the fabric will appear distorted or wavy across the back and seat

TELLARO

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Metal / Wood Leg Finish

• See page 511 for Tellaro options

See pages 516-517 for COM fabric yardage

2½ SEAT LOUNGE



Fully Upholstered Leg
Non-Tufted



Cylinder Leg
Horizon Back Stitch



U-Leg Wood
Tufted Back



U-Leg Metal
Tufted Seat and Back

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
FULLY UPHOLSTERED LEG											
N74M2A	Non-Tufted	$	3736	4058	4205	4444	4702	5144	5732	8520	9412
N74M2AT	Sewn-Tufted Back and Seat		4182	4557	4728	5006	5306	5819	6504	9746	10784
N74M2ATB	Sewn-Tufted Back		3960	4296	4450	4699	4968	5429	6043	8952	9883
N74M2AS	Horizon Back Stitch		3960	4282	4429	4668	4926	5368	5956	8744	9636
CYLINDER LEG											
N74M2AC	Non-Tufted	$	4095	4396	4534	4757	4998	5411	5961	8567	9401
N74M2ATC	Sewn-Tufted Back and Seat		4543	4893	5053	5313	5593	6073	6713	9743	10713
N74M2ATBC	Sewn-Tufted Back		4319	4652	4804	5051	5317	5773	6381	9259	10181
N74M2ASC	Horizon Back Stitch		4319	4620	4758	4981	5222	5635	6185	8791	9625
U-LEG WOOD											
N74M2AUW	Non-Tufted	$	4382	4683	4821	5044	5285	5698	6248	8854	9688
N74M2ATUW	Sewn-Tufted Back and Seat		4830	5180	5340	5600	5880	6360	7000	10030	11000
N74M2ATBUW	Sewn-Tufted Back		4605	4938	5090	5337	5603	6059	6667	9545	10467
N74M2ASUW	Horizon Back Stitch		4605	4906	5044	5267	5508	5921	6471	9077	9911
U-LEG METAL											
N74M2AUM	Non-Tufted	$	4454	4755	4893	5116	5357	5770	6320	8926	9760
N74M2ATUM	Sewn-Tufted Back and Seat		4902	5252	5412	5672	5952	6432	7072	10102	11072
N74M2ATBUM	Sewn-Tufted Back		4677	5010	5162	5409	5675	6131	6739	9617	10539
N74M2ASUM	Horizon Back Stitch		4677	4978	5116	5339	5580	5993	6543	9149	9983

DIMENSIONS

Width	67⅛	Seat Width	60	Weight	135
Depth	32⅝	Seat Depth	21½	Cubic Ft.	49.1
Height	26⅝	Seat Height	16⅝		

• Contrasting fabric option - specify X (i.e. N74M2AX); see page 512. For list pricing, use your electronic specification tool or contact customer service
• Sewn tufted detail on stripes and large patterns are not recommended, as the fabric will appear distorted or wavy across the back and seat

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Metal / Wood Leg Finish

• See page 511 for Tellaro options

See pages 516-517 for COM fabric yardage

4 SEAT LOUNGE



Fully Upholstered Leg
Non-Tufted



Cylinder Leg
Horizon Back Stitch



U-Leg Wood
Tufted Back



U-Leg Metal
Tufted Seat and Back

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
FULLY UPHOLSTERED LEG											
N74M4A	Non-Tufted	$	5529	5935	6121	6422	6747	7304	8046	11561	12686
N74M4AT	Sewn-Tufted Back and Seat		6126	6700	6962	7389	7848	8635	9685	14654	16245
N74M4ATB	Sewn-Tufted Back		5827	6326	6554	6924	7323	8007	8919	13237	14619
N74M4AS	Horizon Back Stitch		5827	6233	6419	6720	7045	7602	8344	11859	12984
CYLINDER LEG											
N74M4AC	Non-Tufted	$	6031	6350	6495	6732	6987	7423	8006	10763	11646
N74M4ATC	Sewn-Tufted Back and Seat		6630	7117	7339	7700	8090	8757	9646	13858	15206
N74M4ATBC	Sewn-Tufted Back		6328	6741	6930	7237	7567	8133	8889	12464	13609
N74M4ASC	Horizon Back Stitch		6328	6647	6792	7029	7284	7720	8303	11060	11943
U-LEG WOOD											
N74M4AUW	Non-Tufted	$	6247	6566	6711	6948	7203	7639	8222	10979	11862
N74M4ATUW	Sewn-Tufted Back and Seat		6845	7332	7554	7915	8305	8972	9861	14073	15421
N74M4ATBUW	Sewn-Tufted Back		6545	6958	7147	7454	7784	8350	9106	12681	13826
N74M4ASUW	Horizon Back Stitch		6545	6864	7009	7246	7501	7937	8520	11277	12160
U-LEG METAL											
N74M4AUM	Non-Tufted	$	6318	6637	6782	7019	7274	7710	8293	11050	11933
N74M4ATUM	Sewn-Tufted Back and Seat		6916	7403	7625	7986	8376	9043	9932	14144	15492
N74M4ATBUM	Sewn-Tufted Back		6618	7031	7220	7527	7857	8423	9179	12754	13899
N74M4ASUM	Horizon Back Stitch		6618	6937	7082	7319	7574	8010	8593	11350	12233

DIMENSIONS

Width	103½	Seat Width	96½	Weight	202.4
Depth	32⅝	Seat Depth	21½	Cubic Ft.	74.8
Height	26⅝	Seat Height	16⅝		

• Contrasting fabric option - specify X (i.e. N74M4AX); see page 512. For list pricing, use your electronic specification tool or contact customer service
• Sewn tufted detail on stripes and large patterns are not recommended, as the fabric will appear distorted or wavy across the back and seat

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
N74M1A		5.60	7.00	8.20	9.40	111
N74M1AX	Back	0.70	1.00	1.50	2.30	14
	Seat	0.80	1.50	2.00	2.90	16
	Upholstery	4.50	4.90	5.60	8.40	90
N74M1AT		6.80	8.00	9.00	10.20	136
N74M1ATX	Back	1.20	1.70	2.00	2.90	23
	Seat	1.40	1.70	2.50	3.30	27
	Upholstery	4.50	4.90	5.60	8.40	90
N74M1ATB		6.20	7.80	8.90	10.00	124
N74M1ATBX	Back	1.20	1.70	2.00	2.90	23
	Seat	0.80	1.50	2.00	2.90	16
	Upholstery	4.50	4.90	5.60	8.40	90
N74M1AUW, N74M1AC, N74M1AUM		4.80	6.50	8.00	9.50	94.7
N74M1AUWX, N74M1ACX, N74M1AUMX	Back	0.70	1.00	1.50	2.30	14
	Seat	0.80	1.50	2.00	2.90	16
	Upholstery	3.80	4.50	5.50	7.00	74.8
N74M1ATUW, N74M1ATC, N74M1ATUM		6.00	7.00	9.00	10.50	119
N74M1ATUWX, N74M1ATCX, N74M1ATUMX	Back	1.20	1.70	2.00	2.90	23
	Seat	1.40	1.70	2.50	3.30	27
	Upholstery	3.80	4.50	5.50	7.00	74.8
N74M1ATBUW, N74M1ATBC, N74M1ATBUM		5.50	7.00	8.50	10.00	109.1
N74M1ATBUWX, N74M1ATBCX, N74M1ATBUMX	Back	1.20	1.70	2.00	2.90	23
	Seat	0.80	1.50	2.00	2.90	16
	Upholstery	3.80	4.50	5.50	7.00	74.8
N74M1ASUW, N74M1ASC, N74M1ASUM		4.80	6.50	7.80	9.00	94.1
N74M1ASUWX, N74M1ASCX, N74M1ASUMX	Back	0.80	1.00	1.50	1.80	15.5
	Seat	0.80	1.50	2.00	2.90	16
	Upholstery	3.80	4.50	5.50	7.00	74.8
N74M1AS		5.50	7.00	8.50	9.00	108.5
N74M1SAX	Back	0.80	1.00	1.50	1.80	15.5
	Seat	0.80	1.50	2.00	2.90	16
	Upholstery	4.50	4.90	5.60	8.40	90
N74M2A		9.50	10.50	12.90	14.50	189
N74M2AX	Back	1.60	1.90	2.50	4.90	31
	Seat	2.40	2.90	4.00	4.90	48
	Upholstery	5.80	6.50	7.20	8.70	115
N74M2AT		11.00	12.00	14.00	16.50	219
N74M2ATX	Back	2.70	3.00	3.90	5.90	53
	Seat	2.80	3.30	4.30	5.80	55
	Upholstery	5.80	6.50	7.20	8.70	115
N74M2ATB		10.60	11.90	14.00	16.00	211
N74M2ATBX	Back	2.70	3.00	3.90	5.90	53
	Seat	2.40	2.90	4.00	4.90	48
	Upholstery	5.80	6.50	7.20	8.70	115
N74M2AUW, N74M2AC, N74M2AUM		8.60	10.00	12.00	15.00	171.1
N74M2AUWX, N74M2ACX, N74M2AUMX	Back	1.60	1.90	2.50	4.90	31
	Seat	2.40	2.90	4.00	4.90	48
	Upholstery	4.90	5.50	7.00	10.00	95.8
N74M2ATUW, N74M2ATC, N74M2ATUM		10.00	11.50	14.00	16.50	199.3
N74M2ATUWX, N74M2ATCX, N74M2ATUMX	Back	2.70	3.00	3.90	5.90	53
	Seat	2.80	3.30	4.30	5.80	55
	Upholstery	4.90	5.50	7.00	10.00	95.8
N74M2ATBUW, N74M2ATBC, N74M2ATBUM		9.60	11.00	13.00	15.50	190.4

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
N74M2ATBUWX, N74M2ATBCX, N74M2ATBUMX	Back	2.70	3.00	3.90	5.90	53.0
	Seat	2.40	2.90	4.00	4.90	48.0
	Upholstery	4.90	5.50	7.00	10.00	95.8
N74M2ASUW, N74M2ASC, N74M2ASUM		8.40	10.00	11.50	13.50	167.2
N74M2ASUWX, N74M2ASCX, N74M2ASUMX	Back	1.50	2.00	2.50	4.00	29.9
	Seat	2.40	2.90	4.00	4.90	48.0
	Upholstery	4.90	5.50	7.00	10.00	95.8
N74M2AS		9.50	11.00	13.00	14.00	188.8
N74M2ASX	Back	1.50	2.00	2.50	4.00	29.9
	Seat	2.40	2.90	4.00	4.90	48.0
	Upholstery	5.80	6.50	7.20	8.70	115.0
N74M4A		10.00	17.00	21.00	25.20	198
N74M4AX	Back	2.10	3.30	4.40	6.70	42
	Seat	2.80	4.60	7.50	9.00	56
	Upholstery	6.60	9.00	10.20	10.80	132
N74M4AT		14.90	20.40	23.80	29.00	297
N74M4ATX	Back	4.40	5.50	7.00	9.00	88
	Seat	4.90	6.00	8.00	10.80	97
	Upholstery	6.60	9.00	10.20	10.80	132
N74M4ATB		12.80	19.30	23.70	27.00	255
N74M4ATBX	Back	4.40	5.50	7.00	9.00	88
	Seat	2.80	4.60	7.50	9.00	56
	Upholstery	6.60	9.00	10.20	10.80	132
N74M4AUW, N74M4AC, N74M4AUM		9.10	16.00	20.50	25.00	179.9
N74M4AUWX, N74M4ACX, N74M4AUMX	Back	2.10	3.30	4.40	6.70	42.0
	Seat	2.80	4.60	7.50	9.00	56.0
	Upholstery	5.50	8.00	10.00	12.00	109.6
N74M4ATUW, N74M4ATC, N74M4ATUM		14.00	19.00	24.00	28.50	277.3
N74M4ATUWX, N74M4ATCX, N74M4ATUMX	Back	4.40	5.50	7.00	9.00	88.0
	Seat	4.90	6.00	8.00	10.80	97.0
	Upholstery	5.50	8.00	10.00	12.00	109.6
N74M4ATBUW, N74M4ATBC, N74M4ATBUM		11.90	18.50	23.50	25.00	235.3
N74M4ATBUWX, N74M4ATBCX, N74M4ATBUMX	Back	4.40	5.50	7.00	9.00	88.0
	Seat	2.80	4.60	7.50	9.00	56.0
	Upholstery	5.50	8.00	10.00	12.00	109.6
N74M4ASUW, N74M4ASC, N74M4ASUM		8.90	15.50	19.00	22.00	176.0
N74M4ASUWX, N74M4ASCX, N74M4ASUMX	Back	2.20	3.50	4.30	5.00	43.2
	Seat	2.80	4.60	7.50	9.00	56.0
	Upholstery	5.50	8.00	10.00	12.00	109.6
N74M4AS		10.00	17.00	21.00	22.00	197.6
N74M4ASX	Back	2.20	3.50	4.30	5.00	43.2
	Seat	2.80	4.60	7.50	9.00	56.0
	Upholstery	6.60	9.00	10.20	10.80	132.0

TELLARO

TIMBERLANE

Product Specifications 520
Fabrics and Options 521
Contrasting Fabrics Specifications 522
Product Pages 523
COM Yardage Requirements 527

TIMBERLANE PRODUCT SPECIFICATIONS—GUEST, TANDEM, BARIATRIC, GANGING TABLES



FRAME CONSTRUCTION

- Frames are constructed of exterior maple with joints double doweled and securely glued for maximum joint stability
- Tandem frame is 1" wide on arms
- Bariatric frame is 1¼" wide on arms
- Non-marring nylon glides

ARM CONSTRUCTION

- Available with black protective polyurethane arm caps for added durability

SEAT CONSTRUCTION

- 2" of high grade polyurethane foam covers a solid seat panel
- Corner blocks are screwed and glued into all 4 corners of the seat

BACK CONSTRUCTION
(39B, 39L, 39D, 39S MODELS)

- Features exterior slats cut from molded maple veneer

(39U, 39E, 39H, 39A MODELS)

- High grade polyurethane foam covers a high density plywood back

CONTRASTING FABRICS

- Available with contrasting fabric on seat and back

FINISH

- A catalyzed top coat resists denting, peeling and reactions to chemicals
- Can be cleaned with a damp cloth
- When specifying Brighton, Natural, and Sonoma finish on tables, variation in color is acceptable due to the nature of wood characteristics

WOOD SPECIES

- Hard maple

TABLES

- Laminate models feature ¾" particle board with laminate (HPL) top and European beech façade rails and legs

All Timberlane models may be ordered to meet TB133 fire code.

To order seating to meet the TB133 fire code, specify an "F" at the end of the model number (Ex: 39U-GWXXF).

For TB133 pricing go to www.NationalOfficeFurniture.com/TB133

Please consult customer service for applicable Arc-Com, Carnegie, Designtex, Maharam, Mayer, Momentum, Stinson, or Ultrafabrics fabric.

FABRICS

Grade 1	Cali
	Entwine
	Input
	Melange
	Ridge
	Spark
	Vessel
	Zig Zag
Grade 2	Bliss
	Brilliant
	COM
	Dolce
	Dorset
	Intuition
	Orbit
	Phrase
	Pixie
	Sedona
	Stancil
	Strand
Grade 3	COL
	Silvertex
Grade 4	Connect Four
	Echo
	Masquerade
Grade 5	Mode
Grade 6	Essence/Ultraleather
Grade 7	Brisa
	Brisa Distressed
	Reef Pro
	Silica
	Silica Etch
	Tottori
Grade L7	Davenport
Grade L8	Florence

FINISHES

AC	Autumn	NM	Natural
AD	Almond	PB	Portobello
BZ	Brazilwood	PC	Porcini
CI	Chai	PT	Portico
CL	Caramel	SK	Skyline
CW	Cordovan	SM	Sonoma
DW	Judicial	TF	Truffle
HN	Honey	WL	Willow
IM	Brighton	405	Designer White
KN	Kona	462	Cinder
MC	Amber	792	Sable
MH	Mocha	793	Acorn*

*Acorn is the finish complement to Clear Walnut finish

LAMINATES

TABLES ONLY

AC	Autumn	NM	Natural
AD	Almond	PB	Portobello
BZ	Brazilwood	PC	Porcini
CI	Chai	PT	Portico
CL	Caramel	SK	Skyline
CW	Cordovan	SM	Sonoma
DW	Judicial	TF	Truffle
HN	Honey	WL	Willow
IM	Brighton	405	Designer White
KN	Kona	462	Cinder
MC	Amber	792	Sable
MH	Mocha	793	Acorn*

TO ORDER CONTRASTING FABRIC, SPECIFY

TIMBERLANE
Single Panel Arms page 523
Single Panel Armless page 523
"V" Back Arms page 523
"V" Back Armless page 523
Full Back Arms page 524
Full Back Armless page 524
¾ Back Arms page 525
¾ Back Armless page 525
¾ Back Bariatric page 525
¾ Back 2 Seat Tandem page 525
¾ 3 Seat Tandem page 525

1. Model Number plus "X"
2. Back Fabric Grade Number/Cover Number
3. Seat Fabric Grade Number/Cover Number
4. Finish Designator



Contrasting Fabric



Contrasting Fabric



Contrasting Fabric

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Cover Number
4. Finish Designator

• See page 521 for Timberlane options

See page 527 for COM fabric yardage

SINGLE PANEL

Armless

MODEL NO. | **GRADE / LIST PRICE**

			1	2/COM	3/COL	4	5	6	7	L7	L8
39L-GRXX	Wood Back - Armless	$	968	994	1006	1026	1047	1083	1131	1358	1431
39H-GRXX	Upholstered Back - Armless		979	1020	1038	1068	1101	1156	1231	1582	1695
39L-GWXX	Wood Back - Arm		1091	1117	1129	1149	1170	1206	1254	1481	1554
39L-GWXXT	Wood Back/Black Polyurethane Arm Caps		1228	1256	1269	1290	1312	1350	1402	1644	1722
39H-GWXX	Upholstered Back - Arm		1112	1153	1171	1201	1234	1289	1364	1715	1828
39H-GWXXT	Upholstered Back/Black Polyurethane Arm Caps		1243	1268	1279	1297	1317	1350	1395	1607	1675

DIMENSIONS - ARMLESS

Width	19½	Seat Height	18½
Depth	23	Cubic Ft.	13.4
Height	35		

39L-GRXX		**39H-GRXX**	
Seat Width	19½	Seat Width	19½
Seat Depth	18½	Seat Depth	17
Weight	28	Weight	30

DIMENSIONS - ARM

Width	22	Arm Height	25¾
Depth	24	Seat Height	18½
Height	35	Weight	13.4

39L-GWXX & GWXXT		**39H-GWXX & GWXXT**	
Seat Width	20½	Seat Width	20½
Seat Depth	19½	Seat Depth	18
Weight	30	Weight	33

• Contrasting fabric option – specify X (i.e., 39H-GWXXX); see page 522. For list pricing, use your electronic specification tool or contact customer service

"V" BACK

Armless

Polyurethane Arm Caps

			1	2/COM	3/COL	4	5	6	7	L7	L8
39B-GRXX	Wood Back - Armless	$	968	994	1006	1026	1047	1083	1131	1358	1431
39E-GRXX	Upholstered Back - Armless		979	1020	1038	1068	1101	1156	1231	1582	1695
39B-GWXX	Wood Back - Arm		1091	1117	1129	1149	1170	1206	1254	1481	1554
39B-GWXXT	Wood Back/Black Polyurethane Arm Caps		1228	1256	1269	1290	1312	1350	1402	1644	1722
39E-GWXX	Upholstered Back - Arm		1112	1153	1171	1201	1234	1289	1364	1715	1828
39E-GWXXT	Upholstered Back/Black Polyurethane Arm Caps		1243	1289	1309	1343	1380	1442	1525	1919	2045

DIMENSIONS - ARMLESS

Width	19½	Seat Height	18½
Depth	23	Cubic Ft.	13.4
Height	35		

39B-GRXX		**39E-GRXX**	
Seat Width	19½	Seat Width	19½
Seat Depth	18½	Seat Depth	17
Weight	28	Weight	30

DIMENSIONS - ARM

Width	22	Arm Height	25¾
Depth	24	Seat Height	18½
Height	35	Cubic Ft.	13.4

39B-GWXX & GWXXT		**39E-GWXX & GWXXT**	
Seat Width	20½	Seat Width	20½
Seat Depth	19½	Seat Depth	18
Weight	30	Weight	33

• Contrasting fabric option – specify X (i.e., 39E-GWXXX); see page 522. For list pricing, use your electronic specification tool or contact customer service

TIMBERLANE

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Cover Number
4. Finish Designator

• See page 521 for Timberlane options
See page 527 for COM fabric yardage

DOUBLE PANEL

Armless

Arm

MODEL NO.			1	2/COM	3/COL	4	5	6	7	L7	L8
			GRADE / LIST PRICE								
39D-GRXX	Wood Back - Armless	$	979	1005	1017	1037	1058	1094	1142	1369	1442
39D-GWXX	Wood Back - Arm		1112	1138	1150	1170	1191	1227	1275	1502	1575
39D-GWXXT	Wood Back/Black Polyurethane Arm Caps		1243	1271	1284	1305	1327	1365	1417	1659	1737

DIMENSIONS - ARMLESS

Width	19½	Seat Height	18½	Seat Width	19½	Weight	28
Depth	23	Seat Depth	18½			Cubic Ft.	13.4
Height	35						

DIMENSIONS - ARM

Width	22	Arm Height	25¾	Seat Width	20½	Weight	30
Depth	24	Seat Height	18½			Cubic Ft.	13.4
Height	35	Seat Depth	19½				

FULL BACK

Armless

Polyurethane Arm Caps

			1	2/COM	3/COL	4	5	6	7	L7	L8
39U-GRXX	Upholstered Back - Armless	$	997	1038	1056	1086	1119	1174	1249	1600	1713
39U-GWXX	Upholstered Back - Arm		1121	1162	1180	1210	1243	1298	1373	1724	1837
Q39U-GWXX	Upholstered Back - Arm		1121	1162	1180	1210	1243	1298	1373		
39U-GWXXT	Upholstered Back/Black Polyurethane Arm Caps		1255	1301	1321	1355	1392	1454	1537	1931	2057

DIMENSIONS - ARMLESS

Width	19½	Seat Height	18½	Seat Width	19½	Weight	30
Depth	23	Seat Depth	17			Cubic Ft.	13.4
Height	35						

DIMENSIONS - ARM

Width	22	Arm Height	25¾	Seat Width	20½	Weight	33
Depth	24	Seat Height	18½			Cubic Ft.	13.4
Height	35	Seat Depth	18				

• Contrasting fabric option – specify X (i.e., 39U-GWXXX); see page 522. For list pricing, use your electronic specification tool or contact customer service

SLATBACK

Armless

Arm

			1	2/COM	3/COL	4	5	6	7	L7	L8
39S-GRXX	Wood Back - Armless	$	1038	1064	1076	1096	1117	1153	1201	1428	1501
39S-GWXX	Wood Back - Arm		1169	1195	1207	1227	1248	1284	1332	1559	1632
39S-GWXXT	Wood Back/Black Polyurethane Arm Caps		1299	1327	1340	1361	1383	1421	1473	1715	1793

DIMENSIONS - ARMLESS

Width	19½	Seat Height	18½	Seat Width	19½	Weight	28
Depth	23	Seat Depth	18½			Cubic Ft.	13.4
Height	35						

DIMENSIONS - ARM

Width	22	Arm Height	25¾	Seat Width	20½	Weight	30
Depth	24	Seat Height	18½			Cubic Ft.	13.4
Height	35	Seat Depth	19½				

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Cover Number
4. Finish Designator

• See page 521 for Timberlane options

See page 527 for COM fabric yardage

¾ BACK

Armless

Polyurethane Arm Caps

MODEL NO. | **GRADE / LIST PRICE**

			1	2/COM	3/COL	4	5	6	7	L7	L8
39A-GRXX	Upholstered Back - Armless	$	980	1019	1036	1065	1096	1148	1219	1552	1659
39A-GWXX	Upholstered Back - Arm		1113	1152	1169	1198	1229	1281	1352	1685	1792
39A-GWXXT	Upholstered Back/Black Polyurethane Arm Caps		1245	1284	1301	1330	1361	1413	1484	1817	1924

DIMENSIONS - ARMLESS

Width	19½	Seat Height	18½	Seat Width	19½	Weight	30
Depth	23	Seat Depth	17			Cubic Ft.	13.4
Height	35						

DIMENSIONS - ARM

Width	22	Arm Height	25¾	Seat Width	20½	Weight	33
Depth	24	Seat Height	18½			Cubic Ft.	13.4
Height	35	Seat Depth	18				

- Contrasting fabric option – specify X (i.e., 39A-GWXXX); see page 522. For list pricing, use your electronic specification tool or contact customer service

¾ BACK BARIATRIC



			1	2/COM	3/COL	4	5	6	7	L7	L8
39A-BWAA	Upholstered Back	$	2120	2187	2217	2266	2320	2411	2532	3108	3292
39A-BWAAT	Upholstered Back/Black Polyurethane Arm Caps		2252	2319	2349	2398	2452	2543	2664	3240	3424

DIMENSIONS

Width	34¾	Arm Height	25¾	Seat Width	32	Weight	47
Depth	24	Seat Height	18½			Cubic Ft.	24.5
Height	35	Seat Depth	18				

- Meets 500 lb. weight load
- Contrasting fabric option – specify X (i.e., 39A-BWAAX); see page 522. For list pricing, use your electronic specification tool or contact customer service

¾ BACK 2 SEAT TANDEM



Polyurethane Arm Caps

			1	2/COM	3/COL	4	5	6	7	L7	L8
39A-TAA	Upholstered Back	$	2033	2096	2125	2172	2222	2308	2424	2969	3144
39A-TAAT	Upholstered Back/Black Polyurethane Arm Caps		2235	2298	2327	2374	2424	2510	2626	3171	3346

DIMENSIONS

Width	43	Arm Height	25¾	Seat Width	20½	Weight	49
Depth	24	Seat Height	18½			Cubic Ft.	26.0
Height	35	Seat Depth	18				

- Contrasting fabric option – specify X (i.e., 39A-TAAX); see page 522. For list pricing, use your electronic specification tool or contact customer service

¾ BACK 3 SEAT TANDEM



			1	2/COM	3/COL	4	5	6	7	L7	L8
39A-TAAA	Upholstered Back	$	3076	3171	3214	3284	3360	3489	3662	4480	4742
39A-TAAAT	Upholstered Back/Black Polyurethane Arm Caps		3340	3435	3478	3548	3624	3753	3926	4744	5006

DIMENSIONS

Width	64¼	Arm Height	25¾	Seat Width	20½	Weight	73
Depth	24	Seat Height	18½			Cubic Ft.	37.6
Height	35	Seat Depth	18				

- Contrasting fabric option – specify X (i.e., 39A-TAAAX); see page 522. For list pricing, use your electronic specification tool or contact customer service

TIMBERLANE

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Designator (if applicable)

• See page 521 for Timberlane options

GANGING TABLES



Center



Corner

MODEL NO.		LIST PRICE	
39T-SGLW	Laminate Top - Center	$	1066
39T-SHLW	Laminate Top - Corner		1263

DIMENSIONS - CENTER TABLE

Width	24⁹⁄₁₆	Weight	14
Depth	19¹⁄₁₆	Cubic Ft.	1.4
Height	2²⁷⁄₃₂		

DIMENSIONS - CORNER TABLE

Width	41²⁹⁄₃₂	Weight	25
Depth	26¹⁄₃₂	Cubic Ft.	2.7
Height	17⅞		

- Some assembly required
- Notched to fit snugly to adjoining chairs and bariatric seating
- Fastens with L-shaped brackets under side rails of ganging chairs
- Ganging tables cannot be used with armless chairs

METAL GANGING BRACKET



39CB	1 Set	$	32

DIMENSIONS

Weight	0.5
Cubic Ft.	0.01

- Specify model number only
- Because of differences in seat depths, Timberlane chairs can only be ganged arm to arm chair or armless to armless chair
- 1 set gangs 2 chairs
- Separates chairs by ½"

WOOD GANGING BRACKET



39SJ	Wood	$	100

DIMENSIONS

Width	3 ³⁄₁₆	Weight	3
Depth	17⁵⁄₁₆	Cubic Ft.	0.6
Height	2¹⁵⁄₃₂		

- Specify finish
- Some assembly required
- Wood bracket attaches under seat rail
- Separates chairs by ½"
- Cannot be used on armless models

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
39A-GWXX, 39A-GWXXT						
39A-GRXX		1.10	1.30	2.30	2.40	22
39A-GWXXX, 39A-GWXXTX	Seat	0.80	0.90	1.20	1.00	7
39A-GRXXX	Back	0.60	0.80	1.40	1.40	12
39A-TAA, 39A-TAAT		1.80	2.10	3.80	4.40	36
39A-TAAX, 39A-TAATX	Seat	0.80	1.60	2.10	2.10	16
	Back	1.10	1.40	2.00	2.40	22
39A-TAAA, 39A-TAAAT		2.70	3.30	5.90	6.40	54
39A-TAAAX, 39A-TAAATX	Seat	1.50	2.20	3.00	3.10	30
	Back	1.60	1.90	3.20	3.40	32
39A-BWAA, 39A-BWAAT		1.90	2.10	2.30	2.50	38
39A-BWAAX, 39A-BWAATX	Seat	0.90	1.00	1.20	1.10	18
	Back	1.10	1.30	1.40	1.40	22
39H-GWXX, 39H-GWXXT		0.80	1.50	1.40	2.00	14
39H-GWXXX, 39H-GWXXTX	Seat	0.80	0.90	1.20	1.10	7
39H-GRXXX	Back	0.70	0.90	0.80	1.00	14
39B-GWXX, 39B-GWXXT 39S-GWXX, 39S-GWXXT 39L-GWXX, 39L-GWXXT 39D-GWXX, 39D-GWXXT 39B-GRXX, 39L-GRXX 39S-GRXX, 39D-GRXX		0.80	0.90	1.20	1.10	7
39U-GWXX, 39U-GWXXT		1.30	1.50	2.40	3.00	23
39U-GWXXX, 39U-GWXXTX	Seat	0.80	0.90	1.20	1.10	7
	Back	0.70	0.90	1.40	2.00	14
39U-GRXX		1.30	1.50	1.50	3.00	23
39E-GRXXX	Seat	0.80	0.90	1.10	1.10	7
	Back	0.70	0.90	0.80	2.00	14
39E-GWXX, 39E-GWXXT						
39E-GRXX		1.30	1.50	1.40	2.00	23
39E-GWXXX, 39E-GWXXTX	Seat	0.80	0.90	1.20	1.10	7
39E-GRXXX	Back	0.70	0.90	0.80	1.00	14

TIMBERLANE

TIZELLE

Product Specifications 530
Fabrics and Options 531
Contrasting Fabrics Specifications 532
Product Pages 533
COM Yardage Requirements 534

TIZELLE

TIZELLE SIDE CHAIR PRODUCT SPECIFICATIONS



FRAME CONSTRUCTION

- Constructed of a solid end frame cut from cross banded baltic birch plywood with exterior maple facing with mortise and tenon joints that are securely glued for maximum joint stability
- Non-marring nylon glides

ARM CONSTRUCTION

- One piece end frame contains arm

SEAT CONSTRUCTION

- 2" high grade polyurethane foam covers a plywood panel with high tension webbing for comfort
- Corner blocks screwed and glued in all 4 corners

BACK CONSTRUCTION

- 2" profile cut high grade polyurethane foam covers plywood back for support and comfort
- The outer (extreme) back features ¼" of high grade polyurethane foam

CONTRASTING FABRICS

- Available with contrasting fabric on seat and back

FINISH

- A catalyzed top coat resists denting, peeling and reactions to chemicals
- Can be cleaned with a damp cloth
- When specifying Brighton, Natural and Sonoma finish, variation color is acceptable due to the nature of wood characteristics

WOOD SPECIES

- Baltic Birch plywood Core with Maple Facing

FABRICS

Grade 1	Cali
	Entwine
	Input
	Melange
	Ridge
	Spark
	Vessel
	Zig Zag
Grade 2	Bliss
	Brilliant
	COM
	Dolce
	Dorset
	Intuition
	Orbit
	Phrase
	Pixie
	Sedona
	Stancil
	Strand
Grade 3	COL
	Silvertex
Grade 4	Connect Four
	Echo
	Masquerade
Grade 5	Mode
Grade 6	Essence/Ultraleather
Grade 7	Brisa
	Brisa Distressed
	Reef Pro
	Silica
	Silica Etch
	Tottori
Grade L7	Davenport
Grade L8	Florence

FINISHES

AC	Autumn	NM	Natural
AD	Almond	PB	Portobello
BZ	Brazilwood	PC	Porcini
CI	Chai	PT	Portico
CL	Caramel	SK	Skyline
CW	Cordovan	SM	Sonoma
DW	Judicial	TF	Truffle
HN	Honey	WL	Willow
IM	Brighton	405	Designer White
KN	Kona	462	Cinder
MC	Amber	792	Sable
MH	Mocha	793	Acorn*

*Acorn is the finish complement to Clear Walnut finish

TO ORDER CONTRASTING FABRIC, SPECIFY

Tizelle

1. Model Number plus "X"
2. Back Fabric Grade Number/Cover Number
3. Seat Fabric Grade Number/Cover Number
4. Finish



Contrasting Fabric

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number
3. Finish

• See page 531 for Tizelle options

See page 534 for COM fabric yardage

GUEST ARMS

Arms

MODEL NO.

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
N51GFA	$	1368	1407	1424	1453	1484	1536	1607	1940	2047
QN51GFA		1368	1407	1424	1453	1484	1536	1607		

DIMENSIONS

Width	21	Arm Height	25½	Seat Width	19	Weight	30
Depth	24½	Seat Height	17½			Cubic Ft.	14.1
Height	35	Seat Depth	19				

• Contrasting fabric option – specify X (i.e., N51GFAX); see page 532. For list pricing, use your electronic specification tool or contact customer service

GUEST ARMLESS

Armless

		1	2/COM	3/COL	4	5	6	7	L7	L8
N51GFM	$	1348	1387	1404	1433	1464	1516	1587	1920	2027
QN51GFM		1348	1387	1404	1433	1464	1516	1587		

DIMENSIONS

Width	21	Arm Height	N/A	Seat Width	19	Weight	28
Depth	24½	Seat Height	17½			Cubic Ft.	14.1
Height	35	Seat Depth	19				

• Contrasting fabric option – specify X (i.e., N51GFMX); see page 532. For list pricing, use your electronic specification tool or contact customer service

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
N51GFA, N51GFM	Complete	1.20	1.60	2.20	3.50	21.2
N51GFAX, N51GFMX	Back	0.70	1.00	1.60	2.40	11.2
	Seat	0.80	1.00	1.40	2.50	13.4

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
N10PSQ1818PX	Upholstery	0.70	0.90	1.00	1.30	8
	Back	0.70	0.90	1.00	1.30	8
N10PSQ1818B		0.70	0.90	1.70	2.40	14
N10PSQ1818BX	Upholstery	0.70	0.90	1.00	1.30	8
	Back	0.70	0.90	1.00	1.30	8
	Accent	0.20	0.20	0.20	0.20	1
N10PSQ1818BP		0.80	0.90	1.70	2.40	15
N10PSQ1818PBX	Upholstery	0.70	0.90	1.00	1.30	8
	Back	0.70	0.90	1.00	1.30	8
	Accent	0.20	0.20	0.20	0.20	1
N10PRT1508		0.40	0.50	0.60	1.30	8
N10PRT1508X	Upholstery	0.40	0.50	0.60	0.80	4
	Back	0.40	0.50	0.60	0.80	4
N10PRT1508L, N10PRT1508R, N10PRT1508C		0.40	0.50	0.60	1.30	8
N10PRT1508LX, N10PRT1508RX, N10PRT1508CX	Upholstery	0.40	0.50	0.60	0.80	4
	Back	0.40	0.50	0.60	0.80	4
	Accent	0.40	0.50	0.60	0.80	4
N10PRT1508P		0.50	0.50	0.60	1.30	10
N10PRT1508PX	Upholstery	0.40	0.50	0.60	0.80	4
	Back	0.40	0.50	0.60	0.80	4
N10PRT1508LP, N10PRT1508RP, N10PRT1508CP		0.50	0.50	0.60	1.30	10
N10PRT1508LPX, N10PRT1508RPX, N10PRT1508CPX	Upholstery	0.40	0.50	0.60	0.80	4
	Back	0.40	0.50	0.60	0.80	4
	Accent	0.40	0.50	0.60	0.80	4
N10PWD1816		0.90	1.20	1.50	1.80	18
N10PWD1816X	Upholstery	0.70	0.70	1.00	1.20	7
	Back	0.60	0.60	0.90	0.80	6
	Accent	0.60	0.60	0.90	0.80	6
N10PWD2116		1.10	1.20	1.50	1.80	22
N10PWD2116X	Upholstery	0.70	0.70	1.00	1.20	7
	Back	0.60	0.60	0.90	0.80	6
	Accent	0.60	0.60	0.90	0.80	6
N10PWD2416		1.20	1.50	1.90	1.80	24
N10PWD2416X	Upholstery	0.70	0.70	1.00	1.20	7
	Back	0.60	0.60	0.90	0.80	6
	Accent	0.60	0.60	0.90	0.80	6
N10PBL1806		0.60	0.70	0.70	0.90	12
N10PBL1806X	Upholstery	0.60	0.70	0.70	0.90	6
	Accent	0.30	0.30	0.50	0.70	3
N10PBL1806P		0.60	0.70	0.70	0.90	12
N10PBL1806PX	Upholstery	0.60	0.70	0.70	0.90	6
	Accent	0.30	0.30	0.50	0.70	3
NAC1820CUSH, NAC1820CUSHT		0.70	0.90	1.60	3.10	12
NAC1824CUSH, NAC1824CUSHT		0.70	1.20	1.50	2.70	12
NAC1830CUSH, NAC1830CUSHT		0.90	1.40	1.70	2.70	17
NAC1836CUSH, NAC1836CUSHT		1.10	1.40	1.70	2.70	20
NAC1840CUSH, NAC1840CUSHT		1.00	1.40	2.00	2.20	20
NAC1848CUSH, NAC1848CUSHT		1.10	1.40	1.70	2.70	20

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
NAC1860CUSH, NAC1860CUSHT		1.60	1.80	2.90	4.20	32
NAC1872CUSH, NAC1872CUSHT		1.70	2.10	2.90	4.20	37
NAC2024CUSH, NAC2024CUSHT		0.70	1.30	2.00	3.20	12
NAC24CUSH, NAC24CUSHT		0.80	1.30	2.30	2.20	15
NAC2424CUSH, NAC2424CUSHT		0.80	1.70	2.30	2.70	14.5
NAC2430CUSH, NAC2430CUSHT		1.20	1.70	2.30	2.70	23
NAC2436CUSH, NAC2436CUSHT		1.20	1.70	2.30	2.70	23
NAC2440CUSH, NAC2440CUSHT		1.20	1.70	2.60	3.20	24
NAC2448CUSH, NAC2448CUSHT		1.20	1.60	2.30	2.70	24
NAC2460CUSH, NAC2460CUSHT		2.10	2.70	3.80	4.20	42
NAC2472CUSH, NAC2472CUSHT		2.10	2.70	3.80	4.20	42
NAC2552CUSH, NAC2552CUSHT		1.90	2.80	4.10	4.60	37
NAC2727CUSH, NAC2727CUSHT		1.40	1.80	2.50	2.70	28
NAC2828CUSH, NAC2828CUSHT		1.50	1.90	2.60	3.20	29
NAC36CUSH, NAC36CUSHT		1.60	2.00	2.60	3.60	30
NAC3636CUSH, NAC3636CUSHT		1.70	2.10	2.60	4.10	33

STITCH-IT YARDAGE REQUIREMENTS

For Non-Stitch-It locations, reference contrasting model yardage requirements in the Master Seating Pricelist.

MODEL NUMBER	STITCH-IT LOCATION	NON DIRECTIONAL YARDAGE
N10PSQ1414V, N10PSQ1414PV, N10PRT1508V, N10PRT1508PV, N10PBL1806V, N10PBL1806PV	Front	0.90
N10PWD1816V, N10PWD2116V, N10PWD2416V	Front	0.90
NAC1820CUSHV, NAC2024CUSHV	Seat	0.90
NAC1824CUSHV, NAC1830CUSHV, NAC24CUSHV, NAC2424CUSHV	Seat	1.20
NAC1836CUSHV	Seat	1.30
NAC2430CUSHV	Seat	1.20
NAC2436CUSHV	Seat	1.40
NAC2727CUSHV	Seat	1.50
NAC2828CUSHV	Seat	1.50

TRIUMPH

Product Specifications 562
Fabrics and Options 563
Product Pages 564
COM Yardage Requirements 566

TRIUMPH

TRIUMPH PRODUCT SPECIFICATIONS



GUEST FRAME CONSTRUCTION

- All joints are double doweled and securely glued for maximum joint stability
- Features a metal seat frame for added strength
- Non-marring nylon glides

SEAT CONSTRUCTION

- Blow molded polyethylene seat or solid molded plywood panels that are covered with high grade polyurethane foam

BACK CONSTRUCTION

- Solid molded plywood panels are covered with 1½" of high grade polyurethane foam

ARMS

- Arms are made of kiln dried exterior northern hard maple and are attached to the seat with bolts and to the back with a fastener
- Arms on the 89X-EWECC and 89X-MWECC have a protective polyurethane arm cap

ARMS (UPHOLSTERED)

- Arms are made of fiberboard covered with high density polyurethane foam

CONTROL MECHANISM/LIFT

- The standard knee tilt mechanism features a heavy-duty adjustable tension spring for a variety of body sizes and minimal rise of front seat edge; this allows user's feet to remain on the floor when chair is in reclining position
- The combination gas lift/tilt lock lever allows dual function with simple in/out movement for lockout and up/down movement for height adjustment

BASE AND CASTERS

- Nylon base features standard black 5-prong fiberglass reinforced nylon to ensure long life
- Wood base features a standard 5-prong, rigid steel understructure to ensure a long life
- Caster posts fit directly into steel sleeves, greatly reducing caster socket failure
- Decorative hardwood caps complement the chair design
- Black, hard double wheel casters, which work on multiple surfaces, are standard
- Black, soft double wheel casters are available for use on hard floors; upcharge applies to this option

JURY BASE

- Pneumatic jury base
- Auto return swivel

FINISH

- Wood models feature a catalyzed top coat which resists denting, peeling and reactions to chemicals
- Can be cleaned with a damp cloth
- When specifying Brighton, Natural, and Sonoma finish, variation in color is acceptable due to the nature of wood characteristics

WOOD SPECIES

- Hard maple

All Triumph models may be ordered to meet TB133 fire code.

To order seating to meet the TB133 fire code, specify an "F" at the end of the model number (Ex: 89X-EWEXCF).

For TB133 pricing go to www.NationalOfficeFurniture.com/TB133

Please consult customer service for applicable Arc-Com, Carnegie, Designtex, Maharam, Mayer, Momentum, Stinson, or Ultrafabrics fabric.

FABRICS

Grade 1	Cali
	Entwine
	Input
	Melange
	Ridge
	Spark
	Vessel
	Zig Zag
Grade 2	Bliss
	Brilliant
	COM
	Dolce
	Dorset
	Intuition
	Orbit
	Phrase
	Pixie
	Sedona
	Stancil
	Strand
Grade 3	COL
	Silvertex
Grade 4	Connect Four
	Echo
	Masquerade
Grade 5	Mode
Grade 6	Essence/Ultraleather
Grade 7	Brisa
	Brisa Distressed
	Reef Pro
	Silica
	Silica Etch
	Tottori
Grade L7	Davenport
Grade L8	Florence

FINISHES

AC	Autumn	NM	Natural
AD	Almond	PB	Portobello
BZ	Brazilwood	PC	Porcini
CI	Chai	PT	Portico
CL	Caramel	SK	Skyline
CW	Cordovan	SM	Sonoma
DW	Judicial	TF	Truffle
HN	Honey	WL	Willow
IM	Brighton	405	Designer White
KN	Kona	462	Cinder
MC	Amber	792	Sable
MH	Mocha	793	Acorn*

*Acorn is the finish complement to Clear Walnut finish

CASTERS

FOR WOOD BASE

C3 Hard (standard)
C4 Soft (add $36 list)

FOR PLASTIC BASE

C16 Hard (standard)
C2 Soft (add $36 list)

TRIUMPH

QD

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Cover Number
4. Finish Designator
5. Casters

• See page 563 for Triumph options

See page 566 for COM fabric yardage

HIGH BACK WOOD ARMS

MODEL NO.			1	2/COM	3/COL	4	5	6	7	L7	L8
		GRADE / LIST PRICE $									
89X-EWEXC	Wood Base		1779	1842	1871	1918	1968	2054	2170	2715	2890
89X-EWEXCJ	Jury Base		2126	2189	2218	2265	2315	2401	2517	3062	3237

DIMENSIONS

Width	26¼	Arm Height	25½-31½	Seat Width	20½
Depth	28	Seat Height	17-22½	Weight	58
Height	39¼-45¼	Seat Depth	17½	Cubic Ft.	17.4

HIGH BACK WOOD ARMS WITH POLYURETHANE ARM CAPS

			1	2/COM	3/COL	4	5	6	7	L7	L8
		$									
89X-EWECC	Wood Base		1870	1933	1962	2009	2059	2145	2261	2806	2981
Q89X-EWECC	Wood Base		1870	1933	1962	2009	2059	2145	2261		
89X-EWECCJ	Jury Base		2217	2280	2309	2356	2406	2492	2608	3153	3328

DIMENSIONS

Width	26¼	Arm Height	25½-31½	Seat Width	20½
Depth	28	Seat Height	17-22½	Weight	58
Height	39¼-45¼	Seat Depth	17½	Cubic Ft.	17.4

LOW BACK WOOD ARMS



			1	2/COM	3/COL	4	5	6	7	L7	L8
		$									
89X-MWEXC	Wood Base		1732	1788	1814	1855	1900	1977	2079	2564	2719
89X-MWEXCJ	Jury Base		2079	2135	2161	2202	2247	2324	2426	2911	3066

DIMENSIONS

Width	26¼	Arm Height	25½-31½	Seat Width	20½
Depth	26	Seat Height	17-22½	Weight	57
Height	34¼-40¼	Seat Depth	17½	Cubic Ft.	15.5

QD

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Cover Number
4. Finish Designator
5. Casters

• See page 563 for Triumph options

See page 566 for COM fabric yardage

LOW BACK WOOD ARMS WITH POLYURETHANE ARM CAPS

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
89X-MWECC	Wood Base	$	1827	1883	1909	1950	1995	2072	2174	2659	2814
Q89X-MWECC	Wood Base		1827	1883	1909	1950	1995	2072	2174		
89X-MWECCJ	Jury Base		2174	2230	2256	2297	2342	2419	2521	3006	3161

DIMENSIONS

Width	26¼	Arm Height	25½-31½	Seat Width	20½	Weight	57
Depth	26	Seat Height	17-22½			Cubic Ft.	15.5
Height	34¼-40¼	Seat Depth	17½				

HIGH BACK FULLY UPHOLSTERED ARMS

			1	2/COM	3/COL	4	5	6	7	L7	L8
89X-EUEXC	Wood Base	$	1623	1698	1733	1789	1849	1952	2090	2741	2950
89X-EUFXC	Plastic Base		1500	1575	1610	1666	1726	1829	1967	2618	2827
89X-EUFXCJ	Jury Base		1847	1922	1957	2013	2073	2176	2314	2965	3174

DIMENSIONS

Width	26¼	Arm Height	25½-31½	Seat Width	20½	**89X-EUEXC**	
Depth	28	Seat Height	17-22½	Cubic Ft.	17.4	Weight	64
Height	39¼-45¼	Seat Depth	17½			**89X-EUFXC**	
						Weight	56

LOW BACK FULLY UPHOLSTERED ARMS

			1	2/COM	3/COL	4	5	6	7	L7	L8
89X-MUEXC	Wood Base	$	1585	1655	1687	1739	1795	1891	2019	2625	2819
89X-MUFXC	Plastic Base		1460	1530	1562	1614	1670	1766	1894	2500	2694
89X-MUFXCJ	Jury Base		1807	1877	1909	1961	2017	2113	2241	2847	3041

DIMENSIONS

Width	26¼	Arm Height	25½-31½	Seat Width	20½	**89X-MUEX**	
Depth	28	Seat Height	17-22½	Cubic Ft.	15.5	Weight	63
Height	34¼-40¼	Seat Depth	17½			**89X-MUFX**	
						Weight	55

GUEST

			1	2/COM	3/COL	4	5	6	7	L7	L8
89X-GWXX	Wood Frame	$	1163	1216	1240	1279	1321	1393	1489	1943	2089
Q89X-GWXX	Wood Frame		1163	1216	1240	1279	1321	1393	1489		

DIMENSIONS

Width	24½	Arm Height	26½	Seat Width	20½	Weight	32
Depth	25	Seat Height	17⅞			Cubic Ft.	13.4
Height	34	Seat Depth	19				

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
89X-EWEXC		1.80	2.70	3.00	3.00	37
89X-MWEXC		1.60	2.40	2.90	2.90	33
89X-EUEXC, 89X-EUFXC		2.15	2.70	3.00	3.80	44
89X-MUEXC, 89X-MUFXC		2.00	2.40	2.90	3.30	41
89X-EWECC		1.80	2.70	3.00	3.80	37
89X-MWECC		1.60	2.40	2.90	3.30	33
89X-GWXX		1.50	2.30	2.60	2.90	31

VOLUTE

Product Specifications 568
Fabrics and Options 569
Product Pages 570

VOLUTE

VOLUTE PRODUCT SPECIFICATIONS



SHELL CONSTRUCTION

- Contoured, injection molded polypropylene
- Upholstered model features ½" polyurethane foam

CONTROL, BASE, CASTERS, AND GLIDES
4-Prong High Profile, Static

- Features Trumpet Support with 360° swivel
- Available in Black and Polished Aluminum
- Polyethylene glides are standard
- Felt pad glides are available for an additional upcharge

4-Prong Low Profile, Static

- Features 360° swivel with auto-return
- Available in Black and Polished Aluminum
- Polyethylene glides are standard
- Felt pad glides are available for an additional upcharge

4-Prong High Profile, Mobile

- Features 360° swivel
- Available in Black and Polished Aluminum
- Black, hard double wheel casters, which work on multiple surfaces, are standard
- Soft casters are available for an additional upcharge
- Black, open double wheel casters with polished accents are available for an additional upcharge and work on multiple floors

5-Prong High Profile, Mobile

- Features height adjustment and 360° swivel
- Available in Black and Polished Aluminum
- Black, hard double wheel casters, which work on multiple surfaces, are standard
- Soft casters are available for an additional upcharge
- Black, open double wheel casters with polished accents are available for an additional upcharge and work on multiple floors

4-Leg Wood, Static

- Metal accents available in Black and Polished Aluminum
- Beech wood legs
- Polyethylene glides are standard
- Felt pad glides are available as an option

FABRICS

Grade 1	Cali
Grade 2	Sedona
Grade 3	Silvertex
Grade 5	Mode
Maharam Grade C	Mode

POLYPROPYLENE SHELL COLORS

BK	Black
DG	Dark Grey
LG	Light Grey
TP	Taupe
WH	White

BASE PAINT OPTIONS

BK	Black
497	Polished Aluminum

WOOD LEGS FINISHES

AC	Autumn
AD	Almond
BZ	Brazilwood
CI	Chai
CL	Caramel
CW	Cordovan
DW	Judicial
HN	Honey
IM	Brighton
KN	Kona
MC	Amber
MH	Mocha
NM	Natural
PB	Portobello
PC	Porcini
PT	Portico
SK	Skyline
SM	Sonoma
TF	Truffle
WL	Willow
405	Designer White
462	Cinder
792	Sable
793	Acorn*

*Acorn is the finish complement to Clear Walnut finish

CASTERS

4-PRONG MOBILE AND 5-PRONG MOBILE

C40	Hard (standard)
C41	Soft (add $36 list)
C7O	Open (add $95 list)

GLIDES

4-PRONG MODELS

STD	Hard (standard)
C67	Soft (add $41 list)

4-LEG WOOD MODELS

STD	Hard (standard)
C69	Soft

BASE OPTIONS

4-PRONG MOBILE HIGH PROFILE POLISHED ALUMINUM



- Available in Black and Polished Aluminum
- 65mm black non-hooded casters - hard, soft, and open

5-PRONG MOBILE HIGH PROFILE POLISHED ALUMINUM, HEIGHT ADJUSTABLE



- Available in Black and Polished Aluminum
- 65mm black non-hooded casters - hard, soft, and open

4-LEG WOOD



- Wood legs available in all standard National finishes
- Metal accents available in Black and Polished Aluminum
- Polyethylene glides are standard

4-PRONG LOW PROFILE POLISHED ALUMINUM



- Available in Black and Polished Aluminum

4-PRONG HIGH PROFILE POLISHED ALUMINUM



- Available in Black and Polished Aluminum

VOLUTE

QD

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number (when applicable)
3. Shell Color
4. Base Paint
5. Glides / Casters

• See page 569 for Volute options

4-PRONG HIGH PROFILE STATIC



MODEL NO.			GRADE / LIST PRICE					
								Maharam Mode
			1	2	3	5	Gr C	
N46GU4HM	Upholstered Shell	$	1544	1590	1610	1681	1705	
N46GP4HM	Polypropylene Shell		1148					
QN46GP4HM	Polypropylene Shell		1148					

DIMENSIONS

Width	24½	Seat Height	17⅞	Arm Height	7⅞	Weight U	29
Depth	22½	Seat Depth	16½	Back Width	16⅝	Weight P	27
Height	32	Seat Width	16⅝	Back Height	17¼	Cubic Ft.	16.1

4-PRONG HIGH PROFILE MOBILE



								Maharam Mode
			1	2	3	5	Gr C	
N46GU4HMC	Upholstered Shell	$	1544	1590	1610	1681	1705	
N46GP4HMC	Polypropylene Shell		1148					
QN46GP4HMC	Polypropylene Shell		1148					

DIMENSIONS

Width	28¾	Seat Height	18½	Arm Height	7⅞	Weight U	29
Depth	28¾	Seat Depth	16	Back Width	16⅝	Weight P	27
Height	32¾	Seat Width	16⅝	Back Height	17⅞	Cubic Ft.	16.1

4-PRONG LOW PROFILE AUTO-RETURN STATIC



								Maharam Mode
			1	2	3	5	Gr C	
N46GU4LM	Upholstered Shell	$	1652	1698	1718	1789	1813	
N46GP4LM	Polypropylene Shell		1256					
QN46GP4LM	Polypropylene Shell		1256					

DIMENSIONS

Width	24½	Seat Height	17⅞	Arm Height	7⅞	Weight U	30
Depth	22½	Seat Depth	16½	Back Width	16⅝	Weight P	28
Height	31½	Seat Width	16⅝	Back Height	17¼	Cubic Ft.	16.1

VOLUTE

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number (when applicable)
3. Shell Color (when applicable)
4. Paint Color
5. Finish (when applicable)
6. Glides / Casters

• See page 569 for Volute options

5-PRONG HEIGHT ADJUSTABLE MOBILE



MODEL NO.			GRADE / LIST PRICE					
							Maharam Mode	
			1	2	3	5	Gr C	
N46GU5HMC	Upholstered Shell	$	1544	1590	1610	1681	1705	
N46GP5HMC	Polypropylene Shell		1148					
QN46GP5HMC	Polypropylene Shell		1148					

DIMENSIONS

Width	24½	Seat Height	16⅝-21⅛	Arm Height	7⅞	Weight U	31
Depth	24½	Seat Depth	16½	Back Width	16⅝	Weight P	29
Height	35¾	Seat Width	16⅜	Back Height	17¼	Cubic Ft.	16.1

4-LEG WOOD

							Maharam Mode	
			1	2	3	5	Gr C	
N46GU4W	Upholstered Shell	$	1904	1950	1970	2041	2065	
N46GP4W	Polypropylene Shell		1473					
QN46GP4W	Polypropylene Shell		1473					

DIMENSIONS

Width	24¼	Seat Height	18¾	Arm Height	7⅞	Weight U	21
Depth	22½	Seat Depth	16½	Back Width	16⅝	Weight P	20
Height	33	Seat Width	16⅜	Back Height	17½	Cubic Ft.	16.1

VOLUTE

VORA

Product Specifications 574
Fabrics and Options 575
Product Pages 576
COM Yardage Requirements 578

VORA

VORA PRODUCT SPECIFICATIONS

SEAT CONSTRUCTION

- 2" of polyurethane foam covers a 12 mm cross-banded seat panel

BACK CONSTRUCTION

- Injection molded outer frame

MESH

- 100% Polyester

ARMS

- Encased uprights are made of reinforced glass filled nylon
- Height Adjustable arm adjusts in height with a push button to one of 8 positions with a 2¾" range

CONTROL

- Swivel tilt with one upright locking position
- Knee tilt with six locking positions

BASE AND CASTERS

- Black 50 mm 5-prong base features glass filled nylon
- Black, hard double wheel casters, which work on multiple surfaces, are standard
- Black, 50 mm soft double wheel casters are available on N54MM1ST, N54MM1KT, N54MM3ST, and N54MM3KT; upcharge applies to this option

STOOLS

- Non-tilt swivel control mechanism
- Height adjustable black nylon footring

FABRICS

Grade 1	Cali
	Entwine
	Input
	Melange
	Ridge
	Spark
	Vessel
	Zig Zag
Grade 2	Bliss
	Brilliant
	COM
	Dolce
	Dorset
	Intuition
	Orbit
	Phrase
	Pixie
	Sedona
	Stancil
	Strand
Grade 3	COL
	Silvertex
Grade 4	Connect Four
	Echo
	Masquerade
Grade 5	Mode
Grade 6	Essence/Ultraleather
Grade 7	Brisa
	Brisa Distressed
	Reef Pro
	Silica
	Silica Etch
	Tottori
Grade L7	Davenport
Grade L8	Florence

FRAME COLOR

BK Black

MESH COLORS

BK Black
GR Grey

TASK/STOOLS CASTERS

STD Hard (standard)
C2 Soft (add $36 list)

*Soft Caster option only available on select models

PACK

Ships KD or Assembled as specified by the model

VORA

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Mesh Color (when applicable)
3. Seat Fabric Grade / Cover Number
4. Caster

• See page 575 for Vora options

See page 578 for COM fabric yardage

BLACK MESH BACK BLACK SEAT HEIGHT ADJUSTABLE ARMS

48

MODEL NO.		GRADE / LIST PRICE	
N54BMM3ST	Swivel Tilt, Black Mesh, Black Seat	$	690
N54BMM3KT	Knee Tilt, Black Mesh, Black Seat		806

DIMENSIONS

Width	25⅜	Seat Height (KT)	17¾-21	Arm Height (KT)	24¼-30½	Weight (KT)	29.8
Depth	24¾	Seat Height (ST)	16¾-21	Arm Height (ST)	24⅝-31¾	Weight (ST)	26
Height (KT)	38-41½	Seat Depth	17⅜	Back Height	21	Cubic Ft. (KT)	5.1
Height (ST)	36¾-41	Seat Width	19½	Back Width	18¾	Cubic Ft. (ST)	4.5

- Specify model number only
- Ships KD, tool included

BLACK MESH BACK HEIGHT ADJUSTABLE ARMS

			1	2/COM	3/COL	4	5	6	7	L7	L8
N54AMM3ST	Swivel Tilt, Black Mesh	$	827	859	873	896	922	965	1022	1295	1382
QN54AMM3ST	Swivel Tilt, Black Mesh		827	859	873	896	922	965	1022		
N54AMM3KT	Knee Tilt, Black Mesh		945	977	991	1014	1040	1083	1140	1413	1500
QN54AMM3KT	Knee Tilt, Black Mesh		945	977	991	1014	1040	1083	1140		

DIMENSIONS

Width	25⅜	Seat Height (KT)	17¾-21	Arm Height (KT)	24¼-30½	Weight (KT)	29.8
Depth	24¾	Seat Height (ST)	16¾-21	Arm Height (ST)	24⅝-31¾	Weight (ST)	26
Height (KT)	38-41½	Seat Depth	17⅜	Back Height	21	Cubic Ft. (KT)	5.1
Height (ST)	36¾-41	Seat Width	19½	Back Width	18¾	Cubic Ft. (ST)	4.5

- Personalize seat upholstery
- Caster option not available
- Ships KD, tool included

MESH BACK ARMLESS

			1	2/COM	3/COL	4	5	6	7	L7	L8
N54MM1ST	Swivel Tilt, Fully Assembled	$	869	901	915	938	964	1007	1064	1337	1424
N54MM1KT	Knee Tilt, Fully Assembled		990	1022	1036	1059	1085	1128	1185	1458	1545

DIMENSIONS

Width	25⅜	Seat Height (KT)	17¾-21	Back Height	21	Weight (KT)	35.8
Depth	24¾	Seat Height (ST)	16¾-21	Back Width	18¾	Weight (ST)	31.3
Height (KT)	38-41½	Seat Depth	17⅜			Cubic Ft. (KT)	15.3
Height (ST)	36¾-41	Seat Width	19½			Cubic Ft. (ST)	14.9

- Personalize mesh color and seat upholstery
- Ships fully assembled

MESH BACK HEIGHT ADJUSTABLE ARMS

			1	2/COM	3/COL	4	5	6	7	L7	L8
N54MM3ST	Swivel Tilt, Fully Assembled	$	937	969	983	1006	1032	1075	1132	1405	1492
N54MM3KT	Knee Tilt, Fully Assembled		1056	1088	1102	1125	1151	1194	1251	1524	1611

DIMENSIONS

Width	25⅜	Seat Height (KT)	17¾-21	Arm Height (KT)	24¼-30½	Weight (KT)	40.8
Depth	24¾	Seat Height (ST)	16¾-21	Arm Height (ST)	24⅝-31¾	Weight (ST)	36.3
Height (KT)	38-41½	Seat Depth	17⅜	Back Height	21	Cubic Ft. (KT)	15.3
Height (ST)	36¾-41	Seat Width	19½	Back Width	18¾	Cubic Ft. (ST)	14.9

- Personalize mesh color and seat upholstery
- Ships fully assembled

TO ORDER, SPECIFY:

1. Model Number
2. Mesh Color
3. Seat Fabric Grade / Cover Number
4. Caster

• See page 575 for Vora options

See page 578 for COM fabric yardage

LOW STOOL MESH BACK



N54CM3ST

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
N54CM1ST	Armless	$	1077	1109	1123	1146	1172	1215	1272	1545	1632
N54CM3ST	Height Adjustable Arms		1145	1177	1191	1214	1240	1283	1340	1613	1700

DIMENSIONS

Width	26	Seat Height	19¼-27	Arm Height	27-37½	Armless Weight	39
Depth	25¼	Seat Depth	17⅜	Back Height	21¼	Arms Weight	42
Height	38⅞-46½	Seat Width	19½	Back Width	18¾	Armless Cubic Ft.	15.3
						Arms Cubic Ft.	15.3

- Personalize mesh color and seat upholstery
- Ships fully assembled

HIGH STOOL MESH BACK

N54SM3ST

			1	2/COM	3/COL	4	5	6	7	L7	L8
N54SM1ST	Armless	$	1077	1109	1123	1146	1172	1215	1272	1545	1632
N54SM3ST	Height Adjustable Arms		1145	1177	1191	1214	1240	1283	1340	1613	1700

DIMENSIONS

Width	26	Seat Height	22¾-32½	Arm Height	33-44	Armless Weight	39
Depth	25¼	Seat Depth	17⅜	Back Height	21¼	Arms Weight	42
Height	43⅛-53⅛	Seat Width	19½	Back Width	18¾	Armless Cubic Ft.	18.9
						Arms Cubic Ft.	18.9

- Personalize mesh color and seat upholstery
- Ships fully assembled

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
N54AMM3KT, N54AMM3ST, N54AMM3KT, N54CM1ST, N54CM3ST, N54MM1ST, N54MM1KT, N54MM3ST, N54MM3KT, N54SM1ST, N54SM3ST		0.89	1.25	1.50	1.50	17.71

WEITZ

Product Specifications 580
Fabrics and Options 581
Product Pages 582
COM Yardage Requirements 583

WEITZ

WEITZ PRODUCT SPECIFICATIONS



SEAT CONSTRUCTION

- Upholstered seat cushion
- High grade polyurethane foam covers an injection molded nylon seat panel

BASE

- Black injection molded nylon circular base
- Six plastic feet clipped to bottom of base

LEATHER HANDLE

- 1" wide belt leather
- Dark brown leather handle is standard

FABRICS

Grade 1	Cali
	Entwine
	Input
	Melange
	Ridge
	Spark
	Vessel
	Zig Zag
Grade 2	Bliss
	Brilliant
	COM
	Dolce
	Dorset
	Intuition
	Orbit
	Phrase
	Pixie
	Sedona
	Stancil
	Strand
Grade 3	COL
	Silvertex
Grade 4	Connect Four
	Echo
	Masquerade
Grade 5	Mode
Grade 6	Essence/Ultraleather
Grade 7	Brisa
	Brisa Distressed
	Reef Pro
	Silica
	Silica Etch
	Tottori
Grade L7	Davenport
Grade L8	Florence

WEITZ

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade / Cover Number

• See page 581 for Weitz options
See page 583 for COM fabric yardage

WEITZ STOOL



MODEL NO.

GRADE / LIST PRICE

		1	2/COM	3/COL	4	5	6	7	L7	L8
N96S1	$	904	925	935	950	967	996	1034	1216	1274
QN96S1		904	925	935	950	967	996	1034		

DIMENSIONS

Width	15¾	Seat Diameter	12	Cushion Thickness	2	Weight	17
Height	22-32	Base Diameter	15¾			Cubic Ft.	3.7

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
N96S1	Complete	0.64	0.70	1.00	1.25	5.60

WEITZ

WELI

Product Specifications 586
Fabrics and Options 587
Contrasting Fabrics Specifications 588
Product Pages 589
Thought Starters 601
COM Yardage Requirements 602

WELI

WELI PRODUCT SPECIFICATIONS





SEAT CONSTRUCTION

- 2⅜" of high grade polyurethane foam covers a plywood seat panel
- Easy clean wipe out feature

FULLY UPHOLSTERED BACK CONSTRUCTION

- 2" of high grade polyurethane foam covers a plywood back panel

FRAME CONSTRUCTION

Guest Seating

- Frame is made from ¾" x 1½" 16-gauge rectangular tube steel
- End frames are joined with inert gas (MIG) welds
- All chairs meet 750 lb. weight capacity
- Wall saving design feature

Lounge

- Interior frame is constructed of plywood tenon joints that are glued and stapled for maximum joint stability
- The legs are screwed directly to the bottom panel of the arm
- All chairs meet 750 lb. weight capacity
- Wall saving design feature

CONTRASTING FABRIC

- Contrasting fabric available on all models

ARM CAPS

- Protective polyurethane is standard on all poly arm models; available in Cinder and Concrete
- Solid Surface is standard on all solid surface arm models; available in 9 colors

GLIDES

- Legs feature a 1" adjustable leveling glide
- Soft glides are available for an additional upcharge

FINISHES

- Cinder, Platinum Metallic, Satin Nickel Metallic, Concrete and Iron frames are finished with an electrostatic baked-on powder coat
- Can be cleaned with a damp cloth

TABLES

FRAME CONSTRUCTION

- Table frame is made from ⅞" x 1¼" 16-gauge elliptical tubular steel
- Cross members are made from ⅞" 16-gauge round tubular steel
- Cross members are joined to the U-bent side members with metal inert gas (MIG) welds

TOPS

- Laminate models feature a 1¼" laminate (HPL) top
- Solid Surface models available in Grades A, B, and C

POWER AND USB GROMMET – Lounge only

- Power grommets available; specify cutout option and order electrical grommet model separately
- See pages 85-86 for details and pricing

FABRICS

Grade 1	Cali
	Entwine
	Input
	Melange
	Ridge
	Spark
	Vessel
	Zig Zag
Grade 2	Bliss
	Brilliant
	COM
	Dolce
	Dorset
	Intuition
	Orbit
	Phrase
	Pixie
	Sedona
	Stancil
	Strand
Grade 3	COL
	Silvertex
Grade 4	Connect Four
	Echo
	Masquerade
Grade 5	Mode
Grade 6	Essence/Ultraleather
Grade 7	Brisa
	Brisa Distressed
	Reef Pro
	Silica
	Silica Etch
	Tottori
Grade L7	Davenport
Grade L8	Florence

LAMINATES

AC2	Autumn 2	NM	Natural
AD	Almond	PB	Portobello
BZ	Brazilwood	PC	Porcini
CI	Chai	PT	Portico
CL	Caramel	SK	Skyline
CW	Cordovan	SM	Sonoma
DW	Judicial	TF	Truffle
HN2	Honey 2	WL	Willow
IM	Brighton	405	Designer White
KN	Kona	462	Cinder
MC	Amber	792	Sable
MH	Mocha	793	Acorn*

*Acorn is the laminate complement to Clear Walnut finish

MOISTURE BARRIER

($152 upcharge per seat location)

X	No Moisture Barrier
MBS1	Moisture Barrier, 1 Seat
MBS2	Moisture Barrier, 2 Seat
MBS3	Moisture Barrier, 3 Seat

POLYURETHANE ARM CAP

423	Concrete
462	Cinder

GALLERY LAMINATE

Grade 1 – 5% upcharge

G1001	Citadel
G1011	Pepperdust

Grade 2 – 6% upcharge

G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

See page 21 for Gallery program details and upcharges

GLIDES

STD	Standard
C66	Soft (add $41 list)

POWER/USB GROMMET CUTOUT OPTIONS – Lounge Only

If no grommet cutout is desired, specify an X (No Grommet)

$40 list upcharge per cutout

CUT-G35L	Left
CUT-G35R	Right
CUT-G35LR	Left & Right
CUT-G35C	Center
CUT-G35A	Left, Right, & Center

Grommets sold separately; reference page 85 for model numbers and pricing.

SOLID SURFACE COLORS

7101	Bisque (Grade A)
7201	Glacier White (Grade A)
7202	Canyon (Grade B)
7203	Designer White (Grade B)
7204	Silt (Grade B)
7301	Concrete (Grade C)
7302	Deep Night Sky (Grade C)
7303	Deep Nocturne (Grade C)

FRAME COLOR

423	Concrete
462	Cinder
463	Iron
501	Platinum Metallic
503	Satin Nickel Metallic

TANDEM FRAME COLOR

463	Iron
501	Platinum Metallic

TO ORDER CONTRASTING FABRIC, SPECIFY

WELI
21" Guest Chair page 589
27" Guest Chair page 589
32" Guest Chair page 590
Armless Starter page 590
Arm Starter page 592
Armless Add-On page 592
Arm Add-On page 591
Armless End page 591
Arm End page 593
Three Seat Tandem page 593
Two Seat Tandem page 593
21" Easy Access Chair page 594
27" Easy Access Chair page 594
21" Patient Chair page 594
27" Patient Chair page 595
32" Patient Chair page 595
21" Rocker page 596
27" Rocker page 596
32" Rocker page 596
*Contrasting locations standard on all models



1. Model Number plus "X"
2. Back Fabric Grade Number/Cover Number
3. Seat Fabric Grade Number/Cover Number
4. Moisture Barrier
5. Arm Cap (when applicable)
6. Frame Color
7. Glides

WELI LOUNGE
1 Seat Lounge page 597
1 Seat Patient Lounge page 597
2 Seat Lounge page 597
3 Seat Lounge page 597
2 Seat Bench page 598
3 Seat Bench page 598
Ottoman page 598
*Contrasting locations standard on all models



1. Model Number plus "X"
2. Back Fabric Grade Number/Cover Number
3. Seat Fabric Grade Number/Cover Number
4. Arm Fabric Grade Number/Cover Number
5. Moisture Barrier
6. Grommet Cutout
7. Arm Cap (when applicable)
8. Frame Color
9. Glides

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Fabric Grade Cover
4. Moisture Barrier
5. Arm Cap (when applicable)
6. Frame Color
7. Glides

• See page 587 for Weli options

See pages 602-603 for COM fabric yardage

21" GUEST CHAIR



Armless



Arm

MODEL NO.

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N81GAM	Armless	$	1617	1670	1694	1733	1775	1847	1943	2397	2543
QN81GAM	Armless		1617	1670	1694	1733	1775	1847	1943		
N81GAAY	Arms, Poly		1646	1699	1723	1762	1804	1876	1972	2426	2572
QN81GAAY	Arms, Poly		1646	1699	1723	1762	1804	1876	1972		
N81GAAS	Arms, Gr A Solid Surface		2148	2201	2225	2264	2306	2378	2474	2928	3074

DIMENSIONS

Armless Width	24	Seat Height	19	Arm Height	25¾	Weight	42
Arm Width	24½	Seat Depth	19	Back Height	36¼	Arm Weight	47
Depth	27	Seat Width	21	Back Width	21	Cubic Ft.	21.1
Height	36¼						

- Contrasting fabric option - specify X; see page 588. For list pricing, use your electronic specification tool or contact customer service
- Solid surface available in Grades A, B, C. For Grades B and C list pricing, use your electronic specification tool or contact customer service
- Soft glide option available
- Guest chairs can be ganged together by using the chair ganging brackets on page 600; brackets are ordered separately

27" GUEST CHAIR



Armless



Arm

			1	2/COM	3/COL	4	5	6	7	L7	L8
N81GBM	Armless	$	1939	2027	2067	2132	2202	2322	2482	3239	3482
QN81GBM	Armless		1939	2027	2067	2132	2202	2322	2482		
N81GBAY	Arms, Poly		1973	2061	2101	2166	2236	2356	2516	3273	3516
QN81GBAY	Arms, Poly		1973	2061	2101	2166	2236	2356	2516		
N81GBAS	Arms, Gr A Solid Surface		2477	2565	2605	2670	2740	2860	3020	3777	4020

DIMENSIONS

Armless Width	30	Seat Height	19	Arm Height	25¾	Weight	48
Arm Width	30½	Seat Depth	19	Back Height	36¼	Arm Weight	53
Depth	27	Seat Width	27	Back Width	27	Cubic Ft.	25.5
Height	36¼						

- Contrasting fabric option - specify X; see page 588. For list pricing, use your electronic specification tool or contact customer service
- Solid surface available in Grades A, B, C. For Grades B and C list pricing, use your electronic specification tool or contact customer service
- Soft glide option available
- Guest chairs can be ganged together by using the chair ganging brackets on page 600; brackets are ordered separately

WELI

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Fabric Grade Cover
4. Moisture Barrier
5. Arm Cap (when applicable)
6. Frame Color
7. Glides

• See page 587 for Weli options

See pages 602-603 for COM fabric yardage

32" GUEST CHAIR



Armless



Arm

MODEL NO.

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N81GCM	Armless	$	2263	2351	2391	2456	2526	2646	2806	3563	3806
QN81GCM	Armless		2263	2351	2391	2456	2526	2646	2806		
N81GCAY	Arms, Poly		2303	2391	2431	2496	2566	2686	2846	3603	3846
QN81GCAY	Arms, Poly		2303	2391	2431	2496	2566	2686	2846		
N81GCAS	Arms, Gr A Solid Surface		2806	2894	2934	2999	3069	3189	3349	4106	4349

DIMENSIONS

Armless Width	35	Seat Height	19	Arm Height	25¾	Weight	54
Arm Width	35½	Seat Depth	19	Back Height	36¼	Arm Weight	59
Depth	27	Seat Width	32	Back Width	32	Cubic Ft.	29.1
Height	36¼						

- Contrasting fabric option - specify X; see page 588. For list pricing, use your electronic specification tool or contact customer service
- Solid surface available in Grades A, B, C. For Grades B and C list pricing, use your electronic specification tool or contact customer service
- Soft glide option available
- Guest chairs can be ganged together by using the chair ganging brackets on page 600; brackets are ordered separately

ARMLESS STARTER



			1	2/COM	3/COL	4	5	6	7	L7	L8
N81SAM	21" Starter, Armless	$	1810	1863	1887	1926	1968	2040	2136	2590	2736
N81SBM	27" Starter, Armless		2178	2266	2306	2371	2441	2561	2721	3478	3721
N81SCM	32" Starter, Armless		2547	2635	2675	2740	2810	2930	3090	3847	4090

DIMENSIONS

21" Width	24	Seat Height	19	Back Height	36¼	21" Weight	48
27" Width	30	Seat Depth	19	21" Back Width	21	27" Weight	55
32" Width	35	21" Seat Width	21	27" Back Width	27	32" Weight	61
Depth	27	27" Seat Width	27	32" Back Width	32	21" Cubic Ft	21.3
Height	36¼	32" Seat Width	32			27" Cubic Ft	25.6
						32" Cubic Ft	29.2

- Contrasting fabric option - specify X; see page 588. For list pricing, use your electronic specification tool or contact customer service
- Solid surface available in Grades A, B, C. For Grades B and C list pricing, use your electronic specification tool or contact customer service
- Soft glide option available
- When using ganging models, a "Starter" model must be used at the start of a run and an "End" model to end the run. "Add-on" models are used between the starter and end to add additional seats
- Ganging hardware is included

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Fabric Grade Cover
4. Moisture Barrier
5. Arm Cap (when applicable)
6. Frame Color
7. Glides

• See page 587 for Weli options

See pages 602-603 for COM fabric yardage

ARM ADD-ON



MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
N81AAEY	21" Add-On, Arm (1)	$	1610	1663	1687	1726	1768	1840	1936	2390	2536
N81AAES	21" Add-On, Arm (1), Gr A Solid Surface		1861	1914	1938	1977	2019	2091	2187	2641	2787
N81ABEY	27" Add-On, Arm (1)	$	1932	2020	2060	2125	2195	2315	2475	3232	3475
N81ABES	27" Add-On, Arm (1), Gr A Solid Surface		2182	2270	2310	2375	2445	2565	2725	3482	3725
N81ACEY	32" Add-On, Arm (1)	$	2253	2341	2381	2446	2516	2636	2796	3553	3796
N81ACES	32" Add-On, Arm (1), Gr A Solid Surface		2505	2593	2633	2698	2768	2888	3048	3805	4048

DIMENSIONS

21" Width	22½	Seat Height	19	Arm Height	25¾	21" Weight	53
27" Width	28½	Seat Depth	19	Back Height	36¼	27" Weight	60
32" Width	33½	21" Seat Width	21	21" Back Width	21	33" Weight	67
Depth	27	27" Seat Width	27	27" Back Width	27	21" Cubic Ft	18.1
Height	36¼	32" Seat Width	32	32" Back Width	32	27" Cubic Ft	21.9
						32" Cubic Ft	25.1

- Contrasting fabric option - specify X; see page 588. For list pricing, use your electronic specification tool or contact customer service
- Solid surface available in Grades A, B, C. For Grades B and C list pricing, use your electronic specification tool or contact customer service
- Soft glide option available
- When using ganging models, a "Starter" model must be used at the start of a run and an "End" model to end the run. "Add-on" models are used between the starter and end to add additional seats
- Ganging hardware is included

ARMLESS END



			1	2/COM	3/COL	4	5	6	7	L7	L8
N81EAM	21" End, Armless	$	1538	1591	1615	1654	1696	1768	1864	2318	2464
N81EBM	27" End, Armless		1844	1932	1972	2037	2107	2227	2387	3144	3387
N81ECM	32" End, Armless		2152	2240	2280	2345	2415	2535	2695	3452	3695

DIMENSIONS

21" Width	22½	Seat Height	19	Back Height	36¼	21" Weight	38
27" Width	28½	Seat Depth	19	21" Back Width	21	27" Weight	46
32" Width	33½	21" Seat Width	21	27" Back Width	27	32" Weight	53
Depth	27	27" Seat Width	27	32" Back Width	32	21" Cubic Ft	16.2
Height	36¼	32" Seat Width	32			27" Cubic Ft	20.0
						32" Cubic Ft	23.2

- Contrasting fabric option - specify X; see page 588. For list pricing, use your electronic specification tool or contact customer service
- Solid surface available in Grades A, B, C. For Grades B and C list pricing, use your electronic specification tool or contact customer service
- Soft glide option available
- When using ganging models, a "Starter" model must be used at the start of a run and an "End" model to end the run. "Add-on" models are used between the starter and end to add additional seats
- Ganging hardware is included

WELI

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Fabric Grade Cover
4. Moisture Barrier
5. Arm Cap (when applicable)
6. Frame Color
7. Glides

• See page 587 for Weli options

See pages 602-603 for COM fabric yardage

ARM STARTER



1 Arm at Start



2 Arms

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
N81SAEY	21" Starter, Arm (1 at Start), Poly	$	1810	1863	1887	1926	1968	2040	2136	2590	2736
N81SAAY	21" Starter, Arms (2), Poly		1838	1891	1915	1954	1996	2068	2164	2618	2764
N81SAES	21" Starter, Arm (1 at Start), Gr A Solid Surface		2063	2116	2140	2179	2221	2293	2389	2843	2989
N81SAAS	21" Starter, Arms (2), Gr A Solid Surface		2342	2395	2419	2458	2500	2572	2668	3122	3268
N81SBEY	27" Starter, Arm (1 at Start), Poly	$	2178	2266	2306	2371	2441	2561	2721	3478	3721
N81SBAY	27" Starter, Arms (2), Poly		2207	2295	2335	2400	2470	2590	2750	3507	3750
N81SBES	27" Starter, Arm (1 at Start) Gr A Solid Surface		2429	2517	2557	2622	2692	2812	2972	3729	3972
N81SBAS	27" Starter, Arms (2), Gr A Solid Surface		2708	2796	2836	2901	2971	3091	3251	4008	4251
N81SCEY	32" Starter, Arm (1 at Start), Poly	$	2547	2635	2675	2740	2810	2930	3090	3847	4090
N81SCAY	32" Starter, Arms (2), Poly		2575	2663	2703	2768	2838	2958	3118	3875	4118
N81SCES	32" Starter, Arm (1 at Start) Gr A Solid Surface		2797	2885	2925	2990	3060	3180	3340	4097	4340
N81SCAS	32" Starter, Arms (2), Gr A Solid Surface		3078	3166	3206	3271	3341	3461	3621	4378	4621

DIMENSIONS

21" Width	24	Seat Height	19	Arm Height	25¾	21" 1 Arm	45
27" Width	30	Seat Depth	19	Back Height	36¼	21" 2 Arm	53
32" Width	35	21" Seat Width	21	21" Back Width	21	27" 1 Arm	52
Depth	27	27" Seat Width	27	27" Back Width	27	27" 2 Arm	60
Height	36¼	32" Seat Width	32	32" Back Width	32	32" 1 Arm	58
						32" 2 Arm	66
						21" Cubic Ft	21.3
						27" Cubic Ft	25.6
						32" Cubic Ft	29.2

- Contrasting fabric option - specify X; see page 588. For list pricing, use your electronic specification tool or contact customer service
- Solid surface available in Grades A, B, C. For Grades B and C list pricing, use your electronic specification tool or contact customer service
- Soft glide option available
- When using ganging models, a "Starter" model must be used at the start of a run and an "End" model to end the run. "Add-on" models are used between the starter and end to add additional seats
- Ganging hardware is included

ARMLESS ADD-ON



			1	2/COM	3/COL	4	5	6	7	L7	L8
N81AAM	21" Add-On, Armless	$	1610	1663	1687	1726	1768	1840	1936	2390	2536
N81ABM	27" Add-On, Armless		1932	2020	2060	2125	2195	2315	2475	3232	3475
N81ACM	32" Add-On, Armless		2253	2341	2381	2446	2516	2636	2796	3553	3796

DIMENSIONS

21" Width	22½	Seat Height	19	Back Height	36¼	21" Armless	48
27" Width	28½	Seat Depth	19	21" Back Width	21	27" Armless	55
32" Width	33½	21" Seat Width	21	27" Back Width	27	32" Armless	62
Depth	27	27" Seat Width	27	32" Back Width	32	21" Cubic Ft	18.1
Height	36¼	32" Seat Width	32			27" Cubic Ft	21.9
						32" Cubic Ft	25.1

- Contrasting fabric option - specify X; see page 588. For list pricing, use your electronic specification tool or contact customer service
- Solid surface available in Grades A, B, C. For Grades B and C list pricing, use your electronic specification tool or contact customer service
- Soft glide option available
- When using ganging models, a "Starter" model must be used at the start of a run and an "End" model to end the run. "Add-on" models are used between the starter and end to add additional seats
- Ganging hardware is included

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Fabric Grade Cover
4. Moisture Barrier
5. Arm Cap (when applicable)
6. Frame Color
7. Glides

• See page 587 for Weli options

See pages 602-603 for COM fabric yardage

ARM END



MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
N81EAEY	21" End, Arm (1 at End), Poly	$	1538	1591	1615	1654	1696	1768	1864	2318	2464
N81EAES	21" End, Arm (1 at End), Gr A Solid Surface		1789	1842	1866	1905	1947	2019	2115	2569	2715
N81EBEY	27" End, Arm (1 at End), Poly	$	1844	1932	1972	2037	2107	2227	2387	3144	3387
N81EBES	27" End, Arm (1 at End), Gr A Solid Surface		2097	2185	2225	2290	2360	2480	2640	3397	3640
N81ECEY	32" End, Arm (1 at End), Poly	$	2152	2240	2280	2345	2415	2535	2695	3452	3695
N81ECES	32" End, Arm (1 at End), Gr A Solid Surface		2405	2493	2533	2598	2668	2788	2948	3705	3948

DIMENSIONS

21" Width	22½	Seat Height	19	Arm Height	25¾	21" Weight	43
27" Width	28½	Seat Depth	19	Back Height	36¼	27" Weight	51
32" Width	33½	21" Seat Width	21	21" Back Width	21	32" Weight	58
Depth	27	27" Seat Width	27	27" Back Width	27	21" Cubic Ft	16.2
Height	36¼	32" Seat Width	32	32" Back Width	32	27" Cubic Ft	20.0
						32" Cubic Ft	23.2

- Contrasting fabric option - specify X; see page 588. For list pricing, use your electronic specification tool or contact customer service
- Solid surface available in Grades A, B, C. For Grades B and C list pricing, use your electronic specification tool or contact customer service
- Soft glide option available
- When using ganging models, a "Starter" model must be used at the start of a run and an "End" model to end the run. "Add-on" models are used between the starter and end to add additional seats
- Ganging hardware is included

THREE SEAT TANDEM



			1	2/COM	3/COL	4	5	6	7	L7	L8
N81T3ACY	Arms and No Center Legs, Poly	$	5348	5495	5562	5671	5789	5991	6259	7532	7939
N81T3ACS	Arms and No Center Legs, Gr A Solid Surface		6354	6501	6568	6677	6795	6997	7265	8538	8945

DIMENSIONS

Width	69½	Seat Height	19	Arm Height	25¾	Weight	128
Depth	27	Seat Depth	19	Back Height	36¼	Cubic Ft.	45.1
Height	36¼	Seat Width	21	Back Width	21		

- Contrasting fabric option - specify X; see page 588. For list pricing, use your electronic specification tool or contact customer service
- Solid surface available in Grades A, B, C. For Grades B and C list pricing, use your electronic specification tool or contact customer service
- Soft glide option available
- Frame color available in 463 Iron and 501 Platinum Metallic

TWO SEAT TANDEM



			1	2/COM	3/COL	4	5	6	7	L7	L8
N81T2ACY	Arms and No Center Legs, Poly	$	3619	3721	3767	3842	3924	4063	4248	5127	5408
N81T2ACS	Arms and No Center Legs, Gr A Solid Surface		4375	4477	4523	4598	4680	4819	5004	5883	6164

DIMENSIONS

Width	47	Seat Height	19	Arm Height	25¾	Weight	90
Depth	27	Seat Depth	19	Back Height	36¼	Cubic Ft.	30.8
Height	36¼	Seat Width	21	Back Width	21		

- Contrasting fabric option - specify X; see page 588. For list pricing, use your electronic specification tool or contact customer service
- Solid surface available in Grades A, B, C. For Grades B and C list pricing, use your electronic specification tool or contact customer service
- Soft glide option available
- Frame color available in 463 Iron and 501 Platinum Metallic

WELI

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Fabric Grade Cover
4. Moisture Barrier
5. Arm Cap (when applicable)
6. Frame Color
7. Glides

• See page 587 for Weli options

See pages 602-603 for COM fabric yardage

21" EASY ACCESS CHAIR



MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
N81HAAY	Arms, Poly	$	2586	2639	2663	2702	2744	2816	2912	3366	3512
N81HAAS	Arms, Gr A Solid Surface		3088	3141	3165	3204	3246	3318	3414	3868	4014

DIMENSIONS

Width	24	Seat Height	25½	Arm Height	31¾	Weight	55
Depth	27	Seat Depth	19	Back Height	42¼	Cubic Ft.	24.3
Height	42¼	Seat Width	21	Back Width	21		

- Contrasting fabric option - specify X; see page 588. For list pricing, use your electronic specification tool or contact customer service
- Solid surface available in Grades A, B, C. For Grades B and C list pricing, use your electronic specification tool or contact customer service
- Soft glide option available

27" EASY ACCESS CHAIR



			1	2/COM	3/COL	4	5	6	7	L7	L8
N81HBAY	Arms, Poly	$	2873	2961	3001	3066	3136	3256	3416	4173	4416
N81HBAS	Arms, Gr A Solid Surface		3376	3464	3504	3569	3639	3759	3919	4676	4919

DIMENSIONS

Width	30	Seat Height	25½	Arm Height	31¾	Weight	61
Depth	27	Seat Depth	19	Back Height	42¼	Cubic Ft.	29.3
Height	42¼	Seat Width	27	Back Width	27		

- Contrasting fabric option - specify X; see page 588. For list pricing, use your electronic specification tool or contact customer service
- Solid surface available in Grades A, B, C. For Grades B and C list pricing, use your electronic specification tool or contact customer service
- Soft glide option available

21" PATIENT CHAIR



Armless



Arm

			1	2/COM	3/COL	4	5	6	7	L7	L8
N81PAM	Armless	$	1982	2042	2069	2113	2161	2242	2351	2866	3031
N81PAAY	Arms, Poly		2012	2072	2099	2143	2191	2272	2381	2896	3061
N81PAAS	Arms, Gr A Solid Surface		2515	2575	2602	2646	2694	2775	2884	3399	3564

DIMENSIONS

Width	24	Seat Height	19	Arm Height	25¾	Armless Weight	46
Depth	27	Seat Depth	19	Back Height	45	Arm Weight	51
Height	45	Seat Width	21	Back Width	21	Cubic Ft.	25.9

- Contrasting fabric option - specify X; see page 588. For list pricing, use your electronic specification tool or contact customer service
- Solid surface available in Grades A, B, C. For Grades B and C list pricing, use your electronic specification tool or contact customer service
- Soft glide option available

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Fabric Grade Cover
4. Moisture Barrier
5. Arm Cap (when applicable)
6. Frame Color
7. Glides

• See page 587 for Weli options

See pages 602-603 for COM fabric yardage

27" PATIENT CHAIR



Armless



Arm

MODEL NO.

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N81PBM	Armless	$	2379	2470	2512	2579	2652	2777	2943	3731	3983
N81PBAY	Arms, Poly		2413	2504	2546	2613	2686	2811	2977	3765	4017
N81PBAS	Arms, Gr A Solid Surface		2916	3007	3049	3116	3189	3314	3480	4268	4520

DIMENSIONS

Width	30	Seat Height	19	Arm Height	25¾	Armless Weight	52
Depth	27	Seat Depth	19	Back Height	45	Arm Weight	57
Height	45	Seat Width	27	Back Width	27	Cubic Ft.	31.3

- Contrasting fabric option - specify X; see page 588. For list pricing, use your electronic specification tool or contact customer service
- Solid surface available in Grades A, B, C. For Grades B and C list pricing, use your electronic specification tool or contact customer service
- Soft glide option available

32" PATIENT CHAIR



Armless



Arm

			1	2/COM	3/COL	4	5	6	7	L7	L8
N81PCM	Armless	$	2774	2879	2927	3005	3089	3233	3425	4334	4625
N81PCAY	Arms, Poly		2816	2921	2969	3047	3131	3275	3467	4376	4667
N81PCAS	Arms, Gr A Solid Surface		3318	3423	3471	3549	3633	3777	3969	4878	5169

DIMENSIONS

Width	35	Seat Height	19	Arm Height	25¾	Armless Weight	58
Depth	27	Seat Depth	19	Back Height	45	Arm Weight	63
Height	45	Seat Width	32	Back Width	32	Cubic Ft.	35.7

- Contrasting fabric option - specify X; see page 588. For list pricing, use your electronic specification tool or contact customer service
- Solid surface available in Grades A, B, C. For Grades B and C list pricing, use your electronic specification tool or contact customer service
- Soft glide option available

WELI

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Fabric Grade Cover
4. Moisture Barrier
5. Arm Cap (when applicable)
6. Frame Color

• See page 587 for Weli options

See pages 602-603 for COM fabric yardage

21" ROCKER



MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
N81RAAY	Arms, Poly	$	2586	2639	2663	2702	2744	2816	2912	3366	3512
N81RAAS	Arms, Gr A Solid Surface		3088	3141	3165	3204	3246	3318	3414	3868	4014

DIMENSIONS

Width	24	Seat Height	18	Arm Height	25¾	Weight	49
Depth	27	Seat Depth	19	Back Height	34⅞	Cubic Ft.	21.1
Height	34⅞	Seat Width	21	Back Width	27		

• Contrasting fabric option - specify X; see page 588. For list pricing, use your electronic specification tool or contact customer service
• Solid surface available in Grades A, B, C. For Grades B and C list pricing, use your electronic specification tool or contact customer service

27" ROCKER



			1	2/COM	3/COL	4	5	6	7	L7	L8
N81RBAY	Arms, Poly	$	2873	2961	3001	3066	3136	3256	3416	4173	4416
N81RBAS	Arms, Gr A Solid Surface		3376	3464	3504	3569	3639	3759	3919	4676	4919

DIMENSIONS

Width	30	Seat Height	18	Arm Height	25¾	Weight	54
Depth	27	Seat Depth	19	Back Height	34⅞	Cubic Ft.	25.5
Height	34⅞	Seat Width	27	Back Width	27		

• Contrasting fabric option - specify X; see page 588. For list pricing, use your electronic specification tool or contact customer service
• Solid surface available in Grades A, B, C. For Grades B and C list pricing, use your electronic specification tool or contact customer service

32" ROCKER



			1	2/COM	3/COL	4	5	6	7	L7	L8
N81RCAY	Arms, Poly	$	3017	3105	3145	3210	3280	3400	3560	4317	4560
N81RCAS	Arms, Gr A Solid Surface		3520	3608	3648	3713	3783	3903	4063	4820	5063

DIMENSIONS

Width	35	Seat Height	18	Arm Height	25¾	Weight	59
Depth	27	Seat Depth	19	Back Height	34⅞	Cubic Ft.	29.1
Height	34⅞	Seat Width	32	Back Width	32		

• Contrasting fabric option - specify X; see page 588. For list pricing, use your electronic specification tool or contact customer service
• Solid surface available in Grades A, B, C. For Grades B and C list pricing, use your electronic specification tool or contact customer service

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Fabric Grade Cover
4. Moisture Barrier
5. Grommet Cutout
6. Arm Cap (when applicable)
7. Frame Color
8. Glides

• See page 587 for Weli options

See pages 602-603 for COM fabric yardage

1 SEAT LOUNGE



MODEL NO. | **GRADE / LIST PRICE**

			1	2/COM	3/COL	4	5	6	7	L7	L8
N81L1AAY	1 Seat Lounge, Poly Arms	$	2729	2848	2902	2991	3086	3249	3467	4497	4827
N81L1AAS	1 Seat Lounge, Gr A Solid Surface		3232	3351	3405	3494	3589	3752	3970	5000	5330

DIMENSIONS

Width	29	Seat Height	19	Arm Height	25¾	Weight 84.4
Depth	29⅛	Seat Depth	19	Back Height	35½	Cubic Ft. 21.0
Height	35½	Seat Width	21	Back Width	21	

• Solid surface available in Grades A, B, C. For Grades B and C list pricing, use your electronic specification tool or contact customer service

1 SEAT PATIENT LOUNGE



			1	2/COM	3/COL	4	5	6	7	L7	L8
N81LP1AAY	1 Seat Patient Lounge, Poly Arms	$	3002	3135	3196	3295	3401	3583	3827	4978	5347
N81LP1AAS	1 Seat Patient Lounge, Gr A Solid Surface		3505	3638	3699	3798	3904	4086	4330	5481	5850

DIMENSIONS

Width	29	Seat Height	19	Arm Height	25¾	Weight 95.5
Depth	29⅛	Seat Depth	19	Back Height	44¼	Cubic Ft. 25.6
Height	44¼	Seat Width	21	Back Width	21	

• Solid surface available in Grades A, B, C. For Grades B and C list pricing, use your electronic specification tool or contact customer service

2 SEAT LOUNGE



			1	2/COM	3/COL	4	5	6	7	L7	L8
N81L2AAY	2 Seat Lounge, Poly Arms	$	3548	3713	3788	3910	4042	4267	4568	5992	6448
N81L2AAS	2 Seat Lounge, Gr A Solid Surface		4048	4213	4288	4410	4542	4767	5068	6492	6948

DIMENSIONS

Width	50	Seat Height	19	Arm Height	25¾	Weight 122.8
Depth	29⅛	Seat Depth	19	Back Height	35½	Cubic Ft. 35.5
Height	35½	Seat Width	42	Back Width	42	

• Solid surface available in Grades A, B, C. For Grades B and C list pricing, use your electronic specification tool or contact customer service

3 SEAT LOUNGE



			1	2/COM	3/COL	4	5	6	7	L7	L8
N81L3AAY	3 Seat Lounge, Poly Arms	$	4444	4658	4755	4914	5085	5377	5768	7616	8208
N81L3AAS	3 Seat Lounge, Gr A Solid Surface		4947	5161	5258	5417	5588	5880	6271	8119	8711

DIMENSIONS

Width	71	Seat Height	19	Arm Height	25¾	Weight 144.4
Depth	29⅛	Seat Depth	19	Back Height	35½	Cubic Ft. 50.0
Height	35½	Seat Width	63	Back Width	63	

• Solid surface available in Grades A, B, C. For Grades B and C list pricing, use your electronic specification tool or contact customer service

ELECTRICAL KIT SPECIFICATION GUIDE

Large Model	Power Component Requirement
1 Seat	1 Power Infeed + Grommet
2 Seat (1 or 2 grommet)	1 Power Infeed + Grommet(s)
3 Seat (1 grommet)	1 Power Infeed + Grommet
3 Seat (2 or 3 grommets)	NACEL4KTA1 + Grommets

See page 85 for details and pricing

WELI

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number
3. Fabric Grade Cover
4. Moisture Barrier
5. Grommet Cutout
6. Frame Color
7. Glides

• See page 587 for Weli options

See pages 602-603 for COM fabric yardage

2 SEAT BENCH



MODEL NO. | **GRADE / LIST PRICE**

			1	2/COM	3/COL	4	5	6	7	L7	L8
N81B2M	2 Seat Bench	$	1726	1789	1818	1865	1915	2001	2117	2662	2837

DIMENSIONS

Width	42½	Seat Height	20	Weight	92.4
Depth	25	Seat Depth	20½	Cubic Ft.	17.5
Height	20½				

3 SEAT BENCH



			1	2/COM	3/COL	4	5	6	7	L7	L8
N81B3M	3 Seat Bench	$	2305	2410	2458	2536	2620	2764	2956	3865	4156

DIMENSIONS

Width	63¾	Seat Height	20	Weight	103.5
Depth	25	Seat Depth	20½	Cubic Ft.	25.9
Height	20½				

OTTOMAN



			1	2/COM	3/COL	4	5	6	7	L7	L8
N81D1A	Ottoman	$	1148	1187	1204	1233	1264	1316	1387	1720	1827

DIMENSIONS

Width	21	Seat Height	20	Weight	25.1
Depth	18	Seat Depth	20½	Cubic Ft.	5.7
Height	18½				

TO ORDER, SPECIFY:

1. Model Number
2. Laminate/Solid Surface
3. Paint
4. Glides

- See page 587 for Weli options
- Ganging hardware included with ganging tables

OVAL TABLE

MODEL NO.		GRADE / LIST PRICE	GRADE A	GRADE B	GRADE C
N81T2448MGOL	24 x 48, Laminate	$	2426		
N81T2448MGOS	24 x 48, Solid Surface		3862	4150	4542

DIMENSIONS

Width	24	Laminate Weight	24
Depth	48	Solid Surface Weight	34
Height	16¼	Cubic Ft.	6.5

FREESTANDING TABLE

			GRADE A	GRADE B	GRADE C
N81T2424ENL	24 x 24, Laminate	$	1652		
N81T2424ENS	24 x 24, Solid Surface		2873	3024	3230

DIMENSIONS

Width	24½	Laminate Weight	24
Depth	25¾	Solid Surface Weight	34
Height	16¼	Cubic Ft.	3.6

90 DEGREE ROUNDED CORNER FREESTANDING TABLE



			GRADE A	GRADE B	GRADE C
N81T3636CNL	Laminate	$	2426		
N81T3636CNS	Solid Surface		3862	4215	4695

DIMENSIONS

Width	38⅛	Laminate Weight	35
Depth	38⅛	Solid Surface Weight	49
Height	16¼	Cubic Ft.	7.4

90 DEGREE ROUNDED CORNER GANGING CENTER TABLE



			GRADE A	GRADE B	GRADE C
N81T36CL	Laminate	$	2300		
N81T36CS	Solid Surface		3736	4089	4569

DIMENSIONS

Width	38⅛	Laminate Weight	29
Depth	38⅛	Solid Surface Weight	43
Height	16¼	Cubic Ft.	6.1

WELI

TO ORDER, SPECIFY:

1. Model Number
2. Laminate/Solid Surface
3. Paint
4. Glides

- See page 587 for Weli options
- Ganging hardware included with ganging tables

GANGING CENTER TABLE

MODEL NO.		GRADE / LIST PRICE			
			GRADE A	GRADE B	GRADE C
24 X 12					
N81T12CL	24 x 12, Laminate	$	1423		
N81T12CS	24 x 12, Solid Surface		2428	2504	2607
24 X 24					
N81T24CL	24 x 24, Laminate	$	1517		
N81T24CS	24 x 24, Solid Surface		2738	2889	3095

DIMENSIONS - 24 X 12

Width	12¼	Weight	9
Depth	25¾	Laminate Cubic Ft	0.8
Height	16¼	Cubic Ft.	1.4

DIMENSIONS - 24 X 24

Width	24½	Weight	18
Depth	25¾	Cubic Ft.	1.4
Height	16¼		

GANGING END TABLE

			GRADE A	GRADE B	GRADE C
24 X 12					
N81T12EL	24 x 12, Laminate	$	1465		
N81T12ES	24 x 12, Solid Surface		2472	2548	2651
24 X 24					
N81T24EL	24 x 24, Laminate	$	1560		
N81T24ES	24 x 24, Solid Surface		2782	2933	3139

DIMENSIONS - 24 X 12

Width	12¼	Weight	12
Depth	25¾	Cubic Ft.	2.1
Height	16¼		

DIMENSIONS - 24 X 24

Width	24½	Weight	21
Depth	25¾	Cubic Ft.	3.6
Height	16¼		

CHAIR GANGING BRACKET





N81BKT1		$	101

DIMENSIONS

Weight	1
Cubic Ft.	0.1

- Ganging brackets are used to gang guest chairs together

WELI THOUGHT STARTERS

- When using ganging models (starter, add-on, end), a starter must always start the run and the end model ends the run. Add-on models are used between the starter and end to add additional seats. Any seat size or arm combination can be ganged together. Ganging hardware is included with the starter, add-on, end, and table models.



2) N81SAAY 21" Starter, Arms Poly (2)
4) N81AAEY 21" Add-On, Arm Poly (1)
2) N81EAEY 21" End, Arm Poly (1)
4) N81T12EL Table, 24x12, Laminate Ganging End



4) N81SAAY 21" Starter, Arms Poly (2)
4) N81EAEY 21" End, Arm Poly (1)
6) N81T12EL Table, 24x12, Laminate Ganging End



2) N81GCAY 32" Guest Chair, Arms Poly
2) N81T36CL Table, 90° Rounded Corner, Laminate Ganging Center
1) N81SAAY 21" Starter, Arms Poly (2)
1) N81AAEY 21" Add-On, Arm Poly (1)
1) N81EAEY 21" End, Arm Poly (1)



2) N81GCAY 32" Guest Chair, Arms Poly
2) N81T36CL Table, 90° Rounded Corner, Laminate Ganging Center
1) N81SAAY 21" Starter, Arms Poly (2)
1) N81AAEY 21" Add-On, Arm Poly (1)
1) N81EAEY 21" End, Arm Poly (1)

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
N81AAES, N81AAEY, N81AAM, N81EAES, N81EAEY, N81EAM, N81GAAS, N81GAAY, N81GAM, N81HAAS, N81HAAY, N81RAAS, N81RAAY, N81SAAS, N81SAAY, N81SAES, N81SAEY, N81SAM, QN81GAAY, QN81GAM	Upholstery	1.50	1.90	3.20	4.70	27.3
N81AAESX, N81AAEYX, N81AAMX, N81EAESX, N81EAEYX, N81EAMX, N81GAASX, N81GAAYX, N81GAMX, N81HAASX, N81HAAYX, N81RAASX, N81RAAYX, N81SAASX, N81SAAYX, N81SAESX, N81SAEYX, N81SAMX,	Back	1.00	1.40	2.30	2.90	17.9
QN81GAAYX, QN81GAMX	Seat	1.00	1.20	1.80	2.70	17.9
N81PAAS, N81PAAY, N81PAM	Upholstery	1.70	2.40	3.70	4.70	32.2
N81PAASX, N81PAAYX,	Back	1.20	1.70	2.80	3.30	22.2
N81PAMX	Seat	1.00	1.20	1.80	2.70	17.9
N81T2ACS, N81T2ACY	Upholstery	2.90	3.50	6.60	8.70	54.4
N81T2ACSX, N81T2ACYX	Back	1.80	2.40	4.50	4.90	32.8
	Seat	1.40	1.50	2.40	4.70	24.5
N81T3ACS, N81T3ACY	Upholstery	4.20	5.30	9.70	12.70	82.1
N81T3ACSX, N81T3ACYX	Back	2.70	3.40	6.60	6.90	50.1
	Seat	2.00	2.30	3.30	6.70	37.8
N81ABES, N81ABEY, N81ABM, N81EBES, N81EBEY, N81EBM, N81GBAS, N81GBAY, N81GBM, N81HBAS, N81HBAY, N81RBAS, N81RBAY, N81SBAS, N81SBAY, N81SBES, N81SBEY, N81SBM, QN81GBAY, QN81GBM	Upholstery	2.50	2.80	3.50	4.70	47.7
N81ABESX, N81ABEYX, N81ABMX, N81EBESX, N81EBEYX, N81EBMX, N81GBASX, N81GBAYX, N81GBMX, N81HBASX, N81HBAYX, N81RBASX, N81RBAYX, N81SBASX, N81SBAYX, N81SBESX, N81SBEYX, N81SBMX,	Back	1.60	1.70	2.40	2.90	30
QN81GBAYX, QN81GBMX	Seat	1.00	1.30	1.70	2.70	17.9
N81PBAS, N81PBAY, N81PBM	Upholstery	2.60	3.30	4.10	4.70	50.1
N81PBASX, N81PBAYX,	Back	1.80	2.30	3.10	3.40	32.2
N81PBMX	Seat	1.00	1.30	1.70	2.70	17.9
N81ACES, N81ACEY, N81ACM, N81ECES, N81ECEY, N81ECM, N81GCAS, N81GCAY, N81GCM, N81RCAS, N81RCAY, N81SCAS, N81SCAY, N81SCES, N81SCEY, N81SCM, QN81GCAY, QN81GCM	Upholstery	2.50	3.00	3.50	4.70	47.7
N81ACESX, N81ACEYX, N81ACMX, N81ECESX, N81ECEYX, N81ECMX, N81GCASX, N81GCAYX, N81GCMX, N81RCASX, N81RCAYX, N81SCASX, N81SCAYX, N81SCESX, N81SCEYX, N81SCMX,	Back	1.60	1.80	2.40	3.30	30.0
QN81GCAYX, QN81GCMX	Seat	1.00	1.30	1.70	2.70	17.9

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
N81PCAS, N81PCAY, N81PCM	Upholstery	3.00	3.50	4.50	4.80	57.2
N81PCASX, N81PCAYX,	Back	2.10	2.50	3.10	3.80	39.4
N81PCMX	Seat	1.00	1.30	1.70	2.70	17.9
N81LP1AAY	Complete	3.80	4.80	6.80	8.80	72.1
N81LP1AAYX	Back		2.00	2.50	3.80	25.6
	Seat		1.10	1.90	2.20	17.3
	Arms		2.70	3.80	4.40	42.2
N81L1AAY	Complete	3.40	4.60	6.00	7.40	66.0
N81L1AAYX	Back		1.70	2.10	3.00	23.3
	Seat		1.10	1.90	3.20	17.3
	Arms		2.70	3.80	4.40	42.2
N81L2AAY	Complete	4.70	5.50	9.10	11.90	90.9
N81L2AAYX	Back		2.50	3.90	6.00	38.3
	Seat		1.60	3.20	4.70	26.1
	Arms		2.70	3.80	4.40	42.2
N81L3AAY	Complete	6.10	7.60	10.50	11.00	118.5
N81L3AAYX	Back		3.40	4.80	5.40	18.2
	Seat		2.20	3.50	4.20	38.9
	Arms		2.70	3.80	4.40	42.2
N81D1A	Complete	1.20	1.30	1.50	2.70	20.1
N81B2M	Complete	1.80	2.00	4.10	4.80	32.8
N81B3M	Complete	2.70	2.90	4.10	6.30	51.6

WELI

WHIRL

Product Specifications 620
Fabrics and Options 621
Contrasting Fabrics Specifications 622
Product Pages 623
COM Yardage Requirements 635

WHIRL PRODUCT SPECIFICATIONS



FRAME CONSTRUCTION—GUEST MODELS

- Legs and cross member are made of 1" tubular steel
- Available in Cinder powder coat or chrome
- Static models feature durable hard black nylon glides are standard
- Mobile models feature black, hard double wheel casters, which work on multiple surfaces

SEAT CONSTRUCTION

- Task models feature 3" of polyurethane foam covers a 12 mm cross-banded seat panel
- Guest models feature 1½" of polyurethane foam covers a 12 mm cross-banded seat panel

BACK CONSTRUCTION
Mesh Back

- Injection molded outer frame
- 65% Elastomer (Hytrel) Nylon + 35% Polyester

Upholstered Back

- Injection molded polypropylene inner and outer back panels
- Task back features 1½" custom molded polyurethane foam
- Guest back features 1" custom molded polyurethane foam
- Back Rest
  - Back height can be adjusted by simply lifting up on the back
  - Adjusts 6 positions within a range of approximately 2¾"

LUMBAR

- Mesh back models feature a 5" tall lumbar with 4" of adjustability



ARMS

- Encased uprights are made of reinforced glass filled nylon
- Static arm uprights are made of reinforced glass filled nylon with arm pads made from soft polyurethane
- Height adjustable arm adjusts in height with a push button to one of 7 positions with a 2¾" range
- 4D arms have arm pads that adjust in depth, width, pivot, and arm height adjustment all with the touch of a button
  - Arm height range 2¾", 7 positions (outside button)
  - Front to rear adjustment range 2⅜" (outside button)
  - Arm pad width adjustment range ¾" (inside button)
  - Arm pad pivot adjustment range 40° (inside button)
- Conference Arm
  - Die cast polished aluminum
  - Arm pads are soft black polyurethane
- Guest arms are black glass filled polypropylene

CONTROL MECHANISM—3 POSITION LOCK SYNCHRO

- 5 positions available in the seat slide depth adjustment range of 2"
- Synchronous control allows the back and seat to move in a synchronized 2:1 ratio motion
- Free float feature allows the chair to tilt freely
- The back angle can be locked in 1 of 3 positions
- Standard pneumatic gas cylinder lift allows seat to raise and lower 4¾" and provides spring action for added comfort
- The combination gas lift/tilt lock lever allows dual functions with a simple in/out movement for lockout and an up/down movement for height adjustment

CONTROL MECHANISM—4 POSITION LOCK SYNCHRO

- 6 positions available in the seat slide depth adjustment range of 2¼"
- A side activated telescoping tension adjustment handle provides a comfortable way to adjust back tension to meet individual needs
- The back angle can be locked in 1 of 4 positions
- Standard pneumatic gas cylinder lift allows seat to raise and lower 4¾" and provides spring action for added comfort
- The combination gas lift/tilt lock lever allows dual functions with a simple in/out movement for lockout and an up/down movement for height adjustment

BASE AND CASTERS

- Features a 5-prong black glass filled nylon base or a polished aluminum cast aluminum base
- Black, hard double wheel casters, which work on multiple surfaces, are standard
- Black, soft double wheel casters are available for use on hard floors; upcharge applies to this option

STOOLS

- 3 position lock synchro control mechanism
- Height adjustable black footring

FABRICS

Grade 1	Cali
	Entwine
	Input
	Melange
	Ridge
	Spark
	Vessel
	Zig Zag
Grade 2	Bliss
	Brilliant
	COM
	Dolce
	Dorset
	Intuition
	Orbit
	Phrase
	Pixie
	Sedona
	Stancil
	Strand
Grade 3	COL
	Silvertex
Grade 4	Connect Four
	Echo
	Masquerade
Grade 5	Mode
Grade 6	Essence/Ultraleather
Grade 7	Brisa
	Brisa Distressed
	Reef Pro
	Silica
	Silica Etch
	Tottori
Grade L7	Davenport
Grade L8	Florence

TASK FRAME COLOR

BK Black
497 Polished Aluminum Base (add $133 list)

GUEST FRAME COLOR

BK Black
490 Chrome

+$68 for carton of 1
+$204 for carton of 3

MESH COLORS

BK Black
BL Blue
MG Medium Grey
GN Green
RD Red
WH White

TASK/STOOLS CASTERS

STD Hard (standard)
C47 Soft (add $41 list)

*Soft caster option only available on select models

PACK

Ships KD or Assembled as specified by the model

TO ORDER CONTRASTING FABRIC, SPECIFY

WHIRL
Task
Mid Back Upholstered Armless page 629
Mid Back Upholstered Static Arms page 629
Mid Back Upholstered Height Adjustable Arms page 630
Mid Back Upholstered 4D Arms page 630
Mid Back Upholstered Conference Arms page 631
Multi-Shift Upholstered Plastic Extreme page 631



1. Model Number plus "X"
2. Back Fabric Grade Number/Cover Number
3. Extreme Back Fabric Grade Number/Cover Number (when applicable)
4. Seat Fabric Grade Number/Cover Number
5. Casters

Stools
Low Stool Upholstered 3-Lock Synchro page 632
High Stool Upholstered 3-Lock Synchro page 632

1. Model Number plus "X"
2. Seat Fabric Grade Number/Cover Number
3. Casters

Guest
Upholstered Plastic Extreme page 633
Fully Upholstered Back page 634



1. Model Number plus "X"
2. Back Fabric Grade Number/Cover Number
3. Extreme Back Fabric Grade Number/Cover Number (when applicable)
4. Seat Fabric Grade Number/Cover Number
5. Casters

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Mesh Color (when applicable)
3. Seat Fabric Grade Number / Cover Number
4. Casters

• See page 621 for Whirl options

See pages 635-636 for COM fabric yardage

BLACK MESH BACK BLACK SEAT HEIGHT ADJUSTABLE ARMS

MODEL NO.		GRADE / LIST PRICE	
3 LOCK SYNCHRO			
N28BMML33LSS	Black Mesh, Black Seat Only, Seat Slide	$	838

DIMENSIONS

Width	26½	Seat Height with Seat Slide	16¾-21½	Arm Height	25¼-31⅞	Weight	37.3
Depth	26	Seat Depth	17⅛	Back Height	24¼	Cubic Ft.	4.6
Height	39¼-43⅜	Seat Depth with Seat Slide	17⅛-19⅜	Back Height with Seat Slide	24		
		Seat Width	18¾	Back Width	18½		

- Specify model number only
- Ships KD, tool included

BLACK MESH BACK HEIGHT ADJUSTABLE ARMS

			1	2/COM	3/COL	4	5	6	7	L7	L8
N28AMML33LSS	3 Lock Synchro, Seat Slide, Black Mesh	$	978	1010	1024	1047	1073	1116	1173	1446	1533
QN28AMML33LSS	3 Lock Synchro, Seat Slide, Black Mesh		978	1010	1024	1047	1073	1116	1173		
N28AMML34LSS	4 Lock Synchro, Seat Slide, Black Mesh		1048	1080	1094	1117	1143	1186	1243	1516	1603
QN28AMML34LSS	4 Lock Synchro, Seat Slide, Black Mesh		1048	1080	1094	1117	1143	1186	1243		

DIMENSIONS

Width	26½	Seat Height with Seat Slide	16¾-21¼	Arm Height (3LSS)	25¼-31⅞	Weight (3LSS)	28
Depth	26	Seat Depth	17⅛	Arm Height (4LSS)	25¼-31½	Weight (4LSS)	33
Height	39¼-43⅜	Seat Depth with Seat Slide	17⅛-19⅜	Back Height	24¼	Cubic Ft. (3LSS)	4.6
		Seat Width	18¾	Back Height with Seat Slide	24	Cubic Ft. (4LSS)	5.5
				Back Width	18½		

- Personalize seat upholstery
- Caster option not available
- Ships KD, tool included

MESH BACK ARMLESS

			1	2/COM	3/COL	4	5	6	7	L7	L8
3 LOCK SYNCHRO											
N28MML13L		$	992	1024	1038	1061	1087	1130	1187	1460	1547
N28MML13LSS	Seat Slide		1020	1052	1066	1089	1115	1158	1215	1488	1575
4 LOCK SYNCHRO											
N28MML14L		$	1062	1094	1108	1131	1157	1200	1257	1530	1617
N28MML14LSS	Seat Slide		1090	1122	1136	1159	1185	1228	1285	1558	1645

DIMENSIONS

Width	26½	Seat Height	16½-21	Back Height	24¼	Weight (3L)	35.7
Depth	26	Seat Height with Seat Slide	16¾-21¼	Back Height with Seat Slide	24	Weight (3LSS)	35.7
Height	39¼-43⅜	Seat Depth	17⅛	Back Width	18½	Weight (4L)	40.8
		Seat Depth with Seat Slide	17⅛-19⅜			Weight (4LSS)	40.8
		Seat Width	18¾			Cubic Ft. (3L)	15.3
						Cubic Ft. (3LSS)	15.3
						Cubic Ft. (4L)	15.3
						Cubic Ft. (4LSS)	15.3

- Personalize mesh color and seat upholstery
- Ships fully assembled

WHIRL

TO ORDER, SPECIFY:

1. Model Number
2. Mesh Color
3. Seat Fabric Grade Number / Cover Number
4. Casters

• See page 621 for Whirl options
See pages 635-636 for COM fabric yardage

MESH BACK STATIC ARMS

MODEL NO. | **GRADE / LIST PRICE**

			1	2/COM	3/COL	4	5	6	7	L7	L8
3 LOCK SYNCHRO											
N28MML23L		$	1027	1059	1073	1096	1122	1165	1222	1495	1582
N28MML23LSS	Seat Slide		1048	1080	1094	1117	1143	1186	1243	1516	1603
4 LOCK SYNCHRO											
N28MML24L		$	1090	1122	1136	1159	1185	1228	1285	1558	1645
N28MML24LSS	Seat Slide		1118	1150	1164	1187	1213	1256	1313	1586	1673

DIMENSIONS

Width	26½	Seat Height	16½-21	Arm Height	25⅛-31⅜	Weight (3L)	40.8
Depth	26	Seat Height with		Arm Height (SS)	25¼-31⅜	Weight (3LSS)	40.8
Height	39¼-43⅜	Seat Slide	16¾-21¼	Back Height	24¼	Weight (4L)	43.8
		Seat Depth	17⅞	Back Height with		Weight (4LSS)	43.8
		Seat Depth with		Seat Slide	24	Cubic Ft. (3L)	15.3
		Seat Slide	17⅞-19⅜	Back Width	18½	Cubic Ft. (3LSS)	15.3
		Seat Width	18¾			Cubic Ft. (4L)	15.3
						Cubic Ft. (4LSS)	15.3

- Personalize mesh color and seat upholstery
- Ships fully assembled

MESH BACK HEIGHT ADJUSTABLE ARMS

			1	2/COM	3/COL	4	5	6	7	L7	L8
3 LOCK SYNCHRO											
N28MML33L		$	1090	1122	1136	1159	1185	1228	1285	1558	1645
N28MML33LSS	Seat Slide		1118	1150	1164	1187	1213	1256	1313	1586	1673
4 LOCK SYNCHRO											
N28MML34L		$	1160	1192	1206	1229	1255	1298	1355	1628	1715
N28MML34LSS	Seat Slide		1188	1220	1234	1257	1283	1326	1383	1656	1743

DIMENSIONS

Width	26½	Seat Height	16½-21	Arm Height (3L)	24¾-30⅞	Weight (3L)	40.8
Depth	26	Seat Height with		Arm Height (3LSS)	25¼-31⅜	Weight (3LSS)	40.8
Height	39¼-43⅜	Seat Slide	16¾-21¼	Arm Height (4L)	25⅛-31⅜	Weight (4L)	43.8
		Seat Depth	17⅞	Arm Height (4LSS)	25¼-31½	Weight (4LSS)	43.8
		Seat Depth with		Back Height	24¼	Cubic Ft. (3L)	15.3
		Seat Slide	17⅞-19⅜	Back Height with		Cubic Ft. (3LSS)	15.3
		Seat Width	18¾	Seat Slide	24	Cubic Ft. (4L)	15.3
				Back Width	18½	Cubic Ft. (4LSS)	15.3

- Personalize mesh color and seat upholstery
- Ships fully assembled

TO ORDER, SPECIFY:

1. Model Number
2. Mesh Color (when applicable)
3. Seat Fabric Grade Number / Cover Number
4. Casters

• See page 621 for Whirl options

See pages 635-636 for COM fabric yardage

MESH BACK
4D ADJUSTABLE ARMS

MODEL NO. | **GRADE / LIST PRICE**

			1	2/COM	3/COL	4	5	6	7	L7	L8
3 LOCK SYNCHRO											
N28MML43L		$	1167	1199	1213	1236	1262	1305	1362	1635	1722
N28MML43LSS	Seat Slide		1195	1227	1241	1264	1290	1333	1390	1663	1750
4 LOCK SYNCHRO											
N28MML44L		$	1238	1270	1284	1307	1333	1376	1433	1706	1793
N28MML44LSS	Seat Slide		1266	1298	1312	1335	1361	1404	1461	1734	1821

DIMENSIONS

Width	26½	Seat Height	16½-21	Arm Height (3L)	25¼-31½	Weight (3L)	42.8
Depth	26	Seat Height with		Arm Height (3LSS)	26-32⅜	Weight (3LSS)	42.8
Height	39¼-43⅜	Seat Slide	16¾-21¼	Arm Height (4L)	26⅛-32⅜	Weight (4L)	45.8
		Seat Depth	17⅛	Arm Height (4LSS)	26⅛-32½	Weight (4LSS)	45.8
		Seat Depth with		Back Height	24¼	Cubic Ft. (3L)	15.3
		Seat Slide	17⅛-19⅜	Back Height with		Cubic Ft. (3LSS)	15.3
		Seat Width	18¾	Seat Slide	24	Cubic Ft. (4L)	15.3
				Back Width	18½	Cubic Ft. (4LSS)	15.3

- Personalize mesh color and seat upholstery
- Ships fully assembled

MID BACK
MESH BACK
CONFERENCE ARM

			1	2/COM	3/COL	4	5	6	7	L7	L8
3 LOCK SYNCHRO											
N28MML83L		$	1613	1645	1659	1682	1708	1751	1808	2081	2168
N28MML83LSS	Seat Slide		1641	1673	1687	1710	1736	1779	1836	2109	2196
4 LOCK SYNCHRO											
N28MML84L		$	1682	1714	1728	1751	1777	1820	1877	2150	2237
N28MML84LSS	Seat Slide		1710	1742	1756	1779	1805	1848	1905	2178	2265

DIMENSIONS

Width	26½	Seat Height	16½-21	Back Height	24¼	Weight (3L)	42.8
Depth	26	Seat Height with		Back Height with		Weight (3LSS)	42.8
Height	29¼-42⅜	Seat Slide	16¾-21¼	Seat Slide	24	Weight (4L)	45.8
Height with		Seat Depth	17⅛	Back Width	18½	Weight (4LSS)	45.8
Seat Slide	29½-42⅜	Seat Depth with				Cubic Ft. (3L)	15.3
		Seat Slide	17⅛-19⅜			Cubic Ft. (3LSS)	15.3
		Seat Width	18¾			Cubic Ft. (4L)	15.3
						Cubic Ft. (4LSS)	15.3

- Personalize mesh color and seat upholstery
- Ships fully assembled

WHIRL

TO ORDER, SPECIFY:

1. Model Number
2. Mesh Color
3. Seat Fabric Grade Number / Cover Number
4. Casters

• See page 621 for Whirl options
See pages 635-636 for COM fabric yardage

MULTI-SHIFT MESH BACK LUMBAR

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
4 LOCK SYNCHRO, SEAT SLIDE											
N28MMDL14LSS	Armless	$	1196	1228	1242	1265	1291	1334	1391	1664	1751
N28MMDL24LSS	Static Arms		1253	1285	1299	1322	1348	1391	1448	1721	1808
N28MMDL34LSS	Height Adjustable Arms		1324	1356	1370	1393	1419	1462	1519	1792	1879
N28MMDL44LSS	4D Adjustable Arms		1401	1433	1447	1470	1496	1539	1596	1869	1956

DIMENSIONS

Width	26½	Seat Height	16¾-21¼	Arm Height - Static	25⅛-31⅜	Armless Weight	40.8
Depth	26	Seat Depth	17⅜-19⅜	Arm Height - Height Adj.	25⅛-31⅜	Arms Weight	43.8
Height	39¼-43⅜	Seat Width	18¾	Arm Height - 4D	25⅛-31⅜	Armless Cubic Ft.	15.3
				Back Height	24	Arms Cubic Ft.	15.3
				Back Width	18½		

- Personalize mesh color and upholstery
- Ships fully assembled

LOW STOOL MESH BACK



N28CML33L

			1	2/COM	3/COL	4	5	6	7	L7	L8
N28CML13L	Armless	$	1202	1234	1248	1271	1297	1340	1397	1670	1757
N28CML23L	Static Arms		1238	1270	1284	1307	1333	1376	1433	1706	1793
N28CML33L	Height Adjustable Arms		1301	1333	1347	1370	1396	1439	1496	1769	1856
N28CML43L	4D Arms		1379	1411	1425	1448	1474	1517	1574	1847	1934

DIMENSIONS

Width	27	Seat Height	17¼-26⅝	Arm Height - Static	27⅛-38¼	Armless Weight	42
Depth	25	Seat Depth	17	Arm Height - Height Adj.	27½-37⅞	Arms Weight	45
Height	42-49½	Seat Width	18¾	Arm Height - 4D	28-38⅜	Armless Cubic Ft.	16.2
				Back Height	24	Arms Cubic Ft.	16.2
				Back Width	18¼		

- Personalize mesh color and seat upholstery
- Due to stability concerns, we do not recommend adding a headrest to stool models
- Ships fully assembled

HIGH STOOL MESH BACK

N28SML33L

			1	2/COM	3/COL	4	5	6	7	L7	L8
N28SML13L	Armless	$	1202	1234	1248	1271	1297	1340	1397	1670	1757
N28SML23L	Static Arms		1238	1270	1284	1307	1333	1376	1433	1706	1793
N28SML33L	Height Adjustable Arms		1301	1333	1347	1370	1396	1439	1496	1769	1856
N28SML43L	4D Arms		1379	1411	1425	1448	1474	1517	1574	1847	1934

DIMENSIONS

Width	27	Seat Height	22⅞-30	Arm Height - Static	28⅜-38⅞	Armless Weight	42
Depth	24¾	Seat Depth	17	Arm Height - Height Adj.	28¼-38½	Arms Weight	45
Height	45½-52¾	Seat Width	18¾	Arm Height - 4D	31½-41¾	Armless Cubic Ft.	18.9
				Back Height	24	Arms Cubic Ft.	18.9
				Back Width	18¼		

- Personalize mesh color and seat upholstery
- Due to stability concerns, we do not recommend adding a headrest to stool models
- Ships fully assembled

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Mesh Color (when applicable)
3. Seat Fabric Grade Number / Cover Number
4. Casters (when applicable)

• See page 621 for Whirl options

See pages 635-636 for COM fabric yardage

GUEST MESH BACK



Static



Mobile

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
ARMLESS											
N28GMM1	Static, Package of 1	$	802	834	848	871	897	940	997	1270	1357
N28GMM3	Static, Package of 3		1844	1900	1926	1967	2012	2089	2191	2676	2831
N28GMMC1	Mobile, Package of 1		856	888	902	925	951	994	1051	1324	1411
N28GMMC3	Mobile, Package of 3		2006	2062	2088	2129	2174	2251	2353	2838	2993
ARM											
N28GMA1	Static, Package of 1	$	833	865	879	902	928	971	1028	1301	1388
QN28GMA1	Static, Package of 1		833	865	879	902	928	971	1028		
N28GMA3	Static, Package of 3		2084	2140	2166	2207	2252	2329	2431	2916	3071
QN28GMA3	Static, Package of 3		2084	2140	2166	2207	2252	2329	2431		
N28GMAC1	Mobile, Package of 1		936	968	982	1005	1031	1074	1131	1404	1491
QN28GMAC1	Mobile, Package of 1		936	968	982	1005	1031	1074	1131		
N28GMAC3	Mobile, Package of 3		2244	2300	2326	2367	2412	2489	2591	3076	3231
QN28GMAC3	Mobile, Package of 3		2244	2300	2326	2367	2412	2489	2591		

DIMENSIONS

Width	21	Seat Height	17	Arm Height	24¾	Weight - Armless (1)	8.40
Depth	22¾	Seat Depth	20	Back Height	16⅜	Weight - Armless (3)	28.70
Height	33	Seat Width	19½	Back Width	18⅝	Weight - Arm (1)	9.70
						Weight - Arm (3)	32.60
						Cubic Ft. (1)	12.71
						Cubic Ft. (3)	14.13

- Personalize mesh color and seat upholstery
- For mobile option, add 1" to all heights
- Stacking is not recommended
- Quick Ship models available in black frame only

HEADREST



48

N28HRB	Black only	$	146

DIMENSIONS

Width	10¾	Weight	4
Depth	4	Cubic Ft.	0.42
Height	5¼-9½		

- Can be added to any mesh back task chair, attachment hardware is included
- Adjust up and down 14 places with a range of 4¼"
- Pivots to allow multiple angles

WHIRL

QD

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number / Cover Number
3. Casters (when applicable)

• See page 621 for Whirl options

See pages 635-636 for COM fabric yardage

MID BACK BLACK UPHOLSTERED BACK/SEAT PLASTIC EXTREME HEIGHT ADJUSTABLE ARMS

MODEL NO.		GRADE / LIST PRICE	
3 LOCK SYNCHRO, SEAT SLIDE			
N28BMUFP33LSS	Black Fabric Upholstery, Plastic Extreme	$	1144
N28BMUPP33LSS	Black Polyurethane Upholstery, Plastic Extreme		1178

DIMENSIONS

Width	26½	Seat Height	16¾-21½	Arm Height	25¼-31⅜	Weight	45
Depth	26	Seat Depth	17⅛-19⅜	Back Height	24	Cubic Ft.	4.6
Height	39¼-43⅜	Seat Width	18¾	Back Width	18½		

- Specify model number only
- Ships KD, tool included

MID BACK UPHOLSTERED HEIGHT ADJUSTABLE ARMS

			1	2/COM	3/COL	4	5	6	7	L7	L8
3 LOCK SYNCHRO, SEAT SLIDE											
N28AMUP33LSS	Plastic Extreme	$	1286	1330	1350	1382	1417	1477	1557	1936	2057
QN28AMUP33LSS	Plastic Extreme		1286	1330	1350	1382	1417	1477	1557		
4 LOCK SYNCHRO, SEAT SLIDE											
N28AMUP34LSS	Plastic Extreme	$	1380	1424	1444	1476	1511	1571	1651	2030	2151
QN28AMUP34LSS	Plastic Extreme		1380	1424	1444	1476	1511	1571	1651		

DIMENSIONS

Width	26½	Seat Height	16¾-21¼	Arm Height (3LSS)	25¼-31⅜	Weight (3LSS)	45
Depth	26	Seat Depth	17⅛-19⅜	Arm Height (4LSS)	25¼-31½	Weight (4LSS)	50
Height	39¼-43⅜	Seat Width	18¾	Back Height	24	Cubic Ft. (3LSS)	4.6
				Back Width	18½	Cubic Ft. (4LSS)	5.5

- Personalize back and seat upholstery
- Caster option not available
- Ships KD, tool included

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number / Cover Number
3. Casters (when applicable)

• See page 621 for Whirl options

See pages 635-636 for COM fabric yardage

MID BACK UPHOLSTERED ARMLESS

MODEL NO. **GRADE / LIST PRICE**

			1	2/COM	3/COL	4	5	6	7	L7	L8
3 LOCK SYNCHRO											
N28MUP13L	Plastic Extreme	$	1296	1340	1360	1392	1427	1487	1567	1946	2067
N28MUP13LSS	Plastic Extreme, Seat Slide		1324	1368	1388	1420	1455	1515	1595	1974	2095
N28MU13L	Upholstered Back		1329	1390	1418	1464	1513	1597	1709	2239	2409
N28MU13LSS	Upholstered Back, Seat Slide		1357	1418	1446	1492	1541	1625	1737	2267	2437
4 LOCK SYNCHRO											
N28MUP14L	Plastic Extreme	$	1366	1410	1430	1462	1497	1557	1637	2016	2137
N28MUP14LSS	Plastic Extreme, Seat Slide		1394	1438	1458	1490	1525	1585	1665	2044	2165
N28MU14L	Upholstered Back		1400	1461	1489	1535	1584	1668	1780	2310	2480
N28MU14LSS	Upholstered Back, Seat Slide		1428	1489	1517	1563	1612	1696	1808	2338	2508

DIMENSIONS

Width	26½	Seat Height	16½-21	Back Height	24¼-?	Weight (3L)	43.2
Depth	26	Seat Depth	17⅛	Back Width	18½	Weight (3LSS)	43.2
Height	38¼-43⅜	Seat Depth with		Back Height		Weight (4L)	48.3
		Seat Slide	17⅛-19⅜	with Seat Slide	24	Weight (4LSS)	48.3
		Seat Width	18¾			Cubic Ft. (3L)	15.3
						Cubic Ft. (3LSS)	15.3
						Cubic Ft. (4L)	15.3
						Cubic Ft. (4LSS)	15.3

- Personalize upholstery
- Add ¼" to all seat slide height dimensions
- Ships fully assembled
- Contrasting fabric option - specify X (N28MUP13LX); see page 622. For list pricing, use your electronic specification tool or contact customer service

MID BACK UPHOLSTERED STATIC ARMS

			1	2/COM	3/COL	4	5	6	7	L7	L8
3 LOCK SYNCHRO											
N28MUP23L	Plastic Extreme	$	1331	1375	1395	1427	1462	1522	1602	1981	2102
N28MUP23LSS	Plastic Extreme, Seat Slide		1353	1397	1417	1449	1484	1544	1624	2003	2124
N28MU23L	Upholstered Back		1364	1425	1453	1499	1548	1632	1744	2274	2444
N28MU23LSS	Upholstered Back, Seat Slide		1385	1446	1474	1520	1569	1653	1765	2295	2465
4 LOCK SYNCHRO											
N28MUP24L	Plastic Extreme	$	1394	1438	1458	1490	1525	1585	1665	2044	2165
N28MUP24LSS	Plastic Extreme, Seat Slide		1424	1468	1488	1520	1555	1615	1695	2074	2195
N28MU24L	Upholstered Back		1428	1489	1517	1563	1612	1696	1808	2338	2508
N28MU24LSS	Upholstered Back, Seat Slide		1457	1518	1546	1592	1641	1725	1837	2367	2537

DIMENSIONS

Width	26½	Seat Height	16½-21	Arm Height (3L)	25⅛-31⅜	Weight (3L)	48.3
Depth	26	Seat Depth	17⅛	Arm Height (3LSS)	25¼-31⅜	Weight (3LSS)	48.3
Height	38¼-43⅜	Seat Depth with		Arm Height (4L)	25⅛-31⅜	Weight (4L)	51.3
		Seat Slide	17⅛-19⅜	Arm Height (4LSS)	25¼-31⅜	Weight (4LSS)	51.3
		Seat Width	18¾	Back Height	24¼-?	Cubic Ft. (3L)	15.3
				Back Width	18½	Cubic Ft. (3LSS)	15.3
				Back Height		Cubic Ft. (4L)	15.3
				with Seat Slide	24	Cubic Ft. (4LSS)	15.3

- Personalize upholstery
- Add ¼" to all seat slide height dimensions
- Ships fully assembled
- Contrasting fabric option - specify X (N28MUP23LX); see page 622. For list pricing, use your electronic specification tool or contact customer service

WHIRL

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number / Cover Number
3. Casters (when applicable)

• See page 621 for Whirl options
See pages 635-636 for COM fabric yardage

MID BACK UPHOLSTERED HEIGHT ADJUSTABLE ARMS

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
3 LOCK SYNCHRO											
N28MUP33L	Plastic Extreme	$	1394	1438	1458	1490	1525	1585	1665	2044	2165
N28MUP33LSS	Plastic Extreme, Seat Slide		1424	1468	1488	1520	1555	1615	1695	2074	2195
N28MU33L	Upholstered Back		1428	1489	1517	1563	1612	1696	1808	2338	2508
N28MU33LSS	Upholstered Back, Seat Slide		1457	1518	1546	1592	1641	1725	1837	2367	2537
4 LOCK SYNCHRO											
N28MUP34L	Plastic Extreme	$	1465	1509	1529	1561	1596	1656	1736	2115	2236
N28MUP34LSS	Plastic Extreme, Seat Slide		1493	1537	1557	1589	1624	1684	1764	2143	2264
N28MU34L	Upholstered Back		1497	1558	1586	1632	1681	1765	1877	2407	2577
N28MU34LSS	Upholstered Back, Seat Slide		1527	1588	1616	1662	1711	1795	1907	2437	2607

DIMENSIONS

Width	26½	Seat Height	16½-21	Arm Height (3L)	25⅛-31⅜	Weight (3L)	48.3
Depth	26	Seat Depth	17⅛	Arm Height (3LSS)	25¼-31⅜	Weight (3LSS)	48.3
Height	38¼-43⅜	Seat Depth with		Arm Height (4L)	25⅛-31⅜	Weight (4L)	51.3
		Seat Slide	17⅛-19⅜	Arm Height (4LSS)	25¼-31⅜	Weight (4LSS)	51.3
		Seat Width	18¾	Back Height	24¼-?	Cubic Ft. (3L)	15.3
				Back Width	18½	Cubic Ft. (3LSS)	15.3
				Back Height		Cubic Ft. (4L)	15.3
				with Seat Slide	24	Cubic Ft. (4LSS)	15.3

- Personalize upholstery
- Add ¼" to all seat slide height dimensions
- Ships fully assembled
- Contrasting fabric option - specify X (N28MUP33LX); see page 622. For list pricing, use your electronic specification tool or contact customer service

MID BACK UPHOLSTERED 4D ARMS

			1	2/COM	3/COL	4	5	6	7	L7	L8
3 LOCK SYNCHRO											
N28MUP43L	Plastic Extreme	$	1471	1515	1535	1567	1602	1662	1742	2121	2242
N28MUP43LSS	Plastic Extreme, Seat Slide		1500	1544	1564	1596	1631	1691	1771	2150	2271
N28MU43L	Upholstered Back		1505	1566	1594	1640	1689	1773	1885	2415	2585
N28MU43LSS	Upholstered Back, Seat Slide		1534	1595	1623	1669	1718	1802	1914	2444	2614
4 LOCK SYNCHRO											
N28MUP44L	Plastic Extreme	$	1542	1586	1606	1638	1673	1733	1813	2192	2313
N28MUP44LSS	Plastic Extreme, Seat Slide		1570	1614	1634	1666	1701	1761	1841	2220	2341
N28MU44L	Upholstered Back		1575	1636	1664	1710	1759	1843	1955	2485	2655
N28MU44LSS	Upholstered Back, Seat Slide		1604	1665	1693	1739	1788	1872	1984	2514	2684

DIMENSIONS

Width	26½	Seat Height	16½-21	Arm Height (3L)	25⅛-31⅜	Weight (3L)	50.3
Depth	26	Seat Depth	17⅛	Arm Height (3LSS)	25¼-31⅜	Weight (3LSS)	50.3
Height	38¼-43⅜	Seat Depth with		Arm Height (4L)	25⅛-31⅜	Weight (4L)	53.3
		Seat Slide	17⅛-19⅜	Arm Height (4LSS)	25¼-31⅜	Weight (4LSS)	53.3
		Seat Width	18¾	Back Height	24¼-?	Cubic Ft. (3L)	15.3
				Back Width	18½	Cubic Ft. (3LSS)	15.3
				Back Height		Cubic Ft. (4L)	15.3
				with Seat Slide	24	Cubic Ft. (4LSS)	15.3

- Personalize upholstery
- Add ¼" to all seat slide height dimensions
- Ships fully assembled
- Contrasting fabric option - specify X (N28MUP43LX); see page 622. For list pricing, use your electronic specification tool or contact customer service

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number / Cover Number
3. Casters (when applicable)

• See page 621 for Whirl options

See pages 635-636 for COM fabric yardage

MID BACK UPHOLSTERED CONFERENCE ARMS

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
3 LOCK SYNCHRO											
N28MUP83L	Plastic Extreme	$	1599	1643	1663	1695	1730	1790	1870	2249	2370
N28MUP83LSS	Plastic Extreme, Seat Slide		1628	1672	1692	1724	1759	1819	1899	2278	2399
N28MU83L	Upholstered Back		1633	1694	1722	1768	1817	1901	2013	2543	2713
N28MU83LSS	Upholstered Back, Seat Slide		1662	1723	1751	1797	1846	1930	2042	2572	2742
4 LOCK SYNCHRO											
N28MUP84L	Plastic Extreme	$	1671	1715	1735	1767	1802	1862	1942	2321	2442
N28MUP84LSS	Plastic Extreme, Seat Slide		1699	1743	1763	1795	1830	1890	1970	2349	2470
N28MU84L	Upholstered Back		1704	1765	1793	1839	1888	1972	2084	2614	2784
N28MU84LSS	Upholstered Back, Seat Slide		1733	1794	1822	1868	1917	2001	2113	2643	2813

DIMENSIONS

Width	26½	Seat Height	16½-21	Arm Height (3L)	25⅛-31⅜	Weight (3L)	50.3
Depth	26	Seat Depth	17⅛	Arm Height (3LSS)	25¼-31⅛	Weight (3LSS)	50.3
Height	38¼-43⅜	Seat Depth with Seat Slide	17⅛-19⅜	Arm Height (4L)	25⅛-31⅜	Weight (4L)	53.3
		Seat Width	18¾	Arm Height (4LSS)	25¼-31⅛	Weight (4LSS)	53.3
				Back Height	24¼-?	Cubic Ft. (3L)	15.3
				Back Width	18½	Cubic Ft. (3LSS)	15.3
				Back Height with Seat Slide	24	Cubic Ft. (4L)	15.3
						Cubic Ft. (4LSS)	15.3

- Personalize upholstery
- Add ¼" to all seat slide height dimensions
- Ships fully assembled
- Contrasting fabric option - specify X (N28MUP83LX); see page 622. For list pricing, use your electronic specification tool or contact customer service

MULTI-SHIFT UPHOLSTERED PLASTIC EXTREME

			1	2/COM	3/COL	4	5	6	7	L7	L8
4 LOCK SYNCHRO, SEAT SLIDE											
N28MUPD14LSS	Armless	$	1530	1574	1594	1626	1661	1721	1801	2180	2301
N28MUPD24LSS	Static Arms		1559	1603	1623	1655	1690	1750	1830	2209	2330
N28MUPD34LSS	Height Adjustable Arms		1628	1672	1692	1724	1759	1819	1899	2278	2399
N28MUPD44LSS	4D Adjustable Arms		1706	1750	1770	1802	1837	1897	1977	2356	2477

DIMENSIONS

Width	26½	Seat Height	16¾-21¼	Arm Height - Static	25⅛-31⅜	Armless Weight	48.3
Depth	26	Seat Depth	17⅛-19⅜	Arm Height - Height Adj.	25⅛-31⅜	Arms Weight	51.3
Height	39¼-43⅜	Seat Width	18¾	Arm Height - 4D	25⅛-31⅜	Armless Cubic Ft.	15.3
				Back Height	24	Arms Cubic Ft.	15.3
				Back Width	18½		

- Personalize upholstery
- Ships fully assembled
- Contrasting fabric option - specify X (N28MUPD14LSSX); see page 622. For list pricing, use your electronic specification tool or contact customer service

WHIRL

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number / Cover Number
3. Casters (when applicable)

• See page 621 for Whirl options
See pages 635-636 for COM fabric yardage

LOW STOOL UPHOLSTERED 3-LOCK SYNCHRO



MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
PLASTIC EXTREME											
N28CUP13L	Armless	$	1508	1552	1572	1604	1639	1699	1779	2158	2279
N28CUP23L	Static Arms		1542	1586	1606	1638	1673	1733	1813	2192	2313
N28CUP33L	Height Adjustable Arms		1605	1649	1669	1701	1736	1796	1876	2255	2376
N28CUP43L	4D Adjustable Arms		1682	1726	1746	1778	1813	1873	1953	2332	2453
UPHOLSTERED BACK											
N28CU13L	Armless	$	1540	1601	1629	1675	1724	1808	1920	2450	2620
N28CU23L	Static Arms		1575	1636	1664	1710	1759	1843	1955	2485	2655
N28CU33L	Height Adjustable Arms		1640	1701	1729	1775	1824	1908	2020	2550	2720
N28CU43L	4D Adjustable Arms		1716	1777	1805	1851	1900	1984	2096	2626	2796

DIMENSIONS

Width	26½	Seat Height	17¼-26⅝	Arm Height - Static	25⅛-31⅜	Armless Weight	49.5
Depth	26	Seat Depth	17	Arm Height - Height Adj.	25⅛-31⅜	Arms Weight	52.5
Height	42-49½	Seat Width	18¾	Arm Height - 4D	25⅛-31⅜	Armless Cubic Ft.	16.2
				Back Height	24¼	Arms Cubic Ft.	16.2
				Back Width	18½		

- Personalize upholstery
- Due to stability concerns, we do not recommend adding a headrest to stool models
- Ships fully assembled
- Contrasting fabric option - specify X (N28CUP13LX); see page 622. For list pricing, use your electronic specification tool or contact customer service

HIGH STOOL UPHOLSTERED 3-LOCK SYNCHRO



			1	2/COM	3/COL	4	5	6	7	L7	L8
PLASTIC EXTREME											
N28SUP13L	Armless	$	1508	1552	1572	1604	1639	1699	1779	2158	2279
N28SUP23L	Static Arms		1542	1586	1606	1638	1673	1733	1813	2192	2313
N28SUP33L	Height Adjustable Arms		1605	1649	1669	1701	1736	1796	1876	2255	2376
N28SUP43L	4D Adjustable Arms		1682	1726	1746	1778	1813	1873	1953	2332	2453
UPHOLSTERED BACK											
N28SU13L	Armless	$	1540	1601	1629	1675	1724	1808	1920	2450	2620
N28SU23L	Static Arms		1575	1636	1664	1710	1759	1843	1955	2485	2655
N28SU33L	Height Adjustable Arms		1640	1701	1729	1775	1824	1908	2020	2550	2720
N28SU43L	4D Adjustable Arms		1716	1777	1805	1851	1900	1984	2096	2626	2796

DIMENSIONS

Width	26½	Seat Height	22⅞-30	Arm Height - Static	25⅛-31⅜	Armless Weight	49.5
Depth	26	Seat Depth	17	Arm Height - Height Adj.	25⅛-31⅜	Arms Weight	52.5
Height	39¼-43⅜	Seat Width	18¾	Arm Height - 4D	25⅛-31⅜	Armless Cubic Ft.	18.9
				Back Height	24¼	Arms Cubic Ft.	18.9
				Back Width	18½		

- Personalize upholstery
- Due to stability concerns, we do not recommend adding a headrest to stool models
- Ships fully assembled
- Contrasting fabric option - specify X (N28SUP13LX); see page 622. For list pricing, use your electronic specification tool or contact customer service

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number / Cover Number
3. Casters (when applicable)

• See page 621 for Whirl options

See pages 635-636 for COM fabric yardage

GUEST UPHOLSTERED PLASTIC EXTREME

Static



Mobile

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
ARMLESS											
N28GUPM1	Static, Package of 1	$	903	935	949	972	998	1041	1098	1371	1458
N28GUPM3	Static, Package of 3		2147	2224	2259	2316	2378	2484	2624	3291	3504
N28GUPMC1	Mobile, Package of 1		955	987	1001	1024	1050	1093	1150	1423	1510
N28GUPMC3	Mobile, Package of 3		2309	2386	2421	2478	2540	2646	2786	3453	3666
ARM											
N28GUPA1	Static, Package of 1	$	934	966	980	1003	1029	1072	1129	1402	1489
QN28GUPA1	Static, Package of 1		934	966	980	1003	1029	1072	1129		
N28GUPA3	Static, Package of 3		2388	2465	2500	2557	2619	2725	2865	3532	3745
QN28GUPA3	Static, Package of 3		2388	2465	2500	2557	2619	2725	2865		
N28GUPAC1	Mobile, Package of 1		1037	1069	1083	1106	1132	1175	1232	1505	1592
QN28GUPAC1	Mobile, Package of 1		1037	1069	1083	1106	1132	1175	1232		
N28GUPAC3	Mobile, Package of 3		2549	2626	2661	2718	2780	2886	3026	3693	3906
QN28GUPAC3	Mobile, Package of 3		2549	2626	2661	2718	2780	2886	3026		

DIMENSIONS

Width	21	Seat Height	17	Arm Height	24¾	Weight - Armless (1)	11.40
Depth	22¾	Seat Depth	20	Back Height	16⅜	Weight - Armless (3)	37.70
Height	33	Seat Width	19½	Back Width	18⅜	Weight - Arm (1)	12.70
						Weight - Arm (3)	41.60
						Cubic Ft. (1)	12.71
						Cubic Ft. (3)	14.13

- Personalize upholstery
- For mobile option, add 1" to all heights
- Stacking is not recommended
- Quick Ship models available in black frame only
- Contrasting fabric option - specify X (N28GUP1X); see page 622. For list pricing, use your electronic specification tool or contact customer service

WHIRL

QD

Shaded models are available through our Quick Delivery program and will be delivered within 10 days or less. Shaded models that feature the 48 icon will ship within 48 hours (48). See page 6 for additional program information.

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade Number / Cover Number
3. Casters (when applicable)

• See page 621 for Whirl options
See pages 635-636 for COM fabric yardage

GUEST FULLY UPHOLSTERED BACK

Static



Mobile

MODEL NO.			GRADE / LIST PRICE								
			1	2/COM	3/COL	4	5	6	7	L7	L8
ARMLESS											
N28GUM1	Static, Package of 1	$	937	976	993	1022	1053	1105	1176	1509	1616
N28GUM3	Static, Package of 3		2249	2340	2382	2449	2522	2647	2813	3601	3853
N28GUMC1	Mobile, Package of 1		990	1029	1046	1075	1106	1158	1229	1562	1669
N28GUMC3	Mobile, Package of 3		2411	2502	2544	2611	2684	2809	2975	3763	4015
ARM											
N28GUA1	Static, Package of 1	$	968	1007	1024	1053	1084	1136	1207	1540	1647
QN28GUA1	Static, Package of 1		968	1007	1024	1053	1084	1136	1207		
N28GUA3	Static, Package of 3		2490	2581	2623	2690	2763	2888	3054	3842	4094
QN28GUA3	Static, Package of 3		2490	2581	2623	2690	2763	2888	3054		
N28GUAC1	Mobile, Package of 1		1072	1111	1128	1157	1188	1240	1311	1644	1751
QN28GUAC1	Mobile, Package of 1		1072	1111	1128	1157	1188	1240	1311		
N28GUAC3	Mobile, Package of 3		2651	2742	2784	2851	2924	3049	3215	4003	4255
QN28GUAC3	Mobile, Package of 3		2651	2742	2784	2851	2924	3049	3215		

DIMENSIONS

Width	21	Seat Height	17	Arm Height	24¾	Weight - Armless (1)	11.40
Depth	22¾	Seat Depth	20	Back Height	16⅜	Weight - Armless (3)	37.70
Height	33	Seat Width	19½	Back Width	18⅜	Weight - Arm (1)	12.70
						Weight - Arm (3)	41.60
						Cubic Ft. (1)	12.71
						Cubic Ft. (3)	14.13

- Personalize upholstery
- For mobile option, add 1" to all heights
- Stacking is not recommended
- Quick Ship models available in black frame only
- Contrasting fabric option - specify X (N28GUM1X); see page 622. For list pricing, use your electronic specification tool or contact customer service

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
N28AMML33LSS, N28AMML34LSS, N28CML13L, N28CML23L, N28CML33L, N28CML43L, N28MML13L, N28MML13LSS, N28MML14L, N28MML14LSS, N28MML23L, N28MML23LSS, N28MML24L, N28MML24LSS, N28MML33L, N28MML33LSS, N28MML34L, N28MML34LSS, N28MML43L, N28MML43LSS, N28MML44L, N28MML44LSS N28SML13L, N28SML23L, N28SML33L, N28SML43L		0.86	1.00	1.30	1.30	17.16
N28GMA1, N28GMA3, N28GMAC1, N28GMAC3, N28GMM1, N28GMM3, N28GMMC1, N28GMMC3		0.81	1.00	1.30	1.40	16.05
N28AMUP33LSS, N28AMUP34LSS, N28CUP13L, N28CUP23L, N28CUP33L, N28CUP43L, N28MUP13L, N28MUP13LSS, N28MUP14L, N28MUP14LSS, N28MUP23L, N28MUP23LSS, N28MUP24L, N28MUP24LSS, N28MUP33L, N28MUP33LSS, N28MUP34L, N28MUP34LSS, N28MUP43L, N28MUP43LSS, N28MUP44L, N28MUP44LSS, N28MUP83L, N28MUP83LSS, N28MUP84L, N28MUP84LSS, N28MUPD14LSS, N28MUPD24LSS, N28MUPD34LSS, N28MUPD44LSS, N28SUP13L, N28SUP23L, N28SUP33L, N28SUP43L		1.25	1.60	2.10	2.30	24.90
N28AMUP33LSSX, N28AMUP34LSSX, N28CUP13LX, N28CUP23LX, N28CUP33LX, N28CUP43LX, N28MUP13LX, N28MUP13LSSX, N28MUP14LX, N28MUP14LSSX, N28MUP23LX, N28MUP23LSSX, N28MUP24LX, N28MUP24LSSX, N28MUP33LX, N28MUP33LSSX, N28MUP34LX, N28MUP34LSSX, N28MUP43LX, N28MUP43LSSX, N28MUP44LX, N28MUP44LSSX, N28MUP83LX, N28MUP83LSSX, N28MUP84LX, N28MUP84LSSX, N28MUPD14LSSX, N28MUPD24LSSX, N28MUPD34LSSX, N28MUPD44LSSX, N28SUP13LX, N28SUP23LX, N28SUP33LX,	Seat	0.86	1.00	1.30	1.30	17.16
N28SUP43LX	Back	1.00	1.20	1.30	1.80	19.92

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH — CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
N28CU13L, N28CU23L, N28CU33L, N28CU43L, N28MU13L, N28MU13LSS, N28MU14L, N28MU14LSS, N28MU23L, N28MU23LSS, N28MU24L, N28MU24LSS, N28MU33L, N28MU33LSS, N28MU34L, N28MU34LSS, N28MU43L, N28MU43LSS, N28MU44L, N28MU44LSS, N28MU83L, N28MU83LSS, N28MU84L, N28MU84LSS, N28SU13L, N28SU23L, N28SU33L, N28SU43L		1.72	2.00	2.80	3.30	34.31
N28CU13LX, N28CU23LX, N28CU33LX, N28CU43LX, N28MU13LX, N28MU13LSSX, N28MU14LX, N28MU14LSSX, N28MU23LX, N28MU23LSSX, N28MU24LX, N28MU24LSSX, N28MU33LX, N28MU33LSSX, N28MU34LX, N28MU34LSSX, N28MU43LX, N28MU43LSSX, N28MU44LX, N28MU44LSSX, N28MU83LX, N28MU83LSSX, N28MU84LX, N28MU84LSSX, N28SU13LX, N28SU23LX, N28SU33LX, N28SU43LX	Seat	0.86	1.00	1.30	1.30	17.16
	Back	1.00	1.20	1.30	1.80	19.92
	Extreme	1.00	1.20	1.30	1.80	19.92
N28GUPA1, N28GUPA3, N28GUPAC1, N28GUPAC3, N28GUPM1, N28GUPM3, N28GUPMC1, N28GUPMC3		0.81	1.10	1.30	2.30	16.05
N28GUPA1X, N28GUPA3X, N28GUPAC1X, N28GUPAC3X, N28GUPM1X, N28GUPM3X, N28GUPMC1X, N28GUPMC3X	Seat	0.81	1.00	1.30	1.40	16.05
	Back	0.67	0.80	0.90	1.30	13.28
N28GUM1, N28GUM3, N28GUMC1, N28GUMC3, N28GUA1, N28GUA3, N28GUAC1, N28GUAC3		1.06	1.30	1.40	2.30	21.03
N28GUM1X, N28GUM3X, N28GUMC1X, N28GUMC3X, N28GUA1X, N28GUA3X, N28GUAC1X, N28GUAC3X	Seat	0.81	1.00	1.30	1.40	16.05
	Back	0.67	0.80	0.90	1.30	13.28
	Extreme	0.53	0.70	0.80	1.20	10.52

POWER/DATA ELECTRICAL

POWER/DATA ELECTRICAL

POWER/DATA ELECTRICAL SPECIFICATIONS

PIVOTING POWER GROMMET (MHO-B) (G12A, G12B, AND G12C)

- Field installable
- 1 touch door remains open during use
- Silver, black, or white powder coat
- (G12A) 2 power outlets, 1 blank port and 1 dual USB-A port
- (G12B) 2 power outlets and 2 USB-A + C combo
- (G12C) 4 power outlets with 72" circuit breaker cord
- Must be ordered separately and installed in the field – top should be ordered with CUT-G12C option
- Hardwire available
- Specify model number only
- 6 ft. cord
- UL Listed

GLENBEIGH PIVOTING POWER GROMMET (G17A, G17B, G17C)

- 1 touch hinged door remains open during use
- Accommodates table thickness of ¾"-1¾"
- 10 ft. power cord with 3-prong molded plug
- Spill-proof
- Available in silver, black or white powder coat
- Hardwire/Chicago Code available
- 15 amp, 120v (hardwire models)
- 10 ft. metal conduit (hardwire models)
- UL Listed
- G17A available with 2 power outlets
- G17B available with 1 power outlet and 1 USB-A + C combo port
- G17C available with 1 power outlet

POWER GROMMET (G23)

- Field installable when CUT-G23 option is specified
- Die-cast zinc in black or silver powder coat
- Includes 2 power outlets and 2 power USB ports
- Silver, black, or white
- Hardwire available
- 9 foot, 15 amp cord
- UL Listed

SIDEKICK

- Felt sofa arm overlay
- Heather Gray unit features power and a braided cord in Poppy. Camel unit features a power and braided cord in Dusk
- 108" cord
- Features a felt pocket to store items while charging
- ETL and UL Listed

TO ORDER, SPECIFY:

1. Model Number

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
PIVOTING POWER GROMMET (MHO-B) (G12A)	NACG12AELPGB	Black	$ 809	4⅜	8⅜	1½	–	–	2 lbs.	0.2
	NACG12AELPGS	Silver	809	4⅜	8⅜	1½	–	–	2 lbs.	0.2
	NACG12AELPGW	White	809	4⅜	8⅜	1½	–	–	2 lbs.	0.2
 NACG12AELPGB	NACG12AELHCB	Hardwire, Black	$ 809	4⅜	8⅜	1½	–	–	3 lbs.	0.2
	NACG12AELHCS	Hardwire, Silver	809	4⅜	8⅜	1½	–	–	3 lbs.	0.2
	NACG12AELHCW	Hardwire, White	809	4⅜	8⅜	1½	–	–	3 lbs.	0.2
	• 2 power outlets, 1 dual USB-A port, and 1 blank port • Units are powder coated									
PIVOTING POWER GROMMET (MHO-B) (G12B)	NACG12BELPGB	Black	$ 867	4⅜	8⅜	1½	–	–	2 lbs.	0.2
	NACG12BELPGS	Silver	867	4⅜	8⅜	1½	–	–	2 lbs.	0.2
	NACG12BELPGW	White	867	4⅜	8⅜	1½	–	–	2 lbs.	0.2
 NACG12BELPGB	NACG12BELHCB	Hardwire, Black	$ 867	4⅜	8⅜	1½	–	–	3 lbs.	0.2
	NACG12BELHCS	Hardwire, Silver	867	4⅜	8⅜	1½	–	–	3 lbs.	0.2
	NACG12BELHCW	Hardwire, White	867	4⅜	8⅜	1½	–	–	3 lbs.	0.2
	• 2 power outlets and 2 USB-A + C ports • Units are powder coated									
PIVOTING POWER GROMMET (MHO-B) (G12C)	NACG12CELPGB	Black	$ 600	4⅜	8⅜	1½	–	–	2 lbs.	0.2
	NACG12CELPGS	Silver	600	4⅜	8⅜	1½	–	–	2 lbs.	0.2
	NACG12CELPGW	White	600	4⅜	8⅜	1½	–	–	2 lbs.	0.2
 NACG12CELPGB	NACG12CELHCB	Hardwire, Black	$ 600	4⅜	8⅜	1½	–	–	3 lbs.	0.2
	NACG12CELHCS	Hardwire, Silver	600	4⅜	8⅜	1½	–	–	3 lbs.	0.2
	NACG12CELHCW	Hardwire, White	600	4⅜	8⅜	1½	–	–	3 lbs.	0.2
	• 4 power outlets with 72" circuit breaker cord • Units are powder coated									

POWER/DATA ELECTRICAL

TO ORDER, SPECIFY:

1. Model Number

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1 TOUCH PIVOTING POWER GROMMET (G17A)	NACG17AELPGB	Black	$ 458	4¼	5¼	2½	–	–	3 lbs.	0.15
	NACG17AELPGS	Silver	458	4¼	5¼	2½	–	–	3 lbs.	0.15
	NACG17AELPGW	White	458	4¼	5¼	2½	–	–	3 lbs.	0.15
	NACG17AELHCB	Hardwire, Black	$ 483	4¼	5¼	2½	–	–	3 lbs.	0.15
	NACG17AELHCS	Hardwire, Silver	483	4¼	5¼	2½	–	–	3 lbs.	0.15
	NACG17AELHCW	Hardwire, White	483	4¼	5¼	2½	–	–	3 lbs.	0.15

- Includes 2 power outlets
- Units are powder coated
- See page 638 for details

1 TOUCH PIVOTING POWER GROMMET (G17B)	NACG17BELPGB	Black	$ 471	4¼	5¼	2½	–	–	3 lbs.	0.15
	NACG17BELPGS	Silver	471	4¼	5¼	2½	–	–	3 lbs.	0.15
	NACG17BELPGW	White	471	4¼	5¼	2½	–	–	3 lbs.	0.15
	NACG17BELHCB	Hardwire, Black	$ 568	4¼	5¼	2½	–	–	3 lbs.	0.15
	NACG17BELHCS	Hardwire, Silver	568	4¼	5¼	2½	–	–	3 lbs.	0.15
	NACG17BELHCW	Hardwire, White	568	4¼	5¼	2½	–	–	3 lbs.	0.15

- Includes 1 power outlet and 1 dual USB-A + C combo
- Units are powder coated
- See page 638 for details

1 TOUCH PIVOTING POWER GROMMET (G17C)	NACG17CELPGB	Black	$ 452	4¼	5¼	2½	–	–	3 lbs.	0.15
	NACG17CELPGS	Silver	452	4¼	5¼	2½	–	–	3 lbs.	0.15
	NACG17CELPGW	White	452	4¼	5¼	2½	–	–	3 lbs.	0.15
	NACG17CELHCB	Hardwire, Black	$ 477	4¼	5¼	2½	–	–	3 lbs.	0.15
	NACG17CELHCS	Hardwire, Silver	477	4¼	5¼	2½	–	–	3 lbs.	0.15
	NACG17CELHCW	Hardwire, White	477	4¼	5¼	2½	–	–	3 lbs.	0.15

- Includes 1 power outlet
- Units are powder coated
- See page 638 for details

POWER GROMMET (G23)	NACG23ELB	Black	$ 663	2½	4½	3¼	–	–	2.3 lbs.	0.2
	NACG23ELS	Silver	663	2½	4½	3¼	–	–	2.3 lbs.	0.2
	NACG23ELHCB	Black/Hardwire Chicago	$ 739	2½	4½	3¼	–	–	2.3 lbs.	0.2
	NACG23ELHCS	Silver/Hardwire Chicago	739	2½	4½	3¼	–	–	2.3 lbs.	0.2

- Not intended for use on conference tables
- Includes 2 power outlets and 2 power USB ports
- Units are powder coated

TO ORDER, SPECIFY:

1. Model Number

POWER/USB GROMMET - PLUGGED



MODEL NO.		LIST PRICE	CARTONED WEIGHT	CUBIC FEET
NACG35AELPGB	Black	$ 590	1.5 lbs.	0.3
NACG35AELPGS	Silver	590	1.5 lbs.	0.3
NACG35AELPGW	White	590	1.5 lbs.	0.3

- Features 1 power outlet and 1 USB (A+C) combo ports
- Includes black 72" long 3-prong power cord
- Power outlet provides 15 amps

POWER/USB GROMMET HARDWIRE



NACG35AELHCB	Hardwire, Black	$ 682	1.75 lbs.	0.3
NACG35AELHCS	Hardwire, Silver	682	1.75 lbs.	0.3
NACG35AELHCW	Hardwire, White	682	1.75 lbs.	0.3

- Features 1 power outlet and 1 USB (A+C) combo ports
- Metal conduit hardwire is 72" long
- Power outlet provides 15 amps

POWER/USB GROMMET 4-TRAC



NACG35AELPDB	Black	$ 606	2.0 lbs.	0.3
NACG35AELPDS	Silver	606	2.0 lbs.	0.3
NACG35AELPDW	White	606	2.0 lbs.	0.3

- Non-sequential daisy chain solution
- Must use with power entry and electrical kit
- Features 1 power outlet and 1 USB (A+C) combo ports
- 36" long cord
- Up to 20 grommets can be linked together for each power entry

POWER/USB GROMMET - PLUGGED



NACG38AELPGB	Black	$ 512	1.5 lbs.	0.3
NACG38AELPGS	Silver	512	1.5 lbs.	0.3
NACG38AELPGW	White	512	1.5 lbs.	0.3

- Features 1 power outlet and 1 USB (A+C) combo ports
- Includes black 108" long 3-prong power cord
- Power outlet provides 15 amps

POWER/USB GROMMET HARDWIRE



NACG38AELHCB	Hardwire, Black	$ 616	1.75 lbs.	0.3
NACG38AELHCS	Hardwire, Silver	616	1.75 lbs.	0.3
NACG38AELHCW	Hardwire, White	616	1.75 lbs.	0.3

- Features 1 power outlet and 1 USB (A+C) combo ports
- Metal conduit hardwire is 108" long
- Power outlet provides 15 amps

POWER/DATA ELECTRICAL

TO ORDER, SPECIFY:

1. Model Number

POWER ENTRY 4-TRAC



MODEL NO.		LIST PRICE	CARTONED WEIGHT	CUBIC FEET
NAC72ELE4H	72" Hardwire	$ 201	1.95 lbs.	0.38
NAC48ELE4P	48" Plug	293	1.95 lbs.	0.38
NAC72ELE4P	72" Plug	330	1.95 lbs.	0.38

- Must be ordered with 4-Trac electrical kit and 4-Trac power/USB grommet
- 1 power entry is necessary to power 1 or multiple units
- Power entry provides 20 amps



ELECTRICAL KIT 4-TRAC

NACEL4KTA1	1 H-Block, 42" Jumper Male / Male End	$ 140	1.36 lbs.	0.38

UNDERMOUNT USB POWER UNIT



NAC03ELUPDC	Black only	$ 381	2 lbs.	0.3

DIMENSIONS

Width	3
Depth	3
Height	1½

- Can be mounted to the underside of any flat surface
- Features 1 power outlet and 2 USB (A) ports
- 72" 15 amp cord

TULLY



NAC06ELPG3TUAW	White	$ 618	3.05 lbs.	0.40
NAC06ELPG3TUAB	Black	618	3.05 lbs.	0.40
NAC06ELPG3TUAG	Fog	618	3.05 lbs.	0.40

DIMENSIONS

Width	5⅜
Depth	2¼
Height	12⅜

- 120" cord
- Includes 2 USB-A, 1 USB-C and Power

SIDEKICK



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
NAC29ELPG2SKAG	Heather Gray Felt	$ 514	2⅜16	15	29½	—	—	2 lbs.	0.59
NAC29ELPG2SKAC	Camel Felt	514	2⅜16	15	29½	—	—	2 lbs.	0.59

- Felt sofa arm overlay
- Includes 1 power, 1 Dual USB-A, and felt pocket
- Heather Gray unit features power and a braided cord in Poppy. Camel unit features a power and braided cord in Dusk
- 108" power cord
- UL Listed

ALLIANCE PROGRAM PRICING

ALLIANCE PROGRAM PRICING

TO ORDER, SPECIFY THE FOLLOWING:

1. Chair Model Number
2. Fabric Grade Letter
3. Alliance Pattern Number and Color Number/Name
4. Finish Number (when applicable)

SAMPLE ORDER NUMBER

N55EE	A	403901	036	HN
Model Number	Fabric Grade Letter	Alliance Pattern Number	Alliance Color Number	Finish

MODEL NUMBER — **ALLIANCE PROGRAM PRICE GRADES**

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
N10BBRD48	1842	2004	2128	2260	2405	2559	2686	2845	3003	3166	3412	3914	4226	4389	4552	4715	4878	5032	5194	5353
N10BBTS55	1630	1759	1857	1962	2078	2200	2302	2428	2554	2683	2879	3278	3527	3656	3786	3915	4045	4167	4297	4423
N10FPSQ2424	658	709	749	791	837	886	926	977	1027	1079	1157	1317	1416	1468	1520	1572	1624	1673	1724	1775
N10FPSQ3030	813	894	956	1022	1094	1171	1235	1314	1394	1475	1598	1849	2005	2087	2168	2249	2331	2408	2489	2568
N10FPSQ3636	968	1056	1124	1196	1275	1359	1428	1515	1601	1690	1824	2098	2268	2357	2446	2535	2624	2708	2796	2883
N10PBL1806	255	278	294	312	332	353	371	392	414	436	470	538	581	603	625	647	669	690	713	734
N10PBL1806P	295	321	341	362	385	409	430	455	480	506	545	625	675	701	727	752	778	803	829	854
N10PRT1508	207	221	233	245	258	272	283	298	312	327	349	395	423	438	453	468	483	497	511	526
N10PRT1508C	224	238	250	262	275	289	300	315	329	344	366	412	440	455	470	485	500	514	528	543
N10PRT1508CP	259	277	291	306	323	340	355	373	391	409	437	494	530	548	567	585	604	621	640	658
N10PRT1508L	224	238	250	262	275	289	300	315	329	344	366	412	440	455	470	485	500	514	528	543
N10PRT1508LP	259	277	291	306	323	340	355	373	391	409	437	494	530	548	567	585	604	621	640	658
N10PRT1508P	243	261	275	290	307	324	339	357	375	393	421	478	514	532	551	569	588	605	624	642
N10PRT1508R	224	238	250	262	275	289	300	315	329	344	366	412	440	455	470	485	500	514	528	543
N10PRT1508RP	259	277	291	306	323	340	355	373	391	409	437	494	530	548	567	585	604	621	640	658
N10PSQ1414	202	225	242	260	280	301	319	341	363	386	420	489	533	555	578	600	623	644	667	689
N10PSQ1414B	236	259	276	294	314	335	353	375	397	420	454	523	567	589	612	634	657	678	701	723
N10PSQ1414BP	287	313	333	354	377	401	422	447	472	498	537	617	667	693	719	744	770	795	821	846
N10PSQ1414P	270	296	316	337	360	384	405	430	455	481	520	600	650	676	702	727	753	778	804	829
N10PSQ1616	245	271	291	312	335	359	380	405	430	456	495	575	625	651	677	702	728	753	779	804
N10PSQ1616B	278	304	324	345	368	392	413	438	463	489	528	608	658	684	710	735	761	786	812	837
N10PSQ1616BP	329	357	378	401	425	452	473	500	527	555	597	683	736	764	791	819	847	873	901	928
N10PSQ1616P	310	338	359	382	406	433	454	481	508	536	578	664	717	745	772	800	828	854	882	909
N10PSQ1818	285	313	334	357	381	408	429	456	483	511	553	639	692	720	747	775	803	829	857	884
N10PSQ1818B	317	345	366	389	413	440	461	488	515	543	585	671	724	752	779	807	835	861	889	916
N10PSQ1818BP	368	398	420	444	471	499	522	551	579	609	654	745	802	831	861	891	920	948	978	1007
N10PSQ1818P	350	380	402	426	453	481	504	533	561	591	636	727	784	813	843	873	902	930	960	989
N10PWD1816	568	601	627	654	683	715	741	773	806	839	889	992	1056	1089	1123	1156	1189	1221	1254	1286
N10PWD2116	621	662	692	725	762	800	832	872	911	952	1014	1139	1217	1258	1299	1339	1380	1418	1459	1499
N10PWD2416	666	710	744	780	819	861	896	939	983	1027	1094	1231	1316	1361	1405	1449	1494	1536	1580	1623
N12AAC	1300	1344	1378	1414	1453	1495	1530	1573	1617	1661	1728	1865	1950	1995	2039	2083	2128	2170	2214	2257
N12AACS	1447	1491	1525	1561	1600	1642	1677	1720	1764	1808	1875	2012	2097	2142	2186	2230	2275	2317	2361	2404
N12AAY	1488	1532	1566	1602	1641	1683	1718	1761	1805	1849	1916	2053	2138	2183	2227	2271	2316	2358	2402	2445
N12AR	1170	1214	1248	1284	1323	1365	1400	1443	1487	1531	1598	1735	1820	1865	1909	1953	1998	2040	2084	2127
N12ARS	1318	1362	1396	1432	1471	1513	1548	1591	1635	1679	1746	1883	1968	2013	2057	2101	2146	2188	2232	2275
N12ARY	1360	1404	1438	1474	1513	1555	1590	1633	1677	1721	1788	1925	2010	2055	2099	2143	2188	2230	2274	2317
N12BBC	1359	1414	1456	1501	1551	1603	1647	1701	1755	1810	1894	2065	2172	2227	2283	2338	2394	2446	2502	2556
N12BBCS	1509	1564	1606	1651	1701	1753	1797	1851	1905	1960	2044	2215	2322	2377	2433	2488	2544	2596	2652	2706
N12BBY	1549	1604	1646	1691	1741	1793	1837	1891	1945	2000	2084	2255	2362	2417	2473	2528	2584	2636	2692	2746
N12BR	1229	1284	1326	1371	1421	1473	1517	1571	1625	1680	1764	1935	2042	2097	2153	2208	2264	2316	2372	2426
N12BRS	1380	1435	1477	1522	1572	1624	1668	1722	1776	1831	1915	2086	2193	2248	2304	2359	2415	2467	2523	2577
N12BRY	1421	1476	1518	1563	1613	1665	1709	1763	1817	1872	1956	2127	2234	2289	2345	2400	2456	2508	2564	2618
N12CCC	1542	1586	1620	1656	1695	1737	1772	1815	1859	1903	1970	2107	2192	2237	2281	2325	2370	2412	2456	2499
N12CCCS	1692	1736	1770	1806	1845	1887	1922	1965	2009	2053	2120	2257	2342	2387	2431	2475	2520	2562	2606	2649
N12CCY	1736	1780	1814	1850	1889	1931	1966	2009	2053	2097	2164	2301	2386	2431	2475	2519	2564	2606	2650	2693
N12CR	1413	1457	1491	1527	1566	1608	1643	1686	1730	1774	1841	1978	2063	2108	2152	2196	2241	2283	2327	2370
N12CRS	1562	1606	1640	1676	1715	1757	1792	1835	1879	1923	1990	2127	2212	2257	2301	2345	2390	2432	2476	2519
N12CRY	1604	1648	1682	1718	1757	1799	1834	1877	1921	1965	2032	2169	2254	2299	2343	2387	2432	2474	2518	2561
N12DDC	1609	1664	1706	1751	1801	1853	1897	1951	2005	2060	2144	2315	2422	2477	2533	2588	2644	2696	2752	2806
N12DDCS	1761	1816	1858	1903	1953	2005	2049	2103	2157	2212	2296	2467	2574	2629	2685	2740	2796	2848	2904	2958
N12DDY	1803	1858	1900	1945	1995	2047	2091	2145	2199	2254	2338	2509	2616	2671	2727	2782	2838	2890	2946	3000
N12DR	1482	1537	1579	1624	1674	1726	1770	1824	1878	1933	2017	2188	2295	2350	2406	2461	2517	2569	2625	2679
N12DRS	1628	1683	1725	1770	1820	1872	1916	1970	2024	2079	2163	2334	2441	2496	2552	2607	2663	2715	2771	2825
N12DRY	1668	1723	1765	1810	1860	1912	1956	2010	2064	2119	2203	2374	2481	2536	2592	2647	2703	2755	2811	2865
N12EEC	1593	1641	1677	1716	1759	1805	1842	1889	1936	1984	2057	2205	2297	2345	2394	2442	2490	2535	2583	2630
N12EECS	1745	1793	1829	1868	1911	1957	1994	2041	2088	2136	2209	2357	2449	2497	2546	2594	2642	2687	2735	2782
N12ER	1467	1515	1551	1590	1633	1679	1716	1763	1810	1858	1931	2079	2171	2219	2268	2316	2364	2409	2457	2504
N12ERS	1613	1661	1697	1736	1779	1825	1862	1909	1956	2004	2077	2225	2317	2365	2414	2462	2510	2555	2603	2650
N12HHC	1660	1720	1764	1812	1865	1921	1968	2025	2083	2142	2232	2414	2528	2587	2646	2705	2764	2820	2880	2937

ALLIANCE PROGRAM PRICING

TO ORDER, SPECIFY THE FOLLOWING:

1. Chair Model Number
2. Fabric Grade Letter
3. Alliance Pattern Number and Color Number/Name
4. Finish Number (when applicable)

SAMPLE ORDER NUMBER

N55EE	A	403901	036	HN
Model Number	Fabric Grade Letter	Alliance Pattern Number	Alliance Color Number	Finish

MODEL NUMBER — **ALLIANCE PROGRAM PRICE GRADES**

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
N12HHCS	1810	1870	1914	1962	2015	2071	2118	2175	2233	2292	2382	2564	2678	2737	2796	2855	2914	2970	3030	3087
N12HR	1529	1589	1633	1681	1734	1790	1837	1894	1952	2011	2101	2283	2397	2456	2515	2574	2633	2689	2749	2806
N12HRS	1677	1737	1781	1829	1882	1938	1985	2042	2100	2159	2249	2431	2545	2604	2663	2722	2781	2837	2897	2954
N12JJC	1576	1620	1654	1690	1729	1771	1806	1849	1893	1937	2004	2141	2226	2271	2315	2359	2404	2446	2490	2533
N12JJCE	1748	1792	1826	1862	1901	1943	1978	2021	2065	2109	2176	2313	2398	2443	2487	2531	2576	2618	2662	2705
N12JJCES	1899	1943	1977	2013	2052	2094	2129	2172	2216	2260	2327	2464	2549	2594	2638	2682	2727	2769	2813	2856
N12JJCS	1722	1766	1800	1836	1875	1917	1952	1995	2039	2083	2150	2287	2372	2417	2461	2505	2550	2592	2636	2679
N12JJY	1762	1806	1840	1876	1915	1957	1992	2035	2079	2123	2190	2327	2412	2457	2501	2545	2590	2632	2676	2719
N12JJYE	1936	1980	2014	2050	2089	2131	2166	2209	2253	2297	2364	2501	2586	2631	2675	2719	2764	2806	2850	2893
N12JR	1445	1489	1523	1559	1598	1640	1675	1718	1762	1806	1873	2010	2095	2140	2184	2228	2273	2315	2359	2402
N12JRE	1618	1662	1696	1732	1771	1813	1848	1891	1935	1979	2046	2183	2268	2313	2357	2401	2446	2488	2532	2575
N12JRES	1764	1808	1842	1878	1917	1959	1994	2037	2081	2125	2192	2329	2414	2459	2503	2547	2592	2634	2678	2721
N12JRS	1592	1636	1670	1706	1745	1787	1822	1865	1909	1953	2020	2157	2242	2287	2331	2375	2420	2462	2506	2549
N12JRY	1635	1679	1713	1749	1788	1830	1865	1908	1952	1996	2063	2200	2285	2330	2374	2418	2463	2505	2549	2592
N12JRYE	1806	1850	1884	1920	1959	2001	2036	2079	2123	2167	2234	2371	2456	2501	2545	2589	2634	2676	2720	2763
N12JTY	1594	1638	1672	1708	1747	1789	1824	1867	1911	1955	2022	2159	2244	2289	2333	2377	2422	2464	2508	2551
N12KKC	1638	1693	1735	1780	1830	1882	1926	1980	2034	2089	2173	2344	2451	2506	2562	2617	2673	2725	2781	2835
N12KKCE	1812	1867	1909	1954	2004	2056	2100	2154	2208	2263	2347	2518	2625	2680	2736	2791	2847	2899	2955	3009
N12KKCES	1964	2019	2061	2106	2156	2208	2252	2306	2360	2415	2499	2670	2777	2832	2888	2943	2999	3051	3107	3161
N12KKCS	1791	1846	1888	1933	1983	2035	2079	2133	2187	2242	2326	2497	2604	2659	2715	2770	2826	2878	2934	2988
N12KKY	1826	1881	1923	1968	2018	2070	2114	2168	2222	2277	2361	2532	2639	2694	2750	2805	2861	2913	2969	3023
N12KKYE	1999	2054	2096	2141	2191	2243	2287	2341	2395	2450	2534	2705	2812	2867	2923	2978	3034	3086	3142	3196
N12KR	1506	1561	1603	1648	1698	1750	1794	1848	1902	1957	2041	2212	2319	2374	2430	2485	2541	2593	2649	2703
N12KRE	1678	1733	1775	1820	1870	1922	1966	2020	2074	2129	2213	2384	2491	2546	2602	2657	2713	2765	2821	2875
N12KRES	1834	1889	1931	1976	2026	2078	2122	2176	2230	2285	2369	2540	2647	2702	2758	2813	2869	2921	2977	3031
N12KRS	1660	1715	1757	1802	1852	1904	1948	2002	2056	2111	2195	2366	2473	2528	2584	2639	2695	2747	2803	2857
N12KRY	1700	1755	1797	1842	1892	1944	1988	2042	2096	2151	2235	2406	2513	2568	2624	2679	2735	2787	2843	2897
N12KRYE	1872	1927	1969	2014	2064	2116	2160	2214	2268	2323	2407	2578	2685	2740	2796	2851	2907	2959	3015	3069
N12KT	1468	1523	1565	1610	1660	1712	1756	1810	1864	1919	2003	2174	2281	2336	2392	2447	2503	2555	2611	2665
N12KTC	1600	1655	1697	1742	1792	1844	1888	1942	1996	2051	2135	2306	2413	2468	2524	2579	2635	2687	2743	2797
N12KTCS	1751	1806	1848	1893	1943	1995	2039	2093	2147	2202	2286	2457	2564	2619	2675	2730	2786	2838	2894	2948
N12KTS	1622	1677	1719	1764	1814	1866	1910	1964	2018	2073	2157	2328	2435	2490	2546	2601	2657	2709	2765	2819
N12KTY	1659	1714	1756	1801	1851	1903	1947	2001	2055	2110	2194	2365	2472	2527	2583	2638	2694	2746	2802	2856
N12MMC	1623	1671	1707	1746	1789	1835	1872	1919	1966	2014	2087	2235	2327	2375	2424	2472	2520	2565	2613	2660
N12MMCE	1796	1844	1880	1919	1962	2008	2045	2092	2139	2187	2260	2408	2500	2548	2597	2645	2693	2738	2786	2833
N12MMCES	1945	1993	2029	2068	2111	2157	2194	2241	2288	2336	2409	2557	2649	2697	2746	2794	2842	2887	2935	2982
N12MMCS	1772	1820	1856	1895	1938	1984	2021	2068	2115	2163	2236	2384	2476	2524	2573	2621	2669	2714	2762	2809
N12MR	1492	1540	1576	1615	1658	1704	1741	1788	1835	1883	1956	2104	2196	2244	2293	2341	2389	2434	2482	2529
N12MRE	1664	1712	1748	1787	1830	1876	1913	1960	2007	2055	2128	2276	2368	2416	2465	2513	2561	2606	2654	2701
N12MRES	1816	1864	1900	1939	1982	2028	2065	2112	2159	2207	2280	2428	2520	2568	2617	2665	2713	2758	2806	2853
N12MRS	1645	1693	1729	1768	1811	1857	1894	1941	1988	2036	2109	2257	2349	2397	2446	2494	2542	2587	2635	2682
N12MT	1452	1500	1536	1575	1618	1664	1701	1748	1795	1843	1916	2064	2156	2204	2253	2301	2349	2394	2442	2489
N12MTS	1604	1652	1688	1727	1770	1816	1853	1900	1947	1995	2068	2216	2308	2356	2405	2453	2501	2546	2594	2641
N12PPC	1686	1746	1790	1838	1891	1947	1994	2051	2109	2168	2258	2440	2554	2613	2672	2731	2790	2846	2906	2963
N12PPCE	1860	1920	1964	2012	2065	2121	2168	2225	2283	2342	2432	2614	2728	2787	2846	2905	2964	3020	3080	3137
N12PPCES	2008	2068	2112	2160	2213	2269	2316	2373	2431	2490	2580	2762	2876	2935	2994	3053	3112	3168	3228	3285
N12PPCS	1837	1897	1941	1989	2042	2098	2145	2202	2260	2319	2409	2591	2705	2764	2823	2882	2941	2997	3057	3114
N12PR	1556	1616	1660	1708	1761	1817	1864	1921	1979	2038	2128	2310	2424	2483	2542	2601	2660	2716	2776	2833
N12PRE	1727	1787	1831	1879	1932	1988	2035	2092	2150	2209	2299	2481	2595	2654	2713	2772	2831	2887	2947	3004
N12PRES	1880	1940	1984	2032	2085	2141	2188	2245	2303	2362	2452	2634	2748	2807	2866	2925	2984	3040	3100	3157
N12PRS	1708	1768	1812	1860	1913	1969	2016	2073	2131	2190	2280	2462	2576	2635	2694	2753	2812	2868	2928	2985
N12PT	1516	1576	1620	1668	1721	1777	1824	1881	1939	1998	2088	2270	2384	2443	2502	2561	2620	2676	2736	2793
N12PTS	1668	1728	1772	1820	1873	1929	1976	2033	2091	2150	2240	2422	2536	2595	2654	2713	2772	2828	2888	2945
N12QQ	1067	1118	1158	1200	1246	1295	1335	1386	1436	1488	1566	1726	1825	1877	1929	1981	2033	2082	2133	2184
N12RR	1004	1045	1075	1108	1145	1183	1215	1255	1294	1335	1397	1522	1600	1641	1682	1722	1763	1801	1842	1882
N12TJC	1534	1578	1612	1648	1687	1729	1764	1807	1851	1895	1962	2099	2184	2229	2273	2317	2362	2404	2448	2491
N12TJCS	1684	1728	1762	1798	1837	1879	1914	1957	2001	2045	2112	2249	2334	2379	2423	2467	2512	2554	2598	2641
N12TJY	1722	1766	1800	1836	1875	1917	1952	1995	2039	2083	2150	2287	2372	2417	2461	2505	2550	2592	2636	2679
N12TKY	1788	1843	1885	1930	1980	2032	2076	2130	2184	2239	2323	2494	2601	2656	2712	2767	2823	2875	2931	2985

ALLIANCE PROGRAM PRICING

TO ORDER, SPECIFY THE FOLLOWING:

1. Chair Model Number
2. Fabric Grade Letter
3. Alliance Pattern Number and Color Number/Name
4. Finish Number (when applicable)

SAMPLE ORDER NUMBER

N55EE	A	403901	036	HN
Model Number	Fabric Grade Letter	Alliance Pattern Number	Alliance Color Number	Finish

MODEL NUMBER — **ALLIANCE PROGRAM PRICE GRADES**

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
N12TMC	1585	1633	1669	1708	1751	1797	1834	1881	1928	1976	2049	2197	2289	2337	2386	2434	2482	2527	2575	2622
N12TMCS	1732	1780	1816	1855	1898	1944	1981	2028	2075	2123	2196	2344	2436	2484	2533	2581	2629	2674	2722	2769
N12TPC	1646	1706	1750	1798	1851	1907	1954	2011	2069	2128	2218	2400	2514	2573	2632	2691	2750	2806	2866	2923
N12TPCS	1798	1858	1902	1950	2003	2059	2106	2163	2221	2280	2370	2552	2666	2725	2784	2843	2902	2958	3018	3075
N12TR	1404	1448	1482	1518	1557	1599	1634	1677	1721	1765	1832	1969	2054	2099	2143	2187	2232	2274	2318	2361
N12TRS	1551	1595	1629	1665	1704	1746	1781	1824	1868	1912	1979	2116	2201	2246	2290	2334	2379	2421	2465	2508
N15AAY	1298	1331	1357	1384	1413	1445	1471	1503	1536	1569	1619	1722	1786	1819	1853	1886	1919	1951	1984	2016
N15ARY	1167	1200	1226	1253	1282	1314	1340	1372	1405	1438	1488	1591	1655	1688	1722	1755	1788	1820	1853	1885
N15CCY	1541	1574	1600	1627	1656	1688	1714	1746	1779	1812	1862	1965	2029	2062	2096	2129	2162	2194	2227	2259
N15CRY	1413	1446	1472	1499	1528	1560	1586	1618	1651	1684	1734	1837	1901	1934	1968	2001	2034	2066	2099	2131
N15EE	1396	1429	1455	1482	1511	1543	1569	1601	1634	1667	1717	1820	1884	1917	1951	1984	2017	2049	2082	2114
N15EES	1545	1578	1604	1631	1660	1692	1718	1750	1783	1816	1866	1969	2033	2066	2100	2133	2166	2198	2231	2263
N15ER	1267	1300	1326	1353	1382	1414	1440	1472	1505	1538	1588	1691	1755	1788	1822	1855	1888	1920	1953	1985
N15ERS	1416	1449	1475	1502	1531	1563	1589	1621	1654	1687	1737	1840	1904	1937	1971	2004	2037	2069	2102	2134
N15GG	1153	1186	1212	1239	1268	1300	1326	1358	1391	1424	1474	1577	1641	1674	1708	1741	1774	1806	1839	1871
N15GGS	1303	1336	1362	1389	1418	1450	1476	1508	1541	1574	1624	1727	1791	1824	1858	1891	1924	1956	1989	2021
N15GR	1025	1058	1084	1111	1140	1172	1198	1230	1263	1296	1346	1449	1513	1546	1580	1613	1646	1678	1711	1743
N15GRS	1171	1204	1230	1257	1286	1318	1344	1376	1409	1442	1492	1595	1659	1692	1726	1759	1792	1824	1857	1889
N15HH	1569	1602	1628	1655	1684	1716	1742	1774	1807	1840	1890	1993	2057	2090	2124	2157	2190	2222	2255	2287
N15HHS	1721	1754	1780	1807	1836	1868	1894	1926	1959	1992	2042	2145	2209	2242	2276	2309	2342	2374	2407	2439
N15HR	1443	1476	1502	1529	1558	1590	1616	1648	1681	1714	1764	1867	1931	1964	1998	2031	2064	2096	2129	2161
N15HRS	1589	1622	1648	1675	1704	1736	1762	1794	1827	1860	1910	2013	2077	2110	2144	2177	2210	2242	2275	2307
N15JJY	1573	1606	1632	1659	1688	1720	1746	1778	1811	1844	1894	1997	2061	2094	2128	2161	2194	2226	2259	2291
N15JJYE	1744	1777	1803	1830	1859	1891	1917	1949	1982	2015	2065	2168	2232	2265	2299	2332	2365	2397	2430	2462
N15JRY	1446	1479	1505	1532	1561	1593	1619	1651	1684	1717	1767	1870	1934	1967	2001	2034	2067	2099	2132	2164
N15JRYE	1617	1650	1676	1703	1732	1764	1790	1822	1855	1888	1938	2041	2105	2138	2172	2205	2238	2270	2303	2335
N15LL	1324	1357	1383	1410	1439	1471	1497	1529	1562	1595	1645	1748	1812	1845	1879	1912	1945	1977	2010	2042
N15LLS	1473	1506	1532	1559	1588	1620	1646	1678	1711	1744	1794	1897	1961	1994	2028	2061	2094	2126	2159	2191
N15LR	1194	1227	1253	1280	1309	1341	1367	1399	1432	1465	1515	1618	1682	1715	1749	1782	1815	1847	1880	1912
N15LRS	1344	1377	1403	1430	1459	1491	1517	1549	1582	1615	1665	1768	1832	1865	1899	1932	1965	1997	2030	2062
N15MM	1426	1459	1485	1512	1541	1573	1599	1631	1664	1697	1747	1850	1914	1947	1981	2014	2047	2079	2112	2144
N15MME	1599	1632	1658	1685	1714	1746	1772	1804	1837	1870	1920	2023	2087	2120	2154	2187	2220	2252	2285	2317
N15MMES	1748	1781	1807	1834	1863	1895	1921	1953	1986	2019	2069	2172	2236	2269	2303	2336	2369	2401	2434	2466
N15MMS	1575	1608	1634	1661	1690	1722	1748	1780	1813	1846	1896	1999	2063	2096	2130	2163	2196	2228	2261	2293
N15MR	1296	1329	1355	1382	1411	1443	1469	1501	1534	1567	1617	1720	1784	1817	1851	1884	1917	1949	1982	2014
N15MRE	1468	1501	1527	1554	1583	1615	1641	1673	1706	1739	1789	1892	1956	1989	2023	2056	2089	2121	2154	2186
N15MRES	1621	1654	1680	1707	1736	1768	1794	1826	1859	1892	1942	2045	2109	2142	2176	2209	2242	2274	2307	2339
N15MRS	1450	1483	1509	1536	1565	1597	1623	1655	1688	1721	1771	1874	1938	1971	2005	2038	2071	2103	2136	2168
N15PP	1599	1632	1658	1685	1714	1746	1772	1804	1837	1870	1920	2023	2087	2120	2154	2187	2220	2252	2285	2317
N15PPE	1772	1805	1831	1858	1887	1919	1945	1977	2010	2043	2093	2196	2260	2293	2327	2360	2393	2425	2458	2490
N15PPES	1921	1954	1980	2007	2036	2068	2094	2126	2159	2192	2242	2345	2409	2442	2476	2509	2542	2574	2607	2639
N15PPS	1748	1781	1807	1834	1863	1895	1921	1953	1986	2019	2069	2172	2236	2269	2303	2336	2369	2401	2434	2466
N15PR	1468	1501	1527	1554	1583	1615	1641	1673	1706	1739	1789	1892	1956	1989	2023	2056	2089	2121	2154	2186
N15PRE	1640	1673	1699	1726	1755	1787	1813	1845	1878	1911	1961	2064	2128	2161	2195	2228	2261	2293	2326	2358
N15PRES	1792	1825	1851	1878	1907	1939	1965	1997	2030	2063	2113	2216	2280	2313	2347	2380	2413	2445	2478	2510
N15PRS	1621	1654	1680	1707	1736	1768	1794	1826	1859	1892	1942	2045	2109	2142	2176	2209	2242	2274	2307	2339
N15PT	1428	1461	1487	1514	1543	1575	1601	1633	1666	1699	1749	1852	1916	1949	1983	2016	2049	2081	2114	2146
N15PTS	1580	1613	1639	1666	1695	1727	1753	1785	1818	1851	1901	2004	2068	2101	2135	2168	2201	2233	2266	2298
N15RR	1037	1070	1096	1123	1152	1184	1210	1242	1275	1308	1358	1461	1525	1558	1592	1625	1658	1690	1723	1755
N15TJY	1531	1564	1590	1617	1646	1678	1704	1736	1769	1802	1852	1955	2019	2052	2086	2119	2152	2184	2217	2249
N15TM	1357	1390	1416	1443	1472	1504	1530	1562	1595	1628	1678	1781	1845	1878	1912	1945	1978	2010	2043	2075
N15TMS	1506	1539	1565	1592	1621	1653	1679	1711	1744	1777	1827	1930	1994	2027	2061	2094	2127	2159	2192	2224
N15TP	1561	1594	1620	1647	1676	1708	1734	1766	1799	1832	1882	1985	2049	2082	2116	2149	2182	2214	2247	2279
N15TPS	1708	1741	1767	1794	1823	1855	1881	1913	1946	1979	2029	2132	2196	2229	2263	2296	2329	2361	2394	2426
N15TR	1257	1290	1316	1343	1372	1404	1430	1462	1495	1528	1578	1681	1745	1778	1812	1845	1878	1910	1943	1975
N15TRS	1409	1442	1468	1495	1524	1556	1582	1614	1647	1680	1730	1833	1897	1930	1964	1997	2030	2062	2095	2127
N15TRY	1406	1439	1465	1492	1521	1553	1579	1611	1644	1677	1727	1830	1894	1927	1961	1994	2027	2059	2092	2124
N21AATUC	1282	1308	1328	1349	1372	1396	1417	1442	1467	1493	1532	1612	1662	1688	1714	1739	1765	1790	1816	1841
N21AATUG	1282	1308	1328	1349	1372	1396	1417	1442	1467	1493	1532	1612	1662	1688	1714	1739	1765	1790	1816	1841

ALLIANCE PROGRAM PRICING

TO ORDER, SPECIFY THE FOLLOWING:

1. Chair Model Number
2. Fabric Grade Letter
3. Alliance Pattern Number and Color Number/Name
4. Finish Number (when applicable)

SAMPLE ORDER NUMBER

N55EE	A	403901	036	HN
Model Number	Fabric Grade Letter	Alliance Pattern Number	Alliance Color Number	Finish

MODEL NUMBER — **ALLIANCE PROGRAM PRICE GRADES**

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
N21AAUC	1006	1032	1052	1073	1096	1120	1141	1166	1191	1217	1256	1336	1386	1412	1438	1463	1489	1514	1540	1565
N21AAUG	1006	1032	1052	1073	1096	1120	1141	1166	1191	1217	1256	1336	1386	1412	1438	1463	1489	1514	1540	1565
N21BBTUC	1123	1149	1169	1190	1213	1237	1258	1283	1308	1334	1373	1453	1503	1529	1555	1580	1606	1631	1657	1682
N21BBTUG	1123	1149	1169	1190	1213	1237	1258	1283	1308	1334	1373	1453	1503	1529	1555	1580	1606	1631	1657	1682
N21BBUC	850	876	896	917	940	964	985	1010	1035	1061	1100	1180	1230	1256	1282	1307	1333	1358	1384	1409
N21BBUG	850	876	896	917	940	964	985	1010	1035	1061	1100	1180	1230	1256	1282	1307	1333	1358	1384	1409
N21CCUC	1046	1072	1092	1113	1136	1160	1181	1206	1231	1257	1296	1376	1426	1452	1478	1503	1529	1554	1580	1605
N21CCUG	1046	1072	1092	1113	1136	1160	1181	1206	1231	1257	1296	1376	1426	1452	1478	1503	1529	1554	1580	1605
N21UPH	278	304	324	345	368	392	413	438	463	489	528	608	658	684	710	735	761	786	812	837
N27MHM2P	1221	1258	1286	1316	1349	1384	1413	1449	1485	1522	1578	1692	1763	1800	1837	1874	1911	1946	1983	2019
N27MHM2PS	1247	1284	1312	1342	1375	1410	1439	1475	1511	1548	1604	1718	1789	1826	1863	1900	1937	1972	2009	2045
N27MHM3P	1233	1270	1298	1328	1361	1396	1425	1461	1497	1534	1590	1704	1775	1812	1849	1886	1923	1958	1995	2031
N27MHM3PS	1261	1298	1326	1356	1389	1424	1453	1489	1525	1562	1618	1732	1803	1840	1877	1914	1951	1986	2023	2059
N27MM1P	1061	1098	1126	1156	1189	1224	1253	1289	1325	1362	1418	1532	1603	1640	1677	1714	1751	1786	1823	1859
N27MM1PS	1089	1126	1154	1184	1217	1252	1281	1317	1353	1390	1446	1560	1631	1668	1705	1742	1779	1814	1851	1887
N27MM2P	1116	1153	1181	1211	1244	1279	1308	1344	1380	1417	1473	1587	1658	1695	1732	1769	1806	1841	1878	1914
N27MM2PS	1144	1181	1209	1239	1272	1307	1336	1372	1408	1445	1501	1615	1686	1723	1760	1797	1834	1869	1906	1942
N27MM3P	1129	1166	1194	1224	1257	1292	1321	1357	1393	1430	1486	1600	1671	1708	1745	1782	1819	1854	1891	1927
N27MM3PS	1157	1194	1222	1252	1285	1320	1349	1385	1421	1458	1514	1628	1699	1736	1773	1810	1847	1882	1919	1955
N28AMML33LSS	1031	1064	1090	1117	1146	1178	1204	1236	1269	1302	1352	1455	1519	1552	1586	1619	1652	1684	1717	1749
N28AMML34LSS	1101	1134	1160	1187	1216	1248	1274	1306	1339	1372	1422	1525	1589	1622	1656	1689	1722	1754	1787	1819
N28AMUP33LSS	1360	1406	1441	1479	1520	1564	1600	1645	1690	1736	1806	1949	2037	2084	2130	2176	2222	2266	2312	2357
N28AMUP34LSS	1454	1500	1535	1573	1614	1658	1694	1739	1784	1830	1900	2043	2131	2178	2224	2270	2316	2360	2406	2451
N28CML13L	1255	1288	1314	1341	1370	1402	1428	1460	1493	1526	1576	1679	1743	1776	1810	1843	1876	1908	1941	1973
N28CML23L	1291	1324	1350	1377	1406	1438	1464	1496	1529	1562	1612	1715	1779	1812	1846	1879	1912	1944	1977	2009
N28CML33L	1354	1387	1413	1440	1469	1501	1527	1559	1592	1625	1675	1778	1842	1875	1909	1942	1975	2007	2040	2072
N28CML43L	1432	1465	1491	1518	1547	1579	1605	1637	1670	1703	1753	1856	1920	1953	1987	2020	2053	2085	2118	2150
N28CU13L	1643	1708	1757	1810	1867	1929	1979	2042	2105	2170	2268	2468	2592	2657	2721	2786	2851	2912	2977	3040
N28CU23L	1678	1743	1792	1845	1902	1964	2014	2077	2140	2205	2303	2503	2627	2692	2756	2821	2886	2947	3012	3075
N28CU33L	1743	1808	1857	1910	1967	2029	2079	2142	2205	2270	2368	2568	2692	2757	2821	2886	2951	3012	3077	3140
N28CU43L	1819	1884	1933	1986	2043	2105	2155	2218	2281	2346	2444	2644	2768	2833	2897	2962	3027	3088	3153	3216
N28CUP13L	1582	1628	1663	1701	1742	1786	1822	1867	1912	1958	2028	2171	2259	2306	2352	2398	2444	2488	2534	2579
N28CUP23L	1616	1662	1697	1735	1776	1820	1856	1901	1946	1992	2062	2205	2293	2340	2386	2432	2478	2522	2568	2613
N28CUP33L	1679	1725	1760	1798	1839	1883	1919	1964	2009	2055	2125	2268	2356	2403	2449	2495	2541	2585	2631	2676
N28CUP43L	1756	1802	1837	1875	1916	1960	1996	2041	2086	2132	2202	2345	2433	2480	2526	2572	2618	2662	2708	2753
N28GMA1	886	919	945	972	1001	1033	1059	1091	1124	1157	1207	1310	1374	1407	1441	1474	1507	1539	1572	1604
N28GMA3	2178	2238	2282	2330	2383	2439	2486	2543	2601	2660	2750	2932	3046	3105	3164	3223	3282	3338	3398	3455
N28GMAC1	989	1022	1048	1075	1104	1136	1162	1194	1227	1260	1310	1413	1477	1510	1544	1577	1610	1642	1675	1707
N28GMAC3	2338	2398	2442	2490	2543	2599	2646	2703	2761	2820	2910	3092	3206	3265	3324	3383	3442	3498	3558	3615
N28GMM1	855	888	914	941	970	1002	1028	1060	1093	1126	1176	1279	1343	1376	1410	1443	1476	1508	1541	1573
N28GMM3	1938	1998	2042	2090	2143	2199	2246	2303	2361	2420	2510	2692	2806	2865	2924	2983	3042	3098	3158	3215
N28GMMC1	909	942	968	995	1024	1056	1082	1114	1147	1180	1230	1333	1397	1430	1464	1497	1530	1562	1595	1627
N28GMMC3	2100	2160	2204	2252	2305	2361	2408	2465	2523	2582	2672	2854	2968	3027	3086	3145	3204	3260	3320	3377
N28GUA1	1033	1074	1104	1137	1174	1212	1244	1284	1323	1364	1426	1551	1629	1670	1711	1751	1792	1830	1871	1911
N28GUA3	2643	2740	2812	2890	2976	3067	3143	3236	3330	3426	3572	3868	4053	4149	4245	4341	4437	4528	4625	4718
N28GUAC1	1137	1178	1208	1241	1278	1316	1348	1388	1427	1468	1530	1655	1733	1774	1815	1855	1896	1934	1975	2015
N28GUAC3	2804	2901	2973	3051	3137	3228	3304	3397	3491	3587	3733	4029	4214	4310	4406	4502	4598	4689	4786	4879
N28GUM1	1002	1043	1073	1106	1143	1181	1213	1253	1292	1333	1395	1520	1598	1639	1680	1720	1761	1799	1840	1880
N28GUM3	2402	2499	2571	2649	2735	2826	2902	2995	3089	3185	3331	3627	3812	3908	4004	4100	4196	4287	4384	4477
N28GUMC1	1055	1096	1126	1159	1196	1234	1266	1306	1345	1386	1448	1573	1651	1692	1733	1773	1814	1852	1893	1933
N28GUMC3	2564	2661	2733	2811	2897	2988	3064	3157	3251	3347	3493	3789	3974	4070	4166	4262	4358	4449	4546	4639
N28GUPA1	987	1020	1046	1073	1102	1134	1160	1192	1225	1258	1308	1411	1475	1508	1542	1575	1608	1640	1673	1705
N28GUPA3	2518	2599	2661	2727	2799	2876	2940	3019	3099	3180	3303	3554	3710	3792	3873	3954	4036	4113	4194	4273
N28GUPAC1	1090	1123	1149	1176	1205	1237	1263	1295	1328	1361	1411	1514	1578	1611	1645	1678	1711	1743	1776	1808
N28GUPAC3	2679	2760	2822	2888	2960	3037	3101	3180	3260	3341	3464	3715	3871	3953	4034	4115	4197	4274	4355	4434
N28GUPM1	956	989	1015	1042	1071	1103	1129	1161	1194	1227	1277	1380	1444	1477	1511	1544	1577	1609	1642	1674
N28GUPM3	2277	2358	2420	2486	2558	2635	2699	2778	2858	2939	3062	3313	3469	3551	3632	3713	3795	3872	3953	4032
N28GUPMC1	1008	1041	1067	1094	1123	1155	1181	1213	1246	1279	1329	1432	1496	1529	1563	1596	1629	1661	1694	1726
N28GUPMC3	2439	2520	2582	2648	2720	2797	2861	2940	3020	3101	3224	3475	3631	3713	3794	3875	3957	4034	4115	4194

ALLIANCE PROGRAM PRICING

TO ORDER, SPECIFY THE FOLLOWING:

1. Chair Model Number
2. Fabric Grade Letter
3. Alliance Pattern Number and Color Number/Name
4. Finish Number (when applicable)

SAMPLE ORDER NUMBER

N55EE	A	403901	036	HN
Model Number	Fabric Grade Letter	Alliance Pattern Number	Alliance Color Number	Finish

MODEL NUMBER — **ALLIANCE PROGRAM PRICE GRADES**

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
N28MMDL14LSS	1249	1282	1308	1335	1364	1396	1422	1454	1487	1520	1570	1673	1737	1770	1804	1837	1870	1902	1935	1967
N28MMDL24LSS	1306	1339	1365	1392	1421	1453	1479	1511	1544	1577	1627	1730	1794	1827	1861	1894	1927	1959	1992	2024
N28MMDL34LSS	1377	1410	1436	1463	1492	1524	1550	1582	1615	1648	1698	1801	1865	1898	1932	1965	1998	2030	2063	2095
N28MMDL44LSS	1454	1487	1513	1540	1569	1601	1627	1659	1692	1725	1775	1878	1942	1975	2009	2042	2075	2107	2140	2172
N28MML13L	1045	1078	1104	1131	1160	1192	1218	1250	1283	1316	1366	1469	1533	1566	1600	1633	1666	1698	1731	1763
N28MML13LSS	1073	1106	1132	1159	1188	1220	1246	1278	1311	1344	1394	1497	1561	1594	1628	1661	1694	1726	1759	1791
N28MML14L	1115	1148	1174	1201	1230	1262	1288	1320	1353	1386	1436	1539	1603	1636	1670	1703	1736	1768	1801	1833
N28MML14LSS	1143	1176	1202	1229	1258	1290	1316	1348	1381	1414	1464	1567	1631	1664	1698	1731	1764	1796	1829	1861
N28MML23L	1080	1113	1139	1166	1195	1227	1253	1285	1318	1351	1401	1504	1568	1601	1635	1668	1701	1733	1766	1798
N28MML23LSS	1101	1134	1160	1187	1216	1248	1274	1306	1339	1372	1422	1525	1589	1622	1656	1689	1722	1754	1787	1819
N28MML24L	1143	1176	1202	1229	1258	1290	1316	1348	1381	1414	1464	1567	1631	1664	1698	1731	1764	1796	1829	1861
N28MML24LSS	1171	1204	1230	1257	1286	1318	1344	1376	1409	1442	1492	1595	1659	1692	1726	1759	1792	1824	1857	1889
N28MML33L	1143	1176	1202	1229	1258	1290	1316	1348	1381	1414	1464	1567	1631	1664	1698	1731	1764	1796	1829	1861
N28MML33LSS	1171	1204	1230	1257	1286	1318	1344	1376	1409	1442	1492	1595	1659	1692	1726	1759	1792	1824	1857	1889
N28MML34L	1213	1246	1272	1299	1328	1360	1386	1418	1451	1484	1534	1637	1701	1734	1768	1801	1834	1866	1899	1931
N28MML34LSS	1241	1274	1300	1327	1356	1388	1414	1446	1479	1512	1562	1665	1729	1762	1796	1829	1862	1894	1927	1959
N28MML43L	1220	1253	1279	1306	1335	1367	1393	1425	1458	1491	1541	1644	1708	1741	1775	1808	1841	1873	1906	1938
N28MML43LSS	1248	1281	1307	1334	1363	1395	1421	1453	1486	1519	1569	1672	1736	1769	1803	1836	1869	1901	1934	1966
N28MML44L	1291	1324	1350	1377	1406	1438	1464	1496	1529	1562	1612	1715	1779	1812	1846	1879	1912	1944	1977	2009
N28MML44LSS	1319	1352	1378	1405	1434	1466	1492	1524	1557	1590	1640	1743	1807	1840	1874	1907	1940	1972	2005	2037
N28MML83L	1666	1699	1725	1752	1781	1813	1839	1871	1904	1937	1987	2090	2154	2187	2221	2254	2287	2319	2352	2384
N28MML83LSS	1694	1727	1753	1780	1809	1841	1867	1899	1932	1965	2015	2118	2182	2215	2249	2282	2315	2347	2380	2412
N28MML84L	1735	1768	1794	1821	1850	1882	1908	1940	1973	2006	2056	2159	2223	2256	2290	2323	2356	2388	2421	2453
N28MML84LSS	1763	1796	1822	1849	1878	1910	1936	1968	2001	2034	2084	2187	2251	2284	2318	2351	2384	2416	2449	2481
N28MU13L	1432	1497	1546	1599	1656	1718	1768	1831	1894	1959	2057	2257	2381	2446	2510	2575	2640	2701	2766	2829
N28MU13LSS	1460	1525	1574	1627	1684	1746	1796	1859	1922	1987	2085	2285	2409	2474	2538	2603	2668	2729	2794	2857
N28MU14L	1503	1568	1617	1670	1727	1789	1839	1902	1965	2030	2128	2328	2452	2517	2581	2646	2711	2772	2837	2900
N28MU14LSS	1531	1596	1645	1698	1755	1817	1867	1930	1993	2058	2156	2356	2480	2545	2609	2674	2739	2800	2865	2928
N28MU23L	1467	1532	1581	1634	1691	1753	1803	1866	1929	1994	2092	2292	2416	2481	2545	2610	2675	2736	2801	2864
N28MU23LSS	1488	1553	1602	1655	1712	1774	1824	1887	1950	2015	2113	2313	2437	2502	2566	2631	2696	2757	2822	2885
N28MU24L	1531	1596	1645	1698	1755	1817	1867	1930	1993	2058	2156	2356	2480	2545	2609	2674	2739	2800	2865	2928
N28MU24LSS	1560	1625	1674	1727	1784	1846	1896	1959	2022	2087	2185	2385	2509	2574	2638	2703	2768	2829	2894	2957
N28MU33L	1531	1596	1645	1698	1755	1817	1867	1930	1993	2058	2156	2356	2480	2545	2609	2674	2739	2800	2865	2928
N28MU33LSS	1560	1625	1674	1727	1784	1846	1896	1959	2022	2087	2185	2385	2509	2574	2638	2703	2768	2829	2894	2957
N28MU34L	1600	1665	1714	1767	1824	1886	1936	1999	2062	2127	2225	2425	2549	2614	2678	2743	2808	2869	2934	2997
N28MU34LSS	1630	1695	1744	1797	1854	1916	1966	2029	2092	2157	2255	2455	2579	2644	2708	2773	2838	2899	2964	3027
N28MU43L	1608	1673	1722	1775	1832	1894	1944	2007	2070	2135	2233	2433	2557	2622	2686	2751	2816	2877	2942	3005
N28MU43LSS	1637	1702	1751	1804	1861	1923	1973	2036	2099	2164	2262	2462	2586	2651	2715	2780	2845	2906	2971	3034
N28MU44L	1678	1743	1792	1845	1902	1964	2014	2077	2140	2205	2303	2503	2627	2692	2756	2821	2886	2947	3012	3075
N28MU44LSS	1707	1772	1821	1874	1931	1993	2043	2106	2169	2234	2332	2532	2656	2721	2785	2850	2915	2976	3041	3104
N28MU83L	1736	1801	1850	1903	1960	2022	2072	2135	2198	2263	2361	2561	2685	2750	2814	2879	2944	3005	3070	3133
N28MU83LSS	1765	1830	1879	1932	1989	2051	2101	2164	2227	2292	2390	2590	2714	2779	2843	2908	2973	3034	3099	3162
N28MU84L	1807	1872	1921	1974	2031	2093	2143	2206	2269	2334	2432	2632	2756	2821	2885	2950	3015	3076	3141	3204
N28MU84LSS	1836	1901	1950	2003	2060	2122	2172	2235	2298	2363	2461	2661	2785	2850	2914	2979	3044	3105	3170	3233
N28MUP13L	1370	1416	1451	1489	1530	1574	1610	1655	1700	1746	1816	1959	2047	2094	2140	2186	2232	2276	2322	2367
N28MUP13LSS	1398	1444	1479	1517	1558	1602	1638	1683	1728	1774	1844	1987	2075	2122	2168	2214	2260	2304	2350	2395
N28MUP14L	1440	1486	1521	1559	1600	1644	1680	1725	1770	1816	1886	2029	2117	2164	2210	2256	2302	2346	2392	2437
N28MUP14LSS	1468	1514	1549	1587	1628	1672	1708	1753	1798	1844	1914	2057	2145	2192	2238	2284	2330	2374	2420	2465
N28MUP23L	1405	1451	1486	1524	1565	1609	1645	1690	1735	1781	1851	1994	2082	2129	2175	2221	2267	2311	2357	2402
N28MUP23LSS	1427	1473	1508	1546	1587	1631	1667	1712	1757	1803	1873	2016	2104	2151	2197	2243	2289	2333	2379	2424
N28MUP24L	1468	1514	1549	1587	1628	1672	1708	1753	1798	1844	1914	2057	2145	2192	2238	2284	2330	2374	2420	2465
N28MUP24LSS	1498	1544	1579	1617	1658	1702	1738	1783	1828	1874	1944	2087	2175	2222	2268	2314	2360	2404	2450	2495
N28MUP33L	1468	1514	1549	1587	1628	1672	1708	1753	1798	1844	1914	2057	2145	2192	2238	2284	2330	2374	2420	2465
N28MUP33LSS	1498	1544	1579	1617	1658	1702	1738	1783	1828	1874	1944	2087	2175	2222	2268	2314	2360	2404	2450	2495
N28MUP34L	1539	1585	1620	1658	1699	1743	1779	1824	1869	1915	1985	2128	2216	2263	2309	2355	2401	2445	2491	2536
N28MUP34LSS	1567	1613	1648	1686	1727	1771	1807	1852	1897	1943	2013	2156	2244	2291	2337	2383	2429	2473	2519	2564
N28MUP43L	1545	1591	1626	1664	1705	1749	1785	1830	1875	1921	1991	2134	2222	2269	2315	2361	2407	2451	2497	2542
N28MUP43LSS	1574	1620	1655	1693	1734	1778	1814	1859	1904	1950	2020	2163	2251	2298	2344	2390	2436	2480	2526	2571
N28MUP44L	1616	1662	1697	1735	1776	1820	1856	1901	1946	1992	2062	2205	2293	2340	2386	2432	2478	2522	2568	2613

ALLIANCE PROGRAM PRICING

TO ORDER, SPECIFY THE FOLLOWING:

1. Chair Model Number
2. Fabric Grade Letter
3. Alliance Pattern Number and Color Number/Name
4. Finish Number (when applicable)

SAMPLE ORDER NUMBER

N55EE	A	403901	036	HN
Model Number	Fabric Grade Letter	Alliance Pattern Number	Alliance Color Number	Finish

MODEL NUMBER — **ALLIANCE PROGRAM PRICE GRADES**

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
N28MUP44LSS	1644	1690	1725	1763	1804	1848	1884	1929	1974	2020	2090	2233	2321	2368	2414	2460	2506	2550	2596	2641
N28MUP83L	1673	1719	1754	1792	1833	1877	1913	1958	2003	2049	2119	2262	2350	2397	2443	2489	2535	2579	2625	2670
N28MUP83LSS	1702	1748	1783	1821	1862	1906	1942	1987	2032	2078	2148	2291	2379	2426	2472	2518	2564	2608	2654	2699
N28MUP84L	1745	1791	1826	1864	1905	1949	1985	2030	2075	2121	2191	2334	2422	2469	2515	2561	2607	2651	2697	2742
N28MUP84LSS	1773	1819	1854	1892	1933	1977	2013	2058	2103	2149	2219	2362	2450	2497	2543	2589	2635	2679	2725	2770
N28MUPD14LSS	1604	1650	1685	1723	1764	1808	1844	1889	1934	1980	2050	2193	2281	2328	2374	2420	2466	2510	2556	2601
N28MUPD24LSS	1633	1679	1714	1752	1793	1837	1873	1918	1963	2009	2079	2222	2310	2357	2403	2449	2495	2539	2585	2630
N28MUPD34LSS	1702	1748	1783	1821	1862	1906	1942	1987	2032	2078	2148	2291	2379	2426	2472	2518	2564	2608	2654	2699
N28MUPD44LSS	1780	1826	1861	1899	1940	1984	2020	2065	2110	2156	2226	2369	2457	2504	2550	2596	2642	2686	2732	2777
N28SML13L	1255	1288	1314	1341	1370	1402	1428	1460	1493	1526	1576	1679	1743	1776	1810	1843	1876	1908	1941	1973
N28SML23L	1291	1324	1350	1377	1406	1438	1464	1496	1529	1562	1612	1715	1779	1812	1846	1879	1912	1944	1977	2009
N28SML33L	1354	1387	1413	1440	1469	1501	1527	1559	1592	1625	1675	1778	1842	1875	1909	1942	1975	2007	2040	2072
N28SML43L	1432	1465	1491	1518	1547	1579	1605	1637	1670	1703	1753	1856	1920	1953	1987	2020	2053	2085	2118	2150
N28SU13L	1643	1708	1757	1810	1867	1929	1979	2042	2105	2170	2268	2468	2592	2657	2721	2786	2851	2912	2977	3040
N28SU23L	1678	1743	1792	1845	1902	1964	2014	2077	2140	2205	2303	2503	2627	2692	2756	2821	2886	2947	3012	3075
N28SU33L	1743	1808	1857	1910	1967	2029	2079	2142	2205	2270	2368	2568	2692	2757	2821	2886	2951	3012	3077	3140
N28SU43L	1819	1884	1933	1986	2043	2105	2155	2218	2281	2346	2444	2644	2768	2833	2897	2962	3027	3088	3153	3216
N28SUP13L	1582	1628	1663	1701	1742	1786	1822	1867	1912	1958	2028	2171	2259	2306	2352	2398	2444	2488	2534	2579
N28SUP23L	1616	1662	1697	1735	1776	1820	1856	1901	1946	1992	2062	2205	2293	2340	2386	2432	2478	2522	2568	2613
N28SUP33L	1679	1725	1760	1798	1839	1883	1919	1964	2009	2055	2125	2268	2356	2403	2449	2495	2541	2585	2631	2676
N28SUP43L	1756	1802	1837	1875	1916	1960	1996	2041	2086	2132	2202	2345	2433	2480	2526	2572	2618	2662	2708	2753
N30GM1UN	838	871	897	924	953	985	1011	1043	1076	1109	1159	1262	1326	1359	1393	1426	1459	1491	1524	1556
N30GM1UNC	838	871	897	924	953	985	1011	1043	1076	1109	1159	1262	1326	1359	1393	1426	1459	1491	1524	1556
N30GM1UP	801	834	860	887	916	948	974	1006	1039	1072	1122	1225	1289	1322	1356	1389	1422	1454	1487	1519
N30GM1UPC	801	834	860	887	916	948	974	1006	1039	1072	1122	1225	1289	1322	1356	1389	1422	1454	1487	1519
N30GM9UN	912	945	971	998	1027	1059	1085	1117	1150	1183	1233	1336	1400	1433	1467	1500	1533	1565	1598	1630
N30GM9UNC	912	945	971	998	1027	1059	1085	1117	1150	1183	1233	1336	1400	1433	1467	1500	1533	1565	1598	1630
N30GM9UP	877	910	936	963	992	1024	1050	1082	1115	1148	1198	1301	1365	1398	1432	1465	1498	1530	1563	1595
N30GM9UPC	877	910	936	963	992	1024	1050	1082	1115	1148	1198	1301	1365	1398	1432	1465	1498	1530	1563	1595
N30GP1PN	820	843	859	877	897	918	936	957	979	1001	1035	1103	1146	1168	1190	1212	1234	1255	1278	1299
N30GP1PNC	820	843	859	877	897	918	936	957	979	1001	1035	1103	1146	1168	1190	1212	1234	1255	1278	1299
N30GP1PP	783	806	822	840	860	881	899	920	942	964	998	1066	1109	1131	1153	1175	1197	1218	1241	1262
N30GP1PPC	783	806	822	840	860	881	899	920	942	964	998	1066	1109	1131	1153	1175	1197	1218	1241	1262
N30GP1UN	912	945	971	998	1027	1059	1085	1117	1150	1183	1233	1336	1400	1433	1467	1500	1533	1565	1598	1630
N30GP1UNC	912	945	971	998	1027	1059	1085	1117	1150	1183	1233	1336	1400	1433	1467	1500	1533	1565	1598	1630
N30GP1UP	877	910	936	963	992	1024	1050	1082	1115	1148	1198	1301	1365	1398	1432	1465	1498	1530	1563	1595
N30GP1UPC	877	910	936	963	992	1024	1050	1082	1115	1148	1198	1301	1365	1398	1432	1465	1498	1530	1563	1595
N30GP9PN	894	917	933	951	971	992	1010	1031	1053	1075	1109	1177	1220	1242	1264	1286	1308	1329	1352	1373
N30GP9PNC	894	917	933	951	971	992	1010	1031	1053	1075	1109	1177	1220	1242	1264	1286	1308	1329	1352	1373
N30GP9PP	859	882	898	916	936	957	975	996	1018	1040	1074	1142	1185	1207	1229	1251	1273	1294	1317	1338
N30GP9PPC	859	882	898	916	936	957	975	996	1018	1040	1074	1142	1185	1207	1229	1251	1273	1294	1317	1338
N30GP9UN	987	1020	1046	1073	1102	1134	1160	1192	1225	1258	1308	1411	1475	1508	1542	1575	1608	1640	1673	1705
N30GP9UNC	987	1020	1046	1073	1102	1134	1160	1192	1225	1258	1308	1411	1475	1508	1542	1575	1608	1640	1673	1705
N30GP9UP	950	983	1009	1036	1065	1097	1123	1155	1188	1221	1271	1374	1438	1471	1505	1538	1571	1603	1636	1668
N30GP9UPC	950	983	1009	1036	1065	1097	1123	1155	1188	1221	1271	1374	1438	1471	1505	1538	1571	1603	1636	1668
N30GU1PN	894	917	933	951	971	992	1010	1031	1053	1075	1109	1177	1220	1242	1264	1286	1308	1329	1352	1373
N30GU1PNC	894	917	933	951	971	992	1010	1031	1053	1075	1109	1177	1220	1242	1264	1286	1308	1329	1352	1373
N30GU1PP	859	882	898	916	936	957	975	996	1018	1040	1074	1142	1185	1207	1229	1251	1273	1294	1317	1338
N30GU1PPC	859	882	898	916	936	957	975	996	1018	1040	1074	1142	1185	1207	1229	1251	1273	1294	1317	1338
N30GU1UN	987	1020	1046	1073	1102	1134	1160	1192	1225	1258	1308	1411	1475	1508	1542	1575	1608	1640	1673	1705
N30GU1UNC	987	1020	1046	1073	1102	1134	1160	1192	1225	1258	1308	1411	1475	1508	1542	1575	1608	1640	1673	1705
N30GU1UP	950	983	1009	1036	1065	1097	1123	1155	1188	1221	1271	1374	1438	1471	1505	1538	1571	1603	1636	1668
N30GU1UPC	950	983	1009	1036	1065	1097	1123	1155	1188	1221	1271	1374	1438	1471	1505	1538	1571	1603	1636	1668
N30GU9PN	969	992	1008	1026	1046	1067	1085	1106	1128	1150	1184	1252	1295	1317	1339	1361	1383	1404	1427	1448
N30GU9PNC	969	992	1008	1026	1046	1067	1085	1106	1128	1150	1184	1252	1295	1317	1339	1361	1383	1404	1427	1448
N30GU9PP	932	955	971	989	1009	1030	1048	1069	1091	1113	1147	1215	1258	1280	1302	1324	1346	1367	1390	1411
N30GU9PPC	932	955	971	989	1009	1030	1048	1069	1091	1113	1147	1215	1258	1280	1302	1324	1346	1367	1390	1411
N30GU9UN	1062	1095	1121	1148	1177	1209	1235	1267	1300	1333	1383	1486	1550	1583	1617	1650	1683	1715	1748	1780
N30GU9UNC	1062	1095	1121	1148	1177	1209	1235	1267	1300	1333	1383	1486	1550	1583	1617	1650	1683	1715	1748	1780

ALLIANCE PROGRAM PRICING

TO ORDER, SPECIFY THE FOLLOWING:

1. Chair Model Number
2. Fabric Grade Letter
3. Alliance Pattern Number and Color Number/Name
4. Finish Number (when applicable)

SAMPLE ORDER NUMBER

N55EE	A	403901	036	HN
Model Number	Fabric Grade Letter	Alliance Pattern Number	Alliance Color Number	Finish

MODEL NUMBER — **ALLIANCE PROGRAM PRICE GRADES**

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
N30GU9UP	1025	1058	1084	1111	1140	1172	1198	1230	1263	1296	1346	1449	1513	1546	1580	1613	1646	1678	1711	1743
N30GU9UPC	1025	1058	1084	1111	1140	1172	1198	1230	1263	1296	1346	1449	1513	1546	1580	1613	1646	1678	1711	1743
N30HM1SN	1184	1214	1236	1260	1287	1315	1338	1367	1395	1425	1470	1561	1618	1647	1677	1707	1736	1764	1794	1823
N30HM1SP	1034	1064	1086	1110	1137	1165	1188	1217	1245	1275	1320	1411	1468	1497	1527	1557	1586	1614	1644	1673
N30HM1SSN	1319	1349	1371	1395	1422	1450	1473	1502	1530	1560	1605	1696	1753	1782	1812	1842	1871	1899	1929	1958
N30HM1SSP	1168	1198	1220	1244	1271	1299	1322	1351	1379	1409	1454	1545	1602	1631	1661	1691	1720	1748	1778	1807
N30HM2SN	1332	1362	1384	1408	1435	1463	1486	1515	1543	1573	1618	1709	1766	1795	1825	1855	1884	1912	1942	1971
N30HM2SP	1184	1214	1236	1260	1287	1315	1338	1367	1395	1425	1470	1561	1618	1647	1677	1707	1736	1764	1794	1823
N30HM2SSN	1469	1499	1521	1545	1572	1600	1623	1652	1680	1710	1755	1846	1903	1932	1962	1992	2021	2049	2079	2108
N30HM2SSP	1319	1349	1371	1395	1422	1450	1473	1502	1530	1560	1605	1696	1753	1782	1812	1842	1871	1899	1929	1958
N30HM3SN	1407	1437	1459	1483	1510	1538	1561	1590	1618	1648	1693	1784	1841	1870	1900	1930	1959	1987	2017	2046
N30HM3SP	1259	1289	1311	1335	1362	1390	1413	1442	1470	1500	1545	1636	1693	1722	1752	1782	1811	1839	1869	1898
N30HM3SSN	1541	1571	1593	1617	1644	1672	1695	1724	1752	1782	1827	1918	1975	2004	2034	2064	2093	2121	2151	2180
N30HM3SSP	1391	1421	1443	1467	1494	1522	1545	1574	1602	1632	1677	1768	1825	1854	1884	1914	1943	1971	2001	2030
N30HM8SN	1557	1587	1609	1633	1660	1688	1711	1740	1768	1798	1843	1934	1991	2020	2050	2080	2109	2137	2167	2196
N30HM8SSN	1692	1722	1744	1768	1795	1823	1846	1875	1903	1933	1978	2069	2126	2155	2185	2215	2244	2272	2302	2331
N30HM9SN	1259	1289	1311	1335	1362	1390	1413	1442	1470	1500	1545	1636	1693	1722	1752	1782	1811	1839	1869	1898
N30HM9SP	1110	1140	1162	1186	1213	1241	1264	1293	1321	1351	1396	1487	1544	1573	1603	1633	1662	1690	1720	1749
N30HM9SSN	1391	1421	1443	1467	1494	1522	1545	1574	1602	1632	1677	1768	1825	1854	1884	1914	1943	1971	2001	2030
N30HM9SSP	1243	1273	1295	1319	1346	1374	1397	1426	1454	1484	1529	1620	1677	1706	1736	1766	1795	1823	1853	1882
N30HML1SN	1294	1324	1346	1370	1397	1425	1448	1477	1505	1535	1580	1671	1728	1757	1787	1817	1846	1874	1904	1933
N30HML1SP	1145	1175	1197	1221	1248	1276	1299	1328	1356	1386	1431	1522	1579	1608	1638	1668	1697	1725	1755	1784
N30HML1SSN	1429	1459	1481	1505	1532	1560	1583	1612	1640	1670	1715	1806	1863	1892	1922	1952	1981	2009	2039	2068
N30HML1SSP	1279	1309	1331	1355	1382	1410	1433	1462	1490	1520	1565	1656	1713	1742	1772	1802	1831	1859	1889	1918
N30HML2SN	1444	1474	1496	1520	1547	1575	1598	1627	1655	1685	1730	1821	1878	1907	1937	1967	1996	2024	2054	2083
N30HML2SP	1294	1324	1346	1370	1397	1425	1448	1477	1505	1535	1580	1671	1728	1757	1787	1817	1846	1874	1904	1933
N30HML2SSN	1579	1609	1631	1655	1682	1710	1733	1762	1790	1820	1865	1956	2013	2042	2072	2102	2131	2159	2189	2218
N30HML2SSP	1429	1459	1481	1505	1532	1560	1583	1612	1640	1670	1715	1806	1863	1892	1922	1952	1981	2009	2039	2068
N30HML3SN	1520	1550	1572	1596	1623	1651	1674	1703	1731	1761	1806	1897	1954	1983	2013	2043	2072	2100	2130	2159
N30HML3SP	1370	1400	1422	1446	1473	1501	1524	1553	1581	1611	1656	1747	1804	1833	1863	1893	1922	1950	1980	2009
N30HML3SSN	1656	1686	1708	1732	1759	1787	1810	1839	1867	1897	1942	2033	2090	2119	2149	2179	2208	2236	2266	2295
N30HML3SSP	1506	1536	1558	1582	1609	1637	1660	1689	1717	1747	1792	1883	1940	1969	1999	2029	2058	2086	2116	2145
N30HML8SN	1668	1698	1720	1744	1771	1799	1822	1851	1879	1909	1954	2045	2102	2131	2161	2191	2220	2248	2278	2307
N30HML8SSN	1804	1834	1856	1880	1907	1935	1958	1987	2015	2045	2090	2181	2238	2267	2297	2327	2356	2384	2414	2443
N30HML9SN	1370	1400	1422	1446	1473	1501	1524	1553	1581	1611	1656	1747	1804	1833	1863	1893	1922	1950	1980	2009
N30HML9SP	1221	1251	1273	1297	1324	1352	1375	1404	1432	1462	1507	1598	1655	1684	1714	1744	1773	1801	1831	1860
N30HML9SSN	1506	1536	1558	1582	1609	1637	1660	1689	1717	1747	1792	1883	1940	1969	1999	2029	2058	2086	2116	2145
N30HML9SSP	1355	1385	1407	1431	1458	1486	1509	1538	1566	1596	1641	1732	1789	1818	1848	1878	1907	1935	1965	1994
N30HP1SN	1394	1442	1478	1517	1560	1606	1643	1690	1737	1785	1858	2006	2098	2146	2195	2243	2291	2336	2384	2431
N30HP1SP	1243	1291	1327	1366	1409	1455	1492	1539	1586	1634	1707	1855	1947	1995	2044	2092	2140	2185	2233	2280
N30HP1SSN	1527	1575	1611	1650	1693	1739	1776	1823	1870	1918	1991	2139	2231	2279	2328	2376	2424	2469	2517	2564
N30HP1SSP	1377	1425	1461	1500	1543	1589	1626	1673	1720	1768	1841	1989	2081	2129	2178	2226	2274	2319	2367	2414
N30HP2SN	1542	1590	1626	1665	1708	1754	1791	1838	1885	1933	2006	2154	2246	2294	2343	2391	2439	2484	2532	2579
N30HP2SP	1394	1442	1478	1517	1560	1606	1643	1690	1737	1785	1858	2006	2098	2146	2195	2243	2291	2336	2384	2431
N30HP2SSN	1676	1724	1760	1799	1842	1888	1925	1972	2019	2067	2140	2288	2380	2428	2477	2525	2573	2618	2666	2713
N30HP2SSP	1527	1575	1611	1650	1693	1739	1776	1823	1870	1918	1991	2139	2231	2279	2328	2376	2424	2469	2517	2564
N30HP3SN	1617	1665	1701	1740	1783	1829	1866	1913	1960	2008	2081	2229	2321	2369	2418	2466	2514	2559	2607	2654
N30HP3SP	1466	1514	1550	1589	1632	1678	1715	1762	1809	1857	1930	2078	2170	2218	2267	2315	2363	2408	2456	2503
N30HP3SSN	1750	1798	1834	1873	1916	1962	1999	2046	2093	2141	2214	2362	2454	2502	2551	2599	2647	2692	2740	2787
N30HP3SSP	1601	1649	1685	1724	1767	1813	1850	1897	1944	1992	2065	2213	2305	2353	2402	2450	2498	2543	2591	2638
N30HP8SN	1766	1814	1850	1889	1932	1978	2015	2062	2109	2157	2230	2378	2470	2518	2567	2615	2663	2708	2756	2803
N30HP8SSN	1901	1949	1985	2024	2067	2113	2150	2197	2244	2292	2365	2513	2605	2653	2702	2750	2798	2843	2891	2938
N30HP9SN	1466	1514	1550	1589	1632	1678	1715	1762	1809	1857	1930	2078	2170	2218	2267	2315	2363	2408	2456	2503
N30HP9SP	1318	1366	1402	1441	1484	1530	1567	1614	1661	1709	1782	1930	2022	2070	2119	2167	2215	2260	2308	2355
N30HP9SSN	1601	1649	1685	1724	1767	1813	1850	1897	1944	1992	2065	2213	2305	2353	2402	2450	2498	2543	2591	2638
N30HP9SSP	1452	1500	1536	1575	1618	1664	1701	1748	1795	1843	1916	2064	2156	2204	2253	2301	2349	2394	2442	2489
N30HU1SN	1478	1533	1575	1620	1670	1722	1766	1820	1874	1929	2013	2184	2291	2346	2402	2457	2513	2565	2621	2675
N30HU1SP	1330	1385	1427	1472	1522	1574	1618	1672	1726	1781	1865	2036	2143	2198	2254	2309	2365	2417	2473	2527
N30HU1SSN	1613	1668	1710	1755	1805	1857	1901	1955	2009	2064	2148	2319	2426	2481	2537	2592	2648	2700	2756	2810

ALLIANCE PROGRAM PRICING

TO ORDER, SPECIFY THE FOLLOWING:

1. Chair Model Number
2. Fabric Grade Letter
3. Alliance Pattern Number and Color Number/Name
4. Finish Number (when applicable)

SAMPLE ORDER NUMBER

N55EE	A	403901	036	HN
Model Number	Fabric Grade Letter	Alliance Pattern Number	Alliance Color Number	Finish

MODEL NUMBER — **ALLIANCE PROGRAM PRICE GRADES**

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
N30HU1SSP	1464	1519	1561	1606	1656	1708	1752	1806	1860	1915	1999	2170	2277	2332	2388	2443	2499	2551	2607	2661
N30HU2SN	1629	1684	1726	1771	1821	1873	1917	1971	2025	2080	2164	2335	2442	2497	2553	2608	2664	2716	2772	2826
N30HU2SP	1478	1533	1575	1620	1670	1722	1766	1820	1874	1929	2013	2184	2291	2346	2402	2457	2513	2565	2621	2675
N30HU2SSN	1762	1817	1859	1904	1954	2006	2050	2104	2158	2213	2297	2468	2575	2630	2686	2741	2797	2849	2905	2959
N30HU2SSP	1613	1668	1710	1755	1805	1857	1901	1955	2009	2064	2148	2319	2426	2481	2537	2592	2648	2700	2756	2810
N30HU3SN	1705	1760	1802	1847	1897	1949	1993	2047	2101	2156	2240	2411	2518	2573	2629	2684	2740	2792	2848	2902
N30HU3SP	1554	1609	1651	1696	1746	1798	1842	1896	1950	2005	2089	2260	2367	2422	2478	2533	2589	2641	2697	2751
N30HU3SSN	1838	1893	1935	1980	2030	2082	2126	2180	2234	2289	2373	2544	2651	2706	2762	2817	2873	2925	2981	3035
N30HU3SSP	1688	1743	1785	1830	1880	1932	1976	2030	2084	2139	2223	2394	2501	2556	2612	2667	2723	2775	2831	2885
N30HU8SN	1852	1907	1949	1994	2044	2096	2140	2194	2248	2303	2387	2558	2665	2720	2776	2831	2887	2939	2995	3049
N30HU8SSN	1987	2042	2084	2129	2179	2231	2275	2329	2383	2438	2522	2693	2800	2855	2911	2966	3022	3074	3130	3184
N30HU9SN	1554	1609	1651	1696	1746	1798	1842	1896	1950	2005	2089	2260	2367	2422	2478	2533	2589	2641	2697	2751
N30HU9SP	1406	1461	1503	1548	1598	1650	1694	1748	1802	1857	1941	2112	2219	2274	2330	2385	2441	2493	2549	2603
N30HU9SSN	1688	1743	1785	1830	1880	1932	1976	2030	2084	2139	2223	2394	2501	2556	2612	2667	2723	2775	2831	2885
N30HU9SSP	1539	1594	1636	1681	1731	1783	1827	1881	1935	1990	2074	2245	2352	2407	2463	2518	2574	2626	2682	2736
N30MP1SN	1318	1362	1396	1432	1471	1513	1548	1591	1635	1679	1746	1883	1968	2013	2057	2101	2146	2188	2232	2275
N30MP1SP	1169	1213	1247	1283	1322	1364	1399	1442	1486	1530	1597	1734	1819	1864	1908	1952	1997	2039	2083	2126
N30MP1SSN	1453	1497	1531	1567	1606	1648	1683	1726	1770	1814	1881	2018	2103	2148	2192	2236	2281	2323	2367	2410
N30MP1SSP	1303	1347	1381	1417	1456	1498	1533	1576	1620	1664	1731	1868	1953	1998	2042	2086	2131	2173	2217	2260
N30MP2SN	1468	1512	1546	1582	1621	1663	1698	1741	1785	1829	1896	2033	2118	2163	2207	2251	2296	2338	2382	2425
N30MP2SP	1318	1362	1396	1432	1471	1513	1548	1591	1635	1679	1746	1883	1968	2013	2057	2101	2146	2188	2232	2275
N30MP2SSN	1603	1647	1681	1717	1756	1798	1833	1876	1920	1964	2031	2168	2253	2298	2342	2386	2431	2473	2517	2560
N30MP2SSP	1453	1497	1531	1567	1606	1648	1683	1726	1770	1814	1881	2018	2103	2148	2192	2236	2281	2323	2367	2410
N30MP3SN	1544	1588	1622	1658	1697	1739	1774	1817	1861	1905	1972	2109	2194	2239	2283	2327	2372	2414	2458	2501
N30MP3SP	1394	1438	1472	1508	1547	1589	1624	1667	1711	1755	1822	1959	2044	2089	2133	2177	2222	2264	2308	2351
N30MP3SSN	1680	1724	1758	1794	1833	1875	1910	1953	1997	2041	2108	2245	2330	2375	2419	2463	2508	2550	2594	2637
N30MP3SSP	1530	1574	1608	1644	1683	1725	1760	1803	1847	1891	1958	2095	2180	2225	2269	2313	2358	2400	2444	2487
N30MP8SN	1692	1736	1770	1806	1845	1887	1922	1965	2009	2053	2120	2257	2342	2387	2431	2475	2520	2562	2606	2649
N30MP8SSN	1828	1872	1906	1942	1981	2023	2058	2101	2145	2189	2256	2393	2478	2523	2567	2611	2656	2698	2742	2785
N30MP9SN	1394	1438	1472	1508	1547	1589	1624	1667	1711	1755	1822	1959	2044	2089	2133	2177	2222	2264	2308	2351
N30MP9SP	1245	1289	1323	1359	1398	1440	1475	1518	1562	1606	1673	1810	1895	1940	1984	2028	2073	2115	2159	2202
N30MP9SSN	1530	1574	1608	1644	1683	1725	1760	1803	1847	1891	1958	2095	2180	2225	2269	2313	2358	2400	2444	2487
N30MP9SSP	1379	1423	1457	1493	1532	1574	1609	1652	1696	1740	1807	1944	2029	2074	2118	2162	2207	2249	2293	2336
N30MU1SN	1406	1457	1497	1539	1585	1634	1674	1725	1775	1827	1905	2065	2164	2216	2268	2320	2372	2421	2472	2523
N30MU1SP	1257	1308	1348	1390	1436	1485	1525	1576	1626	1678	1756	1916	2015	2067	2119	2171	2223	2272	2323	2374
N30MU1SSN	1542	1593	1633	1675	1721	1770	1810	1861	1911	1963	2041	2201	2300	2352	2404	2456	2508	2557	2608	2659
N30MU1SSP	1391	1442	1482	1524	1570	1619	1659	1710	1760	1812	1890	2050	2149	2201	2253	2305	2357	2406	2457	2508
N30MU2SN	1556	1607	1647	1689	1735	1784	1824	1875	1925	1977	2055	2215	2314	2366	2418	2470	2522	2571	2622	2673
N30MU2SP	1406	1457	1497	1539	1585	1634	1674	1725	1775	1827	1905	2065	2164	2216	2268	2320	2372	2421	2472	2523
N30MU2SSN	1692	1743	1783	1825	1871	1920	1960	2011	2061	2113	2191	2351	2450	2502	2554	2606	2658	2707	2758	2809
N30MU2SSP	1542	1593	1633	1675	1721	1770	1810	1861	1911	1963	2041	2201	2300	2352	2404	2456	2508	2557	2608	2659
N30MU3SN	1629	1680	1720	1762	1808	1857	1897	1948	1998	2050	2128	2288	2387	2439	2491	2543	2595	2644	2695	2746
N30MU3SP	1480	1531	1571	1613	1659	1708	1748	1799	1849	1901	1979	2139	2238	2290	2342	2394	2446	2495	2546	2597
N30MU3SSN	1764	1815	1855	1897	1943	1992	2032	2083	2133	2185	2263	2423	2522	2574	2626	2678	2730	2779	2830	2881
N30MU3SSP	1615	1666	1706	1748	1794	1843	1883	1934	1984	2036	2114	2274	2373	2425	2477	2529	2581	2630	2681	2732
N30MU8SN	1778	1829	1869	1911	1957	2006	2046	2097	2147	2199	2277	2437	2536	2588	2640	2692	2744	2793	2844	2895
N30MU8SSN	1913	1964	2004	2046	2092	2141	2181	2232	2282	2334	2412	2572	2671	2723	2775	2827	2879	2928	2979	3030
N30MU9SN	1480	1531	1571	1613	1659	1708	1748	1799	1849	1901	1979	2139	2238	2290	2342	2394	2446	2495	2546	2597
N30MU9SP	1330	1381	1421	1463	1509	1558	1598	1649	1699	1751	1829	1989	2088	2140	2192	2244	2296	2345	2396	2447
N30MU9SSN	1615	1666	1706	1748	1794	1843	1883	1934	1984	2036	2114	2274	2373	2425	2477	2529	2581	2630	2681	2732
N30MU9SSP	1465	1516	1556	1598	1644	1693	1733	1784	1834	1886	1964	2124	2223	2275	2327	2379	2431	2480	2531	2582
N30SP1SN	1356	1400	1434	1470	1509	1551	1586	1629	1673	1717	1784	1921	2006	2051	2095	2139	2184	2226	2270	2313
N30SP1SNG	1356	1400	1434	1470	1509	1551	1586	1629	1673	1717	1784	1921	2006	2051	2095	2139	2184	2226	2270	2313
N30SP1SP	1208	1252	1286	1322	1361	1403	1438	1481	1525	1569	1636	1773	1858	1903	1947	1991	2036	2078	2122	2165
N30SP1SPG	1208	1252	1286	1322	1361	1403	1438	1481	1525	1569	1636	1773	1858	1903	1947	1991	2036	2078	2122	2165
N30SP2SN	1507	1551	1585	1621	1660	1702	1737	1780	1824	1868	1935	2072	2157	2202	2246	2290	2335	2377	2421	2464
N30SP2SNG	1507	1551	1585	1621	1660	1702	1737	1780	1824	1868	1935	2072	2157	2202	2246	2290	2335	2377	2421	2464
N30SP2SP	1356	1400	1434	1470	1509	1551	1586	1629	1673	1717	1784	1921	2006	2051	2095	2139	2184	2226	2270	2313
N30SP2SPG	1356	1400	1434	1470	1509	1551	1586	1629	1673	1717	1784	1921	2006	2051	2095	2139	2184	2226	2270	2313

ALLIANCE PROGRAM PRICING

TO ORDER, SPECIFY THE FOLLOWING:

1. Chair Model Number
2. Fabric Grade Letter
3. Alliance Pattern Number and Color Number/Name
4. Finish Number (when applicable)

SAMPLE ORDER NUMBER

N55EE	A	403901	036	HN
Model Number	Fabric Grade Letter	Alliance Pattern Number	Alliance Color Number	Finish

MODEL NUMBER — **ALLIANCE PROGRAM PRICE GRADES**

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
N30SP3SN	1581	1625	1659	1695	1734	1776	1811	1854	1898	1942	2009	2146	2231	2276	2320	2364	2409	2451	2495	2538
N30SP3SNG	1581	1625	1659	1695	1734	1776	1811	1854	1898	1942	2009	2146	2231	2276	2320	2364	2409	2451	2495	2538
N30SP3SP	1431	1475	1509	1545	1584	1626	1661	1704	1748	1792	1859	1996	2081	2126	2170	2214	2259	2301	2345	2388
N30SP3SPG	1431	1475	1509	1545	1584	1626	1661	1704	1748	1792	1859	1996	2081	2126	2170	2214	2259	2301	2345	2388
N30SP8SN	1730	1774	1808	1844	1883	1925	1960	2003	2047	2091	2158	2295	2380	2425	2469	2513	2558	2600	2644	2687
N30SP8SNG	1730	1774	1808	1844	1883	1925	1960	2003	2047	2091	2158	2295	2380	2425	2469	2513	2558	2600	2644	2687
N30SP9SN	1431	1475	1509	1545	1584	1626	1661	1704	1748	1792	1859	1996	2081	2126	2170	2214	2259	2301	2345	2388
N30SP9SNG	1431	1475	1509	1545	1584	1626	1661	1704	1748	1792	1859	1996	2081	2126	2170	2214	2259	2301	2345	2388
N30SP9SP	1283	1327	1361	1397	1436	1478	1513	1556	1600	1644	1711	1848	1933	1978	2022	2066	2111	2153	2197	2240
N30SP9SPG	1283	1327	1361	1397	1436	1478	1513	1556	1600	1644	1711	1848	1933	1978	2022	2066	2111	2153	2197	2240
N30SU1SN	1480	1531	1571	1613	1659	1708	1748	1799	1849	1901	1979	2139	2238	2290	2342	2394	2446	2495	2546	2597
N30SU1SNG	1480	1531	1571	1613	1659	1708	1748	1799	1849	1901	1979	2139	2238	2290	2342	2394	2446	2495	2546	2597
N30SU1SP	1330	1381	1421	1463	1509	1558	1598	1649	1699	1751	1829	1989	2088	2140	2192	2244	2296	2345	2396	2447
N30SU1SPG	1330	1381	1421	1463	1509	1558	1598	1649	1699	1751	1829	1989	2088	2140	2192	2244	2296	2345	2396	2447
N30SU2SN	1629	1680	1720	1762	1808	1857	1897	1948	1998	2050	2128	2288	2387	2439	2491	2543	2595	2644	2695	2746
N30SU2SNG	1629	1680	1720	1762	1808	1857	1897	1948	1998	2050	2128	2288	2387	2439	2491	2543	2595	2644	2695	2746
N30SU2SP	1480	1531	1571	1613	1659	1708	1748	1799	1849	1901	1979	2139	2238	2290	2342	2394	2446	2495	2546	2597
N30SU2SPG	1480	1531	1571	1613	1659	1708	1748	1799	1849	1901	1979	2139	2238	2290	2342	2394	2446	2495	2546	2597
N30SU3SN	1704	1755	1795	1837	1883	1932	1972	2023	2073	2125	2203	2363	2462	2514	2566	2618	2670	2719	2770	2821
N30SU3SNG	1704	1755	1795	1837	1883	1932	1972	2023	2073	2125	2203	2363	2462	2514	2566	2618	2670	2719	2770	2821
N30SU3SP	1556	1607	1647	1689	1735	1784	1824	1875	1925	1977	2055	2215	2314	2366	2418	2470	2522	2571	2622	2673
N30SU3SPG	1556	1607	1647	1689	1735	1784	1824	1875	1925	1977	2055	2215	2314	2366	2418	2470	2522	2571	2622	2673
N30SU8SN	1854	1905	1945	1987	2033	2082	2122	2173	2223	2275	2353	2513	2612	2664	2716	2768	2820	2869	2920	2971
N30SU8SNG	1854	1905	1945	1987	2033	2082	2122	2173	2223	2275	2353	2513	2612	2664	2716	2768	2820	2869	2920	2971
N30SU9SN	1556	1607	1647	1689	1735	1784	1824	1875	1925	1977	2055	2215	2314	2366	2418	2470	2522	2571	2622	2673
N30SU9SNG	1556	1607	1647	1689	1735	1784	1824	1875	1925	1977	2055	2215	2314	2366	2418	2470	2522	2571	2622	2673
N30SU9SP	1406	1457	1497	1539	1585	1634	1674	1725	1775	1827	1905	2065	2164	2216	2268	2320	2372	2421	2472	2523
N30SU9SPG	1406	1457	1497	1539	1585	1634	1674	1725	1775	1827	1905	2065	2164	2216	2268	2320	2372	2421	2472	2523
N32AAM	2604	2785	2923	3070	3231	3403	3545	3721	3898	4079	4353	4912	5260	5441	5623	5804	5985	6157	6338	6514
N32AAW	2775	2956	3094	3241	3402	3574	3716	3892	4069	4250	4524	5083	5431	5612	5794	5975	6156	6328	6509	6685
N32BBM	2822	3003	3141	3288	3449	3621	3763	3939	4116	4297	4571	5130	5478	5659	5841	6022	6203	6375	6556	6732
N32BBW	2994	3175	3313	3460	3621	3793	3935	4111	4288	4469	4743	5302	5650	5831	6013	6194	6375	6547	6728	6904
N32CCML	3149	3330	3468	3615	3776	3948	4090	4266	4443	4624	4898	5457	5805	5986	6168	6349	6530	6702	6883	7059
N32CCMR	3149	3330	3468	3615	3776	3948	4090	4266	4443	4624	4898	5457	5805	5986	6168	6349	6530	6702	6883	7059
N32CCWL	3322	3503	3641	3788	3949	4121	4263	4439	4616	4797	5071	5630	5978	6159	6341	6522	6703	6875	7056	7232
N32CCWR	3322	3503	3641	3788	3949	4121	4263	4439	4616	4797	5071	5630	5978	6159	6341	6522	6703	6875	7056	7232
N32DDML	3349	3530	3668	3815	3976	4148	4290	4466	4643	4824	5098	5657	6005	6186	6368	6549	6730	6902	7083	7259
N32DDMR	3349	3530	3668	3815	3976	4148	4290	4466	4643	4824	5098	5657	6005	6186	6368	6549	6730	6902	7083	7259
N32DDWL	3519	3700	3838	3985	4146	4318	4460	4636	4813	4994	5268	5827	6175	6356	6538	6719	6900	7072	7253	7429
N32DDWR	3519	3700	3838	3985	4146	4318	4460	4636	4813	4994	5268	5827	6175	6356	6538	6719	6900	7072	7253	7429
N32HHM	3615	3948	4200	4470	4767	5082	5343	5667	5991	6324	6828	7854	8493	8826	9159	9492	9825	10140	10473	10797
N32HHW	3788	4121	4373	4643	4940	5255	5516	5840	6164	6497	7001	8027	8666	8999	9332	9665	9998	10313	10646	10970
N32HKM	2189	2314	2410	2512	2624	2743	2841	2964	3086	3212	3402	3790	4031	4157	4283	4409	4535	4654	4779	4902
N32HKW	2364	2489	2585	2687	2799	2918	3016	3139	3261	3387	3577	3965	4206	4332	4458	4584	4710	4829	4954	5077
N32JJMB	4708	5041	5293	5563	5860	6175	6436	6760	7084	7417	7921	8947	9586	9919	10252	10585	10918	11233	11566	11890
N32JJML	4161	4494	4746	5016	5313	5628	5889	6213	6537	6870	7374	8400	9039	9372	9705	10038	10371	10686	11019	11343
N32JJMR	4161	4494	4746	5016	5313	5628	5889	6213	6537	6870	7374	8400	9039	9372	9705	10038	10371	10686	11019	11343
N32JJWB	4880	5213	5465	5735	6032	6347	6608	6932	7256	7589	8093	9119	9758	10091	10424	10757	11090	11405	11738	12062
N32JJWL	4332	4665	4917	5187	5484	5799	6060	6384	6708	7041	7545	8571	9210	9543	9876	10209	10542	10857	11190	11514
N32JJWR	4332	4665	4917	5187	5484	5799	6060	6384	6708	7041	7545	8571	9210	9543	9876	10209	10542	10857	11190	11514
N32KKC	1267	1317	1354	1395	1439	1487	1526	1574	1623	1673	1749	1903	1998	2048	2098	2148	2198	2245	2295	2344
N32KKM	983	1033	1070	1111	1155	1203	1242	1290	1339	1389	1465	1619	1714	1764	1814	1864	1914	1961	2011	2060
N32KKW	1158	1208	1245	1286	1330	1378	1417	1465	1514	1564	1640	1794	1889	1939	1989	2039	2089	2136	2186	2235
N32LKM	2540	2658	2748	2844	2949	3061	3154	3269	3385	3503	3682	4047	4274	4393	4511	4629	4748	4860	4978	5093
N32LKW	2715	2833	2923	3019	3124	3236	3329	3444	3560	3678	3857	4222	4449	4568	4686	4804	4923	5035	5153	5268
N32LLM	4377	4706	4956	5223	5516	5828	6086	6406	6727	7056	7554	8569	9201	9530	9860	10189	10518	10830	11159	11479
N32LLW	4549	4878	5128	5395	5688	6000	6258	6578	6899	7228	7726	8741	9373	9702	10032	10361	10690	11002	11331	11651
N32MAAM	2318	2422	2500	2584	2677	2775	2856	2957	3057	3161	3318	3637	3836	3939	4043	4147	4250	4348	4452	4553
N32MAAW	2491	2595	2673	2757	2850	2948	3029	3130	3230	3334	3491	3810	4009	4112	4216	4320	4423	4521	4625	4726

ALLIANCE PROGRAM PRICING

TO ORDER, SPECIFY THE FOLLOWING:

1. Chair Model Number
2. Fabric Grade Letter
3. Alliance Pattern Number and Color Number/Name
4. Finish Number (when applicable)

SAMPLE ORDER NUMBER

N55EE	A	403901	036	HN
Model Number	Fabric Grade Letter	Alliance Pattern Number	Alliance Color Number	Finish

MODEL NUMBER — **ALLIANCE PROGRAM PRICE GRADES**

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
N32MBBM	2534	2638	2716	2800	2893	2991	3072	3173	3273	3377	3534	3853	4052	4155	4259	4363	4466	4564	4668	4769
N32MBBW	2707	2811	2889	2973	3066	3164	3245	3346	3446	3550	3707	4026	4225	4328	4432	4536	4639	4737	4841	4942
N32MHHM	3312	3557	3741	3939	4157	4388	4580	4817	5055	5299	5669	6421	6890	7134	7378	7622	7866	8097	8342	8579
N32MHHW	3483	3728	3912	4110	4328	4559	4751	4988	5226	5470	5840	6592	7061	7305	7549	7793	8037	8268	8513	8750
N32MLLM	4029	4240	4400	4571	4759	4958	5124	5329	5534	5745	6064	6714	7119	7330	7541	7751	7962	8162	8373	8578
N32MLLW	4199	4410	4570	4741	4929	5128	5294	5499	5704	5915	6234	6884	7289	7500	7711	7921	8132	8332	8543	8748
N32MMMB	5469	5798	6048	6315	6608	6920	7178	7498	7819	8148	8646	9661	10293	10622	10952	11281	11610	11922	12251	12571
N32MMML	4921	5250	5500	5767	6060	6372	6630	6950	7271	7600	8098	9113	9745	10074	10404	10733	11062	11374	11703	12023
N32MMMR	4921	5250	5500	5767	6060	6372	6630	6950	7271	7600	8098	9113	9745	10074	10404	10733	11062	11374	11703	12023
N32MMWB	5644	5973	6223	6490	6783	7095	7353	7673	7994	8323	8821	9836	10468	10797	11127	11456	11785	12097	12426	12746
N32MMWL	5095	5424	5674	5941	6234	6546	6804	7124	7445	7774	8272	9287	9919	10248	10578	10907	11236	11548	11877	12197
N32MMWR	5095	5424	5674	5941	6234	6546	6804	7124	7445	7774	8272	9287	9919	10248	10578	10907	11236	11548	11877	12197
N32SAAM	2604	2785	2923	3070	3231	3403	3545	3721	3898	4079	4353	4912	5260	5441	5623	5804	5985	6157	6338	6514
N32SAAW	2775	2956	3094	3241	3402	3574	3716	3892	4069	4250	4524	5083	5431	5612	5794	5975	6156	6328	6509	6685
N32SBBM	2822	3003	3141	3288	3449	3621	3763	3939	4116	4297	4571	5130	5478	5659	5841	6022	6203	6375	6556	6732
N32SBBW	2994	3175	3313	3460	3621	3793	3935	4111	4288	4469	4743	5302	5650	5831	6013	6194	6375	6547	6728	6904
N32SCCML	3149	3330	3468	3615	3776	3948	4090	4266	4443	4624	4898	5457	5805	5986	6168	6349	6530	6702	6883	7059
N32SCCMR	3149	3330	3468	3615	3776	3948	4090	4266	4443	4624	4898	5457	5805	5986	6168	6349	6530	6702	6883	7059
N32SCCWL	3322	3503	3641	3788	3949	4121	4263	4439	4616	4797	5071	5630	5978	6159	6341	6522	6703	6875	7056	7232
N32SCCWR	3322	3503	3641	3788	3949	4121	4263	4439	4616	4797	5071	5630	5978	6159	6341	6522	6703	6875	7056	7232
N32SDDML	3349	3530	3668	3815	3976	4148	4290	4466	4643	4824	5098	5657	6005	6186	6368	6549	6730	6902	7083	7259
N32SDDMR	3349	3530	3668	3815	3976	4148	4290	4466	4643	4824	5098	5657	6005	6186	6368	6549	6730	6902	7083	7259
N32SDDWL	3519	3700	3838	3985	4146	4318	4460	4636	4813	4994	5268	5827	6175	6356	6538	6719	6900	7072	7253	7429
N32SDDWR	3519	3700	3838	3985	4146	4318	4460	4636	4813	4994	5268	5827	6175	6356	6538	6719	6900	7072	7253	7429
N32SHHM	3615	3948	4200	4470	4767	5082	5343	5667	5991	6324	6828	7854	8493	8826	9159	9492	9825	10140	10473	10797
N32SHHW	3788	4121	4373	4643	4940	5255	5516	5840	6164	6497	7001	8027	8666	8999	9332	9665	9998	10313	10646	10970
N32SJJMB	4708	5041	5293	5563	5860	6175	6436	6760	7084	7417	7921	8947	9586	9919	10252	10585	10918	11233	11566	11890
N32SJJML	4161	4494	4746	5016	5313	5628	5889	6213	6537	6870	7374	8400	9039	9372	9705	10038	10371	10686	11019	11343
N32SJJMR	4161	4494	4746	5016	5313	5628	5889	6213	6537	6870	7374	8400	9039	9372	9705	10038	10371	10686	11019	11343
N32SJJWB	4880	5213	5465	5735	6032	6347	6608	6932	7256	7589	8093	9119	9758	10091	10424	10757	11090	11405	11738	12062
N32SJJWL	4332	4665	4917	5187	5484	5799	6060	6384	6708	7041	7545	8571	9210	9543	9876	10209	10542	10857	11190	11514
N32SJJWR	4332	4665	4917	5187	5484	5799	6060	6384	6708	7041	7545	8571	9210	9543	9876	10209	10542	10857	11190	11514
N32SLLM	4377	4706	4956	5223	5516	5828	6086	6406	6727	7056	7554	8569	9201	9530	9860	10189	10518	10830	11159	11479
N32SLLW	4549	4878	5128	5395	5688	6000	6258	6578	6899	7228	7726	8741	9373	9702	10032	10361	10690	11002	11331	11651
N32SMAAM	2318	2422	2500	2584	2677	2775	2856	2957	3057	3161	3318	3637	3836	3939	4043	4147	4250	4348	4452	4553
N32SMAAW	2491	2595	2673	2757	2850	2948	3029	3130	3230	3334	3491	3810	4009	4112	4216	4320	4423	4521	4625	4726
N32SMBBM	2534	2638	2716	2800	2893	2991	3072	3173	3273	3377	3534	3853	4052	4155	4259	4363	4466	4564	4668	4769
N32SMBBW	2707	2811	2889	2973	3066	3164	3245	3346	3446	3550	3707	4026	4225	4328	4432	4536	4639	4737	4841	4942
N32SMHHM	3312	3557	3741	3939	4157	4388	4580	4817	5055	5299	5669	6421	6890	7134	7378	7622	7866	8097	8342	8579
N32SMHHW	3483	3728	3912	4110	4328	4559	4751	4988	5226	5470	5840	6592	7061	7305	7549	7793	8037	8268	8513	8750
N32SMLLM	4029	4240	4400	4571	4759	4958	5124	5329	5534	5745	6064	6714	7119	7330	7541	7751	7962	8162	8373	8578
N32SMLLW	4199	4410	4570	4741	4929	5128	5294	5499	5704	5915	6234	6884	7289	7500	7711	7921	8132	8332	8543	8748
N32SMMMB	5469	5798	6048	6315	6608	6920	7178	7498	7819	8148	8646	9661	10293	10622	10952	11281	11610	11922	12251	12571
N32SMMML	4921	5250	5500	5767	6060	6372	6630	6950	7271	7600	8098	9113	9745	10074	10404	10733	11062	11374	11703	12023
N32SMMMR	4921	5250	5500	5767	6060	6372	6630	6950	7271	7600	8098	9113	9745	10074	10404	10733	11062	11374	11703	12023
N32SMMWB	5644	5973	6223	6490	6783	7095	7353	7673	7994	8323	8821	9836	10468	10797	11127	11456	11785	12097	12426	12746
N32SMMWL	5095	5424	5674	5941	6234	6546	6804	7124	7445	7774	8272	9287	9919	10248	10578	10907	11236	11548	11877	12197
N32SMMWR	5095	5424	5674	5941	6234	6546	6804	7124	7445	7774	8272	9287	9919	10248	10578	10907	11236	11548	11877	12197
N32STAAW	3432	3536	3614	3698	3791	3889	3970	4071	4171	4275	4432	4751	4950	5053	5157	5261	5364	5462	5566	5667
N32STHHW	4423	4668	4852	5050	5268	5499	5691	5928	6166	6410	6780	7532	8001	8245	8489	8733	8977	9208	9453	9690
N32STLLW	5139	5350	5510	5681	5869	6068	6234	6439	6644	6855	7174	7824	8229	8440	8651	8861	9072	9272	9483	9688
N32TAAW	3432	3536	3614	3698	3791	3889	3970	4071	4171	4275	4432	4751	4950	5053	5157	5261	5364	5462	5566	5667
N32THHW	4423	4668	4852	5050	5268	5499	5691	5928	6166	6410	6780	7532	8001	8245	8489	8733	8977	9208	9453	9690
N32TLLW	5139	5350	5510	5681	5869	6068	6234	6439	6644	6855	7174	7824	8229	8440	8651	8861	9072	9272	9483	9688
N35JAC	1868	1909	1939	1972	2009	2047	2079	2119	2158	2199	2261	2386	2464	2505	2546	2586	2627	2665	2706	2746
N35JCC	2152	2193	2223	2256	2293	2331	2363	2403	2442	2483	2545	2670	2748	2789	2830	2870	2911	2949	2990	3030
N35MAC	2617	2714	2786	2864	2950	3041	3117	3210	3304	3400	3546	3842	4027	4123	4219	4315	4411	4502	4599	4692
N35MBC	2903	3000	3072	3150	3236	3327	3403	3496	3590	3686	3832	4128	4313	4409	4505	4601	4697	4788	4885	4978
N36C2MU	1502	1546	1580	1616	1655	1697	1732	1775	1819	1863	1930	2067	2152	2197	2241	2285	2330	2372	2416	2459

ALLIANCE PROGRAM PRICING

TO ORDER, SPECIFY THE FOLLOWING:

1. Chair Model Number
2. Fabric Grade Letter
3. Alliance Pattern Number and Color Number/Name
4. Finish Number (when applicable)

SAMPLE ORDER NUMBER

N55EE	A	403901	036	HN
Model Number	Fabric Grade Letter	Alliance Pattern Number	Alliance Color Number	Finish

MODEL NUMBER — **ALLIANCE PROGRAM PRICE GRADES**

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
N36CMU	805	828	844	862	882	903	921	942	964	986	1020	1088	1131	1153	1175	1197	1219	1240	1263	1284
N36G4MU	2084	2172	2240	2312	2391	2475	2544	2631	2717	2806	2940	3214	3384	3473	3562	3651	3740	3824	3912	3999
N36GMU	660	683	699	717	737	758	776	797	819	841	875	943	986	1008	1030	1052	1074	1095	1118	1139
N36S2MU	1502	1546	1580	1616	1655	1697	1732	1775	1819	1863	1930	2067	2152	2197	2241	2285	2330	2372	2416	2459
N36SMU	805	828	844	862	882	903	921	942	964	986	1020	1088	1131	1153	1175	1197	1219	1240	1263	1284
39A-BWAA	2232	2302	2356	2413	2475	2542	2597	2665	2734	2804	2910	3127	3262	3332	3403	3473	3543	3610	3680	3748
39A-BWAAT	2364	2434	2488	2545	2607	2674	2729	2797	2866	2936	3042	3259	3394	3464	3535	3605	3675	3742	3812	3880
39A-GRXX	1045	1086	1116	1149	1186	1224	1256	1296	1335	1376	1438	1563	1641	1682	1723	1763	1804	1842	1883	1923
39A-GWXX	1178	1219	1249	1282	1319	1357	1389	1429	1468	1509	1571	1696	1774	1815	1856	1896	1937	1975	2016	2056
39A-GWXXT	1310	1351	1381	1414	1451	1489	1521	1561	1600	1641	1703	1828	1906	1947	1988	2028	2069	2107	2148	2188
39A-TAA	2139	2206	2256	2310	2370	2433	2485	2550	2614	2681	2782	2987	3115	3181	3248	3315	3381	3444	3511	3576
39A-TAAA	3235	3335	3411	3492	3581	3675	3754	3851	3948	4048	4199	4507	4699	4799	4899	4998	5098	5193	5293	5390
39A-TAAAT	3499	3599	3675	3756	3845	3939	4018	4115	4212	4312	4463	4771	4963	5063	5163	5262	5362	5457	5557	5654
39A-TAAT	2341	2408	2458	2512	2572	2635	2687	2752	2816	2883	2984	3189	3317	3383	3450	3517	3583	3646	3713	3778
39B-GRXX	1012	1040	1061	1084	1108	1135	1156	1183	1210	1238	1280	1366	1419	1447	1474	1502	1530	1556	1584	1611
39B-GWXX	1135	1163	1184	1207	1231	1258	1279	1306	1333	1361	1403	1489	1542	1570	1597	1625	1653	1679	1707	1734
39B-GWXXT	1275	1305	1327	1351	1378	1406	1429	1458	1486	1516	1561	1652	1709	1738	1768	1798	1827	1855	1885	1914
39D-GRXX	1023	1051	1072	1095	1119	1146	1167	1194	1221	1249	1291	1377	1430	1458	1485	1513	1541	1567	1595	1622
39D-GWXX	1156	1184	1205	1228	1252	1279	1300	1327	1354	1382	1424	1510	1563	1591	1618	1646	1674	1700	1728	1755
39D-GWXXT	1290	1320	1342	1366	1393	1421	1444	1473	1501	1531	1576	1667	1724	1753	1783	1813	1842	1870	1900	1929
39E-GRXX	1047	1090	1123	1158	1196	1237	1270	1312	1354	1397	1462	1594	1676	1719	1762	1805	1848	1888	1931	1973
39E-GWXX	1180	1223	1256	1291	1329	1370	1403	1445	1487	1530	1595	1727	1809	1852	1895	1938	1981	2021	2064	2106
39E-GWXXT	1320	1368	1404	1443	1486	1532	1569	1616	1663	1711	1784	1932	2024	2072	2121	2169	2217	2262	2310	2357
39H-GRXX	1047	1090	1123	1158	1196	1237	1270	1312	1354	1397	1462	1594	1676	1719	1762	1805	1848	1888	1931	1973
39H-GWXX	1180	1223	1256	1291	1329	1370	1403	1445	1487	1530	1595	1727	1809	1852	1895	1938	1981	2021	2064	2106
39H-GWXXT	1284	1310	1330	1351	1374	1398	1419	1444	1469	1495	1534	1614	1664	1690	1716	1741	1767	1792	1818	1843
39L-GRXX	1012	1040	1061	1084	1108	1135	1156	1183	1210	1238	1280	1366	1419	1447	1474	1502	1530	1556	1584	1611
39L-GWXX	1135	1163	1184	1207	1231	1258	1279	1306	1333	1361	1403	1489	1542	1570	1597	1625	1653	1679	1707	1734
39L-GWXXT	1275	1305	1327	1351	1378	1406	1429	1458	1486	1516	1561	1652	1709	1738	1768	1798	1827	1855	1885	1914
39S-GRXX	1082	1110	1131	1154	1178	1205	1226	1253	1280	1308	1350	1436	1489	1517	1544	1572	1600	1626	1654	1681
39S-GWXX	1213	1241	1262	1285	1309	1336	1357	1384	1411	1439	1481	1567	1620	1648	1675	1703	1731	1757	1785	1812
39S-GWXXT	1346	1376	1398	1422	1449	1477	1500	1529	1557	1587	1632	1723	1780	1809	1839	1869	1898	1926	1956	1985
39U-GRXX	1065	1108	1141	1176	1214	1255	1288	1330	1372	1415	1480	1612	1694	1737	1780	1823	1866	1906	1949	1991
39U-GWXX	1189	1232	1265	1300	1338	1379	1412	1454	1496	1539	1604	1736	1818	1861	1904	1947	1990	2030	2073	2115
39U-GWXXT	1332	1380	1416	1455	1498	1544	1581	1628	1675	1723	1796	1944	2036	2084	2133	2181	2229	2274	2322	2369
N40BU1	951	969	983	998	1015	1032	1047	1065	1083	1101	1129	1186	1222	1240	1259	1277	1296	1313	1332	1350
N40BU2	1826	1844	1858	1873	1890	1907	1922	1940	1958	1976	2004	2061	2097	2115	2134	2152	2171	2188	2207	2225
N40CU1	914	932	946	961	978	995	1010	1028	1046	1064	1092	1149	1185	1203	1222	1240	1259	1276	1295	1313
N40CU2	1754	1772	1786	1801	1818	1835	1850	1868	1886	1904	1932	1989	2025	2043	2062	2080	2099	2116	2135	2153
N40GU1	879	897	911	926	943	960	975	993	1011	1029	1057	1114	1150	1168	1187	1205	1224	1241	1260	1278
N40GU2	1682	1700	1714	1729	1746	1763	1778	1796	1814	1832	1860	1917	1953	1971	1990	2008	2027	2044	2063	2081
N42HE8S	1947	2014	2064	2118	2178	2241	2293	2358	2422	2489	2590	2795	2923	2989	3056	3123	3189	3252	3319	3384
N42ME8S	1817	1872	1914	1959	2009	2061	2105	2159	2213	2268	2352	2523	2630	2685	2741	2796	2852	2904	2960	3014
N45AU	1967	2015	2051	2090	2133	2179	2216	2263	2310	2358	2431	2579	2671	2719	2768	2816	2864	2909	2957	3004
N45AUR	641	653	662	672	683	694	704	715	727	739	757	794	817	829	841	853	865	877	889	901
N45BU	2360	2408	2444	2483	2526	2572	2609	2656	2703	2751	2824	2972	3064	3112	3161	3209	3257	3302	3350	3397
N45BUR	771	783	792	802	813	824	834	845	857	869	887	924	947	959	971	983	995	1007	1019	1031
N45HU	1088	1100	1109	1119	1130	1141	1151	1162	1174	1186	1204	1241	1264	1276	1288	1300	1312	1324	1336	1348
N45HUL	920	932	941	951	962	973	983	994	1006	1018	1036	1073	1096	1108	1120	1132	1144	1156	1168	1180
N45JU	1272	1284	1293	1303	1314	1325	1335	1346	1358	1370	1388	1425	1448	1460	1472	1484	1496	1508	1520	1532
N45JUL	1104	1116	1125	1135	1146	1157	1167	1178	1190	1202	1220	1257	1280	1292	1304	1316	1328	1340	1352	1364
N45U1	608	620	629	639	650	661	671	682	694	706	724	761	784	796	808	820	832	844	856	868
N45U2	1216	1240	1259	1278	1300	1322	1341	1365	1388	1412	1448	1523	1569	1593	1617	1641	1665	1688	1712	1735
N45U3	1821	1857	1884	1913	1945	1979	2008	2043	2078	2114	2169	2280	2349	2385	2421	2457	2493	2527	2563	2599
48-EK, 48-EKN	2558	2665	2747	2834	2929	3031	3115	3219	3324	3431	3593	3924	4130	4237	4345	4452	4559	4661	4768	4872
48-EKJ, 48-EKNJ	2905	3012	3094	3181	3276	3378	3462	3566	3671	3778	3940	4271	4477	4584	4692	4799	4906	5008	5115	5219
48-ES, 48-ESN	2281	2403	2495	2594	2703	2819	2914	3033	3152	3274	3459	3835	4069	4191	4314	4436	4558	4673	4795	4914
48-ESJ, 48-ESNJ	2628	2750	2842	2941	3050	3166	3261	3380	3499	3621	3806	4182	4416	4538	4661	4783	4905	5020	5142	5261
48-GC, 48-GCN	1759	1866	1948	2035	2130	2232	2316	2420	2525	2632	2794	3125	3331	3438	3546	3653	3760	3862	3969	4073

ALLIANCE PROGRAM PRICING

TO ORDER, SPECIFY THE FOLLOWING:

1. Chair Model Number
2. Fabric Grade Letter
3. Alliance Pattern Number and Color Number/Name
4. Finish Number (when applicable)

SAMPLE ORDER NUMBER

N55EE	A	403901	036	HN
Model Number	Fabric Grade Letter	Alliance Pattern Number	Alliance Color Number	Finish

MODEL NUMBER — **ALLIANCE PROGRAM PRICE GRADES**

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
N48GFA	2056	2119	2167	2218	2274	2333	2383	2444	2505	2568	2663	2857	2978	3041	3104	3166	3229	3289	3352	3413
N48GFM	1955	2018	2066	2117	2173	2232	2282	2343	2404	2467	2562	2756	2877	2940	3003	3065	3128	3188	3251	3312
N49BUM	1195	1228	1254	1281	1310	1342	1368	1400	1433	1466	1516	1619	1683	1716	1750	1783	1816	1848	1881	1913
N49BUNM	1148	1174	1194	1215	1238	1262	1283	1308	1333	1359	1398	1478	1528	1554	1580	1605	1631	1656	1682	1707
N49BUNW	1406	1432	1452	1473	1496	1520	1541	1566	1591	1617	1656	1736	1786	1812	1838	1863	1889	1914	1940	1965
N49BUW	1454	1487	1513	1540	1569	1601	1627	1659	1692	1725	1775	1878	1942	1975	2009	2042	2075	2107	2140	2172
N49CUM	1160	1193	1219	1246	1275	1307	1333	1365	1398	1431	1481	1584	1648	1681	1715	1748	1781	1813	1846	1878
N49CUNM	1111	1137	1157	1178	1201	1225	1246	1271	1296	1322	1361	1441	1491	1517	1543	1568	1594	1619	1645	1670
N49CUNW	1370	1396	1416	1437	1460	1484	1505	1530	1555	1581	1620	1700	1750	1776	1802	1827	1853	1878	1904	1929
N49CUW	1418	1451	1477	1504	1533	1565	1591	1623	1656	1689	1739	1842	1906	1939	1973	2006	2039	2071	2104	2136
N49D14LM	1279	1330	1370	1412	1458	1507	1547	1598	1648	1700	1778	1938	2037	2089	2141	2193	2245	2294	2345	2396
N49D1DM	1279	1330	1370	1412	1458	1507	1547	1598	1648	1700	1778	1938	2037	2089	2141	2193	2245	2294	2345	2396
N49DN14LM	1214	1247	1273	1300	1329	1361	1387	1419	1452	1485	1535	1638	1702	1735	1769	1802	1835	1867	1900	1932
N49DN1DM	1214	1247	1273	1300	1329	1361	1387	1419	1452	1485	1535	1638	1702	1735	1769	1802	1835	1867	1900	1932
N49GMD1	1924	2005	2067	2133	2205	2282	2346	2425	2505	2586	2709	2960	3116	3198	3279	3360	3442	3519	3600	3679
N49GMND1	1881	1959	2017	2080	2150	2223	2284	2360	2435	2513	2631	2870	3019	3097	3175	3252	3330	3403	3481	3557
N49GMNS1	1881	1959	2017	2080	2150	2223	2284	2360	2435	2513	2631	2870	3019	3097	3175	3252	3330	3403	3481	3557
N49GMNS1H	1881	1959	2017	2080	2150	2223	2284	2360	2435	2513	2631	2870	3019	3097	3175	3252	3330	3403	3481	3557
N49GMNS1W	2255	2333	2391	2454	2524	2597	2658	2734	2809	2887	3005	3244	3393	3471	3549	3626	3704	3777	3855	3931
N49GMNSC1	1881	1959	2017	2080	2150	2223	2284	2360	2435	2513	2631	2870	3019	3097	3175	3252	3330	3403	3481	3557
N49GMS1	1924	2005	2067	2133	2205	2282	2346	2425	2505	2586	2709	2960	3116	3198	3279	3360	3442	3519	3600	3679
N49GMS1H	1924	2005	2067	2133	2205	2282	2346	2425	2505	2586	2709	2960	3116	3198	3279	3360	3442	3519	3600	3679
N49GMS1W	2297	2378	2440	2506	2578	2655	2719	2798	2878	2959	3082	3333	3489	3571	3652	3733	3815	3892	3973	4052
N49GMSC1	1924	2005	2067	2133	2205	2282	2346	2425	2505	2586	2709	2960	3116	3198	3279	3360	3442	3519	3600	3679
N49GUM	1118	1169	1209	1251	1297	1346	1386	1437	1487	1539	1617	1777	1876	1928	1980	2032	2084	2133	2184	2235
N49GUNM	1065	1106	1136	1169	1206	1244	1276	1316	1355	1396	1458	1583	1661	1702	1743	1783	1824	1862	1903	1943
N49GUNW	1251	1292	1322	1355	1392	1430	1462	1502	1541	1582	1644	1769	1847	1888	1929	1969	2010	2048	2089	2129
N49GUW	1304	1355	1395	1437	1483	1532	1572	1623	1673	1725	1803	1963	2062	2114	2166	2218	2270	2319	2370	2421
N51GFA	1433	1474	1504	1537	1574	1612	1644	1684	1723	1764	1826	1951	2029	2070	2111	2151	2192	2230	2271	2311
N51GFM	1413	1454	1484	1517	1554	1592	1624	1664	1703	1744	1806	1931	2009	2050	2091	2131	2172	2210	2251	2291
N52GHA	1017	1047	1069	1093	1120	1148	1171	1200	1228	1258	1303	1394	1451	1480	1510	1540	1569	1597	1627	1656
N52GHAC	1060	1090	1112	1136	1163	1191	1214	1243	1271	1301	1346	1437	1494	1523	1553	1583	1612	1640	1670	1699
N52GHM	975	1005	1027	1051	1078	1106	1129	1158	1186	1216	1261	1352	1409	1438	1468	1498	1527	1555	1585	1614
N52GHMC	1017	1047	1069	1093	1120	1148	1171	1200	1228	1258	1303	1394	1451	1480	1510	1540	1569	1597	1627	1656
N52GUA	1094	1127	1153	1180	1209	1241	1267	1299	1332	1365	1415	1518	1582	1615	1649	1682	1715	1747	1780	1812
N52GUAC	1139	1172	1198	1225	1254	1286	1312	1344	1377	1410	1460	1563	1627	1660	1694	1727	1760	1792	1825	1857
N52GUM	1054	1087	1113	1140	1169	1201	1227	1259	1292	1325	1375	1478	1542	1575	1609	1642	1675	1707	1740	1772
N52GUMC	1094	1127	1153	1180	1209	1241	1267	1299	1332	1365	1415	1518	1582	1615	1649	1682	1715	1747	1780	1812
N53GU4HM	2234	2322	2390	2462	2541	2625	2694	2781	2867	2956	3090	3364	3534	3623	3712	3801	3890	3974	4062	4149
N53GU4HW	2607	2695	2763	2835	2914	2998	3067	3154	3240	3329	3463	3737	3907	3996	4085	4174	4263	4347	4435	4522
N53GU4LM	2234	2322	2390	2462	2541	2625	2694	2781	2867	2956	3090	3364	3534	3623	3712	3801	3890	3974	4062	4149
N53GU5LAMC	2377	2465	2533	2605	2684	2768	2837	2924	3010	3099	3233	3507	3677	3766	3855	3944	4033	4117	4205	4292
N53GU5LMC	2234	2322	2390	2462	2541	2625	2694	2781	2867	2956	3090	3364	3534	3623	3712	3801	3890	3974	4062	4149
N53GUMD	2234	2322	2390	2462	2541	2625	2694	2781	2867	2956	3090	3364	3534	3623	3712	3801	3890	3974	4062	4149
N53GURKW	2463	2551	2619	2691	2770	2854	2923	3010	3096	3185	3319	3593	3763	3852	3941	4030	4119	4203	4291	4378
N53GW4HM	2509	2583	2639	2699	2765	2835	2893	2965	3037	3111	3223	3451	3593	3667	3741	3815	3889	3959	4033	4105
N53GW4HW	2882	2956	3012	3072	3138	3208	3266	3338	3410	3484	3596	3824	3966	4040	4114	4188	4262	4332	4406	4478
N53GW4LM	2509	2583	2639	2699	2765	2835	2893	2965	3037	3111	3223	3451	3593	3667	3741	3815	3889	3959	4033	4105
N53GW5LAMC	2651	2725	2781	2841	2907	2977	3035	3107	3179	3253	3365	3593	3735	3809	3883	3957	4031	4101	4175	4247
N53GW5LMC	2509	2583	2639	2699	2765	2835	2893	2965	3037	3111	3223	3451	3593	3667	3741	3815	3889	3959	4033	4105
N53GWMD	2509	2583	2639	2699	2765	2835	2893	2965	3037	3111	3223	3451	3593	3667	3741	3815	3889	3959	4033	4105
N53GWRKW	2739	2813	2869	2929	2995	3065	3123	3195	3267	3341	3453	3681	3823	3897	3971	4045	4119	4189	4263	4335
N54AMM3KT	998	1031	1057	1084	1113	1145	1171	1203	1236	1269	1319	1422	1486	1519	1553	1586	1619	1651	1684	1716
N54AMM3ST	880	913	939	966	995	1027	1053	1085	1118	1151	1201	1304	1368	1401	1435	1468	1501	1533	1566	1598
N54CM1ST	1130	1163	1189	1216	1245	1277	1303	1335	1368	1401	1451	1554	1618	1651	1685	1718	1751	1783	1816	1848
N54CM3ST	1198	1231	1257	1284	1313	1345	1371	1403	1436	1469	1519	1622	1686	1719	1753	1786	1819	1851	1884	1916
N54MM1KT	1043	1076	1102	1129	1158	1190	1216	1248	1281	1314	1364	1467	1531	1564	1598	1631	1664	1696	1729	1761
N54MM1ST	922	955	981	1008	1037	1069	1095	1127	1160	1193	1243	1346	1410	1443	1477	1510	1543	1575	1608	1640
N54MM3KT	1109	1142	1168	1195	1224	1256	1282	1314	1347	1380	1430	1533	1597	1630	1664	1697	1730	1762	1795	1827

ALLIANCE PROGRAM PRICING

TO ORDER, SPECIFY THE FOLLOWING:

1. Chair Model Number
2. Fabric Grade Letter
3. Alliance Pattern Number and Color Number/Name
4. Finish Number (when applicable)

SAMPLE ORDER NUMBER

N55EE	A	403901	036	HN
Model Number	Fabric Grade Letter	Alliance Pattern Number	Alliance Color Number	Finish

MODEL NUMBER — **ALLIANCE PROGRAM PRICE GRADES**

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
N54MM3ST	990	1023	1049	1076	1105	1137	1163	1195	1228	1261	1311	1414	1478	1511	1545	1578	1611	1643	1676	1708
N54SM1ST	1130	1163	1189	1216	1245	1277	1303	1335	1368	1401	1451	1554	1618	1651	1685	1718	1751	1783	1816	1848
N54SM3ST	1198	1231	1257	1284	1313	1345	1371	1403	1436	1469	1519	1622	1686	1719	1753	1786	1819	1851	1884	1916
N55AA	1315	1370	1412	1457	1507	1559	1603	1657	1711	1766	1850	2021	2128	2183	2239	2294	2350	2402	2458	2512
N55BB	1188	1243	1285	1330	1380	1432	1476	1530	1584	1639	1723	1894	2001	2056	2112	2167	2223	2275	2331	2385
N55CC	1295	1319	1338	1358	1379	1403	1422	1445	1469	1494	1531	1606	1653	1677	1702	1726	1750	1773	1798	1822
N55DD	1169	1193	1212	1232	1253	1277	1296	1319	1343	1368	1405	1480	1527	1551	1576	1600	1624	1647	1672	1696
N55EE	1210	1247	1275	1305	1338	1373	1402	1438	1474	1511	1567	1681	1752	1789	1826	1863	1900	1935	1972	2008
N55HH	1082	1119	1147	1177	1210	1245	1274	1310	1346	1383	1439	1553	1624	1661	1698	1735	1772	1807	1844	1880
N58D1	1510	1547	1575	1605	1638	1673	1702	1738	1774	1811	1867	1981	2052	2089	2126	2163	2200	2235	2272	2308
N58L1LUA	3280	3365	3429	3498	3574	3655	3721	3804	3887	3972	4101	4363	4526	4611	4697	4782	4867	4947	5032	5115
N58L1MUA	3476	3620	3730	3847	3975	4112	4225	4365	4506	4650	4868	5313	5590	5734	5879	6023	6167	6304	6448	6588
N59AA	1448	1481	1507	1534	1563	1595	1621	1653	1686	1719	1769	1872	1936	1969	2003	2036	2069	2101	2134	2166
N59AAT	1584	1617	1643	1670	1699	1731	1757	1789	1822	1855	1905	2008	2072	2105	2139	2172	2205	2237	2270	2302
N59AL	1395	1428	1454	1481	1510	1542	1568	1600	1633	1666	1716	1819	1883	1916	1950	1983	2016	2048	2081	2113
N59BB	1546	1590	1624	1660	1699	1741	1776	1819	1863	1907	1974	2111	2196	2241	2285	2329	2374	2416	2460	2503
N59BBT	1675	1719	1753	1789	1828	1870	1905	1948	1992	2036	2103	2240	2325	2370	2414	2458	2503	2545	2589	2632
N59BL	1494	1538	1572	1608	1647	1689	1724	1767	1811	1855	1922	2059	2144	2189	2233	2277	2322	2364	2408	2451
N59CC	1555	1588	1614	1641	1670	1702	1728	1760	1793	1826	1876	1979	2043	2076	2110	2143	2176	2208	2241	2273
N59CCT	1690	1723	1749	1776	1805	1837	1863	1895	1928	1961	2011	2114	2178	2211	2245	2278	2311	2343	2376	2408
N59CL	1502	1535	1561	1588	1617	1649	1675	1707	1740	1773	1823	1926	1990	2023	2057	2090	2123	2155	2188	2220
N59DD	1591	1624	1650	1677	1706	1738	1764	1796	1829	1862	1912	2015	2079	2112	2146	2179	2212	2244	2277	2309
N59DDT	1722	1755	1781	1808	1837	1869	1895	1927	1960	1993	2043	2146	2210	2243	2277	2310	2343	2375	2408	2440
N59DL	1538	1571	1597	1624	1653	1685	1711	1743	1776	1809	1859	1962	2026	2059	2093	2126	2159	2191	2224	2256
N59HAA	1995	2028	2054	2081	2110	2142	2168	2200	2233	2266	2316	2419	2483	2516	2550	2583	2616	2648	2681	2713
N59HAAT	2125	2158	2184	2211	2240	2272	2298	2330	2363	2396	2446	2549	2613	2646	2680	2713	2746	2778	2811	2843
N59HCC	2063	2096	2122	2149	2178	2210	2236	2268	2301	2334	2384	2487	2551	2584	2618	2651	2684	2716	2749	2781
N59HCCT	2194	2227	2253	2280	2309	2341	2367	2399	2432	2465	2515	2618	2682	2715	2749	2782	2815	2847	2880	2912
N59HH	1644	1677	1703	1730	1759	1791	1817	1849	1882	1915	1965	2068	2132	2165	2199	2232	2265	2297	2330	2362
N59HHT	1775	1808	1834	1861	1890	1922	1948	1980	2013	2046	2096	2199	2263	2296	2330	2363	2396	2428	2461	2493
N59HL	1591	1624	1650	1677	1706	1738	1764	1796	1829	1862	1912	2015	2079	2112	2146	2179	2212	2244	2277	2309
N59JJ	1682	1723	1753	1786	1823	1861	1893	1933	1972	2013	2075	2200	2278	2319	2360	2400	2441	2479	2520	2560
N59JJT	1816	1857	1887	1920	1957	1995	2027	2067	2106	2147	2209	2334	2412	2453	2494	2534	2575	2613	2654	2694
N59JL	1626	1667	1697	1730	1767	1805	1837	1877	1916	1957	2019	2144	2222	2263	2304	2344	2385	2423	2464	2504
N59KK	2585	2618	2644	2671	2700	2732	2758	2790	2823	2856	2906	3009	3073	3106	3140	3173	3206	3238	3271	3303
N59KKT	2718	2751	2777	2804	2833	2865	2891	2923	2956	2989	3039	3142	3206	3239	3273	3306	3339	3371	3404	3436
N59MM	2544	2599	2641	2686	2736	2788	2832	2886	2940	2995	3079	3250	3357	3412	3468	3523	3579	3631	3687	3741
N59MMT	2677	2732	2774	2819	2869	2921	2965	3019	3073	3128	3212	3383	3490	3545	3601	3656	3712	3764	3820	3874
N59PP	2671	2722	2762	2804	2850	2899	2939	2990	3040	3092	3170	3330	3429	3481	3533	3585	3637	3686	3737	3788
N59PPT	2807	2858	2898	2940	2986	3035	3075	3126	3176	3228	3306	3466	3565	3617	3669	3721	3773	3822	3873	3924
N60AA	576	609	635	662	691	723	749	781	814	847	897	1000	1064	1097	1131	1164	1197	1229	1262	1294
N60AW	965	998	1024	1051	1080	1112	1138	1170	1203	1236	1286	1389	1453	1486	1520	1553	1586	1618	1651	1683
N60BB	533	566	592	619	648	680	706	738	771	804	854	957	1021	1054	1088	1121	1154	1186	1219	1251
N60BW	926	959	985	1012	1041	1073	1099	1131	1164	1197	1247	1350	1414	1447	1481	1514	1547	1579	1612	1644
N60CC	672	709	737	767	800	835	864	900	936	973	1029	1143	1214	1251	1288	1325	1362	1397	1434	1470
N60CW	965	998	1024	1051	1080	1112	1138	1170	1203	1236	1286	1389	1453	1486	1520	1553	1586	1618	1651	1683
N60DD	627	664	692	722	755	790	819	855	891	928	984	1098	1169	1206	1243	1280	1317	1352	1389	1425
N60DW	926	959	985	1012	1041	1073	1099	1131	1164	1197	1247	1350	1414	1447	1481	1514	1547	1579	1612	1644
N60EE	1567	1627	1671	1719	1772	1828	1875	1932	1990	2049	2139	2321	2435	2494	2553	2612	2671	2727	2787	2844
N60EM	1291	1335	1369	1405	1444	1486	1521	1564	1608	1652	1719	1856	1941	1986	2030	2074	2119	2161	2205	2248
N60EMW	1648	1678	1700	1724	1751	1779	1802	1831	1859	1889	1934	2025	2082	2111	2141	2171	2200	2228	2258	2287
N60EW	1931	1991	2035	2083	2136	2192	2239	2296	2354	2413	2503	2685	2799	2858	2917	2976	3035	3091	3151	3208
N60GG	1654	1714	1758	1806	1859	1915	1962	2019	2077	2136	2226	2408	2522	2581	2640	2699	2758	2814	2874	2931
N60GM	1379	1423	1457	1493	1532	1574	1609	1652	1696	1740	1807	1944	2029	2074	2118	2162	2207	2249	2293	2336
N60GMW	1648	1678	1700	1724	1751	1779	1802	1831	1859	1889	1934	2025	2082	2111	2141	2171	2200	2228	2258	2287
N60GW	1931	1991	2035	2083	2136	2192	2239	2296	2354	2413	2503	2685	2799	2858	2917	2976	3035	3091	3151	3208
N60PM	1291	1335	1369	1405	1444	1486	1521	1564	1608	1652	1719	1856	1941	1986	2030	2074	2119	2161	2205	2248
N60PMW	1648	1678	1700	1724	1751	1779	1802	1831	1859	1889	1934	2025	2082	2111	2141	2171	2200	2228	2258	2287
N60PP	1567	1627	1671	1719	1772	1828	1875	1932	1990	2049	2139	2321	2435	2494	2553	2612	2671	2727	2787	2844

ALLIANCE PROGRAM PRICING

TO ORDER, SPECIFY THE FOLLOWING:

1. Chair Model Number
2. Fabric Grade Letter
3. Alliance Pattern Number and Color Number/Name
4. Finish Number (when applicable)

SAMPLE ORDER NUMBER

N55EE	A	403901	036	HN
Model Number	Fabric Grade Letter	Alliance Pattern Number	Alliance Color Number	Finish

MODEL NUMBER — **ALLIANCE PROGRAM PRICE GRADES**

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
N60PW	1931	1991	2035	2083	2136	2192	2239	2296	2354	2413	2503	2685	2799	2858	2917	2976	3035	3091	3151	3208
N60RM	1379	1423	1457	1493	1532	1574	1609	1652	1696	1740	1807	1944	2029	2074	2118	2162	2207	2249	2293	2336
N60RMW	1648	1678	1700	1724	1751	1779	1802	1831	1859	1889	1934	2025	2082	2111	2141	2171	2200	2228	2258	2287
N60RR	1654	1714	1758	1806	1859	1915	1962	2019	2077	2136	2226	2408	2522	2581	2640	2699	2758	2814	2874	2931
N60RW	1931	1991	2035	2083	2136	2192	2239	2296	2354	2413	2503	2685	2799	2858	2917	2976	3035	3091	3151	3208
N60SAA	710	743	769	796	825	857	883	915	948	981	1031	1134	1198	1231	1265	1298	1331	1363	1396	1428
N60SAAC	666	699	725	752	781	813	839	871	904	937	987	1090	1154	1187	1221	1254	1287	1319	1352	1384
N60SAW	1100	1133	1159	1186	1215	1247	1273	1305	1338	1371	1421	1524	1588	1621	1655	1688	1721	1753	1786	1818
N60SAWC	1057	1090	1116	1143	1172	1204	1230	1262	1295	1328	1378	1481	1545	1578	1612	1645	1678	1710	1743	1775
N60SBB	667	700	726	753	782	814	840	872	905	938	988	1091	1155	1188	1222	1255	1288	1320	1353	1385
N60SBBC	621	654	680	707	736	768	794	826	859	892	942	1045	1109	1142	1176	1209	1242	1274	1307	1339
N60SBW	1062	1095	1121	1148	1177	1209	1235	1267	1300	1333	1383	1486	1550	1583	1617	1650	1683	1715	1748	1780
N60SBWC	1017	1050	1076	1103	1132	1164	1190	1222	1255	1288	1338	1441	1505	1538	1572	1605	1638	1670	1703	1735
N60SCC	807	844	872	902	935	970	999	1035	1071	1108	1164	1278	1349	1386	1423	1460	1497	1532	1569	1605
N60SCCC	761	798	826	856	889	924	953	989	1025	1062	1118	1232	1303	1340	1377	1414	1451	1486	1523	1559
N60SCW	1100	1133	1159	1186	1215	1247	1273	1305	1338	1371	1421	1524	1588	1621	1655	1688	1721	1753	1786	1818
N60SCWC	1057	1090	1116	1143	1172	1204	1230	1262	1295	1328	1378	1481	1545	1578	1612	1645	1678	1710	1743	1775
N60SDD	765	802	830	860	893	928	957	993	1029	1066	1122	1236	1307	1344	1381	1418	1455	1490	1527	1563
N60SDDC	718	755	783	813	846	881	910	946	982	1019	1075	1189	1260	1297	1334	1371	1408	1443	1480	1516
N60SDW	1062	1095	1121	1148	1177	1209	1235	1267	1300	1333	1383	1486	1550	1583	1617	1650	1683	1715	1748	1780
N60SDWC	1017	1050	1076	1103	1132	1164	1190	1222	1255	1288	1338	1441	1505	1538	1572	1605	1638	1670	1703	1735
N60SEE	1703	1763	1807	1855	1908	1964	2011	2068	2126	2185	2275	2457	2571	2630	2689	2748	2807	2863	2923	2980
N60SEEW	2064	2124	2168	2216	2269	2325	2372	2429	2487	2546	2636	2818	2932	2991	3050	3109	3168	3224	3284	3341
N60SEM	1425	1469	1503	1539	1578	1620	1655	1698	1742	1786	1853	1990	2075	2120	2164	2208	2253	2295	2339	2382
N60SEMW	1782	1812	1834	1858	1885	1913	1936	1965	1993	2023	2068	2159	2216	2245	2275	2305	2334	2362	2392	2421
N60SFA	1104	1137	1163	1190	1219	1251	1277	1309	1342	1375	1425	1528	1592	1625	1659	1692	1725	1757	1790	1822
N60SFAW	1485	1518	1544	1571	1600	1632	1658	1690	1723	1756	1806	1909	1973	2006	2040	2073	2106	2138	2171	2203
N60SFB	1064	1097	1123	1150	1179	1211	1237	1269	1302	1335	1385	1488	1552	1585	1619	1652	1685	1717	1750	1782
N60SFBW	1445	1478	1504	1531	1560	1592	1618	1650	1683	1716	1766	1869	1933	1966	2000	2033	2066	2098	2131	2163
N60SFC	1200	1237	1265	1295	1328	1363	1392	1428	1464	1501	1557	1671	1742	1779	1816	1853	1890	1925	1962	1998
N60SFCW	1485	1518	1544	1571	1600	1632	1658	1690	1723	1756	1806	1909	1973	2006	2040	2073	2106	2138	2171	2203
N60SFD	1158	1195	1223	1253	1286	1321	1350	1386	1422	1459	1515	1629	1700	1737	1774	1811	1848	1883	1920	1956
N60SFDW	1445	1478	1504	1531	1560	1592	1618	1650	1683	1716	1766	1869	1933	1966	2000	2033	2066	2098	2131	2163
N60SGG	1787	1847	1891	1939	1992	2048	2095	2152	2210	2269	2359	2541	2655	2714	2773	2832	2891	2947	3007	3064
N60SGGW	2064	2124	2168	2216	2269	2325	2372	2429	2487	2546	2636	2818	2932	2991	3050	3109	3168	3224	3284	3341
N60SGM	1514	1558	1592	1628	1667	1709	1744	1787	1831	1875	1942	2079	2164	2209	2253	2297	2342	2384	2428	2471
N60SGMW	1782	1812	1834	1858	1885	1913	1936	1965	1993	2023	2068	2159	2216	2245	2275	2305	2334	2362	2392	2421
N60SPM	1425	1469	1503	1539	1578	1620	1655	1698	1742	1786	1853	1990	2075	2120	2164	2208	2253	2295	2339	2382
N60SPMW	1782	1812	1834	1858	1885	1913	1936	1965	1993	2023	2068	2159	2216	2245	2275	2305	2334	2362	2392	2421
N60SPP	1703	1763	1807	1855	1908	1964	2011	2068	2126	2185	2275	2457	2571	2630	2689	2748	2807	2863	2923	2980
N60SPPW	2064	2124	2168	2216	2269	2325	2372	2429	2487	2546	2636	2818	2932	2991	3050	3109	3168	3224	3284	3341
N60SRM	1514	1558	1592	1628	1667	1709	1744	1787	1831	1875	1942	2079	2164	2209	2253	2297	2342	2384	2428	2471
N60SRMW	1782	1812	1834	1858	1885	1913	1936	1965	1993	2023	2068	2159	2216	2245	2275	2305	2334	2362	2392	2421
N60SRR	1787	1847	1891	1939	1992	2048	2095	2152	2210	2269	2359	2541	2655	2714	2773	2832	2891	2947	3007	3064
N60SRRW	2064	2124	2168	2216	2269	2325	2372	2429	2487	2546	2636	2818	2932	2991	3050	3109	3168	3224	3284	3341
N60STA	1104	1137	1163	1190	1219	1251	1277	1309	1342	1375	1425	1528	1592	1625	1659	1692	1725	1757	1790	1822
N60STAW	1485	1518	1544	1571	1600	1632	1658	1690	1723	1756	1806	1909	1973	2006	2040	2073	2106	2138	2171	2203
N60STB	1064	1097	1123	1150	1179	1211	1237	1269	1302	1335	1385	1488	1552	1585	1619	1652	1685	1717	1750	1782
N60STBW	1445	1478	1504	1531	1560	1592	1618	1650	1683	1716	1766	1869	1933	1966	2000	2033	2066	2098	2131	2163
N60STC	1200	1237	1265	1295	1328	1363	1392	1428	1464	1501	1557	1671	1742	1779	1816	1853	1890	1925	1962	1998
N60STCW	1485	1518	1544	1571	1600	1632	1658	1690	1723	1756	1806	1909	1973	2006	2040	2073	2106	2138	2171	2203
N60STD	1158	1195	1223	1253	1286	1321	1350	1386	1422	1459	1515	1629	1700	1737	1774	1811	1848	1883	1920	1956
N60STDW	1445	1478	1504	1531	1560	1592	1618	1650	1683	1716	1766	1869	1933	1966	2000	2033	2066	2098	2131	2163
N61PES	522	548	568	589	612	636	657	682	707	733	772	852	902	928	954	979	1005	1030	1056	1081
N61PESR	630	656	676	697	720	744	765	790	815	841	880	960	1010	1036	1062	1087	1113	1138	1164	1189
64X-GWXX	1226	1277	1315	1355	1400	1448	1487	1536	1585	1636	1712	1867	1963	2014	2064	2114	2165	2212	2263	2312
N65AAA	2543	2613	2667	2724	2786	2853	2908	2976	3045	3115	3221	3438	3573	3643	3714	3784	3854	3921	3991	4059
N65AAP	2274	2344	2398	2455	2517	2584	2639	2707	2776	2846	2952	3169	3304	3374	3445	3515	3585	3652	3722	3790
N65AASA	2686	2756	2810	2867	2929	2996	3051	3119	3188	3258	3364	3581	3716	3786	3857	3927	3997	4064	4134	4202

ALLIANCE PROGRAM PRICING

TO ORDER, SPECIFY THE FOLLOWING:

1. Chair Model Number
2. Fabric Grade Letter
3. Alliance Pattern Number and Color Number/Name
4. Finish Number (when applicable)

SAMPLE ORDER NUMBER

N55EE	A	403901	036	HN
Model Number	Fabric Grade Letter	Alliance Pattern Number	Alliance Color Number	Finish

MODEL NUMBER — **ALLIANCE PROGRAM PRICE GRADES**

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
N65AASP	2415	2485	2539	2596	2658	2725	2780	2848	2917	2987	3093	3310	3445	3515	3586	3656	3726	3793	3863	3931
N65BBA	2449	2516	2566	2620	2680	2743	2795	2860	2924	2991	3092	3297	3425	3491	3558	3625	3691	3754	3821	3886
N65BBP	2177	2244	2294	2348	2408	2471	2523	2588	2652	2719	2820	3025	3153	3219	3286	3353	3419	3482	3549	3614
N65BBSA	2587	2654	2704	2758	2818	2881	2933	2998	3062	3129	3230	3435	3563	3629	3696	3763	3829	3892	3959	4024
N65BBSP	2317	2384	2434	2488	2548	2611	2663	2728	2792	2859	2960	3165	3293	3359	3426	3493	3559	3622	3689	3754
N65CCA	2407	2477	2531	2588	2650	2717	2772	2840	2909	2979	3085	3302	3437	3507	3578	3648	3718	3785	3855	3923
N65CCP	2136	2206	2260	2317	2379	2446	2501	2569	2638	2708	2814	3031	3166	3236	3307	3377	3447	3514	3584	3652
N65CCSA	2549	2619	2673	2730	2792	2859	2914	2982	3051	3121	3227	3444	3579	3649	3720	3790	3860	3927	3997	4065
N65CCSP	2280	2350	2404	2461	2523	2590	2645	2713	2782	2852	2958	3175	3310	3380	3451	3521	3591	3658	3728	3796
N65DDA	2313	2380	2430	2484	2544	2607	2659	2724	2788	2855	2956	3161	3289	3355	3422	3489	3555	3618	3685	3750
N65DDP	2044	2111	2161	2215	2275	2338	2390	2455	2519	2586	2687	2892	3020	3086	3153	3220	3286	3349	3416	3481
N65DDSA	2452	2519	2569	2623	2683	2746	2798	2863	2927	2994	3095	3300	3428	3494	3561	3628	3694	3757	3824	3889
N65DDSP	2182	2249	2299	2353	2413	2476	2528	2593	2657	2724	2825	3030	3158	3224	3291	3358	3424	3487	3554	3619
N65EEA	1697	1734	1762	1792	1825	1860	1889	1925	1961	1998	2054	2168	2239	2276	2313	2350	2387	2422	2459	2495
N65EEP	1537	1574	1602	1632	1665	1700	1729	1765	1801	1838	1894	2008	2079	2116	2153	2190	2227	2262	2299	2335
N65GGA	1782	1819	1847	1877	1910	1945	1974	2010	2046	2083	2139	2253	2324	2361	2398	2435	2472	2507	2544	2580
N65GGP	1619	1656	1684	1714	1747	1782	1811	1847	1883	1920	1976	2090	2161	2198	2235	2272	2309	2344	2381	2417
N66RD16C	812	853	883	916	953	991	1023	1063	1102	1143	1205	1330	1408	1449	1490	1530	1571	1609	1650	1690
N66RD16CL	1131	1172	1202	1235	1272	1310	1342	1382	1421	1462	1524	1649	1727	1768	1809	1849	1890	1928	1969	2009
N66RD16CS	1413	1457	1491	1527	1566	1608	1643	1686	1730	1774	1841	1978	2063	2108	2152	2196	2241	2283	2327	2370
N66RD16G	780	821	851	884	921	959	991	1031	1070	1111	1173	1298	1376	1417	1458	1498	1539	1577	1618	1658
N66RD16GL	1086	1127	1157	1190	1227	1265	1297	1337	1376	1417	1479	1604	1682	1723	1764	1804	1845	1883	1924	1964
N66RD16GS	1356	1400	1434	1470	1509	1551	1586	1629	1673	1717	1784	1921	2006	2051	2095	2139	2184	2226	2270	2313
N66RD16TC	1099	1140	1170	1203	1240	1278	1310	1350	1389	1430	1492	1617	1695	1736	1777	1817	1858	1896	1937	1977
N66RD16TG	1067	1108	1138	1171	1208	1246	1278	1318	1357	1398	1460	1585	1663	1704	1745	1785	1826	1864	1905	1945
N66RD18C	887	931	965	1000	1040	1081	1116	1159	1201	1245	1312	1448	1532	1576	1620	1664	1708	1750	1794	1837
N66RD18CL	1269	1313	1347	1383	1422	1464	1499	1542	1586	1630	1697	1834	1919	1964	2008	2052	2097	2139	2183	2226
N66RD18CS	1570	1614	1648	1684	1723	1765	1800	1843	1887	1931	1998	2135	2220	2265	2309	2353	2398	2440	2484	2527
N66RD18G	855	899	933	968	1008	1049	1084	1127	1169	1213	1280	1416	1500	1544	1588	1632	1676	1718	1762	1805
N66RD18GL	1237	1281	1315	1351	1390	1432	1467	1510	1554	1598	1665	1802	1887	1932	1976	2020	2065	2107	2151	2194
N66RD18GS	1540	1584	1618	1654	1693	1735	1770	1813	1857	1901	1968	2105	2190	2235	2279	2323	2368	2410	2454	2497
N66RD18TC	1175	1219	1253	1289	1328	1370	1405	1448	1492	1536	1603	1740	1825	1870	1914	1958	2003	2045	2089	2132
N66RD18TG	1142	1186	1220	1256	1295	1337	1372	1415	1459	1503	1570	1707	1792	1837	1881	1925	1970	2012	2056	2099
N66RD22C	959	1008	1044	1084	1127	1173	1211	1258	1305	1354	1427	1576	1669	1718	1766	1815	1863	1909	1958	2005
N66RD22CL	1317	1361	1395	1431	1470	1512	1547	1590	1634	1678	1745	1882	1967	2012	2056	2100	2145	2187	2231	2274
N66RD22CS	1747	1791	1825	1861	1900	1942	1977	2020	2064	2108	2175	2312	2397	2442	2486	2530	2575	2617	2661	2704
N66RD22G	927	976	1012	1052	1095	1141	1179	1226	1273	1322	1395	1544	1637	1686	1734	1783	1831	1877	1926	1973
N66RD22GL	1285	1329	1363	1399	1438	1480	1515	1558	1602	1646	1713	1850	1935	1980	2024	2068	2113	2155	2199	2242
N66RD22GS	1716	1760	1794	1830	1869	1911	1946	1989	2033	2077	2144	2281	2366	2411	2455	2499	2544	2586	2630	2673
N66RD22GW	1103	1151	1187	1226	1269	1315	1352	1399	1446	1494	1567	1715	1807	1855	1904	1952	2000	2045	2093	2140
N66RD22TC	1246	1294	1330	1369	1412	1458	1495	1542	1589	1637	1710	1858	1950	1998	2047	2095	2143	2188	2236	2283
N66RD22TG	1214	1262	1298	1337	1380	1426	1463	1510	1557	1605	1678	1826	1918	1966	2015	2063	2111	2156	2204	2251
N66RD22TGW	1389	1437	1473	1512	1555	1601	1638	1685	1732	1780	1853	2001	2093	2141	2190	2238	2286	2331	2379	2426
N66RD36C	1286	1383	1455	1533	1619	1710	1786	1879	1973	2069	2215	2511	2696	2792	2888	2984	3080	3171	3268	3361
N66RD36CL	1710	1777	1827	1881	1941	2004	2056	2121	2185	2252	2353	2558	2686	2752	2819	2886	2952	3015	3082	3147
N66RD36CS	2720	2787	2837	2891	2951	3014	3066	3131	3195	3262	3363	3568	3696	3762	3829	3896	3962	4025	4092	4157
N66RD36G	1254	1351	1423	1501	1587	1678	1754	1847	1941	2037	2183	2479	2664	2760	2856	2952	3048	3139	3236	3329
N66RD36GL	1680	1747	1797	1851	1911	1974	2026	2091	2155	2222	2323	2528	2656	2722	2789	2856	2922	2985	3052	3117
N66RD36GS	2688	2755	2805	2859	2919	2982	3034	3099	3163	3230	3331	3536	3664	3730	3797	3864	3930	3993	4060	4125
N66RD36GW	1462	1559	1631	1709	1795	1886	1962	2055	2149	2245	2391	2687	2872	2968	3064	3160	3256	3347	3444	3537
N66RD36TC	1572	1669	1741	1819	1905	1996	2072	2165	2259	2355	2501	2797	2982	3078	3174	3270	3366	3457	3554	3647
N66RD36TG	1541	1638	1710	1788	1874	1965	2041	2134	2228	2324	2470	2766	2951	3047	3143	3239	3335	3426	3523	3616
N66RD36TGW	1673	1770	1842	1920	2006	2097	2173	2266	2360	2456	2602	2898	3083	3179	3275	3371	3467	3558	3655	3748
N66RD42C	1364	1464	1540	1621	1710	1804	1883	1980	2077	2177	2328	2636	2828	2928	3028	3127	3227	3322	3422	3519
N66RD42CL	1814	1881	1931	1985	2045	2108	2160	2225	2289	2356	2457	2662	2790	2856	2923	2990	3056	3119	3186	3251
N66RD42CS	3211	3278	3328	3382	3442	3505	3557	3622	3686	3753	3854	4059	4187	4253	4320	4387	4453	4516	4583	4648
N66RD42G	1332	1432	1508	1589	1678	1772	1851	1948	2045	2145	2296	2604	2796	2896	2996	3095	3195	3290	3390	3487
N66RD42GL	1784	1851	1901	1955	2015	2078	2130	2195	2259	2326	2427	2632	2760	2826	2893	2960	3026	3089	3156	3221
N66RD42GS	3182	3249	3299	3353	3413	3476	3528	3593	3657	3724	3825	4030	4158	4224	4291	4358	4424	4487	4554	4619

ALLIANCE PROGRAM PRICING

TO ORDER, SPECIFY THE FOLLOWING:

1. Chair Model Number
2. Fabric Grade Letter
3. Alliance Pattern Number and Color Number/Name
4. Finish Number (when applicable)

SAMPLE ORDER NUMBER

N55EE	A	403901	036	HN
Model Number	Fabric Grade Letter	Alliance Pattern Number	Alliance Color Number	Finish

MODEL NUMBER — **ALLIANCE PROGRAM PRICE GRADES**

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
N66RD42GW	1541	1641	1717	1798	1887	1981	2060	2157	2254	2354	2505	2813	3005	3105	3205	3304	3404	3499	3599	3696
N66RD42TC	1651	1751	1827	1908	1997	2091	2170	2267	2364	2464	2615	2923	3115	3215	3315	3414	3514	3609	3709	3806
N66RD42TG	1619	1719	1795	1876	1965	2059	2138	2235	2332	2432	2583	2891	3083	3183	3283	3382	3482	3577	3677	3774
N66RD42TGW	1828	1928	2004	2085	2174	2268	2347	2444	2541	2641	2792	3100	3292	3392	3492	3591	3691	3786	3886	3983
N66RD48C	1520	1627	1709	1796	1891	1993	2077	2181	2286	2393	2555	2886	3092	3199	3307	3414	3521	3623	3730	3834
N66RD48CL	2019	2086	2136	2190	2250	2313	2365	2430	2494	2561	2662	2867	2995	3061	3128	3195	3261	3324	3391	3456
N66RD48CS	3766	3833	3883	3937	3997	4060	4112	4177	4241	4308	4409	4614	4742	4808	4875	4942	5008	5071	5138	5203
N66RD48G	1488	1595	1677	1764	1859	1961	2045	2149	2254	2361	2523	2854	3060	3167	3275	3382	3489	3591	3698	3802
N66RD48GL	1987	2054	2104	2158	2218	2281	2333	2398	2462	2529	2630	2835	2963	3029	3096	3163	3229	3292	3359	3424
N66RD48GS	3734	3801	3851	3905	3965	4028	4080	4145	4209	4276	4377	4582	4710	4776	4843	4910	4976	5039	5106	5171
N66RD48GW	1696	1803	1885	1972	2067	2169	2253	2357	2462	2569	2731	3062	3268	3375	3483	3590	3697	3799	3906	4010
N66RD48TC	1807	1914	1996	2083	2178	2280	2364	2468	2573	2680	2842	3173	3379	3486	3594	3701	3808	3910	4017	4121
N66RD48TG	1774	1881	1963	2050	2145	2247	2331	2435	2540	2647	2809	3140	3346	3453	3561	3668	3775	3877	3984	4088
N66RD48TGW	1983	2090	2172	2259	2354	2456	2540	2644	2749	2856	3018	3349	3555	3662	3770	3877	3984	4086	4193	4297
N66RT44C	1753	1853	1929	2010	2099	2193	2272	2369	2466	2566	2717	3025	3217	3317	3417	3516	3616	3711	3811	3908
N66RT44G	1701	1801	1877	1958	2047	2141	2220	2317	2414	2514	2665	2973	3165	3265	3365	3464	3564	3659	3759	3856
N66RT66C	2513	2661	2773	2893	3025	3165	3281	3425	3569	3717	3941	4397	4681	4829	4977	5125	5273	5413	5561	5705
N66RT66G	2438	2586	2698	2818	2950	3090	3206	3350	3494	3642	3866	4322	4606	4754	4902	5050	5198	5338	5486	5630
N66SQ18C	957	1024	1074	1129	1188	1252	1304	1369	1435	1502	1603	1809	1938	2005	2072	2139	2206	2269	2336	2401
N66SQ16C	850	891	921	954	991	1029	1061	1101	1140	1181	1243	1368	1446	1487	1528	1568	1609	1647	1688	1728
N66SQ16G	817	858	888	921	958	996	1028	1068	1107	1148	1210	1335	1413	1454	1495	1535	1576	1614	1655	1695
N66SQ18G	924	991	1041	1096	1155	1219	1271	1336	1402	1469	1570	1776	1905	1972	2039	2106	2173	2236	2303	2368
N66SQ22C	1022	1091	1144	1201	1263	1330	1384	1452	1520	1590	1696	1912	2046	2116	2186	2256	2326	2392	2462	2530
N66SQ22G	994	1063	1116	1173	1235	1302	1356	1424	1492	1562	1668	1884	2018	2088	2158	2228	2298	2364	2434	2502
N66TZ16C	969	1006	1034	1064	1097	1132	1161	1197	1233	1270	1326	1440	1511	1548	1585	1622	1659	1694	1731	1767
N66TZ16G	941	978	1006	1036	1069	1104	1133	1169	1205	1242	1298	1412	1483	1520	1557	1594	1631	1666	1703	1739
N66TZ18C	1103	1144	1174	1207	1244	1282	1314	1354	1393	1434	1496	1621	1699	1740	1781	1821	1862	1900	1941	1981
N66TZ18G	1072	1113	1143	1176	1213	1251	1283	1323	1362	1403	1465	1590	1668	1709	1750	1790	1831	1869	1910	1950
N66TZ22C	1184	1235	1275	1317	1363	1412	1452	1503	1553	1605	1683	1843	1942	1994	2046	2098	2150	2199	2250	2301
N66TZ22G	1153	1204	1244	1286	1332	1381	1421	1472	1522	1574	1652	1812	1911	1963	2015	2067	2119	2168	2219	2270
N71D1	2454	2495	2525	2558	2595	2633	2665	2705	2744	2785	2847	2972	3050	3091	3132	3172	3213	3251	3292	3332
N71D2	3091	3146	3188	3233	3283	3335	3379	3433	3487	3542	3626	3797	3904	3959	4015	4070	4126	4178	4234	4288
N71M1A	3667	3745	3803	3866	3936	4009	4070	4146	4221	4299	4417	4656	4805	4883	4961	5038	5116	5189	5267	5343
N71M1L	3309	3379	3433	3490	3552	3619	3674	3742	3811	3881	3987	4204	4339	4409	4480	4550	4620	4687	4757	4825
N71M1M	2950	3013	3061	3112	3168	3227	3277	3338	3399	3462	3557	3751	3872	3935	3998	4060	4123	4183	4246	4307
N71M1R	3309	3379	3433	3490	3552	3619	3674	3742	3811	3881	3987	4204	4339	4409	4480	4550	4620	4687	4757	4825
N71MS1A	3667	3745	3803	3866	3936	4009	4070	4146	4221	4299	4417	4656	4805	4883	4961	5038	5116	5189	5267	5343
N71MS1M	2950	3013	3061	3112	3168	3227	3277	3338	3399	3462	3557	3751	3872	3935	3998	4060	4123	4183	4246	4307
72X-GUXT	1106	1150	1184	1220	1259	1301	1336	1379	1423	1467	1534	1671	1756	1801	1845	1889	1934	1976	2020	2063
72X-GUXX	1101	1145	1179	1215	1254	1296	1331	1374	1418	1462	1529	1666	1751	1796	1840	1884	1929	1971	2015	2058
N74M1A	2641	2844	2998	3163	3345	3537	3697	3895	4093	4296	4604	5231	5622	5825	6029	6232	6436	6628	6832	7030
N74M1AC	2954	3130	3263	3406	3562	3729	3866	4037	4208	4384	4650	5192	5529	5705	5880	6056	6232	6398	6574	6745
N74M1AS	2790	2993	3147	3312	3494	3686	3846	4044	4242	4445	4753	5380	5771	5974	6178	6381	6585	6777	6981	7179
N74M1ASC	3105	3281	3414	3557	3713	3880	4017	4188	4359	4535	4801	5343	5680	5856	6031	6207	6383	6549	6725	6896
N74M1ASUM	3465	3641	3774	3917	4073	4240	4377	4548	4719	4895	5161	5703	6040	6216	6391	6567	6743	6909	7085	7256
N74M1ASUW	3392	3568	3701	3844	4000	4167	4304	4475	4646	4822	5088	5630	5967	6143	6318	6494	6670	6836	7012	7183
N74M1AT	3016	3268	3458	3662	3887	4125	4322	4567	4811	5063	5444	6219	6702	6953	7205	7457	7708	7946	8198	8443
N74M1ATB	2831	3060	3234	3420	3624	3841	4021	4244	4468	4697	5044	5751	6191	6421	6650	6879	7109	7326	7555	7778
N74M1ATBC	3150	3353	3507	3672	3854	4046	4206	4404	4602	4805	5113	5740	6131	6334	6538	6741	6945	7137	7341	7539
N74M1ATBUM	3510	3713	3867	4032	4214	4406	4566	4764	4962	5165	5473	6100	6491	6694	6898	7101	7305	7497	7701	7899
N74M1ATBUW	3437	3640	3794	3959	4141	4333	4493	4691	4889	5092	5400	6027	6418	6621	6825	7028	7232	7424	7628	7826
N74M1ATC	3328	3550	3718	3898	4096	4306	4480	4696	4912	5134	5470	6154	6580	6802	7024	7246	7468	7678	7900	8116
N74M1ATUM	3688	3910	4078	4258	4456	4666	4840	5056	5272	5494	5830	6514	6940	7162	7384	7606	7828	8038	8260	8476
N74M1ATUW	3616	3838	4006	4186	4384	4594	4768	4984	5200	5422	5758	6442	6868	7090	7312	7534	7756	7966	8188	8404
N74M1AUM	3314	3490	3623	3766	3922	4089	4226	4397	4568	4744	5010	5552	5889	6065	6240	6416	6592	6758	6934	7105
N74M1AUW	3242	3418	3551	3694	3850	4017	4154	4325	4496	4672	4938	5480	5817	5993	6168	6344	6520	6686	6862	7033
N74M2A	4279	4619	4877	5153	5456	5778	6045	6376	6708	7048	7563	8612	9265	9606	9946	10286	10627	10949	11289	11620
N74M2AC	4602	4921	5161	5419	5703	6004	6254	6563	6873	7191	7673	8653	9264	9582	9900	10218	10536	10837	11156	11465
N74M2AS	4503	4843	5101	5377	5680	6002	6269	6600	6932	7272	7787	8836	9489	9830	10170	10510	10851	11173	11513	11844

ALLIANCE PROGRAM PRICING

TO ORDER, SPECIFY THE FOLLOWING:

1. Chair Model Number
2. Fabric Grade Letter
3. Alliance Pattern Number and Color Number/Name
4. Finish Number (when applicable)

SAMPLE ORDER NUMBER

N55EE	A	403901	036	HN
Model Number	Fabric Grade Letter	Alliance Pattern Number	Alliance Color Number	Finish

MODEL NUMBER — **ALLIANCE PROGRAM PRICE GRADES**

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
N74M2ASC	4826	5145	5385	5643	5927	6228	6478	6787	7097	7415	7897	8877	9488	9806	10124	10442	10760	11061	11380	11689
N74M2ASUM	5184	5503	5743	6001	6285	6586	6836	7145	7455	7773	8255	9235	9846	10164	10482	10800	11118	11419	11738	12047
N74M2ASUW	5112	5431	5671	5929	6213	6514	6764	7073	7383	7701	8183	9163	9774	10092	10410	10728	11046	11347	11666	11975
N74M2AT	4813	5209	5509	5830	6183	6557	6868	7253	7638	8034	8633	9853	10613	11009	11405	11800	12196	12571	12967	13352
N74M2ATB	4526	4882	5150	5438	5755	6091	6370	6715	7061	7416	7954	9048	9730	10085	10440	10795	11150	11486	11842	12187
N74M2ATBC	4880	5231	5497	5782	6096	6428	6704	7046	7388	7739	8271	9354	10029	10380	10732	11083	11435	11767	12119	12461
N74M2ATBUM	5238	5589	5855	6140	6454	6786	7062	7404	7746	8097	8629	9712	10387	10738	11090	11441	11793	12125	12477	12819
N74M2ATBUW	5166	5517	5783	6068	6382	6714	6990	7332	7674	8025	8557	9640	10315	10666	11018	11369	11721	12053	12405	12747
N74M2ATC	5133	5503	5783	6083	6413	6763	7053	7413	7773	8143	8703	9843	10553	10923	11293	11663	12033	12383	12753	13113
N74M2ATUM	5492	5862	6142	6442	6772	7122	7412	7772	8132	8502	9062	10202	10912	11282	11652	12022	12392	12742	13112	13472
N74M2ATUW	5420	5790	6070	6370	6700	7050	7340	7700	8060	8430	8990	10130	10840	11210	11580	11950	12320	12670	13040	13400
N74M2AUM	4961	5280	5520	5778	6062	6363	6613	6922	7232	7550	8032	9012	9623	9941	10259	10577	10895	11196	11515	11824
N74M2AUW	4889	5208	5448	5706	5990	6291	6541	6850	7160	7478	7960	8940	9551	9869	10187	10505	10823	11124	11443	11752
N74M4A	6213	6643	6967	7315	7698	8104	8441	8858	9276	9705	10355	11677	12501	12930	13359	13788	14217	14623	15053	15470
N74M4AC	6568	6905	7159	7432	7733	8051	8315	8643	8970	9307	9817	10854	11500	11837	12174	12510	12847	13165	13502	13830
N74M4AS	6511	6941	7265	7613	7996	8402	8739	9156	9574	10003	10653	11975	12799	13228	13657	14086	14515	14921	15351	15768
N74M4ASC	6865	7202	7456	7729	8030	8348	8612	8940	9267	9604	10114	11151	11797	12134	12471	12807	13144	13462	13799	14127
N74M4ASUM	7155	7492	7746	8019	8320	8638	8902	9230	9557	9894	10404	11441	12087	12424	12761	13097	13434	13752	14089	14417
N74M4ASUW	7082	7419	7673	7946	8247	8565	8829	9157	9484	9821	10331	11368	12014	12351	12688	13024	13361	13679	14016	14344
N74M4AT	7094	7700	8160	8652	9193	9767	10242	10833	11423	12030	12948	14818	15982	16589	17196	17803	18410	18984	19590	20181
N74M4ATB	6668	7195	7594	8022	8492	8991	9404	9917	10430	10957	11755	13380	14391	14919	15446	15973	16500	16999	17526	18039
N74M4ATBC	7024	7461	7791	8145	8535	8948	9290	9715	10139	10576	11237	12582	13420	13856	14293	14730	15166	15579	16016	16441
N74M4ATBUM	7314	7751	8081	8435	8825	9238	9580	10005	10429	10866	11527	12872	13710	14146	14583	15020	15456	15869	16306	16731
N74M4ATBUW	7241	7678	8008	8362	8752	9165	9507	9932	10356	10793	11454	12799	13637	14073	14510	14947	15383	15796	16233	16658
N74M4ATC	7450	7964	8354	8771	9229	9716	10119	10619	11120	11634	12412	13997	14984	15498	16013	16527	17041	17528	18042	18542
N74M4ATUM	7736	8250	8640	9057	9515	10002	10405	10905	11406	11920	12698	14283	15270	15784	16299	16813	17327	17814	18328	18828
N74M4ATUW	7665	8179	8569	8986	9444	9931	10334	10834	11335	11849	12627	14212	15199	15713	16228	16742	17256	17743	18257	18757
N74M4AUM	6855	7192	7446	7719	8020	8338	8602	8930	9257	9594	10104	11141	11787	12124	12461	12797	13134	13452	13789	14117
N74M4AUW	6784	7121	7375	7648	7949	8267	8531	8859	9186	9523	10033	11070	11716	12053	12390	12726	13063	13381	13718	14046
N75BAC	1576	1661	1725	1794	1870	1951	2017	2100	2183	2268	2397	2659	2822	2907	2993	3078	3163	3243	3328	3411
N75BBC	1851	1936	2000	2069	2145	2226	2292	2375	2458	2543	2672	2934	3097	3182	3268	3353	3438	3518	3603	3686
N75BCC	1527	1608	1670	1736	1808	1885	1949	2028	2108	2189	2312	2563	2719	2801	2882	2963	3045	3122	3203	3282
N75BDC	1808	1889	1951	2017	2089	2166	2230	2309	2389	2470	2593	2844	3000	3082	3163	3244	3326	3403	3484	3563
N75SAC	1807	1892	1956	2025	2101	2182	2248	2331	2414	2499	2628	2890	3053	3138	3224	3309	3394	3474	3559	3642
N75SBC	1972	2057	2121	2190	2266	2347	2413	2496	2579	2664	2793	3055	3218	3303	3389	3474	3559	3639	3724	3807
N75SCC	1757	1838	1900	1966	2038	2115	2179	2258	2338	2419	2542	2793	2949	3031	3112	3193	3275	3352	3433	3512
N75SDC	1924	2005	2067	2133	2205	2282	2346	2425	2505	2586	2709	2960	3116	3198	3279	3360	3442	3519	3600	3679
N75SPC	1648	1729	1791	1857	1929	2006	2070	2149	2229	2310	2433	2684	2840	2922	3003	3084	3166	3243	3324	3403
N75SSC	1694	1779	1843	1912	1988	2069	2135	2218	2301	2386	2515	2777	2940	3025	3111	3196	3281	3361	3446	3529
N75WS	1208	1256	1292	1331	1374	1420	1457	1504	1551	1599	1672	1820	1912	1960	2009	2057	2105	2150	2198	2245
N77D14LM	1243	1273	1295	1319	1346	1374	1397	1426	1454	1484	1529	1620	1677	1706	1736	1766	1795	1823	1853	1882
N77D14W	1132	1162	1184	1208	1235	1263	1286	1315	1343	1373	1418	1509	1566	1595	1625	1655	1684	1712	1742	1771
N77GH4HM	2291	2369	2427	2490	2560	2633	2694	2770	2845	2923	3041	3280	3429	3507	3585	3662	3740	3813	3891	3967
N77GH4HW	2665	2743	2801	2864	2934	3007	3068	3144	3219	3297	3415	3654	3803	3881	3959	4036	4114	4187	4265	4341
N77GH4LM	2291	2369	2427	2490	2560	2633	2694	2770	2845	2923	3041	3280	3429	3507	3585	3662	3740	3813	3891	3967
N77GH4W	2644	2722	2780	2843	2913	2986	3047	3123	3198	3276	3394	3633	3782	3860	3938	4015	4093	4166	4244	4320
N77GL4HM	1906	1976	2030	2087	2149	2216	2271	2339	2408	2478	2584	2801	2936	3006	3077	3147	3217	3284	3354	3422
N77GL4HW	2279	2349	2403	2460	2522	2589	2644	2712	2781	2851	2957	3174	3309	3379	3450	3520	3590	3657	3727	3795
N77GL4LM	1906	1976	2030	2087	2149	2216	2271	2339	2408	2478	2584	2801	2936	3006	3077	3147	3217	3284	3354	3422
N77GL4W	2220	2290	2344	2401	2463	2530	2585	2653	2722	2792	2898	3115	3250	3320	3391	3461	3531	3598	3668	3736
N77GM4HM	2060	2134	2190	2250	2316	2386	2444	2516	2588	2662	2774	3002	3144	3218	3292	3366	3440	3510	3584	3656
N77GM4HW	2434	2508	2564	2624	2690	2760	2818	2890	2962	3036	3148	3376	3518	3592	3666	3740	3814	3884	3958	4030
N77GM4LM	2060	2134	2190	2250	2316	2386	2444	2516	2588	2662	2774	3002	3144	3218	3292	3366	3440	3510	3584	3656
N77GM4W	2377	2451	2507	2567	2633	2703	2761	2833	2905	2979	3091	3319	3461	3535	3609	3683	3757	3827	3901	3973
N77HUA5HA	2373	2433	2477	2525	2578	2634	2681	2738	2796	2855	2945	3127	3241	3300	3359	3418	3477	3533	3593	3650
N77HUA5HP	2339	2399	2443	2491	2544	2600	2647	2704	2762	2821	2911	3093	3207	3266	3325	3384	3443	3499	3559	3616
N78AFLAU	1907	1962	2004	2049	2099	2151	2195	2249	2303	2358	2442	2613	2720	2775	2831	2886	2942	2994	3050	3104
N78AFLAW	2117	2168	2208	2250	2296	2345	2385	2436	2486	2538	2616	2776	2875	2927	2979	3031	3083	3132	3183	3234
N78AFLMU	1778	1833	1875	1920	1970	2022	2066	2120	2174	2229	2313	2484	2591	2646	2702	2757	2813	2865	2921	2975

ALLIANCE PROGRAM PRICING

TO ORDER, SPECIFY THE FOLLOWING:

1. Chair Model Number
2. Fabric Grade Letter
3. Alliance Pattern Number and Color Number/Name
4. Finish Number (when applicable)

SAMPLE ORDER NUMBER

N55EE	A	403901	036	HN
Model Number	Fabric Grade Letter	Alliance Pattern Number	Alliance Color Number	Finish

MODEL NUMBER — **ALLIANCE PROGRAM PRICE GRADES**

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
N78AFLMW	1988	2039	2079	2121	2167	2216	2256	2307	2357	2409	2487	2647	2746	2798	2850	2902	2954	3003	3054	3105
N78AFRAU	1907	1962	2004	2049	2099	2151	2195	2249	2303	2358	2442	2613	2720	2775	2831	2886	2942	2994	3050	3104
N78AFRAW	2117	2168	2208	2250	2296	2345	2385	2436	2486	2538	2616	2776	2875	2927	2979	3031	3083	3132	3183	3234
N78AFRMU	1778	1833	1875	1920	1970	2022	2066	2120	2174	2229	2313	2484	2591	2646	2702	2757	2813	2865	2921	2975
N78AFRMW	1988	2039	2079	2121	2167	2216	2256	2307	2357	2409	2487	2647	2746	2798	2850	2902	2954	3003	3054	3105
N78B2AU	3974	4078	4156	4240	4333	4431	4512	4613	4713	4817	4974	5293	5492	5595	5699	5803	5906	6004	6108	6209
N78B2AW	4387	4475	4543	4615	4694	4778	4847	4934	5020	5109	5243	5517	5687	5776	5865	5954	6043	6127	6215	6302
N78B2EU	3890	3994	4072	4156	4249	4347	4428	4529	4629	4733	4890	5209	5408	5511	5615	5719	5822	5920	6024	6125
N78B2EW	4298	4386	4454	4526	4605	4689	4758	4845	4931	5020	5154	5428	5598	5687	5776	5865	5954	6038	6126	6213
N78B3AU	5873	6025	6139	6262	6398	6541	6660	6808	6955	7107	7337	7804	8095	8247	8399	8550	8702	8845	8997	9145
N78B3AW	6496	6633	6737	6848	6970	7099	7207	7340	7473	7610	7817	8239	8502	8639	8776	8912	9049	9179	9316	9449
N78B3EU	5784	5936	6050	6173	6309	6452	6571	6719	6866	7018	7248	7715	8006	8158	8310	8461	8613	8756	8908	9056
N78B3EW	6409	6546	6650	6761	6883	7012	7120	7253	7386	7523	7730	8152	8415	8552	8689	8825	8962	9092	9229	9362
N78D1M	1495	1536	1566	1599	1636	1674	1706	1746	1785	1826	1888	2013	2091	2132	2173	2213	2254	2292	2333	2373
N78D2A	2532	2599	2649	2703	2763	2826	2878	2943	3007	3074	3175	3380	3508	3574	3641	3708	3774	3837	3904	3969
N78D2M	1924	1991	2041	2095	2155	2218	2270	2335	2399	2466	2567	2772	2900	2966	3033	3100	3166	3229	3296	3361
N78D3A	3205	3286	3348	3414	3486	3563	3627	3706	3786	3867	3990	4241	4397	4479	4560	4641	4723	4800	4881	4960
N78D3M	2556	2637	2699	2765	2837	2914	2978	3057	3137	3218	3341	3592	3748	3830	3911	3992	4074	4151	4232	4311
N78GEAU	3026	3104	3162	3225	3295	3368	3429	3505	3580	3658	3776	4015	4164	4242	4320	4397	4475	4548	4626	4702
N78GEAW	3317	3387	3441	3498	3560	3627	3682	3750	3819	3889	3995	4212	4347	4417	4488	4558	4628	4695	4765	4833
N78GFAU	1950	2005	2047	2092	2142	2194	2238	2292	2346	2401	2485	2656	2763	2818	2874	2929	2985	3037	3093	3147
N78GFAW	2161	2212	2252	2294	2340	2389	2429	2480	2530	2582	2660	2820	2919	2971	3023	3075	3127	3176	3227	3278
N78GFMU	1820	1875	1917	1962	2012	2064	2108	2162	2216	2271	2355	2526	2633	2688	2744	2799	2855	2907	2963	3017
N78GFMW	2031	2082	2122	2164	2210	2259	2299	2350	2400	2452	2530	2690	2789	2841	2893	2945	2997	3046	3097	3148
N78LAAAU	6510	6792	7004	7232	7483	7749	7970	8243	8517	8798	9224	10090	10630	10911	11192	11473	11754	12020	12302	12575
N78LAAAUB	7292	7574	7786	8014	8265	8531	8752	9025	9299	9580	10006	10872	11412	11693	11974	12255	12536	12802	13084	13357
N78LAAAUL	6902	7184	7396	7624	7875	8141	8362	8635	8909	9190	9616	10482	11022	11303	11584	11865	12146	12412	12694	12967
N78LAAAUR	6902	7184	7396	7624	7875	8141	8362	8635	8909	9190	9616	10482	11022	11303	11584	11865	12146	12412	12694	12967
N78LAAAW	7187	7469	7681	7909	8160	8426	8647	8920	9194	9475	9901	10767	11307	11588	11869	12150	12431	12697	12979	13252
N78LAAAWB	7964	8246	8458	8686	8937	9203	9424	9697	9971	10252	10678	11544	12084	12365	12646	12927	13208	13474	13756	14029
N78LAAAWL	7574	7856	8068	8296	8547	8813	9034	9307	9581	9862	10288	11154	11694	11975	12256	12537	12818	13084	13366	13639
N78LAAAWR	7574	7856	8068	8296	8547	8813	9034	9307	9581	9862	10288	11154	11694	11975	12256	12537	12818	13084	13366	13639
N78LAAU	4822	5021	5173	5335	5513	5702	5858	6053	6247	6447	6749	7365	7748	7948	8148	8348	8548	8737	8936	9131
N78LAAUB	5601	5800	5952	6114	6292	6481	6637	6832	7026	7226	7528	8144	8527	8727	8927	9127	9327	9516	9715	9910
N78LAAUL	5212	5411	5563	5725	5903	6092	6248	6443	6637	6837	7139	7755	8138	8338	8538	8738	8938	9127	9326	9521
N78LAAUR	5212	5411	5563	5725	5903	6092	6248	6443	6637	6837	7139	7755	8138	8338	8538	8738	8938	9127	9326	9521
N78LAAW	5237	5426	5568	5721	5890	6068	6216	6400	6583	6772	7058	7639	8001	8190	8379	8567	8756	8934	9123	9307
N78LAAWB	6016	6205	6347	6500	6669	6847	6995	7179	7362	7551	7837	8418	8780	8969	9158	9346	9535	9713	9902	10086
N78LAAWL	5628	5817	5959	6112	6281	6459	6607	6791	6974	7163	7449	8030	8392	8581	8770	8958	9147	9325	9514	9698
N78LAAWR	5628	5817	5959	6112	6281	6459	6607	6791	6974	7163	7449	8030	8392	8581	8770	8958	9147	9325	9514	9698
N78LAU	3220	3338	3428	3524	3629	3741	3834	3949	4065	4183	4362	4727	4954	5073	5191	5309	5428	5540	5658	5773
N78LAUL	3611	3729	3819	3915	4020	4132	4225	4340	4456	4574	4753	5118	5345	5464	5582	5700	5819	5931	6049	6164
N78LAUR	3611	3729	3819	3915	4020	4132	4225	4340	4456	4574	4753	5118	5345	5464	5582	5700	5819	5931	6049	6164
N78LAW	3423	3534	3618	3708	3807	3912	3999	4107	4215	4326	4494	4836	5049	5160	5271	5382	5493	5598	5709	5817
N78LAWL	3814	3925	4009	4099	4198	4303	4390	4498	4606	4717	4885	5227	5440	5551	5662	5773	5884	5989	6100	6208
N78LAWR	3814	3925	4009	4099	4198	4303	4390	4498	4606	4717	4885	5227	5440	5551	5662	5773	5884	5989	6100	6208
N78LBU	4216	4390	4522	4663	4818	4982	5119	5288	5457	5631	5894	6430	6764	6938	7112	7285	7459	7624	7798	7967
N78LBUB	4997	5171	5303	5444	5599	5763	5900	6069	6238	6412	6675	7211	7545	7719	7893	8066	8240	8405	8579	8748
N78LBUL	4607	4781	4913	5054	5209	5373	5510	5679	5848	6022	6285	6821	7155	7329	7503	7676	7850	8015	8189	8358
N78LBUR	4607	4781	4913	5054	5209	5373	5510	5679	5848	6022	6285	6821	7155	7329	7503	7676	7850	8015	8189	8358
N78LBW	4635	4797	4921	5053	5198	5352	5479	5638	5796	5959	6205	6707	7019	7182	7345	7508	7671	7825	7987	8146
N78LBWB	5412	5574	5698	5830	5975	6129	6256	6415	6573	6736	6982	7484	7796	7959	8122	8285	8448	8602	8764	8923
N78LBWL	5025	5187	5311	5443	5588	5742	5869	6028	6186	6349	6595	7097	7409	7572	7735	7898	8061	8215	8377	8536
N78LBWR	5025	5187	5311	5443	5588	5742	5869	6028	6186	6349	6595	7097	7409	7572	7735	7898	8061	8215	8377	8536
N78LCU	5314	5550	5730	5922	6133	6357	6542	6773	7003	7240	7598	8328	8782	9019	9256	9493	9730	9954	10190	10421
N78LCUB	6093	6329	6509	6701	6912	7136	7321	7552	7782	8019	8377	9107	9561	9798	10035	10272	10509	10733	10969	11200
N78LCUL	5705	5941	6121	6313	6524	6748	6933	7164	7394	7631	7989	8719	9173	9410	9647	9884	10121	10345	10581	10812
N78LCUR	5705	5941	6121	6313	6524	6748	6933	7164	7394	7631	7989	8719	9173	9410	9647	9884	10121	10345	10581	10812
N78LCW	6015	6241	6411	6594	6796	7009	7186	7406	7625	7851	8193	8888	9321	9547	9773	9998	10224	10437	10663	10883

ALLIANCE PROGRAM PRICING

TO ORDER, SPECIFY THE FOLLOWING:

1. Chair Model Number
2. Fabric Grade Letter
3. Alliance Pattern Number and Color Number/Name
4. Finish Number (when applicable)

SAMPLE ORDER NUMBER

N55EE	A	403901	036	HN
Model Number	Fabric Grade Letter	Alliance Pattern Number	Alliance Color Number	Finish

MODEL NUMBER — **ALLIANCE PROGRAM PRICE GRADES**

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
N78LCWB	6793	7019	7189	7372	7574	7787	7964	8184	8403	8629	8971	9666	10099	10325	10551	10776	11002	11215	11441	11661
N78LCWL	6406	6632	6802	6985	7187	7400	7577	7797	8016	8242	8584	9279	9712	9938	10164	10389	10615	10828	11054	11274
N78LCWR	6406	6632	6802	6985	7187	7400	7577	7797	8016	8242	8584	9279	9712	9938	10164	10389	10615	10828	11054	11274
N78LEU	3620	3772	3886	4009	4145	4288	4407	4555	4702	4854	5084	5551	5842	5994	6146	6297	6449	6592	6744	6892
N78LEW	3909	4050	4156	4270	4396	4529	4639	4776	4912	5053	5266	5699	5969	6109	6250	6391	6531	6664	6805	6942
N78PAU	2273	2340	2390	2444	2504	2567	2619	2684	2748	2815	2916	3121	3249	3315	3382	3449	3515	3578	3645	3710
N78SFAU	2123	2178	2220	2265	2315	2367	2411	2465	2519	2574	2658	2829	2936	2991	3047	3102	3158	3210	3266	3320
N78SFAW	2335	2386	2426	2468	2514	2563	2603	2654	2704	2756	2834	2994	3093	3145	3197	3249	3301	3350	3401	3452
N78SFMU	1994	2049	2091	2136	2186	2238	2282	2336	2390	2445	2529	2700	2807	2862	2918	2973	3029	3081	3137	3191
N78SFMW	2205	2256	2296	2338	2384	2433	2473	2524	2574	2626	2704	2864	2963	3015	3067	3119	3171	3220	3271	3322
N78T2AU	3931	4035	4113	4197	4290	4388	4469	4570	4670	4774	4931	5250	5449	5552	5656	5760	5863	5961	6065	6166
N78T2AW	4343	4431	4499	4571	4650	4734	4803	4890	4976	5065	5199	5473	5643	5732	5821	5910	5999	6083	6171	6258
N78T3AU	5831	5983	6097	6220	6356	6499	6618	6766	6913	7065	7295	7762	8053	8205	8357	8508	8660	8803	8955	9103
N78T3AW	6456	6593	6697	6808	6930	7059	7167	7300	7433	7570	7777	8199	8462	8599	8736	8872	9009	9139	9276	9409
N81AAES	1950	2005	2047	2092	2142	2194	2238	2292	2346	2401	2485	2656	2763	2818	2874	2929	2985	3037	3093	3147
N81AAEY	1699	1754	1796	1841	1891	1943	1987	2041	2095	2150	2234	2405	2512	2567	2623	2678	2734	2786	2842	2896
N81AAM	1699	1754	1796	1841	1891	1943	1987	2041	2095	2150	2234	2405	2512	2567	2623	2678	2734	2786	2842	2896
N81ABES	2330	2422	2492	2567	2650	2737	2810	2900	2990	3082	3222	3507	3685	3777	3870	3962	4055	4142	4235	4325
N81ABEY	2080	2172	2242	2317	2400	2487	2560	2650	2740	2832	2972	3257	3435	3527	3620	3712	3805	3892	3985	4075
N81ABM	2080	2172	2242	2317	2400	2487	2560	2650	2740	2832	2972	3257	3435	3527	3620	3712	3805	3892	3985	4075
N81ACES	2653	2745	2815	2890	2973	3060	3133	3223	3313	3405	3545	3830	4008	4100	4193	4285	4378	4465	4558	4648
N81ACEY	2401	2493	2563	2638	2721	2808	2881	2971	3061	3153	3293	3578	3756	3848	3941	4033	4126	4213	4306	4396
N81ACM	2401	2493	2563	2638	2721	2808	2881	2971	3061	3153	3293	3578	3756	3848	3941	4033	4126	4213	4306	4396
N81B2M	1832	1899	1949	2003	2063	2126	2178	2243	2307	2374	2475	2680	2808	2874	2941	3008	3074	3137	3204	3269
N81B3M	2482	2593	2677	2767	2866	2971	3058	3166	3274	3385	3553	3895	4108	4219	4330	4441	4552	4657	4768	4876
N81D1A	1213	1254	1284	1317	1354	1392	1424	1464	1503	1544	1606	1731	1809	1850	1891	1931	1972	2010	2051	2091
N81EAES	1878	1933	1975	2020	2070	2122	2166	2220	2274	2329	2413	2584	2691	2746	2802	2857	2913	2965	3021	3075
N81EAEY	1627	1682	1724	1769	1819	1871	1915	1969	2023	2078	2162	2333	2440	2495	2551	2606	2662	2714	2770	2824
N81EAM	1627	1682	1724	1769	1819	1871	1915	1969	2023	2078	2162	2333	2440	2495	2551	2606	2662	2714	2770	2824
N81EBES	2245	2337	2407	2482	2565	2652	2725	2815	2905	2997	3137	3422	3600	3692	3785	3877	3970	4057	4150	4240
N81EBEY	1992	2084	2154	2229	2312	2399	2472	2562	2652	2744	2884	3169	3347	3439	3532	3624	3717	3804	3897	3987
N81EBM	1992	2084	2154	2229	2312	2399	2472	2562	2652	2744	2884	3169	3347	3439	3532	3624	3717	3804	3897	3987
N81ECES	2553	2645	2715	2790	2873	2960	3033	3123	3213	3305	3445	3730	3908	4000	4093	4185	4278	4365	4458	4548
N81ECEY	2300	2392	2462	2537	2620	2707	2780	2870	2960	3052	3192	3477	3655	3747	3840	3932	4025	4112	4205	4295
N81ECM	2300	2392	2462	2537	2620	2707	2780	2870	2960	3052	3192	3477	3655	3747	3840	3932	4025	4112	4205	4295
N81GAAS	2237	2292	2334	2379	2429	2481	2525	2579	2633	2688	2772	2943	3050	3105	3161	3216	3272	3324	3380	3434
N81GAAY	1735	1790	1832	1877	1927	1979	2023	2077	2131	2186	2270	2441	2548	2603	2659	2714	2770	2822	2878	2932
N81GAM	1706	1761	1803	1848	1898	1950	1994	2048	2102	2157	2241	2412	2519	2574	2630	2685	2741	2793	2849	2903
N81GBAS	2625	2717	2787	2862	2945	3032	3105	3195	3285	3377	3517	3802	3980	4072	4165	4257	4350	4437	4530	4620
N81GBAY	2121	2213	2283	2358	2441	2528	2601	2691	2781	2873	3013	3298	3476	3568	3661	3753	3846	3933	4026	4116
N81GBM	2087	2179	2249	2324	2407	2494	2567	2657	2747	2839	2979	3264	3442	3534	3627	3719	3812	3899	3992	4082
N81GCAS	2954	3046	3116	3191	3274	3361	3434	3524	3614	3706	3846	4131	4309	4401	4494	4586	4679	4766	4859	4949
N81GCAY	2451	2543	2613	2688	2771	2858	2931	3021	3111	3203	3343	3628	3806	3898	3991	4083	4176	4263	4356	4446
N81GCM	2411	2503	2573	2648	2731	2818	2891	2981	3071	3163	3303	3588	3766	3858	3951	4043	4136	4223	4316	4406
N81HAAS	3177	3232	3274	3319	3369	3421	3465	3519	3573	3628	3712	3883	3990	4045	4101	4156	4212	4264	4320	4374
N81HAAY	2675	2730	2772	2817	2867	2919	2963	3017	3071	3126	3210	3381	3488	3543	3599	3654	3710	3762	3818	3872
N81HBAS	3524	3616	3686	3761	3844	3931	4004	4094	4184	4276	4416	4701	4879	4971	5064	5156	5249	5336	5429	5519
N81HBAY	3021	3113	3183	3258	3341	3428	3501	3591	3681	3773	3913	4198	4376	4468	4561	4653	4746	4833	4926	5016
N81L1AAS	3433	3558	3654	3756	3868	3987	4085	4208	4330	4456	4646	5034	5275	5401	5527	5653	5779	5898	6023	6146
N81L1AAY	2930	3055	3151	3253	3365	3484	3582	3705	3827	3953	4143	4531	4772	4898	5024	5150	5276	5395	5520	5643
N81L2AAS	4325	4499	4631	4772	4927	5091	5228	5397	5566	5740	6003	6539	6873	7047	7221	7394	7568	7733	7907	8076
N81L2AAY	3825	3999	4131	4272	4427	4591	4728	4897	5066	5240	5503	6039	6373	6547	6721	6894	7068	7233	7407	7576
N81L3AAS	5307	5533	5703	5886	6088	6301	6478	6698	6917	7143	7485	8180	8613	8839	9065	9290	9516	9729	9955	10175
N81L3AAY	4804	5030	5200	5383	5585	5798	5975	6195	6414	6640	6982	7677	8110	8336	8562	8787	9013	9226	9452	9672
N81LP1AAS	3729	3870	3976	4090	4216	4349	4459	4596	4732	4873	5086	5519	5789	5929	6070	6211	6351	6484	6625	6762
N81LP1AAY	3226	3367	3473	3587	3713	3846	3956	4093	4229	4370	4583	5016	5286	5426	5567	5708	5848	5981	6122	6259
N81PAAS	2615	2678	2726	2777	2833	2892	2942	3003	3064	3127	3222	3416	3537	3600	3663	3725	3788	3848	3911	3972
N81PAAY	2112	2175	2223	2274	2330	2389	2439	2500	2561	2624	2719	2913	3034	3097	3160	3222	3285	3345	3408	3469
N81PAM	2082	2145	2193	2244	2300	2359	2409	2470	2531	2594	2689	2883	3004	3067	3130	3192	3255	3315	3378	3439

ALLIANCE PROGRAM PRICING

TO ORDER, SPECIFY THE FOLLOWING:

1. Chair Model Number
2. Fabric Grade Letter
3. Alliance Pattern Number and Color Number/Name
4. Finish Number (when applicable)

SAMPLE ORDER NUMBER

N55EE	A	403901	036	HN
Model Number	Fabric Grade Letter	Alliance Pattern Number	Alliance Color Number	Finish

MODEL NUMBER — **ALLIANCE PROGRAM PRICE GRADES**

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
N81PBAS	3069	3166	3238	3316	3402	3493	3569	3662	3756	3852	3998	4294	4479	4575	4671	4767	4863	4954	5051	5144
N81PBAY	2566	2663	2735	2813	2899	2990	3066	3159	3253	3349	3495	3791	3976	4072	4168	4264	4360	4451	4548	4641
N81PBM	2532	2629	2701	2779	2865	2956	3032	3125	3219	3315	3461	3757	3942	4038	4134	4230	4326	4417	4514	4607
N81PCAS	3495	3606	3690	3780	3879	3984	4071	4179	4287	4398	4566	4908	5121	5232	5343	5454	5565	5670	5781	5889
N81PCAY	2993	3104	3188	3278	3377	3482	3569	3677	3785	3896	4064	4406	4619	4730	4841	4952	5063	5168	5279	5387
N81PCM	2951	3062	3146	3236	3335	3440	3527	3635	3743	3854	4022	4364	4577	4688	4799	4910	5021	5126	5237	5345
N81RAAS	3177	3232	3274	3319	3369	3421	3465	3519	3573	3628	3712	3883	3990	4045	4101	4156	4212	4264	4320	4374
N81RAAY	2675	2730	2772	2817	2867	2919	2963	3017	3071	3126	3210	3381	3488	3543	3599	3654	3710	3762	3818	3872
N81RBAS	3524	3616	3686	3761	3844	3931	4004	4094	4184	4276	4416	4701	4879	4971	5064	5156	5249	5336	5429	5519
N81RBAY	3021	3113	3183	3258	3341	3428	3501	3591	3681	3773	3913	4198	4376	4468	4561	4653	4746	4833	4926	5016
N81RCAS	3668	3760	3830	3905	3988	4075	4148	4238	4328	4420	4560	4845	5023	5115	5208	5300	5393	5480	5573	5663
N81RCAY	3165	3257	3327	3402	3485	3572	3645	3735	3825	3917	4057	4342	4520	4612	4705	4797	4890	4977	5070	5160
N81SAAS	2431	2486	2528	2573	2623	2675	2719	2773	2827	2882	2966	3137	3244	3299	3355	3410	3466	3518	3574	3628
N81SAAY	1927	1982	2024	2069	2119	2171	2215	2269	2323	2378	2462	2633	2740	2795	2851	2906	2962	3014	3070	3124
N81SAES	2152	2207	2249	2294	2344	2396	2440	2494	2548	2603	2687	2858	2965	3020	3076	3131	3187	3239	3295	3349
N81SAEY	1899	1954	1996	2041	2091	2143	2187	2241	2295	2350	2434	2605	2712	2767	2823	2878	2934	2986	3042	3096
N81SAM	1899	1954	1996	2041	2091	2143	2187	2241	2295	2350	2434	2605	2712	2767	2823	2878	2934	2986	3042	3096
N81SBAS	2856	2948	3018	3093	3176	3263	3336	3426	3516	3608	3748	4033	4211	4303	4396	4488	4581	4668	4761	4851
N81SBAY	2355	2447	2517	2592	2675	2762	2835	2925	3015	3107	3247	3532	3710	3802	3895	3987	4080	4167	4260	4350
N81SBES	2577	2669	2739	2814	2897	2984	3057	3147	3237	3329	3469	3754	3932	4024	4117	4209	4302	4389	4482	4572
N81SBEY	2326	2418	2488	2563	2646	2733	2806	2896	2986	3078	3218	3503	3681	3773	3866	3958	4051	4138	4231	4321
N81SBM	2326	2418	2488	2563	2646	2733	2806	2896	2986	3078	3218	3503	3681	3773	3866	3958	4051	4138	4231	4321
N81SCAS	3226	3318	3388	3463	3546	3633	3706	3796	3886	3978	4118	4403	4581	4673	4766	4858	4951	5038	5131	5221
N81SCAY	2723	2815	2885	2960	3043	3130	3203	3293	3383	3475	3615	3900	4078	4170	4263	4355	4448	4535	4628	4718
N81SCES	2945	3037	3107	3182	3265	3352	3425	3515	3605	3697	3837	4122	4300	4392	4485	4577	4670	4757	4850	4940
N81SCEY	2695	2787	2857	2932	3015	3102	3175	3265	3355	3447	3587	3872	4050	4142	4235	4327	4420	4507	4600	4690
N81SCM	2695	2787	2857	2932	3015	3102	3175	3265	3355	3447	3587	3872	4050	4142	4235	4327	4420	4507	4600	4690
N81T2ACS	4546	4653	4735	4822	4917	5019	5103	5207	5312	5419	5581	5912	6118	6225	6333	6440	6547	6649	6756	6860
N81T2ACY	3790	3897	3979	4066	4161	4263	4347	4451	4556	4663	4825	5156	5362	5469	5577	5684	5791	5893	6000	6104
N81T3ACS	6602	6757	6875	7001	7139	7286	7408	7559	7711	7866	8101	8580	8878	9034	9189	9344	9500	9647	9802	9953
N81T3ACY	5596	5751	5869	5995	6133	6280	6402	6553	6705	6860	7095	7574	7872	8028	8183	8338	8494	8641	8796	8947
N83GH4LM	3338	3460	3552	3651	3760	3876	3971	4090	4209	4331	4516	4892	5126	5248	5371	5493	5615	5730	5852	5971
N83GH4W	3510	3632	3724	3823	3932	4048	4143	4262	4381	4503	4688	5064	5298	5420	5543	5665	5787	5902	6024	6143
N83GHDA	3407	3529	3621	3720	3829	3945	4040	4159	4278	4400	4585	4961	5195	5317	5440	5562	5684	5799	5921	6040
N83GL4LM	2309	2376	2426	2480	2540	2603	2655	2720	2784	2851	2952	3157	3285	3351	3418	3485	3551	3614	3681	3746
N83GL5MC	2309	2376	2426	2480	2540	2603	2655	2720	2784	2851	2952	3157	3285	3351	3418	3485	3551	3614	3681	3746
N83GM4LM	2945	3037	3107	3182	3265	3352	3425	3515	3605	3697	3837	4122	4300	4392	4485	4577	4670	4757	4850	4940
N83GM4W	3118	3210	3280	3355	3438	3525	3598	3688	3778	3870	4010	4295	4473	4565	4658	4750	4843	4930	5023	5113
N83GLDA	2309	2376	2426	2480	2540	2603	2655	2720	2784	2851	2952	3157	3285	3351	3418	3485	3551	3614	3681	3746
N83GLW4W	2348	2415	2465	2519	2579	2642	2694	2759	2823	2890	2991	3196	3324	3390	3457	3524	3590	3653	3720	3785
N83GMDA	3015	3107	3177	3252	3335	3422	3495	3585	3675	3767	3907	4192	4370	4462	4555	4647	4740	4827	4920	5010
N83GL4W	2260	2327	2377	2431	2491	2554	2606	2671	2735	2802	2903	3108	3236	3302	3369	3436	3502	3565	3632	3697
N83GLS4W	2396	2463	2513	2567	2627	2690	2742	2807	2871	2938	3039	3244	3372	3438	3505	3572	3638	3701	3768	3833
N83L2H4W	8054	8253	8405	8567	8745	8934	9090	9285	9479	9679	9981	10597	10980	11180	11380	11580	11780	11969	12168	12363
N83L2M4W	7029	7191	7315	7447	7592	7746	7873	8032	8190	8353	8599	9101	9413	9576	9739	9902	10065	10219	10381	10540
N84CH1A	5530	5904	6186	6489	6823	7176	7469	7833	8196	8570	9136	10287	11004	11378	11752	12125	12499	12852	13226	13590
N84CH1AO	5530	5904	6186	6489	6823	7176	7469	7833	8196	8570	9136	10287	11004	11378	11752	12125	12499	12852	13226	13590
N84CH1L	5200	5526	5772	6036	6327	6635	6890	7207	7523	7849	8342	9345	9970	10295	10621	10947	11272	11580	11906	12223
N84CH1LO	5200	5526	5772	6036	6327	6635	6890	7207	7523	7849	8342	9345	9970	10295	10621	10947	11272	11580	11906	12223
N84CH1M	4871	5148	5358	5583	5831	6093	6311	6581	6851	7128	7548	8403	8936	9213	9491	9768	10046	10308	10586	10856
N84CH1R	5200	5526	5772	6036	6327	6635	6890	7207	7523	7849	8342	9345	9970	10295	10621	10947	11272	11580	11906	12223
N84CH1RO	5200	5526	5772	6036	6327	6635	6890	7207	7523	7849	8342	9345	9970	10295	10621	10947	11272	11580	11906	12223
N84CH1UA	5887	6261	6543	6846	7180	7533	7826	8190	8553	8927	9493	10644	11361	11735	12109	12482	12856	13209	13583	13947
N84CH1UAO	5887	6261	6543	6846	7180	7533	7826	8190	8553	8927	9493	10644	11361	11735	12109	12482	12856	13209	13583	13947
N84CH1UL	5557	5883	6129	6393	6684	6992	7247	7564	7880	8206	8699	9702	10327	10652	10978	11304	11629	11937	12263	12580
N84CH1ULO	5557	5883	6129	6393	6684	6992	7247	7564	7880	8206	8699	9702	10327	10652	10978	11304	11629	11937	12263	12580
N84CH1UM	5228	5505	5715	5940	6188	6450	6668	6938	7208	7485	7905	8760	9293	9570	9848	10125	10403	10665	10943	11213
N84CH1UR	5557	5883	6129	6393	6684	6992	7247	7564	7880	8206	8699	9702	10327	10652	10978	11304	11629	11937	12263	12580
N84CH1URO	5557	5883	6129	6393	6684	6992	7247	7564	7880	8206	8699	9702	10327	10652	10978	11304	11629	11937	12263	12580

ALLIANCE PROGRAM PRICING

TO ORDER, SPECIFY THE FOLLOWING:

1. Chair Model Number
2. Fabric Grade Letter
3. Alliance Pattern Number and Color Number/Name
4. Finish Number (when applicable)

SAMPLE ORDER NUMBER

N55EE	A	403901	036	HN
Model Number	Fabric Grade Letter	Alliance Pattern Number	Alliance Color Number	Finish

MODEL NUMBER — **ALLIANCE PROGRAM PRICE GRADES**

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
N84D1	1991	2113	2205	2304	2413	2529	2624	2743	2862	2984	3169	3545	3779	3901	4024	4146	4268	4383	4505	4624
N84D1U	2277	2399	2491	2590	2699	2815	2910	3029	3148	3270	3455	3831	4065	4187	4310	4432	4554	4669	4791	4910
N84D2	2448	2577	2675	2780	2896	3018	3120	3246	3372	3501	3697	4096	4345	4474	4604	4733	4863	4985	5115	5241
N84D2U	2806	2935	3033	3138	3254	3376	3478	3604	3730	3859	4055	4454	4703	4832	4962	5091	5221	5343	5473	5599
N84IN9D	3657	3967	4203	4455	4732	5026	5269	5572	5874	6185	6655	7613	8209	8520	8831	9142	9453	9747	10057	10360
N84IN9L	3633	3929	4153	4393	4657	4937	5169	5457	5745	6041	6489	7401	7969	8265	8561	8857	9153	9433	9729	10017
N84IN9R	3633	3929	4153	4393	4657	4937	5169	5457	5745	6041	6489	7401	7969	8265	8561	8857	9153	9433	9729	10017
N84L1A	3723	4030	4262	4511	4785	5076	5316	5615	5914	6221	6686	7632	8221	8528	8836	9143	9450	9740	10047	10346
N84L1AO	3723	4030	4262	4511	4785	5076	5316	5615	5914	6221	6686	7632	8221	8528	8836	9143	9450	9740	10047	10346
N84L1L	3393	3652	3848	4058	4289	4534	4737	4989	5241	5500	5892	6690	7187	7446	7705	7964	8223	8468	8727	8979
N84L1LO	3393	3652	3848	4058	4289	4534	4737	4989	5241	5500	5892	6690	7187	7446	7705	7964	8223	8468	8727	8979
N84L1M	3066	3277	3437	3608	3796	3995	4161	4366	4571	4782	5101	5751	6156	6367	6578	6788	6999	7199	7410	7615
N84L1R	3393	3652	3848	4058	4289	4534	4737	4989	5241	5500	5892	6690	7187	7446	7705	7964	8223	8468	8727	8979
N84L1RO	3393	3652	3848	4058	4289	4534	4737	4989	5241	5500	5892	6690	7187	7446	7705	7964	8223	8468	8727	8979
N84L1UA	4082	4389	4621	4870	5144	5435	5675	5974	6273	6580	7045	7991	8580	8887	9195	9502	9809	10099	10406	10705
N84L1UAO	4082	4389	4621	4870	5144	5435	5675	5974	6273	6580	7045	7991	8580	8887	9195	9502	9809	10099	10406	10705
N84L1UM	3446	3657	3817	3988	4176	4375	4541	4746	4951	5162	5481	6131	6536	6747	6958	7168	7379	7579	7790	7995
N84L2A	5669	6161	6533	6932	7371	7837	8222	8701	9180	9672	10417	11933	12877	13369	13862	14354	14846	15311	15803	16282
N84L2AO	5669	6161	6533	6932	7371	7837	8222	8701	9180	9672	10417	11933	12877	13369	13862	14354	14846	15311	15803	16282
N84L2L	5340	5784	6120	6480	6876	7296	7644	8076	8508	8952	9624	10992	11844	12288	12732	13176	13620	14040	14484	14916
N84L2LO	5340	5784	6120	6480	6876	7296	7644	8076	8508	8952	9624	10992	11844	12288	12732	13176	13620	14040	14484	14916
N84L2M	5013	5409	5709	6030	6383	6757	7068	7453	7838	8234	8833	10053	10813	11209	11605	12000	12396	12771	13167	13552
N84L2R	5340	5784	6120	6480	6876	7296	7644	8076	8508	8952	9624	10992	11844	12288	12732	13176	13620	14040	14484	14916
N84L2RO	5340	5784	6120	6480	6876	7296	7644	8076	8508	8952	9624	10992	11844	12288	12732	13176	13620	14040	14484	14916
N84L2UA	6029	6521	6893	7292	7731	8197	8582	9061	9540	10032	10777	12293	13237	13729	14222	14714	15206	15671	16163	16642
N84L2UAO	6029	6521	6893	7292	7731	8197	8582	9061	9540	10032	10777	12293	13237	13729	14222	14714	15206	15671	16163	16642
N84L2UM	4736	5132	5432	5753	6106	6480	6791	7176	7561	7957	8556	9776	10536	10932	11328	11723	12119	12494	12890	13275
N84L3A	7545	8222	8734	9283	9887	10528	11058	11717	12376	13053	14078	16164	17463	18140	18818	19495	20172	20812	21489	22148
N84L3AO	7545	8222	8734	9283	9887	10528	11058	11717	12376	13053	14078	16164	17463	18140	18818	19495	20172	20812	21489	22148
N84L3L	7217	7846	8322	8832	9393	9988	10481	11093	11705	12334	13286	15224	16431	17060	17689	18318	18947	19542	20171	20783
N84L3LO	7217	7846	8322	8832	9393	9988	10481	11093	11705	12334	13286	15224	16431	17060	17689	18318	18947	19542	20171	20783
N84L3M	6888	7469	7909	8380	8898	9447	9903	10468	11033	11614	12493	14283	15398	15979	16560	17140	17721	18271	18852	19417
N84L3R	7217	7846	8322	8832	9393	9988	10481	11093	11705	12334	13286	15224	16431	17060	17689	18318	18947	19542	20171	20783
N84L3RO	7217	7846	8322	8832	9393	9988	10481	11093	11705	12334	13286	15224	16431	17060	17689	18318	18947	19542	20171	20783
N84L3UA	7904	8581	9093	9642	10246	10887	11417	12076	12735	13412	14437	16523	17822	18499	19177	19854	20531	21171	21848	22507
N84L3UAO	7904	8581	9093	9642	10246	10887	11417	12076	12735	13412	14437	16523	17822	18499	19177	19854	20531	21171	21848	22507
N84L3UM	6612	7193	7633	8104	8622	9171	9627	10192	10757	11338	12217	14007	15122	15703	16284	16864	17445	17995	18576	19141
N84T36ENL	1478	1526	1562	1601	1644	1690	1727	1774	1821	1869	1942	2090	2182	2230	2279	2327	2375	2420	2468	2515
N84T36ENS	3453	3501	3537	3576	3619	3665	3702	3749	3796	3844	3917	4065	4157	4205	4254	4302	4350	4395	4443	4490
N84T36ENUL	1766	1814	1850	1889	1932	1978	2015	2062	2109	2157	2230	2378	2470	2518	2567	2615	2663	2708	2756	2803
N84T36ENUS	3813	3861	3897	3936	3979	4025	4062	4109	4156	4204	4277	4425	4517	4565	4614	4662	4710	4755	4803	4850
N84T60MGL	2698	2768	2822	2879	2941	3008	3063	3131	3200	3270	3376	3593	3728	3798	3869	3939	4009	4076	4146	4214
N84T60MGS	6291	6361	6415	6472	6534	6601	6656	6724	6793	6863	6969	7186	7321	7391	7462	7532	7602	7669	7739	7807
N84T60MGUL	3057	3127	3181	3238	3300	3367	3422	3490	3559	3629	3735	3952	4087	4157	4228	4298	4368	4435	4505	4573
N84T60MGUS	6648	6718	6772	6829	6891	6958	7013	7081	7150	7220	7326	7543	7678	7748	7819	7889	7959	8026	8096	8164
N85CAC	2113	2176	2224	2275	2331	2390	2440	2501	2562	2625	2720	2914	3035	3098	3161	3223	3286	3346	3409	3470
N85CBC	2043	2103	2147	2195	2248	2304	2351	2408	2466	2525	2615	2797	2911	2970	3029	3088	3147	3203	3263	3320
N85LA	3322	3426	3504	3588	3681	3779	3860	3961	4061	4165	4322	4641	4840	4943	5047	5151	5254	5352	5456	5557
N85LAT	3502	3606	3684	3768	3861	3959	4040	4141	4241	4345	4502	4821	5020	5123	5227	5331	5434	5532	5636	5737
N85LB	4230	4379	4492	4613	4746	4887	5004	5149	5294	5443	5668	6128	6414	6563	6712	6861	7010	7152	7301	7446
N85LBT	4410	4559	4672	4793	4926	5067	5184	5329	5474	5623	5848	6308	6594	6743	6892	7041	7190	7332	7481	7626
N85LC	5231	5423	5569	5725	5896	6078	6229	6416	6604	6796	7087	7680	8049	8242	8434	8626	8819	9001	9193	9380
N85LCT	5412	5604	5750	5906	6077	6259	6410	6597	6785	6977	7268	7861	8230	8423	8615	8807	9000	9182	9374	9561
N85LD	2668	2760	2830	2905	2988	3075	3148	3238	3328	3420	3560	3845	4023	4115	4208	4300	4393	4480	4573	4663
N85LDT	2849	2941	3011	3086	3169	3256	3329	3419	3509	3601	3741	4026	4204	4296	4389	4481	4574	4661	4754	4844
N85SA	1385	1415	1437	1461	1488	1516	1539	1568	1596	1626	1671	1762	1819	1848	1878	1908	1937	1965	1995	2024
N85SAA	2543	2603	2647	2695	2748	2804	2851	2908	2966	3025	3115	3297	3411	3470	3529	3588	3647	3703	3763	3820
N85SAAA	3820	3912	3982	4057	4140	4227	4300	4390	4480	4572	4712	4997	5175	5267	5360	5452	5545	5632	5725	5815
N85SAAAT	4086	4178	4248	4323	4406	4493	4566	4656	4746	4838	4978	5263	5441	5533	5626	5718	5811	5898	5991	6081

ALLIANCE PROGRAM PRICING

TO ORDER, SPECIFY THE FOLLOWING:

1. Chair Model Number
2. Fabric Grade Letter
3. Alliance Pattern Number and Color Number/Name
4. Finish Number (when applicable)

SAMPLE ORDER NUMBER

N55EE	A	403901	036	HN
Model Number	Fabric Grade Letter	Alliance Pattern Number	Alliance Color Number	Finish

MODEL NUMBER — **ALLIANCE PROGRAM PRICE GRADES**

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
N85SAAT	2744	2804	2848	2896	2949	3005	3052	3109	3167	3226	3316	3498	3612	3671	3730	3789	3848	3904	3964	4021
N85SACA	3921	4009	4077	4149	4228	4312	4381	4468	4554	4643	4777	5051	5221	5310	5399	5488	5577	5661	5749	5836
N85SACAT	4187	4275	4343	4415	4494	4578	4647	4734	4820	4909	5043	5317	5487	5576	5665	5754	5843	5927	6015	6102
N85SAT	1517	1547	1569	1593	1620	1648	1671	1700	1728	1758	1803	1894	1951	1980	2010	2040	2069	2097	2127	2156
N85SB	1481	1522	1552	1585	1622	1660	1692	1732	1771	1812	1874	1999	2077	2118	2159	2199	2240	2278	2319	2359
N85SBT	1611	1652	1682	1715	1752	1790	1822	1862	1901	1942	2004	2129	2207	2248	2289	2329	2370	2408	2449	2489
N85SC	1490	1520	1542	1566	1593	1621	1644	1673	1701	1731	1776	1867	1924	1953	1983	2013	2042	2070	2100	2129
N85SCT	1624	1654	1676	1700	1727	1755	1778	1807	1835	1865	1910	2001	2058	2087	2117	2147	2176	2204	2234	2263
N85SE	2628	2698	2752	2809	2871	2938	2993	3061	3130	3200	3306	3523	3658	3728	3799	3869	3939	4006	4076	4144
N85SET	2763	2833	2887	2944	3006	3073	3128	3196	3265	3335	3441	3658	3793	3863	3934	4004	4074	4141	4211	4279
N86BA1C	1794	1879	1943	2012	2088	2169	2235	2318	2401	2486	2615	2877	3040	3125	3211	3296	3381	3461	3546	3629
N86BACN	2489	2577	2645	2717	2796	2880	2949	3036	3122	3211	3345	3619	3789	3878	3967	4056	4145	4229	4317	4404
N86BE1C	1794	1879	1943	2012	2088	2169	2235	2318	2401	2486	2615	2877	3040	3125	3211	3296	3381	3461	3546	3629
N86BE1L	1782	1860	1918	1981	2051	2124	2185	2261	2336	2414	2532	2771	2920	2998	3076	3153	3231	3304	3382	3458
N86BE1R	1782	1860	1918	1981	2051	2124	2185	2261	2336	2414	2532	2771	2920	2998	3076	3153	3231	3304	3382	3458
N86BECN	2489	2577	2645	2717	2796	2880	2949	3036	3122	3211	3345	3619	3789	3878	3967	4056	4145	4229	4317	4404
N86BF1C	2070	2155	2219	2288	2364	2445	2511	2594	2677	2762	2891	3153	3316	3401	3487	3572	3657	3737	3822	3905
N86BF1CT	3004	3106	3183	3266	3356	3453	3532	3631	3730	3832	3986	4300	4495	4597	4698	4800	4902	4998	5100	5199
N86BS1C	1932	2017	2081	2150	2226	2307	2373	2456	2539	2624	2753	3015	3178	3263	3349	3434	3519	3599	3684	3767
N86BS1L	1920	1998	2056	2119	2189	2262	2323	2399	2474	2552	2670	2909	3058	3136	3214	3291	3369	3442	3520	3596
N86BS1R	1920	1998	2056	2119	2189	2262	2323	2399	2474	2552	2670	2909	3058	3136	3214	3291	3369	3442	3520	3596
N86BSCN	2629	2717	2785	2857	2936	3020	3089	3176	3262	3351	3485	3759	3929	4018	4107	4196	4285	4369	4457	4544
N86D1	1578	1615	1643	1673	1706	1741	1770	1806	1842	1879	1935	2049	2120	2157	2194	2231	2268	2303	2340	2376
N86LA1M	2676	2794	2884	2980	3085	3197	3290	3405	3521	3639	3818	4183	4410	4529	4647	4765	4884	4996	5114	5229
N86LA1MP	3508	3716	3872	4040	4225	4421	4584	4785	4987	5194	5508	6146	6544	6751	6958	7165	7372	7568	7776	7977
N86LACNM	3569	3728	3848	3977	4119	4270	4394	4549	4704	4863	5104	5594	5899	6058	6218	6377	6536	6686	6845	7000
N86LACNMP	5008	5290	5502	5730	5981	6247	6468	6741	7015	7296	7722	8588	9128	9409	9690	9971	10252	10518	10800	11073
N86LE1L	2940	3051	3135	3225	3324	3429	3516	3624	3732	3843	4011	4353	4566	4677	4788	4899	5010	5115	5226	5334
N86LE1LP	3861	4116	4310	4517	4744	4986	5186	5434	5683	5938	6324	7111	7601	7856	8112	8367	8622	8864	9119	9367
N86LE1M	2676	2794	2884	2980	3085	3197	3290	3405	3521	3639	3818	4183	4410	4529	4647	4765	4884	4996	5114	5229
N86LE1MP	3508	3716	3872	4040	4225	4421	4584	4785	4987	5194	5508	6146	6544	6751	6958	7165	7372	7568	7776	7977
N86LE1R	2940	3051	3135	3225	3324	3429	3516	3624	3732	3843	4011	4353	4566	4677	4788	4899	5010	5115	5226	5334
N86LE1RP	3861	4116	4310	4517	4744	4986	5186	5434	5683	5938	6324	7111	7601	7856	8112	8367	8622	8864	9119	9367
N86LECNM	3569	3728	3848	3977	4119	4270	4394	4549	4704	4863	5104	5594	5899	6058	6218	6377	6536	6686	6845	7000
N86LECNMP	5008	5290	5502	5730	5981	6247	6468	6741	7015	7296	7722	8588	9128	9409	9690	9971	10252	10518	10800	11073
N86LF1A	3390	3524	3624	3732	3851	3977	4082	4211	4341	4474	4676	5086	5342	5475	5608	5741	5874	6000	6134	6263
N86LF1AP	4693	5037	5297	5576	5883	6209	6478	6813	7148	7492	8013	9073	9733	10077	10422	10766	11110	11435	11779	12114
N86LF1AT	5477	5868	6163	6480	6828	7197	7503	7883	8263	8653	9244	10447	11196	11586	11976	12367	12757	13126	13517	13896
N86LF1LP	4136	4391	4585	4792	5019	5261	5461	5709	5958	6213	6599	7386	7876	8131	8387	8642	8897	9139	9394	9642
N86LF1M	3022	3140	3230	3326	3431	3543	3636	3751	3867	3985	4164	4529	4756	4875	4993	5111	5230	5342	5460	5575
N86LF1MP	3784	3992	4148	4316	4501	4697	4860	5061	5263	5470	5784	6422	6820	7027	7234	7441	7648	7844	8052	8253
N86LF1MT	4350	4650	4876	5119	5387	5670	5905	6197	6488	6788	7242	8165	8740	9040	9340	9639	9939	10222	10522	10814
N86LF1RP	4136	4391	4585	4792	5019	5261	5461	5709	5958	6213	6599	7386	7876	8131	8387	8642	8897	9139	9394	9642
N86LF2A	4867	5059	5205	5361	5532	5714	5865	6052	6240	6432	6723	7316	7685	7878	8070	8262	8455	8637	8829	9016
N86LF2AP	6544	7011	7363	7741	8157	8598	8964	9417	9871	10337	11043	12479	13374	13840	14306	14772	15238	15679	16146	16599
N86LF2AT	7078	7489	7799	8132	8499	8887	9209	9609	10008	10419	11041	12306	13094	13505	13916	14326	14737	15125	15536	15936
N86LF3A	6394	6679	6895	7126	7380	7649	7873	8150	8427	8712	9143	10021	10568	10853	11138	11422	11707	11977	12262	12539
N86LF3AP	8738	9367	9843	10353	10914	11509	12002	12614	13226	13855	14807	16745	17952	18581	19210	19839	20468	21063	21692	22304
N86LF3AT	9130	9773	10261	10783	11357	11966	12470	13097	13723	14367	15341	17325	18560	19204	19848	20492	21136	21745	22388	23015
N86LS1L	3078	3189	3273	3363	3462	3567	3654	3762	3870	3981	4149	4491	4704	4815	4926	5037	5148	5253	5364	5472
N86LS1LP	3999	4254	4448	4655	4882	5124	5324	5572	5821	6076	6462	7249	7739	7994	8250	8505	8760	9002	9257	9505
N86LS1M	2814	2932	3022	3118	3223	3335	3428	3543	3659	3777	3956	4321	4548	4667	4785	4903	5022	5134	5252	5367
N86LS1MP	3645	3853	4009	4177	4362	4558	4721	4922	5124	5331	5645	6283	6681	6888	7095	7302	7509	7705	7913	8114
N86LS1R	3078	3189	3273	3363	3462	3567	3654	3762	3870	3981	4149	4491	4704	4815	4926	5037	5148	5253	5364	5472
N86LS1RP	3999	4254	4448	4655	4882	5124	5324	5572	5821	6076	6462	7249	7739	7994	8250	8505	8760	9002	9257	9505
N86LSCNM	3708	3867	3987	4116	4258	4409	4533	4688	4843	5002	5243	5733	6038	6197	6357	6516	6675	6825	6984	7139
N86LSCNMP	5145	5427	5639	5867	6118	6384	6605	6878	7152	7433	7859	8725	9265	9546	9827	10108	10389	10655	10937	11210
N86NK1PL	5991	6357	6635	6932	7258	7605	7892	8248	8605	8971	9525	10654	11357	11723	12090	12456	12822	13169	13535	13891
N86PD1TLP	6362	6713	6979	7264	7578	7910	8186	8528	8870	9221	9753	10836	11511	11862	12214	12565	12917	13249	13601	13943

ALLIANCE PROGRAM PRICING

TO ORDER, SPECIFY THE FOLLOWING:

1. Chair Model Number
2. Fabric Grade Letter
3. Alliance Pattern Number and Color Number/Name
4. Finish Number (when applicable)

SAMPLE ORDER NUMBER

N55EE	A	403901	036	HN
Model Number	Fabric Grade Letter	Alliance Pattern Number	Alliance Color Number	Finish

MODEL NUMBER — **ALLIANCE PROGRAM PRICE GRADES**

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
N86PD1TRP	6362	6713	6979	7264	7578	7910	8186	8528	8870	9221	9753	10836	11511	11862	12214	12565	12917	13249	13601	13943
N86PVE	1391	1483	1553	1628	1711	1798	1871	1961	2051	2143	2283	2568	2746	2838	2931	3023	3116	3203	3296	3386
N86PVECL	2853	3034	3172	3319	3480	3652	3794	3970	4147	4328	4602	5161	5509	5690	5872	6053	6234	6406	6587	6763
N86PVECR	2853	3034	3172	3319	3480	3652	3794	3970	4147	4328	4602	5161	5509	5690	5872	6053	6234	6406	6587	6763
N86PVS	1254	1346	1416	1491	1574	1661	1734	1824	1914	2006	2146	2431	2609	2701	2794	2886	2979	3066	3159	3249
N86PVST3636L	2984	3104	3195	3293	3400	3514	3608	3725	3842	3962	4144	4515	4745	4866	4986	5106	5226	5340	5460	5577
N86PVST3666L	3370	3490	3581	3679	3786	3900	3994	4111	4228	4348	4530	4901	5131	5252	5372	5492	5612	5726	5846	5963
N86PVSVT3636L	3394	3514	3605	3703	3810	3924	4018	4135	4252	4372	4554	4925	5155	5276	5396	5516	5636	5750	5870	5987
N86PVSVT3666L	3778	3898	3989	4087	4194	4308	4402	4519	4636	4756	4938	5309	5539	5660	5780	5900	6020	6134	6254	6371
N86RK1A	4772	4906	5006	5114	5233	5359	5464	5593	5723	5856	6058	6468	6724	6857	6990	7123	7256	7382	7516	7645
N86RK1AP	6074	6418	6678	6957	7264	7590	7859	8194	8529	8873	9394	10454	11114	11458	11803	12147	12491	12816	13160	13495
N86RK1AT	6764	7155	7450	7767	8115	8484	8790	9170	9550	9940	10531	11734	12483	12873	13263	13654	14044	14413	14804	15183
N86T2929ENL	1699	1725	1745	1766	1789	1813	1834	1859	1884	1910	1949	2029	2079	2105	2131	2156	2182	2207	2233	2258
N86T2929ENS	2942	2968	2988	3009	3032	3056	3077	3102	3127	3153	3192	3272	3322	3348	3374	3399	3425	3450	3476	3501
N86TA10CL	1543	1557	1569	1581	1594	1608	1619	1634	1648	1663	1685	1731	1759	1774	1789	1804	1819	1833	1847	1862
N86TA10CS	2234	2248	2260	2272	2285	2299	2310	2325	2339	2354	2376	2422	2450	2465	2480	2495	2510	2524	2538	2553
N86TA10CTLL	1820	1834	1846	1858	1871	1885	1896	1911	1925	1940	1962	2008	2036	2051	2066	2081	2096	2110	2124	2139
N86TA10CTRL	1820	1834	1846	1858	1871	1885	1896	1911	1925	1940	1962	2008	2036	2051	2066	2081	2096	2110	2124	2139
N86TA10NL	2371	2385	2397	2409	2422	2436	2447	2462	2476	2491	2513	2559	2587	2602	2617	2632	2647	2661	2675	2690
N86TA10NS	3893	3907	3919	3931	3944	3958	3969	3984	3998	4013	4035	4081	4109	4124	4139	4154	4169	4183	4197	4212
N86TA29EL	1560	1586	1606	1627	1650	1674	1695	1720	1745	1771	1810	1890	1940	1966	1992	2017	2043	2068	2094	2119
N86TA29ES	2596	2622	2642	2663	2686	2710	2731	2756	2781	2807	2846	2926	2976	3002	3028	3053	3079	3104	3130	3155
N86TE10CL	1543	1557	1569	1581	1594	1608	1619	1634	1648	1663	1685	1731	1759	1774	1789	1804	1819	1833	1847	1862
N86TE10CS	2234	2248	2260	2272	2285	2299	2310	2325	2339	2354	2376	2422	2450	2465	2480	2495	2510	2524	2538	2553
N86TE10CTLL	1820	1834	1846	1858	1871	1885	1896	1911	1925	1940	1962	2008	2036	2051	2066	2081	2096	2110	2124	2139
N86TE10CTRL	1820	1834	1846	1858	1871	1885	1896	1911	1925	1940	1962	2008	2036	2051	2066	2081	2096	2110	2124	2139
N86TE10NL	2371	2385	2397	2409	2422	2436	2447	2462	2476	2491	2513	2559	2587	2602	2617	2632	2647	2661	2675	2690
N86TE10NS	3893	3907	3919	3931	3944	3958	3969	3984	3998	4013	4035	4081	4109	4124	4139	4154	4169	4183	4197	4212
N86TE29EL	1560	1586	1606	1627	1650	1674	1695	1720	1745	1771	1810	1890	1940	1966	1992	2017	2043	2068	2094	2119
N86TE29ES	2596	2622	2642	2663	2686	2710	2731	2756	2781	2807	2846	2926	2976	3002	3028	3053	3079	3104	3130	3155
N86TS10CL	1682	1696	1708	1720	1733	1747	1758	1773	1787	1802	1824	1870	1898	1913	1928	1943	1958	1972	1986	2001
N86TS10CS	2371	2385	2397	2409	2422	2436	2447	2462	2476	2491	2513	2559	2587	2602	2617	2632	2647	2661	2675	2690
N86TS10CTLL	1958	1972	1984	1996	2009	2023	2034	2049	2063	2078	2100	2146	2174	2189	2204	2219	2234	2248	2262	2277
N86TS10CTRL	1958	1972	1984	1996	2009	2023	2034	2049	2063	2078	2100	2146	2174	2189	2204	2219	2234	2248	2262	2277
N86TS10NL	2511	2525	2537	2549	2562	2576	2587	2602	2616	2631	2653	2699	2727	2742	2757	2772	2787	2801	2815	2830
N86TS10NS	4030	4044	4056	4068	4081	4095	4106	4121	4135	4150	4172	4218	4246	4261	4276	4291	4306	4320	4334	4349
N86TS29EL	1560	1586	1606	1627	1650	1674	1695	1720	1745	1771	1810	1890	1940	1966	1992	2017	2043	2068	2094	2119
N86TS29ES	2734	2760	2780	2801	2824	2848	2869	2894	2919	2945	2984	3064	3114	3140	3166	3191	3217	3242	3268	3293
N87AAA36	1565	1630	1679	1732	1789	1851	1901	1964	2027	2092	2190	2390	2514	2579	2643	2708	2773	2834	2899	2962
N87AS1A36	3125	3250	3346	3448	3560	3679	3777	3900	4022	4148	4338	4726	4967	5093	5219	5345	5471	5590	5715	5838
N87AS2A36	4745	4923	5057	5201	5360	5528	5667	5840	6012	6190	6459	7006	7347	7524	7702	7880	8057	8225	8403	8576
N87C120	2712	2819	2901	2988	3083	3185	3269	3373	3478	3585	3747	4078	4284	4391	4499	4606	4713	4815	4922	5026
N87CR12016C	1391	1442	1482	1524	1570	1619	1659	1710	1760	1812	1890	2050	2149	2201	2253	2305	2357	2406	2457	2508
N87CR12016G	1314	1365	1405	1447	1493	1542	1582	1633	1683	1735	1813	1973	2072	2124	2176	2228	2280	2329	2380	2431
N87CR12018C	1437	1488	1528	1570	1616	1665	1705	1756	1806	1858	1936	2096	2195	2247	2299	2351	2403	2452	2503	2554
N87CR12018G	1361	1412	1452	1494	1540	1589	1629	1680	1730	1782	1860	2020	2119	2171	2223	2275	2327	2376	2427	2478
N87CS120	6560	6763	6917	7082	7264	7456	7616	7814	8012	8215	8523	9150	9541	9744	9948	10151	10355	10547	10751	10949
N87IN3616C	1742	1807	1856	1909	1966	2028	2078	2141	2204	2269	2367	2567	2691	2756	2820	2885	2950	3011	3076	3139
N87IN3616G	1704	1769	1818	1871	1928	1990	2040	2103	2166	2231	2329	2529	2653	2718	2782	2847	2912	2973	3038	3101
N87IN3618C	1814	1881	1931	1985	2045	2108	2160	2225	2289	2356	2457	2662	2790	2856	2923	2990	3056	3119	3186	3251
N87IN3618G	1777	1844	1894	1948	2008	2071	2123	2188	2252	2319	2420	2625	2753	2819	2886	2953	3019	3082	3149	3214
N87LALAR	2133	2262	2360	2465	2581	2703	2805	2931	3057	3186	3382	3781	4030	4159	4289	4418	4548	4670	4800	4926
N87LSALAR	4130	4308	4442	4586	4745	4913	5052	5225	5397	5575	5844	6391	6732	6909	7087	7265	7442	7610	7788	7961
N87TA	3924	4068	4178	4295	4423	4560	4673	4813	4954	5098	5316	5761	6038	6182	6327	6471	6615	6752	6896	7036
N87TSA	7757	7988	8163	8351	8557	8776	8957	9182	9407	9638	9988	10701	11144	11376	11607	11838	12069	12288	12519	12744
89X-EUEXC	1750	1829	1890	1954	2025	2100	2163	2240	2317	2397	2517	2763	2915	2995	3074	3154	3233	3309	3388	3466
89X-EUFXC	1627	1706	1767	1831	1902	1977	2040	2117	2194	2274	2394	2640	2792	2872	2951	3031	3110	3186	3265	3343
89X-EUFXCJ	1974	2053	2114	2178	2249	2324	2387	2464	2541	2621	2741	2987	3139	3219	3298	3378	3457	3533	3612	3690
89X-EWECC	1976	2043	2093	2147	2207	2270	2322	2387	2451	2518	2619	2824	2952	3018	3085	3152	3218	3281	3348	3413

ALLIANCE PROGRAM PRICING

TO ORDER, SPECIFY THE FOLLOWING:

1. Chair Model Number
2. Fabric Grade Letter
3. Alliance Pattern Number and Color Number/Name
4. Finish Number (when applicable)

SAMPLE ORDER NUMBER

N55EE	A	403901	036	HN
Model Number	Fabric Grade Letter	Alliance Pattern Number	Alliance Color Number	Finish

MODEL NUMBER — **ALLIANCE PROGRAM PRICE GRADES**

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
89X-EWECCJ	2323	2390	2440	2494	2554	2617	2669	2734	2798	2865	2966	3171	3299	3365	3432	3499	3565	3628	3695	3760
89X-EWEXC	1885	1952	2002	2056	2116	2179	2231	2296	2360	2427	2528	2733	2861	2927	2994	3061	3127	3190	3257	3322
89X-EWEXCJ	2232	2299	2349	2403	2463	2526	2578	2643	2707	2774	2875	3080	3208	3274	3341	3408	3474	3537	3604	3669
89X-GWXX	1252	1307	1349	1394	1444	1496	1540	1594	1648	1703	1787	1958	2065	2120	2176	2231	2287	2339	2395	2449
89X-MUEXC	1703	1777	1833	1893	1959	2029	2087	2159	2231	2305	2417	2645	2787	2861	2935	3009	3083	3153	3227	3299
89X-MUFXC	1578	1652	1708	1768	1834	1904	1962	2034	2106	2180	2292	2520	2662	2736	2810	2884	2958	3028	3102	3174
89X-MUFXCJ	1925	1999	2055	2115	2181	2251	2309	2381	2453	2527	2639	2867	3009	3083	3157	3231	3305	3375	3449	3521
89X-MWECC	1921	1981	2025	2073	2126	2182	2229	2286	2344	2403	2493	2675	2789	2848	2907	2966	3025	3081	3141	3198
89X-MWECCJ	2268	2328	2372	2420	2473	2529	2576	2633	2691	2750	2840	3022	3136	3195	3254	3313	3372	3428	3488	3545
89X-MWEXC	1826	1886	1930	1978	2031	2087	2134	2191	2249	2308	2398	2580	2694	2753	2812	2871	2930	2986	3046	3103
89X-MWEXCJ	2173	2233	2277	2325	2378	2434	2481	2538	2596	2655	2745	2927	3041	3100	3159	3218	3277	3333	3393	3450
N90AA	3295	3473	3607	3751	3910	4078	4217	4390	4562	4740	5009	5556	5897	6074	6252	6430	6607	6775	6953	7126
N90AAT	3624	3802	3936	4080	4239	4407	4546	4719	4891	5069	5338	5885	6226	6403	6581	6759	6936	7104	7282	7455
N90AATB	3451	3629	3763	3907	4066	4234	4373	4546	4718	4896	5165	5712	6053	6230	6408	6586	6763	6931	7109	7282
N90BB	4299	4606	4838	5087	5361	5652	5892	6191	6490	6797	7262	8208	8797	9104	9412	9719	10026	10316	10623	10922
N90BBT	4949	5259	5495	5747	6024	6318	6561	6864	7166	7477	7947	8905	9501	9812	10123	10434	10745	11039	11349	11652
N90BBTB	4612	4919	5151	5400	5674	5965	6205	6504	6803	7110	7575	8521	9110	9417	9725	10032	10339	10629	10936	11235
N90CC	5233	5570	5824	6097	6398	6716	6980	7308	7635	7972	8482	9519	10165	10502	10839	11175	11512	11830	12167	12495
N90CCT	6196	6536	6794	7070	7373	7695	7962	8293	8625	8965	9480	10529	11182	11523	11863	12203	12544	12866	13206	13537
N90CCTB	5704	6041	6295	6568	6869	7187	7451	7779	8106	8443	8953	9990	10636	10973	11310	11646	11983	12301	12638	12966
N93B1S24	1840	1900	1944	1992	2045	2101	2148	2205	2263	2322	2412	2594	2708	2767	2826	2885	2944	3000	3060	3117
N93B1S27	1995	2095	2171	2252	2341	2435	2514	2611	2708	2808	2959	3267	3459	3559	3659	3758	3858	3953	4053	4150
N93B2S48	2447	2535	2603	2675	2754	2838	2907	2994	3080	3169	3303	3577	3747	3836	3925	4014	4103	4187	4275	4362
N93B2S54	2686	2848	2972	3104	3249	3403	3530	3689	3847	4010	4256	4758	5070	5233	5396	5559	5722	5876	6038	6197
N93B3S71	3059	3181	3273	3372	3481	3597	3692	3811	3930	4052	4237	4613	4847	4969	5092	5214	5336	5451	5573	5692
N93B3S80	3373	3599	3769	3952	4154	4367	4544	4764	4983	5209	5551	6246	6679	6905	7131	7356	7582	7795	8021	8241
N93BCR64	3149	3274	3370	3472	3584	3703	3801	3924	4046	4172	4362	4750	4991	5117	5243	5369	5495	5614	5739	5862
N93BHR54	2865	3027	3151	3283	3428	3582	3709	3868	4026	4189	4435	4937	5249	5412	5575	5738	5901	6055	6217	6376
N93BQR27	2180	2284	2362	2446	2539	2637	2718	2819	2919	3023	3180	3499	3698	3801	3905	4009	4112	4210	4314	4415
N93BWD64	2831	2938	3020	3107	3202	3304	3388	3492	3597	3704	3866	4197	4403	4510	4618	4725	4832	4934	5041	5145
N93CSA	3222	3347	3443	3545	3657	3776	3874	3997	4119	4245	4435	4823	5064	5190	5316	5442	5568	5687	5812	5935
N93CSAC	3222	3347	3443	3545	3657	3776	3874	3997	4119	4245	4435	4823	5064	5190	5316	5442	5568	5687	5812	5935
N93CSAL	3576	3701	3797	3899	4011	4130	4228	4351	4473	4599	4789	5177	5418	5544	5670	5796	5922	6041	6166	6289
N93CSALC	3576	3701	3797	3899	4011	4130	4228	4351	4473	4599	4789	5177	5418	5544	5670	5796	5922	6041	6166	6289
N93CSAR	3576	3701	3797	3899	4011	4130	4228	4351	4473	4599	4789	5177	5418	5544	5670	5796	5922	6041	6166	6289
N93CSARC	3576	3701	3797	3899	4011	4130	4228	4351	4473	4599	4789	5177	5418	5544	5670	5796	5922	6041	6166	6289
N93CSLL	3183	3287	3365	3449	3542	3640	3721	3822	3922	4026	4183	4502	4701	4804	4908	5012	5115	5213	5317	5418
N93CSLLC	3183	3287	3365	3449	3542	3640	3721	3822	3922	4026	4183	4502	4701	4804	4908	5012	5115	5213	5317	5418
N93CSM	2446	2527	2589	2655	2727	2804	2868	2947	3027	3108	3231	3482	3638	3720	3801	3882	3964	4041	4122	4201
N93CSMC	2446	2527	2589	2655	2727	2804	2868	2947	3027	3108	3231	3482	3638	3720	3801	3882	3964	4041	4122	4201
N93CSRR	3183	3287	3365	3449	3542	3640	3721	3822	3922	4026	4183	4502	4701	4804	4908	5012	5115	5213	5317	5418
N93CSRRC	3183	3287	3365	3449	3542	3640	3721	3822	3922	4026	4183	4502	4701	4804	4908	5012	5115	5213	5317	5418
N93H1B	3971	4197	4367	4550	4752	4965	5142	5362	5581	5807	6149	6844	7277	7503	7729	7954	8180	8393	8619	8839
N93H1BH	4653	4990	5244	5517	5818	6136	6400	6728	7055	7392	7902	8939	9585	9922	10259	10595	10932	11250	11587	11915
N93H1BL	4306	4532	4702	4885	5087	5300	5477	5697	5916	6142	6484	7179	7612	7838	8064	8289	8515	8728	8954	9174
N93H1BM	4499	4784	5000	5231	5485	5754	5978	6255	6532	6817	7248	8126	8673	8958	9243	9527	9812	10082	10367	10644
N93H1BR	4306	4532	4702	4885	5087	5300	5477	5697	5916	6142	6484	7179	7612	7838	8064	8289	8515	8728	8954	9174
N93H1L	3563	3744	3882	4029	4190	4362	4504	4680	4857	5038	5312	5871	6219	6400	6582	6763	6944	7116	7297	7473
N93H1LH	3899	4132	4308	4497	4705	4926	5108	5335	5562	5795	6148	6866	7313	7546	7780	8013	8246	8466	8699	8926
N93H1LL	3900	4081	4219	4366	4527	4699	4841	5017	5194	5375	5649	6208	6556	6737	6919	7100	7281	7453	7634	7810
N93H1LM	3819	4027	4183	4351	4536	4732	4895	5096	5298	5505	5819	6457	6855	7062	7269	7476	7683	7879	8087	8288
N93H1M	3133	3255	3347	3446	3555	3671	3766	3885	4004	4126	4311	4687	4921	5043	5166	5288	5410	5525	5647	5766
N93H1OB	4047	4273	4443	4626	4828	5041	5218	5438	5657	5883	6225	6920	7353	7579	7805	8030	8256	8469	8695	8915
N93H1OBH	4740	5077	5331	5604	5905	6223	6487	6815	7142	7479	7989	9026	9672	10009	10346	10682	11019	11337	11674	12002
N93H1OBM	4583	4868	5084	5315	5569	5838	6062	6339	6616	6901	7332	8210	8757	9042	9327	9611	9896	10166	10451	10728
N93H1OL	3632	3813	3951	4098	4259	4431	4573	4749	4926	5107	5381	5940	6288	6469	6651	6832	7013	7185	7366	7542
N93H1OLH	3972	4205	4381	4570	4778	4999	5181	5408	5635	5868	6221	6939	7386	7619	7853	8086	8319	8539	8772	8999
N93H1OLM	3892	4100	4256	4424	4609	4805	4968	5169	5371	5578	5892	6530	6928	7135	7342	7549	7756	7952	8160	8361
N93H1OM	3196	3318	3410	3509	3618	3734	3829	3948	4067	4189	4374	4750	4984	5106	5229	5351	5473	5588	5710	5829

ALLIANCE PROGRAM PRICING

TO ORDER, SPECIFY THE FOLLOWING:

1. Chair Model Number
2. Fabric Grade Letter
3. Alliance Pattern Number and Color Number/Name
4. Finish Number (when applicable)

SAMPLE ORDER NUMBER

N55EE	A	403901	036	HN
Model Number	Fabric Grade Letter	Alliance Pattern Number	Alliance Color Number	Finish

MODEL NUMBER — **ALLIANCE PROGRAM PRICE GRADES**

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
N93H1OR	3632	3813	3951	4098	4259	4431	4573	4749	4926	5107	5381	5940	6288	6469	6651	6832	7013	7185	7366	7542
N93H1ORH	3972	4205	4381	4570	4778	4999	5181	5408	5635	5868	6221	6939	7386	7619	7853	8086	8319	8539	8772	8999
N93H1ORM	3892	4100	4256	4424	4609	4805	4968	5169	5371	5578	5892	6530	6928	7135	7342	7549	7756	7952	8160	8361
N93H1R	3563	3744	3882	4029	4190	4362	4504	4680	4857	5038	5312	5871	6219	6400	6582	6763	6944	7116	7297	7473
N93H1RH	3899	4132	4308	4497	4705	4926	5108	5335	5562	5795	6148	6866	7313	7546	7780	8013	8246	8466	8699	8926
N93H1RM	3819	4027	4183	4351	4536	4732	4895	5096	5298	5505	5819	6457	6855	7062	7269	7476	7683	7879	8087	8288
N93H1RR	3900	4081	4219	4366	4527	4699	4841	5017	5194	5375	5649	6208	6556	6737	6919	7100	7281	7453	7634	7810
N93H2B	5827	6119	6341	6578	6838	7115	7344	7628	7913	8205	8647	9548	10109	10401	10694	10986	11278	11555	11847	12131
N93H2BB	6498	6790	7012	7249	7509	7786	8015	8299	8584	8876	9318	10219	10780	11072	11365	11657	11949	12226	12518	12802
N93H2BH	6512	6915	7221	7548	7907	8289	8605	8997	9390	9793	10403	11646	12420	12823	13227	13630	14033	14415	14818	15210
N93H2BL	6165	6457	6679	6916	7176	7453	7682	7966	8251	8543	8985	9886	10447	10739	11032	11324	11616	11893	12185	12469
N93H2BM	6357	6708	6974	7259	7573	7905	8181	8523	8865	9216	9748	10831	11506	11857	12209	12560	12912	13244	13596	13938
N93H2BR	6165	6457	6679	6916	7176	7453	7682	7966	8251	8543	8985	9886	10447	10739	11032	11324	11616	11893	12185	12469
N93H2L	5421	5669	5857	6058	6279	6513	6708	6949	7190	7438	7813	8577	9053	9301	9549	9796	10044	10279	10527	10768
N93H2LH	5758	6058	6284	6527	6795	7078	7313	7605	7896	8196	8650	9573	10148	10448	10748	11047	11347	11630	11930	12222
N93H2LL	5756	6004	6192	6393	6614	6848	7043	7284	7525	7773	8148	8912	9388	9636	9884	10131	10379	10614	10862	11103
N93H2LM	5681	5954	6162	6384	6628	6887	7101	7368	7634	7908	8322	9166	9691	9965	10239	10513	10787	11046	11319	11586
N93H2M	4991	5180	5322	5475	5644	5822	5970	6154	6337	6526	6812	7393	7755	7944	8133	8321	8510	8688	8877	9061
N93H2OB	5957	6260	6490	6736	7006	7293	7531	7826	8122	8425	8884	9819	10401	10705	11008	11311	11615	11902	12205	12500
N93H2OBH	6655	7069	7383	7719	8088	8480	8805	9208	9612	10026	10653	11930	12725	13140	13554	13968	14383	14775	15189	15592
N93H2OBM	6491	6850	7122	7413	7733	8072	8354	8703	9052	9411	9954	11060	11749	12108	12467	12825	13184	13524	13883	14232
N93H2OL	5540	5795	5989	6196	6423	6665	6865	7113	7362	7617	8003	8790	9280	9535	9791	10046	10301	10543	10798	11046
N93H2OLH	5880	6187	6419	6668	6942	7233	7473	7772	8071	8378	8843	9789	10378	10685	10993	11300	11607	11897	12204	12503
N93H2OLM	5803	6085	6297	6525	6776	7042	7263	7536	7810	8091	8517	9383	9923	10204	10485	10766	11047	11313	11595	11868
N93H2OM	5107	5306	5458	5620	5798	5987	6143	6338	6532	6732	7034	7650	8033	8233	8433	8633	8833	9022	9221	9416
N93H2OR	5540	5795	5989	6196	6423	6665	6865	7113	7362	7617	8003	8790	9280	9535	9791	10046	10301	10543	10798	11046
N93H2ORH	5880	6187	6419	6668	6942	7233	7473	7772	8071	8378	8843	9789	10378	10685	10993	11300	11607	11897	12204	12503
N93H2ORM	5803	6085	6297	6525	6776	7042	7263	7536	7810	8091	8517	9383	9923	10204	10485	10766	11047	11313	11595	11868
N93H2R	5421	5669	5857	6058	6279	6513	6708	6949	7190	7438	7813	8577	9053	9301	9549	9796	10044	10279	10527	10768
N93H2RH	5758	6058	6284	6527	6795	7078	7313	7605	7896	8196	8650	9573	10148	10448	10748	11047	11347	11630	11930	12222
N93H2RM	5681	5954	6162	6384	6628	6887	7101	7368	7634	7908	8322	9166	9691	9965	10239	10513	10787	11046	11319	11586
N93H2RR	5756	6004	6192	6393	6614	6848	7043	7284	7525	7773	8148	8912	9388	9636	9884	10131	10379	10614	10862	11103
N93H3B	7697	8063	8341	8638	8964	9311	9598	9954	10311	10677	11231	12360	13063	13429	13796	14162	14528	14875	15241	15597
N93H3BB	8369	8735	9013	9310	9636	9983	10270	10626	10983	11349	11903	13032	13735	14101	14468	14834	15200	15547	15913	16269
N93H3BH	8383	8860	9222	9609	10034	10486	10860	11324	11789	12266	12988	14459	15375	15852	16330	16807	17284	17736	18213	18677
N93H3BL	8032	8398	8676	8973	9299	9646	9933	10289	10646	11012	11566	12695	13398	13764	14131	14497	14863	15210	15576	15932
N93H3BM	8227	8652	8974	9319	9699	10101	10435	10849	11263	11688	12332	13643	14460	14885	15311	15736	16162	16564	16990	17404
N93H3BR	8032	8398	8676	8973	9299	9646	9933	10289	10646	11012	11566	12695	13398	13764	14131	14497	14863	15210	15576	15932
N93H3L	7291	7613	7857	8118	8405	8709	8962	9275	9588	9910	10397	11389	12007	12329	12651	12972	13294	13599	13921	14234
N93H3LH	7628	8002	8284	8587	8921	9274	9567	9931	10294	10668	11234	12385	13102	13476	13850	14223	14597	14950	15324	15688
N93H3LL	7626	7948	8192	8453	8740	9044	9297	9610	9923	10245	10732	11724	12342	12664	12986	13307	13629	13934	14256	14569
N93H3LM	7551	7898	8162	8444	8754	9083	9355	9694	10032	10380	10906	11978	12645	12993	13341	13689	14037	14366	14713	15052
N93H3M	6864	7127	7325	7538	7773	8021	8227	8483	8738	9001	9399	10208	10712	10975	11238	11500	11763	12011	12274	12530
N93H3OB	7876	8260	8552	8864	9207	9571	9872	10247	10621	11006	11588	12774	13512	13897	14282	14667	15052	15416	15800	16175
N93H3OBH	8572	9067	9443	9845	10287	10756	11144	11627	12109	12605	13355	14883	15834	16330	16826	17322	17818	18287	18782	19265
N93H3OBM	8409	8849	9183	9540	9932	10349	10694	11122	11551	11991	12657	14014	14859	15299	15740	16180	16620	17037	17477	17905
N93H3OL	7458	7795	8049	8322	8623	8941	9205	9533	9860	10197	10707	11744	12390	12727	13064	13400	13737	14055	14392	14720
N93H3OLH	7799	8187	8481	8796	9143	9510	9815	10193	10571	10959	11547	12744	13490	13878	14267	14655	15044	15411	15800	16178
N93H3OLM	7720	8083	8357	8651	8975	9318	9602	9955	10307	10670	11219	12336	13032	13394	13757	14120	14482	14825	15188	15541
N93H3OM	7028	7310	7522	7750	8001	8267	8488	8761	9035	9316	9742	10608	11148	11429	11710	11991	12272	12538	12820	13093
N93H3OR	7458	7795	8049	8322	8623	8941	9205	9533	9860	10197	10707	11744	12390	12727	13064	13400	13737	14055	14392	14720
N93H3ORH	7799	8187	8481	8796	9143	9510	9815	10193	10571	10959	11547	12744	13490	13878	14267	14655	15044	15411	15800	16178
N93H3ORM	7720	8083	8357	8651	8975	9318	9602	9955	10307	10670	11219	12336	13032	13394	13757	14120	14482	14825	15188	15541
N93H3R	7291	7613	7857	8118	8405	8709	8962	9275	9588	9910	10397	11389	12007	12329	12651	12972	13294	13599	13921	14234
N93H3RH	7628	8002	8284	8587	8921	9274	9567	9931	10294	10668	11234	12385	13102	13476	13850	14223	14597	14950	15324	15688
N93H3RM	7551	7898	8162	8444	8754	9083	9355	9694	10032	10380	10906	11978	12645	12993	13341	13689	14037	14366	14713	15052
N93H3RR	7626	7948	8192	8453	8740	9044	9297	9610	9923	10245	10732	11724	12342	12664	12986	13307	13629	13934	14256	14569
N93HBH1MD	3985	4159	4291	4432	4587	4751	4888	5057	5226	5400	5663	6199	6533	6707	6881	7054	7228	7393	7567	7736
N93HBH1MDP	4284	4458	4590	4731	4886	5050	5187	5356	5525	5699	5962	6498	6832	7006	7180	7353	7527	7692	7866	8035

ALLIANCE PROGRAM PRICING

TO ORDER, SPECIFY THE FOLLOWING:

1. Chair Model Number
2. Fabric Grade Letter
3. Alliance Pattern Number and Color Number/Name
4. Finish Number (when applicable)

SAMPLE ORDER NUMBER

N55EE	A	403901	036	HN
Model Number	Fabric Grade Letter	Alliance Pattern Number	Alliance Color Number	Finish

MODEL NUMBER — **ALLIANCE PROGRAM PRICE GRADES**

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
N93HBH1MSP	3411	3533	3625	3724	3833	3949	4044	4163	4282	4404	4589	4965	5199	5321	5444	5566	5688	5803	5925	6044
N93HBH1OMD	4060	4234	4366	4507	4662	4826	4963	5132	5301	5475	5738	6274	6608	6782	6956	7129	7303	7468	7642	7811
N93HBH2MD	6325	6580	6774	6981	7208	7450	7650	7898	8147	8402	8788	9575	10065	10320	10576	10831	11086	11328	11583	11831
N93HBH2MDP	6802	7057	7251	7458	7685	7927	8127	8375	8624	8879	9265	10052	10542	10797	11053	11308	11563	11805	12060	12308
N93HBH2MSP	5435	5624	5766	5919	6088	6266	6414	6598	6781	6970	7256	7837	8199	8388	8577	8765	8954	9132	9321	9505
N93HBH2OMD	6495	6780	6996	7227	7481	7750	7974	8251	8528	8813	9244	10122	10669	10954	11239	11523	11808	12078	12363	12640
N93HC2	8530	8886	9154	9442	9759	10095	10374	10719	11065	11420	11958	13052	13734	14089	14444	14799	15154	15490	15846	16191
N93HC3	11172	11683	12069	12483	12939	13422	13822	14319	14815	15326	16099	17672	18652	19162	19673	20184	20694	21177	21688	22185
N93HALU	1151	1211	1255	1303	1356	1412	1459	1516	1574	1633	1723	1905	2019	2078	2137	2196	2255	2311	2371	2428
N93HARU	1151	1211	1255	1303	1356	1412	1459	1516	1574	1633	1723	1905	2019	2078	2137	2196	2255	2311	2371	2428
N93HIN9	4929	5169	5351	5546	5761	5988	6177	6411	6645	6885	7249	7990	8452	8692	8933	9173	9414	9641	9882	10116
N93HINR9	5257	5523	5725	5941	6178	6430	6639	6898	7158	7424	7827	8648	9159	9426	9692	9958	10225	10477	10743	11002
N93HOU9	4870	5073	5227	5392	5574	5766	5926	6124	6322	6525	6833	7460	7851	8054	8258	8461	8665	8857	9061	9259
N93HOUR9	5186	5408	5576	5756	5954	6164	6338	6554	6770	6992	7328	8012	8438	8660	8882	9104	9326	9536	9758	9974
N93HSQ9D	4511	4710	4862	5024	5202	5391	5547	5742	5936	6136	6438	7054	7437	7637	7837	8037	8237	8426	8625	8820
N93HSQ9L	4511	4710	4862	5024	5202	5391	5547	5742	5936	6136	6438	7054	7437	7637	7837	8037	8237	8426	8625	8820
N93HSQ9R	4511	4710	4862	5024	5202	5391	5547	5742	5936	6136	6438	7054	7437	7637	7837	8037	8237	8426	8625	8820
N93HTL2B	8167	8430	8628	8841	9076	9324	9530	9786	10041	10304	10702	11511	12015	12278	12541	12803	13066	13314	13577	13833
N93HTL2BB	8837	9100	9298	9511	9746	9994	10200	10456	10711	10974	11372	12181	12685	12948	13211	13473	13736	13984	14247	14503
N93HTL2BH	8852	9226	9508	9811	10145	10498	10791	11155	11518	11892	12458	13609	14326	14700	15074	15447	15821	16174	16548	16912
N93HTL2BL	8503	8766	8964	9177	9412	9660	9866	10122	10377	10640	11038	11847	12351	12614	12877	13139	13402	13650	13913	14169
N93HTL2BM	8755	9114	9386	9677	9997	10336	10618	10967	11316	11675	12218	13324	14013	14372	14731	15089	15448	15788	16147	16496
N93HTL2BR	8503	8766	8964	9177	9412	9660	9866	10122	10377	10640	11038	11847	12351	12614	12877	13139	13402	13650	13913	14169
N93HTL2L	7760	7978	8144	8321	8515	8722	8893	9105	9318	9536	9866	10539	10958	11176	11395	11613	11831	12038	12256	12468
N93HTL2LH	8097	8367	8571	8790	9031	9287	9498	9761	10024	10294	10703	11535	12053	12323	12594	12864	13134	13389	13659	13922
N93HTL2LL	8096	8314	8480	8657	8851	9058	9229	9441	9654	9872	10202	10875	11294	11512	11731	11949	12167	12374	12592	12804
N93HTL2LM	8014	8254	8436	8631	8846	9073	9262	9496	9730	9970	10334	11075	11537	11777	12018	12258	12499	12726	12967	13201
N93HTL2M	7330	7489	7609	7738	7880	8031	8155	8310	8465	8624	8865	9355	9660	9819	9979	10138	10297	10447	10606	10761
N93HTL2R	7760	7978	8144	8321	8515	8722	8893	9105	9318	9536	9866	10539	10958	11176	11395	11613	11831	12038	12256	12468
N93HTL2RH	8097	8367	8571	8790	9031	9287	9498	9761	10024	10294	10703	11535	12053	12323	12594	12864	13134	13389	13659	13922
N93HTL2RM	8014	8254	8436	8631	8846	9073	9262	9496	9730	9970	10334	11075	11537	11777	12018	12258	12499	12726	12967	13201
N93HTL2RR	8096	8314	8480	8657	8851	9058	9229	9441	9654	9872	10202	10875	11294	11512	11731	11949	12167	12374	12592	12804
N93HTL3B	10453	10772	11012	11270	11554	11855	12105	12414	12724	13042	13524	14504	15115	15433	15751	16069	16387	16688	17007	17316
N93HTL3BB	11128	11447	11687	11945	12229	12530	12780	13089	13399	13717	14199	15179	15790	16108	16426	16744	17062	17363	17682	17991
N93HTL3BH	11140	11570	11894	12242	12625	13031	13368	13785	14203	14632	15282	16604	17428	17857	18286	18715	19144	19550	19980	20397
N93HTL3BL	10789	11108	11348	11606	11890	12191	12441	12750	13060	13378	13860	14840	15451	15769	16087	16405	16723	17024	17343	17652
N93HTL3BM	10985	11362	11648	11954	12290	12647	12943	13310	13678	14055	14626	15789	16513	16891	17268	17645	18023	18380	18757	19124
N93HTL3BR	10789	11108	11348	11606	11890	12191	12441	12750	13060	13378	13860	14840	15451	15769	16087	16405	16723	17024	17343	17652
N93HTL3L	10049	10322	10530	10752	10996	11255	11469	11736	12002	12276	12690	13534	14059	14333	14607	14881	15155	15414	15687	15954
N93HTL3LH	10385	10711	10957	11221	11512	11820	12075	12392	12708	13034	13527	14530	15155	15480	15806	16132	16457	16765	17091	17408
N93HTL3LL	10383	10656	10864	11086	11330	11589	11803	12070	12336	12610	13024	13868	14393	14667	14941	15215	15489	15748	16021	16288
N93HTL3LM	10303	10599	10823	11063	11327	11607	11839	12127	12415	12711	13159	14071	14639	14935	15231	15527	15823	16103	16399	16687
N93HTL3M	9618	9833	9995	10169	10361	10564	10732	10941	11149	11364	11689	12350	12762	12976	13191	13406	13620	13823	14038	14247
N93HTL3R	10049	10322	10530	10752	10996	11255	11469	11736	12002	12276	12690	13534	14059	14333	14607	14881	15155	15414	15687	15954
N93HTL3RH	10385	10711	10957	11221	11512	11820	12075	12392	12708	13034	13527	14530	15155	15480	15806	16132	16457	16765	17091	17408
N93HTL3RM	10303	10599	10823	11063	11327	11607	11839	12127	12415	12711	13159	14071	14639	14935	15231	15527	15823	16103	16399	16687
N93HTL3RR	10383	10656	10864	11086	11330	11589	11803	12070	12336	12610	13024	13868	14393	14667	14941	15215	15489	15748	16021	16288
N93HTLC2	10858	11143	11359	11590	11844	12113	12337	12614	12891	13176	13607	14485	15032	15317	15602	15886	16171	16441	16726	17003
N93HTLC3	13915	14329	14643	14979	15348	15740	16065	16468	16872	17286	17913	19190	19985	20400	20814	21228	21643	22035	22449	22852
N93HTLIN9	7278	7463	7603	7753	7918	8093	8238	8418	8598	8783	9063	9633	9988	10173	10358	10543	10728	10903	11088	11268
N93HTLSQ9D	6908	7082	7214	7355	7510	7674	7811	7980	8149	8323	8586	9122	9456	9630	9804	9977	10151	10316	10490	10659
N93HTLSQ9L	6908	7082	7214	7355	7510	7674	7811	7980	8149	8323	8586	9122	9456	9630	9804	9977	10151	10316	10490	10659
N93HTLSQ9R	6908	7082	7214	7355	7510	7674	7811	7980	8149	8323	8586	9122	9456	9630	9804	9977	10151	10316	10490	10659
N93HTU2B	7022	7314	7536	7773	8033	8310	8539	8823	9108	9400	9842	10743	11304	11596	11889	12181	12473	12750	13042	13326
N93HTU2BB	7691	7983	8205	8442	8702	8979	9208	9492	9777	10069	10511	11412	11973	12265	12558	12850	13142	13419	13711	13995
N93HTU2BH	7704	8107	8413	8740	9099	9481	9797	10189	10582	10985	11595	12838	13612	14015	14419	14822	15225	15607	16010	16402
N93HTU2BL	7358	7650	7872	8109	8369	8646	8875	9159	9444	9736	10178	11079	11640	11932	12225	12517	12809	13086	13378	13662
N93HTU2BM	7550	7901	8167	8452	8766	9098	9374	9716	10058	10409	10941	12024	12699	13050	13402	13753	14105	14437	14789	15131
N93HTU2BR	7358	7650	7872	8109	8369	8646	8875	9159	9444	9736	10178	11079	11640	11932	12225	12517	12809	13086	13378	13662

ALLIANCE PROGRAM PRICING

TO ORDER, SPECIFY THE FOLLOWING:

1. Chair Model Number
2. Fabric Grade Letter
3. Alliance Pattern Number and Color Number/Name
4. Finish Number (when applicable)

SAMPLE ORDER NUMBER

N55EE	A	403901	036	HN
Model Number	Fabric Grade Letter	Alliance Pattern Number	Alliance Color Number	Finish

MODEL NUMBER — **ALLIANCE PROGRAM PRICE GRADES**

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
N93HTU2L	6613	6861	7049	7250	7471	7705	7900	8141	8382	8630	9005	9769	10245	10493	10741	10988	11236	11471	11719	11960
N93HTU2LH	6949	7249	7475	7718	7986	8269	8504	8796	9087	9387	9841	10764	11339	11639	11939	12238	12538	12821	13121	13413
N93HTU2LL	6951	7199	7387	7588	7809	8043	8238	8479	8720	8968	9343	10107	10583	10831	11079	11326	11574	11809	12057	12298
N93HTU2LM	6871	7144	7352	7574	7818	8077	8291	8558	8824	9098	9512	10356	10881	11155	11429	11703	11977	12236	12509	12776
N93HTU2M	6184	6373	6515	6668	6837	7015	7163	7347	7530	7719	8005	8586	8948	9137	9326	9514	9703	9881	10070	10254
N93HTU2R	6613	6861	7049	7250	7471	7705	7900	8141	8382	8630	9005	9769	10245	10493	10741	10988	11236	11471	11719	11960
N93HTU2RH	6949	7249	7475	7718	7986	8269	8504	8796	9087	9387	9841	10764	11339	11639	11939	12238	12538	12821	13121	13413
N93HTU2RM	6871	7144	7352	7574	7818	8077	8291	8558	8824	9098	9512	10356	10881	11155	11429	11703	11977	12236	12509	12776
N93HTU2RR	6951	7199	7387	7588	7809	8043	8238	8479	8720	8968	9343	10107	10583	10831	11079	11326	11574	11809	12057	12298
N93HTU3B	8741	9107	9385	9682	10008	10355	10642	10998	11355	11721	12275	13404	14107	14473	14840	15206	15572	15919	16285	16641
N93HTU3BB	9414	9780	10058	10355	10681	11028	11315	11671	12028	12394	12948	14077	14780	15146	15513	15879	16245	16592	16958	17314
N93HTU3BH	9427	9904	10266	10653	11078	11530	11904	12368	12833	13310	14032	15503	16419	16896	17374	17851	18328	18780	19257	19721
N93HTU3BL	9077	9443	9721	10018	10344	10691	10978	11334	11691	12057	12611	13740	14443	14809	15176	15542	15908	16255	16621	16977
N93HTU3BM	9270	9695	10017	10362	10742	11144	11478	11892	12306	12731	13375	14686	15503	15928	16354	16779	17205	17607	18033	18447
N93HTU3BR	9077	9443	9721	10018	10344	10691	10978	11334	11691	12057	12611	13740	14443	14809	15176	15542	15908	16255	16621	16977
N93HTU3L	8333	8655	8899	9160	9447	9751	10004	10317	10630	10952	11439	12431	13049	13371	13693	14014	14336	14641	14963	15276
N93HTU3LH	8670	9044	9326	9629	9963	10316	10609	10973	11336	11710	12276	13427	14144	14518	14892	15265	15639	15992	16366	16730
N93HTU3LL	8670	8992	9236	9497	9784	10088	10341	10654	10967	11289	11776	12768	13386	13708	14030	14351	14673	14978	15300	15613
N93HTU3LM	8595	8942	9206	9488	9798	10127	10399	10738	11076	11424	11950	13022	13689	14037	14385	14733	15081	15410	15757	16096
N93HTU3M	7907	8170	8368	8581	8816	9064	9270	9526	9781	10044	10442	11251	11755	12018	12281	12543	12806	13054	13317	13573
N93HTU3R	8333	8655	8899	9160	9447	9751	10004	10317	10630	10952	11439	12431	13049	13371	13693	14014	14336	14641	14963	15276
N93HTU3RH	8670	9044	9326	9629	9963	10316	10609	10973	11336	11710	12276	13427	14144	14518	14892	15265	15639	15992	16366	16730
N93HTU3RM	8595	8942	9206	9488	9798	10127	10399	10738	11076	11424	11950	13022	13689	14037	14385	14733	15081	15410	15757	16096
N93HTU3RR	8670	8992	9236	9497	9784	10088	10341	10654	10967	11289	11776	12768	13386	13708	14030	14351	14673	14978	15300	15613
N93HTUC2	9750	10106	10374	10662	10979	11315	11594	11939	12285	12640	13178	14272	14954	15309	15664	16019	16374	16710	17066	17411
N93HTUC3	12331	12842	13228	13642	14098	14581	14981	15478	15974	16485	17258	18831	19811	20321	20832	21343	21853	22336	22847	23344
N93HTUIN9	6147	6387	6569	6764	6979	7206	7395	7629	7863	8103	8467	9208	9670	9910	10151	10391	10632	10859	11100	11334
N93HTUINR9	6475	6741	6943	7159	7396	7648	7857	8116	8376	8642	9045	9866	10377	10644	10910	11176	11443	11695	11961	12220
N93HTUSQ9D	5732	5931	6083	6245	6423	6612	6768	6963	7157	7357	7659	8275	8658	8858	9058	9258	9458	9647	9846	10041
N93HTUSQ9L	5732	5931	6083	6245	6423	6612	6768	6963	7157	7357	7659	8275	8658	8858	9058	9258	9458	9647	9846	10041
N93HTUSQ9R	5732	5931	6083	6245	6423	6612	6768	6963	7157	7357	7659	8275	8658	8858	9058	9258	9458	9647	9846	10041
N93HTW2B	8167	8430	8628	8841	9076	9324	9530	9786	10041	10304	10702	11511	12015	12278	12541	12803	13066	13314	13577	13833
N93HTW2BB	8837	9100	9298	9511	9746	9994	10200	10456	10711	10974	11372	12181	12685	12948	13211	13473	13736	13984	14247	14503
N93HTW2BH	8852	9226	9508	9811	10145	10498	10791	11155	11518	11892	12458	13609	14326	14700	15074	15447	15821	16174	16548	16912
N93HTW2BL	8503	8766	8964	9177	9412	9660	9866	10122	10377	10640	11038	11847	12351	12614	12877	13139	13402	13650	13913	14169
N93HTW2BM	8755	9114	9386	9677	9997	10336	10618	10967	11316	11675	12218	13324	14013	14372	14731	15089	15448	15788	16147	16496
N93HTW2BR	8503	8766	8964	9177	9412	9660	9866	10122	10377	10640	11038	11847	12351	12614	12877	13139	13402	13650	13913	14169
N93HTW2L	7760	7978	8144	8321	8515	8722	8893	9105	9318	9536	9866	10539	10958	11176	11395	11613	11831	12038	12256	12468
N93HTW2LH	8097	8367	8571	8790	9031	9287	9498	9761	10024	10294	10703	11535	12053	12323	12594	12864	13134	13389	13659	13922
N93HTW2LL	8096	8314	8480	8657	8851	9058	9229	9441	9654	9872	10202	10875	11294	11512	11731	11949	12167	12374	12592	12804
N93HTW2LM	8014	8254	8436	8631	8846	9073	9262	9496	9730	9970	10334	11075	11537	11777	12018	12258	12499	12726	12967	13201
N93HTW2M	7330	7489	7609	7738	7880	8031	8155	8310	8465	8624	8865	9355	9660	9819	9979	10138	10297	10447	10606	10761
N93HTW2R	7760	7978	8144	8321	8515	8722	8893	9105	9318	9536	9866	10539	10958	11176	11395	11613	11831	12038	12256	12468
N93HTW2RH	8097	8367	8571	8790	9031	9287	9498	9761	10024	10294	10703	11535	12053	12323	12594	12864	13134	13389	13659	13922
N93HTW2RM	8014	8254	8436	8631	8846	9073	9262	9496	9730	9970	10334	11075	11537	11777	12018	12258	12499	12726	12967	13201
N93HTW2RR	8096	8314	8480	8657	8851	9058	9229	9441	9654	9872	10202	10875	11294	11512	11731	11949	12167	12374	12592	12804
N93HTW3B	10453	10772	11012	11270	11554	11855	12105	12414	12724	13042	13524	14504	15115	15433	15751	16069	16387	16688	17007	17316
N93HTW3BB	11128	11447	11687	11945	12229	12530	12780	13089	13399	13717	14199	15179	15790	16108	16426	16744	17062	17363	17682	17991
N93HTW3BH	11140	11570	11894	12242	12625	13031	13368	13785	14203	14632	15282	16604	17428	17857	18286	18715	19144	19550	19980	20397
N93HTW3BL	10789	11108	11348	11606	11890	12191	12441	12750	13060	13378	13860	14840	15451	15769	16087	16405	16723	17024	17343	17652
N93HTW3BM	10985	11362	11648	11954	12290	12647	12943	13310	13678	14055	14626	15789	16513	16891	17268	17645	18023	18380	18757	19124
N93HTW3BR	10789	11108	11348	11606	11890	12191	12441	12750	13060	13378	13860	14840	15451	15769	16087	16405	16723	17024	17343	17652
N93HTW3L	10049	10322	10530	10752	10996	11255	11469	11736	12002	12276	12690	13534	14059	14333	14607	14881	15155	15414	15687	15954
N93HTW3LH	10385	10711	10957	11221	11512	11820	12075	12392	12708	13034	13527	14530	15155	15480	15806	16132	16457	16765	17091	17408
N93HTW3LL	10383	10656	10864	11086	11330	11589	11803	12070	12336	12610	13024	13868	14393	14667	14941	15215	15489	15748	16021	16288
N93HTW3LM	10303	10599	10823	11063	11327	11607	11839	12127	12415	12711	13159	14071	14639	14935	15231	15527	15823	16103	16399	16687
N93HTW3M	9618	9833	9995	10169	10361	10564	10732	10941	11149	11364	11689	12350	12762	12976	13191	13406	13620	13823	14038	14247
N93HTW3R	10049	10322	10530	10752	10996	11255	11469	11736	12002	12276	12690	13534	14059	14333	14607	14881	15155	15414	15687	15954
N93HTW3RH	10385	10711	10957	11221	11512	11820	12075	12392	12708	13034	13527	14530	15155	15480	15806	16132	16457	16765	17091	17408

ALLIANCE PROGRAM PRICING

TO ORDER, SPECIFY THE FOLLOWING:

1. Chair Model Number
2. Fabric Grade Letter
3. Alliance Pattern Number and Color Number/Name
4. Finish Number (when applicable)

SAMPLE ORDER NUMBER

N55EE	A	403901	036	HN
Model Number	Fabric Grade Letter	Alliance Pattern Number	Alliance Color Number	Finish

MODEL NUMBER — **ALLIANCE PROGRAM PRICE GRADES**

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
N93HTW3RM	10303	10599	10823	11063	11327	11607	11839	12127	12415	12711	13159	14071	14639	14935	15231	15527	15823	16103	16399	16687
N93HTW3RR	10383	10656	10864	11086	11330	11589	11803	12070	12336	12610	13024	13868	14393	14667	14941	15215	15489	15748	16021	16288
N93HTWC2	10858	11143	11359	11590	11844	12113	12337	12614	12891	13176	13607	14485	15032	15317	15602	15886	16171	16441	16726	17003
N93HTWC3	13915	14329	14643	14979	15348	15740	16065	16468	16872	17286	17913	19190	19985	20400	20814	21228	21643	22035	22449	22852
N93HTWIN9	7278	7463	7603	7753	7918	8093	8238	8418	8598	8783	9063	9633	9988	10173	10358	10543	10728	10903	11088	11268
N93HTWSQ9D	6908	7082	7214	7355	7510	7674	7811	7980	8149	8323	8586	9122	9456	9630	9804	9977	10151	10316	10490	10659
N93HTWSQ9L	6908	7082	7214	7355	7510	7674	7811	7980	8149	8323	8586	9122	9456	9630	9804	9977	10151	10316	10490	10659
N93HTWSQ9R	6908	7082	7214	7355	7510	7674	7811	7980	8149	8323	8586	9122	9456	9630	9804	9977	10151	10316	10490	10659
N93M1B	3212	3430	3596	3773	3967	4174	4345	4557	4770	4988	5318	5991	6410	6628	6847	7065	7283	7490	7708	7920
N93M1BL	3546	3764	3930	4107	4301	4508	4679	4891	5104	5322	5652	6325	6744	6962	7181	7399	7617	7824	8042	8254
N93M1BM	3734	4007	4215	4437	4681	4940	5154	5421	5687	5961	6375	7219	7744	8018	8292	8566	8840	9099	9372	9639
N93M1BR	3546	3764	3930	4107	4301	4508	4679	4891	5104	5322	5652	6325	6744	6962	7181	7399	7617	7824	8042	8254
N93M1L	2804	2978	3110	3251	3406	3570	3707	3876	4045	4219	4482	5018	5352	5526	5700	5873	6047	6212	6386	6555
N93M1LL	3141	3315	3447	3588	3743	3907	4044	4213	4382	4556	4819	5355	5689	5863	6037	6210	6384	6549	6723	6892
N93M1LM	3062	3261	3413	3575	3753	3942	4098	4293	4487	4687	4989	5605	5988	6188	6388	6588	6788	6977	7176	7371
N93M1M	2375	2490	2576	2669	2772	2880	2970	3082	3193	3308	3482	3835	4055	4170	4285	4399	4514	4622	4737	4849
N93M1OB	3272	3490	3656	3833	4027	4234	4405	4617	4830	5048	5378	6051	6470	6688	6907	7125	7343	7550	7768	7980
N93M1OBM	3805	4078	4286	4508	4752	5011	5225	5492	5758	6032	6446	7290	7815	8089	8363	8637	8911	9170	9443	9710
N93M1OL	2858	3032	3164	3305	3460	3624	3761	3930	4099	4273	4536	5072	5406	5580	5754	5927	6101	6266	6440	6609
N93M1OLM	3124	3323	3475	3637	3815	4004	4160	4355	4549	4749	5051	5667	6050	6250	6450	6650	6850	7039	7238	7433
N93M1OM	2420	2535	2621	2714	2817	2925	3015	3127	3238	3353	3527	3880	4100	4215	4330	4444	4559	4667	4782	4894
N93M1OR	2858	3032	3164	3305	3460	3624	3761	3930	4099	4273	4536	5072	5406	5580	5754	5927	6101	6266	6440	6609
N93M1ORM	3124	3323	3475	3637	3815	4004	4160	4355	4549	4749	5051	5667	6050	6250	6450	6650	6850	7039	7238	7433
N93M1R	2804	2978	3110	3251	3406	3570	3707	3876	4045	4219	4482	5018	5352	5526	5700	5873	6047	6212	6386	6555
N93M1RM	3062	3261	3413	3575	3753	3942	4098	4293	4487	4687	4989	5605	5988	6188	6388	6588	6788	6977	7176	7371
N93M1RR	3141	3315	3447	3588	3743	3907	4044	4213	4382	4556	4819	5355	5689	5863	6037	6210	6384	6549	6723	6892
N93M2B	4296	4562	4764	4980	5217	5469	5678	5937	6197	6463	6866	7687	8198	8465	8731	8997	9264	9516	9782	10041
N93M2BB	4965	5231	5433	5649	5886	6138	6347	6606	6866	7132	7535	8356	8867	9134	9400	9666	9933	10185	10451	10710
N93M2BL	4631	4897	5099	5315	5552	5804	6013	6272	6532	6798	7201	8022	8533	8800	9066	9332	9599	9851	10117	10376
N93M2BM	4823	5149	5395	5659	5950	6258	6513	6830	7146	7472	7965	8968	9593	9918	10244	10570	10895	11203	11529	11846
N93M2BR	4631	4897	5099	5315	5552	5804	6013	6272	6532	6798	7201	8022	8533	8800	9066	9332	9599	9851	10117	10376
N93M2L	3887	4109	4277	4457	4655	4865	5039	5255	5471	5693	6029	6713	7139	7361	7583	7805	8027	8237	8459	8675
N93M2LL	4225	4447	4615	4795	4993	5203	5377	5593	5809	6031	6367	7051	7477	7699	7921	8143	8365	8575	8797	9013
N93M2LM	4147	4395	4583	4784	5005	5239	5434	5675	5916	6164	6539	7303	7779	8027	8275	8522	8770	9005	9253	9494
N93M2M	3458	3620	3744	3876	4021	4175	4302	4461	4619	4782	5028	5530	5842	6005	6168	6331	6494	6648	6810	6969
N93M2OB	4400	4682	4894	5122	5373	5639	5860	6133	6407	6688	7114	7980	8520	8801	9082	9363	9644	9910	10192	10465
N93M2OBM	4924	5257	5509	5779	6076	6391	6652	6976	7300	7633	8137	9163	9802	10135	10468	10801	11134	11449	11782	12106
N93M2OL	3973	4202	4376	4562	4766	4983	5163	5386	5610	5839	6186	6893	7333	7563	7792	8021	8251	8468	8697	8920
N93M2OLM	4244	4503	4699	4909	5140	5385	5588	5840	6092	6351	6743	7541	8038	8297	8556	8815	9074	9319	9578	9830
N93M2OM	3543	3717	3849	3990	4145	4309	4446	4615	4784	4958	5221	5757	6091	6265	6439	6612	6786	6951	7125	7294
N93M2OR	3973	4202	4376	4562	4766	4983	5163	5386	5610	5839	6186	6893	7333	7563	7792	8021	8251	8468	8697	8920
N93M2ORM	4244	4503	4699	4909	5140	5385	5588	5840	6092	6351	6743	7541	8038	8297	8556	8815	9074	9319	9578	9830
N93M2R	3887	4109	4277	4457	4655	4865	5039	5255	5471	5693	6029	6713	7139	7361	7583	7805	8027	8237	8459	8675
N93M2RM	4147	4395	4583	4784	5005	5239	5434	5675	5916	6164	6539	7303	7779	8027	8275	8522	8770	9005	9253	9494
N93M2RR	4225	4447	4615	4795	4993	5203	5377	5593	5809	6031	6367	7051	7477	7699	7921	8143	8365	8575	8797	9013
N93M3B	5401	5730	5980	6247	6540	6852	7110	7430	7751	8080	8578	9593	10225	10554	10884	11213	11542	11854	12183	12503
N93M3BB	6073	6402	6652	6919	7212	7524	7782	8102	8423	8752	9250	10265	10897	11226	11556	11885	12214	12526	12855	13175
N93M3BL	5737	6066	6316	6583	6876	7188	7446	7766	8087	8416	8914	9929	10561	10890	11220	11549	11878	12190	12519	12839
N93M3BM	5925	6309	6601	6913	7256	7620	7921	8296	8670	9055	9637	10823	11561	11946	12331	12716	13101	13465	13849	14224
N93M3BR	5737	6066	6316	6583	6876	7188	7446	7766	8087	8416	8914	9929	10561	10890	11220	11549	11878	12190	12519	12839
N93M3L	4988	5270	5482	5710	5961	6227	6448	6721	6995	7276	7702	8568	9108	9389	9670	9951	10232	10498	10780	11053
N93M3LL	5324	5606	5818	6046	6297	6563	6784	7057	7331	7612	8038	8904	9444	9725	10006	10287	10568	10834	11116	11389
N93M3LM	5250	5557	5789	6038	6312	6603	6843	7142	7441	7748	8213	9159	9748	10055	10363	10670	10977	11267	11574	11873
N93M3M	4560	4782	4950	5130	5328	5538	5712	5928	6144	6366	6702	7386	7812	8034	8256	8478	8700	8910	9132	9348
N93M3OB	5528	5872	6132	6411	6718	7044	7313	7648	7983	8327	8848	9908	10568	10912	11257	11601	11945	12270	12614	12949
N93M3OBM	6065	6468	6774	7101	7460	7842	8158	8550	8943	9346	9956	11199	11973	12376	12780	13183	13586	13968	14371	14763
N93M3OL	5115	5415	5641	5884	6152	6435	6670	6962	7253	7553	8007	8930	9505	9805	10105	10404	10704	10987	11287	11579
N93M3OLM	5378	5704	5950	6214	6505	6813	7068	7385	7701	8027	8520	9523	10148	10473	10799	11125	11450	11758	12084	12401
N93M3OM	4680	4920	5102	5297	5512	5739	5928	6162	6396	6636	7000	7741	8203	8443	8684	8924	9165	9392	9633	9867

ALLIANCE PROGRAM PRICING

TO ORDER, SPECIFY THE FOLLOWING:

1. Chair Model Number
2. Fabric Grade Letter
3. Alliance Pattern Number and Color Number/Name
4. Finish Number (when applicable)

SAMPLE ORDER NUMBER

N55EE	A	403901	036	HN
Model Number	Fabric Grade Letter	Alliance Pattern Number	Alliance Color Number	Finish

MODEL NUMBER — **ALLIANCE PROGRAM PRICE GRADES**

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
N93M3OR	5115	5415	5641	5884	6152	6435	6670	6962	7253	7553	8007	8930	9505	9805	10105	10404	10704	10987	11287	11579
N93M3ORM	5378	5704	5950	6214	6505	6813	7068	7385	7701	8027	8520	9523	10148	10473	10799	11125	11450	11758	12084	12401
N93M3R	4988	5270	5482	5710	5961	6227	6448	6721	6995	7276	7702	8568	9108	9389	9670	9951	10232	10498	10780	11053
N93M3RM	5250	5557	5789	6038	6312	6603	6843	7142	7441	7748	8213	9159	9748	10055	10363	10670	10977	11267	11574	11873
N93M3RR	5324	5606	5818	6046	6297	6563	6784	7057	7331	7612	8038	8904	9444	9725	10006	10287	10568	10834	11116	11389
N93MALU	981	1041	1085	1133	1186	1242	1289	1346	1404	1463	1553	1735	1849	1908	1967	2026	2085	2141	2201	2258
N93MARU	981	1041	1085	1133	1186	1242	1289	1346	1404	1463	1553	1735	1849	1908	1967	2026	2085	2141	2201	2258
N93MBH1MD	3288	3447	3567	3696	3838	3989	4113	4268	4423	4582	4823	5313	5618	5777	5937	6096	6255	6405	6564	6719
N93MBH1MDP	3617	3776	3896	4025	4167	4318	4442	4597	4752	4911	5152	5642	5947	6106	6266	6425	6584	6734	6893	7048
N93MBH1MSP	2678	2793	2879	2972	3075	3183	3273	3385	3496	3611	3785	4138	4358	4473	4588	4702	4817	4925	5040	5152
N93MBH1OMD	3349	3508	3628	3757	3899	4050	4174	4329	4484	4643	4884	5374	5679	5838	5998	6157	6316	6466	6625	6780
N93MBH2MD	4780	5002	5170	5350	5548	5758	5932	6148	6364	6586	6922	7606	8032	8254	8476	8698	8920	9130	9352	9568
N93MBH2MDP	5259	5481	5649	5829	6027	6237	6411	6627	6843	7065	7401	8085	8511	8733	8955	9177	9399	9609	9831	10047
N93MBH2MSP	3901	4063	4187	4319	4464	4618	4745	4904	5062	5225	5471	5973	6285	6448	6611	6774	6937	7091	7253	7412
N93MBH2OMD	4933	5192	5388	5598	5829	6074	6277	6529	6781	7040	7432	8230	8727	8986	9245	9504	9763	10008	10267	10519
N93MC2	6152	6418	6620	6836	7073	7325	7534	7793	8053	8319	8722	9543	10054	10321	10587	10853	11120	11372	11638	11897
N93MC3	8154	8550	8850	9171	9524	9898	10209	10594	10979	11375	11974	13194	13954	14350	14746	15141	15537	15912	16308	16693
N93MIN9	3679	3875	4023	4182	4357	4543	4696	4887	5078	5274	5571	6175	6551	6747	6944	7140	7336	7521	7717	7908
N93MINR9	4002	4220	4386	4563	4757	4964	5135	5347	5560	5778	6108	6781	7200	7418	7637	7855	8073	8280	8498	8710
N93MINR9SL	5274	5526	5716	5920	6145	6383	6580	6825	7069	7321	7702	8477	8960	9211	9463	9715	9966	10204	10456	10701
N93MINR9SW	5459	5711	5901	6105	6330	6568	6765	7010	7254	7506	7887	8662	9145	9396	9648	9900	10151	10389	10641	10886
N93MOU9	3632	3798	3924	4059	4208	4365	4496	4658	4820	4986	5238	5751	6071	6237	6404	6570	6737	6894	7061	7223
N93MOUR9	3955	4144	4286	4439	4608	4786	4934	5118	5301	5490	5776	6357	6719	6908	7097	7285	7474	7652	7841	8025
N93MSQ9D	3261	3416	3534	3660	3798	3945	4067	4218	4370	4525	4760	5239	5537	5693	5848	6003	6159	6306	6461	6612
N93MSQ9L	3261	3416	3534	3660	3798	3945	4067	4218	4370	4525	4760	5239	5537	5693	5848	6003	6159	6306	6461	6612
N93MSQ9R	3261	3416	3534	3660	3798	3945	4067	4218	4370	4525	4760	5239	5537	5693	5848	6003	6159	6306	6461	6612
N93MTL2B	6630	6863	7039	7228	7436	7657	7839	8066	8293	8526	8879	9597	10044	10277	10511	10744	10977	11197	11430	11657
N93MTL2BB	7301	7534	7710	7899	8107	8328	8510	8737	8964	9197	9550	10268	10715	10948	11182	11415	11648	11868	12101	12328
N93MTL2BL	6965	7198	7374	7563	7771	7992	8174	8401	8628	8861	9214	9932	10379	10612	10846	11079	11312	11532	11765	11992
N93MTL2BM	7158	7450	7672	7909	8169	8446	8675	8959	9244	9536	9978	10879	11440	11732	12025	12317	12609	12886	13178	13462
N93MTL2BR	6965	7198	7374	7563	7771	7992	8174	8401	8628	8861	9214	9932	10379	10612	10846	11079	11312	11532	11765	11992
N93MTL2L	6221	6410	6552	6705	6874	7052	7200	7384	7567	7756	8042	8623	8985	9174	9363	9551	9740	9918	10107	10291
N93MTL2LL	6559	6748	6890	7043	7212	7390	7538	7722	7905	8094	8380	8961	9323	9512	9701	9889	10078	10256	10445	10629
N93MTL2LM	6480	6695	6857	7031	7223	7426	7594	7803	8011	8226	8551	9212	9624	9838	10053	10268	10482	10685	10900	11109
N93MTL2M	5791	5920	6018	6123	6239	6361	6463	6589	6715	6844	7040	7439	7688	7817	7947	8076	8206	8328	8458	8584
N93MTL2R	6221	6410	6552	6705	6874	7052	7200	7384	7567	7756	8042	8623	8985	9174	9363	9551	9740	9918	10107	10291
N93MTL2RM	6480	6695	6857	7031	7223	7426	7594	7803	8011	8226	8551	9212	9624	9838	10053	10268	10482	10685	10900	11109
N93MTL2RR	6559	6748	6890	7043	7212	7390	7538	7722	7905	8094	8380	8961	9323	9512	9701	9889	10078	10256	10445	10629
N93MTL3B	8897	9174	9384	9609	9857	10119	10337	10607	10877	11154	11574	12429	12962	13239	13517	13794	14072	14334	14612	14882
N93MTL3BB	9571	9848	10058	10283	10531	10793	11011	11281	11551	11828	12248	13103	13636	13913	14191	14468	14746	15008	15286	15556
N93MTL3BL	9236	9513	9723	9948	10196	10458	10676	10946	11216	11493	11913	12768	13301	13578	13856	14133	14411	14673	14951	15221
N93MTL3BM	9421	9754	10006	10276	10573	10888	11149	11473	11797	12130	12634	13660	14299	14632	14965	15298	15631	15946	16279	16603
N93MTL3BR	9236	9513	9723	9948	10196	10458	10676	10946	11216	11493	11913	12768	13301	13578	13856	14133	14411	14673	14951	15221
N93MTL3L	8486	8715	8889	9075	9279	9496	9676	9899	10123	10352	10699	11406	11846	12076	12305	12534	12764	12981	13210	13433
N93MTL3LL	8820	9049	9223	9409	9613	9830	10010	10233	10457	10686	11033	11740	12180	12410	12639	12868	13098	13315	13544	13767
N93MTL3LM	8745	9000	9194	9401	9628	9870	10070	10318	10567	10822	11208	11995	12485	12740	12996	13251	13506	13748	14003	14251
N93MTL3M	8062	8236	8368	8509	8664	8828	8965	9134	9303	9477	9740	10276	10610	10784	10958	11131	11305	11470	11644	11813
N93MTL3R	8486	8715	8889	9075	9279	9496	9676	9899	10123	10352	10699	11406	11846	12076	12305	12534	12764	12981	13210	13433
N93MTL3RM	8745	9000	9194	9401	9628	9870	10070	10318	10567	10822	11208	11995	12485	12740	12996	13251	13506	13748	14003	14251
N93MTL3RR	8820	9049	9223	9409	9613	9830	10010	10233	10457	10686	11033	11740	12180	12410	12639	12868	13098	13315	13544	13767
N93MTLC2	8512	8730	8896	9073	9267	9474	9645	9857	10070	10288	10618	11291	11710	11928	12147	12365	12583	12790	13008	13220
N93MTLC3	10925	11244	11484	11742	12026	12327	12577	12886	13196	13514	13996	14976	15587	15905	16223	16541	16859	17160	17479	17788
N93MTLIN9	5407	5541	5641	5749	5868	5994	6099	6228	6358	6491	6693	7103	7359	7492	7625	7758	7891	8017	8151	8280
N93MTLSQ9D	5666	5800	5900	6008	6127	6253	6358	6487	6617	6750	6952	7362	7618	7751	7884	8017	8150	8276	8410	8539
N93MTLSQ9L	5666	5800	5900	6008	6127	6253	6358	6487	6617	6750	6952	7362	7618	7751	7884	8017	8150	8276	8410	8539
N93MTLSQ9R	5666	5800	5900	6008	6127	6253	6358	6487	6617	6750	6952	7362	7618	7751	7884	8017	8150	8276	8410	8539
N93MTU2B	5491	5757	5959	6175	6412	6664	6873	7132	7392	7658	8061	8882	9393	9660	9926	10192	10459	10711	10977	11236
N93MTU2BB	6159	6425	6627	6843	7080	7332	7541	7800	8060	8326	8729	9550	10061	10328	10594	10860	11127	11379	11645	11904
N93MTU2BL	5823	6089	6291	6507	6744	6996	7205	7464	7724	7990	8393	9214	9725	9992	10258	10524	10791	11043	11309	11568

ALLIANCE PROGRAM PRICING

TO ORDER, SPECIFY THE FOLLOWING:

1. Chair Model Number
2. Fabric Grade Letter
3. Alliance Pattern Number and Color Number/Name
4. Finish Number (when applicable)

SAMPLE ORDER NUMBER

N55EE	A	403901	036	HN
Model Number	Fabric Grade Letter	Alliance Pattern Number	Alliance Color Number	Finish

MODEL NUMBER — **ALLIANCE PROGRAM PRICE GRADES**

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
N93MTU2BM	6017	6343	6589	6853	7144	7452	7707	8024	8340	8666	9159	10162	10787	11112	11438	11764	12089	12397	12723	13040
N93MTU2BR	5823	6089	6291	6507	6744	6996	7205	7464	7724	7990	8393	9214	9725	9992	10258	10524	10791	11043	11309	11568
N93MTU2L	5083	5305	5473	5653	5851	6061	6235	6451	6667	6889	7225	7909	8335	8557	8779	9001	9223	9433	9655	9871
N93MTU2LL	5420	5642	5810	5990	6188	6398	6572	6788	7004	7226	7562	8246	8672	8894	9116	9338	9560	9770	9992	10208
N93MTU2LM	5340	5588	5776	5977	6198	6432	6627	6868	7109	7357	7732	8496	8972	9220	9468	9715	9963	10198	10446	10687
N93MTU2M	4651	4813	4937	5069	5214	5368	5495	5654	5812	5975	6221	6723	7035	7198	7361	7524	7687	7841	8003	8162
N93MTU2R	5083	5305	5473	5653	5851	6061	6235	6451	6667	6889	7225	7909	8335	8557	8779	9001	9223	9433	9655	9871
N93MTU2RM	5340	5588	5776	5977	6198	6432	6627	6868	7109	7357	7732	8496	8972	9220	9468	9715	9963	10198	10446	10687
N93MTU2RR	5420	5642	5810	5990	6188	6398	6572	6788	7004	7226	7562	8246	8672	8894	9116	9338	9560	9770	9992	10208
N93MTU3B	7192	7521	7771	8038	8331	8643	8901	9221	9542	9871	10369	11384	12016	12345	12675	13004	13333	13645	13974	14294
N93MTU3BB	7862	8191	8441	8708	9001	9313	9571	9891	10212	10541	11039	12054	12686	13015	13345	13674	14003	14315	14644	14964
N93MTU3BL	7528	7857	8107	8374	8667	8979	9237	9557	9878	10207	10705	11720	12352	12681	13011	13340	13669	13981	14310	14630
N93MTU3BM	7716	8100	8392	8704	9047	9411	9712	10087	10461	10846	11428	12614	13352	13737	14122	14507	14892	15256	15640	16015
N93MTU3BR	7528	7857	8107	8374	8667	8979	9237	9557	9878	10207	10705	11720	12352	12681	13011	13340	13669	13981	14310	14630
N93MTU3L	6776	7058	7270	7498	7749	8015	8236	8509	8783	9064	9490	10356	10896	11177	11458	11739	12020	12286	12568	12841
N93MTU3LL	7115	7397	7609	7837	8088	8354	8575	8848	9122	9403	9829	10695	11235	11516	11797	12078	12359	12625	12907	13180
N93MTU3LM	7039	7346	7578	7827	8101	8392	8632	8931	9230	9537	10002	10948	11537	11844	12152	12459	12766	13056	13363	13662
N93MTU3M	6350	6572	6740	6920	7118	7328	7502	7718	7934	8156	8492	9176	9602	9824	10046	10268	10490	10700	10922	11138
N93MTU3R	6776	7058	7270	7498	7749	8015	8236	8509	8783	9064	9490	10356	10896	11177	11458	11739	12020	12286	12568	12841
N93MTU3RM	7039	7346	7578	7827	8101	8392	8632	8931	9230	9537	10002	10948	11537	11844	12152	12459	12766	13056	13363	13662
N93MTU3RR	7115	7397	7609	7837	8088	8354	8575	8848	9122	9403	9829	10695	11235	11516	11797	12078	12359	12625	12907	13180
N93MTUC2	7370	7636	7838	8054	8291	8543	8752	9011	9271	9537	9940	10761	11272	11539	11805	12071	12338	12590	12856	13115
N93MTUC3	9312	9708	10008	10329	10682	11056	11367	11752	12137	12533	13132	14352	15112	15508	15904	16299	16695	17070	17466	17851
N93MTUIN9	4900	5096	5244	5403	5578	5764	5917	6108	6299	6495	6792	7396	7772	7968	8165	8361	8557	8742	8938	9129
N93MTUINR9	5221	5439	5605	5782	5976	6183	6354	6566	6779	6997	7327	8000	8419	8637	8856	9074	9292	9499	9717	9929
N93MTUSQ9D	4482	4637	4755	4881	5019	5166	5288	5439	5591	5746	5981	6460	6758	6914	7069	7224	7380	7527	7682	7833
N93MTUSQ9L	4482	4637	4755	4881	5019	5166	5288	5439	5591	5746	5981	6460	6758	6914	7069	7224	7380	7527	7682	7833
N93MTUSQ9R	4482	4637	4755	4881	5019	5166	5288	5439	5591	5746	5981	6460	6758	6914	7069	7224	7380	7527	7682	7833
N93MTW2B	6630	6863	7039	7228	7436	7657	7839	8066	8293	8526	8879	9597	10044	10277	10511	10744	10977	11197	11430	11657
N93MTW2BB	7301	7534	7710	7899	8107	8328	8510	8737	8964	9197	9550	10268	10715	10948	11182	11415	11648	11868	12101	12328
N93MTW2BL	6965	7198	7374	7563	7771	7992	8174	8401	8628	8861	9214	9932	10379	10612	10846	11079	11312	11532	11765	11992
N93MTW2BM	7158	7450	7672	7909	8169	8446	8675	8959	9244	9536	9978	10879	11440	11732	12025	12317	12609	12886	13178	13462
N93MTW2BR	6965	7198	7374	7563	7771	7992	8174	8401	8628	8861	9214	9932	10379	10612	10846	11079	11312	11532	11765	11992
N93MTW2L	6221	6410	6552	6705	6874	7052	7200	7384	7567	7756	8042	8623	8985	9174	9363	9551	9740	9918	10107	10291
N93MTW2LL	6559	6748	6890	7043	7212	7390	7538	7722	7905	8094	8380	8961	9323	9512	9701	9889	10078	10256	10445	10629
N93MTW2LM	6480	6695	6857	7031	7223	7426	7594	7803	8011	8226	8551	9212	9624	9838	10053	10268	10482	10685	10900	11109
N93MTW2M	5791	5920	6018	6123	6239	6361	6463	6589	6715	6844	7040	7439	7688	7817	7947	8076	8206	8328	8458	8584
N93MTW2R	6221	6410	6552	6705	6874	7052	7200	7384	7567	7756	8042	8623	8985	9174	9363	9551	9740	9918	10107	10291
N93MTW2RM	6480	6695	6857	7031	7223	7426	7594	7803	8011	8226	8551	9212	9624	9838	10053	10268	10482	10685	10900	11109
N93MTW2RR	6559	6748	6890	7043	7212	7390	7538	7722	7905	8094	8380	8961	9323	9512	9701	9889	10078	10256	10445	10629
N93MTW3B	8897	9174	9384	9609	9857	10119	10337	10607	10877	11154	11574	12429	12962	13239	13517	13794	14072	14334	14612	14882
N93MTW3BB	9571	9848	10058	10283	10531	10793	11011	11281	11551	11828	12248	13103	13636	13913	14191	14468	14746	15008	15286	15556
N93MTW3BL	9236	9513	9723	9948	10196	10458	10676	10946	11216	11493	11913	12768	13301	13578	13856	14133	14411	14673	14951	15221
N93MTW3BM	9421	9754	10006	10276	10573	10888	11149	11473	11797	12130	12634	13660	14299	14632	14965	15298	15631	15946	16279	16603
N93MTW3BR	9236	9513	9723	9948	10196	10458	10676	10946	11216	11493	11913	12768	13301	13578	13856	14133	14411	14673	14951	15221
N93MTW3L	8486	8715	8889	9075	9279	9496	9676	9899	10123	10352	10699	11406	11846	12076	12305	12534	12764	12981	13210	13433
N93MTW3LL	8820	9049	9223	9409	9613	9830	10010	10233	10457	10686	11033	11740	12180	12410	12639	12868	13098	13315	13544	13767
N93MTW3LM	8745	9000	9194	9401	9628	9870	10070	10318	10567	10822	11208	11995	12485	12740	12996	13251	13506	13748	14003	14251
N93MTW3M	8062	8236	8368	8509	8664	8828	8965	9134	9303	9477	9740	10276	10610	10784	10958	11131	11305	11470	11644	11813
N93MTW3R	8486	8715	8889	9075	9279	9496	9676	9899	10123	10352	10699	11406	11846	12076	12305	12534	12764	12981	13210	13433
N93MTW3RM	8745	9000	9194	9401	9628	9870	10070	10318	10567	10822	11208	11995	12485	12740	12996	13251	13506	13748	14003	14251
N93MTW3RR	8820	9049	9223	9409	9613	9830	10010	10233	10457	10686	11033	11740	12180	12410	12639	12868	13098	13315	13544	13767
N93MTWC2	8512	8730	8896	9073	9267	9474	9645	9857	10070	10288	10618	11291	11710	11928	12147	12365	12583	12790	13008	13220
N93MTWC3	10925	11244	11484	11742	12026	12327	12577	12886	13196	13514	13996	14976	15587	15905	16223	16541	16859	17160	17479	17788
N93MTWIN9	5407	5541	5641	5749	5868	5994	6099	6228	6358	6491	6693	7103	7359	7492	7625	7758	7891	8017	8151	8280
N93MTWSQ9D	5666	5800	5900	6008	6127	6253	6358	6487	6617	6750	6952	7362	7618	7751	7884	8017	8150	8276	8410	8539
N93MTWSQ9L	5666	5800	5900	6008	6127	6253	6358	6487	6617	6750	6952	7362	7618	7751	7884	8017	8150	8276	8410	8539
N93MTWSQ9R	5666	5800	5900	6008	6127	6253	6358	6487	6617	6750	6952	7362	7618	7751	7884	8017	8150	8276	8410	8539
N94L1A	4206	4361	4479	4605	4743	4890	5012	5163	5315	5470	5705	6184	6482	6638	6793	6948	7104	7251	7406	7557

ALLIANCE PROGRAM PRICING

TO ORDER, SPECIFY THE FOLLOWING:

1. Chair Model Number
2. Fabric Grade Letter
3. Alliance Pattern Number and Color Number/Name
4. Finish Number (when applicable)

SAMPLE ORDER NUMBER

N55EE	A	403901	036	HN
Model Number	Fabric Grade Letter	Alliance Pattern Number	Alliance Color Number	Finish

MODEL NUMBER — **ALLIANCE PROGRAM PRICE GRADES**

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
N94L1AC	4415	4570	4688	4814	4952	5099	5221	5372	5524	5679	5914	6393	6691	6847	7002	7157	7313	7460	7615	7766
N94L1ASM	4646	4801	4919	5045	5183	5330	5452	5603	5755	5910	6145	6624	6922	7078	7233	7388	7544	7691	7846	7997
N94L2A	6072	6294	6462	6642	6840	7050	7224	7440	7656	7878	8214	8898	9324	9546	9768	9990	10212	10422	10644	10860
N94L3A	7893	8222	8472	8739	9032	9344	9602	9922	10243	10572	11070	12085	12717	13046	13376	13705	14034	14346	14675	14995
N95AA	3561	3772	3932	4103	4291	4490	4656	4861	5066	5277	5596	6246	6651	6862	7073	7283	7494	7694	7905	8110
N95AAC	3778	3989	4149	4320	4508	4707	4873	5078	5283	5494	5813	6463	6868	7079	7290	7500	7711	7911	8122	8327
N95AAL	3886	4097	4257	4428	4616	4815	4981	5186	5391	5602	5921	6571	6976	7187	7398	7608	7819	8019	8230	8435
N95AALC	4106	4317	4477	4648	4836	5035	5201	5406	5611	5822	6141	6791	7196	7407	7618	7828	8039	8239	8450	8655
N95AAR	3886	4097	4257	4428	4616	4815	4981	5186	5391	5602	5921	6571	6976	7187	7398	7608	7819	8019	8230	8435
N95AARC	4106	4317	4477	4648	4836	5035	5201	5406	5611	5822	6141	6791	7196	7407	7618	7828	8039	8239	8450	8655
N95AATP	3614	3859	4043	4241	4459	4690	4882	5119	5357	5601	5971	6723	7192	7436	7680	7924	8168	8399	8644	8881
N95BB	4728	4968	5150	5345	5560	5787	5976	6210	6444	6684	7048	7789	8251	8491	8732	8972	9213	9440	9681	9915
N95BBB	5380	5620	5802	5997	6212	6439	6628	6862	7096	7336	7700	8441	8903	9143	9384	9624	9865	10092	10333	10567
N95BBL	5053	5293	5475	5670	5885	6112	6301	6535	6769	7009	7373	8114	8576	8816	9057	9297	9538	9765	10006	10240
N95BBR	5053	5293	5475	5670	5885	6112	6301	6535	6769	7009	7373	8114	8576	8816	9057	9297	9538	9765	10006	10240
N95BBTP	4851	5170	5410	5668	5952	6253	6503	6812	7122	7440	7922	8902	9513	9831	10149	10467	10785	11086	11405	11714
N95CC	5971	6293	6537	6798	7085	7389	7642	7955	8268	8590	9077	10069	10687	11009	11331	11652	11974	12279	12601	12914
N95CCB	6624	6946	7190	7451	7738	8042	8295	8608	8921	9243	9730	10722	11340	11662	11984	12305	12627	12932	13254	13567
N95CCL	6300	6622	6866	7127	7414	7718	7971	8284	8597	8919	9406	10398	11016	11338	11660	11981	12303	12608	12930	13243
N95CCR	6300	6622	6866	7127	7414	7718	7971	8284	8597	8919	9406	10398	11016	11338	11660	11981	12303	12608	12930	13243
N95CCTP	6131	6552	6872	7214	7590	7989	8319	8730	9140	9562	10200	11500	12309	12731	13153	13575	13997	14396	14817	15228
N95DD	2071	2168	2240	2318	2404	2495	2571	2664	2758	2854	3000	3296	3481	3577	3673	3769	3865	3956	4053	4146
N95DDC	2289	2386	2458	2536	2622	2713	2789	2882	2976	3072	3218	3514	3699	3795	3891	3987	4083	4174	4271	4364
N95DDTP	2095	2206	2290	2380	2479	2584	2671	2779	2887	2998	3166	3508	3721	3832	3943	4054	4165	4270	4381	4489
N95EE	2849	2974	3070	3172	3284	3403	3501	3624	3746	3872	4062	4450	4691	4817	4943	5069	5195	5314	5439	5562
N95EETP	2896	3051	3169	3295	3433	3580	3702	3853	4005	4160	4395	4874	5172	5328	5483	5638	5794	5941	6096	6247
N95GG	3728	3946	4112	4289	4483	4690	4861	5073	5286	5504	5834	6507	6926	7144	7363	7581	7799	8006	8224	8436
N95GGTP	3799	4062	4260	4473	4708	4956	5162	5418	5673	5936	6334	7143	7647	7910	8173	8435	8698	8946	9209	9465
N95MA	2660	2775	2861	2954	3057	3165	3255	3367	3478	3593	3767	4120	4340	4455	4570	4684	4799	4907	5022	5134
N95MAC	2878	2993	3079	3172	3275	3383	3473	3585	3696	3811	3985	4338	4558	4673	4788	4902	5017	5125	5240	5352
N95MAL	3080	3242	3366	3498	3643	3797	3924	4083	4241	4404	4650	5152	5464	5627	5790	5953	6116	6270	6432	6591
N95MALT	3470	3632	3756	3888	4033	4187	4314	4473	4631	4794	5040	5542	5854	6017	6180	6343	6506	6660	6822	6981
N95MALTP	3127	3319	3465	3621	3792	3974	4125	4312	4500	4692	4983	5576	5945	6138	6330	6522	6715	6897	7089	7276
N95MAR	3080	3242	3366	3498	3643	3797	3924	4083	4241	4404	4650	5152	5464	5627	5790	5953	6116	6270	6432	6591
N95MART	3470	3632	3756	3888	4033	4187	4314	4473	4631	4794	5040	5542	5854	6017	6180	6343	6506	6660	6822	6981
N95MARTP	3127	3319	3465	3621	3792	3974	4125	4312	4500	4692	4983	5576	5945	6138	6330	6522	6715	6897	7089	7276
N95MATP	2713	2861	2973	3093	3225	3365	3481	3625	3769	3917	4141	4597	4881	5029	5177	5325	5473	5613	5761	5905
N95MBLTP	4390	4675	4891	5122	5376	5645	5869	6146	6423	6708	7139	8017	8564	8849	9134	9418	9703	9973	10258	10535
N95MBRTP	4390	4675	4891	5122	5376	5645	5869	6146	6423	6708	7139	8017	8564	8849	9134	9418	9703	9973	10258	10535
N95MB	3876	4054	4188	4332	4491	4659	4798	4971	5143	5321	5590	6137	6478	6655	6833	7011	7188	7356	7534	7707
N95MBL	4249	4445	4593	4752	4927	5113	5266	5457	5648	5844	6141	6745	7121	7317	7514	7710	7906	8091	8287	8478
N95MBLT	4637	4833	4981	5140	5315	5501	5654	5845	6036	6232	6529	7133	7509	7705	7902	8098	8294	8479	8675	8866
N95MBR	4249	4445	4593	4752	4927	5113	5266	5457	5648	5844	6141	6745	7121	7317	7514	7710	7906	8091	8287	8478
N95MBRT	4637	4833	4981	5140	5315	5501	5654	5845	6036	6232	6529	7133	7509	7705	7902	8098	8294	8479	8675	8866
N95MBTP	3988	4236	4424	4625	4846	5080	5275	5516	5757	6005	6380	7144	7620	7868	8116	8363	8611	8846	9094	9335
N95MC	5106	5354	5542	5743	5964	6198	6393	6634	6875	7123	7498	8262	8738	8986	9234	9481	9729	9964	10212	10453
N95MCL	5492	5765	5973	6195	6439	6698	6912	7179	7445	7719	8133	8977	9502	9776	10050	10324	10598	10857	11130	11397
N95MCLT	5881	6154	6362	6584	6828	7087	7301	7568	7834	8108	8522	9366	9891	10165	10439	10713	10987	11246	11519	11786
N95MCLTP	5675	6063	6357	6672	7019	7386	7691	8069	8447	8835	9423	10620	11366	11754	12143	12531	12920	13287	13676	14054
N95MCR	5492	5765	5973	6195	6439	6698	6912	7179	7445	7719	8133	8977	9502	9776	10050	10324	10598	10857	11130	11397
N95MCRT	5881	6154	6362	6584	6828	7087	7301	7568	7834	8108	8522	9366	9891	10165	10439	10713	10987	11246	11519	11786
N95MCRTP	5675	6063	6357	6672	7019	7386	7691	8069	8447	8835	9423	10620	11366	11754	12143	12531	12920	13287	13676	14054
N95MCTP	5272	5623	5889	6174	6488	6820	7096	7438	7780	8131	8663	9746	10421	10772	11124	11475	11827	12159	12511	12853
N95MHATP	2592	2717	2813	2915	3027	3146	3244	3367	3489	3615	3805	4193	4434	4560	4686	4812	4938	5057	5182	5305
N95MH	2544	2641	2713	2791	2877	2968	3044	3137	3231	3327	3473	3769	3954	4050	4146	4242	4338	4429	4526	4619
N95MHA	2533	2621	2689	2761	2840	2924	2993	3080	3166	3255	3389	3663	3833	3922	4011	4100	4189	4273	4361	4448
N95MHTP	2592	2717	2813	2915	3027	3146	3244	3367	3489	3615	3805	4193	4434	4560	4686	4812	4938	5057	5182	5305
N95MJ	2960	3075	3161	3254	3357	3465	3555	3667	3778	3893	4067	4420	4640	4755	4870	4984	5099	5207	5322	5434
N95MJA	2936	3036	3112	3193	3282	3376	3455	3552	3649	3749	3900	4208	4400	4500	4600	4699	4799	4894	4994	5091

ALLIANCE PROGRAM PRICING

TO ORDER, SPECIFY THE FOLLOWING:

1. Chair Model Number
2. Fabric Grade Letter
3. Alliance Pattern Number and Color Number/Name
4. Finish Number (when applicable)

SAMPLE ORDER NUMBER

N55EE	A	403901	036	HN
Model Number	Fabric Grade Letter	Alliance Pattern Number	Alliance Color Number	Finish

MODEL NUMBER — **ALLIANCE PROGRAM PRICE GRADES**

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
N95MJATP	2984	3113	3211	3316	3432	3554	3656	3782	3908	4037	4233	4632	4881	5010	5140	5269	5399	5521	5651	5777
N95MJTP	3019	3171	3285	3408	3544	3687	3806	3954	4101	4253	4483	4950	5241	5393	5545	5696	5848	5991	6143	6291
N95MK	3847	4006	4126	4255	4397	4548	4672	4827	4982	5141	5382	5872	6177	6336	6496	6655	6814	6964	7123	7278
N95MKA	3776	3891	3977	4070	4173	4281	4371	4483	4594	4709	4883	5236	5456	5571	5686	5800	5915	6023	6138	6250
N95MKATP	3841	3996	4114	4240	4378	4525	4647	4798	4950	5105	5340	5819	6117	6273	6428	6583	6739	6886	7041	7192
N95MKTP	3894	4083	4225	4378	4547	4725	4873	5057	5240	5429	5715	6296	6658	6847	7036	7224	7413	7591	7780	7964
N96S1	939	962	978	996	1016	1037	1055	1076	1098	1120	1154	1222	1265	1287	1309	1331	1353	1374	1397	1418
NAC1820CUSH	405	428	444	462	482	503	521	542	564	586	620	688	731	753	775	797	819	840	863	884
NAC1820CUSHT	603	626	642	660	680	701	719	740	762	784	818	886	929	951	973	995	1017	1038	1061	1082
NAC1824CUSH	421	447	467	488	511	535	556	581	606	632	671	751	801	827	853	878	904	929	955	980
NAC1824CUSHT	664	690	710	731	754	778	799	824	849	875	914	994	1044	1070	1096	1121	1147	1172	1198	1223
NAC1830CUSH	458	491	517	544	573	605	631	663	696	729	779	882	946	979	1013	1046	1079	1111	1144	1176
NAC1830CUSHT	700	733	759	786	815	847	873	905	938	971	1021	1124	1188	1221	1255	1288	1321	1353	1386	1418
NAC1836CUSH	495	536	566	599	636	674	706	746	785	826	888	1013	1091	1132	1173	1213	1254	1292	1333	1373
NAC1836CUSHT	743	784	814	847	884	922	954	994	1033	1074	1136	1261	1339	1380	1421	1461	1502	1540	1581	1621
NAC1840CUSH	654	687	713	740	769	801	827	859	892	925	975	1078	1142	1175	1209	1242	1275	1307	1340	1372
NAC1840CUSHT	961	994	1020	1047	1076	1108	1134	1166	1199	1232	1282	1385	1449	1482	1516	1549	1582	1614	1647	1679
NAC1848CUSH	706	743	771	801	834	869	898	934	970	1007	1063	1177	1248	1285	1322	1359	1396	1431	1468	1504
NAC1848CUSHT	1061	1098	1126	1156	1189	1224	1253	1289	1325	1362	1418	1532	1603	1640	1677	1714	1751	1786	1823	1859
NAC1860CUSH	907	967	1011	1059	1112	1168	1215	1272	1330	1389	1479	1661	1775	1834	1893	1952	2011	2067	2127	2184
NAC1860CUSHT	1286	1346	1390	1438	1491	1547	1594	1651	1709	1768	1858	2040	2154	2213	2272	2331	2390	2446	2506	2563
NAC1872CUSH	1030	1093	1141	1192	1248	1307	1357	1418	1479	1542	1637	1831	1952	2015	2078	2140	2203	2263	2326	2387
NAC1872CUSHT	1485	1548	1596	1647	1703	1762	1812	1873	1934	1997	2092	2286	2407	2470	2533	2595	2658	2718	2781	2842
NAC2024CUSH	449	479	501	525	552	580	603	632	660	690	735	826	883	912	942	972	1001	1029	1059	1088
NAC2024CUSHT	648	678	700	724	751	779	802	831	859	889	934	1025	1082	1111	1141	1171	1200	1228	1258	1287
NAC2424CUSH	427	457	479	503	530	558	581	610	638	668	713	804	861	890	920	950	979	1007	1037	1066
NAC2424CUSHT	670	700	722	746	773	801	824	853	881	911	956	1047	1104	1133	1163	1193	1222	1250	1280	1309
NAC2430CUSH	476	520	554	590	629	671	706	749	793	837	904	1041	1126	1171	1215	1259	1304	1346	1390	1433
NAC2430CUSHT	718	762	796	832	871	913	948	991	1035	1079	1146	1283	1368	1413	1457	1501	1546	1588	1632	1675
NAC2436CUSH	501	545	579	615	654	696	731	774	818	862	929	1066	1151	1196	1240	1284	1329	1371	1415	1458
NAC2436CUSHT	749	793	827	863	902	944	979	1022	1066	1110	1177	1314	1399	1444	1488	1532	1577	1619	1663	1706
NAC2440CUSH	810	854	888	924	963	1005	1040	1083	1127	1171	1238	1375	1460	1505	1549	1593	1638	1680	1724	1767
NAC2440CUSHT	1181	1225	1259	1295	1334	1376	1411	1454	1498	1542	1609	1746	1831	1876	1920	1964	2009	2051	2095	2138
NAC2448CUSH	858	902	936	972	1011	1053	1088	1131	1175	1219	1286	1423	1508	1553	1597	1641	1686	1728	1772	1815
NAC2448CUSHT	1250	1294	1328	1364	1403	1445	1480	1523	1567	1611	1678	1815	1900	1945	1989	2033	2078	2120	2164	2207
NAC2460CUSH	1110	1188	1246	1309	1379	1452	1513	1589	1664	1742	1860	2099	2248	2326	2404	2481	2559	2632	2710	2786
NAC2460CUSHT	1470	1548	1606	1669	1739	1812	1873	1949	2024	2102	2220	2459	2608	2686	2764	2841	2919	2992	3070	3146
NAC2472CUSH	1255	1333	1391	1454	1524	1597	1658	1734	1809	1887	2005	2244	2393	2471	2549	2626	2704	2777	2855	2931
NAC2472CUSHT	1632	1710	1768	1831	1901	1974	2035	2111	2186	2264	2382	2621	2770	2848	2926	3003	3081	3154	3232	3308
NAC24CUSH	652	689	717	747	780	815	844	880	916	953	1009	1123	1194	1231	1268	1305	1342	1377	1414	1450
NAC24CUSHT	945	982	1010	1040	1073	1108	1137	1173	1209	1246	1302	1416	1487	1524	1561	1598	1635	1670	1707	1743
NAC2552CUSH	1062	1129	1179	1233	1293	1356	1408	1473	1537	1604	1705	1910	2038	2104	2171	2238	2304	2367	2434	2499
NAC2552CUSHT	1568	1635	1685	1739	1799	1862	1914	1979	2043	2110	2211	2416	2544	2610	2677	2744	2810	2873	2940	3005
NAC2727CUSH	840	884	918	954	993	1035	1070	1113	1157	1201	1268	1405	1490	1535	1579	1623	1668	1710	1754	1797
NAC2727CUSHT	1241	1285	1319	1355	1394	1436	1471	1514	1558	1602	1669	1806	1891	1936	1980	2024	2069	2111	2155	2198
NAC2828CUSH	886	934	970	1009	1052	1098	1135	1182	1229	1277	1350	1498	1590	1638	1687	1735	1783	1828	1876	1923
NAC2828CUSHT	1294	1342	1378	1417	1460	1506	1543	1590	1637	1685	1758	1906	1998	2046	2095	2143	2191	2236	2284	2331
NAC3636CUSH	980	1040	1084	1132	1185	1241	1288	1345	1403	1462	1552	1734	1848	1907	1966	2025	2084	2140	2200	2257
NAC3636CUSHT	1417	1477	1521	1569	1622	1678	1725	1782	1840	1899	1989	2171	2285	2344	2403	2462	2521	2577	2637	2694
NAC36CUSH	932	983	1023	1065	1111	1160	1200	1251	1301	1353	1431	1591	1690	1742	1794	1846	1898	1947	1998	2049
NAC36CUSHT	1354	1405	1445	1487	1533	1582	1622	1673	1723	1775	1853	2013	2112	2164	2216	2268	2320	2369	2420	2471
451	1842	1964	2056	2155	2264	2380	2475	2594	2713	2835	3020	3396	3630	3752	3875	3997	4119	4234	4356	4475
451T	1915	2049	2149	2257	2376	2502	2607	2736	2866	2999	3201	3611	3867	4000	4133	4266	4399	4525	4659	4788
452	1867	1989	2081	2180	2289	2405	2500	2619	2738	2860	3045	3421	3655	3777	3900	4022	4144	4259	4381	4500
452T	1934	2068	2168	2276	2395	2521	2626	2755	2885	3018	3220	3630	3886	4019	4152	4285	4418	4544	4678	4807

A.C.T. ICONS

A.C.T. PERFORMANCE ICONS

A.C.T. (The Association for Contract Textiles), an organization made up of some 40 contract textile houses (Jobbers) has introduced a simple visual system for several ASTM and AATCC test standards.

These icons do not represent new testing for fabrics. National, as have many manufacturers, has always used these standards as requirements when developing fabrics. These icons were developed to create a common vernacular among textile companies and manufacturers in order to give specifiers uniform technical guidelines.

In order to use the A.C.T. icons, fabrics must pass the minimum requirements as established by ASTM (American Society of Testing and Materials) and AATCC (American Association of Textile Colorists and Chemists).

All National fabrics meet, and in most cases exceed the minimum requirements as set up by A.C.T. For the purpose of uniformity in the industry, National will be utilizing the A.C.T. icons on swatch cards and related materials.

FIRE RETARDANCY

Flammability testing determines a fabric's resistance to burning.

APPLICATION	PASSES
Upholstery	California 117
Panels and Upholstered Walls	ASTM E 84 (unadhered method)

COLORFASTNESS TO LIGHT

Colorfastness to light is the degree to which fabric will retain its color when exposed to light.

APPLICATION	PASSES
Upholstery	AATCC 16 Option 1 or 3 Class 4 minimum at 40 hours
Panels and Upholstered Walls	AATCC 16 Option 1 or 3 Class 4 minimum at 40 hours

ABRASION

Abrasion is the ability of a fabric to withstand damage from wear and rubbing. There is a general contract specification as well as a heavy duty specification.

APPLICATION	PASSES
Heavy-duty Upholstery	ASTM 3597 modified (#10 cotton duck) 30,000 double rubs Wyzenbeck method or ASTM D4966 (with 21 oz. weight) 40,000 rubs Martindale method
Upholstery	ASTM 3597 modified (#10 cotton duck) 15,000 double rubs Wyzenbeck method

COLORFASTNESS TO WET & DRY CROCKING

Colorfastness to wet & dry crocking refers to the rubbing off of color from the fabric onto clothing, hands or other materials and can occur under wet or dry conditions.

APPLICATION	PASSES
Upholstery	AATCC 8 Dry Crocking, Class 4 minimum Wet Crocking, Class 3 minimum
Panels and Upholstered Walls	AATCC 8, Class 3 minimum

PHYSICAL PROPERTIES

3 physical property tests include:
Brush pill test to determine a fabric's piling
Breaking/tensile strength is the ability of a fabric to withstand tension without breaking or tearing
Seam slippage is the pulling apart of fabrics at the seams

APPLICATION	PASSES
Upholstery	Brush pill ASTM D3511, 3 minimum Breaking strength ASTM D5034 50 lbs. minimum in warp & welt Seam slippage ASTM D4034 25 lbs minimum in warp & welt
Panels and Upholstered Walls	Breaking strength ASTM D5034 Grab Method 35 lbs. minimum in warp & welt

EFFECTIVE 10.03.22

Pricing has been updated throughout the price list

ELOQUENCE
Ganging Tables are no longer available with wood top

TIMBERLANE
Ganging Tables are no longer available with wood top

EFFECTIVE 08.15.22

GLOBAL
Price list will no longer include an Index

GENERAL INFORMATION
The following pages have been removed from the General Information and are now accessible through a link in the Table of Contents:

- ANSI/BIFMA Testing
- Asset Tag Locations

The following Echo Grade 4 colors are no longer available:

- 41101 Natural
- 41104 Lichen
- 41105 Jute
- 41106 Seaport
- 41107 Limestone

EKLUND
COM/COL yardage requirements have been updated

EFFECTIVE 07.15.22

COLLETTE
2 and 3 Seat Lounge U-Leg Slope Double Arm Width was updated

WHIRL
Headrest 1st bullet was revised to:

- Can be added to any mesh back task chair, attachment hardware is included

EFFECTIVE 06.15.22

DELGADO, GRIN, IDARA, MABEL
Pixie was deleted from the fabric offerings

JOVALIE
Product Specifications page bullet in the Power section was revised to:

- Integrated power grommet available on static models only when CUT-G32 is specified

Single Seat Models had the following bullet added:

- Grommet cut-outs are only available on static models, in the right or left position

2 and 3 Seat Models:

(when applicable) was deleted from the Grommets listing in the To Order Specify section at the top of the page

The following bullets were added:

- Grommet cut-outs are available in the left position, right position, or both for two and three seat models
- A power in-feed is needed for each grommet location

EFFECTIVE 05.16.22

EKLUND
Freesanding Single Seat with Arm and Privacy width was updated to 48"

JOVALIE
New series added

KARID
New series added

SWIFT
Typicals updated with correct Ganging Bracket Kit and Total amount reconfigured

NATIONAL SEATING FABRIC TB133 MATRIX

•TB133 available
xTB133 available on select models, contact customer service for models
≠TB133 not available

		NATIONAL SEATING FABRICS																					
	GRADE	2	2	7	7	1	4	L7	4	6	L8	1	4	5	2	2	2	1	2	7	3	2	1
NATIONAL CHAIRS		BLISS	BRILLIANT	BRISA	BRISA DISTRESSED	CALI	CONNECT FOUR	DAVENPORT	ECHO	ESSENCE/ULTRALEATHER	FLORENCE	INPUT	MASQUERADE	MODE	ORBIT	PHRASE	PIXIE	RIDGE	SEDONA	SILICA	SILVERTEX	STRAND	VESSEL
ACQUAINT	N59	≠	•	•	•	≠	≠	•	•	•	•	•	≠	•	•	•	≠	•	≠	•	≠	•	≠
ADMIRE	N55	≠	•	•	•	≠	≠	•	•	•	•	•	≠	•	•	•	≠	•	≠	•	≠	•	≠
ARLINGTON	48	≠	•	x	x	≠	≠	•	•	x	•	•	≠	•	•	•	≠	•	≠	•	≠	•	≠
AURORA	N65	≠	•	•	•	≠	≠	•	•	•	•	•	≠	•	•	•	≠	•	≠	•	≠	•	≠
CINCH	N45	≠	•	•	•	≠	≠	•	•	•	•	•	≠	•	•	•	≠	•	≠	•	≠	•	≠
CONFIDE GUEST	N78	≠	•	x	x	≠	≠	•	•	x	•	•	≠	•	•	•	≠	•	≠	•	≠	•	≠
CONFIDE LOUNGE	N78	≠	•	≠	≠	≠	≠	•	•	≠	•	•	≠	•	•	•	≠	•	≠	•	≠	•	≠
ELOQUENCE	N85	≠	•	x	x	≠	≠	•	•	x	•	•	≠	•	•	•	≠	•	≠	•	≠	•	≠
FARRAH	N71	≠	•	≠	≠	≠	≠	•	•	•	•	•	≠	•	•	•	≠	•	≠	•	≠	•	≠
JIMINY	N52	≠	•	•	•	≠	≠	•	•	•	•	•	≠	•	•	•	≠	•	≠	•	≠	•	≠
KOZMIC	N87	≠	•	•	•	≠	≠	•	•	•	•	•	≠	•	•	•	≠	•	≠	•	≠	•	≠
LAVORO (NON-MESH)	N30	≠	•	≠	≠	≠	≠	•	•	•	•	•	≠	•	•	•	≠	•	≠	•	≠	•	≠
MIX-IT	N12	≠	•	•	•	≠	≠	•	•	•	•	•	≠	•	•	•	≠	•	≠	•	≠	•	≠
MONTERREY	N90	≠	•	≠	≠	≠	≠	•	•	≠	•	•	≠	•	•	•	≠	•	≠	•	≠	•	≠
RENO	N32	≠	•	x	x	≠	≠	•	•	x	•	•	≠	•	•	•	≠	•	≠	•	≠	•	≠
RESPECT	N75	≠	•	•	•	≠	≠	•	•	•	•	•	≠	•	•	•	≠	•	≠	•	≠	•	≠
SWIFT	N95	≠	•	≠	≠	≠	≠	•	•	•	•	•	≠	•	•	•	≠	•	≠	•	≠	•	≠
TAG	N60	≠	•	•	•	≠	≠	•	•	•	•	•	≠	•	•	•	≠	•	≠	•	≠	•	≠
TIMBERLANE	39	≠	•	•	•	≠	≠	•	•	•	•	•	≠	•	•	•	≠	•	≠	•	≠	•	≠

NATIONAL SEATING FABRIC TB133 FIRE RATED PRICING

MODEL NUMBER	TB133 FABRIC GRADES								
	1	2/COM	3	4	5	6	7	L7	L8
N12KKCF	1831	1884	1908	1947	1989	2061	2157	2611	2757
N12KKCSF	1984	2037	2061	2100	2142	2214	2310	2764	2910
N12KRSF	1853	1906	1930	1969	2011	2083	2179	2633	2779
N30GU9UNCF	1126	1158	1172	1195	1221	1264	1321	1594	1681
N30GU9UNF	1126	1158	1172	1195	1221	1264	1321	1594	1681
N30HU8SNF	1958	2011	2035	2074	2116	2188	2284	2738	2884
N32AAMF	2952	3124	3202	3329	3467	3702	4015	5500	5975
N32AAWF	3123	3295	3373	3500	3638	3873	4186	5671	6146
N32BBWF	3342	3514	3592	3719	3857	4092	4405	5890	6365
N32CCMLF	3497	3669	3747	3874	4012	4247	4560	6045	6520
N32CCMRF	3497	3669	3747	3874	4012	4247	4560	6045	6520
N32DDMLF	3697	3869	3947	4074	4212	4447	4760	6245	6720
N32DDMRF	3697	3869	3947	4074	4212	4447	4760	6245	6720
N32HHWF	4427	4742	4886	5120	5372	5804	6380	9107	9980
N32HKMF	2430	2549	2603	2692	2787	2950	3168	4198	4528
N32JJMBF	5347	5662	5806	6040	6292	6724	7300	10027	10900
N32KKWF	1254	1301	1323	1358	1396	1461	1547	1956	2087
N32LKMF	2767	2879	2930	3013	3103	3257	3461	4431	4741
N32LLMF	5009	5321	5463	5694	5944	6371	6940	9637	10500
N32SAAWF	3123	3295	3373	3500	3638	3873	4186	5671	6146
N32SDDMRF	3697	3869	3947	4074	4212	4447	4760	6245	6720
N32SHHMF	4254	4569	4713	4947	5199	5631	6207	8934	9807
N32SHHWF	4427	4742	4886	5120	5372	5804	6380	9107	9980
N32SLLMF	5009	5321	5463	5694	5944	6371	6940	9637	10500
N32TAAWF	3631	3729	3774	3847	3925	4059	4239	5087	5359
N32TLLWF	5544	5744	5835	5983	6143	6416	6781	8508	9061
39A-BWAAF	2367	2434	2464	2513	2567	2658	2779	3355	3539
39A-GWXXTF	1388	1427	1444	1473	1504	1556	1627	1960	2067
39H-GWXXF	1263	1304	1322	1352	1385	1440	1515	1866	1979
39U-GWXXF	1272	1313	1331	1361	1394	1449	1524	1875	1988
N45HUF	1111	1122	1128	1136	1145	1161	1182	1280	1312
48-GCNF	1965	2067	2113	2188	2270	2409	2594	3473	3754
N48GFAF	2177	2237	2264	2308	2356	2437	2546	3061	3226
N52GHACF	1117	1145	1158	1179	1201	1239	1291	1533	1611
N52GHMCF	1074	1102	1115	1136	1158	1196	1248	1490	1568
N55AAF	1421	1474	1498	1537	1579	1651	1747	2201	2347
N59AAF	1512	1544	1558	1581	1607	1650	1707	1980	2067
N59MMF	2650	2703	2727	2766	2808	2880	2976	3430	3576
N60AAF	640	672	686	709	735	778	835	1108	1195
N60BBF	597	629	643	666	692	735	792	1065	1152
N60BWF	990	1022	1036	1059	1085	1128	1185	1458	1545
N60CCF	743	778	794	820	848	896	960	1263	1360
N60CWF	1029	1061	1075	1098	1124	1167	1224	1497	1584
N60DDF	698	733	749	775	803	851	915	1218	1315
N60EEF	1681	1737	1763	1804	1849	1926	2028	2513	2668
N60GGF	1768	1824	1850	1891	1936	2013	2115	2600	2755
N60PPF	1681	1737	1763	1804	1849	1926	2028	2513	2668
N60RMF	1464	1506	1525	1556	1590	1648	1724	2088	2204
N60SCCCF	832	867	883	909	937	985	1049	1352	1449
N60SDDCF	789	824	840	866	894	942	1006	1309	1406
N60STBWF	1509	1541	1555	1578	1604	1647	1704	1977	2064
N60STDF	1229	1264	1280	1306	1334	1382	1446	1749	1846
N60STDWF	1509	1541	1555	1578	1604	1647	1704	1977	2064
N65CCPF	2271	2338	2368	2417	2471	2562	2683	3259	3443
N65EEAF	1768	1803	1819	1845	1873	1921	1985	2288	2385

NATIONAL®

1600 ROYAL STREET, JASPER, IN 47546
TOLL FREE **800.482.1717**
WEB **NATIONALOFFICEFURNITURE.COM**

A UNIT OF KIMBALL INTERNATIONAL, ©2018

NPL322

NATIONAL SEATING FABRIC TB133 FIRE RATED PRICING

MODEL NUMBER	TB133 FABRIC GRADES								
	1	2/COM	3	4	5	6	7	L7	L8
N65GGPF	1690	1725	1741	1767	1795	1843	1907	2210	2307
N71D2F	3197	3250	3274	3313	3355	3427	3523	3977	4123
N71M1AF	3816	3890	3923	3978	4037	4137	4272	4908	5112
N75BACF	1739	1820	1856	1916	1981	2091	2238	2935	3158
N75BBCF	2014	2095	2131	2191	2256	2366	2513	3210	3433
N75SACF	1970	2051	2087	2147	2212	2322	2469	3166	3389
N78D2AF	2660	2723	2752	2799	2849	2935	3051	3596	3771
N78GFAUF	2056	2109	2133	2172	2214	2286	2382	2836	2982
N78GFAWF	2260	2309	2331	2368	2407	2474	2564	2988	3124
N78LAUF	3447	3559	3610	3693	3783	3937	4141	5111	5421
N85SATF	1574	1602	1615	1636	1658	1696	1748	1990	2068
N85SBF	1559	1598	1615	1644	1675	1727	1798	2131	2238
N85SEF	2763	2830	2860	2909	2963	3054	3175	3751	3935
N87AAA36F	1690	1751	1779	1825	1874	1958	2070	2600	2770
N87C120F	2918	3020	3066	3141	3223	3362	3547	4426	4707
N87IN3618GF	1905	1968	1997	2044	2094	2180	2296	2841	3016
N90AAF	3636	3804	3881	4006	4140	4370	4678	6132	6598
N90AATBF	3792	3960	4037	4162	4296	4526	4834	6288	6754
N90BBF	4888	5179	5311	5527	5760	6158	6689	9204	10009
N90CCF	5879	6198	6343	6580	6835	7271	7854	10611	11494
N90CCTBF	6350	6669	6814	7051	7306	7742	8325	11082	11965
N95AACF	4183	4383	4474	4622	4782	5055	5420	7147	7700
N95BBF	5189	5448	5566	5759	5966	6321	6795	9037	9755
N95MACF	3098	3207	3256	3337	3424	3572	3771	4710	5011

NATIONAL SEATING FABRIC TB133 FIRE RATED PRICING

ALLIANCE PROGRAM TB133 FIRE RATED PRICING

TO ORDER, SPECIFY THE FOLLOWING:

1. Chair Model Number
2. Fabric Grade Letter
3. Alliance Pattern Number and Color Number/Name
4. Finish Number (when applicable)

SAMPLE ORDER NUMBER

N55EEF	A	403901	036	HN
Model Number	Fabric Grade Letter	Alliance Pattern Number	Alliance Color Number	Finish

MODEL NUMBER — **ALLIANCE PROGRAM PRICE GRADES**

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
N12KKCF	1920	1975	2017	2062	2112	2164	2208	2262	2316	2371	2455	2626	2733	2788	2844	2899	2955	3007	3063	3117
N12KKCSF	2073	2128	2170	2215	2265	2317	2361	2415	2469	2524	2608	2779	2886	2941	2997	3052	3108	3160	3216	3270
N12KRSF	1942	1997	2039	2084	2134	2186	2230	2284	2338	2393	2477	2648	2755	2810	2866	2921	2977	3029	3085	3139
N30GU9UNCF	1179	1212	1238	1265	1294	1326	1352	1384	1417	1450	1500	1603	1667	1700	1734	1767	1800	1832	1865	1897
N30GU9UNF	1179	1212	1238	1265	1294	1326	1352	1384	1417	1450	1500	1603	1667	1700	1734	1767	1800	1832	1865	1897
N30HU8SNF	2047	2102	2144	2189	2239	2291	2335	2389	2443	2498	2582	2753	2860	2915	2971	3026	3082	3134	3190	3244
N32AAMF	3241	3422	3560	3707	3868	4040	4182	4358	4535	4716	4990	5549	5897	6078	6260	6441	6622	6794	6975	7151
N32AAWF	3412	3593	3731	3878	4039	4211	4353	4529	4706	4887	5161	5720	6068	6249	6431	6612	6793	6965	7146	7322
N32BBWF	3631	3812	3950	4097	4258	4430	4572	4748	4925	5106	5380	5939	6287	6468	6650	6831	7012	7184	7365	7541
N32CCMLF	3786	3967	4105	4252	4413	4585	4727	4903	5080	5261	5535	6094	6442	6623	6805	6986	7167	7339	7520	7696
N32CCMRF	3786	3967	4105	4252	4413	4585	4727	4903	5080	5261	5535	6094	6442	6623	6805	6986	7167	7339	7520	7696
N32DDMLF	3986	4167	4305	4452	4613	4785	4927	5103	5280	5461	5735	6294	6642	6823	7005	7186	7367	7539	7720	7896
N32DDMRF	3986	4167	4305	4452	4613	4785	4927	5103	5280	5461	5735	6294	6642	6823	7005	7186	7367	7539	7720	7896
N32HHWF	4958	5291	5543	5813	6110	6425	6686	7010	7334	7667	8171	9197	9836	10169	10502	10835	11168	11483	11816	12140
N32HKMF	2631	2756	2852	2954	3066	3185	3283	3406	3528	3654	3844	4232	4473	4599	4725	4851	4977	5096	5221	5344
N32JJMBF	5878	6211	6463	6733	7030	7345	7606	7930	8254	8587	9091	10117	10756	11089	11422	11755	12088	12403	12736	13060
N32KKWF	1334	1384	1421	1462	1506	1554	1593	1641	1690	1740	1816	1970	2065	2115	2165	2215	2265	2312	2362	2411
N32LKMF	2956	3074	3164	3260	3365	3477	3570	3685	3801	3919	4098	4463	4690	4809	4927	5045	5164	5276	5394	5509
N32LLMF	5534	5863	6113	6380	6673	6985	7243	7563	7884	8213	8711	9726	10358	10687	11017	11346	11675	11987	12316	12636
N32SAAWF	3412	3593	3731	3878	4039	4211	4353	4529	4706	4887	5161	5720	6068	6249	6431	6612	6793	6965	7146	7322
N32SDDMRF	3986	4167	4305	4452	4613	4785	4927	5103	5280	5461	5735	6294	6642	6823	7005	7186	7367	7539	7720	7896
N32SHHMF	4785	5118	5370	5640	5937	6252	6513	6837	7161	7494	7998	9024	9663	9996	10329	10662	10995	11310	11643	11967
N32SHHWF	4958	5291	5543	5813	6110	6425	6686	7010	7334	7667	8171	9197	9836	10169	10502	10835	11168	11483	11816	12140
N32SLLMF	5534	5863	6113	6380	6673	6985	7243	7563	7884	8213	8711	9726	10358	10687	11017	11346	11675	11987	12316	12636
N32TAAWF	3796	3900	3978	4062	4155	4253	4334	4435	4535	4639	4796	5115	5314	5417	5521	5625	5728	5826	5930	6031
N32TLLWF	5880	6091	6251	6422	6610	6809	6975	7180	7385	7596	7915	8565	8970	9181	9392	9602	9813	10013	10224	10429
39A-BWAAF	2479	2549	2603	2660	2722	2789	2844	2912	2981	3051	3157	3374	3509	3579	3650	3720	3790	3857	3927	3995
39A-GWXXTF	1453	1494	1524	1557	1594	1632	1664	1704	1743	1784	1846	1971	2049	2090	2131	2171	2212	2250	2291	2331
39H-GWXXF	1331	1374	1407	1442	1480	1521	1554	1596	1638	1681	1746	1878	1960	2003	2046	2089	2132	2172	2215	2257
39U-GWXXF	1340	1383	1416	1451	1489	1530	1563	1605	1647	1690	1755	1887	1969	2012	2055	2098	2141	2181	2224	2266
N45HUF	1130	1142	1151	1161	1172	1183	1193	1204	1216	1228	1246	1283	1306	1318	1330	1342	1354	1366	1378	1390
48-GCNF	2136	2243	2325	2412	2507	2609	2693	2797	2902	3009	3171	3502	3708	3815	3923	4030	4137	4239	4346	4450
N48GFAF	2277	2340	2388	2439	2495	2554	2604	2665	2726	2789	2884	3078	3199	3262	3325	3387	3450	3510	3573	3634
N52GHACF	1164	1194	1216	1240	1267	1295	1318	1347	1375	1405	1450	1541	1598	1627	1657	1687	1716	1744	1774	1803
N52GHMCF	1121	1151	1173	1197	1224	1252	1275	1304	1332	1362	1407	1498	1555	1584	1614	1644	1673	1701	1731	1760
N55AAF	1510	1565	1607	1652	1702	1754	1798	1852	1906	1961	2045	2216	2323	2378	2434	2489	2545	2597	2653	2707
N59AAF	1565	1598	1624	1651	1680	1712	1738	1770	1803	1836	1886	1989	2053	2086	2120	2153	2186	2218	2251	2283
N59MMF	2739	2794	2836	2881	2931	2983	3027	3081	3135	3190	3274	3445	3552	3607	3663	3718	3774	3826	3882	3936
N60AAF	693	726	752	779	808	840	866	898	931	964	1014	1117	1181	1214	1248	1281	1314	1346	1379	1411
N60BBF	650	683	709	736	765	797	823	855	888	921	971	1074	1138	1171	1205	1238	1271	1303	1336	1368
N60BWF	1043	1076	1102	1129	1158	1190	1216	1248	1281	1314	1364	1467	1531	1564	1598	1631	1664	1696	1729	1761
N60CCF	802	839	867	897	930	965	994	1030	1066	1103	1159	1273	1344	1381	1418	1455	1492	1527	1564	1600
N60CWF	1082	1115	1141	1168	1197	1229	1255	1287	1320	1353	1403	1506	1570	1603	1637	1670	1703	1735	1768	1800
N60DDF	757	794	822	852	885	920	949	985	1021	1058	1114	1228	1299	1336	1373	1410	1447	1482	1519	1555
N60EEF	1775	1835	1879	1927	1980	2036	2083	2140	2198	2257	2347	2529	2643	2702	2761	2820	2879	2935	2995	3052
N60GGF	1862	1922	1966	2014	2067	2123	2170	2227	2285	2344	2434	2616	2730	2789	2848	2907	2966	3022	3082	3139
N60PPF	1775	1835	1879	1927	1980	2036	2083	2140	2198	2257	2347	2529	2643	2702	2761	2820	2879	2935	2995	3052
N60RMF	1535	1579	1613	1649	1688	1730	1765	1808	1852	1896	1963	2100	2185	2230	2274	2318	2363	2405	2449	2492
N60SCCCF	891	928	956	986	1019	1054	1083	1119	1155	1192	1248	1362	1433	1470	1507	1544	1581	1616	1653	1689
N60SDDCF	848	885	913	943	976	1011	1040	1076	1112	1149	1205	1319	1390	1427	1464	1501	1538	1573	1610	1646
N60STBWF	1562	1595	1621	1648	1677	1709	1735	1767	1800	1833	1883	1986	2050	2083	2117	2150	2183	2215	2248	2280
N60STDF	1288	1325	1353	1383	1416	1451	1480	1516	1552	1589	1645	1759	1830	1867	1904	1941	1978	2013	2050	2086
N60STDWF	1562	1595	1621	1648	1677	1709	1735	1767	1800	1833	1883	1986	2050	2083	2117	2150	2183	2215	2248	2280
N65CCPF	2383	2453	2507	2564	2626	2693	2748	2816	2885	2955	3061	3278	3413	3483	3554	3624	3694	3761	3831	3899
N65EEAF	1827	1864	1892	1922	1955	1990	2019	2055	2091	2128	2184	2298	2369	2406	2443	2480	2517	2552	2589	2625
N65GGPF	1749	1786	1814	1844	1877	1912	1941	1977	2013	2050	2106	2220	2291	2328	2365	2402	2439	2474	2511	2547
N71D2F	3286	3341	3383	3428	3478	3530	3574	3628	3682	3737	3821	3992	4099	4154	4210	4265	4321	4373	4429	4483
N71M1AF	3940	4018	4076	4139	4209	4282	4343	4419	4494	4572	4690	4929	5078	5156	5234	5311	5389	5462	5540	5616
N75BACF	1875	1960	2024	2093	2169	2250	2316	2399	2482	2567	2696	2958	3121	3206	3292	3377	3462	3542	3627	3710

ALLIANCE PROGRAM TB133 FIRE RATED PRICING

TO ORDER, SPECIFY THE FOLLOWING:

1. Chair Model Number
2. Fabric Grade Letter
3. Alliance Pattern Number and Color Number/Name
4. Finish Number (when applicable)

SAMPLE ORDER NUMBER

N55EEF	A	403901	036	HN
Model Number	Fabric Grade Letter	Alliance Pattern Number	Alliance Color Number	Finish

MODEL NUMBER — **ALLIANCE PROGRAM PRICE GRADES**

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T
N75BBCF	2150	2235	2299	2368	2444	2525	2591	2674	2757	2842	2971	3233	3396	3481	3567	3652	3737	3817	3902	3985
N75SACF	2106	2191	2255	2324	2400	2481	2547	2630	2713	2798	2927	3189	3352	3437	3523	3608	3693	3773	3858	3941
N78D2AF	2766	2833	2883	2937	2997	3060	3112	3177	3241	3308	3409	3614	3742	3808	3875	3942	4008	4071	4138	4203
N78GFAUF	2145	2200	2242	2287	2337	2389	2433	2487	2541	2596	2680	2851	2958	3013	3069	3124	3180	3232	3288	3342
N78GFAWF	2343	2394	2434	2476	2522	2571	2611	2662	2712	2764	2842	3002	3101	3153	3205	3257	3309	3358	3409	3460
N78LAUF	3636	3754	3844	3940	4045	4157	4250	4365	4481	4599	4778	5143	5370	5489	5607	5725	5844	5956	6074	6189
N85SATF	1621	1651	1673	1697	1724	1752	1775	1804	1832	1862	1907	1998	2055	2084	2114	2144	2173	2201	2231	2260
N85SBF	1624	1665	1695	1728	1765	1803	1835	1875	1914	1955	2017	2142	2220	2261	2302	2342	2383	2421	2462	2502
N85SEF	2875	2945	2999	3056	3118	3185	3240	3308	3377	3447	3553	3770	3905	3975	4046	4116	4186	4253	4323	4391
N87AAA36F	1793	1858	1907	1960	2017	2079	2129	2192	2255	2320	2418	2618	2742	2807	2871	2936	3001	3062	3127	3190
N87C120F	3089	3196	3278	3365	3460	3562	3646	3750	3855	3962	4124	4455	4661	4768	4876	4983	5090	5192	5299	5403
N87IN3618GF	2011	2078	2128	2182	2242	2305	2357	2422	2486	2553	2654	2859	2987	3053	3120	3187	3253	3316	3383	3448
N90AAF	3919	4097	4231	4375	4534	4702	4841	5014	5186	5364	5633	6180	6521	6698	6876	7054	7231	7399	7577	7750
N90AATBF	4075	4253	4387	4531	4690	4858	4997	5170	5342	5520	5789	6336	6677	6854	7032	7210	7387	7555	7733	7906
N90BBF	5378	5685	5917	6166	6440	6731	6971	7270	7569	7876	8341	9287	9876	10183	10491	10798	11105	11395	11702	12001
N90CCF	6416	6753	7007	7280	7581	7899	8163	8491	8818	9155	9665	10702	11348	11685	12022	12358	12695	13013	13350	13678
N90CCTBF	6887	7224	7478	7751	8052	8370	8634	8962	9289	9626	10136	11173	11819	12156	12493	12829	13166	13484	13821	14149
N95AACF	4519	4730	4890	5061	5249	5448	5614	5819	6024	6235	6554	7204	7609	7820	8031	8241	8452	8652	8863	9068
N95BBF	5626	5899	6107	6329	6573	6832	7046	7313	7579	7853	8267	9111	9636	9910	10184	10458	10732	10991	11264	11531
N95MACF	3281	3396	3482	3575	3678	3786	3876	3988	4099	4214	4388	4741	4961	5076	5191	5305	5420	5528	5643	5755

10.03.22

PRICE LIST

TABLES

BACK

TABLE OF CONTENTS

GENERAL INFORMATION

Quick Delivery Program 4
Intellectual Property 4
Finishes and Materials 4
National Seating Upholstery 5
Alliance Program Textiles 11
COM 12
Gallery Laminate Program 14

TABLES SPECIFICATION GUIDE 15

Table Top Shapes and Sizes 15
Functional Seating Capacity 17
Number of Pieces Per Table Top 18
Conference Top Size Modifications 19
Round Grommet Locations 20
1 Touch Double Pivoting Power Grommet Cutout Locations 22
Power/Data Oasis Cutout Locations 24
Grommet Locations on Tops Including Modified Sizing 26
Table Base Guide 36
Table Base Placement Guide 56

CONFERENCE TABLE TOPS 59

Arrowood™ 60
Barrington® 66
Epic® 74
Escalade® 97
Universal 105
Waveworks® 122

CONFERENCE TABLE BASES 137

Wood/Laminate Bases 140
Metal Bases 149

TARVER™ 153

TESSERA® CONFERENCE TABLES 175

COLLABORATIVE TABLES 187

Footings™ 188
Mio™ 226
Strassa® 294

TRAINING TABLES 349

Fold™ Nesting Tables 350
Maneuver® 353
WaveWorks® Flip/Nest Tables 369
WaveWorks® Worksurfaces 375
Metal Bases 389
"L" Adjustable Height Bases 400
"L" Worksurfaces 404

STORAGE COMPONENTS AND ACCESSORIES 413

Arrowood™ 414
Barrington® 415
Epic® 416
Escalade® 419
Roosevelt™ 421
Universal 422
Waveworks® 427

WALL RAIL SOLUTION 437

Exhibit™ 437

OCCASIONAL TABLES 493

Arrowood™ 494
Barrington® 495
Collette® 496
Confide® 500
Eloquence® 501
Epic® 502
Escalade® 503
Farrah® 504
Footings™ 505
Fringe® 506
Hobsen® 508
Marnia™ 509
Myriad™ 513
Reno® 518
Roosevelt™ 520
Swift™ 521
Tag® 523
Tarver™ 524
Tessera® 525
Universal 527
Weli® 532
Wixler® 533

ACCESSORIES 549

COM YARDAGE REQUIREMENTS 585

REVISION SUMMARY 589

- DIMENSIONS REFLECTED IN THIS BOOK ARE NOMINAL
- NATIONAL RESERVES THE RIGHT TO CHANGE ANY PRODUCT SPECIFICATIONS CONTAINED IN THIS PRICE LIST

BACK

GENERAL INFORMATION

QUICK DELIVERY PROGRAM

Our most popular series and options are available to deliver to you in 10 days or less through our Quick Delivery program. We offer a wide variety of product solutions to outfit any space and coordinate with any style, for no upcharge. From private office and open plan areas to reception and collaborative spaces, our complete portfolio of Quick Delivery solutions offers endless possibilities, all delivered within 10 days or less.

Specific models from the following series are available on Quick Delivery:

Universal Conference Table Tops
Conference Table Bases
Strassa
WaveWorks Training Tables
Roosevelt Storage & Accessories
Arrowood Occasional Tables
Barrington Occasional Tables
Escalade Occasional Tables
Roosevelt Occasional Tables
Universal Occasional Tables
Accessories

QUICK DELIVERY MODEL NUMBERS

Quick Delivery model numbers are tagged with a "Q" and ey throughout the price list.

QUICK DELIVERY ORDERING

We will not accept changes or cancellation ery orders. The Quick Delivery orders must contain only Quick - submit a separate order for any products that are not in gram. Remember that the time to complete the order is base ys and does not include weekends or holidays. The day v ed with National counts as day zero.

QUICK DELIVERY O

Need 20 guest chai days or less? No problem, with our Quick Delivery program overed. Need more than 20? Just give us a call, and we'll work what you need, when you need it. Once in a while, demand exc nen, orders are subject to availability.

CONTRACT TERMS OF 23109/PC68387 PREVAIL

INTELLECTUAL PR

Acquaint®, Admire on™, Arrowood™, Aurora®, Barrington®, Cinch®, Collette ari®, Delgado®, Ditto™, Eklund™, Eloquence®, Epic®, Epicen , Essay®, Exhibit™, Farrah®, Fierce®, Fold™, Footings™ grin®, Hobsen®, Idara®, Jewel™, Jiminy®, Jovalie™, Karid™, V , Lavoro®, Lochlyn®, Mabel®, Maneuver®, Marnia™, Mio™ ey™, Myriad™, Naviyd™, Ralla®, Renegade™, Reno®, Re Roosevelt™, Strassa®, Swift™, Tag®, Tarver™, Tellaro®, T lane™, Tizelle®, Toss™, Triumph™, Volute®, Vora®, WaveWorks®, , Whimsy®, Whirl®, and Wixler® are registered trademarks of ice Furniture. Trademarks of other parties are identified wherever and National acknowledges their rights.

Kaide™ and Terratex® are registered trademarks of Interface, Inc.

risa®, Brisa® Distressed and Ultraleather™ are registered trademarks of Ultrafabrics, LLC.

Interlink®, Tully®, Trippel™, and Willow™ are registered trademarks of Byrne Electrical Specialists, Inc.

Cradle to Cradle™ is a registered trademark of McDonough Braungart Design Chemistry, LLC.

Crypton® is a registered trademark of Crypton, Inc.

Hi-Loft™, Hi-Loft^{2}™, PERMABLOK®, SILVERGUARD® and Silvertex™ are registered trademarks of Spradling Holdings, Inc.

Hilti® Toggler® is a registered trademark of Hilti Corporation.

Indoor Advantage™ is a trademark of Scientific Certification Systems.

Intercoupler™ is a trademark of Power Logic SA (Pty), Ltd.

LEED® is a registered trademark of the U.S. Green Building Council.

level® is a registered trademark of BIFMA International.

Post-it® and Scotchgard™ are registered trademarks of 3M.

Repreve® and U Trust™ are registered trademarks of UNIFI, Inc.

Silverguard® is a registered trademark of Life Bioscience USA, LLC.

Velcro® is a registered trademark of Velcro Industries B.V.

FINISHES AND MATERIALS

WOOD FINISH COLOR MATCHING

Each piece of natural veneer offers unique texture and grain. Minor variations in finish color and value may occur due to the natural characteristics of wood. National carefully selects all materials used in every product ensuring a commercially acceptable color and finish. Factors such as aging and exposure to light alter finishes.

FABRIC COLOR MATCHING

National will always ship a satisfactory commercial match on fabric. Because of industry dye-lot variation, colors may not match exactly.

For more information about our products and services or to find a certified National® dealer near you, please visit us at NationalOfficeFurniture.com or contact our customer service team at 800.482.1717.

NATIONAL SEATING FABRIC OFFERING

Shaded patterns are available on Quick Delivery models

CALI — GRADE 1

79% Polyester, 21% Rayon
54" Wide
Livesmart Finish; Polyester Backing
Repeat: None
Cleaning Code: W
75,000 Double Rubs

11601 Cactus	11605 Sunset	11609 Surf
11602 Beach	11606 Boardwalk	11610 Coast
11603 Sand	11607 Pier	11611 Boulder
11604 Desert	11608 Vineyard	

ENTWINE — GRADE 1

100% Polyester, 60% Post-Consumer Recycled
54" Wide
PFOA-Free Stain Repellant Finish/Latex Backing
Repeat: None
Cleaning Code: WS
100,000 Double Rubs

13110 Iron	13117 Deep Sea	13124 Scarlet
13111 Driftwood	13118 Sky	13125 Squash
13112 Pewter	13119 Berry	13126 Emerald
13113 Coconut	13120 Pistachio	13127 Harbor
13114 Khaki	13121 Fatigue	13128 Space
13115 Star	13122 Mykonos	13129 Rose
13116 Sage	13123 Azure	

INPUT — GRADE 1

94% Post-Consumer Recycled Polyester, 6% Pre-Consumer Recycled Polyester
54" Wide
No Finish, Acrylic Backing
Repeat: 12.25" H x 2.5" V
Cleaning Code: WS or 10:1 Bleach Solution
100,000 Double Rubs

14710 Cloud	14770 Lime	14830 Midnight
14720 Dove	14780 Pine	14840 Orchid
14730 Coal	14790 Mint	14850 Raisin
14740 Jet	14800 Tiffany	14860 Crimson
14750 Fossil	14810 Sky	14870 Flame
14760 Bisque	14820 Delft	14880 Squash

MELANGE — GRADE 1

100% Polyester, 75% Post-Consumer Recycled
54" Wide
PFOA-Free Stain Repellant Finish/Latex Backing
Repeat: None
Cleaning Code: WS
100,000 Double Rubs

14110 Lead	14116 Night Sky	14121 Pansy
14111 Ebony	14117 Aspen	14122 Cherry
14112 Stucco	14118 Red Pepper	14123 Leet
14113 Pumice	14119 Aloe	14124 Denim
14114 Coffee Bean	14120 Dijon	14125 Wave
14115 Alloy		

RIDGE — GRADE 1

100% Polyester
54" Wide
Teflon Finish; Latex Backing
Repeat: None
Cleaning Code: W
100,000 Double Rubs

12001 Meadow	12005 Crimson	12009 Sea Breeze
12002 Shine	12006 Driftwood	12010 Midnight
12003 Sunset	12007 Peak	12011 Sand
12004 Fog	12008 Pebble	12012 Dune

SPARK — GRADE 1

100% Polyester, 70% Post-Consumer Recycled
54" Wide
PFOA-Free Stain Repellant Finish/Latex Backing
Repeat: None
Cleaning Code: WS
100,000 Double Rubs

15001 Mallard	15006 Cloud	15111 Lawn
15002 Marine	15007 Asphalt	15112 Mocha
15003 Jam	15008 Jet	15113 Clementine
15004 Boysenberry	15009 Topaz	15114 Sand
15005 Holly	15110 Dill	

VESSEL — GRADE 1

100% Polyester
54" Wide
LiveSmart Finish; Latex Backing
Repeat: None
Cleaning Code: W
95,000 Double Rubs

11501 Leaf	11505 Bark	11509 Stone
11502 Straw	11506 Sand	11510 Coast
11503 Sunset	11507 Midnight	11511 Isle
11504 Berry	11508 Stormcloud	11512 Peacock

BACK

NATIONAL SEATING FABRIC OFFERING

Shaded patterns are available on Quick Delivery models

ZIG ZAG — GRADE 1

100% Polyester, 63% Post-Consumer Recycled
54" Wide
PFOA-Free Stain Repellant Finish/Latex Backing
Repeat: .18" H x .19" V
Cleaning Code: WS
100,000 Double Rubs

12110 Cloud	12114 Rouge	12118 Cardinal
12111 Ecru	12115 Salmon	12119 Cinnamon
12112 Sunny	12116 Cocoa	12120 Granite
12113 Leaf	12117 Marine	12121 Ink

BLISS — GRADE 2

80% Polyester, 20% Acrylic
54" Wide
Livesmart Finish; Latex Backing
Repeat: None
Cleaning Code: W
100,000 Double Rubs

21201 Jade	21208 Stream	21215 Nautical
21202 Shadow	21209 Azure	21216 Verdite
21203 Spice	21210 Icicle	21217 Eclipse
21204 Wool	21211 Slate	21218 Cliff
21205 Root	21212 Terra Cotta	21219 Raven
21206 Hearth	21213 Malbec	
21207 Ink	21214 Breeze	

BRILLIANT — GRADE 2

56% Polyester, 32% Post-Consumer Recycled Polyester, 12% Pre-Consumer Recycled Polyester
54" Wide
Stain and Soil Repellant Finish; Acrylic Backing
Repeat: None
Cleaning Code: WS
140,000 Double Rubs

22501 Parrot	22507 Ebony	22513 Almond
22502 Kiwi	22508 Elderberry	22514 Bluegrass
22503 Marigold	22509 Gravel	22515 Cobalt
22504 Azalea	22510 Indigo	22516 Currant
22505 Amaryllis	22511 Moss	22517 Coffee
22506 Cattail	22512 Cinder	

COM — GRADE 2

DOLCE — GRADE 2

100% Polyurethane
54" Wide
Superior Abrasion/Stain Resistant Finish/100% Rayon Backing
Repeat: None
Cleaning Code: Use water-based cleaning agents or foam. Mild water-free solvents may also be used. Cleaning by a professional furniture service is recommended
100,000 Double Rubs

11900 Black	11908 Fuchsia	11918 Mushroom
11901 Mocha	11909 Poppy	11919 Ecru
11902 Meteor	11910 Tangelo	11920 Dune
11903 Artesian	11912 Chocolate	11922 Cumin
11904 Indigo	11914 Latte	11923 Russet
11905 Peacock	11915 Ivory	11926 Moss
11906 Grass	11916 White	11927 Jet
11907 Citron	11917 Camel	

DORSET — GRADE 2

100% Polyester
54" Wide
Livesmart Finish; 100% Polyester Backing
Repeat: None
Cleaning Code: WS
55,000 Double Rubs

20501 Ash	20508 Cayenne	20515 Ocean Blue
20502 Avocado	20509 Charcoal	20516 Platinum
20503 Balsa	20510 Cherry	20517 Silver
20504 Black	20511 Copper	20518 Smoke Blue
20505 Black Indigo	20512 Denim	20519 Soda
20506 Blueberry	20513 Flax	20520 Taupe
20507 Camel	20514 Mulberry	

INTUITION — GRADE 2

55% Post-Consumer Recycled Polyester, 34% Pre-Consumer Recycled Polyester, 11% Polyester
54" Wide
Stain Repellant/Acrylic Backing
Repeat: None
Cleaning Code: WS
100,000 Double Rubs

31711 Bisque	31716 Honey	31721 Sage
31712 Charcoal	31717 Platinum	31722 Peacock
31713 Sand	31718 Ochre	31723 Viridian
31714 Coral	31719 Slate	31724 Admiral
31715 Hickory	31720 Scarlet	

ORBIT — GRADE 2

100% Polyester
54" Wide
Teflon Finish; Acrylic Backing
Repeat: 7" H x 6" V
Cleaning Code: W
40,000 Double Rubs

20401 Galaxy	20404 Moon	20407 Comet
20402 Nebula	20405 Star	20408 Asteroid
20403 Nova	20406 Planet	20409 Cosmic

PHRASE — GRADE 2

100% Post-Consumer Recycled Polyester
54" Wide
No Finish, Acrylic Backing
Repeat: 1.1875" V
Cleaning Code: WS or 10:1 Bleach Solution
100,000 Double Rubs

23011 Maize	23048 Cayenne	23060 Soapstone
23022 Sprout	23055 Shiraz	23070 Shale
23031 Poolside	23056 Truffle	23071 Admiral
23036 Marine	23057 Nutmeg	

Shaded patterns are available on Quick Delivery models

PIXIE — GRADE 2

100% Polyurethane
i-clean™ and Antimicrobial Finish; 85% Polyester, 15% Cotton Backing
Repeat: None
Cleaning Code: Use a soft cloth or sponge with mild soap and water to remove most soil and stains. See swatch card for additional cleaning info.
200,000 Double Rubs

20201 Lime	20206 Chocolate	20211 Malt
20202 Honey	20207 Blackberry	20212 Licorice
20203 Orange	20208 Vanilla	20213 Root Beer
20204 Caramel	20209 Blue Raspberry	
20205 Cinnamon	20210 Blueberry	

SEDONA — GRADE 2

100% Vinyl
54" Wide
PERMA**BLOK**® Finish: 100% Polyester Hi-Loft™ Backing
Repeat: None
Cleaning Code: Use a soft cloth or sponge with mild soap and water to remove most soil and stains. See swatch card for additional cleaning info.
100,000 Double Rubs

22115 Tumbleweed	22138 Botanical	22166 Sagebrush
22123 Sierra	22139 Midnight	22167 Fog
22126 Poppy	22140 Paradise	22168 Pewter
22129 Mirage	22141 Sand	22169 Putty
22131 Adobe	22142 Terra Cotta	22170 Storm
22132 Succulents	22143 Earth	22171 Fawn
22133 Sassafras	22145 Buckskin	22172 Ochre
22134 Zest	22147 Mesa	22173 Mahogany
22135 Brick Red	22151 Plateau	22174 Truffle
22136 Sunset	22157 Horizon	22177 Canyon
22137 Molten	22162 Indigo	22185 Nighthawk

STANCIL — GRADE 2

100% Polyester
54" Wide
LiveSmart/Synthetic Latex Blend Backing
Repeat: None
Cleaning Code: WS
95,000 Double Rubs

20625 Amethyst	20629 Cayenne	20633 Midnight
20626 Barley	20630 Dijon	20634 Platinum
20627 Belgian Flax	20631 Lemon Grass	20635 Slate
20628 Blue Coral	20632 Marble	20636 Turquoise

STRAND — GRADE 2

100% Polyester
54" Wide
No Finish; Acrylic Backing
Repeat: 15" H x 5" V
Cleaning Code: W
40,000 Double Rubs

20101 Charcoal	20105 Red Licorice	20109 Cumulus
20102 Mineral	20106 Wheat	20110 Coast
20103 Fudge	20107 Peacock	20111 Sand
20104 Blueberry	20108 Blaze	20112 Stone

COL — GRADE 3

SILVERTEX™ — GRADE 3

100% Vinyl
54" Wide
PERMA**BLOK**® Finish; 100% Polyester Hi-Loft™ Backing
Repeat: None
SILVER**GUARD**® Silver Ion Technology
Antifungal/Antibacterial
Cleaning Code: Use a soft cloth or sponge with mild soap and water to remove most soil and stains. See swatch card for additional cleaning info.
100,000 Double Rubs

41301 Basil	41314 Cream	41327 Marsh
41302 Ice	41315 Chestnut	41328 Bronze
41303 Mandarin	41316 Luggage	41329 Creme de Menthe
41304 Raspberry	41317 Taupe	41330 Acid
41305 Poppy	41318 Borscht	41331 Peat
41306 Mocha	41319 Lagoon	41332 Bazaar
41307 Carbon	41320 Turquoise	41333 Imperial
41308 Jet	41321 Marine Blue	41334 Plata
41309 Storm	41322 Umber	41335 Sterling
41310 Sapphire	41323 Blackberry	41336 Zest
41311 Champagne	41324 Sage	41337 Limoncello
41312 Celery	41325 Bottle	
41313 Meteor	41326 Neutra	

CONNECT FOUR — GRADE 4

100% Vinyl
54" Wide
PERMA**BLOK**® Finish; 100% Recycled Hi-Loft^{2}™ Backing
Repeat: 18" H x 18" V
Cleaning Code: Use a soft cloth or sponge with mild soap and water to remove most soil and stains. See swatch card for additional cleaning info.
100,000 Double Rubs

42402 Butterscotch	42406 Coffee Bean	42408 Sea Glass
42403 Clementine	42407 Silver Dollar	42409 Blueberry
42404 Snickerdoodle		

ECHO — GRADE 4

100% Pre-Consumer Recycled Polyester
54" Wide
Polyester Binder Finish; No Backing
Repeat: 6.75" H x 11.25" V
Cleaning Code: WS
100,000 Double Rubs

41108 Crystal	41110 Peppercorn	41112 Cedar
41109 Oxide	41111 Cabochon	41114 Henna

NATIONAL SEATING FABRIC OFFERING

Shaded patterns are available on Quick Delivery models

MASQUERADE — GRADE 4

100% Vinyl
54" Wide
PERMA**BLOK**® Finish; 100% Polyester Hi-Loft™ Backing
Repeat: None
Cleaning Code: Use a soft cloth or sponge with mild soap and water to remove most soil and stains or 10:1 Bleach Solution. See swatch card for additional cleaning info.
100,000 Double Rubs

41600 Alaska	41606 Truffle	41612 Vanilla
41601 Sage	41607 Thunder	41613 Viridian
41602 Goldenrod	41608 Wisteria	41614 Aegean
41603 Coral	41609 Indigo	41615 Sky
41604 Clay	41610 Sapphire	41616 Aqua
41605 Rose	41611 Desert	41617 Driftwood

MODE — GRADE 5

80% Post-Consumer Recycled Polyester, 20% Polyester
54" Wide
PFOA-Free Stain Repellent Finish; No Backing
Repeat: None
Cleaning Code: WS
100,000 Double Rubs

51803 Carotene	51809 Denim	51814 Hollow
51804 Kermes	51810 Intaglio	51815 Ominous
51806 Talus	51811 Clavicle	51816 Sassafras
51807 Crush	51812 Billygoat	
51808 Saltwater	51813 Sycamore	

ESSENCE/ULTRALEATHER™ — GRADE 6

100% Polycarbonate Polyurethane
54" Wide
No Finish; 100% Reinforced Rayon Backing
Repeat: None
Cleaning Code: Use a soft cloth or sponge with mild soap and water to remove most soil and stains. See swatch card for additional cleaning info.
400,000 Double Rubs

3614 Stone	3663 Walnut	3684 Charcoal
3615 Dove Grey	3667 Taupe	3690 Papyrus
3617 White	3679 Raven	3691 Pelican
3628 Midnight Metallic	3683 Pecan	3692 Admiral

BRISA® — GRADE 7

100% Polycarbonate Polyurethane
54" Wide
No Finish; 65% Polyester, 35% Rayon Backing
Repeat: None
Cleaning Code: Use a soft cloth or sponge with mild soap and water to remove most soil and stains. See swatch card for additional cleaning info.
200,000 Double Rubs

71001 Black Onyx	71007 Bark	71012 Sterling Blue
71002 Cambridge Blue	71008 Truffle	71013 Canyon
71005 Ash	71011 Desert Clay	

BRISA® DISTRESSED — GRADE 7

100% Polycarbonate Polyurethane
54" Wide
No Finish; 65% Polyester, 35% Rayon Backing
Repeat: None
Cleaning Code: Use a soft cloth or sponge with mild soap and water to remove most soil and stains. See swatch card for additional cleaning info.
200,000 Double Rubs

72003 Lasso	72007 Moccasin	72009 Shield
72005 Iron	72008 Stormy	72010 Steerhide

REEF PRO — GRADE 7

100% Polycarbonate Polyurethane
54" Wide
No Finish 65% Polyester, 35% Rayon Backing
Repeat: None
Cleaning Code: Use a soft cloth or sponge with mild soap and water to remove most soil and stains. See swatch card for additional cleaning info.
400,000 Double Rubs

71201 Captain	71204 Hammerhead	71207 Lionfish
71202 Boardwalk	71205 Stingray	71208 Saltwater
71203 Beluga	71206 Squid	

SILICA™ — GRADE 7

100% Silicone
54" Wide
No Finish; Polyester Backing
Repeat: None
Cleaning Code: W or 4:1 Bleach Solution
365,000 Double Rubs

70901 Appletini	70909 Cumulus	70917 Alloy
70906 Terra	70910 Gallant	70919 Haze
70907 Nero	70912 Ginger	70920 Tropic
70908 Skyward	70915 Quartz	70922 Eclipse

SILICA ETCH — GRADE 7

100% Silicone
54" Wide
No Finish; 100% Polyester Backing
Repeat: None
Cleaning Code: W or 4:1 Bleach Solution
270,000 Double Rubs

70701 Flint	70704 Manta	70707 Slate
70702 Ink	70705 Mink	70708 Wistful
70703 Juniper	70706 Rain	

TOTTORI — GRADE 7

100% Polycarbonate Polyurethane
54" Wide
No Finish 65% Polyester, 35% Rayon Backing
Repeat: None
Cleaning Code: Use a soft cloth or sponge with mild soap and water to remove most soil and stains. See swatch card for additional cleaning info.
400,000 Double Rubs

71401 Ginseng	71406 Soba	71411 Sand Castle
71402 Terrain	71407 Soy Sauce	71412 Classic Grey
71403 Rice Paper	71408 Blue Mirage	71413 Black Sesame
71404 Tatami Mat	71409 Hot Spring	
71405 Desert Dune	71410 Shibori Blue	

Shaded patterns are available on Quick Delivery models

DAVENPORT — GRADE L7

100% Top Grain Leather
Pigments, Protected by Crypton®
Semi-Aniline Finish Powered by Crypton; No Backing
Repeat: None
Cleaning Code: Occasional dusting with a dry cloth should be all that is necessary to clean and maintain. 1:10 Bleach Solution. See swatch card for additional cleaning info.
1,000 Cycles

70102 Camel	70117 Smoke	70123 Berry
70105 Bark	70119 Spring	70124 Bay View
70111 Brown	70120 Porcellana	70125 Fog
70112 Atlantis	70121 Cream	
70115 Black	70122 Wet Sand	

FLORENCE — GRADE L8

100% Top Grain Leather
Aniline Waxy Finish Powered by Crypton; No Backing
Distressed appearance
Repeat: None
Cleaning Code: Occasional dusting with a dry cloth should be all that is necessary to clean and maintain. 1:10 Bleach Solution. See swatch card for additional cleaning info.
500 Cycles

82001 Red Lily	82007 Vino Rosso	82013 Lorenzo
82002 Almond Biscotti	82008 Mezza Luna	82014 Basilica
82003 Brick Path	82009 Struzzo	82015 Loggia
82004 Oceano	82010 Espresso	82016 Black Pearl
82005 Boboli Gardens	82011 Duomo	
82006 Terra	82012 Scorza	

CUT YARDAGE PROGRAM

All National textiles and leathers are available on a cut yardage basis. Cut yardage must be ordered in full yards. List prices include freight.

Fabric Price Grade	US List Price Per Yard
1	$ 65
2	$101
3	$130
4	$174
5	$208
6	$279
7	$352

Leather Price Grade	US List Price Per Half Hide (25-28 sq ft)	US List Price Per Full Hide (50-57 sq ft)
L7	$ 1018	$ 2091
L8	$ 1211	$ 2489

How to specify cut yardage:

1. Model Number

   NOFUPHCUTYDG = seating fabric
   NOFLTHRHHIDE = leather (half hide)
   NOFLTHRFHIDE = leather (full hide)

2. Upholstery Grade

3. Upholstery Number

CLEANING FABRICS:

CLEANING CODE S

- Use only mild, pure water-free cleaning solvents.
- Cleaning by a professional furniture service is recommended.

CLEANING CODE WS

- Use water-based cleaning agents or foam. Mild water-free solvents may also be used.
- Cleaning by a professional furniture service is recommended.

CLEANING CODE W

- Use water-based cleaning agents or foam.
- Cleaning by a professional furniture service is recommended.

CLEANING LEATHER:

REGULAR CLEANING

- Remove as much soil or staining as possible by carefully vacuuming or brushing.
- Dust with a dry or damp cloth.

DEEP CLEANING

- Use mild non-detergent soap or cleaner. Wipe surface with a light circular motion. Repeat with clean water.
- Do not soak leather.
- Pat dry.
- Reference leather card for more information.

FABRIC CHARACTERISTICS

Different fabrics/constructions will respond better than others to specific seating applications. Certain fabrics/constructions are more prone to relaxing over time and can demonstrate characteristics such as wrinkling, pilling, fuzzing, and puddling. Some upholsteries may experience dye transfer (clothing dyes transfer to the seating fabric). This does not mean that the fabric or application is deficient, but rather it is an inherent characteristic of that fabric or application and is considered normal behavior.

LEATHER CHARACTERISTICS

Leather is a natural product. Healed scars, scratches, cuts, and stretch marks are natural markings and are characteristics of leather. Leather may experience dye transfer (clothing dyes transfer to the leather). This does not mean that the leather or application is deficient, but rather it is an inherent characteristic of that leather or application and is considered normal behavior.

NATIONAL SEATING FABRIC GUIDELINES

TEXTILE APPLICATION GUIDELINES

National has listed textile application guidelines for each seating series. These guidelines are intended to help educate you of certain fabric characteristics. **Please make a point to review these guidelines when ordering National seating with National fabrics.** Application of the upholstery will be depicted as on the swatch card unless otherwise instructed on the order.

NATIONAL SEATING FABRICS

PATTERN	GRADE	FABRIC GUIDELINES	PATTERN MATCH
Bliss	2	none	non-matched
Brilliant	2	none	non-matched
Brisa®	7	none	non-matched
Brisa® Distressed	7	none	non-matched
Cali	1	none	non-matched
Connect Four	4	1	non-matched
Davenport	L7	none	non-matched
Dolce	2	none	non-matched
Dorset	2	none	non-matched
Echo	4	none	non-matched
Entwine	1	none	non-matched
Essence/Ultraleather™	6	none	non-matched
Florence	L8	none	non-matched
Input	1	none	non-matched
Intuition	2	none	non-matched
Masquerade	4	none	non-matched
Melange	1	none	non-matched
Mode	5	none	non-matched
Orbit	2	2	matched
Phrase	2	2	matched
Pixie	2	none	non-matched
Reef Pro	7	none	non-matched
Ridge	1	none	non-matched
Sedona	2	1	non-matched
Silica™	7	none	non-matched
Silica Etch	7	none	non-matched
Silvertex™	3	1	non-matched
Spark	1	none	non-matched
Stancil	2	none	non-matched
Strand	2	none	non-matched
Tottori	7	none	non-matched
Vessel	1	none	non-matched
Zig Zag	1	none	non-matched

NATIONAL, ALLIANCE, AND COM FABRIC APPLICATION GUIDELINES

	TEXTILE APPLICATION GUIDELINES						
CASEGOODS SERIES	1	2	3	4	5	6	7
Wixler	✓		✓	✓			
Marnia			✓	✓		✓	✓

TEXTILE APPEARANCE GUIDELINES

Please note that these guidelines are here to help you have the best looking product that National can provide. Guidelines 1–4 are simply explanations of what you may see on your product. We can still upholster fabrics associated with these guidelines, but you may see some of the characteristics described.

1 Due to thickness and or stiffness this textile may result in gathers and puckers around corners, contours, and certain seams.
2 Patterns are considered matched directional; however, decorative stitching, tufting/buttons, seams, and seat to back on corner, wedge, and diagonal units may not align due to pattern configuration.
3 Textile with high nylon or wool content (more than 50%) may show signs of material stretch and lack of rebound when room temperatures fluctuate.
4 Mohair, velvet, and chenille may be easily bruised or have the potential of crooked seams due to the heavy nap and flip.

TEXTILE RESTRICTION GUIDELINES

Fabrics associated with guidelines 5 and 6 prevent us from upholstering the applicable models.

5 This textile cannot be used for glue application. Potential issues could include poor adhesion quality to the mating surface, separation of the fabric face from the backing, or glue bleeding through the fabric.
6 Thin and/or loosely woven textiles cannot be used due to potential fabric separation at the seams.
7 This textile has an uneven/irregular surface and cannot be used with topstitch upholstering. The topstitch disrupts the visual appearance of the upholstery. You can contact By Design to see if it is possible to remove the model's top stitch in order to use the fabric.

ALLIANCE PROGRAM OVERVIEW

National has developed joint programs with Arc-Com, Carnegie, Designtex, Maharam, Mayer, Momentum, Stinson and Ultrafabrics to offer you quality office seating with exciting lines of designer upholsteries. This program enables you to issue just 1 purchase order, providing simplified ordering and the most convenient, yet complete, seating choices available from a single source. All Alliance patterns meet TB117-2013.

APPLICATION

Application of the Alliance Program upholstery will be depicted as on the memo sample or website. If a different application is desired the pattern will need to be custom quoted.

Directional upholstery, such as stripes, patterns, and plaids may not be suitable for chairs with contoured shapes, tufting, or decorative stitching. Every effort is made to upholster all chairs as expertly as possible; however such orders are not subject to return.

Fabric that requires non-stock special treatments such as flame proofing, anti-microbial treatment, electrical conductive backing, water repellent, stain repellent, or acrylic backing are not part of this program. Such orders will need to be custom quoted.

LEAD TIMES/AVAILABILITY

Models specified with Alliance Program fabrics will be acknowledged at standard lead times based on the supplier's delivery schedule. Exceptions may occur when extended lead times apply. Each supplier reserves the right to discontinue patterns and colors. National will not be held responsible for suppliers discontinuing patterns/colors or when minimum order quantities apply. Contact customer service for availability before finalizing orders.

WARRANTY

Alliance Program fabrics are non-standard materials and are **not** covered under our warranty.

PRICING

Alliance Program graded pricing includes the cost of material. Repeat is also accounted for and no additional upcharge is required.

FABRIC AND SEATING CONSTRUCTION

Different fabrics and seating constructions will respond better than others to specific seating applications. Certain fabric constructions are more prone to relaxing over time and may demonstrate characteristics such as wrinkling, pilling, fuzzing, or puddling. Some upholsteries may experience dye transfer (clothing dyes transfer to the seating fabric.) This does not indicate that the fabric or application is deficient, but rather it is an inherent characteristic of that fabric or application and is considered normal behavior.

Important: The information provided was the most current information available at the time this price list was printed. Contact customer service for availability before finalizing orders.

FABRIC SAMPLES

If you need samples for presentation(s), contact our alliance partners directly at:

Arc-Com	800.223.5466	arc-com.com
Carnegie	800.727.6770	carnegiefabrics.com
Designtex	800.221.1540	designtex.com
Maharam	800.645.3943	maharam.com
Mayer	800.428.4415	mayerfabrics.com
Momentum	800.366.6839	memosamples.com
Stinson	800.841.6279	cfstinson.com
Ultrafabrics	877.309.6648	ultrafabricsllc.com

Reference NationalOfficeFurniture.com/Alliance for the most up-to-date fabric guidelines, grades and additional pattern/color availability.

COM

COM (CUSTOMER'S OWN MATERIAL)

Select casegoods can be upholstered with appropriate material furnished by the customer. All COM/COL must meet applicable codes and regulations, including TB117-2013, California Assembly Bill 2998, and California Proposition 65. For more information on California Proposition 65 and AB 2998 go to https://www.p65warnings.ca.gov/products/furniture-products and https://leginfo.legislature.ca.gov/faces/billTextClient.xhtml?bill_id=201720180AB2998, respectively. By selecting COM/COL, customer certifies that the material meets such codes and regulations. Customer is solely responsible for compliance and may contact a) fabric manufacturer to confirm certification or b) assistance from National Office Furniture.

National Office Furniture strives to create upholstered products with no intentionally added fire retardants. Written confirmation is required confirming that fabric or leather (COM/COL) provided by the customer does NOT contain any added fire retardant chemicals, preferably from the material manufacturer. National truly appreciates your understanding and support of this commitment. If you have any questions or comments, please contact your customer support representative(s).

Prices are listed under grade 2/B, depending upon product type.

Grade 2 seating fabric – mobile pedestal cushion tops, box/file height storage cushions, and Tessera

Grade B tack board fabric – Epicenter, Exhibit, privacy screens, and tack boards

COM is not available on Quick Delivery tack board models.

COM yardage requirements for mobile pedestal cushion tops, box/file height storage cushions, and Tessera in this price list are based on the use of 54" wide fabric and the fabric being cut "up the roll". If the COM fabric is to be railroaded, please contact customer service for revised yardage requirements.

COM yardage requirements for Epicenter, Exhibit, privacy screens, and tack boards in this price list are based on the use of non-directional fabric 54" and 66" wide. All tack board products are upholstered with railroaded fabric.

- When ordering 10 or more COM models, consult customer service for exact yardage requirements
- Reference pages 585-588 for COM yardage requirements
- Please refer to the textile application guidelines listed on page 10 or the COM Approval Search/listing on NationalOfficeFurniture.com

COM DISPOSAL

- Leftover COM from an order is held for 6 weeks
- COM not tied to an order is held for 3 months

COM DECORATIVE/DIRECTIONAL FABRICS

Mobile pedestal cushion tops, box/file height storage cushions, and Wixler:

- Yardage requirements are greatly affected by not only size of repeats but also by the print or pattern
- National will cut patterns with aesthetic concerns in mind for high quality and consistency
- Some COM fabrics are considered directional that may not be considered directional by the fabric supplier, due to the upholstering process used by National
- Application of the COM upholstery will be depicted as on the COM supplier memo sample or website. If a different application is desired the pattern would need to be custom quoted.

Epicenter, Exhibit, and Tack Boards:

- Yardage requirements based upon roll width and tack board size. Pattern repeat is not taken into account. If the fabric pattern needs to be upholstered in a specific manner, a quote will be required to see if possible.
- Epicenter, Exhibit, privacy screens, and tack boards will have railroaded fabric application

FLAMMABILITY

- TB133 models are not available for mobile pedestal cushion tops and box/file height storage cushions. This request would need to be custom quoted.
- COM must be U.L. recognized for use on Epicenter
- COM must be U.L. recognized, meet ASTM E84 Class A, NFPA 701, or GSA 100% Polyester Waiver Program for use on Alloy, NAC Edgemount/Set On Privacy Screens, Return to Work Screens, Tackboards - Exhibit, NAC Accessory Tack boards, Tessera, WaveWorks Metal
- If ASTM-E84 Class A is requested for Exhibit, a quote will be required
- If a fabric is selected with specifications different from those listed above, the customer has the option of having it burn tested to see if meets the requirements. ASTM-E84 testing requested by the customer will require a custom quote. For cost estimates, contact customer service. The fabric/tack board burn test results will determine whether future orders can be entered as standard product or custom quotes. Each instance may vary.
- Letters of assurance are available upon request. A letter of assurance verifies that an ASTM E-84 test was conducted on a combination of tack board/fabric comparable to the requested tack board/fabric.

COM EVALUATION

National reserves the right to inspect, approve, or reject any COM. National approval signifies only that such textile can be applied to the products for which intended. Such approval does not constitute any responsibility, liability, or warranty on the part of National as to appearance, behavior, durability, or tailoring of COM.

CONFIRM COM APPLICATION

Visit NationalOfficeFurniture.com to see if your COM has already been evaluated for application.

Mobile pedestal cushion tops and box/file height storage cushions:

If the COM has not been evaluated prior to placing the order, please send a memo sample to:

National Office Furniture
Attn: COM Coordinator
1600 Royal Street
Jasper, IN 47546

Epicenter, Exhibit, Fabric Privacy Screens, Tack Boards (all tackable fabrics):

Application testing is required for non-preapproved COM tack fabrics. Contact your Customer Service Team for the appropriate forms to initiate application testing.

ALL COM ORDERS MUST:

1. Include fabric supplier's name, fabric name/number, and color name/number

To help expedite your order, we recommend the COM supplier to include the following information:

1. Dealer Name and Purchase Order Number
2. National Model Numbers
3. Ship Prepaid to

Mobile Pedestals with Cushion Tops and Cushions for Box/File Height Storage:

National Office Furniture
Attn: COM Administrator
340 East 11th Avenue
Jasper, IN 47546

Epicenter, Exhibit, Privacy Screens, and Tack Boards

Kimball International
Attn: COM Department
1037 E 15th Street Docks 12-13 Plant 5
Jasper, IN 47546

Without all necessary information listed above to properly match the fabric to the dealer's purchase order, extended lead times may apply.

HOW TO ORDER NATIONAL CASEGOODS WITH COM

Specify:

1 Model Number
2. Fabric Manufacturer
3. Pattern Name and/or Number
4. Color Name and/or Number

SAMPLE ORDER NUMBERS:

Following is a sample order number for a Model NAC6920TBRA

NAC6920TBRA—Accessory Tack Board upholstered in Designtex Circuit in 5121 101 Pebble color

NAC6920TBRA	/	COM	/	Designtex	/	Circuit	/	5121 101 Pebble
Model		Grade		Manufacturer		Pattern		Color

GALLERY LAMINATE AND CSL

GALLERY LAMINATE PROGRAM

PROGRAM DETAILS

The Gallery Laminate program is an on-trend collection curated from trusted laminate suppliers. As we know, trends come and go, sometimes quite quickly. When we see colors/patterns losing industry presence, we will delete and replace with new styles. Gallery Laminates that remain popular could possibly transition into the National Standard Laminate program.

- HPL, TFL, and PVC rims are included in the program
- For each Gallery selection made, an upcharge will be applied, based on the grade
- National orders and procures all Gallery Laminates
- Gallery Laminate program is not available on all products within our offering
- Due to Gallery Laminate size availability, some restrictions may occur. This is noted with bullets under impacted model numbers within the price list

GALLERY LAMINATE OPTIONS

GRADE 1 – 5% upcharge
G1001 Citadel
G1011 Pepperdust

GRADE 2 – 6% upcharge
G1002 Planked Raw Oak
G1003 Evening Notte
G1004 Kirsche
G1005 Midnight Run
G1006 Sepia Walnut
G1007 Serotina
G1008 Timeless
G1009 White Nebbia
G1012 Phantom Ecru

GALLERY ORDERING PROCESS

- Order Gallery Laminate in the same manner as ordering National Standard Laminate
- Six week lead time
- Same warranty as National Laminate

UPCHARGE DETAILS

The percentage upcharge is applied to each Gallery Laminate selection and the total is added to the original list price. Gallery Laminate Grade 1 incurs a 5% upcharge, while Gallery Laminate Grade 2 incurs a 6% upcharge. Please note, the same model may incur multiple upcharges based on the total number of Gallery Laminate locations selected on the specific model. Refer to examples below for further details.

UPCHARGE EXAMPLES

86N364829WKF2L – Strassa Worksurface Height Full Modesty
Rim Profile- VG1008 Timeless (Grade 2) = 6% upcharge
Laminate Top- G1008 Timeless (Grade 2) = 6% upcharge
Modesty Laminate- G1008 Timeless (Grade 2) = 6% upcharge
Chassis Laminate- G1008 Timeless (Grade 2) = 6% upcharge
This example incurs a 24% list upcharge as Gallery Grade 2 Laminate was selected within 4 areas of this model

86N364829WKF2L – Strassa Worksurface Height Full Modesty
Rim Profile - V478 Platinum Grey (Standard NOF) = no upcharge
Laminate Top- 478 Platinum Grey (Standard NOF) = no upcharge
Modesty Laminate- G1011 Pepperdust (Grade 1) = 5% upcharge
Chassis Laminate- G1003 Evening Notte (Grade 2) = 6% upcharge
This example incurs a 11% list upcharge as Gallery Grade 1 and Gallery Grade 2 Laminate was selected within 2 areas of this model

86N364829WKF2L – Strassa Worksurface Height Full Modesty
Rim Profile- V405 Designer White (Standard NOF) = no upcharge
Laminate Top- G1011 Pepperdust (Grade 1) = 5% upcharge
Modesty Laminate- 405 Designer White (Standard NOF) = no upcharge
Chassis Laminate- 405 Designer White (Standard NOF) = no upcharge
This example incurs a 5% list upcharge as Gallery Grade 1 Laminate was selected within 1 area of this model

83N24RDL Footings Round Top
Rim Profile- KG1001 Citadel (Grade 1) = 5% upcharge
Laminate Top- G1001 Citadel (Grade 1) = 5% upcharge
This example incurs a 10% list upcharge as Gallery Grade 1 Laminate was selected within 2 areas of this model

89N1616TRDL Marnia Round Table
Laminate Top- G1005 Midnight Run (Grade 2) – 6% upcharge
This example incurs a 6% list upcharge as Gallery Grade 2 Laminate was selected within 1 area of this model

CUSTOMER SPECIFIED LAMINATE (CSL) PROGRAM

PROGRAM DETAILS

National understands that some orders have specialized needs regarding laminate specifications. In order to better service our customers, National has partnered with suppliers to offer a CSL laminate program for **HPL worksurfaces only:**

- A **10% upcharge** applies to all CSL laminate orders
- National orders and procures all CSL customer specified laminates
- CSL program is not available on all laminate products within our offering
- Due to CSL sheet size availability, some restrictions may occur

CSL ORDERING PROCESS

- Laminate sheen level not to exceed 60º for maximum durability of worksurfaces
- Send purchase order and quantities to customer service
  Please include:
  1. Manufacturer's Name
  2. Laminate Name/Laminate Number
- Lead times may vary for certain laminates and quantities, contact customer service for details

CSL POLICY

- National reserves the right to decline a laminate which may not be suitable for application
- National assumes no responsibility for the durability, consistent coloration, or any other performance characteristic of a customer specified laminate

CONFERENCE TABLE TOP SHAPES AND SIZES

SERIES	SHAPES ROUND	SQUARE	RECTANGLE	BOAT	RACETRACK
ARROWOOD MODIFIED SIZING AVAILABLE ON RECTANGLE SEE PAGE 19		30" X 30" 36" X 36" 42" X 42" 48" X 48" 54" X 54" 60" X 60"	36" X 72" 42" X 84" 48" X 96" 48" X 120" 48" X 144" 48" X 168" 48" X 192" 48" X 216" 48" X 240" 60" X 144" 60" X 168" 60" X 192" 60" X 216" 60" X 240"		
BARRINGTON MODIFIED SIZING AVAILABLE ON RECTANGLE AND BOAT SEE PAGE 19	30" 36" 42" 48" 54" 60"	30" x 30" 36" x 36" 42" x 42" 48" x 48" 54" x 54" 60" x 60"	36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"	36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"	
EPIC MODIFIED SIZING AVAILABLE ON RECTANGLE, BOAT, AND RACETRACK SEE PAGE 19	30" 36" 42" 48" 54" 60"	30" x 30" 36" x 36" 42" x 42" 48" x 48" 54" x 54" 60" x 60"	36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"	36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"	36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"
ESCALADE MODIFIED SIZING AVAILABLE ON RECTANGLE AND BOAT SEE PAGE 19	30" 36" 42" 48"	30" x 30" 36" x 36" 42" x 42" 48" x 48" 54" x 54" 60" x 60"	36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"	36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"	
UNIVERSAL	24" 30" 36" 42" 48" 54" 60"	24" x 24" 30" x 30" 36" x 36" 42" x 42" 48" x 48" 54" x 54" 60" x 60"	36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"	36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"	36" x 72" 42" x 84" 48" x 96" 48" x 120" 48" x 144" 48" x 168" 48" x 192" 48" x 216" 48" x 240" 60" x 144" 60" x 168" 60" x 192" 60" x 216" 60" x 240"

CONFERENCE TABLE TOP SHAPES AND SIZES

	SHAPES				
					
SERIES	**ROUND**	**SQUARE**	**RECTANGLE**	**BOAT**	**RACETRACK**
WAVEWORKS MODIFIED SIZING AVAILABLE ON RECTANGLE, BOAT, AND RACETRACK SEE PAGE 19	30" 36" 42" 48" 54" 60" 72" 96"	30" X 30" 36" X 36" 42" X 42" 48" X 48" 54" X 54" 60" X 60"	36" X 72" 42" X 84" 48" X 96" 48" X 120" 48" X 144" 48" X 168" 48" X 192" 48" X 216" 48" X 240" 60" X 144" 60" X 168" 60" X 192" 60" X 216" 60" X 240"	36" X 72" 42" X 84" 48" X 96" 48" X 120" 48" X 144" 48" X 168" 48" X 192" 48" X 216" 48" X 240" 60" X 144" 60" X 168" 60" X 192" 60" X 216" 60" X 240"	36" X 72" 42" X 84" 48" X 96" 48" X 120" 48" X 144" 48" X 168" 48" X 192" 48" X 216" 48" X 240" 60" X 144" 60" X 168" 60" X 192" 60" X 216" 60" X 240"

FUNCTIONAL SEATING CAPACITY

Reference the chart for the number of seats which can be used with each top size. Value ranges between how many can comfortably sit around the table and how many can tightly fit.

N/A denotes the shape is not applicable to a specific top size.

	TOP SHAPES				
TOP SIZES	ROUND	SQUARE	RECTANGLE	 BOAT	 RACETRACK
24" X 24"	4	4	N/A	N/A	N/A
30" x 30"	4	4	N/A	N/A	N/A
36" x 36"	4	4	N/A	N/A	N/A
42" x 42"	4	4	N/A	N/A	N/A
48" x 48"	4	4	N/A	N/A	N/A
54" x 54"	5	4	N/A	N/A	N/A
60" x 60"	6	4–6	N/A	N/A	N/A
72" x 72"	7	N/A	N/A	N/A	N/A
96" x 96"	9-10	N/A	N/A	N/A	N/A
36" x 72"	N/A	N/A	6	6	6
42" x 84"	N/A	N/A	6	6	6
48" x 96"	N/A	N/A	6–8	6–8	6–8
48" x 120"	N/A	N/A	8–10	8–10	8–10
48" x 144"	N/A	N/A	10–12	10–12	10–12
48" x 168"	N/A	N/A	12–14	12–14	12–14
48" x 192"	N/A	N/A	14–16	14–16	14–16
48" x 216"	N/A	N/A	16–18	16–18	16–18
48" x 240"	N/A	N/A	18–20	18–20	18–20
60" x 144"	N/A	N/A	10–12	10–12	10–12
60" x 168"	N/A	N/A	12–14	12–14	12–14
60" x 192"	N/A	N/A	14–16	14–16	14–16
60" x 216"	N/A	N/A	16–18	16–18	16–18
60" x 240"	N/A	N/A	18–20	18–20	18–20

NUMBER OF PIECES PER TABLE TOP

Larger top sizes are composed of multiple pieces. Reference the chart for the number of pieces for each top size.

N/A denotes the shape is not applicable to a specific top size.

- 120" wide tops for the following will be in 1 piece: Tessera, Footings, and Strassa

	TOP SHAPES				
TOP SIZES	ROUND	SQUARE	RECTANGLE	 BOAT	 RACETRACK
24" X 24"	1	1	N/A	N/A	N/A
30" x 30"	1	1	N/A	N/A	N/A
36" x 36"	1	1	N/A	N/A	N/A
42" x 42"	1	1	N/A	N/A	N/A
48" x 48"	1	1	N/A	N/A	N/A
54" x 54"	1	1	N/A	N/A	N/A
60" x 60"	1	1	N/A	N/A	N/A
72" x 72"	2	N/A	N/A	N/A	N/A
96" x 96"	2	N/A	N/A	N/A	N/A
36" x 72"	N/A	N/A	1	1	1
42" x 84"	N/A	N/A	1	1	1
48" x 96"	N/A	N/A	1	1	1
48" x 120"	N/A	N/A	2	2	2
48" x 144"	N/A	N/A	2	2	2
48" x 168"	N/A	N/A	2	2	2
48" x 192"	N/A	N/A	2	2	2
48" x 216"	N/A	N/A	3	3	3
48" x 240"	N/A	N/A	3	3	3
60" x 144"	N/A	N/A	2	2	2
60" x 168"	N/A	N/A	2	2	2
60" x 192"	N/A	N/A	2	2	2
60" x 216"	N/A	N/A	3	3	3
60" x 240"	N/A	N/A	3	3	3

CONFERENCE TOP SIZE MODIFICATIONS

- Available on all series except Universal
- Modified sizing not available on round/square tables in any series
- Size modifications (cut downs) are available at no upcharge on rectangular, boat, and racetrack conference table tops
- The tops can be cut down in 6" increments on the depth, width, or both
- Available cut down sizes are noted in the chart below
- For specific conference top models that allow modified sizing, see notes under the individual models within the price list

• STANDARD SIZE
– MODIFIED SIZE

DEPTH

WIDTH	36"	42"	48"	54"	60"	NUMBER OF PIECES
240"		–	•	–	•	3
234"		–	–	–	–	3
228"		–	–	–	–	3
222"		–	–	–	–	3
216"		–	•	–	•	3
210"		–	–	–	–	3
204"		–	–	–	–	3
198"		–	–	–	–	3
192"		–	•	–	•	2
186"		–	–	–	–	2
180"		–	–	–	–	2
174"		–	–	–	–	2
168"		–	•	–	•	2
162"		–	–	–	–	2
156"		–	–	–	–	2
150"		–	–	–	–	2
144"		–	•	–	•	2
138"		–	–	–	–	2
132"		–	–	–	–	2
126"		–	–	–	–	2
120"	–	–	•			2
114"	–	–	–			2
108"	–	–	–			2
102"	–	–	–			2
96"	–	–	•			1
90"	–	–	–			1
84"	–	•				1
78"	–	–				1
72"	•					1
66"	–					1
	36"	42"	48"	54"	60"	NUMBER OF PIECES

DEPTH

ROUND GROMMET LOCATIONS

- Grommet also offered as field installable solution – reference page 556
- For 168", 192", 216", and 240" tops, the center grommet location consists of 2 grommets (upcharge will reflect 2 grommets)
- Center grommets in 120" and 144" tops will be located on a seam
- Center grommets in 168" and 192" 2 piece tops will be installed on each side of seam at designated locations shown below
- G10 grommets are shipped installed except for the center option on 120" and 144" tops
- Reference pages 56-57 for Base Placement Guide

***60" wide tops will be 29⅝" to the center of the side dimension**



- NACG10EL Round Electrical Grommet

- Must be ordered separately
- G10 Round Grommet

⊢ 4¼" ⊣

TABLE LENGTHS (IN)

GROMMET LOCATION/ OPTIONS	36"-60"					72"					84"					96"					120" 2 PIECE TOP				
G10C CENTER		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
	36"	18"	–	–	–	72"	–	36"	–	–	84"	–	42"	–	–	96"	–	48"	–	–	120"	–	60"	–	–
	42"	21"	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	48"	24"	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	54"	27"	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	60"	30"	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
G10E END	N/A						A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
						72"	16"	–	–	–	84"	19"	–	–	–	96"	22"	–	–	–	120"	18"	–	–	–
G10LR LEFT, RIGHT	N/A						A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
						72"	16"	–	–	56"	84"	19"	–	–	65"	96"	22"	–	–	74"	120"	18"	–	–	102"
G10A ALL	N/A						A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
						72"	16"	36"	–	56"	84"	19"	42"	–	65"	96"	22"	48"	–	74"	120"	18"	60"	–	102"
G10CE CENTER, END	N/A						A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
						72"	16"	36"	–	–	84"	19"	42"	–	–	96"	22"	48"	–	–	120"	18"	60"	–	–

ROUND GROMMET LOCATIONS

- Grommet also offered as field installable solution – reference page 556
- For 168", 192", 216", and 240" tops, the center grommet location consists of 2 grommets (upcharge will reflect 2 grommets)
- Center grommets in 120" and 144" tops will be located on a seam
- Center grommets in 168" and 192" 2 piece tops will be installed on each side of seam at designated locations shown below
- G10 grommets are shipped installed except for the center option on 120" and 144" tops
- Reference pages 56-57 for Base Placement Guide

***60" wide tops will be 29⁵⁄₁₆" to the center of the side dimension**



- NACG10EL Round Electrical Grommet

- Must be ordered separately

- G10 Round Grommet

⊢ 4¼" ⊣

TABLE LENGTHS (IN)

GROMMET LOCATION/ OPTIONS	144" 2 PIECE TOP					168" 2 PIECE TOP					192" 2 PIECE TOP					216" 3 PIECE TOP					240" 3 PIECE TOP				
G10C CENTER		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
	144"	–	72"	–	–	168"	–	61"	107"	–	192"	–	70"	122"	–	216"	–	79"	137"	–	240"	–	88"	152"	–
G10E END		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
	144"	22"	–	–	–	168"	19"	–	–	–	192"	22¼"	–	122"	–	216"	25¼"	–	–	–	240"	28¼"	–	–	–
G10LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
	144"	22"	–	–	122"	168"	19"	–	–	149"	192"	22¼"	–	–	169¾"	216"	25¼"	–	–	190¾"	240"	28¼"	–	–	211¾"
G10A ALL		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
	144"	22"	72"	–	122"	168"	19"	61"	107"	149"	192"	22¼"	70"	122"	169¾"	216"	25¼"	79"	137"	190¾"	240"	28¼"	88"	152"	211¾"
G10CE CENTER, END		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
	144"	22"	72"	–	–	168"	19"	61"	107"	–	192"	22¼"	70"	122"	–	216"	25¼"	79"	137"	–	240"	28¼"	88"	152"	–

1 TOUCH DOUBLE PIVOTING POWER GROMMET CUTOUT LOCATIONS

- Grommet also available as field installable solution, reference pages 560-562
- For 168", 192", 216", and 240" tops, the center grommet location consists of 2 grommets (upcharge will reflect 2 grommets)
- Center grommets in 120" and 144" tops will be located on a seam
- Center grommets in 168" and 192" 2 piece tops will be installed on each side of seam at designated locations shown below
- Wire managers (NAC0403WM) are included with conference top when CUT-G15 option is selected: 72", 84", and 96" tops will receive 1, 120" and 144"tops will receive 2, and 168", 192", 216", and 240" tops will receive 3
- Reference pages 56-57 for Base Placement Guide

***60" wide tops will be 29⁵⁄₁₆" to the center of the side dimension**



- NACG15AEL Double Pivoting Power Grommet



- Must be ordered separately
- CUT-G15 option



TABLE LENGTHS (IN)

GROMMET LOCATION/ OPTIONS	36"-60"					72"					84"					96"					120" 2 PIECE TOP				
		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
CUT-G15C CENTER	36"	18"	–	–	–	72"	–	36"	–	–	84"	–	42"	–	–	96"	–	48"	–	–	120"	–	60"	–	–
	42"	21"	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	48"	24"	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	54"	27"	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	60"	30"	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
CUT-G15E END	N/A						A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
						72"	18"	–	–	–	84"	21"	–	–	–	96"	24"	–	–	–	120"	20"	–	–	–
CUT-G15LR LEFT, RIGHT	N/A						A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
						72"	18"	–	–	54"	84"	21"	–	–	63"	96"	24"	–	–	72"	120"	20"	–	–	100"
CUT-G15A ALL	N/A						A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
						72"	–	–	–	–	84"	–	–	–	–	96"	24"	48"	–	–	120"	20"	60"	–	100"
CUT-G15CE CENTER, END	N/A						A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
						72"	–	–	–	–	84"	–	–	–	–	96"	24"	48"	–	–	120"	20"	60"	–	–

1 TOUCH DOUBLE PIVOTING POWER GROMMET CUTOUT LOCATIONS

- Grommet also available as field installable solution, reference pages 560-562
- For 168", 192", 216", and 240" tops, the center grommet location consists of 2 grommets (upcharge will reflect 2 grommets)
- Center grommets in 120" and 144" tops will be located on a seam
- Center grommets in 168" and 192" 2 piece tops will be installed on each side of seam at designated locations shown below
- Wire managers (NAC0403WM) are included with conference top when CUT-G15 option is selected: 72", 84", and 96" tops will receive 1, 120" and 144" tops will receive 2, and 168", 192", 216", and 240" tops will receive 3
- Reference pages 56-57 for Base Placement Guide

***60" wide tops will be 29⁵⁄₁₆" to the center of the side dimension**



- NACG15AEL Double Pivoting Power Grommet



- Must be ordered separately
- CUT-G15 option



TABLE LENGTHS (IN)

GROMMET LOCATION/ OPTIONS	144" 2 PIECE TOP					168" 2 PIECE TOP					192" 2 PIECE TOP					216" 3 PIECE TOP					240" 3 PIECE TOP				
CUT-G15C CENTER		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
	144"	–	72"	–	–	168"	–	63"	105"	–	192"	–	72"	120"	–	216"	–	81"	135"	–	240"	–	90"	150"	–
CUT-G15E END		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
	144"	24¼"	–	–	–	168"	21¼"	–	–	–	192"	24¼"	–	–	–	216"	27¼"	–	–	–	240"	30¼"	–	–	–
CUT-G15LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
	144"	24¼"	–	–	119¾"	168"	21¼"	–	–	146¾"	192"	24¼"	–	–	167¾"	216"	27¼"	–	–	188¾"	240"	30¼"	–	–	209¾"
CUT-G15A ALL		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
	144"	24¼"	72"	–	119¾"	168"	21¼"	63"	105"	146¾"	192"	24¼"	72"	120"	167¾"	216"	27¼"	81"	135"	188¾"	240"	30¼"	90"	150"	209¾"
CUT-G15CE CENTER, END		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D		A	B	C	D
	144"	24¼"	72"	–	–	168"	21¼"	63"	105"	–	192"	24¼"	72"	120"	–	216"	27¼"	81"	135"	–	240"	30¼"	90"	150"	–

POWER/DATA OASIS CUTOUT LOCATIONS

- Grommet is not field installable
- The Power/Data Oasis may be utilized with any wire access base with the exception of 120" and 144" wide tops with the G16 grommet options will not allow for square or cylinder bases to be utilized with a G16 grommet cutout installed on the ends of the unit. However, for the cleanest aesthetic, specify the panel base kit
- Center grommet on 168" and 192" tops will be located on a seam
- Wire managers (NAC0403WM) are included with conference top when CUT-G16 option is selected: 72", 84", and 96" tops will receive 1, 120" and 144" tops will receive 2, and 168", 192", 216", and 240" tops will receive 3
- Reference pages 56-57 for Base Placement Guide

***60" wide tops will be 29⅝" to the center of the side dimension**



- NACG162EL Data/Power Oasis



- Must be ordered separately
- CUT-G16 option



TABLE LENGTHS (IN)

GROMMET LOCATION/ OPTIONS	72"				84"				96"				120" 2 PIECE TOP				144" 2 PIECE TOP			
CUT-G16C CENTER		A	B	C		A	B	C		A	B	C		A	B	C		A	B	C
	72"	–	36"	–	84"	–	42"	–	96"	–	48"	–	120"	–	–	–	144"	–	–	–
CUT-G16E END		A	B	C		A	B	C		A	B	C		A	B	C		A	B	C
	72"	–	–	–	84"	–	–	–	96"	–	–	–	120"	40"	–	–	144"	48"	–	–
CUT-G16LR LEFT, RIGHT		A	B	C		A	B	C		A	B	C		A	B	C		A	B	C
	72"	–	–	–	84"	–	–	–	96"	–	–	–	120"	40"	–	80"	144"	48"	–	96"
CUT-G16A ALL		A	B	C		A	B	C		A	B	C		A	B	C		A	B	C
	72"	–	–	–	84"	–	–	–	96"	–	–	–	120"	–	–	–	144"	–	–	–
CUT-G16CE CENTER, END		A	B	C		A	B	C		A	B	C		A	B	C		A	B	C
	72"	–	–	–	84"	–	–	–	96"	–	–	–	120"	–	–	–	144"	–	–	–

POWER/DATA OASIS CUTOUT LOCATIONS

- Grommet is not field installable
- The Power/Data Oasis may be utilized with any wire access base with the exception of 120" and 144" wide tops with the G16 grommet options will not allow for square or cylinder bases to be utilized with a G16 grommet cutout installed on the ends of the unit. However, for the cleanest aesthetic, specify the panel base kit
- Center grommet on 168" and 192" tops will be located on a seam
- Wire managers (NAC0403WM) are included with conference top when CUT-G16 option is selected: 72", 84", and 96" tops will receive 1, 120" and 144" tops will receive 2, and 168", 192", 216", and 240" tops will receive 3
- Reference pages 56-57 for Base Placement Guide

***60" wide tops will be 29⁵⁄₁₆" to the center of the side dimension**



- NACG162EL Data/Power Oasis



- Must be ordered separately
- CUT-G16 option



TABLE LENGTHS (IN)

GROMMET LOCATION/ OPTIONS	168" 2 PIECE TOP				192" 2 PIECE TOP				216" 3 PIECE TOP				240" 3 PIECE TOP			
CUT-G16C CENTER		A	B	C		A	B	C		A	B	C		A	B	C
	168"	–	84"	–	192"	–	96"	–	216"	–	108"	–	240"	–	120"	–
CUT-G16E END		A	B	C		A	B	C		A	B	C		A	B	C
	168"	42"	–	–	192"	48¼"	–	–	216"	54¼"	–	–	240"	60¼"	–	–
CUT-G16LR LEFT, RIGHT		A	B	C		A	B	C		A	B	C		A	B	C
	168"	42"	–	126"	192"	48¼"	–	143¾"	216"	54¼"	–	161¾"	240"	60¼"	–	179¾"
CUT-G16A ALL		A	B	C		A	B	C		A	B	C		A	B	C
	168"	42"	84"	126"	192"	48¼"	96"	143¾"	216"	54¼"	108"	161¾"	240"	60¼"	120"	179¾"
CUT-G16CE CENTER, END		A	B	C		A	B	C		A	B	C		A	B	C
	168"	42"	84"	–	192"	48¼"	96"	–	216"	54¼"	108"	–	240"	60¼"	120"	–

GROMMET LOCATIONS ON TOPS INCLUDING MODIFIED SIZING

- G10 grommet is centered on the table top depth
- Grommet also offered as field installable solution – reference page 556
- For 168", 192", 216", and 240" tops, the center grommet location consists of 2 grommets (upcharge will reflect 2 grommets)
- Center grommets in 120" and 144" tops will be located on a seam
- Center grommets in 168" and 192" 2 piece tops will be installed on each side of seam at designated locations shown below
- G10 grommets are shipped installed except for the center option on 120" and 144" tops
- Reference pages 56-57 for Base Placement Guide

***60" wide tops will be 29⅝" to the center of the side dimension**



- G10 Round Grommet

⊢ 4¼" ⊣

- Cutout dimension is 89mm

- NACG10EL Round Electrical Grommet

- Must be ordered separately

TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	72"					84"					96"				
G10C CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	72"	–	36"	–	–	84"	–	42"	–	–	96"	–	48"	–	–
	66"	–	33"	–	–	78"	–	39"	–	–	90"	–	45"	–	–
G10E END		A	B	C	D		A	B	C	D		A	B	C	D
	72"	16"	–	–	–	84"	19"	–	–	–	96"	22"	–	–	–
	66"	14½"	–	–	–	78"	17½"	–	–	–	90"	20½"	–	–	–
G10LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	72"	16"	–	–	56"	84"	19"	–	–	65"	96"	22"	–	–	74"
	66"	14½"	–	–	51½"	78"	17½"	–	–	60½"	90"	20½"	–	–	69½"
G10A ALL		A	B	C	D		A	B	C	D		A	B	C	D
	72"	16"	36"	–	56"	84"	19"	42"	–	65"	96"	22"	48"	–	74"
	66"	14½"	33"	–	51½"	78"	17½"	39"	–	60½"	90"	20½"	45"	–	69½"
G10CE CENTER, END		A	B	C	D		A	B	C	D		A	B	C	D
	72"	16"	36"	–	–	84"	19"	42"	–	–	96"	22"	48"	–	–
	66"	14½"	33"	–	–	78"	17½"	39"	–	–	90"	20½"	45"	–	–

GROMMET LOCATIONS ON TOPS INCLUDING MODIFIED SIZING

- G10 grommet is centered on the table top depth
- Grommet also offered as field installable solution – reference page 556
- For 168", 192", 216", and 240" tops, the center grommet location consists of 2 grommets (upcharge will reflect 2 grommets)
- Center grommets in 120" and 144" tops will be located on a seam
- Center grommets in 168" and 192" 2 piece tops will be installed on each side of seam at designated locations shown below
- G10 grommets are shipped installed except for the center option on 120" and 144" tops
- Reference pages 56-57 for Base Placement Guide

***60" wide tops will be 29⁵⁄₁₆" to the center of the side dimension**



- G10 Round Grommet

⊢ 4¼" ⊣

- Cutout dimension is 89mm

- NACG10EL Round Electrical Grommet

- Must be ordered separately

TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	120"					144"					168"				
G10C CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	120"	–	60"	–	–	144"	–	72"	–	–	168"	–	61"	107"	–
	114"	–	57"	–	–	138"	–	69"	–	–	162"	–	58¾"	103¼"	–
	108"	–	54"	–	–	132"	–	66"	–	–	156"	–	56½"	99½"	–
	102"	–	51"	–	–	126"	–	63"	–	–	150"	–	54¼"	95¾"	–
G10E END		A	B	C	D		A	B	C	D		A	B	C	D
	120"	18"	–	–	–	144"	22"	–	–	–	168"	19"	–	–	–
	114"	17"	–	–	–	138"	21"	–	–	–	162"	18¼"	–	–	–
	108"	16"	–	–	–	132"	20"	–	–	–	156"	17½"	–	–	–
	102"	15"	–	–	–	126"	19"	–	–	–	150"	16¾"	–	–	–
G10LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	120"	18"	–	–	102"	144"	22"	–	–	122"	168"	19"	–	–	149"
	114"	17"	–	–	97"	138"	21"	–	–	117"	162"	18¼"	–	–	143¾"
	108"	16"	–	–	92"	132"	20"	–	–	112"	156"	17½"	–	–	138½"
	102"	15"	–	–	87"	126"	19"	–	–	107"	150"	16¾"	–	–	133¼"
G10A ALL		A	B	C	D		A	B	C	D		A	B	C	D
	120"	18"	60"	–	102"	144"	22"	72"	–	122"	168"	19"	61"	107"	149"
	114"	17"	57"	–	97"	138"	21"	69"	–	117"	162"	18¼"	58¾"	103¼"	143¾"
	108"	16"	54"	–	92"	132"	20"	66"	–	112"	156"	17½"	56½"	99½"	138½"
	102"	15"	51"	–	87"	126"	19"	63"	–	107"	150"	16¾"	54¼"	95¾"	133¼"
G10CE CENTER, END		A	B	C	D		A	B	C	D		A	B	C	D
	120"	18"	60"	–	–	144"	22"	72"	–	–	168"	19"	61"	107"	–
	114"	17"	57"	–	–	138"	21"	69"	–	–	162"	18¼"	58¾"	103¼"	–
	108"	16"	54"	–	–	132"	20"	66"	–	–	156"	17½"	56½"	99½"	–
	102"	15"	51"	–	–	126"	19"	63"	–	–	150"	16¾"	54¼"	95¾"	–

GROMMET LOCATIONS ON TOPS INCLUDING MODIFIED SIZING

- G10 grommet is centered on the table top depth
- Grommet also offered as field installable solution – reference page 556
- For 168", 192", 216", and 240" tops, the center grommet location consists of 2 grommets (upcharge will reflect 2 grommets)
- Center grommets in 120" and 144" tops will be located on a seam
- Center grommets in 168" and 192" 2 piece tops will be installed on each side of seam at designated locations shown below
- G10 grommets are shipped installed except for the center option on 120" and 144" tops
- Reference pages 56-57 for Base Placement Guide

***60" wide tops will be 29⅝" to the center of the side dimension**



- G10 Round Grommet

⊢ 4¼" ⊣

- Cutout dimension is 89mm
- NACG10EL Round Electrical Grommet

- Must be ordered separately

TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	192"					216"					240"				
G10C CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	192"	–	70"	122"	–	216"	–	79"	137"	–	240"	–	88"	152"	–
	186"	–	67¾"	118¼"	–	210"	–	76¾"	133¼	–	234"	–	85¾"	148¼"	–
	180"	–	65½"	114½"	–	204"	–	74½"	129½"	–	228"	–	83½"	144½"	–
	174"	–	63¼"	110¾"	–	198"	–	72¼"	125¾"	–	222"	–	81¼"	140¾"	–
G10E END		A	B	C	D		A	B	C	D		A	B	C	D
	192"	22¼"	–	122"	–	216"	25¼"	–	–	–	240"	28¼"	–	–	–
	186"	21½"	–	118¼"	–	210"	24½	–	–	–	234"	27½"	–	–	–
	180"	20¾"	–	114½"	–	204"	23¾"	–	–	–	228"	26¾"	–	–	–
	174"	19¾"	–	110¾"	–	198"	23"	–	–	–	222"	26"	–	–	–
G10LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	192"	22¼"	–	–	169¾"	216"	25¼"	–	–	190¾"	240"	28¼"	–	–	211¾"
	186"	21½"	–	–	164½"	210"	24½	–	–	185½"	234"	27½"	–	–	206½"
	180"	20¾"	–	–	159¼"	204"	23¾"	–	–	180¼"	228"	26¾"	–	–	201¼"
	174"	19¾"	–	–	154¼"	198"	23"	–	–	175"	222"	26"	–	–	196"
G10A ALL		A	B	C	D		A	B	C	D		A	B	C	D
	192"	22¼"	70"	122"	169¾"	216"	25¼"	79"	137"	190¾"	240"	28¼"	88"	152"	211¾"
	186"	21½"	67¾"	118¼"	164½"	210"	24½	76¾"	133¼	185½"	234"	27½"	85¾"	148¼"	206½"
	180"	20¾"	65½"	114½"	159¼"	204"	23¾"	74½"	129½"	180¼"	228"	26¾"	83½"	144½"	201¼"
	174"	19¾"	63¼"	110¾"	154¼"	198"	23"	72¼"	125¾"	175"	222"	26"	81¼"	140¾"	196"
G10CE CENTER, END		A	B	C	D		A	B	C	D		A	B	C	D
	192"	22¼"	70"	122"	–	216"	25¼"	79"	137"	–	240"	28¼"	88"	152"	–
	186"	21½"	67¾"	118¼"	–	210"	24½	76¾"	133¼	–	234"	27½"	85¾"	148¼"	–
	180"	20¾"	65½"	114½"	–	204"	23¾"	74½"	129½"	–	228"	26¾"	83½"	144½"	–
	174"	19¾"	63¼"	110¾"	–	198"	23"	72¼"	125¾"	–	222"	26"	81¼"	140¾"	–

GROMMET LOCATIONS ON TOPS INCLUDING MODIFIED SIZING

- G15 grommet is centered on the table top depth
- Grommet also offered as field installable solution – reference pages 560-562
- Center grommets in 120" and 144" tops will be located on a seam
- Center grommets in 168" and 192" 2 piece tops will be installed on each side of seam at designated locations shown below
- Reference pages 56-57 for Base Placement Guide

***60" wide tops will be 29⁵⁄₁₆" to the center of the side dimension**



- CUT-G15 option



TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	72"					84"					96"				
		A	B	C	D		A	B	C	D		A	B	C	D
G15C CENTER	72"	–	36"	–	–	84"	–	42"	–	–	96"	–	48"	–	–
	66"	–	33"	–	–	78"	–	39"	–	–	90"	–	45"	–	–
		A	B	C	D		A	B	C	D		A	B	C	D
G15E END	72"	18"	–	–	–	84"	21"	–	–	–	96"	24"	–	–	–
	66"	16½"	–	–	–	78"	19½"	–	–	–	90"	22½"	–	–	–
		A	B	C	D		A	B	C	D		A	B	C	D
G15LR LEFT, RIGHT	72"	18"	–	–	54"	84"	21"	–	–	63"	96"	24"	–	–	72"
	66"	16½"	–	–	49½"	78"	19½"	–	–	58½"	90"	22½"	–	–	67½"
		A	B	C	D		A	B	C	D		A	B	C	D
G15A ALL	72"	–	–	–	–	84"	–	–	–	–	96"	24"	48"	–	–
	66"	–	–	–	–	78"	–	–	–	–	90"	22½"	45"	–	–
		A	B	C	D		A	B	C	D		A	B	C	D
G15CE CENTER, END	72"	–	–	–	–	84"	–	–	–	–	96"	24"	48"	–	–
	66"	–	–	–	–	78"	–	–	–	–	90"	22½"	45"	–	–

GROMMET LOCATIONS ON TOPS INCLUDING MODIFIED SIZING

- G15 grommet is centered on the table top depth
- Grommet also offered as field installable solution – reference pages 560-562
- Center grommets in 120" and 144" tops will be located on a seam
- Center grommets in 168" and 192" 2 piece tops will be installed on each side of seam at designated locations shown below
- Reference pages 56-57 for Base Placement Guide

***60" wide tops will be 29⅝" to the center of the side dimension**



- CUT-G15 option



TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	120"					144"					168"				
G15C CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	120"	–	60"	–	–	144"	–	72"	–	–	168"	–	63"	105"	–
	114"	–	57"	–	–	138"	–	69"	–	–	162"	–	60¾"	101¼"	–
	108"	–	54"	–	–	132"	–	66"	–	–	156"	–	58½"	97½"	–
	102"	–	51"	–	–	126"	–	63"	–	–	150"	–	56¼"	93¾"	–
G15E END		A	B	C	D		A	B	C	D		A	B	C	D
	120"	20"	–	–	–	144"	24¼"	–	–	–	168"	21¼"	–	–	–
	114"	19"	–	–	–	138"	23"	–	–	–	162"	20½"	–	–	–
	108"	18"	–	–	–	132"	22"	–	–	–	156"	19¾"	–	–	–
	102"	17"	–	–	–	126"	21"	–	–	–	150"	19"	–	–	–
G15LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	120"	20"	–	–	100"	144"	24¼"	–	–	119¾"	168"	21¼"	–	–	146¾"
	114"	19"	–	–	95"	138"	23"	–	–	115"	162"	20½"	–	–	141½"
	108"	18"	–	–	90"	132"	22"	–	–	110"	156"	19¾"	–	–	136¼"
	102"	17"	–	–	85"	126"	21"	–	–	105"	150"	19"	–	–	131"
G15A ALL		A	B	C	D		A	B	C	D		A	B	C	D
	120"	20"	60"	–	100"	144"	24¼"	72"	–	119¾"	168"	21¼"	63"	105"	146¾"
	114"	19"	57"	–	95"	138"	23"	69"	–	115"	162"	20½"	60¾"	101¼"	141½"
	108"	18"	54"	–	90"	132"	22"	66"	–	110"	156"	19¾"	58½"	97½"	136¼"
	102"	17"	51"	–	85"	126"	21"	63"	–	105"	150"	19"	56¼"	93¾"	131"
G15CE CENTER, END		A	B	C	D		A	B	C	D		A	B	C	D
	120"	20"	60"	–	–	144"	24¼"	72"	–	–	168"	21¼"	63"	105"	–
	114"	19"	57"	–	–	138"	23"	69"	–	–	162"	20½"	60¾"	101¼"	–
	108"	18"	54"	–	–	132"	22"	66"	–	–	156"	19¾"	58½"	97½"	–
	102"	17"	51"	–	–	126"	21"	63"	–	–	150"	19"	56¼"	93¾"	–

GROMMET LOCATIONS ON TOPS INCLUDING MODIFIED SIZING

- G15 grommet is centered on the table top depth
- Grommet also offered as field installable solution – reference pages 560-562
- Center grommets in 120" and 144" tops will be located on a seam
- Center grommets in 168" and 192" 2 piece tops will be installed on each side of seam at designated locations shown below
- Reference pages 56-57 for Base Placement Guide

***60" wide tops will be 29⁵⁄₁₆" to the center of the side dimension**



- CUT-G15 option



TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	192"					216"					240"				
		A	B	C	D		A	B	C	D		A	B	C	D
G15C CENTER	192"	–	72"	120"	–	216"	–	81"	135"	–	240"	–	90"	150"	–
	186"	–	69¾"	116¼"	–	210"	–	78¾"	131¼	–	234"	–	87¾"	146¼"	–
	180"	–	67½"	112½"	–	204"	–	76½"	127½"	–	228"	–	85½"	142½"	–
	174"	–	65¼"	108¾"	–	198"	–	74¼"	123¾"	–	222"	–	83¼"	138¾"	–
		A	B	C	D		A	B	C	D		A	B	C	D
G15E END	192"	24¼"	–	–	–	216"	27¼"	–	–	–	240"	30¼"	–	–	–
	186"	23½"	–	–	–	210"	26½	–	–	–	234"	29½"	–	–	–
	180"	22¾"	–	–	–	204"	25¾"	–	–	–	228"	28¾"	–	–	–
	174"	22"	–	–	–	198"	25"	–	–	–	222"	28"	–	–	–
		A	B	C	D		A	B	C	D		A	B	C	D
G15LR LEFT, RIGHT	192"	24¼"	–	–	167¾"	216"	27¼"	–	–	188¾"	240"	30¼"	–	–	209¾"
	186"	23½"	–	–	162½"	210"	26½	–	–	183½"	234"	29½"	–	–	204½"
	180"	22¾"	–	–	157¼"	204"	25¾"	–	–	178¼"	228"	28¾"	–	–	199¼"
	174"	22"	–	–	152"	198"	25"	–	–	173"	222"	28"	–	–	194"
		A	B	C	D		A	B	C	D		A	B	C	D
G15A ALL	192"	24¼"	72"	120"	167¾"	216"	27¼"	81"	135"	188¾"	240"	30¼"	90"	150"	209¾"
	186"	23½"	69¾"	116¼"	162½"	210"	26½	78¾"	131¼	183½"	234"	29½"	87¾"	146¼"	204½"
	180"	22¾"	67½"	112½"	157¼"	204"	25¾"	76½"	127½"	178¼"	228"	28¾"	85½"	142½"	199¼"
	174"	22"	65¼"	108¾"	152"	198"	25"	74¼"	123¾"	173"	222"	28"	83¼"	138¾"	194"
		A	B	C	D		A	B	C	D		A	B	C	D
G15CE CENTER, END	192"	24¼"	72"	120"	–	216"	27¼"	81"	135"	–	240"	30¼"	90"	150"	–
	186"	23½"	69¾"	116¼"	–	210"	26½	78¾"	131¼	–	234"	29½"	87¾"	146¼"	–
	180"	22¾"	67½"	112½"	–	204"	25¾"	76½"	127½"	–	228"	28¾"	85½"	142½"	–
	174"	22"	65¼"	108¾"	–	198"	25"	74¼"	123¾"	–	222"	28"	83¼"	138¾"	–

GROMMET LOCATIONS ON TOPS INCLUDING MODIFIED SIZING

- G16 grommet is centered on the table top depth
- Grommet is not field installable
- Center grommets in 168" and 192" tops will be located on a seam
- Reference pages 56-57 for Base Placement Guide

***60" wide tops will be 29⅝" to the center of the side dimension**



- CUT-G16 option



TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	72"				84"				96"			
G16C CENTER		A	B	C		A	B	C		A	B	C
	72"	–	36"	–	84"	–	42"	–	96"	–	48"	–
	66"	–	33"	–	78"	–	39"	–	90"	–	45"	–
G16E END		A	B	C		A	B	C		A	B	C
	72"	–	–	–	72"	–	–	–	72"	–	–	–
	66"	–	–	–	66"	–	–	–	66"	–	–	–
G16LR LEFT, RIGHT		A	B	C		A	B	C		A	B	C
	72"	–	–	–	72"	–	–	–	72"	–	–	–
	66"	–	–	–	66"	–	–	–	66"	–	–	–
G16A ALL		A	B	C		A	B	C		A	B	C
	72"	–	–	–	72"	–	–	–	72"	–	–	–
	66"	–	–	–	66"	–	–	–	66"	–	–	–
G16CE CENTER, END		A	B	C		A	B	C		A	B	C
	72"	–	–	–	72"	–	–	–	72"	–	–	–
	66"	–	–	–	66"	–	–	–	66"	–	–	–

GROMMET LOCATIONS ON TOPS INCLUDING MODIFIED SIZING

- G16 grommet is centered on the table top depth
- Grommet is not field installable
- Center grommets in 168" and 192" tops will be located on a seam
- Reference pages 56-57 for Base Placement Guide

***60" wide tops will be 29⅝" to the center of the side dimension**



- CUT-G16 option



TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	120"				144"				168"			
G16C CENTER		A	B	C		A	B	C		A	B	C
	120"	–	–	–	144"	–	–	–	168"	–	84"	–
	114"	–	–	–	138"	–	–	–	162"	–	81"	–
	108"	–	–	–	132"	–	–	–	156"	–	78"	–
	102"	–	–	–	126"	–	–	–	150"	–	75"	–
G16E END		A	B	C		A	B	C		A	B	C
	120"	40"	–	–	144"	48"	–	–	168"	42"	–	–
	114"	38"	–	–	138"	46"	–	–	162"	40½"	–	–
	108"	36"	–	–	132"	44"	–	–	156"	39"	–	–
	102"	34"	–	–	126"	42"	–	–	150"	37½"	–	–
G16LR LEFT, RIGHT		A	B	C		A	B	C		A	B	C
	120"	40"	–	80"	144"	48"	–	96"	168"	42"	–	126"
	114"	38"	–	76"	138"	46"	–	92"	162"	40½"	–	121½"
	108"	36"	–	72"	132"	44"	–	88"	156"	39"	–	117"
	102"	34"	–	68"	126"	42"	–	84"	150"	37½"	–	112½"
G16A ALL		A	B	C		A	B	C		A	B	C
	120"	–	–	–	144"	–	–	–	168"	42"	84"	126"
	114"	–	–	–	138"	–	–	–	162"	40½"	81"	121½"
	108"	–	–	–	132"	–	–	–	156"	39"	78"	117"
	102"	–	–	–	126"	–	–	–	150"	37½"	75"	112½"
G16CE CENTER, END		A	B	C		A	B	C		A	B	C
	120"	–	–	–	144"	–	–	–	168"	42"	84"	–
	114"	–	–	–	138"	–	–	–	162"	40½"	81"	–
	108"	–	–	–	132"	–	–	–	156"	39"	78"	–
	102"	–	–	–	126"	–	–	–	150"	37½"	75"	–

GROMMET LOCATIONS ON TOPS INCLUDING MODIFIED SIZING

- G16 grommet is centered on the table top depth
- Grommet is not field installable
- Center grommets in 168" and 192" tops will be located on a seam
- Reference pages 56-57 for Base Placement Guide

***60" wide tops will be 29⅝" to the center of the side dimension**



- CUT-G16 option



TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	192"				216"				240"			
G16C CENTER		A	B	C		A	B	C		A	B	C
	192"	–	96"	–	216"	–	108"	–	240"	–	120"	–
	186"	–	93"	–	210"	–	105"	–	234"	–	117"	–
	180"	–	90"	–	204"	–	102"	–	228"	–	114"	–
	174"	–	87"	–	198"	–	99"	–	222"	–	111"	–
G16E END		A	B	C		A	B	C		A	B	C
	192"	48¼"	–	–	216"	54¼"	–	–	240"	60¼"	–	–
	186"	46½"	–	–	210"	52¾	–	–	234"	58¾"	–	–
	180"	45"	–	–	204"	51¼"	–	–	228"	57¼"	–	–
	174"	43½"	–	–	198"	49¾"	–	–	222"	55¾"	–	–
G16LR LEFT, RIGHT		A	B	C		A	B	C		A	B	C
	192"	48¼"	–	143¾"	216"	54¼"	–	161¾"	240"	60¼"	–	179¾"
	186"	46½"	–	139½"	210"	52¾	–	157¼"	234"	58¾"	–	175¼"
	180"	45"	–	135"	204"	51¼"	–	152¾"	228"	57¼"	–	170¾"
	174"	43½"	–	130½"	198"	49¾"	–	148¼"	222"	55¾"	–	166¼"
G16A ALL		A	B	C		A	B	C		A	B	C
	192"	48¼"	96"	143¾"	216"	54¼"	108"	161¾"	240"	60¼"	120"	179¾"
	186"	46½"	93"	139½"	210"	52¾	105"	157¼"	234"	58¾"	117"	175¼"
	180"	45"	90"	135"	204"	51¼"	102"	152¾"	228"	57¼"	114"	170¾"
	174"	43½"	87"	130½"	198"	49¾"	99"	148¼"	222"	55¾"	111"	166¼"
G16CE CENTER, END		A	B	C		A	B	C		A	B	C
	192"	48¼"	96"	–	216"	54¼"	108"	–	240"	60¼"	120"	–
	186"	46½"	93"	–	210"	52¾	105"	–	234"	58¾"	117"	–
	180"	45"	93"	–	204"	51¼"	102"	–	228"	57¼"	114"	–
	174"	43½"	87"	–	198"	49¾"	99"	–	222"	55¾"	111"	–

TABLE BASE GUIDE

Table Base Guide 36
Table Base Placement Guide 56

TABLE BASE GUIDE

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS	BASES
24", 24" x 24" Bases at right applicable to 24" round or square tables	 **METAL** CBV0228COBP (Qty. 4) **METAL** CBV0228COBMP (Qty. 4) **METAL** CBV2215DRNBP (Qty. 1) **METAL** CBV2228DRNBP (Qty. 1)  **METAL** CBV2235DRNBP (Qty. 1)  **METAL** CBV2240DRNBP (Qty. 1) **METAL** CBV2215DSQBP (Qty. 1) **METAL** CBV2228DSQBP (Qty. 1)  **METAL** CBV2235DSQBP (Qty. 1)  **METAL** CBV2240DSQBP (Qty. 1)

TABLE BASE GUIDE

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS	BASES
30", 30" x 30" Bases at right applicable to 30" round or square tables	 **METAL** CBV0228COBP (Qty. 4) **METAL** CBV0228COBMP (Qty. 4) **METAL** CBV2728XBP (Qty. 1) **METAL** CBV2728XBMP (Qty. 1) **METAL** CBV2735XBP (Qty. 1) **METAL** CBV2741XBP (Qty. 1) **METAL** CBV2215DRNBP (Qty. 1) **METAL** CBV2228DRNBP (Qty. 1)  **METAL** CBV2235DRNBP (Qty. 1)  **METAL** CBV2240DRNBP (Qty. 1) **METAL** CBV2215DSQBP (Qty. 1) **METAL** CBV2228DSQBP (Qty. 1)  **METAL** CBV2235DSQBP (Qty. 1)  **METAL** CBV2240DSQBP (Qty. 1)

TABLE BASE GUIDE

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS

36", 36" x 36"

Bases at right applicable to 36" round or square tables

BASES

WOOD
10N1628CYBW (P1)
(Qty. 1)
For use with round tops only

LAMINATE
10N1628CYBL (P1)
(Qty. 1)
For use with round tops only

WOOD
BW-16
(Qty. 1)
For use with round tops only

LAMINATE
BP-16
(Qty. 1)
For use with round tops only

WOOD
25N1628SQBW (Epic)
(Qty. 1)

WOOD
10N1628SQBW (P1)
(Qty. 1)



WOOD
10N1628SQBW (P2)
(Qty. 1)



WOOD
10N1628SQBW (P3)
(Qty. 1)

LAMINATE
25N1628SQBL (Epic)
(Qty. 1)

LAMINATE
10N1628SQBL (P1)
(Qty. 1)

WOOD
25N1628SQBXW (Epic)
(Qty. 1)

WOOD
10N1628SQBXW (P1)
(Qty. 1)



WOOD
10N1628SQBXW (P2)
(Qty. 1)



WOOD
10N1628SQBXW (P3)
(Qty. 1)



LAMINATE
25N1628SQBXL (Epic)
(Qty. 1)

LAMINATE
10N1628SQBXL (P1)
(Qty. 1)

WOOD
BW-1616
(Qty. 1)

METAL
CBV0228COBP
(Qty. 4)

METAL
CBV0228COBMP
(Qty. 4)

METAL
CBV2828P4BP
(Qty. 1)

METAL
BW-4
(Qty. 1)

METAL
CBV3228XBP
(Qty. 1)

METAL
CBV3228XBMP
(Qty. 1)

METAL
CBV3235XBP
(Qty. 1)

METAL
CBV3241XBP
(Qty. 1)

METAL
CBV3226XBAB
CBV3226XBAS
CBV3226XBAN
(Qty. 1)

METAL
CBV2215DRNBP
(Qty. 1)
For use with round tops only

METAL
CBV2228DRNBP
(Qty. 1)
Not for use with 36" soft square solid surface tops

Continued on next page

TABLE BASE GUIDE

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS	BASES
36", 36" x 36" (CONTINUED) Bases at right applicable to 36" round or square tables	 **METAL** CBV2235DRNBP (Qty. 1) For use with round tops only  **METAL** CBV2240DRNBP (Qty. 1) For use with round tops only **METAL** CBV2715DRNBP (Qty. 1) **METAL** CBV2728DRNBP (Qty. 1)  **METAL** CBV2735DRNBP (Qty. 1)  **METAL** CBV2740DRNBP (Qty. 1) **METAL** CBV2215DSQBP (Qty. 1) **METAL** CBV2228DSQBP (Qty. 1)  **METAL** CBV2235DSQBP (Qty. 1)  **METAL** CBV2240DSQBP (Qty. 1) **METAL** CBV2715DSQBP (Qty. 1) **METAL** CBV2728DSQBP (Qty. 1)  **METAL** CBV2735DSQBP (Qty. 1)  **METAL** CBV2740DSQBP (Qty. 1) **WOOD** 10N1827TPBW, 10N1827TPBP (Qty. 1)

TABLE BASE GUIDE

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS

42", 42" x 42"

Bases at right applicable to 42" round or square tables

BASES

WOOD
10N1828CYBW (P1)
(Qty. 1)
For use with round tops only

LAMINATE
10N1828CYBL (P1)
(Qty. 1)
For use with round tops only

WOOD
BW-18
(Qty. 1)
For use with round tops only

LAMINATE
BP-18
(Qty. 1)
For use with round tops only

WOOD
25N1828SQBW (Epic)
(Qty. 1)

WOOD
10N1828SQBW (P1)
(Qty. 1)



WOOD
10N1828SQBW (P2)
(Qty. 1)



WOOD
10N1828SQBW (P3)
(Qty. 1)

LAMINATE
25N1828SQBL (Epic)
(Qty. 1)

LAMINATE
10N1828SQBL (P1)
(Qty. 1)



WOOD
25N1828SQBXW (Epic)
(Qty. 1)

WOOD
10N1828SQBXW (P1)
(Qty. 1)



WOOD
10N1828SQBXW (P2)
(Qty. 1)



WOOD
10N1828SQBXW (P3)
(Qty. 1)

LAMINATE
25N1828SQBXL (Epic)
(Qty. 1)

LAMINATE
10N1828SQBXL (P1)
(Qty. 1)

WOOD
BW-1616
(Qty. 1)

WOOD
TBW-4
(Qty. 1)

METAL
CBV0228COBP
(Qty. 4)

METAL
CBV0228COBMP
(Qty. 4)

METAL
CBV2828P4BP
(Qty. 1)

METAL
CBV3428P4BP
(Qty. 1)

METAL
BW-4
(Qty. 1)

METAL
CBV4028XBP
(Qty. 1)

METAL
CBV4028XBMP
(Qty. 1)

WOOD
10N2427TPBW, 10N2427TPBP
(Qty. 1)

TABLE BASE GUIDE

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS

48", 48" x 48"

Bases at right applicable to 48" round or square tables

BASES

WOOD
10N1828CYBW (P1)
(Qty. 1)
For use with round tops only

LAMINATE
10N1828CYBL (P1)
(Qty. 1)
For use with round tops only

WOOD
BW-18
(Qty. 1)
For use with round tops only

LAMINATE
BP-18
(Qty. 1)
For use with round tops only

WOOD
25N1828SQBW (Epic)
(Qty. 1)

WOOD
10N1828SQBW (P1)
(Qty. 1)



WOOD
10N1828SQBW (P2)
(Qty. 1)



WOOD
10N1828SQBW (P3)
(Qty. 1)

LAMINATE
25N1828SQBL (Epic)
(Qty. 1)

LAMINATE
10N1828SQBL (P1)
(Qty. 1)



WOOD
25N1828SQBXW (Epic)
(Qty. 1)

WOOD
10N1828SQBXW (P1)
(Qty. 1)



WOOD
10N1828SQBXW (P2)
(Qty. 1)



WOOD
10N1828SQBXW (P3)
(Qty. 1)



LAMINATE
25N1828SQBXL (Epic)
(Qty. 1)

LAMINATE
10N1828SQBXL (P1)
(Qty. 1)

WOOD
BW-1616
(Qty. 1)

WOOD
TBW-4
(Qty. 1)
For use with round tops only
Not for use with 48" solid surface tops

METAL
CBV0228COBP
(Qty. 4)

METAL
CBV0228COBMP
(Qty. 4)

METAL
CBV3428P4BP
(Qty. 1)

METAL
BW-4
(Qty. 1)

METAL
CBV4028XBP
(Qty. 1)

METAL
CBV4028XBMP
(Qty. 1)

WOOD
10N2427TPBW, 10N2427TPBP
(Qty. 1)

TABLE BASE GUIDE

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS	BASES
54", 54" x 54" 60", 60" x 60" Bases at right applicable to 54" or 60" round or square tables	 **WOOD** 10N2428CYBW (P1) (Qty. 1) For use with round tops only **LAMINATE** 10N2428CYBL (P1) (Qty. 1) For use with round tops only **WOOD** BW-24 (Qty. 1) For use with round tops only **LAMINATE** BP-24 (Qty. 1) For use with round tops only **WOOD** 25N2428SQBW (Epic) (Qty. 1) **WOOD** 10N2428SQBW (P1) (Qty. 1)  **WOOD** 10N2428SQBW (P2) (Qty. 1)  **WOOD** 10N2428SQBW (P3) (Qty. 1) **LAMINATE** 25N2428SQBL (Epic) (Qty. 1) **LAMINATE** 10N2428SQBL (P1) (Qty. 1)  **WOOD** 25N2428SQBXW (Epic) (Qty. 1) **WOOD** 10N2428SQBXW (P1) (Qty. 1)  **WOOD** 10N2428SQBXW (P2) (Qty. 1)  **WOOD** 10N2428SQBXW (P3) (Qty. 1) **LAMINATE** 25N2428SQBXL (Epic) (Qty. 1) **LAMINATE** 10N2428SQBXL (P1) (Qty. 1) **METAL** CBV4728XB, CBV4728XS, CBV4728XN (Qty. 1) **WOOD** 10N2427TPBW, 10N2427TPBP (Qty. 1) **(54" only)**
72" 96" Bases at right applicable to 72" or 96" round tables	 **WOOD** 10N3627TPBW, 10N3627TPBP (Qty. 1) **For use with 72" or 60" round tops** **WOOD** 10N6027TPBW, 10N6027TPBP (Qty. 1) **For use with 96" round tops only**

TABLE BASE GUIDE

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS

36" x 72"
42" x 84"



Bases at right applicable to 36" x 72" or 42" x 84" rectangle, boat, or racetrack tables

BASES

WOOD
10N1628CYBW (P1)
(Qty. 2)
Very limited kneespace with 36" x 72" conference top

LAMINATE
10N1628CYBL (P1)
(Qty. 2)
Very limited kneespace with 36" x 72" conference top

WOOD
BW-16
(Qty. 2)
Very limited kneespace with 36" x 72" conference top

LAMINATE
BP-16
(Qty. 2)
Very limited kneespace with 36" x 72" conference top

WOOD
25N1628SQBW (Epic)
(Qty. 2)
Very limited kneespace with 36" x 72" conference top

WOOD
10N1628SQBW (P1)
(Qty. 2)
Very limited kneespace with 36" x 72" conference top



WOOD
10N1628SQBW (P2)
(Qty. 2)
Very limited kneespace with 36" x 72" conference top



WOOD
10N1628SQBW (P3)
(Qty. 2)
Very limited kneespace with 36" x 72" conference top

LAMINATE
25N1628SQBL (Epic)
(Qty. 2)
Very limited kneespace with 36" x 72" conference top

LAMINATE
10N1628SQBL (P1)
(Qty. 2)
Very limited kneespace with 36" x 72" conference top



WOOD
25N1628SQBXW (Epic)
(Qty. 2)
Very limited kneespace with 36" x 72" conference top

WOOD
10N1628SQBXW (P1)
(Qty. 2)
Very limited kneespace with 36" x 72" conference top



WOOD
10N1628SQBXW (P2)
(Qty. 2)
Very limited kneespace with 36" x 72" conference top



WOOD
10N1628SQBXW (P3)
(Qty. 2)
Very limited kneespace with 36" x 72" conference top

LAMINATE
25N1628SQBXL (Epic)
(Qty. 2)
Very limited kneespace with 36" x 72" conference top

LAMINATE
10N1628SQBXL (P1)
(Qty. 2)
Very limited kneespace with 36" x 72" conference top

WOOD
BW-1616
(Qty. 2)
Very limited kneespace with 36" x 72" conference top

WOOD
TBW-4
(Qty. 2)

WOOD
BW-2427S
(Qty. 2)

LAMINATE
BP-2427S
(Qty. 2)

LAMINATE
BP-2427C
(Qty. 2)



WOOD
25N1828PNW (Epic)
(Qty. 2)



WOOD
10N1828PNW (P1)
(Qty. 2)



WOOD
10N1828PNW (P2)
(Qty. 2)

Continued on next page

TABLE BASE GUIDE

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS	BASES
36" x 72" **42" x 84" (CONTINUED)**  Bases at right applicable to 36" x 72" or 42" x 84" rectangle, boat, or racetrack tables	 **WOOD** 10N1828PNW (P3) (Qty. 2)  **LAMINATE** 25N1828PNL (Epic) (Qty. 2)  **LAMINATE** 10N1828PNL (P1) (Qty. 2) **WOOD** 25N72PNKW (Epic) 25N84PNKW (Epic) (Qty. 1)  **WOOD** 10N72PNKW (P1) 10N84PNKW (P1) (Qty. 1)  **WOOD** 10N72PNKW (P2) 10N84PNKW (P2) (Qty. 1)  **WOOD** 10N72PNKW (P3) 10N84PNKW (P3) (Qty. 1) **LAMINATE** 25N72PNKL (Epic) 25N84PNKL (Epic) (Qty. 1)  **LAMINATE** 10N72PNKL (P1) 10N84PNKL (P1) (Qty. 1)  **METAL** CBV2928P2BP (Qty. 2)

TABLE BASE GUIDE

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS	BASES
48" x 96"  Bases at right applicable to 48" x 96" rectangle, boat, or racetrack tables	**WOOD** 10N1828CYBW (P1) (Qty. 2) **LAMINATE** 10N1828CYBL (P1) (Qty. 2) **WOOD** BW-18 (Qty. 2) **LAMINATE** BP-18 (Qty. 2) **WOOD** 25N1828SQBW (Epic) (Qty. 2) **WOOD** 10N1828SQBW (P1) (Qty. 2)  **WOOD** 10N1828SQBW (P2) (Qty. 2)  **WOOD** 10N1828SQBW (P3) (Qty. 2) **LAMINATE** 25N1828SQBL (Epic) (Qty. 2) **LAMINATE** 10N1828SQBL (P1) (Qty. 2) **WOOD** 25N1828SQBXW (Epic) (Qty. 2) **WOOD** 10N1828SQBXW (P1) (Qty. 2)  **WOOD** 10N1828SQBXW (P2) (Qty. 2)  **WOOD** 10N1828SQBXW (P3) (Qty. 2)  **LAMINATE** 25N1828SQBXL (Epic) (Qty. 2) **LAMINATE** 10N1828SQBXL (P1) (Qty. 2) **WOOD** TBW-4 (Qty. 2) **WOOD** BW-2427S (Qty. 2) **LAMINATE** BP-2427S (Qty. 2) **LAMINATE** BP-2427C (Qty. 2)  **WOOD** 25N2428PNW (Epic) (Qty. 2)  **WOOD** 10N2428PNW (P1) (Qty. 2)  **WOOD** 10N2428PNW (P2) (Qty. 2)  **WOOD** 10N2428PNW (P3) (Qty. 2)  **LAMINATE** 25N2428PNL (Epic) (Qty. 2)  **LAMINATE** 10N2428PNL (P1) (Qty. 2) **WOOD** 25N96PNKW (Epic) (Qty. 1)  **WOOD** 10N96PNKW (P1) (Qty. 1)

Continued on next page

TABLE BASE GUIDE

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS	BASES
48" x 96" (CONTINUED)  Bases at right applicable to 48" x 96" rectangle, boat, or racetrack tables	 **WOOD** 10N96PNKW (P2) (Qty. 1)  **WOOD** 10N96PNKW (P3) (Qty. 1) **LAMINATE** 25N96PNKL (Epic) (Qty. 1)  **LAMINATE** 10N96PNKL (P1) (Qty. 1)  **METAL** CBV2928P2BP (Qty. 3)

TABLE BASE GUIDE

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS

48" x 120"
48" x 144"





Bases at right applicable to 48" x 120" or 48" x 144" rectangle, boat, or racetrack tables

BASES

WOOD
10N1828CYBW (P1)
(Qty. 3)

LAMINATE
10N1828CYBL (P1)
(Qty. 3)

WOOD
BW-18
(Qty. 3)

LAMINATE
BP-18
(Qty. 3)

WOOD
25N1828SQBW (Epic)
(Qty. 3)

WOOD
10N1828SQBW (P1)
(Qty. 3)



WOOD
10N1828SQBW (P2)
(Qty. 3)



WOOD
10N1828SQBW (P3)
(Qty. 3)

WOOD
25N1828SQBL (Epic)
(Qty. 3)

LAMINATE
10N1828SQBL (P1)
(Qty. 3)

WOOD
25N1828SQBXW (Epic)
(Qty. 3)

WOOD
10N1828SQBXW (P1)
(Qty. 3)



WOOD
10N1828SQBXW (P2)
(Qty. 3)



WOOD
10N1828SQBXW (P3)
(Qty. 3)

LAMINATE
25N1828SQBXL (Epic)
(Qty. 3)

LAMINATE
10N1828SQBXL (P1)
(Qty. 3)

WOOD
TBW-4
(Qty. 3)

WOOD
BW-2427S
(Qty. 3)

LAMINATE
BP-2427S
(Qty. 3)

LAMINATE
BP-2427C
(Qty. 3)



WOOD
25N2428PNW (Epic)
(Qty. 3)



WOOD
10N2428PNW (P1)
(Qty. 3)



WOOD
10N2428PNW (P2)
(Qty. 3)



WOOD
10N2428PNW (P3)
(Qty. 3)



LAMINATE
25N2428PNL (Epic)
(Qty. 3)



LAMINATE
10N2428PNL (P1)
(Qty. 3)



WOOD
25N120PNKW (Epic)
25N144PNKW (Epic)
(Qty. 1)



WOOD
10N120PNKW (P1)
10N144PNKW (P1)
(Qty. 1)

Continued on next page

TABLE BASE GUIDE

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS	BASES
48" x 120" **48" x 144" (CONTINUED)**   Bases at right applicable to 48" x 120" or 48" x 144" rectangle, boat, or racetrack tables	 **WOOD** 10N120PNKW (P2) 10N144PNKW (P2) (Qty. 1)  **WOOD** 10N120PNKW (P3) 10N144PNKW (P3) (Qty. 1)  **LAMINATE** 25N120PNKL (Epic) 25N144PNKL (Epic) (Qty. 1)  **LAMINATE** 10N120PNKL (P1) 10N144PNKL (P1) (Qty. 1)  **METAL** CBV2928P2BP (Qty. 3)

TABLE BASE GUIDE

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS

48" x 168"
48" x 192"





Bases at right applicable to 48" x 168" or 48" x 192" rectangle, boat, or racetrack tables

BASES

WOOD
10N1828CYBW (P1)
(Qty. 4)

LAMINATE
10N1828CYBL (P1)
(Qty. 4)

WOOD
BW-18
(Qty. 4)

LAMINATE
BP-18
(Qty. 4)

WOOD
25N1828SQBW (Epic)
(Qty. 4)

WOOD
10N1828SQBW (P1)
(Qty. 4)

WOOD
10N1828SQBW (P2)
(Qty. 4)



WOOD
10N1828SQBW (P3)
(Qty. 4)

WOOD
25N1828SQBL (Epic)
(Qty. 4)

LAMINATE
10N1828SQBL (P1)
(Qty. 4)

WOOD
25N1828SQBXW (Epic)
(Qty. 4)

WOOD
10N1828SQBXW (P1)
(Qty. 4)



WOOD
10N1828SQBXW (P2)
(Qty. 4)



WOOD
10N1828SQBXW (P3)
(Qty. 4)



LAMINATE
25N1828SQBXL (Epic)
(Qty. 4)

LAMINATE
10N1828SQBXL (P1)
(Qty. 4)

WOOD
TBW-4
(Qty. 4)

WOOD
BW-2427S
(Qty. 4)

LAMINATE
BP-2427S
(Qty. 4)

LAMINATE
BP-2427C
(Qty. 4)



WOOD
25N2428PNW (Epic)
(Qty. 4)



WOOD
10N2428PNW (P1)
(Qty. 4)



WOOD
10N2428PNW (P2)
(Qty. 4)



WOOD
10N2428PNW (P3)
(Qty. 4)



LAMINATE
25N2428PNL (Epic)
(Qty. 4)



LAMINATE
10N2428PNL (P1)
(Qty. 4)



WOOD
25N168PNKW (Epic)
25N192PNKW (Epic)
(Qty. 1)



WOOD
10N168PNKW (P1)
10N192PNKW (P1)
(Qty. 1)

Continued on next page

TABLE BASE GUIDE

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS	BASES
48" x 168" **48" x 192" (CONTINUED)**  Bases at right applicable to 48" x 168" or 48" x 192" rectangle, boat, or racetrack tables	 **WOOD** 10N168PNKW (P2) 10N192PNKW (P2) (Qty. 1)  **WOOD** 10N168PNKW (P3) 10N192PNKW (P3) (Qty. 1)  **LAMINATE** 25N168PNKL (Epic) 25N192PNKL (Epic) (Qty. 1)  **LAMINATE** 10N168PNKL (P1) 10N192PNKL (P1) (Qty. 1)  **METAL** CBV2928P2BP (Qty. 4)

TABLE BASE GUIDE

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS

48" x 216"
48" x 240"





Bases at right applicable to 48" x 216" or 48" x 240" rectangle, boat, or racetrack tables

BASES

WOOD
10N1828CYBW (P1)
(Qty. 4)

LAMINATE
10N1828CYBL (P1)
(Qty. 4)

WOOD
BW-18
(Qty. 4)

LAMINATE
BP-18
(Qty. 4)

WOOD
25N1828SQBW (Epic)
(Qty. 4)

WOOD
10N1828SQBW (P1)
(Qty. 4)

WOOD
10N1828SQBW (P2)
(Qty. 4)



WOOD
10N1828SQBW (P3)
(Qty. 4)

WOOD
25N1828SQBL (Epic)
(Qty. 4)

LAMINATE
10N1828SQBL (P1)
(Qty. 4)

WOOD
25N1828SQBXW (Epic)
(Qty. 4)

WOOD
10N1828SQBXW (P1)
(Qty. 4)



WOOD
10N1828SQBXW (P2)
(Qty. 4)



WOOD
10N1828SQBXW (P3)
(Qty. 4)



LAMINATE
25N1828SQBXL (Epic)
(Qty. 4)

LAMINATE
10N1828SQBXL (P1)
(Qty. 4)

WOOD
TBW-4
(Qty. 4)

WOOD
BW-2427S
(Qty. 5)

LAMINATE
BP-2427S
(Qty. 5)

LAMINATE
BP-2427C
(Qty. 5)



WOOD
25N2428PNW (Epic)
(Qty. 4)



WOOD
10N2428PNW (P1)
(Qty. 4)



WOOD
10N2428PNW (P2)
(Qty. 4)



WOOD
10N2428PNW (P3)
(Qty. 4)



LAMINATE
25N2428PNL (Epic)
(Qty. 4)



LAMINATE
10N2428PNL (P1)
(Qty. 4)



WOOD
25N216PNKW (Epic)
25N240PNKW (Epic)
(Qty. 1)



WOOD
10N216PNKW (P1)
10N240PNKW (P1)
(Qty. 1)

Continued on next page

TABLE BASE GUIDE

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS	BASES
48" x 216" **48" x 240" (CONTINUED)**  Bases at right applicable to 48" x 216" or 48" x 240" rectangle, boat, or racetrack tables	 **WOOD** 10N216PNKW (P2) 10N240PNKW (P2) (Qty. 1)  **WOOD** 10N216PNKW (P3) 10N240PNKW (P3) (Qty. 1)  **LAMINATE** 25N216PNKL (Epic) 25N240PNKL (Epic) (Qty. 1)  **LAMINATE** 10N216PNKL (P1) 10N240PNKL (P1) (Qty. 1)  **METAL** CBV2928P2BP (Qty. 5)

TABLE BASE GUIDE

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS

60" x 144"



Bases at right applicable to 60" x 144" rectangle, boat, or racetrack tables

BASES

WOOD
10N2428CYBW (P1)*
(Qty. 3)

LAMINATE
10N2428CYBL (P1)*
(Qty. 3)

WOOD
BW-24*
(Qty. 3)

LAMINATE
BP-24*
(Qty. 3)

WOOD
25N2428SQBW (Epic)*
(Qty. 3)

WOOD
10N2428SQBW (P1)*
(Qty. 3)

WOOD
10N2428SQBW (P2)*
(Qty. 3)



WOOD
10N2428SQBW (P3)*
(Qty. 3)

LAMINATE
25N2428SQBL (Epic)*
(Qty. 3)

LAMINATE
10N2428SQBL (P1)*
(Qty. 3)

WOOD
25N2428SQBXW (Epic)*
(Qty. 3)

WOOD
10N2428SQBXW (P1)*
(Qty. 3)



WOOD
10N2428SQBXW (P2)*
(Qty. 3)



WOOD
10N2428SQBXW (P3)*
(Qty. 3)



LAMINATE
25N2428SQBXL (Epic)*
(Qty. 3)

LAMINATE
10N2428SQBXL (P1)*
(Qty. 3)

WOOD
25N2428PNW (Epic)
(Qty. 3)



WOOD
10N2428PNW (P1)
(Qty. 3)



WOOD
10N2428PNW (P2)
(Qty. 3)



WOOD
10N2428PNW (P3)
(Qty. 3)

LAMINATE
25N2428PNL (Epic)
(Qty. 3)



LAMINATE
10N2428PNL (P1)
(Qty. 3)



WOOD
25N60144PNKW (Epic)
(Qty. 1)



WOOD
10N60144PNKW (P1)
(Qty. 1)



WOOD
10N60144PNKW (P2)
(Qty. 1)



WOOD
10N60144PNKW (P3)
(Qty. 1)



LAMINATE
25N60144PNKL (Epic)
(Qty. 1)



LAMINATE
10N60144PNKL (P1)
(Qty. 1)

TABLE BASE GUIDE

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS

60" x 168"
60" x 192"
60" x 216"
60" x 240"



Bases at right applicable to 60" x 168", 60" x 192", 60 x 216", or 60" x 240" rectangle, boat, or racetrack tables

BASES

WOOD
10N2428CYBW (P1)*
(Qty. 4)

LAMINATE
10N2428CYBL (P1)*
(Qty. 4)

WOOD
BW-24*
(Qty. 4)

LAMINATE
BP-24*
(Qty. 4)

WOOD
25N2428SQBW (Epic)*
(Qty. 4)

WOOD
10N2428SQBW (P1)*
(Qty. 4)



WOOD
10N2428SQBW (P2)*
(Qty. 4)



WOOD
10N2428SQBW (P3)*
(Qty. 4)

LAMINATE
25N2428SQBL (Epic)*
(Qty. 4)

LAMINATE
10N2428SQBL (P1)*
(Qty. 4)

WOOD
25N2428SQBXW (Epic)*
(Qty. 4)

WOOD
10N2428SQBXW (P1)*
(Qty. 4)



WOOD
10N2428SQBXW (P2)*
(Qty. 4)



WOOD
10N2428SQBXW (P3)*
(Qty. 4)

LAMINATE
25N2428SQBXL (Epic)*
(Qty. 4)

LAMINATE
10N2428SQBXL (P1)*
(Qty. 4)



WOOD
25N2428PNW (Epic)
(Qty. 4)



WOOD
10N2428PNW (P1)
(Qty. 4)



WOOD
10N2428PNW (P2)
(Qty. 4)



WOOD
10N2428PNW (P3)
(Qty. 4)



LAMINATE
25N2428PNL (Epic)
(Qty. 4)



LAMINATE
10N2428PNL (P1)
(Qty. 4)



WOOD
25N60168PNKW (Epic)
25N60192PNKW (Epic)
25N60216PNKW (Epic)
25N60240PNKW (Epic)
(Qty. 1)



WOOD
10N60168PNKW (P1)
10N60192PNKW (P1)
10N60216PNKW (P1)
10N60240PNKW (P1)
(Qty. 1)

Continued on next page

TABLE BASE GUIDE

The quantity listed below each base represents the number of bases required to support the conference tops shown on this page.

TOPS	BASES			
60" x 168" **60" x 192"** **60" x 216"** **60" x 240" (CONTINUED)**  Bases at right applicable to 60" x 168", 60" x 192", 60 x 216", or 60" x 240" rectangle, boat, or racetrack tables	 **WOOD** 10N60168PNKW (P2) 10N60192PNKW (P2) 10N60216PNKW (P2) 10N60240PNKW (P2) (Qty. 1)	 **WOOD** 10N60168PNKW (P3) 10N60192PNKW (P3) 10N60216PNKW (P3) 10N60240PNKW (P3) (Qty. 1)	 **LAMINATE** 25N60168PNKL (Epic) 25N60192PNKL (Epic) 25N60216PNKL (Epic) 25N60240PNKL (Epic) (Qty. 1)	 **LAMINATE** 10N60168PNKL (P1) 10N60192PNKL (P1) 10N60216PNKL (P1) 10N60240PNKL (P1) (Qty. 1)

TABLE BASE PLACEMENT GUIDE

- All bases are centered on the table top depth

TABLE LENGTH (IN)	SECTION LENGTH	SQUARE AND ROUND BASES		QUEEN ANNE, THICK PANEL BASES, AND KITS		FIGURES (NOT TO SCALE)
	C	A	B	A	B	
240	81	30	9	28	7	
234	78	29¼	9¾	27¼	7¾	
228	75	28½	10½	26½	8½	
222	72	27¾	11¼	25¾	9¼	
216	69	27	12	25	10	
210	66	26¼	12¾	24¼	10¾	
204	63	25½	13½	23½	11½	
198	60	24¾	14¼	22¾	12¼	
192	96	24	24	22	26	
186	93	23¼	23¼	21¼	25¼	
180	90	22½	22½	20½	24½	
174	87	21¾	21¾	19¾	23¾	
168	84	21	21	19	23	
162	81	20¼	20¼	18¼	22¼	
156	78	19½	19½	17½	21½	
150	75	18¾	18¾	16¾	20¾	
144	72	24	centered	22	centered	
138	69	23	centered	21	centered	
132	66	22	centered	20	centered	
126	63	21	centered	19	centered	
120	60	20	centered	18	centered	
114	57	19	centered	17	centered	
108	54	18	centered	16	centered	
102	51	17	centered	15	centered	
96	N/A	24	N/A	22	N/A	
90	N/A	22½	N/A	20½	N/A	
84	N/A	21	N/A	19	N/A	
78	N/A	19½	N/A	17½	N/A	
72	N/A	18	N/A	16	N/A	
66	N/A	16½	N/A	14½	N/A	

TABLE BASE PLACEMENT GUIDE

• All bases are centered on the table top depth

TABLE LENGTH (IN)	SECTION LENGTH	THIN PANELS, CURVED PANELS, AND METAL BASES			
	C	NUMBER OF BASES	A	B	FIGURES (NOT TO SCALE)
240	81	5	24	72	
234	78	5	24	72	
228	75	5	24	72	
222	72	5	24	72	
216	69	5	24	66	
210	66	5	24	66	
204	63	5	24	66	
198	60	5	24	66	
192	96	4	24	72	
186	93	4	24	70	
180	90	4	24	68	
174	87	4	24	66	
168	84	4	24	64	
162	81	4	24	62	
156	78	4	24	60	
150	75	4	24	58	
144	72	3	24	centered	
138	69	3	24	centered	
132	66	3	24	centered	
126	63	3	24	centered	
120	60	3	24	centered	
114	57	3	24	centered	
108	54	3	24	centered	
102	51	3	24	centered	
96 (2 prong)	48	3	24	N/A	
90 (2 prong)	45	3	24	N/A	
96	N/A	2	24	N/A	
90	N/A	2	24	N/A	
84	N/A	2	18	N/A	
78	N/A	2	18	N/A	
72	N/A	2	18	N/A	
66	N/A	2	18	N/A	

TABLE BASE PLACEMENT GUIDE

CONFERENCE TABLE TOPS

Arrowood™ 60
Barrington® 66
Epic® 74
Escalade® 97
Universal 105
WaveWorks® 122

ARROWOOD

ARROWOOD CONFERENCE TOP SPECIFICATIONS

TOPS
- Arrowood Veneer (31N) models feature 1⅜" or 1⅛" slipmatched cherry and maple, bookmatched walnut veneer or HPL (high pressure laminate)
- Mitered wood rim profile
- Arrowood Laminate (21N) models feature 1⅜" TFL (thermally fused laminate) with mitered rim
- Size modifications available at no upcharge; many Arrowood conference tops can be cut down in 6" increments. See component section for specific models
- See page 19 for modified size options

FINISH APPLICATION
- All Veneer surfaces feature a semi-open pore matte finish

POWER DATA
- Round black grommet (G10); order field installed NACG10EL for an electrical solution
- G15A SIDE 1: 2 power outlets, 1 dual USB-A port, 1 HDMI and 1 blank data port SIDE 2: 2 power outlets, 1 dual USB-A port, 1 VGA and 1 blank data port
- G15B SIDE 1: 2 power outlets, 1 blank data port, 1 HDMI, and 1 USB A + C combo SIDE 2: 2 power outlets, 1 blank data port, 1 VGA and 1 USB-A + C combo
- Power/Data Oasis (G162) comes in silver or black powder coat and features 6 power receptacles with 2 charging USB (2.1); 1 HDMI; 1 VGA with mini stereo, and 1 RJ45 data jack
- Power/Data Oasis must be placed between bases and utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit

TO ORDER, SPECIFY:
1. **Model Number**
2. **Grommet**
3. **Modified Depth**
4. **Modified Width**
5. **Finish/Laminate**

ARROWOOD SHAPES AND SIZES



SQUARE
30" x 30"
36" x 36"
42" x 42"
48" x 48"
54" x 54"
60" x 60"

RECTANGLE
36" x 72", 42" x 84"
48" x 96", 120", 144", 168", 192", 216" and 240"
60" x 144", 168", 192", 216" and 240"

31N ARROWOOD VENEER TOP OPTIONS

WOOD FINISHES

AC Autumn
CL Caramel
CW Cordovan
DW Judicial
HN Honey
IM Brighton
MC Amber
MH Mocha
NM Natural
TF Truffle

RIM PROFILE

21N ARROWOOD LAMINATE TOP OPTIONS

LAMINATE COLORS

AC2	Autumn 2	MH	Mocha
AD	Almond	NM	Natural
CL	Caramel	PB	Portobello
CW	Cordovan	SM	Sonoma
DW	Judicial	TF	Truffle
HN2	Honey 2	792	Sable
IM	Brighton	793	Acorn
MC	Amber		

RIM PROFILE

GROMMET AND CUTOUT OPTIONS

Conference table tops are available with grommet or cutout options to accommodate electrical and data management solutions.
If no grommet or cutout is desired, specify an X.

Round Grommet Option, Black

$100 list for each grommet location

G10C Center
G10E End
G10LR Left, Right
G10A All
G10CE Center, End

- Reference pages 20-21 for grommet locations

NACG10EL
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 556 for pricing and details

Cutout Option for 1 Touch Double Pivoting Power Grommet

$40 list upcharge per cutout location

CUT-G15C Center
CUT-G15E End
CUT-G15LR Left, Right
CUT-G15A All
CUT-G15CE Center, End



- Reference pages 22-23 for cutout locations of CUT-G15



NACG15AELPGS, NACG15AELHCS, NACG15AELPGB, NACG15AELHCB, NACG15AELPGW, and NACG15AELHCW
(Sold Separately)

- Must order model NACG15AELPGS, NACG15AELHCS, NACG15AELPGB, NACG15AELHCB, NACG15AELPGW, or NACG15AELHCW to fit into CUT-G15 option
- Reference page 560 for pricing and details

Cutout Option for Power/Data Oasis

$40 list upcharge per cutout location

CUT-G16C Center
CUT-G16E End
CUT-G16LR Left, Right
CUT-G16A All
CUT-G16CE Center, End



- Reference pages 24-25 for cutout locations of CUT-G16
- The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit



NACG162ELS, NACG162ELHS, NACG162ELB, and NACG162ELHB
(Sold Separately)

- Must order model NACG162ELS, NACG162ELHS, NACG162ELB, or NACG162ELHB to fit into CUT-G16 option
- Reference page 563 for pricing and details

NOTE: Interlink IQ units are available in the Accessories section

ARROWOOD SQUARE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on square tops are G10C and CUT-G15C, reference page 61 for options and upcharge
- Reference pages 36-55 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Grommet/Cutout Option
3. Finish

SAMPLE MODEL NUMBERS:

31NN3636SQW G10C NM
31NN3636SQLW G10C MC

- See page 61 for all options available in Arrowood

ARROWOOD SQUARE TOP



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
30" SQUARE	**1⁹⁄₁₆" TOP THICKNESS**								
31NN3030SQW	Wood	$ 1417	30	30	1⁹⁄₁₆	–	–	33 lbs.	2.0
31NN3030SQLW	Laminate/Wood	1417	30	30	1⁹⁄₁₆	–	–	33 lbs.	2.0
36" SQUARE									
31NN3636SQW	Wood	$ 1669	36	36	1⁹⁄₁₆	–	–	45 lbs.	2.4
31NN3636SQLW	Laminate/Wood	1669	36	36	1⁹⁄₁₆	–	–	45 lbs.	2.4
42" SQUARE									
31NN4242SQW	Wood	$ 1870	42	42	1⁹⁄₁₆	–	–	61 lbs.	3.2
31NN4242SQLW	Laminate/Wood	1870	42	42	1⁹⁄₁₆	–	–	61 lbs.	3.2
48" SQUARE									
31NN4848SQW	Wood	$ 2081	48	48	1⁹⁄₁₆	–	–	79 lbs.	4.2
31NN4848SQLW	Laminate/Wood	2081	48	48	1⁹⁄₁₆	–	–	79 lbs.	4.2
54" SQUARE									
31NN5454SQW	Wood	$ 2445	54	54	1⁹⁄₁₆	–	–	121 lbs.	6.9
31NN5454SQLW	Laminate/Wood	2445	54	54	1⁹⁄₁₆	–	–	121 lbs.	6.9
60" SQUARE									
31NN6060SQW	Wood	$ 2808	58⅜	58⅜	1⁹⁄₁₆	–	–	150 lbs.	8.3
31NN6060SQLW	Laminate/Wood	2808	58⅜	58⅜	1⁹⁄₁₆	–	–	150 lbs.	8.3

ARROWOOD SQUARE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on square tops are G10C and CUT-G15C, reference page 61 for options and upcharge
- Reference pages 36-55 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Grommet/Cutout Option
3. Finish

SAMPLE MODEL NUMBERS:

31N3030SQW G10C NM
31N3030SQLW G10C MC

- See page 61 for all options available in Arrowood

ARROWOOD SQUARE TOP



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
30" SQUARE	**1⅜" TOP THICKNESS**								
31N3030SQW	Wood	$ 1263	30	30	1⅜	–	–	33 lbs.	2.0
31N3030SQLW	Laminate/Wood	1263	30	30	1⅜	–	–	33 lbs.	2.0
21N3030SQL	Laminate	654	30	30	1⅜	–	–	33 lbs.	2.0
36" SQUARE									
31N3636SQW	Wood	$ 1486	36	36	1⅜	–	–	42 lbs.	2.4
31N3636SQLW	Laminate/Wood	1486	36	36	1⅜	–	–	42 lbs.	2.4
21N3636SQL	Laminate	767	36	36	1⅜	–	–	42 lbs.	2.4
42" SQUARE									
31N4242SQW	Wood	$ 1689	42	42	1⅜	–	–	58 lbs.	3.2
31N4242SQLW	Laminate/Wood	1689	42	42	1⅜	–	–	58 lbs.	3.2
21N4242SQL	Laminate	1100	42	42	1⅜	–	–	58 lbs.	3.2
48" SQUARE									
31N4848SQW	Wood	$ 1900	48	48	1⅜	–	–	76 lbs.	4.2
31N4848SQLW	Laminate/Wood	1900	48	48	1⅜	–	–	76 lbs.	4.2
21N4848SQL	Laminate	1510	48	48	1⅜	–	–	76 lbs.	4.2

ARROWOOD RECTANGLE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 61 for options and upcharge
- Reference pages 20-25 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 36-55 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Grommet/Cutout Option
3. Modified Depth (see page 19 for available sizes)
4. Modified Width (see page 19 for available sizes)
5. Finish

SAMPLE MODEL NUMBERS:

31NN48216RTW	CUT-G15LR	X	X	MH
31NN48216RTLW	X		X	X CW

- See page 61 for all options available in Arrowood

ARROWOOD RECTANGLE TOP



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36" x 72"	**1⅜" TOP THICKNESS**								
31NN3672RTW	Wood	$ 2645	36	72	1⅜	–	–	136 lbs.	6.3
31NN3672RTLW	Laminate/Wood	2645	36	72	1⅜	–	–	136 lbs.	6.3
42" x 84"									
31NN4284RTW	Wood	$ 3125	42	84	1⅜	–	–	180 lbs.	8.3
31NN4284RTLW	Laminate/Wood	3125	42	84	1⅜	–	–	180 lbs.	8.3
48" x 96"									
31NN4896RTW	Wood	$ 3599	48	96	1⅜	–	–	233 lbs.	10.5
31NN4896RTLW	Laminate/Wood	3599	48	96	1⅜	–	–	233 lbs.	10.5
48" x 120"									
31NN48120RTW	Wood	$ 4912	48	120	1⅜	–	–	279 lbs.	10.6
31NN48120RTLW	Laminate/Wood	4912	48	120	1⅜	–	–	279 lbs.	10.6
48" x 144"									
31NN48144RTW	Wood	$ 6087	48	144	1⅜	–	–	332 lbs.	12.5
31NN48144RTLW	Laminate/Wood	6087	48	144	1⅜	–	–	332 lbs.	12.5
48" x 168"									
31NN48168RTW	Wood	$ 7006	48	168	1⅜	–	–	385 lbs.	14.3
31NN48168RTLW	Laminate/Wood	7006	48	168	1⅜	–	–	385 lbs.	14.3
48" x 192"									
31NN48192RTW	Wood	$ 7922	48	192	1⅜	–	–	438 lbs.	16.2
31NN48192RTLW	Laminate/Wood	7922	48	192	1⅜	–	–	438 lbs.	16.2
48" x 216"									
31NN48216RTW	Wood	$ 8839	48	216	1⅜	–	–	524 lbs.	20.0
31NN48216RTLW	Laminate/Wood	8839	48	216	1⅜	–	–	524 lbs.	20.0
48" x 240"									
31NN48240RTW	Wood	$ 9760	48	240	1⅜	–	–	571 lbs.	22.0
31NN48240RTLW	Laminate/Wood	9760	48	240	1⅜	–	–	571 lbs.	22.0

- Modified depth and width are available; refer to the chart on page 19 for conference top sizing

ARROWOOD RECTANGLE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 61 for options and upcharge
- Reference pages 20-25 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 36-55 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Grommet/Cutout Option
3. Modified Depth (see page 19 for available sizes)
4. Modified Width (see page 19 for available sizes)
5. Finish

SAMPLE MODEL NUMBERS:

31NN60144RTW	CUT-G15LR	X	X	MH
31NN60144RTLW	X		X	X CW

- See page 61 for all options available in Arrowood

ARROWOOD RECTANGLE TOP (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
60" x 144"	**1⅜" TOP THICKNESS**								
31NN60144RTW	Wood	$ 7909	58⅜	144	1⅜	—	—	412 lbs.	18.0
31NN60144RTLW	Laminate/Wood	7909	58⅜	144	1⅜	—	—	412 lbs.	18.0
60" x 168"									
31NN60168RTW	Wood	$ 9107	58⅜	168	1⅜	—	—	480 lbs.	22.5
31NN60168RTLW	Laminate/Wood	9107	58⅜	168	1⅜	—	—	480 lbs.	22.5
60" x 192"									
31NN60192RTW	Wood	$ 10302	58⅜	192	1⅜	—	—	539 lbs.	29.0
31NN60192RTLW	Laminate/Wood	10302	58⅜	192	1⅜	—	—	539 lbs.	29.0
60" x 216"									
31NN60216RTW	Wood	$ 11490	58⅜	216	1⅜	—	—	647 lbs.	31.0
31NN60216RTLW	Laminate/Wood	11490	58⅜	216	1⅜	—	—	647 lbs.	31.0
60" x 240"									
31NN60240RTW	Wood	$ 12682	58⅜	240	1⅜	—	—	706 lbs.	34.0
31NN60240RTLW	Laminate/Wood	12682	58⅜	240	1⅜	—	—	706 lbs.	34.0

- Modified depth and width are available; refer to the chart on page 19 for conference top sizing

BARRINGTON

BARRINGTON CONFERENCE TOP SPECIFICATIONS

TOPS
- 1⅜" bookmatched walnut veneer or HPL (high pressure laminate)
- Mitered wood rim
- Size modifications available at no upcharge; many Barrington conference tops can be cut down in 6" increments. See component section for specific models
- See page 19 for modified size options

FINISH APPLICATION
- All Veneer surfaces feature a semi-open pore matte finish

POWER DATA
- Round black grommet (G10); order field installed NACG10EL for an electrical solution
- G15A SIDE 1: 2 power outlets, 1 dual USB-A port, 1 HDMI and 1 blank data port SIDE 2: 2 power outlets, 1 dual USB-A port, 1 VGA and 1 blank data port
- G15B SIDE 1: 2 power outlets, 1 blank data port, 1 HDMI, and 1 USB A + C combo SIDE 2: 2 power outlets, 1 blank data port, 1 VGA and 1 USB-A + C combo
- Power/Data Oasis (G162) comes in silver or black powder coat and features 6 power receptacles with 2 charging USB (2.1); 1 HDMI; 1 VGA with mini stereo, and 1 RJ45 data jack
- Power/Data Oasis must be placed between bases and utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit

TO ORDER, SPECIFY:
1. **Model Number**
2. **Grommet**
3. **Modified Depth**
4. **Modified Width**
5. **Finish/Laminate**

BARRINGTON SHAPES AND SIZES



ROUND
30" Diameter
36" Diameter
42" Diameter
48" Diameter
54" Diameter
60" Diameter



SQUARE
30" x 30"
36" x 36"
42" x 42"
48" x 48"
54" x 54"
60" x 60"

RECTANGLE
36" x 72", 42" x 84"
48" x 96", 120", 144", 168", 192", 216" and 240"
60" x 144", 168", 192", 216" and 240"



BOAT
36" x 72", 42" x 84"
48" x 96", 120", 144", 168", 192", 216" and 240"
60" x 144", 168", 192", 216" and 240"

WOOD FINISHES

CW Cordovan
DW Judicial
MH Mocha
TF Truffle

RIM PROFILE



GROMMET AND CUTOUT OPTIONS

Conference table tops are available with grommet or cutout options to accommodate electrical and data management solutions.
If no grommet or cutout is desired, specify an X.

Round Grommet Option, Black

$100 list upcharge per grommet location

G10C Center
G10E End
G10LR Left, Right
G10A All
G10CE Center, End

- Reference pages 20-21 for grommet locations

NACG10EL
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 556 for pricing and details

Cutout Option for 1 Touch Double Pivoting Power Grommet

$40 list upcharge per cutout location

CUT-G15C Center
CUT-G15E End
CUT-G15LR Left, Right
CUT-G15A All
CUT-G15CE Center, End



- Reference pages 22-23 for cutout locations of CUT-G15



NACG15AELPGS, NACG15AELHCS, NACG15AELPGB, NACG15AELHCB, NACG15AELPGW, and NACG15AELHCW
(Sold Separately)

- Must order model NACG15AELPGS, NACG15AELHCS, NACG15AELPGB, NACG15AELHCB, NACG15AELPGW, or NACG15AELHCW to fit into CUT-G15 option
- Reference page 560 for pricing and details

Cutout Option for Power/Data Oasis

$40 list upcharge per cutout location

CUT-G16C Center
CUT-G16E End
CUT-G16LR Left, Right
CUT-G16A All
CUT-G16CE Center, End



- Reference pages 24-25 for cutout locations of CUT-G16
- The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit



NACG162ELS, NACG162ELHS, NACG162ELB, and NACG162ELHB
(Sold Separately)

- Must order model NACG162ELS, NACG162ELHS, NACG162ELB, or NACG162ELHB to fit into CUT-G16 option
- Reference page 563 for pricing and details

NOTE: Interlink IQ units are available in the Accessories section

BARRINGTON ROUND TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases or Queen Anne bases
- Grommet options available on round and square tops are G10C and CUT-G15C, reference page 67 for options and upcharge
- Reference pages 36-55 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Grommet/Cutout Option
3. Finish

SAMPLE MODEL NUMBER:

50NN36RDW X DW

- See page 67 for all options available in Barrington

BARRINGTON ROUND TOP



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
30" ROUND	**1⅜" TOP THICKNESS**		**DI**		**H**				
50NN30RDW	Wood	$ 1868	30	–	1⅜	–	–	33 lbs.	2.0
50NN30RDLW	Laminate/Wood	1868	36	–	1⅜	–	–	33 lbs.	2.0
36" ROUND									
50NN36RDW	Wood	$ 2200	36	–	1⅜	–	–	45 lbs.	2.4
50NN36RDLW	Laminate/Wood	2200	36	–	1⅜	–	–	45 lbs.	2.4
42" ROUND									
50NN42RDW	Wood	$ 2404	42	–	1⅜	–	–	61 lbs.	3.2
50NN42RDLW	Laminate/Wood	2404	42	–	1⅜	–	–	61 lbs.	3.2
48" ROUND									
50NN48RDW	Wood	$ 2972	48	–	1⅜	–	–	79 lbs.	4.2
50NN48RDLW	Laminate/Wood	2972	48	–	1⅜	–	–	79 lbs.	4.2
54" ROUND									
50NN54RDW	Wood	$ 3623	54	–	1⅜	–	–	121 lbs.	6.9
50NN54RDLW	Laminate/Wood	3623	54	–	1⅜	–	–	121 lbs.	6.9
60" ROUND									
50NN60RDW	Wood	$ 3994	58⅝	–	1⅜	–	–	150 lbs.	8.3
50NN60RDLW	Laminate/Wood	3994	58⅝	–	1⅜	–	–	150 lbs.	8.3

BARRINGTON SQUARE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases or Queen Anne bases
- Grommet options available on round and square tops are G10C and CUT-G15C, reference page 67 for options and upcharge
- Reference pages 36-55 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Grommet/Cutout Option
3. Finish

SAMPLE MODEL NUMBER:

50NN3636SQW X MH

- See page 67 for all options available in Barrington

BARRINGTON SQUARE TOP



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
30" SQUARE	**1⅜" TOP THICKNESS**								
50NN3030SQW	Wood	$ 1868	30	30	1⅜	—	—	33 lbs.	2.0
50NN3030SQLW	Laminate/Wood	1868	30	30	1⅜	—	—	33 lbs.	2.0
36" SQUARE									
50NN3636SQW	Wood	$ 2200	36	36	1⅜	—	—	45 lbs.	2.4
50NN3636SQLW	Laminate/Wood	2200	36	36	1⅜	—	—	45 lbs.	2.4
42" SQUARE									
50NN4242SQW	Wood	$ 2404	42	42	1⅜	—	—	61 lbs.	3.2
50NN4242SQLW	Laminate/Wood	2404	42	42	1⅜	—	—	61 lbs.	3.2
48" SQUARE									
50NN4848SQW	Wood	$ 2972	48	48	1⅜	—	—	79 lbs.	4.2
50NN4848SQLW	Laminate/Wood	2972	48	48	1⅜	—	—	79 lbs.	4.2
54" SQUARE									
50NN5454SQW	Wood	$ 3623	54	54	1⅜	—	—	121 lbs.	6.9
50NN5454SQLW	Laminate/Wood	3623	54	54	1⅜	—	—	121 lbs.	6.9
60" SQUARE									
50NN6060SQW	Wood	$ 3994	58⅜	58⅜	1⅜	—	—	150 lbs.	8.3
50NN6060SQLW	Laminate/Wood	3994	58⅜	58⅜	1⅜	—	—	150 lbs.	8.3

BARRINGTON RECTANGLE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Power grommets cannot be used with Queen Anne bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 67 for options and upcharge
- Reference pages 20-25 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 36-55 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Grommet/Cutout Option
3. Modified Depth (see page 19 for available sizes)
4. Modified Width (see page 19 for available sizes)
5. Finish

SAMPLE MODEL NUMBERS:

50NN48216RTW CUT-G15A X X DW
50NN48216RTLW CUT-G15A X X DW

- See page 67 for all options available in Barrington

BARRINGTON RECTANGLE TOP



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36" x 72"	**1⅜" TOP THICKNESS**								
50NN3672RTW	Wood	$ 3435	36	72	1⅜	–	–	136 lbs.	6.3
50NN3672RTLW	Laminate/Wood	3435	36	72	1⅜	–	–	136 lbs.	6.3
42" x 84"									
50NN4284RTW	Wood	$ 4052	42	84	1⅜	–	–	180 lbs.	8.3
50NN4284RTLW	Laminate/Wood	4052	42	84	1⅜	–	–	180 lbs.	8.3
48" x 96"									
50NN4896RTW	Wood	$ 4666	47 11/16	96	1⅜	–	–	233 lbs.	10.5
50NN4896RTLW	Laminate/Wood	4666	47 11/16	96	1⅜	–	–	233 lbs.	10.5
48" x 120"									
50NN48120RTW	Wood	$ 6372	47 11/16	120	1⅜	–	–	279 lbs.	10.6
50NN48120RTLW	Laminate/Wood	6372	47 11/16	120	1⅜	–	–	279 lbs.	10.6
48" x 144"									
50NN48144RTW	Wood	$ 7896	47 11/16	144	1⅜	–	–	332 lbs.	12.5
50NN48144RTLW	Laminate/Wood	7896	47 11/16	144	1⅜	–	–	332 lbs.	12.5
48" x 168"									
50NN48168RTW	Wood	$ 9088	47 11/16	168	1⅜	–	–	385 lbs.	14.3
50NN48168RTLW	Laminate/Wood	9088	47 11/16	168	1⅜	–	–	385 lbs.	14.3
48" x 192"									
50NN48192RTW	Wood	$ 10275	47 11/16	192	1⅜	–	–	438 lbs.	16.2
50NN48192RTLW	Laminate/Wood	10275	47 11/16	192	1⅜	–	–	438 lbs.	16.2
48" x 216"									
50NN48216RTW	Wood	$ 11461	47 11/16	216	1⅜	–	–	524 lbs.	20.0
50NN48216RTLW	Laminate/Wood	11461	47 11/16	216	1⅜	–	–	524 lbs.	20.0
48" x 240"									
50NN48240RTW	Wood	$ 12654	47 11/16	240	1⅜	–	–	571 lbs.	22.0
50NN48240RTLW	Laminate/Wood	12654	47 11/16	240	1⅜	–	–	571 lbs.	22.0

- Modified depth and width are available; refer to the chart on page 19 for conference top sizing

BARRINGTON RECTANGLE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Power grommets cannot be used with Queen Anne bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 67 for options and upcharge
- Reference pages 20-25 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 36-55 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Grommet/Cutout Option
3. Modified Depth (see page 19 for available sizes)
4. Modified Width (see page 19 for available sizes)
5. Finish

SAMPLE MODEL NUMBERS:

50NN60144RTW CUT-G15A X X DW
50NN60144RTLW CUT-G15A X X DW

- See page 67 for all options available in Barrington

BARRINGTON RECTANGLE TOP (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
60" x 144"	**1⅜" TOP THICKNESS**								
50NN60144RTW	Wood	$ 10260	58⅜	143⅛	1⅜	—	—	412 lbs.	18.0
50NN60144RTLW	Laminate/Wood	10260	58⅜	143⅛	1⅜	—	—	412 lbs.	18.0
60" x 168"									
50NN60168RTW	Wood	$ 11813	58⅜	168	1⅜	—	—	480 lbs.	22.5
50NN60168RTLW	Laminate/Wood	11813	58⅜	168	1⅜	—	—	480 lbs.	22.5
60" x 192"									
50NN60192RTW	Wood	$ 13355	58⅜	192	1⅜	—	—	539 lbs.	29.0
50NN60192RTLW	Laminate/Wood	13355	58⅜	192	1⅜	—	—	539 lbs.	29.0
60" x 216"									
50NN60216RTW	Wood	$ 14905	58⅜	216	1⅜	—	—	647 lbs.	31.0
50NN60216RTLW	Laminate/Wood	14905	58⅜	216	1⅜	—	—	647 lbs.	31.0
60" x 240"									
50NN60240RTW	Wood	$ 16451	58⅜	240	1⅜	—	—	706 lbs.	34.0
50NN60240RTLW	Laminate/Wood	16451	58⅜	240	1⅜	—	—	706 lbs.	34.0

- Modified depth and width are available; refer to the chart on page 19 for conference top sizing

BARRINGTON BOAT TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Power grommets cannot be used with Queen Anne bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 67 for options and upcharge
- Reference pages 20-25 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 36-55 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Grommet/Cutout Option
3. Modified Depth (see page 19 for available sizes)
4. Modified Width (see page 19 for available sizes)
5. Finish)

SAMPLE MODEL NUMBERS:

50NN48216BTW G10A X X CW
50NN48216BTLW G10A X X CW

- See page 67 for all options available in Barrington

BARRINGTON BOAT TOP



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36" x 72"	**1⁹⁄₁₆" TOP THICKNESS**								
50NN3672BTW	Wood	$ 3706	36	72	1⁹⁄₁₆	–	–	136 lbs.	6.3
50NN3672BTLW	Laminate/Wood	3706	36	72	1⁹⁄₁₆	–	–	136 lbs.	6.3
42" x 84"									
50NN4284BTW	Wood	$ 4319	42	84	1⁹⁄₁₆	–	–	180 lbs.	8.3
50NN4284BTLW	Laminate/Wood	4319	42	84	1⁹⁄₁₆	–	–	180 lbs.	8.3
48" x 96"									
50NN4896BTW	Wood	$ 4929	47¹¹⁄₁₆	96	1⁹⁄₁₆	–	–	233 lbs.	10.5
50NN4896BTLW	Laminate/Wood	4929	47¹¹⁄₁₆	96	1⁹⁄₁₆	–	–	233 lbs.	10.5
48" x 120"									
50NN48120BTW	Wood	$ 6923	47¹¹⁄₁₆	120	1⁹⁄₁₆	–	–	279 lbs.	10.6
50NN48120BTLW	Laminate/Wood	6923	47¹¹⁄₁₆	120	1⁹⁄₁₆	–	–	279 lbs.	10.6
48" x 144"									
50NN48144BTW	Wood	$ 8429	47¹¹⁄₁₆	144	1⁹⁄₁₆	–	–	332 lbs.	12.5
50NN48144BTLW	Laminate/Wood	8429	47¹¹⁄₁₆	144	1⁹⁄₁₆	–	–	332 lbs.	12.5
48" x 168"									
50NN48168BTW	Wood	$ 9610	47¹¹⁄₁₆	168	1⁹⁄₁₆	–	–	385 lbs.	14.3
50NN48168BTLW	Laminate/Wood	9610	47¹¹⁄₁₆	168	1⁹⁄₁₆	–	–	385 lbs.	14.3
48" x 192"									
50NN48192BTW	Wood	$ 10790	47¹¹⁄₁₆	192	1⁹⁄₁₆	–	–	438 lbs.	16.2
50NN48192BTLW	Laminate/Wood	10790	47¹¹⁄₁₆	192	1⁹⁄₁₆	–	–	438 lbs.	16.2
48" x 216"									
50NN48216BTW	Wood	$ 11964	47¹¹⁄₁₆	216	1⁹⁄₁₆	–	–	524 lbs.	20.0
50NN48216BTLW	Laminate/Wood	11964	47¹¹⁄₁₆	216	1⁹⁄₁₆	–	–	524 lbs.	20.0
48" x 240"									
50NN48240BTW	Wood	$ 13141	47¹¹⁄₁₆	240	1⁹⁄₁₆	–	–	571 lbs.	22.0
50NN48240BTLW	Laminate/Wood	13141	47¹¹⁄₁₆	240	1⁹⁄₁₆	–	–	571 lbs.	22.0

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 19 for conference top sizing

BARRINGTON BOAT TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Power grommets cannot be used with Queen Anne bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 67 for options and upcharge
- Reference pages 20-25 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 36-55 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Grommet/Cutout Option
3. Modified Depth (see page 19 for available sizes)
4. Modified Width (see page 19 for available sizes)
5. Finish

SAMPLE MODEL NUMBERS:

50NN60144BTW G10A X X CW
50NN60144BTLW G10A X X CW

- See page 67 for all options available in Barrington

BARRINGTON BOAT TOP (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
60" x 144"	**1⅜6" TOP THICKNESS**								
50NN60144BTW	Wood	$ 10956	58⅜	143⅛	1⅜6	—	—	412 lbs.	18.0
50NN60144BTLW	Laminate/Wood	10956	58⅜	143⅛	1⅜6	—	—	412 lbs.	18.0
60" x 168"									
50NN60168BTW	Wood	$ 12495	58⅜	168	1⅜6	—	—	480 lbs.	22.5
50NN60168BTLW	Laminate/Wood	12495	58⅜	168	1⅜6	—	—	480 lbs.	22.5
60" x 192"									
50NN60192BTW	Wood	$ 14028	58⅜	192	1⅜6	—	—	539 lbs.	29.0
50NN60192BTLW	Laminate/Wood	14028	58⅜	192	1⅜6	—	—	539 lbs.	29.0
60" x 216"									
50NN60216BTW	Wood	$ 15553	58⅜	216	1⅜6	—	—	647 lbs.	31.0
50NN60216BTLW	Laminate/Wood	15553	58⅜	216	1⅜6	—	—	647 lbs.	31.0
60" x 240"									
50NN60240BTW	Wood	$ 17082	58⅜	240	1⅜6	—	—	706 lbs.	34.0
50NN60240BTLW	Laminate/Wood	17082	58⅜	240	1⅜6	—	—	706 lbs.	34.0

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 19 for conference top sizing

EPIC

EPIC CONFERENCE TOP SPECIFICATIONS

TOPS

- Laminate surfaces are 1⅜" or 1⅜" HPL (high pressure laminate), and feature a 3mm PVC or wood rim, or a knife rim profile with a 3mm PVC or wood rim on the vertical edge
- Veneer surfaces are 1⅜" plain sliced slipmatched cherry (Amber, Autumn, Mocha, Truffle) or maple veneer (Brighton, Caramel, Honey, Natural), plain sliced bookmatched walnut veneer (Cordovan, Judicial), quarter cut oak veneer (Sonoma). All veneer surfaces feature a 3mm wood rim or knife rim profile with a wood rim on the vertical edge.
- Knife rim surfaces available on all sides
- Refer to page 75 for rim profiles and colors
- Size modifications available at no upcharge; many Epic conference tops can be cut down in 6" increments. See component section for specific models
- See page 19 for modified size options

FINISH APPLICATION

- All Veneer surfaces feature a semi-open pore matte finish

POWER DATA

- Round black grommet (G10); order field installed NACG10EL for an electrical solution
- G15A SIDE 1: 2 power outlets, 1 dual USB-A port, 1 HDMI and 1 blank data port SIDE 2: 2 power outlets, 1 dual USB-A port, 1 VGA and 1 blank data port
- G15B SIDE 1: 2 power outlets, 1 blank data port, 1 HDMI, and 1 USB A + C combo SIDE 2: 2 power outlets, 1 blank data port, 1 VGA and 1 USB-A + C combo
- Power/Data Oasis (G162) comes in silver or black powder coat and features 6 power receptacles with 2 charging USB (2.1); 1 HDMI; 1 VGA with mini stereo, and 1 RJ45 data jack
- Power/Data Oasis must be placed between bases and utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit

TO ORDER, SPECIFY:

1. **Model Number**
2. **Rim Profile**
3. **PVC Rim Color (laminate models)**
4. **Grommet**
5. **Modified Depth**
6. **Modified Width**
7. **Laminate Top Color/Wood Top Finish**
8. **Wood Rim Finish (combo models)**

EPIC SHAPES AND SIZES



ROUND
30" Diameter
36" Diameter
42" Diameter
48" Diameter
54" Diameter
60" Diameter



SQUARE
30" x 30"
36" x 36"
42" x 42"
48" x 48"
54" x 54"
60" x 60"

RECTANGLE
36" x 72", 42" x 84"
48" x 96", 120", 144", 168", 192", 216" and 240"
60" x 144", 168", 192", 216" and 240"



BOAT
36" x 72", 42" x 84"
48" x 96", 120", 144", 168", 192", 216" and 240"
60" x 144", 168", 192", 216" and 240"

RACETRACK
36" x 72", 42" x 84"
48" x 96", 120", 144", 168", 192", 216" and 240"
60" x 144", 168", 192", 216" and 240"

WOOD FINISHES

AC Autumn
AD Almond
CL Caramel
CW Cordovan
DW Judicial
HN Honey
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
SM Sonoma
TF Truffle
792 Sable

LAMINATE COLORS

WOODGRAIN LAMINATE

AC2 Autumn 2
AD Almond
BZ Brazilwood
CI Chai
CL Caramel
CW Cordovan
DW Judicial
HN2 Honey 2
IM Brighton
KN Kona
MC Amber
MH Mocha
NM Natural
PB Portobello
PC Porcini
PT Portico
SK Skyline
SM Sonoma
TF Truffle
WL Willow
792 Sable
793 Acorn

*Not available on occasional tables

• CSL available; see page 14 for program details and upcharge

SOLID LAMINATE

405 Designer White
419 Wallaby
425 Shadow
440 Cloud
457 Dapple
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear

PATTERN LAMINATE*

814 White Tigris
818 Crisp Linen
819 Flax Gauze
821 Elemental Concrete
822 Smoke Quarstone

GALLERY LAMINATE

Grade 1 – 5% upcharge
G1001 Citadel
G1011 Pepperdust

Grade 2 – 6% upcharge
G1002 Planked Raw Oak
G1003 Evening Notte
G1004 Kirsche
G1005 Midnight Run
G1006 Sepia Walnut
G1007 Serotina
G1008 Timeless
G1009 White Nebbia
G1012 Phantom Ecru

RIM PROFILES

PVC RIM

AC2 Autumn 2
AD Almond
BZ Brazilwood
CI Chai
CL Caramel
CW Cordovan
DW Judicial
HN2 Honey 2
IM Brighton
KN Kona
MC Amber
MH Mocha
PB Portobello
PC Porcini
PT Portico
SK Skyline
SM Sonoma
TF Truffle
WL Willow
405 Designer White
419 Wallaby
425 Shadow
440 Cloud
457 Dapple
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear
792 Sable
793 Acorn

WOOD RIM

AC Autumn
AD Almond
CL Caramel
CW Cordovan
DW Judicial
HN Honey
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
SM Sonoma
TF Truffle
792 Sable

GALLERY PVC RIM

Grade 1 – 5% upcharge
G1001 Citadel
G1011 Pepperdust

Grade 2 – 6% upcharge
G1002 Planked Raw Oak
G1003 Evening Notte
G1004 Kirsche
G1005 Midnight Run
G1006 Sepia Walnut
G1007 Serotina
G1008 Timeless
G1009 White Nebbia
G1012 Phantom Ecru

See page 14 for Gallery program details and upcharges



Softened PVC (V)



Knife (K)



Softened Wood (F)

GROMMET AND CUTOUT OPTIONS

Conference table tops are available with grommet or cutout options to accommodate electrical and data management solutions.
If no grommet or cutout is desired, specify an X.

Round Grommet Option, Black

$100 list upcharge per grommet location

G10C	Center
G10E	End
G10LR	Left, Right
G10A	All
G10CE	Center, End

- Reference pages 20-21 for grommet locations

NACG10EL
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 556 for pricing and details

Cutout Option for 1 Touch Double Pivoting Power Grommet

$40 list upcharge per cutout location

CUT-G15C	Center
CUT-G15E	End
CUT-G15LR	Left, Right
CUT-G15A	All
CUT-G15CE	Center, End



- Reference pages 22-23 for cutout locations of CUT-G15



NACG15AELPGS, NACG15AELHCS, NACG15AELPGB, NACG15AELHCB, NACG15AELPGW, and NACG15AELHCW
(Sold Separately)

- Must order model NACG15AELPGS, NACG15AELHCS, NACG15AELPGB, NACG15AELHCB, NACG15AELPGW, or NACG15AELHCW to fit into CUT-G15 option
- Reference page 560 for pricing and details

Cutout Option for Power/Data Oasis

$40 list upcharge per cutout location

CUT-G16C	Center
CUT-G16E	End
CUT-G16LR	Left, Right
CUT-G16A	All
CUT-G16CE	Center, End



- Reference pages 24-25 for cutout locations of CUT-G16
- The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit



NACG162ELS, NACG162ELHS, NACG162ELB, and NACG162ELHB
(Sold Separately)

- Must order model NACG162ELS, NACG162ELHS, NACG162ELB, or NACG162ELHB to fit into CUT-G16 option
- Reference page 563 for pricing and details

NOTE: Interlink IQ units are available in the Accessories section

EPIC ROUND TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on round tops are G10C and CUT-G15C, reference page 76 for grommet options and upcharge
- Reference pages 20-23 for grommet and cutout locations
- Reference pages 36-55 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

25NN36RDW F X MC
25NN36RDL V461 X 461

- See page 75 for all options available in Epic

EPIC ROUND TOP SOFTENED RIM



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
30" ROUND	**1⅜" TOP THICKNESS**		**DI**		**H**				
25NN30RDW	Wood	$ 1854	30⅛	–	1⅜	–	–	33 lbs.	2.0
25NN30RDL	Laminate	1090	30⅛	–	1⅜	–	–	33 lbs.	2.0
36" ROUND									
25NN36RDW	Wood	$ 2180	36⅛	–	1⅜	–	–	40 lbs.	2.4
25NN36RDL	Laminate	1281	36⅛	–	1⅜	–	–	40 lbs.	2.4
42" ROUND									
25NN42RDW	Wood	$ 2644	42⅛	–	1⅜	–	–	61 lbs.	3.2
25NN42RDL	Laminate	1755	42⅛	–	1⅜	–	–	61 lbs.	3.2
48" ROUND									
25NN48RDW	Wood	$ 3226	48⅛	–	1⅜	–	–	79 lbs.	4.2
25NN48RDL	Laminate	2343	48⅛	–	1⅜	–	–	79 lbs.	4.2
54" ROUND									
25NN54RDW	Wood	$ 3590	54⅛	–	1⅜	–	–	121 lbs.	6.9
25NN54RDL	Laminate	2706	54⅛	–	1⅜	–	–	121 lbs.	6.9
60" ROUND									
25NN60RDW	Wood	$ 3951	60⅛	–	1⅜	–	–	150 lbs.	8.3
25NN60RDL	Laminate	3073	60⅛	–	1⅜	–	–	150 lbs.	8.3

EPIC ROUND TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on round tops are G10C and CUT-G15C, reference page 76 for grommet options and upcharge
- Reference pages 20-23 for grommet and cutout locations
- Reference pages 36-55 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

25N30RDW F X MC
25N30RDL V461 X 461

- See page 75 for all options available in Epic

EPIC ROUND TOP SOFTENED RIM



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
30" ROUND	**1⅜" TOP THICKNESS**		**DI**		**H**				
25N30RDW	Wood	$ 1697	30⅛	–	1⅜	–	–	33 lbs.	2.0
25N30RDL	Laminate	935	30⅛	–	1⅜	–	–	33 lbs.	2.0
36" ROUND									
25N36RDW	Wood	$ 1995	36⅛	–	1⅜	–	–	40 lbs.	2.4
25N36RDL	Laminate	1099	36⅛	–	1⅜	–	–	40 lbs.	2.4
42" ROUND									
25N42RDW	Wood	$ 2463	42⅛	–	1⅜	–	–	61 lbs.	3.2
25N42RDL	Laminate	1570	42⅛	–	1⅜	–	–	61 lbs.	3.2
48" ROUND									
25N48RDW	Wood	$ 3043	48⅛	–	1⅜	–	–	79 lbs.	4.2
25N48RDL	Laminate	2157	48⅛	–	1⅜	–	–	79 lbs.	4.2

EPIC ROUND TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on round tops are G10C and CUT-G15C, reference page 76 for grommet options and upcharge
- Reference pages 20-23 for grommet and cutout locations
- Reference pages 36-55 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

25NN36RDWK F X MC
25NN36RDLK V461 X 461

- See page 75 for all options available in Epic

EPIC ROUND TOP KNIFE RIM



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
30" ROUND	**1⅜" TOP THICKNESS**		**DI**		**H**				
25NN30RDWK	Wood	$ 2406	30⅛	–	1⅜	–	–	33 lbs.	2.0
25NN30RDLK	Laminate	1416	30⅛	–	1⅜	–	–	33 lbs.	2.0
36" ROUND									
25NN36RDWK	Wood	$ 2830	36⅛	–	1⅜	–	–	40 lbs.	2.4
25NN36RDLK	Laminate	1667	36⅛	–	1⅜	–	–	40 lbs.	2.4
42" ROUND									
25NN42RDWK	Wood	$ 3437	42⅛	–	1⅜	–	–	61 lbs.	3.2
25NN42RDLK	Laminate	2278	42⅛	–	1⅜	–	–	61 lbs.	3.2
48" ROUND									
25NN48RDWK	Wood	$ 4191	48⅛	–	1⅜	–	–	79 lbs.	4.2
25NN48RDLK	Laminate	3043	48⅛	–	1⅜	–	–	79 lbs.	4.2
54" ROUND									
25NN54RDWK	Wood	$ 4668	54⅛	–	1⅜	–	–	121 lbs.	6.9
25NN54RDLK	Laminate	3520	54⅛	–	1⅜	–	–	121 lbs.	6.9
60" ROUND									
25NN60RDWK	Wood	$ 5136	60⅛	–	1⅜	–	–	150 lbs.	8.3
25NN60RDLK	Laminate	3996	60⅛	–	1⅜	–	–	150 lbs.	8.3

EPIC ROUND TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on round tops are G10C and CUT-G15C, reference page 76 for grommet options and upcharge
- Reference pages 20-23 for grommet and cutout locations
- Reference pages 36-55 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

25N36RDWK F X MC
25N36RDLK V461 X 461

- See page 75 for all options available in Epic

EPIC ROUND TOP KNIFE RIM



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
30" ROUND	**1⅜6" TOP THICKNESS**		**DI**		**H**				
25N30RDWK	Wood	$ 2206	30⅛6	–	1⅜6	–	–	33 lbs.	2.0
25N30RDLK	Laminate	1214	30⅛6	–	1⅜6	–	–	33 lbs.	2.0
36" ROUND									
25N36RDWK	Wood	$ 2595	36⅛6	–	1⅜6	–	–	40 lbs.	2.4
25N36RDLK	Laminate	1430	36⅛6	–	1⅜6	–	–	40 lbs.	2.4
42" ROUND									
25N42RDWK	Wood	$ 3201	42⅛6	–	1⅜6	–	–	61 lbs.	3.2
25N42RDLK	Laminate	2043	42⅛6	–	1⅜6	–	–	61 lbs.	3.2
48" ROUND									
25N48RDWK	Wood	$ 3958	48⅛6	–	1⅜6	–	–	79 lbs.	4.2
25N48RDLK	Laminate	2807	48⅛6	–	1⅜6	–	–	79 lbs.	4.2

EPIC SQUARE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on square tops are G10C and CUT-G15C, reference page 76 for grommet options and upcharge
- Reference pages 20-23 for grommet and cutout locations
- Reference pages 36-55 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

25NN3636SQW F G10C TF
25NN3636SQL V405 G10C 405

- See page 75 for all options available in Epic

EPIC SQUARE TOP SOFTENED RIM



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
30" SQUARE	**1⅜" TOP THICKNESS**								
25NN3030SQW	Wood	$ 1854	30 1/16	30 1/16	1 3/16	–	–	33 lbs.	2.0
25NN3030SQL	Laminate	1090	30 1/16	30 1/16	1 3/16	–	–	33 lbs.	2.0
36" SQUARE									
25NN3636SQW	Wood	$ 2180	36 1/16	36 1/16	1 3/16	–	–	45 lbs.	3.0
25NN3636SQL	Laminate	1281	36 1/16	36 1/16	1 3/16	–	–	45 lbs.	3.0
42" SQUARE									
25NN4242SQW	Wood	$ 2644	42 1/16	42 1/16	1 3/16	–	–	59 lbs.	3.8
25NN4242SQL	Laminate	1755	42 1/16	42 1/16	1 3/16	–	–	59 lbs.	3.8
48" SQUARE									
25NN4848SQW	Wood	$ 3226	48 1/16	48 1/16	1 3/16	–	–	76 lbs.	4.5
25NN4848SQL	Laminate	2343	48 1/16	48 1/16	1 3/16	–	–	76 lbs.	4.5
54" SQUARE									
25NN5454SQW	Wood	$ 3590	54 1/16	54 1/16	1 3/16	–	–	121 lbs.	6.9
25NN5454SQL	Laminate	2706	54 1/16	54 1/16	1 3/16	–	–	121 lbs.	6.9
60" SQUARE									
25NN6060SQW	Wood	$ 3951	58 3/8	58 3/8	1 3/16	–	–	150 lbs.	8.3
25NN6060SQL	Laminate	3073	58 3/8	58 3/8	1 3/16	–	–	150 lbs.	8.3

EPIC SQUARE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on square tops are G10C and CUT-G15C, reference page 76 for grommet options and upcharge
- Reference pages 20-23 for grommet and cutout locations
- Reference pages 36-55 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

25N3030SQW F G10C TF
25N3030SQL V405 G10C 405

- See page 75 for all options available in Epic

EPIC SQUARE TOP SOFTENED RIM



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
30" SQUARE	**1 3/16" TOP THICKNESS**								
25N3030SQW	Wood	$ 1697	30 1/16	30 1/16	1 3/16	–	–	33 lbs.	2.0
25N3030SQL	Laminate	935	30 1/16	30 1/16	1 3/16	–	–	33 lbs.	2.0
36" SQUARE									
25N3636SQW	Wood	$ 1995	36 1/16	36 1/16	1 3/16	–	–	45 lbs.	3.0
25N3636SQL	Laminate	1099	36 1/16	36 1/16	1 3/16	–	–	45 lbs.	3.0
42" SQUARE									
25N4242SQW	Wood	$ 2463	42 1/16	42 1/16	1 3/16	–	–	59 lbs.	3.8
25N4242SQL	Laminate	1570	42 1/16	42 1/16	1 3/16	–	–	59 lbs.	3.8
48" SQUARE									
25N4848SQW	Wood	$ 3043	48 1/16	48 1/16	1 3/16	–	–	76 lbs.	4.5
25N4848SQL	Laminate	2157	48 1/16	48 1/16	1 3/16	–	–	76 lbs.	4.5

EPIC SQUARE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on square tops are G10C and CUT-G15C, reference page 76 for grommet options and upcharge
- Reference pages 20-23 for grommet and cutout locations
- Reference pages 36-55 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

25NN3636SQWK F G10C TF
25NN3636SQLK V405 G10C 405

- See page 75 for all options available in Epic

EPIC SQUARE TOP
KNIFE RIM



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
30" SQUARE	**1⅜" TOP THICKNESS**								
25NN3030SQWK	Wood	$ 2406	30⅛	30⅛	1⅜	–	–	33 lbs.	2.0
25NN3030SQLK	Laminate	1416	30⅛	30⅛	1⅜	–	–	33 lbs.	2.0
36" SQUARE									
25NN3636SQWK	Wood	$ 2830	36⅛	36⅛	1⅜	–	–	45 lbs.	3.0
25NN3636SQLK	Laminate	1667	36⅛	36⅛	1⅜	–	–	45 lbs.	3.0
42" SQUARE									
25NN4242SQWK	Wood	$ 3437	42⅛	42⅛	1⅜	–	–	59 lbs.	3.8
25NN4242SQLK	Laminate	2278	42⅛	42⅛	1⅜	–	–	59 lbs.	3.8
48" SQUARE									
25NN4848SQWK	Wood	$ 4191	48⅛	48⅛	1⅜	–	–	76 lbs.	4.5
25NN4848SQLK	Laminate	3043	48⅛	48⅛	1⅜	–	–	76 lbs.	4.5
54" SQUARE									
25NN5454SQWK	Wood	$ 4668	54⅛	54⅛	1⅜	–	–	121 lbs.	6.9
25NN5454SQLK	Laminate	3520	54⅛	54⅛	1⅜	–	–	121 lbs.	6.9
60" SQUARE									
25NN6060SQWK	Wood	$ 5136	58⅜	58⅜	1⅜	–	–	150 lbs.	8.3
25NN6060SQLK	Laminate	3996	58⅜	58⅜	1⅜	–	–	150 lbs.	8.3

EPIC SQUARE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on square tops are G10C and CUT-G15C, reference page 76 for grommet options and upcharge
- Reference pages 20-23 for grommet and cutout locations
- Reference pages 36-55 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

25N3030SQWK F G10C TF
25N3030SQLK V405 G10C 405

- See page 75 for all options available in Epic

EPIC SQUARE TOP KNIFE RIM



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
30" SQUARE	**1 3/16" TOP THICKNESS**								
25N3030SQWK	Wood	$ 2206	30 1/16	30 1/16	1 3/16	–	–	33 lbs.	2.0
25N3030SQLK	Laminate	1214	30 1/16	30 1/16	1 3/16	–	–	33 lbs.	2.0
36" SQUARE									
25N3636SQWK	Wood	$ 2595	36 1/16	36 1/16	1 3/16	–	–	45 lbs.	3.0
25N3636SQLK	Laminate	1430	36 1/16	36 1/16	1 3/16	–	–	45 lbs.	3.0
42" SQUARE									
25N4242SQWK	Wood	$ 3201	42 1/16	42 1/16	1 3/16	–	–	59 lbs.	3.8
25N4242SQLK	Laminate	2043	42 1/16	42 1/16	1 3/16	–	–	59 lbs.	3.8
48" SQUARE									
25N4848SQWK	Wood	$ 3958	48 1/16	48 1/16	1 3/16	–	–	76 lbs.	4.5
25N4848SQLK	Laminate	2807	48 1/16	48 1/16	1 3/16	–	–	76 lbs.	4.5

EPIC RECTANGLE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 76 for grommet options and upcharge
- Reference pages 20-25 for grommet and cutout locations
- For 168", 192", 216" and 240", tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 36-55 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

25NN3672RTW	F	G10LR	X	X	CW
25NN3672RTL	V480	G10LR	480		

- See page 75 for all options available in Epic

EPIC RECTANGLE TOP SOFTENED RIM



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36" x 72"	**1⅜" TOP THICKNESS**								
25NN3672RTW	Wood	$ 3399	36	72	1⅜	—	—	136 lbs.	6.3
25NN3672RTL	Laminate	2516	36	72	1⅜	—	—	136 lbs.	6.3
42" x 84"									
25NN4284RTW	Wood	$ 4008	42	84	1⅜	—	—	180 lbs.	8.3
25NN4284RTL	Laminate	3130	42	84	1⅜	—	—	180 lbs.	8.3
48" x 96"									
25NN4896RTW	Wood	$ 4618	48	96	1⅜	—	—	233 lbs.	10.5
25NN4896RTL	Laminate	3752	48	96	1⅜	—	—	233 lbs.	10.5
48" x 120"									
25NN48120RTW	Wood	$ 6309	48	120	1⅜	—	—	279 lbs.	10.6
25NN48120RTL	Laminate	5452	48	120	1⅜	—	—	279 lbs.	10.6
48" x 144"									
25NN48144RTW	Wood	$ 7813	48	144	1⅜	—	—	332 lbs.	12.5
25NN48144RTL	Laminate	6974	48	144	1⅜	—	—	332 lbs.	12.5
48" x 168"									
25NN48168RTW	Wood	$ 8998	48	168	1⅜	—	—	385 lbs.	14.3
25NN48168RTL	Laminate	8166	48	168	1⅜	—	—	385 lbs.	14.3
48" x 192"									
25NN48192RTW	Wood	$ 10172	48	192	1⅜	—	—	438 lbs.	16.2
25NN48192RTL	Laminate	9356	48	192	1⅜	—	—	438 lbs.	16.2

- Modified depth and width are available; refer to the chart on page 19 for conference top sizing
- Almond, Portobello, Sable, and Sonoma veneer grain pattern will not match on multi-piece conference tops

EPIC RECTANGLE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 76 for grommet options and upcharge
- Reference pages 20-25 for grommet and cutout locations
- For 168", 192", 216" and 240", tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 36-55 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

25NN48216RTW F G10LR X X CW
25NN48216RTL V480 G10LR 480

- See page 75 for all options available in Epic

EPIC RECTANGLE TOP SOFTENED RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
48" x 216"	**1⁹⁄₁₆" TOP THICKNESS**								
25NN48216RTW	Wood	$ 11350	48	216	1⁹⁄₁₆	–	–	524 lbs.	20.0
25NN48216RTL	Laminate	10547	48	216	1⁹⁄₁₆	–	–	524 lbs.	20.0
48" x 240"									
25NN48240RTW	Wood	$ 12527	48	240	1⁹⁄₁₆	–	–	571 lbs.	22.0
25NN48240RTL	Laminate	11744	48	240	1⁹⁄₁₆	–	–	571 lbs.	22.0
60" x 144"									
25NN60144RTW	Wood	$ 10161	58⅜	144	1⁹⁄₁₆	–	–	412 lbs.	18.0
25NN60144RTL	Laminate	9068	58⅜	144	1⁹⁄₁₆	–	–	412 lbs.	18.0
60" x 168"									
25NN60168RTW	Wood	$ 11696	58⅜	168	1⁹⁄₁₆	–	–	480 lbs.	22.5
25NN60168RTL	Laminate	10619	58⅜	168	1⁹⁄₁₆	–	–	480 lbs.	22.5
60" x 192"									
25NN60192RTW	Wood	$ 13224	58⅜	192	1⁹⁄₁₆	–	–	539 lbs.	29.0
25NN60192RTL	Laminate	12162	58⅜	192	1⁹⁄₁₆	–	–	539 lbs.	29.0
60" x 216"									
25NN60216RTW	Wood	$ 14758	58⅜	216	1⁹⁄₁₆	–	–	647 lbs.	31.0
25NN60216RTL	Laminate	13716	58⅜	216	1⁹⁄₁₆	–	–	647 lbs.	31.0
60" x 240"									
25NN60240RTW	Wood	$ 16286	58⅜	240	1⁹⁄₁₆	–	–	706 lbs.	34.0
25NN60240RTL	Laminate	15269	58⅜	240	1⁹⁄₁₆	–	–	706 lbs.	34.0

- Modified depth and width are available; refer to the chart on page 19 for conference top sizing
- Almond, Portobello, Sable, and Sonoma veneer grain pattern will not match on multi-piece conference tops

EPIC RECTANGLE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 76 for grommet options and upcharge
- Reference pages 20-25 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 36-55 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

25NN3672RTWK K G10LR X CL
25NN3672RTLK K425 G10LR X 425

- See page 75 for all options available in Epic

EPIC RECTANGLE TOP
KNIFE RIM



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36" x 72"	**1⅜" TOP THICKNESS**								
25NN3672RTWK	Wood	$ 4420	36	72	1⅜	—	—	136 lbs.	6.3
25NN3672RTLK	Laminate	3270	36	72	1⅜	—	—	136 lbs.	6.3
42" x 84"									
25NN4284RTWK	Wood	$ 5212	42	84	1⅜	—	—	180 lbs.	8.3
25NN4284RTLK	Laminate	4069	42	84	1⅜	—	—	180 lbs.	8.3
48" x 96"									
25NN4896RTWK	Wood	$ 6004	48	96	1⅜	—	—	233 lbs.	10.5
25NN4896RTLK	Laminate	4872	48	96	1⅜	—	—	233 lbs.	10.5
48" x 120"									
25NN48120RTWK	Wood	$ 8201	48	120	1⅜	—	—	279 lbs.	10.6
25NN48120RTLK	Laminate	7091	48	120	1⅜	—	—	279 lbs.	10.6
48" x 144"									
25NN48144RTWK	Wood	$ 10157	48	144	1⅜	—	—	332 lbs.	12.5
25NN48144RTLK	Laminate	9066	48	144	1⅜	—	—	332 lbs.	12.5
48" x 168"									
25NN48168RTWK	Wood	$ 11694	48	168	1⅜	—	—	385 lbs.	14.3
25NN48168RTLK	Laminate	10616	48	168	1⅜	—	—	385 lbs.	14.3
48" x 192"									
25NN48192RTWK	Wood	$ 13226	48	192	1⅜	—	—	438 lbs.	16.2
25NN48192RTLK	Laminate	12165	48	192	1⅜	—	—	438 lbs.	16.2

- Modified depth and width are available; refer to the chart on page 19 for conference top sizing
- Almond, Portobello, Sable, and Sonoma veneer grain pattern will not match on multi-piece conference tops

EPIC RECTANGLE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 76 for grommet options and upcharge
- Reference pages 20-25 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 36-55 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

25NN48216RTWK K G10LR X CL
25NN48216RTLK K425 G10LR X 425

- See page 75 for all options available in Epic

EPIC RECTANGLE TOP KNIFE RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
48" x 216"	**1⁹⁄₁₆" TOP THICKNESS**								
25NN48216RTWK	Wood	$ 14758	48	216	1⁹⁄₁₆	–	–	524 lbs.	20.0
25NN48216RTLK	Laminate	13716	48	216	1⁹⁄₁₆	–	–	524 lbs.	20.0
48" x 240"									
25NN48240RTWK	Wood	$ 16286	48	240	1⁹⁄₁₆	–	–	571 lbs.	22.0
25NN48240RTLK	Laminate	15269	48	240	1⁹⁄₁₆	–	–	571 lbs.	22.0
60" x 144"									
25NN60144RTWK	Wood	$ 13207	58⅜	144	1⁹⁄₁₆	–	–	412 lbs.	18.0
25NN60144RTLK	Laminate	11786	58⅜	144	1⁹⁄₁₆	–	–	412 lbs.	18.0
60" x 168"									
25NN60168RTWK	Wood	$ 15204	58⅜	168	1⁹⁄₁₆	–	–	480 lbs.	22.5
25NN60168RTLK	Laminate	13804	58⅜	168	1⁹⁄₁₆	–	–	480 lbs.	22.5
60" x 192"									
25NN60192RTWK	Wood	$ 17191	58⅜	192	1⁹⁄₁₆	–	–	539 lbs.	29.0
25NN60192RTLK	Laminate	15811	58⅜	192	1⁹⁄₁₆	–	–	539 lbs.	29.0
60" x 216"									
25NN60216RTWK	Wood	$ 19183	58⅜	216	1⁹⁄₁₆	–	–	647 lbs.	31.0
25NN60216RTLK	Laminate	17828	58⅜	216	1⁹⁄₁₆	–	–	647 lbs.	31.0
60" x 240"									
25NN60240RTWK	Wood	$ 21174	58⅜	240	1⁹⁄₁₆	–	–	706 lbs.	34.0
25NN60240RTLK	Laminate	19849	58⅜	240	1⁹⁄₁₆	–	–	706 lbs.	34.0

- Modified depth and width are available; refer to the chart on page 19 for conference top sizing
- Almond, Portobello, Sable, and Sonoma veneer grain pattern will not match on multi-piece conference tops

EPIC BOAT TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on boat tops are G10, G10, CUT-G15 and CUT-G16, reference page 76 for grommet options and upcharge
- Reference pages 20-25 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 36-55 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

25NN3672BTW	F	G10LR	X	CW
25NN3672BTL	V480	G10LR	480	

- See page 75 for all options available in Epic

EPIC BOAT TOP
SOFTENED RIM



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36" x 72"	**1⅜" TOP THICKNESS**								
25NN3672BTW	Wood	$ 3668	36	72	1⅜	—	—	136 lbs.	6.3
25NN3672BTL	Laminate	2800	36	72	1⅜	—	—	136 lbs.	6.3
42" x 84"									
25NN4284BTW	Wood	$ 4274	42	84	1⅜	—	—	180 lbs.	8.3
25NN4284BTL	Laminate	3408	42	84	1⅜	—	—	180 lbs.	8.3
48" x 96"									
25NN4896BTW	Wood	$ 4876	48	96	1⅜	—	—	233 lbs.	10.5
25NN4896BTL	Laminate	4020	48	96	1⅜	—	—	233 lbs.	10.5
48" x 120"									
25NN48120BTW	Wood	$ 6853	48	120	1⅜	—	—	279 lbs.	10.6
25NN48120BTL	Laminate	6012	48	120	1⅜	—	—	279 lbs.	10.6
48" x 144"									
25NN48144BTW	Wood	$ 8343	48	144	1⅜	—	—	332 lbs.	12.5
25NN48144BTL	Laminate	7521	48	144	1⅜	—	—	332 lbs.	12.5
48" x 168"									
25NN48168BTW	Wood	$ 9514	48	168	1⅜	—	—	385 lbs.	14.3
25NN48168BTL	Laminate	8701	48	168	1⅜	—	—	385 lbs.	14.3
48" x 192"									
25NN48192BTW	Wood	$ 10683	48	192	1⅜	—	—	438 lbs.	16.2
25NN48192BTL	Laminate	9877	48	192	1⅜	—	—	438 lbs.	16.2

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 19 for conference top sizing
- Almond, Portobello, Sable, and Sonoma veneer grain pattern will not match on multi-piece conference tops

EPIC BOAT TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on boat tops are G10, G10, CUT-G15 and CUT-G16, reference page 76 for grommet options and upcharge
- Reference pages 20-25 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 36-55 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

25NN48216BTW F G10LR X X CW
25NN48216BTL V480 G10LR 480

- See page 75 for all options available in Epic

EPIC BOAT TOP SOFTENED RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
48" x 216"	**1⁹⁄₁₆" TOP THICKNESS**								
25NN48216BTW	Wood	$ 11846	48	216	1⁹⁄₁₆	–	–	524 lbs.	20.0
25NN48216BTL	Laminate	11039	48	216	1⁹⁄₁₆	–	–	524 lbs.	20.0
48" x 240"									
25NN48240BTW	Wood	$ 13012	48	240	1⁹⁄₁₆	–	–	571 lbs.	22.0
25NN48240BTL	Laminate	12230	48	240	1⁹⁄₁₆	–	–	571 lbs.	22.0
60" x 144"									
25NN60144BTW	Wood	$ 10848	58⅜	144	1⁹⁄₁₆	–	–	412 lbs.	18.0
25NN60144BTL	Laminate	9771	58⅜	144	1⁹⁄₁₆	–	–	412 lbs.	18.0
60" x 168"									
25NN60168BTW	Wood	$ 12368	58⅜	168	1⁹⁄₁₆	–	–	480 lbs.	22.5
25NN60168BTL	Laminate	11310	58⅜	168	1⁹⁄₁₆	–	–	480 lbs.	22.5
60" x 192"									
25NN60192BTW	Wood	$ 13887	58⅜	192	1⁹⁄₁₆	–	–	539 lbs.	29.0
25NN60192BTL	Laminate	12842	58⅜	192	1⁹⁄₁₆	–	–	539 lbs.	29.0
60" x 216"									
25NN60216BTW	Wood	$ 15401	58⅜	216	1⁹⁄₁₆	–	–	647 lbs.	31.0
25NN60216BTL	Laminate	14351	58⅜	216	1⁹⁄₁₆	–	–	647 lbs.	31.0
60" x 240"									
25NN60240BTW	Wood	$ 16916	58⅜	240	1⁹⁄₁₆	–	–	706 lbs.	34.0
25NN60240BTL	Laminate	15901	58⅜	240	1⁹⁄₁₆	–	–	706 lbs.	34.0

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 19 for conference top sizing
- Almond, Portobello, Sable, and Sonoma veneer grain pattern will not match on multi-piece conference tops

EPIC BOAT TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on boat tops are G10, G10, CUT-G15 and CUT-G16, reference page 76 for grommet options and upcharge
- Reference pages 20-25 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 36-55 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

25NN3672BTWK	K	G10LA	X	X	AC
25NN3672BTLK	K461	G10LA	X	X	461

- See page 75 for all options available in Epic

EPIC BOAT TOP
KNIFE RIM



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36" x 72"	**1⅜" TOP THICKNESS**								
25NN3672BTWK	Wood	$ 4768	36	72	1⅜	—	—	136 lbs.	6.3
25NN3672BTLK	Laminate	3641	36	72	1⅜	—	—	136 lbs.	6.3
42" x 84"									
25NN4284BTWK	Wood	$ 5554	42	84	1⅜	—	—	180 lbs.	8.3
25NN4284BTLK	Laminate	4430	42	84	1⅜	—	—	180 lbs.	8.3
48" x 96"									
25NN4896BTWK	Wood	$ 6339	48	96	1⅜	—	—	233 lbs.	10.5
25NN4896BTLK	Laminate	5226	48	96	1⅜	—	—	233 lbs.	10.5
48" x 120"									
25NN48120BTWK	Wood	$ 8913	48	120	1⅜	—	—	279 lbs.	10.6
25NN48120BTLK	Laminate	7819	48	120	1⅜	—	—	279 lbs.	10.6
48" x 144"									
25NN48144BTWK	Wood	$ 10848	48	144	1⅜	—	—	332 lbs.	12.5
25NN48144BTLK	Laminate	9772	48	144	1⅜	—	—	332 lbs.	12.5
48" x 168"									
25NN48168BTWK	Wood	$ 12372	48	168	1⅜	—	—	385 lbs.	14.3
25NN48168BTLK	Laminate	11310	48	168	1⅜	—	—	385 lbs.	14.3
48" x 192"									
25NN48192BTWK	Wood	$ 13887	48	192	1⅜	—	—	438 lbs.	16.2
25NN48192BTLK	Laminate	12842	48	192	1⅜	—	—	438 lbs.	16.2

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 19 for conference top sizing
- Almond, Portobello, Sable, and Sonoma veneer grain pattern will not match on multi-piece conference tops

EPIC BOAT TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on boat tops are G10, G10, CUT-G15 and CUT-G16, reference page 76 for grommet options and upcharge
- Reference pages 20-25 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 36-55 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

25NN48216BTWK K G10LA X X AC
25NN48216BTLK K461 G10LA X X 461

• See page 75 for all options available in Epic

EPIC BOAT TOP KNIFE RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
48" x 216"	**1⁹⁄₁₆" TOP THICKNESS**								
25NN48216BTWK	Wood	$ 15401	48	216	1⁹⁄₁₆	—	—	524 lbs.	20.0
25NN48216BTLK	Laminate	14351	48	216	1⁹⁄₁₆	—	—	524 lbs.	20.0
48" x 240"									
25NN48240BTWK	Wood	$ 16916	48	240	1⁹⁄₁₆	—	—	571 lbs.	22.0
25NN48240BTLK	Laminate	15904	48	240	1⁹⁄₁₆	—	—	571 lbs.	22.0
60" x 144"									
25NN60144BTWK	Wood	$ 14100	58⅝	144	1⁹⁄₁₆	—	—	412 lbs.	18.0
25NN60144BTLK	Laminate	12702	58⅝	144	1⁹⁄₁₆	—	—	412 lbs.	18.0
60" x 168"									
25NN60168BTWK	Wood	$ 16082	58⅝	168	1⁹⁄₁₆	—	—	480 lbs.	22.5
25NN60168BTLK	Laminate	14706	58⅝	168	1⁹⁄₁₆	—	—	480 lbs.	22.5
60" x 192"									
25NN60192BTWK	Wood	$ 18051	58⅝	192	1⁹⁄₁₆	—	—	539 lbs.	29.0
25NN60192BTLK	Laminate	16691	58⅝	192	1⁹⁄₁₆	—	—	539 lbs.	29.0
60" x 216"									
25NN60216BTWK	Wood	$ 20018	58⅝	216	1⁹⁄₁₆	—	—	647 lbs.	31.0
25NN60216BTLK	Laminate	18658	58⅝	216	1⁹⁄₁₆	—	—	647 lbs.	31.0
60" x 240"									
25NN60240BTWK	Wood	$ 21990	58⅝	240	1⁹⁄₁₆	—	—	706 lbs.	34.0
25NN60240BTLK	Laminate	20671	58⅝	240	1⁹⁄₁₆	—	—	706 lbs.	34.0

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 19 for conference top sizing
- Almond, Portobello, Sable, and Sonoma veneer grain pattern will not match on multi-piece conference tops

EPIC RACETRACK TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on racetrack tops are G10, CUT-G15 and CUT-G16, reference page 76 for grommet options and upcharge
- Reference pages 20-25 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 36-55 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

25NN3672RCW	F	G10LR	X	X	DW
25NN3672RCL	V405	G10LR	X	X	405

- See page 75 for all options available in Epic

EPIC RACETRACK TOP SOFTENED RIM

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36" x 72"	**1⁹⁄₁₆" TOP THICKNESS**								
25NN3672RCW	Wood	$ 3706	36	72	1⁹⁄₁₆	—	—	136 lbs.	6.3
25NN3672RCL	Laminate	2825	36	72	1⁹⁄₁₆	—	—	136 lbs.	6.3
42" x 84"									
25NN4284RCW	Wood	$ 4319	42	84	1⁹⁄₁₆	—	—	180 lbs.	8.3
25NN4284RCL	Laminate	3443	42	84	1⁹⁄₁₆	—	—	180 lbs.	8.3
48" x 96"									
25NN4896RCW	Wood	$ 4929	48	96	1⁹⁄₁₆	—	—	233 lbs.	10.5
25NN4896RCL	Laminate	4059	48	96	1⁹⁄₁₆	—	—	233 lbs.	10.5
48" x 120"									
25NN48120RCW	Wood	$ 6923	48	120	1⁹⁄₁₆	—	—	279 lbs.	10.6
25NN48120RCL	Laminate	6074	48	120	1⁹⁄₁₆	—	—	279 lbs.	10.6
48" x 144"									
25NN48144RCW	Wood	$ 8429	48	144	1⁹⁄₁₆	—	—	332 lbs.	12.5
25NN48144RCL	Laminate	7594	48	144	1⁹⁄₁₆	—	—	332 lbs.	12.5
48" x 168"									
25NN48168RCW	Wood	$ 9611	48	168	1⁹⁄₁₆	—	—	385 lbs.	14.3
25NN48168RCL	Laminate	8790	48	168	1⁹⁄₁₆	—	—	385 lbs.	14.3
48" x 192"									
25NN48192RCW	Wood	$ 10791	48	192	1⁹⁄₁₆	—	—	438 lbs.	16.2
25NN48192RCL	Laminate	9978	48	192	1⁹⁄₁₆	—	—	438 lbs.	16.2

- Modified depth and width are available; refer to the chart on page 19 for conference top sizing
- Almond, Portobello, Sable, and Sonoma veneer grain pattern will not match on multi-piece conference tops

EPIC RACETRACK TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on racetrack tops are G10, CUT-G15 and CUT-G16, reference page 76 for grommet options and upcharge
- Reference pages 20-25 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 36-55 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

25NN48216RCW F G10LR X X DW
25NN48216RCL V405 G10LR X X 405

- See page 75 for all options available in Epic

EPIC RACETRACK TOP SOFTENED RIM (CONTINUED)

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
48" x 216"	**1⁹⁄₁₆" TOP THICKNESS**								
25NN48216RCW	Wood	$ 11967	48	216	1⁹⁄₁₆	–	–	524 lbs.	20.0
25NN48216RCL	Laminate	11148	48	216	1⁹⁄₁₆	–	–	524 lbs.	20.0
48" x 240"									
25NN48240RCW	Wood	$ 13144	48	240	1⁹⁄₁₆	–	–	571 lbs.	22.0
25NN48240RCL	Laminate	12355	48	240	1⁹⁄₁₆	–	–	571 lbs.	22.0
60" x 144"									
25NN60144RCW	Wood	$ 10957	58⅜	144	1⁹⁄₁₆	–	–	412 lbs.	18.0
25NN60144RCL	Laminate	9872	58⅜	144	1⁹⁄₁₆	–	–	412 lbs.	18.0
60" x 168"									
25NN60168RCW	Wood	$ 12496	58⅜	168	1⁹⁄₁₆	–	–	480 lbs.	22.5
25NN60168RCL	Laminate	11423	58⅜	168	1⁹⁄₁₆	–	–	480 lbs.	22.5
60" x 192"									
25NN60192RCW	Wood	$ 14029	58⅜	192	1⁹⁄₁₆	–	–	539 lbs.	29.0
25NN60192RCL	Laminate	12972	58⅜	192	1⁹⁄₁₆	–	–	539 lbs.	29.0
60" x 216"									
25NN60216RCW	Wood	$ 15553	58⅜	216	1⁹⁄₁₆	–	–	647 lbs.	31.0
25NN60216RCL	Laminate	14496	58⅜	216	1⁹⁄₁₆	–	–	647 lbs.	31.0
60" x 240"									
25NN60240RCW	Wood	$ 17084	58⅜	240	1⁹⁄₁₆	–	–	706 lbs.	34.0
25NN60240RCL	Laminate	16062	58⅜	240	1⁹⁄₁₆	–	–	706 lbs.	34.0

- Modified depth and width are available; refer to the chart on page 19 for conference top sizing
- Almond, Portobello, Sable, and Sonoma veneer grain pattern will not match on multi-piece conference tops

EPIC RACETRACK TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on racetrack tops are G10, CUT-G15 and CUT-G16, reference page 76 for grommet options and upcharge
- Reference pages 20-25 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 36-55 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

25NN3672RCWK K G10A X CW
25NN3672RCLK K425 G10A X CW

- See page 75 for all options available in Epic

EPIC RACETRACK TOP KNIFE RIM

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36" x 72"	**1⅜" TOP THICKNESS**								
25NN3672RCWK	Wood	$ 4818	36	72	1⅜	—	—	136 lbs.	6.3
25NN3672RCLK	Laminate	3671	36	72	1⅜	—	—	136 lbs.	6.3
42" x 84"									
25NN4284RCWK	Wood	$ 5610	42	84	1⅜	—	—	180 lbs.	8.3
25NN4284RCLK	Laminate	4474	42	84	1⅜	—	—	180 lbs.	8.3
48" x 96"									
25NN4896RCWK	Wood	$ 6406	48	96	1⅜	—	—	233 lbs.	10.5
25NN4896RCLK	Laminate	5277	48	96	1⅜	—	—	233 lbs.	10.5
48" x 120"									
25NN48120RCWK	Wood	$ 9000	48	120	1⅜	—	—	279 lbs.	10.6
25NN48120RCLK	Laminate	7896	48	120	1⅜	—	—	279 lbs.	10.6
48" x 144"									
25NN48144RCWK	Wood	$ 10958	48	144	1⅜	—	—	332 lbs.	12.5
25NN48144RCLK	Laminate	9874	48	144	1⅜	—	—	332 lbs.	12.5
48" x 168"									
25NN48168RCWK	Wood	$ 12496	48	168	1⅜	—	—	385 lbs.	14.3
25NN48168RCLK	Laminate	11423	48	168	1⅜	—	—	385 lbs.	14.3
48" x 192"									
25NN48192RCWK	Wood	$ 14029	48	192	1⅜	—	—	438 lbs.	16.2
25NN48192RCLK	Laminate	12972	48	192	1⅜	—	—	438 lbs.	16.2

- Modified depth and width are available; refer to the chart on page 19 for conference top sizing
- Almond, Portobello, Sable, and Sonoma veneer grain pattern will not match on multi-piece conference tops

EPIC RACETRACK TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on racetrack tops are G10, CUT-G15 and CUT-G16, reference page 76 for grommet options and upcharge
- Reference pages 20-25 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 36-55 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

25NN48216RCWK K G10A X X CW
25NN48216RCLK K425 G10A X X CW

- See page 75 for all options available in Epic

EPIC RACETRACK TOP KNIFE RIM (CONTINUED)

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
48" x 216"	**1⅞" TOP THICKNESS**								
25NN48216RCWK	Wood	$ 15557	48	216	1⅞	–	–	524 lbs.	20.0
25NN48216RCLK	Laminate	14496	48	216	1⅞	–	–	524 lbs.	20.0
48" x 240"									
25NN48240RCWK	Wood	$ 17084	48	240	1⅞	–	–	571 lbs.	22.0
25NN48240RCLK	Laminate	16062	48	240	1⅞	–	–	571 lbs.	22.0
60" x 144"									
25NN60144RCWK	Wood	$ 14245	58⅜	144	1⅞	–	–	412 lbs.	18.0
25NN60144RCLK	Laminate	12832	58⅜	144	1⅞	–	–	412 lbs.	18.0
60" x 168"									
25NN60168RCWK	Wood	$ 16244	58⅜	168	1⅞	–	–	480 lbs.	22.5
25NN60168RCLK	Laminate	14853	58⅜	168	1⅞	–	–	480 lbs.	22.5
60" x 192"									
25NN60192RCWK	Wood	$ 18232	58⅜	192	1⅞	–	–	539 lbs.	29.0
25NN60192RCLK	Laminate	16862	58⅜	192	1⅞	–	–	539 lbs.	29.0
60" x 216"									
25NN60216RCWK	Wood	$ 20223	58⅜	216	1⅞	–	–	647 lbs.	31.0
25NN60216RCLK	Laminate	18846	58⅜	216	1⅞	–	–	647 lbs.	31.0
60" x 240"									
25NN60240RCWK	Wood	$ 22212	58⅜	240	1⅞	–	–	706 lbs.	34.0
25NN60240RCLK	Laminate	20880	58⅜	240	1⅞	–	–	706 lbs.	34.0

- Modified depth and width are available; refer to the chart on page 19 for conference top sizing
- Almond, Portobello, Sable, and Sonoma veneer grain pattern will not match on multi-piece conference tops

ESCALADE CONFERENCE TOP SPECIFICATIONS

TOPS
- 1⅜" slipmatched cherry or maple and bookmatched walnut veneer
- Mitered wood rim
- Size modifications available at no upcharge; many Escalade conference tops can be cut down in 6" increments. See component section for specific models
- See page 19 for modified size options

FINISH APPLICATION
- All Veneer surfaces feature a semi-open pore matte finish

POWER DATA
- Round black grommet (G10); order field installed NACG10EL for an electrical solution
- G15A SIDE 1: 2 power outlets, 1 dual USB-A port, 1 HDMI and 1 blank data port SIDE 2: 2 power outlets, 1 dual USB-A port, 1 VGA and 1 blank data port
- G15B SIDE 1: 2 power outlets, 1 blank data port, 1 HDMI, and 1 USB A + C combo SIDE 2: 2 power outlets, 1 blank data port, 1 VGA and 1 USB-A + C combo
- Power/Data Oasis (G162) comes in silver or black powder coat and features 6 power receptacles with 2 charging USB (2.1); 1 HDMI; 1 VGA with mini stereo, and 1 RJ45 data jack
- Power/Data Oasis must be placed between bases and utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit

TO ORDER, SPECIFY:
1. **Model Number**
2. **Grommet**
3. **Modified Depth**
4. **Modified Width**
5. **Finish**

ESCALADE SHAPES AND SIZES



ROUND
30" Diameter
36" Diameter
42" Diameter
48" Diameter



SQUARE
30" x 30"
36" x 36"
42" x 42"
48" x 48"
54" x 54"
60" x 60"

RECTANGLE
36" x 72", 42" x 84"
48" x 96", 120", 144", 168", 192", 216" and 240"
60" x 144", 168", 192", 216" and 240"



BOAT
36" x 72", 42" x 84"
48" x 96", 120", 144", 168", 192", 216" and 240"
60" x 144", 168", 192", 216" and 240"

ESCALADE

WOOD FINISHES

AC Autumn
CL Caramel
CW Cordovan
DW Judicial
HN Honey
IM Brighton
MC Amber
MH Mocha
NM Natural
TF Truffle

RIM PROFILE

GROMMET AND CUTOUT OPTIONS

Conference table tops are available with grommet or cutout options to accommodate electrical and data management solutions.
If no grommet or cutout is desired, specify an X.

Round Grommet Option, Black

$100 list upcharge per grommet location

G10C Center
G10E End
G10LR Left, Right
G10A All
G10CE Center, End

- Reference pages 20-21 for grommet locations

NACG10EL
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 556 for pricing and details

Cutout Option for 1 Touch Double Pivoting Power Grommet

$40 list upcharge per cutout location

CUT-G15C Center
CUT-G15E End
CUT-G15LR Left, Right
CUT-G15A All
CUT-G15CE Center, End



- Reference pages 22-23 for cutout locations of CUT-G15



NACG15AELPGS, NACG15AELHCS, NACG15AELPGB, NACG15AELHCB, NACG15AELPGW, and NACG15AELHCW
(Sold Separately)

- Must order model NACG15AELPGS, NACG15AELHCS, NACG15AELPGB, NACG15AELHCB, NACG15AELPGW, or NACG15AELHCW to fit into CUT-G15 option
- Reference page 560 for pricing and details

Cutout Option for Power/Data Oasis

$40 list upcharge per cutout location

CUT-G16C Center
CUT-G16E End
CUT-G16LR Left, Right
CUT-G16A All
CUT-G16CE Center, End



- Reference pages 24-25 for cutout locations of CUT-G16
- The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit



NACG162ELS, NACG162ELHS, NACG162ELB, and NACG162ELHB
(Sold Separately)

- Must order model NACG162ELS, NACG162ELHS, NACG162ELB, or NACG162ELHB to fit into CUT-G16 option
- Reference page 563 for pricing and details

NOTE: Interlink IQ units are available in the Accessories section

ESCALADE ROUND TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on round tops are G10C and CUT-G15C, reference page 98 for options and upcharge
- Reference pages 36-55 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Grommet/Cutout Option
3. Finish

SAMPLE MODEL NUMBER:

ECN42RDW G10C DW

- See page 98 for all options available in Escalade

ESCALADE ROUND TOP



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
30" ROUND	**1⁹⁄₁₆" TOP THICKNESS**		**DI**		**H**				
ECN30RDW	Wood	$ 2102	30¹⁄₁₆	–	1⁹⁄₁₆	–	–	33 lbs.	2.0
36" ROUND									
ECN36RDW	Wood	$ 2476	36¹⁄₁₆	–	1⁹⁄₁₆	–	–	45 lbs.	2.4
42" ROUND									
ECN42RDW	Wood	$ 2789	42¹⁄₁₆	–	1⁹⁄₁₆	–	–	74 lbs.	4.0
48" ROUND									
ECN48RDW	Wood	$ 3426	48¹⁄₁₆	–	1⁹⁄₁₆	–	–	94 lbs.	5.1

ESCALADE SQUARE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on square tops are G10C and CUT-G15C, reference page 98 for options and upcharge
- Reference pages 36-55 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Grommet/Cutout Option
3. Finish

SAMPLE MODEL NUMBER:

ECN3636SQW X MH

- See page 98 for all options available in Escalade

ESCALADE SQUARE TOP



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
30" SQUARE	**1⁹⁄₁₆" TOP THICKNESS**								
ECN3030SQW	Wood	$ 2102	30¹⁄₁₆	30¹⁄₁₆	1⁹⁄₁₆	—	—	33 lbs.	2.0
36" SQUARE									
ECN3636SQW	Wood	$ 2476	36¹⁄₁₆	36¹⁄₁₆	1⁹⁄₁₆	—	—	45 lbs.	2.4
42" SQUARE									
ECN4242SQW	Wood	$ 2789	42¹⁄₁₆	42¹⁄₁₆	1⁹⁄₁₆	—	—	61 lbs.	3.2
48" SQUARE									
ECN4848SQW	Wood	$ 3426	48¹⁄₁₆	48¹⁄₁₆	1⁹⁄₁₆	—	—	79 lbs.	4.2
54" SQUARE									
ECN5454SQW	Wood	$ 3789	54¹⁄₁₆	54¹⁄₁₆	1⁹⁄₁₆	—	—	121 lbs.	6.9
60" SQUARE									
ECN6060SQW	Wood	$ 4148	60¹⁄₁₆	60¹⁄₁₆	1⁹⁄₁₆	—	—	150 lbs.	8.3

ESCALADE RECTANGLE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on rectangle tops are G10, CUT-15 and CUT-G16, reference page 98 for options and upcharge
- Reference pages 20-25 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 36-55 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Grommet/Cutout Option
3. Modified Depth (see page 19 for available sizes)
4. Modified Width (see page 19 for available sizes)
5. Finish

SAMPLE MODEL NUMBER:

ECN3672RTW X X MH

- See page 98 for all options available in Escalade

ESCALADE RECTANGLE TOP



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36" x 72"	**1⁹⁄₁₆" TOP THICKNESS**								
ECN3672RTW	Wood	$ 4239	35¼	71⁹⁄₁₆	1⁹⁄₁₆	—	—	136 lbs.	6.3
42" x 84"									
ECN4284RTW	Wood	$ 4751	42⁹⁄₁₆	84³⁄₁₆	1⁹⁄₁₆	—	—	180 lbs.	8.3
48" x 96"									
ECN4896RTW	Wood	$ 5262	47¼	95⅛	1⁹⁄₁₆	—	—	233 lbs.	10.5
48" x 120"									
ECN48120RTW	Wood	$ 7221	47¼	119¼	1⁹⁄₁₆	—	—	279 lbs.	10.6
48" x 144"									
ECN48144RTW	Wood	$ 8967	47¼	143⅛	1⁹⁄₁₆	—	—	332 lbs.	12.5
48" x 168"									
ECN48168RTW	Wood	$ 11071	47¼	167¼	1⁹⁄₁₆	—	—	385 lbs.	14.4
48" x 192"									
ECN48192RTW	Wood	$ 12542	47¼	191¼	1⁹⁄₁₆	—	—	438 lbs.	16.3
48" x 216"									
ECN48216RTW	Wood	$ 14008	47¼	216	1⁹⁄₁₆	—	—	524 lbs.	20.0
48" x 240"									
ECN48240RTW	Wood	$ 15478	47¼	240	1⁹⁄₁₆	—	—	571 lbs.	22.0

- Modified depth and width are available; refer to the chart on page 19 for conference top sizing

ESCALADE RECTANGLE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on rectangle tops are G10, CUT-15 and CUT-G16, reference page 98 for options and upcharge
- Reference pages 20-25 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 36-55 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Grommet/Cutout Option
3. Modified Depth (see page 19 for available sizes)
4. Modified Width (see page 19 for available sizes)
5. Finish

SAMPLE MODEL NUMBER:

ECN60144RTW CUT-G15A X X CL

- See page 98 for all options available in Escalade

ESCALADE RECTANGLE TOP (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
60" x 144"	**1⁹⁄₁₆" TOP THICKNESS**								
ECN60144RTW	Wood	$ 11655	58⅜	143½	1⁹⁄₁₆	—	—	412 lbs.	18.0
60" x 168"									
ECN60168RTW	Wood	$ 14392	58⅜	167¼	1⁹⁄₁₆	—	—	480 lbs.	22.5
60" x 192"									
ECN60192RTW	Wood	$ 16303	58⅜	191¼	1⁹⁄₁₆	—	—	539 lbs.	29.0
60" x 216"									
ECN60216RTW	Wood	$ 18212	58⅜	216	1⁹⁄₁₆	—	—	647 lbs.	31.0
60" x 240"									
ECN60240RTW	Wood	$ 20122	58⅜	240	1⁹⁄₁₆	—	—	706 lbs.	34.0

- Modified depth and width are available; refer to the chart on page 19 for conference top sizing

ESCALADE BOAT TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on boat tops are G10, G10, CUT-15 and CUT-G16, reference page 98 for options and upcharge
- Reference pages 20-25 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 36-55 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Grommet/Cutout Option
3. Modified Depth (see page 19 for available sizes)
4. Modified Width (see page 19 for available sizes)
5. Finish

SAMPLE MODEL NUMBER:

ECN3672BTW X X MH

- See page 98 for all options available in Escalade

ESCALADE BOAT TOP



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36" x 72"	**1⅜" TOP THICKNESS**								
ECN3672BTW	Wood	$ 4536	36	72	1⅜	—	—	136 lbs.	6.3
42" x 84"									
ECN4284BTW	Wood	$ 5084	42	84	1⅜	—	—	180 lbs.	8.3
48" x 96"									
ECN4896BTW	Wood	$ 5630	48	96	1⅜	—	—	233 lbs.	10.5
48" x 120"									
ECN48120BTW	Wood	$ 7728	48	120	1⅜	—	—	279 lbs.	10.6
48" x 144"									
ECN48144BTW	Wood	$ 9596	48	144	1⅜	—	—	332 lbs.	12.5
48" x 168"									
ECN48168BTW	Wood	$ 11846	48	168	1⅜	—	—	385 lbs.	14.3
48" x 192"									
ECN48192BTW	Wood	$ 13415	48	192	1⅜	—	—	438 lbs.	16.2
48" x 216"									
ECN48216BTW	Wood	$ 14989	48	216	1⅜	—	—	524 lbs.	20.0
48" x 240"									
ECN48240BTW	Wood	$ 16564	48	240	1⅜	—	—	571 lbs.	22.0

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 19 for conference top sizing

ESCALADE BOAT TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on boat tops are G10, CUT-G15 and CUT-G16, reference page 98 for options and upcharge
- Reference pages 20-25 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 36-55 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Grommet/Cutout Option
3. Modified Depth (see page 19 for available sizes)
4. Modified Width (see page 19 for available sizes)
5. Finish

SAMPLE MODEL NUMBER:

ECN60144BTW CUT-G15A X X NM

- See page 98 for all options available in Escalade

ESCALADE BOAT TOP (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
60" x 144"	**1⁹⁄₁₆" TOP THICKNESS**								
ECN60144BTW	Wood	$ 12473	58⅜	144	1⁹⁄₁₆	—	—	412 lbs.	18.0
60" x 168"									
ECN60168BTW	Wood	$ 15399	58⅜	168	1⁹⁄₁₆	—	—	480 lbs.	22.5
60" x 192"									
ECN60192BTW	Wood	$ 17443	58⅜	192	1⁹⁄₁₆	—	—	539 lbs.	29.0
60" x 216"									
ECN60216BTW	Wood	$ 19486	58⅜	216	1⁹⁄₁₆	—	—	647 lbs.	31.0
60" x 240"									
ECN60240BTW	Wood	$ 21529	58⅜	240	1⁹⁄₁₆	—	—	706 lbs.	34.0

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 19 for conference top sizing

UNIVERSAL CONFERENCE TOP SPECIFICATIONS

CP TOPS
- 1⅜" or 1⅛" HPL (high pressure laminate)
- HPL flat rim profile

CCW TOPS
- Veneer surfaces are 1⅜" plain sliced slipmatched cherry (Amber, Autumn, Mocha, Truffle) or maple veneer (Brighton, Caramel, Honey, Natural), or plain sliced bookmatched walnut veneer (Cordovan, Judicial)
- Veneer surfaces feature wood rim with 5 profile options
- Laminate/wood models are 1⅜" or 1⅛" HPL (high pressure laminate) that feature wood rim with 5 profile options

SOLID SURFACE TOPS
- 1½" solid surface
- Knife rim profile
- Grommet cutouts not available

FINISH APPLICATION
- All Veneer surfaces feature a semi-open pore matte finish

POWER DATA
- Round black grommet (G10); order field installed NACG10EL for an electrical solution
- G15A SIDE 1: 2 power outlets, 1 dual USB-A port, 1 HDMI and 1 blank data port SIDE 2: 2 power outlets, 1 dual USB-A port, 1 VGA and 1 blank data port
- G15B SIDE 1: 2 power outlets, 1 blank data port, 1 HDMI, and 1 USB A + C combo SIDE 2: 2 power outlets, 1 blank data port, 1 VGA and 1 USB-A + C combo
- Power/Data Oasis (G162) comes in silver or black powder coat and features 6 power receptacles with 2 charging USB (2.1); 1 HDMI; 1 VGA with mini stereo, and 1 RJ45 data jack
- Power/Data Oasis must be placed between bases and utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit

TO ORDER CP TOPS, SPECIFY:
1. **Model Number**
2. **Grommet**
3. **Laminate**

TO ORDER CCW TOPS, SPECIFY:
1. **Model Number**
2. **Rim**
3. **Grommet**
4. **Laminate Top Color/Wood Top Finish**
5. **Rim Finish (laminate/wood models)**

TO ORDER SOLID SURFACE TOPS, SPECIFY:
1. **Model Number**
2. **Solid Surface Color**

UNIVERSAL

UNIVERSAL SHAPES AND SIZES



ROUND
24" Diameter (solid surface only)
30" Diameter
36" Diameter
42" Diameter
48" Diameter
54" Diameter
60" Diameter



SQUARE
30" x 30"
36" x 36"
42" x 42"
48" x 48"
54" x 54"
60" x 60"



SOFT SQUARE
(solid surface only)
24" x 24"
30" x 30"
36" x 36"
42" x 42"
48" x 48"
54" x 54"
60" x 60"

RECTANGLE
36" x 72", 42" x 84"
48" x 96", 120", 144", 168", 192", 216" and 240"
60" x 144", 168", 192", 216" and 240"



BOAT
36" x 72", 42" x 84"
48" x 96", 120", 144", 168", 192", 216" and 240"
60" x 144", 168", 192", 216" and 240"

RACETRACK
36" x 72", 42" x 84"
48" x 96", 120", 144", 168", 192", 216" and 240"
60" x 144", 168", 192", 216" and 240"

QUICK DELIVERY MODELS

Models starting with a "Q" will have the following options in stock:

Rim Profile: Self (J) for CCW, Flat (E) for CP

Grommet not included

Laminate/Finish: Must specify Honey (HN), Amber (MC) or Cordovan (CW)

CP TOP OPTIONS

LAMINATE COLORS

WOODGRAIN LAMINATE

AC2 Autumn 2
AD Almond
BZ Brazilwood
CI Chai
CL Caramel
CW Cordovan
DW Judicial
HN2 Honey 2
IM Brighton
KN Kona
MC Amber
MH Mocha
NM Natural
PB Portobello
PC Porcini
PT Portico
SK Skyline
SM Sonoma
TF Truffle
WL Willow
792 Sable
793 Acorn

SOLID LAMINATE

405 Designer White
419 Wallaby
425 Shadow
440 Cloud
457 Dapple
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear

GALLERY LAMINATE

Grade 1 – 5% upcharge
G1001 Citadel
G1011 Pepperdust

Grade 2 – 6% upcharge
G1002 Planked Raw Oak
G1003 Evening Notte
G1004 Kirsche
G1005 Midnight Run
G1006 Sepia Walnut
G1007 Serotina
G1008 Timeless
G1009 White Nebbia
G1012 Phantom Ecru

See page 14 for Gallery program details and upcharges

CP RIM PROFILE

Flat (E)

CCW TOP OPTIONS

WOOD FINISHES

AC Autumn
CL Caramel
CW Cordovan
DW Judicial
HN Honey
IM Brighton
MC Amber
MH Mocha
NM Natural
TF Truffle

LAMINATE COLORS

WOODGRAIN LAMINATE

AC2 Autumn 2
CL Caramel
CW Cordovan
DW Judicial
HN2 Honey 2
IM Brighton
MC Amber
MH Mocha
NM Natural
TF Truffle

SOLID LAMINATE

405 Designer White
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear

PATTERN LAMINATE

814 White Tigris
818 Crisp Linen
819 Flax Gauze
821 Elemental Concrete
822 Smoke Quarstone

WOOD RIM

AC Autumn
CL Caramel
CW Cordovan
DW Judicial
HN Honey
IM Brighton
MC Amber
MH Mocha
NM Natural
TF Truffle

CCW RIM PROFILES

Radius (A)

Reed (M)

Bullnose (D)

Softened (F)

Self (J)
(all wood models only)

SOLID SURFACE TOP OPTIONS

SOLID SURFACE COLORS

7101 Bisque (Grade A)
7201 Glacier White (Grade A)
7202 Canyon (Grade B)
7203 Designer White (Grade B)
7204 Silt (Grade B)
7301 Concrete (Grade C)
7302 Deep Night Sky (Grade C)
7303 Deep Nocturne (Grade C)

SOLID SURFACE RIM PROFILE

GROMMET AND CUTOUT OPTIONS

Conference table tops are available with grommet or cutout options to accommodate electrical and data management solutions.
If no grommet or cutout is desired, specify an X.

Round Grommet Option, Black

$100 list upcharge per grommet location

G10C	Center
G10E	End
G10LR	Left, Right
G10A	All
G10CE	Center, End

- Reference pages 20-21 for grommet locations

NACG10EL
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 556 for pricing and details

Cutout Option for 1 Touch Double Pivoting Power Grommet

$40 list upcharge per cutout location

CUT-G15C	Center
CUT-G15E	End
CUT-G15LR	Left, Right
CUT-G15A	All
CUT-G15CE	Center, End



- Reference pages 22-23 for cutout locations of CUT-G15



NACG15AELPGS, NACG15AELHCS, NACG15AELPGB, NACG15AELHCB, NACG15AELPGW, and NACG15AELHCW
(Sold Separately)

- Must order model NACG15AELPGS, NACG15AELHCS, NACG15AELPGB, NACG15AELHCB, NACG15AELPGW, or NACG15AELHCW to fit into CUT-G15 option
- Reference page 560 for pricing and details

Cutout Option for Power/Data Oasis

$40 list upcharge per cutout location

CUT-G16C	Center
CUT-G16E	End
CUT-G16LR	Left, Right
CUT-G16A	All
CUT-G16CE	Center, End



- Reference pages 24-25 for cutout locations of CUT-G16
- The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit



NACG162ELS, NACG162ELHS, NACG162ELB, and NACG162ELHB
(Sold Separately)

- Must order model NACG162ELS, NACG162ELHS, NACG162ELB, or NACG162ELHB to fit into CUT-G16 option
- Reference page 563 for pricing and details

NOTE: Interlink IQ units are available in the Accessories section

UNIVERSAL ROUND TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on round tops are G10C and CUT-G15C, reference page 108 for grommet options and upcharge
- Reference pages 20-23 for grommet and cutout locations
- Reference pages 36-55 for table base guide

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile (CCW only)
3. Grommet/Cutout Option
4. Finish (wood tops only)
5. Laminate (laminate or laminate/wood only)
6. Rim Finish (laminate/wood only)

SAMPLE MODEL NUMBERS:

CCW36RD2W	D	G10C	NM	
CCW60RD2LW	F	G10C	805	CL
CP-54E	G10C	461		

- See pages 107-108 for all options available in Universal

UNIVERSAL ROUND TOP



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
30" ROUND	**1⅜" TOP THICKNESS**		**DI**		**H**				
CCW30RD2W	Wood-J Rim	$ 951	30	–	1⅜	–	–	33 lbs.	2.0
CCW30RD2W	Wood-A,M,D,F Rim	1669	30	–	1⅜	–	–	33 lbs.	2.0
CCW30RD2LW	Laminate/Wood-A,M,D,F Rim	1669	30	–	1⅜	–	–	33 lbs.	2.0
CP-30E	Laminate-E Rim	547	30	–	1⅜	–	–	33 lbs.	2.0
36" ROUND									
CCW36RD2W	Wood-J Rim	$ 1118	36	–	1⅜	–	–	56 lbs.	3.1
CCW36RD2W	Wood-A,M,D,F Rim	1964	36	–	1⅜	–	–	56 lbs.	3.1
CCW36RD2LW	Laminate/Wood-A,M,D,F Rim	1964	36	–	1⅜	–	–	56 lbs.	3.1
CP-36E	Laminate-E Rim	643	36	–	1⅜	–	–	56 lbs.	3.1
42" ROUND									
QCCW42RD2W	Wood-J Rim	$ 1360	42	–	1⅜	–	–	74 lbs.	4.0
CCW42RD2W	Wood-J Rim	1360	42	–	1⅜	–	–	74 lbs.	4.0
CCW42RD2W	Wood-A,M,D,F Rim	2427	42	–	1⅜	–	–	74 lbs.	4.0
CCW42RD2LW	Laminate/Wood-A,M,D,F Rim	2427	42	–	1⅜	–	–	74 lbs.	4.0
QCP-42E	Laminate-E Rim	738	42	–	1⅜	–	–	74 lbs.	4.0
CP-42E	Laminate-E Rim	738	42	–	1⅜	–	–	74 lbs.	4.0
48" ROUND									
CCW48RD2W	Wood-J Rim	$ 1726	48	–	1⅜	–	–	94 lbs.	5.1
CCW48RD2W	Wood-A,M,D,F Rim	3002	48	–	1⅜	–	–	94 lbs.	5.1
CCW48RD2LW	Laminate/Wood-A,M,D,F Rim	3002	48	–	1⅜	–	–	94 lbs.	5.1
CP-48E	Laminate-E Rim	844	48	–	1⅜	–	–	79 lbs.	4.2
54" ROUND									
CCW54RD2W	Wood-J Rim	$ 2097	54	–	1⅜	–	–	121 lbs.	6.9
CCW54RD2W	Wood-A,M,D,F Rim	3371	54	–	1⅜	–	–	121 lbs.	6.9
CCW54RD2LW	Laminate/Wood-A,M,D,F Rim	3371	54	–	1⅜	–	–	121 lbs.	6.9
CP-54E	Laminate-E Rim	1214	54	–	1⅜	–	–	121 lbs.	6.9
60" ROUND									
CCW60RD2W	Wood-J Rim	$ 2462	58⅜	–	1⅜	–	–	150 lbs.	8.3
CCW60RD2W	Wood-A,M,D,F Rim	3733	58⅜	–	1⅜	–	–	150 lbs.	8.3
CCW60RD2LW	Laminate/Wood-A,M,D,F Rim	3733	58⅜	–	1⅜	–	–	150 lbs.	8.3
CP-60E	Laminate-E Rim	1580	58⅜	–	1⅜	–	–	150 lbs.	8.3

UNIVERSAL ROUND TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on round tops are G10C and CUT-G15C, reference page 108 for grommet options and upcharge
- Reference pages 20-23 for grommet and cutout locations
- Reference pages 36-55 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile (CCW only)
3. Grommet/Cutout Option
4. Finish (wood tops only)
5. Laminate (laminate or laminate/wood only)
6. Rim Finish (laminate/wood only)

SAMPLE MODEL NUMBER:

CP-WS30E G10C 461

- See pages 107-108 for all options available in Universal

UNIVERSAL ROUND TOP



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
30" ROUND	**1 3/16" TOP THICKNESS**		DI		H				
CCW30WSRNW	Wood-J Rim	$ 874	30	–	1 3/16	–	–	33 lbs.	2.0
CP-WS30E	Laminate-E Rim	466	30	–	1 3/16	–	–	33 lbs.	2.0
36" ROUND									
CCW36WSRNW	Wood-J Rim	$ 1027	36	–	1 3/16	–	–	42 lbs.	2.4
CP-WS36E	Laminate-E Rim	550	36	–	1 3/16	–	–	42 lbs.	2.4
42" ROUND									
CCW42WSRNW	Wood-J Rim	$ 1269	42	–	1 3/16	–	–	58 lbs.	3.2
CP-WS42E	Laminate-E Rim	646	42	–	1 3/16	–	–	58 lbs.	3.2
48" ROUND									
CCW48WSRNW	Wood-J Rim	$ 1639	48	–	1 3/16	–	–	76 lbs.	4.2
CP-WS48E	Laminate-E Rim	755	48	–	1 3/16	–	–	76 lbs.	4.2

UNIVERSAL SOLID SURFACE ROUND TOP



24" ROUND	**1½" TOP THICKNESS**	**GRADE A**	**GRADE B**	**GRADE C**					
10N24RDS	Solid Surface	$ 2306	$ 2450	$ 2646	24	–	1½	–	–	26 lbs.	1.3
30" ROUND											
10N30RDS	Solid Surface	$ 2946	$ 3171	$ 3477	30	–	1½	–	–	41 lbs.	1.9
36" ROUND											
10N36RDS	Solid Surface	$ 3671	$ 3995	$ 4436	36	–	1½	–	–	59 lbs.	2.7
42" ROUND											
10N42RDS	Solid Surface	$ 4481	$ 4922	$ 5522	42	–	1½	–	–	80 lbs.	3.5
48" ROUND											
10N48RDS	Solid Surface	$ 5410	$ 5986	$ 6770	48	–	1½	–	–	105 lbs.	4.5
54" ROUND											
10N54RDS	Solid Surface	$ 6380	$ 7109	$ 8101	54	–	1½	–	–	133 lbs.	5.7
60" ROUND											
10N60RDS	Solid Surface	$ 7439	$ 8339	$ 9564	58⅝	–	1½	–	–	165 lbs.	6.9

- Grommet cutout not available on solid surface tops
- Not intended for use with adjustable height bases

UNIVERSAL SQUARE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on square tops are G10C and CUT-G15C, reference page 108 for grommet options and upcharge
- Reference pages 20-23 for grommet and cutout locations
- Reference pages 36-55 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile (CCW only)
3. Grommet/Cutout Option
4. Finish (wood tops only)
5. Laminate (laminate or laminate/wood only)
6. Rim Finish (laminate/wood only)

SAMPLE MODEL NUMBERS:

CCW5454SQW	A	X	CW	
CCW5454SQLW	M	X	461	CL
CP-SQ54E	G10C	461		

- See pages 107-108 for all options available in Universal

UNIVERSAL SQUARE TOP



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
30" SQUARE	**1⅜" TOP THICKNESS**								
CCW3030SQW	Wood-J Rim	$ 951	30	30	1⅜	–	–	33 lbs.	2.0
CCW3030SQW	Wood-A,M,D,F Rim	1669	30	30	1⅜	–	–	33 lbs.	2.0
CCW3030SQLW	Laminate/Wood-A,M,D,F Rim	1669	30	30	1⅜	–	–	33 lbs.	2.0
CP-SQ30E	Laminate-E Rim	547	30	30	1⅜	–	–	33 lbs.	2.0
36" SQUARE									
CCW3636SQW	Wood-J Rim	$ 1118	36	36	1⅜	–	–	45 lbs.	2.4
CCW3636SQW	Wood-A,M,D,F Rim	1964	36	36	1⅜	–	–	45 lbs.	2.4
CCW3636SQLW	Laminate/Wood-A,M,D,F Rim	1964	36	36	1⅜	–	–	45 lbs.	2.4
CP-SQ36E	Laminate-E Rim	643	36	36	1⅜	–	–	45 lbs.	2.4
42" SQUARE									
CCW4242SQW	Wood-J Rim	$ 1360	42	42	1⅜	–	–	61 lbs.	3.2
CCW4242SQW	Wood-A,M,D,F Rim	2427	42	42	1⅜	–	–	61 lbs.	3.2
CCW4242SQLW	Laminate/Wood-A,M,D,F Rim	2427	42	42	1⅜	–	–	61 lbs.	3.2
CP-SQ42E	Laminate-E Rim	738	42	42	1⅜	–	–	61 lbs.	3.2
48" SQUARE									
CCW4848SQW	Wood-J Rim	$ 1726	48	48	1⅜	–	–	79 lbs.	4.2
CCW4848SQW	Wood-A,M,D,F Rim	3002	48	48	1⅜	–	–	79 lbs.	4.2
CCW4848SQLW	Laminate/Wood-A,M,D,F Rim	3002	48	48	1⅜	–	–	79 lbs.	4.2
CP-SQ48E	Laminate-E Rim	844	48	48	1⅜	–	–	79 lbs.	4.2
54" SQUARE									
CCW5454SQW	Wood-J Rim	$ 2097	54	54	1⅜	–	–	121 lbs.	6.9
CCW5454SQW	Wood-A,M,D,F Rim	3371	54	54	1⅜	–	–	121 lbs.	6.9
CCW5454SQLW	Laminate/Wood-A,M,D,F Rim	3371	54	54	1⅜	–	–	121 lbs.	6.9
CP-SQ54E	Laminate-E Rim	1214	54	54	1⅜	–	–	121 lbs.	6.9
60" SQUARE									
CCW6060SQW	Wood-J Rim	$ 2462	58⅜	58⅜	1⅜	–	–	150 lbs.	8.3
CCW6060SQW	Wood-A,M,D,F Rim	3733	58⅜	58⅜	1⅜	–	–	150 lbs.	8.3
CCW6060SQLW	Laminate/Wood-A,M,D,F Rim	3733	58⅜	58⅜	1⅜	–	–	150 lbs.	8.3
CP-SQ60E	Laminate-E Rim	1580	58⅜	58⅜	1⅜	–	–	121 lbs.	6.9

UNIVERSAL SQUARE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on square tops are G10C and CUT-G15C, reference page 108 for grommet options and upcharge
- Reference pages 20-23 for grommet and cutout locations
- Reference pages 36-55 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile (CCW only)
3. Grommet/Cutout Option
4. Finish (wood tops only)
5. Laminate (laminate or laminate/wood only)
6. Rim Finish (laminate/wood only)

SAMPLE MODEL NUMBER:

CP-WSSQ30E G10C 461

- See pages 107-108 for all options available in Universal

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
UNIVERSAL SQUARE TOP	**30" SQUARE**	**1 3⁄16" TOP THICKNESS**								
	CCW3030WSSQW	Wood-J Rim	$ 874	30	30	1 3⁄16	–	–	33 lbs.	2.0
	CP-WSSQ30E	Laminate-E Rim	466	30	30	1 3⁄16	–	–	33 lbs.	2.0
	36" SQUARE									
	CCW3636WSSQW	Wood-J Rim	$ 1027	36	36	1 3⁄16	–	–	42 lbs.	2.4
	CP-WSSQ36E	Laminate-E Rim	550	36	36	1 3⁄16	–	–	42 lbs.	2.4
	42" SQUARE									
	CCW4242WSSQW	Wood-J Rim	$ 1269	42	42	1 3⁄16	–	–	58 lbs.	3.2
	CP-WSSQ42E	Laminate-E Rim	646	42	42	1 3⁄16	–	–	58 lbs.	3.2
	48" SQUARE									
	CCW4848WSSQW	Wood-J Rim	$ 1639	48	48	1 3⁄16	–	–	76 lbs.	4.2
	CP-WSSQ48E	Laminate-E Rim	755	48	48	1 3⁄16	–	–	76 lbs.	4.2

	MODEL NO./DESCRIPTION		GRADE A	GRADE B	GRADE C	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
UNIVERSAL SOLID SURFACE SOFT SQUARE TOP	**24" SOFT SQUARE 1½" TOP THICKNESS**											
	10N2424SSQS	Solid Surface	$ 2306	$ 2450	$ 2646	24	24	1½	–	–	38 lbs.	1.3
	30" SOFT SQUARE											
	10N3030SSQS	Solid Surface	$ 2946	$ 3171	$ 3477	30	30	1½	–	–	57 lbs.	1.9
	36" SOFT SQUARE											
	10N3636SSQS	Solid Surface	$ 3671	$ 3995	$ 4436	36	36	1½	–	–	79 lbs.	2.7
	42" SOFT SQUARE											
	10N4242SSQS	Solid Surface	$ 4481	$ 4922	$ 5522	42	42	1½	–	–	105 lbs.	3.5
	48" SOFT SQUARE											
	10N4848SSQS	Solid Surface	$ 5410	$ 5986	$ 6770	48	48	1½	–	–	135 lbs.	4.5
	54" SOFT SQUARE											
	10N5454SSQS	Solid Surface	$ 6380	$ 7109	$ 8101	54	54	1½	–	–	169 lbs.	5.6
	60" SOFT SQUARE											
	10N6060SSQS	Solid Surface	$ 7439	$ 8339	$ 9564	58⅝	58⅝	1½	–	–	206 lbs.	6.9

- Grommet cutout not available on Corian solid surface tops
- Not intended for use with adjustable height bases

UNIVERSAL RECTANGLE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 108 for grommet options and upcharge
- Reference pages 20-25 for grommet and cutout locations
- Reference pages 36-55 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile (CCW only)
3. Grommet/Cutout Option
4. Finish (wood tops only)
5. Laminate (laminate or laminate/wood only)
6. Rim Finish (laminate/wood only)

SAMPLE MODEL NUMBERS:

CCW48144RT2W J CUT-G15LR DW
CCW48144RT2LW M CUT-G15CE CW CW

- See pages 107-108 for all options available in Universal

UNIVERSAL RECTANGLE TOP



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36" x 72"	**1⅜" TOP THICKNESS**								
CCW3672RT2W	Wood-J Rim	$ 2298	36	72	1⅜	–	–	136 lbs.	6.3
CCW3672RT2W	Wood-A,M,D,F Rim	3172	36	72	1⅜	–	–	136 lbs.	6.3
CCW3672RT2LW	Laminate/Wood-A,M,D,F Rim	3172	36	72	1⅜	–	–	136 lbs.	6.3
CP-S72E	Laminate-E Rim	892	36	72	1⅜	–	–	136 lbs.	6.3
42" x 84"									
CCW4284RT2W	Wood-J Rim	$ 2738	42	84	1⅜	–	–	180 lbs.	8.3
CCW4284RT2W	Wood-A,M,D,F Rim	3777	42	84	1⅜	–	–	180 lbs.	8.3
CCW4284RT2LW	Laminate/Wood-A,M,D,F Rim	3777	42	84	1⅜	–	–	180 lbs.	8.3
CP-S84E	Laminate-E Rim	1012	42	84	1⅜	–	–	180 lbs.	8.3
48" x 96"									
CCW4896RT2W	Wood-J Rim	$ 3176	48	96	1⅜	–	–	233 lbs.	10.5
CCW4896RT2W	Wood-A,M,D,F Rim	4387	48	96	1⅜	–	–	233 lbs.	10.5
CCW4896RT2LW	Laminate/Wood-A,M,D,F Rim	4387	48	96	1⅜	–	–	233 lbs.	10.5
CP-S96E	Laminate-E Rim	1131	48	96	1⅜	–	–	233 lbs.	10.5
48" x 120"									
CCW48120RT2W	Wood-J Rim	$ 4389	48	120	1⅜	–	–	279 lbs.	10.6
CCW48120RT2W	Wood-A,M,D,F Rim	6057	48	120	1⅜	–	–	279 lbs.	10.6
CCW48120RT2LW	Laminate/Wood-A,M,D,F Rim	6057	48	120	1⅜	–	–	279 lbs.	10.6
CP-S120E	Laminate-E Rim	1622	48	120	1⅜	–	–	279 lbs.	10.6
48" x 144"									
CCW48144RT2W	Wood-J Rim	$ 5475	48	144	1⅜	–	–	332 lbs.	12.5
CCW48144RT2W	Wood-A,M,D,F Rim	7550	48	144	1⅜	–	–	332 lbs.	12.5
CCW48144RT2LW	Laminate/Wood-A,M,D,F Rim	7550	48	144	1⅜	–	–	332 lbs.	12.5
CP-S144E	Laminate-E Rim	1949	48	144	1⅜	–	–	332 lbs.	12.5

UNIVERSAL RECTANGLE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 108 for grommet options and upcharge
- Reference pages 20-25 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 36-55 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile (CCW only)
3. Grommet/Cutout Option
4. Finish (wood tops only)
5. Laminate (laminate or laminate/wood only)
6. Rim Finish (laminate/wood only)

SAMPLE MODEL NUMBERS:

CCW48168RT2W J CUT-G15LR DW
CCW48168RT2LW M CUT-G15CE CW CW

- See pages 107-108 for all options available in Universal

UNIVERSAL RECTANGLE TOP (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
48" x 168"	**1⅞" TOP THICKNESS**								
CCW48168RT2W	Wood-J Rim	$ 6279	48	168	1⅞	–	–	385 lbs.	14.4
CCW48168RT2W	Wood-A,M,D,F Rim	8718	48	168	1⅞	–	–	385 lbs.	14.4
CCW48168RT2LW	Laminate/Wood-A,M,D,F Rim	8718	48	168	1⅞	–	–	385 lbs.	14.4
CP-S168E	Laminate-E Rim	2594	48	168	1⅞	–	–	385 lbs.	14.4
48" x 192"									
CCW48192RT2W	Wood-J Rim	$ 7116	48	192	1⅞	–	–	438 lbs.	16.3
CCW48192RT2W	Wood-A,M,D,F Rim	9886	48	192	1⅞	–	–	438 lbs.	16.3
CCW48192RT2LW	Laminate/Wood-A,M,D,F Rim	9886	48	192	1⅞	–	–	438 lbs.	16.3
CP-S192E	Laminate-E Rim	3236	48	192	1⅞	–	–	438 lbs.	16.3
48" x 216"									
CCW48216RT2W	Wood-J Rim	$ 8126	48	216	1⅞	–	–	524 lbs.	20.0
CCW48216RT2W	Wood-A,M,D,F Rim	11281	48	216	1⅞	–	–	524 lbs.	20.0
CCW48216RT2LW	Laminate/Wood-A,M,D,F Rim	11281	48	216	1⅞	–	–	524 lbs.	20.0
CP-S216E	Laminate-E Rim	3877	48	216	1⅞	–	–	524 lbs.	20.0
48" x 240"									
CCW48240RT2W	Wood-J Rim	$ 9136	48	240	1⅞	–	–	571 lbs.	22.0
CCW48240RT2W	Wood-A,M,D,F Rim	12468	48	240	1⅞	–	–	571 lbs.	22.0
CCW48240RT2LW	Laminate/Wood-A,M,D,F Rim	12468	48	240	1⅞	–	–	571 lbs.	22.0
CP-S240E	Laminate-E Rim	4523	48	240	1⅞	–	–	571 lbs.	22.0

UNIVERSAL RECTANGLE TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 108 for grommet options and upcharge
- Reference pages 20-25 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 36-55 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile (CCW only)
3. Grommet/Cutout Option
4. Finish (wood tops only)
5. Laminate (laminate or laminate/wood only)
6. Rim Finish (laminate/wood only)

SAMPLE MODEL NUMBERS:

CCW60216RT2W F CUT-G16A DW
CCW60216RT2LW F CUT-G16A 802 MH

- See pages 107-108 for all options available in Universal

UNIVERSAL RECTANGLE TOP (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
60" x 144"	**1⅜" TOP THICKNESS**								
CCW60144RT2W	Wood-J Rim	$ 7660	58⅜	144	1⅜	—	—	412 lbs.	18.0
CCW60144RT2W	Wood-A,M,D,F Rim	10078	58⅜	144	1⅜	—	—	412 lbs.	18.0
CCW60144RT2LW	Laminate/Wood-A,M,D,F Rim	10078	58⅜	144	1⅜	—	—	412 lbs.	18.0
CP-S60144E	Laminate-E Rim	2536	58⅜	144	1⅜	—	—	412 lbs.	18.0
60" x 168"									
CCW60168RT2W	Wood-J Rim	$ 8790	58⅜	168	1⅜	—	—	480 lbs.	22.5
CCW60168RT2W	Wood-A,M,D,F Rim	11629	58⅜	168	1⅜	—	—	480 lbs.	22.5
CCW60168RT2LW	Laminate/Wood-A,M,D,F Rim	11629	58⅜	168	1⅜	—	—	480 lbs.	22.5
CP-S60168E	Laminate-E Rim	3373	58⅜	168	1⅜	—	—	480 lbs.	22.5
60" x 192"									
CCW60192RT2W	Wood-J Rim	$ 9966	58⅜	192	1⅜	—	—	539 lbs.	29.0
CCW60192RT2W	Wood-A,M,D,F Rim	13171	58⅜	192	1⅜	—	—	539 lbs.	29.0
CCW60192RT2LW	Laminate/Wood-A,M,D,F Rim	13171	58⅜	192	1⅜	—	—	539 lbs.	29.0
CP-S60192E	Laminate-E Rim	4209	58⅜	192	1⅜	—	—	539 lbs.	29.0
60" x 216"									
CCW60216RT2W	Wood-J Rim	$ 11377	58⅜	216	1⅜	—	—	647 lbs.	31.0
CCW60216RT2W	Wood-A,M,D,F Rim	14718	58⅜	216	1⅜	—	—	647 lbs.	31.0
CCW60216RT2LW	Laminate/Wood-A,M,D,F Rim	14718	58⅜	216	1⅜	—	—	647 lbs.	31.0
CP-S60216E	Laminate-E Rim	5041	58⅜	216	1⅜	—	—	647 lbs.	31.0
60" x 240"									
CCW60240RT2W	Wood-J Rim	$ 12792	58⅜	240	1⅜	—	—	706 lbs.	34.0
CCW60240RT2W	Wood-A,M,D,F Rim	16261	58⅜	240	1⅜	—	—	706 lbs.	34.0
CCW60240RT2LW	Laminate/Wood-A,M,D,F Rim	16261	58⅜	240	1⅜	—	—	706 lbs.	34.0
CP-S60240E	Laminate-E Rim	5873	58⅜	240	1⅜	—	—	706 lbs.	34.0

UNIVERSAL BOAT TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on boat tops are G10, CUT-G15 and CUT-G16, reference page 108 for grommet options and upcharge
- Reference pages 20-25 for grommet and cutout locations
- Reference pages 36-55 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile (CCW only)
3. Grommet/Cutout Option
4. Finish (wood tops only)
5. Laminate (laminate or laminate/wood only)
6. Rim Finish (laminate/wood only)

SAMPLE MODEL NUMBERS:

CCW48144BTW J G10A HN
CCW48144BTLW A X HN HN

- See pages 107-108 for all options available in Universal

UNIVERSAL BOAT TOP



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36" x 72"	**1⁹⁄₁₆" TOP THICKNESS**								
CCW3672BTW	Wood-J Rim	$ 2493	36	72	1⁹⁄₁₆	–	–	136 lbs.	6.3
CCW3672BTW	Wood-A,M,D,F Rim	3444	36	72	1⁹⁄₁₆	–	–	136 lbs.	6.3
CCW3672BTLW	Laminate/Wood-A,M,D,F Rim	3444	36	72	1⁹⁄₁₆	–	–	136 lbs.	6.3
CP-B72E	Laminate-E Rim	948	36	72	1⁹⁄₁₆	–	–	130 lbs.	6.3
42" x 84"									
CCW4284BTW	Wood-J Rim	$ 2929	42	84	1⁹⁄₁₆	–	–	180 lbs.	8.3
CCW4284BTW	Wood-A,M,D,F Rim	4044	42	84	1⁹⁄₁₆	–	–	180 lbs.	8.3
CCW4284BTLW	Laminate/Wood-A,M,D,F Rim	4044	42	84	1⁹⁄₁₆	–	–	180 lbs.	8.3
CP-B84E	Laminate-E Rim	1074	42	84	1⁹⁄₁₆	–	–	180 lbs.	8.3
48" x 96"									
CCW4896BTW	Wood-J Rim	$ 3363	48	96	1⁹⁄₁₆	–	–	233 lbs.	10.5
CCW4896BTW	Wood-A,M,D,F Rim	4642	48	96	1⁹⁄₁₆	–	–	233 lbs.	10.5
CCW4896BTLW	Laminate/Wood-A,M,D,F Rim	4642	48	96	1⁹⁄₁₆	–	–	233 lbs.	10.5
CP-B96E	Laminate-E Rim	1202	48	96	1⁹⁄₁₆	–	–	233 lbs.	10.5
48" x 120"									
CCW48120BTW	Wood-J Rim	$ 4782	48	120	1⁹⁄₁₆	–	–	279 lbs.	10.6
CCW48120BTW	Wood-A,M,D,F Rim	6604	48	120	1⁹⁄₁₆	–	–	279 lbs.	10.6
CCW48120BTLW	Laminate/Wood-A,M,D,F Rim	6604	48	120	1⁹⁄₁₆	–	–	279 lbs.	10.6
CP-B120E	Laminate-E Rim	1732	48	120	1⁹⁄₁₆	–	–	279 lbs.	10.6
48" x 144"									
CCW48144BTW	Wood-J Rim	$ 5851	48	144	1⁹⁄₁₆	–	–	332 lbs.	12.5
CCW48144BTW	Wood-A,M,D,F Rim	8079	48	144	1⁹⁄₁₆	–	–	332 lbs.	12.5
CCW48144BTLW	Laminate/Wood-A,M,D,F Rim	8079	48	144	1⁹⁄₁₆	–	–	332 lbs.	12.5
CP-B144E	Laminate-E Rim	2102	48	144	1⁹⁄₁₆	–	–	332 lbs.	12.5

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on boat tops are G10, CUT-G15 and CUT-G16, reference page 108 for grommet options and upcharge
- Reference pages 20-25 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 36-55 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile (CCW only)
3. Grommet/Cutout Option
4. Finish (wood tops only)
5. Laminate (laminate or laminate/wood only)
6. Rim Finish (laminate/wood only)

SAMPLE MODEL NUMBERS:

CCW48168BTW J G10A HN
CCW48168BTLW A X HN HN

- See pages 107-108 for all options available in Universal

UNIVERSAL BOAT TOP (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
48" x 168"	**1⅜" TOP THICKNESS**								
CCW48168BTW	Wood-J Rim	$ 6647	48	168	1⅜	—	—	385 lbs.	14.3
CCW48168BTW	Wood-A,M,D,F Rim	9240	48	168	1⅜	—	—	385 lbs.	14.3
CCW48168BTLW	Laminate/Wood-A,M,D,F Rim	9240	48	168	1⅜	—	—	385 lbs.	14.3
CP-B168E	Laminate-E Rim	2746	48	168	1⅜	—	—	385 lbs.	14.3
48" x 192"									
CCW48192BTW	Wood-J Rim	$ 7484	48	192	1⅜	—	—	438 lbs.	16.2
CCW48192BTW	Wood-A,M,D,F Rim	10395	48	192	1⅜	—	—	438 lbs.	16.2
CCW48192BTLW	Laminate/Wood-A,M,D,F Rim	10395	48	192	1⅜	—	—	438 lbs.	16.2
CP-B192E	Laminate-E Rim	3386	48	192	1⅜	—	—	438 lbs.	16.2
48" x 216"									
CCW48216BTW	Wood-J Rim	$ 8482	48	216	1⅜	—	—	524 lbs.	20.0
CCW48216BTW	Wood-A,M,D,F Rim	11781	48	216	1⅜	—	—	524 lbs.	20.0
CCW48216BTLW	Laminate/Wood-A,M,D,F Rim	11781	48	216	1⅜	—	—	524 lbs.	20.0
CP-B216E	Laminate-E Rim	4030	48	216	1⅜	—	—	524 lbs.	20.0
48" x 240"									
CCW48240BTW	Wood-J Rim	$ 9481	48	240	1⅜	—	—	571 lbs.	22.0
CCW48240BTW	Wood-A,M,D,F Rim	12958	48	240	1⅜	—	—	571 lbs.	22.0
CCW48240BTLW	Laminate/Wood-A,M,D,F Rim	12958	48	240	1⅜	—	—	571 lbs.	22.0
CP-B240E	Laminate-E Rim	4670	48	240	1⅜	—	—	571 lbs.	22.0

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top

UNIVERSAL BOAT TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on boat tops are G10, CUT-G15 and CUT-G16, reference page 108 for grommet options and upcharge
- Reference pages 20-25 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 36-55 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile (CCW only)
3. Grommet/Cutout Option
4. Finish (wood tops only)
5. Laminate (laminate or laminate/wood only)
6. Rim Finish (laminate/wood only)

SAMPLE MODEL NUMBERS:

CCW60216BTW D X CL
CCW60216BTLW D X 425 MH

- See pages 107-108 for all options available in Universal

UNIVERSAL BOAT TOP (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
60" x 144"	**1⁹⁄₁₆" TOP THICKNESS**								
CCW60144BTW	Wood-J Rim	$ 8188	58⅝	144	1⁹⁄₁₆	—	—	412 lbs.	18.0
CCW60144BTW	Wood-A,M,D,F Rim	10770	58⅝	144	1⁹⁄₁₆	—	—	412 lbs.	18.0
CCW60144BTLW	Laminate/Wood-A,M,D,F Rim	10770	58⅝	144	1⁹⁄₁₆	—	—	412 lbs.	18.0
CP-B60144E	Laminate-E Rim	2734	58⅝	144	1⁹⁄₁₆	—	—	412 lbs.	18.0
60" x 168"									
CCW60168BTW	Wood-J Rim	$ 9306	58⅝	168	1⁹⁄₁₆	—	—	480 lbs.	22.5
CCW60168BTW	Wood-A,M,D,F Rim	12311	58⅝	168	1⁹⁄₁₆	—	—	480 lbs.	22.5
CCW60168BTLW	Laminate/Wood-A,M,D,F Rim	12311	58⅝	168	1⁹⁄₁₆	—	—	480 lbs.	22.5
CP-B60168E	Laminate-E Rim	3568	58⅝	168	1⁹⁄₁₆	—	—	480 lbs.	22.5
60" x 192"									
CCW60192BTW	Wood-J Rim	$ 10479	58⅝	192	1⁹⁄₁₆	—	—	539 lbs.	29.0
CCW60192BTW	Wood-A,M,D,F Rim	13840	58⅝	192	1⁹⁄₁₆	—	—	539 lbs.	29.0
CCW60192BTLW	Laminate/Wood-A,M,D,F Rim	13840	58⅝	192	1⁹⁄₁₆	—	—	539 lbs.	29.0
CP-B60192E	Laminate-E Rim	4402	58⅝	192	1⁹⁄₁₆	—	—	539 lbs.	29.0
60" x 216"									
CCW60216BTW	Wood-J Rim	$ 11874	58⅝	216	1⁹⁄₁₆	—	—	647 lbs.	31.0
CCW60216BTW	Wood-A,M,D,F Rim	15368	58⅝	216	1⁹⁄₁₆	—	—	647 lbs.	31.0
CCW60216BTLW	Laminate/Wood-A,M,D,F Rim	15368	58⅝	216	1⁹⁄₁₆	—	—	647 lbs.	31.0
CP-B60216E	Laminate-E Rim	5237	58⅝	216	1⁹⁄₁₆	—	—	647 lbs.	31.0
60" x 240"									
CCW60240BTW	Wood-J Rim	$ 13273	58⅝	240	1⁹⁄₁₆	—	—	706 lbs.	34.0
CCW60240BTW	Wood-A,M,D,F Rim	16900	58⅝	240	1⁹⁄₁₆	—	—	706 lbs.	34.0
CCW60240BTLW	Laminate/Wood-A,M,D,F Rim	16900	58⅝	240	1⁹⁄₁₆	—	—	706 lbs.	34.0
CP-B60240E	Laminate-E Rim	6070	58⅝	240	1⁹⁄₁₆	—	—	706 lbs.	34.0

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top

UNIVERSAL RACETRACK TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on racetrack tops are G10, CUT-G15 and CUT-G16, reference page 108 for grommet options and upcharge
- Reference pages 20-25 for grommet and cutout locations
- Reference pages 36-55 for table base guide

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile (CCW only)
3. Grommet/Cutout Option
4. Finish (wood tops only)
5. Laminate (laminate or laminate/wood only)
6. Rim Finish (laminate/wood only)

SAMPLE MODEL NUMBERS:

CCW3672RC2W F G10LR DW
CCW3672RC2LW A G10C CW CW

- See pages 107-108 for all options available in Universal

UNIVERSAL RACETRACK TOP



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36" x 72"	**1⅜" TOP THICKNESS**								
CCW3672RC2W	Wood-J Rim	$ 2519	36	72	1⅜	—	—	136 lbs.	6.3
CCW3672RC2W	Wood-A,M,D,F Rim	3481	36	72	1⅜	—	—	136 lbs.	6.3
CCW3672RC2LW	Laminate/Wood-A,M,D,F Rim	3481	36	72	1⅜	—	—	136 lbs.	6.3
CP-R72E	Laminate-E Rim	996	36	72	1⅜	—	—	136 lbs.	6.3
42" x 84"									
CCW4284RC2W	Wood-J Rim	$ 2960	42	84	1⅜	—	—	180 lbs.	8.3
CCW4284RC2W	Wood-A,M,D,F Rim	4085	42	84	1⅜	—	—	180 lbs.	8.3
CCW4284RC2LW	Laminate/Wood-A,M,D,F Rim	4085	42	84	1⅜	—	—	180 lbs.	8.3
CP-R84E	Laminate-E Rim	1137	42	84	1⅜	—	—	180 lbs.	8.3
48" x 96"									
QCCW4896RC2W	Wood-J Rim	$ 3399	48	96	1⅜	—	—	233 lbs.	10.5
CCW4896RC2W	Wood-J Rim	3399	48	96	1⅜	—	—	233 lbs.	10.5
CCW4896RC2W	Wood-A,M,D,F Rim	4688	48	96	1⅜	—	—	233 lbs.	10.5
CCW4896RC2LW	Laminate/Wood-A,M,D,F Rim	4688	48	96	1⅜	—	—	233 lbs.	10.5
QCP-R96E	Laminate-E Rim	1278	48	96	1⅜	—	—	233 lbs.	10.5
CP-R96E	Laminate-E Rim	1278	48	96	1⅜	—	—	213 lbs.	10.5
48" x 120"									
CCW48120RC2W	Wood-J Rim	$ 4828	48	120	1⅜	—	—	279 lbs.	10.6
CCW48120RC2W	Wood-A,M,D,F Rim	6668	48	120	1⅜	—	—	279 lbs.	10.6
CCW48120RC2LW	Laminate/Wood-A,M,D,F Rim	6668	48	120	1⅜	—	—	279 lbs.	10.6
CP-R120E	Laminate-E Rim	1860	48	120	1⅜	—	—	258 lbs.	10.6
48" x 144"									
CCW48144RC2W	Wood-J Rim	$ 5910	48	144	1⅜	—	—	311 lbs.	12.5
CCW48144RC2W	Wood-A,M,D,F Rim	8159	48	144	1⅜	—	—	311 lbs.	12.5
CCW48144RC2LW	Laminate/Wood-A,M,D,F Rim	8159	48	144	1⅜	—	—	311 lbs.	12.5
CP-R144E	Laminate-E Rim	2247	48	144	1⅜	—	—	311 lbs.	12.5

UNIVERSAL RACETRACK TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on racetrack tops are G10, CUT-G15 and CUT-G16, reference page 108 for grommet options and upcharge
- Reference pages 20-25 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 36-55 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile (CCW only)
3. Grommet/Cutout Option
4. Finish (wood tops only)
5. Laminate (laminate or laminate/wood only)
6. Rim Finish (laminate/wood only)

SAMPLE MODEL NUMBERS:

CCW48168RC2W F G10LR DW
CCW48168RC2LW A G10C CW CW

- See pages 107-108 for all options available in Universal

UNIVERSAL RACETRACK TOP (CONTINUED)

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
48" x 168"	**1⁹⁄₁₆" TOP THICKNESS**								
CCW48168RC2W	Wood-J Rim	$ 6716	48	168	1⁹⁄₁₆	—	—	365 lbs.	14.4
CCW48168RC2W	Wood-A,M,D,F Rim	9332	48	168	1⁹⁄₁₆	—	—	365 lbs.	14.4
CCW48168RC2LW	Laminate/Wood-A,M,D,F Rim	9332	48	168	1⁹⁄₁₆	—	—	365 lbs.	14.4
CP-R168E	Laminate-E Rim	2888	48	168	1⁹⁄₁₆	—	—	365 lbs.	14.3
48" x 192"									
CCW48192RC2W	Wood-J Rim	$ 7558	48	192	1⁹⁄₁₆	—	—	418 lbs.	16.3
CCW48192RC2W	Wood-A,M,D,F Rim	10499	48	192	1⁹⁄₁₆	—	—	418 lbs.	16.3
CCW48192RC2LW	Laminate/Wood-A,M,D,F Rim	10499	48	192	1⁹⁄₁₆	—	—	418 lbs.	16.3
CP-R192E	Laminate-E Rim	3532	48	192	1⁹⁄₁₆	—	—	438 lbs.	16.2
48" x 216"									
CCW48216RC2W	Wood-J Rim	$ 8568	48	216	1⁹⁄₁₆	—	—	524 lbs.	20.0
CCW48216RC2W	Wood-A,M,D,F Rim	11900	48	216	1⁹⁄₁₆	—	—	524 lbs.	20.0
CCW48216RC2LW	Laminate/Wood-A,M,D,F Rim	11900	48	216	1⁹⁄₁₆	—	—	524 lbs.	20.0
CP-R216E	Laminate-E Rim	4173	48	216	1⁹⁄₁₆	—	—	524 lbs.	20.0
48" x 240"									
CCW48240RC2W	Wood-J Rim	$ 9576	48	240	1⁹⁄₁₆	—	—	571 lbs.	22.0
CCW48240RC2W	Wood-A,M,D,F Rim	13087	48	240	1⁹⁄₁₆	—	—	571 lbs.	22.0
CCW48240RC2LW	Laminate/Wood-A,M,D,F Rim	13087	48	240	1⁹⁄₁₆	—	—	571 lbs.	22.0
CP-R240E	Laminate-E Rim	4815	48	240	1⁹⁄₁₆	—	—	571 lbs.	22.0

UNIVERSAL RACETRACK TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on racetrack tops are G10, CUT-G15 and CUT-G16, reference page 108 for grommet options and upcharge
- Reference pages 20-25 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 36-55 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile (CCW only)
3. Grommet/Cutout Option
4. Finish (wood tops only)
5. Laminate (laminate or laminate/wood only)
6. Rim Finish (laminate/wood only)

SAMPLE MODEL NUMBERS:

CCW60240RC2W J CUT-G16A AC
CCW60240RC2LW A CUT-G16A 405 CW

- See pages 107-108 for all options available in Universal

UNIVERSAL RACETRACK TOP (CONTINUED)

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
60" x 144"	**1⅜" TOP THICKNESS**								
CCW60144RC2W	Wood-J Rim	$ 8269	58⅜	144	1⅜	—	—	412 lbs.	18.0
CCW60144RC2W	Wood-A,M,D,F Rim	10877	58⅜	144	1⅜	—	—	412 lbs.	18.0
CCW60144RC2LW	Laminate/Wood-A,M,D,F Rim	10877	58⅜	144	1⅜	—	—	412 lbs.	18.0
CP-R60144E	Laminate-E Rim	2922	58⅜	144	1⅜	—	—	412 lbs.	18.0
60" x 168"									
CCW60168RC2W	Wood-J Rim	$ 9401	58⅜	168	1⅜	—	—	480 lbs.	22.5
CCW60168RC2W	Wood-A,M,D,F Rim	12435	58⅜	168	1⅜	—	—	480 lbs.	22.5
CCW60168RC2LW	Laminate/Wood-A,M,D,F Rim	12435	58⅜	168	1⅜	—	—	480 lbs.	22.5
CP-R60168E	Laminate-E Rim	3759	58⅜	168	1⅜	—	—	480 lbs.	22.5
60" x 192"									
CCW60192RC2W	Wood-J Rim	$ 10581	58⅜	192	1⅜	—	—	539 lbs.	29.0
CCW60192RC2W	Wood-A,M,D,F Rim	13981	58⅜	192	1⅜	—	—	539 lbs.	29.0
CCW60192RC2LW	Laminate/Wood-A,M,D,F Rim	13981	58⅜	192	1⅜	—	—	539 lbs.	29.0
CP-R60192E	Laminate-E Rim	4592	58⅜	192	1⅜	—	—	539 lbs.	29.0
60" x 216"									
CCW60216RC2W	Wood-J Rim	$ 11993	58⅜	216	1⅜	—	—	647 lbs.	31.0
CCW60216RC2W	Wood-A,M,D,F Rim	15525	58⅜	216	1⅜	—	—	647 lbs.	31.0
CCW60216RC2LW	Laminate/Wood-A,M,D,F Rim	15525	58⅜	216	1⅜	—	—	647 lbs.	31.0
CP-R60216E	Laminate-E Rim	5425	58⅜	216	1⅜	—	—	647 lbs.	31.0
60" x 240"									
CCW60240RC2W	Wood-J Rim	$ 13405	58⅜	240	1⅜	—	—	706 lbs.	34.0
CCW60240RC2W	Wood-A,M,D,F Rim	17069	58⅜	240	1⅜	—	—	706 lbs.	34.0
CCW60240RC2LW	Laminate/Wood-A,M,D,F Rim	17069	58⅜	240	1⅜	—	—	706 lbs.	34.0
CP-R60240E	Laminate-E Rim	6262	58⅜	240	1⅜	—	—	706 lbs.	34.0

WAVEWORKS CONFERENCE TOP SPECIFICATIONS

TOPS

- Veneer surfaces are 1³⁄₁₆" plain sliced slipmatched cherry (Amber, Autumn, Mocha, Truffle) or maple veneer (Brighton, Caramel, Honey, Natural), plain sliced bookmatched walnut veneer (Clear Walnut, Cordovan, Judicial), quarter cut walnut veneer (Almond, Portobello, Sable), or quarter cut oak (Sonoma). All veneer surfaces feature a 3mm wood rim profile
- When specifying Clear Walnut, a clear coat finish, the natural wood characteristics of walnut veneer are visible. These characteristics include, but are not limited to, color and woodgrain variation
- Laminate surfaces are 1³⁄₁₆" or 1⁹⁄₁₆" HPL (high pressure laminate)
- Veneer surfaces feature a wood rim with 6 rim profile options
- Laminate surfaces feature a 3mm PVC rim
- Laminate/wood models are 1³⁄₁₆" or 1⁹⁄₁₆" HPL (high pressure laminate) that feature wood rim with 6 rim profiles
- Size modifications available at no upcharge; many WaveWorks conference tops can be cut down in 6 " increments. See component section for specific models
- See page 19 for modified size options

FINISH APPLICATION

- All Veneer surfaces feature a semi-open pore matte finish

POWER DATA

- Round black grommet (G10); order field installed NACG10EL for an electrical solution
- G15A SIDE 1: 2 power outlets, 1 dual USB-A port, 1 HDMI and 1 blank data port SIDE 2: 2 power outlets, 1 dual USB-A port, 1 VGA and 1 blank data port
- G15B SIDE 1: 2 power outlets, 1 blank data port, 1 HDMI, and 1 USB A + C combo SIDE 2: 2 power outlets, 1 blank data port, 1 VGA and 1 USB-A + C combo
- Power/Data Oasis (G162) comes in silver or black powder coat and features 6 power receptacles with 2 charging USB (2.1); 1 HDMI; 1 VGA with mini stereo, and 1 RJ45 data jack
- Power/Data Oasis must be placed between bases and utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit

TO ORDER, SPECIFY:

1. **Model Number**
2. **Rim**
3. **PVC Rim Color (laminate models)**
4. **Grommet**
5. **Modified Depth**
6. **Modified Width**
7. **Laminate Top Color/Wood Top Finish**
8. **Wood Rim Finish (combo models)**

WAVEWORKS SHAPES AND SIZES



ROUND
30" Diameter
36" Diameter
42" Diameter
48" Diameter
54" Diameter
60" Diameter
72" Diameter
96" Diameter



SQUARE
30" x 30"
36" x 36"
42" x 42"
48" x 48"
54" x 54"
60" x 60"

RECTANGLE
36" x 72", 42" x 84"
48" x 96", 120", 144", 168", 192", 216" and 240"
60" x 144", 168", 192", 216" and 240"



BOAT
36" x 72", 42" x 84"
48" x 96", 120", 144", 168", 192", 216" and 240"
60" x 144", 168", 192", 216" and 240"

RACETRACK
36" x 72", 42" x 84"
48" x 96", 120", 144", 168", 192", 216" and 240"
60" x 144", 168", 192", 216" and 240"

WAVEWORKS

WOOD FINISHES

AC Autumn
AD Almond
CL Caramel
CW Cordovan
DW Judicial
EW Clear Walnut**
HN Honey
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
SM Sonoma
TF Truffle
792 Sable

LAMINATE COLORS

WOODGRAIN LAMINATE

AC2 Autumn 2
AD Almond
BZ Brazilwood*
CI Chai*
CL Caramel
CW Cordovan
DW Judicial
HN2 Honey 2
IM Brighton
KN Kona*
MC Amber
MH Mocha
NM Natural
PB Portobello
PC Porcini*
PT Portico*
SK Skyline*
SM Sonoma
TF Truffle
WL Willow*
792 Sable
793 Acorn**

SOLID LAMINATE

405 Designer White
419 Wallaby
425 Shadow
440 Cloud
457 Dapple
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear

PATTERN LAMINATE

814 White Tigris
818 Crisp Linen
819 Flax Gauze
821 Elemental Concrete
822 Smoke Quarstone

GALLERY LAMINATE

Grade 1 – 5% upcharge
G1001 Citadel
G1011 Pepperdust

Grade 2 – 6% upcharge
G1002 Planked Raw Oak
G1003 Evening Notte
G1004 Kirsche
G1005 Midnight Run
G1006 Sepia Walnut
G1007 Serotina
G1008 Timeless
G1009 White Nebbia
G1012 Phantom Ecru

See page 14 for Gallery program details and upcharges

*Not available on laminate/wood models
**Acorn is the laminate complement to Clear Walnut finish

• CSL available; see page 14 for program details and upcharge

RIM PROFILES

PVC SOFTENED RIM

AC2 Autumn 2
AD Almond
BZ Brazilwood
CI Chai
CL Caramel
CW Cordovan
DW Judicial
HN2 Honey 2
IM Brighton
KN Kona
MC Amber
MH Mocha
NM Natural
PB Portobello
PC Porcini
PT Portico
SK Skyline
SM Sonoma
TF Truffle
WL Willow
405 Designer White
419 Wallaby
425 Shadow
440 Cloud
457 Dapple
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear
792 Sable
793 Acorn

PVC REED RIM

AC2 Autumn 2
CL Caramel
CW Cordovan
DW Judicial
HN2 Honey 2
MC Amber
MH Mocha
NM Natural
TF Truffle

WOOD RIM

AC Autumn
AD Almond
CL Caramel
CW Cordovan
DW Judicial
EW Clear Walnut
HN Honey
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
SM Sonoma
TF Truffle
792 Sable

GALLERY PVC SOFTENED RIM

Grade 1 – 5% upcharge
G1001 Citadel
G1011 Pepperdust

Grade 2 – 6% upcharge
G1002 Planked Raw Oak
G1003 Evening Notte
G1004 Kirsche
G1005 Midnight Run
G1006 Sepia Walnut
G1007 Serotina
G1008 Timeless
G1009 White Nebbia
G1012 Phantom Ecru

Softened Wood (F)

Reed Wood (R)

Cove Wood (P)*

Zip Wood (Z)

Concave Wood (C)*

Step Wood (T)*

Softened PVC (V)

Reed PVC (N)

*Not recommended with EW Clear Walnut and SM Sonoma

GROMMET AND CUTOUT OPTIONS

Conference table tops are available with grommet or cutout options to accommodate electrical and data management solutions.
If no grommet or cutout is desired, specify an X.

Round Grommet Option, Black

$100 list upcharge per grommet location

G10C	Center
G10E	End
G10LR	Left, Right
G10A	All
G10CE	Center, End

- Reference pages 20-21 for grommet locations

NACG10EL
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 556 for pricing and details

Cutout Option for 1 Touch Double Pivoting Power Grommet

$40 list upcharge per cutout location

CUT-G15C	Center
CUT-G15E	End
CUT-G15LR	Left, Right
CUT-G15A	All
CUT-G15CE	Center, End



- Reference pages 22-23 for cutout locations of CUT-G15



NACG15AELPGS, NACG15AELHCS, NACG15AELPGB, NACG15AELHCB, NACG15AELPGW, and NACG15AELHCW
(Sold Separately)

- Must order model NACG15AELPGS, NACG15AELHCS, NACG15AELPGB, NACG15AELHCB, NACG15AELPGW, or NACG15AELHCW to fit into CUT-G15 option
- Reference page 560 for pricing and details

Cutout Option for Power/Data Oasis

$40 list upcharge per cutout location

CUT-G16C	Center
CUT-G16E	End
CUT-G16LR	Left, Right
CUT-G16A	All
CUT-G16CE	Center, End



- Reference pages 24-25 for cutout locations of CUT-G16
- The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit



NACG162ELS, NACG162ELHS, NACG162ELB, and NACG162ELHB
(Sold Separately)

- Must order model NACG162ELS, NACG162ELHS, NACG162ELB, or NACG162ELHB to fit into CUT-G16 option
- Reference page 563 for pricing and details

NOTE: Interlink IQ units are available in the Accessories section

WAVEWORKS ROUND TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on round tops are G10C and CUT-G15C, reference page 125 for grommet options and upcharge
- Reference pages 20-23 for grommet and cutout locations
- Reference pages 36-55 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Grommet
5. Laminate Top Color/Wood Top Finish
6. Wood Rim Finish (combo models)

SAMPLE MODEL NUMBERS:

WWN30RDW	R	X	MH	
WWN30RDL	V	MH	G10C	MH
WWN30RDLW	R	X	MH	MH

- See pages 124-125 for all options available in Waveworks

WAVEWORKS ROUND TOP



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
30" ROUND	**1⅞" TOP THICKNESS**		**DI**		**H**				
WWN30RDW	Wood	$ 1781	30⅛	–	1⅞	–	–	33 lbs.	2.0
WWN30RDLW	Laminate/Wood	1781	30⅛	–	1⅞	–	–	33 lbs.	2.0
WWN30RDL	Laminate	1048	30⅛	–	1⅞	–	–	33 lbs.	2.0
36" ROUND									
WWN36RDW	Wood	$ 2094	36⅛	–	1⅞	–	–	40 lbs.	2.4
WWN36RDLW	Laminate/Wood	2094	36⅛	–	1⅞	–	–	40 lbs.	2.4
WWN36RDL	Laminate	1234	36⅛	–	1⅞	–	–	40 lbs.	2.4
42" ROUND									
WWN42RDW	Wood	$ 2542	42⅛	–	1⅞	–	–	54 lbs.	3.2
WWN42RDLW	Laminate/Wood	2542	42⅛	–	1⅞	–	–	54 lbs.	3.2
WWN42RDL	Laminate	1688	42⅛	–	1⅞	–	–	54 lbs.	3.2
48" ROUND									
WWN48RDW	Wood	$ 3101	48⅛	–	1⅞	–	–	79 lbs.	4.2
WWN48RDLW	Laminate/Wood	3101	48⅛	–	1⅞	–	–	79 lbs.	4.2
WWN48RDL	Laminate	2251	48⅛	–	1⅞	–	–	79 lbs.	4.2
54" ROUND									
WWN54RDW	Wood	$ 3452	54⅛	–	1⅞	–	–	121 lbs.	6.9
WWN54RDLW	Laminate/Wood	3452	54⅛	–	1⅞	–	–	121 lbs.	6.9
WWN54RDL	Laminate	2602	54⅛	–	1⅞	–	–	121 lbs.	6.9
60" ROUND									
WWN60RDW	Wood	$ 3801	58⅜	–	1⅞	–	–	150 lbs.	8.3
WWN60RDLW	Laminate/Wood	3801	58⅜	–	1⅞	–	–	150 lbs.	8.3
WWN60RDL	Laminate	2955	58⅜	–	1⅞	–	–	150 lbs.	8.3
72" ROUND									
WWN72RDW	Wood	$ 4533	71⁵⁄₁₆	–	1⅞	–	–	lbs.	
WWN72RDLW	Laminate/Wood	4533	71⁵⁄₁₆	–	1⅞	–	–	lbs.	
WWN72RDL	Laminate	3686	71⁵⁄₁₆	–	1⅞	–	–	lbs.	
96" ROUND									
WWN96RDW	Wood	$ 5924	95⅞	–	1⅞	–	–	lbs.	
WWN96RDLW	Laminate/Wood	5924	95⅞	–	1⅞	–	–	lbs.	
WWN96RDL	Laminate	5095	95⅞	–	1⅞	–	–	lbs.	

- Zip profile does not run out on round tops
- 72" and 96" tops will be in 2 pieces

WAVEWORKS ROUND TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on round tops are G10C and CUT-G15C, reference page 125 for grommet options and upcharge
- Reference pages 20-23 for grommet and cutout locations
- Reference pages 36-55 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Grommet
5. Laminate Top Color/Wood Top Finish
6. Wood Rim Finish (combo models)

SAMPLE MODEL NUMBERS:

WW48RDW	R	X	MH	
WW48RDL	V	MH	G10C	MH
WW48RDLW	R	X	MH	MH

- See pages 124-125 for all options available in Waveworks

WAVEWORKS ROUND TOP



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
30" ROUND	**1 1⁄16" TOP THICKNESS**		**DI**		**H**				
WW30RDW	Wood	$ 1631	30 1⁄16	–	1 3⁄16	–	–	33 lbs.	2.0
WW30RDLW	Laminate/Wood	1631	30 1⁄16	–	1 3⁄16	–	–	33 lbs.	2.0
WW30RDL	Laminate	898	30 1⁄16	–	1 3⁄16	–	–	33 lbs.	2.0
36" ROUND									
WW36RDW	Wood	$ 1917	36 1⁄16	–	1 3⁄16	–	–	42 lbs.	3.0
WW36RDLW	Laminate/Wood	1917	36 1⁄16	–	1 3⁄16	–	–	42 lbs.	3.0
WW36RDL	Laminate	1056	36 1⁄16	–	1 3⁄16	–	–	42 lbs.	3.0
42" ROUND									
WW42RDW	Wood	$ 2369	42 1⁄16	–	1 3⁄16	–	–	58 lbs.	3.8
WW42RDLW	Laminate/Wood	2369	42 1⁄16	–	1 3⁄16	–	–	58 lbs.	3.8
WW42RDL	Laminate	1510	42 1⁄16	–	1 3⁄16	–	–	58 lbs.	3.8
48" ROUND									
WW48RDW	Wood	$ 2925	48 1⁄16	–	1 3⁄16	–	–	76 lbs.	4.5
WW48RDLW	Laminate/Wood	2925	48 1⁄16	–	1 3⁄16	–	–	76 lbs.	4.5
WW48RDL	Laminate	2075	48 1⁄16	–	1 3⁄16	–	–	76 lbs.	4.5

- Zip profile does not run out on round tops

WAVEWORKS SQUARE TOPS

PRODUCT SPECIFICATIONS

- Zip rim has "run-out" on square tops at corners
- Power grommets cannot be used with metal bases
- Grommet options available on square tops are G10C and CUT-G15C, reference page 125 for grommet options and upcharge
- Reference pages 20-23 for grommet and cutout locations
- Reference pages 36-55 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Grommet
5. Laminate Top Color/Wood Top Finish
6. Wood Rim Finish (combo models)

SAMPLE MODEL NUMBERS:

WWN3030SQW	F	X		MH
WWN3030SQL	V	480	X	MH
WWN3030SQLW	F	G10C	805	MH

- See pages 124-125 for all options available in Waveworks

WAVEWORKS SQUARE TOP



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
30" SQUARE	**1⅞" TOP THICKNESS**								
WWN3030SQW	Wood	$ 1781	30⅛	30⅛	1⅞	–	–	33 lbs.	2.0
WWN3030SQLW	Laminate/Wood	1781	30⅛	30⅛	1⅞	–	–	33 lbs.	2.0
WWN3030SQL	Laminate	1048	30⅛	30⅛	1⅞	–	–	33 lbs.	2.0
36" SQUARE									
WWN3636SQW	Wood	$ 2094	36⅛	36⅛	1⅞	–	–	45 lbs.	3.0
WWN3636SQLW	Laminate/Wood	2094	36⅛	36⅛	1⅞	–	–	45 lbs.	3.0
WWN3636SQL	Laminate	1234	36⅛	36⅛	1⅞	–	–	45 lbs.	3.0
42" SQUARE									
WWN4242SQW	Wood	$ 2542	42⅛	42⅛	1⅞	–	–	59 lbs.	3.8
WWN4242SQLW	Laminate/Wood	2542	42⅛	42⅛	1⅞	–	–	59 lbs.	3.8
WWN4242SQL	Laminate	1688	42⅛	42⅛	1⅞	–	–	59 lbs.	3.8
48" SQUARE									
WWN4848SQW	Wood	$ 3101	48⅛	48⅛	1⅞	–	–	76 lbs.	4.5
WWN4848SQLW	Laminate/Wood	3101	48⅛	48⅛	1⅞	–	–	76 lbs.	4.5
WWN4848SQL	Laminate	2251	48⅛	48⅛	1⅞	–	–	76 lbs.	4.5
54" SQUARE									
WWN5454SQW	Wood	$ 3452	54⅛	54⅛	1⅞	–	–	121 lbs.	6.9
WWN5454SQLW	Laminate/Wood	3452	54⅛	54⅛	1⅞	–	–	121 lbs.	6.9
WWN5454SQL	Laminate	2602	54⅛	54⅛	1⅞	–	–	121 lbs.	6.9
60" SQUARE									
WWN6060SQW	Wood	$ 3801	58⅜	58⅜	1⅞	–	–	150 lbs.	8.3
WWN6060SQLW	Laminate/Wood	3801	58⅜	58⅜	1⅞	–	–	150 lbs.	8.3
WWN6060SQL	Laminate	2955	58⅜	58⅜	1⅞	–	–	150 lbs.	8.3

WAVEWORKS SQUARE TOPS

PRODUCT SPECIFICATIONS

- Zip rim has "run-out" on square tops at corners
- Power grommets cannot be used with metal bases
- Grommet options available on square tops are G10C and CUT-G15C, reference page 125 for grommet options and upcharge
- Reference pages 20-23 for grommet and cutout locations
- Reference pages 36-55 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Grommet
5. Laminate Top Color/Wood Top Finish
6. Wood Rim Finish (combo models)

SAMPLE MODEL NUMBERS:

WW4848SQW	F	X	MH	
WW4848SQL	V	480	X	MH
WW4848SQLW	F	G10C	805	MH

- See pages 124-125 for all options available in Waveworks

WAVEWORKS SQUARE TOP



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
30" SQUARE	**1⅜" TOP THICKNESS**								
WW3030SQW	Wood	$ 1631	30⅛	30⅛	1⅜	–	–	33 lbs.	2.0
WW3030SQLW	Laminate/Wood	1631	30⅛	30⅛	1⅜	–	–	33 lbs.	2.0
WW3030SQL	Laminate	898	30⅛	30⅛	1⅜	–	–	33 lbs.	2.0
36" SQUARE									
WW3636SQW	Wood	$ 1917	36⅛	36⅛	1⅜	–	–	45 lbs.	3.0
WW3636SQLW	Laminate/Wood	1917	36⅛	36⅛	1⅜	–	–	45 lbs.	3.0
WW3636SQL	Laminate	1056	36⅛	36⅛	1⅜	–	–	45 lbs.	3.0
42" SQUARE									
WW4242SQW	Wood	$ 2369	42⅛	42⅛	1⅜	–	–	59 lbs.	3.8
WW4242SQLW	Laminate/Wood	2369	42⅛	42⅛	1⅜	–	–	59 lbs.	3.8
WW4242SQL	Laminate	1510	42⅛	42⅛	1⅜	–	–	59 lbs.	3.8
48" SQUARE									
WW4848SQW	Wood	$ 2925	48⅛	48⅛	1⅜	–	–	76 lbs.	4.5
WW4848SQLW	Laminate/Wood	2925	48⅛	48⅛	1⅜	–	–	76 lbs.	4.5
WW4848SQL	Laminate	2075	48⅛	48⅛	1⅜	–	–	76 lbs.	4.5

WAVEWORKS RECTANGLE TOPS

PRODUCT SPECIFICATIONS

- Zip rim has "run-out" on rectangle tops at corners
- Power grommets cannot be used with metal bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 125 for grommet options and upcharge
- Reference pages 20-25 for grommet and cutout locations
- For 168" and 192" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 36-55 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Laminate Top Color/Wood Top Finish
8. Wood Rim Finish (combo models)

SAMPLE MODEL NUMBERS:

WWN3672RT2W	P	CUT-G16C	X	NM	
WWN3672RT2LW	P	X	X	480	NM
WWN3672RT2L	V	462	X	G10LR	HN2

- See pages 124-125 for all options available in Waveworks

WAVEWORKS RECTANGLE TOP



MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36" X 72"	**1⅜" TOP THICKNESS**								
WWN3672RT2W	Wood	$ 3268	36	72	1⅜	–	–	136 lbs.	6.3
WWN3672RT2LW	Laminate/Wood	3268	36	72	1⅜	–	–	136 lbs.	6.3
WWN3672RT2L	Laminate	2418	36	72	1⅜	–	–	136 lbs.	6.3
42" X 84"									
WWN4284RT2W	Wood	$ 3855	42	84	1⅜	–	–	180 lbs.	8.3
WWN4284RT2LW	Laminate/Wood	3855	42	84	1⅜	–	–	180 lbs.	8.3
WWN4284RT2L	Laminate	3008	42	84	1⅜	–	–	180 lbs.	8.3
48" X 96"									
WWN4896RT2W	Wood	$ 4440	48	96	1⅜	–	–	233 lbs.	10.5
WWN4896RT2LW	Laminate/Wood	4440	48	96	1⅜	–	–	233 lbs.	10.5
WWN4896RT2L	Laminate	3606	48	96	1⅜	–	–	233 lbs.	10.5
48" X 120"									
WWN48120RT2W	Wood	$ 6067	48	120	1⅜	–	–	279 lbs.	10.6
WWN48120RT2LW	Laminate/Wood	6067	48	120	1⅜	–	–	279 lbs.	10.6
WWN48120RT2L	Laminate	5243	48	120	1⅜	–	–	279 lbs.	10.6
48" X 144"									
WWN48144RT2W	Wood	$ 7513	48	144	1⅜	–	–	332 lbs.	12.5
WWN48144RT2LW	Laminate/Wood	7513	48	144	1⅜	–	–	332 lbs.	12.5
WWN48144RT2L	Laminate	6707	48	144	1⅜	–	–	332 lbs.	12.5
48" X 168"									
WWN48168RT2W	Wood	$ 8652	48	168	1⅜	–	–	385 lbs.	14.3
WWN48168RT2LW	Laminate/Wood	8652	48	168	1⅜	–	–	385 lbs.	14.3
WWN48168RT2L	Laminate	7851	48	168	1⅜	–	–	385 lbs.	14.3
48" X 192"									
WWN48192RT2W	Wood	$ 9781	48	192	1⅜	–	–	438 lbs.	16.2
WWN48192RT2LW	Laminate/Wood	9781	48	192	1⅜	–	–	438 lbs.	16.2
WWN48192RT2L	Laminate	8997	48	192	1⅜	–	–	438 lbs.	16.2

- Modified depth and width are available; refer to the chart on page 19 for conference top sizing
- Almond, Portobello, Sable, and Sonoma veneer grain pattern will not match on multi-piece conference tops

WAVEWORKS RECTANGLE TOPS

PRODUCT SPECIFICATIONS

- Zip rim has "run-out" on rectangle tops at corners
- Power grommets cannot be used with metal bases
- Grommet options available on rectangle tops are G10, CUT-G15 and CUT-G16, reference page 125 for grommet options and upcharge
- Reference pages 20-25 for grommet and cutout locations
- For 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 36-55 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Laminate Top Color/Wood Top Finish
8. Wood Rim Finish (combo models)

SAMPLE MODEL NUMBERS:

WWN48216RT2W	P	CUT-G16C	X	X	NM		
WWN48216RT2LW	P	X	X	X	480	NM	
WWN48216RT2L	V	462	X	X	G10LR	HN2	

- See pages 124-125 for all options available in Waveworks

WAVEWORKS RECTANGLE TOP (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
48" X 216"	**1⅜" TOP THICKNESS**								
WWN48216RT2W	Wood	$ 10912	48	216	1⅜	–	–	524 lbs.	20.0
WWN48216RT2LW	Laminate/Wood	10912	48	216	1⅜	–	–	524 lbs.	20.0
WWN48216RT2L	Laminate	10142	48	216	1⅜	–	–	524 lbs.	20.0
48" X 240"									
WWN48240RT2W	Wood	$ 12046	48	240	1⅜	–	–	571 lbs.	22.0
WWN48240RT2LW	Laminate/Wood	12046	48	240	1⅜	–	–	571 lbs.	22.0
WWN48240RT2L	Laminate	11293	48	240	1⅜	–	–	571 lbs.	22.0
60" X 144"									
WWN60144RT2W	Wood	$ 9770	58⅜	144	1⅜	–	–	412 lbs.	18.0
WWN60144RT2LW	Laminate/Wood	9770	58⅜	144	1⅜	–	–	412 lbs.	18.0
WWN60144RT2L	Laminate	8718	58⅜	144	1⅜	–	–	412 lbs.	18.0
60" X 168"									
WWN60168RT2W	Wood	$ 11247	58⅜	168	1⅜	–	–	480 lbs.	22.5
WWN60168RT2LW	Laminate/Wood	11247	58⅜	168	1⅜	–	–	480 lbs.	22.5
WWN60168RT2L	Laminate	10209	58⅜	168	1⅜	–	–	480 lbs.	22.5
60" X 192"									
WWN60192RT2W	Wood	$ 12715	58⅜	192	1⅜	–	–	539 lbs.	29.0
WWN60192RT2LW	Laminate/Wood	12715	58⅜	192	1⅜	–	–	539 lbs.	29.0
WWN60192RT2L	Laminate	11694	58⅜	192	1⅜	–	–	539 lbs.	29.0
60" X 216"									
WWN60216RT2W	Wood	$ 14190	58⅜	216	1⅜	–	–	647 lbs.	31.0
WWN60216RT2LW	Laminate/Wood	14190	58⅜	216	1⅜	–	–	647 lbs.	31.0
WWN60216RT2L	Laminate	13189	58⅜	216	1⅜	–	–	647 lbs.	31.0
60" X 240"									
WWN60240RT2W	Wood	$ 15660	58⅜	240	1⅜	–	–	706 lbs.	34.0
WWN60240RT2LW	Laminate/Wood	15660	58⅜	240	1⅜	–	–	706 lbs.	34.0
WWN60240RT2L	Laminate	14682	58⅜	240	1⅜	–	–	706 lbs.	34.0

- Modified depth and width are available; refer to the chart on page 19 for conference top sizing
- Almond, Portobello, Sable, and Sonoma veneer grain pattern will not match on multi-piece conference tops

WAVEWORKS BOAT TOPS

PRODUCT SPECIFICATIONS

- Zip rim has "run-out" on boat tops at corners
- Power grommets cannot be used with metal bases
- Grommet options available on boat tops are G10, CUT-G15 and CUT-G16, reference page 125 for grommet options and upcharge
- Reference pages 20-25 for grommet and cutout locations
- For 168" and 192" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 36-55 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Laminate Top Color/Wood Top Finish
8. Wood Rim Finish (combo models)

SAMPLE MODEL NUMBERS:

WWN3672BTW	P	CUT-G16C	X	NM	
WWN3672BTLW	P	X	X	480	NM
WWN3672BTL	V	480	X	X	CW

- See pages 124-125 for all options available in Waveworks

WAVEWORKS BOAT TOP



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36" X 72"	**1⅜" TOP THICKNESS**								
WWN3672BTW	Wood	$ 3527	36	72	1⅜	–	–	136 lbs.	6.3
WWN3672BTLW	Laminate/Wood	3527	36	72	1⅜	–	–	136 lbs.	6.3
WWN3672BTL	Laminate	2692	36	72	1⅜	–	–	136 lbs.	6.3
42" X 84"									
WWN4284BTW	Wood	$ 4109	42	84	1⅜	–	–	180 lbs.	8.3
WWN4284BTLW	Laminate/Wood	4109	42	84	1⅜	–	–	180 lbs.	8.3
WWN4284BTL	Laminate	3277	42	84	1⅜	–	–	180 lbs.	8.3
48" X 96"									
WWN4896BTW	Wood	$ 4688	48	96	1⅜	–	–	233 lbs.	10.5
WWN4896BTLW	Laminate/Wood	4688	48	96	1⅜	–	–	233 lbs.	10.5
WWN4896BTL	Laminate	3865	48	96	1⅜	–	–	233 lbs.	10.5
48" X 120"									
WWN48120BTW	Wood	$ 6591	48	120	1⅜	–	–	279 lbs.	10.6
WWN48120BTLW	Laminate/Wood	6591	48	120	1⅜	–	–	279 lbs.	10.6
WWN48120BTL	Laminate	5781	48	120	1⅜	–	–	279 lbs.	10.6
48" X 144"									
WWN48144BTW	Wood	$ 8023	48	144	1⅜	–	–	332 lbs.	12.5
WWN48144BTLW	Laminate/Wood	8023	48	144	1⅜	–	–	332 lbs.	12.5
WWN48144BTL	Laminate	7231	48	144	1⅜	–	–	332 lbs.	12.5
48" X 168"									
WWN48168BTW	Wood	$ 9147	48	168	1⅜	–	–	385 lbs.	14.3
WWN48168BTLW	Laminate/Wood	9147	48	168	1⅜	–	–	385 lbs.	14.3
WWN48168BTL	Laminate	8366	48	168	1⅜	–	–	385 lbs.	14.3
48" X 192"									
WWN48192BTW	Wood	$ 10272	48	192	1⅜	–	–	438 lbs.	16.2
WWN48192BTLW	Laminate/Wood	10272	48	192	1⅜	–	–	438 lbs.	16.2
WWN48192BTL	Laminate	9498	48	192	1⅜	–	–	438 lbs.	16.2

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 19 for conference top sizing
- Almond, Portobello, Sable, and Sonoma veneer grain pattern will not match on multi-piece conference tops

WAVEWORKS BOAT TOPS

PRODUCT SPECIFICATIONS

- Zip rim has "run-out" on boat tops at corners
- Power grommets cannot be used with metal bases
- Grommet options available on boat tops are G10, CUT-G15 and CUT-G16, reference page 125 for grommet options and upcharge
- Reference pages 20-25 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 36-55 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Laminate Top Color/Wood Top Finish
8. Wood Rim Finish (combo models)

SAMPLE MODEL NUMBERS:

WWN48216BTW	P	CUT-G16C	X	X	NM	
WWN48216BTLW	P	X	X	X	480	NM
WWN48216BTL	V	480	X	X	X	CW

- See pages 124-125 for all options available in Waveworks

WAVEWORKS BOAT TOP (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
48" X 216"	**1⅜" TOP THICKNESS**								
WWN48216BTW	Wood	$ 11389	48	216	1⅜	–	–	524 lbs.	20.0
WWN48216BTLW	Laminate/Wood	11389	48	216	1⅜	–	–	524 lbs.	20.0
WWN48216BTL	Laminate	10613	48	216	1⅜	–	–	524 lbs.	20.0
48" X 240"									
WWN48240BTW	Wood	$ 12513	48	240	1⅜	–	–	571 lbs.	22.0
WWN48240BTLW	Laminate/Wood	12513	48	240	1⅜	–	–	571 lbs.	22.0
WWN48240BTL	Laminate	11761	48	240	1⅜	–	–	571 lbs.	22.0
60" X 144"									
WWN60144BTW	Wood	$ 10432	58⅜	144	1⅜	–	–	412 lbs.	18.0
WWN60144BTLW	Laminate/Wood	10432	58⅜	144	1⅜	–	–	412 lbs.	18.0
WWN60144BTL	Laminate	9395	58⅜	144	1⅜	–	–	412 lbs.	18.0
60" X 168"									
WWN60168BTW	Wood	$ 11893	58⅜	168	1⅜	–	–	480 lbs.	22.5
WWN60168BTLW	Laminate/Wood	11893	58⅜	168	1⅜	–	–	480 lbs.	22.5
WWN60168BTL	Laminate	10874	58⅜	168	1⅜	–	–	480 lbs.	22.5
60" X 192"									
WWN60192BTW	Wood	$ 13354	58⅜	192	1⅜	–	–	539 lbs.	29.0
WWN60192BTLW	Laminate/Wood	13354	58⅜	192	1⅜	–	–	539 lbs.	29.0
WWN60192BTL	Laminate	12348	58⅜	192	1⅜	–	–	539 lbs.	29.0
60" X 216"									
WWN60216BTW	Wood	$ 14810	58⅜	216	1⅜	–	–	647 lbs.	31.0
WWN60216BTLW	Laminate/Wood	14810	58⅜	216	1⅜	–	–	647 lbs.	31.0
WWN60216BTL	Laminate	13798	58⅜	216	1⅜	–	–	647 lbs.	31.0
60" X 240"									
WWN60240BTW	Wood	$ 16266	58⅜	240	1⅜	–	–	706 lbs.	34.0
WWN60240BTLW	Laminate/Wood	16266	58⅜	240	1⅜	–	–	706 lbs.	34.0
WWN60240BTL	Laminate	15289	58⅜	240	1⅜	–	–	706 lbs.	34.0

- Depth dimension reflects widest distance across middle of top
- Depth on the ends is 32" for the 36" deep top, 36" for the 42" deep top, 42" for the 48" deep top and 54" for the 60" deep top
- Modified depth and width are available; refer to the chart on page 19 for conference top sizing
- Almond, Portobello, Sable, and Sonoma veneer grain pattern will not match on multi-piece conference tops

WAVEWORKS RACETRACK TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on racetrack tops are G10, CUT-G15 and CUT-G16, reference page 125 for grommet options and upcharge
- Reference pages 20-25 for grommet and cutout locations
- For 168" and 192" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 36-55 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Laminate Top Color/Wood Top Finish
8. Wood Rim Finish (combo models)

SAMPLE MODEL NUMBERS:

WWN3672RC2W	P	CUT-G16C	X	NM	
WWN3672RC2LW	P	X	X	480	NM
WWN3672RC2L	N	CW	X	G10C	CW

- See pages 124-125 for all options available in Waveworks

WAVEWORKS RACETRACK TOP

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36" X 72"	**1⁹⁄₁₆" TOP THICKNESS**								
WWN3672RC2W	Wood	$ 3564	36	72	1⁹⁄₁₆	–	–	136 lbs.	6.3
WWN3672RC2LW	Laminate/Wood	3564	36	72	1⁹⁄₁₆	–	–	136 lbs.	6.3
WWN3672RC2L	Laminate	2716	36	72	1⁹⁄₁₆	–	–	136 lbs.	6.3
42" X 84"									
WWN4284RC2W	Wood	$ 4153	42	84	1⁹⁄₁₆	–	–	180 lbs.	8.3
WWN4284RC2LW	Laminate/Wood	4153	42	84	1⁹⁄₁₆	–	–	180 lbs.	8.3
WWN4284RC2L	Laminate	3311	42	84	1⁹⁄₁₆	–	–	180 lbs.	8.3
48" X 96"									
WWN4896RC2W	Wood	$ 4740	48	96	1⁹⁄₁₆	–	–	233 lbs.	10.5
WWN4896RC2LW	Laminate/Wood	4740	48	96	1⁹⁄₁₆	–	–	233 lbs.	10.5
WWN4896RC2L	Laminate	3903	48	96	1⁹⁄₁₆	–	–	233 lbs.	10.5
48" X 120"									
WWN48120RC2W	Wood	$ 6656	48	120	1⁹⁄₁₆	–	–	279 lbs.	10.6
WWN48120RC2LW	Laminate/Wood	6656	48	120	1⁹⁄₁₆	–	–	279 lbs.	10.6
WWN48120RC2L	Laminate	5840	48	120	1⁹⁄₁₆	–	–	279 lbs.	10.6
48" X 144"									
WWN48144RC2W	Wood	$ 8104	48	144	1⁹⁄₁₆	–	–	332 lbs.	12.5
WWN48144RC2LW	Laminate/Wood	8104	48	144	1⁹⁄₁₆	–	–	332 lbs.	12.5
WWN48144RC2L	Laminate	7301	48	144	1⁹⁄₁₆	–	–	332 lbs.	12.5
48" X 168"									
WWN48168RC2W	Wood	$ 9242	48	168	1⁹⁄₁₆	–	–	385 lbs.	14.3
WWN48168RC2LW	Laminate/Wood	9242	48	168	1⁹⁄₁₆	–	–	385 lbs.	14.3
WWN48168RC2L	Laminate	8450	48	168	1⁹⁄₁₆	–	–	385 lbs.	14.3
48" X 192"									
WWN48192RC2W	Wood	$ 10376	48	192	1⁹⁄₁₆	–	–	438 lbs.	16.2
WWN48192RC2LW	Laminate/Wood	10376	48	192	1⁹⁄₁₆	–	–	438 lbs.	16.2
WWN48192RC2L	Laminate	9594	48	192	1⁹⁄₁₆	–	–	438 lbs.	16.2

- Modified depth and width are available; refer to the chart on page 19 for conference top sizing
- Almond, Portobello, Sable, and Sonoma veneer grain pattern will not match on multi-piece conference tops

WAVEWORKS RACETRACK TOPS

PRODUCT SPECIFICATIONS

- Power grommets cannot be used with metal bases
- Grommet options available on racetrack tops are G10, CUT-G15 and CUT-G16, reference page 125 for grommet options and upcharge
- Reference pages 20-25 for grommet and cutout locations
- For 168", 192", 216" and 240" tops, the center grommet location consists of 2 grommets on the G10 and CUT-G15 options
- Reference pages 36-55 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Grommet
5. Modified Depth
6. Modified Width
7. Laminate Top Color/Wood Top Finish
8. Wood Rim Finish (combo models)

SAMPLE MODEL NUMBERS:

WWN48216RC2W	P	CUT-G16C	X	X	NM		
WWN48216RC2LW	P	X	X	X	480	NM	
WWN48216RC2L	N	CW	X	X	G10C	CW	

- See pages 124-125 for all options available in Waveworks

WAVEWORKS RACETRACK TOP (CONTINUED)

MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
48" X 216"	**1⁹⁄₁₆" TOP THICKNESS**								
WWN48216RC2W	Wood	$ 11507	48	216	1⁹⁄₁₆	—	—	524 lbs.	20.0
WWN48216RC2LW	Laminate/Wood	11507	48	216	1⁹⁄₁₆	—	—	524 lbs.	20.0
WWN48216RC2L	Laminate	10720	48	216	1⁹⁄₁₆	—	—	524 lbs.	20.0
48" X 240"									
WWN48240RC2W	Wood	$ 12638	48	240	1⁹⁄₁₆	—	—	571 lbs.	22.0
WWN48240RC2LW	Laminate/Wood	12638	48	240	1⁹⁄₁₆	—	—	571 lbs.	22.0
WWN48240RC2L	Laminate	11879	48	240	1⁹⁄₁₆	—	—	571 lbs.	22.0
60" X 144"									
WWN60144RC2W	Wood	$ 10536	58⅜	144	1⁹⁄₁₆	—	—	412 lbs.	18.0
WWN60144RC2LW	Laminate/Wood	10536	58⅜	144	1⁹⁄₁₆	—	—	412 lbs.	18.0
WWN60144RC2L	Laminate	9491	58⅜	144	1⁹⁄₁₆	—	—	412 lbs.	18.0
60" X 168"									
WWN60168RC2W	Wood	$ 12015	58⅜	168	1⁹⁄₁₆	—	—	480 lbs.	22.5
WWN60168RC2LW	Laminate/Wood	12015	58⅜	168	1⁹⁄₁₆	—	—	480 lbs.	22.5
WWN60168RC2L	Laminate	10984	58⅜	168	1⁹⁄₁₆	—	—	480 lbs.	22.5
60" X 192"									
WWN60192RC2W	Wood	$ 13489	58⅜	192	1⁹⁄₁₆	—	—	539 lbs.	29.0
WWN60192RC2LW	Laminate/Wood	13489	58⅜	192	1⁹⁄₁₆	—	—	539 lbs.	29.0
WWN60192RC2L	Laminate	12471	58⅜	192	1⁹⁄₁₆	—	—	539 lbs.	29.0
60" X 216"									
WWN60216RC2W	Wood	$ 14956	58⅜	216	1⁹⁄₁₆	—	—	647 lbs.	31.0
WWN60216RC2LW	Laminate/Wood	14956	58⅜	216	1⁹⁄₁₆	—	—	647 lbs.	31.0
WWN60216RC2L	Laminate	13938	58⅜	216	1⁹⁄₁₆	—	—	647 lbs.	31.0
60" X 240"									
WWN60240RC2W	Wood	$ 16426	58⅜	240	1⁹⁄₁₆	—	—	706 lbs.	34.0
WWN60240RC2LW	Laminate/Wood	16426	58⅜	240	1⁹⁄₁₆	—	—	706 lbs.	34.0
WWN60240RC2L	Laminate	15444	58⅜	240	1⁹⁄₁₆	—	—	706 lbs.	34.0

- Modified depth and width are available; refer to the chart on page 19 for conference top sizing
- Almond, Portobello, Sable, and Sonoma veneer grain pattern will not match on multi-piece conference tops

WAVEWORKS RACETRACK TOPS

CONFERENCE TABLE BASES

Product Specifications 138
Options 139
Wood/Laminate Bases 140
Metal Bases 149

CONFERENCE TABLE BASES

SQUARE BASES

- Veneer is slipmatched maple for all finishes except Almond, Portobello and Sable (quarter cut walnut), Sonoma (quarter cut oak), and Clear Walnut (plain sliced bookmatched walnut)
- When specifying Clear Walnut, a clear coat finish, the natural wood characteristics of walnut veneer are visible. These characteristics include, but are not limited to, color and woodgrain variation
- Basic model is available in veneer or laminate
- Grain direction is vertical
- ¾" thick panel construction
- Adjustable glides are standard
- All joints are securely fastened by screws, dowels and fasteners to ensure maximum strength
- Wire access door features removable panel

CYLINDER BASES

- Veneer is slipmatched maple for all finishes except Almond, Portobello and Sable (quarter cut walnut), Sonoma (quarter cut oak), and Clear Walnut (plain sliced bookmatched walnut)
- When specifying Clear Walnut, a clear coat finish, the natural wood characteristics of walnut veneer are visible. These characteristics include, but are not limited to, color and woodgrain variation
- Basic model is available in veneer or laminate
- Grain direction is vertical
- ¾" thick panel construction
- Adjustable glides are standard
- Wire access door is hinged with touch latch

PANEL BASE KITS AND THICK PANELS

- Veneer is slipmatched maple for all finishes except Almond, Portobello and Sable (quarter cut walnut), Sonoma (quarter cut oak), and Clear Walnut (plain sliced bookmatched walnut)
- When specifying Clear Walnut, a clear coat finish, the natural wood characteristics of walnut veneer are visible. These characteristics include, but are not limited to, color and woodgrain variation
- Basic model is available in veneer or laminate
- Grain direction is vertical
- ¾" thick panel construction
- Adjustable glides are standard
- All joints are securely fastened by screws, dowels and fasteners to ensure maximum strength
- Wire access door features removable panel
- Panel base kit features 2 support rails that run from base to base

FINISH APPLICATION

- All Veneer surfaces feature a semi-open pore matte finish

METAL BASES

- Bases are formed metal with a powder coat finish
- Both mobile and fixed height bases are available
- Mobile bases have locking casters
- Glides are standard on fixed height bases
- Oval wire management cutout optional on some bases for an additional upcharge

TABLE BASE GUIDE CAN BE FOUND ON PAGES 36-55

DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width
DI	Diameter

WOOD FINISHES

AC Autumn
AD Almond
CL Caramel
CW Cordovan
DW Judicial
EW Clear Walnut*
HN Honey
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
SM Sonoma
TF Truffle
792 Sable

LAMINATE COLORS

WOODGRAIN LAMINATE

AC2 Autumn 2
AD Almond
BZ Brazilwood
CI Chai
CL Caramel
CW Cordovan
DW Judicial
HN2 Honey 2
IM Brighton
KN Kona
MC Amber
MH Mocha
NM Natural
PB Portobello
PC Porcini
PT Portico
SK Skyline
SM Sonoma
TF Truffle
WL Willow
792 Sable
793 Acorn*

*Acorn is the laminate complement to Clear Walnut finish

SOLID LAMINATE

405 Designer White
419 Wallaby
425 Shadow
440 Cloud
457 Dapple
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear

GALLERY LAMINATE

Grade 1 – 5% upcharge
G1001 Citadel
G1011 Pepperdust

Grade 2 – 6% upcharge
G1002 Planked Raw Oak
G1003 Evening Notte
G1004 Kirsche
G1005 Midnight Run
G1006 Sepia Walnut
G1007 Serotina
G1008 Timeless
G1009 White Nebbia
G1012 Phantom Ecru

See page 14 for Gallery program details and upcharges

BASE DETAIL OPTIONS



Basic (P1)

Barrington (P2) (wood only)

Escalade (P3) (wood only)

TAPERED BASE PAINT COLORS

405 Designer White
423 Concrete
462 Cinder
463 Iron
501 Platinum Metallic
503 Satin Nickel Metallic

EPIC BASE DETAIL

FOOT COLORS (EPIC ONLY)

FR462 Cinder
FR501 Platinum Metallic
FR503 Satin Nickel Metallic

METAL BASE COLUMN PAINT COLORS

405 Designer White
423 Concrete
462 Cinder
463 Iron
501 Platinum Metallic
503 Satin Nickel Metallic

METAL BASE FOOT PAINT COLORS

265 Polished
405 Designer White
423 Concrete
462 Cinder
463 Iron
501 Platinum Metallic
503 Satin Nickel Metallic

METAL BASE COLUMN WIRE MANAGEMENT

• Ellipse shaped wire management cutout optional

CUL Cutouts, Upper & Lower
CU Cutout, Upper
X No Cutout

$40 list upcharge for cutout



QUICK DELIVERY MODELS

Models starting with a "Q" will have the following options in stock:

Finish/Laminate: Must specify Honey (HN/HN2), Amber (MC) or Cordovan (CW)

CONFERENCE TABLE BASES

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Base Detail
3. Finish (wood only)
4. Laminate (laminate only)

SAMPLE MODEL NUMBER:

BW-16 CW

• See page 139 for all options available in Conference Table Bases

CYLINDER BASE (NO WIRE ACCESS)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WOOD			DI		H				
BW-16	16" Diameter	$ 1672	16	–	27¾	–	–	145 lbs.	5.3
QBW-18	18" Diameter	1865	18	–	27¾	–	–	160 lbs.	5.3
BW-18	18" Diameter	1865	18	–	27¾	–	–	160 lbs.	5.3
BW-24	24" Diameter	1929	24	–	27¾	–	–	180 lbs.	7.2
LAMINATE									
BP-16	16" Diameter	$ 996	16	–	27¾	–	–	145 lbs.	5.3
QBP-18	18" Diameter	1239	18	–	27¾	–	–	160 lbs.	5.3
BP-18	18" Diameter	1239	18	–	27¾	–	–	160 lbs.	5.3
BP-24	24" Diameter	1431	24	–	27¾	–	–	180 lbs.	7.2

- Do not specify base detail
- Bases are weighted for stabilization
- Reference pages 36-55 for table base guide
- Adjustable glides standard

CYLINDER BASE WITH WIRE ACCESS



Basic (P1)

WOOD									
10N1628CYBW	16" Diameter	$ 2751	16	–	27¾	–	–	145 lbs.	6.3
10N1828CYBW	18" Diameter	2979	18	–	27¾	–	–	150 lbs.	5.3
10N2428CYBW	24" Diameter	3210	24	–	27¾	–	–	180 lbs.	7.2
LAMINATE									
10N1628CYBL	16" Diameter	$ 1929	16	–	27¾	–	–	145 lbs.	6.3
10N1828CYBL	18" Diameter	2156	18	–	27¾	–	–	150 lbs.	5.3
10N2428CYBL	24" Diameter	2843	24	–	27¾	–	–	180 lbs.	7.2

- Only the Basic (P1) option is available
- Bases are weighted for stabilization
- Reference pages 36-55 for table base guide
- Base has wire access with access to floor mounted electrical
- Adjustable glides standard
- 6" diameter opening

TO ORDER, SPECIFY:

1. Model Number
2. Base Detail
3. Finish (wood only)
4. Laminate (laminate only)

SAMPLE MODEL NUMBER:

10N6027TPBW AD
10N6027TPBP 423
BW-1616 CW

• See page 139 for all options available in Conference Table Bases

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
TAPERED BASES WITH WIRE ACCESS	10N6027TPBW	Wood	$ 6955		60	27¾	—	—	lbs.	
	10N6027TPBP	Painted	4760		60	27¾	—	—	lbs.	
	• To support a 96" round top • Features a 12" taper • 2 pc. base (assembly required) • Can be used with a G10 or G15 grommet									
	10N3627TPBW	Wood	$ 6691		36 1/16	27¾	—	—	lbs.	
	10N3627TPBP	Painted	4498		36 1/16	27¾	—	—	lbs.	
	• To support a 72" or 60" round top • Features a 10" taper • Can be used with a G10 or G15 grommet									
	10N2427TPBW	Wood	$ 6561		24½	27¾	—	—	lbs.	
	10N2427TPBP	Painted	4365		24½	27¾	—	—	lbs.	
	• To support a 54", 48", or 42" round or square top • Features a 9" taper • Can be used with a G10 or G15 grommet									
TAPERED BASES NO WIRE ACCESS	10N1827TPBW	Wood	$ 6430		18½	27¾	—	—	lbs.	
	10N1827TPBP	Painted	4235		18½	27¾	—	—	lbs.	
	• To support a 36" round or square top • Does NOT have a wire access door • Features an 8" taper									
SOFTENED SQUARE BASE (NO WIRE ACCESS)	BW-1616	Wood	$ 1519	16	16	27½	—	—	140 lbs.	5.3
	• Do not specify base detail • Base is weighted for stabilization • Reference pages 36-55 for table base guide • AD Almond, PB Portobello, 792 Sable, SM Sonoma, and EW Clear Walnut not available									

CONFERENCE TABLE BASES

TO ORDER, SPECIFY:

1. Model Number
2. Base Detail
3. Foot Color (Epic only)
4. Finish (wood only)
5. Laminate (laminate only)

SAMPLE MODEL NUMBER:

25N1628SQBXW FR462 MH

• See page 139 for all options available in Conference Table Bases

EPIC SQUARE BASE (NO WIRE ACCESS)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WOOD									
25N1628SQBXW	16" Square	$ 2017	16	16	28	–	–	145 lbs.	5.3
25N1828SQBXW	18" Square	2044	18	18	28	–	–	150 lbs.	6.3
25N2428SQBXW	24" Square	2137	24	24	28	–	–	180 lbs.	7.2
LAMINATE									
25N1628SQBXL	16" Square	$ 1150	16	16	28	–	–	145 lbs.	5.3
25N1828SQBXL	18" Square	1385	18	18	28	–	–	150 lbs.	6.3
25N2428SQBXL	24" Square	1603	24	24	28	–	–	180 lbs.	7.2

- 16" and 18" bases are weighted for stabilization
- Reference pages 36-55 for table base guide
- Adjustable glides standard

SQUARE BASE (NO WIRE ACCESS)



Basic (P1)



Barrington (P2) (wood only)



Escalade (P3) (wood only)

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WOOD									
10N1628SQBXW	16" Square	$ 1819	16	16	28	–	–	145 lbs.	5.3
10N1828SQBXW	18" Square	1839	18	18	28	–	–	150 lbs.	6.3
10N2428SQBXW	24" Square	1929	24	24	28	–	–	180 lbs.	7.2
LAMINATE									
10N1628SQBXL	16" Square	$ 1027	16	16	28	–	–	145 lbs.	5.3
10N1828SQBXL	18" Square	1239	18	18	28	–	–	150 lbs.	6.3
10N2428SQBXL	24" Square	1431	24	24	28	–	–	180 lbs.	7.2

- 16" and 18" bases are weighted for stabilization
- Reference pages 36-55 for table base guide
- Adjustable glides standard

EPIC SQUARE BASE WITH WIRE ACCESS



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WOOD									
25N1628SQBW	16" Square	$ 2342	16	16	28	–	–	145 lbs.	5.3
25N1828SQBW	18" Square	2594	18	18	28	–	–	150 lbs.	6.3
25N2428SQBW	24" Square	2849	24	24	28	–	–	180 lbs.	7.2
LAMINATE									
25N1628SQBL	16" Square	$ 1646	16	16	28	–	–	145 lbs.	5.3
25N1828SQBL	18" Square	2003	18	18	28	–	–	150 lbs.	6.3
25N2428SQBL	24" Square	2464	24	24	28	–	–	180 lbs.	7.2

- 16" and 18" bases are weighted for stabilization
- Reference pages 36-55 for table base guide
- Base has wire access with access to floor mounted electrical
- Adjustable glides standard
- 6" diameter opening

CONFERENCE TABLE BASES

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Base Detail
3. Finish (wood only)
4. Laminate (laminate only)

SAMPLE MODEL NUMBER:

BW-2427S CW

• See page 139 for all options available in Conference Table Bases

SQUARE BASE WITH WIRE ACCESS



Basic (P1)



Barrington (P2) (wood only)



Escalade (P3) (wood only)

MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WOOD									
10N1628SQBW	16" Square	$ 2109	16	16	28	—	—	145 lbs.	5.3
10N1828SQBW	18" Square	2336	18	18	28	—	—	150 lbs.	6.3
10N2428SQBW	24" Square	2568	24	24	28	—	—	180 lbs.	7.2
LAMINATE									
10N1628SQBL	16" Square	$ 1467	16	16	28	—	—	145 lbs.	5.3
10N1828SQBL	18" Square	1786	18	18	28	—	—	150 lbs.	6.3
10N2428SQBL	24" Square	2201	24	24	28	—	—	180 lbs.	7.2

- 16" and 18" bases are weighted for stabilization
- Reference pages 36-55 for table base guide
- Base has wire access with access to floor mounted electrical
- Adjustable glides standard
- 6" diameter opening

WOOD QUEEN ANNE BASE

TBW-4	Wood	$ 2041	—	38	27¾	—	—	35 lbs.	25.0

- Available in Judicial, Cordovan, Mocha or Truffle
- Do not specify base detail
- Reference pages 36-55 for table base guide
- Cannot be used with grommet or cutout options on conference tops
- Not to be used with 48" square tops

THIN PANEL BASE

QBW-2427S	Wood	$ 833	2	24	27½	—	—	37 lbs.	1.7
BW-2427S	Wood	833	2	24	27½	—	—	37 lbs.	1.7
QBP-2427S	Laminate	342	1½	24	27½	—	—	37 lbs.	1.7
BP-2427S	Laminate	342	1½	24	27½	—	—	37 lbs.	1.7

- Do not specify base detail
- Reference pages 36-55 for table base guide
- Not to be used with a 48" x 240", 216", 144", or 120" top that has a grommet cutout
- Laminate base comes with additional angle bracket for installation

CURVED PANEL BASE

BP-2427C	Laminate	$ 570	2	22⅝	27½	—	—	39 lbs.	2.9

- Do not specify base detail
- Reference pages 36-55 for table base guide

CONFERENCE TABLE BASES

TO ORDER, SPECIFY:

1. Model Number
2. Base Detail
3. Foot Color (Epic only)
4. Finish (wood only)
5. Laminate (laminate only)

SAMPLE MODEL NUMBERS:

10N1828PNW P3 DW
10N1828PNL P1 MC

• See page 139 for all options available in Conference Table Bases

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
EPIC THICK PANEL BASE WITH WIRE ACCESS									
WOOD									
25N1828PNW	18"	$ 2342	8	18	27¾	–	–	73 lbs.	5.3
25N2428PNW	24"	2644	8	24	27¾	–	–	95 lbs.	7.0
LAMINATE									
25N1828PNL	18"	$ 1595	8	18	27¾	–	–	73 lbs.	5.3
25N2428PNL	24"	1845	8	24	27¾	–	–	95 lbs.	7.0

• Reference pages 36-55 for table base guide



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
THICK PANEL BASE WITH WIRE ACCESS									
WOOD									
10N1828PNW	18"	$ 2109	8	18	27¾	–	–	73 lbs.	5.3
10N2428PNW	24"	2386	8	24	27¾	–	–	95 lbs.	7.0
LAMINATE									
10N1828PNL	18"	$ 1420	8	18	27¾	–	–	73 lbs.	5.3
10N2428PNL	24"	1651	8	24	27¾	–	–	95 lbs.	7.0

• Reference pages 36-55 for table base guide



Basic (P1)



Barrington (P2)
(wood only)



Escalade (P3)
(wood only)

TO ORDER, SPECIFY:

1. Model Number
2. Foot Color (Epic only)
3. Modified Width
4. Finish (wood only)
5. Laminate (laminate only)

SAMPLE MODEL NUMBER:

25N72PNKW FR462 AC

• See page 139 for all options available in Conference Table Bases

EPIC
THICK PANEL BASE KIT
(FOR USE WITH 36", 42" AND 48" DEEP TOPS)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WOOD									
25N72PNKW	For 72" Top	$ 5024	18	47	27¾	—	33	145 lbs.	5.3
25N84PNKW	For 84" Top	5127	18	53	27¾	—	39	150 lbs.	5.3
25N96PNKW	For 96" Top	5228	18	59	27¾	—	45	150 lbs.	5.3
25N120PNKW	For 120" Top	7426	18	91	27¾	—	69¾	170 lbs.	6.2
25N144PNKW	For 144" Top	7628	18	107	27¾	—	85¾	175 lbs.	6.2
25N168PNKW	For 168" Top	9765	18	136¾	27¾	—	108½	195 lbs.	7.9
25N192PNKW	For 192" Top	9970	18	154¾	27¾	—	126½	200 lbs.	7.9
25N216PNKW	For 216" Top	10170	18	172¾	27¾	—	144½	210 lbs.	8.2
25N240PNKW	For 240" Top	10376	18	190¾	27¾	—	162½	210 lbs.	8.2
LAMINATE									
25N72PNKL	For 72" Top	$ 3903	18	47	27¾	—	33	145 lbs.	5.3
25N84PNKL	For 84" Top	4003	18	53	27¾	—	39	150 lbs.	5.3
25N96PNKL	For 96" Top	4109	18	59	27¾	—	45	150 lbs.	5.3
25N120PNKL	For 120" Top	5339	18	91	27¾	—	69¾	170 lbs.	6.2
25N144PNKL	For 144" Top	5546	18	107	27¾	—	85¾	175 lbs.	6.2
25N168PNKL	For 168" Top	6984	18	136¾	27¾	—	108½	195 lbs.	7.9
25N192PNKL	For 192" Top	7193	18	154¾	27¾	—	126½	200 lbs.	7.9
25N216PNKL	For 216" Top	7393	18	172¾	27¾	—	144½	210 lbs.	8.2
25N240PNKL	For 240" Top	7600	18	190¾	27¾	—	162½	210 lbs.	8.2

- Base kit includes amount of bases required to support conference top and horizontal supports
- Horizontal support rails will match finish/laminate of panel bases
- 72", 84" and 96" base kits will have 2 panel bases
- 120" and 144" base kits will have 3 panel bases
- 168", 192", 216" and 240" base kits will have 4 panel bases
- Some assembly required
- Adjustable glides standard
- Bases have wire access for access to floor mounted electrical
- Reference pages 36-55 for table base guide
- Modified width is available; refer to the chart on page 19 for conference top sizing
- When using with a modified sized top, specify base kit with modified width to match modified top width

CONFERENCE TABLE BASES

TO ORDER, SPECIFY:

1. Model Number
2. Base Detail
3. Modified Width
4. Finish (wood only)
5. Laminate (laminate only)

SAMPLE MODEL NUMBER:

10N72PNKL P1 AC

• See page 139 for all options available in Conference Table Bases

THICK PANEL BASE KIT (FOR USE WITH 36", 42" AND 48" DEEP TOPS)



Basic (P1)



Barrington (P2) (wood only)



Escalade (P3) (wood only)

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WOOD									
10N72PNKW	For 72" Top	$ 4532	18	47	27¾	—	33	145 lbs.	5.3
10N84PNKW	For 84" Top	4622	18	53	27¾	—	39	150 lbs.	5.3
10N96PNKW	For 96" Top	4714	18	59	27¾	—	45	150 lbs.	5.3
10N120PNKW	For 120" Top	6692	18	91	27¾	—	69¾	170 lbs.	6.2
10N144PNKW	For 144" Top	6879	18	107	27¾	—	85¾	175 lbs.	6.2
10N168PNKW	For 168" Top	8807	18	136¾	27¾	—	108½	195 lbs.	7.9
10N192PNKW	For 192" Top	8987	18	154¾	27¾	—	126½	200 lbs.	7.9
10N216PNKW	For 216" Top	9172	18	172¾	27¾	—	144½	210 lbs.	8.2
10N240PNKW	For 240" Top	9354	18	190¾	27¾	—	162½	210 lbs.	8.2
LAMINATE									
10N72PNKL	For 72" Top	$ 3485	18	47	27¾	—	33	145 lbs.	5.3
10N84PNKL	For 84" Top	3580	18	53	27¾	—	39	150 lbs.	5.3
10N96PNKL	For 96" Top	3666	18	59	27¾	—	45	150 lbs.	5.3
10N120PNKL	For 120" Top	4768	18	91	27¾	—	69¾	170 lbs.	6.2
10N144PNKL	For 144" Top	4952	18	107	27¾	—	85¾	175 lbs.	6.2
10N168PNKL	For 168" Top	6236	18	136¾	27¾	—	108½	195 lbs.	7.9
10N192PNKL	For 192" Top	6420	18	154¾	27¾	—	126½	200 lbs.	7.9
10N216PNKL	For 216" Top	6604	18	172¾	27¾	—	144½	210 lbs.	8.2
10N240PNKL	For 240" Top	6785	18	190¾	27¾	—	162½	210 lbs.	8.2

- Base kit includes amount of bases required to support conference top and horizontal supports
- Horizontal support rails will match finish/laminate of panel bases
- 72", 84" and 96" base kits will have 2 panel bases
- 120" and 144" base kits will have 3 panel bases
- 168", 192", 216" and 240" base kits will have 4 panel bases
- Some assembly required
- Adjustable glides standard
- Bases have wire access for access to floor mounted electrical
- Reference pages 36-55 for table base guide
- Modified width is available; refer to the chart on page 19 for conference top sizing
- When using with a modified sized top, specify base kit with modified width to match modified top width

TO ORDER, SPECIFY:

1. Model Number
2. Foot Color (Epic only)
3. Modified Width
4. Finish (wood only)
5. Laminate (laminate only)

SAMPLE MODEL NUMBER:

25N60144PNKW FR462 AC

• See page 139 for all options available in Conference Table Bases

EPIC
THICK PANEL BASE KIT
(FOR USE WITH 60" DEEP TOPS)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WOOD									
25N60144PNKW	For 144" Top	$ 9916	24	107	27¾	—	85¾	181 lbs.	6.5
25N60168PNKW	For 168" Top	12694	24	136¾	27¾	—	108½	198 lbs.	6.5
25N60192PNKW	For 192" Top	12958	24	154¾	27¾	—	126½	218 lbs.	7.9
25N60216PNKW	For 216" Top	13223	24	172¾	27¾	—	144½	223 lbs.	7.9
25N60240PNKW	For 240" Top	13489	24	190¾	27¾	—	162½	243 lbs.	8.3
LAMINATE									
25N60144PNKL	For 144" Top	$ 7211	24	107	27¾	—	85¾	181 lbs.	6.5
25N60168PNKL	For 168" Top	9081	24	136¾	27¾	—	108½	198 lbs.	6.5
25N60192PNKL	For 192" Top	9350	24	154¾	27¾	—	126½	218 lbs.	7.9
25N60216PNKL	For 216" Top	9612	24	172¾	27¾	—	144½	223 lbs.	7.9
25N60240PNKL	For 240" Top	9880	24	190¾	27¾	—	162½	243 lbs.	8.3

- Base kit includes amount of bases required to support conference top and horizontal supports
- Horizontal support rails will match finish/laminate of panel bases
- 144" base kits will have 3 panel bases
- 168", 192", 216" and 240" base kits will have 4 panel bases
- Some assembly required
- Adjustable glides standard
- Bases have wire access for access to floor mounted electrical
- Reference pages 36-55 for table base guide
- Modified width is available; refer to the chart on page 19 for conference top sizing
- When using with a modified sized top, specify base kit with modified width to match modified top width

CONFERENCE TABLE BASES

TO ORDER, SPECIFY:

1. Model Number
2. Base Detail
3. Modified Width
4. Finish (wood only)
5. Laminate (laminate only)

SAMPLE MODEL NUMBER:

10N60144PNKL P1 AC

• See page 139 for all options available in Conference Table Bases

THICK PANEL BASE KIT (FOR USE WITH 60" DEEP TOPS)



Basic (P1)



Barrington (P2) (wood only)



Escalade (P3) (wood only)

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WOOD									
10N60144PNKW	For 144" Top	$ 8940	24	107	27¾	—	85¾	181 lbs.	6.5
10N60168PNKW	For 168" Top	11448	24	136¾	27¾	—	108½	198 lbs.	6.5
10N60192PNKW	For 192" Top	11685	24	154¾	27¾	—	126½	218 lbs.	7.9
10N60216PNKW	For 216" Top	11921	24	172¾	27¾	—	144½	223 lbs.	7.9
10N60240PNKW	For 240" Top	12161	24	190¾	27¾	—	162½	243 lbs.	8.3
LAMINATE									
10N60144PNKL	For 144" Top	$ 6438	24	107	27¾	—	85¾	181 lbs.	6.5
10N60168PNKL	For 168" Top	8108	24	136¾	27¾	—	108½	198 lbs.	6.5
10N60192PNKL	For 192" Top	8345	24	154¾	27¾	—	126½	218 lbs.	7.9
10N60216PNKL	For 216" Top	8584	24	172¾	27¾	—	144½	223 lbs.	7.9
10N60240PNKL	For 240" Top	8821	24	190¾	27¾	—	162½	243 lbs.	8.3

- Base kit includes amount of bases required to support conference top and horizontal supports
- Horizontal support rails will match finish/laminate of panel bases
- 144" base kits will have 3 panel bases
- 168", 192", 216" and 240" base kits will have 4 panel bases
- Some assembly required
- Adjustable glides standard
- Bases have wire access for access to floor mounted electrical
- Reference pages 36-55 for table base guide
- Modified width is available; refer to the chart on page 19 for conference top sizing
- When using with a modified sized top, specify base kit with modified width to match modified top width

CONFERENCE TABLE BASES

TO ORDER, SPECIFY:

1. Model Number
2. Wire Management Cutout (if applicable)
3. Column Paint Color
4. Foot Paint Color

SAMPLE MODEL NUMBER:

CBV2828P4BP CUL 265 462

• See page 139 for all options available in Conference Table Bases

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
2-PRONG BASE	CBV2928P2BP	$ 385	–	29	28	–	–	22 lbs.	1.5



- Reference pages 36-55 for table base guide
- Some assembly required
- Optional upper and lower (CUL) base column wire management
- Specify base column and base foot paint colors
- Not available in 265 Polished paint

			DI		H				
COLUMN LEG STATIC	CBV0228COBP	$ 152	2	–	27¾	–	–	6 lbs.	0.6

- Adjustable glide standard
- Reference pages 36-55 for table base guide
- Optional upper and lower (CUL) base column wire management

COLUMN LEG MOBILE	CBV0228COBMP	$ 183	2	–	27¾	–	–	6 lbs.	0.6



- Dual wheel locking caster
- Some assembly required
- Reference pages 36-55 for table base guide
- Optional upper and lower (CUL) base column wire management

			D	W	H	A	KW		
4-PRONG BASE	CBV2828P4BP	$ 495	–	28	28	–	–	32 lbs.	1.4
	CBV3428P4BP	645	–	34	28	–	–	32 lbs.	2.5



- Reference pages 36-55 for table base guide
- Some assembly required
- Optional upper and lower (CUL) base column wire management
- Specify base column and base foot paint colors
- Not available in 265 Polished paint
- Not recommended to be placed directly over a grommet cutout

WOOD CAPPED BASE	BW-4	$ 654	–	32½	27½	–	–	21 lbs.	3.0



- Specify wood finish after model number
- Reference pages 36-55 for table base guide
- AD Almond, PB Portobello, 792 Sable, SM Sonoma, and EW Clear Walnut not available
- Not recommended to be placed directly over a grommet cutout

X BASE WORKSURFACE HEIGHT	CBV4028XBP	$ 1060	–	38 1/16	27¾	–	–	36 lbs.	12.0
	CBV3228XBP	793	–	31 15/16	27¾	–	–	33 lbs.	12.0
	CBV2728XBP	673	–	27 5/16	27¾	–	–	33 lbs.	12.0



- Adjustable glides standard
- Some assembly required
- Reference pages 36-55 for table base guide
- Optional upper (CU) base column wire management
- Specify base column and base foot paint colors
- Not recommended to be placed directly over a grommet cutout

CONFERENCE TABLE BASES

TO ORDER, SPECIFY:

1. Model Number
2. Wire Management Cutout (if applicable)
3. Column Paint Color
4. Foot Paint Color

SAMPLE MODEL NUMBERS:

CBV4028XBMP CU 265 462
CBV3241XBP X 462 462

• See page 139 for all options available in Conference Table Bases

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
X BASE WORKSURFACE HEIGHT, MOBILE	CBV4028XBMP		$ 1105	–	38 1/16	27 3/4	–	–	36 lbs.	12.0
	CBV3228XBMP		850	–	31 15/16	27 3/4	–	–	33 lbs.	12.0
	CBV2728XBMP		725	–	27 5/16	27 3/4	–	–	33 lbs.	12.0



- Dual wheel locking casters
- Some assembly required
- Reference pages 36-55 for table base guide
- Optional upper (CU) base column wire management
- Specify base column and base foot paint colors
- Not recommended to be placed directly over a grommet cutout

				DI	W	H				
X BASE WORKSURFACE HEIGHT, WIRE MANAGEMENT	CBV4728XB	Cinder	$ 1220	4	47	27 3/4	–	–	55 lbs.	15.0
	CBV4728XS	Platinum Metallic	1220	4	47	27 3/4	–	–	55 lbs.	15.0
	CBV4728XN	Satin Nickel Metallic	1220	4	47	27 3/4	–	–	55 lbs.	15.0

- Base can be used with 54" and 60" round or square conference tops
- Adjustable glides are standard
- Some assembly required
- 4" column has hole through center to allow wire access and can be used with the G10 and NACG10EL Conference Grommet

X BASE COUNTER HEIGHT	CBV3235XBP		$ 1104	2½	32	33 13/16	–	–	32 lbs.	12.0
	CBV2735XBP		941	2½	27 5/16	33 13/16	–	–	32 lbs.	12.0



- Adjustable glides standard
- Some assembly required
- Reference pages 36-55 for table base guide
- Optional upper (CU) base column wire management
- Specify base column and base foot paint colors
- Not recommended to be placed directly over a grommet cutout

X BASE BAR HEIGHT	CBV3241XBP		$ 1214	2½	32	40 13/16	–	–	33 lbs.	14.0
	CBV2741XBP		1032	2½	27 5/16	40 13/16	–	–	33 lbs.	14.0



- Adjustable glides standard
- Some assembly required
- Reference pages 36-55 for table base guide
- Optional upper (CU) base column wire management
- Specify base column and base foot paint colors
- Not recommended to be placed directly over a grommet cutout

ADJUSTABLE HEIGHT BASE MOBILE	CBV3226XBAB	Cinder	$ 2751	2½	32	26-40 13/16	–		33 lbs.	12.0
	CBV3226XBAS	Platinum Metallic	2751	2½	32	26-40 13/16	–		33 lbs.	12.0
	CBV3226XBAN	Satin Nickel Metallic	2751	2½	32	26-40 13/16	–		33 lbs.	12.0



- Some assembly required
- Paddle arm release allows pneumatic adjustment
- Locking casters only
- Reference pages 36-55 for table base guide
- Not recommended to be placed directly over a grommet cutout

CONFERENCE TABLE BASES

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Column Paint Color (if applicable)
3. Foot Paint Color (if applicable)

SAMPLE MODEL NUMBER:

CBV2715DRNBP 265 462

• See page 139 for all options available in Conference Table Bases

DISC BASE OCCASIONAL TABLE HEIGHT



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
CBV2715DRNBP	$ 1046	3	27 3/16	16	—	—	60 lbs.	1.9
CBV2215DRNBP	790	3	22	16	—	—	43 lbs.	1.9

- 3" column base
- Some assembly required
- Reference Base Requirements Chart in the Casegoods Book 2 Price List
- Glide adjustment of +/– ⅛"
- Optional column paint color available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Optional base paint color available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Not recommended to be placed directly over a grommet cutout

SOFT SQUARE BASE OCCASIONAL TABLE HEIGHT



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
CBV2715DSQBP	$ 1217	3	27 3/16	16	—	—	60 lbs.	1.9
CBV2215DSQBP	959	3	22	16	—	—	50 lbs.	1.9

- 3" column base
- Some assembly required
- Reference Base Requirements Chart in the Casegoods Book 2 Price List
- Glide adjustment of +/– ⅛"
- Optional column paint color available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Optional base paint color available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Not recommended to be placed directly over a grommet cutout

DISC BASE WORKSURFACE HEIGHT



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
CBV2728DRNBP	$ 1113	3	27 3/16	27 7/16	—	—	73 lbs.	2.8
CBV2228DRNBP	833	3	22	27 7/16	—	—	56 lbs.	2.8

- 3" column base
- Some assembly required
- Reference Base Requirements Chart in the Casegoods Book 2 Price List
- Glide adjustment of +/– ⅛"
- Optional column paint color available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Optional base paint color available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Not recommended to be placed directly over a grommet cutout

SOFT SQUARE BASE WORKSURFACE HEIGHT



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
CBV2728DSQBP	$ 1287	3	27 3/16	27 7/16	—	—	84 lbs.	2.8
QCBV2228DSQBP	1004	3	22	27 7/16	—	—	63 lbs.	2.8
CBV2228DSQBP	1004	3	22	27 7/16	—	—	63 lbs.	2.8

- 3" column base
- Some assembly required
- Reference Base Requirements Chart in the Casegoods Book 2 Price List
- Glide adjustment of +/– ⅛"
- Optional column paint color available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Optional base paint color available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Not recommended to be placed directly over a grommet cutout

CONFERENCE TABLE BASES

TO ORDER, SPECIFY:

1. Model Number
2. Column Paint Color (if applicable)
3. Foot Paint Color (if applicable)

SAMPLE MODEL NUMBER:

CBV2735DRNBP 265 462

• See page 139 for all options available in Conference Table Bases

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
DISC BASE COUNTER HEIGHT	CBV2735DRNBP	$ 1202	3	27 3/16	35	—	—	75 lbs.	3.4
	CBV2235DRNBP	1159	3	22	35	—	—	58 lbs.	3.4



- 3" column base
- Some assembly required
- Reference Base Requirements Chart in the Casegoods Book 2 Price List
- Glide adjustment of +/– ⅛"
- Optional column paint color available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Optional base paint color available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Not recommended to be placed directly over a grommet cutout

SOFT SQUARE BASE COUNTER HEIGHT	CBV2735DSQBP	$ 1374	3	27 3/16	35	—	—	86 lbs.	3.4
	CBV2235DSQBP	1329	3	22	35	—	—	65 lbs.	3.4



- 3" column base
- Some assembly required
- Reference Base Requirements Chart in the Casegoods Book 2 Price List
- Glide adjustment of +/– ⅛"
- Optional column paint color available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Optional base paint color available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Not recommended to be placed directly over a grommet cutout

DISC BASE BAR HEIGHT	CBV2740DRNBP	$ 1287	3	27 3/16	40 3/4	—	—	76 lbs.	3.8
	CBV2240DRNBP	1242	3	22	40 3/4	—	—	59 lbs.	3.8



- 3" column base
- Some assembly required
- Reference Base Requirements Chart in the Casegoods Book 2 Price List
- Glide adjustment of +/– ⅛"
- Optional column paint color available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Optional base paint color available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Not recommended to be placed directly over a grommet cutout

SOFT SQUARE BASE BAR HEIGHT	CBV2740DSQBP	$ 1456	3	27 3/16	40 3/4	—	—	87 lbs.	3.8
	CBV2240DSQBP	1413	3	22	40 3/4	—	—	66 lbs.	3.8



- 3" column base
- Some assembly required
- Reference Base Requirements Chart in the Casegoods Book 2 Price List
- Glide adjustment of +/– ⅛"
- Optional column paint color available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Optional base paint color available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Not recommended to be placed directly over a grommet cutout

TARVER

Product Specifications 154
Product Options 155
Product Pages 165

TARVER

TARVER PRODUCT SPECIFICATIONS

TOPS

- Laminate surfaces are 1⅜" HPL (high pressure laminate) and feature a matching 3mm softened PVC rim
- Veneer surfaces are 1⅜" plain sliced slipmatched cherry (Amber, Autumn, Mocha, Truffle), maple veneer (Brighton, Caramel, Honey, Natural), plain sliced bookmatched walnut veneer (Clear Walnut, Cordovan, Judicial), quarter cut walnut veneer (Almond, Portobello, Sable), quarter cut oak veneer (Sonoma), plank matched white oak veneer (Almond Rustic Oak, Clear Rustic Oak, Mocha Rustic Oak, Portico Rustic Oak, Portobello Rustic Oak, Sable Rustic Oak, Skyline Rustic Oak, Truffle Rustic Oak) and feature a matching 3mm softened wood rim
- When specifying Clear Walnut, a clear coat finish, the natural wood characteristics of walnut veneer are visible. These characteristics include, but are not limited to, color and woodgrain variation
- When specifying Clear Rustic Oak, a clear coat finish, the natural wood characteristics of white oak veneer are visible. These characteristics include, but are not limited to, color and woodgrain variation
- Grain direction runs left-to-right unless otherwise noted

TRESTLE BASE

- All bases consist of solid wood and metal components with visible fillet welds
- Wood is solid maple (Amber, Autumn, Brighton, Caramel, Cordovan, Honey, Judicial, Mocha, Natural, Sable, Truffle, Portobello, Sonoma, or Acorn/Almond), Painted solid maple (Designer White, Concrete, Cloud, Fog, Storm, Graphite, Cinder, Iron, Frosty White, Platinum Metallic, Satin Nickel) or solid white oak (Almond Rustic Oak, Clear Rustic Oak, Mocha Rustic Oak, Portico Rustic Oak, Portobello Rustic Oak, Sable Rustic Oak, Skyline Rustic Oak, Truffle Rustic Oak)
- Metal is available in paint colors shown on page 155
- Wire management is standard through conference bases
- The dimension of the wire management cutout on the leg for Tarver is a 2.5" square (63mm x 63mm)

FINISH APPLICATION

- All Veneer surfaces feature a semi-open pore matte finish

BUFFET CREDENZAS

- Available in laminate or veneer
- Buffet credenzas have a single finish option with a matching 3mm softened PVC rim
- ¾" thick (19mm) worksurface
- Hinges and pulls available in (MB) Matte Black only
- Leveling glides are in black
- Doors feature a "shaker" style construction

MOBILE MARKER BOARD

- Magnetic marker board writing surface

CASTERS

- Black aluminum 4" diameter wheel with a black polyurethane tread
- Each caster has a single braking wheel

POWER/DATA ELECTRICAL SPECIFICATIONS

ROUND GROMMET (G10)

- NACG10EL features 2 120 volt receptacles and 2 Cat5E data ports and 6' AC cord rated at 15 amps; data ports are not pre-wired
- Field installable
- For conference tables only
- Black nylon
- 8 adapter plates are provided

DOUBLE PIVOTING M2X-B POWER GROMMET (G15A, G15B)

- Accommodates table thicknesses of ¾"-1¾"
- 1 touch door remains open during use
- 2 6 ft. power cords with 3-prong molded plug for each side
- Spill-proof
- Available in silver, black or white powder coat
- Hardwire/Chicago Code available
- Corded units (standard and hardwire) have 2 72" long power cords (1 for each side) rated at 15 amps 120 volts
- Grommet comes with undersurface wire managers attached underneath conference top
- Field installable into a CUT-G15 (must be ordered)
- UL Listed
- G15A SIDE 1: 2 power outlets, 1 dual USB-A port, 1 HDMI and 1 blank data port SIDE 2: 2 power outlets, 1 dual USB-A port, 1 VGA and 1 blank data port
- G15B SIDE 1: 2 power outlets, 1 blank data port, 1 HDMI, and 1 USB A + C combo SIDE 2: 2 power outlets, 1 blank data port, 1 VGA and 1 USB-A + C combo

GLENBEIGH PIVOTING POWER GROMMET (G17A, G17B, G17C)

- Accommodates table thickness of ¾"-1¾"
- 10 ft. power cord with 3-prong molded plug
- Spill-proof
- Available in silver, black or white powder coat
- Hardwire/Chicago Code available
- 15 amp, 120v (hardwire models)
- 10 ft. metal conduit (hardwire models)
- UL Listed
- G17A available with 2 power outlets
- G17B available with 1 power outlet and 1 USB-A + C combo port
- G17C available with 1 power outlet

POWER GROMMET (G23)

- Field installable when CUT-G23 option is specified
- Die-cast zinc in black or silver powder coat
- Includes 2 power outlets and 2 power USB ports
- Silver or black
- Hardwire available
- 9 foot, 15 amp cord
- UL Listed

PULL OPTIONS



Foursquare

MB Matte Black

HARDWARE PAINT

MB Matte Black

WOOD FINISHES

AC	Autumn
AD	Almond
ADRO	Almond Rustic Oak
CL	Caramel
CW	Cordovan
DW	Judicial
ERO	Clear Rustic Oak
EW	Clear Walnut*
HN	Honey
IM	Brighton
MC	Amber
MH	Mocha
MHRO	Mocha Rustic Oak
NM	Natural
PB	Portobello
PBRO	Portobello Rustic Oak
PTRO	Portico Rustic Oak
SKRO	Skyline Rustic Oak
SM	Sonoma
TF	Truffle
TFRO	Truffle Rustic Oak
792	Sable
792RO	Sable Rustic Oak

*Clear Walnut not available on bases. Select AD Almond for the base coordinate

LAMINATE COLORS

WOODGRAIN LAMINATE

AC2	Autumn 2
AD	Almond
BZ	Brazilwood
CI	Chai
CL	Caramel
CW	Cordovan
DW	Judicial
HN2	Honey 2
IM	Brighton
KN	Kona
MC	Amber
MH	Mocha
NM	Natural
PB	Portobello
PC	Porcini
PT	Portico
SK	Skyline
SM	Sonoma
TF	Truffle
WL	Willow
792	Sable
793	Acorn*

*Acorn is the laminate complement to Clear Walnut finish

SOLID LAMINATE

405	Designer White
419	Wallaby
425	Shadow
440	Cloud
457	Dapple
461	Graphite
462	Cinder
478	Platinum Grey
488	Frosty White
491	Designer White Linear
492	Cinder Linear

GALLERY LAMINATE

Grade 1 – 5% upcharge

G1001	Citadel
G1011	Pepperdust

Grade 2 – 6% upcharge

G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

See page 14 for Gallery program details and upcharges

METAL AND WOOD BASE PAINT COLORS

405	Designer White
423	Concrete
440	Cloud
450	Fog
460	Storm
461	Graphite
462	Cinder
463	Iron
488	Frosty White
501	Platinum Metallic
503	Satin Nickel
EM	Clearcoat on Metal**

- The following paint colors will receive black screws: satin nickel, cinder, iron, graphite, concrete, and clearcoat on metal
- The following paint colors will receive silver screws: platinum, storm, cloud, frosty white, designer white, and fog

** Clearcoat is only available as a paint option on metal, not a wood paint option

GROMMET AND CUTOUT OPTIONS

Conference table tops are available with grommet or cutout options to accommodate electrical and data management solutions.
If no grommet or cutout is desired, specify an X.

Round Grommet Option, Black

$100 list upcharge per grommet location

G10C	Center
G10E	End
G10LR	Left, Right
G10A	All
G10CE	Center, End

- Reference pages 157-158 for grommet locations

NACG10EL
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 556 for pricing and details



NACG10AELPGB, NACG10AELPGW, NACG10AELPGG, NACG10BELPGB, NACG10BELPGW, and NACG10AELPGG (Sold Separately)

- NACG10A and NACG10B power/USB grommet is available as a substitute for G10 grommet, if desired
- Reference Electrical Addendum for pricing and details

Cutout Option for 1 Touch Double Pivoting Power Grommet

$40 list upcharge per cutout location

CUT-G15C	Center
CUT-G15E	End
CUT-G15LR	Left, Right
CUT-G15A	All
CUT-G15CE	Center, End



- Reference pages 159-160 for cutout locations of CUT-G15



NACG15AELPGS, NACG15AELHCS, NACG15AELPGB, NACG15AELHCB, NACG15AELPGW, and NACG15AELHCW (Sold Separately)

- Must order model NACG15AELPGS, NACG15AELHCS, NACG15AELPGB, NACG15AELHCB, NACG15AELPGW, or NACG15AELHCW to fit into CUT-G15 option
- Reference page 560 for pricing and details

Cutout Option for 1 Touch Pivoting Power Grommet

$40 list upcharge per cutout location

CUT-G17C	Center
CUT-G17E	End
CUT-G17LR	Left & Right



- Reference pages 161-162 for cutout locations of CUT-G17

NACG17AELPGB, NACG17AELPGS, and NACG17AELPGW (Sold Separately)

- Reference page 564 for pricing and details



NACG17BELPGB, NACG17BELPGS, and NACG17BELPGW (Sold Separately)

- Reference page 564 for pricing and details



NACG17CELPGB, NACG17CELPGS, and NACG17CELPGW (Sold Separately)

- Reference page 564 pricing and details

NOTE: Interlink IQ units are available in the Accessories section

Cutout Option for G23 Power Grommet

$40 list upcharge per cutout location

CUT-G23C	Center
CUT-G23E	End
CUT-G23LR	Left, Right



- Reference pages 163-164 for cutout locations of CUT-G23



NACG23ELB (Sold Separately)
NACG23ELS (Sold Separately)

- Must order model NACG23ELB or NACG23ELS to fit into CUT-G23 option
- Reference page 570 pricing and details

TARVER - GROMMET LOCATIONS ON TOPS

- G10 grommets are shipped installed
- NACG10EL, NACG10AELPG*, and NACG10BELPG* electrical grommets are available as a substitute for G10 grommet, if desired



- G10 Round Grommet



TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	96"					120"					144"				
G10C CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	96"	–	47 15/16"	–	–	120"	–	48 1/4"	71 9/16"	–	144"	–	57 1/8"	86 5/8"	–
G10E END		A	B	C	D		A	B	C	D		A	B	C	D
	96"	25 3/16"	–	–	–	120"	24 15/16"	–	–	–	144"	27 11/16"	–	–	–
G10LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	96"	25 3/16"	–	–	70 3/4"	120"	24 15/16"	–	–	94 7/8"	144"	27 11/16"	–	–	116 1/16"
G10A ALL		A	B	C	D		A	B	C	D		A	B	C	D
	96"	25 3/16"	47 15/16"	–	70 3/4"	120"	24 15/16"	48 1/4"	71 9/16"	94 7/8"	144"	27 11/16"	57 1/8"	86 5/8"	116 1/16"
G10CE CENTER, END		A	B	C	D		A	B	C	D		A	B	C	D
	96"	25 3/16"	47 15/16"	–	–	120"	24 15/16"	48 1/4"	–	–	144"	27 11/16"	57 1/8"	86 5/8"	–
	168"					**192"**					**216"**				
G10C CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	168"	–	66 3/4"	100 15/16"	–	192"	–	76 9/16"	115 5/16"	–	216"	–	85 7/8"	129 11/16"	–
G10E END		A	B	C	D		A	B	C	D		A	B	C	D
	168"	32 1/2"	–	–	–	192"	37 5/16"	–	–	–	216"	42 1/16"	–	–	–
G10LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	168"	32 1/2"	–	–	135 3/16"	192"	37 5/16"	–	–	154 3/8"	216"	42 1/16"	–	–	173 1/2"
G10A ALL		A	B	C	D		A	B	C	D		A	B	C	D
	168"	32 1/2"	66 3/4"	100 15/16"	135 3/16"	192"	37 5/16"	76 9/16"	115 5/16"	154 3/8"	216"	42 1/16"	85 7/8"	129 11/16"	173 1/2"
G10CE CENTER, END		A	B	C	D		A	B	C	D		A	B	C	D
	168"	32 1/2"	66 3/4"	100 15/16"	–	192"	37 5/16"	76 9/16"	115 5/16"	–	216"	42 1/16"	85 7/8"	129 11/16"	–

BACK

GROMMET LOCATIONS ON TOPS - TARVER

- G10 grommets are shipped installed
- NACG10EL, NACG10AELPG*, and NACG10BELPG* electrical grommets are available as a substitute for G10 grommet, if desired



- G10 Round Grommet



TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	240"				
G10C CENTER		A	B	C	D
	240"	–	95 7/16"	144 1/16"	–
G10E END		A	B	C	D
	240"	46 7/8"	–	–	–
G10LR LEFT, RIGHT		A	B	C	D
	240"	46 7/8"	–	–	192 11/16"
G10A ALL		A	B	C	D
	240"	46 7/8"	95 7/16"	144 1/16"	192 11/16"
G10CE CENTER, END		A	B	C	D
	240"	46 7/8"	95 7/16"	144 1/16"	–

TARVER - GROMMET LOCATIONS ON TOPS

- For 144", 168", 192", 216", and 240" tops, the center grommet location consists of 2 grommet cutouts (upcharge will reflect 2 grommet cutouts)



- CUT-G15 option





TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	96"					120"					144"				
G15C CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	96"	–	47 15/16"	–	–	120"	–	59 15/16"	–	–	144"	–	56 9/16"	87 1/4"	–
G15E END		A	B	C	D		A	B	C	D		A	B	C	D
	96"	21 5/8"	–	–	–	120"	27 5/8"	–	–	–	144"	25 7/8"	–	–	–
G15LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	96"	21 5/8"	–	–	74 5/16"	120"	27 5/8"	–	–	92 1/4"	144"	25 7/8"	–	–	117 7/8"
G15A ALL		A	B	C	D		A	B	C	D		A	B	C	D
	96"	21 5/8"	47 15/16"	–	74 5/16"	120"	27 5/8"	59 15/16"	–	92 1/4"	144"	25 7/8"	56 9/16"	87 1/4"	117 7/8"
G15CE CENTER, END		A	B	C	D		A	B	C	D		A	B	C	D
	96"	21 5/8"	47 15/16"	–	–	120"	27 5/8"	59 15/16"	–	–	144"	25 7/8"	56 9/16"	87 1/4"	–
	168"					**192"**					**216"**				
G15C CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	168"	–	66 1/8"	101 5/8"	–	192"	–	75 3/4"	115 15/16"	–	216"	–	85 5/16"	130 5/16"	–
G15E END		A	B	C	D		A	B	C	D		A	B	C	D
	168"	30 1/16"	–	–	–	192"	35 1/2"	–	–	–	216"	40 1/8"	–	–	–
G15LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	168"	30 1/16"	–	–	137"	192"	35 1/2"	–	–	156 3/16"	216"	40 1/8"	–	–	175 5/16"
G15A ALL		A	B	C	D		A	B	C	D		A	B	C	D
	168"	30 1/16"	66 1/8"	101 5/8"	137"	192"	35 1/2"	75 3/4"	115 15/16"	156 3/16"	216"	40 1/8"	85 5/16"	130 5/16"	175 5/16"
G15CE CENTER, END		A	B	C	D		A	B	C	D		A	B	C	D
	168"	30 1/16"	66 1/8"	101 5/8"	–	192"	35 1/2"	75 3/4"	115 15/16"	–	216"	40 1/8"	85 5/16"	130 5/16"	–

GROMMET LOCATIONS ON TOPS - TARVER

- For 144", 168", 192", 216", and 240" tops, the center grommet location consists of 2 grommet cutouts (upcharge will reflect 2 grommet cutouts)



- CUT-G15 option





TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	240"				
G15C CENTER		A	B	C	D
	240"	—	94⅞"	144 1⁄16"	—
G15E END		A	B	C	D
	240"	45 1⁄16"	—	—	—
G15LR LEFT, RIGHT		A	B	C	D
	240"	45 1⁄16"	—	—	194 7⁄16"
G15A ALL		A	B	C	D
	240"	45 1⁄16"	94⅞"	144 1⁄16"	194 7⁄16"
G15CE CENTER, END		A	B	C	D
	240"	45 1⁄16"	94⅞"	144 1⁄16"	—

TARVER - GROMMET LOCATIONS ON TOPS

- For G17, the center grommet location consists of 2 grommet cutouts (upcharge will reflect 2 grommet cutouts)



- CUT-G17 option





TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	96"					120"					144"				
G17L OR G17R LEFT OR RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	96"	23⅞"	–	–	–	120"	23⅞"	–	–	–	144"	23⅞"	–	–	–
G17LR LEFT & RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	96"	23⅞"	–	–	72 1⁄16"	120"	23⅞"	–	–	96"	144"	23⅞"	–	–	119 15⁄16"
G17C CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	96"	–	44"	51⅞"	–	120"	–	56"	63⅞"	–	144"	–	67 15⁄16"	75 13⁄16"	–
G17LC OR G17RC LEFT & CENTER OR RIGHT & CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	96"	23⅞"	44"	51⅞"	–	120"	23⅞"	56"	63⅞"	–	144"	23⅞"	67 15⁄16"	75 13⁄16"	–
G17A LEFT, RIGHT & CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	96"	23⅞"	44"	51⅞"	72 1⁄16"	120"	23⅞"	56"	63⅞"	96"	144"	23⅞"	67 15⁄16"	75 13⁄16"	119 15⁄16"
	168"					**192"**					**216"**				
G17L OR G17R LEFT OR RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	168"	23⅞"	–	–	–	192"	23⅞"	–	–	–	216"	23⅞"	–	–	–
G17LR LEFT & RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	168"	23⅞"	–	–	143⅞"	192"	23⅞"	–	–	167 13⁄16"	216"	23⅞"	–	–	191¾"
G17C CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	168"	–	79 15⁄16"	87 13⁄16"	–	192"	–	91⅞"	99¾"	–	216"	–	103⅞"	111¾"	–
G17LC OR G17RC LEFT & CENTER OR RIGHT & CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	168"	23⅞"	79 15⁄16"	87 13⁄16"	–	192"	23⅞"	91⅞"	99¾"	–	216"	23⅞"	103⅞"	111¾"	–
G17A LEFT, RIGHT & CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	168"	23⅞"	79 15⁄16"	87 13⁄16"	143⅞"	192"	23⅞"	91⅞"	99¾"	167 13⁄16"	216"	23⅞"	103⅞"	111¾"	191¾"

GROMMET LOCATIONS ON TOPS - TARVER

- For G17, the center grommet location consists of 2 grommet cutouts (upcharge will reflect 2 grommet cutouts)



- CUT-G17 option





TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	240"				
G17L OR G17R LEFT OR RIGHT		A	B	C	D
	240"	23⅞"	—	—	—
G17LR LEFT & RIGHT		A	B	C	D
	240"	23⅞"	—	—	215 1⁄16"
G17C CENTER		A	B	C	D
	240"	—	115 3⁄16"	123 1⁄16"	—
G17LC OR G17RC LEFT & CENTER OR RIGHT & CENTER		A	B	C	D
	240"	23⅞"	115 3⁄16"	123 1⁄16"	—
G17A LEFT, RIGHT & CENTER		A	B	C	D
	240"	23⅞"	115 3⁄16"	123 1⁄16"	215 1⁄16"

TARVER - GROMMET LOCATIONS ON TOPS

- For 144", 168", 192", 216", and 240" tops, the center grommet location consists of 2 grommet cutouts (upcharge will reflect 2 grommet cutouts)



- CUT-G23 option





TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	96"					120"					144"				
G23C CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	96"	–	47 15/16"	–	–	120"	–	59 15/16"	–	–	144"	–	57"	86 13/16"	–
G23E END		A	B	C	D		A	B	C	D		A	B	C	D
	96"	22 1/16"	–	–	–	120"	28 3/8"	–	–	–	144"	27 3/16"	–	–	–
G23LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	96"	22 1/16"	–	–	73¼"	120"	28 3/8"	–	–	91 3/16"	144"	27 3/16"	–	–	116 5/8"
G23A ALL		A	B	C	D		A	B	C	D		A	B	C	D
	96"	22 1/16"	47 15/16"	–	73¼"	120"	28 3/8"	59 15/16"	–	91 3/16"	144"	27 3/16"	57"	86 13/16"	116 5/8"
G23CE CENTER, END		A	B	C	D		A	B	C	D		A	B	C	D
	96"	22 1/16"	47 15/16"	–	–	120"	28 3/8"	59 15/16"	–	–	144"	27 3/16"	57"	86 13/16"	–
	168"					**192"**					**216"**				
G23C CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	168"	–	66 9/16"	101⅛"	–	192"	–	76⅛"	115½"	–	216"	–	85 1/16"	129⅞"	–
G23E END		A	B	C	D		A	B	C	D		A	B	C	D
	168"	31 15/16"	–	–	–	192"	36¾"	–	–	–	216"	41 9/16"	–	–	–
G23LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	168"	31 15/16"	–	–	135¾"	192"	36¾"	–	–	154⅞"	216"	41 9/16"	–	–	174 1/16"
G23A ALL		A	B	C	D		A	B	C	D		A	B	C	D
	168"	31 15/16"	66 9/16"	101⅛"	135¾"	192"	36¾"	76⅛"	115½"	154⅞"	216"	41 9/16"	85 1/16"	129⅞"	174 1/16"
G23CE CENTER, END		A	B	C	D		A	B	C	D		A	B	C	D
	168"	31 15/16"	66 9/16"	101⅛"	–	192"	36¾"	76⅛"	115½"	–	216"	41 9/16"	85 1/16"	129⅞"	–

GROMMET LOCATIONS ON TOPS - TARVER

- For 144", 168", 192", 216", and 240" tops, the center grommet location consists of 2 grommet cutouts (upcharge will reflect 2 grommet cutouts)



- CUT-G23 option





TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS		240"			
G23C CENTER		A	B	C	D
	240"	–	95⁵⁄₁₆"	144¼"	–
G23E END		A	B	C	D
	240"	46⁵⁄₁₆"	–	–	–
G23LR LEFT, RIGHT		A	B	C	D
	240"	46⁵⁄₁₆"	–	–	193³⁄₁₆"
G23A ALL		A	B	C	D
	240"	46⁵⁄₁₆"	95⁵⁄₁₆"	144¼"	193³⁄₁₆"
G23CE CENTER, END		A	B	C	D
	240"	46⁵⁄₁₆"	95⁵⁄₁₆"	144¼"	–

PRODUCT SPECIFICATIONS

- Shipped KD
- Legs made of metal and solid wood
- Reference pages 157-164 for grommet and cutout locations
- Grommet cutout is only available in Center location.

TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Top Finish/Laminate
4. Base Finish
5. Paint

SAMPLE MODEL NUMBER:

90N4229TRDTW CUT-G17C EW 462 462

- See page 155 for all options available in Tarver

ROUND TOP TRESTLE BASE WORKSURFACE HEIGHT

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
42" ROUND	**1⅜" TOP THICKNESS**		**DI**						
90N4229TRDTW	Wood	$ 5232	42⅛	–	29⅛	–	–	86 lbs.	20.1
90N4229TRDTL	Laminate	4952	42⅛	–	29⅛	–	–	86 lbs.	20.7
48" ROUND									
90N4829TRDTW	Wood	$ 5655	48⅛	–	29⅛	–	–	103 lbs.	21.1
90N4829TRDTL	Laminate	5077	48⅛	–	29⅛	–	–	103 lbs.	21.4
54" ROUND									
90N5429TRDTW	Wood	$ 6077	54	–	29⅛	–	–	153 lbs.	37.9
90N5429TRDTL	Laminate	5655	54	–	29⅛	–	–	153 lbs.	37.9
60" ROUND									
90N6029TRDTW	Wood	$ 6498	58⅛	–	29⅛	–	–	213 lbs.	39.3
90N6029TRDTL	Laminate	6077	58⅛	–	29⅛	–	–	213 lbs.	39.3

- G10 grommet option not available

ROUND TOP TRESTLE BASE COUNTER HEIGHT

42" ROUND	**1⅜" TOP THICKNESS**		**DI**						
90N4235TRDTW	Wood	$ 6017	42⅛	–	35¹⁄₁₆	–	–	92 lbs.	25.2
90N4235TRDTL	Laminate	5694	42⅛	–	35¹⁄₁₆	–	–	92 lbs.	25.8
48" ROUND									
90N4835TRDTW	Wood	$ 6502	48⅛	–	35¹⁄₁₆	–	–	109 lbs.	26.2
90N4835TRDTL	Laminate	5840	48⅛	–	35¹⁄₁₆	–	–	109 lbs.	26.5

- G10 grommet option not available

ROUND TOP TRESTLE BASE BAR HEIGHT

42" ROUND	**1⅜" TOP THICKNESS**		**DI**						
90N4241TRDTW	Wood	$ 6619	42⅛	–	41⅜	–	–	159 lbs.	29.7
90N4241TRDTL	Laminate	6263	42⅛	–	41⅜	–	–	159 lbs.	30.3
48" ROUND									
90N4841TRDTW	Wood	$ 7151	48⅛	–	41⅜	–	–	219 lbs.	30.7
90N4841TRDTL	Laminate	6424	48⅛	–	41⅜	–	–	219 lbs.	31.0

- G10 grommet option not available

TARVER

PRODUCT SPECIFICATIONS

- Shipped KD
- Legs made of metal and solid wood
- Reference pages 157-164 for grommet and cutout locations
- Grommet cutout is only available in Center location.

TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Top Finish/Laminate
4. Base Finish
5. Paint

SAMPLE MODEL NUMBER:

90N606029TSQTL X G1012 423 423

- See page 155 for all options available in Tarver

SQUARE TOP TRESTLE BASE WORKSURFACE HEIGHT



MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
42" SQUARE	**1⅜" TOP THICKNESS**								
90N424229TSQTW	Wood	$ 5232	42⅛	42⅛	29⅛	–	–	112 lbs.	20.7
90N424229TSQTL	Laminate	4952	42⅛	42⅛	29⅛	–	–	112 lbs.	20.7
48" SQUARE									
90N484829TSQTW	Wood	$ 5655	48⅛	48⅛	29⅛	–	–	129 lbs.	21.4
90N484829TSQTL	Laminate	5077	48⅛	48⅛	29⅛	–	–	129 lbs.	21.4
54" SQUARE									
90N545429TSQTW	Wood	$ 6077	54	54	29⅞	–	–	174 lbs.	37.9
90N545429TSQTL	Laminate	5655	54	54	29⅞	–	–	174 lbs.	37.9
60" SQUARE									
90N606029TSQTW	Wood	$ 6498	58⅝	58⅝	29⅞	–	–	203 lbs.	39.3
90N606029TSQTL	Laminate	6077	58⅝	58⅝	29⅞	–	–	203 lbs.	39.3

- G10 grommet option not available

SQUARE TOP TRESTLE BASE COUNTER HEIGHT



42" SQUARE	**1⅜" TOP THICKNESS**								
90N424235TSQTW	Wood	$ 6017	42⅛	42⅛	35¹⁄₁₆	–	–	118 lbs.	25.8
90N424235TSQTL	Laminate	5694	42⅛	42⅛	35¹⁄₁₆	–	–	118 lbs.	25.8
48" SQUARE									
90N484835TSQTW	Wood	$ 6502	48⅛	48⅛	35¹⁄₁₆	–	–	135 lbs.	26.5
90N484835TSQTL	Laminate	5840	48⅛	48⅛	35¹⁄₁₆	–	–	135 lbs.	26.5

- G10 grommet option not available

SQUARE TOP TRESTLE BASE BAR HEIGHT



42" SQUARE	**1⅜" TOP THICKNESS**								
90N424241TSQTW	Wood	$ 6619	42⅛	42⅛	41⅜	–	–	180 lbs.	30.3
90N424241TSQTL	Laminate	6263	42⅛	42⅛	41⅜	–	–	180 lbs.	30.3
48" SQUARE									
90N484841TSQTW	Wood	$ 7151	48⅛	48⅛	41⅜	–	–	209 lbs.	31.0
90N484841TSQTL	Laminate	6424	48⅛	48⅛	41⅜	–	–	209 lbs.	31.0

- G10 grommet option not available

PRODUCT SPECIFICATIONS

- Shipped KD
- Legs made of metal and solid wood
- Reference pages 157-164 for grommet and cutout locations

TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Top Finish/Laminate
4. Base Finish
5. Paint

SAMPLE MODEL NUMBER:

90N4814429TRTTL CUT-G17A DW DW EM

- See page 155 for all options available in Tarver

RECTANGLE TOP
TRESTLE BASE
WORKSURFACE HEIGHT



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
48" x 96"	**1⅜" TOP THICKNESS**								
90N489629TRTTW	Wood	$ 9797	48⅛	95⅞	29⅛	—	—	302 lbs.	17.4
90N489629TRTTL	Laminate	8987	48⅛	95⅞	29⅛	—	—	302 lbs.	17.4
48" x 120"									
90N4812029TRTTW	Wood	$ 13653	48⅛	119⅜	29⅛	—	—	382 lbs.	23.7
90N4812029TRTTL	Laminate	13048	48⅛	119⅜	29⅛	—	—	382 lbs.	23.7
48" x 144"									
90N4814429TRTTW	Wood	$ 15398	48⅛	143¾	29⅛	—	—	440 lbs.	25.9
90N4814429TRTTL	Laminate	14672	48⅛	143¾	29⅛	—	—	440 lbs.	26.0
48" x 168"									
90N4816829TRTTW	Wood	$ 18679	48⅛	167⅛	29⅛	—	—	527 lbs.	31.9
90N4816829TRTTL	Laminate	17997	48⅛	167⅛	29⅛	—	—	527 lbs.	31.9
48" x 192"									
90N4819229TRTTW	Wood	$ 20080	48⅛	191⅜	29⅛	—	—	582 lbs.	34.1
90N4819229TRTTL	Laminate	19421	48⅛	191⅜	29⅛	—	—	582 lbs.	34.1
48" x 216"									
90N4821629TRTTW	Wood	$ 21492	48⅛	215⅜	29⅛	—	—	670 lbs.	22.5
90N4821629TRTTL	Laminate	20859	48⅛	215⅜	29⅛	—	—	670 lbs.	22.5
48" x 240"									
90N4824029TRTTW	Wood	$ 22898	48⅛	239½	29⅛	—	—	719 lbs.	23.1
90N4824029TRTTL	Laminate	22298	48⅛	239½	29⅛	—	—	719 lbs.	23.1

- 96" wide tops use 2 bases
- 120" and 144" wide tops use 3 bases
- 168", 192", 216", and 240" wide tops use 4 bases
- 120", 144", 168", and 192" wide tops are 2 piece tops
- 216" and 240" wide tops are 3 piece tops
- Almond, Portobello, Sable, and Sonoma veneer grain pattern will not match on multi-piece conference tops

TARVER

PRODUCT SPECIFICATIONS

- Shipped KD
- Legs made of metal and solid wood
- Reference pages 157-164 for grommet and cutout locations

TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Top Finish/Laminate
4. Base Finish
5. Paint

SAMPLE MODEL NUMBER:

90N6019229TRTTW CUT-17LR ERO 461 461

- See page 155 for all options available in Tarver

RECTANGLE TOP TRESTLE BASE WORKSURFACE HEIGHT (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
60" x 144"	**1⅜" TOP THICKNESS**								
90N6014429TRTTW	Wood	$ 19686	58⅜	143¾	29⅞	—	—	535 lbs.	26.7
90N6014429TRTTL	Laminate	18635	58⅜	143¾	29⅞	—	—	535 lbs.	35.7
60" x 168"									
90N6016829TRTTW	Wood	$ 23941	58⅜	167 1⁄16	29⅞	—	—	605 lbs.	34.5
90N6016829TRTTL	Laminate	22904	58⅜	167 1⁄16	29⅞	—	—	605 lbs.	45.7
60" x 192"									
90N6019229TRTTW	Wood	$ 25673	58⅜	191⅞	29⅞	—	—	702 lbs.	38.0
90N6019229TRTTL	Laminate	24651	58⅜	191⅞	29⅞	—	—	702 lbs.	52.5
60" x 216"									
90N6021629TRTTW	Wood	$ 27411	58⅜	215⅝	29⅞	—	—	813 lbs.	34.0
90N6021629TRTTL	Laminate	26411	58⅜	215⅝	29⅞	—	—	813 lbs.	54.7
60" x 240"									
90N6024029TRTTW	Wood	$ 29149	58⅜	239½	29⅞	—	—	874 lbs.	35.2
90N6024029TRTTL	Laminate	28169	58⅜	239½	29⅞	—	—	874 lbs.	57.9

- 144" wide tops use 3 bases
- 168", 192", 216", and 240" wide tops use 4 bases
- 144" wide tops are 2 piece tops
- 168", 192", 216", and 240" wide tops are 3 piece tops
- Almond, Portobello, Sable, and Sonoma veneer grain pattern will not match on multi-piece conference tops

PRODUCT SPECIFICATIONS

- Shipped KD
- Legs made of metal and solid wood
- Reference pages 157-164 for grommet and cutout locations

TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Top Finish/Laminate
4. Base Finish
5. Paint

SAMPLE MODEL NUMBER:

90N489641TRTTW X PTRO PTRO 463

- See page 155 for all options available in Tarver

RECTANGLE TOP TRESTLE BASE COUNTER HEIGHT



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
48" x 96"	**1⁹⁄₁₆" TOP THICKNESS**								
90N489635TRTTW	Wood	$ 10286	48¹⁄₁₆	95⅞	35¹¹⁄₁₆	—	—	317 lbs.	19.2
90N489635TRTTL	Laminate	9436	48¹⁄₁₆	95⅞	35¹¹⁄₁₆	—	—	317 lbs.	19.2
48" x 120"									
90N4812035TRTTW	Wood	$ 14336	48¹⁄₁₆	119¹³⁄₁₆	35¹¹⁄₁₆	—	—	397 lbs.	26.4
90N4812035TRTTL	Laminate	13702	48¹⁄₁₆	119¹³⁄₁₆	35¹¹⁄₁₆	—	—	397 lbs.	26.6

- 96" wide tops use 2 bases
- 120" wide tops use 3 bases
- 96" wide tops are 1 piece tops
- 120" wide tops are 2 piece tops
- Almond, Portobello, Sable, and Sonoma veneer grain pattern will not match on multi-piece conference tops

RECTANGLE TOP TRESTLE BASE BAR HEIGHT



48" x 96"	**1⁹⁄₁₆" TOP THICKNESS**								
90N489641TRTTW	Wood	$ 16169	48¹⁄₁₆	95⅞	41⅛	—	—	319 lbs.	20.8
90N489641TRTTL	Laminate	15406	48¹⁄₁₆	95⅞	41⅛	—	—	319 lbs.	23.0
48" x 120"									
90N4812041TRTTW	Wood	$ 19613	48¹⁄₁₆	119¹³⁄₁₆	41⅛	—	—	409 lbs.	28.8
90N4812041TRTTL	Laminate	18898	48¹⁄₁₆	119¹³⁄₁₆	41⅛	—	—	409 lbs.	29.0

- 96" wide tops use 2 bases
- 120" wide tops use 3 bases
- 96" wide tops are 1 piece tops
- 120" wide tops are 2 piece tops
- Almond, Portobello, Sable, and Sonoma veneer grain pattern will not match on multi-piece conference tops

TARVER

PRODUCT SPECIFICATIONS

- Legs made of metal and solid wood
- End and Magazine Tables ship assembled

TO ORDER, SPECIFY:

1. Model Number
2. Top Finish/Laminate
3. Base Finish
4. Paint

SAMPLE MODEL NUMBER:

90N2421ENL 478 461 462
90N2448MGW PBRO 405 462

• See page 155 for all options available in Tarver

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
END TABLE TRESTLE BASE	90N2421ENW	Wood	$ 2524	24	24	22⅜	—	—	60 lbs.	12.8
	90N2421ENL	Laminate	2390	24	24	22⅜	—	—	60 lbs.	12.8

- No grommet cutouts available
- 1⅜" thick tops

MAGAZINE TABLE TRESTLE BASE	90N2448MGW	Wood	$ 3228	24	48⅛	16¾	—	—	83 lbs.	18.8
	90N2448MGL	Laminate	3093	24	48⅛	16¾	—	—	83 lbs.	18.8

- No grommet cutouts available
- 1⅜" thick tops

PRODUCT SPECIFICATIONS

- Shipped KD
- Legs made of solid wood

TO ORDER, SPECIFY:

1. Model Number
2. Paint
3. Finish
4. Base Finish

SAMPLE MODEL NUMBER:

90N3072MBMW 461 AD ADRO

• See page 155 for all options available in Tarver

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
MOBILE MARKER BOARD	90N3072MBMW	$ 4571	28	29 15/16	72	—	—	97 lbs.	23.0

- Dry erase writing surface is approximately 26" wide x 36½" high
- Marker board is approx 35" above fixed floor
- Tray provides lip to keep markers in place
- 4 braking casters
- To specify select paint for top metal divider, finish for horizontal surface, and finish for solid wood base

TARVER

PRODUCT SPECIFICATIONS

- Shipped assembled

TO ORDER, SPECIFY:

1. Model Number
2. Finish/Laminate
3. Hardware Paint
4. Paint

SAMPLE MODEL NUMBER:

90N2436MUCL SK MB 423

• See page 155 for all options available in Tarver

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
MOBILE UTILITY CART	90N2436MUCW	Wood	$ 4922	23⅜	41⅜	35⅞	—	—	160 lbs.	26.8
	90N2436MUCL	Laminate	3867	23⅜	41⅜	35⅞	—	—	160 lbs.	26.8

- Top width is 36"
- 4 braking casters
- One adjustable shelf behind hinged doors
- Doors are non-locking
- These TFL colors are restricted on this model: BZ Brazilwood, CI Chai, KN Kona, PC Porcini, WL Willow, 457 Dapple

PRODUCT SPECIFICATIONS

- Shipped assembled

TO ORDER, SPECIFY:

1. Model Number
2. Finish/Laminate
3. Hardware Paint

SAMPLE MODEL NUMBER:

90N246035CCSL G1006 MB

- See page 155 for all options available in Tarver

BUFFET CREDENZA



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
48"	**1⁹⁄₁₆" TOP THICKNESS**								
90N244835CCSW	Wood	$ 9432	24	48¹⁄₁₆	35	—	—	184 lbs.	33.0
90N244835CCSL	Laminate	7627	24	48¹⁄₁₆	35	—	—	184 lbs.	33.0

- Metal base height is 6¹¹⁄₁₆"
- Grommet option not available
- Features an adjustable shelf behind each set of doors
- Features a fully finished back
- Doors are non-locking
- Inside dimension of storage section is 21¹⁄₁₆"D x 19⅞"W x 23⁹⁄₁₆"H
- These TFL colors are restricted on this model: BZ Brazilwood, CI Chai, KN Kona, PC Porcini, WL Willow, 457 Dapple

60"	**1⁹⁄₁₆" TOP THICKNESS**								
90N246035CCSW	Wood	$ 9643	24	60	35	—	—	250 lbs.	40.3
90N246035CCSL	Laminate	7839	24	60	35	—	—	250 lbs.	40.3

- Metal base height is 6¹¹⁄₁₆"
- Grommet option not available
- Features an adjustable shelf behind each set of doors
- Features a fully finished back
- Doors are non-locking
- Inside dimension of storage section is 21¹⁄₁₆"D x 25⅞"W x 23⁹⁄₁₆"H
- These TFL colors are restricted on this model: BZ Brazilwood, CI Chai, KN Kona, PC Porcini, WL Willow, 457 Dapple

72"	**1⁹⁄₁₆" TOP THICKNESS**								
90N247235CCSW	Wood	$ 9854	24	71¹⁵⁄₁₆	35	—	—	286 lbs.	47.7
90N247235CCSL	Laminate	8051	24	71¹⁵⁄₁₆	35	—	—	286 lbs.	47.7

- Metal base height is 6¹¹⁄₁₆"
- Grommet option not available
- Features an adjustable shelf behind each set of doors
- Features a fully finished back
- Doors are non-locking
- Inside dimension of storage section is 21¹⁄₁₆"D x 31⅞"W x 23⁹⁄₁₆"H
- These TFL colors are restricted on this model: BZ Brazilwood, CI Chai, KN Kona, PC Porcini, WL Willow, 457 Dapple

TARVER

TESSERA CONFERENCE TABLES

Product Specifications 176
Product Options 177
Grommet Location Options for Conference Tops 179
Product Pages 183

TESSERA CONFERENCE TABLES

TESSERA PRODUCT SPECIFICATIONS

WORKSURFACE

- Veneer surfaces are 1⅜" plain sliced slipmatched cherry (Amber, Autumn, Cordovan, Judicial, Mocha, Truffle) or maple veneer (Brighton, Caramel, Honey, Natural), quarter cut walnut veneer (Almond, Portobello, Sable), or quarter cut oak veneer (Sonoma). All veneer component surfaces feature a 3mm wood rim
- Laminate surfaces are 1⅜" HPL (high pressure laminate)
- Rims are available in 3mm softened profile
- Grain direction runs left-to-right unless otherwise noted
- CSL not available

FINISH APPLICATION

- All Veneer surfaces feature a semi-open pore matte finish

CORD MANAGEMENT

- Round grommets and racetrack grommets are optional on worksurfaces
- Refer to the Casegoods Book 1 Price List for complete grommet locations and details
- Undersurface wire managers are available for additional cable management requirements
- Cords can be routed out the bottom side of the pedestal
- Leather strap can hold wires and attach to a leg in Florence colors Almond Biscotti, Terra, Mezza Luna, and Struzzo
- Leather sleeve with zipper in 3 heights: standard, bar, counter for housing cords in Florence colors Almond Biscotti, Terra, Mezza Luna and Struzzo

LEGS

- Tapered wood legs
- Contrasting leg option available in Designer White (405), Cinder (462), Platinum Metallic (501), and Satin Nickel Metallic (503) paint
- Conference table will have apron rail match leg paint color

BENCHES (STANDARD HEIGHT)

- Available in wood and laminate wood grain finishes, solid laminate colors
- Legs and apron rail will match and can be specified different from the top
- Upholstered options available
- 72" recommended to be used with 84" length table (1 per side)
- 60" recommended to be used with 72" length table (1 per side)
- 54" recommended to be used with 120" length table (1 per side)
- 48" recommended to be used with 108" length table (2 per side)
- 42" recommended to be used with 96" length table (2 per side)

DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

GROMMET OPTIONS – CONFERENCE

If no grommet is desired, specify an X (No Grommet)

Round Grommet Option, Black

$100 list upcharge per grommet location

G10C	Center
G10E	End
G10LR	Left, Right
G10A	All
G10CE	Center, End



NACG10EL
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 556 for pricing and details



NACG10AELPGB, NACG10AELPGW, NACG10AELPGG, NACG10BELPGB, NACG10BELPGW, and NACG10AELPGG
(Sold Separately)

- NACG10A and NACG10B power/USB grommet is available as a substitute for G10 grommet, if desired
- Reference Electrical Addendum for pricing and details

Cutout Option for 1 Touch Double Pivoting Power Grommet

$40 list upcharge per cutout location

CUT-G15C	Center
CUT-G15E	End
CUT-G15LR	Left, Right
CUT-G15A	All
CUT-G15CE	Center, End



- Reference page 180 for cutout locations of CUT-G15



NACG15AELPGS, NACG15AELPGB, and NACG15AELPGW
(Sold Separately)

- Reference page 560 for pricing and details

Cutout Option for 1 Touch Pivoting Power Grommet

$40 list upcharge per cutout location

CUT-G17C	Center
CUT-G17E	End
CUT-G17LR	Left & Right
CUT-G17A	All
CUT-G17CE	Center, End



- Reference page 181 for cutout locations of CUT-G17

NACG17AELPGB, NACG17AELPGS, and NACG17AELPGW (Sold Separately)



NACG17BELPGB, NACG17BELPGS, and NACG17BELPGW (Sold Separately)



NACG17CELPGB, NACG17CELPGS, and NACG17CELPGW (Sold Separately)

- Reference page 564 for pricing and details

Cutout Option for G23 Power Grommet

$40 list upcharge per cutout location

CUT-G23C	Center
CUT-G23E	End
CUT-G23LR	Left, Right
CUT-G23A	All
CUT-G23CE	Center, End



- Reference page 182 for cutout locations of CUT-G23



NACG23ELB (Sold Separately
NACG23ELS (Sold Separately)

- Reference page 570 for pricing and details

CONFIGURATION OPTIONS - TESSERA

LEG FINISH/ PAINT OPTIONS

AC Autumn
AD Almond
CL Caramel
CW Cordovan
DW Judicial
HN Honey
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
SM Sonoma
TF Truffle
792 Sable
405 Designer White
423 Concrete
462 Cinder
463 Iron
501 Platinum Metallic
503 Satin Nickel Metallic

WOOD FINISHES

AC Autumn
AD Almond
CL Caramel
CW Cordovan
DW Judicial
HN Honey
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
SM Sonoma
TF Truffle
792 Sable

LAMINATES

WOODGRAIN LAMINATE*

AC2 Autumn 2
AD Almond
ADH Almond Horizontal
BZ Brazilwood
CI Chai
CL Caramel
CW Cordovan
DW Judicial
HN2 Honey 2
IM Brighton
KN Kona
MC Amber
MH Mocha
NM Natural
PB Portobello
PBH Portobello Horizontal
PC Porcini
PT Portico
PTH Portico Horizontal
SK Skyline
SKH Skyline Horizontal
SM Sonoma
SMH Sonoma Horizontal
TF Truffle
WL Willow
792 Sable
792H Sable Horizontal
793 Acorn

*Not available on the accent sliding door of the laminate/wood models

SOLID LAMINATE

405 Designer White
419 Wallaby
425 Shadow
440 Cloud
457 Dapple
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
491H Designer White Linear Horizontal
492 Cinder Linear
492H Cinder Linear Horizontal

• CSL not available

GALLERY LAMINATE

Grade 1 – 5% upcharge
G1001 Citadel
G1011 Pepperdust

Grade 2 – 6% upcharge
G1002 Planked Raw Oak
G1003 Evening Notte
G1004 Kirsche
G1005 Midnight Run
G1006 Sepia Walnut
G1007 Serotina
G1008 Timeless
G1009 White Nebbia
G1012 Phantom Ecru

See page 14 for Gallery program details and upcharges

GROMMET LOCATIONS FOR TESSERA CONFERENCE TOPS

- G10 grommets are shipped installed
- NACG10EL, NACG10AELPG*, and NACG10BELPG* electrical grommets are available as a substitute for G10 grommet, if desired
- G10 Round Grommet



TABLE LENGTH (IN)

GROMMET LOCATION/ OPTIONS	72"				84"				96"				108"				120"			
G10C CENTER	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
	–	36"	–	–	–	41 15/16"	–	–	–	47 15/16"	–	–	–	53 15/16"	–	–	–	59 15/16"	–	–
G10E END	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
	17 1/8"	–	–	–	20 1/8"	–	–	–	23 1/8"	–	–	–	26 1/8"	–	–	–	29 1/8"	–	–	–
G10LR LEFT, RIGHT	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
	17 1/8"	–	–	54 13/16"	20 1/8"	–	–	63 13/16"	23 1/8"	–	–	72 13/16"	26 1/8"	–	–	81 1/4"	29 1/8"	–	–	90 3/4"
G10A ALL	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
	17 1/8"	36"	–	54 13/16"	20 1/8"	41 15/16"	–	63 13/16"	23 1/8"	47 15/16"	–	72 13/16"	26 1/8"	53 15/16"	–	81 1/4"	29 1/8"	59 15/16"	–	90 3/4"
G10CE CENTER, END	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
	17 1/8"	36"	–	–	20 1/8"	41 15/16"	–	–	23 1/8"	47 15/16"	–	–	26 1/8"	53 15/16"	–	–	29 1/8"	59 15/16"	–	–

BACK

GROMMET LOCATIONS FOR TESSERA CONFERENCE TOPS

- CUT-G15 option





TABLE LENGTH (IN)

GROMMET LOCATION/ OPTIONS	72"				84"				96"				108"				120"			
G15C CENTER	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
	–	36"	–	–	–	41 15/16"	–	–	–	47 15/16"	–	–	–	53 15/16"	–	–	–	59 15/16"	–	–
G15E END	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
	15⅝"	–	–	–	18⅝"	–	–	–	21⅝"	–	–	–	24⅝"	–	–	–	27⅞"	–	–	–
G15LR LEFT, RIGHT	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
	15⅝"	–	–	56 5/16"	18⅝"	–	–	65 5/16"	21⅝"	–	–	74 5/16"	24⅝"	–	–	83¼"	27⅞"	–	–	92¼"
G15A ALL	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
	15⅝"	36"	–	56 5/16"	18⅝"	41 15/16"	–	65 5/16"	21⅝"	47 15/16"	–	74 5/16"	24⅝"	53 15/16"	–	83¼"	27⅞"	59 15/16"	–	92¼"
G15CE CENTER, END	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
	15⅝"	36"	–	–	18⅝"	41 15/16"	–	–	21⅝"	47 15/16"	–	–	24⅝"	53 15/16"	–	–	27⅞"	59 15/16"	–	–

BACK

GROMMET LOCATIONS FOR TESSERA CONFERENCE TOPS

- For G17, the center grommet location consists of 2 grommet cutouts (upcharge will reflect 2 grommet cutouts)
- CUT-G17 option





TABLE LENGTH (IN)

GROMMET LOCATION/ OPTIONS	72"				84"				96"				108"				120"			
G17C CENTER	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
	–	32 1/16"	39 15/16"	–	–	38 1/16"	45 7/8"	–	–	44"	51 7/8"	–	–	50"	57 7/8"	–	–	56"	63 7/8"	–
G17E END	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
	6"	–	–	–	6"	–	–	–	6"	–	–	–	6"	–	–	–	6"	–	–	–
G17LR LEFT, RIGHT	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
	6"	–	–	66"	6"	–	–	77 15/16"	6"	–	–	89 15/16"	6"	–	–	101 7/8"	6"	–	–	113 7/8"
G17A ALL	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
	6"	32 1/16"	39 15/16"	66"	6"	38 1/16"	45 7/8"	77 15/16"	6"	44"	51 7/8"	89 15/16"	6"	50"	57 7/8"	101 7/8"	6"	56"	63 7/8"	113 7/8"
G17CE CENTER, END	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
	6"	32 1/16"	39 15/16"	–	6"	38 1/16"	45 7/8"	–	6"	44"	51 7/8"	–	6"	50"	57 7/8"	–	6"	56"	63 7/8"	–

BACK

GROMMET LOCATIONS FOR TESSERA CONFERENCE TOPS

- CUT-G23 option





TABLE LENGTH (IN)

GROMMET LOCATION/ OPTIONS	72"				84"				96"				108"				120"			
G23C CENTER	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
	–	36"	–	–	–	41 15/16"	–	–	–	47 15/16"	–	–	–	53 15/16"	–	–	–	59 15/16"	–	–
G23E END	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
	16 1/16"	–	–	–	19 1/16"	–	–	–	22 1/16"	–	–	–	25⅛"	–	–	–	28⅜"	–	–	–
G23LR LEFT, RIGHT	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
	16 1/16"	–	–	55 5/16"	19 1/16"	–	–	64¼"	22 1/16"	–	–	73¼"	25⅝"	–	–	82¼"	28⅜"	–	–	91 3/16"
G23A ALL	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
	16 1/16"	36"	–	55 5/16"	19 1/16"	41 15/16"	–	64¼"	22 1/16"	47 15/16"	–	73¼"	25⅝"	53 15/16"	–	82¼"	28⅜"	59 15/16"	–	91 3/16"
G23CE CENTER, END	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D	A	B	C	D
	16 1/16"	36"	–	–	19 1/16"	41 15/16"	–	–	22 1/16"	47 15/16"	–	–	25⅝"	53 15/16"	–	–	28⅜"	59 15/16"	–	–

TESSERA CONFERENCE TABLES

PRODUCT SPECIFICATIONS

- Legs are solid wood (Beech)
- Legs shipped KD in same box
- Apron rail on conference tables shipped attached
- See the Casegoods Book 1 Price List for coordinating benches

TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Leg Color
4. Finish/Laminate Color

SAMPLE MODEL NUMBERS:

59N6012029TRTW X 501 MH
59N6012029TRTLW X 501 MH

- See pages 177-178 for all options available in Tessera

CONFERENCE TABLE WORKSURFACE HEIGHT



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
59N6012029TRTW	Wood	$ 9216	60	120	28⅜	—	—	309 lbs.	25.2
59N6012029TRTLW	Laminate	8808	60	120	28⅜	—	—	309 lbs.	25.2
59N6010829TRTW	Wood	$ 9127	60	108	28⅜	—	—	281 lbs.	22.8
59N6010829TRTLW	Laminate	8281	60	108	28⅜	—	—	281 lbs.	22.8
59N609629TRTW	Wood	$ 8913	60	96	28⅜	—	—	252 lbs.	20.4
59N609629TRTLW	Laminate	8111	60	96	28⅜	—	—	252 lbs.	20.4
59N608429TRTW	Wood	$ 6921	60	84	28⅜	—	—	222 lbs.	18.0
59N608429TRTLW	Laminate	6113	60	84	28⅜	—	—	222 lbs.	18.0
59N607229TRTW	Wood	$ 6720	60	72	28⅜	—	—	194 lbs.	15.6
59N607229TRTLW	Laminate	5816	60	72	28⅜	—	—	194 lbs.	15.6
59N5412029TRTW	Wood	$ 8798	54	120	28⅜	—	—	283 lbs.	22.9
59N5412029TRTLW	Laminate	8435	54	120	28⅜	—	—	283 lbs.	22.9
59N5410829TRTW	Wood	$ 8721	54	108	28⅜	—	—	257 lbs.	20.7
59N5410829TRTLW	Laminate	7964	54	108	28⅜	—	—	257 lbs.	20.7
59N549629TRTW	Wood	$ 8528	54	96	28⅜	—	—	230 lbs.	18.5
59N549629TRTLW	Laminate	7812	54	96	28⅜	—	—	230 lbs.	18.5
59N548429TRTW	Wood	$ 6560	54	84	28⅜	—	—	202 lbs.	16.4
59N548429TRTLW	Laminate	5839	54	84	28⅜	—	—	202 lbs.	16.4
59N547229TRTW	Wood	$ 6381	54	72	28⅜	—	—	176 lbs.	14.2
59N547229TRTLW	Laminate	5573	54	72	28⅜	—	—	176 lbs.	14.2

- Regulation ping pong size 60"x108"
- Apron rail color will match specified leg color
- 72 and 84" wide models will have a total of 4 legs. 96, 108, and 120" wide models have 6 legs
- See wire managers in the Casegoods Book 1 Price List

TESSERA CONFERENCE TABLES

PRODUCT SPECIFICATIONS

- Apron rail ships attached
- Legs shipped KD in same box
- Apron rail on conference tables shipped attached
- See the Casegoods Book 1 Price List for coordinating benches

TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Leg Color
4. Finish/Laminate Color

SAMPLE MODEL NUMBERS:

59N4812029TRTW X 501 PT
59N4812029TRTLW X 501 PT

- See pages 177-178 for all options available in Tessera

CONFERENCE TABLE WORKSURFACE HEIGHT



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
59N4812029TRTW	Wood	$ 8426	48	120	28⅜	–	–	258 lbs.	20.6
59N4812029TRTLW	Laminate	8103	48	120	28⅜	–	–	258 lbs.	20.6
59N4810829TRTW	Wood	$ 8358	48	108	28⅜	–	–	233 lbs.	18.7
59N4810829TRTLW	Laminate	7680	48	108	28⅜	–	–	233 lbs.	18.7
59N489629TRTW	Wood	$ 8186	48	96	28⅜	–	–	208 lbs.	16.7
59N489629TRTLW	Laminate	7547	48	96	28⅜	–	–	208 lbs.	16.7
59N488429TRTW	Wood	$ 6239	48	84	28⅜	–	–	183 lbs.	14.7
59N488429TRTLW	Laminate	5594	48	84	28⅜	–	–	183 lbs.	14.7
59N487229TRTW	Wood	$ 6078	48	72	28⅜	–	–	157 lbs.	12.8
59N487229TRTLW	Laminate	5356	48	72	28⅜	–	–	157 lbs.	12.8
59N4212029TRTW	Wood	$ 8196	42	120	28⅜	–	–	228 lbs.	18.4
59N4212029TRTLW	Laminate	7377	42	120	28⅜	–	–	228 lbs.	18.4
59N4210829TRTW	Wood	$ 8034	42	108	28⅜	–	–	206 lbs.	16.6
59N4210829TRTLW	Laminate	7259	42	108	28⅜	–	–	206 lbs.	16.6
59N429629TRTW	Wood	$ 7879	42	96	28⅜	–	–	184 lbs.	14.4
59N429629TRTLW	Laminate	7150	42	96	28⅜	–	–	184 lbs.	14.4
59N428429TRTW	Wood	$ 5951	42	84	28⅜	–	–	161 lbs.	13.1
59N428429TRTLW	Laminate	5265	42	84	28⅜	–	–	161 lbs.	13.1
59N427229TRTW	Wood	$ 5808	42	72	28⅜	–	–	139 lbs.	11.4
59N427229TRTLW	Laminate	5163	42	72	28⅜	–	–	139 lbs.	11.4

- Regulation ping pong size 60"x108"
- Apron rail color will match specified leg color
- 72 and 84" wide models will have a total of 4 legs. 96, 108, and 120" wide models have 6 legs
- See wire managers in the Casegoods Book 1 Price List

TESSERA CONFERENCE TABLES

PRODUCT SPECIFICATIONS

- Conference tops available in wood or laminate
- Apron rail comes attached
- Legs shipped KD in same carton
- See the Casegoods Book 1 Price List for coordinating benches

TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Leg Color
4. Finish/Laminate Color

SAMPLE MODEL NUMBERS:

59N4812041TRTW X 501 PT
59N4812041TRTLW X 501 PT

- See pages 177-178 for all options available in Tessera

CONFERENCE TABLE
BAR HEIGHT



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
59N4812041TRTW	Wood	$ 14157	48	119⅘	41			561 lbs.	20.6
59N4812041TRTLW	Laminate	13611	48	119⅘	41			561 lbs.	20.6
59N4810841TRTW	Wood	$ 14043	48	107⅞	41			525 lbs.	22.3
59N4810841TRTLW	Laminate	12904	48	107⅞	41			525 lbs.	22.3
59N489641TRTW	Wood	$ 13753	48	95⅞	41			488 lbs.	20.4
59N489641TRTLW	Laminate	12679	48	95⅞	41			488 lbs.	20.4
59N488441TRTW	Wood	$ 10483	48	84	41			452 lbs.	14.7
59N488441TRTLW	Laminate	9397	48	84	41			452 lbs.	14.7
59N487241TRTW	Wood	$ 10210	48	72	41			416 lbs.	12.8
59N487241TRTLW	Laminate	9000	48	72	41			416 lbs.	12.8
59N4212041TRTW	Wood	$ 13770	42	119⅘	41			527 lbs.	18.4
59N4212041TRTLW	Laminate	12394	42	119⅘	41			527 lbs.	18.4
59N4210841TRTW	Wood	$ 13499	42	107⅞	41			494 lbs.	19.9
59N4210841TRTLW	Laminate	12197	42	107⅞	41			494 lbs.	19.9
59N429641TRTW	Wood	$ 13239	42	95⅞	41			460 lbs.	18.1
59N429641TRTLW	Laminate	12015	42	95⅞	41			460 lbs.	18.1
59N428441TRTW	Wood	$ 9999	42	84	41			424 lbs.	13.1
59N428441TRTLW	Laminate	8846	42	84	41			424 lbs.	13.1
59N427241TRTW	Wood	$ 9758	42	72	41			400 lbs.	11.4
59N427241TRTLW	Laminate	8677	42	72	41			400 lbs.	11.4

- Apron rail color will match specified leg color
- Footrail can be specified in paint colors Designer White (405), Concrete (423), Cinder (462), Iron (463), Platinum Metallic (501), and Satin Nickel Metallic (503)
- 72" and 84" wide models will have a total of 4 legs. 96", 108", and 120" wide models have 6 legs
- When specifying grommets, Leather cord management is available. See the Casegoods Book 1 Price List
- If specifying G17 grommet, a braided cord is available; see page 564
- See wire managers in the Casegoods Book 1 Price List

TESSERA CONFERENCE TABLES

PRODUCT SPECIFICATIONS

- Conference tops available in wood or laminate
- Apron rail comes attached
- Legs shipped KD in same carton
- See the Casegoods Book 1 Price List for coordinating benches

TO ORDER, SPECIFY:

1. Model Number
2. Grommet
3. Leg Color
4. Finish/Laminate Color

SAMPLE MODEL NUMBERS:

59N4812035TRTW X 501 PT
59N4812035TRTLW X 501 PT

- See pages 177-178 for all options available in Tessera

CONFERENCE TABLE
COUNTER HEIGHT



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
59N4812035TRTW	Wood	$ 13479	48	119⅘	34 1⁄16			514 lbs.	20.6
59N4812035TRTLW	Laminate	12962	48	119⅘	34 1⁄16			514 lbs.	20.6
59N4810835TRTW	Wood	$ 13372	48	107⅞	34 1⁄16			481 lbs.	18.7
59N4810835TRTLW	Laminate	12289	48	107⅞	34 1⁄16			481 lbs.	18.7
59N489635TRTW	Wood	$ 13098	48	95⅞	34 1⁄16			446 lbs.	20.4
59N489635TRTLW	Laminate	12076	48	95⅞	34 1⁄16			446 lbs.	20.4
59N488435TRTW	Wood	$ 9983	48	84	34 1⁄16			414 lbs.	14.7
59N488435TRTLW	Laminate	8949	48	84	34 1⁄16			414 lbs.	14.7
59N487235TRTW	Wood	$ 9724	48	72	34 1⁄16			400 lbs.	12.8
59N487235TRTLW	Laminate	8570	48	72	34 1⁄16			400 lbs.	12.8
59N4212035TRTW	Wood	$ 13114	42	119⅘	34 1⁄16			482 lbs.	18.4
59N4212035TRTLW	Laminate	11803	42	119⅘	34 1⁄16			482 lbs.	18.4
59N4210835TRTW	Wood	$ 12855	42	107⅞	34 1⁄16			451 lbs.	16.6
59N4210835TRTLW	Laminate	11614	42	107⅞	34 1⁄16			451 lbs.	16.6
59N429635TRTW	Wood	$ 12608	42	95⅞	34 1⁄16			419 lbs.	18.1
59N429635TRTLW	Laminate	11442	42	95⅞	34 1⁄16			419 lbs.	18.1
59N428435TRTW	Wood	$ 9522	42	84	34 1⁄16			387 lbs.	13.1
59N428435TRTLW	Laminate	8425	42	84	34 1⁄16			387 lbs.	13.1
59N427235TRTW	Wood	$ 9293	42	72	34 1⁄16			320 lbs.	11.4
59N427235TRTLW	Laminate	8262	42	72	34 1⁄16			320 lbs.	11.4

- Apron rail color will match specified leg color
- Footrail can be specified in paint colors Designer White (405), Concrete (423), Cinder (462), Iron (463), Platinum Metallic (501), and Satin Nickel Metallic (503)
- 72" and 84" wide models will have a total of 4 legs. 96", 108", and 120" wide models have 6 legs
- When specifying grommets, Leather cord management is available. See the Casegoods Book 1 Price List
- If specifying G17 grommet, a braided cord is available; see page 564
- See wire managers in the Casegoods Book 1 Price List

COLLABORATIVE TABLES

Footings 188
Mio 226
Strassa 294

FOOTINGS

FOOTINGS PRODUCT SPECIFICATIONS

TOPS

- Laminate surfaces are 1³⁄₁₆" HPL (high pressure laminate) or 1⅛" TFL (thermally fused laminate), and feature a softened 3mm PVC rim or knife rim surface
- Veneer surfaces are 1³⁄₁₆" plain, sliced slipmatched cherry (Amber, Autumn, Mocha, Truffle) or maple veneer (Brighton, Caramel, Honey, Natural), plain sliced bookmatched walnut veneer (Clear Walnut, Cordovan, Judicial), quarter cut walnut veneer (Almond, Portobello, Sable), or quarter cut oak (Sonoma). All veneer surfaces feature a 3mm wood rim or knife rim surface
- When specifying Clear Walnut, a clear coat finish, the natural wood characteristics of walnut veneer are visible. These characteristics include, but are not limited to, color and woodgrain variation
- Refer to page 189 for rim profile and colors
- Grain direction runs left-to-right
- 120" tops and smaller are a 1 piece top

FINISH APPLICATION

- All Veneer surfaces feature a semi-open pore matte finish

BASE

- Intended to be used with Footings tops. However, an equal size 1³⁄₁₆" top from Wave or Epic can be used
- Ellipse shaped wire management cutout optional on X bases and standard on the Y and quad bases
- The column and foot can be specified as different paint colors
- Adjustable glides are standard
- Column diameter is 2½"

POWER/DATA ELECTRICAL SPECIFICATIONS

ROUND GROMMET (G10)

- NACG10EL features 2 120 volt receptacles and 2 Cat5E data ports and 6' AC cord rated at 15 amps; data ports are not pre-wired
- Field installable
- For conference tables only
- Black nylon
- 8 adapter plates are provided

GLENBEIGH PIVOTING POWER GROMMET (G17A, G17B, G17C)

- Accommodates table thickness of ¾"-1¾"
- 10 ft. power cord with 3-prong molded plug
- Spill-proof
- Available in silver, black or white powder coat
- Hardwire/Chicago Code available
- 15 amp, 120v (hardwire models)
- 10 ft. metal conduit (hardwire models)
- UL Listed
- G17A available with 2 power outlets
- G17B available with 1 power outlet and 1 USB-A + C combo port
- G17C available with 1 power outlet

INTERLINK IQ SYSTEM (G17A, G17B, G17C)

- Non-sequential "Daisy chain" solution
- Interlink IQ system must begin with a smart box with starter plug (or full set)
- Jumper or transitional jumper used between the smart box and G17 IQ grommets when the span between grommet locations are greater than 60"
- Interlink IQ is plugged only. Hardwire is not available
- Built-in status indicator: green means go, red light indicates too many units
- UL recognized
- G17A Interlink has 2 power outlets
- G17B Interlink has 1 power and 1 dual USB-A + C combo
- G17C Interlink has 1 power outlet

POWER GROMMET (G23)

- Field installable when CUT-G23 option is specified
- Die-cast zinc in black or silver powder coat
- Includes 2 power outlets and 2 power USB ports
- Silver, black, or white
- Hardwire available
- 9 foot, 15 amp cord
- UL Listed

DAISY LINK (G23)

- Field installable when CUT-G23 option is specified
- Silver, black, or white
- Includes 2 15 amp power receptacles (no data) and 2 USB (3.0 power) power ports
- Thumbscrew version with 2 backerplates and 2¼"-20 thumbscrews
- 72" single circuit power cord for plugged starter unit; 48⅜" conduit and 24" power cord with 20 amp molded plug
- 72⅜" multi-circuit conduit power cord for hardwire starter unit
- Add-on unit does include a 60 " jumper; jumper cable is 60⅜" metal conduit with female to female ends for connecting 2 daisy link power grommets
- UL Listed

DAISY LINK JUMPER

- 80", 180", or 240" jumper cable is metal conduit with female to female ends to connect 2 daisy link power grommets when the power is jumped between tables

FOOTINGS SHAPES AND SIZES

- All tops are 1 piece tops



ROUND
24" Diameter
30" Diameter
36" Diameter
42" Diameter
48" Diameter
54" Diameter
60" Diameter



SOFT SQUARE
24" x 24"
30" x 30"
36" x 36"
42" x 42"
48" x 48"
54" x 54"
60" x 60"

OVAL
24" x 48"
30" x 60"
36" x 72"
42" x 84"
48" x 96"

SOFT RECTANGLE
24" x 48"
30" x 60" and 72"
36" x 60", 72", 84" and 96"
42" x 72", 84" and 96"
48" x 72", 84", 96" and 120"

ARC RECTANGLE
24" x 48"
30" x 60" and 72"
36" x 60", 72", 84" and 96"
42" x 72", 84" and 96"
48" x 72", 84", 96" and 120"

BOAT
24" x 48"
30" x 60" and 72"
36" x 60", 72", 84" and 96"
42" x 72", 84" and 96"
48" x 72", 84", 96" and 120"



TAPERED
36" x 72"
42" x 84"
48" x 96"
48" x 120"

RIM PROFILE OPTIONS



Softened Wood (F)
(wood tops only)



Softened PVC (V)
(laminate tops only)



Knife (K)

RIM PROFILES

SOFTENED PVC RIM

AC2	Autumn 2
AD	Almond
BZ	Brazilwood
CI	Chai
CL	Caramel
CW	Cordovan
DW	Judicial
HN2	Honey 2
IM	Brighton
KN	Kona
MC	Amber
MH	Mocha
NM	Natural
PB	Portobello
PC	Porcini
PT	Portico
SK	Skyline
SM	Sonoma
TF	Truffle
WL	Willow
405	Designer White
419	Wallaby
425	Shadow
440	Cloud
457	Dapple
461	Graphite
462	Cinder
478	Platinum Grey
488	Frosty White
491	Designer White Linear
492	Cinder Linear
792	Sable
793	Acorn

WOOD RIM

AC	Autumn
AD	Almond
CL	Caramel
CW	Cordovan
DW	Judicial
EW	Clear Walnut
HN	Honey
IM	Brighton
MC	Amber
MH	Mocha
NM	Natural
PB	Portobello
SM	Sonoma
TF	Truffle
792	Sable

GALLERY PVC SOFTENED RIM

Grade 1 – 5% upcharge

G1001	Citadel
G1011	Pepperdust

Grade 2 – 6% upcharge

G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

See page 14 for Gallery program details and upcharges

FOOTINGS - CONFIGURATION OPTIONS

GROMMET AND CUTOUT OPTIONS

Footings tops are available with grommet cutout options to accommodate electrical and data management solutions.
If no grommet or cutout is desired, specify an X.

Round Grommet Option, Black

$100 list upcharge per grommet location

G10C Center
G10E End
G10LR Left, Right

- Reference page 192 for grommet locations

NACG10EL
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 556 for pricing and details

Cutout Option for 1 Touch Pivoting Power Grommet

$40 list upcharge per cutout location

CUT-G17C Center
CUT-G17E End
CUT-G17LR Left & Right



- Reference page 193 for cutout locations of CUT-G17

NACG17AELPGB, NACG17AELPGS, and NACG17AELPGW (Sold Separately)

- Reference page 564 for pricing and details



NACG17BELPGB, NACG17BELPGS, and NACG17BELPGW (Sold Separately)

- Reference page 564 for pricing and details



NACG17CELPGB, NACG17CELPGS, and NACG17CELPGW (Sold Separately)

- Reference page 564 pricing and details

NOTE: Interlink IQ units are available in the Accessories section

Cutout Option for G23 Power Grommet and Daisy Link

$40 list upcharge per cutout location

- CUT-G23C Cutout only for G23 Power Grommet (+$40 list)

CUT-G23C Center
CUT-G23E End
CUT-G23LR Left, Right



- Reference page 194 for cutout locations of CUT-G23



NACG23ELB (Sold Separately)
NACG23ELS (Sold Separately)

- Reference page 570 pricing and details



Plugged Starter Unit



Hardwire Starter Unit

NAC80ELDLJ, NACG23ELDLB1, NACG23ELDLB2, NACG23ELDLHB1, NACG23ELDLHS1, NACG23ELDLS1, and NACG23ELDLS2 (Sold Separately)

- Reference page 570 pricing and details

TOP WOOD FINISHES

AC	Autumn
AD	Almond
CL	Caramel
CW	Cordovan
DW	Judicial
EW	Clear Walnut*
HN	Honey
IM	Brighton
MC	Amber
MH	Mocha
NM	Natural
PB	Portobello
SM	Sonoma
TF	Truffle
792	Sable

TOP LAMINATE COLORS

WOODGRAIN LAMINATE

AC2	Autumn 2
AD	Almond
BZ	Brazilwood
CI	Chai
CL	Caramel
CW	Cordovan
DW	Judicial
HN2	Honey 2
IM	Brighton
KN	Kona
MC	Amber
MH	Mocha
NM	Natural
PB	Portobello
PC	Porcini
PT	Portico
SK	Skyline
SM	Sonoma
TF	Truffle
WL	Willow
792	Sable
793	Acorn*

SOLID LAMINATE

405	Designer White
419	Wallaby
425	Shadow
440	Cloud
457	Dapple
461	Graphite
462	Cinder
478	Platinum Grey
488	Frosty White
491	Designer White Linear
492	Cinder Linear

PATTERN LAMINATE

814	White Tigris
818	Crisp Linen
819	Flax Gauze
821	Elemental Concrete
822	Smoke Quarstone

• Pattern laminates not available on TFL models

GALLERY LAMINATE

Grade 1 – 5% upcharge

G1001	Citadel
G1011	Pepperdust

Grade 2 – 6% upcharge

G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

See page 14 for Gallery program details and upcharges

*Acorn is the laminate complement to Clear Walnut finish

• CSL available; see page 14 for program details and upcharge

BASE COLUMN PAINT COLORS

405	Designer White
423	Concrete
462	Cinder
463	Iron
501	Platinum Metallic
503	Satin Nickel Metallic

BASE FOOT PAINT COLORS

265	Polished
405	Designer White
423	Concrete
462	Cinder
463	Iron
501	Platinum Metallic
503	Satin Nickel Metallic

BASE COLUMN WIRE MANAGEMENT

• Ellipse shaped wire management cutout optional in X bases

CU	Cutout, Upper
X	No Cutout

$40 list upcharge for cutout in X bases



FOOTINGS - GROMMET LOCATIONS

- All grommets are centered on the table top depth
- G10 grommets are shipped installed
- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- For 120" tops, the center grommet location consists of 2 grommets (upcharge will reflect 2 grommets)



- G10 Round Grommet

TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	48"					60"					72"				
G10C CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	48"	–	24"	–	–	60"	–	30"	–	–	72"	–	36"	–	–
		–	–	–	–		–	–	–	–		–	–	–	–
G10E END		A	B	C	D		A	B	C	D		A	B	C	D
	48"	N/A	–	–	–	60"	24"	–	–	–	72"	26 15/16"	–	–	–
			–	–	–		–	–	–	–		–	–	–	–
G10LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	48"	N/A	–	–	N/A	60"	24"	–	–	36"	72"	26 15/16"	–	–	45"
		–	–	–	–		–	–	–	–		–	–	–	–
	84"					**96"**					**120"**				
G10C CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	84"	–	41 15/16"	–	–	96"	–	47 15/16"	–	–	120"	–	50 15/16"	68 7/8"	–
		–	–	–	–		–	–	–	–		–	–	–	–
G10E END		A	B	C	D		A	B	C	D		A	B	C	D
	84"	29 15/16"	–	–	–	96"	32 15/16"	–	–	–	120"	29 15/16"	–	–	–
		–	–	–	–		–	–	–	–		–	–	–	–
G10LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	84"	29 15/16"	–	–	54"	96"	32 15/16"	–	–	62 15/16"	120"	29 15/16"	–	–	89 7/8"
		–	–	–	–		–	–	–	–		–	–	–	–

GROMMET LOCATIONS - FOOTINGS

- All grommets are centered on the table top depth
- For 60", 72", 84" 96" and 120" tops, the center grommet location consists of 2 grommets (upcharge will reflect 2 grommets)



- CUT-G17 option



- 1 Touch Pivoting Power/Data Grommet



- Must be ordered separately

TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	48"					60"					72"				
		A	B	C	D		A	B	C	D		A	B	C	D
G17C CENTER	48"	–	24"	N/A	–	60"	–	26"	34"	–	72"	–	32"	39 15/16"	–
		–	–	–	–		–	–	–	–		–	–	–	–
		A	B	C	D		A	B	C	D		A	B	C	D
G17E END	48"	N/A	–	–	–	60"	24"	–	–	–	72"	26 15/16"	–	–	–
			–	–	–		–	–	–	–		–	–	–	–
		A	B	C	D		A	B	C	D		A	B	C	D
G17LR LEFT, RIGHT	48"	N/A	–	–	N/A	60"	24"	–	–	36"	72"	26 15/16"	–	–	45"
		–	–	–	–		–	–	–	–		–	–	–	–
	84"					**96"**					**120"**				
		A	B	C	D		A	B	C	D		A	B	C	D
G17C CENTER	84"	–	38"	45 15/16"	–	96"	–	44"	51 15/16"	–	120"	–	50 15/16"	68⅞"	–
		–	–	–	–		–	–	–	–		–	–	–	–
		A	B	C	D		A	B	C	D		A	B	C	D
G17E END	84"	29 15/16"	–	–	–	96"	32 15/16"	–	–	–	120"	29 15/16"	–	–	–
		–	–	–	–		–	–	–	–		–	–	–	–
		A	B	C	D		A	B	C	D		A	B	C	D
G17LR LEFT, RIGHT	84"	29 15/16"	–	–	54"	96"	32 15/16"	–	–	62 15/16"	120"	29 15/16"	–	–	89⅞"
		–	–	–	–		–	–	–	–		–	–	–	–

FOOTINGS - GROMMET LOCATIONS

- All grommets are centered on the table top depth
- For 120" tops, the center grommet location consists of 2 grommets (upcharge will reflect 2 grommets)



- CUT-G23 option



- Power Grommet



- Must be ordered separately

TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	48"					60"					72"				
		A	B	C	D		A	B	C	D		A	B	C	D
G23C CENTER	48"	–	24"	–	–	60"	–	30"	–	–	72"	–	36"	–	–
		–	–	–	–		–	–	–	–		–	–	–	–
		A	B	C	D		A	B	C	D		A	B	C	D
G23E END	48"	N/A	–	–	–	60"	24"	–	–	–	72"	26 15/16"	–	–	–
			–	–	–		–	–	–	–		–	–	–	–
		A	B	C	D		A	B	C	D		A	B	C	D
G23LR LEFT, RIGHT	48"	N/A	–	–	N/A	60"	24"	–	–	36"	72"	26 15/16"	–	–	45"
		–	–	–	–		–	–	–	–		–	–	–	–

	84"					96"					120"				
		A	B	C	D		A	B	C	D		A	B	C	D
G23C CENTER	84"	–	41 15/16"		–	96"	–	47 15/16"	–	–	120"	–	49 3/16"	70 5/8"	–
		–	–	–	–		–	–	–	–		–	–	–	–
		A	B	C	D		A	B	C	D		A	B	C	D
G23E END	84"	29 15/16"	–	–	–	96"	32 15/16"	–	–	–	120"	29 15/16"	–	–	–
		–	–	–	–		–	–	–	–		–	–	–	–
		A	B	C	D		A	B	C	D		A	B	C	D
G23LR LEFT, RIGHT	84"	29 15/16"	–	–	54"	96"	32 15/16"	–	–	62 15/16"	120"	29 15/16"	–	–	89 7/8"
		–	–	–	–		–	–	–	–		–	–	–	–

BASE MATRIX - FOOTINGS

TOP SIZE — DEPTH 24" WIDTH 24"

BASES:

X Base
Occasional Height

X Base
End Table Height

X Base
Worksurface Height

X Base
Counter Height

X Base
Bar Height

TOPS OFFERED:

ROUND

CBV2115XBP
CBV2119XBP
CBV2128XBP
CBV2135XBP
CBV2141XBP

SOFT SQUARE

CBV2115XBP
CBV2119XBP
CBV2128XBP
CBV2135XBP
CBV2141XBP

DEPTH 24" WIDTH 48"

BASES:

Y Bases with Rail
Occasional Height

Y Bases with Rail
Worksurface Height

TOPS OFFERED:

OVAL

CBV183115YBKP

SOFT RECTANGLE

CBV183515YBKP
CBV243828YBKP

ARC RECTANGLE

CBV183515YBKP
CBV243828YBKP

BOAT

CBV183515YBKP
CBV243828YBKP

DEPTH 30" WIDTH 30"

BASES:

X Base
Occasional Height

X Base
End Table Height

X Base
Worksurface Height

X Base
Worksurface Height,
Mobile

X Base
Counter Height

X Base
Bar Height

TOPS OFFERED:

ROUND

CBV2715XBP
CBV2719XBP
CBV2728XBP
CBV2728XBMP
CBV2735XBP
CBV2741XBP


SOFT SQUARE

CBV2715XBP
CBV2719XBP
CBV2728XBP
CBV2728XBMP
CBV2735XBP
CBV2741XBP

FOOTINGS - BASE MATRIX

TOP SIZE DEPTH	TOP SIZE WIDTH	
30"	60"	**BASES:** Y Bases with Rail Occasional Height Y Bases with Rail Worksurface Height  Y Bases with Rail Counter Height  Y Bases with Rail Bar Height **TOPS OFFERED:** **OVAL** CBV243815YBKP CBV243828YBKP CBV243835YBKP CBV243841YBKP **SOFT RECTANGLE** CBV244415YBKP CBV244428YBKP CBV244435YBKP CBV244441YBKP **ARC RECTANGLE** CBV244415YBKP CBV244428YBKP CBV244435YBKP CBV244441YBKP **BOAT** CBV244415YBKP CBV244428YBKP CBV244435YBKP CBV244441YBKP
30"	72"	**BASES:** Y Bases with Rail Occasional Height Y Bases with Rail Worksurface Height  Y Bases with Rail Counter Height  Y Bases with Rail Bar Height **TOPS OFFERED:** **SOFT RECTANGLE** CBV245015YBKP CBV245028YBKP CBV245035YBKP CBV245041YBKP **ARC RECTANGLE** CBV245015YBKP CBV245028YBKP CBV245035YBKP CBV245041YBKP **BOAT** CBV245015YBKP CBV245028YBKP CBV245035YBKP CBV245041YBKP
36"	36"	**BASES:** X Base Occasional Height X Base Worksurface Height X Base Worksurface Height, Mobile  X Base Counter Height  X Base Bar Height **TOPS OFFERED:** **ROUND** CBV3215XBP CBV3228XBP CBV3228XBMP CBV3235XBP CBV3241XBP  **SOFT SQUARE** CBV3215XBP CBV3228XBP CBV3228XBMP CBV3235XBP CBV3241XBP

BASE MATRIX - FOOTINGS

TOP SIZE DEPTH	TOP SIZE WIDTH	
36"	60"	**BASES:** Y Bases with Rail Occasional Height Y Bases with Rail Worksurface Height  Y Bases with Rail Counter Height  Y Bases with Rail Bar Height **TOPS OFFERED:** **SOFT RECTANGLE** CBV244415YBKP CBV244428YBKP CBV244435YBKP CBV244441YBKP **ARC RECTANGLE** CBV244415YBKP CBV244428YBKP CBV244435YBKP CBV244441YBKP **BOAT** CBV244415YBKP CBV244428YBKP CBV244435YBKP CBV244441YBKP
36"	72"	**BASES:** Y Bases with Rail Occasional Height Y Bases with Rail Worksurface Height Y Bases with Rail Counter Height  Y Bases with Rail Bar Height **TOPS OFFERED:** **OVAL** CBV245015YBKP CBV245028YBKP CBV245035YBKP CBV245041YBKP **SOFT RECTANGLE** CBV245015YBKP CBV245028YBKP CBV245035YBKP CBV245041YBKP **ARC RECTANGLE** CBV245015YBKP CBV245028YBKP CBV245035YBKP CBV245041YBKP **BOAT** CBV245015YBKP CBV245028YBKP CBV245035YBKP CBV245041YBKP **TAPERED** CBV245015YBKP CBV245028YBKP CBV245035YBKP CBV245041YBKP
36"	84"	**BASES:** Y Bases with Rail Worksurface Height  Y Bases with Rail Counter Height  Y Bases with Rail Bar Height **TOPS OFFERED:** **SOFT RECTANGLE** CBV245628YBKP CBV245635YBKP CBV245641YBKP **ARC RECTANGLE** CBV245628YBKP CBV245635YBKP CBV245641YBKP **BOAT** CBV245628YBKP CBV245635YBKP CBV245641YBKP

FOOTINGS - BASE MATRIX

36" DEPTH x 96" WIDTH

BASES:



Y Bases with Rail
Worksurface Height

Y Bases with Rail
Counter Height



Y Bases with Rail
Bar Height

TOPS OFFERED:

SOFT RECTANGLE

CBV246228YBKP
CBV246235YBKP
CBV246241YBKP

ARC RECTANGLE

CBV246228YBKP
CBV246235YBKP
CBV246241YBKP

BOAT

CBV246228YBKP
CBV246235YBKP
CBV246241YBKP

42" DEPTH x 42" WIDTH

BASES:

X Base
Occasional Height

X Base
Worksurface Height

X Base
Worksurface Height,
Mobile

X Base
Counter Height

X Base
Bar Height

TOPS OFFERED:

ROUND

CBV3215XBP
CBV3228XBP
CBV4028XBP
CBV3228XBMP
CBV4028XBMP
CBV3235XBP
CBV3241XBP

SOFT SQUARE

CBV3215XBP
CBV3228XBP
CBV4028XBP
CBV3228XBMP
CBV4028XBMP
CBV3235XBP
CBV3241XBP

42" DEPTH x 72" WIDTH

BASES:

Y Bases with Rail
Worksurface Height

Y Bases with Rail
Counter Height



Y Bases with Rail
Bar Height

TOPS OFFERED:

SOFT RECTANGLE

CBV285228YBKP
CBV285235YBKP
CBV285241YBKP

ARC RECTANGLE

CBV285228YBKP
CBV285235YBKP
CBV285241YBKP

BOAT

CBV285228YBKP
CBV285235YBKP
CBV285241YBKP

BASE MATRIX - FOOTINGS

TOP SIZE DEPTH	TOP SIZE WIDTH	
42"	84"	**BASES:** Y Bases with Rail Worksurface Height  Y Bases with Rail Counter Height  Y Bases with Rail Bar Height **TOPS OFFERED:** **OVAL** CBV285828YBKP CBV285835YBKP CBV285841YBKP **SOFT RECTANGLE** CBV285828YBKP CBV285835YBKP CBV285841YBKP **ARC RECTANGLE** CBV285828YBKP CBV285835YBKP CBV285841YBKP **BOAT** CBV285828YBKP CBV285835YBKP CBV285841YBKP **TAPERED** CBV285828YBKP CBV285835YBKP CBV285841YBKP
42"	96"	**BASES:** Y Bases with Rail Worksurface Height Y Bases with Rail Counter Height  Y Bases with Rail Bar Height **TOPS OFFERED:** **SOFT RECTANGLE** CBV286428YBKP CBV286435YBKP CBV286441YBKP **ARC RECTANGLE** CBV286428YBKP CBV286435YBKP CBV286441YBKP **BOAT** CBV286428YBKP CBV286435YBKP CBV286441YBKP
48"	48"	**BASES:** X Base Worksurface Height X Base Worksurface Height, Mobile X Base Counter Height X Base Bar Height **TOPS OFFERED:** **ROUND** CBV4028XBP CBV4028XBMP CBV4035XBP CBV4041XBP **SOFT SQUARE** CBV4028XBP CBV4028XBMP CBV4035XBP CBV4041XBP

FOOTINGS - BASE MATRIX

48" x 72"

BASES:

Y Bases with Rail
Worksurface Height

Y Bases with Rail
Counter Height



Y Bases with Rail
Bar Height

TOPS OFFERED:

SOFT RECTANGLE

CBV285228YBKP
CBV285235YBKP
CBV285241YBKP

ARC RECTANGLE

CBV285228YBKP
CBV285235YBKP
CBV285241YBKP

BOAT

CBV285228YBKP
CBV285235YBKP
CBV285241YBKP

48" x 84"

BASES:

Y Bases with Rail
Worksurface Height

Y Bases with Rail
Counter Height



Y Bases with Rail
Bar Height

TOPS OFFERED:

SOFT RECTANGLE

CBV285828YBKP
CBV285835YBKP
CBV285841YBKP

ARC RECTANGLE

CBV285828YBKP
CBV285835YBKP
CBV285841YBKP

BOAT

CBV285828YBKP
CBV285835YBKP
CBV285841YBKP

48" x 96"

BASES:



Y Bases with Rail
Worksurface Height

Y Bases with Rail
Counter Height



Y Bases with Rail
Bar Height

TOPS OFFERED:

OVAL

CBV286428YBKP
CBV286435YBKP
CBV286441YBKP

SOFT RECTANGLE

CBV286428YBKP
CBV286435YBKP
CBV286441YBKP

ARC RECTANGLE

CBV286428YBKP
CBV286435YBKP
CBV286441YBKP

BOAT

CBV286428YBKP
CBV286435YBKP
CBV286441YBKP

TAPERED

CBV286428YBKP
CBV286435YBKP
CBV286441YBKP

BASE MATRIX - FOOTINGS

TOP SIZE DEPTH	TOP SIZE WIDTH	
48"	120"	**BASES:**  Y Bases with Rail Worksurface Height **TOPS OFFERED:** **SOFT RECTANGLE** CBV2810028YBKP **ARC RECTANGLE** CBV2810028YBKP **BOAT** CBV2810028YBKP **TAPERED** CBV2810028YBKP
54"	54"	**BASES:** Quad X Base Worksurface Height Quad X Base Counter Height Quad X Base Bar Height **TOPS OFFERED:** CBV3028QXBP CBV3035QXBP CBV3041QXBP **ROUND** CBV3528QXBP CBV3535QXBP CBV3541QXBP **SOFT SQUARE**
60"	60"	**BASES:** Quad X Base Worksurface Height Quad X Base Counter Height Quad X Base Bar Height **TOPS OFFERED:** CBV3528QXBP CBV3535QXBP CBV3541QXBP **ROUND** CBV3528QXBP CBV3535QXBP CBV3541QXBP **SOFT SQUARE**

FOOTINGS

PRODUCT SPECIFICATIONS

- Reference pages 192-194 for grommet options and locations
- Reference pages 195-201 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Finish/Laminate

SAMPLE MODEL NUMBERS:

83N24RDW K HN
83N24RDL K461 461
83N54RDW K G10C HN

- See pages 189-191 for all options available in Footings

ROUND TOP SOFTENED RIM

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
24" ROUND	**1 3/16" TOP THICKNESS**		**DI**		**H**				
83N24RDW	Wood	$ 1081	24	24	1 3/16	–	–	22 lbs.	1.3
83N24RDL	Laminate	547	24	24	1 3/16	–	–	22 lbs.	1.3
83N24RDLL	TFL	436	24	24	1 1/8	–	–	22 lbs.	1.3
30" ROUND									
83N30RDW	Wood	$ 1269	30	30	1 3/16	–	–	43 lbs.	1.9
83N30RDL	Laminate	643	30	30	1 3/16	–	–	43 lbs.	1.9
83N30RDLL	TFL	515	30	30	1 1/8	–	–	43 lbs.	1.9
36" ROUND									
83N36RDW	Wood	$ 1758	36	36	1 3/16	–	–	59 lbs.	2.5
83N36RDL	Laminate	755	36	36	1 3/16	–	–	59 lbs.	2.5
83N36RDLL	TFL	606	36	36	1 1/8	–	–	59 lbs.	2.5
42" ROUND									
83N42RDW	Wood	$ 1822	42	42	1 3/16	–	–	62 lbs.	3.3
83N42RDL	Laminate	1049	42	42	1 3/16	–	–	62 lbs.	3.3
83N42RDLL	TFL	839	42	42	1 1/8	–	–	62 lbs.	3.3
48" ROUND									
83N48RDW	Wood	$ 2186	48	48	1 3/16	–	–	95 lbs.	4.2
83N48RDL	Laminate	1380	48	48	1 3/16	–	–	95 lbs.	4.2
83N48RDLL	TFL	1104	48	48	1 1/8	–	–	95 lbs.	4.2
54" ROUND									
83N54RDW	Wood	$ 2513	54	54	1 3/16	–	–	100 lbs.	5.1
83N54RDL	Laminate	1587	54	54	1 3/16	–	–	100 lbs.	5.1
83N54RDLL	TFL	1270	54	54	1 1/8	–	–	100 lbs.	5.1
60" ROUND									
83N60RDW	Wood	$ 2891	58 3/8	58 3/8	1 3/16	–	–	117 lbs.	5.9
83N60RDL	Laminate	1827	58 3/8	58 3/8	1 3/16	–	–	117 lbs.	5.9
83N60RDLL	TFL	1460	58 3/8	58 3/8	1 1/8	–	–	117 lbs.	5.9

- Modified depth and width not available
- For use with Footings base; reference pages 195-201
- No grommet option available on 24", 30", 36", 42", and 48" round and soft square tops
- Center grommet option available on 54" and 60" round and soft square tops

PRODUCT SPECIFICATIONS

- Reference pages 192-194 for grommet options and locations
- Reference pages 195-201 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Finish/Laminate

SAMPLE MODEL NUMBERS:

83N24RDWK K HN
83N24RDLK K461 461
83N54RDWK K G10C HN

- See pages 189-191 for all options available in Footings

ROUND TOP KNIFE RIM

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
24" ROUND	**1⅜6" TOP THICKNESS**		**DI**		**H**				
83N24RDWK	Wood	$ 1327	24	24	1⅜6	–	–	22 lbs.	1.3
83N24RDLK	Laminate	672	24	24	1⅜6	–	–	22 lbs.	1.3
30" ROUND									
83N30RDWK	Wood	$ 1561	30	30	1⅜6	–	–	43 lbs.	1.9
83N30RDLK	Laminate	790	30	30	1⅜6	–	–	43 lbs.	1.9
36" ROUND									
83N36RDWK	Wood	$ 2162	36	36	1⅜6	–	–	59 lbs.	2.5
83N36RDLK	Laminate	927	36	36	1⅜6	–	–	59 lbs.	2.5
42" ROUND									
83N42RDWK	Wood	$ 2241	42	42	1⅜6	–	–	62 lbs.	3.3
83N42RDLK	Laminate	1290	42	42	1⅜6	–	–	62 lbs.	3.3
48" ROUND									
83N48RDWK	Wood	$ 2688	48	48	1⅜6	–	–	95 lbs.	4.2
83N48RDLK	Laminate	1699	48	48	1⅜6	–	–	95 lbs.	4.2
54" ROUND									
83N54RDWK	Wood	$ 3091	54	54	1⅜6	–	–	100 lbs.	5.1
83N54RDLK	Laminate	1950	54	54	1⅜6	–	–	100 lbs.	5.1
60" ROUND									
83N60RDWK	Wood	$ 3554	58⅜	58⅜	1⅜6	–	–	117 lbs.	5.9
83N60RDLK	Laminate	2244	58⅜	58⅜	1⅜6	–	–	117 lbs.	5.9

- Modified depth and width not available
- For use with Footings base; reference pages 195-201
- No grommet option available on 24", 30", 36", 42", and 48" round and soft square tops
- Center grommet option available on 54" and 60" round and soft square tops

FOOTINGS

PRODUCT SPECIFICATIONS

- Reference pages 192-194 for grommet options and locations
- Reference pages 195-201 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Finish/Laminate

SAMPLE MODEL NUMBERS:

83N2424SSQW K HN
83N2424SSQL K461 461
83N5454SSQW K G10C HN

- See pages 189-191 for all options available in Footings

SOFT SQUARE TOP SOFTENED RIM



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
24" SQUARE"	**1³⁄₁₆" TOP THICKNESS**								
83N2424SSQW	Wood	$ 1110	24	24	1³⁄₁₆	–	–	26 lbs.	1.4
83N2424SSQL	Laminate	563	24	24	1³⁄₁₆	–	–	26 lbs.	1.4
83N2424SSQLL	TFL	451	24	24	1⅛	–	–	26 lbs.	1.4
30" SQUARE									
83N3030SSQW	Wood	$ 1306	30	30	1³⁄₁₆	–	–	40 lbs.	1.9
83N3030SSQL	Laminate	661	30	30	1³⁄₁₆	–	–	40 lbs.	1.9
83N3030SSQLL	TFL	530	30	30	1⅛	–	–	40 lbs.	1.9
36" SQUARE									
83N3636SSQW	Wood	$ 1813	36	36	1³⁄₁₆	–	–	55 lbs.	2.6
83N3636SSQL	Laminate	776	36	36	1³⁄₁₆	–	–	55 lbs.	2.6
83N3636SSQLL	TFL	622	36	36	1⅛	–	–	55 lbs.	2.6
42" SQUARE									
83N4242SSQW	Wood	$ 2369	42	42	1³⁄₁₆	–	–	78 lbs.	3.6
83N4242SSQL	Laminate	1363	42	42	1³⁄₁₆	–	–	78 lbs.	3.6
83N4242SSQLL	TFL	1091	42	42	1⅛	–	–	78 lbs.	3.6
48" SQUARE									
83N4848SSQW	Wood	$ 2251	48	48	1³⁄₁₆	–	–	101 lbs.	4.6
83N4848SSQL	Laminate	1420	48	48	1³⁄₁₆	–	–	101 lbs.	4.6
83N4848SSQLL	TFL	1137	48	48	1⅛	–	–	101 lbs.	4.6
54" SQUARE									
83N5454SSQW	Wood	$ 2591	54	54	1³⁄₁₆	–	–	127 lbs.	5.7
83N5454SSQL	Laminate	1637	54	54	1³⁄₁₆	–	–	127 lbs.	5.7
83N5454SSQLL	TFL	1307	54	54	1⅛	–	–	127 lbs.	5.7
60" SQUARE									
83N6060SSQW	Wood	$ 2977	58⅝	58⅝	1³⁄₁₆	–	–	148 lbs.	6.6
83N6060SSQL	Laminate	1878	58⅝	58⅝	1³⁄₁₆	–	–	148 lbs.	6.6
83N6060SSQLL	TFL	1505	58⅝	58⅝	1⅛	–	–	148 lbs.	6.6

- Modified depth and width not available
- For use with Footings base; reference pages 195-201
- Profiled corners have a 4" radius
- No grommet option available on 24", 30", 36", 42", and 48" round and soft square tops
- Center grommet option available on 54" and 60" round and soft square tops

PRODUCT SPECIFICATIONS

- Reference pages 192-194 for grommet options and locations
- Reference pages 195-201 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Finish/Laminate

SAMPLE MODEL NUMBERS:

83N2424SSQWK K HN
83N2424SSQLK K461 461
83N5454SSQLK K G10C HN

- See pages 189-191 for all options available in Footings

SOFT SQUARE TOP KNIFE RIM



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
24" SQUARE"	**1⅜" TOP THICKNESS**								
83N2424SSQWK	Wood	$ 1366	24	24	1⅜	–	–	26 lbs.	1.4
83N2424SSQLK	Laminate	693	24	24	1⅜	–	–	26 lbs.	1.4
30" SQUARE									
83N3030SSQWK	Wood	$ 1607	30	30	1⅜	–	–	40 lbs.	1.9
83N3030SSQLK	Laminate	813	30	30	1⅜	–	–	40 lbs.	1.9
36" SQUARE									
83N3636SSQWK	Wood	$ 2227	36	36	1⅜	–	–	55 lbs.	2.6
83N3636SSQLK	Laminate	955	36	36	1⅜	–	–	55 lbs.	2.6
42" SQUARE									
83N4242SSQWK	Wood	$ 2916	42	42	1⅜	–	–	78 lbs.	3.6
83N4242SSQLK	Laminate	1677	42	42	1⅜	–	–	78 lbs.	3.6
48" SQUARE									
83N4848SSQWK	Wood	$ 2770	48	48	1⅜	–	–	101 lbs.	4.6
83N4848SSQLK	Laminate	1749	48	48	1⅜	–	–	101 lbs.	4.6
54" SQUARE									
83N5454SSQWK	Wood	$ 3185	54	54	1⅜	–	–	127 lbs.	5.7
83N5454SSQLK	Laminate	2012	54	54	1⅜	–	–	127 lbs.	5.7
60" SQUARE									
83N6060SSQWK	Wood	$ 3660	58⅜	58⅜	1⅜	–	–	148 lbs.	6.6
83N6060SSQLK	Laminate	2313	58⅜	58⅜	1⅜	–	–	148 lbs.	6.6

- Modified depth and width not available
- For use with Footings base; reference pages 195-201
- Profiled corners have a 4" radius
- No grommet option available on 24", 30", 36", 42", and 48" round and soft square tops
- Center grommet option available on 54" and 60" round and soft square tops

FOOTINGS

PRODUCT SPECIFICATIONS

- Reference pages 192-194 for grommet options and locations
- Reference pages 195-201 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Finish/Laminate

SAMPLE MODEL NUMBERS:

83N2448OVW K X HN
83N2448OVL K461 X 461

- See pages 189-191 for all options available in Footings

OVAL TOP SOFTENED RIM

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
24" X 48"	**1¾6" TOP THICKNESS**								
83N2448OVW	Wood	$ 1449	24	48	1¾6	–	–	42 lbs.	2.3
83N2448OVL	Laminate	1033	24	48	1¾6	–	–	42 lbs.	2.3
83N2448OVLL	TFL	830	24	48	1⅛	–	–	42 lbs.	2.3
30" X 60"									
83N3060OVW	Wood	$ 1704	30	60	1¾6	–	–	63 lbs.	3.7
83N3060OVL	Laminate	1217	30	60	1¾6	–	–	63 lbs.	3.7
83N3060OVLL	TFL	976	30	60	1⅛	–	–	63 lbs.	3.7
36" X 72"									
83N3672OVW	Wood	$ 2132	36	72	1¾6	–	–	90 lbs.	5.2
83N3672OVL	Laminate	1522	36	72	1¾6	–	–	90 lbs.	5.2
83N3672OVLL	TFL	1219	36	72	1⅛	–	–	90 lbs.	5.2
42" X 84"									
83N4284OVW	Wood	$ 2540	42	84	1¾6	–	–	121 lbs.	6.8
83N4284OVL	Laminate	1817	42	84	1¾6	–	–	121 lbs.	6.8
83N4284OVLL	TFL	1452	42	84	1⅛	–	–	121 lbs.	6.8
48" X 96"									
83N4896OVW	Wood	$ 3028	48	96	1¾6	–	–	199 lbs.	8.7
83N4896OVL	Laminate	2351	48	96	1¾6	–	–	199 lbs.	8.7
83N4896OVLL	TFL	1878	48	96	1⅛	–	–	199 lbs.	8.7

- Modified depth and width not available
- For use with Footings base; reference pages 195-201
- 48" deep tops only available with a center grommet option

PRODUCT SPECIFICATIONS

- Reference pages 192-194 for grommet options and locations
- Reference pages 195-201 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Finish/Laminate

SAMPLE MODEL NUMBERS:

83N2448OVWK K X HN
83N2448OVLK K461 X 461

- See pages 189-191 for all options available in Footings

OVAL TOP KNIFE RIM

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
24" X 48"	**1⅜" TOP THICKNESS**								
83N2448OVWK	Wood	$ 1783	24	48	1⅜	–	–	42 lbs.	2.3
83N2448OVLK	Laminate	1271	24	48	1⅜	–	–	42 lbs.	2.3
30" X 60"									
83N3060OVWK	Wood	$ 1814	30	60	1⅜	–	–	63 lbs.	3.7
83N3060OVLK	Laminate	1295	30	60	1⅜	–	–	63 lbs.	3.7
36" X 72"									
83N3672OVWK	Wood	$ 2624	36	72	1⅜	–	–	90 lbs.	5.2
83N3672OVLK	Laminate	1873	36	72	1⅜	–	–	90 lbs.	5.2
42" X 84"									
83N4284OVWK	Wood	$ 3125	42	84	1⅜	–	–	121 lbs.	6.8
83N4284OVLK	Laminate	2232	42	84	1⅜	–	–	121 lbs.	6.8
48" X 96"									
83N4896OVWK	Wood	$ 3724	48	96	1⅜	–	–	199 lbs.	8.7
83N4896OVLK	Laminate	2891	48	96	1⅜	–	–	199 lbs.	8.7

- Modified depth and width not available
- For use with Footings base; reference pages 195-201
- 48" deep tops only available with a center grommet option

FOOTINGS

PRODUCT SPECIFICATIONS

- Reference pages 192-194 for grommet options and locations
- Reference pages 195-201 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Finish/Laminate

SAMPLE MODEL NUMBERS:

83N2448SRTW F X HN
83N2448SRTL V461 X 461

- See pages 189-191 for all options available in Footings

SOFT RECTANGLE TOP SOFTENED RIM

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
24" X 48"	**1¾6" TOP THICKNESS**								
83N2448SRTW	Wood	$ 1449	24	48	1¾6	–	–	48 lbs.	2.5
83N2448SRTL	Laminate	1033	24	48	1¾6	–	–	48 lbs.	2.5
83N2448SRTLL	TFL	830	24	48	1⅛	–	–	48 lbs.	2.5
30" X 60"									
83N3060SRTW	Wood	$ 1704	30	60	1¾6	–	–	89 lbs.	3.4
83N3060SRTL	Laminate	1217	30	60	1¾6	–	–	89 lbs.	3.4
83N3060SRTLL	TFL	976	30	60	1⅛	–	–	89 lbs.	3.4
30" X 72"									
83N3072SRTW	Wood	$ 1814	30	72	1¾6	–	–	100 lbs.	4.0
83N3072SRTL	Laminate	1295	30	72	1¾6	–	–	100 lbs.	4.0
83N3072SRTLL	TFL	1034	30	72	1⅛	–	–	100 lbs.	4.0
36" X 60"									
83N3660SRTW	Wood	$ 2004	36	60	1¾6	–	–	126 lbs.	4.4
83N3660SRTL	Laminate	1432	36	60	1¾6	–	–	126 lbs.	4.4
83N3660SRTLL	TFL	1145	36	60	1⅛	–	–	126 lbs.	4.4
36" X 72"									
83N3672SRTW	Wood	$ 2132	36	72	1¾6	–	–	144 lbs.	5.2
83N3672SRTL	Laminate	1522	36	72	1¾6	–	–	144 lbs.	5.2
83N3672SRTLL	TFL	1219	36	72	1⅛	–	–	144 lbs.	5.2
36" X 84"									
83N3684SRTW	Wood	$ 2269	36	84	1¾6	–	–	150 lbs.	6.0
83N3684SRTL	Laminate	1621	36	84	1¾6	–	–	150 lbs.	6.0
83N3684SRTLL	TFL	1296	36	84	1⅛	–	–	150 lbs.	6.0
36" X 96"									
83N3696SRTW	Wood	$ 2412	36	96	1¾6	–	–	155 lbs.	6.8
83N3696SRTL	Laminate	1724	36	96	1¾6	–	–	155 lbs.	6.8
83N3696SRTLL	TFL	1379	36	96	1⅛	–	–	155 lbs.	6.8

- Modified depth and width not available
- For use with Footings base; reference pages 195-201
- Profiled corners have a 4" radius
- 48" deep tops only available with a center grommet option

PRODUCT SPECIFICATIONS

- Reference pages 192-194 for grommet options and locations
- Reference pages 195-201 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Finish/Laminate

SAMPLE MODEL NUMBERS:

83N4272SRTW F X HN
83N4272SRTL V461 X 461

- See pages 189-191 for all options available in Footings

SOFT RECTANGLE TOP SOFTENED RIM (CONTINUED)

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
42" X 72"	**1⅜" TOP THICKNESS**								
83N4272SRTW	Wood	$ 2388	42	72	1⅜	–	–	148 lbs.	5.9
83N4272SRTL	Laminate	1708	42	72	1⅜	–	–	148 lbs.	5.9
83N4272SRTLL	TFL	1364	42	72	1⅛	–	–	148 lbs.	5.9
42" X 84"									
83N4284SRTW	Wood	$ 2540	42	84	1⅜	–	–	168 lbs.	6.8
83N4284SRTL	Laminate	1817	42	84	1⅜	–	–	168 lbs.	6.8
83N4284SRTLL	TFL	1452	42	84	1⅛	–	–	168 lbs.	6.8
42" X 96"									
83N4296SRTW	Wood	$ 2704	42	96	1⅜	–	–	191 lbs.	7.7
83N4296SRTL	Laminate	1931	42	96	1⅜	–	–	191 lbs.	7.7
83N4296SRTLL	TFL	1546	42	96	1⅛	–	–	191 lbs.	7.7
48" X 72"									
83N4872SRTW	Wood	$ 2673	48	72	1⅜	–	–	173 lbs.	6.7
83N4872SRTL	Laminate	1910	48	72	1⅜	–	–	173 lbs.	6.7
83N4872SRTLL	TFL	1527	48	72	1⅛	–	–	173 lbs.	6.7
48" X 84"									
83N4884SRTW	Wood	$ 2845	48	84	1⅜	–	–	203 lbs.	7.7
83N4884SRTL	Laminate	2162	48	84	1⅜	–	–	203 lbs.	7.7
83N4884SRTLL	TFL	1728	48	84	1⅛	–	–	203 lbs.	7.7
48" X 96"									
83N4896SRTW	Wood	$ 3028	48	96	1⅜	–	–	234 lbs.	8.7
83N4896SRTL	Laminate	2351	48	96	1⅜	–	–	234 lbs.	8.7
83N4896SRTLL	TFL	1878	48	96	1⅛	–	–	234 lbs.	8.7
48" X 120"									
83N48120SRTW	Wood	$ 3280	48	120	1⅜	–	–	247 lbs.	10.8
83N48120SRTL	Laminate	2938	48	120	1⅜	–	–	247 lbs.	10.8
83N48120SRTLL	TFL	2351	48	120	1⅛	–	–	247 lbs.	10.8

- Modified depth and width not available
- For use with Footings base; reference pages 195-201
- Profiled corners have a 4" radius
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL models wider than 96"

FOOTINGS

PRODUCT SPECIFICATIONS

- Reference pages 192-194 for grommet options and locations
- Reference pages 195-201 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Finish/Laminate

SAMPLE MODEL NUMBERS:

83N2448SRTWK K X HN
83N2448SRTLK K461 X 461

- See pages 189-191 for all options available in Footings

SOFT RECTANGLE TOP KNIFE RIM

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
24" X 48"	**1 3/16" TOP THICKNESS**								
83N2448SRTWK	Wood	$ 1783	24	48	1 3/16	–	–	48 lbs.	2.5
83N2448SRTLK	Laminate	1271	24	48	1 3/16	–	–	48 lbs.	2.5
30" X 60"									
83N3060SRTWK	Wood	$ 2094	30	60	1 3/16	–	–	89 lbs.	3.4
83N3060SRTLK	Laminate	1496	30	60	1 3/16	–	–	89 lbs.	3.4
30" X 72"									
83N3072SRTWK	Wood	$ 2230	30	72	1 3/16	–	–	100 lbs.	4.0
83N3072SRTLK	Laminate	1592	30	72	1 3/16	–	–	100 lbs.	4.0
36" X 60"									
83N3660SRTWK	Wood	$ 2464	36	60	1 3/16	–	–	126 lbs.	4.4
83N3660SRTLK	Laminate	1761	36	60	1 3/16	–	–	126 lbs.	4.4
36" X 72"									
83N3672SRTWK	Wood	$ 2624	36	72	1 3/16	–	–	144 lbs.	5.2
83N3672SRTLK	Laminate	1873	36	72	1 3/16	–	–	144 lbs.	5.2
36" X 84"									
83N3684SRTWK	Wood	$ 2789	36	84	1 3/16	–	–	150 lbs.	6.0
83N3684SRTLK	Laminate	1992	36	84	1 3/16	–	–	150 lbs.	6.0
36" X 96"									
83N3696SRTWK	Wood	$ 2968	36	96	1 3/16	–	–	155 lbs.	6.8
83N3696SRTLK	Laminate	2120	36	96	1 3/16	–	–	155 lbs.	6.8

- Modified depth and width not available
- For use with Footings base; reference pages 195-201
- Profiled corners have a 4" radius
- 48" deep tops only available with a center grommet option

PRODUCT SPECIFICATIONS

- Reference pages 192-194 for grommet options and locations
- Reference pages 195-201 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Finish/Laminate

SAMPLE MODEL NUMBERS:

83N4272SRTWK K X HN
83N4272SRTLK K461 X 461

- See pages 189-191 for all options available in Footings

SOFT RECTANGLE TOP KNIFE RIM (CONTINUED)

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
42" X 72"	**1⅜" TOP THICKNESS**								
83N4272SRTWK	Wood	$ 2938	42	72	1⅜	–	–	148 lbs.	5.9
83N4272SRTLK	Laminate	2098	42	72	1⅜	–	–	148 lbs.	5.9
42" X 84"									
83N4284SRTWK	Wood	$ 3125	42	84	1⅜	–	–	168 lbs.	6.8
83N4284SRTLK	Laminate	2232	42	84	1⅜	–	–	168 lbs.	6.8
42" X 96"									
83N4296SRTWK	Wood	$ 3325	42	96	1⅜	–	–	191 lbs.	7.7
83N4296SRTLK	Laminate	2372	42	96	1⅜	–	–	191 lbs.	7.7
48" X 72"									
83N4872SRTWK	Wood	$ 3292	48	72	1⅜	–	–	173 lbs.	6.7
83N4872SRTLK	Laminate	2351	48	72	1⅜	–	–	173 lbs.	6.7
48" X 84"									
83N4884SRTWK	Wood	$ 3501	48	84	1⅜	–	–	203 lbs.	7.7
83N4884SRTLK	Laminate	2660	48	84	1⅜	–	–	203 lbs.	7.7
48" X 96"									
83N4896SRTWK	Wood	$ 3724	48	96	1⅜	–	–	234 lbs.	8.7
83N4896SRTLK	Laminate	2891	48	96	1⅜	–	–	234 lbs.	8.7
48" X 120"									
83N48120SRTWK	Wood	$ 4035	48	120	1⅜	–	–	247 lbs.	10.8
83N48120SRTLK	Laminate	3614	48	120	1⅜	–	–	247 lbs.	10.8

- Modified depth and width not available
- For use with Footings base; reference pages 195-201
- Profiled corners have a 4" radius

FOOTINGS

PRODUCT SPECIFICATIONS

- Reference pages 192-194 for grommet options and locations
- Reference pages 195-201 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Finish/Laminate

SAMPLE MODEL NUMBERS:

83N2448ARTW F X HN
83N2448ARTL V461 X 461

- See pages 189-191 for all options available in Footings

ARC RECTANGLE TOP SOFTENED RIM

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
24" X 48"	**1 3/16" TOP THICKNESS**								
83N2448ARTW	Wood	$ 1449	24	48	1 3/16	–	–	47 lbs.	2.5
83N2448ARTL	Laminate	1033	24	48	1 3/16	–	–	47 lbs.	2.5
83N2448ARTLL	TFL	830	24	48	1⅛	–	–	47 lbs.	2.5
30" X 60"									
83N3060ARTW	Wood	$ 1704	30	60	1 3/16	–	–	87 lbs.	3.4
83N3060ARTL	Laminate	1217	30	60	1 3/16	–	–	87 lbs.	3.4
83N3060ARTLL	TFL	976	30	60	1⅛	–	–	87 lbs.	3.4
30" X 72"									
83N3072ARTW	Wood	$ 1814	30	72	1 3/16	–	–	119 lbs.	4.0
83N3072ARTL	Laminate	1295	30	72	1 3/16	–	–	119 lbs.	4.0
83N3072ARTLL	TFL	1034	30	72	1⅛	–	–	119 lbs.	4.0
36" X 60"									
83N3660ARTW	Wood	$ 2004	36	60	1 3/16	–	–	124 lbs.	4.4
83N3660ARTL	Laminate	1432	36	60	1 3/16	–	–	124 lbs.	4.4
83N3660ARTLL	TFL	1145	36	60	1⅛	–	–	124 lbs.	4.4
36" X 72"									
83N3672ARTW	Wood	$ 2132	36	72	1 3/16	–	–	130 lbs.	5.2
83N3672ARTL	Laminate	1522	36	72	1 3/16	–	–	130 lbs.	5.2
83N3672ARTLL	TFL	1219	36	72	1⅛	–	–	130 lbs.	5.2
36" X 84"									
83N3684ARTW	Wood	$ 2269	36	84	1 3/16	–	–	142 lbs.	6.0
83N3684ARTL	Laminate	1621	36	84	1 3/16	–	–	142 lbs.	6.0
83N3684ARTLL	TFL	1296	36	84	1⅛	–	–	142 lbs.	6.0
36" X 96"									
83N3696ARTW	Wood	$ 2412	36	96	1 3/16	–	–	173 lbs.	6.8
83N3696ARTL	Laminate	1724	36	96	1 3/16	–	–	173 lbs.	6.8
83N3696ARTLL	TFL	1379	36	96	1⅛	–	–	173 lbs.	6.8

- Modified depth and width not available
- For use with Footings base; reference pages 195-201
- Profiled corners have a 4" radius
- 48" deep tops only available with a center grommet option
- Arc width is 6" less than the overall width

PRODUCT SPECIFICATIONS

- Reference pages 192-194 for grommet options and locations
- Reference pages 195-201 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Finish/Laminate

SAMPLE MODEL NUMBERS:

83N4272ARTW F X HN
83N4272ARTL V461 X 461

- See pages 189-191 for all options available in Footings

ARC RECTANGLE TOP SOFTENED RIM (CONTINUED)

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
42" X 72"	**1⅜" TOP THICKNESS**								
83N4272ARTW	Wood	$ 2388	42	72	1⅜	—	—	145 lbs.	5.9
83N4272ARTL	Laminate	1708	42	72	1⅜	—	—	145 lbs.	5.9
83N4272ARTLL	TFL	1364	42	72	1⅛	—	—	145 lbs.	5.9
42" X 84"									
83N4284ARTW	Wood	$ 2540	42	84	1⅜	—	—	166 lbs.	6.8
83N4284ARTL	Laminate	1817	42	84	1⅜	—	—	166 lbs.	6.8
83N4284ARTLL	TFL	1452	42	84	1⅛	—	—	166 lbs.	6.8
42" X 96"									
83N4296ARTW	Wood	$ 2704	42	96	1⅜	—	—	189 lbs.	7.7
83N4296ARTL	Laminate	1931	42	96	1⅜	—	—	189 lbs.	7.7
83N4296ARTLL	TFL	1546	42	96	1⅛	—	—	189 lbs.	7.7
48" X 72"									
83N4872ARTW	Wood	$ 2673	48	72	1⅜	—	—	170 lbs.	6.7
83N4872ARTL	Laminate	1910	48	72	1⅜	—	—	170 lbs.	6.7
83N4872ARTLL	TFL	1527	48	72	1⅛	—	—	170 lbs.	6.7
48" X 84"									
83N4884ARTW	Wood	$ 2845	48	84	1⅜	—	—	200 lbs.	7.7
83N4884ARTL	Laminate	2162	48	84	1⅜	—	—	200 lbs.	7.7
83N4884ARTLL	TFL	1728	48	84	1⅛	—	—	200 lbs.	7.7
48" X 96"									
83N4896ARTW	Wood	$ 3028	48	96	1⅜	—	—	231 lbs.	8.7
83N4896ARTL	Laminate	2351	48	96	1⅜	—	—	231 lbs.	8.7
83N4896ARTLL	TFL	1878	48	96	1⅛	—	—	231 lbs.	8.7
48" X 120"									
83N48120ARTW	Wood	$ 3280	48	120	1⅜	—	—	244 lbs.	10.8
83N48120ARTL	Laminate	2938	48	120	1⅜	—	—	244 lbs.	10.8
83N48120ARTLL	TFL	2508	48	120	1⅛	—	—	244 lbs.	10.8

- Modified depth and width not available
- For use with Footings base; reference pages 195-201
- Profiled corners have a 4" radius
- Arc width is 6" less than the overall width
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL models wider than 96"

FOOTINGS

PRODUCT SPECIFICATIONS

- Reference pages 192-194 for grommet options and locations
- Reference pages 195-201 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Finish/Laminate

SAMPLE MODEL NUMBERS:

83N2448ARTWK K X HN
83N2448ARTLK K461 X 461

- See pages 189-191 for all options available in Footings

ARC RECTANGLE TOP KNIFE RIM

MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
24" X 48"	**1 3/16" TOP THICKNESS**								
83N2448ARTWK	Wood	$ 1783	24	48	1 3/16	–	–	47 lbs.	2.5
83N2448ARTLK	Laminate	1271	24	48	1 3/16	–	–	47 lbs.	2.5
30" X 60"									
83N3060ARTWK	Wood	$ 2094	30	60	1 3/16	–	–	87 lbs.	3.4
83N3060ARTLK	Laminate	1496	30	60	1 3/16	–	–	87 lbs.	3.4
30" X 72"									
83N3072ARTWK	Wood	$ 2230	30	72	1 3/16	–	–	119 lbs.	4.0
83N3072ARTLK	Laminate	1592	30	72	1 3/16	–	–	119 lbs.	4.0
36" X 60"									
83N3660ARTWK	Wood	$ 2464	36	60	1 3/16	–	–	124 lbs.	4.4
83N3660ARTLK	Laminate	1761	36	60	1 3/16	–	–	124 lbs.	4.4
36" X 72"									
83N3672ARTWK	Wood	$ 2624	36	72	1 3/16	–	–	130 lbs.	5.2
83N3672ARTLK	Laminate	1873	36	72	1 3/16	–	–	130 lbs.	5.2
36" X 84"									
83N3684ARTWK	Wood	$ 2789	36	84	1 3/16	–	–	142 lbs.	6.0
83N3684ARTLK	Laminate	1992	36	84	1 3/16	–	–	142 lbs.	6.0
36" X 96"									
83N3696ARTWK	Wood	$ 2968	36	96	1 3/16	–	–	173 lbs.	6.8
83N3696ARTLK	Laminate	2120	36	96	1 3/16	–	–	173 lbs.	6.8

- Modified depth and width not available
- For use with Footings base; reference pages 195-201
- Profiled corners have a 4" radius
- 48" deep tops only available with a center grommet option
- Arc width is 6" less than the overall width

PRODUCT SPECIFICATIONS

- Reference pages 192-194 for grommet options and locations
- Reference pages 195-201 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Finish/Laminate

SAMPLE MODEL NUMBERS:

83N4272ARTWK K X HN
83N4272ARTLK K461 X 461

- See pages 189-191 for all options available in Footings

ARC RECTANGLE TOP KNIFE RIM (CONTINUED)

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
42" X 72"	**1⅜" TOP THICKNESS**								
83N4272ARTWK	Wood	$ 2938	42	72	1⅜	–	–	145 lbs.	5.9
83N4272ARTLK	Laminate	2098	42	72	1⅜	–	–	145 lbs.	5.9
42" X 84"									
83N4284ARTWK	Wood	$ 3125	42	84	1⅜	–	–	166 lbs.	6.8
83N4284ARTLK	Laminate	2232	42	84	1⅜	–	–	166 lbs.	6.8
42" X 96"									
83N4296ARTWK	Wood	$ 3325	42	96	1⅜	–	–	189 lbs.	7.7
83N4296ARTLK	Laminate	2372	42	96	1⅜	–	–	189 lbs.	7.7
48" X 72"									
83N4872ARTWK	Wood	$ 3292	48	72	1⅜	–	–	170 lbs.	6.7
83N4872ARTLK	Laminate	2351	48	72	1⅜	–	–	170 lbs.	6.7
48" X 84"									
83N4884ARTWK	Wood	$ 3501	48	84	1⅜	–	–	200 lbs.	7.7
83N4884ARTLK	Laminate	2660	48	84	1⅜	–	–	200 lbs.	7.7
48" X 96"									
83N4896ARTWK	Wood	$ 3724	48	96	1⅜	–	–	231 lbs.	8.7
83N4896ARTLK	Laminate	2891	48	96	1⅜	–	–	231 lbs.	8.7
48" X 120"									
83N48120ARTWK	Wood	$ 4035	48	120	1⅜	–	–	244 lbs.	10.8
83N48120ARTLK	Laminate	3614	48	120	1⅜	–	–	244 lbs.	10.8

- Modified depth and width not available
- For use with Footings base; reference pages 195-201
- Profiled corners have a 4" radius
- Arc width is 6" less than the overall width

FOOTINGS

PRODUCT SPECIFICATIONS

- Reference pages 192-194 for grommet options and locations
- Reference pages 195-201 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Finish/Laminate

SAMPLE MODEL NUMBERS:

83N2448BTW F X HN
83N2448BTL V461 X 461

- See pages 189-191 for all options available in Footings

BOAT TOP SOFTENED RIM

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
24" X 48"	**1⅜6" TOP THICKNESS**								
83N2448BTW	Wood	$ 1449	24	48	1⅜6	–	–	48 lbs.	2.3
83N2448BTL	Laminate	1033	24	48	1⅜6	–	–	48 lbs.	2.3
83N2448BTLL	TFL	830	24	48	1⅛	–	–	48 lbs.	2.3
30" X 60"									
83N3060BTW	Wood	$ 1704	30	60	1⅜6	–	–	85 lbs.	3.7
83N3060BTL	Laminate	1217	30	60	1⅜6	–	–	85 lbs.	3.7
83N3060BTLL	TFL	976	30	60	1⅛	–	–	85 lbs.	3.7
30" X 72"									
83N3072BTW	Wood	$ 1814	30	72	1⅜6	–	–	116 lbs.	4.4
83N3072BTL	Laminate	1295	30	72	1⅜6	–	–	116 lbs.	4.4
83N3072BTLL	TFL	1034	30	72	1⅛	–	–	116 lbs.	4.4
36" X 60"									
83N3660BTW	Wood	$ 2004	36	60	1⅜6	–	–	122 lbs.	4.4
83N3660BTL	Laminate	1432	36	60	1⅜6	–	–	122 lbs.	4.4
83N3660BTLL	TFL	1145	36	60	1⅛	–	–	122 lbs.	4.4
36" X 72"									
83N3672BTW	Wood	$ 2132	36	72	1⅜6	–	–	139 lbs.	5.2
83N3672BTL	Laminate	1522	36	72	1⅜6	–	–	139 lbs.	5.2
83N3672BTLL	TFL	1219	36	72	1⅛	–	–	139 lbs.	5.2
36" X 84"									
83N3684BTW	Wood	$ 2269	36	84	1⅜6	–	–	149 lbs.	6.0
83N3684BTL	Laminate	1621	36	84	1⅜6	–	–	149 lbs.	6.0
83N3684BTLL	TFL	1296	36	84	1⅛	–	–	149 lbs.	6.0
36" X 96"									
83N3696BTW	Wood	$ 2412	36	96	1⅜6	–	–	169 lbs.	6.8
83N3696BTL	Laminate	1724	36	96	1⅜6	–	–	169 lbs.	6.8
83N3696BTLL	TFL	1379	36	96	1⅛	–	–	169 lbs.	6.8

- Modified depth and width not available
- For use with Footings base; reference pages 195-201
- Profiled corners have a 4" radius
- 48" deep tops only available with a center grommet option
- Boat top end depth is 6" less than the overall depth

PRODUCT SPECIFICATIONS

- Reference pages 192-194 for grommet options and locations
- Reference pages 195-201 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Finish/Laminate

SAMPLE MODEL NUMBERS:

83N4272BTW F X HN
83N4272BTL V461 X 461

- See pages 189-191 for all options available in Footings

BOAT TOP SOFTENED RIM (CONTINUED)

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
42" X 72"	**1⅜" TOP THICKNESS**								
83N4272BTW	Wood	$ 2388	42	72	1⅜	–	–	143 lbs.	5.9
83N4272BTL	Laminate	1708	42	72	1⅜	–	–	143 lbs.	5.9
83N4272BTLL	TFL	1364	42	72	1⅛	–	–	143 lbs.	5.9
42" X 84"									
83N4284BTW	Wood	$ 2540	42	84	1⅜	–	–	162 lbs.	6.8
83N4284BTL	Laminate	1817	42	84	1⅜	–	–	162 lbs.	6.8
83N4284BTLL	TFL	1452	42	84	1⅛	–	–	162 lbs.	6.8
42" X 96"									
83N4296BTW	Wood	$ 2704	42	96	1⅜	–	–	206 lbs.	7.7
83N4296BTL	Laminate	1931	42	96	1⅜	–	–	206 lbs.	7.7
83N4296BTLL	TFL	1546	42	96	1⅛	–	–	206 lbs.	7.7
48" X 72"									
83N4872BTW	Wood	$ 2673	48	72	1⅜	–	–	144 lbs.	6.7
83N4872BTL	Laminate	1910	48	72	1⅜	–	–	144 lbs.	6.7
83N4872BTLL	TFL	1527	48	72	1⅛	–	–	144 lbs.	6.7
48" X 84"									
83N4884BTW	Wood	$ 2845	48	84	1⅜	–	–	197 lbs.	7.7
83N4884BTL	Laminate	2162	48	84	1⅜	–	–	197 lbs.	7.7
83N4884BTLL	TFL	1728	48	84	1⅛	–	–	197 lbs.	7.7
48" X 96"									
83N4896BTW	Wood	$ 3028	48	96	1⅜	–	–	227 lbs.	8.7
83N4896BTL	Laminate	2351	48	96	1⅜	–	–	227 lbs.	8.7
83N4896BTLL	TFL	1878	48	96	1⅛	–	–	227 lbs.	8.7
48" X 120"									
83N48120BTW	Wood	$ 3280	48	120	1⅜	–	–	237 lbs.	10.8
83N48120BTL	Laminate	2938	48	120	1⅜	–	–	237 lbs.	10.8
83N48120BTLL	TFL	2508	48	120	1⅛	–	–	237 lbs.	10.8

- Modified depth and width not available
- For use with Footings base; reference pages 195-201
- Profiled corners have a 4" radius
- Boat top end depth is 6" less than the overall depth
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL models wider than 96"

FOOTINGS

PRODUCT SPECIFICATIONS

- Reference pages 192-194 for grommet options and locations
- Reference pages 195-201 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Finish/Laminate

SAMPLE MODEL NUMBERS:

83N2448BTWK K X HN
83N2448BTLK K461 X 461

- See pages 189-191 for all options available in Footings

BOAT TOP KNIFE RIM

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
24" X 48"	**1 3/16" TOP THICKNESS**								
83N2448BTWK	Wood	$ 1783	24	48	1 3/16	–	–	48 lbs.	2.3
83N2448BTLK	Laminate	1271	24	48	1 3/16	–	–	48 lbs.	2.3
30" X 60"									
83N3060BTWK	Wood	$ 1929	30	60	1 3/16	–	–	85 lbs.	3.7
83N3060BTLK	Laminate	1376	30	60	1 3/16	–	–	85 lbs.	3.7
30" X 72"									
83N3072BTWK	Wood	$ 2230	30	72	1 3/16	–	–	116 lbs.	4.4
83N3072BTLK	Laminate	1592	30	72	1 3/16	–	–	116 lbs.	4.4
36" X 60"									
83N3660BTWK	Wood	$ 2464	36	60	1 3/16	–	–	122 lbs.	4.4
83N3660BTLK	Laminate	1761	36	60	1 3/16	–	–	122 lbs.	4.4
36" X 72"									
83N3672BTWK	Wood	$ 2624	36	72	1 3/16	–	–	139 lbs.	5.2
83N3672BTLK	Laminate	1873	36	72	1 3/16	–	–	139 lbs.	5.2
36" X 84"									
83N3684BTWK	Wood	$ 2789	36	84	1 3/16	–	–	149 lbs.	6.0
83N3684BTLK	Laminate	1992	36	84	1 3/16	–	–	149 lbs.	6.0
36" X 96"									
83N3696BTWK	Wood	$ 2968	36	96	1 3/16	–	–	169 lbs.	6.8
83N3696BTLK	Laminate	2120	36	96	1 3/16	–	–	169 lbs.	6.8

- Modified depth and width not available
- For use with Footings base; reference pages 195-201
- Profiled corners have a 4" radius
- 48" deep tops only available with a center grommet option
- Boat top end depth is 6" less than the overall depth

PRODUCT SPECIFICATIONS

- Reference pages 192-194 for grommet options and locations
- Reference pages 195-201 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Finish/Laminate

SAMPLE MODEL NUMBERS:

83N4272BTWK K X HN
83N4272BTLK K461 X 461

- See pages 189-191 for all options available in Footings

BOAT TOP KNIFE RIM (CONTINUED)

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
42" X 72"	**1⅜" TOP THICKNESS**								
83N4272BTWK	Wood	$ 2938	42	72	1⅜	–	–	143 lbs.	5.9
83N4272BTLK	Laminate	2098	42	72	1⅜	–	–	143 lbs.	5.9
42" X 84"									
83N4284BTWK	Wood	$ 3125	42	84	1⅜	–	–	162 lbs.	6.8
83N4284BTLK	Laminate	2232	42	84	1⅜	–	–	162 lbs.	6.8
42" X 96"									
83N4296BTWK	Wood	$ 3325	42	96	1⅜	–	–	206 lbs.	7.7
83N4296BTLK	Laminate	2372	42	96	1⅜	–	–	206 lbs.	7.7
48" X 72"									
83N4872BTWK	Wood	$ 3292	48	72	1⅜	–	–	144 lbs.	6.7
83N4872BTLK	Laminate	2351	48	72	1⅜	–	–	144 lbs.	6.7
48" X 84"									
83N4884BTWK	Wood	$ 3501	48	84	1⅜	–	–	197 lbs.	7.7
83N4884BTLK	Laminate	2660	48	84	1⅜	–	–	197 lbs.	7.7
48" X 96"									
83N4896BTWK	Wood	$ 3724	48	96	1⅜	–	–	227 lbs.	8.7
83N4896BTLK	Laminate	2891	48	96	1⅜	–	–	227 lbs.	8.7
48" X 120"									
83N48120BTWK	Wood	$ 4035	48	120	1⅜	–	–	237 lbs.	10.8
83N48120BTLK	Laminate	3614	48	120	1⅜	–	–	237 lbs.	10.8

- Modified depth and width not available
- For use with Footings base; reference pages 195-201
- Profiled corners have a 4" radius
- Boat top end depth is 6" less than the overall depth

FOOTINGS

PRODUCT SPECIFICATIONS

- Reference pages 192-194 for grommet options and locations
- Reference pages 195-201 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Finish/Laminate

SAMPLE MODEL NUMBERS:

83N3672TPW K X HN
83N3672TPL K461 X 461

- See pages 189-191 for all options available in Footings

TAPERED TOP SOFTENED RIM



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36" X 72"	**1 3/16" TOP THICKNESS**								
83N3672TPW	Wood	$ 2132	36	72	1 3/16	–	–	111 lbs.	5.2
83N3672TPL	Laminate	1522	36	72	1 3/16	–	–	111 lbs.	5.2
83N3672TPLL	TFL	1219	36	72	1⅛	–	–	111 lbs.	5.2
42" X 84"									
83N4284TPW	Wood	$ 2540	42	84	1 3/16	–	–	183 lbs.	6.8
83N4284TPL	Laminate	1817	42	84	1 3/16	–	–	183 lbs.	6.8
83N4284TPLL	TFL	1452	42	84	1⅛	–	–	183 lbs.	6.8
48" X 96"									
83N4896TPW	Wood	$ 3028	48	96	1 3/16	–	–	233 lbs.	8.7
83N4896TPL	Laminate	2351	48	96	1 3/16	–	–	233 lbs.	8.7
83N4896TPLL	TFL	1878	48	96	1⅛	–	–	233 lbs.	8.7
48" X 120"									
83N48120TPW	Wood	$ 3280	48	120	1 3/16	–	–	245 lbs.	10.8
83N48120TPL	Laminate	2938	48	120	1 3/16	–	–	245 lbs.	10.8
83N48120TPLL	TFL	2508	48	120	1⅛	–	–	245 lbs.	10.8

- Modified depth and width not available
- For use with Footings base; reference pages 195-201
- Profiled corners have a 4" radius
- Taper top end depth is 6" less than the overall depth
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL models wider than 96"

PRODUCT SPECIFICATIONS

- Reference pages 192-194 for grommet options and locations
- Reference pages 195-201 for table base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Grommet
4. Finish/Laminate

SAMPLE MODEL NUMBERS:

83N3672TPWK K X HM
83N3672TPLK K461 X 461

- See pages 189-191 for all options available in Footings

TAPERED TOP KNIFE RIM



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36" X 72"	**1 3/16" TOP THICKNESS**								
83N3672TPWK	Wood	$ 2624	36	72	1 3/16	–	–	111 lbs.	5.2
83N3672TPLK	Laminate	1873	36	72	1 3/16	–	–	111 lbs.	5.2
42" X 84"									
83N4284TPWK	Wood	$ 3125	42	84	1 3/16	–	–	183 lbs.	6.8
83N4284TPLK	Laminate	2232	42	84	1 3/16	–	–	183 lbs.	6.8
48" X 96"									
83N4896TPWK	Wood	$ 3724	48	96	1 3/16	–	–	233 lbs.	8.7
83N4896TPLK	Laminate	2891	48	96	1 3/16	–	–	233 lbs.	8.7
48" X 120"									
83N48120TPWK	Wood	$ 4035	48	120	1 3/16	–	–	245 lbs.	10.8
83N48120TPLK	Laminate	3613	48	120	1 3/16	–	–	245 lbs.	10.8

- Modified depth and width not available
- For use with Footings base; reference pages 195-201
- Profiled corners have a 4" radius
- Taper top end depth is 6" less than the overall depth

FOOTINGS

PRODUCT SPECIFICATIONS

- Reference pages 195-201 for table base guide
- Adjustable glides standard
- Specify ellipse shaped wire management cutout in the X base column

TO ORDER, SPECIFY:

1. Model Number
2. Wire Management Cutout (X base only)
3. Column Paint Color
4. Foot Paint Color

SAMPLE MODEL NUMBER:

CBV2115XBP CU 462 265

- See pages 189-191 for all options available in Footings

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
X BASE OCCASIONAL HEIGHT	CBV2115XBP	$ 549	20⁹⁄₁₆	20⁹⁄₁₆	14¹⁄₁₆	–	–	26 lbs.	4.2
	CBV2715XBP	619	27¼	27¼	14¹⁄₁₆	–	–	28 lbs.	6.3
	CBV3215XBP	690	31⁹⁄₁₆	31⁹⁄₁₆	14¹⁄₁₆	–	–	28 lbs.	7.9
	• 1⅛" diameter glide • Not recommended to be placed directly over a grommet cutout								
X BASE END TABLE HEIGHT	CBV2119XBP	$ 587	20⁹⁄₁₆	20⁹⁄₁₆	18	–	–	28 lbs.	5.1
	CBV2719XBP	626	27¼	27¼	18	–	–	29 lbs.	7.8
	• Not recommended to be placed directly over a grommet cutout								
X BASE WORKSURFACE HEIGHT	CBV2128XBP	$ 604	20⁹⁄₁₆	20⁹⁄₁₆	27¹³⁄₁₆	–	–	31 lbs.	7.5
	CBV2728XBP	673	27¼	27¼	27¹³⁄₁₆	–	–	33 lbs.	11.3
	CBV3228XBP	793	31⁹⁄₁₆	31⁹⁄₁₆	27¹³⁄₁₆	–	–	34 lbs.	14.2
	CBV4028XBP	1060	39¹³⁄₁₆	39¹³⁄₁₆	27¹³⁄₁₆	–	–	35 lbs.	20.6
	• Not recommended to be placed directly over a grommet cutout								
X BASE WORKSURFACE HEIGHT, MOBILE	CBV2728XBMP	$ 725	27¼	27¼	27¹³⁄₁₆	–	–	33 lbs.	10.6
	CBV3228XBMP	850	31⁹⁄₁₆	31⁹⁄₁₆	27¹³⁄₁₆	–	–	34 lbs.	13.2
	CBV4028XBMP	1105	39¹³⁄₁₆	39¹³⁄₁₆	27¹³⁄₁₆	–	–	35 lbs.	19.1
	• Mobile base has dual wheel locking casters • Not recommended to be placed directly over a grommet cutout								
X BASE COUNTER HEIGHT	CBV2135XBP	$ 773	20⁹⁄₁₆	20⁹⁄₁₆	34⅞	–	–	34 lbs.	9.2
	CBV2735XBP	941	27¼	27¼	34⅞	–	–	36 lbs.	13.9
	CBV3235XBP	1104	31⁹⁄₁₆	31⁹⁄₁₆	34⅞	–	–	36 lbs.	17.4
	CBV4035XBP	1270	39¹³⁄₁₆	39¹³⁄₁₆	34⅞	–	–	38 lbs.	25.3
	• Not recommended to be placed directly over a grommet cutout								

FOOTINGS

PRODUCT SPECIFICATIONS

- Reference pages 195-201 for table base guide
- Adjustable glides standard
- Specify ellipse shaped wire management cutout in the X base column

TO ORDER, SPECIFY:

1. Model Number
2. Wire Management Cutout (X base only)
3. Column Paint Color
4. Foot Paint Color

SAMPLE MODEL NUMBER:

CBV3028QXBP 462 265

- See pages 189-191 for all options available in Footings

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
X BASE BAR HEIGHT	CBV2141XBP	$ 849	20⅜	20⅜	40⅛	—	—	36 lbs.	10.6
	CBV2741XBP	1032	27¼	27¼	40⅛	—	—	38 lbs.	16.1
	CBV3241XBP	1214	31⅜	31⅜	40⅛	—	—	39 lbs.	20.2
	CBV4041XBP	1468	39⅜	39⅜	40⅛	—	—	40 lbs.	29.3
	• Not recommended to be placed directly over a grommet cutout								
QUAD X BASE WORKSURFACE HEIGHT	CBV3028QXBP	$ 1450	29⅝	29⅝	27⅜	—	—	115 lbs.	22.4
	CBV3528QXBP	1527	34¾	34¾	27⅜	—	—	117 lbs.	28.8
	• G23 daisy link starter unit cannot be routed through the wire management cutout in the column of the base • Ellipse shaped wire management cutout standard in all 4 columns of the quad base								
QUAD X BASE COUNTER HEIGHT	CBV3035QXBP	$ 1551	29⅝	29⅝	34⅞	—	—	126 lbs.	27.6
	CBV3535QXBP	1630	34¾	34¾	34⅞	—	—	127 lbs.	35.5
	• G23 daisy link starter unit cannot be routed through the wire management cutout in the column of the base • Ellipse shaped wire management cutout standard in all 4 columns of the quad base								
QUAD X BASE BAR HEIGHT	CBV3041QXBP	$ 1652	29⅝	29⅝	40⅛	—	—	135 lbs.	31.9
	CBV3541QXBP	1732	34¾	34¾	40⅛	—	—	137 lbs.	41.0
	• G23 daisy link starter unit cannot be routed through the wire management cutout in the column of the base • Ellipse shaped wire management cutout standard in all 4 columns of the quad base								

FOOTINGS

PRODUCT SPECIFICATIONS

- Reference pages 195-201 for table base guide
- Adjustable glides standard
- Shipped in 3 separate cartons
- Standard ellipse shaped wire management cutout in the column

TO ORDER, SPECIFY:

1. Model Number
2. Column Paint Color
3. Foot Paint Color

SAMPLE MODEL NUMBER:

CBV183115YBKP 462 265

- See pages 189-191 for all options available in Footings

Y BASES WITH RAIL OCCASIONAL HEIGHT

MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
CBV183115YBKP	$ 865	30⅞	18⅛	14⅛	–	–	49 lbs.	7.1
CBV183515YBKP	902	34⅞	18⅛	14⅛	–	–	49 lbs.	7.2
CBV243815YBKP	942	38⅝	24	14⅛	–	–	51 lbs.	9.8
CBV244415YBKP	980	44⅝	24	14⅛	–	–	52 lbs.	9.8
CBV245015YBKP	1020	50⅝	24	14⅛	–	–	52 lbs.	9.8

- 1⅛" diameter glide

Y BASES WITH RAIL WORKSURFACE HEIGHT



44" shown



64" shown



100" shown

MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
CBV243828YBKP	$ 1020	38⅝	24	27 13⁄16	–	–	61 lbs.	17.2
CBV244428YBKP	1057	44⅝	24	27 13⁄16	–	–	62 lbs.	17.2
CBV245028YBKP	1098	50⅝	24	27 13⁄16	–	–	63 lbs.	17.2
CBV245628YBKP	1136	56⅝	24	27 13⁄16	–	–	64 lbs.	17.2
CBV246228YBKP	1175	62⅝	24	27 13⁄16	–	–	65 lbs.	17.2
CBV285228YBKP	1175	52⅜	27½	27 13⁄16	–	–	64 lbs.	20.7
CBV285828YBKP	1214	58⅜	27½	27 13⁄16	–	–	65 lbs.	20.8
CBV286428YBKP	1214	64⅜	27½	27 13⁄16	–	–	66 lbs.	20.8
CBV2810028YBKP	1253	100⅜	27½	27 13⁄16	–	–	100 lbs.	29.9

- G23 daisy link starter unit cannot be routed through the wire management cutout in the column of the base
- Some assembly required

PRODUCT SPECIFICATIONS

- Reference pages 195-201 for table base guide
- Adjustable glides standard
- Shipped in 3 separate cartons
- Standard ellipse shaped wire management cutout in the column

TO ORDER, SPECIFY:

1. Model Number
2. Column Paint Color
3. Foot Paint Color

SAMPLE MODEL NUMBER:

CBV243835YBKP 462 265

- See pages 189-191 for all options available in Footings

Y BASES WITH RAIL COUNTER HEIGHT



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
CBV243835YBKP	$ 1057	38 3/16	24	34 7/8	—	—	67 lbs.	21.2
CBV244435YBKP	1098	44 3/16	24	34 7/8	—	—	68 lbs.	21.2
CBV245035YBKP	1136	50 3/16	24	34 7/8	—	—	68 lbs.	21.3
CBV245635YBKP	1175	56 3/16	24	34 7/8	—	—	69 lbs.	21.4
CBV246235YBKP	1214	62 3/16	24	34 7/8	—	—	70 lbs.	21.4
CBV285235YBKP	1253	52 3/8	27 1/2	34 7/8	—	—	69 lbs.	25.3
CBV285835YBKP	1294	58 3/8	27 1/2	34 7/8	—	—	70 lbs.	25.4
CBV286435YBKP	1332	64 3/8	27 1/2	34 7/8	—	—	71 lbs.	25.4

Y BASES WITH RAIL BAR HEIGHT



CBV243841YBKP	$ 1175	38 3/16	24	40 15/16	—	—	71 lbs.	24.4
CBV244441YBKP	1214	44 3/16	24	40 15/16	—	—	72 lbs.	24.4
CBV245041YBKP	1253	50 3/16	24	40 15/16	—	—	73 lbs.	24.5
CBV245641YBKP	1294	56 3/16	24	40 15/16	—	—	74 lbs.	24.6
CBV246241YBKP	1294	62 3/16	24	40 15/16	—	—	75 lbs.	24.6
CBV285241YBKP	1332	52 3/8	27 1/2	40 15/16	—	—	74 lbs.	29.3
CBV285841YBKP	1371	58 3/8	27 1/2	40 15/16	—	—	75 lbs.	29.4
CBV286441YBKP	1410	64 3/8	27 1/2	40 15/16	—	—	76 lbs.	29.4

- G23 daisy link starter unit cannot be routed through the wire management cutout in the column of the base
- Some assembly required

MIO

MIO PRODUCT SPECIFICATIONS

TOPS

- Laminate surfaces are 1⅜" HPL (high pressure laminate) and feature a softened 3mm PVC rim or a PVC knife rim profile
- Veneer surfaces are 1⅜" plain sliced slipmatched cherry (Amber, Autumn, Mocha, Truffle) or maple veneer (Brighton, Caramel, Honey, Natural), plain sliced bookmatched walnut veneer (Cordovan, Judicial), quarter cut walnut veneer (Almond, Portobello, Sable), or quarter cut oak (Sonoma). All veneer surfaces feature a 3mm wood rim or knife rim profile
- Knife rim surface available on 3 sides
- Refer to page 228 for rim profiles and colors

FINISH APPLICATION

- All Veneer surfaces feature a semi-open pore matte finish

TAPERED BASES

- MDF
- Adjustable glides are standard
- Features removable panels for wire access

VERTICAL CABLE MANAGER

- Vertical Cable Manager attaches to the Exhibit TV Mount Insert
- Conceals and allows for power cords to be managed and routed from TV to outlet

WALLS

- Walls available in laminate, veneer, or HPL marker board
- Wall features aluminum powder coated trim
- Features removable panels for wire access in the same paint color as the wall trim
- Wall available with no TV mount, single TV mount, or dual TV mount (dual is 60" wide wall only)

EXHIBIT TV MOUNT INSERT

- Laminate or veneer inserts; TV mount included with insert
- Optional single or dual mount on 60" wide inserts

POWER/DATA ELECTRICAL SPECIFICATIONS

DOUBLE PIVOTING M2X-B POWER GROMMET (G15A, G15B)

- Accommodates table thicknesses of ¾"-1¾"
- 1 touch door remains open during use
- 2 6 ft. power cords with 3-prong molded plug for each side
- Spill-proof
- Available in silver, black or white powder coat
- Hardwire/Chicago Code available
- Corded units (standard and hardwire) have 2 72" long power cords (1 for each side) rated at 15 amps 120 volts
- Grommet comes with undersurface wire managers attached underneath conference top
- Field installable into a CUT-G15 (must be ordered)
- UL Listed
- G15A SIDE 1: 2 power outlets, 1 dual USB-A port, 1 HDMI and 1 blank data port SIDE 2: 2 power outlets, 1 dual USB-A port, 1 VGA and 1 blank data port
- G15B SIDE 1: 2 power outlets, 1 blank data port, 1 HDMI, and 1 USB A + C combo SIDE 2: 2 power outlets, 1 blank data port, 1 VGA and 1 USB-A + C combo

POWER/DATA OASIS (G162)

- To be ordered with G16 cutout options
- Must be inserted and installed into cutouts in field
- Fits into CUT-G16C, CUT-G16E, CUT-G16LR, CUT-G16A, and CUT-G16CE options
- Silver or black powder coat
- The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit
- Power/Data Oasis (G162) unit will feature 6 power receptacles with 2 108" power cords and molded plugs rated at 12 amps 120 volts, 2 charging USB (2.1); 1 HDMI; 1 VGA with mini stereo, and 1 RJ45 data jack
- Power/Data Oasis hardwire unit (G162) will feature 6 power receptacles with 1 72" long hardwire conduit covered pigtail cable on 1 end which carries 2 20 amp 120 volt circuits to power 2 sides of the Power/Data Oasis, 2 charging USB (2.1); 1 HDMI; 1 VGA with mini stereo, and 1 RJ45 data jack. Not Chicago Code
- Hardwire/Chicago Code available
- Standard units have cords that are 9 ft. long rated at 15 amps 120 volts and molded plug. Hardwire units have cords that are 6 ft. long rated at 20 amps 120 volts and molded plug
- Cannot be field scribed for cutout
- For more specification information: www.electri-cable.com

INTERLINK IQ SYSTEM (G17A, G17B, G17C)

- Non-sequential "Daisy chain" solution
- Interlink IQ system must begin with a smart box with starter plug (or full set)
- Jumper or transitional jumper used between the smart box and G17 IQ grommets when the span between grommet locations are greater than 60"
- Interlink IQ is plugged only. Hardwire is not available
- Built-in status indicator: green means go, red light indicates too many units
- UL recognized
- G17A Interlink has 2 power outlets
- G17B Interlink has 1 power and 1 dual USB-A + C combo
- G17C Interlink has 1 power outlet

POWER GROMMET (G23)

- Field installable when CUT-G23 option is specified
- Die-cast zinc in black or silver powder coat
- Includes 2 power outlets and 2 power USB ports
- Silver, black, or white
- Hardwire available
- 9 foot, 15 amp cord
- UL Listed

EXTENSION - FRONT BAR HEIGHT

ET41 Bar Height Access Panel, Front

- Front extension is always bar height on 79" height walls

EXTENSION - BACK BAR HEIGHT

ET41 Bar Height Access Panel, Back
ET29 Desk Height Access Panel, Back
1F462 Full Epicenter Mount, Cinder
1F501 Full Epicenter Mount, Platinum Metallic
1F503 Full Epicenter Mount, Satin Nickel Metallic
1U462 Upper Epicenter Mount, Cinder
1U501 Upper Epicenter Mount, Platinum Metallic
1U503 Upper Epicenter Mount, Satin Nickel Metallic
X No Back Side Extension

EXTENSION - FRONT DESK HEIGHT

ET29 Desk Height Access Panel, Front

- Front extension is always desk height on 67" height walls

EXTENSION - BACK DESK HEIGHT

ET29 Desk Height Access Panel, Back
1F462 Full Epicenter Mount, Cinder
1F501 Full Epicenter Mount, Platinum Metallic
1F503 Full Epicenter Mount, Satin Nickel Metallic
1U462 Upper Epicenter Mount, Cinder
1U501 Upper Epicenter Mount, Platinum Metallic
1U503 Upper Epicenter Mount, Satin Nickel Metallic
X No Back Side Extension

- TV mount option should not be selected with an Epicenter extension

TV MOUNT - FRONT

TS Single TV Mount, Front ($524 list upcharge)
TD Dual TV Mount, Front ($1493 list upcharge)
X No TV Mount, Front

- Dual TV mount available on 60" walls only

TV MOUNT - BACK

TS Single TV Mount, Back ($524 list upcharge)
TD Dual TV Mount, Back ($1493 list upcharge)
X No TV Mount, Back

- Dual TV mount available on 60" walls only

POWER POLE CUTOUT OPTIONS

CUT-P1 Power Pole Cutout ($40 list upcharge)
X No Power Pole Cutout

WALL ACCESS PANEL/ TRIM PAINT/POWER POLE COLOR

405 Designer White
423 Concrete
462 Cinder
463 Iron
501 Platinum Metallic
503 Satin Nickel Metallic

EXHIBIT INSERT TV MOUNT

TS Single TV Mount, Front
TD Dual TV Mount, Front ($968 list upcharge)

WALL, TV MOUNT EXHIBIT INSERT, AND VERTICAL WIRE MANAGER FINISHES

WOODGRAIN LAMINATE

AC2 Autumn 2
AD Almond
BZ Brazilwood
CI Chai
CL Caramel
CW Cordovan
DW Judicial
HN2 Honey 2
IM Brighton
KN Kona
MC Amber
MH Mocha
NM Natural
PB Portobello
PC Porcini
PT Portico
SK Skyline
SM Sonoma
TF Truffle
WL Willow
792 Sable
793 Acorn

SOLID LAMINATE

405 Designer White
419 Wallaby
425 Shadow
440 Cloud
457 Dapple
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear

GALLERY LAMINATE

Grade 1 – 5% upcharge
G1001 Citadel
G1011 Pepperdust

Grade 2 – 6% upcharge
G1002 Planked Raw Oak
G1003 Evening Notte
G1004 Kirsche
G1005 Midnight Run
G1006 Sepia Walnut
G1007 Serotina
G1008 Timeless
G1009 White Nebbia
G1012 Phantom Ecru

See page 14 for Gallery program details and upcharges

VENEER WOOD FINISHES

AC Autumn
AD Almond
CL Caramel
CW Cordovan
DW Judicial
HN Honey
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
SM Sonoma
TF Truffle
792 Sable

MIO - CONFIGURATION OPTIONS

MDF TAPER BASE PAINT COLORS

405 Designer White
423 Concrete
462 Cinder
463 Iron
501 Platinum Metallic
503 Satin Nickel Metallic

BASE WIRE CHANNEL HEIGHT



6 STD Channel Height

G15 and G16 Grommet Channel (6" deep)

TOP SHAPES AND SIZES

Square

48" x 48"
54" x 54"
60" x 60"



Rectangle

36" x 48", 54", 60", 66", 72", 78" and 84"
42" x 48", 54", 60", 66", 72", 78" and 84"
48" x 54", 60", 66", 72", 78" and 84"
54" x 48", 60", 66", 72", 78" and 84"
60" x 48", 54", 66", 72", 78" and 84"

Wedge

36" x 48", 54", 60", 66", 72", 78" and 84"
42" x 48", 54", 60", 66", 72", 78" and 84"
48" x 48", 54", 60", 66", 72", 78" and 84"
54" x 48", 54", 60", 66", 72", 78" and 84"
60" x 48", 54", 60", 66", 72", 78" and 84"

U-Shaped

36" x 48", 54", 60", 66", 72", 78" and 84"
42" x 48", 54", 60", 66", 72", 78" and 84"
48" x 48", 54", 60", 66", 72", 78" and 84"
54" x 48", 54", 60", 66", 72", 78" and 84"
60" x 48", 54", 60", 66", 72", 78" and 84"

TOP WOOD FINISHES

AC Autumn
AD Almond
CL Caramel
CW Cordovan
DW Judicial
HN Honey
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
SM Sonoma
TF Truffle
792 Sable

TOP LAMINATE COLORS

WOODGRAIN LAMINATE

AC2 Autumn 2
AD Almond
BZ Brazilwood
CI Chai
CL Caramel
CW Cordovan
DW Judicial
HN2 Honey 2
IM Brighton
KN Kona
MC Amber
MH Mocha
NM Natural
PB Portobello
PC Porcini
PT Portico
SK Skyline
SM Sonoma
TF Truffle
WL Willow
792 Sable
793 Acorn

SOLID LAMINATE

405 Designer White
419 Wallaby
425 Shadow
440 Cloud
457 Dapple
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear

PATTERN LAMINATE

814 White Tigris
818 Crisp Linen
819 Flax Gauze
821 Elemental Concrete
822 Smoke Quarstone

GALLERY LAMINATE

Grade 1 – 5% upcharge
G1001 Citadel
G1011 Pepperdust

Grade 2 – 6% upcharge
G1002 Planked Raw Oak
G1003 Evening Notte
G1004 Kirsche
G1005 Midnight Run
G1006 Sepia Walnut
G1007 Serotina
G1008 Timeless
G1009 White Nebbia
G1012 Phantom Ecru

• CSL available; see page 14 for program details and upcharge

See page 14 for Gallery program details and upcharges

RIM PROFILE OPTIONS



Softened Wood (F) (wood tops only)



Softened PVC (V) (laminate tops only)



Knife (K)

WOODGRAIN PVC RIM

AC2 Autumn 2
AD Almond
BZ Brazilwood
CI Chai
CL Caramel
CW Cordovan
DW Judicial
HN2 Honey 2
IM Brighton
KN Kona
MC Amber
MH Mocha
NM Natural
PB Portobello
PC Porcini
PT Portico
SK Skyline
SM Sonoma
TF Truffle
WL Willow
792 Sable
793 Acorn

SOLID PVC RIM

405 Designer White
419 Wallaby
425 Shadow
440 Cloud
457 Dapple
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear

GALLERY PVC SOFTENED RIM

Grade 1 – 5% upcharge
G1001 Citadel
G1011 Pepperdust

Grade 2 – 6% upcharge
G1002 Planked Raw Oak
G1003 Evening Notte
G1004 Kirsche
G1005 Midnight Run
G1006 Sepia Walnut
G1007 Serotina
G1008 Timeless
G1009 White Nebbia
G1012 Phantom Ecru

GROMMET AND CUTOUT OPTIONS

Mio tops are available with grommet cutout options to accommodate electrical and data management solutions.
If no grommet or cutout is desired, specify an X.

Cutout Option for 1 Touch Double Pivoting Power Grommet

$40 list upcharge per cutout

CUT-G15C Center
CUT-G15E End



- Reference below for cutout locations of CUT-G15



NACG15AELPGS, NACG15AELHCS, NACG15AELPGB, NACG15AELHCB, NACG15AELPGW, and NACG15AELHCW (Sold Separately)

- Must order model NACG15AELPGS, NACG15AELHCS, NACG15AELPGB, NACG15AELHCB, NACG15AELPGW, or NACG15AELHCW to fit into CUT-G15 option
- Reference pages 560-562 for pricing and details

Cutout Option for Power/Data Oasis

$40 list upcharge per cutout

CUT-G16C Center
CUT-G16E End



- Reference below for cutout locations of CUT-G16



NACG162ELS, NACG162ELHS, NACG162ELB, and NACG162ELHB (Sold Separately)

- Must order model NACG162ELS, NACG162ELHS, NACG162ELB, or NACG162ELHB to fit into CUT-G16 option
- Reference page 563 for pricing and details

Cutout Option for 1 Touch Pivoting Power Grommet

$40 list upcharge per cutout location

CUT-G17C Center
CUT-G17E End

- Reference below for cutout locations of CUT-G17



NACG17AELPGB, NACG17AELPGS, and NACG17AELPGW (Sold Separately)

- Reference page 564 for pricing and details



NACG17BELPGB, NACG17BELPGS, and NACG17BELPGW (Sold Separately)

- Reference page 564 for pricing and details



NACG17CELPGB, NACG17CELPGS, and NACG17CELPGW (Sold Separately)

- Reference page 564 pricing and details

Cutout Option for G23 Power Grommet

$40 list upcharge per cutout

CUT-G23C Center
CUT-G23E End
CUT-G23CE Center, End



- Reference page 231 for cutout locations of CUT-G23



NACG23ELB (Sold Separately NACG23ELS (Sold Separately)

- Must order model NACG23ELB or NACG23ELS to fit into CUT-G23 option
- Reference page 570 for pricing and details

MIO - CONFIGURATION OPTIONS

WORKSURFACE WIRE MANAGER OPTIONS

Only available on Exhibit mount tops

If no wire manager is desired, specify an X
(No Wire Manager)

Specify location and color option
Comes attached to worksurface

Locations:

X	No Wire Manager	
NT1	Notch with Sleeve	$40 list upcharge
D1B	Back	$50 list upcharge



Colors:

403 Chamois
405 Designer White
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
485 Dark Chocolate



Notch



WORKSURFACE WIRE MANAGER COLORS

403 Chamois
405 Designer White
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
485 Dark Chocolate

WIRE MANAGER FILLER CAP COLORS

403 Chamois
405 Designer White
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
485 Dark Chocolate

NOTE: 478 not available. Recommended to use 440 Cloud for 478 Platinum Grey on filler caps.

WORKSURFACE FINISH/ LAMINATE	WIRE MANAGER AND FILLER CAP COLOR RECOMMENDATIONS
WOODGRAINS	
AC2 Autumn 2	403 Chamois 419 Wallaby 485 Dark Chocolate
AD Almond	485 Dark Chocolate
CL Caramel	403 Chamois 419 Wallaby
BZ Brazilwood	403 Chamois 419 Wallaby
CI Chai	403 Chamois 419 Wallaby
CW Cordovan	485 Dark Chocolate
DW Judicial	485 Dark Chocolate
HN2 Honey 2	403 Chamois 419 Wallaby
IM Brighton	403 Chamois 405 Designer White 419 Wallaby
KN Kona	425 Shadow
MC Amber	403 Chamois 419 Wallaby 485 Dark Chocolate
MH Mocha	485 Dark Chocolate
NM Natural	403 Chamois 419 Wallaby
PB Portobello	425 Shadow 461 Graphite
PC Porcini	419 Wallaby 425 Shadow
PT Portico	461 Graphite 478 Platinum Grey
SK Skyline	485 Dark Chocolate
SM Sonoma	403 Chamois 419 Wallaby
TF Truffle	403 Chamois 425 Shadow 485 Dark Chocolate
WL Willow	419 Wallaby 425 Shadow
792 Sable	425 Shadow 485 Dark Chocolate
793 Acorn	419 Wallaby 425 Shadow 485 Dark Chocolate

WORKSURFACE FINISH/ LAMINATE	WIRE MANAGER AND FILLER CAP COLOR RECOMMENDATIONS
SOLID LAMINATES	
405 Designer White	405 Designer White
419 Wallaby	419 Wallaby
425 Shadow	425 Shadow
440 Cloud	440 Cloud
457 Dapple	457 Dapple
461 Graphite	461 Graphite
462 Cinder	462 Cinder
478 Platinum Grey	478 Platinum Grey
488 Frosty White	405 Designer White
491 Designer White Linear	405 Designer White
492 Cinder Linear	462 Cinder

WORKSURFACE FINISH/ LAMINATE	WIRE MANAGER AND FILLER CAP COLOR RECOMMENDATIONS
PATTERN LAMINATES	
814 White Tigris	440 Cloud 478 Platinum Grey
818 Crisp Linen	440 Cloud
819 Flax Gauze	403 Chamois 419 Wallaby
821 Elemental Concrete	440 Cloud 478 Platinum Grey
822 Smoke Quarstone	461 Graphite

WORKSURFACE/ LAMINATE	WIRE MANAGER AND FILLER CAP COLOR RECOMMENDATIONS
GALLERY LAMINATE	
G1001 Citadel	425 Shadow 461 Graphite 478 Platinum Grey
G1002 Planked Raw Oak	405 Designer White 419 Wallaby 440 Cloud
G1003 Evening Notte	425 Shadow 485 Dark Chocolate
G1004 Kirsche	403 Chamois 419 Wallaby 425 Shadow
G1005 Midnight Run	461 Graphite 462 Cinder
G1006 Sepia Walnut	485 Dark Chocolate
G1007 Serotina	425 Shadow
G1008 Timeless	485 Dark Chocolate 425 Shadow
G1009 White Nebbia	405 Designer White 440 Cloud
G1011 Pepperdust	425 Shadow 478 Platinum Grey
G1012 Phantom Ecru	419 Wallaby 440 Cloud 425 Shadow

GROMMET LOCATIONS

- Option CUT-G23CE (Center & End) is only available on tops 60", 66", 72", 78", and 84" wide

TABLE LENGTHS

	48"	54"	60"	66"
END & CENTER GROMMET LOCATIONS				

TABLE LENGTHS

	72"	78"	84"
END & CENTER GROMMET LOCATIONS			

FUNCTIONAL SEATING CAPACITY

Reference the chart for the number of seats which can be used with each top size. Value ranges between how many can comfortably sit around the table and how many can tightly fit.

N/A denotes the shape is not applicable to a specific top size.

TOP SHAPES

TOP SIZE WIDTH	SQUARE	 RECTANGLE	 WEDGE	 U-SHAPED
48"	4	4	3–4	4
54"	4–6	5	4	4
60"	4–6	5	4–5	4–6
66"	N/A	5–6	5–6	5–6
72"	N/A	6	6	6
78"	N/A	6–7	6–7	6–7
84"	N/A	7–8	7	7

MIO - WALL, TOP, AND BASE GUIDE

WALL	TOP					BASE
SIZE	MIO TOP SIZE	SQUARE	RECTANGLE	WEDGE	U-SHAPED	
48" DESK HEIGHT 	36"/42" x 48"		✓	✓	✓	4828
	48" x 48"	✓		✓	✓	4828
	36"/42"/48" x 54"		✓	✓	✓	5428
	36"/42"/48" x 60"		✓	✓	✓	6028
	36"/42"/48" x 66"			✓	✓	6628
	36"/42"/48" x 72"			✓	✓	7228
	36"/42"/48" x 78"			✓		7828
	36"/42"/48" x 84"			✓		8428
60" DESK HEIGHT 	48"/54"/60" x 48"		✓	✓	✓	4828
	48"/54" x 54"	✓				5428
	48"/54" x 60"		✓	✓	✓	6028
	60" x 54"		✓	✓	✓	5428
	60" x 60"	✓		✓	✓	6028
	48"/54"/60" x 66"			✓	✓	6628
	48"/54"/60" x 72"			✓	✓	7228
	48"/54"/60" x 78"			✓		7828
	48"/54"/60" x 84"			✓		8428
48" BAR HEIGHT 	36"/42" x 48"		✓	✓	✓	4840
	48" x 48"	✓		✓	✓	4840
	36"/42"/48" x 54"		✓	✓	✓	5440
	36"/42"/48" x 60"		✓	✓	✓	6040
	36"/42"/48" x 66"			✓	✓	6640
	36"/42"/48" x 72"			✓	✓	7240
60" BAR HEIGHT 	48"/54"/60" x 48"		✓	✓	✓	4840
	48"/54" x 54"	✓				5440
	48"/54" x 60"		✓	✓	✓	6040
	60" x 54"		✓	✓	✓	5440
	60" x 60"	✓		✓	✓	6040
	48"/54"/60" x 66"			✓	✓	6640
	48"/54"/60" x 72"			✓	✓	7240

✓ denotes the size of top that goes with each wall and the corresponding base size

EXHIBIT MOUNT TOP AND BASE GUIDE - MIO

• Customer determines the size of the Exhibit TV Mount Insert; no restrictions

MIO EXHIBIT MOUNT TOP					MIO EXHIBIT MOUNT BASE
TOP SIZE WIDTH	SQUARE	RECTANGLE	WEDGE	U-SHAPED	
48"	✓	✓	✓	✓	4828
54"	✓	✓	✓	✓	5428
60"	✓	✓	✓	✓	6028
66"		✓	✓	✓	6628
72"		✓	✓	✓	7228
78"		✓	✓	✓	7828
84"		✓	✓	✓	8428
48"	✓	✓	✓	✓	4840
54"		✓	✓	✓	5440
60"		✓	✓	✓	6040
66"		✓	✓	✓	6640
72"		✓	✓	✓	7240
78"		✓	✓	✓	7840
84"		✓	✓	✓	8440

✓ denotes the size of top that goes with each corresponding base size

• Example of cord routing through the base into the Mio wall



MIO - THOUGHT STARTERS

60" WIDE FREESTANDING MIO WALL DESK HEIGHT



Back Side Front Side

PART NUMBER	PART DESCRIPTION	QUANTITY	EXT LIST
15N6067MW2L	Mio, Media Wall, Desk Height Laminate	1	$ 6121
ET29	Desk Height Access Panel, Front		
TS	Single TV Mount, Front (upcharge)		$ 524
X	No Backside Extension		
TD	Dual TV Mount, Back (upcharge)		$ 1493
X	No Power Pole Cutout		
–	*Skipped Option*		
–	*Skipped Option*		
–	*Skipped Option*		
15N6072WGLK	Mio, 60D x 72W, Conference Top, Wedge, Laminate	1	$ 4608
–	*Skipped Option*		
–	*Skipped Option*		
–	*Skipped Option*		
15N7228TPBP	Mio, 72W x 28H, Taper Height, Paint	1	$ 3781
–	*Skipped Option*		
–	*Skipped Option*		
Total			$16,527

48" WIDE FREESTANDING MIO WALL BAR HEIGHT

PART NUMBER	PART DESCRIPTION	QUANTITY	EXT LIST
15N4879MW2W	Mio, Media Wall, Bar Height, Wood	1	$ 6661
ET41	Bar Height Access Panel, Front		
TS	Single TV Mount, Front (upcharge)		$ 524
ET29	Desk Height Access Panel, Back		
X	No TV Mount, Back		
CUT-P1	Power Pole Cutout (upcharge)		$ 40
–	*Skipped Option*		
–	*Skipped Option*		
15N4872WGL		2	$ 3014
–	*Skipped Option*		
–	*Skipped Option*		
–	*Skipped Option*		
15N7240TPBP	Mio, 72W x 40H, Taper Height, Paint	1	$ 4162
–	*Skipped Option*		
–	*Skipped Option*		
15N7228TPBP	Mio, 72W x 28H, Taper Height, Paint	1	$ 3781
–	*Skipped Option*		
–	*Skipped Option*		
15N93ELC	Power Pole	1	$ 396
Total			$21,592



Front Side Back Side

48" WIDE FREESTANDING MIO WALL BAR HEIGHT



Front Side

Back Side

PART NUMBER	PART DESCRIPTION	QUANTITY	EXT LIST
15N4879MW2WMB	Mio, Media Wall, Bar Height, Wood/Marker Board	1	$ 8045
ET41	Bar Height Access Panel, Front		
TS	Single TV Mount, Front (upcharge)		$ 524
X	No Backside Extension		
X	No TV Mount, Back		
X	No Power Pole Cutout		
–	*Skipped Option*		
–	*Skipped Option*		
15N4866WGLK	Mio, 48D x 66W, Conference Top, Wedge, Laminate, Knife Rim	1	$ 3674
–	*Skipped Option*		
–	*Skipped Option*		
–	*Skipped Option*		
15N6640TPBP	Mio, 66W x 40H, Taper Base, Bar Height, Paint	1	$ 4047
–	*Skipped Option*		
–	*Skipped Option*		
Total			$16,290

MIO - THOUGHT STARTERS

48" WIDE FREESTANDING MIO WALL BAR HEIGHT



Front Side Back Side

PART NUMBER	PART DESCRIPTION	QUANTITY	EXT LIST
15N4879MW2L	Mio, Media Wall, Bar Height, Laminate	1	$ 6226
ET41	Bar Height Access Panel, Front		
TS	Single TV Mount, Front (upcharge)		$ 524
1U462	Upper Epicenter Mount, Cinder		
X	No TV Mount, Back		
X	No Power Pole Cutout		
—	*Skipped Option*		
—	*Skipped Option*		
—	*Skipped Option*		
15N4860RTL	Mio, 48D x 60W, Conference Top, Rectangle, Laminate	1	$ 2442
—	*Skipped Option*		
—	*Skipped Option*		
—	*Skipped Option*		
15N6040TPBP	Mio, 60W x 40H, Taper Base, Bar Height, Paint	1	$ 3939
—	*Skipped Option*		
—	*Skipped Option*		
Total			$13,131

• Epicenter components must be ordered separately

MIO TV INSERT WITH EXHIBIT



PART NUMBER	PART DESCRIPTION	QUANTITY	EXT LIST
11N6049TVL TS	TV Mount Exhibit Insert Single TV Mount	1	$ 3024
15N6060WGDLK – – – –	Mio, 60D x 60W, Conference Top, Wedge, Knife Rim, Laminate *Skipped Option* *Skipped Option* *Skipped Option* *Skipped Option*	1	$ 4118
15N6028TPOBP – –	Mio, 60W x 28H, Taper Base, Desk Height, Paint *Skipped Option* *Skipped Option*	1	$ 4118
Total			$11,260

MIO

PRODUCT SPECIFICATIONS

- Front side of the wall will always have a worksurface extension that is bar height for bar height walls
- Bar height extension only available on bar height walls
- Dual TV mount available on 60" walls only
- Power pole cutout option on the top of the wall to allow for use with a power pole in open plan applications; located in the top center of the wall
- When pushing a Mio wall against an architectural wall, a back access panel can be selected as an option to allow cord access to the architectural wall
- When TV mount option is selected, it will ship in separate carton
- TV not included; recommended that TV overall width not be greater than Mio wall width
- For detailed specifications, see page 227

TO ORDER, SPECIFY:

1. Model Number
2. Extension - Front
3. TV Mount - Front
4. Extension - Back
5. TV Mount - Back
6. Power Pole Cutout
7. Trim Paint Color
8. Finish/Laminate

SAMPLE MODEL NUMBERS:

15N6079MW2W	ET41	TS	ET29	TS	X	501	MC	
15N6079MW2L	ET41	TD	ET41	TS	X	501	478	PB
15N6079MW2WMB	ET41	TS	ET29	X	X	501	MC	

- See pages 227-230 for all options available in Mio

FREESTANDING MIO WALL BAR HEIGHT



Without Mount



With Single Mount



With Dual Mount

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
BAR HEIGHT									
15N6079MW2W	Wood	$ 6878	3	60⅜	78¼	—	—	235 lbs.	14.6
15N6079MW2L	Laminate	6442	3	60⅜	78¼	—	—	235 lbs.	14.6
15N4879MW2W	Wood	$ 6661	3	48⅛	78¼	—	—	185 lbs.	11.8
15N4879MW2L	Laminate	6226	3	48⅛	78¼	—	—	185 lbs.	11.8
BAR HEIGHT WITH MARKER BOARD									
15N6079MW2MBW	Marker Board/Wood	$ 8269	3	60⅜	78¼	—	—	235 lbs.	14.6
15N6079MW2MBL	Marker Board/Laminate	7816	3	60⅜	78¼	—	—	235 lbs.	14.6
15N6079MW2WMB	Wood/Marker Board	8269	3	60⅜	78¼	—	—	235 lbs.	14.6
15N6079MW2LMB	Laminate/Marker Board	7816	3	60⅜	78¼	—	—	235 lbs.	14.6
15N6079MW2MB	Marker Board/Marker Board	9662	3	60⅜	78¼	—	—	235 lbs.	14.6
15N4879MW2MBW	Marker Board/Wood	$ 8045	3	48⅛	78¼	—	—	185 lbs.	11.8
15N4879MW2MBL	Marker Board/Laminate	7591	3	48⅛	78¼	—	—	185 lbs.	11.8
15N4879MW2WMB	Wood/Marker Board	8045	3	48⅛	78¼	—	—	185 lbs.	11.8
15N4879MW2LMB	Laminate/Marker Board	7591	3	48⅛	78¼	—	—	185 lbs.	11.8
15N4879MW2MB	Marker Board/Marker Board	9437	3	48⅛	78¼	—	—	185 lbs.	11.8

- Grain direction runs vertically
- Laminate wall is LPL; marker board wall is non-magnetic white HPL
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on models that are 60⅜" wide
- Wall should only be used with National certified TV mount that is included
- Some assembly required
- Must be used with Mio base and top
- Painted access panel will match the trim of the wall; removable for access to cables
- Adjustable glides standard; 2¼" adjustment
- For marker board walls, the material listed first is on the front (marker board/wood means marker board on the front and wood on the back)
- 260 lbs. weight limit for each TV mount

PRODUCT SPECIFICATIONS

- Front side of the wall will always have a worksurface extension that is desk height for desk height walls
- Dual TV mount available on 60" walls only
- Power pole cutout option on the top of the wall to allow for use with a power pole in open plan applications; located in the top center of the wall
- When pushing a Mio wall against an architectural wall, a back access panel can be selected as an option to allow cord access to the architectural wall
- When TV mount option is selected, it will ship in separate carton
- TV not included; recommended that TV overall width not be greater than Mio wall width
- For detailed specifications, see page 227

TO ORDER, SPECIFY:

1. Model Number
2. Extension - Front
3. TV Mount - Front
4. Extension - Back
5. TV Mount - Back
6. Power Pole Cutout
7. Trim Paint Color
8. Finish/Laminate

SAMPLE MODEL NUMBERS:

15N6067MW2W ET41 TS ET29 TS X 501 MC
15N6067MW2L ET41 TD ET41 TS X 501 478 PB

- See pages 227-230 for all options available in Mio

FREESTANDING MIO WALL DESK HEIGHT



Without Mount



With Single Mount



With Dual Mount

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
DESK HEIGHT									
15N6067MW2W	Wood	$ 6537	3	60⅜	66⅜	–	–	215 lbs.	12.5
15N6067MW2L	Laminate	6121	3	60⅜	66⅜	–	–	215 lbs.	12.5
15N4867MW2W	Wood	$ 6328	3	48⅛	66⅜	–	–	170 lbs.	10.2
15N4867MW2L	Laminate	5914	3	48⅛	66⅜	–	–	170 lbs.	10.2
DESK HEIGHT WITH MARKER BOARD									
15N6067MW2MBW	Marker Board/Wood	$ 7914	3	60⅜	66⅜	–	–	215 lbs.	12.5
15N6067MW2MBL	Marker Board/Laminate	7482	3	60⅜	66⅜	–	–	215 lbs.	12.5
15N6067MW2WMB	Wood/Marker Board	7914	3	60⅜	66⅜	–	–	215 lbs.	12.5
15N6067MW2LMB	Laminate/Marker Board	7482	3	60⅜	66⅜	–	–	215 lbs.	12.5
15N6067MW2MB	Marker Board/Marker Board	9306	3	60⅜	66⅜	–	–	215 lbs.	12.5
15N4867MW2MBW	Marker Board/Wood	$ 7696	3	48⅛	66⅜	–	–	170 lbs.	10.2
15N4867MW2MBL	Marker Board/Laminate	7265	3	48⅛	66⅜	–	–	170 lbs.	10.2
15N4867MW2WMB	Wood/Marker Board	7696	3	48⅛	66⅜	–	–	170 lbs.	10.2
15N4867MW2LMB	Laminate/Marker Board	7265	3	48⅛	66⅜	–	–	170 lbs.	10.2
15N4867MW2MB	Marker Board/Marker Board	9091	3	48⅛	66⅜	–	–	170 lbs.	10.2

- Grain direction runs vertically
- Laminate wall is LPL; marker board wall is non-magnetic white HPL
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on models that are 60⅜" wide
- Wall should only be used with National certified TV mount that is included
- Some assembly required
- Must be used with Mio base and top
- Painted access panel will match the trim of the wall; removable for access to cables
- Adjustable glides standard; 2¼" adjustment
- For marker board walls, the material listed first is on the front (marker board/wood means marker board on the front and wood on the back)
- 260 lbs. weight limit for each TV mount

MIO

PRODUCT SPECIFICATIONS

- Reference page 229 for grommet and cutout locations
- Reference page 232 for wall, top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N6060SQW	F	CUT-G15C	MC
15N6060SQLK	K425	CUT-G15C	425

- See pages 227-230 for all options available in Mio

MIO WALL MOUNT SQUARE TOP SOFTENED RIM



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
48" SQUARE									
15N4848SQW	Wood	$ 2983	48	48 1/16	1 3/16	–	–	59 lbs.	4.5
15N4848SQL	Laminate	2094	48	48 1/16	1 3/16	–	–	59 lbs.	4.5
54" SQUARE									
15N5454SQW	Wood	$ 3326	54	54	1 3/16	–	–	121 lbs.	7.1
15N5454SQL	Laminate	2516	54	54	1 3/16	–	–	121 lbs.	7.1
60" SQUARE									
15N6060SQW	Wood	$ 3668	58 5/8	60	1 3/16	–	–	150 lbs.	8.3
15N6060SQL	Laminate	2931	58 5/8	60	1 3/16	–	–	150 lbs.	8.3

- Modified depth and width not available
- For use with Mio wall and base
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 488

MIO WALL MOUNT SQUARE TOP KNIFE RIM



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
48" SQUARE									
15N4848SQWK	Wood	$ 3879	48	48 1/16	1 3/16	–	–	59 lbs.	4.5
15N4848SQLK	Laminate	2723	48	48 1/16	1 3/16	–	–	59 lbs.	4.5
54" SQUARE									
15N5454SQWK	Wood	$ 4381	54	54	1 3/16	–	–	121 lbs.	7.1
15N5454SQLK	Laminate	2874	54	54	1 3/16	–	–	121 lbs.	7.1
60" SQUARE									
15N6060SQWK	Wood	$ 4771	58 5/8	60	1 3/16	–	–	150 lbs.	8.3
15N6060SQLK	Laminate	3811	58 5/8	60	1 3/16	–	–	150 lbs.	8.3

- Modified depth and width not available
- For use with Mio wall and base
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 488

PRODUCT SPECIFICATIONS

- Reference page 229 for grommet and cutout locations
- Reference page 232 for wall, top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N3648RTW F CUT-G15C MC
15N3648RTL V CUT-G15C 425

- See pages 227-230 for all options available in Mio

MIO WALL MOUNT RECTANGLE TOP SOFTENED RIM



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36" x 48"									
15N3648RTW	Wood	$ 2600	36⅛	48⅛	1⅜	—	—	50 lbs.	3.9
15N3648RTL	Laminate	1710	36⅛	48⅛	1⅜	—	—	50 lbs.	3.9
36" x 54"									
15N3654RTW	Wood	$ 2788	36⅛	54	1⅜	—	—	55 lbs.	4.4
15N3654RTL	Laminate	1898	36⅛	54	1⅜	—	—	55 lbs.	4.4
36" x 60"									
15N3660RTW	Wood	$ 2978	36⅛	60	1⅜	—	—	59 lbs.	5.0
15N3660RTL	Laminate	2088	36⅛	60	1⅜	—	—	59 lbs.	5.0
42" x 48"									
15N4248RTW	Wood	$ 2776	42	48⅛	1⅜	—	—	65 lbs.	4.4
15N4248RTL	Laminate	1888	42	48⅛	1⅜	—	—	65 lbs.	4.4
42" x 54"									
15N4254RTW	Wood	$ 2966	42	54	1⅜	—	—	76 lbs.	5.0
15N4254RTL	Laminate	2078	42	54	1⅜	—	—	76 lbs.	5.0
42" x 60"									
15N4260RTW	Wood	$ 3156	42	60	1⅜	—	—	92 lbs.	5.6
15N4260RTL	Laminate	2266	42	60	1⅜	—	—	92 lbs.	5.6
48" x 54"									
15N4854RTW	Wood	$ 3158	48	54	1⅜	—	—	92 lbs.	5.5
15N4854RTL	Laminate	2269	48	54	1⅜	—	—	92 lbs.	5.5
48" x 60"									
15N4860RTW	Wood	$ 3333	48	60	1⅜	—	—	110 lbs.	6.2
15N4860RTL	Laminate	2442	48	60	1⅜	—	—	110 lbs.	6.2

- Modified depth and width not available
- For use with Mio wall and base
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 488

MIO

PRODUCT SPECIFICATIONS

- Reference page 229 for grommet and cutout locations
- Reference page 232 for wall, top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N5448RTW F X PB
15N5448RTL V478 X 478

- See pages 227-230 for all options available in Mio

MIO WALL MOUNT RECTANGLE TOP SOFTENED RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
54" x 48"									
15N5448RTW	Wood	$ 3158	54	48 1/16	1 3/16	–	–	92 lbs.	6.6
15N5448RTL	Laminate	2269	54	48 1/16	1 3/16	–	–	92 lbs.	6.6
54" x 60"									
15N5460RTW	Wood	$ 3419	54	60	1 3/16	–	–	135 lbs.	7.5
15N5460RTL	Laminate	2531	54	60	1 3/16	–	–	135 lbs.	7.5
60" x 48"									
15N6048RTW	Wood	$ 3333	58 3/8	48 1/16	1 3/16	–	–	121 lbs.	6.9
15N6048RTL	Laminate	2442	58 3/8	48 1/16	1 3/16	–	–	121 lbs.	6.9
60" x 54"									
15N6054RTW	Wood	$ 3419	58 3/8	54	1 3/16	–	–	135 lbs.	7.5
15N6054RTL	Laminate	2531	58 3/8	54	1 3/16	–	–	135 lbs.	7.5

- Modified depth and width not available
- For use with Mio wall and base
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 488

MIO WALL MOUNT RECTANGLE TOP KNIFE RIM



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36" x 48"									
15N3648RTWK	Wood	$ 3600	36 1/8	48 1/16	1 3/16	–	–	50 lbs.	3.9
15N3648RTLK	Laminate	2442	36 1/8	48 1/16	1 3/16	–	–	50 lbs.	3.9
36" x 54"									
15N3654RTWK	Wood	$ 3792	36 1/8	54	1 3/16	–	–	55 lbs.	4.4
15N3654RTLK	Laminate	2631	36 1/8	54	1 3/16	–	–	55 lbs.	4.4
36" x 60"									
15N3660RTWK	Wood	$ 3980	36 1/8	60	1 3/16	–	–	59 lbs.	5.0
15N3660RTLK	Laminate	2821	36 1/8	60	1 3/16	–	–	59 lbs.	5.0

- Modified depth and width not available
- For use with Mio wall and base
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 488

PRODUCT SPECIFICATIONS

- Reference page 229 for grommet and cutout locations
- Reference page 232 for wall, top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N4248RTWK K X PB
15N4248RTLK K478 X 478

- See pages 227-230 for all options available in Mio

MIO WALL MOUNT RECTANGLE TOP KNIFE RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
42" x 48"									
15N4248RTWK	Wood	$ 3777	42	48 1/16	1 3/16	—	—	65 lbs.	4.4
15N4248RTLK	Laminate	2621	42	48 1/16	1 3/16	—	—	65 lbs.	4.4
42" x 54"									
15N4254RTWK	Wood	$ 3967	42	54	1 3/16	—	—	76 lbs.	5.0
15N4254RTLK	Laminate	2810	42	54	1 3/16	—	—	76 lbs.	5.0
42" x 60"									
15N4260RTWK	Wood	$ 4157	42	60	1 3/16	—	—	92 lbs.	5.6
15N4260RTLK	Laminate	2998	42	60	1 3/16	—	—	92 lbs.	5.6
48" x 54"									
15N4854RTWK	Wood	$ 4106	48	54	1 3/16	—	—	92 lbs.	5.5
15N4854RTLK	Laminate	2951	48	54	1 3/16	—	—	92 lbs.	5.5
48" x 60"									
15N4860RTWK	Wood	$ 4334	48	60	1 3/16	—	—	110 lbs.	6.2
15N4860RTLK	Laminate	3176	48	60	1 3/16	—	—	110 lbs.	6.2
54" x 48"									
15N5448RTWK	Wood	$ 4106	54	48 1/16	1 3/16	—	—	92 lbs.	6.6
15N5448RTLK	Laminate	2951	54	48 1/16	1 3/16	—	—	92 lbs.	6.6
54" x 60"									
15N5460RTWK	Wood	$ 4446	54	60	1 3/16	—	—	135 lbs.	7.5
15N5460RTLK	Laminate	3289	54	60	1 3/16	—	—	135 lbs.	7.5
60" x 48"									
15N6048RTWK	Wood	$ 4334	58 3/8	48 1/16	1 3/16	—	—	121 lbs.	6.9
15N6048RTLK	Laminate	3176	58 3/8	48 1/16	1 3/16	—	—	121 lbs.	6.9
60" x 54"									
15N6054RTWK	Wood	$ 4446	58 3/8	54	1 3/16	—	—	135 lbs.	7.5
15N6054RTLK	Laminate	3289	58 3/8	54	1 3/16	—	—	135 lbs.	7.5

- Modified depth and width not available
- For use with Mio wall and base
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 488

MIO

PRODUCT SPECIFICATIONS

- Reference page 229 for grommet and cutout locations
- Reference page 232 for wall, top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N4254WGW F X PB
15N4254WGL V478 X 478

- See pages 227-230 for all options available in Mio

MIO WALL MOUNT WEDGE TOP SOFTENED RIM



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36" x 48"									
15N3648WGW	Wood	$ 2868	36⅛	48⅛	1⅜	–	–	50 lbs.	3.6
15N3648WGL	Laminate	1908	36⅛	48⅛	1⅜	–	–	50 lbs.	3.6
36" x 54"									
15N3654WGW	Wood	$ 3058	36⅛	54	1⅜	–	–	55 lbs.	4.4
15N3654WGL	Laminate	2097	36⅛	54	1⅜	–	–	55 lbs.	4.4
36" x 60"									
15N3660WGW	Wood	$ 3245	36⅛	60	1⅜	–	–	59 lbs.	5.0
15N3660WGL	Laminate	2284	36⅛	60	1⅜	–	–	59 lbs.	5.0
36" x 66"									
15N3666WGW	Wood	$ 3434	36⅛	66	1⅜	–	–	65 lbs.	6.0
15N3666WGL	Laminate	2633	36⅛	66	1⅜	–	–	65 lbs.	6.0
36" x 72"									
15N3672WGW	Wood	$ 3621	36⅛	71⅝	1⅜	–	–	76 lbs.	6.3
15N3672WGL	Laminate	2661	36⅛	71⅝	1⅜	–	–	76 lbs.	6.3
36" x 78"									
15N3678WGW	Wood	$ 3809	36⅛	71⅝	1⅜	–	–	92 lbs.	6.6
15N3678WGL	Laminate	2850	36⅛	71⅝	1⅜	–	–	92 lbs.	6.6
36" x 84"									
15N3684WGW	Wood	$ 4000	36⅛	83⅝	1⅜	–	–	105 lbs.	8.0
15N3684WGL	Laminate	3037	36⅛	83⅝	1⅜	–	–	105 lbs.	8.0
42" x 48"									
15N4248WGW	Wood	$ 3046	42	48⅛	1⅜	–	–	65 lbs.	3.6
15N4248WGL	Laminate	2085	42	48⅛	1⅜	–	–	65 lbs.	3.6
42" x 54"									
15N4254WGW	Wood	$ 3235	42	54	1⅜	–	–	76 lbs.	5.0
15N4254WGL	Laminate	2275	42	54	1⅜	–	–	76 lbs.	5.0

- Modified depth and width not available
- For use with Mio wall and base
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 488
- Wedge end dimension is 18" on a 36" top, 24" on a 42" top, 30" on a 48" top, 36" on a 54" top, and 40⅝" on a 60" top

PRODUCT SPECIFICATIONS

- Reference page 229 for grommet and cutout locations
- Reference page 232 for wall, top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N4860WGW F CUT-G15C CW
15N4860WGL V478 CUT-G15C 478

- See pages 227-230 for all options available in Mio

MIO WALL MOUNT WEDGE TOP SOFTENED RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
42" x 60"									
15N4260WGW	Wood	$ 3424	42	60	1 3/16	–	–	92 lbs.	5.6
15N4260WGL	Laminate	2462	42	60	1 3/16	–	–	92 lbs.	5.6
42" x 66"									
15N4266WGW	Wood	$ 3612	42	66	1 3/16	–	–	105 lbs.	6.8
15N4266WGL	Laminate	2811	42	66	1 3/16	–	–	105 lbs.	6.8
42" x 72"									
15N4272WGW	Wood	$ 3798	42	71 15/16	1 3/16	–	–	110 lbs.	7.1
15N4272WGL	Laminate	2839	42	71 15/16	1 3/16	–	–	110 lbs.	7.1
42" x 78"									
15N4278WGW	Wood	$ 3985	42	77 15/16	1 3/16	–	–	115 lbs.	7.5
15N4278WGL	Laminate	3028	42	77 15/16	1 3/16	–	–	115 lbs.	7.5
42" x 84"									
15N4284WGW	Wood	$ 4175	42	83 15/16	1 3/16	–	–	120 lbs.	9.0
15N4284WGL	Laminate	3217	42	83 15/16	1 3/16	–	–	120 lbs.	9.0
48" x 48"									
15N4848WGW	Wood	$ 3223	48	48 1/16	1 3/16	–	–	59 lbs.	4.5
15N4848WGL	Laminate	2261	48	48 1/16	1 3/16	–	–	59 lbs.	4.5
48" x 54"									
15N4854WGW	Wood	$ 3410	48	54	1 3/16	–	–	92 lbs.	5.5
15N4854WGL	Laminate	2451	48	54	1 3/16	–	–	92 lbs.	5.5
48" x 60"									
15N4860WGW	Wood	$ 3599	48	60	1 3/16	–	–	110 lbs.	6.2
15N4860WGL	Laminate	2639	48	60	1 3/16	–	–	110 lbs.	6.2
48" x 66"									
15N4866WGW	Wood	$ 3789	48	66	1 3/16	–	–	135 lbs.	7.5
15N4866WGL	Laminate	2827	48	66	1 3/16	–	–	135 lbs.	7.5

- Modified depth and width not available
- For use with Mio wall and base
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 488
- Wedge end dimension is 18" on a 36" top, 24" on a 42" top, 30" on a 48" top, 36" on a 54" top, and 40⅝" on a 60" top

MIO

PRODUCT SPECIFICATIONS

- Reference page 229 for grommet and cutout locations
- Reference page 232 for wall, top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N5466WGW	F	CUT-G15C	CW
15N5466WGL	V478	CUT-G15C	478

- See pages 227-230 for all options available in Mio

MIO WALL MOUNT WEDGE TOP SOFTENED RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
48" x 72"									
15N4872WGW	Wood	$ 3976	48	71 15/16	1 3/16	–	–	158 lbs.	7.9
15N4872WGL	Laminate	3014	48	71 15/16	1 3/16	–	–	158 lbs.	7.9
48" x 78"									
15N4878WGW	Wood	$ 4163	48	77 15/16	1 3/16	–	–	180 lbs.	8.3
15N4878WGL	Laminate	3203	48	77 15/16	1 3/16	–	–	180 lbs.	8.3
48" x 84"									
15N4884WGW	Wood	$ 4352	48	83 15/16	1 3/16	–	–	210 lbs.	10.0
15N4884WGL	Laminate	3391	48	83 15/16	1 3/16	–	–	210 lbs.	10.0
54" x 48"									
15N5448WGW	Wood	$ 3400	54	48 1/16	1 3/16	–	–	92 lbs.	6.6
15N5448WGL	Laminate	2439	54	48 1/16	1 3/16	–	–	92 lbs.	6.6
54" x 54"									
15N5454WGW	Wood	$ 3588	54	54	1 3/16	–	–	121 lbs.	7.1
15N5454WGL	Laminate	2628	54	54	1 3/16	–	–	121 lbs.	7.1
54" x 60"									
15N5460WGW	Wood	$ 3776	54	60	1 3/16	–	–	135 lbs.	7.9
15N5460WGL	Laminate	2816	54	60	1 3/16	–	–	135 lbs.	7.9
54" x 66"									
15N5466WGW	Wood	$ 3965	54	66	1 3/16	–	–	135 lbs.	8.6
15N5466WGL	Laminate	3005	54	66	1 3/16	–	–	135 lbs.	8.6
54" x 72"									
15N5472WGW	Wood	$ 4154	54	71 15/16	1 3/16	–	–	145 lbs.	9.1
15N5472WGL	Laminate	3192	54	71 15/16	1 3/16	–	–	145 lbs.	9.1
54" x 78"									
15N5478WGW	Wood	$ 4339	54	77 15/16	1 3/16	–	–	165 lbs.	9.5
15N5478WGL	Laminate	3381	54	77 15/16	1 3/16	–	–	165 lbs.	9.5

- Modified depth and width not available
- For use with Mio wall and base
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 488
- Wedge end dimension is 18" on a 36" top, 24" on a 42" top, 30" on a 48" top, 36" on a 54" top, and 40⅝" on a 60" top

PRODUCT SPECIFICATIONS

- Reference page 229 for grommet and cutout locations
- Reference page 232 for wall, top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N6072WGW F CUT-G15C CW
15N6072WGL V478 CUT-G15C 478

- See pages 227-230 for all options available in Mio

MIO WALL MOUNT WEDGE TOP SOFTENED RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
54" x 84"									
15N5484WGW	Wood	$ 4532	54	83 15/16	1 3/16	—	—	200 lbs.	10.3
15N5484WGL	Laminate	3571	54	83 15/16	1 3/16	—	—	200 lbs.	10.3
60" x 48"									
15N6048WGW	Wood	$ 3599	58 3/8	48 1/16	1 3/16	—	—	121 lbs.	6.9
15N6048WGL	Laminate	2639	58 3/8	48 1/16	1 3/16	—	—	121 lbs.	6.9
60" x 54"									
15N6054WGW	Wood	$ 3695	58 3/8	54	1 3/16	—	—	135 lbs.	7.5
15N6054WGL	Laminate	2733	58 3/8	54	1 3/16	—	—	135 lbs.	7.5
60" x 60"									
15N6060WGW	Wood	$ 3965	58 3/8	60	1 3/16	—	—	150 lbs.	8.3
15N6060WGL	Laminate	3168	58 3/8	60	1 3/16	—	—	150 lbs.	8.3
60" x 66"									
15N6066WGW	Wood	$ 4154	58 3/8	66	1 3/16	—	—	182 lbs.	9.1
15N6066WGL	Laminate	3354	58 3/8	66	1 3/16	—	—	182 lbs.	9.1
60" x 72"									
15N6072WGW	Wood	$ 4339	58 3/8	71 15/16	1 3/16	—	—	210 lbs.	9.6
15N6072WGL	Laminate	3545	58 3/8	71 15/16	1 3/16	—	—	210 lbs.	9.6
60" x 78"									
15N6078WGW	Wood	$ 4528	58 3/8	77 15/16	1 3/16	—	—	245 lbs.	10.0
15N6078WGL	Laminate	3730	58 3/8	77 15/16	1 3/16	—	—	245 lbs.	10.0
60" x 84"									
15N6084WGW	Wood	$ 4716	58 3/8	83 15/16	1 3/16	—	—	270 lbs.	10.8
15N6084WGL	Laminate	3919	58 3/8	83 15/16	1 3/16	—	—	270 lbs.	10.8

- Modified depth and width not available
- For use with Mio wall and base
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 488
- Wedge end dimension is 18" on a 36" top, 24" on a 42" top, 30" on a 48" top, 36" on a 54" top, and 40 5/8" on a 60" top

MIO

PRODUCT SPECIFICATIONS

- Reference page 229 for grommet and cutout locations
- Reference page 232 for wall, top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N3648WGWK K CUT-G15C CW
15N3648WGLK K478 CUT-G15C 478

- See pages 227-230 for all options available in Mio

MIO WALL MOUNT WEDGE TOP KNIFE RIM



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36" x 48"									
15N3648WGWK	Wood	$ 3836	36⅛	48⅛16	1⅜16	—	—	50 lbs.	3.6
15N3648WGLK	Laminate	2589	36⅛	48⅛16	1⅜16	—	—	50 lbs.	3.6
36" x 54"									
15N3654WGWK	Wood	$ 4080	36⅛	54	1⅜16	—	—	55 lbs.	4.4
15N3654WGLK	Laminate	2830	36⅛	54	1⅜16	—	—	55 lbs.	4.4
36" x 60"									
15N3660WGWK	Wood	$ 4325	36⅛	60	1⅜16	—	—	59 lbs.	5.0
15N3660WGLK	Laminate	3079	36⅛	60	1⅜16	—	—	59 lbs.	5.0
36" x 66"									
15N3666WGWK	Wood	$ 4571	36⅛	66	1⅜16	—	—	65 lbs.	6.0
15N3666WGLK	Laminate	3321	36⅛	66	1⅜16	—	—	65 lbs.	6.0
36" x 72"									
15N3672WGWK	Wood	$ 4816	36⅛	71⅝16	1⅜16	—	—	76 lbs.	6.3
15N3672WGLK	Laminate	3566	36⅛	71⅝16	1⅜16	—	—	76 lbs.	6.3
36" x 78"									
15N3678WGWK	Wood	$ 5059	36⅛	77⅝16	1⅜16	—	—	92 lbs.	6.6
15N3678WGLK	Laminate	3810	36⅛	77⅝16	1⅜16	—	—	92 lbs.	6.6
36" x 84"									
15N3684WGWK	Wood	$ 5304	36⅛	83⅝16	1⅜16	—	—	105 lbs.	8.0
15N3684WGLK	Laminate	4056	36⅛	83⅝16	1⅜16	—	—	105 lbs.	8.0
42" x 48"									
15N4248WGWK	Wood	$ 4013	42	48⅛16	1⅜16	—	—	65 lbs.	3.6
15N4248WGLK	Laminate	2765	42	48⅛16	1⅜16	—	—	65 lbs.	3.6
42" x 54"									
15N4254WGWK	Wood	$ 4257	42	54	1⅜16	—	—	76 lbs.	5.0
15N4254WGLK	Laminate	3008	42	54	1⅜16	—	—	76 lbs.	5.0

- Modified depth and width not available
- For use with Mio wall and base
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 488
- Wedge end dimension is 18" on a 36" top, 24" on a 42" top, 30" on a 48" top, 36" on a 54" top, and 40⅝" on a 60" top

PRODUCT SPECIFICATIONS

- Reference page 229 for grommet and cutout locations
- Reference page 232 for wall, top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N4860WGWK K CUT-G16C AC
15N4860WGLK K405 CUT-G16C 461

- See pages 227-230 for all options available in Mio

MIO WALL MOUNT WEDGE TOP KNIFE RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
42" x 60"									
15N4260WGWK	Wood	$ 4500	42	60	1 3/16	–	–	92 lbs.	5.6
15N4260WGLK	Laminate	3255	42	60	1 3/16	–	–	92 lbs.	5.6
42" x 66"									
15N4266WGWK	Wood	$ 4749	42	66	1 3/16	–	–	105 lbs.	6.8
15N4266WGLK	Laminate	3497	42	66	1 3/16	–	–	105 lbs.	6.8
42" x 72"									
15N4272WGWK	Wood	$ 4994	42	71 15/16	1 3/16	–	–	110 lbs.	7.1
15N4272WGLK	Laminate	3742	42	71 15/16	1 3/16	–	–	110 lbs.	7.1
42" x 78"									
15N4278WGWK	Wood	$ 5237	42	77 15/16	1 3/16	–	–	115 lbs.	7.5
15N4278WGLK	Laminate	3986	42	77 15/16	1 3/16	–	–	115 lbs.	7.5
42" x 84"									
15N4284WGWK	Wood	$ 5481	42	83 15/16	1 3/16	–	–	120 lbs.	9.0
15N4284WGLK	Laminate	4231	42	83 15/16	1 3/16	–	–	120 lbs.	9.0
48" x 48"									
15N4848WGWK	Wood	$ 4190	48	48 1/16	1 3/16	–	–	59 lbs.	4.5
15N4848WGLK	Laminate	2940	48	48 1/16	1 3/16	–	–	59 lbs.	4.5
48" x 54"									
15N4854WGWK	Wood	$ 4434	48	54	1 3/16	–	–	92 lbs.	5.5
15N4854WGLK	Laminate	3186	48	54	1 3/16	–	–	92 lbs.	5.5
48" x 60"									
15N4860WGWK	Wood	$ 4679	48	60	1 3/16	–	–	110 lbs.	6.2
15N4860WGLK	Laminate	3433	48	60	1 3/16	–	–	110 lbs.	6.2
48" x 66"									
15N4866WGWK	Wood	$ 4924	48	66	1 3/16	–	–	135 lbs.	7.5
15N4866WGLK	Laminate	3674	48	66	1 3/16	–	–	135 lbs.	7.5

- Modified depth and width not available
- For use with Mio wall and base
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 488
- Wedge end dimension is 18" on a 36" top, 24" on a 42" top, 30" on a 48" top, 36" on a 54" top, and 40⅝" on a 60" top

MIO

PRODUCT SPECIFICATIONS

- Reference page 229 for grommet and cutout locations
- Reference page 232 for wall, top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N5466WGWK K CUT-G16C AC
15N5466WGLK K405 CUT-G16C 461

- See pages 227-230 for all options available in Mio

MIO WALL MOUNT WEDGE TOP KNIFE RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
48" x 72"									
15N4872WGWK	Wood	$ 5169	48	71 15/16	1 3/16	–	–	158 lbs.	7.9
15N4872WGLK	Laminate	3919	48	71 15/16	1 3/16	–	–	158 lbs.	7.9
48" x 78"									
15N4878WGWK	Wood	$ 5413	48	77 15/16	1 3/16	–	–	180 lbs.	8.3
15N4878WGLK	Laminate	4165	48	77 15/16	1 3/16	–	–	180 lbs.	8.3
48" x 84"									
15N4884WGWK	Wood	$ 5658	48	83 15/16	1 3/16	–	–	210 lbs.	10.0
15N4884WGLK	Laminate	4408	48	83 15/16	1 3/16	–	–	210 lbs.	10.0
54" x 48"									
15N5448WGWK	Wood	$ 4367	54	48 1/16	1 3/16	–	–	92 lbs.	6.6
15N5448WGLK	Laminate	3118	54	48 1/16	1 3/16	–	–	92 lbs.	6.6
54" x 54"									
15N5454WGWK	Wood	$ 4610	54	54	1 3/16	–	–	121 lbs.	7.1
15N5454WGLK	Laminate	3362	54	54	13/16	–	–	121 lbs.	7.1
54" x 60"									
15N5460WGWK	Wood	$ 4857	54	60	1 3/16	–	–	135 lbs.	7.9
15N5460WGLK	Laminate	3609	54	60	1 3/16	–	–	135 lbs.	7.9
54" x 66"									
15N5466WGWK	Wood	$ 5103	54	66	1 3/16	–	–	135 lbs.	8.6
15N5466WGLK	Laminate	3852	54	66	1 3/16	–	–	135 lbs.	8.6
54" x 72"									
15N5472WGWK	Wood	$ 5347	54	71 15/16	1 3/16	–	–	145 lbs.	9.1
15N5472WGLK	Laminate	4098	54	71 15/16	1 3/16	–	–	145 lbs.	9.1
54" x 78"									
15N5478WGWK	Wood	$ 5591	54	77 15/16	1 3/16	–	–	165 lbs.	9.5
15N5478WGLK	Laminate	4342	54	77 15/16	1 3/16	–	–	165 lbs.	9.5

- Modified depth and width not available
- For use with Mio wall and base
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 488
- Wedge end dimension is 18" on a 36" top, 24" on a 42" top, 30" on a 48" top, 36" on a 54" top, and 40⅝" on a 60" top

PRODUCT SPECIFICATIONS

- Reference page 229 for grommet and cutout locations
- Reference page 232 for wall, top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N6072WGWK K CUT-G16C AC
15N6072WGLK K405 CUT-G16C 461

- See pages 227-230 for all options available in Mio

MIO WALL MOUNT WEDGE TOP KNIFE RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
54" x 84"									
15N5484WGWK	Wood	$ 5836	54	83 15/16	1 3/16	—	—	200 lbs.	10.3
15N5484WGLK	Laminate	4586	54	83 15/16	1 3/16	—	—	200 lbs.	10.3
60" x 48"									
15N6048WGWK	Wood	$ 4679	58 3/8	48 1/16	1 3/16	—	—	121 lbs.	6.9
15N6048WGLK	Laminate	3433	58 3/8	48 1/16	1 3/16	—	—	121 lbs.	6.9
60" x 54"									
15N6054WGWK	Wood	$ 4801	58 3/8	54	1 3/16	—	—	135 lbs.	7.5
15N6054WGLK	Laminate	3552	58 3/8	54	1 3/16	—	—	135 lbs.	7.5
60" x 60"									
15N6060WGWK	Wood	$ 5155	58 3/8	60	1 3/16	—	—	150 lbs.	8.3
15N6060WGLK	Laminate	4118	58 3/8	60	1 3/16	—	—	150 lbs.	8.3
60" x 66"									
15N6066WGWK	Wood	$ 5400	58 3/8	66	1 3/16	—	—	182 lbs.	9.1
15N6066WGLK	Laminate	4362	58 3/8	66	1 3/16	—	—	182 lbs.	9.1
60" x 72"									
15N6072WGWK	Wood	$ 5641	58 3/8	71 15/16	1 3/16	—	—	210 lbs.	9.6
15N6072WGLK	Laminate	4608	58 3/8	71 15/16	1 3/16	—	—	210 lbs.	9.6
60" x 78"									
15N6078WGWK	Wood	$ 5888	58 3/8	77 15/16	1 3/16	—	—	245 lbs.	10.0
15N6078WGLK	Laminate	4852	58 3/8	77 15/16	1 3/16	—	—	245 lbs.	10.0
60" x 84"									
15N6084WGWK	Wood	$ 6132	58 3/8	83 15/16	1 3/16	—	—	270 lbs.	10.8
15N6084WGLK	Laminate	5097	58 3/8	83 15/16	1 3/16	—	—	270 lbs.	10.8

- Modified depth and width not available
- For use with Mio wall and base
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 488
- Wedge end dimension is 18" on a 36" top, 24" on a 42" top, 30" on a 48" top, 36" on a 54" top, and 40⅝" on a 60" top

MIO

PRODUCT SPECIFICATIONS

- Reference page 229 for grommet and cutout locations
- Reference page 232 for wall, top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N3648UW F X PB
15N3648UL VPB X PB

- See pages 227-230 for all options available in Mio

MIO WALL MOUNT U-SHAPED TOP SOFTENED RIM



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36" x 48"									
15N3648UW	Wood	$ 3082	36⅛	48⅛16	1⅜16	–	–	50 lbs.	3.6
15N3648UL	Laminate	2112	36⅛	48⅛16	1⅜16	–	–	50 lbs.	3.6
36" x 54"									
15N3654UW	Wood	$ 3272	36⅛	54	1⅜16	–	–	55 lbs.	4.4
15N3654UL	Laminate	2302	36⅛	54	1⅜16	–	–	55 lbs.	4.4
36" x 60"									
15N3660UW	Wood	$ 3461	36⅛	60	1⅜16	–	–	59 lbs.	5.0
15N3660UL	Laminate	2492	36⅛	60	1⅜16	–	–	59 lbs.	5.0
36" x 66"									
15N3666UW	Wood	$ 3651	36⅛	66	1⅜16	–	–	65 lbs.	6.0
15N3666UL	Laminate	2679	36⅛	66	1⅜16	–	–	65 lbs.	6.0
36" x 72"									
15N3672UW	Wood	$ 3840	36⅛	71⅝16	1⅜16	–	–	76 lbs.	6.3
15N3672UL	Laminate	2869	36⅛	71⅝16	1⅜16	–	–	76 lbs.	6.3
42" x 48"									
15N4248UW	Wood	$ 3081	42	48⅛16	1⅜16	–	–	92 lbs.	3.6
15N4248UL	Laminate	2110	42	48⅛16	1⅜16	–	–	92 lbs.	3.6
42" x 54"									
15N4254UW	Wood	$ 3270	42	54	1⅜16	–	–	105 lbs.	5.0
15N4254UL	Laminate	2299	42	54	1⅜16	–	–	105 lbs.	5.0
42" x 60"									
15N4260UW	Wood	$ 3460	42	60	1⅜16	–	–	65 lbs.	5.6
15N4260UL	Laminate	2490	42	60	1⅜16	–	–	65 lbs.	5.6

- Modified depth and width not available
- For use with Mio wall and base
- Tops only have a rim profile on 3 sides
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 488

PRODUCT SPECIFICATIONS

- Reference page 229 for grommet and cutout locations
- Reference page 232 for wall, top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N4266UW F X PB
15N4266UL VPB X PB

- See pages 227-230 for all options available in Mio

MIO WALL MOUNT U-SHAPED TOP SOFTENED RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
42" x 66"									
15N4266UW	Wood	$ 3650	42	66	1 3/16	–	–	76 lbs.	6.8
15N4266UL	Laminate	2678	42	66	1 3/16	–	–	76 lbs.	6.8
42" x 72"									
15N4272UW	Wood	$ 3839	42	71 15/16	1 3/16	–	–	92 lbs.	7.1
15N4272UL	Laminate	2868	42	71 15/16	1 3/16	–	–	92 lbs.	7.1
48" x 48"									
15N4848UW	Wood	$ 3256	48	48 1/16	1 3/16	–	–	105 lbs.	4.5
15N4848UL	Laminate	2284	48	48 1/16	1 3/16	–	–	105 lbs.	4.5
48" x 54"									
15N4854UW	Wood	$ 3445	48	54	1 3/16	–	–	110 lbs.	5.5
15N4854UL	Laminate	2475	48	54	1 3/16	–	–	110 lbs.	5.5
48" x 60"									
15N4860UW	Wood	$ 3636	48	60	1 3/16	–	–	115 lbs.	6.2
15N4860UL	Laminate	2667	48	60	1 3/16	–	–	115 lbs.	6.2
48" x 66"									
15N4866UW	Wood	$ 3826	48	66	1 3/16	–	–	120 lbs.	7.5
15N4866UL	Laminate	2856	48	66	1 3/16	–	–	120 lbs.	7.5
48" x 72"									
15N4872UW	Wood	$ 4017	48	71 15/16	1 3/16	–	–	158 lbs.	7.9
15N4872UL	Laminate	3046	48	71 15/16	1 3/16	–	–	158 lbs.	7.9
54" x 48"									
15N5448UW	Wood	$ 3350	54	48 1/16	1 3/16	–	–	92 lbs.	6.6
15N5448UL	Laminate	2381	54	48 1/16	1 3/16	–	–	92 lbs.	6.6

- Modified depth and width not available
- For use with Mio wall and base
- Tops only have a rim profile on 3 sides
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 488

MIO

PRODUCT SPECIFICATIONS

- Reference page 229 for grommet and cutout locations
- Reference page 232 for wall, top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N5454UW F X AC
15N5454UL V425 X 425

- See pages 227-230 for all options available in Mio

MIO WALL MOUNT U-SHAPED TOP SOFTENED RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
54" x 54"									
15N5454UW	Wood	$ 3540	54	54	1 3/16	–	–	121 lbs.	7.1
15N5454UL	Laminate	2569	54	54	1 3/16	–	–	121 lbs.	7.1
54" x 60"									
15N5460UW	Wood	$ 3728	54	60	1 3/16	–	–	135 lbs.	7.9
15N5460UL	Laminate	2759	54	60	1 3/16	–	–	135 lbs.	7.9
54" x 66"									
15N5466UW	Wood	$ 3918	54	66	1 3/16	–	–	135 lbs.	8.6
15N5466UL	Laminate	2950	54	66	1 3/16	–	–	135 lbs.	8.6
54" x 72"									
15N5472UW	Wood	$ 4109	54	71 15/16	1 3/16	–	–	145 lbs.	9.1
15N5472UL	Laminate	3139	54	71 15/16	1 3/16	–	–	145 lbs.	9.1
60" x 48"									
15N6048UW	Wood	$ 3636	58 3/8	48 1/16	1 3/16	–	–	121 lbs.	6.9
15N6048UL	Laminate	2667	58 3/8	48 1/16	1 3/16	–	–	121 lbs.	6.9
60" x 54"									
15N6054UW	Wood	$ 3728	58 3/8	54	1 3/16	–	–	135 lbs.	7.5
15N6054UL	Laminate	2759	58 3/8	54	1 3/16	–	–	135 lbs.	7.5
60" x 60"									
15N6060UW	Wood	$ 4003	58 3/8	60	1 3/16	–	–	150 lbs.	8.3
15N6060UL	Laminate	3196	58 3/8	60	1 3/16	–	–	150 lbs.	8.3
60" x 66"									
15N6066UW	Wood	$ 4193	58 3/8	66	1 3/16	–	–	182 lbs.	9.1
15N6066UL	Laminate	3389	58 3/8	66	1 3/16	–	–	182 lbs.	9.1
60" x 72"									
15N6072UW	Wood	$ 4383	58 3/8	71 15/16	1 3/16	–	–	210 lbs.	9.6
15N6072UL	Laminate	3581	58 3/8	71 15/16	1 3/16	–	–	210 lbs.	9.6

- Modified depth and width not available
- For use with Mio wall and base
- Tops only have a rim profile on 3 sides
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 488

PRODUCT SPECIFICATIONS

- Reference page 229 for grommet and cutout locations
- Reference page 232 for wall, top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N3648UWK K X AC
15N3648ULK K462 X 405

- See pages 227-230 for all options available in Mio

MIO WALL MOUNT U-SHAPED TOP KNIFE RIM



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36" x 48"									
15N3648UWK	Wood	$ 4399	36⅛	48⅛₁₆	1⅜₁₆	—	—	50 lbs.	3.6
15N3648ULK	Laminate	3140	36⅛	48⅛₁₆	1⅜₁₆	—	—	50 lbs.	3.6
36" x 54"									
15N3654UWK	Wood	$ 4592	36⅛	54	1⅜₁₆	—	—	55 lbs.	4.4
15N3654ULK	Laminate	3331	36⅛	54	1⅜₁₆	—	—	55 lbs.	4.4
36" x 60"									
15N3660UWK	Wood	$ 4781	36⅛	60	1⅜₁₆	—	—	59 lbs.	5.0
15N3660ULK	Laminate	3519	36⅛	60	1⅜₁₆	—	—	59 lbs.	5.0
36" x 66"									
15N3666UWK	Wood	$ 4969	36⅛	66	1⅜₁₆	—	—	65 lbs.	6.0
15N3666ULK	Laminate	3708	36⅛	66	1⅜₁₆	—	—	65 lbs.	6.0
36" x 72"									
15N3672UWK	Wood	$ 5160	36⅛	71¹⁵⁄₁₆	1⅜₁₆	—	—	76 lbs.	6.3
15N3672ULK	Laminate	3900	36⅛	71¹⁵⁄₁₆	1⅜₁₆	—	—	76 lbs.	6.3
42" x 48"									
15N4248UWK	Wood	$ 3792	42	48⅛₁₆	1⅜₁₆	—	—	65 lbs.	3.6
15N4248ULK	Laminate	3025	42	48⅛₁₆	1⅜₁₆	—	—	65 lbs.	3.6
42" x 54"									
15N4254UWK	Wood	$ 3980	42	54	1⅜₁₆	—	—	76 lbs.	5.0
15N4254ULK	Laminate	3214	42	54	1⅜₁₆	—	—	76 lbs.	5.0
42" x 60"									
15N4260UWK	Wood	$ 4171	42	60	1⅜₁₆	—	—	92 lbs.	5.6
15N4260ULK	Laminate	3403	42	60	1⅜₁₆	—	—	92 lbs.	5.6

- Modified depth and width not available
- For use with Mio wall and base
- Tops only have a rim profile on 3 sides
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 488

MIO

PRODUCT SPECIFICATIONS

- Reference page 229 for grommet and cutout locations
- Reference page 232 for wall, top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N4266UWK K X AC
15N4266ULK K462 X 405

- See pages 227-230 for all options available in Mio

MIO WALL MOUNT U-SHAPED TOP KNIFE RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
42" x 66"									
15N4266UWK	Wood	$ 4359	42	66	1 3/16	–	–	105 lbs.	6.8
15N4266ULK	Laminate	3592	42	66	1 3/16	–	–	105 lbs.	6.8
42" x 72"									
15N4272UWK	Wood	$ 4548	42	71 15/16	1 3/16	–	–	110 lbs.	7.1
15N4272ULK	Laminate	3781	42	71 15/16	1 3/16	–	–	110 lbs.	7.1
48" x 48"									
15N4848UWK	Wood	$ 4231	48	48 1/16	1 3/16	–	–	59 lbs.	4.5
15N4848ULK	Laminate	2970	48	48 1/16	1 3/16	–	–	59 lbs.	4.5
48" x 54"									
15N4854UWK	Wood	$ 4479	48	54	1 3/16	–	–	92 lbs.	5.5
15N4854ULK	Laminate	3220	48	54	1 3/16	–	–	92 lbs.	5.5
48" x 60"									
15N4860UWK	Wood	$ 4724	48	60	1 3/16	–	–	110 lbs.	6.2
15N4860ULK	Laminate	3465	48	60	1 3/16	–	–	110 lbs.	6.2
48" x 66"									
15N4866UWK	Wood	$ 4972	48	66	1 3/16	–	–	135 lbs.	7.5
15N4866ULK	Laminate	3713	48	66	1 3/16	–	–	135 lbs.	7.5
48" x 72"									
15N4872UWK	Wood	$ 5220	48	71 15/16	1 3/16	–	–	158 lbs.	7.9
15N4872ULK	Laminate	3959	48	71 15/16	1 3/16	–	–	158 lbs.	7.9
54" x 48"									
15N5448UWK	Wood	$ 4471	54	48 1/16	1 3/16	–	–	92 lbs.	6.6
15N5448ULK	Laminate	3311	54	48 1/16	1 3/16	–	–	92 lbs.	6.6

- Modified depth and width not available
- For use with Mio wall and base
- Tops only have a rim profile on 3 sides
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 488

PRODUCT SPECIFICATIONS

- Reference page 229 for grommet and cutout locations
- Reference page 232 for wall, top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N6048UWK K X AC
15N6048ULK K462 X 405

- See pages 227-230 for all options available in Mio

MIO WALL MOUNT U-SHAPED TOP KNIFE RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
54" x 54"									
15N5454UWK	Wood	$ 4660	54	54	1 3/16	–	–	121 lbs.	7.1
15N5454ULK	Laminate	3501	54	54	1 3/16	–	–	121 lbs.	7.1
54" x 60"									
15N5460UWK	Wood	$ 4851	54	60	1 3/16	–	–	135 lbs.	7.9
15N5460ULK	Laminate	3588	54	60	1 3/16	–	–	135 lbs.	7.9
54" x 66"									
15N5466UWK	Wood	$ 5038	54	66	1 3/16	–	–	135 lbs.	8.6
15N5466ULK	Laminate	3777	54	66	1 3/16	–	–	135 lbs.	8.6
54" x 72"									
15N5472UWK	Wood	$ 5228	54	71 15/16	1 3/16	–	–	145 lbs.	9.1
15N5472ULK	Laminate	3967	54	71 15/16	1 3/16	–	–	145 lbs.	9.1
60" x 48"									
15N6048UWK	Wood	$ 4724	58 3/8	48 1/16	1 3/16	–	–	121 lbs.	6.9
15N6048ULK	Laminate	3465	58 3/8	48 1/16	1 3/16	–	–	121 lbs.	6.9
60" x 54"									
15N6054UWK	Wood	$ 4851	58 3/8	54	1 3/16	–	–	135 lbs.	7.5
15N6054ULK	Laminate	3588	58 3/8	54	1 3/16	–	–	135 lbs.	7.5
60" x 60"									
15N6060UWK	Wood	$ 5205	58 3/8	60	1 3/16	–	–	150 lbs.	8.3
15N6060ULK	Laminate	4159	58 3/8	60	1 3/16	–	–	150 lbs.	8.3
60" x 66"									
15N6066UWK	Wood	$ 5451	58 3/8	66	1 3/16	–	–	182 lbs.	9.1
15N6066ULK	Laminate	4405	58 3/8	66	1 3/16	–	–	182 lbs.	9.1
60" x 72"									
15N6072UWK	Wood	$ 5700	58 3/8	71 15/16	1 3/16	–	–	210 lbs.	9.6
15N6072ULK	Laminate	4651	58 3/8	71 15/16	1 3/16	–	–	210 lbs.	9.6

- Modified depth and width not available
- For use with Mio wall and base
- Tops only have a rim profile on 3 sides
- When using Mio top with Exhibit, 11NBRS must be ordered to attach the top to Exhibit; reference page 488

MIO

PRODUCT SPECIFICATIONS

- STD channel height is 6" tall and should be specified when using the G15, G16, G17, G23, or no grommet
- Taper base shipped in 3 separate cartons

TO ORDER, SPECIFY:

1. Model Number
2. Base Wire Channel Height
3. Paint Color

SAMPLE MODEL NUMBER:

15N4828TPBP 6 405

• See pages 227-230 for all options available in Mio

MIO WALL MOUNT TAPER BASE BAR HEIGHT



STD Channel Height

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
15N4840TPBP	Painted	$ 3726	12	36 1/16	39 3/4	–	–	105 lbs.	12.9
15N5440TPBP	Painted	3832	12	42	39 3/4	–	–	115 lbs.	14.3
15N6040TPBP	Painted	3939	12	48	39 3/4	–	–	125 lbs.	15.6
15N6640TPBP	Painted	4047	12	54	39 3/4	–	–	135 lbs.	17.0
15N7240TPBP	Painted	4162	12	59 15/16	39 3/4	–	–	145 lbs.	18.3

- Bases are only intended for use with the Mio wall and tops
- Some assembly required
- Adjustable glides standard; 1½" glide adjustment
- Bases have wire access and removable panels for access to floor mounted electrical
- Tapered base channel is 12" overall depth for the top channel and 6" for the bottom channel; bar height bottom channel inside dimension is 5 5/16"; desk height bottom channel inside dimension is 5 31/32"; top channel top inside dimension is 10½"; top channel bottom inside dimension for STD height is 9 3/16"
- Reference page 232 for wall, top and base guide

MIO WALL MOUNT TAPER BASE DESK HEIGHT



STD Channel Height

15N4828TPBP	Painted	$ 3388	12	36 1/16	27 1/4	–	–	95 lbs.	11.7
15N5428TPBP	Painted	3484	12	42	27 1/4	–	–	105 lbs.	13.5
15N6028TPBP	Painted	3581	12	48	27 1/4	–	–	115 lbs.	14.5
15N6628TPBP	Painted	3680	12	54	27 1/4	–	–	125 lbs.	15.7
15N7228TPBP	Painted	3781	12	59 15/16	27 1/4	–	–	135 lbs.	17.5
15N7828TPBP	Painted	3889	12	65 15/16	27 1/4	–	–	145 lbs.	18.5
15N8428TPBP	Painted	3998	12	71 15/16	27 1/4	–	–	155 lbs.	19.7

- Bases are only intended for use with the Mio wall and tops
- Some assembly required
- Adjustable glides standard; 1½" glide adjustment
- Bases have wire access and removable panels for access to floor mounted electrical
- Tapered base channel is 12" overall depth for the top channel and 6" for the bottom channel; bar height bottom channel inside dimension is 5 5/16"; desk height bottom channel inside dimension is 5 31/32"; top channel top inside dimension is 10½"; top channel bottom inside dimension for STD height is 9 3/16"
- Reference page 232 for wall, top and base guide

PRODUCT SPECIFICATIONS

- Each height of TV mount insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- When TV mount inserts are used at the end of the run, specify Full End Trims for finish detail; see page 486
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER, SPECIFY:

1. Model Number
2. TV Mount (60W only)
3. Finish/Laminate Color

SAMPLE MODEL NUMBERS:

11N6034TVW TD MC
11N6034TVL TS 462

• See pages 227-230 for all options available in Mio

TV MOUNT EXHIBIT INSERTS





(only 60" models)

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
34"H TV MOUNT EXHIBIT INSERTS									
11N3634TVW	Wood	$ 2747	½	35 15/16	34⅛	–	–	47 lbs.	3.1
11N3634TVL	Laminate	1967	½	35 15/16	34⅛	–	–	47 lbs.	3.1
11N4234TVW	Wood	$ 2750	½	41 15/16	34⅛	–	–	53 lbs.	3.3
11N4234TVL	Laminate	1968	½	41 15/16	34⅛	–	–	53 lbs.	3.3
11N4834TVW	Wood	$ 3026	½	47 15/16	34⅛	–	–	58 lbs.	3.5
11N4834TVL	Laminate	2160	½	47 15/16	34⅛	–	–	58 lbs.	3.5
11N5434TVW	Wood	$ 3304	½	53⅞	34⅛	–	–	64 lbs.	3.5
11N5434TVL	Laminate	2355	½	53⅞	34⅛	–	–	64 lbs.	3.5
11N6034TVW	Wood	$ 3612	½	59 15/16	34⅛	–	–	71 lbs.	3.9
11N6034TVL	Laminate	2566	½	59 15/16	34⅛	–	–	71 lbs.	3.9
COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS 36"H TV MOUNT EXHIBIT INSERTS									
11N3636TVW	Wood	$ 2780	½	35 15/16	36 9/16	–	–	51 lbs.	3.4
11N3636TVL	Laminate	1991	½	35 15/16	36 9/16	–	–	51 lbs.	3.4
11N4236TVW	Wood	$ 2786	½	41 15/16	36 9/16	–	–	57 lbs.	3.6
11N4236TVL	Laminate	1995	½	41 15/16	36 9/16	–	–	57 lbs.	3.6
11N4836TVW	Wood	$ 3067	½	47 15/16	36 9/16	–	–	62 lbs.	3.9
11N4836TVL	Laminate	2189	½	47 15/16	36 9/16	–	–	62 lbs.	3.9
11N5436TVW	Wood	$ 3348	½	53⅞	36 9/16	–	–	68 lbs.	4.1
11N5436TVL	Laminate	2384	½	53⅞	36 9/16	–	–	68 lbs.	4.1
11N6036TVW	Wood	$ 3661	½	59 15/16	36 9/16	–	–	74 lbs.	4.3
11N6036TVL	Laminate	2599	½	59 15/16	36 9/16	–	–	74 lbs.	4.3

- TV mount included; some assembly required; VESA mounting compliant
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH) and Sable Horizontal (792H) have horizontal grain on the wall insert. All other woodgrains have vertical grain on the wall insert
- Maximum TV weight is 120 lbs.
- Reference Exhibit section for guidelines

MIO

PRODUCT SPECIFICATIONS

- Each height of TV mount insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- When TV mount inserts are used at the end of the run, specify Full End Trims for finish detail; see page 486
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER, SPECIFY:

1. Model Number
2. TV Mount (60W only)
3. Finish/Laminate Color

SAMPLE MODEL NUMBERS:

11N3637TVW MC
11N3637TVL 462
11N6037TVW TS MC

• See pages 227-230 for all options available in Mio

TV MOUNT EXHIBIT INSERTS (CONTINUED)





(only 60" models)

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 69" HIGH WWN MODELS 37"H TV MOUNT EXHIBIT INSERTS									
11N3637TVW	Wood	$ 2780	½	35 15/16	37	–	–	51 lbs.	3.4
11N3637TVL	Laminate	1991	½	35 15/16	37	–	–	51 lbs.	3.4
11N4237TVW	Wood	$ 2786	½	41 15/16	37	–	–	57 lbs.	3.6
11N4237TVL	Laminate	1995	½	41 15/16	37	–	–	57 lbs.	3.6
11N4837TVW	Wood	$ 3067	½	47 15/16	37	–	–	62 lbs.	3.9
11N4837TVL	Laminate	2189	½	47 15/16	37	–	–	62 lbs.	3.9
11N5437TVW	Wood	$ 3348	½	53⅞	37	–	–	68 lbs.	4.1
11N5437TVL	Laminate	2384	½	53⅞	37	–	–	68 lbs.	4.1
11N6037TVW	Wood	$ 3661	½	59 15/16	37	–	–	74 lbs.	4.3
11N6037TVL	Laminate	2599	½	59 15/16	37	–	–	74 lbs.	4.3
COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS 48"H TV MOUNT EXHIBIT INSERTS									
11N3648TVW	Wood	$ 3240	½	35 15/16	48⅜	–	–	69 lbs.	5.0
11N3648TVL	Laminate	2309	½	35 15/16	48⅜	–	–	69 lbs.	5.0
11N4248TVW	Wood	$ 3244	½	41 15/16	48⅜	–	–	77 lbs.	5.2
11N4248TVL	Laminate	2311	½	41 15/16	48⅜	–	–	77 lbs.	5.2
11N4848TVW	Wood	$ 3578	½	47 15/16	48⅜	–	–	85 lbs.	5.5
11N4848TVL	Laminate	2541	½	47 15/16	48⅜	–	–	85 lbs.	5.5
11N5448TVW	Wood	$ 3912	½	53⅞	48⅜	–	–	93 lbs.	5.8
11N5448TVL	Laminate	2769	½	53⅞	48⅜	–	–	93 lbs.	5.8
11N6048TVW	Wood	$ 4278	½	59 15/16	48⅜	–	–	101 lbs.	6.1
11N6048TVL	Laminate	3024	½	59 15/16	48⅜	–	–	101 lbs.	6.1

- TV mount included; some assembly required; VESA mounting compliant
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH) and Sable Horizontal (792H) have horizontal grain on the wall insert. All other woodgrains have vertical grain on the wall insert
- Maximum TV weight is 120 lbs.
- Reference Exhibit section for guidelines

PRODUCT SPECIFICATIONS

- Each height of TV mount insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- When TV mount inserts are used at the end of the run, specify Full End Trims for finish detail; see page 486
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER, SPECIFY:

1. Model Number
2. TV Mount (60W only)
3. Finish/Laminate Color

SAMPLE MODEL NUMBERS:

11N3649TVW MC
11N3649TVL 462
11N6049TVW TS MC

• See pages 227-230 for all options available in Mio

TV MOUNT EXHIBIT INSERTS (CONTINUED)





(only 60" models)

COMPATIBLE WITH WAVEWORKS 80" HIGH WWN MODELS
49"H TV MOUNT EXHIBIT INSERTS

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
11N3649TVW	Wood	$ 3240	½	35 5/16	48 13/16	—	—	69 lbs.	5.0
11N3649TVL	Laminate	2309	½	35 5/16	48 13/16	—	—	69 lbs.	5.0
11N4249TVW	Wood	$ 3244	½	41 5/16	48 13/16	—	—	77 lbs.	5.2
11N4249TVL	Laminate	2311	½	41 5/16	48 13/16	—	—	77 lbs.	5.2
11N4849TVW	Wood	$ 3578	½	47 5/16	48 13/16	—	—	85 lbs.	5.5
11N4849TVL	Laminate	2541	½	47 5/16	48 13/16	—	—	85 lbs.	5.5
11N5449TVW	Wood	$ 3912	½	53⅞	48 13/16	—	—	93 lbs.	5.8
11N5449TVL	Laminate	2769	½	53⅞	48 13/16	—	—	93 lbs.	5.8
11N6049TVW	Wood	$ 4278	½	59 5/16	48 13/16	—	—	101 lbs.	6.1
11N6049TVL	Laminate	3024	½	59 5/16	48 13/16	—	—	101 lbs.	6.1

- TV mount included; some assembly required; VESA mounting compliant
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH) and Sable Horizontal (792H) have horizontal grain on the wall insert. All other woodgrains have vertical grain on the wall insert
- Maximum TV weight is 120 lbs.
- Reference Exhibit section for guidelines

MIO

PRODUCT SPECIFICATIONS

- Reference page 229 for grommet and cutout locations
- Reference page 232 for top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N6060SQDW	F	X	NT1	MC
15N6060SQDL	V425	CUT-G15C	NT1	425

- See pages 227-230 for all options available in Mio

EXHIBIT MOUNT SQUARE TOP SOFTENED RIM



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
48" SQUARE									
15N4848SQDW	Wood	$ 2983	48	48 1/16	1 3/16	–	–	59 lbs.	4.5
15N4848SQDL	Laminate	2094	48	48 1/16	1 3/16	–	–	59 lbs.	4.5
54" SQUARE									
15N5454SQDW	Wood	$ 3326	54	54	1 3/16	–	–	121 lbs.	7.1
15N5454SQDL	Laminate	2516	54	54	1 3/16	–	–	121 lbs.	7.1
60" SQUARE									
15N6060SQDW	Wood	$ 3668	58 3/8	60	1 3/16	–	–	150 lbs.	8.3
15N6060SQDL	Laminate	2931	58 3/8	60	1 3/16	–	–	150 lbs.	8.3

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 291
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 230 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 292
- Notch cutout option available on back side, see page 230 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 485
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top

EXHIBIT MOUNT SQUARE TOP KNIFE RIM



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
48" SQUARE									
15N4848SQDWK	Wood	$ 3879	48	48 1/16	1 3/16	–	–	59 lbs.	4.5
15N4848SQDLK	Laminate	2723	48	48 1/16	1 3/16	–	–	59 lbs.	4.5
54" SQUARE									
15N5454SQDWK	Wood	$ 4381	54	54	1 3/16	–	–	121 lbs.	7.1
15N5454SQDLK	Laminate	2874	54	54	1 3/16	–	–	121 lbs.	7.1
60" SQUARE									
15N6060SQDWK	Wood	$ 4771	58 3/8	60	1 3/16	–	–	150 lbs.	8.3
15N6060SQDLK	Laminate	3811	58 3/8	60	1 3/16	–	–	150 lbs.	8.3

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 291
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 230 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 292
- Notch cutout option available on back side, see page 230 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 485
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top

PRODUCT SPECIFICATIONS

- Reference page 229 for grommet and cutout locations
- Reference page 232 for top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N3648RTDW	F	X	NT1	MC
15N3648RTDL	V425	CUT-G15C	NT1	425

- See pages 227-230 for all options available in Mio

EXHIBIT MOUNT RECTANGLE TOP SOFTENED RIM



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36" x 48"									
15N3648RTDW	Wood	$ 2600	36⅛	48⅛	1⅜	–	–	50 lbs.	4.5
15N3648RTDL	Laminate	1710	36⅛	48⅛	1⅜	–	–	50 lbs.	4.5
36" x 54"									
15N3654RTDW	Wood	$ 2788	36⅛	54	1⅜	–	–	55 lbs.	4.9
15N3654RTDL	Laminate	1898	36⅛	54	1⅜	–	–	55 lbs.	4.9
36" x 60"									
15N3660RTDW	Wood	$ 2978	36⅛	60	1⅜	–	–	59 lbs.	5.3
15N3660RTDL	Laminate	2088	36⅛	60	1⅜	–	–	59 lbs.	5.3
36" x 66"									
15N3666RTDW	Wood	$ 3107	36⅛	66	1⅜	–	–	65 lbs.	6.0
15N3666RTDL	Laminate	2216	36⅛	66	1⅜	–	–	65 lbs.	6.0
36" x 72"									
15N3672RTDW	Wood	$ 3297	36⅛	71⁵⁄₁₆	1⅜	–	–	76 lbs.	6.3
15N3672RTDL	Laminate	2406	36⅛	71⁵⁄₁₆	1⅜	–	–	76 lbs.	6.3
36" x 78"									
15N3678RTDW	Wood	$ 3487	36⅛	77⁵⁄₁₆	1⅜	–	–	92 lbs.	6.6
15N3678RTDL	Laminate	2596	36⅛	77⁵⁄₁₆	1⅜	–	–	92 lbs.	6.6
36" x 84"									
15N3684RTDW	Wood	$ 3677	36⅛	83⁵⁄₁₆	1⅜	–	–	105 lbs.	8.0
15N3684RTDL	Laminate	2784	36⅛	83⁵⁄₁₆	1⅜	–	–	105 lbs.	8.0
42" x 48"									
15N4248RTDW	Wood	$ 2776	42	48⅛	1⅜	–	–	65 lbs.	4.9
15N4248RTDL	Laminate	1888	42	48⅛	1⅜	–	–	65 lbs.	4.9

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 291
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 230 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 292
- Notch cutout option available on back side, see page 230 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 485
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top

MIO

PRODUCT SPECIFICATIONS

- Reference page 229 for grommet and cutout locations
- Reference page 232 for top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N4254RTDW F X D1B462 MC
15N4254RTDL V462 X D1B462 405

- See pages 227-230 for all options available in Mio

EXHIBIT MOUNT RECTANGLE TOP SOFTENED RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
42" x 54"									
15N4254RTDW	Wood	$ 2966	42	54	1 3/16	–	–	76 lbs.	5.6
15N4254RTDL	Laminate	2078	42	54	1 3/16	–	–	76 lbs.	5.6
42" x 60"									
15N4260RTDW	Wood	$ 3156	42	60	1 3/16	–	–	92 lbs.	6.4
15N4260RTDL	Laminate	2266	42	60	1 3/16	–	–	92 lbs.	6.4
42" x 66"									
15N4266RTDW	Wood	$ 3403	42	66	1 3/16	–	–	105 lbs.	6.8
15N4266RTDL	Laminate	2516	42	66	1 3/16	–	–	105 lbs.	6.8
42" x 72"									
15N4272RTDW	Wood	$ 3592	42	71 15/16	1 3/16	–	–	110 lbs.	7.1
15N4272RTDL	Laminate	2705	42	71 15/16	1 3/16	–	–	110 lbs.	7.1
42" x 78"									
15N4278RTDW	Wood	$ 3661	42	77 15/16	1 3/16	–	–	115 lbs.	7.5
15N4278RTDL	Laminate	2774	42	77 15/16	1 3/16	–	–	115 lbs.	7.5
42" x 84"									
15N4284RTDW	Wood	$ 3853	42	83 15/16	1 3/16	–	–	120 lbs.	9.0
15N4284RTDL	Laminate	2964	42	83 15/16	1 3/16	–	–	120 lbs.	9.0
48" x 54"									
15N4854RTDW	Wood	$ 3158	48	54	1 3/16	–	–	92 lbs.	5.5
15N4854RTDL	Laminate	2269	48	54	1 3/16	–	–	92 lbs.	5.5
48" x 60"									
15N4860RTDW	Wood	$ 3333	48	60	1 3/16	–	–	110 lbs.	6.2
15N4860RTDL	Laminate	2442	48	60	1 3/16	–	–	110 lbs.	6.2

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 291
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 230 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 292
- Notch cutout option available on back side, see page 230 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 485
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top

PRODUCT SPECIFICATIONS

- Reference page 229 for grommet and cutout locations
- Reference page 232 for top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N4866RTDW F X D1B462 MC
15N4866RTDL V462 X D1B462 405

- See pages 227-230 for all options available in Mio

EXHIBIT MOUNT RECTANGLE TOP SOFTENED RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
48" x 66"									
15N4866RTDW	Wood	$ 3507	48	66	1 3/16	–	–	135 lbs.	7.5
15N4866RTDL	Laminate	2619	48	66	1 3/16	–	–	135 lbs.	7.5
48" x 72"									
15N4872RTDW	Wood	$ 3681	48	71 15/16	1 3/16	–	–	158 lbs.	7.9
15N4872RTDL	Laminate	2790	48	71 15/16	1 3/16	–	–	158 lbs.	7.9
48" x 78"									
15N4878RTDW	Wood	$ 3856	48	77 15/16	1 3/16	–	–	180 lbs.	8.3
15N4878RTDL	Laminate	2966	48	77 15/16	1 3/16	–	–	180 lbs.	8.3
48" x 84"									
15N4884RTDW	Wood	$ 4030	48	83 15/16	1 3/16	–	–	210 lbs.	10.0
15N4884RTDL	Laminate	3140	48	83 15/16	1 3/16	–	–	210 lbs.	10.0
54" x 48"									
15N5448RTDW	Wood	$ 3158	54	48 1/16	1 3/16	–	–	92 lbs.	6.4
15N5448RTDL	Laminate	2269	54	48 1/16	1 3/16	–	–	92 lbs.	6.4
54" x 60"									
15N5460RTDW	Wood	$ 3419	54	60	1 3/16	–	–	121 lbs.	7.7
15N5460RTDL	Laminate	2531	54	60	1 3/16	–	–	121 lbs.	7.7
54" x 66"									
15N5466RTDW	Wood	$ 3621	54	66	1 3/16	–	–	135 lbs.	8.6
15N5466RTDL	Laminate	2884	54	66	1 3/16	–	–	135 lbs.	8.6
54" x 72"									
15N5472RTDW	Wood	$ 3810	54	71 15/16	1 3/16	–	–	145 lbs.	9.1
15N5472RTDL	Laminate	3073	54	71 15/16	1 3/16	–	–	145 lbs.	9.1

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 291
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 230 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 292
- Notch cutout option available on back side, see page 230 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 485
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top

MIO

PRODUCT SPECIFICATIONS

- Reference page 229 for grommet and cutout locations
- Reference page 232 for top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N5478RTDW F X D1B462 MC
15N5478RTDL V462 X D1B462 405

- See pages 227-230 for all options available in Mio

EXHIBIT MOUNT RECTANGLE TOP SOFTENED RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
54" x 78"									
15N5478RTDW	Wood	$ 4001	54	77 15/16	1 3/16	–	–	165 lbs.	9.5
15N5478RTDL	Laminate	3263	54	77 15/16	1 3/16	–	–	165 lbs.	9.5
54" x 84"									
15N5484RTDW	Wood	$ 4190	54	83 15/16	1 3/16	–	–	200 lbs.	10.3
15N5484RTDL	Laminate	3452	54	83 15/16	1 3/16	–	–	200 lbs.	10.3
60" x 48"									
15N6048RTDW	Wood	$ 3333	58 3/8	48 1/16	1 3/16	–	–	121 lbs.	6.9
15N6048RTDL	Laminate	2442	58 3/8	48 1/16	1 3/16	–	–	121 lbs.	6.9
60" x 54"									
15N6054RTDW	Wood	$ 3419	58 3/8	54	1 3/16	–	–	135 lbs.	7.5
15N6054RTDL	Laminate	2531	58 3/8	54	1 3/16	–	–	135 lbs.	7.5
60" x 66"									
15N6066RTDW	Wood	$ 3844	58 3/8	66	1 3/16	–	–	182 lbs.	9.1
15N6066RTDL	Laminate	3107	58 3/8	66	1 3/16	–	–	182 lbs.	9.1
60" x 72"									
15N6072RTDW	Wood	$ 4020	58 3/8	71 15/16	1 3/16	–	–	210 lbs.	9.6
15N6072RTDL	Laminate	3280	58 3/8	71 15/16	1 3/16	–	–	210 lbs.	9.6
60" x 78"									
15N6078RTDW	Wood	$ 4192	58 3/8	77 15/16	1 3/16	–	–	245 lbs.	10.0
15N6078RTDL	Laminate	3454	58 3/8	77 15/16	1 3/16	–	–	245 lbs.	10.0
60" x 84"									
15N6084RTDW	Wood	$ 4367	58 3/8	83 15/16	1 3/16	–	–	270 lbs.	10.8
15N6084RTDL	Laminate	3627	58 3/8	83 15/16	1 3/16	–	–	270 lbs.	10.8

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 291
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 230 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 292
- Notch cutout option available on back side, see page 230 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 485
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top

PRODUCT SPECIFICATIONS

- Reference page 229 for grommet and cutout locations
- Reference page 232 for top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N3648RTDWK K X X PB
15N3648RTDLK K461 X X 461

- See pages 227-230 for all options available in Mio

EXHIBIT MOUNT RECTANGLE TOP KNIFE RIM



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36" x 48"									
15N3648RTDWK	Wood	$ 3600	36⅛	48⅛	1⅜	–	–	50 lbs.	4.5
15N3648RTDLK	Laminate	2442	36⅛	48⅛	1⅜	–	–	50 lbs.	4.5
36" x 54"									
15N3654RTDWK	Wood	$ 3792	36⅛	54	1⅜	–	–	55 lbs.	4.9
15N3654RTDLK	Laminate	2631	36⅛	54	1⅜	–	–	55 lbs.	4.9
36" x 60									
15N3660RTDWK	Wood	$ 3980	36⅛	60	1⅜	–	–	59 lbs.	5.3
15N3660RTDLK	Laminate	2821	36⅛	60	1⅜	–	–	59 lbs.	5.3
36" x 66"									
15N3666RTDWK	Wood	$ 4316	36⅛	66	1⅜	–	–	65 lbs.	6.0
15N3666RTDLK	Laminate	3161	36⅛	66	1⅜	–	–	65 lbs.	6.0
36" x 72"									
15N3672RTDWK	Wood	$ 4505	36⅛	71⁵⁄₁₆	1⅜	–	–	76 lbs.	6.3
15N3672RTDLK	Laminate	3350	36⅛	71⁵⁄₁₆	1⅜	–	–	76 lbs.	6.3
36" x 78"									
15N3678RTDWK	Wood	$ 4694	36⅛	77⁵⁄₁₆	1⅜	–	–	92 lbs.	6.6
15N3678RTDLK	Laminate	3540	36⅛	77⁵⁄₁₆	1⅜	–	–	92 lbs.	6.6
36" x 84"									
15N3684RTDWK	Wood	$ 4885	36⅛	83⁵⁄₁₆	1⅜	–	–	105 lbs.	8.0
15N3684RTDLK	Laminate	3728	36⅛	83⁵⁄₁₆	1⅜	–	–	105 lbs.	8.0
42" x 48"									
15N4248RTDWK	Wood	$ 3777	42	48⅛	1⅜	–	–	65 lbs.	4.9
15N4248RTDLK	Laminate	2621	42	48⅛	1⅜	–	–	65 lbs.	4.9

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 291
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 230 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 292
- Notch cutout option available on back side, see page 230 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 485
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top

MIO

PRODUCT SPECIFICATIONS

- Reference page 229 for grommet and cutout locations
- Reference page 232 for top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N4854RTDWK	K	CUT-G23C	D1B425	AC
15N4854RTDLK	K425	CUT-G23C	D1B425	AC2

- See pages 227-230 for all options available in Mio

EXHIBIT MOUNT RECTANGLE TOP KNIFE RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
42" x 54"									
15N4254RTDWK	Wood	$ 3967	42	54	1 3/16	–	–	76 lbs.	5.6
15N4254RTDLK	Laminate	2810	42	54	1 3/16	–	–	76 lbs.	5.6
42" x 60"									
15N4260RTDWK	Wood	$ 4157	42	60	1 3/16	–	–	92 lbs.	6.4
15N4260RTDLK	Laminate	2998	42	60	1 3/16	–	–	92 lbs.	6.4
42" x 66"									
15N4266RTDWK	Wood	$ 4508	42	66	1 3/16	–	–	105 lbs.	6.8
15N4266RTDLK	Laminate	3351	42	66	1 3/16	–	–	105 lbs.	6.8
42" x 72"									
15N4272RTDWK	Wood	$ 4698	42	71 15/16	1 3/16	–	–	110 lbs.	7.1
15N4272RTDLK	Laminate	3543	42	71 15/16	1 3/16	–	–	110 lbs.	7.1
42" x 78"									
15N4278RTDWK	Wood	$ 4871	42	77 15/16	1 3/16	–	–	115 lbs.	7.5
15N4278RTDLK	Laminate	3717	42	77 15/16	1 3/16	–	–	115 lbs.	7.5
42" x 84"									
15N4284RTDWK	Wood	$ 5060	42	83 15/16	1 3/16	–	–	120 lbs.	9.0
15N4284RTDLK	Laminate	3907	42	83 15/16	1 3/16	–	–	120 lbs.	9.0
48" x 54"									
15N4854RTDWK	Wood	$ 4106	48	54	1 3/16	–	–	92 lbs.	5.5
15N4854RTDLK	Laminate	2951	48	54	1 3/16	–	–	92 lbs.	5.5
48" x 60"									
15N4860RTDWK	Wood	$ 4334	48	60	1 3/16	–	–	110 lbs.	6.2
15N4860RTDLK	Laminate	3176	48	60	1 3/16	–	–	110 lbs.	6.2

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 291
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 230 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 292
- Notch cutout option available on back side, see page 230 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 485
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top

PRODUCT SPECIFICATIONS

- Reference page 229 for grommet and cutout locations
- Reference page 232 for top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N4866RTDWK	K	CUT-G23C	D1B425	AC
15N4854RTDLK	K425	CUT-G23C	D1B425	AC2

- See pages 227-230 for all options available in Mio

EXHIBIT MOUNT RECTANGLE TOP KNIFE RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
48" x 66"									
15N4866RTDWK	Wood	$ 4561	48	66	1 3/16	–	–	135 lbs.	7.5
15N4866RTDLK	Laminate	3403	48	66	1 3/16	–	–	135 lbs.	7.5
48" x 72"									
15N4872RTDWK	Wood	$ 4786	48	71 15/16	1 3/16	–	–	158 lbs.	7.9
15N4872RTDLK	Laminate	3627	48	71 15/16	1 3/16	–	–	158 lbs.	7.9
48" x 78"									
15N4878RTDWK	Wood	$ 5013	48	77 15/16	1 3/16	–	–	180 lbs.	8.3
15N4878RTDLK	Laminate	3856	48	77 15/16	1 3/16	–	–	180 lbs.	8.3
48" x 84"									
15N4884RTDWK	Wood	$ 5238	48	83 15/16	1 3/16	–	–	210 lbs.	10.0
15N4884RTDLK	Laminate	4084	48	83 15/16	1 3/16	–	–	210 lbs.	10.0
54" x 48"									
15N5448RTDWK	Wood	$ 4106	54	48 1/16	1 3/16	–	–	92 lbs.	6.4
15N5448RTDLK	Laminate	2951	54	48 1/16	1 3/16	–	–	92 lbs.	6.4
54" x 60"									
15N5460RTDWK	Wood	$ 4446	54	60	1 3/16	–	–	135 lbs.	7.7
15N5460RTDLK	Laminate	3289	54	60	1 3/16	–	–	135 lbs.	7.7
54" x 66"									
15N5466RTDWK	Wood	$ 4931	54	66	1 3/16	–	–	135 lbs.	8.6
15N5466RTDLK	Laminate	3974	54	66	1 3/16	–	–	135 lbs.	8.6
54" x 72"									
15N5472RTDWK	Wood	$ 5123	54	71 15/16	1 3/16	–	–	145 lbs.	9.1
15N5472RTDLK	Laminate	4163	54	71 15/16	1 3/16	–	–	145 lbs.	9.1

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 291
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 230 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 292
- Notch cutout option available on back side, see page 230 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 485
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top

MIO

PRODUCT SPECIFICATIONS

- Reference page 229 for grommet and cutout locations
- Reference page 232 for top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N5478RTDWK	K	CUT-G23C	D1B425	AC
15N5478RTDLK	K425	CUT-G23C	D1B425	AC2

- See pages 227-230 for all options available in Mio

EXHIBIT MOUNT RECTANGLE TOP KNIFE RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
54" x 78"									
15N5478RTDWK	Wood	$ 5312	54	77 15/16	1 3/16	–	–	165 lbs.	9.5
15N5478RTDLK	Laminate	4352	54	77 15/16	1 3/16	–	–	165 lbs.	9.5
54" x 84"									
15N5484RTDWK	Wood	$ 5500	54	83 15/16	1 3/16	–	–	200 lbs.	10.3
15N5484RTDLK	Laminate	4542	54	83 15/16	1 3/16	–	–	200 lbs.	10.3
60" x 48"									
15N6048RTDWK	Wood	$ 4334	58 3/8	48 1/16	1 3/16	–	–	121 lbs.	6.9
15N6048RTDLK	Laminate	3176	58 3/8	48 1/16	1 3/16	–	–	121 lbs.	6.9
60" x 54"									
15N6054RTDWK	Wood	$ 4446	58 3/8	54	1 3/16	–	–	135 lbs.	7.5
15N6054RTDLK	Laminate	3289	58 3/8	54	1 3/16	–	–	135 lbs.	7.5
60" x 66"									
15N6066RTDWK	Wood	$ 4999	58 3/8	66	1 3/16	–	–	182 lbs.	9.1
15N6066RTDLK	Laminate	4038	58 3/8	66	1 3/16	–	–	182 lbs.	9.1
60" x 72"									
15N6072RTDWK	Wood	$ 5224	58 3/8	71 15/16	1 3/16	–	–	210 lbs.	9.6
15N6072RTDLK	Laminate	4266	58 3/8	71 15/16	1 3/16	–	–	210 lbs.	9.6
60" x 78"									
15N6078RTDWK	Wood	$ 5451	58 3/8	77 15/16	1 3/16	–	–	245 lbs.	10.0
15N6078RTDLK	Laminate	4493	58 3/8	77 15/16	1 3/16	–	–	245 lbs.	10.0
60" x 84"									
15N6084RTDWK	Wood	$ 5677	58 3/8	83 15/16	1 3/16	–	–	270 lbs.	10.8
15N6084RTDLK	Laminate	4717	58 3/8	83 15/16	1 3/16	–	–	270 lbs.	10.8

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 291
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 230 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 292
- Notch cutout option available on back side, see page 230 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 485
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top

PRODUCT SPECIFICATIONS

- Reference page 229 for grommet and cutout locations
- Reference page 232 for top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N3648WGDW F CUT-G15C X TF
15N3648WGDL VTF CUT-G15C X TF

- See pages 227-230 for all options available in Mio

EXHIBIT MOUNT WEDGE TOP SOFTENED RIM



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36" x 48"									
15N3648WGDW	Wood	$ 2868	36⅛	48⅛	1⅜	–	–	50 lbs.	3.6
15N3648WGDL	Laminate	1908	36⅛	48⅛	1⅜	–	–	50 lbs.	3.6
36" x 54"									
15N3654WGDW	Wood	$ 3058	36⅛	54	1⅜	–	–	55 lbs.	4.4
15N3654WGDL	Laminate	2097	36⅛	54	1⅜	–	–	55 lbs.	4.4
36" x 60"									
15N3660WGDW	Wood	$ 3245	36⅛	60	1⅜	–	–	59 lbs.	5.0
15N3660WGDL	Laminate	2284	36⅛	60	1⅜	–	–	59 lbs.	5.0
36" x 66"									
15N3666WGDW	Wood	$ 3434	36⅛	66	1⅜	–	–	65 lbs.	6.0
15N3666WGDL	Laminate	2633	36⅛	66	1⅜	–	–	65 lbs.	6.0
36" x 72"									
15N3672WGDW	Wood	$ 3621	36⅛	71⁵⁄₁₆	1⅜	–	–	76 lbs.	6.3
15N3672WGDL	Laminate	2661	36⅛	71⁵⁄₁₆	1⅜	–	–	76 lbs.	6.3
36" x 78"									
15N3678WGDW	Wood	$ 3809	36⅛	77⁵⁄₁₆	1⅜	–	–	92 lbs.	6.6
15N3678WGDL	Laminate	2850	36⅛	77⁵⁄₁₆	1⅜	–	–	92 lbs.	6.6
36" x 84"									
15N3684WGDW	Wood	$ 4000	36⅛	83⁵⁄₁₆	1⅜	–	–	105 lbs.	8.0
15N3684WGDL	Laminate	3037	36⅛	83⁵⁄₁₆	1⅜	–	–	105 lbs.	8.0

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 291
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 230 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 292
- Notch cutout option available on back side, see page 230 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 485
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top

MIO

PRODUCT SPECIFICATIONS

- Reference page 229 for grommet and cutout locations
- Reference page 232 for top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N4248WGDW	F	CUT-G15C	NT1	CW
15N4248WGDL	V478	CUT-G15C	NT1	478

- See pages 227-230 for all options available in Mio

EXHIBIT MOUNT WEDGE TOP SOFTENED RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
42" x 48"									
15N4248WGDW	Wood	$ 3046	42	48 1/16	1 3/16	–	–	65 lbs.	3.6
15N4248WGDL	Laminate	2085	42	48 1/16	1 3/16	–	–	65 lbs.	3.6
42" x 54"									
15N4254WGDW	Wood	$ 3235	42	54	1 3/16	–	–	76 lbs.	5.0
15N4254WGDL	Laminate	2275	42	54	1 3/16	–	–	76 lbs.	5.0
42" x 60"									
15N4260WGDW	Wood	$ 3424	42	60	1 3/16	–	–	92 lbs.	5.6
15N4260WGDL	Laminate	2462	42	60	1 3/16	–	–	92 lbs.	5.6
42" x 66"									
15N4266WGDW	Wood	$ 3612	42	66	1 3/16	–	–	105 lbs.	6.8
15N4266WGDL	Laminate	2811	42	66	1 3/16	–	–	105 lbs.	6.8
42" x 72"									
15N4272WGDW	Wood	$ 3798	42	71 15/16	1 3/16	–	–	110 lbs.	7.1
15N4272WGDL	Laminate	2839	42	71 15/16	1 3/16	–	–	110 lbs.	7.1
42" x 78"									
15N4278WGDW	Wood	$ 3985	42	77 15/16	1 3/16	–	–	115 lbs.	7.5
15N4278WGDL	Laminate	3028	42	77 15/16	1 3/16	–	–	115 lbs.	7.5
42" x 84"									
15N4284WGDW	Wood	$ 4175	42	83 15/16	1 3/16	–	–	120 lbs.	9.0
15N4284WGDL	Laminate	3217	42	83 15/16	1 3/16	–	–	120 lbs.	9.0
48" x 48"									
15N4848WGDW	Wood	$ 3223	48	48 1/16	1 3/16	–	–	59 lbs.	4.5
15N4848WGDL	Laminate	2261	48	48 1/16	1 3/16	–	–	59 lbs.	4.5

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 291
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 230 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 292
- Notch cutout option available on back side, see page 230 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 485
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top
- Wedge end dimension is 18" on a 36" top, 24" on a 42" top, 30" on a 48" top, 36" on a 54" top, and 40⅝" on a 60" top

PRODUCT SPECIFICATIONS

- Reference page 229 for grommet and cutout locations
- Reference page 232 for top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N4254WGDW	F	CUT-G15C	NT1	CW
15N4254WGDL	V478	CUT-G15C	NT1	478

- See pages 227-230 for all options available in Mio

EXHIBIT MOUNT WEDGE TOP SOFTENED RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
48" x 54"									
15N4854WGDW	Wood	$ 3410	48	54	1 3/16	–	–	92 lbs.	5.5
15N4854WGDL	Laminate	2451	48	54	1 3/16	–	–	92 lbs.	5.5
48" x 60"									
15N4860WGDW	Wood	$ 3599	48	60	1 3/16	–	–	110 lbs.	6.2
15N4860WGDL	Laminate	2639	48	60	1 3/16	–	–	110 lbs.	6.2
48" x 66"									
15N4866WGDW	Wood	$ 3789	48	66	1 3/16	–	–	135 lbs.	7.5
15N4866WGDL	Laminate	2827	48	66	1 3/16	–	–	135 lbs.	7.5
48" x 72"									
15N4872WGDW	Wood	$ 3976	48	71 15/16	1 3/16	–	–	158 lbs.	7.9
15N4872WGDL	Laminate	3014	48	71 15/16	1 3/16	–	–	158 lbs.	7.9
48" x 78"									
15N4878WGDW	Wood	$ 4163	48	77 15/16	1 3/16	–	–	180 lbs.	8.3
15N4878WGDL	Laminate	3203	48	77 15/16	1 3/16	–	–	180 lbs.	8.3
48" x 84"									
15N4884WGDW	Wood	$ 4352	48	83 15/16	1 3/16	–	–	210 lbs.	10.0
15N4884WGDL	Laminate	3391	48	83 15/16	1 3/16	–	–	210 lbs.	10.0
54" x 48"									
15N5448WGDW	Wood	$ 3400	54	48 1/16	1 3/16	–	–	92 lbs.	6.6
15N5448WGDL	Laminate	2439	54	48 1/16	1 3/16	–	–	92 lbs.	6.6
54" x 54"									
15N5454WGDW	Wood	$ 3588	54	54	1 3/16	–	–	121 lbs.	7.1
15N5454WGDL	Laminate	2628	54	54	1 3/16	–	–	121 lbs.	7.1

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 291
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 230 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 292
- Notch cutout option available on back side, see page 230 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 485
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top
- Wedge end dimension is 18" on a 36" top, 24" on a 42" top, 30" on a 48" top, 36" on a 54" top, and 40⅝" on a 60" top

MIO

PRODUCT SPECIFICATIONS

- Reference page 229 for grommet and cutout locations
- Reference page 232 for top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N5460WGDW F CUT-G17C X CW
15N5460WGDL V461 CUT-G17C X CW

- See pages 227-230 for all options available in Mio

EXHIBIT MOUNT WEDGE TOP SOFTENED RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
54" x 60"									
15N5460WGDW	Wood	$ 3776	54	60	1 3/16	–	–	135 lbs.	7.9
15N5460WGDL	Laminate	2816	54	60	1 3/16	–	–	135 lbs.	7.9
54" x 66"									
15N5466WGDW	Wood	$ 3965	54	66	1 3/16	–	–	135 lbs.	8.6
15N5466WGDL	Laminate	3005	54	66	1 3/16	–	–	135 lbs.	8.6
54" x 72"									
15N5472WGDW	Wood	$ 4154	54	71 15/16	1 3/16	–	–	145 lbs.	9.1
15N5472WGDL	Laminate	3192	54	71 15/16	1 3/16	–	–	145 lbs.	9.1
54" x 78"									
15N5478WGDW	Wood	$ 4339	54	77 15/16	1 3/16	–	–	165 lbs.	9.5
15N5478WGDL	Laminate	3381	54	77 15/16	1 3/16	–	–	165 lbs.	9.5
54" x 84"									
15N5484WGDW	Wood	$ 4532	54	83 15/16	1 3/16	–	–	200 lbs.	10.3
15N5484WGDL	Laminate	3571	54	83 15/16	1 3/16	–	–	200 lbs.	10.3
60" x 48"									
15N6048WGDW	Wood	$ 3599	58 3/8	48 1/16	1 3/16	–	–	121 lbs.	6.9
15N6048WGDL	Laminate	2639	58 3/8	48 1/16	1 3/16	–	–	121 lbs.	6.9
60" x 54"									
15N6054WGDW	Wood	$ 3695	58 3/8	54	1 3/16	–	–	135 lbs.	7.5
15N6054WGDL	Laminate	2733	58 3/8	54	1 3/16	–	–	135 lbs.	7.5
60" x 60"									
15N6060WGDW	Wood	$ 3965	58 3/8	60	1 3/16	–	–	150 lbs.	8.3
15N6060WGDL	Laminate	3168	58 3/8	60	1 3/16	–	–	150 lbs.	8.3

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 291
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 230 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 292
- Notch cutout option available on back side, see page 230 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 485
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top
- Wedge end dimension is 18" on a 36" top, 24" on a 42" top, 30" on a 48" top, 36" on a 54" top, and 40⅜" on a 60" top

PRODUCT SPECIFICATIONS

- Reference page 229 for grommet and cutout locations
- Reference page 232 for top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N6084WGDW F CUT-G17C X CW
15N6084WGDL V461 CUT-G17C X CW

- See pages 227-230 for all options available in Mio

EXHIBIT MOUNT WEDGE TOP SOFTENED RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
60" x 66"									
15N6066WGDW	Wood	$ 4154	58⅜	66	1³⁄₁₆	—	—	182 lbs.	9.1
15N6066WGDL	Laminate	3354	58⅜	66	1³⁄₁₆	—	—	182 lbs.	9.1
60" x 72"									
15N6072WGDW	Wood	$ 4339	58⅜	71¹⁵⁄₁₆	1³⁄₁₆	—	—	210 lbs.	9.6
15N6072WGDL	Laminate	3545	58⅜	71¹⁵⁄₁₆	1³⁄₁₆	—	—	210 lbs.	9.6
60" x 78"									
15N6078WGDW	Wood	$ 4528	58⅜	77¹⁵⁄₁₆	1³⁄₁₆	—	—	245 lbs.	10.0
15N6078WGDL	Laminate	3730	58⅜	77¹⁵⁄₁₆	1³⁄₁₆	—	—	245 lbs.	10.0
60" x 84"									
15N6084WGDW	Wood	$ 4716	58⅜	83¹⁵⁄₁₆	1³⁄₁₆	—	—	270 lbs.	10.8
15N6084WGDL	Laminate	3919	58⅜	83¹⁵⁄₁₆	1³⁄₁₆	—	—	270 lbs.	10.8

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 291
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 230 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 292
- Notch cutout option available on back side, see page 230 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 485
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top
- Wedge end dimension is 18" on a 36" top, 24" on a 42" top, 30" on a 48" top, 36" on a 54" top, and 40⅝" on a 60" top

MIO

PRODUCT SPECIFICATIONS

- Reference page 229 for grommet and cutout locations
- Reference page 232 for top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N3648WGDWK K CUT-G16C X AC
15N3648WGDLK K405 CUT-G16C X 461

- See pages 227-230 for all options available in Mio

EXHIBIT MOUNT
WEDGE TOP
KNIFE RIM



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36" x 48"									
15N3648WGDWK	Wood	$ 3836	36⅛	48⅛16	1⅜16	–	–	50 lbs.	3.6
15N3648WGDLK	Laminate	2589	36⅛	48⅛16	1⅜16	–	–	50 lbs.	3.6
36" x 54"									
15N3654WGDWK	Wood	$ 4080	36⅛	54	1⅜16	–	–	55 lbs.	4.4
15N3654WGDLK	Laminate	2830	36⅛	54	1⅜16	–	–	55 lbs.	4.4
36" x 60"									
15N3660WGDWK	Wood	$ 4325	36⅛	60	1⅜16	–	–	59 lbs.	5.0
15N3660WGDLK	Laminate	3079	36⅛	60	1⅜16	–	–	59 lbs.	5.0
36" x 66"									
15N3666WGDWK	Wood	$ 4571	36⅛	66	1⅜16	–	–	65 lbs.	6.0
15N3666WGDLK	Laminate	3321	36⅛	66	1⅜16	–	–	65 lbs.	6.0
36" x 72"									
15N3672WGDWK	Wood	$ 4816	36⅛	71⅝16	1⅜16	–	–	76 lbs.	6.3
15N3672WGDLK	Laminate	3566	36⅛	71⅝16	1⅜16	–	–	76 lbs.	6.3
36" x 78"									
15N3678WGDWK	Wood	$ 5059	36⅛	77⅝16	1⅜16	–	–	92 lbs.	6.6
15N3678WGDLK	Laminate	3810	36⅛	77⅝16	1⅜16	–	–	92 lbs.	6.6
36" x 84"									
15N3684WGDWK	Wood	$ 5304	36⅛	83⅝16	1⅜16	–	–	105 lbs.	8.0
15N3684WGDLK	Laminate	4056	36⅛	83⅝16	1⅜16	–	–	105 lbs.	8.0

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 291
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 230 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 292
- Notch cutout option available on back side, see page 230 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 485
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top
- Wedge end dimension is 18" on a 36" top, 24" on a 42" top, 30" on a 48" top, 36" on a 54" top, and 40⅝" on a 60" top

PRODUCT SPECIFICATIONS

- Reference page 229 for grommet and cutout locations
- Reference page 232 for top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N4248WGDWK	K	CUT-G16C	X	AC
15N4248WGDLK	K405	CUT-G16C	X	461

- See pages 227-230 for all options available in Mio

EXHIBIT MOUNT WEDGE TOP KNIFE RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
42" x 48"									
15N4248WGDWK	Wood	$ 4013	42	48 1/16	1 3/16	–	–	65 lbs.	3.6
15N4248WGDLK	Laminate	2765	42	48 1/16	1 3/16	–	–	65 lbs.	3.6
42" x 54"									
15N4254WGDWK	Wood	$ 4257	42	54	1 3/16	–	–	76 lbs.	5.0
15N4254WGDLK	Laminate	3008	42	54	1 3/16	–	–	76 lbs.	5.0
42" x 60"									
15N4260WGDWK	Wood	$ 4500	42	60	1 3/16	–	–	92 lbs.	5.6
15N4260WGDLK	Laminate	3255	42	60	1 3/16	–	–	92 lbs.	5.6
42" x 66"									
15N4266WGDWK	Wood	$ 4749	42	66	1 3/16	–	–	105 lbs.	6.8
15N4266WGDLK	Laminate	3497	42	66	1 3/16	–	–	105 lbs.	6.8
42" x 72"									
15N4272WGDWK	Wood	$ 4994	42	71 15/16	1 3/16	–	–	110 lbs.	7.1
15N4272WGDLK	Laminate	3742	42	71 15/16	1 3/16	–	–	110 lbs.	7.1
42" x 78"									
15N4278WGDWK	Wood	$ 5237	42	77 15/16	1 3/16	–	–	115 lbs.	7.5
15N4278WGDLK	Laminate	3986	42	77 15/16	1 3/16	–	–	115 lbs.	7.5
42" x 84"									
15N4284WGDWK	Wood	$ 5481	42	83 15/16	1 3/16	–	–	120 lbs.	9.0
15N4284WGDLK	Laminate	4231	42	83 15/16	1 3/16	–	–	120 lbs.	9.0
48" x 48"									
15N4848WGDWK	Wood	$ 4190	48	48 1/16	1 3/16	–	–	59 lbs.	4.5
15N4848WGDLK	Laminate	2940	48	48 1/16	1 3/16	–	–	59 lbs.	4.5

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 291
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 230 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 292
- Notch cutout option available on back side, see page 230 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 485
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top
- Wedge end dimension is 18" on a 36" top, 24" on a 42" top, 30" on a 48" top, 36" on a 54" top, and 40⅝" on a 60" top

MIO

PRODUCT SPECIFICATIONS

- Reference page 229 for grommet and cutout locations
- Reference page 232 for top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N4854WGDWK K X X 792
15N4854WGDLK K792 X X 792

- See pages 227-230 for all options available in Mio

EXHIBIT MOUNT WEDGE TOP KNIFE RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
48" x 54"									
15N4854WGDWK	Wood	$ 4434	48	54	1 3/16	–	–	92 lbs.	5.5
15N4854WGDLK	Laminate	3186	48	54	1 3/16	–	–	92 lbs.	5.5
48" x 60"									
15N4860WGDWK	Wood	$ 4679	48	60	1 3/16	–	–	110 lbs.	6.2
15N4860WGDLK	Laminate	3433	48	60	1 3/16	–	–	110 lbs.	6.2
48" x 66"									
15N4866WGDWK	Wood	$ 4924	48	66	1 3/16	–	–	135 lbs.	7.5
15N4866WGDLK	Laminate	3674	48	66	1 3/16	–	–	135 lbs.	7.5
48" x 72"									
15N4872WGDWK	Wood	$ 5169	48	71 15/16	1 3/16	–	–	158 lbs.	7.9
15N4872WGDLK	Laminate	3919	48	71 15/16	1 3/16	–	–	158 lbs.	7.9
48" x 78"									
15N4878WGDWK	Wood	$ 5413	48	77 15/16	1 3/16	–	–	180 lbs.	8.3
15N4878WGDLK	Laminate	4165	48	77 15/16	1 3/16	–	–	180 lbs.	8.3
48" x 84"									
15N4884WGDWK	Wood	$ 5658	48	83 15/16	1 3/16	–	–	210 lbs.	10.0
15N4884WGDLK	Laminate	4408	48	83 15/16	1 3/16	–	–	210 lbs.	10.0
54" x 48"									
15N5448WGDWK	Wood	$ 4367	54	48 1/16	1 3/16	–	–	92 lbs.	6.6
15N5448WGDLK	Laminate	3118	54	48 1/16	1 3/16	–	–	92 lbs.	6.6
54" x 54"									
15N5454WGDWK	Wood	$ 4610	54	54	1 3/16	–	–	121 lbs.	7.1
15N5454WGDLK	Laminate	3362	54	54	1 3/16	–	–	121 lbs.	7.1

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 291
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 230 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 292
- Notch cutout option available on back side, see page 230 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 485
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top
- Wedge end dimension is 18" on a 36" top, 24" on a 42" top, 30" on a 48" top, 36" on a 54" top, and 40⅝" on a 60" top

PRODUCT SPECIFICATIONS

- Reference page 229 for grommet and cutout locations
- Reference page 232 for top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N5460WGDWK K X X 792
15N5460WGDLK K792 X X 792

- See pages 227-230 for all options available in Mio

EXHIBIT MOUNT WEDGE TOP KNIFE RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
54" x 60"									
15N5460WGDWK	Wood	$ 4857	54	60	1 3/16	–	–	135 lbs.	7.9
15N5460WGDLK	Laminate	3609	54	60	1 3/16	–	–	135 lbs.	7.9
54" x 66"									
15N5466WGDWK	Wood	$ 5103	54	66	1 3/16	–	–	135 lbs.	8.6
15N5466WGDLK	Laminate	3852	54	66	1 3/16	–	–	135 lbs.	8.6
54" x 72"									
15N5472WGDWK	Wood	$ 5347	54	71 15/16	1 3/16	–	–	145 lbs.	9.1
15N5472WGDLK	Laminate	4098	54	71 15/16	1 3/16	–	–	145 lbs.	9.1
54" x 78"									
15N5478WGDWK	Wood	$ 5591	54	77 15/16	1 3/16	–	–	165 lbs.	9.5
15N5478WGDLK	Laminate	4342	54	77 15/16	1 3/16	–	–	165 lbs.	9.5
54" x 84"									
15N5484WGDWK	Wood	$ 5836	54	83 15/16	1 3/16	–	–	200 lbs.	10.3
15N5484WGDLK	Laminate	4586	54	83 15/16	1 3/16	–	–	200 lbs.	10.3
60" x 48"									
15N6048WGDWK	Wood	$ 4679	58 3/8	48 1/16	1 3/16	–	–	121 lbs.	6.9
15N6048WGDLK	Laminate	3433	58 3/8	48 1/16	1 3/16	–	–	121 lbs.	6.9
60" x 54"									
15N6054WGDWK	Wood	$ 4801	58 3/8	54	1 3/16	–	–	135 lbs.	7.5
15N6054WGDLK	Laminate	3552	58 3/8	54	1 3/16	–	–	135 lbs.	7.5
60" x 60"									
15N6060WGDWK	Wood	$ 5155	58 3/8	60	1 3/16	–	–	150 lbs.	8.3
15N6060WGDLK	Laminate	4118	58 3/8	60	1 3/16	–	–	150 lbs.	8.3

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 291
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 230 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 292
- Notch cutout option available on back side, see page 230 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 485
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top
- Wedge end dimension is 18" on a 36" top, 24" on a 42" top, 30" on a 48" top, 36" on a 54" top, and 40⅝" on a 60" top

MIO

PRODUCT SPECIFICATIONS

- Reference page 229 for grommet and cutout locations
- Reference page 232 for top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N6066WGDWK	K	X	D1B485	MH
15N6066WGDLK	K405	X	X	405

- See pages 227-230 for all options available in Mio

EXHIBIT MOUNT WEDGE TOP KNIFE RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
60" x 66"									
15N6066WGDWK	Wood	$ 5400	58⅜	66	1³⁄₁₆	—	—	182 lbs.	9.1
15N6066WGDLK	Laminate	4362	58⅜	66	1³⁄₁₆	—	—	182 lbs.	9.1
60" x 72"									
15N6072WGDWK	Wood	$ 5641	58⅜	71¹⁵⁄₁₆	1³⁄₁₆	—	—	210 lbs.	9.6
15N6072WGDLK	Laminate	4608	58⅜	71¹⁵⁄₁₆	1³⁄₁₆	—	—	210 lbs.	9.6
60" x 78"									
15N6078WGDWK	Wood	$ 5888	58⅜	77¹⁵⁄₁₆	1³⁄₁₆	—	—	245 lbs.	10.0
15N6078WGDLK	Laminate	4852	58⅜	77¹⁵⁄₁₆	1³⁄₁₆	—	—	245 lbs.	10.0
60" x 84"									
15N6084WGDWK	Wood	$ 6132	58⅜	83¹⁵⁄₁₆	1³⁄₁₆	—	—	270 lbs.	10.8
15N6084WGDLK	Laminate	5097	58⅜	83¹⁵⁄₁₆	1³⁄₁₆	—	—	270 lbs.	10.8

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 291
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 230 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 292
- Notch cutout option available on back side, see page 230 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 485
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top
- Wedge end dimension is 18" on a 36" top, 24" on a 42" top, 30" on a 48" top, 36" on a 54" top, and 40⅜" on a 60" top

PRODUCT SPECIFICATIONS

- Reference page 229 for grommet and cutout locations
- Reference page 232 for top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N3648UDW	F	X	D1B485	MH
15N3648UDL	V405	X	X	405

- See pages 227-230 for all options available in Mio

EXHIBIT MOUNT U-SHAPED TOP SOFTENED RIM



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36" x 48"									
15N3648UDW	Wood	$ 3082	36⅛	48⅛	1⅜	—	—	50 lbs.	3.6
15N3648UDL	Laminate	2112	36⅛	48⅛	1⅜	—	—	50 lbs.	3.6
36" x 54"									
15N3654UDW	Wood	$ 3272	36⅛	54	1⅜	—	—	55 lbs.	4.4
15N3654UDL	Laminate	2302	36⅛	54	1⅜	—	—	55 lbs.	4.4
36" x 60"									
15N3660UDW	Wood	$ 3461	36⅛	60	1⅜	—	—	59 lbs.	5.0
15N3660UDL	Laminate	2492	36⅛	60	1⅜	—	—	59 lbs.	5.0
36" x 66"									
15N3666UDW	Wood	$ 3651	36⅛	66	1⅜	—	—	65 lbs.	6.0
15N3666UDL	Laminate	2679	36⅛	66	1⅜	—	—	65 lbs.	6.0
36" x 72"									
15N3672UDW	Wood	$ 3840	36⅛	71⁵⁄₁₆	1⅜	—	—	76 lbs.	6.3
15N3672UDL	Laminate	2869	36⅛	71⁵⁄₁₆	1⅜	—	—	76 lbs.	6.3
36" x 78"									
15N3678UDW	Wood	$ 3853	36⅛	77⁵⁄₁₆	1⅜	—	—	92 lbs.	6.6
15N3678UDL	Laminate	2884	36⅛	77⁵⁄₁₆	1⅜	—	—	92 lbs.	6.6
36" x 84"									
15N3684UDW	Wood	$ 4042	36⅛	83⁵⁄₁₆	1⅜	—	—	105 lbs.	8.0
15N3684UDL	Laminate	3073	36⅛	83⁵⁄₁₆	1⅜	—	—	105 lbs.	8.0
42" x 48"									
15N4248UDW	Wood	$ 3081	42	48⅛	1⅜	—	—	65 lbs.	3.6
15N4248UDL	Laminate	2110	42	48⅛	1⅜	—	—	65 lbs.	3.6

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 291
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 230 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 292
- Notch cutout option available on back side, see page 230 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 485
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top

MIO

PRODUCT SPECIFICATIONS

- Reference page 229 for grommet and cutout locations
- Reference page 232 for top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N4254UDW F X NT1 AC
15N4254UDL V462 X NT1 405

- See pages 227-230 for all options available in Mio

EXHIBIT MOUNT U-SHAPED TOP SOFTENED RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
42" x 54"									
15N4254UDW	Wood	$ 3270	42	54	1 3/16	–	–	76 lbs.	5.0
15N4254UDL	Laminate	2299	42	54	1 3/16	–	–	76 lbs.	5.0
42" x 60"									
15N4260UDW	Wood	$ 3460	42	60	1 3/16	–	–	92 lbs.	5.6
15N4260UDL	Laminate	2490	42	60	1 3/16	–	–	92 lbs.	5.6
42" x 66"									
15N4266UDW	Wood	$ 3650	42	66	1 3/16	–	–	105 lbs.	6.8
15N4266UDL	Laminate	2678	42	66	1 3/16	–	–	105 lbs.	6.8
42" x 72"									
15N4272UDW	Wood	$ 3839	42	71 15/16	1 3/16	–	–	110 lbs.	7.1
15N4272UDL	Laminate	2868	42	71 15/16	1 3/16	–	–	110 lbs.	7.1
42" x 78"									
15N4278UDW	Wood	$ 4030	42	77 15/16	1 3/16	–	–	115 lbs.	7.5
15N4278UDL	Laminate	3060	42	77 15/16	1 3/16	–	–	115 lbs.	7.5
42" x 84"									
15N4284UDW	Wood	$ 4219	42	83 15/16	1 3/16	–	–	120 lbs.	9.0
15N4284UDL	Laminate	3248	42	83 15/16	1 3/16	–	–	120 lbs.	9.0
48" x 48"									
15N4848UDW	Wood	$ 3256	48	48 1/16	1 3/16	–	–	59 lbs.	4.5
15N4848UDL	Laminate	2284	48	48 1/16	1 3/16	–	–	59 lbs.	4.5
48" x 54"									
15N4854UDW	Wood	$ 3445	48	54	1 3/16	–	–	92 lbs.	5.5
15N4854UDL	Laminate	2475	48	54	1 3/16	–	–	92 lbs.	5.5

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 291
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 230 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 292
- Notch cutout option available on back side, see page 230 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 485
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top

PRODUCT SPECIFICATIONS

- Reference page 229 for grommet and cutout locations
- Reference page 232 for top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N4860UDW F X NT1 AC
15N4860UDL V462 X NT1 405

- See pages 227-230 for all options available in Mio

EXHIBIT MOUNT U-SHAPED TOP SOFTENED RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
48" x 60"									
15N4860UDW	Wood	$ 3636	48	60	1 3/16	–	–	110 lbs.	6.2
15N4860UDL	Laminate	2667	48	60	1 3/16	–	–	110 lbs.	6.2
48" x 66"									
15N4866UDW	Wood	$ 3826	48	66	1 3/16	–	–	135 lbs.	7.5
15N4866UDL	Laminate	2856	48	66	1 3/16	–	–	135 lbs.	7.5
48" x 72"									
15N4872UDW	Wood	$ 4017	48	71 15/16	1 3/16	–	–	158 lbs.	7.9
15N4872UDL	Laminate	3046	48	71 15/16	1 3/16	–	–	158 lbs.	7.9
48" x 78"									
15N4878UDW	Wood	$ 4208	48	77 15/16	1 3/16	–	–	180 lbs.	8.3
15N4878UDL	Laminate	3236	48	77 15/16	1 3/16	–	–	180 lbs.	8.3
48" x 84"									
15N4884UDW	Wood	$ 4397	48	83 15/16	1 3/16	–	–	210 lbs.	10.0
15N4884UDL	Laminate	3427	48	83 15/16	1 3/16	–	–	210 lbs.	10.0
54" x 48"									
15N5448UDW	Wood	$ 3350	54	48 1/16	1 3/16	–	–	92 lbs.	6.6
15N5448UDL	Laminate	2381	54	48 1/16	1 3/16	–	–	92 lbs.	6.6
54" x 54"									
15N5454UDW	Wood	$ 3540	54	54	1 3/16	–	–	121 lbs.	7.1
15N5454UDL	Laminate	2569	54	54	1 3/16	–	–	121 lbs.	7.1
54" x 60"									
15N5460UDW	Wood	$ 3728	54	60	1 3/16	–	–	135 lbs.	7.9
15N5460UDL	Laminate	2759	54	60	1 3/16	–	–	135 lbs.	7.9

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 291
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 230 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 292
- Notch cutout option available on back side, see page 230 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 485
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top

MIO

PRODUCT SPECIFICATIONS

- Reference page 229 for grommet and cutout locations
- Reference page 232 for top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N5466UDW F CUT-G23C X TF
15N5466UDL VTF CUT-G23C X TF

- See pages 227-230 for all options available in Mio

EXHIBIT MOUNT U-SHAPED TOP SOFTENED RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
54" x 66"									
15N5466UDW	Wood	$ 3918	54	66	1 3/16	–	–	135 lbs.	8.6
15N5466UDL	Laminate	2950	54	66	1 3/16	–	–	135 lbs.	8.6
54" x 72"									
15N5472UDW	Wood	$ 4109	54	71 15/16	1 3/16	–	–	145 lbs.	9.1
15N5472UDL	Laminate	3139	54	71 15/16	1 3/16	–	–	145 lbs.	9.1
54" x 78"									
15N5478UDW	Wood	$ 4383	54	77 15/16	1 3/16	–	–	165 lbs.	9.5
15N5478UDL	Laminate	3412	54	77 15/16	1 3/16	–	–	165 lbs.	9.5
54" x 84"									
15N5484UDW	Wood	$ 4574	54	83 15/16	1 3/16	–	–	200 lbs.	10.3
15N5484UDL	Laminate	3605	54	83 15/16	1 3/16	–	–	200 lbs.	10.3
60" x 48"									
15N6048UDW	Wood	$ 3636	58 3/8	48 1/16	1 3/16	–	–	121 lbs.	6.9
15N6048UDL	Laminate	2667	58 3/8	48 1/16	1 3/16	–	–	121 lbs.	6.9
60" x 54"									
15N6054UDW	Wood	$ 3728	58 3/8	54	1 3/16	–	–	135 lbs.	7.5
15N6054UDL	Laminate	2759	58 3/8	54	1 3/16	–	–	135 lbs.	7.5
60" x 60"									
15N6060UDW	Wood	$ 4003	58 3/8	60	1 3/16	–	–	150 lbs.	8.3
15N6060UDL	Laminate	3196	58 3/8	60	1 3/16	–	–	150 lbs.	8.3
60" x 66"									
15N6066UDW	Wood	$ 4193	58 3/8	66	1 3/16	–	–	182 lbs.	9.1
15N6066UDL	Laminate	3389	58 3/8	66	1 3/16	–	–	182 lbs.	9.1

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 291
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 230 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 292
- Notch cutout option available on back side, see page 230 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 485
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top

PRODUCT SPECIFICATIONS

- Reference page 229 for grommet and cutout locations
- Reference page 232 for top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N6072UDW F CUT-G23C X TF
15N6072UDL VTF CUT-G23C X TF

- See pages 227-230 for all options available in Mio

EXHIBIT MOUNT U-SHAPED TOP SOFTENED RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
60" x 72"									
15N6072UDW	Wood	$ 4383	58⅜	71¹⁵⁄₁₆	1⅜₁₆	—	—	210 lbs.	9.6
15N6072UDL	Laminate	3581	58⅜	71¹⁵⁄₁₆	1⅜₁₆	—	—	210 lbs.	9.6
60" x 78"									
15N6078UDW	Wood	$ 4574	58⅜	77¹⁵⁄₁₆	1⅜₁₆	—	—	245 lbs.	10.0
15N6078UDL	Laminate	3769	58⅜	77¹⁵⁄₁₆	1⅜₁₆	—	—	245 lbs.	10.0
60" x 84"									
15N6084UDW	Wood	$ 4763	58⅜	83¹⁵⁄₁₆	1⅜₁₆	—	—	270 lbs.	10.8
15N6084UDL	Laminate	3959	58⅜	83¹⁵⁄₁₆	1⅜₁₆	—	—	270 lbs.	10.8

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 291
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 230 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 292
- Notch cutout option available on back side, see page 230 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 485
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top

MIO

PRODUCT SPECIFICATIONS

- Reference page 229 for grommet and cutout locations
- Reference page 232 for top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N3648UDWK K X X AC
15N3648UDLK K462 X X 405

- See pages 227-230 for all options available in Mio

EXHIBIT MOUNT U-SHAPED TOP KNIFE RIM



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
36" x 48"									
15N3648UDWK	Wood	$ 4399	36⅛	48⅛16	1⅜16	–	–	50 lbs.	3.6
15N3648UDLK	Laminate	3140	36⅛	48⅛16	1⅜16	–	–	50 lbs.	3.6
36" x 54"									
15N3654UDWK	Wood	$ 4592	36⅛	54	1⅜16	–	–	55 lbs.	4.4
15N3654UDLK	Laminate	3331	36⅛	54	1⅜16	–	–	55 lbs.	4.4
36" x 60"									
15N3660UDWK	Wood	$ 4781	36⅛	60	1⅜16	–	–	59 lbs.	5.0
15N3660UDLK	Laminate	3519	36⅛	60	1⅜16	–	–	59 lbs.	5.0
36" x 66"									
15N3666UDWK	Wood	$ 4969	36⅛	66	1⅜16	–	–	65 lbs.	6.0
15N3666UDLK	Laminate	3708	36⅛	66	1⅜16	–	–	65 lbs.	6.0
36" x 72"									
15N3672UDWK	Wood	$ 5160	36⅛	71⅝16	1⅜16	–	–	76 lbs.	6.3
15N3672UDLK	Laminate	3900	36⅛	71⅝16	1⅜16	–	–	76 lbs.	6.3
36" x 78"									
15N3678UDWK	Wood	$ 5170	36⅛	77⅝16	1⅜16	–	–	92 lbs.	6.6
15N3678UDLK	Laminate	3912	36⅛	77⅝16	1⅜16	–	–	92 lbs.	6.6
36" x 84"									
15N3684UDWK	Wood	$ 5360	36⅛	83⅝16	1⅜16	–	–	105 lbs.	8.0
15N3684UDLK	Laminate	4103	36⅛	83⅝16	1⅜16	–	–	105 lbs.	8.0
42" x 48"									
15N4248UDWK	Wood	$ 3792	42	48⅛16	1⅜16	–	–	65 lbs.	3.6
15N4248UDLK	Laminate	3025	42	48⅛16	1⅜16	–	–	65 lbs.	3.6

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 291
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 230 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 292
- Notch cutout option available on back side, see page 230 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 485
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top

PRODUCT SPECIFICATIONS

- Reference page 229 for grommet and cutout locations
- Reference page 232 for top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N4254UDWK K X X AC
15N4254UDLK K462 X X 405

- See pages 227-230 for all options available in Mio

EXHIBIT MOUNT U-SHAPED TOP KNIFE RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
42" x 54"									
15N4254UDWK	Wood	$ 3980	42	54	1 3/16	–	–	76 lbs.	5.0
15N4254UDLK	Laminate	3214	42	54	1 3/16	–	–	76 lbs.	5.0
42" x 60"									
15N4260UDWK	Wood	$ 4171	42	60	1 3/16	–	–	92 lbs.	5.6
15N4260UDLK	Laminate	3403	42	60	1 3/16	–	–	92 lbs.	5.6
42" x 66"									
15N4266UDWK	Wood	$ 4359	42	66	1 3/16	–	–	105 lbs.	6.8
15N4266UDLK	Laminate	3592	42	66	1 3/16	–	–	105 lbs.	6.8
42" x 72"									
15N4272UDWK	Wood	$ 4548	42	71 15/16	1 3/16	–	–	110 lbs.	7.1
15N4272UDLK	Laminate	3781	42	71 15/16	1 3/16	–	–	110 lbs.	7.1
42" x 78"									
15N4278UDWK	Wood	$ 5348	42	77 15/16	1 3/16	–	–	115 lbs.	7.5
15N4278UDLK	Laminate	4087	42	77 15/16	1 3/16	–	–	115 lbs.	7.5
42" x 84"									
15N4284UDWK	Wood	$ 5537	42	83 15/16	1 3/16	–	–	120 lbs.	9.0
15N4284UDLK	Laminate	4277	42	83 15/16	1 3/16	–	–	120 lbs.	9.0
48" x 48"									
15N4848UDWK	Wood	$ 4231	48	48 1/16	1 3/16	–	–	59 lbs.	4.5
15N4848UDLK	Laminate	2970	48	48 1/16	1 3/16	–	–	59 lbs.	4.5
48" x 54"									
15N4854UDWK	Wood	$ 4479	48	54	1 3/16	–	–	92 lbs.	5.5
15N4854UDLK	Laminate	3220	48	54	1 3/16	–	–	92 lbs.	5.5

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 291
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 230 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 292
- Notch cutout option available on back side, see page 230 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 485
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top

MIO

PRODUCT SPECIFICATIONS

- Reference page 229 for grommet and cutout locations
- Reference page 232 for top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N4860UDWK K X X MC
15N4860UDLK K478 X X 478

- See pages 227-230 for all options available in Mio

EXHIBIT MOUNT U-SHAPED TOP KNIFE RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
48" x 60"									
15N4860UDWK	Wood	$ 4724	48	60	1 3/16	–	–	110 lbs.	6.2
15N4860UDLK	Laminate	3465	48	60	1 3/16	–	–	110 lbs.	6.2
48" x 66"									
15N4866UDWK	Wood	$ 4972	48	66	1 3/16	–	–	135 lbs.	7.5
15N4866UDLK	Laminate	3713	48	66	1 3/16	–	–	135 lbs.	7.5
48" x 72"									
15N4872UDWK	Wood	$ 5220	48	71 15/16	1 3/16	–	–	158 lbs.	7.9
15N4872UDLK	Laminate	3959	48	71 15/16	1 3/16	–	–	158 lbs.	7.9
48" x 78"									
15N4878UDWK	Wood	$ 5470	48	77 15/16	1 3/16	–	–	180 lbs.	8.3
15N4878UDLK	Laminate	4208	48	77 15/16	1 3/16	–	–	180 lbs.	8.3
48" x 84"									
15N4884UDWK	Wood	$ 5712	48	83 15/16	1 3/16	–	–	210 lbs.	10.0
15N4884UDLK	Laminate	4455	48	83 15/16	1 3/16	–	–	210 lbs.	10.0
54" x 48"									
15N5448UDWK	Wood	$ 4471	54	48 1/16	1 3/16	–	–	92 lbs.	6.6
15N5448UDLK	Laminate	3311	54	48 1/16	1 3/16	–	–	92 lbs.	6.6
54" x 54"									
15N5454UDWK	Wood	$ 4660	54	54	1 3/16	–	–	121 lbs.	7.1
15N5454UDLK	Laminate	3501	54	54	1 3/16	–	–	121 lbs.	7.1
54" x 60"									
15N5460UDWK	Wood	$ 4851	54	60	1 3/16	–	–	135 lbs.	7.9
15N5460UDLK	Laminate	3588	54	60	1 3/16	–	–	135 lbs.	7.9

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 291
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 230 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 292
- Notch cutout option available on back side, see page 230 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 485
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top

PRODUCT SPECIFICATIONS

- Reference page 229 for grommet and cutout locations
- Reference page 232 for top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N6066UDWK K X X MC
15N6066UDLK K478 X X 478

- See pages 227-230 for all options available in Mio

EXHIBIT MOUNT U-SHAPED TOP KNIFE RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
54" x 66"									
15N5466UDWK	Wood	$ 5038	54	66	1 3/16	–	–	135 lbs.	8.6
15N5466UDLK	Laminate	3777	54	66	1 3/16	–	–	135 lbs.	8.6
54" x 72"									
15N5472UDWK	Wood	$ 5228	54	71 15/16	1 3/16	–	–	145 lbs.	9.1
15N5472UDLK	Laminate	3967	54	71 15/16	1 3/16	–	–	145 lbs.	9.1
54" x 78"									
15N5478UDWK	Wood	$ 5645	54	77 15/16	1 3/16	–	–	165 lbs.	9.5
15N5478UDLK	Laminate	4383	54	77 15/16	1 3/16	–	–	165 lbs.	9.5
54" x 84"									
15N5484UDWK	Wood	$ 5892	54	83 15/16	1 3/16	–	–	200 lbs.	10.3
15N5484UDLK	Laminate	4633	54	83 15/16	1 3/16	–	–	200 lbs.	10.3
60" x 48"									
15N6048UDWK	Wood	$ 4724	58 3/8	48 1/16	1 3/16	–	–	121 lbs.	6.9
15N6048UDLK	Laminate	3465	58 3/8	48 1/16	1 3/16	–	–	121 lbs.	6.9
60" x 54"									
15N6054UDWK	Wood	$ 4851	58 3/8	54	1 3/16	–	–	135 lbs.	7.5
15N6054UDLK	Laminate	3588	58 3/8	54	1 3/16	–	–	135 lbs.	7.5
60" x 60"									
15N6060UDWK	Wood	$ 5205	58 3/8	60	1 3/16	–	–	150 lbs.	8.3
15N6060UDLK	Laminate	4159	58 3/8	60	1 3/16	–	–	150 lbs.	8.3
60" x 66"									
15N6066UDWK	Wood	$ 5451	58 3/8	66	1 3/16	–	–	182 lbs.	9.1
15N6066UDLK	Laminate	4405	58 3/8	66	1 3/16	–	–	182 lbs.	9.1

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 291
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 230 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 292
- Notch cutout option available on back side, see page 230 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 485
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top

MIO

PRODUCT SPECIFICATIONS

- Reference page 229 for grommet and cutout locations
- Reference page 232 for top and base guide

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Grommet
5. Wire Manager
6. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

15N6072UDWK K X X MC
15N6072UDLK K478 X X 478

- See pages 227-230 for all options available in Mio

EXHIBIT MOUNT U-SHAPED TOP KNIFE RIM (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
60" x 72"									
15N6072UDWK	Wood	$ 5700	58⅞	71 15/16	1 3/16	–	–	210 lbs.	9.6
15N6072UDLK	Laminate	4651	58⅞	71 15/16	1 3/16	–	–	210 lbs.	9.6
60" x 78"									
15N6078UDWK	Wood	$ 5947	58⅞	77 15/16	1 3/16	–	–	245 lbs.	10.0
15N6078UDLK	Laminate	4900	58⅞	77 15/16	1 3/16	–	–	245 lbs.	10.0
60" x 84"									
15N6084UDWK	Wood	$ 6194	58⅞	83 15/16	1 3/16	–	–	270 lbs.	10.8
15N6084UDLK	Laminate	5146	58⅞	83 15/16	1 3/16	–	–	270 lbs.	10.8

- For use with Exhibit or an architectural wall and Exhibit mount bases found on page 291
- Must be properly supported following the standard support guidelines
- Modified depth and width not available
- If using top with Exhibit, refer to the Exhibit section for guidelines
- Tops only have a rim profile on 3 sides; profiled corners have a 4" radius
- Wire manager available on back side; see page 230 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see page 292
- Notch cutout option available on back side, see page 230 for dimensions and upcharge; Notch to be used when ordering the vertical wire manager for insert; see page 485
- 4 Exhibit worksurface mounting brackets included with each Exhibit mount top

PRODUCT SPECIFICATIONS

- STD channel height is 6" tall and should be specified when using the G15, G16, G17, G23, or no grommet
- Taper base shipped in 3 separate cartons

TO ORDER, SPECIFY:

1. Model Number
2. Base Wire Channel Height
3. Paint Color

SAMPLE MODEL NUMBER:

15N4828TPOBP 6 405

- See pages 227-230 for all options available in Mio

EXHIBIT MOUNT TAPER BASE BAR HEIGHT



STD Channel Height

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
15N4840TPOBP	Painted	$ 4285	12	36 1/16	39 3/4	—	—	105 lbs.	18.1
15N5440TPOBP	Painted	4405	12	42	39 3/4	—	—	115 lbs.	20.7
15N6040TPOBP	Painted	4528	12	48	39 3/4	—	—	125 lbs.	23.3
15N6640TPOBP	Painted	4654	12	54	39 3/4	—	—	135 lbs.	25.9
15N7240TPOBP	Painted	4788	12	59 15/16	39 3/4	—	—	145 lbs.	28.5
15N7840TPOBP	Painted	4915	12	65 15/16	39 3/4	—	—	155 lbs.	31.1
15N8440TPOBP	Painted	5048	12	71 15/16	39 3/4	—	—	165 lbs.	33.7

- Bases are only intended for use with the Mio Exhibit mount tops and Exhibit architectural wall
- Adjustable glides standard; 1½" glide adjustment
- Bases have wire access and removable panels for access to floor mounted electrical
- Tapered base channel is 12" overall depth for the top channel and 6" for the bottom channel; bar height bottom channel inside dimension is 5 3/16"; desk height bottom channel inside dimension is 5 31/32"; top channel top inside dimension is 10½"; top channel bottom inside dimension for STD height is 9 3/16"
- Reference page 232 for top and base guide

EXHIBIT MOUNT TAPER BASE DESK HEIGHT



STD Channel Height

15N4828TPOBP	Painted	$ 3896	12	36 1/16	27 1/4	—	—	95 lbs.	13.0
15N5428TPOBP	Painted	4006	12	42	27 1/4	—	—	110 lbs.	14.8
15N6028TPOBP	Painted	4118	12	48	27 1/4	—	—	115 lbs.	16.7
15N6628TPOBP	Painted	4231	12	54	27 1/4	—	—	125 lbs.	18.6
15N7228TPOBP	Painted	4351	12	59 15/16	27 1/4	—	—	135 lbs.	20.4
15N7828TPOBP	Painted	4473	12	65 15/16	27 1/4	—	—	145 lbs.	22.3
15N8428TPOBP	Painted	4599	12	71 15/16	27 1/4	—	—	155 lbs.	24.2

- Bases are only intended for use with the Mio Exhibit mount tops and Exhibit architectural wall
- Adjustable glides standard; 1½" glide adjustment
- Bases have wire access and removable panels for access to floor mounted electrical
- Tapered base channel is 12" overall depth for the top channel and 6" for the bottom channel; bar height bottom channel inside dimension is 5 3/16"; desk height bottom channel inside dimension is 5 31/32"; top channel top inside dimension is 10½"; top channel bottom inside dimension for STD height is 9 3/16"
- Reference page 232 for top and base guide

MIO

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

NAC01WMFM 501

• See pages 227-230 for all options available in Mio

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
EXHIBIT WALL RAIL AND FACEPLATE	**WALL RAIL AND FACEPLATE**									
	11N72EXFP2	Set of 2	$ 381	⅞	72	1¾	–	–	6 lbs.	0.7
	11N144EXFP2	Set of 2	547	⅞	144	1¾	–	–	12 lbs.	1.4
	11N72EXFP1	Set of 1	$ 219	⅞	72	1¾	–	–	6 lbs.	0.7
	11N144EXFP1	Set of 1	303	⅞	144	1¾	–	–	12 lbs.	1.4

• Set of 2 includes 2 rails, 2 faceplates, and 4 alignment brackets
• Set of 1 includes 1 rail, 1 faceplate, and 2 alignment brackets
• Exhibit wall rail available in Concrete, Cinder, Iron, Platinum Metallic or Satin Nickel Metallic
• Faceplates must be used when using an insert

EXHIBIT WALL RAIL	**WALL RAIL**									
	11N72EXP1	1 Rail/No faceplate	$ 133	¾	72	1¾	–	–	6 lbs.	0.7
	11N144EXP1	1 Rail/No faceplate	193	¾	144	1¾	–	–	12 lbs.	1.4

• Includes 1 wall rail and 2 alignment brackets
• Exhibit wall rail available in Concrete, Cinder, Iron, Platinum Metallic or Satin Nickel Metallic
• For use when hanging a worksurface or overhead without the use of an insert

EXHIBIT TV MOUNT VERTICAL WIRE MANAGER	11N0615WMVW	Wood	$ 475	1½	5⅜	15⁷⁄₁₆	–	–	8 lbs.	0.6
	11N0615WMVL	Laminate	317	1½	5⅜	15⁷⁄₁₆	–	–	8 lbs.	0.6

• Attaches to the Exhibit TV mount inserts; used to conceal power in-feed and data cables
• When using Exhibit TV mount inserts and vertical wire manager with a Mio Exhibit mount worksurface, the worksurface needs to be configured with a notch for the worksurface wire manager

WORKSURFACE WIRE MANAGER FILLER	NAC01WMFM		$ 24	1	1	1	–	–	1 lbs.	0.5
										

• Specify paint color
• Paint options and recommendations are listed on page 230

FLAT PANEL WALL MOUNT KIT	15NTVMAS	Black	$ 484	15¾-47¼		15¾-31¼		–	25 lbs.	2.0
										

• Adjustable Universal Wall Mount adjusts to allow installation of most 32" to 80" flat panel
• Must mount onto an architectural wall
• Black powder coat
• VESA mounting compliant

TV MOUNT ADJUSTABLE, DUAL	15NTVMAD	Black	$ 1453	57	2¼	17⁹⁄₁₀	–	–	lbs.	2.1
										

• Adjustable Universal Wall Mount
• Must mount onto an architectural wall
• Black powder coat
• VESA mounting compliant

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

15N93ELC 501

• See pages 227-230 for all options available in Mio

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
PERSONAL MARKER BOARD	NAC1214MBL	Laminate	$ 196	⅛	12	14	—	—	lbs.	



• High gloss, white laminate marker board
• Marker board and hooks sold separately
• Hooks to attach to bottom of worksurface to hang marker boards

SINGLE HOOK	NAC02HKS	Stainless Steel	$ 78	¾	1/12	1¾	—	—	lbs.	



• Hooks to attach to bottom of worksurface to hang marker boards

DOUBLE HOOK	NAC03HKD	Aluminum	$ 43	1¾	3¼	2½	—	—	lbs.	

• Hooks to attach to bottom of worksurface to hang marker boards

POWER POLE	15N93ELC		$ 396	2 1/10	2	93	—	—	lbs.	0.9



• Power pole will need to be cut to desired length in the field
• Available in 6 paint colors: (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic

STRASSA

STRASSA PRODUCT SPECIFICATIONS

TOPS

- Laminate surfaces are 1⅜" HPL (high pressure laminate) or 1⅛" TFL (thermally fused laminate), and feature a softened 3mm PVC rim
- Refer to page 296 for rim profile and colors
- Grain direction runs left-to-right
- Sizes 48" - 120" 1 piece top
  144" - 192" 2 piece top
  216" - 240" 3 piece top
- HPL will have matching grains on 2 and 3 piece tops
- LPL will have non-matching grains on 2 and 3 piece tops

CHASSIS CONSTRUCTION

- All joints are securely fastened by screws, L-brackets, dowels, and concealed fasteners to ensure maximum strength
- Adjustable leveling glides are standard on all casegoods
- End panels with modesty panels are 1⅛" thick
- End panels without modesty panels are 3" thick
- Laminate modesty panels have horizontal grain direction unless otherwise noted
- Laminate with horizontal grain (example: Sable Horizontal 792H) will always have horizontal grain direction

POWER/DATA ELECTRICAL SPECIFICATIONS

ROUND GROMMET (G10)

- NACG10EL features 2 120 volt receptacles and 2 Cat5E data ports and 6' AC cord rated at 15 amps; data ports are not pre-wired
- Field installable
- For conference tables only
- Black nylon
- 8 adapter plates are provided

DOUBLE PIVOTING M2X-B POWER GROMMET (G15A, G15B)

- Accommodates table thicknesses of ¾"-1¾"
- 1 touch door remains open during use
- 2 6 ft. power cords with 3-prong molded plug for each side
- Spill-proof
- Available in silver, black or white powder coat
- Hardwire/Chicago Code available
- Corded units (standard and hardwire) have 2 72" long power cords (1 for each side) rated at 15 amps 120 volts
- Grommet comes with undersurface wire managers attached underneath conference top
- Field installable into a CUT-G15 (must be ordered)
- UL Listed
- G15A SIDE 1: 2 power outlets, 1 dual USB-A port, 1 HDMI and 1 blank data port SIDE 2: 2 power outlets, 1 dual USB-A port, 1 VGA and 1 blank data port
- G15B SIDE 1: 2 power outlets, 1 blank data port, 1 HDMI, and 1 USB A + C combo SIDE 2: 2 power outlets, 1 blank data port, 1 VGA and 1 USB-A + C combo

INTERLINK IQ DOUBLE PIVOTING M2X-B POWER GROMMET (G15A, G15B)

- Non-sequential "Daisy chain" solution
- Interlink IQ system must begin with a smart box with starter plug (or full set)
- 1 touch door remains open during use
- Maximum of 4 units because G15 is double sided (F8)
- Jumper or transitional jumper used between the smart box and G15 IQ grommets when the span between grommet locations are greater than 60"
- Interlink IQ is plugged only. Hardwire is not available
- Built-in status indicator: green means go, red light indicates too many units
- UL recognized
- G15A Interlink has SIDE 1: 2 power outlets, 1 dual USB-A port, 1 HDMI and 1 blank data port SIDE 2: 2 power outlets, 1 dual USB-A port, 1 VGA and 1 blank data port
- G15B Interlink has SIDE 1: 2 power outlets, 1 blank data port, 1 HDMI, and 1 USB-A + C combo SIDE 2: 2 power outlets, 1 blank data port, 1 VGA and 1 USB-A + C combo

GLENBEIGH PIVOTING POWER GROMMET (G17A, G17B, G17C)

- Accommodates table thickness of ¾"-1¾"
- 10 ft. power cord with 3-prong molded plug
- Spill-proof
- Available in silver, black or white powder coat
- Hardwire/Chicago Code available
- 15 amp, 120v (hardwire models)
- 10 ft. metal conduit (hardwire models)
- UL Listed
- G17A available with 2 power outlets
- G17B available with 1 power outlet and 1 USB-A + C combo port
- G17C available with 1 power outlet

INTERLINK IQ SYSTEM (G17A, G17B, G17C)

- Non-sequential "Daisy chain" solution
- Interlink IQ system must begin with a smart box with starter plug (or full set)
- Jumper or transitional jumper used between the smart box and G17 IQ grommets when the span between grommet locations are greater than 60"
- Interlink IQ is plugged only. Hardwire is not available
- Built-in status indicator: green means go, red light indicates too many units
- UL recognized
- G17A Interlink has 2 power outlets
- G17B Interlink has 1 power and 1 dual USB-A + C combo
- G17C Interlink has 1 power outlet

POWER GROMMET (G23)

- Field installable when CUT-G23 option is specified
- Die-cast zinc in black or silver powder coat
- Includes 2 power outlets and 2 power USB ports
- Silver, black, or white
- Hardwire available
- Not intended for use in end panel
- 9 foot, 15 amp cord
- UL Listed

DAISY LINK (G23)

- Field installable when CUT-G23 option is specified
- Not intended for use in end panel
- Silver, black, or white
- Includes 2 15 amp power receptacles (no data) and 2 USB (3.0 power) power ports
- Thumbscrew version with 2 backerplates and 2¼"-20 thumbscrews
- 72" single circuit power cord for plugged starter unit; 48⅜" conduit and 24" power cord with 20 amp molded plug
- 72⅜" multi-circuit conduit power cord for hardwire starter unit
- Add-on unit does include a 60" jumper; jumper cable is 60⅜" metal conduit with female to female ends for connecting 2 daisy link power grommets
- UL Listed

DAISY LINK JUMPER

- 80", 180", or 240" jumper cable is metal conduit with female to female ends to connect 2 daisy link power grommets when the power is jumped between tables

4-TRAC

- Used as a power distribution in conjunction with our electrical grommet options
- 4 wires, 2 circuits, 20 amps each (circuit 1 and 2 only)
- 13 duplex receptacles per circuit (26) 15 amp duplex
- UL Listed as a manufactured wiring system
- Ease of install and reconfigure options
- Field installable

UNDERSURFACE POWER/DATA

- Contains 1 electrical outlet and 2 USB ports
- Mounts under surface
- 72" power cord included

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

STRASSA - AVAILABLE SIZES

Standard Height (29"), Full Modesty



36" x 48", 60", 72", 84", 96", 108", and 120"
42" x 48", 60", 72", 84", 96", 108", and 120"
48" x 48", 60", 72", 84", 96", 108", and 120"



48" x 144", 168", and 192"



48" x 216" and 240"

Counter Height (35"), Full Modesty



36" x 48", 60", 72", 84", 96", 108", and 120"
42" x 48", 60", 72", 84", 96", 108", and 120"
48" x 48", 60", 72", 84", 96", 108", and 120"



48" x 144", 168", and 192"



48" x 216" and 240"

Bar Height (41"), Full Modesty



36" x 48", 60", 72", 84", 96", 108", and 120"
42" x 48", 60", 72", 84", 96", 108", and 120"
48" x 48", 60", 72", 84", 96", 108", and 120"



48" x 144", 168", and 192"



48" x 216" and 240"

Standard Height (29"), No Modesty



24" x 48", 60", 72", 84", 96", 108", and 120"
(single sided)
30" x 48", 60", 72", 84", 96", 108", and 120"
(single sided)
36" x 48", 60", 72", 84", 96", 108", and 120"
42" x 48", 60", 72", 84", 96", 108", and 120"
48" x 48", 60", 72", 84", 96", 108", and 120"



48" x 144", 168", and 192"



48" x 216" and 240"

Counter Height (35"), No Modesty



24" x 48", 60", 72", 84", 96", 108", and 120"
(single sided)
30" x 48", 60", 72", 84", 96", 108", and 120"
(single sided)
36" x 48", 60", 72", 84", 96", 108", and 120"
42" x 48", 60", 72", 84", 96", 108", and 120"
48" x 48", 60", 72", 84", 96", 108", and 120"



48" x 144", 168", and 192"



48" x 216" and 240"

Bar Height (41"), No Modesty



24" x 48", 60", 72", 84", 96", 108", and 120"
(single sided)
30" x 48", 60", 72", 84", 96", 108", and 120"
(single sided)
36" x 48", 60", 72", 84", 96", 108", and 120"
42" x 48", 60", 72", 84", 96", 108", and 120"
48" x 48", 60", 72", 84", 96", 108", and 120"



48" x 144", 168", and 192"



48" x 216" and 240"

CONFIGURATION OPTIONS - STRASSA

TOP LAMINATE COLORS

WOODGRAIN LAMINATE

AC2	Autumn 2	MH	Mocha
AD	Almond	NM	Natural
BZ	Brazilwood	PB	Portobello
CI	Chai	PC	Porcini
CL	Caramel	PT	Portico
CW	Cordovan	SK	Skyline
DW	Judicial	SM	Sonoma
HN2	Honey 2	TF	Truffle
IM	Brighton	WL	Willow
KN	Kona	792	Sable
MC	Amber	793	Acorn

• CSL available; see page 14 for program details and upcharge

SOLID LAMINATE

405	Designer White
419	Wallaby
425	Shadow
440	Cloud
457	Dapple
461	Graphite
462	Cinder
478	Platinum Grey
488	Frosty White
491	Designer White Linear
492	Cinder Linear

PATTERN LAMINATE

814	White Tigris
818	Crisp Linen
819	Flax Gauze
821	Elemental Concrete
822	Smoke Quarstone

GALLERY LAMINATE

Grade 1 – 5% upcharge

G1001	Citadel
G1011	Pepperdust

Grade 2 – 6% upcharge

G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

• Pattern laminates not available on TFL models

RIM PROFILE



Softened PVC (V)

PVC SOFTENED RIM

AC2	Autumn 2	SM	Sonoma
AD	Almond	TF	Truffle
BZ	Brazilwood	WL	Willow
CI	Chai	792	Sable
CL	Caramel	793	Acorn
CW	Cordovan	405	Designer White
DW	Judicial	419	Wallaby
HN2	Honey 2	425	Shadow
IM	Brighton	440	Cloud
KN	Kona	457	Dapple
MC	Amber	461	Graphite
MH	Mocha	462	Cinder
NM	Natural	478	Platinum Grey
PB	Portobello	488	Frosty White
PC	Porcini	491	Designer White Linear
PT	Portico	492	Cinder Linear
SK	Skyline		

GALLERY PVC SOFTENED RIM

Grade 1 – 5% upcharge

G1001	Citadel
G1011	Pepperdust

Grade 2 – 6% upcharge

G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

END PANEL/MODESTY PANEL LAMINATE COLORS

WOODGRAIN LAMINATE

AC2	Autumn 2	PB	Portobello
AD	Almond	PBH	Portobello Horizontal
ADH	Almond Horizontal	PC	Porcini
BZ	Brazilwood	PT	Portico
CI	Chai	PTH	Portico Horizontal
CL	Caramel	SK	Skyline
CW	Cordovan	SKH	Skyline Horizontal
DW	Judicial	SM	Sonoma
HN2	Honey 2	SMH	Sonoma Horizontal
IM	Brighton	TF	Truffle
KN	Kona	WL	Willow
MC	Amber	792	Sable
MH	Mocha	792H	Sable Horizontal
NM	Natural	793	Acorn

SOLID LAMINATE

405	Designer White
419	Wallaby
425	Shadow
440	Cloud
457	Dapple
461	Graphite
462	Cinder
478	Platinum Grey
488	Frosty White
491	Designer White Linear
491H	Designer White Linear Horizontal
492	Cinder Linear
492H	Cinder Linear Horizontal

GALLERY LAMINATE

Grade 1 – 5% upcharge

G1001	Citadel
G1011	Pepperdust

Grade 2 – 6% upcharge

G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

See page 14 for Gallery program details and upcharges

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

GROMMET AND CUTOUT OPTIONS

Strassa tops are available with grommet cutout options to accommodate electrical and data management solutions.
If no grommet or cutout is desired, specify an X.

Round Grommet Option, Black

$100 list upcharge per grommet location

G10C	Center
G10E	End
G10LR	Left, Right
G10A	All
G10CE	Center, End

- Reference pages 302-305 for grommet locations

NACG10EL
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 339 for pricing and details



NACG10AELPGB, NACG10AELPGW, NACG10AELPGG, NACG10BELPGB, NACG10BELPGW, and NACG10AELPGG (Sold Separately)

- NACG10A and NACG10B power/USB grommet is available as a substitute for G10 grommet, if desired
- Reference Electrical Addendum for pricing and details

Cutout Option for 1 Touch Pivoting Power Grommet

$40 list upcharge per cutout location

CUT-G17C	Center
CUT-G17E	End
CUT-G17LR	Left & Right
CUT-G17A	All
CUT-G17CE	Center, End



- Reference pages 308-311 for cutout locations of CUT-G17

NACG17AELPGB, NACG17AELPGS, and NACG17AELPGW (Sold Separately)



NACG17BELPGB, NACG17BELPGS, and NACG17BELPGW (Sold Separately)



NACG17CELPGB, NACG17CELPGS, and NACG17CELPGW (Sold Separately)

- Reference page 342 for pricing and details



NACG17AELPD2IQKB, NACG17AELPD2IQKS, NACG17AELPD2IQKB, NACG17AELPD2IQB, NACG17AELPD2IQS, and NACG17AELPD2IQW (Sold Separately)

- Reference page 343 for pricing and details



NACG17BELPD2IQKB, NACG17BELPD2IQKS, NACG17BELPD2IQKW, NACG17BELPD2IQB, NACG17BELPD2IQS, and NACG17BELPD2IQW (Sold Separately)

- Reference page 344 for pricing and details



NACG17CELPD2IQKB, NACG17CELPD2IQKS, NACG17CELPD2IQKW, NACG17CELPD2IQB, NACG17CELPD2IQS, and NACG17CELPD2IQW (Sold Separately)

- Reference page 345 for pricing and details

Cutout Option for G23 Power Grommet

$40 list upcharge per cutout location

CUT-G23C	Center
CUT-G23E	End
CUT-G23LR	Left, Right
CUT-G23A	All
CUT-G23CE	Center, End



- Reference pages 312-315 for cutout locations of CUT-G23



NACG23ELB (Sold Separately
NACG23ELS (Sold Separately)

- Reference page 348 for pricing and details



Plugged Starter Unit



Hardwire Starter Unit

NAC80ELDLJ, NACG23ELDLB1, NACG23ELDLB2, NACG23ELDLHB1, NACG23ELDLHS1, NACG23ELDLS1, and NACG23ELDLS2 (Sold Separately)

- Reference page 348 for pricing and details

END PANEL GROMMET

If no grommet is desired, specify an X
(No Grommet)

Round Grommet,
Black Plastic
$40 list for each grommet

GE1L	Left
GE1R	Right
GE1LR	Left & Right



CONFIGURATION OPTIONS - STRASSA

END PANEL GROMMET OPTIONS (FOR NO MODESTY MODELS)

If no grommet is desired, specify an X (No Grommet)

Round Grommet,
Black Plastic
$40 list for each grommet location

GE1L	Left
GE1R	Right
GE1LR	Left & Right
CUT-GE17L	Left
CUT-GE17R	Right
CUT-GE17LR	Left & Right
CUT-GE23L	Left
CUT-GE23R	Right
CUT-GE23LR	Left & Right

- GE1 located 17" up from bottom panel
- G17A, G17B, G17C, and G23 is located just below the worksurface and centered

NOTE: Single sided models have electrical closer to approach side of table, therefore end panel grommets will be located closer to the approach side



GE1L, GE1R, GE1LR

NACG17AELPGB, NACG17AELPGS, and NACG17AELPGW (Sold Separately)



NACG17BELPGB, NACG17BELPGS, and NACG17BELPGW (Sold Separately)



NACG17CELPGB, NACG17CELPGS, and NACG17CELPGW (Sold Separately)



NACG23ELB (Sold Separately
NACG23ELS (Sold Separately)

GROMMET CUTOUT OPTIONS (FOR NO MODESTY MODELS)

Strassa tops are available with grommet cutout options to accommodate electrical and data management solutions.
If no grommet or cutout is desired, or if using the undersurface power/data, specify an X.

Round Grommet Option, Black

$100 list upcharge per grommet location

G10C	Center
G10E	End
G10LR	Left, Right
G10A	All
G10CE	Center, End

- Reference pages 302-305 for grommet locations

NACG10EL
(Sold Separately)

- NACG10EL electrical grommet is available as a substitute for G10 grommet, if desired
- Reference page 339 for pricing and details



NACG10AELPGB, NACG10AELPGW, NACG10AELPGG, NACG10BELPGB, NACG10BELPGW, and NACG10AELPGG (Sold Separately)

- NACG10A and NACG10B power/USB grommet is available as a substitute for G10 grommet, if desired
- Reference Electrical Addendum for pricing and details

Cutout Option for 1 Touch Double Pivoting Power Grommet

$40 list upcharge per cutout location

CUT-G15C	Center
CUT-G15E	End
CUT-G15LR	Left, Right
CUT-G15A	All
CUT-G15CE	Center, End



- Reference pages 306-307 for cutout locations of CUT-G15



NACG15AELPGS, NACG15AELHCS, NACG15AELPGB, NACG15AELHCB, NACG15AELPGW, and NACG15AELHCW (Sold Separately)

- Reference page 339 for pricing and details

Cutout Option for 1 Touch Pivoting Power Grommet

$40 list upcharge per cutout location

CUT-G17L	Left
CUT-G17R	Right
CUT-G17LR	Left & Right
CUT-G17C	Center
CUT-G17LC	Left & Center
CUT-G17RC	Right & Center
CUT-G17A	Left, Right & Center



- Reference pages 308-311 for cutout locations of CUT-G17

NACG17AELPGB, NACG17AELPGS, and NACG17AELPGW (Sold Separately)



NACG17BELPGB, NACG17BELPGS, and NACG17BELPGW (Sold Separately)



NACG17CELPGB, NACG17CELPGS, and NACG17CELPGW (Sold Separately)

- Reference page 342 for pricing and details



NACG17AELPD2IQKB, NACG17AELPD2IQKS, NACG17AELPD2IQKB, NACG17AELPD2IQB, NACG17AELPD2IQS, and NACG17AELPD2IQW (Sold Separately)

- Reference page 343 for pricing and details



NACG17BELPD2IQKB, NACG17BELPD2IQKS, NACG17BELPD2IQKW, NACG17BELPD2IQB, NACG17BELPD2IQS, and NACG17BELPD2IQW (Sold Separately)

- Reference page 344 for pricing and details



NACG17CELPD2IQKB, NACG17CELPD2IQKS, NACG17CELPD2IQKW, NACG17CELPD2IQB, NACG17CELPD2IQS, and NACG17CELPD2IQW (Sold Separately)

- Reference page 345 for pricing and details

Cutout Option for G23 Power Grommet

$40 list upcharge per cutout location

CUT-G23C	Center
CUT-G23E	End
CUT-G23LR	Left, Right
CUT-G23A	All
CUT-G23CE	Center, End



- Reference pages 312-315 for cutout locations of CUT-G23



NACG23ELB (Sold Separately
NACG23ELS (Sold Separately)

- Reference page 348 for pricing and details



Plugged Starter Unit



Hardwire Starter Unit

NAC80ELDLJ, NACG23ELDLB1, NACG23ELDLB2, NACG23ELDLHB1, NACG23ELDLHS1, NACG23ELDLS1, and NACG23ELDLS2 (Sold Separately)

- Not intended for use in end panel
- Reference page 348 for pricing and details

4-TRAC ELECTRICAL - STRASSA



TABLE LENGTH	A DUPLEX	B DUPLEX	C DUPLEX	D DUPLEX
48"	n/a	16 3/16	31 13/16	n/a
60"	n/a	22 3/16	37 13/16	n/a
72"	n/a	24 3/16	47 13/16	n/a
84"	n/a	30 1/8	53 13/16	n/a
96"	30 1/16	36 1/8	59 3/4	n/a
108"	36 1/16	42 1/8	65 3/4	n/a
120"	3 5/16	44 3/8	75 7/16	n/a
144"	38 5/16	44 3/8	99 7/16	105 1/2
168"	44 1/4	50 5/16	117 3/8	123 7/16
192"	50 1/4	56 5/16	135 3/8	141 7/16
216"	50 3/16	56 1/4	159 5/16	165 3/8
240"	14 5/8	68 1/4	171 5/16	224 15/16

*Dimensions are in inches
See page 338 for pricing

FUNCTIONAL SEATING CAPACITY

Reference the chart for the number of seats which can be used with each top size.

TABLE SIZES	
24"/30" x 48"	1
24"/30" x 60"	2
24"/30" x 72"	2
24"/30" x 84"	2
24"/30" x 96"	3
24"/30" x 108"	3
24"/30" x 120"	4
36"/42"/48" x 48"	2
36"/42"/48" x 60"	4
36"/42"/48" x 72"	4
36"/42"/48" x 84"	4
36"/42"/48" x 96"	6
36"/42"/48" x 108"	6
36"/42"/48" x 120"	8
48" x 144"	8
48" x 168"	10
48" x 192"	12
48" x 216"	14
48" x 240"	16

TABLE WIDTH	SEATING CAPACITY	NUMBER OF MINITAPS PER TABLE
48"	2	2 units (1 per side)
60"	4	2 units (1/side); or 4 units (2/side)
72"	4	2 units (1/side); or 4 units (2/side)
84"	4	2 units (1/side); or 4 units (2/side)
96"	6	4 units (2/side); or 6 units (3/side)
108"	6	4 units (2/side); or 6 units (3/side)
120"	8	4 units (2/side); or 6 units (3/side); or 8 units (4/side)
144"	8	4 units (2/side); or 6 units (3/side); or 8 units (4/side)
168"	10	6 units (3/side); or 8 units (4/side)
192"	12	6 units (3/side); or 8 units (4/side)
216"	14	6 units (3/side); or 8 units (4/side)
240"	16	8 units (4/side)

GROMMET LOCATIONS ON TOPS (FULL MODESTY OR NO MODESTY) - STRASSA

- The 36", 42", and 48" depths have the grommets centered on the table top depth
- G10 grommets are shipped installed
- NACG10EL, NACG10AELPG*, and NACG10BELPG* electrical grommets are available as a substitute for G10 grommet, if desired



- G10 Round Grommet



TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	48"					60"					72"				
G10C CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	48"	–	24"	–	–	60"	–	30"	–	–	72"	–	36"	–	–
G10E END		A	B	C	D		A	B	C	D		A	B	C	D
	48"	12"	–	–	–	60"	15"	–	–	–	72"	17⅛"	–	–	–
G10LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	48"	12"	–	–	36"	60"	15"	–	–	45"	72"	17⅛"	–	–	54 13/16"
G10A ALL		A	B	C	D		A	B	C	D		A	B	C	D
	48"	12"	24"	–	36"	60"	15"	30"	–	45"	72"	17⅛"	36"	–	54 13/16"
G10CE CENTER, END		A	B	C	D		A	B	C	D		A	B	C	D
	48"	12"	24"	–	–	60"	15"	30"	–	–	72"	17⅛"	36"	–	–
	84"					**96"**					**108"**				
G10C CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	84"	–	41 15/16"	–	–	96"	–	47 15/16"	–	–	108"	–	53 15/16"	–	–
G10E END		A	B	C	D		A	B	C	D		A	B	C	D
	84"	20⅛"	–	–	–	96"	23⅛"	–	–	–	108"	26⅛"	–	–	–
G10LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	84"	20⅛"	–	–	63 13/16"	96"	23⅛"	–	–	72 13/16"	108"	26⅛"	–	–	81¾"
G10A ALL		A	B	C	D		A	B	C	D		A	B	C	D
	84"	20⅛"	41 15/16"	–	63 13/16"	96"	23⅛"	47 15/16"	–	72 13/16"	108"	26⅛"	53 15/16"	–	81¾"
G10CE CENTER, END		A	B	C	D		A	B	C	D		A	B	C	D
	84"	20⅛"	41 15/16"	–	–	96"	23⅛"	47 15/16"	–	–	108"	26⅛"	53 15/16"	–	–

STRASSA - GROMMET LOCATIONS ON TOPS (FULL MODESTY OR NO MODESTY)

- The 36", 42", and 48" depths have the grommets centered on the table top depth
- G10 grommets are shipped installed
- NACG10EL, NACG10AELPG*, and NACG10BELPG* electrical grommets are available as a substitute for G10 grommet, if desired



- G10 Round Grommet



TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	120"					144"					168"				
G10C CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	120"	–	59 15/16"	–	–	144"	–	57 1/8"	86 5/8"	–	168"	–	66 3/4"	100 15/16"	–
G10E END		A	B	C	D		A	B	C	D		A	B	C	D
	120"	29 1/8"	–	–	–	144"	27 11/16"	–	–	–	168"	32 1/2"	–	–	–
G10LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	120"	29 1/8"	–	–	90 3/4"	144"	27 11/16"	–	–	116 1/16"	168"	32 1/2"	–	–	135 3/16"
G10A ALL		A	B	C	D		A	B	C	D		A	B	C	D
	120"	29 1/8"	59 15/16"	–	90 3/4"	144"	27 11/16"	57 1/8"	86 5/8"	116 1/16"	168"	32 1/2"	66 3/4"	100 15/16"	135 3/16"
G10CE CENTER, END		A	B	C	D		A	B	C	D		A	B	C	D
	120"	29 1/8"	59 15/16"	–	–	144"	27 11/16"	57 1/8"	86 5/8"	–	168"	32 1/2"	66 3/4"	100 15/16"	–
	192"					**216"**					**240"**				
G10C CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	192"	–	76 5/16"	115 5/16"	–	216"	–	85 5/8"	129 11/16"	–	240"	–	95 7/16"	144 1/16"	–
G10E END		A	B	C	D		A	B	C	D		A	B	C	D
	192"	37 5/16"	–	–	–	216"	42 1/16"	–	–	–	240"	46 7/8"	–	–	–
G10LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	192"	37 5/16"	–	–	154 3/8"	216"	42 1/16"	–	–	173 1/2"	240"	46 7/8"	–	–	192 11/16"
G10A ALL		A	B	C	D		A	B	C	D		A	B	C	D
	192"	37 5/16"	76 5/16"	115 5/16"	154 3/8"	216"	42 1/16"	85 7/8"	129 11/16"	173 1/2"	240"	46 7/8"	95 7/16"	144 1/16"	192 11/16"
G10CE CENTER, END		A	B	C	D		A	B	C	D		A	B	C	D
	192"	37 5/16"	76 5/16"	115 5/16"	–	216"	42 1/16"	85 7/8"	129 11/16"	–	240"	46 7/8"	95 7/16"	144 1/16"	–

GROMMET LOCATIONS ON TOPS (SINGLE SIDED – NO MODESTY) - STRASSA

- The 24" and 30" depths have the top grommets 9⁵⁄₁₆" from the approach edge to the center of the grommet
- G10 grommets are shipped installed
- NACG10EL, NACG10AELPG*, and NACG10BELPG* electrical grommets are available as a substitute for G10 grommet, if desired



- G10 Round Grommet

TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	48"					60"					72"				
G10C CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	48"	–	24"	–	–	60"	–	30"	–	–	72"	–	36"	–	–
G10L LEFT		A	B	C	D		A	B	C	D		A	B	C	D
	48"	12"	–	–	–	60"	15"	–	–	–	72"	17⅛"	–	–	–
G10R RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	48"	–	–	–	36"	60"	–	–	–	45"	72"	–	–	–	54¹³⁄₁₆"
G10LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	48"	12"	–	–	36"	60"	15"	–	–	45"	72"	17⅛"	–	–	54¹³⁄₁₆"
G10A ALL		A	B	C	D		A	B	C	D		A	B	C	D
	48"	12"	24"	–	36"	60"	15"	30"	–	45"	72"	17⅛"	36"	–	54¹³⁄₁₆"
G10LC LEFT, CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	48"	12"	24"	–	–	60"	15"	30"	–	–	72"	17⅛"	36"	–	–
G10RC RIGHT, CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	48"	–	24"	–	36"	60"	–	30"	–	45"	72"	–	36"	–	54¹³⁄₁₆"
	84"					**96"**					**108"**				
G10C CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	84"	–	41¹⁵⁄₁₆"	–	–	96"	–	47¹⁵⁄₁₆"	–	–	108"	–	53¹⁵⁄₁₆"	–	–
G10L LEFT		A	B	C	D		A	B	C	D		A	B	C	D
	84"	20⅛"	–	–	–	96"	23⅛"	–	–	–	108"	26⅛"	–	–	–
G10R RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	84"	–	–	–	63¹³⁄₁₆"	96"	–	–	–	72¹³⁄₁₆"	108"	–	–	–	81¾"
G10LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	84"	20⅛"	–	–	63¹³⁄₁₆"	96"	23⅛"	–	–	72¹³⁄₁₆"	108"	26⅛"	–	–	81¾"
G10A ALL		A	B	C	D		A	B	C	D		A	B	C	D
	84"	20⅛"	41¹⁵⁄₁₆"	–	63¹³⁄₁₆"	96"	23⅛"	47¹⁵⁄₁₆"	–	72¹³⁄₁₆"	108"	26⅛"	53¹⁵⁄₁₆"	–	81¾"
G10LC LEFT, CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	84"	20⅛"	41¹⁵⁄₁₆"	–	–	96"	23⅛"	47¹⁵⁄₁₆"	–	–	108"	26⅛"	53¹⁵⁄₁₆"	–	–
G10RC RIGHT, CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	84"	–	41¹⁵⁄₁₆"	–	63¹³⁄₁₆"	96"	–	47¹⁵⁄₁₆"	–	72¹³⁄₁₆"	108"	–	53¹⁵⁄₁₆"	–	81¾"

STRASSA - GROMMET LOCATIONS ON TOPS (SINGLE SIDED – NO MODESTY)

- The 24" and 30" depths have the top grommets 9⁵⁄₁₆" from the approach edge to the center of the grommet
- G10 grommets are shipped installed
- NACG10EL, NACG10AELPG*, and NACG10BELPG* electrical grommets are available as a substitute for G10 grommet, if desired



- G10 Round Grommet

TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	120"				
G10C CENTER		A	B	C	D
	120"	–	59¹⁵⁄₁₆"	–	–
G10L LEFT		A	B	C	D
	120"	29⅛"	–	–	–
G10R RIGHT		A	B	C	D
	120"	–	–	–	90¾"
G10LR LEFT, RIGHT		A	B	C	D
	120"	29⅛"	–	–	90¾"
G10A ALL		A	B	C	D
	120"	29⅛"	59¹⁵⁄₁₆"	–	90¾"
G10LC LEFT, CENTER		A	B	C	D
	120"	29⅛"	59¹⁵⁄₁₆"	–	–
G10RC RIGHT, CENTER		A	B	C	D
	120"	–	59¹⁵⁄₁₆"	–	90¾"

GROMMET LOCATIONS ON TOPS (NO MODESTY) - STRASSA

- The 36", 42", and 48" depths have the grommets centered on the table top depth
- G15 grommet options not available on 24" and 30" depths



- CUT-G15 option





TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	48"					60"					72"				
G15C CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	48"	–	24"	–	–	60"	–	30"	–	–	72"	–	36"	–	–
G15E END		A	B	C	D		A	B	C	D		A	B	C	D
	48"	9⅝"	–	–	–	60"	12⅝"	–	–	–	72"	15⅝"	–	–	–
G15LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	48"	9⅝"	–	–	38⅜"	60"	12⅝"	–	–	47⅜"	72"	15⅝"	–	–	56⁵⁄₁₆"
G15A ALL		A	B	C	D		A	B	C	D		A	B	C	D
	48"	9⅝"	24"	–	38⅜"	60"	12⅝"	30"	–	47⅜"	72"	15⅝"	36"	–	56⁵⁄₁₆"
G15CE CENTER, END		A	B	C	D		A	B	C	D		A	B	C	D
	48"	9⅝"	24"	–	–	60"	12⅝"	30"	–	–	72"	15⅝"	36"	–	–
	84"					**96"**					**108"**				
G15C CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	84"	–	41¹⁵⁄₁₆"	–	–	96"	–	47¹⁵⁄₁₆"	–	–	108"	–	53¹⁵⁄₁₆"	–	–
G15E END		A	B	C	D		A	B	C	D		A	B	C	D
	84"	18⅜"	–	–	–	96"	21⅝"	–	–	–	108"	24⅝"	–	–	–
G15LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	84"	18⅜"	–	–	65⁵⁄₁₆"	96"	21⅝"	–	–	74⁵⁄₁₆"	108"	24⅝"	–	–	83¼"
G15A ALL		A	B	C	D		A	B	C	D		A	B	C	D
	84"	18⅜"	41¹⁵⁄₁₆"	–	65⁵⁄₁₆"	96"	21⅝"	47¹⁵⁄₁₆"	–	74⁵⁄₁₆"	108"	24⅝"	53¹⁵⁄₁₆"	–	83¼"
G15CE CENTER, END		A	B	C	D		A	B	C	D		A	B	C	D
	84"	18⅜"	41¹⁵⁄₁₆"	–	–	96"	21⅝"	47¹⁵⁄₁₆"	–	–	108"	24⅝"	53¹⁵⁄₁₆"	–	–

STRASSA - GROMMET LOCATIONS ON TOPS (NO MODESTY)

- The 36", 42", and 48" depths have the grommets centered on the table top depth
- G15 grommet options not available on 24" and 30" depths



- CUT-G15 option





TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	120"					144"					168"				
G15C CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	120"	–	59 1⁵⁄₁₆"	–	–	144"	–	56 9⁄₁₆"	87 1⁄₄"	–	168"	–	66 1⁄₈"	101 5⁄₈"	–
G15E END		A	B	C	D		A	B	C	D		A	B	C	D
	120"	27 5⁄₈"	–	–	–	144"	25 5⁄₈"	–	–	–	168"	30 1¹⁄₁₆"	–	–	–
G15LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	120"	27 5⁄₈"	–	–	92 1⁄₄"	144"	25 5⁄₈"	–	–	117 7⁄₈"	168"	30 1¹⁄₁₆"	–	–	137"
G15A ALL		A	B	C	D		A	B	C	D		A	B	C	D
	120"	27 5⁄₈"	59 1⁵⁄₁₆"	–	92 1⁄₄"	144"	25 5⁄₈"	56 9⁄₁₆"	87 1⁄₄"	117 7⁄₈"	168"	30 1¹⁄₁₆"	66 1⁄₈"	101 5⁄₈"	137"
G15CE CENTER, END		A	B	C	D		A	B	C	D		A	B	C	D
	120"	27 5⁄₈"	59 1⁵⁄₁₆"	–	–	144"	25 5⁄₈"	56 9⁄₁₆"	87 1⁄₄"	–	168"	30 1¹⁄₁₆"	66 1⁄₈"	101 5⁄₈"	–
	192"					**216"**					**240"**				
G15C CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	192"	–	75 3⁄₄"	115 1⁵⁄₁₆"	–	216"	–	85 5⁄₁₆"	130 5⁄₁₆"	–	240"	–	94 7⁄₈"	144 1¹⁄₁₆"	–
G15E END		A	B	C	D		A	B	C	D		A	B	C	D
	192"	35 1⁄₂"	–	–	–	216"	40 1⁄₄"	–	–	–	240"	45 1⁄₁₆"	–	–	–
G15LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	192"	35 1⁄₂"	–	–	156 3⁄₁₆"	216"	40 1⁄₄"	–	–	175 5⁄₁₆"	240"	45 1⁄₁₆"	–	–	194 7⁄₁₆"
G15A ALL		A	B	C	D		A	B	C	D		A	B	C	D
	192"	35 1⁄₂"	75 3⁄₄"	115 1⁵⁄₁₆"	156 3⁄₁₆"	216"	40 1⁄₄"	85 5⁄₁₆"	130 5⁄₁₆"	175 5⁄₁₆"	240"	45 1⁄₁₆"	94 7⁄₈"	144 1¹⁄₁₆"	194 7⁄₁₆"
G15CE CENTER, END		A	B	C	D		A	B	C	D		A	B	C	D
	192"	35 1⁄₂"	75 3⁄₄"	115 1⁵⁄₁₆"	–	216"	40 1⁄₄"	85 5⁄₁₆"	130 5⁄₁₆"	–	240"	45 1⁄₁₆"	94 7⁄₈"	144 1¹⁄₁₆"	–

GROMMET LOCATIONS ON TOPS (FULL MODESTY OR NO MODESTY) - STRASSA

- The 36", 42", and 48" depths have the grommets centered on the table top depth
- For G17, the center grommet location consists of 2 grommet cutouts (upcharge will reflect 2 grommet cutouts)



- CUT-G17 option





TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	48"					60"					72"				
G17L OR G17R LEFT OR RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	48"	6"	–	–	–	60"	6"	–	–	–	72"	6"	–	–	–
G17LR LEFT & RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	48"	6"	–	–	42 1/16"	60"	6"	–	–	54"	72"	6"	–	–	66"
G17C CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	48"	–	20 1/16"	27 15/16"	–	60"	–	26 1/16"	33 15/16"	–	72"	–	32 1/16"	39 15/16"	–
G17LC OR G17RC LEFT & CENTER OR RIGHT & CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	48"	6"	20 1/16"	27 15/16"	–	60"	6"	26 1/16"	33 15/16"	–	72"	6"	32 1/16"	39 15/16"	–
G17A LEFT, RIGHT & CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	48"	6"	20 1/16"	27 15/16"	42 1/16"	60"	6"	26 1/16"	33 15/16"	54"	72"	6"	32 1/16"	39 15/16"	66"
	84"					**96"**					**108"**				
G17L OR G17R LEFT OR RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	84"	6"	–	–	–	96"	6"	–	–	–	108"	6"	–	–	–
G17LR LEFT & RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	84"	6"	–	–	77 15/16"	96"	6"	–	–	89 15/16"	108"	6"	–	–	101 7/8"
G17C CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	84"	–	38 1/16"	45 7/8"	–	96"	–	44"	51 7/8"	–	108"	–	50"	57 7/8"	–
G17LC OR G17RC LEFT & CENTER OR RIGHT & CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	84"	6"	38 1/16"	45 7/8"	–	96"	6"	44"	51 7/8"	–	108"	6"	50"	57 7/8"	–
G17A LEFT, RIGHT & CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	84"	6"	38 1/16"	45 7/8"	77 15/16"	96"	6"	44"	51 7/8"	89 15/16"	108"	6"	50"	57 7/8"	101 7/8"

STRASSA - GROMMET LOCATIONS ON TOPS (FULL MODESTY OR NO MODESTY)

- The 36", 42", and 48" depths have the grommets centered on the table top depth
- For G17, the center grommet location consists of 2 grommet cutouts (upcharge will reflect 2 grommet cutouts)



- CUT-G17 option





TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	120"					144"					168"				
G17L OR G17R LEFT OR RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	120"	6"	–	–	–	144"	6"	–	–	–	168"	6"	–	–	–
G17LR LEFT & RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	120"	6"	–	–	113⅞"	144"	6"	–	–	137 13/16"	168"	6"	–	–	161¾"
G17C CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	120"	–	56"	63⅞"	–	144"	–	67 15/16"	75 13/16"	–	168"	–	79 15/16"	87 13/16"	–
G17LC OR G17RC LEFT & CENTER OR RIGHT & CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	120"	6"	56"	63⅞"	–	144"	6"	67 15/16"	75 13/16"	–	168"	6"	79 15/16"	87 13/16"	–
G17A LEFT, RIGHT & CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	120"	6"	56"	63⅞"	113⅞"	144"	6"	67 15/16"	75 13/16"	137 13/16"	168"	6"	79 15/16"	87 13/16"	161¾"
	192"					**216"**					**240"**				
G17L OR G17R LEFT OR RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	192"	6"	–	–	–	216"	6"	–	–	–	240"	6"	–	–	–
G17LR LEFT & RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	192"	6"	–	–	185 1/16"	216"	6"	–	–	209⅝"	240"	6"	–	–	233 9/16"
G17C CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	192"	–	91⅞"	99¾"	–	216"	–	103⅞"	111¾"	–	240"	–	115 13/16"	123 1/16"	–
G17LC OR G17RC LEFT & CENTER OR RIGHT & CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	192"	6"	91⅞"	99¾"	–	216"	6"	103⅞"	111¾"	–	240"	6"	115 13/16"	123 1/16"	–
G17A LEFT, RIGHT & CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	192"	6"	91⅞"	99¾"	185 1/16"	216"	6"	103⅞"	111¾"	209⅝"	240"	6"	115 13/16"	123 1/16"	233 9/16"

GROMMET LOCATIONS ON TOPS (SINGLE SIDED – NO MODESTY) - STRASSA

- The 24" and 30" depths have the top grommets 9⁵⁄₁₆" from the approach edge to the center of the grommet



- CUT-G17 option



TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	48"					60"					72"				
G17C CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	48"	–	24"	–	–	60"	–	30"	–	–	72"	–	36"	–	–
G17L LEFT		A	B	C	D		A	B	C	D		A	B	C	D
	48"	10¾"	–	–	–	60"	13¾"	–	–	–	72"	16¾"	–	–	–
G17R RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	48"	–	–	–	37⁵⁄₁₆"	60"	–	–	–	46¼"	72"	–	–	–	55¼"
G17LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	48"	10¾"	–	–	37⁵⁄₁₆"	60"	13¾"	–	–	46¼"	72"	16¾"	–	–	55¼"
G17A ALL		A	B	C	D		A	B	C	D		A	B	C	D
	48"	–	–	–	–	60"	–	–	–	–	72"	–	–	–	–
G17LC LEFT, CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	48"	10¾"	24"	–	–	60"	13¾"	30"	–	–	72"	16¾"	36"	–	–
G17RC RIGHT, CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	48"	–	24"	–	37⁵⁄₁₆"	60"	–	30"	–	46¼"	72"	–	36"	–	55¼"
	84"					**96"**					**108"**				
G17C CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	84"	–	41¹⁵⁄₁₆"	–	–	96"	–	47¹⁵⁄₁₆"	–	–	108"	–	53¹⁵⁄₁₆"	–	–
G17L LEFT		A	B	C	D		A	B	C	D		A	B	C	D
	84"	19¾"	–	–	–	96"	22¹¹⁄₁₆"	–	–	–	108"	25¹¹⁄₁₆"	–	–	–
G17R RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	84"	–	–	–	64³⁄₁₆"	96"	–	–	–	73³⁄₁₆"	108"	–	–	–	82³⁄₁₆"
G17LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	84"	19¾"	–	–	64³⁄₁₆"	96"	22¹¹⁄₁₆"	–	–	73³⁄₁₆"	108"	25¹¹⁄₁₆"	–	–	82³⁄₁₆"
G17A ALL		A	B	C	D		A	B	C	D		A	B	C	D
	84"	–	–	–	–	96"	22¹¹⁄₁₆"	47¹⁵⁄₁₆"	–	73³⁄₁₆"	108"	25¹¹⁄₁₆"	53¹⁵⁄₁₆"	–	82³⁄₁₆"
G17LC LEFT, CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	84"	19¾"	41¹⁵⁄₁₆"	–	–	96"	22¹¹⁄₁₆"	47¹⁵⁄₁₆"	–	–	108"	25¹¹⁄₁₆"	53¹⁵⁄₁₆"	–	–
G17LC LEFT, CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	84"	–	41¹⁵⁄₁₆"	–	64³⁄₁₆"	96"	–	47¹⁵⁄₁₆"	–	73³⁄₁₆"	108"	–	53¹⁵⁄₁₆"	–	82³⁄₁₆"

STRASSA - GROMMET LOCATIONS ON TOPS (SINGLE SIDED – NO MODESTY)

- The 24" and 30" depths have the top grommets 9⁵⁄₁₆" from the approach edge to the center of the grommet



- CUT-G17 option



TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	120"				
G17C CENTER		A	B	C	D
	120"	–	59¹⁵⁄₁₆"	–	–
G17L LEFT		A	B	C	D
	120"	28¹¹⁄₁₆"	–	–	–
G17R RIGHT		A	B	C	D
	120"	–	–	–	91⅛"
G17LR LEFT, RIGHT		A	B	C	D
	120"	28¹¹⁄₁₆"	–	–	91⅛"
G17A ALL		A	B	C	D
	120"	28¹¹⁄₁₆"	59¹⁵⁄₁₆"	–	91⅛"
G17LC LEFT, CENTER		A	B	C	D
	120"	28¹¹⁄₁₆"	59¹⁵⁄₁₆"	–	–
G17RC RIGHT, CENTER		A	B	C	D
	120"	–	59¹⁵⁄₁₆"	–	91⅛"

GROMMET LOCATIONS ON TOPS (FULL MODESTY OR NO MODESTY) - STRASSA

- The 36", 42", and 48" depths have the grommets centered on the table top depth



- CUT-G23 option





TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	48"					60"					72"				
G23C CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	48"	–	24"	–	–	60"	–	30"	–	–	72"	–	36"	–	–
G23E END		A	B	C	D		A	B	C	D		A	B	C	D
	48"	12"	–	–	–	60"	15"	–	–	–	72"	16 1/16"	–	–	–
G23LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	48"	12"	–	–	36"	60"	15"	–	–	45"	72"	16 1/16"	–	–	55 5/16"
G23A ALL		A	B	C	D		A	B	C	D		A	B	C	D
	48"	12"	24"	–	36"	60"	15"	30"	–	45"	72"	16 1/16"	36"	–	55 5/16"
G23CE CENTER, END		A	B	C	D		A	B	C	D		A	B	C	D
	48"	12"	24"	–	–	60"	15"	30"	–	–	72"	16 1/16"	36"	–	–
	84"					**96"**					**108"**				
G23C CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	84"	–	41 15/16"	–	–	96"	–	47 15/16"	–	–	108"	–	53 15/16"	–	–
G23E END		A	B	C	D		A	B	C	D		A	B	C	D
	84"	19 1/16"	–	–	–	96"	22 1/16"	–	–	–	108"	25⅝"	–	–	–
G23LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	84"	19 1/16"	–	–	64¼"	96"	22 1/16"	–	–	73¼"	108"	25⅝"	–	–	82¼"
G23A ALL		A	B	C	D		A	B	C	D		A	B	C	D
	84"	19 1/16"	41 15/16"	–	64¼"	96"	22 1/16"	47 15/16"	–	73¼"	108"	25⅝"	53 15/16"	–	82¼"
G23CE CENTER, END		A	B	C	D		A	B	C	D		A	B	C	D
	84"	19 1/16"	41 15/16"	–	–	96"	22 1/16"	47 15/16"	–	–	108"	25⅝"	53 15/16"	–	–

STRASSA - GROMMET LOCATIONS ON TOPS (FULL MODESTY OR NO MODESTY)

- The 36", 42", and 48" depths have the grommets centered on the table top depth



- CUT-G23 option





TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	120"					144"					168"				
G23C CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	120"	–	59 15/16"	–	–	144"	–	57"	86 13/16"	–	168"	–	66 9/16"	101⅛"	–
G23E END		A	B	C	D		A	B	C	D		A	B	C	D
	120"	28⅝"	–	–	–	144"	27 3/16"	–	–	–	168"	31 5/16"	–	–	–
G23LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	120"	28⅝"	–	–	91 3/16"	144"	27 3/16"	–	–	116⅝"	168"	31 5/16"	–	–	135¾"
G23A ALL		A	B	C	D		A	B	C	D		A	B	C	D
	120"	28⅝"	59 15/16"	–	91 3/16"	144"	27 3/16"	57"	86 13/16"	116⅝"	168"	31 5/16"	66 9/16"	101⅛"	135¾"
G23CE CENTER, END		A	B	C	D		A	B	C	D		A	B	C	D
	120"	28⅝"	59 15/16"	–	–	144"	27 3/16"	57"	86 13/16"	–	168"	31 5/16"	66 9/16"	101⅛"	–
	192"					**216"**					**240"**				
G23C CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	192"	–	76⅛"	115½"	–	216"	–	85 1/16"	129⅞"	–	240"	–	95 5/16"	144¼"	–
G23E END		A	B	C	D		A	B	C	D		A	B	C	D
	192"	36¾"	–	–	–	216"	41 9/16"	–	–	–	240"	46 5/16"	–	–	–
G23LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	192"	36¾"	–	–	154⅞"	216"	41 9/16"	–	–	174 1/16"	240"	46 5/16"	–	–	193 3/16"
G23A ALL		A	B	C	D		A	B	C	D		A	B	C	D
	192"	36¾"	76⅛"	115½"	154⅞"	216"	41 9/16"	85 1/16"	129⅞"	174 1/16"	240"	46 5/16"	95 5/16"	144¼"	193 3/16"
G23CE CENTER, END		A	B	C	D		A	B	C	D		A	B	C	D
	192"	36¾"	76⅛"	115½"	–	216"	41 9/16"	85 1/16"	129⅞"	–	240"	46 5/16"	95 5/16"	144¼"	–

GROMMET LOCATIONS ON TOPS (SINGLE SIDED – NO MODESTY) - STRASSA

- The 24" and 30" depths have the top grommets 9⁵⁄₁₆" from the approach edge to the center of the grommet



- CUT-G23 option



TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	48"					60"					72"				
G23C CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	48"	–	24"	–	–	60"	–	30"	–	–	72"	–	36"	–	–
G23L LEFT		A	B	C	D		A	B	C	D		A	B	C	D
	48"	12"	–	–	–	60"	15"	–	–	–	72"	16¹¹⁄₁₆"	–	–	–
G23R RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	48"	–	–	–	36"	60"	–	–	–	45"	72"	–	–	–	55⁵⁄₁₆"
G23LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	48"	12"	–	–	36"	60"	15"	–	–	45"	72"	16¹¹⁄₁₆"	–	–	55⁵⁄₁₆"
G23A ALL		A	B	C	D		A	B	C	D		A	B	C	D
	48"	12"	24"	–	36"	60"	15"	30"	–	45"	72"	16¹¹⁄₁₆"	36"	–	55⁵⁄₁₆"
G23LC LEFT, CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	48"	12"	24"	–	–	60"	15"	30"	–	–	72"	16¹¹⁄₁₆"	36"	–	–
G23RC RIGHT, CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	48"	–	24"	–	36"	60"	–	30"	–	45"	72"	–	36"	–	55⁵⁄₁₆"
	84"					**96"**					**108"**				
G23C CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	84"	–	41¹⁵⁄₁₆"	–	–	96"	–	47¹⁵⁄₁₆"	–	–	108"	–	53¹⁵⁄₁₆"	–	–
G23L LEFT		A	B	C	D		A	B	C	D		A	B	C	D
	84"	19¹¹⁄₁₆"	–	–	–	96"	22¹¹⁄₁₆"	–	–	–	108"	25⅝"	–	–	–
G23R RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	84"	–	–	–	64¼"	96"	–	–	–	73¼"	108"	–	–	–	82¼"
G23LR LEFT, RIGHT		A	B	C	D		A	B	C	D		A	B	C	D
	84"	19¹¹⁄₁₆"	–	–	64¼"	96"	22¹¹⁄₁₆"	–	–	73¼"	108"	25⅝"	–	–	82¼"
G23A ALL		A	B	C	D		A	B	C	D		A	B	C	D
	84"	19¹¹⁄₁₆"	41¹⁵⁄₁₆"	–	64¼"	96"	22¹¹⁄₁₆"	47¹⁵⁄₁₆"	–	73¼"	108"	25⅝"	53¹⁵⁄₁₆"	–	82¼"
G23LC LEFT, CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	84"	19¹¹⁄₁₆"	41¹⁵⁄₁₆"	–	–	96"	22¹¹⁄₁₆"	47¹⁵⁄₁₆"	–	–	108"	25⅝"	53¹⁵⁄₁₆"	–	–
G23RC RIGHT, CENTER		A	B	C	D		A	B	C	D		A	B	C	D
	84"	–	41¹⁵⁄₁₆"	–	64¼"	96"	–	47¹⁵⁄₁₆"	–	73¼"	108"	–	53¹⁵⁄₁₆"	–	82¼"

STRASSA - GROMMET LOCATIONS ON TOPS (SINGLE SIDED – NO MODESTY)

- The 24" and 30" depths have the top grommets 9⁵⁄₁₆" from the approach edge to the center of the grommet



- CUT-G23 option



TABLE LENGTH (IN)

GROMMET LOCATION/OPTIONS	120"				
G23C CENTER		A	B	C	D
	120"	–	59¹⁵⁄₁₆"	–	–
G23L LEFT		A	B	C	D
	120"	28⅝"	–	–	–
G23R RIGHT		A	B	C	D
	120"	–	–	–	91³⁄₁₆"
G23LR LEFT, RIGHT		A	B	C	D
	120"	28⅝"	–	–	91³⁄₁₆"
G23A ALL		A	B	C	D
	120"	28⅝"	59¹⁵⁄₁₆"	–	91³⁄₁₆"
G23LC LEFT, CENTER		A	B	C	D
	120"	28⅝"	59¹⁵⁄₁₆"	–	–
G23RC RIGHT, CENTER		A	B	C	D
	120"	–	59¹⁵⁄₁₆"	–	91³⁄₁₆"

STRASSA

PRODUCT SPECIFICATIONS

- Reference pages 302-315 for grommet cutout locations
- Laminate grain direction runs horizontal on the modesty panel and vertical on the end panel unless a horizontal laminate is selected for the end panels
- Shipped in 3 separate cartons

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/PVC Rim Color
3. Grommet
4. End Panel Grommet
5. Top Laminate Color
6. Modesty Laminate Color
7. Chassis Laminate Color

SAMPLE MODEL NUMBER:

86N424829WKF2L V462 X X MC MC MC

- See pages 296-299 for all options available in Strassa

WORKSURFACE HEIGHT
FULL MODESTY



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
86N364829WKF2L	Laminate	$ 1939	36 1/16	48 1/16	28 7/8	—	14 1/16	221 lbs.	15.2
86N364829WKF2LL	TFL	1715	36 1/16	48 1/16	28 7/8	—	14 1/16	221 lbs.	15.2
86N366029WKF2L	Laminate	$ 2061	36 1/16	60	28 7/8	—	14 1/16	265 lbs.	18.1
86N366029WKF2LL	TFL	1823	36 1/16	60	28 7/8	—	14 1/16	265 lbs.	18.1
86N367229WKF2L	Laminate	$ 2195	36 1/16	71 15/16	28 7/8	—	14 1/16	301 lbs.	20.9
86N367229WKF2LL	TFL	1940	36 1/16	71 15/16	28 7/8	—	14 1/16	301 lbs.	20.9
86N368429WKF2L	Laminate	$ 2333	36 1/16	83 15/16	28 7/8	—	14 1/16	334 lbs.	23.8
86N368429WKF2LL	TFL	2063	36 1/16	83 15/16	28 7/8	—	14 1/16	334 lbs.	23.8
86N369629WKF2L	Laminate	$ 2484	36 1/16	95 7/8	28 7/8	—	14 1/16	368 lbs.	26.6
86N369629WKF2LL	TFL	2195	36 1/16	95 7/8	28 7/8	—	14 1/16	368 lbs.	26.6
86N3610829WKF2L	Laminate	$ 3033	36 1/16	107 7/8	28 7/8	—	14 1/16	402 lbs.	29.5
86N3610829WKF2LL	TFL	2681	36 1/16	107 7/8	28 7/8	—	14 1/16	402 lbs.	29.5
86N3612029WKF2L	Laminate	$ 3399	36 1/16	119 13/16	28 7/8	—	14 1/16	436 lbs.	32.4
86N3612029WKF2LL	TFL	3004	36 1/16	119 13/16	28 7/8	—	14 1/16	436 lbs.	32.4
86N424829WKF2L	Laminate	$ 2061	42 1/16	48 1/16	28 7/8	—	17 1/16	244 lbs.	16.1
86N424829WKF2LL	TFL	1823	42 1/16	48 1/16	28 7/8	—	17 1/16	244 lbs.	16.1
86N426029WKF2L	Laminate	$ 2195	42 1/16	60	28 7/8	—	17 1/16	290 lbs.	19.1
86N426029WKF2LL	TFL	1940	42 1/16	60	28 7/8	—	17 1/16	290 lbs.	19.1
86N427229WKF2L	Laminate	$ 2333	42 1/16	71 15/16	28 7/8	—	17 1/16	328 lbs.	22.0
86N427229WKF2LL	TFL	2063	42 1/16	71 15/16	28 7/8	—	17 1/16	328 lbs.	22.0
86N428429WKF2L	Laminate	$ 2484	42 1/16	83 15/16	28 7/8	—	17 1/16	364 lbs.	25.0
86N428429WKF2LL	TFL	2195	42 1/16	83 15/16	28 7/8	—	17 1/16	364 lbs.	25.0

- Modesty panel is removable on 1 side to allow wire management access
- A center grommet is not recommended due to the location of the support panel on this size
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL worksurfaces or modesties of models that are 107 1/8" and 119 13/16" wide

PRODUCT SPECIFICATIONS

- Reference pages 302-315 for grommet cutout locations
- Laminate grain direction runs horizontal on the modesty panel and vertical on the end panel unless a horizontal laminate is selected for the end panels
- Shipped in 3 separate cartons

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/PVC Rim Color
3. Grommet
4. End Panel Grommet
5. Top Laminate Color
6. Modesty Laminate Color
7. Chassis Laminate Color

SAMPLE MODEL NUMBER:

86N429629WKF2L V462 X X MC MC MC

- See pages 296-299 for all options available in Strassa

WORKSURFACE HEIGHT
FULL MODESTY (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
86N429629WKF2L	Laminate	$ 2642	42 1/16	95 7/8	28 7/8	—	17 1/16	401 lbs.	27.9
86N429629WKF2LL	TFL	2334	42 1/16	95 7/8	28 7/8	—	17 1/16	401 lbs.	27.9
86N4210829WKF2L	Laminate	$ 3228	42 1/16	107 7/8	28 7/8	—	17 1/16	437 lbs.	31.0
86N4210829WKF2LL	TFL	2854	42 1/16	107 7/8	28 7/8	—	17 1/16	437 lbs.	31.0
86N4212029WKF2L	Laminate	$ 3615	42 1/16	119 13/16	28 7/8	—	17 1/16	473 lbs.	34.0
86N4212029WKF2LL	TFL	3194	42 1/16	119 13/16	28 7/8	—	17 1/16	473 lbs.	34.0
86N484829WKF2L	Laminate	$ 2195	48 1/16	48 1/16	28 7/8	—	20 1/16	265 lbs.	17.0
86N484829WKF2LL	TFL	1940	48 1/16	48 1/16	28 7/8	—	20 1/16	265 lbs.	17.0
86N486029WKF2L	Laminate	$ 2333	48 1/16	60	28 7/8	—	20 1/16	315 lbs.	20.1
86N486029WKF2LL	TFL	2063	48 1/16	60	28 7/8	—	20 1/16	315 lbs.	20.1
86N487229WKF2L	Laminate	$ 2484	48 1/16	71 5/16	28 7/8	—	20 1/16	355 lbs.	23.2
86N487229WKF2LL	TFL	2195	48 1/16	71 5/16	28 7/8	—	20 1/16	355 lbs.	23.2
86N488429WKF2L	Laminate	$ 2642	48 1/16	83 5/16	28 7/8	—	20 1/16	394 lbs.	26.3
86N488429WKF2LL	TFL	2334	48 1/16	83 5/16	28 7/8	—	20 1/16	394 lbs.	26.3
86N489629WKF2L	Laminate	$ 2811	48 1/16	95 7/8	28 7/8	—	20 1/16	432 lbs.	29.3
86N489629WKF2LL	TFL	2484	48 1/16	95 7/8	28 7/8	—	20 1/16	432 lbs.	29.3
86N4810829WKF2L	Laminate	$ 3435	48 1/16	107 7/8	28 7/8	—	20 1/16	471 lbs.	32.5
86N4810829WKF2LL	TFL	3034	48 1/16	107 7/8	28 7/8	—	20 1/16	471 lbs.	32.5
86N4812029WKF2L	Laminate	$ 3845	48 1/16	119 13/16	28 7/8	—	20 1/16	511 lbs.	35.6
86N4812029WKF2LL	TFL	3399	48 1/16	119 13/16	28 7/8	—	20 1/16	511 lbs.	35.6

- Modesty panel is removable on 1 side to allow wire management access
- A center grommet is not recommended due to the location of the support panel on this size
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL worksurfaces or modesties of models that are 107 1/8" and 119 13/16" wide

STRASSA

PRODUCT SPECIFICATIONS

- Reference pages 302-315 for grommet cutout locations
- Laminate grain direction runs horizontal on the modesty panel and vertical on the end panel unless a horizontal laminate is selected for the end panels
- 144" to 240" top size units shipped in 6 cartons

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/PVC Rim Color
3. Grommet
4. End Panel Grommet
5. Top Laminate Color
6. Modesty Laminate Color
7. Chassis Laminate Color

SAMPLE MODEL NUMBER:

86N4814429WKF2L V462 X X MC MC MC

- See pages 296-299 for all options available in Strassa

WORKSURFACE HEIGHT FULL MODESTY (CONTINUED)



144" - 192" Wide Models



216" - 240" Wide Models

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
86N4814429WKF2L	Laminate	$ 5307	48 1/16	144	28 7/8	—	20 1/16	710 lbs.	45.0
86N4814429WKF2LL	TFL	4860	48 1/16	144	28 7/8	—	20 1/16	710 lbs.	45.0
86N4816829WKF2L	Laminate	$ 6402	48 1/16	168	28 7/8	—	20 1/16	788 lbs.	51.5
86N4816829WKF2LL	TFL	5954	48 1/16	168	28 7/8	—	20 1/16	788 lbs.	51.5
86N4819229WKF2L	Laminate	$ 7496	48 1/16	192	28 7/8	—	20 1/16	864 lbs.	57.7
86N4819229WKF2LL	TFL	7049	48 1/16	192	28 7/8	—	20 1/16	864 lbs.	57.7
86N4821629WKF2L	Laminate	$ 8593	48 1/16	216	28 7/8	—	20 1/16	905 lbs.	64.1
86N4821629WKF2LL	TFL	8146	48 1/16	216	28 7/8	—	20 1/16	905 lbs.	64.1
86N4824029WKF2L	Laminate	$ 9688	48 1/16	240	28 7/8	—	20 1/16	1006 lbs.	70.3
86N4824029WKF2LL	TFL	9241	48 1/16	240	28 7/8	—	20 1/16	1006 lbs.	70.3

- Modesty panel is removable on 1 side to allow wire management access
- A center grommet is not recommended due to the location of the support panel on this size
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on modesties of models that are 216" or 240" wide.

PRODUCT SPECIFICATIONS

- Reference pages 302-315 for grommet cutout locations
- Laminate grain direction runs horizontal on the modesty panel and vertical on the end panel unless a horizontal laminate is selected for the end panels
- Shipped in 3 separate cartons

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/PVC Rim Color
3. Grommet
4. End Panel Grommet
5. Top Laminate Color
6. Modesty Laminate Color
7. Chassis Laminate Color

SAMPLE MODEL NUMBER:

86N364835WKF2L V462 X X MC MC MC

- See pages 296-299 for all options available in Strassa

COUNTER HEIGHT FULL MODESTY



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
86N364835WKF2L	Laminate	$ 2155	36 1/16	48 1/16	35 3/16	—	14 1/16	253 lbs.	17.4
86N364835WKF2LL	TFL	1903	36 1/16	48 1/16	35 3/16	—	14 1/16	253 lbs.	17.4
86N366035WKF2L	Laminate	$ 2293	36 1/16	60	35 3/16	—	14 1/16	303 lbs.	20.7
86N366035WKF2LL	TFL	2026	36 1/16	60	35 3/16	—	14 1/16	303 lbs.	20.7
86N367235WKF2L	Laminate	$ 2438	36 1/16	71 15/16	35 3/16	—	14 1/16	341 lbs.	23.9
86N367235WKF2LL	TFL	2155	36 1/16	71 15/16	35 3/16	—	14 1/16	341 lbs.	23.9
86N368435WKF2L	Laminate	$ 2594	36 1/16	83 15/16	35 3/16	—	14 1/16	377 lbs.	27.2
86N368435WKF2LL	TFL	2294	36 1/16	83 15/16	35 3/16	—	14 1/16	377 lbs.	27.2
86N369635WKF2L	Laminate	$ 2759	36 1/16	95 7/8	35 3/16	—	14 1/16	414 lbs.	30.5
86N369635WKF2LL	TFL	2438	36 1/16	95 7/8	35 3/16	—	14 1/16	414 lbs.	30.5
86N3610835WKF2L	Laminate	$ 3228	36 1/16	107 7/8	35 3/16	—	14 1/16	452 lbs.	33.7
86N3610835WKF2LL	TFL	2854	36 1/16	107 7/8	35 3/16	—	14 1/16	452 lbs.	33.7
86N3612035WKF2L	Laminate	$ 3615	36 1/16	119 13/16	35 3/16	—	14 1/16	488 lbs.	37.0
86N3612035WKF2LL	TFL	3194	36 1/16	119 13/16	35 3/16	—	14 1/16	488 lbs.	37.0
86N424835WKF2L	Laminate	$ 2293	42 1/16	48 1/16	35 3/16	—	17 1/16	278 lbs.	18.4
86N424835WKF2LL	TFL	2026	42 1/16	48 1/16	35 3/16	—	17 1/16	278 lbs.	18.4
86N426035WKF2L	Laminate	$ 2438	42 1/16	60	35 3/16	—	17 1/16	330 lbs.	21.8
86N426035WKF2LL	TFL	2155	42 1/16	60	35 3/16	—	17 1/16	330 lbs.	21.8
86N427235WKF2L	Laminate	$ 2594	42 1/16	71 15/16	35 3/16	—	17 1/16	325 lbs.	25.1
86N427235WKF2LL	TFL	2294	42 1/16	71 15/16	35 3/16	—	17 1/16	325 lbs.	25.1
86N428435WKF2L	Laminate	$ 2759	42 1/16	83 15/16	35 3/16	—	17 1/16	409 lbs.	28.5
86N428435WKF2LL	TFL	2438	42 1/16	83 15/16	35 3/16	—	17 1/16	409 lbs.	28.5

- Modesty panel is removable on 1 side to allow wire management access
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL worksurfaces or modesties of models that are 107 1/8" and 119 13/16" wide

STRASSA

PRODUCT SPECIFICATIONS

- Reference pages 302-315 for grommet cutout locations
- Laminate grain direction runs horizontal on the modesty panel and vertical on the end panel unless a horizontal laminate is selected for the end panels
- Shipped in 3 separate cartons

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/PVC Rim Color
3. Grommet
4. End Panel Grommet
5. Top Laminate Color
6. Modesty Laminate Color
7. Chassis Laminate Color

SAMPLE MODEL NUMBER:

86N429635WKF2L V462 X X MC MC MC

- See pages 296-299 for all options available in Strassa

COUNTER HEIGHT FULL MODESTY (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
86N429635WKF2L	Laminate	$ 2936	42 1/16	95 7/8	35 3/16	–	17 1/16	449 lbs.	31.9
86N429635WKF2LL	TFL	2595	42 1/16	95 7/8	35 3/16	–	17 1/16	449 lbs.	31.9
86N4210835WKF2L	Laminate	$ 3435	42 1/16	107 7/8	35 3/16	–	17 1/16	489 lbs.	35.3
86N4210835WKF2LL	TFL	3034	42 1/16	107 7/8	35 3/16	–	17 1/16	489 lbs.	35.3
86N4212035WKF2L	Laminate	$ 3845	42 1/16	119 13/16	35 3/16	–	17 1/16	528 lbs.	38.7
86N4212035WKF2LL	TFL	3399	42 1/16	119 13/16	35 3/16	–	17 1/16	528 lbs.	38.7
86N484835WKF2L	Laminate	$ 2438	48 1/16	48 1/16	35 3/16	–	20 1/16	302 lbs.	19.4
86N484835WKF2LL	TFL	2155	48 1/16	48 1/16	35 3/16	–	20 1/16	302 lbs.	19.4
86N486035WKF2L	Laminate	$ 2594	48 1/16	60	35 3/16	–	20 1/16	358 lbs.	22.9
86N486035WKF2LL	TFL	2294	48 1/16	60	35 3/16	–	20 1/16	358 lbs.	22.9
86N487235WKF2L	Laminate	$ 2759	48 1/16	71 15/16	35 3/16	–	20 1/16	400 lbs.	26.4
86N487235WKF2LL	TFL	2438	48 1/16	71 15/16	35 3/16	–	20 1/16	400 lbs.	26.4
86N488435WKF2L	Laminate	$ 2936	48 1/16	83 15/16	35 3/16	–	20 1/16	442 lbs.	29.9
86N488435WKF2LL	TFL	2595	48 1/16	83 15/16	35 3/16	–	20 1/16	442 lbs.	29.9
86N489635WKF2L	Laminate	$ 3123	48 1/16	95 7/8	35 3/16	–	20 1/16	483 lbs.	33.4
86N489635WKF2LL	TFL	2759	48 1/16	95 7/8	35 3/16	–	20 1/16	483 lbs.	33.4
86N4810835WKF2L	Laminate	$ 3655	48 1/16	107 7/8	35 3/16	–	20 1/16	526 lbs.	36.9
86N4810835WKF2LL	TFL	3229	48 1/16	107 7/8	35 3/16	–	20 1/16	526 lbs.	36.9
86N4812035WKF2L	Laminate	$ 4090	48 1/16	119 13/16	35 3/16	–	20 1/16	568 lbs.	40.4
86N4812035WKF2LL	TFL	3616	48 1/16	119 13/16	35 3/16	–	20 1/16	568 lbs.	40.4

- Modesty panel is removable on 1 side to allow wire management access
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL worksurfaces or modesties of models that are 107 1/8" and 119 13/16" wide

PRODUCT SPECIFICATIONS

- Reference pages 302-315 for grommet cutout locations
- Laminate grain direction runs horizontal on the modesty panel and vertical on the end panel unless a horizontal laminate is selected for the end panels
- 144" to 240" top size units shipped in 6 cartons

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/PVC Rim Color
3. Grommet
4. End Panel Grommet
5. Top Laminate Color
6. Modesty Laminate Color
7. Chassis Laminate Color

SAMPLE MODEL NUMBER:

86N4814435WKF2L V462 X X MC MC MC

- See pages 296-299 for all options available in Strassa

COUNTER HEIGHT
FULL MODESTY (CONTINUED)



144" - 192" Wide Models



216" - 240" Wide Models

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
86N4814435WKF2L	Laminate	$ 5552	48 1/16	144	35 3/16	—	20 1/16	800 lbs.	51.1
86N4814435WKF2LL	TFL	5076	48 1/16	144	35 3/16	—	20 1/16	800 lbs.	51.1
86N4816835WKF2L	Laminate	$ 6647	48 1/16	168	35 3/16	—	20 1/16	884 lbs.	58.3
86N4816835WKF2LL	TFL	6172	48 1/16	168	35 3/16	—	20 1/16	884 lbs.	58.3
86N4819235WKF2L	Laminate	$ 7743	48 1/16	192	35 3/16	—	20 1/16	966 lbs.	65.3
86N4819235WKF2LL	TFL	7268	48 1/16	192	35 3/16	—	20 1/16	966 lbs.	65.3
86N4821635WKF2L	Laminate	$ 8837	48 1/16	216	35 3/16	—	20 1/16	1020 lbs.	72.5
86N4821635WKF2LL	TFL	8363	48 1/16	216	35 3/16	—	20 1/16	1020 lbs.	72.5
86N4824035WKF2L	Laminate	$ 9932	48 1/16	240	35 3/16	—	20 1/16	1133 lbs.	79.5
86N4824035WKF2LL	TFL	9460	48 1/16	240	35 3/16	—	20 1/16	1133 lbs.	79.5

- Modesty panel is removable on 1 side to allow wire management access
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on modesties of models that are 216" or 240" wide.

STRASSA

PRODUCT SPECIFICATIONS

- Reference pages 302-315 for grommet cutout locations
- Laminate grain direction runs horizontal on the modesty panel and vertical on the end panel unless a horizontal laminate is selected for the end panels
- Shipped in 3 separate cartons

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/PVC Rim Color
3. Grommet
4. End Panel Grommet
5. Top Laminate Color
6. Modesty Laminate Color
7. Chassis Laminate Color

SAMPLE MODEL NUMBER:

86N424841WKF2L V462 X X MC MC MC

- See pages 296-299 for all options available in Strassa

BAR HEIGHT
FULL MODESTY



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
86N364841WKF2L	Laminate	$ 2392	36 1/16	48 1/16	41 1/2	–	14 1/16	284 lbs.	19.5
86N364841WKF2LL	TFL	2116	36 1/16	48 1/16	41 1/2	–	14 1/16	284 lbs.	19.5
86N366041WKF2L	Laminate	$ 2547	36 1/16	60	41 1/2	–	14 1/16	340 lbs.	23.1
86N366041WKF2LL	TFL	2251	36 1/16	60	41 1/2	–	14 1/16	340 lbs.	23.1
86N367241WKF2L	Laminate	$ 2708	36 1/16	71 15/16	41 1/2	–	14 1/16	381 lbs.	26.8
86N367241WKF2LL	TFL	2397	36 1/16	71 15/16	41 1/2	–	14 1/16	381 lbs.	26.8
86N368441WKF2L	Laminate	$ 2884	36 1/16	83 15/16	41 1/2	–	14 1/16	421 lbs.	30.4
86N368441WKF2LL	TFL	2547	36 1/16	83 15/16	41 1/2	–	14 1/16	421 lbs.	30.4
86N369641WKF2L	Laminate	$ 3067	36 1/16	95 7/8	41 1/2	–	14 1/16	461 lbs.	34.0
86N369641WKF2LL	TFL	2708	36 1/16	95 7/8	41 1/2	–	14 1/16	461 lbs.	34.0
86N3610841WKF2L	Laminate	$ 3435	36 1/16	107 7/8	41 1/2	–	14 1/16	502 lbs.	37.7
86N3610841WKF2LL	TFL	3034	36 1/16	107 7/8	41 1/2	–	14 1/16	502 lbs.	37.7
86N3612041WKF2L	Laminate	$ 3845	36 1/16	119 13/16	41 1/2	–	14 1/16	542 lbs.	41.3
86N3612041WKF2LL	TFL	3399	36 1/16	119 13/16	41 1/2	–	14 1/16	542 lbs.	41.3
86N424841WKF2L	Laminate	$ 2547	42 1/16	48 1/16	41 1/2	–	17 1/16	312 lbs.	20.6
86N424841WKF2LL	TFL	2251	42 1/16	48 1/16	41 1/2	–	17 1/16	312 lbs.	20.6
86N426041WKF2L	Laminate	$ 2708	42 1/16	60	41 1/2	–	17 1/16	370 lbs.	24.3
86N426041WKF2LL	TFL	2397	42 1/16	60	41 1/2	–	17 1/16	370 lbs.	24.3
86N427241WKF2L	Laminate	$ 2884	42 1/16	71 15/16	41 1/2	–	17 1/16	413 lbs.	28.1
86N427241WKF2LL	TFL	2547	42 1/16	71 15/16	41 1/2	–	17 1/16	413 lbs.	28.1
86N428441WKF2L	Laminate	$ 3067	42 1/16	83 15/16	41 1/2	–	17 1/16	455 lbs.	31.8
86N428441WKF2LL	TFL	2708	42 1/16	83 15/16	41 1/2	–	17 1/16	455 lbs.	31.8

- Modesty panel is removable on 1 side to allow wire management access
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL worksurfaces or modesties of models that are 107 1/8" and 119 13/16" wide

PRODUCT SPECIFICATIONS

- Reference pages 302-315 for grommet cutout locations
- Laminate grain direction runs horizontal on the modesty panel and vertical on the end panel unless a horizontal laminate is selected for the end panels
- Shipped in 3 separate cartons

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/PVC Rim Color
3. Grommet
4. End Panel Grommet
5. Top Laminate Color
6. Modesty Laminate Color
7. Chassis Laminate Color

SAMPLE MODEL NUMBER:

86N429641WKF2L V462 X X MC MC MC

- See pages 296-299 for all options available in Strassa

BAR HEIGHT
FULL MODESTY (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
86N429641WKF2L	Laminate	$ 3263	42 1/16	95 7/8	41 1/2	—	17 1/16	499 lbs.	35.5
86N429641WKF2LL	TFL	2884	42 1/16	95 7/8	41 1/2	—	17 1/16	499 lbs.	35.5
86N4210841WKF2L	Laminate	$ 3655	42 1/16	107 7/8	41 1/2	—	17 1/16	542 lbs.	39.4
86N4210841WKF2LL	TFL	3229	42 1/16	107 7/8	41 1/2	—	17 1/16	542 lbs.	39.4
86N4212041WKF2L	Laminate	$ 4090	42 1/16	119 13/16	41 1/2	—	17 1/16	584 lbs.	43.1
86N4212041WKF2LL	TFL	3616	42 1/16	119 13/16	41 1/2	—	17 1/16	584 lbs.	43.1
86N484841WKF2L	Laminate	$ 2708	48 1/16	48 1/16	41 1/2	—	20 1/16	338 lbs.	21.7
86N484841WKF2LL	TFL	2397	48 1/16	48 1/16	41 1/2	—	20 1/16	338 lbs.	21.7
86N486041WKF2L	Laminate	$ 2884	48 1/16	60	41 1/2	—	20 1/16	400 lbs.	25.5
86N486041WKF2LL	TFL	2547	48 1/16	60	41 1/2	—	20 1/16	400 lbs.	25.5
86N487241WKF2L	Laminate	$ 3067	48 1/16	71 5/16	41 1/2	—	20 1/16	445 lbs.	29.5
86N487241WKF2LL	TFL	2708	48 1/16	71 5/16	41 1/2	—	20 1/16	445 lbs.	29.5
86N488441WKF2L	Laminate	$ 3263	48 1/16	83 5/16	41 1/2	—	20 1/16	490 lbs.	33.3
86N488441WKF2LL	TFL	2884	48 1/16	83 5/16	41 1/2	—	20 1/16	490 lbs.	33.3
86N489641WKF2L	Laminate	$ 3470	48 1/16	95 7/8	41 1/2	—	20 1/16	535 lbs.	37.1
86N489641WKF2LL	TFL	3067	48 1/16	95 7/8	41 1/2	—	20 1/16	535 lbs.	37.1
86N4810841WKF2L	Laminate	$ 3884	48 1/16	107 7/8	41 1/2	—	20 1/16	581 lbs.	41.1
86N4810841WKF2LL	TFL	3435	48 1/16	107 7/8	41 1/2	—	20 1/16	581 lbs.	41.1
86N4812041WKF2L	Laminate	$ 4352	48 1/16	119 13/16	41 1/2	—	20 1/16	626 lbs.	44.9
86N4812041WKF2LL	TFL	3847	48 1/16	119 13/16	41 1/2	—	20 1/16	626 lbs.	44.9

- Modesty panel is removable on 1 side to allow wire management access
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL worksurfaces or modesties of models that are 107 1/8" and 119 13/16" wide

STRASSA

PRODUCT SPECIFICATIONS

- Reference pages 302-315 for grommet cutout locations
- Laminate grain direction runs horizontal on the modesty panel and vertical on the end panel unless a horizontal laminate is selected for the end panels
- Modesty models shipped in 6 separate cartons

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/PVC Rim Color
3. Grommet
4. End Panel Grommet
5. Top Laminate Color
6. Modesty Laminate Color
7. Chassis Laminate Color

SAMPLE MODEL NUMBER:

86N4814441WKF2L V462 X X MC MC MC

- See pages 296-299 for all options available in Strassa

BAR HEIGHT
FULL MODESTY (CONTINUED)



144" - 192" Wide Models



216" - 240" Wide Models

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
86N4814441WKF2L	Laminate	$ 5813	48⅛	144	41½	—	20⅛	890 lbs.	57.1
86N4814441WKF2LL	TFL	5309	48⅛	144	41½	—	20⅛	890 lbs.	57.1
86N4816841WKF2L	Laminate	$ 6907	48⅛	168	41½	—	20⅛	980 lbs.	64.9
86N4816841WKF2LL	TFL	6404	48⅛	168	41½	—	20⅛	980 lbs.	64.9
86N4819241WKF2L	Laminate	$ 8004	48⅛	192	41½	—	20⅛	1070 lbs.	72.7
86N4819241WKF2LL	TFL	7498	48⅛	192	41½	—	20⅛	1070 lbs.	72.7
86N4821641WKF2L	Laminate	$ 9099	48⅛	216	41½	—	20⅛	1135 lbs.	80.7
86N4821641WKF2LL	TFL	8595	48⅛	216	41½	—	20⅛	1135 lbs.	80.7
86N4824041WKF2L	Laminate	$ 10194	48⅛	240	41½	—	20⅛	1261 lbs.	88.5
86N4824041WKF2LL	TFL	9691	48⅛	240	41½	—	20⅛	1261 lbs.	88.5

- Modesty panel is removable on 1 side to allow wire management access
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on modesties of models that are 216" or 240" wide.

PRODUCT SPECIFICATIONS

- Reference pages 302-315 for grommet cutout locations
- Shipped in 3 separate cartons

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/PVC Rim Color
3. Grommet
4. End Panel Grommet
5. Top Laminate Color
6. Chassis Laminate Color

SAMPLE MODEL NUMBER:

86N244829WKN1L V462 CUT-G17LR X MC MC

- See pages 296-299 for all options available in Strassa

WORKSURFACE HEIGHT
NO MODESTY



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
86N244829WKN1L	Laminate	$ 3796	24	48 1/16	28 7/8	–	–	143 lbs.	8.2
86N244829WKN1LL	TFL	3339	24	48 1/16	28 7/8	–	–	143 lbs.	8.2
86N246029WKN1L	Laminate	$ 4036	24	60	28 7/8	–	–	172 lbs.	8.9
Q86N246029WKN1LL	TFL	3552	24	60	28 7/8	–	–	172 lbs.	8.9
86N246029WKN1LL	TFL	3552	24	60	28 7/8	–	–	172 lbs.	8.9
86N247229WKN1L	Laminate	$ 4294	24	71 15/16	28 7/8	–	–	195 lbs.	9.6
Q86N247229WKN1LL	TFL	3779	24	71 15/16	28 7/8	–	–	195 lbs.	9.6
86N247229WKN1LL	TFL	3779	24	71 15/16	28 7/8	–	–	195 lbs.	9.6
86N248429WKN1L	Laminate	$ 4570	24	83 15/16	28 7/8	–	–	143 lbs.	10.2
86N248429WKN1LL	TFL	4021	24	83 15/16	28 7/8	–	–	143 lbs.	10.2
86N249629WKN1L	Laminate	$ 4861	24	95 7/8	28 7/8	–	–	238 lbs.	10.9
Q86N249629WKN1LL	TFL	4277	24	95 7/8	28 7/8	–	–	238 lbs.	10.9
86N249629WKN1LL	TFL	4277	24	95 7/8	28 7/8	–	–	238 lbs.	10.9
86N2410829WKN1L	Laminate	$ 5348	24	107 7/8	28 7/8	–	–	261 lbs.	11.6
86N2410829WKN1LL	TFL	4706	24	107 7/8	28 7/8	–	–	261 lbs.	11.6
86N2412029WKN1L	Laminate	$ 5881	24	119 13/16	28 7/8	–	–	283 lbs.	12.3
86N2412029WKN1LL	TFL	5176	24	119 13/16	28 7/8	–	–	283 lbs.	12.3
86N304829WKN1L	Laminate	$ 3952	30 1/16	48 1/16	28 7/8	–	–	159 lbs.	9.9
86N304829WKN1LL	TFL	3479	30 1/16	48 1/16	28 7/8	–	–	159 lbs.	9.9
86N306029WKN1L	Laminate	$ 4207	30 1/16	60	28 7/8	–	–	191 lbs.	10.7
Q86N306029WKN1LL	TFL	3700	30 1/16	60	28 7/8	–	–	191 lbs.	10.7
86N306029WKN1LL	TFL	3700	30 1/16	60	28 7/8	–	–	191 lbs.	10.7
86N307229WKN1L	Laminate	$ 4473	30 1/16	71 15/16	28 7/8	–	–	217 lbs.	11.5
Q86N307229WKN1LL	TFL	3939	30 1/16	71 15/16	28 7/8	–	–	217 lbs.	11.5
86N307229WKN1LL	TFL	3939	30 1/16	71 15/16	28 7/8	–	–	217 lbs.	11.5

- 24" and 30" single sided units (access panel on end panels and any specified grommets are located closer to approach side)
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL worksurfaces or modesties of models that are 107 1/8" and 119 13/16" wide

STRASSA

PRODUCT SPECIFICATIONS

- Reference pages 302-315 for grommet cutout locations
- Shipped in 3 separate cartons

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/PVC Rim Color
3. Grommet
4. End Panel Grommet
5. Top Laminate Color
6. Chassis Laminate Color

SAMPLE MODEL NUMBER:

86N308429WKN1L V462 X X MC MC

- See pages 296-299 for all options available in Strassa

WORKSURFACE HEIGHT NO MODESTY (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
86N308429WKN1L	Laminate	$ 4759	30 1/16	83 15/16	28 7/8	–	–	240 lbs.	12.3
86N308429WKN1LL	TFL	4189	30 1/16	83 15/16	28 7/8	–	–	240 lbs.	12.3
86N309629WKN1L	Laminate	$ 5062	30 1/16	95 7/8	28 7/8	–	–	265 lbs.	13.1
Q86N309629WKN1LL	TFL	4456	30 1/16	95 7/8	28 7/8	–	–	265 lbs.	13.1
86N309629WKN1LL	TFL	4456	30 1/16	95 7/8	28 7/8	–	–	265 lbs.	13.1
86N3010829WKN1L	Laminate	$ 5568	30 1/16	107 7/8	28 7/8	–	–	290 lbs.	13.9
86N3010829WKN1LL	TFL	4901	30 1/16	107 7/8	28 7/8	–	–	290 lbs.	13.9
86N3012029WKN1L	Laminate	$ 6128	30 1/16	119 13/16	28 7/8	–	–	314 lbs.	14.7
86N3012029WKN1LL	TFL	5391	30 1/16	119 13/16	28 7/8	–	–	314 lbs.	14.7
86N364829WKN1L	Laminate	$ 4118	36 1/16	48 1/16	28 7/8	–	–	177 lbs.	11.1
86N364829WKN1LL	TFL	3623	36 1/16	48 1/16	28 7/8	–	–	177 lbs.	11.1
86N366029WKN1L	Laminate	$ 4381	36 1/16	60	28 7/8	–	–	212 lbs.	12.4
86N366029WKN1LL	TFL	3855	36 1/16	60	28 7/8	–	–	212 lbs.	12.4
86N367229WKN1L	Laminate	$ 4660	36 1/16	71 15/16	28 7/8	–	–	241 lbs.	13.3
Q86N367229WKN1LL	TFL	4103	36 1/16	71 15/16	28 7/8	–	–	241 lbs.	13.3
86N367229WKN1LL	TFL	4103	36 1/16	71 15/16	28 7/8	–	–	241 lbs.	13.3
86N368429WKN1L	Laminate	$ 4957	36 1/16	83 15/16	28 7/8	–	–	267 lbs.	14.2
Q86N368429WKN1LL	TFL	4362	36 1/16	83 15/16	28 7/8	–	–	267 lbs.	14.2
86N368429WKN1LL	TFL	4362	36 1/16	83 15/16	28 7/8	–	–	267 lbs.	14.2
86N369629WKN1L	Laminate	$ 5274	36 1/16	95 7/8	28 7/8	–	–	294 lbs.	15.1
Q86N369629WKN1LL	TFL	4642	36 1/16	95 7/8	28 7/8	–	–	294 lbs.	15.1
86N369629WKN1LL	TFL	4642	36 1/16	95 7/8	28 7/8	–	–	294 lbs.	15.1
86N3610829WKN1L	Laminate	$ 5804	36 1/16	107 7/8	28 7/8	–	–	322 lbs.	16.0
86N3610829WKN1LL	TFL	5106	36 1/16	107 7/8	28 7/8	–	–	322 lbs.	16.0
86N3612029WKN1L	Laminate	$ 6383	36 1/16	119 13/16	28 7/8	–	–	349 lbs.	16.9
86N3612029WKN1LL	TFL	5618	36 1/16	119 13/16	28 7/8	–	–	349 lbs.	16.9

- 24" and 30" single sided units (access panel on end panels and any specified grommets are located closer to approach side)
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL worksurfaces or modesties of models that are 107 1/8" and 119 13/16" wide

PRODUCT SPECIFICATIONS

- Reference pages 302-315 for grommet cutout locations
- Shipped in 3 separate cartons

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/PVC Rim Color
3. Grommet
4. End Panel Grommet
5. Top Laminate Color
6. Chassis Laminate Color

SAMPLE MODEL NUMBER:

86N424829WKN1L V462 X X MC MC

- See pages 296-299 for all options available in Strassa

WORKSURFACE HEIGHT NO MODESTY (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
86N424829WKN1L	Laminate	$ 4291	42 1/16	48 1/16	28 7/8	–	–	195 lbs.	13.2
86N424829WKN1LL	TFL	3774	42 1/16	48 1/16	28 7/8	–	–	195 lbs.	13.2
86N426029WKN1L	Laminate	$ 4565	42 1/16	60	28 7/8	–	–	232 lbs.	14.2
86N426029WKN1LL	TFL	4017	42 1/16	60	28 7/8	–	–	232 lbs.	14.2
86N427229WKN1L	Laminate	$ 4856	42 1/16	71 15/16	28 7/8	–	–	262 lbs.	15.2
Q86N427229WKN1LL	TFL	4271	42 1/16	71 15/16	28 7/8	–	–	262 lbs.	15.2
86N427229WKN1LL	TFL	4271	42 1/16	71 15/16	28 7/8	–	–	262 lbs.	15.2
86N428429WKN1L	Laminate	$ 5165	42 1/16	83 15/16	28 7/8	–	–	291 lbs.	16.2
Q86N428429WKN1LL	TFL	4543	42 1/16	83 15/16	28 7/8	–	–	291 lbs.	16.2
86N428429WKN1LL	TFL	4543	42 1/16	83 15/16	28 7/8	–	–	291 lbs.	16.2
86N429629WKN1L	Laminate	$ 5494	42 1/16	95 7/8	28 7/8	–	–	321 lbs.	17.3
Q86N429629WKN1LL	TFL	4834	42 1/16	95 7/8	28 7/8	–	–	321 lbs.	17.3
86N429629WKN1LL	TFL	4834	42 1/16	95 7/8	28 7/8	–	–	321 lbs.	17.3
86N4210829WKN1L	Laminate	$ 6044	42 1/16	107 7/8	28 7/8	–	–	350 lbs.	18.3
86N4210829WKN1LL	TFL	5318	42 1/16	107 7/8	28 7/8	–	–	350 lbs.	18.3
86N4212029WKN1L	Laminate	$ 6648	42 1/16	119 13/16	28 7/8	–	–	378 lbs.	19.3
86N4212029WKN1LL	TFL	5850	42 1/16	119 13/16	28 7/8	–	–	378 lbs.	19.3
86N484829WKN1L	Laminate	$ 4467	48 1/16	48 1/16	28 7/8	–	–	212 lbs.	14.7
86N484829WKN1LL	TFL	3932	48 1/16	48 1/16	28 7/8	–	–	212 lbs.	14.7
86N486029WKN1L	Laminate	$ 4754	48 1/16	60	28 7/8	–	–	252 lbs.	15.8
86N486029WKN1LL	TFL	4183	48 1/16	60	28 7/8	–	–	252 lbs.	15.8
86N487229WKN1L	Laminate	$ 5057	48 1/16	71 15/16	28 7/8	–	–	284 lbs.	17.0
Q86N487229WKN1LL	TFL	4451	48 1/16	71 15/16	28 7/8	–	–	284 lbs.	17.0
86N487229WKN1LL	TFL	4451	48 1/16	71 15/16	28 7/8	–	–	284 lbs.	17.0
86N488429WKN1L	Laminate	$ 5378	48 1/16	83 15/16	28 7/8	–	–	315 lbs.	18.1
Q86N488429WKN1LL	TFL	4733	48 1/16	83 15/16	28 7/8	–	–	315 lbs.	18.1
86N488429WKN1LL	TFL	4733	48 1/16	83 15/16	28 7/8	–	–	315 lbs.	18.1

- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL worksurfaces or modesties of models that are 107 1/8" and 119 13/16" wide

STRASSA

PRODUCT SPECIFICATIONS

- Reference pages 302-315 for grommet cutout locations
- Shipped in 3 separate cartons (up to 120" length)
- 144" to 192" top size units shipped in 5 cartons
- 216" to 240" top size units shipped in 7 cartons

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/PVC Rim Color
3. Grommet
4. End Panel Grommet
5. Top Laminate Color
6. Chassis Laminate Color

SAMPLE MODEL NUMBER:

86N489629WKN1L V462 X X MC MC

- See pages 296-299 for all options available in Strassa

WORKSURFACE HEIGHT
NO MODESTY
(CONTINUED)



48" - 120" Wide Models



144" - 192" Wide Models



216" - 240" Wide Models

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
86N489629WKN1L	Laminate	$ 5722	48 1/16	95 7/8	28 7/8	–	–	346 lbs.	19.3
Q86N489629WKN1LL	TFL	5037	48 1/16	95 7/8	28 7/8	–	–	346 lbs.	19.3
86N489629WKN1LL	TFL	5037	48 1/16	95 7/8	28 7/8	–	–	346 lbs.	19.3
86N4810829WKN1L	Laminate	$ 6296	48 1/16	107 7/8	28 7/8	–	–	377 lbs.	20.4
86N4810829WKN1LL	TFL	5542	48 1/16	107 7/8	28 7/8	–	–	377 lbs.	20.4
86N4812029WKN1L	Laminate	$ 6924	48 1/16	119 13/16	28 7/8	–	–	409 lbs.	21.5
86N4812029WKN1LL	TFL	6094	48 1/16	119 13/16	28 7/8	–	–	409 lbs.	21.5
86N4814429WKN1L	Laminate	$ 7617	48 1/16	144	28 7/8	–	–	568 lbs.	26.5
86N4814429WKN1LL	TFL	6703	48 1/16	144	28 7/8	–	–	568 lbs.	26.5
86N4816829WKN1L	Laminate	$ 8379	48 1/16	168	28 7/8	–	–	630 lbs.	29.5
86N4816829WKN1LL	TFL	7375	48 1/16	168	28 7/8	–	–	630 lbs.	29.5
86N4819229WKN1L	Laminate	$ 9216	48 1/16	192	28 7/8	–	–	691 lbs.	31.2
86N4819229WKN1LL	TFL	8112	48 1/16	192	28 7/8	–	–	691 lbs.	31.2
86N4821629WKN1L	Laminate	$ 10139	48 1/16	216	28 7/8	–	–	724 lbs.	33.9
86N4821629WKN1LL	TFL	8923	48 1/16	216	28 7/8	–	–	724 lbs.	33.9
86N4824029WKN1L	Laminate	$ 11357	48 1/16	240	28 7/8	–	–	805 lbs.	36.0
86N4824029WKN1LL	TFL	9993	48 1/16	240	28 7/8	–	–	805 lbs.	36.0

- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL worksurfaces or modesties of models that are 107 1/8" and 119 13/16", 216" or 240" wide

PRODUCT SPECIFICATIONS

- Reference pages 302-315 for grommet cutout locations
- Shipped in 3 separate cartons

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/PVC Rim Color
3. Grommet
4. End Panel Grommet
5. Top Laminate Color
6. Chassis Laminate Color

SAMPLE MODEL NUMBER:

86N244835WKN1L V462 X X MC MC

- See pages 296-299 for all options available in Strassa

COUNTER HEIGHT NO MODESTY



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
86N244835WKN1L	Laminate	$ 3995	24	48 1/16	35 3/16	–	–	164 lbs.	9.2
86N244835WKN1LL	TFL	3515	24	48 1/16	35 3/16	–	–	164 lbs.	9.2
86N246035WKN1L	Laminate	$ 4250	24	60	35 3/16	–	–	196 lbs.	9.9
Q86N246035WKN1LL	TFL	3737	24	60	35 3/16	–	–	196 lbs.	9.9
86N246035WKN1LL	TFL	3737	24	60	35 3/16	–	–	196 lbs.	9.9
86N247235WKN1L	Laminate	$ 4523	24	71 15/16	35 3/16	–	–	221 lbs.	10.6
Q86N247235WKN1LL	TFL	3978	24	71 15/16	35 3/16	–	–	221 lbs.	10.6
86N247235WKN1LL	TFL	3978	24	71 15/16	35 3/16	–	–	221 lbs.	10.6
86N248435WKN1L	Laminate	$ 4810	24	83 15/16	35 3/16	–	–	164 lbs.	11.2
86N248435WKN1LL	TFL	4231	24	83 15/16	35 3/16	–	–	164 lbs.	11.2
86N249635WKN1L	Laminate	$ 5117	24	95 7/8	35 3/16	–	–	268 lbs.	11.9
Q86N249635WKN1LL	TFL	4501	24	95 7/8	35 3/16	–	–	268 lbs.	11.9
86N249635WKN1LL	TFL	4501	24	95 7/8	35 3/16	–	–	268 lbs.	11.9
86N2410835WKN1L	Laminate	$ 5629	24	107 7/8	35 3/16	–	–	293 lbs.	12.6
86N2410835WKN1LL	TFL	4953	24	107 7/8	35 3/16	–	–	293 lbs.	12.6
86N2412035WKN1L	Laminate	$ 6191	24	119 13/16	35 3/16	–	–	316 lbs.	13.3
86N2412035WKN1LL	TFL	5447	24	119 13/16	35 3/16	–	–	316 lbs.	13.3
86N304835WKN1L	Laminate	$ 4161	30 1/16	48 1/16	35 3/16	–	–	182 lbs.	11.1
86N304835WKN1LL	TFL	3660	30 1/16	48 1/16	35 3/16	–	–	182 lbs.	11.1
86N306035WKN1L	Laminate	$ 4427	30 1/16	60	35 3/16	–	–	218 lbs.	11.9
Q86N306035WKN1LL	TFL	3896	30 1/16	60	35 3/16	–	–	218 lbs.	11.9
86N306035WKN1LL	TFL	3896	30 1/16	60	35 3/16	–	–	218 lbs.	11.9
86N307235WKN1L	Laminate	$ 4711	30 1/16	71 15/16	35 3/16	–	–	246 lbs.	12.7
Q86N307235WKN1LL	TFL	4144	30 1/16	71 15/16	35 3/16	–	–	246 lbs.	12.7
86N307235WKN1LL	TFL	4144	30 1/16	71 15/16	35 3/16	–	–	246 lbs.	12.7

- 24" and 30" single sided units (access panel on end panels and any specified grommets are located closer to approach side)
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL worksurfaces or modesties of models that are 107 1/8" and 119 13/16" wide

STRASSA

PRODUCT SPECIFICATIONS

- Reference pages 302-315 for grommet cutout locations
- Shipped in 3 separate cartons

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/PVC Rim Color
3. Grommet
4. End Panel Grommet
5. Top Laminate Color
6. Chassis Laminate Color

SAMPLE MODEL NUMBER:

86N308435WKN1L V462 X X MC MC

- See pages 296-299 for all options available in Strassa

COUNTER HEIGHT NO MODESTY (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
86N308435WKN1L	Laminate	$ 5009	30 1/16	83 15/16	35 3/16	–	–	271 lbs.	13.5
86N308435WKN1LL	TFL	4408	30 1/16	83 15/16	35 3/16	–	–	271 lbs.	13.5
86N309635WKN1L	Laminate	$ 5331	30 1/16	95 7/8	35 3/16	–	–	298 lbs.	14.3
Q86N309635WKN1LL	TFL	4688	30 1/16	95 7/8	35 3/16	–	–	298 lbs.	14.3
86N309635WKN1LL	TFL	4688	30 1/16	95 7/8	35 3/16	–	–	298 lbs.	14.3
86N3010835WKN1L	Laminate	$ 5863	30 1/16	107 7/8	35 3/16	–	–	326 lbs.	15.1
86N3010835WKN1LL	TFL	5160	30 1/16	107 7/8	35 3/16	–	–	326 lbs.	15.1
86N3012035WKN1L	Laminate	$ 6448	30 1/16	119 13/16	35 3/16	–	–	351 lbs.	15.9
86N3012035WKN1LL	TFL	5675	30 1/16	119 13/16	35 3/16	–	–	351 lbs.	15.9
86N364835WKN1L	Laminate	$ 4334	36 1/16	48 1/16	35 3/16	–	–	202 lbs.	12.9
86N364835WKN1LL	TFL	3812	36 1/16	48 1/16	35 3/16	–	–	202 lbs.	12.9
86N366035WKN1L	Laminate	$ 4610	36 1/16	60	35 3/16	–	–	242 lbs.	13.8
86N366035WKN1LL	TFL	4058	36 1/16	60	35 3/16	–	–	242 lbs.	13.8
86N367235WKN1L	Laminate	$ 4906	36 1/16	71 15/16	35 3/16	–	–	273 lbs.	14.7
Q86N367235WKN1LL	TFL	4319	36 1/16	71 15/16	35 3/16	–	–	273 lbs.	14.7
86N367235WKN1LL	TFL	4319	36 1/16	71 15/16	35 3/16	–	–	273 lbs.	14.7
86N368435WKN1L	Laminate	$ 5219	36 1/16	83 15/16	35 3/16	–	–	302 lbs.	15.6
Q86N368435WKN1LL	TFL	4594	36 1/16	83 15/16	35 3/16	–	–	302 lbs.	15.6
86N368435WKN1LL	TFL	4594	36 1/16	83 15/16	35 3/16	–	–	302 lbs.	15.6
86N369635WKN1L	Laminate	$ 5553	36 1/16	95 7/8	35 3/16	–	–	331 lbs.	16.5
Q86N369635WKN1LL	TFL	4887	36 1/16	95 7/8	35 3/16	–	–	331 lbs.	16.5
86N369635WKN1LL	TFL	4887	36 1/16	95 7/8	35 3/16	–	–	331 lbs.	16.5
86N3610835WKN1L	Laminate	$ 6107	36 1/16	107 7/8	35 3/16	–	–	362 lbs.	17.4
86N3610835WKN1LL	TFL	5375	36 1/16	107 7/8	35 3/16	–	–	362 lbs.	17.4
86N3612035WKN1L	Laminate	$ 6718	36 1/16	119 13/16	35 3/16	–	–	390 lbs.	18.3
86N3612035WKN1LL	TFL	5912	36 1/16	119 13/16	35 3/16	–	–	390 lbs.	18.3

- 24" and 30" single sided units (access panel on end panels and any specified grommets are located closer to approach side)
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL worksurfaces or modesties of models that are 107 1/8" and 119 13/16" wide

PRODUCT SPECIFICATIONS

- Reference pages 302-315 for grommet cutout locations
- Shipped in 3 separate cartons

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/PVC Rim Color
3. Grommet
4. End Panel Grommet
5. Top Laminate Color
6. Chassis Laminate Color

SAMPLE MODEL NUMBER:

86N424835WKN1L V462 X X MC MC

- See pages 296-299 for all options available in Strassa

COUNTER HEIGHT NO MODESTY (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
86N424835WKN1L	Laminate	$ 4515	42 1/16	48 1/16	35 3/16	–	–	222 lbs.	14.8
86N424835WKN1LL	TFL	3974	42 1/16	48 1/16	35 3/16	–	–	222 lbs.	14.8
86N426035WKN1L	Laminate	$ 4805	42 1/16	60	35 3/16	–	–	264 lbs.	15.8
86N426035WKN1LL	TFL	4227	42 1/16	60	35 3/16	–	–	264 lbs.	15.8
86N427235WKN1L	Laminate	$ 5109	42 1/16	71 15/16	35 3/16	–	–	260 lbs.	16.8
Q86N427235WKN1LL	TFL	4497	42 1/16	71 15/16	35 3/16	–	–	260 lbs.	16.8
86N427235WKN1LL	TFL	4497	42 1/16	71 15/16	35 3/16	–	–	260 lbs.	16.8
86N428435WKN1L	Laminate	$ 5438	42 1/16	83 15/16	35 3/16	–	–	327 lbs.	17.8
Q86N428435WKN1LL	TFL	4785	42 1/16	83 15/16	35 3/16	–	–	327 lbs.	17.8
86N428435WKN1LL	TFL	4785	42 1/16	83 15/16	35 3/16	–	–	327 lbs.	17.8
86N429635WKN1L	Laminate	$ 5784	42 1/16	95 7/8	35 3/16	–	–	359 lbs.	18.9
Q86N429635WKN1LL	TFL	5089	42 1/16	95 7/8	35 3/16	–	–	359 lbs.	18.9
86N429635WKN1LL	TFL	5089	42 1/16	95 7/8	35 3/16	–	–	359 lbs.	18.9
86N4210835WKN1L	Laminate	$ 6362	42 1/16	107 7/8	35 3/16	–	–	391 lbs.	19.9
86N4210835WKN1LL	TFL	5598	42 1/16	107 7/8	35 3/16	–	–	391 lbs.	19.9
86N4212035WKN1L	Laminate	$ 6998	42 1/16	119 13/16	35 3/16	–	–	422 lbs.	20.9
86N4212035WKN1LL	TFL	6158	42 1/16	119 13/16	35 3/16	–	–	422 lbs.	20.9
86N484835WKN1L	Laminate	$ 4705	48 1/16	48 1/16	35 3/16	–	–	242 lbs.	16.5
86N484835WKN1LL	TFL	4140	48 1/16	48 1/16	35 3/16	–	–	242 lbs.	16.5
86N486035WKN1L	Laminate	$ 5004	48 1/16	60	35 3/16	–	–	286 lbs.	17.6
86N486035WKN1LL	TFL	4403	48 1/16	60	35 3/16	–	–	286 lbs.	17.6
86N487235WKN1L	Laminate	$ 5323	48 1/16	71 15/16	35 3/16	–	–	320 lbs.	18.8
Q86N487235WKN1LL	TFL	4683	48 1/16	71 15/16	35 3/16	–	–	320 lbs.	18.8
86N487235WKN1LL	TFL	4683	48 1/16	71 15/16	35 3/16	–	–	320 lbs.	18.8
86N488435WKN1L	Laminate	$ 5662	48 1/16	83 15/16	35 3/16	–	–	354 lbs.	19.9
Q86N488435WKN1LL	TFL	4983	48 1/16	83 15/16	35 3/16	–	–	354 lbs.	19.9
86N488435WKN1LL	TFL	4983	48 1/16	83 15/16	35 3/16	–	–	354 lbs.	19.9

- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL worksurfaces or modesties of models that are 107 1/8" and 119 13/16" wide

STRASSA

PRODUCT SPECIFICATIONS

- Reference pages 302-315 for grommet cutout locations
- Shipped in 3 separate cartons (up to 120" length)
- 144" to 192" top size units shipped in 5 cartons
- 216" to 240" top size units shipped in 7 cartons

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/PVC Rim Color
3. Grommet
4. End Panel Grommet
5. Top Laminate Color
6. Chassis Laminate Color

SAMPLE MODEL NUMBER:

86N489635WKN1L V462 X X MC MC

- See pages 296-299 for all options available in Strassa

COUNTER HEIGHT NO MODESTY (CONTINUED)



48" - 120" Wide Models



144" - 192" Wide Models



216" - 240" Wide Models

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
86N489635WKN1L	Laminate	$ 6024	48 1/16	95 7/8	35 3/16	—	—	386 lbs.	21.1
Q86N489635WKN1LL	TFL	5301	48 1/16	95 7/8	35 3/16	—	—	386 lbs.	21.1
86N489635WKN1LL	TFL	5301	48 1/16	95 7/8	35 3/16	—	—	386 lbs.	21.1
86N4810835WKN1L	Laminate	$ 6626	48 1/16	107 7/8	35 3/16	—	—	421 lbs.	22.2
86N4810835WKN1LL	TFL	5831	48 1/16	107 7/8	35 3/16	—	—	421 lbs.	22.2
86N4812035WKN1L	Laminate	$ 7290	48 1/16	119 13/16	35 3/16	—	—	454 lbs.	23.3
86N4812035WKN1LL	TFL	6414	48 1/16	119 13/16	35 3/16	—	—	454 lbs.	23.3
86N4814435WKN1L	Laminate	$ 8018	48 1/16	144	35 3/16	—	—	640 lbs.	28.9
86N4814435WKN1LL	TFL	7057	48 1/16	144	35 3/16	—	—	640 lbs.	28.9
86N4816835WKN1L	Laminate	$ 8820	48 1/16	168	35 3/16	—	—	707 lbs.	31.9
86N4816835WKN1LL	TFL	7762	48 1/16	168	35 3/16	—	—	707 lbs.	31.9
86N4819235WKN1L	Laminate	$ 9703	48 1/16	192	35 3/16	—	—	773 lbs.	33.6
86N4819235WKN1LL	TFL	8537	48 1/16	192	35 3/16	—	—	773 lbs.	33.6
86N4821635WKN1L	Laminate	$ 10674	48 1/16	216	35 3/16	—	—	816 lbs.	36.3
86N4821635WKN1LL	TFL	9392	48 1/16	216	35 3/16	—	—	816 lbs.	36.3
86N4824035WKN1L	Laminate	$ 11953	48 1/16	240	35 3/16	—	—	907 lbs.	38.4
86N4824035WKN1LL	TFL	10519	48 1/16	240	35 3/16	—	—	907 lbs.	38.4

- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL worksurfaces or modesties of models that are 107 1/8" and 119 13/16", 216" or 240" wide

PRODUCT SPECIFICATIONS

- Reference pages 302-315 for grommet cutout locations
- Shipped in 3 separate cartons

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/PVC Rim Color
3. Grommet
4. End Panel Grommet
5. Top Laminate Color
6. Chassis Laminate Color

SAMPLE MODEL NUMBER:

86N244841WKN1L V462 X X MC MC

- See pages 296-299 for all options available in Strassa

BAR HEIGHT
NO MODESTY



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
86N244841WKN1L	Laminate	$ 4439	24	48 1/16	41½	—	—	184 lbs.	10.2
86N244841WKN1LL	TFL	3907	24	48 1/16	41½	—	—	184 lbs.	10.2
86N246041WKN1L	Laminate	$ 4722	24	60	41½	—	—	220 lbs.	10.9
Q86N246041WKN1LL	TFL	4156	24	60	41½	—	—	220 lbs.	10.9
86N246041WKN1LL	TFL	4156	24	60	41½	—	—	220 lbs.	10.9
86N247241WKN1L	Laminate	$ 5023	24	71 15/16	41½	—	—	247 lbs.	11.6
Q86N247241WKN1LL	TFL	4421	24	71 15/16	41½	—	—	247 lbs.	11.6
86N247241WKN1LL	TFL	4421	24	71 15/16	41½	—	—	247 lbs.	11.6
86N248441WKN1L	Laminate	$ 5346	24	83 15/16	41½	—	—	184 lbs.	12.2
86N248441WKN1LL	TFL	4704	24	83 15/16	41½	—	—	184 lbs.	12.2
86N249641WKN1L	Laminate	$ 5684	24	95⅞	41½	—	—	299 lbs.	12.9
Q86N249641WKN1LL	TFL	5004	24	95⅞	41½	—	—	299 lbs.	12.9
86N249641WKN1LL	TFL	5004	24	95⅞	41½	—	—	299 lbs.	12.9
86N2410841WKN1L	Laminate	$ 6253	24	107⅞	41½	—	—	326 lbs.	13.6
86N2410841WKN1LL	TFL	5506	24	107⅞	41½	—	—	326 lbs.	13.6
86N2412041WKN1L	Laminate	$ 6879	24	119 13/16	41½	—	—	352 lbs.	14.3
86N2412041WKN1LL	TFL	6054	24	119 13/16	41½	—	—	352 lbs.	14.3
86N304841WKN1L	Laminate	$ 4622	30 1/16	48 1/16	41½	—	—	256 lbs.	12.3
86N304841WKN1LL	TFL	4069	30 1/16	48 1/16	41½	—	—	256 lbs.	12.3
86N306041WKN1L	Laminate	$ 4918	30 1/16	60	41½	—	—	245 lbs.	13.1
Q86N306041WKN1LL	TFL	4328	30 1/16	60	41½	—	—	245 lbs.	13.1
86N306041WKN1LL	TFL	4328	30 1/16	60	41½	—	—	245 lbs.	13.1
86N307241WKN1L	Laminate	$ 5235	30 1/16	71 15/16	41½	—	—	274 lbs.	13.9
Q86N307241WKN1LL	TFL	4604	30 1/16	71 15/16	41½	—	—	274 lbs.	13.9
86N307241WKN1LL	TFL	4604	30 1/16	71 15/16	41½	—	—	274 lbs.	13.9

- 24" and 30" single sided units (access panel on end panels and any specified grommets are located closer to approach side)
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL worksurfaces or modesties of models that are 107 1/8" and 119 13/16" wide

STRASSA

PRODUCT SPECIFICATIONS

- Reference pages 302-315 for grommet cutout locations
- Shipped in 3 separate cartons

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/PVC Rim Color
3. Grommet
4. End Panel Grommet
5. Top Laminate Color
6. Chassis Laminate Color

SAMPLE MODEL NUMBER:

86N308441WKN1L V462 X X MC MC

- See pages 296-299 for all options available in Strassa

BAR HEIGHT NO MODESTY (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
86N308441WKN1L	Laminate	$ 5565	30 1/16	83 15/16	41 1/2	–	–	303 lbs.	14.7
86N308441WKN1LL	TFL	4898	30 1/16	83 15/16	41 1/2	–	–	303 lbs.	14.7
86N309641WKN1L	Laminate	$ 5923	30 1/16	95 7/8	41 1/2	–	–	332 lbs.	15.5
Q86N309641WKN1LL	TFL	5212	30 1/16	95 7/8	41 1/2	–	–	332 lbs.	15.5
86N309641WKN1LL	TFL	5212	30 1/16	95 7/8	41 1/2	–	–	332 lbs.	15.5
86N3010841WKN1L	Laminate	$ 6514	30 1/16	107 7/8	41 1/2	–	–	362 lbs.	16.3
86N3010841WKN1LL	TFL	5733	30 1/16	107 7/8	41 1/2	–	–	362 lbs.	16.3
86N3012041WKN1L	Laminate	$ 7165	30 1/16	119 13/16	41 1/2	–	–	391 lbs.	17.1
86N3012041WKN1LL	TFL	6304	30 1/16	119 13/16	41 1/2	–	–	391 lbs.	17.1
86N364841WKN1L	Laminate	$ 4817	36 1/16	48 1/16	41 1/2	–	–	227 lbs.	14.5
86N364841WKN1LL	TFL	4239	36 1/16	48 1/16	41 1/2	–	–	227 lbs.	14.5
86N366041WKN1L	Laminate	$ 5124	36 1/16	60	41 1/2	–	–	272 lbs.	15.4
86N366041WKN1LL	TFL	4509	36 1/16	60	41 1/2	–	–	272 lbs.	15.4
86N367241WKN1L	Laminate	$ 5451	36 1/16	71 15/16	41 1/2	–	–	305 lbs.	16.3
Q86N367241WKN1LL	TFL	4795	36 1/16	71 15/16	41 1/2	–	–	305 lbs.	16.3
86N367241WKN1LL	TFL	4795	36 1/16	71 15/16	41 1/2	–	–	305 lbs.	16.3
86N368441WKN1L	Laminate	$ 5798	36 1/16	83 15/16	41 1/2	–	–	337 lbs.	17.2
Q86N368441WKN1LL	TFL	5103	36 1/16	83 15/16	41 1/2	–	–	337 lbs.	17.2
86N368441WKN1LL	TFL	5103	36 1/16	83 15/16	41 1/2	–	–	337 lbs.	17.2
86N369641WKN1L	Laminate	$ 6168	36 1/16	95 7/8	41 1/2	–	–	369 lbs.	18.1
Q86N369641WKN1LL	TFL	5428	36 1/16	95 7/8	41 1/2	–	–	369 lbs.	18.1
86N369641WKN1LL	TFL	5428	36 1/16	95 7/8	41 1/2	–	–	369 lbs.	18.1
86N3610841WKN1L	Laminate	$ 6786	36 1/16	107 7/8	41 1/2	–	–	402 lbs.	19.0
86N3610841WKN1LL	TFL	5971	36 1/16	107 7/8	41 1/2	–	–	402 lbs.	19.0

- 24" and 30" single sided units (access panel on end panels and any specified grommets are located closer to approach side)
- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL worksurfaces or modesties of models that are 107 1/8" and 119 13/16" wide

PRODUCT SPECIFICATIONS

- Reference pages 302-315 for grommet cutout locations
- Shipped in 3 separate cartons

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/PVC Rim Color
3. Grommet
4. End Panel Grommet
5. Top Laminate Color
6. Chassis Laminate Color

SAMPLE MODEL NUMBER:

86N424841WKN1L V462 X X MC MC

- See pages 296-299 for all options available in Strassa

BAR HEIGHT NO MODESTY (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
86N3612041WKN1L	Laminate	$ 7464	36 1/16	119 13/16	41 1/2	—	—	434 lbs.	19.9
86N3612041WKN1LL	TFL	6570	36 1/16	119 13/16	41 1/2	—	—	434 lbs.	19.9
86N424841WKN1L	Laminate	$ 5018	42 1/16	48 1/16	41 1/2	—	—	250 lbs.	16.4
86N424841WKN1LL	TFL	4415	42 1/16	48 1/16	41 1/2	—	—	250 lbs.	16.4
86N426041WKN1L	Laminate	$ 5336	42 1/16	60	41 1/2	—	—	296 lbs.	17.4
86N426041WKN1LL	TFL	4696	42 1/16	60	41 1/2	—	—	296 lbs.	17.4
86N427241WKN1L	Laminate	$ 5676	42 1/16	71 15/16	41 1/2	—	—	330 lbs.	18.4
Q86N427241WKN1LL	TFL	4996	42 1/16	71 15/16	41 1/2	—	—	330 lbs.	18.4
86N427241WKN1LL	TFL	4996	42 1/16	71 15/16	41 1/2	—	—	330 lbs.	18.4
86N428441WKN1L	Laminate	$ 6041	42 1/16	83 15/16	41 1/2	—	—	364 lbs.	19.4
Q86N428441WKN1LL	TFL	5316	42 1/16	83 15/16	41 1/2	—	—	364 lbs.	19.4
86N428441WKN1LL	TFL	5316	42 1/16	83 15/16	41 1/2	—	—	364 lbs.	19.4
86N429641WKN1L	Laminate	$ 6428	42 1/16	95 7/8	41 1/2	—	—	399 lbs.	20.5
Q86N429641WKN1LL	TFL	5656	42 1/16	95 7/8	41 1/2	—	—	399 lbs.	20.5
86N429641WKN1LL	TFL	5656	42 1/16	95 7/8	41 1/2	—	—	399 lbs.	20.5
86N4210841WKN1L	Laminate	$ 7067	42 1/16	107 7/8	41 1/2	—	—	434 lbs.	21.5
86N4210841WKN1LL	TFL	6222	42 1/16	107 7/8	41 1/2	—	—	434 lbs.	21.5
86N4212041WKN1L	Laminate	$ 7774	42 1/16	119 13/16	41 1/2	—	—	467 lbs.	22.5
86N4212041WKN1LL	TFL	6843	42 1/16	119 13/16	41 1/2	—	—	467 lbs.	22.5
86N484841WKN1L	Laminate	$ 5226	48 1/16	48 1/16	41 1/2	—	—	270 lbs.	18.5
86N484841WKN1LL	TFL	4600	48 1/16	48 1/16	41 1/2	—	—	270 lbs.	18.5
86N486041WKN1L	Laminate	$ 5561	48 1/16	60	41 1/2	—	—	320 lbs.	19.6
86N486041WKN1LL	TFL	4893	48 1/16	60	41 1/2	—	—	320 lbs.	19.6

- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL worksurfaces or modesties of models that are 107 1/8" and 119 13/16" wide

STRASSA

PRODUCT SPECIFICATIONS

- Reference pages 302-315 for grommet cutout locations
- Shipped in 3 separate cartons (up to 120" length)
- 144" to 192" top size units shipped in 5 cartons
- 216" to 240" top size units shipped in 7 cartons

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/PVC Rim Color
3. Grommet
4. End Panel Grommet
5. Top Laminate Color
6. Chassis Laminate Color

SAMPLE MODEL NUMBER:

86N489641WKN1L V462 X X MC MC

- See pages 296-299 for all options available in Strassa

BAR HEIGHT NO MODESTY (CONTINUED)



48" - 120" Wide Models



144" - 192" Wide Models



216" - 240" Wide Models

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
86N487241WKN1L	Laminate	$ 5916	48 1/16	71 15/16	41 1/2	–	–	356 lbs.	20.8
Q86N487241WKN1LL	TFL	5204	48 1/16	71 15/16	41 1/2	–	–	356 lbs.	20.8
86N487241WKN1LL	TFL	5204	48 1/16	71 15/16	41 1/2	–	–	356 lbs.	20.8
86N488441WKN1L	Laminate	$ 6292	48 1/16	83 15/16	41 1/2	–	–	392 lbs.	21.9
Q86N488441WKN1LL	TFL	5537	48 1/16	83 15/16	41 1/2	–	–	392 lbs.	21.9
86N488441WKN1LL	TFL	5537	48 1/16	83 15/16	41 1/2	–	–	392 lbs.	21.9
86N489641WKN1L	Laminate	$ 6692	48 1/16	95 7/8	41 1/2	–	–	428 lbs.	23.1
Q86N489641WKN1LL	TFL	5891	48 1/16	95 7/8	41 1/2	–	–	428 lbs.	23.1
86N489641WKN1LL	TFL	5891	48 1/16	95 7/8	41 1/2	–	–	428 lbs.	23.1
86N4810841WKN1L	Laminate	$ 7362	48 1/16	107 7/8	41 1/2	–	–	465 lbs.	24.2
86N4810841WKN1LL	TFL	6479	48 1/16	107 7/8	41 1/2	–	–	465 lbs.	24.2
86N4812041WKN1L	Laminate	$ 8098	48 1/16	119 13/16	41 1/2	–	–	501 lbs.	25.3
86N4812041WKN1LL	TFL	7128	48 1/16	119 13/16	41 1/2	–	–	501 lbs.	25.3
86N4814441WKN1L	Laminate	$ 8907	48 1/16	144	41 1/2	–	–	712 lbs.	31.5
86N4814441WKN1LL	TFL	7840	48 1/16	144	41 1/2	–	–	712 lbs.	31.5
86N4816841WKN1L	Laminate	$ 9800	48 1/16	168	41 1/2	–	–	784 lbs.	34.5
86N4816841WKN1LL	TFL	8624	48 1/16	168	41 1/2	–	–	784 lbs.	34.5
86N4819241WKN1L	Laminate	$ 10781	48 1/16	192	41 1/2	–	–	856 lbs.	36.2
86N4819241WKN1LL	TFL	9486	48 1/16	192	41 1/2	–	–	856 lbs.	36.2
86N4821641WKN1L	Laminate	$ 11857	48 1/16	216	41 1/2	–	–	908 lbs.	38.9
86N4821641WKN1LL	TFL	10434	48 1/16	216	41 1/2	–	–	908 lbs.	38.9
86N4824041WKN1L	Laminate	$ 13281	48 1/16	240	41 1/2	–	–	1009 lbs.	41.0
86N4824041WKN1LL	TFL	11687	48 1/16	240	41 1/2	–	–	1009 lbs.	41.0

- G1003 Evening Notte, G1004 Kirsche, G1005 Midnight Run, G1006 Sepia Walnut, G1007 Serotina, G1008 Timeless, G1009 White Nebbia not available on TFL worksurfaces or modesties of models that are 107 1/8" and 119 13/16", 216" or 240" wide

PRODUCT SPECIFICATIONS

- Strassa footrails may be added to any No Modesty Strassa table
- Footrails ship in 1 carton

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

86N48FRNM

- See pages 296-299 for all options available in Strassa

FOOTRAILS



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
86N48FRNM	$ 696	3	41⅜	6⅞	—	—	15 lbs.	0.5
86N60FRNM	731	3	53⅜	6⅞	—	—	16 lbs.	0.6
86N72FRNM	775	3	65½	6⅞	—	—	17 lbs.	0.8
86N84FRNM	928	3	77½	6⅞	—	—	21 lbs.	0.9
86N96FRNM	980	3	89⅜	6⅞	—	—	22 lbs.	1.0
86N108FRNM	1066	3	101⅞	6⅞	—	—	25 lbs.	1.2
86N120FRNM	1127	3	113⅜	6⅞	—	—	26 lbs.	1.3
86N144FRNM	2004	7⅛	137⅜	6⅞	—	—	46 lbs.	2.0
86N168FRNM	2152	7⅛	158⅜	6⅞	—	—	50 lbs.	2.3
86N192FRNM	2193	7⅛	185⅛	6⅞	—	—	53 lbs.	2.6
86N216FRNM	2296	7⅛	209	6⅞	—	—	55 lbs.	2.9
86N240FRNM	2354	7⅛	232⅝	6⅞	—	—	60 lbs.	3.2

- Footrails are available in Polished only
- Footrails are to be added to No Modesty Strassa models only
- Footrail has 1½" diameter stainless steel tubing
- Span between support leg is approximately 30"
- The difference in depth on models 144" wide and larger is the span between the mid support panel and the front of the footrail
- Specify model number only

STRASSA

TO ORDER, SPECIFY:
1. Model Number

SAMPLE MODEL NUMBER:
NACEL4KTC1

• See pages 296-299 for all options available in Strassa

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
UNDERSURFACE POWER/DATA	NAC03ELUPDC		$ 381	3	3	1½	—	—	2 lbs.	0.3



• Can be mounted to the underside of any surface
• Contains 1 electrical outlet and 2 USB ports
• 72" power cord included
• See page 301 for recommended number of units per table size
• Specify model number only

4-TRAC POWER ENTRY	NAC120ELE4P	Plugged	$ 396							
	NAC120ELE4H	Hardwire	266							
	NAC72ELE4NH	NYC Hardwire	486							



• Specify model number only

4-TRAC KIT	NACEL4KTC1	48"-60" Tables	$ 268							
	NACEL4KTC2	72"-84" Tables	292							
	NACEL4KTC3	96"-108" Tables	396							
	NACEL4KTC4	120" Tables	486							
	NACEL4KTC5	144" Tables	620							
	NACEL4KTC6	168" Tables	635							
	NACEL4KTC7	192" Tables	666							
	NACEL4KTC8	216" Tables	694							
	NACEL4KTC9	240" Tables	845							

• See page 300 for details
• Specify model number only

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NACG15AELPGB

- See pages 296-299 for all options available in Strassa

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
ROUND GROMMET (G10)	NACG10EL	Electrical Grommet	$ 623	4¼	4¼	5	—	—	2 lbs.	0.12
	NACG10	Grommet	101	4¼	4¼	1⅞	—	—	1 lbs.	0.12

NACG10EL NACG10

1 TOUCH DOUBLE PIVOTING POWER GROMMET (M2X-B) (G15A)	NACG15AELPGB	Black	$ 1879	8	9¾	1½	—	—	5 lbs.	0.4
	NACG15AELPGS	Silver	1879	8	9¾	1½	—	—	5 lbs.	0.4
	NACG15AELPGW	White	1879	8	9¾	1½	—	—	5 lbs.	0.4
	NACG15AELHCB	Black/Hardwire	$ 1879	8	9¾	1½	—	—	5 lbs.	0.4
	NACG15AELHCS	Silver/Hardwire	1879	8	9¾	1½	—	—	5 lbs.	0.4
	NACG15AELHCW	White/Hardwire	1879	8	9¾	1½	—	—	5 lbs.	0.4



NACG15AELPGS

- See page 294 for detailed specifications
- Units are powder coated
- Side 1: 2 power, 1 dual USB-A, 1 HDMI, and 1 blank
- Side 2: 2 power, 1 dual USB-A, 1 VGA, and 1 blank

1 TOUCH DOUBLE PIVOTING POWER GROMMET (M2X-B) (G15B)	NACG15BELPGB	Black	$ 2089	8	9¾	1½	—	—	5 lbs.	0.4
	NACG15BELPGS	Silver	2089	8	9¾	1½	—	—	5 lbs.	0.4
	NACG15BELPGW	White	2089	8	9¾	1½	—	—	5 lbs.	0.4
	NACG15BELHCB	Black/Hardwire	$ 2089	8	9¾	1½	—	—	5 lbs.	0.4
	NACG15BELHCS	Silver/Hardwire	2089	8	9¾	1½	—	—	5 lbs.	0.4
	NACG15BELHCW	White/Hardwire	2089	8	9¾	1½	—	—	5 lbs.	0.4



NACG15BELPGB

- See page 294 for detailed specifications
- Units are powder coated
- Side 1: 2 power, 1 dual USB-A + C, 1 HDMI, and 1 blank
- Side 2: 2 power, 1 dual USB-A + C, 1 VGA, and 1 blank

STRASSA

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NACG15AELPDIQ18B

• See pages 296-299 for all options available in Strassa

INTERLINK IQ SYSTEM (M2X-B) (G15A)



NACG15AELPD2IQKS



SIDE 1



SIDE 2

NACG15AELPD2IQB



NACEL2IQBB



NACEL2IQ60J



NACEL2IQ60TJ

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FULL SET OF 4 UNITS									
NACG15AELPD2IQKB	Set of 4, Black	$ 7470	8	9¾	1½	–	–	20 lbs.	3.2
NACG15AELPD2IQKS	Set of 4, Silver	7470	8	9¾	1½	–	–	20 lbs.	3.2
NACG15AELPD2IQKW	Set of 4, White	7470	8	9¾	1½	–	–	20 lbs.	3.2

- Full sets include 4 grommets and smart box with starter plug

INTERLINK GROMMETS									
NACG15AELPD2IQB	Interlink Grommet, Black	$ 1667	8	9¾	1½	–	–	5 lbs.	0.4
NACG15AELPD2IQS	Interlink Grommet, Silver	1667	8	9¾	1½	–	–	5 lbs.	0.4
NACG15AELPD2IQW	Interlink Grommet, White	1667	8	9¾	1½	–	–	5 lbs.	0.4

- Units are powder coated
- Interlink IQ full set is a set of 4 (8 total sides)
- Maximum is 4 units
- Side 1: 2 power, 1 dual USB-A, 1 HDMI, and 1 blank
- Side 2: 2 power, 1 dual USB-A, 1 VGA, and 1 blank
- Must order smart box with plug separately

INTERLINK IQ SMART BOX AND JUMPER									
NACEL2IQBB	Interlink IQ smart box w/starter plug	$ 712	–	120	–	–	–	3 lbs.	0.15
NACEL2IQ60J	Interlink IQ Jumper-60"	158	–	60	–	–	–	3 lbs.	0.15
NACEL2IQ60TJ	Transitional Jumper	166	–	60	–	–	–	3 lbs.	0.15

- Must order smart box with plug separately
- UL Recognized
- Non-sequential "Daisy chain" solution
- Interlink IQ system must begin with a smart box with plug (or full set)
- 1 touch door remains open during use
- Jumper used between the smart box with plug and grommets when the span between grommet locations are greater than 60"
- Transitional jumper (connections on both ends) used only when using an older IQ model and a new IQ model (as of November 2019)
- Jumpers count as one connection (maximum of 4)
- The Interlink IQ system is ONLY plugged. This system cannot be hardwired
- Units are powder coated
- Built-in status indicator: green means go, red light indicates too many units
- See charts on pages 346-347

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NACG15BELPDIQ18B

• See pages 296-299 for all options available in Strassa

INTERLINK IQ SYSTEM (M2X-B) (G15B)



NACG15BELPD2IQKS



SIDE 1



SIDE 2

NACG15BELPD2IQB



NACEL2IQBB



NACEL2IQ60J



NACEL2IQ60TJ

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FULL SET OF 4 UNITS									
NACG15BELPD2IQKB	Set of 4, Black	$ 7831	8	9¾	1½	—	—	20 lbs.	3.2
NACG15BELPD2IQKS	Set of 4, Silver	7831	8	9¾	1½	—	—	20 lbs.	3.2
NACG15BELPD2IQKW	Set of 4, White	7831	8	9¾	1½	—	—	20 lbs.	3.2

• Full sets include 4 grommets and smart box with starter plug

INTERLINK GROMMETS									
NACG15BELPD2IQB	Interlink Grommet, Black	$ 1874	8	9¾	1½	—	—	5 lbs.	0.4
NACG15BELPD2IQS	Interlink Grommet, Silver	1874	8	9¾	1½	—	—	5 lbs.	0.4
NACG15BELPD2IQW	Interlink Grommet, White	1874	8	9¾	1½	—	—	5 lbs.	0.4

• Units are powder coated
• Side 1: 2 power, 1 dual USB-A + C, 1 HDMI, and 1 blank
• Side 2: 2 power, 1 dual USB-A + C, 1 VGA, and 1 blank
• 1 touch door remains open during use
• Interlink IQ full set is a set of 4 (8 total sides)
• Maximum is 4 units
• Must order smart box with plug separately

INTERLINK IQ SMART BOX AND JUMPER									
NACEL2IQBB	Interlink IQ smart box w/starter plug	$ 712	—	120	—	—	—	3 lbs.	0.15
NACEL2IQ60J	Interlink IQ Jumper-60"	158	—	60	—	—	—	3 lbs.	0.15
NACEL2IQ60TJ	Transitional Jumper	166	—	60	—	—	—	3 lbs.	0.15

• Must order smart box with plug separately
• UL Recognized
• Non-sequential "Daisy chain" solution
• Interlink IQ system must begin with a smart box with plug (or full set)
• 1 touch door remains open during use
• Jumper used between the smart box with plug and grommets when the span between grommet locations are greater than 60"
• Transitional jumper (connections on both ends) used only when using an older IQ model and a new IQ model (as of November 2019)
• Jumpers count as one connection (maximum of 4)
• The Interlink IQ system is ONLY plugged. This system cannot be hardwired
• Units are powder coated
• Built-in status indicator: green means go, red light indicates too many units
• See charts on pages 346-347

STRASSA

TO ORDER, SPECIFY:
1. Model Number

SAMPLE MODEL NUMBER:
NACG17AELPGB

• See pages 296-299 for all options available in Strassa

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1 TOUCH PIVOTING POWER GROMMET (G17A)	NACG17AELPGB	Black	$ 458	4¼	5¼	2½	–	–	3 lbs.	0.15
	NACG17AELPGS	Silver	458	4¼	5¼	2½	–	–	3 lbs.	0.15
	NACG17AELPGW	White	458	4¼	5¼	2½	–	–	3 lbs.	0.15
	NACG17AELHCB	Hardwire, Black	$ 483	4¼	5¼	2½	–	–	3 lbs.	0.15
	NACG17AELHCS	Hardwire, Silver	483	4¼	5¼	2½	–	–	3 lbs.	0.15
	NACG17AELHCW	Hardwire, White	483	4¼	5¼	2½	–	–	3 lbs.	0.15

- Includes 2 power outlets
- Units are powder coated
- See page 294 for details

1 TOUCH PIVOTING POWER GROMMET (G17B) 	NACG17BELPGB	Black	$ 471	4¼	5¼	2½	–	–	3 lbs.	0.15
	NACG17BELPGS	Silver	471	4¼	5¼	2½	–	–	3 lbs.	0.15
	NACG17BELPGW	White	471	4¼	5¼	2½	–	–	3 lbs.	0.15
	NACG17BELHCB	Hardwire, Black	$ 568	4¼	5¼	2½	–	–	3 lbs.	0.15
	NACG17BELHCS	Hardwire, Silver	568	4¼	5¼	2½	–	–	3 lbs.	0.15
	NACG17BELHCW	Hardwire, White	568	4¼	5¼	2½	–	–	3 lbs.	0.15

- Includes 1 power outlet and 1 dual USB-A + C combo
- Units are powder coated
- See page 294 for details

1 TOUCH PIVOTING POWER GROMMET (G17C) 	NACG17CELPGB	Black	$ 452	4¼	5¼	2½	–	–	3 lbs.	0.15
	NACG17CELPGS	Silver	452	4¼	5¼	2½	–	–	3 lbs.	0.15
	NACG17CELPGW	White	452	4¼	5¼	2½	–	–	3 lbs.	0.15
	NACG17CELHCB	Hardwire, Black	$ 477	4¼	5¼	2½	–	–	3 lbs.	0.15
	NACG17CELHCS	Hardwire, Silver	477	4¼	5¼	2½	–	–	3 lbs.	0.15
	NACG17CELHCW	Hardwire, White	477	4¼	5¼	2½	–	–	3 lbs.	0.15

- Includes 1 power outlet
- Units are powder coated
- See page 294 for details

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NACG17AELPDIQ18B

• See pages 296-299 for all options available in Strassa

INTERLINK IQ SYSTEM (G17A)



NACG17AELPD2IQKS



NACG17AELPD2IQB



NACEL2IQBB



NACEL2IQ60J



NACEL2IQ60TJ

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FULL SET OF 8 UNITS									
NACG17AELPD2IQKB	Set of 8, Black	$ 3860	4¼	5¼	2½	—	—	19 lbs.	1.55
NACG17AELPD2IQKS	Set of 8, Silver	3860	4¼	5¼	2½	—	—	19 lbs.	1.55
NACG17AELPD2IQKW	Set of 8, White	3860	4¼	5¼	2½	—	—	19 lbs.	1.55

• Full sets include 8 grommets and smart box with starter plug

INTERLINK GROMMETS									
NACG17AELPD2IQB	Interlink Grommet, Black	$ 470	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG17AELPD2IQS	Interlink Grommet, Silver	470	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG17AELPD2IQW	Interlink Grommet, White	470	4¼	5¼	2½	—	—	3 lbs.	0.15

• Must order smart box with plug separately

INTERLINK IQ SMART BOX AND JUMPER									
NACEL2IQBB	Interlink IQ smart box w/starter plug	$ 712	—	120	—	—	—	3 lbs.	0.15
NACEL2IQ60J	Interlink IQ Jumper-60"	158	—	60	—	—	—	3 lbs.	0.15
NACEL2IQ60TJ	Transitional Jumper	166	—	60	—	—	—	3 lbs.	0.15

- Must order smart box with plug separately
- UL Recognized
- Non-sequential "Daisy chain" solution
- Interlink IQ system must begin with a smart box with plug (or full set)
- Jumper used between the smart box with plug and grommets when the span between grommet locations are greater than 60"
- Transitional jumper (connections on both ends) used only when using an older IQ model and a new IQ model (as of November 2019)
- Jumpers count as one connection (maximum of 8)
- The Interlink IQ system is ONLY plugged. This system cannot be hardwired
- Units are powder coated
- Built-in status indicator: green means go, red light indicates too many units
- See charts on pages 346-347

STRASSA

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NACG17BELPDIQ18B

• See pages 296-299 for all options available in Strassa

INTERLINK IQ SYSTEM (G17B)



NACG17BELPD2IQKS



NACG17BELPD2IQB



NACEL2IQBB



NACEL2IQ60J



NACEL2IQ60TJ

FULL SET OF 8 UNITS

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
NACG17BELPD2IQKB	Set of 8, Black	$ 5130	4¼	5¼	2½	–	–	19 lbs.	1.55
NACG17BELPD2IQKS	Set of 8, Silver	5130	4¼	5¼	2½	–	–	19 lbs.	1.55
NACG17BELPD2IQKW	Set of 8, White	5130	4¼	5¼	2½	–	–	19 lbs.	1.55

- Full sets include 8 grommets and smart box with starter plug

INTERLINK GROMMETS

NACG17BELPD2IQB	Interlink Grommet, Black	$ 656	4¼	5¼	2½	–	–	3 lbs.	0.15
NACG17BELPD2IQS	Interlink Grommet, Silver	656	4¼	5¼	2½	–	–	3 lbs.	0.15
NACG17BELPD2IQW	Interlink Grommet, White	656	4¼	5¼	2½	–	–	3 lbs.	0.15

- Must order smart box with plug separately

INTERLINK IQ SMART BOX AND JUMPER

NACEL2IQBB	Interlink IQ smart box w/starter plug	$ 712	–	120	–	–	–	3 lbs.	0.15
NACEL2IQ60J	Interlink IQ Jumper-60"	158	–	60	–	–	–	3 lbs.	0.15
NACEL2IQ60TJ	Transitional Jumper	166	–	60	–	–	–	3 lbs.	0.15

- Must order smart box with plug separately
- UL Recognized
- Non-sequential "Daisy chain" solution
- Interlink IQ system must begin with a smart box with plug (or full set)
- Jumper used between the smart box with plug and grommets when the span between grommet locations are greater than 60"
- Transitional jumper (connections on both ends) used only when using an older IQ model and a new IQ model (as of November 2019)
- Jumpers count as one connection (maximum of 8)
- The Interlink IQ system is ONLY plugged. This system cannot be hardwired
- Units are powder coated
- Built-in status indicator: green means go, red light indicates too many units
- See charts on pages 346-347

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NACG17CELPDIQ18B

• See pages 296-299 for all options available in Strassa

INTERLINK IQ SYSTEM (G17C)



NACG17CELPD2IQKS



NACG17CELPD2IQB



NACEL2IQBB



NACEL2IQ60J



NACEL2IQ60TJ

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FULL SET OF 8 UNITS									
NACG17CELPD2IQKB	Set of 8, Black	$ 3653	4¼	5¼	2½	—	—	19 lbs.	1.55
NACG17CELPD2IQKS	Set of 8, Silver	3653	4¼	5¼	2½	—	—	19 lbs.	1.55
NACG17CELPD2IQKW	Set of 8, White	3653	4¼	5¼	2½	—	—	19 lbs.	1.55

• Full sets include 8 grommets and smart box with starter plug

INTERLINK GROMMETS									
NACG17CELPD2IQB	Interlink Grommet, Black	$ 443	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG17CELPD2IQS	Interlink Grommet, Silver	443	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG17CELPD2IQW	Interlink Grommet, White	443	4¼	5¼	2½	—	—	3 lbs.	0.15

• Must order smart box with plug separately

INTERLINK IQ SMART BOX AND JUMPER									
NACEL2IQBB	Interlink IQ smart box w/starter plug	$ 712	—	120	—	—	—	3 lbs.	0.15
NACEL2IQ60J	Interlink IQ Jumper-60"	158	—	60	—	—	—	3 lbs.	0.15
NACEL2IQ60TJ	Transitional Jumper	166	—	60	—	—	—	3 lbs.	0.15

• Must order smart box with plug separately
• UL Recognized
• Non-sequential "Daisy chain" solution
• Interlink IQ system must begin with a smart box with plug (or full set)
• Jumper used between the smart box with plug and grommets when the span between grommet locations are greater than 60"
• Transitional jumper (connections on both ends) used only when using an older IQ model and a new IQ model (as of November 2019)
• Jumpers count as one connection (maximum of 8)
• The Interlink IQ system is ONLY plugged. This system cannot be hardwired
• Units are powder coated
• Built-in status indicator: green means go, red light indicates too many units
• See charts on pages 346-347

STRASSA

Configuration of IQ System for Fixed Height Non-Powered Center Beam 72" Tables- Max of 6 IQ Units per run

6 Power Units



Item	Qty
Smart Box	1
Grommet	6
Jumper	2

5 Power Units



Item	Qty
Smart Box	1
Grommet	5
Jumper	2

4 Power Units



Item	Qty
Smart Box	1
Grommet	4
Jumper	1

3 Power Units



Item	Qty
Smart Box	1
Grommet	3
Jumper	1

2 Power Units



Item	Qty
Smart Box	1
Grommet	2

Configuration of IQ System for Fixed Height Non-Powered Center Beam 66" Tables- Max of 6 IQ Units per run

6 Power Units



Item	Qty
Smart Box	1
Grommet	6
Jumper	1

5 Power Units



Item	Qty
Smart Box	1
Grommet	5
Jumper	1

4 Power Units



Item	Qty
Smart Box	1
Grommet	4
Jumper	1

3 Power Units



Item	Qty
Smart Box	1
Grommet	3

2 Power Units



Item	Qty
Smart Box	1
Grommet	2

*Quantity shown is per side. Quantity would be duplicated for a double sided application.

Configuration of IQ System for Fixed Height Non-Powered Center Beam 60" Tables- Max of 6 IQ Units per run

8 Power Units



Item	Qty
Smart Box	1
Grommet	8

7 Power Units



Item	Qty
Smart Box	1
Grommet	7

6 Power Units



Item	Qty
Smart Box	1
Grommet	6

5 Power Units



Item	Qty
Smart Box	1
Grommet	5

4 Power Units



Item	Qty
Smart Box	1
Grommet	4

3 Power Units



Item	Qty
Smart Box	1
Grommet	3

2 Power Units



Item	Qty
Smart Box	1
Grommet	2

*Quantity shown is per side. Quantity would be duplicated for a double sided application.

STRASSA

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NACG23ELB

• See pages 296-299 for all options available in Strassa

POWER GROMMET (G23)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
NACG23ELB	Black	$ 663	2½	4½	3¼	–	–	2.3 lbs.	0.2
NACG23ELS	Silver	663	2½	4½	3¼	–	–	2.3 lbs.	0.2
NACG23ELHCB	Black/Hardwire	$ 739	2½	4½	3¼	–	–	2.3 lbs.	0.2
NACG23ELHCS	Silver/Hardwire	739	2½	4½	3¼	–	–	2.3 lbs.	0.2

- Not intended for use on conference tables
- Includes 2 power outlets and 2 power USB ports
- Units are powder coated

DAISY LINK (G23)



Plugged Starter Unit



Hardwire Starter Unit

DAISY LINK STARTER UNITS

NACG23ELDLB1	Black - G23, Plugged	$ 754	2½	4½	3¼	–	–	4.1 lbs.	0.4
NACG23ELDLS1	Silver - G23, Plugged	754	2½	4½	3¼	–	–	4.1 lbs.	0.4
NACG23ELDLHB1	Black - G23, Hardwire/Modular Connect	$ 754	2½	4½	3¼	–	–	3.7 lbs.	0.4
NACG23ELDLHS1	Silver - G23, Hardwire/Modular Connect	754	2½	4½	3¼	–	–	3.7 lbs.	0.4

- Not intended for use in end panel on models without modesty
- Modular connect does not meet city code

DAISY LINK ADD-ON UNITS/JUMPER KIT

NACG23ELDLB2	Black - G23	$ 792	2½	4½	3¼	–	–	2.3 lbs.	0.4
NACG23ELDLS2	Silver - G23	792	2½	4½	3¼	–	–	2.3 lbs.	0.4

- 60" jumper included with each daisy link add-on unit
- Units are powder coated
- Not intended for use in end panel

DAISY LINK JUMPER (80", 180", AND 240")

NAC80ELDLJ	80" Daisy Chain Jumper	$ 276	¾	80	2	–	–	2.4 lbs.	0.4
NAC180ELDLJ	180" Daisy Chain Jumper	419				–	–		
NAC240ELDLJ	240" Daisy Chain Jumper	494				–	–		

- 80" jumper is needed when connecting power between tables
- Units are powder coated

TRAINING TABLES

Fold™	350
Maneuver®	353
WaveWorks® Flip/Nest Tables	369
WaveWorks® Worksurfaces	375
Metal Bases	389
"L" Adjustable Height Bases	400
"L" Worksurfaces	404

FOLD NESTING TABLES

FOLD NESTING TABLES PRODUCT SPECIFICATIONS

TOP SIZES

- Concave Top – 29½" width x 21⅝" depth
- Rectangular Top – 59" width x 21⅝" depth

TOPS

- Laminate surfaces are 1⅛" thick HPL (high pressure laminate)
- Laminate surfaces feature a 3 mm PVC or T-mold rim

GROMMET OPTION

- Optional G1 grommet

FLIP/NEST FUNCTIONALITY

- Flip mechanism allows top to flip vertically for nesting capabilities
- Locking casters are standard on user side; non-locking on approach side
- Tables can still nest when optional grommet and standard modesty panel is attached



LAMINATE TOPS

WOODGRAIN LAMINATE

AC2 Autumn 2
AD Almond
BZ Brazilwood
CI Chai
CL Caramel
CW Cordovan
DW Judicial
HN2 Honey 2
IM Brighton
KN Kona
MC Amber
MH Mocha
NM Natural
PB Portobello
PC Porcini
PT Portico
SK Skyline
SM Sonoma
TF Truffle
WL Willow
792 Sable
793 Acorn

SOLID LAMINATE

404 Frosty White Marker*
405 Designer White
419 Wallaby
425 Shadow
440 Cloud
457 Dapple
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear

*Only available on T-mold rim models

PATTERN LAMINATE

814 White Tigris
818 Crisp Linen
819 Flax Gauze
821 Elemental Concrete
822 Smoke Quarstone

RIM PROFILE OPTIONS

PVC SOFTENED RIM

AC2 Autumn 2
AD Almond
BZ Brazilwood
CI Chai
CL Caramel
CW Cordovan
DW Judicial
HN2 Honey 2
IM Brighton
KN Kona
MC Amber
MH Mocha
NM Natural
PB Portobello
PC Porcini
PT Portico
SK Skyline
SM Sonoma
TF Truffle
WL Willow
405 Designer White Linear
419 Wallaby
425 Shadow
440 Cloud
457 Dapple
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White
492 Cinder Linear
792 Sable
793 Acorn

Softened PVC (V)

TABLE LEG COLORS

2 Silver
3 Black

GROMMET

Fold Nesting Tables are available with a G1C grommet to accommodate electrical and data management solutions. If no grommet is desired, specify an X.

- G1C Grommet, Center (+$40 list)
- X No Grommet

FOLD NESTING TABLES

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/Color (PVC models only)
3. Grommet
4. Laminate
5. Paint

SAMPLE MODEL NUMBERS:

61N2430CCFMVL V405 X 405 1
61N2430CCFMYL X 405 1
61N2460RTFMVL V405 X 405 1

• See page 351 for all options available in Fold Nesting Tables

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
CONCAVE TABLE PVC RIM	61N2430CCFMVL	Laminate	$ 1141	23⅜	29½	29⅝	—	—	43 lbs.	4.2

- Some assembly required
- Features modesty panel in Graphite color
- Locking casters standard on user side
- Not recommended for use with edge mount or clamp mount monitor arms
- Not recommended to be ganged

CONCAVE TABLE T-MOLD RIM	61N2430CCFMYL	Laminate	$ 1141	23⅜	29½	29⅝	—	—	43 lbs.	4.2

- Some assembly required
- Features modesty panel in Graphite color
- Locking casters standard on user side
- Not recommended for use with edge mount or clamp mount monitor arms
- Features T-mold rim in Graphite color
- Not recommended to be ganged
- Due to high gloss of marker board, it may scratch. This is deemed inherent and not deemed a quality issue

RECTANGULAR TABLE PVC RIM	61N2460RTFMVL	Laminate	$ 1527	24⅛	59	29⅝	—	—	66 lbs.	7.0

- Some assembly required
- Features modesty panel in Graphite color
- Locking casters standard on user side
- Not recommended for use with edge mount or clamp mount monitor arms
- PVC rim and T-mold rim tops can not be ganged together
- Tables must be unganged when putting tables in the flip position

RECTANGULAR TABLE T-MOLD RIM	61N2460RTFMYL	Laminate	$ 1527	24⅛	59	29⅝	—	—	66 lbs.	7.0

- Some assembly required
- Features modesty panel in Graphite color
- Locking casters standard on user side
- Not recommended for use with edge mount or clamp mount monitor arms
- Features T-mold rim in Graphite color
- PVC rim and T-mold rim tops can not be ganged together
- Tables must be unganged when putting tables in the flip position
- Due to high gloss of marker board, it may scratch. This is deemed inherent and not deemed a quality issue

GANGING BRACKET	61NGB1	2 per package	$ 81	2	6½	⅝	—	—	2 lbs.	0.5



- Featured in Graphite color
- Only to be used with 24" x 60" rectangular tables

MANEUVER FACILITATOR DESK SPECIFICATIONS

WORKSURFACES

- Laminate surfaces are 1³⁄₁₆" HPL (high pressure laminate) or 1⅛" TFL (thermally fused laminate)
- Laminate surfaces feature a 3mm PVC rim
- Grain direction runs left-to-right

CHASSIS CONSTRUCTION

- All joints are securely fastened by screws, L-brackets, dowels, and concealed fasteners to ensure maximum strength
- Back panels are fully finished

LOCKING

- Black and silver lock cores are available
- Key Random means lock cores/keys are randomly (1-5) picked and factory installed in unit
- Key Specific means you can pick any number (1-200) for black or silver lock core/key. Must specify the lock core model separately; not factory installed and will ship separately
- Specify a change key to remove and change lock cores
- To order key specific lock cores, change keys, and master keys, reference the Casegoods Book 2 Price List

BASE

- Powder coated base available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, and (503) Satin Nickel Metallic
- Total of 6 locking casters; 2 on metal leg and 4 on the pedestal
- Wire management cutout in base column is standard

MANEUVER TABLES SPECIFICATIONS

TOPS

- Laminate (HPL) worksurfaces feature a 3mm softened PVC rim

BASE

- Powder coated legs available in (462) Cinder or (501) Platinum Metallic for C-legs and (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic for column legs

POWER/DATA ELECTRICAL SPECIFICATIONS

UNDERSURFACE POWER/DATA

- Contains 1 electrical outlet and 2 USB ports
- Mounts under surface
- 72" power cord included
- Reference page 338

PIVOTING POWER GROMMET (MHO-B) (G12A, G12B, AND G12C)

- Field installable
- Silver, black, or white powder coat
- (G12A) 2 power outlets, 1 blank port and 1 dual USB-A port
- (G12B) 2 power outlets and 2 USB-A + C combo
- (G12C) 4 power outlets with 72" circuit breaker cord
- Must be ordered separately and installed in the field – top should be ordered with CUT-G12C option
- Hardwire available
- Specify model number only
- 6 ft. cord
- UL Listed

GLENBEIGH PIVOTING POWER GROMMET (G17A, G17B, G17C)

- Accommodates table thickness of ¾"-1¾"
- 10 ft. power cord with 3-prong molded plug
- Spill-proof
- Available in silver, black or white powder coat
- Hardwire/Chicago Code available
- 15 amp, 120v (hardwire models)
- 10 ft. metal conduit (hardwire models)
- UL Listed
- G17A available with 2 power outlets
- G17B available with 1 power outlet and 1 USB-A + C combo port
- G17C available with 1 power outlet

INTERLINK IQ SYSTEM (G17A, G17B, G17C)

- Non-sequential "Daisy chain" solution
- Interlink IQ system must begin with a smart box with starter plug (or full set)
- Jumper or transitional jumper used between the smart box and G17 IQ grommets when the span between grommet locations are greater than 60"
- Interlink IQ is plugged only. Hardwire is not available
- Built-in status indicator: green means go, red light indicates too many units
- UL recognized
- G17A Interlink has 2 power outlets
- G17B Interlink has 1 power and 1 dual USB-A + C combo
- G17C Interlink has 1 power outlet

POWER GROMMET (G23)

- Field installable when CUT-G23 option is specified
- Die-cast zinc in black or silver powder coat
- Includes 2 power outlets and 2 power USB ports
- Silver, black, or white
- Hardwire available
- 9 foot, 15 amp cord
- UL Listed

DAISY LINK (G23)

- Field installable when CUT-G23 option is specified
- Silver, black, or white
- Includes 2 15 amp power receptacles (no data) and 2 USB (3.0 power) power ports
- Thumbscrew version with 2 backerplates and 2¼"-20 thumbscrews
- 72" single circuit power cord for plugged starter unit; 48⅜" conduit and 24" power cord with 20 amp molded plug
- 72⅜" multi-circuit conduit power cord for hardwire starter unit
- Add-on unit does include a 60 " jumper; jumper cable is 60⅜" metal conduit with female to female ends for connecting 2 daisy link power grommets
- UL Listed

DAISY LINK JUMPER

- 80", 180", or 240" jumper cable is metal conduit with female to female ends to connect 2 daisy link power grommets when the power is jumped between tables

NODE POWER GROMMET (G33)

- For use with select Maneuver tables
- Available in black, silver, or white powder coat
- Contains 1 electrical outlet and 2 USB-A ports
- 72" 15 amp power cord included
- Maximum worksurface thickness is 1½"
- UL approved
- Tamper resistant
- Spill-proof

MANEUVER - CONFIGURATION OPTIONS

RIM PROFILE OPTIONS



Softened PVC (V)

PVC SOFTENED RIM

AC2	Autumn 2	SM	Sonoma
AD	Almond	TF	Truffle
BZ	Brazilwood	WL	Willow
CI	Chai	405	Designer White
CL	Caramel	419	Wallaby
CW	Cordovan	425	Shadow
DW	Judicial	440	Cloud
HN2	Honey 2	457	Dapple
IM	Brighton	461	Graphite
KN	Kona	462	Cinder
MC	Amber	478	Platinum Grey
MH	Mocha	488	Frosty White
NM	Natural	491	Designer White Linear
PB	Portobello	492	Cinder Linear
PC	Porcini	792	Sable
PT	Portico	793	Acorn
SK	Skyline		

GALLERY PVC SOFTENED RIM

Grade 1 – 5% upcharge

G1001	Citadel
G1011	Pepperdust

Grade 2 – 6% upcharge

G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

See page 14 for Gallery program details and upcharges

PULL OPTIONS



Nantucket (6)

6MB	Cinder
6CC	Concrete
6IR	Iron
6PL	Platinum Metallic
6SN	Satin Nickel Metallic

(Boring Pattern 128mm)

Malibu (7)

7MB	Cinder
7CC	Concrete
7IR	Iron
7PL	Platinum Metallic
7SN	Satin Nickel Metallic

(Boring Pattern 128mm)

Beam (87)

87MB	Cinder
87CC	Concrete
87IR	Iron
87PL	Platinum Metallic
87SN	Satin Nickel Metallic

(Boring Pattern 128mm)

GROMMET OPTIONS - FACILITATOR DESK

If no grommet is desired, specify an X (No Grommet)



- CUT-G12C Cutout for G12 1 Touch Pivoting Power Grommet (+$40 list)
- CUT-G17C Cutout for G17 1 Touch Pivoting Power Grommet (+$40 list)
- CUT-G23C Cutout for G23 Power Grommet (+$40 list)
- For G12, G17, or hardwire solution, reference pages 557-559 and 564-567

NOTE: Interlink IQ units are available in the Accessories section

CUT-G12C



CUT-G17C



CUT-G23C



GROMMET OPTION - TABLES

If no grommet is desired, specify an X (No Grommet)

- CUT-G33C Cutout for G33 Node Power Grommet (+$40 list)
- For G33, reference page 570

END PANEL GROMMET

If no grommet is desired, specify an X (No Grommet)

Round Grommet, Black Plastic
$40 list for each grommet

GE1L	Left
GE1R	Right
X	No Grommet





- When a grommet is selected there will always be a top and bottom grommet
- The grommet cutouts are always located in the kneespace area

LOCKING

KEY RANDOM

KRB Black
KRS Silver

KEY SPECIFIC

KS1B Black, 1 lock per unit
KS1S Silver, 1 lock per unit

Unit list price will be reduced by $28 per lock when selecting Key Specific option.
Must order specific lock cores separately ($28 list each).
See the Casegoods Book 2 Price List for Key Specific model numbers.

LAMINATE WORKSURFACES

WOODGRAIN LAMINATE

AC2	Autumn 2	MH	Mocha
AD	Almond	NM	Natural
BZ	Brazilwood	PB	Portobello
CI	Chai	PC	Porcini
CL	Caramel	PT	Portico
CW	Cordovan	SK	Skyline
DW	Judicial	SM	Sonoma
HN2	Honey 2	TF	Truffle
IM	Brighton	WL	Willow
KN	Kona	792	Sable
MC	Amber	793	Acorn

SOLID LAMINATE

405 Designer White
419 Wallaby
425 Shadow
440 Cloud
457 Dapple
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear

PATTERN LAMINATE

814 White Tigris
818 Crisp Linen
819 Flax Gauze
821 Elemental Concrete
822 Smoke Quarstone

GALLERY LAMINATE

Grade 1 – 5% upcharge
G1001 Citadel
G1011 Pepperdust

Grade 2 – 6% upcharge
G1002 Planked Raw Oak
G1003 Evening Notte
G1004 Kirsche
G1005 Midnight Run
G1006 Sepia Walnut
G1007 Serotina
G1008 Timeless
G1009 White Nebbia
G1012 Phantom Ecru

• Pattern laminates not available on TFL models

LAMINATE DRAWER/DOOR FRONT & CHASSIS

WOODGRAIN LAMINATE

AC2	Autumn 2	PBH	Portobello Horizontal
AD	Almond	PC	Porcini
ADH	Almond Horizontal	PT	Portico
BZ	Brazilwood	PTH	Portico Horizontal
CI	Chai	SK	Skyline
CL	Caramel	SKH	Skyline Horizontal
CW	Cordovan	SM	Sonoma
DW	Judicial	SMH	Sonoma Horizontal
HN2	Honey 2	TF	Truffle
IM	Brighton	WL	Willow
KN	Kona	792	Sable
MC	Amber	792H	Sable Horizontal
MH	Mocha	793	Acorn

SOLID LAMINATE

405 Designer White
419 Wallaby
425 Shadow
440 Cloud
457 Dapple
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
491H Designer White Linear Horizontal
492 Cinder Linear
492H Cinder Linear Horizontal

GALLERY LAMINATE

Grade 1 – 5% upcharge
G1001 Citadel
G1011 Pepperdust

Grade 2 – 6% upcharge
G1002 Planked Raw Oak
G1003 Evening Notte
G1004 Kirsche
G1005 Midnight Run
G1006 Sepia Walnut
G1007 Serotina
G1008 Timeless
G1009 White Nebbia
G1012 Phantom Ecru

• CSL available; see page 14 for program details and upcharge

See page 14 for Gallery program details and upcharges

MANEUVER - CONFIGURATION OPTIONS

PAINT COLORS - FACILITATOR DESK

405 Designer White
423 Concrete
462 Cinder
463 Iron
501 Platinum Metallic
503 Satin Nickel Metallic

PAINT COLORS - TABLE

*405 Designer White
*423 Concrete
462 Cinder
*463 Iron
501 Platinum Metallic
*503 Satin Nickel Metallic

*Not available on C-legs

BASE COLUMN WIRE MANAGEMENT - FACILITATOR DESK

- Ellipse shaped wire management cutout comes standard in the column of the base



THOUGHT STARTERS - MANEUVER



(4) 29N60120TDEG1L



(1) 29N60120TDEG1L
(3) 29N3060TRT1L



(4) 29N3648TFG2L



(1) 29N3648TFG2L
(2) 29N3348THDS2L



(2) 29N3648TFG1L
(2) 29N3060TRT1L

MANEUVER - THOUGHT STARTERS



(3) 29N2448TTZ1L



(6) 29N2448TTZ1L



(2) 29N2460TRT1L
(3) 29N2448TTZ1L



(4) 29N3630TKT2L



(3) 29N3630TKT2L
(3) 29N3060TRT2L

PRODUCT SPECIFICATIONS

- Total of 6 locking casters; 2 on metal leg and 4 on the pedestal
- Hinged door units come standard with touch latch
- Some assembly required
- 18" pedestal standard with 24" deep models and 24" pedestal standard with 30" deep models
- Standard wire management in the base column

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/Color
3. Pull (if applicable)
4. Grommet
5. End Panel Grommet
6. Locking (if applicable)
7. Laminate Top Color
8. Laminate Door/Drawer Color
9. Laminate Chassis Color
10. Paint Color

SAMPLE MODEL NUMBER:

29N2460DTLM1L V418 6SN CUT-G17C GE1R KRS 418 405 418 405

- See pages 354-356 for all options available in Maneuver

FACILITATOR DESK WITH BOX/BOX/FILE PEDESTAL

Left shown



Left shown with lectern

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
LEFT	**RIGHT**									
29N2460DTLM1L	29N2460DTRM1L	HPL	$ 2859	24	60	29⅛	—	—		20.3
29N2460DTLM1LL	29N2460DTRM1LL	TFL	2488	24	60	29⅛	—	—		20.3
29N2472DTLM1L	29N2472DTRM1L	HPL	$ 3064	24	72	29⅛	—	—		20.8
29N2472DTLM1LL	29N2472DTRM1LL	TFL	2664	24	72	29⅛	—	—		20.8
29N3060DTLM1L	29N3060DTRM1L	HPL	$ 3064	30⅛	60	29⅛	—	—		24.5
29N3060DTLM1LL	29N3060DTRM1LL	TFL	2664	30⅛	60	29⅛	—	—		24.5
29N3072DTLM1L	29N3072DTRM1L	HPL	$ 3182	30⅛	72	29⅛	—	—		25.1
29N3072DTLM1LL	29N3072DTRM1LL	TFL	2766	30⅛	72	29⅛	—	—		25.1

- Lectern sold separately

FACILITATOR DESK WITH HINGED DOOR

Left shown



Left shown with lectern

LEFT	**RIGHT**									
29N2460DTLMHL	29N2460DTRMHL	HPL	$ 2859	24	60	29⅛				20.3
29N2460DTLMHLL	29N2460DTRMHLL	TFL	2488	24	60	29⅛				20.3
29N2472DTLMHL	29N2472DTRMHL	HPL	$ 3064	24	72	29⅛				20.8
29N2472DTLMHLL	29N2472DTRMHLL	TFL	2664	24	72	29⅛				20.8
29N3060DTLMHL	29N3060DTRMHL	HPL	$ 3064	30⅛	60	29⅛				24.5
29N3060DTLMHLL	29N3060DTRMHLL	TFL	2664	30⅛	60	29⅛				24.5
29N3072DTLMHL	29N3072DTRMHL	HPL	$ 3182	30⅛	72	29⅛				25.1
29N3072DTLMHLL	29N3072DTRMHLL	TFL	2766	30⅛	72	29⅛				25.1

- Lectern sold separately
- 1 adjustable height shelf behind the door

MANEUVER

PRODUCT SPECIFICATIONS

- Total of 6 locking casters; 2 on metal leg and 4 on the pedestal
- Hinged door units come standard with touch latch
- Some assembly required
- 18" pedestal standard with 24" deep models and 24" pedestal standard with 30" deep models
- Standard wire management in the base column

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/Color
3. Pull (if applicable)
4. Grommet
5. End Panel Grommet
6. Laminate Top Color
7. Laminate Door/Drawer Color
8. Laminate Chassis Color
9. Paint Color

SAMPLE MODEL NUMBERS:

29N2460DTLMOL V418 CUT-G17C GE1R 418 418 405
29N1818LCL 501 TF

• See pages 354-356 for all options available in Maneuver

	MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FACILITATOR DESK WITH OPEN CABINET	**LEFT**	**RIGHT**									
	29N2460DTLMOL	29N2460DTRMOL	HPL	$ 2641	24	60	29⅛	—	—		19.9
	29N2460DTLMOLL	29N2460DTRMOLL	TFL	2295	24	60	29⅛	—	—		19.9
	29N2472DTLMOL	29N2472DTRMOL	HPL	$ 2757	24	72	29⅛	—	—		20.4
	29N2472DTLMOLL	29N2472DTRMOLL	TFL	2398	24	72	29⅛	—	—		20.4
	29N3060DTLMOL	29N3060DTRMOL	HPL	$ 2757	30⅛	60	29⅛	—	—		24.2
	29N3060DTLMOLL	29N3060DTRMOLL	TFL	2398	30⅛	60	29⅛	—	—		24.2
	29N3072DTLMOL	29N3072DTRMOL	HPL	$ 2876	30⅛	72	29⅛	—	—		24.8
	29N3072DTLMOLL	29N3072DTRMOLL	TFL	2500	30⅛	72	29⅛	—	—		24.8
LECTERN	29N1818LCL			$ 783	18	18	13¾	—	—	21 lbs.	6.0
	29N2418LCL			942	23⅞	18	13¾	—	—	23 lbs.	7.5

Right shown without lectern



Left shown with lectern

- Lectern sold separately



Approach view



User view

- Pencil ledge available in 6 paint colors: (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, and (503) Satin Nickel Metallic
- Specify paint color and laminate color only
- 18" lectern for use with 24" deep desk and 24" lectern for use with 30" deep desk

PRODUCT SPECIFICATIONS

- Each table comes complete with top and bases

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/Color
3. Laminate Top Color
4. Paint Color

SAMPLE MODEL NUMBER:

29N36TRD2L VCW 462

- See pages 354-356 for all options available in Maneuver

ROUND TABLE



Static



Mobile

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
STATIC BASE			**DI**		**H**				
29N36TRD2L	HPL	$ 1007	36 1/16	–	29 1/8	–	–		3.3
29N48TRD2L	HPL	1243	48 1/16	–	29 1/8	–	–		3.3
29N60TRD2L	HPL	1477	58 9/16	–	29 1/8	–	–		3.3
MOBILE BASE									
29N36TRD2ML	HPL	$ 1076	36 1/16	–	29 1/8	–	–		3.3
29N48TRD2ML	HPL	1310	48 1/16	–	29 1/8	–	–		3.3
29N60TRD2ML	HPL	1547	58 9/16	–	29 1/8	–	–		3.3

- 4 bases/top
- Adjustable glides standard on static bases
- Dual wheel locking casters standard on mobile bases
- Some assembly required
- Do not specify grommet option

SQUARE TABLE



Static



Mobile

STATIC BASE			D	W	H	A	KW		
29N3636TSQ2L	HPL	$ 1007	36 1/16	36 1/16	29 1/8	–	–		3.3
29N4848TSQ2L	HPL	1243	48 1/16	48 1/16	29 1/8	–	–		3.3
29N6060TSQ2L	HPL	1477	58 9/16	58 9/16	29 1/8	–	–		3.3
MOBILE BASE									
29N3636TSQ2ML	HPL	$ 1076	36 1/16	36 1/16	29 1/8	–	–		3.3
29N4848TSQ2ML	HPL	1310	48 1/16	48 1/16	29 1/8	–	–		3.3
29N6060TSQ2ML	HPL	1547	58 9/16	58 9/16	29 1/8	–	–		3.3

- 4 bases/top
- Adjustable glides standard on static bases
- Dual wheel locking casters standard on mobile bases
- Some assembly required
- Do not specify grommet option

MANEUVER

PRODUCT SPECIFICATIONS

- Each table comes complete with top and bases

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/Color
3. Grommet (if applicable)
4. Laminate Top Color
5. Paint Color

SAMPLE MODEL NUMBER:

29N60TGR2L VCW CW 462

- See pages 354-356 for all options available in Maneuver

KITE TABLE

Static

Mobile

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
STATIC BASE									
29N3630TKT2L	HPL	$ 1533	29⅞	36⅛	29⅛	–	–		3.3
MOBILE BASE									
29N3630TKT2ML	HPL	$ 1603	29⅞	36⅛	29⅛	–	–		3.3

- 4 bases/top
- Adjustable glides standard on static bases
- Dual wheel locking casters standard on mobile bases
- Some assembly required
- Do not specify grommet option

GEAR TABLE

Static



Mobile

MODEL NO./DESCRIPTION		LIST PRICE	DI		H			CARTONED WEIGHT	CUBIC FEET
STATIC BASE									
29N60TGR2L	HPL	$ 2307	58⅜	–	29⅛	–	–		4.5
MOBILE BASE									
29N60TGR2ML	HPL	$ 2410	58⅜	–	29⅛	–	–		4.5

- Can accommodate 6 users
- 6 bases/top
- Adjustable glides standard on static bases
- Dual wheel locking casters standard on mobile bases
- Some assembly required
- Specify center grommet option

PRODUCT SPECIFICATIONS

- Each table comes complete with top and bases

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/Color
3. Grommet
4. Laminate Top Color
5. Paint Color

SAMPLE MODEL NUMBER:

29N60TSD1L VCW CUT-G33C CW 462

- See pages 354-356 for all options available in Maneuver

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SHIELD TABLE	**STATIC BASE**			**DI**		**H**				
Static	29N60TSD1L	HPL	$ 2203	58⅜₁₆	–	29⅛	–	–		9.9
	MOBILE BASE									
Mobile	29N60TSD1ML	HPL	$ 2266	58⅜₁₆	–	29⅛	–	–		9.9

- Can accommodate 6 users
- 3 bases/top
- Adjustable glides standard on static bases
- Dual wheel locking casters standard on mobile bases
- Some assembly required
- Specify center grommet option

	MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SHIELD TABLE	**STATIC BASE**									
 Static	29N60TSD2L	HPL	$ 1997	58⅜₁₆	–	29⅛	–	–		9.9
	MOBILE BASE									
Mobile	29N60TSD2ML	HPL	$ 2129	58⅜₁₆	–	29⅛	–	–		9.9

- Can accommodate 6 users
- 3 bases/top
- Adjustable glides standard on static bases
- Dual wheel locking casters standard on mobile bases
- Some assembly required
- Specify center grommet option

MANEUVER

PRODUCT SPECIFICATIONS

- Each table comes complete with top and bases

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/Color
3. Grommet
4. Laminate Top Color
5. Paint Color

SAMPLE MODEL NUMBER:

29N60120TDEG1L VCW CUT-G33C CW 462

- See pages 354-356 for all options available in Maneuver

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
120° TABLE			DI		H				
STATIC BASE									
29N60120TDEG1L	HPL	$ 2203	58⅜₁₆	–	29⅛	–	–		9.9
MOBILE BASE									
29N60120TDEG1ML	HPL	$ 2266	58⅜₁₆	–	29⅛	–	–		9.9

Static

Mobile

- Can accommodate 6 users
- 3 bases/top
- Adjustable glides standard on static bases
- Dual wheel locking casters standard on mobile bases
- Some assembly required
- Specify center grommet option

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
120° TABLE									
STATIC BASE									
29N60120TDEG2L	HPL	$ 2406	58⅜₁₆	–	29⅛	–	–		9.9
MOBILE BASE									
29N60120TDEG2ML	HPL	$ 2598	58⅜₁₆	–	29⅛	–	–		9.9

Static



Mobile

- Can accommodate 6 users
- 6 bases/top
- Adjustable glides standard on static bases
- Dual wheel locking casters standard on mobile bases
- Some assembly required
- Specify center grommet option

PRODUCT SPECIFICATIONS

- Each table comes complete with top and bases

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/Color
3. Laminate Top Color
4. Paint Color

SAMPLE MODEL NUMBERS:

29N3348THDS1L VCW CW 462
29N3648TFG2L VCW CW 462

- See pages 354-356 for all options available in Maneuver

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
HALF ELLIPSE TABLE	**STATIC BASE**									
Static	29N3348THDS1L	HPL	$ 1382	33	48⅛	29⅛	—	—		6.9
	MOBILE BASE									
Mobile	29N3348THDS1ML	HPL	$ 1448	33	48⅛	29⅛	—	—		6.9
	• 2 bases/top • Adjustable glides standard on static bases • Dual wheel locking casters standard on mobile bases • Some assembly required • Do not specify grommet option									
HALF ELLIPSE TABLE	**STATIC BASE**									
Static	29N3348THDS2L	HPL	$ 1527	33	48⅛	29⅛	—	—		6.9
	MOBILE BASE									
Mobile	29N3348THDS2ML	HPL	$ 1589	33	48⅛	29⅛	—	—		6.9
	• 4 bases/top • Adjustable glides standard on static bases • Dual wheel locking casters standard on mobile bases • Some assembly required • Do not specify grommet option									
FLAG TABLE	**STATIC BASE**									
Static	29N3648TFG1L	HPL	$ 1260	36⅛	48⅛	29⅛	—	—		8.5
	MOBILE BASE									
Mobile	29N3648TFG1ML	HPL	$ 1340	36⅛	48⅛	29⅛	—	—		8.5
	• 2 bases/top • Adjustable glides standard on static bases • Dual wheel locking casters standard on mobile bases • Some assembly required • Do not specify grommet option									
FLAG TABLE	**STATIC BASE**									
Static	29N3648TFG2L	HPL	$ 1342	36⅛	48⅛	29⅛	—	—		8.5
	MOBILE BASE									
Mobile	29N3648TFG2ML	HPL	$ 1418	36⅛	48⅛	29⅛	—	—		8.5
	• 4 bases/top • Adjustable glides standard on static bases • Dual wheel locking casters standard on mobile bases • Some assembly required • Do not specify grommet option									

MANEUVER

PRODUCT SPECIFICATIONS

- Each table comes complete with top and bases

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/Color
3. Laminate Top Color
4. Paint Color

SAMPLE MODEL NUMBER:

29N3060TKB1L VCW CW

- See pages 354-356 for all options available in Maneuver

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
TRAPEZOID TABLE	**STATIC BASE**									
Static	29N2448TTZ1L	HPL	$ 1049	24	48⅛	29⅛	–	–		6.9
	MOBILE BASE									
Mobile	29N2448TTZ1ML	HPL	$ 1110	24	48⅛	29⅛	–	–		6.9
	• 2 bases/top • Adjustable glides standard on static bases • Dual wheel locking casters standard on mobile bases • Some assembly required • Do not specify grommet option									
TRAPEZOID TABLE	**STATIC BASE**									
Static	29N2448TTZ2L	HPL	$ 1193	24	48⅛	29⅛	–	–		6.9
	MOBILE BASE									
Mobile	29N2448TTZ2ML	HPL	$ 1254	24	48⅛	29⅛	–	–		6.9
	• 4 bases/top • Adjustable glides standard on static bases • Dual wheel locking casters standard on mobile bases • Some assembly required • Do not specify grommet option									
KIDNEY BEAN TABLE	**STATIC BASE**									
Static	29N3060TKB1L	HPL	$ 1306	30⅛	60	29⅛	–	–		6.9
	MOBILE BASE									
Mobile	29N3060TKB1ML	HPL	$ 1369	30⅛	60	29⅛	–	–		6.9
	• 2 bases/top • Adjustable glides standard on static bases • Dual wheel locking casters standard on mobile bases • Some assembly required • Do not specify grommet option									
KIDNEY BEAN TABLE	**STATIC BASE**									
Static	29N3060TKB2L	HPL	$ 1452	30⅛	60	29⅛	–	–		6.9
	MOBILE BASE									
Mobile	29N3060TKB2ML	HPL	$ 1513	30⅛	60	29⅛	–	–		6.9
	• 4 bases/top • Adjustable glides standard on static bases • Dual wheel locking casters standard on mobile bases • Some assembly required • Do not specify grommet option									

PRODUCT SPECIFICATIONS

- Each table comes complete with top and bases

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile/Color
3. Laminate Top Color
4. Paint Color

SAMPLE MODEL NUMBERS:

29N2448TRT1L VCW CW
29N2448TRT2L VCL CL 501

- See pages 354-356 for all options available in Maneuver

RECTANGLE TABLE



Static



Mobile

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
STATIC BASE									
29N2448TRT1L	HPL	$ 943	24	48 1/16	29 1/8	—	—		6.9
29N2460TRT1L	HPL	1016	24	60	29 1/8	—	—		6.9
29N2472TRT1L	HPL	1090	24	71 15/16	29 1/8	—	—		6.9
29N3048TRT1L	HPL	$ 1075	30 1/16	48 1/16	29 1/8	—	—		8.5
29N3060TRT1L	HPL	1148	30 1/16	60	29 1/8	—	—		8.5
29N3072TRT1L	HPL	1221	30 1/16	71 15/16	29 1/8	—	—		8.5
MOBILE BASE									
29N2448TRT1ML	HPL	$ 1004	24	48 1/16	29 1/8	—	—		6.9
29N2460TRT1ML	HPL	1079	24	60	29 1/8	—	—		6.9
29N2472TRT1ML	HPL	1151	24	71 15/16	29 1/8	—	—		6.9
29N3048TRT1ML	HPL	$ 1154	30 1/16	48 1/16	29 1/8	—	—		8.5
29N3060TRT1ML	HPL	1226	30 1/16	60	29 1/8	—	—		8.5
29N3072TRT1ML	HPL	1301	30 1/16	71 15/16	29 1/8	—	—		8.5

- 2 bases/top
- Adjustable glides standard on static bases
- Dual wheel locking casters standard on mobile bases
- Some assembly required
- Do not specify grommet option

RECTANGLE TABLE



Static



Mobile

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
STATIC BASE									
29N2448TRT2L	HPL	$ 1088	24	48 1/16	29 1/8	—	—		6.9
29N2460TRT2L	HPL	1118	24	60	29 1/8	—	—		6.9
29N2472TRT2L	HPL	1234	24	71 15/16	29 1/8	—	—		6.9
29N3048TRT2L	HPL	$ 1157	30 1/16	48 1/16	29 1/8	—	—		8.5
29N3060TRT2L	HPL	1231	30 1/16	60	29 1/8	—	—		8.5
29N3072TRT2L	HPL	1304	30 1/16	71 15/16	29 1/8	—	—		8.5
MOBILE BASE									
29N2448TRT2ML	HPL	$ 1148	24	48 1/16	29 1/8	—	—		6.9
29N2460TRT2ML	HPL	1183	24	60	29 1/8	—	—		6.9
29N2472TRT2ML	HPL	1296	24	71 15/16	29 1/8	—	—		6.9
29N3048TRT2ML	HPL	$ 1219	30 1/16	48 1/16	29 1/8	—	—		8.5
29N3060TRT2ML	HPL	1294	30 1/16	60	29 1/8	—	—		8.5
29N3072TRT2ML	HPL	1366	30 1/16	71 15/16	29 1/8	—	—		8.5

- 4 bases/top
- Adjustable glides standard on static bases
- Dual wheel locking casters standard on mobile bases
- Some assembly required
- Do not specify grommet option

MANEUVER

PRODUCT SPECIFICATIONS

- Each table comes complete with top and bases

TO ORDER, SPECIFY:

1. Model Number
2. Resin/Grade Color (if applicable)
3. Metal Color (if applicable)

SAMPLE MODEL NUMBER:

NAC03ELUPDC

- See pages 354-356 for all options available in Maneuver

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
RECTANGULAR MODESTY PANEL ⅓ HEIGHT RESIN		**GRADE 1**							
	NAC4212MPA	$ 631	3/16	41¾	12⅝	—	—	4 lbs.	3.7
	NAC3012MPA	452	3/16	29¾	12⅝	—	—	3 lbs.	3.6
	• Specify resin grade and color: Grade 1 Frosted (1677) • Double sided 3/16" resin • Modesty has stiffener rail which comes with brackets that attach to the underside of the worksurface • 72" desk requires 42" modesty and 60" desk requires 30" modesty								
RECTANGULAR MODESTY PANEL ⅓ HEIGHT METAL	NAC4212MP2M	$ 631	1/16	41¾	12⅝	—	—	8 lbs.	3.7
	NAC3012MP2M	452	1/16	29¾	12⅝	—	—	6 lbs.	3.6
	• Specify Style E for embossed design • Specify metal color: 462 Cinder, 501 Platinum Metallic, 503 Satin Nickel Metallic and 405 Designer White • Modesty comes with brackets that attach to the underside of the worksurface • Metal modesty has raised square embossed design (the raised design appears on the approach side of the modesty) • Metal modesty is 16-gauge steel • 72" desk requires 42" modesty and 60" desk requires 30" modesty								
UNDERSURFACE POWER/DATA	NAC03ELUPDC	$ 381	3	3	1½	—	—	2 lbs.	0.3
	• Can be mounted to the underside of any surface • Contains 1 electrical outlet and 2 USB ports • Mounts under surface • 72" power cord included								

WAVEWORKS FLIP/NEST TRAINING TABLE SPECIFICATIONS

SIZES

- 18" deep in widths of 48", 60", 72"
- 24" deep in widths of 48", 60", 72"
- 30" deep in widths of 48", 60", 72"

TOPS

- Veneer surfaces are 1⅜₁₆" plain sliced slipmatched cherry (Amber, Autumn, Mocha, Truffle) or maple veneer (Brighton, Caramel, Honey, Natural), plain sliced bookmatched walnut veneer (Clear Walnut, Cordovan, Judicial), quarter cut walnut veneer (Almond, Portobello, Sable), or quarter cut oak (Sonoma). All veneer surfaces feature a 3mm wood rim profile
- When specifying Clear Walnut, a clear coat finish, the natural wood characteristics of walnut veneer are visible. These characteristics include, but are not limited to, color and woodgrain variation.
- Laminate surfaces are 1³⁄₁₆" HPL (high pressure laminate) or 1⅛" TFL (thermally fused laminate)

FINISH APPLICATION

- All Veneer surfaces feature a semi-open pore matte finish

RIM PROFILE OPTIONS

- Veneer tops feature a wood rim with 6 rim profile options
- Laminate tops feature a 3mm PVC rim

MODESTY PANEL OPTION
RESIN OR METAL

- ⅛" thick resin with a white printed film pattern
- Steel stiffener rail flexes to insert into corresponding holes on the table frame
- Metal modesty has raised square embossed design (the raised design appears on the approach side of the modesty)
- Metal modesty is 16-gauge steel

GROMMET/POWER DATA OPTIONS

- Round black nylon grommet (G1C) available for an upcharge
- CUT-G12C or CUT-G17C optional cutouts available for an upcharge
- G12 or G17 1 touch pivoting power grommet available; see pages 557-559 and 564-567
- When CUT-G12C or CUT-G17C is ordered with flip/nest table, 2 undersurface wire managers are installed on underside of surface
- Hardwire solution available for field installation on the 1 touch pivoting power grommet, see page 557
- Wire/data manager is available for additional cable management, see page 577 for accessories
- Undersurface wire managers available, see page 577 for accessories

FLIP/NEST FUNCTIONALITY

- Release lever allows top to flip vertical for nesting capabilities
- Bases are angled at 20° to allow tables to nest
- Locking casters are standard on user side; non-locking on approach side
- Tables can still nest when optional grommets and/or modesty panels are attached
- Depth of base is 22¹⁵⁄₁₆" for 18" and 24" tables and 28³⁄₁₆" for 30" tables
- 18" deep training tables will have a 6" gap between the tables when configuring from the approach side due to the base size
- When nesting the tables, the first table is 16" from the wall. Each additional table adds 6½" to the depth
  Example: 18 x 72 flip nest = 72" width x (16" + (6½*9)) = 75" depth for 10 tables

WAVEWORKS FLIP/NEST TRAINING TABLES

WOOD FINISHES

AC Autumn
AD Almond
CL Caramel
CW Cordovan
DW Judicial
EW Clear Walnut*
HN Honey
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
SM Sonoma
TF Truffle
792 Sable

LAMINATE COLORS

WOODGRAIN LAMINATE

AC2 Autumn 2
AD Almond
BZ Brazilwood
CI Chai
CL Caramel
CW Cordovan
DW Judicial
HN2 Honey 2
IM Brighton
KN Kona
MC Amber
MH Mocha
NM Natural
PB Portobello
PC Porcini
PT Portico
SK Skyline
SM Sonoma
TF Truffle
WL Willow
792 Sable
793 Acorn*

SOLID LAMINATE

405 Designer White
419 Wallaby
425 Shadow
440 Cloud
457 Dapple
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear

PATTERN LAMINATE

814 White Tigris
818 Crisp Linen
819 Flax Gauze
821 Elemental Concrete
822 Smoke Quarstone

• Pattern laminates not available on TFL models

GALLERY LAMINATE

Grade 1 – 5% upcharge
G1001 Citadel
G1011 Pepperdust

Grade 2 – 6% upcharge
G1002 Planked Raw Oak
G1003 Evening Notte
G1004 Kirsche
G1005 Midnight Run
G1006 Sepia Walnut
G1007 Serotina
G1008 Timeless
G1009 White Nebbia
G1012 Phantom Ecru

*Acorn is the laminate complement to Clear Walnut finish
• CSL available; see page 14 for program details and upcharge

See page 14 for Gallery program details and upcharges

WOOD RIM

AC Autumn
AD Almond
CL Caramel
CW Cordovan
DW Judicial
EW Clear Walnut
HN Honey
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
SM Sonoma
TF Truffle
792 Sable

RIM PROFILES

GALLERY PVC SOFTENED RIM

Grade 1 – 5% upcharge
G1001 Citadel
G1011 Pepperdust

Grade 2 – 6% upcharge
G1002 Planked Raw Oak
G1003 Evening Notte
G1004 Kirsche
G1005 Midnight Run
G1006 Sepia Walnut
G1007 Serotina
G1008 Timeless
G1009 White Nebbia
G1012 Phantom Ecru

PVC SOFTENED RIM

AC2 Autumn 2
AD Almond
BZ Brazilwood
CI Chai
CL Caramel
CW Cordovan
DW Judicial
HN2 Honey 2
IM Brighton
KN Kona
MC Amber
MH Mocha
NM Natural
PB Portobello
PC Porcini
PT Portico
SK Skyline
SM Sonoma
TF Truffle
WL Willow
405 Designer White
419 Wallaby
425 Shadow
440 Cloud
457 Dapple
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear
792 Sable
793 Acorn

PVC REED RIM

AC2 Autumn 2
CL Caramel
CW Cordovan
DW Judicial
HN2 Honey 2
MC Amber
MH Mocha
NM Natural
TF Truffle

TABLE LEG COLORS

462 Cinder
501 Platinum Metallic
503 Satin Nickel Metallic

RESIN COLORS

Grade 1
1677 Frosted

Softened Wood (F)

Reed Wood (R)

Cove Wood (P)*

Zip Wood (Z)

Concave Wood (C)*

Step Wood (T)*

Softened PVC (V)

Reed PVC (N)

*Not recommended with EW Clear Walnut and SM Sonoma

GROMMET AND CUTOUT OPTIONS

WaveWorks Flip/Nest Training Tables are available with a G1C grommet or cutout options to accommodate electrical and data management solutions. If no grommet or cutout is desired, specify an X.

- G1C Round Grommet, Black (+$40 list)
- CUT-G12C Cutout for G12 1 Touch Pivoting Power Grommet when used with Interlink System (+$40 list)
- CUT-G17C Cutout for G17 1 Touch Pivoting Power Grommet when used with Interlink System (+$40 list)
- For G12, G17, or hardwire solution, reference pages 557-559 and 564-567

NOTE: Interlink IQ units are available in the Accessories section

CUT-G12C



CUT-G17C



WAVEWORKS FLIP/NEST TRAINING TABLES

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Grommet
5. Finish/Laminate
6. Paint Color (for legs)

SAMPLE MODEL NUMBERS:

WW1848RTFMW	R	X	CL	501	
WW1848RTFML	V	62	CUT-G12C	462	501

• See page 370 for all options available in WaveWorks Flip/Nest Training Tables

FLIP/NEST TABLES

MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WOOD TOP—18" DEPTH								
WW1848RTFMW	$ 2232	18	48	29½	—	—	70 lbs.	5.9
WW1860RTFMW	2347	18	60	29½	—	—	82 lbs.	6.4
WW1872RTFMW	2451	18	72	29½	—	—	93 lbs.	6.9
WOOD TOP—24" DEPTH								
WW2448RTFMW	$ 2402	24	48	29½	—	—	72 lbs.	5.9
WW2460RTFMW	2520	24	60	29½	—	—	84 lbs.	6.4
WW2472RTFMW	2624	24	72	29½	—	—	96 lbs.	6.9
WOOD TOP—30" DEPTH								
WW3048RTFMW	$ 2600	30	48	29½	—	—	74 lbs.	6.1
WW3060RTFMW	2721	30	60	29½	—	—	86 lbs.	6.6
WW3072RTFMW	2823	30	72	29½	—	—	98 lbs.	7.1
LAMINATE TOP—18" DEPTH								
WW1848RTFML	$ 1749	18	48	29½	—	—	70 lbs.	5.9
WW1860RTFML	2025	18	60	29½	—	—	82 lbs.	6.4
WW1872RTFML	2078	18	72	29½	—	—	93 lbs.	6.9
LAMINATE TOP—24" DEPTH								
WW2448RTFML	$ 1926	24	48	29½	—	—	72 lbs.	5.9
WW2460RTFML	2200	24	60	29½	—	—	84 lbs.	6.4
WW2472RTFML	2253	24	72	29½	—	—	96 lbs.	6.9
LAMINATE TOP—30" DEPTH								
WW3048RTFML	$ 2126	30	48	29½	—	—	74 lbs.	6.1
WW3060RTFML	2402	30	60	29½	—	—	86 lbs.	6.6
WW3072RTFML	2454	30	72	29½	—	—	98 lbs.	7.1

- Some assembly required
- Locking casters standard on user side
- Depth of base is 22 15/16" for 18" and 24" deep training tables
- Depth of base is 28 3/16" for 30" deep training tables
- Not recommended for use with edge or clamp mount monitor arms

WAVEWORKS FLIP/NEST TRAINING TABLES

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color
4. Grommet
5. Finish/Laminate
6. Paint Color (for legs)

SAMPLE MODEL NUMBER:

WW1848RTFMLL V 62 CUT-G12C 462 501

• See page 370 for all options available in WaveWorks Flip/Nest Training Tables

FLIP/NEST TABLES (CONTINUED)

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
TFL TOP—18" DEPTH								
WW1848RTFMLL	$ 1401	18	48	29½	—	—	70 lbs.	5.9
WW1860RTFMLL	1620	18	60	29½	—	—	82 lbs.	6.4
WW1872RTFMLL	1663	18	72	29½	—	—	93 lbs.	6.9
TFL TOP—24" DEPTH								
WW2448RTFMLL	$ 1540	24	48	29½	—	—	72 lbs.	5.9
WW2460RTFMLL	1760	24	60	29½	—	—	84 lbs.	6.4
WW2472RTFMLL	1802	24	72	29½	—	—	96 lbs.	6.9
TFL TOP—30" DEPTH								
WW3048RTFMLL	$ 1698	30	48	29½	—	—	74 lbs.	6.1
WW3060RTFMLL	1923	30	60	29½	—	—	86 lbs.	6.6
WW3072RTFMLL	1966	30	72	29½	—	—	98 lbs.	7.1

- Some assembly required
- Locking casters standard on user side
- Depth of base is 22⅛" for 18" and 24" deep training tables
- Depth of base is 28⅜" for 30" deep training tables
- Not recommended for use with edge or clamp mount monitor arms

WAVEWORKS FLIP/NEST TRAINING TABLES

PRODUCT SPECIFICATIONS

- Reference Accessories section for wire managers

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

WW4011MPA9

- See page 370 for all options available in WaveWorks Flip/Nest Training Tables

MODESTY PANEL ⅓ HEIGHT



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WW4011MPA9	For 48" Table	$ 642	⅛	40	11	—	—	3 lbs.	3.6
WW5211MPA9	For 60" Table	817	⅛	52	11	—	—	4 lbs.	3.8
WW6411MPA9	For 72" Table	987	⅛	64	11	—	—	5 lbs.	3.9

- Can only be used with flip/nest training tables
- Specify model number only
- ⅛" thick resin with a white printed film pattern
- Modesty is attached to a powder coated steel stiffener rail for rigidity
- Modesty spans from leg-to-leg
- Not recommended for use with 30" deep flip/nest training tables

RECTANGULAR MODESTY PANEL ⅓ HEIGHT RESIN

	GRADE 1							
NAC6012MPA	$ 902	3/16	59 11/16	12 5/8	—	—	5 lbs.	3.9
NAC5412MPA	811	3/16	53 11/16	12 5/8	—	—	5 lbs.	3.8
NAC4812MPA	719	3/16	47 11/16	12 5/8	—	—	4 lbs.	3.7
NAC4212MPA	631	3/16	41 3/4	12 5/8	—	—	4 lbs.	3.7
NAC3612MPA	540	3/16	35 3/4	12 5/8	—	—	4 lbs.	3.7
NAC3012MPA	452	3/16	29 3/4	12 5/8	—	—	3 lbs.	3.6
NAC2412MPA	361	3/16	23 11/16	12 5/8	—	—	3 lbs.	3.6

- Specify resin grade and color: Grade 1 Frosted (1677)
- Resin modesty can be used with Epic and WaveWorks worksurfaces and flip/nest tables
- Double sided 3/16" resin
- Modesty has stiffener rail which comes with brackets that attach to the underside of the worksurface
- 72" flip/nest training table requires 60" modesty, 60" table requires 48" modesty, and 48" table requires 36" modesty

TAPERED MODESTY PANEL ⅓ HEIGHT RESIN

	GRADE 1							
NAC6012MPTA	$ 902	3/16	59 11/16	12 5/8	—	—	5 lbs.	3.9
NAC5412MPTA	811	3/16	53 11/16	12 5/8	—	—	5 lbs.	3.8
NAC4812MPTA	719	3/16	47 11/16	12 5/8	—	—	4 lbs.	3.7
NAC4212MPTA	631	3/16	41 3/4	12 5/8	—	—	4 lbs.	3.7
NAC3612MPTA	540	3/16	35 3/4	12 5/8	—	—	4 lbs.	3.7
NAC3012MPTA	452	3/16	29 3/4	12 5/8	—	—	3 lbs.	3.6
NAC2412MPTA	361	3/16	23 13/16	12 5/8	—	—	3 lbs.	3.6

- Specify resin grade and color: Grade 1 Frosted (1677)
- Resin modesty can be used with Epic and WaveWorks worksurfaces and flip/nest tables
- Double sided 3/16" resin
- Modesty has stiffener rail which comes with brackets that attach to the underside of the worksurface
- 72" flip/nest training table requires 60" modesty, 60" table requires 48" modesty, and 48" table requires 36" modesty

WAVEWORKS FLIP/NEST TRAINING TABLES

PRODUCT SPECIFICATIONS

- Reference Accessories section for wire managers

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBERS:

NAC6012MP2M E 501
NACGBT2

- See page 370 for all options available in WaveWorks Flip/Nest Training Tables

RECTANGULAR MODESTY PANEL ⅓ HEIGHT METAL



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
NAC6012MP2M		$ 902	1/16	59 1/16	12 5/8	—	—	10 lbs.	3.9
NAC5412MP2M		811	1/16	53 1/16	12 5/8	—	—	10 lbs.	3.8
NAC4812MP2M		719	1/16	47 1/16	12 5/8	—	—	8 lbs.	3.7
NAC4212MP2M		631	1/16	41 3/4	12 5/8	—	—	8 lbs.	3.7
NAC3612MP2M		540	1/16	35 3/4	12 5/8	—	—	8 lbs.	3.7
NAC3012MP2M		452	1/16	29 3/4	12 5/8	—	—	6 lbs.	3.6
NAC2412MP2M		361	1/16	23 13/16	12 5/8	—	—	6 lbs.	3.6

- Specify Style E for embossed design
- Specify metal color: 462 Cinder, 501 Platinum Metallic, 503 Satin Nickel Metallic and 405 Designer White
- Metal modesty can be used with Epic and WaveWorks worksurfaces and flip/nest tables
- Modesty comes with brackets that attach to the underside of the worksurface
- Metal modesty has raised square embossed design (the raised design appears on the approach side of the modesty)
- Metal modesty is 16-gauge steel
- 72" flip/nest training table requires 60" modesty, 60" table requires 48" modesty, and 48" table requires 36" modesty

GANGING BRACKET

NACGBT2	Table Ganging Bracket Kit	$ 117	—	—	—	—	—	1 lbs.	0.1

- Quantity of 6 (set of 3 pairs) hook and loop "dog bone" shaped brackets
- All hardware included
- Available in black only
- Specify model number only

LEVELING GANGING BRACKET



NAC18LGB	Table Ganging Bracket Kit	$ 108	—	—	—	—	—	1 lbs.	0.03
NAC24LGB	Table Ganging Bracket Kit	144	—	—	—	—	—	2 lbs.	0.03

- NAC18LGB to be used with 18" deep flip/nest table surfaces
- NAC24LGB to be used with 24" and 30" deep flip/nest table surfaces
- For use when completely level surfaces are desired
- Tables feature threaded inserts for ganging brackets
- 1 model to be ordered per flip/nest training table

WAVEWORKS TRAINING WORKSURFACE SPECIFICATIONS

SIZES

- 18" deep in widths of 30"–72"
- 24" deep in widths of 30"–72"
- 30" deep in widths of 48"–72"

TOPS

- Veneer surfaces are 1⅜" plain sliced slipmatched cherry (Amber, Autumn, Mocha, Truffle) or maple veneer (Brighton, Caramel, Honey, Natural), plain sliced bookmatched walnut veneer (Clear Walnut, Cordovan, Judicial), quarter cut walnut veneer (Almond, Portobello, Sable), or quarter cut oak veneer (Sonoma). All veneer surfaces feature a 3mm wood rim
- When specifying Clear Walnut, a clear coat finish, the natural wood characteristics of walnut veneer are visible. These characteristics include, but are not limited to, color and woodgrain variation.
- Laminate surfaces are 1⅜" HPL (high pressure laminate) or 1⅛" TFL (thermally fused laminate)

FINISH APPLICATION

- All Veneer surfaces feature a semi-open pore matte finish

RIM PROFILE OPTIONS

- Veneer tops feature a wood rim with 6 rim profile options
- Laminate tops feature a 3mm PVC rim or a wood rim with 6 rim profile options

GROMMET OPTIONS

- Cutout option for (G17) 1 Touch Pivoting Power Grommet
- Round black nylon grommet (G1) available
- Racetrack zinc grommet (G11) available in 4 colors
- Wire/data managers are available for additional cable management, see page 577 for accessories
- Undersurface wire managers available, see page 577 for accessories

BASES

- Reference page 389 for base matrix requirements
- See pages 393-398 for base options available

WAVEWORKS TRAINING WORKSURFACE SPECIFICATION

WOOD FINISHES

AC Autumn
AD Almond
CL Caramel
CW Cordovan
DW Judicial
EW Clear Walnut**
HN Honey
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
SM Sonoma
TF Truffle
792 Sable

LAMINATE COLORS

WOODGRAIN LAMINATE

AC2 Autumn 2
AD Almond
BZ Brazilwood
CI Chai
CL Caramel
CW Cordovan
DW Judicial
HN2 Honey 2
IM Brighton
KN Kona
MC Amber
MH Mocha
NM Natural
PB Portobello
PC Porcini
PT Portico*
SK Skyline*
SM Sonoma
TF Truffle
WL Willow
792 Sable
793 Acorn**

SOLID LAMINATE

405 Designer White
419 Wallaby
425 Shadow
440 Cloud
457 Dapple
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear

PATTERN LAMINATE

814 White Tigris
818 Crisp Linen
819 Flax Gauze
821 Elemental Concrete
822 Smoke Quarstone

GALLERY LAMINATE

Grade 1 – 5% upcharge
G1001 Citadel
G1011 Pepperdust

Grade 2 – 6% upcharge
G1002 Planked Raw Oak
G1003 Evening Notte
G1004 Kirsche
G1005 Midnight Run
G1006 Sepia Walnut
G1007 Serotina
G1008 Timeless
G1009 White Nebbia
G1012 Phantom Ecru

*Not available on laminate/wood models
**Acorn is the laminate complement to Clear Walnut finish

• CSL available; see page 14 for program details and upcharge

See page 14 for Gallery program details and upcharges

WOOD RIM

AC Autumn
AD Almond
CL Caramel
CW Cordovan
DW Judicial
EW Clear Walnut
HN Honey
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
SM Sonoma
TF Truffle
792 Sable

RIM PROFILE OPTIONS

PVC SOFTENED RIM

AC2 Autumn 2
AD Almond
BZ Brazilwood
CI Chai
CL Caramel
CW Cordovan
DW Judicial
HN2 Honey 2
IM Brighton
KN Kona
MC Amber
MH Mocha
NM Natural
PB Portobello
PC Porcini
PT Portico
SK Skyline
SM Sonoma
TF Truffle
WL Willow
405 Designer White
419 Wallaby
425 Shadow
440 Cloud
457 Dapple
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear
792 Sable
793 Acorn

PVC REED RIM

AC2 Autumn 2
CL Caramel
CW Cordovan
DW Judicial
HN2 Honey 2
MC Amber
MH Mocha
NM Natural
TF Truffle

GALLERY PVC SOFTENED RIM

Grade 1 – 5% upcharge
G1001 Citadel
G1011 Pepperdust

Grade 2 – 6% upcharge
G1002 Planked Raw Oak
G1003 Evening Notte
G1004 Kirsche
G1005 Midnight Run
G1006 Sepia Walnut
G1007 Serotina
G1008 Timeless
G1009 White Nebbia
G1012 Phantom Ecru



Softened Wood (F) **Reed Wood (R)** **Cove Wood (P)*** **Zip Wood (Z)** **Concave Wood (C)*** **Step Wood (T)*** **Softened PVC (V)** **Reed PVC (N)**

*Not recommended with EW Clear Walnut and SM Sonoma

WORKSURFACE GROMMET OPTIONS

If no grommet is desired, specify an X (No Grommet)

Round Grommet, Black Nylon



$40 list for each grommet

G1L	Left
G1R	Right
G1LR	Left & Right
G1C	Center
G1A	Left, Right & Center

Racetrack Grommet, Satin Nickel Metallic



$45 list for each grommet

G11SNL	Left
G11SNR	Right
G11SNLR	Left & Right
G11SNC	Center
G11SNA	Left, Right & Center

Racetrack Grommet, Platinum Metallic



$45 list for each grommet

G11PLL	Left
G11PLR	Right
G11PLLR	Left & Right
G11PLC	Center
G11PLA	Left, Right & Center

Racetrack Grommet, Cinder



$45 list for each grommet

G11MBL	Left
G11MBR	Right
G11MBLR	Left & Right
G11MBC	Center
G11MBA	Left, Right & Center

Cutout Option for 1 Touch Pivoting Power Grommet

$40 list upcharge per cutout location



CUT-G17L	Left
CUT-G17R	Right
CUT-G17LR	Left & Right
CUT-G17C	Center
CUT-G17LC	Left & Center
CUT-G17RC	Right & Center
CUT-G17A	Left, Right & Center

• Reference the Casegoods Book 2 Price List for cutout locations of CUT-G17

NACG17AELPGB, NACG17AELPGS, and NACG17AELPGW (Sold Separately)

• Reference page 564 for pricing and details



NACG17BELPGB, NACG17BELPGS, and NACG17BELPGW (Sold Separately)

• Reference page 564 for pricing and details



NACG17CELPGB, NACG17CELPGS, and NACG17CELPGW (Sold Separately)

• Reference page 564 for pricing and details

NOTE: Interlink IQ units are available in the Accessories section

WORKSURFACE WIRE MANAGER

If no wire manager is desired, specify an X (No Wire Manager)

Specify locations and color option
Comes attached to worksurface
$50 list for each location



Locations:

D1B	Back	$50 list
D1L	Left	$50 list
D1R	Right	$50 list
D1LR	Left & Right	$100 list
D1BL	Back & Left	$100 list
D1BR	Back & Right	$100 list

Colors:

403	Chamois
405	Designer White
419	Wallaby
425	Shadow
440	Cloud
461	Graphite
462	Cinder
478	Platinum Grey
485	Dark Chocolate

Sample Option Selections:

D1B425 Wire Manager on Back in Shadow, $50 list
D1BL403 Wire Manager on Back and Left in Chamois, $100 list

WAVEWORKS TRAINING WORKSURFACES

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to the Casegoods Book 2 Price List for grommet locations
- Refer to page 377 for grommet upcharge
- Unsupported 1⅜" worksurface spans should not exceed 48"; unsupported 1⅜" worksurface spans should not exceed 60"; see the Casegoods Book 2 Price List for support options
- Refer to pages 549-583 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN1848WSSDW	M	F	X	D1BL403	X	45½	MH	
WWN1848WSSDLW	M	F	X	D1B440	X	X	MH	MH
WWN1848WSSDL	M	V440	X	D1L440	X	45	440	

- See pages 376-377 for all options available in WaveWorks Training Worksurfaces

RECTANGULAR WORKSURFACE
18" DEPTH



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⁹⁄₁₆" TOP THICKNESS									
WWN1872WSSDW	Wood	$ 1145	18⅛	71¹⁵⁄₁₆	1⁹⁄₁₆	–	–	57 lbs.	2.3
WWN1872WSSDLW	Laminate/Wood	1145	18⅛	71¹⁵⁄₁₆	1⁹⁄₁₆	–	–	57 lbs.	2.3
WWN1872WSSDL	Laminate	723	18⅛	71¹⁵⁄₁₆	1⁹⁄₁₆	–	–	57 lbs.	2.3
WWN1866WSSDW	Wood	$ 1111	18⅛	66	1⁹⁄₁₆	–	–	52 lbs.	2.2
WWN1866WSSDLW	Laminate/Wood	1111	18⅛	66	1⁹⁄₁₆	–	–	52 lbs.	2.2
WWN1866WSSDL	Laminate	684	18⅛	66	1⁹⁄₁₆	–	–	52 lbs.	2.2
WWN1860WSSDW	Wood	$ 1081	18⅛	60	1⁹⁄₁₆	–	–	48 lbs.	2.0
WWN1860WSSDLW	Laminate/Wood	1081	18⅛	60	1⁹⁄₁₆	–	–	48 lbs.	2.0
WWN1860WSSDL	Laminate	657	18⅛	60	1⁹⁄₁₆	–	–	48 lbs.	2.0
WWN1854WSSDW	Wood	$ 1057	18⅛	54	1⁹⁄₁₆	–	–	43 lbs.	1.8
WWN1854WSSDLW	Laminate/Wood	1057	18⅛	54	1⁹⁄₁₆	–	–	43 lbs.	1.8
WWN1854WSSDL	Laminate	601	18⅛	54	1⁹⁄₁₆	–	–	43 lbs.	1.8
WWN1848WSSDW	Wood	$ 1038	18⅛	48¹⁄₁₆	1⁹⁄₁₆	–	–	38 lbs.	1.6
WWN1848WSSDLW	Laminate/Wood	1038	18⅛	48¹⁄₁₆	1⁹⁄₁₆	–	–	38 lbs.	1.6
WWN1848WSSDL	Laminate	558	18⅛	48¹⁄₁₆	1⁹⁄₁₆	–	–	38 lbs.	1.6
WWN1842WSSDW	Wood	$ 1000	18⅛	42¹⁄₁₆	1⁹⁄₁₆	–	–	34 lbs.	1.5
WWN1842WSSDLW	Laminate/Wood	1000	18⅛	42¹⁄₁₆	1⁹⁄₁₆	–	–	34 lbs.	1.5
WWN1842WSSDL	Laminate	520	18⅛	42¹⁄₁₆	1⁹⁄₁₆	–	–	34 lbs.	1.5
WWN1836WSSDW	Wood	$ 971	18⅛	36¹⁄₁₆	1⁹⁄₁₆	–	–	29 lbs.	1.3
WWN1836WSSDLW	Laminate/Wood	971	18⅛	36¹⁄₁₆	1⁹⁄₁₆	–	–	29 lbs.	1.3
WWN1836WSSDL	Laminate	488	18⅛	36¹⁄₁₆	1⁹⁄₁₆	–	–	29 lbs.	1.3
WWN1830WSSDW	Wood	$ 947	18⅛	30¹⁄₁₆	1⁹⁄₁₆	–	–	24 lbs.	1.1
WWN1830WSSDLW	Laminate/Wood	947	18⅛	30¹⁄₁₆	1⁹⁄₁₆	–	–	24 lbs.	1.1
WWN1830WSSDL	Laminate	455	18⅛	30¹⁄₁₆	1⁹⁄₁₆	–	–	24 lbs.	1.1

- Reference page 389 for base requirements
- Wire manager locations: back, right or left, or back and left, or back and right; see page 377 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see the Casegoods Book 2 Price List
- Worksurfaces can be ordered in ⅛" increments in depth to a minimum of 9" and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 399
- Worksurfaces up to 72" wide can be used for table desking applications
- For undersurface wire manager, see page 399

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to the Casegoods Book 2 Price List for grommet locations
- Refer to page 377 for grommet upcharge
- Unsupported 1⅜" worksurface spans should not exceed 48"; unsupported 1⅜" worksurface spans should not exceed 60"; see the Casegoods Book 2 Price List for support options
- Refer to pages 549-583 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW1872WSSDW	M	F	X	D1BL403	X	45½	MH	
WW1872WSSDLW	M	F	X	D1B440	X	X	MH	MH
WW1872WSSDL	M	V440	X	D1L440	X	45	440	

- See pages 376-377 for all options available in WaveWorks Training Worksurfaces

RECTANGULAR WORKSURFACE 18" DEPTH (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⅜" TOP THICKNESS									
WW1872WSSDW	Wood	$ 976	18⅛	71⁵⁄₁₆	1⅜	–	–	57 lbs.	2.3
WW1872WSSDLW	Laminate/Wood	976	18⅛	71⁵⁄₁₆	1⅜	–	–	57 lbs.	2.3
WW1872WSSDL	Laminate	556	18⅛	71⁵⁄₁₆	1⅜	–	–	57 lbs.	2.3
WW1872WSSDLL	TFL	446	18⅛	71⁵⁄₁₆	1⅛	–	–	57 lbs.	2.3
WW1866WSSDW	Wood	$ 937	18⅛	66	1⅜	–	–	52 lbs.	2.2
WW1866WSSDLW	Laminate/Wood	937	18⅛	66	1⅜	–	–	52 lbs.	2.2
WW1866WSSDL	Laminate	515	18⅛	66	1⅜	–	–	52 lbs.	2.2
WW1866WSSDLL	TFL	413	18⅛	66	1⅛	–	–	52 lbs.	2.2
WW1860WSSDW	Wood	$ 910	18⅛	60	1⅜	–	–	48 lbs.	2.0
WW1860WSSDLW	Laminate/Wood	910	18⅛	60	1⅜	–	–	48 lbs.	2.0
WW1860WSSDL	Laminate	490	18⅛	60	1⅜	–	–	48 lbs.	2.0
WW1860WSSDLL	TFL	393	18⅛	60	1⅛	–	–	48 lbs.	2.0
WW1854WSSDW	Wood	$ 888	18⅛	54	1⅜	–	–	43 lbs.	1.8
WW1854WSSDLW	Laminate/Wood	888	18⅛	54	1⅜	–	–	43 lbs.	1.8
WW1854WSSDL	Laminate	433	18⅛	54	1⅜	–	–	43 lbs.	1.8
WW1854WSSDLL	TFL	347	18⅛	54	1⅛	–	–	43 lbs.	1.8
WW1848WSSDW	Wood	$ 869	18⅛	48⅛	1⅜	–	–	38 lbs.	1.6
WW1848WSSDLW	Laminate/Wood	869	18⅛	48⅛	1⅜	–	–	38 lbs.	1.6
WW1848WSSDL	Laminate	391	18⅛	48⅛	1⅜	–	–	38 lbs.	1.6
WW1848WSSDLL	TFL	312	18⅛	48⅛	1⅛	–	–	38 lbs.	1.6

- Reference page 389 for base requirements
- Wire manager locations: back, right or left, or back and left, or back and right; see page 377 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see the Casegoods Book 2 Price List
- Worksurfaces can be ordered in ⅛" increments in depth to a minimum of 9" and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 399
- Worksurfaces up to 72" wide can be used for table desking applications
- For undersurface wire manager, see page 399

WAVEWORKS TRAINING WORKSURFACES

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to the Casegoods Book 2 Price List for grommet locations
- Refer to page 377 for grommet upcharge
- Unsupported 1⅜" worksurface spans should not exceed 48"; unsupported 1⅜" worksurface spans should not exceed 60"; see the Casegoods Book 2 Price List for support options
- Refer to pages 549-583 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW1842WSSDW	M	F	X	D1BL403	X	39⅜	MH	
WW1842WSSDLW	M	F	X	D1B440	X	X	MH	MH
WW1842WSSDL	M	V440	X	D1L440	X	39	440	

- See pages 376-377 for all options available in WaveWorks Training Worksurfaces

RECTANGULAR WORKSURFACE 18" DEPTH (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⅜" TOP THICKNESS (CONTINUED)									
WW1842WSSDW	Wood	$ 828	18⅛	42⅛	1⅜	–	–	34 lbs.	1.5
WW1842WSSDLW	Laminate/Wood	828	18⅛	42⅛	1⅜	–	–	34 lbs.	1.5
WW1842WSSDL	Laminate	353	18⅛	42⅛	1⅜	–	–	34 lbs.	1.5
WW1842WSSDLL	TFL	284	18⅛	42⅛	1⅛	–	–	34 lbs.	1.5
WW1836WSSDW	Wood	$ 799	18⅛	36⅛	1⅜	–	–	29 lbs.	1.3
WW1836WSSDLW	Laminate/Wood	799	18⅛	36⅛	1⅜	–	–	29 lbs.	1.3
WW1836WSSDL	Laminate	321	18⅛	36⅛	1⅜	–	–	29 lbs.	1.3
WW1836WSSDLL	TFL	256	18⅛	36⅛	1⅛	–	–	29 lbs.	1.3
WW1830WSSDW	Wood	$ 778	18⅛	30⅛	1⅜	–	–	24 lbs.	1.1
WW1830WSSDLW	Laminate/Wood	778	18⅛	30⅛	1⅜	–	–	24 lbs.	1.1
WW1830WSSDL	Laminate	289	18⅛	30⅛	1⅜	–	–	24 lbs.	1.1
WW1830WSSDLL	TFL	233	18⅛	30⅛	1⅛	–	–	24 lbs.	1.1

- Reference page 389 for base requirements
- Wire manager locations: back, right or left, or back and left, or back and right; see page 377 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see the Casegoods Book 2 Price List
- Worksurfaces can be ordered in ⅛" increments in depth to a minimum of 9" and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 399
- Worksurfaces up to 72" wide can be used for table desking applications
- For undersurface wire manager, see page 399

WAVEWORKS TRAINING WORKSURFACES

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to the Casegoods Book 2 Price List for grommet locations
- Refer to page 377 for grommet upcharge
- Unsupported 1⅜" worksurface spans should not exceed 48"; unsupported 1⅞" worksurface spans should not exceed 60"; see the Casegoods Book 2 Price List for support options
- Refer to pages 549-583 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN2472WSSDW	M	F	X	D1BL403	X	39⅜	MH	
WWN2472WSSDLW	M	F	X	D1B440	X	X	MH	MH
WWN2472WSSDL	M	V440	X	D1L440	X	39	440	

- See pages 376-377 for all options available in WaveWorks Training Worksurfaces

RECTANGULAR WORKSURFACE
24" DEPTH



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⅜" TOP THICKNESS									
WWN2472WSSDW	Wood	$ 1231	24	71⁵⁄₁₆	1⅜	–	–	85 lbs.	3.2
WWN2472WSSDLW	Laminate/Wood	1231	24	71⁵⁄₁₆	1⅜	–	–	85 lbs.	3.2
WWN2472WSSDL	Laminate	778	24	71⁵⁄₁₆	1⅜	–	–	85 lbs.	3.2
WWN2466WSSDW	Wood	$ 1195	24	66	1⅜	–	–	81 lbs.	3.0
WWN2466WSSDLW	Laminate/Wood	1195	24	66	1⅜	–	–	81 lbs.	3.0
WWN2466WSSDL	Laminate	734	24	66	1⅜	–	–	81 lbs.	3.0
WWN2460WSSDW	Wood	$ 1163	24	60	1⅜	–	–	76 lbs.	2.8
WWN2460WSSDLW	Laminate/Wood	1163	24	60	1⅜	–	–	76 lbs.	2.8
WWN2460WSSDL	Laminate	707	24	60	1⅜	–	–	76 lbs.	2.8
WWN2454WSSDW	Wood	$ 1139	24	54	1⅜	–	–	74 lbs.	2.5
WWN2454WSSDLW	Laminate/Wood	1139	24	54	1⅜	–	–	74 lbs.	2.5
WWN2454WSSDL	Laminate	647	24	54	1⅜	–	–	74 lbs.	2.5
WWN2448WSSDW	Wood	$ 1117	24	48⅛	1⅜	–	–	67 lbs.	2.3
WWN2448WSSDLW	Laminate/Wood	1117	24	48⅛	1⅜	–	–	67 lbs.	2.3
WWN2448WSSDL	Laminate	601	24	48⅛	1⅜	–	–	67 lbs.	2.3
WWN2442WSSDW	Wood	$ 1077	24	42⅛	1⅜	–	–	65 lbs.	2.0
WWN2442WSSDLW	Laminate/Wood	1077	24	42⅛	1⅜	–	–	65 lbs.	2.0
WWN2442WSSDL	Laminate	559	24	42⅛	1⅜	–	–	65 lbs.	2.0
WWN2436WSSDW	Wood	$ 1041	24	36⅛	1⅜	–	–	63 lbs.	1.8
WWN2436WSSDLW	Laminate/Wood	1041	24	36⅛	1⅜	–	–	63 lbs.	1.8
WWN2436WSSDL	Laminate	525	24	36⅛	1⅜	–	–	63 lbs.	1.8
WWN2430WSSDW	Wood	$ 1021	24	30⅛	1⅜	–	–	61 lbs.	1.5
WWN2430WSSDLW	Laminate/Wood	1021	24	30⅛	1⅜	–	–	61 lbs.	1.5
WWN2430WSSDL	Laminate	490	24	30⅛	1⅜	–	–	61 lbs.	1.5

- Reference page 389 for base requirements
- Wire manager locations: back, right or left, or back and left, or back and right; see page 377 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see the Casegoods Book 2 Price List
- Worksurfaces can be ordered in ⅛" increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 23" deep component pedestals
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 399
- Worksurfaces up to 72" wide can be used for table desking applications
- For undersurface wire manager, see page 399

WAVEWORKS TRAINING WORKSURFACES

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to the Casegoods Book 2 Price List for grommet locations
- Refer to page 377 for grommet upcharge
- Unsupported 1⅜" worksurface spans should not exceed 48"; unsupported 1⅛" worksurface spans should not exceed 60"; see the Casegoods Book 2 Price List for support options
- Refer to pages 549-583 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW2448WSSDW	M	F	X	D1BL403	X	45½	MH	
WW2448WSSDLW	M	F	X	D1B440	X	X	MH	MH
WW2448WSSDL	M	V440	X	D1L440	X	45	440	

- See pages 376-377 for all options available in WaveWorks Training Worksurfaces

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

RECTANGULAR WORKSURFACE 24" DEPTH (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⅜" TOP THICKNESS									
QWW2472WSSDW	Wood	$ 1046	24	71 15/16	1⅜	–	–	85 lbs.	3.2
WW2472WSSDW	Wood	1046	24	71 15/16	1⅜	–	–	85 lbs.	3.2
WW2472WSSDLW	Laminate/Wood	1046	24	71 15/16	1⅜	–	–	85 lbs.	3.2
WW2472WSSDL	Laminate	600	24	71 15/16	1⅜	–	–	85 lbs.	3.2
WW2472WSSDLL	TFL	480	24	71 15/16	1⅛	–	–	85 lbs.	3.2
WW2466WSSDW	Wood	$ 1007	24	66	1⅜	–	–	81 lbs.	3.0
WW2466WSSDLW	Laminate/Wood	1007	24	66	1⅜	–	–	81 lbs.	3.0
WW2466WSSDL	Laminate	556	24	66	1⅜	–	–	81 lbs.	3.0
WW2466WSSDLL	TFL	446	24	66	1⅛	–	–	81 lbs.	3.0
WW2460WSSDW	Wood	$ 979	24	60	1⅜	–	–	76 lbs.	2.8
WW2460WSSDLW	Laminate/Wood	979	24	60	1⅜	–	–	76 lbs.	2.8
WW2460WSSDL	Laminate	526	24	60	1⅜	–	–	76 lbs.	2.8
WW2460WSSDLL	TFL	421	24	60	1⅛	–	–	76 lbs.	2.8
WW2454WSSDW	Wood	$ 954	24	54	1⅜	–	–	74 lbs.	2.5
WW2454WSSDLW	Laminate/Wood	954	24	54	1⅜	–	–	74 lbs.	2.5
WW2454WSSDL	Laminate	465	24	54	1⅜	–	–	74 lbs.	2.5
WW2454WSSDLL	TFL	373	24	54	1⅛	–	–	74 lbs.	2.5
WW2448WSSDW	Wood	$ 933	24	48 1/16	1⅜	–	–	67 lbs.	2.3
WW2448WSSDLW	Laminate/Wood	933	24	48 1/16	1⅜	–	–	67 lbs.	2.3
WW2448WSSDL	Laminate	422	24	48 1/16	1⅜	–	–	67 lbs.	2.3
WW2448WSSDLL	TFL	339	24	48 1/16	1⅛	–	–	67 lbs.	2.3

- Reference page 389 for base requirements
- Wire manager locations: back, right or left, or back and left, or back and right; see page 377 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see the Casegoods Book 2 Price List
- Worksurfaces can be ordered in 1/16" increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 23" deep component pedestals
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 399
- Worksurfaces up to 72" wide can be used for table desking applications
- For undersurface wire manager, see page 399

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to the Casegoods Book 2 Price List for grommet locations
- Refer to page 377 for grommet upcharge
- Unsupported 1⅜" worksurface spans should not exceed 48"; unsupported 1⅜" worksurface spans should not exceed 60"; see the Casegoods Book 2 Price List for support options
- Refer to pages 549-583 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW2442WSSDW	M	F	X	D1BL403	X	45½	MH	
WW2442WSSDLW	M	F	X	D1B440	X	X	MH	MH
WW2442WSSDL	M	V440	X	D1L440	X	45	440	

- See pages 376-377 for all options available in WaveWorks Training Worksurfaces

RECTANGULAR WORKSURFACE 24" DEPTH (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1 3⁄16" TOP THICKNESS (CONTINUED)									
WW2442WSSDW	Wood	$ 892	24	42⅛	1⅜	—	—	65 lbs.	2.0
WW2442WSSDLW	Laminate/Wood	892	24	42⅛	1⅜	—	—	65 lbs.	2.0
WW2442WSSDL	Laminate	380	24	42⅛	1⅜	—	—	65 lbs.	2.0
WW2442WSSDLL	TFL	303	24	42⅛	1⅛	—	—	65 lbs.	2.0
WW2436WSSDW	Wood	$ 858	24	36⅛	1⅜	—	—	63 lbs.	1.8
WW2436WSSDLW	Laminate/Wood	858	24	36⅛	1⅜	—	—	63 lbs.	1.8
WW2436WSSDL	Laminate	347	24	36⅛	1⅜	—	—	63 lbs.	1.8
WW2436WSSDLL	TFL	276	24	36⅛	1⅛	—	—	63 lbs.	1.8
WW2430WSSDW	Wood	$ 834	24	30⅛	1⅜	—	—	61 lbs.	1.5
WW2430WSSDLW	Laminate/Wood	834	24	30⅛	1⅜	—	—	61 lbs.	1.5
WW2430WSSDL	Laminate	311	24	30⅛	1⅜	—	—	61 lbs.	1.5
WW2430WSSDLL	TFL	248	24	30⅛	1⅛	—	—	61 lbs.	1.5

- Reference page 389 for base requirements
- Wire manager locations: back, right or left, or back and left, or back and right; see page 377 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see the Casegoods Book 2 Price List
- Worksurfaces can be ordered in 1⁄16" increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 23" deep component pedestals
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 399
- Worksurfaces up to 72" wide can be used for table desking applications
- For undersurface wire manager, see page 399

WAVEWORKS TRAINING WORKSURFACES

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to the Casegoods Book 2 Price List for grommet locations
- Refer to page 377 for grommet upcharge
- Unsupported 1⅜" worksurface spans should not exceed 48"; unsupported 1⅝" worksurface spans should not exceed 60"; see the Casegoods Book 2 Price List for support options
- Refer to pages 549-583 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN3048WSSDW	M	F	X	D1BL403	X	45½	MH	
WWN3048WSSDLW	M	F	X	D1B440	X	X	MH	MH
WWN3048WSSDL	M	V440	X	D1L440	X	45	440	

- See pages 376-377 for all options available in WaveWorks Training Worksurfaces

RECTANGULAR WORKSURFACE
30" DEPTH

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⅜" TOP THICKNESS									
WWN3072WSSDW	Wood	$ 1355	30⅛	71⅝	1⅜	–	–	95 lbs.	4.0
WWN3072WSSDLW	Laminate/Wood	1355	30⅛	71⅝	1⅜	–	–	95 lbs.	4.0
WWN3072WSSDL	Laminate	895	30⅛	71⅝	1⅜	–	–	95 lbs.	4.0
WWN3066WSSDW	Wood	$ 1313	30⅛	66	1⅜	–	–	88 lbs.	3.7
WWN3066WSSDLW	Laminate/Wood	1313	30⅛	66	1⅜	–	–	88 lbs.	3.7
WWN3066WSSDL	Laminate	835	30⅛	66	1⅜	–	–	88 lbs.	3.7
WWN3060WSSDW	Wood	$ 1285	30⅛	60	1⅜	–	–	81 lbs.	3.3
WWN3060WSSDLW	Laminate/Wood	1285	30⅛	60	1⅜	–	–	81 lbs.	3.3
WWN3060WSSDL	Laminate	778	30⅛	60	1⅜	–	–	81 lbs.	3.3
WWN3054WSSDW	Wood	$ 1264	30⅛	54	1⅜	–	–	74 lbs.	3.0
WWN3054WSSDLW	Laminate/Wood	1264	30⅛	54	1⅜	–	–	74 lbs.	3.0
WWN3054WSSDL	Laminate	728	30⅛	54	1⅜	–	–	74 lbs.	3.0
WWN3048WSSDW	Wood	$ 1241	30⅛	48	1⅜	–	–	67 lbs.	2.7
WWN3048WSSDLW	Laminate/Wood	1241	30⅛	48	1⅜	–	–	67 lbs.	2.7
WWN3048WSSDL	Laminate	681	30⅛	48	1⅜	–	–	67 lbs.	2.7

- Reference page 389 for base requirements
- Wire manager locations: back, right or left, or back and left, or back and right; see page 377 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see the Casegoods Book 2 Price List
- Worksurfaces can be ordered in 1⁄16" increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 23" or 29" deep pedestals
- Worksurfaces up to 72" wide can be used for table desking applications
- When using C-leg bases in a table desking application, left or right grommet locations will interfere with C-Leg
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 399
- For undersurface wire manager, see page 399

WAVEWORKS TRAINING WORKSURFACES

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to the Casegoods Book 2 Price List for grommet locations
- Refer to page 377 for grommet upcharge
- Unsupported 1⅜" worksurface spans should not exceed 48"; unsupported 1⅜" worksurface spans should not exceed 60"; see the Casegoods Book 2 Price List for support options
- Refer to pages 549-583 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WW3072WSSDW	M	F	X	D1BL403	X	45½	MH	
WW3072WSSDLW	M	F	X	D1B440	X	X	MH	MH
WW3072WSSDL	M	V440	X	D1L440	X	45	440	

- See pages 376-377 for all options available in WaveWorks Training Worksurfaces

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

RECTANGULAR WORKSURFACE 30" DEPTH (CONTINUED)

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⅜" TOP THICKNESS									
QWW3072WSSDW	Wood	$ 1173	30⅛	71⁵⁄₁₆	1⅜	–	–	95 lbs.	4.0
WW3072WSSDW	Wood	1173	30⅛	71⁵⁄₁₆	1⅜	–	–	95 lbs.	4.0
WW3072WSSDLW	Laminate/Wood	1173	30⅛	71⁵⁄₁₆	1⅜	–	–	95 lbs.	4.0
WW3072WSSDL	Laminate	717	30⅛	71⁵⁄₁₆	1⅜	–	–	95 lbs.	4.0
WW3072WSSDLL	TFL	574	30⅛	71⁵⁄₁₆	1⅛	–	–	95 lbs.	4.0
WW3066WSSDW	Wood	$ 1130	30⅛	66	1⅜	–	–	88 lbs.	3.7
WW3066WSSDLW	Laminate/Wood	1130	30⅛	66	1⅜	–	–	88 lbs.	3.7
WW3066WSSDL	Laminate	658	30⅛	66	1⅜	–	–	88 lbs.	3.7
WW3066WSSDLL	TFL	526	30⅛	66	1⅛	–	–	88 lbs.	3.7
WW3060WSSDW	Wood	$ 1104	30⅛	60	1⅜	–	–	81 lbs.	3.3
WW3060WSSDLW	Laminate/Wood	1104	30⅛	60	1⅜	–	–	81 lbs.	3.3
WW3060WSSDL	Laminate	600	30⅛	60	1⅜	–	–	81 lbs.	3.3
WW3060WSSDLL	TFL	480	30⅛	60	1⅛	–	–	81 lbs.	3.3
WW3054WSSDW	Wood	$ 1079	30⅛	54	1⅜	–	–	74 lbs.	3.0
WW3054WSSDLW	Laminate/Wood	1079	30⅛	54	1⅜	–	–	74 lbs.	3.0
WW3054WSSDL	Laminate	551	30⅛	54	1⅜	–	–	74 lbs.	3.0
WW3054WSSDLL	TFL	441	30⅛	54	1⅛	–	–	74 lbs.	3.0
WW3048WSSDW	Wood	$ 1056	30⅛	48	1⅜	–	–	67 lbs.	2.7
WW3048WSSDLW	Laminate/Wood	1056	30⅛	48	1⅜	–	–	67 lbs.	2.7
WW3048WSSDL	Laminate	503	30⅛	48	1⅜	–	–	67 lbs.	2.7
WW3048WSSDLL	TFL	402	30⅛	48	1⅛	–	–	67 lbs.	2.7

- Reference page 389 for base requirements
- Wire manager locations: back, right or left, or back and left, or back and right; see page 377 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see the Casegoods Book 2 Price List
- Worksurfaces can be ordered in 1⁄16" increments in depth and/or width to next smallest available size at no upcharge
- When ordering a worksurface with a size modification, specify desired depth and/or width
- For use with 23" or 29" deep pedestals
- Worksurfaces up to 72" wide can be used for table desking applications
- When using C-leg bases in a table desking application, left or right grommet locations will interfere with C-Leg
- To provide additional worksurface support when using in table desking applications, see undersurface support rails on page 399
- For undersurface wire manager, see page 399

WAVEWORKS TRAINING WORKSURFACES

PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Component worksurfaces can be used with assembled units
- Refer to the Casegoods Book 2 Price List for grommet locations
- Refer to page 377 for grommet upcharge
- Unsupported 1⅜" worksurface spans should not exceed 48"; unsupported 1⅜" worksurface spans should not exceed 60"; see the Casegoods Book 2 Price List for support options
- Refer to pages 549-583 for accessories
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Laminate Top Color/Veneer Top Finish
9. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN60WSHRDW	M	F	X	X	23½	MH	
WWN60WSHRDLW	M	F	X	D1L440	X	440	MH
WWN60WSHRDL	M	V440	X	X	X	440	

- See pages 376-377 for all options available in WaveWorks Training Worksurfaces

HALF ROUND WORKSURFACE



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⅜" TOP THICKNESS									
WWN60WSHRDW	Wood	$ 1207	30	60	1⅜	–	–	69 lbs.	2.8
WWN60WSHRDLW	Laminate/Wood	1207	30	60	1⅜	–	–	69 lbs.	2.8
WWN60WSHRDL	Laminate	767	30	60	1⅜	–	–	69 lbs.	2.8
WWN48WSHRDW	Wood	$ 1036	24	48⅛	1⅜	–	–	57 lbs.	2.3
WWN48WSHRDLW	Laminate/Wood	1036	24	48⅛	1⅜	–	–	57 lbs.	2.3
WWN48WSHRDL	Laminate	668	24	48⅛	1⅜	–	–	57 lbs.	2.3
1⅜" TOP THICKNESS									
WW60WSHRDW	Wood	$ 1027	30	60	1⅜	–	–	69 lbs.	2.8
WW60WSHRDLW	Laminate/Wood	1027	30	60	1⅜	–	–	69 lbs.	2.8
WW60WSHRDL	Laminate	587	30	60	1⅜	–	–	69 lbs.	2.8
WW60WSHRDLL	TFL	471	30	60	1⅛	–	–	69 lbs.	2.8
WW48WSHRDW	Wood	$ 853	24	48⅛	1⅜	–	–	57 lbs.	2.3
WW48WSHRDLW	Laminate/Wood	853	24	48⅛	1⅜	–	–	57 lbs.	2.3
WW48WSHRDL	Laminate	490	24	48⅛	1⅜	–	–	57 lbs.	2.3
WW48WSHRDLL	TFL	393	24	48⅛	1⅛	–	–	57 lbs.	2.3

- Rim profile on radius edge of surface only
- Only available grommet option is center location
- Do not specify worksurface type
- Wire Manager available on back side-the straight side of the worksurface; see page 377 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see the Casegoods Book 2 Price List
- Modified width and depth not available on this shape
- For undersurface wire manager, see page 399

WAVEWORKS TRAINING WORKSURFACES

PRODUCT SPECIFICATIONS

- For worksurface type option, specify M (main)

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Laminate Top Color/Veneer Top Finish
5. Veneer Rim Finish (combo models)

SAMPLE MODEL NUMBERS:

WWN2424WSQRW	R	HN	
WWN2424WSQRLW	R	405	HN
WWN2424WSQRL	V405	405	

- See pages 376-377 for all options available in WaveWorks Training Worksurfaces

QUARTER ROUND WORKSURFACE



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⅜" TOP THICKNESS									
WWN2424WSQRW	Wood	$ 1021	24	24	1⅜	—	—	25 lbs.	1.1
WWN2424WSQRLW	Laminate/Wood	1021	24	24	1⅜	—	—	25 lbs.	1.1
WWN2424WSQRL	Laminate	657	24	24	1⅜	—	—	25 lbs.	1.1
• Utilize with 24" deep worksurfaces									
WWN3030WSQRW	Wood	$ 1189	30⅛	30⅛	1⅜	—	—	33 lbs.	2.0
WWN3030WSQRLW	Laminate/Wood	1189	30⅛	30⅛	1⅜	—	—	33 lbs.	2.0
WWN3030WSQRL	Laminate	754	30⅛	30⅛	1⅜	—	—	33 lbs.	2.0
• Utilize with 30" deep worksurfaces									
WWN3024WSQRW	Wood	$ 1667	30⅛	24	1⅜	—	—	33 lbs.	2.0
WWN3024WSQRLW	Laminate/Wood	1667	30⅛	24	1⅜	—	—	33 lbs.	2.0
WWN3024WSQRL	Laminate	1113	30⅛	24	1⅜	—	—	33 lbs.	2.0
• Utilize with 30" deep worksurface on left and 24" deep worksurface on right									
WWN2430WSQRW	Wood	$ 1667	24	30⅛	1⅜	—	—	33 lbs.	2.0
WWN2430WSQRLW	Laminate/Wood	1667	24	30⅛	1⅜	—	—	33 lbs.	2.0
WWN2430WSQRL	Laminate	1113	24	30⅛	1⅜	—	—	33 lbs.	2.0
• Utilize with 24" deep worksurface on left and 30" deep worksurface on right									

- Rim profile on radius edge of worksurface
- Grommet option not available
- Worksurface uses flat brackets to attach to other worksurfaces and does not require a base

WAVEWORKS TRAINING WORKSURFACES

PRODUCT SPECIFICATIONS

- For worksurface type option, specify M (main)

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Laminate Top Color/Veneer Top Finish
5. Veneer Rim Finish (combo models)

SAMPLE MODEL NUMBERS:

WW2424WSQRW	R	HN	
WW2424WSQRLW	R	405	HN
WW2424WSQRL	V405	405	

- See pages 376-377 for all options available in WaveWorks Training Worksurfaces

QUARTER ROUND WORKSURFACE (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1 3/16" TOP THICKNESS									
WW2424WSQRW	Wood	$ 834	24	24	1 3/16	–	–	25 lbs.	1.1
WW2424WSQRLW	Laminate/Wood	834	24	24	1 3/16	–	–	25 lbs.	1.1
WW2424WSQRL	Laminate	477	24	24	1 3/16	–	–	25 lbs.	1.1
WW2424WSQRLL	TFL	382	24	24	1 3/16	–	–	25 lbs.	1.1
• Utilize with 24" deep worksurfaces									
WW3030WSQRW	Wood	$ 1003	30 1/16	30 1/16	1 3/16	–	–	33 lbs.	2.0
WW3030WSQRLW	Laminate/Wood	1003	30 1/16	30 1/16	1 3/16	–	–	33 lbs.	2.0
WW3030WSQRL	Laminate	575	30 1/16	30 1/16	1 3/16	–	–	33 lbs.	2.0
WW3030WSQRLL	TFL	459	30 1/16	30 1/16	1 3/16	–	–	33 lbs.	2.0
• Utilize with 30" deep worksurfaces									
WW3024WSQRW	Wood	$ 1528	30 1/16	24	1 3/16	–	–	33 lbs.	2.0
WW3024WSQRLW	Laminate/Wood	1528	30 1/16	24	1 3/16	–	–	33 lbs.	2.0
WW3024WSQRL	Laminate	960	30 1/16	24	1 3/16	–	–	33 lbs.	2.0
WW3024WSQRLL	TFL	768	30 1/16	24	1 3/16	–	–	33 lbs.	2.0
• Utilize with 30" deep worksurface on left and 24" deep worksurface on right									
WW2430WSQRW	Wood	$ 1528	24	30 1/16	1 3/16	–	–	33 lbs.	2.0
WW2430WSQRLW	Laminate/Wood	1528	24	30 1/16	1 3/16	–	–	33 lbs.	2.0
WW2430WSQRL	Laminate	960	24	30 1/16	1 3/16	–	–	33 lbs.	2.0
WW2430WSQRLL	TFL	768	24	30 1/16	1 3/16	–	–	33 lbs.	2.0
• Utilize with 24" deep worksurface on left and 30" deep worksurface on right									

- Rim profile on radius edge of worksurface
- Grommet option not available
- Worksurface uses flat brackets to attach to other worksurfaces and does not require a base

BASE REQUIREMENTS

	18" D  48" - 72"	24" D  48" - 72"	30" D  48" - 72"	24" D  60" - 72"	24" & 30" D  48" & 60"
3" Square Support Base 3" or 4" Round Support Base	(4)	(4)	(4)	(4)	(3)
Static Column Mobile Column	(4) (N/A) for mobile column	(4)	(4)	(4)	(3) 48" (N/A) for mobile column
Adjustable Height Column Pin Leg Adjustable Height Mobile Column Pin Leg	(N/A)	(4)	(4)	(4)	(N/A)
21" C-Legs (Static, Mobile, Adjustable Height)	(N/A)	(2)	(N/A)	(2)	(N/A)
27" C-Legs (Static, Mobile, Adjustable Height)	(N/A)	(N/A)	(2)	(N/A)	(N/A)
21" Static T 21" Mobile T (Sold 2 per box)	(N/A)	(2)	(N/A)	(2)	(N/A)
Electric Adjustable Base 30" and 24" models	(N/A)	(1) for 24" models (N/A) for 30" models	(1) for 30" models (N/A) for 24" models	(1) for 24" models (N/A) for 30" models	(N/A)
Manual (Hand Crank) Adjustable Height Base 30" and 24" models	(N/A)	(1) for 24" models (N/A) for 30" models	(1) for 30" models (N/A) for 24" models	(1) for 24" models (N/A) for 30" models	(N/A)

SPAN BETWEEN TABLE LEGS

For leg-based applications, the maximum recommended span of an unsupported 1⅜" thick top is 48" between legs. Additional support is recommended for deflection for longer distances. When using mobile legs with tops that are 60" and greater, undersupport rails are recommended. Reference page 399 for undersurface support rail.

RECTANGULAR TOPS
RECOMMENDED SPAN BETWEEN LEGS
FOR STABILITY AND VISUAL APPEARANCE

LENGTH	1⅜" TOP	
	C-LEG / T-LEG	COLUMN LEG
72"	48"	48"
66"	48"	48"
60"	42"	48"
54"	36"	46"
48"	30"	40"
42"	24"	34"

METAL BASES

PRODUCT SPECIFICATIONS

- Reference page 389 for base requirements

TO ORDER, SPECIFY:

1. Model Number
2. Wire Management Cutout (if applicable)
3. Paint Color (if applicable)
4. Finish (if applicable)

SAMPLE MODEL NUMBERS:

NAC0428SFRNB CUL 501
NAC2804SFBW TF

- See page 389 for all options available in Metal Bases

4" SUPPORT BASE ROUND



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
			DI		H				
NAC0428SFRNB	Metal	$ 285	4	—	27¾-29¼	—		10 lbs.	1.0
NAC2804SFBW	Wood	770	4	—	27¾-29¼	—		6 lbs.	1.0

- Adjustable glide standard
- Metal base, specify paint colors: (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic
- Metal base, optional upper and lower (CUL) wire management cutout
- Wood base, specify finish: Brighton (IM), Natural (NM), Honey (HN), Caramel (CL), Truffle (TF), Autumn (AC), Amber (MC), Cordovan (CW), Judicial (DW), Mocha (MH)

3" SUPPORT BASE ROUND



NAC0328SFRNB		$ 217	3	—	27¾-29¼	—		8 lbs.	0.8

- Adjustable glide standard
- Optional upper and lower (CUL) wire management cutout
- Optional paint colors available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic

3" SUPPORT BASE ROUND COUNTER HEIGHT



NAC0334SFRNB		$ 329	3	—	34⅛	—	—	10 lbs.	1.0

- Adjustable glide standard
- Optional upper and lower (CUL) wire management cutout
- Optional paint colors available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic

3" SUPPORT BASE ROUND BAR HEIGHT



NAC0340SFRNB		$ 373	3	—	40⅜	—	—	11 lbs.	1.1

- Adjustable glide standard
- Optional upper and lower (CUL) wire management cutout
- Optional paint colors available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic

METAL BASES

PRODUCT SPECIFICATIONS

- Reference page 389 for base requirements

TO ORDER, SPECIFY:

1. Model Number
2. Wire Management Cutout (if applicable)
3. Paint Color (if applicable)
4. Finish (if applicable)

SAMPLE MODEL NUMBER:

NAC0334SFSQB CUL 501

- See page 389 for all options available in Metal Bases

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
3" SUPPORT BASE SQUARE	NAC0328SFSQB	$ 217	3	3	27¾-29¼		—	8 lbs.	0.8



- Adjustable glide standard
- Optional upper and lower (CUL) wire management cutout
- Optional paint colors available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic

3" SUPPORT BASE SQUARE COUNTER HEIGHT	NAC0334SFSQB	$ 329	3	—	34⅛	—	—	10 lbs.	1.0



- Adjustable glide standard
- Optional upper and lower (CUL) wire management cutout
- Optional paint colors available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic

3" SUPPORT BASE SQUARE BAR HEIGHT	NAC0340SFSQB	$ 373	3	—	40⅜	—	—	11 lbs.	1.1



- Adjustable glide standard
- Optional upper and lower (CUL) wire management cutout
- Optional paint colors available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic

2" SUPPORT BASE SQUARE	NAC0228SFSQB	$ 179	2	2	27¾	—	—	6 lbs.	0.6



- Adjustable glide standard
- Not intended for use with U- and P-shaped desks with modesty
- Optional upper and lower (CUL) wire management cutout
- Optional paint colors available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic

METAL BASES

PRODUCT SPECIFICATIONS

- Reference page 389 for base requirements

TO ORDER, SPECIFY:

1. Model Number
2. Wire Management Cutout (if applicable)
3. Column Paint Color
4. Foot Paint Color (if applicable)

SAMPLE MODEL NUMBER:

CBV0228COBP CUL 501 462

- See page 389 for all options available in Metal Bases

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COLUMN LEG STATIC 			DI		H				
	CBV0228COBP	$ 152	2	–	27¾	–	–	6 lbs.	0.6
	• Adjustable glide standard • Some assembly required • Sold 1 per box • Optional upper and lower (CUL) wire management cutout • Optional paint colors available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic								
COLUMN LEG MOBILE 	CBV0228COBMP	$ 183	2	–	27¾	–	–	6 lbs.	0.6
	• Dual wheel locking caster • Some assembly required • Sold 1 per box • Optional upper and lower (CUL) wire management cutout • Optional paint colors available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic								
ADJUSTABLE HEIGHT COLUMN PIN LEG STATIC 	CBV0228COA2BP	$ 304	1½	–	24⅜-33⅜	–	–	6 lbs.	0.6
	• Sold 2 per box • Weight limit of 200 pounds if concentrated; 326 pounds if weight is distributed • Optional paint colors available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic								
ADJUSTABLE HEIGHT COLUMN PIN LEG MOBILE 	CBV0228COA2BMP	$ 335	1½	–	26⅜-35⅜	–	–	6 lbs.	0.6
	• Sold 2 per box • Weight limit of 200 pounds if concentrated; 326 pounds if weight is distributed • Optional paint colors available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic								

METAL BASES

PRODUCT SPECIFICATIONS

- Reference page 389 for base requirements

TO ORDER, SPECIFY:

1. Model Number
2. Wire Management Cutout (if applicable)
3. Column Paint Color
4. Foot Paint Color (if applicable)

SAMPLE MODEL NUMBER:

CBV2728CL2BP CUL 501 501

- See page 389 for all options available in Metal Bases

C-LEG BASE STATIC



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
CBV2728CL2BP		$ 850	2½	26⁹⁄₁₆	27¾	—	—	30 lbs.	7.2
CBV2128CL2BP		762	2½	20½	27¾	—	—	26 lbs.	2.8

- Adjustable glides standard
- Some assembly required
- Sold 2 per box
- Grommets should be field installed on surfaces utilizing a C-leg
- Optional upper and lower (CUL) wire management cutout
- Optional column and foot paint colors available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic

C-LEG BASE MOBILE



			DI	W	H				
CBV2728CL2BMP		$ 889	2½	26⁹⁄₁₆	27¾	—	—	30 lbs.	7.2
CBV2128CL2BMP		800	2½	20½	27¾	—	—	26 lbs.	2.8

- Dual wheel locking casters
- Some assembly required
- Sold 2 per box
- Grommets should be field installed on surfaces utilizing a C-leg
- Optional upper and lower (CUL) wire management cutout
- Optional column and foot paint colors available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic

BASIC C-LEG BASE STATIC



CBV2728CL1	Black	$ 380	2	26⁹⁄₁₆	27¾	—	—	10 lbs.	3.8
CBV2728CL1S	Platinum Metallic	380	2	26⁹⁄₁₆	27¾	—	—	10 lbs.	3.8
CBV2128CL1	Black	$ 349	2	20½	27¾	—	—	9 lbs.	3.0
CBV2128CL1S	Platinum Metallic	349	2	20½	27¾	—	—	9 lbs.	3.0

- Adjustable glides standard
- Grommets should be field installed on surfaces utilizing a C Leg
- Sold 1 per box

PRODUCT SPECIFICATIONS

- Reference page 389 for base requirements

TO ORDER, SPECIFY:

1. Model Number
2. Wire Management Cutout (if applicable)
3. Column Paint Color (if applicable)
4. Foot Paint Color (if applicable)

SAMPLE MODEL NUMBERS:

CBV2728CLM1
CBV2128TL2BP CUL 501 501

- See page 389 for all options available in Metal Bases

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
BASIC C-LEG BASE MOBILE	CBV2728CLM1	Black	$ 409	2	26⁹⁄₁₆	27¾	—	—	10 lbs.	3.8
	CBV2728CLM1S	Platinum Metallic	409	2	26⁹⁄₁₆	27¾	—	—	10 lbs.	3.8
	CBV2128CLM1	Black	$ 371	2	20½	27¾	—	—	9 lbs.	3.0
	CBV2128CLM1S	Platinum Metallic	371	2	20½	27¾	—	—	9 lbs.	3.0

- Dual wheel locking casters
- Grommets should be field installed on surfaces utilizing a C Leg
- Sold 1 per box

ADJUSTABLE HEIGHT STATIC C-LEG PIN ADJUSTMENT	CBV2628CLA2B	Cinder	$ 1287	2¼	26¾	24¾-33⅜	—		11 lbs.	7.2
	CBV2628CLA2S	Platinum Metallic	1287	2¼	26¾	24¾-33⅜	—		11 lbs.	7.2
	CBV2628CLA2N	Satin Nickel Metallic	1287	2¼	26¾	24¾-33⅜	—		11 lbs.	7.2
	CBV2128CLA2B	Cinder	$ 1200	2¼	21¾	24¾-33⅜	—		11 lbs.	2.8
	CBV2128CLA2S	Platinum Metallic	1200	2¼	21¾	24¾-33⅜	—		11 lbs.	2.8
	CBV2128CLA2N	Satin Nickel Metallic	1200	2¼	21¾	24¾-33⅜	—		11 lbs.	2.8

- Sold 2 per box
- Ships fully assembled
- Grommets should be field installed on surfaces utilizing a C-leg

				DI	W	H				
T-LEG BASE STATIC	CBV2128TL2BP		$ 762	2½	20½	27¾	—	—	28 lbs.	5.6
										

- Adjustable glides standard
- Some assembly required
- Sold 2 per box
- Optional upper and lower (CUL) wire management cutout
- Optional column and foot paint colors available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic

T-LEG BASE MOBILE	CBV2128TL2BMP		$ 800	2½	20½	27¾	—	—	28 lbs.	5.6
										

- Dual wheel locking casters
- Some assembly required
- Sold 2 per box
- Optional upper and lower (CUL) wire management cutout
- Optional column and foot paint colors available in (405) Designer White, (423) Concrete, (462) Cinder, (463) Iron, (501) Platinum Metallic, or (503) Satin Nickel Metallic

METAL BASES

PRODUCT SPECIFICATIONS

- Reference page 389 for base requirements

TO ORDER, SPECIFY:

1. Model Number
2. Wire Management Cutout (if applicable)
3. Column Paint Color (if applicable)
4. Foot Paint Color (if applicable)

SAMPLE MODEL NUMBER:

CBV2128T1

- See page 389 for all options available in Metal Bases

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
BASIC T-LEG BASE STATIC	CBV2128T1	Black	$ 349	2	20½	27¾	—	—	10 lbs.	3.0
	CBV2128T1S	Platinum Metallic	349	2	20½	27¾	—	—	10 lbs.	3.0



- Adjustable glides standard
- Sold 1 per box

BASIC T-LEG BASE MOBILE	CBV2128TM1	Black	$ 371	2	20½	27¾	—	—	10 lbs.	3.0
	CBV2128TM1S	Platinum Metallic	371	2	20½	27¾	—	—	10 lbs.	3.0



- Dual wheel locking casters
- Sold 1 per box

BASIC FOLDING LEG	CBV2128TF (Set)	Black	$ 1039	2	20½	27¾	—	—	21 lbs.	2.3



- Includes 2 legs per carton
- Folding leg to be used with 24", 30", and 36" deep worksurfaces
- Folding leg to be used on all 48", 54" and 60" long worksurfaces

PRODUCT SPECIFICATIONS

- Reference page 389 for base requirements

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

CBV3072ABEB

- See page 389 for all options available in Metal Bases

ELECTRIC ADJUSTABLE HEIGHT BASE



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
CBV3072ABEB	Cinder	$ 2986	29	62⅞	25¾6-44⅛6		–	67 lbs.	2.3
CBV3072ABES	Platinum Metallic	2986	29	62⅞	25¾6-44⅛6		–	67 lbs.	2.3
CBV3072ABEN	Satin Nickel Metallic	2986	29	62⅞	25¾6-44⅛6		–	67 lbs.	2.3
CBV3066ABEB	Cinder	$ 2978	29	56⅞	25¾6-44⅛6		–	67 lbs.	2.3
CBV3066ABES	Platinum Metallic	2978	29	56⅞	25¾6-44⅛6		–	67 lbs.	2.3
CBV3066ABEN	Satin Nickel Metallic	2978	29	56⅞	25¾6-44⅛6		–	67 lbs.	2.3
CBV3060ABEB	Cinder	$ 2970	29	50⅞	25¾6-44⅛6		–	65 lbs.	2.1
CBV3060ABES	Platinum Metallic	2970	29	50⅞	25¾6-44⅛6		–	65 lbs.	2.1
CBV3060ABEN	Satin Nickel Metallic	2970	29	50⅞	25¾6-44⅛6		–	65 lbs.	2.1
CBV3048ABEB	Cinder	$ 2890	29	38⅞	25¾6-44⅛6		–	65 lbs.	2.1
CBV3048ABES	Platinum Metallic	2890	29	38⅞	25¾6-44⅛6		–	65 lbs.	2.1
CBV3048ABEN	Satin Nickel Metallic	2890	29	38⅞	25¾6-44⅛6		–	65 lbs.	2.1
CBV2472ABEB	Cinder	$ 2825	23	62⅞	25¾6-44⅛6		–	65 lbs.	2.1
CBV2472ABES	Platinum Metallic	2825	23	62⅞	25¾6-44⅛6		–	65 lbs.	2.1
CBV2472ABEN	Satin Nickel Metallic	2825	23	62⅞	25¾6-44⅛6		–	65 lbs.	2.1
CBV2466ABEB	Cinder	$ 2817	23	56⅞	25¾6-44⅛6		–	65 lbs.	2.1
CBV2466ABES	Platinum Metallic	2817	23	56⅞	25¾6-44⅛6		–	65 lbs.	2.1
CBV2466ABEN	Satin Nickel Metallic	2817	23	56⅞	25¾6-44⅛6		–	65 lbs.	2.1
CBV2460ABEB	Cinder	$ 2810	23	50⅞	25¾6-44⅛6		–	64 lbs.	2.1
CBV2460ABES	Platinum Metallic	2810	23	50⅞	25¾6-44⅛6		–	64 lbs.	2.1
CBV2460ABEN	Satin Nickel Metallic	2810	23	50⅞	25¾6-44⅛6		–	64 lbs.	2.1
CBV2448ABEB	Cinder	$ 2731	23	38⅞	25¾6-44⅛6		–	64 lbs.	2.1
CBV2448ABES	Platinum Metallic	2731	23	38⅞	25¾6-44⅛6		–	64 lbs.	2.1
CBV2448ABEN	Satin Nickel Metallic	2731	23	38⅞	25¾6-44⅛6		–	64 lbs.	2.1

- Reference the model number to specify the approximate worksurface size (ex. CBV**3072**ABEB uses a 30 x 72 top)
- For use with 30" and 24" WaveWorks and Epic worksurfaces
- Rated for maximum of 250 lbs.
- Some assembly required
- All hardware and electrical included
- 1 touch button allows for up/down adjustment
- Electrical cord is 9' long (108")
- Adjustable glides

METAL BASES

PRODUCT SPECIFICATIONS

- Reference page 389 for base requirements

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

CBV3072ABCB

- See page 389 for all options available in Metal Bases

MANUAL (HAND CRANK) ADJUSTABLE HEIGHT BASE

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
CBV3072ABCB	Cinder	$ 2408	29	62⅞	25⅜-43½		–	67 lbs.	2.3
CBV3072ABCS	Platinum Metallic	2408	29	62⅞	25⅜-43½		–	67 lbs.	2.3
CBV3072ABCN	Satin Nickel Metallic	2408	29	62⅞	25⅜-43½		–	67 lbs.	2.3
CBV3066ABCB	Cinder	$ 2329	29	56⅞	25⅜-43½		–	67 lbs.	2.3
CBV3066ABCS	Platinum Metallic	2329	29	56⅞	25⅜-43½		–	67 lbs.	2.3
CBV3066ABCN	Satin Nickel Metallic	2329	29	56⅞	25⅜-43½		–	67 lbs.	2.3
CBV3060ABCB	Cinder	$ 2248	29	50⅞	25⅜-43½		–	65 lbs.	2.1
CBV3060ABCS	Platinum Metallic	2248	29	50⅞	25⅜-43½		–	65 lbs.	2.1
CBV3060ABCN	Satin Nickel Metallic	2248	29	50⅞	25⅜-43½		–	65 lbs.	2.1
CBV3048ABCB	Cinder	$ 2168	29	38⅞	25⅜-43½		–	65 lbs.	2.1
CBV3048ABCS	Platinum Metallic	2168	29	38⅞	25⅜-43½		–	65 lbs.	2.1
CBV3048ABCN	Satin Nickel Metallic	2168	29	38⅞	25⅜-43½		–	65 lbs.	2.1
CBV2472ABCB	Cinder	$ 2022	23	62⅞	25⅜-43½		–	65 lbs.	2.1
CBV2472ABCS	Platinum Metallic	2022	23	62⅞	25⅜-43½		–	65 lbs.	2.1
CBV2472ABCN	Satin Nickel Metallic	2022	23	62⅞	25⅜-43½		–	65 lbs.	2.1
CBV2466ABCB	Cinder	$ 2017	23	56⅞	25⅜-43½		–	65 lbs.	2.1
CBV2466ABCS	Platinum Metallic	2017	23	56⅞	25⅜-43½		–	65 lbs.	2.1
CBV2466ABCN	Satin Nickel Metallic	2017	23	56⅞	25⅜-43½		–	65 lbs.	2.1
CBV2460ABCB	Cinder	$ 2008	23	50⅞	25⅜-43½		–	64 lbs.	2.1
CBV2460ABCS	Platinum Metallic	2008	23	50⅞	25⅜-43½		–	64 lbs.	2.1
CBV2460ABCN	Satin Nickel Metallic	2008	23	50⅞	25⅜-43½		–	64 lbs.	2.1
CBV2448ABCB	Cinder	$ 1925	23	38⅞	25⅜-43½		–	64 lbs.	2.1
CBV2448ABCS	Platinum Metallic	1925	23	38⅞	25⅜-43½		–	64 lbs.	2.1
CBV2448ABCN	Satin Nickel Metallic	1925	23	38⅞	25⅜-43½		–	64 lbs.	2.1

- Reference the model number to specify the approximate worksurface size (ex. CBV**3072**ABCB uses a 30 x 72 top)
- For use with 30" and 24" WaveWorks and Epic worksurfaces
- Rated for maximum of 250 lbs.
- Some assembly required
- All hardware included
- Hand crank takes 5 full turns per inch of adjustment
- Adjustable glides

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBERS:

NAC0248SUR
NAC5408MPM

• See page 389 for all options available in Metal Bases

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
UNDERSURFACE SUPPORT RAIL (WORKSURFACE)	QNAC0248SUR		$ 266	2¾	48	1	—	—	5 lbs.	0.5
	NAC0248SUR		266	2¾	48	1	—	—	5 lbs.	0.5
	QNAC0236SUR		228	2¾	36	1	—	—	3 lbs.	0.3
	NAC0236SUR		228	2¾	36	1	—	—	3 lbs.	0.3



- Specify model number only
- Model recommended for use when the weight on the table has a uniform weight above 125 lbs. or if the span between table legs or support structures is greater than 48" on a 1⅜" worksurface and greater than 60" on a 1⅜" worksurface
- Specify the 36" model to be used up to 66" worksurfaces
- Specify the 48" model to be used up to 72" worksurfaces
- Specify with worksurfaces when overlapping box/file height storage, sit on box/file height storage and supports worksurface height worksurfaces
- Rails are bulk packed per order. The pack may contain both sizes of rails

UNDERSURFACE WIRE MANAGER	NAC0403WM	Set of 2	$ 62	5¼	2⅜	1¾	—	—	1 lbs.	0.1

- Specify model number only
- Black
- When 1 touch pivoting power grommet is ordered with flip/nest table, 2 undersurface wire managers are installed on underside of surface

MESH WIRE MANAGER	NAC0318WMM	Black	$ 133	—	3	17½	—	—	2 lbs.	0.1

- Applicable to all 2½" diameter C, T and X bases
- Wraps around leg and is secured with Velcro®

VERTICAL WIRE MANAGER	NAC0318WMV	Cinder	$ 271	—	3	18	—	—	2 lbs.	0.1
	NAC0318WMVS	Platinum Metallic	271	—	3	18	—	—	2 lbs.	0.1
	NAC0318WMVN	Satin Nickel Metallic	271	—	3	18	—	—	2 lbs.	0.1

- Applicable to all 2½" diameter C, T and X bases
- Clamps to leg; no hardware required

MESH MODESTY PANEL	NAC5408MPM		$ 364	¼	54	8	—	—	5 lbs.	0.7
	NAC4808MPM		321	¼	48	8	—	—	4 lbs.	0.6
	NAC4208MPM		286	¼	42	8	—	—	4 lbs.	0.5



- Specify base model only
- Used only for privacy, not support
- Offers horizontal cable management
- Fabric is a black mesh material

"L" ADJUSTABLE HEIGHT BASES

"L" ADJUSTABLE HEIGHT BASE AND WORKSURFACE MATRIX



- The "L" adjustable height base, extended corner component worksurface, and the rectangular component top worksurfaces are all specified separately; base can be used as right handed or left handed
- Extended corner can be ordered as left hand or right hand component tops
- Extended corner component tops should be configured as an extension so there are worksurface mounting brackets
- Rectangular component tops must be ordered in the vertical grain direction
- Epic or WaveWorks component worksurfaces can be utilized with the "L" adjustable height bases
- Rectangular component knife tops must be K1 models
- Not recommended to modify the size of the top from the standard size
- The following matrix shows what size extended corner worksurface and rectangular component top should be specified when ordering the Adjustable Height "L" Base

ELECTRICAL ADJUSTABLE HEIGHT "L" BASE	BASE MODEL NUMBER	COLOR	DEPTH A	DEPTH B	WIDTH A	WIDTH B	EXTENDED CORNER (LEFT OR RIGHT)	RECTANGULAR COMPONENT TOP
	CBV7272ALBEB	Cinder	24	24	72	72	36 x 72	24 x 36
							38 x 72 (K2)	26 x 36 (K1)
	CBV7272ALBES	Platinum Metallic	24	24	72	72	36 x 72	24 x 36
							38 x 72 (K2)	26 x 36 (K1)
	CBV7272ALBEN	Satin Nickel Metallic	24	24	72	72	36 x 72	24 x 36
							38 x 72 (K2)	26 x 36 (K1)
	CBV7266ALBEB	Cinder	24	24	72	66	36 x 72	24 x 30
							38 x 72 (K2)	26 x 30 (K1)
	CBV7266ALBES	Platinum Metallic	24	24	72	66	36 x 72	24 x 30
							38 x 72 (K2)	26 x 30 (K1)
	CBV7266ALBEN	Satin Nickel Metallic	24	24	72	66	36 x 72	24 x 30
							38 x 72 (K2)	26 x 30 (K1)
	CBV7266ALBEB	Cinder	24	24	66	72	36 x 66	24 x 36
							38 x 66 (K2)	26 x 36 (K1)
	CBV7266ALBES	Platinum Metallic	24	24	66	72	36 x 66	24 x 36
							38 x 66 (K2)	26 x 36 (K1)
	CBV7266ALBEN	Satin Nickel Metallic	24	24	66	72	36 x 66	24 x 36
							38 x 66 (K2)	26 x 36 (K1)
	CBV6666ALBEB	Cinder	24	24	66	66	36 x 66	24 x 30
							38 x 66 (K2)	26 x 30 (K1)
	CBV6666ALBES	Platinum Metallic	24	24	66	66	36 x 66	24 x 30
							38 x 66 (K2)	26 x 30 (K1)
	CBV6666ALBEN	Satin Nickel Metallic	24	24	66	66	36 x 66	24 x 30
							38 x 66 (K2)	26 x 30 (K1)
	CBV6072ALBEB	Cinder	24	24	72	60	36 x 60	24 x 36
							38 x 60 (K2)	26 x 36 (K1)
	CBV6072ALBES	Platinum Metallic	24	24	72	60	36 x 60	24 x 36
							38 x 60 (K2)	26 x 36 (K1)
	CBV6072ALBEN	Satin Nickel Metallic	24	24	72	60	36 x 60	24 x 36
							38 x 60 (K2)	26 x 36 (K1)
	CBV6066ALBEB	Cinder	24	24	66	60	36 x 60	24 x 30
							38 x 60 (K2)	26 x 30 (K1)
	CBV6066ALBES	Platinum Metallic	24	24	66	60	36 x 60	24 x 30
							38 x 60 (K2)	26 x 30 (K1)
	CBV6066ALBEN	Satin Nickel Metallic	24	24	66	60	36 x 60	24 x 30
							38 x 60 (K2)	26 x 30 (K1)

"L" ADJUSTABLE HEIGHT BASES

MANUAL (HAND CRANK) ADJUSTABLE HEIGHT "L" BASE	BASE MODEL NUMBER	COLOR	DEPTH A	DEPTH B	WIDTH A	WIDTH B	EXTENDED CORNER (LEFT OR RIGHT)	RECTANGULAR COMPONENT TOP
	CBV7272ALBCB	Cinder	24	24	72	72	36 x 72	24 x 36
							38 x 72 (K2)	26 x 36 (K1)
	CBV7272ALBCS	Platinum Metallic	24	24	72	72	36 x 72	24 x 36
							38 x 72 (K2)	26 x 36 (K1)
	CBV7272ALBCN	Satin Nickel Metallic	24	24	72	72	36 x 72	24 x 36
							38 x 72 (K2)	26 x 36 (K1)
	CBV7266ALBCB	Cinder	24	24	72	66	36 x 72	24 x 30
							38 x 72 (K2)	26 x 30 (K1)
	CBV7266ALBCS	Platinum Metallic	24	24	72	66	36 x 72	24 x 30
							38 x 72 (K2)	26 x 30 (K1)
	CBV7266ALBCN	Satin Nickel Metallic	24	24	72	66	36 x 72	24 x 30
							38 x 72 (K2)	26 x 30 (K1)
	CBV7266ALBCB	Cinder	24	24	66	72	36 x 66	24 x 36
							38 x 66 (K2)	26 x 36 (K1)
	CBV7266ALBCS	Platinum Metallic	24	24	66	72	36 x 66	24 x 36
							38 x 66 (K2)	26 x 36 (K1)
	CBV7266ALBCN	Satin Nickel Metallic	24	24	66	72	36 x 66	24 x 36
							38 x 66 (K2)	26 x 36 (K1)
	CBV6666ALBCB	Cinder	24	24	66	66	36 x 66	24 x 30
							38 x 66 (K2)	26 x 30 (K1)
	CBV6666ALBCS	Platinum Metallic	24	24	66	66	36 x 66	24 x 30
							38 x 66 (K2)	26 x 30 (K1)
	CBV6666ALBCN	Satin Nickel Metallic	24	24	66	66	36 x 66	24 x 30
							38 x 66 (K2)	26 x 30 (K1)
	CBV6072ALBCB	Cinder	24	24	72	60	36 x 60	24 x 36
							38 x 60 (K2)	26 x 36 (K1)
	CBV6072ALBCS	Platinum Metallic	24	24	72	60	36 x 60	24 x 36
							38 x 60 (K2)	26 x 36 (K1)
	CBV6072ALBCN	Satin Nickel Metallic	24	24	72	60	36 x 60	24 x 36
							38 x 60 (K2)	26 x 36 (K1)
	CBV6066ALBCB	Cinder	24	24	66	60	36 x 60	24 x 30
							38 x 60 (K2)	26 x 30 (K1)
	CBV6066ALBCS	Platinum Metallic	24	24	66	60	36 x 60	24 x 30
							38 x 60 (K2)	26 x 30 (K1)
	CBV6066ALBCN	Satin Nickel Metallic	24	24	66	60	36 x 60	24 x 30
							38 x 60 (K2)	26 x 30 (K1)

"L" ADJUSTABLE HEIGHT BASES

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

CBV7272ALBEB

ELECTRICAL ADJUSTABLE HEIGHT "L" BASE KIT



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
CBV7272ALBEB	Cinder	$ 4460	23	62⅞	25³⁄₁₆-44¹⁄₁₆		–	87 lbs.	3.1
CBV7272ALBES	Platinum Metallic	4460	23	62⅞	25³⁄₁₆-44¹⁄₁₆		–	87 lbs.	3.1
CBV7272ALBEN	Satin Nickel Metallic	4460	23	62⅞	25³⁄₁₆-44¹⁄₁₆		–	87 lbs.	3.1
CBV7266ALBEB	Cinder	$ 4350	23	62⅞	25³⁄₁₆-44¹⁄₁₆		–	87 lbs.	3.1
CBV7266ALBES	Platinum Metallic	4350	23	62⅞	25³⁄₁₆-44¹⁄₁₆		–	87 lbs.	3.1
CBV7266ALBEN	Satin Nickel Metallic	4350	23	62⅞	25³⁄₁₆-44¹⁄₁₆		–	87 lbs.	3.1
CBV6666ALBEB	Cinder	$ 4240	23	56⅞	25³⁄₁₆-44¹⁄₁₆		–	87 lbs.	3.1
CBV6666ALBES	Platinum Metallic	4240	23	56⅞	25³⁄₁₆-44¹⁄₁₆		–	87 lbs.	3.1
CBV6666ALBEN	Satin Nickel Metallic	4240	23	56⅞	25³⁄₁₆-44¹⁄₁₆		–	87 lbs.	3.1
CBV6072ALBEB	Cinder	$ 4240	23	50⅞	25³⁄₁₆-44¹⁄₁₆		–	87 lbs.	3.1
CBV6072ALBES	Platinum Metallic	4240	23	50⅞	25³⁄₁₆-44¹⁄₁₆		–	87 lbs.	3.1
CBV6072ALBEN	Satin Nickel Metallic	4240	23	50⅞	25³⁄₁₆-44¹⁄₁₆		–	87 lbs.	3.1
CBV6066ALBEB	Cinder	$ 4124	23	50⅞	25³⁄₁₆-44¹⁄₁₆		–	80 lbs.	2.8
CBV6066ALBES	Platinum Metallic	4124	23	50⅞	25³⁄₁₆-44¹⁄₁₆		–	80 lbs.	2.8
CBV6066ALBEN	Satin Nickel Metallic	4124	23	50⅞	25³⁄₁₆-44¹⁄₁₆		–	80 lbs.	2.8

- Rated for a maximum of 300 lbs.
- Reference the matrix on pages 400-401 when specifying the Adjustable Height "L" Base Kit, extended corner component worksurface, and the rectangular component top worksurface
- Can be configured as right or left handed
- Hold button in to move up and down
- Electrical cord is 9' long (108")
- Adjustable glides

"L" ADJUSTABLE HEIGHT BASES

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

CBV7272ALBCB

MANUAL (HAND CRANK) ADJUSTABLE HEIGHT "L" BASE KIT



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
CBV7272ALBCB	Cinder	$ 3357	23	62⅞	25³⁄₁₆-43½		–	87 lbs.	3.1
CBV7272ALBCS	Platinum Metallic	3357	23	62⅞	25³⁄₁₆-43½		–	87 lbs.	3.1
CBV7272ALBCN	Satin Nickel Metallic	3357	23	62⅞	25³⁄₁₆-43½		–	87 lbs.	3.1
CBV7266ALBCB	Cinder	$ 3242	23	62⅞	25³⁄₁₆-43½		–	87 lbs.	3.1
CBV7266ALBCS	Platinum Metallic	3242	23	62⅞	25³⁄₁₆-43½		–	87 lbs.	3.1
CBV7266ALBCN	Satin Nickel Metallic	3242	23	62⅞	25³⁄₁₆-43½		–	87 lbs.	3.1
CBV6666ALBCB	Cinder	$ 3130	23	56⅞	25³⁄₁₆-43½		–	87 lbs.	3.1
CBV6666ALBCS	Platinum Metallic	3130	23	56⅞	25³⁄₁₆-43½		–	87 lbs.	3.1
CBV6666ALBCN	Satin Nickel Metallic	3130	23	56⅞	25³⁄₁₆-43½		–	87 lbs.	3.1
CBV6072ALBCB	Cinder	$ 3130	23	50⅞	25³⁄₁₆-43½		–	87 lbs.	3.1
CBV6072ALBCS	Platinum Metallic	3130	23	50⅞	25³⁄₁₆-43½		–	87 lbs.	3.1
CBV6072ALBCN	Satin Nickel Metallic	3130	23	50⅞	25³⁄₁₆-43½		–	87 lbs.	3.1
CBV6066ALBCB	Cinder	$ 3019	23	50⅞	25³⁄₁₆-43½		–	80 lbs.	2.8
CBV6066ALBCS	Platinum Metallic	3019	23	50⅞	25³⁄₁₆-43½		–	80 lbs.	2.8
CBV6066ALBCN	Satin Nickel Metallic	3019	23	50⅞	25³⁄₁₆-43½		–	80 lbs.	2.8

- Rated for a maximum of 300 lbs.
- Reference the matrix on pages 400-401 when specifying the Adjustable Height "L" Base Kit, extended corner component worksurface, and the rectangular component top worksurface
- Can be configured as right or left handed
- Hand crank takes 5 full turns per inch of adjustment
- Adjustable glides

"L" CONFIGURATION WAVEWORKS WORKSURFACES

WAVEWORKS PRODUCT SPECIFICATIONS

WORKSURFACE

- Laminate surfaces are 1⅜" or 1⅜" HPL (high pressure laminate) or 1⅛" TFL (thermally fused laminate), and feature a 3mm PVC rim or 6 veneer rim options
- Veneer surfaces are 1⅜" plain sliced slipmatched cherry (Amber, Autumn, Mocha, Truffle) or maple veneer (Brighton, Caramel, Honey, Natural), plain sliced bookmatched walnut veneer (Clear Walnut, Cordovan, Judicial), quarter cut walnut veneer (Almond, Portobello, Sable), or quarter cut oak (Sonoma). All veneer surfaces feature a 3mm wood rim profile
- When specifying Clear Walnut, a clear coat finish, the natural wood characteristics of walnut veneer are visible. These characteristics include, but are not limited to, color and woodgrain variation.

FINISH APPLICATION

- All Veneer surfaces feature a semi-open pore matte finish

RIM PROFILE OPTIONS



Softened Wood (F)

Reed Wood (R)



Cove Wood (P)*



Zip Wood (Z)

Concave Wood (C)*

Step Wood (T)*



Softened PVC (V)

Reed PVC (N)

*Not recommended with EW Clear Walnut and SM Sonoma

PVC REED RIM

AC2	Autumn 2
CL	Caramel
CW	Cordovan
DW	Judicial
HN2	Honey 2
MC	Amber
MH	Mocha
NM	Natural
TF	Truffle

PVC SOFTENED RIM

AC2	Autumn 2
AD	Almond
BZ	Brazilwood
CI	Chai
CL	Caramel
CW	Cordovan
DW	Judicial
HN2	Honey 2
IM	Brighton
KN	Kona
MC	Amber
MH	Mocha
NM	Natural
PB	Portobello
PC	Porcini
PT	Portico
SK	Skyline
SM	Sonoma
TF	Truffle
WL	Willow
405	Designer White
419	Wallaby
425	Shadow
440	Cloud
457	Dapple
461	Graphite
462	Cinder
478	Platinum Grey
488	Frosty White
491	Designer White Linear
492	Cinder Linear
792	Sable
793	Acorn

WOOD RIM

AC	Autumn
AD	Almond
CL	Caramel
CW	Cordovan
DW	Judicial
EW	Clear Walnut
HN	Honey
IM	Brighton
MC	Amber
MH	Mocha
NM	Natural
PB	Portobello
SM	Sonoma
TF	Truffle
792	Sable

GALLERY PVC SOFTENED RIM

Grade 1 – 5% upcharge

G1001	Citadel
G1011	Pepperdust

Grade 2 – 6% upcharge

G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

See page 14 for Gallery program details and upcharges

WOOD FINISHES

AC2	Autumn 2	MC	Amber
AD	Almond	MH	Mocha
CL	Caramel	NM	Natural
CW	Cordovan	PB	Portobello
DW	Judicial	SM	Sonoma
EW	Clear Walnut**	TF	Truffle
HN2	Honey 2	792	Sable
IM	Brighton		

WORKSURFACE/MODESTY TYPE

M Main
E Extension
F Filler

M = 0 Connecting Worksurface Flat Brackets
E = 2 Connecting Worksurface Flat Brackets
F = 4 Connecting Worksurface Flat Brackets

LAMINATE WORKSURFACES

WOODGRAIN LAMINATE

AC2	Autumn 2	MH	Mocha
AD	Almond	NM	Natural
BZ	Brazilwood	PB	Portobello
CI	Chai	PC	Porcini
CL	Caramel	PT	Portico*
CW	Cordovan	SK	Skyline*
DW	Judicial	SM	Sonoma
HN2	Honey 2	TF	Truffle
IM	Brighton	WL	Willow
KN	Kona	792	Sable
MC	Amber	793	Acorn**

*Not available on laminate/wood models
**Acorn is the laminate complement to Clear Walnut finish

SOLID LAMINATE

405 Designer White
419 Wallaby
425 Shadow
440 Cloud
457 Dapple
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear

• CSL available; see page 14 for program details and upcharge

See page 14 for Gallery program details and upcharges

PATTERN LAMINATE

814 White Tigris
818 Crisp Linen
819 Flax Gauze
821 Elemental Concrete
822 Smoke Quarstone

GALLERY LAMINATE

Grade 1 – 5% upcharge
G1001 Citadel
G1011 Pepperdust

Grade 2 – 6% upcharge
G1002 Planked Raw Oak
G1003 Evening Notte
G1004 Kirsche
G1005 Midnight Run
G1006 Sepia Walnut
G1007 Serotina
G1008 Timeless
G1009 White Nebbia
G1012 Phantom Ecru

GROMMET OPTIONS

If no grommet is desired, specify an X (No Grommet)

Round Grommet, Nylon Plastic

$40 list for each grommet



G1L	Left
G1R	Right
G1LR	Left & Right
G1C	Center
G1LC	Left & Center
G1RC	Right & Center
G1A	Left, Right & Center

Racetrack Grommet, Satin Nickel Metallic

$45 list for each grommet



G11SNL	Left
G11SNR	Right
G11SNLR	Left & Right
G11SNC	Center
G11SNLC	Left & Center
G11SNRC	Right & Center
G11SNA	Left, Right & Center

Racetrack Grommet, Platinum Metallic

$45 list for each grommet



G11PLL	Left
G11PLR	Right
G11PLLR	Left & Right
G11PLC	Center
G11PLLC	Left & Center
G11PLRC	Right & Center
G11PLA	Left, Right & Center

Racetrack Grommet, Cinder

$45 list for each grommet



G11MBL	Left
G11MBR	Right
G11MBLR	Left & Right
G11MBC	Center
G11MBLC	Left & Center
G11MBRC	Right & Center
G11MBA	Left, Right & Center

Cutout Option for 1 Touch Pivoting Power Grommet

$40 list upcharge per cutout location



CUT-G17L	Left
CUT-G17R	Right
CUT-G17LR	Left & Right
CUT-G17C	Center
CUT-G17LC	Left & Center
CUT-G17RC	Right & Center
CUT-G17A	Left, Right & Center

• Reference the Casegoods Book 2 Price List for cutout locations of CUT-G17

NACG17AELPGB, NACG17AELPGS, and NACG17AELPGW (Sold Separately)



NACG17BELPGB, NACG17BELPGS, and NACG17BELPGW (Sold Separately)



NACG17CELPGB, NACG17CELPGS, and NACG17CELPGW (Sold Separately)

• Reference page 564 for pricing and details

NOTE: Interlink IQ units are available in the Accessories section

WORKSURFACE WIRE MANAGER COLORS

403	Chamois	425	Shadow	462	Cinder
405	Designer White	440	Cloud	478	Platinum Grey
419	Wallaby	461	Graphite	485	Dark Chocolate

"L" CONFIGURATION EPIC WORKSURFACES

EPIC PRODUCT SPECIFICATIONS

WORKSURFACE

- Laminate surfaces are 1³⁄₁₆" HPL (high pressure laminate), and feature a 3mm PVC or wood rim or a knife rim profile
- Veneer surfaces are 1³⁄₁₆" plain sliced slipmatched cherry (Amber, Autumn, Mocha, Truffle) or maple veneer (Brighton, Caramel, Honey, Natural), plain sliced bookmatched walnut veneer (Cordovan, Judicial), quarter cut walnut veneer (Almond, Portobello, Sable), or quarter cut oak (Sonoma). All veneer surfaces feature a 3mm wood rim or knife rim profile
- Knife rim surfaces available on 1 (K1) and/or 2 (K2) sides to simplify space planning

FINISH APPLICATION

- All Veneer surfaces feature a semi-open pore matte finish

RIM PROFILE OPTIONS



Softened PVC (V)



Softened Wood (F)



Knife (K)

WOOD FINISHES

AC	Autumn
AD	Almond
CL	Caramel
CW	Cordovan
DW	Judicial
HN	Honey
IM	Brighton
MC	Amber
MH	Mocha
NM	Natural
PB	Portobello
SM	Sonoma
TF	Truffle
792	Sable

WORKSURFACE SHEEN OPTIONS

N	Matte/Satin
R	Gloss

SOFTENED PVC RIM

AC2	Autumn 2
AD	Almond
BZ	Brazilwood
CI	Chai
CL	Caramel
CW	Cordovan
DW	Judicial
HN2	Honey 2
IM	Brighton
KN	Kona
MC	Amber
MH	Mocha
NM	Natural
PB	Portobello
PC	Porcini
PT	Portico
SK	Skyline
SM	Sonoma
TF	Truffle
WL	Willow
405	Designer White
419	Wallaby
425	Shadow
440	Cloud
461	Graphite
462	Cinder
478	Platinum Grey
488	Frosty White
491	Designer White Linear
492	Cinder Linear
792	Sable
793	Acorn

WOOD RIM

AC	Autumn
AD	Almond
CL	Caramel
CW	Cordovan
DW	Judicial
HN	Honey
IM	Brighton
MC	Amber
MH	Mocha
NM	Natural
PB	Portobello
SM	Sonoma
TF	Truffle

GALLERY LAMINATE

Grade 1 – 5% upcharge

G1001	Citadel
G1011	Pepperdust

Grade 2 – 6% upcharge

G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

See page 14 for Gallery program details and upcharges

LAMINATE WORKSURFACES

WOODGRAIN LAMINATE

AC2	Autumn 2	MH	Mocha
AD	Almond	NM	Natural
BZ	Brazilwood	PB	Portobello
CI	Chai	PC	Porcini
CL	Caramel	PT	Portico
CW	Cordovan	SK	Skyline
DW	Judicial	SM	Sonoma
HN2	Honey 2	TF	Truffle
IM	Brighton	WL	Willow
KN	Kona	792	Sable
MC	Amber	793	Acorn

• CSL available; see page 14 for program details and upcharge

SOLID LAMINATE

405	Designer White
419	Wallaby
425	Shadow
440	Cloud
457	Dapple
461	Graphite
462	Cinder
478	Platinum Grey
488	Frosty White
491	Designer White Linear
492	Cinder Linear

PATTERN LAMINATE

814	White Tigris
818	Crisp Linen
819	Flax Gauze
821	Elemental Concrete
822	Smoke Quarstone

GALLERY LAMINATE

Grade 1 – 5% upcharge

G1001	Citadel
G1011	Pepperdust

Grade 2 – 6% upcharge

G1002	Planked Raw Oak
G1003	Evening Notte
G1004	Kirsche
G1005	Midnight Run
G1006	Sepia Walnut
G1007	Serotina
G1008	Timeless
G1009	White Nebbia
G1012	Phantom Ecru

See page 14 for Gallery program details and upcharges

GROMMET OPTIONS

If no grommet is desired, specify an X (No Grommet)

Round Grommet, Black Plastic



$40 list for each grommet

G1L	Left
G1R	Right
G1LR	Left & Right
G1C	Center
G1LC	Left & Center
G1RC	Right & Center
G1A	Left, Right & Center

Racetrack Grommet, Satin Nickel Metallic



$45 list for each grommet

G11SNL	Left
G11SNR	Right
G11SNLR	Left & Right
G11SNC	Center
G11SNLC	Left & Center
G11SNRC	Right & Center
G11SNA	Left, Right & Center

Racetrack Grommet, Cinder



$45 list for each grommet

G11MBL	Left
G11MBR	Right
G11MBLR	Left & Right
G11MBC	Center
G11MBLC	Left & Center
G11MBRC	Right & Center
G11MBA	Left, Right & Center

Racetrack Grommet, Platinum Metallic



$45 list for each grommet

G11PLL	Left
G11PLR	Right
G11PLLR	Left & Right
G11PLC	Center
G11PLLC	Left & Center
G11PLRC	Right & Center
G11PLA	Left, Right & Center

Cutout Option for 1 Touch Pivoting Power Grommet

$40 list upcharge per cutout location

CUT-G17L	Left
CUT-G17R	Right
CUT-G17LR	Left & Right
CUT-G17C	Center
CUT-G17LC	Left & Center
CUT-G17RC	Right & Center
CUT-G17A	Left, Right & Center



• Reference the Casegoods Book 2 Price List for cutout locations of CUT-G17

NACG17AELPGB, NACG17AELPGS, and NACG17AELPGW (Sold Separately)

• Reference page 564 for pricing and details



NACG17BELPGB, NACG17BELPGS, and NACG17BELPGW (Sold Separately)

• Reference page 564 for pricing and details



NACG17CELPGB, NACG17CELPGS, and NACG17CELPGW (Sold Separately)

• Reference page 564 for pricing and details

NOTE: Interlink IQ units are available in the Accessories section

WORKSURFACE/MODESTY TYPE

M Main
E Extension
F Filler

M = 0 Connecting Worksurface Flat Brackets
E = 2 Connecting Worksurface Flat Brackets
F = 4 Connecting Worksurface Flat Brackets

WORKSURFACE WIRE MANAGER COLORS

403	Chamois	425	Shadow	462	Cinder
405	Designer White	440	Cloud	478	Platinum Grey
419	Wallaby	461	Graphite	485	Dark Chocolate

"L" CONFIGURATION WAVEWORKS WORKSURFACES

WAVEWORKS PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Extended corner worksurfaces should be configured as an extension so there are worksurface mounting brackets
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Refer to the Casegoods Book 2 Price List for grommet locations; and page 405 for grommet upcharge
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Laminate Top Color/Veneer Top Finish
8. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN3672WSCEDLW2	E	F	X	D1B403	MH	
WWN3672WSCEDLLW2	E	F	X	D1R440	MH	MH
WWN3672WSCEDLL2	E	V440	X	D1L440	440	

• See pages 404-405 for all options available in "L" Configuration Worksurfaces

EXTENDED CORNER WORKSURFACE



Left shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1 9/16" TOP THICKNESS										
LEFT	**RIGHT**									
WWN3672WSCEDLW2	WWN3672WSCEDRW2	Wood	$ 1968	35 13/16	72	1 9/16	–	–	79 lbs.	3.9
WWN3672WSCEDLLW2	WWN3672WSCEDRLW2	Laminate/Wood	1968	35 13/16	72	1 9/16	–	–	79 lbs.	3.9
WWN3672WSCEDLL2	WWN3672WSCEDRL2	Laminate	1671	35 13/16	72	1 9/16	–	–	79 lbs.	3.9
WWN3666WSCEDLW2	WWN3666WSCEDRW2	Wood	$ 1911	35 13/16	66	1 9/16	–	–	72 lbs.	3.6
WWN3666WSCEDLLW2	WWN3666WSCEDRLW2	Laminate/Wood	1911	35 13/16	66	1 9/16	–	–	72 lbs.	3.6
WWN3666WSCEDLL2	WWN3666WSCEDRL2	Laminate	1592	35 13/16	66	1 9/16	–	–	72 lbs.	3.6
WWN3660WSCEDLW2	WWN3660WSCEDRW2	Wood	$ 1795	35 13/16	60	1 9/16	–	–	65 lbs.	3.3
WWN3660WSCEDLLW2	WWN3660WSCEDRLW2	Laminate/Wood	1795	35 13/16	60	1 9/16	–	–	65 lbs.	3.3
WWN3660WSCEDLL2	WWN3660WSCEDRL2	Laminate	1520	35 13/16	60	1 9/16	–	–	65 lbs.	3.3
1 3/16" TOP THICKNESS										
LEFT	**RIGHT**									
WW3672WSCEDLW2	WW3672WSCEDRW2	Wood	$ 1784	35 13/16	72	1 3/16	–	–	79 lbs.	3.9
WW3672WSCEDLLW2	WW3672WSCEDRLW2	Laminate/Wood	1784	35 13/16	72	1 3/16	–	–	79 lbs.	3.9
WW3672WSCEDLL2	WW3672WSCEDRL2	Laminate	1487	35 13/16	72	1 3/16	–	–	79 lbs.	3.9
WW3672WSCEDLLL2	WW3672WSCEDRLL2	TFL	1190	35 13/16	72	1 1/8	–	–	79 lbs.	3.9
WW3666WSCEDLW2	WW3666WSCEDRW2	Wood	$ 1723	35 13/16	66	1 3/16	–	–	72 lbs.	3.6
WW3666WSCEDLLW2	WW3666WSCEDRLW2	Laminate/Wood	1723	35 13/16	66	1 3/16	–	–	72 lbs.	3.6
WW3666WSCEDLL2	WW3666WSCEDRL2	Laminate	1414	35 13/16	66	1 3/16	–	–	72 lbs.	3.6
WW3666WSCEDLLL2	WW3666WSCEDRLL2	TFL	1131	35 13/16	66	1 1/8	–	–	72 lbs.	3.6
WW3660WSCEDLW2	WW3660WSCEDRW2	Wood	$ 1608	35 13/16	60	1 3/16	–	–	65 lbs.	3.3
WW3660WSCEDLLW2	WW3660WSCEDRLW2	Laminate/Wood	1608	35 13/16	60	1 3/16	–	–	65 lbs.	3.3
WW3660WSCEDLL2	WW3660WSCEDRL2	Laminate	1342	35 13/16	60	1 3/16	–	–	65 lbs.	3.3
WW3660WSCEDLLL2	WW3660WSCEDRLL2	TFL	1074	35 13/16	60	1 1/8	–	–	65 lbs.	3.3

- Wire Manager available on left side, back or right side; see page 377 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see the Casegoods Book 2 Price List
- For additional worksurface support, specify Undersurface Support Rail, see page 399
- Modified width and depth not available on this shape
- Intended for use with 24" deep worksurfaces
- For undersurface wire manager, see page 399

"L" CONFIGURATION EPIC WORKSURFACES

EPIC PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Extended corner worksurfaces should be configured as an extension so there are worksurface mounting brackets
- Rim on all 4 sides of (wood or laminate) softened rim worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Knife rim profile (wood or laminate) available on user side (indicated by K1) or user and approach side (indicated by K2)
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim Profile
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Veneer Top Finish/Laminate Top Color

SAMPLE MODEL NUMBERS:

25N3672WSCERW2 E V G1A X MC
25N3872WSCERW2K2 E V G1A X MC

- See pages 406-407 for all options available in "L" Configuration Worksurfaces

EXTENDED CORNER WORKSURFACE



Left shown

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SOFTENED RIM LEFT	**RIGHT**									
25N3672WSCELW2	25N3672WSCERW2	Wood	$ 1856	35 15/16	72	1 3/16	—	—	79 lbs.	3.9
25N3672WSCELL2	25N3672WSCERL2	Laminate	1547	35 15/16	72	1 3/16	—	—	79 lbs.	3.9
25N3666WSCELW2	25N3666WSCERW2	Wood	$ 1791	35 15/16	66	1 3/16	—	—	72 lbs.	3.6
25N3666WSCELL2	25N3666WSCERL2	Laminate	1470	35 15/16	66	1 3/16	—	—	72 lbs.	3.6
25N3660WSCELW2	25N3660WSCERW2	Wood	$ 1671	35 15/16	60	1 3/16	—	—	65 lbs.	3.3
25N3660WSCELL2	25N3660WSCERL2	Laminate	1395	35 15/16	60	1 3/16	—	—	65 lbs.	3.3
KNIFE RIM LEFT	**RIGHT**									
25N3672WSCELW2K1	25N3672WSCERW2K1	Wood	$ 2413	36 1/16	71 15/16	1 3/16	—	—	79 lbs.	3.9
25N3672WSCELL2K1	25N3672WSCERL2K1	Laminate	2401	36 1/16	71 15/16	1 3/16	—	—	79 lbs.	3.9
25N3666WSCELW2K1	25N3666WSCERW2K1	Wood	$ 2330	36 1/16	66	1 3/16	—	—	72 lbs.	3.6
25N3666WSCELL2K1	25N3666WSCERL2K1	Laminate	2278	36 1/16	66	1 3/16	—	—	72 lbs.	3.6
25N3660WSCELW2K1	25N3660WSCERW2K1	Wood	$ 2170	36 1/16	60	1 3/16	—	—	65 lbs.	3.3
25N3660WSCELL2K1	25N3660WSCERL2K1	Laminate	2164	36 1/16	60	1 3/16	—	—	65 lbs.	3.3
25N3872WSCELW2K2	25N3872WSCERW2K2	Wood	$ 2413	37 1/2	71 15/16	1 3/16	—	—	79 lbs.	3.9
25N3872WSCELL2K2	25N3872WSCERL2K2	Laminate	2401	37 1/2	71 15/16	1 3/16	—	—	79 lbs.	3.9
25N3866WSCELW2K2	25N3866WSCERW2K2	Wood	$ 2330	37 1/2	66	1 3/16	—	—	72 lbs.	3.6
25N3866WSCELL2K2	25N3866WSCERL2K2	Laminate	2278	37 1/2	66	1 3/16	—	—	72 lbs.	3.6
25N3860WSCELW2K2	25N3860WSCERW2K2	Wood	$ 2170	37 1/2	60	1 3/16	—	—	65 lbs.	3.3
25N3860WSCELL2K2	25N3860WSCERL2K2	Laminate	2164	37 1/2	60	1 3/16	—	—	65 lbs.	3.3

- Wire Manager available on left side, back or right side; see page 407 for wire manager colors and upcharge
- When ordering a wire manager, a wire manager filler can be ordered separately; see the Casegoods Book 2 Price List
- For additional worksurface support, specify Undersurface Support Rail, see page 399
- Modified width and depth not available on this shape
- Intended for use with 24" deep worksurfaces
- For undersurface wire manager, see page 399

"L" CONFIGURATION WAVEWORKS WORKSURFACES

WAVEWORKS PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Extended corner worksurfaces should be configured as an extension so there are worksurface mounting brackets
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Refer to the Casegoods Book 2 Price List for grommet locations; and page 405 for grommet upcharge
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

WWN2436WSSVDW	M	F	X	D1BL403	X	55½	MH	
WWN2436WSSVDLW	M	F	X	D1B440	X	X	MH	MH
WWN2436WSSVDL	M	V440	X	D1L440	X	55	440	

- See pages 404-405 for all options available in "L" Configuration Worksurfaces

RECTANGULAR WORKSURFACE
24" DEPTH



Direction of arrow designates woodgrain direction

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⁹⁄₁₆" TOP THICKNESS									
WWN2436WSSVDW	Wood	$ 1041	24	36⁹⁄₁₆	1⁹⁄₁₆	—	—	63 lbs.	1.8
WWN2436WSSVDLW	Laminate/Wood	1041	24	36⁹⁄₁₆	1⁹⁄₁₆	—	—	63 lbs.	1.8
WWN2436WSSVDL	Laminate	525	24	36⁹⁄₁₆	1⁹⁄₁₆	—	—	63 lbs.	1.8
WWN2430WSSVDW	Wood	$ 1021	24	30⁹⁄₁₆	1⁹⁄₁₆	—	—	61 lbs.	1.5
WWN2430WSSVDLW	Laminate/Wood	1021	24	30⁹⁄₁₆	1⁹⁄₁₆	—	—	61 lbs.	1.5
WWN2430WSSVDL	Laminate	490	24	30⁹⁄₁₆	1⁹⁄₁₆	—	—	61 lbs.	1.5

- Grain direction runs front-to-back
- Intended to be used when building an L configuration utilizing component worksurfaces

1¾₁₆" TOP THICKNESS									
WW2436WSSVDW	Wood	$ 858	24	36⁹⁄₁₆	1⁹⁄₁₆	—	—	63 lbs.	1.8
WW2436WSSVDLW	Laminate/Wood	858	24	36⁹⁄₁₆	1⁹⁄₁₆	—	—	63 lbs.	1.8
WW2436WSSVDL	Laminate	347	24	36⁹⁄₁₆	1⁹⁄₁₆	—	—	63 lbs.	1.8
WW2436WSSVDLL	TFL	276	24	36⁹⁄₁₆	1⅛	—	—	63 lbs.	1.8
WW2430WSSVDW	Wood	$ 834	24	30⁹⁄₁₆	1⁹⁄₁₆	—	—	61 lbs.	1.5
WW2430WSSVDLW	Laminate/Wood	834	24	30⁹⁄₁₆	1⁹⁄₁₆	—	—	61 lbs.	1.5
WW2430WSSVDL	Laminate	311	24	30⁹⁄₁₆	1⁹⁄₁₆	—	—	61 lbs.	1.5
WW2430WSSVDLL	TFL	248	24	30⁹⁄₁₆	1⅛	—	—	61 lbs.	1.5

- Grain direction runs front-to-back
- Intended to be used when building an L configuration utilizing component worksurfaces
- For undersurface wire manager, see page 577

"L" CONFIGURATION EPIC WORKSURFACES

EPIC PRODUCT SPECIFICATIONS

- Worksurfaces shipped with appropriate hardware by specifying worksurface type; see the specification guide for details
- Extended corner worksurfaces should be configured as an extension so there are worksurface mounting brackets
- Rim on all 4 sides of laminate and wood worksurfaces; unless a wire manager is specified then the rim would only be where the wire manager is not located
- Refer to the Casegoods Book 2 Price List for grommet locations; and page 405 for grommet upcharge
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Worksurface Type
3. Rim
4. PVC Rim Color (laminate models)
5. Grommet
6. Wire Manager
7. Modified Depth
8. Modified Width
9. Laminate Top Color/Veneer Top Finish
10. Veneer Rim Finish (laminate/wood models)

SAMPLE MODEL NUMBERS:

25N2436WSSVW	M	F	X	D1BL403	X	55½	MH
25N2436WSSVL	M	V440	X	D1L440	X	55	440

- See pages 406-407 for all options available in "L" Configuration Worksurfaces

RECTANGULAR WORKSURFACE 24" DEPTH



Grain direction runs front-to-back

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SOFTENED RIM									
25N2436WSSVW	Wood	$ 893	24	36 1/16	1 3/16	–	–	33 lbs.	1.8
25N2436WSSVL	Laminate	361	24	36 1/16	1 3/16	–	–	33 lbs.	1.8
25N2430WSSVW	Wood	$ 868	24	30 1/16	1 3/16	–	–	28 lbs.	1.5
25N2430WSSVL	Laminate	322	24	30 1/16	1 3/16	–	–	28 lbs.	1.5
KNIFE RIM									
25N2636WSSVWK1	Wood	$ 1162	25½	36 1/16	1 3/16	–	–	33 lbs.	1.8
25N2636WSSVLK1	Laminate	559	25½	36 1/16	1 3/16	–	–	33 lbs.	1.8
25N2630WSSVWK1	Wood	$ 1128	25½	30 1/16	1 3/16	–	–	28 lbs.	1.5
25N2630WSSVLK1	Laminate	498	25½	30 1/16	1 3/16	–	–	28 lbs.	1.5

- Grain direction runs front-to-back
- Intended to be used when building an L configuration utilizing components
- For undersurface wire manager, see page 577

“L” CONFIGURATION EPIC WORKSURFACES

STORAGE COMPONENTS AND ACCESSORIES

Arrowood 414
Barrington 415
Epic 416
Escalade 419
Roosevelt 421
Universal 422
WaveWorks 427

ARROWOOD

PRODUCT SPECIFICATIONS

- For details and product specifications, see the Casegoods Book 1 Price List

TO ORDER, SPECIFY:

1. Model Number
2. Grommet Option
3. Locking
4. Finish (31N only)
5. Laminate (21N only)

SAMPLE MODEL NUMBER:

31N2472CBVLW X KRS MC

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
ENTERTAINMENT CREDENZA	31N2472CBVW	Wood	$ 6009	22 25/32	71 13/16	34 15/16	—	—	309 lbs.	36.4
	31N2472CBVLW	Laminate/Wood	6009	22 25/32	71 13/16	34 15/16	—	—	309 lbs.	36.4



- 72" credenza features an adjustable shelf (12" deep, 32¾" wide and 1" thick)
- Inside dimension of each storage section is 21" deep x 34½" wide x 23¼" high
- Unfinished back panel
- Cutouts in back panel for venting
- Grommet (G13LR) available
- Rim on front and sides of model
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

PRINTER/TELEPHONE STAND	31N2430PTLW	Laminate/Wood	$ 1689	23¾	29½	29½	—	—	89 lbs.	18.7
	MPK-4	Set of 4 Casters	103	For use as a mobile unit					1 lbs.	0.2



- Fixed shelf is 12" deep, 27⅜" wide and ¾" thick
- Open back
- Grommet (G13C) available

PRINTER/TELEPHONE STAND	21N2430PTL		$ 1078	23¾	29¾	29½	—	—	91 lbs.	14.3
	MPK-4	Set of 4 Casters	103	For use as a mobile unit					1 lbs.	0.2

- Fixed shelf is 12" deep and 27¾" wide and ¾" thick
- Open back
- Grommet (G13C) available

PRODUCT SPECIFICATIONS

- For details and product specifications, see the Casegoods Book 1 Price List

TO ORDER, SPECIFY:

1. Model Number
2. Pull Option
3. Grommet Option
4. Locking
5. Finish

SAMPLE MODEL NUMBER:

50N2172CBVW 80AB G13C KRB DW

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
ENTERTAINMENT CREDENZA	50N2172CBVW	Wood	$ 5908	21	71¾	34½	—	—	379 lbs.	42.9
	50N2172CBVLW	Laminate/Wood	5908	21	71¾	34½	—	—	379 lbs.	42.9

- Center storage section features an adjustable shelf
- Inside dimension of center storage section is 18½" deep x 32⅜" wide x 30¼" high
- Locking featured on doors only
- Cutouts in back panel for venting
- Unfinished back panel
- Grommet (G13C) available
- Random lock core (KRB) and specified lock core (KS1B) available

BUFFET CREDENZA	50N2172CBW	Wood	$ 5803	21	71¾	34½	—	—	379 lbs.	42.9
	50N2172CBLW	Laminate/Wood	5803	21	71¾	34½	—	—	379 lbs.	42.9

- Center storage section features an adjustable shelf
- Inside dimension of center storage section is 18½" deep x 32⅜" wide x 30¼" high
- Locking featured on doors only
- Unfinished back panel
- Grommet option not available
- Random lock core (KRB) and specified lock core (KS1B) available

TELEPHONE STAND	50N2421PTHW	Wood	$ 2052	23¾	20¾	29½	—	—	115 lbs.	13.9
	50N2421PTHLW	Laminate/Wood	2052	23¾	20¾	29½	—	—	115 lbs.	16.0

- Left-hinged door on unit
- Grommet option not available

PRINTER/TELEPHONE STAND	50N2430PTW	Wood	$ 2187	23¾	29¾	30	—	—	81 lbs.	18.7
	50N2430PTLW	Laminate/Wood	2187	23¾	29¾	30	—	—	81 lbs.	12.3
	MPK-4	Set of 4 Casters	103	For use as a mobile unit					1 lbs.	0.2

- Fixed shelf is 12" deep, 26⅛" wide and ¾" thick
- Height from top of shelf to bottom of top is 18³⁄₁₆"
- Open back
- Picture frame molding on sides
- Grommet (G13C) available

TRADITIONAL VISUAL BOARD	50N4240VBW		$ 3542	5	41⅞	39⅓	—	—	72 lbs.	7.4
										

- Tackable black fabric covers inside panels
- A set of 4 dry erase markers and an eraser are standard
- Frame of visual board is black
- Grommet option not available

EPIC

PRODUCT SPECIFICATIONS

- If specifying wood, you must specify the same finish for all options
- For details and product specifications, see the Casegoods Book 2 Price List

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Foot Color
8. Laminate Top Color
9. Laminate Door/Drawer Color
10. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBER:

25NN2448CVMSL VMH 89PL G1LR KS2S FR501 461 MH MH

MEDIA STORAGE CREDENZA



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SOFTENED RIM									
72"—1⅞6" TOP THICKNESS									
25NN2472CVMSW	Wood	$ 9614	24	72	35⅞6	—	—	383 lbs.	36.3
25NN2472CVMSL	Laminate	8477	24	72	35⅞6	—	—	383 lbs.	36.3
60"—1⅞6" TOP THICKNESS									
25NN2460CVMSW	Wood	$ 9313	24	60	35⅞6	—	—	325 lbs.	28.9
25NN2460CVMSL	Laminate	8167	24	60	35⅞6	—	—	325 lbs.	28.9
48"—1⅞6" TOP THICKNESS									
25NN2448CVMSW	Wood	$ 9005	24	48⅛6	35⅞6	—	—	290 lbs.	24.7
25NN2448CVMSL	Laminate	7865	24	48⅛6	35⅞6	—	—	290 lbs.	24.7
KNIFE RIM									
72"—1⅞6" TOP THICKNESS									
25NN2672CVMSWK1	Wood	$ 10008	25½	72	35⅞6	—	—	383 lbs.	36.3
25NN2672CVMSLK1	Laminate	8930	25½	72	35⅞6	—	—	383 lbs.	36.3
60"—1⅞6" TOP THICKNESS									
25NN2660CVMSWK1	Wood	$ 9678	25½	60	35⅞6	—	—	325 lbs.	28.9
25NN2660CVMSLK1	Laminate	8579	25½	60	35⅞6	—	—	325 lbs.	28.9
48"—1⅞6" TOP THICKNESS									
25NN2648CVMSWK1	Wood	$ 9360	25½	48⅛6	35⅞6	—	—	290 lbs.	24.7
25NN2648CVMSLK1	Laminate	8215	25½	48⅛6	35⅞6	—	—	290 lbs.	24.7

- Infrared Repeater (IR) included with credenza which allows multi-media equipment to be stored and controlled behind solid doors
- Back panel is not fully finished and includes cutouts for venting
- Rim profile on front only, 1⅞6" top thickness
- Matching wood grommets in end panels for wire access
- Features an adjustable shelf
- Inside dimension of each storage section is 21¼" deep x 34½" wide x 24¾" high for the 25NN2472CVMS models, 21¼" deep x 28½" wide x 24¾" high for the 25NN2460CVMS models and 21¼" deep x 22½" wide x 24¾" high for the 25NN2448CVMS models
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

PRODUCT SPECIFICATIONS

- If specifying wood, you must specify the same finish for all options
- For details and product specifications, see the Casegoods Book 2 Price List

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Foot Color
8. Laminate Top Color
9. Laminate Door/Drawer Color
10. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBER:

25NN2472CBVL V405 76CC X KRB FR501 405 405 405

ENTERTAINMENT CREDENZA



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SOFTENED RIM 1⅜" TOP THICKNESS									
25NN2472CBVW	Wood	$ 7580	24	71 15/16	35 7/16	–	–	381 lbs.	46.7
25NN2472CBVL	Laminate	6191	24	71 15/16	35 7/16	–	–	381 lbs.	46.7
1⅜" TOP THICKNESS									
25N2472CBVW	Wood	$ 6759	24	71 15/16	35 7/16	–	–	381 lbs.	46.7
25N2472CBVL	Laminate	5519	24	71 15/16	35 7/16	–	–	381 lbs.	46.7
KNIFE RIM 1⅜" TOP THICKNESS									
25NN2672CBVWK1	Wood	$ 7974	25½	71 15/16	35 7/16	–	–	381 lbs.	46.7
25NN2672CBVLK1	Laminate	6646	25½	71 15/16	35 7/16	–	–	381 lbs.	46.7
1⅜" TOP THICKNESS									
25N2672CBVWK1	Wood	$ 7092	25½	71 15/16	35 7/16	–	–	381 lbs.	46.7
25N2672CBVLK1	Laminate	5865	25½	71 15/16	35 7/16	–	–	381 lbs.	46.7

- Back panel is not fully finished and includes cutouts for venting
- Rim profile on front only
- Features an adjustable shelf
- Inside dimension of each storage section is 21¼" deep x 34½" wide x 24¾" high
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

EPIC

PRODUCT SPECIFICATIONS

- If specifying wood, you must specify the same finish for all options
- For details and product specifications, see the Casegoods Book 2 Price List

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. PVC Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Foot Color
8. Laminate Top Color
9. Laminate Door/Drawer Color
10. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBER:

25NN1880VSHLW KRS FR462 AD

BUFFET CREDENZA



MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SOFTENED RIM 1⅜" TOP THICKNESS									
25NN2472CBW	Wood	$ 7445	24	71⅛	35⅞	—	—	381 lbs.	46.7
25NN2472CBL	Laminate	6081	24	71⅛	35⅞	—	—	381 lbs.	46.7
1⅜" TOP THICKNESS									
25N2472CBW	Wood	$ 6639	24	71⅛	35⅞	—	—	381 lbs.	46.7
25N2472CBL	Laminate	5421	24	71⅛	35⅞	—	—	381 lbs.	46.7
KNIFE RIM 1⅜" TOP THICKNESS									
25NN2672CBWK1	Wood	$ 7832	25½	71⅛	35⅞	—	—	381 lbs.	46.7
25NN2672CBLK1	Laminate	6527	25½	71⅛	35⅞	—	—	381 lbs.	46.7
1⅜" TOP THICKNESS									
25N2672CBWK1	Wood	$ 6965	25½	71⅛	35⅞	—	—	381 lbs.	46.7
25N2672CBLK1	Laminate	5761	25½	71⅛	35⅞	—	—	381 lbs.	46.7

- Grommet option not available
- Features an adjustable shelf behind each set of doors
- Rim profile on front only
- Features a fully finished back
- Inside dimension of each storage section is 21¼" deep x 34½" wide x 24¾" high
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

MEDIA STORAGE TOWER SINGLE DOOR



Left shown

LEFT HINGED	RIGHT HINGED		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
25NN1880VSHLW	25NN1880VSHRW	Wood	$ 4921	23⅜	17⅛	79¼	—	—	197 lbs.	31.0
25NN1880VSHLL	25NN1880VSHRL	Laminate	2921	23⅜	17⅛	79¼	—	—	197 lbs.	31.0

- Shaded shelves are adjustable 1 fixed and 4 adjustable shelves
- Shortened shelves allow for easy wire access in the back of the cabinet
- Features grommets in end panels for wire access
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminate options available on models 60" H or less

PRODUCT SPECIFICATIONS

- For details and product specifications, see the Casegoods Book 1 Price List

TO ORDER, SPECIFY:

1. Model Number
2. Pull Option
3. Grommet Option
4. Locking
5. Finish

SAMPLE MODEL NUMBER:

ECN2273CBVW 79SN G1C KRB CL

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
ENTERTAINMENT CREDENZA	ECN2273CBVW	Wood	$ 6767	22¼	72½	35¹⁄₁₆	—	—	380 lbs.	45.2



- Rim and base molding on front and sides of model
- Center 2 doors lock
- Unit features 3 standard adjustable shelves
- Unit features a functional, non-locking drawer
- Cutouts in back panel for venting
- Grommet (G1C) available
- Inside dimension of center storage section is 19¾" deep x 33¼" wide x 25¼" high
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

BUFFET CREDENZA	ECN2273CBW	Wood	$ 6767	22¼	72½	35¹⁄₁₆	—	—	380 lbs.	45.2



- Rim and base molding on front and sides of model
- Center 2 doors lock
- Unit features 3 standard adjustable shelves
- Unit features a functional, non-locking drawer
- Grommet option not available
- Inside dimension of center storage section is 19¾" deep x 33¼" wide x 25¼" high
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

ENTERTAINMENT CABINET	ECN3879VVHW	Wood	$ 7627	23⁹⁄₁₆	38⅜	78½	—	—	340 lbs.	48.9



- Unit features 170° hinges on top 2 doors
- Back of unit has standard grommets for cord management and for ventilation
- Unit features an adjustable shelf in both the upper and lower sections
- Interior dimensions for upper section 20¹³⁄₁₆" D, 34⅜" W, 47⅛" H
- Do not specify sheen option; features matte sheen
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

MOBILE UTILITY CART	ECN2238MUCW	Wood	$ 3401	22¼	38⅛	35¹⁄₁₆	—	—	145 lbs.	24.7

- Can function as a service cart, overhead projector stand or TV cabinet
- Unit features a single adjustable shelf
- 4 dual wheel non-locking casters are standard
- Grommet (G1C) available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

ESCALADE

PRODUCT SPECIFICATIONS

- For details and product specifications, see the Casegoods Book 1 Price List

TO ORDER, SPECIFY:

1. Model Number
2. Finish
3. Laminate

SAMPLE MODEL NUMBER:

ECN0637CPCFW NM

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
VISUAL BOARD	**WOOD**								
	NAC3639VBW	$ 2747	4 15/16	35 7/8	39 11/16	—	—	65 lbs.	5.9
	NAC4239VBW	3537	4 15/16	41 15/16	39 11/16	—	—	82 lbs.	7.1
	LAMINATE								
	NAC3639VBL	$ 2267	4 15/16	35 7/8	39 11/16	—	—	65 lbs.	5.9
	NAC4239VBL	2628	4 15/16	41 15/16	39 11/16	—	—	82 lbs.	7.1

- All installation hardware included
- Frame of visual board is black
- Tackable black fabric covers inside door panels
- A set of 4 dry erase markers and an eraser are standard
- Marker board is not magnetic

ESCALADE VISUAL BOARD CORNICE TOP	ECN0637CPCFW	$ 757	5 3/4	37 7/16	3 15/16	—	—	35 lbs.	1.1
	ECN0643CPCFW	875	5 3/4	43 3/8	3 15/16	—	—	40 lbs.	1.3

- ECN0637CPCFW fits on top of NAC3639VBW
- ECN0643CPCFW fits on top of NAC4239VBW

PRODUCT SPECIFICATIONS

- For details and product specifications, see the Casegoods Book 1 Price List

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Pull Option
3. Grommet Option
4. Locking
5. Finish

SAMPLE MODEL NUMBER:

51N2172CSFW2 82AB X KRB MH

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
STORAGE CREDENZA	51N2172CSFW2	Wood Top	$ 4131	21	71¾	29½	—	—	340 lbs.	36.4
	Q51N2172CSFLW2	Laminate Top	3828	21	71¾	29½	—	—	340 lbs.	36.4
	51N2172CSFLW2	Laminate Top	3828	21	71¾	29½	—	—	340 lbs.	36.4



- Features an adjustable laminate shelf which measures 12" deep, 32¼" wide and 1" thick
- Grommet (G13LR) available
- Random lock core (KRB) and specified lock core (KS2B) available

PRINTER/TELEPHONE STAND	51N2430PTW	Wood Top	$ 2206	23¾	29¾	30	—	—	81 lbs.	18.7
	51N2430PTLW	Laminate Top	2160	23¾	29¾	30	—	—	81 lbs.	12.3
	MPK-4	Set of 4 Casters	103	For use as a mobile unit					4 lbs.	0.2



- Grommet (G13C) available
- Fixed shelf is 12" deep, 26⅛" wide and ¾" thick
- Height between shelves is 18³⁄₁₆"
- Open back

UNIVERSAL STORAGE COMPONENTS AND ACCESSORIES SPECIFICATIONS

FINISH APPLICATION

ENTERTAINMENT AND BUFFET CREDENZAS

- Veneer surfaces are 1⅜" plain sliced slipmatched cherry (Amber, Autumn, Mocha, Truffle) or maple veneer (Brighton, Caramel, Honey, Natural), plain sliced bookmatched walnut veneer (Cordovan, Judicial)
- Veneer surfaces feature wood rim with 5 profile options
- Laminate/wood models are 1⅜" HPL (high pressure laminate) that feature wood rim with 5 profile options

VISUAL BOARDS, LECTERNS, MUTLI-FUNCTIONAL CART

- Veneer surfaces are 1⅜" plain sliced slipmatched cherry (Amber, Autumn, Mocha, Truffle) or maple veneer (Brighton, Caramel, Honey, Natural), plain sliced bookmatched walnut veneer (Cordovan, Judicial), quarter cut walnut veneer (Almond, Portobello, Sable), or quarter cut oak (Sonoma). All veneer surfaces feature a 3mm wood rim profile

PULL-UP TABLE

- Veneer species is maple
- All Veneer surfaces feature a semi-open pore matte finish

VISUAL BOARD

- Tackable black fabric on inside of each door
- A set of 4 dry erase markers and an eraser are included
- Equipped with 165° hinges
- Doors only open to 165°, not flat
- All installation hardware included
- Frame of visual board is black
- Visual board includes pegs to hang flip chart paper

LOCKING

- Black and silver lock cores are available
- Lock cores/keys are not factory installed in unit; shipped separately
- Key Random means lock cores/keys are randomly (1-5) picked at the factory
- Key Specific means you can pick any number (1-200) for black or silver lock core/key. Must specify the lock core model separately
- Specify a change key to remove and change lock cores
- To order key specific lock cores, change keys, and master keys, reference the Casegoods Book 2 Price List

ENTERTAINMENT AND BUFFET CREDENZAS

WOOD FINISHES

AC Autumn
CL Caramel
CW Cordovan
DW Judicial
HN Honey
IM Brighton
MC Amber
MH Mocha
NM Natural
TF Truffle

LAMINATE COLORS

WOODGRAIN LAMINATE

AC2 Autumn 2
CL Caramel
CW Cordovan
DW Judicial
HN2 Honey 2
IM Brighton
MC Amber
MH Mocha
NM Natural
TF Truffle

SOLID LAMINATE

405 Designer White
419 Wallaby
425 Shadow
440 Cloud
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear

PATTERN LAMINATE

814 White Tigris
818 Crisp Linen
819 Flax Gauze
821 Elemental Concrete
822 Smoke Quarstone

WOOD RIM

AC Autumn
CL Caramel
CW Cordovan
DW Judicial
HN Honey
IM Brighton
MC Amber
MH Mocha
NM Natural
TF Truffle

CREDENZA RIM PROFILES

Radius (A)

Reed (M)

Bullnose (D)

Softened (F)

Self (J)
(all wood models only)

VISUAL BOARD, LECTERNS, MULTI-FUNCTIONAL CART

WOOD FINISHES

AC Autumn
AD Almond
CL Caramel
CW Cordovan
DW Judicial
EW Clear Walnut
HN Honey
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
SM Sonoma
TF Truffle
792 Sable

PULL-UP TABLE

WOOD FINISHES

AC Autumn
AD Almond
BZ Brazilwood
CI Chai
CL Caramel
CW Cordovan
DW Judicial
HN Honey
IM Brighton
KN Kona
MC Amber
MH Mocha
NM Natural
PB Portobello
PC Porcini
PT Portico
SK Skyline
SM Sonoma
TF Truffle
WL Willow
405 Designer White
462 Cinder
792 Sable
793 Acorn*

*Acorn is the finish complement to Clear Walnut finish

VISUAL BOARD, PERSONAL PULL-UP TABLE, LECTERNS, MULTI-FUNCTIONAL CART

LAMINATE COLORS

WOODGRAIN LAMINATE

AC2 Autumn 2
AD Almond
BZ Brazilwood
CI Chai
CL Caramel
CW Cordovan
DW Judicial
HN2 Honey 2
IM Brighton
KN Kona
MC Amber
MH Mocha
NM Natural
PB Portobello
PC Porcini
PT Portico
SK Skyline
SM Sonoma
TF Truffle
WL Willow
792 Sable
793 Acorn

SOLID LAMINATE

405 Designer White
419 Wallaby
425 Shadow
440 Cloud
457 Dapple
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear

GALLERY LAMINATE

Grade 1 – 5% upcharge
G1001 Citadel
G1011 Pepperdust

Grade 2 – 6% upcharge
G1002 Planked Raw Oak
G1003 Evening Notte
G1004 Kirsche
G1005 Midnight Run
G1006 Sepia Walnut
G1007 Serotina
G1008 Timeless
G1009 White Nebbia
G1012 Phantom Ecru

See page 14 for Gallery program details and upcharges

UNIVERSAL

TO ORDER, SPECIFY:

1. Model Number
2. Rim Profile
3. Pull Option
4. Grommet Option
5. Wood Finish
6. Laminates (laminate/wood only)
7. Rim Finish (laminate/wood only)

SAMPLE MODEL NUMBER:

CCW2472CBVW A 6MB G1LR AC

• See page 423 for all options available in Universal

ENTERTAINMENT CredenzA



1⅜" TOP THICKNESS

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
CCW2472CBVW	Wood-J	$ 5227	24	72	35	—	—	320 lbs.	43.0
CCW2472CBVW	Wood-A,D,F,M	6097	24	72	35	—	—	320 lbs.	43.0
CCW2472CBVLW	Laminate/Wood-A,D,F,M	6097	24	72	35	—	—	320 lbs.	43.0

- Rim and chassis must be the same finish
- Cutouts in back panel for venting
- Grommet (G1LR) available $80 list upcharge
- Features WaveWorks Nantucket pulls in cinder
- Unfinished back panel
- Features an adjustable shelf behind each set of double doors
- Inside dimension of each storage section is 22" deep x 34½" wide x 24½" high
- Unit is non-locking

BUFFET CredenzA



1⅜" TOP THICKNESS

CCW2472CBW	Wood-J	$ 5227	24	72	35	—	—	381 lbs.	49.0
CCW2472CBW	Wood-A,D,F,M	6097	24	72	35	—	—	381 lbs.	49.0
CCW2472CBLW	Laminate/Wood-A,D,F,M	6097	24	72	35	—	—	381 lbs.	49.0

- Rim and chassis must be the same finish
- Features WaveWorks Nantucket pulls in cinder
- Unfinished back panel
- Features an adjustable shelf behind each set of double doors
- Grommet option not available
- Inside dimension of each storage section is 22" deep x 34½" wide x 24½" high
- Unit is non-locking

VISUAL BOARD



WOOD

NAC3639VBW	36"	$ 2747	4 15/16	35⅞	39 11/16	—	—	65 lbs.	5.9
NAC4239VBW	42"	3537	4 15/16	41 15/16	39 11/16	—	—	82 lbs.	7.1

LAMINATE

NAC3639VBL	36"	$ 2267	4 15/16	35⅞	39 11/16	—	—	65 lbs.	5.9
NAC4239VBL	42"	2628	4 15/16	41 15/16	39 11/16	—	—	82 lbs.	7.1

- All installation hardware included
- Frame of visual board is black
- Tackable black fabric covers inside door panels
- A set of 4 dry erase markers and an eraser are standard
- Marker board is not magnetic

TO ORDER, SPECIFY:

1. Model Number
2. Finish (wood only)
3. Laminates (laminate only)

SAMPLE MODEL NUMBER:

NAC3048MBW

• See page 423 for all options available in Universal

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
MARKER BOARD	NAC3048MBW	$ 620	⅝	47⅞	30	—	—	35 lbs.	1.4



- Installation hardware included
- Specify model number only

UNIVERSAL

TO ORDER, SPECIFY:

1. Model Number
2. Locking
3. Finish (wood only)
4. Laminates (laminate only)

SAMPLE MODEL NUMBER:

10N2427MUCW KRB CW

• See page 423 for all options available in Universal

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
LECTERNS									
SET-ON SURFACE									
10N2712LCW	Wood	$ 3294	24	27	12	–	–	45 lbs.	5.9
10N2712LCL	Laminate	2660	24	27	12	–	–	45 lbs.	5.9



Set-on Surface

- Tilted writing surface and trim are Platinum Metallic color, specify 501
- For use on conference tops or any top for impromptu meetings

BASIC

10N2746LCW	Wood	$ 5500	24	27	46	–	–	160 lbs.	26.2
10N2746LCL	Laminate	5046	24	27	46	–	–	160 lbs.	26.2



Basic

- Tilted writing surface and trim are Platinum Metallic color, specify 501
- Adjustable shelf
- Back panels are fully finished

DELUXE

10N2746LC2W	Wood	$ 8712	24	27	46	–	–	175 lbs.	26.2
10N2746LC2L	Laminate	7519	24	27	46	–	–	175 lbs.	26.2



Deluxe

- Tilted writing surface, slide out shelf, step stool and trim are Platinum Metallic color, specify 501
- Included with the deluxe lectern is a microphone, light, slide out shelf and slide out step stool
- Adjustable shelf
- Convenience outlet NAC0902EL5C is included in the deluxe model
- Back panels are fully finished and hinged to allow for wire access
- Slide out shelf dimensions: 12⅞" D x 19⅞" W and has a weight limit of 30 lbs
- Slide out step stool has a weight limit of 250 lbs
- Features 2 dual wheel casters
- Microphone does not include speakers, must be wired to customer's sound system
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

MOBILE LECTERN

10N2142LCML	Laminate	$ 1413	16⁹⁄₁₆	21⅛	42⅜	–	–	30 lbs.	3.5

- HPL writing surface
- Pencil ledge is only available in black
- No CSL on lectern top
- 4 double wheel locking casters standard
- Specify Cinder (462), Platinum Metallic (501), or Satin Nickel Metallic (503) base
- 12° slope for top; not adjustable
- Some assembly required

MULTI-FUNCTIONAL CART									
10N2427MUCW	Wood	$ 3987	24	27	34¹¹⁄₁₆	–	–	145 lbs.	24.7
10N2427MUCL	Laminate	3440	24	27	34¹¹⁄₁₆	–	–	145 lbs.	24.7



- Top surface is Platinum Metallic color, specify 501
- Back panel is fully finished and hinged for easy access to wiring
- Features adjustable shelf
- Grommet standard in top
- 4 double wheel non-locking casters standard
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

WAVEWORKS MEDIA STORAGE SPECIFICATIONS

WORKSURFACES

- Veneer surfaces are 1⅜" plain sliced slipmatched cherry (Amber, Autumn, Mocha, Truffle) or maple veneer (Brighton, Caramel, Honey, Natural), plain sliced bookmatched walnut veneer (Clear Walnut, Cordovan, Judicial), quarter cut walnut veneer (Almond, Portobello, Sable), or quarter cut oak (Sonoma). All veneer surfaces feature a 3mm wood rim profile
- When specifying Clear Walnut, a clear coat finish, the natural wood characteristics of walnut veneer are visible. These characteristics include, but are not limited to, color and woodgrain variation.
- Laminate surfaces are 1⅜" HPL (high pressure laminate)
- Veneer surfaces feature wood rim which is shaped on front side, with 6 rim profile options
- Laminate surfaces feature a 3mm PVC rim or a wood rim
- Grain direction runs left-to-right unless otherwise noted

FINISH APPLICATION

- All Veneer surfaces feature a semi-open pore matte finish

CHASSIS CONSTRUCTION

- All joints are securely fastened by screws, L-brackets, dowels, and concealed fasteners to ensure maximum strength
- Adjustable leveling glides are standard on all casegoods
- ¾" thick modesty panels
- End panels and support panels are 1⅛" thick
- Laminate modesty panels have horizontal grain direction unless noted
- Wood modesty panels have vertical grain direction unless noted
- Back panels are fully finished unless noted

DRAWERS

- Drawers feature 5-sided construction allowing for easy removal of drawer fronts
- Sides, back and front are ½" thick woodgrain vinyl wrapped
- Drawer fronts are 3-ply construction with matched woodgrain

DRAWER PULLS

- Available in 16 pull styles

DRAWER SUSPENSION

- Box drawers are equipped with ¾ extension slides with ball bearing rollers
- Precision steel ball bearings combined with sequence slide movement ensures long lasting operation
- All suspensions have a lifetime warranty

CORD MANAGEMENT

- Refer to page 429 for grommet options

LOCKING

- Black and silver lock cores are available
- Lock cores/keys are not factory installed in unit; shipped separately
- Key Random means lock cores/keys are randomly (1-5) picked at the factory
- Key Specific means you can pick any number (1-200) for black or silver lock core/key. Must specify the lock core model separately
- Specify a change key to remove and change lock cores
- To order key specific lock cores, change keys, and master keys, reference the Casegoods Book 2 Price List

BUFFET CREDENZAS

- Models with trashcan will have 2 drawers and 2 sets of double doors. Trashcan will be housed behind one set of the double doors
- The side where trashcan is located determines the handed side (trashcan on left is a left model)
- One 7 gallon trashcan per model is included
- Models with space to house a refrigerator will have 2 sets of double doors (no drawers). Refrigerator will be housed behind one of the double door sets with ventilation
- The side where refrigerator is located determines the handed side (refrigerator on left is a left model)
- Refrigerator is not included
- Overall opening for refrigerator in a 36" high model is 22½" wide x 28¹⁵⁄₁₆" tall x 25¼"deep. Max refrigerator size is 21½" wide x 27¹⁵⁄₁₆" tall x 21¼" deep
- Overall opening for refrigerator in a 41" high model is 22½" wide x 28¹⁵⁄₁₆" tall x 25¼" deep. Max refrigerator size is 21½" wide x 32¹⁵⁄₁₆" tall x 21¼" deep
- Only locking cabinet is the side with an adjustable shelf
- Buffet credenzas with refrigerator access will not be covered under standard warranty if unit is placed where vent will be blocked. Nor will the unit be covered under standard warranty for excess moisture because the unit has been designed to prevent this possibility

WAVEWORKS MEDIA STORAGE OPTIONS

RIM PROFILE OPTIONS



Softened Wood (F)

Reed Wood (R)



Cove Wood (P)*



Zip Wood (Z)

Concave Wood (C)*

Step Wood (T)*



Softened PVC (V)



Reed PVC (N)

*Not recommended with EW Clear Walnut and SM Sonoma

WOOD FINISHES

AC	Autumn	MC	Amber
AD	Almond	MH	Mocha
CL	Caramel	NM	Natural
CW	Cordovan	PB	Portobello
DW	Judicial	SM	Sonoma
EW	Clear Walnut	TF	Truffle
HN	Honey	792	Sable
IM	Brighton		

PVC REED RIM

AC2	Autumn 2
CL	Caramel
CW	Cordovan
DW	Judicial
HN2	Honey 2
MC	Amber
MH	Mocha
NM	Natural
TF	Truffle

WOOD RIM

AC	Autumn	MC	Amber
AD	Almond	MH	Mocha
CL	Caramel	NM	Natural
CW	Cordovan	PB	Portobello
DW	Judicial	SM	Sonoma
EW	Clear Walnut	TF	Truffle
HN	Honey	792	Sable
IM	Brighton		

PVC SOFTENED RIM

AC2	Autumn 2	SM	Sonoma
AD	Almond	TF	Truffle
BZ	Brazilwood	WL	Willow
CI	Chai	405	Designer White
CL	Caramel	419	Wallaby
CW	Cordovan	425	Shadow
DW	Judicial	440	Cloud
HN2	Honey 2	457	Dapple
IM	Brighton	461	Graphite
KN	Kona	462	Cinder
MC	Amber	478	Platinum Grey
MH	Mocha	488	Frosty White
NM	Natural	491	Designer White Linear
PB	Portobello	492	Cinder Linear
PC	Porcini	792	Sable
PT	Portico	793	Acorn
SK	Skyline		

LAMINATE WORKSURFACES

WOODGRAIN LAMINATE

AC2	Autumn 2	MH	Mocha
AD	Almond	NM	Natural
BZ	Brazilwood	PB	Portobello
CI	Chai	PC	Porcini
CL	Caramel	PT	Portico*
CW	Cordovan	SK	Skyline*
DW	Judicial	SM	Sonoma
HN2	Honey 2	TF	Truffle
IM	Brighton	WL	Willow
KN	Kona	792	Sable
MC	Amber	793	Acorn**

*Not available on laminate/wood models
**Acorn is the laminate complement to Clear Walnut finish

SOLID LAMINATE

405	Designer White	462	Cinder
419	Wallaby	478	Platinum Grey
425	Shadow	488	Frosty White
440	Cloud	491	Designer White Linear
457	Dapple	492	Cinder Linear
461	Graphite		

- CSL available; see page 14 for program details and upcharge

PATTERN LAMINATE

814	White Tigris
818	Crisp Linen
819	Flax Gauze
821	Elemental Concrete
822	Smoke Quarstone

LAMINATE DRAWER/DOOR FRONTS & CHASSIS

WOODGRAIN LAMINATE

AC2	Autumn 2
AD	Almond
BZ	Brazilwood
CI	Chai
ADH	Almond Horizontal
CL	Caramel
CW	Cordovan
DW	Judicial
HN2	Honey 2
IM	Brighton
KN	Kona
MC	Amber
MH	Mocha
NM	Natural
PB	Portobello
PBH	Portobello Horizontal
PC	Porcini
PT	Portico
PTH	Portico Horizontal
SK	Skyline
SKH	Skyline Horizontal
SM	Sonoma
SMH	Sonoma Horizontal
TF	Truffle
WL	Willow
792	Sable
792H	Sable Horizontal
793	Acorn

SOLID LAMINATE

405	Designer White
419	Wallaby
425	Shadow
440	Cloud
457	Dapple
461	Graphite
462	Cinder
478	Platinum Grey
488	Frosty White
491	Designer White Linear
491H	Designer White Linear Horizontal
492	Cinder Linear
492H	Cinder Linear Horizontal

GLASS DOOR ALUMINUM FRAME COLORS

462	Cinder
501	Platinum Metallic
503	Satin Nickel Metallic

GROMMET OPTIONS

Media storage credenzas and entertainment credenzas are available with optional grommets
If no grommet is desired, specify an X (No Grommet)

Round Grommet, Black Nylon

$40 list for each grommet

G1LR Left & Right

Racetrack Grommet

$45 list for each grommet

G11SNLR	Satin Nickel Metallic Left & Right
G11PLLR	Platinum Metallic Left & Right
G11MBLR	Cinder Left & Right

LOCKING

KEY RANDOM

KRB	Black
KRS	Silver

KEY SPECIFIC

KS1B	Black, 1 lock per unit
KS1S	Silver, 1 lock per unit
KS2B	Black, 2 locks per unit
KS2S	Silver, 2 locks per unit

Unit list price will be reduced by $28 per lock when selecting Key Specific option. Must order specific lock cores separately ($28 list each). See the Casegoods Book 2 Price List for Key Specific model numbers.

WAVEWORKS

WAVEWORKS MEDIA STORAGE OPTIONS

PULL OPTIONS

Nantucket (6)

6MB Cinder
6CC Concrete
6IR Iron
6PL Platinum Metallic
6SN Satin Nickel Metallic
(Boring Pattern 128mm)

Malibu (7)

7MB Cinder
7CC Concrete
7IR Iron
7PL Platinum Metallic
7SN Satin Nickel Metallic
(Boring Pattern 128mm)

Laguna (76)

76MB Cinder
76CC Concrete
76IR Iron
76PL Platinum Metallic
76SN Satin Nickel Metallic
(Boring Pattern 128mm)

Summit (70)

70MB Cinder
70CC Concrete
70IR Iron
70PL Platinum Metallic
70SN Satin Nickel Metallic
(Boring Pattern 128mm)

Spiral (71)

71MB Cinder
71CC Concrete
71IR Iron
71PL Platinum Metallic
71SN Satin Nickel Metallic
(Boring Pattern 128mm)



Balance (72)

72MB Cinder
72CC Concrete
72IR Iron
72PL Platinum Metallic
72SN Satin Nickel Metallic
(Boring Pattern 128mm)

Sweep (73)

73MB Cinder
73CC Concrete
73IR Iron
73PL Platinum Metallic
73SN Satin Nickel Metallic
(Boring Pattern 128mm)

Groove (74)

74MB Cinder
74CC Concrete
74IR Iron
74PL Platinum Metallic
74SN Satin Nickel Metallic
(Boring Pattern 128mm)

Beam (87)

87MB Cinder
87CC Concrete
87IR Iron
87PL Platinum Metallic
87SN Satin Nickel Metallic
(Boring Pattern 128mm)



Level (88)

88MB Cinder
88CC Concrete
88IR Iron
88PL Platinum Metallic
88SN Satin Nickel Metallic
(Boring Pattern 128mm)

Waterfall (89)

89MB Cinder
89CC Concrete
89IR Iron
89PL Platinum Metallic
89SN Satin Nickel Metallic
(Boring Pattern 96mm)

Horizon (91)

91MB Cinder
91CC Concrete
91IR Iron
91PL Platinum Metallic
91SN Satin Nickel Metallic
(Boring Pattern 96mm)

- Horizon pull is always flush to the top left of the door or drawer front

Bar (3)

3MB Cinder
3CC Concrete
3IR Iron
3PL Platinum Metallic
(Boring Pattern 32mm)

Curved (83)

83MB Black
83CC Concrete
83IR Iron
83PL Platinum Metallic
(Boring Pattern 128mm)



Elongated (84)

84MB Black
84CC Concrete
84IR Iron
84PL Platinum Metallic
(Boring Pattern 128mm)

Keen (77)

77SN Satin Nickel
(Boring Pattern 96mm)

PRODUCT SPECIFICATIONS

- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Top Finish (laminate/combo models)
8. Laminate Drawer/Door Color (laminate models)
9. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBERS:

WWN2448CVMSL	NAC2	7MB	X	KRB	462	462	462
WWN2448CVMSW	Z	7MB	G1LR	KRS	MH		

- See pages 428-430 for all options available in Waveworks

MEDIA STORAGE CREDENZA



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
48"—1⅞6" TOP THICKNESS									
WWN2448CVMSW	Wood	$ 7731	24	48⅛6	35⅞6	—	—	290 lbs.	24.7
WWN2448CVMSLW	Laminate/Wood	7731	24	48⅛6	35⅞6	—	—	290 lbs.	24.7
WWN2448CVMSL	Laminate	6749	24	48⅛6	35⅞6	—	—	290 lbs.	24.7
60"—1⅞6" TOP THICKNESS									
WWN2460CVMSW	Wood	$ 7995	24	60	35⅞6	—	—	325 lbs.	28.9
WWN2460CVMSLW	Laminate/Wood	7995	24	60	35⅞6	—	—	325 lbs.	28.9
WWN2460CVMSL	Laminate	7016	24	60	35⅞6	—	—	325 lbs.	28.9
72"—1⅞6" TOP THICKNESS									
WWN2472CVMSW	Wood	$ 8253	24	72	35⅞6	—	—	383 lbs.	36.3
WWN2472CVMSLW	Laminate/Wood	8253	24	72	35⅞6	—	—	383 lbs.	36.3
WWN2472CVMSL	Laminate	7280	24	72	35⅞6	—	—	383 lbs.	36.3

- Infrared Repeater (IR) included with credenza which allows multi-media equipment to be stored and controlled behind solid doors
- Back panel is not fully finished and includes cutouts for venting
- Rim profile on front and sides only, 1⅞6" thick worksurface available
- Matching wood grommets in end panels for wire access
- Features an adjustable shelf
- Inside dimension of each storage section is 21¼" deep x 34½" wide x 24¾" high for the WWN2472CVMS models, 21¼" deep x 28½" wide x 24¾" high for the WWN2460CVMS models and 21¼" deep x 22½" wide x 24¾" high for the WWN2448CVMS models
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

ENTERTAINMENT CREDENZA



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⅞6" TOP THICKNESS									
WWN2472CBVW	Wood	$ 6509	24	71⅝6	35⅞6	—	—	381 lbs.	46.7
WWN2472CBVLW	Laminate/Wood	6509	24	71⅝6	35⅞6	—	—	381 lbs.	46.7
WWN2472CBVL	Laminate	5317	24	71⅝6	35⅞6	—	—	381 lbs.	46.7
1⅞6" TOP THICKNESS									
WW2472CBVW	Wood	$ 5805	24	71⅝6	35⅞6	—	—	381 lbs.	46.7
WW2472CBVLW	Laminate/Wood	5805	24	71⅝6	35⅞6	—	—	381 lbs.	46.7
WW2472CBVL	Laminate	4738	24	71⅝6	35⅞6	—	—	381 lbs.	46.7
WW2472CBVLL	TFL	3789	24	71⅝6	35	—	—	381 lbs.	46.7

- Back panel is not fully finished and includes cutouts for venting
- Rim profile on front and sides only
- Features an adjustable shelf
- Inside dimension of each storage section is 21¼" deep x 34½" wide x 24¾" high
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

WAVEWORKS

PRODUCT SPECIFICATIONS

- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Pull
5. Locking
6. Top Finish (laminate/combo models)
7. Laminate Drawer/Door Color (laminate models)
8. Frame Color (glass models only)
9. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBER:

WW2472CBW	P	7MB	KS2B	AC		
WW2472CBL	VHN2	7MB	KS2B	HN2	HN2	HN2
WW2472CBLW	R	7MB	KS2B	405	AC	

• See pages 428-430 for all options available in Waveworks

BUFFET CREDENZA



MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⁹⁄₁₆" TOP THICKNESS									
WWN2472CBW	Wood	$ 6393	24	71 15⁄16	35 7⁄16	—	—	381 lbs.	46.7
WWN2472CBLW	Laminate/Wood	6393	24	71 15⁄16	35 7⁄16	—	—	381 lbs.	46.7
WWN2472CBL	Laminate	5222	24	71 15⁄16	35 7⁄16	—	—	381 lbs.	46.7
1³⁄₁₆" TOP THICKNESS									
WW2472CBW	Wood	$ 5701	24	71 15⁄16	35 1⁄16	—	—	381 lbs.	46.7
WW2472CBLW	Laminate/Wood	5701	24	71 15⁄16	35 1⁄16	—	—	381 lbs.	46.7
WW2472CBL	Laminate	4653	24	71 15⁄16	35 1⁄16	—	—	381 lbs.	46.7
WW2472CBLL	TFL	3721	24	71 15⁄16	35	—	—	381 lbs.	46.7

- Grommet option not available
- Features an adjustable shelf behind each set of doors
- Rim profile on front and sides only
- Features a fully finished back
- Inside dimension of each storage section is 21¼" deep x 34½" wide x 24¾" high
- Random lock core (KRB, KRS) and specified lock core (KS2B, KS2S) available

BUFFET CREDENZA WITH TRASH RECEPTACLE



Left shown

1⁹⁄₁₆" TOP THICKNESS LEFT	RIGHT		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WWN2472CBTLW	WWN2472CBTRW	Wood	$ 6465	24	71 15⁄16	35 7⁄16	—	—	lbs.	
WWN2472CBTLLW	WWN2472CBTRLW	Laminate/Wood	6465	24	71 15⁄16	35 7⁄16	—	—	lbs.	
WWN2472CBTLL	WWN2472CBTRL	Laminate	5257	24	71 15⁄16	35 7⁄16	—	—	lbs.	
1³⁄₁₆" TOP THICKNESS LEFT	**RIGHT**									
WW2472CBTLW	WW2472CBTRW	Wood	$ 5844	24	71 15⁄16	35 1⁄16	—	—	lbs.	
WW2472CBTLLW	WW2472CBTRLW	Laminate/Wood	5844	24	71 15⁄16	35 1⁄16	—	—	lbs.	
WW2472CBTLL	WW2472CBTRL	Laminate	4725	24	71 15⁄16	35 1⁄16	—	—	lbs.	
WW2472CBTLLL	WW2472CBTRLL	TFL	3862	24	71 15⁄16	35 1⁄16	—	—	lbs.	

- Specify a left model to have the trash receptacle on the far left side; right to have it on the right
- Includes 7 gallon trash receptacle

PRODUCT SPECIFICATIONS

- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. PVC Rim Color (laminate models)
4. Pull
5. Grommet
6. Locking
7. Top Finish (laminate/combo models)
8. Laminate Drawer/Door Color (laminate models)
9. Top Sheen (wood models)
10. Frame Color (glass models only)
11. Veneer Chassis Finish/Laminate Chassis Color

SAMPLE MODEL NUMBER:

WWN1880VSHLGW	462	MH				
WWN287236CBFLW	F	61R	KRB	AD		
WWN287236CBFRLW	F	6CC	KRS	405	CW	
WWN287236CBFLL	VAC2	61R	KRB	AC2	405	405

• See pages 428-430 for all options available in Waveworks

BUFFET CREDENZA WITH REFRIGERATOR ACCESS



MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⅜" TOP THICKNESS										
LEFT	**RIGHT**									
WWN287241CBFLW	WWN287241CBFRW	Wood	$ 7901	28	71 5/16	41 3/16	—	—	lbs.	
WWN287241CBFLLW	WWN287241CBFRLW	Laminate/Wood	7901	28	71 5/16	41 3/16	—	—	lbs.	
WWN287241CBFLL	WWN287241CBFRL	Laminate	6119	28	71 5/16	41 3/16	—	—	lbs.	
WWN287236CBFLW	WWN287236CBFRW	Wood	$ 7470	28	71 5/16	35 1/16	—	—	lbs.	
WWN287236CBFLLW	WWN287236CBFRLW	Laminate/Wood	7470	28	71 5/16	35 1/16	—	—	lbs.	
WWN287236CBFLL	WWN287236CBFRL	Laminate	5976	28	71 5/16	35 1/16	—	—	lbs.	
1⅜" TOP THICKNESS										
LEFT	**RIGHT**									
WW287241CBFLW	WW287241CBFRW	Wood	$ 7281	28	71 5/16	41⅜	—	—	lbs.	
WW287241CBFLLW	WW287241CBFRLW	Laminate/Wood	7281	28	71 5/16	41⅜	—	—	lbs.	
WW287241CBFLL	WW287241CBFRL	Laminate	5155	28	71 5/16	41⅜	—	—	lbs.	
WW287241CBFLLL	WW287241CBFRLL	TFL	4222	28	71 5/16	41⅜	—	—	lbs.	
WW287236CBFLW	WW287236CBFRW	Wood	$ 6850	28	71 5/16	35⅛	—	—	lbs.	
WW287236CBFLLW	WW287236CBFRLW	Laminate/Wood	6850	28	71 5/16	35⅛	—	—	lbs.	
WW287236CBFLL	WW287236CBFRL	Laminate	5012	28	71 5/16	35⅛	—	—	lbs.	
WW287236CBFLLL	WW287236CBFRLL	TFL	4079	28	71 5/16	35⅛	—	—	lbs.	

- Specify a left model to have the refrigerator on the far left side; right to have it on the right, 7 gallon trash receptacle in center section
- Back panel not fully finished and includes cutouts for venting
- 36" H models only: Maximum refrigerator size 21¼" deep, 21½" wide, x 27 1/16" high
- 41" H models only: Maximum refrigerator size 21¼" deep, 21½" wide, x 32 1/16" high

MEDIA STORAGE TOWER SINGLE DOOR



Left shown

LEFT HINGE	RIGHT HINGE		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WWN1880VSHLW	WWN1880VSHRW	Wood	$ 4222	23 3/16	17 5/16	79¼	—	—	197 lbs.	31.0
WWN1880VSHLL	WWN1880VSHRL	Laminate	2508	23 3/16	17 5/16	79¼	—	—	197 lbs.	31.0
WWN1880VSHLGW	WWN1880VSHRGW	Glass/Wood	5425	23 3/16	17 5/16	79¼	—	—	197 lbs.	31.0
WWN1880VSHLGL	WWN1880VSHRGL	Glass/Lam	3577	23 3/16	17 5/16	79¼	—	—	197 lbs.	31.0

- Glass units feature opaque glass with aluminum frame
- Shaded shelves are adjustable 1 fixed and 4 adjustable shelves
- Shortened shelves allow for easy wire access in the back of the cabinet
- Features grommets in end panels for wire access
- Glass doors do not lock
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available
- Almond Horizontal (ADH), Portobello Horizontal (PBH) Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminate options available on models 60" H or less

WAVEWORKS

PRODUCT SPECIFICATIONS

- Wood and laminate chassis and doors available; refer to page 429 for options
- Pedestal locking is standard
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Rim Color (laminate models)
4. Pull
5. Locking
6. Top Finish (laminate units only)
7. Door Frame Color (glass units only)
8. Drawer Finish (laminate units only)
9. Chassis Finish

SAMPLE MODEL NUMBERS:

WWN2436MUCW F 7MB G1C KRB MC
WWN2436MUCLW F 7MB G1C KRB 440 MC

- See pages 428-430 for all options available in Waveworks

MOBILE UTILITY CART



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1 ⁹⁄₁₆" TOP THICKNESS									
WWN2436MUCW	Wood	$ 2919	26⁷⁄₁₆	36¹⁄₁₆	34⅞	—	—	155 lbs.	17.1
WWN2436MUCLW	Laminate/Wood	2919	26⁷⁄₁₆	36¹⁄₁₆	34⅞	—	—	155 lbs.	17.1
WWN2436MUCL	Laminate	2187	26⁷⁄₁₆	36¹⁄₁₆	34⅞	—	—	155 lbs.	17.1
1¾₁₆" TOP THICKNESS									
WW2436MUCW	Wood	$ 2654	26⁷⁄₁₆	36¹⁄₁₆	34½	—	—	155 lbs.	17.1
WW2436MUCLW	Laminate/Wood	2654	26⁷⁄₁₆	36¹⁄₁₆	34½	—	—	155 lbs.	17.1
WW2436MUCL	Laminate	1989	26⁷⁄₁₆	36¹⁄₁₆	34½	—	—	155 lbs.	17.1
WW2436MUCLL	TFL	1591	26⁷⁄₁₆	36¹⁄₁₆	34⁷⁄₁₆	—	—	155 lbs.	17.1

- Can function as a serving cart or media cart
- 1 adjustable shelf behind hinged doors
- 4 double wheel non-locking casters standard
- Center grommet option available
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

MOBILE COMPUTER CART



WW2436MCCW	Wood	$ 3348	27³⁄₁₆	36⅛	43¼	—	—	85 lbs.	24.5
WW2436MCCL	Laminate	2681	27³⁄₁₆	36⅛	43¼	—	—	85 lbs.	24.5

- Do not specify pull, grommet or door finish
- Mesh cord manager included
- Power director included in worksurface
- 4 double wheel locking casters standard
- Worksurface height is 28¹⁵⁄₁₆"
- This unit is available with Cinder (462) or Silver Platinum (508) metal components; must specify metal color

PRODUCT SPECIFICATIONS

- Wood and laminate chassis and doors available; refer to page 429 for options
- Pedestal locking is standard
- If specifying wood, you must specify the same finish for all options

TO ORDER, SPECIFY:

1. Model Number
2. Rim
3. Rim Color (laminate models)
4. Pull
5. Locking
6. Top Finish (laminate units only)
7. Door Frame Color (glass units only)
8. Drawer Finish (laminate units only)
9. Chassis Finish

SAMPLE MODEL NUMBER:

WWN2436PFHW F 3MB KRB CL

- See pages 428-430 for all options available in Waveworks

DOUBLE DOOR UNIT



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1⅜" TOP THICKNESS									
WWN2436PFHW	Wood	$ 3252	24	36⅛	29⅜	—	—	130 lbs.	22.2
WWN2436PFHLW	Laminate/Wood	3252	24	36⅛	29⅜	—	—	130 lbs.	22.2
WWN2436PFHL	Laminate	1892	24	36⅛	29⅜	—	—	130 lbs.	22.2
1⅜" TOP THICKNESS									
WW2436PFHW	Wood	$ 2954	24	36⅛	28⅛	—	—	130 lbs.	22.2
WW2436PFHLW	Laminate/Wood	2954	24	36⅛	28⅛	—	—	130 lbs.	22.2
WW2436PFHL	Laminate	1723	24	36⅛	28⅛	—	—	130 lbs.	22.2
WW2436PFHLL	TFL	1377	24	36⅛	28⅞	—	—	130 lbs.	22.2

- Features an adjustable shelf
- Unit features a 110° door hinge
- Random lock core (KRB, KRS) and specified lock core (KS1B, KS1S) available

WAVEWORKS

EXHIBIT
WALL RAIL SOLUTION

Product Specifications 438
Production Options 440
Product Overview 442
Application Guidelines 443
Product Pages 444

EXHIBIT

PRODUCT SPECIFICATIONS

HORIZONTAL WALL RAIL AND FACEPLATE

- Wall rail and faceplate are a powder coated aluminum extrusion
- Available in lengths of 72" and 144"
- Wall rails come in sets of 1 or 2 and include faceplate and alignment brackets
- Wall rails can also be ordered without faceplates
- When attaching worksurfaces to the wall rail without the use of tack board, marker board, or slat wall inserts, wall rail can be ordered without the faceplate
- Faceplate snaps onto wall rail to secure marker board, tack board and slat wall inserts in place; Inserts can be removed or replaced without removing wall rail
- Faceplate conceals alignment brackets, fasteners and provides a clean aesthetic look
- Wall rail is mounted horizontally providing tie in to appropriate load bearing studs
- Alignment bracket is required to align 2 adjacent sections of wall rail and is included with wall rails
- Alignment bracket is hidden from view once installation is complete
- Wall rails can be cut to size in the field
- WaveWorks and Epic worksurfaces can be attached to wall rails with worksurface brackets
- Worksurfaces that are attached to the wall rail can be ordered with or without a wire manager; Worksurfaces with a wire manager have a flexible PVC trough that allows cords and cables to be routed along the back edge or sides of worksurface

MARKER BOARD INSERTS

- Marker board inserts have erasable writing surface and are available in HPL or magnetic porcelain models
- Marker board inserts are available in white only
- HPL marker board and tack board insert models can be scribed in field
- Marker board, tack board and slat wall inserts include 2 trim channels

TACK BOARD INSERTS

- Tack board insert is available in fabric, see page 440 for fabric options
- Shaded rectangle portrays a railroaded tack board



SLAT WALL INSERTS

- Slat wall inserts are powder coated aluminum
- Slat wall inserts offer flexibility in placement of work tools; Combo slat wall inserts offer a slat wall insert combined with a tack board insert providing a multi-functional area and is an economical alternative when overhead storage will be used

ORGANIZER SHELF INSERTS

- Veneer organizer shelf inserts are plain sliced slipmatched cherry (Amber, Autumn, Mocha, Truffle) or maple veneer (Brighton, Caramel, Honey, Natural), plain sliced bookmatched walnut veneer (Clear Walnut, Cordovan, Judicial), quarter cut walnut veneer (Almond, Portobello, Sable), or quarter cut oak veneer (Sonoma).
- When specifying Clear Walnut, a clear coat finish, the natural wood characteristics of walnut veneer are visible. These characteristics include, but are not limited to, color and woodgrain variation
- All Veneer surfaces feature a semi-open pore matte finish

EXHIBIT TV MOUNT INSERT

- Single TV Mount included with laminate or veneer inserts
- Dual TV Mount available as an option on 60" inserts for additional upcharge

TRIM CHANNELS

- Quantity of 2 is standard with each board/insert
- Available in powder coat paint or fabric
- Provides an expansion joint, vertical cable manager attachment and compensates for out-of-plumb walls
- Trim Channels can be ordered separately for boards/inserts that have been scribed in the field

FULL END TRIM

- Full end trim is steel and powder coated
- Full end trim finishes the end of a run and connects the top and bottom wall rail

SINGLE END CAP

- Single end cap is steel and powder coated
- Single end cap finishes the end of a single wall rail by capping off the wall rail, perfect for when a wall rail is used without inserts and a faceplate

VERTICAL CABLE MANAGER

- Vertical cable manager attaches between the insert and trim channel
- Conceals and allows for power cords to be managed and routed from overhead to outlet

VERTICAL CABLE MANAGER FOR TV MOUNT INSERT

- Vertical Cable Manager attaches to the Exhibit TV Mount Insert
- Conceals and allows for power cords to be managed and routed from TV to outlet

WORKSURFACE BRACKETS

- Exhibit worksurface brackets attach worksurfaces to lower wall rail
- A worksurface bracket is required every 48" along back edge of worksurface
- Worksurface bracket is anodized aluminum

PLANNING TIPS

- Wall rails can be mounted at any height if not utilizing with WaveWorks or Epic vertical storage units
- Consider the worksurface load when planning support; For worksurfaces that will hold office equipment, such as printers and copiers, additional support other than standard worksurface brackets is recommended
- Undersurface storage and pedestals satisfy both storage and support needs
- Reconfiguring existing worksurfaces may require new supports or brackets
- When worksurfaces meet end-to-end, a support panel or undersurface storage is required for additional support of the front edge
- Perpendicular worksurfaces can use flat brackets and worksurface brackets to provide adequate support from 1 surface to the other at the worksurface joint
- Worksurface brackets and supports can be positioned anywhere along the worksurface without the limitations of pre-drilled or predetermined locations
- Knife rim adds 1½" per side to worksurface depth. Knife rim is not recommended on lower storage as it affects user's kneespace
- Consider where you specify a worksurface with Worksurface wire manager. When attached to Exhibit lower wall rail, do not use at the end of run for a cleaner aesthetic
- Tack boards may be field scribed to match Epic knife rim worksurface depth

DIMENSION KEY

D	Depth
W	Width
H	Height
A	Overhang: Approach Side
KW	Kneespace Width

CONFIGURATION OPTIONS - EXHIBIT

WALL RAIL/FACEPLATE/ SLAT WALL INSERT PAINT COLORS

423 Concrete
462 Cinder
463 Iron
501 Platinum Metallic
503 Satin Nickel Metallic

TRIM CHANNEL PAINT COLORS

401 White
423 Concrete
462 Cinder
463 Iron
501 Platinum Metallic
503 Satin Nickel Metallic

END TRIM/END CAP PAINT COLORS

423 Concrete
462 Cinder
463 Iron
501 Platinum Metallic
503 Satin Nickel Metallic

WORK TOOLS (METAL)

423 Concrete
462 Cinder
463 Iron
501 Platinum Metallic
503 Satin Nickel Metallic

TACK BOARD INSERT/TRIM CHANNEL FABRIC OPTIONS

Dune (Grade A)
100% Polyester

8600 Drift
8601 Windblown
8602 Erosion
8603 Haze
8608 Nectar
8610 Clear Sky
8614 Basin
8615 Raven
8620 Darkness

Repetition (Grade A)
100% Pre-Consumer Recycled Polyester

3700 Ash
3703 White
3709 Java
3713 Stainless
3721 Reed
3744 Tawny

COM (Grade B)

Pact (Grade B)
65% Pre-Consumer Recycled Polyester, 35% Post-Consumer Recycled Polyester

25401 Aloe
25402 Azure
25403 Calla
25404 Coastal
25405 Delft
25406 Dove
25409 Fern
25410 Harbour
25411 Lily
25412 Lime
25413 Midnight
25414 Nectar
25415 Patina
25416 Putty
25418 Roma
25420 Sketch
25422 Taupe
25423 Toasty

EXHIBIT TV MOUNT INSERT OPTIONS

TS Single TV Mount, Front
TD Dual TV Mount, Front ($968 list upcharge)

EXHIBIT COMPONENTS



SH6 ORGANIZER SHELF HEIGHT 36"/37"/48"/49" HIGH MODELS

A Align with 13H Overhead
B Align with 18H Overhead
C Align with 30H Overhead*
*48"/49" high models only
D Align with SH1 top shelf

WOOD FINISHES (ORGANIZER SHELF INSERT)

AC Autumn
AD Almond
CL Caramel
CW Cordovan
DW Judicial
EW Clear Walnut**
HN Honey
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
SM Sonoma
TF Truffle
792 Sable

LAMINATE COLORS (ORGANIZER SHELF INSERT)

WOODGRAIN LAMINATE

AC2 Autumn 2
AD Almond
ADH Almond Horizontal
BZ Brazilwood
CI Chai
CL Caramel
CW Cordovan
DW Judicial
HN2 Honey 2
IM Brighton
KN Kona
MC Amber
MH Mocha
NM Natural
TF Truffle
PB Portobello
PBH Portobello Horizontal
PC Porcini
PT Portico*
PTH Portico Horizontal*
SK Skyline*
SKH Skyline Horizontal*
SM Sonoma
SMH Sonoma Horizontal
WL Willow
792 Sable
792H Sable Horizontal
793 Acorn**

SOLID LAMINATE

405 Designer White
419 Wallaby
425 Shadow
440 Cloud
457 Dapple
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
491H Designer White Linear Horizontal
492 Cinder Linear
492H Cinder Linear Horizontal

*Not available on laminate/wood models
**Acorn is the laminate complement to Clear Walnut finish

GALLERY LAMINATE

Grade 1 – 5% upcharge
G1001 Citadel
G1011 Pepperdust

Grade 2 – 6% upcharge
G1002 Planked Raw Oak
G1003 Evening Notte
G1004 Kirsche
G1005 Midnight Run
G1006 Sepia Walnut
G1007 Serotina
G1008 Timeless
G1009 White Nebbia
G1012 Phantom Ecru

See page 14 for Gallery program details and upcharges

EXHIBIT

OVERVIEW

Exhibit is a series consisting of a horizontal rail, marker board, tack board, and slat wall inserts, and work tools.

Exhibit can be used in numerous applications. Here are a few examples of how it can be used with National Office Furniture products.

EXHIBIT WITH WAVEWORKS AND EPIC MODELS

The Exhibit rail is a horizontal rail that attaches to walls to accommodate WaveWorks and Epic worksurfaces and components. Attaching worksurfaces directly to the wall rail allows the reduction of modesty panels and opens the space for a clean aesthetic.



APPLICATION GUIDELINES

FASTENERS

- Fasteners must tie in directly to the substructure of a structural wall for proper attachment of Exhibit wall rail. National defines a structural wall as a load bearing wall constructed of materials such as poured concrete, concrete block, or studs

MINIMUM REQUIREMENTS

- Wood studs must be nominal 2" x 4" minimum
- Metal studs must be "C" channel, 20 gauge minimum thickness
- Metal or wood studs must be on centers no greater than 24" and have a maximum height of 14' restrained at floor and ceiling
- Interior walls must be designed to resist not less than a force of 5 lbs. per sq. ft. applied perpendicular to the wall. The deflection of such walls under a load of 5 lbs. per square foot shall not exceed $\frac{1}{240}$ of the span for walls with brittle finishes and $\frac{1}{120}$ of the span for walls with flexible finishes (per International Building Code sections 1604.4 and 1607.13)
- Exhibit wall rail may not extend more than 6" beyond the last solid attachment point
- Minimum width of Exhibit wall rail that can be attached to a wall is 16" mounted to studs 16" apart
- If an overhead is being mounted, the minimum width for Exhibit is 30" with the Exhibit wall rail being centered on studs 24" apart, so as not to extend more than 6" beyond the last solid attachment point

RECOMMENDED FASTENERS

- Selection and purchase of the proper attachment fasteners for your wall conditions is the responsibility of the installer

Type and Size	Description
Steel Studs (½" to ¾" drywall) Hilti® Toggler® anchor toggle bolts, ¼"–20 x 2" grade 5 bolts	
Wood Studs (¼" to ½" drywall) Meets or exceeds ANSI/ASME B18.6.4 and SAE J933. Pan head sheet metal screw	10-2 PHPMS
Solid Masonry Crown Bolt lag shields ¼" x 1½" Buildex Tapcon concrete anchor screw ¼" x 2¾"	
Masonry Block Hilti Toggler anchor toggle bolts, ¼"–20 x 2" grade 5 bolts Crown Bolt lag shields ¼" x 1½" Buildex Tapcon concrete anchor screw ¼" x 2¾"	

- Actual mounting height can be varied to meet specific needs; however, undersurface storage height must be considered
- Variations in the floor surface (peaks and valleys) should be considered, especially where horizontal placement is critical
- Exhibit wall rail extends ⅞" from the wall. This dimensional loss should be considered when space planning for components, when Exhibit wall rails are being used on 2 or more walls of a space
- Select worksurfaces and inserts can be field scribed to fit space
- In fixed wall Exhibit applications, choose your insert height based on your specific application or height of corresponding WaveWorks vertical storage. Consider the height of the cabinet and clearance between the bottom of the overhead and the worksurface

34" Tall Inserts



36" and 48" Tall Inserts

Compatible with WaveWorks and Epic 68" and WaveWorks 79" High WW Models



37" and 49" Tall Inserts

Compatible with WaveWorks 69" and 80" High WWN Models



- Conference and training rooms commonly use 49" tall inserts, but with Exhibit, you can use any of the 5 heights to achieve the customer's needs.

WALL

- Trim when using full insert

EXHIBIT

PRODUCT SPECIFICATIONS

- Exhibit rail can be cut to size in the field
- Alignment brackets are required to align 2 sections of Exhibit rail in line
- Exhibit mount overheads available in the WaveWorks and Epic series, see Casegoods Book 2 Price List
- For worksurface brackets, end trim and end caps see pages 486-488

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

11N72EXFP2 462

- See pages 440-441 for all options available in Exhibit

EXHIBIT WALL RAIL AND FACEPLATE



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WALL RAIL AND FACEPLATE									
11N72EXFP2	Set of 2	$ 381	⅞	72	1¾	—	—	6 lbs.	0.7
11N144EXFP2	Set of 2	547	⅞	144	1¾	—	—	12 lbs.	1.4
11N72EXFP1	Set of 1	$ 219	⅞	72	1¾	—	—	6 lbs.	0.7
11N144EXFP1	Set of 1	303	⅞	144	1¾	—	—	12 lbs.	1.4

- Set of 2 includes 2 rails, 2 faceplates, and 4 alignment brackets
- Set of 1 includes 1 rail, 1 faceplate, and 2 alignment brackets
- Exhibit wall rail available in Concrete, Cinder, Iron, Platinum Metallic or Satin Nickel Metallic
- Faceplates must be used when using an insert

EXHIBIT WALL RAIL



WALL RAIL									
11N72EXP1	1 Rail/No faceplate	$ 133	¾	72	1½	—	—	6 lbs.	0.7
11N144EXP1	1 Rail/No faceplate	193	¾	144	1½	—	—	12 lbs.	1.4

- Includes 1 wall rail and 2 alignment brackets
- Exhibit wall rail available in Concrete, Cinder, Iron, Platinum Metallic or Satin Nickel Metallic
- For use when hanging a worksurface or overhead without the use of an insert

PRODUCT SPECIFICATIONS

- Tack board and HPL marker board inserts can be field scribed, additional trim channels should be specified separately if creating additional inserts. Porcelain marker board inserts cannot be field scribed
- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade
3. Fabric Color

SAMPLE MODEL NUMBERS:

11N1834TB B 25413
11N1836TB B 25413
11N1837TB B 25413

• See pages 440-441 for all options available in Exhibit

TACK BOARD INSERTS



MODEL NO./DESCRIPTION	LIST PRICE GRADE A	LIST PRICE GRADE B/COM	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
34"H TACK BOARD INSERTS									
11N1834TBA	$ 321	$ 376	½	18	34⅛	—	—	3 lbs.	0.5
11N2434TBA	337	392	½	24	34⅛	—	—	4 lbs.	0.6
11N3034TBA	394	449	½	30	34⅛	—	—	5 lbs.	0.8
11N3634TBA	413	479	½	36	34⅛	—	—	6 lbs.	0.9
11N4234TBA	422	488	½	42	34⅛	—	—	7 lbs.	1.0
11N4834TBA	454	531	½	48	34⅛	—	—	8 lbs.	1.2
11N5434TBA	515	603	½	54	34⅛	—	—	9 lbs.	1.3
11N6034TBA	519	607	½	60	34⅛	—	—	10 lbs.	1.4
COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS 36"H TACK BOARD INSERTS									
11N1836TBA	$ 343	$ 398	½	18	36⅜16	—	—	3 lbs.	0.5
11N2436TBA	360	415	½	24	36⅜16	—	—	4 lbs.	0.6
11N3036TBA	416	471	½	30	36⅜16	—	—	5 lbs.	0.8
11N3636TBA	440	506	½	36	36⅜16	—	—	6 lbs.	0.9
11N4236TBA	452	518	½	42	36⅜16	—	—	7 lbs.	1.0
11N4836TBA	481	558	½	48	36⅜16	—	—	8 lbs.	1.2
11N5436TBA	547	635	½	54	36⅜16	—	—	9 lbs.	1.3
11N6036TBA	550	638	½	60	36⅜16	—	—	10 lbs.	1.4
COMPATIBLE WITH WAVEWORKS 69" HIGH WWN MODELS 37"H TACK BOARD INSERTS									
11N1837TBA	$ 343	$ 398	½	18	37	—	—	3 lbs.	0.5
11N2437TBA	360	415	½	24	37	—	—	4 lbs.	0.6
11N3037TBA	416	471	½	30	37	—	—	5 lbs.	0.8
11N3637TBA	440	506	½	36	37	—	—	6 lbs.	0.9
11N4237TBA	452	518	½	42	37	—	—	7 lbs.	1.0
11N4837TBA	481	558	½	48	37	—	—	8 lbs.	1.2
11N5437TBA	547	635	½	54	37	—	—	9 lbs.	1.3
11N6037TBA	550	638	½	60	37	—	—	10 lbs.	1.4

- 2 trim channels included with each tack board insert in the same fabric
- Tack board inserts can be field scribed
- Additional trim channels should be specified separately if creating additional tack board inserts
- Fabric will be railroaded

EXHIBIT

PRODUCT SPECIFICATIONS

- Tack board and HPL marker board inserts can be field scribed, additional trim channels should be specified separately if creating additional inserts. Porcelain marker board inserts cannot be field scribed
- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade
3. Fabric Color

SAMPLE MODEL NUMBERS:

11N1848TB A 8600
11N1849TB A 8600

• See pages 440-441 for all options available in Exhibit

TACK BOARD INSERTS (CONTINUED)



MODEL NO./DESCRIPTION	LIST PRICE GRADE A	LIST PRICE GRADE B/COM	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 79" HIGH WWN MODELS 48"H TACK BOARD INSERTS									
11N1848TBA	$ 394	$ 460	½	18	48⅜	—	—	4 lbs.	1.2
11N2448TBA	410	476	½	24	48⅜	—	—	5 lbs.	1.3
11N3048TBA	479	545	½	30	48⅜	—	—	6 lbs.	1.7
11N3648TBA	486	552	½	36	48⅜	—	—	7 lbs.	2.0
11N4248TBA	506	572	½	42	48⅜	—	—	8 lbs.	2.3
11N4848TBA	528	605	½	48	48⅜	—	—	9 lbs.	2.7
11N5448TBA	602	690	½	54	48⅜	—	—	10 lbs.	3.0
11N6048TBA	607	695	½	60	48⅜	—	—	11 lbs.	3.3
COMPATIBLE WITH WAVEWORKS 80" HIGH WWN MODELS 49"H TACK BOARD INSERTS									
11N1849TBA	$ 394	$ 460	½	18	48 13⁄16	—	—	4 lbs.	1.2
11N2449TBA	410	476	½	24	48 13⁄16	—	—	5 lbs.	1.3
11N3049TBA	479	545	½	30	48 13⁄16	—	—	6 lbs.	1.7
11N3649TBA	486	552	½	36	48 13⁄16	—	—	7 lbs.	2.0
11N4249TBA	506	572	½	42	48 13⁄16	—	—	8 lbs.	2.3
11N4849TBA	528	605	½	48	48 13⁄16	—	—	9 lbs.	2.7
11N5449TBA	602	690	½	54	48 13⁄16	—	—	10 lbs.	3.0
11N6049TBA	607	695	½	60	48 13⁄16	—	—	11 lbs.	3.3

- 2 trim channels included with each tack board insert in the same fabric
- Tack board inserts can be field scribed
- Additional trim channels should be specified separately if creating additional tack board inserts
- Fabric will be railroaded

PRODUCT SPECIFICATIONS

- Tack board and HPL marker board inserts can be field scribed, additional trim channels should be specified separately if creating additional inserts. Porcelain marker board inserts cannot be field scribed
- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

11N2434MB

• See pages 440-441 for all options available in Exhibit

MARKER BOARD INSERTS



34"H MARKER BOARD INSERTS

MODEL NO./DESCRIPTION HPL	LIST PRICE	MODEL NO./DESCRIPTION PORCELAIN	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
11N2434MB	$ 598	11N2434MB2P	$ 910	½	24	34⅛	–	–	14 lbs.	0.6
11N3034MB	600	11N3034MB2P	919	½	30	34⅛	–	–	18 lbs.	0.8
11N3634MB	672	11N3634MB2P	1012	½	36	34⅛	–	–	22 lbs.	0.9
11N4234MB	723	11N4234MB2P	1013	½	42	34⅛	–	–	25 lbs.	1.0
11N4834MB	884	11N4834MB2P	1298	½	48	34⅛	–	–	29 lbs.	1.2
11N5434MB	886	11N5434MB2P	1306	½	54	34⅛	–	–	32 lbs.	1.3
11N6034MB	888	11N6034MB2P	1317	½	60	34⅛	–	–	36 lbs.	1.4

COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS
36"H MARKER BOARD INSERTS

HPL		PORCELAIN								
11N2436MB	$ 620	11N2436MB2P	$ 935	½	24	36⅜16	–	–	14 lbs.	0.6
11N3036MB	622	11N3036MB2P	937	½	30	36⅜16	–	–	18 lbs.	0.8
11N3636MB	697	11N3636MB2P	1038	½	36	36⅜16	–	–	22 lbs.	0.9
11N4236MB	749	11N4236MB2P	1041	½	42	36⅜16	–	–	25 lbs.	1.0
11N4836MB	910	11N4836MB2P	1326	½	48	36⅜16	–	–	29 lbs.	1.2
11N5436MB	912	11N5436MB2P	1334	½	54	36⅜16	–	–	32 lbs.	1.3
11N6036MB	921	11N6036MB2P	1346	½	60	36⅜16	–	–	36 lbs.	1.4

COMPATIBLE WITH WAVEWORKS 69" HIGH WWN MODELS
37"H MARKER BOARD INSERTS

HPL		PORCELAIN								
11N2437MB	$ 620	11N2437MB2P	$ 935	½	24	37	–	–	14 lbs.	0.6
11N3037MB	622	11N3037MB2P	937	½	30	37	–	–	18 lbs.	0.8
11N3637MB	697	11N3637MB2P	1038	½	36	37	–	–	22 lbs.	0.9
11N4237MB	749	11N4237MB2P	1041	½	42	37	–	–	25 lbs.	1.0
11N4837MB	910	11N4837MB2P	1326	½	48	37	–	–	29 lbs.	1.2
11N5437MB	912	11N5437MB2P	1334	½	54	37	–	–	32 lbs.	1.3
11N6037MB	921	11N6037MB2P	1346	½	60	37	–	–	36 lbs.	1.4

- HPL marker board inserts can be field scribed
- Additional trim channels should be specified separately if additional inserts are created
- Porcelain marker board inserts are magnetic
- Porcelain marker board inserts are double sided
- Specify model number only
- 2 trim channels included with each marker board insert in white to match board
- Marker board inserts available in white only

EXHIBIT

PRODUCT SPECIFICATIONS

- Tack board and HPL marker board inserts can be field scribed, additional trim channels should be specified separately if creating additional inserts. Porcelain marker board inserts cannot be field scribed
- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

11N2448MB

• See pages 440-441 for all options available in Exhibit

MARKER BOARD INSERTS (CONTINUED)



COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS
48"H MARKER BOARD INSERTS

MODEL NO./DESCRIPTION HPL	LIST PRICE	MODEL NO./DESCRIPTION PORCELAIN	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
11N2448MB	$ 724	11N2448MB2P	$ 1078	½	24	48⅜	–	–	16 lbs.	1.3
11N3048MB	725	11N3048MB2P	1080	½	30	48⅜	–	–	20 lbs.	1.7
11N3648MB	809	11N3648MB2P	1198	½	36	48⅜	–	–	24 lbs.	2.0
11N4248MB	878	11N4248MB2P	1290	½	42	48⅜	–	–	27 lbs.	2.3
11N4848MB	1063	11N4848MB2P	1536	½	48	48⅜	–	–	31 lbs.	2.7
11N5448MB	1068	11N5448MB2P	1777	½	54	48⅜	–	–	34 lbs.	3.0
11N6048MB	1077	11N6048MB2P	1915	½	60	48⅜	–	–	38 lbs.	3.3

COMPATIBLE WITH WAVEWORKS 80" HIGH WWN MODELS
49"H MARKER BOARD INSERTS

MODEL NO./DESCRIPTION HPL	LIST PRICE	MODEL NO./DESCRIPTION PORCELAIN	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
11N2449MB	$ 724	11N2449MB2P	$ 1078	½	24	48 13⁄16	–	–	16 lbs.	1.3
11N3049MB	725	11N3049MB2P	1080	½	30	48 13⁄16	–	–	20 lbs.	1.7
11N3649MB	809	11N3649MB2P	1198	½	36	48 13⁄16	–	–	24 lbs.	2.0
11N4249MB	878	11N4249MB2P	1290	½	42	48 13⁄16	–	–	27 lbs.	2.3
11N4849MB	1063	11N4849MB2P	1536	½	48	48 13⁄16	–	–	31 lbs.	2.7
11N5449MB	1068	11N5449MB2P	1777	½	54	48 13⁄16	–	–	34 lbs.	3.0
11N6049MB	1077	11N6049MB2P	1915	½	60	48 13⁄16	–	–	38 lbs.	3.3

- HPL marker board inserts can be field scribed
- Additional trim channels should be specified separately if additional inserts are created
- Porcelain marker board inserts are magnetic
- Porcelain marker board inserts are double sided
- Specify model number only
- 2 trim channels included with each marker board insert in white to match board
- Marker board inserts available in white only

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

11N2434SW 462

• See pages 440-441 for all options available in Exhibit

SLAT WALL INSERTS



MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
34"H FULL SLAT								
11N2434SW	$ 1551	½	24	34⅛	—	—	45 lbs.	1.2
11N3034SW	1560	½	30	34⅛	—	—	57 lbs.	1.4
11N3634SW	1784	½	36	34⅛	—	—	69 lbs.	1.7
11N4234SW	1785	½	42	34⅛	—	—	79 lbs.	2.0
11N4834SW	1980	½	48	34⅛	—	—	91 lbs.	2.3
COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS 36"H FULL SLAT								
11N2436SW	$ 1574	½	24	36⅜16	—	—	48 lbs.	1.2
11N3036SW	1583	½	30	36⅜16	—	—	60 lbs.	1.4
11N3636SW	1804	½	36	36⅜16	—	—	72 lbs.	1.7
11N4236SW	1806	½	42	36⅜16	—	—	82 lbs.	2.0
11N4836SW	2010	½	48	36⅜16	—	—	94 lbs.	2.3
COMPATIBLE WITH WAVEWORKS 69" HIGH WWN MODELS 37"H FULL SLAT								
11N2437SW	$ 1574	½	24	37	—	—	48 lbs.	1.2
11N3037SW	1583	½	30	37	—	—	60 lbs.	1.4
11N3637SW	1804	½	36	37	—	—	72 lbs.	1.7
11N4237SW	1806	½	42	37	—	—	82 lbs.	2.0
11N4837SW	2010	½	48	37	—	—	94 lbs.	2.3
COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS 48"H FULL SLAT								
11N2448SW	$ 1856	½	24	48⅜	—	—	63 lbs.	1.6
11N3048SW	1866	½	30	48⅜	—	—	80 lbs.	1.9
11N3648SW	2132	½	36	48⅜	—	—	97 lbs.	2.0
11N4248SW	2134	½	42	48⅜	—	—	111 lbs.	2.2
11N4848SW	2371	½	48	48⅜	—	—	128 lbs.	2.5

- 2 trim channels included with each slat wall insert in corresponding color to match slat
- Slat wall insert requires the use of trim channels and mounting bracket included with the model
- Slat wall should only be used with National certified work tools and monitor arms; reference pages 489-492

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

11N2449SW 462

• See pages 440-441 for all options available in Exhibit

SLAT WALL INSERTS (CONTINUED)



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 80" HIGH WWN MODELS 49"H FULL SLAT								
11N2449SW	$ 1856	½	24	48 13/16	–	–	63 lbs.	1.6
11N3049SW	1866	½	30	48 13/16	–	–	80 lbs.	1.9
11N3649SW	2132	½	36	48 13/16	–	–	97 lbs.	2.0
11N4249SW	2134	½	42	48 13/16	–	–	111 lbs.	2.2
11N4849SW	2371	½	48	48 13/16	–	–	128 lbs.	2.5

- 2 trim channels included with each slat wall insert in corresponding color to match slat
- Slat wall insert requires the use of trim channels and mounting bracket included with the model
- Slat wall should only be used with National certified work tools and monitor arms; reference pages 489-492

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade
3. Fabric Color
4. Paint Color

SAMPLE MODEL NUMBER:

11N2434SWTBF A 8600 501

• See pages 440-441 for all options available in Exhibit

SLAT WALL INSERTS
COMBO SLAT/TACK



MODEL NO./DESCRIPTION			LIST PRICE		DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
23"H SLAT WITH 11"H TACK			**GRADE A**	**GRADE B/ COM**							
FABRIC TRIM	**PAINTED TRIM**										
11N2434SWTBFA	11N2434SWTBPA	Railroad	$ 1406	$ 1439	½	24	34⅛	—	—	32 lbs.	1.2
11N3034SWTBFA	11N3034SWTBPA	Railroad	1409	1449	½	30	34⅛	—	—	41 lbs.	1.4
11N3634SWTBFA	11N3634SWTBPA	Railroad	1609	1657	½	36	34⅛	—	—	50 lbs.	1.7
11N4234SWTBFA	11N4234SWTBPA	Railroad	1610	1665	½	42	34⅛	—	—	59 lbs.	2.0
11N4834SWTBFA	11N4834SWTBPA	Railroad	1790	1852	½	48	34⅛	—	—	68 lbs.	2.3
COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS											
23"H SLAT WITH 13"H TACK			**GRADE A**	**GRADE B/ COM**							
FABRIC TRIM	**PAINTED TRIM**										
11N2436SWTBFA	11N2436SWTBPA	Railroad	$ 1427	$ 1460	½	24	36⅜	—	—	35 lbs.	1.2
11N3036SWTBFA	11N3036SWTBPA	Railroad	1434	1474	½	30	36⅜	—	—	44 lbs.	1.4
11N3636SWTBFA	11N3636SWTBPA	Railroad	1632	1680	½	36	36⅜	—	—	53 lbs.	1.7
11N4236SWTBFA	11N4236SWTBPA	Railroad	1637	1692	½	42	36⅜	—	—	62 lbs.	2.0
11N4836SWTBFA	11N4836SWTBPA	Railroad	1815	1877	½	48	36⅜	—	—	71 lbs.	2.3
COMPATIBLE WITH WAVEWORKS 69" HIGH WWN MODELS											
23"H SLAT WITH 14"H TACK			**GRADE A**	**GRADE B/ COM**							
FABRIC TRIM	**PAINTED TRIM**										
11N2437SWTBFA	11N2437SWTBPA	Railroad	$ 1427	$ 1460	½	24	37	—	—	35 lbs.	1.2
11N3037SWTBFA	11N3037SWTBPA	Railroad	1434	1474	½	30	37	—	—	44 lbs.	1.4
11N3637SWTBFA	11N3637SWTBPA	Railroad	1632	1680	½	36	37	—	—	53 lbs.	1.7
11N4237SWTBFA	11N4237SWTBPA	Railroad	1637	1692	½	42	37	—	—	62 lbs.	2.0
11N4837SWTBFA	11N4837SWTBPA	Railroad	1815	1877	½	48	37	—	—	71 lbs.	2.3
COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS											
23"H SLAT WITH 25"H TACK			**GRADE A**	**GRADE B/ COM**							
FABRIC TRIM	**PAINTED TRIM**										
11N2448SWTBFA	11N2448SWTBPA	Railroad	$ 1683	$ 1716	½	24	48⅜	—	—	45 lbs.	1.4
11N3048SWTBFA	11N3048SWTBPA	Railroad	1690	1730	½	30	48⅜	—	—	58 lbs.	1.7
11N3648SWTBFA	11N3648SWTBPA	Railroad	1926	1974	½	36	48⅜	—	—	71 lbs.	2.1
11N4248SWTBFA	11N4248SWTBPA	Railroad	1929	1984	½	42	48⅜	—	—	83 lbs.	2.5
11N4848SWTBFA	11N4848SWTBPA	Railroad	2143	2205	½	48	48⅜	—	—	96 lbs.	2.9

- 2 trim channels included with each combo slat wall insert, customer can choose either fabric or painted trim channels
- Slat wall insert requires the use of trim channels and mounting bracket included with the model
- Slat wall should only be used with National certified work tools and monitor arms; reference pages 489-492
- Slat section must be located on the lower portion of the insert
- Fabric will be railroaded
- Not recommended to use more than 2 monitor arms per combo slat/tack model

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade
3. Fabric Color
4. Paint Color

SAMPLE MODEL NUMBER:

11N2449SWTBF A 8600 501

• See pages 440-441 for all options available in Exhibit

SLAT WALL INSERTS COMBO SLAT/TACK (CONTINUED)



MODEL NO./DESCRIPTION			LIST PRICE		DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 80" HIGH WWN MODELS 23"H SLAT WITH 26"H TACK FABRIC TRIM	**PAINTED TRIM**		**GRADE A**	**GRADE B/ COM**							
11N2449SWTBFA	11N2449SWTBPA	Railroad	$ 1683	$ 1716	½	24	48 13/16	—	—	45 lbs.	1.4
11N3049SWTBFA	11N3049SWTBPA	Railroad	1690	1730	½	30	48 13/16	—	—	58 lbs.	1.7
11N3649SWTBFA	11N3649SWTBPA	Railroad	1926	1974	½	36	48 13/16	—	—	71 lbs.	2.1
11N4249SWTBFA	11N4249SWTBPA	Railroad	1929	1984	½	42	48 13/16	—	—	83 lbs.	2.5
11N4849SWTBFA	11N4849SWTBPA	Railroad	2143	2205	½	48	48 13/16	—	—	96 lbs.	2.9

- 2 trim channels included with each combo slat wall insert, customer can choose either fabric or painted trim channels
- Slat wall insert requires the use of trim channels and mounting bracket included with the model
- Slat wall should only be used with National certified work tools and monitor arms; reference pages 489-492
- Slat section must be located on the lower portion of the insert
- Fabric will be railroaded
- Not recommended to use more than 2 monitor arms per combo slat/tack model

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3634SH1W	MH	
11N3634SH1LW	462	CW
11N3634SH1L	405	478

• See pages 440-441 for all options available in Exhibit

ORGANIZER SHELF INSERTS





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
34"H ORGANIZER SHELF INSERTS									
11N3634SH1W	Wood	$ 2582	10½	35 15/16	34⅛	–	–	47 lbs.	3.1
11N3634SH1LW	Laminate Shelves, Wood Wall	2582	10½	35 15/16	34⅛	–	–	47 lbs.	3.1
11N3634SH1L	Laminate	1784	10½	35 15/16	34⅛	–	–	47 lbs.	3.1
11N3634SH1WL	Wood Shelves, Laminate Wall	2582	10½	35 15/16	34⅛	–	–	47 lbs.	3.1
11N4234SH1W	Wood	$ 2583	10½	41 15/16	34⅛	–	–	53 lbs.	3.3
11N4234SH1LW	Laminate Shelves, Wood Wall	2583	10½	41 15/16	34⅛	–	–	53 lbs.	3.3
11N4234SH1L	Laminate	1785	10½	41 15/16	34⅛	–	–	53 lbs.	3.3
11N4234SH1WL	Wood Shelves, Laminate Wall	2583	10½	41 15/16	34⅛	–	–	53 lbs.	3.3
11N4834SH1W	Wood	$ 2872	10½	47 15/16	34⅛	–	–	58 lbs.	3.5
11N4834SH1LW	Laminate Shelves, Wood Wall	2872	10½	47 15/16	34⅛	–	–	58 lbs.	3.5
11N4834SH1L	Laminate	1980	10½	47 15/16	34⅛	–	–	58 lbs.	3.5
11N4834SH1WL	Wood Shelves, Laminate Wall	2872	10½	47 15/16	34⅛	–	–	58 lbs.	3.5
11N5434SH1W	Wood	$ 3161	10½	53⅞	34⅛	–	–	64 lbs.	3.5
11N5434SH1LW	Laminate Shelves, Wood Wall	3161	10½	53⅞	34⅛	–	–	64 lbs.	3.5
11N5434SH1L	Laminate	2178	10½	53⅞	34⅛	–	–	64 lbs.	3.5
11N5434SH1WL	Wood Shelves, Laminate Wall	3161	10½	53⅞	34⅛	–	–	64 lbs.	3.5
11N6034SH1W	Wood	$ 3477	10½	59 15/16	34⅛	–	–	71 lbs.	3.9
11N6034SH1LW	Laminate Shelves, Wood Wall	3477	10½	59 15/16	34⅛	–	–	71 lbs.	3.9
11N6034SH1L	Laminate	2397	10½	59 15/16	34⅛	–	–	71 lbs.	3.9
11N6034SH1WL	Wood Shelves, Laminate Wall	3477	10½	59 15/16	34⅛	–	–	71 lbs.	3.9

- Some assembly required
- 34", 36" and 37" high shelf inserts have 3 shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3634SH2W MH
11N3634SH2LW 462 CW
11N3634SH2L 405 478

• See pages 440-441 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
34"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3634SH2W	Wood	$ 2582	10½	35 15/16	34⅛	—	—	47 lbs.	3.1
11N3634SH2LW	Laminate Shelves, Wood Wall	2582	10½	35 15/16	34⅛	—	—	47 lbs.	3.1
11N3634SH2L	Laminate	1784	10½	35 15/16	34⅛	—	—	47 lbs.	3.1
11N3634SH2WL	Wood Shelves, Laminate Wall	2582	10½	35 15/16	34⅛	—	—	47 lbs.	3.1
11N4234SH2W	Wood	$ 2583	10½	41 15/16	34⅛	—	—	53 lbs.	3.3
11N4234SH2LW	Laminate Shelves, Wood Wall	2583	10½	41 15/16	34⅛	—	—	53 lbs.	3.3
11N4234SH2L	Laminate	1785	10½	41 15/16	34⅛	—	—	53 lbs.	3.3
11N4234SH2WL	Wood Shelves, Laminate Wall	2583	10½	41 15/16	34⅛	—	—	53 lbs.	3.3
11N4834SH2W	Wood	$ 2872	10½	47 15/16	34⅛	—	—	58 lbs.	3.5
11N4834SH2LW	Laminate Shelves, Wood Wall	2872	10½	47 15/16	34⅛	—	—	58 lbs.	3.5
11N4834SH2L	Laminate	1980	10½	47 15/16	34⅛	—	—	58 lbs.	3.5
11N4834SH2WL	Wood Shelves, Laminate Wall	2872	10½	47 15/16	34⅛	—	—	58 lbs.	3.5
11N5434SH2W	Wood	$ 3161	10½	53⅞	34⅛	—	—	64 lbs.	3.5
11N5434SH2LW	Laminate Shelves, Wood Wall	3161	10½	53⅞	34⅛	—	—	64 lbs.	3.5
11N5434SH2L	Laminate	2178	10½	53⅞	34⅛	—	—	64 lbs.	3.5
11N5434SH2WL	Wood Shelves, Laminate Wall	3161	10½	53⅞	34⅛	—	—	64 lbs.	3.5
11N6034SH2W	Wood	$ 3477	10½	59 15/16	34⅛	—	—	71 lbs.	3.9
11N6034SH2LW	Laminate Shelves, Wood Wall	3477	10½	59 15/16	34⅛	—	—	71 lbs.	3.9
11N6034SH2L	Laminate	2397	10½	59 15/16	34⅛	—	—	71 lbs.	3.9
11N6034SH2WL	Wood Shelves, Laminate Wall	3477	10½	59 15/16	34⅛	—	—	71 lbs.	3.9

- Some assembly required
- 34", 36" and 37" high shelf inserts have 3 shelves
- "SH2" shelves are a mirrored version of the "SH1" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3634SH3W	MH	
11N3634SH3LW	462	CW
11N3634SH3L	405	478

• See pages 440-441 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
34"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3634SH3W	Wood	$ 2198	10½	35 15/16	34⅛	–	–	41 lbs.	3.3
11N3634SH3LW	Laminate Shelves, Wood Wall	2198	10½	35 15/16	34⅛	–	–	41 lbs.	3.3
11N3634SH3L	Laminate	1516	10½	35 15/16	34⅛	–	–	41 lbs.	3.3
11N3634SH3WL	Wood Shelves, Laminate Wall	2198	10½	35 15/16	34⅛	–	–	41 lbs.	3.3
11N4234SH3W	Wood	$ 2199	10½	41 15/16	34⅛	–	–	48 lbs.	3.8
11N4234SH3LW	Laminate Shelves, Wood Wall	2199	10½	41 15/16	34⅛	–	–	48 lbs.	3.8
11N4234SH3L	Laminate	1517	10½	41 15/16	34⅛	–	–	48 lbs.	3.8
11N4234SH3WL	Wood Shelves, Laminate Wall	2199	10½	41 15/16	34⅛	–	–	48 lbs.	3.8
11N4834SH3W	Wood	$ 2442	10½	47 15/16	34⅛	–	–	54 lbs.	4.3
11N4834SH3LW	Laminate Shelves, Wood Wall	2442	10½	47 15/16	34⅛	–	–	54 lbs.	4.3
11N4834SH3L	Laminate	1684	10½	47 15/16	34⅛	–	–	54 lbs.	4.3
11N4834SH3WL	Wood Shelves, Laminate Wall	2442	10½	47 15/16	34⅛	–	–	54 lbs.	4.3
11N5434SH3W	Wood	$ 2685	10½	53⅞	34⅛	–	–	59 lbs.	4.8
11N5434SH3LW	Laminate Shelves, Wood Wall	2685	10½	53⅞	34⅛	–	–	59 lbs.	4.8
11N5434SH3L	Laminate	1855	10½	53⅞	34⅛	–	–	59 lbs.	4.8
11N5434SH3WL	Wood Shelves, Laminate Wall	2685	10½	53⅞	34⅛	–	–	59 lbs.	4.8
11N6034SH3W	Wood	$ 2955	10½	59 15/16	34⅛	–	–	66 lbs.	5.3
11N6034SH3LW	Laminate Shelves, Wood Wall	2955	10½	59 15/16	34⅛	–	–	66 lbs.	5.3
11N6034SH3L	Laminate	2041	10½	59 15/16	34⅛	–	–	66 lbs.	5.3
11N6034SH3WL	Wood Shelves, Laminate Wall	2955	10½	59 15/16	34⅛	–	–	66 lbs.	5.3

- Some assembly required
- "SH3" models have 1 shelf that aligns with the top shelf of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3634SH4W MH
11N3634SH4W 462 CW
11N3634SH4L 405 478

• See pages 440-441 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
34"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3634SH4W	Wood	$ 2248	10½	35 15/16	34⅛	—	—	49 lbs.	3.3
11N3634SH4LW	Laminate Shelves, Wood Wall	2248	10½	35 15/16	34⅛	—	—	49 lbs.	3.3
11N3634SH4L	Laminate	1549	10½	35 15/16	34⅛	—	—	49 lbs.	3.3
11N3634SH4WL	Wood Shelves, Laminate Wall	2248	10½	35 15/16	34⅛	—	—	49 lbs.	3.3
11N4234SH4W	Wood	$ 2250	10½	41 15/16	34⅛	—	—	57 lbs.	3.8
11N4234SH4LW	Laminate Shelves, Wood Wall	2250	10½	41 15/16	34⅛	—	—	57 lbs.	3.8
11N4234SH4L	Laminate	1551	10½	41 15/16	34⅛	—	—	57 lbs.	3.8
11N4234SH4WL	Wood Shelves, Laminate Wall	2250	10½	41 15/16	34⅛	—	—	57 lbs.	3.8
11N4834SH4W	Wood	$ 2498	10½	47 15/16	34⅛	—	—	65 lbs.	4.3
11N4834SH4LW	Laminate Shelves, Wood Wall	2498	10½	47 15/16	34⅛	—	—	65 lbs.	4.3
11N4834SH4L	Laminate	1724	10½	47 15/16	34⅛	—	—	65 lbs.	4.3
11N4834SH4WL	Wood Shelves, Laminate Wall	2498	10½	47 15/16	34⅛	—	—	65 lbs.	4.3
11N5434SH4W	Wood	$ 2751	10½	53⅞	34⅛	—	—	73 lbs.	4.8
11N5434SH4LW	Laminate Shelves, Wood Wall	2751	10½	53⅞	34⅛	—	—	73 lbs.	4.8
11N5434SH4L	Laminate	1896	10½	53⅞	34⅛	—	—	73 lbs.	4.8
11N5434SH4WL	Wood Shelves, Laminate Wall	2751	10½	53⅞	34⅛	—	—	73 lbs.	4.8
11N6034SH4W	Wood	$ 3025	10½	59 15/16	34⅛	—	—	81 lbs.	5.3
11N6034SH4LW	Laminate Shelves, Wood Wall	3025	10½	59 15/16	34⅛	—	—	81 lbs.	5.3
11N6034SH4L	Laminate	2086	10½	59 15/16	34⅛	—	—	81 lbs.	5.3
11N6034SH4WL	Wood Shelves, Laminate Wall	3025	10½	59 15/16	34⅛	—	—	81 lbs.	5.3

- Some assembly required
- "SH4" models have 2 shelves that align with the horizontal shelves of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3634SH6W MH
11N3634SH6LW 462 CW
11N3634SH6L 405 478

• See pages 440-441 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
34"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3634SH6W	Wood	$ 2198	10½	35 15/16	34⅛	—	—	41 lbs.	3.3
11N3634SH6LW	Laminate Shelves, Wood Wall	2198	10½	35 15/16	34⅛	—	—	41 lbs.	3.3
11N3634SH6L	Laminate	1516	10½	35 15/16	34⅛	—	—	41 lbs.	3.3
11N3634SH6WL	Wood Shelves, Laminate Wall	2198	10½	35 15/16	34⅛	—	—	41 lbs.	3.3
11N4234SH6W	Wood	$ 2199	10½	41 15/16	34⅛	—	—	48 lbs.	3.8
11N4234SH6LW	Laminate Shelves, Wood Wall	2199	10½	41 15/16	34⅛	—	—	48 lbs.	3.8
11N4234SH6L	Laminate	1517	10½	41 15/16	34⅛	—	—	48 lbs.	3.8
11N4234SH6WL	Wood Shelves, Laminate Wall	2199	10½	41 15/16	34⅛	—	—	48 lbs.	3.8
11N4834SH6W	Wood	$ 2442	10½	47 15/16	34⅛	—	—	54 lbs.	4.3
11N4834SH6LW	Laminate Shelves, Wood Wall	2442	10½	47 15/16	34⅛	—	—	54 lbs.	4.3
11N4834SH6L	Laminate	1684	10½	47 15/16	34⅛	—	—	54 lbs.	4.3
11N4834SH6WL	Wood Shelves, Laminate Wall	2442	10½	47 15/16	34⅛	—	—	54 lbs.	4.3
11N5434SH6W	Wood	$ 2685	10½	53⅞	34⅛	—	—	59 lbs.	4.8
11N5434SH6LW	Laminate Shelves, Wood Wall	2685	10½	53⅞	34⅛	—	—	59 lbs.	4.8
11N5434SH6L	Laminate	1855	10½	53⅞	34⅛	—	—	59 lbs.	4.8
11N5434SH6WL	Wood Shelves, Laminate Wall	2685	10½	53⅞	34⅛	—	—	59 lbs.	4.8
11N6034SH6W	Wood	$ 2955	10½	59 15/16	34⅛	—	—	66 lbs.	5.3
11N6034SH6LW	Laminate Shelves, Wood Wall	2955	10½	59 15/16	34⅛	—	—	66 lbs.	5.3
11N6034SH6L	Laminate	2041	10½	59 15/16	34⅛	—	—	66 lbs.	5.3
11N6034SH6WL	Wood Shelves, Laminate Wall	2955	10½	59 15/16	34⅛	—	—	66 lbs.	5.3

- Some assembly required
- "SH6" 34" high models have 1 shelf that aligns with the bottom of a metal overhead
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3636SH1W MH
11N3636SH1LW 462 CW
11N3636SH1L 405 478

• See pages 440-441 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS									
36"H ORGANIZER SHELF INSERTS									
11N3636SH1W	Wood	$ 2620	10½	35 15/16	36 9/16	–	–	51 lbs.	3.4
11N3636SH1LW	Laminate Shelves, Wood Wall	2620	10½	35 15/16	36 9/16	–	–	51 lbs.	3.4
11N3636SH1L	Laminate	1804	10½	35 15/16	36 9/16	–	–	51 lbs.	3.4
11N3636SH1WL	Wood Shelves, Laminate Wall	2620	10½	35 15/16	36 9/16	–	–	51 lbs.	3.4
11N4236SH1W	Wood	$ 2624	10½	41 15/16	36 9/16	–	–	57 lbs.	3.6
11N4236SH1LW	Laminate Shelves, Wood Wall	2624	10½	41 15/16	36 9/16	–	–	57 lbs.	3.6
11N4236SH1L	Laminate	1806	10½	41 15/16	36 9/16	–	–	57 lbs.	3.6
11N4236SH1WL	Wood Shelves, Laminate Wall	2624	10½	41 15/16	36 9/16	–	–	57 lbs.	3.6
11N4836SH1W	Wood	$ 2915	10½	47 15/16	36 9/16	–	–	62 lbs.	3.9
11N4836SH1LW	Laminate Shelves, Wood Wall	2915	10½	47 15/16	36 9/16	–	–	62 lbs.	3.9
11N4836SH1L	Laminate	2010	10½	47 15/16	36 9/16	–	–	62 lbs.	3.9
11N4836SH1WL	Wood Shelves, Laminate Wall	2915	10½	47 15/16	36 9/16	–	–	62 lbs.	3.9
11N5436SH1W	Wood	$ 3205	10½	53⅜	36 9/16	–	–	68 lbs.	4.1
11N5436SH1LW	Laminate Shelves, Wood Wall	3205	10½	53⅜	36 9/16	–	–	68 lbs.	4.1
11N5436SH1L	Laminate	2211	10½	53⅜	36 9/16	–	–	68 lbs.	4.1
11N5436SH1WL	Wood Shelves, Laminate Wall	3205	10½	53⅜	36 9/16	–	–	68 lbs.	4.1
11N6036SH1W	Wood	$ 3527	10½	59 15/16	36 9/16	–	–	74 lbs.	4.3
11N6036SH1LW	Laminate Shelves, Wood Wall	3527	10½	59 15/16	36 9/16	–	–	74 lbs.	4.3
11N6036SH1L	Laminate	2432	10½	59 15/16	36 9/16	–	–	74 lbs.	4.3
11N6036SH1WL	Wood Shelves, Laminate Wall	3527	10½	59 15/16	36 9/16	–	–	74 lbs.	4.3

- Some assembly required
- 34", 36" and 37" high shelf inserts have 3 shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3636SH2W	MH	
11N3636SH2LW	462	CW
11N3636SH2L	405	478

• See pages 440-441 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS 36"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3636SH2W	Wood	$ 2620	10½	35 15/16	36 9/16	–	–	51 lbs.	3.4
11N3636SH2LW	Laminate Shelves, Wood Wall	2620	10½	35 15/16	36 9/16	–	–	51 lbs.	3.4
11N3636SH2L	Laminate	1804	10½	35 15/16	36 9/16	–	–	51 lbs.	3.4
11N3636SH2WL	Wood Shelves, Laminate Wall	2620	10½	35 15/16	36 9/16	–	–	51 lbs.	3.4
11N4236SH2W	Wood	$ 2624	10½	41 15/16	36 9/16	–	–	57 lbs.	3.6
11N4236SH2LW	Laminate Shelves, Wood Wall	2624	10½	41 15/16	36 9/16	–	–	57 lbs.	3.6
11N4236SH2L	Laminate	1806	10½	41 15/16	36 9/16	–	–	57 lbs.	3.6
11N4236SH2WL	Wood Shelves, Laminate Wall	2624	10½	41 15/16	36 9/16	–	–	57 lbs.	3.6
11N4836SH2W	Wood	$ 2915	10½	47 15/16	36 9/16	–	–	62 lbs.	3.9
11N4836SH2LW	Laminate Shelves, Wood Wall	2915	10½	47 15/16	36 9/16	–	–	62 lbs.	3.9
11N4836SH2L	Laminate	2010	10½	47 15/16	36 9/16	–	–	62 lbs.	3.9
11N4836SH2WL	Wood Shelves, Laminate Wall	2915	10½	47 15/16	36 9/16	–	–	62 lbs.	3.9
11N5436SH2W	Wood	$ 3205	10½	53 7/8	36 9/16	–	–	68 lbs.	4.1
11N5436SH2LW	Laminate Shelves, Wood Wall	3205	10½	53 7/8	36 9/16	–	–	68 lbs.	4.1
11N5436SH2L	Laminate	2211	10½	53 7/8	36 9/16	–	–	68 lbs.	4.1
11N5436SH2WL	Wood Shelves, Laminate Wall	3205	10½	53 7/8	36 9/16	–	–	68 lbs.	4.1
11N6036SH2W	Wood	$ 3527	10½	59 15/16	36 9/16	–	–	74 lbs.	4.3
11N6036SH2LW	Laminate Shelves, Wood Wall	3527	10½	59 15/16	36 9/16	–	–	74 lbs.	4.3
11N6036SH2L	Laminate	2432	10½	59 15/16	36 9/16	–	–	74 lbs.	4.3
11N6036SH2WL	Wood Shelves, Laminate Wall	3527	10½	59 15/16	36 9/16	–	–	74 lbs.	4.3

- Some assembly required
- "SH2" shelves are a mirrored version of the "SH1" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3636SH3W MH
11N3636SH3LW 462 CW
11N3636SH3L 405 478

• See pages 440-441 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS									
36"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3636SH3W	Wood	$ 2225	10½	35 15/16	36 9/16	–	–	43 lbs.	3.5
11N3636SH3LW	Laminate Shelves, Wood Wall	2225	10½	35 15/16	36 9/16	–	–	43 lbs.	3.5
11N3636SH3L	Laminate	1535	10½	35 15/16	36 9/16	–	–	43 lbs.	3.5
11N3636SH3WL	Wood Shelves, Laminate Wall	2225	10½	35 15/16	36 9/16	–	–	43 lbs.	3.5
11N4236SH3W	Wood	$ 2230	10½	41 15/16	36 9/16	–	–	49 lbs.	4.1
11N4236SH3LW	Laminate Shelves, Wood Wall	2230	10½	41 15/16	36 9/16	–	–	49 lbs.	4.1
11N4236SH3L	Laminate	1538	10½	41 15/16	36 9/16	–	–	49 lbs.	4.1
11N4236SH3WL	Wood Shelves, Laminate Wall	2230	10½	41 15/16	36 9/16	–	–	49 lbs.	4.1
11N4836SH3W	Wood	$ 2477	10½	47 15/16	36 9/16	–	–	56 lbs.	4.6
11N4836SH3LW	Laminate Shelves, Wood Wall	2477	10½	47 15/16	36 9/16	–	–	56 lbs.	4.6
11N4836SH3L	Laminate	1708	10½	47 15/16	36 9/16	–	–	56 lbs.	4.6
11N4836SH3WL	Wood Shelves, Laminate Wall	2477	10½	47 15/16	36 9/16	–	–	56 lbs.	4.6
11N5436SH3W	Wood	$ 2726	10½	53⅜	36 9/16	–	–	63 lbs.	5.1
11N5436SH3LW	Laminate Shelves, Wood Wall	2726	10½	53⅜	36 9/16	–	–	63 lbs.	5.1
11N5436SH3L	Laminate	1880	10½	53⅜	36 9/16	–	–	63 lbs.	5.1
11N5436SH3WL	Wood Shelves, Laminate Wall	2726	10½	53⅜	36 9/16	–	–	63 lbs.	5.1
11N6036SH3W	Wood	$ 2996	10½	59 15/16	36 9/16	–	–	69 lbs.	5.6
11N6036SH3LW	Laminate Shelves, Wood Wall	2996	10½	59 15/16	36 9/16	–	–	69 lbs.	5.6
11N6036SH3L	Laminate	2068	10½	59 15/16	36 9/16	–	–	69 lbs.	5.6
11N6036SH3WL	Wood Shelves, Laminate Wall	2996	10½	59 15/16	36 9/16	–	–	69 lbs.	5.6

- Some assembly required
- "SH3" models have 1 shelf that aligns with the top shelf of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3636SH4W	MH	
11N3636SH4LW	462	CW
11N3636SH4L	405	478

• See pages 440-441 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS									
36"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3636SH4W	Wood	$ 2277	10½	35 15/16	36 9/16	–	–	51 lbs.	3.5
11N3636SH4LW	Laminate Shelves, Wood Wall	2277	10½	35 15/16	36 9/16	–	–	51 lbs.	3.5
11N3636SH4L	Laminate	1572	10½	35 15/16	36 9/16	–	–	51 lbs.	3.5
11N3636SH4WL	Wood Shelves, Laminate Wall	2277	10½	35 15/16	36 9/16	–	–	51 lbs.	3.5
11N4236SH4W	Wood	$ 2283	10½	41 15/16	36 9/16	–	–	59 lbs.	4.1
11N4236SH4LW	Laminate Shelves, Wood Wall	2283	10½	41 15/16	36 9/16	–	–	59 lbs.	4.1
11N4236SH4L	Laminate	1575	10½	41 15/16	36 9/16	–	–	59 lbs.	4.1
11N4236SH4WL	Wood Shelves, Laminate Wall	2283	10½	41 15/16	36 9/16	–	–	59 lbs.	4.1
11N4836SH4W	Wood	$ 2536	10½	47 15/16	36 9/16	–	–	68 lbs.	4.6
11N4836SH4LW	Laminate Shelves, Wood Wall	2536	10½	47 15/16	36 9/16	–	–	68 lbs.	4.6
11N4836SH4L	Laminate	1749	10½	47 15/16	36 9/16	–	–	68 lbs.	4.6
11N4836SH4WL	Wood Shelves, Laminate Wall	2536	10½	47 15/16	36 9/16	–	–	68 lbs.	4.6
11N5436SH4W	Wood	$ 2790	10½	53 7/8	36 9/16	–	–	76 lbs.	5.1
11N5436SH4LW	Laminate Shelves, Wood Wall	2790	10½	53 7/8	36 9/16	–	–	76 lbs.	5.1
11N5436SH4L	Laminate	1926	10½	53 7/8	36 9/16	–	–	76 lbs.	5.1
11N5436SH4WL	Wood Shelves, Laminate Wall	2790	10½	53 7/8	36 9/16	–	–	76 lbs.	5.1
11N6036SH4W	Wood	$ 3069	10½	59 15/16	36 9/16	–	–	85 lbs.	5.6
11N6036SH4LW	Laminate Shelves, Wood Wall	3069	10½	59 15/16	36 9/16	–	–	85 lbs.	5.6
11N6036SH4L	Laminate	2116	10½	59 15/16	36 9/16	–	–	85 lbs.	5.6
11N6036SH4WL	Wood Shelves, Laminate Wall	3069	10½	59 15/16	36 9/16	–	–	85 lbs.	5.6

- Some assembly required
- "SH4" models have 2 shelves that align with the horizontal shelves of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Shelf Height (SH6 models only)
3. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Shelf Height (SH6 models only)
3. Laminate Shelf Color
4. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Shelf Height (SH6 models only)
3. Laminate Shelf Color
4. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Shelf Height (SH6 models only)
3. Wood Shelf Finish
4. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3636SH6W A MH
11N3636SH6LW A 462 CW
11N3636SH6L A 405 478

• See pages 440-441 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS									
36"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3636SH6W	Wood	$ 2225	10½	35 15/16	36 9/16	–	–	43 lbs.	3.5
11N3636SH6LW	Laminate Shelves, Wood Wall	2225	10½	35 15/16	36 9/16	–	–	43 lbs.	3.5
11N3636SH6L	Laminate	1535	10½	35 15/16	36 9/16	–	–	43 lbs.	3.5
11N3636SH6WL	Wood Shelves, Laminate Wall	2225	10½	35 15/16	36 9/16	–	–	49 lbs.	3.5
11N4236SH6W	Wood	$ 2230	10½	41 15/16	36 9/16	–	–	49 lbs.	4.1
11N4236SH6LW	Laminate Shelves, Wood Wall	2230	10½	41 15/16	36 9/16	–	–	49 lbs.	4.1
11N4236SH6L	Laminate	1538	10½	41 15/16	36 9/16	–	–	49 lbs.	4.1
11N4236SH6WL	Wood Shelves, Laminate Wall	2230	10½	41 15/16	36 9/16	–	–	49 lbs.	4.1
11N4836SH6W	Wood	$ 2477	10½	47 15/16	36 9/16	–	–	56 lbs.	4.6
11N4836SH6LW	Laminate Shelves, Wood Wall	2477	10½	47 15/16	36 9/16	–	–	56 lbs.	4.6
11N4836SH6L	Laminate	1708	10½	47 15/16	36 9/16	–	–	56 lbs.	4.6
11N4836SH6WL	Wood Shelves, Laminate Wall	2477	10½	47 15/16	36 9/16	–	–	56 lbs.	4.6
11N5436SH6W	Wood	$ 2726	10½	53⅞	36 9/16	–	–	63 lbs.	5.1
11N5436SH6LW	Laminate Shelves, Wood Wall	2726	10½	53⅞	36 9/16	–	–	63 lbs.	5.1
11N5436SH6L	Laminate	1880	10½	53⅞	36 9/16	–	–	63 lbs.	5.1
11N5436SH6WL	Wood Shelves, Laminate Wall	2726	10½	53⅞	36 9/16	–	–	63 lbs.	5.1
11N6036SH6W	Wood	$ 2996	10½	59 15/16	36 9/16	–	–	69 lbs.	5.6
11N6036SH6LW	Laminate Shelves, Wood Wall	2996	10½	59 15/16	36 9/16	–	–	69 lbs.	5.6
11N6036SH6L	Laminate	2068	10½	59 15/16	36 9/16	–	–	69 lbs.	5.6
11N6036SH6WL	Wood Shelves, Laminate Wall	2996	10½	59 15/16	36 9/16	–	–	69 lbs.	5.6

- Some assembly required
- "SH6" 36"/37" high models have 1 shelf that can be configured to align with the bottom of a 13" or 18" overhead
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3637SH1W	MH	
11N3637SH1LW	462	CW
11N3637SH1L	405	478

• See pages 440-441 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 69" HIGH WWN MODELS 37"H ORGANIZER SHELF INSERTS									
11N3637SH1W	Wood	$ 2620	10½	35 15/16	37	–	–	51 lbs.	3.4
11N3637SH1LW	Laminate Shelves, Wood Wall	2620	10½	35 15/16	37	–	–	51 lbs.	3.4
11N3637SH1L	Laminate	1804	10½	35 15/16	37	–	–	51 lbs.	3.4
11N3637SH1WL	Wood Shelves, Laminate Wall	2620	10½	35 15/16	37	–	–	51 lbs.	3.4
11N4237SH1W	Wood	$ 2624	10½	41 15/16	37	–	–	57 lbs.	3.6
11N4237SH1LW	Laminate Shelves, Wood Wall	2624	10½	41 15/16	37	–	–	57 lbs.	3.6
11N4237SH1L	Laminate	1806	10½	41 15/16	37	–	–	57 lbs.	3.6
11N4237SH1WL	Wood Shelves, Laminate Wall	2624	10½	41 15/16	37	–	–	57 lbs.	3.6
11N4837SH1W	Wood	$ 2915	10½	47 15/16	37	–	–	62 lbs.	3.9
11N4837SH1LW	Laminate Shelves, Wood Wall	2915	10½	47 15/16	37	–	–	62 lbs.	3.9
11N4837SH1L	Laminate	2010	10½	47 15/16	37	–	–	62 lbs.	3.9
11N4837SH1WL	Wood Shelves, Laminate Wall	2915	10½	47 15/16	37	–	–	62 lbs.	3.9
11N5437SH1W	Wood	$ 3205	10½	53⅞	37	–	–	68 lbs.	4.1
11N5437SH1LW	Laminate Shelves, Wood Wall	3205	10½	53⅞	37	–	–	68 lbs.	4.1
11N5437SH1L	Laminate	2211	10½	53⅞	37	–	–	68 lbs.	4.1
11N5437SH1WL	Wood Shelves, Laminate Wall	3205	10½	53⅞	37	–	–	68 lbs.	4.1
11N6037SH1W	Wood	$ 3527	10½	59 15/16	37	–	–	74 lbs.	4.3
11N6037SH1LW	Laminate Shelves, Wood Wall	3527	10½	59 15/16	37	–	–	74 lbs.	4.3
11N6037SH1L	Laminate	2432	10½	59 15/16	37	–	–	74 lbs.	4.3
11N6037SH1WL	Wood Shelves, Laminate Wall	3527	10½	59 15/16	37	–	–	74 lbs.	4.3

- Some assembly required
- 34", 36" and 37" high shelf inserts have 3 shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3637SH2W MH
11N3637SH2LW 462 CW
11N3637SH2L 405 478

• See pages 440-441 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 69" HIGH WWN MODELS 37"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3637SH2W	Wood	$ 2620	10½	35 15/16	37	–	–	51 lbs.	3.4
11N3637SH2LW	Laminate Shelves, Wood Wall	2620	10½	35 15/16	37	–	–	51 lbs.	3.4
11N3637SH2L	Laminate	1804	10½	35 15/16	37	–	–	51 lbs.	3.4
11N3637SH2WL	Wood Shelves, Laminate Wall	2620	10½	35 15/16	37	–	–	51 lbs.	3.4
11N4237SH2W	Wood	$ 2624	10½	41 15/16	37	–	–	57 lbs.	3.6
11N4237SH2LW	Laminate Shelves, Wood Wall	2624	10½	41 15/16	37	–	–	57 lbs.	3.6
11N4237SH2L	Laminate	1806	10½	41 15/16	37	–	–	57 lbs.	3.6
11N4237SH2WL	Wood Shelves, Laminate Wall	2624	10½	41 15/16	37	–	–	57 lbs.	3.6
11N4837SH2W	Wood	$ 2915	10½	47 15/16	37	–	–	62 lbs.	3.9
11N4837SH2LW	Laminate Shelves, Wood Wall	2915	10½	47 15/16	37	–	–	62 lbs.	3.9
11N4837SH2L	Laminate	2010	10½	47 15/16	37	–	–	62 lbs.	3.9
11N4837SH2WL	Wood Shelves, Laminate Wall	2915	10½	47 15/16	37	–	–	62 lbs.	3.9
11N5437SH2W	Wood	$ 3205	10½	53⅜	37	–	–	68 lbs.	4.1
11N5437SH2LW	Laminate Shelves, Wood Wall	3205	10½	53⅜	37	–	–	68 lbs.	4.1
11N5437SH2L	Laminate	2211	10½	53⅜	37	–	–	68 lbs.	4.1
11N5437SH2WL	Wood Shelves, Laminate Wall	3205	10½	53⅜	37	–	–	68 lbs.	4.1
11N6037SH2W	Wood	$ 3527	10½	59 15/16	37	–	–	74 lbs.	4.3
11N6037SH2LW	Laminate Shelves, Wood Wall	3527	10½	59 15/16	37	–	–	74 lbs.	4.3
11N6037SH2L	Laminate	2432	10½	59 15/16	37	–	–	74 lbs.	4.3
11N6037SH2WL	Wood Shelves, Laminate Wall	3527	10½	59 15/16	37	–	–	74 lbs.	4.3

- Some assembly required
- "SH2" shelves are a mirrored version of the "SH1" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3637SH3W	MH	
11N3637SH3LW	462	CW
11N3637SH3L	405	478

• See pages 440-441 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 69" HIGH WWN MODELS 37"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3637SH3W	Wood	$ 2225	10½	35 15/16	37	—	—	43 lbs.	3.6
11N3637SH3LW	Laminate Shelves, Wood Wall	2225	10½	35 15/16	37	—	—	43 lbs.	3.6
11N3637SH3L	Laminate	1535	10½	35 15/16	37	—	—	43 lbs.	3.6
11N3637SH3WL	Wood Shelves, Laminate Wall	2225	10½	35 15/16	37	—	—	43 lbs.	3.6
11N4237SH3W	Wood	$ 2230	10½	41 15/16	37	—	—	50 lbs.	4.1
11N4237SH3LW	Laminate Shelves, Wood Wall	2230	10½	41 15/16	37	—	—	50 lbs.	4.1
11N4237SH3L	Laminate	1538	10½	41 15/16	37	—	—	50 lbs.	4.1
11N4237SH3WL	Wood Shelves, Laminate Wall	2230	10½	41 15/16	37	—	—	50 lbs.	4.1
11N4837SH3W	Wood	$ 2477	10½	47 15/16	37	—	—	56 lbs.	4.6
11N4837SH3LW	Laminate Shelves, Wood Wall	2477	10½	47 15/16	37	—	—	56 lbs.	4.6
11N4837SH3L	Laminate	1708	10½	47 15/16	37	—	—	56 lbs.	4.6
11N4837SH3WL	Wood Shelves, Laminate Wall	2477	10½	47 15/16	37	—	—	56 lbs.	4.6
11N5437SH3W	Wood	$ 2726	10½	53⅞	37	—	—	63 lbs.	5.1
11N5437SH3LW	Laminate Shelves, Wood Wall	2726	10½	53⅞	37	—	—	63 lbs.	5.1
11N5437SH3L	Laminate	1880	10½	53⅞	37	—	—	63 lbs.	5.1
11N5437SH3WL	Wood Shelves, Laminate Wall	2726	10½	53⅞	37	—	—	63 lbs.	5.1
11N6037SH3W	Wood	$ 2996	10½	59 15/16	37	—	—	70 lbs.	5.7
11N6037SH3LW	Laminate Shelves, Wood Wall	2996	10½	59 15/16	37	—	—	70 lbs.	5.7
11N6037SH3L	Laminate	2068	10½	59 15/16	37	—	—	70 lbs.	5.7
11N6037SH3WL	Wood Shelves, Laminate Wall	2996	10½	59 15/16	37	—	—	70 lbs.	5.7

- Some assembly required
- "SH3" models have 1 shelf that aligns with the top shelf of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3637SH4W MH
11N3637SH4LW 462 CW
11N3637SH4L 405 478

• See pages 440-441 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 69" HIGH WWN MODELS 37"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3637SH4W	Wood	$ 2277	10½	35 15/16	37	–	–	51 lbs.	3.6
11N3637SH4LW	Laminate Shelves, Wood Wall	2277	10½	35 15/16	37	–	–	51 lbs.	3.6
11N3637SH4L	Laminate	1572	10½	35 15/16	37	–	–	51 lbs.	3.6
11N3637SH4WL	Wood Shelves, Laminate Wall	2277	10½	35 15/16	37	–	–	51 lbs.	3.6
11N4237SH4W	Wood	$ 2283	10½	41 15/16	37	–	–	60 lbs.	4.1
11N4237SH4LW	Laminate Shelves, Wood Wall	2283	10½	41 15/16	37	–	–	60 lbs.	4.1
11N4237SH4L	Laminate	1575	10½	41 15/16	37	–	–	60 lbs.	4.1
11N4237SH4WL	Wood Shelves, Laminate Wall	2283	10½	41 15/16	37	–	–	60 lbs.	4.1
11N4837SH4W	Wood	$ 2536	10½	47 15/16	37	–	–	68 lbs.	4.6
11N4837SH4LW	Laminate Shelves, Wood Wall	2536	10½	47 15/16	37	–	–	68 lbs.	4.6
11N4837SH4L	Laminate	1749	10½	47 15/16	37	–	–	68 lbs.	4.6
11N4837SH4WL	Wood Shelves, Laminate Wall	2536	10½	47 15/16	37	–	–	68 lbs.	4.6
11N5437SH4W	Wood	$ 2790	10½	53⅜	37	–	–	77 lbs.	5.1
11N5437SH4LW	Laminate Shelves, Wood Wall	2790	10½	53⅜	37	–	–	77 lbs.	5.1
11N5437SH4L	Laminate	1926	10½	53⅜	37	–	–	77 lbs.	5.1
11N5437SH4WL	Wood Shelves, Laminate Wall	2790	10½	53⅜	37	–	–	77 lbs.	5.1
11N6037SH4W	Wood	$ 3069	10½	59 15/16	37	–	–	85 lbs.	5.7
11N6037SH4LW	Laminate Shelves, Wood Wall	3069	10½	59 15/16	37	–	–	85 lbs.	5.7
11N6037SH4L	Laminate	2116	10½	59 15/16	37	–	–	85 lbs.	5.7
11N6037SH4WL	Wood Shelves, Laminate Wall	3069	10½	59 15/16	37	–	–	85 lbs.	5.7

- Some assembly required
- "SH4" models have 2 shelves that align with the horizontal shelves of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Shelf Height (SH6 models only)
3. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Shelf Height (SH6 models only)
3. Laminate Shelf Color
4. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Shelf Height (SH6 models only)
3. Laminate Shelf Color
4. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Shelf Height (SH6 models only)
3. Wood Shelf Finish
4. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3637SH6W A MH
11N3637SH6LW A 462 CW
11N3637SH6L A 405 478

• See pages 440-441 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 69" HIGH WWN MODELS 37"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3637SH6W	Wood	$ 2225	10½	35 15/16	37	–	–	43 lbs.	3.6
11N3637SH6LW	Laminate Shelves, Wood Wall	2225	10½	35 15/16	37	–	–	43 lbs.	3.6
11N3637SH6L	Laminate	1535	10½	35 15/16	37	–	–	43 lbs.	3.6
11N3637SH6WL	Wood Shelves, Laminate Wall	2225	10½	35 15/16	37	–	–	43 lbs.	3.6
11N4237SH6W	Wood	$ 2230	10½	41 15/16	37	–	–	50 lbs.	4.1
11N4237SH6LW	Laminate Shelves, Wood Wall	2230	10½	41 15/16	37	–	–	50 lbs.	4.1
11N4237SH6L	Laminate	1538	10½	41 15/16	37	–	–	50 lbs.	4.1
11N4237SH6WL	Wood Shelves, Laminate Wall	2230	10½	41 15/16	37	–	–	50 lbs.	4.1
11N4837SH6W	Wood	$ 2477	10½	47 15/16	37	–	–	56 lbs.	4.6
11N4837SH6LW	Laminate Shelves, Wood Wall	2477	10½	47 15/16	37	–	–	56 lbs.	4.6
11N4837SH6L	Laminate	1708	10½	47 15/16	37	–	–	56 lbs.	4.6
11N4837SH6WL	Wood Shelves, Laminate Wall	2477	10½	47 15/16	37	–	–	56 lbs.	4.6
11N5437SH6W	Wood	$ 2726	10½	53⅞	37	–	–	63 lbs.	5.1
11N5437SH6LW	Laminate Shelves, Wood Wall	2726	10½	53⅞	37	–	–	63 lbs.	5.1
11N5437SH6L	Laminate	1880	10½	53⅞	37	–	–	63 lbs.	5.1
11N5437SH6WL	Wood Shelves, Laminate Wall	2726	10½	53⅞	37	–	–	63 lbs.	5.1
11N6037SH6W	Wood	$ 2996	10½	59 15/16	37	–	–	70 lbs.	5.7
11N6037SH6LW	Laminate Shelves, Wood Wall	2996	10½	59 15/16	37	–	–	70 lbs.	5.7
11N6037SH6L	Laminate	2068	10½	59 15/16	37	–	–	70 lbs.	5.7
11N6037SH6WL	Wood Shelves, Laminate Wall	2996	10½	59 15/16	37	–	–	70 lbs.	5.7

- Some assembly required
- "SH6" 36"/37" high models have 1 shelf that can be configured to align with the bottom of a 13" or 18" overhead
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3648SH1W MH
11N3648SH1LW 462 CW
11N3648SH1L 405 478

• See pages 440-441 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS 48"H ORGANIZER SHELF INSERTS									
11N3648SH1W	Wood	$ 3093	10½	35 15/16	48 3/8	–	–	69 lbs.	5.0
11N3648SH1LW	Laminate Shelves, Wood Wall	3093	10½	35 15/16	48 3/8	–	–	69 lbs.	5.0
11N3648SH1L	Laminate	2132	10½	35 15/16	48 3/8	–	–	69 lbs.	5.0
11N3648SH1WL	Wood Shelves, Laminate Wall	3093	10½	35 15/16	48 3/8	–	–	69 lbs.	5.0
11N4248SH1W	Wood	$ 3098	10½	41 15/16	48 3/8	–	–	77 lbs.	5.2
11N4248SH1LW	Laminate Shelves, Wood Wall	3098	10½	41 15/16	48 3/8	–	–	77 lbs.	5.2
11N4248SH1L	Laminate	2134	10½	41 15/16	48 3/8	–	–	77 lbs.	5.2
11N4248SH1WL	Wood Shelves, Laminate Wall	3098	10½	41 15/16	48 3/8	–	–	77 lbs.	5.2
11N4848SH1W	Wood	$ 3439	10½	47 15/16	48 3/8	–	–	85 lbs.	5.5
11N4848SH1LW	Laminate Shelves, Wood Wall	3439	10½	47 15/16	48 3/8	–	–	85 lbs.	5.5
11N4848SH1L	Laminate	2371	10½	47 15/16	48 3/8	–	–	85 lbs.	5.5
11N4848SH1WL	Wood Shelves, Laminate Wall	3439	10½	47 15/16	48 3/8	–	–	85 lbs.	5.5
11N5448SH1W	Wood	$ 3786	10½	53 3/8	48 3/8	–	–	93 lbs.	5.8
11N5448SH1LW	Laminate Shelves, Wood Wall	3786	10½	53 3/8	48 3/8	–	–	93 lbs.	5.8
11N5448SH1L	Laminate	2609	10½	53 3/8	48 3/8	–	–	93 lbs.	5.8
11N5448SH1WL	Wood Shelves, Laminate Wall	3786	10½	53 3/8	48 3/8	–	–	93 lbs.	5.8
11N6048SH1W	Wood	$ 4160	10½	59 15/16	48 3/8	–	–	101 lbs.	6.1
11N6048SH1LW	Laminate Shelves, Wood Wall	4160	10½	59 15/16	48 3/8	–	–	101 lbs.	6.1
11N6048SH1L	Laminate	2869	10½	59 15/16	48 3/8	–	–	101 lbs.	6.1
11N6048SH1WL	Wood Shelves, Laminate Wall	4160	10½	59 15/16	48 3/8	–	–	101 lbs.	6.1

- Some assembly required
- 48" and 49" high shelf inserts have 5 shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3648SH2W	MH	
11N3648SH2LW	462	CW
11N3648SH2L	405	478

• See pages 440-441 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS 48"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3648SH2W	Wood	$ 3093	10½	35 15/16	48⅜	–	–	69 lbs.	5.0
11N3648SH2LW	Laminate Shelves, Wood Wall	3093	10½	35 15/16	48⅜	–	–	69 lbs.	5.0
11N3648SH2L	Laminate	2132	10½	35 15/16	48⅜	–	–	69 lbs.	5.0
11N3648SH2WL	Wood Shelves, Laminate Wall	3093	10½	35 15/16	48⅜	–	–	69 lbs.	5.0
11N4248SH2W	Wood	$ 3098	10½	41 15/16	48⅜	–	–	77 lbs.	5.2
11N4248SH2LW	Laminate Shelves, Wood Wall	3098	10½	41 15/16	48⅜	–	–	77 lbs.	5.2
11N4248SH2L	Laminate	2134	10½	41 15/16	48⅜	–	–	77 lbs.	5.2
11N4248SH2WL	Wood Shelves, Laminate Wall	3098	10½	41 15/16	48⅜	–	–	77 lbs.	5.2
11N4848SH2W	Wood	$ 3439	10½	47 15/16	48⅜	–	–	85 lbs.	5.5
11N4848SH2LW	Laminate Shelves, Wood Wall	3439	10½	47 15/16	48⅜	–	–	85 lbs.	5.5
11N4848SH2L	Laminate	2371	10½	47 15/16	48⅜	–	–	85 lbs.	5.5
11N4848SH2WL	Wood Shelves, Laminate Wall	3439	10½	47 15/16	48⅜	–	–	85 lbs.	5.5
11N5448SH2W	Wood	$ 3786	10½	53⅞	48⅜	–	–	93 lbs.	5.8
11N5448SH2LW	Laminate Shelves, Wood Wall	3786	10½	53⅞	48⅜	–	–	93 lbs.	5.8
11N5448SH2L	Laminate	2609	10½	53⅞	48⅜	–	–	93 lbs.	5.8
11N5448SH2WL	Wood Shelves, Laminate Wall	3786	10½	53⅞	48⅜	–	–	93 lbs.	5.8
11N6048SH2W	Wood	$ 4160	10½	59 15/16	48⅜	–	–	101 lbs.	6.1
11N6048SH2LW	Laminate Shelves, Wood Wall	4160	10½	59 15/16	48⅜	–	–	101 lbs.	6.1
11N6048SH2L	Laminate	2869	10½	59 15/16	48⅜	–	–	101 lbs.	6.1
11N6048SH2WL	Wood Shelves, Laminate Wall	4160	10½	59 15/16	48⅜	–	–	101 lbs.	6.1

- Some assembly required
- "SH2" shelves are a mirrored version of the "SH1" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3648SH3W MH
11N3648SH3LW 462 CW
11N3648SH3L 405 478

• See pages 440-441 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS 48"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3648SH3W	Wood	$ 2628	10½	35 15/16	48⅜	–	–	53 lbs.	4.5
11N3648SH3LW	Laminate Shelves, Wood Wall	2628	10½	35 15/16	48⅜	–	–	53 lbs.	4.5
11N3648SH3L	Laminate	1810	10½	35 15/16	48⅜	–	–	53 lbs.	4.5
11N3648SH3WL	Wood Shelves, Laminate Wall	2628	10½	35 15/16	48⅜	–	–	53 lbs.	4.5
11N4248SH3W	Wood	$ 2631	10½	41 15/16	48⅜	–	–	61 lbs.	5.2
11N4248SH3LW	Laminate Shelves, Wood Wall	2631	10½	41 15/16	48⅜	–	–	61 lbs.	5.2
11N4248SH3L	Laminate	1815	10½	41 15/16	48⅜	–	–	61 lbs.	5.2
11N4248SH3WL	Wood Shelves, Laminate Wall	2631	10½	41 15/16	48⅜	–	–	61 lbs.	5.2
11N4848SH3W	Wood	$ 2923	10½	47 15/16	48⅜	–	–	69 lbs.	5.9
11N4848SH3LW	Laminate Shelves, Wood Wall	2923	10½	47 15/16	48⅜	–	–	69 lbs.	5.9
11N4848SH3L	Laminate	2015	10½	47 15/16	48⅜	–	–	69 lbs.	5.9
11N4848SH3WL	Wood Shelves, Laminate Wall	2923	10½	47 15/16	48⅜	–	–	69 lbs.	5.9
11N5448SH3W	Wood	$ 3219	10½	53⅞	48⅜	–	–	77 lbs.	6.5
11N5448SH3LW	Laminate Shelves, Wood Wall	3219	10½	53⅞	48⅜	–	–	77 lbs.	6.5
11N5448SH3L	Laminate	2217	10½	53⅞	48⅜	–	–	77 lbs.	6.5
11N5448SH3WL	Wood Shelves, Laminate Wall	3219	10½	53⅞	48⅜	–	–	77 lbs.	6.5
11N6048SH3W	Wood	$ 3535	10½	59 15/16	48⅜	–	–	86 lbs.	7.2
11N6048SH3LW	Laminate Shelves, Wood Wall	3535	10½	59 15/16	48⅜	–	–	86 lbs.	7.2
11N6048SH3L	Laminate	2440	10½	59 15/16	48⅜	–	–	86 lbs.	7.2
11N6048SH3WL	Wood Shelves, Laminate Wall	3535	10½	59 15/16	48⅜	–	–	86 lbs.	7.2



- Some assembly required
- "SH3" models have 1 shelf that aligns with the middle shelf of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3648SH4W	MH	
11N3648SH4LW	462	CW
11N3648SH4L	405	478

• See pages 440-441 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS 48"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3648SH4W	Wood	$ 2690	10½	35 15/16	48⅜	–	–	60 lbs.	4.5
11N3648SH4LW	Laminate Shelves, Wood Wall	2690	10½	35 15/16	48⅜	–	–	60 lbs.	4.5
11N3648SH4L	Laminate	1856	10½	35 15/16	48⅜	–	–	60 lbs.	4.5
11N3648SH4WL	Wood Shelves, Laminate Wall	2690	10½	35 15/16	48⅜	–	–	60 lbs.	4.5
11N4248SH4W	Wood	$ 2695	10½	41 15/16	48⅜	–	–	71 lbs.	5.2
11N4248SH4LW	Laminate Shelves, Wood Wall	2695	10½	41 15/16	48⅜	–	–	71 lbs.	5.2
11N4248SH4L	Laminate	1858	10½	41 15/16	48⅜	–	–	71 lbs.	5.2
11N4248SH4WL	Wood Shelves, Laminate Wall	2695	10½	41 15/16	48⅜	–	–	71 lbs.	5.2
11N4848SH4W	Wood	$ 2992	10½	47 15/16	48⅜	–	–	81 lbs.	5.9
11N4848SH4LW	Laminate Shelves, Wood Wall	2992	10½	47 15/16	48⅜	–	–	81 lbs.	5.9
11N4848SH4L	Laminate	2064	10½	47 15/16	48⅜	–	–	81 lbs.	5.9
11N4848SH4WL	Wood Shelves, Laminate Wall	2992	10½	47 15/16	48⅜	–	–	81 lbs.	5.9
11N5448SH4W	Wood	$ 3292	10½	53⅞	48⅜	–	–	90 lbs.	6.5
11N5448SH4LW	Laminate Shelves, Wood Wall	3292	10½	53⅞	48⅜	–	–	90 lbs.	6.5
11N5448SH4L	Laminate	2269	10½	53⅞	48⅜	–	–	90 lbs.	6.5
11N5448SH4WL	Wood Shelves, Laminate Wall	3292	10½	53⅞	48⅜	–	–	90 lbs.	6.5
11N6048SH4W	Wood	$ 3621	10½	59 15/16	48⅜	–	–	100 lbs.	7.2
11N6048SH4LW	Laminate Shelves, Wood Wall	3621	10½	59 15/16	48⅜	–	–	100 lbs.	7.2
11N6048SH4L	Laminate	2497	10½	59 15/16	48⅜	–	–	100 lbs.	7.2
11N6048SH4WL	Wood Shelves, Laminate Wall	3621	10½	59 15/16	48⅜	–	–	100 lbs.	7.2

- Some assembly required
- "SH4" models have 2 shelves that align with the top shelves of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3648SH5W MH
11N3648SH5LW 462 CW
11N3648SH5L 405 478

• See pages 440-441 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS 48"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3648SH5W	Wood	$ 2785	10½	35 15/16	48⅜	–	–	69 lbs.	4.5
11N3648SH5LW	Laminate Shelves, Wood Wall	2785	10½	35 15/16	48⅜	–	–	69 lbs.	4.5
11N3648SH5L	Laminate	1917	10½	35 15/16	48⅜	–	–	69 lbs.	4.5
11N3648SH5WL	Wood Shelves, Laminate Wall	2785	10½	35 15/16	48⅜	–	–	69 lbs.	4.5
11N4248SH5W	Wood	$ 2790	10½	41 15/16	48⅜	–	–	81 lbs.	5.2
11N4248SH5LW	Laminate Shelves, Wood Wall	2790	10½	41 15/16	48⅜	–	–	81 lbs.	5.2
11N4248SH5L	Laminate	1920	10½	41 15/16	48⅜	–	–	81 lbs.	5.2
11N4248SH5WL	Wood Shelves, Laminate Wall	2790	10½	41 15/16	48⅜	–	–	81 lbs.	5.2
11N4848SH5W	Wood	$ 3095	10½	47 15/16	48⅜	–	–	92 lbs.	5.9
11N4848SH5LW	Laminate Shelves, Wood Wall	3095	10½	47 15/16	48⅜	–	–	92 lbs.	5.9
11N4848SH5L	Laminate	2133	10½	47 15/16	48⅜	–	–	92 lbs.	5.9
11N4848SH5WL	Wood Shelves, Laminate Wall	3095	10½	47 15/16	48⅜	–	–	92 lbs.	5.9
11N5448SH5W	Wood	$ 3406	10½	53⅞	48⅜	–	–	104 lbs.	6.5
11N5448SH5LW	Laminate Shelves, Wood Wall	3406	10½	53⅞	48⅜	–	–	104 lbs.	6.5
11N5448SH5L	Laminate	2346	10½	53⅞	48⅜	–	–	104 lbs.	6.5
11N5448SH5WL	Wood Shelves, Laminate Wall	3406	10½	53⅞	48⅜	–	–	104 lbs.	6.5
11N6048SH5W	Wood	$ 3744	10½	59 15/16	48⅜	–	–	115 lbs.	7.2
11N6048SH5LW	Laminate Shelves, Wood Wall	3744	10½	59 15/16	48⅜	–	–	115 lbs.	7.2
11N6048SH5L	Laminate	2582	10½	59 15/16	48⅜	–	–	115 lbs.	7.2
11N6048SH5WL	Wood Shelves, Laminate Wall	3744	10½	59 15/16	48⅜	–	–	115 lbs.	7.2

- Some assembly required
- "SH5" models have 3 shelves that align with the horizontal shelves of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Shelf Height (SH6 models only)
3. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Shelf Height (SH6 models only)
3. Laminate Shelf Color
4. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Shelf Height (SH6 models only)
3. Laminate Shelf Color
4. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Shelf Height (SH6 models only)
3. Wood Shelf Finish
4. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3648SH6W	B	MH	
11N3648SH6LW	A	462	CW
11N3648SH6L	B	405	478

• See pages 440-441 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)





COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS 48"H ORGANIZER SHELF INSERTS (CONTINUED)

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
11N3648SH6W	Wood	$ 2628	10½	35 15/16	48⅜	—	—	53 lbs.	4.5
11N3648SH6LW	Laminate Shelves, Wood Wall	2628	10½	35 15/16	48⅜	—	—	53 lbs.	4.5
11N3648SH6L	Laminate	1810	10½	35 15/16	48⅜	—	—	53 lbs.	4.5
11N3648SH6WL	Wood Shelves, Laminate Wall	2628	10½	35 15/16	48⅜	—	—	53 lbs.	4.5
11N4248SH6W	Wood	$ 2631	10½	41 15/16	48⅜	—	—	61 lbs.	5.2
11N4248SH6LW	Laminate Shelves, Wood Wall	2631	10½	41 15/16	48⅜	—	—	61 lbs.	5.2
11N4248SH6L	Laminate	1815	10½	41 15/16	48⅜	—	—	61 lbs.	5.2
11N4248SH6WL	Wood Shelves, Laminate Wall	2631	10½	41 15/16	48⅜	—	—	61 lbs.	5.2
11N4848SH6W	Wood	$ 2923	10½	47 15/16	48⅜	—	—	69 lbs.	5.9
11N4848SH6LW	Laminate Shelves, Wood Wall	2923	10½	47 15/16	48⅜	—	—	69 lbs.	5.9
11N4848SH6L	Laminate	2015	10½	47 15/16	48⅜	—	—	69 lbs.	5.9
11N4848SH6WL	Wood Shelves, Laminate Wall	2923	10½	47 15/16	48⅜	—	—	69 lbs.	5.9
11N5448SH6W	Wood	$ 3219	10½	53⅞	48⅜	—	—	77 lbs.	6.5
11N5448SH6LW	Laminate Shelves, Wood Wall	3219	10½	53⅞	48⅜	—	—	77 lbs.	6.5
11N5448SH6L	Laminate	2217	10½	53⅞	48⅜	—	—	77 lbs.	6.5
11N5448SH6WL	Wood Shelves, Laminate Wall	3219	10½	53⅞	48⅜	—	—	77 lbs.	6.5
11N6048SH6W	Wood	$ 3535	10½	59 15/16	48⅜	—	—	86 lbs.	7.2
11N6048SH6LW	Laminate Shelves, Wood Wall	3535	10½	59 15/16	48⅜	—	—	86 lbs.	7.2
11N6048SH6L	Laminate	2440	10½	59 15/16	48⅜	—	—	86 lbs.	7.2
11N6048SH6WL	Wood Shelves, Laminate Wall	3535	10½	59 15/16	48⅜	—	—	86 lbs.	7.2

- Some assembly required
- "SH6" 48"/49" high models have 1 shelf that can be configured to align with the bottom of a 13", 18", 30" high overhead, or top shelf of the SH1/SH2 48"/49" inserts
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3648SH7W MH
11N3648SH7LW 462 CW
11N3648SH7L 405 478

• See pages 440-441 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS 48"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3648SH7W	Wood	$ 2690	10½	35 15/16	48⅜	–	–	60 lbs.	4.5
11N3648SH7LW	Laminate Shelves, Wood Wall	2690	10½	35 15/16	48⅜	–	–	60 lbs.	4.5
11N3648SH7L	Laminate	1856	10½	35 15/16	48⅜	–	–	60 lbs.	4.5
11N3648SH7WL	Wood Shelves, Laminate Wall	2690	10½	35 15/16	48⅜	–	–	60 lbs.	4.5
11N4248SH7W	Wood	$ 2695	10½	41 15/16	48⅜	–	–	71 lbs.	5.2
11N4248SH7LW	Laminate Shelves, Wood Wall	2695	10½	41 15/16	48⅜	–	–	71 lbs.	5.2
11N4248SH7L	Laminate	1858	10½	41 15/16	48⅜	–	–	71 lbs.	5.2
11N4248SH7WL	Wood Shelves, Laminate Wall	2695	10½	41 15/16	48⅜	–	–	71 lbs.	5.2
11N4848SH7W	Wood	$ 2992	10½	47 15/16	48⅜	–	–	81 lbs.	5.9
11N4848SH7LW	Laminate Shelves, Wood Wall	2992	10½	47 15/16	48⅜	–	–	81 lbs.	5.9
11N4848SH7L	Laminate	2064	10½	47 15/16	48⅜	–	–	81 lbs.	5.9
11N4848SH7WL	Wood Shelves, Laminate Wall	2992	10½	47 15/16	48⅜	–	–	81 lbs.	5.9
11N5448SH7W	Wood	$ 3292	10½	53⅞	48⅜	–	–	90 lbs.	6.5
11N5448SH7LW	Laminate Shelves, Wood Wall	3292	10½	53⅞	48⅜	–	–	90 lbs.	6.5
11N5448SH7L	Laminate	2269	10½	53⅞	48⅜	–	–	90 lbs.	6.5
11N5448SH7WL	Wood Shelves, Laminate Wall	3292	10½	53⅞	48⅜	–	–	90 lbs.	6.5
11N6048SH7W	Wood	$ 3621	10½	59 15/16	48⅜	–	–	100 lbs.	7.2
11N6048SH7LW	Laminate Shelves, Wood Wall	3621	10½	59 15/16	48⅜	–	–	100 lbs.	7.2
11N6048SH7L	Laminate	2497	10½	59 15/16	48⅜	–	–	100 lbs.	7.2
11N6048SH7WL	Wood Shelves, Laminate Wall	3621	10½	59 15/16	48⅜	–	–	100 lbs.	7.2

- Some assembly required
- "SH7" models have 2 shelves; the bottom shelf aligns with the bottom of a 30" overhead
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3649SH1W	MH	
11N3649SH1LW	462	CW
11N3649SH1L	405	478

• See pages 440-441 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 80" HIGH WWN MODELS 49"H ORGANIZER SHELF INSERTS									
11N3649SH1W	Wood	$ 3093	10½	35 15/16	48 13/16	–	–	69 lbs.	5.0
11N3649SH1LW	Laminate Shelves, Wood Wall	3093	10½	35 15/16	48 13/16	–	–	69 lbs.	5.0
11N3649SH1L	Laminate	2132	10½	35 15/16	48 13/16	–	–	69 lbs.	5.0
11N3649SH1WL	Wood Shelves, Laminate Wall	3093	10½	35 15/16	48 13/16	–	–	69 lbs.	5.0
11N4249SH1W	Wood	$ 3098	10½	41 15/16	48 13/16	–	–	77 lbs.	5.2
11N4249SH1LW	Laminate Shelves, Wood Wall	3098	10½	41 15/16	48 13/16	–	–	77 lbs.	5.2
11N4249SH1L	Laminate	2134	10½	41 15/16	48 13/16	–	–	77 lbs.	5.2
11N4249SH1WL	Wood Shelves, Laminate Wall	3098	10½	41 15/16	48 13/16	–	–	77 lbs.	5.2
11N4849SH1W	Wood	$ 3439	10½	47 15/16	48 13/16	–	–	85 lbs.	5.5
11N4849SH1LW	Laminate Shelves, Wood Wall	3439	10½	47 15/16	48 13/16	–	–	85 lbs.	5.5
11N4849SH1L	Laminate	2371	10½	47 15/16	48 13/16	–	–	85 lbs.	5.5
11N4849SH1WL	Wood Shelves, Laminate Wall	3439	10½	47 15/16	48 13/16	–	–	85 lbs.	5.5
11N5449SH1W	Wood	$ 3786	10½	53⅞	48 13/16	–	–	93 lbs.	5.8
11N5449SH1LW	Laminate Shelves, Wood Wall	3786	10½	53⅞	48 13/16	–	–	93 lbs.	5.8
11N5449SH1L	Laminate	2609	10½	53⅞	48 13/16	–	–	93 lbs.	5.8
11N5449SH1WL	Wood Shelves, Laminate Wall	3786	10½	53⅞	48 13/16	–	–	93 lbs.	5.8
11N6049SH1W	Wood	$ 4160	10½	59 15/16	48 13/16	–	–	101 lbs.	6.1
11N6049SH1LW	Laminate Shelves, Wood Wall	4160	10½	59 15/16	48 13/16	–	–	101 lbs.	6.1
11N6049SH1L	Laminate	2869	10½	59 15/16	48 13/16	–	–	101 lbs.	6.1
11N6049SH1WL	Wood Shelves, Laminate Wall	4160	10½	59 15/16	48 13/16	–	–	101 lbs.	6.1



- Some assembly required
- 48" and 49" high shelf inserts have 5 shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3649SH2W MH
11N3649SH2LW 462 CW
11N3649SH2L 405 478

• See pages 440-441 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 80" HIGH WWN MODELS 49"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3649SH2W	Wood	$ 3093	10½	35 15/16	48 13/16	–	–	69 lbs.	5.0
11N3649SH2LW	Laminate Shelves, Wood Wall	3093	10½	35 15/16	48 13/16	–	–	69 lbs.	5.0
11N3649SH2L	Laminate	2132	10½	35 15/16	48 13/16	–	–	69 lbs.	5.0
11N3649SH2WL	Wood Shelves, Laminate Wall	3093	10½	35 15/16	48 13/16	–	–	69 lbs.	5.0
11N4249SH2W	Wood	$ 3098	10½	41 15/16	48 13/16	–	–	77 lbs.	5.2
11N4249SH2LW	Laminate Shelves, Wood Wall	3098	10½	41 15/16	48 13/16	–	–	77 lbs.	5.2
11N4249SH2L	Laminate	2134	10½	41 15/16	48 13/16	–	–	77 lbs.	5.2
11N4249SH2WL	Wood Shelves, Laminate Wall	3098	10½	41 15/16	48 13/16	–	–	77 lbs.	5.2
11N4849SH2W	Wood	$ 3439	10½	47 15/16	48 13/16	–	–	85 lbs.	5.5
11N4849SH2LW	Laminate Shelves, Wood Wall	3439	10½	47 15/16	48 13/16	–	–	85 lbs.	5.5
11N4849SH2L	Laminate	2371	10½	47 15/16	48 13/16	–	–	85 lbs.	5.5
11N4849SH2WL	Wood Shelves, Laminate Wall	3439	10½	47 15/16	48 13/16	–	–	85 lbs.	5.5
11N5449SH2W	Wood	$ 3786	10½	53⅞	48 13/16	–	–	93 lbs.	5.8
11N5449SH2LW	Laminate Shelves, Wood Wall	3786	10½	53⅞	48 13/16	–	–	93 lbs.	5.8
11N5449SH2L	Laminate	2609	10½	53⅞	48 13/16	–	–	93 lbs.	5.8
11N5449SH2WL	Wood Shelves, Laminate Wall	3786	10½	53⅞	48 13/16	–	–	93 lbs.	5.8
11N6049SH2W	Wood	$ 4160	10½	59 15/16	48 13/16	–	–	101 lbs.	6.1
11N6049SH2LW	Laminate Shelves, Wood Wall	4160	10½	59 15/16	48 13/16	–	–	101 lbs.	6.1
11N6049SH2L	Laminate	2869	10½	59 15/16	48 13/16	–	–	101 lbs.	6.1
11N6049SH2WL	Wood Shelves, Laminate Wall	4160	10½	59 15/16	48 13/16	–	–	101 lbs.	6.1



- Some assembly required
- "SH2" shelves are a mirrored version of the "SH1" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3649SH3W MH
11N3649SH3LW 462 CW
11N3649SH3L 405 478

• See pages 440-441 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 80" HIGH WWN MODELS 49"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3649SH3W	Wood	$ 2628	10½	35 15/16	48 13/16	–	–	53 lbs.	4.6
11N3649SH3LW	Laminate Shelves, Wood Wall	2628	10½	35 15/16	48 13/16	–	–	53 lbs.	4.6
11N3649SH3L	Laminate	1810	10½	35 15/16	48 13/16	–	–	53 lbs.	4.6
11N3649SH3WL	Wood Shelves, Laminate Wall	2628	10½	35 15/16	48 13/16	–	–	53 lbs.	4.6
11N4249SH3W	Wood	$ 2631	10½	41 15/16	48 13/16	–	–	61 lbs.	5.2
11N4249SH3LW	Laminate Shelves, Wood Wall	2631	10½	41 15/16	48 13/16	–	–	61 lbs.	5.2
11N4249SH3L	Laminate	1815	10½	41 15/16	48 13/16	–	–	61 lbs.	5.2
11N4249SH3WL	Wood Shelves, Laminate Wall	2631	10½	41 15/16	48 13/16	–	–	61 lbs.	5.2
11N4849SH3W	Wood	$ 2923	10½	47 15/16	48 13/16	–	–	69 lbs.	5.9
11N4849SH3LW	Laminate Shelves, Wood Wall	2923	10½	47 15/16	48 13/16	–	–	69 lbs.	5.9
11N4849SH3L	Laminate	2015	10½	47 15/16	48 13/16	–	–	69 lbs.	5.9
11N4849SH3WL	Wood Shelves, Laminate Wall	2923	10½	47 15/16	48 13/16	–	–	69 lbs.	5.9
11N5449SH3W	Wood	$ 3219	10½	53⅞	48 13/16	–	–	78 lbs.	6.6
11N5449SH3LW	Laminate Shelves, Wood Wall	3219	10½	53⅞	48 13/16	–	–	78 lbs.	6.6
11N5449SH3L	Laminate	2217	10½	53⅞	48 13/16	–	–	78 lbs.	6.6
11N5449SH3WL	Wood Shelves, Laminate Wall	3219	10½	53⅞	48 13/16	–	–	78 lbs.	6.6
11N6049SH3W	Wood	$ 3535	10½	59 15/16	48 13/16	–	–	86 lbs.	7.2
11N6049SH3LW	Laminate Shelves, Wood Wall	3535	10½	59 15/16	48 13/16	–	–	86 lbs.	7.2
11N6049SH3L	Laminate	2440	10½	59 15/16	48 13/16	–	–	86 lbs.	7.2
11N6049SH3WL	Wood Shelves, Laminate Wall	3535	10½	59 15/16	48 13/16	–	–	86 lbs.	7.2



- Some assembly required
- "SH3" models have 1 shelf that aligns with the middle shelf of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3649SH4W MH
11N3649SH4LW 462 CW
11N3649SH4L 405 478

• See pages 440-441 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 80" HIGH WWN MODELS 49"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3649SH4W	Wood	$ 2690	10½	35 15/16	48 13/16	–	–	61 lbs.	4.6
11N3649SH4LW	Laminate Shelves, Wood Wall	2690	10½	35 15/16	48 13/16	–	–	61 lbs.	4.6
11N3649SH4L	Laminate	1856	10½	35 15/16	48 13/16	–	–	61 lbs.	4.6
11N3649SH4WL	Wood Shelves, Laminate Wall	2690	10½	35 15/16	48 13/16	–	–	61 lbs.	4.6
11N4249SH4W	Wood	$ 2695	10½	41 15/16	48 13/16	–	–	71 lbs.	5.2
11N4249SH4LW	Laminate Shelves, Wood Wall	2695	10½	41 15/16	48 13/16	–	–	71 lbs.	5.2
11N4249SH4L	Laminate	1858	10½	41 15/16	48 13/16	–	–	71 lbs.	5.2
11N4249SH4WL	Wood Shelves, Laminate Wall	2695	10½	41 15/16	48 13/16	–	–	71 lbs.	5.2
11N4849SH4W	Wood	$ 2992	10½	47 15/16	48 13/16	–	–	81 lbs.	5.9
11N4849SH4LW	Laminate Shelves, Wood Wall	2992	10½	47 15/16	48 13/16	–	–	81 lbs.	5.9
11N4849SH4L	Laminate	2064	10½	47 15/16	48 13/16	–	–	81 lbs.	5.9
11N4849SH4WL	Wood Shelves, Laminate Wall	2992	10½	47 15/16	48 13/16	–	–	81 lbs.	5.9
11N5449SH4W	Wood	$ 3292	10½	53⅜	48 13/16	–	–	91 lbs.	6.6
11N5449SH4LW	Laminate Shelves, Wood Wall	3292	10½	53⅜	48 13/16	–	–	91 lbs.	6.6
11N5449SH4L	Laminate	2269	10½	53⅜	48 13/16	–	–	91 lbs.	6.6
11N5449SH4WL	Wood Shelves, Laminate Wall	3292	10½	53⅜	48 13/16	–	–	91 lbs.	6.6
11N6049SH4W	Wood	$ 3621	10½	59 15/16	48 13/16	–	–	100 lbs.	7.2
11N6049SH4LW	Laminate Shelves, Wood Wall	3621	10½	59 15/16	48 13/16	–	–	100 lbs.	7.2
11N6049SH4L	Laminate	2497	10½	59 15/16	48 13/16	–	–	100 lbs.	7.2
11N6049SH4WL	Wood Shelves, Laminate Wall	3621	10½	59 15/16	48 13/16	–	–	100 lbs.	7.2



- Some assembly required
- "SH4" models have 2 shelves that align with the top shelves of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3649SH5W	MH	
11N3649SH5LW	462	CW
11N3649SH5L	405	478

• See pages 440-441 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)





COMPATIBLE WITH WAVEWORKS 80" HIGH WWN MODELS
49"H ORGANIZER SHELF INSERTS (CONTINUED)

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
11N3649SH5W	Wood	$ 2785	10½	35 15/16	48 13/16	–	–	69 lbs.	4.6
11N3649SH5LW	Laminate Shelves, Wood Wall	2785	10½	35 15/16	48 13/16	–	–	69 lbs.	4.6
11N3649SH5L	Laminate	1917	10½	35 15/16	48 13/16	–	–	69 lbs.	4.6
11N3649SH5WL	Wood Shelves, Laminate Wall	2785	10½	35 15/16	48 13/16	–	–	69 lbs.	4.6
11N4249SH5W	Wood	$ 2790	10½	41 15/16	48 13/16	–	–	81 lbs.	5.2
11N4249SH5LW	Laminate Shelves, Wood Wall	2790	10½	41 15/16	48 13/16	–	–	81 lbs.	5.2
11N4249SH5L	Laminate	1920	10½	41 15/16	48 13/16	–	–	81 lbs.	5.2
11N4249SH5WL	Wood Shelves, Laminate Wall	2790	10½	41 15/16	48 13/16	–	–	81 lbs.	5.2
11N4849SH5W	Wood	$ 3095	10½	47 15/16	48 13/16	–	–	93 lbs.	5.9
11N4849SH5LW	Laminate Shelves, Wood Wall	3095	10½	47 15/16	48 13/16	–	–	93 lbs.	5.9
11N4849SH5L	Laminate	2133	10½	47 15/16	48 13/16	–	–	93 lbs.	5.9
11N4849SH5WL	Wood Shelves, Laminate Wall	3095	10½	47 15/16	48 13/16	–	–	93 lbs.	5.9
11N5449SH5W	Wood	$ 3406	10½	53⅞	48 13/16	–	–	104 lbs.	6.6
11N5449SH5LW	Laminate Shelves, Wood Wall	3406	10½	53⅞	48 13/16	–	–	104 lbs.	6.6
11N5449SH5L	Laminate	2346	10½	53⅞	48 13/16	–	–	104 lbs.	6.6
11N5449SH5WL	Wood Shelves, Laminate Wall	3406	10½	53⅞	48 13/16	–	–	104 lbs.	6.6
11N6049SH5W	Wood	$ 3744	10½	59 15/16	48 13/16	–	–	116 lbs.	7.2
11N6049SH5LW	Laminate Shelves, Wood Wall	3744	10½	59 15/16	48 13/16	–	–	116 lbs.	7.2
11N6049SH5L	Laminate	2582	10½	59 15/16	48 13/16	–	–	116 lbs.	7.2
11N6049SH5WL	Wood Shelves, Laminate Wall	3744	10½	59 15/16	48 13/16	–	–	116 lbs.	7.2

- Some assembly required
- "SH5" models have 3 shelves that align with the horizontal shelves of the "SH1" and "SH2" shelves
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Shelf Height (SH6 models only)
3. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Shelf Height (SH6 models only)
3. Laminate Shelf Color
4. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Shelf Height (SH6 models only)
3. Laminate Shelf Color
4. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Shelf Height (SH6 models only)
3. Wood Shelf Finish
4. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3649SH6W B MH
11N3649SH6LW B 462 CW
11N3649SH6L B 405 478

• See pages 440-441 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 80" HIGH WWN MODELS 49"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3649SH6W	Wood	$ 2628	10½	35 15/16	48 13/16	–	–	53 lbs.	4.6
11N3649SH6LW	Laminate Shelves, Wood Wall	2628	10½	35 15/16	48 13/16	–	–	53 lbs.	4.6
11N3649SH6L	Laminate	1810	10½	35 15/16	48 13/16	–	–	53 lbs.	4.6
11N3649SH6WL	Wood Shelves, Laminate Wall	2628	10½	35 15/16	48 13/16	–	–	53 lbs.	4.6
11N4249SH6W	Wood	$ 2631	10½	41 15/16	48 13/16	–	–	61 lbs.	5.2
11N4249SH6LW	Laminate Shelves, Wood Wall	2631	10½	41 15/16	48 13/16	–	–	61 lbs.	5.2
11N4249SH6L	Laminate	1815	10½	41 15/16	48 13/16	–	–	61 lbs.	5.2
11N4249SH6WL	Wood Shelves, Laminate Wall	2631	10½	41 15/16	48 13/16	–	–	61 lbs.	5.2
11N4849SH6W	Wood	$ 2923	10½	47 15/16	48 13/16	–	–	69 lbs.	5.9
11N4849SH6LW	Laminate Shelves, Wood Wall	2923	10½	47 15/16	48 13/16	–	–	69 lbs.	5.9
11N4849SH6L	Laminate	2015	10½	47 15/16	48 13/16	–	–	69 lbs.	5.9
11N4849SH6WL	Wood Shelves, Laminate Wall	2923	10½	47 15/16	48 13/16	–	–	69 lbs.	5.9
11N5449SH6W	Wood	$ 3219	10½	53⅞	48 13/16	–	–	78 lbs.	6.6
11N5449SH6LW	Laminate Shelves, Wood Wall	3219	10½	53⅞	48 13/16	–	–	78 lbs.	6.6
11N5449SH6L	Laminate	2217	10½	53⅞	48 13/16	–	–	78 lbs.	6.6
11N5449SH6WL	Wood Shelves, Laminate Wall	3219	10½	53⅞	48 13/16	–	–	78 lbs.	6.6
11N6049SH6W	Wood	$ 3535	10½	59 15/16	48 13/16	–	–	86 lbs.	7.2
11N6049SH6LW	Laminate Shelves, Wood Wall	3535	10½	59 15/16	48 13/16	–	–	86 lbs.	7.2
11N6049SH6L	Laminate	2440	10½	59 15/16	48 13/16	–	–	86 lbs.	7.2
11N6049SH6WL	Wood Shelves, Laminate Wall	3535	10½	59 15/16	48 13/16	–	–	86 lbs.	7.2



- Some assembly required
- "SH6" 48"/49" high models have 1 shelf that can be configured to align with the bottom of a 13", 18", 30" high overhead, or top shelf of the SH1/SH2 48"/49" inserts
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

PRODUCT SPECIFICATIONS

- Each height of tack board, marker board, slat wall, and organizer shelf insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER WOOD UNITS, SPECIFY:

1. Model Number
2. Finish

TO ORDER LW UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Finish Wall Color

TO ORDER LAMINATE UNITS, SPECIFY:

1. Model Number
2. Laminate Shelf Color
3. Laminate Wall Color

TO ORDER WL UNITS, SPECIFY:

1. Model Number
2. Wood Shelf Finish
3. Laminate Wall Color

SAMPLE MODEL NUMBERS:

11N3649SH7W	MH	
11N3649SH7LW	462	CW
11N3649SH7L	405	478

• See pages 440-441 for all options available in Exhibit

ORGANIZER SHELF INSERTS (CONTINUED)





MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 80" HIGH WWN MODELS 49"H ORGANIZER SHELF INSERTS (CONTINUED)									
11N3649SH7W	Wood	$ 2690	10½	35 15/16	48 13/16	–	–	61 lbs.	4.6
11N3649SH7LW	Laminate Shelves, Wood Wall	2690	10½	35 15/16	48 13/16	–	–	61 lbs.	4.6
11N3649SH7L	Laminate	1856	10½	35 15/16	48 13/16	–	–	61 lbs.	4.6
11N3649SH7WL	Wood Shelves, Laminate Wall	2690	10½	35 15/16	48 13/16	–	–	61 lbs.	4.6
11N4249SH7W	Wood	$ 2695	10½	41 15/16	48 13/16	–	–	71 lbs.	5.2
11N4249SH7LW	Laminate Shelves, Wood Wall	2695	10½	41 15/16	48 13/16	–	–	71 lbs.	5.2
11N4249SH7L	Laminate	1858	10½	41 15/16	48 13/16	–	–	71 lbs.	5.2
11N4249SH7WL	Wood Shelves, Laminate Wall	2695	10½	41 15/16	48 13/16	–	–	71 lbs.	5.2
11N4849SH7W	Wood	$ 2992	10½	47 15/16	48 13/16	–	–	81 lbs.	5.9
11N4849SH7LW	Laminate Shelves, Wood Wall	2992	10½	47 15/16	48 13/16	–	–	81 lbs.	5.9
11N4849SH7L	Laminate	2064	10½	47 15/16	48 13/16	–	–	81 lbs.	5.9
11N4849SH7WL	Wood Shelves, Laminate Wall	2992	10½	47 15/16	48 13/16	–	–	81 lbs.	5.9
11N5449SH7W	Wood	$ 3292	10½	53⅞	48 13/16	–	–	91 lbs.	6.6
11N5449SH7LW	Laminate Shelves, Wood Wall	3292	10½	53⅞	48 13/16	–	–	91 lbs.	6.6
11N5449SH7L	Laminate	2269	10½	53⅞	48 13/16	–	–	91 lbs.	6.6
11N5449SH7WL	Wood Shelves, Laminate Wall	3292	10½	53⅞	48 13/16	–	–	91 lbs.	6.6
11N6049SH7W	Wood	$ 3621	10½	59 15/16	48 13/16	–	–	100 lbs.	7.2
11N6049SH7LW	Laminate Shelves, Wood Wall	3621	10½	59 15/16	48 13/16	–	–	100 lbs.	7.2
11N6049SH7L	Laminate	2497	10½	59 15/16	48 13/16	–	–	100 lbs.	7.2
11N6049SH7WL	Wood Shelves, Laminate Wall	3621	10½	59 15/16	48 13/16	–	–	100 lbs.	7.2

- Some assembly required
- "SH7" models have 2 shelves; the bottom shelf aligns with the bottom of a 30" overhead
- The grain direction of all woodgrains will be horizontal (left to right) on the horizontal shelves
- Almond Horizontal (ADH), Portobello Horizontal (PBH), Portico Horizontal (PTH), Skyline Horizontal (SKH), Sonoma Horizontal (SMH), Designer White Linear Horizontal (491H), Cinder Linear Horizontal (492H) and Sable Horizontal (792H) laminates have horizontal grain on the wall insert and vertical shelves. All other woodgrains have vertical grain on the wall insert and vertical shelves
- Each horizontal shelf has a 50 lb. maximum limit

EXHIBIT

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color

SAMPLE MODEL NUMBER:

11N3634WINL 492
NAC12505WGV1

• See pages 440-441 for all options available in Exhibit

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
LAMINATE INSERT	11N3634WINL		$ 483	10½	35 15/16	34⅛	—	—	41 lbs.	3.3
	11N3636WINL		525	10½	35 15/16	36 9/16	—	—	43 lbs.	3.5
	11N3637WINL		525	10½	35 15/16	37	—	—	43 lbs.	3.6
	11N3648WINL		615	10½	35 15/16	48½	—	—	53 lbs.	4.5
	11N3649WINL		615	10½	35 15/16	48 13/16	—	—	53 lbs.	4.6
	• Can be used to hang additional PPE equipment (ie. Glove holders and sanitizer dispensers). Limit of 10 lbs hung on the back									
SINGLE WIRE GLOVE BOX	NAC1205WGV1	Steel	$ 117	3 3/16	11 15/16	4¾	—	—	1 lbs.	1.38
	• Steel wire Glove box is Chrome in color • Includes pre-drilled mounting holes and hardware • Holds 1 std size box of gloves									
DOUBLE WIRE GLOVE BOX	NAC1210WGV2	Steel	$ 160	3 3/16	11 15/16	9½	—	—	1 lbs.	2.7
	• Steel wire Glove box is Chrome in color • Includes pre-drilled mounting holes and hardware • Holds 2 std size boxes of gloves									
QUAD WIRE GLOVE BOX	NAC1219WGV4	Steel	$ 229	3 3/16	11 15/16	19	—	—	1 lbs.	5.2
	• Steel wire Glove box is Chrome in color • Includes pre-drilled mounting holes and hardware • Holds 4 std size boxes of gloves									
AUTOMATIC HAND SANITIZER DISPENSER	NAC0407USD1		$ 794	4¼	6	11	—	—	2.2 lbs.	8.1
	• Dispenser accepts most bulk liquid soaps and sanitizers up to 12mL capacity, inside a solid case of durable ABS plastic • 4 C Batteries sold separately. External On-Off switch • Tamper resistant lock system with key for convenient access for assigned personel • Motion Dispenser: Dispenses within a sense detection of 3"-5" • 2.2 lbs Empty (without fluid)									

PRODUCT SPECIFICATIONS

- Each height of TV mount insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- When TV mount inserts are used at the end of the run, specify Full End Trims for finish detail; see page 486
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER, SPECIFY:

1. Model Number
2. TV Mount (60W only)
3. Finish/Laminate Color (Veneer/Laminate insert only)
4. Fabric Grade (Fabric insert only)
5. Fabric Color (Fabric insert only)

SAMPLE MODEL NUMBERS:

11N3634TVW B 25413
11N6034TVL TS B 25413

• See pages 440-441 for all options available in Exhibit

TV MOUNT EXHIBIT INSERTS





(only 60" models)

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
34"H TV MOUNT EXHIBIT INSERTS									
11N3634TVW	Wood	$ 2747	½	35 15/16	34⅛	—	—	47 lbs.	3.1
11N3634TVL	Laminate	1967	½	35 15/16	34⅛	—	—	47 lbs.	3.1
11N4234TVW	Wood	$ 2750	½	41 15/16	34⅛	—	—	53 lbs.	3.3
11N4234TVL	Laminate	1968	½	41 15/16	34⅛	—	—	53 lbs.	3.3
11N4834TVW	Wood	$ 3026	½	47 15/16	34⅛	—	—	58 lbs.	3.5
11N4834TVL	Laminate	2160	½	47 15/16	34⅛	—	—	58 lbs.	3.5
11N5434TVW	Wood	$ 3304	½	53⅞	34⅛	—	—	64 lbs.	3.5
11N5434TVL	Laminate	2355	½	53⅞	34⅛	—	—	64 lbs.	3.5
11N6034TVW	Wood	$ 3612	½	59 15/16	34⅛	—	—	71 lbs.	3.9
11N6034TVL	Laminate	2566	½	59 15/16	34⅛	—	—	71 lbs.	3.9
COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS									
36"H TV MOUNT EXHIBIT INSERTS									
11N3636TVW	Wood	$ 2780	½	35 15/16	36 9/16	—	—	51 lbs.	3.4
11N3636TVL	Laminate	1991	½	35 15/16	36 9/16	—	—	51 lbs.	3.4
11N4236TVW	Wood	$ 2786	½	41 15/16	36 9/16	—	—	57 lbs.	3.6
11N4236TVL	Laminate	1995	½	41 15/16	36 9/16	—	—	57 lbs.	3.6
11N4836TVW	Wood	$ 3067	½	47 15/16	36 9/16	—	—	62 lbs.	3.9
11N4836TVL	Laminate	2189	½	47 15/16	36 9/16	—	—	62 lbs.	3.9
11N5436TVW	Wood	$ 3348	½	53⅞	36 9/16	—	—	68 lbs.	4.1
11N5436TVL	Laminate	2384	½	53⅞	36 9/16	—	—	68 lbs.	4.1
11N6036TVW	Wood	$ 3661	½	59 15/16	36 9/16	—	—	74 lbs.	4.3
11N6036TVL	Laminate	2599	½	59 15/16	36 9/16	—	—	74 lbs.	4.3

- TV mount included; some assembly required; VESA mounting compliant
- Maximum TV weight is 120 lbs.
- Optional single or dual TV mount on 60" inserts

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of TV mount insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- When TV mount inserts are used at the end of the run, specify Full End Trims for finish detail; see page 486
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER, SPECIFY:

1. Model Number
2. TV Mount (60W only)
3. Finish/Laminate Color

SAMPLE MODEL NUMBERS:

11N3637TVW MC
11N3637TVL 462

- See pages 440-441 for all options available in Exhibit

TV MOUNT EXHIBIT INSERTS (CONTINUED)





(only 60" models)

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
COMPATIBLE WITH WAVEWORKS 69" HIGH WWN MODELS 37"H TV MOUNT EXHIBIT INSERTS									
11N3637TVW	Wood	$ 2780	½	35 15/16	37	–	–	51 lbs.	3.4
11N3637TVL	Laminate	1991	½	35 15/16	37	–	–	51 lbs.	3.4
11N4237TVW	Wood	$ 2786	½	41 15/16	37	–	–	57 lbs.	3.6
11N4237TVL	Laminate	1995	½	41 15/16	37	–	–	57 lbs.	3.6
11N4837TVW	Wood	$ 3067	½	47 15/16	37	–	–	62 lbs.	3.9
11N4837TVL	Laminate	2189	½	47 15/16	37	–	–	62 lbs.	3.9
11N5437TVW	Wood	$ 3348	½	53⅞	37	–	–	68 lbs.	4.1
11N5437TVL	Laminate	2384	½	53⅞	37	–	–	68 lbs.	4.1
11N6037TVW	Wood	$ 3661	½	59 15/16	37	–	–	74 lbs.	4.3
11N6037TVL	Laminate	2599	½	59 15/16	37	–	–	74 lbs.	4.3
COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS 48"H TV MOUNT EXHIBIT INSERTS									
11N3648TVW	Wood	$ 3240	½	35 15/16	48⅜	–	–	69 lbs.	5.0
11N3648TVL	Laminate	2309	½	35 15/16	48⅜	–	–	69 lbs.	5.0
11N4248TVW	Wood	$ 3244	½	41 15/16	48⅜	–	–	77 lbs.	5.2
11N4248TVL	Laminate	2311	½	41 15/16	48⅜	–	–	77 lbs.	5.2
11N4848TVW	Wood	$ 3578	½	47 15/16	48⅜	–	–	85 lbs.	5.5
11N4848TVL	Laminate	2541	½	47 15/16	48⅜	–	–	85 lbs.	5.5
11N5448TVW	Wood	$ 3912	½	53⅞	48⅜	–	–	93 lbs.	5.8
11N5448TVL	Laminate	2769	½	53⅞	48⅜	–	–	93 lbs.	5.8
11N6048TVW	Wood	$ 4278	½	59 15/16	48⅜	–	–	101 lbs.	6.1
11N6048TVL	Laminate	3024	½	59 15/16	48⅜	–	–	101 lbs.	6.1

- TV mount included; some assembly required; VESA mounting compliant
- Maximum TV weight is 120 lbs.
- Optional single or dual TV mount on 60" inserts

PRODUCT SPECIFICATIONS

- Each height of TV mount insert corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement
- Conference and training rooms commonly use 49" H inserts, but with Exhibit, you can use any of the 5 heights to achieve the customers needs
- When TV mount inserts are used at the end of the run, specify Full End Trims for finish detail; see page 486
- As of April 20th, 2015, the inserts (Slat, Slat/Tack Combo, Insert Shelves, and TV Mount Inserts) will only be compatible with rails ordered on or after April 20th, 2015. If trying to use 1 of these inserts with an existing rail, please contact customer service for more information

TO ORDER, SPECIFY:

1. Model Number
2. TV Mount (60W only)
3. Finish/Laminate Color

SAMPLE MODEL NUMBERS:

11N3649TVW MC
11N3649TVL 462

• See pages 440-441 for all options available in Exhibit

TV MOUNT EXHIBIT INSERTS (CONTINUED)





(only 60" models)

COMPATIBLE WITH WAVEWORKS 80" HIGH WWN MODELS
49"H TV MOUNT EXHIBIT INSERTS

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
11N3649TVW	Wood	$ 3240	½	35 15/16	48 13/16	—	—	69 lbs.	5.0
11N3649TVL	Laminate	2309	½	35 15/16	48 13/16	—	—	69 lbs.	5.0
11N4249TVW	Wood	$ 3244	½	41 15/16	48 13/16	—	—	77 lbs.	5.2
11N4249TVL	Laminate	2311	½	41 15/16	48 13/16	—	—	77 lbs.	5.2
11N4849TVW	Wood	$ 3578	½	47 15/16	48 13/16	—	—	85 lbs.	5.5
11N4849TVL	Laminate	2541	½	47 15/16	48 13/16	—	—	85 lbs.	5.5
11N5449TVW	Wood	$ 3912	½	53⅞	48 13/16	—	—	93 lbs.	5.8
11N5449TVL	Laminate	2769	½	53⅞	48 13/16	—	—	93 lbs.	5.8
11N6049TVW	Wood	$ 4278	½	59 15/16	48 13/16	—	—	101 lbs.	6.1
11N6049TVL	Laminate	3024	½	59 15/16	48 13/16	—	—	101 lbs.	6.1

- TV mount included; some assembly required; VESA mounting compliant
- Maximum TV weight is 120 lbs.
- Optional single or dual TV mount on 60" inserts

EXHIBIT TV MOUNT VERTICAL WIRE MANAGER

11N0615WMVW	Wood	$ 475	1½	5⅜	15 7/16	—	—	8 lbs.	0.6
11N0615WMVL	Laminate	317	1½	5⅜	15 7/16	—	—	8 lbs.	0.6

- Attaches to the Exhibit TV mount inserts; used to conceal power in-feed and data cables
- When using Exhibit TV mount inserts and vertical wire manager with a Mio Exhibit mount worksurface, the worksurface needs to be configured with a notch for the worksurface wire manager

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of trim channel corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color
3. Fabric Grade
4. Fabric Color

SAMPLE MODEL NUMBER:

11N37ETP 501

- See pages 440-441 for all options available in Exhibit

FULL END TRIM

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FOR USE WITH 34"H INSERTS									
11N37ETP	Powder Coated	$ 105	1 1/16	1 1/2	37 1/8	—	—	1 lbs.	0.2
COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS FOR USE WITH 36"H INSERTS									
11N39ETP	Powder Coated	$ 110	1 1/16	1 1/2	39 7/16	—	—	1 lbs.	0.3
COMPATIBLE WITH WAVEWORKS 69" HIGH WW MODELS FOR USE WITH 37"H INSERTS									
11N40ETP	Powder Coated	$ 110	1 1/16	1 1/2	39 7/8	—	—	1 lbs.	0.3
COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS FOR USE WITH 48"H INSERTS									
11N51ETP	Powder Coated	$ 125	1 1/16	1 1/2	51 1/4	—	—	1 lbs.	0.3
COMPATIBLE WITH WAVEWORKS 80" HIGH WW MODELS FOR USE WITH 49"H INSERTS									
11N52ETP	Powder Coated	$ 125	1 1/16	1 1/2	51 11/16	—	—	1 lbs.	0.4

- Specify Full End Trim for finish detail when end of Exhibit rail and tack/marker board insert are exposed
- Full End Trim is attached to top wall rail and extends down to and attaches to bottom rail

VERTICAL CABLE MANAGER

		GRADE A	GRADE B/COM						
11N20WMV	Black Plastic	$ 41		1	1	20	—	—	1 lbs.	0.5
11N20WMVFA	Fabric, Railroad	$ 56	$ 67	1	1	20	—	—	1 lbs.	0.5

- For use with 34", 36" or 37" inserts when a single height overhead cabinet is attached; or 48" and 49" inserts when a double height overhead cabinet is attached
- Fabric will be railroaded

		GRADE A	GRADE B/COM						
11N31WMV	Black Plastic	$ 53		1	1	31	—	—	2 lbs.	0.6
11N31WMVFA	Fabric, Railroad	$ 68	$ 79	1	1	31	—	—	2 lbs.	0.6

- For use with 48" or 49" inserts when a single height cabinet is attached
- Fabric will be railroaded

PRODUCT SPECIFICATIONS

- Each height of trim channel corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color
3. Fabric Grade
4. Fabric Color

SAMPLE MODEL NUMBERS:

11N34TCF B 25413
11N01ETP 501

- See pages 440-441 for all options available in Exhibit

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SINGLE END CAP	11N01ETP		$ 48	⅛	1⅜	1⅜	—	—	1 lbs.	0.3



- Specify end caps for finish detail when end of Exhibit rail is exposed, does not work with faceplate on wall rail
- End caps are sold individually
- End caps available in Concrete (423), Cinder (462), Iron (463), Platinum Metallic (501) or Satin Nickel Metallic (503)
- Exhibit end caps can also be used behind overheads or when used with a worksurface

FABRIC WRAPPED TRIM CHANNELS

34"H TRIM CHANNELS

		GRADE A	GRADE B/COM						
11N34TCFA	Fabric, Railroad	$ 65	$ 76	½	¾	34⅛	—	—	1 lbs.	0.3

COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS
36"H TRIM CHANNELS

11N36TCFA	Fabric, Railroad	$ 67	$ 78	½	¾	36⅜₁₆	—	—	1 lbs.	0.3

COMPATIBLE WITH WAVEWORKS 69" HIGH WW MODELS
37"H TRIM CHANNELS

11N37TCFA	Fabric, Railroad	$ 67	$ 78	½	¾	37	—	—	1 lbs.	0.3

COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS
48"H TRIM CHANNELS

11N48TCFA	Fabric, Railroad	$ 75	$ 86	½	¾	48⅜	—	—	1 lbs.	0.3

COMPATIBLE WITH WAVEWORKS 80" HIGH WW MODELS
49"H TRIM CHANNELS

11N49TCFA	Fabric, Railroad	$ 75	$ 86	½	¾	48¹³⁄₁₆	—	—	1 lbs.	0.3

- 2 trim channels are included with every marker/tack board or slat wall insert, if marker board or tack board insert is cut to create new board, additional trim channels must be ordered
- Fabric will be railroaded

EXHIBIT

PRODUCT SPECIFICATIONS

- Each height of trim channel corresponds with a specific height of vertical storage in WaveWorks and Epic. See notation above models to see what model corresponds with appropriate height requirement

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color
3. Wood/Laminate Finish

SAMPLE MODEL NUMBERS:

11N34TCP 462
11NCPFSL MC

- See pages 440-441 for all options available in Exhibit

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
PAINTED TRIM CHANNELS	**34"H TRIM CHANNELS**									
	11N34TCP	Powder Coated	$ 53	½	¾	34⅛	—	—	1 lbs.	0.3
	COMPATIBLE WITH WAVEWORKS 68" HIGH WW AND EPIC 68" HIGH MODELS 36"H TRIM CHANNELS									
	11N36TCP	Powder Coated	$ 58	½	¾	36⁹⁄₁₆	—	—	1 lbs.	0.3
	COMPATIBLE WITH WAVEWORKS 69" HIGH WW MODELS 37"H TRIM CHANNELS									
	11N37TCP	Powder Coated	$ 58	½	¾	37	—	—	1 lbs.	0.3
	COMPATIBLE WITH WAVEWORKS 79" HIGH WW MODELS 48"H TRIM CHANNELS									
	11N48TCP	Powder Coated	$ 68	½	¾	48⅜	—	—	1 lbs.	0.3
	COMPATIBLE WITH WAVEWORKS 80" HIGH WW MODELS 49"H TRIM CHANNELS									
	11N49TCP	Powder Coated	$ 68	½	¾	48¹³⁄₁₆	—	—	1 lbs.	0.3

- Available in White (401), Concrete (423), Cinder (462), Iron (463), Platinum Metallic (501) or Satin Nickel Metallic (503)
- 2 trim channels are included with every marker/tack board or slat wall insert, if marker board or tack board insert is cut to create new board, additional trim channels must be ordered

WORKSURFACE MOUNTING BRACKET	11NBRS	Single Bracket	$ 20	2	3	½	—	—	1 lbs.	0.3



- For use when attaching a WaveWorks or Epic worksurface to Exhibit wall rail
- Standard in anodized aluminum
- Specify model number only

Reference this chart for worksurface bracket requirements

Worksurface Width/Depth	Number of Brackets per edge
Less than or equal to 48"	2
Less than or equal to 72"	3
Greater than 72"	4

FILLER STRIP KIT EXHIBIT MOUNT	11NCPFSW	Wood	$ 70	1	3	27¼	—	—	3 lbs.	1.0
	11NCPFSL	Laminate	36	1	3	27¼	—	—	3 lbs.	1.0



- For use with Exhibit mounted overheads when an insert is not used behind the overhead
- Must be field scribed for 18" and 13" high overhead models
- Specify solid/woodgrain/Gallery laminate or wood finish

PRODUCT SPECIFICATIONS

- For use with Exhibit and Epicenter slat wall inserts

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color

SAMPLE MODEL NUMBER:

NAC0924SHM 462

- See pages 440-441 for all options available in Exhibit

METAL WORK TOOLS

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SHELF 	NAC0924SHM	Powder Coated	$ 143	9⅛	24	2¼	—	—	5 lbs.	0.9
	NAC0930SHM	Powder Coated	160	9⅛	30	2¼	—	—	6 lbs.	1.1
	NAC0936SHM	Powder Coated	177	9⅛	36	2¼	—	—	7 lbs.	1.2
	NAC0942SHM	Powder Coated	200	9⅛	42	2¼	—	—	8 lbs.	1.3
	NAC0948SHM	Powder Coated	216	9⅛	48	2¼	—	—	9 lbs.	1.4
SINGLE SIDE TRAY 	NAC1217SPTM	Single Tray	$ 128	11⅞	17	2⅜	—	—	5 lbs.	0.7
DOUBLE SIDE TRAY 	NAC1217DPTM	Double Tray	$ 177	1⅜	17	5	—	—	9 lbs.	1.0
POCKET ORGANIZER 	NAC16POM	Single Pocket	$ 109	1⅛	15⅝	7¼	—	—	4 lbs.	1.1
SLANT SORTER	NAC1212SSM	Polished Aluminum Dividers	$ 128	11¾	12	7¾	—	—	4 lbs.	1.1
	• Not recommended for use under Epicenter mounted overhead storage cabinets									
MARKER HOLDER 	NACMRHM		$ 124	2¹⁵⁄₁₆	6¹⁵⁄₁₆	4	—	—	1 lbs.	0.1
BINDER SHELF	NAC0905SHBM		$ 79	9⅛	5	8¹⁄₁₆	—	—	3 lbs.	0.5
	• Not recommended for use under Epicenter mounted overhead storage cabinets									

EXHIBIT

PRODUCT SPECIFICATIONS

- For use with Exhibit and Epicenter slat wall inserts
- Pencil Tray (NAC0510PTB) is only available in black and may not be an exact match

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NAC0510PTB

- See pages 440-441 for all options available in Exhibit

METAL WORK TOOLS

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
PENCIL TRAY	NAC0510PTB	$ 96	5	10	1	—	—	1 lbs.	0.1



- Available in Black only

METAL TOOLS OPERATING LOAD CAPACITIES

Component:	Operating Load Capacity (Functional Loads):
Metal shelves:	10 lbs. per 6" of shelf width
Single side tray:	40 lbs. t.w.
Double side tray:	47 lbs. t.w.
Pocket organizer:	4 lbs. t.w.
Slant Sorter:	19 lbs. t.w.
Binder shelf:	10 lbs. t.w.
Pencil tray:	5 lbs. t.w.

PRODUCT SPECIFICATIONS

- For use with Exhibit and Epicenter slat wall inserts

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NACCP

- See pages 440-441 for all options available in Exhibit

PLASTIC WORK TOOLS

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
PENCIL CUP	NACCP	Black Plastic	$ 53	½	4	4	—	—	1 lbs.	0.4
	NACCPC	Clear Plastic	53	½	4	4	—	—	1 lbs.	0.4
	• Holds pencils, pens, rulers, etc.									
LEGAL PAPER TRAY	NAC1115SPT	Black Plastic	$ 79	10½	15	2	—	—	1 lbs.	0.1
	NAC1115SPTC	Clear Plastic	79	10½	15	2	—	—	1 lbs.	0.1
	• Holds letter or legal width papers, folders, etc.									
ACCESSORY TRAY	NAC1010AT	Black Plastic	$ 70	10	9½	2	—	—	1 lbs.	0.2
	NAC1010ATC	Clear Plastic	70	10	9½	2	—	—	1 lbs.	0.2
	• Holds supplies such as pens, pencils, paper clips, scissors, erasers, rulers, etc.									
SLANT SORTER	NACSS	Black Plastic	$ 83	12½	7	7½	—	—	1 lbs.	0.2
	NACSSC	Clear Plastic	83	12½	7	7½	—	—	1 lbs.	0.2
	• Holds folders, papers, etc. • Not recommended for use under Epicenter mounted overhead storage cabinets									

EXHIBIT

PRODUCT SPECIFICATIONS

- For use with Exhibit and Epicenter slat wall inserts

TO ORDER, SPECIFY:

1. Model Number

SAMPLE MODEL NUMBER:

NACMAPSMB

- See pages 440-441 for all options available in Exhibit

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
INTUITIVE MONITOR ARM SLAT WALL MOUNT	NACMA1SFB	Black	$ 799	29½	2½	13 1⁄16	–	–	12 lbs.	2.7
	NACMA1SFS	Silver	799	29½	2½	13 1⁄16	–	–	12 lbs.	2.7



- Weight capacity: 5.5 lbs. minimum - 13 lbs. pounds
- 1 monitor arm every 24" on slat wall and only 1 monitor arm recommended for a slat/tack combo insert
- Must properly install slat wall and Epicenter supports when using a monitor arm
- Recommended to not use monitor arm on the upper 4 slats of a full slat wall and slat wall combo insert

MONITOR ARM INFORMATION

National Model	NACMA1SFB/S
Description	slat wall mount black/silver
Monitor Rotation	port/landscape 360°
Monitor Extension	6¾" - 13⅞"
Arm Pivot	30°
Horizontal Monitor Pivot	180°
Monitor Weight Capacity (maximum approved weight)	arm – 5.5 lbs. minimum - 13 lbs. maximum slat rail – 13 lbs.
Mounting Option	slat wall mount
Arm Height Adjustment	10" dynamic
Pole Height	N/A
Maximum Width Per Monitor	no maximum width
Manual Height Adjustment	N/A
Worksurface Requirements– Desk Clamp	N/A (slat wall mount only)
Worksurface Requirements– Grommet Mount	N/A (slat wall mount only)

OCCASIONAL TABLES

Arrowood	494
Barrington	495
Collette	496
Confide	500
Eloquence	501
Epic	502
Escalade	503
Farrah	504
Footings	505
Fringe	506
Hobsen	508
Marnia	509
Myriad	513
Reno	518
Roosevelt	520
Swift	521
Tag	523
Tarver	524
Tessera	525
Universal	526
Weli	532
Wixler	533

ARROWOOD OCCASIONAL TABLES

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Finish/Laminate Color

SAMPLE MODEL NUMBER:

31N2040MGLW HN

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
ARROWOOD MAGAZINE TABLE PANEL LEGS	31N2040MGLW	HPL Top	$ 1063	19¾	39½	16	¼	—	67 lbs.	12.2
	• Reference Arrowood for detailed product information, finishes and entire Arrowood offering in the Casegoods Book 1 Price List									
ARROWOOD END TABLE PANEL LEGS	31N2424ENLW	HPL Top	$ 967	23¾	23½	19	¼	—	63 lbs.	11.0
	• Reference Arrowood for detailed product information, finishes and entire Arrowood offering in the Casegoods Book 1 Price List									
ARROWOOD MAGAZINE TABLE TURNED LEGS	Q31N2040MGPLW	HPL Top	$ 1540	19 25/32	39 25/32	17 3/16	—	—	42 lbs.	3.0
	31N2040MGPLW	HPL Top	1540	19 25/32	39 25/32	17 3/16	—	—	42 lbs.	3.0
	• Some assembly required • Reference Arrowood for detailed product information, finishes and entire Arrowood offering in the Casegoods Book 1 Price List									
ARROWOOD END TABLE TURNED LEGS	Q31N2424ENPLW	HPL Top	$ 1441	23 25/32	23 25/32	20 7/16	—	—	33 lbs.	2.2
	31N2424ENPLW	HPL Top	1441	23 25/32	23 25/32	20 7/16	—	—	33 lbs.	2.2
	• Some assembly required • Reference Arrowood for detailed product information, finishes and entire Arrowood offering in the Casegoods Book 1 Price List									

BARRINGTON OCCASIONAL TABLES

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Finish/Laminate Color

SAMPLE MODEL NUMBERS:

50N2040MGW DW
50N2040MGQW MH

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
BARRINGTON MAGAZINE TABLE 	Q50N2040MGW	Wood Top	$ 1484	19¾	39¾	18⁵⁄₁₆	—	—	42 lbs.	3.0
	50N2040MGW	Wood Top	1484	19¾	39¾	18⁵⁄₁₆	—	—	42 lbs.	3.0
	50N2040MGLW	HPL Top	1287	19¾	39¾	18⁵⁄₁₆	—	—	42 lbs.	3.0

- Some assembly required
- HPL top tables have veneer legs/bases
- Reference Barrington for detailed product information, finishes and entire Barrington offering in the Casegoods Book 1 Price List

BARRINGTON END TABLE 	Q50N2424ENW	Wood Top	$ 1306	23¾	23¾	22⁵⁄₁₆	—	—	38 lbs.	2.8
	50N2424ENW	Wood Top	1306	23¾	23¾	22⁵⁄₁₆	—	—	38 lbs.	2.8
	50N2424ENLW	HPL Top	1146	23¾	23¾	22⁵⁄₁₆	—	—	38 lbs.	2.8

- Some assembly required
- HPL top tables have veneer legs/bases
- Reference Barrington for detailed product information, finishes and entire Barrington offering in the Casegoods Book 1 Price List

BARRINGTON QUEEN ANNE MAGAZINE TABLE 	50N2040MGQW	Wood Top	$ 2047	19¾	39¾	18⁵⁄₁₆	—	—	36 lbs.	3.0

- Some assembly required
- Reference Barrington for detailed product information, finishes and entire Barrington offering in the Casegoods Book 1 Price List

BARRINGTON QUEEN ANNE END TABLE	50N2424ENQW	Wood Top	$ 1928	23¾	23¾	22⁵⁄₁₆	—	—	32 lbs.	3.3

- Some assembly required
- Reference Barrington for detailed product information, finishes and entire Barrington offering in the Casegoods Book 1 Price List

COLLETTE OCCASIONAL TABLES

TO ORDER, SPECIFY:

1. Model Number
2. Laminate (when applicable)
3. Solid Surface Grade/Color (when applicable)
4. Fabric Grade / Cover Number
5. Thread Color (when applicable)
6. Leg Color
7. Grommet
8. Glides

SAMPLE MODEL NUMBER:

N84T36ENL

MODEL NO./DESCRIPTION

COLLETTE END TABLE
SQUARE LEG



Grommets

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N84T36ENL	Laminate Top, Square Leg	$	1401	1447	1467	1501	1538	1600	1683	2077	2203

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
$	1478	1526	1562	1601	1644	1690	1727	1774	1821	1869

	K	L	M	N	O	P	Q	R	S	T
$	1942	2090	2182	2230	2279	2327	2375	2420	2468	2515

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N84T36ENS	Solid Surface Top, Grade A, Square Leg	$	3376	3422	3442	3476	3513	3575	3658	4052	4178

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
$	3453	3501	3537	3576	3619	3665	3702	3749	3796	3844

	K	L	M	N	O	P	Q	R	S	T
$	3917	4065	4157	4205	4254	4302	4350	4395	4443	4490

DIMENSIONS

Width	35¼
Depth	35¼
Height	11½

Weight	94
Weight - Solid Surface	125
Cubic Ft.	17.3

- Solid Surface Grades B and C list pricing – use your electronic specification tool or contact customer service
- All grommet cutout options are available
- Reference Collette for detailed product information, finishes and entire Collette offering in the Seating Price List

COLLETTE OCCASIONAL TABLES

TO ORDER, SPECIFY:

1. Model Number
2. Laminate (when applicable)
3. Solid Surface Grade/Color (when applicable)
4. Fabric Grade / Cover Number
5. Thread Color (when applicable)
6. Leg Color
7. Grommet
8. Glides

SAMPLE MODEL NUMBER:

N84T60MGL

MODEL NO./DESCRIPTION

COLLETTE MAGAZINE TABLE SQUARE LEG



Grommets

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N84T60MGL	Laminate Top, Square Leg	$	2586	2653	2683	2732	2786	2877	2998	3574	3758

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
$	2698	2768	2822	2879	2941	3008	3063	3131	3200	3270

	K	L	M	N	O	P	Q	R	S	T
$	3376	3593	3728	3798	3869	3939	4009	4076	4146	4214

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N84T60MGS	Solid Surface Top, Grade A, Square Leg	$	6179	6246	6276	6325	6379	6470	6591	7167	7351

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
$	6291	6361	6415	6472	6534	6601	6656	6724	6793	6863

	K	L	M	N	O	P	Q	R	S	T
$	6969	7186	7321	7391	7462	7532	7602	7669	7739	7807

DIMENSIONS

Width	60
Depth	35¼
Height	11½

Weight	151
Weight - Solid Surface	202
Cubic Ft.	26.0

- Solid Surface Grades B and C list pricing – use your electronic specification tool or contact customer service
- Grommet cutout options CUT-G35L, CUT-G35R, CUT-G35LR are available
- Reference Collette for detailed product information, finishes and entire Collette offering in the Seating Price List

COLLETTE OCCASIONAL TABLES

TO ORDER, SPECIFY:

1. Model Number
2. Laminate (when applicable)
3. Solid Surface Grade/Color (when applicable)
4. Fabric Grade / Cover Number
5. Leg Color
6. Grommet
7. Glides

SAMPLE MODEL NUMBER:

N84T36ENUL

MODEL NO./DESCRIPTION

COLLETTE END TABLE
U-LEG



GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N84T36ENUL	Laminate Top, U-Leg	$	1689	1735	1755	1789	1826	1888	1971	2365	2491

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
$	1766	1814	1850	1889	1932	1978	2015	2062	2109	2157

	K	L	M	N	O	P	Q	R	S	T
$	2230	2378	2470	2518	2567	2615	2663	2708	2756	2803

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N84T36ENUS	Solid Surface Top, Grade A, U-Leg	$	3736	3782	3802	3836	3873	3935	4018	4412	4538

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
$	3813	3861	3897	3936	3979	4025	4062	4109	4156	4204

	K	L	M	N	O	P	Q	R	S	T
$	4277	4425	4517	4565	4614	4662	4710	4755	4803	4850

DIMENSIONS

Width	35¼
Depth	35¼
Height	11½

Weight	94
Weight - Solid Surface	125
Cubic Ft.	17.3

- Solid Surface Grades B and C list pricing – use your electronic specification tool or contact customer service
- All grommet cutout options are available
- Reference Collette for detailed product information, finishes and entire Collette offering in the Seating Price List

COLLETTE OCCASIONAL TABLES

TO ORDER, SPECIFY:

1. Model Number
2. Laminate (when applicable)
3. Solid Surface Grade/Color (when applicable)
4. Fabric Grade / Cover Number
5. Leg Color
6. Grommet
7. Glides

SAMPLE MODEL NUMBER:

N84T60MGUL

MODEL NO./DESCRIPTION

COLLETTE MAGAZINE TABLE U-LEG



GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N84T60MGUL	Laminate Top, U-Leg	$	2945	3012	3042	3091	3145	3236	3357	3933	4117

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
$	3057	3127	3181	3238	3300	3367	3422	3490	3559	3629

	K	L	M	N	O	P	Q	R	S	T
$	3735	3952	4087	4157	4228	4298	4368	4435	4505	4573

GRADE / LIST PRICE

			1	2/COM	3/COL	4	5	6	7	L7	L8
N84T60MGUS	Solid Surface Top, Grade A, U-Leg	$	6536	6603	6633	6682	6736	6827	6948	7524	7708

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
$	6648	6718	6772	6829	6891	6958	7013	7081	7150	7220

	K	L	M	N	O	P	Q	R	S	T
$	7326	7543	7678	7748	7819	7889	7959	8026	8096	8164

DIMENSIONS

Width	60
Depth	35¼
Height	11½

Weight	151
Weight - Solid Surface	202
Cubic Ft.	26.0

- Solid Surface Grades B and C list pricing – use your electronic specification tool or contact customer service
- Grommet cutout options CUT-G35L, CUT-G35R, CUT-G35LR are available
- Reference Collette for detailed product information, finishes and entire Collette offering in the Seating Price List

CONFIDE OCCASIONAL TABLES

TO ORDER, SPECIFY:

1. Model Number
2. Finish/Laminate Color
3. Metal Color

SAMPLE MODEL NUMBER:

N78SNW MC 462

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
CONFIDE END TABLE	N78SNW	Wood	$ 1560	21¼	22	16⁹⁄₁₆	—	—	15 lbs.	6.8
	N78SNL	Laminate	1560	21¼	22	16⁹⁄₁₆	—	—	15 lbs.	6.8

- Soft glide option available for a $41 list upcharge
- Reference Confide for detailed product information, finishes and entire Confide offering in the Seating Price List

CONFIDE MAGAZINE TABLE	N78SMW	Wood	$ 2426	21¼	44	16⁹⁄₁₆	—	—	24 lbs.	14.2
	N78SML	Laminate	2426	21¼	44	16⁹⁄₁₆	—	—	24 lbs.	14.2



- Soft glide option available for a $41 list upcharge
- Reference Confide for detailed product information, finishes and entire Confide offering in the Seating Price List

ELOQUENCE OCCASIONAL TABLES

TO ORDER, SPECIFY:

1. Model Number
2. Finish/Laminate Color

SAMPLE MODEL NUMBER:

85N2024EN CL

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
ELOQUENCE END TABLE	85N2024EN	Wood Top	$ 1263	24⁹⁄₁₆	21¹⁄₃₂	20⅛	—	—	19 lbs.	1.4
	85N2024ENLW	Laminate Top	1263	24⁹⁄₁₆	21¹⁄₃₂	20⅛	—	—	19 lbs.	1.4

- Some assembly required
- Reference Eloquence for detailed product information, finishes and entire Eloquence offering in the Seating Price List

ELOQUENCE MAGAZINE TABLE	85N2040MG	Wood Top	$ 1451	19²¹⁄₃₂	39⅞	18⁵⁄₃₂	—	—	26 lbs.	2.2
	85N2040MGLW	Laminate Top	1451	19²¹⁄₃₂	39⅞	18⁵⁄₃₂	—	—	26 lbs.	2.2

- Some assembly required
- Reference Eloquence for detailed product information, finishes and entire Eloquence offering in the Seating Price List

EPIC OCCASIONAL TABLES

TO ORDER, SPECIFY:

1. Model Number
2. Surface Grommet
3. Side Grommet
4. Paint
5. Finish/Laminate Color

SAMPLE MODEL NUMBER:

25N2424ENW X X 462 MC

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
EPIC END TABLE	25N2424ENW	Wood	$ 2207	24	24	18⅜	—	—	55 lbs.	12.6
	25N2424ENL	Laminate	1914	24	24	18⅜	—	—	55 lbs.	12.6



Optional Surface and Side Grommet Locations

- Features metal base and feet in 3 color options
- Optional surface grommet cutout available in G12, G17, and G23 cutout (+$40 list)
- Optional side grommet cutout available in G23 cutout (+$40 list)
- Power grommet sold separately; reference pages 557-559, 564-567, and 570 for pricing and details
- Optional glass and solid surface kits available; reference page 530
- Reference Epic for detailed product information, finishes and entire Epic offering in the Casegoods Book 2 Price List

EPIC MAGAZINE TABLE	25N2448MGW	Wood	$ 2363	24	48	14¾	—	—	77 lbs.	19.1
	25N2448MGL	Laminate	2081	24	48	14¾	—	—	77 lbs.	19.1



Optional Surface and Side Grommet Locations

- Features metal base and feet in 3 color options
- Optional surface grommet cutout available in G12, G17, and G23 cutout (+$40 list)
- Optional side grommet cutout available in G23 cutout (+$40 list)
- Power grommet sold separately; reference pages 557-559, 564-567, and 570 for pricing and details
- Optional glass and solid surface kits available; reference page 530
- Reference Epic for detailed product information, finishes and entire Epic offering in the Casegoods Book 2 Price List

EPIC COFFEE TABLE	25N3636MGW	Wood	$ 2460	36	36	14$^{11}/_{16}$	—	—	65 lbs.	15.0
	25N3636MGL	Laminate	2178	36	36	14$^{11}/_{16}$	—	—	65 lbs.	15.0



Optional Surface and Side Grommet Locations

- Features metal base and feet in 3 color options
- Optional surface grommet cutout available in G12, G17, and G23 cutout (+$40 list)
- Optional side grommet cutout available in G23 cutout (+$40 list)
- Power grommet sold separately; reference pages 557-559, 564-567, and 570 for pricing and details
- Optional glass and solid surface kits available; reference page 530
- Reference Epic for detailed product information, finishes and entire Epic offering in the Casegoods Book 2 Price List

ESCALADE OCCASIONAL TABLES

Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Finish

SAMPLE MODEL NUMBER:

ECN2040MGW MC

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
ESCALADE MAGAZINE TABLE	QECN2040MGW	$ 2126	19¾	39¾	18	—	—	70 lbs.	4.3
	ECN2040MGW	$ 2126	19¾	39¾	18	—	—	70 lbs.	4.3
	• Reference Escalade for detailed product information, finishes and entire Escalade offering in the Casegoods Book 1 Price List								
ESCALADE END TABLE	QECN2424ENW	$ 1995	23 13/16	23 13/16	24	—	—	40 lbs.	3.9
	ECN2424ENW	1995	23 13/16	23 13/16	24	—	—	40 lbs.	3.9
	• Reference Escalade for detailed product information, finishes and entire Escalade offering in the Casegoods Book 1 Price List								
ESCALADE CONSOLE TABLE	ECN1948CSW	$ 2376	18 9/16	48	28½	—	—	85 lbs.	4.9
	• Rim detail on 3 sides of unit • Reference Escalade for detailed product information, finishes and entire Escalade offering in the Casegoods Book 1 Price List								

FARRAH OCCASIONAL TABLES

TO ORDER, SPECIFY:

1. Model Number
2. Wood/Laminate Finish (when applicable)
3. Solid Surface Grade/Color (when applicable)
4. Frame Color (when applicable)
5. Glides (when applicable)

SAMPLE MODEL NUMBERS:

N71T2525ENL CW 462 STD
N71T2525ENS C 7302 462 STD

FARRAH END TABLE



MODEL NO./DESCRIPTION		GRADE A	GRADE C	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
N71T2525ENL	Laminate	$ 2001			25	25	14	–	–	64 lbs.	10.4
N71T2525ENDLW	Laminate - Exposed Plywood Rim	2233			25	25	14	–	–	64 lbs.	10.4
N71T2525ENW	Veneer	2386			25	25	14	–	–	64 lbs.	10.4
N71T2525ENDW	Veneer - Exposed Plywood Rim	2617			25	25	14	–	–	64 lbs.	10.4
N71T2525ENS	Solid Surface	3347	3716		25	25	14	–	–	71 lbs.	10.4

• Reference Farrah for detailed product information, finishes and entire Farrah offering in the Seating Price List

FARRAH MAGAZINE TABLE



MODEL NO./DESCRIPTION		GRADE A	GRADE C	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
N71T2552MGL	Laminate	$ 2617			51½	24½	14	–	–	112 lbs.	19.7
N71T2552MGDLW	Laminate - Exposed Plywood Rim	2847			51½	24½	14	–	–	112 lbs.	19.7
N71T2552MGW	Veneer	3002			51½	24½	14	–	–	112 lbs.	19.7
N71T2552MGDW	Veneer - Exposed Plywood Rim	3233			51½	24½	14	–	–	112 lbs.	19.7
N71T2552MGS	Solid Surface	4462	5222		51½	24½	14	–	–	126 lbs.	19.7

• Reference Farrah for detailed product information, finishes and entire Farrah offering in the Seating Price List

FARRAH GANGING CENTER TABLE



MODEL NO./DESCRIPTION		GRADE A	GRADE C	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
N71TCL	Laminate	$ 615			25	25	14	–	–	24.5 lbs.	1.5
N71TCDLW	Laminate - Exposed Plywood Rim	693			25	25	14	–	–	24.5 lbs.	1.5
N71TCW	Veneer	1002			25	25	14	–	–	24.5 lbs.	1.5
N71TCDW	Veneer - Exposed Plywood Rim	1078			25	25	14	–	–	24.5 lbs.	1.5
N71TCS	Solid Surface	1845	2214		25	25	14	–	–	31.5 lbs.	1.5

• 2 metal attachment brackets and hardware included
• Reference Farrah for detailed product information, finishes and entire Farrah offering in the Seating Price List

FOOTINGS OCCASIONAL TABLES

TO ORDER, SPECIFY:

1. Model Number
2. Paint Color
3. Foot Paint Color

SAMPLE MODEL NUMBER:

CBV245015YBKP 265 265

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FOOTINGS X BASE OCCASIONAL HEIGHT	CBV2115XBP	$ 549	20⁹⁄₁₆	20⁹⁄₁₆	14¹⁄₁₆	—	—	26 lbs.	4.2
	CBV2715XBP	619	27¼	27¼	14¹⁄₁₆	—	—	28 lbs.	6.3
	CBV3215XBP	690	31⁹⁄₁₆	31⁹⁄₁₆	14¹⁄₁₆	—	—	28 lbs.	7.9



- 1⅛" diameter glide
- Reference Footings for detailed product information, finishes and entire Footings offering starting on page 188

FOOTINGS X BASE END TABLE HEIGHT	CBV2119XBP	$ 587	20⁹⁄₁₆	20⁹⁄₁₆	18	—	—	28 lbs.	5.1
	CBV2719XBP	626	27¼	27¼	18	—	—	29 lbs.	7.8



- Reference Footings for detailed product information, finishes and entire Footings offering starting on page 188

FOOTINGS Y BASES WITH RAIL OCCASIONAL HEIGHT	CBV183115YBKP	$ 865	30⅞	18¹⁄₁₆	14¹⁄₁₆	—	—	49 lbs.	7.1
	CBV183515YBKP	902	34⅞	18¹⁄₁₆	14¹⁄₁₆	—	—	49 lbs.	7.2
	CBV243815YBKP	942	38⁹⁄₁₆	24	14¹⁄₁₆	—	—	51 lbs.	9.8
	CBV244415YBKP	980	44⅝₁₆	24	14¹⁄₁₆	—	—	52 lbs.	9.8
	CBV245015YBKP	1020	50⅝₁₆	24	14¹⁄₁₆	—	—	52 lbs.	9.8

- 1⅛" diameter glide
- Reference Footings for detailed product information, finishes and entire Footings offering starting on page 188

FRINGE OCCASIONAL TABLES

TO ORDER, SPECIFY:

1. Model Number
2. Surface Grommet
3. Side Grommet
4. Wood/Laminate Finish
5. Leg Color
6. Glides

SAMPLE MODEL NUMBER:

N93TEN2724W

FRINGE END TABLE



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
USED WHEN ALIGNING WITH 24" WIDTH									
N93TEN2724W	Wood, Metal Legs - 24"	$ 2052	26½	23½	19½	—	—	55 lbs.	13.5
N93TEN2724WW	Wood, Wood Legs - 24"	2233	26½	23½	19½	—	—	55 lbs.	13.5
N93TEN2724L	Laminate, Metal Legs - 24"	1866	26½	23½	19½	—	—	55 lbs.	13.5
N93TEN2724LW	Laminate, Wood Legs - 24"	2046	26½	23½	19½	—	—	55 lbs.	13.5
USED WHEN ALIGNING WITH 27" WIDTH									
N93TEN2727W	Wood, Metal Legs - 27"	$ 2160	26½	26½	19½	—	—	61 lbs.	13.5
N93TEN2727WW	Wood, Wood Legs - 27"	2350	26½	26½	19½	—	—	61 lbs.	13.5
N93TEN2727L	Laminate, Metal Legs - 27"	1965	26½	26½	19½	—	—	61 lbs.	13.5
N93TEN2727LW	Laminate, Wood Legs - 27"	2153	26½	26½	19½	—	—	61 lbs.	13.5

- Power grommet is sold separately; reference pages 557, 564, and 570 for pricing and details (Braided cords are not available)
- Power grommet cutout is always center
- Reference Fringe Tables for detailed product information, finishes and entire Fringe offering in the Seating Price List

FRINGE QUARTER TABLE



N93TQRW	Wood, Metal Legs	$ 2742	26½	26½	19½	—	—	40 lbs.	10.7
N93TQRWW	Wood, Wood Legs	2984	26½	26½	19½	—	—	40 lbs.	10.7
N93TQRL	Laminate, Metal Legs	2494	26½	26½	19½	—	—	40 lbs.	10.7
N93TQRLW	Laminate, Wood Legs	2735	26½	26½	19½	—	—	40 lbs.	10.7

- Power grommet is sold separately; reference pages 557, 564, and 570 for pricing and details (Braided cords are not available)
- No side grommet option
- Reference Fringe Tables for detailed product information, finishes and entire Fringe offering in the Seating Price List

FRINGE HALF ROUND TABLE



N93THRW	Wood, Metal Legs	$ 3414	26½	53	19½	—	—	77 lbs.	20.5
N93THRWW	Wood, Wood Legs	3714	26½	53	19½	—	—	77 lbs.	20.5
N93THRL	Laminate, Metal Legs	3103	26½	53	19½	—	—	77 lbs.	20.5
N93THRLW	Laminate, Wood Legs	3403	26½	53	19½	—	—	77 lbs.	20.5

- Power grommet is sold separately; reference pages 557, 564, and 570 for pricing and details (Braided cords are not available)
- No side grommet option
- Reference Fringe Tables for detailed product information, finishes and entire Fringe offering in the Seating Price List

FRINGE OCCASIONAL TABLES

TO ORDER, SPECIFY:

1. Model Number
2. Surface Grommet
3. Side Grommet
4. Wood/Laminate Finish
5. Leg Color
6. Glides

SAMPLE MODEL NUMBER:

N93TMIBW

FRINGE MID BACK INLINE TABLE



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
N93TMIBW	Ganging Wood, Metal Legs	$ 2498	26½	23½	40	—	—	97 lbs.	7.4
N93TMIBWW	Ganging Wood, Wood Legs	2681	26½	23½	40	—	—	97 lbs.	7.4
N93TMIBL	Ganging Laminate, Metal Legs	2236	26½	23½	40	—	—	97 lbs.	7.4
N93TMIBLW	Ganging Laminate, Wood Legs	2418	26½	23½	40	—	—	97 lbs.	7.4

- Power grommet is sold separately; reference pages 557, 564, and 570 for pricing and details (Braided cords are not available)
- Power grommet cutout is always center
- Reference Fringe Tables for detailed product information, finishes and entire Fringe offering in the Seating Price List

FRINGE HIGH BACK INLINE TABLE



N93THIBW	Ganging Wood, Metal Legs	$ 2574	26½	23½	53	—	—	109 lbs.	7.7
N93THIBWW	Ganging Wood, Wood Legs	2756	26½	23½	53	—	—	109 lbs.	7.7
N93THIBL	Ganging Laminate, Metal Legs	2311	26½	23½	53	—	—	109 lbs.	7.7
N93THIBLW	Ganging Laminate, Wood Legs	2494	26½	23½	53	—	—	109 lbs.	7.7

- Power grommet is sold separately; reference pages 557, 564, and 570 for pricing and details (Braided cords are not available)
- Power grommet cutout is always center
- Reference Fringe Tables for detailed product information, finishes and entire Fringe offering in the Seating Price List

HOBSEN OCCASIONAL TABLES

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color (if applicable)
3. Solid Surface Grade (if applicable)
4. Solid Surface Color (if applicable)
5. Wood Finish

SAMPLE MODEL NUMBER:

N58T18ENRDL

HOBSEN END TABLE

Laminate/Veneer

Glass

MODEL NO./DESCRIPTION		GRADE A	GRADE B	GRADE C	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
						DI		H				
N58T18ENRDL	Round, Laminate	$ 1990				17½	–	23	–	–	22 lbs.	8.0
N58T18ENRDW	Round, Wood	2334				17½	–	23	–	–	22 lbs.	8.0
N58T18ENRDG	Round, Glass	2467				17½	–	22⅜	–	–	21 lbs.	7.7
N58T18ENRDS	Round, Solid Surface	3859	3938	4046		17½	–	23	–	–	26 lbs.	8.0

- Ships assembled
- The veneer tops on wood models will always match the frame finish
- Laminate and veneer models feature a softened 3mm rim profile
- Solid surface models feature a reversed half-bullnose rim profile, see the Seating Price List
- Glass surfaces are ⅜" thick tempered low-iron glass with a 45 degree beveled edge profile and are attached with a clear adhesive
- Reference Hobsen for detailed product information, finishes and entire Hobsen offering in the Seating Price List

HOBSEN MAGAZINE TABLE

Laminate/Veneer

Glass

		GRADE A	GRADE B	GRADE C							
N58T2745MGOL	Oval, Laminate	$ 2391			27	45	14⅜	–	–	61 lbs.	18.0
N58T2745MGOW	Oval, Wood	2714			27	45	14⅜	–	–	61 lbs.	18.0
N58T2745MGOG	Oval, Glass	3163			27	45	13½	–	–	65 lbs.	17.1
N58T2745MGOS	Oval, Solid Surface	5421	5723	6135	27	45	14⅜	–	–	77 lbs.	18.0

- Ships assembled
- The veneer tops on wood models will always match the frame finish
- Laminate and veneer models feature a softened 3mm rim profile
- Solid surface models feature a reversed half-bullnose rim profile, see the Seating Price List
- Glass surfaces are ⅜" thick tempered low-iron glass with a 45 degree beveled edge profile and are attached with a clear adhesive
- Reference Hobsen for detailed product information, finishes and entire Hobsen offering in the Seating Price List

PRODUCT SPECIFICATIONS

TOPS

- Laminate surfaces are 1" HPL (high pressure laminate)
- Veneer surfaces are 1" plain sliced slipmatched cherry (Amber, Autumn, Mocha, Truffle) or maple veneer (Brighton, Caramel, Honey, Natural), plain sliced bookmatched walnut veneer (Clear Walnut, Cordovan, Judicial), quarter cut walnut veneer (Almond, Portobello, Sable), or quarter cut oak veneer (Sonoma)
- When specifying Clear Walnut, a clear coat finish, the natural wood characteristics of walnut veneer are visible. These characteristics include, but are not limited to, color and woodgrain variation.
- Solid surface is 1" thick
- Back painted glass surfaces (round tops only) have a 1" thick top including the glass and white substrate
- Grain direction runs parallel to the metal frame on square and rectangle models

RIM PROFILES

- Veneer models have a matching 3mm veneer edge band
- Laminate models have a matching 3mm PVC edge band
- Back painted glass has a MDF core with 3D Laminate edge
- Solid surface worksurface have a matching 3mm radius edge

UPHOLSTERED TOPS

- ¾" high grade polyurethane foam covers a ¾" solid base panel

LEGS

- 2 metal base styles; the round tables will have an "X" base for the 30" and 40" models and a "Y" base for the 16" and 24" diameter models, the square and rectangles will have an open style base

FINISH APPLICATION

- All Veneer surfaces feature a semi-open pore matte finish

MARNIA OCCASIONAL TABLES

TOP WOOD FINISHES

AC Autumn
AD Almond
CL Caramel
CW Cordovan
DW Judicial
EW Clear Walnut*
HN Honey
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
SM Sonoma
TF Truffle
792 Sable

TOP LAMINATE COLORS

WOODGRAIN LAMINATE

AC2 Autumn 2
AD Almond
BZ Brazilwood
CI Chai
CL Caramel
CW Cordovan
DW Judicial
HN2 Honey 2
IM Brighton
KN Kona
MC Amber
MH Mocha
NM Natural
PB Portobello
PC Porcini
PT Portico
SK Skyline
SM Sonoma
TF Truffle
WL Willow
792 Sable
793 Acorn*

*Acorn is the laminate complement to Clear Walnut finish

SOLID LAMINATE

405 Designer White
419 Wallaby
425 Shadow
440 Cloud
457 Dapple
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear

GALLERY LAMINATE

Grade 1 – 5% upcharge
G1001 Citadel
G1011 Pepperdust

Grade 2 – 6% upcharge
G1002 Planked Raw Oak
G1003 Evening Notte
G1004 Kirsche
G1005 Midnight Run
G1006 Sepia Walnut
G1007 Serotina
G1008 Timeless
G1009 White Nebbia
G1012 Phantom Ecru

See page 14 for Gallery program details and upcharges

LEG PAINT COLORS

405 Designer White
423 Concrete
462 Cinder
463 Iron
501 Platinum Metallic
503 Satin Nickel Metallic

SOLID SURFACE TOP OPTIONS

COLORS

7101 Bisque (Grade A)
7201 Glacier White (Grade A)
7202 Canyon (Grade B)
7203 Designer White (Grade B)
7204 Silt (Grade B)
7301 Concrete (Grade C)
7302 Deep Night Sky (Grade C)
7303 Deep Nocturne (Grade C)

RIM PROFILE



MARNIA OCCASIONAL TABLES

PRODUCT SPECIFICATIONS

- Wood, Laminate, Glass, and Solid Surface worksurface available on round tops. See page 510 for options
- Upholstered top available for 16" round table only. See pages 5-13 for fabric options
- Legs are metal. See page 510 for color options
- Round tops are shipped KD

TO ORDER, SPECIFY:

1. Model Number
2. Wood Finish/Laminate Color
3. Solid Surface Grade/Color
4. Leg Paint Color

SAMPLE MODEL NUMBERS:

89N2422TRDW PB 463
89N2422TRDS C 7305 463

- See page 510 for all options available in Occasional Tables

ROUND TABLE

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
16" ROUND		**GRADE A**	**GRADE B**	**GRADE C**	**DI**		**H**				
89N1616TRDL	Laminate	$ 1654			16	–	16	–	–		2.7
89N1616TRDG	White Back Painted Glass	2046			16	–	16	–	–		2.7
89N1616TRDS	Solid Surface	2275	2340	2428	16	–	16	–	–		2.7

	Grade	1	2/COM	3/COL	4	5	6	7	L7	L8
89N1616TRDF	Fabric	$ 2018	2043	2054	2072	2092	2125	2170	2382	2450

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
$	2059	2085	2105	2126	2149	2173	2194	2219	2244	2270

	K	L	M	N	O	P	Q	R	S	T
$	2309	2389	2439	2465	2491	2516	2542	2567	2593	2618

DIMENSIONS

Diameter 16
Height 16½" Cubic Ft. 2.7

- Veneer top is not an option on 16" round tops
- See fabric guidelines on page 10 of the Tables Price List
- Ships KD in 2 cartons

ROUND TABLE

24" ROUND		GRADE A	GRADE B	GRADE C	DI		H				
89N2422TRDW	Wood	$ 2538			24	–	22	–	–		6.0
89N2422TRDL	Laminate	1952			24	–	22	–	–		6.0
89N2422TRDG	White Back Painted Glass	2802			24	–	22	–	–		6.0
89N2422TRDS	Solid Surface	3046	3190	3386	24	–	22	–	–		6.0
30" ROUND											
89N3016TRDW	Wood	$ 2783			30⅓	–	16	–	–		5.7
89N3016TRDL	Laminate	2320			30⅓	–	16	–	–		5.7
89N3016TRDG	White Back Painted Glass	3572			30⅓	–	16	–	–		5.7
89N3016TRDS	Solid Surface	3759	3984	4290	30⅓	–	16	–	–		5.7
40" ROUND											
89N4016TRDW	Wood	$ 3660			40	–	16	–	–		12.6
89N4016TRDL	Laminate	3051			40	–	16	–	–		12.6
89N4016TRDG	White Back Painted Glass	5114			40	–	16	–	–		12.6
89N4016TRDS	Solid Surface	5272	5672	6216	40	–	16	–	–		12.6

- Ships KD in 2 cartons

MARNIA OCCASIONAL TABLES

PRODUCT SPECIFICATIONS

- Wood, Laminate, and Solid Surface available on square tops. See page 510 for options
- Legs are metal. See page 510 for color options
- Square and Rectangular tops shipped assembled
- Wood and Laminate tops have 3mm edge

TO ORDER, SPECIFY:

1. Model Number
2. Wood Finish/Laminate Color
3. Solid Surface Grade/Color
4. Leg Paint Color

SAMPLE MODEL NUMBERS:

89N242422TSQW PB 463
89N182722TRTW PB 463

- See page 510 for all options available in Occasional Tables

	MODEL NO./DESCRIPTION				LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SQUARE TABLE	**24" SQUARE**		**GRADE A**	**GRADE B**	**GRADE C**							
	89N242422TSQW	Wood	$ 2894			24	24	22	–	–		12.7
	89N242422TSQL	Laminate	2225			24	24	22	–	–		12.7
	89N242422TSQS	Solid Surface	3474	3618	3814	24	24	22	–	–		12.7
	30" SQUARE											
	89N303016TSQW	Wood	$ 2824			30⅛	30⅛	16	–	–		14.2
	89N303016TSQL	Laminate	2260			30⅛	30⅛	16	–	–		14.2
	89N303016TSQS	Solid Surface	3812	4037	4343	30⅛	30⅛	16	–	–		14.2
	40" SQUARE											
	89N404016TSQW	Wood	$ 3329			40	40	16	–	–		23.4
	89N404016TSQL	Laminate	2773			40	40	16	–	–		23.4
	89N404016TSQS	Solid Surface	4991	5391	5935	40	40	16	–	–		23.4

- Tops have cutouts to accept base. On laminate models, cutout will always be painted black. On Veneer models, cutout will match finish specified

RECTANGLE TABLE	**18" x 27" RECTANGLE**		**GRADE A**	**GRADE B**	**GRADE C**							
	89N182722TRTW	Wood	$ 2705			18	27	22	–	–		11.1
	89N182722TRTL	Laminate	2080			18	27	22	–	–		11.1
	89N182722TRTS	Solid Surface	3246	3368	3535	18	27	22	–	–		11.1
	20" x 42" RECTANGLE											
	89N204216TRTW	Wood	$ 2780			20	42	16	–	–		13.6
	89N204216TRTL	Laminate	2223			20	42	16	–	–		13.6
	89N204216TRTS	Solid Surface	3753	3962	4246	20	42	16	–	–		13.6

- Tops have cutouts to accept base. On laminate models, cutout will always be painted black. On Veneer models, cutout will match finish specified

BOX AND FLOATING TOP SIZES

End Table 24" x 24"
Coffee Table 36" x 36"
Magazine Table 24" x 48"
Console Table 18" x 50"



CUBE SIZES

End Table 24" x 24"
Coffee Table 36" x 36"
Magazine Table 24" x 48"

CYLINDER SIZES

End Table 24" Diameter
Coffee Table 36" Diameter

GLASS TOP KITS AVAILABLE FOR

Box styles
Cube styles
Cylinder styles

WOOD FINISHES

AC Autumn
CL Caramel
CW Cordovan
DW Judicial
HN Honey
IM Brighton
MC Amber
MH Mocha
NM Natural
TF Truffle

- Veneer tables are plain sliced slipmatched cherry (Amber, Autumn, Mocha, Truffle), maple veneer (Brighton, Caramel, Honey, Natural), or plain sliced bookmatched walnut veneer (Cordovan, Judicial)

LAMINATES

WOODGRAIN LAMINATE

AC2 Autumn 2
AD Almond
BZ Brazilwood
CI Chai
CL Caramel
CW Cordovan
DW Judicial
HN2 Honey 2
IM Brighton
KN Kona
MC Amber
MH Mocha
NM Natural
PB Portobello
PC Porcini
PT Portico
SK Skyline
SM Sonoma
TF Truffle
WL Willow
792 Sable
793 Acorn

SOLID LAMINATE

405 Designer White
419 Wallaby
425 Shadow
440 Cloud
457 Dapple
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear

PATTERN LAMINATE

814 White Tigris
818 Crisp Linen
819 Flax Gauze
821 Elemental Concrete
822 Smoke Quarstone

GALLERY LAMINATE

Grade 1 – 5% upcharge
G1001 Citadel
G1011 Pepperdust

Grade 2 – 6% upcharge
G1002 Planked Raw Oak
G1003 Evening Notte
G1004 Kirsche
G1005 Midnight Run
G1006 Sepia Walnut
G1007 Serotina
G1008 Timeless
G1009 White Nebbia
G1012 Phantom Ecru

See page 14 for Gallery program details and upcharges

FINISH APPLICATION

- All Veneer surfaces feature a semi-open pore matte finish

METAL COLORS

423 Concrete
462 Cinder
463 Iron
497 Polished Aluminum
501 Platinum Metallic
503 Satin Nickel Metallic

GLASS OPTION

3 Clear

SURFACE GROMMET OPTION

If no grommet is desired, specify an X (No Grommet)

CUT-G12C Cutout only for G12 1 Touch Pivoting Power Grommet
CUT-G17C Cutout only for G17 1 Touch Pivoting Power Grommet
CUT-G23C Cutout only for G23 Power Grommet

- Power grommet is optional for box, cube and cylinder styles

SIDE GROMMET OPTION

If no grommet is desired, specify an X (No Grommet)

CUT-G23C Cutout only for G23 Power Grommet

- Power grommet is optional for box, cube and cylinder styles

DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width
DI Diameter

MYRIAD OCCASIONAL TABLES

TO ORDER, SPECIFY:

1. Model Number
2. Surface Grommet
3. Side Grommet
4. Paint
5. Finish/Laminate Color

SAMPLE MODEL NUMBER:

91NB2424ENW X X 501 MH

• See page 513 for all options available in Occasional Tables

MYRIAD BOX



End Table



Optional Surface and Side Grommet Locations



Console Table









MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WOOD									
91NB2424ENW	End Table	$ 2121	24	24	20½	—	—	55 lbs.	12.6
91NB1850CSW	Console Table	2888	18	50	31½	—	—	75 lbs.	20.2
91NB2448MGW	Magazine Table	2269	24	48	16½	—	—	77 lbs.	19.1
91NB3636MGW	Coffee Table	2362	36	36	16½	—	—	65 lbs.	15.0
LAMINATE									
91NB2424ENL	End Table	$ 1775	24	24	20½	—	—	55 lbs.	12.6
91NB1850CSL	Console Table	2550	18	50	31½	—	—	75 lbs.	20.2
91NB2448MGL	Magazine Table	1929	24	48	16½	—	—	77 lbs.	19.1
91NB3636MGL	Coffee Table	2016	36	36	16½	—	—	65 lbs.	15.0

- Optional glass and solid surface kits available; reference page 530
- Features an aluminum base in 3 color options
- Optional surface grommet cutout available in G12, G17, and G23 cutout (+$40 list)
- Optional side grommet cutout available in G23 cutout (+$40 list)
- Grommet option not available on console table
- Power grommet sold separately; reference pages 557-559, 564-567, and 570 for pricing and details
- Reference Myriad for detailed product information, finishes and entire Myriad offering starting on page 513

MYRIAD OCCASIONAL TABLES

TO ORDER, SPECIFY:

1. Model Number
2. Surface Grommet
3. Side Grommet (Cubes Only)
4. Finish/Laminate Color

SAMPLE MODEL NUMBERS:

91NA2424CYW X NM
91NA2424CUW X X MH

• See page 513 for all options available in Occasional Tables

MYRIAD CYLINDER



End Table



Coffee Table

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
WOOD			**DI**		**H**				
91NA2424CYW	End Table	$ 1544	24	–	20½	–	–	35 lbs.	11.0
91NA3636MGYW	Coffee Table	2080	36 1⁄16	–	16½	–	–	55 lbs.	18.6
LAMINATE									
91NA2424CYL	End Table	$ 953	24	–	20½	–	–	35 lbs.	11.0
91NA3636MGYL	Coffee Table	1424	36 1⁄16	–	16½	–	–	55 lbs.	18.6

- Optional glass and solid surface kits available; reference page 530
- Optional surface center grommet cutout available in G12, G17, and G23 cutout (+$40 list)
- Power grommet sold separately; reference pages 557-559, 564-567, and 570 for pricing and details
- Reference Myriad for detailed product information, finishes and entire Myriad offering starting on page 513

MYRIAD CUBE



End Table



Optional Surface and Side Grommet Locations

			D	W	H	A	KW		
WOOD									
91NA2424CUW	End Table	$ 1544	24	24	20½	–	–	33 lbs.	11.1
91NA2448MGTW	Magazine Table	1950	24	48	16½	–	–	66 lbs.	17.2
91NA3636MGUW	Coffee Table	1950	36	36	16½	–	–	55 lbs.	18.9
LAMINATE									
91NA2424CUL	End Table	$ 953	24	24	20½	–	–	33 lbs.	11.1
91NA2448MGTL	Magazine Table	1315	24	48	16½	–	–	66 lbs.	17.2
91NA3636MGUL	Coffee Table	1315	36	36	16½	–	–	55 lbs.	18.9

- Optional glass and solid surface kits available; reference page 530
- Optional surface grommet cutout available in G12, G17, and G23 cutout (+$40 list)
- Optional side grommet cutout available in G23 cutout (+$40 list)
- Power grommet sold separately; reference pages 557-559, 564-567, and 570 for pricing and details
- Reference Myriad for detailed product information, finishes and entire Myriad offering starting on page 513









MYRIAD OCCASIONAL TABLES

TO ORDER, SPECIFY:

1. Model Number
2. Glass
3. Metal Color

SAMPLE MODEL NUMBER:

91NC2424ENG 3 462

• See page 513 for all options available in Occasional Tables

MYRIAD FLOATING TOP



End Table



Console Table



Magazine Table



Coffee Table

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
GLASS TOPS									
91NC2424ENG	End Table	$ 2523	24	24	20½	—	—	30 lbs.	2.2
91NC1850CSG	Console Table	3266	18	50	28½	—	—	53 lbs.	5.2
91NC2448MGG	Magazine Table	2933	24	48	16½	—	—	57 lbs.	5.5
91NC3636MGG	Coffee Table	2933	36	36	16½	—	—	50 lbs.	3.5

- Some assembly required – glass must be attached to base
- Glass is clear with beveled rim
- Features an aluminum base
- Glass is ⅜" thick
- Reference Myriad for detailed product information, finishes and entire Myriad offering starting on page 513

MYRIAD OCCASIONAL TABLES

TO ORDER, SPECIFY:

1. Model Number
2. Finish/Laminate Color
3. Metal Color

SAMPLE MODEL NUMBER:

91NC2424ENW MH 501

• See page 513 for all options available in Occasional Tables

MYRIAD FLOATING TOP



End Table



Console Table



Magazine Table



Coffee Table

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
VENEER TOPS									
91NC2424ENW	End Table	$ 2081	24	24	20½	—	—	30 lbs.	2.2
91NC1850CSW	Console Table	2633	18	50	28½	—	—	53 lbs.	5.2
91NC2448MGW	Magazine Table	2362	24	48	16½	—	—	57 lbs.	5.5
91NC3636MGW	Coffee Table	2362	36	36	16½	—	—	50 lbs.	3.5
LAMINATE TOPS									
91NC2424ENL	End Table	$ 1732	24	24	20½	—	—	30 lbs.	2.2
91NC1850CSL	Console Table	2293	18	50	28½	—	—	53 lbs.	5.2
91NC2448MGL	Magazine Table	2016	24	48	16½	—	—	57 lbs.	5.5
91NC3636MGL	Coffee Table	2016	36	36	16½	—	—	50 lbs.	3.5

- Floating top style with laminate tops are available in a CSL; reference page 14 for program details
- Features an aluminum base in 4 color options
- Grommet not available on floating top styles
- Floating top is ⅜" thick
- Veneer tables feature matte/satin sheen
- Reference Myriad for detailed product information, finishes and entire Myriad offering starting on page 513

RENO OCCASIONAL TABLES

TO ORDER, SPECIFY:

1. Model Number
2. Surface Grommet
3. Side Grommet (Square Only)
4. Paint
5. Finish/Laminate Color

SAMPLE MODEL NUMBER:

N32T24ENW X 462 MH

RENO END TABLE



Optional Surface Grommet Location



Optional Surface and Side Grommet Locations

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
ROUND			**DI**		**H**				
N32T24ENW	Wood	$ 1925	24	–	20 15/16	–	–	35 lbs.	11.0
N32T24ENL	Laminate	1620	24	–	20 15/16	–	–	35 lbs.	11.0

- Side grommet not available on round models
- Optional surface grommet cutout available in G12, G17, and G23 cutout (+$40 list)

SQUARE			D	W	H	A	KW		
N32T2424ENW	Wood	$ 1925	24	24	20 15/16	–	–	55 lbs.	12.6
N32T2424ENL	Laminate	1620	24	24	20 15/16	–	–	55 lbs.	12.6

- Optional surface grommet cutout available in G12, G17, and G23 cutout (+$40 list)
- Optional side grommet cutout on square table available in G23 cutout (+$40 list)
- Some assembly required; feet are field installed
- Power grommet sold separately; reference pages 557-559, 564-567, and 570 for pricing and details
- Optional glass and solid surface kits available; reference page 530
- Reference Reno for detailed product information, finishes and entire Reno offering in the Seating Price List

RENO MAGAZINE TABLE





Optional Surface and Side Grommet Locations

N32T2448MGW	Wood	$ 2063	24	48	16 15/16	–	77	19.1 lbs.	
N32T2448MGL	Laminate	1768	24	48	16 15/16	–	77	19.1 lbs.	

- Optional surface grommet cutout available in G12, G17, and G23 cutout (+$40 list)
- Optional side grommet cutout available in G23 cutout (+$40 list)
- Some assembly required; feet are field installed
- Power grommet sold separately; reference pages 557-559, 564-567, and 570 for pricing and details
- Optional glass and solid surface kits available; reference page 530
- Reference Reno for detailed product information, finishes and entire Reno offering in the Seating Price List

RENO OCCASIONAL TABLES

TO ORDER, SPECIFY:

1. Model Number
2. Surface Grommet
3. Side Grommet (Square Only)
4. Paint
5. Finish/Laminate Color

SAMPLE MODEL NUMBER:

N32T36MGW X 462 MH

RENO COFFEE TABLE





Optional Surface Grommet Location





Optional Surface and Side Grommet Locations

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
ROUND			**DI**		**H**				
N32T36MGW	Wood	$ 2147	36 1/16	–	16 5/16	–	–	55 lbs.	18.6
N32T36MGL	Laminate	1852	36 1/16	–	16 5/16	–	–	55 lbs.	18.6

- Side grommet not available on round models
- Optional surface grommet cutout available in G12, G17, and G23 cutout (+$40 list)

SQUARE			**D**	**W**	**H**	**A**	**KW**		
N32T3636MGW	Wood	$ 2147	36	36	16 5/16	–	–	65 lbs.	15.0
N32T3636MGL	Laminate	1852	36	36	16 5/16	–	–	65 lbs.	15.0

- Optional surface grommet cutout available in G12, G17, and G23 cutout (+$40 list)
- Optional side grommet cutout available in G23 cutout (+$40 list)

- Some assembly required; feet are field installed
- Power grommet sold separately; reference pages 557-559, 564-567, and 570 for pricing and details
- Optional glass and solid surface kits available; reference page 530
- Reference Reno for detailed product information, finishes and entire Reno offering in the Seating Price List

ROOSEVELT OCCASIONAL TABLES

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Finish/Laminate Color

SAMPLE MODEL NUMBER:

51N2040MGW MH

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
ROOSEVELT MAGAZINE TABLE	51N2040MGW	Wood Top	$ 1478	19¾	39¾	18⁵⁄₁₆	—	—	42 lbs.	3.0
	Q51N2040MGLW	Laminate Top	1271	19¾	39¾	18⁵⁄₁₆	—	—	42 lbs.	3.0
	51N2040MGLW	Laminate Top	1271	19¾	39¾	18⁵⁄₁₆	—	—	42 lbs.	3.0



- Some assembly required
- Laminate top tables have veneer legs/base
- Reference Roosevelt for detailed product information, finishes and entire Roosevelt offering in the Casegoods Book 1 Price List

ROOSEVELT END TABLE	51N2424ENW	Wood Top	$ 1271	23¾	23¾	22⁵⁄₁₆	—	—	38 lbs.	2.8
	Q51N2424ENLW	Laminate Top	1131	23¾	23¾	22⁵⁄₁₆	—	—	38 lbs.	2.8
	51N2424ENLW	Laminate Top	1131	23¾	23¾	22⁵⁄₁₆	—	—	38 lbs.	2.8



- Some assembly required
- Laminate top tables have veneer legs/base
- Reference Roosevelt for detailed product information, finishes and entire Roosevelt offering in the Casegoods Book 1 Price List

SWIFT OCCASIONAL TABLES

TO ORDER, SPECIFY:

1. Model Number
2. Surface Grommet
3. Side Grommet
4. Finish/Laminate Color
5. Frame Color

SAMPLE MODEL NUMBERS:

N95PPW X X CL 497
N95PPL X X MC 501

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SWIFT SMALL END TABLE	N95PPW	Wood	$ 1761	28	14	16½	—	—	31.8 lbs.	7.5
	N95PPL	Laminate	1634	28	14	16½	—	—	31.8 lbs.	7.5





Optional Surface and Side Grommet Locations

- Power grommet sold separately; reference pages 557-559, 564-567, and 570 for pricing and details
- Optional surface grommet cutout available in G12, G17, and G23 cutout (+$40 list)
- Optional side grommet cutout available in G23 cutout (+$40 list)
- Reference Swift for detailed product information, finishes and entire Swift offering in the Seating Price List

SWIFT COFFEE TABLE	N95RRW	Wood	$ 2750	36	36	13¼	—	—	70 lbs.	16.8
	N95RRL	Laminate	2625	36	36	13¼	—	—	70 lbs.	16.8



- Power grommet option not available
- Frosted ⅜" thick tempered glass insert
- Reference Swift for detailed product information, finishes and entire Swift offering in the Seating Price List

SWIFT CONSOLE TABLE	N95SSW	Wood	$ 2939	18	50	33½	—	—	74.2 lbs.	26.4
	N95SSL	Laminate	2811	18	50	33½	—	—	74.2 lbs.	26.4



- Power grommet option not available
- Frosted ⅜" thick tempered glass insert
- Reference Swift for detailed product information, finishes and entire Swift offering in the Seating Price List

SWIFT OCCASIONAL TABLES

TO ORDER, SPECIFY:

1. Model Number
2. Surface Grommet
3. Side Grommet
4. Finish/Laminate Color
5. Frame Color

SAMPLE MODEL NUMBERS:

N95KKW X X CW 462
N95KKL X X 462 501

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SWIFT 30° TABLE	N95KKW	Wood	$ 2106	30¼	25	16½	—	—	40 lbs.	12.6
	N95KKL	Laminate	1977	30¼	25	16½	—	—	40 lbs.	12.6





Optional Surface and Side Grommet Locations

- Power grommet sold separately; reference pages 557-559, 564-567, and 570 for pricing and details
- Optional surface grommet cutout available in G12, G17, and G23 cutout (+$40 list)
- Optional side grommet cutout available in G23 cutout (+$40 list)
- Reference Swift for detailed product information, finishes and entire Swift offering in the Seating Price List

SWIFT 45° TABLE	N95LLW	Wood	$ 2279	32¼	31½	16½	—	—	45.2 lbs.	16.3
	N95LLL	Laminate	2149	32¼	31½	16½	—	—	45.2 lbs.	16.3





Optional Surface and Side Grommet Locations

- Power grommet sold separately; reference pages 557-559, 564-567, and 570 for pricing and details
- Optional surface grommet cutout available in G12, G17, and G23 cutout (+$40 list)
- Optional side grommet cutout available in G23 cutout (+$40 list)
- Reference Swift for detailed product information, finishes and entire Swift offering in the Seating Price List

SWIFT 90° TABLE	N95NNW	Wood	$ 2365	28	28	16½	—	—	47.8 lbs.	13.1
	N95NNL	Laminate	2237	28	28	16½	—	—	47.8 lbs.	13.1





Optional Surface and Side Grommet Locations

- Power grommet sold separately; reference pages 557-559, 564-567, and 570 for pricing and details
- Optional surface grommet cutout available in G12, G17, and G23 cutout (+$40 list)
- Optional side grommet cutout available in G23 cutout (+$40 list)
- Reference Swift for detailed product information, finishes and entire Swift offering in the Seating Price List

TAG OCCASIONAL TABLES

TO ORDER, SPECIFY:

1. Model Number
2. Finish/Laminate Color
3. Frame Color

SAMPLE MODEL NUMBER:

N60SGW MC 462

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
TAG END TABLE	N60SGW	Wood Top	$ 824	18	20	17¾	—	—	15 lbs.	6.1
	N60SGL	Laminate Top	693	18	20	17¾	—	—	15 lbs.	6.1



- Platinum Metallic option available for a $53 list upcharge
- Reference Tag for detailed product information, finishes and entire Tag offering in the Seating Price List

TAG CORNER TABLE	N60SHW	Wood Top	$ 1162	28	28	17¾	—	—	24 lbs.	11.5
	N60SHL	Laminate Top	1032	28	28	17¾	—	—	24 lbs.	11.5

- Platinum Metallic option available for a $53 list upcharge
- Reference Tag for detailed product information, finishes and entire Tag offering in the Seating Price List

TAG MAGAZINE TABLE	N60SKW	Wood Top	$ 1126	19⅝	39⅞	16	—	—	24 lbs.	10.7
	N60SKL	Laminate Top	997	19⅝	39⅞	16	—	—	24 lbs.	10.7



- Platinum Metallic option available for a $53 list upcharge
- Reference Tag for detailed product information, finishes and entire Tag offering in the Seating Price List

TARVER OCCASIONAL TABLES

PRODUCT SPECIFICATIONS

- Legs made of metal and solid wood
- End and Magazine Tables ship assembled

TO ORDER, SPECIFY:

1. Model Number
2. Top Finish/Laminate
3. Base Finish
4. Paint

SAMPLE MODEL NUMBERS:

90N2421ENL	478	461	462
90N2448MGW	PBRO	405	462

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
TARVER END TABLE TRESTLE BASE	90N2421ENW	Wood	$ 2524	24	24	22⅜	—	—	60 lbs.	12.8
	90N2421ENL	Laminate	2390	24	24	22⅜	—	—	60 lbs.	12.8

- No grommet cutouts available
- 1⅜" thick tops
- Reference Tarver for detailed product information, finishes and entire Tarver offering starting on page 154

TARVER MAGAZINE TABLE TRESTLE BASE	90N2448MGW	Wood	$ 3228	24	48⅛	16¾	—	—	83 lbs.	18.8
	90N2448MGL	Laminate	3093	24	48⅛	16¾	—	—	83 lbs.	18.8

- No grommet cutouts available
- 1⅜" thick tops
- Reference Tarver for detailed product information, finishes and entire Tarver offering starting on page 154

TESSERA OCCASIONAL TABLES

TO ORDER, SPECIFY:

1. Model Number
2. Leg Color
3. Finish/Laminate Color

SAMPLE MODEL NUMBERS:

59N24ENRDW 501 MH
59N24ENRDLW 501 MH

	MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
TESSERA END TABLE	**ROUND**									
	59N24ENRDW	Wood	$ 2313	24	24	23¾	—	—	83 lbs.	14.2
	59N24ENRDLW	Laminate	1970	24	24	23¾	—	—	83 lbs.	14.2
	SQUARE									
	59N2424ENSQW	Wood	$ 2472	24	24	23¾	—	—	55 lbs.	14.2
	59N2424ENSQLW	Laminate	2126	24	24	23¾	—	—	55 lbs.	14.2

- No grommet cutouts available
- 1³⁄₁₆" thick top
- Reference Tessera for detailed product information, finishes and entire Tessera offering in the Casegoods Book 1 Price List

TESSERA COFFEE TABLE	**ROUND**									
	59N36MGRDW	Wood	$ 2691	36⅛	36⅛	16¾	—	—	55 lbs.	21.6
	59N36MGRDLW	Laminate	2345	36⅛	36⅛	16¾	—	—	55 lbs.	21.6
	SQUARE									
	59N3636MGSQW	Wood	$ 2847	36⅛	36⅛	16¾	—	—	65 lbs.	21.6
	59N3636MGSQLW	Laminate	2503	36⅛	36⅛	16¾	—	—	65 lbs.	21.6

- No grommet cutouts available
- 1³⁄₁₆" thick top
- Reference Tessera for detailed product information, finishes and entire Tessera offering in the Casegoods Book 1 Price List

TESSERA MAGAZINE TABLE	59N2448MGW	Wood	$ 2691	24	48	16¾	—	—	77 lbs.	19.7
	59N2448MGLW	Laminate	2345	24	48	16¾	—	—	77 lbs.	19.7

- No grommet cutouts available
- 1³⁄₁₆" thick top
- Reference Tessera for detailed product information, finishes and entire Tessera offering in the Casegoods Book 1 Price List

UNIVERSAL OCCASIONAL TABLES

SOLID SURFACE TOP OPTIONS

COLORS

7101 Bisque (Grade A)
7201 Glacier White (Grade A)
7202 Canyon (Grade B)
7203 Designer White (Grade B)
7204 Silt (Grade B)
7301 Concrete (Grade C)
7302 Deep Night Sky (Grade C)
7303 Deep Nocturne (Grade C)

RIM PROFILE



COLUMN PAINT COLOR

265 Polished
405 Designer White
423 Concrete
462 Cinder
463 Iron
501 Platinum Metallic
503 Satin Nickel Metallic

BASE PAINT COLOR

405 Designer White
423 Concrete
462 Cinder
463 Iron
501 Platinum Metallic
503 Satin Nickel Metallic

WOOD FINISH

AC Autumn
AD Almond
CL Caramel
CW Cordovan
DW Judicial
HN Honey
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
PT Portico
SK Skyline
SM Sonoma
TF Truffle
405 Designer White
462 Cinder
792 Sable
793 Acorn

Acorn is the wood complement to Clear Walnut finish

WOODGRAIN LAMINATE

AC2 Autumn 2
AD Almond
BZ Brazilwood
CI Chai
CL Caramel
CW Cordovan
DW Judicial
HN2 Honey 2
IM Brighton
KN Kona
MC Amber
MH Mocha
NM Natural
PB Portobello
PC Porcini
PT Portico
SK Skyline
SM Sonoma
TF Truffle
WL Willow
792 Sable
793 Acorn*

*Acorn is the laminate complement to Clear Walnut finish

SOLID LAMINATE

405 Designer White
419 Wallaby
425 Shadow
440 Cloud
457 Dapple
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear

GALLERY LAMINATE

Grade 1 – 5% upcharge
G1001 Citadel
G1011 Pepperdust

Grade 2 – 6% upcharge
G1002 Planked Raw Oak
G1003 Evening Notte
G1004 Kirsche
G1005 Midnight Run
G1006 Sepia Walnut
G1007 Serotina
G1008 Timeless
G1009 White Nebbia
G1012 Phantom Ecru

See page 14 for Gallery program details and upcharges

UNIVERSAL OCCASIONAL TABLES

TO ORDER, SPECIFY:
1. Model Number

SAMPLE MODEL NUMBER:
10N3636RDBPG

UNIVERSAL GLASS TOP



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
ROUND			**DI**		**H**				
10N3636RDBPG	White Back Painted Glass	$ 2953	36⅞	–	1½	–	–	65 lbs.	4.7
10N2424RDBPG	White Back Painted Glass	2162	23⅞	–	1½	–	–	31 lbs.	1.9
SOFT SQUARE			**D**	**W**	**H**	**A**	**KW**		
10N3636SQBPG	White Back Painted Glass	$ 2953	35⅝	35⅝	1½	–	–	69 lbs.	4.7
10N2424SQBPG	White Back Painted Glass	2162	23⅜	23⅜	1½	–	–	28 lbs.	1.9

- 24" top for use with 22" disc or soft square base on pages 528-530
- 36" top for use with 27" disc or soft square base on pages 528-530
- 1½" thickness includes the glass and substrate
- Features writable surface
- Footings Bases cannot be used with the Universal glass tops due to the size of the mounting brackets

UNIVERSAL SOLID SURFACE TOP





ROUND		GRADE A	GRADE B	GRADE C	DI		H				
10N36RDS	Solid Surface	$ 3671	$ 3995	$ 4436	36	–	1½	–	–	59 lbs.	2.7
10N24RDS	Solid Surface	2306	2450	2646	24	–	1½	–	–	26 lbs.	1.3
SOFT SQUARE		**GRADE A**	**GRADE B**	**GRADE C**	**D**	**W**	**H**	**A**	**KW**		
10N3636SSQS	Solid Surface	$ 3671	$ 3995	$ 4436	36	36	1½	–	–	79 lbs.	2.7
10N2424SSQS	Solid Surface	2306	2450	2646	24	24	1½	–	–	38 lbs.	1.3

- Grommet cutout not available on solid surface tops
- Not intended for use with adjustable height bases
- 24" top for use with 22" disc or soft square base on pages 528-530
- 36" top for use with 27" disc or soft square base on pages 528-530

UNIVERSAL OCCASIONAL TABLES

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Column Paint Color
3. Base Paint Color

SAMPLE MODEL NUMBER:

CBV2715DRNBP 265 462

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
DISC BASE OCCASIONAL TABLE HEIGHT	CBV2715DRNBP	$ 1046	3	27 3/16	16	—	—	60 lbs.	1.9
	CBV2215DRNBP	790	3	22	16	—	—	43 lbs.	1.9



- 3" column base
- Some assembly required
- Reference Base Requirements Chart in the Casegoods Book 2 Price List
- Glide adjustment of +/– ⅛"

SOFT SQUARE BASE OCCASIONAL TABLE HEIGHT	CBV2715DSQBP	$ 1217	3	27 3/16	16	—	—	60 lbs.	1.9
	CBV2215DSQBP	959	3	22	16	—	—	50 lbs.	1.9



- 3" column base
- Some assembly required
- Reference Base Requirements Chart in the Casegoods Book 2 Price List
- Glide adjustment of +/– ⅛"

DISC BASE WORKSURFACE HEIGHT	CBV2728DRNBP	$ 1113	3	27 3/16	27 7/16	—	—	73 lbs.	2.8
	CBV2228DRNBP	833	3	22	27 7/16	—	—	56 lbs.	2.8



- 3" column base
- Some assembly required
- Reference Base Requirements Chart in the Casegoods Book 2 Price List
- Glide adjustment of +/– ⅛"

SOFT SQUARE BASE WORKSURFACE HEIGHT	CBV2728DSQBP	$ 1287	3	27 3/16	27 7/16	—	—	84 lbs.	2.8
	QCBV2228DSQBP	1004	3	22	27 7/16	—	—	63 lbs.	2.8
	CBV2228DSQBP	1004	3	22	27 7/16	—	—	63 lbs.	2.8



- 3" column base
- Some assembly required
- Reference Base Requirements Chart in the Casegoods Book 2 Price List
- Glide adjustment of +/– ⅛"

TO ORDER, SPECIFY:

1. Model Number
2. Column Paint Color
3. Base Paint Color

SAMPLE MODEL NUMBER:

CBV2740DRNBP 265 462

	MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
DISC BASE COUNTER HEIGHT	CBV2735DRNBP	$ 1202	3	27⅜	35	—	—	75 lbs.	3.4
	CBV2235DRNBP	1159	3	22	35	—	—	58 lbs.	3.4



- 3" column base
- Some assembly required
- Reference Base Requirements Chart in the Casegoods Book 2 Price List
- Glide adjustment of +/– ⅛"

SOFT SQUARE BASE COUNTER HEIGHT	CBV2735DSQBP	$ 1374	3	27⅜	35	—	—	86 lbs.	3.4
	CBV2235DSQBP	1329	3	22	35	—	—	65 lbs.	3.4



- 3" column base
- Some assembly required
- Reference Base Requirements Chart in the Casegoods Book 2 Price List
- Glide adjustment of +/– ⅛"

DISC BASE BAR HEIGHT	CBV2740DRNBP	$ 1287	3	27⅜	40¾	—	—	76 lbs.	3.8
	CBV2240DRNBP	1242	3	22	40¾	—	—	59 lbs.	3.8



- 3" column base
- Some assembly required
- Reference Base Requirements Chart in the Casegoods Book 2 Price List
- Glide adjustment of +/– ⅛"

SOFT SQUARE BASE BAR HEIGHT	CBV2740DSQBP	$ 1456	3	27⅜	40¾	—	—	87 lbs.	3.8
	CBV2240DSQBP	1413	3	22	40¾	—	—	66 lbs.	3.8



- 3" column base
- Some assembly required
- Reference Base Requirements Chart in the Casegoods Book 2 Price List
- Glide adjustment of +/– ⅛"

UNIVERSAL OCCASIONAL TABLES

TO ORDER, SPECIFY:

1. Model Number
2. Solid Surface Grade
3. Solid Surface Color

SAMPLE MODEL NUMBER:

10N2424SQSK A 7101

UNIVERSAL SOLID SURFACE KITS



MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
SQUARE/RECTANGULAR		**GRADE A / GRADE B / GRADE C**							
10N2424SQSK	End Table Kit	$ 1677 / $ 1821 / $ 2017	24	24	⅜	—	—	25 lbs.	1.05
10N2448RTSK	Magazine Table Kit	2470 / 2758 / 3150	24	48	⅜	—	—	47 lbs.	2.0
10N3636SQSK	Coffee Table Kit	2470 / 2794 / 3235	36	36	⅜	—	—	52 lbs.	2.2
10N1850RTSK	Console Table Kit	2470 / 2695 / 3001	18	50	⅜	—	—	38 lbs.	1.6
SOFT SQUARE									
10N2424SSQSK	End Table Kit	$ 1651 / $ 1795 / $ 1991	24	24	⅜	—	—	25 lbs.	1.1
10N3636SSQSK	Coffee Table Kit	2559 / 2883 / 3324	36	36	⅜	—	—	52 lbs.	2.2
ROUND			**DI**		**H**				
10N2424RDSK	End Table Kit	$ 1651 / $ 1795 / $ 1991	24	—	⅜	—	—	23 lbs.	1.1
10N3636RDSK	Coffee Table Kit	2559 / 2883 / 3324	36	—	⅜	—	—	49 lbs.	2.2

- For use on box, cylinder, soft square and cube styles on pages 502, 514-515
- When pairing a solid surface kit with another occasional table, the solid surface top may be sized smaller than the occasional table

UNIVERSAL GLASS KITS



SQUARE/RECTANGULAR			D	W	H	A	KW		
10N2424SQGK	End Table Kit	$ 918	24	24	⅜	—	—	55 lbs.	12.6
10N2448RTGK	Magazine Table Kit	1287	24	48	⅜	—	—	77 lbs.	19.1
10N3636SQGK	Coffee Table Kit	1287	36	36	⅜	—	—	75 lbs.	20.2
10N1850RTGK	Console Table Kit	1287	18	50	⅜	—	—	65 lbs.	15.0
SOFT SQUARE									
10N2424SSQGK	End Table Kit	$ 1287	24	—	24	—	—	22 lbs.	1.0
10N3636SSQGK	Coffee Table Kit	1929	24	—	36	—	—	49 lbs.	2.1
ROUND			**DI**		**H**				
10N2424RDGK	End Table Kit	$ 1287	24	—	⅜	—	—	18 lbs.	1.0
10N3636RDGK	Coffee Table Kit	1929	36	—	⅜	—	—	37 lbs.	2.1





- For use on box, cylinder, soft square and cube styles on pages 502, 514-515
- Specify model number only
- Glass is clear with beveled rim
- Glass comes with stanchions for easy attachment to table
- Square kits feature square stanchions and soft square/round kits feature round stanchions

TO ORDER, SPECIFY:

1. Model Number
2. Laminate Color

SAMPLE MODEL NUMBER:

10N1622RTPUW 419 462

WELI OCCASIONAL TABLES

TO ORDER, SPECIFY:

1. Model Number
2. Laminate/Solid Surface
3. Paint
4. Glides

SAMPLE MODEL NUMBER:

N60SGW MC 462

WELI OVAL TABLE

MODEL NO./DESCRIPTION		GRADE A	GRADE B	GRADE C	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
N81T2448MGOL	24 x 48, Laminate	$ 2426				48	24	16¼	—	—	24 lbs.	6.5
N81T2448MGOS	24 x 48, Solid Surface	3862	4150	4542		48	24	16¼	—	—	34 lbs.	6.5

• Reference Weli for detailed product information, finishes and entire Weli offering in the Seating Price List

WELI FREESTANDING TABLE

MODEL NO./DESCRIPTION		GRADE A	GRADE B	GRADE C	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
N81T2424ENL	24 x 24, Laminate	$ 1652				25¾	24½	16¼	—	—	24 lbs.	3.6
N81T2424ENS	24 x 24, Solid Surface	2873	3024	3230		25¾	24½	16¼	—	—	34 lbs.	3.6

• Reference Weli for detailed product information, finishes and entire Weli offering in the Seating Price List

WELI 90 DEGREE ROUNDED CORNER FREESTANDING TABLE



MODEL NO./DESCRIPTION		GRADE A	GRADE B	GRADE C	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
N81T3636CNL	Laminate	$ 2426				38⅛	38⅛	16¼	—	—	35 lbs.	7.4
N81T3636CNS	Solid Surface	3862	4215	4695		38⅛	38⅛	16¼	—	—	49 lbs.	7.4

• Reference Weli for detailed product information, finishes and entire Weli offering in the Seating Price List

PRODUCT SPECIFICATIONS

TOPS

- Laminate surfaces are 1" HPL (high pressure laminate)
- Veneer surfaces are 1" plain sliced slipmatched cherry (Amber, Autumn, Mocha, Truffle) or maple veneer (Brighton, Caramel, Honey, Natural), plain sliced bookmatched walnut veneer (Clear Walnut, Cordovan, Judicial), quarter cut walnut veneer (Almond, Portobello, Sable), or quarter cut oak veneer (Sonoma)
- When specifying Clear Walnut, a clear coat finish, the natural wood characteristics of walnut veneer are visible. These characteristics include, but are not limited to, color and woodgrain variation
- Solid surface is 1" thick
- Back painted glass surfaces have a 1" thick top including the glass and white substrate
- Veneer and Laminate models also available with standard core with a 3mm PVC rim which is 1" thick
- Grain direction runs left-to-right

RIM PROFILES

- An exposed plywood core for veneer will have color matched on the rim and will be a reversed half-bullnose.
- Clear Walnut will have a clear coat on the rim
- An exposed plywood core for laminate will have a clear coat on the rim and will be a reversed half-bullnose
- Back painted glass has a MDF core with 3D Laminate edge. It will be a reversed half-bullnose and will be white
- Solid surface does not have a plywood core but will have a reversed half-bullnose and will be the same color as the solid surface
- Veneer and laminate models are available with a 3mm rim option with a standard core. Veneer will have a softened wood rim, while laminate will have a softened PVC rim

UPHOLSTERED TOPS

- 1⅜" high grade polyurethane foam covers a ⅛" solid base

LEGS

- All Wixler legs are solid wood

FINISH APPLICATION

- All Veneer surfaces feature a semi-open pore matte finish

WIXLER OCCASIONAL TABLES

TOP/WOOD LEGS FINISHES

AC Autumn
AD Almond**
CL Caramel
CW Cordovan
DW Judicial
EW Clear Walnut**
HN Honey
IM Brighton
MC Amber
MH Mocha
NM Natural
PB Portobello
SM Sonoma
TF Truffle
792 Sable

TOP LAMINATE COLORS

WOODGRAIN LAMINATE

AC2 Autumn 2
AD Almond
BZ Brazilwood
CI Chai
CL Caramel
CW Cordovan
DW Judicial
HN2 Honey 2
IM Brighton
KN Kona
MC Amber
MH Mocha
NM Natural
PB Portobello
PC Porcini
PT Portico
SK Skyline
SM Sonoma
TF Truffle
WL Willow
792 Sable
793 Acorn*

SOLID LAMINATE

405 Designer White
419 Wallaby
425 Shadow
440 Cloud
457 Dapple
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear

PATTERN LAMINATE

814 White Tigris
818 Crisp Linen
819 Flax Gauze
821 Elemental Concrete
822 Smoke Quarstone

GALLERY LAMINATE

Grade 1 – 5% upcharge
G1001 Citadel
G1011 Pepperdust

Grade 2 – 6% upcharge
G1002 Planked Raw Oak
G1003 Evening Notte
G1004 Kirsche
G1005 Midnight Run
G1006 Sepia Walnut
G1007 Serotina
G1008 Timeless
G1009 White Nebbia
G1012 Phantom Ecru

*Acorn is the laminate complement to Clear Walnut finish
**Almond is the leg finish complement to Clear Walnut finish

- CSL available; see page 14 for program details and upcharge

See page 14 for Gallery program details and upcharges

RIM PROFILE OPTIONS



Softened PVC (V) (laminate tops only)



Reversed Half-Bullnose

PVC SOFTENED RIM

AC2 Autumn 2
AD Almond
BZ Brazilwood
CI Chai
CL Caramel
CW Cordovan
DW Judicial
HN2 Honey 2
IM Brighton
KN Kona
MC Amber
MH Mocha
NM Natural
PB Portobello
PC Porcini
PT Portico
SK Skyline
SM Sonoma
TF Truffle
WL Willow
405 Designer White
419 Wallaby
425 Shadow
440 Cloud
457 Dapple
461 Graphite
462 Cinder
478 Platinum Grey
488 Frosty White
491 Designer White Linear
492 Cinder Linear
792 Sable
793 Acorn

GALLERY PVC SOFTENED RIM

Grade 1 – 5% upcharge
G1001 Citadel
G1011 Pepperdust

Grade 2 – 6% upcharge
G1002 Planked Raw Oak
G1003 Evening Notte
G1004 Kirsche
G1005 Midnight Run
G1006 Sepia Walnut
G1007 Serotina
G1008 Timeless
G1009 White Nebbia
G1012 Phantom Ecru

BASE LEGS PAINT COLORS

405 Designer White
423 Concrete
462 Cinder
463 Iron
501 Platinum Metallic
503 Satin Nickel Metallic

SOLID SURFACE TOP OPTIONS

COLORS

7101 Bisque (Grade A)
7201 Glacier White (Grade A)
7202 Canyon (Grade B)
7203 Designer White (Grade B)
7204 Silt (Grade B)
7301 Concrete (Grade C)
7302 Deep Night Sky (Grade C)
7303 Deep Nocturne (Grade C)

RIM PROFILE



WIXLER OCCASIONAL TABLES

PRODUCT SPECIFICATIONS

- Wood, laminate, glass, and solid surface available. See page 534 for options
- Upholstered top available. See pages 5-13 for fabric options
- Legs are solid wood. See page 534 for color options
- Legs shipped in same box as top (KD)
- Wood and laminate have a plywood core with exposed rim detail. Glass has plywood core, but not exposed
- Wood and laminate available with standard core with 3mm edge detail

TO ORDER, SPECIFY:

1. Model Number
2. Laminate/Wood Color
3. Solid Surface Grade (Solid surface only)
4. Solid Surface Color (Solid surface only)
5. Leg Finish

SAMPLE MODEL NUMBER:

88NA4216TRDW CW 463

- See page 534 for all options available in Occasional Tables

ROUND TOP

MODEL NO./DESCRIPTION			LIST PRICE			DIMENSIONS					CARTONED WEIGHT	CUBIC FEET
42" ROUND		**GRADE A**	**GRADE B**	**GRADE C**	**DI**		**H**	**A**	**KW**			
88NA4216TRDW	Wood	$ 2810			42	–	16	–	–		61 lbs.	10.7
88NA4216TRDLW	Laminate	2810			42	–	16	–	–		61 lbs.	10.7
88NA4216TRDGW	White Back Painted Glass	5428			42	–	16	–	–		109 lbs.	10.7
88NA4216TRDSW	Solid Surface	5632	6073	6673	42	–	16	–	–		86 lbs.	10.7
88NA4216TRDVW	Wood 3mm Rim	2320			42	–	16	–	–		61 lbs.	10.7
88NA4216TRDVLW	Laminate 3mm Rim	1969			42	–	16	–	–		61 lbs.	10.7
88NA4218TRDW	Wood	$ 2847			42	–	18	–	–		62 lbs.	10.7
88NA4218TRDLW	Laminate	2847			42	–	18	–	–		62 lbs.	10.7
88NA4218TRDGW	White Back Painted Glass	5463			42	–	18	–	–		110 lbs.	10.7
88NA4218TRDSW	Solid Surface	5669	6110	6710	42	–	18	–	–		87 lbs.	10.7
88NA4218TRDVW	Wood 3mm Rim	2355			42	–	18	–	–		62 lbs.	10.7
88NA4218TRDVLW	Laminate 3mm Rim	2006			42	–	18	–	–		62 lbs.	10.7
36" ROUND												
88NA3616TRDW	Wood	$ 2688			36	–	16	–	–		47 lbs.	8.2
88NA3616TRDLW	Laminate	2688			36	–	16	–	–		47 lbs.	8.2
88NA3616TRDGW	White Back Painted Glass	4722			36	–	16	–	–		83 lbs.	8.2
88NA3616TRDSW	Solid Surface	5117	5441	5882	36	–	16	–	–		66 lbs.	8.2
88NA3616TRDVW	Wood 3mm Rim	2173			36	–	16	–	–		47 lbs.	8.2
88NA3616TRDVLW	Laminate 3mm Rim	1822			36	–	16	–	–		47 lbs.	8.2
88NA3618TRDW	Wood	$ 2727			36	–	18	–	–		49 lbs.	8.2
88NA3618TRDLW	Laminate	2727			36	–	18	–	–		49 lbs.	8.2
88NA3618TRDGW	White Back Painted Glass	4758			36	–	18	–	–		84 lbs.	8.2
88NA3618TRDSW	Solid Surface	5154	5478	5919	36	–	18	–	–		67 lbs.	8.2
88NA3618TRDVW	Wood 3mm Rim	2210			36	–	18	–	–		49 lbs.	8.2
88NA3618TRDVLW	Laminate 3mm Rim	1860			36	–	18	–	–		49 lbs.	8.2

- Ships as one unit (KD)
- All models except for the wood and laminate 3mm have a reversed half-bullnose rim detail

WIXLER OCCASIONAL TABLES

PRODUCT SPECIFICATIONS

- Wood, laminate, glass, and solid surface available. See page 534 for options
- Upholstered top available. See pages 5-13 for fabric options
- Legs are solid wood. See page 534 for color options
- Legs shipped in same box as top (KD)
- Wood and laminate have a plywood core with exposed rim detail. Glass has plywood core, but not exposed
- Wood and laminate available with standard core with 3mm edge detail

TO ORDER, SPECIFY:

1. Model Number
2. Laminate/Wood Color
3. Solid Surface Grade (Solid surface only)
4. Solid Surface Color (Solid surface only)
5. Leg Finish

SAMPLE MODEL NUMBER:

88NA2416TRDW CW 463

- See page 534 for all options available in Occasional Tables

ROUND TOP (CONTINUED)

MODEL NO./DESCRIPTION			LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
24" ROUND		**GRADE A**	**GRADE B**	**GRADE C**	**DI**		**H**				
88NA2416TRDW	Wood	$ 2507			24	–	16	–	–	25 lbs.	4.2
88NA2416TRDLW	Laminate	2507			24	–	16	–	–	25 lbs.	4.2
88NA2416TRDGW	White Back Painted Glass	3660			24	–	16	–	–	41 lbs.	4.2
88NA2416TRDSW	Solid Surface	4350	4494	4690	24	–	16	–	–	33 lbs.	4.2
88NA2416TRDVW	Wood 3mm Rim	2027			24	–	16	–	–	25 lbs.	4.2
88NA2416TRDVLW	Laminate 3mm Rim	1677			24	–	16	–	–	25 lbs.	4.2

	Grade	1	2/COM	3/COL	4	5	6	7	L7	L8
88NA2417TRDFW	Fabric	$ 2578	2610	2624	2647	2673	2716	2773	3046	3133

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
$	2631	2664	2690	2717	2746	2778	2804	2836	2869	2902

	K	L	M	N	O	P	Q	R	S	T
$	2952	3055	3119	3152	3186	3219	3252	3284	3317	3349

DIMENSIONS

Diameter 24 Weight 25
Height 17 Cubic Ft. 4.2

88NA2418TRDW	Wood	$ 2542			24	–	18	–	–	26 lbs.	4.2
88NA2418TRDLW	Laminate	2542			24	–	18	–	–	26 lbs.	4.2
88NA2418TRDGW	White Back Painted Glass	3698			24	–	18	–	–	42 lbs.	4.2
88NA2418TRDSW	Solid Surface	4386	4530	4726	24	–	18	–	–	35 lbs.	4.2
88NA2418TRDVW	Wood 3mm Rim	2063			24	–	18	–	–	26 lbs.	4.2
88NA2418TRDVLW	Laminate 3mm Rim	1714			24	–	18	–	–	26 lbs.	4.2

	Grade	1	2/COM	3/COL	4	5	6	7	L7	L8
88NA2419TRDFW	Fabric	$ 2616	2648	2662	2685	2711	2754	2811	3084	3171

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
$	2669	2702	2728	2755	2784	2816	2842	2874	2907	2940

	K	L	M	N	O	P	Q	R	S	T
$	2990	3093	3157	3190	3224	3257	3290	3322	3355	3387

DIMENSIONS

Diameter 24 Weight 26
Height 19 Cubic Ft. 4.2

- Ships as one unit (KD)
- All models except for the wood and laminate 3mm have a reversed half-bullnose rim detail

WIXLER OCCASIONAL TABLES

PRODUCT SPECIFICATIONS

- Wood, laminate, glass, and solid surface available. See page 534 for options
- Upholstered top available. See pages 5-13 for fabric options
- Legs are solid wood. See page 534 for color options
- Legs shipped in same box as top (KD)
- Wood and laminate have a plywood core with exposed rim detail. Glass has plywood core, but not exposed
- Wood and laminate available with standard core with 3mm edge detail

TO ORDER, SPECIFY:

1. Model Number
2. Laminate/Wood Color
3. Solid Surface Grade (Solid surface only)
4. Solid Surface Color (Solid surface only)
5. Leg Finish

SAMPLE MODEL NUMBER:

88NA2420TRDW CW 463

- See page 534 for all options available in Occasional Tables

ROUND TOP (CONTINUED)

MODEL NO./DESCRIPTION			LIST PRICE			DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
24" ROUND		**GRADE A**	**GRADE B**	**GRADE C**		**DI**		**H**				
88NA2420TRDW	Wood	$ 2578				24	–	20	–	–	28 lbs.	4.2
88NA2420TRDLW	Laminate	2578				24	–	20	–	–	28 lbs.	4.2
88NA2420TRDGW	White Back Painted Glass	3734				24	–	20	–	–	43 lbs.	4.2
88NA2420TRDSW	Solid Surface	4423	4567	4763		24	–	20	–	–	36 lbs.	4.2
88NA2420TRDVW	Wood 3mm Rim	2101				24	–	20	–	–	28 lbs.	4.2
88NA2420TRDVLW	Laminate 3mm Rim	1751				24	–	20	–	–	28 lbs.	4.2
88NA2422TRDW	Wood	$ 2616				24	–	22	–	–	29 lbs.	4.2
88NA2422TRDLW	Laminate	2616				24	–	22	–	–	29 lbs.	4.2
88NA2422TRDGW	White Back Painted Glass	3770				24	–	22	–	–	45 lbs.	4.2
88NA2422TRDSW	Solid Surface	4459	4603	4799		24	–	22	–	–	37 lbs.	4.2
88NA2422TRDVW	Wood 3mm Rim	2137				24	–	22	–	–	29 lbs.	4.2
88NA2422TRDVLW	Laminate 3mm Rim	1786				24	–	22	–	–	29 lbs.	4.2
18" ROUND												
88NA1816TRDW	Wood	$ 2384				18	–	16	–	–	19 lbs.	3.1
88NA1816TRDLW	Laminate	2384				18	–	16	–	–	19 lbs.	3.1
88NA1816TRDGW	White Back Painted Glass	2955				18	–	16	–	–	28 lbs.	3.1
88NA1816TRDSW	Solid Surface	3833	3912	4020		18	–	16	–	–	24 lbs.	3.1
88NA1816TRDVW	Wood 3mm Rim	1880				18	–	16	–	–	19 lbs.	3.1
88NA1816TRDVLW	Laminate 3mm Rim	1531				18	–	16	–	–	19 lbs.	3.1

	Grade	1	2/COM	3/COL	4	5	6	7	L7	L8
88NA1817TRDFW	Fabric	$ 2457	2482	2493	2511	2531	2564	2609	2821	2889

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
$	2498	2524	2544	2565	2588	2612	2633	2658	2683	2709

	K	L	M	N	O	P	Q	R	S	T
$	2748	2828	2878	2904	2930	2955	2981	3006	3032	3057

DIMENSIONS

Diameter	18	Weight	19
Height	17	Cubic Ft.	3.1

- Ships as one unit (KD)
- All models except for the wood and laminate 3mm have a reversed half-bullnose rim detail

WIXLER OCCASIONAL TABLES

PRODUCT SPECIFICATIONS

- Wood, laminate, glass, and solid surface available. See page 534 for options
- Upholstered top available. See pages 5-13 for fabric options
- Legs are solid wood. See page 534 for color options
- Legs shipped in same box as top (KD)
- Wood and laminate have a plywood core with exposed rim detail. Glass has plywood core, but not exposed
- Wood and laminate available with standard core with 3mm edge detail

TO ORDER, SPECIFY:

1. Model Number
2. Laminate/Wood Color
3. Solid Surface Grade (Solid surface only)
4. Solid Surface Color (Solid surface only)
5. Leg Finish

SAMPLE MODEL NUMBER:

88NA1818TRDW CW 463

- See page 534 for all options available in Occasional Tables

ROUND TOP (CONTINUED)

MODEL NO./DESCRIPTION			LIST PRICE			DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
18" ROUND		**GRADE A**	**GRADE B**	**GRADE C**		**DI**		**H**				
88NA1818TRDW	Wood	$ 2421				18	–	18	–	–	21 lbs.	3.1
88NA1818TRDLW	Laminate	2421				18	–	18	–	–	21 lbs.	3.1
88NA1818TRDGW	White Back Painted Glass	2992				18	–	18	–	–	29 lbs.	3.1
88NA1818TRDSW	Solid Surface	3870	3949	4057		18	–	18	–	–	25 lbs.	3.1
88NA1818TRDVW	Wood 3mm Rim	1917				18	–	18	–	–	21 lbs.	3.1
88NA1818TRDVLW	Laminate 3mm Rim	1568				18	–	18	–	–	21 lbs.	3.1
	Grade	1	2/COM	3/COL	4	5	6	7	L7	L8		
88NA1819TRDFW	Fabric	$ 2493	2518	2529	2547	2567	2600	2645	2857	2925		

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
$	2534	2560	2580	2601	2624	2648	2669	2694	2719	2745
	K	L	M	N	O	P	Q	R	S	T
$	2784	2864	2914	2940	2966	2991	3017	3042	3068	3093

DIMENSIONS

Diameter 18 Weight 21
Height 19 Cubic Ft. 3.1

88NA1820TRDW	Wood	$ 2457			18	–	20	–	–	23 lbs.	3.4
88NA1820TRDLW	Laminate	2457			18	–	20	–	–	23 lbs.	3.4
88NA1820TRDGW	White Back Painted Glass	3028			18	–	20	–	–	32 lbs.	3.4
88NA1820TRDSW	Solid Surface	3905	3984	4092	18	–	20	–	–	28 lbs.	3.4
88NA1820TRDVW	Wood 3mm Rim	1954			18	–	20	–	–	23 lbs.	3.4
88NA1820TRDVLW	Laminate 3mm Rim	1604			18	–	20	–	–	23 lbs.	3.4
88NA1822TRDW	Wood	$ 2493			18	–	22	–	–	25 lbs.	3.7
88NA1822TRDLW	Laminate	2493			18	–	22	–	–	25 lbs.	3.7
88NA1822TRDGW	White Back Painted Glass	3064			18	–	22	–	–	34 lbs.	3.7
88NA1822TRDSW	Solid Surface	3942	4021	4129	18	–	22	–	–	30 lbs.	3.7
88NA1822TRDVW	Wood 3mm Rim	1991			18	–	22	–	–	25 lbs.	3.7
88NA1822TRDVLW	Laminate 3mm Rim	1641			18	–	22	–	–	25 lbs.	3.7

- Ships as one unit (KD)
- All models except for the wood and laminate 3mm have a reversed half-bullnose rim detail

WIXLER OCCASIONAL TABLES

PRODUCT SPECIFICATIONS

- Wood, laminate, glass, and solid surface available. See page 534 for options
- Upholstered top available. See pages 5-13 for fabric options
- Legs are solid wood. See page 534 for color options
- Legs shipped in same box as top (KD)
- Wood and laminate have a plywood core with exposed rim detail. Glass has plywood core, but not exposed
- Wood and laminate available with standard core with 3mm edge detail

TO ORDER, SPECIFY:

1. Model Number
2. Laminate/Wood Color
3. Solid Surface Grade (Solid surface only)
4. Solid Surface Color (Solid surface only)
5. Leg Finish

SAMPLE MODEL NUMBER:

88NA424216TSQLW SM 503

- See page 534 for all options available in Occasional Tables

SOFT SQUARE TOP

MODEL NO./DESCRIPTION			GRADE A	GRADE B	GRADE C	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
42" SQUARE												
88NA424216TSQW	Wood	$	2810			42	42	16	–	–	72 lbs.	10.7
88NA424216TSQLW	Laminate		2810			42	42	16	–	–	72 lbs.	10.7
88NA424216TSQGW	White Back Painted Glass		5428			42	42	16	–	–	133 lbs.	10.7
88NA424216TSQSW	Solid Surface		5632	6073	6673	42	42	16	–	–	104 lbs.	10.7
88NA424216TSQVW	Wood 3mm Rim		2320			42	42	16	–	–	72 lbs.	10.7
88NA424216TSQVLW	Laminate 3mm Rim		1969			42	42	16	–	–	72 lbs.	10.7
88NA424218TSQW	Wood	$	2847			42	42	18	–	–	73 lbs.	10.7
88NA424218TSQLW	Laminate		2847			42	42	18	–	–	73 lbs.	10.7
88NA424218TSQGW	White Back Painted Glass		5463			42	42	18	–	–	134 lbs.	10.7
88NA424218TSQSW	Solid Surface		5669	6110	6710	42	42	18	–	–	105 lbs.	10.7
88NA424218TSQVW	Wood 3mm Rim		2355			42	42	18	–	–	73 lbs.	10.7
88NA424218TSQVLW	Laminate 3mm Rim		2006			42	42	18	–	–	73 lbs.	10.7
36" SQUARE												
88NA363616TSQW	Wood	$	2688			36	36	16	–	–	55 lbs.	8.2
88NA363616TSQLW	Laminate		2688			36	36	16	–	–	55 lbs.	8.2
88NA363616TSQGW	White Back Painted Glass		4722			36	36	16	–	–	100 lbs.	8.2
88NA363616TSQSW	Solid Surface		5117	5441	5882	36	36	16	–	–	79 lbs.	8.2
88NA363616TSQVW	Wood 3mm Rim		2173			36	36	16	–	–	55 lbs.	8.2
88NA363616TSQVLW	Laminate 3mm Rim		1822			36	36	16	–	–	55 lbs.	8.2
88NA363618TSQW	Wood	$	2727			36	36	18	–	–	57 lbs.	8.2
88NA363618TSQLW	Laminate		2727			36	36	18	–	–	57 lbs.	8.2
88NA363618TSQGW	White Back Painted Glass		4758			36	36	18	–	–	102 lbs.	8.2
88NA363618TSQSW	Solid Surface		5154	5478	5919	36	36	18	–	–	80 lbs.	8.2
88NA363618TSQVW	Wood 3mm Rim		2210			36	36	18	–	–	57 lbs.	8.2
88NA363618TSQVLW	Laminate 3mm Rim		1860			36	36	18	–	–	57 lbs.	8.2

- Ships as one unit (KD)
- All models except for the wood and laminate 3mm have a reversed half-bullnose rim detail

WIXLER OCCASIONAL TABLES

PRODUCT SPECIFICATIONS

- Wood, laminate, glass, and solid surface available. See page 534 for options
- Upholstered top available. See pages 5-13 for fabric options
- Legs are solid wood. See page 534 for color options
- Legs shipped in same box as top (KD)
- Wood and laminate have a plywood core with exposed rim detail. Glass has plywood core, but not exposed
- Wood and laminate available with standard core with 3mm edge detail

TO ORDER, SPECIFY:

1. Model Number
2. Laminate/Wood Color
3. Solid Surface Grade (Solid surface only)
4. Solid Surface Color (Solid surface only)
5. Leg Finish

SAMPLE MODEL NUMBER:

88NA242416TSQLW SM 503

- See page 534 for all options available in Occasional Tables

SOFT SQUARE TOP (CONTINUED)

MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
24" SQUARE		**GRADE A GRADE B GRADE C**							
88NA242416TSQW	Wood	$ 2507	24	24	16	–	–	29 lbs.	4.2
88NA242416TSQLW	Laminate	2507	24	24	16	–	–	29 lbs.	4.2
88NA242416TSQGW	White Back Painted Glass	3660	24	24	16	–	–	49 lbs.	4.2
88NA242416TSQSW	Solid Surface	4350 4494 4690	24	24	16	–	–	39 lbs.	4.2
88NA242416TSQVW	Wood 3mm Rim	2027	24	24	16	–	–	29 lbs.	4.2
88NA242416TSQVLW	Laminate 3mm Rim	1677	24	24	16	–	–	29 lbs.	4.2

	Grade	1	2/COM	3/COL	4	5	6	7	L7	L8
88NA242417TSQFW	Fabric	$ 2578	2610	2624	2647	2673	2716	2773	3046	3133

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
$	2631	2664	2690	2717	2746	2778	2804	2836	2869	2902

	K	L	M	N	O	P	Q	R	S	T
$	2952	3055	3119	3152	3186	3219	3252	3284	3317	3349

DIMENSIONS

Depth	24	Weight	29
Width	24	Cubic Ft.	4.2
Height	17		

88NA242418TSQW	Wood	$ 2542	24	24	18	–	–	30 lbs.	4.2
88NA242418TSQLW	Laminate	2542	24	24	18	–	–	30 lbs.	4.2
88NA242418TSQGW	White Back Painted Glass	3698	24	24	18	–	–	40 lbs.	4.2
88NA242418TSQSW	Solid Surface	4386 4530 4726	24	24	18	–	–	40 lbs.	4.2
88NA242418TSQVW	Wood 3mm Rim	2063	24	24	18	–	–	30 lbs.	4.2
88NA242418TSQVLW	Laminate 3mm Rim	1714	24	24	18	–	–	30 lbs.	4.2

	Grade	1	2/COM	3/COL	4	5	6	7	L7	L8
88NA242419TSQFW	Fabric	$ 2616	2648	2662	2685	2711	2754	2811	3084	3171

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
$	2669	2702	2728	2755	2784	2816	2842	2874	2907	2940

	K	L	M	N	O	P	Q	R	S	T
$	2990	3093	3157	3190	3224	3257	3290	3322	3355	3387

DIMENSIONS

Depth	24	Weight	30
Width	24	Cubic Ft.	4.2
Height	19		

- Ships as one unit (KD)
- All models except for the wood and laminate 3mm have a reversed half-bullnose rim detail

WIXLER OCCASIONAL TABLES

PRODUCT SPECIFICATIONS

- Wood, laminate, glass, and solid surface available. See page 534 for options
- Upholstered top available. See pages 5-13 for fabric options
- Legs are solid wood. See page 534 for color options
- Legs shipped in same box as top (KD)
- Wood and laminate have a plywood core with exposed rim detail. Glass has plywood core, but not exposed
- Wood and laminate available with standard core with 3mm edge detail

TO ORDER, SPECIFY:

1. Model Number
2. Laminate/Wood Color
3. Solid Surface Grade (Solid surface only)
4. Solid Surface Color (Solid surface only)
5. Leg Finish

SAMPLE MODEL NUMBER:

88NA242420TSQSW A 7201 501

- See page 534 for all options available in Occasional Tables

SOFT SQUARE TOP (CONTINUED)

MODEL NO./DESCRIPTION			LIST PRICE			DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
24" SQUARE		**GRADE A**	**GRADE B**	**GRADE C**								
88NA242420TSQW	Wood	$ 2578				24	24	20	–	–	31 lbs.	4.2
88NA242420TSQLW	Laminate	2578				24	24	20	–	–	31 lbs.	4.2
88NA242420TSQGW	White Back Painted Glass	3734				24	24	20	–	–	51 lbs.	4.2
88NA242420TSQSW	Solid Surface	4423	4567	4763		24	24	20	–	–	42 lbs.	4.2
88NA242420TSQVW	Wood 3mm Rim	2101				24	24	20	–	–	31 lbs.	4.2
88NA242420TSQVLW	Laminate 3mm Rim	1751				24	24	20	–	–	31 lbs.	4.2
88NA242422TSQW	Wood	$ 2616				24	24	22	–	–	33 lbs.	4.2
88NA242422TSQLW	Laminate	2616				24	24	22	–	–	33 lbs.	4.2
88NA242422TSQGW	White Back Painted Glass	3770				24	24	22	–	–	53 lbs.	4.2
88NA242422TSQSW	Solid Surface	4459	4603	4799		24	24	22	–	–	43 lbs.	4.2
88NA242422TSQVW	Wood 3mm Rim	2137				24	24	22	–	–	33 lbs.	4.2
88NA242422TSQVLW	Laminate 3mm Rim	1786				24	24	22	–	–	33 lbs.	4.2
18" SQUARE												
88NA181816TSQW	Wood	$ 2384				18	18	16	–	–	21 lbs.	3.1
88NA181816TSQLW	Laminate	2384				18	18	16	–	–	21 lbs.	3.1
88NA181816TSQGW	White Back Painted Glass	2955				18	18	16	–	–	33 lbs.	3.1
88NA181816TSQSW	Solid Surface	3833	3912	4020		18	18	16	–	–	27 lbs.	3.1
88NA181816TSQVW	Wood 3mm Rim	1880				18	18	16	–	–	21 lbs.	3.1
88NA181816TSQVLW	Laminate 3mm Rim	1531				18	18	16	–	–	21 lbs.	3.1

Grade			1	2/COM	3/COL	4	5	6	7	L7	L8
88NA181817TSQFW	Fabric	$	2457	2482	2493	2511	2531	2564	2609	2821	2889

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
$	2498	2524	2544	2565	2588	2612	2633	2658	2683	2709

	K	L	M	N	O	P	Q	R	S	T
$	2748	2828	2878	2904	2930	2955	2981	3006	3032	3057

DIMENSIONS

Depth	18	Weight	21
Width	18	Cubic Ft.	3.1
Height	17		

- Ships as one unit (KD)
- All models except for the wood and laminate 3mm have a reversed half-bullnose rim detail

WIXLER OCCASIONAL TABLES

PRODUCT SPECIFICATIONS

- Wood, laminate, glass, and solid surface available. See page 534 for options
- Upholstered top available. See pages 5-13 for fabric options
- Legs are solid wood. See page 534 for color options
- Legs shipped in same box as top (KD)
- Wood and laminate have a plywood core with exposed rim detail. Glass has plywood core, but not exposed
- Wood and laminate available with standard core with 3mm edge detail

TO ORDER, SPECIFY:

1. Model Number
2. Laminate/Wood Color
3. Solid Surface Grade (Solid surface only)
4. Solid Surface Color (Solid surface only)
5. Leg Finish

SAMPLE MODEL NUMBER:

88NA181820TSQSW A 7201 501

- See page 534 for all options available in Occasional Tables

SOFT SQUARE TOP (CONTINUED)

MODEL NO./DESCRIPTION			LIST PRICE			DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
18" SQUARE		**GRADE A**	**GRADE B**	**GRADE C**								
88NA181818TSQW	Wood	$ 2421				18	18	18	–	–	23 lbs.	3.1
88NA181818TSQLW	Laminate	2421				18	18	18	–	–	23 lbs.	3.1
88NA181818TSQGW	White Back Painted Glass	2992				18	18	18	–	–	34 lbs.	3.1
88NA181818TSQSW	Solid Surface	3870	3949	4057		18	18	18	–	–	29 lbs.	3.1
88NA181818TSQVW	Wood 3mm Rim	1917				18	18	18	–	–	23 lbs.	3.1
88NA181818TSQVLW	Laminate 3mm Rim	1568				18	18	18	–	–	23 lbs.	3.1

	Grade	1	2/COM	3/COL	4	5	6	7	L7	L8
88NA181819TSQFW	Fabric	$ 2493	2518	2529	2547	2567	2600	2645	2857	2925

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
$	2534	2560	2580	2601	2624	2648	2669	2694	2719	2745

	K	L	M	N	O	P	Q	R	S	T
$	2784	2864	2914	2940	2966	2991	3017	3042	3068	3093

DIMENSIONS

Depth	18	Weight	23
Width	18	Cubic Ft.	3.1
Height	19		

88NA181820TSQW	Wood	$ 2457			18	18	20	–	–	25 lbs.	3.4
88NA181820TSQLW	Laminate	2457			18	18	20	–	–	25 lbs.	3.4
88NA181820TSQGW	White Back Painted Glass	3028			18	18	20	–	–	36 lbs.	3.4
88NA181820TSQSW	Solid Surface	3905	3984	4092	18	18	20	–	–	31 lbs.	3.4
88NA181820TSQVW	Wood 3mm Rim	1954			18	18	20	–	–	25 lbs.	3.4
88NA181820TSQVLW	Laminate 3mm Rim	1604			18	18	20	–	–	25 lbs.	3.4
88NA181822TSQW	Wood	$ 2493			18	18	22	–	–	24 lbs.	3.6
88NA181822TSQLW	Laminate	2493			18	18	22	–	–	24 lbs.	3.6
88NA181822TSQGW	White Back Painted Glass	3064			18	18	22	–	–	36 lbs.	3.6
88NA181822TSQSW	Solid Surface	3942	4021	4129	18	18	22	–	–	30 lbs.	3.6
88NA181822TSQVW	Wood 3mm Rim	1991			18	18	22	–	–	24 lbs.	3.6
88NA181822TSQVLW	Laminate 3mm Rim	1641			18	18	22	–	–	24 lbs.	3.6

- Ships as one unit (KD)
- All models except for the wood and laminate 3mm have a reversed half-bullnose rim detail

WIXLER OCCASIONAL TABLES

PRODUCT SPECIFICATIONS

- Wood, laminate, glass, and solid surface available. See page 534 for options
- Legs are solid wood. See page 534 for color options
- Legs shipped in same box as top (KD)
- Wood and laminate have a plywood core with exposed rim detail. Glass has plywood core, but not exposed
- Wood and laminate available with standard core with 3mm edge detail

TO ORDER, SPECIFY:

1. Model Number
2. Laminate/Wood Color
3. Solid Surface Grade (Solid surface only)
4. Solid Surface Color (Solid surface only)
5. Leg Finish

SAMPLE MODEL NUMBER:

88NA306016TRTVW PB 463

- See page 534 for all options available in Occasional Tables

SOFT RECTANGLE TOP



MODEL NO./DESCRIPTION			GRADE A	GRADE B	GRADE C	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
30" X 60"												
88NA306016TRTW	Wood	$	3007			30	60	16	–	–	74 lbs.	11.0
88NA306016TRTLW	Laminate		3007			30	60	16	–	–	74 lbs.	11.0
88NA306016TRTGW	White Back Painted Glass		5008			30	60	16	–	–	136 lbs.	11.0
88NA306016TRTSW	Solid Surface		5510	5942	6530	30	60	16	–	–	106 lbs.	11.0
88NA306016TRTVW	Wood 3mm Rim		2456			30	60	16	–	–	74 lbs.	11.0
88NA306016TRTVLW	Laminate 3mm Rim		2106			30	60	16	–	–	74 lbs.	11.0
88NA306018TRTW	Wood	$	3045			30	60	18	–	–	75 lbs.	11.0
88NA306018TRTLW	Laminate		3045			30	60	18	–	–	75 lbs.	11.0
88NA306018TRTGW	White Back Painted Glass		5046			30	60	18	–	–	138 lbs.	11.0
88NA306018TRTSW	Solid Surface		5546	5978	6566	30	60	18	–	–	108 lbs.	11.0
88NA306018TRTVW	Wood 3mm Rim		2492			30	60	18	–	–	75 lbs.	11.0
88NA306018TRTVLW	Laminate 3mm Rim		2141			30	60	18	–	–	75 lbs.	11.0
24" X 48"												
88NA244816TRTW	Wood	$	2710			24	48	16	–	–	50 lbs.	7.4
88NA244816TRTLW	Laminate		2710			24	48	16	–	–	50 lbs.	7.4
88NA244816TRTGW	White Back Painted Glass		4302			24	48	16	–	–	90 lbs.	7.4
88NA244816TRTSW	Solid Surface		4994	5278	5666	24	48	16	–	–	71 lbs.	7.4
88NA244816TRTVW	Wood 3mm Rim		2158			24	48	16	–	–	50 lbs.	7.4
88NA244816TRTVLW	Laminate 3mm Rim		1807			24	48	16	–	–	50 lbs.	7.4
88NA244818TRTW	Wood	$	2747			24	48	18	–	–	51 lbs.	7.4
88NA244818TRTLW	Laminate		2747			24	48	18	–	–	51 lbs.	7.4
88NA244818TRTGW	White Back Painted Glass		4338			24	48	18	–	–	92 lbs.	7.4
88NA244818TRTSW	Solid Surface		5030	5314	5702	24	48	18	–	–	72 lbs.	7.4
88NA244818TRTVW	Wood 3mm Rim		2195			24	48	18	–	–	51 lbs.	7.4
88NA244818TRTVLW	Laminate 3mm Rim		1844			24	48	18	–	–	51 lbs.	7.4

- Ships as one unit (KD)
- All models except for the wood and laminate 3mm have a reversed half-bullnose rim detail

WIXLER OCCASIONAL TABLES

PRODUCT SPECIFICATIONS

- Wood, laminate, glass, and solid surface available. See page 534 for options
- Legs are solid wood. See page 534 for color options
- Legs shipped in same box as top (KD)
- Wood and laminate have a plywood core with exposed rim detail. Glass has plywood core, but not exposed
- Wood and laminate available with standard core with 3mm edge detail

TO ORDER, SPECIFY:

1. Model Number
2. Laminate/Wood Color
3. Solid Surface Grade (Solid surface only)
4. Solid Surface Color (Solid surface only)
5. Leg Finish

SAMPLE MODEL NUMBER:

88NA183618TRTVW PB 463

- See page 534 for all options available in Occasional Tables

SOFT RECTANGLE TOP (CONTINUED)



MODEL NO./DESCRIPTION			GRADE A	GRADE B	GRADE C	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
18" X 36"													
88NA183616TRTW	Wood	$	2414				18	36	16	–	–	32 lbs.	4.6
88NA183616TRTLW	Laminate		2414				18	36	16	–	–	32 lbs.	4.6
88NA183616TRTGW	White Back Painted Glass		3595				18	36	16	–	–	54 lbs.	4.6
88NA183616TRTSW	Solid Surface		4474	4632	4848		18	36	16	–	–	43 lbs.	4.6
88NA183616TRTVW	Wood 3mm Rim		2050				18	36	16	–	–	32 lbs.	4.6
88NA183616TRTVLW	Laminate 3mm Rim		1698				18	36	16	–	–	32 lbs.	4.6
88NA183618TRTW	Wood	$	2451				18	36	18	–	–	33 lbs.	4.6
88NA183618TRTLW	Laminate		2451				18	36	18	–	–	33 lbs.	4.6
88NA183618TRTGW	White Back Painted Glass		3631				18	36	18	–	–	55 lbs.	4.6
88NA183618TRTSW	Solid Surface		4511	4669	4885		18	36	18	–	–	45 lbs.	4.6
88NA183618TRTVW	Wood 3mm Rim		2085				18	36	18	–	–	33 lbs.	4.6
88NA183618TRTVLW	Laminate 3mm Rim		1734				18	36	18	–	–	33 lbs.	4.6
88NA183620TRTW	Wood	$	2488				18	36	20	–	–	35 lbs.	5.1
88NA183620TRTLW	Laminate		2488				18	36	20	–	–	35 lbs.	5.1
88NA183620TRTGW	White Back Painted Glass		3668				18	36	20	–	–	58 lbs.	5.1
88NA183620TRTSW	Solid Surface		4548	4706	4922		18	36	20	–	–	47 lbs.	5.1
88NA183620TRTVW	Wood 3mm Rim		2121				18	36	20	–	–	35 lbs.	5.1
88NA183620TRTVLW	Laminate 3mm Rim		1770				18	36	20	–	–	35 lbs.	5.1
88NA183622TRTW	Wood	$	2523				18	36	22	–	–	37 lbs.	5.4
88NA183622TRTLW	Laminate		2523				18	36	22	–	–	37 lbs.	5.4
88NA183622TRTGW	White Back Painted Glass		3704				18	36	22	–	–	59 lbs.	5.4
88NA183622TRTSW	Solid Surface		4585	4743	4959		18	36	22	–	–	48 lbs.	5.4
88NA183622TRTVW	Wood 3mm Rim		2158				18	36	22	–	–	37 lbs.	5.4
88NA183622TRTVLW	Laminate 3mm Rim		1807				18	36	22	–	–	37 lbs.	5.4

- Ships as one unit (KD)
- All models except for the wood and laminate 3mm have a reversed half-bullnose rim detail

PRODUCT SPECIFICATIONS

- Wood, laminate, glass, and solid surface available. See page 534 for options
- Upholstered top available. See pages 5-13 for fabric options
- Legs are solid wood. See page 534 for color options
- Legs shipped in same box as top (KD)
- Wood and laminate have a plywood core with exposed rim detail. Glass has plywood core, but not exposed
- Wood and laminate available with standard core with 3mm edge detail

TO ORDER, SPECIFY:

1. Model Number
2. Laminate/Wood Color
3. Solid Surface Grade (Solid surface only)
4. Solid Surface Color (Solid surface only)
5. Leg Finish

SAMPLE MODEL NUMBER:

88NA182416TRTLW 488 402

- See page 534 for all options available in Occasional Tables

SOFT RECTANGLE TOP (CONTINUED)



MODEL NO./DESCRIPTION			LIST PRICE			DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
18" X 24"		**GRADE A**	**GRADE B**	**GRADE C**								
88NA182416TRTW	Wood	$ 2223				18	24	16	–	–	22 lbs.	3.3
88NA182416TRTLW	Laminate	2223				18	24	16	–	–	22 lbs.	3.3
88NA182416TRTGW	White Back Painted Glass	3406				18	24	16	–	–	37 lbs.	3.3
88NA182416TRTSW	Solid Surface	4285	4389	4532		18	24	16	–	–	30 lbs.	3.3
88NA182416TRTVW	Wood 3mm Rim	1940				18	24	16	–	–	22 lbs.	3.3
88NA182416TRTVLW	Laminate 3mm Rim	1588				18	24	16	–	–	22 lbs.	3.3

	Grade	1	2/COM	3/COL	4	5	6	7	L7	L8
88NA182417TRTFW	Fabric	$ 2296	2321	2332	2350	2370	2403	2448	2660	2728

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
$	2337	2363	2383	2404	2427	2451	2472	2497	2522	2548

	K	L	M	N	O	P	Q	R	S	T
$	2587	2667	2717	2743	2769	2794	2820	2845	2871	2896

DIMENSIONS

Depth	18	Weight	22
Width	24	Cubic Ft.	3.3
Height	17		

88NA182418TRTW	Laminate	$ 2260				18	24	18	–	–	24 lbs.	3.3
88NA182418TRTLW	Laminate	2260				18	24	18	–	–	24 lbs.	3.3
88NA182418TRTGW	White Back Painted Glass	3442				18	24	18	–	–	39 lbs.	3.3
88NA182418TRTSW	Solid Surface	4322	4426	4569		18	24	18	–	–	32 lbs.	3.3
88NA182418TRTVW	Wood 3mm Rim	1976				18	24	18	–	–	24 lbs.	3.3
88NA182418TRTVLW	Laminate 3mm Rim	1624				18	24	18	–	–	24 lbs.	3.3

	Grade	1	2/COM	3/COL	4	5	6	7	L7	L8
88NA182419TRTFW	Fabric	$ 2370	2395	2406	2424	2444	2477	2522	2734	2802

ALLIANCE GRADE / LIST PRICE

	A	B	C	D	E	F	G	H	I	J
$	2411	2437	2457	2478	2501	2525	2546	2571	2596	2622

	K	L	M	N	O	P	Q	R	S	T
$	2661	2741	2791	2817	2843	2868	2894	2919	2945	2970

DIMENSIONS

Depth	18	Weight	24
Width	24	Cubic Ft.	3.3
Height	19		

- Ships as one unit (KD)
- All models except for the wood and laminate 3mm have a reversed half-bullnose rim detail

WIXLER OCCASIONAL TABLES

PRODUCT SPECIFICATIONS

- Wood, laminate, glass, and solid surface available. See page 534 for options
- Legs are solid wood. See page 534 for color options
- Legs shipped in same box as top (KD)
- Wood and laminate have a plywood core with exposed rim detail. Glass has plywood core, but not exposed
- Wood and laminate available with standard core with 3mm edge detail

TO ORDER, SPECIFY:

1. Model Number
2. Laminate/Wood Color
3. Solid Surface Grade (Solid surface only)
4. Solid Surface Color (Solid surface only)
5. Leg Finish

SAMPLE MODEL NUMBER:

88NA182420TRTLW 488 402

- See page 534 for all options available in Occasional Tables

SOFT RECTANGLE TOP (CONTINUED)



MODEL NO./DESCRIPTION			LIST PRICE		DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
18" X 24"		**GRADE A**	**GRADE B**	**GRADE C**							
88NA182420TRTW	Wood	$ 2296			18	24	20	–	–	28 lbs.	3.6
88NA182420TRTLW	Laminate	2296			18	24	20	–	–	28 lbs.	3.6
88NA182420TRTGW	White Back Painted Glass	3479			18	24	20	–	–	43 lbs.	3.6
88NA182420TRTSW	Solid Surface	4359	4463	4606	18	24	20	–	–	36 lbs.	3.6
88NA182420TRTVW	Wood 3mm Rim	2012			18	24	20	–	–	28 lbs.	3.6
88NA182420TRTVLW	Laminate 3mm Rim	1660			18	24	20	–	–	28 lbs.	3.6
88NA182422TRTW	Wood	$ 2333			18	24	22	–	–	27 lbs.	3.9
88NA182422TRTLW	Laminate	2333			18	24	22	–	–	27 lbs.	3.9
88NA182422TRTGW	White Back Painted Glass	3515			18	24	22	–	–	42 lbs.	3.9
88NA182422TRTSW	Solid Surface	4396	4500	4643	18	24	22	–	–	35 lbs.	3.9
88NA182422TRTVW	Wood 3mm Rim	2050			18	24	22	–	–	27 lbs.	3.9
88NA182422TRTVLW	Laminate 3mm Rim	1698			18	24	22	–	–	27 lbs.	3.9

- Ships as one unit (KD)
- All models except for the wood and laminate 3mm have a reversed half-bullnose rim detail

WIXLER OCCASIONAL TABLES

PRODUCT SPECIFICATIONS

- Wood, laminate, glass, and solid surface available. See page 534 for options
- Legs are solid wood. See page 534 for color options
- Legs shipped in same box as top (KD)
- Wood and laminate have a plywood core with exposed rim detail. Glass has plywood core, but not exposed
- Wood and laminate available with standard core with 3mm edge detail

TO ORDER, SPECIFY:

1. Model Number
2. Laminate/Wood Color
3. Solid Surface Grade (Solid surface only)
4. Solid Surface Color (Solid surface only)
5. Leg Finish

SAMPLE MODEL NUMBER:

88NA304816TTRLW 488 402

- See page 534 for all options available in Occasional Tables

SOFT TRIANGLE TOP

MODEL NO./DESCRIPTION			GRADE A	GRADE B	GRADE C	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
30" X 48"												
88NA304816TTRW	Wood	$	2602			30	48	16	–	–	45 lbs.	15.0
88NA304816TTRLW	Laminate		2602			30	48	16	–	–	45 lbs.	15.0
88NA304816TTRGW	White Back Painted Glass		4592			30	48	16	–	–	78 lbs.	15.0
88NA304816TTRSW	Solid Surface		5168	5517	5993	30	48	16	–	–	62 lbs.	15.0
88NA304816TTRVW	Wood 3mm Rim		2051			30	48	16	–	–	45 lbs.	15.0
88NA304816TTRVLW	Laminate 3mm Rim		1699			30	48	16	–	–	45 lbs.	15.0
88NA304818TTRW	Wood	$	2639			30	48	18	–	–	46 lbs.	9.0
88NA304818TTRLW	Laminate		2639			30	48	18	–	–	46 lbs.	9.0
88NA304818TTRGW	White Back Painted Glass		4628			30	48	18	–	–	79 lbs.	9.0
88NA304818TTRSW	Solid Surface		5204	5553	6029	30	48	18	–	–	63 lbs.	9.0
88NA304818TTRVW	Wood 3mm Rim		2087			30	48	18	–	–	46 lbs.	9.0
88NA304818TTRVLW	Laminate 3mm Rim		1735			30	48	18	–	–	46 lbs.	9.0
24" X 36"												
88NA243616TTRW	Wood	$	2316			24	36	16	–	–	31 lbs.	5.8
88NA243616TTRLW	Laminate		2316			24	36	16	–	–	31 lbs.	5.8
88NA243616TTRGW	White Back Painted Glass		3865			24	36	16	–	–	52 lbs.	5.8
88NA243616TTRSW	Solid Surface		4588	4797	5081	24	36	16	–	–	42 lbs.	5.8
88NA243616TTRVW	Wood 3mm Rim		1910			24	36	16	–	–	31 lbs.	5.8
88NA243616TTRVLW	Laminate 3mm Rim		1560			24	36	16	–	–	31 lbs.	5.8
88NA243618TTRW	Wood	$	2352			24	36	18	–	–	32 lbs.	11.0
88NA243618TTRLW	Laminate		2352			24	36	18	–	–	32 lbs.	11.0
88NA243618TTRGW	White Back Painted Glass		3901			24	36	18	–	–	53 lbs.	11.0
88NA243618TTRSW	Solid Surface		4626	4835	5119	24	36	18	–	–	43 lbs.	11.0
88NA243618TTRVW	Wood 3mm Rim		1947			24	36	18	–	–	32 lbs.	11.0
88NA243618TTRVLW	Laminate 3mm Rim		1596			24	36	18	–	–	32 lbs.	11.0

- Ships as one unit (KD)
- All models except for the wood and laminate 3mm have a reversed half-bullnose rim detail

WIXLER OCCASIONAL TABLES

PRODUCT SPECIFICATIONS

- Wood, laminate, glass, and solid surface available. See page 534 for options
- Upholstered top available. See pages 5-13 for fabric options
- Legs are solid wood. See page 534 for color options
- Legs shipped in same box as top (KD)
- Wood and laminate have a plywood core with exposed rim detail. Glass has plywood core, but not exposed
- Wood and laminate available with standard core with 3mm edge detail

TO ORDER, SPECIFY:

1. Model Number
2. Laminate/Wood Color
3. Solid Surface Grade (Solid surface only)
4. Solid Surface Color (Solid surface only)
5. Leg Finish

SAMPLE MODEL NUMBER:

88NA284816TPRLW 488 402

- See page 534 for all options available in Occasional Tables

PEAR TOP

MODEL NO./DESCRIPTION			LIST PRICE			DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
28" X 48"		**GRADE A**	**GRADE B**	**GRADE C**								
88NA284816TPRW	Wood	$ 2676				28	48	16	–	–	47 lbs.	8.5
88NA284816TPRLW	Laminate	2676				28	48	16	–	–	47 lbs.	8.5
88NA284816TPRGW	White Back Painted Glass	4664				28	48	16	–	–	83 lbs.	8.5
88NA284816TPRSW	Solid Surface	5240	5568	6014		28	48	16	–	–	66 lbs.	8.5
88NA284816TPRVW	Wood 3mm Rim	2124				28	48	16	–	–	47 lbs.	8.5
88NA284816TPRVLW	Laminate 3mm Rim	1772				28	48	16	–	–	47 lbs.	8.5
88NA284818TPRW	Wood	$ 2712				28	48	18	–	–	48 lbs.	8.5
88NA284818TPRLW	Laminate	2712				28	48	18	–	–	48 lbs.	8.5
88NA284818TPRGW	White Back Painted Glass	4702				28	48	18	–	–	84 lbs.	8.5
88NA284818TPRSW	Solid Surface	5277	5605	6051		28	48	18	–	–	67 lbs.	8.5
88NA284818TPRVW	Wood 3mm Rim	2160				28	48	18	–	–	48 lbs.	8.5
88NA284818TPRVLW	Laminate 3mm Rim	1809				28	48	18	–	–	48 lbs.	8.5
24" X 36"												
88NA243616TPRW	Wood	$ 2388				24	36	16	–	–	32 lbs.	5.8
88NA243616TPRLW	Laminate	2388				24	36	16	–	–	32 lbs.	5.8
88NA243616TPRGW	White Back Painted Glass	3939				24	36	16	–	–	54 lbs.	5.8
88NA243616TPRSW	Solid Surface	4661	4870	5154		24	36	16	–	–	44 lbs.	5.8
88NA243616TPRVW	Wood 3mm Rim	1837				24	36	16	–	–	32 lbs.	5.8
88NA243616TPRVLW	Laminate 3mm Rim	1544				24	36	16	–	–	32 lbs.	5.8
88NA243618TPRW	Wood	$ 2425				24	36	18	–	–	33 lbs.	5.8
88NA243618TPRLW	Laminate	2425				24	36	18	–	–	33 lbs.	5.8
88NA243618TPRGW	White Back Painted Glass	3975				24	36	18	–	–	55 lbs.	5.8
88NA243618TPRSW	Solid Surface	4698	4907	5191		24	36	18	–	–	45 lbs.	5.8
88NA243618TPRVW	Wood 3mm Rim	1873				24	36	18	–	–	33 lbs.	5.8
88NA243618TPRVLW	Laminate 3mm Rim	1580				24	36	18	–	–	33 lbs.	5.8

- Ships as one unit (KD)
- All models except for the wood and laminate 3mm have a reversed half-bullnose rim detail

ACCESSORIES

Product Specifications 550
Product Options 553
Product Pages 554

ACCESSORIES

POWER/DATA ELECTRICAL SPECIFICATIONS

ROUND GROMMET (G10)

- NACG10EL features 2 120 volt receptacles and 2 Cat5E data ports and 6' AC cord rated at 15 amps; data ports are not pre-wired
- Field installable
- For conference tables only
- Black nylon
- 8 adapter plates are provided

PIVOTING POWER GROMMET (MHO-B) (G12A, G12B, AND G12C)

- Field installable
- Silver, black, or white powder coat
- (G12A) 2 power outlets, 1 blank port and 1 dual USB-A port
- (G12B) 2 power outlets and 2 USB-A + C combo
- (G12C) 4 power outlets with 72" circuit breaker cord
- Must be ordered separately and installed in the field – top should be ordered with CUT-G12C option
- Hardwire available
- Specify model number only
- 6 ft. cord
- UL Listed

INTERLINK IQ PIVOTING POWER GROMMET (MHO-B) (G12A, G12B, AND G12C)

- Non-sequential "Daisy chain" solution
- Interlink IQ system can be used with training tables
- Interlink IQ system must begin with a smart box with starter plug (or full set)
- Jumper or transitional jumper used between the smart box and G12 IQ grommets when the span between grommet locations are greater than 60"
- Interlink IQ is plugged only. Hardwire is not available
- Built-in status indicator: green means go, red light indicates too many units
- UL recognized

DOUBLE PIVOTING M2X-B POWER GROMMET (G15A, G15B)

- Accommodates table thicknesses of ¾"-1¾"
- 1 touch door remains open during use
- 2 6 ft. power cords with 3-prong molded plug for each side
- Spill-proof
- Available in silver, black or white powder coat
- Hardwire/Chicago Code available
- Corded units (standard and hardwire) have 2 72" long power cords (1 for each side) rated at 15 amps 120 volts
- Grommet comes with undersurface wire managers attached underneath conference top
- Field installable into a CUT-G15 (must be ordered)
- UL Listed
- G15A SIDE 1: 2 power outlets, 1 dual USB-A port, 1 HDMI and 1 blank data port SIDE 2: 2 power outlets, 1 dual USB-A port, 1 VGA and 1 blank data port
- G15B SIDE 1: 2 power outlets, 1 blank data port, 1 HDMI, and 1 USB A + C combo SIDE 2: 2 power outlets, 1 blank data port, 1 VGA and 1 USB-A + C combo

INTERLINK IQ DOUBLE PIVOTING M2X-B POWER GROMMET (G15A, G15B)

- Non-sequential "Daisy chain" solution
- Interlink IQ system must begin with a smart box with starter plug (or full set)
- 1 touch door remains open during use
- Maximum of 4 units because G15 is double sided (F8)
- Two G15 units connected together will span 77½" from center of grommet 1 to center of grommet 2.
- Two G15 units connected together with 1 60" jumper will span 135½" from center of grommet 1 to center of grommet 2.
- Interlink IQ is plugged only. Hardwire is not available
- Built-in status indicator: green means go, red light indicates too many units
- UL recognized
- G15A Interlink has SIDE 1: 2 power outlets, 1 dual USB-A port, 1 HDMI and 1 blank data port SIDE 2: 2 power outlets, 1 dual USB-A port, 1 VGA and 1 blank data port
- G15B Interlink has SIDE 1: 2 power outlets, 1 blank data port, 1 HDMI, and 1 USB-A + C combo SIDE 2: 2 power outlets, 1 blank data port, 1 VGA and 1 USB-A + C combo

TRANSITIONAL JUMPER

- Jumper used to connect an older IQ version and new IQ system (as of November 2019)

POWER/DATA OASIS (G162)

- To be ordered with G16 cutout options
- Must be inserted and installed into cutouts in field
- Fits into CUT-G16C, CUT-G16E, CUT-G16LR, CUT-G16A, and CUT-G16CE options
- Silver or black powder coat
- The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit
- Power/Data Oasis (G162) unit will feature 6 power receptacles with 2 108" power cords and molded plugs rated at 12 amps 120 volts, 2 charging USB (2.1); 1 HDMI; 1 VGA with mini stereo, and 1 RJ45 data jack
- Power/Data Oasis hardwire unit (G162) will feature 6 power receptacles with 1 72" long hardwire conduit covered pigtail cable on 1 end which carries 2 20 amp 120 volt circuits to power 2 sides of the Power/Data Oasis, 2 charging USB (2.1); 1 HDMI; 1 VGA with mini stereo, and 1 RJ45 data jack. Not Chicago Code
- Hardwire/Chicago Code available
- Standard units have cords that are 9 ft. long rated at 15 amps 120 volts and molded plug. Hardwire units have cords that are 6 ft. long rated at 20 amps 120 volts and molded plug
- Cannot be field scribed for cutout
- UL Listed
- For more specification information: www.electri-cable.com

GLENBEIGH PIVOTING POWER GROMMET (G17A, G17B, G17C)

- Accommodates table thickness of ¾"-1¾"
- 10 ft. power cord with 3-prong molded plug
- Spill-proof
- Available in silver, black or white powder coat
- Hardwire/Chicago Code available
- 15 amp, 120v (hardwire models)
- 10 ft. metal conduit (hardwire models)
- UL Listed
- G17A available with 2 power outlets
- G17B available with 1 power outlet and 1 USB-A + C combo port
- G17C available with 1 power outlet

INTERLINK IQ SYSTEM (G17A, G17B, G17C)

- Non-sequential "Daisy chain" solution
- Interlink IQ system must begin with a smart box with starter plug (or full set)
- Jumper or transitional jumper used between the smart box and G17 IQ grommets when the span between grommet locations are greater than 60"
- Interlink IQ is plugged only. Hardwire is not available
- Built-in status indicator: green means go, red light indicates too many units
- UL recognized
- G17A Interlink has 2 power outlets
- G17B Interlink has 1 power and 1 dual USB-A + C combo
- G17C Interlink has 1 power outlet

POWER GROMMET (G23)

- Field installable when CUT-G23 option is specified
- Die-cast zinc in black or silver powder coat
- Includes 2 power outlets and 2 power USB ports
- Silver, black, or white
- Hardwire available
- 9 foot, 15 amp cord
- UL Listed

DAISY LINK (G23)
- Field installable when CUT-G23 option is specified
- Silver, black, or white
- Includes 2 15 amp power receptacles (no data) and 2 USB (3.0 power) power ports
- Thumbscrew version with 2 backerplates and 2¼"-20 thumbscrews
- 72" single circuit power cord for plugged starter unit; 48⅜" conduit and 24" power cord with 20 amp molded plug
- 72⅜" multi-circuit conduit power cord for hardwire starter unit
- Add-on unit does include a 60 " jumper; jumper cable is 60⅜" metal conduit with female to female ends for connecting 2 daisy link power grommets
- UL Listed

DAISY LINK JUMPER
- 80", 180", or 240" jumper cable is metal conduit with female to female ends to connect 2 daisy link power grommets when the power is jumped between tables

NODE POWER GROMMET (G33)
- For use with select Maneuver tables
- Available in black, silver, or white powder coat
- Contains 1 electrical outlet and 2 USB-A ports
- 72" 15 amp power cord included
- Maximum worksurface thickness is 1½"
- UL approved
- Tamper resistant
- Spill-proof

POWER TOWER
- Available in gloss black or silver with black faceplates, or gloss white with white faceplates
- Unit comes with (12) 15 amp 120 volt, tamper resistant receptacles and (6) USB 3.0 power charging ports that provide 2.1 amps. Data ports are not provided
- 108" 15 amp power cord included
- Circuit breaker located in the bottom of the tower for overload protection
- 6 rubber feet prevent sliding and provide ¾" floor clearance
- Tri-core design allows for 360° power access
- 3 slots in the base provide an anchor for tethering the unit to the floor or pole if stationary application is desired

UNDERSURFACE POWER/DATA
- Contains 1 electrical outlet and 2 USB ports
- Mounts under surface
- 72" power cord included

MOIRÉ POWER CENTER (G10A, G10B)
- Installs into round G10 (3" dia.) worksurface grommet
- Adjusts to worksurfaces thickness of 1³⁄₁₆"-1⁹⁄₁₆"
- Available in light grey, black, or white
- Spill-proof
- 6' power cord with 3-prong molded plug (15 amp)
- UL Listed
- (G10A) 2 power outlets and 2 USB-A dual ports
- (G10B) 4 power outlets

VESTA
- Available in white with light grey accents or black with dark grey accents
- 3 USB-A ports (2 amp), and 1 USB-C port (18w)
- 3.2v, 40 amp hour lithium battery; 128 wh (watt hour) capacity
- For optimal use, unit should be charged every night
- Includes 6 ft. charging cord (12 volts, 3 amps)
- UL Listed
- Vesta models have a Lithium battery and MUST ship separately via Fed Ex Ground

AXIL BLUETOOTH POWER CENTER
- Freestanding, portable desktop outlet with 1 Bluetooth speaker (with stainless steel grille), 1 power outlet and 1 USB-A port
- Spill-proof
- Available in white, silver and black powder coat
- 6 ft power cord with 3-prong molded plug (15 amp)
- UL Listed

DEAN POWER CENTER
- Mounts to the edge of a worksurface with no table cut outs or installation required
- Adjusts to worksurface thickness up to 2¼"
- Molded plastic faceplate with an anodized aluminum housing
- Available in light grey, black, and white
- Spill-proof
- 6' power cord with 3-prong molded plug (15 amp)
- UL Listed
- Available with 2 power
- Available with 1 power, 1 dual USB-A dual port
- Available with 3 power
- Available with 2 power, 1 USB-A + C combo, 2 power, and 1 USB-A dual port

BURELÉ POWER CENTER
- Mounts to the edge of a worksurface with no table cut outs or installation required
- Adjusts to worksurfaces from ¼"-2¾"
- Available in light grey, black or white
- Spill-proof
- 6' power cord with 3-prong molded plug (15 amp)
- UL Listed
- Available with 2 power, 1 dual USB-A port, 1 USB-C port
- Available with 4 power

HITCH
- Freestanding, portable charging center
- Available in light grey, black, or white
- 20w power supply
- Battery: 3.6v, 11.6ah (amp hours), 41.76 wh (watt hours)
- Dead to full charge time is 4½ hours
- 6' charging cord is 5 volts at 4 amps
- Cannot charge devices while unit is being charged
- Display light indicates full charge
- UL Listed
- Hitch models have a Lithium battery and MUST ship separately via Fed Ex Ground

4-TRAC
- Used as a power distribution in conjunction with our electrical grommet options
- 4 wires, 2 circuits, 20 amps each (circuit 1 and 2 only)
- 13 duplex receptacles per circuit (26) 15 amp duplex
- UL Listed as a manufactured wiring system
- Ease of install and reconfigure options
- Field installable

GARCIA
- Mounts to the undersurface of a worksurface
- Available in Black, White, and Fog
- Includes a 72" cord
- Available with 2 USB-A
- Available with 1 USB-A, 1 USB-C
- UL Listed

ACCESSORIES

TULLY
- Features a long tail that bends and wraps around cushions for stability; tucks in between the cushions and arms of chairs
- Available in Black, White, and Fog
- Includes a 120" cord
- Available with 1 Power, 1 USB-A, 1 USB-C
- Tamper Resistant
- UL Listed

TRIPPEL
- Set on surface
- Available in Black, White, and Fog
- Includes a 108" cord
- Available with 2 power, 2 USB-A
- Features Qi Wireless Charging which will work with the following:
  - Apple iPhone 8, 8 Plus, X
  - Samsung Galaxy S9, S9+, Note 5, Note 8, S8, S8+, S7, S7 Active, S7 Edge, S6, S6 Edge
  - Lg V30, G6 (US version only), G4 (optional), G3 (optional)
  - Microsoft Lumia 1520, 1020, 930, 929, 928, 920
  - Google Nexus 4, 5, 6, 7 (2013)
  - BlackBerry Pov Z30
- UL Listed

WILLOW
- Set on surface
- Available in Beech with a Teal cord, Walnut with a Black cord, or Black with a Black cord
- Includes a 108" cord
- Available with 1 power, 1 USB-A
- Tamper resistent
- UL listed

POWER STRIP
- Available in Black
- Includes a 120" cord
- Available with 6 power
- UL Listed

HEARTH
- Birdhouse shaped power supply with 1 Power and 1 Dual USB-A
- Handmolded concrete body with a wood base detail
- 108" solid brass braided cord
- UL Listed

APPARATUS
- Set on surface
- Available in Flat black with a black braided cord, and matte white with a white braided cord
- 108" cord
- 1 Power and 1 Dual USB-A
- Manufactured with sturdy cast aluminum
- ETL Listed

SIDEKICK
- Felt sofa arm overlay
- Heather Gray unit features power and a braided cord in Poppy. Camel unit features a power and braided cord in Dusk
- 108" cord
- Features a felt pocket to store items while charging
- ETL and UL Listed

ASHLEY DUO
- Includes 2 power, 2 USB
- 72" cord
- Must have at least 5.5" of clearance under surface at point of application to be able to mount
- Ashley Surface Clamp Mount models are only compatible with standard flat rim profile worksurfaces thicknesses between ½" (12.7mm) – 2 13/16" (71mm).
- UL Listed

TACK BOARD FABRIC OPTIONS

Dune (Grade A)
100% Polyester

8600 Drift
8601 Windblown
8602 Erosion
8603 Haze
8608 Nectar
8610 Clear Sky
8614 Basin
8615 Raven
8620 Darkness

Repetition (Grade A)
100% Pre-Consumer Recycled Polyester

3700 Ash
3703 White
3709 Java
3713 Stainless
3721 Reed
3744 Tawny

COM (Grade B)

Pact (Grade B)
65% Pre-Consumer Recycled Polyester, 35% Post-Consumer Recycled Polyester

25401 Aloe
25402 Azure
25403 Calla
25404 Coastal
25405 Delft
25406 Dove
25409 Fern
25410 Harbour
25411 Lily
25412 Lime
25413 Midnight
25414 Nectar
25415 Patina
25416 Putty
25418 Roma
25420 Sketch
25422 Taupe
25423 Toasty

RAILROADED TACK BOARD

- Shaded rectangle portrays a railroaded privacy/modesty screen.



DIMENSION KEY

D Depth
W Width
H Height
A Overhang: Approach Side
KW Kneespace Width

ACCESSORIES

TO ORDER, SPECIFY:
1. Model Number

SAMPLE MODEL NUMBER:
15NTVMAS

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FLAT PANEL WALL MOUNT KIT	15NTVMAS	Black	$ 484	15¾-47¼		15¾-31¼		—	25 lbs.	2.0



- Adjustable Universal Wall Mount adjusts to allow installation of most 32" to 80" flat panel
- Must mount onto an architectural wall
- Black powder coat
- VESA mounting compliant

PERSONAL MARKER BOARD	NAC1214MBL	Laminate	$ 196	⅛	12	14	—	—	lbs.	



- High gloss, white laminate marker board
- Marker board and hooks sold separately
- Hooks to attach to bottom of worksurface to hang marker boards

SINGLE HOOK	NAC02HKS	Stainless Steel	$ 78	¾	1/12	1¾	—	—	lbs.	



DOUBLE HOOK	NAC03HKD	Aluminum	$ 43	1¾	3¼	2½	—	—	lbs.	

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:
1. Model Number

SAMPLE MODEL NUMBER:
NAC18TLDBPUS

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
ELEMENT LED DESKTOP LIGHT	NAC18TLDBPUS	Task Light w/Desktop Base, Plug/USB, Silver	$ 1360	14	–	14	–	–	3 lbs.	0.7



- Available in silver
- MCX LED freestanding light
- Working height 18" and maximum reach 28"
- 360° swivel from base, 135° front-to-back head tilt, 90° side-to-side head rotation
- 1 120VAC 3 prong receptacle electrical outlet
- 7 levels of light adjustment
- 2 USB charging ports providing 1 amp 5VDC of power

PIPER LINEAR LED DESKTOP LIGHT	NAC18TLDBUH	Task Light w/Desktop Base, USB, White	$ 761	11½	7½	18¼	–	–	10 lbs.	1.2

- Available in white
- LED freestanding light
- 3 color temps, dimming
- 1 USB charging port that provides 5 volts and 1 amp of charging power
- 4'11" white cord plus a 3' cord extender
- UL Listed

REVO DESKTOP LIGHT	NAC1406TLDB1S	Silver	$ 714			14⅛	–	–	8.31 lbs.	1.82
	NAC1406TLDB1B	Black	714			14⅛	–	–	8.31 lbs.	1.82
	NAC1406TLDB1W	White	714			14⅛	–	–	8.31 lbs.	1.82



- 108" power cord
- ETL Listed

VOYAGE DESKTOP LIGHT	NAC1408TLDB1S	Silver	$ 714			14⅛	–	–	8.31 lbs.	1.82
	NAC1408TLDB1B	Black	714			14⅛	–	–	8.31 lbs.	1.82
	NAC1408TLDB1W	White	714			14⅛	–	–	8.31 lbs.	1.82

- 108" power cord
- ETL Listed

CONVENIENCE OUTLET	NAC0902EL5C	Black	$ 296	13	22	1⅛	–	–	2 lbs.	0.3



- 5 grounded electrical receptacles
- 1 telephone jack with 14 ft. cord
- 10 ft. power cord
- Includes remote on/off power switch
- Black housing and cords
- UL Listed

POWER TOWER	NAC25ELPTB	Black	$ 3078	16¼	16⅝	25½	–	–	68 lbs.	6.5
	NAC25ELPTH	White	3078	16¼	16⅝	25½	–	–	68 lbs.	6.5
	NAC25ELPTS	Silver	3078	16¼	16⅝	25½	–	–	68 lbs.	6.5



- Available in gloss black or silver with black faceplates, or gloss white with white faceplates
- Unit comes with (12) 15 amp 120 volt, tamper resistant receptacles and (6) USB 3.0 power charging ports that provide 2.1 amps. Data ports are not provided
- 108" 15 amp power cord included
- Circuit breaker located in the bottom of the tower for overload protection
- 6 rubber feet prevent sliding and provide ¾" floor clearance
- Tri-core design allows for 360° power access
- 3 slots in the base provide an anchor for tethering the unit to the floor or pole if stationary application is desired

ACCESSORIES

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:
1. Model Number

SAMPLE MODEL NUMBER:
NACG10EL

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
ROUND GROMMET (G10)	NACG10EL	Electrical Grommet	$ 623	4¼	4¼	5	–	–	2 lbs.	0.12
	NACG10	Grommet	101	4¼	4¼	1⅞	–	–	1 lbs.	0.12

NACG10EL

NACG10

MOIRÉ, G10 POWER/USB GROMMET	NACG10AELPGB	Black	$ 583				–	–	1.7 lbs.	0.24
	NACG10AELPGW	White	583				–	–	1.7 lbs.	0.24
	NACG10AELPGG	Light Grey	583				–	–	1.7 lbs.	0.24



- 2 power, 2 dual USB-A, 2.0 amps
- Black cord on black and light grey, white cord on white, 6 ft, 15 amp plugged cord
- Fits in G10 grommet hole diameter 3"
- Adjust to thickness from 1 3/16" - 1 9/16"
- UL Listed

MOIRÉ, G10 POWER GROMMET	NACG10BELPGB	Black	$ 373				–	–	1.7 lbs.	0.24
	NACG10BELPGW	White	373				–	–	1.7 lbs.	0.24
	NACG10BELPGG	Light Grey	373				–	–	1.7 lbs.	0.24



- 4 power
- Black, 6 ft, 15 amp plugged cord with built in circuit breaker
- Black cord on black and light grey, white cord on white
- Fits in G10 grommet hole diameter 3"
- Adjust to thickness from 1 3/16" - 1 9/16"
- UL Listed

TO ORDER, SPECIFY:
1. Model Number

SAMPLE MODEL NUMBER:
NACG12AELPGB

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
PIVOTING POWER GROMMET (MHO-B) (G12A)	NACG12AELPGB	Black	$ 809	4⅜	8⅜	1½	—	—	2 lbs.	0.2
	NACG12AELPGS	Silver	809	4⅜	8⅜	1½	—	—	2 lbs.	0.2
	NACG12AELPGW	White	809	4⅜	8⅜	1½	—	—	2 lbs.	0.2
 NACG12AELPGB	NACG12AELPG1B	Braided Cord, Black	$ 882	4⅜	8⅜	1½	—	—	2 lbs.	0.2
	NACG12AELPG1S	Braided Cord, Silver	882	4⅜	8⅜	1½	—	—	2 lbs.	0.2
	NACG12AELPG1W	Braided Cord, White	882	4⅜	8⅜	1½	—	—	2 lbs.	0.2
	NACG12AELHCB	Hardwire, Black	$ 809	4⅜	8⅜	1½	—	—	3 lbs.	0.2
	NACG12AELHCS	Hardwire, Silver	809	4⅜	8⅜	1½	—	—	3 lbs.	0.2
	NACG12AELHCW	Hardwire, White	809	4⅜	8⅜	1½	—	—	3 lbs.	0.2

- 2 power outlets, 1 dual USB-A port, and 1 blank port
- Units are powder coated

PIVOTING POWER GROMMET (MHO-B) (G12B)	NACG12BELPGB	Black	$ 867	4⅜	8⅜	1½	—	—	2 lbs.	0.2
	NACG12BELPGS	Silver	867	4⅜	8⅜	1½	—	—	2 lbs.	0.2
	NACG12BELPGW	White	867	4⅜	8⅜	1½	—	—	2 lbs.	0.2
 NACG12BELPGB	NACG12BELPG1B	Braided Cord, Black	$ 937	4⅜	8⅜	1½	—	—	2 lbs.	0.2
	NACG12BELPG1S	Braided Cord, Silver	937	4⅜	8⅜	1½	—	—	2 lbs.	0.2
	NACG12BELPG1W	Braided Cord, White	937	4⅜	8⅜	1½	—	—	2 lbs.	0.2
	NACG12BELHCB	Hardwire, Black	$ 867	4⅜	8⅜	1½	—	—	3 lbs.	0.2
	NACG12BELHCS	Hardwire, Silver	867	4⅜	8⅜	1½	—	—	3 lbs.	0.2
	NACG12BELHCW	Hardwire, White	867	4⅜	8⅜	1½	—	—	3 lbs.	0.2

- 2 power outlets and 2 USB-A + C ports
- Units are powder coated

PIVOTING POWER GROMMET (MHO-B) (G12C)	NACG12CELPGB	Black	$ 600	4⅜	8⅜	1½	—	—	2 lbs.	0.2
	NACG12CELPGS	Silver	600	4⅜	8⅜	1½	—	—	2 lbs.	0.2
	NACG12CELPGW	White	600	4⅜	8⅜	1½	—	—	2 lbs.	0.2
 NACG12CELPGB	NACG12CELPG1B	Braided Cord, Black	$ 671	4⅜	8⅜	1½	—	—	2 lbs.	0.2
	NACG12CELPG1S	Braided Cord, Silver	671	4⅜	8⅜	1½	—	—	2 lbs.	0.2
	NACG12CELPG1W	Braided Cord, White	671	4⅜	8⅜	1½	—	—	2 lbs.	0.2
	NACG12CELHCB	Hardwire, Black	$ 600	4⅜	8⅜	1½	—	—	3 lbs.	0.2
	NACG12CELHCS	Hardwire, Silver	600	4⅜	8⅜	1½	—	—	3 lbs.	0.2
	NACG12CELHCW	Hardwire, White	600	4⅜	8⅜	1½	—	—	3 lbs.	0.2

- 4 power outlets with 72" circuit breaker cord
- Units are powder coated

ACCESSORIES

TO ORDER, SPECIFY:
1. Model Number

SAMPLE MODEL NUMBER:
NACG12AELPD2IQKB

INTERLINK IQ SYSTEM (G12A)



NACG12AELPD2IQKS

FULL SET OF 8 UNITS

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
NACG12AELPD2IQKB	Set of 8, Black	$ 6964	4⅜	8¼	1½	—	—	25 lbs.	4.0
NACG12AELPD2IQKS	Set of 8, Silver	6964	4⅜	8¼	1½	—	—	25 lbs.	4.0
NACG12AELPD2IQKW	Set of 8, White	6964	4⅜	8¼	1½	—	—	25 lbs.	4.0

- Full sets include 8 grommets and smart box with starter plug



NACG12AELPD2IQB

INTERLINK GROMMETS

NACG12AELPD2IQB	Interlink Grommet, Black	$ 788	4⅜	8¼	1½	—	—	3 lbs.	3.0
NACG12AELPD2IQS	Interlink Grommet, Silver	788	4⅜	8¼	1½	—	—	3 lbs.	3.0
NACG12AELPD2IQW	Interlink Grommet, White	788	4⅜	8¼	1½	—	—	3 lbs.	3.0

- Each power grommet includes 2 power outlets, 1 port with dual USB-A, and 1 blank port that can accommodate 1 of 8 provided adapter plates
- Non-sequential "Daisy chain" solution for flip/nest training tables
- When Interlink solution is ordered, flip/nest training table must specify CUT-G12C grommet
- When Interlink solution is ordered, use table ganging brackets
- Specify model number only
- Interlink cord with plug is 120" in length
- Length of cord from coupler to unit on all units is 14"
- Length from coupler to coupler is 60"
- Units are powder coated
- Must order smart box with plug separately



NACEL2IQBB



NACEL2IQ60J



NACEL2IQ60TJ

INTERLINK IQ SMART BOX AND JUMPER

NACEL2IQBB	Interlink IQ smart box w/starter plug	$ 712	—	120	—	—	—	3 lbs.	0.15
NACEL2IQ60J	Interlink IQ Jumper-60"	158	—	60	—	—	—	3 lbs.	0.15
NACEL2IQ60TJ	Transitional Jumper	166	—	60	—	—	—	3 lbs.	0.15

- Must order smart box with plug separately
- UL Recognized
- Non-sequential "Daisy chain" solution
- Interlink IQ system must begin with a smart box with plug (or full set)
- Jumper used between the smart box with plug and grommets when the span between grommet locations are greater than 60"
- Transitional jumper (connections on both ends) used only when using an older IQ model and a new IQ model (as of November 2019)
- Jumpers count as one connection (maximum of 8)
- The Interlink IQ system is ONLY plugged. This system cannot be hardwired
- Units are powder coated
- Built-in status indicator: green means go, red light indicates too many units
- See charts on pages 568-569

TO ORDER, SPECIFY:
1. Model Number

SAMPLE MODEL NUMBER:
NACG12BELPD2IQKB

INTERLINK IQ SYSTEM (G12B)



NACG12BELPD2IQKS

FULL SET OF 8 UNITS

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
NACG12BELPD2IQKB	Set of 8, Black	$ 7785	4⅜	8¼	1½	—	—	25 lbs.	4.0
NACG12BELPD2IQKS	Set of 8, Silver	7785	4⅜	8¼	1½	—	—	25 lbs.	4.0
NACG12BELPD2IQKW	Set of 8, White	7785	4⅜	8¼	1½	—	—	25 lbs.	4.0

- Full sets include 8 grommets and smart box with starter plug



NACG12BELPD2IQB

INTERLINK GROMMETS

NACG12BELPD2IQB	Interlink Grommet, Black	$ 849	4⅜	8¼	1½	—	—	3 lbs.	3.0
NACG12BELPD2IQS	Interlink Grommet, Silver	849	4⅜	8¼	1½	—	—	3 lbs.	3.0
NACG12BELPD2IQW	Interlink Grommet, White	849	4⅜	8¼	1½	—	—	3 lbs.	3.0

- Each power grommet includes 2 power outlets and 2 charging USB-A + C ports
- Non-sequential "Daisy chain" solution for flip/nest training tables
- When Interlink solution is ordered, flip/nest training table must specify CUT-G12C grommet
- When Interlink solution is ordered, use table ganging brackets
- Specify model number only
- Interlink cord with plug is 120" in length
- Length of cord from coupler to unit on all units is 14"
- Length from coupler to coupler is 60"
- Units are powder coated
- Must order smart box with plug separately



NACEL2IQBB



NACEL2IQ60J



NACEL2IQ60TJ

INTERLINK IQ SMART BOX AND JUMPER

NACEL2IQBB	Interlink IQ smart box w/starter plug	$ 712	—	120	—	—	—	3 lbs.	0.15
NACEL2IQ60J	Interlink IQ Jumper-60"	158	—	60	—	—	—	3 lbs.	0.15
NACEL2IQ60TJ	Transitional Jumper	166	—	60	—	—	—	3 lbs.	0.15

- Must order smart box with plug separately
- UL Recognized
- Non-sequential "Daisy chain" solution
- Interlink IQ system must begin with a smart box with plug (or full set)
- Jumper used between the smart box with plug and grommets when the span between grommet locations are greater than 60"
- Transitional jumper (connections on both ends) used only when using an older IQ model and a new IQ model (as of November 2019)
- Jumpers count as one connection (maximum of 8)
- The Interlink IQ system is ONLY plugged. This system cannot be hardwired
- Units are powder coated
- Built-in status indicator: green means go, red light indicates too many units
- See charts on pages 568-569

ACCESSORIES

TO ORDER, SPECIFY:
1. Model Number

SAMPLE MODEL NUMBER:
NACG15AELPGB

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1 TOUCH DOUBLE PIVOTING POWER GROMMET (M2X-B) (G15A)	NACG15AELPGB	Black	$ 1879	8	9¾	1½	—	—	5 lbs.	0.4
	NACG15AELPGS	Silver	1879	8	9¾	1½	—	—	5 lbs.	0.4
	NACG15AELPGW	White	1879	8	9¾	1½	—	—	5 lbs.	0.4
	NACG15AELHCB	Black/Hardwire	$ 1879	8	9¾	1½	—	—	5 lbs.	0.4
	NACG15AELHCS	Silver/Hardwire	1879	8	9¾	1½	—	—	5 lbs.	0.4
	NACG15AELHCW	White/Hardwire	1879	8	9¾	1½	—	—	5 lbs.	0.4



NACG15AELPGS

- See pages 550-552 for detailed specifications
- Units are powder coated
- Side 1: 2 power, 1 dual USB-A, 1 HDMI, and 1 blank
- Side 2: 2 power, 1 dual USB-A, 1 VGA, and 1 blank
- Units include 2 72" long cords (1 for each side)

1 TOUCH DOUBLE PIVOTING POWER GROMMET (M2X-B) (G15B)	NACG15BELPGB	Black	$ 2089	8	9¾	1½	—	—	5 lbs.	0.4
	NACG15BELPGS	Silver	2089	8	9¾	1½	—	—	5 lbs.	0.4
	NACG15BELPGW	White	2089	8	9¾	1½	—	—	5 lbs.	0.4
	NACG15BELHCB	Black/Hardwire	$ 2089	8	9¾	1½	—	—	5 lbs.	0.4
	NACG15BELHCS	Silver/Hardwire	2089	8	9¾	1½	—	—	5 lbs.	0.4
	NACG15BELHCW	White/Hardwire	2089	8	9¾	1½	—	—	5 lbs.	0.4

NACG15BELPGB

- See pages 550-552 for detailed specifications
- Units are powder coated
- Side 1: 2 power, 1 dual USB-A + C, 1 HDMI, and 1 blank
- Side 2: 2 power, 1 dual USB-A + C, 1 VGA, and 1 blank
- Units include 2 72" long cords (1 for each side)

TO ORDER, SPECIFY:
1. Model Number

SAMPLE MODEL NUMBER:
NACG15AELPD2IQKB

INTERLINK IQ SYSTEM (M2X-B) (G15A)



NACG15AELPD2IQKS



SIDE 1



SIDE 2

NACG15AELPD2IQB



NACEL2IQBB



NACEL2IQ60J



NACEL2IQ60TJ

FULL SET OF 4 UNITS

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
NACG15AELPD2IQKB	Set of 4, Black	$ 7470	8	9¾	1½	—	—	20 lbs.	3.2
NACG15AELPD2IQKS	Set of 4, Silver	7470	8	9¾	1½	—	—	20 lbs.	3.2
NACG15AELPD2IQKW	Set of 4, White	7470	8	9¾	1½	—	—	20 lbs.	3.2

- Full sets include 4 grommets and smart box with starter plug

INTERLINK GROMMETS

NACG15AELPD2IQB	Interlink Grommet, Black	$ 1667	8	9¾	1½	—	—	5 lbs.	0.4
NACG15AELPD2IQS	Interlink Grommet, Silver	1667	8	9¾	1½	—	—	5 lbs.	0.4
NACG15AELPD2IQW	Interlink Grommet, White	1667	8	9¾	1½	—	—	5 lbs.	0.4

- Units are powder coated
- Interlink IQ full set is a set of 4 (8 total sides)
- Maximum is 4 units
- Side 1: 2 power, 1 dual USB-A, 1 HDMI, and 1 blank
- Side 2: 2 power, 1 dual USB-A, 1 VGA, and 1 blank
- Must order smart box with plug separately

INTERLINK IQ SMART BOX AND JUMPER

NACEL2IQBB	Interlink IQ smart box w/starter plug	$ 712	—	120	—	—	—	3 lbs.	0.15
NACEL2IQ60J	Interlink IQ Jumper-60"	158	—	60	—	—	—	3 lbs.	0.15
NACEL2IQ60TJ	Transitional Jumper	166	—	60	—	—	—	3 lbs.	0.15

- Must order smart box with plug separately
- UL Recognized
- Non-sequential "Daisy chain" solution
- Interlink IQ system must begin with a smart box with plug (or full set)
- 1 touch door remains open during use
- Jumper used between the smart box with plug and grommets when the span between grommet locations are greater than 60"
- Transitional jumper (connections on both ends) used only when using an older IQ model and a new IQ model (as of November 2019)
- Jumpers count as one connection (maximum of 4)
- The Interlink IQ system is ONLY plugged. This system cannot be hardwired
- Units are powder coated
- Built-in status indicator: green means go, red light indicates too many units
- See charts on pages 568-569

ACCESSORIES

TO ORDER, SPECIFY:
1. Model Number

SAMPLE MODEL NUMBER:
NACG15BELPD2IQKB

INTERLINK IQ SYSTEM (M2X-B) (G15B)



NACG15BELPD2IQKS



SIDE 1



SIDE 2

NACG15BELPD2IQB



NACEL2IQBB



NACEL2IQ60J



NACEL2IQ60TJ

MODEL NO./DESCRIPTION		LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FULL SET OF 4 UNITS									
NACG15BELPD2IQKB	Set of 4, Black	$ 7831	8	9¾	1½	—	—	20 lbs.	3.2
NACG15BELPD2IQKS	Set of 4, Silver	7831	8	9¾	1½	—	—	20 lbs.	3.2
NACG15BELPD2IQKW	Set of 4, White	7831	8	9¾	1½	—	—	20 lbs.	3.2

- Full sets include 4 grommets and smart box with starter plug

INTERLINK GROMMETS									
NACG15BELPD2IQB	Interlink Grommet, Black	$ 1874	8	9¾	1½	—	—	5 lbs.	0.4
NACG15BELPD2IQS	Interlink Grommet, Silver	1874	8	9¾	1½	—	—	5 lbs.	0.4
NACG15BELPD2IQW	Interlink Grommet, White	1874	8	9¾	1½	—	—	5 lbs.	0.4

- Units are powder coated
- Side 1: 2 power, 1 dual USB-A + C, 1 HDMI, and 1 blank
- Side 2: 2 power, 1 dual USB-A + C, 1 VGA, and 1 blank
- 1 touch door remains open during use
- Interlink IQ full set is a set of 4 (8 total sides)
- Maximum is 4 units
- Must order smart box with plug separately

INTERLINK IQ SMART BOX AND JUMPER									
NACEL2IQBB	Interlink IQ smart box w/starter plug	$ 712	—	120	—	—	—	3 lbs.	0.15
NACEL2IQ60J	Interlink IQ Jumper-60"	158	—	60	—	—	—	3 lbs.	0.15
NACEL2IQ60TJ	Transitional Jumper	166	—	60	—	—	—	3 lbs.	0.15

- Must order smart box with plug separately
- UL Recognized
- Non-sequential "Daisy chain" solution
- Interlink IQ system must begin with a smart box with plug (or full set)
- 1 touch door remains open during use
- Jumper used between the smart box with plug and grommets when the span between grommet locations are greater than 60"
- Transitional jumper (connections on both ends) used only when using an older IQ model and a new IQ model (as of November 2019)
- Jumpers count as one connection (maximum of 4)
- The Interlink IQ system is ONLY plugged. This system cannot be hardwired
- Units are powder coated
- Built-in status indicator: green means go, red light indicates too many units
- See charts on pages 568-569

TO ORDER, SPECIFY:
1. Model Number

SAMPLE MODEL NUMBER:
NACG162ELB

POWER/DATA OASIS (G162)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
NACG162ELB	Black	$ 3429	9	15	4	—	—	8 lbs.	1.2
NACG162ELS	Silver	3429	9	15	4	—	—	8 lbs.	1.2
NACG162ELHB	Black/Hardwire/Modular Connect	$ 4001	9	15	4	—	—	8 lbs.	1.2
NACG162ELHS	Silver/Hardwire/Modular Connect	4001	9	15	4	—	—	8 lbs.	1.2
NACG162ELHCB	Black/Hardwire	$ 4001	9	15	4	—	—	8 lbs.	1.2
NACG162ELHCS	Silver/Hardwire	4001	9	15	4	—	—	8 lbs.	1.2

- See pages 550-552 for detailed specifications
- The Power/Data Oasis may be utilized with any wire access base; however, for the cleanest aesthetic, specify the panel base kit
- Units are powder coated
- Modular connect does not meet city code

HARDWIRE POWER/DATA OASIS DAISY CHAIN KITS (G16)



SILVER POWDER COAT	BLACK POWDER COAT								
NACG162ELHS120LR	NACG162ELHB120LR	$ 8163	9	15	4	—	—	41 lbs.	5.4
NACG162ELHS144LR	NACG162ELHB144LR	8163	9	15	4	—	—	42 lbs.	5.4
NACG162ELHS168LR	NACG162ELHB168LR	8163	9	15	4	—	—	42 lbs.	5.4
NACG162ELHS168A	NACG162ELHB168A	12693	9	15	4	—	—	50 lbs.	6.7
NACG162ELHS168CE	NACG162ELHB168CE	8163	9	15	4	—	—	41 lbs.	5.4
NACG162ELHS192LR	NACG162ELHB192LR	8163	9	15	4	—	—	43 lbs.	5.4
NACG162ELHS192A	NACG162ELHB192A	12693	9	15	4	—	—	50 lbs.	6.7
NACG162ELHS192CE	NACG162ELHB192CE	8163	9	15	4	—	—	41 lbs.	5.4
NACG162ELHS216LR	NACG162ELHB216LR	8163	9	15	4	—	—	43 lbs.	5.4
NACG162ELHS216A	NACG162ELHB216A	12693	9	15	4	—	—	50 lbs.	6.7
NACG162ELHS216CE	NACG162ELHB216CE	8163	9	15	4	—	—	41 lbs.	5.4
NACG162ELHS240LR	NACG162ELHB240LR	8163	9	15	4	—	—	43 lbs.	5.4
NACG162ELHS240A	NACG162ELHB240A	12693	9	15	4	—	—	50 lbs.	6.7
NACG162ELHS240CE	NACG162ELHB240CE	8163	9	15	4	—	—	41 lbs.	5.4

- Example Model: NACG162ELHS**120LR** (**120** - designates size of table top; **LR** - designates grommet locations); see pages 24-25 for details
- G16 Grommet CUTOUTS must be specified in the conference top in which the Power/Data Oasis units will be installed
- Kits include jumper cables and hardwire starter cable required to daisy chain the Power/Data Oasis units
- "LR" models include 2 Oasis units, "A" models include 3 Oasis units and "CE" models include 2 Oasis units
- Units are powder coated

ACCESSORIES

TO ORDER, SPECIFY:
1. Model Number

SAMPLE MODEL NUMBER:
NACG17AELPGB

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
1 TOUCH PIVOTING POWER GROMMET (G17A) 	NACG17AELPGB	Black	$ 458	4¼	5¼	2½	–	–	3 lbs.	0.15
	NACG17AELPGS	Silver	458	4¼	5¼	2½	–	–	3 lbs.	0.15
	NACG17AELPGW	White	458	4¼	5¼	2½	–	–	3 lbs.	0.15
	NACG17AELPG1B	Braided Cord, Black	$ 530	4¼	5¼	2½	–	–	3 lbs.	0.15
	NACG17AELPG1S	Braided Cord, Silver	530	4¼	5¼	2½	–	–	3 lbs.	0.15
	NACG17AELPG1W	Braided Cord, White	530	4¼	5¼	2½	–	–	3 lbs.	0.15
	NACG17AELHCB	Hardwire, Black	$ 483	4¼	5¼	2½	–	–	3 lbs.	0.15
	NACG17AELHCS	Hardwire, Silver	483	4¼	5¼	2½	–	–	3 lbs.	0.15
	NACG17AELHCW	Hardwire, White	483	4¼	5¼	2½	–	–	3 lbs.	0.15

- Includes 2 power outlets
- Units are powder coated
- See pages 550-552 for details

1 TOUCH PIVOTING POWER GROMMET (G17B) 	NACG17BELPGB	Black	$ 471	4¼	5¼	2½	–	–	3 lbs.	0.15
	NACG17BELPGS	Silver	471	4¼	5¼	2½	–	–	3 lbs.	0.15
	NACG17BELPGW	White	471	4¼	5¼	2½	–	–	3 lbs.	0.15
	NACG17BELPG1B	Braided Cord, Black	$ 541	4¼	5¼	2½	–	–	3 lbs.	0.15
	NACG17BELPG1S	Braided Cord, Silver	541	4¼	5¼	2½	–	–	3 lbs.	0.15
	NACG17BELPG1W	Braided Cord, White	541	4¼	5¼	2½	–	–	3 lbs.	0.15
	NACG17BELHCB	Hardwire, Black	$ 568	4¼	5¼	2½	–	–	3 lbs.	0.15
	NACG17BELHCS	Hardwire, Silver	568	4¼	5¼	2½	–	–	3 lbs.	0.15
	NACG17BELHCW	Hardwire, White	568	4¼	5¼	2½	–	–	3 lbs.	0.15

- Includes 1 power outlet and 1 dual USB-A + C combo
- Units are powder coated
- See pages 550-552 for details

1 TOUCH PIVOTING POWER GROMMET (G17C) 	NACG17CELPGB	Black	$ 452	4¼	5¼	2½	–	–	3 lbs.	0.15
	NACG17CELPGS	Silver	452	4¼	5¼	2½	–	–	3 lbs.	0.15
	NACG17CELPGW	White	452	4¼	5¼	2½	–	–	3 lbs.	0.15
	NACG17CELPG1B	Braided Cord, Black	$ 524	4¼	5¼	2½	–	–	3 lbs.	0.15
	NACG17CELPG1S	Braided Cord, Silver	524	4¼	5¼	2½	–	–	3 lbs.	0.15
	NACG17CELPG1W	Braided Cord, White	524	4¼	5¼	2½	–	–	3 lbs.	0.15
	NACG17CELHCB	Hardwire, Black	$ 477	4¼	5¼	2½	–	–	3 lbs.	0.15
	NACG17CELHCS	Hardwire, Silver	477	4¼	5¼	2½	–	–	3 lbs.	0.15
	NACG17CELHCW	Hardwire, White	477	4¼	5¼	2½	–	–	3 lbs.	0.15

- Includes 1 power outlet
- Units are powder coated
- See pages 550-552 for details

TO ORDER, SPECIFY:
1. Model Number

SAMPLE MODEL NUMBER:
NACG17AELPD2IQKB

INTERLINK IQ SYSTEM (G17A)



NACG17AELPD2IQKS



NACG17AELPD2IQB



NACEL2IQBB



NACEL2IQ60J



NACEL2IQ60TJ

FULL SET OF 8 UNITS

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
NACG17AELPD2IQKB	Set of 8, Black	$ 3860	4¼	5¼	2½	—	—	19 lbs.	1.55
NACG17AELPD2IQKS	Set of 8, Silver	3860	4¼	5¼	2½	—	—	19 lbs.	1.55
NACG17AELPD2IQKW	Set of 8, White	3860	4¼	5¼	2½	—	—	19 lbs.	1.55

- Full sets include 8 grommets and smart box with starter plug

INTERLINK GROMMETS

NACG17AELPD2IQB	Interlink Grommet, Black	$ 470	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG17AELPD2IQS	Interlink Grommet, Silver	470	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG17AELPD2IQW	Interlink Grommet, White	470	4¼	5¼	2½	—	—	3 lbs.	0.15

- Must order smart box with plug separately

INTERLINK IQ SMART BOX AND JUMPER

NACEL2IQBB	Interlink IQ smart box w/starter plug	$ 712	—	120	—	—	—	3 lbs.	0.15
NACEL2IQ60J	Interlink IQ Jumper-60"	158	—	60	—	—	—	3 lbs.	0.15
NACEL2IQ60TJ	Transitional Jumper	166	—	60	—	—	—	3 lbs.	0.15

- Must order smart box with plug separately
- UL Recognized
- Non-sequential "Daisy chain" solution
- Interlink IQ system must begin with a smart box with plug (or full set)
- Jumper used between the smart box with plug and grommets when the span between grommet locations are greater than 60"
- Transitional jumper (connections on both ends) used only when using an older IQ model and a new IQ model (as of November 2019)
- Jumpers count as one connection (maximum of 8)
- The Interlink IQ system is ONLY plugged. This system cannot be hardwired
- Units are powder coated
- Built-in status indicator: green means go, red light indicates too many units
- See charts on pages 568-569

ACCESSORIES

TO ORDER, SPECIFY:
1. Model Number

SAMPLE MODEL NUMBER:
NACG17BELPD2IQKB

INTERLINK IQ SYSTEM (G17B)



NACG17BELPD2IQKS

FULL SET OF 8 UNITS

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
NACG17BELPD2IQKB	Set of 8, Black	$ 5130	4¼	5¼	2½	—	—	19 lbs.	1.55
NACG17BELPD2IQKS	Set of 8, Silver	5130	4¼	5¼	2½	—	—	19 lbs.	1.55
NACG17BELPD2IQKW	Set of 8, White	5130	4¼	5¼	2½	—	—	19 lbs.	1.55

- Full sets include 8 grommets and smart box with starter plug



NACG17BELPD2IQB

INTERLINK GROMMETS

NACG17BELPD2IQB	Interlink Grommet, Black	$ 656	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG17BELPD2IQS	Interlink Grommet, Silver	656	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG17BELPD2IQW	Interlink Grommet, White	656	4¼	5¼	2½	—	—	3 lbs.	0.15

- Must order smart box with plug separately



NACEL2IQBB

INTERLINK IQ SMART BOX AND JUMPER

NACEL2IQBB	Interlink IQ smart box w/starter plug	$ 712	—	120	—	—	—	3 lbs.	0.15
NACEL2IQ60J	Interlink IQ Jumper-60"	158	—	60	—	—	—	3 lbs.	0.15
NACEL2IQ60TJ	Transitional Jumper	166	—	60	—	—	—	3 lbs.	0.15



NACEL2IQ60J



NACEL2IQ60TJ

- Must order smart box with plug separately
- UL Recognized
- Non-sequential "Daisy chain" solution
- Interlink IQ system must begin with a smart box with plug (or full set)
- Jumper used between the smart box with plug and grommets when the span between grommet locations are greater than 60"
- Transitional jumper (connections on both ends) used only when using an older IQ model and a new IQ model (as of November 2019)
- Jumpers count as one connection (maximum of 8)
- The Interlink IQ system is ONLY plugged. This system cannot be hardwired
- Units are powder coated
- Built-in status indicator: green means go, red light indicates too many units
- See charts on pages 568-569

TO ORDER, SPECIFY:
1. Model Number

SAMPLE MODEL NUMBER:
NACG17CELPD2IQKB

INTERLINK IQ SYSTEM (G17C)



NACG17CELPD2IQKS



NACG17CELPD2IQB



NACEL2IQBB



NACEL2IQ60J



NACEL2IQ60TJ

MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FULL SET OF 8 UNITS									
NACG17CELPD2IQKB	Set of 8, Black	$ 3653	4¼	5¼	2½	—	—	19 lbs.	1.55
NACG17CELPD2IQKS	Set of 8, Silver	3653	4¼	5¼	2½	—	—	19 lbs.	1.55
NACG17CELPD2IQKW	Set of 8, White	3653	4¼	5¼	2½	—	—	19 lbs.	1.55
INTERLINK GROMMETS									
NACG17CELPD2IQB	Interlink Grommet, Black	$ 443	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG17CELPD2IQS	Interlink Grommet, Silver	443	4¼	5¼	2½	—	—	3 lbs.	0.15
NACG17CELPD2IQW	Interlink Grommet, White	443	4¼	5¼	2½	—	—	3 lbs.	0.15
INTERLINK IQ SMART BOX AND JUMPER									
NACEL2IQBB	Interlink IQ smart box w/starter plug	$ 712	—	120	—	—	—	3 lbs.	0.15
NACEL2IQ60J	Interlink IQ Jumper-60"	158	—	60	—	—	—	3 lbs.	0.15
NACEL2IQ60TJ	Transitional Jumper	166	—	60	—	—	—	3 lbs.	0.15

- Full sets include 8 grommets and smart box with starter plug
- Must order smart box with plug separately
- Must order smart box with plug separately
- UL Recognized
- Non-sequential "Daisy chain" solution
- Interlink IQ system must begin with a smart box with plug (or full set)
- Jumper used between the smart box with plug and grommets when the span between grommet locations are greater than 60"
- Transitional jumper (connections on both ends) used only when using an older IQ model and a new IQ model (as of November 2019)
- Jumpers count as one connection (maximum of 8)
- The Interlink IQ system is ONLY plugged. This system cannot be hardwired
- Units are powder coated
- Built-in status indicator: green means go, red light indicates too many units
- See charts on pages 568-569

ACCESSORIES

Configuration of IQ System for 72" WaveWorks Training Tables - Max of 6 IQ Units per run

6 Power Units



Item	Qty
Smart Box	1
Grommet	6
Jumper	2

5 Power Units



Item	Qty
Smart Box	1
Grommet	5
Jumper	2

4 Power Units



Item	Qty
Smart Box	1
Grommet	4
Jumper	1

3 Power Units



Item	Qty
Smart Box	1
Grommet	3
Jumper	1

2 Power Units



Item	Qty
Smart Box	1
Grommet	2

Configuration of IQ System for 66" WaveWorks Training Tables - Max of 6 IQ Units per run

6 Power Units



Item	Qty
Smart Box	1
Grommet	6
Jumper	1

5 Power Units



Item	Qty
Smart Box	1
Grommet	5
Jumper	1

4 Power Units



Item	Qty
Smart Box	1
Grommet	4
Jumper	1

3 Power Units



Item	Qty
Smart Box	1
Grommet	3

2 Power Units



Item	Qty
Smart Box	1
Grommet	2

Configuration of IQ System for 60" WaveWorks Training Tables - Max of 8 IQ Units per run

8 Power Units



Item	Qty
Smart Box	1
Grommet	8

7 Power Units



Item	Qty
Smart Box	1
Grommet	7

6 Power Units



Item	Qty
Smart Box	1
Grommet	6

5 Power Units



Item	Qty
Smart Box	1
Grommet	5

4 Power Units



Item	Qty
Smart Box	1
Grommet	4

3 Power Units



Item	Qty
Smart Box	1
Grommet	3

2 Power Units



Item	Qty
Smart Box	1
Grommet	2

ACCESSORIES

TO ORDER, SPECIFY:
1. Model Number

SAMPLE MODEL NUMBER:
NACG23ELB

POWER GROMMET (G23)



MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
NACG23ELB	Black	$ 663	2½	4½	3¼	—	—	2.3 lbs.	0.2
NACG23ELS	Silver	663	2½	4½	3¼	—	—	2.3 lbs.	0.2
NACG23ELHCB	Black/Hardwire	$ 739	2½	4½	3¼	—	—	2.3 lbs.	0.2
NACG23ELHCS	Silver/Hardwire	739	2½	4½	3¼	—	—	2.3 lbs.	0.2

- Not intended for use on conference tables
- Includes 2 power outlets and 2 power USB ports
- Units are powder coated

DAISY LINK (G23)



Plugged Starter Unit



Hardwire Starter Unit

DAISY LINK STARTER UNITS

NACG23ELDLB1	Black - G23, Plugged	$ 754	2½	4½	3¼	—	—	4.1 lbs.	0.4
NACG23ELDLS1	Silver - G23, Plugged	754	2½	4½	3¼	—	—	4.1 lbs.	0.4
NACG23ELDLHB1	Black - G23, Hardwire/Modular Connect	$ 754	2½	4½	3¼	—	—	3.7 lbs.	0.4
NACG23ELDLHS1	Silver - G23, Hardwire/Modular Connect	754	2½	4½	3¼	—	—	3.7 lbs.	0.4

- Modular connect does not meet city code

DAISY LINK ADD-ON UNITS/JUMPER KIT

NACG23ELDLB2	Black - G23	$ 792	2½	4½	3¼	—	—	2.3 lbs.	0.4
NACG23ELDLS2	Silver - G23	792	2½	4½	3¼	—	—	2.3 lbs.	0.4

- 60" jumper included with each daisy link add-on unit
- Units are powder coated

DAISY LINK JUMPER (80", 180", AND 240")

NAC80ELDLJ	80" Daisy Chain Jumper	$ 276	¾	80	2	—	—	2.4 lbs.	0.4
NAC180ELDLJ	180" Daisy Chain Jumper	419				—	—	lbs.	
NAC240ELDLJ	240" Daisy Chain Jumper	494				—	—	lbs.	

- 80" jumper is needed when connecting power between tables
- Units are powder coated

NODE POWER GROMMET (G33)



NACG33ELB	Black	$ 422	4	4	3½	—	—	1 lbs.	0.2
NACG33ELS	Silver	422	4	4	3½	—	—	1 lbs.	0.2
NACG33ELW	White	422	4	4	3½	—	—	1 lbs.	0.2

- For use with Maneuver gear, shield, and 120° tables when CUT-G33 option is specified

TO ORDER, SPECIFY:
1. Model Number

SAMPLE MODEL NUMBER:
NAC08ELPG3AXAB

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
AXIL M BLUE TOOTH SPEAKER	NAC08ELPG3AXAB	Black	$ 1045				–	–	4.7 lbs.	0.31
	NAC08ELPG3AXAS	Silver	1045				–	–	4.7 lbs.	0.31
	NAC08ELPG3AXAW	White	1045				–	–	4.7 lbs.	0.31

- Freestanding unit
- 1 power outlet, 1 bluetooth speaker with push button pairing button, built in microphone, and 1 2.0 amp charging USB-A port, with stainless steel grille
- Black, 6 ft, 15 amp plugged power cord
- UL Listed

VESTA SET-ON FLOOR, BATTERY-POWERED	NAC29ELPG4VEAB	Black/Dark Grey	$ 2801				–	–	13.9 lbs.	3.14
	NAC29ELPG4VEAW	White/Light Grey	2801				–	–	13.9 lbs.	3.14

- Freestanding unit
- 3 single USB-A 2.0 amp, 1 USB-C 18 watts, 1 LED battery indicator light
- Black, 6 ft, 15 amp plugged power cord for recharging
- UL Listed
- 40 amp hours, 40 watts
- Vesta models have a Lithium battery and MUST ship separately via Fed Ex Ground

BURELÉ, POWER, CLAMP MOUNT	NAC07ELPG4BUAB	Black	$ 441				–	–	1.25 lbs.	0.24
	NAC07ELPG4BUAW	White	441				–	–	1.25 lbs.	0.24
	NAC07ELPG4BUAG	Light Grey	441				–	–	1.25 lbs.	0.24

- Clamp mount unit
- 4 power outlets
- Black, 6 ft, 15 amp plugged cord with built in circuit breaker
- UL Listed

BURELÉ, POWER/USB, CLAMP MOUNT	NAC07ELPG4BUBB	Black	$ 740				–	–	1.25 lbs.	0.24
	NAC07ELPG4BUBW	White	740				–	–	1.25 lbs.	0.24
	NAC07ELPG4BUBG	Light Grey	740				–	–	1.25 lbs.	0.24

- Clamp mount unit
- 2 power, 1 dual USB-A, 2.0 amp, 1 single USB-C -18 Watt
- Black, 6 ft 15 amp plugged power cord
- UL Listed

ACCESSORIES

TO ORDER, SPECIFY:
1. Model Number

SAMPLE MODEL NUMBER:
NAC04ELPG2DEAB

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
DEAN, 2 PORT, POWER, CLAMP MOUNT 	NAC04ELPG2DEAB	Black	$ 396				–	–	1.95 lbs.	0.24
	NAC04ELPG2DEAW	White	396				–	–	1.95 lbs.	0.24
	NAC04ELPG2DEAG	Light Grey	396				–	–	1.95 lbs.	0.24

- Plastic face plate and end caps, clear anodized housing, and universal clamp mount
- 2 power
- Black, 6 ft, 15 amp plugged power cord
- UL Listed

DEAN, 2 PORT, POWER/USB, CLAMP MOUNT 	NAC04ELPG2DEBB	Black	$ 410				–	–	1.95 lbs.	0.24
	NAC04ELPG2DEBW	White	410				–	–	1.95 lbs.	0.24
	NAC04ELPG2DEBG	Light Grey	410				–	–	1.95 lbs.	0.24

- Plastic face plate and end caps, clear anodized housing, and universal clamp mount
- 1 power, 1 dual USB-A 2.0 amp
- Black, 6 ft, 15 amp plugged power cord
- UL Listed

DEAN, 3 PORT, POWER, CLAMP MOUNT 	NAC06ELPG3DEAB	Black	$ 404				–	–	1.95 lbs.	0.24
	NAC06ELPG3DEAW	White	404				–	–	1.95 lbs.	0.24
	NAC06ELPG3DEAG	Light Grey	404				–	–	1.95 lbs.	0.24

- Plastic face plate and end caps, clear anodized housing, and universal clamp mount
- 3 power
- Black, 6 ft, 15 amp plugged power cord
- UL Listed

DEAN, 3 PORT, POWER/USB, CLAMP MOUNT 	NAC06ELPG3DEBB	Black	$ 538				–	–	1.95 lbs.	0.24
	NAC06ELPG3DEBW	White	538				–	–	1.95 lbs.	0.24
	NAC06ELPG3DEBG	Light Grey	538				–	–	1.95 lbs.	0.24

- Plastic face plate and end caps, clear anodized housing, and universal clamp mount
- 2 power, 1 USB-A + C combo 18 watt, 2.0 amp; end receptacle rotated 90°
- Black, 6 ft, 15 amp plugged power cord
- UL Listed

HITCH, BATTERY-POWERED 	NAC04ELPG4HTAB	Black	$ 711				–	–	1.7 lbs.	0.24
	NAC04ELPG4HTAW	White	711				–	–	1.7 lbs.	0.24
	NAC04ELPG4HTAG	Light Grey	711				–	–	1.7 lbs.	0.24

- Freestanding and portable
- 3 single USB-A, 2.0 amps, 1 LED battery indicator light
- Black, 6 ft, 15 amp plugged power cord assembly for recharging. 5v, 4 amps
- The unit is not UL Listed
- The power pack is UL Listed
- 11.6 amp hours, 20 watt power supply
- Hitch models have a Lithium battery and MUST ship separately via Fed Ex Ground

UNDERSURFACE POWER/DATA 	NAC03ELUPDC		$ 381	3	3	1½	–	–	2 lbs.	0.3

- Can be mounted to the underside of any surface
- Contains 1 electrical outlet and 2 USB ports
- Mounts under surface
- 72" power cord included

TO ORDER, SPECIFY:
1. Model Number

SAMPLE MODEL NUMBER:
NAC03ELPG2GAAW

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
GARCIA	NAC03ELPG2GAAW	White	$ 318	4	2¾	1½	—	—	1.27 lbs.	0.9
	NAC03ELPG2GAAB	Black	318	4	2¾	1½	—	—	1.27 lbs.	0.9
	NAC03ELPG2GAAG	Fog	318	4	2¾	1½	—	—	1.27 lbs.	0.9
	• 72" cord • Includes 2 USB-A									
	NAC03ELPG2GABW	White	$ 421	4	2¾	1½	—	—	1.27 lbs.	0.9
	NAC03ELPG2GABB	Black	421	4	2¾	1½	—	—	1.27 lbs.	0.9
	NAC03ELPG2GABG	Fog	421	4	2¾	1½	—	—	1.27 lbs.	0.9
	• 72" cord • Includes 2 USB-A+C									
TULLY	NAC06ELPG3TUAW	White	$ 618	2¼	5⅝	12⅜	—	—	3.05 lbs.	0.40
	NAC06ELPG3TUAB	Black	618	2¼	5⅝	12⅜	—	—	3.05 lbs.	0.40
	NAC06ELPG3TUAG	Fog	618	2¼	5⅝	12⅜	—	—	3.05 lbs.	0.40
	• 120" braided cord • Includes 2 USB-A, 1 USB-C and Power									
WILLOW	NAC04ELPG2WLAW	Walnut with black braided cord	$ 440	4	3⁹⁄₁₆	2¼	—	—	2.18 lbs.	0.17
	NAC04ELPG2WLAB	Black with black braided cord	440	4	3⁹⁄₁₆	2¼	—	—	2.18 lbs.	0.17
	NAC04ELPG2WLAE	Beech with Teal braided cord	440	4	3⁹⁄₁₆	2¼	—	—	2.18 lbs.	0.17
	• 108" cord • Includes 2 Power • Tamper resistant									
TRIPPEL	NAC08ELPG3TRAW	White	$ 436	3¾	7⅞	3¾	—	—	2 lbs.	0.13
	NAC08ELPG3TRAB	Black	436	3¾	7⅞	3¾	—	—	2 lbs.	0.13
	NAC08ELPG3TRAG	Fog	436	3¾	7⅞	3¾	—	—	2 lbs.	0.13
	• Set on surface unit • Included 2 USB-A and 2 power • Tamper resistant • Features Qi wireless charging									
POWER STRIP	NAC0902EL6PS	Black	$ 103	1⅛	9½	1¾	—	—	lbs.	
	• 120" Cord • Includes 6 power									

ACCESSORIES

TO ORDER, SPECIFY:
1. Model Number

SAMPLE MODEL NUMBER:
NAC05ELPG2HRAC

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
HEARTH	NAC05ELPG2HRAC		$ 657	5⅜	3¼	5³⁄₁₆	—	—	3 lbs.	0.31



- Includes 1 power, 1 Dual USB-A
- 108" power cord
- Handmolded concrete body with a wood base detail
- Features a solid brass braided cord
- UL Listed

SIDEKICK	NAC29ELPG2SKAG	Heather Gray Felt	$ 514	2³⁄₁₆	15	29½	—	—	2 lbs.	0.59
	NAC29ELPG2SKAC	Camel Felt	514	2³⁄₁₆	15	29½	—	—	2 lbs.	0.59



- Felt sofa arm overlay
- Includes 1 power, 1 Dual USB-A, and felt pocket
- Heather Gray unit features power and a braided cord in Poppy. Camel unit features a power and braided cord in Dusk
- 108" power cord
- UL Listed

APPARATUS	NAC05ELPG2APAB	Black	$ 388	3⅛	4¹³⁄₁₆	2	—	—	lbs.	
	NAC05ELPG2APAW	White	388	3⅛	4¹³⁄₁₆	2	—	—	lbs.	



- Includes 1 power, 1 Dual USB-A
- 108" power cord
- Black unit features a black braided cord and silver hardware. White unit features a white braided cord and silver hardware
- ETL and UL Listed

ASHLEY DUO	NAC06ELPG3ADAB	Black	$ 455	3³⁄₁₆	5½	1¹³⁄₁₆	—	—	lbs.	
	NAC06ELPG3ADAW	White	455	3³⁄₁₆	5½	1¹³⁄₁₆	—	—	lbs.	



- Includes 2 power, 2 USB
- 72" power cord
- Must have at least 5½" of clearance under surface at point of application to be able to mount
- Clamp mount; Unit will fit on worksurface thicknesses ½"-2³⁄₁₆"
- UL Listed

TO ORDER, SPECIFY:
1. Model Number

SAMPLE MODEL NUMBER:
NAC120ELE4P

	MODEL NO./DESCRIPTION		LIST PRICE	
4-TRAC POWER ENTRY	NAC120ELE4P	Plugged	$ 396	
	NAC120ELE4H	Hardwire	266	
	NAC72ELE4NH	NYC Hardwire	486	



4-TRAC KIT	NACEL4KTC1	48"-60" Tables	$ 268	
	NACEL4KTC2	72"-84" Tables	292	
	NACEL4KTC3	96"-108" Tables	396	
	NACEL4KTC4	120" Tables	486	
	NACEL4KTC5	144" Tables	620	
	NACEL4KTC6	168" Tables	635	
	NACEL4KTC7	192" Tables	666	
	NACEL4KTC8	216" Tables	694	
	NACEL4KTC9	240" Tables	845	

• See page 576 for details

4-TRAC ELECTRICAL



TABLE LENGTH	A DUPLEX	B DUPLEX	C DUPLEX	D DUPLEX
48"	n/a	16 3/16	31 13/16	n/a
60"	n/a	22 3/16	37 13/16	n/a
72"	n/a	24 3/16	47 13/16	n/a
84"	n/a	30 1/8	53 13/16	n/a
96"	30 1/16	36 1/8	59 3/4	n/a
108"	36 1/16	42 1/8	65 3/4	n/a
120"	38 5/16	44 3/8	75 7/16	n/a
144"	38 5/16	44 3/8	99 7/16	105 1/2
168"	44 1/4	50 5/16	117 3/8	123 7/16
192"	50 1/4	56 5/16	135 3/8	141 7/16
216"	50 3/16	56 1/4	159 5/16	165 3/8
240"	14 5/8	68 1/4	171 5/16	224 15/16

*Dimensions are in inches
See page 575 for pricing

TO ORDER, SPECIFY:
1. Model Number

SAMPLE MODEL NUMBER:
NAC0403WM

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
UNDERSURFACE WIRE MANAGER	NAC0403WM	Set of 2	$ 62	4	2⅝	1¾	—	—	1 lbs.	0.1

- Specify model number only
- Black
- When 1 touch pivoting power grommet or CUT-G12C option is ordered with flip/nest table, 2 undersurface wire managers are installed on underside of surface

VERTICAL WIRE MANAGER	NAC0318WMV	Cinder	$ 271	—	3	18	—	—	2 lbs.	0.1
	NAC0318WMVS	Platinum Metallic	271	—	3	18	—	—	2 lbs.	0.1
	NAC0318WMVN	Satin Nickel Metallic	271	—	3	18	—	—	2 lbs.	0.1

- Applicable to all 2½" diameter C, T and X bases
- Clamps to leg; no hardware required

MESH WIRE MANAGER	NAC0318WMM	Black	$ 133	—	3	17½	—	—	2 lbs.	0.1

- Applicable to all 2½" diameter C, T and X bases
- Wraps around leg and is secured with Velcro®

VERTICAL WIRE MANAGER	NAC30WMV		$ 303	1½	3¼	31	—	—	2 lbs.	0.2

- Graphite color
- Attaches to underside of worksurface; flexible; used to conceal power in-feed and data cables

HORIZONTAL WIRE MANAGER	NAC17WMH	Black Plastic	$ 74	2½	17	4¼	—	—	3 lbs.	0.5
	NAC24WMH	Black Plastic	85	2½	24	4¼	—	—	3 lbs.	0.5

- Attaches below worksurface; can be installed horizontally or vertically
- Used to conceal power in-feed and data cables

ACCESSORIES

TO ORDER, SPECIFY:

1. Model Number
2. Leather Color

SAMPLE MODEL NUMBER:

NAC06WMSTF 82008

WIRE MANAGEMENT LEATHER STRAP

MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
		DI		H				
NAC06WMSTF	$ 85	1¼		6			5 lbs.	0.5

- Available in grade L8 Florence only 82002 Florence Almond Biscotti, 82006 Florence Terra, 82008 Florence Mezza Luna, and 82009 Florence Struzzo
- Sold in a quantity of 1

WIRE MANAGEMENT LEATHER SLEEVE

NAC28WMSLF	For Worksurface Height	$ 202			28			
NAC34WMSLF	For Counter Height	216			34			
NAC40WMSLF	For Bar Height	230			40			

- Available in grade L8 Florence only 82002 Florence Almond Biscotti, 82006 Florence Terra, 82008 Florence Mezza Luna, and 82009 Florence Struzzo
- Sold in quantity of 1

TO ORDER, SPECIFY:

1. Model Number
2. Resin Grade/Color
3. Metal Color (holder)

SAMPLE MODEL NUMBER:

NAC7232PVMCP 1 1677 462

• See page 440 for fabrics

EDGE MOUNTED PRIVACY/MODESTY SCREEN RECTANGULAR, RESIN



MODEL NO./DESCRIPTION	LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
	GRADE 1							
NAC7232PVMCP	$ 1166	3/16	72	32	—	—	46 lbs.	6.0
NAC6632PVMCP	1163	3/16	66	32	—	—	34 lbs.	5.5
NAC6032PVMCP	794	3/16	60	32	—	—	32 lbs.	5.1
NAC5432PVMCP	790	3/16	54	32	—	—	30 lbs.	4.6
NAC4832PVMCP	760	3/16	48	32	—	—	28 lbs.	4.1
NAC4232PVMCP	693	3/16	42	32	—	—	26 lbs.	3.7
NAC3632PVMCP	663	3/16	36	32	—	—	24 lbs.	3.2
NAC3032PVMCP	503	3/16	30	32	—	—	22 lbs.	2.8
NAC2732PVMCP	486	3/16	27	32	—	—	22 lbs.	2.5
NAC2432PVMCP	452	3/16	24	32	—	—	20 lbs.	2.3
NAC2132PVMCP	439	3/16	21	32	—	—	18 lbs.	2.1

- Specify resin grade and color: Grade 1 Frosted (1677)
- Specify metal color for holders: Concrete (423), Cinder (462), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503)
- Privacy screens are 3/16" thick dual sided resin; the overall assembly thickness, including the holders, is 1 3/8"
- Privacy screen holders are made of 12-gauge steel
- Privacy screens are not intended to be stand alone units
- For use on 1 3/16" and 1 7/16" surfaces with a softened or profiled rim. Not to be used with knife edge rims
- Screen extends 18" above the surface and 12" below the surface

ACCESSORIES

TO ORDER, SPECIFY:

1. Model Number
2. Fabric Grade/Color
3. Metal Color (holder)

SAMPLE MODEL NUMBER:

NAC7232PVMC2PFA A 8600 423

• See page 440 for fabrics

EDGE MOUNTED PRIVACY/MODESTY SCREEN RECTANGULAR, FABRIC

MODEL NO./DESCRIPTION	LIST PRICE GRADE A	LIST PRICE GRADE B/COM	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
NAC7232PVMC2PFA	$ 1609	$ 1796	1 1/16	72	32	—	—	46 lbs.	6.0
NAC6632PVMC2PFA	1511	1687	1 1/16	66	32	—	—	34 lbs.	5.5
NAC6032PVMC2PFA	1401	1559	1 1/16	60	32	—	—	32 lbs.	5.1
NAC5432PVMC2PFA	1308	1451	1 1/16	54	32	—	—	30 lbs.	4.6
NAC4832PVMC2PFA	1207	1339	1 1/16	48	32	—	—	28 lbs.	4.1
NAC4232PVMC2PFA	1114	1228	1 1/16	42	32	—	—	26 lbs.	3.7
NAC3632PVMC2PFA	997	1096	1 1/16	36	32	—	—	24 lbs.	3.2
NAC3032PVMC2PFA	904	992	1 1/16	30	32	—	—	22 lbs.	2.8
NAC2732PVMC2PFA	854	931	1 1/16	27	32	—	—	22 lbs.	2.5
NAC2432PVMC2PFA	754	831	1 1/16	24	32	—	—	20 lbs.	2.3
NAC2132PVMC2PFA	719	785	1 1/16	21	32	—	—	18 lbs.	2.1

- Privacy screens are 1 1/16" thick dual sided fabric; the overall assembly thickness
- Privacy screen holders are made of 12-gauge steel
- Privacy screens are not intended to be stand alone units
- Specify tack fabric grade and color
- Specify metal color for holders: Concrete (423), Cinder (462), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503)
- For use on 1 3/16" and 1 9/16" surfaces with a softened or profiled rim. Not to be used with knife edge rims
- Fabric will be railroaded
- Screen extends 18" above the surface and 12" below the surface

EDGE MOUNTED PRIVACY SCREEN RECTANGULAR, RESIN

MODEL NO./DESCRIPTION	LIST PRICE GRADE 1	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
NAC7224PVCP	$ 664	3/16	71 13/16	24	—	—	24 lbs.	4.7
NAC6624PVCP	661	3/16	65 13/16	24	—	—	22 lbs.	4.3
NAC6024PVCP	484	3/16	59 13/16	24	—	—	19 lbs.	4.0
NAC5424PVCP	474	3/16	53 13/16	24	—	—	17 lbs.	3.6
NAC4824PVCP	416	3/16	47 7/8	24	—	—	16 lbs.	3.3
NAC4224PVCP	441	3/16	41 7/8	24	—	—	14 lbs.	2.9
NAC3624PVCP	339	3/16	35 7/8	24	—	—	12 lbs.	2.5
NAC3024PVCP	319	3/16	29 15/16	24	—	—	10 lbs.	2.2
NAC2724PVCP	315	3/16	27	24	—	—	9 lbs.	2.0
NAC2424PVCP	287	3/16	23 13/16	24	—	—	8 lbs.	1.8
NAC2124PVCP	284	3/16	21	24	—	—	7 lbs.	1.6

- Specify resin grade and color: Grade 1 Frosted (1677)
- Specify metal color for holders: Concrete (423), Cinder (462), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503)
- Privacy screens are 3/16" thick dual sided resin; the overall assembly thickness, including the holders, is 1/8"
- Privacy screen holders are made of 12-gauge steel
- Privacy screens are not intended to be stand alone units
- For use on 1 3/16" and 1 9/16" surfaces with a softened or profiled rim. Not to be used with knife edge rims
- Screen extends 18" above the surface and 4" below the surface

TO ORDER, SPECIFY:

1. Model Number
2. Resin Grade/Color
3. Metal Color (holder)

SAMPLE MODEL NUMBERS:

NAC7224PVCTP 1 1677 462
NAC7224PVC2PFA A 8600 423

• See page 440 for fabrics

EDGE MOUNTED PRIVACY SCREEN TAPERED, RESIN

MODEL NO./DESCRIPTION	LIST PRICE GRADE 1	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
NAC7224PVCTP	$ 1152	3/16	71 3/16	24	—	—	24 lbs.	4.7
NAC6624PVCTP	1097	3/16	65 3/16	24	—	—	22 lbs.	4.3
NAC6024PVCTP	1040	3/16	59 3/16	24	—	—	19 lbs.	4.0
NAC5424PVCTP	983	3/16	53 3/16	24	—	—	17 lbs.	3.6
NAC4824PVCTP	930	3/16	47 7/8	24	—	—	16 lbs.	3.3
NAC4224PVCTP	871	3/16	41 7/8	24	—	—	14 lbs.	2.9
NAC3624PVCTP	813	3/16	35 7/8	24	—	—	12 lbs.	2.5
NAC3024PVCTP	754	3/16	29 15/16	24	—	—	10 lbs.	2.2
NAC2724PVCTP	726	3/16	27	24	—	—	9 lbs.	2.0
NAC2424PVCTP	696	3/16	23 3/16	24	—	—	8 lbs.	1.8
NAC2124PVCTP	669	3/16	21	24	—	—	7 lbs.	1.6

- Specify resin grade and color: Grade 1 Frosted (1677)
- Specify metal color for holders: Concrete (423), Cinder (462), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503)
- Privacy screens are 3/16" thick dual sided resin; the overall assembly thickness, including the holders, is 1 5/8"
- Privacy screen holders are made of 12-gauge steel
- Privacy screens are not intended to be stand alone units
- For use on 1 3/16" and 1 9/16" surfaces with a softened or profiled rim. Not to be used with knife edge rims
- Screen extends 18" above the surface and 4" below the surface

EDGE MOUNTED PRIVACY SCREEN RECTANGULAR, FABRIC

MODEL NO./DESCRIPTION	GRADE A	GRADE B/COM	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
NAC7224PVC2PFA	$ 1148	$ 1247	1 1/16	71 3/16	24	—	—	24 lbs.	4.7
NAC6624PVC2PFA	1089	1177	1 1/16	65 3/16	24	—	—	22 lbs.	4.3
NAC6024PVC2PFA	1030	1118	1 1/16	59 3/16	24	—	—	19 lbs.	4.0
NAC5424PVC2PFA	963	1040	1 1/16	53 3/16	24	—	—	17 lbs.	3.6
NAC4824PVC2PFA	900	966	1 1/16	47 7/8	24	—	—	16 lbs.	3.3
NAC4224PVC2PFA	843	909	1 1/16	41 7/8	24	—	—	14 lbs.	2.9
NAC3624PVC2PFA	756	811	1 1/16	35 7/8	24	—	—	12 lbs.	2.5
NAC3024PVC2PFA	697	741	1 1/16	29 15/16	24	—	—	10 lbs.	2.2
NAC2724PVC2PFA	663	707	1 1/16	27	24	—	—	9 lbs.	2.0
NAC2424PVC2PFA	626	670	1 1/16	23 3/16	24	—	—	8 lbs.	1.8
NAC2124PVC2PFA	590	623	1 1/16	21	24	—	—	7 lbs.	1.6

- Privacy screens are 1 1/16" thick dual sided fabric
- Privacy screen holders are made of 12-gauge steel
- Privacy screens are not intended to be stand alone units
- Specify tack fabric grade and color
- Specify metal color for holders: Concrete (423), Cinder (462), Iron (463), Platinum Metallic (501), or Satin Nickel Metallic (503)
- For use on 1 3/16" and 1 9/16" surfaces with a softened or profiled rim. Not to be used with knife edge rims
- Fabric will be railroaded
- Screen extends 18" above the surface and 4" below the surface

ACCESSORIES

TO ORDER, SPECIFY:

1. Model Number
2. Shelf Color
3. Laminate Color

SAMPLE MODEL NUMBER:

10N1867FDSHL PB PB
NAC1205WGV1

	MODEL NO./DESCRIPTION		LIST PRICE	DIMENSIONS D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
FREESTANDING KIOSK	10N1867FDSHL	Laminate	$ 1382	13 1⁵⁄₁₆	17 1⁵⁄₁₆	66⅜	—	—	73 lbs.	19.7



- Can be used to hang additional PPE equipment (ie. Glove holders and sanitizer dispensers) Limit of 10 lbs hung on the back

SINGLE WIRE GLOVE BOX	NAC1205WGV1	Steel	$ 117	3 3⁄16	11 5⁄16	4¾	—	—	1 lbs.	1.38



- Steel wire Glove box is Chrome in color
- Includes pre-drilled mounting holes and hardware
- Holds 1 std size box of gloves

DOUBLE WIRE GLOVE BOX	NAC1210WGV2	Steel	$ 160	3 3⁄16	11 5⁄16	9½	—	—	1 lbs.	2.7

- Steel wire Glove box is Chrome in color
- Includes pre-drilled mounting holes and hardware
- Holds 2 std size boxes of gloves

QUAD WIRE GLOVE BOX	NAC1219WGV4	Steel	$ 229	3 3⁄16	11 5⁄16	19	—	—	1 lbs.	5.2



- Steel wire Glove box is Chrome in color
- Includes pre-drilled mounting holes and hardware
- Holds 4 std size boxes of gloves

AUTOMATIC HAND SANITIZER DISPENSER	NAC0407USD1		$ 794	4¼	6	11	—	—	2.2 lbs.	8.1



- Dispenser accepts most bulk liquid soaps and sanitizers up to 12mL capacity, inside a solid case of durable ABS plastic
- 4 C Batteries sold separately. External On-Off switch
- Tamper resistant lock system with key for convenient access for assigned personel
- Motion Dispenser: Dispenses within a sense detection of 3"-5"
- 2.2 lbs Empty (without fluid)

QD Shaded model numbers are available on our "To You in 10 Days or Less" Quick Delivery program and will be delivered in 10 days or less.

TO ORDER, SPECIFY:

1. Model Number
2. Resin Grade/Color
3. Paint Color

SAMPLE MODEL NUMBERS:

NAC6012MPA 1 1677 462
NACGBT2

• See page 440 for fabrics

RECTANGULAR MODESTY PANEL ⅓ HEIGHT RESIN



MODEL NO./DESCRIPTION	LIST PRICE	D	W	H	A	KW	CARTONED WEIGHT	CUBIC FEET
	GRADE 1							
NAC6012MPA	$ 902	3/16	59 11/16	12 3/8	—	—	5 lbs.	3.9
NAC5412MPA	811	3/16	53 11/16	12 3/8	—	—	5 lbs.	3.8
NAC4812MPA	719	3/16	47 11/16	12 3/8	—	—	4 lbs.	3.7
NAC4212MPA	631	3/16	41 3/4	12 3/8	—	—	4 lbs.	3.7
NAC3612MPA	540	3/16	35 3/4	12 3/8	—	—	4 lbs.	3.7
NAC3012MPA	452	3/16	29 3/4	12 3/8	—	—	3 lbs.	3.6
NAC2412MPA	361	3/16	23 13/16	12 3/8	—	—	3 lbs.	3.6

- Specify resin grade and color: Grade 1 Frosted (1677)
- Resin modesty can be used with Epic and WaveWorks worksurfaces and flip/nest tables
- Double sided 3/16" resin
- Modesty has stiffener rail which comes with brackets that attach to the underside of the worksurface
- 72" flip/nest training table requires 60" modesty, 60" table requires 48" modesty, and 48" table requires 36" modesty

TAPERED MODESTY PANEL ⅓ HEIGHT RESIN

	GRADE 1							
NAC6012MPTA	$ 902	3/16	59 11/16	12 3/8	—	—	5 lbs.	3.9
NAC5412MPTA	811	3/16	53 11/16	12 3/8	—	—	5 lbs.	3.8
NAC4812MPTA	719	3/16	47 11/16	12 3/8	—	—	4 lbs.	3.7
NAC4212MPTA	631	3/16	41 3/4	12 3/8	—	—	4 lbs.	3.7
NAC3612MPTA	540	3/16	35 3/4	12 3/8	—	—	4 lbs.	3.7
NAC3012MPTA	452	3/16	29 3/4	12 3/8	—	—	3 lbs.	3.6
NAC2412MPTA	361	3/16	23 13/16	12 3/8	—	—	3 lbs.	3.6

- Specify resin grade and color: Grade 1 Frosted (1677)
- Resin modesty can be used with Epic and WaveWorks worksurfaces and flip/nest tables
- Double sided 3/16" resin
- Modesty has stiffener rail which comes with brackets that attach to the underside of the worksurface
- 72" flip/nest training table requires 60" modesty, 60" table requires 48" modesty, and 48" table requires 36" modesty

RECTANGULAR MODESTY PANEL ⅓ HEIGHT METAL



NAC6012MP2M	$ 902	1/16	59 11/16	12 3/8	—	—	10 lbs.	3.9
NAC5412MP2M	811	1/16	53 11/16	12 3/8	—	—	10 lbs.	3.8
NAC4812MP2M	719	1/16	47 11/16	12 3/8	—	—	8 lbs.	3.7
NAC4212MP2M	631	1/16	41 3/4	12 3/8	—	—	8 lbs.	3.7
NAC3612MP2M	540	1/16	35 3/4	12 3/8	—	—	8 lbs.	3.7
NAC3012MP2M	452	1/16	29 3/4	12 3/8	—	—	6 lbs.	3.6
NAC2412MP2M	361	1/16	23 13/16	12 3/8	—	—	6 lbs.	3.6

- Specify Style E for embossed design
- Specify metal color: 423 Concrete, 462 Cinder, 463 Iron, 501 Platinum Metallic, 503 Satin Nickel Metallic and 405 Designer White
- Metal modesty can be used with Epic and WaveWorks worksurfaces and flip/nest tables
- Modesty comes with brackets that attach to the underside of the worksurface
- Metal modesty has raised square embossed design (the raised design appears on the approach side of the modesty)
- Metal modesty is 16-gauge steel
- 72" flip/nest training table requires 60" modesty, 60" table requires 48" modesty, and 48" table requires 36" modesty

GANGING BRACKET

NACGBT2	Table Ganging Bracket Kit	$ 117	—	—	—	—	—	1 lbs.	0.1

- Quantity of 6 (set of 3 pairs) hook and loop "dog bone" shaped brackets
- All hardware included
- Available in black only
- Specify model number only

ACCESSORIES

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" WIDTH – CUT UP THE ROLL)

MODEL	RAILROADED Contact customer service 800-482-1717 for ydg requirements	NON DIRECTIONAL OR SOLID	1"-4" REPEAT 4" VERTICAL X 4" HORIZONTAL	5"-11" REPEAT 11" VERTICAL X 11" HORIZONTAL	12"-18" REPEAT 18" VERTICAL X 18" HORIZONTAL	COL SQUARE FEET
88NA2417TRDFW 88NA2419TRDFW		0.90	1.00	1.40	1.50	17
88NA1817TRDFW 88NA1819TRDFW		0.80	0.90	1.30	1.40	15
88NA242417TSQFW 88NA242419TSQFW		0.90	1.00	1.40	1.50	17
88NA181817TSQFW 88NA181819TSQFW		0.80	0.90	1.30	1.40	15
88NA182417TRTFW 88NA182419TRTFW		0.80	0.90	1.30	1.40	15
89N1616TRDF		0.60	0.70	1.00	2.00	10

COM YARDAGE REQUIREMENTS

COM YARDAGE REQUIREMENTS (54" OR 66" WIDTH – CUT UP THE ROLL)

For railroaded models, contact customer service 800-482-1717 for ydg requirements

TACKABLE	YARDAGE
11N1834TBA	1.00
11N1836TBA	1.00
11N1837TBA	1.00
11N1848TBA	1.00
11N1849TBA	1.00
11N20WMVF	0.75
11N20WMVFA	0.25
11N2434SWTBF	1.10
11N2434SWTBFA	1.50
11N2434SWTBP	0.50
11N2434SWTBPA	0.80
11N2434TBA	1.00
11N2436SWTBF	1.10
11N2436SWTBFA	1.30
11N2436SWTBP	0.50
11N2436SWTBPA	0.80
11N2436TBA	1.00
11N2437SWTBF	1.20
11N2437SWTBFA	1.30
11N2437SWTBP	0.50
11N2437SWTBPA	0.80
11N2437TBA	1.00
11N2448SWTBF	1.50
11N2448SWTBFA	1.10
11N2448SWTBP	0.90
11N2448SWTBPA	0.80
11N2448TBA	1.00
11N2449SWTBF	1.50
11N2449SWTBFA	1.10
11N2449SWTBP	0.90
11N2449SWTBPA	0.80
11N2449TBA	1.00
11N3034SWTBF	1.10
11N3034SWTBFA	1.60
11N3034SWTBP	0.50
11N3034SWTBPA	1.00
11N3034TBA	1.25
11N3036SWTBF	1.10
11N3036SWTBFA	1.50
11N3036SWTBP	0.50
11N3036SWTBPA	1.00
11N3036TBA	1.25
11N3037SWTBF	1.20
11N3037SWTBFA	1.50
11N3037SWTBP	0.50
11N3037SWTBPA	1.00
11N3037TBA	1.25
11N3048SWTBF	1.50
11N3048SWTBFA	1.30
11N3048SWTBP	0.90
11N3048SWTBPA	1.00
11N3048TBA	1.25
11N3049SWTBF	1.50

TACKABLE	YARDAGE
11N3049SWTBFA	1.30
11N3049SWTBP	0.90
11N3049SWTBPA	1.00
11N3049TBA	1.25
11N31WMVF	1.00
11N31WMVFA	0.25
11N34TCF	1.00
11N34TCFA	0.25
11N3634SWTBF	1.10
11N3634SWTBFA	1.80
11N3634SWTBP	0.50
11N3634SWTBPA	1.10
11N3634TBA	1.50
11N3634TVF	1.25
11N3636SWTBF	1.10
11N3636SWTBFA	1.60
11N3636SWTBP	0.50
11N3636SWTBPA	1.10
11N3636TBA	1.50
11N3636TVF	1.25
11N3637SWTBF	1.20
11N3637SWTBFA	1.60
11N3637SWTBP	0.50
11N3637SWTBPA	1.10
11N3637TBA	1.50
11N3637TVF	1.25
11N3648SWTBF	1.50
11N3648SWTBFA	1.50
11N3648SWTBP	0.90
11N3648SWTBPA	1.10
11N3648TBA	1.50
11N3648TVF	1.50
11N3649SWTBF	1.50
11N3649SWTBFA	1.50
11N3649SWTBP	0.90
11N3649SWTBPA	1.10
11N3649TBA	1.50
11N3649TVF	1.50
11N36TCF	1.25
11N36TCFA	0.25
11N37TCF	1.25
11N37TCFA	0.25
11N4234SWTBF	1.10
11N4234SWTBFA	2.00
11N4234SWTBP	0.50
11N4234SWTBPA	1.30
11N4234TBA	1.50
11N4234TVF	1.25
11N4236SWTBF	1.10
11N4236SWTBFA	1.80
11N4236SWTBP	0.50
11N4236SWTBPA	1.30
11N4236TBA	1.50

COM YARDAGE REQUIREMENTS

TACKABLE	YARDAGE
11N4236TVF	1.25
11N4237SWTBF	1.20
11N4237SWTBFA	1.80
11N4237SWTBP	0.50
11N4237SWTBPA	1.30
11N4237TBA	1.50
11N4237TVF	1.25
11N4248SWTBF	1.50
11N4248SWTBFA	1.60
11N4248SWTBP	0.90
11N4248SWTBPA	1.30
11N4248TBA	1.50
11N4248TVF	1.50
11N4249SWTBF	1.50
11N4249SWTBFA	1.60
11N4249SWTBP	0.90
11N4249SWTBPA	1.30
11N4249TBA	1.50
11N4249TVF	1.50
11N4834SWTBF	1.10
11N4834SWTBFA	2.10
11N4834SWTBP	0.50
11N4834SWTBPA	1.50
11N4834TBA	1.75
11N4834TVF	1.25
11N4836SWTBF	1.10
11N4836SWTBFA	2.00
11N4836SWTBP	0.50
11N4836SWTBPA	1.50
11N4836TBA	1.75
11N4836TVF	1.25
11N4837SWTBF	1.20
11N4837SWTBFA	2.00
11N4837SWTBP	0.50
11N4837SWTBPA	1.50
11N4837TBA	1.75
11N4837TVF	1.25
11N4848SWTBF	1.50
11N4848SWTBFA	1.80
11N4848SWTBP	0.90
11N4848SWTBPA	1.50
11N4848TBA	1.75
11N4848TVF	1.50
11N4849SWTBF	1.50
11N4849SWTBFA	1.80
11N4849SWTBP	0.90
11N4849SWTBPA	1.50
11N4849TBA	1.75
11N4849TVF	1.50
11N48TCF	1.50
11N48TCFA	0.25
11N49TCF	1.50
11N49TCFA	0.25
11N5434TBA	2.00
11N5434TVF	N/A
11N5436TBA	2.00
11N5436TVF	N/A

TACKABLE	YARDAGE
11N5437TBA	2.00
11N5437TVF	N/A
11N5448TBA	2.00
11N5448TVF	N/A
11N5449TBA	2.00
11N5449TVF	N/A
11N6034TBA	2.00
11N6034TVF	N/A
11N6036TBA	2.00
11N6036TVF	N/A
11N6037TBA	2.00
11N6037TVF	N/A
11N6048TBA	2.00
11N6048TVF	N/A
11N6049TBA	2.00
11N6049TVF	N/A
NAC2124PVC2PF	N/A
NAC2124PVC2PFA	0.75
NAC2132PVMC2PF	N/A
NAC2132PVMC2PFA	1.50
NAC2424PVC2PF	N/A
NAC2424PVC2PFA	1.00
NAC2432PVMC2PF	N/A
NAC2432PVMC2PFA	1.75
NAC2724PVC2PF	N/A
NAC2724PVC2PFA	1.00
NAC2732PVMC2PF	N/A
NAC2732PVMC2PFA	1.75
NAC3024PVC2PF	N/A
NAC3024PVC2PFA	1.00
NAC3032PVMC2PF	N/A
NAC3032PVMC2PFA	2.00
NAC3624PVC2PF	N/A
NAC3624PVC2PFA	1.25
NAC3632PVMC2PF	N/A
NAC3632PVMC2PFA	2.25
NAC4224PVC2PF	N/A
NAC4224PVC2PFA	1.50
NAC4232PVMC2PF	N/A
NAC4232PVMC2PFA	2.60
NAC4824PVC2PF	N/A
NAC4824PVC2PFA	1.50
NAC4832PVMC2PF	N/A
NAC4832PVMC2PFA	3.00
NAC5424PVC2PF	N/A
NAC5424PVC2PFA	1.75
NAC5432PVMC2PF	N/A
NAC5432PVMC2PFA	3.25
NAC6024PVC2PF	N/A
NAC6024PVC2PFA	2.00
NAC6032PVMC2PF	N/A
NAC6032PVMC2PFA	3.60
NAC6624PVC2PFA	2.00
NAC6632PVMC2PFA	4.00
NAC7224PVC2PFA	2.25
NAC7232PVMC2PFA	4.25
NAC2132PVMC2PFA	1.50

COM YARDAGE REQUIREMENTS

TACKABLE	YARDAGE
NAC2432PVMC2PFA	1.75
NAC2732PVMC2PFA	1.75
NAC3032PVMC2PFA	2.00
NAC3632PVMC2PFA	2.25
NAC4232PVMC2PFA	2.60
NAC4832PVMC2PFA	3.00
NAC5432PVMC2PFA	3.25
NAC6032PVMC2PFA	3.60
NAC6632PVMC2PFA	4.00
NAC7232PVMC2PFA	4.25
NAC2124PVC2PFA	0.75
NAC2424PVC2PFA	1.00
NAC2724PVC2PFA	1.00
NAC3024PVC2PFA	1.00
NAC3624PVC2PFA	1.25
NAC4224PVC2PFA	1.50
NAC4824PVC2PFA	1.50
NAC5424PVC2PFA	1.75
NAC6024PVC2PFA	2.00
NAC6624PVC2PFA	2.00
NAC7224PVC2PFA	2.25
NAC2118PVS2PFA	0.75
NAC2418PVS2PFA	1.00
NAC2718PVS2PFA	1.00

TACKABLE	YARDAGE
NAC3018PVS2PFA	1.00
NAC3618PVS2PFA	1.25
NAC4218PVS2PFA	1.50
NAC4818PVS2PFA	1.50
NAC5418PVS2PFA	1.75
NAC6018PVS2PFA	2.00
NAC6618PVS2PFA	2.00
NAC7218PVS2PFA	2.25
71N4518PVBPFA	1.50
71N5118PVBPFA	2.00
71N5718PVBPFA	2.00
71N6318PVBPFA	2.00
71N6918PVBPFA	2.50
71N4623PVCPFA	1.50
71N5223PVCPFA	2.00
71N5823PVCPFA	2.00
71N6423PVCPFA	2.00
71N7023PVCPFA	2.50
71N3824PVBPFA	1.50
71N4424PVBPFA	1.50
71N5024PVBPFA	2.00
71N5624PVBPFA	2.00
71N6224PVBPFA	2.00

NATIONAL®

1600 ROYAL STREET, JASPER, IN 47546
TOLL FREE **800.482.1717**
WEB **NATIONALOFFICEFURNITURE.COM**

A UNIT OF KIMBALL INTERNATIONAL, ©2018

NPL422