NOTICE TO AUTHORIZED USERS OF AWARD #23295 - Furniture, All Types (Except Hospital Room and Patient Handling)

This pricelist/catalog **may** contain items that are not within the Scope of the Contract Award and/or not within this Contractors approved furniture Categories. All Authorized Users are strongly encouraged to review the Scope of the Award and the Contractors Category Matrix prior to selecting items for purchase under the Contract. Per Solicitation Section 4.5 (D) - Procurement Instructions for Authorized Users: When placing orders under this Award, the Authorized User should follow and be familiar with the terms and conditions governing the Contract and are responsible for determining that the product(s) they intend to purchase fit within the scope of the Award.

References to other government contracts that may be included in a Contractor's pricelist/catalog, including any additional terms or conditions, are void under the OGS Award and should be disregarded. Only OGS' Terms and Conditions, including those within a Contractor's posted Contractor Information and Supplemental Information sheet, are valid under the Contract.

Additionally, Authorized Users are reminded that where discrepancies exist between Price List documents, the lowest price shall prevail (see Section 5.3 Price).

All orders must be placed with the Contractor, or the Contractor's OGS approved Authorized Reseller listed on the OGS website under the Award. Orders placed with a reseller not approved by OGS are not considered contract orders and therefore are not subject to the same terms and conditions of the OGS Award.

Authorized Users should contact the OGS Contract Manager listed on the Award with any questions pertaining to this pricelist/ catalog.

NYS Price List Effective 3/6/26

ACCESSORIES

March 2026 Price List

AIS

PRODUCT INFORMATION

Accessories Statement of Line . . . 3
Accessories Finish Options . . . 7
Replacement Handle Details . . . 10
Power Product Details . . . 11
Performance Series Monitor Arm Compatibility Applications . . . 12
Power & Monitor Arm Compatibility Applications . . . 13

ACCESSORIES

Surface Mounted Power . . . 16
Undersurface Mounted Power . . . 18
Integrated Power . . . 20
Electrical Accessories . . . 27
Infeeds . . . 28
Conference and Training Power Accessories . . . 29
Duplex Outlets . . . 30
Wall Track Tackboards . . . 31
Wall Mounted Tackboards and Shared Open Overhead Tackboards . . . 32
CPU Holders and Anti-Fatigue Mat . . . 33
Performance Series Monitor Arms and Conversion Kits . . . 34
Performance Series SmartDock, SmartPower, and Laptop Tray . . . 35
Standard Series Monitor Arms . . . 36
Desk Lamps . . . 37
Task Lights . . . 38
Pelican and Pencil Drawers . . . 39
Keyboard Arms . . . 40
Worksurface Rails . . . 42
Worksurface Mounted Tool Rails . . . 43
Paper Flow Elements . . . 44
Credenza and Pedestal Cushions . . . 45
Flipper Door Security Panels, Lock Cores and Keys . . . 46
Shelf Divider, Pedestal Extension Shroud, Coat and Bag Hooks, Knife Edge Wedge Bracket . . . 47
Cable Grips, Anti-Slip Bumpers, Mesh Wire Manager, Mesh Wire Manager Cuff Kit . . . 48
Grommet Hole Covers, Replacement Pulls, Frameless Glass Alignment Kits, Ganging Bolts . . . 49
Hospitality/Catering Cart and Mobile White Boards . . . 50
Tri-Wheel Mobile Laminate Whiteboards/Dividers . . . 51
Coat Hooks . . . 54
PET Wire Manager Product Details . . . 55
PET Wire Managers . . . 56
PET Slings . . . 57
Desktop Organizer . . . 58

WARRANTY & TERMS AND CONDITIONS

For Warranty & Terms and Conditions please visit:

https://www.ais-inc.com

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.


ACCESSORIES STATEMENT OF LINE


Electrical


ACCESSORIES


SURFACE MOUNTED POWER


Bella 1050 Clamp



Ashley Uno Clamp



Ashley Duo Clamp



Ashley 202 Clamp



Ashley Trio Clamp


UNDER SURFACE MOUNTED POWER


Bella 1050 Under



Ashley Uno Under



Ashley Duo Under



Ashley 202 Under



Ashley Trio Under


INTEGRATED POWER



Calibrate Table Top Power Box



Charger Dock 1200



Multi-Circuit Desking Electrical Power Units



Multi-Circuit Desking Access Box



Surface Mount Power Unit - 2 Outlet


Surface Mount Power Unit - 3 Outlet


Ashley Uno Bezel


Ashley Duo Bezel


Ashley 202 Bezel



Ashley Trio Bezel



Charger Dock 200


Charger Dock 201


Charger Dock 281


Wireless Charger Dock 150



Wireless Charger Dock 950


Ashley Duo Air


© 2026, AIS, Inc.

Electrical, Tackboards and CPU Holders


ELECTRICAL ACCESSORIES




Keystone Data Inserts for Ashley Units




Daisy Chain Jumpers




Control Box (Infeed)




Electrical Jumpers




Side Mounted Base Infeeds




Data Plate Kit




Surface Mount Data Housing Kit




Powerway Dust Cover



Duplex Outlets




USB Outlets



Duplex Outlet Hole Cover

WALL TRACK TACKBOARDS




Wall Track Tackboards



Wall Tracks


TACKBOARDS



Wall Mounted Tackboard




Wall Mounted Tackboard w/ Cord Groove




Shared Open Overhead Tackboards

CPU HOLDERS



Easy Access CPU Holder




Lockable CPU Holder

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Desk Lights, Task Lights, Drawers, Monitor Arms and Keyboard Arms


DESK LIGHTS



Talia LED Desk Light




Pixo Plus LED Desk Light




LIM Personal Desk Lamp

TASK LIGHTS




Overhead LED Task Light




Task Light Cord Managers


DRAWERS



Pelican Drawer II




Pencil Drawer




Spin-Out Drawers


MONITOR ARMS



Performance Series
Single Monitor Arm




Performance Series
Dual Monitor Arm




Performance Series
Triple Monitor Arm




Performance Series Monitor
Arm Conversion Kits




Performance Series
Smartdock




Performance Series
Smartpower




Performance Series
Laptop Tray



Standard Series
Single Monitor Arm




Standard Series
Double Monitor Arm




Standard Series
Dual Monitor Arms for
Shallow Dep. Worksurfaces


KEYBOARD ARMS




Standard Keyboard Arm




Standard Extended
Keyboard Arm




Standard Mouse Tray



V Series Keyboard Arm



V Series Extended
Keyboard Arm





V Series Sit-Stand
Keyboard Arm


© 2026, AIS, Inc.


Tool Rails and Miscellaneous Accessories


WORKSURFACE AND TOOL RAILS



Worksurface Rail


Extended Worksurface Rail



Mounting Bracket



Worksurface Mounted Tool Rail
Clamp or Rail Mount



Standard Tool Bar Accessories



Metal Tool Bar Accessories


MISCELLANEOUS ACCESSORIES



Credenza Cushions


Pedestal Cushions


Flipper Door Security Panel



Lock Cores and Keys



Shelf Divider



Pedestal Extension Shroud


Panel Frame Coat Hook



Worksurface Bag Hook



Knife Edge Wedge Bracket



Cable Grip



Adhesive Back Anti-Slip Bump



Mesh Wire Manager



Mesh Wire Manager Cuff Kit


Grommet Hole Covers


Replacement Pulls



Frameless Glass
Alignment Kits



Ganging Bolts



Anti-Fatigue Mat



Hospitality/Catering Cart



Mobile White Boards



Tri-Wheel Mobile Laminate
Whiteboards/Dividers


Coat Hooks


PET Suspended
Wire Manager


PET Flush Rear Mount
Wire Manager


PET Sling


Desktop Organizer

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

UPHOLSTERY OPTIONS	
Name	**Grade**
Durdle	A
Medley	A
Mirador	A
Palette	A
Terrain	A
Wellesley Polyurethane	A
Beehave	B
Gem	B
Stamper	B
Blazer	D
Performance Alta™	
Frock	B
Mirage	B
Sway	B
CF Stinson Alliance Upholstery	
Apprentice	B
Charlotte	D
Fleck	D
Lateral	D
Flanders	E
Hopsack	E
Outlander	E
Square One	E
Mayer Alliance Upholstery	
Rumba	B
Fedora	C
Havana	C
Lancaster	C
Sydney	C
Channel	D
Engrave	D
Haven	D
Legacy	D
Utopia	E
Momentum Alliance Program	
Bobby	B
Grid	B
Origin	B
Canter	C
Odyssey	C
Tradition	C
Boom II	D
Cover Cloth	D
Point	D
Beta	E
Faux Felt	E

Note: All AIS alta upholstery orders will have alta application as a standard feature. Alta enables virtually any textile to withstand the rigors of real life without leaving a mark. Alta improves repellency to oil and water based stains, is easy to clean and can enhance physical properties of the fibers. The technology is permanent and imperceptible to the eye and hand. To Clean: Blot with a dry towel. If residue remains, flush with warm water. Learn more at applied-textiles.com

© 2026, AIS, Inc.

COM Yardage Requirements

CREDENZA CUSHION COM FABRIC REQUIREMENTS

Cushion Size	Yards*
12 x 24	0.5
18 x 16	0.5
18 x 18	0.5
18 x 21	1
18 x 24	2
18 x 27	2
18 x 30	2
18 x 33	2
18 x 36	2
18 x 42	2
18 x 48	2
18 x 54	2
18 x 60	2
18 x 66	3
18 x 72	3
22 x 15	0.5
24 x 12	0.5
24 x 16	2
24 x 18	2
24 x 21	2
24 x 24	2
24 x 27	2
24 x 30	2
24 x 33	2
24 x 36	2
24 x 42	2
24 x 48	2
24 x 54	2
24 x 60	2
24 x 66	3
24 x 72	3
36 x 30	3
36 x 36	3
36 x 42	3

*Fabric requirements for cushions – this assumes 54” wide usable material with no repeat.

COM REPEAT YARDAGE CALCULATION*

Repeat	Across Roll	Up the Roll	2-Way Repeat
1-5”	Add 10%	Add 15%	Add 15%
6-9”	Add 15%	Add 20%	Add 25%
10-13”	Add 20%	Add 25%	Add 30%
14-20”	Add 25%	Add 30%	Add 35%
21-27”	Add 30%	Add 35%	Add 40%
28-34”	Add 35%	Add 40%	Add 45%

For fabrics 53-54” wide, add 10%.
For fabrics 51-52” wide, add 15%.
For fabrics 48-49” wide, add 18%.
For fabrics under 48” wide, contact Customer Service.

*Additional yardage may be required in the testing and manufacturing of COMs with optional backing. Consult with Customer Service for additional yardage information.

C.O.M. Fabric Policy

- Please view all pre-approved COMs here: https://www.ais-inc.com/resources/fabrics-and-finishes/pre-approved-coms
- It is mandatory that you work directly with your AIS Customer Service Representative for all COM related testing and orders. They will provide all necessary forms to you, as well as work with you with regard to sending in correct yardage and where to send it, along with necessary RA# or #s. Please note an RA must be submitted along with the fabric for testing, as well as an RA created for an actual order.
- Customer Service must be advised as to the width of the fabric rolls being supplied (54”W or 60”W). Customer Service must also be advised if the fabric has a backer.
- Yardage required for the job must be calculated by an AIS Customer Service Rep.
- Once AIS has approved the COM fabric, a fabric sample needs to be marked by the dealer with “Front”, “Top”, and “Bottom”, to be sure fabric is applied correctly. The fabric sample then needs to be attached to a COM Fabric Dealer Form and forwarded to AIS Customer Service. The COM Fabric Dealer Form may be downloaded or printed here.
- Fabrics may be discontinued or obsolete without notice.
- Contact AIS Customer Service with any questions regarding fabric availability.
- All directional fabric will be railroaded.

Note: Graded-in AIS fabrics can not be purchased and applied as COM fabric. Graded-in fabrics must be specified according to the assigned grade and product respectively.

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Paint Options

PAINT OPTIONS

Name	Color Code	Legs / Feet Grade	Spine / Storage / Accessories Grade
Black	BK	A	A
Chalk	CK	-	A
Dark Tone	DT	-	A
Grey Value 1	GV1	-	A
Innertone	HT	-	A
Light Tone	LT	-	A
Medium Tone	MT	-	A
Metallic Silver	MS	A	A
Satin White	SW	A	A
Warm Brown	WB	-	A
Champagne Metallic	CHM	-	B
Dark Grey Metallic	DGM	-	B
Flint Grey Metallic	FGM	-	B
Light Grey	LG	-	B
Tan Value 1	TV1	-	B
Antique Gold	AG	-	C
Graphite Sky	GS	-	C
Burnt Orange	BO	-	C
Brown	BR	-	C
Steel Blue	SB	-	C
Baltic Blue	BB	-	C
Ruby Red	RR	-	C
Kelly Green	KG	-	C

PET COLOR OPTIONS

Name
Light Grey
Medium Grey
Navy
Olive Green
Warm Grey

Custom Paints

Special Paint Match Process & Ordering Instructions
To initiate a special paint match, please provide **three physical match samples** to your Customer Service Representative (CSR). These samples will be sent to our paint suppliers for evaluation and matching.

Match Process & Fees:
- A **non-refundable $450 net match fee** is required to begin the process.
- Once viable matches are developed (pending vendor capability), we'll send the samples to the dealer for final approval.

Pricing:
- Pricing begins at the **Grade C paint tier.**
- If the custom color incurs additional costs beyond Grade C pricing, we will advise of any upcharges before order placement.
- A **minimum order of $100,000 List** is required for special paint orders.
- The **$450 match fee will be waived** if the order is **$150,000 List or more** (and placed using the approved color).

Ordering Instructions (after color approval):
1. Dealer submits the **Purchase Order (PO)** and **Bill of Materials (BOM)** for the product requiring special paint.
2. The PO must clearly state:
   "SPECIAL PAINT REQUIRED ON THIS ORDER"
   — either in the header or special instructions section.
3. When selecting finishes:
   — Choose the **Grade C Paint option.**
   — **Do not select a final paint color.**
   — **Leave the paint code blank** and use the skip option.

At AIS, we take great pride in offering a diverse selection of high-quality materials including but not limited to textiles, laminates, PET, mesh, etc. However, AIS cannot guarantee uniformity in dye lots across different production runs. As such, AIS is not liable for any variations in dye lots or color discrepancies in any of our products that may occur between orders. We encourage customers to review samples for color and texture matching prior to purchase. We are committed to providing exceptional products and are confident that our selection of textiles will meet your expectations for both aesthetic appeal and durability.


© 2026, AIS, Inc.

Replacement Handle Details


Handle Options

- Four handle options are available as replacements. For replacement Slim Pulls, please contact Customer Service.
  1. Bar Pull*
  2. Loop Pull*
  3. Rectangular Pull*
  4. L Pull*
  5. Slim Pull**
- All handles are available in any graded paint selection.
- The bar pull and rectangle pull are available in brushed nickel; the loop pull is available in bright metal. The slim and L Pull are only available with painted options.
- Laminate hinged doors may be configured with touch-to-open mechanism and no handles (not applicable to framed glass doors).
- Sliding doors include an option of no handle.
- Please see Product Detail: Drawer and Handles Guide for handle examples.


*Symbols default with the Bar Pull but can be adjusted while applying your finishes.
The handle hole spread for Bar, Loop, Rectangular and L Pulls is 5" if you wish to supply your own handles.
**The handle hole spread for the Slim Pull is specific to the drawer front size.




Bar




Rectangular



Loop



L Pull



Slim Pull***

***For replacement slim pulls, contact Customer Service.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Oct 1, 2025
© 2025, AIS, Inc.

Power Product Details

POWER PRODUCT COMPATABILITY

				Product Compatability								
Name	Type	Model Number	Finishes	Panel Systems	Benching/ Desking	Calibrate Casegoods	Calibrate Tables	Day-to-Day Tables	LB Tables	Laptop Table	Lounge	Price Lists
Ashley Uno Clamp	Surface Mount	E-AUTCW	White/White or White/Silver	•	•	•						Accessories, Tables
Ashley Duo Clamp	Surface Mount	E-ADTCW	White/White or White/Silver	•	•	•						Accessories, Tables
Ashley 202 Clamp	Surface Mount	E-A202TCW	White/White or White/Silver	•	•	•						Accessories, Tables
Ashley Trio Clamp	Surface Mount	E-ATTCW	White/White or White/Silver	•	•	•						Accessories, Tables
Bella	Surface Mount	E-Bella1050-STT	White	•	•	•		•				Accessories, Tables
Ashley Uno Under	Undersurface Mount	E-AUUMW	White/White or White/Silver	•	•							Accessories, Tables
Ashley Duo Under	Undersurface Mount	E-ADUMW	White/White or White/Silver	•	•							Accessories, Tables
Ashley 202 Under	Undersurface Mount	E-A202UMW	White/White or White/Silver	•	•							Accessories, Tables
Ashley Trio Under	Undersurface Mount	E-ATUMW	White/White or White/Silver	•	•							Accessories, Tables
Bella	Undersurface Mount	E-Bella1050-UT	White	•	•	•		•				Accessories, Tables
Calibrate Table Top Power Box	Integrated	E-PSBAIS (Plug) or E-PSBC (Hardwire)	Black, Metallic Silver or Satin White				•					Accessories, Tables
Surface Mounted Power Units	Recessed	E-PSFMACUSB-2 or E-PSFMACUSB-3	Black					•				Accessories
Ashley Series (Bezel)	Recessed	Varies	White/Silver					•	•			Accessories
Ashley Duo Air	Pop-up	E-ADAP	White/Silver			•	•	•	•			Accessories
Charger Dock 200	Recessed	E-DOCK-200	Black	•	•	•	•	•	•			Accessories
Charger Dock 201	Recessed	E-DOCK-201	Black	•	•							Accessories
Wireless Charger Dock 150	Recessed	E-DOCK-150	Black	•	•	•		•	•			Accessories
Wireless Charger Dock 950	Recessed	E-DOCK-950 or E-Dock 950Q	Black	•	•	•		•	•			Accessories
Powered Flip-Top Training Table Power	Integrated	Multiple (see pricelist)	Black, White, Silver, Brushed Aluminum					•				Tables

© 2026, AIS, Inc.

Performance Series Monitor Arm Compatibility Applications

Triple Monitor Arm Adjustment Dimensions




Image above reflects ranges of monitor adjustment on triple monitor arm. The triple monitor arm only supports 3 monitors.

Dual Monitor Arm Adjustment Dimensions






Image above reflects ranges of monitor adjustment on dual monitor arm. The dual monitor arm only supports 2 monitors.

Monitor Arm Slider Adjustment Dimensions



Max left extension from centerline



Max right extension from centerline


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

Power & Monitor Arm Compatibility Applications

Where to Use Clamp On Power and Monitor Arms

Grommets are available in all tables, systems, and benching.





Systems

- NOTE: Clamp on units must be a 2-piece design to retrofit into systems.

Matrix

- Option 1 – Clamp on power/monitor arms into grommet.
- Option 2 – Clamp on power/monitor arms at back of surface with tackable tiles only.
- Option 3 – Clamp on power/monitor arms at back of surface. Surface must be move forward 1/2" – 1".

Divi

- Option 1 – Clamp on power/monitor arms into grommet.
- Option 2 – Clamp on power/monitor arms at back of surface. Surface must be move forward 1/2" – 1".


© 2026, AIS, Inc.

Power & Monitor Arm Compatibility Applications


Height Adjustable Tables with Screens

Only partial modesty screens allow for clamp on power units or monitor arms.
All other screens require a grommet mount for clamp on power or monitor arms.

• PET Partial Modesty Screens:




• Slimline Partial Modesty Screens:



Oxygen Benching

The 1/4" gap between the worksurface and the spine beam allows for clamping power or monitor arms. However, the unit must be mounted to the left or right side of the outlets. Cords must run through the access box or a grommet.*




*Applicable to Standard Series Monitor Arms only; Performance Series Monitor Arms cannot be clamped to Oxygen benching access boxes.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Power & Monitor Arm Compatibility Applications


Encounter Rear Worksurface Mount



When clamping monitor arms onto the rear edge of the worksurface, install the monitor arm base to the left or right side of the outlets to avoid interference with plugs when lowering the unit.




Encounter Center Grommet Mount



When mounting monitor arms or clamp on power units in center of worksurface, specify grommet option B with a center rear grommet and mount in grommet to sit forward of electrical outlets and eliminate interference with plugs and cords.

Encounter Scallop Worksurface Mount



Scallop worksurfaces allow monitor arms or clamp on power units to sit forward of electrical outlets and eliminate interference with plugs and cords.


© 2026, AIS, Inc.

ACCESSORIES ACCESSORIES

Surface Mounted Power

BELLA 1050 CLAMP

Mounting Type	Model Number	List
Clamp	E-BELLA1050-STT	1,032




Clamp Mount

Notes

- Quick Charge (QC) & Power Delivery (PD) enabled
- 2 Tamper-Resistant AC outlets
- USB Type-A port: 5V-12V, Up to 18W; USB Type-C port: 5V-20V, Up to 45W
- 6′ power cord
- Available in white only.

ASHLEY UNO CLAMP

Mounting Type	Model Number	List
Clamp	E-AUTCW	930




Clamp Mount

Specify	Notes
• Color (Black/Black, White/White, or White/ Silver)	• Features one AC outlet for high-power devices, (1) USB-A and (1) USB-C port. • Each USB port utilizes a Smart Device recognition Chip to monitor and deliver the required amperage to your devices. • The unit comes with a 6’ cord. • Fits in standard size grommets.

ASHLEY DUO CLAMP

Mounting Type	Model Number	List
Clamp	E-ADTCW	1,444




Clamp Mount

Specify	Notes
• Color (Black/Black, White/White, or White/ Silver)	• Features two AC outlets for high-power devices, (1) USB-A and (1) USB-C port. • Each USB port utilizes a Smart Device Recognition chip to monitor and deliver the required amperage to your devices. • Unit comes with a 72” cord option.

ASHLEY 202 CLAMP

Mounting Type	Model Number	List
Clamp	E-A202TCW	1,188



Clamp Mount


Specify	Notes
• Color (White/White or White/Silver)	• Features two AC outlets for high-power devices and two data inserts for your choice of the included blank insert or optional HDMI, RJ-45 or VGA inserts. • The unit comes with a 72” cord.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

ASHLEY TRIO CLAMP

Mounting Type	Model Number	List
Clamp	E-ATTCW	1,733



Clamp Mount


Specify	Notes
• Color (White/White or White/Silver)	• Features three AC outlets for high-power devices, (1) USB-A and (1) USB-C port and a data port location for optional HDMI, RJ-45, VGA or blank insert if desired. • Includes adapters for Keystone, Siemon, Ortronics Tracjack, Panduit Pan-Net & Mini-Com, Commscope Systimax & Uniprise and Belden Nordx Ez-Mdvo. • Each USB port utilizes a Smart Device Recognition Chip to monitor and independently deliver the required amperage for your devices. • Comes with a 72” cord option.

© 2026, AIS, Inc.

Undersurface Mounted Power

BELLA 1050 UNDER MOUNT

Mounting Type	Model Number	List
Under	E-BELLA1050-UT	1,032




Under Mount

Notes

- Quick Charge (QC) & Power Delivery (PD) enabled
- 2 Tamper-Resistant AC outlets
- USB Type-A port: 5V-12V, Up to 18W; USB Type-C port: 5V-20V, Up to 45W
- 6′ power cord
- Available in white only.

ASHLEY UNO UNDER

Mounting Type	Model Number	List
Under	E-AUUMW	930




Under Mount

Specify	Notes
• Color (White/White or White/Silver)	• Features one AC outlet for high-power devices devices, (1) USB-A and (1) USB-C port. • Each USB port utilizes a Smart Device recognition Chip to monitor and deliver the required amperage to your devices. • Available in white. • The unit comes with a 6’ cord.

ASHLEY DUO UNDER

Mounting Type	Model Number	List
Under	E-ADUMW	1,444




Under Mount

Specify	Notes
• Color (White/White or White/Silver)	• Features two AC outlets for high-power devices devices, (1) USB-A and (1) USB-C port. • Each USB port utilizes a Smart Device Recognition chip to monitor and deliver the required amperage to your devices. • Unit comes with a 72” cord option and is available with surface, under or bezel mounting options.

ASHLEY 202 UNDER

Mounting Type	Model Number	List
Under	E-A202UMW	1,188



Under Mount

Specify	Notes
• Color (White/White or White/Silver)	• Features two AC outlets for high-power devices and two data inserts for your choice of the included blank insert or optional HDMI, RJ-45 or VGA inserts. • The unit comes with a 72” cord.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Undersurface Mounted Power

ASHLEY TRIO

Mounting Type	Model Number	List
Under	E-ATUMW	1,275



Under Mount


Specify	Notes
• Color (White/White or White/Silver)	• Features three AC outlets for high-power devices, (1) USB-A and (1) USB-C port for optional HDMI, RJ-45, VGA or blank insert if desired. • Includes adapters for Keystone, Siemon, Ortronics Tracjack, Panduit Pan-Net & Mini-Com, Com-mscope Systimax & Uniprise and Belden Nordx Ez-Mdvo. • Each USB port utilizes a Smart Device Recognition Chip to monitor and independently deliver the required amperage for your devices. • Comes with a 72” cord option.

© 2026, AIS, Inc.


Integrated Power

CALIBRATE TABLE TOP POWER BOX WITH 9' HARDWIRED WHIP

Model Number	List
E-PSBC-HW	2,494



Closed




Opened

Specify	Notes
• Finish Selection - Black, Metallic Silver, Satin White	• Features access door with interior storage for devices with (2) standard 15amp NEMA outlets, (2) 2.1 USBs, (1) 1 1/4 diameter pass through grommets and (2) Keystone style jack/device holes for data or HDMI jacks. • Includes 15amp overload switch with reset, surge protection. Infeeds must be purchased separately. • To daisy chain, jumper must be purchased separately. • Length of hardwire whip is 120". • Requires a table cut-out size of 11.58" x 4.47".

Calibrate Table Top Power Box (Hardwire)


1. (2) 15amp outlets.
2. (1) USB Type-A charging port: 2.4 A
3. (1) USB Type-C charging port: 60 Watt
4. (1) Grommet Hole – 1 1/4" inside diameter
5. (2) Holes for Keystone Adapters (opening of 15.2 x 19.3 mm)

- This power tap is used in conference tables when a hardwire connection is required (Chicago)
- Junction box & infeed cable supplied by electrician as required



Calibrate Table Top Power Box Configuration Examples

For Hardwire:
Each power has its own cord terminated with pigtail




© 2026, AIS, Inc.

Integrated Power

CHARGER DOCK 1200

Type	Model Number	List
2 Outlet, Ethernet	E-DOCK-1200-1	483




2 Outlet, Ethernet

Notes

- Recessed power unit with a soft-to-touch rubber painted faceplate with no screws.
- Features 2 tamper resistant AC receptacles.
- Comes with (1) ethernet port.
- 10’ SJT 14AWG*3C power cord.
- Provides OCP (over current protection). Rating of 125V 60Hz 15A.
- UL and cUL certified for use in USA and Canada.
- Measures 2.30”H x 6.81”W x 2.44”D. Requires a cut out size of 2.05” x 5.69”.
- Top mounted, does not require bottom access for mounting other than cord management.
- Black finish (rubber plated).

DOMINO POWER UNIT

Type	Model Number	List
2 Outlet	E-DOMINO	776




2 Outlet

Specify	Notes
• Color Selection for Power Option	• (2) Tamper-Resistant (TR) AC outlets. • (1) USB Type-A charging port: 5V 2.1A (10.5W). • (1) USB Type-C charging port: 5V 2.14A (12W). • Overload protection switch • 10ft 14AWG power cord, 15A rating with straight plug • Unit suspends 2” below the worksurface. • Rating: 125V 60Hz 15A • UL and cUL certified for use in USA and Canada. • Measures 6.81”H x 2.44”W. • Black, Silver, and White finishes available. • Requires a table cut-out size of 5.562” x 2.062”.

MULTI-CIRCUIT DESKING ACCESS BOX


Model Number	List	Grade C Paint
O-AB	418	+25



Specify	Notes
• Paint Selection	• Multi-Circuit Desking Access Housing allows for easy access to power and data delivered by the multi-circuit desking electrical system. • Requires cut-out dimensions of 21 3/32 x 4 7/16

MULTI-CIRCUIT DESKING ELECTRICAL POWER UNITS

Nominal Width	Actual Width	Model Number	List	Grade C Paint
36	28	E-OMCPK36	860	+25




Specify	Notes
• Paint Selection	• Multi-Circuit Desking Electrical Power Units are an electrical system mounted directly to the worksurface. • Power units include four duplex outlet hole covers. • Note: Must specify Divi outlet type separately.

© 2026, AIS, Inc.


Integrated Power (Recessed)

SURFACE MOUNT POWER UNIT

Type	Model Number	List
2 Outlet, 2 USB	E-PSFMACUSB-2	296



2 Outlet, 2 USB




Plug

Notes


- 125v, 60 Hz, 15A with (2) USB-A charging ports.
- 10 foot power cord, 14 AWG.
- Top mounted installation, cord exits from the bottom of the power unit.
- E-PSFMACUSB-2 requires a cut out size of 6.26” x 1.89”.

SURFACE MOUNT POWER UNIT

Type	Model Number	List
3 Outlet, 2 USB, Overload	E-PSFMACUSB-3	399



3 Outlet, 2 USB, Overload




Plug

Notes

- (3) AC Outlets, Tamper Resistant, 125v, 15 Amp.
- (1) USB Type-A charging port: 5V 2.1A (10.5W).
- (1) USB Type-C charging port: 5V 2.4A (12W).
- (1) Overload Switch.
- 10 foot power cord, 14 AWG.
- Lighted power switch.
- Top mounted installation, cord exits from the bottom of the power unit. E-PSFMACUSB-3 requires a cut out size of 7.48” x 1.93”.

ASHLEY UNO BEZEL

Mounting Type	Model Number	List
Bezel	E-AUBMW	930




Bezel

Specify	Notes
• Color (White/White or White/Silver)	• Features one AC outlet for high-power devices, (1) USB-A and (1) USB-C port. • Each USB port utilizes a Smart Device recognition Chip to monitor and deliver the required amperage to your devices. • The unit comes with a 6’ cord. • Bezel mount requires special surface (2.12” x 4.45” hole size, 3/4” - 1 1/2” surface thickness).

ASHLEY DUO BEZEL

Mounting Type	Model Number	List
Bezel	E-ADBMW	1,444



Bezel

Specify	Notes
• Color (White/White or White/Silver)	• Features two AC outlets for high-power devices, (1) USB-A and (1) USB-C port. • Each USB port utilizes a Smart Device Recognition chip to monitor and deliver the required amperage to your devices. • Unit comes with a 72” cord option and is available with surface, under or bezel mounting options. • Fits in standard size grommet. • Bezel mount requires special surface (6” x 2.19” hole size, 1/2” - 1 1/2” surface thickness).


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Integrated Power (Recessed)

ASHLEY 202 BEZEL

Mounting Type	Model Number	List
Bezel	E-A202BMW	1,188




Bezel

Specify	Notes
• Color (White/White or White/Silver)	• Features two AC outlets for high-power devices and two data inserts for your choice of the included blank insert or optional HDMI, RJ-45 or VGA inserts. • The unit comes with a 72” cord and is available with surface, under or bezel mounting options. • Bezel mount requires special surface (2.19” x 7.35” hole size, 3/4” - 1 1/2” surface thickness).

ASHLEY TRIO BEZEL

Mounting Type	Model Number	List
Bezel	E-ATBMW	1,275



Bezel


Specify	Notes
• Color (White/White or White/Silver)	• Features three AC outlets for high-power devices, (1) USB-A and (1) USB-C port and a data port location for optional HDMI, RJ-45, VGA or blank insert if desired. • Includes adapters for Keystone, Siemon, Ortronics Tracjack, Panduit Pan-Net & Mini-Com, Commscope Systimax & Uniprise and Belden Nordx Ez-Mdvo. • Each USB port utilizes a Smart Device Recognition Chip to monitor and independently deliver the required amperage for your devices. • Comes with a 72” cord option. • Bezel mount requires special surface (2.19” x 8.50” hole size, 3/4” - 1 1/2” surface thickness).

© 2026, AIS, Inc.

Integrated Power (Recessed)

CHARGER DOCK 200

Model Number	List
E-DOCK-200	399



Notes

- 3” diameter dock with flip lid.
- 2 grounded AC outlets, 125V 15A rating.
- 10ft 14AWG x 3C power cord, 15A rating.
- 1000 joules surge protection available as an option.
- Bore a 3” hole for installation (note: standard hole diameter for AIS grommet cut-outs is 2.75”).
- Requires access from below to mount.
- Innovative threaded housing and retaining nut installation system allows for simple, quick and reliable installation.
- UL and cUL certified for use in USA and Canada.
- Measures 3.35”H x 3.54”W.
- Black finish.

CHARGER DOCK 201

Model Number	List
E-DOCK-201	423



Notes

- 3” diameter dock.
- 2 grounded AC outlets, 125V 15A rating. 1
- 10ft 14AWG x 3C power cord, 15A rating. 1
- 1000 joules surge protection available as an option.
- Bore a 3” hole for installation (note: standard hole diameter for AIS grommet cut-outs is 2.75”).
- Requires access from below to mount.
- Innovative threaded housing and retaining nut installation system allows for simple, quick and reliable installation.
- UL and cUL certified for use in USA and Canada.
- Measures 3.35”H x 3.54”W.
- Black finish.

CHARGER DOCK 281

Type	Model Number	List
3” Grom Power, 1 outlet, USB A/C outlets, 10’ Cord	E-DOCK-281	478




Specify	Notes
• Color Selection	• 3” diameter hole required for installation, does not fit standard 2.75” AIS grommet. • (1) AC outlet, 125V 15A rating. • (1) 2.1A 5V USB-A port • (1) 2.4A 5V USB-C port • 10ft 14AWG x 3C power cord, 15A rating. • Requires access from below to mount. • UL and cUL certified for use in USA and Canada. • Measures 3.35”H x 3.54”W. • Black, Silver, and White finishes available.

© 2026, AIS, Inc.

Integrated Power (Recessed)

WIRELESS CHARGER DOCK 150

Model Number	List
E-DOCK-150	620




USB Closed USB Open

Notes

- Unit allows for both wireless charging and USB charging.
- Pop-up USB ports can be hidden when they are not in use.
- Includes 8’ power cord.
- Input of DC 5V, 5A.
- Wireless charger output of 5 watts max.
- USB charger output of (1x) 2.4A (12 watts) max and (2x) 1A (5 watts) max.
- Qi V1.2 compliant IC.
- Wireless charging distance of 6mm max.
- Bore 3 3/32” hole for installation.
- Measures 2.24”H x 3.41”W. Pop-up USB measures 2.68”W.
- Black finish.

WIRELESS CHARGER DOCK 950

Type	Model Number	List
Standard	E-DOCK-950	399
Quick Charge	E-DOCK-950Q	483



Notes


- Powered by the latest Qi compliant IC offering reliable and efficient wireless charging in a convenient 3” grommet hub.
- Includes 8’ power cord.
- Input of 5V, 2A (standard) or DC 9V, 1.67A (quick charge).
- Output of 5 watts max with DC 5V, 2A power adapter (standard) or 10 watts max with QC 2.0 power adapter (quick charge).
- Qi V1.2 compliant IC.
- Wireless charging distance of 6mm max.
- Measures 1.14”H x 3.50”W.
- Black finish.

© 2026, AIS, Inc.


Integrated Power (Pop-Up)

ASHLEY DUO AIR

Model Number	List
E-ADAP	1,480



Closed



Open


Specify	Notes
• Color Selection - White, Silver, or Black	• Features a pop-up cover that reveals an integrated wedge with two AC outlets and (1) USB-A and (1) USB-C port. • Each USB port utilizes a Smart Device Recognition Chip to monitor and independently deliver the required amperage to your devices. • The unit comes with a 72” cord. • Ashley Duo Air requires special surface (4.63” x 6.75” hole size).

© 2026, AIS, Inc.

Electrical Accessories

KEYSTONE DATA INSERTS FOR ASHLEY UNITS


Insert Type	Model Number	List
CAT 5e Jack	E-HRJ45-SM	148
CAT 6 Data Jack	E-HXJ6BK-SM	161
HDMI (Female to Female)	E-HDMIFF-SM	352



Notes

DATA PLATE KIT

Item	Model Number	List
6 Port Data Gang Plate	E-HDP6B-SM	42
CAT 5e Jack	E-HRJ45-SM	148
CAT 6 Data Jack	E-HXJ6BK-SM	161
Hole Blank (10 Pack)	E-SFBB10-SM	100




Notes

- Single Data Plate Kit has six ports for modular jacks.
- Bezel screws directly to the access box in pre-drilled and tapped hole pattern.
- RJ-45 jacks can be used in place of RJ-11 jacks.
- Can be used with multi-circuit electrical units.

SURFACE MOUNT DATA HOUSING UNITS

Port Quanity	Model Number	List
1	E-ISB1BK-SM	151
4	E-ISB4BK-SM	151
6	E-ISB6BK-SM	151




Notes

- Surface Mount Data Housing Units have a low-profile design, are ADA compliant and easily mount to multiple surfaces.
- Units include double-sided tape and mounting screws for easy installation.
- Base includes tie wrap anchors at rear cable entry point for 4” cable ties (included).
- Compatible with standard jacks.
- Surface mount data housing units are only available in black.

POWERWAY DUST COVER

Model Number	List
E-UN8W4DC	24



Notes


- Powerway Dust Covers are ordered when capping off the end of a powerway is required by local electrical code.

© 2026, AIS, Inc.

Infeeds

EXTENDED BASE INFEEDS

L	Type	Model Number	List
324	Left	E-UN8W4BIFL324	1,372
120	Left	E-UN8W4BIFL120	729
324	Right	E-UN8W4BIFR324	1,372
120	Right	E-UN8W4BIFR120	729
120	Side-Mounted	E-UN8W4BIFS120	930
264	Side-Mounted	E-UN8W4BIFS264	1,412
180	Ceiling	E-UN8W4CIF180	1,012
264	Ceiling	E-UN8W4CIF264	1,525



Receptacle Mounted




Side Mounted and Ceiling Infeed

Notes

SIDE MOUNTED BASE INFEED

L	Type	Model Number	List
72	Standard	E-UN8W4BIFS	590
72	New York City	E-HM8W4BIFSNY	1,169



Notes

- Side Mounted Base Infeeds provide interface with building power at the end of the power units and mounts to the powerway at jumper location.
- Each base infeed is 6’ in length, encased in “liquid tight”.
- New York City code requires the use of a special base feed with an in-line junction box. See NY Infeed part number.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

Conference and Training Power Accessories


REPLACEMENT JUMPERS FOR TRAINING TABLES

Type	Table Width	Actual Length	Model Number	List
Female/Female	48	22.5	E-MCCFF-48	350
Female/Female	60	28.5	E-MCCFF-60	374
Female/Female	72	34.5	E-MCCFF-72	366
Female/Male	48	22.5	E-MCCFM-48	370
Female/Male	60	28.5	E-MCCFM-60	395
Female/Male	72	34.5	E-MCCFM-72	418





F Connector




M Connector

Notes

- Replacement cables for training and flip tables.
- Each table has a pair, extending to each end of the table. One with two F connectors, one with a F and a M connector.
- F-F connectors have the spring clips on both ends of the cables.

INFEEDS FOR TABLE TOP POWER BOXES

Type	Model Number	List
Single Circuit Infeed 72”, Plug End	E-SCIF-72	867
Multi-Circuit Infeed 72”, Hardwired End	E-MCIF-72	564
Multi-Circuit Infeed 120”, Hardwired End	E-MCIF-120	779



20amp Plug Infeed



Hardwired Infeed

Notes


- Single Circuit Infeeds are only compatible with tables designated as Line 1.
- Multi-Circuit Infeeds are compatible with tables designated as Line 1 or Line 2.
- For use with daisy chained power in training tables.

© 2026, AIS, Inc.

Duplex Outlets

DUPLEX OUTLETS

Line	Model Number	List
1	E-MW8W4DO1	94
2	E-MW8W4DO2	94
3	E-MW8W4DO3	94
4	E-MW8W4DO4	94




Notes

- Duplex Outlets are available at designated circuits 1 through 4.
- Each duplex outlet contains two single receptacles (places to plug into) of the same circuit and are specified separately from powerways.
- All duplex outlets have black faces. The lettering on outlets for Circuit 1, 2 and 3 is white. The lettering on outlets for Circuit 4 is orange.
- Outlets are screw mounted to powerway.
- Duplex outlets are standard 15 amp outlets.
- Can be used with multi-circuit electrical units.

CALIFORNIA TITLE 24 CONTROLLED DUPLEX OUTLETS

Line	Model Number	List
1	E-MW8W4T24DO1	109
2	E-MW8W4T24DO2	109
3	E-MW8W4T24DO3	109
4	E-MW8W4T24DO4	109






Notes

- In California, 50 percent of all outlets in a systems panel cluster or benching cluster, for new construction, MUST be controlled outlets, even if there is no task lighting.
- Customers should plan on using circuits 2 and 3 for controlled circuits, and plan general load for all other items on circuits 1 and 4.
- If using 2 + 2 configuration, controlled circuits should be 1 and 2, and general load circuits on 4 and 5.
- Outlets must have the "controlled" symbol for identification purposes.
- Can be used with multi-circuit electrical units.

USB OUTLETS

Line	Model Number	List
1	E-UN8W4USB01	380
2	E-UN8W4USB02	380
3	E-UN8W4USB03	380
4	E-UN8W4USB04	380




Notes

- USB Outlets bring charging options to panel power distribution systems.
- The USB Outlets provide convenient charging power access through dual ports on the face of the receptacle.
- The USB Outlets offer a total of 2 Amps between two USB charging ports.
- The USB Outlets are UL and FCC Part 15A approved.
- Can be used with multi-circuit electrical units.

DUPLEX OUTLET HOLE COVERS

Model Number	List
E-UNWC	37



Specify

- Paint Selection for Hole Cover

Notes


- Duplex Outlet Hole Covers are supplied with each powered panel to cover unused duplex outlet locations (six).
- 24"W panels only include three duplex outlet hole covers.
- Order extra hole covers separately only when required.
- Can be used with multi-circuit electrical units.
- Compatible with Divi and Oxygen.

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Wall Track Tackboards

WALL TRACK TACKBOARDS

H	W	Model Number	List	C.O.M Fabric	Grade C Fabric	Grade D Fabric
12	24	A-TACKHE1224	304	-5	+13	+24
12	30	A-TACKHE1230	324	-5	+13	+24
12	36	A-TACKHE1236	337	-5	+13	+24
12	42	A-TACKHE1242	355	-5	+13	+24
12	48	A-TACKHE1248	379	-5	+13	+24
12	60	A-TACKHE1260	492	-5	+13	+24
15	24	A-TACKHE1524	312	-5	+13	+24
15	30	A-TACKHE1530	331	-5	+13	+24
15	36	A-TACKHE1536	341	-5	+13	+24
15	42	A-TACKHE1542	366	-5	+13	+24
15	48	A-TACKHE1548	385	-5	+13	+24
15	60	A-TACKHE1560	505	-5	+13	+24
19	24	A-TACKHE1924	397	-5	+13	+24
19	30	A-TACKHE1930	424	-5	+13	+24
19	36	A-TACKHE1936	442	-5	+13	+24
19	42	A-TACKHE1942	467	-5	+13	+24
19	48	A-TACKHE1948	492	-5	+13	+24
19	60	A-TACKHE1960	527	-5	+13	+24



Specify

- Fabric Selection

Notes

- Tackboards are 7/8” thick and mount to wall track to provide vertical tackable surface for wall track applications and private offices.
- Tackboards are available in three different heights.

WALL TRACKS

H	Model Number	List
60	A-WTRK60HM	214
84	A-WTRK84HM	262



Notes


- Wall Track mounts to fixed walls to provide a slotted channel for worksurface support brackets, tackboards or shelves.
- Slots are on a 1” vertical repeat pattern.
- Wall track mounting holes are 1/4” diameter, repeating 6” on center starting 1/2” from top of the track.
- Hardware for mounting wall track to walls is not included. Use hardware appropriate to wall type.
- Wall tracks are composed of a black slotted insert rail within a brushed aluminum casing.
- **Important:** Wall track may be shared with Matrix storage. Wall track may not be shared with Divi storage.

© 2026, AIS, Inc.

Wall Mounted Tackboards and Shared Open Overhead Tackboards

WALL MOUNTED TACKBOARDS

		Without Cord Groove	With Cord Groove				
H	W	Model Number	Model Number	List	C.O.M Fabric	Grade C Fabric	Grade D Fabric
16	24	C-TACK1624	C-TACKBG1624	360	-5	+13	+24
16	30	C-TACK1630	C-TACKBG1630	375	-5	+13	+24
16	36	C-TACK1636	C-TACKBG1636	386	-5	+13	+24
16	42	C-TACK1642	C-TACKBG1642	411	-5	+13	+24
16	48	C-TACK1648	C-TACKBG1648	429	-5	+13	+24
16	54	C-TACK1654	C-TACKBG1654	482	-5	+13	+24
16	60	C-TACK1660	C-TACKBG1660	539	-5	+13	+24
18	24	C-TACK1824	C-TACKBG1824	440	-5	+13	+24
18	30	C-TACK1830	C-TACKBG1830	466	-5	+13	+24
18	36	C-TACK1836	C-TACKBG1836	482	-5	+13	+24
18	42	C-TACK1842	C-TACKBG1842	506	-5	+13	+24
18	48	C-TACK1848	C-TACKBG1848	529	-5	+13	+24
18	54	C-TACK1854	C-TACKBG1854	551	-5	+13	+24
18	60	C-TACK1860	C-TACKBG1860	566	-5	+13	+24
20	24	C-TACK2024	C-TACKBG2024	478	-5	+13	+24
20	30	C-TACK2030	C-TACKBG2030	504	-5	+13	+24
20	36	C-TACK2036	C-TACKBG2036	522	-5	+13	+24
20	42	C-TACK2042	C-TACKBG2042	542	-5	+13	+24
20	48	C-TACK2048	C-TACKBG2048	568	-5	+13	+24
20	54	C-TACK2054	C-TACKBG2054	590	-5	+13	+24
20	60	C-TACK2060	C-TACKBG2060	605	-5	+13	+24




(Front View) (Rear View) (Front View) (Rear View)

Without Task Light Cord Groove With Task Light Cord Groove

Specify	Notes
• Fabric Selection • Paint Selection for Task Light Cord Grove	• Wall Mounted Tackboards are 1” thick and available with or without a 2” wide painted task light cord groove that runs down the back side of the tackboard. • Tackboard mounts to wall via four mounting clips.

SHARED OPEN OVERHEAD TACKBOARDS

Used With	Model Number	List	C.O.M Fabric	Grade C Fabric	Grade D Fabric
16 x 36	C-SOHTK1636	351	-5	+13	+24
16 x 42	C-SOHTK1642	387	-5	+13	+24
16 x 48	C-SOHTK1648	397	-5	+13	+24
16 x 60	C-SOHTK1660	420	-5	+13	+24



Specify	Notes
• Fabric Selection	• Shared Open Overhead Tackboards fill in the unused side of a shared open overhead to provide a tackable surface for the user. • Shared open overhead tackboards are sold individually.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

CPU Holders and Anti-Fatigue Mat

EASY ACCESS CPU HOLDER

Mounting Type	Model Number	List
17.75” Track	A-CPUEA	1,188




Notes

- Easy Access CPU Holder protects your CPU from damaging environmental factors.
- Keeping it off the floor and out of the way.
- Glide tracks and 360º swivel mechanisms provide easy access to the back of the CPU.
- Vertically mounts to underside of worksurface.
- No tools needed to adjust.
- The glide track is 17.75”.
- Adjustable width 2.5” - 8.25”.
- Adjustable height 13” - 21”.
- Load capacity is 100 lbs.

ANTI-FATIGUE MAT

W	D	Thickness	Model Number	List
34	20	3/4	A-HF342075	259



Notes


- Custom blended medium density polyurethane foam.
- High tear strength polyurethane outer membrane.
- Available in black only.

© 2026, AIS, Inc.

Performance Series Monitor Arms and Conversion Kits

PERFORMANCE SERIES SINGLE MONITOR ARM


Model Number	List
A-PSMA1	908



Specify	Notes
• Color Selection	• Independent slider. • Smart base with USB-C & USB-A ports. • Two-piece clamp mount or bolt-through mount option included. Cannot be clamped to Oxygen access boxes. • Fully concealed integrated cable management. • Full range of motion. • Tool free height adjustment. • VESA monitor mount for 75mm and 100mm. • 180 degree screen rotation, 40 degree tilt range, and 90 degree swivel range. • Accommodates screen sizes ranging 17” to 35” and supports a load capacity of 4.4lbs to 22lbs • Available in black, white, and silver per arm.

PERFORMANCE SERIES DUAL MONITOR ARM


Model Number	List
A-PSMA2	1,546



Specify	Notes
• Color Selection	• Independent slider. • Smart base with USB-C & USB-A ports. • Two-piece clamp mount or bolt-through mount option included. Cannot be clamped to Oxygen access boxes. • Fully concealed integrated cable management. • Full range of motion. • Tool free height adjustment. • VESA monitor mount for 75mm and 100mm. • 180 degree screen rotation, 40 degree tilt range, and 90 degree swivel range. • Accommodates screen sizes ranging 17” to 35” and supports a load capacity of 4.4lbs to 22lbs. • Available in black, white, and silver per arm.

PERFORMANCE SERIES TRIPLE MONITOR ARM


Model Number	List
A-PSMA3	1,755



Specify	Notes
• Color Selection	• Independent slider. • Smart base with USB-C & USB-A ports. • Two-piece clamp mount or bolt-through mount option included. Cannot be clamped to Oxygen access boxes. • Fully concealed integrated cable management. • Full range of motion. • Tool free height adjustment. • VESA monitor mount for 75mm and 100mm. • 180 degree screen rotation, 40 degree tilt range, and 90 degree swivel range. • Accommodates screen sizes ranging 17” to 35” and supports a load capacity of 4.4lbs to 22lbs. • Available in black, white, and silver per arm. • The maximum width is 35 inches per arm so that’s 105 inches total for three monitors.

PERFORMANCE SERIES MONITOR ARM CONVERSION KITS

Type	Model Number	List
Single to Dual	A-PSCK1-2	715
Dual to Triple	A-PSCK2-3	303



Specify	Notes
• Color Selection	• Independent slider. • Full range of motion. • Tool free height adjustment. • VESA monitor mount for 75mm and 100mm. • 180 degree screen rotation, 40 degree tilt range, and 90 degree swivel range. • Accommodates screen sizes ranging 17” to 35” and supports a load capacity of 4.4lbs to 22lbs. • Available in black, white, and silver per arm.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Performance Series SmartDock, SmartPower, and Laptop Tray

PERFORMANCE SERIES SMARTDOCK


Model Number	List
A-PSSD	1,636



Specify	Notes
• Color Selection	• 14-in-1 integrated design: — Front: 1 power button, 1 Audio in/out, 2 USB-C, 1 USB-A. — Left side: 1 USB-C, 3 HDMI, 1 USB-C Upstream Cable, 1 AC power outlet. — Right Side: 1 RJ45, 2 USB-A, 1 AC power Output C: 5v-3A ; 9v-2.22a; 12v-1.67a +qc Output A: 5v-3A ; 9v-2.a; 12v-1.5a Output C+A: max 3A C: 5v-1.5A. A:5v-1.5A • Compatible only with Performance Series Monitor Arms. • Toolless installation. • Available in black, white, and silver per arm. • Includes 5-foot 3-prong power cord and 3’ upstream cable.

PERFORMANCE SERIES LAPTOP TRAY

Model Number	List
A-PSLT	275




Notes

- Available in black only.
- Width adjustment accommodates laptops 10”-15.6”, and up to 9.9lbs.
- Safety ledge prevents devices from slipping.
- Ventilation provides optimal performance.
- Mounted on panel with VESA compatibility.

PERFORMANCE SERIES SMARTPOWER

Model Number	List
A-PSSP	888




Specify	Notes
• Color Selection	• 7-in-1 AC and USB power for integrated power and charging — Output C: 5v-3A ; 9v-2.22a; 12v-1.67a +qc — Output A: 5v-3A ; 9v-2.a; 12v-1.5a — Output C+A: max 3A — C: 5v-1.5A. A:5v-1.5A • Compatible only with Performance Series Monitor Arms. • Toolless installation. • Available in black, white, and silver per arm. • Includes a 5-foot 3-prong power cord.

© 2026, AIS, Inc.

Standard Series Monitor Arms

SINGLE MONITOR ARM

Model Number	List
A-ERSMASB	526




Notes

- Suitable for 10” - 28” size range LCD screens.
- Load capacity of 19 lbs per arm.
- Features 360 degree rotation at the mounting base and extension.
- VESA monitor mount for 75mm and 100mm standard.
- Available mounting options include c-clamp, grommet or bolt through.
- Available in silver only.
- Single monitor arm features a snap-in/removable cord clip for wire management.
- Single monitor arm features a lock-in-place monitor mount for simplified installation.
- Tilt range of -45 degrees to +90 degrees. Arm height adjustment range of 300mm.

DUAL MONITOR ARM

Model Number	List
A-ERDMASB	894




Notes

- Suitable for 10” - 28” size range LCD screens.
- Load capacity of 19 lbs per arm.
- Features 360 degree rotation at the mounting base and extension.
- VESA monitor mount for 75mm and 100mm standard.
- Available mounting options include c-clamp, grommet or bolt through.
- Available in silver only.
- Dual monitor arm features a lock-in-place monitor mount for simplified installation.
- Tilt range of -45 degrees to +90 degrees. Arm height adjustment range of 300mm.

SLIDERS FOR DUAL MONITOR ARM

Model Number	List
SD01	188




Notes

- **For use with A-ERDMASB, Dual Monitor Arm.**
- Ships in a kit of 2.
- Sliders provide extended lateral adjustment for shallow depth surfaces.
- Ideal for positioning monitors of varying sizes side-by-side.
- 9.0” adjustment from left to right; An additional 1.97-inch range can be added by adjusting the back hole.
- Weight Capacity: Up to 13.2 lbs.
- Tilt range: +90° to -45°.

DUAL MONITOR ARM FOR SHALLOW DEPTH WORKSURFACES

Model Number	List
A-ERDMAM9	894



Notes


- Suitable for LCD screens up to 27”.
- Load capacity of 14.3 lbs. per monitor.
- Features 360 degree rotation at the mounting base and extension.
- Monitors mount with M4 screws to a VESA bracket.
- VESA monitor mount for 75mm and 100mm standard.
- Mounts with c-clamp on the table edge or through a grommet hole.
- Available in silver only.
- Shallow depth monitor arm does not include a lock-in-place monitor mount.

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Desk Lamps

TALIA LED DESK LIGHT

Type	Model Number	List
White	A-TALIAWT	874
Black	A-TALIABK	874
Grey Matte	A-TALIAGM	874




Notes

- Simple and intuitive design
- Glare free LED flat light technology
- Optical switch with full range dim control
- 360° arm rotation and 180° head rotation
- Wireless induction charging for mobile devices
- Six-hour energy saving auto-off timer

LIM PERSONAL DESK LAMP

Model Number	List
A-DLLED	1,487




Notes

- Pivoting, scratch resistant steel base.
- Aluminum arm with clear lens and full range dim control rotates 360 degrees around magnetic attachment to the base.
- Comes with a removable, silvertone cord and one wire management clip.

PIXO PLUS LED DESK LIGHT

Type	Model Number	List
White	A-PIXOWT	1,007
Silver	A-PIXOSV	1,007
Graphite	A-PIXOGT	1,007



Notes


- 360° arm rotation
- 180° arm tilt
- 360° shade rotation
- Wireless charging technology + USB charging port
- Advanced LED
- Full range dim
- Optical switch – ADA Compliant

© 2026, AIS, Inc.

Task Lights

OVERHEAD LED TASK LIGHTS

Length	Model Number	List
24	A-LEDTL-61024	609
40	A-LEDTL-61540	904




Notes

- LED task lights are 1-1/4″ wide, and 3/8″ in thickness and come in 24 and 40 inch lengths.
- Brushed aluminum with black trim.
- Attachable to the underside of overhead cabinet via the built-in magnets, or mounted to non-metal surfaces using the adjustable mounting bracket.
- Feature 100 lm/w with warm white and white color temps and convenient one-touch On/Off and Touch-and-Hold dimmer.
- Power-in and power-switch are reversible.
- Power cord is 10’ in length.

TASK LIGHT CORD MANAGERS

H	Used With	Model Number	List	Grade C Paint
3	Matrix, Divi	A-DVVWMTL03	69	+20
11	Matrix, Divi	A-DVVWMTL11	81	+20
16	Matrix, Divi	A-DVVWMTL16	96	+20



Specify


- Paint Selection

Notes

- Task Light Cord Managers engage to panel hanger frame slots.
- Task Light cord managers are non-handed.
- Hanger frames can accommodate only one task light cord manager and will not fit behind tackboards.
- Painted black as a standard, all other trim colors are Grade C upcharged.
- Use 3” for managing cords above tackboards or double them up when a full height manager is not required.
- Use 11” for a full height finished aesthetic for managing task light cords under half height shelves on 50”/53” high panels.
- Use 16” for a full height finished aesthetic for managing task light cords under full height shelves, flipper doors, or under half height shelves hung level with full height shelves on 65”/66”/67” high panels.

OVERHEAD LED TASK LIGHT JUMPER CABLES

Model Number	List
A-LEDTL-6-DCW	145



Notes


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Pelican and Pencil Drawers

PELICAN DRAWER II

H	W	D	Model Number	List
10	19 1/4	16 1/4	A-PDP2	1,956



Notes


- Pelican Drawer I provides secure storage for large items such as purses, laptops or hanging files.
- Features fully concealed drawer slides and a spacious segmented tray section.
- Soft durable drawer front protects clothing and chair arms.
- Key core interchangeable locks compatible with most office furniture systems.
- Mount under any 23 3/8" deep surface.
- Fits all AIS furniture systems.
- Measures 23 3/8"L x 19 1/4"W x 2 1/4"H (front). Bin Height 10". Leg Room 13" (front edge to bin).
- May not be keyed alike to other storage units.

SPIN-OUT DRAWERS

W	D	Type	Model Number	List
7 1/2	7 1/2	Radius Jr.	A-ROKJ	221
13 5/8	8 1/4	Radius	A-ROK	251



Radius Jr.




Radius

Notes

PENCIL DRAWER

H	W	D	Model Number	List
2 1/4	21 1/4	16 1/4	A-PDRWP	318



Notes

- Pencil Drawer provides convenient, low profile storage of loose items.
- Constructed of rigid, durable PVC with black textured finish.
- Metal slides mount underneath worksurfaces with screws provided.
- Pencil drawer measures 16 1/4"D x 21 1/4"W x 2 1/4"H.
- Plan pencil drawer location around worksurface support elements.

© 2026, AIS, Inc.

Keyboard Arms

STANDARD KEYBOARD ARM

Model Number	List
A-KEYBZ	731




Notes

- Standard Keyboard Arm mounts to underside of worksurfaces to support standard computer keyboards.
- Keyboard platform area behind wristrest measures 8 1/2” deep x 20” wide.
- Keyboard tray includes a factory mounted, synthetic leather wristrest.
- Order extended arm for use on all curvilinear corner worksurfaces except cockpit corners.
- Available in black only.
- Sliding Track is 17.75” long.

STANDARD MOUSE TRAY

Model Number	List
A-MSETS	218




Notes

- Standard Mouse Tray mounts to either the left or right side of keyboard tray platform with screws to service both left and right handed users.
- Mouse area measures 7 1/4” x 7 1/4”.
- Mouse tray swivels around vertical axis 270º and has 30º of tilt around the horizontal axis (15º above keyboard tray plane to 15º below plane, independent of keyboard tray tilt).
- Available in black only.

STANDARD EXTENDED KEYBOARD ARM

Model Number	List
A-KEYBZE	1,231



Notes


- Standard Extended Keyboard Arm mounts to underside of worksurfaces to support standard computer keyboards.
- Keyboard platform area behind wristrest measures 8 1/2” deep x 20” wide.
- Keyboard tray includes a factory mounted, synthetic leather wristrest.
- Order extended arm for use on all curvilinear corner worksurfaces except cockpit corners.
- Available in black only.
- Sliding Track is 23” long.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Keyboard Arms

V SERIES KEYBOARD ARM

Mouse Tray	Model Number	List
Fixed	A-KTOVSF	1,610
Adjustable	A-KTOVSA	1,710




Notes

- V Series Keyboard Arm mounts to the underside of worksurfaces to support computer keyboards.
- Arm may be specified with either a fixed or adjustable mouse tray, which may be installed on the left or right side of the keyboard tray.
- Available in black only.

V SERIES SIT-STAND KEYBOARD ARM

Mouse Tray	Model Number	List
Adjustable	A-KTOVSSA	1,935




Notes

- V Series Sit-Stand Keyboard Arm mounts to the underside of worksurfaces to support computer keyboards.
- Arm may be specified with either a fixed or adjustable mouse tray, which may be installed on the left or right side of the keyboard tray.
- Available in black only.

V SERIES EXTENDED KEYBOARD ARM

Mouse Tray	Model Number	List
Adjustable	A-KTOVXA	1,851



Notes


- V Series Extended Keyboard Arm mounts to the underside of worksurfaces to support computer keyboards.
- Arm may be specified with either a fixed or adjustable mouse tray, which may be installed on the left or right side of the keyboard tray.
- Available in black only.

© 2026, AIS, Inc.

Worksurface Rails

WORKSURFACE RAIL


D	Model Number	List	Grade C Paint
24	A-WSRAIL24	420	+25
30	A-WSRAIL30	436	+25
36	A-WSRAIL36	456	+25
42	A-WSRAIL42	476	+25
48	A-WSRAIL48	638	+25
54	A-WSRAIL54	659	+25
60	A-WSRAIL60	677	+25
66	A-WSRAIL66	698	+25
72	A-WSRAIL72	717	+25



Specify	Notes
• Paint Selection	• Worksurface Rails mount beside a worksurface and are secured from underneath the surface. This allows for accessories to be mounted between surfaces, and to prevent drilling holes in the finish. The rails may also be shared in the middle of two surfaces. • Worksurface rails come with the rail, screws, mounting brackets and end caps. • Rail mounted accessories are sold separately. • Plan for 1 5/16” mounting space for the brackets.

ADDITIONAL MOUNTING BRACKET


Model Number	List	Grade C Paint
A-WSRAILMK	125	+25




Specify	Notes
• Paint Selection	• Worksurface Rail mounting brackets require a 2”W x 1 5/16”D space under the surface. • Please plan for this when specifying.

EXTENDED WORKSURFACE RAIL (SPANNER)

D	Model Number	List	Grade C Paint
25.5	A-WSRAIL24E	425	+25
31.5	A-WSRAIL30E	440	+25
37.5	A-WSRAIL36E	459	+25
43.5	A-WSRAIL42E	480	+25
49.5	A-WSRAIL48E	648	+25
55.5	A-WSRAIL54E	665	+25
61.5	A-WSRAIL60E	684	+25
67.5	A-WSRAIL66E	704	+25
73.5	A-WSRAIL72E	724	+25





Specify	Notes
• Paint Selection	• Extended worksurface rails compensate for the extra space added to the depth of stations when using worksurface rails down the spine.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Worksurface Mounted Tool Rails

WORKSURFACE MOUNTED TOOL RAIL (CLAMP MOUNT)

W	Model Number	List	Grade C Paint
24	A-WSMTR24	479	+25
30	A-WSMTR30	514	+25
36	A-WSMTR36	551	+25
42	A-WSMTR42	585	+25
48	A-WSMTR48	617	+25
54	A-WSMTR54	652	+25
60	A-WSMTR60	686	+25
66	A-WSMTR66	865	+25
72	A-WSMTR72	901	+25



Specify


- Paint Selection

Notes

- Worksurface Mounted Tool Rails mounts a tool rail directly to a worksurface or worksurface rail, which eliminates the need of panels for support.
- Clamping rail is clamped onto the surface using supplied hardware.
- Worksurface rail tool rails use brackets in conjunction with the worksurface rail to be installed.
- Worksurface mounted tool rails are double sided, which allows accessories to mount onto either side. 66” and 72” wide rails come with three sets of mounting hardware.

WORKSURFACE MOUNTED TOOL RAIL (RAIL MOUNT)

W	Model Number	List	Grade C Paint
24	A-WSRMTR24	479	+25
30	A-WSRMTR30	514	+25
36	A-WSRMTR36	551	+25
42	A-WSRMTR42	585	+25
48	A-WSRMTR48	617	+25
54	A-WSRMTR54	652	+25
60	A-WSRMTR60	686	+25
66	A-WSRMTR66	865	+25
72	A-WSRMTR72	901	+25



Specify

- Paint Selection

Notes


- Worksurface Mounted Tool Rails mounts a tool rail directly to a worksurface or worksurface rail, which eliminates the need of panels for support.
- Clamping rail is clamped onto the surface using supplied hardware.
- Worksurface rail tool rails use brackets in conjunction with the worksurface rail to be installed.
- Worksurface mounted tool rails are double sided, which allows accessories to mount onto either side. 66” and 72” wide rails come with three sets of mounting hardware.

© 2026, AIS, Inc.


Paper Flow Elements

STANDARD TOOL BAR ACCESSORIES


Type	Model Number	List
Portrait Paper Tray	P-MXTBPT	166
Landscape Paper Tray	P-MXTBLPT	166
Diagonal Folder Sorter	P-MXTBDFS	189
Pencil Holder	P-MXTBPENH	70
Accessories Tray	P-MXTBAT	125




Portrait Paper Tray




Landscape Paper Tray



Diagonal Folder Sorter



Pencil Holder




Accessories Tray


Specify	Notes
• Finish Selection: Black or Clear	• Standard tool bar accessories can be universally used on all AIS tool rails except Calibrat tack-boards with tool rails. Can also be used on Matrix utility tiles. • Available in black or clear.

METAL TOOL BAR ACCESSORIES


Type	Model Number	List	Grade C Paint
Portrait Paper Tray	A-TBPPT	180	+10
Landscape Paper Tray	A-TBLPT	180	+10
Diagonal Folder Sorter	A-TBDFS	186	+10
Binder Holder	A-TBBH	180	+10
Pencil Holder	A-TBPT	127	+10
Folder Box	A-TBFH	166	+10
18” Mini Shelf	P-MXTBMSHF18	295	+10
24” Mini Shelf	P-MXTBMSHF24	398	+10
30” Mini Shelf	P-MXTBMSHF30	414	+10
36” Mini Shelf	P-MXTBMSHF36	473	+10




Portrait Paper Tray



Landscape Paper Tray




Diagonal Folder Holder




Binder Holder



Pencil Tray



Folder Box


Mini Shelf

Specify	Notes
• Paint Selection	• Metal tool bar accessories can be universally used on all AIS tool rails except Calibrate tackboards with tool rails. • Available painted in any AIS paint color. • 18”W Mini-Shelf for use with all tool tile sizes. 24”W Mini Shelf for use with 30, 36, 42 and 48 tool tile sizes. 30”W Mini Shelf for use with 36, 42, 48 tool tile sizes. 36”W Mini Shelf for use with 42 and 48 tool tile sizes.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Credenza and Pedestal Cushions

CREDENZA CUSHIONS

D	W	Model Number	List	Upholstery Grade B	Upholstery Grade C	Upholstery Grade D	Upholstery Grade E
18	18	S-BCUSH1818	614	+51	+102	+152	+203
18	21	S-BCUSH1821	637	+51	+102	+152	+203
18	24	S-BCUSH1824	663	+51	+102	+152	+203
18	27	S-BCUSH1827	689	+51	+102	+152	+203
18	30	S-BCUSH1830	716	+62	+124	+186	+248
18	33	S-BCUSH1833	745	+62	+124	+186	+248
18	36	S-BCUSH1836	775	+62	+124	+186	+248
18	42	S-BCUSH1842	806	+73	+146	+208	+270
18	48	S-BCUSH1848	838	+73	+146	+208	+270
18	54	S-BCUSH1854	871	+73	+146	+208	+270
18	60	S-BCUSH1860	906	+95	+160	+228	+298
18	66	S-BCUSH1866	943	+95	+160	+228	+298
18	72	S-BCUSH1872	980	+95	+160	+228	+298

CREDENZA CUSHIONS

D	W	Model Number	List	Upholstery Grade B	Upholstery Grade C	Upholstery Grade D	Upholstery Grade E
24	18	S-BCUSH2418	637	+51	+102	+152	+203
24	21	S-BCUSH2421	670	+51	+102	+152	+203
24	24	S-BCUSH2424	703	+51	+102	+152	+203
24	27	S-BCUSH2427	739	+51	+102	+152	+203
24	30	S-BCUSH2430	775	+62	+124	+186	+248
24	33	S-BCUSH2433	813	+62	+124	+186	+248
24	36	S-BCUSH2436	854	+62	+124	+186	+248
24	42	S-BCUSH2442	897	+73	+146	+208	+270
24	48	S-BCUSH2448	941	+73	+146	+208	+270
24	54	S-BCUSH2454	987	+73	+146	+208	+270
24	60	S-BCUSH2460	1,038	+95	+160	+228	+298
24	66	S-BCUSH2466	1,089	+95	+160	+228	+298
24	72	S-BCUSH2472	1,144	+95	+160	+228	+298



Specify


- Upholstery Selection

Notes

- Credenza and pedestal cushions are a fabric covered 1” thick foam cushion.
- Cushions include Velcro for mounting.


SHARED CREDENZA CUSHIONS

D	W	Model Number	List	Upholstery Grade C	Upholstery Grade D	Upholstery Grade E
36	30	S-BCUSH3630	1,224	+95	+160	+228
36	36	S-BCUSH3636	1,347	+95	+160	+228
36	42	S-BCUSH3642	1,481	+95	+160	+228



PEDESTAL CUSHIONS

D	W	Model Number	List	Upholstery Grade B	Upholstery Grade C	Upholstery Grade D	Upholstery Grade E
22	15	S-PEDCUSHIONJ1	643	+51	+102	+152	+203
24	16	X-PCUSHION24	646	+51	+102	+152	+203
12	24	S-PEDCUSH1224	580	+51	+102	+152	+203



Specify

- Upholstery Selection

Notes

- Credenza and pedestal cushions are a fabric covered 1” thick foam cushion.
- Cushions include Velcro for mounting.

© 2026, AIS, Inc.


Flipper Door Security Panels, Lock Cores and Keys

FLIPPER DOOR SECURITY PANEL

W	Used With	Model Number	List	Grade C Paint
24	Matrix	S-FDBPU24	444	+12
30	Matrix	S-FDBPU30	479	+12
36	Matrix	S-FDBPU36	487	+12
42	Matrix	S-FDBPU42	517	+12
48	Matrix	S-FDBPU48	576	+12
60	Matrix	S-FDBPU60	731	+12

FLIPPER DOOR SECURITY PANEL

W	Used With	Model Number	List	Grade C Paint
24	Divi	S-FDBPUDV24	463	+12
30	Divi	S-FDBPUDV30	503	+12
36	Divi	S-FDBPUDV36	510	+12
42	Divi	S-FDBPUDV42	539	+12
48	Divi	S-FDBPUDV48	602	+12
60	Divi	S-FDBPUDV60	762	+12



Specify


- Paint Selection

Notes

- Flipper Door Security Panel is retrofitable to all AIS flipper door units.
- Panel clips into back lip of the cover unit and is screw mounted to the bottom shelf pan.
- All hardware needed to install is provided.

SILVER LOCK CORES AND KEYS

Key Type	Model Number	List
Core with 2 keys	S-W1CORE1	25
Core with 2 keys (set of 2 keyed alike)	S-W1CORE2	39
Core with 2 keys (set of 3 keyed alike)	S-W1CORE3	60
Core with 2 keys (set of 4 keyed alike)	S-W1CORE4	77
Core with 2 keys (set of 5 keyed alike)	S-W1CORE5	95
Core with 2 keys (set of 6 keyed alike)	S-W1CORE6	111
Core with 2 keys (set of 7 keyed alike)	S-W1CORE7	129
Core with 2 keys (set of 8 keyed alike)	S-W1CORE8	149
Core with 2 keys (set of 9 keyed alike)	S-W1CORE9	166
Core with 2 keys (set of 10 keyed alike)	S-W1CORE10	184
Master Key	RS-W1MKEY	19
Core Removal Key	RS-W1CRKEY	19
Replacement Key	RS-WK _ _ _ (Key Number)	26




Notes

- Silver keyed alike lock cores should be specified when ordering Option E in the Lock Choice for Calibrate: No Lock w/ Silver Ring for Keyed Alike.
- Keyed alike lock cores must be installed in the field.
- Keys and Lock Cores are available in #'s 226 through 425.
- A core removal key is needed to remove an existing core from the lock housing in order to replace with a new core.
- Order sets based on quantity of storage items to be keyed alike.

BLACK LOCK CORES AND KEYS

Key Type	Model Number	List
Core with 2 keys	S-W1CORE1B	25
Core with 2 keys (set of 2 keyed alike)	S-W1CORE2B	39
Core with 2 keys (set of 3 keyed alike)	S-W1CORE3B	60
Core with 2 keys (set of 4 keyed alike)	S-W1CORE4B	77
Core with 2 keys (set of 5 keyed alike)	S-W1CORE5B	95
Core with 2 keys (set of 6 keyed alike)	S-W1CORE6B	111
Core with 2 keys (set of 7 keyed alike)	S-W1CORE7B	129
Core with 2 keys (set of 8 keyed alike)	S-W1CORE8B	149
Core with 2 keys (set of 9 keyed alike)	S-W1CORE9B	166
Core with 2 keys (set of 10 keyed alike)	S-W1CORE10B	184



Notes


- Black keyed alike lock cores should be specified when ordering Option D in the Lock Choice for Calibrate: No Lock w/ Black Ring for Keyed Alike.
- Keyed alike lock cores must be installed in the field.
- Keys and Lock Cores are available in #'s 226 through 425.
- A core removal key is needed to remove an existing core from the lock housing in order to replace with a new core.
- Order sets based on quantity of storage items to be keyed alike.
- Black lock cores not available for L-Series storage.
- Black lock cores only available on laminate storage.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Shelf Divider, Pedestal Extension Shroud, Coat and Bag Hooks, Knife Edge Wedge Bracket

SHELF DIVIDER

Model Number	List	Grade C Paint
S-SHFDIV12	167	+10



Specify	Notes
• Paint Selection	• Shelf Divider mounts to mid-height shelf decks and may also be used inside of complete flipper bins. • No hardware necessary. • Divider simply snaps into place. • Divider is 5 5/8” tall and designed to finish at the same height as a mid-height shelf end.

PEDESTAL EXTENSION SHROUD

Model Number	List	Grade C Paint
S-PEDJFB	194	+5



Specify	Notes
• Paint Selection	• Pedestal extension shroud is mounted to the back edge of the pedestal with magnets (included). • Extension is 2” deep. • Extension kit masks the gap between back of pedestal and panel face. • Shroud is not handed.

PANEL FRAME COAT HOOK

Model Number	List	Grade C Paint
A-CHM2	157	+5




Notes

- Panel Frame Coat Hook mounts into the slotted vertical rail on a panel.
- May be used on all AIS panel systems.

WORKSURFACE BAG HOOK


Model Number	List
A-WSPH	341




Specify	Notes
• Paint Selection	• Installs without tools by clamping to worksurface. • Will not work on knife edge surfaces. • Can hold up to a max weight of 15 pounds.

KNIFE EDGE WEDGE BRACKET

Model Number	List
A-KEW	129



Top View



Bottom View


Specify	Notes
• Paint Selection	• Use this product when attaching monitor arms to knife edge surfaces.

© 2026, AIS, Inc.

Cable Grips, Anti-Slip Bumpers, Mesh Wire Manager, Mesh Wire Manager Cuff Kit

CABLE GRIP WIRE MANAGER

Model Number	List
A-CPF3450	32




Notes

- Cable Grips are a unique way to easily store your cables out of sight.
- Cable Grip is simply screwed to the surface with two wood screws and the wires simply snap into the storage position between the loops. Multiple cables can easily be stored in each position.
- Only available in black.

ADHESIVE BACK ANTI-SLIP BUMPER

Model Number	List
RH-95495K728	11



Notes

- Adhesive-Back Anti Slip Bumper have a convienent adhesive back that allows you to add these bumpers to glides on any product to prevent sliding on smooth surfaces.
- 1 per package.
- Dimensions: 1 1/4”W x 7/64”H.

MESH WIRE MANAGER

Model Number	List
A-BCMSW	1,390





Notes

- Mesh wire manager only available in black.
- Sold in 100-foot sections with 1” diameter.
- Cord mesh can easily be cut in the field to desired length.
- Order mesh wire manager cuff kit separately if needed.

MESH WIRE MANAGER CUFF KIT

Model Number	List
A-BCM-CUFF	150





Notes

- Includes bag of 50 cuffs.
- The diameter of the cuff aligns with the diameter of the Mesh Wire Manager.
- Cuffs are designed to clip onto both ends of Mesh Wire Manager (ordered separately) to prevent the mesh from fraying.
- Available in charcoal only.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Grommet Hole Covers, Replacement Pulls, Frameless Glass Alignment Kits, Ganging Bolts

REPLACEMENT PULLS


Type	Model Number	List
Bar Pull	X-BARHANDLE	34
L Pull	X-L-PULLHANDLE	34
Loop Pull	X-LOOPHANDLE	34
Rectangle Pull	X-RECTHANDLE	34




Bar Pull



L Pull



Loop Pull




Rectangular Pull

Notes

- Replacements only.
- Pulls work for all metal and laminate storage units with the exception of roll out/ pantry towers.
- For replacement slim pulls, please contact Customer Service.

FRAMELESS GLASS ALIGNMENT KITS

Glass Thickness	Model Number	List
1/4	A-FGAC14	20
3/8	A-FGAC38	20




Notes

- Frameless Glass Alignment Clips couple 2 pieces of glass together, providing alignment for framelss glass screens in a straight condition.
- Clip are available for 1/4” and 38” thick material.
- Clips are made of clear polycarbonate.

GROMMET HOLE COVERS

Diameter	Model Number	List
3	W-GROMMET	46



Specify


- Color Selection - White, Black or Grey Value 1

Notes

- Grommet Hole Covers for cord management may be specified when ordering worksurfaces.
- Grommet covers are included when worksurfaces are ordered with grommets.
- Order separately only if extra covers are required or if retrofitting grommets in the field.
- Grommet holes require a 2 3/4” outside diameter with a 2 5/8” inside diameter (inside sleeve).
- Available in White, Black or Grey Value 1.

GANGING BOLT

Model Number	List
RH-98002A208	13



Notes


- Laminate Casegood Ganging Bolt gangs two laminate construction casegood units with standard 3/4” thick wall construction together by way of a field drilled 1/4” diameter hole.
- Combination drive style on both ends, 10-24 thread, adjusts from 1 1/2” to 1 5/8”.

© 2026, AIS, Inc.

Hospitality/Catering Cart and Mobile White Boards

HOSPITALITY/CATERING CART

H	W	D	Model Number	List
36	35 1/4	19	A-HCC	5,423




Notes

- Includes cart, shelf and shelf hardware.
- White laminate with white 1mm edgeband.
- Standard with dual handles.
- Rails and handles are aluminum and available in metallic trim colors only.
- Standard with center adjustable shelf; 3 1/2" (89mm) increments.
- Each cart end has a upper and lower open stationary shelves with shelf rails to accommodate beverage containers.
- Optional casters or glides are field interchangeable.
- Optional glides are available in black with 1/2" (13mm) height adjustment.
- Ships assembled.

MOBILE WHITE BOARD

H	W	D	Model Number	List
75	45	28	A-RWB754528	5,347
75	88	28	A-RWB758828	8,955



Notes

- Includes frame and attached, two-sided laminate writing surface/center board with attached marker tray.
- Center board has pins to allow hanging of standard size easel paper pad.
- Writable surface is 0.64" thick with 1mm bright white edgeband and a 31" or 73"W x 43"H writing surface.
- Easel marker tray is 30" or 73"W x 1 3/8"H, accessible from one side only.
- Metallic silver aluminum frame.
- Casters (two locking/two non-locking) available in black only.
- Easel can be used as a projection screen and/or space divider.
- Easel height with information board(s) attached is 78".
- Ships unassembled.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Tri-Wheel Mobile Laminate Whiteboards/Dividers


24" DEEP TRI-WHEEL MOBILE LAMINATE WHITEBOARDS/DIVIDERS

D	W	H	Model Number	List
24	42	42	A-TWWB422442	2,889
24	42	46	A-TWWB462442	3,050
24	42	50	A-TWWB502442	3,215
24	42	58	A-TWWB582442	3,544
24	48	42	A-TWWB422448	3,045
24	48	46	A-TWWB462448	3,223
24	48	50	A-TWWB502448	3,404
24	48	58	A-TWWB582448	3,761
24	54	42	A-TWWB422454	3,207
24	54	46	A-TWWB462454	3,398
24	54	50	A-TWWB502454	3,594
24	54	58	A-TWWB582454	3,980
24	60	42	A-TWWB422460	3,363
24	60	46	A-TWWB462460	3,570
24	60	50	A-TWWB502460	3,781
24	60	58	A-TWWB582460	4,195
24	66	42	A-TWWB422466	3,523
24	66	46	A-TWWB462466	3,747
24	66	50	A-TWWB502466	3,967
24	72	42	A-TWWB422472	3,682
24	72	46	A-TWWB462472	3,918
24	72	50	A-TWWB502472	4,154

24" DEEP TRI-WHEEL MOBILE LAMINATE WHITEBOARDS/DIVIDERS WITH CUTOUT

			For 24" Deep WS	For 30" Deep WS	
D	W	H	Model Number	Model Number	List
24	60	42	A-WBDM42602424	A-WBDM42602430	3,363
24	60	46	A-WBDM46602424	A-WBDM46602430	3,570
24	60	50	A-WBDM50602424	A-WBDM50602430	3,781
24	60	58	A-WBDM58602424	A-WBDM58602430	4,195
24	60	66	A-WBDM66602424	A-WBDM66602430	4,504
24	60	74	A-WBDM74602424	A-WBDM74602430	4,817
24	66	42	A-WBDM42662424	A-WBDM42662430	3,523
24	66	46	A-WBDM46662424	A-WBDM46662430	3,747
24	66	50	A-WBDM50662424	A-WBDM50662430	3,967
24	66	58	A-WBDM58662424	A-WBDM58662430	4,277
24	72	42	A-WBDM42722424	A-WBDM42722430	3,682
24	72	46	A-WBDM46722424	A-WBDM46722430	3,918
24	72	50	A-WBDM50722424	A-WBDM50722430	4,154
24	72	58	A-WBDM58722424	A-WBDM58722430	4,466





Specify

- Paint Selection for Marker Tray
- Laminate Selection for End Panel
- Edge Selection (for End and Whiteboard Panels)

Notes

- Tri-Wheel Mobile Laminate Whiteboards/Dividers are writable on two sides and can be used as a divider between two users in a bench or beam application.
- Tri-Wheel Mobile Laminate Whiteboard/Divider with Cutout allow a nesting divider over a 24" or 30" deep worksurface.
- Cutout measures 31" from floor.
- Whiteboard casters are non-locking.

© 2026, AIS, Inc.


Tri-Wheel Mobile Laminate Whiteboards/Dividers


30" DEEP TRI-WHEEL MOBILE LAMINATE WHITEBOARDS/DIVIDERS

D	W	H	Model Number	List
30	42	42	A-TWWB423042	3,039
30	42	46	A-TWWB463042	3,217
30	42	50	A-TWWB503042	3,393
30	42	58	A-TWWB583042	3,752
30	42	66	A-TWWB663042	4,108
30	48	42	A-TWWB423048	3,198
30	48	46	A-TWWB463048	3,390
30	48	50	A-TWWB503048	3,583
30	48	58	A-TWWB583048	3,969
30	48	66	A-TWWB663048	4,354
30	54	42	A-TWWB423054	3,356
30	54	46	A-TWWB463054	3,565
30	54	50	A-TWWB503054	3,772
30	54	58	A-TWWB583054	4,185
30	54	66	A-TWWB663054	4,600
30	60	42	A-TWWB423060	3,517
30	60	46	A-TWWB463060	3,737
30	60	50	A-TWWB503060	3,958
30	60	58	A-TWWB583060	4,404
30	60	66	A-TWWB663060	4,848
30	66	42	A-TWWB423066	3,675
30	66	46	A-TWWB463066	3,910
30	66	50	A-TWWB503066	4,147
30	66	58	A-TWWB583066	4,622
30	72	42	A-TWWB423072	3,834
30	72	46	A-TWWB463072	4,083
30	72	50	A-TWWB503072	4,335
30	72	58	A-TWWB583072	4,838

30" DEEP TRI-WHEEL MOBILE LAMINATE WHITEBOARDS/DIVIDERS WITH CUTOUT

			For 24" Deep WS	For 30" Deep WS	
D	W	H	Model Number	Model Number	List
30	60	42	A-WBDM42603024	A-WBDM42603030	3,517
30	60	46	A-WBDM46603024	A-WBDM46603030	3,737
30	60	50	A-WBDM50603024	A-WBDM50603030	3,958
30	60	58	A-WBDM58603024	A-WBDM58603030	4,404
30	60	66	A-WBDM66603024	A-WBDM66603030	4,848
30	60	74	A-WBDM74603024	A-WBDM74603030	5,157
30	66	42	A-WBDM42663024	A-WBDM42663030	3,675
30	66	46	A-WBDM46663024	A-WBDM46663030	3,910
30	66	50	A-WBDM50663024	A-WBDM50663030	4,147
30	66	58	A-WBDM58663024	A-WBDM58663030	4,622
30	72	42	A-WBDM42723024	A-WBDM42723030	3,834
30	72	46	A-WBDM46723024	A-WBDM46723030	4,083
30	72	50	A-WBDM50723024	A-WBDM50723030	4,335
30	72	58	A-WBDM58723024	A-WBDM58723030	4,838





Specify

- Paint Selection for Marker Tray
- Laminate Selection for End Panel
- Edge Selection (for End and Whiteboard Panels)

Notes

- Tri-Wheel Mobile Laminate Whiteboards/Dividers are writable on two sides and can be used as a divider between two users in a bench or beam application.
- Tri-Wheel Mobile Laminate Whiteboard/Divider with Cutout allow a nesting divider over a 24" or 30" deep worksurface.
- Cutout measures 31" from floor.
- Whiteboard casters are non-locking.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Tri-Wheel Mobile Laminate Whiteboards/Dividers


36" DEEP TRI-WHEEL MOBILE LAMINATE WHITEBOARDS/DIVIDERS

D	W	H	Model Number	List
36	42	42	A-TWWB423642	3,189
36	42	46	A-TWWB463642	3,382
36	42	50	A-TWWB503642	3,573
36	42	58	A-TWWB583642	3,958
36	42	66	A-TWWB663642	4,345
36	48	42	A-TWWB423648	3,349
36	48	46	A-TWWB463648	3,556
36	48	50	A-TWWB503648	3,761
36	48	58	A-TWWB583648	4,178
36	48	66	A-TWWB663648	4,592
36	54	42	A-TWWB423654	3,509
36	54	46	A-TWWB463654	3,729
36	54	50	A-TWWB503654	3,953
36	54	58	A-TWWB583654	4,394
36	54	66	A-TWWB663654	4,837
36	60	42	A-TWWB423660	3,665
36	60	46	A-TWWB463660	3,904
36	60	50	A-TWWB503660	4,139
36	60	58	A-TWWB583660	4,612
36	60	66	A-TWWB663660	5,085
36	66	42	A-TWWB423666	3,826
36	66	46	A-TWWB463666	4,077
36	66	50	A-TWWB503666	4,328
36	66	58	A-TWWB583666	4,831
36	72	42	A-TWWB423672	3,984
36	72	46	A-TWWB463672	4,208
36	72	50	A-TWWB503672	4,516
36	72	58	A-TWWB583672	5,045

36" DEEP TRI-WHEEL MOBILE LAMINATE WHITEBOARDS/DIVIDERS WITH CUTOUT

			For 24" Deep WS	For 30" Deep WS	
D	W	H	Model Number	Model Number	List
36	60	42	A-WBDM42603624	A-WBDM42603630	3,665
36	60	46	A-WBDM46603624	A-WBDM46603630	3,904
36	60	50	A-WBDM50603624	A-WBDM50603630	4,139
36	60	58	A-WBDM58603624	A-WBDM58603630	4,612
36	60	66	A-WBDM66603624	A-WBDM66603630	5,085
36	60	74	A-WBDM74603624	A-WBDM74603630	5,395
36	66	42	A-WBDM42663624	A-WBDM42663630	3,826
36	66	46	A-WBDM46663624	A-WBDM46663630	4,077
36	66	50	A-WBDM50663624	A-WBDM50663630	4,328
36	66	58	A-WBDM58663624	A-WBDM58663630	4,831
36	72	42	A-WBDM42723624	A-WBDM42723630	3,984
36	72	46	A-WBDM46723624	A-WBDM46723630	4,251
36	72	50	A-WBDM50723624	A-WBDM50723630	4,516
36	72	58	A-WBDM58723624	A-WBDM58723630	5,045





Specify

- Paint Selection for Marker Tray
- Laminate Selection for End Panel
- Edge Selection (for End and Whiteboard Panels) Edge Selection for End Panel

Notes


- Tri-Wheel Mobile Laminate Whiteboards/Dividers are writable on two sides and can be used as a divider between two users in a bench or beam application.
- Tri-Wheel Mobile Laminate Whiteboard/Divider with Cutout allow a nesting divider over a 24" or 30" deep worksurface.
- Cutout measures 31" from floor.
- Whiteboard casters are non-locking.

© 2026, AIS, Inc.

Coat Hooks

COAT HOOK

Model Number	List
A-VWSHOOK	150




Specify	Notes
• Paint Selection	• The coat hook conveniently hooks over on any 3/4” or 1-1/8” vertical surface for use as a bag or coat hook. • Can be used on Tri-Wheel Markerboards, Gallery Panels, and Chatham Cove.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Wire Manager Product Details


PET Suspended Wire Managers Details


Note: PET Suspended Wire Managers can be set at center or edge of worksurface.





PET Flush Rear Mount Wire Managers Details






© 2026, AIS, Inc.

PET Wire Managers

PET SUSPENDED WIRE MANAGER


	Sized For Use With All Applications	
W	Model Number	List
24	A-PETWM24	649
30	A-PETWM30	663
36	A-PETWM36	673
42	A-PETWM42	684
48	A-PETWM48	700
54	A-PETWM54	712
60	A-PETWM60	720
66	A-PETWM66	737
72	A-PETWM72	748
78	A-PETWM78	760
84	A-PETWM84	774



Specify	Notes
• Color Selection for PET	• May be installed anywhere along the depth of a worksurface. • Wire managers measure 6” high x 4” deep overall. • Wire management space measures 5 1/2” high x 3” wide. • Actual width is 4” less than nominal dimension for use with all applications. • PET screen inserts are 1/2” thick. • Unhooks from worksurface for easy access to wire management.

PET FLUSH REAR MOUNT WIRE MANAGER

	Nominal = Actual	Day-to-Day, Calibrate, Benching HAT	
W	Model Number	Model Number	List
24	A-PETWMFA24	A-PETWMFG24	661
30	A-PETWMFA30	A-PETWMFG30	674
36	A-PETWMFA36	A-PETWMFG36	685
42	A-PETWMFA42	A-PETWMFG42	698
48	A-PETWMFA48	A-PETWMFG48	713
54	A-PETWMFA54	A-PETWMFG54	723
60	A-PETWMFA60	A-PETWMFG60	735
66	A-PETWMFA66	A-PETWMFG66	750
72	A-PETWMFA72	A-PETWMFG72	763
78	A-PETWMFA78	A-PETWMFG78	773
84	A-PETWMFA84	A-PETWMFG84	786



Specify	Notes
• Color Selection	• Set to the rear edge of a worksurface. • Wire managers measure 7 1/8” high x 4” deep overall. • Wire management space measures 5 1/2” high x 3” wide. • 3/8” gap allows for installation of clamp-on monitors and accessories. • PET screen inserts are 1/2” thick. • Unhooks from worksurface for easy access to wire management.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Slings

PET SLING FOR 24” SURFACE DEPTH


D	W	H	Model Number	List
18	8	14	A-PETS140818	698



Specify	Notes
• Color Selection for PET	• Sling depths: — 18” for 24” deep surface — 24” for 30” deep surface • Attaches to any worksurface. • Mounting hardware included. • Easy to add to existing worksurfaces. • Each sling can hold up to 15 pounds of weight. • Can be used in conjunction with PET enclosure with wire manager. • PET color options include Light Grey, Medium Grey, Warm Grey, Navy, and Olive Green.

PET SLING FOR 30” SURFACE DEPTH

D	W	H	Model Number	List
24	8	14	A-PETS140824	727





Specify	Notes
• Color Selection for PET	• Sling depths: — 18” for 24” deep surface — 24” for 30” deep surface • Attaches to any worksurface. • Mounting hardware included. • Easy to add to existing worksurfaces. • Each sling can hold up to 15 pounds of weight. • Can be used in conjunction with PET enclosure with wire manager. • PET color options include Light Grey, Medium Grey, Warm Grey, Navy, and Olive Green.

© 2026, AIS, Inc.

Desktop Organizer

DESKTOP ORGANIZER	
Model Number	**List**
A-DO	1,005





Notes

- Dimensions: 15.7”H x 13”W x 10”D
- Weight Capacity: 11 lbs
- Available in white only.
- Includes removable plastic drawer and metal bookend.
- Padded bottom.
- Steel case, plastic drawer and felt insert.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

National Showrooms:

Leominster
AIS Headquarters
25 Tucker Drive
Leominster, MA 01453

Chicago
The Merchandise Mart
Suite 391
Chicago, Illinois 60654

New York
AIS New York
257 Park Avenue South
New York, New York 10010

Washington, D.C.
AIS Washington, D.C.
1501 M St, NW, STE 230
Washington, D.C. 20005

GSA Sales
GSA Contract 47QSMA20D08Q4
Multiple Award Schedule (MAS)
Large Category: Furniture & Furnishings
Subcategories: Office Furniture, Packaged Office Furniture and Furniture Services

For additional information on AIS:
Dealer Showrooms, Representative Directory, Project Case Studies, Online Catalog & Product Showcase
Visit: **www.ais-inc.com**

AIS

800.434.7400 | 978.562.7500 | Fax: 978.562.0811 | www.ais-inc.com | March 2026

SEATING
LOUNGE COLLECTION

March 2026 Price List

AIS

PRODUCT INFORMATION

Portfolio . . . 4
Product Details . . . 8
Finish Options . . . 9
COM Yardage Requirements . . . 12
Laminate Woodgrain Direction . . . 18
Configurable Model Diagrams . . . 19

AIS LOUNGE

BRYCE

Bryce Wire Lounge Product Information . . . 20
Bryce Wire Lounge Models and Options . . . 21

CHIC

Chic Lounge Product Information . . . 22
Chic Lounge Models and Options . . . 23
Chic Tables Product Information . . . 24
Chic Tables Models and Options . . . 25

JUGGLE

Juggle Seating Product Information . . . 26
Juggle Seating Models and Options . . . 27

HAKR

Hakr Mobile Lounge Product Information . . . 28
Hakr Mobile Lounge Models and Options . . . 29
Hakr Modular Lounge Product Information . . . 30
Hakr Modular Lounge Models and Options . . . 31
Hakr Modular Lounge Tables Product Information . . . 33
Hakr Modular Lounge Tables Models and Options . . . 34
Hakr Lounge with Ledge Product Information . . . 35
Hakr Lounge with Ledge Tables Models and Options . . . 36
Hakr Privacy Lounge Product Information . . . 37
Hakr Privacy Lounge Models and Options . . . 38
Hakr Partial Privacy Lounge Product Information . . . 39
Hakr Partial Privacy Lounge Models and Options . . . 40
Hakr Full Privacy Lounge Product Information . . . 42
Hakr Full Privacy Lounge Models and Options . . . 43
Hakr Benches & Ottomans Product Information . . . 44
Hakr Benches & Ottomans Models and Options . . . 45

NV LOUNGE

NV Lounge Product Information . . . 46
NV Lounge Models and Options . . . 47

SOFT LOUNGE

Soft Lounge Product Information . . . 49
Soft Lounge Product Details . . . 50
Soft Lounge Models and Options . . . 51
Soft Mobile Lounge Product Information . . . 52
Soft Mobile Lounge Models and Options . . . 53
Soft Modular Lounge Product Information . . . 54
Soft Modular Lounge Models and Options . . . 55
Soft Privacy, Partial Privacy & Full Privacy Lounge Product Information . . . 56

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Soft Privacy, Partial Privacy & Full Privacy Lounge Models and Options. 57
Soft Benches & Ottomans Product Information 58
Soft Benches & Ottomans Models and Options 59

PRISMA

Prisma Tables Product Information 60
Prisma Tables Models and Options. 61

LB LOUNGE

LB Lounge Product Information 62
LB Lounge 1-Seater (2 Cushion) Models and Options 63
LB Lounge 2-Seater (4 Cushion) Models and Options 64
LB Lounge 3-Seater (6 Cushion) Models and Options 65
LB Lounge Backless Units Models and Options 66
LB Lounge Corner Units (3-Cushion) Models and Options. 67
LB Ledges. 68
LB Lounge Corner Units (3-Cushion) and Specification Guide. 69
LB Ottomans Models and Options 70

LB LOUNGE TABLES

LB Lounge Corner and End Tables 71

CHATHAM COVE

Chatham Cove Product Information 72
Chatham Cove 2-Sided Models and Options. 74
Chatham Cove 3-Sided Models and Options. 75
Chatham Cove Inserts and Specification Guide 76

VOLKER

Volker Cubes and Nesting Table Product Information 77
Volker Cube Models and Nesting Table. 78

ANCILLARY TABLES

Laptop Table and Sit to Stand Mobile Desk 79

ACCESSORIES

Lounge Pillows 80

WARRANTY & TERMS AND CONDITIONS

For Warranty & Terms and Conditions please visit:

https://www.ais-inc.com

© 2026, AIS, Inc.

Portfolio

BRYCE LOUNGE



Bryce Wire Lounge Chair
29.4" Wide

CHIC LOUNGE



Chic Club Chair
Non-Configurable or Configurable
33" Wide



Chic 2-Seater
Non-Configurable or Configurable
53" Wide




Chic 3-Seater
Non-Configurable or Configurable
73" Wide



Chic Side Table
21" Wide



Chic 2-Seater Table
42" Wide



Chic 3-Seater Table
62" Wide

JUGGLE CHAIRS



Juggle Chair,
Cross Wire Base



Juggle Chair, 4-Leg Swivel
Base with Auto Return



Juggle Chair, 5-Star Swivel
Base on Casters



Juggle Chair,
Sled Base

HAKR LOUNGE



Hakr Mobile Lounge
Non-Configurable or Configurable
32.5" Wide



Hakr Mobile Lounge w/Tablet
(right hand shown)
Non-Configurable or Configurable,
Tablet Left or Right, 32.5" Wide



Hakr Modular Club Chair
Non-Configurable or Configurable,
32.5" Wide



Hakr Modular Armless Lounge
Non-Configurable or Configurable,
26.5" Wide



Hakr Modular Armless
Lounge, 2-Seater, 48"
Non-Configurable or Configurable,
48.5" Wide



Hakr Modular Armless
Lounge, 2-Seater, 60"
Non-Configurable or Configurable,
60.5" Wide



Hakr Modular Armless
Lounge, 3-Seater
Non-Configurable or Configurable,
72.5" Wide



Hakr Modular Single Arm
Lounge, Left Hand
Non-Configurable or Configurable,
30" Wide



Hakr Modular Single Arm
Lounge, Right Hand
Non-Configurable or Configurable,
30" Wide



Hakr Modular Corner Lounge
Non-Configurable or Configurable,
30" Wide



Hakr Modular Corner Round
Lounge, 60"
Non-Configurable or Configurable,
55.5" Wide



Hakr Modular Corner Round
Lounge, 90"
Non-Configurable or Configurable,
52" Wide



Hakr Modular Lounge,
Connecting Table
14" Wide



Hakr Modular Lounge,
Square Table
24" Wide

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Portfolio

HAKR LOUNGE



Hakr Armless Lounge w/Ledge
Non-Configurable or Configurable, 26.5" Wide



Hakr Armless Lounge w/Ledge, 2-Seater, 48"
Non-Configurable or Configurable, 48.5" Wide



Hakr Armless Lounge w/Ledge, 2-Seater, 60"
Non-Configurable or Configurable, 60.5" Wide



Hakr Armless Lounge w/Ledge, 3-Seater
Non-Configurable or Configurable, 72.5" Wide



Hakr Corner Round Lounge w/Ledge, 60"
Non-Configurable or Configurable, 66" Wide



Hakr Corner Round Lounge w/Ledge, 90"
Non-Configurable or Configurable, 67" Wide



Hakr Privacy Lounge
Non-Configurable or Configurable, 26.5" Wide



Hakr Privacy Lounge, 2-Seater, 48"
Non-Configurable or Configurable, 48.5" Wide



Hakr Privacy Lounge, 2-Seater, 60"
Non-Configurable or Configurable, 60.5" Wide



Hakr Privacy Lounge, 3-Seater
Non-Configurable or Configurable, 72.5" Wide



Hakr Partial Privacy Lounge
Non-Configurable or Configurable, Left or Right, 27.5" Wide



Hakr Partial Privacy Lounge, 2-Seater, 48"
Non-Configurable or Configurable, Left or Right, 49.8" Wide



Hakr Partial Privacy Lounge 2-Seater, 60"
Non-Configurable or Configurable, Left or Right, 61.5" Wide



Hakr Partial Privacy Lounge 3-Seater
Non-Configurable or Configurable, Left or Right, 73.5" Wide



Hakr Full Privacy Lounge
Non-Configurable or Configurable, 28.5" Wide



Hakr Full Privacy Lounge, 2-Seater, 48"
Non-Configurable or Configurable, 50.5" Wide



Hakr Full Privacy Lounge, 2-Seater, 60"
Non-Configurable or Configurable, 62.5" Wide



Hakr Full Privacy Lounge, 3-Seater
Non-Configurable or Configurable, 74.5" Wide



Hakr 30° Curved Bench
48.5" Wide



Hakr 48" Bench
48.5" Wide



Hakr 60" Bench
60.5" Wide



Hakr 72" Bench
72.5" Wide



Hakr Round Ottoman, 18" Mobile
18" Diameter



Hakr Round Ottoman, 24" Mobile
24" Diameter

NV LOUNGE



NV Lounge Club Chair
Non-Configurable or Configurable, 34" Wide



NV Lounge Club Chair w/Tablet *(right hand shown)*
Non-Configurable or Configurable, Tablet Left or Right, 34" Wide



NV Lounge, 2-Seater
Non-Configurable or Configurable, 54" Wide



NV Lounge, 2-Seater w/Tablet *(right hand shown)*
Non-Configurable or Configurable, Tablet Left or Right, 54" Wide



NV Lounge, 3-Seater
Non-Configurable or Configurable, 79" Wide



NV Lounge, 3-Seater w/Tablet *(right hand shown)*
Non-Configurable or Configurable, Tablet Left or Right, 79" Wide

© 2026, AIS, Inc.

Portfolio

SOFT LOUNGE



Soft Lounge Club Chair
Non-Configurable or Configurable,
40" Wide



Soft Lounge, 2-Seater
Non-Configurable or Configurable,
66" Wide



Soft Lounge, 3-Seater
Non-Configurable or Configurable,
87.5" Wide



Soft Mobile Lounge Club Chair
Non-Configurable or Configurable,
40" Wide



Soft Mobile Lounge, 2-Seater
Non-Configurable or Configurable,
66" Wide



Soft Mobile Lounge, 3-Seater
Non-Configurable or Configurable,
87.5" Wide



Soft Modular Lounge
Club Chair
Non-Configurable, 37" Wide



Soft Modular Lounge,
2-Seater
Non-Configurable, 66" Wide



Soft Single Arm
Modular Lounge
Non-Configurable, Left Hand,
38" Wide



Soft Single Arm
Modular Lounge
Non-Configurable, Right Hand,
38" Wide



Soft Modular Lounge,
Corner
Non-Configurable, 33" Wide



Soft Modular Lounge,
Corner 90°
Non-Configurable, 62" Wide



Soft Modular Lounge,
Corner 45°
Non-Configurable, 60.5" Wide



Soft Privacy Lounge,
Armless
Non-Configurable, 37.5" Wide



Soft Privacy Lounge,
Armless, 2-Seater
Non-Configurable, 66" Wide



Soft Partial Privacy Lounge,
Left Or Right Hand,
Non-Configurable, 38" Wide



Soft Partial Privacy Lounge,
2-Seater, Left Or Right Hand,
Non-Configurable, 67" Wide



Soft Full Privacy Lounge,
Armless
Non-Configurable, 39.5" Wide



Soft Full Privacy Lounge,
Armless, 2-Seater
Non-Configurable, 68" Wide



Soft Ottoman
40" Wide



Soft Ottoman, 2-Seater
85.5" Wide



Soft Ottoman, 3-Seater
85.5" Wide



Soft Round Ottoman
20" Diameter



Soft Round Mobile Ottoman
20" Diameter

PRISMA TABLES



Prisma Large Coffee Table
42" Diameter



Prisma Small Coffee Table
32" Diameter



Prisma Side Table
20" Diameter

ANCILLARY TABLES



Laptop Table



Sit to Stand Mobile Desk

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

LB LOUNGE



LB Lounge, 1-Seater
2-Cushion, Configurable, Open or Solid Base
34”, 42”, or 50” Heights; 30” Wide



LB Lounge, 2-Seater
4-Cushion, Configurable, Open or Solid Base
34”, 42”, or 50” Heights; 36”, 42”, 48”, 54”, or 60” Widths



LB Lounge, 3-Seater
6-Cushion, Configurable, Open or Solid Base
34”, 42”, or 50” Heights; 66” or 72” Widths



LB Lounge Backless Unit
Open or Solid Base (1-Cushion), Configurable
18” Height; 30” Wide



LB Lounge Backless Unit
Open or Solid Base (2-Cushion), Configurable
18” Height; 36”, 42”, 48”, 54”, or 60” Widths



LB Lounge, 3-Seater
Open or Solid Base (3-Cushion), Configurable
18” Height; 66” or 72” Widths



LB Lounge Corner Unit Unit
Left or Right, 3-Cushion, Configurable, Open or Solid Base
34”, 42”, or 50” Heights; 30” Wide



LB Ledge
13” Deep (Installs to Rear of Lounge; 15” Deep (Installs to Top of Lounge
48”, 54”, 60”, 66”, or 72” Widths



LB Ottoman
Feet or Casters
18” Height; 24”, or 30” Widths

LB LOUNGE TABLES



LB Lounge Corner Table
18” Height, 24” Width, 30” Depth



LB Lounge Corner Table
18” Height, 30” Width, 30” Depth


CHATHAM COVE



Chatham Cove, 2-Sided
Left or Right, Configurable, Powered or Non-Powered
34”, 50”, or 58” Heights; 30” Wide



Chatham Cove, 3-Sided
Left or Right, Configurable, Powered or Non-Powered
34”, 50”, or 58” Heights; 30” Wide



Chatham Cove Insert
PET or Fabric, Powered or Non-Powered
50” or 58” Wide; 30” Deep

VOLKER CUBE



Standard Volker Cube
18” Height, 18” Width, 18” Depth



Four Volker Cubes
with Nesting Table
19 1/4” Height, 37 3/8” Width,
37 3/8” Depth

© 2026, AIS, Inc.

Product Details

AIS LOUNGE PRODUCT DETAILS

AIS lounge products are proudly made from high-quality, sustainably-sourced materials.

Durable, long-lasting construction is achieved in every facet of each product. Hand-crafted puzzle-joinery and water-based adhesives are integrated into the structural components. High-density foam cushions ensure extended comfort. Premium materials and hardware such as powder coated paint and diecast aluminum supports accentuate the sturdiness of the product line without sacrificing in aesthetics.

Thermally-fused laminate promises durability and strength, and speaks to the extended quality of these high traffic products such as LB Lounge, Prisma tables and lounge tablet arms. High-quality fasteners and intentionally sourced hardware ensure strong connections within the product construction of laminate lounge products.

Assembly

Minimal assembly is required with most AIS lounge products. Instructions for LB Lounge assembly can be found on the main website, www.ais-inc.com.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Finish Options

LOUNGE COLLECTION UPHOLSTERY APPLICATION GRID

GRADE A UPHOLSTERY

Name	Bryce	Chatham Cove	Chic	Hakr	Juggle	LB	NV	Soft	Volker
Durdle	•	•	•	•	•	•	•	•	•
Medley	•	•	•	•	N/A	•	•	N/A	•
Mirador	•	•	•	•	N/A	•	•	N/A	•
Terrain	•	•	•	•	•	•	•	•	•
Wellesley	•	•	•	•	•	•	•	•	•

GRADE B UPHOLSTERY

Name	Bryce	Chatham Cove	Chic	Hakr	Juggle	LB	NV	Soft	Volker
Apprentice (Stinson)	•	•	•	•	•	•	•	•	•
Beehave	•	•	•	•	•	•	•	•	•
Bobby® (Momentum)	•	•	•	•	N/A	•	•	N/A	•
Frock (alta)	•	•	•	•	•	•	•	•	•
Gem	•	•	•	•	•	•	•	•	•
Grid (Momentum)	•	•	•	•	N/A	•	•	N/A	•
Mirage (alta)	•	•	•	•	N/A	•	•	N/A	•
Stamper	•	•	•	•	N/A	•	•	N/A	•

GRADE C UPHOLSTERY

Name	Bryce	Chatham Cove	Chic	Hakr	Juggle	LB	NV	Soft	Volker
Canter EPU (Momentum)	•	•	•	•	N/A	•	•	N/A	•
Fedora (Mayer)	•	•	•	•	•	•	•	•	•
Havana (Mayer)	•	•	•	•	N/A	•	•	N/A	•
Odyssey (Momentum)	•	•	•	•	•	•	•	•	•
Lancaster (Mayer)	•	•	•	•	•	•	•	•	•
Sydney (Mayer)	•	•	•	•	•	•	•	•	•

GRADE D UPHOLSTERY

Name	Bryce	Chatham Cove	Chic	Hakr	Juggle	LB	NV	Soft	Volker
Blazer (Camira)	•	•	•	•	•	•	•	•	•
Boom II (Momentum)	•	•	•	•	•	•	•	•	•
Channel (Mayer)	•	•	•	•	N/A	•	•	N/A	•
Charlotte (Stinson)	•	•	•	•	N/A	•	•	N/A	•
Cover Cloth (Momentum)	•	•	•	•	•	•	•	•	•
Haven (Mayer)	•	•	•	•	•	•	•	•	•
Lateral (Stinson)	•	•	•	•	N/A	•	•	N/A	•
Legacy (Mayer)	•	•	•	•	•	•	•	•	•

GRADE E UPHOLSTERY

Name	Bryce	Chatham Cove	Chic	Hakr	Juggle	LB	NV	Soft	Volker
Beta (Momentum)	•	•	N/A	N/A	N/A	•	N/A	N/A	•
Faux Felt (Momentum)	•	•	•	•	•	•	•	•	•
Flanders (Stinson)	•	•	•	•	•	•	•	•	•
Hopsack (Stinson)	•	•	•	•	•	•	•	•	•
Outlander (Stinson)	•	•	•	•	•	•	•	•	•
Square One (Stinson)	•	•	•	•	•	•	•	•	•
Utopia (Mayer)	•	•	•	•	•	•	•	•	•

© 2026, AIS, Inc.

Finish Options

LOUNGE COLLECTION LEGS, TABLET ARMS, LEDGE AND TABLE MATERIALS APPLICATION GRID

LEGS								
Name	**Bryce**	**Chatham Cove**	**Chic**	**Hakr**	**Juggle**	**LB**	**NV**	**Soft**
Grade A Paints*	N/A	•	N/A	N/A	N/A	N/A	N/A	N/A
Black Paint	•	•	•	•	•	N/A	N/A	•
Silver Paint	•	•	•	•	•	•	•	•
White Paint	•	•	N/A	N/A	N/A	N/A	N/A	N/A
Wood: Almtoo Savatre	N/A	•	N/A	N/A	N/A	N/A	N/A	Upcharge
Wood: Field Elm	N/A	•	N/A	N/A	N/A	N/A	N/A	Upcharge
Wood: Trytoo Savatre	N/A	•	N/A	N/A	N/A	N/A	N/A	Upcharge

* Black, Chalk, Dark Tone, Grey Value 1, Innertone, Light Tone, Medium Tone, Metallic Silver, Satin White, Warm Brown

TABLET ARMS, LEDGE & TABLE LAMINATES						
Name	**Chic** Tables	**Hakr** Tablets, Tables & Ledge	**LB** Tables & Ledge	**NV** Tablet	**Prisma** Tables	**Volker** Tables
Absolute Acajou	•	•	•	•	•	•
Almtoo Savatre	•	•	•	•	•	•
Black	•	•	•	•	•	•
Brazilwood	•	•	•	•	•	•
Brite White Markerboard	N/A	N/A	N/A	N/A	N/A	•
Chalk	•	•	•	•	•	•
Corporate Walnut	•	•	•	•	•	•
Dark Rum Cherry	N/A	N/A	•	N/A	N/A	•
Field Elm	•	•	•	•	•	•
Grand Cherry	•	•	•	•	•	•
Grey Elm	•	•	•	•	•	•
Landmark	•	•	•	•	•	•
Leave Likatre	•	•	•	•	•	•
Linen	N/A	N/A	•	N/A	N/A	•
Looks Likatre	•	•	•	•	•	•
Maritime Dune	N/A	N/A	•	N/A	N/A	•
Midwest Maple	N/A	N/A	•	N/A	N/A	•
Neo Walnut	•	•	•	•	•	•
Phantom Ecru	•	•	•	•	•	•
Phantom Pearl	•	•	•	•	•	•
Storm	•	•	•	•	•	•
Summer Drops	N/A	N/A	•	N/A	N/A	•
True White	•	•	•	•	•	•
Tyroo Savatre	•	•	•	•	•	•
White Chocolate	N/A	N/A	•	N/A	N/A	•

Note: All AIS alta upholstery orders will have alta application as a standard feature. Alta enables virtually any textile to withstand the rigors of real life without leaving a mark. Alta improves repellency to oil and water based stains, is easy to clean and can enhance physical properties of the fibers. The technology is permanent and imperceptible to the eye and hand. To Clean: Blot with a dry towel. If residue remains, flush with warm water. Learn more at applied-textiles.com

At AIS, we take great pride in offering a diverse selection of high-quality materials including but not limited to textiles, laminates, PET, mesh, etc. However, AIS cannot guarantee uniformity in dye lots across different production runs. As such, AIS is not liable for any variations in dye lots or color discrepancies in any of our products that may occur between orders. We encourage customers to review samples for color and texture matching prior to purchase. We are committed to providing exceptional products and are confident that our selection of textiles will meet your expectations for both aesthetic appeal and durability.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Fabric Options

VERTICAL SURFACE FABRICS	
Name	**Grade**
Amaze	A
Avenue	A
Cape Cod	A
Engage	A
Mirador	A
New England	A
Rainfall	A
Simplicity	A
Theory	A
Twizzle	A
Lido	B
Marin	B
Nature	B
Off the Grid	B
Purpose	B
Spinel	B
Sprite	B

Note: 66” & 72” wide screens – if applying directional fabrics they will need to be railroaded for application. If using a COM fabric that is 54” wide, any screen over 48” wide would need to have the fabric railroaded as well.

C.O.M. Fabric Policy

- It is mandatory that you work directly with your AIS Customer Service Representative for all COM related testing and orders. They will provide all necessary forms to you, as well as work with you with regard to sending in correct yardage and where to send it, along with necessary RA# or #s. Please note an RA must be submitted along with the fabric for testing, as well as an RA created for an actual order.
- **Please Note:** A three to five yard sample is required for testing and approval for use on all monolithic panel systems. A one yard sample is required for testing and approval on Divi Insert Tiles, Matrix Tiles, flipper doors and tackboards. We may be able to test upholstery fabrics with a swatch, your Customer Service Representative will advise based on the fabric being tested; otherwise a 1 yard sample must be submitted for testing. Results take 48 - 72 hours.
- Customer Service must be advised as to the width of the fabric rolls being supplied (54”W or 60”W). Customer Service must also be advised if the fabric has a backer.
- Yardage required for the job must be calculated by an AIS Customer Service Rep.
- Once AIS has approved the COM fabric, a fabric sample needs to be marked by the dealer with “Front”, “Top”, and “Bottom”, to be sure fabric is applied correctly. The fabric sample then needs to be attached to a COM Fabric Dealer Form and forwarded to AIS Customer Service. The COM Fabric Dealer Form may be downloaded or printed here.
- Fabrics may be discontinued or obsolete without notice.
- Contact AIS Customer Service with any questions regarding fabric availability.
- All directional fabric will be railroaded.

Note: Graded-in AIS fabrics can not be purchased and applied as COM fabric. Graded-in fabrics must be specified according to the assigned grade and product respectively.

At AIS, we take great pride in offering a diverse selection of high-quality materials including but not limited to textiles, laminates, PET, mesh, etc. However, AIS cannot guarantee uniformity in dye lots across different production runs. As such, AIS is not liable for any variations in dye lots or color discrepancies in any of our products that may occur between orders. We encourage customers to review samples for color and texture matching prior to purchase. We are committed to providing exceptional products and are confident that our selection of textiles will meet your expectations for both aesthetic appeal and durability.

© 2026, AIS, Inc.

COM Yardage Requirements

Note:

Please check with Customer Service regarding yardage requirements when multiple chairs are ordered as there may be efficiencies when cutting materials for more than one chair. Fabrics may be discontinued or obsolete without notice. Contact AIS Customer Service with any questions regarding fabric availability. Trix requires a full yard C.O.M fabric testing.

LB LOUNGE SEATING COM FABRIC REQUIREMENTS

Series	Height	Widths	Surface	Yards per Cushion
Volker Cube	18	18	Top + Sides	2*
LB Ottoman	18	30	Top + Sides	3**
1-Seater	34	30	Back	1.25
1-Seater	34	30	Seat	1.25
2-Seater	34	36 - 60	Back	1.25
2-Seater	34	36 - 60	Seat	1.25
3-Seater	34	66 - 72	Back	1.25
3-Seater	34	66 - 72	Seat	1.25
1-Seater	42	30	Back	1.5
1-Seater	42	30	Seat	1.25
2-Seater	42	36 - 60	Back	1.5
2-Seater	42	36 - 60	Seat	1.25
3-Seater	42	66 - 72	Back	1.5
3-Seater	42	66 - 72	Seat	1.25
1-Seater	50	30	Back	1.75
1-Seater	50	30	Seat	1.25
2-Seater	50	36 - 60	Back	1.75
2-Seater	50	36 - 60	Seat	1.25
3-Seater	50	66 - 72	Back	1.75
3-Seater	50	66 - 72	Seat	1.25
Backless Unit	30	30 - 72	Seat	1.5
Corner Unit	34	30	Seat	1.25
Corner Unit	34	30	Back 1	1.25
Corner Unit	34	30	Back 2	1.25
Corner Unit	42	30	Seat	1.25
Corner Unit	42	30	Back 1	1.5
Corner Unit	42	30	Back 2	1.5
Corner Unit	50	30	Seat	1.25
Corner Unit	50	30	Back 1	1.75
Corner Unit	50	30	Back 2	1.75
Chatham Cove	34/50/58	42	Back	1.25
Chatham Cove	34/50/58	42	Seat	1.25

*Yards per Volker Cube
**Yards per LB Ottoman

Lounge Seating Fabric Calculation Example:
2-Seater (2 seats, 2 backs= 4 total cushions) requires 1.25 yards per each back cushion and 1.25 yards per each seat cushion. Total yardage needed 1.25x4 = 5 total yards.

COM Fabric Policy

- Please view all pre-approved COMs here: https://www.ais-inc.com/resources/fabrics-and-finishes/pre-approved-coms
- It is mandatory that you work directly with your AIS Customer Service Representative for all COM related testing and orders. They will provide all necessary forms to you, as well as work with you with regard to sending in correct yardage and where to send it, along with necessary SO# or #s. Please note an SO must be submitted along with the fabric for testing, as well as an SO created for an actual order.
- Customer Service must be advised as to the width of the fabric rolls being supplied (54"W or 60"W). Customer Service must also be advised if the fabric has a backer.
- Once AIS has approved the COM fabric, a fabric sample needs to be marked by the dealer with "Front", "Top", and "Bottom", to be sure fabric is applied correctly. The fabric sample then needs to be attached to a COM Fabric Dealer Form and forwarded to AIS Customer Service. The COM Fabric Dealer Form may be downloaded or printed here: https://dealernet.ais-inc.com/media/qykjn5yl/ais-com-form_final_2024.pdf
- Fabrics may be discontinued or obsolete without notice.
- Contact AIS Customer Service with any questions regarding fabric availability.
- All directional fabric will be railroaded.
- Yardage requirements posted in the price list are based on non-directional 54" materials. It is important to note that 54" wide rolls need to be 54" of usable material. Please refer to the following conversion chart to determine accurate yardage requirements when COM is 54" wide and has a repeat.
- These percentages are for estimating purposes only. AIS will not be held responsible for shortages on COM products. For assistance, please contact your AIS CSR.
- Please complete this form, found on our main website, and submit to your CSR when requesting COM for testing or for an order.
- To help us expedite your test results and/or your order, please send your AIS CSR tracking information. Please clearly mark all materials with the following: dealer's name, AIS SO#, model # and quantity of items to be covered. Failure to provide your SO# will result in a delay in processing your order.
- AIS reserves the right to reject any covering that is unsuitable for upholstering our products. Approval for COM fabrics on AIS products signifies that the material in question can be applied to the products the material was specifically tested for. This approval also does not act as a form of warranty for the material's appearance, durability or behavior on AIS products.
- AIS will not be responsible for wearing, fading, stretching or poor performance of any covering materials whether supplied by the buyer or by our sources. AIS cannot be responsible for dye lot variations, defects, color inaccuracies, or any other type of flaws. While AIS does inspect fabrics for mill imperfections, not all imperfections are perceptible.
- Excess COM yardage will not be stored or returned unless clearly indicated on the purchase order.

COM REPEAT YARDAGE CALCULATION*

Repeat	Across Roll	Up the Roll	2-Way Repeat
1-5"	Add 10%	Add 15%	Add 15%
6-9"	Add 15%	Add 20%	Add 25%
10-13"	Add 20%	Add 25%	Add 30%
14-20"	Add 25%	Add 30%	Add 35%
21-27"	Add 30%	Add 35%	Add 40%
28-34"	Add 35%	Add 40%	Add 45%

For fabrics 53-54" wide, add 10%.
For fabrics 51-52" wide, add 15%.
For fabrics 48-49" wide, add 18%.
For fabrics under 48" wide, contact Customer Service.

*Additional yardage may be required in the testing and manufacturing of COMs with optional backing. Consult with Customer Service for additional yardage information.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

COM Yardage Requirements for Non-Configurable Models

AIS LOUNGE COM YARDAGE REQUIREMENTS – NON-CONFIGURABLE (SINGLE TEXTILE)				
DESCRIPTION		YARDAGE		
Bryce		**Nonconfigurable**	**Seat**	**Screen**
L-BWR-INUP	Bryce Wire Lounge; Upholstered	1.00	-	-
Juggle				
LJ1	Juggle Chair, Cross Wire Base*	2.25	-	-
LJ2	Juggle chair, 4-leg swivel base, auto return*	2.25	-	-
LJ3	Juggle chair, 5-star swivel base on casters*	2.25	-	-
LJ4	Juggle chair, Sled Base*	2.25	-	-
* Minimum quantity of 10 Juggle chairs required when using COM fabric.				
Chic				
LCHC1	Chic club chair, metal legs	4.75	-	-
LCHC2	Chic 2-Seater, metal legs	6.00	-	-
LCHC3	Chic 3-Seater, metal legs	7.25	-	-
Hakr Mobile Lounge				
LHKRM	Hakr mobile lounge	5.00	-	-
LHKRMTR	Hakr mobile lounge, tablet RH	5.00	-	-
LHKRMTL	Hakr mobile lounge, tablet LH	5.00	-	-
Hakr Modular Lounge				
LHKR	Hakr Lounge Club Chair	5.00	-	-
LHKRMODNA	Hakr Modular Lounge, armless	3.50	-	-
LHKRMOD2NA50	Hakr Modular Lounge, 2-Seater, armless, 50"W	5.25	-	-
LHKRMOD2NA60	Hakr Modular Lounge, 2-Seater, armless, 60"W	6.25	-	-
LHKRMOD3NA	Hakr Modular Lounge, 3-Seater, armless	7.25	-	-
LHKRMODRH	Hakr Modular Lounge, Single Arm RH	4.75	-	-
LHKRMODLH	Hakr Modular Lounge, Single Arm, LH	4.75	-	-
LHKRMODCRNR	Hakr Modular Lounge, Corner, Square	5.25	-	-
LHKRMODCRNR60	Hakr Corner, Round, 60-degree	5.75	-	-
LHKRMODCRNR90	Hakr Corner, Round, 90-degree	5.25	-	-
Hakr Lounge with Ledge				
LHKRLL	Hakr Lounge w/ ledge	3.50	-	-
LHKRLL248	Hakr Lounge w/ Ledge 2-seater, 48"W	5.25	-	-
LHKRLL260	Hakr Lounge w/ Ledge 2-seater, 60"W	6.25	-	-
LHKRLL3	Hakr Lounge w/ Ledge 3-Seater	7.75	-	-
LHKRLLCRNR60	Hakr Lounge w/ Ledge, Round Corner, 60-degree	5.75	-	-
LHKRLLCRNR90	Hakr Lounge w/ Ledge, Round Corner, 90-degree	5.25	-	-
Hakr Privacy Lounge				
LHKRPL	Hakr Screen Lounge	-	3.50	2.00
LHKRPL248	Hakr Screen Lounge, 2-Seater, 48"W	-	5.25	3.25
LHKRPL260	Hakr Screen Lounge, 2-Seater, 60"W	-	6.25	4.00
LHKRPL3	Hakr Screen Lounge, 3-Seater	-	7.25	4.50

© 2026, AIS, Inc.

COM Yardage Requirements for Non-Configurable Models

AIS LOUNGE COM YARDAGE REQUIREMENTS – NON-CONFIGURABLE (SINGLE TEXTILE)				
DESCRIPTION		YARDAGE		
Hakr Partial Privacy Lounge		**Nonconfigurable**	**Seat**	**Screen**
LHKRPPL-LH	Hakr Partial Privacy Lounge,LH	-	3.50	4.00
LHKRPPL-RH	Hakr Partial Privacy Lounge,RH	-	3.50	4.00
LHKRPPL248-LH	Hakr Partial Privacy Lounge,2-Seater,48W,LH	-	5.25	5.00
LHKRPPL248-RH	Hakr Partial Privacy Lounge,2-Seater, 48W,RH	-	5.25	5.00
LHKRPPL260-LH	Hakr Partial Privacy Lounge,2-seater,60W,LH	-	6.25	5.75
LHKRPPL260-RH	Hakr Partial Privacy Lounge,2-seater,60W,RH	-	6.25	5.75
LHKRPPL3-LH	Hakr Partial Privacy Lounge,3-Seater, LH	-	7.25	6.50
LHKRPPL3-RH	Hakr Partial Privacy Lounge,3-Seater, RH	-	7.25	6.50
Hakr Full Privacy Lounge				
LHKRFPL	Hakr Full Screen Lounge	-	3.50	5.50
LHKRFPL248	Hakr Full Screen Lounge, 2-Seater, 48"W	-	5.25	7.00
LHKRFPL260	Hakr Full Screen Lounge, 2-seater, 60"W	-	6.25	7.75
LHKRFPL3	Hakr Full Screen Lounge, 3-Seater	-	7.25	8.50
Hakr Benches & Ottomans				
LHK18	Hakr Round Ottoman, 18 dia, Mobile	1.75	-	-
LHK24	Hakr Round Ottoman, 24 dia, Moblie	2.25	-	-
LHKB30	Hakr Bench, 30-degree	2.75	-	-
LHKB48	Hakr Bench, 48"	3.50	-	-
LHKB60	Hakr Bench, 60"	4.00	-	-
LHKB72	Hakr Bench, 72"	4.75	-	-
NV Lounge				
LNV1	NV Club Chair, metal legs	5.25	-	-
LNV1TR	NV Club Chair, metal legs, tablet RH	5.25	-	-
LNV1TL	NV Club Chair, metal legs, tablet LH	5.25	-	-
LNV2	NV 2-Seater, metal legs	7.00	-	-
LNV2TR	NV 2-Seater, metal legs, tablet RH	7.00	-	-
LNV2TL	NV 2-Seater, metal legs, tablet LH	7.00	-	-
LNV3	NV 3-Seater, metal legs	8.75	-	-
LNV3TR	NV 3-Seater, metal legs, tablet RH	8.75	-	-
LNV3TL	NV 3-Seater, metal legs, tablet LH	8.75	-	-
Soft Lounge				
LSOFT1	Soft Lounge Club Chair	5.25	-	-
LSOFT2	Soft Lounge 2-Seater	7.50	-	-
LSOFT3	Soft Lounge 3-Seater	8.75	-	-
Soft Mobile Lounge				
LSOFT1M	Soft Lounge Mobile Club Chair	5.25	-	-
LSOFT2M	Soft Lounge Mobile 2-Seater	7.50	-	-
LSOFT3M	Soft Lounge Mobile 3-Seater	8.75	-	-

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

COM Yardage Requirements for Non-Configurable Models

AIS LOUNGE COM YARDAGE REQUIREMENTS – NON-CONFIGURABLE (SINGLE TEXTILE)				
DESCRIPTION		YARDAGE		
Soft Modular Lounge		**Nonconfigurable**	**Seat**	**Screen**
LSOFTMOD	Soft Modular Lounge	4.50	-	-
LSOFTMOD2	Soft Modular Lounge, 2-seat	6.25	-	-
LSOFTMODRH	Soft Modular Lounge, Single Arm RH	5.25	-	-
LSOFTMODLH	Soft Modular Lounge, Single Arm LH	5.25	-	-
LSOFTCRNR	Soft Modular Lounge Corner	4.50	-	-
LSOFTCRNR90	Soft Modular Lounge Corner, 90-degree	7.00	-	-
LSOFTCRNR45	Soft Modular Lounge Corner, 45-degree	7.00	-	-
Soft Privacy Lounge				
LSOFTPL	Soft Privacy Lounge, armless	-	4.50	2.50
LSOFTPL2	Soft Privacy Lounge, Armless, 2-Seater	-	6.25	4.25
Soft Partial Privacy Lounge				
LSOFTPPL-LH	Soft Partial Privacy Lounge, LH	-	4.50	4.50
LSOFTPPL-RH	Soft Partial Privacy Lounge, RH	-	4.50	4.50
LSOFTPPL2-LH	Soft Partial Privacy Lounge, 2-Seater, LH	-	6.25	6.50
LSOFTPPL2-RH	Soft Partial Privacy Lounge, 2-Seater, RH	-	6.25	6.50
Soft Full Privacy Lounge				
LSOFTFPL	Soft Full Privacy Lounge	-	4.50	6.50
LSOFTFPL2	Soft Full Privacy Lounge, 2-Seater	-	6.25	8.50
Soft Benches & Ottomans				
LSOFT-B1	Soft Lounge Ottoman	4.00	-	-
LSOFT-B2	Soft Lounge 2-Seater Ottoman	5.75	-	-
LSOFT-B3	Soft Lounge 3-Seater Ottoman	7.25	-	-
LSOFT-R16	Soft Round Ottoman, 16"H	1.50	-	-
LSOFT-R18	Soft Round Mobile Ottoman, 18"H	1.50	-	-
Lounge Pillows				
LPLW1818	Lounge Pillow, 18” x 18”	0.75	-	-
LPLW2020	Lounge Pillow, 20” x 20”	0.75	-	-
LPLW1220	Lounge Pillow, 12” x 20”	0.50	-	-

© 2026, AIS, Inc.

COM Yardage Requirements for Configurable Models

AIS LOUNGE COM YARDAGE REQUIREMENTS – CONFIGURABLE (MULTI TEXTILES)				
DESCRIPTION		YARDAGE		
Chic		**Seat**	**Main**	**Screen**
LCHC1C	Chic club chair, metal legs, Configurable	1.75	4.00	-
LCHC2C	Chic 2-Seater, metal legs, Configurable	2.25	5.00	-
LCHC3C	Chic 3-Seater, metal legs, Configurable	2.75	6.00	-
Hakr Mobile Lounge				
LHKRC	Hakr Lounge Club Chair, Configurable	1.75	4.50	-
LHKRMODNAC	Hakr Modular Lounge, armless, Configurable	2.00	2.50	-
LHKRMOD2NA50C	Hakr Modular Lounge, 2-Seater, Armless, 50W, Configurable	2.50	3.75	-
LHKRMOD2NA60C	Hakr Modular Lounge, 2-Seater, Armless, 60W, Configurable	3.00	4.50	-
LHKRMOD3NAC	Hakr Modular Lounge, 3-Seater, Armless, Configurable	3.25	5.25	-
LHKRMODRHC	Hakr Modular Lounge, Single Arm RH, Configurable	2.00	3.75	-
LHKRMODLHC	Hakr Modular Lounge, Single Arm, LH, Configurable	2.00	3.75	-
LHKRMODCRNRC	Hakr Modular Lounge, Corner, Square, Configurable	1.75	4.75	-
LHKRMODCRNR60C	Hakr Corner, Round, 60-degree, Configurable	3.00	4.25	-
LHKRMODCRNR90C	Hakr Corner, Round, 90-degree, Configurable	2.75	4.25	-
Hakr Lounge with Ledge				
LHKRLLC	Hakr Lounge w/ ledge, Configurable	2.00	2.50	-
LHKRLL248C	Hakr Lounge w/ Ledge 2-seater, 48"W, Configurable	2.50	3.75	-
LHKRLL260C	Hakr Lounge w/ Ledge 2-seater, 60"W, Configurable	3.00	4.50	-
LHKRLL3C	Hakr Lounge w/ Ledge 3-Seater, Configurable	3.25	5.25	-
LHKRLLCRNR60C	Hakr Lounge w/ Ledge, Round Corner, 60-degree, Configurable	3.00	4.25	-
LHKRLLCRNR90C	Hakr Lounge w/ Ledge, Round Corner, 90-degree, Configurable	2.75	4.25	-
Hakr Privacy Lounge				
LHKRPLC	Hakr Screen Lounge, Configurable	2.00	2.50	2.25
LHKRPL248C	Hakr Screen Lounge, 2-Seater, 48"W, Configurable	2.50	3.75	3.50
LHKRPL260C	Hakr Screen Lounge, 2-Seater, 60"W, Configurable	3.00	4.50	4.00
LHKRPL3C	Hakr Screen Lounge, 3-Seater, Configurable	3.25	5.25	4.50
Hakr Partial Privacy Lounge				
LHKRPPLC-LH	Hakr Partial Privacy Lounge,LH,Configurable	2.00	2.50	4.00
LHKRPPLC-RH	Hakr Partial Privacy Lounge,RH,Configurable	2.00	2.50	4.00
LHKRPPL248C-LH	Hakr Partial Privacy Lounge,2-Seater,48W,LH,Configurable	2.50	3.75	5.00
LHKRPPL248C-RH	Hakr Partial Privacy Lounge,2-Seater,48W,RH,Configurable	2.50	3.75	5.00
LHKRPPL260C-LH	Hakr Partial Privacy Lounge,2-seater,60W,LH,Configurable	3.00	4.50	5.75
LHKRPPL260C-RH	Hakr Partial Privacy Lounge,2-seater,60W,RH,Configurable	3.00	4.50	5.75
LHKRPPL3C-LH	Hakr Partial Privacy Lounge,3-Seater,LH,Configurable	3.25	5.25	6.50
LHKRPPL3C-RH	Hakr Partial Privacy Lounge,3-Seater,RH,Configurable	3.25	5.25	6.50
Hakr Full Privacy Lounge				
LHKRFPLC	Hakr Full Privacy Lounge, Configurable	2.00	2.50	5.75
LHKRFPL248C	Hakr Full Privacy Lounge, 2-Seater, 48"W, Configurable	2.50	3.75	7.00
LHKRFPL260C	Hakr Full Privacy Lounge, 2-seater, 60"W, Configurable	3.00	4.50	7.75
LHKRFPL3C	Hakr Full Privacy Lounge, 3-Seater, Configurable	3.25	5.25	8.50

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

COM Yardage Requirements for Configurable Models

AIS LOUNGE COM YARDAGE REQUIREMENTS – CONFIGURABLE (MULTI TEXTILES)				
DESCRIPTION		YARDAGE		
NV Lounge		**Seat**	**Main**	**Screen**
LNV1C	NV Club Chair, metal legs, configurable	1.50	4.50	-
LNV1TRC	NV Club Chair, metal legs, tablet RH, configurable	1.50	4.50	-
LNV1TLC	NV Club Chair, metal legs, tablet LH, configurable	1.50	4.50	-
LNV2C	NV 2-Seater, metal legs, Configurable	2.50	5.50	-
LNV2TRC	NV 2-Seater, metal legs, tablet RH, Configurable	2.50	5.50	-
LNV2TLC	NV 2-Seater, metal legs, tablet LH, Configurable	2.50	5.50	-
LNV3C	NV 3-Seater, metal legs, Configurable	3.25	6.75	-
LNV3TRC	NV 3-Seater, metal legs, tablet RH, Configurable	3.25	6.75	-
LNV3TLC	NV 3-Seater, metal legs, tablet LH, Configurable	3.25	6.75	-
Soft Lounge				
LSOFT1C	Soft Lounge Club Chair, Configurable	1.75	4.75	-
LSOFT2C	Soft Lounge 2-Seater, Configurable	3.50	6.00	-
LSOFT3C	Soft Lounge 3-Seater, Configurable	4.50	7.00	-
Soft Mobile Lounge				
LSOFT1MC	Soft Lounge Mobile Club Chair, Configurable	1.75	4.75	-
LSOFT2MC	Soft Lounge Mobile 2-Seater, Configurable	3.50	6.00	-
LSOFT3MC	Soft Lounge Mobile 3-Seater, Configurable	4.50	7.00	-

Note: Yardage requirements for configurable (multi-textile) models may differ from that of non-configurable (single textile) models. When cutting fabric for non-configurable (single textile) lounge, the fabric is nested and optimized to achieve the highest yield from the fabric roll. Two-toned configurable (multi-textile) models specified with multiple fabrics require each fabric be cut separately, eliminating the efficiencies created with optimization achieved with a single fabric, thereby requiring more yardage.


© 2026, AIS, Inc.

Laminate Woodgrain Direction

HAKR LOUNGE



Hakr Connecting Table



Hakr Square Table

CHATHAM COVE LOUNGE



Chatham Cove 34”H,
3-Sided Right



Chatham Cove 58”H,
2-Sided Left


CHIC LOUNGE



Chic Side Table



Chic 2-Seater Table




Chic 3-Seater Table

LB LOUNGE



LB Lounge Solid Base 3-Seater




LB Lounge Right Corner
Solid Base

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

Configurable Model Diagrams


LOUNGE



LCHC1C
Club Chair




LNV1
Club Chair




LHKR
Club Chair




LHKRMODNA
Armless Lounge



LHKRPL
Privacy Lounge



LHKRFPL
Full Privacy Lounge



LSOFT1
Club Chair

© 2026, AIS, Inc.

Bryce Lounge

BRYCE WIRE LOUNGE PRODUCT INFORMATION

The Bryce upholstered wire lounge chair brings an eye-catching, sleek deisgn to open spaces. With a spacious seat and reclined back supported by a slim steel frame, Bryce provides relaxed comfort that will keep the conversations going.



Bryce Wire Lounge

FEATURES AND BENEFITS

- High density foam seat and back cushion.
- Steel frame available in black, silver, and white.
- High impact clear plastic glide with non-marring felt pad.
- Choose from the AIS standard upholsteries including Alliance upholsteries and polyurethane for easy cleaning.

SPECIFY

- Upholstery selection
- Frame paint color selection

PRODUCT SPECIFICATIONS

Model	Weight (lbs)	Height (Inches)	Width (Inches)	Depth (Inches)	Seat Height (Inches)	Seat Width (Inches)	Seat Depth (Inches)
Bryce Wire Lounge	43	30.5	26.6	29.2	17	24.7	22.3

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Bryce Lounge

BRYCE WIRE LOUNGE MODELS AND OPTIONS



L-BWR-INUP
Wire Lounge
W 29.4” | D 27.1” | H 29.3”
SW 24.7” | SD 22.3” | SH 17.2”

NON-CONFIGURABLE (SINGLE TEXTILE) WIRE LOUNGE

Model Number	Description	Grade A Upholstery / COM	Grade B / alta Upholstery	Grade C Upholstery	Grade D Upholstery	Grade E Upholstery
L-BWR-INUP	Bryce Wire Lounge	1,787	+76	+112	+146	+177

© 2026, AIS, Inc.

Chic Lounge

CHIC LOUNGE PRODUCT INFORMATION

The Chic lounge collection features a classic silhouette and reserved design that elevates the look and feel of any space. Generous cushions offer exceptional comfort while the sleek profile of the metal legs offer a modern, bold statement. Bring refinement into any environment with the introduction of Chic.



Chic Club Chair



Chic 2-Seater



Chic 3-Seater

FEATURES AND BENEFITS

- High-density, fixed foam cushions for extended support and comfort.
- Puzzle joinery frame in sustainably sourced hardwood ensures strength and longevity.
- Diecast aluminum legs measuring 8.5”H available in silver and black.
- Legs ship unassembled.

SPECIFY

- Upholstery selection
- Configurable models include fabric selection for seat and separate fabric selection for the main
- Leg paint color selection: black or silver

PRODUCT SPECIFICATIONS

Model	Weight (lbs)	Width (Inches)	Depth (Inches)	Height (Inches)	Seat Height (Inches)	Seat Width (Inches)	Seat Depth (Inches)	Arm Height (floor to top of arm, in inches)	Arm Height (top of seat to top of arm, in inches)
Chic Club	65	33	30.5	29	19	21.5	21	28.25	9.75
Chic 2-Seater	90	53	30.5	29	19	42	21	28.25	9.75
Chic 3-Seater	110	73	30.5	29	19	61.5	21	28.25	9.75

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Chic Lounge

CHIC LOUNGE MODELS AND OPTIONS



LCHC1C
Club Chair
W 33” | D 30.5” | H 29”
SW 21.5” | SD 21” | SH 19”



LCHC2C
2-Seater
W 53” | D 30.5” | H 29”
SW 41” | SD 21” | SH 19”



LCHC3C
3-Seater
W 73” | D 30.5” | H 29”
SW 61.5” | SD 21” | SH 19”

NON-CONFIGURABLE (SINGLE TEXTILE) CHIC LOUNGE

Model Number	Description	Grade A Upholstery / COM	Grade B Upholstery	Grade C Upholstery	Grade D Upholstery	Grade E Upholstery
LCHC1	Chic club chair, metal legs	2,222	+323	+471	+615	+747
LCHC2	Chic 2-Seater, metal legs	2,913	+408	+595	+777	+943
LCHC3	Chic 3-Seater, metal legs	3,636	+476	+694	+907	+1,100

CONFIGURABLE (MULTI TEXTILES) CHIC LOUNGE

			Grade B Upholstery		Grade C Upholstery		Grade D Upholstery		Grade E Upholstery	
Model Number	Description	Grade A Upholstery / COM	Seat	Main	Seat	Main	Seat	Main	Seat	Main
LCHC1C	Chic club chair, metal legs, Configurable	2,288	+97	+226	+141	+330	+185	+431	+224	+523
LCHC2C	Chic 2-Seater, metal legs, Configurable	2,980	+122	+285	+179	+417	+233	+544	+283	+660
LCHC3C	Chic 3-Seater, metal legs, Configurable	3,703	+143	+333	+208	+486	+272	+635	+330	+770

© 2026, AIS, Inc.

Chic Tables

CHIC TABLES PRODUCT INFORMATION

The Chic table collection pairs perfectly with the Chic lounge design, sharing the same sleek metal leg profile and available in a wide variety of warm woodgrains to soften any space. Three different sizes complement the footprint of the lounge while offering adequate space to comfortably work or relax with ease.



Chic Side Table



Chic 2-Seater Table



Chic 3-Seater Table

FEATURES AND BENEFITS

- Sustainably sourced hardwood frame.
- Diecast aluminum 8.5”H legs available in silver and black.
- Tables are available in a variety of Grade A laminates.
- See Lounge Finish Options for more information.
- Legs ship unassembled.

SPECIFY

- Laminate selection
- Leg paint color selection: black or silver

PRODUCT SPECIFICATIONS

Model	Weight (lbs)	Height (Inches)	Width (Inches)	Depth (Inches)
Chic Side Table	25	20	21	13
Chic 2-Seater Table	40	16	42	21
Chic 3-Seater Table	60	16	62	21

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Chic Tables

CHIC TABLES MODELS AND OPTIONS



TL-CHCTB
Side Table
W 21” | D 13” | H 20”



TL-CHCTB2
2-Seater Table
W 42” | D 21” | H 16”



TL-CHCTB3
3-Seater Table
W 62” | D 21” | H 16”

CHIC LOUNGE TABLES

Model Number	Description	List Price
TL-CHCTB	Chic Side table	1,980
TL-CHCTB2	Chic 2-Seater table	2,671
TL-CHCTB3	Chic 3-Seater table	3,054

© 2026, AIS, Inc.

Juggle Seating

JUGGLE SEATING PRODUCT INFORMATION

The Juggle line is a welcoming and highly versatile seating solution, featuring a fully-upholstered, contoured one-piece seat that supports a variety of working positions. From the conference room to the private office, Juggle is highly multi-functional with four bases: cross wire, sled, four-leg auto return swivel, and five-star swivel base on casters. Subtle, quality-inspired details such as a single tuft line across the back and fully-upholstered arms promise maximum comfort to support any task.



Juggle 5-Star Base



Juggle Cross Wire Base



Juggle 4-Leg Swivel Base, with auto return



Juggle Sled Base

FEATURES AND BENEFITS

- Body contouring fully-upholstered seat with high-density foam for extended comfort.
- 300 pound rating.
- CAL117 compliant.
- Ships fully assembled.
- 50mm non-locking casters with durometer of 85HA.
- Internal metal frame encased in molded foam ensures strength and longevity.
- Three base options available in black or silver.
- Minimum order quantity of 10 required if using COM fabric.
- Glides for cross wire and sled base not recommended for delicate flooring.

SPECIFY

- Upholstery selection
- Leg/base paint color selection: black or silver

PRODUCT SPECIFICATIONS

Model	Weight (lbs)	Width (Inches)	Depth (Inches)	Height (Inches)	Seat Height (Inches)	Seat Width (Inches)	Seat Depth (Inches)	Arm Height (floor to top of arm, in inches)	Arm Height (top of seat to top of arm, in inches)
Juggle Seating	27	23	26	32	18.5	19	17.5	25	7.25

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Juggle Seating

JUGGLE SEATING MODELS AND OPTIONS



LJ1
Cross Wire Base
W 23” | D 26” | H 32”
SW 19” | SD 17.5” | SH 18.5”



LJ2
4-Leg Swivel Base
W 23” | D 26” | H 32”
SW 19” | SD 17.5” | SH 18.5”



LJ3
5-Star Swivel Base on Casters
W 23” | D 26” | H 32”
SW 19” | SD 17.5” | SH 18.5”



LJ4
Sled Base
W 23” | D 26” | H 32”
SW 19” | SD 17.5” | SH 18.5”

JUGGLE CHAIRS

Model Number	Description	Grade A Upholstery / COM	Grade B / alta Upholstery	Grade C Upholstery	Grade D Upholstery	Grade E Upholstery
LJ1	Juggle Chair, cross wire base	1,482	+153	+223	+291	+354
LJ2	Juggle Chair, 4-leg swivel base, auto return	1,524	+153	+223	+291	+354
LJ3	Juggle Chair, 5-star swivel base on casters	1,627	+153	+223	+291	+354
LJ4	Juggle Chair, sled base	1,482	+153	+223	+291	+354

© 2026, AIS, Inc.

Hakr Mobile Lounge

HAKR MOBILE LOUNGE PRODUCT INFORMATION

Hakr's straightforward design with clean lines and sculpted profile offers lasting comfort. Unobtrusive casters allow you to move where your work takes you, and the tablet arm feature promotes productivity without sacrificing aesthetics. From the café to collaborative spaces, Hakr brings comfort to work.



Hakr Mobile Lounge



Hakr Mobile Lounge with Tablet Arm
(right hand tablet shown)

FEATURES AND BENEFITS

- High-density, fixed foam cushions for extended support and comfort.
- Puzzle joinery frame in sustainably sourced hardwood ensures strength and longevity.
- Tablet arm measures 10"W at the widest part and 16"L, and sits 2.44" above the chair arm.
- 300 pound rating.
- CAL117 compliant.
- Ships fully assembled. Optional tablet arms ship separately.
- 50mm casters; front 2 casters are non-locking, rear 2 casters are locking.
- Optional tablet arm.

SPECIFY

- Upholstery selection (configurable models include fabric selection for seat and separate fabric selection for surround)
- Laminate selection (tablet models only)

PRODUCT SPECIFICATIONS

Model	Weight (lbs)	Height (Inches)	Width (Inches)	Depth (Inches)	Seat Height (Inches)	Seat Width (Inches)	Seat Depth (Inches)	Arm Height (floor to top of arm, in inches)	Arm Height (top of seat to top of arm, in inches)
Hakr Mobile Lounge	65	31	32.5	30	17	21	21	24	7.5
Hakr Mobile Lounge, Right Arm Tablet	65	31	32.5	30	17	21	21	24	7.5
Hakr Mobile Lounge, Left Arm Tablet	65	31	32.5	30	17	21	21	24	7.5

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Hakr Mobile Lounge

HAKR MOBILE LOUNGE MODELS AND OPTIONS



LHKRM
Mobile Lounge
W 32.5” | D 30” | H 31”
SW 21” | SD 21” | SH 17”



LHKRMTR
Mobile Lounge, Right Tablet
W 32.5” | D 30” | H 31”
SW 21” | SD 21” | SH 17”



LHKRMTL
Mobile Lounge, Left Tablet
W 32.5” | D 30” | H 31”
SW 21” | SD 21” | SH 17”

NON-CONFIGURABLE (SINGLE TEXTILE) HAKR MOBILE LOUNGE

Model Number	Description	Grade A Upholstery / COM	Grade B / alta Upholstery	Grade C Upholstery	Grade D Upholstery	Grade E Upholstery
LHKRM	Hakr Mobile Lounge	1,882	+323	+471	+615	+747
LHKRMTR	Hakr Mobile Lounge, Tablet RH	2,646	+323	+471	+615	+747
LHKRMTL	Hakr Mobile Lounge, Tablet LH	2,646	+323	+471	+615	+747

CONFIGURABLE (MULTI TEXTILES) HAKR MOBILE LOUNGE

			Grade B/alta Upholstery		Grade C Upholstery		Grade D Upholstery		Grade E Upholstery	
Model Number	Description	Grade A Upholstery / COM	Seat	Main	Seat	Main	Seat	Main	Seat	Main
LHKRMC	Hakr Mobile Lounge, Configurable	1,949	+97	+226	+141	+330	+185	+431	+224	+523
LHKRMTRC	Hakr Mobile Lounge, Tablet RH, Configurable	2,714	+97	+226	+141	+330	+185	+431	+224	+523
LHKRMTLC	Hakr Mobile Lounge, Tablet LH, Configurable	2,714	+97	+226	+141	+330	+185	+431	+224	+523

© 2026, AIS, Inc.

Hakr Modular Lounge

HAKR MODULAR LOUNGE PRODUCT INFORMATION

The Hakr Modular Lounge line shares the same clean lines and straightforward design as the Hakr Mobile Lounge, ensuring lasting comfort. Featuring a combination of shapes and sizes, including rounded corners in 60- and 90-degree curves, Hakr Modular Lounge create linear or organic configurations to promote collaboration and connection. Lounge, meet Hakr.



Hakr Modular Lounge

FEATURES AND BENEFITS

- High-density, fixed foam cushions for extended support and comfort.
- Puzzle joinery frame in sustainably sourced hardwood ensures strength and longevity.
- Steel feet provide durability.
- 300 pound rating.
- CAL117 compliant.
- Ships fully assembled.
- Ganging clips included.*

SPECIFY

- Upholstery selection
- Configurable models include fabric selection for seat and separate fabric selection for the main
- Leg paint color selection: black or silver

PRODUCT SPECIFICATIONS

Model	Weight (lbs)	Height (Inches)	Width (Inches)	Depth (Inches)	Seat Height (Inches)	Seat Width (Inches)	Seat Depth (Inches)	Arm Height (floor to top of arm, in inches)	Arm Height (top of seat to top of arm, in inches)
Hakr Lounge Club Chair*	65	31	32.5	30	17	21	21	24	7.5
Hakr Modular Lounge, Armless	45	31	26.5	30	17	26.5	21	N/A	N/A
Hakr Modular Lounge, 2-Seater, Armless, 50”W	55	31	48.5	30	17	48.5	21	N/A	N/A
Hakr Modular Lounge, 2-Seater, Armless, 60”W	65	31	60.5	30	17	60.5	21	N/A	N/A
Hakr Modular Lounge, 3-Seater, Armless	75	31	72.5	30	17	72.5	21	N/A	N/A
Hakr Modular Lounge, Single Arm, Right Hand	55	31	30	30	17	24	21	24	7.5
Hakr Modular Lounge, Single Arm, Left Hand	55	31	30	30	17	24	21	24	7.5
Hakr Modular Lounge, Corner, Square	55	31	30	30	17	21	21	24	7.5
Hakr Corner, Round, 60 degree	80	31	55.5	33.5	17	46.5	21	N/A	N/A
Hakr Corner, Round, 90 degree	65	31	52	32	17	40	21	N/A	N/A

**Ganging clips not included on Hakr Lounge Club Chairs.*

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Hakr Modular Lounge

HAKR MODULAR LOUNGE MODELS AND OPTIONS



LHKR*
Club Chair
W 32.5” | D 30” | H 31”
SW 21” | SD 21” | SH 17”



LHKRMODNA
Armless Lounge
W 26.5” | D 30” | H 31”
SW 26.5” | SD 21” | SH 17”



LHKRMOD2NA50
Modular Lounge, 2-Seater (50”)
W 48.5” | D 30” | H 31”
SW 48.5” | SD 21” | SH 17”



LHKRMOD2NA60
Modular Lounge, 2-Seater (60”)
W 60.5” | D 30” | H 31”
SW 60.5” | SD 21” | SH 17”



LHKRMOD3NA
Modular Lounge, 3-Seater
W 72.5” | D 30” | H 31”
SW 72.5” | SD 21” | SH 17”



LHKRMODLH
Single Arm Lounge, Left Hand
W 30” | D 30” | H 31”
SW 24” | SD 21” | SH 17”



LHKRMODRH
Single Arm Lounge, Right Hand
W 30” | D 30” | H 31”
SW 24” | SD 21” | SH 17”



LHKRMODCRNR
Corner Lounge
W 30” | D 30” | H 31”
SW 21” | SD 21” | SH 17”



LHKRMODCRNR60
Corner Round 60”
W 55.5” | D 33.5” | H 31”
SW 46.5” | SD 21” | SH 17”



LHKRMODCRNR90
Corner Round 90”
W 52” | D 32” | H 31”
SW 40” | SD 21” | SH 17”

NON-CONFIGURABLE (SINGLE TEXTILE) HAKR MODULAR LOUNGE

Model Number	Description	Grade A Upholstery / COM	Grade B / alta Upholstery	Grade C Upholstery	Grade D Upholstery	Grade E Upholstery
LHKR*	Hakr Lounge Club Chair	1,980	+323	+471	+615	+747
LHKRMODNA	Hakr Modular Lounge, Armless	1,519	+238	+347	+453	+550
LHKRMOD2NA50	Hakr Modular Lounge, 2-Seater, Armless, 50”W	2,306	+357	+521	+680	+825
LHKRMOD2NA60	Hakr Modular Lounge, 2-Seater, Armless, 60”W	2,732	+425	+620	+810	+983
LHKRMOD3NA	Hakr Modular Lounge, 3-Seater, Armless	3,005	+493	+719	+939	+1,140
LHKRMODRH	Hakr Modular Lounge, Single Arm, RH	1,898	+306	+446	+583	+707
LHKRMODLH	Hakr Modular Lounge, Single Arm, LH	1,898	+306	+446	+583	+707
LHKRMODCRNR	Hakr Modular Lounge, Corner, Square	2,126	+357	+521	+680	+825
LHKRMODCRNR60	Hakr Corner, Round, 60 degree	2,791	+391	+570	+745	+904
LHKRMODCRNR90	Hakr Corner, Round, 90 degree	2,611	+357	+521	+680	+825

**Ganging clips not included on Hakr Lounge Club Chairs.*

© 2026, AIS, Inc.

Hakr Modular Lounge

CONFIGURABLE (MULTI TEXTILES) HAKR MODULAR LOUNGE

Model Number	Description	Grade A Upholstery / COM	Grade B/alta Upholstery		Grade C Upholstery		Grade D Upholstery		Grade E Upholstery	
			Seat	Main	Seat	Main	Seat	Main	Seat	Main
LHKRC*	Hakr Lounge Club Chair, Configurable	2,046	+129	+194	+188	+283	+246	+369	+299	+448
LHKRMODNAC	Hakr Modular Lounge, Armless, Configurable	1,585	+95	+143	+139	+208	+181	+272	+220	+330
LHKRMOD2NA50C	Hakr Modular Lounge, 2-Seater, Armless, 50”W, Configurable	2,373	+143	+214	+208	+312	+272	+408	+330	+495
LHKRMOD2NA60C	Hakr Modular Lounge, 2-Seater, Armless, 60”W, Configurable	2,799	+170	+255	+248	+372	+324	+486	+393	+590
LHKRMOD3NAC	Hakr Modular Lounge, 3-Seater, Armless, Configurable	3,072	+197	+296	+288	+431	+376	+564	+456	+684
LHKRMODRHC	Hakr Modular Lounge, Single Arm, RH, Configurable	1,965	+122	+184	+179	+268	+233	+350	+283	+424
LHKRMODLHC	Hakr Modular Lounge, Single Arm, LH, Configurable	1,965	+122	+184	+179	+268	+233	+350	+283	+424
LHKRMODCRNRC	Hakr Modular Lounge, Corner, Square, Configurable	2,193	+143	+214	+208	+312	+272	+408	+330	+495
LHKRMODCRNR60C	Hakr Corner, Round, 60 degree, Configurable	2,859	+156	+234	+228	+342	+298	+447	+362	+542
LHKRMODCRNR90C	Hakr Corner, Round, 90 degree, Configurable	2,677	+143	+214	+208	+312	+272	+408	+330	+495

**Ganging clips not included on Hakr Lounge Club Chairs.*

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Hakr Modular Lounge Tables

HAKR MODULAR LOUNGE TABLES PRODUCT INFORMATION

Hakr modular lounge tables add the finishing touch to any modular lounge application. Allow the lounge furniture to work for you by integrating useful surface space with either the connecting or square tables. Hakr tables can be used in freestanding applications, but also conveniently include preinstalled ganging brackets for simple installation and reconfiguration when ganging to Hakr Modular Lounge pieces.



Club Chairs with Connecting Table



Square Table

FEATURES AND BENEFITS

- Sustainably sourced hardwood frame.
- Durable steel legs available in Silver and Black.
- Tables are available in a variety of Grade A laminates.
- See Lounge Finish Options for more information.
- Ships fully assembled.
- Ganging clips included on both Connecting Table and Square Table for use when ganging to Hakr Modular Lounge.*

SPECIFY

- Laminate selection
- Leg paint color selection: black or silver

PRODUCT SPECIFICATIONS

Model	Weight (lbs)	Height (Inches)	Width (Inches)	Depth (Inches)
Hakr Connecting Table	25	15	14	29.5
Hakr Square Table	40	24	24	24

**Ganging clips not included on Hakr Lounge Club Chairs.*


© 2026, AIS, Inc.

Hakr Modular Lounge Tables

HAKR MODULAR LOUNGE TABLES MODELS AND OPTIONS



TL-HKRTBL
Connecting Table
W 14” | D 29.5” | H 15”



TL-HKRTBLSQR
Square Table
W 24” | D 24” | H 15”

HAKR MODULAR LOUNGE TABLES

Model Number	Description	List Price
TL-HKRTBL	Hakr Connecting Table	1,900
TL-HKRTBLSQR	Hakr Square Table	2,174

**Ganging clips not included on Hakr Lounge Club Chairs.*

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Hakr Lounge with Ledge

HAKR LOUNGE WITH LEDGE PRODUCT INFORMATION

Hakr ledge takes the clean lines and sculpted profile of the Hakr lounge, and integrates a functional laminate ledge to enable collaboration and togetherness. The Hakr Modular lounge line features a combination of shapes and sizes, including rounded corners that create more organic configurations to support fellowship and connection. Take the lead with ledge.





Hakr Lounge with Ledge

FEATURES AND BENEFITS

- High-density, fixed foam cushions for extended support and comfort.
- Puzzle joinery frame in sustainably sourced hardwood ensures strength and longevity.
- Steel feet provide durability.
- 300 pound rating.
- CAL117 compliant.
- Ships fully assembled.
- Ledge field-installation required. Hardware included.
- Laminate ledge is 12”D and 1” thick, and sits at a comfortable working height of 29”.
- Weight limit on ledge is 100lbs.
- Ganging clips included.

SPECIFY

- Upholstery selection (configurable models include fabric selection for seat and separate fabric selection for surround)
- Laminate selection for ledge
- Leg paint color selection: black or silver

PRODUCT SPECIFICATIONS

Model	Weight (lbs)	Height (Inches)	Width (Inches)	Depth (Inches)	Seat Height (Inches)	Seat Width (Inches)	Seat Depth (Inches)
Hakr Lounge w/Ledge	65	31	26.5	42.5	17	26.5	21
Hakr Lounge w/Ledge, 2-Seater, 48”W	75	31	48.5	42.5	17	48.5	21
Hakr Lounge w/Ledge, 2-Seater, 60”W	90	31	60.5	42.5	17	60.5	21
Hakr Lounge w/Ledge, 3-Seater	110	31	72.5	42.5	17	72.5	21
Hakr Lounge w/Ledge, Round Corner, 60 degree	110	31	65.5	45.5	17	46.5	21
Hakr Lounge w/Ledge, Round Corner, 90 degree	100	31	67	44	17	40	21

© 2026, AIS, Inc.

Hakr Lounge with Ledge

HAKR LOUNGE WITH LEDGE MODELS AND OPTIONS



LHKRLL
Armless Lounge with Ledge
W 26.5” | D 42.5” | H 31”
SW 26.5” | SD 21” | SH 17”



LHKRLL248
2-Seater (48”) with Ledge
W 48.5” | D 42.5” | H 31”
SW 48.5” | SD 21” | SH 17”



LHKRLL260
2-Seater (60”) with Ledge
W 60.5” | D 42.5” | H 31”
SW 60.5” | SD 21” | SH 17”



LHKRLL3
3-Seater with Ledge
W 72.5” | D 42.5” | H 31”
SW 72.5” | SD 21” | SH 17”



LHKRLLCRNR60
Corner Round 60” with Ledge
W 66” | D 46” | H 31”
SW 46.5” | SD 21” | SH 17”



LHKRLLCRNR90
Corner Round 90” with Ledge
W 67” | D 44” | H 31”
SW 46.5” | SD 21” | SH 17”

NON-CONFIGURABLE (SINGLE TEXTILE) HAKR MODULAR LOUNGE

Model Number	Description	Grade A Upholstery / COM	Grade B / alta Upholstery	Grade C Upholstery	Grade D Upholstery	Grade E Upholstery
LHKRLL	Hakr Lounge w/Ledge	2,505	+204	+298	+389	+472
LHKRLL248	Hakr Lounge w/Ledge, 2-Seater, 48”W	3,921	+323	+471	+615	+747
LHKRLL260	Hakr Lounge w/Ledge, 2-Seater, 60”W	4,234	+391	+570	+745	+904
LHKRLL3	Hakr Lounge w/Ledge, 3-Seater	4,506	+527	+769	+1,004	+1,218
LHKRLLCRNR60	Hakr Lounge w/Ledge, Round Corner, 60 degree	4,188	+374	+546	+713	+865
LHKRLLCRNR90	Hakr Lounge w/Ledge, Round Corner, 90 degree	4,127	+340	+496	+648	+786

CONFIGURABLE (MULTI TEXTILES) HAKR MODULAR LOUNGE

			Grade B/alta Upholstery		Grade C Upholstery		Grade D Upholstery		Grade E Upholstery	
Model Number	Description	Grade A Upholstery / COM	Seat	Remainder	Seat	Remainder	Seat	Remainder	Seat	Remainder
LHKRLLC	Hakr Lounge w/Ledge, Configurable	2,572	+82	+122	+119	+179	+155	+233	+189	+283
LHKRLL248C	Hakr Lounge w/Ledge, 2-Seater, 48”W, Configurable	3,987	+129	+194	+188	+283	+246	+369	+299	+448
LHKRLL260C	Hakr Lounge w/Ledge, 2-Seater, 60”W, Configurable	4,301	+156	+234	+228	+342	+298	+447	+362	+542
LHKRLL3C	Hakr Lounge w/Ledge, 3-Seater, Configurable	4,573	+211	+316	+307	+461	+402	+602	+487	+731
LHKRLLCRNR60C	Hakr Lounge w/Ledge, Round Corner, 60 degree, Configurable	4,255	+150	+224	+218	+327	+285	+428	+346	+519
LHKRLLCRNR90C	Hakr Lounge w/Ledge, Round Corner, 90 degree, Configurable	4,193	+136	+204	+198	+298	+259	+389	+314	+472

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Hakr Privacy Lounge

HAKR PRIVACY LOUNGE PRODUCT INFORMATION

Hakr Privacy Lounge integrates the clean lines and sculpted profile of the Hakr lounge into an inviting space for privacy and focus. Offered in multiple sizes, including single seats, 2-seater and 3-seater, equipped with either privacy panels or full privacy surrounds, the privacy lounge is a versatile addition to the Hakr line. Encourage quiet collaborative spaces or areas of respite and peace.



Hakr Privacy Lounge



Hakr Privacy Lounge, 2-Seater



Hakr Privacy Lounge, 3-Seater

FEATURES AND BENEFITS

- High-density, fixed foam cushions for extended support and comfort.
- Puzzle joinery frame in sustainably sourced hardwood ensures strength and longevity.
- Steel feet provide durability.
- 300 pound rating.
- CAL117 compliant.
- Ships fully assembled.

SPECIFY

- Upholstery selection for seat/back and screen/surround
- Configurable models include separate fabric selections for seat, back and surround
- Leg paint color selection: black or silver

PRODUCT SPECIFICATIONS

Model	Weight (lbs)	Height (Inches)	Width (Inches)	Depth (Inches)	Seat Height (Inches)	Seat Back Height (Inches)	Seat Width (Inches)	Seat Depth (Inches)	Screen Height (Inches)
Hakr Privacy Lounge	65	48.5	26.5	31	17	31	26.5	21	48.5
Hakr Privacy Lounge, 2-Seater, 48”W	75	48.5	48.5	31	17	31	48.5	21	48.5
Hakr Privacy Lounge, 2-Seater, 60”W	90	48.5	60.5	31	17	31	60.5	21	48.5
Hakr Privacy Lounge, 3-Seater	100	48.5	72.5	31	17	31	72.5	21	48.5

© 2026, AIS, Inc.

Hakr Privacy Lounge

HAKR PRIVACY LOUNGE MODELS AND OPTIONS



LHKRPL
Privacy Lounge
W 26.5” | D 31” | H 48.5”
SW 26.5” | SD 21” | SH 17”



LHKRPL248
2-Seater (48”) Privacy Lounge
W 48.5” | D 31” | H 48.5”
SW 48.5” | SD 21” | SH 17”



LHKRPL260
2-Seater (60”) Privacy Lounge
W 60.5” | D 31” | H 48.5”
SW 60.5” | SD 21” | SH 17”



LHKRPL3
3-Seater Privacy Lounge
W 72.5” | D 31” | H 48.5”
SW 72.5” | SD 21” | SH 17”

NON-CONFIGURABLE (SINGLE TEXTILE) HAKR PRIVACY LOUNGE

			Grade B/alta Upholstery		Grade C Upholstery		Grade D Upholstery		Grade E Upholstery	
Model Number	Description	Grade A Upholstery / COM	Seat/Back	Screen	Seat/Back	Screen	Seat/Back	Screen	Seat/Back	Screen
LHKRPL	Hakr Privacy Lounge	2,732	+204	+136	+298	+198	+389	+259	+472	+314
LHKRPL248	Hakr Privacy Lounge, 2-Seater, 48”W	3,581	+316	+211	+461	+307	+602	+402	+731	+487
LHKRPL260	Hakr Privacy Lounge, 2-Seater, 60”W	4,066	+398	+265	+580	+387	+758	+505	+920	+613
LHKRPL3	Hakr Privacy Lounge, 3-Seater	4,975	+469	+313	+684	+456	+894	+596	+1,085	+723

CONFIGURABLE (MULTI TEXTILES) HAKR PRIVACY LOUNGE

			Grade B/alta Upholstery			Grade C Upholstery			Grade D Upholstery			Grade E Upholstery		
Model Number	Description	Grade A Upholstery / COM	Seat	Back	Screen	Seat	Back	Screen	Seat	Back	Screen	Seat	Back	Screen
LHKRPLC	Hakr Privacy Lounge, Configurable	2,799	+102	+102	+136	+149	+149	+198	+194	+194	+259	+236	+236	+314
LHKRPL248C	Hakr Privacy Lounge, 2-Seater, 48”W, Configurable	3,648	+158	+158	+211	+231	+231	+307	+301	+301	+402	+366	+366	+487
LHKRPL260C	Hakr Privacy Lounge, 2-Seater, 60”W, Configurable	4,133	+199	+199	+265	+290	+290	+387	+379	+379	+505	+460	+460	+613
LHKRPL3C	Hakr Privacy Lounge, 3-Seater, Configurable	5,043	+234	+234	+313	+342	+342	+456	+447	+447	+596	+542	+542	+723

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Hakr Partial Privacy Lounge

HAKR PARTIAL PRIVACY LOUNGE PRODUCT INFORMATION

Hakr Privacy Lounge integrates the clean lines and sculpted profile of the Hakr lounge into an inviting space for privacy and focus. Offered in multiple sizes, including single seats, 2-seater and 3-seater, equipped with either privacy panels or full privacy surrounds, the privacy lounge is a versatile addition to the Hakr line. Encourage quiet collaborative spaces or areas of respite and peace.



Hakr Partial Privacy Lounge, Left Hand



Hakr Partial Privacy Lounge, 2-Seater, Left Hand



Hakr Partial Privacy Lounge, 3-Seater, Left Hand

FEATURES AND BENEFITS

- High-density, fixed foam cushions for extended support and comfort.
- Puzzle joinery frame in sustainably sourced hardwood ensures strength and longevity.
- Steel feet provide durability.
- 300 pound rating.
- CAL117 compliant.
- Ships fully assembled.

SPECIFY

- Upholstery selection for seat/back and screen/surround
- Configurable models include separate fabric selections for seat, back and surround
- Leg paint color selection: black or silver

PRODUCT SPECIFICATIONS

Model	Weight (lbs)	Height (Inches)	Width (Inches)	Depth (Inches)	Seat Height (Inches)	Seat Back Height (Inches)	Seat Width (Inches)	Seat Depth (Inches)	Screen Height (Inches)
Hakr Partial Privacy Lounge, Left Hand	90	48.5	27.5	31	17	31	26.5	21	48.5
Hakr Partial Privacy Lounge, Right Hand	90	48.5	27.5	31	17	31	26.5	21	48.5
Hakr Partial Privacy Lounge, 2-Seater, 48”W, Left Hand	105	48.5	49.8	31	17	31	48.5	21	48.5
Hakr Partial Privacy Lounge, 2-Seater, 48”W, Right Hand	105	48.5	49.8	31	17	31	48.5	21	48.5
Hakr Partial Privacy Lounge, 2-Seater, 60”W, Left Hand	125	48.5	61.5	31	17	31	60.5	21	48.5
Hakr Partial Privacy Lounge, 2-Seater, 60”W, Right Hand	125	48.5	61.5	31	17	31	60.5	21	48.5
Hakr Partial Privacy Lounge, 3-Seater, Left Hand	145	48.5	73.5	31	17	31	72.5	21	48.5
Hakr Partial Privacy Lounge, 3-Seater, Right Hand	145	48.5	73.5	31	17	31	72.5	21	48.5

© 2026, AIS, Inc.

Hakr Partial Privacy Lounge

HAKR PARTIAL PRIVACY LOUNGE MODELS AND OPTIONS



LHKRPPL-LH
Partial Privacy Lounge, Left Hand
W 27.5” | D 31” | H 48.5”
SW 26.5” | SD 21” | SH 17”



LHKRPPL-RH
Partial Privacy Lounge, Right Hand
W 27.5” | D 31” | H 48.5”
SW 26.5” | SD 21” | SH 17”



LHKRPPL248-LH
2-Seater (48”) Partial Privacy Lounge, Left Hand
W 49.8” | D 31” | H 48.5”
SW 48.5” | SD 21” | SH 17”



LHKRPPL248-RH
2-Seater (48”) Partial Privacy Lounge, Right Hand
W 49.8” | D 31” | H 48.5”
SW 48.5” | SD 21” | SH 17”



LHKRPPL260-LH
2-Seater (60”) Partial Privacy Lounge, Left Hand
W 61.5” | D 31” | H 48.5”
SW 60.5” | SD 21” | SH 17”



LHKRPPL260-RH
2-Seater (60”) Partial Privacy Lounge, Right Hand
W 61.5” | D 31” | H 48.5”
SW 60.5” | SD 21” | SH 17”



LHKRPPL3-LH
3-Seater Partial Privacy Lounge, Left Hand
W 73.5” | D 31” | H 48.5”
SW 72.5” | SD 21” | SH 17”



LHKRPPL3-RH
3-Seater Partial Privacy Lounge, Right Hand
W 73.5” | D 31” | H 48.5”
SW 72.5” | SD 21” | SH 17”

NON-CONFIGURABLE (SINGLE TEXTILE) HAKR PARTIAL PRIVACY LOUNGE

			Grade B/alta Upholstery		Grade C Upholstery		Grade D Upholstery		Grade E Upholstery	
Model Number	Description	Grade A Upholstery / COM	Seat/Back	Screen	Seat/Back	Screen	Seat/Back	Screen	Seat/Back	Screen
LHKRPPL-LH	Hakr Partial Privacy Lounge, LH	3,345	+163	+245	+238	+357	+311	+466	+377	+566
LHKRPPL-RH	Hakr Partial Privacy Lounge, RH	3,345	+163	+245	+238	+357	+311	+466	+377	+566
LHKRPPL248-LH	Hakr Partial Privacy Lounge, 2-Seater, 48”W, LH	4,297	+265	+398	+387	+580	+505	+758	+613	+920
LHKRPPL248-RH	Hakr Partial Privacy Lounge, 2-Seater, 48”W, RH	4,297	+265	+398	+387	+580	+505	+758	+613	+920
LHKRPPL260-LH	Hakr Partial Privacy Lounge, 2-Seater, 60”W, LH	5,063	+319	+479	+466	+699	+609	+913	+739	+1,108
LHKRPPL260-RH	Hakr Partial Privacy Lounge, 2-Seater, 60”W, RH	5,063	+319	+479	+466	+699	+609	+913	+739	+1,108
LHKRPPL3-LH	Hakr Partial Privacy Lounge, 3-Seater, LH	6,095	+367	+551	+536	+803	+700	+1,049	+849	+1,273
LHKRPPL3-RH	Hakr Partial Privacy Lounge, 3-Seater, RH	6,095	+367	+551	+536	+803	+700	+1,049	+849	+1,273

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Hakr Partial Privacy Lounge

CONFIGURABLE (MULTI TEXTILES) HAKR PARTIAL PRIVACY LOUNGE

Model Number	Description	Grade A Upholstery / COM	Grade B/alta Upholstery			Grade C Upholstery			Grade D Upholstery			Grade E Upholstery		
			Seat	Back	Screen	Seat	Back	Screen	Seat	Back	Screen	Seat	Back	Screen
LHKRPPLC-LH	Hakr Partial Privacy Lounge, LH, Configurable	3,412	+82	+82	+245	+119	+119	+357	+155	+155	+466	+189	+189	+566
LHKRPPLC-RH	Hakr Partial Privacy Lounge, RH, Configurable	3,412	+82	+82	+245	+119	+119	+357	+155	+155	+466	+189	+189	+566
LHKRPPL248C-LH	Hakr Partial Privacy Lounge, 2-Seater, 48”W, LH, Configurable	4,363	+133	+133	+398	+193	+193	+580	+253	+253	+758	+307	+307	+920
LHKRPPL248C-RH	Hakr Partial Privacy Lounge, 2-Seater, 48”W, RH, Configurable	4,363	+133	+133	+398	+193	+193	+580	+253	+253	+758	+307	+307	+920
LHKRPPL260C-LH	Hakr Partial Privacy Lounge, 2-Seater, 60”W, LH, Configurable	5,129	+160	+160	+479	+233	+233	+699	+304	+304	+913	+369	+369	+1,108
LHKRPPL260C-RH	Hakr Partial Privacy Lounge, 2-Seater, 60”W,RH, Configurable	5,129	+160	+160	+479	+233	+233	+699	+304	+304	+913	+369	+369	+1,108
LHKRPPL3C-LH	Hakr Partial Privacy Lounge, 3-Seater, LH, Configurable	6,162	+184	+184	+551	+268	+268	+803	+350	+350	+1,049	+424	+424	+1,273
LHKRPPL3C-RH	Hakr Partial Privacy Lounge, 3-Seater, RH, Configurable	6,162	+184	+184	+551	+268	+268	+803	+350	+350	+1,049	+424	+424	+1,273

© 2026, AIS, Inc.

Hakr Full Privacy Lounge

HAKR FULL PRIVACY LOUNGE PRODUCT INFORMATION

Hakr Privacy Lounge integrates the clean lines and sculpted profile of the Hakr lounge into an inviting space for privacy and focus. Offered in multiple sizes, including single seats, 2-seater and 3-seater, equipped with either privacy panels or full privacy surrounds, the privacy lounge is a versatile addition to the Hakr line. Encourage quiet collaborative spaces or areas of respite and peace.



Hakr Full Privacy Lounge, Club



Hakr Full Privacy Lounge, 2-Seater

FEATURES AND BENEFITS

- High-density, fixed foam cushions for extended support and comfort.
- Puzzle joinery frame in sustainably sourced hardwood ensures strength and longevity.
- Steel feet provide durability.
- 300 pound rating.
- CAL117 compliant.
- Ships fully assembled.

SPECIFY

- Upholstery selection for seat/back and screen/surround
- Configurable models include separate fabric selections for seat, back and surround
- Leg paint color selection: black or silver

PRODUCT SPECIFICATIONS

Model	Weight (lbs)	Height (Inches)	Width (Inches)	Depth (Inches)	Seat Height (Inches)	Seat Back Height (Inches)	Seat Width (Inches)	Seat Depth (Inches)	Screen Height (Inches)
Hakr Full Privacy Lounge	90	48.5	28.5	31	17	31	26.5	21	48.5
Hakr Full Privacy Lounge, 2-Seater, 48”W	110	48.5	50.5	31	17	31	48.5	21	48.5
Hakr Full Privacy Lounge, 2-Seater, 60”W	130	48.5	62.5	31	17	31	60.5	21	48.5
Hakr Full Privacy Lounge, 3-Seater	150	48.5	74.5	31	17	31	72.5	21	48.5

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Hakr Full Privacy Lounge

HAKR FULL PRIVACY LOUNGE MODELS AND OPTIONS



LHKRFPL
Full Privacy Lounge
W 28.5” | D 31” | H 48.5”
SW 26.5” | SD 21” | SH 17”



LHKRFPL248
2-Seater (48”) Full Privacy Lounge
W 50.5” | D 31” | H 48.5”
SW 48.5” | SD 21” | SH 17”



LHKRFPL260
2-Seater (60”) Full Privacy Lounge
W 62.5” | D 31” | H 48.5”
SW 60.5” | SD 21” | SH 17”



LHKRFPL3
3-Seater Full Privacy Lounge
W 74.5” | D 31” | H 48.5”
SW 72.5” | SD 21” | SH 17”

NON-CONFIGURABLE (SINGLE TEXTILE) HAKR FULL PRIVACY LOUNGE

			Grade B/alta Upholstery		Grade C Upholstery		Grade D Upholstery		Grade E Upholstery	
Model Number	Description	Grade A Upholstery / COM	Seat/Back	Screen	Seat/Back	Screen	Seat/Back	Screen	Seat/Back	Screen
LHKRFPL	Hakr Full Privacy Lounge	3,961	+190	+285	+278	+417	+363	+544	+440	+660
LHKRFPL248	Hakr Full Privacy Lounge, 2-Seater, 48”W	5,013	+319	+479	+466	+699	+609	+913	+739	+1,108
LHKRFPL260	Hakr Full Privacy Lounge, 2-Seater, 60”W	6,059	+374	+561	+546	+818	+713	+1,069	+865	+1,297
LHKRFPL3	Hakr Full Privacy Lounge, 3-Seater	7,215	+421	+632	+615	+922	+803	+1,205	+975	+1,462

CONFIGURABLE (MULTI TEXTILES) HAKR FULL PRIVACY LOUNGE

			Grade B/alta Upholstery			Grade C Upholstery			Grade D Upholstery			Grade E Upholstery		
Model Number	Description	Grade A Upholstery / COM	Seat	Back	Screen	Seat	Back	Screen	Seat	Back	Screen	Seat	Back	Screen
LHKRFPLC	Hakr Full Privacy Lounge, Configurable	4,028	+95	+95	+285	+139	+139	+417	+181	+181	+544	+220	+220	+660
LHKRFPL248C	Hakr Full Privacy Lounge, 2-Seater, 48”W, Configurable	5,079	+160	+160	+479	+233	+233	+699	+304	+304	+913	+369	+369	+1,108
LHKRFPL260C	Hakr Full Privacy Lounge, 2-Seater, 60”W, Configurable	6,126	+187	+187	+561	+273	+273	+818	+356	+356	+1,069	+432	+432	+1,297
LHKRFPL3C	Hakr Full Privacy Lounge, 3-Seater, Configurable	7,281	+211	+211	+632	+307	+307	+922	+402	+402	+1,205	+487	+487	+1,462

© 2026, AIS, Inc.

Hakr Benches & Ottomans

HAKR BENCHES & OTTOMANS PRODUCT INFORMATION

Hakr benches and ottomans perfectly round out the Hakr line, bringing casual comfort into any space. Integrating benches of varying sizes and shapes creates an invitation for rest and relaxation, while the use of mobile ottomans can accommodate overflow seating when collaboration is the focus. These versatile products are the finishing puzzle piece to any lounge application.



Hakr Ottoman



Hakr Bench

FEATURES AND BENEFITS

- High-density, fixed foam cushions for extended support and comfort.
- Puzzle joinery frame in sustainably sourced hardwood ensures strength and longevity.
- Steel feet provide durability.
- 300 pound rating.
- CAL117 compliant.
- Ships fully assembled.
- Round ottomans ship two units per box and come with five 50mm casters preinstalled.

SPECIFY

- Upholstery selection for seat/back and screen/surround
- Leg paint color selection: black or silver

PRODUCT SPECIFICATIONS

Model	Weight (lbs)	Height (Inches)	Width (Inches)	Depth (Inches)
Hakr Round Ottoman, 18 Dia, Mobile	12	18	18” Diameter	
Hakr Round Ottoman, 24 Dia, Mobile	15	18	24” Diameter	
Hakr Bench, 30 Degree	40	17	48.5	26
Hakr Bench, 48”	40	17	48.5	22.5
Hakr Bench, 60”	45	17	60.5	22.5
Hakr Bench, 72”	50	17	72.5	22.5

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Hakr Benches & Ottomans

HAKR BENCHES & OTTOMANS MODELS AND OPTIONS



LHK18
Round Ottoman, 18” Mobile
Diameter 18” | H 18”



LHK24
Round Ottoman, 24” Mobile
Diameter 24” | H 18”



LHKB30
30° Curved Bench
W 48.5” | D 22.5” | H 17”



LHKB48
48” Bench
W 48.5” | D 22.5” | H 17”



LHKB60
60” Bench
W 60.5” | D 22.5” | H 17”



LHKB72
72” Bench
W 72.5” | D 22.5” | H 17”

HAKR BENCHES & OTTOMANS

Model Number	Description	Grade A Upholstery / COM	Grade B / alta Upholstery	Grade C Upholstery	Grade D Upholstery	Grade E Upholstery
LHK18	Hakr Round Ottoman, 18 Dia, Mobile	875	+102	+149	+194	+236
LHK24	Hakr Round Ottoman, 24 Dia, Mobile	971	+102	+149	+194	+236
LHKB30	Hakr Bench, 30 Degree	1,397	+187	+273	+356	+432
LHKB48	Hakr Bench, 48”	1,607	+238	+347	+453	+550
LHKB60	Hakr Bench, 60”	1,847	+272	+397	+518	+629
LHKB72	Hakr Bench, 72”	2,179	+323	+471	+615	+747

© 2026, AIS, Inc.

NV Lounge

NV LOUNGE PRODUCT INFORMATION

NV Lounge features a minimalist design that doesn't sacrifice on comfort or function. With an intentionally angled back, this lounge line offers a slight recline for enhanced support, while high-density cushioning ensures extended comfort that works as long and as hard as you do. The added feature of an optional tablet arm on all three models in either the righthand or lefthand application, combines functionality with form. Get work done in style with NV.



NV Club Chair with Tablet Arm
(left hand tablet shown)



NV 2-Seater

FEATURES AND BENEFITS

- High-density, fixed foam cushions for extended support and comfort.
- Puzzle joinery frame in sustainably sourced hardwood ensures strength and longevity.
- Tablet arm measures 10"W at the widest part and 16"L, and sits 2.44" above the chair arm.
- Steel legs available in black and silver.
- CAL117 compliant.
- 300 pound rating.
- Ships fully assembled. Optional tablet arms ship separately.

SPECIFY

- Upholstery selection
- Configurable models include fabric selection for seat and separate fabric selection for the main
- Leg paint color selection: black or silver

PRODUCT SPECIFICATIONS

Model	Weight (lbs)	Height (Inches)	Width (Inches)	Depth (Inches)	Seat Height (Inches)	Seat Width (Inches)	Seat Depth (Inches)	Arm Height (floor to top of arm, in inches)	Arm Height (top of seat to top of arm, in inches)
NV Club Chair	65	34	34	32.5	19	22.5	20.5	24.5	6.5
NV 2-Seater	100	34	58	32.5	19	46	20.5	24.5	6.5
NV 3-Seater	130	34	78.5	32.5	19	66.5	20.5	24.5	6.5

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

NV Lounge

NV LOUNGE MODELS AND OPTIONS



LNV1
Club Chair
W 34” | D 32.5” | H 34”
SW 22.5” | SD 20.5” | SH 19”



LNV1TR
Club Chair, Right Tablet
W 34” | D 32.5” | H 34”
SW 22.5” | SD 20.5” | SH 19”



LNV1TL
Club Chair, Left Tablet
W 34” | D 32.5” | H 34”
SW 22.5” | SD 20.5” | SH 19”



LNV2
2-Seater
W 54” | D 32.5” | H 34”
SW 46” | SD 20.5” | SH 19”



LNV2TR
2-Seater, Right Tablet
W 54” | D 32.5” | H 34”
SW 46” | SD 20.5” | SH 19”




LNV2TL
2-Seater, Left Tablet
W 54” | D 32.5” | H 34”
SW 46” | SD 20.5” | SH 19”



LNV3
3-Seater
W 79” | D 32.5” | H 34”
SW 66.5” | SD 20.5” | SH 19”



LNV3TR
3-Seater, Right Tablet
W 79” | D 32.5” | H 34”
SW 66.5” | SD 20.5” | SH 19”



LNV3TL
3-Seater, Left Tablet
W 79” | D 32.5” | H 34”
SW 66.5” | SD 20.5” | SH 19”

NON-CONFIGURABLE (SINGLE TEXTILE) NV MOBILE LOUNGE

Model Number	Description	Grade A Upholstery / COM	Grade B / alta Upholstery	Grade C Upholstery	Grade D Upholstery	Grade E Upholstery
LNV1	NV Club Chair, Metal Legs	1,967	+323	+471	+615	+747
LNV1TR	NV Club Chair, Metal Legs. Tablet RH	2,732	+323	+471	+615	+747
LNV1TL	NV Club Chair, Metal Legs. Tablet LH	2,732	+323	+471	+615	+749
LNV2	NV 2-Seater, Metal Legs	2,853	+476	+694	+874	+1,061
LNV2TR	NV 2-Seater, Metal Legs, Tablet RH	3,618	+476	+694	+874	+1,061
LNV2TL	NV 2-Seater, Metal Legs, Tablet LH	3,618	+476	+694	+874	+1,061
LNV3	NV 3-Seater, Metal Legs	3,763	+578	+843	+1,101	+1,336
LNV3TR	NV 3-Seater, Metal Legs, Tablet RH	4,528	+578	+843	+1,101	+1,336
LNV3TL	NV 3-Seater, Metal Legs, Tablet LH	4,528	+578	+843	+1,101	+1,336

© 2026, AIS, Inc.

NV Lounge

CONFIGURABLE (MULTI TEXTILES) NV MOBILE LOUNGE

Model Number	Description	Grade A Upholstery / COM	Grade B/alta Upholstery		Grade C Upholstery		Grade D Upholstery		Grade E Upholstery	
			Seat	Main	Seat	Main	Seat	Main	Seat	Main
LNV1C	NV Club Chair, Metal Legs, Configurable	2,034	+97	+226	+141	+330	+185	+431	+224	+523
LNV1TRC	NV Club Chair, Metal Legs. Tablet RH, Configurable	2,799	+97	+226	+141	+330	+185	+431	+224	+523
LNV1TLC	NV Club Chair, Metal Legs. Tablet LH, Configurable	2,799	+97	+226	+141	+330	+185	+431	+224	+523
LNV2C	NV 2-Seater, Metal Legs, Configurable	2,919	+143	+333	+208	+486	+262	+612	+318	+745
LNV2TRC	NV 2-Seater, Metal Legs, Tablet RH, Configurable	3,684	+143	+333	+208	+486	+262	+612	+318	+745
LNV2TLC	NV 2-Seater, Metal Legs, Tablet LH, Configurable	3,684	+143	+333	+208	+486	+262	+612	+318	+745
LNV3C	NV 3-Seater, Metal Legs, Configurable	3,830	+173	+404	+253	+590	+330	+771	+401	+935
LNV3TRC	NV 3-Seater, Metal Legs, Tablet RH, Configurable	4,593	+173	+404	+253	+590	+330	+771	+401	+935
LNV3TLC	NV 3-Seater, Metal Legs, Tablet LH, Configurable	4,593	+173	+404	+253	+590	+330	+771	+401	+935

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Soft Lounge

SOFT LOUNGE PRODUCT INFORMATION

The Soft lounge line offers a combination of unique curves and generous cushioning, adding a playful, comfortable aesthetic to any environment. Intricate details such as double-stitched seams, unique corner pleating, an upholstery wrapped platform and multiple leg finish options make this product line all the more versatile, fitting into the private office just as easily as into the open floorplan. Find comfort with Soft.



Soft Club Chair



Soft 2-Seater



Soft 3-Seater

FEATURES AND BENEFITS

- High-density, fixed foam cushions for extended support and comfort.
- Puzzle joinery frame in sustainably sourced hardwood ensures strength and longevity.
- 8”H legs are available in either steel or wood for an upcharge. Legs are 2” in diameter.
- Paint options are black and silver.
- Wood leg options are Field Elm, Aimtoo Savatre or Trytoo Savatre; incurs a $180 list upcharge.
- CAL117 compliant.
- 300 pound rating.
- Legs ship unassembled.

SPECIFY

- Upholstery selection
- Configurable models include fabric selection for seat and separate fabric selection for the main
- Leg finish selection (painted or wood)
- Leg color selection: black and silver

PRODUCT SPECIFICATIONS

Model	Weight (lbs)	Height (Inches)	Width (Inches)	Depth (Inches)	Seat Height (Inches)	Seat Width (Inches)	Seat Depth (Inches)	Arm Height (floor to top of arm, in inches)	Arm Height (top of seat to top of arm, in inches)
Soft Lounge Club Chair	85	29	40	33	17	21	22	25	8.25
Soft Lounge 2-Seater	130	29	66	33	17	48	22	25	8.25
Soft Lounge 3-Seater	170	29	87.5	33	17	69.5	22	25	8.25

© 2026, AIS, Inc.

Product Details

LEG FINISH OPTIONS



Silver (Steel)



Black (Steel)



Aimtoo Savatre* (Wood)



Field Elm* (Wood)



Tryroo Savatre* (Wood)

*Wood legs on all Soft lounge models incur an upcharge of $180 per model.

CASTER & BEZEL DETAILS



Locking Caster



Black Bezel



Silver Bezel

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Soft Lounge

SOFT LOUNGE MODELS AND OPTIONS



LSOFT1
Soft Lounge Club Chair
W 40” | D 33” | H 29”
SW 21” | SD 22” | SH 17”



LSOFT2
Soft Lounge 2-Seater
W 66” | D 33” | H 29”
SW 48” | SD 22” | SH 17”



LSOFT3
Soft Lounge 3-Seater
W 87.5” | D 33” | H 29”
SW 69.5” | SD 22” | SH 17”

NON-CONFIGURABLE (SINGLE TEXTILE) SOFT LOUNGE

Model Number	Description	Grade A Upholstery / COM	Grade B / alta Upholstery	Grade C Upholstery	Grade D Upholstery	Grade E Upholstery
LSOFT1	Soft Lounge Club Chair	2,987	+340	+496	+648	+786
LSOFT2	Soft Lounge 2-Seater	4,005	+510	+744	+972	+1,179
LSOFT3	Soft Lounge 3-Seater	5,037	+595	+868	+1,134	+1,376

CONFIGURABLE (MULTI TEXTILES) SOFT LOUNGE

Model Number	Description	Grade A Upholstery / COM	Grade B/alta Upholstery		Grade C Upholstery		Grade D Upholstery		Grade E Upholstery	
			Seat	Main	Seat	Main	Seat	Main	Seat	Main
LSOFT1C	Soft Lounge Club Chair, Configurable	3,054	+102	+238	+149	+347	+194	+453	+236	+550
LSOFT2C	Soft Lounge 2-Seater, Configurable	4,072	+153	+357	+223	+521	+291	+680	+354	+825
LSOFT3C	Soft Lounge 3-Seater, Configurable	5,103	+178	+416	+260	+608	+340	+793	+413	+963

© 2026, AIS, Inc.

Soft Mobile Lounge

SOFT LOUNGE PRODUCT INFORMATION

The Soft mobile lounge line offers the same curves and details as the Soft lounge, but on unique show-stopping casters that drive collaboration and conversation. Intricate details such as double-stitched seams, unique corner pleating, an upholstery wrapped platform and the added feature of mobility make Soft Mobile Lounge the definition of versability and functionality. Get moving with Soft Mobile Lounge.



Soft Mobile Club Chair

FEATURES AND BENEFITS

- High-density, fixed foam cushions for extended support and comfort.
- Puzzle joinery frame in sustainably sourced hardwood ensures strength and longevity.
- Casters are 7.64”H. Front 2 casters are non-locking; rear 2 casters are locking.
- CAL117 compliant.
- 300 pound rating.
- Casters are shipped unassembled.

SPECIFY

- Upholstery selection
- Configurable models include fabric selection for seat and separate fabric selection for the main

PRODUCT SPECIFICATIONS

Model	Weight (lbs)	Height (Inches)	Width (Inches)	Depth (Inches)	Seat Height (Inches)	Seat Width (Inches)	Seat Depth (Inches)	Arm Height (floor to top of arm, in inches)	Arm Height (top of seat to top of arm, in inches)
Soft Lounge Mobile Club Chair	85	28.5	40	33	16.5	21	22	25	8.25
Soft Lounge Mobile 2-Seater	130	28.5	66	33	16.5	48	22	25	8.25
Soft Lounge Mobile 3-Seater	170	28.5	87.5	33	16.5	69.5	22	25	8.25

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Soft Mobile Lounge

SOFT MOBILE LOUNGE MODELS AND OPTIONS



LSOFT1M
Soft Mobile Lounge Club Chair
W 40” | D 33” | H 29”
SW 21” | SD 22” | SH 17”



LSOFT2M
Soft Mobile Lounge 2-Seater
W 66” | D 33” | H 29”
SW 48” | SD 22” | SH 17”



LSOFT3M
Soft Mobile Lounge 3-Seater
W 87.5” | D 33” | H 29”
SW 69.5” | SD 22” | SH 17”

NON-CONFIGURABLE (SINGLE TEXTILE) SOFT MOBILE LOUNGE

Model Number	Description	Grade A Upholstery / COM	Grade B / alta Upholstery	Grade C Upholstery	Grade D Upholstery	Grade E Upholstery
LSOFT1M	Soft Lounge Mobile Club Chair	3,278	+340	+496	+648	+786
LSOFT2M	Soft Lounge Mobile 2-Seater	4,297	+510	+744	+972	+1,179
LSOFT3M	Soft Lounge Mobile 3-Seater	5,328	+595	+868	+1,134	+1,376

CONFIGURABLE (MULTI TEXTILES) SOFT MOBILE LOUNGE

			Grade B/alta Upholstery		Grade C Upholstery		Grade D Upholstery		Grade E Upholstery	
Model Number	Description	Grade A Upholstery / COM	Seat	Main	Seat	Main	Seat	Main	Seat	Main
LSOFT1MC	Soft Lounge Mobile Club Chair, Configurable	3,344	+102	+238	+149	+347	+194	+453	+236	+550
LSOFT2MC	Soft Lounge Mobile 2-Seater, Configurable	4,363	+153	+357	+223	+521	+291	+680	+354	+825
LSOFT3MC	Soft Lounge Mobile 3-Seater, Configurable	5,395	+178	+416	+260	+608	+340	+793	+413	+963

© 2026, AIS, Inc.

Soft Modular Lounge

SOFT MODULAR LOUNGE PRODUCT INFORMATION

The Soft modular lounge offers limitless applications to support collaboration and connection. This statement of line features multiple sizes and shapes including rounded and angular corners designed to achieve whimsical and organic shapes that bring people together. Integrating the same unique details including double-stitched seams, corner pleating and an upholstery-wrapped platform in addition to steel and wood leg options, Soft Modular Lounge delivers the comfort of home to the workplace.



Soft Modular Lounge

FEATURES AND BENEFITS

- High-density, fixed foam cushions for extended support and comfort.
- Puzzle joinery frame in sustainably sourced hardwood ensures strength and longevity.
- 8”H legs are available in either steel or wood for an upcharge. Legs are 2” in diameter.
- Paint options are black and silver.
- Wood leg options are Field Elm, Aimtoo Savatre or Trytoo Savatre; incurs a $180 list upcharge.
- CAL117 compliant.
- 300 pound rating.
- Legs ship unassembled.
- Ganging clips included.

SPECIFY

- Upholstery selection
- Leg finish selection (painted or wood)
- Leg color selection: black and silver

PRODUCT SPECIFICATIONS

Model	Weight (lbs)	Height (Inches)	Width (Inches)	Depth (Inches)	Seat Height (Inches)	Seat Width (Inches)	Seat Depth (Inches)	Arm Height (floor to top of arm, in inches)	Arm Height (top of seat to top of arm, in inches)
Soft Modular Lounge	75	29	37	33	17	37	22	N/A	N/A
Soft Modular Lounge, 2-Seater	120	29	66	33	17	66	22	N/A	N/A
Soft Modular Lounge, Single Arm, Right Hand	80	29	38	33	17	66	22	25	8.25
Soft Modular Lounge, Single Arm, Left Hand	80	29	38	33	17	66	22	25	8.25
Soft Modular Lounge Corner	80	29	33	33	17	24	22	25	8.25
Soft Modular Lounge Corner, 90 degree	120	29	62	35.5	17	48.5	22	N/A	N/A
Soft Modular Lounge Corner, 45 degree	100	29	60.5	36.5	17	53	22	N/A	N/A

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Soft Modular Lounge

SOFT MODULAR LOUNGE MODELS AND OPTIONS



LSOFTMOD
Modular Lounge
W 37” | D 33” | H 29”
SW 37” | SD 22” | SH 17”



LSOFTMOD2
Modular Lounge, 2-Seater
W 66” | D 33” | H 29”
SW 266” | SD 22” | SH 17”



LSOFTMODRH
Single Arm Modular Lounge, Right Hand
W 38” | D 33” | H 29”
SW 29” | SD 22” | SH 17”



LSOFTMODLH
Single Arm Modular Lounge, Left Hand
W 38” | D 33” | H 29”
SW 29” | SD 22” | SH 17”



LSOFTMODCRNR
Modular Lounge, Corner
W 33” | D 33” | H 29”
SW 29” | SD 22” | SH 17”



LSOFTMODCRNR90
Modular Lounge, Corner 90°
W 62” | D 36” | H 29”
SW 48.5” | SD 22” | SH 17”



LSOFTMODCRNR45
Modular Lounge, Corner 45°
W 60.5” | D 36.5” | H 29”
SW 53” | SD 22” | SH 17”

NON-CONFIGURABLE (SINGLE TEXTILE) SOFT MODULAR LOUNGE

Model Number	Description	Grade A Upholstery / COM	Grade B / alta Upholstery	Grade C Upholstery	Grade D Upholstery	Grade E Upholstery
LSOFTMOD	Soft Modular Lounge	2,430	+306	+446	+583	+707
LSOFTMOD2	Soft Modular Lounge, 2-Seater	3,344	+425	+620	+810	+983
LSOFTMODRH	Soft Modular Lounge, Single Arm, RH	2,671	+306	+446	+583	+707
LSOFTMODLH	Soft Modular Lounge, Single Arm, LH	2,671	+306	+446	+583	+707
LSOFTCRNR	Soft Modular Lounge Corner	2,913	+306	+446	+583	+707
LSOFTCRNR90	Soft Modular Lounge Corner, 90 degree	3,641	+561	+818	+1,069	+1,297
LSOFTCRNR45	Soft Modular Lounge Corner, 45 degree	3,763	+561	+818	+1,069	+1,297

© 2026, AIS, Inc.

Soft Privacy, Partial Privacy & Full Privacy Lounge

SOFT PRIVACY, PARTIAL PRIVACY & FULL PRIVACY LOUNGE PRODUCT INFORMATION

The Soft Privacy lounge perfectly rounds out the Soft line with the addition of functional privacy features. This statement of line offers single and two-seater solutions with either privacy panels or full privacy surrounds, and shares the same uniquely Soft details including double-stitched seams, corner pleating, and an upholstery-wrapped platform in addition to steel and wood leg options. Collaborate quietly or work privately in these ideal privacy lounge solutions.



Soft Privacy Lounge, 2-Seater with Back, Privacy Panels



Soft Partial Privacy Lounge, 2-Seater, Left Hand



Soft Full Privacy Lounge, 2-Seater

FEATURES AND BENEFITS

- High-density, fixed foam cushions for extended support and comfort.
- Puzzle joinery frame in sustainably sourced hardwood ensures strength and longevity.
- 8”H legs are available in either steel or wood for an upcharge. Legs are 2” in diameter.
- Paint options are black and silver.
- Wood leg options are Field Elm, Aimtoo Savatre or Trytoo Savatre; incurs a $180 list upcharge.
- CAL117 compliant.
- 300 pound rating.
- Legs and privacy panels ship unassembled. Hardware included. See online installation instructions for details.

SPECIFY

- Upholstery selection for seat and back
- Upholstery selection for privacy screen or surround
- Leg finish selection (painted or wood)
- Leg color selection: black and silver

PRODUCT SPECIFICATIONS

Model	Weight (lbs)	Height (Inches)	Width (Inches)	Depth (Inches)	Seat Height (Inches)	Seat Back Height (Inches)	Seat Width (Inches)	Seat Depth (Inches)	Screen Height (Inches)
Soft Privacy Lounge, Armless	90	50.5	37.5	34	17	29	37	22	50.5
Soft Privacy Lounge, Armless, 2-Seater	135	50.5	66	34	17	29	66	22	50.5
Soft Partial Privacy Lounge, Left Hand	80	50.5	38	34	17	29	37	22	50.5
Soft Partial Privacy Lounge, Right Hand	80	50.5	38	34	17	29	37	22	50.5
Soft Partial Privacy Lounge, 2-Seater, Left Hand	135	50.5	67	34	17	29	66	22	50.5
Soft Partial Privacy Lounge, 2-Seater, Right Hand	135	50.5	67	34	17	29	66	22	50.5
Soft Full Privacy Lounge, Armless	100	50.5	39.5	34	17	29	37	22	50.5
Soft Full Privacy Lounge, Armless, 2-Seater	145	50.5	68	34	17	29	66	22	50.5

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Soft Privacy, Partial Privacy & Full Privacy Lounge

SOFT PRIVACY, PARTIAL PRIVACY & FULL PRIVACY LOUNGE MODELS AND OPTIONS



LSOFTPL
Soft Privacy Lounge, Armless
W 37.5” | D 34” | H 50.5”
SW 37” | SD 22” | SH 17”



LSOFTPL2
Soft Privacy Lounge, Armless, 2-Seater
W 66” | D 34” | H 50.5”
SW 66” | SD 22” | SH 17”



LSOFTPPL-LH
Soft Partial Privacy Lounge, Left Hand
W 38” | D 34” | H 50.5”
SW 37” | SD 22” | SH 17”



LSOFTPPL-RH
Soft Partial Privacy Lounge, Right Hand
W 38” | D 34” | H 50.5”
SW 37” | SD 22” | SH 17”



LSOFTPPL2-LH
Soft Partial Privacy Lounge, 2-Seater, Left Hand
W 67” | D 34” | H 50.5”
SW 66” | SD 22” | SH 17”



LSOFTPPL2-RH
Soft Partial Privacy Lounge, 2-Seater, Right Hand
W 67” | D 34” | H 50.5”
SW 66” | SD 22” | SH 17”



LSOFTFPL
Soft Full Privacy Lounge, Armless
W 39.5” | D 34” | H 50.5”
SW 37” | SD 22” | SH 17”



LSOFTFPL2
Soft Full Privacy Lounge, Armless, 2-Seater
W 68” | D 34” | H 50.5”
SW 66” | SD 22” | SH 17”

NON-CONFIGURABLE (SINGLE TEXTILE) SOFT PRIVACY LOUNGE

			Grade B/alta Upholstery		Grade C Upholstery		Grade D Upholstery		Grade E Upholstery	
Model Number	Description	Grade A Upholstery / COM	Main	Screen	Main	Screen	Main	Screen	Main	Screen
LSOFTPL	Soft Privacy Lounge, Armless	3,436	+285	+114	+417	+167	+544	+218	+660	+264
LSOFTPL2	Soft Privacy Lounge, Armless, 2-Seater	4,638	+418	+167	+610	+244	+797	+319	+967	+387
LSOFTPPL-LH	Soft Partial Privacy Lounge, Left Hand	4,731	+367	+245	+536	+357	+700	+466	+849	+566
LSOFTPPL-RH	Soft Partial Privacy Lounge, Right Hand	4,731	+367	+245	+536	+357	+700	+466	+849	+566
LSOFTPPL2-LH	Soft Partial Privacy Lounge, 2-Seater, Left Hand	6,146	+489	+326	+714	+476	+933	+622	+1,132	+755
LSOFTPPL2-RH	Soft Partial Privacy Lounge, 2-Seater, Right Hand	6,146	+489	+326	+714	+476	+933	+622	+1,132	+755
LSOFTFPL	Soft Full Privacy Lounge, Armless	6,029	+449	+179	+655	+262	+855	+342	+1,038	+415
LSOFTFPL2	Soft Full Privacy Lounge, Armless, 2-Seater	7,655	+601	+241	+878	+351	+1,146	+459	+1,391	+557

© 2026, AIS, Inc.

Soft Benches & Ottomans

SOFT BENCHES & OTTOMANS PRODUCT INFORMATION

The Soft benches and ottomans put the exclamation point on the Soft line, integrating rectangular ottomans in three sizes, as well as whimsical round ottomans, either stationary or on casters into the offering. These versatile additions feature the same unique details from the Soft line such as double-stitched seams, corner pleating and an upholstery-wrapped platform in addition to steel and wood leg options.



Soft Mobile Ottoman



Soft 2-Seater Ottoman

FEATURES AND BENEFITS

- High-density, fixed foam cushions for extended support and comfort.
- Puzzle joinery frame in sustainably sourced hardwood ensures strength and longevity.
- 8”H legs are available in either steel or wood for an upcharge. Legs are 2” in diameter.
- Paint options are black and silver.
- Wood leg options are Field Elm, Aimtoo Savatre or Trytoo Savatre; incurs a $180 list upcharge.
- CAL117 compliant.
- 300 pound rating.
- Legs ship unassembled.

SPECIFY

- Upholstery selection
- Leg finish selection (painted or wood)
- Leg color selection

PRODUCT SPECIFICATIONS

Model	Weight (lbs)	Height (Inches)	Width (Inches)	Depth (Inches)	Seat Height (Inches)
Soft Lounge Ottoman	30	17	40	32	17
Soft Lounge Ottoman, 2-Seater	40	17	65.5	32	17
Soft Lounge Ottoman, 3-Seater	55	17	85.5	32	17
Soft Round Ottoman, 16”H	15	16	20” Diameter		—
Soft Round Mobile Ottoman, 18”H	16	18.5	20” Diameter		—

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Soft Benches & Ottomans

SOFT BENCHES & OTTOMANS MODELS AND OPTIONS



LSOFT-B1
Ottoman
W 40” | D 32” | H 17”



LSOFT-B2
Ottoman, 2-Seater
W 65.5” | D 32” | H 17”



LSOFT-B3
Ottoman, 3-Seater
W 85.5” | D 32” | H 17”



LSOFT-R16
Round Ottoman
Diameter 20” | H 16”



LSOFT-R18
Round Ottoman, 18” Mobile
Diameter 20” | H 18”

SOFT BENCHES & OTTOMANS

Model Number	Description	Grade A Upholstery / COM	Grade B / alta Upholstery	Grade C Upholstery	Grade D Upholstery	Grade E Upholstery
LSOFT-B1	Soft Lounge Ottoman	1,761	+272	+397	+518	+629
LSOFT-B2	Soft Lounge Ottoman, 2-Seater	2,306	+391	+570	+745	+904
LSOFT-B3	Soft Lounge Ottoman, 3-Seater	2,913	+476	+694	+907	+1,100
LSOFT-R16	Soft Round Ottoman, 16”H	1,033	+85	+124	+162	+197
LSOFT-R18	Soft Round Mobile Ottoman, 18”H	1,063	+85	+124	+162	+197

© 2026, AIS, Inc.

Prisma Tables

PRISMA TABLES PRODUCT INFORMATION

Add interest and function into any setting with the addition of the Prisma tables. These occasional tables, available in three sizes, bring the sense of home into the office environment, giving lounge and collaborative applications a balanced aesthetic. Achieve spaces in which to gather and connect, while adding a modern twist with the geometrical metal bases available in two powder coated paint colors that promise durability and longevity.



Large Coffee Table



Small Coffee Table



Side Table

FEATURES AND BENEFITS

- Powder coated metal frame provides durability and stability.
- Table tops are available in a variety of Grade A laminates.
- See Lounge Finish Options for more information.

SPECIFY

- Laminate selection
- Leg paint color selection: black or silver

PRODUCT SPECIFICATIONS

Model	Weight (lbs)	Height (Inches)	Width (Inches)	Depth (Inches)
Prisma Large Coffee Table	60	17	42	42
Prisma Small Coffee Table	40	17	32	32
Prisma Side Table	25	21	20	20

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Prisma Tables

PRISMA TABLES MODELS AND OPTIONS



TL-PRTB1
Large Coffee Table
W 42” | D 42” | H 17”



TL-PRTB2
Small Coffee Table
W 32” | D 32” | H 17”



TL-PRTB3
Side Table
W 20” | D 20” | H 21”

PRISMA LOUNGE TABLES

Model Number	Description	List Price
TL-PRTB1	Prisma Large Coffee Table	2,367
TL-PRTB2	Prisma Small Coffee Table	2,004
TL-PRTB3	Prisma Side Table	1,397

© 2026, AIS, Inc.

LB Lounge

LB LOUNGE PRODUCT INFORMATION

Easily create a range of welcoming environments with the LB Lounge. This versatile collection of collaborative seating, ottomans, and tables supports corporate, healthcare or educational environments, as well as booths for dining or meeting. With ample seat dimensions and convenient open storage, guests remain comfortable and clutter is controlled.

Define spaces or create boundaries with the bold, solid design. Blend finishes and apply a range of upholstery options to create a custom look. It's all possible with LB Lounge.

Note: LB Lounge seat cushions are installed to base with screws, back seat cushions are installed using Velcro strips. See installation instructions for more details.



LB Lounge Seating and Ottomans with Calibrate for LB End Tables

(Please use Calibrate Price List for information on complementary tables)

FEATURES AND BENEFITS

- Available with one, two, three seats
- One depth, three back heights and several width dimensions
- Open or solid laminate base
- Optional LB Ledge surface for working space
- Choice of 20+ Grade A laminates
- Standard with leveling glides
- CAL117 compliant
- Choose one upholstery for the entire unit or up to six for the three-seater unit
- LB Lounge has a weight capacity of 300lbs
- Please use the Calibrate Price List for additional and complementary tables

PRODUCT SPECIFICATIONS

Model	Weight (lbs)	Height (Inches)	Width (Inches)	Depth (Inches)	Seat Height (Inches)	Seat Width (Inches)	Seat Depth (Inches)
LB Lounge 1-Seater	114 - 204	34 - 50	30	30	17	—	21
LB Lounge 2-Seater	114 - 204	34 - 50	36 - 60	30	17	—	21
LB Lounge 3-Seater	199 - 249	34 - 50	66 - 72	30	17	—	21
LB Lounge Backless Unit	—	18	30 - 72	30	—	—	—
LB Lounge Corner Unit	—	34, 42, 50	30	30	—	—	—
LB Ledge	—	—	48 - 72	13 - 15	—	—	—

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


LB LOUNGE 1-SEATER (2-CUSHION) MODELS AND OPTIONS



Configurable LB Lounge
Open Base 1-Seater (2-Cushion)



Configurable LB Lounge
Solid Base 1-Seater (2-Cushion)



Model Number	Description	Base	Laminate	Fabric	Base Model Price
Varies by Size	Configurable 1-Seater (2-Cushion)	Laminate Open or Solid Base	Choice of Grade A Laminate	Choice of 2 Fabrics (Seat x1 and Back x1)	Varies by Size


CONFIGURABLE LB LOUNGE OPEN BASE 1-SEATER (2-CUSHION) OPTIONS

H	W	D	Model Number	Grade A Upholstery/ COM	Grade B Upholstery (Per Cushion)	Grade C Upholstery (Per Cushion)	Grade D Upholstery (Per Cushion)	Grade E Upholstery (Per Cushion)
34	30	30	F-SSC343030C	1,462	+23	+45	+68	+102
42	30	30	F-SSC423030C	1,561	+28	+54	+81	+121
50	30	30	F-SSC503030C	1,664	+30	+59	+87	+130

CONFIGURABLE LB LOUNGE SOLID BASE 1-SEATER (2-CUSHION) OPTIONS

H	W	D	Model Number	Grade A Upholstery/ COM	Grade B Upholstery (Per Cushion)	Grade C Upholstery (Per Cushion)	Grade D Upholstery (Per Cushion)	Grade E Upholstery (Per Cushion)
34	30	30	F-SSS343030C	1,607	+23	+45	+68	+102
42	30	30	F-SSS423030C	1,719	+28	+54	+81	+121
50	30	30	F-SSS503030C	1,830	+30	+59	+87	+130

LB LOUNGE OPEN 1-SEATER (2-CUSHION) UPHOLSTERY SPECIFICATIONS



When ordering a unit with more than one upholstery please indicate the upholstery selection along with the particular “cushion code” to ensure that the selected upholsteries are applied to the correct cushion. See image for example. For pricing examples see chart below:

Example	Model Number	List	Cushion B1	Cushion S1	Total List
1. *34H x 30W 1-Seater (2 Cushion) with Grade A & B Cushions*	F-SSC343030C	1,462	+0 (Grade A)	+23 (Grade B)	1,485
2. *42H x 30W 1-Seater (2 Cushion) with Grade B Cushions*	F-SSC423030C	1,561	+28 (Grade B)	+28 (Grade B)	1,617
3. *50H x 30W 1-Seater (2 Cushion) with Grade B & C Cushions*	F-SSC503030C	1,664	+30 (Grade B)	+59 (Grade C)	1,753

© 2026, AIS, Inc.

2-Seaters


LB LOUNGE 2-SEATER (4-CUSHION) MODELS AND OPTIONS



Configurable LB Lounge
Open Base 2-Seater (4-Cushion)



Configurable LB Lounge
Solid Base 2-Seater (4-Cushion)



Model Number	Description	Base	Laminate	Fabric	Base Model Price
Varies by Size	Configurable 2-Seater (4-Cushion)	Laminate Open or Solid Base	Choice of Grade A Laminate	Choice of 4 Fabrics (Seat x2 and Back x2)	Varies by Size


CONFIGURABLE LB LOUNGE OPEN BASE 2-SEATER (4-CUSHION) OPTIONS

H	W	D	Model Number	Grade A Upholstery/ COM	Grade B Upholstery (Per Cushion)	Grade C Upholstery (Per Cushion)	Grade D Upholstery (Per Cushion)	Grade E Upholstery (Per Cushion)
34	36	30	F-SSC343630C	1,513	+23	+45	+68	+102
34	42	30	F-SSC344230C	1,653	+23	+45	+68	+102
34	48	30	F-SSC344830C	1,798	+23	+45	+68	+102
34	54	30	F-SSC345430C	1,935	+23	+45	+68	+102
34	60	30	F-SSC346030C	2,076	+23	+45	+68	+102
42	36	30	F-SSC423630C	1,618	+28	+54	+81	+121
42	42	30	F-SSC424230C	1,765	+28	+54	+81	+121
42	48	30	F-SSC424830C	1,914	+28	+54	+81	+121
42	54	30	F-SSC425430C	2,057	+28	+54	+81	+121
42	60	30	F-SSC426030C	2,205	+28	+54	+81	+121
50	36	30	F-SSC503630C	1,721	+30	+59	+87	+130
50	42	30	F-SSC504230C	1,874	+30	+59	+87	+130
50	48	30	F-SSC504830C	2,030	+30	+59	+87	+130
50	54	30	F-SSC505430C	2,183	+30	+59	+87	+130
50	60	30	F-SSC506030C	2,333	+30	+59	+87	+130

CONFIGURABLE LB LOUNGE SOLID BASE 2-SEATER (4-CUSHION) OPTIONS

H	W	D	Model Number	Grade A Upholstery/ COM	Grade B Upholstery (Per Cushion)	Grade C Upholstery (Per Cushion)	Grade D Upholstery (Per Cushion)	Grade E Upholstery (Per Cushion)
34	36	30	F-SSS343630C	1,666	+23	+45	+68	+102
34	42	30	F-SSS344230C	1,818	+23	+45	+68	+102
34	48	30	F-SSS344830C	1,977	+23	+45	+68	+102
34	54	30	F-SSS345430C	2,130	+23	+45	+68	+102
34	60	30	F-SSS346030C	2,285	+23	+45	+68	+102
42	36	30	F-SSS423630C	1,780	+28	+54	+81	+121
42	42	30	F-SSS424230C	1,941	+28	+54	+81	+121
42	48	30	F-SSS424830C	2,106	+28	+54	+81	+121
42	54	30	F-SSS425430C	2,266	+28	+54	+81	+121
42	60	30	F-SSS426030C	2,424	+28	+54	+81	+121
50	36	30	F-SSS503630C	1,891	+30	+59	+87	+130
50	42	30	F-SSS504230C	2,060	+30	+59	+87	+130
50	48	30	F-SSS504830C	2,234	+30	+59	+87	+130
50	54	30	F-SSS505430C	2,401	+30	+59	+87	+130
50	60	30	F-SSS506030C	2,565	+30	+59	+87	+130

LB LOUNGE 2-SEATER (4-CUSHION) UPHOLSTERY SPECIFICATIONS



When ordering a unit with more than one upholstery please indicate the upholstery selection along with the particular “cushion code” to ensure that the selected upholsteries are applied to the correct cushion. See image for example. For pricing examples see chart below:

Example	Model Number	List	Cushion B1	Cushion B2	Cushion S1	Cushion S2	Total List
1. *34H x 36W 2-Seater (4-Cushion) with Grade A & B Cushions*	F-SSC343630C	1,513	+0 (Grade A)	+23 (Grade B)	+0 (Grade A)	+23 (Grade B)	1,559
2. *42H x 36W 2-Seater (4-Cushion) with Grade B, C & D Cushions*	F-SSC423630C	1,618	+28 (Grade B)	+28 (Grade B)	+54 (Grade C)	+81 (Grade D)	1,809
3. *50H x 36W 2-Seater (4-Cushion) with Grade B, C, D & B Cushions*	F-SSC503630C	1,721	+30 (Grade B)	+59 (Grade C)	+59 (Grade C)	+130 (Grade E)	1,999

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


LB LOUNGE 3-SEATER (6-CUSHION) MODELS AND OPTIONS



Configurable LB Lounge
Open Base 3-Seater (6-Cushion)



Configurable LB Lounge
Solid Base 3-Seater (6-Cushion)



Model Number	Description	Base	Laminate	Fabric	Base Model Price
Varies by Size	Configurable 3-Seater (6-Cushion)	Laminate Open or Solid Base	Choice of Grade A Laminate	Choice of 6 Fabrics (Seat x3 and Back x3)	Varies by Size


CONFIGURABLE LB LOUNGE OPEN BASE 3-SEATER (6-CUSHION) OPTIONS

H	W	D	Model Number	Grade A Upholstery/ COM	Grade B Upholstery (Per Cushion)	Grade C Upholstery (Per Cushion)	Grade D Upholstery (Per Cushion)	Grade E Upholstery (Per Cushion)
34	66	30	F-SSC346630C	2,391	+23	+45	+68	+102
34	72	30	F-SSC347230C	2,777	+23	+45	+68	+102
42	66	30	F-SSC426630C	2,546	+28	+54	+81	+121
42	72	30	F-SSC427230C	2,937	+28	+54	+81	+121
50	66	30	F-SSC506630C	2,698	+30	+59	+87	+130
50	72	30	F-SSC507230C	3,097	+30	+59	+87	+130

CONFIGURABLE LB LOUNGE SOLID BASE 3-SEATER (6-CUSHION) OPTIONS

H	W	D	Model Number	Grade A Upholstery/ COM	Grade B Upholstery (Per Cushion)	Grade C Upholstery (Per Cushion)	Grade D Upholstery (Per Cushion)	Grade E Upholstery (Per Cushion)
34	66	30	F-SSS346630C	2,628	+23	+45	+68	+102
34	72	30	F-SSS347230C	3,056	+23	+45	+68	+102
42	66	30	F-SSS426630C	2,800	+28	+54	+81	+121
42	72	30	F-SSS427230C	3,233	+28	+54	+81	+121
50	66	30	F-SSS506630C	2,968	+30	+59	+87	+130
50	72	30	F-SSS507230C	3,406	+30	+59	+87	+130

LB LOUNGE 3-SEATER (6-CUSHION) UPHOLSTERY SPECIFICATIONS



When ordering a unit with more than one upholstery please indicate the upholstery selection along with the particular "cushion code" to ensure that the selected upholsteries are applied to the correct cushion. See image for example. For pricing examples see chart below:

Example	Model Number	List	Cushion B1	Cushion B2	Cushion B3	Cushion S1	Cushion S2	Cushion S3	Total List
1. *34H x 66W 3-Seater (6-Cushion) with Grade A, B, C, D & E Cushions*	F-SSC346630C	2,391	+0 (Grade A)	+23 (Grade B)	+45 (Grade C)	+68 (Grade D)	+102 (Grade E)	+102 (Grade E)	2,731
2. *42H x 66W 3-Seater (6-Cushion) with Grade B & C Cushions*	F-SSC426630C	2,546	+28 (Grade B)	+28 (Grade B)	+28 (Grade B)	+54 (Grade C)	+54 (Grade C)	+54 (Grade C)	2,792
3. *50H x 66W 3-Seater (6-Cushion) with Grade C, D & E Cushions*	F-SSC506630C	2,698	+59 (Grade C)	+130 (Grade E)	+59 (Grade C)	+87 (Grade D)	+59 (Grade C)	+87 (Grade D)	3,179

© 2026, AIS, Inc.

Backless Units

LB LOUNGE BACKLESS UNIT MODELS AND OPTIONS



Configurable LB Lounge Backless Unit
Open or Solid Base (1-Cushion)



Configurable LB Lounge Backless Unit
Open or Solid Base (2-Cushion)



Configurable LB Lounge Backless Unit
Open or Solid Base (3-Cushion)

Model Number	Description	Base	Laminate	Fabric	Base Model Price
Varies by Size	Configurable Backless Unit (1, 2 or 3-Cushions)	Choice of Laminate Open or Solid Base	Choice of Grade A Laminate	Choice of Fabric (Varies by Size)	Varies by Size

CONFIGURABLE LB LOUNGE BACKLESS UNIT OPEN BASE (1-CUSHION) OPTIONS

H	W	D	Model Number	Grade A Upholstery/ COM	Grade B Upholstery (Per Cushion)	Grade C Upholstery (Per Cushion)	Grade D Upholstery (Per Cushion)	Grade E Upholstery (Per Cushion)
18	30	30	F-SBCR303030C	1,068	+23	+45	+68	+102

CONFIGURABLE LB LOUNGE BACKLESS UNIT SOLID BASE (1-CUSHION) OPTIONS

H	W	D	Model Number	Grade A Upholstery/ COM	Grade B Upholstery (Per Cushion)	Grade C Upholstery (Per Cushion)	Grade D Upholstery (Per Cushion)	Grade E Upholstery (Per Cushion)
18	30	30	F-SCCR303030C	1,174	+23	+45	+68	+102

CONFIGURABLE LB LOUNGE BACKLESS UNIT OPEN BASE (2-CUSHION) OPTIONS

H	W	D	Model Number	Grade A Upholstery/ COM	Grade B Upholstery (Per Cushion)	Grade C Upholstery (Per Cushion)	Grade D Upholstery (Per Cushion)	Grade E Upholstery (Per Cushion)
18	36	30	F-SBCR303630C	1,107	+23	+45	+68	+102
18	42	30	F-SBCR304230C	1,209	+23	+45	+68	+102
18	48	30	F-SBCR304830C	1,313	+23	+45	+68	+102
18	54	30	F-SBCR305430C	1,416	+23	+45	+68	+102
18	60	30	F-SBCR306030C	1,519	+23	+45	+68	+102

CONFIGURABLE LB LOUNGE BACKLESS UNIT SOLID BASE (2-CUSHION) OPTIONS

H	W	D	Model Number	Grade A Upholstery/ COM	Grade B Upholstery (Per Cushion)	Grade C Upholstery (Per Cushion)	Grade D Upholstery (Per Cushion)	Grade E Upholstery (Per Cushion)
18	36	30	F-SCCR303630C	1,219	+23	+45	+68	+102
18	42	30	F-SCCR304230C	1,333	+23	+45	+68	+102
18	48	30	F-SCCR304830C	1,445	+23	+45	+68	+102
18	54	30	F-SCCR305430C	1,556	+23	+45	+68	+102
18	60	30	F-SCCR306030C	1,671	+23	+45	+68	+102


CONFIGURABLE LB LOUNGE BACKLESS UNIT OPEN BASE (3-CUSHION) OPTIONS

H	W	D	Model Number	Grade A Upholstery/ COM	Grade B Upholstery (Per Cushion)	Grade C Upholstery (Per Cushion)	Grade D Upholstery (Per Cushion)	Grade E Upholstery (Per Cushion)
18	66	30	F-SBCR306630C	1,747	+23	+45	+68	+102
18	72	30	F-SBCR307230C	2,031	+23	+45	+68	+102

CONFIGURABLE LB LOUNGE BACKLESS UNIT SOLID BASE (3-CUSHION) OPTIONS

H	W	D	Model Number	Grade A Upholstery/ COM	Grade B Upholstery (Per Cushion)	Grade C Upholstery (Per Cushion)	Grade D Upholstery (Per Cushion)	Grade E Upholstery (Per Cushion)
18	66	30	F-SCCR306630C	1,924	+23	+45	+68	+102
18	72	30	F-SCCR307230C	2,235	+23	+45	+68	+102

LB LOUNGE BACKLESS UNIT UPHOLSTERY SPECIFICATIONS



When ordering a unit with more than one upholstery please indicate the upholstery selection along with the particular "cushion code" to ensure that the selected upholsteries are applied to the correct cushion. See image for example. For pricing examples see chart below:

Example	Model Number	List	Cushion S1	Cushion S2	Cushion S3	Total List
1. *30H x 30W x 30D Backless Unit (1-Cushion) with Grade B Cushion*	F-SBCR303030C	1,068	+23 (Grade B)	-	-	1,091
2. *30H x 48W x 30D Backless Unit (2-Cushion) with Grade A & B Cushions*	F-SBCR304830C	1,313	+23 (Grade B)	+23 (Grade B)	-	1,359
2. *30H x 66W x 30D Backless Unit (3-Cushion) with Grade B, C & C Cushions*	F-SBCR306630C	1,747	+23 (Grade B)	+45 (Grade C)	+45 (Grade C)	1,860

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Corner Units

LB LOUNGE CORNER UNIT (3-CUSHION) MODELS AND OPTIONS



Configurable LB Lounge Left Corner Unit
Open Base or Solid Base (3-Cushion)



Configurable LB Lounge Right Corner Unit
Open Base or Solid Base (3-Cushion)

Model Number	Description	Base	Laminate	Fabric	Base Model Price
Varies by Size	Configurable Corner Unit (3-Cushion)	Laminate Open or Solid Base	Choice of Grade A Laminate	Choice of 3 Fabrics (Seat x1 and Back x2)	Varies by Size

Note: See specication guide pages for placement and use instructions.

CONFIGURABLE LB LOUNGE LEFT CORNER UNIT OPEN BASE, REAR OVERLAY (3-CUSHION) OPTIONS

H	W	D	Model Number	Grade A Upholstery/ COM	Grade B Upholstery (Per Cushion)	Grade C Upholstery (Per Cushion)	Grade D Upholstery (Per Cushion)	Grade E Upholstery (Per Cushion)
34	30	30	F-SSCR343030L	2,256	+23	+45	+68	+102
42	30	30	F-SSCR423030L	2,561	+23	+45	+68	+102
50	30	30	F-SSCR503030L	3,095	+23	+45	+68	+102

CONFIGURABLE LB LOUNGE RIGHT CORNER UNIT OPEN BASE, REAR OVERLAY (3-CUSHION) OPTIONS

H	W	D	Model Number	Grade A Upholstery/ COM	Grade B Upholstery (Per Cushion)	Grade C Upholstery (Per Cushion)	Grade D Upholstery (Per Cushion)	Grade E Upholstery (Per Cushion)
34	30	30	F-SSCR343030R	2,256	+23	+45	+68	+102
42	30	30	F-SSCR423030R	2,561	+23	+45	+68	+102
50	30	30	F-SSCR503030R	3,095	+23	+45	+68	+102


CONFIGURABLE LB LOUNGE LEFT CORNER UNIT SOLID BASE, REAR OVERLAY (3-CUSHION) OPTIONS


H	W	D	Model Number	Grade A Upholstery/ COM	Grade B Upholstery (Per Cushion)	Grade C Upholstery (Per Cushion)	Grade D Upholstery (Per Cushion)	Grade E Upholstery (Per Cushion)
34	30	30	F-SCCR343030L	2,289	+23	+45	+68	+102
42	30	30	F-SCCR423030L	2,593	+23	+45	+68	+102
50	30	30	F-SCCR503030L	3,126	+23	+45	+68	+102

CONFIGURABLE LB LOUNGE RIGHT CORNER UNIT SOLID BASE, REAR OVERLAY (3-CUSHION) OPTIONS

H	W	D	Model Number	Grade A Upholstery/ COM	Grade B Upholstery (Per Cushion)	Grade C Upholstery (Per Cushion)	Grade D Upholstery (Per Cushion)	Grade E Upholstery (Per Cushion)
34	30	30	F-SCCR343030R	2,289	+23	+45	+68	+102
42	30	30	F-SCCR423030R	2,593	+23	+45	+68	+102
50	30	30	F-SCCR503030R	3,126	+23	+45	+68	+102

LB LOUNGE CORNER UNIT (3-CUSHION) UPHOLSTERY SPECIFICATIONS





When ordering a unit with more than one upholstery please indicate the upholstery selection along with the particular “cushion code” to ensure that the selected upholsteries are applied to the correct cushion. See image for example. For pricing examples see chart below:


Example	Model Number	List	Cushion B1	Cushion B2	Cushion S1	Total List
1. *34H x 30W Left Corner Unit (3-Cushion) with Grade A & B Cushions*	F-SSCR343030L	2,256	+0 (Grade A)	+23 (Grade B)	+0 (Grade A)	2,279
2. *42H x 30W Right Corner Unit (3-Cushion) with Grade B, C & D Cushions*	F-SCCR423030R	2,593	+23 (Grade B)	+23 (Grade B)	+45 (Grade C)	2,684
3. *50H x 330W Left Corner Unit (3-Cushion) with Grade B, C, D & B Cushions*	F-SSCR503030L	3,095	+23 (Grade B)	+45 (Grade C)	+45 (Grade C)	3,208

© 2026, AIS, Inc.


Ledges

LB LEDGE





LB Ledge 13” Deep - *Installs to Rear of Lounge*



LB Ledge 15” Deep - *Installs to Top of Lounge*

Model Number	Description	Install Locations	Laminate	Base Model Price
Varies by Size	LB Ledge	Rear of Lounge (13 Deep) or Top of Lounge (15 Deep)	Choice of Laminate	Varies by Size

13” DEEP LB LEDGE

D	W	Install Location	Model Number	List Price	Grade C Laminate
13	48	Rear of Lounge	F-LBLL1348	1,224	+21
13	54	Rear of Lounge	F-LBLL1354	1,240	+24
13	60	Rear of Lounge	F-LBLL1360	1,650	+24
13	66	Rear of Lounge	F-LBLL1366	1,671	+27
13	72	Rear of Lounge	F-LBLL1372	2,080	+27


15” DEEP LB LEDGE

D	W	Install Location	Model Number	List Price	Grade C Laminate
15	48	Top of Lounge	F-LBLL1548	1,246	+21
15	54	Top of Lounge	F-LBLL1554	1,267	+24
15	60	Top of Lounge	F-LBLL1560	1,679	+24
15	66	Top of Lounge	F-LBLL1566	1,702	+27
15	72	Top of Lounge	F-LBLL1572	2,116	+27


Note: *Support bracket and bag hook available in your choice of paint selection. LB Lounge Ledge discounts with AIS Seating.*

LB LEDGE SPECIFICATION GUIDE

13” deep LB Ledge kits are designed to install to the rear of the LB Lounge unit:



15” deep LB Ledge kits are designed to install to the top of the LB Lounge unit:



FINISH SELECTIONS


- Color Selection for Edge
- Laminate Selection for Worksurface
- Paint Selection for Cantilever supports

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

LB LOUNGE CORNER UNIT (3-CUSHION) SPECIFICATION GUIDE

LB Lounge Corner Units can be used to finish the ends (bookend) of a run of LB Lounge couches.




Solid Base




Open Base

It is generally advised to use LB Lounge Corner Units with the same open/solid bases as the adjacent pieces. This will give the best appearance, should the peripheral LB Lounge units move away from the central piece for some reason.




Solid Base




Open Base

LB Lounge Corner units are designed to have a continuous rear overlay along the back of the central unit. This gives the assembly a cleanest appearance in most situations. To change the overlay direction, swap the left and right handed corner units.



Solid Base



Open Base


© 2026, AIS, Inc.

Ottomans

LB OTTOMAN MODELS AND OPTIONS



LB Ottoman with Feet
(18”H x 30”W x 30”D Shown)



LB Ottoman with Casters
(18”H x 30”W x 30”D Shown)

Model Number	Description	Base	Laminate	Fabric	Base Model Price
Varies by Size	LB Ottoman	With Feet or Casters	None	Choice of Fabric	Varies by Fabric Grade

Note:
When handling/moving LB Ottoman make sure that it is lifted and placed into location. Dragging or tipping the LB Ottoman may cause feet underneath to break off. Casters are not field retrofittable on existing models.

LB OTTOMAN WITH FEET

H	W	D	Model Number	Grade A/ COM	Grade B	Grade C	Grade D	Grade E
18	24	24	F-VO182424	1,069	+63	+127	+190	+253
18	30	24	F-VO183024	1,163	+63	+127	+190	+253
18	30	30	F-VO183030	1,296	+63	+127	+190	+253

LB OTTOMAN WITH CASTERS


H	W	D	Model Number	Grade A/ COM	Grade B	Grade C	Grade D	Grade E
18	24	24	F-VO182424C	1,176	+63	+127	+190	+253
18	30	24	F-VO183024C	1,318	+63	+127	+190	+253
18	30	30	F-VO183030C	1,456	+63	+127	+190	+253

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


LB Lounge Corner and End Tables

LB LOUNGE CORNER TABLE

			Powered		Non-Powered	
H	W	D	Model Number	List	Model Number	List
18	30	30	F-CCT203030P	1,692	F-CCT203030	954




Powered




Non-Powered

LB LOUNGE END TABLE

			Powered		Non-Powered	
H	W	D	Model Number	List	Model Number	List
18	24	30	F-CET202430P	1,673	F-CET202430	949



Powered



Non-Powered

Specify

- Laminate Selection for Table
- Color Selection for Power Unit (White/White or White/Silver)

Notes

- Powered tables feature an Ashley Duo Air power unit with two outlets and two USB ports.

© 2026, AIS, Inc.

Chatham Cove

PRODUCT INFORMATION

Chatham Cove supports the need for alternative workplaces within the open plan. Whether individual users or small groups gather, Chatham Cove ensures they have all they need for comfort, focus, and convenience. Beautiful laminate and the structural O-Leg base combine to create this light scale work lounge. Specify alone, or combine in a variety of ways to support your needs.

Chatham Cove delivers choices. The line includes a single seat lounge that can be specified in pairs to create a two-seat application. Choose from low, medium or high laminate privacy surrounds and two- or three-sided configurations.







FEATURES AND BENEFITS

- Single Seat
- Two- or Three-sided Surround
- Two-sided single seats can be ganged together to create a settee application
- Surround height: 34”, 50”or 58”
- Storage cubby (24.25”W x 10.5D x 16.75H) for personal items
- Optional integrated power with two outlets, 1 USB-A and 1 USB-C
- PET or fabric insert for additional acoustical performance (mounted above shelf)
- Chatham Cove has a weight capacity of 300lbs per seat

PRODUCT SPECIFICATIONS

Model	Weight (lbs)	Height (Inches)	Width (Inches)	Depth (Inches)	Seat Height (Inches)	Seat Depth (Inches)	Shelf Depth (Inches)
Chatham Cove 2-Sided	116 - 130	34, 50, 58	42	30	34	18	10.5
Chatham Cove 3-Sided	160 - 188	34, 50, 58	42	30	34	18	10.5


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

Chatham Cove Power Option

Chatham Cove Power Box – DOMINO Plug In Unit

- (2) Tamper-Resistant (TR) AC outlets.
- (1) USB Type-A charging port: 5V 2.1A (10.5W).
- (1) USB Type-C charging port: 5V 2.14A (12W).
- Overload protection switch.
- 10ft 14AWG power cord, 15A rating with straight plug.
- Unit suspends 2” below the worksurface.
- Rating: 125V 60Hz 15A.
- UL and cUL certified for use in USA and Canada.
- Measures 6.81”H x 2.44”W.
- Black, Silver, and White finishes available.





© 2026, AIS, Inc.

2-Sided Coves

CHATHAM COVE 2-SIDED MODELS AND OPTIONS



Configurable Chatham Cove
2-Sided Left



Configurable Chatham Cove
2-Sided Right

Model Number	Description	Base	Laminate	Fabric	Base Model Price
Varies by Size	Configurable 1-Seater (2-Sided)	O-Legs (Choice of Paint Color)	Choice of Grade A Laminate	Choice of 2 Fabrics (Seat x1 and Back x1)	Varies by Size

CONFIGURABLE (MULTI TEXTILES) CHATHAM COVE 2-SIDED LEFT POWERED OPTIONS

H	W	D	Model Number	Grade A Upholstery/ COM	Grade B Upholstery (Per Cushion)	Grade C Upholstery (Per Cushion)	Grade D Upholstery (Per Cushion)	Grade E Upholstery (Per Cushion)
34	42	30	F-CC2PL344230	3,379	+23	+45	+68	+102
50	42	30	F-CC2PL504230	4,279	+23	+45	+68	+102
58	42	30	F-CC2PL584230	4,404	+23	+45	+68	+102

CONFIGURABLE (MULTI TEXTILES) CHATHAM COVE 2-SIDED RIGHT POWERED OPTIONS

H	W	D	Model Number	Grade A Upholstery/ COM	Grade B Upholstery (Per Cushion)	Grade C Upholstery (Per Cushion)	Grade D Upholstery (Per Cushion)	Grade E Upholstery (Per Cushion)
34	42	30	F-CC2PR344230	3,379	+23	+45	+68	+102
50	42	30	F-CC2PR504230	4,279	+23	+45	+68	+102
58	42	30	F-CC2PR584230	4,404	+23	+45	+68	+102

CONFIGURABLE (MULTI TEXTILES) CHATHAM COVE 2-SIDED LEFT NON-POWERED OPTIONS


H	W	D	Model Number	Grade A Upholstery/ COM	Grade B Upholstery (Per Cushion)	Grade C Upholstery (Per Cushion)	Grade D Upholstery (Per Cushion)	Grade E Upholstery (Per Cushion)
34	42	30	F-CC2NL344230	3,128	+23	+45	+68	+102
50	42	30	F-CC2NL504230	3,974	+23	+45	+68	+102
58	42	30	F-CC2NL584230	4,095	+23	+45	+68	+102

CONFIGURABLE (MULTI TEXTILES) CHATHAM COVE 2-SIDED RIGHT NON-POWERED OPTIONS

H	W	D	Model Number	Grade A Upholstery/ COM	Grade B Upholstery (Per Cushion)	Grade C Upholstery (Per Cushion)	Grade D Upholstery (Per Cushion)	Grade E Upholstery (Per Cushion)
34	42	30	F-CC2NR344230	3,128	+23	+45	+68	+102
50	42	30	F-CC2NR504230	3,974	+23	+45	+68	+102
58	42	30	F-CC2NR584230	4,095	+23	+45	+68	+102

Note: *Select choice of paint color option for O-Leg (Grade C +28)*

CHATHAM COVE UPHOLSTERY SPECIFICATIONS



When ordering a unit with more than one upholstery please indicate the upholstery selection along with the particular “cushion code” to ensure that the selected upholsteries are applied to the correct cushion. See image for example. For pricing examples see chart below:

Example	Model Number	List	Cushion B1	Cushion S1	O-Leg Paint	Total List
1. *34H x 42W x 30D 2-Sided Left Powered with Grade A & B Cushions*	F-CC2PL344230	3,379	+0 (Grade A)	+23 (Grade B)	+0 (Grade A)	3,402
2. *34H x 42W x 30D 2-Sided Left Non-Powered with Grade B Cushions*	F-CC2NR344230	3,128	+23 (Grade B)	+23 (Grade B)	+25 (Grade C)	3,199
3. *58H x 42W x 30D 2-Sided Left Powered with Grade B & C Cushions*	F-CC2PL584230	4,404	+23 (Grade B)	+45 (Grade C)	+25 (Grade C)	4,497

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

3-Sided Coves

CHATHAM COVE 3-SIDED MODELS AND OPTIONS



Configurable Chatham Cove
3-Sided Left



Configurable Chatham Cove
3-Sided Right

Model Number	Description	Base	Laminate	Fabric	Base Model Price
Varies by Size	Configurable 1-Seater (3-Sided)	O-Legs (Choice of Paint Color)	Choice of Grade A Laminate	Choice of 2 Fabrics (Seat x1 and Back x1)	Varies by Size

CONFIGURABLE (MULTI TEXTILES) CHATHAM COVE 3-SIDED LEFT POWERED OPTIONS

H	W	D	Model Number	Grade A Upholstery/ COM	Grade B Upholstery (Per Cushion)	Grade C Upholstery (Per Cushion)	Grade D Upholstery (Per Cushion)	Grade E Upholstery (Per Cushion)
34	42	30	F-CC3PL344230	3,469	+23	+45	+68	+102
50	42	30	F-CC3PL504230	4,392	+23	+45	+68	+102
58	42	30	F-CC3PL584230	4,515	+23	+45	+68	+102

CONFIGURABLE (MULTI TEXTILES) CHATHAM COVE 3-SIDED RIGHT POWERED OPTIONS

H	W	D	Model Number	Grade A Upholstery/ COM	Grade B Upholstery (Per Cushion)	Grade C Upholstery (Per Cushion)	Grade D Upholstery (Per Cushion)	Grade E Upholstery (Per Cushion)
34	42	30	F-CC3PR344230	3,469	+23	+45	+68	+102
50	42	30	F-CC3PR504230	4,392	+23	+45	+68	+102
58	42	30	F-CC3PR584230	4,515	+23	+45	+68	+102

CONFIGURABLE (MULTI TEXTILES) CHATHAM COVE 3-SIDED LEFT NON-POWERED OPTIONS


H	W	D	Model Number	Grade A Upholstery/ COM	Grade B Upholstery (Per Cushion)	Grade C Upholstery (Per Cushion)	Grade D Upholstery (Per Cushion)	Grade E Upholstery (Per Cushion)
34	42	30	F-CC3NL344230	3,220	+23	+45	+68	+102
50	42	30	F-CC3NL504230	4,085	+23	+45	+68	+102
58	42	30	F-CC3NL584230	4,208	+23	+45	+68	+102

CONFIGURABLE (MULTI TEXTILES) CHATHAM COVE 3-SIDED RIGHT NON-POWERED OPTIONS

H	W	D	Model Number	Grade A Upholstery/ COM	Grade B Upholstery (Per Cushion)	Grade C Upholstery (Per Cushion)	Grade D Upholstery (Per Cushion)	Grade E Upholstery (Per Cushion)
34	42	30	F-CC3NR344230	3,220	+23	+45	+68	+102
50	42	30	F-CC3NR504230	4,085	+23	+45	+68	+102
58	42	30	F-CC3NR584230	4,208	+23	+45	+68	+102

Note: *Select choice of paint color option for O-Leg (Grade C +28)*

CHATHAM COVE UPHOLSTERY SPECIFICATIONS




When ordering a unit with more than one upholstery please indicate the upholstery selection along with the particular “cushion code” to ensure that the selected upholsteries are applied to the correct cushion. See image for example. For pricing examples see chart below:

Example	Model Number	List	Cushion B1	Cushion S1	O-Leg Paint	Total List
1. *34H x 42W x 30D 2-Sided Left Powered with Grade A & B Cushions*	F-CC3PL344230	3,469	+0 (Grade A)	+23 (Grade B)	+0 (Grade A)	3,492
2. *34H x 42W x 30D 2-Sided Left Non-Powered with Grade B Cushions*	F-CC3NL344230	3,220	+23 (Grade B)	+23 (Grade B)	+25 (Grade C)	3,291
3. 58H x 42W x 30D 2-Sided Left Powered with Grade B & C Cushions	F-CC3PL584230	4,515	+23 (Grade B)	+45 (Grade C)	+25 (Grade C)	4,608

© 2026, AIS, Inc.

Cove Inserts

CHATHAM COVE INSERTS



Chatham Cove Insert

Model Number	Description	Finish	Base Model Price
Varies by Size	Chatham Cove Insert	Choice of PET or Fabric Color	Varies by Size


CHATHAM COVE INSERTS


W	D	Material	Model Number	List Price	Grade B Fabric	Grade C Fabric	Grade D Fabric	COM Fabric
50	30	PET*	F-TPET5030	536	-	-	-	-
50	30	Fabric	F-TACK5030	963	+0	+34	+68	-20
58	30	PET*	F-TPET5830	613	-	-	-	-
58	30	Fabric	F-TACK5830	1,040	+0	+34	+68	-20

***Choice of PET Colors:** *Light Grey, Medium Grey, Navy, Olive Green, Warm Grey.*

CHATHAM COVE INSERT SPECIFICATION GUIDE

Comes with non-marring mounting adhesive for install. Inserts are field replaceable.





© 2026, AIS, Inc.

Volker Cubes and Nesting Table

PRODUCT INFORMATION

AIS Volker Cubes and tables offer user friendly, comfortable seating and meeting solutions for today's work and learning environments. Whether used for impromptu collaborative spaces, guest seating in workstations, or casual waiting areas, the Volker Cube's versatile design will complement your office. Its welcoming, simple and smart design makes the Volker Cube the perfect addition to any environment.

The Volker Cube can be easily and discretely tucked away when not in use, or effortlessly pulled out when ready to use. The Volker Cube features a sleek design with the upholstery fabric of choice to complete the design of your workspace. The cube features hubless casters allowing for ease of motion as well as adding an attractive design element. The Volker table is customizable offering an assortment of laminate options. The Volker table provides the perfect nesting compartment for the cube, providing convenient storage.



Volker Cubes with Nesting Table (with Writable Laminate Top)

FEATURES AND BENEFITS

- Grade A through COM upholstery options
- Easily tucks into the table allowing for a small footprint
- 18" Deep x 18" Wide x 18" High (incl. casters) cube
- Nesting table: 19" High x 37" Wide x 37" Deep
- Easy to move
- 20 Grade A laminate options for table base
- Table top can be any Grade A or HPL (matching edgeband only available for Grade A). For laminate reference the Calibrate Price List
- Please use the Calibrate Price List for additional and complementary tables
- Cubes have a 300lbs. rating

PRODUCT SPECIFICATIONS

Model	Weight (lbs)	Height (Inches)	Width (Inches)	Depth (Inches)	Seat Height (w/casters, in Inches)	Seat Width (Inches)	Shelf Depth (Inches)
Volker Cube	36	18	18	18	18	18	18

© 2026, AIS, Inc.

Volker Cube and Nesting Table

VOLKER CUBE MODELS



Standard Volker Cube



Volker Cube (x4) with Nesting Table

Model Number	Description	Laminate	Fabric	Base Model Price
F-CUBE181818	Standard Volker Cube	None	Choice of Fabric	Varies by Fabric Grade
F-CUBENEST	Volker Cube (x4) with Nesting Table	Choice of Laminate for Nesting Table	Choice of Fabric for each Cube	Varies by Fabric Grade

STANDARD VOLKER CUBE

H	W	D	Model Number	Grade A/ COM	Grade B	Grade C	Grade D	Grade E
18	18	18	F-CUBE181818	815	+38	+88	+137	+224

FOUR VOLKER CUBES WITH NESTING TABLE

H	W	D	Model Number	Grade A/ COM	Grade B	Grade C	Grade D	Grade E
19 1/4	37 3/8	37 3/8	F-CUBENEST	3,518	+38	+88	+137	+224

Upcharges listed are per cube.


VOLKER CUBE UPHOLSTERY SPECIFICATIONS

When ordering multiple upholsteries in different Grades for the four Volker Cubes with Nesting Table the cost of the unit will be calculated according to the following example:

F-CUBENEST *with one Grade A Volker Cube, one Grade B Volker Cube, one Grade C Volker Cube and one Grade D Volker Cube upholstery selection:* $4,206 (Grade A base price) + $38 (1/4 of Grade B upcharge) + $88 (1/4 of Grade C upcharge) + $137 (1/4 of Grade D upcharge) = List Price of $4,469.

VOLKER CUBE NESTING TABLE

H	W	D	Model Number	List
19.25	37 3/8	37 3/8	F-CNTABLE	744



Specify	Notes
• Laminate Selection for Base and Top	• See below for example configuration. • Volker Cubes sold separately. See Seating Price List for Volker Cube pricing and options.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Laptop Table and Sit to Stand Mobile Desk

LAPTOP TABLE

H	W	D	Model Number	List	Grade C Paint
25.94	19	12	T-LT	644	+25



Specify


- Color Selection for Table Top- Shark Grey, Glacier White, or Cloud
- Paint Selection for Leg and Base

Notes

- 3/4” thick top is available in three thermofoil finish options unique to AIS laptop tables.
- Thermofoil top provides an edgeless surface, standard with PerformEx for built in scratch resistance.
- Table is lightweight and mobile.
- Laptop tables weigh 24 lbs.
- 2” x 2” steel leg offers stability and durability and can be finished in all AIS paint options.
- Standard with pencil groove and tech cradle to prop cell phones or tablets.
- Standard with bag hook.
- Weight capacity of laptop tables, up to 20 lbs.

SIT TO STAND MOBILE DESK

H	W	D	Model Number	List
42.9	26	20.5	T-FWS12-NT	772



Specify

Notes

- Pneumatic tiltable and height adjustable mobile desk.
- Worksurface size is 26”W x 20.5”D; thickness is .71”.
- Sit to stand mobile workstation weighs approximately 7 lbs.
- Worksurface is white laminate with white 1mm edgeband.
- Worksurface weight capacity is 17.6 pounds.
- Base dimension is 25.6”W x 21.7”D.
- Pneumatic height range is 29.9”-42.9” in the flat position.
- Height adjustment is manual with squeeze lever.
- Tilt adjustment with paddle lever. Tilt range is flat to 30 degrees.
- Available in matte white with standard, two-toned gray and white locking casters.
- Includes convenient bag hook, and integrated safety ledge stopper to keep documents and devices in place.

© 2026, AIS, Inc.

Lounge Pillows

AIS LOUNGE PILLOWS PRODUCT INFORMATION

Add a pop of color or pattern to any lounge application by adding AIS lounge pillows. Available in three sizes, AIS lounge pillows are plush and inviting. Pillows are filled with a poly blend, and feature intricate, durable stitchwork. A hidden zipper allows for easy cleanability.







FEATURES AND BENEFITS

- Pillow inserts are 100% polyester fiber.

SPECIFY

- Fabric selection

ANCILLARY LOUNGE PILLOWS

Model Number	Description	Grade A Upholstery	Grade B Upholstery	Grade C Upholstery	Grade D Upholstery	Grade E Upholstery
LPLW1220	Lounge Pillow 12 x 20	142	+98	+118	+138	+159
LPLW1818	Lounge Pillow 18 x 18	149	+98	+118	+138	+159
LPLW2020	Lounge Pillow 20 x 20	171	+98	+118	+138	+159

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

National Showrooms:

Leominster
AIS Headquarters
25 Tucker Drive
Leominster, MA 01453

Chicago
The Merchandise Mart
Suite 391
Chicago, Illinois 60654

New York
AIS New York
257 Park Avenue South
New York, New York 10010

Washington, D.C.
AIS Washington, D.C.
1501 M St, NW, STE 230
Washington, D.C. 20005

GSA Sales
GSA Contract 47QSMA20D08Q4
Multiple Award Schedule (MAS)
Large Category: Furniture & Furnishings
Subcategories: Office Furniture, Packaged Office Furniture and Furniture Services

For additional information on AIS:
Dealer Showrooms, Representative Directory, Project Case Studies, Online Catalog & Product Showcase
Visit: **www.ais-inc.com**

AIS

800.434.7400 | 978.562.7500 | Fax: 978.562.0811 | www.ais-inc.com | March 2026

CALIBRATE COMMUNITY™

March 2026 Price List

AIS

PRODUCT INFORMATION

Calibrate Community Statement of Line . . . 4
Calibrate Community Finish Options . . . 8
Calibrate Community Product Details . . . 10
Calibrate Community Typicals . . . 23

SPINES

Non-Powered Spines . . . 36
Single Sided Powered Spines . . . 37
Single Sided Chicago Powered Spines . . . 38
Double Sided Powered Spines . . . 39
Double Sided Chicago Powered Spines . . . 40

END PANELS

Top Mount End Panels and Shared Top Mount End Panels . . . 41
Top Mount Shared End Panels . . . 42
Mid Mount End Panels . . . 43
Shared Mid Mount End Panels . . . 44
Offset Shared End Panels . . . 46
Shared Mid Mount Offset End Panels . . . 47
Mid Supports . . . 49
Infeed Base Supports . . . 50

RUN-OFFS

Fixed Run-Offs . . . 51
Fixed Round Corner Run-Offs . . . 53
Sliding Run-Offs . . . 54
Sliding Round Corner Run-Offs . . . 56
Sliding Run-Off Tracks . . . 57
Fixed Spine Surfaces . . . 58
Cantilevered Spine Surfaces . . . 59
Stack-On Desks . . . 60

SINGLE SIDED SPINE STACK-ON STORAGE

Spine Hutch F . . . 61
Spine Hutch G . . . 63
Spine Hutch J . . . 66
Spine Cabinet N . . . 67
Spine Hutches with Sliding Doors . . . 70
Spine Bookcases . . . 73
Spine Bookcases with Sliding Doors . . . 74
Spine Stack-On Two Door Cabinet . . . 77

DOUBLE SIDED SPINE STACK-ON STORAGE

Spine Hutch A . . . 78
Spine Hutch B . . . 80
Spine Hutch C . . . 82
Spine Hutch D . . . 85
Spine Hutch E . . . 87
Spine Hutch H . . . 88
Spine Hutch K . . . 89
Spine Cabinet L . . . 90
Spine Cabinet P . . . 91
Spine Cabinet M . . . 92
Spine Hutch R . . . 94
Spine Hutch S . . . 96

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

STORAGE

13” High Floor Storage . . . 98
21” High BF Pedestals . . . 99
21” High Hidden Drawer BF Pedestals . . . 100
21” High Lateral Floor Storage . . . 101
21” High Floor Bookcases . . . 102
21” High Shared Floor Bookcases . . . 103
21” High Floor Cabinets . . . 104
21” High Floor Credenzas . . . 105
21” High Combo Units with BF Pedestal and Bookcase . . . 106

ELECTRICAL AND DATA


Electrical Jumpers . . . 107
Outlets . . . 108
Data Plate Kits and Single Gang Plate Adapter . . . 110
Infeeds for Infeed Base Supports . . . 111
Single Circuit Infeeds with Plug . . . 112

ACCESSORIES


Tackboards for Spine Hutch A . . . 113
Tackboards for Spine Hutch B . . . 115
Tackboards for Spine Hutch C . . . 117
Tackboards for Spine Hutch D . . . 119
Tackboards for Spine Hutch E . . . 121
Tackboards for Spine Hutch G . . . 122
Tackboards for Spine Hutch H (Cantilevered) . . . 124
Tackboards for Spine Hutch H (Full Panel) . . . 126
Tackboards for Spine Hutch J . . . 128
Tackboards for Spine Hutch K . . . 130
Tackboards for Spine Hutch N . . . 131
Tackboards for Spine Hutch R . . . 132
Soft Close Mechanism For Hinged Door . . . 134
Locks and Keys . . . 135

© 2026, AIS, Inc.


SPINES



Non-Powered Spine
24 - 36 Wide x 18 - 36 Deep




Single Sided Powered Spine
36 - 96 Wide x 18 - 36 Deep




Double Sided Powered Spine
36 - 96 Wide, 18 - 36 Deep


END PANELS




Top Mount End and Shared Panels
18 - 36 Deep, 29 - 46 High
Shared Shown on Right




Mid Mount End and Shared Panels
18 - 36 Deep, 29 - 66 High
Shared Shown on Right




Offset Shared End Panels
18 - 36 Deep, 29 - 46 High
Front Shown on Left, Back Shown on Right



Shared Mid Mount Offset End Panels
18 - 36 Deep, 46 - 66 High
Front Shown on Left, Back Shown on Right




Mid Support
18 - 36 Deep, 13 or 29 High
For use with 21 or 29 High Spines




Infeed Base Support
18 - 36 Deep, 6 or 12 Wide, 13 or 21 High
For use with 21 or 29 High Spines

RUN-OFFS




Fixed Run-Off
2mm or Knife Edge
Tapered Legs or O-Leg, On Glides
2mm Edge on Glides Shown




Fixed Round Corner Run-Off
2mm or Knife Edge
Tapered Legs, On Glides
2mm Edge on Glides Shown




Sliding Run-Off
2mm or Knife Edge
Tapered Legs or O-Leg,
On Glides or Casters
2mm Edge on Glides Shown




Sliding Round Corner Run-Off
2mm or Knife Edge
Tapered Legs,
On Glides or Casters
2mm Edge on Glides Shown




Fixed Spine Surface
2mm or Knife Edge
On Glides
2mm Edge on Glides Shown



Cantilever Spine Surface
2mm or Knife Edge
2mm Edge Shown




Stack-On Desk
Left, Right or Centered Modesty
Right Modesty Stack-On Desk Shown




Sliding Run-Off Track


SINGLE SIDED SPINE STACK-ON STORAGE



Spine Hutch F
Full Finished Back
12 - 36 High, 24 - 72 Wide, 18 or 24 Deep



Spine Hutch G
Full Finished Back
20 - 36 High, 24 - 84 Wide, 18 or 24 Deep
20 High with 8 High Cubby Shelf, 28 High with 8 or 16 High Cubby Shelf,
36 High with 16 High Cubby Shelf




Spine Hutch J
Full Finished Back
20, 28 and 36 High, 60 - 84 Wide, 18 or 24 Deep
8H Cubby Shelf on 20 or 28H, 16H Cubby Shelf on 36H
Left or Right Cabinet
Cabinet Right Shown


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


SINGLE SIDED SPINE STACK-ON STORAGE




Spine Cabinet N
Full Finished Back
16 - 36 High, 24 - 72 Wide,
14 18 or 24 Deep




Spine Hutches with Sliding Doors
Full Finished Back
12 - 36 High, 24 - 72 Wide,
14, 18 or 24 Deep
Left or Right-Side Lock
Left-Side Lock Shown



Spine Bookcases
Full Finished Back
36 and 45 High, 18 - 36 Wide,
18 or 24 Deep




Spine Bookcases with Sliding Doors
Full Finished Back
16 - 36 High, 30 - 60 Wide,
14, 18 or 24 Deep
Left or Right-Side Lock
Left-Side Lock Shown




Spine Stack-On Two Door Cabinet
Full Finished Back
37 High, 30 Wide, 18 or 24 Deep


DOUBLE SIDED SPINE STACK-ON STORAGE




Spine Hutch A
12 - 36 High, 24 - 72 Wide, 18 or 24 Deep




Spine Hutch B
12 - 36 High, 36 - 72 Wide, 18 or 24 Deep, 28 High with 8 High Cubby Shelf, 36 High with 16 High Cubby Shelf, Open Left or Open Right
Open Left Shown




Spine Hutch C
20 - 36 High, 24 - 84 Wide, 24 or 30 Deep
20 High with 8 High Cubby Shelf, 28 High with 8 or 16 High Cubby Shelf,
36 High with 8 or 16 High Cubby Shelf




Spine Hutch D
20 - 36 High, 36 - 84 Wide, 18 Deep
20 High with 8 High Cubby Shelf, 28 High with 8 or 16 High Cubby Shelf,
36 High with 8 or 16 High Cubby Shelf
Open Left or Open Right
Open Left Shown




Spine Hutch E
28 and 36 High, 36 - 84 Wide, 18 or 24 Deep
With Sliding Door Cabinet
Door Left or Door Right
Door Left Shown




Spine Hutch H
20, 28 or 36 High, 60 - 84 Wide, 18 or 24 Deep
With Yin-Yang Cabinet
Cantilevered or Full Panel
Left: Cantilevered Shown, Right: Full Panel Shown




Spine Hutch K
28 or 36 High, 36 - 84 Wide, 18 or 24 Deep
Left: 28H x 48W Shown, Right: 37H x 72W Shown




Spine Cabinet L
20, 28 or 36 High, 24 - 48 Wide, 18 or 24 Deep
With Yin-Yang Cabinet
Door Left or Door Right
Door Left Shown




Spine Cabinet P
20, 28 or 36 High, 24 - 48 Wide, 18 or 24 Deep
With Yin-Yang Cabinet
One Door Left and One Door Right
One Door Left Shown




Spine Cabinet M
16 - 36 High, 36 - 84 Wide, 18 or 24 Deep
Door Left or Door Right
Door Left Shown



Spine Cabinet O
20 - 36 High, 24 - 48 Wide, 18 or 24 Deep
Door Left or Door Right
Door Left Shown




Spine Hutch R
20, 28 or 36 High, 36 - 72 Wide, 18, 24 or 30 Deep




Spine Hutch S
20, 28 or 36 High, 36 - 72 Wide, 18, 24 or 30 Deep

© 2026, AIS, Inc.

13 HIGH FLOOR STORAGE (FOR 21 HIGH SPINES)




13” High Storage with Single Bottom Box Drawer
15 - 42 Widths, 18 or 24 Depths
18 Depth, 42 Width on Glides Shown
Note: No Filing Capabilities




13” High Storage with Bottom and Hidden Top Box Drawer
15 - 42 Widths, 18 or 24 Depths
18 Depth, 42 Width on Glides Shown
Note: No Filing Capabilities


21 HIGH FLOOR STORAGE (FOR 29 HIGH SPINES)




BF Pedestal
12,16 or 18 Widths, 18, 22 or 24 Depths
On Glides or Feet
18 Depth Pedestal on Glides Shown




Hidden Drawer BF Pedestal
12,16 or 18 Widths, 18, 23 or 24 Depths
On Glides or Feet
18 Depth Pedestal on Glides Shown




BF Lateral
24 - 42 Widths, 18, 22 or 24 Depths
On Glides or Feet
18 Depth, 42 Width on Glides Shown




Floor Bookcase
24 - 72 Widths
On Glides or Feet
42 and 72 Widths on Glides Shown




Shared Floor Bookcase
Left or Right Hand, 36 - 72 Widths, 18 Deep, On Glides or Feet
Left Hand 42 and 72 Widths on Glides Shown




Two Door Cabinet
24 - 48 Widths, 18 Deep
On Glides or Feet
30 and 42 Widths on Glides Shown




Four Door Cabinet
54 - 72 Widths, 18 Deep
On Glides or Feet
72 Width on Glides Shown



Credenza w/ Sliding Doors
Left or Right Side Lock
36 - 72 Widths, 18 Deep, On Glides or Feet
Left Side Lock in 42 and 72 Widths on Glides Shown




Shared Credenza w/ Sliding Doors
Left or Right Side Lock
36 - 72 Widths, 18 Deep, On Glides or Feet
Right Side Lock in 42 and 72 Widths on Glides Shown




Combo Unit w/
BF Pedestal and Bookcase
30 - 72 Widths, 18 or 24 Depths
On Glides or Feet, Bookcase Left or Right
Bookcase Left 36 and 54 Deep on Glides Shown


ELECTRICAL AND DATA




Electrical Jumper




Duplex Outlet




USB Outlet



Calibrate Community Outlet Cover




Data Plate Kits



Single Gang Plate Adapter




Ceiling Infeed



Side-Mounted Base Infeed


End Mount Poles
For 21 or 29 High




Single Circuit Side Infeed with Plug

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


ACCESSORIES




Tackboard for Spine Hutch A
PET or Fabric




Tackboard for Spine Hutch B
PET or Fabric




Tackboard for Spine Hutch C
PET or Fabric




Tackboard for Spine Hutch D
PET or Fabric




Tackboard for Spine Hutch E
PET or Fabric




Tackboard for Spine Hutch G
PET or Fabric




Tackboard for Spine Hutch H
For Cantilevered or Full Panel
PET or Fabric




Tackboard for Spine Hutch J
PET or Fabric




Tackboard for Spine Hutch K
PET or Fabric



Tackboard for Spine Hutch N
PET or Fabric



Tackboard for Spine Hutch R
PET or Fabric



Soft Close Mechanism for
Hinged Door

© 2026, AIS, Inc.

Tackboard Fabric Options

VERTICAL SURFACE FABRICS	
Name	**Grade**
Amaze	A
Avenue	A
Cape Cod	A
Engage	A
Mirador	A
Rainfall	A
Simplicity	A
Theory	A
Twizzle	A
Lido	B
Marin	B
Nature	B
Off the Grid	B
Purpose	B
Spinel	B
Sprite	B

Note: 66” & 72” wide screens – if applying directional fabrics they will need to be railroaded for application. If using a COM fabric that is 54” wide, any screen over 48” wide would need to have the fabric railroaded as well.

C.O.M. Fabric Policy

- It is mandatory that you work directly with your AIS Customer Service Representative for all COM related testing and orders. They will provide all necessary forms to you, as well as work with you with regard to sending in correct yardage and where to send it, along with necessary RA# or #s. Please note an RA must be submitted along with the fabric for testing, as well as an RA created for an actual order.
- **Please Note:** A three to five yard sample is required for testing and approval for use on all monolithic panel systems. A one yard sample is required for testing and approval on Divi Insert Tiles, Matrix Tiles, flipper doors and tackboards. We may be able to test upholstery fabrics with a swatch, your Customer Service Representative will advise based on the fabric being tested; otherwise a 1 yard sample must be submitted for testing. Results take 48 - 72 hours.
- Customer Service must be advised as to the width of the fabric rolls being supplied (54”W or 60”W). Customer Service must also be advised if the fabric has a backer.
- Yardage required for the job must be calculated by an AIS Customer Service Rep.
- Once AIS has approved the COM fabric, a fabric sample needs to be marked by the dealer with “Front”, “Top”, and “Bottom”, to be sure fabric is applied correctly. The fabric sample then needs to be attached to a COM Fabric Dealer Form and forwarded to AIS Customer Service. The COM Fabric Dealer Form may be downloaded or printed here.
- Fabrics may be discontinued or obsolete without notice.
- Contact AIS Customer Service with any questions regarding fabric availability.
- All directional fabric will be railroaded.

Note: Graded-in AIS fabrics can not be purchased and applied as COM fabric. Graded-in fabrics must be specified according to the assigned grade and product respectively.

At AIS, we take great pride in offering a diverse selection of high-quality materials including but not limited to textiles, laminates, PET, mesh, etc. However, AIS cannot guarantee uniformity in dye lots across different production runs. As such, AIS is not liable for any variations in dye lots or color discrepancies in any of our products that may occur between orders. We encourage customers to review samples for color and texture matching prior to purchase. We are committed to providing exceptional products and are confident that our selection of textiles will meet your expectations for both aesthetic appeal and durability.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Laminate, PET and Paint Options

PAINT OPTIONS

Name	Color Code	Grade
Black	BK	A
Chalk	CK	A
Dark Tone	DT	A
Grey Value 1	GV1	A
Innertone	HT	A
Light Tone	LT	A
Medium Tone	MT	A
Metallic Silver	MS	A
Satin White	SW	A
Warm Brown	WB	A
Champagne Metallic	CHM	B
Dark Grey Metallic	DGM	B
Flint Grey Metallic	FGM	B
Light Grey	LG	B
Tan Value 1	TV1	B
Antique Gold	AG	C
Graphite Sky	GS	C
Burnt Orange	BO	C
Brown	BR	C
Steel Blue	SB	C
Baltic Blue	BB	C
Ruby Red	RR	C
Kelly Green	KG	C

Custom Paints

Special Paint Match Process & Ordering Instructions
To initiate a special paint match, please provide **three physical match samples** to your Customer Service Representative (CSR). These samples will be sent to our paint suppliers for evaluation and matching.

Match Process & Fees:
- A **non-refundable $450 net match fee** is required to begin the process.
- Once viable matches are developed (pending vendor capability), we'll send the samples to the dealer for final approval.

Pricing:
- Pricing begins at the **Grade C paint tier.**
- If the custom color incurs additional costs beyond Grade C pricing, we will advise of any upcharges before order placement.
- A **minimum order of $100,000 List** is required for special paint orders.
- The **$450 match fee will be waived** if the order is **$150,000 List or more** (and placed using the approved color).

Ordering Instructions (after color approval):
1. Dealer submits the **Purchase Order (PO)** and **Bill of Materials (BOM)** for the product requiring special paint.
2. The PO must clearly state:
   "SPECIAL PAINT REQUIRED ON THIS ORDER"
   — either in the header or special instructions section.
3. When selecting finishes:
   — Choose the **Grade C Paint option.**
   — **Do not select a final paint color.**
   — **Leave the paint code blank** and use the skip option.

PET COLOR OPTIONS

Name
Light Grey
Medium Grey
Navy
Olive Green
Warm Grey

EDGEBAND OPTIONS

Name	Color Code	Grade
Absolute Acajou	AA	A
Aimtoo Savatre	AS	A
Black	BK	A
Brazilwood	BZ	A
Chalk	CK	A
Corporate Walnut	CT	A
Dark Rum Cherry	DR	A
Dark Tone	DT	A
Field Elm	FE	A
Grand Cherry	GC	A
Grey Elm	GE	A
Grey Value 1	GV1	A
Landmark	LM	A
Leave Likatre	LV	A
Light Tone	LT	A
Linen	LN	A
Looks Likatre	LK	A
Maritime Dune	MD	A
Medium Tone	MT	A
Midwest Maple	MM	A
Neo Walnut	NW	A
Phantom Ecru	PE	A
Phantom Pearl	PP	A
Satin White / True White	SW/TW	A
Storm	ST	A
Summer Drops	SD	A
Trytoo Savatre	TS	A
White Chocolate	WC	A

LAMINATE OPTIONS

Name	Grade
Absolute Acajou	A
Aimtoo Savatre	A
Black	A
Brazilwood	A
Chalk	A
Corporate Walnut	A
Dark Rum Cherry	A
Field Elm	A
Grand Cherry	A
Grey Elm	A
Landmark	A
Leave Likatre	A
Linen	A
Looks Likatre	A
Maritime Dune	A
Midwest Maple	A
Neo Walnut	A
Phantom Ecru	A
Phantom Pearl	A
Storm	A
Summer Drops	A
True White	A
Trytoo Savatre	A
White Chocolate	A

Laminate options apply to worksurfaces, body/case, desk shell bases, modesties and doors/drawers. Matching edgeband available for all Calibrate laminate options.

© 2026, AIS, Inc.

Calibrate Community Product Details

General Construction Details

- Worksurfaces are 1 1/8" thick, thermally fused laminate with matching edgeband. For available finishes please refer to Finishes section.
- High Pressure laminate options are available as a special, please note we are not able to offer matching edgebands for High Pressure laminates.
- Storage elements have 3/4" thick case construction with 1mm edge.
- Laminate drawer and door faces are 3/4" thick.
- 2mm edges available on worksurfaces and reverse knife edge on limited surfaces. See Product Detail: Edge Profile Details for examples.
- Leveling feet are adjustable up to 1" for all floor supported components.
- Units are finished all over, including the backs.
- Shelves will match body selection
- Laminate patterns such as grain or geometric shapes do not "match" face to face. However this is not noticeable on most laminate options with the exception of natural looking woods where cathedrals appear. AIS cannot guarantee that the woodgrain will match up on the different parts of the same surface.
- AIS recommends the use of mouse pads to protect longevity and integrity of worksurfaces.

Handle Options

- Five handle options are available:
  1. Bar Pull*
  2. Loop Pull*
  3. Rectangular Pull*
  4. L Pull*
  5. Slim Pull**
- All handles are available in any graded paint selection.
- The bar pull and rectangle pull are available in brushed nickel; the loop pull is available in bright metal. The slim and L Pull are only available with painted options.
- Laminate hinged doors may be configured with touch-to-open mechanism and no handles (not applicable to framed glass doors).
- Sliding doors include an option of no handle.
- Please see Product Detail: Drawer and Handles Guide for handle examples.

*Symbols default with the Bar Pull but can be adjusted while applying your finishes.
The handle hole spread for Bar, Loop, Rectangular and L Pulls is 5" if you wish to supply your own handles.
**The handle hole spread for the Slim Pull is specific to the drawer front size.

Locks

- Box/Box/Files (BBF) pedestals will only lock the file and the middle box drawer, not the top box.
- File/File (FF) pedestal locks will secure both drawers.
- For all lateral files, wardrobe and storage units the locks will secure the drawers/door for the entire unit.
- All drawers lock on 3, 4 and 5 drawer laterals.
- Units will come with 2 keys per lock.
- Key-alike options are available per storage unit, additional lock cores may be ordered (for an additional charge) to key-alike an entire office.
- Items with 2 or more locks per unit will be keyed alike.

Lock Guide

Five lock options are offered:
- A - No lock required
- B - Black Lock
- C - Silver Lock
- D - No lock w/ black T-ring for keyed-alike or Digital Lock*
- E - No lock w/ silver T-ring for keyed alike or Digital Lock*

Lock cores and trim rings do not ship installed.

*Keyed alike lock cores must be ordered separately.

Tackboards

- Tackboards are designed to work with your stations need, with or without storage.
- Tackboard fabric direction is vertical on 24" to 48" wide units and will run horizontally for 54" to 96" wide pieces.
- Please see Product Detail for examples of tackboard fabric direction.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Calibrate Community Product Details


Drawer Handles Guide


Five handle options are available:
- Bar
- Rectangular
- Loop
- L Pull
- Slim Pull*


Door Handles Guide


Five handle options are available:
- Bar
- Rectangular
- Loop
- L Pull
- Touch to Open**
- No Handle***


*The Slim Pull option incurs an upcharge of $75 list per unit.
**Available on laminate hinged doors only; not available on framed glass doors or sliding doors. Incurs an upcharge of $50 per unit.
***Available on sliding doors.


Bar


Rectangular


Loop



L Pull


Slim Pull

© 2026, AIS, Inc.

Calibrate Community Product Details


Community Spine Dimensions



Community Spine Internal Components

1. Duplex Outlet
2. Internal cover (metal)
3. Data cable cavity
4. Electrical cable cavity
5. Front to back power jumper*
6. Powerway
7. Sliding surface track (optional)
8. Egress for power cords
9. Flip down door


*Included on Double Sided Powered Spines.




Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Calibrate Community Product Details

Community Spine External Dimensions and Components






© 2026, AIS, Inc.

Calibrate Community Product Details


Community Spine Electrical



Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Calibrate Community Product Details

Community Spine Electrical




© 2026, AIS, Inc.


Calibrate Community Product Details

Community Spine Electrical: 8 Wire 4 Circuit

AIS Calibrate Community 8 Wire 4 Circuit electrical system contains four circuits. Each circuit is rated at 20 amps/120 volts maximum. Circuit 1, Circuit 2 and Circuit 3 are served by a system neutral and an equipment ground. Circuit 4 is dedicated and is served by its own neutral and ground. Circuit and ground conductors are #12 A.G.W. (gauge). All neutrals are #10 A.G.W. (gauge).




Shown below is a cross section of metal cable used for 8 Wire 4 Circuit jumpers and infeeds. Circuit and ground conductors are #12 A.G.W. (gauge). **All neutrals are #10 A.G.W. (gauge).**



Community Spine Electrical: Duplex Outlets

Duplex Outlets are designated as circuits 1 through 4. Each duplex outlet contains two single receptacles (places to plug into) of the same circuit and are specified separately from powerways. All duplex outlets have black faces. The lettering on outlets for Circuit 1, 2 and 3 is white. The lettering on outlets for Circuit 4 is orange. Outlets are screw mounted to powerway. Duplex outlets are standard 15 amp outlets. For 20 amp outlets, call AIS Customer Service.




Common Equipment Amperages

Personal Computer	2.00 - 4.00
Laser Printer	5.00 - 8.00
Desktop Plotter	1.50
Fan	1.00
Heater	8.50 - 12.50
Tasklight	1.00
Slide Projector	2.00 - 6.00
Coffee Pot	15.00
Paper Shredder	4.40 - 13.00
Radio	0.05
Pencil Sharpener	1.00
Calculator	0.25
Answering Machine	0.08


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Calibrate Community Product Details

Height Adjustable Table Considerations with 29” High Spine




Height Adjustable Table Considerations with 21” High Spine




© 2026, AIS, Inc.

Calibrate Community Product Details

Community Spine Storage Considerations







Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Calibrate Community Product Details

Community Spine Hutch R & S Details






© 2026, AIS, Inc.

Calibrate Community Product Details

Wood Grain Direction


Grain direction runs vertical for all pieces except for the back of 48” wide cabinets, in which case it runs horizontal. Calibrate wood grain is always vertical on storage fronts and doors. Grains run vertically on items under 60” wide. Items over 60” wide have the grain will run horizontally.



Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

21” High Spine Application with Components



A. **21” High Top Mount End Panel** - Used at end of spine to support spine flush with top of end panel and finish end of spine. Adds 1 1/8th” to spine length. Specify end panel that matches spine depth chosen.

B. **13” High Mid Support** - Used to support spine at 21” high at seam between two adjacent spines. Specify end panel that matches spine depth chosen.

C. **13” High Storage** - Provides lockable personal storage beneath 21” high spine and used to support spine.

D. **13” High Infeed Base Support** - Has removable front and back panels and an open bottom to provide entrance for electrical and data cables.

E. **42” High Shared Mid Mount End Panel with 21” High Mount Height** - Supports the ends of 2 spines at 21” high with a section of panel above spine mounting height to act as a finished end for storage or screens or to create a space for adjacent gallery panels and rolling whiteboards. Adds 1 1/8th” to spine length. Specify end panel that matches spine depth chosen.

F. **42” High Mid Mount End Panel with 21” High Mount Height** - Supports and finishes end of spine with section of panel above spine mounting height to act as a finished end for storage or screens if desired. Adds 1 1/8th” to spine length. Specify end panel that matches spine depth chosen.

G. **Stack-On Desks** - Available to stack on top of 21 high spines or 21” high storage elements.

H. **21” High Shared Top Mount End Panel** - Used between 2 spine to support spine flush with top of end panel and to provide a 1 1/8th space between spine for placement of screens and dividers. Adds 1 1/8th” to spine length. End panel has cutout for passing electrical and data cables. Specify end panel that matches spine depth chosen.


I. **42” High Tri-Wheel Whiteboard/Divider**

J. **20” High Spine Hutch B Open Right**

© 2026, AIS, Inc.

Calibrate Community Product Details

29” High Spine Application with Components



A. **29” High Top Mount End Panel** - Used at end of spine to support spine flush with top of end panel and finish end of spine. Adds 1 1/8th” to spine length. Specify end panel that matches spine depth chosen.

B. **21” High Mid Support** - Used to support spine at 29” high at seam between two adjacent spines. Specify end panel that matches spine depth chosen.

C. **18” High Mobile Storage** - Designed to be stored under 29” high spines.

D. **21” High Storage** - Can be used to support 29” high spines and are available in many configurations.

E. **21” High Infeed Base Support** - Has removable front and back panels and an open bottom to provide entrance for electrical and data cables.

F. **29” High Shared Top Mount End Panel** - Used between 2 spine to support spine flush with top of end panel and to provide a 1 1/8th space between spine for placement of screens and dividers. Adds 1 1/8th” to spine length. End panel has cutout for passing electrical and data cables. Specify end panel that matches spine depth chosen.

G. **18” Deep Cantilevered Worksurface** - Can be mounted on spines that are supported with Storage below. Cantilevered surface does not impede flip door electrical access.

H. **21” High Storage** - Can be used to support 29” high spine, shown here turned perpendicular to spine.

I. **42” High Shared Mid Mount End Panel with 29” High Mount Height** - Supports the ends of 2 spines at 29” high with a section of panel above spine mounting height to act as a finished end for storage or screens or to create a space for adjacent gallery panels and rolling whiteboards. Adds 1 1/8th” to spine length. Specify end panel that matches spine depth chosen.

J. **42” High Mid Mount End Panel with 29” High Mount Height** - Supports and finishes end of spine with section of panel above spine mounting height to act as a finished end for storage or screens if desired. Adds 1 1/8th” to spine length. Specify end panel that matches spine depth chosen.

K. **20” High Spine Hutch B Open Right** - Used for storage and space division.

L. **42” High Tri-Wheel Whiteboard/Divider**


M. **Sliding Run-off Surfaces and Fixed Run-off Surfaces** - Can be specified for 29” high spines and mount with short side parallel to spine. Sliding Run-off Surfaces can be specified with glides or casters. Track for mounting ordered separately based on spine width. Sliding surfaces can slide along spine continuously as long as tracks are ordered for adjacent spines. Sliding surfaces CANNOT slide past Shared End Panels. Fixed Run-Off Surfaces are stationary and do not require track for mounting. Run-off surfaces do not impede flip door access to electrical.


N. **Fixed Spine Surfaces** - Mount with long side parallel to spine and are supported at front with 2 legs. Fixed Spine Surfaces do not impede flip door access to electrical.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Calibrate Community Typicals

Typical 1






Description	Model Number	Quantity	Notes
1. Double Sided Powered Spine 72” Wide x 24” Deep	C-COMSP2-7224	3x	
2. Top Mount End Panels	C-CEP2421	2x	
3. Duplex Outlets - Line 1	E-MW8W4DO1	6x	
4. USB Outlets - Line 2	E-UN8W4USB02	6x	
5. Duplex Outlets - Line 4	E-MW8W4DO4	6x	
6. Electrical Jumpers 61” Long	E-MW8W4PJ42	2x	
7. Side-Mounted Base Infeed	E-UN8W4BIFS	1x	
8. Stack-On Desk Left Modesty 28” High x 60” Wide x 24” Deep	X-SODL286024	2x	
9. Stack-On Desk Right Modesty 28” High x 60” Wide x 24” Deep	X-SODR286024	2x	
10. Spine Hutch H Full Panel 36” High x 72” Wide x 24” Deep	C-CSH367224HF	2x	
11. Fabric Tackboard for Spine Hutch H (Full Panel) 36” High x 72” Wide	C-CTACKF3672HF	4x	
12. Fabric/Whiteboard/Laminate/Vinyl Partial Modesty Undersurface Mount Slimline Screen 26” High x 36” Wide	O-SMH2636	4x	See Oxygen Price List for details.
13. 13” High Storage with Bottom and Hidden Top Box Drawer 24” Wide x 24” Deep	C-CLATB2424	4x	
14. Configurable LB Lounge Solid Base 2-Seater	F-SSS426030C	2x	See Seating Price List for details.

© 2026, AIS, Inc.

Calibrate Community Typicals

Typical 2





Description	Model Number	Quantity	Notes
1. Double Sided Powered Spine 60” Wide x 18” Deep	C-COMSP2-6018	3x	
2. Mid Mount End Panels 18” Deep x 58” High	C-CEP185829	2x	
3. Duplex Outlets - Line 1	E-MW8W4DO1	6x	
4. Duplex Outlets - Line 2	E-MW8W4DO2	6x	
5. Duplex Outlets - Line 4	E-MW8W4DO4	6x	
6. Electrical Jumpers 48” Long	E-UN8W4J48	2x	
7. Infeed Base Support 18” Deep x 6” Wide x 21” High	C-CIBS180621	1x	
8. Single Gang Plate Adapters	E-DJA	6x	
9. Side-Mounted Base Infeed	E-UN8W4BIFS	1x	
10. Spine Hutch B Open Right 28” High x 72” Wide x 18” Deep	C-CSH287218BR	3x	
11. BF Lateral 21” High x 30” Wide x 18” Deep	X-PLAT2D3018	1x	
11. BF Lateral 21” High x 36” Wide x 18” Deep	X-PLAT2D3618	5x	
12. E Series 2mm Edge Rectangular Table with Height Adjustable Bases 24” Deep x 54” Wide x 29” High	T-RCR245429HG	6x	See Tables Price List for details.
13. PET L-Wrap Partial Modesty Under Surface Mount Lite Screens Right Hand 34” High x 48” Wide x 24” Deep	Y-5M4J2R342448B	6x	See Tables Price List for details.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Calibrate Community Typicals

Typical 3







Description	Model Number	Quantity	Notes
1. Double Sided Powered Spine 72” Wide x 24” Deep	C-COMSP2-7224	2x	
2. Top Mount End Panels 24” Deep x 29” High	C-CEP2429	2x	
3. 2mm Edge Sliding Run-Off 29” High x 66” Wide x 24” Deep	C-CSRR2466G	1x	
4. Sliding Run-Off Track 72” Wide	C-CRRT72	1x	
5. Volker Cube 18” High x 18” Wide x 18” Deep	F-CUBE181818	2x	See Seating Price List for details.
6. Rutland Perch	6470C	3x	See Seating Price List for details.
7. Configurable LB Lounge Solid Base 3-Seater 42” High x 72” Wide x 30” Deep	F-SSS427230C	1x	See Seating Price List for details.
8. LB Ledge 13” Deep x 72” Wide	F-LBLL1372	1x	See Seating Price List for details.
9. Community Spine Hutch A 44” High x 72” Wide x 24” Deep	C-CSH447224A	2x	Coming soon.
10. Floor Bookcase 21” High x 72” Wide x 24” Deep	X-CBC207224	1x	
11. Four Door Cabinet 21” High x 72” Wide x 24” Deep	X-4DC722421	1x	Coming soon.
12. Duplex Outlets - Line 1	E-MW8W4DO1	4x	
13. Duplex Outlets - Line 2	E-UN8W4USB02	4x	
14. Duplex Outlets - Line 4	E-MW8W4DO4	4x	
15. Electrical Jumpers 61” Long	E-MW8W4PJ42	1x	
16. Side-Mounted Base Infeeds	E-UN8W4BIFS	1x	

© 2026, AIS, Inc.

Calibrate Community Typicals

Typical 4







Description	Model Number	Quantity	Notes
1. Double Sided Powered Spine 84” Wide x 18” Deep	C-COMSP2-8418	2x	
2. Infeed Base Support 18” Deep x 6” Wide x 21” High	C-CIBS180621	1x	
3. Side-Mounted Base Infeed	E-UN8W4BIFS	1x	
4. Duplex Outlets - Line 1	E-MW8W4DO1	4x	
5. USB Outlets - Line 2	E-UN8W4USB02	4x	
6. Duplex Outlets - Line 4	E-MW8W4DO4	4x	
7. Single Gang Plate Adapters	E-DJA	4x	
8. Electrical Jumpers 69” Long	E-MW8W4PJ48E	1x	
9. Top Mount End Panels 18” Deep x 29” High	C-CEP1829	2x	
10. Spine Hutch B Open Right 12” High x 72” Wide x 18” Deep	C-CSH127218BR	1x	
11. Sliding Run-Off Tracks 84” Wide	C-CRRT84	4x	
12. 2mm Edge Sliding Run-Off w/ Glides 29” High x 60” Wide x 30” Deep	C-CSRR3060G	2x	
13. 2mm Edge Sliding Run-Off w/ Glides 29” High x 60” Wide x 24” Deep	C-CSRR2460G	1x	
14. 2mm Edge Sliding Run-Off w/ Casters 29” High x 60” Wide x 24” Deep	C-CSRR2460C	1x	
15. Front/Rear Surface Mount Slimline Screens 12” High x 48 Wide	Y-6R1A1U1248B	3x	See Screens Price List for details.
16. Floor Bookcases 21” High x 30” Wide x 18” Deep	X-CBC2030	2x	
17. Floor Bookcases 21” High x 36” Wide x 18” Deep	X-CBC2036	1x	
18. Shared Credenza Cushion 36” Deep x 30” Wide	S-BCUSH3630	1x	See Calibrate Price List for details.
19. BF Lateral 21” High x 30” Wide x 18” Deep	X-PLAT2D3018	3x	
20. Volker Cube 18” High x 18” Wide x 18” Deep	F-CUBE181818	4x	See Seating Price List for details.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Calibrate Community Typicals

Typical 5






Description	Model Number	Quantity	Notes
1. Double Sided Powered Spine 72” Wide x 24” Deep	C-COMSP2-7224	3x	
2. Side-Mounted Base Infeed	E-UN8W4BIFS	1x	
3. Single Gang Plate Adapters	E-DJA	6x	
4. Duplex Outlets - Line 1	E-MW8W4DO1	6x	
5. USB Outlets - Line 2	E-UN8W4USB02	6x	
6. Duplex Outlets - Line 4	E-MW8W4DO4	6x	
8. Electrical Jumpers 61” Long	E-MW8W4PJ42	2x	
9. Top Mount End Panels 24” Deep x 21” High	C-CEP2421	2x	
10. Spine Hutch F Full Panel 28” High x 72” Wide x 24” Deep	C-CSH287224HF	3x	
11. Stack-On Desk Right Modesty 29” High x 60” Wide x 24” Deep	X-SODR286024	3x	
12. Stack-On Desk Left Modesty 29” High x 60” Wide x 24” Deep	X-SODL286024	3x	
13. Fabric Tackboard for Spine Hutch H Full Panel 28” High x 72” Wide	C-CTACKF2872HF	6x	
14. Fabric/Whiteboard/Laminate/Vinyl Partial Modesty Undersurface Mount Slimline Screen 26” High x 36” Wide	O-SMH2636	6x	See Oxygen Price List for details.
15. Tri-Wheel Mobile Laminate Whiteboard/Divider 24” Deep x 54” Wide x 50” High	A-TWWB502454	1x	See Accessories Price List for details.
16. 13” High Storage with Bottom and Hidden Top Box Drawer 24” Wide x 24” Deep	C-CLATB2424	6x	
17. 2mm Edge Round Table with Tapered Post Legs 36” Deep x 29” High	T-RDR3629TPG	1x	See Tables Price List for details.

© 2026, AIS, Inc.

Calibrate Community Typicals


Typical 6



Description	Model Number	Quantity	Notes
1. Double Sided Powered Spine 78” Wide x 18” Deep	C-COMSP2-7818	2x	
2. Single Gang Plate Adapters	E-DJA	4x	
3. Duplex Outlets - Line 1	E-MW8W4DO1	4x	
4. USB Outlets - Line 2	E-UN8W4USB02	4x	
5. Duplex Outlets - Line 4	E-MW8W4DO4	4x	
6. Side-Mounted Base Infeed	E-UN8W4BIFS	1x	
7. Electrical Jumpers 67” Long	E-MW8W4PJ48	1x	
8. Mid Mount End Panels 18” Deep x 50” High	C-CEP185021	2x	
9. Mid Support 18” Deep x 13” High	C-CMSP1821	1x	
10. Spine Hutch E Door Right 28” High x 78” Wide x 18” Deep	C-CSH287818ER	2x	
11. PET Tackboard for Spine Hutch E 28” High x 42” Wide	C-CTACK2842E	4x	
12. Stack-On Desks Right Modesty 29” High x 60” Wide x 30” High	X-SODR286030	4x	
13. Glass 3/8” Front/Rear Surface Mount Channel Screen 20” High x 54” Wide	Y-4R2H1U2054B	4x	See Aloft Price List for details.
14. Side Access Roll Out/Pantry Tower Right Handed 50” High x 15.75” Wide x 30” Deep	X-SARTR501530	4x	See Calibrate Price List for details.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Typical 7





Description	Model Number	Quantity	Notes
1. Double Sided Powered Spine 78” Wide x 18” Deep	C-COMSP2-7818	2x	
2. Single Gang Plate Adapters	E-DJA	4x	
3. Duplex Outlets - Line 1	E-MW8W4DO1	4x	
4. USB Outlets - Line 2	E-UN8W4USB02	4x	
5. Duplex Outlets - Line 4	E-MW8W4DO4	4x	
6. Electrical Jumpers 67” Long	E-MW8W4PJ48	1x	
7. Side-Mounted Base Infeed	E-UN8W4BIFS	1x	
8. Top Mount End Panels 18” Deep x 21” High	C-CEP1821	2x	
9. Spine Cabinet M Door Right 28” High x 48” Wide x 18” Deep	C-CSC284818MR	1x	
10. Spine Cabinet M Door Left 28” High x 48” Wide x 18” Deep	C-CSC284818ML	1x	
11. Bottom Cubby Box Mobile Pedestal	C-PCFLCN181818	4x	
12. 13” High Storage with Single Bottom Box Drawer 24” Wide x 18” Deep	C-CLATF1824	4x	
13. E Series 2mm Edge Rectangular Table with Height Adjustable Bases 30” Deep x 60” Wide x 29” High	T-RCR306029HG	4x	See Tables Price List for details.
14. End Panels for Day-to-Day Tables with Height Adjustable Bases 30” Deep x 29” High	T-EPHAT2930	4x	See Tables Price List for details.
15. PET L-Wrap Partial Modesty Under Surface Mount Lite Screens Left Hand 26” High x 60” Wide x 30” Deep	Y-5M4J2L263060B	2x	See Tables Price List for details.
16. PET L-Wrap Partial Modesty Under Surface Mount Lite Screens Right Hand 26” High x 60” Wide x 30” Deep	Y-5M4J2R263060B	2x	See Tables Price List for details.

© 2026, AIS, Inc.

Calibrate Community Typicals

Typical 8






Description	Model Number	Quantity	Notes
1. Single Sided Powered Spine 72” Wide x 24” Deep	C-COMSP1-7224	2x	
2. Single Gang Plate Adapters	E-DJA	2x	
3. Duplex Outlets - Line 1	E-MW8W4DO1	2x	
4. USB Outlets - Line 2	E-UN8W4USB02	2x	
5. USB Outlets - Line 4	E-UN8W4USB04	2x	
6. Electrical Jumpers 61” Long	E-MW8W4PJ42	1x	
7. Side-Mounted Base Infeeds	E-UN8W4BIFS	1x	
8. Mid Mount End Panels 24” Deep x 66” High	C-CEP246629	2x	
9. Stack-On Bookcase with Sliding Doors Left Handed 37” High x 36” Wide x 14” Deep	X-SOSDL3736	1x	See Calibrate Price List for details.
10. Stack-On Bookcase with Sliding Doors Right Handed 37” High x 36” Wide x 14” Deep	X-SOSDR3736	1x	See Calibrate Price List for details.
11. Vertical Wall Mounted Tackboard 37” High x 36” Wide	X-TACKSW3736	2x	See Calibrate Price List for details.
12. Configurable LB Lounge Open Base 3-Seater 34” High x 72” Wide x 30” Deep	F-SSC347230C	2x	See Seating Price List for details.
13. 2mm Edge Sliding Run-Off w/ Casters 29” High x 48” Wide x 30” Deep	C-CSRR3048C	2x	
14. Volker Cube 18” High x 18” Wide x 18” Deep	F-CUBE181818	2x	See Seating Price List for details.
15. Rectangular Worksurface 24” Deep x 48” Wide	W-WS2448	1x	See Worksurfaces Price List for details.
16. 13” High Storage with Single Bottom Box Drawer 24” Wide x 24” Deep	C-CLATF2424	2x	
17. Floor Bookcase 21” High x 36” Wide x 24” Deep	X-CBC203624	1x	See Calibrate Price List for details.
18. Two Door Cabinet 21” High x 36” Wide x 24” Deep	X-DDC362421	1x	Coming soon.
19. BF Laterals 21” High x 36” Wide x 24” Deep	X-PLAT2D3624	2x	
20. Spine Hutch A 36” High x 72” Wide x 24” Deep	C-CSH367224A	1x	
21. Sliding Run-Off Tracks 72” Wide	C-CRRT72	2x	

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Typical 9





Description	Model Number	Quantity	Notes
1. Double Sided Powered Spine 36” Wide x 24” Deep	C-COMSP2-3624	2x	
2. Double Sided Powered Spine 48” Wide x 24” Deep	C-COMSP2-4824	1x	
3. Mid Mount End Panels 24” Deep x 50” High	C-CEP245029	2x	
4. Side-Mounted Base Infeeds	E-UN8W4BIFS	1x	
5. Electrical Jumpers 33” Long	E-HM8W4PJ24	2x	
6. USB Outlets - Line 1	E-UN8W4USB01	4x	
7. Duplex Outlets - Line 4	E-MW8W4DO4	4x	
8. Infeed Base Support 24” Deep x 12” Wide x 21” High	C-CIBS241221	1x	Centered under spine in center.
9. Spine Hutch A 20” High x 60” Wide x 24” Deep	C-CSH206024A	2x	
10. PET Tackboard for Spine Hutch A 20” High x 60” Wide	C-CTACK2060A	4x	
11. Laptop Table	T-LT	4x	See Tables Price List for details.
12. PET Gallery Panel Side Mount Channel Screens 50” High x 30” Wide	Y-5G2R1U5030B	2x	Coming soon.
13. Hidden Drawer BF Pedestal 21” High x 12” Wide x 24” Deep	X-BFPH211224	4x	
14. Configurable LB Lounge Solid Base 1-Seater 50” High x 30” Wide x 30” Deep	F-SSS503030C	4x	See Seating Price List for details.

© 2026, AIS, Inc.

Calibrate Community Typicals

Typical 10






Description	Model Number	Quantity	Notes
1. Double Sided Powered Spine 72” Wide x 18” Deep	C-COMSP2-7218	2x	
2. Mid Mount End Panels 18” Deep x 46” Wide	C-CEP184629	2x	
3. Shared Mid Mount End Panels 18” Deep x 46” Wide	C-CEPMS184629	1x	
4. Duplex Outlets - Line 1	E-MW8W4DO1	4x	
5. Duplex Outlets - Line 2	E-MW8W4DO2	4x	
6. Single Gang Plate Adapters	E-DJA	4x	
7. Electrical Jumpers 61” Long	E-MW8W4PJ42	1x	
8. Side-Mounted Base Infeeds	E-UN8W4BIFS	1x	
9. Spine Hutch B Open Left 16” High x 72” Wide x 18” Deep	C-CSH167218BL	1x	
10. Spine Hutch B Open Right 16” High x 72” Wide x 18” Deep	C-CSH167218BR	1x	
11. Fabric/Whiteboard/Laminate/Vinyl Partial Modesty Undersurface Mount Slimline Screen 26” High x 48” Wide	O-SMH2648	2x	See Oxygen Price List for details.
12. Glass 3/8” Panel Top Surface Mount Channel Scree 16” High x 72” Wide	Y-4P2A1U1672B	2x	See Screens Price List for details.
13. BF Pedestals 21” High x 18” Wide x 18” Deep	X-BFPFS182118	2x	
14. Bottom Cubbie Box Mobile Pedestal with Cushion 21” High x 16” Wide x 18” Deep	C-PCFLCC162118	2x	Coming soon.
15. Single Door Cabinets Left Hinge 46” High x 12” Wide x 24” Deep	X-SDCL4624	1x	Coming soon.
16. Single Door Cabinets Right Hinge 46” High x 12” Wide x 24” Deep	X-SDCR4624	1x	Coming soon.
17. 2mm Edge Fixed Spine Surface with Tapered Legs 29” High x 54” Wide x 24” Deep	X-DROR2454TS	2x	
18. U-Channel 48” Wide	WPS-VC48	2x	See Support & Storage Price List for details.
19. Worksurface Support Bracket	O-WSLB	2x	See Calibrate Price List for details.
20. Rectangular Worksurface 24” Deep x 48” Wide	W-WS2460	2x	See Worksurface Price List for details.
21. Tri-Wheel Mobile Laminate Whiteboard/Divider 24” Deep x 60” Wide x 46” High	A-TWWB462460	1x	See Accessories Price List for details.
22. 2mm Edge Round Table with Tapered Post Legs 36” Deep x 29” High	T-RDR3629TPG	1x	See Tables Price List for details.
23. Volker Cube 18” High x 18” Wide x 18” Deep	F-CUBE181818	2x	See Seating Price List for details.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Calibrate Community Typicals

Typical 11





Description	Model Number	Quantity	Notes
1. Double Sided Powered Spine 60” Wide x 18” Deep	C-COMSP2-6018	3x	
2. USB Outlets - Line 1	E-UN8W4USB01	6x	
3. Duplex Outlets - Line 4	E-MW8W4DO4	6x	
4. Electrical Jumpers 48” Long	E-UN8W4J48	2x	
5. Side-Mounted Base Infeeds	E-UN8W4BIFS	1x	
6. Mid Mount End Panels 18” Deep x 50” High	C-CEP185029	2x	
7. Shared Mid Mount End Panels 18” Deep x 50” Wide	C-CEPMS185029	2x	
8. Spine Hutch A 20” High x 60” Wide x 18” Deep	C-CSH206018A	3x	
9. 2mm Edge Cantilevered Spine Surface 29” High x 60” Wide x 18” Deep	C-CCSSR1860	6x	
10. Hidden Drawer BF Pedestals 21” High x 12” Wide x 24” Deep	X-BFPH211224	6x	
11. PET Gallery Panel Side Mount Channel Screens 50” High x 30” Wide	Y-5G2R1U5030B	6	Coming soon.

© 2026, AIS, Inc.

Calibrate Community Typicals

Typical 12






Description	Model Number	Quantity	Notes
1. Single Sided Powered Spine 60” Wide x 30” Deep	C-COMSP1-6030	2x	
2. Single Sided Powered Spine 42” Wide x 30” Deep	C-COMSP1-4230	1x	
3. Top Mount End Panels 30” Deep x 29” High	C-CEP3029	2x	
4. Floor Bookcases 21” High x 30” Wide x 24” Deep	X-CBC203024	2x	
5. BF Laterals 21” High x 30” Wide x 24” Deep	X-PLAT2D3024	2x	
6. Hidden Drawer BF Pedestal on Casters with Cushion 21” High x 16” Wide x 18” Deep	C-BFPHDM16	1x	See Calibrate Price List for details.
7. Bottom Cubbie Box Mobile Pedestal with Cushion 21” High x 16” Wide x 18” Deep	C-PCFLCC162118	1x	See Calibrate Price List for details.
8. Wall Mounted Overhead Storage with Sliding Doors Left-Side Lock 16” High x 60” Wide x 14” Deep	C-OWMS166014LL	1x	See Calibrate Price List for details.
9. Wall Mounted Overhead Storage with Sliding Doors Right-Side Lock 16” High x 60” Wide x 14” Deep	C-OWMS166014RL	1x	
10. Knife Edge Sliding Run-Offs with Tapered Legs 29” High x 66” Wide x 30” Deep	C-CSRK3066C	2x	
11. Volker Cube 18” High x 18” Wide x 18” Deep	F-CUBE181818	2x	See Seating Price List for details.
12. Duplex Outlets - Line 1	E-MW8W4DO1	3x	
13. Duplex Outlets - Line 2	E-MW8W4DO2	3x	
14. Duplex Outlets - Line 4	E-MW8W4DO4	3x	
15. Electrical Jumpers 39” Long	E-HM8W4PJ30	2x	
16. Single Gang Plate Adapters	E-DJA	2x	
17. Side-Mounted Base Infeeds	E-UN8W4BIFS	1x	
18. Sliding Run-Off Tracks 60” Wide	C-CRRT60	2x	
19. Sliding Run-Off Tracks 42” Wide	C-CRRT42	1x	

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Typical 13




Description	Model Number	Quantity	Notes
1. Single Sided Powered Spine 42” Wide x 24” Deep	C-COMSP1-4224	3x	
2. Top Mount End Panels 24” Deep x 46” High	C-CEP2446	2x	
3. Shared Top Mount End Panels 24” Deep x 46” High	C-CEPTS2446	2x	
4. Duplex Outlets - Line 1	E-MW8W4DO1	3x	
5. USB Outlets - Line 2	E-UN8W4USB02	3x	
6. Duplex Outlets - Line 4	E-MW8W4DO4	3x	
7. Side-Mounted Base Infeeds	E-UN8W4BIFS	1x	
8. Electrical Jumpers 30” Long	E-UN8W4J30	2x	
9. Lexan 1/4” Territory Drop Surface Mount Clip Screen 20” High x 24” Wide	Y-1D3A1U2024B	4x	Coming soon.

© 2026, AIS, Inc.

Non-Powered Spines

NON-POWERED SPINE			
W	D	Model Number	List
24	18	C-COMSNP-2418	2,066
24	24	C-COMSNP-2424	2,148
24	30	C-COMSNP-2430	2,370
24	36	C-COMSNP-2436	2,451
30	18	C-COMSNP-3018	2,203
30	24	C-COMSNP-3024	2,302
30	30	C-COMSNP-3030	2,546
30	36	C-COMSNP-3036	2,644
36	18	C-COMSNP-3618	2,312
36	24	C-COMSNP-3624	2,437
36	30	C-COMSNP-3630	2,696
36	36	C-COMSNP-3636	2,821
42	18	C-COMSNP-4218	2,434
42	24	C-COMSNP-4224	2,577
42	30	C-COMSNP-4230	2,901
42	36	C-COMSNP-4236	2,999
48	18	C-COMSNP-4818	2,745
48	24	C-COMSNP-4824	2,973
48	30	C-COMSNP-4830	3,202
48	36	C-COMSNP-4836	3,367
54	18	C-COMSNP-5418	3,006
54	24	C-COMSNP-5424	3,254
54	30	C-COMSNP-5430	3,363
54	36	C-COMSNP-5436	3,546

NON-POWERED SPINE			
W	D	Model Number	List
60	18	C-COMSNP-6018	3,148
60	24	C-COMSNP-6024	3,418
60	30	C-COMSNP-6030	3,545
60	36	C-COMSNP-6036	3,750
66	18	C-COMSNP-6618	3,269
66	24	C-COMSNP-6624	3,558
66	30	C-COMSNP-6630	3,706
66	36	C-COMSNP-6636	3,928
72	18	C-COMSNP-7218	3,517
72	24	C-COMSNP-7224	3,826
72	30	C-COMSNP-7230	3,994
72	36	C-COMSNP-7236	4,234
78	18	C-COMSNP-7818	3,636
78	24	C-COMSNP-7824	3,928
84	18	C-COMSNP-8418	3,813
84	24	C-COMSNP-8424	4,158
90	18	C-COMSNP-9018	3,935
90	24	C-COMSNP-9024	4,298
96	18	C-COMSNP-9618	4,049
96	24	C-COMSNP-9624	4,433



Specify

- Paint Selection for Internal Cover (Grade C Paint +10)
- Laminate Choice

Notes


- 8” high laminate cabinet with flip down doors on front and back.
- Provides electrical and data distribution.
- 1” gap above door maintained for egress of user power cords.
- Internal centerline cavity for multi-circuit electrical cables.
- External cavities on front and rear with metal cover provides lay-in data cable capabilities.
- Non-powered does not include multi-circuit powerway.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Single Sided Powered Spines

SINGLE SIDED POWERED SPINE			
W	D	Model Number	List
36	18	C-COMSP1-3618	3,008
36	24	C-COMSP1-3624	3,366
36	30	C-COMSP1-3630	3,442
36	36	C-COMSP1-3636	3,570
42	18	C-COMSP1-4218	3,130
42	24	C-COMSP1-4224	3,505
42	30	C-COMSP1-4230	3,646
42	36	C-COMSP1-4236	3,748
48	18	C-COMSP1-4818	3,442
48	24	C-COMSP1-4824	3,698
48	30	C-COMSP1-4830	3,948
48	36	C-COMSP1-4836	4,119
54	18	C-COMSP1-5418	3,703
54	24	C-COMSP1-5424	3,977
54	30	C-COMSP1-5430	4,112
54	36	C-COMSP1-5436	4,296
60	18	C-COMSP1-6018	3,846
60	24	C-COMSP1-6024	4,142
60	30	C-COMSP1-6030	4,292
60	36	C-COMSP1-6036	4,502

SINGLE SIDED POWERED SPINE			
W	D	Model Number	List
66	18	C-COMSP1-6618	3,966
66	24	C-COMSP1-6624	4,282
66	30	C-COMSP1-6630	4,451
66	36	C-COMSP1-6636	4,678
72	18	C-COMSP1-7218	4,215
72	24	C-COMSP1-7224	4,550
72	30	C-COMSP1-7230	4,741
72	36	C-COMSP1-7236	4,984
78	18	C-COMSP1-7818	4,334
78	24	C-COMSP1-7824	4,688
84	18	C-COMSP1-8418	4,511
84	24	C-COMSP1-8424	4,882
90	18	C-COMSP1-9018	4,632
90	24	C-COMSP1-9024	5,022
96	18	C-COMSP1-9618	4,747
96	24	C-COMSP1-9624	5,156



Specify

- Paint Selection (Grade C Paint +10)
- Laminate Choice

Notes


- 8” high laminate cabinet with flip down doors on front and back.
- Provides electrical and data distribution.
- 1” gap above door maintained for egress of user power cords.
- Internal centerline cavity for multi-circuit electrical cables.
- External cavities on front and rear with metal cover provides lay-in data cable capabilities.
- Includes 8 wire 4 circuit powerway, centered left to right, facing one side only.
- Accommodates up to 4 duplex outlets per powerway.
- PowerBench & PowerBeam products include Single Gang Adapter Plate(s). One for Single Sided applications and two for Double Sided applications. Reference E-DJA.
- Includes 1 metal cover with 4 duplex Outlet holes and one non-powered (blank) cover.
- Woodgrain laminate direction runs horizontally along the length of the spine and the drop-down panel.


© 2026, AIS, Inc.

Single Sided Chicago Powered Spines


SINGLE SIDED CHICAGO POWERED SPINE			
W	D	Model Number	List
36	18	C-COMSC1-3618	3,008
36	24	C-COMSC1-3624	3,366
36	30	C-COMSC1-3630	3,442
36	36	C-COMSC1-3636	3,570
42	18	C-COMSC1-4218	3,130
42	24	C-COMSC1-4224	3,505
42	30	C-COMSC1-4230	3,646
42	36	C-COMSC1-4236	3,748
48	18	C-COMSC1-4818	3,442
48	24	C-COMSC1-4824	3,698
48	30	C-COMSC1-4830	3,948
48	36	C-COMSC1-4836	4,119
54	18	C-COMSC1-5418	3,703
54	24	C-COMSC1-5424	3,977
54	30	C-COMSC1-5430	4,112
54	36	C-COMSC1-5436	4,296
60	18	C-COMSC1-6018	3,846
60	24	C-COMSC1-6024	4,142
60	30	C-COMSC1-6030	4,292
60	36	C-COMSC1-6036	4,502

SINGLE SIDED CHICAGO POWERED SPINE			
W	D	Model Number	List
66	18	C-COMSC1-6618	3,966
66	24	C-COMSC1-6624	4,282
66	30	C-COMSC1-6630	4,451
66	36	C-COMSC1-6636	4,678
72	18	C-COMSC1-7218	4,215
72	24	C-COMSC1-7224	4,550
72	30	C-COMSC1-7230	4,741
72	36	C-COMSC1-7236	4,984
78	18	C-COMSC1-7818	4,334
78	24	C-COMSC1-7824	4,688
84	18	C-COMSC1-8418	4,511
84	24	C-COMSC1-8424	4,882
90	18	C-COMSC1-9018	4,632
90	24	C-COMSC1-9024	5,022
96	18	C-COMSC1-9618	4,747
96	24	C-COMSC1-9624	5,156





Junction Box



Junction Box

Specify

- Paint Selection (Grade C Paint +10)
- Laminate Choice

Notes

- 8” high laminate cabinet with flip down doors on front and back.
- Provides electrical and data distribution.
- 1” gap above door maintained for egress of user power cords.
- Internal centerline cavity for multi-circuit electrical cables.
- External cavities on front and rear with metal cover provides lay-in data cable capabilities.
- Includes (1) junction box with knockouts for electrical connectors, can be used with either 15 amp or 20 amp Standard NEMA single gang outlets. Boxes have standard 0.875” knockouts for electrical connectors.
- Outlets sold separately. Decorative outlets cannot be used.
- Woodgrain laminate direction runs horizontally along the length of the spine and the drop-down panel.
- PowerBench & PowerBeam products include Single Gang Adapter Plate(s). One for Single Sided applications and two for Double Sided applications. Reference E-DJA.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Double Sided Powered Spines

DOUBLE SIDED POWERED SPINE			
W	D	Model Number	List
36	18	C-COMSP2-3618	3,577
36	24	C-COMSP2-3624	3,935
36	30	C-COMSP2-3630	4,009
36	36	C-COMSP2-3636	4,136
42	18	C-COMSP2-4218	3,696
42	24	C-COMSP2-4224	4,074
42	30	C-COMSP2-4230	4,166
42	36	C-COMSP2-4236	4,314
48	18	C-COMSP2-4818	4,008
48	24	C-COMSP2-4824	4,266
48	30	C-COMSP2-4830	4,517
48	36	C-COMSP2-4836	4,686
54	18	C-COMSP2-5418	4,309
54	24	C-COMSP2-5424	4,548
54	30	C-COMSP2-5430	4,678
54	36	C-COMSP2-5436	4,865
60	18	C-COMSP2-6018	4,413
60	24	C-COMSP2-6024	4,707
60	30	C-COMSP2-6030	4,861
60	36	C-COMSP2-6036	5,067

DOUBLE SIDED POWERED SPINE			
W	D	Model Number	List
66	18	C-COMSP2-6618	4,533
66	24	C-COMSP2-6624	4,851
66	30	C-COMSP2-6630	5,020
66	36	C-COMSP2-6636	5,247
72	18	C-COMSP2-7218	4,782
72	24	C-COMSP2-7224	5,117
72	30	C-COMSP2-7230	5,308
72	36	C-COMSP2-7236	5,553
78	18	C-COMSP2-7818	4,903
78	24	C-COMSP2-7824	5,258
84	18	C-COMSP2-8418	5,075
84	24	C-COMSP2-8424	5,448
90	18	C-COMSP2-9018	5,194
90	24	C-COMSP2-9024	5,592
96	18	C-COMSP2-9618	5,314
96	24	C-COMSP2-9624	5,724



Specify

- Paint Selection (Grade C Paint +10)
- Laminate Choice

Notes


- 8” high laminate cabinet with flip down doors on front and back.
- Provides electrical and data distribution.
- 1” gap above door maintained for egress of user power cords.
- Internal centerline cavity for multi-circuit electrical cables.
- External cavities on front and rear with metal cover provides lay-in data cable capabilities.
- Includes 8 wire 4 circuit powerway, centered left to right, facing both front and back.
- Accommodates up to 4 duplex outlets per powerway (4 facing front, 4 facing back).
- PowerBench & PowerBeam products include Single Gang Adapter Plate(s). One for Single Sided applications and two for Double Sided applications. Reference E-DJA.
- Includes 2 metal covers with 4 duplex outlet holes.
- Woodgrain laminate direction runs horizontally along the length of the spine and the drop-down panel.


© 2026, AIS, Inc.

Double Sided Chicago Powered Spines


DOUBLE SIDED CHICAGO POWERED SPINE			
W	D	Model Number	List
36	18	C-COMSC2-3618	3,577
36	24	C-COMSC2-3624	3,935
36	30	C-COMSC2-3630	4,009
36	36	C-COMSC2-3636	4,136
42	18	C-COMSC2-4218	3,696
42	24	C-COMSC2-4224	4,074
42	30	C-COMSC2-4230	4,166
42	36	C-COMSC2-4236	4,314
48	18	C-COMSC2-4818	4,008
48	24	C-COMSC2-4824	4,266
48	30	C-COMSC2-4830	4,517
48	36	C-COMSC2-4836	4,686
54	18	C-COMSC2-5418	4,309
54	24	C-COMSC2-5424	4,548
54	30	C-COMSC2-5430	4,678
54	36	C-COMSC2-5436	4,865
60	18	C-COMSC2-6018	4,413
60	24	C-COMSC2-6024	4,707
60	30	C-COMSC2-6030	4,861
60	36	C-COMSC2-6036	5,067

DOUBLE SIDED CHICAGO POWERED SPINE			
W	D	Model Number	List
66	18	C-COMSC2-6618	4,533
66	24	C-COMSC2-6624	4,851
66	30	C-COMSC2-6630	5,020
66	36	C-COMSC2-6636	5,247
72	18	C-COMSC2-7218	4,782
72	24	C-COMSC2-7224	5,117
72	30	C-COMSC2-7230	5,308
72	36	C-COMSC2-7236	5,553
78	18	C-COMSC2-7818	4,903
78	24	C-COMSC2-7824	5,258
84	18	C-COMSC2-8418	5,075
84	24	C-COMSC2-8424	5,448
90	18	C-COMSC2-9018	5,194
90	24	C-COMSC2-9024	5,592
96	18	C-COMSC2-9618	5,314
96	24	C-COMSC2-9624	5,724





Junction Box



Junction Box

Specify

- Paint Selection (Grade C Paint +10)
- Laminate Choice

Notes

- 8” high laminate cabinet with flip down doors on front and back.
- Provides electrical and data distribution.
- 1” gap above door maintained for egress of user power cords.
- Internal centerline cavity for multi-circuit electrical cables.
- External cavities on front and rear with metal cover provides lay-in data cable capabilities.
- Includes (2) junction box with knockouts for electrical connectors, can be used with either 15 amp or 20 amp Standard NEMA single gang outlets. Boxes have standard 0.875” knockouts for electrical connectors.
- Outlets sold separately. Decorative outlets cannot be used.
- Woodgrain laminate direction runs horizontally along the length of the spine and the drop-down panel.
- PowerBench & PowerBeam products include Single Gang Adapter Plate(s). One for Single Sided applications and two for Double Sided applications. Reference E-DJA.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Top Mount End Panels and Shared Top Mount End Panels

TOP MOUNT END PANELS

D	H	Model Number	List
18	21	C-CEP1821	400
18	29	C-CEP1829	504
18	42	C-CEP1842	606
18	46	C-CEP1846	628
24	21	C-CEP2421	618
24	29	C-CEP2429	719
24	42	C-CEP2442	823
24	46	C-CEP2446	847
30	21	C-CEP3021	838
30	29	C-CEP3029	942
30	42	C-CEP3042	1,050
30	46	C-CEP3046	1,074
36	21	C-CEP3621	1,056
36	29	C-CEP3629	1,159
36	42	C-CEP3642	1,261
36	46	C-CEP3646	1,290



24D x 29H Shown

Specify


- Laminate Selection

Notes

- Top Mount End Panel supports one end of spine at top of end panel and overlays the end of the spine.
- Top Mount End Panels add 1 1/8” to end of spine.
- Specify the end panel that matches spine depth.

SHARED TOP MOUNT END PANELS

D	H	Model Number	List
18	21	C-CEPTS1821	402
18	29	C-CEPTS1829	507
18	42	C-CEPTS1842	606
18	46	C-CEPTS1846	631
24	21	C-CEPTS2421	621
24	29	C-CEPTS2429	723
24	42	C-CEPTS2442	823
24	46	C-CEPTS2446	847
30	21	C-CEPTS3021	838
30	29	C-CEPTS3029	942
30	42	C-CEPTS3042	1,050
30	46	C-CEPTS3046	1,074
36	21	C-CEPTS3621	1,056
36	29	C-CEPTS3629	1,159
36	42	C-CEPTS3642	1,267
36	46	C-CEPTS3646	1,290



24D x 29H Shown

Specify

- Laminate Selection

Notes

- Shared Top Mount End Panel supports the end of 2 spines at top of end panel and adds 1 1/8” to length of spine.
- Specify the end panel that matches spine depth.
- Shared Top Mount End Panels have center cutouts to accommodate running electrical and data cables.

© 2026, AIS, Inc.


Top Mount Shared End Panels

TOP MOUNT SHARED END PANELS


D	Overall H	Lower Spine Mount H	Model Number	List
18	29	21	C-CEPTS182129	1,868
18	42	21	C-CEPTS182142	2,183
18	42	29	C-CEPTS182942	2,183
18	46	21	C-CEPTS182146	2,370
18	46	29	C-CEPTS182946	2,370
24	29	21	C-CEPTS242129	2,243
24	42	21	C-CEPTS242142	2,564
24	42	29	C-CEPTS242942	2,564
24	46	21	C-CEPTS242146	2,749
24	46	29	C-CEPTS242946	2,749

TOP MOUNT SHARED END PANELS

D	Overall H	Lower Spine Mount H	Model Number	List
30	29	21	C-CEPTS302129	2,615
30	42	21	C-CEPTS302142	2,951
30	42	29	C-CEPTS302942	2,951
30	46	21	C-CEPTS302146	3,138
30	46	29	C-CEPTS302946	3,138
36	29	21	C-CEPTS362129	2,988
36	42	21	C-CEPTS362142	3,331
36	42	29	C-CEPTS362942	3,331
36	46	21	C-CEPTS362146	3,515
36	46	29	C-CEPTS362946	3,515



Front View
46H x 24D with 21H Lower Mount Height Shown



Back View
46H x 24D with 21H Lower Mount Height Shown

Specify

- Laminate Selection

Notes

- Top Mount Shared End Panels supports the ends of 2 spines at various offset heights with one spine mounted at top and one spine mounted lower.
- Top Mount Shared End Panels adds 1 1/8” to length of spine overall.
- Top Mount Shared End Panels DO NOT accommodate electrical and data cable transition without field modifications.
- Specify the end panel that matches the spine depth.
- There is no option to transition power between the heights of 42” high and 46” high.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Mid Mount End Panels

MID MOUNT END PANELS				
D	Overall H	Spine Mount H	Model Number	List
18	42	21	C-CEP184221	606
18	42	29	C-CEP184229	606
18	46	21	C-CEP184621	631
18	46	29	C-CEP184629	628
18	50	21	C-CEP185021	655
18	50	29	C-CEP185029	655
18	50	42	C-CEP185042	655
18	58	21	C-CEP185821	701
18	58	29	C-CEP185829	701
18	58	42	C-CEP185842	701
18	66	21	C-CEP186621	749
18	66	29	C-CEP186629	749
18	66	42	C-CEP186642	749
24	42	21	C-CEP244221	823
24	42	29	C-CEP244229	823
24	46	21	C-CEP244621	847
24	46	29	C-CEP244629	847
24	50	21	C-CEP245021	872
24	50	29	C-CEP245029	872
24	50	42	C-CEP245042	872
24	58	21	C-CEP245821	933
24	58	29	C-CEP245829	933
24	58	42	C-CEP245842	933
24	66	21	C-CEP246621	996
24	66	29	C-CEP246629	996
24	66	42	C-CEP246642	996

MID MOUNT END PANELS				
D	Overall H	Spine Mount H	Model Number	List
30	42	21	C-CEP304221	942
30	42	29	C-CEP304229	942
30	46	21	C-CEP304621	1,074
30	46	29	C-CEP304629	1,074
30	50	21	C-CEP305021	1,099
30	50	29	C-CEP305029	1,099
30	50	42	C-CEP305042	1,099
30	58	21	C-CEP305821	1,162
30	58	29	C-CEP305829	1,162
30	58	42	C-CEP305842	1,162
30	66	21	C-CEP306621	1,223
30	66	29	C-CEP306629	1,223
30	66	42	C-CEP306642	1,223
36	42	21	C-CEP364221	1,159
36	42	29	C-CEP364229	1,159
36	46	21	C-CEP364621	1,290
36	46	29	C-CEP364629	1,290
36	50	21	C-CEP365021	1,317
36	50	29	C-CEP365029	1,317
36	50	42	C-CEP365042	1,317
36	58	21	C-CEP365821	1,395
36	58	29	C-CEP365829	1,395
36	58	42	C-CEP365842	1,395
36	66	21	C-CEP366621	1,472
36	66	29	C-CEP366629	1,472
36	66	42	C-CEP366642	1,472



42H x 18D x 29H Mount Height Shown

Specify

- Laminate Selection

Notes

- Mid Mount End Panel supports one end of spine at various height with a section of end panel above spine mounting height to act as a finished end for storage or screens or to create a space for adjacent gallery panels and rolling whiteboards.
- End panel overlays end of spine and adds 1 1/8” to spine.
- Specify the end panel that matches the spine depth.

© 2026, AIS, Inc.


Shared Mid Mount End Panels

SHARED MID MOUNT END PANELS

D	Overall H	Spine Mount H	Model Number	List
18	29	21	C-CEPMS182921	507
18	42	21	C-CEPMS184221	606
18	42	29	C-CEPMS184229	606
18	46	21	C-CEPMS184621	631
18	46	29	C-CEPMS184629	631
18	50	21	C-CEPMS185021	655
18	50	29	C-CEPMS185029	655
18	50	42	C-CEPMS185042	655
18	58	21	C-CEPMS185821	701
18	58	29	C-CEPMS185829	701
18	58	42	C-CEPMS185842	701
18	58	46	C-CEPMS185846	701
18	66	21	C-CEPMS186621	749
18	66	29	C-CEPMS186629	749
18	66	42	C-CEPMS186642	749
18	66	46	C-CEPMS186646	749

SHARED MID MOUNT END PANELS

D	Overall H	Spine Mount H	Model Number	List
24	29	21	C-CEPMS242921	723
24	42	21	C-CEPMS244221	823
24	42	29	C-CEPMS244229	823
24	46	21	C-CEPMS244621	847
24	46	29	C-CEPMS244629	847
24	50	21	C-CEPMS245021	872
24	50	29	C-CEPMS245029	872
24	50	42	C-CEPMS245042	872
24	58	21	C-CEPMS245821	933
24	58	29	C-CEPMS245829	933
24	58	42	C-CEPMS245842	933
24	58	46	C-CEPMS245846	933
24	66	21	C-CEPMS246621	996
24	66	29	C-CEPMS246629	996
24	66	42	C-CEPMS246642	996
24	66	46	C-CEPMS246646	996



Specify

- Laminate Selection

Notes

- Shared Mid Mount End Panel supports the ends of 2 spines at various matching heights with a section of panel above spine mounting height to act as a finished end for storage or screens or to create a space for adjacent gallery panels and rolling whiteboards.
- Shared Mid Mount End Panel adds 1 1/8” to length of spine overall.
- Shared Mid Mount End Panels have center cutouts to accommodate running electrical and data cables.
- Specify the end panel that matches the spine depth.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Shared Mid Mount End Panels

SHARED MID MOUNT END PANELS				
D	Overall H	Spine Mount H	Model Number	List
30	29	21	C-CEPMS302921	942
30	42	21	C-CEPMS304221	1,050
30	42	29	C-CEPMS304229	1,050
30	46	21	C-CEPMS304621	1,074
30	46	29	C-CEPMS304629	1,074
30	50	21	C-CEPMS305021	1,099
30	50	29	C-CEPMS305029	1,099
30	50	42	C-CEPMS305042	1,099
30	58	21	C-CEPMS305821	1,162
30	58	29	C-CEPMS305829	1,162
30	58	42	C-CEPMS305842	1,162
30	58	46	C-CEPMS305846	1,162
30	66	21	C-CEPMS306621	1,223
30	66	29	C-CEPMS306629	1,223
30	66	42	C-CEPMS306642	1,223
30	66	46	C-CEPMS306646	1,223

SHARED MID MOUNT END PANELS				
D	Overall H	Spine Mount H	Model Number	List
36	29	21	C-CEPMS362921	1,159
36	42	21	C-CEPMS364221	1,267
36	42	29	C-CEPMS364229	1,267
36	46	21	C-CEPMS364621	1,290
36	46	29	C-CEPMS364629	1,290
36	50	21	C-CEPMS365021	1,317
36	50	29	C-CEPMS365029	1,317
36	50	42	C-CEPMS365042	1,317
36	58	21	C-CEPMS365821	1,395
36	58	29	C-CEPMS365829	1,395
36	58	42	C-CEPMS365842	1,395
36	58	46	C-CEPMS365846	1,395
36	66	21	C-CEPMS366621	1,472
36	66	29	C-CEPMS366629	1,472
36	66	42	C-CEPMS366642	1,472
36	66	46	C-CEPMS366646	1,472



Specify

- Laminate Selection

Notes


- Shared Mid Mount End Panel supports the ends of 2 spines at various matching heights with a section of panel above spine mounting height to act as a finished end for storage or screens or to create a space for adjacent gallery panels and rolling whiteboards.
- Shared Mid Mount End Panel adds 1 1/8” to length of spine overall.
- Shared Mid Mount End Panels have center cutouts to accommodate running electrical and data cables.
- Specify the end panel that matches the spine depth.

© 2026, AIS, Inc.


Offset Shared End Panels

OFFSET SHARED END PANELS				
D	Overall H	Lower Spine Mount H	Model Number	List
18	29	21	C-CEPS182921	504
18	42	21	C-CEPS184221	606
18	42	29	C-CEPS184229	606
18	46	21	C-CEPS184621	631
18	46	29	C-CEPS184629	628
24	29	21	C-CEPS242921	723
24	42	21	C-CEPS244221	823
24	42	29	C-CEPS244229	823
24	46	21	C-CEPS244621	847
24	46	29	C-CEPS244629	847

OFFSET SHARED END PANELS				
D	Overall H	Lower Spine Mount H	Model Number	List
30	29	21	C-CEPS302921	942
30	42	21	C-CEPS304221	1,050
30	42	29	C-CEPS304229	1,050
30	46	21	C-CEPS304621	1,074
30	46	29	C-CEPS304629	1,074
36	29	21	C-CEPS362921	1,159
36	42	21	C-CEPS364221	1,267
36	42	29	C-CEPS364229	1,267
36	46	21	C-CEPS364621	1,290
36	46	29	C-CEPS364629	1,290



Front View
42H x 18D with 21H Lower Mount Height Shown



Back View
42H x 18D with 21H Lower Mount Height Shown

Specify

- Laminate Selection

Notes

- Offset Shared End Panel supports the ends of 2 spines at various offset heights with one spine mounted at top and one spine mounted lower.
- Offset Shared End Panel adds 1 1/8” to length of spine overall.
- Offset Shared End Panel DO NOT accommodate electrical and data cable transition without field modifications.
- Specify the end panel that matches the spine depth.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Shared Mid Mount Offset End Panels

SHARED MID MOUNT OFFSET END PANELS


D	Overall H	Upper Spine H	Lower Spine H	Model Number	List
18	46	29	21	C-EPMS18462921	1,993
18	46	42	21	C-EPMS18464221	2,208
18	46	42	29	C-EPMS18464229	2,208
24	46	29	21	C-EPMS24462921	2,367
24	46	42	21	C-EPMS24464221	2,587
24	46	42	29	C-EPMS24464229	2,587
30	46	29	21	C-EPMS30462921	2,748
30	46	42	21	C-EPMS30464221	2,974
30	46	42	29	C-EPMS30464229	2,974
36	46	29	21	C-EPMS36462921	3,120
36	46	42	21	C-EPMS36464221	3,354
36	46	42	29	C-EPMS36464229	3,354

SHARED MID MOUNT OFFSET END PANELS

D	Overall H	Upper Height	Lower Height	Model Number	List
18	50	29	21	C-EPMS18502921	2,017
18	50	42	21	C-EPMS18504221	2,233
18	50	46	21	C-EPMS18504621	2,394
18	50	42	29	C-EPMS18504229	2,233
18	50	46	29	C-EPMS18504629	2,394
24	50	29	21	C-EPMS24502921	2,392
24	50	42	21	C-EPMS24504221	2,612
24	50	46	21	C-EPMS24504621	2,775
24	50	42	29	C-EPMS24504229	2,612
24	50	46	29	C-EPMS24504629	2,775
30	50	29	21	C-EPMS30502921	2,772
30	50	42	21	C-EPMS30504221	2,999
30	50	46	21	C-EPMS30504621	3,162
30	50	42	29	C-EPMS30504229	2,999
30	50	46	29	C-EPMS30504629	3,162
36	50	29	21	C-EPMS36502921	3,147
36	50	42	21	C-EPMS36504221	3,380
36	50	46	21	C-EPMS36504621	3,541
36	50	42	29	C-EPMS36504229	3,380
36	50	46	29	C-EPMS36504629	3,541



Front View



Back View

Specify

- Laminate Selection

Notes


- Shared Mid Mount Offset End Panels support the ends of 2 spines at varied heights with a section of panel above spine mounting height to act as a finished end for storage or screens or to create a space for adjacent gallery panels and rolling whiteboards.
- Adds 1 1/8” to length of spine overall.
- Center cutouts accommodate running electrical and data cables.
- Specify the Shared Mid Mount Offset End Panel that matches the spine depth.
- Transitions require longer jumpers, see below:
  - 21H spine to 29H spine, add 12” to jumper length
  - 21H spine to 42H spine, add 24” to jumper length
  - 21H spine to 46H spine, add 30” to jumper length
  - 29H spine to 42H spine, add 18” to jumper length
  - 29H spine to 46H spine, add 18” to jumper length

© 2026, AIS, Inc.


Shared Mid Mount Offset End Panels

SHARED MID MOUNT OFFSET END PANELS					
D	Overall H	Upper Spine H	Lower Spine H	Model Number	List
18	58	29	21	C-EPMS18582921	2,063
18	58	42	21	C-EPMS18584221	2,280
18	58	46	21	C-EPMS18584621	2,440
18	58	42	29	C-EPMS18584229	2,280
18	58	46	29	C-EPMS18584629	2,440
24	58	29	21	C-EPMS24582921	2,452
24	58	42	21	C-EPMS24584221	2,674
24	58	46	21	C-EPMS24584621	2,836
24	58	42	29	C-EPMS24584229	2,674
24	58	46	29	C-EPMS24584629	2,836
30	58	29	21	C-EPMS30582921	2,835
30	58	42	21	C-EPMS30584221	3,063
30	58	46	21	C-EPMS30584621	3,225
30	58	42	29	C-EPMS30584229	3,063
30	58	46	29	C-EPMS30584629	3,225
36	58	29	21	C-EPMS36582921	3,225
36	58	42	21	C-EPMS36584221	3,457
36	58	46	21	C-EPMS36584621	3,621
36	58	42	29	C-EPMS36584229	3,457
36	58	46	29	C-EPMS36584629	3,621

SHARED MID MOUNT OFFSET END PANELS					
D	Overall H	Upper Spine H	Lower Spine H	Model Number	List
18	66	29	21	C-EPMS18662921	2,109
18	66	42	21	C-EPMS18664221	2,325
18	66	46	21	C-EPMS18664621	2,487
18	66	42	29	C-EPMS18664229	2,325
18	66	46	29	C-EPMS18664629	2,487
24	66	29	21	C-EPMS24662921	2,516
24	66	42	21	C-EPMS24664221	2,737
24	66	46	21	C-EPMS24664621	2,901
24	66	42	29	C-EPMS24664229	2,737
24	66	46	29	C-EPMS24664629	2,901
30	66	29	21	C-EPMS30662921	2,898
30	66	42	21	C-EPMS30664221	3,124
30	66	46	21	C-EPMS30664621	3,288
30	66	42	29	C-EPMS30664229	3,124
30	66	46	29	C-EPMS30664629	3,288
36	66	29	21	C-EPMS36662921	3,303
36	66	42	21	C-EPMS36664221	3,537
36	66	46	21	C-EPMS36664621	3,698
36	66	42	29	C-EPMS36664229	3,537
36	66	46	29	C-EPMS36664629	3,698



Front View



Back View

Specify

- Laminate Selection

Notes

- Shared Mid Mount Offset End Panels support the ends of 2 spines at varied heights with a section of panel above spine mounting height to act as a finished end for storage or screens or to create a space for adjacent gallery panels and rolling whiteboards.
- Adds 1 1/8” to length of spine overall.
- Center cutouts accommodate running electrical and data cables.
- Specify the Shared Mid Mount Offset End Panel that matches the spine depth.
- Transitions require longer jumpers, see below:
  - 21H spine to 29H spine, add 12” to jumper length
  - 21H spine to 42H spine, add 24” to jumper length
  - 21H spine to 46H spine, add 30” to jumper length
  - 29H spine to 42H spine, add 18” to jumper length
  - 29H spine to 46H spine, add 18” to jumper length


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Mid Supports

MID SUPPORTS

D	H	For Use With	Model Number	List
18	13	21 High	C-CMSP1821	356
18	21	29 High	C-CMSP1829	402
24	21	21 High	C-CMSP2421	569
24	29	29 High	C-CMSP2429	618
30	13	21 High	C-CMSP3021	790
30	21	29 High	C-CMSP3029	838
36	13	21 High	C-CMSP3621	1,010
36	21	29 High	C-CMSP3629	1,056




Specify	Notes
• Laminate Selection	• Mid Supports are used to support 2 adjacent spines at 21” or 29” high. • Mid Supports sit “under” spines and do not add dimension to spine run.

© 2026, AIS, Inc.

Infeed Base Supports

INFEED BASE SUPPORT					
D	W	H	For Use With	Model Number	List
18	6	13	21 High	C-CIBS180613	1,325
18	6	21	29 High	C-CIBS180621	1,366
18	6	33	42 High	C-CIBS180633	1,521
18	6	37	46 High	C-CIBS180637	1,677
18	12	13	21 High	C-CIBS181213	1,451
18	12	21	29 High	C-CIBS181221	1,577
18	12	33	42 High	C-CIBS181233	1,733
18	12	37	46 High	C-CIBS181237	1,889
24	6	13	21 High	C-CIBS240613	1,482
24	6	21	29 High	C-CIBS240621	1,521
24	6	33	42 High	C-CIBS240633	1,677
24	6	37	46 High	C-CIBS240637	1,835
24	12	13	21 High	C-CIBS241213	1,609
24	12	21	29 High	C-CIBS241221	1,731
24	12	33	42 High	C-CIBS241233	1,888
24	12	37	46 High	C-CIBS241237	2,045

INFEED BASE SUPPORT					
D	W	H	For Use With	Model Number	List
30	6	13	21 High	C-CIBS300613	1,638
30	6	21	29 High	C-CIBS300621	1,676
30	6	33	42 High	C-CIBS300633	1,833
30	6	37	46 High	C-CIBS300637	1,989
30	12	13	21 High	C-CIBS301213	1,763
30	12	21	29 High	C-CIBS301221	1,888
30	12	33	42 High	C-CIBS301233	2,045
30	12	37	46 High	C-CIBS301237	2,200
36	6	13	21 High	C-CIBS360613	1,793
36	6	21	29 High	C-CIBS360621	1,833
36	6	33	42 High	C-CIBS360633	1,989
36	6	37	46 High	C-CIBS360637	2,146
36	12	13	21 High	C-CIBS361213	1,919
36	12	21	29 High	C-CIBS361221	2,044
36	12	33	42 High	C-CIBS361233	2,199
36	12	37	46 High	C-CIBS361237	2,356



Specify

- Laminate Selection

Notes


- Infeed Base supports may be used to support spines as well as allow for transition of electrical and data cables from a floor core to spine.
- Infeed Base Supports have removable front and back panels and an open bottom to accommodate access to floor cores.
- Order support that matches spine depth.
- Supports are 6” or 12” wide and should be planned with adjacent storage elements appropriately.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Fixed Run-Offs


FIXED RUN-OFFS (2MM EDGE WITH TAPERED LEGS)

H	W	D	Model Number	List
29	36	24	X-DROR2436T	1,959
29	42	24	X-DROR2442T	2,013
29	48	24	X-DROR2448T	2,064
29	54	24	X-DROR2454T	2,118
29	60	24	X-DROR2460T	2,171
29	66	24	X-DROR2466T	2,225
29	72	24	X-DROR2472T	2,277
29	78	24	X-DROR2478T	2,328
29	84	24	X-DROR2484T	2,380
29	36	30	X-DROR3036T	2,037
29	42	30	X-DROR3042T	2,090
29	48	30	X-DROR3048T	2,143
29	54	30	X-DROR3054T	2,197
29	60	30	X-DROR3060T	2,247
29	66	30	X-DROR3066T	2,303
29	72	30	X-DROR3072T	2,355
29	78	30	X-DROR3078T	2,406
29	84	30	X-DROR3084T	2,459



FIXED RUN-OFFS (KNIFE EDGE WITH TAPERED LEGS)

H	W	D	Model Number	List
29	36	24	X-DROK2436T	3,755
29	42	24	X-DROK2442T	3,808
29	48	24	X-DROK2448T	3,861
29	54	24	X-DROK2454T	3,913
29	60	24	X-DROK2460T	3,937
29	66	24	X-DROK2466T	4,006
29	72	24	X-DROK2472T	4,049
29	78	24	X-DROK2478T	4,146
29	84	24	X-DROK2484T	4,169
29	36	30	X-DROK3036T	3,835
29	42	30	X-DROK3042T	3,888
29	48	30	X-DROK3048T	3,939
29	54	30	X-DROK3054T	3,991
29	60	30	X-DROK3060T	4,016
29	66	30	X-DROK3066T	4,084
29	72	30	X-DROK3072T	4,129
29	78	30	X-DROK3078T	4,225
29	84	30	X-DROK3084T	4,248



Specify

- Laminate Selection for Worksurface
- Color Selection for Leg
- Color Selection for Edge


Notes

- Fixed Run-off tables are designed for long side to mount perpendicular to 29” high spines in a fixed manner.
- Fixed Run-off table mounting does not impede flip door or electrical access.

© 2026, AIS, Inc.

Fixed Run-Offs

FIXED RUN-OFFS (2MM EDGE WITH O-LEGS)			
D	**W**	**Model Number**	**List**
24	36	X-DROR2436O	2,252
24	42	X-DROR2442O	2,315
24	48	X-DROR2448O	2,374
24	54	X-DROR2454O	2,436
24	60	X-DROR2460O	2,495
24	66	X-DROR2466O	2,560
24	72	X-DROR2472O	2,618
24	78	X-DROR2478O	2,677
24	84	X-DROR2484O	2,737
30	36	X-DROR3036O	2,341
30	42	X-DROR3042O	2,402
30	48	X-DROR3048O	2,464
30	54	X-DROR3054O	2,525
30	60	X-DROR3060O	2,584
30	66	X-DROR3066O	2,648
30	72	X-DROR3072O	2,706
30	78	X-DROR3078O	2,764
30	84	X-DROR3084O	2,827
36	72	X-DROR3672O	2,877
36	78	X-DROR3678O	2,942



Specify

- Laminate Selection for Worksurface
- Edgeband Selection
- Paint Selection for Leg (+25 for Grade C)

Notes


- O-Legs are constructed from 1” x 2” painted steel.
- Legs have 1 1/2” leveling glides.
- Includes attachment hardware. Units 48” wide and over also include a worksurface u-channel.
- Fixed Run-off tables are designed for long side to mount perpendicular to 29” high spines in a fixed manner.
- Fixed Run-off table mounting does not impede flip door or electrical access.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Fixed Round Corner Run-Offs


FIXED ROUND CORNER RUN-OFFS (2MM EDGE WITH TAPERED LEGS)

H	W	D	Model Number	List
29	36	24	X-DORR2436T	2,140
29	42	24	X-DORR2442T	2,194
29	48	24	X-DORR2448T	2,245
29	54	24	X-DORR2454T	2,299
29	60	24	X-DORR2460T	2,353
29	66	24	X-DORR2466T	2,406
29	72	24	X-DORR2472T	2,459
29	78	24	X-DORR2478T	2,510
29	84	24	X-DORR2484T	2,562
29	36	30	X-DORR3036T	2,219
29	42	30	X-DORR3042T	2,271
29	48	30	X-DORR3048T	2,324
29	54	30	X-DORR3054T	2,376
29	60	30	X-DORR3060T	2,430
29	66	30	X-DORR3066T	2,484
29	72	30	X-DORR3072T	2,536
29	78	30	X-DORR3078T	2,587
29	84	30	X-DORR3084T	2,640



FIXED ROUND CORNER RUN-OFFS (KNIFE EDGE WITH TAPERED LEGS)

H	W	D	Model Number	List
29	36	24	X-DOKR2436T	3,755
29	42	24	X-DOKR2442T	3,808
29	48	24	X-DOKR2448T	3,861
29	54	24	X-DOKR2454T	3,913
29	60	24	X-DOKR2460T	3,937
29	66	24	X-DOKR2466T	4,006
29	72	24	X-DOKR2472T	4,049
29	78	24	X-DOKR2478T	4,146
29	84	24	X-DOKR2484T	4,169
29	36	30	X-DOKR3036T	3,835
29	42	30	X-DOKR3042T	3,888
29	48	30	X-DOKR3048T	3,939
29	54	30	X-DOKR3054T	3,991
29	60	30	X-DOKR3060T	4,016
29	66	30	X-DOKR3066T	4,084
29	72	30	X-DOKR3072T	4,129
29	78	30	X-DOKR3078T	4,225
29	84	30	X-DOKR3084T	4,248



Specify

- Laminate Selection for Worksurface
- Color Selection for Leg
- Color Selection for Edge

Notes

- Fixed Run-off tables are designed for long side to mount perpendicular to 29” high spines in a fixed manner.
- Fixed Run-off table mounting does not impede flip door or electrical access.

© 2026, AIS, Inc.


Sliding Run-Offs

SLIDING RUN-OFFS (2MM EDGE WITH TAPERED LEGS)

			With Glides		With Caster	
H	W	D	Model Number	List	Model Number	List
29	36	24	C-CSRR2436G	2,037	C-CSRR2436C	2,106
29	42	24	C-CSRR2442G	2,090	C-CSRR2442C	2,161
29	48	24	C-CSRR2448G	2,143	C-CSRR2448C	2,212
29	54	24	C-CSRR2454G	2,197	C-CSRR2454C	2,263
29	60	24	C-CSRR2460G	2,247	C-CSRR2460C	2,319
29	66	24	C-CSRR2466G	2,303	C-CSRR2466C	2,374
29	72	24	C-CSRR2472G	2,355	C-CSRR2472C	2,424
29	78	24	C-CSRR2478G	2,406	C-CSRR2478C	2,477
29	84	24	C-CSRR2484G	2,459	C-CSRR2484C	2,527
29	36	30	C-CSRR3036G	2,116	C-CSRR3036C	2,185
29	42	30	C-CSRR3042G	2,166	C-CSRR3042C	2,239
29	48	30	C-CSRR3048G	2,220	C-CSRR3048C	2,290
29	54	30	C-CSRR3054G	2,274	C-CSRR3054C	2,342
29	60	30	C-CSRR3060G	2,327	C-CSRR3060C	2,397
29	66	30	C-CSRR3066G	2,383	C-CSRR3066C	2,452
29	72	30	C-CSRR3072G	2,432	C-CSRR3072C	2,503
29	78	30	C-CSRR3078G	2,483	C-CSRR3078C	2,553
29	84	30	C-CSRR3084G	2,536	C-CSRR3084C	2,607

SLIDING RUN-OFFS (KNIFE EDGE WITH TAPERED LEGS)


			With Glides		With Caster	
H	W	D	Model Number	List	Model Number	List
29	36	24	C-CSRK2436G	3,835	C-CSRK2436C	3,902
29	42	24	C-CSRK2442G	3,888	C-CSRK2442C	3,957
29	48	24	C-CSRK2448G	3,939	C-CSRK2448C	4,009
29	54	24	C-CSRK2454G	3,991	C-CSRK2454C	4,062
29	60	24	C-CSRK2460G	4,016	C-CSRK2460C	4,085
29	66	24	C-CSRK2466G	4,084	C-CSRK2466C	4,155
29	72	24	C-CSRK2472G	4,129	C-CSRK2472C	4,199
29	78	24	C-CSRK2478G	4,225	C-CSRK2478C	4,294
29	84	24	C-CSRK2484G	4,248	C-CSRK2484C	4,321
29	36	30	C-CSRK3036G	3,911	C-CSRK3036C	3,981
29	42	30	C-CSRK3042G	3,965	C-CSRK3042C	4,035
29	48	30	C-CSRK3048G	4,017	C-CSRK3048C	4,086
29	54	30	C-CSRK3054G	4,071	C-CSRK3054C	4,138
29	60	30	C-CSRK3060G	4,093	C-CSRK3060C	4,163
29	66	30	C-CSRK3066G	4,162	C-CSRK3066C	4,233
29	72	30	C-CSRK3072G	4,206	C-CSRK3072C	4,278
29	78	30	C-CSRK3078G	4,302	C-CSRK3078C	4,371
29	84	30	C-CSRK3084G	4,326	C-CSRK3084C	4,396



On Glides



On Casters



On Glides



On Casters

Specify

- Laminate Selection for Worksurface
- Color Selection for Leg
- Color Selection for Edge

Notes


- Sliding Run-off tables are designed for the long side to mount perpendicular to 29 high spines that have Sliding Run-off Tracks which can be ORDERED SEPARATELY for any spine length.
- Sliding Run-offs can be ordered with casters for tables often being moved, or with glides for tables that are seldom moved.
- Sliding Run-offs with glides must be lifted slightly at end with legs to slide.
- Sliding Run-off table mounting DOES NOT impede flip door or electrical access.
- Sliding Run-off tables can slide between tracks on adjacent spines.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

SLIDING RUN-OFFS (2MM EDGE WITH O-LEGS)

D	W	Model Number	List
24	36	C-CSRRO2436G	2,341
24	42	C-CSRRO2442G	2,402
24	48	C-CSRRO2448G	2,464
24	54	C-CSRRO2454G	2,525
24	60	C-CSRRO2460G	2,585
24	66	C-CSRRO2466G	2,648
24	72	C-CSRRO2472G	2,706
24	78	C-CSRRO2478G	2,767
24	84	C-CSRRO2484G	2,827
30	36	C-CSRRO3036G	2,432
30	42	C-CSRRO3042G	2,491
30	48	C-CSRRO3048G	2,552
30	54	C-CSRRO3054G	2,615
30	60	C-CSRRO3060G	2,676
30	66	C-CSRRO3066G	2,739
30	72	C-CSRRO3072G	2,794
30	78	C-CSRRO3078G	2,854
30	84	C-CSRRO3084G	2,915



Specify

- Laminate Selection for Worksurface
- Edgeband Selection
- Paint Selection for Leg (+25 for Grade C)

Notes

- Sliding Run-off tables are designed for the long side to mount perpendicular to 29 high spines that have Sliding Run-off Tracks which can be ORDERED SEPARATELY for any spine length.
- O-Legs are constructed from 1” x 2” painted steel.
- Available on 1 1/2” leveling glides only.
- Includes attachment hardware. Units 48” wide and over also include a worksurface u-channel.
- Sliding Run-offs with glides must be lifted slightly at end with legs to slide.
- Sliding Run-off table mounting DOES NOT impede flip door or electrical access.
- Sliding Run-off tables can slide between tracks on adjacent spines.

© 2026, AIS, Inc.


Sliding Round Corner Run-Offs

SLIDING ROUND CORNER RUN-OFFS (2MM EDGE WITH TAPERED LEGS)


			With Glides		With Caster	
H	W	D	Model Number	List	Model Number	List
29	36	24	C-CSRRR2436G	2,219	C-CSRRR2436C	2,106
29	42	24	C-CSRRR2442G	2,271	C-CSRRR2442C	2,161
29	48	24	C-CSRRR2448G	2,324	C-CSRRR2448C	2,212
29	54	24	C-CSRRR2454G	2,376	C-CSRRR2454C	2,263
29	60	24	C-CSRRR2460G	2,430	C-CSRRR2460C	2,319
29	66	24	C-CSRRR2466G	2,484	C-CSRRR2466C	2,374
29	72	24	C-CSRRR2472G	2,536	C-CSRRR2472C	2,424
29	78	24	C-CSRRR2478G	2,587	C-CSRRR2478C	2,477
29	84	24	C-CSRRR2484G	2,640	C-CSRRR2484C	2,527
29	36	30	C-CSRRR3036G	2,296	C-CSRRR3036C	2,185
29	42	30	C-CSRRR3042G	2,348	C-CSRRR3042C	2,239
29	48	30	C-CSRRR3048G	2,401	C-CSRRR3048C	2,290
29	54	30	C-CSRRR3054G	2,454	C-CSRRR3054C	2,342
29	60	30	C-CSRRR3060G	2,509	C-CSRRR3060C	2,397
29	66	30	C-CSRRR3066G	2,563	C-CSRRR3066C	2,452
29	72	30	C-CSRRR3072G	2,613	C-CSRRR3072C	2,503
29	78	30	C-CSRRR3078G	2,665	C-CSRRR3078C	2,553
29	84	30	C-CSRRR3084G	2,716	C-CSRRR3084C	2,607

SLIDING ROUND CORNER RUN-OFFS (KNIFE EDGE WITH TAPERED LEGS)


			With Glides		With Caster	
H	W	D	Model Number	List	Model Number	List
29	36	24	C-CSRRK2436G	4,016	C-CSRRK2436C	3,902
29	42	24	C-CSRRK2442G	4,068	C-CSRRK2442C	3,957
29	48	24	C-CSRRK2448G	4,120	C-CSRRK2448C	4,009
29	54	24	C-CSRRK2454G	4,174	C-CSRRK2454C	4,062
29	60	24	C-CSRRK2460G	4,197	C-CSRRK2460C	4,085
29	66	24	C-CSRRK2466G	4,265	C-CSRRK2466C	4,155
29	72	24	C-CSRRK2472G	4,310	C-CSRRK2472C	4,199
29	78	24	C-CSRRK2478G	4,405	C-CSRRK2478C	4,294
29	84	24	C-CSRRK2484G	4,429	C-CSRRK2484C	4,321
29	36	30	C-CSRRK3036G	4,093	C-CSRRK3036C	3,981
29	42	30	C-CSRRK3042G	4,145	C-CSRRK3042C	4,035
29	48	30	C-CSRRK3048G	4,198	C-CSRRK3048C	4,086
29	54	30	C-CSRRK3054G	4,251	C-CSRRK3054C	4,138
29	60	30	C-CSRRK3060G	4,274	C-CSRRK3060C	4,163
29	66	30	C-CSRRK3066G	4,343	C-CSRRK3066C	4,233
29	72	30	C-CSRRK3072G	4,388	C-CSRRK3072C	4,278
29	78	30	C-CSRRK3078G	4,483	C-CSRRK3078C	4,371
29	84	30	C-CSRRK3084G	4,508	C-CSRRK3084C	4,396




On Glides



On Casters



On Glides



On Casters

Specify

- Laminate Selection for Worksurface
- Color Selection for Leg
- Color Selection for Edge

Notes


- Sliding Run-off tables are designed for the long side to mount perpendicular to 29 high spines that have Sliding Run-off Tracks which can be ORDERED SEPARATELY for any spine length.
- Sliding Run-offs can be ordered with casters for tables often being moved, or with glides for tables that are seldom moved.
- Sliding Run-offs with glides must be lifted slightly at end with legs to slide.
- Sliding Run-off table mounting DOES NOT impede flip door or electrical access.
- Sliding Run-off tables can slide between tracks on adjacent spines.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Sliding Run-Off Tracks

SLIDING RUN-OFF TRACKS		
W	**Model Number**	**List**
24	C-CRRT24	212
30	C-CRRT30	240
36	C-CRRT36	263
42	C-CRRT42	290
48	C-CRRT48	314
54	C-CRRT54	340
60	C-CRRT60	366
66	C-CRRT66	392
72	C-CRRT72	417
78	C-CRRT78	446
84	C-CRRT84	468
90	C-CRRT90	497
96	C-CRRT96	523




Specify	Notes
• Paint Selection	• Sliding Run-off Tracks can be mounted to front and back of any spine to accommodate sliding run-off surfaces. • Each track is sold separately for one side of a spine. • Order track that corresponds to the complete length of the spine. • Tracks are visible behind power cord access gap and can be paint the color of choosing.

© 2026, AIS, Inc.

Fixed Spine Surfaces


FIXED SPINE SURFACES (2MM EDGE WITH TAPERED LEGS)

H	W	D	Model Number	List
29	36	18	X-DROR1836TS	1,959
29	42	18	X-DROR1842TS	2,013
29	48	18	X-DROR1848TS	2,064
29	54	18	X-DROR1854TS	2,118
29	60	18	X-DROR1860TS	2,171
29	66	18	X-DROR1866TS	2,225
29	72	18	X-DROR1872TS	2,277
29	78	18	X-DROR1878TS	2,328
29	84	18	X-DROR1884TS	2,380
29	36	24	X-DROR2436TS	1,959
29	42	24	X-DROR2442TS	2,013
29	48	24	X-DROR2448TS	2,064
29	54	24	X-DROR2454TS	2,118
29	60	24	X-DROR2460TS	2,171
29	66	24	X-DROR2466TS	2,225
29	72	24	X-DROR2472TS	2,277
29	78	24	X-DROR2478TS	2,328
29	84	24	X-DROR2484TS	2,380
29	36	30	X-DROR3036TS	2,037
29	42	30	X-DROR3042TS	2,090
29	48	30	X-DROR3048TS	2,143
29	54	30	X-DROR3054TS	2,197
29	60	30	X-DROR3060TS	2,247
29	66	30	X-DROR3066TS	2,303
29	72	30	X-DROR3072TS	2,355
29	78	30	X-DROR3078TS	2,406
29	84	30	X-DROR3084TS	2,459



FIXED SPINE SURFACES (KNIFE EDGE WITH TAPERED LEGS)

H	W	D	Model Number	List
29	36	18	X-DROK1836TS	3,755
29	42	18	X-DROK1842TS	3,808
29	48	18	X-DROK1848TS	3,861
29	54	18	X-DROK1854TS	3,913
29	60	18	X-DROK1860TS	3,937
29	66	18	X-DROK1866TS	4,006
29	72	18	X-DROK1872TS	4,049
29	78	18	X-DROK1878TS	4,146
29	84	18	X-DROK1884TS	4,169
29	36	24	X-DROK2436TS	3,755
29	42	24	X-DROK2442TS	3,808
29	48	24	X-DROK2448TS	3,861
29	54	24	X-DROK2454TS	3,913
29	60	24	X-DROK2460TS	3,937
29	66	24	X-DROK2466TS	4,006
29	72	24	X-DROK2472TS	4,049
29	78	24	X-DROK2478TS	4,146
29	84	24	X-DROK2484TS	4,169
29	36	30	X-DROK3036TS	3,755
29	42	30	X-DROK3042TS	3,808
29	48	30	X-DROK3048TS	3,861
29	54	30	X-DROK3054TS	3,913
29	60	30	X-DROK3060TS	3,937
29	66	30	X-DROK3066TS	4,006
29	72	30	X-DROK3072TS	4,049
29	78	30	X-DROK3078TS	4,146
29	84	30	X-DROK3084TS	4,169



Specify

- Laminate Selection for Worksurface
- Color Selection for Leg
- Color Selection for Edge
- Grommet Option and Color

Notes

- Fixed Spine Surfaces are designed for long side to mount PARALLEL to 29 high spines in a fixed manner.
- Fixed Spine Surface mounting does not impede flip door or electrical access.
- Fixed Spine Surfaces may be ordered with grommets on long sides.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Cantilevered Spine Surfaces


CANTILEVERED SPINE SURFACES (2MM EDGE)

H	W	D	Model Number	List
29	36	18	C-CCSSR1836	1,959
29	42	18	C-CCSSR1842	2,013
29	48	18	C-CCSSR1848	2,064
29	54	18	C-CCSSR1854	2,118
29	60	18	C-CCSSR1860	2,171
29	66	18	C-CCSSR1866	2,225
29	72	18	C-CCSSR1872	2,277



CANTILEVERED SPINE SURFACES (KNIFE EDGE)

H	W	D	Model Number	List
29	36	18	C-CCSSK1836	3,755
29	42	18	C-CCSSK1842	3,808
29	48	18	C-CCSSK1848	3,861
29	54	18	C-CCSSK1854	3,913
29	60	18	C-CCSSK1860	3,937
29	66	18	C-CCSSK1866	4,006
29	72	18	C-CCSSK1872	4,049



Specify

- Laminate Selection for Worksurface
- Color Selection for Leg
- Color Selection for Edge
- Color Selection for Cantilevers
- Grommet Option and Color

Notes

- Cantilevered Spine Surfaces mount to spine cabinets supported by storage elements. See guidelines in product details.
- Cantilevered Spine Surfaces DO NOT impede flip door access.
- Cantilevered Spine Surfaces can be ordered with Grommets on long side.

© 2026, AIS, Inc.


Stack-On Desks

STACK-ON DESKS


			Left Modesty	Right Modesty	
H	W	D	Model Number	Model Number	List
29	42	24	X-SODL284224	X-SODR284224	1,303
29	48	24	X-SODL284824	X-SODR284824	1,347
29	54	24	X-SODL285424	X-SODR285424	1,368
29	60	24	X-SODL286024	X-SODR286024	1,430
29	66	24	X-SODL286624	X-SODR286624	1,476
29	72	24	X-SODL287224	X-SODR287224	1,518
29	78	24	X-SODL287824	X-SODR287824	1,559
29	84	24	X-SODL288424	X-SODR288424	1,604
29	42	30	X-SODL284230	X-SODR284230	1,405
29	48	30	X-SODL284830	X-SODR284830	1,454
29	54	30	X-SODL285430	X-SODR285430	1,503
29	60	30	X-SODL286030	X-SODR286030	1,551
29	66	30	X-SODL286630	X-SODR286630	1,604
29	72	30	X-SODL287230	X-SODR287230	1,656
29	78	30	X-SODL287830	X-SODR287830	1,704
29	84	30	X-SODL288430	X-SODR288430	1,755

CENTERED MODESTY STACK-ON DESKS


H	W	D	Model Number	List
29	42	36	X-SODM284236	1,467
29	48	36	X-SODM284836	1,567
29	54	36	X-SODM285436	1,623
29	60	36	X-SODM286036	1,676
29	66	36	X-SODM286636	1,736
29	72	36	X-SODM287236	1,791
29	78	36	X-SODM287836	1,849
29	84	36	X-SODM288436	1,901



Left Modesty



Right Modesty



Center Modesty

Specify

- Laminate Selection for Worksurface
- Laminate Selection for Case

Notes

- Stack on Desks are designed to be stacked ON 21” HIGH SPINES ONLY to serve as run-off desks perpendicular to spines.
- Available in Left, Right or with Centered modesty on deeper sizes.
- Modesty on handed units are recessed 4 inches leaving knee space of 18 inches on 24d and 24 inches on 30d.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Spine Hutch F

SPINE HUTCH F (18" DEEP)

H	W	D	Model Number	List
12	24	18	C-CSH122418F	1,380
12	30	18	C-CSH123018F	1,462
12	36	18	C-CSH123618F	1,752
12	42	18	C-CSH124218F	1,827
12	48	18	C-CSH124818F	1,913
12	54	18	C-CSH125418F	1,991
12	60	18	C-CSH126018F	2,070
12	66	18	C-CSH126618F	2,294
12	72	18	C-CSH127218F	2,369
16	24	18	C-CSH162418F	1,443
16	30	18	C-CSH163018F	1,530
16	36	18	C-CSH163618F	1,848
16	42	18	C-CSH164218F	1,929
16	48	18	C-CSH164818F	2,020
16	54	18	C-CSH165418F	2,103
16	60	18	C-CSH166018F	2,192
16	66	18	C-CSH166618F	2,417
16	72	18	C-CSH167218F	2,500
20	24	18	C-CSH202418F	1,510
20	30	18	C-CSH203018F	1,600
20	36	18	C-CSH203618F	1,946
20	42	18	C-CSH204218F	2,032
20	48	18	C-CSH204818F	2,134
20	54	18	C-CSH205418F	2,221
20	60	18	C-CSH206018F	2,318
20	66	18	C-CSH206618F	2,551
20	72	18	C-CSH207218F	2,640

SPINE HUTCH F (24" DEEP)

H	W	D	Model Number	List
12	24	24	C-CSH122424F	1,498
12	30	24	C-CSH123024F	1,595
12	36	24	C-CSH123624F	1,931
12	42	24	C-CSH124224F	2,025
12	48	24	C-CSH124824F	2,129
12	54	24	C-CSH125424F	2,225
12	60	24	C-CSH126024F	2,327
12	66	24	C-CSH126624F	2,565
12	72	24	C-CSH127224F	2,661
16	24	24	C-CSH162424F	1,574
16	30	24	C-CSH163024F	1,676
16	36	24	C-CSH163624F	2,043
16	42	24	C-CSH164224F	2,144
16	48	24	C-CSH164824F	2,256
16	54	24	C-CSH165424F	2,357
16	60	24	C-CSH166024F	2,466
16	66	24	C-CSH166624F	2,709
16	72	24	C-CSH167224F	2,813
20	24	24	C-CSH202424F	1,655
20	30	24	C-CSH203024F	1,765
20	36	24	C-CSH203624F	2,162
20	42	24	C-CSH204224F	2,269
20	48	24	C-CSH204824F	2,389
20	54	24	C-CSH205424F	2,497
20	60	24	C-CSH206024F	2,609
20	66	24	C-CSH206624F	2,862
20	72	24	C-CSH207224F	2,969



Specify

- Laminate Selection

Notes

- Provides storage and space division facing one side only.
- 24 - 30" wide units have no divider, 36 - 72" wide units have a divider.
- Full finished back.
- Unit provided with rubber high friction strips for retention.

© 2026, AIS, Inc.


Spine Hutch F

SPINE HUTCH F (18” DEEP)

H	W	D	Model Number	List
28	24	18	C-CSH282418F	1,675
28	30	18	C-CSH283018F	2,047
28	36	18	C-CSH283618F	2,140
28	42	18	C-CSH284218F	2,247
28	48	18	C-CSH284818F	2,340
28	54	18	C-CSH285418F	2,442
28	60	18	C-CSH286018F	2,682
28	66	18	C-CSH286618F	2,778
28	72	18	C-CSH287218F	1,750
36	24	18	C-CSH362418F	2,148
36	30	18	C-CSH363018F	2,245
36	36	18	C-CSH363618F	2,364
36	42	18	C-CSH364218F	2,459
36	48	18	C-CSH364818F	2,568
36	54	18	C-CSH365418F	2,815
36	60	18	C-CSH366018F	2,915
36	66	18	C-CSH366618F	1,750
36	72	18	C-CSH367218F	2,148

SPINE HUTCH F (24” DEEP)

H	W	D	Model Number	List
28	24	24	C-CSH282424F	1,736
28	30	24	C-CSH283024F	1,852
28	36	24	C-CSH283624F	2,283
28	42	24	C-CSH284224F	2,393
28	48	24	C-CSH284824F	2,521
28	54	24	C-CSH285424F	2,635
28	60	24	C-CSH286024F	2,755
28	66	24	C-CSH286624F	3,013
28	72	24	C-CSH287224F	3,126
36	24	24	C-CSH362424F	1,816
36	30	24	C-CSH363024F	1,938
36	36	24	C-CSH363624F	2,401
36	42	24	C-CSH364224F	2,518
36	48	24	C-CSH364824F	2,653
36	54	24	C-CSH365424F	2,774
36	60	24	C-CSH366024F	2,901
36	66	24	C-CSH366624F	3,164
36	72	24	C-CSH367224F	3,282



Specify

- Laminate Selection

Notes

- Provides storage and space division facing one side only.
- 24 - 30” wide units have no divider, 36 - 72” wide units have a divider.
- Full finished back.
- Unit provided with rubber high friction strips for retention.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Spine Hutch G

SPINE HUTCH G (18” DEEP)

H	W	D	Model Number	List
20	24	18	C-CSH202418G	1,947
20	30	18	C-CSH203018G	2,077
20	36	18	C-CSH203618G	2,391
20	42	18	C-CSH204218G	2,500
20	48	18	C-CSH204818G	2,630
20	54	18	C-CSH205418G	2,887
20	60	18	C-CSH206018G	3,011
20	66	18	C-CSH206618G	3,140
20	72	18	C-CSH207218G	3,398
20	78	18	C-CSH207818G	3,522
20	84	18	C-CSH208418G	3,644

SPINE HUTCH G (24” DEEP)

H	W	D	Model Number	List
20	24	24	C-CSH202424G	2,141
20	30	24	C-CSH203024G	2,297
20	36	24	C-CSH203624G	2,655
20	42	24	C-CSH204224G	2,793
20	48	24	C-CSH204824G	2,954
20	54	24	C-CSH205424G	3,244
20	60	24	C-CSH206024G	3,395
20	66	24	C-CSH206624G	3,554
20	72	24	C-CSH207224G	3,846
20	78	24	C-CSH207824G	4,000
20	84	24	C-CSH208424G	4,153



Specify

- Laminate Selection

Notes

- Provides storage and space division facing one side only.
- Full finished back.
- 20” high unit has 8” high cubby above.
- 24 - 30” wide units have no divider, 36 - 72” wide units have a divider.
- Unit provided with rubber high friction strips for retention.

© 2026, AIS, Inc.


Spine Hutch G

SPINE HUTCH G WITH 8” HIGH CUBBY SHELF (18” DEEP)

H	W	D	Cubby H	Model Number	List
28	24	18	8	C-CSH282418G8	2,084
28	30	18	8	C-CSH283018G8	2,225
28	36	18	8	C-CSH283618G8	2,548
28	42	18	8	C-CSH284218G8	2,671
28	48	18	8	C-CSH284818G8	2,812
28	54	18	8	C-CSH285418G8	3,083
28	60	18	8	C-CSH286018G8	3,220
28	66	18	8	C-CSH286618G8	3,359
28	72	18	8	C-CSH287218G8	3,631
28	78	18	8	C-CSH287818G8	3,767
28	84	18	8	C-CSH288418G8	3,902
36	24	18	8	C-CSH362418G8	2,151
36	30	18	8	C-CSH363018G8	2,299
36	36	18	8	C-CSH363618G8	2,655
36	42	18	8	C-CSH364218G8	2,786
36	48	18	8	C-CSH364818G8	2,932
36	54	18	8	C-CSH365418G8	3,206
36	60	18	8	C-CSH366018G8	3,348
36	66	18	8	C-CSH366618G8	3,492
36	72	18	8	C-CSH367218G8	3,768
36	78	18	8	C-CSH367818G8	3,909
36	84	18	8	C-CSH368418G8	4,048

SPINE HUTCH G WITH 8” HIGH CUBBY SHELF (24” DEEP)

H	W	D	Cubby H	Model Number	List
28	24	24	8	C-CSH282424G8	2,297
28	30	24	8	C-CSH283024G8	2,468
28	36	24	8	C-CSH283624G8	2,836
28	42	24	8	C-CSH284224G8	2,990
28	48	24	8	C-CSH284824G8	3,163
28	54	24	8	C-CSH285424G8	3,466
28	60	24	8	C-CSH286024G8	3,630
28	66	24	8	C-CSH286624G8	3,803
28	72	24	8	C-CSH287224G8	4,104
28	78	24	8	C-CSH287824G8	4,272
28	84	24	8	C-CSH288424G8	4,435
28	24	24	8	C-CSH362424G8	2,397
28	30	24	8	C-CSH363024G8	2,570
28	36	24	8	C-CSH363624G8	2,983
28	42	24	8	C-CSH364224G8	3,143
28	48	24	8	C-CSH364824G8	3,321
28	54	24	8	C-CSH365424G8	3,621
28	60	24	8	C-CSH366024G8	3,792
28	66	24	8	C-CSH366624G8	3,969
28	72	24	8	C-CSH367224G8	4,273
28	78	24	8	C-CSH367824G8	4,439
28	84	24	8	C-CSH368424G8	4,613



Specify

- Laminate Selection

Notes

- Provides storage and space division facing one side only.
- Full finished back.
- 28” high unit has 8” or 16” high cubby above.
- Unit provided with rubber high friction strips for retention.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Spine Hutch G

SPINE HUTCH G WITH 16” HIGH CUBBY SHELF (18” DEEP)

H	W	D	Cubby H	Model Number	List
28	24	18	16	C-CSH282418G16	2,086
28	30	18	16	C-CSH283018G16	2,225
28	36	18	16	C-CSH283618G16	2,594
28	42	18	16	C-CSH284218G16	2,717
28	48	18	16	C-CSH284818G16	2,858
28	54	18	16	C-CSH285418G16	3,133
28	60	18	16	C-CSH286018G16	3,269
28	66	18	16	C-CSH286618G16	3,408
28	72	18	16	C-CSH287218G16	3,682
28	78	18	16	C-CSH287818G16	3,817
28	84	18	16	C-CSH288418G16	3,952
36	24	18	16	C-CSH362418G16	2,263
36	30	18	16	C-CSH363018G16	2,421
36	36	18	16	C-CSH363618G16	2,793
36	42	18	16	C-CSH364218G16	2,932
36	48	18	16	C-CSH364818G16	3,085
36	54	18	16	C-CSH365418G16	3,375
36	60	18	16	C-CSH366018G16	3,525
36	66	18	16	C-CSH366618G16	3,679
36	72	18	16	C-CSH367218G16	3,966
36	78	18	16	C-CSH367818G16	4,116
36	84	18	16	C-CSH368418G16	4,264

SPINE HUTCH G WITH 16” HIGH CUBBY SHELF (24” DEEP)

H	W	D	Cubby H	Model Number	List
28	24	24	16	C-CSH282424G16	2,305
28	30	24	16	C-CSH283024G16	2,478
28	36	24	16	C-CSH283624G16	2,900
28	42	24	16	C-CSH284224G16	3,054
28	48	24	16	C-CSH284824G16	3,225
28	54	24	16	C-CSH285424G16	3,529
28	60	24	16	C-CSH286024G16	3,694
28	66	24	16	C-CSH286624G16	3,864
28	72	24	16	C-CSH287224G16	4,169
28	78	24	16	C-CSH287824G16	4,336
28	84	24	16	C-CSH288424G16	4,504
36	24	24	16	C-CSH362424G16	2,522
36	30	24	16	C-CSH363024G16	2,707
36	36	24	16	C-CSH363624G16	3,141
36	42	24	16	C-CSH364224G16	3,310
36	48	24	16	C-CSH364824G16	3,497
36	54	24	16	C-CSH365424G16	3,811
36	60	24	16	C-CSH366024G16	3,991
36	66	24	16	C-CSH366624G16	4,176
36	72	24	16	C-CSH367224G16	4,498
36	78	24	16	C-CSH367824G16	4,672
36	84	24	16	C-CSH368424G16	4,856



Specify

- Laminate Selection

Notes

- Provides storage and space division facing one side only.
- Full finished back.
- 28” high unit has 8” or 16” high cubby above.
- 24 - 30” wide units have no divider, 36 - 72” wide units have a divider.
- Unit provided with rubber high friction strips for retention.

© 2026, AIS, Inc.


Spine Hutch J

SPINE HUTCH J (18" DEEP)


H	W	D	Shelf H	Cabinet Left Model Number	Cabinet Right Model Number	List
20	60	18	8	C-CSH206018JL	C-CSH206018J	3,777
20	66	18	8	C-CSH206618JL	C-CSH206618J	3,857
20	72	18	8	C-CSH207218JL	C-CSH207218J	3,946
20	78	18	8	C-CSH207818JL	C-CSH207818J	4,079
20	84	18	8	C-CSH208418JL	C-CSH208418J	4,166
28	60	18	8	C-CSH286018JL	C-CSH286018J	4,142
28	66	18	8	C-CSH286618JL	C-CSH286618J	4,237
28	72	18	8	C-CSH287218JL	C-CSH287218J	4,337
28	78	18	8	C-CSH287818JL	C-CSH287818J	4,500
28	84	18	8	C-CSH288418JL	C-CSH288418J	4,599
36	60	18	8	C-CSH36601808JL	C-CSH36601808J	4,280
36	66	18	8	C-CSH36661808JL	C-CSH36661808J	4,384
36	72	18	8	C-CSH36721808JL	C-CSH36721808J	4,491
36	78	18	8	C-CSH36781808JL	C-CSH36781808J	4,670
36	84	18	8	C-CSH36841808JL	C-CSH36841808J	4,777
36	60	18	16	C-CSH366018JL	C-CSH366018J	4,506
36	66	18	16	C-CSH366618JL	C-CSH366618J	4,616
36	72	18	16	C-CSH367218JL	C-CSH367218J	4,729
36	78	18	16	C-CSH367818JL	C-CSH367818J	4,916
36	84	18	16	C-CSH368418JL	C-CSH368418J	5,026

SPINE HUTCH J (24" DEEP)

H	W	D	Shelf H	Cabinet Left Model Number	Cabinet Right Model Number	List
20	60	24	8	C-CSH206024JL	C-CSH206024J	4,079
20	66	24	8	C-CSH206624JL	C-CSH206624J	4,180
20	72	24	8	C-CSH207224JL	C-CSH207224J	4,286
20	78	24	8	C-CSH207824JL	C-CSH207824J	4,439
20	84	24	8	C-CSH208424JL	C-CSH208424J	4,546
28	60	24	8	C-CSH286024JL	C-CSH286024J	4,482
28	66	24	8	C-CSH286624JL	C-CSH286624J	4,597
28	72	24	8	C-CSH287224JL	C-CSH287224J	4,714
28	78	24	8	C-CSH287824JL	C-CSH287824J	4,894
28	84	24	8	C-CSH288424JL	C-CSH288424J	5,014
36	60	18	8	C-CSH36602408JL	C-CSH36602408J	4,638
36	66	18	8	C-CSH36662408JL	C-CSH36662408J	4,759
36	72	18	8	C-CSH36722408JL	C-CSH36722408J	4,888
36	78	18	8	C-CSH36782408JL	C-CSH36782408J	5,083
36	84	18	8	C-CSH36842408JL	C-CSH36842408J	5,211
36	60	24	16	C-CSH366024JL	C-CSH366024J	4,886
36	66	24	16	C-CSH366624JL	C-CSH366624J	5,011
36	72	24	16	C-CSH367224JL	C-CSH367224J	5,147
36	78	24	16	C-CSH367824JL	C-CSH367824J	5,350
36	84	24	16	C-CSH368424JL	C-CSH368424J	5,485



20 - 28" High Cabinet Right



36" High Cabinet Right

Specify

- Laminate Selection for Case
- Laminate Selection for Drawer/Door/Face
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes

- Provides storage and space division facing one side only.
- Full finished back.
- 20" and 28" high unit has 8" high cubby above. 36" high unit has a 16" high cubby above.
- 60" - 72" wide units have 24" wide lockable storage cabinet with 1 adjustable shelf. 78" and 84" wide units have a 31 3/8" wide lockable storage cabinet with 1 adjustable shelf.
- Cabinets do not have shelves.
- Unit provided with rubber high friction strips for retention.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull not available on doors. Touch-to-open handle selection incurs a $50 upcharge per unit.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Spine Cabinet N

SPINE CABINET N (14” DEEP)


H	W	D	Model Number	List
16	24	14	C-SOCD162414	1,938
16	30	14	C-SOCD163014	2,037
16	36	14	C-SOCD163614	2,294
16	42	14	C-SOCD164214	2,383
16	48	14	C-SOCD164814	2,479
16	54	14	C-SOCD165414	2,672
16	60	14	C-SOCD166014	2,764
16	66	14	C-SOCD166614	2,864
16	72	14	C-SOCD167214	3,054
20	24	14	C-SOCD202414	2,260
20	30	14	C-SOCD203014	2,375
20	36	14	C-SOCD203614	2,676
20	42	14	C-SOCD204214	2,777
20	48	14	C-SOCD204814	2,891
20	54	14	C-SOCD205414	3,115
20	60	14	C-SOCD206014	3,225
20	66	14	C-SOCD206614	3,337
20	72	14	C-SOCD207214	3,562

SPINE CABINET N (14” DEEP)


H	W	D	Model Number	List
28	24	14	C-SOCD282414	2,636
28	30	14	C-SOCD283014	2,772
28	36	14	C-SOCD283614	3,120
28	42	14	C-SOCD284214	3,239
28	48	14	C-SOCD284814	3,371
28	54	14	C-SOCD285414	3,632
28	60	14	C-SOCD286014	3,764
28	66	14	C-SOCD286614	3,893
28	72	14	C-SOCD287214	4,155
36	24	14	C-SOCD362414	3,059
36	30	14	C-SOCD363014	3,214
36	36	14	C-SOCD363614	3,621
36	42	14	C-SOCD364214	3,757
36	48	14	C-SOCD364814	3,912
36	54	14	C-SOCD365414	4,215
36	60	14	C-SOCD366014	4,364
36	66	14	C-SOCD366614	4,519
36	72	14	C-SOCD367214	4,820




16” High, 24 - 48” Widths



16” High, 54 - 72” Widths



20 - 36” High, 24 - 48” Widths



20 - 36” High, 54 - 72” Widths

Specify

- Laminate Selection for Case
- Laminate Selection for Drawer/Door/Face
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes

- Compatible with Hutch A tackboards.
- Cabinets do not have shelves.
- 24 - 48” wide units feature two doors, units 54” wide and above feature four doors.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull not available on doors. Touch-to-open handle selection incurs a $50 upcharge per unit.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.

© 2026, AIS, Inc.


Spine Cabinet N

SPINE CABINET N (18" DEEP)


H	W	D	Model Number	List
16	24	18	C-SOCD162418	2,043
16	30	18	C-SOCD163018	2,144
16	36	18	C-SOCD163618	2,415
16	42	18	C-SOCD164218	2,506
16	48	18	C-SOCD164818	2,609
16	54	18	C-SOCD165418	2,813
16	60	18	C-SOCD166018	2,910
16	66	18	C-SOCD166618	3,013
16	72	18	C-SOCD167218	3,213
20	24	18	C-SOCD202418	2,380
20	30	18	C-SOCD203018	2,503
20	36	18	C-SOCD203618	2,817
20	42	18	C-SOCD204218	2,924
20	48	18	C-SOCD204818	3,044
20	54	18	C-SOCD205418	3,277
20	60	18	C-SOCD206018	3,394
20	66	18	C-SOCD206618	3,514
20	72	18	C-SOCD207218	3,748

SPINE CABINET N (18" DEEP)


H	W	D	Model Number	List
28	24	18	C-SOCD282418	2,776
28	30	18	C-SOCD283018	2,917
28	36	18	C-SOCD283618	3,286
28	42	18	C-SOCD284218	3,408
28	48	18	C-SOCD284818	3,550
28	54	18	C-SOCD285418	3,825
28	60	18	C-SOCD286018	3,959
28	66	18	C-SOCD286618	4,099
28	72	18	C-SOCD287218	4,372
36	24	18	C-SOCD362418	3,212
36	30	18	C-SOCD363018	3,377
36	36	18	C-SOCD363618	3,803
36	42	18	C-SOCD364218	3,946
36	48	18	C-SOCD364818	4,106
36	54	18	C-SOCD365418	4,427
36	60	18	C-SOCD366018	4,583
36	66	18	C-SOCD366618	4,745
36	72	18	C-SOCD367218	5,063




16" High, 24 - 48" Widths



16" High, 54 - 72" Widths



20 - 36" High, 24 - 48" Widths



20 - 36" High, 54 - 72" Widths

Specify

- Laminate Selection for Case
- Laminate Selection for Drawer/Door/Face
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes

- Compatible with Hutch A tackboards.
- Cabinets do not have shelves.
- 24 - 48" wide units feature two doors, units 54" wide and above feature four doors.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull not available on doors. Touch-to-open handle selection incurs a $50 upcharge per unit.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Spine Cabinet N

SPINE CABINET N (24” DEEP)


H	W	D	Model Number	List
16	24	24	C-SOCD162424	2,148
16	30	24	C-SOCD163024	2,257
16	36	24	C-SOCD163624	2,541
16	42	24	C-SOCD164224	2,638
16	48	24	C-SOCD164824	2,746
16	54	24	C-SOCD165424	2,960
16	60	24	C-SOCD166024	3,064
16	66	24	C-SOCD166624	3,174
16	72	24	C-SOCD167224	3,385
20	24	24	C-SOCD202424	2,505
20	30	24	C-SOCD203024	2,633
20	36	24	C-SOCD203624	2,965
20	42	24	C-SOCD204224	3,079
20	48	24	C-SOCD204824	3,203
20	54	24	C-SOCD205424	3,451
20	60	24	C-SOCD206024	3,573
20	66	24	C-SOCD206624	3,700
20	72	24	C-SOCD207224	3,948

SPINE CABINET N (24” DEEP)


H	W	D	Model Number	List
28	24	24	C-SOCD282424	2,914
28	30	24	C-SOCD283024	3,063
28	36	24	C-SOCD283624	3,447
28	42	24	C-SOCD284224	3,581
28	48	24	C-SOCD284824	3,726
28	54	24	C-SOCD285424	4,016
28	60	24	C-SOCD286024	4,158
28	66	24	C-SOCD286624	4,304
28	72	24	C-SOCD287224	4,591
36	24	24	C-SOCD362424	3,374
36	30	24	C-SOCD363024	3,545
36	36	24	C-SOCD363624	3,989
36	42	24	C-SOCD364224	4,143
36	48	24	C-SOCD364824	4,313
36	54	24	C-SOCD365424	4,649
36	60	24	C-SOCD366024	4,813
36	66	24	C-SOCD366624	4,983
36	72	24	C-SOCD367224	5,314




16” High, 24 - 48” Widths



16” High, 54 - 72” Widths



20 - 36” High, 24 - 48” Widths



20 - 36” High, 54 - 72” Widths

Specify

- Laminate Selection for Case
- Laminate Selection for Drawer/Door/Face
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes

- Compatible with Hutch A tackboards.
- Cabinets do not have shelves.
- 24 - 48” wide units feature two doors, units 54” wide and above feature four doors.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull not available on doors. Touch-to-open handle selection incurs a $50 upcharge per unit.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.

© 2026, AIS, Inc.


Spine Hutches with Sliding Doors

SPINE HUTCHES WITH SLIDING DOORS (14" DEEP)


			Left-Side Lock	Right-Side Lock	
H	W	D	Model Number	Model Number	List
16	24	14	C-SOSDL162414	C-SOSDR162414	2,339
16	30	14	C-SOSDL163014	C-SOSDR163014	2,448
16	36	14	C-SOSDL163614	C-SOSDR163614	2,707
16	42	14	C-SOSDL164214	C-SOSDR164214	2,804
16	48	14	C-SOSDL164814	C-SOSDR164814	2,911
16	54	14	C-SOSDL165414	C-SOSDR165414	3,114
16	60	14	C-SOSDL166014	C-SOSDR166014	3,216
16	66	14	C-SOSDL166614	C-SOSDR166614	3,324
16	72	14	C-SOSDL167214	C-SOSDR167214	3,526
20	24	14	C-SOSDL202414	C-SOSDR202414	2,728
20	30	14	C-SOSDL203014	C-SOSDR203014	2,854
20	36	14	C-SOSDL203614	C-SOSDR203614	3,157
20	42	14	C-SOSDL204214	C-SOSDR204214	3,270
20	48	14	C-SOSDL204814	C-SOSDR204814	3,394
20	54	14	C-SOSDL205414	C-SOSDR205414	3,630
20	60	14	C-SOSDL206014	C-SOSDR206014	3,751
20	66	14	C-SOSDL206614	C-SOSDR206614	3,876
20	72	14	C-SOSDL207214	C-SOSDR207214	4,114

SPINE HUTCHES WITH SLIDING DOORS (14" DEEP)

			Left-Side Lock	Right-Side Lock	
H	W	D	Model Number	Model Number	List
28	24	14	C-SOSDL282414	C-SOSDR282414	3,179
28	30	14	C-SOSDL283014	C-SOSDR283014	3,329
28	36	14	C-SOSDL283614	C-SOSDR283614	3,682
28	42	14	C-SOSDL284214	C-SOSDR284214	3,812
28	48	14	C-SOSDL284814	C-SOSDR284814	3,960
28	54	14	C-SOSDL285414	C-SOSDR285414	4,234
28	60	14	C-SOSDL286014	C-SOSDR286014	4,375
28	66	14	C-SOSDL286614	C-SOSDR286614	4,522
28	72	14	C-SOSDL287214	C-SOSDR287214	4,796
36	24	14	C-SOSDL362414	C-SOSDR362414	3,691
36	30	14	C-SOSDL363014	C-SOSDR363014	3,862
36	36	14	C-SOSDL363614	C-SOSDR363614	4,274
36	42	14	C-SOSDL364214	C-SOSDR364214	4,425
36	48	14	C-SOSDL364814	C-SOSDR364814	4,597
36	54	14	C-SOSDL365414	C-SOSDR365414	4,913
36	60	14	C-SOSDL366014	C-SOSDR366014	5,080
36	66	14	C-SOSDL366614	C-SOSDR366614	5,247
36	72	14	C-SOSDL367214	C-SOSDR367214	5,566



Left-Side Lock



Right-Side Lock

Specify	Notes
• Laminate Selection for Case	• Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
• Laminate Selection for Drawer/Door/ Face	• Slim pull not available on doors.
• Handle Selection	• Sliding door units include the option of no handle.
• Handle Paint Selection	• Lock cores and trim rings ship separately.
• Lock Selection	• One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Spine Hutches with Sliding Doors

SPINE HUTCHES WITH SLIDING DOORS (18" DEEP)


			Left-Side Lock	Right-Side Lock	
H	W	D	Model Number	Model Number	List
16	24	18	C-SOSDL162418	C-SOSDR162418	2,463
16	30	18	C-SOSDL163018	C-SOSDR163018	2,577
16	36	18	C-SOSDL163618	C-SOSDR163618	2,851
16	42	18	C-SOSDL164218	C-SOSDR164218	2,951
16	48	18	C-SOSDL164818	C-SOSDR164818	3,065
16	54	18	C-SOSDL165418	C-SOSDR165418	3,276
16	60	18	C-SOSDL166018	C-SOSDR166018	3,387
16	66	18	C-SOSDL166618	C-SOSDR166618	3,501
16	72	18	C-SOSDL167218	C-SOSDR167218	3,711
20	24	18	C-SOSDL202418	C-SOSDR202418	2,871
20	30	18	C-SOSDL203018	C-SOSDR203018	3,004
20	36	18	C-SOSDL203618	C-SOSDR203618	3,324
20	42	18	C-SOSDL204218	C-SOSDR204218	3,442
20	48	18	C-SOSDL204818	C-SOSDR204818	3,573
20	54	18	C-SOSDL205418	C-SOSDR205418	3,822
20	60	18	C-SOSDL206018	C-SOSDR206018	3,949
20	66	18	C-SOSDL206618	C-SOSDR206618	4,080
20	72	18	C-SOSDL207218	C-SOSDR207218	4,328

SPINE HUTCHES WITH SLIDING DOORS (18" DEEP)

			Left-Side Lock	Right-Side Lock	
H	W	D	Model Number	Model Number	List
28	24	18	C-SOSDL282418	C-SOSDR282418	3,348
28	30	18	C-SOSDL283018	C-SOSDR283018	3,504
28	36	18	C-SOSDL283618	C-SOSDR283618	3,876
28	42	18	C-SOSDL284218	C-SOSDR284218	4,014
28	48	18	C-SOSDL284818	C-SOSDR284818	4,168
28	54	18	C-SOSDL285418	C-SOSDR285418	4,457
28	60	18	C-SOSDL286018	C-SOSDR286018	4,605
28	66	18	C-SOSDL286618	C-SOSDR286618	4,759
28	72	18	C-SOSDL287218	C-SOSDR287218	5,049
36	24	18	C-SOSDL362418	C-SOSDR362418	3,875
36	30	18	C-SOSDL363018	C-SOSDR363018	4,056
36	36	18	C-SOSDL363618	C-SOSDR363618	4,488
36	42	18	C-SOSDL364218	C-SOSDR364218	4,647
36	48	18	C-SOSDL364818	C-SOSDR364818	4,826
36	54	18	C-SOSDL365418	C-SOSDR365418	5,160
36	60	18	C-SOSDL366018	C-SOSDR366018	5,332
36	66	18	C-SOSDL366618	C-SOSDR366618	5,510
36	72	18	C-SOSDL367218	C-SOSDR367218	5,844



Left-Side Lock



Right-Side Lock

Specify	Notes
• Laminate Selection for Case	• Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
• Laminate Selection for Drawer/Door/ Face	• Slim pull not available on doors.
• Handle Selection	• Sliding door units include the option of no handle.
• Handle Paint Selection	• Lock cores and trim rings ship separately.
• Lock Selection	• One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.

© 2026, AIS, Inc.


Spine Hutches with Sliding Doors

SPINE HUTCHES WITH SLIDING DOORS (24" DEEP)


			Left-Side Lock	Right-Side Lock	
H	W	D	Model Number	Model Number	List
16	24	24	C-SOSDL162424	C-SOSDR162424	2,590
16	30	24	C-SOSDL163024	C-SOSDR163024	2,713
16	36	24	C-SOSDL163624	C-SOSDR163624	3,000
16	42	24	C-SOSDL164224	C-SOSDR164224	3,105
16	48	24	C-SOSDL164824	C-SOSDR164824	3,227
16	54	24	C-SOSDL165424	C-SOSDR165424	3,449
16	60	24	C-SOSDL166024	C-SOSDR166024	3,565
16	66	24	C-SOSDL166624	C-SOSDR166624	3,683
16	72	24	C-SOSDL167224	C-SOSDR167224	3,907
20	24	24	C-SOSDL202424	C-SOSDR202424	3,021
20	30	24	C-SOSDL203024	C-SOSDR203024	3,163
20	36	24	C-SOSDL203624	C-SOSDR203624	3,500
20	42	24	C-SOSDL204224	C-SOSDR204224	3,623
20	48	24	C-SOSDL204824	C-SOSDR204824	3,764
20	54	24	C-SOSDL205424	C-SOSDR205424	4,021
20	60	24	C-SOSDL206024	C-SOSDR206024	4,158
20	66	24	C-SOSDL206624	C-SOSDR206624	4,296
20	72	24	C-SOSDL207224	C-SOSDR207224	4,554

SPINE HUTCHES WITH SLIDING DOORS (24" DEEP)

			Left-Side Lock	Right-Side Lock	
H	W	D	Model Number	Model Number	List
28	24	24	C-SOSDL282424	C-SOSDR282424	3,514
28	30	24	C-SOSDL283024	C-SOSDR283024	3,680
28	36	24	C-SOSDL283624	C-SOSDR283624	4,071
28	42	24	C-SOSDL284224	C-SOSDR284224	4,214
28	48	24	C-SOSDL284824	C-SOSDR284824	4,375
28	54	24	C-SOSDL285424	C-SOSDR285424	4,680
28	60	24	C-SOSDL286024	C-SOSDR286024	4,839
28	66	24	C-SOSDL286624	C-SOSDR286624	4,999
28	72	24	C-SOSDL287224	C-SOSDR287224	5,301
36	24	24	C-SOSDL362424	C-SOSDR362424	4,068
36	30	24	C-SOSDL363024	C-SOSDR363024	4,258
36	36	24	C-SOSDL363624	C-SOSDR363624	4,712
36	42	24	C-SOSDL364224	C-SOSDR364224	4,879
36	48	24	C-SOSDL364824	C-SOSDR364824	5,067
36	54	24	C-SOSDL365424	C-SOSDR365424	5,419
36	60	24	C-SOSDL366024	C-SOSDR366024	5,599
36	66	24	C-SOSDL366624	C-SOSDR366624	5,784
36	72	24	C-SOSDL367224	C-SOSDR367224	6,136



Left-Side Lock



Right-Side Lock

Specify	Notes
• Laminate Selection for Case	• Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
• Laminate Selection for Drawer/Door/ Face	• Slim pull not available on doors.
• Handle Selection	• Sliding door units include the option of no handle.
• Handle Paint Selection	• Lock cores and trim rings ship separately.
• Lock Selection	• One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Spine Bookcases

SPINE BOOKCASES (18” DEEP)

H	W	D	Model Number	List
37	18	18	X-SOBC371818	1,773
37	24	18	X-SOBC372418	1,863
37	30	18	X-SOBC373018	1,955
37	36	18	X-SOBC373618	2,053
45	18	18	X-SOBC451818	1,851
45	24	18	X-SOBC452418	1,944
45	30	18	X-SOBC453018	2,040
45	36	18	X-SOBC453618	2,141

SPINE BOOKCASES (24” DEEP)

H	W	D	Model Number	List
37	18	24	X-SOBC371824	1,863
37	24	24	X-SOBC372424	1,955
37	30	24	X-SOBC373024	2,053
37	36	24	X-SOBC373624	2,156
45	18	24	X-SOBC451824	1,944
45	24	24	X-SOBC452424	2,040
45	30	24	X-SOBC453024	2,141
45	36	24	X-SOBC453624	2,247



Specify

- Laminate Selection

Notes

- Shelves are adjustable.

© 2026, AIS, Inc.


Spine Bookcases with Sliding Doors

SPINE BOOKCASES WITH SLIDING DOORS (14" DEEP)


			Left-Side Lock	Right-Side Lock	
H	W	D	Model Number	Model Number	List
16	30	14	X-SOSDL163014	X-SOSDR163014	2,423
16	36	14	X-SOSDL163614	X-SOSDR163614	2,493
16	42	14	X-SOSDL164214	X-SOSDR164214	2,581
16	48	14	X-SOSDL164814	X-SOSDR164814	2,708
16	54	14	X-SOSDL165414	X-SOSDR165414	2,844
16	60	14	X-SOSDL166014	X-SOSDR166014	2,985
20	30	14	X-SOSDL203014	X-SOSDR203014	2,550
20	36	14	X-SOSDL203614	X-SOSDR203614	2,625
20	42	14	X-SOSDL204214	X-SOSDR204214	2,715
20	48	14	X-SOSDL204814	X-SOSDR204814	2,851
20	54	14	X-SOSDL205414	X-SOSDR205414	2,994
20	60	14	X-SOSDL206014	X-SOSDR206014	3,143
24	30	14	X-SOSDL243014	X-SOSDR243014	2,682
24	36	14	X-SOSDL243614	X-SOSDR243614	2,762
24	42	14	X-SOSDL244214	X-SOSDR244214	2,858
24	48	14	X-SOSDL244814	X-SOSDR244814	3,002
24	54	14	X-SOSDL245414	X-SOSDR245414	3,151
24	60	14	X-SOSDL246014	X-SOSDR246014	3,308

SPINE BOOKCASES WITH SLIDING DOORS (14" DEEP)

			Left-Side Lock	Right-Side Lock	
H	W	D	Model Number	Model Number	List
28	30	14	X-SOSDL283014	X-SOSDR283014	2,823
28	36	14	X-SOSDL283614	X-SOSDR283614	2,909
28	42	14	X-SOSDL284214	X-SOSDR284214	3,008
28	48	14	X-SOSDL284814	X-SOSDR284814	3,161
28	54	14	X-SOSDL285414	X-SOSDR285414	3,319
28	60	14	X-SOSDL286014	X-SOSDR286014	3,482
36	30	14	X-SOSDL363014	X-SOSDR363014	2,972
36	36	14	X-SOSDL363614	X-SOSDR363614	3,060
36	42	14	X-SOSDL364214	X-SOSDR364214	3,167
36	48	14	X-SOSDL364814	X-SOSDR364814	3,324
36	54	14	X-SOSDL365414	X-SOSDR365414	3,491
36	60	14	X-SOSDL366014	X-SOSDR366014	3,664



Left-Side Lock



Right-Side Lock

Specify

- Laminate Selection for Case
- Laminate Selection for Drawer/Door/Face
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes

- Shelves are adjustable.
- Features lockable doors.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull not available on doors.
- Sliding door units include the option of no handle.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Spine Bookcases with Sliding Doors

SPINE BOOKCASES WITH SLIDING DOORS (18" DEEP)


			Left-Side Lock	Right-Side Lock	
H	W	D	Model Number	Model Number	List
16	30	18	X-SOSDL163018	X-SOSDR163018	2,542
16	36	18	X-SOSDL163618	X-SOSDR163618	2,619
16	42	18	X-SOSDL164218	X-SOSDR164218	2,708
16	48	18	X-SOSDL164818	X-SOSDR164818	2,844
16	54	18	X-SOSDL165418	X-SOSDR165418	2,985
16	60	18	X-SOSDL166018	X-SOSDR166018	3,136
20	30	18	X-SOSDL203018	X-SOSDR203018	2,676
20	36	18	X-SOSDL203618	X-SOSDR203618	2,757
20	42	18	X-SOSDL204218	X-SOSDR204218	2,851
20	48	18	X-SOSDL204818	X-SOSDR204818	2,994
20	54	18	X-SOSDL205418	X-SOSDR205418	3,143
20	60	18	X-SOSDL206018	X-SOSDR206018	3,298
24	30	18	X-SOSDL243018	X-SOSDR243018	2,818
24	36	18	X-SOSDL243618	X-SOSDR243618	2,902
24	42	18	X-SOSDL244218	X-SOSDR244218	3,002
24	48	18	X-SOSDL244818	X-SOSDR244818	3,151
24	54	18	X-SOSDL245418	X-SOSDR245418	3,308
24	60	18	X-SOSDL246018	X-SOSDR246018	3,474

SPINE BOOKCASES WITH SLIDING DOORS (18" DEEP)

			Left-Side Lock	Right-Side Lock	
H	W	D	Model Number	Model Number	List
28	30	18	X-SOSDL283018	X-SOSDR283018	2,967
28	36	18	X-SOSDL283618	X-SOSDR283618	3,054
28	42	18	X-SOSDL284218	X-SOSDR284218	3,161
28	48	18	X-SOSDL284818	X-SOSDR284818	3,319
28	54	18	X-SOSDL285418	X-SOSDR285418	3,482
28	60	18	X-SOSDL286018	X-SOSDR286018	3,657
36	30	18	X-SOSDL363018	X-SOSDR363018	3,121
36	36	18	X-SOSDL363618	X-SOSDR363618	3,213
36	42	18	X-SOSDL364218	X-SOSDR364218	3,324
36	48	18	X-SOSDL364818	X-SOSDR364818	3,491
36	54	18	X-SOSDL365418	X-SOSDR365418	3,664
36	60	18	X-SOSDL366018	X-SOSDR366018	3,850



Left-Side Lock



Right-Side Lock

Specify

- Laminate Selection for Case
- Laminate Selection for Drawer/Door/Face
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes

- Shelves are adjustable.
- Features lockable doors.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull not available on doors.
- Sliding door units include the option of no handle.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.

© 2026, AIS, Inc.


Spine Bookcases with Sliding Doors

SPINE BOOKCASES WITH SLIDING DOORS (24" DEEP)


			Left-Side Lock	Right-Side Lock	
H	W	D	Model Number	Model Number	List
16	30	24	X-SOSDL163024	X-SOSDR163024	2,671
16	36	24	X-SOSDL163624	X-SOSDR163624	2,749
16	42	24	X-SOSDL164224	X-SOSDR164224	2,844
16	48	24	X-SOSDL164824	X-SOSDR164824	2,985
16	54	24	X-SOSDL165424	X-SOSDR165424	3,136
16	60	24	X-SOSDL166024	X-SOSDR166024	3,292
20	30	24	X-SOSDL203024	X-SOSDR203024	2,812
20	36	24	X-SOSDL203624	X-SOSDR203624	2,895
20	42	24	X-SOSDL204224	X-SOSDR204224	2,994
20	48	24	X-SOSDL204824	X-SOSDR204824	3,143
20	54	24	X-SOSDL205424	X-SOSDR205424	3,298
20	60	24	X-SOSDL206024	X-SOSDR206024	3,466
24	30	24	X-SOSDL243024	X-SOSDR243024	2,959
24	36	24	X-SOSDL243624	X-SOSDR243624	3,047
24	42	24	X-SOSDL244224	X-SOSDR244224	3,151
24	48	24	X-SOSDL244824	X-SOSDR244824	3,308
24	54	24	X-SOSDL245424	X-SOSDR245424	3,474
24	60	24	X-SOSDL246024	X-SOSDR246024	3,649

SPINE BOOKCASES WITH SLIDING DOORS (24" DEEP)

			Left-Side Lock	Right-Side Lock	
H	W	D	Model Number	Model Number	List
28	30	24	X-SOSDL283024	X-SOSDR283024	3,114
28	36	24	X-SOSDL283624	X-SOSDR283624	3,206
28	42	24	X-SOSDL284224	X-SOSDR284224	3,319
28	48	24	X-SOSDL284824	X-SOSDR284824	3,482
28	54	24	X-SOSDL285424	X-SOSDR285424	3,657
28	60	24	X-SOSDL286024	X-SOSDR286024	3,838
36	30	24	X-SOSDL363024	X-SOSDR363024	3,276
36	36	24	X-SOSDL363624	X-SOSDR363624	3,375
36	42	24	X-SOSDL364224	X-SOSDR364224	3,491
36	48	24	X-SOSDL364824	X-SOSDR364824	3,664
36	54	24	X-SOSDL365424	X-SOSDR365424	3,850
36	60	24	X-SOSDL366024	X-SOSDR366024	4,042



Left-Side Lock



Right-Side Lock

Specify

- Laminate Selection for Case
- Laminate Selection for Drawer/Door/Face
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes

- Shelves are adjustable.
- Features lockable doors.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull not available on doors.
- Sliding door units include the option of no handle.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Spine Stack-On Two Door Cabinet

SPINE STACK-ON TWO DOOR CABINET

H	W	D	Model Number	List
37	30	18	X-SOCD373018	2,647
37	30	24	X-SOCD373024	2,663
37	36	18	X-SOCD373618	2,763
37	36	24	X-SOCD373624	2,778



Specify

- Laminate Selection for Case
- Laminate Selection for Drawer/Door/Face
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes

- All cabinets have a divider and four adjustable shelves.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull not available on doors. Touch-to-open handle selection incurs a $50 upcharge per unit.
- Lock cores and trim rings ship separately. One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.

© 2026, AIS, Inc.


Spine Hutch A

SPINE HUTCH A (18" DEEP)

H	W	D	Model Number	List
12	24	18	C-CSH122418A	1,314
12	30	18	C-CSH123018A	1,447
12	36	18	C-CSH123618A	1,512
12	42	18	C-CSH124218A	1,577
12	48	18	C-CSH124818A	1,713
12	54	18	C-CSH125418A	1,777
12	60	18	C-CSH126018A	1,840
12	66	18	C-CSH126618A	1,979
12	72	18	C-CSH127218A	2,044
16	24	18	C-CSH162418A	1,365
16	30	18	C-CSH163018A	1,506
16	36	18	C-CSH163618A	1,577
16	42	18	C-CSH164218A	1,644
16	48	18	C-CSH164818A	1,789
16	54	18	C-CSH165418A	1,857
16	60	18	C-CSH166018A	1,929
16	66	18	C-CSH166618A	2,070
16	72	18	C-CSH167218A	2,141
20	24	18	C-CSH202418A	1,416
20	30	18	C-CSH203018A	1,562
20	36	18	C-CSH203618A	1,638
20	42	18	C-CSH204218A	1,712
20	48	18	C-CSH204818A	1,862
20	54	18	C-CSH205418A	1,937
20	60	18	C-CSH206018A	2,013
20	66	18	C-CSH206618A	2,163
20	72	18	C-CSH207218A	2,238

SPINE HUTCH A (24" DEEP)

H	W	D	Model Number	List
12	24	24	C-CSH122424A	1,436
12	30	24	C-CSH123024A	1,554
12	36	24	C-CSH123624A	1,631
12	42	24	C-CSH124224A	1,711
12	48	24	C-CSH124824A	1,865
12	54	24	C-CSH125424A	1,944
12	60	24	C-CSH126024A	2,020
12	66	24	C-CSH126624A	2,175
12	72	24	C-CSH127224A	2,255
16	24	24	C-CSH162424A	1,465
16	30	24	C-CSH163024A	1,623
16	36	24	C-CSH163624A	1,707
16	42	24	C-CSH164224A	1,791
16	48	24	C-CSH164824A	1,948
16	54	24	C-CSH165424A	2,032
16	60	24	C-CSH166024A	2,118
16	66	24	C-CSH166624A	2,280
16	72	24	C-CSH167224A	2,364
20	24	24	C-CSH202424A	1,528
20	30	24	C-CSH203024A	1,689
20	36	24	C-CSH203624A	1,778
20	42	24	C-CSH204224A	1,868
20	48	24	C-CSH204824A	2,032
20	54	24	C-CSH205424A	2,123
20	60	24	C-CSH206024A	2,212
20	66	24	C-CSH206624A	2,376
20	72	24	C-CSH207224A	2,467



Specify

- Laminate Selection for Case
- Laminate Selection for Divider

Notes

- Provides storage and space division facing front and back.
- Unit provided with rubber high friction strips for retention.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Spine Hutch A

SPINE HUTCH A (18" DEEP)

H	W	D	Model Number	List
28	24	18	C-CSH282418A	1,528
28	30	18	C-CSH283018A	1,684
28	36	18	C-CSH283618A	1,772
28	42	18	C-CSH284218A	1,857
28	48	18	C-CSH284818A	2,018
28	54	18	C-CSH285418A	2,105
28	60	18	C-CSH286018A	2,192
28	66	18	C-CSH286618A	2,353
28	72	18	C-CSH287218A	2,438
36	24	18	C-CSH362418A	1,750
36	30	18	C-CSH363018A	1,929
36	36	18	C-CSH363618A	2,040
36	42	18	C-CSH364218A	2,147
36	48	18	C-CSH364818A	2,329
36	54	18	C-CSH365418A	2,440
36	60	18	C-CSH366018A	2,550
36	66	18	C-CSH366618A	2,729
36	72	18	C-CSH367218A	2,843

SPINE HUTCH A (24" DEEP)

H	W	D	Model Number	List
28	24	24	C-CSH282424A	1,659
28	30	24	C-CSH283024A	1,832
28	36	24	C-CSH283624A	1,934
28	42	24	C-CSH284224A	2,032
28	48	24	C-CSH284824A	2,210
28	54	24	C-CSH285424A	2,311
28	60	24	C-CSH286024A	2,412
28	66	24	C-CSH286624A	2,587
28	72	24	C-CSH287224A	2,687
36	24	24	C-CSH362424A	1,921
36	30	24	C-CSH363024A	2,116
36	36	24	C-CSH363624A	2,242
36	42	24	C-CSH364224A	2,365
36	48	24	C-CSH364824A	2,562
36	54	24	C-CSH365424A	2,687
36	60	24	C-CSH366024A	2,805
36	66	24	C-CSH366624A	3,003
36	72	24	C-CSH367224A	3,130



Specify

- Laminate Selection for Case
- Laminate Selection for Divider

Notes

- Provides storage and space division facing front and back.
- Unit provided with rubber high friction strips for retention.

© 2026, AIS, Inc.


Spine Hutch B

SPINE HUTCH B (18" DEEP)


			Open Left	Open Right	
H	W	D	Model Number	Model Number	List
12	36	18	C-CSH123618BL	C-CSH123618BR	1,772
12	42	18	C-CSH124218BL	C-CSH124218BR	1,851
12	48	18	C-CSH124818BL	C-CSH124818BR	1,929
12	54	18	C-CSH125418BL	C-CSH125418BR	2,006
12	60	18	C-CSH126018BL	C-CSH126018BR	2,227
12	66	18	C-CSH126618BL	C-CSH126618BR	2,305
12	72	18	C-CSH127218BL	C-CSH127218BR	2,384
16	36	18	C-CSH163618BL	C-CSH163618BR	1,881
16	42	18	C-CSH164218BL	C-CSH164218BR	1,966
16	48	18	C-CSH164818BL	C-CSH164818BR	2,047
16	54	18	C-CSH165418BL	C-CSH165418BR	2,131
16	60	18	C-CSH166018BL	C-CSH166018BR	2,359
16	66	18	C-CSH166618BL	C-CSH166618BR	2,444
16	72	18	C-CSH167218BL	C-CSH167218BR	2,527
20	36	18	C-CSH203618BL	C-CSH203618BR	1,973
20	42	18	C-CSH204218BL	C-CSH204218BR	2,063
20	48	18	C-CSH204818BL	C-CSH204818BR	2,156
20	54	18	C-CSH205418BL	C-CSH205418BR	2,245
20	60	18	C-CSH206018BL	C-CSH206018BR	2,480
20	66	18	C-CSH206618BL	C-CSH206618BR	2,569
20	72	18	C-CSH207218BL	C-CSH207218BR	2,661

SPINE HUTCH B (24" DEEP)


			Open Left	Open Right	
H	W	D	Model Number	Model Number	List
12	36	24	C-CSH123624BL	C-CSH123624BR	1,948
12	42	24	C-CSH124224BL	C-CSH124224BR	2,046
12	48	24	C-CSH124824BL	C-CSH124824BR	2,144
12	54	24	C-CSH125424BL	C-CSH125424BR	2,242
12	60	24	C-CSH126024BL	C-CSH126024BR	2,481
12	66	24	C-CSH126624BL	C-CSH126624BR	2,578
12	72	24	C-CSH127224BL	C-CSH127224BR	2,677
16	36	24	C-CSH163624BL	C-CSH163624BR	2,077
16	42	24	C-CSH164224BL	C-CSH164224BR	2,178
16	48	24	C-CSH164824BL	C-CSH164824BR	2,284
16	54	24	C-CSH165424BL	C-CSH165424BR	2,385
16	60	24	C-CSH166024BL	C-CSH166024BR	2,635
16	66	24	C-CSH166624BL	C-CSH166624BR	2,737
16	72	24	C-CSH167224BL	C-CSH167224BR	2,840
20	36	24	C-CSH203624BL	C-CSH203624BR	2,188
20	42	24	C-CSH204224BL	C-CSH204224BR	2,297
20	48	24	C-CSH204824BL	C-CSH204824BR	2,407
20	54	24	C-CSH205424BL	C-CSH205424BR	2,518
20	60	24	C-CSH206024BL	C-CSH206024BR	2,772
20	66	24	C-CSH206624BL	C-CSH206624BR	2,883
20	72	24	C-CSH207224BL	C-CSH207224BR	2,991



12 - 20" High
Open Right



28" High
Open Right



36" High
Open Right

Specify

- Laminate Selection for Case
- Laminate Selection for Divider

Notes

- Provides storage and space division facing front and back.
- Unit provided with rubber high friction strips for retention.
- Divider can be ordered as HPL Whiteboard. Divider is always same color on both sides.
- 28" high units feature a 8" high cubby shelf, 36" high units feature a 16" high cubby shelf.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Spine Hutch B

SPINE HUTCH B (18" DEEP)


			Open Left	Open Right	
H	W	D	Model Number	Model Number	List
28	36	18	C-CSH283618BL	C-CSH283618BR	2,164
28	42	18	C-CSH284218BL	C-CSH284218BR	2,269
28	48	18	C-CSH284818BL	C-CSH284818BR	2,371
28	54	18	C-CSH285418BL	C-CSH285418BR	2,475
28	60	18	C-CSH286018BL	C-CSH286018BR	2,722
28	66	18	C-CSH286618BL	C-CSH286618BR	2,826
28	72	18	C-CSH287218BL	C-CSH287218BR	2,927
36	36	18	C-CSH363618BL	C-CSH363618BR	2,549
36	42	18	C-CSH364218BL	C-CSH364218BR	2,679
36	48	18	C-CSH364818BL	C-CSH364818BR	2,804
36	54	18	C-CSH365418BL	C-CSH365418BR	2,932
36	60	18	C-CSH366018BL	C-CSH366018BR	3,203
36	66	18	C-CSH366618BL	C-CSH366618BR	3,335
36	72	18	C-CSH367218BL	C-CSH367218BR	3,465

SPINE HUTCH B (24" DEEP)


			Open Left	Open Right	
H	W	D	Model Number	Model Number	List
28	36	24	C-CSH283624BL	C-CSH283624BR	2,417
28	42	24	C-CSH284224BL	C-CSH284224BR	2,541
28	48	24	C-CSH284824BL	C-CSH284824BR	2,665
28	54	24	C-CSH285424BL	C-CSH285424BR	2,787
28	60	24	C-CSH286024BL	C-CSH286024BR	3,054
28	66	24	C-CSH286624BL	C-CSH286624BR	3,177
28	72	24	C-CSH287224BL	C-CSH287224BR	3,297
36	36	24	C-CSH363624BL	C-CSH363624BR	2,875
36	42	24	C-CSH364224BL	C-CSH364224BR	3,027
36	48	24	C-CSH364824BL	C-CSH364824BR	3,178
36	54	24	C-CSH365424BL	C-CSH365424BR	3,321
36	60	24	C-CSH366024BL	C-CSH366024BR	3,618
36	66	24	C-CSH366624BL	C-CSH366624BR	3,766
36	72	24	C-CSH367224BL	C-CSH367224BR	3,911



12 - 20" High
Open Right



28" High
Open Right



36" High
Open Right

Specify

- Laminate Selection for Case
- Laminate Selection for Divider

Notes

- Provides storage and space division facing front and back.
- Unit provided with rubber high friction strips for retention.
- Divider can be ordered as HPL Whiteboard. Divider is always same color on both sides.
- 28" high units feature a 8" high cubby shelf, 36" high units feature a 16" high cubby shelf.

© 2026, AIS, Inc.


Spine Hutch C

SPINE HUTCH C (24” DEEP)


H	W	D	Model Number	List
20	24	24	C-CSH202424C	2,272
20	30	24	C-CSH203024C	2,431
20	36	24	C-CSH203624C	2,648
20	42	24	C-CSH204224C	2,799
20	48	24	C-CSH204824C	2,968
20	54	24	C-CSH205424C	3,258
20	60	24	C-CSH206024C	3,405
20	66	24	C-CSH206624C	3,573
20	72	24	C-CSH207224C	3,861
20	78	24	C-CSH207824C	4,009
20	84	24	C-CSH208424C	4,159

SPINE HUTCH C (30” DEEP)

H	W	D	Model Number	List
20	24	30	C-CSH202430C	2,272
20	30	30	C-CSH203030C	2,431
20	36	30	C-CSH203630C	2,648
20	42	30	C-CSH204230C	2,799
20	48	30	C-CSH204830C	2,968
20	54	30	C-CSH205430C	3,258
20	60	30	C-CSH206030C	3,405
20	66	30	C-CSH206630C	3,573
20	72	30	C-CSH207230C	3,861
20	78	30	C-CSH207830C	4,009
20	84	30	C-CSH208430C	4,159



24 - 30” Wide



36 - 84” Wide

Specify

- Laminate Selection

Notes

- Provides storage and space division facing two sides.
- 20” high unit has 8” high cubby above. 28” high has 8” or 16” high cubby above. 36” high has 16” high cubby.
- Units 36” wide and over have a divider, 24 - 36” wide units do not have a divider.
- Unit provided with rubber high friction strips for retention.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Spine Hutch C

SPINE HUTCH C WITH 8” HIGH CUBBY SHELF (24” DEEP)

H	W	D	Cubby H	Model Number	List
28	24	24	8	C-CSH282424C8	2,503
28	30	24	8	C-CSH283024C8	2,676
28	36	24	8	C-CSH283624C8	2,884
28	42	24	8	C-CSH284224C8	2,998
28	48	24	8	C-CSH284824C8	3,179
28	54	24	8	C-CSH285424C8	3,481
28	60	24	8	C-CSH286024C8	3,643
28	66	24	8	C-CSH286624C8	3,822
28	72	24	8	C-CSH287224C8	4,122
28	78	24	8	C-CSH287824C8	4,284
28	84	24	8	C-CSH288424C8	4,444
36	24	24	8	C-CSH362424C8	2,613
36	30	24	8	C-CSH363024C8	2,802
36	36	24	8	C-CSH363624C8	3,182
36	42	24	8	C-CSH364224C8	3,382
36	48	24	8	C-CSH364824C8	3,583
36	54	24	8	C-CSH365424C8	3,891
36	60	24	8	C-CSH366024C8	4,072
36	66	24	8	C-CSH366624C8	4,267
36	72	24	8	C-CSH367224C8	4,574
36	78	24	8	C-CSH367824C8	4,753
36	84	24	8	C-CSH368424C8	4,930

SPINE HUTCH C WITH 8” HIGH CUBBY SHELF (30” DEEP)

H	W	D	Cubby H	Model Number	List
28	24	30	8	C-CSH282430C8	2,503
28	30	30	8	C-CSH283030C8	2,676
28	36	30	8	C-CSH283630C8	2,835
28	42	30	8	C-CSH284230C8	2,998
28	48	30	8	C-CSH284830C8	3,179
28	54	30	8	C-CSH285430C8	3,481
28	60	30	8	C-CSH286030C8	3,643
28	66	30	8	C-CSH286630C8	3,822
28	72	30	8	C-CSH287230C8	4,122
28	78	30	8	C-CSH287830C8	4,284
28	84	30	8	C-CSH288430C8	4,444
36	24	30	8	C-CSH362430C8	2,746
36	30	30	8	C-CSH363030C8	2,937
36	36	30	8	C-CSH363630C8	3,098
36	42	30	8	C-CSH364230C8	3,275
36	48	30	8	C-CSH364830C8	3,475
36	54	30	8	C-CSH365430C8	3,782
36	60	30	8	C-CSH366030C8	3,965
36	66	30	8	C-CSH366630C8	4,159
36	72	30	8	C-CSH367230C8	4,467
36	78	30	8	C-CSH367830C8	4,647
36	84	30	8	C-CSH368430C8	4,826



Specify

- Laminate Selection

Notes

- Provides storage and space division facing two sides.
- 20” high unit has 8” high cubby above. 28” high has 8” or 16” high cubby above. 36” high has 16” high cubby.
- Units 36” wide and over have a divider, 24 - 36” wide units do not have a divider.
- Unit provided with rubber high friction strips for retention.

© 2026, AIS, Inc.


Spine Hutch C

SPINE HUTCH C WITH 16” HIGH CUBBY SHELF (24” DEEP)

H	W	D	Cubby H	Model Number	List
28	24	24	16	C-CSH282424C16	2,432
28	30	24	16	C-CSH283024C16	2,604
28	36	24	16	C-CSH283624C16	2,790
28	42	24	16	C-CSH284224C16	3,054
28	48	24	16	C-CSH284824C16	3,235
28	54	24	16	C-CSH285424C16	3,537
28	60	24	16	C-CSH286024C16	3,698
28	66	24	16	C-CSH286624C16	3,881
28	72	24	16	C-CSH287224C16	4,178
28	78	24	16	C-CSH287824C16	4,342
28	84	24	16	C-CSH288424C16	4,504
36	24	24	16	C-CSH362424C16	2,753
36	30	24	16	C-CSH363024C16	2,948
36	36	24	16	C-CSH363624C16	3,351
36	42	24	16	C-CSH364224C16	3,561
36	48	24	16	C-CSH364824C16	3,771
36	54	24	16	C-CSH365424C16	4,097
36	60	24	16	C-CSH366024C16	4,286
36	66	24	16	C-CSH366624C16	4,491
36	72	24	16	C-CSH367224C16	4,815
36	78	24	16	C-CSH367824C16	5,005
36	84	24	16	C-CSH368424C16	5,190

SPINE HUTCH C WITH 16” HIGH CUBBY SHELF (30” DEEP)

H	W	D	Cubby H	Model Number	List
28	24	30	16	C-CSH282430C16	2,432
28	30	30	16	C-CSH283030C16	2,604
28	36	30	16	C-CSH283630C16	2,889
28	42	30	16	C-CSH284230C16	3,054
28	48	30	16	C-CSH284830C16	3,235
28	54	30	16	C-CSH285430C16	3,537
28	60	30	16	C-CSH286030C16	3,698
28	66	30	16	C-CSH286630C16	3,881
28	72	30	16	C-CSH287230C16	4,178
28	78	30	16	C-CSH287830C16	4,342
28	84	30	16	C-CSH288430C16	4,504
36	24	30	16	C-CSH362430C16	2,891
36	30	30	16	C-CSH363030C16	3,093
36	36	30	16	C-CSH363630C16	3,262
36	42	30	16	C-CSH364230C16	3,449
36	48	30	16	C-CSH364830C16	3,659
36	54	30	16	C-CSH365430C16	3,984
36	60	30	16	C-CSH366030C16	4,174
36	66	30	16	C-CSH366630C16	4,379
36	72	30	16	C-CSH367230C16	4,701
36	78	30	16	C-CSH367830C16	4,891
36	84	30	16	C-CSH368430C16	5,080



Specify

- Laminate Selection

Notes

- Provides storage and space division facing two sides.
- 20” high unit has 8” high cubby above. 28” high has 8” or 16” high cubby above. 36” high has 16” high cubby.
- Units 36” wide and over have a divider, 24 - 36” wide units do not have a divider.
- Unit provided with rubber high friction strips for retention.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Spine Hutch D

SPINE HUTCH D (18" DEEP)


			Open Left	Open Right	
H	W	D	Model Number	Model Number	List
20	36	18	C-CSH203618DL	C-CSH203618DR	2,391
20	42	18	C-CSH204218DL	C-CSH204218DR	2,511
20	48	18	C-CSH204818DL	C-CSH204818DR	2,597
20	54	18	C-CSH205418DL	C-CSH205418DR	2,894
20	60	18	C-CSH206018DL	C-CSH206018DR	3,021
20	66	18	C-CSH206618DL	C-CSH206618DR	3,147
20	72	18	C-CSH207218DL	C-CSH207218DR	3,406
20	78	18	C-CSH207818DL	C-CSH207818DR	3,526
20	84	18	C-CSH208418DL	C-CSH208418DR	3,658

SPINE HUTCH D WITH 8" HIGH CUBBY SHELF (18" DEEP)


				Open Left	Open Right	
H	W	D	Shelf H	Model Number	Model Number	List
28	36	18	8	C-CSH2836DL08	C-CSH2836DR08	2,550
28	42	18	8	C-CSH2842DL08	C-CSH2842DR08	2,682
28	48	18	8	C-CSH2848DL08	C-CSH2848DR08	2,822
28	54	18	8	C-CSH2854DL08	C-CSH2854DR08	3,093
28	60	18	8	C-CSH2860DL08	C-CSH2860DR08	3,231
28	66	18	8	C-CSH2866DL08	C-CSH2866DR08	3,371
28	72	18	8	C-CSH2872DL08	C-CSH2872DR08	3,643
28	78	18	8	C-CSH2878DL08	C-CSH2878DR08	3,776
28	84	18	8	C-CSH2884DL08	C-CSH2884DR08	3,921
36	36	18	8	C-CSH3636DL8	C-CSH3636DR8	2,817
36	42	18	8	C-CSH3642DL8	C-CSH3642DR8	2,967
36	48	18	8	C-CSH3648DL8	C-CSH3648DR8	3,195
36	54	18	8	C-CSH3654DL8	C-CSH3654DR8	3,406
36	60	18	8	C-CSH3660DL8	C-CSH3660DR8	3,562
36	66	18	8	C-CSH3666DL8	C-CSH3666DR8	3,715
36	72	18	8	C-CSH3672DL8	C-CSH3672DR8	4,002
36	78	18	8	C-CSH3678DL8	C-CSH3678DR8	4,153
36	84	18	8	C-CSH3684DL8	C-CSH3684DR8	4,312




Open Left



Open Right



Open Left



Open Right

Specify

- Laminate Selection for Case
- Laminate Selection for Divider

Notes


- Provides storage and space division facing two sides.
- Unit provided with rubber high friction strips for retention.
- Top Yin-Yang Divider can be ordered as HPL Whiteboard. Divider is same color on both sides.

© 2026, AIS, Inc.


Spine Hutch D

SPINE HUTCH D WITH 16" HIGH CUBBY SHELF

				Open Left	Open Right	
H	W	D	Shelf H	Model Number	Model Number	List
28	36	18	16	C-CSH2836DL16	C-CSH2836DR16	2,581
28	42	18	16	C-CSH2842DL16	C-CSH2842DR16	2,714
28	48	18	16	C-CSH2848DL16	C-CSH2848DR16	2,853
28	54	18	16	C-CSH2854DL16	C-CSH2854DR16	3,125
28	60	18	16	C-CSH2860DL16	C-CSH2860DR16	3,263
28	66	18	16	C-CSH2866DL16	C-CSH2866DR16	3,404
28	72	18	16	C-CSH2872DL16	C-CSH2872DR16	3,674
28	78	18	16	C-CSH2878DL16	C-CSH2878DR16	3,807
28	84	18	16	C-CSH2884DL16	C-CSH2884DR16	3,951
36	36	18	16	C-CSH3636DL16	C-CSH3636DR16	2,965
36	42	18	16	C-CSH3642DL16	C-CSH3642DR16	3,121
36	48	18	16	C-CSH3648DL16	C-CSH3648DR16	3,363
36	54	18	16	C-CSH3654DL16	C-CSH3654DR16	3,586
36	60	18	16	C-CSH3660DL16	C-CSH3660DR16	3,748
36	66	18	16	C-CSH3666DL16	C-CSH3666DR16	3,912
36	72	18	16	C-CSH3672DL16	C-CSH3672DR16	4,213
36	78	18	16	C-CSH3678DL16	C-CSH3678DR16	4,370
36	84	18	16	C-CSH3684DL16	C-CSH3684DR16	4,540



Open Left



Open Right

Specify

- Laminate Selection for Case
- Laminate Selection for Divider

Notes

- Provides storage and space division facing two sides.
- Unit provided with rubber high friction strips for retention.
- Top Yin-Yang Divider can be ordered as HPL Whiteboard. Divider is same color on both sides.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Spine Hutch E

SPINE HUTCH E (18" DEEP)

			Door Left	Door Right	
H	W	D	Model Number	Model Number	List
28	36	18	C-CSH283618EL	C-CSH283618ER	3,287
28	42	18	C-CSH284218EL	C-CSH284218ER	3,440
28	48	18	C-CSH284818EL	C-CSH284818ER	3,599
28	54	18	C-CSH285418EL	C-CSH285418ER	3,900
28	60	18	C-CSH286018EL	C-CSH286018ER	4,065
28	66	18	C-CSH286618EL	C-CSH286618ER	4,226
28	72	18	C-CSH287218EL	C-CSH287218ER	4,381
28	78	18	C-CSH287818EL	C-CSH287818ER	4,533
28	84	18	C-CSH288418EL	C-CSH288418ER	4,711
36	36	18	C-CSH363618EL	C-CSH363618ER	3,668
36	42	18	C-CSH364218EL	C-CSH364218ER	3,848
36	48	18	C-CSH364818EL	C-CSH364818ER	4,112
36	54	18	C-CSH365418EL	C-CSH365418ER	4,360
36	60	18	C-CSH366018EL	C-CSH366018ER	4,551
36	66	18	C-CSH366618EL	C-CSH366618ER	4,736
36	72	18	C-CSH367218EL	C-CSH367218ER	4,918
36	78	18	C-CSH367818EL	C-CSH367818ER	5,097
36	84	18	C-CSH368418EL	C-CSH368418ER	5,301

SPINE HUTCH E (24" DEEP)

			Door Left	Door Right	
H	W	D	Model Number	Model Number	List
28	36	24	C-CSH283624EL	C-CSH283624ER	3,530
28	42	24	C-CSH284224EL	C-CSH284224ER	3,707
28	48	24	C-CSH284824EL	C-CSH284824ER	3,890
28	54	24	C-CSH285424EL	C-CSH285424ER	4,212
28	60	24	C-CSH286024EL	C-CSH286024ER	4,398
28	66	24	C-CSH286624EL	C-CSH286624ER	4,581
28	72	24	C-CSH287224EL	C-CSH287224ER	4,757
28	78	24	C-CSH287824EL	C-CSH287824ER	4,936
28	84	24	C-CSH288424EL	C-CSH288424ER	5,134
36	36	24	C-CSH363624EL	C-CSH363624ER	3,912
36	42	24	C-CSH364224EL	C-CSH364224ER	4,115
36	48	24	C-CSH364824EL	C-CSH364824ER	4,398
36	54	24	C-CSH365424EL	C-CSH365424ER	4,671
36	60	24	C-CSH366024EL	C-CSH366024ER	4,886
36	66	24	C-CSH366624EL	C-CSH366624ER	5,093
36	72	24	C-CSH367224EL	C-CSH367224ER	5,296
36	78	24	C-CSH367824EL	C-CSH367824ER	5,498
36	84	24	C-CSH368424EL	C-CSH368424ER	5,723



Door Right

Specify

- Laminate Selection for Case
- Laminate Selection for Divider
- Laminate selection for Drawer/Door/Face
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes

- Provides storage and space division facing two sides with lockable sliding door.
- Unit provided with rubber high friction strips for retention.
- Top Yin-Yang Divider can be ordered as HPL Whiteboard. Divider is same color on both sides.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull not available on doors.
- Sliding door units include the option of no handle.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.

© 2026, AIS, Inc.


Spine Hutch H

SPINE HUTCH H (18" DEEP)


				Cantilevered		Full Panel	
H	W	D	Cubby H	Model Number	List	Model Number	List
20	60	18	8	C-CSH206018H	3,698	C-CSH206018HF	3,820
20	66	18	8	C-CSH206618H	3,777	C-CSH206618HF	3,898
20	72	18	8	C-CSH207218H	3,861	C-CSH207218HF	3,976
20	78	18	8	C-CSH207818H	3,977	C-CSH207818HF	4,080
20	84	18	8	C-CSH208418H	4,068	C-CSH208418HF	4,159
28	60	18	8	C-CSH286018H	4,005	C-CSH286018HF	4,169
28	66	18	8	C-CSH286618H	4,094	C-CSH286618HF	4,260
28	72	18	8	C-CSH287218H	4,191	C-CSH287218HF	4,352
28	78	18	8	C-CSH287818H	4,332	C-CSH287818HF	4,481
28	84	18	8	C-CSH288418H	4,433	C-CSH288418HF	4,571
36	60	18	8	C-CSH366018H8	4,096	C-CSH366018HF8	4,296
36	66	18	8	C-CSH366618H8	4,192	C-CSH366618HF8	4,393
36	72	18	8	C-CSH367218H8	4,292	C-CSH367218HF8	4,490
36	78	18	8	C-CSH367818H8	4,454	C-CSH367818HF8	4,635
36	84	18	8	C-CSH368418H8	4,556	C-CSH368418HF8	4,734
36	60	18	16	C-CSH366018H	4,311	C-CSH366018HF	4,522
36	66	18	16	C-CSH366618H	4,411	C-CSH366618HF	4,623
36	72	18	16	C-CSH367218H	4,518	C-CSH367218HF	4,727
36	78	18	16	C-CSH367818H	4,688	C-CSH367818HF	4,881
36	84	18	16	C-CSH368418H	4,797	C-CSH368418HF	4,983

SPINE HUTCH H (24" DEEP)


				Cantilevered		Full Panel	
H	W	D	Cubby H	Model Number	List	Model Number	List
20	60	24	8	C-CSH206024H	3,982	C-CSH206024HF	4,103
20	66	24	8	C-CSH206624H	4,078	C-CSH206624HF	4,199
20	72	24	8	C-CSH207224H	4,178	C-CSH207224HF	4,295
20	78	24	8	C-CSH207824H	4,313	C-CSH207824HF	4,416
20	84	24	8	C-CSH208424H	4,421	C-CSH208424HF	4,511
28	60	24	8	C-CSH286024H	4,324	C-CSH286024HF	4,489
28	66	24	8	C-CSH286624H	4,429	C-CSH286624HF	4,599
28	72	24	8	C-CSH287224H	4,544	C-CSH287224HF	4,704
28	78	24	8	C-CSH287824H	4,701	C-CSH287824HF	4,851
28	84	24	8	C-CSH288424H	4,818	C-CSH288424HF	4,955
36	60	24	8	C-CSH366024H8	4,429	C-CSH366024HF8	4,633
36	66	24	8	C-CSH366624H8	4,541	C-CSH366624HF8	4,745
36	72	24	8	C-CSH367224H8	4,662	C-CSH367224HF8	4,855
36	78	24	8	C-CSH367824H8	4,833	C-CSH367824HF8	5,020
36	84	24	8	C-CSH368424H8	4,958	C-CSH368424HF8	5,131
36	60	24	16	C-CSH366018H	4,311	C-CSH366018HF	4,522
36	66	24	16	C-CSH366618H	4,411	C-CSH366618HF	4,623
36	72	24	16	C-CSH367218H	4,518	C-CSH367218HF	4,727
36	78	24	16	C-CSH367818H	4,688	C-CSH367818HF	4,881
36	84	24	16	C-CSH368418H	4,797	C-CSH368418HF	4,983




20 - 28" High Cantilevered



36" High Cantilevered



20 - 28" High Full Panel



36" High Full Panel

Specify

- Laminate Selection for Case
- Laminate selection for Drawer/Door/Face
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes

- Provides storage and space division facing two sides.
- 20" and 28" high unit has 8" high cubby above. 36" high unit has a 16" high cubby above.
- 60" - 72" wide units have (2) 12" wide lockable storage cabinets arranged in Yin-Yang configuration. 78" and 84" wide units have (2) 15 5/8" wide lockable storage cabinets arranged in Yin-Yang configuration.
- Doors on both sides are hinge left to open towards overhead/cantilevered side of hutch.
- Hutch can be ordered with a full width lower panel or with a cantilevered section that leaves 24 1/4" space (on all widths) for collaboration.
- Unit provided with rubber high friction strips for retention.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull not available on doors. Touch-to-open handle selection incurs a $50 upcharge per unit.
- Lock cores and trim rings ship separately.
- **Important:** Maximum shelf weight 20 lbs per front and back.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Spine Hutch K

SPINE HUTCH K (18” DEEP)


H	W	D	Model Number	List
28	36	18	C-CSH283618K	2,320
28	42	18	C-CSH284218K	2,408
28	48	18	C-CSH284818K	2,498
28	54	18	C-CSH285418K	3,035
28	60	18	C-CSH286018K	3,124
28	66	18	C-CSH286618K	3,221
28	72	18	C-CSH287218K	3,455
28	78	18	C-CSH287818K	3,545
28	84	18	C-CSH288418K	3,632
36	36	18	C-CSH373618K	2,462
36	42	18	C-CSH374218K	2,555
36	48	18	C-CSH374818K	2,648
36	54	18	C-CSH375418K	3,263
36	60	18	C-CSH376018K	3,358
36	66	18	C-CSH376618K	3,462
36	72	18	C-CSH377218K	3,706
36	78	18	C-CSH377818K	3,799
36	84	18	C-CSH378418K	3,892

SPINE HUTCH K (24” DEEP)

H	W	D	Model Number	List
28	36	24	C-CSH283624K	2,562
28	42	24	C-CSH284224K	2,674
28	48	24	C-CSH284824K	2,787
28	54	24	C-CSH285424K	3,415
28	60	24	C-CSH286024K	3,526
28	66	24	C-CSH286624K	3,646
28	72	24	C-CSH287224K	3,903
28	78	24	C-CSH287824K	4,017
28	84	24	C-CSH288424K	4,129
36	36	24	C-CSH373624K	2,737
36	42	24	C-CSH374224K	2,857
36	48	24	C-CSH374824K	2,971
36	54	24	C-CSH375424K	3,701
36	60	24	C-CSH376024K	3,817
36	66	24	C-CSH376624K	3,944
36	72	24	C-CSH377224K	4,211
36	78	24	C-CSH377824K	4,326
36	84	24	C-CSH378424K	4,443



28” High



36” High

Specify

- Laminate Selection for Case
- Laminate Selection for Divider

Notes

- Provides storage and space division facing two sides.
- Shelves are arranged in Yin-Yang configuration alternating 4” and 12” deep and open.
- Units 48” wide and under have 2 columns of cubbies, units 54” wide and over have 4 columns of cubbies.

© 2026, AIS, Inc.


Spine Cabinet L

SPINE CABINET L (18" DEEP)


			Door Left	Door Right	
H	W	D	Model Number	Model Number	List
20	24	18	C-CSC202418LL	C-CSC202418LR	2,327
20	30	18	C-CSC203018LL	C-CSC203018LR	2,477
20	36	18	C-CSC203618LL	C-CSC203618LR	2,706
20	42	18	C-CSC204218LL	C-CSC204218LR	2,857
20	48	18	C-CSC204818LL	C-CSC204818LR	3,004
28	24	18	C-CSC282418LL	C-CSC282418LR	2,619
28	30	18	C-CSC283018LL	C-CSC283018LR	2,794
28	36	18	C-CSC283618LL	C-CSC283618LR	3,053
28	42	18	C-CSC284218LL	C-CSC284218LR	3,227
28	48	18	C-CSC284818LL	C-CSC284818LR	3,404
36	24	18	C-CSC362418LL	C-CSC362418LR	2,914
36	30	18	C-CSC363018LL	C-CSC363018LR	3,116
36	36	18	C-CSC363618LL	C-CSC363618LR	3,395
36	42	18	C-CSC364218LL	C-CSC364218LR	3,596
36	48	18	C-CSC364818LL	C-CSC364818LR	3,799

SPINE CABINET L (24" DEEP)


			Door Left	Door Right	
H	W	D	Model Number	Model Number	List
20	24	24	C-CSC202424LL	C-CSC202424LR	2,536
20	30	24	C-CSC203024LL	C-CSC203024LR	2,714
20	36	24	C-CSC203624LL	C-CSC203624LR	2,973
20	42	24	C-CSC204224LL	C-CSC204224LR	3,151
20	48	24	C-CSC204824LL	C-CSC204824LR	3,329
28	24	24	C-CSC282424LL	C-CSC282424LR	2,871
28	30	24	C-CSC283024LL	C-CSC283024LR	3,077
28	36	24	C-CSC283624LL	C-CSC283624LR	3,357
28	42	24	C-CSC284224LL	C-CSC284224LR	3,561
28	48	24	C-CSC284824LL	C-CSC284824LR	3,766
36	24	24	C-CSC362424LL	C-CSC362424LR	3,202
36	30	24	C-CSC363024LL	C-CSC363024LR	3,434
36	36	24	C-CSC363624LL	C-CSC363624LR	3,740
36	42	24	C-CSC364224LL	C-CSC364224LR	3,972
36	48	24	C-CSC364824LL	C-CSC364824LR	4,201




Door Left



Door Left



Door Right



Door Right

Specify

- Laminate Selection for Case
- Laminate Selection for Drawer and Panel
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes

- Provides storage and space division facing two sides with lockable cabinet doors arranged in yin-yang configuration.
- "Door Left" Units have Left Hinge Doors. "Door Right" Units have Right Hinge Doors.
- Cabinets do not have shelves.
- Unit provided with rubber high friction strips for retention.
- Doors and panels can be ordered as HPL Whiteboard.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull not available on doors. Touch-to-open handle selection incurs a $50 upcharge per unit.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.

© 2026, AIS, Inc.


Spine Cabinet P

SPINE CABINET P (18" DEEP)


			Door Left	Door Right	
H	W	D	Model Number	Model Number	List
20	24	18	C-CSDC202418PL	C-CSDC202418PR	2,536
20	30	18	C-CSDC203018PL	C-CSDC203018PR	2,713
20	36	18	C-CSDC203618PL	C-CSDC203618PR	2,972
20	42	18	C-CSDC204218PL	C-CSDC204218PR	3,151
20	48	18	C-CSDC204818PL	C-CSDC204818PR	3,328
28	24	18	C-CSDC282418PL	C-CSDC282418PR	2,868
28	30	18	C-CSDC283018PL	C-CSDC283018PR	3,077
28	36	18	C-CSDC283618PL	C-CSDC283618PR	3,357
28	42	18	C-CSDC284218PL	C-CSDC284218PR	3,560
28	48	18	C-CSDC284818PL	C-CSDC284818PR	3,765
36	24	18	C-CSDC362418PL	C-CSDC362418PR	3,202
36	30	18	C-CSDC363018PL	C-CSDC363018PR	3,434
36	36	18	C-CSDC363618PL	C-CSDC363618PR	3,740
36	42	18	C-CSDC364218PL	C-CSDC364218PR	3,972
36	48	18	C-CSDC364818PL	C-CSDC364818PR	4,199

SPINE CABINET P (24" DEEP)


			Door Left	Door Right	
H	W	D	Model Number	Model Number	List
20	24	24	C-CSDC202424PL	C-CSDC202424PR	2,536
20	30	24	C-CSDC203024PL	C-CSDC203024PR	2,713
20	36	24	C-CSDC203624PL	C-CSDC203624PR	2,972
20	42	24	C-CSDC204224PL	C-CSDC204224PR	3,151
20	48	24	C-CSDC204824PL	C-CSDC204824PR	3,328
28	24	24	C-CSDC282424PL	C-CSDC282424PR	2,868
28	30	24	C-CSDC283024PL	C-CSDC283024PR	3,077
28	36	24	C-CSDC283624PL	C-CSDC283624PR	3,357
28	42	24	C-CSDC284224PL	C-CSDC284224PR	3,560
28	48	24	C-CSDC284824PL	C-CSDC284824PR	3,765
36	24	24	C-CSDC362424PL	C-CSDC362424PR	3,202
36	30	24	C-CSDC363024PL	C-CSDC363024PR	3,434
36	36	24	C-CSDC363624PL	C-CSDC363624PR	3,740
36	42	24	C-CSDC364224PL	C-CSDC364224PR	3,972
36	48	24	C-CSDC364824PL	C-CSDC364824PR	4,199



Door Left



Door Left or Door Right



Door Right

Specify

- Laminate Selection for Case
- Laminate Selection for Drawer and Panel
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes

- Provides storage and space division facing two sides with lockable cabinet doors arranged in yin-yang configuration.
- "Door Left" Units have Left Hinge Doors. "Door Right" Units have Right Hinge Doors.
- Unit provided with rubber high friction strips for retention.
- Doors and panels can be ordered as HPL Whiteboard.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull not available on doors. Touch-to-open handle selection incurs a $50 upcharge per unit.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.

© 2026, AIS, Inc.


Spine Cabinet M

SPINE CABINET M (18" DEEP)


			Door Left	Door Right	
H	W	D	Model Number	Model Number	List
16	36	18	C-CSC163618ML	C-CSC163618MR	2,926
16	42	18	C-CSC164218ML	C-CSC164218MR	3,032
16	48	18	C-CSC164818ML	C-CSC164818MR	3,140
16	54	18	C-CSC165418ML	C-CSC165418MR	3,531
16	60	18	C-CSC166018ML	C-CSC166018MR	3,649
16	66	18	C-CSC166618ML	C-CSC166618MR	3,755
16	72	18	C-CSC167218ML	C-CSC167218MR	3,861
16	78	18	C-CSC167818ML	C-CSC167818MR	3,969
16	84	18	C-CSC168418ML	C-CSC168418MR	4,097
20	36	18	C-CSC203618ML	C-CSC203618MR	3,141
20	42	18	C-CSC204218ML	C-CSC204218MR	3,260
20	48	18	C-CSC204818ML	C-CSC204818MR	3,378
20	54	18	C-CSC205418ML	C-CSC205418MR	3,817
20	60	18	C-CSC206018ML	C-CSC206018MR	3,948
20	66	18	C-CSC206618ML	C-CSC206618MR	4,068
20	72	18	C-CSC207218ML	C-CSC207218MR	4,187
20	78	18	C-CSC207818ML	C-CSC207818MR	4,304
20	84	18	C-CSC208418ML	C-CSC208418MR	4,443

SPINE CABINET M (24" DEEP)

			Door Left	Door Right	
H	W	D	Model Number	Model Number	List
16	36	24	C-CSC163624ML	C-CSC163624MR	3,116
16	42	24	C-CSC164224ML	C-CSC164224MR	3,240
16	48	24	C-CSC164824ML	C-CSC164824MR	3,367
16	54	24	C-CSC165424ML	C-CSC165424MR	3,837
16	60	24	C-CSC166024ML	C-CSC166024MR	3,974
16	66	24	C-CSC166624ML	C-CSC166624MR	4,099
16	72	24	C-CSC167224ML	C-CSC167224MR	4,225
16	78	24	C-CSC167824ML	C-CSC167824MR	4,350
16	84	24	C-CSC168424ML	C-CSC168424MR	4,500
20	36	24	C-CSC203624ML	C-CSC203624MR	3,350
20	42	24	C-CSC204224ML	C-CSC204224MR	3,487
20	48	24	C-CSC204824ML	C-CSC204824MR	3,625
20	54	24	C-CSC205424ML	C-CSC205424MR	4,156
20	60	24	C-CSC206024ML	C-CSC206024MR	4,307
20	66	24	C-CSC206624ML	C-CSC206624MR	4,441
20	72	24	C-CSC207224ML	C-CSC207224MR	4,580
20	78	24	C-CSC207824ML	C-CSC207824MR	4,719
20	84	24	C-CSC208424ML	C-CSC208424MR	4,879



Door Left



Door Right

Specify

- Laminate Selection for Case
- Laminate Selection for Drawer and Panel
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes

- Provides storage and space division facing two sides with lockable sliding door.
- Cabinets do not have shelves.
- Unit provided with rubber high friction strips for retention.
- Yin-Yang Divider can be ordered as HPL Whiteboard. Divider is same color on both sides.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull not available on doors.
- Sliding door units include the option of no handle.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Spine Cabinet M

SPINE CABINET M (18" DEEP)


			Door Left	Door Right	
H	W	D	Model Number	Model Number	List
28	36	18	C-CSC283618ML	C-CSC283618MR	3,525
28	42	18	C-CSC284218ML	C-CSC284218MR	3,666
28	48	18	C-CSC284818ML	C-CSC284818MR	3,890
28	54	18	C-CSC285418ML	C-CSC285418MR	4,279
28	60	18	C-CSC286018ML	C-CSC286018MR	4,434
28	66	18	C-CSC286618ML	C-CSC286618MR	4,578
28	72	18	C-CSC287218ML	C-CSC287218MR	4,725
28	78	18	C-CSC287818ML	C-CSC287818MR	4,867
28	84	18	C-CSC288418ML	C-CSC288418MR	5,035
36	36	18	C-CSC363618ML	C-CSC363618MR	3,905
36	42	18	C-CSC364218ML	C-CSC364218MR	4,074
36	48	18	C-CSC364818ML	C-CSC364818MR	4,398
36	54	18	C-CSC365418ML	C-CSC365418MR	4,741
36	60	18	C-CSC366018ML	C-CSC366018MR	4,919
36	66	18	C-CSC366618ML	C-CSC366618MR	5,089
36	72	18	C-CSC367218ML	C-CSC367218MR	5,263
36	78	18	C-CSC367818ML	C-CSC367818MR	5,430
36	84	18	C-CSC368418ML	C-CSC368418MR	5,623

SPINE CABINET M (24" DEEP)

			Door Left	Door Right	
H	W	D	Model Number	Model Number	List
28	36	24	C-CSC283624ML	C-CSC283624MR	3,733
28	42	24	C-CSC284224ML	C-CSC284224MR	3,895
28	48	24	C-CSC284824ML	C-CSC284824MR	4,133
28	54	24	C-CSC285424ML	C-CSC285424MR	4,617
28	60	24	C-CSC286024ML	C-CSC286024MR	4,790
28	66	24	C-CSC286624ML	C-CSC286624MR	4,952
28	72	24	C-CSC287224ML	C-CSC287224MR	5,120
28	78	24	C-CSC287824ML	C-CSC287824MR	5,282
28	84	24	C-CSC288424ML	C-CSC288424MR	5,468
36	36	24	C-CSC363624ML	C-CSC363624MR	4,116
36	42	24	C-CSC364224ML	C-CSC364224MR	4,304
36	48	24	C-CSC364824ML	C-CSC364824MR	4,647
36	54	24	C-CSC365424ML	C-CSC365424MR	5,077
36	60	24	C-CSC366024ML	C-CSC366024MR	5,276
36	66	24	C-CSC366624ML	C-CSC366624MR	5,461
36	72	24	C-CSC367224ML	C-CSC367224MR	5,658
36	78	24	C-CSC367824ML	C-CSC367824MR	5,846
36	84	24	C-CSC368424ML	C-CSC368424MR	6,056



Door Left



Door Right

Specify

- Laminate Selection for Case
- Laminate Selection for Drawer and Panel
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes

- Provides storage and space division facing two sides with lockable sliding door.
- Cabinets do not have shelves.
- Unit provided with rubber high friction strips for retention.
- Yin-Yang Divider can be ordered as HPL Whiteboard. Divider is same color on both sides.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull not available on doors.
- Sliding door units include the option of no handle.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.

© 2026, AIS, Inc.


Spine Hutch R

SPINE HUTCH R (18" DEEP)

H	W	D	Inside H	Inside W	Model Number	List
20	36	18	19.5	34.4	C-CSH203618R	2,128
20	42	18	19.5	40.4	C-CSH204218R	2,226
20	48	18	19.5	46.4	C-CSH204818R	2,419
20	54	18	19.5	52.4	C-CSH205418R	2,518
20	60	18	19.5	58.4	C-CSH206018R	2,615
20	66	18	19.5	64.4	C-CSH206618R	2,812
20	72	18	19.5	70.4	C-CSH207218R	2,906
28	36	18	27.5	34.4	C-CSH283618R	2,302
28	42	18	27.5	40.4	C-CSH284218R	2,414
28	48	18	27.5	46.4	C-CSH284818R	2,624
28	54	18	27.5	52.4	C-CSH285418R	2,737
28	60	18	27.5	58.4	C-CSH286018R	2,849
28	66	18	27.5	64.4	C-CSH286618R	3,055
28	72	18	27.5	70.4	C-CSH287218R	3,168
36	36	18	35.5	34.4	C-CSH363618R	2,648
36	42	18	35.5	40.4	C-CSH364218R	2,791
36	48	18	35.5	46.4	C-CSH364818R	3,028
36	54	18	35.5	52.4	C-CSH365418R	3,174
36	60	18	35.5	58.4	C-CSH366018R	3,314
36	66	18	35.5	64.4	C-CSH366618R	3,546
36	72	18	35.5	70.4	C-CSH367218R	3,694

SPINE HUTCH R (24" DEEP)

H	W	D	Inside H	Inside W	Model Number	List
20	36	24	19.5	34.4	C-CSH203624R	2,311
20	42	24	19.5	40.4	C-CSH204224R	2,429
20	48	24	19.5	46.4	C-CSH204824R	2,643
20	54	24	19.5	52.4	C-CSH205424R	2,758
20	60	24	19.5	58.4	C-CSH206024R	2,875
20	66	24	19.5	64.4	C-CSH206624R	3,091
20	72	24	19.5	70.4	C-CSH207224R	3,206
28	36	24	27.5	34.4	C-CSH283624R	2,512
28	42	24	27.5	40.4	C-CSH284224R	2,643
28	48	24	27.5	46.4	C-CSH284824R	2,872
28	54	24	27.5	52.4	C-CSH285424R	3,002
28	60	24	27.5	58.4	C-CSH286024R	3,133
28	66	24	27.5	64.4	C-CSH286624R	3,361
28	72	24	27.5	70.4	C-CSH287224R	3,492
36	36	24	35.5	34.4	C-CSH363624R	2,911
36	42	24	35.5	40.4	C-CSH364224R	3,072
36	48	24	35.5	46.4	C-CSH364824R	3,329
36	54	24	35.5	52.4	C-CSH365424R	3,492
36	60	24	35.5	58.4	C-CSH366024R	3,646
36	66	24	35.5	64.4	C-CSH366624R	3,903
36	72	24	35.5	70.4	C-CSH367224R	4,068



Specify

- Laminate Selection for Case
- Laminate Selection for Divider

Notes


- Always verify size of TV, including the dimensions, tilt, and offset of the TV wall mount.
- TV mounting not included.
- Includes kit to through bolt monitor stand with 1/4-20 x 1.5" fasteners.
- Includes kit to screw hutch to Calibrate Community spine.
- Compatible with Hutch A Tackboards.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Spine Hutch R

SPINE HUTCH R (30" DEEP)

H	W	D	Inside H	Inside W	Model Number	List
20	36	30	19.5	34.4	C-CSH203630R	2,491
20	42	30	19.5	40.4	C-CSH204230R	2,630
20	48	30	19.5	46.4	C-CSH204830R	2,866
20	54	30	19.5	52.4	C-CSH205430R	2,999
20	60	30	19.5	58.4	C-CSH206030R	3,136
20	66	30	19.5	64.4	C-CSH206630R	3,370
20	72	30	19.5	70.4	C-CSH207230R	3,504
28	36	30	27.5	34.4	C-CSH283630R	2,720
28	42	30	27.5	40.4	C-CSH284230R	2,872
28	48	30	27.5	46.4	C-CSH284830R	3,119
28	54	30	27.5	52.4	C-CSH285430R	3,269
28	60	30	27.5	58.4	C-CSH286030R	3,419
28	66	30	27.5	64.4	C-CSH286630R	3,670
28	72	30	27.5	70.4	C-CSH287230R	3,817
36	36	30	35.5	34.4	C-CSH363630R	3,175
36	42	30	35.5	40.4	C-CSH364230R	3,354
36	48	30	35.5	46.4	C-CSH364830R	3,630
36	54	30	35.5	52.4	C-CSH365430R	3,813
36	60	30	35.5	58.4	C-CSH366030R	3,977
36	66	30	35.5	64.4	C-CSH366630R	4,261
36	72	30	35.5	70.4	C-CSH367230R	4,441



Specify

- Laminate Selection for Case
- Laminate Selection for Divider

Notes

- Always verify size of TV, including the dimensions, tilt, and offset of the TV wall mount.
- TV mounting not included.
- Includes kit to through bolt monitor stand with 1/4-20 x 1.5" fasteners.
- Includes kit to screw hutch to Calibrate Community spine.
- Compatible with Hutch A Tackboards.

© 2026, AIS, Inc.


Spine Hutch S

SPINE HUTCH S (18" DEEP)

H	W	D	Inside H	Inside W	Model Number	List
20	36	18	19.5	34.4	C-CSH203618S	2,210
20	42	18	19.5	40.4	C-CSH204218S	2,312
20	48	18	19.5	46.4	C-CSH204818S	2,512
20	54	18	19.5	52.4	C-CSH205418S	2,613
20	60	18	19.5	58.4	C-CSH206018S	2,716
20	66	18	19.5	64.4	C-CSH206618S	2,919
20	72	18	19.5	70.4	C-CSH207218S	3,018
28	36	18	27.5	34.4	C-CSH283618S	2,391
28	42	18	27.5	40.4	C-CSH284218S	2,506
28	48	18	27.5	46.4	C-CSH284818S	2,723
28	54	18	27.5	52.4	C-CSH285418S	2,841
28	60	18	27.5	58.4	C-CSH286018S	2,957
28	66	18	27.5	64.4	C-CSH286618S	3,174
28	72	18	27.5	70.4	C-CSH287218S	3,290
36	36	18	35.5	34.4	C-CSH363618S	2,753
36	42	18	35.5	40.4	C-CSH364218S	2,900
36	48	18	35.5	46.4	C-CSH364818S	3,143
36	54	18	35.5	52.4	C-CSH365418S	3,294
36	60	18	35.5	58.4	C-CSH366018S	3,441
36	66	18	35.5	64.4	C-CSH366618S	3,682
36	72	18	35.5	70.4	C-CSH367218S	3,836

SPINE HUTCH S (24" DEEP)

H	W	D	Inside H	Inside W	Model Number	List
20	36	24	19.5	34.4	C-CSH203624S	2,400
20	42	24	19.5	40.4	C-CSH204224S	2,521
20	48	24	19.5	46.4	C-CSH204824S	2,744
20	54	24	19.5	52.4	C-CSH205424S	2,864
20	60	24	19.5	58.4	C-CSH206024S	2,985
20	66	24	19.5	64.4	C-CSH206624S	3,209
20	72	24	19.5	70.4	C-CSH207224S	3,329
28	36	24	27.5	34.4	C-CSH283624S	2,608
28	42	24	27.5	40.4	C-CSH284224S	2,744
28	48	24	27.5	46.4	C-CSH284824S	2,982
28	54	24	27.5	52.4	C-CSH285424S	3,118
28	60	24	27.5	58.4	C-CSH286024S	3,254
28	66	24	27.5	64.4	C-CSH286624S	3,491
28	72	24	27.5	70.4	C-CSH287224S	3,627
36	36	24	35.5	34.4	C-CSH363624S	3,024
36	42	24	35.5	40.4	C-CSH364224S	3,192
36	48	24	35.5	46.4	C-CSH364824S	3,455
36	54	24	35.5	52.4	C-CSH365424S	3,627
36	60	24	35.5	58.4	C-CSH366024S	3,783
36	66	24	35.5	64.4	C-CSH366624S	4,053
36	72	24	35.5	70.4	C-CSH367224S	4,225



Specify

- Laminate Selection for Case
- Laminate Selection for Divider

Notes


- Always verify size of TV, including the dimensions, tilt, and offset of the TV wall mount.
- TV mounting not included.
- Includes kit to through bolt monitor stand with 1/4-20 x 1.5" fasteners.
- Includes kit to screw hutch to Calibrate Community spine.
- Compatible with Hutch A Tackboards.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Spine Hutch S

SPINE HUTCH S (30" DEEP)						
H	W	D	Inside H	Inside W	Model Number	List
20	36	30	19.5	34.4	C-CSH203630S	2,587
20	42	30	19.5	40.4	C-CSH204230S	2,730
20	48	30	19.5	46.4	C-CSH204830S	2,974
20	54	30	19.5	52.4	C-CSH205430S	3,114
20	60	30	19.5	58.4	C-CSH206030S	3,256
20	66	30	19.5	64.4	C-CSH206630S	3,501
20	72	30	19.5	70.4	C-CSH207230S	3,637
28	36	30	27.5	34.4	C-CSH283630S	2,825
28	42	30	27.5	40.4	C-CSH284230S	2,982
28	48	30	27.5	46.4	C-CSH284830S	3,239
28	54	30	27.5	52.4	C-CSH285430S	3,393
28	60	30	27.5	58.4	C-CSH286030S	3,552
28	66	30	27.5	64.4	C-CSH286630S	3,809
28	72	30	27.5	70.4	C-CSH287230S	3,965
36	36	30	35.5	34.4	C-CSH363630S	3,296
36	42	30	35.5	40.4	C-CSH364230S	3,482
36	48	30	35.5	46.4	C-CSH364830S	3,770
36	54	30	35.5	52.4	C-CSH365430S	3,960
36	60	30	35.5	58.4	C-CSH366030S	4,131
36	66	30	35.5	64.4	C-CSH366630S	4,425
36	72	30	35.5	70.4	C-CSH367230S	4,613



Specify

- Laminate Selection for Case
- Laminate Selection for Divider

Notes


- Always verify size of TV, including the dimensions, tilt, and offset of the TV wall mount.
- TV mounting not included.
- Includes kit to through bolt monitor stand with 1/4-20 x 1.5" fasteners.
- Includes kit to screw hutch to Calibrate Community spine.
- Compatible with Hutch A Tackboards.

© 2026, AIS, Inc.

13” High Floor Storage


13” HIGH STORAGE WITH SINGLE BOTTOM BOX DRAWER

H	W	D	Model Number	List
13	15	18	C-CLATF1815	1,774
13	18	18	C-CLATF1818	1,905
13	24	18	C-CLATF1824	2,034
13	30	18	C-CLATF1830	2,165
13	36	18	C-CLATF1836	2,296
13	42	18	C-CLATF1842	2,427
13	15	24	C-CLATF2415	1,908
13	18	24	C-CLATF2418	2,058
13	24	24	C-CLATF2424	2,206
13	30	24	C-CLATF2430	2,354
13	36	24	C-CLATF2436	2,500
13	42	24	C-CLATF2442	2,645



13” HIGH STORAGE WITH BOTTOM AND HIDDEN TOP BOX DRAWER

H	W	D	Model Number	List
13	15	18	C-CLATB1815	1,949
13	18	18	C-CLATB1818	2,094
13	24	18	C-CLATB1824	2,240
13	30	18	C-CLATB1830	2,383
13	36	18	C-CLATB1836	2,525
13	42	18	C-CLATB1842	2,668
13	15	24	C-CLATB2415	2,099
13	18	24	C-CLATB2418	2,260
13	24	24	C-CLATB2424	2,424
13	30	24	C-CLATB2430	2,588
13	36	24	C-CLATB2436	2,749
13	42	24	C-CLATB2442	2,909



Specify

- Laminate Selection for Case
- Laminate Selection for Face/Drawer
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes


- 13” high storage can be used to support 21” high spines.
- Single low bottom box drawer or with hidden top drawer as well.
- Cannot accommodate filing.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull incurs a $75 upcharge.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


21” High BF Pedestals


BF PEDESTALS


H	W	D	Depth	Counterweight	Model Number	List
21	12	18	Full	Y	X-BFPFS182112	2,117
21	12	23	Partial	N	X-BFPFS232112	2,164
21	12	24	Full	Y	X-BFPFS242112	2,268
21	16	18	Full	Y	X-BFP18	2,351
21	16	23	Partial	N	X-BFP22C	2,406
21	16	24	Full	Y	X-BFP24	2,516
21	18	18	Full	Y	X-BFPFS182118	2,498
21	18	23	Partial	N	X-BFPFS232118	2,555
21	18	24	Full	Y	X-BFPFS242118	2,674
21	24	18	Full	Y	X-BFPFS182124	2,746
21	24	23	Partial	N	X-BFPFS232124	2,812
21	24	24	Full	Y	X-BFPFS242124	2,942


12” Wide


16” Wide


18” Wide



24” Wide



No feet.
3/8” tall glides.

BF PEDESTALS ON FEET


H	W	D	Depth	Counterweight	Model Number	List
21	12	18	Full	Y	C-BFPFS182112	2,194
21	12	23	Partial	N	C-BFPFS232112	2,242
21	12	24	Full	Y	C-BFPFS242112	2,340
21	16	18	Full	Y	C-BFP18	2,434
21	16	23	Partial	N	C-BFP22	2,487
21	16	24	Full	Y	C-BFP24	2,599
21	18	18	Full	Y	C-BFPFS182118	2,587
21	18	23	Partial	N	C-BFPFS232118	2,645
21	18	24	Full	Y	C-BFPFS242118	2,763
21	24	18	Full	Y	C-BFPFS182124	2,844
21	24	23	Partial	N	C-BFPFS232124	2,909
21	24	24	Full	Y	C-BFPFS242124	3,039


12” Wide


16” Wide


18” Wide


24” Wide


Product is elevated
on 2 1/8” tall feet.


Specify	Notes
• Laminate Selection for Case • Laminate Selection for Face/Drawer • Handle Selection • Handle Paint Selection • Lock Selection	• 21” high storage can be used to support 29” high spines. • Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge. • Slim pull incurs a $75 upcharge. • Lock cores and trim rings ship separately. • One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.


© 2026, AIS, Inc.

21” High Hidden Drawer BF Pedestals

HIDDEN DRAWER BF PEDESTALS

H	W	D	Depth	Counterweight	Model Number	List
21	12	18	Full	Y	X-BFPH211218	2,127
21	12	23	Partial	N	X-BFPH211223	2,174
21	12	24	Full	Y	X-BFPH211224	2,271
21	16	18	Full	Y	X-BFPH211618	2,359
21	16	23	Partial	N	X-BFPH211623	2,414
21	16	24	Full	Y	X-BFPH211624	2,522
21	18	18	Full	Y	X-BFPH211818	2,423
21	18	23	Partial	N	X-BFPH211823	2,479
21	18	24	Full	Y	X-BFPH211824	2,595







No feet.
3/8” tall glides.

HIDDEN DRAWER BF PEDESTALS ON FEET

H	W	D	Depth	Counterweight	Model Number	List
21	12	18	Full	Y	C-BFPHD211218	2,054
21	12	23	Partial	N	C-BFPHD211223	2,099
21	12	24	Full	Y	C-BFPHD211224	2,196
21	16	18	Full	Y	C-BFPHD211618	2,281
21	16	23	Partial	N	C-BFPHD211623	2,333
21	16	24	Full	Y	C-BFPHD211624	2,440
21	18	18	Full	Y	C-BFPHD211818	2,510
21	18	23	Partial	N	C-BFPHD211823	2,565
21	18	24	Full	Y	C-BFPHD211824	2,681





Product is elevated
on 2 1/8” tall feet.

Specify

- Laminate Selection for Case
- Laminate Selection for Face/Drawer
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes


- 21” high storage can be used to support 29” high spines.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull incurs a $75 upcharge.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

21” High Lateral Floor Storage

BF LATERALS

H	W	D	Depth	Counterweight	Model Number	List
21	30	18	Full	Y	X-PLAT2D3018	3,085
21	36	18	Full	Y	X-PLAT2D3618	3,258
21	42	18	Full	Y	X-PLAT2D4218	3,426
21	30	22	Partial*	N	X-PLAT2D3022C	3,214
21	36	22	Partial*	N	X-PLAT2D3622C	3,394
21	42	22	Partial*	N	X-PLAT2D4222C	3,576
21	30	24	Full	Y	X-PLAT2D3024	3,319
21	36	24	Full	Y	X-PLAT2D3624	3,511
21	42	24	Full	Y	X-PLAT2D4224	3,701







No feet.
3/8” tall glides.

BF LATERALS ON FEET

H	W	D	Depth	Counterweight	Model Number	List
21	30	18	Full	Y	C-PLATJ2D30	3,169
21	36	18	Full	Y	C-PLATJ2D36	3,343
21	42	18	Full	Y	C-PLATJ2D42	3,511
21	30	22	Partial*	N	C-PLAT2D3022	3,297
21	36	22	Partial*	N	C-PLAT2D3622	3,478
21	42	22	Partial*	N	C-PLAT2D4222	3,659
21	30	24	Full	Y	C-PLAT2D3024	3,404
21	36	24	Full	Y	C-PLAT2D3624	3,593
21	42	24	Full	Y	C-PLAT2D4224	3,783





Product is elevated
on 2 1/8” tall feet.

Specify

- Laminate Selection for Case
- Laminate Selection for Face/Drawer
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes

- 21” high storage can be used to support 29” high spines.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull incurs a $75 upcharge.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.


© 2026, AIS, Inc.


21” High Floor Bookcases


FLOOR BOOKCASES

H	W	D	Model Number	List
21	24	14	X-BC202414	1,653
21	30	14	X-BC203014	1,717
21	36	14	X-BC203614	1,989
21	42	14	X-BC204214	2,049
21	48	14	X-BC204814	2,118
21	54	14	X-BC205414	2,527
21	60	14	X-BC206014	2,596
21	66	14	X-BC206614	2,659
21	72	14	X-BC207214	2,719
21	24	18	X-CBC2024	1,676
21	30	18	X-CBC2030	1,757
21	36	18	X-CBC2036	2,059
21	42	18	X-CBC2042	2,131
21	48	18	X-CBC2048	2,211
21	54	18	X-CBC2054	2,595
21	60	18	X-CBC2060	2,668
21	66	18	X-CBC2066	2,749
21	72	18	X-CBC2072	2,825
21	24	24	X-CBC202424	1,676
21	30	24	X-CBC203024	1,737
21	36	24	X-CBC203624	2,057
21	42	24	X-CBC204224	2,137
21	48	24	X-CBC204824	2,211
21	54	24	X-CBC205424	2,567
21	60	24	X-CBC206024	2,648
21	66	24	X-CBC206624	2,744
21	72	24	X-CBC207224	2,828


24” - 30” Wide



36” - 48” Wide



54” - 72” Wide



No feet.
3/8” tall glides.


FLOOR BOOKCASES ON FEET

H	W	D	Model Number	List
21	24	14	C-BC202414	1,736
21	30	14	C-BC203014	1,801
21	36	14	C-BC203614	2,070
21	42	14	C-BC204214	2,133
21	48	14	C-BC204814	2,203
21	54	14	C-BC205414	2,612
21	60	14	C-BC206014	2,678
21	66	14	C-BC206614	2,744
21	72	14	C-BC207214	2,802
21	24	18	C-BC202418	1,761
21	30	18	C-BC203018	1,840
21	36	18	C-BC203618	2,141
21	42	18	C-BC204218	2,214
21	48	18	C-BC204818	2,295
21	54	18	C-BC205418	2,677
21	60	18	C-BC206018	2,753
21	66	18	C-BC206618	2,834
21	72	18	C-BC207218	2,909
21	24	24	C-BC202424	1,726
21	30	24	C-BC203024	1,817
21	36	24	C-BC203624	2,133
21	42	24	C-BC204224	2,219
21	48	24	C-BC204824	2,308
21	54	24	C-BC205424	2,645
21	60	24	C-BC206024	2,732
21	66	24	C-BC206624	2,825
21	72	24	C-BC207224	2,910


24” - 30” Wide


36” - 48” Wide


54” - 72” Wide


Product is elevated
on 2 1/8” tall feet.

Specify

- Laminate Selection for Unit

Notes

- 21” high storage can be used to support 29” high spines.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


21” High Shared Floor Bookcases

SHARED FLOOR BOOKCASES


			Open Left	Open Right	
H	W	D	Model Number	Model Number	List
21	36	18	X-CBCSL213618	X-CBCSR213618	2,080
21	42	18	X-CBCSL214218	X-CBCSR214218	2,155
21	48	18	X-CBCSL214818	X-CBCSR214818	2,225
21	54	18	X-CBCSL215418	X-CBCSR215418	2,610
21	60	18	X-CBCSL216018	X-CBCSR216018	2,694
21	66	18	X-CBCSL216618	X-CBCSR216618	2,769
21	72	18	X-CBCSL217218	X-CBCSR217218	2,841




36” - 48” Wide
(Open Right)



54” - 72” Wide
(Open Right)



Shared Overhead View
(Open Right)




No feet.
3/8” tall glides.

SHARED FLOOR BOOKCASES ON FEET


			Open Left	Open Right	
H	W	D	Model Number	Model Number	List
21	36	18	C-YFBCL2036	C-YFBCR2036	2,163
21	42	18	C-YFBCL2042	C-YFBCR2042	2,239
21	48	18	C-YFBCL2048	C-YFBCR2048	2,311
21	54	18	C-CBCSL215418	C-CBCSR215418	2,695
21	60	18	C-YFBCL2060	C-YFBCR2060	2,778
21	66	18	C-YFBCL2066	C-YFBCR2066	2,851
21	72	18	C-YFBCL2072	C-YFBCR2072	2,925




36” - 48” Wide
(Open Right)



54” - 72” Wide
(Open Right)



Shared Overhead View
(Open Right)



Product is elevated
on 2 1/8” tall feet.


Specify	Notes
• Laminate Selection for Case • Laminate Selection for Face	• 21” high storage can be used to support 29” high spines.


© 2026, AIS, Inc.

21” High Floor Cabinets

TWO DOOR CABINETS

H	W	D	Model Number	List
21	24	18	X-CCD2024	2,163
21	30	18	X-CCD2030	2,258
21	36	18	X-CCD2036	2,432
21	42	18	X-CCD2042	2,523
21	48	18	X-CCD2048	2,624







No feet.
3/8” tall glides.

TWO DOOR CABINETS ON FEET

H	W	D	Model Number	List
21	24	18	C-CC202418L	2,246
21	30	18	C-CC203018L	2,342
21	36	18	C-CC203618L	2,516
21	42	18	C-CC204218L	2,608
21	48	18	C-CC204818L	2,707







Product is elevated
on 2 1/8” tall feet.

FOUR DOOR CABINETS

H	W	D	Model Number	List
21	54	18	X-CCD2054	3,198
21	60	18	X-CCD2060	3,294
21	66	18	X-CCD2066	3,390
21	72	18	X-CCD2072	3,485







No feet.
3/8” tall glides.

FOUR DOOR CABINETS ON FEET

H	W	D	Model Number	List
21	54	18	C-CC205418L	3,281
21	60	18	C-CC206018L	3,378
21	66	18	C-CC206618L	3,474
21	72	18	C-CC207218L	3,567





Product is elevated
on 2 1/8” tall feet.

Specify

- Laminate Selection for Case
- Laminate Selection for Door/Face
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes


- 21” high storage can be used to support 29” high spines.
- On four door cabinets only the center doors are lockable.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull not available on doors. Touch-to-open handle selection incurs a $50 upcharge per unit.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


21” High Floor Credenzas

CREDENZAS WITH SLIDING DOORS

			Left-Side Lock	Right-Side Lock	
H	W	D	Model Number	Model Number	List
21	30	18	X-CSDL2030	X-CSDR2030	2,417
21	36	18	X-CSDL2036	X-CSDR2036	2,483
21	42	18	X-CSDL2042	X-CSDR2042	2,551
21	48	18	X-CSDL2048	X-CSDR2048	2,623
21	54	18	X-CSDL2054	X-CSDR2054	2,981
21	60	18	X-CSDL2060	X-CSDR2060	3,054
21	66	18	X-CSDL2066	X-CSDR2066	3,120
21	72	18	X-CSDL2072	X-CSDR2072	3,188


36” - 48” Wide
(Left-Side Lock)



54” - 72” Wide
(Left-Side Lock)



No feet.
3/8” tall glides.

CREDENZAS WITH SLIDING DOORS ON FEET

			Left-Side Lock	Right-Side Lock	
H	W	D	Model Number	Model Number	List
21	30	18	C-CS203018LL	C-CS203018RL	2,500
21	36	18	C-CS203618LL	C-CS203618RL	2,567
21	42	18	C-CS204218LL	C-CS204218RL	2,634
21	48	18	C-CS204818LL	C-CS204818RL	2,706
21	54	18	C-CS205418LL	C-CS205418RL	3,064
21	60	18	C-CS206018LL	C-CS206018RL	3,138
21	66	18	C-CS206618LL	C-CS206618RL	3,203
21	72	18	C-CS207218LL	C-CS207218RL	3,270



30” - 48” Wide
(Left-Side Lock)



54” - 72” Wide
(Left-Side Lock)



Product is elevated
on 2 1/8” tall feet.

SHARED CREDENZAS WITH SLIDING DOORS


			Left-Side Lock	Right-Side Lock	
H	W	D	Model Number	Model Number	List
21	36	18	X-CBCSDSL211836	X-CBCSDSR211836	3,350
21	42	18	X-CBCSDSL211842	X-CBCSDSR211842	3,444
21	48	18	X-CBCSDSL211848	X-CBCSDSR211848	3,535
21	54	18	X-CBCSDSL211854	X-CBCSDSR211854	3,745
21	60	18	X-CBCSDSL211860	X-CBCSDSR211860	3,857
21	66	18	X-CBCSDSL211866	X-CBCSDSR211866	3,945
21	72	18	X-CBCSDSL211872	X-CBCSDSR211872	4,035


36” - 48” Wide
(Left-Side Lock)


54” - 72” Wide
(Left-Side Lock)





Shared Overhead View
(Open Left)



No feet.
3/8” tall glides.

SHARED CREDENZAS WITH SLIDING DOORS ON FEET


			Left-Side Lock	Right-Side Lock	
H	W	D	Model Number	Model Number	List
21	36	18	C-YFBCSDL2036	C-YFBCSDR2036	3,433
21	42	18	C-YFBCSDL2042	C-YFBCSDR2042	3,529
21	48	18	C-YFBCSDL2048	C-YFBCSDR2048	3,619
21	54	18	C-CBCSDSL211854	C-CBCSDSR211854	3,829
21	60	18	C-YFBCSDL2060	C-YFBCSDR2060	3,941
21	66	18	C-YFBCSDL2066	C-YFBCSDR2066	4,031
21	72	18	C-YFBCSDL2072	C-YFBCSDR2072	4,119


36” - 48” Wide
(Left-Side Lock)


54” - 72” Wide
(Left-Side Lock)



Shared Overhead View
(Open Left)


Product is elevated
on 2 1/8” tall feet.

Specify

- Laminate Selection for Case
- Laminate Selection for Door/Face
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes


- 21” high storage can be used to support 29” high spines.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull not available on doors. Sliding door units include the option of no handle.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.

© 2026, AIS, Inc.


21” High Combo Units with BF Pedestal and Bookcase

COMBO UNITS WITH BF PEDESTAL AND BOOKCASE


			Bookcase Left	Bookcase Right	
H	W	D	Model Number	Model Number	List
21	30	18	X-BFCBCR213018	X-BFCBCL213018	2,695
21	36	18	X-BFCBCR213618	X-BFCBCL213618	2,857
21	42	18	X-BFCBCR214218	X-BFCBCL214218	3,019
21	48	18	X-BFCBCR214818	X-BFCBCL214818	3,100
21	54	18	X-BFCBCR215418	X-BFCBCL215418	3,755
21	60	18	X-BFCBCR216018	X-BFCBCL216018	3,836
21	66	18	X-BFCBCR216618	X-BFCBCL216618	4,133
21	72	18	X-BFCBCR217218	X-BFCBCL217218	4,211
21	30	24	X-BFCBCR213024	X-BFCBCL213024	2,885
21	36	24	X-BFCBCR213624	X-BFCBCL213624	3,049
21	42	24	X-BFCBCR214224	X-BFCBCL214224	3,210
21	48	24	X-BFCBCR214824	X-BFCBCL214824	3,297
21	54	24	X-BFCBCR215424	X-BFCBCL215424	4,013
21	60	24	X-BFCBCR216024	X-BFCBCL216024	4,099
21	66	24	X-BFCBCR216624	X-BFCBCL216624	4,400
21	72	24	X-BFCBCR217224	X-BFCBCL217224	4,476



36” - 48” Wide
(Bookcase Left)



54” - 72” Wide
(Bookcase Left)




No feet.
3/8” tall glides.

COMBO UNITS WITH BF PEDESTAL AND BOOKCASE ON FEET


			Bookcase Left	Bookcase Right	
H	W	D	Model Number	Model Number	List
21	30	18	C-BFCBCR213018	C-BFCBCL213018	2,864
21	36	18	C-BFCBCR213618	C-BFCBCL213618	3,023
21	42	18	C-BFCBCR214218	C-BFCBCL214218	3,188
21	48	18	C-BFCBCR214818	C-BFCBCL214818	3,350
21	54	18	C-BFCBCR215418	C-BFCBCL215418	3,923
21	60	18	C-BFCBCR216018	C-BFCBCL216018	4,002
21	66	18	C-BFCBCR216618	C-BFCBCL216618	4,304
21	72	18	C-BFCBCR217218	C-BFCBCL217218	4,375
21	30	24	C-BFCBCR213024	C-BFCBCL213024	2,969
21	36	24	C-BFCBCR213624	C-BFCBCL213624	3,132
21	42	24	C-BFCBCR214224	C-BFCBCL214224	3,293
21	48	24	C-BFCBCR214824	C-BFCBCL214824	3,466
21	54	24	C-BFCBCR215424	C-BFCBCL215424	4,178
21	60	24	C-BFCBCR216024	C-BFCBCL216024	4,267
21	66	24	C-BFCBCR216624	C-BFCBCL216624	4,569
21	72	24	C-BFCBCR217224	C-BFCBCL217224	4,642



36” - 48” Wide
(Bookcase Left)



54” - 72” Wide
(Bookcase Left)



Product is elevated
on 2 1/8” tall feet.


Specify	Notes
• Laminate Selection for Case • Laminate Selection for Door/Case • Handle Selection • Handle Paint Selection • Lock Selection	• On sizes 36” - 48” wide, pedestal width is 15.78 wide. On sizes 54” - 72” wide, drawer width is 30” wide. • 21” high storage can be used to support 29” high spines. • Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge. • Slim pull incurs a $75 upcharge. • Lock cores and trim rings ship separately. • One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

ELECTRICAL JUMPERS

Actual L	Model Number	List
18	E-MX8W4PTPC18	254
21	E-MX8W4PTPC21	266
24	E-UN8W4VT16	312
30	E-UN8W4J30	330
33	E-HM8W4PJ24	331
37	E-MW8W4PJ18	326
39	E-HM8W4PJ30	331
43	E-MW8W4PJ24	362
45	E-MW8W4PJ24E	377
48	E-UN8W4J48	330
49	E-MW8W4PJ30	388
51	E-MW8W4PJ30E	396
55	E-MW8W4PJ36	399
57	E-MW8W4PJ36E	409
61	E-MW8W4PJ42	412
63	E-MW8W4PJ42E	420
67	E-MW8W4PJ48	444
69	E-MW8W4PJ48E	456
79	E-MW8W4PJ60	478
81	E-MW8W4PJ60E	504
86	E-MW8W4PJ86	547



Calibrate Community Jumper Specification Grid:
Jumper length when joining powered spine beams together.

Spine Width	To 36”	To 42”	To 48”	To 54”	To 60”	To 66”	To 72”	To 78”	To 84”	To 90”	To 96”
From 36”	24	30	33	33	37	37	43	43	48	51	55
From 42”	30	30	33	37	39	43	43	48	51	55	57
From 48”	33	33	37	39	43	43	48	51	55	57	61
From 54”	33	37	39	43	43	48	51	55	57	61	63
From 60”	37	39	43	43	48	51	55	57	61	63	67
From 66”	37	43	43	48	51	55	57	61	63	67	69
From 72”	43	43	48	51	55	57	61	63	67	69	79
From 78”	43	48	51	55	57	61	63	67	69	79	79
From 84”	48	51	55	57	61	63	67	69	69	79	79
from 90”	51	55	57	61	63	67	69	79	79	79	79
From 96”	55	57	61	63	67	69	79	79	79	79	86

Notes


- Electrical jumpers connect powered spines.
- Electrical jumpers are listed in actual lengths to assist with specification. Jumper use is explained in the chart on this page.
- Single and Double Sided Spines require connecting on one side of spine only.
- **Important:** Certain areas of Chicago prohibit the use of modular electrical systems and require all electrical components to be hard wired. All electrical components need to be supplied by the electrician.

© 2026, AIS, Inc.

Outlets

DUPLEX OUTLETS

Line	Color	Model Number	List
1	Black	E-MW8W4DO1	94
2	Black	E-MW8W4DO2	94
3	Black	E-MW8W4DO3	94
4	Black	E-MW8W4DO4	94
1	White	E-MW8W4DO1-W	94
2	White	E-MW8W4DO2-W	94
3	White	E-MW8W4DO3-W	94
4	White	E-MW8W4DO4-W	94




Notes

- Duplex Outlets are available at designated circuits 1 through 4.
- Each duplex outlet contains two single receptacles (places to plug into) of the same circuit and are specified separately from powerways.
- Available in black or white. The lettering on outlets for Circuit 1, 2 and 3 is white. The lettering on outlets for Circuit 4 is orange.
- Outlets are screw mounted to powerway.
- Duplex outlets are standard 15 amp outlets.
- Can be used with multi-circuit electrical units.

CALIFORNIA TITLE 24 CONTROLLED DUPLEX OUTLETS

Line	Color	Model Number	List
1	Black	E-MW8W4T24DO1	109
2	Black	E-MW8W4T24DO2	109
3	Black	E-MW8W4T24DO3	109
4	Black	E-MW8W4T24DO4	109
1	White	E-MW8W4T24DO1-W	109
2	White	E-MW8W4T24DO2-W	109
3	White	E-MW8W4T24DO3-W	109
4	White	E-MW8W4T24DO4-W	109






Notes

- In California, 50 percent of all outlets in a systems panel cluster or benching cluster, for new construction, MUST be controlled outlets, even if there is no task lighting.
- Customers should plan on using circuits 2 and 3 for controlled circuits, and plan general load for all other items on circuits 1 and 4.
- If using 2 + 2 configuration, controlled circuits should be 1 and 2, and general load circuits on 4 and 5.
- Outlets must have the "controlled" symbol for identification purposes.
- Can be used with multi-circuit electrical units.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

USB OUTLETS

Line	Color	Model Number	List
1	Black	E-UN8W4USB01	380
2	Black	E-UN8W4USB02	380
3	Black	E-UN8W4USB03	380
4	Black	E-UN8W4USB04	380
1	White	E-UN8W4USB01-W	338
2	White	E-UN8W4USB02-W	338
3	White	E-UN8W4USB03-W	338
4	White	E-UN8W4USB04-W	338




Notes

- USB Outlets bring charging options to panel power distribution systems.
- The USB Outlets provide convenient charging power access through dual ports on the face of the receptacle.
- The USB Outlets offer a total of 2 Amps between two USB charging ports.
- The USB Outlets are UL and FCC Part 15A approved.
- Can be used with multi-circuit electrical units.

DUPLEX OUTLET HOLE COVER

Model Number	List
T-BOC	54




Specify	Notes
• Paint Selection	• Duplex covers are supplied with each powered spine beam. • Order extra covers only when required.

© 2026, AIS, Inc.

Data Plate Kits and Single Gang Plate Adapter

DATA PLATE KITS

Item	Model Number	List
6 Port Data Gang Plate	E-HDP6B-SM	42
CAT 5e Jack	E-HRJ45-SM	148
CAT 6 Data Jack	E-HXJ6BK-SM	161
Hole Blank (10 Pack)	E-SFBB10-SM	100




Notes

- Single Data Plate Kit has six ports for modular jacks.
- Bezel screws directly to the access box in pre-drilled and tapped hole pattern.
- RJ-45 jacks can be used in place of RJ-11 jacks.

SINGLE GANG PLATE ADAPTER

Model Number	List
E-DJA	58



Notes


- Single Gang Plate Adapter (1) provided with each access box to adapt single gang plates to box.
- Single gang plates cannot be used with “grommet only” option.
- Available only in black.
- Knockout opening size is 3.012”W x 1.860”H.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Infeeds for Infeed Base Supports

SIDE-MOUNTED BASE INFEEDS

Actual L	Use	Model Number	List
72”	Standard	E-UN8W4BIFS	590
72”	New York City	E-HM8W4BIFSNY	1,169




Notes

- Side-mounted base infeeds provide interface with building power at the end of the power units and mounts to the powerway at jumper location.
- Each base infeed is 6’ in length, encased in “liquid tight”.
- New York City code requires the use of a special base feed with an in-line junction box.

CEILING INFEED

Actual L	Model Number	List
144”	E-UN8W4CIF	689



Notes

- Ceiling infeeds provide interface with building power from a suspended ceiling through a power pole shell.
- Each ceiling feed is 12’ long.
- Power pole shells are ordered separately.

END MOUNT POLE

Type	Model Number	List	Grade C Paint
For 21 High	T-BEMP21	1,682	+25
For 29 High	T-BEMP29	1,682	+25

Specify

- Paint Selection


Notes

- End mount poles are used for concealing ceiling infeeds or data cables from a max 11’6” standard suspended ceiling.
- Choose pole that corresponds to the spine height.
- Order ceiling feed separately.
- Poles must be attached to ceiling grids at time of installation and will not support pole alone.
- Poles require cutting standard round 2 3/4” grommet in end panels.

© 2026, AIS, Inc.

Single Circuit Infeeds with Plug

SINGLE CIRCUIT SIDE INFEEDS WITH PLUG		
Actual Length	**Model Number**	**List**
72”	E-UN8W4SIF72	1,295
120”	E-UN8W4SIF120	1,646



Notes


- Single Circuit infeeds will only provide power to line 1 outlets.
- Single Circuit Infeeds are terminated with a 20 Amp NEMA plug, a 20 Amp to 15 Amp plug adapter is included.
- Capacity for the circuit is 20 Amps, or 15 Amps if using the adapter.
- Never install more than one infeed to a circuit.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Tackboards for Spine Hutch A

PET TACKBOARD FOR SPINE HUTCH A

H	W	Model Number	List
12	24	C-CTACK1224A	440
12	30	C-CTACK1230A	461
12	36	C-CTACK1236A	484
12	42	C-CTACK1242A	530
12	48	C-CTACK1248A	554
12	54	C-CTACK1254A	576
12	60	C-CTACK1260A	601
12	66	C-CTACK1266A	623
12	72	C-CTACK1272A	643
16	24	C-CTACK1624A	461
16	30	C-CTACK1630A	509
16	36	C-CTACK1636A	530
16	42	C-CTACK1642A	554
16	48	C-CTACK1648A	576
16	54	C-CTACK1654A	623
16	60	C-CTACK1660A	643
16	66	C-CTACK1666A	668
16	72	C-CTACK1672A	691
20	24	C-CTACK2024A	484
20	30	C-CTACK2030A	530
20	36	C-CTACK2036A	554
20	42	C-CTACK2042A	601
20	48	C-CTACK2048A	623
20	54	C-CTACK2054A	643
20	60	C-CTACK2060A	691
20	66	C-CTACK2066A	713
20	72	C-CTACK2072A	760



Specify


- Color Selection for PET

Notes

- Match each tackboard to it's specific hutch using height, width and style dimensions.
- On PET tackboards, tack holes may remain visible after tacks have been removed.

FABRIC TACKBOARD FOR SPINE HUTCH A

H	W	Model Number	List	Fabric Grade C	Fabric Grade D
12	24	C-CTACKF1224A	864	+11	+23
12	30	C-CTACKF1230A	873	+11	+23
12	36	C-CTACKF1236A	882	+11	+23
12	42	C-CTACKF1242A	894	+11	+23
12	48	C-CTACKF1248A	916	+11	+23
12	54	C-CTACKF1254A	939	+11	+23
12	60	C-CTACKF1260A	964	+11	+23
12	66	C-CTACKF1266A	946	+11	+23
12	72	C-CTACKF1272A	966	+11	+23
16	24	C-CTACKF1624A	887	+17	+37
16	30	C-CTACKF1630A	899	+17	+37
16	36	C-CTACKF1636A	911	+17	+37
16	42	C-CTACKF1642A	922	+17	+37
16	48	C-CTACKF1648A	945	+17	+37
16	54	C-CTACKF1654A	966	+17	+37
16	60	C-CTACKF1660A	987	+17	+37
16	66	C-CTACKF1666A	1,019	+17	+37
16	72	C-CTACKF1672A	1,044	+17	+37
20	24	C-CTACKF2024A	911	+23	+50
20	30	C-CTACKF2030A	926	+23	+50
20	36	C-CTACKF2036A	939	+23	+50
20	42	C-CTACKF2042A	954	+23	+50
20	48	C-CTACKF2048A	977	+23	+50
20	54	C-CTACKF2054A	1,001	+23	+50
20	60	C-CTACKF2060A	1,025	+23	+50
20	66	C-CTACKF2066A	1,050	+23	+50
20	72	C-CTACKF2072A	1,078	+23	+50



Specify

- Fabric Selection

Notes


- Match each tackboard to it's specific hutch using height, width and style dimensions.
- Tackboard fabric direction is vertical on 24" to 48" wide units and will run horizontally for 54" to 96" wide pieces.

© 2026, AIS, Inc.

Tackboards for Spine Hutch A

PET TACKBOARD FOR SPINE HUTCH A

H	W	Model Number	List
28	24	C-CTACK2824A	530
28	30	C-CTACK2830A	576
28	36	C-CTACK2836A	623
28	42	C-CTACK2842A	668
28	48	C-CTACK2848A	691
28	54	C-CTACK2854A	737
28	60	C-CTACK2860A	782
28	66	C-CTACK2866A	831
28	72	C-CTACK2872A	851
36	24	C-CTACK3624A	576
36	30	C-CTACK3630A	643
36	36	C-CTACK3636A	691
36	42	C-CTACK3642A	737
36	48	C-CTACK3648A	782
36	54	C-CTACK3654A	831
36	60	C-CTACK3660A	873
36	66	C-CTACK3666A	920
36	72	C-CTACK3672A	966



Specify


- Color Selection for PET

Notes

- Match each tackboard to it's specific hutch using height, width and style dimensions.
- On PET tackboards, tack holes may remain visible after tacks have been removed.

FABRIC TACKBOARD FOR SPINE HUTCH A

H	W	Model Number	List	Fabric Grade C	Fabric Grade D
28	24	C-CTACKF2824A	960	+34	+73
28	30	C-CTACKF2830A	978	+34	+73
28	36	C-CTACKF2836A	995	+34	+73
28	42	C-CTACKF2842A	1,013	+34	+73
28	48	C-CTACKF2848A	1,031	+34	+73
28	54	C-CTACKF2854A	1,051	+34	+73
28	60	C-CTACKF2860A	1,069	+34	+73
28	66	C-CTACKF2866A	1,196	+34	+73
28	72	C-CTACKF2872A	1,234	+34	+73
36	24	C-CTACKF3624A	1,009	+46	+100
36	30	C-CTACKF3630A	1,029	+46	+100
36	36	C-CTACKF3636A	1,051	+46	+100
36	42	C-CTACKF3642A	1,074	+46	+100
36	48	C-CTACKF3648A	1,099	+46	+100
36	54	C-CTACKF3654A	1,126	+46	+100
36	60	C-CTACKF3660A	1,145	+46	+100
36	66	C-CTACKF3666A	1,257	+46	+100
36	72	C-CTACKF3672A	1,297	+46	+100



Specify

- Fabric Selection

Notes

- Match each tackboard to it's specific hutch using height, width and style dimensions.
- Tackboard fabric direction is vertical on 24" to 48" wide units and will run horizontally for 54" to 96" wide pieces.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

Tackboards for Spine Hutch B

PET TACKBOARD FOR SPINE HUTCH B

H	W	Model Number	List
12	36	C-CTACK1236B	484
12	42	C-CTACK1242B	530
12	48	C-CTACK1248B	554
12	54	C-CTACK1254B	576
12	60	C-CTACK1260B	601
12	66	C-CTACK1266B	623
12	72	C-CTACK1272B	643
16	36	C-CTACK1636B	530
16	42	C-CTACK1642B	554
16	48	C-CTACK1648B	576
16	54	C-CTACK1654B	623
16	60	C-CTACK1660B	643
16	66	C-CTACK1666B	668
16	72	C-CTACK1672B	691
20	36	C-CTACK2036B	554
20	42	C-CTACK2042B	601
20	48	C-CTACK2048B	623
20	54	C-CTACK2054B	643
20	60	C-CTACK2060B	691
20	66	C-CTACK2066B	713
20	72	C-CTACK2072B	760





Specify


- Color Selection for PET


Notes

- Match each tackboard to it's specific hutch using height, width and style dimensions.
- On PET tackboards, tack holes may remain visible after tacks have been removed.

FABRIC TACKBOARD FOR SPINE HUTCH B

H	W	Model Number	List	Fabric Grade C	Fabric Grade D
12	36	C-CTACKF1236B	882	+11	+23
12	42	C-CTACKF1242B	894	+11	+23
12	48	C-CTACKF1248B	916	+11	+23
12	54	C-CTACKF1254B	939	+11	+23
12	60	C-CTACKF1260B	964	+11	+23
12	66	C-CTACKF1266B	946	+11	+23
12	72	C-CTACKF1272B	966	+11	+23
16	36	C-CTACKF1636B	911	+17	+37
16	42	C-CTACKF1642B	922	+17	+37
16	48	C-CTACKF1648B	945	+17	+37
16	54	C-CTACKF1654B	966	+17	+37
16	60	C-CTACKF1660B	987	+17	+37
16	66	C-CTACKF1666B	1,019	+17	+37
16	72	C-CTACKF1672B	1,044	+17	+37
20	36	C-CTACKF2036B	939	+23	+50
20	42	C-CTACKF2042B	954	+23	+50
20	48	C-CTACKF2048B	977	+23	+50
20	54	C-CTACKF2054B	1,001	+23	+50
20	60	C-CTACKF2060B	1,025	+23	+50
20	66	C-CTACKF2066B	1,050	+23	+50
20	72	C-CTACKF2072B	1,078	+23	+50





Specify

- Fabric Selection

Notes


- Match each tackboard to it's specific hutch using height, width and style dimensions.
- Tackboard fabric direction is vertical on 24" to 48" wide units and will run horizontally for 54" to 96" wide pieces.


© 2026, AIS, Inc.

Tackboards for Spine Hutch B

PET TACKBOARD FOR SPINE HUTCH B

H	W	Model Number	List
28	36	C-CTACK2836B	623
28	42	C-CTACK2842B	668
28	48	C-CTACK2848B	691
28	54	C-CTACK2854B	737
28	60	C-CTACK2860B	782
28	66	C-CTACK2866B	831
28	72	C-CTACK2872B	851
36	36	C-CTACK3636B	691
36	42	C-CTACK3642B	737
36	48	C-CTACK3648B	782
36	54	C-CTACK3654B	831
36	60	C-CTACK3660B	873
36	66	C-CTACK3666B	920
36	72	C-CTACK3672B	966





Specify


- Color Selection for PET


Notes

- Match each tackboard to it's specific hutch using height, width and style dimensions.
- On PET tackboards, tack holes may remain visible after tacks have been removed.

FABRIC TACKBOARD FOR SPINE HUTCH B

H	W	Model Number	List	Fabric Grade C	Fabric Grade D
28	36	C-CTACKF2836B	995	+34	+73
28	42	C-CTACKF2842B	1,013	+34	+73
28	48	C-CTACKF2848B	1,031	+34	+73
28	54	C-CTACKF2854B	1,051	+34	+73
28	60	C-CTACKF2860B	1,069	+34	+73
28	66	C-CTACKF2866B	1,196	+34	+73
28	72	C-CTACKF2872B	1,234	+34	+73
36	36	C-CTACKF3636B	1,051	+46	+100
36	42	C-CTACKF3642B	1,074	+46	+100
36	48	C-CTACKF3648B	1,099	+46	+100
36	54	C-CTACKF3654B	1,126	+46	+100
36	60	C-CTACKF3660B	1,145	+46	+100
36	66	C-CTACKF3666B	1,257	+46	+100
36	72	C-CTACKF3672B	1,297	+46	+100





Specify

- Fabric Selection

Notes

- Match each tackboard to it's specific hutch using height, width and style dimensions.
- Tackboard fabric direction is vertical on 24" to 48" wide units and will run horizontally for 54" to 96" wide pieces.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

Tackboards for Spine Hutch C

PET TACKBOARD FOR SPINE HUTCH C

H	W	Model Number	List
20	24	C-CTACK2024C	484
20	30	C-CTACK2030C	530
20	36	C-CTACK2036C	554
20	42	C-CTACK2042C	601
20	48	C-CTACK2048C	623
20	54	C-CTACK2054C	643
20	60	C-CTACK2060C	691
20	66	C-CTACK2066C	713
20	72	C-CTACK2072C	760
20	78	C-CTACK2078C	782
20	84	C-CTACK2084C	806
28	24	C-CTACK2824C	530
28	30	C-CTACK2830C	576
28	36	C-CTACK2836C	623
28	42	C-CTACK2842C	668
28	48	C-CTACK2848C	691
28	54	C-CTACK2854C	737
28	60	C-CTACK2860C	782
28	66	C-CTACK2866C	831
28	72	C-CTACK2872C	851
28	78	C-CTACK2878C	898
28	84	C-CTACK2884C	943
36	24	C-CTACK3624C	576
36	30	C-CTACK3630C	643
36	36	C-CTACK3636C	691
36	42	C-CTACK3642C	737
36	48	C-CTACK3648C	782
36	54	C-CTACK3654C	831
36	60	C-CTACK3660C	873
36	66	C-CTACK3666C	920
36	72	C-CTACK3672C	966
36	78	C-CTACK3678C	1,013
36	84	C-CTACK3684C	1,056







Specify	Notes
• Color Selection for PET	• Match each tackboard to it's specific hutch using height, width and style dimensions. • On PET tackboards, tack holes may remain visible after tacks have been removed.

FABRIC TACKBOARD FOR SPINE HUTCH C

H	W	Model Number	List	Fabric Grade C	Fabric Grade D
20	24	C-CTACKF2024C	911	+11	+23
20	30	C-CTACKF2030C	926	+11	+23
20	36	C-CTACKF2036C	939	+11	+23
20	42	C-CTACKF2042C	954	+11	+23
20	48	C-CTACKF2048C	977	+11	+23
20	54	C-CTACKF2054C	1,001	+11	+23
20	60	C-CTACKF2060C	1,025	+11	+23
20	66	C-CTACKF2066C	1,050	+11	+23
20	72	C-CTACKF2072C	1,078	+11	+23
20	78	C-CTACKF2078C	1,103	+11	+23
20	84	C-CTACKF2084C	1,129	+11	+23
28	24	C-CTACKF2824C	960	+17	+37
28	30	C-CTACKF2830C	978	+17	+37
28	36	C-CTACKF2836C	995	+17	+37
28	42	C-CTACKF2842C	1,013	+17	+37
28	48	C-CTACKF2848C	1,031	+17	+37
28	54	C-CTACKF2854C	1,051	+17	+37
28	60	C-CTACKF2860C	1,069	+17	+37
28	66	C-CTACKF2866C	1,196	+17	+37
28	72	C-CTACKF2872C	1,234	+17	+37
28	78	C-CTACKF2878C	1,270	+17	+37
28	84	C-CTACKF2884C	1,309	+17	+37
36	24	C-CTACKF3624C	1,009	+23	+50
36	30	C-CTACKF3630C	1,029	+23	+50
36	36	C-CTACKF3636C	1,051	+23	+50
36	42	C-CTACKF3642C	1,074	+23	+50
36	48	C-CTACKF3648C	1,099	+23	+50
36	54	C-CTACKF3654C	1,126	+23	+50
36	60	C-CTACKF3660C	1,145	+23	+50
36	66	C-CTACKF3666C	1,257	+23	+50
36	72	C-CTACKF3672C	1,297	+23	+50
36	78	C-CTACKF3678C	1,338	+23	+50
36	84	C-CTACKF3684C	1,378	+23	+50






Specify	Notes
• Fabric Selection	• Match each tackboard to it's specific hutch using height, width and style dimensions. • Tackboard fabric direction is vertical on 24" to 48" wide units and will run horizontally for 54" to 96" wide pieces.


© 2026, AIS, Inc.

Tackboards for Spine Hutch C

PET TACKBOARD FOR SPINE HUTCH C WITH CUBBY

H	W	Cubby Size Used For	Model Number	List
28	24	16	C-CTACK2824C16	484
28	30	16	C-CTACK2830C16	530
28	36	16	C-CTACK2836C16	554
28	42	16	C-CTACK2842C16	601
28	48	16	C-CTACK2848C16	623
28	54	16	C-CTACK2854C16	643
28	60	16	C-CTACK2860C16	691
28	66	16	C-CTACK2866C16	713
28	72	16	C-CTACK2872C16	760
28	78	16	C-CTACK2878C16	782
28	84	16	C-CTACK2884C16	806
36	24	8	C-CTACK3624C08	621
36	30	8	C-CTACK3630C08	690
36	36	8	C-CTACK3636C08	737
36	42	8	C-CTACK3642C08	782
36	48	8	C-CTACK3648C08	826
36	54	8	C-CTACK3654C08	873
36	60	8	C-CTACK3660C08	919
36	66	8	C-CTACK3666C08	966
36	72	8	C-CTACK3672C08	1,012
36	78	8	C-CTACK3678C08	1,056
36	84	8	C-CTACK3684C08	1,101





Specify


- Color Selection for PET


Notes

- Match each tackboard to it's specific hutch using height, width and style dimensions.
- On PET tackboards, tack holes may remain visible after tacks have been removed.

FABRIC TACKBOARD FOR SPINE HUTCH C WITH CUBBY

H	W	Cubby Size Used For	Model Number	List	Fabric Grade C	Fabric Grade D
28	24	16	C-CTACKF2824C16	911	+11	+23
28	30	16	C-CTACKF2830C16	926	+11	+23
28	36	16	C-CTACKF2836C16	939	+11	+23
28	42	16	C-CTACKF2842C16	954	+11	+23
28	48	16	C-CTACKF2848C16	977	+11	+23
28	54	16	C-CTACKF2854C16	1,001	+11	+23
28	60	16	C-CTACKF2860C16	1,025	+11	+23
28	66	16	C-CTACKF2866C16	1,050	+11	+23
28	72	16	C-CTACKF2872C16	1,106	+11	+23
28	78	16	C-CTACKF2878C16	1,103	+11	+23
28	84	16	C-CTACKF2884C16	1,129	+11	+23
36	24	8	C-CTACKF3624C08	1,052	+26	+63
36	30	8	C-CTACKF3630C08	1,075	+26	+63
36	36	8	C-CTACKF3636C08	1,097	+26	+63
36	42	8	C-CTACKF3642C08	1,120	+26	+63
36	48	8	C-CTACKF3648C08	1,143	+26	+63
36	54	8	C-CTACKF3654C08	1,170	+26	+63
36	60	8	C-CTACKF3660C08	1,193	+26	+63
36	66	8	C-CTACKF3666C08	1,303	+26	+63
36	72	8	C-CTACKF3672C08	1,342	+26	+63
36	78	8	C-CTACKF3678C08	1,381	+26	+63
36	84	8	C-CTACKF3684C08	1,423	+26	+63





Specify

- Fabric Selection

Notes

- Match each tackboard to it's specific hutch using height, width and style dimensions.
- Tackboard fabric direction is vertical on 24" to 48" wide units and will run horizontally for 54" to 96" wide pieces.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

Tackboards for Spine Hutch D

PET TACKBOARD FOR SPINE HUTCH D

H	W	Model Number	List
20	36	C-CTACK2036D	554
20	42	C-CTACK2042D	601
20	48	C-CTACK2048D	623
20	54	C-CTACK2054D	643
20	60	C-CTACK2060D	691
20	66	C-CTACK2066D	713
20	72	C-CTACK2072D	760
20	78	C-CTACK2078D	782
20	84	C-CTACK2084D	806
28	36	C-CTACK2836D	623
28	42	C-CTACK2842D	668
28	48	C-CTACK2848D	691
28	54	C-CTACK2854D	737
28	60	C-CTACK2860D	782
28	66	C-CTACK2866D	831
28	72	C-CTACK2872D	851
28	78	C-CTACK2878D	898
28	84	C-CTACK2884D	943
36	36	C-CTACK3636D	691
36	42	C-CTACK3642D	737
36	48	C-CTACK3648D	782
36	54	C-CTACK3654D	831
36	60	C-CTACK3660D	873
36	66	C-CTACK3666D	920
36	72	C-CTACK3672D	966
36	78	C-CTACK3678D	1,013
36	84	C-CTACK3684D	1,056





Specify


- Color Selection for PET


Notes

- Match each tackboard to it's specific hutch using height, width and style dimensions.
- On PET tackboards, tack holes may remain visible after tacks have been removed.

FABRIC TACKBOARD FOR SPINE HUTCH D

H	W	Model Number	List	Fabric Grade C	Fabric Grade D
20	36	C-CTACKF2036D	939	+11	+23
20	42	C-CTACKF2042D	954	+11	+23
20	48	C-CTACKF2048D	977	+11	+23
20	54	C-CTACKF2054D	1,001	+11	+23
20	60	C-CTACKF2060D	1,025	+11	+23
20	66	C-CTACKF2066D	1,050	+11	+23
20	72	C-CTACKF2072D	1,078	+11	+23
20	78	C-CTACKF2078D	1,103	+11	+23
20	84	C-CTACKF2084D	1,129	+11	+23
28	36	C-CTACKF2836D	995	+17	+37
28	42	C-CTACKF2842D	1,013	+17	+37
28	48	C-CTACKF2848D	1,031	+17	+37
28	54	C-CTACKF2854D	1,051	+17	+37
28	60	C-CTACKF2860D	1,069	+17	+37
28	66	C-CTACKF2866D	1,196	+17	+37
28	72	C-CTACKF2872D	1,234	+17	+37
28	78	C-CTACKF2878D	1,270	+17	+37
28	84	C-CTACKF2884D	1,309	+17	+37
36	36	C-CTACKF3636D	1,051	+23	+50
36	42	C-CTACKF3642D	1,074	+23	+50
36	48	C-CTACKF3648D	1,099	+23	+50
36	54	C-CTACKF3654D	1,126	+23	+50
36	60	C-CTACKF3660D	1,145	+23	+50
36	66	C-CTACKF3666D	1,257	+23	+50
36	72	C-CTACKF3672D	1,297	+23	+50
36	78	C-CTACKF3678D	1,338	+23	+50
36	84	C-CTACKF3684D	1,378	+23	+50





Specify

- Fabric Selection

Notes


- Match each tackboard to it's specific hutch using height, width and style dimensions.
- Tackboard fabric direction is vertical on 24" to 48" wide units and will run horizontally for 54" to 96" wide pieces.


© 2026, AIS, Inc.

Tackboards for Spine Hutch D

PET TACKBOARD FOR SPINE HUTCH D WITH CUBBY

H	W	Cubby Size Used For	Model Number	List
28	36	16	C-CTACK2836D16	554
28	42	16	C-CTACK2842D16	601
28	48	16	C-CTACK2848D16	623
28	54	16	C-CTACK2854D16	643
28	60	16	C-CTACK2860D16	691
28	66	16	C-CTACK2866D16	713
28	72	16	C-CTACK2872D16	760
28	78	16	C-CTACK2878D16	782
28	84	16	C-CTACK2884D16	806
36	36	8	C-CTACK3636D08	737
36	42	8	C-CTACK3642D08	782
36	48	8	C-CTACK3648D08	826
36	54	8	C-CTACK3654D08	873
36	60	8	C-CTACK3660D08	919
36	66	8	C-CTACK3666D08	966
36	72	8	C-CTACK3672D08	1,012
36	78	8	C-CTACK3678D08	1,056
36	84	8	C-CTACK3684D08	1,101





Specify


- Color Selection for PET


Notes

- Match each tackboard to it's specific hutch using height, width and style dimensions.
- On PET tackboards, tack holes may remain visible after tacks have been removed.

FABRIC TACKBOARD FOR SPINE HUTCH D WITH CUBBY

H	W	Cubby Size Used For	Model Number	List	Fabric Grade C	Fabric Grade D
28	36	16	C-CTACKF2836D16	939	+11	+23
28	42	16	C-CTACKF2842D16	954	+11	+23
28	48	16	C-CTACKF2848D16	977	+11	+23
28	54	16	C-CTACKF2854D16	1,001	+11	+23
28	60	16	C-CTACKF2860D16	1,025	+11	+23
28	66	16	C-CTACKF2866D16	1,050	+11	+23
28	72	16	C-CTACKF2872D16	1,106	+11	+23
28	78	16	C-CTACKF2878D16	1,103	+11	+23
28	84	16	C-CTACKF2884D16	1,129	+11	+23
36	36	8	C-CTACKF3636D08	1,097	+26	+63
36	42	8	C-CTACKF3642D08	1,120	+26	+63
36	48	8	C-CTACKF3648D08	1,143	+26	+63
36	54	8	C-CTACKF3654D08	1,170	+26	+63
36	60	8	C-CTACKF3660D08	1,193	+26	+63
36	66	8	C-CTACKF3666D08	1,303	+26	+63
36	72	8	C-CTACKF3672D08	1,342	+26	+63
36	78	8	C-CTACKF3678D08	1,381	+26	+63
36	84	8	C-CTACKF3684D08	1,423	+26	+63





Specify

- Fabric Selection

Notes

- Match each tackboard to it's specific hutch using height, width and style dimensions.
- Tackboard fabric direction is vertical on 24" to 48" wide units and will run horizontally for 54" to 96" wide pieces.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Tackboards for Spine Hutch E

PET TACKBOARD FOR SPINE HUTCH E

H	W	Model Number	List
28	36	C-CTACK2836E	623
28	42	C-CTACK2842E	668
28	48	C-CTACK2848E	691
28	54	C-CTACK2854E	737
28	60	C-CTACK2860E	782
28	66	C-CTACK2866E	831
28	72	C-CTACK2872E	851
28	78	C-CTACK2878E	898
28	84	C-CTACK2884E	943
36	36	C-CTACK3636E	691
36	42	C-CTACK3642E	737
36	48	C-CTACK3648E	782
36	54	C-CTACK3654E	831
36	60	C-CTACK3660E	873
36	66	C-CTACK3666E	920
36	72	C-CTACK3672E	966
36	78	C-CTACK3678E	1,013
36	84	C-CTACK3684E	1,056



Specify


- Color Selection for PET

Notes

- Match each tackboard to it's specific hutch using height, width and style dimensions.
- On PET tackboards, tack holes may remain visible after tacks have been removed.

FABRIC TACKBOARD FOR SPINE HUTCH E

H	W	Model Number	List	Fabric Grade C	Fabric Grade D
28	36	C-CTACKF2836E	995	+11	+23
28	42	C-CTACKF2842E	1,013	+11	+23
28	48	C-CTACKF2848E	1,031	+11	+23
28	54	C-CTACKF2854E	1,051	+11	+23
28	60	C-CTACKF2860E	1,069	+11	+23
28	66	C-CTACKF2866E	1,196	+11	+23
28	72	C-CTACKF2872E	1,234	+11	+23
28	78	C-CTACKF2878E	1,270	+11	+23
28	84	C-CTACKF2884E	1,309	+11	+23
36	36	C-CTACKF3636E	1,051	+23	+50
36	42	C-CTACKF3642E	1,074	+23	+50
36	48	C-CTACKF3648E	1,099	+23	+50
36	54	C-CTACKF3654E	1,126	+23	+50
36	60	C-CTACKF3660E	1,145	+23	+50
36	66	C-CTACKF3666E	1,257	+23	+50
36	72	C-CTACKF3672E	1,297	+23	+50
36	78	C-CTACKF3678E	1,338	+23	+50
36	84	C-CTACKF3684E	1,378	+23	+50



Specify

- Fabric Selection

Notes


- Match each tackboard to it's specific hutch using height, width and style dimensions.
- Tackboard fabric direction is vertical on 24" to 48" wide units and will run horizontally for 54" to 96" wide pieces.


© 2026, AIS, Inc.

Tackboards for Spine Hutch G

PET TACKBOARD FOR SPINE HUTCH G

H	W	Model Number	List
20	24	C-CTACK2024G	484
20	30	C-CTACK2030G	530
20	36	C-CTACK2036G	554
20	42	C-CTACK2042G	601
20	48	C-CTACK2048G	623
20	54	C-CTACK2054G	643
20	60	C-CTACK2060G	691
20	66	C-CTACK2066G	713
20	72	C-CTACK2072G	760
20	78	C-CTACK2078G	782
20	84	C-CTACK2084G	806
28	24	C-CTACK2824G	530
28	30	C-CTACK2830G	576
28	36	C-CTACK2836G	623
28	42	C-CTACK2842G	668
28	48	C-CTACK2848G	691
28	54	C-CTACK2854G	737
28	60	C-CTACK2860G	782
28	66	C-CTACK2866G	831
28	72	C-CTACK2872G	851
28	78	C-CTACK2878G	898
28	84	C-CTACK2884G	943
36	24	C-CTACK3624G	576
36	30	C-CTACK3630G	643
36	36	C-CTACK3636G	691
36	42	C-CTACK3642G	737
36	48	C-CTACK3648G	782
36	54	C-CTACK3654G	831
36	60	C-CTACK3660G	873
36	66	C-CTACK3666G	920
36	72	C-CTACK3672G	966
36	78	C-CTACK3678G	1,013
36	84	C-CTACK3684G	1,056





Specify


- Color Selection for PET


Notes

- Match each tackboard to it's specific hutch using height, width and style dimensions.
- On PET tackboards, tack holes may remain visible after tacks have been removed.

FABRIC TACKBOARD FOR SPINE HUTCH G

H	W	Model Number	List	Fabric Grade C	Fabric Grade D
20	24	C-CTACKF2024G	911	+11	+23
20	30	C-CTACKF2030G	926	+11	+23
20	36	C-CTACKF2036G	939	+11	+23
20	42	C-CTACKF2042G	954	+11	+23
20	48	C-CTACKF2048G	977	+11	+23
20	54	C-CTACKF2054G	1,001	+11	+23
20	60	C-CTACKF2060G	1,025	+11	+23
20	66	C-CTACKF2066G	1,050	+11	+23
20	72	C-CTACKF2072G	1,078	+11	+23
20	78	C-CTACKF2078G	1,103	+11	+23
20	84	C-CTACKF2084G	1,129	+11	+23
28	24	C-CTACKF2824G	960	+23	+50
28	30	C-CTACKF2830G	978	+23	+50
28	36	C-CTACKF2836G	995	+23	+50
28	42	C-CTACKF2842G	1,013	+23	+50
28	48	C-CTACKF2848G	1,031	+23	+50
28	54	C-CTACKF2854G	1,051	+23	+50
28	60	C-CTACKF2860G	1,069	+23	+50
28	66	C-CTACKF2866G	1,196	+23	+50
28	72	C-CTACKF2872G	1,234	+23	+50
28	78	C-CTACKF2878G	1,270	+23	+50
28	84	C-CTACKF2884G	1,309	+23	+50
36	24	C-CTACKF3624G	1,009	+23	+50
36	30	C-CTACKF3630G	1,029	+23	+50
36	36	C-CTACKF3636G	1,051	+23	+50
36	42	C-CTACKF3642G	1,074	+23	+50
36	48	C-CTACKF3648G	1,099	+23	+50
36	54	C-CTACKF3654G	1,126	+23	+50
36	60	C-CTACKF3660G	1,145	+23	+50
36	66	C-CTACKF3666G	1,257	+23	+50
36	72	C-CTACKF3672G	1,297	+23	+50
36	78	C-CTACKF3678G	1,338	+23	+50
36	84	C-CTACKF3684G	1,378	+23	+50





Specify

- Fabric Selection

Notes

- Match each tackboard to it's specific hutch using height, width and style dimensions.
- Tackboard fabric direction is vertical on 24" to 48" wide units and will run horizontally for 54" to 96" wide pieces.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

Tackboards for Spine Hutch G

PET TACKBOARD FOR SPINE HUTCH G WITH CUBBY

H	W	Cubby Size Used For	Model Number	List
28	24	16	C-CTACK2824G16	484
28	30	16	C-CTACK2830G16	530
28	36	16	C-CTACK2836G16	554
28	42	16	C-CTACK2842G16	601
28	48	16	C-CTACK2848G16	623
28	54	16	C-CTACK2854G16	643
28	60	16	C-CTACK2860G16	691
28	66	16	C-CTACK2866G16	713
28	72	16	C-CTACK2872G16	760
28	78	16	C-CTACK2878G16	782
28	84	16	C-CTACK2884G16	806
36	24	8	C-CTACK3624G08	621
36	30	8	C-CTACK3630G08	690
36	36	8	C-CTACK3636G08	737
36	42	8	C-CTACK3642G08	782
36	48	8	C-CTACK3648G08	826
36	54	8	C-CTACK3654G08	873
36	60	8	C-CTACK3660G08	919
36	66	8	C-CTACK3666G08	966
36	72	8	C-CTACK3672G08	1,012
36	78	8	C-CTACK3678G08	1,056
36	84	8	C-CTACK3684G08	1,101





Specify


- Color Selection for PET


Notes

- Match each tackboard to it's specific hutch using height, width and style dimensions.
- On PET tackboards, tack holes may remain visible after tacks have been removed.

FABRIC TACKBOARD FOR SPINE HUTCH G WITH CUBBY

H	W	Cubby Size Used For	Model Number	List	Fabric Grade C	Fabric Grade D
28	24	16	C-CTACKF2824G16	911	+11	+23
28	30	16	C-CTACKF2830G16	926	+11	+23
28	36	16	C-CTACKF2836G16	939	+11	+23
28	42	16	C-CTACKF2842G16	954	+11	+23
28	48	16	C-CTACKF2848G16	977	+11	+23
28	54	16	C-CTACKF2854G16	1,001	+11	+23
28	60	16	C-CTACKF2860G16	1,025	+11	+23
28	66	16	C-CTACKF2866G16	1,050	+11	+23
28	72	16	C-CTACKF2872G16	1,078	+11	+23
28	78	16	C-CTACKF2878G16	1,103	+11	+23
28	84	16	C-CTACKF2884G16	1,129	+11	+23
36	24	8	C-CTACKF3624G08	1,052	+26	+63
36	30	8	C-CTACKF3630G08	1,075	+26	+63
36	36	8	C-CTACKF3636G08	1,097	+26	+63
36	42	8	C-CTACKF3642G08	1,120	+26	+63
36	48	8	C-CTACKF3648G08	1,143	+26	+63
36	54	8	C-CTACKF3654G08	1,170	+26	+63
36	60	8	C-CTACKF3660G08	1,193	+26	+63
36	66	8	C-CTACKF3666G08	1,303	+26	+63
36	72	8	C-CTACKF3672G08	1,342	+26	+63
36	78	8	C-CTACKF3678G08	1,381	+26	+63
36	84	8	C-CTACKF3684G08	1,423	+26	+63





Specify

- Fabric Selection

Notes


- Match each tackboard to it's specific hutch using height, width and style dimensions.
- Tackboard fabric direction is vertical on 24" to 48" wide units and will run horizontally for 54" to 96" wide pieces.


© 2026, AIS, Inc.

Tackboards for Spine Hutch H (Cantilevered)

PET TACKBOARD FOR SPINE HUTCH H (CANTILEVERED)

H	W	Model Number	List
20	60	C-CTACK2060H	691
20	66	C-CTACK2066H	713
20	72	C-CTACK2072H	760
20	78	C-CTACK2078H	782
20	84	C-CTACK2084H	806
28	60	C-CTACK2860H	782
28	66	C-CTACK2866H	831
28	72	C-CTACK2872H	851
28	78	C-CTACK2878H	898
28	84	C-CTACK2884H	943
36	60	C-CTACK3660H	873
36	66	C-CTACK3666H	920
36	72	C-CTACK3672H	966
36	78	C-CTACK3678H	1,013
36	84	C-CTACK3684H	1,056







Specify	Notes
• Color Selection for PET	• Match each tackboard to it's specific hutch using height, width and style dimensions. • On PET tackboards, tack holes may remain visible after tacks have been removed.

FABRIC TACKBOARD FOR SPINE HUTCH H (CANTILEVERED)

H	W	Model Number	List	Fabric Grade C	Fabric Grade D
20	60	C-CTACKF2060H	1,025	+11	+23
20	66	C-CTACKF2066H	1,050	+11	+23
20	72	C-CTACKF2072H	1,078	+11	+23
20	78	C-CTACKF2078H	1,103	+11	+23
20	84	C-CTACKF2084H	1,129	+11	+23
28	60	C-CTACKF2860H	1,069	+23	+50
28	66	C-CTACKF2866H	1,196	+23	+50
28	72	C-CTACKF2872H	1,234	+23	+50
28	78	C-CTACKF2878H	1,270	+23	+50
28	84	C-CTACKF2884H	1,309	+23	+50
36	60	C-CTACKF3660H	1,145	+23	+50
36	66	C-CTACKF3666H	1,257	+23	+50
36	72	C-CTACKF3672H	1,297	+23	+50
36	78	C-CTACKF3678H	1,338	+23	+50
36	84	C-CTACKF3684H	1,378	+23	+50





Specify	Notes
• Fabric Selection	• Match each tackboard to it's specific hutch using height, width and style dimensions. • Tackboard fabric direction is vertical on 24" to 48" wide units and will run horizontally for 54" to 96" wide pieces.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

Tackboards for Spine Hutch H (Cantilevered)

PET TACKBOARD FOR SPINE HUTCH H WITH CUBBY (CANTILEVERED)

H	W	Cubby Size Used For	Model Number	List
36	60	8	C-CTACK3660H08	919
36	66	8	C-CTACK3666H08	966
36	72	8	C-CTACK3672H08	1,012
36	78	8	C-CTACK3678H08	1,056
36	84	8	C-CTACK3684H08	1,101





Specify


- Color Selection for PET


Notes

- Match each tackboard to it's specific hutch using height, width and style dimensions.
- On PET tackboards, tack holes may remain visible after tacks have been removed.

FABRIC TACKBOARD FOR SPINE HUTCH H WITH CUBBY (CANTILEVERED)

H	W	Cubby Size Used For	Model Number	List	Fabric Grade C	Fabric Grade D
36	60	8	C-CTACKF3660H08	1,193	+26	+63
36	66	8	C-CTACKF3666H08	1,303	+26	+63
36	72	8	C-CTACKF3672H08	1,342	+26	+63
36	78	8	C-CTACKF3678H08	1,381	+26	+63
36	84	8	C-CTACKF3684H08	1,423	+26	+63





Specify

- Fabric Selection

Notes


- Match each tackboard to it's specific hutch using height, width and style dimensions.
- Tackboard fabric direction is vertical on 24" to 48" wide units and will run horizontally for 54" to 96" wide pieces.


© 2026, AIS, Inc.

Tackboards for Spine Hutch H (Full Panel)

PET TACKBOARD FOR SPINE HUTCH H (FULL PANEL)

H	W	Model Number	List
20	60	C-CTACK2060HF	576
20	66	C-CTACK2066HF	601
20	72	C-CTACK2072HF	623
20	78	C-CTACK2078HF	643
20	84	C-CTACK2084HF	668
28	60	C-CTACK2860HF	643
28	66	C-CTACK2866HF	668
28	72	C-CTACK2872HF	713
28	78	C-CTACK2878HF	713
28	84	C-CTACK2884HF	760
36	60	C-CTACK3660HF	668
36	66	C-CTACK3666HF	691
36	72	C-CTACK3672HF	713
36	78	C-CTACK3678HF	737
36	84	C-CTACK3684HF	760





Specify


- Color Selection for PET


Notes

- Match each tackboard to it's specific hutch using height, width and style dimensions.
- On PET tackboards, tack holes may remain visible after tacks have been removed.

FABRIC TACKBOARD FOR SPINE HUTCH H (FULL PANEL)

H	W	Model Number	List	Fabric Grade C	Fabric Grade D
20	60	C-CTACKF2060HF	882	+11	+23
20	66	C-CTACKF2066HF	895	+11	+23
20	72	C-CTACKF2072HF	916	+11	+23
20	78	C-CTACKF2078HF	916	+11	+23
20	84	C-CTACKF2084HF	942	+11	+23
28	60	C-CTACKF2860HF	939	+23	+50
28	66	C-CTACKF2866HF	954	+23	+50
28	72	C-CTACKF2872HF	977	+23	+50
28	78	C-CTACKF2878HF	977	+23	+50
28	84	C-CTACKF2884HF	1,001	+23	+50
36	60	C-CTACKF3660HF	939	+23	+50
36	66	C-CTACKF3666HF	954	+23	+50
36	72	C-CTACKF3672HF	977	+23	+50
36	78	C-CTACKF3678HF	977	+23	+50
36	84	C-CTACKF3684HF	1,001	+23	+50





Specify

- Fabric Selection

Notes

- Match each tackboard to it's specific hutch using height, width and style dimensions.
- Tackboard fabric direction is vertical on 24" to 48" wide units and will run horizontally for 54" to 96" wide pieces.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

Tackboards for Spine Hutch H (Full Panel)

PET TACKBOARD FOR SPINE HUTCH H WITH CUBBY (FULL PANEL)

H	W	Cubby Size Used For	Model Number	List
36	60	8	C-CTACK3660HF08	713
36	66	8	C-CTACK3666HF08	737
36	72	8	C-CTACK3672HF08	758
36	78	8	C-CTACK3678HF08	782
36	84	8	C-CTACK3684HF08	806





Specify


- Color Selection for PET


Notes

- Match each tackboard to it's specific hutch using height, width and style dimensions.
- On PET tackboards, tack holes may remain visible after tacks have been removed.

FABRIC TACKBOARD FOR SPINE HUTCH H WITH CUBBY (FULL PANEL)

H	W	Cubby Size Used For	Model Number	List	Fabric Grade C	Fabric Grade D
36	60	8	C-CTACKF3660HF8	984	+26	+63
36	66	8	C-CTACKF3666HF8	998	+26	+63
36	72	8	C-CTACKF3672HF8	1,019	+26	+63
36	78	8	C-CTACKF3678HF8	1,019	+26	+63
36	84	8	C-CTACKF3684HF8	1,047	+26	+63





Specify

- Fabric Selection

Notes


- Match each tackboard to it's specific hutch using height, width and style dimensions.
- Tackboard fabric direction is vertical on 24" to 48" wide units and will run horizontally for 54" to 96" wide pieces.


© 2026, AIS, Inc.

Tackboards for Spine Hutch J

PET TACKBOARD FOR SPINE HUTCH J

H	W	Model Number	List
20	60	C-CTACK2060J	691
20	66	C-CTACK2066J	713
20	72	C-CTACK2072J	760
20	78	C-CTACK2078J	782
20	84	C-CTACK2084J	806
28	60	C-CTACK2860J	782
28	66	C-CTACK2866J	831
28	72	C-CTACK2872J	851
28	78	C-CTACK2878J	898
28	84	C-CTACK2884J	943
36	60	C-CTACK3660J	873
36	66	C-CTACK3666J	920
36	72	C-CTACK3672J	966
36	78	C-CTACK3678J	1,013
36	84	C-CTACK3684J	1,056





Specify


- Color Selection for PET


Notes

- Match each tackboard to it's specific hutch using height, width and style dimensions.
- On PET tackboards, tack holes may remain visible after tacks have been removed.

FABRIC TACKBOARD FOR SPINE HUTCH J

H	W	Model Number	List	Fabric Grade C	Fabric Grade D
20	60	C-CTACKF2060J	1,025	+11	+23
20	66	C-CTACKF2066J	1,050	+11	+23
20	72	C-CTACKF2072J	1,078	+11	+23
20	78	C-CTACKF2078J	1,103	+11	+23
20	84	C-CTACKF2084J	1,129	+11	+23
28	60	C-CTACKF2860J	1,069	+23	+50
28	66	C-CTACKF2866J	1,196	+23	+50
28	72	C-CTACKF2872J	1,234	+23	+50
28	78	C-CTACKF2878J	1,270	+23	+50
28	84	C-CTACKF2884J	1,309	+23	+50
36	60	C-CTACKF3660J	1,145	+23	+50
36	66	C-CTACKF3666J	1,257	+23	+50
36	72	C-CTACKF3672J	1,297	+23	+50
36	78	C-CTACKF3678J	1,338	+23	+50
36	84	C-CTACKF3684J	1,378	+23	+50





Specify

- Fabric Selection

Notes

- Match each tackboard to it's specific hutch using height, width and style dimensions.
- Tackboard fabric direction is vertical on 24" to 48" wide units and will run horizontally for 54" to 96" wide pieces.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

Tackboards for Spine Hutch J

PET TACKBOARD FOR SPINE HUTCH J WITH CUBBY

H	W	Cubby Size Used For	Model Number	List
36	60	8	C-CTACK3660J08	919
36	66	8	C-CTACK3666J08	966
36	72	8	C-CTACK3672J08	1,012
36	78	8	C-CTACK3678J08	1,056
36	84	8	C-CTACK3684J08	1,101





Specify


- Color Selection for PET


Notes

- Match each tackboard to it's specific hutch using height, width and style dimensions.
- On PET tackboards, tack holes may remain visible after tacks have been removed.

FABRIC TACKBOARD FOR SPINE HUTCH J WITH CUBBY

H	W	Cubby Size Used For	Model Number	List	Fabric Grade C	Fabric Grade D
36	60	8	C-CTACKF3660J08	1,193	+26	+63
36	66	8	C-CTACKF3666J08	1,303	+26	+63
36	72	8	C-CTACKF3672J08	1,342	+26	+63
36	78	8	C-CTACKF3678J08	1,381	+26	+63
36	84	8	C-CTACKF3684J08	1,423	+26	+63





Specify

- Fabric Selection

Notes


- Match each tackboard to it's specific hutch using height, width and style dimensions.
- Tackboard fabric direction is vertical on 24" to 48" wide units and will run horizontally for 54" to 96" wide pieces.


© 2026, AIS, Inc.

Tackboards for Spine Hutch K

PET TACKBOARD FOR SPINE HUTCH K

H	W	Model Number	List
28	36	C-CTACK2836K	623
28	42	C-CTACK2842K	668
28	48	C-CTACK2848K	691
28	54	C-CTACK2854K	737
28	60	C-CTACK2860K	782
28	66	C-CTACK2866K	831
28	72	C-CTACK2872K	851
28	78	C-CTACK2878K	898
28	84	C-CTACK2884K	943
36	36	C-CTACK3636K	691
36	42	C-CTACK3642K	737
36	48	C-CTACK3648K	782
36	54	C-CTACK3654K	831
36	60	C-CTACK3660K	873
36	66	C-CTACK3666K	920
36	72	C-CTACK3672K	966
36	78	C-CTACK3678K	1,013
36	84	C-CTACK3684K	1,056







Specify	Notes
• Color Selection for PET	• Match each tackboard to it's specific hutch using height, width and style dimensions. • Each tackboard is sold individually (not as a set). • On PET tackboards, tack holes may remain visible after tacks have been removed.

FABRIC TACKBOARD FOR SPINE HUTCH K

H	W	Model Number	List	Fabric Grade C	Fabric Grade D
28	36	C-CTACKF2836K	995	+17	+37
28	42	C-CTACKF2842K	1,013	+17	+37
28	48	C-CTACKF2848K	1,031	+17	+37
28	54	C-CTACKF2854K	1,051	+17	+37
28	60	C-CTACKF2860K	1,069	+17	+37
28	66	C-CTACKF2866K	1,196	+17	+37
28	72	C-CTACKF2872K	1,234	+17	+37
28	78	C-CTACKF2878K	1,270	+17	+37
28	84	C-CTACKF2884K	1,309	+17	+37
36	36	C-CTACKF3636K	1,051	+23	+50
36	42	C-CTACKF3642K	1,074	+23	+50
36	48	C-CTACKF3648K	1,099	+23	+50
36	54	C-CTACKF3654K	1,126	+23	+50
36	60	C-CTACKF3660K	1,145	+23	+50
36	66	C-CTACKF3666K	1,257	+23	+50
36	72	C-CTACKF3672K	1,297	+23	+50
36	78	C-CTACKF3678K	1,338	+23	+50
36	84	C-CTACKF3684K	1,378	+23	+50





Specify	Notes
• Fabric Selection	• Match each tackboard to it's specific hutch using height, width and style dimensions. • Tackboard fabric direction is vertical on 24" to 48" wide units and will run horizontally for 54" to 96" wide pieces.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

Tackboards for Spine Hutch N

PET TACKBOARD FOR SPINE HUTCH N

H	W	Model Number	List
28	24	C-CTACK2824N	530
28	30	C-CTACK2830N	576
28	36	C-CTACK2836N	623
28	42	C-CTACK2842N	668
28	48	C-CTACK2848N	691
28	54	C-CTACK2854N	737
28	60	C-CTACK2860N	782
28	66	C-CTACK2866N	831
28	72	C-CTACK2872N	851
36	24	C-CTACK3624N	576
36	30	C-CTACK3630N	643
36	36	C-CTACK3636N	691
36	42	C-CTACK3642N	737
36	48	C-CTACK3648N	782
36	54	C-CTACK3654N	831
36	60	C-CTACK3660N	873
36	66	C-CTACK3666N	920
36	72	C-CTACK3672N	966





Specify


- Color Selection for PET


Notes

- Match each tackboard to it's specific hutch using height, width and style dimensions.
- On PET tackboards, tack holes may remain visible after tacks have been removed.

FABRIC TACKBOARD FOR SPINE HUTCH N

H	W	Model Number	List	Fabric Grade C	Fabric Grade D
28	24	C-CTACKF2824N	960	+23	+50
28	30	C-CTACKF2830N	978	+23	+50
28	36	C-CTACKF2836N	995	+23	+50
28	42	C-CTACKF2842N	1,013	+23	+50
28	48	C-CTACKF2848N	1,031	+23	+50
28	54	C-CTACKF2854N	1,051	+23	+50
28	60	C-CTACKF2860N	1,069	+23	+50
28	66	C-CTACKF2866N	1,196	+23	+50
28	72	C-CTACKF2872N	1,234	+23	+50
28	78	C-CTACKF2878N	1,270	+23	+50
28	84	C-CTACKF2884N	1,309	+23	+50
36	24	C-CTACKF3624N	1,009	+23	+50
36	30	C-CTACKF3630N	1,029	+23	+50
36	36	C-CTACKF3636N	1,051	+23	+50
36	42	C-CTACKF3642N	1,074	+23	+50
36	48	C-CTACKF3648N	1,099	+23	+50
36	54	C-CTACKF3654N	1,126	+23	+50
36	60	C-CTACKF3660N	1,145	+23	+50
36	66	C-CTACKF3666N	1,257	+23	+50
36	72	C-CTACKF3672N	1,297	+23	+50





Specify

- Fabric Selection

Notes


- Match each tackboard to it's specific hutch using height, width and style dimensions.
- Tackboard fabric direction is vertical on 24" to 48" wide units and will run horizontally for 54" to 96" wide pieces.

© 2026, AIS, Inc.

Tackboards for Spine Hutch R

PET TACKBOARD FOR SPINE HUTCH R

H	W	Model Number	List
12	24	C-CTACK1224R	440
12	30	C-CTACK1230R	461
12	36	C-CTACK1236R	484
12	42	C-CTACK1242R	530
12	48	C-CTACK1248R	554
12	54	C-CTACK1254R	576
12	60	C-CTACK1260R	601
12	66	C-CTACK1266R	623
12	72	C-CTACK1272R	643
16	24	C-CTACK1624R	461
16	30	C-CTACK1630R	509
16	36	C-CTACK1636R	530
16	42	C-CTACK1642R	554
16	48	C-CTACK1648R	576
16	54	C-CTACK1654R	623
16	60	C-CTACK1660R	643
16	66	C-CTACK1666R	668
16	72	C-CTACK1672R	691
20	24	C-CTACK2024R	484
20	30	C-CTACK2030R	530
20	36	C-CTACK2036R	554
20	42	C-CTACK2042R	601
20	48	C-CTACK2048R	623
20	54	C-CTACK2054R	643
20	60	C-CTACK2060R	691
20	66	C-CTACK2066R	713
20	72	C-CTACK2072R	760



Specify


- Color Selection for PET

Notes

- Match each tackboard to it's specific hutch using height, width and style dimensions.
- On PET tackboards, tack holes may remain visible after tacks have been removed.

FABRIC TACKBOARD FOR SPINE HUTCH R

H	W	Model Number	List	Fabric Grade C	Fabric Grade D
12	24	C-CTACKF1224R	864	+11	+23
12	30	C-CTACKF1230R	873	+11	+23
12	36	C-CTACKF1236R	882	+11	+23
12	42	C-CTACKF1242R	894	+11	+23
12	48	C-CTACKF1248R	916	+11	+23
12	54	C-CTACKF1254R	939	+11	+23
12	60	C-CTACKF1260R	964	+11	+23
12	66	C-CTACKF1266R	946	+11	+23
12	72	C-CTACKF1272R	966	+11	+23
16	24	C-CTACKF1624R	887	+17	+37
16	30	C-CTACKF1630R	899	+17	+37
16	36	C-CTACKF1636R	911	+17	+37
16	42	C-CTACKF1642R	922	+17	+37
16	48	C-CTACKF1648R	945	+17	+37
16	54	C-CTACKF1654R	966	+17	+37
16	60	C-CTACKF1660R	987	+17	+37
16	66	C-CTACKF1666R	1,019	+17	+37
16	72	C-CTACKF1672R	1,044	+17	+37
20	24	C-CTACKF2024R	911	+23	+50
20	30	C-CTACKF2030R	926	+23	+50
20	36	C-CTACKF2036R	939	+23	+50
20	42	C-CTACKF2042R	954	+23	+50
20	48	C-CTACKF2048R	977	+23	+50
20	54	C-CTACKF2054R	1,001	+23	+50
20	60	C-CTACKF2060R	1,025	+23	+50
20	66	C-CTACKF2066R	1,050	+23	+50
20	72	C-CTACKF2072R	1,078	+23	+50



Specify

- Fabric Selection

Notes

- Match each tackboard to it's specific hutch using height, width and style dimensions.
- Tackboard fabric direction is vertical on 24" to 48" wide units and will run horizontally for 54" to 96" wide pieces.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Tackboards for Spine Hutch R

PET TACKBOARD FOR SPINE HUTCH R


H	W	Model Number	List
28	24	C-CTACK2824R	530
28	30	C-CTACK2830R	576
28	36	C-CTACK2836R	623
28	42	C-CTACK2842R	668
28	48	C-CTACK2848R	691
28	54	C-CTACK2854R	737
28	60	C-CTACK2860R	782
28	66	C-CTACK2866R	831
28	72	C-CTACK2872R	851
36	24	C-CTACK3624R	576
36	30	C-CTACK3630R	643
36	36	C-CTACK3636R	691
36	42	C-CTACK3642R	737
36	48	C-CTACK3648R	782
36	54	C-CTACK3654R	831
36	60	C-CTACK3660R	873
36	66	C-CTACK3666R	920
36	72	C-CTACK3672R	966



Specify	Notes
• Color Selection for PET	• Match each tackboard to it's specific hutch using height, width and style dimensions. • On PET tackboards, tack holes may remain visible after tacks have been removed.

FABRIC TACKBOARD FOR SPINE HUTCH R

H	W	Model Number	List	Fabric Grade C	Fabric Grade D
28	24	C-CTACKF2824R	960	+34	+73
28	30	C-CTACKF2830R	978	+34	+73
28	36	C-CTACKF2836R	995	+34	+73
28	42	C-CTACKF2842R	1,013	+34	+73
28	48	C-CTACKF2848R	1,031	+34	+73
28	54	C-CTACKF2854R	1,051	+34	+73
28	60	C-CTACKF2860R	1,069	+34	+73
28	66	C-CTACKF2866R	1,196	+34	+73
28	72	C-CTACKF2872R	1,234	+34	+73
36	24	C-CTACKF3624R	1,009	+46	+100
36	30	C-CTACKF3630R	1,029	+46	+100
36	36	C-CTACKF3636R	1,051	+46	+100
36	42	C-CTACKF3642R	1,074	+46	+100
36	48	C-CTACKF3648R	1,099	+46	+100
36	54	C-CTACKF3654R	1,126	+46	+100
36	60	C-CTACKF3660R	1,145	+46	+100
36	66	C-CTACKF3666R	1,257	+46	+100
36	72	C-CTACKF3672R	1,297	+46	+100




Specify	Notes
• Fabric Selection	• Match each tackboard to it's specific hutch using height, width and style dimensions. • Tackboard fabric direction is vertical on 24" to 48" wide units and will run horizontally for 54" to 96" wide pieces.


© 2026, AIS, Inc.

Soft Close Mechanism For Hinged Door

SOFT CLOSE MECHANISM FOR HINGED DOOR

Part Number	List
X-SOFTHINGE	48





Notes

- Mounting method: snaps on to hinge. No tools required.
- Material: steel
- Color/finish: Nickel-plated
- One required for doors up to 30” tall; doors between 31”H and 66”H – order two; doors over 66”H – order three.
- Compatible only with laminate storage; not compatible with L-Series metal storage.

GANGING KIT FOR CASEGOODS

Part Number	List
X-GANGKIT	20



Notes


- Used for ganging two casegoods together.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

SILVER LOCK CORES AND KEYS

Key Type	Model Number	List
Core with 2 keys	S-W1CORE1	25
Core with 2 keys (set of 2 keyed alike)	S-W1CORE2	39
Core with 2 keys (set of 3 keyed alike)	S-W1CORE3	60
Core with 2 keys (set of 4 keyed alike)	S-W1CORE4	77
Core with 2 keys (set of 5 keyed alike)	S-W1CORE5	95
Core with 2 keys (set of 6 keyed alike)	S-W1CORE6	111
Core with 2 keys (set of 7 keyed alike)	S-W1CORE7	129
Core with 2 keys (set of 8 keyed alike)	S-W1CORE8	149
Core with 2 keys (set of 9 keyed alike)	S-W1CORE9	166
Core with 2 keys (set of 10 keyed alike)	S-W1CORE10	184
Master Key	RS-W1MKEY	19
Core Removal Key	RS-W1CRKEY	19
Replacement Key	RS-WK _ _ _ (Key Number)	26




Notes

- Silver keyed alike lock cores should be specified when ordering Option E in the Lock Choice for Calibrate: No Lock w/ Silver Ring for Keyed Alike.
- Keyed alike lock cores must be installed in the field.
- Keys and Lock Cores are available in #'s 226 through 425.
- A core removal key is needed to remove an existing core from the lock housing in order to replace with a new core.
- Order sets based on quantity of storage items to be keyed alike.

BLACK LOCK CORES AND KEYS

Key Type	Model Number	List
Core with 2 keys	S-W1CORE1B	25
Core with 2 keys (set of 2 keyed alike)	S-W1CORE2B	39
Core with 2 keys (set of 3 keyed alike)	S-W1CORE3B	60
Core with 2 keys (set of 4 keyed alike)	S-W1CORE4B	77
Core with 2 keys (set of 5 keyed alike)	S-W1CORE5B	95
Core with 2 keys (set of 6 keyed alike)	S-W1CORE6B	111
Core with 2 keys (set of 7 keyed alike)	S-W1CORE7B	129
Core with 2 keys (set of 8 keyed alike)	S-W1CORE8B	149
Core with 2 keys (set of 9 keyed alike)	S-W1CORE9B	166
Core with 2 keys (set of 10 keyed alike)	S-W1CORE10B	184



Notes

- Black keyed alike lock cores should be specified when ordering Option D in the Lock Choice for Calibrate: No Lock w/ Black Ring for Keyed Alike.
- Keyed alike lock cores must be installed in the field.
- Keys and Lock Cores are available in #'s 226 through 425.
- A core removal key is needed to remove an existing core from the lock housing in order to replace with a new core.
- Order sets based on quantity of storage items to be keyed alike.
- Black lock cores not available for L-Series storage.

© 2026, AIS, Inc.

National Showrooms:

Leominster
AIS Headquarters
25 Tucker Drive
Leominster, MA 01453

Chicago
The Merchandise Mart
Suite 391
Chicago, Illinois 60654

New York
AIS New York
257 Park Avenue South
New York, New York 10010

Washington, D.C.
AIS Washington, D.C.
1501 M St, NW, STE 230
Washington, D.C. 20005

GSA Sales
GSA Contract 47QSMA20D08Q4
Multiple Award Schedule (MAS)
Large Category: Furniture & Furnishings
Subcategories: Office Furniture, Packaged Office Furniture and Furniture Services

For additional information on AIS:
Dealer Showrooms, Representative Directory, Project Case Studies, Online Catalog & Product Showcase
Visit: **www.ais-inc.com**

AIS

800.434.7400 | 978.562.7500 | Fax: 978.562.0811 | www.ais-inc.com | March 2026

CALIBRATE® COUNTDOWN

March 2026 Price List

AIS

PRODUCT INFORMATION

Calibrate Countdown Statement of Line . . . 3
Calibrate Countdown Product Details . . . 4
Calibrate Countdown Finishes . . . 10
Calibrate Countdown Typicals . . . 11

DESK SHELLS

24” and 30” Deep Desk Shells . . . 21
Desk Returns and Bridges . . . 22

WORKSURFACES

Rectangular Worksurfaces . . . 23

TABLE DESKS

O-Leg Table Desks, Freestanding O-Legs . . . 24

TABLES

Height Adjustable Tables . . . 25
Height Adjustable Modesties and Round Tables . . . 26

STORAGE

21” High Floor Bookcases, Laterals . . . 27
28” High Floor Laterals . . . 28
21” High BF Pedestal . . . 29
28” High Floor Pedestals, Laterals . . . 30
Single Door Towers . . . 31
Bookcases . . . 32

WALL MOUNTED STORAGE

Wall Mounted Storage . . . 33
Wall Mounted L Shelves . . . 34
Wall Mounted Tackboards . . . 35

ACCESSORIES

Standard Series Monitor Arms . . . 36
Surface Mounted Power, Overhead LED Task Lights . . . 37
Keyboard Arms, Mouse Trays, Pencil Drawers and Anti-Fatigue Mats . . . 38
Lock Cores and Keys . . . 39


WARRANTY & TERMS AND CONDITIONS

For Warranty & Terms and Conditions please visit:
https://www.ais-inc.com


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Calibrate Countdown Statement of Line


CALIBRATE COUNTDOWN




Desk Shells
Full and Recessed Modesty
24 - 30 Deep, 60, 66 or 72 Wide




Desk Returns
Left or Right Hand
24 Deep, 42 or 48 Wide
Left Return Shown




Desk Bridges
24 Deep, 42 or 48 Wide




Worksurfaces
24 or 30 Deep, 24 - 72 Wide




O-Leg Table Desks
29 High, 2mm Edge
24 or 30 Deep
60, 66 and 72 Widths



O-Leg
27 High
24, 30 Deep




Height Adjustable Tables
Day-to-Day or E-Series
24 or 30 Deep, 42 - 72 Wide




Laminate Modesty
42 - 72 Wide




Day-to-Day Round Table
29 High, 36 Deep




21 High Floor Bookcases
18 or 24 Deep, 24, 30 or 36 Wide



21 High Floor Bookcases for Floating Tops
24 Deep, 24, 30 or 36 Wide




21 High BF Lateral
18 or 24 Deep, 30 or 36 Wide



28 High Lateral Files
18 or 24 Deep, 30 or 36 Wide




21 High BF Mobile Pedestal
16 Wide, 18 Deep
on Casters, with Cushion




28 High Pedestals
BBF and FF
Full and Partial Depths
24 or 30 Deep




Single Door Towers
66 High, 18 or 24 Deep




Bookcases
42, 50 and 66 High
14 Deep, 30 and 36 Widths
On Glides




Wall Mounted Overheads
With or Without Hinged Doors
16 High, 36 - 72 Wide




Wall Mounted L Shelves
16, 45 High
36 - 72 Widths, 12 Deep




Wall Mounted Tackboards
20 or 28 High, 36 - 72 Wide




Vertical Tackboard Wall Mount
45 High
24, 30 and 36 Widths




Monitor Arms
Single or Dual




Bella 1050 Clamp




Overhead LED Task Lights




Standard Extended Keyboard Arm




Standard Mouse Tray



Pencil Drawer



Anti-Fatigue Mat



Lock Cores and Keys

© 2026, AIS, Inc.

Calibrate Countdown Product Details

General Construction Details

- Worksurfaces are 1 1/8" thick, thermally fused laminate with matching edgeband. For available finishes please refer to Finishes section.
- Storage elements have 3/4" thick case construction with 1mm edge.
- Laminate drawer and door faces are 3/4" thick.
- 2mm edges available on worksurfaces. See Product Detail: Edge Profile Details for examples.
- Leveling feet are adjustable up to 1" for all floor supported components.
- Units are finished all over, including the backs.
- Shelves will match body selection
- Laminate patterns such as grain or geometric shapes do not "match" face to face. However this is not noticeable on most laminate options with the exception of natural looking woods where cathedrals appear. AIS cannot guarantee that the woodgrain will match up on the different parts of the same surface.
- AIS recommends the use of mouse pads to protect longevity and integrity of worksurfaces.

Handle Options

- Four handle options are available:
  1. Bar Pull
  2. Loop Pull
  3. Rectangular Pull
  4. L Pull
- All handles are available in Countdown paint selections.
- The bar pull and rectangle pull are available in brushed nickel; the loop pull is available in bright metal. The L Pull is only available with painted options.
- The L Pull is only available with painted options.
- Please see Product Detail: Drawer and Handles Guide for handle examples.
- Symbols default with the Bar Pull but can be adjusted while applying your finishes.

Assembly Details

- Everything ships assembled except for desk shells, returns and bridges. Desk shells are knocked down and height adjustable table desks are partially knocked down.
- Adjustable shelves are adjustable in 32mm increments.
- Easy assembly using CAM and PIN construction allows ease of disassembly.
- Credenzas are modular and units ganged together in the field.
- Supporting hardware for seam connections are included with returns and bridge pieces.

Desk Shells

- Desk shell depths are 24" or 30" deep and widths run from 60" to 72" wide.
- Storage combinations should be specified as partial depth on any desk shell with a modesty (18" deep storage units will also fit under anything with a modesty).
- Desk shells and returns greater than 48" wide will require additional support.
- Leveling feet adjustable up to 1" for Calibrate floor storage.
- Please see Product Detail: Desk Shell Installation for desk shell construction examples.

Returns

- Return shell comes with full height height modesty panel, one full depth end panel and supporting hardware for seam connection.
- Returns can be specified in conjunction with AIS desk shells or specified as a stand alone piece if you have a storage component on the open ended side. Returns can be tied together with a Calibrate surface to storage bracket.
- Please see Product Detail for "L desk" unit examples.

Bridges

- Full modesty flush option only (for bridges without the modesty a standard worksurface can be specified).
- Supporting hardware for seam connections are included.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Calibrate Countdown Product Details

Height Adjustable Table Desks

- Available in 24” and 30” depths and widths run 42” to 72” wide.
- Height adjustable table desks can be specified with or without a modesty.
- Please see Product Detail: Height Adjustable Table Desk Range for information about the height adjustable table desk range.

Suspended Modesty

- Suspended modesties can be specified on the height adjustable table desks.
- Units are 12” high and are offered in 42” to 72” widths. Please follow the details on suspended modesty pricing page for what width modesty goes with what height adjustable table desk.

Storage

- AIS offers a wide variety of storage options and configurations that will work with your office needs. For more details please see below.
- Full depth units come with counterweights except for units with cut-outs.
- Filing offered is side-to-side as standard for pencil lateral and file laterals that are 24” deep as well as partial depth laterals (22” deep and 29” deep).
- Front to back filing is an option that can be purchased as an accessory and will ship separately.
- All storage symbols will show the bar pull, however in worksheet you can swap the handle out as an option to one of the other standard offerings.
- 24” deep pedestals have 20” deep x 12” wide box drawers. Please see Product Detail: Pedestal and Lateral Dimensions for example.
- 30” deep pedestals have 20” deep x 12” wide box drawers. Please see Product Detail: Pedestal and Lateral Dimensions for example.
- Pencil trays are included in the BBF and BF pedestals.

Overheads and Hutches

- Available as wall mounted.
- Tackboards are specified separately, they do not come with the hutches.
- Wall mounted items are secured using cleat mounts. Security screws need to run through the wall cleat to assure that overhead cannot dislodge.

Locks

- Box/Box/Files (BBF) pedestals will only lock the file and the middle box drawer, not the top box.
- File/File (FF) pedestal locks will secure both drawers.
- For all lateral files, wardrobe and storage units the locks will secure the drawers/door for the entire unit.
- Units will come with 2 keys per lock.
- Key-alike options are available per storage unit, additional lock cores may be ordered (for an additional charge) to key-alike an entire office.
- Items with 2 or more locks per unit will be keyed alike.

Lock Guide

Five lock options are offered:
- A - No lock required
- B - Black Lock
- C - Silver Lock
- D - No lock w/ black T-ring for keyed-alike or Digital Lock*
- E - No lock w/ silver T-ring for keyed alike or Digital Lock*

Lock cores and trim rings do not ship installed.

*Keyed alike lock cores must be ordered separately.

Tackboards

- Tackboards are designed to work with your stations need, with or without storage.
- Tackboard fabric direction runs horizontally for 60” to 72” wide pieces.
- Please see Product Detail for examples of tackboard fabric direction.


© 2026, AIS, Inc.

Calibrate Countdown Product Details

Edge Profile Details


Worksurfaces are 1 1/8" thick, thermally fused laminate with matching edgeband.

2mm Edge Profile Detail




Drawer and Door Handles Guide


Four drawer and door handle options are offered:




Bar



Rectangular




Loop




L-Pull

Wood Grain Direction


Grain direction runs vertical for all pieces except for the back of 48" wide cabinets, in which case it runs horizontal. Calibrate wood grain is always vertical on storage fronts and doors. Grains run vertically on items under 60" wide. Items over 60" wide have the grain will run horizontally.





54" - 96" Wide





24" - 48" Wide












36" - 60" Wide



66" - 72" Wide


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Calibrate Countdown Product Details


Tackboard Fabric Direction

Tackboard fabrics runs vertically on 24” - 48” width tackboards. Fabric runs horizontally on 54” - 96” width tackboards.



Grommet Locations for Desk Shells, Returns and Bridges

GROMMET OPTIONS			
Option	**Location**	**Desk Shell, Return, Bridges List**	**Height Adjustable Worksurface List**
A	No Grommets	-	-
B	Location 1	+45	+38
C	Location 2	+45	+38
D	Location 3	+45	+38
E	Locations 2 and 3	-	+76
F	Locations 1, 2 and 3	-	+114
G	Locations 1 and 2	-	+76
H	Locations 1 and 3	-	+76



Note: Desk shells with recessed modesties feature grommets that are 8.33” from back edge to allow grommet to be on the inside of modesty.

Left - Right Handing Logic for Calibrate Series

Handing for Cabinet Doors:



Hinge-Left




Hinge-Right


© 2026, AIS, Inc.


Calibrate Countdown Product Details

Desk Shell Installation

Desk shells, bridges and returns ship flat and must be installed in the field as shown. Storage elements ship fully assembled.







Filing Details


File Bars B, D and E come standard with each drawer box. File Bars B, D and E file side-to-side. File Bars A and C do not come standard and can be purchased for an additional cost. File Bars A and C file front-to-back. From file bar dimensions please see below.

24” Deep Pedestals



16 Wide Letter Front-to-Back | 16 Wide Letter Side-to-Side w/ File Bar A | 16 Wide Legal Side-to-Side w/ File Bar A

18” x 30” Laterals



Letter Side-to-Side | Letter Front-to-Back w/ File Bar A | Legal Front-to-Back w/ File Bar A

18” x 36” Laterals



Letter Side-to-Side | Letter Front-to-Back w/ File Bar A (Qty. 2) | Legal Front-to-Back w/ File Bar A (Qty. 2) | Letter (Left), Legal (Right) Front-to-Back w/ File Bar A (Qty. 2)

File Bar A: 12” File Bar (#RH-WFB12) File Bar B: 26” File Bar (#RH-WFB26)* File Bar C: 19.5” File Bar (#RH-WFB19) File Bar D: 32” File Bar (#RH-WFB32)* File Bar E: 38” File Bar (#RH-WFB38)*

*Side-to-side filing bars, come standard with each drawer box.

At AIS, we take great pride in offering a diverse selection of high-quality materials including but not limited to textiles, laminates, PET, mesh, etc. However, AIS cannot guarantee uniformity in dye lots across different production runs. As such, AIS is not liable for any variations in dye lots or color discrepancies in any of our products that may occur between orders. We encourage customers to review samples for color and texture matching prior to purchase. We are committed to providing exceptional products and are confident that our selection of textiles will meet your expectations for both aesthetic appeal and durability.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Calibrate Countdown Product Details

Calibrate Storage Functional Loads

CALIBRATE STORAGE FUNCTIONAL LOADS

Description	Model Number	Top-to-Bottom Drawer Functional Load (lbs)	Total Functional Load (lbs)
BF Lateral (30” Wide, 18” Deep)	X-PLAT2D3018	15/65	80
BF Lateral (36” Wide, 18” Deep)	X-PLAT2D3618	15/80	95
BBF Pedestal (23” Deep)	X-BBFPFS23	10/10/45	65
BBF Pedestal (24” Deep)	X-BBFPFS24	10/10/45	65
BBF Pedestal (29” Deep)	X-BBFPFS29	10/10/45	65
BBF Pedestal (30” Deep)	X-BBFPFS30	10/10/45	65
FF Pedestal (23” Deep)	X-FFPFS23	45/45	90
FF Pedestal (24” Deep)	X-FFPFS24	45/45	90
FF Pedestal (29” Deep)	X-FFPFS29	45/45	90
FF Pedestal (30” Deep)	X-FFPFS30	45/45	90
Two Drawer Lateral (30” Wide, 18” Deep)	X-LAT2DFS3018	65/65	130
Two Drawer Lateral (36” Wide, 18” Deep)	X-LAT2DFS3618	80/80	160

© 2026, AIS, Inc.

Calibrate Countdown Finishes

CALIBRATE COUNTDOWN FINISH OPTIONS

Vertical Surface Fabrics

Name	Grade
Avenue	A
Cape Cod	A
Engage	A
Mirador	A
New England	A
Rainfall	A
Simplicity	A
Twizzle	A

Paint Options

Name	Color Code	Grade
Black	BK	A
Grey Value 1	GV1	A
Medium Tone	MT	A
Satin White	SW	A

Upholstery Fabric Options*

Name	Grade
Mirador	A

Mirador comes standard as an antimicrobial upholstery.
*Available on ped cushions and Volker Cubes only.

Laminate Options

Name	Grade
Absolute Acajou†	A
Landmark	A
Looks Likatre†	A
Maritime Dune†	A
Neo Walnut	A
True White	A

†Indicates a textured laminate.

Edgeband Options

Name	Color Code	Grade
Absolute Acajou	AA	A
Landmark	LM	A
Looks Likatre	LK	A
Maritime Dune	MD	A
Neo Walnut	NW	A
Satin White / True White	SW/TW	A

Height Adjustable Table Paint Finish Options

Day-to-Day Base Options

Name	Grade
Black	A
Metallic Silver	A
Satin White	A


E Series Base Options

Name	Grade
Black	A
Metallic Silver	A
Satin White	A

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Calibrate Countdown Typicals

Typical 1




Description	Model Number	Quantity	Notes
1. Desk Shell Full Modesty 29” High x 72” Wide x 30” Deep	X-DS7230	1x	
2. Desk Shell with Full Modesty Flush 29” High x 72” Wide x 24” Deep	X-DSFM7224	1x	
3. Partial Depth FF Pedestal 28” High x 16” Wide x 23” Deep	X-FFPFS23	2x	
4. Partial Depth BBF Pedestal 28” High x 16” Wide x 23” Deep	X-BBFPFS23	1x	
5. Wall Mounted Overhead w/ Cabinet Doors 16” High x 72” Wide x 14” Deep	C-OWMC167214L	1x	
6. Wall Mounted Tackboard 28” High x 72” Wide	X-TACKWM2872	1x	
7. Overhead Task Light 40” Long	A-LEDTL-61540	1x	

© 2026, AIS, Inc.

Calibrate Countdown Typicals

Typical 2




Description	Model Number	Quantity	Notes
1. Day-to-Day 2mm Edge Rectangular Table with Height Adjustable Base 72” Wide x 24” Deep	T-RCR247229HLG2	1x	
2. Full Depth Two Drawer Lateral 28” High x 30” Wide x 18” Deep	X-LAT2DFS3018	2x	
3. Single Door Tower Right Hinge 66” High x 12” Wide x 18” Deep	X-SDCR6618	1x	
4. Wall Mounted Open Overhead 16” High x 60” Wide x 14” Deep	C-OWM166014	1x	
5. Wall Mounted Tackboard 20” High x 60” Wide	X-TACKWM2060	1x	
6. Overhead Task Light 40” Long	A-LEDTL-61540	1x	

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Calibrate Countdown Typicals

Typical 3




Description	Model Number	Quantity	Notes
1. Day-to-Day 2mm Edge Rectangular Table with Height Adjustable Base 48” Wide x 24” Deep	T-RCR244829HLG2	1x	
2. Day-to-Day 2mm Edge Round Table With Steel X-Base 29” High x 36” Deep	T-RDR3629SXG	1x	
3. Full Depth Two Drawer Lateral 28” High x 36” Wide x 18” Deep	X-LAT2DFS3618	2x	
4. Wall Mounted Overhead w/ Cabinet Doors 16” High x 60” Wide x 14” Deep	C-OWMC166014L	2x	
5. Wall Mounted Tackboard 28” High x 60” Wide	X-TACKWM2860	2x	

© 2026, AIS, Inc.

Calibrate Countdown Typicals

Typical 4




Description	Model Number	Quantity	Notes
1. Desk Shell Full Modesty 29” High x 72” Wide x 30” Deep	X-DS7230	1x	
2. Day-to-Day 2mm Edge Round Table With Steel X-Base 29” High x 36” Deep	T-RDR3629SXG	1x	
3. Floor Bookcase 21” High x 30” Wide x 18” Deep	X-CBC2030	1x	
4. Full Depth BF Lateral 21” High x 36” Wide x 18” Deep	X-PLAT2D3618	1x	
5. Wall Mounted Overhead w/ Cabinet Doors 16” High x 60” Wide x 14” Deep	C-OWMC166014L	1x	
6. Wall Mounted Tackboard 28” High x 60” Wide	X-TACKWM2860	1x	
7. Overhead Task Light 40” Long	A-LEDTL-61540	1x	

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Calibrate Countdown Typicals

Typical 5




Description	Model Number	Quantity	Notes
1. Desk Shell Full Modesty 29” High x 72” Wide x 30” Deep	X-DS7230	1x	
2. Full Depth Two Drawer Lateral 28” High x 36” Wide x 18” Deep	X-LAT2DFS3618	2x	
3. Single Door Tower Left Hinge 66” High x 12” Wide x 18” Deep	X-SDCL6618	2x	
4. Single Door Tower Right Hinge 66” High x 12” Wide x 18” Deep	X-SDCR6618	2x	
5. Wall Mounted Overhead w/ Cabinet Doors 16” High x 72” Wide x 14” Deep	C-OWMC167214L	1x	
6. Wall Mounted Tackboard 20” High x 72” Wide	X-TACKWM2072	1x	
7. Overhead Task Light 40” Long	A-LEDTL-61540	1x	

© 2026, AIS, Inc.

Calibrate Countdown Typicals

Typical 6




Description	Model Number	Quantity	Notes
1. Desk Shell Full Modesty 29” High x 72” Wide x 30” Deep	X-DS7230	1x	
2. Desk Return Left 29” High x 48” Wide x 24” Deep	X-DR4824L	1x	
3. Partial Depth BBF Pedestal 28” High x 16” Wide x 23” Deep	X-BBFPFS23	1x	
4. Partial Depth FF Pedestal 28” High x 16” Wide x 23” Deep	X-FFPFS23	1x	

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Calibrate Countdown Typicals

Typical 7




Description	Model Number	Quantity	Notes
1. Desk Shell Full Modesty 29” High x 72” Wide x 30” Deep	X-DS7230	1x	
2. Desk Return Right 29” High x 42” Wide x 24” Deep	X-DR4224R	1x	
3. Partial Depth BBF Pedestal 28” High x 16” Wide x 23” Deep	X-BBFPFS23	1x	
4. Full Depth FF Pedestal 28” High x 16” Wide x 24” Deep	X-FFPFS24	1x	
5. Wall Mounted Overhead w/ Cabinet Doors 16” High x 72” Wide x 14” Deep	C-OWMC167214L	1x	
6. Wall Mounted Tackboard 28” High x 72” Wide	X-TACKWM2872	1x	
7. Overhead Task Light 40” Long	A-LEDTL-61540	1x	

© 2026, AIS, Inc.

Calibrate Countdown Typicals

Typical 8




Description	Model Number	Quantity	Notes
1. E-Series 2mm Edge Rectangular Table with Height Adjustable Base 72” Wide x 30” Deep	T-RCR307229HG	1x	
2. Suspended Height Adjustable Modesty 12” High x 72” Wide	X-HATM1272	1x	
3. Floor Bookcase 21” High x 30” Wide x 18” Deep	X-CBC2030	1x	
4. Full Depth BF Lateral 21” High x 36” Wide x 18” Deep	X-PLAT2D3618	1x	
5. Single Door Tower Left Hinge 66” High x 12” Wide x 18” Deep	X-SDCL6618	1x	
6. Wall Mounted Overhead w/ Cabinet Doors 16” High x 66” Wide x 14” Deep	C-OWMC166614L	1x	
7. Wall Mounted Tackboard 28” High x 66” Wide	X-TACKWM2866	1x	
8. Overhead Task Light 40” Long	A-LEDTL-61540	1x	

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Calibrate Countdown Typicals

Typical 9




Description	Model Number	Quantity	Notes
1. Desk Shell Full Modesty 29” High x 72” Wide x 30” Deep	X-DS7230	1x	
2. Desk Bridge with Full Modesty Flush 29” High x 42” Wide x 24” Deep	X-DB4224	1x	
3. Desk Shell with Full Modesty Flush 29” High x 72” Wide x 24” Deep	X-DSFM7224	1x	
4. Full Depth BBF Pedestal 28” High x 16” Wide x 24” Deep	X-BBFPFS24	1x	
5. Full Depth Two Drawer Lateral 28” High x 30” Wide x 18” Deep	X-LAT2DFS3018	1x	
6. Wall Mounted Overhead w/ Cabinet Doors 16” High x 72” Wide x 14” Deep	C-OWMC167214L	1x	
7. Wall Mounted Tackboard 28” High x 72” Wide	X-TACKWM2872	1x	
8. Overhead Task Light 40” Long	A-LEDTL-61540	1x	

© 2026, AIS, Inc.

Calibrate Countdown Typicals

Typical 10




Description	Model Number	Quantity	Notes
1. Day-to-Day 2mm Edge Rectangular Table with Height Adjustable Base 72” Wide x 30” Deep	T-RCR307229HLG2	1x	
2. Suspended Height Adjustable Modesty 12” High x 72” Wide	X-HATM1272	1x	
3. Full Depth BF Lateral 21” High x 36” Wide x 18” Deep	X-PLAT2D3618	2x	
4. Single Door Tower Left Hinge 66” High x 12” Wide x 18” Deep	X-SDCL6618	1x	
5. Single Door Tower Right Hinge 66” High x 12” Wide x 18” Deep	X-SDCR6618	1x	
6. Wall Mounted Open Overhead 16” High x 72” Wide x 14” Deep	C-OWM167214	1x	
7. Wall Mounted Tackboard 28” High x 72” Wide	X-TACKWM2872	1x	
8. Overhead Task Light 40” Long	A-LEDTL-61540	1x	

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

24” and 30” Deep Desk Shells


24” DEEP DESK SHELL FULL MODESTY

H	W	D	Model Number	List
29	60	24	X-DS6024	1,574
29	66	24	X-DS6624	1,630
29	72	24	X-DS7224	1,688



30” DEEP DESK SHELL FULL MODESTY

H	W	D	Model Number	List
29	60	30	X-DS6030	1,609
29	66	30	X-DS6630	1,763
29	72	30	X-DS7230	1,824




Specify

- Laminate Selection for Worksurface
- Laminate Selection for Base
- Grommet Location

Notes


24” DEEP DESK SHELL WITH FULL MODESTY FLUSH

H	W	D	Model Number	List
29	60	24	X-DSFM6024	1,576
29	66	24	X-DSFM6624	1,631
29	72	24	X-DSFM7224	1,689



30” DEEP DESK SHELL WITH FULL MODESTY FLUSH

H	W	D	Model Number	List
29	60	30	X-DSFM6030	1,697
29	66	30	X-DSFM6630	1,763
29	72	30	X-DSFM7230	1,824



Specify

- Laminate Selection Worksurface
- Laminate Selection for Base
- Grommet Location

Notes


- Unsupported worksurfaces greater than 48” wide will require additional support.

© 2026, AIS, Inc.


Desk Returns and Bridges

DESK RETURNS

			Left	Right	
H	W	D	Model Number	Model Number	List
29	42	24	X-DR4224L	X-DR4224R	1,233
29	48	24	X-DR4824L	X-DR4824R	1,286



Left



Right

Specify


- Laminate Selection for Worksurface
- Laminate Selection for Base
- Grommet Location

Notes

- Unsupported worksurfaces greater than 48” wide will require additional support.

DESK BRIDGE WITH FULL MODESTY FLUSH

H	W	D	Model Number	List
29	42	24	X-DB4224	921
29	48	24	X-DB4824	960



Specify

- Laminate Selection for Worksurface
- Laminate Selection for Base
- Grommet Location

Notes

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Rectangular Worksurfaces

24” DEEP RECTANGULAR WORKSURFACES

D	W	Model Number	List
24	24	W-WS2424	424
24	30	W-WS2430	506
24	36	W-WS2436	551
24	42	W-WS2442	598
24	48	W-WS2448	649
24	54	W-WS2454	721
24	60	W-WS2460	796
24	66	W-WS2466	904
24	72	W-WS2472	989

30” DEEP RECTANGULAR WORKSURFACES

D	W	Model Number	List
30	24	W-WS3024	506
30	30	W-WS3030	595
30	36	W-WS3036	648
30	42	W-WS3042	768
30	48	W-WS3048	831
30	54	W-WS3054	964
30	60	W-WS3060	964
30	66	W-WS3066	1,087
30	72	W-WS3072	1,182



Specify

- Laminate Selection
- Color Selection for 2mm Edge
- Additional Grommet Locations (+38)
- Grommet Cover Color (if applicable)

Notes


- Worksurface support hardware is specified separately.
- Grommet holes with covers are specified as options.
- It is highly recommened that a center support be used on all worksurfaces greater than 48” width. When spanning panel connections with a worksurface greater than 48” wide, an additional center cantilever is recommended for added support. Otherwise, a U-channel is recommended for additional center worksurface support.
- It is not recommended that 36”, 42” and 48” deep worksurfaces be cantilevered to panels. Instead worksurfaces with those depths must be panel hung.
- It is highly recommended that an additional front support, such as a combination leg or full laminate support panel, also be specified.

© 2026, AIS, Inc.

O-Leg Table Desks, Freestanding O-Legs

2MM EDGE O-LEG TABLE DESKS


D	W	H	Model Number	List
24	60	29	T-RCR246029OLG	3,398
24	66	29	T-RCR246629OLG	3,471
24	72	29	T-RCR247229OLG	3,526
30	60	29	T-RCR306029OLG	3,675
30	66	29	T-RCR306629OLG	3,761
30	72	29	T-RCR307229OLG	3,827



Specify	Notes
• Laminate Selection for Worksurface • Color Selection for Edge • Color Selection for Leg	• Steel O-Legs have a 1” x 2” profile. • O-Legs have 1 1/2” leveling glides. • Ships unassembled. • Includes U channel(s) to reinforce the work surface. • Field installed grommets are required to be inset for O-Leg attachment bracket.

FREESTANDING O-LEGS

H	D	Model Number	List
27	24	WFS-OLW2724FS-2	1,169
27	30	WFS-OLW2730FS-2	1,299




Specify	Notes
• Paint Selection	• May be used as shared leg in applications up to 72” wide. • O-Leg for use with run off and freestanding table applications. • Steel O-Legs have a 1” x 2” profile. • O-Legs have 1 1/2” leveling glides. • Not sized for use with knife edge work surfaces. • Not for panel mounting, for panel mounting leg see panel specific price list. • Use in conjunction with an appropriate sized U channel(s) when supporting a span of 48” or greater. • AIS standard corner grommet locations will be obscured by this leg. Consult specials team for any grommet location near O-legs.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Height Adjustable Tables

DAY-TO-DAY 2MM EDGE RECTANGULAR TABLES WITH HEIGHT ADJUSTABLE BASES

D	W	H	Worksurface	Model Number	List
24	42	29	23 x 40	T-RCR244229HLG2	3,303
24	48	29	23 x 46	T-RCR244829HLG2	3,466
24	54	29	23 x 52	T-RCR245429HLG2	3,527
24	60	29	23 x 58	T-RCR246029HLG2	3,548
24	66	29	23 x 64	T-RCR246629HLG2	3,570
24	72	29	23 x 70	T-RCR247229HLG2	3,593
30	42	29	29 x 40	T-RCR304229HLG2	3,334
30	48	29	29 x 46	T-RCR304829HLG2	3,548
30	54	29	29 x 52	T-RCR305429HLG2	3,575
30	60	29	29 x 58	T-RCR306029HLG2	3,603
30	66	29	29 x 64	T-RCR306629HLG2	3,629
30	72	29	29 x 70	T-RCR307229HLG2	3,657



Specify


- Laminate Selection for Worksurface
- Color Selection for Edge
- Color Selection for Base
- Additional Grommet Locations (+38)
- Grommet Cover Color (if applicable)

Notes

- Features a 3-stage table base.
- Dimensions shown for Height Adjustable Tables are the nominal sizes. Actual sizes will be smaller to provide a 1” perimeter gap required for safety.
- Height adjustable tables available on glides only.
- Grommet holes with covers are specified as options.
- Bases available in black, satin white, or metallic silver.
- For base only please see Support price list.

E SERIES 2MM EDGE RECTANGULAR TABLES WITH HEIGHT ADJUSTABLE BASES

D	W	H	Worksurface	Model Number	List
24	42	29	23 x 40	T-RCR244229HG	3,023
24	48	29	23 x 46	T-RCR244829HG	3,186
24	54	29	23 x 52	T-RCR245429HG	3,246
24	60	29	23 x 58	T-RCR246029HG	3,266
24	66	29	23 x 64	T-RCR246629HG	3,289
24	72	29	23 x 70	T-RCR247229HG	3,312
30	42	29	29 x 40	T-RCR304229HG	3,054
30	48	29	29 x 46	T-RCR304829HG	3,266
30	54	29	29 x 52	T-RCR305429HG	3,294
30	60	29	29 x 58	T-RCR306029HG	3,321
30	66	29	29 x 64	T-RCR306629HG	3,351
30	72	29	29 x 70	T-RCR307229HG	3,377



Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Color Selection for Base
- Additional Grommet Locations (+38)
- Grommet Cover Color (if applicable)

Notes


- Features a 2-stage table base.
- Dimensions shown for Height Adjustable Tables are the nominal sizes. Actual sizes will be smaller to provide a 1” perimeter gap required for safety.
- Height adjustable tables available on glides only.
- Grommet holes with covers are specified as options.
- Bases available in black, satin white, or metallic silver.

© 2026, AIS, Inc.

Height Adjustable Modesties and Round Tables

SUSPENDED HEIGHT ADJUSTABLE MODESTY


H	Nominal Width	Actual Width	Model Number	List
12	42	26	X-HATM1242	883
12	48	32	X-HATM1248	897
12	54	38	X-HATM1254	910
12	60	44	X-HATM1260	921
12	66	50	X-HATM1266	934
12	72	56	X-HATM1272	946



Specify	Notes
• Laminate Selection	This optional modesty panel can be specified on the height adjustable table desk.

DAY-TO-DAY 2MM EDGE ROUND TABLES WITH STEEL X-BASES

D	H	Model Number	List
36	29	T-RDR3629SXG	1,591




Specify	Notes
• Laminate Selection for Worksurface	
• Color Selection for Edge	
• Color Selection for Base	

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


21” High Floor Bookcases, Laterals

FLOOR BOOKCASES


H	W	D	Model Number	List
21	24	18	X-CBC2024	1,676
21	30	18	X-CBC2030	1,757
21	36	18	X-CBC2036	2,059
21	24	24	X-CBC202424	1,676
21	30	24	X-CBC203024	1,737
21	36	24	X-CBC203624	2,057



24” - 30” Wide




36” Wide




No feet.
3/8” tall glides.

FLOOR BOOKCASES FOR FLOATING TOPS

H	W	D	Model Number	List
21	24	24	X-BCRO2424	2,078
21	30	24	X-BCRO2430	2,165
21	36	24	X-BCRO2436	2,253



24”, 30”, 36” Wide





No feet.
3/8” tall glides.

Specify	Notes
• Laminate Selection for Unit	• Adjustable shelves have 6” of adjustability.

BF LATERALS

H	W	D	Depth	Counterweight	Model Number	List
21	30	18	Full	Y	X-PLAT2D3018	3,085
21	36	18	Full	Y	X-PLAT2D3618	3,258
21	30	24	Full	Y	X-PLAT2D3024	3,319
21	36	24	Full	Y	X-PLAT2D3624	3,511





No feet.
3/8” tall glides.


Specify	Notes
• Laminate Selection for Case • Laminate Selection for Face/Drawer • Handle Selection • Handle Paint Selection • Lock Selection	• For functional loads see Calibrate Product Details. • Lock cores and trim rings ship separately. • One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.


© 2026, AIS, Inc.

28” High Floor Laterals

TWO DRAWER LATERALS

H	W	D	Depth	Counterweight	Model Number	List
28	30	18	Full	Y	X-LAT2DFS3018	3,330
28	36	18	Full	Y	X-LAT2DFS3618	3,531
28	30	24	Full	Y	X-LAT2DFS3024	3,618
28	36	24	Full	Y	X-LAT2DFS3624	3,844





No feet.
3/8" tall glides.

Specify	Notes
• Laminate Selection for Case • Laminate Selection for Face/Drawer • Handle Selection • Handle Paint Selection • Lock Selection	• See Product Details for more information on how to specify Full and Partial depth. For functional loads see Calibrate Product Details. • Partial Depth required when modesty is applied. • Lock cores and trim rings ship separately. • One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


21” High BF Pedestal

BF PEDESTAL ON CASTERS

H	W	D	Model Number	List
21	16	18	C-BFP18M	2,804



16” Wide
(With Cushion)



Product is elevated
on 2 5/8” casters.


Specify	Notes
• Laminate Selection for Case • Fabric Selection for Cushion • Laminate Selection for Face/Drawer • Handle Selection • Handle Paint Selection • Lock Selection	• Height shown without cushions. 21” high pedestals on casters have an actual height of 24 1/8” with a cushion. • For functional loads see Universal Storage Product Details. • Mobile pedestals come with two locking and two non-locking casters. • Lock cores and trim rings ship separately. • One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.


© 2026, AIS, Inc.

28” High Floor Pedestals, Laterals

BBF PEDESTALS

H	W	D	Depth	Counterweight	Model Number	List
28	16	23	Partial	N	X-BBFPFS23	2,204
28	16	24	Full	Y	X-BBFPFS24	2,220
28	16	29	Partial	N	X-BBFPFS29	2,260
28	16	30	Full	Y	X-BBFPFS30	2,290







No feet.
3/8" tall glides.

FF PEDESTALS

H	W	D	Depth	Counterweight	Model Number	List
28	16	23	Partial	N	X-FFPFS23	2,137
28	16	24	Full	Y	X-FFPFS24	2,163
28	16	29	Partial	N	X-FFPFS29	2,199
28	16	30	Full	Y	X-FFPFS30	2,214





No feet.
3/8" tall glides.

Specify

- Laminate Selection for Case
- Laminate Selection for Face/Drawer
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes


- See Product Details for more information on how to specify Full and Partial depth. For functional loads see Calibrate Product Details.
- Partial Depth required when modesty is applied.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

SINGLE DOOR TOWERS

			Left-Hinge	Right-Hinge	
H	W	D	Model Number	Model Number	List
66	12	18	X-SDCL6618	X-SDCR6618	2,945
66	12	24	X-SDCL6624	X-SDCR6624	3,101



66” High
(Left-Hinge)



No feet.
3/8” tall glides.


Specify	Notes
• Laminate Selection for Case • Laminate Selection for Door/Face • Handle Selection • Handle Paint Selection • Lock Selection	• Left-hinge towers shown. • Towers must be ganged together with another unit or secured to a wall. • Towers are wardrobe style and do not have shelving. • 18” deep units come equipped with a coat hook. 24” deep units come equipped with a coat rod. • Single door tower handles are designed to be aligned with adjacent storage elements in private office settings. • Lock cores and trim rings ship separately. • One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section. • 12”W storage must be secured to a wall or panel, or connected to another unit for stability. A panel support bracket can be found in Accessories.

© 2026, AIS, Inc.


Bookcases

BOOKCASES


H	W	D	Model Number	List
42	30	14	X-BC423015	2,078
42	36	14	X-BC423615	2,170
50	30	14	X-BC503015	2,161
50	36	14	X-BC503615	2,258
66	30	14	X-BC663015	2,384
66	36	14	X-BC663615	2,513




42” High



50” High



66” High



No feet.
3/8” tall glides.

Specify	Notes
• Laminate Selection for Unit	


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Wall Mounted Storage

WALL MOUNTED OPEN OVERHEAD

H	W	D	Model Number	List
16	36	14	C-OWM163614	1,713
16	42	14	C-OWM164214	1,756
16	48	14	C-OWM164814	1,808
16	54	14	C-OWM165414	2,067
16	60	14	C-OWM166014	2,110
16	66	14	C-OWM166614	2,162
16	72	14	C-OWM167214	2,204



36” - 48” Wide




54” - 72” Wide


Specify	Notes
• Laminate Selection for Unit	• Wall mounted laminate storage ships with a minimum of two MDF cleats depending on size. One cleat ships attached to the unit, and one cleat ships separately. • Cleats are unfinished and visible from the top view. Please note: depending on application, a top may be required through specials.

WALL MOUNTED OVERHEAD WITH CABINET DOORS

H	W	D	Model Number	List
16	36	14	C-OWMC163614L	2,283
16	42	14	C-OWMC164214L	2,329
16	48	14	C-OWMC164814L	2,385
16	54	14	C-OWMC165414L	2,843
16	60	14	C-OWMC166014L	2,891
16	66	14	C-OWMC166614L	2,952
16	72	14	C-OWMC167214L	3,000



36” - 48” Wide



54” - 72” Wide

Specify	Notes
• Laminate Selection for Case • Laminate Selection for Door/Face • Handle Selection • Handle Paint Selection • Lock Selection	• Lock cores and trim rings ship separately. • One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section. • Wall mounted laminate storage ships with a minimum of two MDF cleats depending on size. One cleat ships attached to the unit, and one cleat ships separately • Cleats are unfinished and visible from the top view. Please note: depending on application, a top may be required through specials.

© 2026, AIS, Inc.

Wall Mounted L Shelves

WALL MOUNTED L SHELVES


				Vertical Grain	Horizontal Grain	
H	W	D	Shelves	Model Number	Model Number	List
16	36	12	1	X-LSWM163612	X-LSWM163612H	971
16	42	12	1	X-LSWM164212	X-LSWM164212H	995
16	48	12	1	X-LSWM164812	X-LSWM164812H	1,018
16	54	12	1	X-LSWM165412	X-LSWM165412H	1,043
16	60	12	1	X-LSWM166012	X-LSWM166012H	1,066
16	66	12	1	-	X-LSWM166612H	1,088
16	72	12	1	-	X-LSWM167212H	1,111

WALL MOUNTED L SHELVES

				Vertical Grain	Horizontal Grain	
H	W	D	Shelves	Model Number	Model Number	List
45	36	12	2	X-LSWM453612	X-LSWM453612H	1,388
45	42	12	2	X-LSWM454212	X-LSWM454212H	1,421
45	48	12	2	X-LSWM454812	X-LSWM454812H	1,454
45	54	12	2	X-LSWM455412	X-LSWM455412H	1,488
45	60	12	2	X-LSWM456012	X-LSWM456012H	1,521
45	66	12	2	-	X-LSWM456612H	1,555
45	72	12	2	-	X-LSWM457212H	1,587



16" High



45" High

Specify

- Laminate Selection for Backboard
- Laminate Selection for Shelf

Notes

- Shelves have a max capacity of 10lbs per foot per width.
- Total thickness is 1 1/2". Backboard is mounted on 3/4" thick board finished in matching edge.
- Laminate grain for shelf always runs horizontal. Laminate grain for backboards are available in vertical and horizontal (not available in all sizes).
- L Shelves ship knocked down.
- Wall mounted laminate storage ships with a minimum of two MDF cleats depending on size. One cleat ships attached to the unit, and one cleat ships separately.
- Cleats are unfinished.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Wall Mounted Tackboards

WALL MOUNTED TACKBOARDS

H	W	Model Number	List	Fabric Grade C
20	36	X-WMTACK2036	939	+27
20	42	X-WMTACK2042	954	+27
20	48	X-WMTACK2048	977	+27
20	54	X-WMTACK2054	1,001	+27
20	60	X-WMTACK2060	1,025	+27
20	66	X-WMTACK2066	1,050	+27
20	72	X-WMTACK2072	1,078	+27
28	36	X-WMTACK2836	995	+34
28	42	X-WMTACK2842	1,013	+34
28	48	X-WMTACK2848	1,031	+34
28	54	X-WMTACK2854	1,051	+34
28	60	X-WMTACK2860	1,069	+34
28	66	X-WMTACK2866	1,196	+34
28	72	X-WMTACK2872	1,234	+34

VERTICAL WALL MOUNTED TACKBOARD

H	W	Model Number	List	Fabric Grade C
45	24	X-WMTACK4524	1,103	+34
45	30	X-WMTACK4530	1,123	+34
45	36	X-WMTACK4536	1,140	+34





Specify

- Fabric Selection

Notes


- Tackboard thickness: 1 1/2”.
- Fabric is applied horizontally (railroaded) on 61”H tackboards.

© 2026, AIS, Inc.

Standard Series Monitor Arms

SINGLE MONITOR ARM

Model Number	List
A-ERSMASB	526




Notes

- Suitable for 10” - 28” size range LCD screens.
- Load capacity of 19lbs per arm.
- Features 180 degree rotation at the mounting base and extension.
- VESA monitor mount for 75mm and 100mm standard.
- Available mounting options include c-clamp, grommet or bolt through.
- Available in silver only.
- Single monitor arm features a snap-in/removable cord clip for wire management.
- Single monitor arm features a lock-in-place monitor mount for simplified installation.

DUAL MONITOR ARM

Model Number	List
A-ERDMASB	894




Notes

- Suitable for 10” - 28” size range LCD screens.
- Load capacity of 19 lbs per arm.
- Features 180 degree rotation at the mounting base and extension.
- VESA monitor mount for 75mm and 100mm standard.
- Available mounting options include c-clamp, grommet or bolt through.
- Available in silver only.
- Dual monitor arm features a lock-in-place monitor mount for simplified installation.

DUAL MONITOR ARM FOR SHALLOW DEPTH WORKSURFACES

Model Number	List
A-ERDMAM9	894



Notes


- Suitable for LCD screens up to 27”.
- Load capacity of 14.3 lbs. per monitor.
- Features 180 degree rotation at the mounting base and extension.
- Monitors mount with M4 screws to a VESA bracket.
- VESA monitor mount for 75mm and 100mm standard.
- Mounts with c-clamp on the table edge or through a grommet hole.
- Available in silver only.
- Shallow depth monitor arm does not include a lock-in-place monitor mount.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Surface Mounted Power, Overhead LED Task Lights

BELLA 1050 CLAMP

Mounting Type	Model Number	List
Clamp	E-BELLA1050-STT	1,032




Clamp Mount

Notes

- Quick Charge (QC) & Power Delivery (PD) enabled
- 2 Tamper-Resistant AC outlets
- USB Type-A port: 5V-12V, Up to 18W; USB Type-C port: 5V-20V, Up to 45W
- 6′ power cord
- Available in white only.

OVERHEAD LED TASK LIGHTS

Length	Model Number	List
24	A-LEDTL-61024	609
40	A-LEDTL-61540	904



Notes


- LED task lights are 1-1/4″ wide, and 3/8″ in thickness and come in 24 and 40 inch lengths.
- Brushed aluminum with black trim.
- Attachable to the underside of overhead cabinet via the built-in magnets, or mounted to non-metal surfaces using the adjustable mounting bracket.
- Feature 100 lm/w with warm white and white color temps and convenient one-touch On/Off and Touch-and-Hold dimmer.
- Power-in and power-switch are reversible. Power cord is 10’ in length.

© 2026, AIS, Inc.

Keyboard Arms, Mouse Trays, Pencil Drawers and Anti-Fatigue Mats

STANDARD EXTENDED KEYBOARD ARM

Model Number	List
A-KEYBZE	1,231




Notes

- Keyboard Arm / Trays mount to underside of worksurfaces to support standard computer keyboards.
- Keyboard platform area behind wrist rest measures 8 1/2” deep x 20” wide.
- All keyboard trays include a factory mounted, synthetic leather wrist rest.

STANDARD MOUSE TRAY

Model Number	List
A-MSETS	218




Notes

- Mouse Tray mounts to either the left or right side of keyboard tray platform with screws to service both left and right handed users.
- Mouse tray has standard mouse pad surface and requires no additional mouse pad.
- Mouse area measures 7 1/4” x 7 1/4”.
- Mouse tray swivels around vertical axis 270° and has 30° of tilt around the horizontal axis (15° above keyboard tray plane to 15° below plane, independent of keyboard tray tilt).
- Order mouse tray separately.

PENCIL DRAWER

H	W	D	Model Number	List
2 1/4	21 1/4	16 1/4	A-PDRWP	318




Notes

- Pencil Drawer provides convenient, low profile storage of loose items.
- Constructed of rigid, durable PVC with black textured finish.
- Plastic slides mount underneath worksurfaces with screws provided.
- Pencil drawer measures 16 1/4” deep x 21 1/4” wide x 2 1/4” high.
- Plan pencil drawer location around worksurface support elements.

ANTI-FATIGUE MAT

W	D	Thickness	Model Number	List
34	20	3/4	A-HF342075	259



Notes

- Custom blended medium density polyurethane foam. High tear strength polyurethane outer membrane.
- Available in black only.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Lock Cores and Keys

SILVER LOCK CORES AND KEYS

Key Type	Model Number	List
Core with 2 keys	S-W1CORE1	25
Core with 2 keys (set of 2 keyed alike)	S-W1CORE2	39
Core with 2 keys (set of 3 keyed alike)	S-W1CORE3	60
Core with 2 keys (set of 4 keyed alike)	S-W1CORE4	77
Core with 2 keys (set of 5 keyed alike)	S-W1CORE5	95
Core with 2 keys (set of 6 keyed alike)	S-W1CORE6	111
Core with 2 keys (set of 7 keyed alike)	S-W1CORE7	129
Core with 2 keys (set of 8 keyed alike)	S-W1CORE8	149
Core with 2 keys (set of 9 keyed alike)	S-W1CORE9	166
Core with 2 keys (set of 10 keyed alike)	S-W1CORE10	184
Master Key	RS-W1MKEY	19
Core Removal Key	RS-W1CRKEY	19
Replacement Key	RS-WK _ _ _ (Key Number)	26




Notes

- Silver keyed alike lock cores should be specified when ordering Option E in the Lock Choice for Calibrate: No Lock w/ Silver Ring for Keyed Alike.
- Keyed alike lock cores must be installed in the field.
- Keys and Lock Cores are available in #'s 226 through 425.
- A core removal key is needed to remove an existing core from the lock housing in order to replace with a new core.
- Order sets based on quantity of storage items to be keyed alike.

BLACK LOCK CORES AND KEYS

Key Type	Model Number	List
Core with 2 keys	S-W1CORE1B	25
Core with 2 keys (set of 2 keyed alike)	S-W1CORE2B	39
Core with 2 keys (set of 3 keyed alike)	S-W1CORE3B	60
Core with 2 keys (set of 4 keyed alike)	S-W1CORE4B	77
Core with 2 keys (set of 5 keyed alike)	S-W1CORE5B	95
Core with 2 keys (set of 6 keyed alike)	S-W1CORE6B	111
Core with 2 keys (set of 7 keyed alike)	S-W1CORE7B	129
Core with 2 keys (set of 8 keyed alike)	S-W1CORE8B	149
Core with 2 keys (set of 9 keyed alike)	S-W1CORE9B	166
Core with 2 keys (set of 10 keyed alike)	S-W1CORE10B	184



Notes

- Black keyed alike lock cores should be specified when ordering Option D in the Lock Choice for Calibrate: No Lock w/ Black Ring for Keyed Alike.
- Keyed alike lock cores must be installed in the field.
- Keys and Lock Cores are available in #'s 226 through 425.
- A core removal key is needed to remove an existing core from the lock housing in order to replace with a new core.
- Order sets based on quantity of storage items to be keyed alike.
- Black lock cores not available for L-Series storage.
- Black lock cores only available on laminate storage.

© 2026, AIS, Inc.

National Showrooms:

Leominster
AIS Headquarters
25 Tucker Drive
Leominster, MA 01453

Chicago
The Merchandise Mart
Suite 391
Chicago, Illinois 60654

New York
AIS New York
257 Park Avenue South
New York, New York 10010

Washington, D.C.
AIS Washington, D.C.
1501 M St, NW, STE 230
Washington, D.C. 20005

GSA Sales
GSA Contract 47QSMA20D08Q4
Multiple Award Schedule (MAS)
Large Category: Furniture & Furnishings
Subcategories: Office Furniture, Packaged Office Furniture and Furniture Services

For additional information on AIS:
Dealer Showrooms, Representative Directory, Project Case Studies, Online Catalog & Product Showcase
Visit: **www.ais-inc.com**

AIS

800.434.7400 | 978.562.7500 | Fax: 978.562.0811 | www.ais-inc.com | March 2026

CALIBRATE® SERIES
CASEGOODS & RECEPTION

March 2026 Price List

AIS

PRODUCT INFORMATION

Calibrate Statement of Line . . . 6
Calibrate Finish Options . . . 17
Calibrate Product Details . . . 20
Calibrate Typicals . . . 43

DESK SHELLS

24”, 30” and 36” Deep Desk Shells . . . 52
Desk Shells with Access Modesties . . . 53
Desk Shells with Full Modesty Flushes and Desk Shell Center Supports . . . 54
Desk Returns . . . 55
Desk Bridges . . . 56

RECEPTION

Reception Desk Shells and Returns . . . 57
Reception Corner Stack-On . . . 58
Reception Stack-Ons and Countertops . . . 59
Corian® Reception Corner Stack-On . . . 60
Corian Reception Stack-Ons . . . 63
Corian Reception Countertops . . . 64
Corian Reception Stack-Ons, Compatibility Guidelines . . . 65

RUN-OFF WORKSURFACES

Rectangular Floating Run-Off Worksurfaces . . . 66
Radius Rectangular Floating Run-Off Worksurfaces . . . 68
Blade and Wedge Floating Run-Off Worksurfaces . . . 69
Run-Offs for 29” High Post Legs . . . 70
Run-Offs for Desk Shells . . . 71
Rectangular Run-Offs . . . 72
D Tops . . . 74
Stack-On Desks . . . 75

TABLE DESKS

Rectangular and Round Corner Rectangular Table Desks (Fixed and Mobile) . . . 77
Square Table Desks (Fixed and Mobile) . . . 78
Round and Triangle Table Desks (Fixed and Mobile) . . . 79
Blade Table Desks (Fixed and Mobile) . . . 80
Blade Table Desks with Flat Sides (Fixed and Mobile) . . . 81
Wedge Table Desks (Fixed and Mobile) . . . 82
O-Leg Table Desks . . . 83
Cantilevered Height Adjustable Table Assembly Door Locations and Power Options . . . 84
Cantilevered Height Adjustable Tables . . . 85
Cantilevered Height Adjustable Tables for Run-offs . . . 86
3-Leg Cantilevered Height Adjustable Table Desks . . . 90
Wall Mounted Cantilevered Height Adjustable Tables . . . 92
Wall Mounted Cantilevered Height Adjustable Tables for Run-offs . . . 93
3-Leg Wall Mounted Cantilevered Height Adjustable Table Desks . . . 97
Enclosed Based Single Stage Height Adjustable Table Desks . . . 99
Executive Floating Height Adjustable Table Desk Product Details . . . 100
Executive Floating Height Adjustable Table Desks, 2-Leg . . . 107
Executive Floating Height Adjustable Table Desks, 3-Leg . . . 111
Executive Floating Height Adjustable Table Suspended Modesty, Standard Run-Off Mounting Kit . . . 119

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Height Adjustable Table Bases . . . 120
21” High Fixed Modesty Height Adjustable Table Base . . . 121
Height Adjustable Table Legs and Worksurfaces . . . 123
Calibrate 3-Leg Height Adjustable Tables Version 2 . . . 124
Calibrate 3-Leg Height Adjustable Tables . . . 128
Calibrate 3-Leg Executive Height Adjustable Tables with Extended Corner Desk . . . 130
Calibrate 3-Leg Executive Height Adjustable Tables with Extended Transition Corner Desk . . . 134
Foot Kits, End Panels and Modesties for Height Adjustable Tables . . . 136
Calibrate Combo Unit w/Integrated Calibrate Height Adjustable Table . . . 137

WALL MOUNTED STORAGE

Open Wall Mounted Storage . . . 139
Wall Mounted Storage with Cabinet Doors . . . 140
Wall Mounted Storage with Sliding Doors . . . 142
Wall Mounted L Shelves . . . 144
Wall Panels . . . 146
Whiteboard Wall Panels . . . 148

SUSPENDED STORAGE

Suspended Utility Storage and Accessories . . . 150

STORAGE

18” High Mobile Pedestals . . . 151
21” High BF Pedestals . . . 152
21” High Hidden Drawer BF Pedestals . . . 154
21” High Cubby Pedestals . . . 155
21” High Lateral Floor Storage . . . 156
36” High Floor Bookcases . . . 157
21” High Floor Bookcases . . . 158
21” High Floor Bookcases for Floating Tops and Shared Floor Bookcases . . . 159
36” High Floor Cabinets . . . 160
21” High Floor Cabinets . . . 161
21” High Floor Credenzas . . . 162
21” High Combo Units with BF Pedestal and Bookcase . . . 164
21” High Non-Powered Wall Access Cabinets . . . 165
21” High Powered Access Cabinets . . . 166
28” High BBF Pedestals . . . 167
28” High Cubby BF Pedestals . . . 168
28” High FF Pedestals . . . 169
28” High BBF Laterals . . . 170
28” High Cubby BF Laterals . . . 171
28” High Two Drawer Laterals . . . 172
28” High Cubby F Laterals . . . 173
28” High Floor Bookcases . . . 174
28” High Shared Floor Bookcases . . . 175
28” High Two Door Cabinets . . . 176
28” High Four Door Cabinets . . . 177
28” High Single Door Cabinets and Credenzas with Cabinet Doors . . . 178
28” High Credenzas with Sliding Doors . . . 179
28” High Combo BBF and Combo FF Storage . . . 180
28” High Combo Laterals . . . 181
42” and 50” High Lateral Bookcases . . . 183

© 2026, AIS, Inc.

42” and 50” High Laterals with Sliding Doors . . . 185
42” and 50” Two Door Cabinets . . . 187
27”, 42”, 50” High Side Access Roll Out / Pantry Towers . . . 188
42” Three Drawer Laterals and 54” Four Drawer Laterals . . . 190
BF Wardrobe Towers . . . 191
BBF Wardrobe Towers . . . 193
FF Wardrobe Towers . . . 195
BF Pedestal Towers with Open Front . . . 197
BF Pedestal Towers with Open Side . . . 198
BF Pedestal Towers with Cupboard . . . 199
BBF Pedestal Towers with Open Front . . . 200
BBF Pedestal Towers with Open Side . . . 201
BBF Pedestal Towers with Cupboard . . . 202
FF Pedestal Towers with Open Front . . . 203
FF Pedestal Towers with Open Side . . . 204
FF Pedestal Towers with Cupboard . . . 205
BF Lateral Bookcases . . . 206
BF Laterals with Cabinet Doors . . . 207
BBF Lateral Bookcases . . . 208
BBF Lateral Bookcases with Divider . . . 209
BBF Laterals with Cabinet Doors . . . 210
FF Lateral Bookcases . . . 211
FF Lateral Bookcases with Divider . . . 212
FF Laterals with Cabinet Doors . . . 213
66”, 74” and 82” High Two Door Cabinets . . . 214
Bookcases . . . 215
Single Door Towers . . . 216
Two Door Towers with Coat Rod . . . 218
Lockers . . . 220

DRY PLANTERS

Calibrate Dry Planters . . . 222
Calibrate Stack-On Dry Planters . . . 224
Calibrate Single Wrap Dry Planters . . . 225
Calibrate Double Wrap Dry Planters . . . 226

STACK-ON STORAGE

Stack-On Bookcases . . . 227
Stack-On Cabinets . . . 228
Stack-On Cabinets with Coat Rod . . . 229
Stack-On Wardrobes . . . 230

HUTCHES

Open Hutches . . . 231
Hutches with Cabinet Doors . . . 233
Hutches with Sliding Doors . . . 237

TACKBOARDS

Wall Mounted Tackboards . . . 242
Tackboard Hutch Mounts for Calibrate . . . 244

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

ACCESSORIES

Paper Flows . . . 245
Drawers . . . 246
Locks and Keys . . . 247
Credenza and Pedestal Cushions . . . 249
Task Lights . . . 250
Electrical . . . 251
U-Channels, Support Brackets and End Panel Risers . . . 252
Task Light Wire Managers for Tackboards . . . 253
File Bars . . . 254
Miscellaneous Accessories . . . 255
Soft Close Mechanism For Hinged Door . . . 256

WARRANTY & TERMS AND CONDITIONS

For Warranty & Terms and Conditions please visit:
https://www.ais-inc.com


CALIBRATE COUNTDOWN Select items available on quick ship Calibrate Countdown program. See Calibrate Countdown price list for full details.

Note: Please see Screens Price Lists for Calibrate specific screens.


© 2026, AIS, Inc.

Desk Shells, Returns, Bridges, Reception and Run-Offs for Calibrate


DESK SHELLS




Desk Shell w/ Full Modesty Recessed




Desk Shell w/ Three-Quarter Modesty Recessed



Desk Shell w/ Half Modesty Recessed




Desk Shell w/ Access Modesty




Desk Shell w/ Full Modesty Flush


RETURNS AND BRIDGES



Desk Return
Left or Right
Left Return Shown




Desk Return w/ Access Modesty
Left or Right
Left Return Shown




Desk Bridge w/ Full Modesty Flush


RECEPTION




Reception Desk Shell




Receptions Return
Left or Right
Left Return Shown



Reception Corner Stack-On and Corian® Reception Corner Stack-On




Reception Stack-On and Corian® Reception Stack-On




Reception Worksurface and Corian® Worksurface


RUN-OFFS




Radius Rect. Floating w/ Tapered Leg
2mm or Knife Edge
Powered or Non-Powered
Non-Powered Knife Edge Shown




Rectangular Floating w/ Tapered Legs
2mm or Knife Edge
Powered or Non-Powered
Non-Powered Knife Edge Shown




Rectangular Floating w/ O-Legs
2mm Edge
Powered or Non-Powered
Non-Powered 2mm Edge Shown




Blade Floating w/ Tapered Leg
Left or Right, 2mm or Knife Edge
Powered or Non-Powered
Non-Powered Right Knife Edge Shown




Wedge Floating w/ Tapered Leg
2mm or Knife Edge
Powered or Non-Powered
Non-Powered Knife Edge Shown




Wedge Floating w/ Tapered Leg Powered
2mm or Knife Edge
Knife Edge Shown




Rect. Run-Off for 29" High Post Leg
2mm or Knife Edge,
Square or Round Leg
2mm Edge with Square Leg Shown



Wedge Run-Off for 29" High Post Legs
2mm or Knife Edge,
Square or Round Leg
2mm Edge with Round Leg Shown



Blade Run-Off for 29" High Post Leg
Left or Right, 2mm or Knife Edge, Square or Round Leg
Right 2mm Edge with Round Leg Shown




Rectangular Run-Off w/ Tapered Leg for Desk Shells
2mm or Knife Edge
2mm Edge Shown


Rev. Mar 2, 2026
© 2026, AIS, Inc.

Run-Offs and Table Desks for Calibrate


RUN-OFFS




Wedge Run-Off w/ Tapered Leg for Desk Shell
2mm or Knife Edge
2mm Edge Shown




Blade Run-Off w/ Tapered Leg for Desk Shells
Left or Right, 2mm or Knife Edge
Left 2mm Edge Shown




Rect. Run-Off w/ Post Leg
With or Without Modesty,
Square or Round Leg
Sq. Leg Without Modesty Shown




Rect. Run-Off w/ Post Leg Freestanding
With or Without Modesty,
Square or Round Leg
Sq. Leg Without Modesty Shown




Rect. Run-Off w/ O-Legs




D Top
Square or Round Leg
Square Leg Shown



Freestanding D Top
With or Without Modesty,
Square or Round Leg
Sq. Leg Without Modesty Shown




Stack-On Desk
Left Hand, Right Hand or Centered
Centered Stack-On Desk Shown




Stack-On Desk w/ O-Legs


TABLE DESKS




Rectangular Table w/ Tapered Post Legs
2mm or Knife Edge,
With or Without Casters
2mm Edge Without Casters Shown



Round Corner Rectangular Table w/ Tapered Post Legs
2mm or Knife Edge,
With or Without Casters
2mm Edge Without Casters Shown



Square Table w/ Tapered Post Legs
2mm or Knife Edge,
With or Without Casters
2mm Edge Without Casters Shown




Round Corner Square Table w/ Tapered Post Legs
2mm or Knife Edge,
With or Without Casters
2mm Edge Without Casters Shown




Round Table w/ Tapered Post Legs
2mm or Knife Edge,
With or Without Casters
2mm Edge Without Caster Shown




Triangle Table w/ Tapered Post Legs
2mm or Knife Edge,
With or Without Casters
2mm Edge Without Casters Shown




Blade Table w/ Tapered Post Legs
2mm or Knife Edge, Left or Right
With or Without Casters
Right 2mm Edge Without Casters Shown




Blade Table w/ Flat Side and Tapered Post Legs
2mm or Knife Edge, Left or Right
With or Without Casters
Right 2mm Edge Without Casters Shown




Wedge Table w/ Tapered Post Legs
2mm or Knife Edge,
With or Without Casters
2mm Edge Without Casters Shown




O-Leg Table Desks
2mm Edge




Cantilevered Height Adjustable Table Desk
Freestanding or Wall Mounted
Powered or Non-Powered
Powered (Back) Shown



Cantilevered Height Adjustable Table Desk w/ Run-Offs
Freestanding or Wall Mounted
Powered or Non-Powered,
for Left or Right Runoff, 24 or 30 Depths
Powered (Left Back) Shown



3-Leg Cantilevered Height Adjustable Table Desk
Freestanding or Wall Mounted
Powered or Non-Powered,
for Main Surface Left or Right
Powered (Back) Shown




Executive Height Adjustable Desk
2mm or Knife Edge,
With or Without Fixed Modesty
Square Edge Without Modesty Shown


© 2026, AIS, Inc.

Table Desks for Calibrate


TABLE DESKS




Executive Floating Height Adjustable Table Desk, 2 Leg
2mm or Knife Edge
72, 78, and 84 Wide Top




Executive Floating Height Adjustable Table Desk, 3 Leg
Return Left or Right, 2mm or Knife Edge
72, 78, and 84 Wide Top




Height Adjustable Table Base
24 or 30 Depths




BF Height Adjustable Table Base
24 or 30 Depths




21" High Fixed Modesty Height Adjustable Table Base to Height Adjustable Table Base
for use with 42, 48, 54, 60, 66, 72, 78, 84, 90, and 96 Wide Top




21" High Fixed Modesty Height Adjustable Table Base 18" to Height Adjustable Table Base
for use with 60, 66, 72, 78, 84, 90, and 96 Wide Top, 18 and 24 Depths




21" High Fixed Modesty Height Adjustable Table Base to Box File Height Adjustable Table Base
for use with 60, 66, 72, 78, 84, 90, and 96 Wide Top,




Height Adjustable Table Base
With or Without Side Access,
Powered or Non-Powered
24 or 30 Wide, 18 or 24 Depths
Non-Powered Without Side Access Shown




Height Adjustable Table Base w/ Bookcase
With or Without Side Access,
18 or 24 Deep, 24 or 30 Wide




Height Adjustable Table
2-Leg Bases with Worksurfaces
2mm or Knife Edge
24 or 30 Deep, 48 - 84 Widths




Height Adjustable Table
3-Leg Base w/ Worksurfaces
2mm Edge
24/30 Deep, 48/42 - 84/72 Widths




Height Adjustable Table, 3-Leg Base w/ Extended Corner Desk
2mm Edge, 1 or 2 Piece
24/30 Deep, 60/48 - 84/72 Widths




Height Adjustable Table, 3-Leg Base w/ Extended Transition Corner Desk
2mm Edge, 1 or 2 Piece
24/30 Deep, 60/48 - 84/72 Widths




Height Adjustable Table
Single Foot Kit




Height Adjustable Table
Foot Glide



End Panel for
Calibrate Height Adjustable Tables



Height Adjustable Table Modesty
42 - 96 Widths




Combo Unit w/ Integrated Calibrate Height Adjustable Table
24 or 30 Wide, 18 or 24 Depths
66 Wide x 24 Deep (Left) Shown

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

Wall Mounted Storage and Suspended Storage for Calibrate


WALL MOUNTED STORAGE




16" High Wall Mounted Open Overhead
36 - 96 Widths
42 and 72 Widths Shown




Wall Mounted Open Overhead Double Height
36 - 78 Widths
42 and 72 Widths Shown




8" High Wall Mounted Open Overhead
36 - 96 Widths
42 and 72 Widths Shown




16" High Wall Mounted Overhead w/ Cabinet Doors
Laminate or Framed Doors, 36 - 96 Widths
Laminate Doors in 42, 72 and 90 Widths Shown




Double Height Wall Mounted Overhead w/ Cabinet Doors
Laminate or Framed Doors
36 - 78 Widths
Laminate Doors in 42 and 72 Widths Shown




16" High Wall Mounted Overhead w/ Sliding Doors
Left or Right Hand
Laminate or Framed Sliding Doors
36 - 96 Widths
Right Side Lock Laminate Doors in 42, 72, 90 Widths Shown



Double Height Wall Mounted Overhead w/ Sliding Doors
Left or Right Hand, Laminate or Framed Sliding Doors 36 - 78 Widths
Right Side Lock Laminate Doors in 42, 72 Widths Shown




Wall Mounted L Shelves
16, 20, 28, 32, 36, 45, 52, 60 High
24 - 72 Widths, 12 Deep
28, 45 and 60 High Shown




Wall Mounted Panels
16, 20, 28, 32, 36, 45, 52, 60 High
24 - 72 Widths, 1 1/2 Deep
28, 45 and 60 High Shown


SUSPENDED STORAGE




Powered Suspended Utility Storage



Non-Powered Suspended Utility Storage



Suspended Utility Pencil Tray




Hanging Folder Kits

© 2026, AIS, Inc.


Floor Storage for Calibrate

FLOOR STORAGE

21” High Floor Storage




BF Pedestal
18, 22 or 24 Depths
On Glides, Feet or Casters
Pencil Tray Included
18 Depth Pedestal on Glides Shown




Hidden Drawer BF Pedestal
18, 22 or 24 Depths
On Glides, Feet or Casters
18 Depth Pedestal on Glides Shown




Cubby Pedestals
File, Box Box, Box or Hidden BF
On Casters
Cubby File on Casters Shown




BF Lateral
30 - 42 Widths, 18, 22 or 24 Depths
On Glides or Feet
18 Depth, 42 Width on Glides Shown




Double Pencil Lateral
30 - 42 Widths, 36 Deep
On Glides or Feet
30 Width on Glides Shown




Floor Bookcase
24 - 72 Widths
On Glides or Feet
42 and 72 Widths on Glides Shown




Floor Bookcase for Floating Tops
24 - 36 Widths, 18, 24 or 30 Depths
On Glides or Feet
Pencil Tray Included
24 and 36 Widths on Glides Shown




Shared Floor Bookcase
Left or Right Hand, 36 - 72 Widths, 18 Deep, On Glides or Feet
Left Hand 42 and 72 Widths on Glides Shown




Two Door Cabinet
24 - 48 Widths, 18 Deep
On Glides or Feet
30 and 42 Widths on Glides Shown




Four Door Cabinet
54 - 72 Widths, 18 Deep
On Glides or Feet
72 Width on Glides Shown




Credenza w/ Sliding Doors
Left or Right Side Lock
36 - 72 Widths, 18 Deep, On Glides or Feet
Left Side Lock in 42 and 72 Widths on Glides Shown




Shared Credenza w/ Sliding Doors
Left or Right Side Lock
36 - 72 Widths, 18 Deep, On Glides or Feet
Right Side Lock in 42 and 72 Widths on Glides Shown




Combo Unit w/
BF Pedestal and Bookcase
30 - 72 Widths, 18 or 24 Depths
On Glides or Feet, Bookcase Left or Right
Bookcase Left 36 and 54 Deep on Glides Shown



Non-Powered Access Cabinets
24 - 30 Widths, 18 - 24 Deep
Open or Closed Back
24 Wide, 18 Deep w/ Closed Back Shown



Powered Access Cabinets
24 - 30 Widths, 18 - 24 Deep
Open or Closed Back
24 Wide, 18 Deep w/ Closed Back Shown




Double Powered Access Cabinets
24 - 30 Widths, 18 - 24 Deep
Open or Closed Back
24 Wide, 18 Deep w/ Closed Back Shown

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Floor Storage for Calibrate


28” High Floor Storage




BBF Pedestal
12, 16, 18, 24 Widths
18, 23, 24, 29, 30 Depths
On Glides or Feet
Pencil Tray Included
Full Depth on Glides Shown




Cubby BF Pedestal
12, 16, 18, 24 Widths
18, 23, 24, 29, 30 Depths
On Glides or Feet
Pencil Tray Included
Full Depth on Glides Shown




FF Pedestal
12, 16, 18, 24 Widths
18, 23, 24, 29, 30 Depths
On Glides or Feet
Full Depth on Glides Shown




BBF Lateral
30 - 42 Widths, 18, 23, 24, 29 Depths
On Glides or Feet
Full Depth, 42 Width on Glides Shown




Cubby BF Lateral
30 - 42 Widths, 18, 23, 24, 29 Depths
On Glides or Feet
Full Depth, 30 Width on Glides Shown




Two Drawer Lateral
30 - 42 Widths, 18, 23, 24, 29 Depths
On Glides or Feet
Full Depth, 42 Width on Glides Shown




Cubby F Lateral
30 - 42 Widths, 18, 23, 24, 29 Depths
On Glides or Feet
Full Depth, 30 Width on Glides Shown




Floor Bookcase
24 - 72 Widths, 14, 18, 24 Depths
On Glides or Feet
42 and 72 Widths on Glides Shown




Shared Floor Bookcase
Left or Right Hand, 36 - 72 Widths,
18 Deep, On Glides or Feet
Left Hand 42 and 72 Widths on Glides Shown




Two Door Cabinet
24 - 48 Widths, 18, 22, 24, 28 Depths
On Glides or Feet
Full Depth, 30 Width on Glides Shown




Four Door Cabinet
54 - 72 Widths, 18, 22, 24, 28 Depths
On Glides or Feet
54 Wide on Glides Shown




Single Door Tower
Left or Right Hinge
18, 24, 30 Depth, On Glides or Feet
Right-Hinge Door 18 Deep on Glides Shown




Credenza w/ Cabinet Doors
24 - 72 Widths, 18 Deep
On Glides or Feet
42 and 72 Widths on Glides Shown




Credenza w/ Sliding Doors
Left or Right Hand,
36 - 72 Widths, 18 Deep, On Glides or Feet
Left Side Lock Doors in 42 and 72 Widths on Glides Shown




Shared Credenza w/ Sliding Doors
Left or Right Hand, 36 - 72 Widths, 18 Deep
On Glides or Feet
Left Side Lock Doors in 42 and 72 Widths on Glides Shown




Combo BBF with Door
18, 22, 24, 28 Depths
Left or Right Door, On Glides or Feet
Pencil Tray Included
Full Depth w/ BBF Right, Door Left on Glides Shown



Combo FF with Door
18, 22, 24, 28 Depths
Left or Right Door, On Glides or Feet
Full Depth w/ FF Right, Door Left on Glides Shown



Combo Lateral w/ BB and Door
18, 22, 24, 28 Depths
Left or Right Door, On Glides or Feet
Pencil Tray Included
Full Depth w/ BB Right, Door Left on Glides Shown




Combo Lateral w/
Bottom Lateral and Top Doors
30 - 42 Widths, 18, 22, 24, 28 Depths,
On Glides or Feet
Full Depth, 42 Width on Glides Shown


© 2026, AIS, Inc.

Floor Storage for Calibrate


42” and Higher Floor Storage




Lateral Bookcase
42 and 50 High, 18 Deep
On Glides or Feet
50 High on Glides Shown




Shared Lateral Bookcase
42 and 50 High, 18 Deep
Left or Right Hand, On Glides or Feet,
Optional Writable Surface
Right Handed in 50 High on Glides Shown



Lateral w/ Sliding Door
42 and 50 High, 18 Deep
Left or Right Hand, On Glides or Feet
Right Side Lock Door in 50 High on Glides Shown




Shared Lateral w/ Sliding Door
42 and 50 High, 18 Deep
Left or Right Hand, On Glides or Feet,
Optional Writable Surface
Right Side Lock in 50 High on Glides Shown




Two Door Cabinet
42, 50, 66, 74 and 82 High, 30, 36 and
42 Widths, 18, 24 and 30 Depths,
On Glides or Feet
66 High on Glides Shown




Single Door Tower
42, 50, 58, 66 and 74 High
12 Wide, 18, 24 and 30 Depths
Left or Right Hinge, On Glides Only
Right-Hinge Doors in 66 High Shown




Two Door Tower with Coat Rod
42, 50, 66, 74 and 82 High,
30 and 36 Wide, 18, 24 and 30 Depths,
On Glides or Feet,
50 High on Glides Shown




Side Access Roll-Out/Pantry Tower
27, 42 and 50 High
15 and 18 Wide, 24 and 30 Depths
Left or Right Handed, On Glides Only
Right Hand in 50 High Shown




42” High Three Drawer Lateral
30, 36 and 42 Wide, 18 and 24 Depths
On Glides or Feet
30 Wide, 18 Deep on Glides Shown




54” High Four Drawer Lateral
30, 36 and 42 Wide, 18 and 24 Depths
On Glides or Feet
30 Wide, 18 Deep on Glides Shown




BF Wardrobe Tower w/ Open Front
50, 66, 74 and 82 High, 24 Deep
Right or Left Hand, On Glides or Feet
Pencil Tray Included
BF Left, Door Right in 50 High on Glides Shown




BF Wardrobe Tower w/ Open Side
50, 66, 74 and 82 High, 24 Deep
Right or Left Hand, On Glides or Feet*
Pencil Tray Included
BF Left, Door Right in 50 High on Glides Shown




BF Wardrobe Tower with Cupboard
50, 66, 74 and 82 High, 24 Deep
Right or Left Hand, On Glides or Feet*
Pencil Tray Included
BF Left, Door Right in 50 High on Glides Shown




BBF Wardrobe Tower w/ Open Front
50, 66, 74 and 82 High, 24 Deep
Right or Left Hand, On Glides or Feet*
Pencil Tray Included
BBF Left, Door Right in 50 High on Glides Shown




BBF Wardrobe Tower w/ Open Side
50, 66, 74 and 82 High, 24 Deep
Right or Left Hand, On Glides or Feet*
Pencil Tray Included
BBF Left, Door Right in 50 High Shown on Glides Shown




BBF Wardrobe Tower w/ Cupboard
50, 66, 74 and 82 High, 24 Deep
Right or Left Hand, On Glides or Feet*
Pencil Tray Included
BBF Left, Door Right in 50 High Shown on Glides Shown




FF Wardrobe Tower w/ Open Front
50, 66, 74 and 82 High, 24 Deep
Right or Left Hand, On Glides or Feet*
FF Left, Door Right in 50 High on Glides Shown




FF Wardrobe Tower w/ Open Side
50, 66, 74 and 82 High, 24 Deep
Right or Left Hand, On Glides or Feet*
FF Left, Door Right in 50 High on Glides Shown




FF Wardrobe Tower w/ Cupboard
50, 66, 74 and 82 High, 24 Deep
Right or Left Hand, On Glides or Feet*
FF Left, Door Right in 50 High on Glides Shown




BF Pedestal Tower w/ Open Front
50, 66, 74 and 82 High, 24 Deep
On Glides or Feet*
Pencil Tray Included
50 High on Glides Shown



BF Pedestal Tower w/ Open Side
50, 66, 74 and 85 High, 24 Deep
Open Left or Open Right,
On Glides or Feet*, Pencil Tray Included
Open Left in 50H on Glides Shown




BF Pedestal Tower w/ Cupboard
50, 66, 74, 85 High, 24 Deep
Left or Right Hinge, On Glides or Feet
Pencil Tray Included
Right-Hinge in 50 High on Glides Shown



BBF Pedestal Tower w/ Open Front
50, 66 and 82 High, 24 Deep
On Glides or Feet, Pencil Tray Included
50 High on Glides Shown



BBF Pedestal Tower w/ Open Side
50, 66, 74 and 85 High, 24 Deep
Open Left or Open Right,
On Glides or Feet, Pencil Tray Included
Open Left in 50H on Glides Shown



BBF Pedestal Tower w/ Cupboard
50, 66, 74, 85 High, 24 Deep
Left or Right Hinge
On Glides or Feet, Pencil Tray Included
Right-Hinge in 66 High on Glides Shown


*Units on feet available up to 66” H

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

Floor Storage for Calibrate


42” and Higher Floor Storage




FF Pedestal Tower w/ Open Front
50, 66, 74 and 82 High, 24 Deep
On Glides or Feet
50 High on Glides Shown




FF Pedestal Tower w/ Open Side
50, 66, 74 and 85 High, 24 Deep
Open Left or Open Right,
On Glides or Feet
Open Left in 50H on Glides Shown




FF Pedestal Tower w/ Cupboard
50, 66, 74, 85 High, 24 Deep
Left or Right Hinge
On Glides or Feet
Right-Hinge in 50 High on Glides Shown




BF Lateral Bookcase
66, 74 and 82 High, 30 and 36 Widths
18 and 24 Depths
On Glides or Feet
66 High on Glides Shown




BF Lateral w/ Cabinet Doors
66, 74 and 82 High, 30 and 36 Widths
18 and 24 Depths
On Glides or Feet
66 High on Glides Shown




BBF Lateral Bookcase
66, 74 and 82 High, 30 and 36 Widths
18 and 24 Depths
With or Without Divider, On Glides or Feet
66 High on Glides Shown




BBF Lateral Bookcase w/ Divider
42, 50, 66, 74 and 82 High,
30, 36 and 42 Widths, 18 Deep
On Glides or Feet
66 High on Glides Shown




BBF Lateral w/ Cabinet Doors
66, 74 and 82 High, 30 and 36 Widths
18 and 24 Depths
On Glides or Feet
66 High on Glides Shown




FF Lateral Bookcase
66, 74 and 82 High
30 and 36 Widths, 18 and 24 Depths
With or Without Divider, On Glides or Feet
66 High on Glides Shown



FF Lateral Bookcase w/ Divider
66, 74 and 82 High,
30, 36 and 42 Widths, 18 Deep
On Glides or Feet
66 High on Glides Shown




FF Lateral w/ Cabinet Doors
66, 74 and 82 High, 30 and 36 Widths
18 and 24 Depths
On Glides or Feet
66 High on Glides Shown




Floor Bookcase
42, 50, 66 and 74 High
30 and 36 Widths, 14 Deep
On Glides or Feet
66 High on Glides Shown



Single Door Locker
42, 50, 66 and 74 High,
12 Wide, 18 and 24 Depths
On Glides or Feet
50 High on Glides Shown



Double Door Locker
42 and 50 High,
12 Wide, 18 and 24 Depths
On Glides or Feet
50 High on Glides Shown



Double Door Lockers w/
Opposite Doors
42 and 50 High,
12 Wide, 18 and 24 Depths
On Glides or Feet
50 High on Glides Shown




Triple Door Locker
66 and 74 High,
12 Wide, 18 and 24 Depths
On Glides or Feet
66 High on Glides Shown


© 2026, AIS, Inc.

Dry Planters and Stack-On Storage for Calibrate


DRY PLANTERS




Stand Alone Dry Planter
34”, 42” and 50” High
30”, 36”, 42”, 48”, 54” and 60” Widths
12”, 18” and 24” Deep



Stack-On Dry Planter
8” High
30”, 36”, 42”, 48”, 54” and 60” Widths
12”, 18” and 24” Deep




Single Wrap Dry Planter
34” and 50” High
30”, 36”, 42”, 48”, 54”, 60”, 66”,
72”, 78” and 84” Widths
18” and 24” Deep




Double Wrap Dry Planter
34” and 50” High
30”, 36”, 42”, 48”, 54”, 60”, 66”,
72”, 78” and 84” Widths
36” and 48” Deep


STACK-ON STORAGE




Stack-On Bookcase
50, 58, 66 and 74 High
18, 30 and 36 Widths, 14 Deep




Stack-On Bookcase w/ Sliding Door
50, 58, 66 and 74 High
30, 36 and 42 Widths, 14 Deep, Left or Right Hand
Left Side Lock Sliding Door Shown



Stack-On Two Door Cabinet
50, 58, 66 and 74 High
18, 30 and 36 Widths, 14 Deep



Stack-On Two Door Cabinet with Coat Rod
37, 45, 53 and 61 High
30 and 36 Widths, 18 and 24 Deep




Stack-On Wardrobe
50, 58, 66 and 74 High, 18 Wide, 14 Deep

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Hutches for Calibrate

HUTCHES


Open Hutches




37” High Single Open Hutch
36 - 96 Widths
42 and 72 Widths Shown




45” High Single Open Hutch
36 - 96 Widths
42 and 72 Widths Shown



53” High Single Open Hutch
36 - 96 Widths
42 and 72 Widths Shown




53” High Double Open Hutch
36 - 78 Widths
42 and 72 Widths Shown




61” High Double Open Hutch
36 - 78 Widths
42 and 72 Widths Shown


Hutches with Cabinet Doors




37” High Single Hutch w/
Cabinet Doors
Laminate or Framed Doors
36 - 96 Widths
Laminate in 42, 72 and 90 Widths Shown




45” High Single Hutch w/
Cabinet Doors
Laminate or Framed Doors
36 - 96 Widths
Laminate in 42, 72 and 90 Widths Shown



53” High Single Hutch w/
Cabinet Doors
Laminate or Framed Doors
36 - 96 Widths
Laminate in 42, 72 and 90 Widths Shown




53” High Double Hutch w/
Cabinet Doors
Laminate or Framed Doors
36 - 78 Widths
Laminate in 42 and 72 Widths Shown




61” High Double Hutch w/
Cabinet Doors
Laminate or Framed Doors
36 - 78 Widths
Laminate in 42 and 72 Widths Shown


Hutches with Sliding Doors




37” High Single Hutch w/
Sliding Doors
Laminate or Framed Sliding Doors
Left or Right Hand
36 - 96 Widths
Laminate Right Side Lock Sliding Doors in 42, 72 and 90 Widths Shown




45” High Single Hutch w/
Sliding Doors
Laminate or Framed Sliding Doors
Left or Right Hand
36 - 96 Widths
Laminate Right Side Lock Sliding Doors in 42, 72 and 90 Widths Shown



53” High Single Hutch w/
Sliding Doors
Laminate or Framed Sliding Doors
Left or Right Hand
36 - 96 Widths
Laminate Right Side Lock Sliding Doors in 42, 72 and 90 Widths Shown



53” High Double Hutch w/
Sliding Doors
Laminate or Framed Sliding Doors
Left or Right Hand
36 - 78 Widths
Laminate Right Side Lock Sliding Doors in 42 and 72 Widths Shown




61” High Double Hutch w/
Sliding Doors
Laminate or Framed Sliding Doors
Left or Right Hand
36 - 78 Widths
Laminate Right Side Lock Sliding Doors in 42 and 72 Widths Shown


© 2026, AIS, Inc.

Tackboards and Miscellaneous Accessories for Calibrate


TACK BOARDS



Vertical Tackboard Wall Mount
53 - 61 High, 24 - 36 Widths




Tackboard Wall Mount
20, 28 and 35 High,
36 - 96 Widths




Tackboard Hutch Mount
20, 28 and 35 High,
36 - 96 Widths


MISCELLANEOUS ACCESSORIES




Paper Flow Elements




Spin Out Drawers



Pelican Drawers




Pencil Drawer




Key Alike Kit




Digital Locks




Digital Lock Charging Units




Cushion for Credenza
24 - 72 Widths




File Bars for Drawers




Overhead LED Task Light




Overhead LED Task Light
Jumper Cable



Ashley Duo
Clamp or Under Mount
Clamp Mount Shown




Ashley Trio
Clamp or Under Mount
Clamp Mount Shown




Cable Grip



Cord Manager for Tapered Leg




U-Channel




Worksurface Support Bracket



Panel Support Bracket




Hutch Wall Bracket




Z-Bracket




Tasklight Wire Manager for
Tackboards




Flat Plate




Flat Plate Cover




Grommet Hole Covers




Ganging Bolts




Bag Hook




Knife Edge Wedge Bracket



End Panel Riser



Soft Close Mechanism for
Hinged Door



Height Adjustable Table
Trim Ring

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Upholstery Fabric Options

UPHOLSTERY OPTIONS

Name	Grade
Durdle	A
Medley	A
Mirador	A
Palette	A
Terrain	A
Wellesley Polyurethane	A
Beehave	B
Gem	B
Stamper	B
Blazer	D

Performance Alta™	
Frock	B
Mirage	B
Sway	B

CF Stinson Alliance Upholstery	
Apprentice	B
Charlotte	D
Fleck	D
Lateral	D
Flanders	E
Hopsack	E
Outlander	E
Square One	E

Mayer Alliance Upholstery	
Rumba	B
Fedora	C
Havana	C
Lancaster	C
Sydney	C
Channel	D
Engrave	D
Haven	D
Legacy	D
Utopia	E

Momentum Alliance Program	
Bobby	B
Grid	B
Origin	B
Canter	C
Odyssey	C
Tradition	C
Boom II	D
Cover Cloth	D
Point	D
Beta	E
Faux Felt	E

Note: All AIS alta upholstery orders will have alta application as a standard feature. Alta enables virtually any textile to withstand the rigors of real life without leaving a mark. Alta improves repellency to oil and water based stains, is easy to clean and can enhance physical properties of the fibers. The technology is permanent and imperceptible to the eye and hand. To Clean: Blot with a dry towel. If residue remains, flush with warm water. Learn more at applied-textiles.com

CREDENZA CUSHION COM FABRIC REQUIREMENTS

Cushion Size	Yards*
12 x 24	1
18 x 16	1
18 x 18	1
18 x 21	1
18 x 24	2
18 x 27	2
18 x 30	2
18 x 33	2
18 x 36	2
18 x 42	2
18 x 48	2
18 x 54	2
18 x 60	2
18 x 66	3
18 x 72	3
22 x 15	1
24 x 12	1
24 x 16	2
24 x 18	2
24 x 21	2
24 x 24	2
24 x 27	2
24 x 30	2
24 x 33	2
24 x 36	2
24 x 42	2
24 x 48	2
24 x 54	2
24 x 60	2
24 x 66	3
24 x 72	3
36 x 30	3
36 x 36	3
36 x 42	3

*Fabric requirements for cushions – this assumes 54” wide usable material with no repeat.

If Fabric Has a Repeat	
Repeat (inches)	**If pattern runs across the roll add:**
1–5	10%
6–9	15%
10–13	20%
14–20	25%
21–27	30%
28–34	35%

C.O.M. Fabric Policy

- Please view all pre-approved COMs here: https://www.ais-inc.com/resources/fabrics-and-finishes/pre-approved-coms
- It is mandatory that you work directly with your AIS Customer Service Representative for all COM related testing and orders. They will provide all necessary forms to you, as well as work with you with regard to sending in correct yardage and where to send it, along with necessary RA# or #s. Please note an RA must be submitted along with the fabric for testing, as well as an RA created for an actual order.
- Customer Service must be advised as to the width of the fabric rolls being supplied (54”W or 60”W). Customer Service must also be advised if the fabric has a backer.
- Yardage required for the job must be calculated by an AIS Customer Service Rep.
- Once AIS has approved the COM fabric, a fabric sample needs to be marked by the dealer with “Front”, “Top”, and “Bottom”, to be sure fabric is applied correctly. The fabric sample then needs to be attached to a COM Fabric Dealer Form and forwarded to AIS Customer Service. The COM Fabric Dealer Form may be downloaded or printed here.
- Fabrics may be discontinued or obsolete without notice.
- Contact AIS Customer Service with any questions regarding fabric availability.
- All directional fabric will be railroaded.

© 2026, AIS, Inc.

Tackboard Fabric Options

VERTICAL SURFACE FABRICS	
Name	**Grade**
Amaze	A
Avenue	A
Cape Cod	A
Engage	A
Mirador	A
New England	A
Rainfall	A
Simplicity	A
Theory	A
Twizzle	A
Lido	B
Marin	B
Nature	B
Off the Grid	B
Purpose	B
Spinel	B
Sprite	B

Note: 66” & 72” wide screens – if applying directional fabrics they will need to be railroaded for application. If using a COM fabric that is 54” wide, any screen over 48” wide would need to have the fabric railroaded as well.

C.O.M. Fabric Policy

- It is mandatory that you work directly with your AIS Customer Service Representative for all COM related testing and orders. They will provide all necessary forms to you, as well as work with you with regard to sending in correct yardage and where to send it, along with necessary RA# or #s. Please note an RA must be submitted along with the fabric for testing, as well as an RA created for an actual order.
- **Please Note:** A three to five yard sample is required for testing and approval for use on all monolithic panel systems. A one yard sample is required for testing and approval on Divi Insert Tiles, Matrix Tiles, flipper doors and tackboards. We may be able to test upholstery fabrics with a swatch, your Customer Service Representative will advise based on the fabric being tested; otherwise a 1 yard sample must be submitted for testing. Results take 48 - 72 hours.
- Customer Service must be advised as to the width of the fabric rolls being supplied (54”W or 60”W). Customer Service must also be advised if the fabric has a backer.
- Yardage required for the job must be calculated by an AIS Customer Service Rep.
- Once AIS has approved the COM fabric, a fabric sample needs to be marked by the dealer with “Front”, “Top”, and “Bottom”, to be sure fabric is applied correctly. The fabric sample then needs to be attached to a COM Fabric Dealer Form and forwarded to AIS Customer Service. The COM Fabric Dealer Form may be downloaded or printed here.
- Fabrics may be discontinued or obsolete without notice.
- Contact AIS Customer Service with any questions regarding fabric availability.
- All directional fabric will be railroaded.

Note: Graded-in AIS fabrics can not be purchased and applied as COM fabric. Graded-in fabrics must be specified according to the assigned grade and product respectively.

At AIS, we take great pride in offering a diverse selection of high-quality materials including but not limited to textiles, laminates, PET, mesh, etc. However, AIS cannot guarantee uniformity in dye lots across different production runs. As such, AIS is not liable for any variations in dye lots or color discrepancies in any of our products that may occur between orders. We encourage customers to review samples for color and texture matching prior to purchase. We are committed to providing exceptional products and are confident that our selection of textiles will meet your expectations for both aesthetic appeal and durability.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Laminate, Paint and Corian Options

CALIBRATE PAINT OPTIONS

Name	Color Code	Grade
Black	BK	A
Chalk	CK	A
Dark Tone	DT	A
Grey Value 1	GV1	A
Innertone	HT	A
Light Tone	LT	A
Medium Tone	MT	A
Metallic Silver	MS	A
Satin White	SW	A
Warm Brown	WB	A
Champagne Metallic	CHM	B
Dark Grey Metallic	DGM	B
Flint Grey Metallic	FGM	B
Light Grey	LG	B
Tan Value 1	TV1	B
Antique Gold	AG	C
Graphite Sky	GS	C
Burnt Orange	BO	C
Brown	BR	C
Steel Blue	SB	C
Baltic Blue	BB	C
Ruby Red	RR	C
Kelly Green	KG	C

Calibrate paint options can be used on any paintable surface with the exception of Height Adjustable Table Desk legs. Paint options available for Height Adjustable Table Legs are indicated by an * next to the paint name and are graded as A.

Custom Paints

Special Paint Match Process & Ordering Instructions
To initiate a special paint match, please provide **three physical match samples** to your Customer Service Representative (CSR). These samples will be sent to our paint suppliers for evaluation and matching.

Match Process & Fees:
- A **non-refundable $450 net match fee** is required to begin the process.
- Once viable matches are developed (pending vendor capability), we'll send the samples to the dealer for final approval.

Pricing:
- Pricing begins at the **Grade C paint tier.**
- If the custom color incurs additional costs beyond Grade C pricing, we will advise of any upcharges before order placement.
- A **minimum order of $100,000 List** is required for special paint orders.
- The **$450 match fee will be waived** if the order is **$150,000 List or more** (and placed using the approved color).

Ordering Instructions (after color approval):
1. Dealer submits the **Purchase Order (PO)** and **Bill of Materials (BOM)** for the product requiring special paint.
2. The PO must clearly state:
   "SPECIAL PAINT REQUIRED ON THIS ORDER"
   — either in the header or special instructions section.
3. When selecting finishes:
   — Choose the **Grade C Paint option.**
   — **Do not select a final paint color.**
   — **Leave the paint code blank** and use the skip option.

LAMINATE OPTIONS

Name	Grade
Absolute Acajou	A
Aimtoo Savatre	A
Black	A
Brazilwood	A
Chalk	A
Corporate Walnut	A
Dark Rum Cherry	A
Field Elm	A
Grand Cherry	A
Grey Elm	A
Landmark	A
Leave Likatre	A
Linen	A
Looks Likatre	A
Maritime Dune	A
Midwest Maple	A
Neo Walnut	A
Phantom Ecru	A
Phantom Pearl	A
Storm	A
Summer Drops	A
True White	A
Trytoo Savatre	A
White Chocolate	A

Laminate options apply to worksurfaces, body/case, desk shell bases, modesties and doors/drawers. Matching edgeband available for all Calibrate laminate options.

CALIBRATE CORIAN RECEPTION OPTIONS

Name	Grade
Glacier White	A
Linen	A
Silver Gray	A
Antarctica	B
Dove	B
Designer White	B
Everest	B
Neutral Concrete	B
Silver Birch	C
Platinum	C
Lava Rock**	C
Arctic Ice	C
Carrara Lino*	D
White Onyx*	D
Juniper***	D

*Indicates swirl directional grain.
**Indicates linear directional grain.
***Indicates wispy directional grain.

- Corian samples may be requested directly from Corian. Additional Corian colors are available by special request; leadtimes and pricing may vary.
- Corian finishes are non-directional unless called out otherwise. Directional Corian will default to run horizontally. Vertical grain can be provided by special request.

© 2026, AIS, Inc.

Calibrate Product Details

General Construction Details

- Worksurfaces are 1 1/8" thick, thermally fused laminate with matching edgeband. For available finishes please refer to Finishes section.
- High Pressure laminate options are available as a special, please note we are not able to offer matching edgebands for High Pressure laminates.
- Storage elements have 3/4" thick case construction with 1mm edge.
- Laminate drawer and door faces are 3/4" thick.
- 2mm edges available on worksurfaces and reverse knife edge on limited surfaces. See Product Detail: Edge Profile Details for examples.
- Leveling feet are adjustable up to 1" for all floor supported components.
- Units are finished all over, including the backs.
- Shelves will match body selection
- Laminate patterns such as grain or geometric shapes do not "match" face to face. However this is not noticeable on most laminate options with the exception of natural looking woods where cathedrals appear. AIS cannot guarantee that the woodgrain will match up on the different parts of the same surface.
- AIS recommends the use of mouse pads to protect longevity and integrity of worksurfaces.

Handle Options

- Five handle options are available:
  1. Bar Pull*
  2. Loop Pull*
  3. Rectangular Pull*
  4. L Pull*
  5. Slim Pull**
- All handles are available in any graded paint selection.
- The bar pull and rectangle pull are available in brushed nickel; the loop pull is available in bright metal. The slim and L Pull are only available with painted options.
- Laminate hinged doors may be configured with touch-to-open mechanism and no handles (not applicable to framed glass doors).
- Sliding doors include an option of no handle.
- Please see Product Detail: Drawer and Handles Guide for handle examples.

*Symbols default with the Bar Pull but can be adjusted while applying your finishes.
The handle hole spread for Bar, Loop, Rectangular and L Pulls is 5" if you wish to supply your own handles.
**The handle hole spread for the Slim Pull is specific to the drawer front size.

Assembly Details

- Desk shells, bridges and returns ship flat and must be installed in the field as shown. Storage elements ship fully assembled.
- Adjustable shelves are adjustable in 32mm increments.
- Easy assembly using CAM and PIN construction allows ease of disassembly.
- Credenzas are modular and units ganged together in the field.
- Supporting hardware for seam connections are included with returns and bridge pieces.

Desk Shells

- Desk shells have 5 pre-configured options. If another desking option is needed alternatives can be created using worksurfaces and full laminate support end panels which provide numerous options not shown.
- Desk shell depths are 24", 30" and 36" deep and widths run from 36" to 96" wide.
- Storage combinations should be specified as partial depth on any desk shell with a modesty (18" deep storage units will also fit under anything with a modesty).
- When specifying the quarter height and half height desk shell modesties keep in mind if you required storage items and the desk is not against the wall then they will be visible from under the modesties.
- Desk shells and returns greater than 48" wide will require additional support.
- Leveling feet adjustable up to 1" for Calibrate floor storage.
- Please see Product Detail: Desk Shell Installation for desk shell construction examples.
- Please see Product Detail: Full Laminate Support Panels and Full Laminate Support Panel Configurations for full laminate support panel (FLSP) configuration examples.

Returns

- Return shell comes with full height height modesty panel, one full depth end panel and supporting hardware for seam connection.
- Returns can be specified in conjunction with AIS desk shells or specified as a stand alone piece if you have a storage component on the open ended side. Returns can be tied together with a Calibrate surface to storage bracket.
- Please see Product Detail for "L desk" unit examples.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Calibrate Product Details

Bridges

- Full modesty flush option only (for bridges without the modesty a standard worksurface can be specified).
- Supporting hardware for seam connections are included.

Run-Off Worksurfaces

- All standard run-off's are designed to match the standard desk heights.
- Floating tops work in conjunction with the 21" high storage units.
- The units are offered as non-powered and powered. The power options will come standard with (4) power outlets, (1) convenience outlet, (2) 2.1 amp USB, (2) keystone jack locations and (2) cord pass throughs ($^{7}/_{8}$" diameter each).

D Tops

- D Tops come with leg and are only available in square or rounded options.
- D Tops are available with or without a modesty.

Height Adjustable Table Desks

- Available in 24" and 30" depths and widths run 42" to 96" wide.
- Height adjustable table desks can be specified with or without a modesty.
- Please see Product Detail: Height Adjustable Table Desk Range for information about the height adjustable table desk range.

Suspended Modesty

- Suspended modesties can be specified on the height adjustable table desks without fixed modesties.
- Units are 12" high and are offered in 24" to 78" widths. Please follow the details on suspended modesty pricing page for what width modesty goes with what height adjustable table desk.

Storage

- AIS offers a wide variety of storage options and configurations that will work with your office needs. For more details please see below.
- Full depth units come with counterweights except for units with cut-outs.
- Partial depth units do not have counterweights. These units should be specified in a manner in which they are secured by a worksurface or ganged together with another storage unit using the Calibrate surface to support bracket.
- Framed doors are a silver vinyl wrapping with frosted acrylic.
- Filing offered is side-to-side as standard for pencil lateral and file laterals that are 24" deep as well as partial depth laterals (22" deep and 29" deep).
- Front to back filing is an option that can be purchased as an accessory and will ship separately.
- All storage symbols will show the bar pull, however in worksheet you can swap the handle out as an option to one of the other standard offerings.
- 18" deep pedestals have 12" deep x 12" wide box drawers. Please see Product Detail: Pedestal and Lateral Dimensions for example.
- 24" deep pedestals have 20" deep x 12" wide box drawers. Please see Product Detail: Pedestal and Lateral Dimensions for example.
- 30" deep pedestals have 20" deep x 12" wide box drawers. Please see Product Detail: Pedestal and Lateral Dimensions for example.
- Pencil trays are included in the BBF and BF pedestals.
- Shelving counts: 42" high units have 2 shelves; 50" and 66" high units have 3 shelves; 74" and 82" high units have 4 shelves.
- Feet on storage are silver.

Overheads and Hutches

- Available as wall mounted or as a surface mounted hutch.
- Tackboards are specified separately, they do not come with the hutches.
- Installation details: Hutches will be secured to the top of the desk shell with cam and bolts or with double sided tape and screws to the wall and the side units when available. Hutch Wall Brackets (C-XHWB) are required when hutch is offset from wall or when not ganged to an adjacent tower unit.
- Wall mounted items are secured using cleat mounts. Security screws need to run through the wall cleat to assure that overhead cannot dislodge.

© 2026, AIS, Inc.

Calibrate Product Details

Locks

- Box/Box/Files (BBF) pedestals will only lock the file and the middle box drawer, not the top box.
- File/File (FF) pedestal locks will secure both drawers.
- For all lateral files, wardrobe and storage units the locks will secure the drawers/door for the entire unit.
- All drawers lock on 3, 4 and 5 drawer laterals.
- Units will come with 2 keys per lock.
- Key-alike options are available per storage unit, additional lock cores may be ordered (for an additional charge) to key-alike an entire office.
- Items with 2 or more locks per unit will be keyed alike with exception of double and triple door lockers.

Lock Guide

Five lock options are offered:
- A - No lock required
- B - Black Lock
- C - Silver Lock
- D - No lock w/ black T-ring for keyed-alike or Digital Lock*
- E - No lock w/ silver T-ring for keyed alike or Digital Lock*

Lock cores and trim rings do not ship installed.

*Keyed alike lock cores must be ordered separately.

Tackboards

- Tackboards are designed to work with your stations need, with or without storage.
- Tackboard fabric direction is vertical on 24” to 48” wide units and will run horizontally for 54” to 96” wide pieces.
- Please see Product Detail for examples of tackboard fabric direction.

Table Desks

- Table desks are offered with square or round corners and tapered legs only.
- Desk sizes range from 48” to 78” wide and 30” to 36” deep.
- If another leg option is needed, a standard top with one of the other post leg offerings can be specified.
- Table desks can be shared throughout the Calibrate line.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Calibrate Product Details


Edge Profile Details

Worksurfaces are 1 1/8" thick, thermally fused laminate with matching edgeband.


2mm Edge Profile Detail



Knife Edge Profile Detail




Height Adjustable Table Desk Range




Wall Mounted Tackboard with Tool Rail

Tackboards assemble with or without an integrated tool rail mounted to front. Tackboards then attach with metal clips.




Calibrate Storage Glide

Calibrate storage glide stems allow for 3/4" of leveling capacity.



Calibrate Storage on Feet

Calibrate storage on feet include a glide that allows for 1.13" of leveling capacity.



© 2026, AIS, Inc.

Calibrate Product Details


Drawer Handles Guide


Five handle options are available:
- Bar
- Rectangular
- Loop
- L Pull
- Slim Pull*


Door Handles Guide


Five handle options are available:
- Bar
- Rectangular
- Loop
- L Pull
- Touch to Open**
- No Handle***


*The Slim Pull option incurs an upcharge of $75 list per unit.
**Available on laminate hinged doors only; not available on framed glass doors or sliding doors. Incurs an upcharge of $50 per unit.
***Available on sliding doors.


Bar


Rectangular


Loop


L Pull


Slim Pull


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Calibrate Heights

Calibrate heights shown using nominal dimensions. Please refer to Product Details: Actual vs. Nominal Heights to view actual vs nominal height charts.


21” High Floor Storage with Hutches and Hutch Mount Tackboards

Note: There is a 1” gap under tackboards for cables.




21” High Floor Storage with Wall Mounted Overheads, No Worksurfaces on Floor Storage and Wall Mounted Tackboards


Note: Tackboards sit flush to storage.



28” High Floor Storage with Hutches and Worksurfaces on Floor Storage



28” High Floor Storage with Wall Mounted Overheads, No Worksurfaces on Floor Storage



© 2026, AIS, Inc.


Calibrate Product Details


Calibrate Heights (Cont.)


Calibrate heights shown using nominal dimensions. Please refer to Product Details: Actual vs. Nominal Heights to view actual vs nominal height charts.


28” High Floor Storage with Wall Mounted Overheads and Worksurfaces on Floor Storage

Note: There is no gap above or below tackboard.













29” High Desk Shells with Hutches and Hutch Mount Tackboards













29” High Desk Shells with Wall Mounted Overhead












Floor Storage and Wall Mounted Overheads



*Measurements shown include surface.





© 2026, AIS, Inc.

Calibrate Product Details

Actual vs Nominal Heights

Floor Units	
Actual Heights	**Nominal Height**
20.714	21
27.438	28
28.64	29

Hutches and Stack	
Actual Heights	**Nominal Height**
8.31	8
36.286	37
44.286	45
52.286	53 (Single)
52.286	53 (Double)
60.286	61

Towers	
Actual Heights	**Nominal Height**
41	42
49	50
57	58
64.963	66
72.963	74
80.963	82

Base Unit and Hutch Combinations

Base Unit Actual Height	Base Unit Nominal Height	Stack Unit Actual Heights	Stack Unit Nominal Height	Actual Combined	Nominal Combined	Tower Match
20.714	21	8.31	8 (Power Stack Shelf)	29.024	29	Matches 29 High
20.714	21	36.286	37 (Single)	57	N/A	N/A
20.714	21	44.286	45 (Single)	65	66	Matches 66 High
20.714	21	52.286	53 (Single)	73	74	Matches 74 High
20.714	21	52.286	53 (Double)	73	N/A	N/A
20.714	21	60.286	61	81	82	Matches 82 High
27.438	28	8.31	8	35.748	N/A	N/A
27.438	28	36.286	37	63.724	N/A	N/A
27.438	28	44.286	45	71.724	N/A	N/A
27.438	28	52.286	53	79.724	N/A	N/A
27.438	28	60.286	61	87.724	N/A	N/A
28.64	29	8.31	8	36.95	N/A	N/A
28.64	29	36.286	37	64.426	66	Matches 66 High
28.64	29	44.286	45	72.926	74	Matches 74 High
28.64	29	52.286	53 (Single)	80.926	N/A	N/A
28.64	29	52.286	53 (Double)	80.926	82	Matches 82 High
28.64	29	60.286	61	88.926	N/A	N/A


© 2026, AIS, Inc.


Calibrate Product Details


Wood Grain Direction


Grain direction runs vertical for all pieces except for the back of 48” wide cabinets, in which case it runs horizontal. Calibrate wood grain is always vertical on storage fronts and doors. Grains run vertically on items under 60” wide. Items over 60” wide have the grain will run horizontally.


Note: Wood grains do not “match” face to face. AIS cannot guarantee that the woodgrain will match up on the different parts of the same surface.



36” - 60” Wide



66” - 96” Wide



30” - 60” Wide



66” - 96” Wide






66” - 96” Wide






36” - 60” Wide



66” - 90” Wide














































































30” - 54” Wide



60” Wide



30” - 54” Wide



60” Wide



30” - 54” Wide



60” - 84” Wide



30” - 54” Wide



60” - 84” Wide



24” - 48” Wide



54” - 96” Wide



24” - 48” Wide



54” - 96” Wide



24” - 60” Wide



66” - 72” Wide



24” - 60” Wide



66” - 72” Wide


12” - 60” Wide


64” - 96” Wide








Rev. Mar 2, 2026
© 2026, AIS, Inc.


Calibrate Product Details

Tackboard Fabric Direction

Tackboard fabrics runs vertically on 24” - 48” width tackboards. Fabric runs horizontally on 54” - 96” width tackboards.




24” - 48” Widths




54” - 96” Widths

Cut-Outs

Surface with full depth storage with counterweight
Storage units do not need to be ganged together.




Back View




Top View

Desk shell with partial depth
Storage units must be attached to desk shell. Modesty access has a 5” opening. Bottom modesty measures approximately 13” from floor to access opening.




Back View




Top View

Surface with partial depth storage
Storage units must be ganged together.



Back View



Top View

L Shelf and Wall Panel Woodgrain Direction Availability

Woodgrain availability by size for vertical and horizontal L Shelves and Wall Panels
V = Vertical woodgrain only
H = Horizontal woodgrain only
V/H = Vertical or Horizontal woodgrain option available


Height	Width								
	24	30	36	42	48	54	60	66	72
16	V/H	V/H	V/H	V/H	V/H	V/H	V/H	H	H
20	V/H	V/H	V/H	V/H	V/H	V/H	V/H	H	H
28	V/H	V/H	V/H	V/H	V/H	V/H	V/H	H	H
32	V/H	V/H	V/H	V/H	V/H	V/H	V/H	H	H
36	V/H	V/H	V/H	V/H	V/H	V/H	V/H	H	H
45	V/H	V/H	V/H	V/H	V/H	V/H	V/H	H	H
52	V/H	V/H	V/H	V/H	V/H	V/H	V/H	H	H
60	V	V	V	V	V	V	V	-	-

© 2026, AIS, Inc.

Calibrate Product Details

Grommet Locations for Calibrate Executive Height Adjustable Desks

CALIBRATE GROMMET LOCATIONS FOR RECTANGULAR SURFACES



CALIBRATE GROMMET OPTIONS FOR RECTANGULAR SURFACES

- Calibrate Desk Shells and Desk Shell Returns
- 2 Leg Height Adjustable Desks
- 3 Leg Height Adjustable Desk Return Worksurfaces
- Reception Desks and Reception Returns

Option	Location	List
A	No Grommets	-
B	Location 1	+38
C	Location 2	+38
D	Location 3	+38
E	Locations 2 and 3	+76
F	Locations 1, 2 and 3	+114
G	Locations 1 and 2	+76
H	Locations 1 and 3	+76

- Calibrate Cantilevered Height Adjustable Table Desks

Option	Location	List
A	No Grommets	-
B	Location 1	+38

- Calibrate Executive Height Adjustable Desks
- 3 Leg Height Adjustable Desk Main Worksurfaces


Option	Location	List
A	No Grommets	-
B	Location 1	+38
C	Location 2	+38
D	Location 3	+38
E	Locations 2 and 3	+76
F	Locations 1, 2 and 3	+114
G	Locations 1 and 2	+76
H	Locations 1 and 3	+76
I	Location 4	+38
J	Location 5	+38
K	Locations 4 and 5	+76
L	Locations 1, 4 and 5	+114
M	Locations 1 and 4	+76
N	Locations 1 and 5	+76

Note: Cantilevers for height adjustable tables may need to be moved inboard to access grommet locations 2 and 3.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Grommet Locations for Corner Surfaces

CALIBRATE GROMMET LOCATIONS FOR CORNER SURFACES



GROMMET OPTIONS

Option	Location	Corner Surfaces List
A	No Grommets	-
B	Location 1 (default)	-
C	Locations 1 & 2	+38
D	Locations 1 & 4	+38
E	Locations 1 & 3*	+38
F	Locations 1, 2 & 4	+76
G	Locations 1, 3 & 4*	+76


* Applicable to 72”W surfaces only.

© 2026, AIS, Inc.

Calibrate Product Details


Desk Shell Installation

Desk shells, bridges and returns ship flat and must be installed in the field as shown. Storage elements ship fully assembled.




Pedestal and Lateral Dimensions


Pedestal Tower Depths and Widths:




Lateral Tower Depths and Widths:




Calibrate Storage Feet vs Glides



1. Calibrate Storage on Feet vs Calibrate Storage on Glides Drawer Height



2. Calibrate Storage on Feet vs Calibrate Storage on Glides Height




Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Calibrate Product Details

Filing Details

File Bar	Model Number	Dimension
A	RH-WFB10	8.39
B	RH-WFB16	14.39
C	RH-WFB12	12.125
D	RH-WFB19	19.46
E	RH-WFB26	25.77
F	RH-WFB32	31.77
G	RH-WFB38	37.77




18” Deep File Drawers




12 Wide Letter Side-to-Side File Bar Not Required | 16 Wide Letter Front-to-Back File Bar Not Required | 16 Wide Letter Side-to-Side File Bar Not Required | 18 Wide Letter Side-to-Side File Bar Not Required | 18 Wide Letter Front-to-Back w/ File Bar C (Not Included) | 24 Wide Letter Side-to-Side File Bar Not Required | 24 Wide Letter Front-to-Back w/ File Bar C (Not Included)

24” & 23” Deep File Drawers



12 Wide Letter Side-to-Side w/ File Bar A (Included) | 16 Wide Letter Front-to-Back File Bar Not Required | 16 Wide Letter Side-to-Side w/ File Bar C (Not Included) | 16 Wide Legal Side-to-Side w/ File Bar C (Not Included) | 18 Wide Letter Front-to-Back w/ File Bar D (Not Included) | 18 Wide Letter Side-to-Side w/ File Bar B (Included) | 24 Wide Letter Side-to-Side w/ File Bar D (Included) | 24 Wide Letter Front-to-Back w/ File Bar D (Included)

30” Wide x 18” Deep File Drawers




Letter Side-to-Side File Bar Not Required | Letter Front-to-Back w/ File Bar C (Qty. 2) (Not Included) | Legal Front-to-Back w/ File Bar C (Not Included)

36” Wide x 18” Deep File Drawers



Letter Side-to-Side File Bar Not Required | Letter Front-to-Back w/ File Bar C (Qty. 4) (Not Included) | Legal Front-to-Back w/ File Bar C (Qty. 2) (Not Included) | Letter (Left), Legal (Right) Front-to-Back w/ File Bar C (Qty. 2) (Not Included)

42” Wide x 18” Deep File Drawers



Letter Side-to-Side File Bar Not Required | Letter Front-to-Back w/ File Bar C (Qty. 4) (Not Included) | Legal Front-to-Back w/ File Bar C (Qty. 2) (Not Included) | Letter (Left), Legal (Right) Front-to-Back w/ File Bar C (Qty. 2) (Not Included)


© 2026, AIS, Inc.

Calibrate Product Details


Filing Details (Cont.)

File Bar	Model Number	Dimension
A	RH-WFB10	8.39
B	RH-WFB16	14.39
C	RH-WFB12	12.125
D	RH-WFB19	19.46
E	RH-WFB26	25.77
F	RH-WFB32	31.77
G	RH-WFB38	37.77


Front-to-Back Filing




Side-to-Side Filing




30” Wide x 24” & 23” Deep File Drawers




Letter
Side-to-Side w/ File Bar E
(Included)



Legal
Side-to-Side w/ File Bar E
(Included)




Letter
Front-to-Back w/ File Bar D (Qty. 2)
(Not Included)




Legal
Front-to-Back w/ File Bar D
(Not Included)


36” Wide x 24” & 23” Deep File Drawers




Letter
Side-to-Side w/ File Bar F
(Included)




Legal
Side-to-Side w/ File Bar F (Qty. 1)
(Included)



Letter
Front-to-Back w/ File Bar D (Qty. 2)
(Not Included)




Legal
Front-to-Back w/ File Bar D (Qty. 2)
(Not Included)




Letter (Left), Legal (Right)
Front-to-Back w/ File Bar D (Qty. 2)
(Not Included)


42” Wide x 24” & 23” Deep Laterals




Letter
Side-to-Side w/ File Bar G
(Included)




Legal
Side-to-Side w/ File Bar G
(Included)



Letter
Front-to-Back w/ File Bar D (Qty. 4)
(Not Included)



Legal
Front-to-Back w/ File Bar D (Qty. 2)
(Not Included)



Letter (Left), Legal (Right)
Front-to-Back w/ File Bar D (Qty. 2)
(Not Included)

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

Calibrate Product Details

Run-Off Connections


Standard Run-Off Connection (Desk Shell with Run-Off)

Desk Shell with Flushed Modesty Shown



Standard Run-Off Connection (Desk Shell and Floor Bookcase with Run-Off)

Desk Shell with Flushed Modesty and 18" Deep Floor Bookcase Shown




Floating Run-Off Surfaces

Floating Run-Off Surfaces are designed to be supported from 21" high storage elements. Run-off surfaces may be ordered with a powered unit that includes an access door with interior storage for devices with standard 15 amp NEMA outlets, (2) 2.1 amp USBs, (2) 1 ¼ diameter pass through grommets and (2) keystone style jack/device holes for data or HDMI jacks. Includes 15 amp overload switch with reset, surge protection. Cables may also be managed through this power unit from the desktop surface.




Side View



Top View

Run-Off Support

EXAMPLE 1 - STABLE



© 2026, AIS, Inc.

Calibrate Product Details


Run-Off and Table Desk Tops




Radius Rectangular Top




Rectangular Top



Blade Top (Left)




Blade Top (Right)




Wedge Top




D Top




Square Table Top



Round Corner Square Table Top



Round Table Top



Triangle Table Top

Left - Right Handing Logic for Calibrate Series

Handing for Cabinet Doors:




Hinge-Left




Hinge-Right

Handing for Sliding Doors:




Left Side Lock




Right Side Lock

Handing for Shared Storage:




Open Left



Open Right

Handing for Shared Storage:




Wardrobe Left Hand




Wardrobe Right Hand

Handing for Side Access Storage:




Left-Handed




Right-Handed

Handing for Towers with Open Side:



Open Right, Place Left



Open Left, Place Right

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Calibrate Storage Functional Loads

CALIBRATE STORAGE FUNCTIONAL LOADS			
Description	**Model Number**	**Top-to-Bottom Drawer Functional Load (lbs)**	**Total Functional Load (lbs)**
BF Pedestal (18” Deep)	X-BFP18	5/30	35
BF Pedestal (22” Deep)	X-BFP22C	10/45	55
BF Pedestal (24” Deep)	X-BFP24	10/45	55
BF Pedestal on Feet (18” Deep)	C-BFP18	5/30	35
BF Pedestal on Feet (22” Deep)	C-BFP22	10/45	55
BF Pedestal on Feet (24” Deep)	C-BFP24	10/45	55
BF Pedestal on Casters (no cushion)	C-BFP18MNC	5/10	35
BF Pedestal on Casters (with cushion)	C-BFP18M	5/10	35
BF Lateral (30” Wide, 18” Deep)	X-PLAT2D3018	15/65	80
BF Lateral (36” Wide, 18” Deep)	X-PLAT2D3618	15/80	95
BF Lateral (42” Wide, 18” Deep)	X-PLAT2D4218	20/95	115
BF Lateral (30” Wide, 22” Deep)	X-PLAT2D3022C	20/105	125
BF Lateral (36” Wide, 22” Deep)	X-PLAT2D3622C	30/130	160
BF Lateral (42” Wide, 22” Deep)	X-PLAT2D4222C	35/155	190
BF Lateral (30” Wide, 24” Deep)	X-PLAT2D3024	20/105	125
BF Lateral (36” Wide, 24” Deep)	X-PLAT2D3624	30/130	160
BF Lateral (42” Wide, 24” Deep)	X-PLAT2D4224	35/155	190
BF Lateral on Feet (30” Wide, 18” Deep)	C-PLATJ2D30	15/65	80
BF Lateral on Feet (36” Wide, 18” Deep)	C-PLATJ2D36	15/80	95
BF Lateral on Feet (42” Wide, 18” Deep)	C-PLATJ2D42	20/95	115
BF Lateral on Feet (30” Wide, 22” Deep)	C-PLAT2D3022	20/105	125
BF Lateral on Feet (36” Wide, 22” Deep)	C-PLAT2D3622	30/130	160
BF Lateral on Feet (42” Wide, 22” Deep)	C-PLAT2D4222	35/155	190
BF Lateral on Feet (30” Wide, 24” Deep)	C-PLAT2D3024	20/105	125
BF Lateral on Feet (36” Wide, 24” Deep)	C-PLAT2D3624	30/130	160
BF Lateral on Feet (42” Wide, 24” Deep)	C-PLAT2D4224	35/155	190
Double Pencil Lateral (30” Wide)	X-PLAT2D30	30/130	160
Double Pencil Lateral (36” Wide)	X-PLAT2D36	30/160	190
Double Pencil Lateral (42” Wide)	X-PLAT2D42	40/190	230
Double Pencil Lateral on Feet (30” Wide)	C-DPLAT2D30	30/130	160
Double Pencil Lateral on Feet (36” Wide)	C-DPLAT2D36	30/160	190
Double Pencil Lateral on Feet (42” Wide)	C-DPLAT2D42	40/190	230

© 2026, AIS, Inc.

Calibrate Product Details

Calibrate Storage Functional Loads (Cont.)

CALIBRATE STORAGE FUNCTIONAL LOADS

Description	Model Number	Top-to-Bottom Drawer Functional Load (lbs)	Total Functional Load (lbs)
BBF Pedestal (18” Deep)	X-BBFPFS18	10/10/30	50
BBF Pedestal (23” Deep)	X-BBFPFS23	10/10/45	65
BBF Pedestal (24” Deep)	X-BBFPFS24	10/10/45	65
BBF Pedestal (29” Deep)	X-BBFPFS29	10/10/45	65
BBF Pedestal (30” Deep)	X-BBFPFS30	10/10/45	65
BBF Pedestal on Feet (18” Deep)	C-BBFPFS18	10/10/30	50
BBF Pedestal on Feet (23” Deep)	C-BBFPFS23	10/10/45	65
BBF Pedestal on Feet (24” Deep)	C-BBFPFS24	10/10/45	65
BBF Pedestal on Feet (29” Deep)	C-BBFPFS29	10/10/45	65
BBF Pedestal on Feet (30” Deep)	C-BBFPFS30	10/10/45	65
FF Pedestal (18” Deep)	X-FFPFS18	30/30	60
FF Pedestal (23” Deep)	X-FFPFS23	45/45	90
FF Pedestal (24” Deep)	X-FFPFS24	45/45	90
FF Pedestal (29” Deep)	X-FFPFS29	45/45	90
FF Pedestal (30” Deep)	X-FFPFS30	45/45	90
FF Pedestal on Feet (18” Deep)	C-FFPFS18	30/30	60
FF Pedestal on Feet (23” Deep)	C-FFPFS23	45/45	90
FF Pedestal on Feet (24” Deep)	C-FFPFS24	45/45	90
FF Pedestal on Feet (29” Deep)	C-FFPFS29	45/45	90
FF Pedestal on Feet (30” Deep)	C-FFPFS30	45/45	90
BBF Lateral (30” Wide, 18” Deep)	X-BBFLAT3018	15/15/60	90
BBF Lateral (36” Wide, 18” Deep)	X-BBFLAT3618	15/15/80	110
BBF Lateral (42” Wide, 18” Deep)	X-BBFLAT4218	20/20/95	135
BBF Lateral (30” Wide, 23” Deep)	X-BBFLAT3023	20/20/105	145
BBF Lateral (36” Wide, 23” Deep)	X-BBFLAT3623	30/30/130	190
BBF Lateral (42” Wide, 23” Deep)	X-BBFLAT4223	35/35/155	225
BBF Lateral (30” Wide, 24” Deep)	X-BBFLAT3024	20/20/105	145
BBF Lateral (36” Wide, 24” Deep)	X-BBFLAT3624	30/30/130	190
BBF Lateral (42” Wide, 24” Deep)	X-BBFLAT4224	35/35/155	225
BBF Lateral (30” Wide, 29” Deep)	X-BBFLAT3029	20/20/105	145
BBF Lateral (36” Wide, 29” Deep)	X-BBFLAT3629	30/30/130	190
BBF Lateral (42” Wide, 29” Deep)	X-BBFLAT4229	35/35/155	225

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Calibrate Storage Functional Loads (Cont.)

CALIBRATE STORAGE FUNCTIONAL LOADS

Description	Model Number	Top-to-Bottom Drawer Functional Load (lbs)	Total Functional Load (lbs)
BBF Lateral on Feet (30” Wide, 18” Deep)	C-BBFLAT3018	15/15/60	90
BBF Lateral on Feet (36” Wide, 18” Deep)	C-BBFLAT3618	15/15/80	110
BBF Lateral on Feet (42” Wide, 18” Deep)	C-BBFLAT4218	20/20/95	135
BBF Lateral on Feet (30” Wide, 23” Deep)	C-BBFLAT3023	20/20/105	145
BBF Lateral on Feet (36” Wide, 23” Deep)	C-BBFLAT3623	30/30/130	190
BBF Lateral on Feet (42” Wide, 23” Deep)	C-BBFLAT4223	35/35/155	225
BBF Lateral on Feet (30” Wide, 24” Deep)	C-BBFLAT3024	20/20/105	145
BBF Lateral on Feet (36” Wide, 24” Deep)	C-BBFLAT3624	30/30/130	190
BBF Lateral on Feet (42” Wide, 24” Deep)	C-BBFLAT4224	35/35/155	225
BBF Lateral on Feet (30” Wide, 29” Deep)	C-BBFLAT3029	20/20/105	145
BBF Lateral on Feet (36” Wide, 29” Deep)	C-BBFLAT3629	30/30/130	190
BBF Lateral on Feet (42” Wide, 29” Deep)	C-BBFLAT4229	35/35/155	225
Two Drawer Lateral (30” Wide, 18” Deep)	X-LAT2DFS3018	65/65	130
Two Drawer Lateral (36” Wide, 18” Deep)	X-LAT2DFS3618	80/80	160
Two Drawer Lateral (42” Wide, 18” Deep)	X-LAT2DFS4218	95/95	190
Two Drawer Lateral (30” Wide, 23” Deep)	X-LAT2DFS3023	105/105	210
Two Drawer Lateral (36” Wide, 23” Deep)	X-LAT2DFS3623	130/130	260
Two Drawer Lateral (42” Wide, 23” Deep)	X-LAT2DFS4223	155/155	310
Two Drawer Lateral (30” Wide, 24” Deep)	X-LAT2DFS3024	105/105	210
Two Drawer Lateral (36” Wide, 24” Deep)	X-LAT2DFS3624	130/130	260
Two Drawer Lateral (42” Wide, 24” Deep)	X-LAT2DFS4224	155/155	310
Two Drawer Lateral (30” Wide, 29” Deep)	X-LAT2DFS3029	105/105	210
Two Drawer Lateral (36” Wide, 29” Deep)	X-LAT2DFS3629	130/130	260
Two Drawer Lateral (42” Wide, 29” Deep)	X-LAT2DFS4229	155/155	310
Two Drawer Lateral on Feet (30” Wide, 18” Deep)	C-LAT2D1830	65/65	130
Two Drawer Lateral on Feet (36” Wide, 18” Deep)	C-LAT2D1836	80/80	160
Two Drawer Lateral on Feet (42” Wide, 18” Deep)	C-LAT2D1842	95/95	190
Two Drawer Lateral on Feet (30” Wide, 23” Deep)	C-LAT2DFS3023	105/105	210
Two Drawer Lateral on Feet (36” Wide, 23” Deep)	C-LAT2DFS3623	130/130	260
Two Drawer Lateral on Feet (42” Wide, 23” Deep)	C-LAT2DFS4223	155/155	310
Two Drawer Lateral on Feet (30” Wide, 24” Deep)	C-LAT2D2430	105/105	210
Two Drawer Lateral on Feet (36” Wide, 24” Deep)	C-LAT2D2436	130/130	260
Two Drawer Lateral on Feet (42” Wide, 24” Deep)	C-LAT2D2442	155/155	310
Two Drawer Lateral on Feet (30” Wide, 29” Deep)	C-LAT2DFS3029	105/105	210
Two Drawer Lateral on Feet (36” Wide, 29” Deep)	C-LAT2DFS3629	130/130	260
Two Drawer Lateral on Feet (42” Wide, 29” Deep)	C-LAT2DFS4229	155/155	310


© 2026, AIS, Inc.


Calibrate Product Details

Calibrate Reception Installation


Reception stack-on units attached via combination of double sided tape and screws. When using reception desk shells and reception countertop, reception desk shells must always be greater than or equal to in width to reception countertop. When mounted on reception desk shells, the reception countertop overhang must always be centered or off-centered towards the inside of the reception desk shell unit.

Example 1: Standard desk shell with reception stack-on and partial depth FF pedestal.







View behind reception desk




View from front of reception desk

Example 2: Reception desk shell with right reception return, reception worksurface and full depth FF pedestal.





View behind reception desk




View from front of reception desk


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

Wall Mounted L Shelf Product Details



Backside of L Shelf







© 2026, AIS, Inc.


Calibrate Product Details

Wall Panel Product Details



Backside of L Shelf






16” - 20” High | 28” High | 32” High | 36” High | 45” - 52” High | 60” High

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Typical 1



Description	Model Number	Quantity
1. CBX Floor Bookcase for Floating Tops 24Dx21Hx30W	X-BCRO2430	1x
2. CBX Wedge Floating Knife Edge Tprd Leg PWR 28-42Dx78W	X-FK-ROW2878TP	1x
3. CB Overhead WM Open 14Dx08Hx90W	C-OWM089014	1x
4. CBX Full Depth Lat BF 24Dx21Hx30W	X-PLAT2D3024	2x
5. CBX BF Ped Tower with Open Front 24Dx66Hx16W	X-PTBFOF66	1x
6. CBX Tackboard Wall Mount 20Hx90W	X-TACKWM2090	1x
7. CBX Wardrobe BF CD LH 24Dx66Hx24W	X-WBFCDL66	1x

Typical 2




Description	Model Number	Quantity
1. CBX Partial Depth Lat BBF 22Dx28Hx36W	X-BBFLAT3623	1x
2. CB Desk Return RH 24Dx90Wx29H	X-DR9024R	1x
3. CBX Blade Run-Off Right Handed for Desk Shells w/Tapered Legs	X-DROBL3072T	1x
4. CBX Single Hutch with Sliding Doors 14Dx45Hx90W	X-SHSD4590	1x
5. CBX Tackboard Hutch Mount 28Hx90W	X-TACKHM2890	1x
6. CBX Open Front BBF Wardrobe RH 24Dx74Hx24W	X-WRBBFOF74	1x

© 2026, AIS, Inc.

Typicals 3 & 4


Typical 3



Description	Model Number	Quantity
1. Rectangular - 2mm Edge - 24D x 36W*	W-WS2436	1x
2. CBX BBF Lat Bookcase 24Dx66Hx30W	X-BBFLBC663024	1x
3. CB Desk Shell with Full Mod Flush 24Dx66Wx29h	X-DSFM6624	1x
4. CBX Rect Run-Off for Desk Shells 30Dx72W	X-DROR3072T	1x
5. CBX 2D Full Depth Lat 24Dx28Hx36W	X-LAT2DFS3624	1x
6. CBX Single Door Tower Hinge Left 24Dx66Hx12W	X-SDCL6624	1x
7. CBX Suspended Height Adjustable Table Modesty 12h for 72W (54 Actual)	X-HATM1272	1x

*Worksurfaces shown are not included in this price list. See AIS Worksurfaces and Support Price Lists to specify.

Typical 4




Description	Model Number	Quantity
1. CB Desk Return RH 24Dx54Wx29H	X-DR5424R	1x
2. CBX Partial Depth BBF Ped 22Dx28Hx16W	X-BBFPFS23	1x
3. CBX Partial Depth 2D Cab 22Dx28Hx30W	X-DDC3023	1x
4. CBX Double Hutch with Sliding Door RH 14Dx53Hx78W	X-DHSDR5378	1x
5. CB Desk Shell with Full Mod Flush 24Dx96Wx29h	X-DSFM9624	1x
6. CBX FF Lat with Cabinet Doors 24Dx82Hx30W	X-FFLCD823024	1x
7. CBX Tackboard Hutch Mount 20Hx78W	X-TACKHM2078	1x
8. CBX Rectangular RO for 29H Post Leg 30Dx60W	X-WSROR3060P	1x

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

Typical 5



Description	Model Number	Quantity
1. Overhead - WM - 16H X 72W X 14D Open	C-OWM167214	1x
2. CBX Full Depth 2D Cab 24Dx28Hx36W	X-DDC3624	2x
3. CBX Height Adj Desk Knife Edge 30Dx84W	X-HAT2K3084	1x
4. CBX Suspended Height Adjustable Table Modesty 12h for 84W (66 Actual)	X-HATM1284	1x
5. CBX 2D Full Depth Lat 24Dx28Hx36W	X-LAT2DFS3624	2x
6. CBX Stack On Bookcase with Sliding Door LH 14Dx45Hx36W	X-SOSDL4536	1x
7. CBX Stack On Bookcase with Sliding Door RH 14Dx45Hx36W	X-SOSDR4536	1x
8. CBX Wall Mount Tackboard 28Hx72W	X-WMTACK2872	1x

Typical 6




Description	Model Number	Quantity
1. Overhead - WM - 16H X 72W X 14D Open	C-OWM167214	1x
2. CBX Height Adj Desk Knife Edge with Fixed Mod 30Dx84W	X-HAT2KF3084	1x
3. CBX 2D Full Depth Lat 24Dx28Hx36W	X-LAT2DFS3624	2x
4. CBX 2D Full Depth Lat 24Dx28Hx42W	X-LAT2DFS4224	1x
5. CBX Stack On Bookcase with Sliding Door LH 14Dx45Hx36W	X-SOSDL4536	1x
6. CBX Stack On Bookcase with Sliding Door RH 14Dx45Hx36W	X-SOSDR4536	1x
7. CCBX Wall Mount Tackboard 28Hx72W	X-WMTACK2872	1x

© 2026, AIS, Inc.

Typicals 7 & 8


Typical 7



Description	Model Number	Quantity
1. CBU - Box / Box / File Pedestal	C-BBFPFS24	1x
2. CBU - Box / File Pedestal Mobile 18" deep	C-BFP18M	1x
3. CBU - File / File Pedestal	C-FFPFS24	1x
4. CBU - Overhead - WM - 16H X 72W X 14D - Sliding Laminate - RH	C-OWMS167214RL	1x
5. CB U-Channel - 60W	WPS-VC60	1x
6. CBU - 1 Door Cabinet - 66H X 12W X 24D - Laminate Door - Hinge Right	C-SDC661224LL	1x
7. CB Rectangular - 2mm Edge - 24D x 72W*	W-WS2472	2x
8. N-Leg 2.5 x 2.5 Single Crossbar 27” x 24” Freestanding*	WFS-NL22724	1x
9. TBL - Rnd, 2mm, 30Dx29H, STLX30, GLD	T-RDR3029SXG	1x
10. CBX Wall Mount Tackboard 20Hx72W	X-WMTACK2072	1x
11. CB Flat Plate	WPS-FP	2x
12. CB DESKING L-BRACKET BLACK	O-WSLB	1x

*Worksurfaces shown are not included in this price list. See AIS Worksurfaces and Support Price Lists to specify.

Typical 8




Description	Model Number	Quantity
1. Overhead - WM - 16H X 60W X 14D - Sliding Laminate - RH	C-OWMS166014RL	1x
2. Rectangular - 2mm Edge - 30D x 78W*	W-WS3078	1x
3. A-Leg - 1x2 Post - 27H - 30 Depth - Freestanding*	WFS-ALW2730FS	1x
4. CBX Full Depth Floor Bookcase 18Dx28Hx30W	X-CBC283018	1x
5. CBX Full Depth Lat BF 24Dx21Hx42W	X-PLAT2D4224	2x
6. CBX Wardrobe BF CD LH 24Dx74Hx24W	X-WBFCDL74	1x
7. U-Channel - 48W	WPS-VC48	2x

*Worksurfaces shown are not included in this price list. See AIS Worksurfaces and Support Price Lists to specify.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Typical 9




Description	Model Number	Quantity
1. CBX Wardrobe FF CD LH 24Dx82Hx24W	X-WFFCDL82	1x
2. CBX Tackboard Hutch Mount 20Hx66W	X-TACKHM2066	1x
3. CBX Stack On Bookcase with Sliding Door RH 14Dx53Hx30W	X-SOSDR5330	1x
4. CBX 2D Full Depth Lat 24Dx28Hx30W	X-LAT2DFS3024	1x
5. CBX Height Adj Desk Square Edge 30Dx78W	X-HATS3078	1x
6. CBX Suspended Height Adjustable Table Modesty 12h for 84W (66 Actual)	X-HATM1284	1x
7. CBX Double Hutch with Sliding Door RH 14Dx53Hx66W	X-DHSDR5366	1x
8. Flatplate	WPS-FP	2x
9. FLSP A - Male 1 End Flush - 24D*	WFS-FLSPMEF24	2x
10. FLSP F - Female 1 End - 24D*	WFS-FLSPF1E24	1x
11. FLSP F - Female 1 End - 12D*	WFS-FLSPF1E12	1x
12. Rectangular - 2mm Edge - 24D x 54W*	W-WS2454	1x
13. Rectangular - 2mm Edge - 24D x 96W*	W-WS2496	1x

*Worksurfaces shown are not included in this price list. See AIS Worksurfaces and Support Price Lists to specify.

© 2026, AIS, Inc.

Typicals 11


Typical 10



Description	Model Number	Quantity
1. Frameless Glass Modesty Kit 12"H X 54"W	A-FGMM1254	1x
2. TBL Rec Table Sq Cnr Tprd Leg 29Hx72Wx30D	T-RCR307229TPG	1x
3. CBX Partial Depth Lat BBF 22Dx28Hx30W	X-BBFLAT3023	1x
4. Rectangular - 2mm Edge - 24D x 48W*	W-WS2448	1x
5. CB Desk Return RH 24Dx84Wx29H	X-DR8424R	1x
6. CBX Ped Tower BBF with Cupboard Hinge Left 24Dx74Hx16W	X-PTBBFCL74	1x
7. CBX Single Hutch with Sliding Doors 14Dx45Hx84W	X-SHSD4584	1x
8. Flat Plate	WPS-FP	4x
9. CBX Tackboard Hutch Mount 28Hx84W	X-TACKHM2884	1x
10. CB U-Channel - 72W	WPS-VC72	1x

*Worksurfaces shown are not included in this price list. See AIS Worksurfaces and Support Price Lists to specify.

Typical 11




Description	Model Number	Quantity
1. 24” End Panel Riser`	X-RISER0724	1x
2. Rectangular - 2mm Edge - 24D x 60W*	W-WS2460	1x
3. CBX Full Depth Floor Bookcase 18Dx21Hx24W	X-CBC2024	1x
4. CB Desk Shell 3/4 Mod Recessed 30Dx84Wx29h	X-DS8430-3QM	1x
5. CBX Full Depth Lat BF 18Dx21Hx30W	X-PLAT2D3018	2x
6. CB Wall Mounted Cabinet Sliding Door RH 14Dx32Hx60W	X-SDRWM326014	1x
7. Box / File Pedestal Mobile 18" Deep	C-BFP18M	1x
8. Cushion for Pedestal Top Laminate Case Good 16.563 x 24.063	C-PEDCUSHION	1x
9. Flat Plate	WPS-FP	2x
10. CB U-Channel - 48W	WPS-VC48	1x

*Worksurfaces shown are not included in this price list. See AIS Worksurfaces and Support Price Lists to specify.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Typicals 12 & 13

Typical 12



Description	Model Number	Quantity
1. CBX Floor Bookcase 24Dx21Hx36W	X-BCRO2436	1x
2. CBX Rect Knife Edge Floating Tprd Leg PWR 36Dx78W	X-FK-ROR3678TP	1x
3. CBX 2D Full Depth Lat 18Dx28Hx30W	X-LAT2DFS3018	3x
4. CBX Full Depth Lat BF 24Dx21Hx36W	X-PLAT2D3624	2x
5. CBX Open Front BF Wardrobe RH 24Dx82Hx24W	X-WRBFOF82	1x
6. CB Wall Mounted Bookcase Double Height 14Dx32Hx36W	X-ODWM323614	1x
7. CBX Tackboard Wall Mount with Tool Rail 28Hx36W	X-TACKWMT1436	3x
8. CB Wall Mounted With Framed Cabinet Doors- Double Height 14Dx32Hx36	X-GCDWM323614	2x

Typical 13




Description	Model Number	Quantity
1. TBL Round Table Tprd Leg 29Hx48Wx48D	T-RDR4829TPG	1x
2. CB Desk Return RH 20Dx72Wx29H	X-DR7220R	1x
3. CB Desk Shell Full Mod Recessed 36Dx72Wx29h	X-DS7236	1x
4. CBX 2D Full Depth Lat 18Dx28Hx30W	X-LAT2DFS3018	3x
5. CBX Wall Mount Tackboard 20Hx36W	X-WMTACK2036	3x
6. CB Wall Mounted Cabinet Double Height 14Dx32Hx36W	X-CDWM323614	3x

© 2026, AIS, Inc.


Typical 14 & 15

Typical 14



Description	Model Number	Quantity
1. TBL Knife Edge Triangle Table Tprd Leg Casters 29Hx60Wx36D	T-TRK6029TPC	1x
2. CBX Full Depth Cred with Sliding Doors LH 18Dx28Hx48W	X-CSDL2748	1x
3. CBX Full Depth Cred with Sliding Door RH 18Dx28Hx48W	X-CSDR2748	1x


Typical 15



Description	Model Number	Quantity
1. CBX Full Depth Floor Bookcase 18Dx21Hx30W	X-CBC2030	1x
2. CBX Full Depth Lat BF 18Dx21Hx30W	X-PLAT2D3018	2x
3. CBX Height Adjustable Table Base Powered-No Back Access 21Hx30Wx18D	X-HBPE3018	1x
4. CBX Height Adjustable Table Base 30”	X-HBE30	1x
5. CBX HA 2-leg base with WS KNF Edge 30Dx84W	X-2HKE3084	1x
6. CBX Suspended Height Adjustable Table Modesty 12h for 66W (50 Actual)	X-HATM1266	x1


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Typical 16



Description	Model Number	Quantity
1. CBX Height Adjustable Table Base Bookcase With Back Access 21H x30Wx18D	X-HBBCE-BA3018	x1
2. CBX Height Adjustable Table 2-leg base with WS KNF Edge 30Dx72W	X-2HKE3072	x1
3. CBX Full Depth Lat BF 18Dx21Hx30W	X-PLAT2D3018	x1
4. CBX 2D Full Depth Cab 18Dx21Hx30W	X-CCD2030	x1
5. Overhead Wallmounted 16Hx60Wx4D Open	C-OWM166014	x1
6. Height Adjustable Table Foot Glide	O-GSO	x1

Typical 17




Description	Model Number	Quantity
1. CBX Full Depth Lat BF 24Dx21Hx36W	X-PLAT2D3624	x2
2. CBX Stack On Bookcase 14Dx37Hx36W	X-SOBC3736	x1
3. CBX BF Height Adjustable Table Base 24” Right	X-HBE24R	x1
4. CBX Height Adjustable Table Base 24”	X-HBE24	x1
5. CBX BF Height Adjustable Table Base 30” Left	X-HBE30L	x1
6. CBX HA 3-leg base WS SQ Edge 24Dx72Wx30Dx72W Main Left	X-3HSEL24723072	x1

© 2026, AIS, Inc.


24”, 30” and 36” Deep Desk Shells

24” DESK SHELL


			Full Modesty		Three-Quarter Modesty		Half Modesty	
H	W	D	Model Number	List	Model Number	List	Model Number	List
29	36	24	X-DS3624	1,351	X-DS3624-3QM	1,308	X-DS3624-HM	1,265
29	42	24	X-DS4224	1,402	X-DS4224-3QM	1,351	X-DS4224-HM	1,303
29	48	24	X-DS4824	1,459	X-DS4824-3QM	1,401	X-DS4824-HM	1,347
29	54	24	X-DS5424	1,513	X-DS5424-3QM	1,449	X-DS5424-HM	1,368
29	60	24	X-DS6024	1,574	X-DS6024-3QM	1,500	X-DS6024-HM	1,430
29	66	24	X-DS6624	1,630	X-DS6624-3QM	1,550	X-DS6624-HM	1,476
29	72	24	X-DS7224	1,688	X-DS7224-3QM	1,599	X-DS7224-HM	1,518
29	78	24	X-DS7824	1,744	X-DS7824-3QM	1,653	X-DS7824-HM	1,559
29	84	24	X-DS8424	1,802	X-DS8424-3QM	1,703	X-DS8424-HM	1,604
29	90	24	X-DS9024	1,858	X-DS9024-3QM	1,752	X-DS9024-HM	1,646
29	96	24	X-DS9624	1,913	X-DS9624-3QM	1,802	X-DS9624-HM	1,689



Full




Three-Quarter




Half

30” DESK SHELL


			Full Modesty		Three-Quarter Modesty		Half Modesty	
H	W	D	Model Number	List	Model Number	List	Model Number	List
29	36	30	X-DS3630	1,449	X-DS3630-3QM	1,404	X-DS3630-HM	1,363
29	42	30	X-DS4230	1,506	X-DS4230-3QM	1,454	X-DS4230-HM	1,405
29	48	30	X-DS4830	1,572	X-DS4830-3QM	1,510	X-DS4830-HM	1,454
29	54	30	X-DS5430	1,632	X-DS5430-3QM	1,567	X-DS5430-HM	1,503
29	60	30	X-DS6030	1,609	X-DS6030-3QM	1,624	X-DS6030-HM	1,551
29	66	30	X-DS6630	1,763	X-DS6630-3QM	1,680	X-DS6630-HM	1,604
29	72	30	X-DS7230	1,824	X-DS7230-3QM	1,738	X-DS7230-HM	1,656
29	78	30	X-DS7830	1,888	X-DS7830-3QM	1,793	X-DS7830-HM	1,704
29	84	30	X-DS8430	1,969	X-DS8430-3QM	1,852	X-DS8430-HM	1,755
29	90	30	X-DS9030	2,016	X-DS9030-3QM	1,906	X-DS9030-HM	1,802
29	96	30	X-DS9630	2,078	X-DS9630-3QM	1,964	X-DS9630-HM	1,852



Full




Three-Quarter




Half

36” DESK SHELL


			Full Modesty		Three-Quarter Modesty		Half Modesty	
H	W	D	Model Number	List	Model Number	List	Model Number	List
29	36	36	X-DS3636	1,540	X-DS3636-3QM	1,503	X-DS3636-HM	1,463
29	42	36	X-DS4236	1,611	X-DS4236-3QM	1,519	X-DS4236-HM	1,467
29	48	36	X-DS4836	1,679	X-DS4836-3QM	1,623	X-DS4836-HM	1,567
29	54	36	X-DS5436	1,750	X-DS5436-3QM	1,684	X-DS5436-HM	1,623
29	60	36	X-DS6036	1,817	X-DS6036-3QM	1,747	X-DS6036-HM	1,676
29	66	36	X-DS6636	1,889	X-DS6636-3QM	1,812	X-DS6636-HM	1,736
29	72	36	X-DS7236	1,959	X-DS7236-3QM	1,873	X-DS7236-HM	1,791
29	78	36	X-DS7836	2,028	X-DS7836-3QM	1,935	X-DS7836-HM	1,849
29	84	36	X-DS8436	2,096	X-DS8436-3QM	2,000	X-DS8436-HM	1,901
29	90	36	X-DS9036	2,165	X-DS9036-3QM	2,062	X-DS9036-HM	1,956
29	96	36	X-DS9636	2,238	X-DS9636-3QM	2,124	X-DS9636-HM	2,015



Full



Three-Quarter



Half

Specify

- Laminate Selection for Worksurface
- Laminate Selection for Base
- Grommet Location

Notes

- Select sizes available on quick ship Calibrate Countdown program. See Calibrate Countdown price list for full details.
- Unsupported worksurfaces greater than 48” wide will require additional support.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Desk Shells with Access Modesties


24” DEEP DESK SHELL FULL MODESTY WITH ACCESS MODESTY

H	W	D	Model Number	List
29	36	24	X-DSS3624	1,325
29	42	24	X-DSS4224	1,380
29	48	24	X-DSS4824	1,437
29	54	24	X-DSS5424	1,489
29	60	24	X-DSS6024	1,543
29	66	24	X-DSS6624	1,596
29	72	24	X-DSS7224	1,647
29	78	24	X-DSS7824	1,704
29	84	24	X-DSS8424	1,757
29	90	24	X-DSS9024	1,810
29	96	24	X-DSS9624	1,862




30” DEEP DESK SHELL FULL MODESTY WITH ACCESS MODESTY


H	W	D	Model Number	List
29	36	30	X-DSS3630	1,425
29	42	30	X-DSS4230	1,489
29	48	30	X-DSS4830	1,548
29	54	30	X-DSS5430	1,607
29	60	30	X-DSS6030	1,667
29	66	30	X-DSS6630	1,727
29	72	30	X-DSS7230	1,787
29	78	30	X-DSS7830	1,849
29	84	30	X-DSS8430	1,905
29	90	30	X-DSS9030	1,966
29	96	30	X-DSS9630	2,021



36” DEEP DESK SHELL FULL MODESTY WITH ACCESS MODESTY

H	W	D	Model Number	List
29	36	36	X-DSS3636	1,527
29	42	36	X-DSS4236	1,562
29	48	36	X-DSS4836	1,659
29	54	36	X-DSS5436	1,725
29	60	36	X-DSS6036	1,791
29	66	36	X-DSS6636	1,857
29	72	36	X-DSS7236	1,924
29	78	36	X-DSS7836	1,988
29	84	36	X-DSS8436	2,053
29	90	36	X-DSS9036	2,118
29	96	36	X-DSS9636	2,182





Specify

- Laminate Selection for Worksurface
- Laminate Selection for Base
- Grommet Location

Notes


- Modesty access has a 15.5” opening.
- Bottom modesty measures approximately 13” from floor to access opening.
- Unsupported worksurfaces greater than 48” wide will require additional support.

© 2026, AIS, Inc.

Desk Shells with Full Modesty Flushes and Desk Shell Center Supports


24" DEEP DESK SHELL WITH FULL MODESTY FLUSH

H	W	D	Model Number	List
29	36	24	X-DSFM3624	1,352
29	42	24	X-DSFM4224	1,409
29	48	24	X-DSFM4824	1,461
29	54	24	X-DSFM5424	1,515
29	60	24	X-DSFM6024	1,576
29	66	24	X-DSFM6624	1,631
29	72	24	X-DSFM7224	1,689
29	78	24	X-DSFM7824	1,744
29	84	24	X-DSFM8424	1,805
29	90	24	X-DSFM9024	1,860
29	96	24	X-DSFM9624	1,918



30" DEEP DESK SHELL WITH FULL MODESTY FLUSH


H	W	D	Model Number	List
29	36	30	X-DSFM3630	1,451
29	42	30	X-DSFM4230	1,515
29	48	30	X-DSFM4830	1,572
29	54	30	X-DSFM5430	1,632
29	60	30	X-DSFM6030	1,697
29	66	30	X-DSFM6630	1,763
29	72	30	X-DSFM7230	1,824
29	78	30	X-DSFM7830	1,889
29	84	30	X-DSFM8430	1,949
29	90	30	X-DSFM9030	2,016
29	96	30	X-DSFM9630	2,079



Specify	Notes
• Laminate Selection Worksurface	• Select sizes available on quick ship Calibrate Countdown program. See Calibrate Countdown price list for full details.
• Laminate Selection for Base	• Unsupported worksurfaces greater than 48" wide will require additional support.
• Grommet Location	

CALIBRATE DESK SHELL CENTER SUPPORT

H	W	Model Number	List
27	12	X-DSCS	529



Specify	Notes
• Laminate Selection	• Calibrate Desk Shell Center Support attaches with brackets into any position across the width of any desk shell.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Desk Returns

DESK RETURNS

H	W	D	Left Model Number	Right Model Number	List
29	30	20	X-DR3020L	X-DR3020R	1,078
29	36	20	X-DR3620L	X-DR3620R	1,129
29	42	20	X-DR4220L	X-DR4220R	1,182
29	48	20	X-DR4820L	X-DR4820R	1,234
29	54	20	X-DR5420L	X-DR5420R	1,285
29	60	20	X-DR6020L	X-DR6020R	1,341
29	66	20	X-DR6620L	X-DR6620R	1,348
29	72	20	X-DR7220L	X-DR7220R	1,401
29	78	20	X-DR7820L	X-DR7820R	1,451
29	84	20	X-DR8420L	X-DR8420R	1,503
29	90	20	X-DR9020L	X-DR9020R	1,557
29	96	20	X-DR9620L	X-DR9620R	1,611
29	30	24	X-DR3024L	X-DR3024R	1,116
29	36	24	X-DR3624L	X-DR3624R	1,173
29	42	24	X-DR4224L	X-DR4224R	1,233
29	48	24	X-DR4824L	X-DR4824R	1,286
29	54	24	X-DR5424L	X-DR5424R	1,348
29	60	24	X-DR6024L	X-DR6024R	1,404
29	66	24	X-DR6624L	X-DR6624R	1,413
29	72	24	X-DR7224L	X-DR7224R	1,467
29	78	24	X-DR7824L	X-DR7824R	1,528
29	84	24	X-DR8424L	X-DR8424R	1,584
29	90	24	X-DR9024L	X-DR9024R	1,640
29	96	24	X-DR9624L	X-DR9624R	1,697



Left



Right

Specify


- Laminate Selection for Worksurface
- Laminate Selection for Base
- Grommet Location

Notes


- Select sizes available on quick ship Calibrate Countdown program. See Calibrate Countdown price list for full details.
- Unsupported worksurfaces greater than 48” wide will require additional support

DESK RETURNS WITH ACCESS MODESTY


H	W	D	Left Model Number	Right Model Number	List
29	30	20	X-DRR3020L	X-DRR3020R	1,134
29	36	20	X-DRR3620L	X-DRR3620R	1,186
29	42	20	X-DRR4220L	X-DRR4220R	1,235
29	48	20	X-DRR4820L	X-DRR4820R	1,285
29	54	20	X-DRR5420L	X-DRR5420R	1,338
29	60	20	X-DRR6020L	X-DRR6020R	1,387
29	66	20	X-DRR6620L	X-DRR6620R	1,436
29	72	20	X-DRR7220L	X-DRR7220R	1,487
29	78	20	X-DRR7820L	X-DRR7820R	1,534
29	84	20	X-DRR8420L	X-DRR8420R	1,586
29	90	20	X-DRR9020L	X-DRR9020R	1,637
29	96	20	X-DRR9620L	X-DRR9620R	1,736
29	30	24	X-DRR3024L	X-DRR3024R	1,208
29	36	24	X-DRR3624L	X-DRR3624R	1,260
29	42	24	X-DRR4224L	X-DRR4224R	1,311
29	48	24	X-DRR4824L	X-DRR4824R	1,366
29	54	24	X-DRR5424L	X-DRR5424R	1,415
29	60	24	X-DRR6024L	X-DRR6024R	1,465
29	66	24	X-DRR6624L	X-DRR6624R	1,518
29	72	24	X-DRR7224L	X-DRR7224R	1,565
29	78	24	X-DRR7824L	X-DRR7824R	1,618
29	84	24	X-DRR8424L	X-DRR8424R	1,671
29	90	24	X-DRR9024L	X-DRR9024R	1,718
29	96	24	X-DRR9624L	X-DRR9624R	1,769




Left (Back)



Left (Front)



Right (Back)



Right (Front)

Specify

- Laminate Selection for Worksurface
- Laminate Selection for Base
- Grommet Location

Notes


- Modesty access has a 15.5” opening.
- Bottom modesty measures approximately 13” from floor to access opening.
- Support panel measures 12”.
- Unsupported worksurfaces greater than 48” wide will require additional support

© 2026, AIS, Inc.


Desk Bridges

DESK BRIDGE WITH FULL MODESTY FLUSH

H	W	D	Model Number	List
29	30	20	X-DB3020	837
29	36	20	X-DB3620	872
29	42	20	X-DB4220	904
29	48	20	X-DB4820	935
29	54	20	X-DB5420	969
29	60	20	X-DB6020	1,009
29	30	24	X-DB3024	845
29	36	24	X-DB3624	882
29	42	24	X-DB4224	921
29	48	24	X-DB4824	960
29	54	24	X-DB5424	998
29	60	24	X-DB6024	1,040



20” Deep



24” Deep

Specify

- Laminate Selection for Worksurface
- Laminate Selection for Base
- Grommet Location

Notes

- Select sizes available on quick ship Calibrate Countdown program. See Calibrate Countdown price list for full details.

© 2026, AIS, Inc.


Reception Desk Shells and Returns

RECEPTION DESK SHELL


H	W	D	Model Number	List
42	60	24	X-RDSH2460	1,827
42	66	24	X-RDSH2466	1,906
42	72	24	X-RDSH2472	1,978
42	78	24	X-RDSH2478	2,051
42	84	24	X-RDSH2484	2,124
42	90	24	X-RDSH2490	2,197
42	96	24	X-RDSH2496	2,269
42	60	30	X-RDSH3060	1,985
42	66	30	X-RDSH3066	2,067
42	72	30	X-RDSH3072	2,154
42	78	30	X-RDSH3078	2,233
42	84	30	X-RDSH3084	2,315
42	90	30	X-RDSH3090	2,392
42	96	30	X-RDSH3096	2,475

RECEPTION RETURN


			Return Left	Return Right	
H	W	D	Model Number	Model Number	List
42	36	20	X-RDRL2036	X-RDRR2036	1,171
42	42	20	X-RDRL2042	X-RDRR2042	1,233
42	48	20	X-RDRL2048	X-RDRR2048	1,289
42	54	20	X-RDRL2054	X-RDRR2054	1,351
42	60	20	X-RDRL2060	X-RDRR2060	1,411
42	36	24	X-RDRL2436	X-RDRR2436	1,223
42	42	24	X-RDRL2442	X-RDRR2442	1,286
42	48	24	X-RDRL2448	X-RDRR2448	1,352
42	54	24	X-RDRL2454	X-RDRR2454	1,415
42	60	24	X-RDRL2460	X-RDRR2460	1,465




60 Wide



66 - 96 Wide



Return Left



Return Right

Specify

- Laminate Selection for Worksurface
- Laminate Selection for Case
- Additional Grommet Locations (+38)
- Grommet Cover Color (if applicable)

Notes

- Ships knocked down.
- Laminate wood grain will run vertically for all panels 60” wide or less. Laminate wood grain will run horizontally for all panels greater than 60” wide.
- Grommet holes with covers are specified as options.

© 2026, AIS, Inc.


Reception Corner Stack-On

RECEPTION CORNER STACK-ON


			Left	Right	
H	W	D	Model Number	Model Number	List
28	36	36	X-RDCSO3636L	X-RDCSO3636R	2,979
28	42	42	X-RDCSO4242L	X-RDCSO4242R	3,062
28	48	48	X-RDCSO4848L	X-RDCSO4848R	3,157
28	54	54	X-RDCSO5454L	X-RDCSO5454R	3,664
28	60	60	X-RDCSO6060L	X-RDCSO6060R	3,744
28	66	66	X-RDCSO6666L	X-RDCSO6666R	3,842
28	72	72	X-RDCSO7272L	X-RDCSO7272R	3,923
28	78	78	X-RDCSO7878L	X-RDCSO7878R	3,936
28	84	84	X-RDCSO8484L	X-RDCSO8484R	4,016
28	90	90	X-RDCSO9090L	X-RDCSO9090R	4,089
28	42	36	X-RDCSO4236L	X-RDCSO4236R	3,021
28	48	36	X-RDCSO4836L	X-RDCSO4836R	3,067
28	54	36	X-RDCSO5436L	X-RDCSO5436R	3,322
28	60	36	X-RDCSO6036L	X-RDCSO6036R	3,361
28	66	36	X-RDCSO6636L	X-RDCSO6636R	3,410
28	72	36	X-RDCSO7236L	X-RDCSO7236R	3,450
28	78	36	X-RDCSO7836L	X-RDCSO7836R	3,457
28	84	36	X-RDCSO8436L	X-RDCSO8436R	3,499
28	90	36	X-RDCSO9036L	X-RDCSO9036R	3,534
28	48	42	X-RDCSO4842L	X-RDCSO4842R	3,110
28	54	42	X-RDCSO5442L	X-RDCSO5442R	3,362
28	60	42	X-RDCSO6042L	X-RDCSO6042R	3,404
28	66	42	X-RDCSO6642L	X-RDCSO6642R	3,451
28	72	42	X-RDCSO7242L	X-RDCSO7242R	3,492
28	78	42	X-RDCSO7842L	X-RDCSO7842R	3,500
28	84	42	X-RDCSO8442L	X-RDCSO8442R	3,539
28	90	42	X-RDCSO9042L	X-RDCSO9042R	3,575
28	54	48	X-RDCSO5448L	X-RDCSO5448R	3,410

RECEPTION CORNER STACK-ON


			Left	Right	
H	W	D	Model Number	Model Number	List
28	60	48	X-RDCSO6048L	X-RDCSO6048R	3,450
28	66	48	X-RDCSO6648L	X-RDCSO6648R	3,501
28	72	48	X-RDCSO7248L	X-RDCSO7248R	3,540
28	78	48	X-RDCSO7848L	X-RDCSO7848R	3,546
28	84	48	X-RDCSO8448L	X-RDCSO8448R	3,587
28	90	48	X-RDCSO9048L	X-RDCSO9048R	3,623
28	60	54	X-RDCSO6054L	X-RDCSO6054R	3,706
28	66	54	X-RDCSO6654L	X-RDCSO6654R	3,753
28	72	54	X-RDCSO7254L	X-RDCSO7254R	3,794
28	78	54	X-RDCSO7854L	X-RDCSO7854R	3,799
28	84	54	X-RDCSO8454L	X-RDCSO8454R	3,840
28	90	54	X-RDCSO9054L	X-RDCSO9054R	3,876
28	66	60	X-RDCSO6660L	X-RDCSO6660R	3,794
28	72	60	X-RDCSO7260L	X-RDCSO7260R	3,834
28	78	60	X-RDCSO7860L	X-RDCSO7860R	3,840
28	84	60	X-RDCSO8460L	X-RDCSO8460R	3,881
28	90	60	X-RDCSO9060L	X-RDCSO9060R	3,918
28	72	66	X-RDCSO7266L	X-RDCSO7266R	3,884
28	78	66	X-RDCSO7866L	X-RDCSO7866R	3,890
28	84	66	X-RDCSO8466L	X-RDCSO8466R	3,929
28	90	66	X-RDCSO9066L	X-RDCSO9066R	3,966
28	78	72	X-RDCSO7872L	X-RDCSO7872R	3,929
28	84	72	X-RDCSO8472L	X-RDCSO8472R	3,971
28	90	72	X-RDCSO9072L	X-RDCSO9072R	4,006
28	84	78	X-RDCSO8478L	X-RDCSO8478R	3,976
28	90	78	X-RDCSO9078L	X-RDCSO9078R	4,013
28	90	84	X-RDCSO9084L	X-RDCSO9084R	4,051




Return Left (symmetrical)



Return Right (symmetrical)



Return Left (asymmetrical)



Return Right (asymmetrical)

Specify

- Laminate Selection for Worksurface
- Laminate Selection for Case

Notes

- Ships knocked down.
- Laminate wood grain will run vertically for all panels 60” wide or less.
- Laminate wood grain will run horizontally for all panels greater than 60” wide.
- Compatible only with flush modesty desk shells.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Reception Stack-Ons and Countertops

RECEPTION STACK-ON

H	W	D	Model Number	List
28	36	12	X-RDSO1236	1,491
28	42	12	X-RDSO1242	1,531
28	48	12	X-RDSO1248	1,581
28	54	12	X-RDSO1254	1,833
28	60	12	X-RDSO1260	1,873
28	66	12	X-RDSO1266	1,922
28	72	12	X-RDSO1272	1,964
28	78	12	X-RDSO1278	1,969
28	84	12	X-RDSO1284	2,009
28	90	12	X-RDSO1290	2,046
28	96	12	X-RDSO1296	2,086



36 - 48 Wide



54 - 96 Wide

Specify


- Laminate Selection for Worksurface
- Laminate Selection for Case

Notes

- Ships knocked down.
- Laminate wood grain will run vertically for all panels 60” wide or less.
- Laminate wood grain will run horizontally for all panels greater than 60” wide.
- Compatible only with flush modesty desk shells.

RECEPTION COUNTERTOP

H	W	Model Number	List
12	24	X-RDCT1224	360
12	30	X-RDCT1230	413
12	33	X-RDCT1233	420
12	36	X-RDCT1236	441
12	39	X-RDCT1239	460
12	42	X-RDCT1242	517
12	45	X-RDCT1245	528
12	48	X-RDCT1248	550
12	54	X-RDCT1254	596
12	60	X-RDCT1260	642
12	66	X-RDCT1266	716
12	72	X-RDCT1272	772
12	78	X-RDCT1278	815
12	84	X-RDCT1284	905
12	90	X-RDCT1290	945
12	96	X-RDCT1296	1,029



Specify

- Laminate Selection for Worksurface

Notes


- Includes brackets for mounting.
- Counter top width must always be smaller than or equal to width of reception desk shell.

© 2026, AIS, Inc.


Corian® Reception Corner Stack-On

CORIAN RECEPTION CORNER STACK-ON


				Left	Right				
H	W	D	Wt	Model Number	Model Number	List	Grade B Corian Upgrade	Grade C Corian Upgrade	Grade D Corian Upgrade
28	36	36	285	X-RDCCO3636LC	X-RDCCO3636RC	34,128	1,425	2,921	4,492
28	42	42	325	X-RDCCO4242LC	X-RDCCO4242RC	37,199	1,553	3,184	4,897
28	48	48	360	X-RDCCO4848LC	X-RDCCO4848RC	40,546	1,693	3,471	5,337
28	54	54	395	X-RDCCO5454LC	X-RDCCO5454RC	44,194	1,845	3,783	5,818
28	60	60	430	X-RDCCO6060LC	X-RDCCO6060RC	48,173	2,012	4,124	6,341
28	66	66	470	X-RDCCO6666LC	X-RDCCO6666RC	52,508	2,193	4,495	6,912
28	72	72	505	X-RDCCO7272LC	X-RDCCO7272RC	57,234	2,390	4,899	7,534
28	78	78	540	X-RDCCO7878LC	X-RDCCO7878RC	62,384	2,605	5,340	8,212
28	84	84	575	X-RDCCO8484LC	X-RDCCO8484RC	67,999	2,839	5,821	8,951
28	90	90	615	X-RDCCO9090LC	X-RDCCO9090RC	74,119	3,095	6,345	9,757
28	42	36	305	X-RDCCO4236LC	X-RDCCO4236RC	35,663	1,489	3,053	4,694
28	48	36	325	X-RDCCO4836LC	X-RDCCO4836RC	37,335	1,559	3,196	4,915
28	54	36	340	X-RDCCO5436LC	X-RDCCO5436RC	39,161	1,635	3,352	5,155
28	60	36	360	X-RDCCO6036LC	X-RDCCO6036RC	41,151	1,718	3,522	5,417
28	66	36	375	X-RDCCO6636LC	X-RDCCO6636RC	43,317	1,809	3,708	5,702
28	72	36	400	X-RDCCO7236LC	X-RDCCO7236RC	45,681	1,907	3,910	6,013
28	78	36	415	X-RDCCO7836LC	X-RDCCO7836RC	48,256	2,015	4,131	6,352
28	84	36	430	X-RDCCO8436LC	X-RDCCO8436RC	51,063	2,132	4,371	6,722
28	90	36	450	X-RDCCO9036LC	X-RDCCO9036RC	54,123	2,260	4,633	7,125




Return Left
(front, symmetrical)



Return Left
(back, symmetrical)



Return Left (asymmetrical)



Return Right (asymmetrical)

Specify

- Corian Selection

Notes

- Compatible only with flush modesty desk shells.
- Reference Compatibility Guidelines at the end of this section for Stack-On limitations based on desk shell size.
- Large orders for 20+ units are subject to longer lead times based on material availability.
- Corner units over 42” on both sides ship in 2 pieces; matching glue included. Two-piece installation must be coordinated with a trained Corian installer.
- Larger units will be heavy. Receivers and installers must plan accordingly.
- Corian reception tops feature an eased edge with an 1/8” roundover.
- Corian Stack-On and Corner Stack-On units are 1” thick.
- For care and maintenance, please see Care & Maintenance Guidelines.
- For Corian Reception Stack-On installation, use 1.25” coarse thread screws. See Installation Instructions for more details.
- Directional Corian finishes will run horizontally.
- Pre-drilled holes are recommended when drilling directly into Corian. AIS Corian Reception units include a plywood backer that does not require predrilled holes when securing the reception unit to an AIS laminate desk shell.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Corian Reception Corner Stack-On

CORIAN RECEPTION CORNER STACK-ON


				Left	Right				
H	W	D	Wt	Model Number	Model Number	List	Grade B Corian Upgrade	Grade C Corian Upgrade	Grade D Corian Upgrade
28	48	42	340	X-RDCCO4842LC	X-RDCCO4842RC	38,872	1,623	3,327	5,117
28	54	42	360	X-RDCCO5442LC	X-RDCCO5442RC	40,697	1,699	3,484	5,357
28	60	42	375	X-RDCCO6042LC	X-RDCCO6042RC	42,686	1,782	3,654	5,619
28	66	42	395	X-RDCCO6642LC	X-RDCCO6642RC	44,852	1,873	3,839	5,904
28	72	42	415	X-RDCCO7242LC	X-RDCCO7242RC	47,216	1,972	4,042	6,215
28	78	42	430	X-RDCCO7842LC	X-RDCCO7842RC	49,791	2,079	4,262	6,554
28	84	42	450	X-RDCCO8442LC	X-RDCCO8442RC	52,599	2,196	4,502	6,924
28	90	42	470	X-RDCCO9042LC	X-RDCCO9042RC	55,659	2,324	4,764	7,327
28	54	48	375	X-RDCCO5448LC	X-RDCCO5448RC	42,370	1,769	3,627	5,577
28	60	48	395	X-RDCCO6048LC	X-RDCCO6048RC	44,194	1,845	3,783	5,818
28	66	48	415	X-RDCCO6648LC	X-RDCCO6648RC	46,184	1,928	3,953	6,079
28	72	48	430	X-RDCCO7248LC	X-RDCCO7248RC	48,352	2,019	4,139	6,365
28	78	48	450	X-RDCCO7848LC	X-RDCCO7848RC	50,714	2,118	4,341	6,676
28	84	48	470	X-RDCCO8448LC	X-RDCCO8448RC	53,290	2,225	4,562	7,015
28	90	48	485	X-RDCCO9048LC	X-RDCCO9048RC	56,096	2,342	4,802	7,384
28	60	54	415	X-RDCCO6054LC	X-RDCCO6054RC	46,184	1,928	3,953	6,079
28	66	54	430	X-RDCCO6654LC	X-RDCCO6654RC	48,352	2,019	4,139	6,365
28	72	54	450	X-RDCCO7254LC	X-RDCCO7254RC	50,714	2,118	4,341	6,676
28	78	54	470	X-RDCCO7854LC	X-RDCCO7854RC	53,290	2,225	4,562	7,015
28	84	54	485	X-RDCCO8454LC	X-RDCCO8454RC	56,096	2,342	4,802	7,384
28	90	54	505	X-RDCCO9054LC	X-RDCCO9054RC	59,157	2,470	5,064	7,787




Return Left
(front, symmetrical)



Return Left
(back, symmetrical)



Return Left (asymmetrical)



Return Right (asymmetrical)

Specify

- Corian Selection

Notes


- Compatible only with flush modesty desk shells.
- Reference Compatibility Guidelines at the end of this section for Stack-On limitations based on desk shell size.
- Large orders for 20+ units are subject to longer lead times based on material availability.
- Corner units over 42” on both sides ship in 2 pieces; matching glue included. Two-piece installation must be coordinated with a trained Corian installer.
- Larger units will be heavy. Receivers and installers must plan accordingly.
- Corian reception tops feature an eased edge with an 1/8” roundover.
- Corian Stack-On and Corner Stack-On units are 1” thick.
- For care and maintenance, please see Care & Maintenance Guidelines.
- For Corian Reception Stack-On installation, use 1.25” coarse thread screws. See Installation Instructions for more details.
- Directional Corian finishes will run horizontally.
- Pre-drilled holes are recommended when drilling directly into Corian. AIS Corian Reception units include a plywood backer that does not require predrilled holes when securing the reception unit to an AIS laminate desk shell.

© 2026, AIS, Inc.


Corian Reception Corner Stack-On

CORIAN RECEPTION CORNER STACK-ON

				Left	Right				
H	W	D	Wt	Model Number	Model Number	List	Grade B Corian Upgrade	Grade C Corian Upgrade	Grade D Corian Upgrade
28	66	60	450	X-RDCCO6660LC	X-RDCCO6660RC	50,340	2,102	4,309	6,627
28	72	60	470	X-RDCCO7260LC	X-RDCCO7260RC	52,508	2,193	4,495	6,912
28	78	60	485	X-RDCCO7860LC	X-RDCCO7860RC	54,870	2,291	4,697	7,223
28	84	60	505	X-RDCCO8460LC	X-RDCCO8460RC	57,446	2,399	4,917	7,562
28	90	60	520	X-RDCCO9060LC	X-RDCCO9060RC	60,253	2,516	5,158	7,932
28	72	66	485	X-RDCCO7266LC	X-RDCCO7266RC	54,870	2,291	4,697	7,223
28	78	66	505	X-RDCCO7866LC	X-RDCCO7866RC	59,809	2,497	5,120	7,873
28	84	66	520	X-RDCCO8466LC	X-RDCCO8466RC	65,192	2,722	5,580	8,582
28	90	66	540	X-RDCCO9066LC	X-RDCCO9066RC	71,058	2,967	6,083	9,354
28	78	72	520	X-RDCCO7872LC	X-RDCCO7872RC	59,809	2,497	5,120	7,873
28	84	72	540	X-RDCCO8472LC	X-RDCCO8472RC	62,384	2,605	5,340	8,212
28	90	72	560	X-RDCCO9072LC	X-RDCCO9072RC	65,192	2,722	5,580	8,582
28	84	78	560	X-RDCCO8478LC	X-RDCCO8478RC	65,492	2,735	5,606	8,621
28	90	78	575	X-RDCCO9078LC	X-RDCCO9078RC	68,298	2,852	5,846	8,991
28	90	84	595	X-RDCCO9084LC	X-RDCCO9084RC	71,358	2,980	6,108	9,393



Return Left (asymmetrical)



Return Right (asymmetrical)


Specify	Notes
• Corian Selection	• Compatible only with flush modesty desk shells. • Reference Compatibility Guidelines at the end of this section for Stack-On limitations based on desk shell size. • Large orders for 20+ units are subject to longer lead times based on material availability. • Corner units over 42” on both sides ship in 2 pieces; matching glue included. Two-piece installation must be coordinated with a trained Corian installer. • Larger units will be heavy. Receivers and installers must plan accordingly. • Corian reception tops feature an eased edge with an 1/8” roundover. • Corian Stack-On and Corner Stack-On units are 1” thick. • For care and maintenance, please see Care & Maintenance Guidelines. • For Corian Reception Stack-On installation, use 1.25” coarse thread screws. See Installation Instructions for more details. • Directional Corian finishes will run horizontally. • Pre-drilled holes are recommended when drilling directly into Corian. AIS Corian Reception units include a plywood backer that does not require predrilled holes when securing the reception unit to an AIS laminate desk shell.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Corian Reception Stack-Ons

CORIAN RECEPTION STACK-ON

H	W	D	Wt (lbs)	Model Number	List	Grade B Corian Upgrade	Grade C Corian Upgrade	Grade D Corian Upgrade
28	36	12	145	X-RDCO1236C	17,065	658	1,348	2,073
28	42	12	165	X-RDCO1242C	18,430	736	1,510	2,322
28	48	12	180	X-RDCO1248C	19,904	815	1,671	2,570
28	54	12	200	X-RDCO1254C	21,496	894	1,833	2,819
28	60	12	215	X-RDCO1260C	23,215	973	1,995	3,068
28	66	12	235	X-RDCO1266C	25,073	1,052	2,157	3,316
28	72	12	255	X-RDCO1272C	27,078	1,131	2,318	3,565
28	78	12	270	X-RDCO1278C	29,243	1,210	2,480	3,814
28	84	12	290	X-RDCO1284C	31,584	1,289	2,642	4,063
28	90	12	310	X-RDCO1290C	34,110	1,368	2,804	4,311
28	96	12	325	X-RDCO1296C	36,839	1,447	2,965	4,560



Specify

- Corian Selection

Notes


- Compatible only with flush modesty desk shells.
- Reference Compatibility Guidelines at the end of this section for Stack-On limitations based on desk shell size.
- Large orders for 20+ units are subject to longer lead times based on material availability.
- Corner units over 42” on both sides ship in 2 pieces; matching glue included. Two-piece installation must be coordinated with a trained Corian installer.
- Larger units will be heavy. Receivers and installers must plan accordingly.
- Corian reception tops feature an eased edge with an 1/8” roundover.
- Corian Stack-On and Corner Stack-On units are 1” thick.
- For care and maintenance, please see Care & Maintenance Guidelines.
- For Corian Reception Stack-On installation, use 1.25” coarse thread screws. See Installation Instructions for more details.
- Directional Corian finishes will run horizontally.
- Pre-drilled holes are recommended when drilling directly into Corian. AIS Corian Reception units include a plywood backer that does not require predrilled holes when securing the reception unit to an AIS laminate desk shell.

© 2026, AIS, Inc.

Corian Reception Countertops

CORIAN RECEPTION COUNTERTOPS

W	D	Wt (lbs)	Model Number	List	Grade B Corian Upgrade	Grade C Corian Upgrade	Grade D Corian Upgrade
24	12	25	X-RDCT1224C	3,085	109	224	345
30	12	30	X-RDCT1230C	3,393	120	247	380
33	12	35	X-RDCT1233C	3,734	132	271	417
36	12	35	X-RDCT1236C	4,104	146	299	459
39	12	40	X-RDCT1239C	4,516	160	328	505
42	12	45	X-RDCT1242C	4,967	176	361	556
45	12	45	X-RDCT1245C	5,463	194	397	611
48	12	50	X-RDCT1248C	6,011	213	437	672
54	12	55	X-RDCT1254C	7,813	277	568	874
60	12	60	X-RDCT1260C	8,984	319	654	1,005
66	12	65	X-RDCT1266C	10,332	367	752	1,156
72	12	70	X-RDCT1272C	11,881	422	864	1,329
78	12	75	X-RDCT1278C	13,661	485	994	1,529
84	12	85	X-RDCT1284C	15,713	558	1,143	1,758
90	12	90	X-RDCT1290C	18,070	641	1,315	2,022
96	12	60	X-RDCT1296C	20,779	737	1,512	2,325



Specify	Notes
• Corian Selection	• Reference Compatibility Guidelines at the end of this section for Stack-On limitations based on desk shell size. • Large orders for 20+ units are subject to longer lead times based on material availability. • Larger units will be heavy. Receivers and installers must plan accordingly. • Corian reception tops feature an eased edge with an 1/8” roundover. • Corian transaction tops are 1.25” thick. • For care and maintenance, please see Care & Maintenance Guidelines. • For Corian Reception Countertop installation, use 1.75” #8 coarse thread screws. • Directional Corian finishes will run horizontally. • Pre-drilled holes are recommended when drilling directly into Corian. AIS Corian Reception units include a plywood backer that does not require predrilled holes when securing the reception unit to an AIS laminate desk shell.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Corian Reception Stack-Ons, Compatibility Guidelines

COMPATIBILITY GUIDELINES FOR CORIAN RECEPTION STACK-ON


DESK SHELL/CORIAN STACK ON	X-RDC01236	X-RDC01242	X-RDC01248	X-RDC01254	X-RDC01260	X-RDC01266	X-RDC01272	X-RDC01278	X-RDC01284	X-RDC01290	X-RDC01296
X-DSFM3624	NO	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
X-DSFM4224	NO	NO	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
X-DSFM4824	NO	NO	NO	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
X-DSFM5424	NO	NO	NO	NO	N/A	N/A	N/A	N/A	N/A	N/A	N/A
X-DSFM6024	NO	NO	NO	NO	NO	N/A	N/A	N/A	N/A	N/A	N/A
X-DSFM6624	NO	NO	NO	NO	NO	NO	N/A	N/A	N/A	N/A	N/A
X-DSFM7224	YES	NO	NO	NO	NO	NO	NO	N/A	N/A	N/A	N/A
X-DSFM7824	YES	YES	NO	NO	NO	NO	NO	NO	N/A	N/A	N/A
X-DSFM8424	YES	YES	YES	NO	NO	NO	NO	NO	NO	N/A	N/A
X-DSFM9024	YES	YES	YES	YES	NO	NO	NO	NO	NO	NO	N/A
X-DSFM9624	YES	YES	YES	YES	YES	NO	NO	NO	NO	NO	NO
X-DSFM3630	NO	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
X-DSFM4230	NO	NO	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
X-DSFM4830	NO	NO	NO	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
X-DSFM5430	NO	NO	NO	NO	N/A	N/A	N/A	N/A	N/A	N/A	N/A
X-DSFM6030	NO	NO	NO	NO	NO	N/A	N/A	N/A	N/A	N/A	N/A
X-DSFM6630	YES	NO	NO	NO	NO	NO	N/A	N/A	N/A	N/A	N/A
X-DSFM7230	YES	YES	NO	NO	NO	NO	NO	N/A	N/A	N/A	N/A
X-DSFM7830	YES	YES	YES	NO	NO	NO	NO	NO	N/A	N/A	N/A
X-DSFM8430	YES	YES	YES	YES	NO	NO	NO	NO	NO	N/A	N/A
X-DSFM9030	YES	YES	YES	YES	YES	NO	NO	NO	NO	NO	N/A
X-DSFM9630	YES	YES	YES	YES	YES	YES	NO	NO	NO	NO	NO

© 2026, AIS, Inc.


Rectangular Floating Run-Off Worksurfaces

RECTANGULAR FLOATING RUN-OFFS (2MM EDGE WITH TAPERED LEG)

		Powered		Non-Powered	
D	W	Model Number	List	Model Number	List
30	60	X-FS-ROR3060TP	5,819	X-FS-ROR3060T	2,269
30	66	X-FS-ROR3066TP	5,938	X-FS-ROR3066T	2,384
30	72	X-FS-ROR3072TP	5,992	X-FS-ROR3072T	2,436
30	78	X-FS-ROR3078TP	6,045	X-FS-ROR3078T	2,486
36	72	X-FS-ROR3672TP	6,041	X-FS-ROR3672T	2,581
36	78	X-FS-ROR3678TP	6,198	X-FS-ROR3678T	2,641




Powered




Non-Powered

RECTANGULAR FLOATING RUN-OFFS (KNIFE EDGE WITH TAPERED LEG)

		Powered		Non-Powered	
D	W	Model Number	List	Model Number	List
30	60	X-FK-ROR3060TP	7,430	X-FK-ROR3060T	4,020
30	66	X-FK-ROR3066TP	7,563	X-FK-ROR3066T	4,085
30	72	X-FK-ROR3072TP	7,634	X-FK-ROR3072T	4,154
30	78	X-FK-ROR3078TP	7,704	X-FK-ROR3078T	4,292
36	72	X-FK-ROR3672TP	7,832	X-FK-ROR3672T	4,421
36	78	X-FK-ROR3678TP	7,905	X-FK-ROR3678T	4,493



Powered



Non-Powered

Specify

- Laminate Selection for Worksurface
- Laminate Selection for Riser
- Edgeband Selection
- Finish Selection for Leg
- Paint Selection for Power - Black, Silver or White

Notes


- Power option includes access door with interior storage for devices with (3) standard 15 amp NEMA outlets, (2) 2.1 amp USBs, (2) 1 1/4 diamter pass through grommets and (2) Keystone style jack/device holes for data or HDMI jacks. Includes 15 amp overload switch with reset, surge protection.
- Includes attachment hardware and worksurface U-Channels.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

Rectangular Floating Run-Off Worksurfaces

RECTANGULAR FLOATING RUN-OFFS (2MM EDGE WITH O-LEG)					
		Powered		Non-Powered	
D	W	Model Number	List	Model Number	List
30	60	X-FS-ROR3060OP	6,693	X-FS-ROR3060O	2,608
30	66	X-FS-ROR3066OP	6,828	X-FS-ROR3066O	2,742
30	72	X-FS-ROR3072OP	6,892	X-FS-ROR3072O	2,801
30	78	X-FS-ROR3078OP	6,952	X-FS-ROR3078O	2,859
36	72	X-FS-ROR3672OP	6,944	X-FS-ROR3672O	2,968
36	78	X-FS-ROR3678OP	7,125	X-FS-ROR3678O	3,035



Powered



Non-Powered

Specify

- Laminate Selection for Worksurface
- Laminate Selection for Riser
- Edgeband Selection
- Paint Selection for Leg (+25 for Grade C)
- Paint Selection for Power - Black, Silver or White

Notes


- Power option includes access door with interior storage for devices with (3) standard 15 amp NEMA outlets, (2) 2.1 amp USBs, (2) 1 1/4 diameter pass through grommets and (2) Keystone style jack/device holes for data or HDMI jacks. Includes 15 amp overload switch with reset, surge protection.
- O-Legs are constructed from 1” x 2” painted steel.
- Legs have 1 1/2” leveling glides.
- Includes attachment hardware and worksurface U-Channels.

© 2026, AIS, Inc.


Radius Rectangular Floating Run-Off Worksurfaces

RADIUS RECTANGULAR FLOATING RUN-OFFS (2MM EDGE WITH TAPERED LEG)

		Powered		Non-Powered	
D	W	Model Number	List	Model Number	List
30	60	X-FS-RORR3060TP	5,972	X-FS-RORR3060T	2,442
30	66	X-FS-RORR3066TP	6,091	X-FS-RORR3066T	2,563
30	72	X-FS-RORR3072TP	6,146	X-FS-RORR3072T	2,613
30	78	X-FS-RORR3078TP	6,197	X-FS-RORR3078T	2,667
36	72	X-FS-RORR3672TP	6,297	X-FS-RORR3672T	2,763
36	78	X-FS-RORR3678TP	6,351	X-FS-RORR3678T	2,825




Powered




Non-Powered

RADIUS RECTANGULAR FLOATING RUN-OFFS (KNIFE EDGE WITH TAPERED LEG)

		Powered		Non-Powered	
D	W	Model Number	List	Model Number	List
30	60	X-FK-RORR3060TP	7,429	X-FK-RORR3060T	4,019
30	66	X-FK-RORR3066TP	7,563	X-FK-RORR3066T	4,154
30	72	X-FK-RORR3072TP	7,634	X-FK-RORR3072T	4,222
30	78	X-FK-RORR3078TP	7,703	X-FK-RORR3078T	4,292
36	72	X-FK-RORR3672TP	7,828	X-FK-RORR3672T	4,421
36	78	X-FK-RORR3678TP	7,905	X-FK-RORR3678T	4,493



Powered



Non-Powered

Specify

- Laminate Selection for Worksurface
- Laminate Selection for Riser
- Edgeband Selection
- Finish Selection for Leg
- Paint Selection for Power - Black, Silver or White

Notes

- Power option includes access door with interior storage for devices with (3) standard 15 amp NEMA outlets, (2) 2.1 amp USBs, (2) 1 1/4 diamter pass through grommets and (2) Keystone style jack/device holes for data or HDMI jacks. Includes 15 amp overload switch with reset, surge protection.
- Includes attachment hardware and worksurface U-Channels.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Blade and Wedge Floating Run-Off Worksurfaces

BLADE FLOATING RUN-OFFS (2MM EDGE WITH TAPERED LEG)

			Powered		Non-Powered	
D	W	Handing	Model Number	List	Model Number	List
30	72	Left	X-FS-ROBL3072TP	6,362	X-FS-ROBL3072T	2,834
30	78	Left	X-FS-ROBL3078TP	6,427	X-FS-ROBL3078T	2,898
30	72	Right	X-FS-ROBR3072TP	6,362	X-FS-ROBR3072T	2,834
30	78	Right	X-FS-ROBR3078TP	6,427	X-FS-ROBR3078T	2,898




Powered




Non-Powered

BLADE FLOATING RUN-OFFS (KNIFE EDGE WITH TAPERED LEG)

			Powered		Non-Powered	
D	W	Handing	Model Number	List	Model Number	List
30	72	Left	X-FK-ROBL3072TP	7,904	X-FK-ROBL3072T	4,616
30	78	Left	X-FK-ROBL3078TP	7,988	X-FK-ROBL3078T	4,695
30	72	Right	X-FK-ROBR3072TP	7,904	X-FK-ROBR3072T	4,616
30	78	Right	X-FK-ROBR3078TP	7,988	X-FK-ROBR3078T	4,695




Powered




Non-Powered

WEDGE FLOATING RUN-OFFS (2MM EDGE WITH TAPERED LEG)

		Powered		Non-Powered	
D	W	Model Number	List	Model Number	List
28	66	X-FS-ROW2866TP	6,297	X-FS-ROW2866T	2,764
28	72	X-FS-ROW2872TP	6,507	X-FS-ROW2872T	3,080
28	78	X-FS-ROW2878TP	6,656	X-FS-ROW2878T	3,126
32	72	X-FS-ROW3272TP	6,451	X-FS-ROW3272T	2,847
32	78	X-FS-ROW3278TP	6,596	X-FS-ROW3278T	3,102




Powered




Non-Powered

WEDGE FLOATING RUN-OFFS (KNIFE EDGE WITH TAPERED LEG)

		Powered		Non-Powered	
D	W	Model Number	List	Model Number	List
28	66	X-FK-ROW2866TP	7,993	X-FK-ROW2866T	4,583
28	72	X-FK-ROW2872TP	8,271	X-FK-ROW2872T	4,862
28	78	X-FK-ROW2878TP	8,544	X-FK-ROW2878T	4,984
32	72	X-FK-ROW3272TP	8,284	X-FK-ROW3272T	4,874
32	78	X-FK-ROW3278TP	8,460	X-FK-ROW3278T	5,021



Powered



Non-Powered

Specify

- Laminate Selection for Worksurface
- Laminate Selection for Riser
- Edgeband Selection
- Finish Selection for Leg
- Paint Selection for Power - Black, Silver or White

Notes


- Power option includes access door with interior storage for devices with (3) standard 15 amp NEMA outlets, (2) 2.1 amp USBs, (2) 1 1/4 diameter pass through grommets and (2) Keystone style jack/device holes for data or HDMI jacks. Includes 15 amp overload switch with reset, surge protection.
- Includes attachment hardware and worksurface U-Channels.

© 2026, AIS, Inc.


Run-Offs for 29" High Post Legs

RECTANGULAR RUN-OFF FOR 29" HIGH POST LEGS

		2mm Edge		Knife Edge	
D	W	Model Number	List	Model Number	List
30	60	X-WSROR3060P	1,150	X-WSROK3060P	2,903
30	66	X-WSROR3066P	1,190	X-WSROK3066P	2,970
30	72	X-WSROR3072P	1,202	X-WSROK3072P	3,016
30	78	X-WSROR3078P	1,257	X-WSROK3078P	3,113
36	72	X-WSROR3672P	1,329	X-WSROK3672P	3,216
36	78	X-WSROR3678P	1,386	X-WSROK3678P	3,294




2mm Edge




Knife Edge

WEDGE RUN-OFF FOR 29" HIGH POST LEGS

		2mm Edge		Knife Edge	
D	W	Model Number	List	Model Number	List
42	66	X-WSROW4266P	1,574	X-WSROKW4266P	3,427
42	72	X-WSROW4272P	1,763	X-WSROKW4272P	3,691
42	78	X-WSROW4278P	1,851	X-WSROKW4278P	3,804
48	66	X-WSROW4866P	1,682	X-WSROKW4866P	3,584
48	72	X-WSROW4872P	1,885	X-WSROKW4872P	3,856
48	78	X-WSROW4878P	1,974	X-WSROKW4878P	3,975




2mm Edge




Knife Edge

BLADE RUN-OFF FOR 29" HIGH POST LEGS

			2mm Edge		Knife Edge	
D	W	Handing	Model Number	List	Model Number	List
30	60	Left	X-WSROBL3060P	1,421	X-WSROKBL3060P	3,238
30	66	Left	X-WSROBL3066P	1,487	X-WSROKBL3066P	3,322
30	72	Left	X-WSROBL3072P	1,550	X-WSROKBL3072P	3,410
30	78	Left	X-WSROBL3078P	1,620	X-WSROKBL3078P	3,497
30	60	Right	X-WSROBR3060P	1,421	X-WSROKBR3060P	3,238
30	66	Right	X-WSROBR3066P	1,487	X-WSROKBR3066P	3,322
30	72	Right	X-WSROBR3072P	1,550	X-WSROKBR3072P	3,410
30	78	Right	X-WSROBR3078P	1,620	X-WSROKBR3078P	3,497



2mm Edge



Knife Edge

Specify

- Laminate Selection for Worksurface
- Edgeband Selection
- Leg Selection - Round or Square
- Finish Selection for Leg

Notes

- Default Symbol is round leg, for square leg please select under options.
- For use without power needs.
- Includes attachment hardware.
- Left hand blade run-off shown above.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Run-Offs for Desk Shells

RECTANGULAR RUN-OFF FOR DESK SHELLS

		2mm Edge with Tapered Leg		Knife Edge with Tapered Leg	
D	W	Model Number	List	Model Number	List
30	60	X-DROR3060T	2,247	X-DROK3060T	4,016
30	66	X-DROR3066T	2,303	X-DROK3066T	4,084
30	72	X-DROR3072T	2,355	X-DROK3072T	4,129
30	78	X-DROR3078T	2,406	X-DROK3078T	4,225
36	72	X-DROR3672T	2,506	X-DROK3672T	4,352
36	78	X-DROR3678T	2,560	X-DROK3678T	4,427




2mm Edge




Knife Edge

WEDGE RUN-OFF FOR DESK SHELLS

		2mm Edge with Tapered Leg		Knife Edge with Tapered Leg	
D	W	Model Number	List	Model Number	List
42	66	X-DROW4266T	2,783	X-DROKW4266T	4,599
42	72	X-DROW4272T	2,971	X-DROKW4272T	4,859
42	78	X-DROW4278T	3,059	X-DROKW4278T	4,972
48	66	X-DROW4866T	2,931	X-DROKW4866T	4,786
48	72	X-DROW4872T	3,133	X-DROKW4872T	5,063
48	78	X-DROW4878T	3,223	X-DROKW4878T	5,180




2mm Edge




Knife Edge

BLADE RUN-OFF FOR DESK SHELLS

			2mm Edge with Tapered Leg		Knife Edge with Tapered Leg	
D	W	Handing	Model Number	List	Model Number	List
30	60	Left	X-DROBL3060T	2,615	X-DROKBL3060T	4,705
30	66	Left	X-DROBL3066T	2,681	X-DROKBL3066T	4,790
30	72	Left	X-DROBL3072T	2,745	X-DROKBL3072T	4,876
30	78	Left	X-DROBL3078T	2,807	X-DROKBL3078T	4,963
30	60	Right	X-DROBR3060T	2,615	X-DROKBR3060T	4,705
30	66	Right	X-DROBR3066T	2,681	X-DROKBR3066T	4,790
30	72	Right	X-DROBR3072T	2,745	X-DROKBR3072T	4,876
30	78	Right	X-DROBR3078T	2,807	X-DROKBR3078T	4,963



2mm Edge



Knife Edge

Specify

- Laminate Selection for Worksurface
- Edgeband Selection
- Finish Selection for Leg

Notes


- For use without power needs.
- Includes attachment hardware.
- Left hand blade run-off shown above.

© 2026, AIS, Inc.


Rectangular Run-Offs

RECTANGULAR RUN-OFF WITH POST LEG

		Without Modesty		With Modesty	
D	W	Model Number	List	Model Number	List
24	36	X-RRO2436P	1,296	X-RROM2436P	1,548
24	42	X-RRO2442P	1,314	X-RROM2442P	1,592
24	48	X-RRO2448P	1,354	X-RROM2448P	1,659
24	54	X-RRO2454P	1,396	X-RROM2454P	1,725
24	60	X-RRO2460P	1,436	X-RROM2460P	1,850
24	66	X-RRO2466P	1,474	X-RROM2466P	1,897
30	48	X-RRO3048P	1,431	X-RROM3048P	1,737
30	54	X-RRO3054P	1,481	X-RROM3054P	1,811
30	60	X-RRO3060P	1,531	X-RROM3060P	1,896
30	66	X-RRO3066P	1,582	X-RROM3066P	1,967
30	72	X-RRO3072P	1,630	X-RROM3072P	2,038
36	66	X-RRO3666P	1,726	X-RROM3666P	2,109
36	72	X-RRO3672P	1,792	X-RROM3672P	2,200



Without Modesty



With Modesty

Specify


- Laminate Selection for Worksurface
- Edgeband Selection
- Leg Selection - Round or Square
- Finish Selection for Leg

Notes


- Default Symbol is round leg, for square leg please select under options.
- Includes attachment hardware.
- Cannot be used freestanding.

RECTANGULAR RUN-OFF WITH POST LEG

		Without Modesty		With Modesty	
D	W	Model Number	List	Model Number	List
24	48	X-RROFS2448P	1,713	X-RROFSM2448P	1,823
24	54	X-RROFS2454P	1,755	X-RROFSM2454P	1,883
24	60	X-RROFS2460P	1,792	X-RROFSM2460P	1,937
24	66	X-RROFS2466P	1,827	X-RROFSM2466P	2,003
30	48	X-RROFS3048P	1,829	X-RROFSM3048P	1,940
30	54	X-RROFS3054P	1,880	X-RROFSM3054P	2,004
30	60	X-RROFS3060P	1,925	X-RROFSM3060P	2,067
30	66	X-RROFS3066P	1,972	X-RROFSM3066P	2,146
30	72	X-RROFS3072P	2,018	X-RROFSM3072P	2,210
36	66	X-RROFS3666P	2,110	X-RROFSM3666P	2,286
36	72	X-RROFS3672P	2,165	X-RROFSM3672P	2,359



Without Modesty



With Modesty

Specify

- Laminate Selection for Worksurface
- Laminate Selection for Base
- Edgeband Selection
- Leg Selection - Round or Square
- Finish Selection for Leg

Notes


- Default Symbol is round leg, for square leg please select under options.
- Includes attachment hardware.
- Cannot be used freestanding.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

2MM EDGE RECTANGULAR RUN-OFFS WITH O-LEGS

D	W	Model Number	List
24	36	X-DROR2436O	2,252
24	42	X-DROR2442O	2,315
24	48	X-DROR2448O	2,374
24	54	X-DROR2454O	2,436
24	60	X-DROR2460O	2,495
24	66	X-DROR2466O	2,560
24	72	X-DROR2472O	2,618
24	78	X-DROR2478O	2,677
24	84	X-DROR2484O	2,737
30	36	X-DROR3036O	2,341
30	42	X-DROR3042O	2,402
30	48	X-DROR3048O	2,464
30	54	X-DROR3054O	2,525
30	60	X-DROR3060O	2,584
30	66	X-DROR3066O	2,648
30	72	X-DROR3072O	2,706
30	78	X-DROR3078O	2,764
30	84	X-DROR3084O	2,827
36	72	X-DROR3672O	2,877
36	78	X-DROR3678O	2,942



Specify

- Laminate Selection for Worksurface
- Edgeband Selection
- Paint Selection for Leg (+25 for Grade C)

Notes


- O-Legs are constructed from 1” x 2” painted steel.
- Legs have 1 1/2” leveling glides.
- Includes attachment hardware. Units 48” wide and over also include a worksurface u-channel.

© 2026, AIS, Inc.


D Tops

D TOP

		Without Modesty		With Modesty	
D	W	Model Number	List	Model Number	List
24	36	X-DTOP2436	1,311	X-DTOPM2436P	1,743
24	42	X-DTOP2442	1,330	X-DTOPM2442P	1,789
24	48	X-DTOP2448	1,374	X-DTOPM2448P	1,856
24	54	X-DTOP2454	1,416	X-DTOPM2454P	1,932
24	60	X-DTOP2460	1,462	X-DTOPM2460P	1,972
24	66	X-DTOP2466	1,503	X-DTOPM2466P	2,063
30	48	X-DTOP3048	1,454	X-DTOPM3048P	1,935
30	54	X-DTOP3054	1,510	X-DTOPM3054P	2,025
30	60	X-DTOP3060	1,569	X-DTOPM3060P	2,102
30	66	X-DTOP3066	1,628	X-DTOPM3066P	2,182
30	72	X-DTOP3072	1,666	X-DTOPM3072P	2,250
36	66	X-DTOP3666	1,719	X-DTOPM3666P	2,312
36	72	X-DTOP3672	1,778	X-DTOPM3672P	2,339



Without Modesty



With Modesty

Specify


- Laminate Selection for Worksurface
- Edgeband Selection
- Leg Selection - Round or Square
- Finish Selection for Leg

Notes


- Default Symbol is round leg, for square leg please select under options.
- Includes attachment hardware.
- Cannot be used freestanding.

D TOP WITH T-LEG

		Without Modesty		With Modesty	
D	W	Model Number	List	Model Number	List
24	36	X-DTOPFS2436P	1,898	X-DTOPFSM2436P	2,078
24	42	X-DTOPFS2442P	1,937	X-DTOPFSM2442P	2,135
24	48	X-DTOPFS2448P	1,980	X-DTOPFSM2448P	2,199
24	54	X-DTOPFS2454P	2,020	X-DTOPFSM2454P	2,253
24	60	X-DTOPFS2460P	2,059	X-DTOPFSM2460P	2,311
24	66	X-DTOPFS2466P	2,096	X-DTOPFSM2466P	2,368
30	48	X-DTOPFS3048P	2,137	X-DTOPFSM3048P	2,353
30	54	X-DTOPFS3054P	2,182	X-DTOPFSM3054P	2,419
30	60	X-DTOPFS3060P	2,231	X-DTOPFSM3060P	2,483
30	66	X-DTOPFS3066P	2,277	X-DTOPFSM3066P	2,550
30	72	X-DTOPFS3072P	2,327	X-DTOPFSM3072P	2,612
36	66	X-DTOPFS3666P	2,468	X-DTOPFSM3666P	2,739
36	72	X-DTOPFS3672P	2,522	X-DTOPFSM3672P	2,811



Without Modesty



With Modesty

Specify

- Laminate Selection for Worksurface
- Laminate Selection for Base
- Edgeband Selection
- Leg Selection - Round or Square
- Finish Selection for Leg

Notes


- Default Symbol is round leg, for square leg please select under options.
- Includes attachment hardware.
- Cannot be used freestanding.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

STACK-ON DESKS

			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
28	42	24	X-SODL284224	X-SODR284224	1,303
28	48	24	X-SODL284824	X-SODR284824	1,347
28	54	24	X-SODL285424	X-SODR285424	1,368
28	60	24	X-SODL286024	X-SODR286024	1,430
28	66	24	X-SODL286624	X-SODR286624	1,476
28	72	24	X-SODL287224	X-SODR287224	1,518
28	78	24	X-SODL287824	X-SODR287824	1,559
28	84	24	X-SODL288424	X-SODR288424	1,604
28	42	30	X-SODL284230	X-SODR284230	1,405
28	48	30	X-SODL284830	X-SODR284830	1,454
28	54	30	X-SODL285430	X-SODR285430	1,503
28	60	30	X-SODL286030	X-SODR286030	1,551
28	66	30	X-SODL286630	X-SODR286630	1,604
28	72	30	X-SODL287230	X-SODR287230	1,656
28	78	30	X-SODL287830	X-SODR287830	1,704
28	84	30	X-SODL288430	X-SODR288430	1,755



Left



Right

Specify


- Laminate Selection for Worksurface
- Laminate Selection for Case
- Edgeband Selection

Notes

- Features a laminate riser.
- Stack on Desks are designed to be stacked on 21" high floor storage or 21" high Calibrate Community spine beams to serve as run-off desks perpendicular to spines.

CENTERED STACK-ON DESKS

H	W	D	Model Number	List
28	42	36	X-SODM284236	1,467
28	48	36	X-SODM284836	1,567
28	54	36	X-SODM285436	1,623
28	60	36	X-SODM286036	1,676
28	66	36	X-SODM286636	1,736
28	72	36	X-SODM287236	1,791
28	78	36	X-SODM287836	1,849
28	84	36	X-SODM288436	1,901



Specify

- Laminate Selection for Worksurface
- Laminate Selection for Case
- Edgeband Selection

Notes


- Features a laminate riser.
- Stack on Desks are designed to be stacked on 21" high floor storage or 21" high Calibrate Community spine beams to serve as run-off desks perpendicular to spines.

© 2026, AIS, Inc.

Stack-On Desks

STACK-ON DESK WITH O-LEGS

H	W	D	Model Number	List
29	42	24	X-SODO284224	1,495
29	48	24	X-SODO284824	1,547
29	54	24	X-SODO285424	1,574
29	60	24	X-SODO286024	1,641
29	66	24	X-SODO286624	1,697
29	72	24	X-SODO287224	1,742
29	78	24	X-SODO287824	1,792
29	84	24	X-SODO288424	1,845
29	42	30	X-SODO284230	1,617
29	48	30	X-SODO284830	1,672
29	54	30	X-SODO285430	1,730
29	60	30	X-SODO286030	1,786
29	66	30	X-SODO286630	1,845
29	72	30	X-SODO287230	1,901
29	78	30	X-SODO287830	1,959
29	84	30	X-SODO288430	2,017
29	42	36	X-SODO284236	1,688
29	48	36	X-SODO284836	1,800
29	54	36	X-SODO285436	1,863
29	60	36	X-SODO286036	1,929
29	66	36	X-SODO286636	1,994
29	72	36	X-SODO287236	2,058
29	78	36	X-SODO287836	2,123
29	84	36	X-SODO288436	2,186



Specify

- Laminate Selection for Worksurface
- Laminate Selection for Worksurface Riser
- Edgeband Selection
- Paint Selection for Leg (+25 for Grade C)

Notes


- O-Legs are constructed from 1 x 2 painted steel.
- Legs have 1 1/2” leveling glides.
- Features a laminate riser.
- Stack on Desks are designed to be stacked on 21” high floor storage or 21” high Calibrate Community spine beams to serve as run-off desks perpendicular to spines.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Rectangular and Round Corner Rectangular Table Desks (Fixed and Mobile)

2MM EDGE RECTANGULAR TABLES WITH TAPERED POST LEGS

			Without Casters		With Casters	
D	W	H	Model Number	List	Model Number	List
30	48	29	T-RCR304829TPG	2,207	T-RCR304829TPC	2,062
30	54	29	T-RCR305429TPG	2,257	T-RCR305429TPC	2,110
30	60	29	T-RCR306029TPG	2,308	T-RCR306029TPC	2,162
30	66	29	T-RCR306629TPG	2,359	T-RCR306629TPC	2,213
30	72	29	T-RCR307229TPG	2,412	T-RCR307229TPC	2,262
30	78	29	T-RCR307829TPG	2,981	T-RCR307829TPC	3,044
36	72	29	T-RCR367229TPG	2,613	T-RCR367229TPC	2,468
36	78	29	T-RCR367829TPG	3,120	T-RCR367829TPC	3,182




Without Casters



With Casters

KNIFE EDGE RECTANGULAR TABLES WITH TAPERED POST LEGS

			Without Casters		With Casters	
D	W	H	Model Number	List	Model Number	List
30	48	29	T-RCK304829TPG	3,836	T-RCK304829TPC	3,710
30	54	29	T-RCK305429TPG	3,909	T-RCK305429TPC	3,783
30	60	29	T-RCK306029TPG	3,985	T-RCK306029TPC	3,860
30	66	29	T-RCK306629TPG	4,146	T-RCK306629TPC	4,021
30	72	29	T-RCK307229TPG	4,236	T-RCK307229TPC	4,114
30	78	29	T-RCK307829TPG	4,918	T-RCK307829TPC	4,979
36	72	29	T-RCK367229TPG	4,388	T-RCK367229TPC	4,260
36	78	29	T-RCK367829TPG	5,150	T-RCK367829TPC	5,214



Without Casters



With Casters

2MM EDGE ROUND CORNER RECTANGULAR TABLE WITH TAPERED POST LEGS

			Without Casters		With Casters	
D	W	H	Model Number	List	Model Number	List
30	48	29	T-RRR304829TPG	2,755	T-RRR304829TPC	2,819
30	54	29	T-RRR305429TPG	2,832	T-RRR305429TPC	2,891
30	60	29	T-RRR306029TPG	2,909	T-RRR306029TPC	2,969
30	66	29	T-RRR306629TPG	2,982	T-RRR306629TPC	3,045
30	72	29	T-RRR307229TPG	3,085	T-RRR307229TPC	3,148
30	78	29	T-RRR307829TPG	3,144	T-RRR307829TPC	3,205
36	72	29	T-RRR367229TPG	3,150	T-RRR367229TPC	3,211
36	78	29	T-RRR367829TPG	3,287	T-RRR367829TPC	3,347




Without Casters



With Casters

KNIFE EDGE ROUND CORNER RECTANGULAR TABLE WITH TAPERED POST LEGS

			Without Casters		With Casters	
D	W	H	Model Number	List	Model Number	List
30	48	29	T-RRK304829TPG	4,583	T-RRK304829TPC	4,647
30	54	29	T-RRK305429TPG	4,677	T-RRK305429TPC	4,741
30	60	29	T-RRK306029TPG	4,772	T-RRK306029TPC	4,831
30	66	29	T-RRK306629TPG	4,862	T-RRK306629TPC	4,924
30	72	29	T-RRK307229TPG	4,994	T-RRK307229TPC	5,055
30	78	29	T-RRK307829TPG	5,069	T-RRK307829TPC	5,133
36	72	29	T-RRK367229TPG	5,174	T-RRK367229TPC	5,236
36	78	29	T-RRK367829TPG	5,250	T-RRK367829TPC	5,314



Without Casters



With Casters

Specify

- Laminate Selection for Worksurface
- Leg Finish

Notes


- Casters are locking.

© 2026, AIS, Inc.

Square Table Desks (Fixed and Mobile)

2MM EDGE SQUARE TABLES WITH TAPERED POST LEGS

			Without Casters		With Casters	
D	W	H	Model Number	List	Model Number	List
36	36	29	T-SQR363629TPG	2,091	T-SQR363629TPC	1,945
42	42	29	T-SQR424229TPG	2,186	T-SQR424229TPC	2,040
48	48	29	T-SQR484829TPG	2,468	T-SQR484829TPC	2,324
54	54	29	T-SQR545429TPG	2,623	T-SQR545429TPC	2,477
60	60	29	T-SQR606029TPC	2,819	T-SQR606029TPG	2,963




Without Casters



With Casters

KNIFE EDGE SQUARE TABLES WITH TAPERED POST LEGS

			Without Casters		With Casters	
D	W	H	Model Number	List	Model Number	List
36	36	29	T-SQK363629TPG	3,710	T-SQK363629TPC	3,585
42	42	29	T-SQK424229TPG	3,868	T-SQK424229TPC	3,745
48	48	29	T-SQK484829TPG	4,212	T-SQK484829TPC	4,085
54	54	29	T-SQK545429TPG	4,446	T-SQK545429TPC	4,323
60	60	29	T-SQK606029TPG	4,862	T-SQK606029TPC	4,737




Without Casters



With Casters

2MM EDGE ROUND CORNER SQUARE TABLE WITH TAPERED POST LEGS

			Without Casters		With Casters	
D	W	H	Model Number	List	Model Number	List
36	36	29	T-SRR363629TPG	2,653	T-SRR363629TPC	2,714
42	42	29	T-SRR424229TPG	2,779	T-SRR424229TPC	2,840
48	48	29	T-SRR484829TPG	2,902	T-SRR484829TPC	2,965
54	54	29	T-SRR545429TPG	3,100	T-SRR545429TPC	3,161
60	60	29	T-SRR606029TPG	3,225	T-SRR606029TPC	3,288




Without Casters



With Casters

KNIFE EDGE ROUND CORNER SQUARE TABLE WITH TAPERED POST LEGS

			Without Casters		With Casters	
D	W	H	Model Number	List	Model Number	List
36	36	29	T-SRK363629TPG	4,169	T-SRK363629TPC	4,379
42	42	29	T-SRK424229TPG	4,490	T-SRK424229TPC	4,551
48	48	29	T-SRK484829TPG	4,701	T-SRK484829TPC	4,759
54	54	29	T-SRK545429TPG	4,910	T-SRK545429TPC	4,971
60	60	29	T-SRK606029TPG	5,081	T-SRK606029TPC	5,140



Without Casters



With Casters

Specify

- Laminate Selection for Worksurface
- Leg Finish

Notes

- Casters are locking.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Round and Triangle Table Desks (Fixed and Mobile)

2MM EDGE ROUND TABLE WITH TAPERED POST LEGS

			Without Casters		With Casters	
D	W	H	Model Number	List	Model Number	List
36	36	29	T-RDR3629TPG	2,091	T-RDR3629TPC	1,945
42	42	29	T-RDR4229TPG	2,186	T-RDR4229TPC	2,040
48	48	29	T-RDR4829TPG	2,295	T-RDR4829TPC	2,148
54	54	29	T-RDR5429TPG	2,595	T-RDR5429TPC	2,448
60	60	29	T-RDR6029TPG	2,758	T-RDR6029TPC	2,613



Without Casters



With Casters

KNIFE EDGE ROUND TABLE WITH TAPERED POST LEGS

			Without Casters		With Casters	
D	W	H	Model Number	List	Model Number	List
36	36	29	T-RDK3629TPG	3,710	T-RDK3629TPC	3,585
42	42	29	T-RDK4229TPG	3,868	T-RDK4229TPC	3,745
48	48	29	T-RDK4829TPG	4,061	T-RDK4829TPC	3,936
54	54	29	T-RDK5429TPG	4,425	T-RDK5429TPC	4,298
60	60	29	T-RDK6029TPG	4,688	T-RDK6029TPC	4,563




Without Casters



With Casters

2MM EDGE TRIANGLE TABLE WITH TAPERED POST LEGS

		Without Casters		With Casters	
D	H	Model Number	List	Model Number	List
48	29	T-TRR4829TPG	2,280	T-TRR4829TPC	2,133
54	29	T-TRR5429TPG	2,402	T-TRR5429TPC	2,257
60	29	T-TRR6029TPG	2,541	T-TRR6029TPC	2,394




Without Casters




With Casters

KNIFE EDGE TRIANGLE TABLE WITH TAPERED POST LEGS

		Without Casters		With Casters	
D	H	Model Number	List	Model Number	List
48	29	T-TRK4829TPG	4,046	T-TRK4829TPC	3,923
54	29	T-TRK5429TPG	4,260	T-TRK5429TPC	4,133
60	29	T-TRK6029TPG	4,500	T-TRK6029TPC	4,371



Without Casters



With Casters

Specify

- Laminate Selection for Worksurface
- Leg Finish

Notes

- Casters are locking.

© 2026, AIS, Inc.

Blade Table Desks (Fixed and Mobile)

2MM EDGE BLADE LEFT TABLE WITH TAPERED POST LEGS

			Without Casters		With Casters	
D	W	H	Model Number	List	Model Number	List
30	72	29	T-BLR307229TPG	3,787	T-BLR307229TPC	3,857
30	78	29	T-BLR307829TPG	3,936	T-BLR307829TPC	4,008



Without Casters



With Casters

KNIFE EDGE BLADE LEFT TABLE WITH TAPERED POST LEGS

			Without Casters		With Casters	
D	W	H	Model Number	List	Model Number	List
30	72	29	T-BLK307229TPG	6,082	T-BLK307229TPC	6,155
30	78	29	T-BLK307829TPG	6,252	T-BLK307829TPC	6,313




Without Casters




With Casters

2MM EDGE BLADE RIGHT TABLE WITH TAPERED POST LEGS

			Without Casters		With Casters	
D	W	H	Model Number	List	Model Number	List
30	72	29	T-BRR307229TPG	3,787	T-BRR307229TPC	3,857
30	78	29	T-BRR307829TPG	3,936	T-BRR307829TPC	4,008




Without Casters




With Casters

KNIFE EDGE BLADE RIGHT TABLE WITH TAPERED POST LEGS

			Without Casters		With Casters	
D	W	H	Model Number	List	Model Number	List
30	72	29	T-BRK307229TPG	6,082	T-BRK307229TPC	6,155
30	78	29	T-BRK307829TPG	6,252	T-BRK307829TPC	6,313



Without Casters



With Casters

Specify

- Laminate Selection for Worksurface
- Leg Finish

Notes

- Casters are locking.

© 2026, AIS, Inc.

Blade Table Desks with Flat Sides (Fixed and Mobile)

2MM EDGE BLADE TABLE WITH FLAT SIDE AND TAPERED LEGS (LEFT)

			Without Casters		With Casters	
H	W	D	Model Number	List	Model Number	List
29	72	30	T-BFLR307229TPG	3,148	T-BFLR307229TPC	3,209
29	78	30	T-BFLR307829TPG	3,272	T-BFLR307829TPC	3,331




Without Casters
(Blade Right Shown)



With Casters
(Blade Right Shown)

KNIFE EDGE BLADE TABLE WITH FLAT SIDE AND TAPERED LEGS (LEFT)

			Without Casters		With Casters	
H	W	D	Model Number	List	Model Number	List
29	72	30	T-BFLK307229TPG	4,742	T-BFLK307229TPC	4,796
29	78	30	T-BFLK307829TPG	4,876	T-BFLK307829TPC	4,922




Without Casters
(Blade Right Shown)




With Casters
(Blade Right Shown)

2MM EDGE BLADE TABLE WITH FLAT SIDE AND TAPERED LEGS (RIGHT)

			Without Casters		With Casters	
H	W	D	Model Number	List	Model Number	List
29	72	30	T-BFRR307229TPG	3,148	T-BFRR307229TPC	3,209
29	78	30	T-BFRR307829TPG	3,272	T-BFRR307829TPC	3,183




Without Casters
(Blade Left Shown)




With Casters
(Blade Left Shown)

KNIFE EDGE BLADE TABLE WITH FLAT SIDE AND TAPERED LEGS (RIGHT)

			Without Casters		With Casters	
H	W	D	Model Number	List	Model Number	List
29	72	30	T-BFRK307229TPG	4,742	T-BFRK307229TPC	4,796
29	78	30	T-BFRK307829TPG	4,876	T-BFRK307829TPC	4,922



Without Casters
(Blade Left Shown)



With Casters
(Blade Left Shown)


Specify	Notes
• Laminate Selection for Worksurface • Leg Finish	• Casters are locking.

© 2026, AIS, Inc.


Wedge Table Desks (Fixed and Mobile)

2MM EDGE WEDGE TABLE WITH TAPERED LEGS

			Without Casters		With Casters	
D	W	H	Model Number	List	Model Number	List
28	66	29	T-WGR286629TPG	3,805	T-WGR286629TPC	3,876
32	72	29	T-WGR327229TPG	4,031	T-WGR327229TPC	4,102
32	78	29	T-WGR327829TPG	4,155	T-WGR327829TPC	4,225




Without Casters




With Casters

KNIFE EDGE WEDGE TABLE WITH TAPERED LEGS

			Without Casters		With Casters	
D	W	H	Model Number	List	Model Number	List
28	66	29	T-WGK286629TPG	6,096	T-WGK286629TPC	6,168
32	72	29	T-WGK327229TPG	6,419	T-WGK327229TPC	6,490
32	78	29	T-WGK327829TPG	6,576	T-WGK327829TPC	6,645



Without Casters



With Casters

Specify

- Laminate Selection for Worksurface
- Leg Finish

Notes

- Casters are locking.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

O-Leg Table Desks

2MM EDGE O-LEG TABLE DESKS

D	W	H	Model Number	List
24	48	29	T-RCR244829OLG	3,280
24	54	29	T-RCR245429OLG	3,346
24	60	29	T-RCR246029OLG	3,398
24	66	29	T-RCR246629OLG	3,471
24	72	29	T-RCR247229OLG	3,526
24	78	29	T-RCR247829OLG	3,738
24	84	29	T-RCR248429OLG	3,790
30	48	29	T-RCR304829OLG	3,530
30	54	29	T-RCR305429OLG	3,611
30	60	29	T-RCR306029OLG	3,675
30	66	29	T-RCR306629OLG	3,761
30	72	29	T-RCR307229OLG	3,827
30	78	29	T-RCR307829OLG	4,051
30	84	29	T-RCR308429OLG	4,116
36	48	29	T-RCR364829OLG	3,902
36	54	29	T-RCR365429OLG	3,991
36	60	29	T-RCR366029OLG	4,072
36	66	29	T-RCR366629OLG	4,169
36	72	29	T-RCR367229OLG	4,250
36	78	29	T-RCR367829OLG	4,489
36	84	29	T-RCR368429OLG	4,563



Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Color Selection for Leg


Notes

- Steel O-Legs have a 1” x 2” profile.
- O-Legs have 1 1/2” leveling glides.
- For use with 2mm edgebanding all around the worksurface.
- Not sized for use with knife edge work surfaces.
- Ships unassembled.
- Includes U channel(s) to reinforce the work surface.
- Field installed grommets are required to be inset for O-Leg attachment bracket.


© 2026, AIS, Inc.

Cantilevered Height Adjustable Table Assembly Door Locations and Power Options

Cantilevered Height Adjustable Table Assembly Door Locations




Cantilevered Height Adjustable Table Outlet Clearance




Cantilevered Height Adjustable Table Power Option

Cantilevered Height Adjustable Table Top Power Box – DOMINO Plug In Unit

- (2) Tamper-Resistant (TR) AC outlets.
- (1) USB Type-A charging port: 5V 2.1A (10.5W).
- (1) USB Type-C charging port: 5V 2.14A (12W).
- Overload protection switch.
- 10ft 14AWG power cord, 15A rating with straight plug.
- Unit suspends 2” below the worksurface.
- Rating: 125V 60Hz 15A.
- UL and cUL certified for use in USA and Canada.
- Measures 6.81”H x 2.44”W.
- Black, Silver, and White finishes available.






Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Cantilevered Height Adjustable Tables

CANTILEVERED HEIGHT ADJUSTABLE TABLE DESKS


Casegoods Base H x D x W	Actual Main Surface Depth	Actual Main Surface Width	Non-Powered		Powered		Grade C Upcharges
			Model Number	List	Model Number	List	
21 x 9 x 42	23	40	X-CHAA2442	6,727	X-CHAPA2442	7,412	+33
21 x 9 x 48	23	46	X-CHAA2448	6,977	X-CHAPA2448	7,696	+33
21 x 9 x 54	23	52	X-CHAA2454	7,264	X-CHAPA2454	7,983	+41
21 x 9 x 60	23	58	X-CHAA2460	7,355	X-CHAPA2460	8,076	+41
21 x 9 x 66	23	64	X-CHAA2466	7,454	X-CHAPA2466	8,172	+46
21 x 9 x 72	23	70	X-CHAA2472	7,550	X-CHAPA2472	8,270	+51
21 x 9 x 42	29	40	X-CHAA3042	7,456	X-CHAPA3042	7,472	+46
21 x 9 x 48	29	46	X-CHAA3048	7,152	X-CHAPA3048	7,759	+42
21 x 9 x 54	29	52	X-CHAA3054	7,443	X-CHAPA3054	8,049	+50
21 x 9 x 60	29	58	X-CHAA3060	7,540	X-CHAPA3060	8,146	+50
21 x 9 x 66	29	64	X-CHAA3066	7,642	X-CHAPA3066	8,249	+56
21 x 9 x 72	29	70	X-CHAA3072	7,746	X-CHAPA3072	8,352	+61




Front (42"-48"W)
(optional grommet shown)



Front (54"-72"W)



Non-Powered (Back)



Powered (Back)

Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Laminate Selection for Base
- Paint Selection for Columns - White, Black or Metallic Silver
- Color Selection for Power Option - White, Black or Silver
- Optional Worksurface Grommet (+38)

Notes


- Electric with two motors. Motorized base with 1" glide adjustment and 20" height adjustment from 26.26" to 45.94" high, LED programmable hand switch with four memory presets, vertical travel speed is approximately 1.5" per second.
- Features soft collision technology that halts and retracts when table surface meets resistance.
- Supply voltage: 90-127V / 50-60Hz. Nominal voltage: 120V / 60Hz.
- U-channels are 12" shorter than the nominal worksurface width.
- All units have two doors.
- All units include rear access and one rear center grommet.
- Rear access opening is 6.25"H.
- Height adjustable table legs include matching trim rings.
- Power cutout is 5.688"W x 2.062"D.

© 2026, AIS, Inc.


Cantilevered Height Adjustable Tables for Run-offs

CANTILEVERED HEIGHT ADJUSTABLE TABLE DESKS FOR 24”D LEFT HAND RUN-OFF


Casegoods Base H x D x W	Actual Main Surface Depth	Actual Main Surface Width	Non-Powered		Powered		Grade C Upcharges
			Model Number	List	Model Number	List	
21 x 9 x 60	23	34	X-CHALA242436	6,859	X-CHALPA242436	7,573	+33
21 x 9 x 66	23	40	X-CHALA242442	7,161	X-CHALPA242442	7,878	+33
21 x 9 x 72	23	46	X-CHALA242448	7,464	X-CHALPA242448	8,183	+33
21 x 9 x 78	23	52	X-CHALA242454	7,765	X-CHALPA242454	8,484	+41
21 x 9 x 84	23	58	X-CHALA242460	7,862	X-CHALPA242460	8,583	+41
21 x 9 x 90	23	64	X-CHALA242466	7,954	X-CHALPA242466	8,674	+46
21 x 9 x 96	23	70	X-CHALA242472	8,057	X-CHALPA242472	8,777	+51
21 x 9 x 60	29	34	X-CHALA243036	7,035	X-CHALPA243036	7,746	+46
21 x 9 x 66	29	40	X-CHALA243042	7,336	X-CHALPA243042	8,051	+46
21 x 9 x 72	29	46	X-CHALA243048	7,638	X-CHALPA243048	8,356	+42
21 x 9 x 78	29	52	X-CHALA243054	7,944	X-CHALPA243054	8,662	+50
21 x 9 x 84	29	58	X-CHALA243054	7,944	X-CHALPA243060	8,768	+50
21 x 9 x 90	29	64	X-CHALA243066	8,144	X-CHALPA243066	8,864	+56
21 x 9 x 96	29	70	X-CHALA243072	8,254	X-CHALPA243072	8,973	+61




Front (36-48”W)
(optional grommet shown)




Front (54-72”W)



Non-Powered (Back)
Run-offs sold separately



Powered (Back)
Run-offs sold separately



Run-offs sold separately

Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Laminate Selection for Base
- Paint Selection for Columns - White, Black or Metallic Silver
- Color Selection for Power Option - White, Black or Silver
- Optional Worksurface Grommet (+38)

Notes

- Electric with two motors. Motorized base with 1” glide adjustment and 20” height adjustment from 26.26” to 45.94” high, LED programmable hand switch with four memory presets, vertical travel speed is approximately 1.5” per second.
- Features soft collision technology that halts and retracts when table surface meets resistance.
- Supply voltage: 90-127V / 50-60Hz. Nominal voltage: 120V / 60Hz.
- U-channels are 12” shorter than the nominal worksurface width.
- 36” - 48” wide units have one door. 54” - 72” wide units have two doors.
- All units include rear access and one grommet. Rear access opening is 6.25”H. Rear center grommet only.
- Stack-ons sold separately.
- Height adjustable table legs include matching trim rings.
- Power cutout is 5.688”W x 2.062”D.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Cantilevered Height Adjustable Tables for Run-offs

CANTILEVERED HEIGHT ADJUSTABLE TABLE DESKS FOR 30”D LEFT HAND RUN-OFF


Casegoods Base H x D x W	Actual Main Surface Depth	Actual Main Surface Width	Non-Powered		Powered		Grade C Upcharges
			Model Number	List	Model Number	List	
21 x 9 x 66	23	34	X-CHALA302436	6,859	X-CHALPA302436	7,580	+33
21 x 9 x 72	23	40	X-CHALA302442	7,161	X-CHALPA302442	7,881	+33
21 x 9 x 78	23	46	X-CHALA302448	7,464	X-CHALPA302448	8,183	+33
21 x 9 x 84	23	52	X-CHALA302454	7,765	X-CHALPA302454	8,484	+41
21 x 9 x 90	23	58	X-CHALA302460	7,862	X-CHALPA302460	8,583	+41
21 x 9 x 96	23	64	X-CHALA302466	7,954	X-CHALPA302466	8,674	+46
21 x 9 x 66	29	34	X-CHALA303036	8,084	X-CHALPA303036	7,755	+46
21 x 9 x 72	29	40	X-CHALA303042	8,187	X-CHALPA303042	8,056	+46
21 x 9 x 78	29	46	X-CHALA303048	7,638	X-CHALPA303048	8,356	+42
21 x 9 x 84	29	52	X-CHALA303054	7,944	X-CHALPA303054	8,662	+50
21 x 9 x 90	29	58	X-CHALA303060	8,047	X-CHALPA303060	8,768	+50
21 x 9 x 96	29	64	X-CHALA303066	8,144	X-CHALPA303066	8,864	+56




Front (36-48”W)
(optional grommet shown)




Front (54-72”W)



Non-Powered (Back)
Run-offs sold separately



Powered (Back)
Run-offs sold separately



Run-offs sold separately

Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Laminate Selection for Base
- Paint Selection for Columns - White, Black or Metallic Silver
- Color Selection for Power Option - White, Black or Silver
- Optional Worksurface Grommet (+38)

Notes


- Electric with two motors. Motorized base with 1” glide adjustment and 20” height adjustment from 26.26” to 45.94” high, LED programmable hand switch with four memory presets, vertical travel speed is approximately 1.5” per second.
- Features soft collision technology that halts and retracts when table surface meets resistance.
- Supply voltage: 90-127V / 50-60Hz. Nominal voltage: 120V / 60Hz.
- U-channels are 12” shorter than the nominal worksurface width.
- 36” - 48” wide units have one door. 54” - 72” wide units have two doors.
- All units include rear access and one grommet. Rear access opening is 6.25”H. Rear center grommet only.
- Stack-ons sold separately.
- Height adjustable table legs include matching trim rings.
- Power cutout is 5.688”W x 2.062”D.

© 2026, AIS, Inc.


Cantilevered Height Adjustable Tables for Run-offs

CANTILEVERED HEIGHT ADJUSTABLE TABLE DESKS FOR 24”D RIGHT HAND RUN-OFF


Casegoods Base H x D x W	Actual Main Surface Depth	Actual Main Surface Width	Non-Powered		Powered		Grade C Upcharges
			Model Number	List	Model Number	List	
21 x 9 x 60	23	34	X-CHARA242436	6,859	X-CHARPA242436	7,573	+33
21 x 9 x 66	23	40	X-CHARA242442	7,161	X-CHARPA242442	7,878	+33
21 x 9 x 72	23	46	X-CHARA242448	7,464	X-CHARPA242448	8,183	+33
21 x 9 x 78	23	52	X-CHARA242454	7,765	X-CHARPA242454	8,484	+41
21 x 9 x 84	23	58	X-CHARA242460	7,862	X-CHARPA242460	8,583	+41
21 x 9 x 90	23	64	X-CHARA242466	7,954	X-CHARPA242466	8,674	+46
21 x 9 x 96	23	70	X-CHARA242472	8,057	X-CHARPA242472	8,777	+51
21 x 9 x 60	29	34	X-CHARA243036	7,035	X-CHARPA243036	7,746	+46
21 x 9 x 66	29	40	X-CHARA243042	7,336	X-CHARPA243042	8,051	+46
21 x 9 x 72	29	46	X-CHARA243048	7,638	X-CHARPA243048	8,356	+42
21 x 9 x 78	29	52	X-CHARA243054	7,944	X-CHARPA243054	8,662	+50
21 x 9 x 84	29	58	X-CHARA243060	8,047	X-CHARPA243060	8,768	+50
21 x 9 x 90	29	64	X-CHARA243066	8,144	X-CHARPA243066	8,864	+56
21 x 9 x 96	29	70	X-CHARA243072	8,254	X-CHARPA243072	8,973	+61




Front (36-48”W)
(optional grommet shown)




Front (54-72”W)



Non-Powered (Back)
Run-offs sold separately



Powered (Back)
Run-offs sold separately



Run-offs sold separately

Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Laminate Selection for Base
- Paint Selection for Columns - White, Black or Metallic Silver
- Color Selection for Power Option - White, Black or Silver
- Optional Worksurface Grommet (+38)

Notes

- Electric with two motors. Motorized base with 1” glide adjustment and 20” height adjustment from 26.26” to 45.94” high, LED programmable hand switch with four memory presets, vertical travel speed is approximately 1.5” per second.
- Features soft collision technology that halts and retracts when table surface meets resistance.
- Supply voltage: 90-127V / 50-60Hz. Nominal voltage: 120V / 60Hz.
- U-channels are 12” shorter than the nominal worksurface width.
- 36” - 48” wide units have one door. 54” - 72” wide units have two doors.
- All units include rear access and one grommet. Rear access opening is 6.25”H. Rear center grommet only.
- Stack-ons sold separately.
- Height adjustable table legs include matching trim rings.
- Power cutout is 5.688”W x 2.062”D.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Cantilevered Height Adjustable Tables for Run-offs

CANTILEVERED HEIGHT ADJUSTABLE TABLE DESKS FOR 30”D RIGHT HAND RUN-OFF


Casegoods Base H x D x W	Actual Main Surface Depth	Actual Main Surface Width	Non-Powered		Powered		Grade C Upcharges
			Model Number	List	Model Number	List	
21 x 9 x 66	23	34	X-CHARA302436	6,859	X-CHARPA302436	7,580	+33
21 x 9 x 72	23	40	X-CHARA302442	7,161	X-CHARPA302442	7,881	+33
21 x 9 x 78	23	46	X-CHARA302448	7,464	X-CHARPA302448	8,183	+33
21 x 9 x 84	23	52	X-CHARA302454	7,765	X-CHARPA302454	8,484	+41
21 x 9 x 90	23	58	X-CHARA302460	7,862	X-CHARPA302460	8,583	+41
21 x 9 x 96	23	64	X-CHARA302466	7,954	X-CHARPA302466	8,674	+46
21 x 9 x 66	29	34	X-CHARA303036	8,084	X-CHARPA303036	7,755	+46
21 x 9 x 72	29	40	X-CHARA303042	8,187	X-CHARPA303042	8,056	+46
21 x 9 x 78	29	46	X-CHARA303048	7,638	X-CHARPA303048	8,356	+42
21 x 9 x 84	29	52	X-CHARA303054	7,944	X-CHARPA303054	8,662	+50
21 x 9 x 90	29	58	X-CHARA303060	8,047	X-CHARPA303060	8,768	+50
21 x 9 x 96	29	64	X-CHARA303066	8,144	X-CHARPA303066	8,864	+56




Front (36-48”W)
(optional grommet shown)




Front (54-72”W)



Non-Powered (Back)
Run-offs sold separately



Powered (Back)
Run-offs sold separately



Run-offs sold separately


Specify	Notes
• Laminate Selection for Worksurface • Color Selection for Edge • Laminate Selection for Base • Paint Selection for Columns - White, Black or Metallic Silver • Color Selection for Power Option - White, Black or Silver • Optional Worksurface Grommet (+38)	• Electric with two motors. Motorized base with 1” glide adjustment and 20” height adjustment from 26.26” to 45.94” high, LED programmable hand switch with four memory presets, vertical travel speed is approximately 1.5” per second. • Features soft collision technology that halts and retracts when table surface meets resistance. • Supply voltage: 90-127V / 50-60Hz. Nominal voltage: 120V / 60Hz. • U-channels are 12” shorter than the nominal worksurface width. • 36” - 48” wide units have one door. 54” - 72” wide units have two doors. • All units include rear access and one grommet. Rear access opening is 6.25”H. Rear center grommet only. • Stack-ons sold separately. • Height adjustable table legs include matching trim rings. • Power cutout is 5.688”W x 2.062”D.

© 2026, AIS, Inc.


3-Leg Cantilevered Height Adjustable Table Desks

3-LEG CANTILEVERED HEIGHT ADJUSTABLE TABLE DESK WITH POWER


Casegoods Base H x D x W	Actual Main Surface D x W	Actual Return Surface D x W	Main Surface Left Model Number	Main Surface Right Model Number	List	Main Surface Grade C Upcharge	Return Surface Grade C Upcharge
21 x 9 x 66	29 x 58	23 x 35	X-CH3LPA243660	X-CH3RPA243660	10,938	+50	+33
21 x 9 x 72	29 x 58	23 x 41	X-CH3LPA244260	X-CH3RPA244260	11,054	+50	+33
21 x 9 x 78	29 x 58	23 x 47	X-CH3LPA244860	X-CH3RPA244860	11,146	+50	+41
21 x 9 x 66	29 x 64	23 x 35	X-CH3LPA243666	X-CH3RPA243666	10,986	+56	+33
21 x 9 x 72	29 x 64	23 x 41	X-CH3LPA244266	X-CH3RPA244266	11,080	+56	+33
21 x 9 x 78	29 x 64	23 x 47	X-CH3LPA244866	X-CH3RPA244866	11,173	+56	+41
21 x 9 x 66	29 x 70	23 x 35	X-CH3LPA243672	X-CH3RPA243672	11,011	+61	+33
21 x 9 x 72	29 x 70	23 x 41	X-CH3LPA244272	X-CH3RPA244272	11,105	+61	+33
21 x 9 x 78	29 x 70	23 x 47	X-CH3LPA244872	X-CH3RPA244872	11,197	+61	+41
21 x 9 x 66	29 x 58	29 x 35	X-CH3LPA303660	X-CH3RPA303660	10,086	+50	+46
21 x 9 x 72	29 x 58	29 x 41	X-CH3LPA304260	X-CH3RPA304260	10,208	+50	+39
21 x 9 x 78	29 x 58	29 x 47	X-CH3LPA304860	X-CH3RPA304860	11,322	+50	+46
21 x 9 x 66	29 x 64	29 x 35	X-CH3LPA303666	X-CH3RPA303666	10,132	+56	+46
21 x 9 x 72	29 x 64	29 x 41	X-CH3LPA304266	X-CH3RPA304266	10,233	+56	+39
21 x 9 x 78	29 x 64	29 x 47	X-CH3LPA304866	X-CH3RPA304866	11,346	+56	+46
21 x 9 x 66	29 x 70	29 x 35	X-CH3LPA303672	X-CH3RPA303672	10,157	+61	+46
21 x 9 x 72	29 x 70	29 x 41	X-CH3LPA304272	X-CH3RPA304272	10,258	+61	+39
21 x 9 x 78	29 x 70	29 x 47	X-CH3LPA304872	X-CH3RPA304872	11,373	+61	+46




Front
(optional grommet shown)



Front



Powered (Back)



Powered (Back)

Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Laminate Selection for Base
- Paint Selection for Columns - White, Black or Metallic Silver
- Color Selection for Power Option - White, Black or Silver
- Optional Worksurface Grommet (+38)

Notes


- Electric with two motors. Motorized base with 1” glide adjustment and 20” height adjustment from 26.26” to 45.94” high, LED programmable hand switch with four memory presets, vertical travel speed is approximately 1.5” per second.
- Features soft collision technology that halts and retracts when table surface meets resistance.
- Supply voltage: 90-127V / 50-60Hz. Nominal voltage: 120V / 60Hz.
- U-channels are 12” shorter than the nominal worksurface width.
- All units have two doors.
- All units include rear access and one grommet. Rear access opening is 6.25”H. Rear center grommet only.
- Stand alone foot or height-adjustable base/storage sold separately.
- Height adjustable table legs include matching trim rings.
- Power cutout is 5.688”W x 2.062”D.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


3-Leg Cantilevered Height Adjustable Table Desks

3-LEG CANTILEVERED HEIGHT ADJUSTABLE TABLE DESK WITHOUT POWER


Casegoods Base H x D x W	Actual Main Surface D x W	Actual Return Surface D x W	Main Surface Left Model Number	Main Surface Right Model Number	List	Main Surface Grade C Upcharge	Return Surface Grade C Upcharge
21 x 9 x 66	29 x 58	23 x 35	X-CH3LA243660	X-CH3RA243660	10,220	+50	+33
21 x 9 x 72	29 x 58	23 x 41	X-CH3LA244260	X-CH3RA244260	10,336	+50	+33
21 x 9 x 78	29 x 58	23 x 47	X-CH3LA244860	X-CH3RA244860	9,522	+50	+41
21 x 9 x 66	29 x 64	23 x 35	X-CH3LA243666	X-CH3RA243666	10,266	+56	+33
21 x 9 x 72	29 x 64	23 x 41	X-CH3LA244266	X-CH3RA244266	10,360	+56	+33
21 x 9 x 78	29 x 64	23 x 47	X-CH3LA244866	X-CH3RA244866	9,547	+56	+41
21 x 9 x 66	29 x 70	23 x 35	X-CH3LA243672	X-CH3RA243672	10,292	+61	+33
21 x 9 x 72	29 x 70	23 x 41	X-CH3LA244272	X-CH3RA244272	10,386	+61	+33
21 x 9 x 78	29 x 70	23 x 47	X-CH3LA244872	X-CH3RA244872	9,574	+61	+41
21 x 9 x 66	29 x 58	29 x 35	X-CH3LA303660	X-CH3RA303660	9,368	+50	+46
21 x 9 x 72	29 x 58	29 x 41	X-CH3LA304260	X-CH3RA304260	9,487	+50	+39
21 x 9 x 78	29 x 58	29 x 47	X-CH3LA304860	X-CH3RA304860	10,602	+50	+46
21 x 9 x 66	29 x 64	29 x 35	X-CH3LA303666	X-CH3RA303666	9,413	+56	+46
21 x 9 x 72	29 x 64	29 x 41	X-CH3LA304266	X-CH3RA304266	9,512	+56	+39
21 x 9 x 78	29 x 64	29 x 47	X-CH3LA304866	X-CH3RA304866	10,628	+56	+46
21 x 9 x 66	29 x 70	29 x 35	X-CH3LA303672	X-CH3RA303672	9,437	+61	+46
21 x 9 x 72	29 x 70	29 x 41	X-CH3LA304272	X-CH3RA304272	9,538	+61	+39
21 x 9 x 78	29 x 70	29 x 47	X-CH3LA304872	X-CH3RA304872	10,653	+61	+46




Front
(optional grommet shown)



Front



Non-Powered (Back)



Non-Powered (Back)

Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Laminate Selection for Base
- Paint Selection for Columns - White, Black or Metallic Silver
- Optional Worksurface Grommet (+38)


Notes

- Electric with two motors. Motorized base with 1” glide adjustment and 20” height adjustment from 26.26” to 45.94” high, LED programmable hand switch with four memory presets, vertical travel speed is approximately 1.5” per second.
- Features soft collision technology that halts and retracts when table surface meets resistance.
- Supply voltage: 90-127V / 50-60Hz. Nominal voltage: 120V / 60Hz.
- U-channels are 12” shorter than the nominal worksurface width.
- All units have two doors.
- All units include rear access and one grommet. Rear access opening is 6.25”H. Rear center grommet only.
- Stand alone foot or height-adjustable base/storage sold separately.
- Height adjustable table legs include matching trim rings.


© 2026, AIS, Inc.

Wall Mounted Cantilevered Height Adjustable Tables


WALL MOUNTED CANTILEVERED HEIGHT ADJUSTABLE TABLE DESKS							
Casegoods Base H x D x W	Actual Main Surface Depth	Actual Main Surface Width	Non-Powered		Powered		Grade C Upcharges
			Model Number	List	Model Number	List	
21 x 9 x 42	23	40	X-CHW2442	6,727	X-CHWP2442	7,412	+33
21 x 9 x 48	23	46	X-CHW2448	6,977	X-CHWP2448	7,696	+33
21 x 9 x 54	23	52	X-CHW2454	7,264	X-CHWP2454	7,983	+41
21 x 9 x 60	23	58	X-CHW2460	7,355	X-CHWP2460	8,076	+41
21 x 9 x 66	23	64	X-CHW2466	7,454	X-CHWP2466	8,172	+46
21 x 9 x 72	23	70	X-CHW2472	7,550	X-CHWP2472	8,270	+51
21 x 9 x 42	29	40	X-CHW3042	7,456	X-CHWP3042	7,472	+46
21 x 9 x 48	29	46	X-CHW3048	7,152	X-CHWP3048	7,759	+42
21 x 9 x 54	29	52	X-CHW3054	7,443	X-CHWP3054	8,049	+50
21 x 9 x 60	29	58	X-CHW3060	7,540	X-CHWP3060	8,146	+50
21 x 9 x 66	29	64	X-CHW3066	7,642	X-CHWP3066	8,249	+56
21 x 9 x 72	29	70	X-CHW3072	7,746	X-CHWP3072	8,352	+61




Front (42”-48”W)
(optional grommet shown)



Front (54”-72”W)



Non-Powered (Back)



Powered (Back)

Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Laminate Selection for Base
- Paint Selection for Columns - White, Black or Metallic Silver
- Color Selection for Power Option - White, Black or Silver
- Optional Worksurface Grommet (+38)

Notes

- Electric with two motors. Motorized base with 1” glide adjustment and 20” height adjustment from 26.26” to 45.94” high, LED programmable hand switch with four memory presets, vertical travel speed is approximately 1.5” per second.
- Features soft collision technology that halts and retracts when table surface meets resistance.
- Supply voltage: 90-127V / 50-60Hz. Nominal voltage: 120V / 60Hz.
- U-channels are 12” shorter than the nominal worksurface width.
- All units have two doors.
- All units include rear access and one rear center grommet.
- Rear access opening is 6.25”H.
- Height adjustable table legs include matching trim rings.
- Power cutout is 5.688”W x 2.062”D.
- Must be mounted to a wall using provided L-brackets; hardware for wall attachment must be supplied by the installer.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Wall Mounted Cantilevered Height Adjustable Tables for Run-offs

WALL MOUNTED CANTILEVERED HEIGHT ADJUSTABLE TABLE DESKS FOR 24”D LEFT HAND RUN-OFF


Casegoods Base H x D x W	Actual Main Surface Depth	Actual Main Surface Width	Non-Powered		Powered		Grade C Upcharges
			Model Number	List	Model Number	List	
21 x 9 x 60	23	34	X-CHWL242436	6,859	X-CHWLP242436	7,573	+33
21 x 9 x 66	23	40	X-CHWL242442	7,161	X-CHWLP242442	7,878	+33
21 x 9 x 72	23	46	X-CHWL242448	7,464	X-CHWLP242448	8,183	+33
21 x 9 x 78	23	52	X-CHWL242454	7,765	X-CHWLP242454	8,484	+41
21 x 9 x 84	23	58	X-CHWL242460	7,862	X-CHWLP242460	8,583	+41
21 x 9 x 90	23	64	X-CHWL242466	7,954	X-CHWLP242466	8,674	+46
21 x 9 x 96	23	70	X-CHWL242472	8,057	X-CHWLP242472	8,777	+51
21 x 9 x 60	29	34	X-CHWL243036	7,035	X-CHWLP243036	7,746	+46
21 x 9 x 66	29	40	X-CHWL243042	7,336	X-CHWLP243042	8,051	+46
21 x 9 x 72	29	46	X-CHWL243048	7,638	X-CHWLP243048	8,356	+42
21 x 9 x 78	29	52	X-CHWL243054	7,944	X-CHWLP243054	8,662	+50
21 x 9 x 84	29	58	X-CHWL243060	8,047	X-CHWLP243060	8,768	+50
21 x 9 x 90	29	64	X-CHWL243066	8,144	X-CHWLP243066	8,864	+56
21 x 9 x 96	29	70	X-CHWL243072	8,254	X-CHWLP243072	8,973	+61




Front (36-48”W)
(optional grommet shown)




Front (54-72”W)



Non-Powered (Back)
Run-offs sold separately



Powered (Back)
Run-offs sold separately



Run-offs sold separately


Specify	Notes
• Laminate Selection for Worksurface • Color Selection for Edge • Laminate Selection for Base • Paint Selection for Columns - White, Black or Metallic Silver • Color Selection for Power Option - White, Black or Silver • Optional Worksurface Grommet (+38)	• Electric with two motors. Motorized base with 1” glide adjustment and 20” height adjustment from 26.26” to 45.94” high, LED programmable hand switch with four memory presets, vertical travel speed is approximately 1.5” per second. • Features soft collision technology that halts and retracts when table surface meets resistance. • Supply voltage: 90-127V / 50-60Hz. Nominal voltage: 120V / 60Hz. • U-channels are 12” shorter than the nominal worksurface width. • 36” - 48” wide units have one door. 54” - 72” wide units have two doors. • All units include rear access and one grommet. Rear access opening is 6.25”H. Rear center grommet only. • Stack-ons sold separately. • Height adjustable table legs include matching trim rings. • Power cutout is 5.688”W x 2.062”D. • Must be mounted to a wall using provided L-brackets; hardware for wall attachment must be supplied by the installer.

© 2026, AIS, Inc.


Wall Mounted Cantilevered Height Adjustable Tables for Run-offs

WALL MOUNTED CANTILEVERED HEIGHT ADJUSTABLE TABLE DESKS FOR 30"D LEFT HAND RUN-OFF


Casegoods Base H x D x W	Actual Main Surface Depth	Actual Main Surface Width	Non-Powered		Powered		Grade C Upcharges
			Model Number	List	Model Number	List	
21 x 9 x 66	23	34	X-CHWL302436	6,859	X-CHWLP302436	7,580	+33
21 x 9 x 72	23	40	X-CHWL302442	7,161	X-CHWLP302442	7,881	+33
21 x 9 x 78	23	46	X-CHWL302448	7,464	X-CHWLP302448	8,183	+33
21 x 9 x 84	23	52	X-CHWL302454	7,765	X-CHWLP302454	8,484	+41
21 x 9 x 90	23	58	X-CHWL302460	7,862	X-CHWLP302460	8,583	+41
21 x 9 x 96	23	64	X-CHWL302466	7,954	X-CHWLP302466	8,674	+46
21 x 9 x 66	29	34	X-CHWL303036	8,084	X-CHWLP303036	7,755	+46
21 x 9 x 72	29	40	X-CHWL303042	8,187	X-CHWLP303042	8,056	+46
21 x 9 x 78	29	46	X-CHWL303048	7,638	X-CHWLP303048	8,356	+42
21 x 9 x 84	29	52	X-CHWL303054	7,944	X-CHWLP303054	8,662	+50
21 x 9 x 90	29	58	X-CHWL303060	8,047	X-CHWLP303060	8,768	+50
21 x 9 x 96	29	64	X-CHWL303066	8,144	X-CHWLP303066	8,864	+56




Front (36-48"W)
(optional grommet shown)




Front (54-72"W)



Non-Powered (Back)
Run-offs sold separately



Powered (Back)
Run-offs sold separately



Run-offs sold separately

Specify	Notes
• Laminate Selection for Worksurface • Color Selection for Edge • Laminate Selection for Base • Paint Selection for Columns - White, Black or Metallic Silver • Color Selection for Power Option - White, Black or Silver • Optional Worksurface Grommet (+38)	• Electric with two motors. Motorized base with 1" glide adjustment and 20" height adjustment from 26.26" to 45.94" high, LED programmable hand switch with four memory presets, vertical travel speed is approximately 1.5" per second. • Features soft collision technology that halts and retracts when table surface meets resistance. • Supply voltage: 90-127V / 50-60Hz. Nominal voltage: 120V / 60Hz. • U-channels are 12" shorter than the nominal worksurface width. • 36" - 48" wide units have one door. 54" - 72" wide units have two doors. • All units include rear access and one grommet. Rear access opening is 6.25"H. Rear center grommet only. • Stack-ons sold separately. • Height adjustable table legs include matching trim rings. • Power cutout is 5.688"W x 2.062"D. • Must be mounted to a wall using provided L-brackets; hardware for wall attachment must be supplied by the installer.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Wall Mounted Cantilevered Height Adjustable Tables for Run-offs

WALL MOUNTED CANTILEVERED HEIGHT ADJUSTABLE TABLE DESKS FOR 24”D RIGHT HAND RUN-OFF


Casegoods Base H x D x W	Actual Main Surface Depth	Actual Main Surface Width	Non-Powered		Powered		Grade C Upcharges
			Model Number	List	Model Number	List	
21 x 9 x 60	23	34	X-CHWR242436	6,859	X-CHWRP242436	7,573	+33
21 x 9 x 66	23	40	X-CHWR242442	7,161	X-CHWRP242442	7,878	+33
21 x 9 x 72	23	46	X-CHWR242448	7,464	X-CHWRP242448	8,183	+33
21 x 9 x 78	23	52	X-CHWR242454	7,765	X-CHWRP242454	8,484	+41
21 x 9 x 84	23	58	X-CHWR242460	7,862	X-CHWRP242460	8,583	+41
21 x 9 x 90	23	64	X-CHWR242466	7,954	X-CHWRP242466	8,674	+46
21 x 9 x 96	23	70	X-CHWR242472	8,057	X-CHWRP242472	8,777	+51
21 x 9 x 60	29	34	X-CHWR243036	7,035	X-CHWRP243036	7,746	+46
21 x 9 x 66	29	40	X-CHWR243042	7,336	X-CHWRP243042	8,051	+46
21 x 9 x 72	29	46	X-CHWR243048	7,638	X-CHWRP243048	8,356	+42
21 x 9 x 78	29	52	X-CHWR243054	7,944	X-CHWRP243054	8,662	+50
21 x 9 x 84	29	58	X-CHWR243060	8,047	X-CHWRP243060	8,768	+50
21 x 9 x 90	29	64	X-CHWR243066	8,144	X-CHWRP243066	8,864	+56
21 x 9 x 96	29	70	X-CHWR243072	8,254	X-CHWRP243072	8,973	+61




Front (36-48”W)
(optional grommet shown)




Front (54-72”W)



Non-Powered (Back)
Run-offs sold separately



Powered (Back)
Run-offs sold separately



Run-offs sold separately

Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Laminate Selection for Base
- Paint Selection for Columns - White, Black or Metallic Silver
- Color Selection for Power Option - White, Black or Silver
- Optional Worksurface Grommet (+38)

Notes


- Electric with two motors. Motorized base with 1” glide adjustment and 20” height adjustment from 26.26” to 45.94” high, LED programmable hand switch with four memory presets, vertical travel speed is approximately 1.5” per second.
- Features soft collision technology that halts and retracts when table surface meets resistance.
- Supply voltage: 90-127V / 50-60Hz. Nominal voltage: 120V / 60Hz.
- U-channels are 12” shorter than the nominal worksurface width.
- 36” - 48” wide units have one door. 54” - 72” wide units have two doors.
- All units include rear access and one grommet. Rear access opening is 6.25”H. Rear center grommet only.
- Stack-ons sold separately.
- Height adjustable table legs include matching trim rings.
- Power cutout is 5.688”W x 2.062”D.
- Must be mounted to a wall using provided L-brackets; hardware for wall attachment must be supplied by the installer.

© 2026, AIS, Inc.


Wall Mounted Cantilevered Height Adjustable Tables for Run-offs

WALL MOUNTED CANTILEVERED HEIGHT ADJUSTABLE TABLE DESKS FOR 30"D RIGHT HAND RUN-OFF


Casegoods Base H x D x W	Actual Main Surface Depth	Actual Main Surface Width	Non-Powered		Powered		Grade C Upcharges
			Model Number	List	Model Number	List	
21 x 9 x 66	23	34	X-CHWR302436	6,859	X-CHWRP302436	7,580	+33
21 x 9 x 72	23	40	X-CHWR302442	7,161	X-CHWRP302442	7,881	+33
21 x 9 x 78	23	46	X-CHWR302448	7,464	X-CHWRP302448	8,183	+33
21 x 9 x 84	23	52	X-CHWR302454	7,765	X-CHWRP302454	8,484	+41
21 x 9 x 90	23	58	X-CHWR302460	7,862	X-CHWRP302460	8,583	+41
21 x 9 x 96	23	64	X-CHWR302466	7,954	X-CHWRP302466	8,674	+46
21 x 9 x 66	29	34	X-CHWR303036	8,084	X-CHWRP303036	7,755	+46
21 x 9 x 72	29	40	X-CHWR303042	8,187	X-CHWRP303042	8,056	+46
21 x 9 x 78	29	46	X-CHWR303048	7,638	X-CHWRP303048	8,356	+42
21 x 9 x 84	29	52	X-CHWR303054	7,944	X-CHWRP303054	8,662	+50
21 x 9 x 90	29	58	X-CHWR303060	8,047	X-CHWRP303060	8,768	+50
21 x 9 x 96	29	64	X-CHWR303066	8,144	X-CHWRP303066	8,864	+56




Front (36-48"W)
(optional grommet shown)




Front (54-72"W)



Non-Powered (Back)
Run-offs sold separately



Powered (Back)
Run-offs sold separately



Run-offs sold separately

Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Laminate Selection for Base
- Paint Selection for Columns - White, Black or Metallic Silver
- Color Selection for Power Option - White, Black or Silver
- Optional Worksurface Grommet (+38)

Notes

- Electric with two motors. Motorized base with 1" glide adjustment and 20" height adjustment from 26.26" to 45.94" high, LED programmable hand switch with four memory presets, vertical travel speed is approximately 1.5" per second.
- Features soft collision technology that halts and retracts when table surface meets resistance.
- Supply voltage: 90-127V / 50-60Hz. Nominal voltage: 120V / 60Hz.
- U-channels are 12" shorter than the nominal worksurface width.
- 36" - 48" wide units have one door. 54" - 72" wide units have two doors.
- All units include rear access and one grommet. Rear access opening is 6.25"H. Rear center grommet only.
- Stack-ons sold separately.
- Height adjustable table legs include matching trim rings.
- Power cutout is 5.688"W x 2.062"D.
- Must be mounted to a wall using provided L-brackets; hardware for wall attachment must be supplied by the installer.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


3-Leg Wall Mounted Cantilevered Height Adjustable Table Desks

3-LEG WALL MOUNTED CANTILEVERED HEIGHT ADJUSTABLE TABLE DESK WITH POWER


Casegoods Base H x D x W	Actual Main Surface D x W	Actual Return Surface D x W	Main Surface Left Model Number	Main Surface Right Model Number	List	Main Surface Grade C Upcharge	Return Surface Grade C Upcharge
21 x 9 x 66	29 x 58	23 x 35	X-CHW3LP243660	X-CHW3RP243660	10,938	+50	+33
21 x 9 x 72	29 x 58	23 x 41	X-CHW3LP244260	X-CHW3RP244260	11,054	+50	+33
21 x 9 x 78	29 x 58	23 x 47	X-CHW3LP244860	X-CHW3RP244860	11,146	+50	+41
21 x 9 x 66	29 x 64	23 x 35	X-CHW3LP243666	X-CHW3RP243666	10,986	+56	+33
21 x 9 x 72	29 x 64	23 x 41	X-CHW3LP244266	X-CHW3RP244266	11,080	+56	+33
21 x 9 x 78	29 x 64	23 x 47	X-CHW3LP244866	X-CHW3RP244866	11,173	+56	+41
21 x 9 x 66	29 x 70	23 x 35	X-CHW3LP243672	X-CHW3RP243672	11,011	+61	+33
21 x 9 x 72	29 x 70	23 x 41	X-CHW3LP244272	X-CHW3RP244272	11,105	+61	+33
21 x 9 x 78	29 x 70	23 x 47	X-CHW3LP244872	X-CHW3RP244872	11,197	+61	+41
21 x 9 x 66	29 x 58	29 x 35	X-CHW3LP303660	X-CHW3RP303660	10,086	+50	+46
21 x 9 x 72	29 x 58	29 x 41	X-CHW3LP304260	X-CHW3RP304260	10,208	+50	+39
21 x 9 x 78	29 x 58	29 x 47	X-CHW3LP304860	X-CHW3RP304860	11,322	+50	+46
21 x 9 x 66	29 x 64	29 x 35	X-CHW3LP303666	X-CHW3RP303666	10,132	+56	+46
21 x 9 x 72	29 x 64	29 x 41	X-CHW3LP304266	X-CHW3RP304266	10,233	+56	+39
21 x 9 x 78	29 x 64	29 x 47	X-CHW3LP304866	X-CHW3RP304866	11,346	+56	+46
21 x 9 x 66	29 x 70	29 x 35	X-CHW3LP303672	X-CHW3RP303672	10,157	+61	+46
21 x 9 x 72	29 x 70	29 x 41	X-CHW3LP304272	X-CHW3RP304272	10,258	+61	+39
21 x 9 x 78	29 x 70	29 x 47	X-CHW3LP304872	X-CHW3RP304872	11,373	+61	+46




Front
Main Surface Left
(optional grommet shown)



Front
Main Surface Right



Powered (Back)
Main Surface Left



Powered (Back)
Main Surface Right

Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Laminate Selection for Base
- Paint Selection for Columns - White, Black or Metallic Silver
- Color Selection for Power Option - White, Black or Silver
- Optional Worksurface Grommet (+38)

Notes


- Electric with two motors. Motorized base with 1” glide adjustment and 20” height adjustment from 26.26” to 45.94” high, LED programmable hand switch with four memory presets, vertical travel speed is approximately 1.5” per second.
- Features soft collision technology that halts and retracts when table surface meets resistance.
- Supply voltage: 90-127V / 50-60Hz. Nominal voltage: 120V / 60Hz.
- U-channels are 12” shorter than the nominal worksurface width.
- All units have two doors.
- All units include rear access and one grommet. Rear access opening is 6.25”H. Rear center grommet only.
- Stand alone foot or height-adjustable base/storage sold separately.
- Height adjustable table legs include matching trim rings.
- Power cutout is 5.688”W x 2.062”D.
- Must be mounted to a wall using provided L-brackets; hardware for wall attachment must be supplied by the installer.

© 2026, AIS, Inc.


3-Leg Wall Mounted Cantilevered Height Adjustable Table Desks

3-LEG WALL MOUNTED CANTILEVERED HEIGHT ADJUSTABLE TABLE DESK WITHOUT POWER


Casegoods Base H x D x W	Actual Main Surface D x W	Actual Return Surface D x W	Main Surface Left Model Number	Main Surface Right Model Number	List	Main Surface Grade C Upcharge	Return Surface Grade C Upcharge
21 x 9 x 66	29 x 58	23 x 35	X-CHW3L243660	X-CHW3R243660	10,220	+50	+33
21 x 9 x 72	29 x 58	23 x 41	X-CHW3L244260	X-CHW3R244260	10,336	+50	+33
21 x 9 x 78	29 x 58	23 x 47	X-CHW3L244860	X-CHW3R244860	9,522	+50	+41
21 x 9 x 66	29 x 64	23 x 35	X-CHW3L243666	X-CHW3R243666	10,266	+56	+33
21 x 9 x 72	29 x 64	23 x 41	X-CHW3L244266	X-CHW3R244266	10,360	+56	+33
21 x 9 x 78	29 x 64	23 x 47	X-CHW3L244866	X-CHW3R244866	9,547	+56	+41
21 x 9 x 66	29 x 70	23 x 35	X-CHW3L243672	X-CHW3R243672	10,292	+61	+33
21 x 9 x 72	29 x 70	23 x 41	X-CHW3L244272	X-CHW3R244272	10,386	+61	+33
21 x 9 x 78	29 x 70	23 x 47	X-CHW3L244872	X-CHW3R244872	9,574	+61	+41
21 x 9 x 66	29 x 58	29 x 35	X-CHW3L303660	X-CHW3R303660	9,368	+50	+46
21 x 9 x 72	29 x 58	29 x 41	X-CHW3L304260	X-CHW3R304260	9,487	+50	+39
21 x 9 x 78	29 x 58	29 x 47	X-CHW3L304860	X-CHW3R304860	10,602	+50	+46
21 x 9 x 66	29 x 64	29 x 35	X-CHW3L303666	X-CHW3R303666	9,413	+56	+46
21 x 9 x 72	29 x 64	29 x 41	X-CHW3L304266	X-CHW3R304266	9,512	+56	+39
21 x 9 x 78	29 x 64	29 x 47	X-CHW3L304866	X-CHW3R304866	10,628	+56	+46
21 x 9 x 66	29 x 70	29 x 35	X-CHW3L303672	X-CHW3R303672	9,437	+61	+46
21 x 9 x 72	29 x 70	29 x 41	X-CHW3L304272	X-CHW3R304272	9,538	+61	+39
21 x 9 x 78	29 x 70	29 x 47	X-CHW3L304872	X-CHW3R304872	10,653	+61	+46




Front
Main Surface Left
(optional grommet shown)



Front
Main Surface Right



Non-Powered (Back)
Main Surface Left



Non-Powered (Back)
Main Surface Right

Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Laminate Selection for Base
- Paint Selection for Columns - White, Black or Metallic Silver
- Optional Worksurface Grommet (+38)

Notes

- Electric with two motors. Motorized base with 1” glide adjustment and 20” height adjustment from 26.26” to 45.94” high, LED programmable hand switch with four memory presets, vertical travel speed is approximately 1.5” per second.
- Features soft collision technology that halts and retracts when table surface meets resistance.
- Supply voltage: 90-127V / 50-60Hz. Nominal voltage: 120V / 60Hz.
- U-channels are 12” shorter than the nominal worksurface width.
- All units have two doors.
- All units include rear access and one grommet. Rear access opening is 6.25”H. Rear center grommet only.
- Stand alone foot or height-adjustable base/storage sold separately.
- Height adjustable table legs include matching trim rings.
- Must be mounted to a wall using provided L-brackets; hardware for wall attachment must be supplied by the installer.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Enclosed Based Single Stage Height Adjustable Table Desks

SQUARE EDGE EXECUTIVE HEIGHT ADJUSTABLE DESK


		Without Modesty		With Fixed Modesty	
W	D	Model Number	List	Model Number	List
42	24	X-HAT2SE2442	6,636	X-HAT2SFE2442	6,929
48	24	X-HAT2SE2448	6,790	X-HAT2SFE2448	7,061
54	24	X-HAT2SE2454	6,943	X-HAT2SFE2454	7,196
60	24	X-HAT2SE2460	6,983	X-HAT2SFE2460	7,249
66	24	X-HAT2SE2466	7,108	X-HAT2SFE2466	7,386
72	24	X-HAT2SE2472	7,214	X-HAT2SFE2472	7,508
78	24	X-HAT2SE2478	7,307	X-HAT2SFE2478	7,614
84	24	X-HAT2SE2484	7,401	X-HAT2SFE2484	7,704
90	24	X-HAT2SE2490	8,013	X-HAT2SFE2490	8,311
96	24	X-HAT2SE2496	8,144	X-HAT2SFE2496	8,434
42	30	X-HAT2SE3042	7,052	X-HAT2SFE3042	7,343
48	30	X-HAT2SE3048	7,198	X-HAT2SFE3048	7,467
54	30	X-HAT2SE3054	7,341	X-HAT2SFE3054	7,592
60	30	X-HAT2SE3060	7,380	X-HAT2SFE3060	7,645
66	30	X-HAT2SE3066	7,515	X-HAT2SFE3066	7,795
72	30	X-HAT2SE3072	7,629	X-HAT2SFE3072	7,922
78	30	X-HAT2SE3078	7,865	X-HAT2SFE3078	8,173
84	30	X-HAT2SE3084	8,090	X-HAT2SFE3084	8,389
90	30	X-HAT2SE3090	8,831	X-HAT2SFE3090	9,126
96	30	X-HAT2SE3096	9,090	X-HAT2SFE3096	9,378

KNIFE EDGE EXECUTIVE HEIGHT ADJUSTABLE DESK


		Without Modesty		With Fixed Modesty	
W	D	Model Number	List	Model Number	List
42	24	X-HAT2KE2442	6,976	X-HAT2KFE2442	7,268
48	24	X-HAT2KE2448	7,232	X-HAT2KFE2448	7,505
54	24	X-HAT2KE2454	7,485	X-HAT2KFE2454	7,736
60	24	X-HAT2KE2460	7,513	X-HAT2KFE2460	7,776
66	24	X-HAT2KE2466	7,722	X-HAT2KFE2466	7,999
72	24	X-HAT2KE2472	7,884	X-HAT2KFE2472	8,178
78	24	X-HAT2KE2478	8,026	X-HAT2KFE2478	8,334
84	24	X-HAT2KE2484	8,170	X-HAT2KFE2484	8,470
90	24	X-HAT2KE2490	8,833	X-HAT2KFE2490	9,126
96	24	X-HAT2KE2496	9,011	X-HAT2KFE2496	9,302
42	30	X-HAT2KE3042	7,522	X-HAT2KFE3042	7,815
48	30	X-HAT2KE3048	7,761	X-HAT2KFE3048	8,032
54	30	X-HAT2KE3054	7,999	X-HAT2KFE3054	8,250
60	30	X-HAT2KE3060	8,034	X-HAT2KFE3060	8,300
66	30	X-HAT2KE3066	8,256	X-HAT2KFE3066	8,534
72	30	X-HAT2KE3072	8,434	X-HAT2KFE3072	8,727
78	30	X-HAT2KE3078	8,841	X-HAT2KFE3078	9,150
84	30	X-HAT2KE3084	9,224	X-HAT2KFE3084	9,525
90	30	X-HAT2KE3090	10,124	X-HAT2KFE3090	10,419
96	30	X-HAT2KE3096	10,541	X-HAT2KFE3096	10,832




Without Modesty



With Modesty



Without Modesty



With Modesty

Specify

- Laminate Selection for Worksurface
- Laminate Selection for Base and Modesty
- Paint Selection for Columns - White, Black or Metallic Silver
- Additional Grommet Locations (+38)


Notes

- Electric with two motors. Motorized base with 1” glide adjustment and 20” height adjustment from 26.26” to 45.94” high, LED programmable hand switch with four memory presets, vertical travel speed is approximately 1.5” per second.
- Features soft collision technology that halts and retracts when table surface meets resistance.
- Supply voltage: 90-127V / 50-60Hz. Nominal voltage: 120V / 60Hz.
- Knife edge featured on all four side of desk.
- Worksurfaces that are 30” deep and have a width of 60 or wider will come with two u-channels to stiffen the work surface.
- U-channels are 24” shorter than the nominal worksurface width.
- Height adjustable table legs include matching trim rings.
- Grommet locations I, J, K, L, M, or N should be selected when specifying a corner grommet on executive height adjustable desks.

© 2026, AIS, Inc.

Executive Floating Height Adjustable Table Desk Product Details

Finish Specification Diagram – 2 Leg Executive Floating Height Adjustable Table




Specification options*:

1. Laminate selection for case and modesty
2. Handle selection
3. Handle paint selection
4. Laminate selection for worksurface (matching edge to be applied)
5. Lock selection
6. Laminate selection for drawer front
7. Color selection for height adjustable table legs

*Shaded areas indication specification application.

Finish Specification Diagram – 3 Leg Executive Floating Height Adjustable Table



Specification options*:


1. Laminate selection for case and modesty
2. Handle selection
3. Handle paint selection
4. Laminate selection for worksurface (matching edge to be applied)
5. Lock selection
6. Laminate selection for drawer front**
7. Color selection for height adjustable table legs

*Shaded areas indication specification application.
**Access panel opposite the pedestal receives the same laminate selection as the case.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Executive Floating Height Adjustable Table Desk Product Details


Worksurface Profile Options



2MM edge




Knife edge (featured on 3 sides; 2MM edge on user side;) 30”D surface shown)




Side View (36”D surface shown)


Dimensions – 2-Leg Height Adjustable Tables with Cubby



Top View



Front View




Side View

Worksurface on cubby models is 28”D to allow for pinch points with the fixed return. Worksurface length is 2” less than the nominal length in the part number.


© 2026, AIS, Inc.

Executive Floating Height Adjustable Table Desk Product Details


Dimensions – 2-Leg Height Adjustable Tables



Top View



Front View




Side View


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Executive Floating Height Adjustabnle Table Desk Product Details

Dimensions – 3-Leg Height Adjustable Tables



Top View




Front View

© 2026, AIS, Inc.


Executive Floating Height Adjustable Table Desk Product Details

Internal View

3-Leg Floating Height Adjustable Tables



2-Leg Floating Height Adjustable Tables




Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Executive Floating Height Adjustable Table Desk Product Details

2 Leg Executive Floating Height Adjustable Table Product Features

Features:
1. Vertical wire manager
2. Integrated wire manager at the modesty base
3. 2-Stage height adjustable legs
4. LED programmable hand switch with up to 4 settings
5. Optional suspended modesty (ordered separately)
   Suspended modesty lowers behind the fixed modesty
6. Optional run-off mounting kit for cubby models only (ordered separately).
   Surfaces on cubby models are 28"D to allow for pinch points.
7. Cubby models include a removable shelf.
8. Pedestal drawers are 12" deep and allow for side to side filing only.




Knife edge
(featured on 3 sides; 2MM edge on user side)




2 Leg Executive Floating Height Adjustable Table Positions


Features:
1. Vertical wire manager
2. Integrated wire manager at the modesty base
3. 2-Stage height adjustable legs
4. LED programmable hand switch with up to 4 settings
5. Optional suspended modesty (ordered separately)
   Suspended modesty lowers behind the fixed modesty
6. Optional run-off mounting kit (ordered separately)



2-Leg Executive Floating Height Adjustable Table
in lowered position (approach side)



2-Leg Executive Floating Height Adjustable Table
in raised position, no suspended modesty




2-Leg Executive Floating Height Adjustable Table
in raised position with suspended modesty

© 2026, AIS, Inc.


Executive Floating Height Adjustable Table Desk Product Details

3 Leg Executive Floating Height Adjustable Table Product Features

Features:
1. Vertical wire manager
2. Integrated wire manager at the modesty base
3. 2-Stage height adjustable legs
4. LED programmable hand switch with up to 4 settings
5. Optional suspended modesty (ordered separately)
6. 3-Leg height adjustable tables include removable access panel for height adjustable table management.
   Not intended for storage.
7. Pedestal drawers are 12” deep and allow for side to side filing only.




3-Leg Executive Floating Height Adjustable Table
in lowered position (approach side)




3-Leg Executive Floating Height Adjustable Table
in lowered position (user side)

3 Leg Executive Floating Height Adjustable Table Positions


Features:
1. Vertical wire manager, always on run-off side in 3-leg applications.
2. Integrated wire manager at the modesty base
3. 2-Stage height adjustable legs
4. LED programmable hand switch with up to 4 settings
5. Optional suspended modesty (ordered separately)
   Suspended modesty lowers behind the fixed modesty
6. 3-leg height adjustable tables include removable access panel for height adjustable table management



3-Leg Executive Floating Height Adjustable Table in raised position
with suspended modesty on main surface



3-Leg Executive Floating Height Adjustable Table in half
raised position with suspended modesty on main surface




3-Leg Executive Floating Height Adjustable Table in raised position
with suspended modesties on main and return surfaces

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Executive Floating Height Adjustable Table Desks, 2-Leg

FLOATING HEIGHT ADJUSTABLE TABLE, 2-LEG, BOX/BOX/FILE LEFT, FILE/FILE RIGHT, 2MM EDGE

H	W	D	Worksurface (W x D)	Wire Manager Right Model Number	Wire Manager Left Model Number	List
27	72	30	70x29	X-BBFLFFR7230R	X-BBFWFFR7230R	9,048
27	78	30	76x29	X-BBFLFFR7830R	X-BBFWFFR7830R	9,230
27	84	30	82x29	X-BBFLFFR8430R	X-BBFWFFR8430R	9,414




Wire Manager Right




Wire Manager Left

FLOATING HEIGHT ADJUSTABLE TABLE, 2-LEG, BOX/BOX/FILE LEFT, FILE/FILE RIGHT, KNIFE EDGE

H	W	D	Worksurface (W x D)	Wire Manager Right Model Number	Wire Manager Left Model Number	List
27	72	30	70x29	X-BBFLFFR7230K	X-BBFWFFR7230K	10,281
27	78	30	76x29	X-BBFLFFR7830K	X-BBFWFFR7830K	10,488
27	84	30	82x29	X-BBFLFFR8430K	X-BBFWFFR8430K	10,697




Wire Manager Right




Wire Manager Left

FLOATING HEIGHT ADJUSTABLE TABLE, 2-LEG, FILE/FILE LEFT, BOX/BOX/FILE RIGHT, 2MM EDGE

H	W	D	Worksurface (W x D)	Wire Manager Right Model Number	Wire Manager Left Model Number	List
27	72	30	70x29	X-FFLBBFR7230R	X-FFWBBFR7230R	9,048
27	78	30	76x29	X-FFLBBFR7830R	X-FFWBBFR7830R	9,230
27	84	30	82x29	X-FFLBBFR8430R	X-FFWBBFR8430R	9,414




Wire Manager Right




Wire Manager Left

FLOATING HEIGHT ADJUSTABLE TABLE, 2-LEG, FILE/FILE LEFT, BOX/BOX/FILE RIGHT, KNIFE EDGE

H	W	D	Worksurface (W x D)	Wire Manager Right Model Number	Wire Manager Left Model Number	List
27	72	30	70x29	X-FFLBBFR7230K	X-FFWBBFR7230K	10,281
27	78	30	76x29	X-FFLBBFR7830K	X-FFWBBFR7830K	10,488
27	84	30	82x29	X-FFLBBFR8430K	X-FFWBBFR8430K	10,697



Wire Manager Right



Wire Manager Left

Specify

- Laminate selection for case and fixed modesty
- Handle selection
- Handle paint selection
- Laminate selection for worksurface (matching edge to be applied)
- Lock selection
- Laminate selection for drawer front
- Color selection for height adjustable table legs

Notes


- Electric with two motors and two legs. Height range adjustment from 28.58” – 48.25” high, LED programmable hand switch with four memory presets, vertical travel speed is approximately 1.18” per second.
- Features soft collision technology that halts and retracts when table surface meets resistance.
- On knife edge desks, knife edge is featured on three sides of desk (approach and two sides), user edge is 2mm.
- Lifting capacity of 200 lbs including worksurface and enclosure.
- Grommets covers may be ordered separately for field-cut grommets. Refer to the Accessories price list.
- Height adjustable table legs available in black, metallic silver and satin white.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull incurs a $75 upcharge.
- Lock cores and trim rings ship separately.
- Suspended modesties can be specified separately.
- Modesty wire manager included; black only.
- Pedestal drawers are 12” deep, and allow for side to side filing only, not legal filing.
- Pedestals come with a pencil tray.

© 2026, AIS, Inc.

Executive Floating Height Adjustable Table Desks, 2-Leg

FLOATING HEIGHT ADJUSTABLE TABLE, 2-LEG, BOX/BOX/FILE LEFT, BOX/BOX/FILE RIGHT, 2MM EDGE


H	W	D	Worksurface (W x D)	Wire Manager Right Model Number	Wire Manager Left Model Number	List
27	72	30	70x29	X-BBFLBBFR7230R	X-BBFWBBFR7230R	9,089
27	78	30	76x29	X-BBFLBBFR7830R	X-BBFWBBFR7830R	9,271
27	84	30	82x29	X-BBFLBBFR8430R	X-BBFWBBFR8430R	9,456



Wire Manager Right Wire Manager Left

FLOATING HEIGHT ADJUSTABLE TABLE, 2-LEG, BOX/BOX/FILE LEFT, BOX/BOX/FILE RIGHT, KNIFE EDGE


H	W	D	Worksurface (W x D)	Wire Manager Right Model Number	Wire Manager Left Model Number	List
27	72	30	70x29	X-BBFLBBFR7230K	X-BBFWBBFR7230K	10,281
27	78	30	76x29	X-BBFLBBFR7830K	X-BBFWBBFR7830K	10,534
27	84	30	82x29	X-BBFLBBFR8430K	X-BBFWBBFR8430K	10,744



Wire Manager Right Wire Manager Left

FLOATING HEIGHT ADJUSTABLE TABLE, 2-LEG, FILE/FILE LEFT, FILE/FILE RIGHT, 2MM EDGE


H	W	D	Worksurface (W x D)	Wire Manager Right Model Number	Wire Manager Left Model Number	List
27	72	30	70x29	X-FFLFFR7230R	X-FFWFFR7230R	8,416
27	78	30	76x29	X-FFLFFR7830R	X-FFWFFR7830R	8,584
27	84	30	82x29	X-FFLFFR8430R	X-FFWFFR8430R	8,756



Wire Manager Right Wire Manager Left

FLOATING HEIGHT ADJUSTABLE TABLE, 2-LEG, FILE/FILE LEFT, FILE/FILE RIGHT, 2MM EDGE

H	W	D	Worksurface (W x D)	Wire Manager Right Model Number	Wire Manager Left Model Number	List
27	72	30	70x29	X-FFLFFR7230K	X-FFWFFR7230K	9,563
27	78	30	76x29	X-FFLFFR7830K	X-FFWFFR7830K	9,755
27	84	30	82x29	X-FFLFFR8430K	X-FFWFFR8430K	9,949



Wire Manager Right Wire Manager Left

Specify

- Laminate selection for case and fixed modesty
- Handle selection
- Handle paint selection
- Laminate selection for worksurface (matching edge to be applied)
- Lock selection
- Laminate selection for drawer front
- Color selection for height adjustable table legs

Notes

- Electric with two motors and two legs. Height range adjustment from 28.58” – 48.25” high, LED programmable hand switch with four memory presets, vertical travel speed is approximately 1.18” per second.
- Features soft collision technology that halts and retracts when table surface meets resistance.
- On knife edge desks, knife edge is featured on three sides of desk (approach and two sides), user edge is 2mm.
- Lifting capacity of 200 lbs including worksurface and enclosure.
- Grommets covers may be ordered separately for field-cut grommets. Refer to the Accessories price list.
- Height adjustable table legs available in black, metallic silver and satin white.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull incurs a $75 upcharge.
- Lock cores and trim rings ship separately.
- Suspended modesties can be specified separately.
- Modesty wire manager included; black only.
- Pedestal drawers are 12” deep, and allow for side to side filing only, not legal filing.
- Pedestals come with a pencil tray.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Executive Floating Height Adjustable Table Desks, 2-Leg

FLOATING HEIGHT ADJUSTABLE TABLE, 2-LEG, BOX/BOX/FILE LEFT, CUBBY RIGHT, 2MM EDGE

H	W	D	Worksurface (W x D)	Wire Manager Right Model Number	Wire Manager Left Model Number	List
27	72	30	70x29	X-BBFLCR7230R	X-BBFWCR7230R	7,692
27	78	30	76x29	X-BBFLCR7830R	X-BBFWCR7830R	7,846
27	84	30	82x29	X-BBFLCR8430R	X-BBFWCR8430R	8,002




Wire Manager Right




Wire Manager Left

FLOATING HEIGHT ADJUSTABLE TABLE, 2-LEG, BOX/BOX/FILE LEFT, CUBBY RIGHT, KNIFE EDGE

H	W	D	Worksurface (W x D)	Wire Manager Right Model Number	Wire Manager Left Model Number	List
27	72	30	70x29	X-BBFLCR7230K	X-BBFWCR7230K	8,740
27	78	30	76x29	X-BBFLCR7830K	X-BBFWCR7830K	8,915
27	84	30	82x29	X-BBFLCR8430K	X-BBFWCR8430K	9,093




Wire Manager Right




Wire Manager Left

FLOATING HEIGHT ADJUSTABLE TABLE, 2-LEG, FILE/FILE LEFT, CUBBY RIGHT, 2MM EDGE

H	W	D	Worksurface (W x D)	Wire Manager Right Model Number	Wire Manager Left Model Number	List
27	72	30	70x29	X-FFLCR7230R	X-FFWCR7230R	7,153
27	78	30	76x29	X-FFLCR7830R	X-FFWCR7830R	7,297
27	84	30	82x29	X-FFLCR8430R	X-FFWCR8430R	7,442




Wire Manager Right




Wire Manager Left

FLOATING HEIGHT ADJUSTABLE TABLE, 2-LEG, FILE/FILE LEFT, CUBBY RIGHT, KNIFE EDGE

H	W	D	Worksurface (W x D)	Wire Manager Right Model Number	Wire Manager Left Model Number	List
27	72	30	70x29	X-FFLCR7230K	X-FFWCR7230K	8,127
27	78	30	76x29	X-FFLCR7830K	X-FFWCR7830K	8,291
27	84	30	82x29	X-FFLCR8430K	X-FFWCR8430K	8,456



Wire Manager Right



Wire Manager Left

Specify

- Laminate selection for case and fixed modesty
- Handle selection
- Handle paint selection
- Laminate selection for worksurface (matching edge to be applied)
- Lock selection
- Laminate selection for drawer front
- Color selection for height adjustable table legs

Notes


- Electric with two motors and two legs. Height range adjustment from 28.58” – 48.25” high, LED programmable hand switch with four memory presets, vertical travel speed is approximately 1.18” per second.
- Features soft collision technology that halts and retracts when table surface meets resistance.
- On knife edge desks, knife edge is featured on three sides of desk (approach and two sides), user edge is 2mm.
- Lifting capacity of 200 lbs including worksurface and enclosure.
- Grommets covers may be ordered separately for field-cut grommets. Refer to the Accessories price list.
- Height adjustable table legs available in black, metallic silver and satin white.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge. Slim pull incurs a $75 upcharge.
- Lock cores and trim rings ship separately.
- Suspended modesties can be specified separately.
- Executive Floating Height Adjustable Table Desks with cubbies are compatible with static run-offs, ordered separately. Floating height adjustable table standard run-off mounting kits are required in this application.
- Only 24”D run-offs are compatible. 30”D - 36”D are not compatible.
- Modesty wire manager included; black only.
- Pedestal drawers are 12” deep, and allow for side to side filing only, not legal filing.
- Pedestals come with a pencil tray.
- Cubby includes adjustable shelf.

© 2026, AIS, Inc.


Executive Floating Height Adjustable Table Desks, 2-Leg

FLOATING HEIGHT ADJUSTABLE TABLE, 2-LEG, CUBBY LEFT, BOX/BOX/FILE RIGHT, 2MM EDGE

H	W	D	Worksurface (W x D)	Wire Manager Right Model Number	Wire Manager Left Model Number	List
27	72	30	70x29	X-CLBBFR7230R	X-CWBBFR7230R	7,692
27	78	30	76x29	X-CLBBFR7830R	X-CWBBFR7830R	7,846
27	84	30	82x29	X-CLBBFR8430R	X-CWBBFR8430R	8,002




Wire Manager Right




Wire Manager Left

FLOATING HEIGHT ADJUSTABLE TABLE, 2-LEG, CUBBY LEFT, BOX/BOX/FILE RIGHT, KNIFE EDGE

H	W	D	Worksurface (W x D)	Wire Manager Right Model Number	Wire Manager Left Model Number	List
27	72	30	70x29	X-CLBBFR7230K	X-CWBBFR7230K	8,740
27	78	30	76x29	X-CLBBFR7830K	X-CWBBFR7830K	8,915
27	84	30	82x29	X-CLBBFR8430K	X-CWBBFR8430K	9,093




Wire Manager Right




Wire Manager Left

FLOATING HEIGHT ADJUSTABLE TABLE, 2-LEG, CUBBY LEFT, FILE/FILE RIGHT, 2MM EDGE

H	W	D	Worksurface (W x D)	Wire Manager Right Model Number	Wire Manager Left Model Number	List
27	72	30	70x29	X-CLFFR7230R	X-CWFFR7230R	7,153
27	78	30	76x29	X-CLFFR7830R	X-CWFFR7830R	7,297
27	84	30	82x29	X-CLFFR8430R	X-CWFFR8430R	7,442




Wire Manager Right




Wire Manager Left

FLOATING HEIGHT ADJUSTABLE TABLE, 2-LEG, CUBBY LEFT, FILE/FILE RIGHT, KNIFE EDGE

H	W	D	Worksurface (W x D)	Wire Manager Right Model Number	Wire Manager Left Model Number	List
27	72	30	70x29	X-CLFFR7230K	X-CWFFR7230K	8,127
27	78	30	76x29	X-CLFFR7830K	X-CWFFR7830K	8,291
27	84	30	82x29	X-CLFFR8430K	X-CWFFR8430K	8,456



Wire Manager Right



Wire Manager Left

Specify

- Laminate selection for case and fixed modesty
- Handle selection
- Handle paint selection
- Laminate selection for worksurface (matching edge to be applied)
- Lock selection
- Laminate selection for drawer front
- Color selection for height adjustable table legs

Notes

- Electric with two motors and two legs. Height range adjustment from 28.58” – 48.25” high, LED programmable hand switch with four memory presets, vertical travel speed is approximately 1.18” per second.
- Features soft collision technology that halts and retracts when table surface meets resistance.
- On knife edge desks, knife edge is featured on three sides of desk (approach and two sides), user edge is 2mm.
- Lifting capacity of 200 lbs including worksurface and enclosure.
- Grommets covers may be ordered separately for field-cut grommets. Refer to the Accessories price list.
- Height adjustable table legs available in black, metallic silver and satin white.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge. Slim pull incurs a $75 upcharge.
- Lock cores and trim rings ship separately.
- Suspended modesties can be specified separately.
- Executive Floating Height Adjustable Table Desks with cubbies are compatible with static run-offs, ordered separately. Floating Height Adjustable Table standard run-off mounting kits are required in this application.
- Only 24”D run-offs are compatible. 30”D - 36”D are not compatible.
- Modesty wire manager included; black only.
- Pedestal drawers are 12” deep, and allow for side to side filing only, not legal filing.
- Pedestals come with a pencil tray.
- Cubby includes adjustable shelf.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Executive Floating Height Adjustable Table Desks, 3-Leg


FLOATING HEIGHT ADJUSTABLE TABLE, 3-LEG, MAIN 30"D WITH BOX/BOX/FILE LEFT, RETURN RIGHT, 2MM EDGE

H	W	D	Main (W x D)	Return (W x D)	Model Number	List
27	72	78	71x30	47x23	X-BBF7230L48RR	11,894
27	72	84	71x30	53x23	X-BBF7230L54RR	12,132
27	72	90	71x30	59x23	X-BBF7230L60RR	12,374
27	78	78	77x30	47x23	X-BBF7830L48RR	12,251
27	78	84	77x30	53x23	X-BBF7830L54RR	12,495
27	78	90	77x30	59x23	X-BBF7830L60RR	12,747
27	84	78	83x30	47x23	X-BBF8430L48RR	12,617
27	84	84	83x30	53x23	X-BBF8430L54RR	12,871
27	84	90	83x30	59x23	X-BBF8430L60RR	13,126



FLOATING HEIGHT ADJUSTABLE TABLE, 3-LEG, MAIN 30"D WITH BOX/BOX/FILE LEFT, RETURN RIGHT, KNIFE EDGE

H	W	D	Main (W x D)	Return (W x D)	Model Number	List
27	72	78	71x30	47x23	X-BBF7230L48RK	13,516
27	72	84	71x30	53x23	X-BBF7230L54RK	13,786
27	72	90	71x30	59x23	X-BBF7230L60RK	14,062
27	78	78	77x30	47x23	X-BBF7830L48RK	13,921
27	78	84	77x30	53x23	X-BBF7830L54RK	14,199
27	78	90	77x30	59x23	X-BBF7830L60RK	14,483
27	84	78	83x30	47x23	X-BBF8430L48RK	14,338
27	84	84	83x30	53x23	X-BBF8430L54RK	14,626
27	84	90	83x30	59x23	X-BBF8430L60RK	14,917



Specify

- Laminate selection for case and modesty
- Handle selection
- Handle paint selection
- Laminate selection for worksurface (matching edge to be applied)
- Lock selection
- Laminate selection for drawer front
- Color selection for height adjustable table legs

Notes


- Electric with two motors and two legs. Height range adjustment from 28.58" – 48.25" high, LED programmable hand switch with four memory presets, vertical travel speed is approximately 1.18" per second.
- Features soft collision technology that halts and retracts when table surface meets resistance.
- On knife edge desks, knife edge is featured on three sides of main and return surfaces (approach and two sides), user edge is 2mm.
- Lifting capacity of 200 lbs including worksurface and enclosure.
- Grommets covers may be ordered separately for field-cut grommets. Refer to the Accessories price list.
- Height adjustable table legs available in black, metallic silver and satin white.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull incurs a $75 upcharge.
- Lock cores and trim rings ship separately.
- Suspended modesties can be specified separately.
- Modesty wire manager included; black only.
- Pedestal drawers are 12" deep, and allow for side to side filing only, not legal filing.
- Pedestals come with a pencil tray.
- Vertical wire manager on run-off side in 3-leg applications.

© 2026, AIS, Inc.

Executive Floating Height Adjustable Table Desks, 3-Leg


FLOATING HEIGHT ADJUSTABLE TABLE, 3-LEG, MAIN 36"D WITH BOX/BOX/FILE LEFT, RETURN RIGHT, 2MM EDGE

H	W	D	Main (W x D)	Return (W x D)	Model Number	List
27	72	84	71x36	47x23	X-BBF7236L48RR	12,251
27	72	90	71x36	53x23	X-BBF7236L54RR	12,495
27	72	96	71x36	59x23	X-BBF7236L60RR	12,747
27	78	84	77x36	47x23	X-BBF7836L48RR	12,617
27	78	90	77x36	53x23	X-BBF7836L54RR	12,871
27	78	96	77x36	59x23	X-BBF7836L60RR	13,126
27	84	84	83x36	47x23	X-BBF8436L48RR	12,997
27	84	90	83x36	53x23	X-BBF8436L54RR	13,257
27	84	96	83x36	59x23	X-BBF8436L60RR	13,522



FLOATING HEIGHT ADJUSTABLE TABLE, 3-LEG, MAIN 36"D WITH BOX/BOX/FILE LEFT, RETURN RIGHT, KNIFE EDGE

H	W	D	Main (W x D)	Return (W x D)	Model Number	List
27	72	84	71x36	47x23	X-BBF7236L48RK	13,921
27	72	90	71x36	53x23	X-BBF7236L54RK	14,199
27	72	96	71x36	59x23	X-BBF7236L60RK	14,483
27	78	84	77x36	47x23	X-BBF7836L48RK	14,338
27	78	90	77x36	53x23	X-BBF7836L54RK	14,626
27	78	96	77x36	59x23	X-BBF7836L60RK	14,917
27	84	84	83x36	47x23	X-BBF8436L48RK	14,768
27	84	90	83x36	53x23	X-BBF8436L54RK	15,063
27	84	96	83x36	59x23	X-BBF8436L60RK	15,365



Specify

- Laminate selection for case and modesty
- Handle selection
- Handle paint selection
- Laminate selection for worksurface (matching edge to be applied)
- Lock selection
- Laminate selection for drawer front
- Color selection for height adjustable table legs

Notes


- Electric with two motors and two legs. Height range adjustment from 28.58" – 48.25" high, LED programmable hand switch with four memory presets, vertical travel speed is approximately 1.18" per second.
- Features soft collision technology that halts and retracts when table surface meets resistance.
- On knife edge desks, knife edge is featured on three sides of main and return surfaces (approach and two sides), user edge is 2mm.
- Lifting capacity of 200 lbs including worksurface and enclosure.
- Grommets covers may be ordered separately for field-cut grommets. Refer to the Accessories price list.
- Height adjustable table legs available in black, metallic silver and satin white.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull incurs a $75 upcharge.
- Lock cores and trim rings ship separately.
- Suspended modesties can be specified separately.
- Modesty wire manager included; black only.
- Pedestal drawers are 12" deep, and allow for side to side filing only, not legal filing.
- Pedestals come with a pencil tray.
- Vertical wire manager on run-off side in 3-leg applications.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Executive Floating Height Adjustable Table Desks, 3-Leg


FLOATING HEIGHT ADJUSTABLE TABLE, 3-LEG, MAIN 30"D WITH FILE/FILE LEFT, RETURN RIGHT, 2MM EDGE

H	W	D	Main (W x D)	Return (W x D)	Model Number	List
27	72	78	71x30	47x23	X-FF7230L48RR	11,537
27	72	84	71x30	53x23	X-FF7230L54RR	11,767
27	72	90	71x30	59x23	X-FF7230L60RR	12,002
27	78	78	77x30	47x23	X-FF7830L48RR	11,883
27	78	84	77x30	53x23	X-FF7830L54RR	12,120
27	78	90	77x30	59x23	X-FF7830L60RR	12,364
27	84	78	83x30	47x23	X-FF8430L48RR	12,238
27	84	84	83x30	53x23	X-FF8430L54RR	12,485
27	84	90	83x30	59x23	X-FF8430L60RR	12,733



FLOATING HEIGHT ADJUSTABLE TABLE, 3-LEG, MAIN 30"D WITH FILE/FILE LEFT, RETURN RIGHT, KNIFE EDGE

H	W	D	Main (W x D)	Return (W x D)	Model Number	List
27	72	78	71x30	47x23	X-FF7230L48RK	13,110
27	72	84	71x30	53x23	X-FF7230L54RK	13,372
27	72	90	71x30	59x23	X-FF7230L60RK	13,641
27	78	78	77x30	47x23	X-FF7830L48RK	13,503
27	78	84	77x30	53x23	X-FF7830L54RK	13,772
27	78	90	77x30	59x23	X-FF7830L60RK	14,048
27	84	78	83x30	47x23	X-FF8430L48RK	13,909
27	84	84	83x30	53x23	X-FF8430L54RK	14,186
27	84	90	83x30	59x23	X-FF8430L60RK	14,469



Specify

- Laminate selection for case and modesty
- Handle selection
- Handle paint selection
- Laminate selection for worksurface (matching edge to be applied)
- Lock selection
- Laminate selection for drawer front
- Color selection for height adjustable table legs

Notes


- Electric with two motors and two legs. Height range adjustment from 28.58" – 48.25" high, LED programmable hand switch with four memory presets, vertical travel speed is approximately 1.18" per second.
- Features soft collision technology that halts and retracts when table surface meets resistance.
- On knife edge desks, knife edge is featured on three sides of main and return surfaces (approach and two sides), user edge is 2mm.
- Lifting capacity of 200 lbs including worksurface and enclosure.
- Grommets covers may be ordered separately for field-cut grommets. Refer to the Accessories price list.
- Height adjustable table legs available in black, metallic silver and satin white.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull incurs a $75 upcharge.
- Lock cores and trim rings ship separately.
- Suspended modesties can be specified separately.
- Modesty wire manager included; black only.
- Pedestal drawers are 12" deep, and allow for side to side filing only, not legal filing.
- Pedestals come with a pencil tray.
- Vertical wire manager on run-off side in 3-leg applications.

© 2026, AIS, Inc.

Executive Floating Height Adjustable Table Desks, 3-Leg


FLOATING HEIGHT ADJUSTABLE TABLE, 3-LEG, MAIN 36"D WITH FILE/FILE LEFT, RETURN RIGHT, 2MM EDGE

H	W	D	Main (W x D)	Return (W x D)	Model Number	List
27	72	84	71x36	47x23	X-FF7236L48RR	11,883
27	72	90	71x36	53x23	X-FF7236L54RR	12,120
27	72	96	71x36	59x23	X-FF7236L60RR	12,364
27	78	84	77x36	47x23	X-FF7836L48RR	12,238
27	78	90	77x36	53x23	X-FF7836L54RR	12,485
27	78	96	77x36	59x23	X-FF7836L60RR	12,733
27	84	84	83x36	47x23	X-FF8436L48RR	12,607
27	84	90	83x36	53x23	X-FF8436L54RR	12,860
27	84	96	83x36	59x23	X-FF8436L60RR	13,115



FLOATING HEIGHT ADJUSTABLE TABLE, 3-LEG, MAIN 36"D WITH FILE/FILE LEFT, RETURN RIGHT, KNIFE EDGE

H	W	D	Main (W x D)	Return (W x D)	Model Number	List
27	72	84	71x36	47x23	X-FF7236L48RK	13,503
27	72	90	71x36	53x23	X-FF7236L54RK	13,772
27	72	96	71x36	59x23	X-FF7236L60RK	14,048
27	78	84	77x36	47x23	X-FF7836L48RK	13,909
27	78	90	77x36	53x23	X-FF7836L54RK	14,186
27	78	96	77x36	59x23	X-FF7836L60RK	14,469
27	84	84	83x36	47x23	X-FF8436L48RK	14,327
27	84	90	83x36	53x23	X-FF8436L54RK	14,612
27	84	96	83x36	59x23	X-FF8436L60RK	14,904



Specify

- Laminate selection for case and modesty
- Handle selection
- Handle paint selection
- Laminate selection for worksurface (matching edge to be applied)
- Lock selection
- Laminate selection for drawer front
- Color selection for height adjustable table legs

Notes


- Electric with two motors and two legs. Height range adjustment from 28.58" – 48.25" high, LED programmable hand switch with four memory presets, vertical travel speed is approximately 1.18" per second.
- Features soft collision technology that halts and retracts when table surface meets resistance.
- On knife edge desks, knife edge is featured on three sides of main and return surfaces (approach and two sides), user edge is 2mm.
- Lifting capacity of 200 lbs including worksurface and enclosure.
- Grommets covers may be ordered separately for field-cut grommets. Refer to the Accessories price list.
- Height adjustable table legs available in black, metallic silver and satin white.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull incurs a $75 upcharge.
- Lock cores and trim rings ship separately.
- Suspended modesties can be specified separately.
- Modesty wire manager included; black only.
- Pedestal drawers are 12" deep, and allow for side to side filing only, not legal filing.
- Pedestals come with a pencil tray.
- Vertical wire manager on run-off side in 3-leg applications.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Executive Floating Height Adjustable Table Desks, 3-Leg


FLOATING HEIGHT ADJUSTABLE TABLE, 3-LEG, MAIN 30"D WITH BOX/BOX/FILE RIGHT, RETURN LEFT, 2MM EDGE

H	W	D	Main (W x D)	Return (W x D)	Model Number	List
27	72	78	71x30	47x23	X-BBF7230R48LR	11,894
27	72	84	71x30	53x23	X-BBF7230R54LR	12,132
27	72	90	71x30	59x23	X-BBF7230R60LR	12,374
27	78	78	77x30	47x23	X-BBF7830R48LR	12,251
27	78	84	77x30	53x23	X-BBF7830R54LR	12,495
27	78	90	77x30	59x23	X-BBF7830R60LR	12,747
27	84	78	83x30	47x23	X-BBF8430R48LR	12,617
27	84	84	83x30	53x23	X-BBF8430R54LR	12,871
27	84	90	83x30	59x23	X-BBF8430R60LR	13,126



FLOATING HEIGHT ADJUSTABLE TABLE, 3-LEG, MAIN 30"D WITH BOX/BOX/FILE RIGHT, RETURN LEFT, KNIFE EDGE

H	W	D	Main (W x D)	Return (W x D)	Model Number	List
27	72	78	71x30	47x23	X-BBF7230R48LK	13,516
27	72	84	71x30	53x23	X-BBF7230R54LK	13,786
27	72	90	71x30	59x23	X-BBF7230R60LK	14,062
27	78	78	77x30	47x23	X-BBF7830R48LK	13,921
27	78	84	77x30	53x23	X-BBF7830R54LK	14,199
27	78	90	77x30	59x23	X-BBF7830R60LK	14,483
27	84	78	83x30	47x23	X-BBF8430R48LK	14,338
27	84	84	83x30	53x23	X-BBF8430R54LK	14,626
27	84	90	83x30	59x23	X-BBF8430R60LK	14,917



Specify

- Laminate selection for case and modesty
- Handle selection
- Handle paint selection
- Laminate selection for worksurface (matching edge to be applied)
- Lock selection
- Laminate selection for drawer front
- Color selection for height adjustable table legs

Notes


- Electric with two motors and two legs. Height range adjustment from 28.58" – 48.25" high, LED programmable hand switch with four memory presets, vertical travel speed is approximately 1.18" per second.
- Features soft collision technology that halts and retracts when table surface meets resistance.
- On knife edge desks, knife edge is featured on three sides of main and return surfaces (approach and two sides), user edge is 2mm.
- Lifting capacity of 200 lbs including worksurface and enclosure.
- Grommets covers may be ordered separately for field-cut grommets. Refer to the Accessories price list.
- Height adjustable table legs available in black, metallic silver and satin white.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull incurs a $75 upcharge.
- Lock cores and trim rings ship separately.
- Suspended modesties can be specified separately.
- Modesty wire manager included; black only.
- Pedestal drawers are 12" deep, and allow for side to side filing only, not legal filing.
- Pedestals come with a pencil tray.
- Vertical wire manager on run-off side in 3-leg applications.

© 2026, AIS, Inc.

Executive Floating Height Adjustable Table Desks, 3-Leg


FLOATING HEIGHT ADJUSTABLE TABLE, 3-LEG, MAIN 36"D WITH BOX/BOX/FILE RIGHT, RETURN LEFT, 2MM EDGE

H	W	D	Main (W x D)	Return (W x D)	Model Number	List
27	72	84	71x36	47x23	X-BBF7236R48LR	12,251
27	72	90	71x36	53x23	X-BBF7236R54LR	12,495
27	72	96	71x36	59x23	X-BBF7236R60LR	12,747
27	78	84	77x36	47x23	X-BBF7836R48LR	12,617
27	78	90	77x36	53x23	X-BBF7836R54LR	12,871
27	78	96	77x36	59x23	X-BBF7836R60LR	13,126
27	84	84	83x36	47x23	X-BBF8436R48LR	12,997
27	84	90	83x36	53x23	X-BBF8436R54LR	13,257
27	84	96	83x36	59x23	X-BBF8436R60LR	13,522



FLOATING HEIGHT ADJUSTABLE TABLE, 3-LEG, MAIN 36"D WITH BOX/BOX/FILE RIGHT, RETURN LEFT, KNIFE EDGE

H	W	D	Main (W x D)	Return (W x D)	Model Number	List
27	72	84	71x36	47x23	X-BBF7236R48LK	13,921
27	72	90	71x36	53x23	X-BBF7236R54LK	14,199
27	72	96	71x36	59x23	X-BBF7236R60LK	14,483
27	78	84	77x36	47x23	X-BBF7836R48LK	14,338
27	78	90	77x36	53x23	X-BBF7836R54LK	14,626
27	78	96	77x36	59x23	X-BBF7836R60LK	14,917
27	84	84	83x36	47x23	X-BBF8436R48LK	14,768
27	84	90	83x36	53x23	X-BBF8436R54LK	15,063
27	84	96	83x36	59x23	X-BBF8436R60LK	15,365



Specify

- Laminate selection for case and modesty
- Handle selection
- Handle paint selection
- Laminate selection for worksurface (matching edge to be applied)
- Lock selection
- Laminate selection for drawer front
- Color selection for height adjustable table legs

Notes


- Electric with two motors and two legs. Height range adjustment from 28.58" – 48.25" high, LED programmable hand switch with four memory presets, vertical travel speed is approximately 1.18" per second.
- Features soft collision technology that halts and retracts when table surface meets resistance.
- On knife edge desks, knife edge is featured on three sides of main and return surfaces (approach and two sides), user edge is 2mm.
- Lifting capacity of 200 lbs including worksurface and enclosure.
- Grommets covers may be ordered separately for field-cut grommets. Refer to the Accessories price list.
- Height adjustable table legs available in black, metallic silver and satin white.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull incurs a $75 upcharge.
- Lock cores and trim rings ship separately.
- Suspended modesties can be specified separately.
- Modesty wire manager included; black only.
- Pedestal drawers are 12" deep, and allow for side to side filing only, not legal filing.
- Pedestals come with a pencil tray.
- Vertical wire manager on run-off side in 3-leg applications.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Executive Floating Height Adjustable Table Desks, 3-Leg


FLOATING HEIGHT ADJUSTABLE TABLE, 3-LEG, MAIN 30"D WITH FILE/FILE RIGHT, RETURN LEFT, KNIFE EDGE

H	W	D	Main (W x D)	Return (W x D)	Model Number	List
27	72	78	71x30	47x23	X-FF7230R48LR	11,537
27	72	84	71x30	53x23	X-FF7230R54LR	11,767
27	72	90	71x30	59x23	X-FF7230R60LR	12,002
27	78	78	77x30	47x23	X-FF7830R48LR	11,883
27	78	84	77x30	53x23	X-FF7830R54LR	12,120
27	78	90	77x30	59x23	X-FF7830R60LR	12,364
27	84	78	83x30	47x23	X-FF8430R48LR	12,238
27	84	84	83x30	53x23	X-FF8430R54LR	12,485
27	84	90	83x30	59x23	X-FF8430R60LR	12,733



FLOATING HEIGHT ADJUSTABLE TABLE, 3-LEG, MAIN 30"D WITH FILE/FILE RIGHT, RETURN LEFT, KNIFE EDGE

H	W	D	Main (W x D)	Return (W x D)	Model Number	List
27	72	78	71x30	47x23	X-FF7230R48LK	13,110
27	72	84	71x30	53x23	X-FF7230R54LK	13,372
27	72	90	71x30	59x23	X-FF7230R60LK	13,641
27	78	78	77x30	47x23	X-FF7830R48LK	13,503
27	78	84	77x30	53x23	X-FF7830R54LK	13,772
27	78	90	77x30	59x23	X-FF7830R60LK	14,048
27	84	78	83x30	47x23	X-FF8430R48LK	13,909
27	84	84	83x30	53x23	X-FF8430R54LK	14,186
27	84	90	83x30	59x23	X-FF8430R60LK	14,469



Specify

- Laminate selection for case and modesty
- Handle selection
- Handle paint selection
- Laminate selection for worksurface (matching edge to be applied)
- Lock selection
- Laminate selection for drawer front
- Color selection for height adjustable table legs

Notes


- Electric with two motors and two legs. Height range adjustment from 28.58" – 48.25" high, LED programmable hand switch with four memory presets, vertical travel speed is approximately 1.18" per second.
- Features soft collision technology that halts and retracts when table surface meets resistance.
- On knife edge desks, knife edge is featured on three sides of main and return surfaces (approach and two sides), user edge is 2mm.
- Lifting capacity of 200 lbs including worksurface and enclosure.
- Grommets covers may be ordered separately for field-cut grommets. Refer to the Accessories price list.
- Height adjustable table legs available in black, metallic silver and satin white.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull incurs a $75 upcharge.
- Lock cores and trim rings ship separately.
- Suspended modesties can be specified separately.
- Modesty wire manager included; black only.
- Pedestal drawers are 12" deep, and allow for side to side filing only, not legal filing.
- Pedestals come with a pencil tray.
- Vertical wire manager on run-off side in 3-leg applications.

© 2026, AIS, Inc.

Executive Floating Height Adjustable Table Desks, 3-Leg


FLOATING HEIGHT ADJUSTABLE TABLE, 3-LEG, MAIN 36"D WITH FILE/FILE RIGHT, RETURN LEFT, KNIFE EDGE

H	W	D	Main (W x D)	Return (W x D)	Model Number	List
27	72	84	71x36	47x23	X-FF7236R48LR	11,883
27	72	90	71x36	53x23	X-FF7236R54LR	12,120
27	72	96	71x36	59x23	X-FF7236R60LR	12,364
27	78	84	77x36	47x23	X-FF7836R48LR	12,238
27	78	90	77x36	53x23	X-FF7836R54LR	12,485
27	78	96	77x36	59x23	X-FF7836R60LR	12,733
27	84	84	83x36	47x23	X-FF8436R48LR	12,607
27	84	90	83x36	53x23	X-FF8436R54LR	12,860
27	84	96	83x36	59x23	X-FF8436R60LR	13,115



FLOATING HEIGHT ADJUSTABLE TABLE, 3-LEG, MAIN 36"D WITH FILE/FILE RIGHT, RETURN LEFT, KNIFE EDGE

H	W	D	Main (W x D)	Return (W x D)	Model Number	List
27	72	84	71x36	47x23	X-FF7236R48LK	13,503
27	72	90	71x36	53x23	X-FF7236R54LK	13,772
27	72	96	71x36	59x23	X-FF7236R60LK	14,048
27	78	84	77x36	47x23	X-FF7836R48LK	13,909
27	78	90	77x36	53x23	X-FF7836R54LK	14,186
27	78	96	77x36	59x23	X-FF7836R60LK	14,469
27	84	84	83x36	47x23	X-FF8436R48LK	14,327
27	84	90	83x36	53x23	X-FF8436R54LK	14,612
27	84	96	83x36	59x23	X-FF8436R60LK	14,904



Specify

- Laminate selection for case and modesty
- Handle selection
- Handle paint selection
- Laminate selection for worksurface (matching edge to be applied)
- Lock selection
- Laminate selection for drawer front
- Color selection for height adjustable table legs

Notes


- Electric with two motors and two legs. Height range adjustment from 28.58" – 48.25" high, LED programmable hand switch with four memory presets, vertical travel speed is approximately 1.18" per second.
- Features soft collision technology that halts and retracts when table surface meets resistance.
- On knife edge desks, knife edge is featured on three sides of main and return surfaces (approach and two sides), user edge is 2mm.
- Lifting capacity of 200 lbs including worksurface and enclosure.
- Grommets covers may be ordered separately for field-cut grommets. Refer to the Accessories price list.
- Height adjustable table legs available in black, metallic silver and satin white.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull incurs a $75 upcharge.
- Lock cores and trim rings ship separately.
- Suspended modesties can be specified separately.
- Modesty wire manager included; black only.
- Pedestal drawers are 12" deep, and allow for side to side filing only, not legal filing.
- Pedestals come with a pencil tray.
- Vertical wire manager on run-off side in 3-leg applications.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Executive Floating Height Adjustable Table Suspended Modesty, Standard Run-Off Mounting Kit

FLOATING HEIGHT ADJUSTABLE SUSPENDED MODESTY


H	W	Actual Dimension	Model Number	List
21	72	40.175	X-FHSM72	1,037
21	78	46.175	X-FHSM78	1,069
21	84	52.175	X-FHSM84	1,101



Specify	Notes
• Laminate Selection	• Suspended modesties can be ordered separately. See installation instructions for details. • Mounting bracket black only. • If installing a suspended modesty on a 3-Leg Floating Height Adjustable Table Return: — Use X-FHSM72 on a 48”W return. — Use X-FHSM78 on a 54”W return. — Use X-FHSM84 on a 60”W return.

FLOATING HEIGHT ADJUSTABLE STANDARD RUN-OFF MOUNTING KIT

Model Number	List
X-FHRMK	144




Specify	Notes
	• The Calibrate Executive Floating Height Adjustable Table Standard Run-Off Mounting Kit should be ordered when specifying a desk shell return or a standard run-off to be applied to a 2-Leg Calibrate Executive Floating Height Adjustable Table with cubby. • Only 24”D Runoffs are compatible. 30”D - 36”D are not compatible. • Mounting brackets black only.

© 2026, AIS, Inc.

Height Adjustable Table Bases

HEIGHT ADJUSTABLE TABLE BASE


H	W	D	Model Number	List
21	8	24	X-HBE24	1,740
21	8	30	X-HBE30	1,907




Specify	Notes
• Laminate Selection for Case • Color Selection for Trim Ring	• Bases are only compatible with Calibrate Height Adjustable Tables • Height adjustable table trim rings available in black, white, and silver.

BOX-FILE HEIGHT ADJUSTABLE TABLE BASE

			Hole Left	Hole Right	
H	W	D	Model Number	Model Number	List
21	23	24	X-HBE24L	X-HBE24R	2,694
21	23	30	X-HBE30L	X-HBE30R	2,862



Hole Left



Hole Right


Specify	Notes
• Laminate Selection for Case • Laminate Selection for Face/Drawer • Color Selection for Trim Ring • Handle Selection • Handle Paint Selection • Lock Selection	• Units contain standard pedestal drawer sizes and can be used with pedestal accessories. • Bases are only compatible with Calibrate Height Adjustable Tables. • Height adjustable table trim rings available in black, white, and silver. • Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge. • Slim pull incurs a $75 upcharge. • One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section. • Pencil tray included.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

21” High Fixed Modesty Height Adjustable Table Base


FIXED MODESTY HEIGHT ADJUSTABLE TABLE BASE TO HEIGHT ADJUSTABLE TABLE BASE

H	W	For Use With	Model Number	List
21	42	42W Top	X-HATMTHB2142	971
21	48	48W Top	X-HATMTHB2148	985
21	54	54W Top	X-HATMTHB2154	1,000
21	60	60W Top	X-HATMTHB2160	1,014
21	66	66W Top	X-HATMTHB2166	1,027
21	72	72W Top	X-HATMTHB2172	1,042
21	78	78W Top	X-HATMTHB2178	1,056
21	84	84W Top	X-HATMTHB2184	1,069
21	90	90W Top	X-HATMTHB2190	1,082
21	96	96W Top	X-HATMTHB2196	1,096




FIXED MODESTY HEIGHT ADJUSTABLE TABLE BASE TO BOX FILE HEIGHT ADJUSTABLE TABLE BASE

H	W	For Use With	Model Number	List
21	60	60W Top	X-HATMTBF2160	985
21	66	66W Top	X-HATMTBF2166	1,000
21	72	72W Top	X-HATMTBF2172	1,014
21	78	78W Top	X-HATMTBF2178	1,027
21	84	84W Top	X-HATMTBF2184	1,042
21	90	90W Top	X-HATMTBF2190	1,056
21	96	96W Top	X-HATMTBF2196	1,069



FIXED MODESTY HEIGHT ADJUSTABLE TABLE BASE 18” TO HEIGHT ADJUSTABLE TABLE BASE

H	W	D	For Use With	Model Number	List
21	60	18	60W Top	X-HATMB18D60	1,000
21	66	18	66W Top	X-HATMB18D66	1,014
21	72	18	72W Top	X-HATMB18D72	1,027
21	78	18	78W Top	X-HATMB18D78	1,042
21	84	18	84W Top	X-HATMB18D84	1,056
21	90	18	90W Top	X-HATMB18D90	1,069
21	96	18	96W Top	X-HATMB18D96	1,082
21	66	24	66W Top	X-HATMB24D66	1,014
21	72	24	72W Top	X-HATMB24D72	1,027
21	78	24	78W Top	X-HATMB24D78	1,042
21	84	24	84W Top	X-HATMB24D84	1,056
21	90	24	90W Top	X-HATMB24D90	1,069
21	96	24	96W Top	X-HATMB24D96	1,082



Specify

- Laminate Selection

Notes


- This optional modesty panel can be specified on the height adjustable table desk.
- Vertical grain for sizes up to 66” wide.
- Horizontal grain for sizes 72” to 96” wide.
- Fastens to laminate bases using provided L brackets and screws.

© 2026, AIS, Inc.


Height Adjustable Table Bases

POWERED HEIGHT ADJUSTABLE TABLE BASE


			Without Side Access		With Side Access		With Side Access and Grommet	
H	W	D	Model Number	List	Model Number	List	Model Number	List
21	24	18	X-HBPE2418	3,292	X-HBPE-BA2418	3,475	X-HBPE-BA2418G	3,530
21	24	24	X-HBPE2424	3,315	X-HBPE-BA2424	3,500	X-HBPE-BA2424G	3,554
21	30	18	X-HBPE3018	3,458	X-HBPE-BA3018	3,644	X-HBPE-BA3018G	3,698
21	30	24	X-HBPE3024	3,482	X-HBPE-BA3024	3,666	X-HBPE-BA3024G	3,721



Without Wall Access



With Wall Access



With Wall Access and Grommet

Specify


- Laminate Selection for Case
- Color Selection for Power Unit
- Color Selection for Trim Ring

Notes


- Wall Access for use against wall or panel.
- Powered unit includes Ashley Duo Air (two AC outlets and two USB ports).
- Bases are only compatible with Calibrate Height Adjustable Tables.
- Unit has removable front for easy access.
- Access panel opening 3” less than the overall height/width of the unit.
- Access opening comes in unfinished edge (no edge banding).
- Height adjustable table trim rings available in black, white, and silver.

NON-POWERED HEIGHT ADJUSTABLE TABLE BASE


			Without Side Access		With Side Access		With Side Access and Grommet	
H	W	D	Model Number	List	Model Number	List	Model Number	List
21	24	18	X-HBE2418	1,854	X-HBE-BA2418	2,038	X-HBE-BA2418G	2,093
21	24	24	X-HBE2424	1,876	X-HBE-BA2424	2,062	X-HBE-BA2424G	2,117
21	30	18	X-HBE3018	2,020	X-HBE-BA3018	2,206	X-HBE-BA3018G	2,259
21	30	24	X-HBE3024	2,045	X-HBE-BA3024	2,227	X-HBE-BA3024G	2,284



Without Wall Access



With Wall Access



With Wall Access and Grommet

Specify


- Laminate Selection for Case
- Color Selection for Trim Ring

Notes


- Wall Access for use against wall or panel.
- Bases are only compatible with Calibrate Height Adjustable Tables.
- Unit has removable front for easy access.
- Access panel opening 3” less than the overall height/width of the unit.
- Access opening comes in unfinished edge (no edge banding).
- Height adjustable table trim rings available in black, white, and silver.

POWERED HEIGHT ADJUSTABLE TABLE BASE WITH BOOKCASE


			Without Side Access		With Side Access		With Side Access & Grommet	
H	W	D	Model Number	List	Model Number	List	Model Number	List
21	24	18	X-HBBCE2418	2,288	X-HBBCE-BA2418	2,473	X-HBBCEBA2418G	2,527
21	24	24	X-HBBCE2424	2,316	X-HBBCE-BA2424	2,498	X-HBBCEBA2424G	2,552
21	30	18	X-HBBCE3018	2,369	X-HBBCE-BA3018	2,552	X-HBBCEBA3018G	2,608
21	30	24	X-HBBCE3024	2,393	X-HBBCE-BA3024	2,578	X-HBBCEBA3024G	2,633




Without Wall Access (Front)




Without Wall Access (Back)



With Wall Access (Front)



With Wall Access (Back)



With Wall Access and Grommet (Back)

Specify

- Laminate Selection for Case
- Color Selection for Trim Ring

Notes

- Wall Access for use against wall or panel.
- Bases are only compatible with Calibrate Height Adjustable Tables.
- Access panel opening 3” less than the overall height/width of the unit.
- Access openings have unfinished edge (no edge banding).
- Height adjustable table trim rings available in black, white, and silver.
- Bookcase unit includes adjustable shelf.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Height Adjustable Table Legs and Worksurfaces


HEIGHT ADJUSTABLE 2-LEG BASES WITH 2MM EDGE WORKSURFACES

D	W	Model Number	List	Grade C Laminate
24	48	X-2HSE2448	3,534	+33
24	54	X-2HSE2454	3,599	+41
24	60	X-2HSE2460	3,623	+41
24	66	X-2HSE2466	3,649	+46
24	72	X-2HSE2472	3,673	+51
24	78	X-2HSE2478	3,698	+54
24	84	X-2HSE2484	3,723	+58
30	48	X-2HSE3048	3,623	+46
30	54	X-2HSE3054	3,654	+50
30	60	X-2HSE3060	3,683	+50
30	66	X-2HSE3066	3,715	+56
30	72	X-2HSE3072	3,744	+61
30	78	X-2HSE3078	3,771	+69
30	84	X-2HSE3084	3,796	+87



HEIGHT ADJUSTABLE 2-LEG BASES WITH KNIFE EDGE WORKSURFACES

D	W	Model Number	List	Grade C Laminate
24	48	X-2HKE2448	3,824	+33
24	54	X-2HKE2454	3,850	+41
24	60	X-2HKE2460	3,875	+41
24	66	X-2HKE2466	3,901	+46
24	72	X-2HKE2472	3,926	+51
24	78	X-2HKE2478	3,952	+54
24	84	X-2HKE2484	3,980	+58
30	48	X-2HKE3048	4,006	+46
30	54	X-2HKE3054	4,033	+50
30	60	X-2HKE3060	4,057	+50
30	66	X-2HKE3066	4,084	+56
30	72	X-2HKE3072	4,110	+61
30	78	X-2HKE3078	4,134	+69
30	84	X-2HKE3084	4,162	+87



Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Color Selection for Leg - Black, Metallic Silver or White
- Additional Grommet Locations (+38)
- Grommet Cover Color (if applicable)

Notes

- **Must be purchased with Height Adjustable Bases, Height Adjustable Storage Bases or Height Adjustable Base Single Foot Kits or Height Adjustable Table Foot Glides to use.**
- 29” to 46” height adjustable range.
- Supply voltage: 90-127V / 50-60Hz. Nominal voltage: 120V / 60Hz.
- Sizes are nominal and 1” shorter to accommodate pinch points.
- Worksurfaces that are 78”W to 84”W will come with 2 u-channels to stiffen the work surface.
- U-channels are 24” shorter than the nominal worksurface width.
- Grommet holes with covers are specified as options.

© 2026, AIS, Inc.


Calibrate 3-Leg Height Adjustable Tables Version 2


CALIBRATE 3-LEG HEIGHT ADJUSTABLE TABLES VERSION 2 MAIN SURFACE RIGHT, RETURN LEFT, 2MM EDGE


D¹ Actual	W¹ Actual	D² Actual	W² Actual	Model Number	List	Grade C Laminate
29	46	23	41	X-3HSEL30482442	6,707	+33/+39
29	46	23	47	X-3HSEL30482448	6,797	+33/+46
29	46	23	53	X-3HSEL30482454	6,940	+33/+50
29	46	23	59	X-3HSEL30482460	6,980	+33/+50
29	46	23	65	X-3HSEL30482466	7,117	+33/+56
29	46	23	71	X-3HSEL30482472	7,230	+33/+61
29	52	23	41	X-3HSEL30542442	6,860	+41/+39
29	52	23	47	X-3HSEL30542448	6,952	+41/+46
29	52	23	53	X-3HSEL30542454	7,095	+41/+50
29	52	23	59	X-3HSEL30542460	7,135	+41/+50
29	52	23	65	X-3HSEL30542466	7,270	+41/+56
29	52	23	71	X-3HSEL30542472	7,385	+41/+61
29	58	23	41	X-3HSEL30602442	6,899	+41/+39
29	58	23	47	X-3HSEL30602448	6,990	+41/+46
29	58	23	53	X-3HSEL30602454	7,135	+41/+50
29	58	23	59	X-3HSEL30602460	7,174	+41/+50
29	58	23	65	X-3HSEL30602466	7,307	+41/+56
29	58	23	71	X-3HSEL30602472	7,424	+41/+61
29	64	23	41	X-3HSEL30662442	7,024	+46/+39
29	64	23	47	X-3HSEL30662448	7,114	+46/+46
29	64	23	53	X-3HSEL30662454	7,258	+46/+50
29	64	23	59	X-3HSEL30662460	7,298	+46/+50
29	64	23	65	X-3HSEL30662466	7,432	+46/+56
29	64	23	71	X-3HSEL30662472	7,546	+46/+61


CALIBRATE 3-LEG HEIGHT ADJUSTABLE TABLES VERSION 2 MAIN SURFACE LEFT, RETURN RIGHT, 2MM EDGE

D¹ Actual	W¹ Actual	D² Actual	W² Actual	Model Number	List	Grade C Laminate
29	46	23	41	X-3HSER30482442	6,707	+33/+39
29	46	23	47	X-3HSER30482448	6,797	+33/+46
29	46	23	53	X-3HSER30482454	6,940	+33/+50
29	46	23	59	X-3HSER30482460	6,980	+33/+50
29	46	23	65	X-3HSER30482466	7,117	+33/+56
29	46	23	71	X-3HSER30482472	7,230	+33/+61
29	52	23	41	X-3HSER30542442	6,860	+41/+39
29	52	23	47	X-3HSER30542448	6,952	+41/+46
29	52	23	53	X-3HSER30542454	7,095	+41/+50
29	52	23	59	X-3HSER30542460	7,135	+41/+50
29	52	23	65	X-3HSER30542466	7,270	+41/+56
29	52	23	71	X-3HSER30542472	7,385	+41/+61
29	58	23	41	X-3HSER30602442	6,899	+41/+39
29	58	23	47	X-3HSER30602448	6,990	+41/+46
29	58	23	53	X-3HSER30602454	7,135	+41/+50
29	58	23	59	X-3HSER30602460	7,174	+41/+50
29	58	23	65	X-3HSER30602466	7,307	+41/+56
29	58	23	71	X-3HSER30602472	7,424	+41/+61
29	64	23	41	X-3HSER30662442	7,024	+46/+39
29	64	23	47	X-3HSER30662448	7,114	+46/+46
29	64	23	53	X-3HSER30662454	7,258	+46/+50
29	64	23	59	X-3HSER30662460	7,298	+46/+50
29	64	23	65	X-3HSER30662466	7,432	+46/+56
29	64	23	71	X-3HSER30662472	7,546	+46/+61









Specify

- Lam. Selection for Main Worksurface
- Lam. Selection for Return Worksurface
- Color Selection for Edge
- Color Selection for Leg - Black, Metallic Silver or White
- Optional Grommet Locations (+38)
- Grommet Cover Color (if applicable)

Notes

- **Must be purchased with Height Adjustable Bases, Height Adjustable Storage Bases or Height Adjustable Base Single Foot Kits or Height Adjustable Table Foot Glides to use.**
- 29” to 46” height adjustable range.
- Supply voltage: 90-127V / 50-60Hz. Nominal voltage: 120V / 60Hz.
- Sizes are nominal and 1” shorter to accommodate pinch points.
- Worksurfaces that are 30” deep and have a width of 60 or wider will come with two u-channels to stiffen the work surface.
- U-channels are 24” shorter than the nominal worksurface width.
- Grommet holes with covers are specified as options.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Calibrate 3-Leg Height Adjustable Tables Version 2

CALIBRATE 3-LEG HEIGHT ADJUSTABLE TABLES VERSION 2 MAIN SURFACE RIGHT, RETURN LEFT, 2MM EDGE

D¹ Actual	W¹ Actual	D² Actual	W² Actual	Model Number	List	Grade C Laminate
29	70	23	41	X-3HSEL30722442	7,129	+51/+39
29	70	23	47	X-3HSEL30722448	7,219	+51/+46
29	70	23	53	X-3HSEL30722454	7,363	+51/+50
29	70	23	59	X-3HSEL30722460	7,402	+51/+50
29	70	23	65	X-3HSEL30722466	7,539	+51/+56
29	70	23	71	X-3HSEL30722472	7,652	+51/+61
29	76	23	41	X-3HSEL30782442	7,222	+54/+39
29	76	23	47	X-3HSEL30782448	7,313	+54/+46
29	76	23	53	X-3HSEL30782454	7,458	+54/+50
29	76	23	59	X-3HSEL30782460	7,496	+54/+50
29	76	23	65	X-3HSEL30782466	7,632	+54/+56
29	76	23	71	X-3HSEL30782472	7,744	+54/+61
29	82	23	41	X-3HSEL30842442	7,318	+58/+39
29	82	23	47	X-3HSEL30842448	7,406	+58/+46
29	82	23	53	X-3HSEL30842454	7,553	+58/+50
29	82	23	59	X-3HSEL30842460	7,589	+58/+50
29	82	23	65	X-3HSEL30842466	7,726	+58/+56
29	82	23	71	X-3HSEL30842472	7,841	+58/+61

CALIBRATE 3-LEG HEIGHT ADJUSTABLE TABLES VERSION 2 MAIN SURFACE LEFT, RETURN RIGHT, 2MM EDGE

D¹ Actual	W¹ Actual	D² Actual	W² Actual	Model Number	List	Grade C Laminate
29	70	23	41	X-3HSER30722442	7,129	+51/+39
29	70	23	47	X-3HSER30722448	7,219	+51/+46
29	70	23	53	X-3HSER30722454	7,363	+51/+50
29	70	23	59	X-3HSER30722460	7,402	+51/+50
29	70	23	65	X-3HSER30722466	7,539	+51/+56
29	70	23	71	X-3HSER30722472	7,652	+51/+61
29	76	23	41	X-3HSER30782442	7,222	+54/+39
29	76	23	47	X-3HSER30782448	7,313	+54/+46
29	76	23	53	X-3HSER30782454	7,458	+54/+50
29	76	23	59	X-3HSER30782460	7,496	+54/+50
29	76	23	65	X-3HSER30782466	7,632	+54/+56
29	76	23	71	X-3HSER30782472	7,744	+54/+61
29	82	23	41	X-3HSER30842442	7,318	+58/+39
29	82	23	47	X-3HSER30842448	7,406	+58/+46
29	82	23	53	X-3HSER30842454	7,553	+58/+50
29	82	23	59	X-3HSER30842460	7,589	+58/+50
29	82	23	65	X-3HSER30842466	7,726	+58/+56
29	82	23	71	X-3HSER30842472	7,841	+58/+61



Specify

- Lam. Selection for Main Worksurface
- Lam. Selection for Return Worksurface
- Color Selection for Edge
- Color Selection for Leg - Black, Metallic Silver or White
- Optional Grommet Locations (+38)
- Grommet Cover Color (if applicable)

Notes

- **Must be purchased with Height Adjustable Bases, Height Adjustable Storage Bases or Height Adjustable Base Single Foot Kits or Height Adjustable Table Foot Glides to use.**
- 29” to 46” height adjustable range.
- Supply voltage: 90-127V / 50-60Hz. Nominal voltage: 120V / 60Hz.
- Sizes are nominal and 1” shorter to accommodate pinch points.
- Worksurfaces that are 30” deep and have a width of 60 or wider will come with two u-channels to stiffen the work surface.
- U-channels are 24” shorter than the nominal worksurface width.
- Grommet holes with covers are specified as options.

© 2026, AIS, Inc.


Calibrate 3-Leg Height Adjustable Tables Version 2


CALIBRATE 3-LEG HEIGHT ADJUSTABLE TABLES VERSION 2 MAIN SURFACE RIGHT, RETURN LEFT, 2MM EDGE


D¹ Actual	W¹ Actual	D² Actual	W² Actual	Model Number	List	Grade C Laminate
23	46	29	41	X-3HSEL24483042	6,707	+33/+39
23	46	29	47	X-3HSEL24483048	6,797	+33/+46
23	46	29	53	X-3HSEL24483054	6,940	+33/+50
23	46	29	59	X-3HSEL24483060	6,980	+33/+50
23	46	29	65	X-3HSEL24483066	7,117	+33/+56
23	46	29	71	X-3HSEL24483072	7,230	+33/+61
23	52	29	41	X-3HSEL24543042	6,860	+41/+39
23	52	29	47	X-3HSEL24543048	6,952	+41/+46
23	52	29	53	X-3HSEL24543054	7,095	+41/+50
23	52	29	59	X-3HSEL24543060	7,135	+41/+50
23	52	29	65	X-3HSEL24543066	7,270	+41/+56
23	52	29	71	X-3HSEL24543072	7,385	+41/+61
23	58	29	41	X-3HSEL24603042	6,899	+41/+39
23	58	29	47	X-3HSEL24603048	6,990	+41/+46
23	58	29	53	X-3HSEL24603054	7,135	+41/+50
23	58	29	59	X-3HSEL24603060	7,174	+41/+50
23	58	29	65	X-3HSEL24603066	7,307	+41/+56
23	58	29	71	X-3HSEL24603072	7,424	+41/+61


CALIBRATE 3-LEG HEIGHT ADJUSTABLE TABLES VERSION 2 MAIN SURFACE LEFT, RETURN RIGHT, 2MM EDGE

D¹ Actual	W¹ Actual	D² Actual	W² Actual	Model Number	List	Grade C Laminate
23	46	29	41	X-3HSER24483042	6,707	+33/+39
23	46	29	47	X-3HSER24483048	6,797	+33/+46
23	46	29	53	X-3HSER24483054	6,940	+33/+50
23	46	29	59	X-3HSER24483060	6,980	+33/+50
23	46	29	65	X-3HSER24483066	7,117	+33/+56
23	46	29	71	X-3HSER24483072	7,230	+33/+61
23	52	29	41	X-3HSER24543042	6,860	+41/+39
23	52	29	47	X-3HSER24543048	6,952	+41/+46
23	52	29	53	X-3HSER24543054	7,095	+41/+50
23	52	29	59	X-3HSER24543060	7,135	+41/+50
23	52	29	65	X-3HSER24543066	7,270	+41/+56
23	52	29	71	X-3HSER24543072	7,385	+41/+61
23	58	29	41	X-3HSER24603042	6,899	+41/+39
23	58	29	47	X-3HSER24603048	6,990	+41/+46
23	58	29	53	X-3HSER24603054	7,135	+41/+50
23	58	29	59	X-3HSER24603060	7,174	+41/+50
23	58	29	65	X-3HSER24603066	7,307	+41/+56
23	58	29	71	X-3HSER24603072	7,424	+41/+61









Specify

- Lam. Selection for Main Worksurface
- Lam. Selection for Return Worksurface
- Color Selection for Edge
- Color Selection for Leg - Black, Metallic Silver or White
- Optional Grommet Locations (+38)
- Grommet Cover Color (if applicable)

Notes

- **Must be purchased with Height Adjustable Bases, Height Adjustable Storage Bases or Height Adjustable Base Single Foot Kits or Height Adjustable Table Foot Glides to use.**
- 29” to 46” height adjustable range.
- Supply voltage: 90-127V / 50-60Hz. Nominal voltage: 120V / 60Hz.
- Sizes are nominal and 1” shorter to accommodate pinch points.
- Worksurfaces that are 30” deep and have a width of 60 or wider will come with two u-channels to stiffen the work surface.
- U-channels are 24” shorter than the nominal worksurface width.
- Grommet holes with covers are specified as options.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Calibrate 3-Leg Height Adjustable Tables Version 2


CALIBRATE 3-LEG HEIGHT ADJUSTABLE TABLES VERSION 2 MAIN SURFACE RIGHT, RETURN LEFT, 2MM EDGE


D¹ Actual	W¹ Actual	D² Actual	W² Actual	Model Number	List	Grade C Laminate
23	64	29	41	X-3HSEL24663042	7,024	+46/+39
23	64	29	47	X-3HSEL24663048	7,114	+46/+46
23	64	29	53	X-3HSEL24663054	7,258	+46/+50
23	64	29	59	X-3HSEL24663060	7,298	+46/+50
23	64	29	65	X-3HSEL24663066	7,432	+46/+56
23	64	29	71	X-3HSEL24663072	7,546	+46/+61
23	70	29	41	X-3HSEL24723042	7,129	+51/+39
23	70	29	47	X-3HSEL24723048	7,219	+51/+46
23	70	29	53	X-3HSEL24723054	7,363	+51/+50
23	70	29	59	X-3HSEL24723060	7,402	+51/+50
23	70	29	65	X-3HSEL24723066	7,539	+51/+56
23	70	29	71	X-3HSEL24723072	7,652	+51/+61
23	76	29	41	X-3HSEL24783042	7,222	+54/+39
23	76	29	47	X-3HSEL24783048	7,313	+54/+46
23	76	29	53	X-3HSEL24783054	7,458	+54/+50
23	76	29	59	X-3HSEL24783060	7,496	+54/+50
23	76	29	65	X-3HSEL24783066	7,632	+54/+56
23	76	29	71	X-3HSEL24783072	7,744	+54/+61
23	82	29	41	X-3HSEL24843042	7,318	+58/+39
23	82	29	47	X-3HSEL24843048	7,406	+58/+46
23	82	29	53	X-3HSEL24843054	7,553	+58/+50
23	82	29	59	X-3HSEL24843060	7,589	+58/+50
23	82	29	65	X-3HSEL24843066	7,726	+58/+56
23	82	29	71	X-3HSEL24843072	7,841	+58/+61


CALIBRATE 3-LEG HEIGHT ADJUSTABLE TABLES VERSION 2 MAIN SURFACE LEFT, RETURN RIGHT, 2MM EDGE

D¹ Actual	W¹ Actual	D² Actual	W² Actual	Model Number	List	Grade C Laminate
23	64	29	41	X-3HSER24663042	7,024	+46/+39
23	64	29	47	X-3HSER24663048	7,114	+46/+46
23	64	29	53	X-3HSER24663054	7,258	+46/+50
23	64	29	59	X-3HSER24663060	7,298	+46/+50
23	64	29	65	X-3HSER24663066	7,432	+46/+56
23	64	29	71	X-3HSER24663072	7,546	+46/+61
23	70	29	41	X-3HSER24723042	7,129	+51/+39
23	70	29	47	X-3HSER24723048	7,219	+51/+46
23	70	29	53	X-3HSER24723054	7,363	+51/+50
23	70	29	59	X-3HSER24723060	7,402	+51/+50
23	70	29	65	X-3HSER24723066	7,539	+51/+56
23	70	29	71	X-3HSER24723072	7,652	+51/+61
23	76	29	41	X-3HSER24783042	7,222	+54/+39
23	76	29	47	X-3HSER24783048	7,313	+54/+46
23	76	29	53	X-3HSER24783054	7,458	+54/+50
23	76	29	59	X-3HSER24783060	7,496	+54/+50
23	76	29	65	X-3HSER24783066	7,632	+54/+56
23	76	29	71	X-3HSER24783072	7,744	+54/+61
23	82	29	41	X-3HSER24843042	7,318	+58/+39
23	82	29	47	X-3HSER24843048	7,406	+58/+46
23	82	29	53	X-3HSER24843054	7,553	+58/+50
23	82	29	59	X-3HSER24843060	7,589	+58/+50
23	82	29	65	X-3HSER24843066	7,726	+58/+56
23	82	29	71	X-3HSER24843072	7,841	+58/+61









Specify

- Lam. Selection for Main Worksurface
- Lam. Selection for Return Worksurface
- Color Selection for Edge
- Color Selection for Leg - Black, Metallic Silver or White
- Optional Grommet Locations (+38)
- Grommet Cover Color (if applicable)

Notes


- **Must be purchased with Height Adjustable Bases, Height Adjustable Storage Bases or Height Adjustable Base Single Foot Kits or Height Adjustable Table Foot Glides to use.**
- 29” to 46” height adjustable range.
- Supply voltage: 90-127V / 50-60Hz. Nominal voltage: 120V / 60Hz.
- Sizes are nominal and 1” shorter to accommodate pinch points.
- Worksurfaces that are 30” deep and have a width of 60 or wider will come with two u-channels to stiffen the work surface.
- U-channels are 24” shorter than the nominal worksurface width.
- Grommet holes with covers are specified as options.

© 2026, AIS, Inc.

Calibrate 3-Leg Height Adjustable Tables


CALIBRATE 3-LEG HEIGHT ADJUSTABLE TABLES MAIN SURFACE RIGHT, RETURN LEFT, 2MM EDGE

D¹ Actual	W¹ Actual	D² Actual	W² Actual	Model Number	List	Grade C Laminate
23	46	23	41	X-3HSEL24482442	6,651	+33/+33
23	46	23	47	X-3HSEL24482448	6,739	+33/+41
23	46	23	53	X-3HSEL24482454	6,883	+33/+41
23	46	23	59	X-3HSEL24482460	6,924	+33/+50
23	46	23	65	X-3HSEL24482466	7,059	+33/+51
23	46	23	71	X-3HSEL24482472	7,173	+33/+54
23	52	23	41	X-3HSEL24542442	6,804	+33/+41
23	52	23	47	X-3HSEL24542448	6,895	+41/+41
23	52	23	53	X-3HSEL24542454	7,040	+41/+41
23	52	23	59	X-3HSEL24542460	7,078	+41/+50
23	52	23	65	X-3HSEL24542466	7,213	+41/+51
23	52	23	71	X-3HSEL24542472	7,327	+41/+54
23	58	23	41	X-3HSEL24602442	6,843	+33/+41
23	58	23	47	X-3HSEL24602448	6,933	+41/+41
23	58	23	53	X-3HSEL24602454	7,078	+41/+41
23	58	23	59	X-3HSEL24602460	7,118	+41/+50
23	58	23	65	X-3HSEL24602466	7,250	+41/+51
23	58	23	71	X-3HSEL24602472	7,366	+41/+54
23	64	23	41	X-3HSEL24662442	6,967	+33/+46
23	64	23	47	X-3HSEL24662448	7,056	+41/+46
23	64	23	53	X-3HSEL24662454	7,202	+41/+46
23	64	23	59	X-3HSEL24662460	7,240	+50/+46
23	64	23	65	X-3HSEL24662466	7,376	+46/+51
23	64	23	71	X-3HSEL24662472	7,490	+46/+54



CALIBRATE 3-LEG HEIGHT ADJUSTABLE TABLES MAIN SURFACE LEFT, RETURN RIGHT, 2MM EDGE

D¹ Actual	W¹ Actual	D² Actual	W² Actual	Model Number	List	Grade C Laminate
23	46	23	41	X-3HSER24482442	6,651	+33/+33
23	46	23	47	X-3HSER24482448	6,739	+33/+41
23	46	23	53	X-3HSER24482454	6,883	+33/+41
23	46	23	59	X-3HSER24482460	6,924	+33/+50
23	46	23	65	X-3HSER24482466	7,059	+33/+51
23	46	23	71	X-3HSER24482472	7,173	+33/+54
23	52	23	41	X-3HSER24542442	6,804	+33/+41
23	52	23	47	X-3HSER24542448	6,895	+41/+41
23	52	23	53	X-3HSER24542454	7,040	+41/+41
23	52	23	59	X-3HSER24542460	7,078	+41/+50
23	52	23	65	X-3HSER24542466	7,213	+41/+51
23	52	23	71	X-3HSER24542472	7,327	+41/+54
23	58	23	41	X-3HSER24602442	6,843	+33/+41
23	58	23	47	X-3HSER24602448	6,933	+41/+41
23	58	23	53	X-3HSER24602454	7,078	+41/+41
23	58	23	59	X-3HSER24602460	7,118	+41/+50
23	58	23	65	X-3HSER24602466	7,250	+41/+51
23	58	23	71	X-3HSER24602472	7,366	+41/+54
23	64	23	41	X-3HSER24662442	6,967	+33/+46
23	64	23	47	X-3HSER24662448	7,056	+41/+46
23	64	23	53	X-3HSER24662454	7,202	+41/+46
23	64	23	59	X-3HSER24662460	7,240	+50/+46
23	64	23	65	X-3HSER24662466	7,376	+46/+51
23	64	23	71	X-3HSER24662472	7,490	+46/+54



Specify

- Lam. Selection for Main Worksurface
- Lam. Selection for Return Worksurface
- Color Selection for Edge
- Color Selection for Leg - Black, Metallic Silver or White
- Optional Grommet Locations (+38)
- Grommet Cover Color (if applicable)

Notes

- **Must be purchased with Height Adjustable Bases, Height Adjustable Storage Bases or Height Adjustable Base Single Foot Kits or Height Adjustable Table Foot Glides to use.**
- 29” to 46” height adjustable range.
- Supply voltage: 90-127V / 50-60Hz. Nominal voltage: 120V / 60Hz.
- Sizes are nominal and 1” shorter to accommodate pinch points.
- Worksurfaces that are 30” deep and have a width of 60 or wider will come with two u-channels to stiffen the work surface.
- U-channels are 24” shorter than the nominal worksurface width.
- Grommet holes with covers are specified as options.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Calibrate 3-Leg Height Adjustable Tables


CALIBRATE 3-LEG HEIGHT ADJUSTABLE TABLES MAIN SURFACE RIGHT, RETURN LEFT, 2MM EDGE


D¹ Actual	W¹ Actual	D² Actual	W² Actual	Model Number	List	Grade C Laminate
23	70	23	41	X-3HSEL24722442	7,071	+33/+51
23	70	23	47	X-3HSEL24722448	7,161	+41/+51
23	70	23	53	X-3HSEL24722454	7,307	+41/+51
23	70	23	59	X-3HSEL24722460	7,346	+50/+51
23	70	23	65	X-3HSEL24722466	7,481	+51/+51
23	70	23	71	X-3HSEL24722472	7,594	+51/+54
23	76	23	41	X-3HSEL24782442	7,165	+33/+54
23	76	23	47	X-3HSEL24782448	7,255	+41/+54
23	76	23	53	X-3HSEL24782454	7,400	+41/+54
23	76	23	59	X-3HSEL24782460	7,439	+50/+54
23	76	23	65	X-3HSEL24782466	7,576	+51/+54
23	76	23	71	X-3HSEL24782472	7,687	+54/+54
23	82	23	41	X-3HSEL24842442	7,263	+33/+63
23	82	23	47	X-3HSEL24842448	7,349	+41/+63
23	82	23	53	X-3HSEL24842454	7,496	+41/+63
23	82	23	59	X-3HSEL24842460	7,533	+50/+63
23	82	23	65	X-3HSEL24842466	7,669	+51/+63
23	82	23	71	X-3HSEL24842472	7,783	+54/+63


CALIBRATE 3-LEG HEIGHT ADJUSTABLE TABLES MAIN SURFACE LEFT, RETURN RIGHT, 2MM EDGE

D¹ Actual	W¹ Actual	D² Actual	W² Actual	Model Number	List	Grade C Laminate
23	70	23	41	X-3HSER24722442	7,071	+33/+51
23	70	23	47	X-3HSER24722448	7,161	+41/+51
23	70	23	53	X-3HSER24722454	7,307	+41/+51
23	70	23	59	X-3HSER24722460	7,346	+50/+51
23	70	23	65	X-3HSER24722466	7,481	+51/+51
23	70	23	71	X-3HSER24722472	7,594	+51/+54
23	76	23	41	X-3HSER24782442	7,165	+33/+54
23	76	23	47	X-3HSER24782448	7,255	+41/+54
23	76	23	53	X-3HSER24782454	7,400	+41/+54
23	76	23	59	X-3HSER24782460	7,439	+50/+54
23	76	23	65	X-3HSER24782466	7,576	+51/+54
23	76	23	71	X-3HSER24782472	7,687	+54/+54
23	82	23	41	X-3HSER24842442	7,263	+33/+63
23	82	23	47	X-3HSER24842448	7,349	+41/+63
23	82	23	53	X-3HSER24842454	7,496	+41/+63
23	82	23	59	X-3HSER24842460	7,533	+50/+63
23	82	23	65	X-3HSER24842466	7,669	+51/+63
23	82	23	71	X-3HSER24842472	7,783	+54/+63









Specify

- Lam. Selection for Main Worksurface
- Lam. Selection for Return Worksurface
- Color Selection for Edge
- Color Selection for Leg - Black, Metallic Silver or White
- Optional Grommet Locations (+38)
- Grommet Cover Color (if applicable)

Notes

- **Must be purchased with Height Adjustable Bases, Height Adjustable Storage Bases or Height Adjustable Base Single Foot Kits or Height Adjustable Table Foot Glides to use.**
- 29” to 46” height adjustable range.
- Supply voltage: 90-127V / 50-60Hz. Nominal voltage: 120V / 60Hz.
- Sizes are nominal and 1” shorter to accommodate pinch points.
- Worksurfaces that are 30” deep and have a width of 60 or wider will come with two u-channels to stiffen the work surface.
- U-channels are 24” shorter than the nominal worksurface width.
- Grommet holes with covers are specified as options.

© 2026, AIS, Inc.


Calibrate 3-Leg Executive Height Adjustable Tables with Extended Corner Desk


CALIBRATE 3-LEG HEIGHT ADJUSTABLE TABLE WITH EXTENDED CORNER DESK, MAIN SURFACE RIGHT, RETURN LEFT, 2MM EDGE


D¹ Actual	W¹ Actual	D² Actual	W² Actual	No. of Pieces	Model Number	List	Grade C Laminate
23	58	23	46	1	X-3HSEL244860	6,991	+200
23	64	23	46	1	X-3HSEL244866	7,085	+200
23	70	23	46	1	X-3HSEL244872	7,179	+200
23	76	23	46	1	X-3HSEL244878	7,274	+200
23	82	23	46	1	X-3HSEL244884	7,551	+200
23	58	23	52	1	X-3HSEL245460	7,108	+200
23	64	23	52	1	X-3HSEL245466	7,213	+200
23	70	23	52	1	X-3HSEL245472	7,319	+200
23	76	23	52	1	X-3HSEL245478	7,425	+200
23	82	23	52	1	X-3HSEL245484	7,712	+200
23	58	23	58	1	X-3HSEL246060	7,224	+200
23	64	23	58	1	X-3HSEL246066	7,341	+200
23	70	23	58	1	X-3HSEL246072	7,458	+200
23	76	23	58	1	X-3HSEL246078	7,575	+200
23	82	23	58	1	X-3HSEL246084	7,863	+200


CALIBRATE 3-LEG HEIGHT ADJUSTABLE TABLE WITH EXTENDED CORNER DESK, MAIN SURFACE RIGHT, RETURN LEFT, 2MM EDGE


D¹ Actual	W¹ Actual	D² Actual	W² Actual	No. of Pieces	Model Number	List	Grade C Laminate
23	58	23	64	2	X-3HSEL246660	7,854	+200
23	64	23	64	2	X-3HSEL246666	7,949	+200
23	70	23	64	2	X-3HSEL246672	8,043	+200
23	76	23	64	2	X-3HSEL246678	8,138	+200
23	82	23	64	2	X-3HSEL246684	8,232	+200
23	58	23	70	2	X-3HSEL247260	7,905	+200
23	64	23	70	2	X-3HSEL247266	7,999	+200
23	70	23	70	2	X-3HSEL247272	8,093	+200
23	76	23	70	2	X-3HSEL247278	8,187	+200
23	82	23	70	2	X-3HSEL247284	8,282	+200
23	58	23	76	2	X-3HSEL247860	8,021	+200
23	64	23	76	2	X-3HSEL247866	8,126	+200
23	70	23	76	2	X-3HSEL247872	8,232	+200
23	76	23	76	2	X-3HSEL247878	8,337	+200
23	58	23	82	2	X-3HSEL248460	8,138	+200
23	64	23	82	2	X-3HSEL248466	8,255	+200
23	70	23	82	2	X-3HSEL248472	8,372	+200














Specify

- Color Selection for Edge
- Optional Grommet Locations (+38)
- Grommet Cover Color (if applicable)
- Lam. Selection for Main Worksurface
- Lam. Selection for Return Worksurface
- Color Selection for Leg - Black, Metallic Silver or White

Notes

- **Must be purchased with Height Adjustable Bases, Height Adjustable Storage Bases or Height Adjustable Base Single Foot Kits or Height Adjustable Table Foot Glides to use.**
- 29” to 46” height adjustable range.
- Supply voltage: 90-127V / 50-60Hz. Nominal voltage: 120V / 60Hz.
- Sizes are nominal and 1” shorter to accommodate pinch points.
- Grommet holes with covers are specified as options.
- Worksurfaces with main top 84” wide come with (2) 42” wide U channels.
- Worksurfaces with return over 66” deep come with (2) 42” wide U channels and (2) flat plates to support the second surface.
- Laminate height adjustable table bases X-HBE24 or X-HBE30, or Calibrate height adjustable table single feet are the only compatible base options; in conjunction, the T-GSO or Calibrate height adjustable table single foot must be specified for the center leg. Bases and feet must be specified separately.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Calibrate 3-Leg Executive Height Adjustable Tables with Extended Corner Desk


CALIBRATE 3-LEG HEIGHT ADJUSTABLE TABLE WITH EXTENDED CORNER DESK, MAIN SURFACE RIGHT, RETURN LEFT, 2MM EDGE


D¹ Actual	W¹ Actual	D² Actual	W² Actual	No. of Pieces	Model Number	List	Grade C Laminate
29	58	29	46	1	X-3HSEL304860	6,996	$240
29	64	29	46	1	X-3HSEL304866	7,090	$240
29	70	29	46	1	X-3HSEL304872	7,185	$240
29	76	29	46	1	X-3HSEL304878	7,280	$240
29	82	29	46	1	X-3HSEL304884	7,556	$240
29	58	29	52	1	X-3HSEL305460	7,113	$240
29	64	29	52	1	X-3HSEL305466	7,219	$240
29	70	29	52	1	X-3HSEL305472	7,324	$240
29	76	29	52	1	X-3HSEL305478	7,430	$240
29	82	29	52	1	X-3HSEL305484	7,717	$240
29	58	29	58	1	X-3HSEL306060	7,230	$240
29	64	29	58	1	X-3HSEL306066	7,346	$240
29	70	29	58	1	X-3HSEL306072	7,463	$240
29	76	29	58	1	X-3HSEL306078	7,580	$240
29	82	29	58	1	X-3HSEL306084	7,869	$240


CALIBRATE 3-LEG HEIGHT ADJUSTABLE TABLE WITH EXTENDED CORNER DESK, MAIN SURFACE RIGHT, RETURN LEFT, 2MM EDGE

D¹ Actual	W¹ Actual	D² Actual	W² Actual	No. of Pieces	Model Number	List	Grade C Laminate
29	58	29	64	2	X-3HSEL306660	7,860	$240
29	64	29	64	2	X-3HSEL306666	7,954	$240
29	70	29	64	2	X-3HSEL306672	8,049	$240
29	76	29	64	2	X-3HSEL306678	8,143	$240
29	82	29	64	2	X-3HSEL306684	8,237	$240
29	58	29	70	2	X-3HSEL307260	7,976	$240
29	64	29	70	2	X-3HSEL307266	8,082	$240
29	70	29	70	2	X-3HSEL307272	8,187	$240
29	76	29	70	2	X-3HSEL307278	8,293	$240
29	82	29	70	2	X-3HSEL307284	8,398	$240
29	58	29	76	2	X-3HSEL307860	8,093	$240
29	64	29	76	2	X-3HSEL307866	8,210	$240
29	70	29	76	2	X-3HSEL307872	8,326	$240
29	76	29	76	2	X-3HSEL307878	8,443	$240
29	58	29	82	2	X-3HSEL308460	8,210	$240
29	64	29	82	2	X-3HSEL308466	8,337	$240
29	70	29	82	2	X-3HSEL308472	8,466	$240









Specify

- Color Selection for Edge
- Optional Grommet Locations (+38)
- Grommet Cover Color (if applicable)
- Lam. Selection for Main Worksurface
- Lam. Selection for Return Worksurface
- Color Selection for Leg - Black, Metallic Silver or White

Notes

- **Must be purchased with Height Adjustable Bases, Height Adjustable Storage Bases or Height Adjustable Base Single Foot Kits or Height Adjustable Table Foot Glides to use.**
- 29” to 46” height adjustable range.
- Supply voltage: 90-127V / 50-60Hz. Nominal voltage: 120V / 60Hz.
- Sizes are nominal and 1” shorter to accommodate pinch points.
- Grommet holes with covers are specified as options.
- Worksurfaces with main top 84” wide come with (2) 42” wide U channels.
- Worksurfaces with return over 66” deep come with (2) 42” wide U channels and (2) flat plates to support the second surface.
- Laminate height adjustable table bases X-HBE24 or X-HBE30, or Calibrate height adjustable table single feet are the only compatible base options; in conjunction, the T-GSO or Calibrate height adjustable table single foot must be specified for the center leg. Bases and feet must be specified separately.

© 2026, AIS, Inc.


Calibrate 3-Leg Executive Height Adjustable Tables with Extended Corner Desk


CALIBRATE 3-LEG HEIGHT ADJUSTABLE TABLE WITH EXTENDED CORNER DESK, MAIN SURFACE LEFT, RETURN RIGHT, 2MM EDGE


D¹ Actual	W¹ Actual	D² Actual	W² Actual	No. of Pieces	Model Number	List	Grade C Laminate
23	58	23	46	1	X-3HSER244860	6,991	+200
23	64	23	46	1	X-3HSER244866	7,085	+200
23	70	23	46	1	X-3HSER244872	7,179	+200
23	76	23	46	1	X-3HSER244878	7,274	+200
23	82	23	46	1	X-3HSER244884	7,551	+200
23	58	23	52	1	X-3HSER245460	7,108	+200
23	64	23	52	1	X-3HSER245466	7,213	+200
23	70	23	52	1	X-3HSER245472	7,319	+200
23	76	23	52	1	X-3HSER245478	7,425	+200
23	82	23	52	1	X-3HSER245484	7,712	+200
23	58	23	58	1	X-3HSER246060	7,224	+200
23	64	23	58	1	X-3HSER246066	7,341	+200
23	70	23	58	1	X-3HSER246072	7,458	+200
23	76	23	58	1	X-3HSER246078	7,575	+200
23	82	23	58	1	X-3HSER246084	7,863	+200


CALIBRATE 3-LEG HEIGHT ADJUSTABLE TABLE WITH EXTENDED CORNER DESK, MAIN SURFACE LEFT, RETURN RIGHT, 2MM EDGE

D¹ Actual	W¹ Actual	D² Actual	W² Actual	No. of Pieces	Model Number	List	Grade C Laminate
23	58	23	64	2	X-3HSER246660	7,854	+200
23	64	23	64	2	X-3HSER246666	7,949	+200
23	70	23	64	2	X-3HSER246672	8,043	+200
23	76	23	64	2	X-3HSER246678	8,138	+200
23	82	23	64	2	X-3HSER246684	8,232	+200
23	58	23	70	2	X-3HSER247260	7,905	+200
23	64	23	70	2	X-3HSER247266	7,999	+200
23	70	23	70	2	X-3HSER247272	8,093	+200
23	76	23	70	2	X-3HSER247278	8,187	+200
23	82	23	70	2	X-3HSER247284	8,282	+200
23	58	23	76	2	X-3HSER247860	8,021	+200
23	64	23	76	2	X-3HSER247866	8,126	+200
23	70	23	76	2	X-3HSER247872	8,232	+200
23	76	23	76	2	X-3HSER247878	8,337	+200
23	58	23	82	2	X-3HSER248460	8,138	+200
23	64	23	82	2	X-3HSER248466	8,255	+200
23	70	23	82	2	X-3HSER248472	8,372	+200









Specify

- Color Selection for Edge
- Optional Grommet Locations (+38)
- Grommet Cover Color (if applicable)
- Lam. Selection for Main Worksurface
- Lam. Selection for Return Worksurface
- Color Selection for Leg - Black, Metallic Silver or White

Notes

- **Must be purchased with Height Adjustable Bases, Height Adjustable Storage Bases or Height Adjustable Base Single Foot Kits or Height Adjustable Table Foot Glides to use.**
- 29” to 46” height adjustable range.
- Supply voltage: 90-127V / 50-60Hz. Nominal voltage: 120V / 60Hz.
- Sizes are nominal and 1” shorter to accommodate pinch points.
- Grommet holes with covers are specified as options.
- Worksurfaces with main top 84” wide come with (2) 42” wide U channels.
- Worksurfaces with return over 66” deep come with (2) 42” wide U channels and (2) Flat Plates to support the second surface.
- Laminate height adjustable table bases X-HBE24 or X-HBE30, or Calibrate height adjustable table single feet are the only compatible base options; in conjunction, the T-GSO or Calibrate height adjustable table single foot must be specified for the center leg. Bases and feet must be specified separately.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Calibrate 3-Leg Executive Height Adjustable Tables with Extended Corner Desk


CALIBRATE 3-LEG HHEIGHT ADJUSTABLE TABLE WITH EXTENDED CORNER DESK, MAIN SURFACE LEFT, RETURN RIGHT, 2MM EDGE


D¹ Actual	W¹ Actual	D² Actual	W² Actual	No. of Pieces	Model Number	List	Grade C Laminate
29	58	29	46	1	X-3HSER304860	6,996	$240
29	64	29	46	1	X-3HSER304866	7,090	$240
29	70	29	46	1	X-3HSER304872	7,185	$240
29	76	29	46	1	X-3HSER304878	7,280	$240
29	82	29	46	1	X-3HSER304884	7,556	$240
29	58	29	52	1	X-3HSER305460	7,113	$240
29	64	29	52	1	X-3HSER305466	7,219	$240
29	70	29	52	1	X-3HSER305472	7,324	$240
29	76	29	52	1	X-3HSER305478	7,430	$240
29	82	29	52	1	X-3HSER305484	7,717	$240
29	58	29	58	1	X-3HSER306060	7,230	$240
29	64	29	58	1	X-3HSER306066	7,346	$240
29	70	29	58	1	X-3HSER306072	7,463	$240
29	76	29	58	1	X-3HSER306078	7,580	$240
29	82	29	58	1	X-3HSER306084	7,869	$240


CALIBRATE 3-LEG HEIGHT ADJUSTABLE TABLE WITH EXTENDED CORNER DESK, MAIN SURFACE LEFT, RETURN RIGHT, 2MM EDGE

D¹ Actual	W¹ Actual	D² Actual	W² Actual	No. of Pieces	Model Number	List	Grade C Laminate
29	58	29	64	2	X-3HSER306660	7,860	$240
29	64	29	64	2	X-3HSER306666	7,954	$240
29	70	29	64	2	X-3HSER306672	8,049	$240
29	76	29	64	2	X-3HSER306678	8,143	$240
29	82	29	64	2	X-3HSER306684	8,237	$240
29	58	29	70	2	X-3HSER307260	7,976	$240
29	64	29	70	2	X-3HSER307266	8,082	$240
29	70	29	70	2	X-3HSER307272	8,187	$240
29	76	29	70	2	X-3HSER307278	8,293	$240
29	82	29	70	2	X-3HSER307284	8,398	$240
29	58	29	76	2	X-3HSER307860	8,093	$240
29	64	29	76	2	X-3HSER307866	8,210	$240
29	70	29	76	2	X-3HSER307872	8,326	$240
29	76	29	76	2	X-3HSER307878	8,443	$240
29	58	29	82	2	X-3HSER308460	8,210	$240
29	64	29	82	2	X-3HSER308466	8,337	$240
29	70	29	82	2	X-3HSER308472	8,466	$240









Specify

- Color Selection for Edge
- Optional Grommet Locations (+38)
- Grommet Cover Color (if applicable)
- Lam. Selection for Main Worksurface
- Lam. Selection for Return Worksurface
- Color Selection for Leg - Black, Metallic Silver or White

Notes

- **Must be purchased with Height Adjustable Bases, Height Adjustable Storage Bases or Height Adjustable Base Single Foot Kits or Height Adjustable Table Foot Glides to use.**
- 29” to 46” height adjustable range.
- Supply voltage: 90-127V / 50-60Hz. Nominal voltage: 120V / 60Hz.
- Sizes are nominal and 1” shorter to accommodate pinch points.
- Grommet holes with covers are specified as options.
- Worksurfaces with main top 84” wide come with (2) 42” wide U channels.
- Worksurfaces with return over 66” deep come with (2) 42” wide U channels and (2) Flat Plates to support the second surface.
- Laminate height adjustable table bases X-HBE24 or X-HBE30, or Calibrate height adjustable table single feet are the only compatible base options; in conjunction, the T-GSO or Calibrate height adjustable table single foot must be specified for the center leg. Bases and feet must be specified separately.

© 2026, AIS, Inc.


Calibrate 3-Leg Executive Height Adjustable Tables with Extended Transition Corner Desk


CALIBRATE 3-LEG HEIGHT ADJUSTABLE TABLE WITH EXTENDED TRANSITION CORNER DESK, MAIN SURFACE RIGHT, RETURN LEFT, 2MM EDGE

D¹ Actual	W¹ Actual	D² Actual	W² Actual	No. of Pieces	Model Number	List	Grade C Laminate
29	58	23	46	1	X-3HSELT304860	6,996	$240
29	64	23	46	1	X-3HSELT304866	7,090	$240
29	70	23	46	1	X-3HSELT304872	7,185	$240
29	76	23	46	1	X-3HSELT304878	7,280	$240
29	82	23	46	1	X-3HSELT304884	7,556	$240
29	58	23	52	1	X-3HSELT305460	7,113	$240
29	64	23	52	1	X-3HSELT305466	7,219	$240
29	70	23	52	1	X-3HSELT305472	7,324	$240
29	76	23	52	1	X-3HSELT305478	7,430	$240
29	82	23	52	1	X-3HSELT305484	7,717	$240
29	58	23	58	1	X-3HSELT306060	7,230	$240
29	64	23	58	1	X-3HSELT306066	7,346	$240
29	70	23	58	1	X-3HSELT306072	7,463	$240
29	76	23	58	1	X-3HSELT306078	7,580	$240
29	82	23	58	1	X-3HSELT306084	7,869	$240

CALIBRATE 3-LEG HEIGHT ADJUSTABLE TABLE WITH EXTENDED TRANSITION CORNER DESK, MAIN SURFACE RIGHT, RETURN LEFT, 2MM EDGE

D¹ Actual	W¹ Actual	D² Actual	W² Actual	No. of Pieces	Model Number	List	Grade C Laminate
29	58	23	64	2	X-3HSELT306660	7,860	$240
29	64	23	64	2	X-3HSELT306666	7,954	$240
29	70	23	64	2	X-3HSELT306672	8,049	$240
29	76	23	64	2	X-3HSELT306678	8,143	$240
29	82	23	64	2	X-3HSELT306684	8,237	$240
29	58	23	70	2	X-3HSELT307260	7,976	$240
29	64	23	70	2	X-3HSELT307266	8,082	$240
29	70	23	70	2	X-3HSELT307272	8,187	$240
29	76	23	70	2	X-3HSELT307278	8,293	$240
29	82	23	70	2	X-3HSELT307284	8,398	$240
29	58	23	76	2	X-3HSELT307860	8,093	$240
29	64	23	76	2	X-3HSELT307866	8,210	$240
29	70	23	76	2	X-3HSELT307872	8,326	$240
29	76	23	76	2	X-3HSELT307878	8,443	$240
29	58	23	82	2	X-3HSELT308460	8,210	$240
29	64	23	82	2	X-3HSELT308466	8,337	$240
29	70	23	82	2	X-3HSELT308472	8,466	$240





Specify

- Color Selection for Edge
- Optional Grommet Locations (+38)
- Grommet Cover Color (if applicable)
- Lam. Selection for Main Worksurface
- Lam. Selection for Return Worksurface
- Color Selection for Leg - Black, Metallic Silver or White

Notes

- **Must be purchased with Height Adjustable Bases, Height Adjustable Storage Bases or Height Adjustable Base Single Foot Kits or Height Adjustable Table Foot Glides to use.**
- 29” to 46” height adjustable range.
- Supply voltage: 90-127V / 50-60Hz. Nominal voltage: 120V / 60Hz.
- Sizes are nominal and 1” shorter to accommodate pinch points.
- Grommet holes with covers are specified as options.
- Worksurfaces with main top 84” wide come with (2) 42” wide U channels.
- Worksurfaces with return over 66” deep come with (2) 42” wide U channels and (2) flat plates to support the second surface.
- Laminate height adjustable table bases X-HBE24 or X-HBE30, or Calibrate height adjustable table single feet are the only compatible base options; in conjunction, the T-GSO or Calibrate height adjustable table single foot must be specified for the center leg. Bases and feet must be specified separately.

© 2026, AIS, Inc.


Calibrate 3-Leg Executive Height Adjustable Tables with Extended Transition Corner Desk


CALIBRATE 3-LEG HEIGHT ADJUSTABLE TABLE WITH EXTENDED TRANSITION CORNER DESK, MAIN SURFACE LEFT, RETURN RIGHT, 2MM EDGE


D¹ Actual	W¹ Actual	D² Actual	W² Actual	No. of Pieces	Model Number	List	Grade C Laminate
29	58	23	46	1	X-3HSERT304860	6,996	$240
29	64	23	46	1	X-3HSERT304866	7,090	$240
29	70	23	46	1	X-3HSERT304872	7,185	$240
29	76	23	46	1	X-3HSERT304878	7,280	$240
29	82	23	46	1	X-3HSERT304884	7,556	$240
29	58	23	52	1	X-3HSERT305460	7,113	$240
29	64	23	52	1	X-3HSERT305466	7,219	$240
29	70	23	52	1	X-3HSERT305472	7,324	$240
29	76	23	52	1	X-3HSERT305478	7,430	$240
29	82	23	52	1	X-3HSERT305484	7,717	$240
29	58	23	58	1	X-3HSERT306060	7,230	$240
29	64	23	58	1	X-3HSERT306066	7,346	$240
29	70	23	58	1	X-3HSERT306072	7,463	$240
29	76	23	58	1	X-3HSERT306078	7,580	$240
29	82	23	58	1	X-3HSERT306084	7,869	$240


CALIBRATE 3-LEG HEIGHT ADJUSTABLE TABLE WITH EXTENDED TRANSITION CORNER DESK, MAIN SURFACE LEFT, RETURN RIGHT, 2MM EDGE

D¹ Actual	W¹ Actual	D² Actual	W² Actual	No. of Pieces	Model Number	List	Grade C Laminate
29	58	23	64	2	X-3HSERT306660	7,860	$240
29	64	23	64	2	X-3HSERT306666	7,954	$240
29	70	23	64	2	X-3HSERT306672	8,049	$240
29	76	23	64	2	X-3HSERT306678	8,143	$240
29	82	23	64	2	X-3HSERT306684	8,237	$240
29	58	23	70	2	X-3HSERT307260	7,976	$240
29	64	23	70	2	X-3HSERT307266	8,082	$240
29	70	23	70	2	X-3HSERT307272	8,187	$240
29	76	23	70	2	X-3HSERT307278	8,293	$240
29	82	23	70	2	X-3HSERT307284	8,398	$240
29	58	23	76	2	X-3HSERT307860	8,093	$240
29	64	23	76	2	X-3HSERT307866	8,210	$240
29	70	23	76	2	X-3HSERT307872	8,326	$240
29	76	23	76	2	X-3HSERT307878	8,443	$240
29	58	23	82	2	X-3HSERT308460	8,210	$240
29	64	23	82	2	X-3HSERT308466	8,337	$240
29	70	23	82	2	X-3HSERT308472	8,466	$240









Specify

- Color Selection for Edge
- Optional Grommet Locations (+38)
- Grommet Cover Color (if applicable)
- Lam. Selection for Main Worksurface
- Lam. Selection for Return Worksurface
- Color Selection for Leg - Black, Metallic Silver or White

Notes


- **Must be purchased with Height Adjustable Bases, Height Adjustable Storage Bases or Height Adjustable Base Single Foot Kits or Height Adjustable Table Foot Glides to use.**
- 29” to 46” height adjustable range.
- Supply voltage: 90-127V / 50-60Hz. Nominal voltage: 120V / 60Hz.
- Sizes are nominal and 1” shorter to accommodate pinch points.
- Grommet holes with covers are specified as options.
- Worksurfaces with main top 84” wide come with (2) 42” wide U channels.
- Worksurfaces with return over 66” deep come with (2) 42” wide U channels and (2) Flat Plates to support the second surface.
- Laminate height adjustable table bases X-HBE24 or X-HBE30, or Calibrate height adjustable table single feet are the only compatible base options; in conjunction, the T-GSO or Calibrate height adjustable table single foot must be specified for the center leg. Bases and feet must be specified separately.


© 2026, AIS, Inc.

Foot Kits, End Panels and Modesties for Height Adjustable Tables

CALIBRATE 50MM X 80MM HEIGHT ADJUSTABLE TABLE SINGLE FOOT KIT V2

D	Model Number	List
24	T-SFSS-V2	240
30	T-SFSS30-V2	286






Specify	Notes
• Paint Selection for Foot	

CALIBRATE GLIDE STAND OFF 50MM X80MM - PAINTED


Color	Model Number	List
Black	T-GSO	54




Specify	Notes

END PANELS FOR DAY-TO-DAY TABLES WITH HEIGHT ADJUSTABLE BASES

D	H	Model Number	List	Grade C Laminate
24	29	T-EPHAT2924	699	+60
24	42	T-EPHAT4224	792	+66
24	46	T-EPHAT4624	815	+74
24	50	T-EPHAT5024	838	+76
30	29	T-EPHAT2930	938	+64
30	42	T-EPHAT4230	1,010	+68
30	46	T-EPHAT4630	1,032	+86
30	50	T-EPHAT5030	1,056	+84






Specify	Notes
• Laminate Selection • Color Selection for Edge • Paint Selection for Bracket	• End panel depths match the actual depth of AIS Benching Height Adjustable Tables, and may be installed to either side of the table. • End Panels are sold individually, to install on both sides of a table, two must be ordered. • Includes glides. • Not for use with PowerBench. • Compatible with E-Series and Day to Day Height Adjustable Table Bases, both having a 50mm [2”] x 80mm [3 1/8”] profile.

SUSPENDED HEIGHT ADJUSTABLE MODESTY

H	Nominal Width	Actual Width	Model Number	List
12	42	26	X-HATM1242	883
12	48	32	X-HATM1248	897
12	54	38	X-HATM1254	910
12	60	44	X-HATM1260	921
12	66	50	X-HATM1266	934
12	72	56	X-HATM1272	946
12	78	62	X-HATM1278	960
12	84	68	X-HATM1284	1,089
12	90	74	X-HATM1290	1,104
12	96	80	X-HATM1296	1,116



Specify	Notes
• Laminate Selection	• This optional modesty panel can be specified on the height adjustable table desk. • Select sizes available on quick ship Calibrate Countdown program. See Calibrate Countdown price list for full details.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Calibrate Combo Unit w/Integrated Calibrate Height Adjustable Table

COMBO UNIT W/INTEGRATED CALIBRATE HEIGHT ADJUSTABLE TABLE; 24”W BOOKCASE – LEFT


D	W	H	Model Number	List
18	54	21	X-HCL21541824	4,623
18	60	21	X-HCL21601824	4,828
18	66	21	X-HCL21661824	5,033
24	54	21	X-HCL21542424	4,828
24	60	21	X-HCL21602424	5,033
24	66	21	X-HCL21662424	5,236



66” Wide x 24” Deep (Left)

COMBO UNIT W/INTEGRATED CALIBRATE HEIGHT ADJUSTABLE TABLE; 24”W BOOKCASE – RIGHT

D	W	H	Model Number	List
18	54	21	X-HCR21541824	4,623
18	60	21	X-HCR21601824	4,828
18	66	21	X-HCR21661824	5,033
24	54	21	X-HCR21542424	4,828
24	60	21	X-HCR21602424	5,033
24	66	21	X-HCR21662424	5,236



66” Wide x 24” Deep (Right)

Specify

- Laminate Selection for Case
- Laminate Selection for Face/Drawer
- Color Selection for Trim Ring
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes


- Used with Calibrate Height Adjustable Tables only.
- Unit includes silver trim ring for leg cutout.
- Height adjustable table trim rings available in black, white, and silver.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull incurs a $75 upcharge.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.
- Bookcase includes adjustable shelf.

© 2026, AIS, Inc.

Calibrate Combo Unit w/Integrated Calibrate Height Adjustable Table

COMBO UNIT W/INTEGRATED CALIBRATE HEIGHT ADJUSTABLE TABLE; 30”W BOOKCASE – LEFT


D	W	H	Model Number	List
18	60	21	X-HCL21601830	4,828
18	66	21	X-HCL21661830	5,033
18	72	21	X-HCL21721830	5,236
24	60	21	X-HCL21602430	5,033
24	66	21	X-HCL21662430	5,236
24	72	21	X-HCL21722430	5,440



66” Wide x 24” Deep (Left)

COMBO UNIT W/INTEGRATED CALIBRATE HEIGHT ADJUSTABLE TABLE; 30”W BOOKCASE – RIGHT

D	W	H	Model Number	List
18	60	21	X-HCR21601830	4,828
18	66	21	X-HCR21661830	5,033
18	72	21	X-HCR21721830	5,236
24	60	21	X-HCR21602430	5,033
24	66	21	X-HCR21662430	5,236
24	72	21	X-HCR21722430	5,440



66” Wide x 24” Deep (Right)

Specify

- Laminate Selection for Case
- Laminate Selection for Face/Drawer
- Color Selection for Trim Ring
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes


- Used with Calibrate Height Adjustable Tables only.
- Unit includes silver trim ring for leg cutout.
- Height adjustable table trim rings available in black, white and silver.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull incurs a $75 upcharge.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.
- Bookcase includes adjustable shelf.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Open Wall Mounted Storage

16” HIGH WALL MOUNTED OPEN OVERHEAD

H	W	D	Model Number	List
16	36	14	C-OWM163614	1,713
16	42	14	C-OWM164214	1,756
16	48	14	C-OWM164814	1,808
16	54	14	C-OWM165414	2,067
16	60	14	C-OWM166014	2,110
16	66	14	C-OWM166614	2,162
16	72	14	C-OWM167214	2,204
16	78	14	C-OWM167814	2,210
16	84	14	C-OWM168414	2,252
16	90	14	C-OWM169014	2,290
16	96	14	C-OWM169614	2,331




36” - 48” Wide




54” - 96” Wide

DOUBLE HEIGHT WALL MOUNTED OPEN OVERHEAD

H	W	D	Model Number	List
32	36	14	X-ODWM323614	2,312
32	42	14	X-ODWM324214	2,406
32	48	14	X-ODWM324814	2,532
32	54	14	X-ODWM325414	2,835
32	60	14	X-ODWM326014	2,904
32	66	14	X-ODWM326614	2,981
32	72	14	X-ODWM327214	3,053
32	78	14	X-ODWM327814	3,119
32	84	14	X-ODWM328414	3,191
32	90	14	X-ODWM329014	3,259
32	96	14	X-ODWM329614	3,328




36” - 48” Wide




54” - 96” Wide

8” HIGH WALL MOUNTED OPEN OVERHEAD

H	W	D	Model Number	List
8	36	14	C-OWM083614	2,040
8	42	14	C-OWM084214	2,076
8	48	14	C-OWM084814	2,117
8	54	14	C-OWM085414	2,187
8	60	14	C-OWM086014	2,221
8	66	14	C-OWM086614	2,263
8	72	14	C-OWM087214	2,297
8	78	14	C-OWM087814	2,332
8	84	14	C-OWM088414	2,374
8	90	14	C-OWM089014	2,406
8	96	14	C-OWM089614	2,439



36” - 48” Wide



54” - 96” Wide

Specify

- Laminate Selection for Unit

Notes


- Select sizes available on quick ship Calibrate Countdown program. See Calibrate Countdown price list for full details.
- Wall mounted laminate storage ships with a minimum of two MDF cleats depending on size. One cleat ships attached to the unit, and one cleat ships separately.
- Cleats are unfinished and visible from the top view. Please note: depending on application, a top may be required through specials.
- Double height overheads include an adjustable shelf.

© 2026, AIS, Inc.


Wall Mounted Storage with Cabinet Doors

WALL MOUNTED OVERHEAD WITH CABINET DOORS


H	W	D	Model Number	List
16	36	14	C-OWMC163614L	2,283
16	42	14	C-OWMC164214L	2,329
16	48	14	C-OWMC164814L	2,385
16	54	14	C-OWMC165414L	2,843
16	60	14	C-OWMC166014L	2,891
16	66	14	C-OWMC166614L	2,952
16	72	14	C-OWMC167214L	3,000
16	78	14	C-OWMC167814L	3,039
16	84	14	C-OWMC168414L	3,052
16	90	14	C-OWMC169014L	3,092
16	96	14	C-OWMC169614L	3,132



36” - 48” Wide




54” - 78” Wide




84” - 96” Wide

WALL MOUNTED OVERHEAD WITH FRAMED ACRYLIC CABINET DOORS


H	W	D	Model Number	List
16	36	14	C-OWMC163614LG	3,644
16	42	14	C-OWMC164214LG	3,862
16	48	14	C-OWMC164814LG	4,090
16	54	14	C-OWMC165414LG	4,824
16	60	14	C-OWMC166014LG	5,044
16	66	14	C-OWMC166614LG	5,272
16	72	14	C-OWMC167214LG	5,491
16	78	14	C-OWMC167814LG	5,700
16	84	14	C-OWMC168414LG	5,279
16	90	14	C-OWMC169014LG	5,448
16	96	14	C-OWMC169614LG	5,617



36” - 48” Wide



54” - 78” Wide



84” - 96” Wide

Specify

- Laminate Selection for Case
- Laminate Selection for Door/Face
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes


- Framed doors are silver vinyl wrapped with frosted acrylic.
- Select sizes available on quick ship Calibrate Countdown program. See Calibrate Countdown price list for full details.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull not available on doors.Touch-to-open handle selection incurs a $50 upcharge per unit. Touch-to-open not available on framed cabinet doors.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.
- Wall mounted laminate storage ships with a minimum of two MDF cleats depending on size. One cleat ships attached to the unit, and one cleat ships separately.
- Cleats are unfinished and visible from the top view. Please note: depending on application, a top may be required through specials.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Wall Mounted Storage with Cabinet Doors

DOUBLE HEIGHT WALL MOUNTED OVERHEAD WITH CABINET DOORS

H	W	D	Model Number	List
32	36	14	X-CDWM323614	2,634
32	42	14	X-CDWM324214	2,735
32	48	14	X-CDWM324814	2,835
32	54	14	X-CDWM325414	3,451
32	60	14	X-CDWM326014	3,553
32	66	14	X-CDWM326614	3,663
32	72	14	X-CDWM327214	3,766
32	78	14	X-CDWM327814	3,864




36” - 48” Wide




54” - 78” Wide

DOUBLE HEIGHT WALL MOUNTED OVERHEAD WITH FRAMED ACRYLIC CABINET DOORS

H	W	D	Model Number	List
32	36	14	X-GCDWM323614	4,946
32	42	14	X-GCDWM324214	5,350
32	48	14	X-GCDWM324814	5,935
32	54	14	X-GCDWM325414	6,859
32	60	14	X-GCDWM326014	7,265
32	66	14	X-GCDWM326614	7,678
32	72	14	X-GCDWM327214	8,082
32	78	14	X-GCDWM327814	8,487



36” - 48” Wide



54” - 78” Wide

Specify

- Laminate Selection for Case
- Laminate Selection for Door/Face
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes


- Framed doors are silver vinyl wrapped with frosted acrylic.
- Select sizes available on quick ship Calibrate Countdown program. See Calibrate Countdown price list for full details.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull not available on doors.Touch-to-open handle selection incurs a $50 upcharge per unit. Touch-to-open not available on framed cabinet doors.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.
- Wall mounted laminate storage ships with a minimum of two MDF cleats depending on size. One cleat ships attached to the unit, and one cleat ships separately.
- Cleats are unfinished and visible from the top view. Please note: depending on application, a top may be required through specials.
- Double height units include adjustable shelves.

© 2026, AIS, Inc.


Wall Mounted Storage with Sliding Doors

WALL MOUNTED OVERHEAD WITH SLIDING DOORS


			Left-Side Lock	Right-Side Lock	
H	W	D	Model Number	Model Number	List
16	36	14	C-OWMS163614LL	C-OWMS163614RL	2,467
16	42	14	C-OWMS164214LL	C-OWMS164214RL	2,516
16	48	14	C-OWMS164814LL	C-OWMS164814RL	2,576
16	54	14	C-OWMS165414LL	C-OWMS165414RL	2,844
16	60	14	C-OWMS166014LL	C-OWMS166014RL	2,898
16	66	14	C-OWMS166614LL	C-OWMS166614RL	2,959
16	72	14	C-OWMS167214LL	C-OWMS167214RL	3,007
16	78	14	C-OWMS167814LL	C-OWMS167814RL	3,059
16	84	14	C-OWMS168414RL		3,419
16	90	14	C-OWMS169014RL		3,432
16	96	14	C-OWMS169614RL		3,481



36” - 48” Wide
(Left-Side Lock)




54” - 78” Wide
(Left-Side Lock)




84” - 96” Wide
(Non-Handed)

WALL MOUNTED OVERHEAD WITH FRAMED ACRYLIC SLIDING DOORS


			Left-Side Lock	Right Handed	
H	W	D	Model Number	Model Number	List
16	36	14	X-SFLWM163614L	X-SFLWM163614R	3,301
16	42	14	X-SFLWM164214L	X-SFLWM164214R	3,433
16	48	14	X-SFLWM164814L	X-SFLWM164814R	3,573
16	54	14	X-SFLWM165414L	X-SFLWM165414R	3,923
16	60	14	X-SFLWM166014L	X-SFLWM166014R	4,053
16	66	14	X-SFLWM166614L	X-SFLWM166614R	4,191
16	72	14	X-SFLWM167214L	X-SFLWM167214R	4,323
16	78	14	X-SFLWM167814L	X-SFLWM167814R	4,455
16	84	14	X-SFLWM168414		5,317
16	90	14	X-SFLWM169014		5,431
16	96	14	X-SFLWM169614		5,593



36” - 48” Wide
(Left-Side Lock)



54” - 78” Wide
(Left-Side Lock)



84” - 96” Wide
(Non-Handed)

Specify

- Laminate Selection for Case
- Laminate Selection for Door/Face
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes


- Framed doors are silver vinyl wrapped with frosted acrylic. Left-side lock overheads shown.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull not available on doors. Sliding door units include the option of no handle.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.
- Wall mounted laminate storage ships with a minimum of two MDF cleats depending on size. One cleat ships attached to the unit, and one cleat ships separately.
- Cleats are unfinished and visible from the top view. Please note: depending on application, a top may be required through specials.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Wall Mounted Storage with Sliding Doors

DOUBLE HEIGHT WALL MOUNTED OVERHEAD WITH SLIDING DOORS

			Left-Side Lock	Right-Side Lock	
H	W	D	Model Number	Model Number	List
32	36	14	X-SDLWM323614	X-SDRWM323614	3,063
32	42	14	X-SDLWM324214	X-SDRWM324214	3,147
32	48	14	X-SDLWM324814	X-SDRWM324814	3,240
32	54	14	X-SDLWM325414	X-SDRWM325414	3,613
32	60	14	X-SDLWM326014	X-SDRWM326014	3,696
32	66	14	X-SDLWM326614	X-SDRWM326614	3,790
32	72	14	X-SDLWM327214	X-SDRWM327214	3,876
32	78	14	X-SDLWM327814	X-SDRWM327814	3,958




36” - 48” Wide
(Left-Side Lock)




54” - 78” Wide
(Left-Side Lock)

DOUBLE HEIGHT WALL MOUNTED OVERHEAD WITH FRAMED ACRYLIC SLIDING DOORS

			Left-Side Lock	Right-Side Lock	
H	W	D	Model Number	Model Number	List
32	36	14	X-SGDLWM323614	X-SGDRWM323614	4,065
32	42	14	X-SGDLWM324214	X-SGDRWM324214	4,299
32	48	14	X-SGDLWM324814	X-SGDRWM324814	4,548
32	54	14	X-SGDLWM325414	X-SGDRWM325414	5,026
32	60	14	X-SGDLWM326014	X-SGDRWM326014	5,261
32	66	14	X-SGDLWM326614	X-SGDRWM326614	5,502
32	72	14	X-SGDLWM327214	X-SGDRWM327214	5,731
32	78	14	X-SGDLWM327814	X-SGDRWM327814	5,962



36” - 48” Wide
(Left-Side Lock)



54” - 78” Wide
(Left-Side Lock)

Specify

- Laminate Selection for Case
- Laminate Selection for Door/Face
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes

- Framed doors are silver vinyl wrapped with frosted acrylic. Left-side lock overheads shown.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull not available on doors. Sliding door units include the option of no handle.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.
- Wall mounted laminate storage ships with a minimum of two MDF cleats depending on size. One cleat ships attached to the unit, and one cleat ships separately.
- Cleats are unfinished and visible from the top view. Please note: depending on application, a top may be required through specials.
- Double height units include adjustable shelves.

© 2026, AIS, Inc.

Wall Mounted L Shelves

WALL MOUNTED L SHELVES


H	W	D	Shelves	Vertical Grain Model Number	Horizontal Grain Model Number	List
16	24	12	1	X-LSWM162412	X-LSWM162412H	927
16	30	12	1	X-LSWM163012	X-LSWM163012H	949
16	36	12	1	X-LSWM163612	X-LSWM163612H	971
16	42	12	1	X-LSWM164212	X-LSWM164212H	995
16	48	12	1	X-LSWM164812	X-LSWM164812H	1,018
16	54	12	1	X-LSWM165412	X-LSWM165412H	1,043
16	60	12	1	X-LSWM166012	X-LSWM166012H	1,066
16	66	12	1	-	X-LSWM166612H	1,088
16	72	12	1	-	X-LSWM167212H	1,111
20	24	12	1	X-LSWM202412	X-LSWM202412H	990
20	30	12	1	X-LSWM203012	X-LSWM203012H	1,015
20	36	12	1	X-LSWM203612	X-LSWM203612H	1,041
20	42	12	1	X-LSWM204212	X-LSWM204212H	1,066
20	48	12	1	X-LSWM204812	X-LSWM204812H	1,089
20	54	12	1	X-LSWM205412	X-LSWM205412H	1,115
20	60	12	1	X-LSWM206012	X-LSWM206012H	1,139
20	66	12	1	-	X-LSWM206612H	1,165
20	72	12	1	-	X-LSWM207212H	1,190
28	24	12	1	X-LSWM282412	X-LSWM282412H	1,058
28	30	12	1	X-LSWM283012	X-LSWM283012H	1,086
28	36	12	1	X-LSWM283612	X-LSWM283612H	1,112
28	42	12	1	X-LSWM284212	X-LSWM284212H	1,139
28	48	12	1	X-LSWM284812	X-LSWM284812H	1,166
28	54	12	1	X-LSWM285412	X-LSWM285412H	1,194
28	60	12	1	X-LSWM286012	X-LSWM286012H	1,220
28	66	12	1	-	X-LSWM286612H	1,247
28	72	12	1	-	X-LSWM287212H	1,271


WALL MOUNTED L SHELVES


H	W	D	Shelves	Vertical Grain Model Number	Horizontal Grain Model Number	List
32	24	12	2	X-LSWM322412	X-LSWM322412H	1,156
32	30	12	2	X-LSWM323012	X-LSWM323012H	1,182
32	36	12	2	X-LSWM323612	X-LSWM323612H	1,211
32	42	12	2	X-LSWM324212	X-LSWM324212H	1,241
32	48	12	2	X-LSWM324812	X-LSWM324812H	1,270
32	54	12	2	X-LSWM325412	X-LSWM325412H	1,298
32	60	12	2	X-LSWM326012	X-LSWM326012H	1,327
32	66	12	2	-	X-LSWM326612H	1,358
32	72	12	2	-	X-LSWM327212H	1,387
36	24	12	1	X-LSWM362412	X-LSWM362412H	1,235
36	30	12	1	X-LSWM363012	X-LSWM363012H	1,265
36	36	12	1	X-LSWM363612	X-LSWM363612H	1,296
36	42	12	1	X-LSWM364212	X-LSWM364212H	1,327
36	48	12	1	X-LSWM364812	X-LSWM364812H	1,359
36	54	12	1	X-LSWM365412	X-LSWM365412H	1,391
36	60	12	1	X-LSWM366012	X-LSWM366012H	1,421
36	66	12	1	-	X-LSWM366612H	1,452
36	72	12	1	-	X-LSWM367212H	1,485
45	24	12	2	X-LSWM452412	X-LSWM452412H	1,321
45	30	12	2	X-LSWM453012	X-LSWM453012H	1,354
45	36	12	2	X-LSWM453612	X-LSWM453612H	1,388
45	42	12	2	X-LSWM454212	X-LSWM454212H	1,421
45	48	12	2	X-LSWM454812	X-LSWM454812H	1,454
45	54	12	2	X-LSWM455412	X-LSWM455412H	1,488
45	60	12	2	X-LSWM456012	X-LSWM456012H	1,521
45	66	12	2	-	X-LSWM456612H	1,555
45	72	12	2	-	X-LSWM457212H	1,587


16” High


20” - 28” High


32” High


36” High


45” High

Specify

- Laminate Selection for Backboard
- Laminate Selection for Shelf

Notes

- Shelves have a max capacity of 10lbs per foot per width.
- Total thickness is 1 1/2”. Backboard is mounted on 3/4” thick board finished in matching edge.
- Laminate grain for shelf always runs horizontal. Laminate grain for backboard are available in vertical and horizontal (not available in all sizes).
- L Shelves ship knocked down.
- Wall mounted laminate storage ships with a minimum of two MDF cleats depending on size. One cleat ships attached to the unit, and one cleat ships separately.
- Cleats are unfinished.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Wall Mounted L Shelves

WALL MOUNTED L SHELVES – 52” HIGH


				Vertical Grain	Horizontal Grain	
H	W	D	Shelves	Model Number	Model Number	List
52	24	12	2	X-LSWM522412	X-LSWM522412H	1,413
52	30	12	2	X-LSWM523012	X-LSWM523012H	1,448
52	36	12	2	X-LSWM523612	X-LSWM523612H	1,486
52	42	12	2	X-LSWM524212	X-LSWM524212H	1,521
52	48	12	2	X-LSWM524812	X-LSWM524812H	1,556
52	54	12	2	X-LSWM525412	X-LSWM525412H	1,591
52	60	12	2	X-LSWM526012	X-LSWM526012H	1,628
52	66	12	2	-	X-LSWM526612H	1,662
52	72	12	2	-	X-LSWM527212H	1,699



52” High

WALL MOUNTED L SHELVES – 60” HIGH

				Vertical Grain	Horizontal Grain	
H	W	D	Shelves	Model Number	Model Number	List
60	24	12	3	X-LSWM602412	-	1,513
60	30	12	3	X-LSWM603012	-	1,551
60	36	12	3	X-LSWM603612	-	1,588
60	42	12	3	X-LSWM604212	-	1,626
60	48	12	3	X-LSWM604812	-	1,666
60	54	12	3	X-LSWM605412	-	1,703
60	60	12	3	X-LSWM606012	-	1,741



60” High

Specify

- Laminate Selection for Backboard
- Laminate Selection for Shelf

Notes

- Shelves have a max capacity of 10lbs per foot per width.
- Total thickness is 1 1/2”. Backboard is mounted on 3/4” thick board finished in matching edge.
- Laminate grain for shelf always runs horizontal. Laminate grain for backboard are available in vertical and horizontal (not available in all sizes).
- L Shelves ship knocked down.
- Wall mounted laminate storage ships with a minimum of two MDF cleats depending on size. One cleat ships attached to the unit, and one cleat ships separately.
- Cleats are unfinished.

© 2026, AIS, Inc.

Wall Panels

WALL PANELS				
		Vertical Grain	Horizontal Grain	
H	W	Model Number	Model Number	List
16	24	X-WP1624	X-WP1624H	773
16	30	X-WP1630	X-WP1630H	790
16	36	X-WP1636	X-WP1636H	810
16	42	X-WP1642	X-WP1642H	831
16	48	X-WP1648	X-WP1648H	849
16	54	X-WP1654	X-WP1654H	869
16	60	X-WP1660	X-WP1660H	889
16	66	-	X-WP1666H	906
16	72	-	X-WP1672H	928
20	24	X-WP2024	X-WP2024H	826
20	30	X-WP2030	X-WP2030H	847
20	36	X-WP2036	X-WP2036H	867
20	42	X-WP2042	X-WP2042H	889
20	48	X-WP2048	X-WP2048H	908
20	54	X-WP2054	X-WP2054H	930
20	60	X-WP2060	X-WP2060H	950
20	66	-	X-WP2066H	970
20	72	-	X-WP2072H	991
28	24	X-WP2824	X-WP2824H	882
28	30	X-WP2830	X-WP2830H	904
28	36	X-WP2836	X-WP2836H	929
28	42	X-WP2842	X-WP2842H	950
28	48	X-WP2848	X-WP2848H	971
28	54	X-WP2854	X-WP2854H	994
28	60	X-WP2860	X-WP2860H	1,016
28	66	-	X-WP2866H	1,040
28	72	-	X-WP2872H	1,060


WALL PANELS				
		Vertical Grain	Horizontal Grain	
H	W	Model Number	Model Number	List
32	24	X-WP3224	X-WP3224H	963
32	30	X-WP3230	X-WP3230H	986
32	36	X-WP3236	X-WP3236H	1,012
32	42	X-WP3242	X-WP3242H	1,034
32	48	X-WP3248	X-WP3248H	1,058
32	54	X-WP3254	X-WP3254H	1,083
32	60	X-WP3260	X-WP3260H	1,108
32	66	-	X-WP3266H	1,132
32	72	-	X-WP3272H	1,157
36	24	X-WP3624	X-WP3624H	1,029
36	30	X-WP3630	X-WP3630H	1,056
36	36	X-WP3636	X-WP3636H	1,082
36	42	X-WP3642	X-WP3642H	1,108
36	48	X-WP3648	X-WP3648H	1,134
36	54	X-WP3654	X-WP3654H	1,160
36	60	X-WP3660	X-WP3660H	1,186
36	66	-	X-WP3666H	1,210
36	72	-	X-WP3672H	1,237
45	24	X-WP4524	X-WP4524H	1,101
45	30	X-WP4530	X-WP4530H	1,130
45	36	X-WP4536	X-WP4536H	1,158
45	42	X-WP4542	X-WP4542H	1,185
45	48	X-WP4548	X-WP4548H	1,211
45	54	X-WP4554	X-WP4554H	1,239
45	60	X-WP4560	X-WP4560H	1,267
45	66	-	X-WP4566H	1,294
45	72	-	X-WP4572H	1,323




16" High




20" High




28" High



32" High



36" High



45" High


Specify	Notes
• Laminate Selection	• Wall Panel is made from 3/4" thick laminate. • Laminate grain for shelf always runs horizontal. Laminate grain for backboard are available in vertical and horizontal (not available in all sizes). • Total thickness is 1 1/2". Wall Panel is mounted on 3/4" thick board finished in matching edge. • Wall mounted laminate storage ships with a minimum of two MDF cleats depending on size. One cleat ships attached to the unit, and one cleat ships separately. • Cleats are unfinished.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

Wall Panels

WALL PANELS				
		Vertical Grain	Horizontal Grain	
H	W	Model Number	Model Number	List
52	24	X-WP5224	X-WP5224H	1,178
52	30	X-WP5230	X-WP5230H	1,208
52	36	X-WP5236	X-WP5236H	1,237
52	42	X-WP5242	X-WP5242H	1,266
52	48	X-WP5248	X-WP5248H	1,296
52	54	X-WP5254	X-WP5254H	1,325
52	60	X-WP5260	X-WP5260H	1,355
52	66	-	X-WP5266H	1,386
52	72	-	X-WP5272H	1,415
60	24	X-WP6024	-	1,260
60	30	X-WP6030	-	1,292
60	36	X-WP6036	-	1,323
60	42	X-WP6042	-	1,355
60	48	X-WP6048	-	1,387
60	54	X-WP6054	-	1,418
60	60	X-WP6060	-	1,451



52” High



60” High

Specify	Notes
• Laminate Selection	• Wall Panel is made from 3/4” thick laminate. • Laminate grain for shelf always runs horizontal. Laminate grain for backboard are available in vertical and horizontal (not available in all sizes). • Total thickness is 1 1/2”. Wall Panel is mounted on 3/4” thick board finished in matching edge. • Wall mounted laminate storage ships with a minimum of two MDF cleats depending on size. One cleat ships attached to the unit, and one cleat ships separately. • Cleats are unfinished.

© 2026, AIS, Inc.


Whiteboard Wall Panels


WHITEBOARD WALL PANELS			
H	W	Model Number	List
16	24	X-WP1624WB	787
16	30	X-WP1630WB	806
16	36	X-WP1636WB	828
16	42	X-WP1642WB	847
16	48	X-WP1648WB	866
16	54	X-WP1654WB	886
16	60	X-WP1660WB	905
16	66	X-WP1666WB	927
16	72	X-WP1672WB	945
20	24	X-WP2024WB	841
20	30	X-WP2030WB	864
20	36	X-WP2036WB	883
20	42	X-WP2042WB	904
20	48	X-WP2048WB	928
20	54	X-WP2054WB	948
20	60	X-WP2060WB	969
20	66	X-WP2066WB	990
20	72	X-WP2072WB	1,012
28	24	X-WP2824WB	901
28	30	X-WP2830WB	922
28	36	X-WP2836WB	946
28	42	X-WP2842WB	968
28	48	X-WP2848WB	991
28	54	X-WP2854WB	1,014
28	60	X-WP2860WB	1,037
28	66	X-WP2866WB	1,058
28	72	X-WP2872WB	1,082


WHITEBOARD WALL PANELS			
H	W	Model Number	List
32	24	X-WP3224WB	982
32	30	X-WP3230WB	1,007
32	36	X-WP3236WB	1,030
32	42	X-WP3242WB	1,056
32	48	X-WP3248WB	1,081
32	54	X-WP3254WB	1,106
32	60	X-WP3260WB	1,130
32	66	X-WP3266WB	1,156
32	72	X-WP3272WB	1,178
36	24	X-WP3624WB	1,050
36	30	X-WP3630WB	1,078
36	36	X-WP3636WB	1,103
36	42	X-WP3642WB	1,130
36	48	X-WP3648WB	1,157
36	54	X-WP3654WB	1,182
36	60	X-WP3660WB	1,208
36	66	X-WP3666WB	1,235
36	72	X-WP3672WB	1,261
45	24	X-WP4524WB	1,123
45	30	X-WP4530WB	1,151
45	36	X-WP4536WB	1,179
45	42	X-WP4542WB	1,208
45	48	X-WP4548WB	1,237
45	54	X-WP4554WB	1,264
45	60	X-WP4560WB	1,292
45	66	X-WP4566WB	1,321
45	72	X-WP4572WB	1,350



16” High


20” High


28” High


32” High


36” High


45” High

Specify

Notes


- Whiteboard is made from 3/4” thick laminate.
- Total thickness is 1 1/2”. Whiteboard is mounted on 3/4” thick board finished in matching edge.
- Whiteboards are non magnetic.
- Wall mounted laminate storage ships with a minimum of two MDF cleats depending on size. One cleat ships attached to the unit, and one cleat ships separately.
- Cleats are unfinished.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

WHITEBOARD WALL PANELS

H	W	Model Number	List
52	24	X-WP5224WB	1,202
52	30	X-WP5230WB	1,233
52	36	X-WP5236WB	1,262
52	42	X-WP5242WB	1,292
52	48	X-WP5248WB	1,322
52	54	X-WP5254WB	1,353
52	60	X-WP5260WB	1,382
52	66	X-WP5266WB	1,421
52	72	X-WP5272WB	1,444
60	24	X-WP6024WB	1,286
60	30	X-WP6030WB	1,319
60	36	X-WP6036WB	1,351
60	42	X-WP6042WB	1,382
60	48	X-WP6048WB	1,415
60	54	X-WP6054WB	1,447



52” High



60” High


Specify	Notes
	• Whiteboard is made from 3/4” thick laminate. • Total thickness is 1 1/2”. Whiteboard is mounted on 3/4” thick board finished in matching edge. • Whiteboards are non magnetic. • Wall mounted laminate storage ships with a minimum of two MDF cleats depending on size. One cleat ships attached to the unit, and one cleat ships separately. • Cleats are unfinished.

© 2026, AIS, Inc.


Suspended Utility Storage and Accessories

SUSPENDED UTILITY STORAGE


				Powered		Non-Powered	
H	W	D	Condition	Model Number	List	Model Number	List
18	12	18	A	X-SUPCA	2,084	X-SUNPCA	1,534
18	12	18	B	X-SUPCB	2,084	X-SUNPCB	1,534
18	12	18	C	X-SUPCC	2,163	X-SUNPCC	1,616




Condition A



Condition B



Condition C



Power Detail


Specify	Notes
• Laminate Selection for Case • Handle Selection • Handle Paint Selection • Lock Selection • Paint Selection	• Units have interior dimensions of 8.856”W x 14.917H x 16.480”D. • Storage unit pulls out a distance of 13.25”. • Powered units included 3 outlets and 2 USB charging ports. • Can not be used on Calibrate Height Adjustable Tables. • Digital locks can not be used on suspended storage. • Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted.Grade C paint selection incurs a $10 upcharge. • Slim pull incurs a $75 upcharge. • Lock cores and trim rings ship separately. • One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.


SUSPENDED UTILITY STORAGE CONDITIONS

Condition	For Use With
Condition A	E-Series Height Adjustable Tables, 24” Deep Day-to-Day Height Adjustable Tables, 24” Deep Aloft, 2018 & prior models, 24” Deep Oxygen Worksurfaces, 30” Deep
Condition B	E-Series Height Adjustable Tables, 30” Deep Day-to-Day Height Adjustable Tables, 30” Deep Aloft, all models, 30” Deep Oxygen Worksurfaces, 24” Deep
Condition C	Aloft, 2019+ models, 24” Deep

SUSPENDED UTILITY PENCIL TRAY

Model Number	List
X-PTC	70







Pencil Tray Detail

Specify	Notes
	• Unit has dimension of 5” x 8.75”.

SUSPENDED UNIT FOR HANGING FOLDERS KIT

Model Number	List
C-SUPFB	162





Shown with Folders

Specify	Notes
• Paint Selection for Unit	• Hanging folder kit comes in pairs. • Kit allows for 3.75” of storage room for folders.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

18” High Mobile Pedestals

FILE PEDESTAL ON CASTERS


			No Cushion		With Cushion	
H	W	D	Model Number	List	Model Number	List
18	12	18	C-PCFOCN121818	1,687	C-PCFOCC121818	1,896
18	16	18	C-PCFOCN161818	1,873	C-PCFOCC161818	2,105
18	18	18	C-PCFOCN181818	2,061	C-PCFOCC181818	2,316



No Cushion



With Cushion



Product is elevated on 2 5/8” casters.

BOX / HIDDEN DRAWER PEDESTAL ON CASTERS


			No Cushion		With Cushion	
H	W	D	Model Number	List	Model Number	List
18	12	18	C-PCFHCN121818	2,066	C-PCFHCC121818	2,325
18	16	18	C-PCFHCN161818	2,296	C-PCFHCC161818	2,581
18	18	18	C-PCFHCN181818	2,526	C-PCFHCC181818	2,838




No Cushion



With Cushion



Hidden Drawer Detail



Product is elevated on 2 5/8” casters.

BOTTOM CUBBY BOX PEDESTALS ON CASTERS


			No Cushion		With Cushion	
H	W	D	Model Number	List	Model Number	List
18	12	18	C-PCFLCN121818	1,845	C-PCFLCC121818	2,070
18	16	18	C-PCFLCN161818	2,047	C-PCFLCC161818	2,300
18	18	18	C-PCFLCN181818	2,253	C-PCFLCC181818	2,528



No Cushion



With Cushion



Product is elevated on 2 5/8” casters.

Specify

- Laminate Selection for Case
- Laminate Selection for Face/Drawer
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes


- Heights shown without cushion. Units with cushion measure 20” high.
- Apply the following upcharges for cushion fabric: C.O.M (-50), Grade B (+51), Grade C (+102), Grade D (+152), Grade E (+203)
- C.O.M requires one yard of fabric for first cushion and half a yard for each additional cushion.
- Mobile pedestals come with two locking and two non-locking casters.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull incurs a $75 upcharge.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.
- Hidden drawer and cubby pedestals include a pencil tray.


© 2026, AIS, Inc.


21” High BF Pedestals


BF PEDESTALS


H	W	D	Depth	Counterweight	Model Number	List
21	12	18	Full	Y	X-BFPFS182112	2,117
21	12	23	Partial	N	X-BFPFS232112	2,164
21	12	24	Full	Y	X-BFPFS242112	2,268
21	16	18	Full	Y	X-BFP18	2,351
21	16	23	Partial	N	X-BFP22C	2,406
21	16	24	Full	Y	X-BFP24	2,516
21	18	18	Full	Y	X-BFPFS182118	2,498
21	18	23	Partial	N	X-BFPFS232118	2,555
21	18	24	Full	Y	X-BFPFS242118	2,674
21	24	18	Full	Y	X-BFPFS182124	2,746
21	24	23	Partial	N	X-BFPFS232124	2,812
21	24	24	Full	Y	X-BFPFS242124	2,942


12” Wide


16” Wide


18” Wide



24” Wide



No feet.
3/8” tall glides.

BF PEDESTALS ON FEET


H	W	D	Depth	Counterweight	Model Number	List
21	12	18	Full	Y	C-BFPFS182112	2,194
21	12	23	Partial	N	C-BFPFS232112	2,242
21	12	24	Full	Y	C-BFPFS242112	2,340
21	16	18	Full	Y	C-BFP18	2,434
21	16	23	Partial	N	C-BFP22	2,487
21	16	24	Full	Y	C-BFP24	2,599
21	18	18	Full	Y	C-BFPFS182118	2,587
21	18	23	Partial	N	C-BFPFS232118	2,645
21	18	24	Full	Y	C-BFPFS242118	2,763
21	24	18	Full	Y	C-BFPFS182124	2,844
21	24	23	Partial	N	C-BFPFS232124	2,909
21	24	24	Full	Y	C-BFPFS242124	3,039


12” Wide


16” Wide


18” Wide


24” Wide


Product is elevated
on 2 1/8” tall feet.

Specify

- Laminate Selection for Case
- Laminate Selection for Face/Drawer
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes


- Model numbers ending in “M” are on casters with pedestal cushion. Model numbers ending in “MNC” are on casters and have no pedestal cushion.
- Heights shown without cushions. 21” high pedestals on casters have an actual height of 22 5/8” without a cushion or 24 1/8” with a cushion.
- See Product Details for more information on how to specify Full and Partial depth. For functional loads see Universal Storage Product Details.
- Apply the following upcharges for cushion fabric: C.O.M (-50), Grade B (+51), Grade C (+102), Grade D (+152), Grade E (+203)
- C.O.M for cushion require one yard of fabric for first cushion and half a yard for each additional cushion.
- Partial Depth required when modesty is applied.
- Mobile pedestals come with two locking and two non-locking casters.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull incurs a $75 upcharge.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.
- Pencil tray included.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

21” High BF Pedestals


BF PEDESTALS ON CASTERS						
			No Cushion		With Cushion	
H	W	D	Model Number	List	Model Number	List
21	12	18	C-BFP1812MNC	2,246	C-BFP1812M	2,525
21	16	18	C-BFP18MNC	2,497	C-BFP18M	2,804
21	18	18	C-BFP1818MNC	2,745	C-BFP1818M	3,084


12” Wide


16” Wide


16” Wide
(With Cushion)


18” Wide


Product is elevated on 2 5/8” casters.

Specify

- Laminate Selection for Case
- Laminate Selection for Face/Drawer
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes


- Model numbers ending in “M” are on casters with pedestal cushion. Model numbers ending in “MNC” are on casters and have no pedestal cushion.
- Heights shown without cushions. 21” high pedestals on casters have an actual height of 22 5/8” without a cushion or 24 1/8” with a cushion.
- See Product Details for more information on how to specify Full and Partial depth. For functional loads see Universal Storage Product Details.
- Apply the following upcharges for cushion fabric: C.O.M (-50), Grade B (+51), Grade C (+102), Grade D (+152), Grade E (+203)
- C.O.M for cushion require one yard of fabric for first cushion and half a yard for each additional cushion.
- Partial Depth required when modesty is applied.
- Mobile pedestals come with two locking and two non-locking casters.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull incurs a $75 upcharge.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.
- Pencil tray included.


© 2026, AIS, Inc.

21” High Hidden Drawer BF Pedestals

HIDDEN DRAWER BF PEDESTALS

H	W	D	Depth	Counterweight	Model Number	List
21	12	18	Full	Y	X-BFPH211218	2,127
21	12	23	Partial	N	X-BFPH211223	2,174
21	12	24	Full	Y	X-BFPH211224	2,271
21	16	18	Full	Y	X-BFPH211618	2,359
21	16	23	Partial	N	X-BFPH211623	2,414
21	16	24	Full	Y	X-BFPH211624	2,522
21	18	18	Full	Y	X-BFPH211818	2,423
21	18	23	Partial	N	X-BFPH211823	2,479
21	18	24	Full	Y	X-BFPH211824	2,595







No feet.
3/8” tall glides.

HIDDEN DRAWER BF PEDESTALS ON FEET

H	W	D	Depth	Counterweight	Model Number	List
21	12	18	Full	Y	C-BFPHD211218	2,054
21	12	23	Partial	N	C-BFPHD211223	2,099
21	12	24	Full	Y	C-BFPHD211224	2,196
21	16	18	Full	Y	C-BFPHD211618	2,281
21	16	23	Partial	N	C-BFPHD211623	2,333
21	16	24	Full	Y	C-BFPHD211624	2,440
21	18	18	Full	Y	C-BFPHD211818	2,510
21	18	23	Partial	N	C-BFPHD211823	2,565
21	18	24	Full	Y	C-BFPHD211824	2,681







Product is elevated
on 2 1/8” tall feet.

HIDDEN DRAWER BF PEDESTALS ON CASTERS


			No Cushion		With Cushion	
H	W	D	Model Number	List	Model Number	List
21	12	18	C-BFPHD12	2,178	C-BFPHDM12	2,449
21	16	18	C-BFPHD16	2,421	C-BFPHDM16	2,720
21	18	18	C-BFPHD18	2,663	C-BFPHDM18	2,994



No Cushion



With Cushion



Product is elevated
on casters.

Specify

- Laminate Selection for Case
- Laminate Selection for Face/Drawer
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes

- See Product Details for more information on how to specify Full and Partial depth. For functional loads see Universal Storage Product Details.
- Heights shown without cushions. 21” high pedestals on casters have an actual height of 22 5/8” without a cushion or 24 1/8” with a cushion.
- Partial Depth required when modesty is applied.
- Apply the following upcharges for cushion fabric: C.O.M (-50), Grade B (+51), Grade C (+102), Grade D (+152), Grade E (+203)
- C.O.M for cushion require one yard of fabric for first cushion and half a yard for each additional cushion.
- Mobile pedestals come with two locking and two non-locking casters.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull incurs a $75 upcharge.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.
- Pencil tray included.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


21” High Cubby Pedestals

CUBBY FILE PEDESTALS ON CASTERS

			No Cushion		With Cushion	
H	W	D	Model Number	List	Model Number	List
21	12	18	C-PCUFCN122118	2,134	C-PCUFCC122118	2,400
21	16	18	C-PCUFCN162118	2,371	C-PCUFCC162118	2,666
21	18	18	C-PCUFCN182118	2,608	C-PCUFCC182118	2,932


No Cushion


With Cushion



Product is elevated on casters.

BOTTOM CUBBY BOX PEDESTALS ON CASTERS

			No Cushion		With Cushion	
H	W	D	Model Number	List	Model Number	List
21	12	18	C-PCFLCN122118	1,979	C-PCFLCC122118	2,222
21	16	18	C-PCFLCN162118	2,198	C-PCFLCC162118	2,469
21	18	18	C-PCFLCN182118	2,416	C-PCFLCC182118	2,715


No Cushion


With Cushion



Product is elevated on casters.

CUBBY BOX BOX PEDESTALS ON CASTERS

			No Cushion		With Cushion	
H	W	D	Model Number	List	Model Number	List
21	12	18	C-PCBBCN122118	2,246	C-PCBBCC122118	2,525
21	16	18	C-PCBBCN162118	2,497	C-PCBBCC162118	2,804
21	18	18	C-PCBBCN182118	2,745	C-PCBBCC182118	3,084


No Cushion


With Cushion



Product is elevated on casters.


CUBBY HIDDEN DRAWER BOX PEDESTALS ON CASTERS

			No Cushion		With Cushion	
H	W	D	Model Number	List	Model Number	List
21	12	18	C-PCHBCN122118	2,246	C-PCHBCC122118	2,525
21	16	18	C-PCHBCN162118	2,497	C-PCHBCC162118	2,804
21	18	18	C-PCHBCN182118	2,745	C-PCHBCC182118	3,084


No Cushion


With Cushion


Hidden Drawer Detail


Product is elevated on casters.

Specify

- Laminate Selection for Case
- Laminate Selection for Face/Drawer
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes


- Apply the following upcharges for cushion fabric: C.O.M (-50), Grade B (+51), Grade C (+102), Grade D (+152), Grade E (+203)
- C.O.M requires one yard of fabric for first cushion and half a yard for each additional cushion.
- Heights shown without cushions. 21” high pedestals on casters have an actual height of 22 5/8” without a cushion or 24 1/8” with a cushion.
- Mobile pedestals come with two locking and two non-locking casters.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull incurs a $75 upcharge.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.
- Cubby box pedestals include a pencil tray.


© 2026, AIS, Inc.

21” High Lateral Floor Storage

BF LATERALS

H	W	D	Depth	Counterweight	Model Number	List
21	30	18	Full	Y	X-PLAT2D3018	3,085
21	36	18	Full	Y	X-PLAT2D3618	3,258
21	42	18	Full	Y	X-PLAT2D4218	3,426
21	30	22	Partial	N	X-PLAT2D3022C	3,214
21	36	22	Partial	N	X-PLAT2D3622C	3,394
21	42	22	Partial	N	X-PLAT2D4222C	3,576
21	30	24	Full	Y	X-PLAT2D3024	3,319
21	36	24	Full	Y	X-PLAT2D3624	3,511
21	42	24	Full	Y	X-PLAT2D4224	3,701







No feet.
3/8” tall glides.

BF LATERALS ON FEET

H	W	D	Depth	Counterweight	Model Number	List
21	30	18	Full	Y	C-PLATJ2D30	3,169
21	36	18	Full	Y	C-PLATJ2D36	3,343
21	42	18	Full	Y	C-PLATJ2D42	3,511
21	30	22	Partial	N	C-PLAT2D3022	3,297
21	36	22	Partial	N	C-PLAT2D3622	3,478
21	42	22	Partial	N	C-PLAT2D4222	3,659
21	30	24	Full	Y	C-PLAT2D3024	3,404
21	36	24	Full	Y	C-PLAT2D3624	3,593
21	42	24	Full	Y	C-PLAT2D4224	3,783







Product is elevated
on 2 1/8” tall feet.

DOUBLE PENCIL LATERALS

H	W	D	Model Number	List
21	30	36	X-PLAT2D30	4,581
21	36	36	X-PLAT2D36	4,813
21	42	36	X-PLAT2D42	5,040







No feet.
3/8” tall glides.

DOUBLE PENCIL LATERALS ON FEET

H	W	D	Model Number	List
21	30	36	C-DPLAT2D30	4,665
21	36	36	C-DPLAT2D36	4,894
21	42	36	C-DPLAT2D42	5,127





Product is elevated
on 2 1/8” tall feet.

Specify

- Laminate Selection for Case
- Laminate Selection for Face/Drawer
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes

- Double Pencil Laterals have four drawers, two on each side.
- See Product Details for more information on how to specify Full and Partial depth. For functional loads see Universal Storage Product Details.
- See following pages for 28”, 42” and 50” height in comparable storage.
- Partial Depth required when modesty is applied.
- Select sizes available on quick ship Calibrate Countdown program. See Calibrate Countdown price list for full details.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull incurs a $75 upcharge.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


36” High Floor Bookcases

FLOOR BOOKCASES				
H	W	D	Model Number	List
36	24	18	X-CBC362418	1,810
36	30	18	X-CBC363018	1,892
36	36	18	X-CBC363618	2,225
36	42	18	X-CBC364218	2,308
36	48	18	X-CBC364818	2,394
36	54	18	X-CBC365418	2,818
36	60	18	X-CBC366018	2,903
36	66	18	X-CBC366618	2,986
36	72	18	X-CBC367218	3,068


FLOOR BOOKCASES				
H	W	D	Model Number	List
36	24	24	X-CBC362424	1,829
36	30	24	X-CBC363024	1,916
36	36	24	X-CBC363624	2,268
36	42	24	X-CBC364224	2,356
36	48	24	X-CBC364824	2,452
36	54	24	X-CBC365424	2,902
36	60	24	X-CBC366024	2,995
36	66	24	X-CBC366624	3,086
36	72	24	X-CBC367224	3,178




24” - 30” Wide



36” - 48” Wide



54” - 72” Wide



No feet.
3/8” tall glides.

Specify	Notes
• Laminate Selection for Unit	• See following pages for 28”, 42” and 50” height in comparable storage. • Select sizes available on quick ship Calibrate Countdown program. See Calibrate Countdown price list for full details. • Adjustable shelves have 6” of adjustability.


© 2026, AIS, Inc.


21” High Floor Bookcases


FLOOR BOOKCASES

H	W	D	Model Number	List
21	24	14	X-BC202414	1,653
21	30	14	X-BC203014	1,717
21	36	14	X-BC203614	1,989
21	42	14	X-BC204214	2,049
21	48	14	X-BC204814	2,118
21	54	14	X-BC205414	2,527
21	60	14	X-BC206014	2,596
21	66	14	X-BC206614	2,659
21	72	14	X-BC207214	2,719
21	24	18	X-CBC2024	1,676
21	30	18	X-CBC2030	1,757
21	36	18	X-CBC2036	2,059
21	42	18	X-CBC2042	2,131
21	48	18	X-CBC2048	2,211
21	54	18	X-CBC2054	2,595
21	60	18	X-CBC2060	2,668
21	66	18	X-CBC2066	2,749
21	72	18	X-CBC2072	2,825
21	24	24	X-CBC202424	1,676
21	30	24	X-CBC203024	1,737
21	36	24	X-CBC203624	2,057
21	42	24	X-CBC204224	2,137
21	48	24	X-CBC204824	2,211
21	54	24	X-CBC205424	2,567
21	60	24	X-CBC206024	2,648
21	66	24	X-CBC206624	2,744
21	72	24	X-CBC207224	2,828


24” - 30” Wide



36” - 48” Wide



54” - 72” Wide



No feet.
3/8” tall glides.


FLOOR BOOKCASES ON FEET

H	W	D	Model Number	List
21	24	14	C-BC202414	1,736
21	30	14	C-BC203014	1,801
21	36	14	C-BC203614	2,070
21	42	14	C-BC204214	2,133
21	48	14	C-BC204814	2,203
21	54	14	C-BC205414	2,612
21	60	14	C-BC206014	2,678
21	66	14	C-BC206614	2,744
21	72	14	C-BC207214	2,802
21	24	18	C-BC202418	1,761
21	30	18	C-BC203018	1,840
21	36	18	C-BC203618	2,141
21	42	18	C-BC204218	2,214
21	48	18	C-BC204818	2,295
21	54	18	C-BC205418	2,677
21	60	18	C-BC206018	2,753
21	66	18	C-BC206618	2,834
21	72	18	C-BC207218	2,909
21	24	24	C-BC202424	1,726
21	30	24	C-BC203024	1,817
21	36	24	C-BC203624	2,133
21	42	24	C-BC204224	2,219
21	48	24	C-BC204824	2,308
21	54	24	C-BC205424	2,645
21	60	24	C-BC206024	2,732
21	66	24	C-BC206624	2,825
21	72	24	C-BC207224	2,910


24” - 30” Wide


36” - 48” Wide


54” - 72” Wide


Product is elevated
on 2 1/8” tall feet.

Specify

- Laminate Selection for Unit

Notes

- See following pages for 28”, 42” and 50” height in comparable storage.
- Select sizes available on quick ship Calibrate Countdown program. See Calibrate Countdown price list for full details.
- Adjustable shelves have 6” of adjustability.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

21” High Floor Bookcases for Floating Tops and Shared Floor Bookcases

FLOOR BOOKCASES FOR FLOATING TOPS

H	W	D	Model Number	List
21	24	18	X-BCRO1824	1,984
21	30	18	X-BCRO1830	2,063
21	36	18	X-BCRO1836	2,211
21	24	24	X-BCRO2424	2,078
21	30	24	X-BCRO2430	2,165
21	36	24	X-BCRO2436	2,253
21	24	30	X-BCRO3024	2,210
21	30	30	X-BCRO3030	2,320
21	36	30	X-BCRO3036	2,427







No feet.
3/8” tall glides.

FLOOR BOOKCASES FOR FLOATING TOPS ON FEET

H	W	D	Model Number	List
21	24	18	C-BCRO1824	2,066
21	30	18	C-BCRO1830	2,147
21	36	18	C-BCRO1836	2,295
21	24	24	C-BCRO2424	2,161
21	30	24	C-BCRO2430	2,250
21	36	24	C-BCRO2436	2,336
21	24	30	C-BCRO3024	2,294
21	30	30	C-BCRO3030	2,403
21	36	30	C-BCRO3036	2,511





Product is elevated
on 2 1/8” tall feet.


Specify

- Laminate Selection for Unit


Notes

SHARED FLOOR BOOKCASES


			Open Left	Open Right	
H	W	D	Model Number	Model Number	List
21	36	18	X-CBCSL213618	X-CBCSR213618	2,080
21	42	18	X-CBCSL214218	X-CBCSR214218	2,155
21	48	18	X-CBCSL214818	X-CBCSR214818	2,225
21	54	18	X-CBCSL215418	X-CBCSR215418	2,610
21	60	18	X-CBCSL216018	X-CBCSR216018	2,694
21	66	18	X-CBCSL216618	X-CBCSR216618	2,769
21	72	18	X-CBCSL217218	X-CBCSR217218	2,841




36” - 48” Wide
(Open Right)



54” - 72” Wide
(Open Right)



Shared Overhead View
(Open Right)




No feet.
3/8” tall glides.

SHARED FLOOR BOOKCASES ON FEET


			Open Left	Open Right	
H	W	D	Model Number	Model Number	List
21	36	18	C-YFBCL2036	C-YFBCR2036	2,163
21	42	18	C-YFBCL2042	C-YFBCR2042	2,239
21	48	18	C-YFBCL2048	C-YFBCR2048	2,311
21	54	18	C-CBCSL215418	C-CBCSR215418	2,695
21	60	18	C-YFBCL2060	C-YFBCR2060	2,778
21	66	18	C-YFBCL2066	C-YFBCR2066	2,851
21	72	18	C-YFBCL2072	C-YFBCR2072	2,925




36” - 48” Wide
(Open Right)



54” - 72” Wide
(Open Right)



Shared Overhead View
(Open Right)



Product is elevated
on 2 1/8” tall feet.

Specify

- Laminate Selection for Case
- Laminate Selection for Face

Notes

- Open right bookcase shown.
- See following pages for 28”, 42” and 50” height in comparable storage.
- Adjustable shelves have 6” of adjustability.

© 2026, AIS, Inc.


36” High Floor Cabinets


FOUR DOOR CABINETS – FULL DEPTH

H	W	D	Model Number	List
36	54	18	X-4CD365418	3,432
36	60	18	X-4CD366018	3,535
36	66	18	X-4CD366618	3,637
36	72	18	X-4CD367218	3,740
36	54	24	X-4CD365424	3,864
36	60	24	X-4CD366024	3,832
36	66	24	X-4CD366624	3,972
36	72	24	X-4CD367224	4,069

FOUR DOOR CABINETS – PARTIAL DEPTH

H	W	D	Model Number	List
36	54	23	X-4CD365423	3,708
36	60	23	X-4CD366023	3,810
36	66	23	X-4CD366623	3,913
36	72	23	X-4CD367223	4,016
36	54	29	X-4CD365429	3,902
36	60	29	X-4CD366029	4,008
36	66	29	X-4CD366629	4,113
36	72	29	X-4CD367229	4,212





No feet.
3/8” tall glides.

Specify

- Laminate Selection for Case
- Laminate Selection for Door/Face
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes


- See following pages for 28”, 42” and 50” height in comparable storage.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull not available on doors.Touch-to-open handle selection incurs a $50 upcharge per unit.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.
- Includes one adjustable shelf per opening with 6” of adjustability.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

21” High Floor Cabinets

TWO DOOR CABINETS

H	W	D	Model Number	List
21	24	18	X-CCD2024	2,163
21	30	18	X-CCD2030	2,258
21	36	18	X-CCD2036	2,432
21	42	18	X-CCD2042	2,523
21	48	18	X-CCD2048	2,624
21	24	24	X-CCD202424	2,292
21	30	24	X-CCD203024	2,388
21	36	24	X-CCD203624	2,562
21	42	24	X-CCD204224	2,653
21	48	24	X-CCD204824	2,753







No feet.
3/8” tall glides.

TWO DOOR CABINETS ON FEET

H	W	D	Model Number	List
21	24	18	C-CC202418L	2,246
21	30	18	C-CC203018L	2,342
21	36	18	C-CC203618L	2,516
21	42	18	C-CC204218L	2,608
21	48	18	C-CC204818L	2,707







Product is elevated
on 2 1/8” tall feet.

FOUR DOOR CABINETS

H	W	D	Model Number	List
21	54	18	X-CCD2054	3,198
21	60	18	X-CCD2060	3,294
21	66	18	X-CCD2066	3,390
21	72	18	X-CCD2072	3,485
21	54	24	X-CCD205424	3,326
21	60	24	X-CCD206024	3,423
21	66	24	X-CCD206624	3,519
21	72	24	X-CCD207224	3,616







No feet.
3/8” tall glides.

FOUR DOOR CABINETS ON FEET

H	W	D	Model Number	List
21	54	18	C-CC205418L	3,281
21	60	18	C-CC206018L	3,378
21	66	18	C-CC206618L	3,474
21	72	18	C-CC207218L	3,567





Product is elevated
on 2 1/8” tall feet.

Specify

- Laminate Selection for Case
- Laminate Selection for Door/Face
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes


- See following pages for 28”, 42” and 50” height in comparable storage.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull not available on doors.Touch-to-open handle selection incurs a $50 upcharge per unit.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.

© 2026, AIS, Inc.


21” High Floor Credenzas

CREDENZAS WITH SLIDING DOORS


			Left-Side Lock	Right-Side Lock	
H	W	D	Model Number	Model Number	List
21	30	18	X-CSDL2030	X-CSDR2030	2,417
21	36	18	X-CSDL2036	X-CSDR2036	2,483
21	42	18	X-CSDL2042	X-CSDR2042	2,551
21	48	18	X-CSDL2048	X-CSDR2048	2,623
21	54	18	X-CSDL2054	X-CSDR2054	2,981
21	60	18	X-CSDL2060	X-CSDR2060	3,054
21	66	18	X-CSDL2066	X-CSDR2066	3,120
21	72	18	X-CSDL2072	X-CSDR2072	3,188
21	30	24	X-CSDL203024	X-CSDR203024	2,548
21	36	24	X-CSDL203624	X-CSDR203624	2,613
21	42	24	X-CSDL204224	X-CSDR204224	2,679
21	48	24	X-CSDL204824	X-CSDR204824	2,752
21	54	24	X-CSDL205424	X-CSDR205424	3,110
21	60	24	X-CSDL206024	X-CSDR206024	3,182
21	66	24	X-CSDL206624	X-CSDR206624	3,248
21	72	24	X-CSDL207224	X-CSDR207224	3,318



36” - 48” Wide
(Left-Side Lock)




54” - 72” Wide
(Left-Side Lock)




No feet.
3/8” tall glides.

SHARED CREDENZAS WITH SLIDING DOORS


			Left-Side Lock	Right-Side Lock	
H	W	D	Model Number	Model Number	List
21	36	18	X-CBCSDSL211836	X-CBCSDSR211836	3,350
21	42	18	X-CBCSDSL211842	X-CBCSDSR211842	3,444
21	48	18	X-CBCSDSL211848	X-CBCSDSR211848	3,535
21	54	18	X-CBCSDSL211854	X-CBCSDSR211854	3,745
21	60	18	X-CBCSDSL211860	X-CBCSDSR211860	3,857
21	66	18	X-CBCSDSL211866	X-CBCSDSR211866	3,945
21	72	18	X-CBCSDSL211872	X-CBCSDSR211872	4,035




36” - 48” Wide
(Left-Side Lock)



54” - 72” Wide
(Left-Side Lock)



Shared Overhead View
(Open Left)



No feet.
3/8” tall glides.

Specify	Notes
• Laminate Selection for Case	• Left-side lock shown.
• Laminate Selection for Door/Face	• See following pages for 28”, 42” and 50” height in comparable storage.
• Handle Selection	• Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
• Handle Paint Selection	• Slim pull not available on doors. Sliding door units include the option of no handle.
• Lock Selection	• Lock cores and trim rings ship separately.
	• One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


21” High Floor Credenzas

CREDENZAS WITH SLIDING DOORS ON FEET


			Left-Side Lock	Right-Side Lock	
H	W	D	Model Number	Model Number	List
21	30	18	C-CS203018LL	C-CS203018RL	2,500
21	36	18	C-CS203618LL	C-CS203618RL	2,567
21	42	18	C-CS204218LL	C-CS204218RL	2,634
21	48	18	C-CS204818LL	C-CS204818RL	2,706
21	54	18	C-CS205418LL	C-CS205418RL	3,064
21	60	18	C-CS206018LL	C-CS206018RL	3,138
21	66	18	C-CS206618LL	C-CS206618RL	3,203
21	72	18	C-CS207218LL	C-CS207218RL	3,270



30” - 48” Wide
(Left-Side Lock)




54” - 72” Wide
(Left-Side Lock)




Product is elevated
on 2 1/8” tall feet.

SHARED CREDENZAS WITH SLIDING DOORS ON FEET


			Left-Side Lock	Right-Side Lock	
H	W	D	Model Number	Model Number	List
21	36	18	C-YFBCSDL2036	C-YFBCSDR2036	3,433
21	42	18	C-YFBCSDL2042	C-YFBCSDR2042	3,529
21	48	18	C-YFBCSDL2048	C-YFBCSDR2048	3,619
21	54	18	C-CBCSDSL211854	C-CBCSDSR211854	3,829
21	60	18	C-YFBCSDL2060	C-YFBCSDR2060	3,941
21	66	18	C-YFBCSDL2066	C-YFBCSDR2066	4,031
21	72	18	C-YFBCSDL2072	C-YFBCSDR2072	4,119




36” - 48” Wide
(Left-Side Lock)



54” - 72” Wide
(Left-Side Lock)



Shared Overhead View
(Open Left)



Product is elevated
on 2 1/8” tall feet.


Specify	Notes
• Laminate Selection for Case • Laminate Selection for Door/Face • Handle Selection • Handle Paint Selection • Lock Selection	• Left-side lock shown. • See following pages for 28”, 42” and 50” height in comparable storage. • Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge. • Slim pull not available on doors. Sliding door units include the option of no handle. • Lock cores and trim rings ship separately. • One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.

© 2026, AIS, Inc.


21” High Combo Units with BF Pedestal and Bookcase

COMBO UNITS WITH BF PEDESTAL AND BOOKCASE


			Bookcase Left	Bookcase Right	
H	W	D	Model Number	Model Number	List
21	30	18	X-BFCBCR213018	X-BFCBCL213018	2,695
21	36	18	X-BFCBCR213618	X-BFCBCL213618	2,857
21	42	18	X-BFCBCR214218	X-BFCBCL214218	3,019
21	48	18	X-BFCBCR214818	X-BFCBCL214818	3,100
21	54	18	X-BFCBCR215418	X-BFCBCL215418	3,755
21	60	18	X-BFCBCR216018	X-BFCBCL216018	3,836
21	66	18	X-BFCBCR216618	X-BFCBCL216618	4,133
21	72	18	X-BFCBCR217218	X-BFCBCL217218	4,211
21	30	24	X-BFCBCR213024	X-BFCBCL213024	2,885
21	36	24	X-BFCBCR213624	X-BFCBCL213624	3,049
21	42	24	X-BFCBCR214224	X-BFCBCL214224	3,210
21	48	24	X-BFCBCR214824	X-BFCBCL214824	3,297
21	54	24	X-BFCBCR215424	X-BFCBCL215424	4,013
21	60	24	X-BFCBCR216024	X-BFCBCL216024	4,099
21	66	24	X-BFCBCR216624	X-BFCBCL216624	4,400
21	72	24	X-BFCBCR217224	X-BFCBCL217224	4,476



30” - 48” Wide
(Bookcase Left)



54” - 72” Wide
(Bookcase Right)




No feet.
3/8” tall glides.

COMBO UNITS WITH BF PEDESTAL AND BOOKCASE ON FEET


			Bookcase Left	Bookcase Right	
H	W	D	Model Number	Model Number	List
21	30	18	C-BFCBCR213018	C-BFCBCL213018	2,864
21	36	18	C-BFCBCR213618	C-BFCBCL213618	3,023
21	42	18	C-BFCBCR214218	C-BFCBCL214218	3,188
21	48	18	C-BFCBCR214818	C-BFCBCL214818	3,350
21	54	18	C-BFCBCR215418	C-BFCBCL215418	3,923
21	60	18	C-BFCBCR216018	C-BFCBCL216018	4,002
21	66	18	C-BFCBCR216618	C-BFCBCL216618	4,304
21	72	18	C-BFCBCR217218	C-BFCBCL217218	4,375
21	30	24	C-BFCBCR213024	C-BFCBCL213024	2,969
21	36	24	C-BFCBCR213624	C-BFCBCL213624	3,132
21	42	24	C-BFCBCR214224	C-BFCBCL214224	3,293
21	48	24	C-BFCBCR214824	C-BFCBCL214824	3,466
21	54	24	C-BFCBCR215424	C-BFCBCL215424	4,178
21	60	24	C-BFCBCR216024	C-BFCBCL216024	4,267
21	66	24	C-BFCBCR216624	C-BFCBCL216624	4,569
21	72	24	C-BFCBCR217224	C-BFCBCL217224	4,642



30” - 48” Wide
(Bookcase Left)



54” - 72” Wide
(Bookcase Right)



Product is elevated
on 2 1/8” tall feet.

Specify	Notes
• Laminate Selection for Case • Laminate Selection for Face/Drawer • Handle Selection • Handle Paint Selection • Lock Selection	• On sizes 36” - 48” wide, pedestal width is 15.78 wide. On sizes 54” - 72” wide, drawer width is 30” wide. • 66” and 72” wide units will have a center divider in the bookcase due to the width of the shelf. • Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge. • Slim pull incurs a $75 upcharge. • Lock cores and trim rings ship separately. • One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section. • Includes adjustable shelf with 6” of adjustability. • Pencil tray included.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

21” High Non-Powered Wall Access Cabinets


NON-POWERED WALL ACCESS CABINETS WITH CLOSED BACK

H	W	D	Model Number	List
21	24	18	X-ACCB212418	1,792
21	30	18	X-ACCB213018	1,869
21	24	24	X-ACCB212424	1,817
21	30	24	X-ACCB213024	1,896



NON-POWERED WALL ACCESS CABINETS WITH OPEN BACK

H	W	D	Model Number	List
21	24	18	X-ACOB212418	1,970
21	30	18	X-ACOB213018	2,047
21	24	24	X-ACOB212424	1,994
21	30	24	X-ACOB213024	2,068



Specify

- Laminate Selection for Case

Notes


- Use under fixed-height runoffs, floating runoffs or stack-on desks for cable/power storage & access.
- Closed back units include a removable panel for access.
- Access opening comes in unfinished edge (no edge banding).

© 2026, AIS, Inc.


21” High Powered Access Cabinets

POWERED ACCESS CABINETS WITH CLOSED BACK

H	W	D	Left Model Number	Right Model Number	List	Corded Power	Hardwired Power
21	24	18	X-ACCBLP212418	X-ACCBRP212418	1,792	+998	+1,324
21	30	18	X-ACCBLP213018	X-ACCBRP213018	1,869	+998	+1,324
21	24	24	X-ACCBLP212424	X-ACCBRP212424	1,817	+998	+1,324
21	30	24	X-ACCBLP213024	X-ACCBRP213024	1,896	+998	+1,324




Left




Right

POWERED ACCESS CABINETS WITH OPEN BACK

H	W	D	Left Model Number	Right Model Number	List	Corded Power	Hardwired Power
21	24	18	X-ACOBLP212418	X-ACOBRP212418	1,970	+998	+1,324
21	30	18	X-ACOBLP213018	X-ACOBRP213018	2,047	+998	+1,324
21	24	24	X-ACOBLP212424	X-ACOBRP212424	1,994	+998	+1,324
21	30	24	X-ACOBLP213024	X-ACOBRP213024	2,068	+998	+1,324



Left



Right

Specify


- Laminate Selection for Case
- Color Selection for Power Unit - Black, Silver, White

Notes

- Access opening comes in unfinished edge (no edge banding).


DOUBLE POWERED ACCESS CABINETS WITH CLOSED BACK

H	W	D	Model Number	List	2 Cord Power	1 Cord Power	Hardwired Power
21	30	18	X-ACCBDP213018	1,869	+1,998	+3,824	+3,976
21	30	24	X-ACCBDP213024	1,896	+1,998	+3,824	+3,976



DOUBLE POWERED ACCESS CABINETS WITH OPEN BACK

H	W	D	Model Number	List	2 Cord Power	1 Cord Power	Hardwired Power
21	30	18	X-ACOBDP213018	2,047	+1,998	+3,824	+3,976
21	30	24	X-ACOBDP213024	2,068	+1,998	+3,824	+3,976



Specify

- Laminate Selection for Case
- Color Selection for Power Units - Black, Silver, White

Notes

- Use under fixed-height runoffs, floating runoffs or stack-on desks for cable/power storage & access.
- Closed back units include a removable panel for access.
- Access openings have unfinished edge (no edge banding).


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.


28” High BBF Pedestals

BBF PEDESTALS


H	W	D	Depth	Counterweight	Model Number	List
28	12	18	Full	Y	X-BBFPFS182812	1,845
28	12	23	Partial	N	X-BBFPFS232812	1,984
28	12	24	Full	Y	X-BBFPFS242812	2,000
28	12	29	Partial	N	X-BBFPFS292812	2,037
28	12	30	Full	Y	X-BBFPFS302812	2,063
28	16	18	Full	Y	X-BBFPFS18	2,047
28	16	23	Partial	N	X-BBFPFS23	2,204
28	16	24	Full	Y	X-BBFPFS24	2,220
28	16	29	Partial	N	X-BBFPFS29	2,260
28	16	30	Full	Y	X-BBFPFS30	2,290
28	18	18	Full	Y	X-BBFPFS182818	2,252
28	18	23	Partial	N	X-BBFPFS232818	2,424
28	18	24	Full	Y	X-BBFPFS242818	2,440
28	18	29	Partial	N	X-BBFPFS292818	2,487
28	18	30	Full	Y	X-BBFPFS302818	2,520
28	24	18	Full	Y	X-BBFPFS182824	2,478
28	24	23	Partial	N	X-BBFPFS232824	2,666
28	24	24	Full	Y	X-BBFPFS242824	2,685
28	24	29	Partial	N	X-BBFPFS292824	2,737
28	24	30	Full	Y	X-BBFPFS302824	2,772


12” Wide


16” Wide


18” Wide


24” Wide


No feet.
3/8” tall glides.

BBF PEDESTALS ON FEET


H	W	D	Depth	Counterweight	Model Number	List
28	12	18	Full	Y	C-BBFPFS182812	1,919
28	12	23	Partial	N	C-BBFPFS232812	2,061
28	12	24	Full	Y	C-BBFPFS242812	2,076
28	12	29	Partial	N	C-BBFPFS292812	2,110
28	12	30	Full	Y	C-BBFPFS302812	2,137
28	16	18	Full	Y	C-BBFPFS18	2,131
28	16	23	Partial	N	C-BBFPFS23	2,287
28	16	24	Full	Y	C-BBFPFS24	2,302
28	16	29	Partial	N	C-BBFPFS29	2,344
28	16	30	Full	Y	C-BBFPFS30	2,374
28	18	18	Full	Y	C-BBFPFS182818	2,342
28	18	23	Partial	N	C-BBFPFS232818	2,516
28	18	24	Full	Y	C-BBFPFS242818	2,533
28	18	29	Partial	N	C-BBFPFS292818	2,579
28	18	30	Full	Y	C-BBFPFS302818	2,612
28	24	18	Full	Y	C-BBFPFS182824	2,578
28	24	23	Partial	N	C-BBFPFS232824	2,769
28	24	24	Full	Y	C-BBFPFS242824	2,788
28	24	29	Partial	N	C-BBFPFS292824	2,838
28	24	30	Full	Y	C-BBFPFS302824	2,873


12” Wide


16” Wide


18” Wide


24” Wide


Product is elevated on 2 1/8” tall feet.


Specify	Notes
• Laminate Selection for Case	• See Product Details for more information on how to specify Full and Partial depth.
• Laminate Selection for Face/Drawer	• No caster options available, see 20” BF Pedestal on Feet if mobile pedestals sought.
• Handle Selection	• For functional loads see Universal Storage Product Details.
• Handle Paint Selection	• Partial Depth required when modesty is applied.
• Lock Selection	• Select sizes available on quick ship Calibrate Countdown program. See Calibrate Countdown price list for full details.
	• Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
	• Slim pull incurs a $75 upcharge.
	• Lock cores and trim rings ship separately.
	• One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.
	• Pencil tray included.


© 2026, AIS, Inc.


28” High Cubby BF Pedestals


CUBBY BF PEDESTALS


H	W	D	Depth	Counterweight	Model Number	List
28	12	18	Full	Y	X-BFC281218	1,515
28	12	23	Partial	N	X-BFC281223	1,629
28	12	24	Full	Y	X-BFC281224	1,643
28	12	29	Partial	N	X-BFC281229	1,673
28	12	30	Full	Y	X-BFC281230	1,695
28	16	18	Full	Y	X-BFC281618	1,681
28	16	23	Partial	N	X-BFC281623	1,810
28	16	24	Full	Y	X-BFC281624	1,823
28	16	29	Partial	N	X-BFC281629	1,856
28	16	30	Full	Y	X-BFC281630	1,881
28	18	18	Full	Y	X-BFC281818	1,849
28	18	23	Partial	N	X-BFC281823	1,991
28	18	24	Full	Y	X-BFC281824	2,004
28	18	29	Partial	N	X-BFC281829	2,042
28	18	30	Full	Y	X-BFC281830	2,069
28	24	18	Full	Y	X-BFC282418	2,035
28	24	23	Partial	N	X-BFC282423	2,189
28	24	24	Full	Y	X-BFC282424	2,205
28	24	29	Partial	N	X-BFC282429	2,248
28	24	30	Full	Y	X-BFC282430	2,277


12” Wide


16” Wide



18” Wide


24” Wide


No feet.
3/8” tall glides.


CUBBY BF PEDESTALS ON FEET


H	W	D	Depth	Counterweight	Model Number	List
28	12	18	Full	Y	C-BFC281218	1,576
28	12	23	Partial	N	C-BFC281223	1,693
28	12	24	Full	Y	C-BFC281224	1,705
28	12	29	Partial	N	C-BFC281229	1,733
28	12	30	Full	Y	C-BFC281230	1,755
28	16	18	Full	Y	C-BFC281618	1,750
28	16	23	Partial	N	C-BFC281623	1,878
28	16	24	Full	Y	C-BFC281624	1,891
28	16	29	Partial	N	C-BFC281629	1,925
28	16	30	Full	Y	C-BFC281630	1,950
28	18	18	Full	Y	C-BFC281818	1,923
28	18	23	Partial	N	C-BFC281823	2,066
28	18	24	Full	Y	C-BFC281824	2,080
28	18	29	Partial	N	C-BFC281829	2,118
28	18	30	Full	Y	C-BFC281830	2,145
28	24	18	Full	Y	C-BFC282418	2,117
28	24	23	Partial	N	C-BFC282423	2,274
28	24	24	Full	Y	C-BFC282424	2,290
28	24	29	Partial	N	C-BFC282429	2,331
28	24	30	Full	Y	C-BFC282430	2,359


12” Wide


16” Wide


18” Wide


24” Wide


Product is elevated
on 2 1/8” tall feet.

Specify

- Laminate Selection for Case
- Laminate Selection for Face/Drawer
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes


- See Product Details for more information on how to specify Full and Partial depth.
- No caster options available, see 20” BF Pedestal on Feet if mobile pedestals sought.
- For functional loads see Universal Storage Product Details.
- Partial Depth required when modesty is applied.
- Select sizes available on quick ship Calibrate Countdown program. See Calibrate Countdown price list for full details.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull incurs a $75 upcharge.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.
- Pencil tray included.
- Cubby opening is 6” high.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


28” High FF Pedestals

FF PEDESTALS


H	W	D	Depth	Counterweight	Model Number	List
28	12	18	Full	Y	X-FFPFS182812	1,809
28	12	23	Partial	N	X-FFPFS232812	1,925
28	12	24	Full	Y	X-FFPFS242812	1,947
28	12	29	Partial	N	X-FFPFS292812	1,979
28	12	30	Full	Y	X-FFPFS302812	1,994
28	16	18	Full	Y	X-FFPFS18	2,008
28	16	23	Partial	N	X-FFPFS23	2,137
28	16	24	Full	Y	X-FFPFS24	2,163
28	16	29	Partial	N	X-FFPFS29	2,199
28	16	30	Full	Y	X-FFPFS30	2,214
28	18	18	Full	Y	X-FFPFS182818	2,133
28	18	23	Partial	N	X-FFPFS232818	2,272
28	18	24	Full	Y	X-FFPFS242818	2,297
28	18	29	Partial	N	X-FFPFS292818	2,336
28	18	30	Full	Y	X-FFPFS302818	2,355
28	24	18	Full	Y	X-FFPFS182824	2,345
28	24	23	Partial	N	X-FFPFS232824	2,499
28	24	24	Full	Y	X-FFPFS242824	2,527
28	24	29	Partial	N	X-FFPFS292824	2,569
28	24	30	Full	Y	X-FFPFS302824	2,590


12” Wide


16” Wide



18” Wide


24” Wide


No feet.
3/8” tall glides.

FF PEDESTALS ON FEET


H	W	D	Depth	Counterweight	Model Number	List
28	12	18	Full	Y	C-FFPFS182812	1,884
28	12	23	Partial	N	C-FFPFS232812	2,002
28	12	24	Full	Y	C-FFPFS242812	2,064
28	12	29	Partial	N	C-FFPFS292812	2,057
28	12	30	Full	Y	C-FFPFS302812	2,067
28	16	18	Full	Y	C-FFPFS18	2,091
28	16	23	Partial	N	C-FFPFS23	2,221
28	16	24	Full	Y	C-FFPFS24	2,294
28	16	29	Partial	N	C-FFPFS29	2,284
28	16	30	Full	Y	C-FFPFS30	2,297
28	18	18	Full	Y	C-FFPFS182818	2,221
28	18	23	Partial	N	C-FFPFS232818	2,359
28	18	24	Full	Y	C-FFPFS242818	2,438
28	18	29	Partial	N	C-FFPFS292818	2,427
28	18	30	Full	Y	C-FFPFS302818	2,442
28	24	18	Full	Y	C-FFPFS182824	2,442
28	24	23	Partial	N	C-FFPFS232824	2,596
28	24	24	Full	Y	C-FFPFS242824	2,681
28	24	29	Partial	N	C-FFPFS292824	2,667
28	24	30	Full	Y	C-FFPFS302824	2,687


12” Wide


18” Wide


18” Wide


24” Wide


Product is elevated
on 2 1/8” tall feet.


Specify	Notes
• Laminate Selection for Case	• See Product Details for more information on how to specify Full and Partial depth.
• Laminate Selection for Face/Drawer	• No caster options available, see 20” BF Pedestal on Feet if mobile pedestals sought.
• Handle Selection	• For functional loads see Universal Storage Product Details.
• Handle Paint Selection	• Partial Depth required when modesty is applied.
• Lock Selection	• Select sizes available on quick ship Calibrate Countdown program. See Calibrate Countdown price list for full details.
	• Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
	• Slim pull incurs a $75 upcharge.
	• Lock cores and trim rings ship separately.
	• One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.


© 2026, AIS, Inc.

28” High BBF Laterals

BBF LATERALS

H	W	D	Depth	Counterweight	Model Number	List
28	30	18	Full	Y	X-BBFLAT3018	3,566
28	36	18	Full	Y	X-BBFLAT3618	3,768
28	42	18	Full	Y	X-BBFLAT4218	3,951
28	30	23	Partial	N	X-BBFLAT3023	3,750
28	36	23	Partial	N	X-BBFLAT3623	4,132
28	42	23	Partial	N	X-BBFLAT4223	4,275
28	30	24	Full	Y	X-BBFLAT3024	3,933
28	36	24	Full	Y	X-BBFLAT3624	4,166
28	42	24	Full	Y	X-BBFLAT4224	4,309
28	30	29	Partial	N	X-BBFLAT3029	4,005
28	36	29	Partial	N	X-BBFLAT3629	4,247
28	42	29	Partial	N	X-BBFLAT4229	4,376






No feet.
3/8” tall glides.

BBF LATERALS ON FEET

H	W	D	Depth	Counterweight	Model Number	List
28	30	18	Full	Y	C-BBFLAT3018	3,566
28	36	18	Full	Y	C-BBFLAT3618	3,853
28	42	18	Full	Y	C-BBFLAT4218	4,036
28	30	23	Partial	N	C-BBFLAT3023	3,835
28	36	23	Partial	N	C-BBFLAT3623	4,216
28	42	23	Partial	N	C-BBFLAT4223	4,358
28	30	24	Full	Y	C-BBFLAT3024	3,933
28	36	24	Full	Y	C-BBFLAT3624	4,250
28	42	24	Full	Y	C-BBFLAT4224	4,393
28	30	29	Partial	N	C-BBFLAT3029	4,089
28	36	29	Partial	N	C-BBFLAT3629	4,330
28	42	29	Partial	N	C-BBFLAT4229	4,482





Product is elevated
on 2 1/8” tall feet.

Specify

- Laminate Selection for Case
- Laminate Selection for Face/Drawer
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes

- See Product Details for more information on how to specify Full and Partial depth. For functional loads see Universal Storage Product Details.
- Partial Depth required when modesty is applied.
- Select sizes available on quick ship Calibrate Countdown program. See Calibrate Countdown price list for full details.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull incurs a $75 upcharge.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

28” High Cubby BF Laterals

CUBBY BF LATERALS

H	W	D	Depth	Counterweight	Model Number	List
28	30	18	Full	Y	X-BFC283018	2,929
28	36	18	Full	Y	X-BFC283618	3,094
28	42	18	Full	Y	X-BFC284218	3,245
28	30	23	Partial	N	X-BFC283023	3,080
28	36	23	Partial	N	X-BFC283623	3,394
28	42	23	Partial	N	X-BFC284223	3,511
28	30	24	Full	Y	X-BFC283024	3,230
28	36	24	Full	Y	X-BFC283624	3,422
28	42	24	Full	Y	X-BFC284224	3,539
28	30	29	Partial	N	X-BFC283029	3,289
28	36	29	Partial	N	X-BFC283629	3,556
28	42	29	Partial	N	X-BFC284229	3,681






No feet.
3/8” tall glides.

CUBBY BF LATERALS ON FEET

H	W	D	Depth	Counterweight	Model Number	List
28	30	18	Full	Y	C-BFC283018	2,929
28	36	18	Full	Y	C-BFC283618	3,164
28	42	18	Full	Y	C-BFC284218	3,315
28	30	23	Partial	N	C-BFC283023	3,150
28	36	23	Partial	N	C-BFC283623	3,463
28	42	23	Partial	N	C-BFC284223	3,579
28	30	24	Full	Y	C-BFC283024	3,230
28	36	24	Full	Y	C-BFC283624	3,491
28	42	24	Full	Y	C-BFC284224	3,863
28	30	29	Partial	N	C-BFC283029	3,358
28	36	29	Partial	N	C-BFC283629	3,556
28	42	29	Partial	N	C-BFC284229	3,681





Product is elevated
on 2 1/8” tall feet.

Specify

- Laminate Selection for Case
- Laminate Selection for Face/Drawer
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes


- See Product Details for more information on how to specify Full and Partial depth. For functional loads see Universal Storage Product Details.
- Partial Depth required when modesty is applied.
- Select sizes available on quick ship Calibrate Countdown program. See Calibrate Countdown price list for full details.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull incurs a $75 upcharge.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.
- Cubby opening is 6” high.


© 2026, AIS, Inc.

28” High Two Drawer Laterals

TWO DRAWER LATERALS

H	W	D	Depth	Counterweight	Model Number	List
28	30	18	Full	Y	X-LAT2DFS3018	3,330
28	36	18	Full	Y	X-LAT2DFS3618	3,531
28	42	18	Full	Y	X-LAT2DFS4218	3,731
28	30	23	Partial	N	X-LAT2DFS3023	3,587
28	36	23	Partial	N	X-LAT2DFS3623	3,812
28	42	23	Partial	N	X-LAT2DFS4223	4,034
28	30	24	Full	Y	X-LAT2DFS3024	3,618
28	36	24	Full	Y	X-LAT2DFS3624	3,844
28	42	24	Full	Y	X-LAT2DFS4224	4,068
28	30	29	Partial	N	X-LAT2DFS3029	3,735
28	36	29	Partial	N	X-LAT2DFS3629	3,973
28	42	29	Partial	N	X-LAT2DFS4229	4,202







No feet.
3/8" tall glides.

TWO DRAWER LATERALS ON FEET

H	W	D	Depth	Counterweight	Model Number	List
28	30	18	Full	Y	C-LAT2D1830	3,415
28	36	18	Full	Y	C-LAT2D1836	3,615
28	42	18	Full	Y	C-LAT2D1842	3,813
28	30	23	Partial	N	C-LAT2DFS3023	3,671
28	36	23	Partial	N	C-LAT2DFS3623	3,896
28	42	23	Partial	N	C-LAT2DFS4223	4,117
28	30	24	Full	Y	C-LAT2D2430	3,700
28	36	24	Full	Y	C-LAT2D2436	3,926
28	42	24	Full	Y	C-LAT2D2442	4,152
28	30	29	Partial	N	C-LAT2DFS3029	3,817
28	36	29	Partial	N	C-LAT2DFS3629	4,055
28	42	29	Partial	N	C-LAT2DFS4229	4,284





Product is elevated
on 2 1/8" tall feet.

Specify

- Laminate Selection for Case
- Laminate Selection for Face/Drawer
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes

- See Product Details for more information on how to specify Full and Partial depth. For functional loads see Universal Storage Product Details.
- Partial Depth required when modesty is applied.
- Select sizes available on quick ship Calibrate Countdown program. See Calibrate Countdown price list for full details.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull incurs a $75 upcharge.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

28” High Cubby F Laterals

CUBBY F LATERALS

H	W	D	Depth	Counterweight	Model Number	List
28	30	18	Full	Y	X-LATCF3018	2,735
28	36	18	Full	Y	X-LATCF3618	2,900
28	42	18	Full	Y	X-LATCF4218	3,064
28	30	23	Partial	N	X-LATCF3023	2,946
28	36	23	Partial	N	X-LATCF3623	3,131
28	42	23	Partial	N	X-LATCF4223	3,313
28	30	24	Full	Y	X-LATCF3024	2,971
28	36	24	Full	Y	X-LATCF3624	3,157
28	42	24	Full	Y	X-LATCF4224	3,341
28	30	29	Partial	N	X-LATCF3029	3,067
28	36	29	Partial	N	X-LATCF3629	3,263
28	42	29	Partial	N	X-LATCF4229	3,451






No feet.
3/8" tall glides.

CUBBY F LATERALS ON FEET

H	W	D	Depth	Counterweight	Model Number	List
28	30	18	Full	Y	C-LATCF3018	2,805
28	36	18	Full	Y	C-LATCF3618	2,969
28	42	18	Full	Y	C-LATCF4218	3,132
28	30	23	Partial	N	C-LATCF3023	3,015
28	36	23	Partial	N	C-LATCF3623	3,200
28	42	23	Partial	N	C-LATCF4223	3,381
28	30	24	Full	Y	C-LATCF3024	3,038
28	36	24	Full	Y	C-LATCF3624	3,225
28	42	24	Full	Y	C-LATCF4224	3,410
28	30	29	Partial	N	C-LATCF3029	3,134
28	36	29	Partial	N	C-LATCF3629	3,330
28	42	29	Partial	N	C-LATCF4229	3,519





Product is elevated
on 2 1/8" tall feet.

Specify

- Laminate Selection for Case
- Laminate Selection for Face/Drawer
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes


- See Product Details for more information on how to specify Full and Partial depth. For functional loads see Universal Storage Product Details.
- Partial Depth required when modesty is applied.
- Select sizes available on quick ship Calibrate Countdown program. See Calibrate Countdown price list for full details.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull incurs a $75 upcharge.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.
- Cubby opening is 12 1/2” high.

© 2026, AIS, Inc.

28” High Floor Bookcases

FLOOR BOOKCASES


H	W	D	Model Number	List
28	24	14	X-CBC282414	1,667
28	30	14	X-CBC283014	1,740
28	36	14	X-CBC283614	2,043
28	42	14	X-CBC284214	2,109
28	48	14	X-CBC284814	2,187
28	54	14	X-CBC285414	2,568
28	60	14	X-CBC286014	2,644
28	66	14	X-CBC286614	2,715
28	72	14	X-CBC287214	2,787
28	24	18	X-CBC282418	1,744
28	30	18	X-CBC283018	1,827
28	36	18	X-CBC283618	2,161
28	42	18	X-CBC284218	2,242
28	48	18	X-CBC284818	2,329
28	54	18	X-CBC285418	2,753
28	60	18	X-CBC286018	2,838
28	66	18	X-CBC286618	2,923
28	72	18	X-CBC287218	3,004
28	24	24	X-CBC282424	1,765
28	30	24	X-CBC283024	1,852
28	36	24	X-CBC283624	2,203
28	42	24	X-CBC284224	2,290
28	48	24	X-CBC284824	2,388
28	54	24	X-CBC285424	2,836
28	60	24	X-CBC286024	2,931
28	66	24	X-CBC286624	3,022
28	72	24	X-CBC287224	3,114



24” - 30” Wide 36” - 48” Wide 54” - 72” Wide No feet. 3/8” tall glides.

FLOOR BOOKCASES ON FEET

H	W	D	Model Number	List
28	24	14	C-BC272414	1,750
28	30	14	C-BC273014	1,823
28	36	14	C-BC273614	2,126
28	42	14	C-BC274214	2,196
28	48	14	C-BC274814	2,272
28	54	14	C-BC275414	2,653
28	60	14	C-BC276014	2,729
28	66	14	C-BC276614	2,799
28	72	14	C-BC277214	2,871
28	24	18	C-BC272418	1,827
28	30	18	C-BC273018	1,911
28	36	18	C-BC273618	2,244
28	42	18	C-BC274218	2,325
28	48	18	C-BC274818	2,414
28	54	18	C-BC275418	2,836
28	60	18	C-BC276018	2,923
28	66	18	C-BC276618	3,006
28	72	18	C-BC277218	3,087
28	24	24	C-BC272424	1,843
28	30	24	C-BC273024	1,934
28	36	24	C-BC273624	2,284
28	42	24	C-BC274224	2,371
28	48	24	C-BC274824	2,468
28	54	24	C-BC275424	2,886
28	60	24	C-BC276024	3,011
28	66	24	C-BC276624	3,102
28	72	24	C-BC277224	3,195



24” - 30” Wide 36” - 48” Wide 54” - 72” Wide Product is elevated on 2 1/8” tall feet.

Specify

- Laminate Selection for Unit

Notes

- Adjustable shelves have 6” of adjustability.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


28” High Shared Floor Bookcases

SHARED FLOOR BOOKCASES


			Open Left	Open Right	
H	W	D	Model Number	Model Number	List
28	36	18	X-CBCSL283618	X-CBCSR283618	2,214
28	42	18	X-CBCSL284218	X-CBCSR284218	2,299
28	48	18	X-CBCSL284818	X-CBCSR284818	2,383
28	54	18	X-CBCSL285418	X-CBCSR285418	2,828
28	60	18	X-CBCSL286018	X-CBCSR286018	2,923
28	66	18	X-CBCSL286618	X-CBCSR286618	2,985
28	72	18	X-CBCSL287218	X-CBCSR287218	3,067




36” - 48” Wide
(Open Right)



54” - 72” Wide
(Open Right)




Shared Overhead View
(Open Right)




No feet.
3/8” tall glides.

SHARED FLOOR BOOKCASES ON FEET


			Open Left	Open Right	
H	W	D	Model Number	Model Number	List
28	36	18	C-YFBCL2736	C-YFBCR2736	2,297
28	42	18	C-YFBCL2742	C-YFBCR2742	2,384
28	48	18	C-YFBCL2748	C-YFBCR2748	2,467
28	54	18	C-CBCSL285418	C-CBCSR285418	2,913
28	60	18	C-YFBCL2760	C-YFBCR2760	3,006
28	66	18	C-YFBCL2766	C-YFBCR2766	3,067
28	72	18	C-YFBCL2772	C-YFBCR2772	3,152




36” - 48” Wide
(Open Right)



60” - 72” Wide
(Open Right)



Shared Overhead View
(Open Right)



Product is elevated
on 2 1/8” tall feet.

Specify

- Laminate Selection for Case
- Laminate for Face

Notes


- Open right bookcase shown.
- Adjustable shelves have 6” of adjustability.


© 2026, AIS, Inc.

28” High Two Door Cabinets

TWO DOOR CABINETS

H	W	D	Depth	Model Number	List
28	24	18	Full	X-DDC2418	2,247
28	30	18	Full	X-DDC3018	2,353
28	36	18	Full	X-DDC3618	2,442
28	42	18	Full	X-DDC4218	2,547
28	48	18	Full	X-DDC4818	2,649
28	24	23	Partial	X-DDC2423	2,473
28	30	23	Partial	X-DDC3023	2,595
28	36	23	Partial	X-DDC3623	2,695
28	42	23	Partial	X-DDC4223	2,805
28	48	23	Partial	X-DDC4823	2,926
28	24	24	Full	X-DDC2424	2,512
28	30	24	Full	X-DDC3024	2,634
28	36	24	Full	X-DDC3624	2,743
28	42	24	Full	X-DDC4224	2,861
28	48	24	Full	X-DDC4824	2,982
28	24	29	Partial	X-DDC2429	2,607
28	30	29	Partial	X-DDC3029	2,742
28	36	29	Partial	X-DDC3629	2,862
28	42	29	Partial	X-DDC4229	2,986
28	48	29	Partial	X-DDC4829	3,124







No feet.
3/8” tall glides.

TWO DOOR CABINETS ON FEET

H	W	D	Depth	Model Number	List
28	24	18	Full	C-DDC2418	2,332
28	30	18	Full	C-DDC3018	2,436
28	36	18	Full	C-DDC3618	2,526
28	42	18	Full	C-DDC4218	2,626
28	48	18	Full	C-DDC4818	2,735
28	24	23	Partial	C-DDC2423	2,557
28	30	23	Partial	C-DDC3023	2,677
28	36	23	Partial	C-DDC3623	2,779
28	42	23	Partial	C-DDC4223	2,888
28	48	23	Partial	C-DDC4823	3,011
28	24	24	Full	C-DDC2424	2,596
28	30	24	Full	C-DDC3024	2,715
28	36	24	Full	C-DDC3624	2,826
28	42	24	Full	C-DDC4224	2,942
28	48	24	Full	C-DDC4824	3,065
28	24	29	Partial	C-DDC2429	2,691
28	30	29	Partial	C-DDC3029	2,825
28	36	29	Partial	C-DDC3629	2,943
28	42	29	Partial	C-DDC4229	3,068
28	48	29	Partial	C-DDC4829	3,209





Product is elevated
on 2 1/8” tall feet.

Specify

- Laminate Selection for Case
- Laminate Selection for Front
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes

- Units feature an adjustable shelf.
- See Product Details for more information on how to specify Full and Partial depth.
- Partial Depth required when modesty is applied. Includes 6” of adjustability.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull not available on doors.Touch-to-open handle selection incurs a $50 upcharge per unit.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

28” High Four Door Cabinets

FOUR DOOR CABINETS

H	W	D	Model Number	List
28	54	18	X-4DC5418	3,301
28	60	18	X-4DC6018	3,406
28	66	18	X-4DC6618	3,509
28	72	18	X-4DC7218	3,612
28	54	22	X-4DC5423	3,577
28	60	22	X-4DC6023	3,681
28	66	22	X-4DC6623	3,783
28	72	22	X-4DC7223	3,888
28	54	24	X-4DC5424	3,631
28	60	24	X-4DC6024	3,736
28	66	24	X-4DC6624	3,841
28	72	24	X-4DC7224	3,940
28	54	28	X-4DC5429	3,773
28	60	28	X-4DC6029	3,880
28	66	28	X-4DC6629	3,982
28	72	28	X-4DC7229	4,083







No feet.
3/8” tall glides.

FOUR DOOR CABINETS ON FEET

H	W	D	Model Number	List
28	54	18	C-4DC5418	3,386
28	60	18	C-4DC6018	3,489
28	66	18	C-4DC6618	3,590
28	72	18	C-4DC7218	3,693
28	54	22	C-4DC5423	3,661
28	60	22	C-4DC6023	3,766
28	66	22	C-4DC6623	3,866
28	72	22	C-4DC7223	3,971
28	54	24	C-4DC5424	3,716
28	60	24	C-4DC6024	3,820
28	66	24	C-4DC6624	3,924
28	72	24	C-4DC7224	4,023
28	54	28	C-4DC5429	3,857
28	60	28	C-4DC6029	3,960
28	66	28	C-4DC6629	4,068
28	72	28	C-4DC7229	4,166





Product is elevated
on 2 1/8” tall feet.

Specify

- Laminate Selection for Case
- Laminate Selection for Front
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes


- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull not available on doors.Touch-to-open handle selection incurs a $50 upcharge per unit.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.
- Includes one adjustable shelf per opening with 6” of adjustability.

© 2026, AIS, Inc.


28” High Single Door Cabinets and Credenzas with Cabinet Doors

SINGLE DOOR CABINETS

			Left-Hinge	Right-Hinge	
H	W	D	Model Number	Model Number	List
28	15	18	X-SDCL2718	X-SDCR2718	1,898
28	15	24	X-SDCL2724	X-SDCR2724	1,989
28	15	30	X-SDCL2730	X-SDCR2730	2,080




(Right Hinge)




No feet.
3/8” tall glides.

SINGLE DOOR CABINETS ON FEET

			Hinge Left	Hinge Right	
H	W	D	Model Number	Model Number	List
28	15.5	18	C-SDC271518LL	C-SDC271518RL	1,980
28	15.5	24	C-SDC271524LL	C-SDC271524RL	2,070
28	15.5	30	C-SDC271530LL	C-SDC271530RL	2,163



(Right Hinge)



Product is elevated
on 2 1/8” tall feet.

Specify


- Laminate Selection for Case
- Laminate Selection for Front
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes


- Right-hinge shown.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull not available on doors.Touch-to-open handle selection incurs a $50 upcharge per unit.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.
- Includes adjustable shelf with 6” of adjustability.

CREDENZAS WITH CABINET DOORS


H	W	D	Model Number	List
28	24	18	X-CCD2724	2,401
28	30	18	X-CCD2730	2,509
28	36	18	X-CCD2736	2,694
28	42	18	X-CCD2742	2,792
28	48	18	X-CCD2748	2,902
28	54	18	X-CCD2754	3,553
28	60	18	X-CCD2760	3,657
28	66	18	X-CCD2766	3,761
28	72	18	X-CCD2772	3,860



36” - 48” Wide




54” - 72” Wide




No feet.
3/8” tall glides.

CREDENZAS WITH CABINET DOORS ON FEET


H	W	D	Model Number	List
28	24	18	C-CC272418L	2,483
28	30	18	C-CC273018L	2,590
28	36	18	C-CC273618L	2,778
28	42	18	C-CC274218L	2,876
28	48	18	C-CC274818L	2,985
28	54	18	C-CC275418L	3,633
28	60	18	C-CC276018L	3,740
28	66	18	C-CC276618L	3,844
28	72	18	C-CC277218L	3,944



36” - 48” Wide



54” - 72” Wide



Product is elevated
on 2 1/8” tall feet.

Specify

- Laminate Selection for Case
- Laminate Selection for Front
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes

- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull not available on doors.Touch-to-open handle selection incurs a $50 upcharge per unit.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.
- Includes one adjustable shelf per opening with 6” of adjustability.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.


28” High Credenzas with Sliding Doors

CREDENZAS WITH SLIDING DOORS

			Left-Side Lock	Right-Side Lock	
H	W	D	Model Number	Model Number	List
28	30	18	X-CSDL2730	X-CSDR2730	2,883
28	36	18	X-CSDL2736	X-CSDR2736	2,971
28	42	18	X-CSDL2742	X-CSDR2742	3,063
28	48	18	X-CSDL2748	X-CSDR2748	3,157
28	54	18	X-CSDL2754	X-CSDR2754	3,470
28	60	18	X-CSDL2760	X-CSDR2760	3,563
28	66	18	X-CSDL2766	X-CSDR2766	3,657
28	72	18	X-CSDL2772	X-CSDR2772	3,744



36” - 48” Wide
(Right-Side Lock)



54” - 72” Wide
(Right-Side Lock)



No feet.
3/8” tall glides.

CREDENZAS WITH SLIDING DOORS ON FEET

			Left-Side Lock	Right-Side Lock	
H	W	D	Model Number	Model Number	List
28	30	18	C-CS273018LL	C-CS273018RL	2,967
28	36	18	C-CS273618LL	C-CS273618RL	3,056
28	42	18	C-CS274218LL	C-CS274218RL	3,147
28	48	18	C-CS274818LL	C-CS274818RL	3,241
28	54	18	C-CS275418LL	C-CS275418RL	3,554
28	60	18	C-CS276018LL	C-CS276018RL	3,646
28	66	18	C-CS276618LL	C-CS276618RL	3,740
28	72	18	C-CS277218LL	C-CS277218RL	3,827



30” - 48” Wide
(Right-Side Lock)



54” - 72” Wide
(Right-Side Lock)



Product is elevated
on 2 1/8” tall feet.

SHARED CREDENZAS WITH SLIDING DOORS


			Left-Side Lock	Right-Side Lock	
H	W	D	Model Number	Model Number	List
28	36	18	X-CBCSDSL281836	X-CBCSDSR281836	3,601
28	42	18	X-CBCSDSL281842	X-CBCSDSR281842	3,740
28	48	18	X-CBCSDSL281848	X-CBCSDSR281848	3,852
28	54	18	X-CBCSDSL281854	X-CBCSDSR281854	4,162
28	60	18	X-CBCSDSL281860	X-CBCSDSR281860	4,295
28	66	18	X-CBCSDSL281866	X-CBCSDSR281866	4,405
28	72	18	X-CBCSDSL281872	X-CBCSDSR281872	4,519


36” - 48” Wide
(Right-Side Lock)


54” - 72” Wide
(Right-Side Lock)





Shared Overhead View
(Right-Side Lock)



No feet.
3/8” tall glides.

SHARED CREDENZAS WITH SLIDING DOORS ON FEET


			Left-Side Lock	Right-Side Lock	
H	W	D	Model Number	Model Number	List
28	36	18	C-YFBCSDL2736	C-YFBCSDR2736	3,684
28	42	18	C-YFBCSDL2742	C-YFBCSDR2742	3,822
28	48	18	C-YFBCSDL2748	C-YFBCSDR2748	3,935
28	54	18	C-CBCSDSL281854	C-CBCSDSR281854	4,246
28	60	18	C-YFBCSDL2760	C-YFBCSDR2760	4,381
28	66	18	C-YFBCSDL2766	C-YFBCSDR2766	4,489
28	72	18	C-YFBCSDL2772	C-YFBCSDR2772	4,602


36” - 48” Wide
(Right-Side Lock)


60” - 72” Wide
(Right-Side Lock)



Shared Overhead View
(Right-Side Lock)


Product is elevated
on 2 1/8” tall feet.

Specify

- Laminate Selection for Case
- Laminate Selection for Front
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes


- Right-side lock credenza shown.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull not available on doors. Sliding door units include the option of no handle.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.

© 2026, AIS, Inc.


28” High Combo BBF and Combo FF Storage

COMBO BBF WITH DOOR

H	W	D	Door	Depth	Counter-weight	Model Number	List
28	30	18	Right	Full	Y	X-BBFLCR18	3,141
28	30	23	Right	Partial	N	X-BBFLCR23	3,378
28	30	24	Right	Full	Y	X-BBFLCR24	3,416
28	30	29	Right	Partial	N	X-BBFLCR29	3,504
28	30	18	Left	Full	Y	X-BBFRCL18	3,141
28	30	23	Left	Partial	N	X-BBFRCL23	3,378
28	30	24	Left	Full	Y	X-BBFRCL24	3,393
28	30	29	Left	Partial	N	X-BBFRCL29	3,504




(Door Left)




No feet.
3/8” tall glides.

COMBO BBF WITH DOOR ON FEET

H	W	D	Door	Depth	Counter-weight	Model Number	List
28	30	18	Right	Full	Y	C-BBFLCR18	3,223
28	30	23	Right	Partial	N	C-BBFLCR23	3,464
28	30	24	Right	Full	Y	C-BBFLCR24	3,500
28	30	29	Right	Partial	N	C-BBFLCR29	3,587
28	30	18	Left	Full	Y	C-BBFRCL18	3,223
28	30	23	Left	Partial	N	C-BBFRCL23	3,464
28	30	24	Left	Full	Y	C-BBFRCL24	3,500
28	30	29	Left	Partial	N	C-BBFRCL29	3,587




(Door Left)




Product is elevated
on 2 1/8” tall feet.

COMBO FF WITH DOOR

H	W	D	Door	Depth	Counter-weight	Model Number	List
28	30	18	Right	Full	Y	X-FFLCR18	3,067
28	30	23	Right	Partial	N	X-FFLCR23	3,292
28	30	24	Right	Full	Y	X-FFLCR24	3,328
28	30	29	Right	Partial	N	X-FFLCR29	3,418
28	30	18	Left	Full	Y	X-FFRCL18	3,067
28	30	23	Left	Partial	N	X-FFRCL23	3,292
28	30	24	Left	Full	Y	X-FFRCL24	3,328
28	30	29	Left	Partial	N	X-FFRCL29	3,418




(Door Left)




No feet.
3/8” tall glides.

COMBO FF WITH DOOR ON FEET

H	W	D	Door	Depth	Counter-weight	Model Number	List
28	30	18	Right	Full	Y	C-FFLCR18	3,152
28	30	23	Right	Partial	N	C-FFLCR23	3,375
28	30	24	Right	Full	Y	C-FFLCR24	3,409
28	30	29	Right	Partial	N	C-FFLCR29	3,501
28	30	18	Left	Full	Y	C-FFRCL18	3,152
28	30	23	Left	Partial	N	C-FFRCL23	3,375
28	30	24	Left	Full	Y	C-FFRCL24	3,409
28	30	29	Left	Partial	N	C-FFRCL29	3,501



(Door Left)



Product is elevated
on 2 1/8” tall feet.

Specify

- Laminate Selection for Case
- Laminate Selection for Front
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes

- See Product Details for more information on how to specify Full and Partial depth.
- Partial Depth required when modesty is applied.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull not available on doors. Selection of slim pull for drawers automatically includes touch-to-open mechanisms on cabinet doors.
- Slim pull incurs a $75 upcharge.
- One adjustable shelf included inside cabinet.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.
- BBF units include 1 pencil tray.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


28” High Combo Laterals

COMBO LATERALS WITH BB AND DOOR

H	W	D	Door	Depth	Counter-weight	Model Number	List
28	30	18	Right	Full	Y	X-BBLCR3018	3,530
28	30	23	Right	Partial	N	X-BBLCR3023	3,867
28	30	24	Right	Full	Y	X-BBLCR3024	3,909
28	30	29	Right	Partial	N	X-BBLCR3029	4,006
28	30	18	Left	Full	Y	X-BBRCL3018	3,530
28	30	23	Left	Partial	N	X-BBRCL3023	3,867
28	30	24	Left	Full	Y	X-BBRCL3024	3,909
28	30	29	Left	Partial	N	X-BBRCL3029	4,006




(Door Left)




No feet.
3/8” tall glides.

COMBO LATERALS WITH BB AND DOOR ON FEET

H	W	D	Door	Depth	Counter-weight	Model Number	List
28	30	18	Right	Full	Y	C-BBLCR3018	3,614
28	30	23	Right	Partial	N	C-BBLCR3023	3,952
28	30	24	Right	Full	Y	C-BBLCR3024	3,994
28	30	29	Right	Partial	N	C-BBLCR3029	4,090
28	30	18	Left	Full	Y	C-BBRCL3018	3,614
28	30	23	Left	Partial	N	C-BBRCL3023	3,867
28	30	24	Left	Full	Y	C-BBRCL3024	3,994
28	30	29	Left	Partial	N	C-BBRCL3029	4,090



(Door Left)



Product is elevated
on 2 1/8” tall feet.


Specify	Notes
• Laminate Selection for Case	• See Product Details for more information on how to specify Full and Partial depth.
• Laminate Selection for Front	• Combo lateral box drawers do not lock.
• Handle Selection	• Partial Depth required when modesty is applied.
• Handle Paint Selection	• Grade C paint selection incurs a $10 upcharge.
• Lock Selection	• Slim pull not available on doors. Selection of slim pull for drawers automatically includes touch-to-open mechanisms on cabinet doors.
	• Slim pull incurs a $75 upcharge.
	• Lock cores and trim rings ship separately.
	• One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.
	• Pencil tray included.

© 2026, AIS, Inc.


28” High Combo Laterals

COMBO LATERALS WITH BOTTOM LATERAL AND TOP DOORS

H	W	D	Depth	Counterweight	Model Number	List
28	30	18	Full	Y	X-CTLB3018	3,166
28	36	18	Full	Y	X-CTLB3618	3,351
28	42	18	Full	Y	X-CTLB4218	3,537
28	30	23	Partial	N	X-CTLB3023	3,420
28	36	23	Partial	N	X-CTLB3623	3,630
28	42	23	Partial	N	X-CTLB4223	3,829
28	30	24	Full	Y	X-CTLB3024	3,457
28	36	24	Full	Y	X-CTLB3624	3,670
28	42	24	Full	Y	X-CTLB4224	3,890
28	30	29	Partial	N	X-CTLB3029	3,546
28	36	29	Partial	N	X-CTLB3629	3,772
28	42	29	Partial	N	X-CTLB4229	3,989




(Door Left)




No feet.
3/8" tall glides.

COMBO LATERALS WITH BOTTOM LATERAL AND TOP DOORS ON FEET

H	W	D	Depth	Counterweight	Model Number	List
28	30	18	Full	Y	C-CTLB3018	3,248
28	36	18	Full	Y	C-CTLB3618	3,434
28	42	18	Full	Y	C-CTLB4218	3,621
28	30	23	Partial	N	C-CTLB3023	3,504
28	36	23	Partial	N	C-CTLB3623	3,715
28	42	23	Partial	N	C-CTLB4223	3,912
28	30	24	Full	Y	C-CTLB3024	3,540
28	36	24	Full	Y	C-CTLB3624	3,754
28	42	24	Full	Y	C-CTLB4224	3,973
28	30	29	Partial	N	C-CTLB3029	3,630
28	36	29	Partial	N	C-CTLB3629	3,856
28	42	29	Partial	N	C-CTLB4229	4,074



(Door Left)



Product is elevated
on 2 1/8" tall feet.

Specify	Notes
• Laminate Selection for Case	• See Product Details for more information on how to specify Full and Partial depth.
• Laminate Selection for Front	• Combo lateral box drawers do not lock.
• Handle Selection	• Partial Depth required when modesty is applied.
• Handle Paint Selection	• Grade C paint selection incurs a $10 upcharge.
• Lock Selection	• Slim pull not available on doors. Selection of slim pull for drawers automatically includes touch-to-open mechanisms on cabinet doors.
	• Slim pull incurs a $75 upcharge.
	• Lock cores and trim rings ship separately.
	• One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


42” and 50” High Lateral Bookcases

LATERAL BOOKCASES


H	W	D	Model Number	List
42	30	18	X-LATBC4230	3,924
42	36	18	X-LATBC4236	4,127
42	42	18	X-LATBC4242	4,323
50	30	18	X-LATBC5030	4,042
50	36	18	X-LATBC5036	4,254
50	42	18	X-LATBC5042	4,456



42” High



50” High



No feet.
3/8” tall glides.

LATERAL BOOKCASES ON FEET


H	W	D	Model Number	List
42	30	18	C-SLTT42BC30	4,006
42	36	18	C-SLTT42BC36	4,211
42	42	18	C-SLTT42BC42	4,405
50	30	18	C-SLTT50BC30	4,127
50	36	18	C-SLTT50BC36	4,339
50	42	18	C-SLTT50BC42	4,540



42” High



50” High



Product is elevated
on 2 1/8” tall feet.

Specify

- Laminate Selection for Case
- Laminate Selection for Face/Drawer
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes

- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull incurs a $75 upcharge.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.
- 50”H units include an adjustable shelf with 6” of adjustability.

© 2026, AIS, Inc.


42” and 50” High Lateral Bookcases

SHARED LATERAL BOOKCASES


			Open Left	Open Right	
H	W	D	Model Number	Model Number	List
42	30	18	X-SLATBCL4230	X-SLATBCR4230	4,093
42	36	18	X-SLATBCL4236	X-SLATBCR4236	4,323
42	42	18	X-SLATBCL4242	X-SLATBCR4242	4,546
50	30	18	X-SLATBCL5030	X-SLATBCR5030	4,202
50	36	18	X-SLATBCL5036	X-SLATBCR5036	4,439
50	42	18	X-SLATBCL5042	X-SLATBCR5042	4,667


42” High
(Open Left)


50” High
(Open Left)



Shared Overhead View
(Open Left)



No feet.
3/8” tall glides.

SHARED LATERAL BOOKCASES ON FEET


			Open Left	Open Right	
H	W	D	Model Number	Model Number	List
42	30	18	C-YLTT42BCL30	C-YLTT42BCR30	4,176
42	36	18	C-YLTT42BCL36	C-YLTT42BCR36	4,405
42	42	18	C-YLTT42BCL42	C-YLTT42BCR42	4,629
50	30	18	C-YLTT50BCL30	C-YLTT50BCR30	4,284
50	36	18	C-YLTT50BCL36	C-YLTT50BCR36	4,522
50	42	18	C-YLTT50BCL42	C-YLTT50BCR42	4,750


42” High
(Open Left)


50” High
(Open Left)



Shared Overhead View
(Open Left)


Product is elevated
on 2 1/8” tall feet.


Specify	Notes
• Laminate Selection for Case • Laminate Selection for Face/Drawer • Laminate Selection for Divider • Handle Selection • Dry-Erase Writable Surface Option Handle Paint Selection • Lock Selection	• Open left hand lateral bookcase shown. • Open right hand lateral bookcase on feet shown. • Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge. • Slim pull incurs a $75 upcharge. • Lock cores and trim rings ship separately. • One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section. • 50”H units include an adjustable shelf with 6” of adjustability.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


42” and 50” High Laterals with Sliding Doors

LATERALS WITH SLIDING DOORS


			Left-Side Lock	Right-Side Lock	
H	W	D	Model Number	Model Number	List
42	30	18	X-LATSDL4230	X-LATSDR4230	4,576
42	36	18	X-LATSDL4236	X-LATSDR4236	4,786
42	42	18	X-LATSDL4242	X-LATSDR4242	4,990
50	30	18	X-LATSDL5030	X-LATSDR5030	4,677
50	36	18	X-LATSDL5036	X-LATSDR5036	4,901
50	42	18	X-LATSDL5042	X-LATSDR5042	5,110



42” High
(Right-Side Lock)



50” High
(Right-Side Lock)



No feet.
3/8” tall glides.

LATERALS WITH SLIDING DOORS ON FEET


			Left-Side Lock	Right-Side Lock	
H	W	D	Model Number	Model Number	List
42	30	18	C-SLTTSDL42BC30	C-SLTTSDR42BC30	4,661
42	36	18	C-SLTTSDL42BC36	C-SLTTSDR42BC36	4,871
42	42	18	C-SLTTSDL42BC42	C-SLTTSDR42BC42	5,072
50	30	18	C-SLTTSDL50BC30	C-SLTTSDR50BC30	4,759
50	36	18	C-SLTTSDL50BC36	C-SLTTSDR50BC36	4,983
50	42	18	C-SLTTSDL50BC42	C-SLTTSDR50BC42	5,194



42” High
(Right-Side Lock)



50” High
(Right-Side Lock)



Product is elevated
on 2 1/8” tall feet.

Specify

- Laminate Selection for Case
- Laminate Selection for Front
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes

- Right-side lock lateral shown.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull incurs a $75 upcharge.
- Slim pull not available on doors. Combo units with slim pull selected for the handle option will receive slim pull on the drawers and no handle on the doors.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.
- 50”H units include an adjustable shelf with 6” of adjustability.


© 2026, AIS, Inc.


42” and 50” High Laterals with Sliding Doors

SHARED LATERALS WITH SLIDING DOORS


			Left-Side Lock	Right-Side Lock	
H	W	D	Model Number	Model Number	List
42	30	18	X-SLATSDL4230	X-SLATSDR4230	5,312
42	36	18	X-SLATSDL4236	X-SLATSDR4236	5,555
42	42	18	X-SLATSDL4242	X-SLATSDR4242	5,792
50	30	18	X-SLATSDL5030	X-SLATSDR5030	5,382
50	36	18	X-SLATSDL5036	X-SLATSDR5036	5,641
50	42	18	X-SLATSDL5042	X-SLATSDR5042	5,895


42” High
(Right-Side Lock)


50” High
(Right-Side Lock)



Shared Overhead View
(Right-Side Lock)



No feet.
3/8” tall glides.

SHARED LATERALS WITH SLIDING DOORS ON FEET


			Left-Side Lock	Right-Side Lock	
H	W	D	Model Number	Model Number	List
42	30	18	C-YLTT42SDL30	C-YLTT42SDR30	5,396
42	36	18	C-YLTT42SDL36	C-YLTT42SDR36	5,638
42	42	18	C-YLTT42SDL42	C-YLTT42SDR42	5,877
50	30	18	C-YLTT50SDL30	C-YLTT50SDR30	5,466
50	36	18	C-YLTT50SDL36	C-YLTT50SDR36	5,727
50	42	18	C-YLTT50SDL42	C-YLTT50SDR42	5,979


42” High
(Right-Side Lock)


50” High
(Right-Side Lock)



Shared Overhead View
(Right-Side Lock)


Product is elevated
on 2 1/8” tall feet.

Specify

- Laminate Selection for Case
- Laminate Selection for Front
- Laminate Selection for Divider
- Handle Selection
- Dry-Erase Writable Surface Option
- Handle Paint Selection
- Lock Selection

Notes


- Right-side lock lateral shown.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull incurs a $75 upcharge.
- Slim pull not available on doors. Combo units with slim pull selected for the handle option will receive slim pull on the drawers and no handle on the doors.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.
- 50”H units include an adjustable shelf with 6” of adjustability.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


42” and 50” Two Door Cabinets

TWO DOOR CABINETS


H	W	D	Model Number	List
42	30	18	X-CBC423018	2,739
42	30	24	X-CBC423024	2,938
42	30	30	X-CBC423030	3,143
42	36	18	X-CBC423618	2,887
42	36	24	X-CBC423624	3,109
42	36	30	X-CBC423630	3,336
50	30	18	X-CBC503018	3,030
50	30	24	X-CBC503024	3,244
50	30	30	X-CBC503030	3,468
50	36	18	X-CBC503618	3,195
50	36	24	X-CBC503624	3,432
50	36	30	X-CBC503630	3,677



42” High




50” High




No feet.
3/8” tall glides.

TWO DOOR CABINETS ON FEET


H	W	D	Model Number	List
42	30	18	C-CBC423018	2,823
42	30	24	C-CBC423024	3,022
42	30	30	C-CBC423030	3,227
42	36	18	C-CBC423618	2,971
42	36	24	C-CBC423624	3,193
42	36	30	C-CBC423630	3,421
50	30	18	C-CBC503018	3,114
50	30	24	C-CBC503024	3,329
50	30	30	C-CBC503030	3,552
50	36	18	C-CBC503618	3,277
50	36	24	C-CBC503624	3,513
50	36	30	C-CBC503630	3,761



42” High



50” High



Product is elevated
on 2 1/8” tall feet.

Specify

- Laminate Selection for Case
- Laminate Selection for Face
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes

- 42” high units include 2 adjustable shelves and 50” high units include 3 adjustable shelves.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull not available on doors.Touch-to-open handle selection incurs a $50 upcharge per unit.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.
- 42”H units include 2 adjustable shelves.
- 50”H units include 3 adjustable shelves.
- Shelves have 6” of adjustability.

© 2026, AIS, Inc.


27”, 42”, 50” High Side Access Roll Out / Pantry Towers

SIDE ACCESS ROLL OUT / PANTRY TOWERS

			Left-Handed	Right-Handed	
H	W	D	Model Number	Model Number	List
27	15.75	24	X-SARTL271524	X-SARTR271524	4,255
27	15.75	30	X-SARTL271530	X-SARTR271530	4,467
27	18	24	X-SARTL271824	X-SARTR271824	4,469
27	18	30	X-SARTL271830	X-SARTR271830	4,688

SIDE ACCESS ROLL OUT / PANTRY TOWERS

			Left-Handed	Right-Handed	
H	W	D	Model Number	Model Number	List
42	12	24	X-SARTL421224	X-SARTR421224	4,947
42	15.75	24	X-SARTL421524	X-SARTR421524	5,292
42	12	30	X-SARTL421230	X-SARTR421230	5,163
42	15.75	30	X-SARTL421530	X-SARTR421530	5,509
50	12	24	X-SARTL501224	X-SARTR501224	5,466
50	15.75	24	X-SARTL501524	X-SARTR501524	5,811
50	12	30	X-SARTL501230	X-SARTR501230	5,627
50	15.75	30	X-SARTL501530	X-SARTR501530	5,972



27” High | 27” High (Open) | 42” High | 50” High | 42/50” High (Open) | No feet. 3/8” tall glides.

(Right-Handed Shown)


Specify	Notes
• Laminate Selection for Case • Laminate selection for Face/Drawer • Handle Selection (27”H only) • Handle Paint Selection • Lock Selection	• Right-handed tower shown. • Side Access Roll Out/Pantry Towers are on 3/8” tall glides only, not available on feet. • 12” wide units must be attached or ganged. • 42” and 50” high units are standard with a 13” vertical bar pull. • File bars are included with 27” high units. • Coat hook included with all units. • Outer and inner case will always be the same laminate color. Door/face can be specified as a separate laminate color than case. • **Important:** Side Access Roll Out/Pantry Towers have anti-tip front roller which can leave wear marks on floor over time. • Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge. • 27”H Side Access Pantries may be configured with any AIS pull; 42” and 50”H Side Access pantries are standard with a 13” vertical bar pull. • Slim pull incurs a $75 upcharge. • Lock cores and trim rings ship separately. • One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section. • 42”H and 50”H units include 1 adjustable shelf with 6” of adjustability.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

27”, 42”, 50” High Side Access Roll Out / Pantry Towers

FILE BARS FOR SIDE ACCESS ROLL-OUT TOWERS

Model Number	List
A-SAROTPR	426





Specify	Notes
• Paint Selection	• File bars are sold as pairs. • Not compatible with 12”W side access roll out pantry towers.


© 2026, AIS, Inc.

42” Three Drawer Laterals and 54” Four Drawer Laterals

42” HIGH THREE DRAWER LATERAL

H	W	D	Model Number	List
42	30	18	X-LAT3DFS3018	4,773
42	30	24	X-LAT3DFS3024	5,202
42	36	18	X-LAT3DFS3618	5,034
42	36	24	X-LAT3DFS3624	5,496
42	42	18	X-LAT3DFS4218	5,293
42	42	24	X-LAT3DFS4224	5,781






No feet.
3/8” tall glides.

42” HIGH THREE DRAWER LATERAL ON FEET

H	W	D	Model Number	List
42	30	18	C-LAT3DFS3018	4,857
42	30	24	C-LAT3DFS3024	5,286
42	36	18	C-LAT3DFS3618	5,117
42	36	24	C-LAT3DFS3624	5,580
42	42	18	C-LAT3DFS4218	5,378
42	42	24	C-LAT3DFS4224	5,866







Product is elevated
on 2 1/8” tall feet.

54” HIGH FOUR DRAWER LATERAL

H	W	D	Model Number	List
54	30	18	X-LAT4DFS3018	5,413
54	30	24	X-LAT4DFS3024	5,872
54	36	18	X-LAT4DFS3618	5,691
54	36	24	X-LAT4DFS3624	6,182
54	42	18	X-LAT4DFS4218	5,976
54	42	24	X-LAT4DFS4224	6,493







No feet.
3/8” tall glides.

54” HIGH FOUR DRAWER LATERAL ON FEET

H	W	D	Model Number	List
54	30	18	C-LAT4DFS3018	5,497
54	30	24	C-LAT4DFS3024	5,957
54	36	18	C-LAT4DFS3618	5,776
54	36	24	C-LAT4DFS3624	6,264
54	42	18	C-LAT4DFS4218	6,059
54	42	24	C-LAT4DFS4224	6,577





Product is elevated
on 2 1/8” tall feet.

Specify

- Laminate Selection for Case
- Laminate selection for Face/Drawer
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes

- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull incurs a $75 upcharge.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

BF Wardrobe Towers

BF WARDROBE TOWERS WITH OPEN FRONT

			Wardrobe Left	Wardrobe Right	
H	W	D	Model Number	Model Number	List
50	24	24	X-WLBFOF50	X-WRBFOF50	4,194
66	24	24	X-WLBFOF66	X-WRBFOF66	4,527
74	24	24	X-WLBFOF74	X-WRBFOF74	4,726
82	24	24	X-WLBFOF82	X-WRBFOF82	4,876




50" High 66" High 74" High 82" High

(Wardrobe Right Shown)

No feet.
3/8" tall glides.


BF WARDROBE TOWERS WITH OPEN FRONT ON FEET

			Wardrobe Left	Wardrobe Right	
H	W	D	Model Number	Model Number	List
50	24	24	C-WLBFOF50	C-WRBFOF50	4,278
66	24	24	C-WLBFOF66	C-WRBFOF66	4,615



50" High 66" High


(Wardrobe Right Shown)



Product is elevated
on 2 1/8" tall feet.

BF WARDROBE TOWERS WITH OPEN SIDE

			Wardrobe Left	Wardrobe Right	
H	W	D	Model Number	Model Number	List
50	24	24	X-WLBFOS50	X-WRBFOS50	4,284
66	24	24	X-WLBFOS66	X-WRBFOS66	4,647
74	24	24	X-WLBFOS74	X-WRBFOS74	4,782
82	24	24	X-WLBFOS82	X-WRBFOS82	5,008




50" High 66" High 74" High 82" High

(Wardrobe Right Shown)

No feet.
3/8" tall glides.


BF WARDROBE TOWERS WITH OPEN SIDE ON FEET

			Wardrobe Left	Wardrobe Right	
H	W	D	Model Number	Model Number	List
50	24	24	C-WLBFOS50	C-WRBFOS50	4,368
66	24	24	C-WLBFOS66	C-WRBFOS66	4,729



50" High 66" High

(Wardrobe Right Shown)



Product is elevated
on 2 1/8" tall feet.


Specify	Notes
• Laminate Selection for Case	• Right-handed wardrobes shown.
• Laminate Selection for Drawers/Doors/ Face	• Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
• Handle Selection	• Selection of slim pull for drawers automatically includes touch-to-open mechanisms on cabinet doors.
• Handle Paint Selection	• Slim pull incurs a $75 upcharge.
• Lock Selection	• Lock cores and trim rings ship separately.
	• One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.
	• Pencil tray included.
	• Coat rod included.

© 2026, AIS, Inc.

BF Wardrobe Towers

BF WARDROBE TOWERS WITH CUPBOARD

			Wardrobe Left	Wardrobe Right	
H	W	D	Model Number	Model Number	List
50	24	24	X-WBFCDL50	X-WBFCDR50	4,472
66	24	24	X-WBFCDL66	X-WBFCDR66	4,915
74	24	24	X-WBFCDL74	X-WBFCDR74	5,109
82	24	24	X-WBFCDL82	X-WBFCDR82	5,361




50" High 66" High 74" High 82" High

(Wardrobe Right Shown)

No feet.
3/8" tall glides.


BF WARDROBE TOWERS WITH CUPBOARD ON FEET

			Wardrobe Left	Wardrobe Right	
H	W	D	Model Number	Model Number	List
50	24	24	C-WBFCDL50	C-WBFCDR50	4,554
66	24	24	C-WBFCDL66	C-WBFCDR66	5,000



50" High 66" High

(Wardrobe Right Shown)



Product is elevated
on 2 1/8" tall feet.

Specify	Notes
• Laminate Selection for Case	• Right-handed wardrobes shown.
• Laminate Selection for Drawers/Doors/ Face	• Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
• Handle Selection	• Selection of slim pull for drawers automatically includes touch-to-open mechanisms on cabinet doors.
• Handle Paint Selection	• Slim pull incurs a $75 upcharge.
• Lock Selection	• Lock cores and trim rings ship separately.
	• One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.
	• Pencil tray included.
	• Coat rod included.
	• 50"H units include 1 adjustable shelf.
	• 66"H units include 2 adjustable shelves.
	• 74"H and 82"H units include 3 adjustable shelves.
	• Shelves have 6" of adjustability.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

BBF Wardrobe Towers

BBF WARDROBE TOWERS WITH OPEN FRONT


			Wardrobe Left	Wardrobe Right	
H	W	D	Model Number	Model Number	List
50	24	24	X-WLBBFOF50	X-WRBBFOF50	4,522
66	24	24	X-WLBBFOF66	X-WRBBFOF66	4,894
74	24	24	X-WLBBFOF74	X-WRBBFOF74	5,044
82	24	24	X-WLBBFOF82	X-WRBBFOF82	5,279



(Wardrobe Right Shown)

BBF WARDROBE TOWERS WITH OPEN FRONT ON FEET


			Wardrobe Left	Wardrobe Right	
H	W	D	Model Number	Model Number	List
50	24	24	C-WLBBFOF50	C-WRBBFOF50	4,604
66	24	24	C-WLBBFOF66	C-WRBBFOF66	4,978



(Wardrobe Right Shown)

BBF WARDROBE TOWERS WITH OPEN SIDE


			Wardrobe Left	Wardrobe Right	
H	W	D	Model Number	Model Number	List
50	24	24	X-WLBBFOS50	X-WRBBFOS50	4,530
66	24	24	X-WLBBFOS66	X-WRBBFOS66	4,901
74	24	24	X-WLBBFOS74	X-WRBBFOS74	5,036
82	24	24	X-WLBBFOS82	X-WRBBFOS82	5,270



(Wardrobe Right Shown)

BBF WARDROBE TOWERS WITH OPEN SIDE ON FEET

			Wardrobe Left	Wardrobe Right	
H	W	D	Model Number	Model Number	List
50	24	24	C-WTBBBFL49	C-WTBBBFR49	4,616
66	24	24	C-WTBBBFL65	C-WTBBBFR65	4,983



(Wardrobe Right Shown)


Specify	Notes
• Laminate Selection for Case	• Right-handed wardrobes shown.
• Laminate Selection for Drawers/Doors/ Face	• Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
• Handle Selection	• Selection of slim pull for drawers automatically includes touch-to-open mechanisms on cabinet doors.
• Handle Paint Selection	• Slim pull incurs a $75 upcharge.
• Lock Selection	• Lock cores and trim rings ship separately.
	• One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.
	• Pencil tray included.
	• Coat rod included.

© 2026, AIS, Inc.

BBF Wardrobe Towers

BBF WARDROBE TOWERS WITH CUPBOARD

			Wardrobe Left	Wardrobe Right	
H	W	D	Model Number	Model Number	List
50	24	24	X-WBBFCDL50	X-WBBFCDR50	4,664
66	24	24	X-WBBFCDL66	X-WBBFCDR66	5,098
74	24	24	X-WBBFCDL74	X-WBBFCDR74	5,272
82	24	24	X-WBBFCDL82	X-WBBFCDR82	5,547




50" High 66" High 74" High 82" High

(Wardrobe Right Shown)

No feet.
3/8" tall glides.

BBF WARDROBE TOWERS WITH CUPBOARD ON FEET

			Wardrobe Left	Wardrobe Right	
H	W	D	Model Number	Model Number	List
50	24	24	C-WTCBBFL49	C-WTCBBFR49	4,748
66	24	24	C-WTCBBFL65	C-WTCBBFR65	5,182



50" High 66" High

(Wardrobe Right Shown)

Product is elevated
on 2 1/8" tall feet.

Specify	Notes
• Laminate Selection for Case	• Right-handed wardrobes shown.
• Laminate Selection for Drawers/Doors/ Face	• Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
• Handle Selection	• Selection of slim pull for drawers automatically includes touch-to-open mechanisms on cabinet doors.
• Handle Paint Selection	• Slim pull incurs a $75 upcharge.
• Lock Selection	• Lock cores and trim rings ship separately.
	• One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.
	• Pencil tray included.
	• Coat rod included.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

FF Wardrobe Towers

FF WARDROBE TOWERS WITH OPEN FRONT

			Wardrobe Left	Wardrobe Right	
H	W	D	Model Number	Model Number	List
50	24	24	X-WLFFOF50	X-WRFFOF50	4,405
66	24	24	X-WLFFOF66	X-WRFFOF66	4,773
74	24	24	X-WLFFOF74	X-WRFFOF74	4,922
82	24	24	X-WLFFOF82	X-WRFFOF82	5,149




50" High 66" High 74" High 82" High

No feet.
3/8" tall glides.

(Wardrobe Right Shown)

FF WARDROBE TOWERS WITH OPEN FRONT ON FEET

			Wardrobe Left	Wardrobe Right	
H	W	D	Model Number	Model Number	List
50	24	24	C-WLFFOF50	C-WRFFOF50	4,489
66	24	24	C-WLFFOF66	C-WRFFOF66	4,857




50" High 66" High

Product is elevated
on 2 1/8" tall feet.

(Wardrobe Right Shown)

FF WARDROBE TOWERS WITH OPEN SIDE

			Wardrobe Left	Wardrobe Right	
H	W	D	Model Number	Model Number	List
50	24	24	X-WLFFOS50	X-WRFFOS50	4,403
66	24	24	X-WLFFOS66	X-WRFFOS66	4,765
74	24	24	X-WLFFOS74	X-WRFFOS74	4,901
82	24	24	X-WLFFOS82	X-WRFFOS82	5,127




50" High 66" High 74" High 82" High

No feet.
3/8" tall glides.

(Wardrobe Right Shown)

FF WARDROBE TOWERS WITH OPEN SIDE ON FEET

			Wardrobe Left	Wardrobe Right	
H	W	D	Model Number	Model Number	List
50	24	24	C-WTBFFL49	C-WTBFFR49	4,487
66	24	24	C-WTBFFL65	C-WTBFFR65	4,848



50" High 66" High

Product is elevated
on 2 1/8" tall feet.

(Wardrobe Right Shown)

Specify

- Laminate Selection for Case
- Laminate Selection for Drawers/Doors/Face
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes


- Right-handed wardrobes shown.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge. Selection of slim pull for drawers automatically includes touch-to-open mechanisms on cabinet doors.
- Slim pull incurs a $75 upcharge.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.
- Coat rod included.

© 2026, AIS, Inc.

FF Wardrobe Towers

FF WARDROBE TOWERS WITH CUPBOARD

			Wardrobe Left	Wardrobe Right	
H	W	D	Model Number	Model Number	List
50	24	24	X-WFFCDL50	X-WFFCDR50	4,611
66	24	24	X-WFFCDL66	X-WFFCDR66	4,848
74	24	24	X-WFFCDL74	X-WFFCDR74	5,020
82	24	24	X-WFFCDL82	X-WFFCDR82	5,253




50" High 66" High 74" High 82" High
(Wardrobe Right Shown)

No feet.
3/8" tall glides.

FF WARDROBE TOWERS WITH CUPBOARD ON FEET

			Wardrobe Left	Wardrobe Right	
H	W	D	Model Number	Model Number	List
50	24	24	C-WTCFFL49	C-WTCFFR49	4,695
66	24	24	C-WTCFFL65	C-WTCFFR65	4,931



50" High 66" High
(Wardrobe Right Shown)

Product is elevated
on 2 1/8" tall feet.


Specify	Notes
• Laminate Selection for Case	• Right-handed wardrobes shown.
• Laminate Selection for Drawers/Doors/ Face	• Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
• Handle Selection	• Selection of slim pull for drawers automatically includes touch-to-open mechanisms on cabinet doors.
• Handle Paint Selection	• Slim pull incurs a $75 upcharge.
• Lock Selection	• Lock cores and trim rings ship separately.
	• One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.
	• Coat rod included.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

BF Pedestal Towers with Open Front

BF PEDESTAL TOWERS WITH OPEN FRONT

H	W	D	Model Number	List
50	12	24	X-PTBFOF5012	3,085
50	16	24	X-PTBFOF50	3,247
50	18	24	X-PTBFOF5018	3,410
50	24	24	X-PTBFOF5024	3,584
66	12	24	X-PTBFOF6612	3,306
66	16	24	X-PTBFOF66	3,478
66	18	24	X-PTBFOF6618	3,654
66	24	24	X-PTBFOF6624	3,837
74	12	24	X-PTBFOF7412	3,449
74	16	24	X-PTBFOF74	3,628
74	18	24	X-PTBFOF7418	3,811
74	24	24	X-PTBFOF7424	4,003
82	12	24	X-PTBFOF8212	3,528
82	16	24	X-PTBFOF82	3,711
82	18	24	X-PTBFOF8218	3,898
82	24	24	X-PTBFOF8224	4,094




50" High 66" High 74" High 82" High

No feet.
3/8" tall glides.

BF PEDESTAL TOWERS WITH OPEN FRONT ON FEET

H	W	D	Model Number	List
50	12	24	C-PTBFOF5012	3,168
50	16	24	C-PTBFOF50	3,331
50	18	24	C-PTBFOF5018	3,500
50	24	24	C-PTBFOF5024	3,674
66	12	24	C-PTBFOF6612	3,386
66	16	24	C-PTBFOF66	3,563
66	18	24	C-PTBFOF6618	3,742
66	24	24	C-PTBFOF6624	3,929



50" High 66" High

Product is elevated
on 2 1/8" tall feet.

Specify

- Laminate Selection for Case
- Laminate selection for Face/Drawer
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes


- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull incurs a $75 upcharge.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.
- 12"W storage must be secured to a wall or panel, or connected to another unit for stability. A panel support bracket can be found in Accessories.
- Pencil tray included.
- Adjustable shelves include 6" of adjustability.

© 2026, AIS, Inc.

BF Pedestal Towers with Open Side

BF PEDESTAL TOWERS WITH OPEN SIDE


			Open Right, Place Left	Open Left, Place Right	
H	W	D	Model Number	Model Number	List
50	12	24	X-PTBFOSL5012	X-PTBFOSR5012	3,091
50	16	24	X-PTBFOSL50	X-PTBFOSR50	3,252
50	18	24	X-PTBFOSL5018	X-PTBFOSR5018	3,416
50	24	24	X-PTBFOSL5024	X-PTBFOSR5024	3,587
66	12	24	X-PTBFOSL6612	X-PTBFOSR6612	3,305
66	16	24	X-PTBFOSL66	X-PTBFOSR66	3,476
66	18	24	X-PTBFOSL6618	X-PTBFOSR6618	3,652
66	24	24	X-PTBFOSL6624	X-PTBFOSR6624	3,836
74	12	24	X-PTBFOSL7412	X-PTBFOSR7412	3,377
74	16	24	X-PTBFOSL74	X-PTBFOSR74	3,554
74	18	24	X-PTBFOSL7418	X-PTBFOSR7418	3,734
74	24	24	X-PTBFOSL7424	X-PTBFOSR7424	3,922
82	12	24	X-PTBFOSL8212	X-PTBFOSR8212	3,512
82	16	24	X-PTBFOSL82	X-PTBFOSR82	3,696
82	18	24	X-PTBFOSL8218	X-PTBFOSR8218	3,882
82	24	24	X-PTBFOSL8224	X-PTBFOSR8224	4,077



(Open Left, Place Right Shown)

BF PEDESTAL TOWERS WITH OPEN SIDE ON FEET

			Open Right, Place Left	Open Left, Place Right	
H	W	D	Model Number	Model Number	List
50	12	24	C-PTBFOSL5012	C-PTBFOSR5012	3,169
50	16	24	C-PTBFOSL50	C-PTBFOSR50	3,334
50	18	24	C-PTBFOSL5018	C-PTBFOSR5018	3,502
50	24	24	C-PTBFOSL5024	C-PTBFOSR5024	3,679
66	12	24	C-PTBFOSL6612	C-PTBFOSR6612	3,384
66	16	24	C-PTBFOSL66	C-PTBFOSR66	3,561
66	18	24	C-PTBFOSL6618	C-PTBFOSR6618	3,740
66	24	24	C-PTBFOSL6624	C-PTBFOSR6624	3,926



(Open Left, Place Right Shown)

Specify

- Laminate Selection for Case
- Laminate selection for Face/Drawer
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes


- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull incurs a $75 upcharge.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.
- 12”W storage must be secured to a wall or panel, or connected to another unit for stability. A panel support bracket can be found in Accessories.
- Pencil tray included.
- Adjustable shelves include 6” of adjustability.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

BF Pedestal Towers with Cupboard

BF PEDESTAL TOWERS WITH CUPBOARD

			Left-Hinge	Right-Hinge	
H	W	D	Model Number	Model Number	List
50	12	24	X-PTBFCL5012	X-PTBFCR5012	3,269
50	16	24	X-PTBFCL50	X-PTBFCR50	3,440
50	18	24	X-PTBFCL5018	X-PTBFCR5018	3,614
50	24	24	X-PTBFCL5024	X-PTBFCR5024	3,794
66	12	24	X-PTBFCL6612	X-PTBFCR6612	3,560
66	16	24	X-PTBFCL66	X-PTBFCR66	3,745
66	18	24	X-PTBFCL6618	X-PTBFCR6618	3,935
66	24	24	X-PTBFCL6624	X-PTBFCR6624	4,131
74	12	24	X-PTBFCL7412	X-PTBFCR7412	3,693
74	16	24	X-PTBFCL74	X-PTBFCR74	3,888
74	18	24	X-PTBFCL7418	X-PTBFCR7418	4,080
74	24	24	X-PTBFCL7424	X-PTBFCR7424	4,284
82	12	24	X-PTBFCL8212	X-PTBFCR8212	3,850
82	16	24	X-PTBFCL82	X-PTBFCR82	4,049
82	18	24	X-PTBFCL8218	X-PTBFCR8218	4,252
82	24	24	X-PTBFCL8224	X-PTBFCR8224	4,468




50" High 66" High 74" High 82" High (Right-Hinge Shown)

No feet.
3/8" tall glides.

BF PEDESTAL TOWERS WITH CUPBOARD ON FEET

			Left-Hinge	Right-Hinge	
H	W	D	Model Number	Model Number	List
50	12	24	C-PTBFCL5012	C-PTBFCR5012	3,347
50	16	24	C-PTBFCL50	C-PTBFCR50	3,524
50	18	24	C-PTBFCL5018	C-PTBFCR5018	3,698
50	24	24	C-PTBFCL5024	C-PTBFCR5024	3,885
66	12	24	C-PTBFCL6612	C-PTBFCR6612	3,641
66	16	24	C-PTBFCL66	C-PTBFCR66	3,829
66	18	24	C-PTBFCL6618	C-PTBFCR6618	4,020
66	24	24	C-PTBFCL6624	C-PTBFCR6624	4,225



50" High 66" High (Right-Hinge Shown)

Product is elevated on 2 1/8" tall feet.


Specify	Notes
• Laminate Selection for Case	• Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
• Laminate Selection for Drawers/Doors/ Face	• Selection of slim pull for drawers automatically includes touch-to-open mechanisms on cabinet doors.
• Handle Selection	• Slim pull incurs a $75 upcharge.
• Handle Paint Selection	• Lock cores and trim rings ship separately.
• Lock Selection	• One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.
	• 12"W storage must be secured to a wall or panel, or connected to another unit for stability. A panel support bracket can be found in Accessories.
	• 82" and 74" units have 3 adjustable shelves.
	• 66" units have 2 adjustable shelves.
	• 50" units have 1 adjustable shelf.
	• Pencil tray included.

© 2026, AIS, Inc.

BBF Pedestal Towers with Open Front

BBF PEDESTAL TOWERS WITH OPEN FRONT

H	W	D	Model Number	List
50	12	24	X-PTBBFOF5012	3,292
50	16	24	X-PTBBFOF50	3,465
50	18	24	X-PTBBFOF5018	3,637
50	24	24	X-PTBBFOF5024	3,821
66	12	24	X-PTBBFOF6612	3,511
66	16	24	X-PTBBFOF66	3,694
66	18	24	X-PTBBFOF6618	3,881
66	24	24	X-PTBBFOF6624	4,074
74	12	24	X-PTBBFOF7412	3,593
74	16	24	X-PTBBFOF74	3,780
74	18	24	X-PTBBFOF7418	3,973
74	24	24	X-PTBBFOF7424	4,169
82	12	24	X-PTBBFOF8212	3,731
82	16	24	X-PTBBFOF82	3,926
82	18	24	X-PTBBFOF8218	4,122
82	24	24	X-PTBBFOF8224	4,330




50" High 66" High 74" High 82" High

No feet.
3/8" tall glides.

BBF PEDESTAL TOWERS WITH OPEN FRONT ON FEET

H	W	D	Model Number	List
50	12	24	C-PTBBFOF5012	3,371
50	16	24	C-PTBBFOF50	3,546
50	18	24	C-PTBBFOF5018	3,723
50	24	24	C-PTBBFOF5024	3,911
66	12	24	C-PTBBFOF6612	3,588
66	16	24	C-PTBBFOF66	3,777
66	18	24	C-PTBBFOF6618	3,969
66	124	24	C-PTBBFOF6624	4,166



50" High 66" High

Product is elevated
on 2 1/8" tall feet.

Specify

- Laminate Selection for Case
- Laminate Selection for Face/Drawer
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes

- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull incurs a $75 upcharge.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.
- 12"W storage must be secured to a wall or panel, or connected to another unit for stability. A panel support bracket can be found in Accessories.
- Pencil tray included.
- Adjustable shelves include 6" of adjustability.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

BBF Pedestal Towers with Open Side

BBF PEDESTAL TOWERS WITH OPEN SIDE

			Open Right, Place Left	Open Left, Place Right	
H	W	D	Model Number	Model Number	List
50	12	24	X-PTBBFOSL5012	X-PTBBFOSR5012	3,290
50	16	24	X-PTBBFOSL50	X-PTBBFOSR50	3,464
50	18	24	X-PTBBFOSL5018	X-PTBBFOSR5018	3,636
50	24	24	X-PTBBFOSL5024	X-PTBBFOSR5024	3,820
66	12	24	X-PTBBFOSL6612	X-PTBBFOSR6612	3,504
66	16	24	X-PTBBFOSL66	X-PTBBFOSR66	3,687
66	18	24	X-PTBBFOSL6618	X-PTBBFOSR6618	3,875
66	24	24	X-PTBBFOSL6624	X-PTBBFOSR6624	4,069
74	12	24	X-PTBBFOSL7412	X-PTBBFOSR7412	3,583
74	16	24	X-PTBBFOSL74	X-PTBBFOSR74	3,768
74	18	24	X-PTBBFOSL7418	X-PTBBFOSR7418	3,957
74	24	24	X-PTBBFOSL7424	X-PTBBFOSR7424	4,155
82	12	24	X-PTBBFOSL8212	X-PTBBFOSR8212	3,715
82	16	24	X-PTBBFOSL82	X-PTBBFOSR82	3,909
82	18	24	X-PTBBFOSL8218	X-PTBBFOSR8218	4,105
82	24	24	X-PTBBFOSL8224	X-PTBBFOSR8224	4,311



50" High 66" High 74" High 82" High

No feet.
3/8" tall glides.

(Open Left, Place Right Shown)

BBF PEDESTAL TOWERS WITH OPEN SIDE ON FEET

			Open Right, Place Left	Open Left, Place Right	
H	W	D	Model Number	Model Number	List
50	12	24	C-PTBBFOSL5012	C-PTBBFOSR5012	3,370
50	16	24	C-PTBBFOSL50	C-PTBBFOSR50	3,545
50	18	24	C-PTBBFOSL5018	C-PTBBFOSR5018	3,722
50	24	24	C-PTBBFOSL5024	C-PTBBFOSR5024	3,909
66	12	24	C-PTBBFOSL6612	C-PTBBFOSR6612	3,584
66	16	24	C-PTBBFOSL66	C-PTBBFOSR66	3,771
66	18	24	C-PTBBFOSL6618	C-PTBBFOSR6618	3,959
66	24	24	C-PTBBFOSL6624	C-PTBBFOSR6624	4,159



50" High 66" High

Product is elevated
on 2 1/8" tall feet.

(Open Left, Place Right Shown)

Specify

- Laminate Selection for Case
- Laminate Selection for Face/Drawer
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes


- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull incurs a $75 upcharge.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.
- 12"W storage must be secured to a wall or panel, or connected to another unit for stability. A panel support bracket can be found in Accessories.
- Pencil tray included.
- Adjustable shelves include 6" of adjustability.

© 2026, AIS, Inc.

BBF Pedestal Towers with Cupboard

BBF PEDESTAL TOWERS WITH CUPBOARD

			Left-Hinge	Right-Hinge	
H	W	D	Model Number	Model Number	List
50	12	24	X-PTBBFCL5012	X-PTBBFCR5012	3,454
50	16	24	X-PTBBFCL50	X-PTBBFCR50	3,633
50	18	24	X-PTBBFCL5018	X-PTBBFCR5018	3,817
50	24	24	X-PTBBFCL5024	X-PTBBFCR5024	4,009
66	12	24	X-PTBBFCL6612	X-PTBBFCR6612	3,745
66	16	24	X-PTBBFCL66	X-PTBBFCR66	3,941
66	18	24	X-PTBBFCL6618	X-PTBBFCR6618	4,138
66	24	24	X-PTBBFCL6624	X-PTBBFCR6624	4,347
74	12	24	X-PTBBFCL7412	X-PTBBFCR7412	3,850
74	16	24	X-PTBBFCL74	X-PTBBFCR74	4,049
74	18	24	X-PTBBFCL7418	X-PTBBFCR7418	4,252
74	24	24	X-PTBBFCL7424	X-PTBBFCR7424	4,468
82	12	24	X-PTBBFCL8212	X-PTBBFCR8212	4,037
82	16	24	X-PTBBFCL82	X-PTBBFCR82	4,248
82	18	24	X-PTBBFCL8218	X-PTBBFCR8218	4,463
82	24	24	X-PTBBFCL8224	X-PTBBFCR8224	4,686




50" High 66" High 74" High 82" High (Right-Hinge Shown)

No feet. 3/8" tall glides.

BBF PEDESTAL TOWERS WITH CUPBOARD ON FEET

			Left-Hinge	Right-Hinge	
H	W	D	Model Number	Model Number	List
50	12	24	C-PTBBFCL5012	C-PTBBFCR5012	3,535
50	16	24	C-PTBBFCL50	C-PTBBFCR50	3,719
50	18	24	C-PTBBFCL5018	C-PTBBFCR5018	3,905
50	24	24	C-PTBBFCL5024	C-PTBBFCR5024	4,102
66	12	24	C-PTBBFCL6612	C-PTBBFCR6612	3,825
66	16	24	C-PTBBFCL66	C-PTBBFCR66	4,024
66	18	24	C-PTBBFCL6618	C-PTBBFCR6618	4,017
66	24	24	C-PTBBFCL6624	C-PTBBFCR6624	4,216



50" High 66" High (Right-Hinge Shown)

Product is elevated on 2 1/8" tall feet.

Specify	Notes
• Laminate Selection for Case	• Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
• Laminate Selection for Drawers/Doors/ Face	• Selection of slim pull for drawers automatically includes touch-to-open mechanisms on cabinet doors.
• Handle Selection	• Slim pull incurs a $75 upcharge.
• Handle Paint Selection	• Lock cores and trim rings ship separately.
• Lock Selection	• One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.
	• 12"W storage must be secured to a wall or panel, or connected to another unit for stability. A panel support bracket can be found in Accessories.
	• Pencil tray included.
	• 50"H units include 1 adjustable shelf.
	• 66"H units include 2 adjustable shelves.
	• 74"H and 82"H units include 3 adjustable shelves.
	• Shelves have 6" of adjustability.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

FF Pedestal Towers with Open Front


FF PEDESTAL TOWERS WITH OPEN FRONT

H	W	D	Model Number	List
50	12	24	X-PTFFOF5012	3,202
50	16	24	X-PTFFOF50	3,371
50	18	24	X-PTFFOF5018	3,540
50	24	24	X-PTFFOF5024	3,717
66	12	24	X-PTFFOF6612	3,422
66	16	24	X-PTFFOF66	3,601
66	18	24	X-PTFFOF6618	3,781
66	24	24	X-PTFFOF6624	3,974
74	12	24	X-PTFFOF7412	3,505
74	16	24	X-PTFFOF74	3,691
74	18	24	X-PTFFOF7418	3,876
74	24	24	X-PTFFOF7424	4,071
82	12	24	X-PTFFOF8212	3,643
82	16	24	X-PTFFOF82	3,835
82	18	24	X-PTFFOF8218	4,023
82	24	24	X-PTFFOF8224	4,227



FF PEDESTAL TOWERS WITH OPEN FRONT ON FEET

H	W	D	Model Number	List
50	12	24	C-PTFFOF5012	3,281
50	16	24	C-PTFFOF50	3,453
50	18	24	C-PTFFOF5018	3,626
50	24	24	C-PTFFOF5024	3,808
66	12	24	C-PTFFOF6612	3,502
66	16	24	C-PTFFOF66	3,684
66	18	24	C-PTFFOF6618	3,868
66	24	24	C-PTFFOF6624	4,065




Specify	Notes
• Laminate Selection for Case • Laminate Selection for Drawers/Doors/ Face • Handle Selection • Handle Paint Selection • Lock Selection	• Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge. • Selection of slim pull for drawers automatically includes touch-to-open mechanisms on cabinet doors. • Slim pull incurs a $75 upcharge. • Lock cores and trim rings ship separately. • One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section. • 12”W storage must be secured to a wall or panel, or connected to another unit for stability. A panel support bracket can be found in Accessories.

© 2026, AIS, Inc.

FF Pedestal Towers with Open Side

FF PEDESTAL TOWERS WITH OPEN SIDE


			Open Right, Place Left	Open Left, Place Right	
H	W	D	Model Number	Model Number	List
50	12	24	X-PTFFOSL5012	X-PTFFOSR5012	3,200
50	16	24	X-PTFFOSL50	X-PTFFOSR50	3,370
50	18	24	X-PTFFOSL5018	X-PTFFOSR5018	3,539
50	24	24	X-PTFFOSL5024	X-PTFFOSR5024	3,716
66	12	24	X-PTFFOSL6612	X-PTFFOSR6612	3,418
66	16	24	X-PTFFOSL66	X-PTFFOSR66	3,596
66	18	24	X-PTFFOSL6618	X-PTFFOSR6618	3,777
66	24	24	X-PTFFOSL6624	X-PTFFOSR6624	3,969
74	12	24	X-PTFFOSL7412	X-PTFFOSR7412	3,500
74	16	24	X-PTFFOSL74	X-PTFFOSR74	3,682
74	18	24	X-PTFFOSL7418	X-PTFFOSR7418	3,866
74	12	24	X-PTFFOSL7424	X-PTFFOSR7424	4,062
82	12	24	X-PTFFOSL8212	X-PTFFOSR8212	3,632
82	16	24	X-PTFFOSL82	X-PTFFOSR82	3,824
82	18	24	X-PTFFOSL8218	X-PTFFOSR8218	4,016
82	24	24	X-PTFFOSL8224	X-PTFFOSR8224	4,215



(Open Left, Place Right Shown)

FF PEDESTAL TOWERS WITH OPEN SIDE ON FEET

			Open Right, Place Left	Open Left, Place Right	
H	W	D	Model Number	Model Number	List
50	12	24	C-PTFFOSL5012	C-PTFFOSR5012	3,280
50	16	24	C-PTFFOSL50	C-PTFFOSR50	3,451
50	18	24	C-PTFFOSL5018	C-PTFFOSR5018	3,625
50	24	24	C-PTFFOSL5024	C-PTFFOSR5024	3,807
66	12	24	C-PTFFOSL6612	C-PTFFOSR6612	3,497
66	16	24	C-PTFFOSL66	C-PTFFOSR66	3,680
66	18	24	C-PTFFOSL6618	C-PTFFOSR6618	3,863
66	24	24	C-PTFFOSL6624	C-PTFFOSR6624	4,057



(Open Left, Place Right Shown)


Specify	Notes
• Laminate Selection for Case	• Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
• Laminate Selection for Drawers/Doors/ Face	• Selection of slim pull for drawers automatically includes touch-to-open mechanisms on cabinet doors.
• Handle Selection	• Slim pull incurs a $75 upcharge.
• Handle Paint Selection	• Lock cores and trim rings ship separately.
• Lock Selection	• One core removal key will be included for every 25 units on an order. Additional core removal keys can be purchased separately.
	• 12”W storage must be secured to a wall or panel, or connected to another unit for stability. A panel support bracket can be found in Accessories.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

FF Pedestal Towers with Cupboard

FF PEDESTAL TOWERS WITH CUPBOARD

			Left-Hinge	Right-Hinge	
H	W	D	Model Number	Model Number	List
50	12	24	X-PTFFCL5012	X-PTFFCR5012	3,298
50	16	24	X-PTFFCL50	X-PTFFCR50	3,471
50	18	24	X-PTFFCL5018	X-PTFFCR5018	3,646
50	24	24	X-PTFFCL5024	X-PTFFCR5024	3,827
66	12	24	X-PTFFCL6612	X-PTFFCR6612	3,543
66	16	24	X-PTFFCL66	X-PTFFCR66	3,730
66	18	24	X-PTFFCL6618	X-PTFFCR6618	3,916
66	24	24	X-PTFFCL6624	X-PTFFCR6624	4,114
74	12	24	X-PTFFCL7412	X-PTFFCR7412	3,627
74	16	24	X-PTFFCL74	X-PTFFCR74	3,817
74	18	24	X-PTFFCL7418	X-PTFFCR7418	4,009
74	24	24	X-PTFFCL7424	X-PTFFCR7424	4,211
82	12	24	X-PTFFCL8212	X-PTFFCR8212	3,792
82	16	24	X-PTFFCL82	X-PTFFCR82	3,989
82	18	24	X-PTFFCL8218	X-PTFFCR8218	4,192
82	24	24	X-PTFFCL8224	X-PTFFCR8224	4,400




50" High 66" High 74" High 82" High (Right-Hinge Shown)

No feet. 3/8" tall glides.

FF PEDESTAL TOWERS WITH CUPBOARD ON FEET

			Left-Hinge	Right-Hinge	
H	W	D	Model Number	Model Number	List
50	12	24	C-PTFFCL5012	C-PTFFCR5012	3,378
50	16	24	C-PTFFCL50	C-PTFFCR50	3,555
50	18	24	C-PTFFCL5018	C-PTFFCR5018	3,735
50	24	24	C-PTFFCL5024	C-PTFFCR5024	3,923
66	12	24	C-PTFFCL6612	C-PTFFCR6612	3,623
66	16	24	C-PTFFCL66	C-PTFFCR66	3,812
66	18	24	C-PTFFCL6618	C-PTFFCR6618	4,005
66	24	24	C-PTFFCL6624	C-PTFFCR6624	4,204



50" High 66" High (Right-Hinge Shown)

Product is elevated on 2 1/8" tall feet.


Specify	Notes
• Laminate Selection for Case	• Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
• Laminate Selection for Drawers/Doors/ Face	• Selection of slim pull for drawers automatically includes touch-to-open mechanisms on cabinet doors.
• Handle Selection	• Slim pull incurs a $75 upcharge.
• Handle Paint Selection	• Lock cores and trim rings ship separately.
• Lock Selection	• One core removal key will be included for every 25 units on an order. Additional core removal keys can be purchased separately.
	• 12"W storage must be secured to a wall or panel, or connected to another unit for stability. A panel support bracket can be found in Accessories.
	• Pencil tray included.
	• 50"H units include 1 adjustable shelf.
	• 66"H units include 2 adjustable shelves.
	• 74"H and 82"H units include 3 adjustable shelves.
	• Shelves have 6" of adjustability.


© 2026, AIS, Inc.


BF Lateral Bookcases


BF LATERAL BOOKCASES

H	W	D	Model Number	List
66	30	18	X-BFLBC663018	4,071
66	30	24	X-BFLBC663024	4,472
66	36	18	X-BFLBC663618	4,290
66	36	24	X-BFLBC663624	4,733
74	30	18	X-BFLBC743018	4,247
74	30	24	X-BFLBC743024	4,693
74	36	18	X-BFLBC743618	4,491
74	36	24	X-BFLBC743624	4,979
82	30	18	X-BFLBC823018	4,334
82	30	24	X-BFLBC823024	4,793
82	36	18	X-BFLBC823618	4,587
82	36	24	X-BFLBC823624	5,091


66" High



74" High



82" High


No feet.
3/8" tall glides.

BF LATERAL BOOKCASES ON FEET

H	W	D	Model Number	List
66	30	18	C-BFLBC663018	4,155
66	30	24	C-BFLBC663024	4,554
66	36	18	C-BFLBC663618	4,371
66	36	24	C-BFLBC663624	4,815


66" High


Product is elevated
on 2 1/8" tall feet.

Specify

- Laminate Selection for Case
- Laminate Selection for Face/Drawer
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes


- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull incurs a $75 upcharge.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order. Additional core removal keys can be purchased separately.
- Shelves have 6" of adjustability.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


BF Laterals with Cabinet Doors


BF LATERALS WITH CABINET DOORS

H	W	D	Model Number	List
66	30	18	X-BFLCD663018	4,618
66	30	24	X-BFLCD663024	5,019
66	36	18	X-BFLCD663618	4,879
66	36	24	X-BFLCD663624	5,321
74	30	18	X-BFLCD743018	4,811
74	30	24	X-BFLCD743024	5,228
74	36	18	X-BFLCD743618	5,091
74	36	24	X-BFLCD743624	5,543
82	30	18	X-BFLCD823018	5,021
82	30	24	X-BFLCD823024	5,481
82	36	18	X-BFLCD823618	5,330
82	36	24	X-BFLCD823624	5,836


66" High



74" High



82" High


No feet.
3/8" tall glides.

BF LATERALS WITH CABINET DOORS ON FEET

H	W	D	Model Number	List
66	30	18	C-BFLCD663018	4,701
66	30	24	C-BFLCD663024	5,102
66	36	18	C-BFLCD663618	4,963
66	36	24	C-BFLCD663624	5,405


66" High


Product is elevated
on 2 1/8" tall feet.


Specify	Notes
• Laminate Selection for Case	• Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
• Laminate Selection for Drawers/Doors/ Face	• Selection of slim pull for drawers automatically includes touch-to-open mechanisms on cabinet doors.
• Handle Selection	• Slim pull incurs a $75 upcharge.
• Handle Paint Selection	• Lock cores and trim rings ship separately.
• Lock Selection	• One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.
	• 50"H units include 1 adjustable shelf.
	• 66"H units include 2 adjustable shelves.
	• 74"H and 82"H units include 3 adjustable shelves.
	• Shelves have 6" of adjustability.


© 2026, AIS, Inc.


BBF Lateral Bookcases


BBF LATERAL BOOKCASES

H	W	D	Model Number	List
66	30	18	X-BBFLBC663018	4,431
66	30	24	X-BBFLBC663024	4,816
66	36	18	X-BBFLBC663618	4,672
66	36	24	X-BBFLBC663624	5,102
74	30	18	X-BBFLBC743018	4,543
74	30	24	X-BBFLBC743024	5,012
74	36	18	X-BBFLBC743618	4,796
74	36	24	X-BBFLBC743624	5,309
82	30	18	X-BBFLBC823018	4,714
82	30	24	X-BBFLBC823024	5,229
82	36	18	X-BBFLBC823618	4,992
82	36	24	X-BBFLBC823624	5,553


66" High



74" High



82" High


No feet.
3/8" tall glides.

BBF LATERAL BOOKCASES ON FEET

H	W	D	Model Number	List
66	30	18	C-BBFLBC663018	4,515
66	30	24	C-BBFLBC663024	4,901
66	36	18	C-BBFLBC663618	4,757
66	36	24	C-BBFLBC663624	5,186


66" High


Product is elevated
on 2 1/8" tall feet.

Specify

- Laminate Selection for Case
- Laminate Selection for Face/Drawer
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes


- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull incurs a $75 upcharge.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.
- Adjustble shelves include 6" of adjustability.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

BBF Lateral Bookcases with Divider

BBF LATERAL BOOKCASES WITH DIVIDER

H	W	D	Model Number	List
42	30	18	X-BBFLBC423018D	4,127
42	36	18	X-BBFLBC423618D	4,326
42	42	18	X-BBFLBC424218D	4,524
50	30	18	X-BBFLBC503018D	4,246
50	36	18	X-BBFLBC503618D	4,456
50	42	18	X-BBFLBC504218D	4,661
66	30	18	X-BBFLBC663018D	4,362
66	36	18	X-BBFLBC663618D	4,587
66	42	18	X-BBFLBC664218D	4,793
74	30	18	X-BBFLBC743018D	4,482
74	36	18	X-BBFLBC743618D	4,713
74	42	18	X-BBFLBC744218D	4,927
82	30	18	X-BBFLBC823018D	4,601
82	36	18	X-BBFLBC823618D	4,843
82	42	18	X-BBFLBC824218D	5,059




42" High 50" High 66" High 74" High 82" High

No feet.
3/8" tall glides.

BBF LATERAL BOOKCASES WITH DIVIDER ON FEET

H	W	D	Model Number	List
66	30	18	C-BBFLBC663018D	4,444
66	36	18	C-BBFLBC663618D	4,669
66	42	18	C-BBFLBC664218D	4,876



66" High

Product is elevated
on 2 1/8" tall feet.

Specify

- Laminate Selection for Case
- Laminate Selection for Face/Drawer
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes


- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull incurs a $75 upcharge.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.
- Adjustable shelves include 6" of adjustability. No adjustable shelves included on 42"H units.


© 2026, AIS, Inc.


BBF Laterals with Cabinet Doors


BBF LATERALS WITH CABINET DOORS

H	W	D	Model Number	List
66	30	18	X-BBFLCD663018	4,983
66	30	24	X-BBFLCD663024	5,441
66	36	18	X-BBFLCD663618	5,268
66	36	24	X-BBFLCD663624	5,768
74	30	18	X-BBFLCD743018	5,120
74	30	24	X-BBFLCD743024	5,588
74	36	18	X-BBFLCD743618	5,419
74	36	24	X-BBFLCD743624	5,930
82	30	18	X-BBFLCD823018	5,392
82	30	24	X-BBFLCD823024	5,906
82	36	18	X-BBFLCD823618	5,724
82	36	24	X-BBFLCD823624	6,285


66" High



74" High



82" High


No feet.
3/8" tall glides.

BBF LATERALS WITH CABINET DOORS ON FEET

H	W	D	Model Number	List
66	30	18	C-BBFLCD663018	5,066
66	30	24	C-BBFLCD663024	5,522
66	36	18	C-BBFLCD663618	5,350
66	36	24	C-BBFLCD663624	5,848


66" High


Product is elevated
on 2 1/8" tall feet.

Specify

- Laminate Selection for Case
- Laminate Selection for Drawers/Doors/Face
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes


- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Selection of slim pull for drawers automatically includes touch-to-open mechanisms on cabinet doors.
- Slim pull incurs a $75 upcharge.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.
- 50"H units include 1 adjustable shelf.
- 66"H units include 2 adjustable shelves.
- 74"H and 82"H units include 3 adjustable shelves.
- Shelves have 6" of adjustability.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


FF Lateral Bookcases


FF LATERAL BOOKCASE

H	W	D	Model Number	List
66	30	18	X-FFLBC663018	4,227
66	30	24	X-FFLBC663024	4,648
66	36	18	X-FFLBC663618	4,472
66	36	24	X-FFLBC663624	4,929
74	30	18	X-FFLBC743018	4,315
74	30	24	X-FFLBC743024	4,753
74	36	18	X-FFLBC743618	4,569
74	36	24	X-FFLBC743624	5,040
82	30	18	X-FFLBC823018	4,490
82	30	24	X-FFLBC823024	4,968
82	36	18	X-FFLBC823618	4,767
82	36	24	X-FFLBC823624	5,289


66" High



74" High



82" High


No feet.
3/8" tall glides.

FF LATERAL BOOKCASE ON FEET

H	W	D	Model Number	List
66	30	18	C-FFLBC663018	4,311
66	30	24	C-FFLBC663024	4,733
66	36	18	C-FFLBC663618	4,554
66	36	24	C-FFLBC663624	5,012


66" High


Product is elevated
on 2 1/8" tall feet.

Specify

- Laminate Selection for Case
- Laminate Selection for Face/Drawer
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes


- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull incurs a $75 upcharge.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.
- Adjustable shelves inlcude 6" of adjustability.


© 2026, AIS, Inc.


FF Lateral Bookcases with Divider


FF LATERAL BOOKCASE WITH DIVIDER

H	W	D	Model Number	List
66	30	18	X-LATBC6630	4,162
66	36	18	X-LATBC6636	4,385
66	42	18	X-LATBC6642	4,590
74	30	18	X-LATBC7430	4,279
74	36	18	X-LATBC7436	4,513
74	42	18	X-LATBC7442	4,725
82	30	18	X-LATBC8230	4,397
82	36	18	X-LATBC8236	4,638
82	42	18	X-LATBC8242	4,858


66" High



74" High



82" High


No feet.
3/8" tall glides.

FF LATERAL BOOKCASE WITH DIVIDER ON FEET

H	W	D	Model Number	List
66	30	18	C-LATBC6630	4,246
66	36	18	C-LATBC6636	4,468
66	42	18	C-LATBC6642	4,672


66" High


Product is elevated
on 2 1/8" tall feet.


Specify	Notes
• Laminate Selection for Case • Laminate Selection for Face/Drawer • Handle Selection • Handle Paint Selection • Lock Selection	• Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge. • Slim pull incurs a $75 upcharge. • Lock cores and trim rings ship separately. • One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section. • Adjustable shelves inlcude 6" of adjustability.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


FF Laterals with Cabinet Doors


FF LATERAL WITH CABINET DOORS

H	W	D	Model Number	List
66	30	18	X-FFLCD663018	4,753
66	30	24	X-FFLCD663024	5,174
66	36	18	X-FFLCD663618	5,035
66	36	24	X-FFLCD663624	5,493
74	30	18	X-FFLCD743018	4,888
74	30	24	X-FFLCD743024	5,324
74	36	18	X-FFLCD743618	5,182
74	36	24	X-FFLCD743624	5,655
82	30	18	X-FFLCD823018	5,155
82	30	24	X-FFLCD823024	5,637
82	36	18	X-FFLCD823618	5,485
82	36	24	X-FFLCD823624	6,006


66" High



74" High



82" High


No feet.
3/8" tall glides.

FF LATERAL WITH CABINET DOORS ON FEET

H	W	D	Model Number	List
66	30	18	C-FFLCD663018	4,833
66	30	24	C-FFLCD663024	5,258
66	36	18	C-FFLCD663618	5,118
66	36	24	C-FFLCD663624	5,574


66" High


Product is elevated
on 2 1/8" tall feet.

Specify

- Laminate Selection for Case
- Laminate Selection for Drawers/Doors/Face
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes


- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Selection of slim pull for drawers automatically includes touch-to-open mechanisms on cabinet doors.
- Slim pull incurs a $75 upcharge.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.
- 50"H units include 1 adjustable shelf.
- 66"H units include 2 adjustable shelves.
- 74"H and 82"H units include 3 adjustable shelves.
- Shelves have 6" of adjustability.


© 2026, AIS, Inc.


66”, 74” and 82” High Two Door Cabinets


TWO DOOR CABINETS

H	W	D	Model Number	List
66	30	18	X-CBC663018	3,440
66	30	24	X-CBC663024	3,711
66	30	30	X-CBC663030	3,994
66	36	18	X-CBC663618	3,652
66	36	24	X-CBC663624	3,950
66	36	30	X-CBC663630	4,264
74	30	18	X-CBC743018	3,726
74	30	24	X-CBC743024	4,014
74	30	30	X-CBC743030	4,312
74	36	18	X-CBC743618	3,952
74	36	24	X-CBC743624	4,270
74	36	30	X-CBC743630	4,595
82	30	18	X-CBC823018	3,916
82	30	24	X-CBC823024	4,216
82	30	30	X-CBC823030	4,530
82	36	18	X-CBC823618	4,159
82	36	24	X-CBC823624	4,488
82	36	30	X-CBC823630	4,830


66” High



74” High



82” High


No feet.
3/8” tall glides.

TWO DOOR CABINETS ON FEET

H	W	D	Model Number	List
66	30	18	C-CBC663018	3,524
66	30	24	C-CBC663024	3,796
66	30	30	C-CBC663030	4,078
66	36	18	C-CBC663618	3,735
66	36	24	C-CBC663624	4,035
66	36	30	C-CBC663630	4,347


66” High


Product is elevated
on 2 1/8” tall feet.

Specify

- Laminate Selection for Case
- Laminate Selection for Face/Door
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes


- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull not available on doors. Touch-to-open handle selection incurs a $50 upcharge per unit.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.
- All 2 door cabinets have 4 adjustable shelves.
- 66”H, 74”H and 82”H high units have 4 adjustable shelves.
- Shelves have 6” of adjustability.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Bookcases

BOOKCASES

H	W	D	Model Number	List
42	30	14	X-BC423015	2,078
42	36	14	X-BC423615	2,170
50	30	14	X-BC503015	2,161
50	36	14	X-BC503615	2,258
66	30	14	X-BC663015	2,384
66	36	14	X-BC663615	2,513
74	30	14	X-BC743015	2,466
74	36	14	X-BC743615	2,601




42" High 50" High 66" High 74" High

No feet.
3/8" tall glides.

BOOKCASES ON FEET

H	W	D	Model Number	List
42	30	14	C-BC423015	2,161
42	36	14	C-BC423615	2,252
50	30	14	C-BC503015	2,244
50	36	14	C-BC503615	2,342
66	30	14	C-BC663015	2,468
66	36	14	C-BC663615	2,597



42" High 50" High 66" High

Product is elevated
on 2 1/8" tall feet.

Specify

- Laminate Selection for Unit

Notes


- Adjustable shelves inlcude 6" of adjustability.
- Weight capacity per shelf is 30 lbs. to avoid bowing.

© 2026, AIS, Inc.

Single Door Towers

SINGLE DOOR TOWERS


H	W	D	Left-Hinge Model Number	Right-Hinge Model Number	List
42	12	18	X-SDCL4218	X-SDCR4218	2,509
42	12	24	X-SDCL4224	X-SDCR4224	2,615
42	12	30	X-SDCL4230	X-SDCR4230	2,729
42	12	36	X-SDCL4236	X-SDCR4236	2,835
50	12	18	X-SDCL5018	X-SDCR5018	2,597
50	12	24	X-SDCL5024	X-SDCR5024	2,722
50	12	30	X-SDCL5030	X-SDCR5030	2,846
50	12	36	X-SDCL5036	X-SDCR5036	2,971
58	12	18	X-SDCL5818	X-SDCR5818	2,862
58	12	24	X-SDCL5824	X-SDCR5824	3,002
58	12	30	X-SDCL5830	X-SDCR5830	3,142
58	12	36	X-SDCL5836	X-SDCR5836	3,281
66	12	18	X-SDCL6618	X-SDCR6618	2,945
66	12	24	X-SDCL6624	X-SDCR6624	3,101
66	12	30	X-SDCL6630	X-SDCR6630	3,258
66	12	36	X-SDCL6636	X-SDCR6636	3,409
74	12	18	X-SDCL7418	X-SDCR7418	3,030
74	12	24	X-SDCL7424	X-SDCR7424	3,200
74	12	30	X-SDCL7430	X-SDCR7430	3,373
74	12	36	X-SDCL7436	X-SDCR7436	3,541



42" High (Left-Hinge) | 50" High (Left-Hinge) | 58" High (Left-Hinge) | 66" High (Left-Hinge) | 74" High (Left-Hinge) | No feet. 3/8" tall glides.

SINGLE DOOR TOWERS ON FEET

H	W	D	Left-Hinge Model Number	Right-Hinge Model Number	List
42	12	18	C-SDC421218RL	C-SDC421218LL	2,590
42	12	24	C-SDC421224RL	C-SDC421224LL	2,701
42	12	30	C-SDC421230RL	C-SDC421230LL	2,811
42	12	36	C-SDC421236RL	C-SDC421236LL	2,919
50	12	18	C-SDC501218RL	C-SDC501218LL	2,681
50	12	24	C-SDC501224RL	C-SDC501224LL	2,804
50	12	30	C-SDC501230RL	C-SDC501230LL	2,931
50	12	36	C-SDC501236RL	C-SDC501236LL	3,056
58	12	18	C-SDC581218RL	C-SDC581218LL	2,943
58	12	24	C-SDC581224RL	C-SDC581224LL	3,084
58	12	30	C-SDC581230RL	C-SDC581230LL	3,225
58	12	36	C-SDC581236RL	C-SDC581236LL	3,366
66	12	18	C-SDC661218RL	C-SDC661218LL	3,029
66	12	24	C-SDC661224RL	C-SDC661224LL	3,184
66	12	30	C-SDC661230RL	C-SDC661230LL	3,343
66	12	36	C-SDC661236RL	C-SDC661236LL	3,493



42" High (Left-Hinge) | 50" High (Left-Hinge) | 58" High (Left-Hinge) | 66" High (Left-Hinge) | Product sits on 2 1/8" elevated feet

Specify

- Laminate Selection for Case
- Laminate Selection for Door/Face
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes


- Left-hinge towers shown.
- Towers must be ganged together with another unit or secured to a wall.
- Towers are wardrobe style and do not have shelving.
- 18" deep units come equipped with a coat hook. 24", 30" and 36" deep units come equipped with a coat rod.
- Single door tower handles are designed to be aligned with adjacent storage elements in private office settings.
- Select sizes available on quick ship Calibrate Countdown program. See Calibrate Countdown price list for full details.
- Slim pull not available on doors. Touch-to-open handle selection incurs a $50 upcharge per unit.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.
- 12"W storage must be secured to a wall or panel, or connected to another unit for stability. A panel support bracket can be found in Accessories.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Single Door Towers

SINGLE DOOR TOWERS


H	W	D	Left-Hinge Model Number	Right-Hinge Model Number	List
42	18	18	X-SDCL421818	X-SDCR421818	2,988
42	18	24	X-SDCL421824	X-SDCR421824	3,090
42	18	30	X-SDCL421830	X-SDCR421830	3,199
42	18	36	X-SDCL421836	X-SDCR421836	3,303
50	18	18	X-SDCL501818	X-SDCR501818	3,073
50	18	24	X-SDCL501824	X-SDCR501824	3,193
50	18	30	X-SDCL501830	X-SDCR501830	3,311
50	18	36	X-SDCL501836	X-SDCR501836	3,433
58	18	18	X-SDCL581818	X-SDCR581818	3,328
58	18	24	X-SDCL581824	X-SDCR581824	3,463
58	18	30	X-SDCL581830	X-SDCR581830	3,597
58	18	36	X-SDCL581836	X-SDCR581836	3,731
66	18	18	X-SDCL661818	X-SDCR661818	3,408
66	18	24	X-SDCL661824	X-SDCR661824	3,558
66	18	30	X-SDCL661830	X-SDCR661830	3,708
66	18	36	X-SDCL661836	X-SDCR661836	3,854
74	18	18	X-SDCL741818	X-SDCR741818	3,489
74	18	24	X-SDCL741824	X-SDCR741824	3,653
74	18	30	X-SDCL741830	X-SDCR741830	3,819
74	18	36	X-SDCL741836	X-SDCR741836	3,984



42" High (Left-Hinge) | 50" High (Left-Hinge) | 58" High (Left-Hinge) | 66" High (Left-Hinge) | 74" High (Left-Hinge) | No feet. 3/8" tall glides.

SINGLE DOOR TOWERS ON FEET

H	W	D	Left-Hinge Model Number	Right-Hinge Model Number	List
42	18	18	C-SDC421818RL	C-SDC421818LL	3,066
42	18	24	C-SDC421824RL	C-SDC421824LL	3,172
42	18	30	C-SDC421830RL	C-SDC421830LL	3,277
42	18	36	C-SDC421836RL	C-SDC421836LL	3,384
50	18	18	C-SDC501818RL	C-SDC501818LL	3,154
50	18	24	C-SDC501824RL	C-SDC501824LL	3,272
50	18	30	C-SDC501830RL	C-SDC501830LL	3,393
50	18	36	C-SDC501836RL	C-SDC501836LL	3,514
58	18	18	C-SDC581818RL	C-SDC581818LL	3,406
58	18	24	C-SDC581824RL	C-SDC581824LL	3,541
58	18	30	C-SDC581830RL	C-SDC581830LL	3,677
58	18	36	C-SDC581836RL	C-SDC581836LL	3,813
66	18	18	C-SDC661818RL	C-SDC661818LL	3,488
66	18	24	C-SDC661824RL	C-SDC661824LL	3,639
66	18	30	C-SDC661830RL	C-SDC661830LL	3,789
66	18	36	C-SDC661836RL	C-SDC661836LL	3,935



42" High (Left-Hinge) | 50" High (Left-Hinge) | 58" High (Left-Hinge) | 66" High (Left-Hinge) | Product sits on 2 1/8" elevated feet

Specify

- Laminate Selection for Case
- Laminate Selection for Door/Face
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes


- Left-hinge towers shown.
- Towers must be ganged together with another unit or secured to a wall.
- Towers are wardrobe style and do not have shelving.
- 18" deep units come equipped with a coat hook. 24", 30" and 36" deep units come equipped with a coat rod.
- Single door tower handles are designed to be aligned with adjacent storage elements in private office settings.
- Select sizes available on quick ship Calibrate Countdown program. See Calibrate Countdown price list for full details.
- Slim pull not available on doors. Touch-to-open handle selection incurs a $50 upcharge per unit.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.

© 2026, AIS, Inc.


Two Door Towers with Coat Rod

TWO DOOR TOWERS WITH COAT ROD				
H	W	D	Model Number	List
42	30	18	X-CBCR423018	3,761
42	30	24	X-CBCR423024	4,097
42	30	30	X-CBCR423030	4,293
42	36	18	X-CBCR423618	3,937
42	36	24	X-CBCR423624	4,329
42	36	30	X-CBCR423630	4,535
50	30	18	X-CBCR503018	4,000
50	30	24	X-CBCR503024	4,360
50	30	30	X-CBCR503030	4,582
50	36	18	X-CBCR503618	4,201
50	36	24	X-CBCR503624	4,620
50	36	30	X-CBCR503630	4,851
66	30	18	X-CBCR663018	4,465
66	30	24	X-CBCR663024	4,881
66	30	30	X-CBCR663030	5,153
66	36	18	X-CBCR663618	4,719
66	36	24	X-CBCR663624	5,190
66	36	30	X-CBCR663630	5,473

TWO DOOR TOWERS WITH COAT ROD				
H	W	D	Model Number	List
74	30	18	X-CBCR743018	4,708
74	30	24	X-CBCR743024	5,149
74	30	30	X-CBCR743030	5,447
74	36	18	X-CBCR743618	4,987
74	36	24	X-CBCR743624	5,484
74	36	30	X-CBCR743630	5,792
82	30	18	X-CBCR823018	4,945
82	30	24	X-CBCR823024	5,411
82	30	30	X-CBCR823030	5,738
82	36	18	X-CBCR823618	5,251
82	36	24	X-CBCR823624	5,775
82	36	30	X-CBCR823630	6,110



42” High 50” High 66” High 74” High 82” High



18”D Front-to-back coat rod. 24”, 30, 36”D Side-to-side coat rod. No feet. 3/8” tall glides.

Specify	Notes
• Laminate Selection for Case	• Left-hinge towers shown.
• Laminate Selection for Door/Face	• Towers must be ganged together with another unit or secured to a wall.
• Handle Selection	• 18”D units will have a front-to-back coat rod. 24”, 30” and 36”D units will have a side-to-side coat rod.
• Handle Paint Selection	• 66”, 74”, and 82”H units have a fixed shelf on the top section of the unit.
• Lock Selection	• Select sizes available on quick ship Calibrate Countdown program. See Calibrate Countdown price list for full details.
	• Slim pull not available on doors. Touch-to-open handle selection incurs a $50 upcharge per unit.
	• Lock cores and trim rings ship separately.
	• One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Two Door Towers with Coat Rod

TWO DOOR TOWERS WITH COAT ROD ON FEET


H	W	D	Model Number	List
42	30	18	C-CBCR423018	3,761
42	30	24	C-CBCR423024	4,097
42	30	30	C-CBCR423030	4,293
42	36	18	C-CBCR423618	3,937
42	36	24	C-CBCR423624	4,329
42	36	30	C-CBCR423630	4,535
50	30	18	C-CBCR503018	4,000
50	30	24	C-CBCR503024	4,360
50	30	30	C-CBCR503030	4,582
50	36	18	C-CBCR503618	4,201
50	36	24	C-CBCR503624	4,620
50	36	30	C-CBCR503630	4,851

TWO DOOR TOWERS WITH COAT ROD ON FEET


H	W	D	Model Number	List
66	30	18	C-CBCR663018	4,465
66	30	24	C-CBCR663024	4,881
66	30	30	C-CBCR663030	5,153
66	36	18	C-CBCR663618	4,719
66	36	24	C-CBCR663624	5,190
66	36	30	C-CBCR663630	5,473




42" High 50" High 66" High



18"D Front-to-back coat rod.



24" and 30"D Side-to-side coat rod.



Product sits on 2 1/8" elevated feet


Specify	Notes
• Laminate Selection for Case	• Left-hinge towers shown.
• Laminate Selection for Door/Face	• Towers must be ganged together with another unit or secured to a wall.
• Handle Selection	• 18"D units will have a front-to-back coat rod. 24" and 30"D units will have a side-to-side coat rod.
• Handle Paint Selection	• Select sizes available on quick ship Calibrate Countdown program. See Calibrate Countdown price list for full details.
• Lock Selection	• Slim pull not available on doors. Touch-to-open handle selection incurs a $50 upcharge per unit.
	• Lock cores and trim rings ship separately.
	• One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.

© 2026, AIS, Inc.

Lockers

SINGLE DOOR LOCKER


H	W	D	Left-Hinge Model Number	Right-Hinge Model Number	List
42	12	18	X-LSD421218L	X-LSD421218R	2,553
42	12	24	X-LSD421224L	X-LSD421224R	2,753
50	12	18	X-LSD501218L	X-LSD501218R	2,690
50	12	24	X-LSD501224L	X-LSD501224R	2,861
66	12	18	X-LSD661218L	X-LSD661218R	3,038
66	12	24	X-LSD661224L	X-LSD661224R	3,238
74	12	18	X-LSD741218L	X-LSD741218R	3,121
74	12	24	X-LSD741224L	X-LSD741224R	3,336



(Left-Hinge Locker Shown)

SINGLE DOOR LOCKER ON FEET


H	W	D	Left-Hinge Model Number	Right-Hinge Model Number	List
42	12	18	C-LSD421218L	C-LSD421218R	2,682
42	12	24	C-LSD421224L	C-LSD421224R	2,836
50	12	18	C-LSD501218L	C-LSD501218R	2,774
50	12	24	C-LSD501224L	C-LSD501224R	2,942
66	12	18	C-LSD661218L	C-LSD661218R	3,120
66	12	24	C-LSD661224L	C-LSD661224R	3,322



(Left-Hinge Locker Shown)

DOUBLE DOOR LOCKER


H	W	D	Left-Hinge Model Number	Right-Hinge Model Number	List
42	12	18	X-LDD421218L	X-LDD421218R	2,695
42	12	24	X-LDD421224L	X-LDD421224R	2,924
50	12	18	X-LDD501218L	X-LDD501218R	2,829
50	12	24	X-LDD501224L	X-LDD501224R	3,029



(Left-Hinge Locker Shown)

DOUBLE DOOR LOCKER ON FEET

H	W	D	Left-Hinge Model Number	Right-Hinge Model Number	List
42	12	18	C-LDD421218L	C-LDD421218R	2,825
42	12	24	C-LDD421224L	C-LDD421224R	3,007
50	12	18	C-LDD501218L	C-LDD501218R	2,914
50	12	24	C-LDD501224L	C-LDD501224R	3,113



(Left-Hinge Locker Shown)

Specify

- Laminate Selection for Case
- Laminate Selection for Face/Door
- Handle Selection
- Handle Paint Selection
- Lock Selection


Notes

- All lockers have coat hooks on the door side.
- 24" Deep Single Door units also come with a coat rod.
- All lockers have an adjustable shelf that is recessed by 6".
- Locks located at top of door.
- Lockers are compatible with digital locks (sold separately). Digital locks require field pre-drilling and installation. Template for pre-drilling is provided with locks.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull not available on doors. Touch-to-open handle selection incurs a $50 upcharge per unit.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.
- 12"W storage must be secured to a wall or panel, or connected to another unit for stability. A panel support bracket can be found in Accessories.
- 42"H and 50"H single door lockers include 2 coat hooks.
- 66"H and 74"H single door lockers include a coat rod and 2 hooks.
- Double door lockers include one hook per opening.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

DOUBLE DOOR LOCKERS WITH OPPOSITE DOORS

			Top Left-Hinge, Bottom Right-Hinge	Top Right-Hinge, Bottom Left-Hinge	
H	W	D	Model Number	Model Number	List
42	12	18	X-DDLTL421218	X-DDLTR421218	2,730
42	12	24	X-DDLTL421224	X-DDLTR421224	2,959
50	12	18	X-DDLTL501218	X-DDLTR501218	2,866
50	12	24	X-DDLTL501224	X-DDLTR501224	3,063




42" High 50" High No feet. 3/8" tall glides.

(Top Left-Hinge, Bottom Right-Hinge Locker Shown)

DOUBLE DOOR LOCKERS WITH OPPOSITE DOORS ON FEET

			Top Left-Hinge, Bottom Right-Hinge	Top Right-Hinge, Bottom Left-Hinge	
H	W	D	Model Number	Model Number	List
42	12	18	C-DDLTL421218	C-DDLTR421218	2,857
42	12	24	C-DDLTL421224	C-DDLTR421224	3,041
50	12	18	C-DDLTL501218	C-DDLTR501218	2,947
50	12	24	C-DDLTL501224	C-DDLTR501224	3,147




42" High 50" High Product is elevated on 2 1/8" tall feet.

(Top Left-Hinge, Bottom Right-Hinge Locker Shown)

TRIPLE DOOR LOCKER

			Left-Hinge	Right-Hinge	
H	W	D	Model Number	Model Number	List
66	12	18	X-LTD661218L	X-LTD661218R	3,324
66	12	24	X-LTD661224L	X-LTD661224R	3,588
74	12	18	X-LTD741218L	X-LTD741218R	3,408
74	12	24	X-LTD741224L	X-LTD741224R	3,691




66" High 74" High No feet. 3/8" tall glides.

(Left-Hinge Locker Shown)

TRIPLE DOOR LOCKER ON FEET

			Left-Hinge	Right-Hinge	
H	W	D	Model Number	Model Number	List
66	12	18	C-LTD661218L	C-LTD661218R	3,407
66	12	24	C-LTD661224L	C-LTD661224R	3,673



66" High Product is elevated on 2 1/8" tall feet.

(Left-Hinge Locker Shown)

Specify

- Laminate Selection for Case
- Laminate Selection for Face/Doors
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes


- All lockers have coat hooks on the door side.
- All lockers have an adjustable shelf that is recessed by 6".
- Lockers are compatible with digital locks (sold separately). Digital locks require field pre-drilling and installation. Template for pre-drilling is provided with locks.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull not available on doors. Touch-to-open handle selection incurs a $50 upcharge per unit.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.
- 12"W storage must be secured to a wall or panel, or connected to another unit for stability. A panel support bracket can be found in Accessories.
- One coat hook included per locker opening.

© 2026, AIS, Inc.

Calibrate Dry Planters

DRY PLANTERS				
H	W	D	Model Number	List
34	30	12	X-CP343012	1,877
34	36	12	X-CP343612	2,009
34	42	12	X-CP344212	2,140
34	48	12	X-CP344812	2,272
34	54	12	X-CP345412	2,402
34	60	12	X-CP346012	2,534
34	30	18	X-CP343018	2,064
34	36	18	X-CP343618	2,197
34	42	18	X-CP344218	2,327
34	48	18	X-CP344818	2,459
34	54	18	X-CP345418	2,590
34	60	18	X-CP346018	2,722
34	30	24	X-CP343024	2,272
34	36	24	X-CP343624	2,402
34	42	24	X-CP344224	2,534
34	48	24	X-CP344824	2,665
34	54	24	X-CP345424	2,795
34	60	24	X-CP346024	2,927

DRY PLANTERS				
H	W	D	Model Number	List
42	30	12	X-CP423012	2,160
42	36	12	X-CP423612	2,289
42	42	12	X-CP424212	2,422
42	48	12	X-CP424812	2,552
42	54	12	X-CP425412	2,683
42	60	12	X-CP426012	2,815
42	30	18	X-CP423018	2,373
42	36	18	X-CP423618	2,506
42	42	18	X-CP424218	2,636
42	48	18	X-CP424818	2,769
42	54	18	X-CP425418	2,900
42	60	18	X-CP426018	3,030
42	30	24	X-CP423024	2,612
42	36	24	X-CP423624	2,743
42	42	24	X-CP424224	2,874
42	48	24	X-CP424824	3,004
42	54	24	X-CP425424	3,137
42	60	24	X-CP426024	3,267



30”-54” Wide 60” Wide

Specify

- Laminate Selection with Matching Edge


Notes

- 3/4” material thickness.
- Freestanding planters have an interior usable depth of 9”.
- Only for use with artificial plants.
- Not intended for use with water or soil.
- 12”D units must be ganged to another unit or wall for support.
- Grain runs vertical on 30”-54” wide units; grain runs vertical for sides and horizontal for front and back on 60” wide units.
- 3/8” tall glides.
- Ships assembled.
- Weight capacity: 18 lbs per linear foot.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Calibrate Dry Planters

DRY PLANTERS				
H	W	D	Model Number	List
50	30	12	X-CP503012	2,482
50	36	12	X-CP503612	2,613
50	42	12	X-CP504212	2,745
50	48	12	X-CP504812	2,875
50	54	12	X-CP505412	3,007
50	60	12	X-CP506012	3,138
50	30	18	X-CP503018	2,730
50	36	18	X-CP503618	2,861
50	42	18	X-CP504218	2,991
50	48	18	X-CP504818	3,124
50	54	18	X-CP505418	3,255
50	60	18	X-CP506018	3,387
50	30	24	X-CP503024	3,002
50	36	24	X-CP503624	3,134
50	42	24	X-CP504224	3,265
50	48	24	X-CP504824	3,395
50	54	24	X-CP505424	3,528
50	60	24	X-CP506024	3,659



30”-54” Wide




60” Wide

Specify	Notes
• Laminate Selection with Matching Edge	• 3/4” material thickness. • Freestanding planters have an interior usable depth of 9”. • Only for use with artificial plants. • Not intended for use with water or soil. • 12”D units must be ganged to another unit or wall for support. • Grain runs vertical on 30”-50” wide units; grain runs vertical for sides and horizontal for front and back on 60” wide units. • 3/8” tall glides. • Ships assembled. • Weight capacity: 18 lbs per linear foot.


© 2026, AIS, Inc.

Calibrate Stack-On Dry Planters

STACK-ON DRY PLANTERS				
H	W	D	Model Number	List
8	30	12	X-CPSO083012	1,230
8	36	12	X-CPSO083612	1,267
8	42	12	X-CPSO084212	1,305
8	48	12	X-CPSO084812	1,341
8	54	12	X-CPSO085412	1,378
8	60	12	X-CPSO086012	1,415
8	30	18	X-CPSO083018	1,292
8	36	18	X-CPSO083618	1,329
8	42	18	X-CPSO084218	1,367
8	48	18	X-CPSO084818	1,403
8	54	18	X-CPSO085418	1,439
8	60	18	X-CPSO086018	1,476
8	30	24	X-CPSO083024	1,355
8	36	24	X-CPSO083624	1,395
8	42	24	X-CPSO084224	1,431
8	48	24	X-CPSO084824	1,467
8	54	24	X-CPSO085424	1,503
8	60	24	X-CPSO086024	1,542



30”-54” Wide



60” Wide

Specify

- Laminate Selection with Matching Edge

Notes

- 3/4” Material Thickness.
- Stack-on planters have an interior usable depth of 7.25”.
- Only for use with artificial plants.
- Not intended for use with water or soil.
- For use with Calibrate storage only or L-series storage in aligning dimensions.
- Grain runs vertical for sides and horizontal for front and back.
- Ships assembled.
- Weight capacity: 18 lbs per linear foot.
- Stack-on dry planters are not recommended to span more than 2 ganged storage units.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Calibrate Single Wrap Dry Planters

SINGLE WRAP DRY PLANTERS				
H	W Actual	D Actual	Model Number	List
34	32 1/4	19 1/4	X-CPSW343018	2,003
34	38 1/4	19 1/4	X-CPSW343618	2,134
34	44 1/4	19 1/4	X-CPSW344218	2,264
34	50 1/4	19 1/4	X-CPSW344818	2,398
34	56 1/4	19 1/4	X-CPSW345418	2,527
34	62 1/4	19 1/4	X-CPSW346018	2,660
34	68 1/4	19 1/4	X-CPSW346618	2,210
34	74 1/4	19 1/4	X-CPSW347218	2,340
34	80 1/4	19 1/4	X-CPSW347818	2,472
34	86 1/4	19 1/4	X-CPSW348418	2,602
34	32 1/4	25 1/4	X-CPSW343024	2,204
34	38 1/4	25 1/4	X-CPSW343624	2,333
34	44 1/4	25 1/4	X-CPSW344224	2,466
34	50 1/4	25 1/4	X-CPSW344824	2,596
34	56 1/4	25 1/4	X-CPSW345424	2,729
34	62 1/4	25 1/4	X-CPSW346024	2,858
34	68 1/4	25 1/4	X-CPSW346624	2,408
34	74 1/4	25 1/4	X-CPSW347224	2,541
34	80 1/4	25 1/4	X-CPSW347824	2,672
34	86 1/4	25 1/4	X-CPSW348424	2,804

SINGLE WRAP DRY PLANTERS				
H	W Actual	D Actual	Model Number	List
50	32 1/4	19 1/4	X-CPSW503018	2,647
50	38 1/4	19 1/4	X-CPSW503618	2,779
50	44 1/4	19 1/4	X-CPSW504218	2,910
50	50 1/4	19 1/4	X-CPSW504818	3,043
50	56 1/4	19 1/4	X-CPSW505418	3,174
50	62 1/4	19 1/4	X-CPSW506018	3,305
50	68 1/4	19 1/4	X-CPSW506618	2,922
50	74 1/4	19 1/4	X-CPSW507218	3,053
50	80 1/4	19 1/4	X-CPSW507818	3,182
50	86 1/4	19 1/4	X-CPSW508418	3,316
50	32 1/4	25 1/4	X-CPSW503024	2,913
50	38 1/4	25 1/4	X-CPSW503624	3,044
50	44 1/4	25 1/4	X-CPSW504224	3,176
50	50 1/4	25 1/4	X-CPSW504824	3,306
50	56 1/4	25 1/4	X-CPSW505424	3,438
50	62 1/4	25 1/4	X-CPSW506024	3,568
50	68 1/4	25 1/4	X-CPSW506624	3,184
50	74 1/4	25 1/4	X-CPSW507224	3,318
50	80 1/4	25 1/4	X-CPSW507824	3,448
50	86 1/4	25 1/4	X-CPSW508424	3,581



30”-54” Wide



60”-84” Wide

Specify

- Laminate Selection with Matching Edge

Notes


- 1 1/8” Material Thickness.
- 34”H single and double wrap planters have an interior usable depth of 4.3”.
- 50”H single and double wrap planters have an interior usable depth of 6.8”
- Only for use with artificial plants.
- Not intended for use with water or soil.
- For use with Calibrate storage only. 34”H units accommodate 28”H storage; 50”H units accommodate 42”H storage.
- Grain runs vertical on 30”-50” wide units; grain runs vertical for sides and horizontal for front and back on 60-84” wide units.
- Ships knocked-down.
- Weight capacity: 18 lbs per linear foot.
- Stack-on dry planters are not recommended to span more than 2 ganged storage units.

© 2026, AIS, Inc.


Calibrate Double Wrap Dry Planters

DOUBLE WRAP DRY PLANTERS				
H	W Actual	D Actual	Model Number	List
34	32 1/4	37 1/4	X-CPDW343036	3,003
34	38 1/4	37 1/4	X-CPDW343636	3,200
34	44 1/4	37 1/4	X-CPDW344236	3,395
34	50 1/4	37 1/4	X-CPDW344836	3,594
34	56 1/4	37 1/4	X-CPDW345436	3,792
34	62 1/4	37 1/4	X-CPDW346036	3,987
34	68 1/4	37 1/4	X-CPDW346636	3,314
34	74 1/4	37 1/4	X-CPDW347236	3,509
34	80 1/4	37 1/4	X-CPDW347836	3,707
34	86 1/4	37 1/4	X-CPDW348436	3,903
34	32 1/4	49 1/4	X-CPDW343048	3,304
34	38 1/4	49 1/4	X-CPDW343648	3,501
34	44 1/4	49 1/4	X-CPDW344248	3,696
34	50 1/4	49 1/4	X-CPDW344848	3,894
34	56 1/4	49 1/4	X-CPDW345448	4,091
34	62 1/4	49 1/4	X-CPDW346048	4,287
34	68 1/4	49 1/4	X-CPDW346648	3,614
34	74 1/4	49 1/4	X-CPDW347248	3,809
34	80 1/4	49 1/4	X-CPDW347848	4,007
34	86 1/4	49 1/4	X-CPDW348448	4,203

DOUBLE WRAP DRY PLANTERS				
H	W Actual	D Actual	Model Number	List
50	32 1/4	37 1/4	X-CPDW503036	3,972
50	38 1/4	37 1/4	X-CPDW503636	4,167
50	44 1/4	37 1/4	X-CPDW504236	4,365
50	50 1/4	37 1/4	X-CPDW504836	4,562
50	56 1/4	37 1/4	X-CPDW505436	4,758
50	62 1/4	37 1/4	X-CPDW506036	4,955
50	68 1/4	37 1/4	X-CPDW506636	4,381
50	74 1/4	37 1/4	X-CPDW507236	4,578
50	80 1/4	37 1/4	X-CPDW507836	4,774
50	86 1/4	37 1/4	X-CPDW508436	4,971
50	32 1/4	49 1/4	X-CPDW503048	4,368
50	38 1/4	49 1/4	X-CPDW503648	4,564
50	44 1/4	49 1/4	X-CPDW504248	4,763
50	50 1/4	49 1/4	X-CPDW504848	4,959
50	56 1/4	49 1/4	X-CPDW505448	5,155
50	62 1/4	49 1/4	X-CPDW506048	5,351
50	68 1/4	49 1/4	X-CPDW506648	4,777
50	74 1/4	49 1/4	X-CPDW507248	4,974
50	80 1/4	49 1/4	X-CPDW507848	5,170
50	86 1/4	49 1/4	X-CPDW508448	5,366



30”-54” Wide



60”-84” Wide

Specify

- Laminate Selection with Matching Edge

Notes

- 1 1/8” Material Thickness.
- 34”H single and double wrap planters have an interior usable depth of 4.3”.
- 50”H single and double wrap planters have an interior usable depth of 6.8”
- Only for use with artificial plants.
- Not intended for use with water or soil.
- For use with Calibrate storage only. 34”H units accommodate 28”H storage; 50”H units accommodate 42”H storage.
- Grain runs vertical on 30”-54” wide units; grain runs vertical for sides and horizontal for front and back on 60-84” wide units.
- Double wrap planters can fit two storage units back-to-back.
- Double wrap planters must be ganged to supporting storage.
- Ships knocked-down.
- Weight capacity: 18 lbs per linear foot.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Stack-On Bookcases


STACK-ON BOOKCASE


H	W	D	Model Number	List
37	18	14	X-SOBC3718	1,691
37	30	14	X-SOBC3730	1,883
37	36	14	X-SOBC3736	1,970
45	18	14	X-SOBC4518	1,763
45	30	14	X-SOBC4530	1,969
45	36	14	X-SOBC4536	2,059


STACK-ON BOOKCASE

H	W	D	Model Number	List
53	18	14	X-SOBC5318	1,978
53	30	14	X-SOBC5330	2,199
53	36	14	X-SOBC5336	2,295
61	18	14	X-SOBC6118	2,087
61	30	14	X-SOBC6130	2,348
61	36	14	X-SOBC6136	2,468


37" High


45" High


53" High


61" High

Specify

- Laminate Selection for Unit

Notes


- Shown on lower storage element.
- Right-Side Lock


STACK-ON BOOKCASE WITH SLIDING DOORS


			Left-Handed	Right-Handed	
H	W	D	Model Number	Model Number	List
37	30	14	X-SOSDL3730	X-SOSDR3730	2,973
37	36	14	X-SOSDL3736	X-SOSDR3736	3,063
37	42	14	X-SOSDL3742	X-SOSDR3742	3,168
45	30	14	X-SOSDL4530	X-SOSDR4530	3,092
45	36	14	X-SOSDL4536	X-SOSDR4536	3,191
45	42	14	X-SOSDL4542	X-SOSDR4542	3,306


STACK-ON BOOKCASE WITH SLIDING DOORS

			Left-Handed	Right-Handed	
H	W	D	Model Number	Model Number	List
53	30	14	X-SOSDL5330	X-SOSDR5330	3,358
53	36	14	X-SOSDL5336	X-SOSDR5336	3,469
53	42	14	X-SOSDL5342	X-SOSDR5342	3,598
61	30	14	X-SOSDL6130	X-SOSDR6130	3,543
61	36	14	X-SOSDL6136	X-SOSDR6136	3,679
61	42	14	X-SOSDL6142	X-SOSDR6142	3,829


37" High


45" High


53" High


61" High

Specify

- Laminate Selection for Case
- Laminate Selection for Door/Face
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes

- Left-handed bookcase shown on lower storage element.
- Right-Side Lock
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull not available on doors. Sliding door units include the option of no handle.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.
- Adjustable shelves include 6" of adjustability.

© 2026, AIS, Inc.


Stack-On Cabinets

STACK-ON TWO DOOR CABINET


H	W	D	Model Number	List
37	30	14	X-SOCD3730	2,562
37	36	14	X-SOCD3736	2,677
37	30	18	X-SOCD373018	2,647
37	36	18	X-SOCD373618	2,763
37	30	24	X-SOCD373024	2,663
37	36	24	X-SOCD373624	2,778
45	30	14	X-SOCD4530	2,763
45	36	14	X-SOCD4536	2,894

STACK-ON TWO DOOR CABINET


H	W	D	Model Number	List
53	30	14	X-SOCD5330	3,113
53	36	14	X-SOCD5336	3,258
61	30	14	X-SOCD6130	3,319
61	36	14	X-SOCD6136	3,492




37” High



45” High



53” High



61” High

Specify

- Laminate Selection for Case
- Laminate Selection for Doors/Face
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes

- Shown placed on lower storage element.
- Hooks included with cabinet.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull not available on doors. Touch-to-open handle selection incurs a $50 upcharge per unit.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.
- 37”H and 45”H units include 2 adjustable shelves.
- 53”H and 61HH units include 3 adjustable shelves.
- Adjustable shelves include 6” of adjustability.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Stack-On Cabinets with Coat Rod

STACK-ON TWO DOOR CABINET WITH COAT ROD


H	W	D	Model Number	List
37	30	14	X-SOCD3730	2,562
37	36	14	X-SOCD3736	2,677
37	30	18	X-SOCD373018	2,647
37	36	18	X-SOCD373618	2,763
37	30	24	X-SOCD373024	2,663
37	36	24	X-SOCD373624	2,778
45	30	14	X-SOCD4530	2,763
45	36	14	X-SOCD4536	2,894
53	30	14	X-SOCD5330	3,113
53	36	14	X-SOCD5336	3,258
61	30	14	X-SOCD6130	3,319
61	36	14	X-SOCD6136	3,492

STACK-ON TWO DOOR CABINET WITH COAT ROD

H	W	D	Model Number	List
37	30	18	X-SOCDR373018	2,813
37	30	24	X-SOCDR373024	3,063
37	36	18	X-SOCDR373618	2,938
37	36	24	X-SOCDR373624	3,233
45	30	18	X-SOCDR453018	2,999
45	30	24	X-SOCDR453024	3,269
45	36	18	X-SOCDR453618	3,143
45	36	24	X-SOCDR453624	3,459
53	30	18	X-SOCDR533018	3,183
53	30	24	X-SOCDR533024	3,475
53	36	18	X-SOCDR533618	3,350
53	36	24	X-SOCDR533624	3,684
61	30	18	X-SOCDR613018	3,373
61	30	24	X-SOCDR613024	3,684
61	36	18	X-SOCDR613618	3,559
61	36	24	X-SOCDR613624	3,915



37" High 45" High 53" High 61" High



18"D Front-to-back coat rod.

24"D Side-to-side coat rod.

Specify

- Laminate Selection for Case
- Laminate Selection for Doors/Face
- Handle Selection
- Handle Paint Selection
- Lock Selection


Notes

- Shown placed on lower storage element.
- All 14"D cabinets include hooks.
- 18"D units will have a front-to-back coat rod. 24"D units will have a side-to-side coat rod.
- 61"H units have a fixed shelf on the top section of the unit.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull not available on doors. Touch-to-open handle selection incurs a $50 upcharge per unit.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.

© 2026, AIS, Inc.

Stack-On Wardrobes

STACK-ON WARDROBE				
H	**W**	**D**	**Model Number**	**List**
37	18	14	X-SOW3718	1,598
45	18	14	X-SOW4518	1,672
53	18	14	X-SOW5318	1,888
61	18	14	X-SOW6118	1,948



37" High 45" High 53" High 61" High


Specify	Notes
• Laminate Selection for Unit	• Shown placed on lower storage element. • Hooks included with wardrobe. • Stack-on wardrobes do not have doors.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Open Hutches

37” HIGH SINGLE OPEN HUTCH


H	W	D	Model Number	List
37	36	14	X-SHO3736	2,198
37	42	14	X-SHO3742	2,258
37	48	14	X-SHO3748	2,336
37	54	14	X-SHO3754	2,653
37	60	14	X-SHO3760	2,728
37	66	14	X-SHO3766	2,805
37	72	14	X-SHO3772	2,878
37	78	14	X-SHO3778	2,954
37	84	14	X-SHO3784	3,024
37	90	14	X-SHO3790	3,098
37	96	14	X-SHO3796	3,174



36” - 48” Wide




54” - 78” Wide




84” - 96” Wide

45” HIGH SINGLE OPEN HUTCH


H	W	D	Model Number	List
45	36	14	X-SHO4536	2,287
45	42	14	X-SHO4542	2,359
45	48	14	X-SHO4548	2,442
45	54	14	X-SHO4554	2,769
45	60	14	X-SHO4560	2,847
45	66	14	X-SHO4566	2,937
45	72	14	X-SHO4572	3,018
45	78	14	X-SHO4578	3,098
45	84	14	X-SHO4584	3,178
45	90	14	X-SHO4590	3,259
45	96	14	X-SHO4596	3,343



36” - 48” Wide




54” - 78” Wide




84” - 96” Wide

53” HIGH SINGLE OPEN HUTCH


H	W	D	Model Number	List
53	36	14	X-SHO5336	2,371
53	42	14	X-SHO5342	2,451
53	48	14	X-SHO5348	2,546
53	54	14	X-SHO5354	2,874
53	60	14	X-SHO5360	2,963
53	66	14	X-SHO5366	3,059
53	72	14	X-SHO5372	3,147
53	78	14	X-SHO5378	3,235
53	84	14	X-SHO5384	3,322
53	90	14	X-SHO5390	3,409
53	96	14	X-SHO5396	3,500



36” - 48” Wide



54” - 78” Wide



84” - 96” Wide

Specify **Notes**


- Laminate Selection for Unit

© 2026, AIS, Inc.


Open Hutches

53” HIGH DOUBLE OPEN HUTCH

H	W	D	Model Number	List
53	36	14	X-DHO5336	2,648
53	42	14	X-DHO5342	2,748
53	48	14	X-DHO5348	2,861
53	54	14	X-DHO5354	3,272
53	60	14	X-DHO5360	3,374
53	66	14	X-DHO5366	3,485
53	72	14	X-DHO5372	3,585
53	78	14	X-DHO5378	3,684




36” - 48” Wide




54” - 78” Wide

61” HIGH DOUBLE OPEN HUTCH

H	W	D	Model Number	List
61	36	14	X-DHBC6136	2,732
61	42	14	X-DHBC6142	2,840
61	48	14	X-DHBC6148	2,959
61	54	14	X-DHBC6154	3,378
61	60	14	X-DHBC6160	3,487
61	66	14	X-DHBC6166	3,602
61	72	14	X-DHBC6172	3,712
61	78	14	X-DHBC6178	3,829



36” - 48” Wide



54” - 78” Wide

Specify	Notes
• Laminate Selection for Unit	Adjustable shelves include 6” of adjustability.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Hutches with Cabinet Doors

37” HIGH SINGLE HUTCH WITH CABINET DOORS


H	W	D	Model Number	List
37	36	14	X-SHCD3736	2,719
37	42	14	X-SHCD3742	2,811
37	48	14	X-SHCD3748	2,910
37	54	14	X-SHCD3754	3,415
37	60	14	X-SHCD3760	3,502
37	66	14	X-SHCD3766	3,600
37	72	14	X-SHCD3772	3,693
37	78	14	X-SHCD3778	3,780
37	84	14	X-SHCD3784	3,837
37	90	14	X-SHCD3790	3,921
37	96	14	X-SHCD3796	4,001



36” - 48” Wide




54” - 78” Wide




84” - 96” Wide

37” HIGH SINGLE HUTCH WITH FRAMED ACRYLIC CABINET DOORS


H	W	D	Model Number	List
37	36	14	X-SHGD3736	3,773
37	42	14	X-SHGD3742	4,030
37	48	14	X-SHGD3748	4,284
37	54	14	X-SHGD3754	5,044
37	60	14	X-SHGD3760	5,292
37	66	14	X-SHGD3766	5,552
37	72	14	X-SHGD3772	5,805
37	78	14	X-SHGD3778	6,053
37	84	14	X-SHGD3784	5,686
37	90	14	X-SHGD3790	5,886
37	96	14	X-SHGD3796	6,086



36” - 48” Wide



54” - 78” Wide



84” - 96” Wide

Specify

- Laminate Selection for Case
- Laminate Selection for Door/Face
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes


- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull not available on doors. Touch-to-open handle selection incurs a $50 upcharge per unit.
- Touch-to-open not available on framed doors.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.

© 2026, AIS, Inc.


Hutches with Cabinet Doors

45” HIGH SINGLE HUTCH WITH CABINET DOORS


H	W	D	Model Number	List
45	36	14	X-SHCD4536	2,812
45	42	14	X-SHCD4542	2,911
45	48	14	X-SHCD4548	3,016
45	54	14	X-SHCD4554	3,529
45	60	14	X-SHCD4560	3,626
45	66	14	X-SHCD4566	3,731
45	72	14	X-SHCD4572	3,829
45	78	14	X-SHCD4578	3,936
45	84	14	X-SHCD4584	3,989
45	90	14	X-SHCD4590	4,079
45	96	14	X-SHCD4596	4,167



36” - 48” Wide




54” - 78” Wide




84” - 96” Wide

45” HIGH SINGLE HUTCH WITH FRAMED ACRYLIC CABINET DOORS


H	W	D	Model Number	List
45	36	14	X-SHGD4536	3,866
45	42	14	X-SHGD4542	4,127
45	48	14	X-SHGD4548	4,394
45	54	14	X-SHGD4554	5,155
45	60	14	X-SHGD4560	5,417
45	66	14	X-SHGD4566	5,684
45	72	14	X-SHGD4572	5,940
45	78	14	X-SHGD4578	6,206
45	84	14	X-SHGD4584	5,840
45	90	14	X-SHGD4590	6,047
45	96	14	X-SHGD4596	6,254



36” - 48” Wide



54” - 78” Wide



84” - 96” Wide

Specify

- Laminate Selection for Case
- Laminate Selection for Door/Face
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes

- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull not available on doors. Touch-to-open handle selection incurs a $50 upcharge per unit.
- Touch-to-open not available on framed doors.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Hutches with Cabinet Doors

53” HIGH SINGLE HUTCH WITH CABINET DOORS


H	W	D	Model Number	List
53	36	14	X-SHCD5336	2,894
53	42	14	X-SHCD5342	3,002
53	48	14	X-SHCD5348	3,115
53	54	14	X-SHCD5354	3,632
53	60	14	X-SHCD5360	3,740
53	66	14	X-SHCD5366	3,854
53	72	14	X-SHCD5372	3,958
53	78	14	X-SHCD5378	4,065
53	84	14	X-SHCD5384	4,132
53	90	14	X-SHCD5390	4,231
53	96	14	X-SHCD5396	4,326



36” - 48” Wide




54” - 78” Wide




84” - 96” Wide

53” HIGH SINGLE HUTCH WITH FRAMED ACRYLIC CABINET DOORS


H	W	D	Model Number	List
53	36	14	X-SHGD5336	3,950
53	42	14	X-SHGD5342	4,216
53	48	14	X-SHGD5348	4,490
53	54	14	X-SHGD5354	5,265
53	60	14	X-SHGD5360	5,531
53	66	14	X-SHGD5366	5,805
53	72	14	X-SHGD5372	6,072
53	78	14	X-SHGD5378	6,338
53	84	14	X-SHGD5384	5,986
53	90	14	X-SHGD5390	6,198
53	96	14	X-SHGD5396	6,415



36” - 48” Wide




54” - 78” Wide




84” - 96” Wide

53” HIGH DOUBLE HUTCH WITH CABINET DOORS

H	W	D	Model Number	List
53	36	14	X-DHCD5336	3,115
53	42	14	X-DHCD5342	3,247
53	48	14	X-DHCD5348	3,389
53	54	14	X-DHCD5354	4,053
53	60	14	X-DHCD5360	4,187
53	66	14	X-DHCD5366	4,326
53	72	14	X-DHCD5372	4,460
53	78	14	X-DHCD5378	4,591




36” - 48” Wide




54” - 78” Wide

53” HIGH DOUBLE HUTCH WITH FRAMED ACRYLIC CABINET DOORS

H	W	D	Model Number	List
53	36	14	X-DHGD5336	5,122
53	42	14	X-DHGD5342	5,555
53	48	14	X-DHGD5348	6,000
53	54	14	X-DHGD5354	7,158
53	60	14	X-DHGD5360	7,593
53	66	14	X-DHGD5366	8,034
53	72	14	X-DHGD5372	8,470
53	78	14	X-DHGD5378	8,907



36” - 48” Wide



54” - 78” Wide

Specify

- Laminate Selection for Case
- Laminate Selection for Door/Face
- Handle Choice
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes


- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull not available on doors. Touch-to-open handle selection incurs a $50 upcharge per unit.
- Touch-to-open not available on framed doors.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.
- Double hutch units include adjustable shelves with 6” of adjustability.

© 2026, AIS, Inc.


Hutches with Cabinet Doors

61” HIGH DOUBLE HUTCH WITH CABINET DOORS

H	W	D	Model Number	List
61	36	14	X-DHCD6136	3,198
61	42	14	X-DHCD6142	3,343
61	48	14	X-DHCD6148	3,487
61	54	14	X-DHCD6154	4,162
61	60	14	X-DHCD6160	4,299
61	66	14	X-DHCD6166	4,449
61	72	14	X-DHCD6172	4,589
61	78	14	X-DHCD6178	4,733




36” - 48” Wide




54” - 78” Wide

61” HIGH DOUBLE HUTCH WITH FRAMED ACRYLIC CABINET DOORS

H	W	D	Model Number	List
61	36	14	X-DHGD6136	5,203
61	42	14	X-DHGD6142	5,648
61	48	14	X-DHGD6148	6,100
61	54	14	X-DHGD6154	7,262
61	60	14	X-DHGD6160	7,706
61	66	14	X-DHGD6166	8,157
61	72	14	X-DHGD6172	8,599
61	78	14	X-DHGD6178	9,044



36” - 48” Wide



54” - 78” Wide

Specify

- Laminate Selection for Case
- Laminate Selection for Door/Face
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes

- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull not available on doors. Touch-to-open handle selection incurs a $50 upcharge per unit.
- Touch-to-open not available on framed doors.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.
- Double hutch units include adjustable shelves with 6” of adjustability.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Hutches with Sliding Doors

37” HIGH SINGLE HUTCH WITH SLIDING DOORS


			Left-Side Lock	Right-Side Lock	
H	W	D	Model Number	Model Number	List
37	36	14	X-SHSDL3736	X-SHSDR3736	2,901
37	42	14	X-SHSDL3742	X-SHSDR3742	2,981
37	48	14	X-SHSDL3748	X-SHSDR3748	3,070
37	54	14	X-SHSDL3754	X-SHSDR3754	3,389
37	60	14	X-SHSDL3760	X-SHSDR3760	3,471
37	66	14	X-SHSDL3766	X-SHSDR3766	3,563
37	72	14	X-SHSDL3772	X-SHSDR3772	3,646
37	78	14	X-SHSDL3778	X-SHSDR3778	3,728
37	84	14	X-SHSD3784		4,131
37	90	14	X-SHSD3790		4,215
37	96	14	X-SHSD3796		4,298



36” - 48” Wide
(Left-Side Lock)




54” - 78” Wide
(Left-Side Lock)




84” - 96” Wide
(Non-Handed)

37” HIGH SINGLE HUTCH WITH FRAMED ACRYLIC SLIDING DOORS


			Left-Side Lock	Right-Side Lock	
H	W	D	Model Number	Model Number	List
37	36	14	X-SHGSDL3736	X-SHGSDR3736	3,427
37	42	14	X-SHGSDL3742	X-SHGSDR3742	3,588
37	48	14	X-SHGSDL3748	X-SHGSDR3748	3,761
37	54	14	X-SHGSDL3754	X-SHGSDR3754	4,159
37	60	14	X-SHGSDL3760	X-SHGSDR3760	4,322
37	66	14	X-SHGSDL3766	X-SHGSDR3766	4,491
37	72	14	X-SHGSDL3772	X-SHGSDR3772	4,658
37	78	14	X-SHGSDL3778	X-SHGSDR3778	4,816
37	84	14	X-SHGSD3784		5,703
37	90	14	X-SHGSD3790		5,894
37	96	14	X-SHGSD3796		6,084



36” - 48” Wide
(Left-Side Lock)



54” - 78” Wide
(Left-Side Lock)



84” - 96” Wide
(Non-Handed)

Specify

- Laminate Selection for Case
- Laminate Selection for Door/Face
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes


- Left-side lock hutches shown for sizes 36” - 78” wide.
- Sizes 84” - 96” wide are non-handed.
- Non-handed units (84”-96” wide) lock on both sides.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull not available on doors. Sliding door units include the option of no handle.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.

© 2026, AIS, Inc.


Hutches with Sliding Doors

45” HIGH SINGLE HUTCH WITH SLIDING DOORS


			Left-Side Lock	Right-Side Lock	
H	W	D	Model Number	Model Number	List
45	36	14	X-SHSDL4536	X-SHSDR4536	2,994
45	42	14	X-SHSDL4542	X-SHSDR4542	3,082
45	48	14	X-SHSDL4548	X-SHSDR4548	3,179
45	54	14	X-SHSDL4554	X-SHSDR4554	3,504
45	60	14	X-SHSDL4560	X-SHSDR4560	3,593
45	66	14	X-SHSDL4566	X-SHSDR4566	3,694
45	72	14	X-SHSDL4572	X-SHSDR4572	3,781
45	78	14	X-SHSDL4578	X-SHSDR4578	3,876
45	84	14	X-SHSD4584		4,287
45	90	14	X-SHSD4590		4,381
45	96	14	X-SHSD4596		4,468



36” - 48” Wide
(Left-Side Lock)




54” - 78” Wide
(Left-Side Lock)




84” - 96” Wide
(Non-Handed)

45” HIGH SINGLE HUTCH WITH FRAMED ACRYLIC SLIDING DOORS


			Left-Side Lock	Right-Side Lock	
H	W	D	Model Number	Model Number	List
45	36	14	X-SHGSDL4536	X-SHGSDR4536	3,522
45	42	14	X-SHGSDL4542	X-SHGSDR4542	3,691
45	48	14	X-SHGSDL4548	X-SHGSDR4548	3,866
45	54	14	X-SHGSDL4554	X-SHGSDR4554	4,273
45	60	14	X-SHGSDL4560	X-SHGSDR4560	4,442
45	66	14	X-SHGSDL4566	X-SHGSDR4566	4,622
45	72	14	X-SHGSDL4572	X-SHGSDR4572	4,793
45	78	14	X-SHGSDL4578	X-SHGSDR4578	4,963
45	84	14	X-SHGSD4584		5,859
45	90	14	X-SHGSD4590		6,054
45	96	14	X-SHGSD4596		6,252



36” - 48” Wide
(Left-Side Lock)



54” - 78” Wide
(Left-Side Lock)



84” - 96” Wide
(Non-Handed)

Specify

- Laminate Selection for Case
- Laminate Selection for Door/Face
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes

- Left-side lock hutches shown for sizes 36” - 78” wide.
- Sizes 84” - 96” wide are non-handed.
- Non-handed units (84”-96” wide) lock on both sides.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull not available on doors. Sliding door units include the option of no handle.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Hutches with Sliding Doors

53” HIGH SINGLE HUTCH WITH SLIDING DOORS


			Left-Side Lock	Right-Side Lock	
H	W	D	Model Number	Model Number	List
53	36	14	X-SHSDL5336	X-SHSDR5336	3,078
53	42	14	X-SHSDL5342	X-SHSDR5342	3,175
53	48	14	X-SHSDL5348	X-SHSDR5348	3,277
53	54	14	X-SHSDL5354	X-SHSDR5354	3,613
53	60	14	X-SHSDL5360	X-SHSDR5360	3,710
53	66	14	X-SHSDL5366	X-SHSDR5366	3,813
53	72	14	X-SHSDL5372	X-SHSDR5372	3,912
53	78	14	X-SHSDL5378	X-SHSDR5378	4,018
53	84	14	X-SHSD5384		4,433
53	90	14	X-SHSD5390		4,527
53	96	14	X-SHSD5396		4,628



36” - 48” Wide
(Left-Side Lock)




54” - 78” Wide
(Left-Side Lock)




84” - 96” Wide
(Non-Handed)

53” HIGH SINGLE HUTCH WITH FRAMED ACRYLIC SLIDING DOORS


			Left-Side Lock	Right-Side Lock	
H	W	D	Model Number	Model Number	List
53	36	14	X-SHGSDL5336	X-SHGSDR5336	3,601
53	42	14	X-SHGSDL5342	X-SHGSDR5342	3,779
53	48	14	X-SHGSDL5348	X-SHGSDR5348	3,969
53	54	14	X-SHGSDL5354	X-SHGSDR5354	4,382
53	60	14	X-SHGSDL5360	X-SHGSDR5360	4,556
53	66	14	X-SHGSDL5366	X-SHGSDR5366	4,744
53	72	14	X-SHGSDL5372	X-SHGSDR5372	4,922
53	78	14	X-SHGSDL5378	X-SHGSDR5378	5,107
53	84	14	X-SHGSD5384		6,002
53	90	14	X-SHGSD5390		6,207
53	96	14	X-SHGSD5396		6,413



36” - 48” Wide
(Left-Side Lock)



54” - 78” Wide
(Left-Side Lock)



84” - 96” Wide
(Non-Handed)

Specify

- Laminate Selection for Case
- Laminate Selection for Door/Face
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes


- Left-side lock hutches shown for sizes 36” - 78” wide.
- Sizes 84” - 96” wide are non-handed.
- Non-handed units (84” - 96” wide) lock on both sides.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull not available on doors. Sliding door units include the option of no handle.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.

© 2026, AIS, Inc.


Hutches with Sliding Doors

53” HIGH DOUBLE HUTCH WITH SLIDING DOORS

			Left-Side Lock	Right-Side Lock	
H	W	D	Model Number	Model Number	List
53	36	14	X-DHSDL5336	X-DHSDR5336	3,235
53	42	14	X-DHSDL5342	X-DHSDR5342	3,351
53	48	14	X-DHSDL5348	X-DHSDR5348	3,475
53	54	14	X-DHSDL5354	X-DHSDR5354	3,905
53	60	14	X-DHSDL5360	X-DHSDR5360	4,030
53	66	14	X-DHSDL5366	X-DHSDR5366	4,155
53	72	14	X-DHSDL5372	X-DHSDR5372	4,270
53	78	14	X-DHSDL5378	X-DHSDR5378	4,388




36” - 48” Wide
(Left-Side Lock)




54” - 78” Wide
(Left-Side Lock)

53” HIGH DOUBLE HUTCH WITH FRAMED ACRYLIC SLIDING DOORS

			Left-Side Lock	Right-Side Lock	
H	W	D	Model Number	Model Number	List
53	36	14	X-DHGSDL5336	X-DHGSDR5336	4,236
53	42	14	X-DHGSDL5342	X-DHGSDR5342	4,504
53	48	14	X-DHGSDL5348	X-DHGSDR5348	4,782
53	54	14	X-DHGSDL5354	X-DHGSDR5354	5,326
53	60	14	X-DHGSDL5360	X-DHGSDR5360	5,592
53	66	14	X-DHGSDL5366	X-DHGSDR5366	5,863
53	72	14	X-DHGSDL5372	X-DHGSDR5372	6,126
53	78	14	X-DHGSDL5378	X-DHGSDR5378	6,392



36” - 48” Wide
(Left-Side Lock)



54” - 78” Wide
(Left-Side Lock)

Specify

- Laminate Selection for Case
- Laminate Selection for Door/Face
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes

- Left-side lock hutches shown for sizes 36” - 78” wide.
- Sizes 84” - 96” wide are non-handed.
- Non-handed units (84” - 96” wide) lock on both sides.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull not available on doors. Sliding door units include the option of no handle.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.
- Adjustable shelves include 6” of adjustability.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Hutches with Sliding Doors

61” HIGH SINGLE HUTCH WITH SLIDING DOORS

			Left-Side Lock	Right-Side Lock	
H	W	D	Model Number	Model Number	List
61	36	14	X-DHSDL6136	X-DHSDR6136	3,318
61	42	14	X-DHSDL6142	X-DHSDR6142	3,442
61	48	14	X-DHSDL6148	X-DHSDR6148	3,575
61	54	14	X-DHSDL6154	X-DHSDR6154	4,014
61	60	14	X-DHSDL6160	X-DHSDR6160	4,138
61	66	14	X-DHSDL6166	X-DHSDR6166	4,273
61	72	14	X-DHSDL6172	X-DHSDR6172	4,397
61	78	14	X-DHSDL6178	X-DHSDR6178	4,523




36” - 48” Wide
(Left-Side Lock)




54” - 78” Wide
(Left-Side Lock)

61” HIGH SINGLE HUTCH WITH FRAMED ACRYLIC SLIDING DOORS

			Left-Side Lock	Right-Side Lock	
H	W	D	Model Number	Model Number	List
61	36	14	X-DHGSDL6136	X-DHGSDR6136	4,321
61	42	14	X-DHGSDL6142	X-DHGSDR6142	4,592
61	48	14	X-DHGSDL6148	X-DHGSDR6148	4,878
61	54	14	X-DHGSDL6154	X-DHGSDR6154	5,430
61	60	14	X-DHGSDL6160	X-DHGSDR6160	5,701
61	66	14	X-DHGSDL6166	X-DHGSDR6166	5,986
61	72	14	X-DHGSDL6172	X-DHGSDR6172	6,255
61	78	14	X-DHGSDL6178	X-DHGSDR6178	6,529



36” - 48” Wide
(Left-Side Lock)



54” - 78” Wide
(Left-Side Lock)

Specify

- Laminate Selection for Case
- Laminate Selection for Door/Face
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes


- Left-side lock hutches shown.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull not available on doors. Sliding door units include the option of no handle.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.
- Double hutch units include adjustable shelves with 6” of adjustability.

© 2026, AIS, Inc.

Wall Mounted Tackboards

WALL MOUNTED TACKBOARDS				
H	W	Model Number	List	Fabric Grade C
20	36	X-WMTACK2036	939	+27
20	42	X-WMTACK2042	954	+27
20	48	X-WMTACK2048	977	+27
20	54	X-WMTACK2054	1,001	+27
20	60	X-WMTACK2060	1,025	+27
20	66	X-WMTACK2066	1,050	+54
20	72	X-WMTACK2072	1,078	+54
20	78	X-WMTACK2078	1,100	+54
20	84	X-WMTACK2084	1,126	+81
20	90	X-WMTACK2090	1,145	+81
28	36	X-WMTACK2836	995	+34
28	42	X-WMTACK2842	1,013	+34
28	48	X-WMTACK2848	1,031	+34
28	54	X-WMTACK2854	1,051	+34
28	60	X-WMTACK2860	1,069	+34
28	66	X-WMTACK2866	1,196	+68
28	72	X-WMTACK2872	1,234	+68
28	78	X-WMTACK2878	1,296	+68
28	84	X-WMTACK2884	1,330	+102
28	90	X-WMTACK2890	1,366	+102

WALL MOUNTED TACKBOARDS				
H	W	Model Number	List	Fabric Grade C
35	36	X-WMTACK3536	1,051	+42
35	42	X-WMTACK3542	1,074	+42
35	48	X-WMTACK3548	1,099	+42
35	54	X-WMTACK3554	1,103	+42
35	60	X-WMTACK3560	1,145	+42
35	66	X-WMTACK3566	1,257	+84
35	72	X-WMTACK3572	1,297	+84
35	78	X-WMTACK3578	1,365	+84
35	84	X-WMTACK3584	1,406	+126
35	90	X-WMTACK3590	1,447	+126



Specify

- Fabric Selection

Notes

- Tackboard thickness: 1 1/2”
- Select sizes available on quick ship Calibrate Countdown program. See Calibrate Countdown price list for full details.
- Fabric on tackboards 66” wide and wider is applied horizontally.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Wall Mounted Tackboards

VERTICAL WALL MOUNTED TACKBOARD

Nominal H	Nominal W	Actual H	Actual W	Model Number	List	Fabric Grade C
37	24	36 1/4	23 15/16	X-WMTACK3724	1,048	+27
37	30	36 1/4	29 15/16	X-WMTACK3730	1,066	+27
37	36	36 1/4	35 15/16	X-WMTACK3736	1,084	+27
45	24	44 1/4	23 15/16	X-WMTACK4524	1,103	+34
45	30	44 1/4	29 15/16	X-WMTACK4530	1,123	+34
45	36	44 1/4	35 15/16	X-WMTACK4536	1,140	+34
53	24	52 1/4	23 15/16	X-WMTACK5324	1,162	+42
53	30	52 1/4	29 15/16	X-WMTACK5330	1,177	+42
53	36	52 1/4	35 15/16	X-WMTACK5336	1,195	+42
61	24	60 1/4	23 15/16	X-WMTACK6124	1,219	+56
61	30	60 1/4	29 15/16	X-WMTACK6130	1,234	+56
61	36	60 1/4	35 15/16	X-WMTACK6136	1,253	+56




Specify	Notes
• Fabric Selection	• Tackboard thickness: 1 1/2” • Fabric is applied horizontally (railroaded) on 61”H tackboards.

© 2026, AIS, Inc.


Tackboard Hutch Mounts for Calibrate

TACKBOARD HUTCH MOUNT				
H	W	Model Number	List	Fabric Grade C
20	36	X-TACKHM2036	853	+27
20	42	X-TACKHM2042	878	+27
20	48	X-TACKHM2048	904	+27
20	54	X-TACKHM2054	929	+27
20	60	X-TACKHM2060	954	+27
20	66	X-TACKHM2066	984	+54
20	72	X-TACKHM2072	1,007	+54
20	78	X-TACKHM2078	1,035	+54
20	84	X-TACKHM2084	1,056	+81
20	90	X-TACKHM2090	1,083	+81
20	96	X-TACKHM2096	1,145	+81
28	36	X-TACKHM2836	883	+34
28	42	X-TACKHM2842	915	+34
28	48	X-TACKHM2848	953	+34
28	54	X-TACKHM2854	989	+34
28	60	X-TACKHM2860	1,021	+34
28	66	X-TACKHM2866	1,056	+68
28	72	X-TACKHM2872	1,093	+68
28	78	X-TACKHM2878	1,126	+68
28	84	X-TACKHM2884	1,163	+102
28	90	X-TACKHM2890	1,195	+102
28	96	X-TACKHM2896	1,230	+102


TACKBOARD HUTCH MOUNT				
H	W	Model Number	List	Fabric Grade C
35	36	X-TACKHM3536	1,032	+42
35	42	X-TACKHM3542	1,075	+42
35	48	X-TACKHM3548	1,118	+42
35	54	X-TACKHM3554	1,160	+42
35	60	X-TACKHM3560	1,201	+42
35	66	X-TACKHM3566	1,245	+84
35	72	X-TACKHM3572	1,285	+84
35	78	X-TACKHM3578	1,330	+84
35	84	X-TACKHM3584	1,371	+126
35	90	X-TACKHM3590	1,414	+126
35	96	X-TACKHM3596	1,458	+126



20" High



28" High



35" High

Specify

- Fabric Selection

Notes

- Tackboard thickness: ½"


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Paper Flows


HANGING SORTER

H	W	D	Model Number	List
8 1/2	12 3/4	2 1/2	L-HS	324




MINI-SHELF

H	W	D	Model Number	List
1	8	4	L-MS	126




LANDSCAPE PAPER TRAY

H	W	D	Model Number	List
2 1/2	12 3/4	8 7/8	L-LPT	151



TOOL CUP

H	W	D	Model Number	List
3 1/2	2 1/2	2 1/2	L-TC	126



Notes

- Calibrate paper flows available only in white plastic.

© 2026, AIS, Inc.


Drawers

SPIN-OUT DRAWERS

W	D	Type	Model Number	List
7 1/2	7 1/2	Radius Jr.	A-ROKJ	221
13 5/8	8 1/4	Radius	A-ROK	251



Radius Jr.




Radius

Specify **Notes**

PENCIL DRAWER

H	W	D	Model Number	List
2 1/4	21 1/4	16 1/4	A-PDRWP	318




Notes

- Pencil Drawer provides convenient, low profile storage of loose items.
- Constructed of rigid, durable PVC with black textured finish.
- Plastic slides mount underneath worksurfaces with screws provided.
- Pencil drawer measures 16 1/4” deep x 21 1/4” wide x 2 1/4” high.
- Plan pencil drawer location around worksurface support elements.
- Select sizes available on quick ship Calibrate Countdown program. See Calibrate Countdown price list for full details.

PELICAN DRAWER II

H	W	D	Model Number	List
10	19 1/4	16 1/4	A-PDP2	1,956



Notes


- Provides secure storage for large items such as purses, laptops or hanging files.
- Features fully concealed drawer slides and a spacious segmented tray section.
- Soft durable drawer front protects clothing and chair arms.
- Key core interchangeable locks compatible with most office furniture systems.
- Mount under any 23 3/8” deep surface. Fits all AIS furniture systems.
- Has a 10” bin height.
- Leg room 13” (front edge to bin).
- May not be keyed alike to other storage units.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

SILVER LOCK CORES AND KEYS

Key Type	Model Number	List
Core with 2 keys	S-W1CORE1	25
Core with 2 keys (set of 2 keyed alike)	S-W1CORE2	39
Core with 2 keys (set of 3 keyed alike)	S-W1CORE3	60
Core with 2 keys (set of 4 keyed alike)	S-W1CORE4	77
Core with 2 keys (set of 5 keyed alike)	S-W1CORE5	95
Core with 2 keys (set of 6 keyed alike)	S-W1CORE6	111
Core with 2 keys (set of 7 keyed alike)	S-W1CORE7	129
Core with 2 keys (set of 8 keyed alike)	S-W1CORE8	149
Core with 2 keys (set of 9 keyed alike)	S-W1CORE9	166
Core with 2 keys (set of 10 keyed alike)	S-W1CORE10	184
Master Key	RS-W1MKEY	19
Core Removal Key	RS-W1CRKEY	19
Replacement Key	RS-WK _ _ _ (Key Number)	26




Notes

- Silver keyed alike lock cores should be specified when ordering Option E in the Lock Choice for Calibrate: No Lock w/ Silver Ring for Keyed Alike.
- Keyed alike lock cores must be installed in the field.
- Keys and Lock Cores are available in #'s 226 through 425.
- A core removal key is needed to remove an existing core from the lock housing in order to replace with a new core.
- Order sets based on quantity of storage items to be keyed alike.

BLACK LOCK CORES AND KEYS

Key Type	Model Number	List
Core with 2 keys	S-W1CORE1B	25
Core with 2 keys (set of 2 keyed alike)	S-W1CORE2B	39
Core with 2 keys (set of 3 keyed alike)	S-W1CORE3B	60
Core with 2 keys (set of 4 keyed alike)	S-W1CORE4B	77
Core with 2 keys (set of 5 keyed alike)	S-W1CORE5B	95
Core with 2 keys (set of 6 keyed alike)	S-W1CORE6B	111
Core with 2 keys (set of 7 keyed alike)	S-W1CORE7B	129
Core with 2 keys (set of 8 keyed alike)	S-W1CORE8B	149
Core with 2 keys (set of 9 keyed alike)	S-W1CORE9B	166
Core with 2 keys (set of 10 keyed alike)	S-W1CORE10B	184



Notes

- Black keyed alike lock cores should be specified when ordering Option D in the Lock Choice for Calibrate: No Lock w/ Black Ring for Keyed Alike.
- Keyed alike lock cores must be installed in the field.
- Keys and Lock Cores are available in #'s 226 through 425.
- A core removal key is needed to remove an existing core from the lock housing in order to replace with a new core.
- Order sets based on quantity of storage items to be keyed alike.
- Black lock cores not available for L-Series storage.

© 2026, AIS, Inc.

Locks and Keys

DIGITAL LOCKS

Model Number	List
A-DLVK	1,596




Notes

- Surface mount retrofit into existing mechanical locks.
- Motorized locking engagement with manual knob.
- Powerful and easy administration with Smartphone App.
- Access with keypad or free 'Wesko Lock App'.
- Available in satin finish only.
- Locks may be programmed for either a Shared Use Mode for multiple users or Resident Mode to retain a single the lock code.
- Digital locks require field pre-drilling and installation. Template for pre-drilling is provided withlocks.
- When ordering Calibrate storage, select Lock Option D or E.
- Includes rechargeable battery with USB-C connection to charge.

SINGLE LOCK CHARGING UNIT

Type	Model Number	List
Single	A-DLCS	318




Notes

- Power adapter output of 3V/1A.
- Available in black.
- Single unit is a 6' long USB-C/USB-A cable.

10 PORT DIGITAL LOCK CHARGING UNIT

Type	Model Number	List
10 Port	A-DLCT	3,090



Notes

- USB 2.0 charger provides up to 5V/500mA per port to charge 10 digital locks at the same time.
- Features LED charge indicators (red for on/off switch - blue for each port), built-in safety protection for over-current, over-voltage and short circuit protection.
- Power adapter output of 12V/10A.
- Available in black.
- Dimensions: 190 x 80 x 54mm.
- Includes ten 6' long USB-C/USB-A cables.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Credenza and Pedestal Cushions

CREDENZA CUSHIONS

D	W	Model Number	List	Upholstery Grade B	Upholstery Grade C	Upholstery Grade D	Upholstery Grade E
18	18	S-BCUSH1818	614	+51	+102	+152	+203
18	21	S-BCUSH1821	637	+51	+102	+152	+203
18	24	S-BCUSH1824	663	+51	+102	+152	+203
18	27	S-BCUSH1827	689	+51	+102	+152	+203
18	30	S-BCUSH1830	716	+62	+124	+186	+248
18	33	S-BCUSH1833	745	+62	+124	+186	+248
18	36	S-BCUSH1836	775	+62	+124	+186	+248
18	42	S-BCUSH1842	806	+73	+146	+208	+270
18	48	S-BCUSH1848	838	+73	+146	+208	+270
18	54	S-BCUSH1854	871	+73	+146	+208	+270
18	60	S-BCUSH1860	906	+95	+160	+228	+298
18	66	S-BCUSH1866	943	+95	+160	+228	+298
18	72	S-BCUSH1872	980	+95	+160	+228	+298

CREDENZA CUSHIONS

D	W	Model Number	List	Upholstery Grade B	Upholstery Grade C	Upholstery Grade D	Upholstery Grade E
24	18	S-BCUSH2418	637	+51	+102	+152	+203
24	21	S-BCUSH2421	670	+51	+102	+152	+203
24	24	S-BCUSH2424	703	+51	+102	+152	+203
24	27	S-BCUSH2427	739	+51	+102	+152	+203
24	30	S-BCUSH2430	775	+62	+124	+186	+248
24	33	S-BCUSH2433	813	+62	+124	+186	+248
24	36	S-BCUSH2436	854	+62	+124	+186	+248
24	42	S-BCUSH2442	897	+73	+146	+208	+270
24	48	S-BCUSH2448	941	+73	+146	+208	+270
24	54	S-BCUSH2454	987	+73	+146	+208	+270
24	60	S-BCUSH2460	1,038	+95	+160	+228	+298
24	66	S-BCUSH2466	1,089	+95	+160	+228	+298
24	72	S-BCUSH2472	1,144	+95	+160	+228	+298



Specify


- Upholstery Selection

Notes

- Credenza and pedestal cushions are a fabric covered 1” thick foam cushion.
- Cushions include Velcro for mounting.


SHARED CREDENZA CUSHIONS

D	W	Model Number	List	Upholstery Grade C	Upholstery Grade D	Upholstery Grade E
36	30	S-BCUSH3630	1,224	+95	+160	+228
36	36	S-BCUSH3636	1,347	+95	+160	+228
36	42	S-BCUSH3642	1,481	+95	+160	+228



PEDESTAL CUSHIONS

D	W	Model Number	List	Upholstery Grade B	Upholstery Grade C	Upholstery Grade D	Upholstery Grade E
24	16	X-PCUSHION24	646	+51	+102	+152	+203



Specify

- Upholstery Selection

Notes


- Credenza and pedestal cushions are a fabric covered 1” thick foam cushion.
- Cushions include Velcro for mounting.

© 2026, AIS, Inc.

Task Lights

OVERHEAD LED TASK LIGHTS


Length	Model Number	List
24	A-LEDTL-61024	609
40	A-LEDTL-61540	904



Specify	Notes
	• Select sizes available on quick ship Calibrate Countdown program. See Calibrate Countdown price list for full details.

OVERHEAD LED TASKLIGHT JUMPER CABLE

Model Number	List
A-LEDTL-6-DCW	145




Specify	Notes
	• Jumper cables measure 2 feet in length.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

ASHLEY DUO

Mounting Type	Model Number	List
Clamp	E-ADTCW	1,444
Under	E-ADUMW	1,444



Clamp Mount




Under Mount


Specify	Notes
• Color (White/White or White/Silver)	• Ashley Duo provides easily accessible power in an impressive and discreet casing. • Features two AC outlets for high-power devices, (1) USB-A and (1) USB-C port. • Each USB port utilizes a Smart Device Recognition chip to monitor and deliver the required amperage to your devices. • The unit comes with a 72” or 120” cord option and is available with surface, under or bezel mounting options.

ASHLEY TRIO

Mounting Type	Model Number	List
Clamp	E-ATTCW	1,733
Under	E-ATUMW	1,275



Clamp Mount




Under Mount

Specify	Notes
• Color (White/White or White/Silver)	• Ashley Trio+ features three AC outlets for high-power devices, (1) USB-A and (1) USB-C port and a data port location for optional HDMI, RJ-45, VGA or blank insert if desired. • Each USB port utilizes a Smart Device Recognition Chip to monitor and independently deliver the required amperage for your devices. • The unit comes with a 72” or 120” cord option and is available with surface, under or bezel mounting options.

CORD MANAGER FOR TAPERED LEG

Model Number	List
T-TLWM	218




Specify	Notes
	• This cord manager recesses into the tapered leg only to provide cord management for one power cord. • Available in silver color only.

© 2026, AIS, Inc.

U-Channels, Support Brackets and End Panel Risers

U-CHANNEL


Model Number	List
WPS-VC48	156
WPS-VC60	193
WPS-VC72	230



Specify	Notes

WORKSURFACE SUPPORT BRACKET

Model Number	List
O-WSLB	59
O-WSLBP	72



Specify	Notes
• Paint Selection	• Model number includes two brackets. • Brackets measure 5.5” x 1” x 1”. • O-WSLB available in black only. O-WSLBP available in any paint finish.

PANEL SUPPORT BRACKET


Model Number	List
O-TBBDV10	42



Specify	Notes
	• Can not be used with Matrix.

HUTCH WALL BRACKET


Model Number	List
C-XHWB	75




Specify	Notes

Z-BRACKET

Model Number	List
C-RUNOFFZB	73






Specify	Notes

END PANEL RISER

H	W	Model Number	List
7	18	X-RISER0718	376
7	20	X-RISER0720	392
7	24	X-RISER0724	396
7	30	X-RISER0730	401



Specify	Notes
• Laminate Selection	• For use on low non-worksurface height storage to support worksurface.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Task Light Wire Managers for Tackboards

TASK LIGHT WIRE MANAGER FOR WALL MOUNTED TACKBOARDS

For Use With	Model Number	List
20”	X-TTLWM20WM	353
28”	X-TTLWM28WM	392
35”	X-TTLWM35WM	431
37”	X-TTLWM37WM	431



TASK LIGHT WIRE MANAGER FOR HUTCH TACKBOARDS

For Use With	Model Number	List
20”	X-TTLWM20H	348
28”	X-TTLWM28H	384
35”	X-TTLWM35H	425



Notes


- Satin anodized aluminum cover is 1/2” in dimension and can accomodate standard or LED tasklight cords.
- Cover mounts to face of tackboard.

© 2026, AIS, Inc.

File Bars

FILE BARS FOR DRAWERS

Name	Type	Actual Length	Model Number	List
File Bar A	Side-to-Side	8.39”	RH-WFB10	72
File Bar B	Side-to-Side	14.39”	RH-WFB16	75
File Bar C	Front-to-Back / Side-to-Side	12.125”	RH-WFB12	75
File Bar D	Front-to-Back / Side-to-Side	19.46”	RH-WFB19	79
File Bar E	Side-to-Side	25.77”	RH-WFB26	83
File Bar F	Side-to-Side	31.77”	RH-WFB32	96
File Bar G	Side-to-Side	37.77”	RH-WFB38	105



Notes


- See product details pages for more information on correct file bar usage.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Miscellaneous Accessories

FLAT PLATE


Model Number	List
WPS-FP	39



Specify	Notes

FLAT PLATE COVER


Model Number	List
C-FPC	38



Specify	Notes
	• Flat plate cover is used to cover flat plates near worksurface edges to create a protective, smooth finish.

GANGING BOLT

Model Number	List
RH-98002A208	13



Specify	Notes

WORKSURFACE BAG HOOK


Model Number	List
A-WSPH	341




Specify	Notes
• Paint Selection	• Installs without tools by clamping to worksurface. • Will not work on knife edge surfaces. • Can hold up to a max weight of 15 pounds.

KNIFE EDGE WEDGE BRACKET

Model Number	List
A-KEW	129



Top View



Bottom View


Specify	Notes
• Paint Selection	• Use this product when attaching monitor arms to knife edge surfaces.

© 2026, AIS, Inc.

Soft Close Mechanism For Hinged Door

GROMMET HOLE COVERS


Diameter	Model Number	List
3	W-GROMMET	46



Specify	Notes
• Color Selection - White, Black or Grey Value 1	• Included with worksurfaces ordered with grommets. Order separately only if extra covers are required. • Require 2 3/4 outside diameter and 2 5/8 inside diameter. • Available in White, Black or Grey Value 1.

CALIBRATE TRIM RINGS FOR HEIGHT ADJUSTABLE TABLES AND DESKS


Model Number	List
X-PLG2	10




Specify	Notes
• Color selection (Black, White, or Silver)	• Height adjustable table trim rings are included with all height adjustable Calibrate products. • Order separately for replacements only.

SOFT CLOSE MECHANISM FOR HINGED DOOR

Part Number	List
X-SOFTHINGE	48





Notes

- Mounting method: snaps on to hinge. No tools required.
- Material: steel
- Color/finish: Nickel-plated
- One required for doors up to 30” tall; doors between 31”H and 66”H – order two; doors over 66”H – order three.
- Compatible only with laminate storage; not compatible with L-Series metal storage.

GANGING KIT FOR CASEGOODS

Part Number	List
X-GANGKIT	20



Notes

- Used for ganging two casegoods together.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

National Showrooms:

Leominster
AIS Headquarters
25 Tucker Drive
Leominster, MA 01453

Chicago
The Merchandise Mart
Suite 391
Chicago, Illinois 60654

New York
AIS New York
257 Park Avenue South
New York, New York 10010

Washington, D.C.
AIS Washington, D.C.
1501 M St, NW, STE 230
Washington, D.C. 20005

GSA Sales
GSA Contract 47QSMA20D08Q4
Multiple Award Schedule (MAS)
Large Category: Furniture & Furnishings
Subcategories: Office Furniture, Packaged Office Furniture and Furniture Services

For additional information on AIS:
Dealer Showrooms, Representative Directory, Project Case Studies, Online Catalog & Product Showcase
Visit: **www.ais-inc.com**

AIS

800.434.7400 | 978.562.7500 | Fax: 978.562.0811 | www.ais-inc.com | March 2026

AIS | CaseWorks

Modular Cabinetry

Available exclusively through AIS CaseWorks Certified Dealers

March 2026
Price List

Statement of Line . . . 5
Finish Options . . . 8

BASE CABINETS

Open Base Cabinets . . . 10
Open Base Cabinets, 33” High . . . 11
Open Base Cabinets, 35” High . . . 12
Base Cabinets with Doors . . . 13
Single Door Base Cabinets, 33” High . . . 14
Single Door Base Cabinets, 35” High . . . 15
Double Door Base Cabinets, 33” High . . . 16
Double Door Base Cabinets, 35” High . . . 17
Base Corner Cabinets with Doors . . . 18
Base Corner Cabinets with Single Door, 33” High . . . 19
Base Corner Cabinets with Single Door, 35” High . . . 20
Base Cabinets with Single Door and Drawer . . . 21
Base Cabinets with Single Door and Drawer, 33” High . . . 22
Base Cabinets with Single Door and Drawer, 33” High . . . 23
Base Cabinets with Double Doors and Drawer . . . 24
Base Cabinets with Double Doors and Single Drawer, 33” High . . . 25
Base Cabinets with Double Doors and Single Drawer, 35” High . . . 26
Base Cabinets with Double Doors and Drawers, 33” High . . . 27
Base Cabinets with Double Doors and Drawers, 35” High . . . 28
Single Drawer Base Cabinets with Microwave Cubby, 33” High . . . 29
Single Drawer Base Cabinets with Microwave Cubby, 35” High . . . 31
Three Drawer Base Cabinets, 33” High . . . 33
Three Drawer Base Cabinets, 35” High . . . 35
Four Drawer Base Cabinets, 33” High . . . 37
Four Drawer Base Cabinets, 35” High . . . 39
Base Sink Cabinets with Doors . . . 41
Base Sink Cabinets with Single Door, 33” and 35” High . . . 42
Base Sink Cabinets with Double Doors, 33” High . . . 43
Base Sink Cabinets with Double Doors, 35” High . . . 44
Base Sink Cabinets ADA with Double Doors, 33” High . . . 45
Base Sink Cabinets ADA Sloped Front . . . 46
Base Sink Cabinets ADA Sloped Front Hung . . . 48
Base Appliance Garage Cabinets, 33” High . . . 49
Base Appliance Garage Cabinets, 35” High . . . 50
Base Cabinets Trash Pullout, 33” High . . . 51
Base Cabinets Trash Pullout, 35” High . . . 52

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

WALL CABINETS

Open Wall Cabinets . . . 54
Open Wall Cabinets, 15” Deep . . . 55
Wide Open Wall Cabinets, 24” Deep . . . 58
Single and Double Door Wall Cabinets . . . 60
Single Door Wall Cabinets, 15” Deep . . . 61
Double Door Wall Cabinets, 15” Deep . . . 65
Double Door Wall Cabinets, 24” Deep . . . 70
Wall Corner Cabinets . . . 74
Wall Corner Open Cabinets, 15” Deep . . . 75
Wall Corner Cabinets with Door, 15” Deep . . . 79
Open Wall Cabinets with Mail Sorter Shelves, 15” Deep . . . 83
Open Wall Cabinets with Split Open Mail Sorter Shelves, 15” Deep . . . 87
Wall Cabinet Microwave . . . 91
Wall Cabinet L Shelves, 12” High . . . 94
Wall Cabinet L Shelves, 24” High . . . 96
Wall Cabinet L Shelves, 30” High . . . 98
Wall Cabinet L Shelves, 36” High . . . 100
Wall Cabinet L Shelves, 42” High . . . 102

TALL STORAGE CABINETS

Tall Storage Cabinets, Open . . . 105
Tall Storage Cabinets with Doors . . . 108
Tall Storage Cabinets with Single Door, 72” High . . . 109
Tall Storage Cabinets with Single Door, 78” High . . . 110
Tall Storage Cabinets with Single Door, 84” High . . . 111
Tall Storage Cabinets with Single Door, 90” High . . . 112
Tall Storage Cabinets with Double Doors, 72” High . . . 113
Tall Storage Cabinets with Double Doors, 78” High . . . 114
Tall Storage Cabinets with Double Doors, 84” High . . . 115
Tall Storage Cabinets with Double Doors, 90” High . . . 116
Tall Wardrobe Cabinets with Doors . . . 117
Tall Wardrobe Cabinets with Door, 72” High . . . 118
Tall Wardrobe Cabinets with Door, 84” High . . . 120
Tall Wardrobe Cabinets with Door, 90” High . . . 121
Tall Storage Wardrobe with Double Doors, 72” High . . . 122
Tall Storage Wardrobe with Double Doors, 78” High . . . 123
Tall Storage Wardrobe with Double Doors, 84” High . . . 124
Tall Storage Wardrobe with Double Doors, 90” High . . . 125

© 2026, AIS, Inc.

COUNTERTOPS AND BACKSPLASHES

Countertops and Backsplashes . . . 127
Laminate Countertops, 24” Deep . . . 128
Laminate Countertops, 25” Deep . . . 130
Laminate Countertops, 30” Deep . . . 132
Laminate Backsplashes . . . 134
Solid Surface Countertops, 24” Deep . . . 136
Solid Surface Countertops, 25” Deep . . . 138
Solid Surface Countertops, 30” Deep . . . 140
Solid Surface Backsplashes . . . 142

ACCESSORIES

Toe Kicks with Clips . . . 145
Side Toe Kicks . . . 148
Wood Wall Cleats . . . 149
Side Fillers for Base, Wall and Tall Cabinets . . . 150
End Panels for Base and Tall Cabinets . . . 152
End Panels for Base and Tall Cabinets, 24” Deep . . . 153
End Panels for Wall Cabinets, 15” Deep . . . 155
End Panels for Base and Tall Cabinets, 30” Deep . . . 156
Vertical Soffits for Wall Cabinets, 15” Deep . . . 158
Vertical Soffits for Tall Storage Cabinets, 24” Deep . . . 176
Caseworks Bracket, Countertop Support . . . 194
Soft Close Mechanism for Hinged Door, Push To Open, Hinge Restriction Clip, Ganging Kit for Casegoods . . . 195
Flat Plate and Replacement Pulls . . . 196
Stainless Steel Sinks, Stainless Steel Pull-Down Spray Head Faucet, Stainless Steel Sink Faucet Hole Cover . . . 197


WARRANTY & TERMS AND CONDITIONS

For Warranty & Terms and Conditions please visit:
https://www.ais-inc.com


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Statement of Line


BASE CABINETS




Open Base Cabinets
33" or 35" high, 12" - 36" wide,
24" deep
All Feet, Front Feet w/Wall Cleat,
or No Feet
All Feet Shown




Base Cabinets with Single Door
33" or 35" high, 12" - 36" wide,
24" deep, Left or Right Hinge,
All Feet, Front Feet w/Wall Cleat,
or No Feet
Right Hinge, All Feet Shown




Base Cabinets with
Double Doors
33" or 35" high, 12" - 36" wide,
24" deep
All Feet, Front Feet w/Wall Cleat,
or No Feet
All Feet Shown




Base Corner Cabinets with
Single Door
33" or 35" high, 12" - 24" wide,
24" deep, Left or Right Hinge,
All Feet, Front Feet w/Wall Cleat,
or No Feet
Right Hinge, All Feet Shown




Base Cabinets with Single
Door and Drawer
33" or 35" high, 12" - 36" wide,
24" deep, Left or Right Hinge,
All Feet, Front Feet w/Wall Cleat,
or No Feet
Right Hinge, All Feet Shown




Base Cabinets with Double
Doors and Single Drawer
33" or 35" high, 25" - 36" wide,
24" deep
All Feet, Front Feet w/Wall Cleat,
or No Feet
All Feet Shown



Base Cabinets with Double
Doors and Drawers
33" or 35" high, 25" - 36" wide,
24" deep
All Feet, Front Feet w/Wall Cleat,
or No Feet
All Feet Shown




Single Drawer Base Cabinets
with Microwave Cubby
33" or 35" high, 12" - 36" wide,
24" deep
All Feet, Front Feet w/Wall Cleat,
or No Feet
Right Hinge, All Feet Shown




Three Drawer Base Cabinets
33" or 35" high, 12" - 36" wide,
24" deep
All Feet, Front Feet w/Wall Cleat,
or No Feet
All Feet Shown




Four Drawer Base Cabinets
33" or 35" high, 12" - 36" wide,
24" deep
All Feet, Front Feet w/Wall Cleat,
or No Feet
All Feet Shown




Base Sink Cabinets with
Single Door
33" or 35" high, 24" wide,
24" deep
All Feet, Front Feet w/Wall Cleat,
or No Feet
Right Hinge, All Feet Shown




Base Sink Cabinets with
Double Doors
33" or 35" high, 25" - 42" wide,
24" deep
All Feet, Front Feet w/Wall Cleat,
or No Feet
All Feet Shown




Base Sink Cabinets ADA with
Double Doors
33" high, 36" - 42" wide,
24" deep, on glides




Base Sink Cabinets ADA
Sloped Front
33" high, 32" - 42" wide,
24" deep, on glides



Base Sink Cabinets ADA
Sloped Front Hung
23 1/2" high, 30" - 42" wide,
24" deep



Base Appliance
Garage Cabinets
33" or 35" high, 12" - 36" wide,
24" deep, on glides




Base Cabinet Trash Pullout
33" or 35" high, 18" - 24" wide,
24" deep
All Feet, Front Feet w/Wall Cleat,
or No Feet
All Feet Shown


© 2026, AIS, Inc.

Statement of Line


WALL CABINETS




Open Wall Cabinets
15", 24", 30", 36", or 42" high,
12" - 42" wide, 15" deep
15", 24", 30" and 36" High Shown




Open Wall Cabinets
15", 16", 17", or 18" high,
25" - 42" wide, **24" deep**
18" Wide and 36" High Shown




Single Door Wall Cabinets
24", 30", 36", or 42" high,
12" - 24" wide,
15" deep, Left or Right Hinge,
Right Hinge Shown




Double Door Wall Cabinets
15", 24", 30", 36", or 42" high,
25" - 42" wide, 15" deep
30" High Shown




Double Door Wall Cabinets
15", 16", 17", or 18" high,
25" - 42" wide, **24" deep**
18" High Shown




Wall Corner Open Cabinets
24" or 30" high,
27" - 36" wide, 15" deep,
one adjustable shelf
Open Right Shown




Wall Corner Open Cabinets
36" or 42" high,
27" - 36" wide, 15" deep
two adjustable shelves
Open Right Shown




Wall Corner Cabinets with Single Door
24", 30", 36", or 42" high,
24" - 36" wide, 15" deep
two adjustable shelves
Right Hinge Shown




Open Wall Cabinets with Mail Sorter Shelves
24", 30", 36", or 42" high,
12" - 36" wide, 15" deep



Open Wall Cabinets with Split Mail Sorter Shelves
24", 30", 36", or 42" high,
12" - 36" wide, 15" deep




Wall Cabinet Microwave
30", 36", or 42" high,
24" - 36" wide, 15" deep




Wall Cabinet L Shelves
24", 30", 36", or 42" high,
24" - 42" wide, 15" deep


TALL STORAGE CABINETS




Tall Storage Cabinets, Open
72", 78", 84", or 90" high,
12" - 36" wide, 24" deep
78" and 90" High Shown




Tall Storage Cabinets with Single Door
72", 78", 84", or 90" high,
12" - 24" wide, 24" deep
Right Hinge Shown



Tall Storage Cabinets with Double Doors
72", 78", 84", or 90" high,
25" - 36" wide, 24" deep



Tall Wardrobe Cabinets with Single Door
72", 78", 84", or 90" high,
12" - 24" wide, 24" deep
Right Hinge Shown



Tall Wardrobe Cabinets with Double Doors
72", 78", 84", or 90" high,
25" - 36" wide, 24" deep

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

Statement of Line

COUNTERTOPS AND BACKSPLASHES




Countertops
Laminate or Solid Surface
12” - 96” wide,
24”, 25”, or 30” deep



Backsplashes
Laminate or Solid Surface
12” - 96” wide,
3/4” deep

ACCESSORIES




Toe Kicks with Clips
3.8755” high, 12” - 96” wide




Wood Wall Cleats
48”, 72”, or 96” high




Side Fillers
for Wall Cabinets:
15”, 24”, 30”, 36”, or 42” high;
for Base and Tall Cabinets:
28 1/2”, 30 1/2”, 32 1/2”, 34 1/2”,
72”, 78”, 84”, or 90” high
6” wide




End Panels for Base and
Tall Cabinets
12” - 96” high,
15”, 24”, or 30” deep




Vertical Soffits for
Wall Cabinets
6”, 12”, 18”, 24”, 30”, or 36” high;
12” - 96” wide,
15” deep




Vertical Soffits for
Tall Storage Cabinets
6”, 12”, 18”, 24”, 30”, or 36” high;
12” - 96” wide,
24” deep




Caseworks Bracket




Caseworks Countertop
Support



Push to Open




Hinge Restriction Clip




Soft Close Mechanism for
Hinged Door




Ganging Kit for Casegoods




Flat Plate




Replacement Pulls



Stainless Steel Sinks
Drop In
standard or ADA
Standard Shown



Stainless Steel Sinks
Undermount
standard or ADA
Standard Shown



Stainless Steel Pull-Down
Spray Head Faucet



Sink Faucet Hole Cover

© 2026, AIS, Inc.

Laminate, Corian, and Paint Options

LAMINATE OPTIONS

Name	Laminate Type Available*
Absolute Acajou	TFL/HPL/MHPL
Aimtoo Savatre	TFL/HPL/MHPL
Black	TFL/HPL/MHPL
Brazilwood	TFL/HPL/MHPL
Chalk	TFL/HPL/MHPL
Corporate Walnut	TFL/HPL/MHPL
Dark Rum Cherry	TFL/HPL/MHPL
Field Elm	TFL/HPL/MHPL
Grand Cherry	TFL/HPL/MHPL
Grey Elm	TFL/HPL/MHPL
Landmark	TFL/HPL/MHPL
Leave Likatre	TFL/HPL/MHPL
Linen	TFL/HPL/MHPL
Looks Likatre	TFL/HPL/MHPL
Maritime Dune	TFL/HPL/MHPL
Midwest Maple	TFL/HPL/MHPL
Neo Walnut	TFL/HPL/MHPL
Phantom Ecru	TFL/HPL/MHPL
Phantom Pearl	TFL/HPL/MHPL
Storm	TFL/HPL/MHPL
Summer Drops	TFL/HPL/MHPL
True White	TFL/HPL/MHPL
Trytoo Savatre	TFL/HPL/MHPL
White Chocolate	TFL/HPL/MHPL

*Upcharges are applicable to HPL and MHPL laminates.

Laminate options apply to worksurfaces, body/case, desk shell bases, modesties and doors/drawers. Matching edgeband available for all CaseWorks laminate options.

CORIAN® RECEPTION OPTIONS

Name	Grade
Glacier White	A
Linen	A
Silver Gray	A
Antarctica	B
Dove	B
Designer White	B
Everest	B
Neutral Concrete	B
Silver Birch	C
Platinum	C
Lava Rock**	C
Arctic Ice	C
Carrara Lino*	D
White Onyx*	D
Juniper***	D

*Indicates swirl directional grain.
**Indicates linear directional grain.
***Indicates wispy directional grain.

- Corian samples may be requested directly from Corian. Additional Corian colors are available by special request; leadtimes and pricing may vary.
- Corian finishes are non-directional unless called out otherwise. Directional Corian will default to run horizontally. Vertical grain can be provided by special request.

PAINT OPTIONS

Name	Color Code	Grade
Black	BK	A
Chalk	CK	A
Dark Tone	DT	A
Grey Value 1	GV1	A
Innertone	HT	A
Light Tone	LT	A
Medium Tone	MT	A
Metallic Silver	MS	A
Satin White	SW	A
Warm Brown	WB	A
Champagne Metallic	CHM	B
Dark Grey Metallic	DGM	B
Flint Grey Metallic	FGM	B
Light Grey	LG	B
Tan Value 1	TV1	B
Antique Gold	AG	C
Graphite Sky	GS	C
Burnt Orange	BO	C
Brown	BR	C
Steel Blue	SB	C
Baltic Blue	BB	C
Ruby Red	RR	C
Kelly Green	KG	C

CaseWorks paint options can be used on any paintable surface. Paint choices apply to CaseWorks pulls, brackets, and countertop support.

Custom Paints

Special Paint Match Process & Ordering Instructions
To initiate a special paint match, please provide **three physical match samples** to your Customer Service Representative (CSR). These samples will be sent to our paint suppliers for evaluation and matching.


Match Process & Fees:
- A **non-refundable $450 net match fee** is required to begin the process.
- Once viable matches are developed (pending vendor capability), we'll send the samples to the dealer for final approval.

Pricing:
- Pricing begins at the **Grade C paint tier.**
- If the custom color incurs additional costs beyond Grade C pricing, we will advise of any upcharges before order placement.
- A **minimum order of $100,000 List** is required for special paint orders.
- The **$450 match fee will be waived** if the order is **$150,000 List or more** (and placed using the approved color).

Ordering Instructions (after color approval):
1. Dealer submits the **Purchase Order (PO)** and **Bill of Materials (BOM)** for the product requiring special paint.
2. The PO must clearly state:
   "SPECIAL PAINT REQUIRED ON THIS ORDER"
   — either in the header or special instructions section.
3. When selecting finishes:
   — Choose the **Grade C Paint option.**
   — **Do not select a final paint color.**
   — **Leave the paint code blank** and use the skip option.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Sep 15, 2025
© 2025, AIS, Inc.

Base Cabinets




© 2026, AIS, Inc.

Open Base Cabinets

Cabinet Logic


Example shown below is a 33”H x 21”W x 24”D Open Base Cabinet. Guide shown below can be used as a reference, however always refer to the price list pages for product numbers rather than attempting to construct them.



Product Options


Base Type	Side Panel Extension	Case Finish
All Metal Feet	Both	TFL
Front Feet & Wall Cleat	Left	HPL
No Feet	Right	MHPL
	None	(water resistant substrate)

Base Options



All Feet | Front Feet/ Wall Cleat | No Feet

Extension Options



Ext Both | Ext Left | Ext Right | No Ext

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Open Base Cabinets, 33” High

33” HIGH OPEN BASE CABINETS

H	W	D	Model Number	List	HPL	MHPL
32.5	12	24	M-BO331224	1,390	+275	+475
32.5	13	24	M-BO331324	1,407	+275	+475
32.5	14	24	M-BO331424	1,423	+275	+475
32.5	15	24	M-BO331524	1,439	+275	+475
32.5	16	24	M-BO331624	1,455	+275	+475
32.5	17	24	M-BO331724	1,471	+275	+475
32.5	18	24	M-BO331824	1,488	+275	+475
32.5	19	24	M-BO331924	1,509	+275	+475
32.5	20	24	M-BO332024	1,525	+300	+500
32.5	21	24	M-BO332124	1,542	+300	+500
32.5	22	24	M-BO332224	1,558	+300	+500
32.5	23	24	M-BO332324	1,574	+300	+500
32.5	24	24	M-BO332424	1,590	+300	+500

33” HIGH OPEN BASE CABINETS

H	W	D	Model Number	List	HPL	MHPL
32.5	25	24	M-BO332524	1,606	+300	+500
32.5	26	24	M-BO332624	1,627	+300	+500
32.5	27	24	M-BO332724	1,643	+300	+500
32.5	28	24	M-BO332824	1,659	+325	+525
32.5	29	24	M-BO332924	1,676	+325	+525
32.5	30	24	M-BO333024	1,767	+325	+525
32.5	31	24	M-BO333124	1,784	+325	+525
32.5	32	24	M-BO333224	1,800	+325	+525
32.5	33	24	M-BO333324	1,816	+325	+525
32.5	34	24	M-BO333424	1,832	+325	+525
32.5	35	24	M-BO333524	1,848	+325	+525
32.5	36	24	M-BO333624	1,865	+325	+525



12” - 36” Widths

Specify

- Base Type
- Side Panel Extension
- Case Finish

Notes


- Recessed laminate toe kick specified separately, mounting clips included.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- ¾” extended side panel back construction (both, left, right, and none).
- Countertop (sold separately) is attached to top of cabinet.
- 1mm edge banding on cabinet case.
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.

© 2026, AIS, Inc.

Open Base Cabinets, 35” High

35” HIGH OPEN BASE CABINETS						
H	W	D	Model Number	List	HPL	MHPL
34.5	12	24	M-BO351224	1,411	+275	+475
34.5	13	24	M-BO351324	1,427	+275	+475
34.5	14	24	M-BO351424	1,443	+275	+475
34.5	15	24	M-BO351524	1,460	+275	+475
34.5	16	24	M-BO351624	1,477	+275	+475
34.5	17	24	M-BO351724	1,493	+275	+475
34.5	18	24	M-BO351824	1,509	+275	+475
34.5	19	24	M-BO351924	1,531	+275	+475
34.5	20	24	M-BO352024	1,548	+300	+500
34.5	21	24	M-BO352124	1,564	+300	+500
34.5	22	24	M-BO352224	1,581	+300	+500
34.5	23	24	M-BO352324	1,597	+300	+500
34.5	24	24	M-BO352424	1,614	+300	+500

35” HIGH OPEN BASE CABINETS						
H	W	D	Model Number	List	HPL	MHPL
34.5	25	24	M-BO352524	1,630	+300	+500
34.5	26	24	M-BO352624	1,652	+300	+500
34.5	27	24	M-BO352724	1,668	+300	+500
34.5	28	24	M-BO352824	1,684	+325	+525
34.5	29	24	M-BO352924	1,701	+325	+525
34.5	30	24	M-BO353024	1,793	+325	+525
34.5	31	24	M-BO353124	1,809	+325	+525
34.5	32	24	M-BO353224	1,826	+325	+525
34.5	33	24	M-BO353324	1,842	+325	+525
34.5	34	24	M-BO353424	1,859	+325	+525
34.5	35	24	M-BO353524	1,875	+325	+525
34.5	36	24	M-BO353624	1,892	+325	+525



12” - 36” Widths

Specify

- Base Type
- Side Panel Extension
- Case Finish

Notes


- Recessed laminate toe kick specified separately, mounting clips included.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- ¾” extended side panel back construction (both, left, right, and none).
- Countertop (sold separately) is attached to top of cabinet.
- 1mm edge banding on cabinet case.
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Cabinet Logic


Example shown below is a 33”H x 21”W x 24”D Base Cabinet with Left Hinge Door. Guide shown below can be used as a reference, however always refer to the price list pages for product numbers rather than attempting to construct them.



Product Options


Base Type	Side Panel Extension	Case Finish	Front Finish	Handle Pull	Handle Finish	Hinge Type	Lock Style
All Metal Feet	Both	TFL	TFL	No Pull	Grade A	110 (Standard)	No Lock
Front Feet & Wall Cleat	Left	HPL	HPL	Bar	Grade B	170	Black Core/Trim Ring
No Feet	Right	MHPL	MHPL	Loop	Grade C		Silver Core/Trim Ring
	None	(water resistant substrate)	(water resistant substrate)	L-Pull			Black Trim Ring No Core
				Rectangular			Silver Trim Ring No Core

Base Options



All Feet | **Front Feet/ Wall Cleat** | **No Feet**

Extension Options




Ext Both | **Ext Left** | **Ext Right** | **No Ext**


© 2026, AIS, Inc.

Single Door Base Cabinets, 33” High

33” HIGH BASE CABINETS WITH DOOR									
			Left-Hinge	Right-Hinge		HPL		MHPL	
Actual H	W	D	Model Number	Model Number	List	Case	Front	Case	Front
32.5	12	24	M-BDL331224	M-BDR331224	1,676	+275	+110	+475	+185
32.5	13	24	M-BDL331324	M-BDR331324	1,698	+275	+110	+475	+185
32.5	14	24	M-BDL331424	M-BDR331424	1,721	+275	+110	+475	+185
32.5	15	24	M-BDL331524	M-BDR331524	1,744	+275	+110	+475	+185
32.5	16	24	M-BDL331624	M-BDR331624	1,767	+275	+110	+475	+185
32.5	17	24	M-BDL331724	M-BDR331724	1,790	+275	+110	+475	+185
32.5	18	24	M-BDL331824	M-BDR331824	1,813	+275	+110	+475	+185
32.5	19	24	M-BDL331924	M-BDR331924	1,841	+275	+110	+475	+185
32.5	20	24	M-BDL332024	M-BDR332024	1,863	+300	+120	+500	+195
32.5	21	24	M-BDL332124	M-BDR332124	1,887	+300	+120	+500	+195
32.5	22	24	M-BDL332224	M-BDR332224	1,910	+300	+120	+500	+195
32.5	23	24	M-BDL332324	M-BDR332324	1,934	+300	+120	+500	+195
32.5	24	24	M-BDL332424	M-BDR332424	1,957	+300	+120	+500	+195



Left-Hinge Shown



Right-Hinge Shown

Specify

- Base Type
- Side Panel Extension
- Case Finish
- Front Finish
- Handle Pull
- Handle Finish
- Hinge Type
- Lock Style

Notes

- Recessed laminate toe kick specified separately, mounting clips included.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- Four pull styles and no pull style option.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Face edge bands are finished with 2mm edge banding on cabinet face and 1mm matching edge banding on case.
- ¾” extended side panel back construction (both, left, right and none).
- Lock optional for doors.
- Standard 110 degree or 170 degree opening angle hinges. $75 upcharge.
- Countertop (sold separately) is attached to top of cabinet.
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Single Door Base Cabinets, 35” High

35” HIGH BASE CABINETS WITH DOOR

Actual H	W	D	Left-Hinge Model Number	Right-Hinge Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
34.5	12	24	M-BDL351224	M-BDR351224	1,703	+275	+110	+475	+185
34.5	13	24	M-BDL351324	M-BDR351324	1,726	+275	+110	+475	+185
34.5	14	24	M-BDL351424	M-BDR351424	1,750	+275	+110	+475	+185
34.5	15	24	M-BDL351524	M-BDR351524	1,773	+275	+110	+475	+185
34.5	16	24	M-BDL351624	M-BDR351624	1,797	+275	+110	+475	+185
34.5	17	24	M-BDL351724	M-BDR351724	1,820	+275	+110	+475	+185
34.5	18	24	M-BDL351824	M-BDR351824	1,844	+275	+110	+475	+185
34.5	19	24	M-BDL351924	M-BDR351924	1,873	+275	+110	+475	+185
34.5	20	24	M-BDL352024	M-BDR352024	1,896	+300	+120	+500	+195
34.5	21	24	M-BDL352124	M-BDR352124	1,920	+300	+120	+500	+195
34.5	22	24	M-BDL352224	M-BDR352224	1,943	+300	+120	+500	+195
34.5	23	24	M-BDL352324	M-BDR352324	1,967	+300	+120	+500	+195
34.5	24	24	M-BDL352424	M-BDR352424	1,991	+300	+120	+500	+195



Left-Hinge Shown



Right-Hinge Shown

Specify

- Base Type
- Side Panel Extension
- Case Finish
- Front Finish
- Handle Pull
- Handle Finish
- Hinge Type
- Lock Style

Notes


- Recessed laminate toe kick specified separately, mounting clips included.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- Four pull styles and no pull style option.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Face edge bands are finished with 2mm edge banding on cabinet face and 1mm matching edge banding on case.
- ¾” extended side panel back construction (both, left, right and none).
- Lock optional for doors.
- Standard 110 degree or 170 degree opening angle hinges. $75 upcharge.
- Countertop (sold separately) is attached to top of cabinet.
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.

© 2026, AIS, Inc.

Double Door Base Cabinets, 33” High

33” HIGH BASE CABINETS WITH DOUBLE DOORS

Actual H	W	D	Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
32.5	25	24	M-BDN332524	2,101	+300	+120	+500	+195
32.5	26	24	M-BDN332624	2,129	+300	+120	+500	+195
32.5	27	24	M-BDN332724	2,152	+300	+120	+500	+195
32.5	28	24	M-BDN332824	2,176	+325	+130	+525	+205
32.5	29	24	M-BDN332924	2,198	+325	+130	+525	+205
32.5	30	24	M-BDN333024	2,301	+325	+130	+525	+205
32.5	31	24	M-BDN333124	2,324	+325	+130	+525	+205
32.5	32	24	M-BDN333224	2,346	+325	+130	+525	+205
32.5	33	24	M-BDN333324	2,370	+325	+130	+525	+205
32.5	34	24	M-BDN333424	2,393	+325	+130	+525	+205
32.5	35	24	M-BDN333524	2,415	+325	+130	+525	+205
32.5	36	24	M-BDN333624	2,438	+325	+130	+525	+205



Specify

- Base Type
- Side Panel Extension
- Case Finish
- Front Finish
- Handle Pull
- Handle Finish
- Hinge Type
- Lock Style

Notes


- Recessed laminate toe kick specified separately, mounting clips included.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- Four pull styles and no pull style option.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Face edge bands are finished with 2mm edge banding on cabinet face and 1mm matching edge banding on case.
- Front is grain matched.
- ¾” extended side panel back construction (both, left, right and none).
- Lock optional for doors.
- Standard 110 degree or 170 degree opening angle hinges. $75 upcharge.
- Countertop (sold separately) is attached to top of cabinet.
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Double Door Base Cabinets, 35” High

35” HIGH BASE CABINETS WITH DOUBLE DOORS

Actual H	W	D	Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
34.5	25	24	M-BDN352524	2,139	+300	+120	+500	+195
34.5	26	24	M-BDN352624	2,168	+300	+120	+500	+195
34.5	27	24	M-BDN352724	2,192	+300	+120	+500	+195
34.5	28	24	M-BDN352824	2,216	+325	+130	+525	+205
34.5	29	24	M-BDN352924	2,238	+325	+130	+525	+205
34.5	30	24	M-BDN353024	2,342	+325	+130	+525	+205
34.5	31	24	M-BDN353124	2,366	+325	+130	+525	+205
34.5	32	24	M-BDN353224	2,389	+325	+130	+525	+205
34.5	33	24	M-BDN353324	2,413	+325	+130	+525	+205
34.5	34	24	M-BDN353424	2,437	+325	+130	+525	+205
34.5	35	24	M-BDN353524	2,460	+325	+130	+525	+205
34.5	36	24	M-BDN353624	2,483	+325	+130	+525	+205



Specify

- Base Type
- Side Panel Extension
- Case Finish
- Front Finish
- Handle Pull
- Handle Finish
- Hinge Type
- Lock Style

Notes


- Recessed laminate toe kick specified separately, mounting clips included.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- Four pull styles and no pull style option.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Face edge bands are finished with 2mm edge banding on cabinet face and 1mm matching edge banding on case.
- Front is grain matched.
- ¾” extended side panel back construction (both, left, right and none).
- Lock optional for doors.
- Standard 110 degree or 170 degree opening angle hinges. $75 upcharge.
- Countertop (sold separately) is attached to top of cabinet.
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.

© 2026, AIS, Inc.

Base Corner Cabinets with Doors

Cabinet Logic


Example shown below is a 33”H x 42”W x 24”D Base Corner Cabinet with Left Hinge Door. Guide shown below can be used as a reference, however always refer to the price list pages for product numbers rather than attempting to construct them.



Product Options


Base Type	Side Panel Extension	Case Finish	Front Finish	Handle Pull	Handle Finish	Lock Style
All Metal Feet	Both	TFL	TFL	No Pull	Grade A	No Lock
Front Feet & Wall Cleat	Left	HPL	HPL	Bar	Grade B	Black Core/Trim Ring
No Feet	Right	MHPL	MHPL	Loop	Grade C	Silver Core/Trim Ring
	None	(water resistant substrate)	(water resistant substrate)	L-Pull		Black Trim Ring No Core
				Rectangular		Silver Trim Ring No Core

Base Options



All Feet | Front Feet/ Wall Cleat | No Feet

Extension Options



Ext Both | Ext Left | Ext Right | No Ext


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Base Corner Cabinets with Single Door, 33” High

33” HIGH BASE CORNER CABINETS WITH DOOR

			Left-Hinge	Right-Hinge		HPL		MHPL	
Actual H	W	D	Model Number	Model Number	List	Case	Front	Case	Front
32.5	24	24	M-BCDL332424	M-BCDR332424	2,176	+300	+120	+500	+195
32.5	25	24	M-BCDL332524	M-BCDR332524	2,199	+300	+120	+500	+195
32.5	26	24	M-BCDL332624	M-BCDR332624	2,224	+300	+120	+500	+195
32.5	27	24	M-BCDL332724	M-BCDR332724	2,248	+325	+130	+525	+205
32.5	28	24	M-BCDL332824	M-BCDR332824	2,272	+325	+130	+525	+205
32.5	29	24	M-BCDL332924	M-BCDR332924	2,297	+325	+130	+525	+205
32.5	30	24	M-BCDL333024	M-BCDR333024	2,320	+325	+130	+525	+205
32.5	31	24	M-BCDL333124	M-BCDR333124	2,345	+325	+130	+525	+205
32.5	32	24	M-BCDL333224	M-BCDR333224	2,369	+325	+130	+525	+205
32.5	33	24	M-BCDL333324	M-BCDR333324	2,395	+325	+130	+525	+205
32.5	34	24	M-BCDL333424	M-BCDR333424	2,412	+325	+130	+525	+205
32.5	35	24	M-BCDL333524	M-BCDR333524	2,437	+325	+130	+525	+205
32.5	36	24	M-BCDL333624	M-BCDR333624	2,456	+325	+130	+525	+205



Left-Hinge Shown



Right-Hinge Shown

Specify

- Base Type
- Side Panel Extension
- Case Finish
- Front Finish
- Handle Pull
- Handle Finish
- Lock Style


Notes

- Recessed laminate toe kick specified separately, mounting clips included.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- Four pull styles and no pull style option.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Face edge bands are finished with 2mm edge banding on cabinet face and 1mm matching edge banding on case.
- Front is grain matched.
- ¾” extended side panel back construction (both, left, right and none).
- Lock optional for doors.
- Standard 110 degree hinge.
- Countertop (sold separately) is attached to top of cabinet.
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.


© 2026, AIS, Inc.

Base Corner Cabinets with Single Door, 35” High

35” HIGH BASE CORNER CABINETS WITH DOOR									
			Left-Hinge	Right-Hinge		HPL		MHPL	
Actual H	W	D	Model Number	Model Number	List	Case	Front	Case	Front
34.5	24	24	M-BCDL352424	M-BCDR352424	2,222	+300	+120	+500	+195
34.5	25	24	M-BCDL352524	M-BCDR352524	2,246	+300	+120	+500	+195
34.5	26	24	M-BCDL352624	M-BCDR352624	2,271	+300	+120	+500	+195
34.5	27	24	M-BCDL352724	M-BCDR352724	2,295	+325	+130	+525	+205
34.5	28	24	M-BCDL352824	M-BCDR352824	2,319	+325	+130	+525	+205
34.5	29	24	M-BCDL352924	M-BCDR352924	2,344	+325	+130	+525	+205
34.5	30	24	M-BCDL353024	M-BCDR353024	2,369	+325	+130	+525	+205
34.5	31	24	M-BCDL353124	M-BCDR353124	2,394	+325	+130	+525	+205
34.5	32	24	M-BCDL353224	M-BCDR353224	2,419	+325	+130	+525	+205
34.5	33	24	M-BCDL353324	M-BCDR353324	2,445	+325	+130	+525	+205
34.5	34	24	M-BCDL353424	M-BCDR353424	2,461	+325	+130	+525	+205
34.5	35	24	M-BCDL353524	M-BCDR353524	2,487	+325	+130	+525	+205
34.5	36	24	M-BCDL353624	M-BCDR353624	2,511	+325	+130	+525	+205



Left-Hinge Shown



Right-Hinge Shown

Specify

- Base Type
- Side Panel Extension
- Case Finish
- Front Finish
- Handle Pull
- Handle Finish
- Lock Style

Notes

- Recessed laminate toe kick specified separately, mounting clips included.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- Four pull styles and no pull style option.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Face edge bands are finished with 2mm edge banding on cabinet face and 1mm matching edge banding on case.
- Front is grain matched.
- ¾” extended side panel back construction (both, left, right and none).
- Lock optional for doors.
- Standard 110 degree hinge.
- Countertop (sold separately) is attached to top of cabinet.
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Base Cabinets with Single Door and Drawer

Cabinet Logic


Example shown below is a 33”H x 21”W x 24”D Base Cabinet with Left Hinge Door and Drawer. Guide shown below can be used as a reference, however always refer to the price list pages for product numbers rather than attempting to construct them.



Product Options


Base Type	Side Panel Extension	Case Finish	Drawer Type	Front Finish	Handle Pull	Handle Finish	Hinge Type	Lock Style
All Metal Feet	Both	TFL	Standard	TFL	No Pull	Grade A	110 (Standard)	No Lock
Front Feet & Wall Cleat	Left	HPL	Softclose	HPL	Bar	Grade B	170	Black Core/Trim Ring
No Feet	Right	MHPL		MHPL	Loop	Grade C		Silver Core/Trim Ring
	None	(water resistant substrate)		(water resistant substrate)	L-Pull			Black Trim Ring No Core
					Rectangular			Silver Trim Ring No Core

Base Options



All Feet | Front Feet/ Wall Cleat | No Feet

Extension Options




Ext Both | Ext Left | Ext Right | No Ext

© 2026, AIS, Inc.


Base Cabinets with Single Door and Drawer, 33” High

33” HIGH BASE CABINETS WITH DOOR AND DRAWER

Actual H	W	D	Left-Hinge Model Number	Right-Hinge Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
32.5	12	24	M-BAL331224	M-BAR331224	1,982	+275	+110	+475	+185
32.5	13	24	M-BAL331324	M-BAR331324	2,011	+275	+110	+475	+185
32.5	14	24	M-BAL331424	M-BAR331424	2,041	+275	+110	+475	+185
32.5	15	24	M-BAL331524	M-BAR331524	2,070	+275	+110	+475	+185
32.5	16	24	M-BAL331624	M-BAR331624	2,099	+275	+110	+475	+185
32.5	17	24	M-BAL331724	M-BAR331724	2,129	+275	+110	+475	+185
32.5	18	24	M-BAL331824	M-BAR331824	2,165	+275	+110	+475	+185
32.5	19	24	M-BAL331924	M-BAR331924	2,199	+275	+110	+475	+185
32.5	20	24	M-BAL332024	M-BAR332024	2,229	+300	+120	+500	+195
32.5	21	24	M-BAL332124	M-BAR332124	2,258	+300	+120	+500	+195
32.5	22	24	M-BAL332224	M-BAR332224	2,287	+300	+120	+500	+195
32.5	23	24	M-BAL332324	M-BAR332324	2,316	+300	+120	+500	+195
32.5	24	24	M-BAL332424	M-BAR332424	2,345	+300	+120	+500	+195



Left-Hinge Shown



Right-Hinge Shown

Specify	Notes
• Base Type	• 1 Drawer, 1 door with adjustable shelf.
• Side Panel Extension	• Front is grain matched.
• Case Finish	• Recessed laminate toe kick specified separately, mounting clips included.
• Drawer Type	• Available in TFL, HPL, and MHPL (water resistant substrate).
• Front Finish	• Four pull styles and no pull style option.
• Handle Pull	• Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
• Handle Finish	
• Hinge Type	• Face edge bands are finished with 2mm edge banding on cabinet face and 1mm matching edge banding on case.
• Lock Style	• ¾” extended side panel back construction (both, left, right and none).
	• Standard 110 degree or 170 degree opening angle hinges. $75 upcharge.
	• Standard full extension drawer slides and undermount soft-close slides option. $125 upcharge.
	• Worksurface (sold separately) are attached to top of cabinet. Order attachment hardware separately.
	• All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Base Cabinets with Single Door and Drawer, 33” High

35” HIGH BASE CABINETS WITH DOOR AND DRAWER

Actual H	W	D	Left-Hinge Model Number	Right-Hinge Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
34.5	12	24	M-BAL351224	M-BAR351224	2,010	+275	+110	+475	+185
34.5	13	24	M-BAL351324	M-BAR351324	2,041	+275	+110	+475	+185
34.5	14	24	M-BAL351424	M-BAR351424	2,071	+275	+110	+475	+185
34.5	15	24	M-BAL351524	M-BAR351524	2,100	+275	+110	+475	+185
34.5	16	24	M-BAL351624	M-BAR351624	2,130	+275	+110	+475	+185
34.5	17	24	M-BAL351724	M-BAR351724	2,162	+275	+110	+475	+185
34.5	18	24	M-BAL351824	M-BAR351824	2,197	+275	+110	+475	+185
34.5	19	24	M-BAL351924	M-BAR351924	2,233	+275	+110	+475	+185
34.5	20	24	M-BAL352024	M-BAR352024	2,263	+300	+120	+500	+195
34.5	21	24	M-BAL352124	M-BAR352124	2,293	+300	+120	+500	+195
34.5	22	24	M-BAL352224	M-BAR352224	2,322	+300	+120	+500	+195
34.5	23	24	M-BAL352324	M-BAR352324	2,353	+300	+120	+500	+195
34.5	24	24	M-BAL352424	M-BAR352424	2,383	+300	+120	+500	+195



Left-Hinge Shown



Right-Hinge Shown


Specify	Notes
• Base Type	• 1 Drawer, 1 door with adjustable shelf.
• Side Panel Extension	• Front is grain matched.
• Case Finish	• Recessed laminate toe kick specified separately, clips included.
• Drawer Type	• Available in TFL, HPL and MHPL on water resistant substrate.
• Front Finish	• Four pull styles and no pull style option.
• Handle Pull	• Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
• Handle Finish	• Face edge bands are finished with 2mm matching edge banding; case edge bands are finished with 1mm matching edge banding
• Hinge Type	• ¾” extended side panel back construction (both, left, right and none).
• Lock Style	• Lock optional for doors or top drawers only.
	• Standard 110 degree or 170 degree opening angle hinges. $75 upcharge.
	• Standard heavy duty, full extension drawer slides and undermount soft-close slides option. $125 upcharge.
	• Worksurface (sold separately) are attached to top of cabinet. Order attachment hardware separately.
	• All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.

© 2026, AIS, Inc.

Base Cabinets with Double Doors and Drawer

Cabinet Logic


Example shown below is a 33”H x 30”W x 24”D Base Cabinet with Double Doors and Single Drawer. Guide shown below can be used as a reference, however always refer to the price list pages for product numbers rather than attempting to construct them.



Product Options


Base Type	Side Panel Extension	Case Finish	Drawer Type	Front Finish	Handle Pull	Handle Finish	Hinge Type	Lock Style
All Metal Feet	Both	TFL	Standard	TFL	No Pull	Grade A	110 (Standard)	No Lock
Front Feet & Wall Cleat	Left	HPL	Softclose	HPL	Bar	Grade B	170	Black Core/Trim Ring
No Feet	Right	MHPL		MHPL	Loop	Grade C		Silver Core/Trim Ring
	None	(water resistant substrate)		(water resistant substrate)	L-Pull			Black Trim Ring No Core
					Rectangular			Silver Trim Ring No Core

Base Options



All Feet | Front Feet/ Wall Cleat | No Feet

Extension Options



Ext Both | Ext Left | Ext Right | No Ext


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Base Cabinets with Double Doors and Single Drawer, 33” High

33” HIGH BASE CABINETS WITH DOUBLE DOORS AND SINGLE DRAWER

Actual H	W	D	Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
32.5	25	24	M-BB332524	2,419	+300	+120	+500	+195
32.5	26	24	M-BB332624	2,454	+300	+120	+500	+195
32.5	27	24	M-BB332724	2,483	+300	+120	+500	+195
32.5	28	24	M-BB332824	2,514	+325	+130	+525	+205
32.5	29	24	M-BB332924	2,543	+325	+130	+525	+205
32.5	30	24	M-BB333024	2,658	+325	+130	+525	+205
32.5	31	24	M-BB333124	2,688	+325	+130	+525	+205
32.5	32	24	M-BB333224	2,718	+325	+130	+525	+205
32.5	33	24	M-BB333324	2,748	+325	+130	+525	+205
32.5	34	24	M-BB333424	2,779	+325	+130	+525	+205
32.5	35	24	M-BB333524	2,810	+325	+130	+525	+205
32.5	36	24	M-BB333624	2,841	+325	+130	+525	+205



Specify

- Base Type
- Side Panel Extension
- Case Finish
- Drawer Type
- Front Finish
- Handle Pull
- Handle Finish
- Hinge Type
- Lock Style

Notes


- 1 Drawer, 2 doors with adjustable shelf.
- Front is grain matched.
- Recessed laminate toe kick specified separately, mounting clips included.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- Four pull styles and no pull style option.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Face edge bands are finished with 2mm edge banding on cabinet face and 1mm matching edge banding on case.
- ¾” extended side panel back construction (both, left, right and none).
- Standard 110 degree or 170 degree opening angle hinges. $75 upcharge.
- Standard full extension drawer slides and undermount soft-close slides option. $125 upcharge.
- Worksurface (sold separately) are attached to top of cabinet. Order attachment hardware separately.
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.

© 2026, AIS, Inc.

Base Cabinets with Double Doors and Single Drawer, 35” High

35” HIGH BASE CABINETS WITH DOUBLE DOORS AND SINGLE DRAWER

Actual H	W	D	Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
34.5	25	24	M-BB352524	2,459	+300	+120	+500	+195
34.5	26	24	M-BB352624	2,494	+300	+120	+500	+195
34.5	27	24	M-BB352724	2,524	+300	+120	+500	+195
34.5	28	24	M-BB352824	2,556	+325	+130	+525	+205
34.5	29	24	M-BB352924	2,586	+325	+130	+525	+205
34.5	30	24	M-BB353024	2,702	+325	+130	+525	+205
34.5	31	24	M-BB353124	2,732	+325	+130	+525	+205
34.5	32	24	M-BB353224	2,763	+325	+130	+525	+205
34.5	33	24	M-BB353324	2,794	+325	+130	+525	+205
34.5	34	24	M-BB353424	2,825	+325	+130	+525	+205
34.5	35	24	M-BB353524	2,857	+325	+130	+525	+205
34.5	36	24	M-BB353624	2,888	+325	+130	+525	+205




Specify	Notes
• Base Type	• 1 Drawer, 2 doors with adjustable shelf.
• Side Panel Extension	• Front is grain matched.
• Case Finish	• Recessed laminate toe kick specified separately, mounting clips included.
• Drawer Type	• Available in TFL, HPL, and MHPL (water resistant substrate).
• Front Finish	• Four pull styles and no pull style option.
• Handle Pull	• Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
• Handle Finish	
• Hinge Type	• Face edge bands are finished with 2mm edge banding on cabinet face and 1mm matching edge banding on case.
• Lock Style	• ¾” extended side panel back construction (both, left, right and none).
	• Standard 110 degree or 170 degree opening angle hinges. $75 upcharge.
	• Standard full extension drawer slides and undermount soft-close slides option. $125 upcharge.
	• Worksurface (sold separately) are attached to top of cabinet. Order attachment hardware separately.
	• All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Base Cabinets with Double Doors and Drawers, 33” High

33” HIGH BASE CABINETS WITH DOUBLE DOORS AND DRAWERS

Actual H	W	D	Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
32.5	25	24	M-BE332524	2,716	+300	+120	+500	+195
32.5	26	24	M-BE332624	2,748	+300	+120	+500	+195
32.5	27	24	M-BE332724	2,774	+300	+120	+500	+195
32.5	28	24	M-BE332824	2,801	+325	+130	+525	+205
32.5	29	24	M-BE332924	2,833	+325	+130	+525	+205
32.5	30	24	M-BE333024	2,945	+325	+130	+525	+205
32.5	31	24	M-BE333124	2,977	+325	+130	+525	+205
32.5	32	24	M-BE333224	3,004	+325	+130	+525	+205
32.5	33	24	M-BE333324	3,037	+325	+130	+525	+205
32.5	34	24	M-BE333424	3,063	+325	+130	+525	+205
32.5	35	24	M-BE333524	3,097	+325	+130	+525	+205
32.5	36	24	M-BE333624	3,124	+325	+130	+525	+205



Specify

- Base Type
- Side Panel Extension
- Case Finish
- Drawer Type
- Front Finish
- Handle Pull
- Handle Finish
- Hinge Type
- Lock Style

Notes


- 2 Drawers, 2 doors with adjustable shelf.
- Front is grain matched.
- Recessed laminate toe kick specified separately, mounting clips included.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- Four pull styles and no pull style option.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Face edge bands are finished with 2mm edge banding on cabinet face and 1mm matching edge banding on case.
- ¾” extended side panel back construction (both, left, right and none).
- Lock optional for doors or top drawers only.
- Standard 110 degree or 170 degree opening angle hinges. $75 upcharge.
- Standard full extension drawer slides and undermount soft-close slides option. $250 upcharge.
- Worksurface (sold separately) are attached to top of cabinet. Order attachment hardware separately.
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.

© 2026, AIS, Inc.

Base Cabinets with Double Doors and Drawers, 35” High

35” HIGH BASE CABINETS WITH DOUBLE DOORS AND DRAWERS

Actual H	W	D	Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
34.5	25	24	M-BE352524	2,760	+300	+120	+500	+195
34.5	26	24	M-BE352624	2,792	+300	+120	+500	+195
34.5	27	24	M-BE352724	2,820	+300	+120	+500	+195
34.5	28	24	M-BE352824	2,847	+325	+130	+525	+205
34.5	29	24	M-BE352924	2,881	+325	+130	+525	+205
34.5	30	24	M-BE353024	2,992	+325	+130	+525	+205
34.5	31	24	M-BE353124	3,026	+325	+130	+525	+205
34.5	32	24	M-BE353224	3,054	+325	+130	+525	+205
34.5	33	24	M-BE353324	3,087	+325	+130	+525	+205
34.5	34	24	M-BE353424	3,114	+325	+130	+525	+205
34.5	35	24	M-BE353524	3,149	+325	+130	+525	+205
34.5	36	24	M-BE353624	3,177	+325	+130	+525	+205



Specify

- Base Type
- Side Panel Extension
- Case Finish
- Drawer Type
- Front Finish
- Handle Pull
- Handle Finish
- Hinge Type
- Lock Style

Notes


- 2 Drawers, 2 doors with adjustable shelf.
- Front is grain matched.
- Recessed laminate toe kick specified separately, mounting clips included.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- Four pull styles and no pull style option.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Face edge bands are finished with 2mm edge banding on cabinet face and 1mm matching edge banding on case.
- ¾” extended side panel back construction (both, left, right and none).
- Lock optional for doors or top drawers only.
- Standard 110 degree or 170 degree opening angle hinges. $75 upcharge.
- Standard full extension drawer slides and undermount soft-close slides option. $250 upcharge.
- Worksurface (sold separately) are attached to top of cabinet. Order attachment hardware separately.
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Single Drawer Base Cabinets with Microwave Cubby, 33” High

33” HIGH SINGLE DRAWER BASE CABINETS WITH CUBBY

Actual H	W	D	Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
32.5	12	24	M-BM331224	1,851	+275	+110	+475	+185
32.5	13	24	M-BM331324	1,875	+275	+110	+475	+185
32.5	14	24	M-BM331424	1,899	+275	+110	+475	+185
32.5	15	24	M-BM331524	1,924	+275	+110	+475	+185
32.5	16	24	M-BM331624	1,949	+275	+110	+475	+185
32.5	17	24	M-BM331724	1,975	+275	+110	+475	+185
32.5	18	24	M-BM331824	2,005	+275	+110	+475	+185
32.5	19	24	M-BM331924	2,038	+275	+110	+475	+185
32.5	20	24	M-BM332024	2,062	+300	+120	+500	+195
32.5	21	24	M-BM332124	2,087	+300	+120	+500	+195
32.5	22	24	M-BM332224	2,112	+300	+120	+500	+195
32.5	23	24	M-BM332324	2,137	+300	+120	+500	+195
32.5	24	24	M-BM332424	2,160	+300	+120	+500	+195



Specify

- Base Type
- Side Panel Extension
- Case Finish
- Drawer Type
- Front Finish
- Handle Pull
- Handle Finish
- Lock Style

Notes


- 1 Drawer.
- Recessed laminate toe kick specified separately, mounting clips included.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- Four pull styles and no pull style option.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Face edge bands are finished with 2mm edge banding on cabinet face and 1mm matching edge banding on case.
- ¾” extended side panel back construction (both, left, right and none).
- Standard full extension drawer slides and undermount soft-close slides option. $125 upcharge.
- Worksurface (sold separately) are attached to top of cabinet. Order attachment hardware separately.
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.

© 2026, AIS, Inc.

Single Drawer Base Cabinets with Microwave Cubby, 33” High

33” HIGH SINGLE DRAWER BASE CABINETS WITH CUBBY

Actual H	W	D	Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
32.5	25	24	M-BM332524	2,185	+300	+120	+500	+195
32.5	26	24	M-BM332624	2,219	+300	+120	+500	+195
32.5	27	24	M-BM332724	2,244	+300	+120	+500	+195
32.5	28	24	M-BM332824	2,268	+325	+130	+525	+205
32.5	29	24	M-BM332924	2,294	+325	+130	+525	+205
32.5	30	24	M-BM333024	2,403	+325	+130	+525	+205
32.5	31	24	M-BM333124	2,429	+325	+130	+525	+205
32.5	32	24	M-BM333224	2,454	+325	+130	+525	+205
32.5	33	24	M-BM333324	2,480	+325	+130	+525	+205
32.5	34	24	M-BM333424	2,506	+325	+130	+525	+205
32.5	35	24	M-BM333524	2,532	+325	+130	+525	+205
32.5	36	24	M-BM333624	2,558	+325	+130	+525	+205



Specify

- Base Type
- Side Panel Extension
- Case Finish
- Drawer Type
- Front Finish
- Handle Pull
- Handle Finish
- Lock Style

Notes


- 1 Drawer.
- Recessed laminate toe kick specified separately, mounting clips included.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- Four pull styles and no pull style option.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Face edge bands are finished with 2mm edge banding on cabinet face and 1mm matching edge banding on case.
- ¾” extended side panel back construction (both, left, right and none).
- Standard full extension drawer slides and undermount soft-close slides option. $125 upcharge.
- Worksurface (sold separately) are attached to top of cabinet. Order attachment hardware separately.
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Single Drawer Base Cabinets with Microwave Cubby, 35” High

35” HIGH SINGLE DRAWER BASE CABINETS WITH CUBBY

					HPL		MHPL	
Actual H	W	D	Model Number	List	Case	Front	Case	Front
34.5	12	24	M-BM351224	1,933	+275	+110	+475	+185
34.5	13	24	M-BM351324	1,959	+275	+110	+475	+185
34.5	14	24	M-BM351424	1,984	+275	+110	+475	+185
34.5	15	24	M-BM351524	2,011	+275	+110	+475	+185
34.5	16	24	M-BM351624	2,038	+275	+110	+475	+185
34.5	17	24	M-BM351724	2,065	+275	+110	+475	+185
34.5	18	24	M-BM351824	2,102	+275	+110	+475	+185
34.5	19	24	M-BM351924	2,137	+275	+110	+475	+185
34.5	20	24	M-BM352024	2,163	+300	+120	+500	+195
34.5	21	24	M-BM352124	2,190	+300	+120	+500	+195
34.5	22	24	M-BM352224	2,217	+300	+120	+500	+195
34.5	23	24	M-BM352324	2,244	+300	+120	+500	+195
34.5	24	24	M-BM352424	2,268	+300	+120	+500	+195



Specify

- Base Type
- Side Panel Extension
- Case Finish
- Drawer Type
- Front Finish
- Handle Pull
- Handle Finish
- Lock Style

Notes


- 1 Drawer.
- Recessed laminate toe kick specified separately, mounting clips included.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- Four pull styles and no pull style option.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Face edge bands are finished with 2mm edge banding on cabinet face and 1mm matching edge banding on case.
- ¾” extended side panel back construction (both, left, right and none).
- Standard full extension drawer slides and undermount soft-close slides option. $125 upcharge.
- Worksurface (sold separately) are attached to top of cabinet. Order attachment hardware separately.
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.

© 2026, AIS, Inc.

Single Drawer Base Cabinets with Microwave Cubby, 35” High

35” HIGH SINGLE DRAWER BASE CABINETS WITH CUBBY

Actual H	W	D	Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
34.5	25	24	M-BM352524	2,295	+300	+120	+500	+195
34.5	26	24	M-BM352624	2,331	+300	+120	+500	+195
34.5	27	24	M-BM352724	2,358	+300	+120	+500	+195
34.5	28	24	M-BM352824	2,385	+325	+130	+525	+205
34.5	29	24	M-BM352924	2,412	+325	+130	+525	+205
34.5	30	24	M-BM353024	2,524	+325	+130	+525	+205
34.5	31	24	M-BM353124	2,553	+325	+130	+525	+205
34.5	32	24	M-BM353224	2,581	+325	+130	+525	+205
34.5	33	24	M-BM353324	2,609	+325	+130	+525	+205
34.5	34	24	M-BM353424	2,637	+325	+130	+525	+205
34.5	35	24	M-BM353524	2,665	+325	+130	+525	+205
34.5	36	24	M-BM353624	2,694	+325	+130	+525	+205



Specify

- Base Type
- Side Panel Extension
- Case Finish
- Drawer Type
- Front Finish
- Handle Pull
- Handle Finish
- Lock Style

Notes


- 1 Drawer.
- Recessed laminate toe kick specified separately, mounting clips included.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- Four pull styles and no pull style option.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Face edge bands are finished with 2mm edge banding on cabinet face and 1mm matching edge banding on case.
- ¾” extended side panel back construction (both, left, right and none).
- Standard full extension drawer slides and undermount soft-close slides option. $125 upcharge.
- Worksurface (sold separately) are attached to top of cabinet. Order attachment hardware separately.
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Three Drawer Base Cabinets, 33” High

33” HIGH THREE DRAWER BASE CABINETS

Actual H	W	D	Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
32.5	12	24	M-BF331224	2,241	+275	+110	+475	+185
32.5	13	24	M-BF331324	2,273	+275	+110	+475	+185
32.5	14	24	M-BF331424	2,304	+275	+110	+475	+185
32.5	15	24	M-BF331524	2,337	+275	+110	+475	+185
32.5	16	24	M-BF331624	2,369	+275	+110	+475	+185
32.5	17	24	M-BF331724	2,402	+275	+110	+475	+185
32.5	18	24	M-BF331824	2,452	+275	+110	+475	+185
32.5	19	24	M-BF331924	2,489	+275	+110	+475	+185
32.5	20	24	M-BF332024	2,521	+300	+120	+500	+195
32.5	21	24	M-BF332124	2,553	+300	+120	+500	+195
32.5	22	24	M-BF332224	2,585	+300	+120	+500	+195
32.5	23	24	M-BF332324	2,617	+300	+120	+500	+195
32.5	24	24	M-BF332424	2,648	+300	+120	+500	+195



Specify

- Base Type
- Side Panel Extension
- Case Finish
- Drawer Type
- Front Finish
- Handle Pull
- Handle Finish
- Lock Style

Notes


- 3 Drawers.
- Front is grain matched.
- Recessed laminate toe kick specified separately, mounting clips included.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- Four pull styles and no pull style option.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Face edge bands are finished with 2mm edge banding on cabinet face and 1mm matching edge banding on case.
- ¾” extended side panel back construction (both, left, right and none).
- Optional lock on top drawer locks all standard drawers or top soft close drawer only.
- Standard full extension drawer slides and undermount soft-close slides option. $375 upcharge.
- Worksurface (sold separately) are attached to top of cabinet. Order attachment hardware separately.
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.

© 2026, AIS, Inc.

Three Drawer Base Cabinets, 33” High

33” HIGH THREE DRAWER BASE CABINETS

Actual H	W	D	Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
32.5	25	24	M-BF332524	2,679	+300	+120	+500	+195
32.5	26	24	M-BF332624	2,717	+300	+120	+500	+195
32.5	27	24	M-BF332724	2,749	+300	+120	+500	+195
32.5	28	24	M-BF332824	2,784	+325	+130	+525	+205
32.5	29	24	M-BF332924	2,816	+325	+130	+525	+205
32.5	30	24	M-BF333024	2,935	+325	+130	+525	+205
32.5	31	24	M-BF333124	2,968	+325	+130	+525	+205
32.5	32	24	M-BF333224	3,003	+325	+130	+525	+205
32.5	33	24	M-BF333324	3,039	+325	+130	+525	+205
32.5	34	24	M-BF333424	3,073	+325	+130	+525	+205
32.5	35	24	M-BF333524	3,110	+325	+130	+525	+205
32.5	36	24	M-BF333624	3,145	+325	+130	+525	+205



Specify

- Base Type
- Side Panel Extension
- Case Finish
- Drawer Type
- Front Finish
- Handle Pull
- Handle Finish
- Lock Style

Notes


- 3 Drawers.
- Front is grain matched.
- Recessed laminate toe kick specified separately, mounting clips included.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- Four pull styles and no pull style option.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Face edge bands are finished with 2mm edge banding on cabinet face and 1mm matching edge banding on case.
- ¾” extended side panel back construction (both, left, right and none).
- Optional lock on top drawer locks all standard drawers or top soft close drawer only.
- Standard full extension drawer slides and undermount soft-close slides option. $375 upcharge.
- Worksurface (sold separately) are attached to top of cabinet. Order attachment hardware separately.
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Three Drawer Base Cabinets, 35” High

35” HIGH THREE DRAWER BASE CABINETS

Actual H	W	D	Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
34.5	12	24	M-BF351224	2,271	+275	+110	+475	+185
34.5	13	24	M-BF351324	2,302	+275	+110	+475	+185
34.5	14	24	M-BF351424	2,334	+275	+110	+475	+185
34.5	15	24	M-BF351524	2,367	+275	+110	+475	+185
34.5	16	24	M-BF351624	2,400	+275	+110	+475	+185
34.5	17	24	M-BF351724	2,435	+275	+110	+475	+185
34.5	18	24	M-BF351824	2,486	+275	+110	+475	+185
34.5	19	24	M-BF351924	2,523	+275	+110	+475	+185
34.5	20	24	M-BF352024	2,555	+300	+120	+500	+195
34.5	21	24	M-BF352124	2,588	+300	+120	+500	+195
34.5	22	24	M-BF352224	2,621	+300	+120	+500	+195
34.5	23	24	M-BF352324	2,654	+300	+120	+500	+195
34.5	24	24	M-BF352424	2,684	+300	+120	+500	+195



Specify

- Base Type
- Side Panel Extension
- Case Finish
- Drawer Type
- Front Finish
- Handle Pull
- Handle Finish
- Lock Style

Notes


- 3 Drawers.
- Front is grain matched.
- Recessed laminate toe kick specified separately, mounting clips included.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- Four pull styles and no pull style option.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Face edge bands are finished with 2mm edge banding on cabinet face and 1mm matching edge banding on case.
- ¾” extended side panel back construction (both, left, right and none).
- Optional lock on top drawer locks all standard drawers or top soft close drawer only.
- Standard full extension drawer slides and undermount soft-close slides option. $375 upcharge.
- Worksurface (sold separately) are attached to top of cabinet. Order attachment hardware separately.
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.

© 2026, AIS, Inc.

Three Drawer Base Cabinets, 35” High

35” HIGH THREE DRAWER BASE CABINETS

Actual H	W	D	Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
34.5	25	24	M-BF352524	2,717	+300	+120	+500	+195
34.5	26	24	M-BF352624	2,756	+300	+120	+500	+195
34.5	27	24	M-BF352724	2,789	+300	+120	+500	+195
34.5	28	24	M-BF352824	2,824	+325	+130	+525	+205
34.5	29	24	M-BF352924	2,858	+325	+130	+525	+205
34.5	30	24	M-BF353024	2,977	+325	+130	+525	+205
34.5	31	24	M-BF353124	3,012	+325	+130	+525	+205
34.5	32	24	M-BF353224	3,046	+325	+130	+525	+205
34.5	33	24	M-BF353324	3,082	+325	+130	+525	+205
34.5	34	24	M-BF353424	3,118	+325	+130	+525	+205
34.5	35	24	M-BF353524	3,155	+325	+130	+525	+205
34.5	36	24	M-BF353624	3,192	+325	+130	+525	+205



Specify

- Base Type
- Side Panel Extension
- Case Finish
- Drawer Type
- Front Finish
- Handle Pull
- Handle Finish
- Lock Style

Notes

- 3 Drawers.
- Front is grain matched.
- Recessed laminate toe kick specified separately, mounting clips included.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- Four pull styles and no pull style option.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Face edge bands are finished with 2mm edge banding on cabinet face and 1mm matching edge banding on case.
- ¾” extended side panel back construction (both, left, right and none).
- Optional lock on top drawer locks all standard drawers or top soft close drawer only.
- Standard full extension drawer slides and undermount soft-close slides option. $375 upcharge.
- Worksurface (sold separately) are attached to top of cabinet. Order attachment hardware separately.
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Four Drawer Base Cabinets, 33” High

33” HIGH FOUR DRAWER BASE CABINETS

Actual H	W	D	Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
32.5	12	24	M-BH331224	2,429	+275	+110	+475	+185
32.5	13	24	M-BH331324	2,464	+275	+110	+475	+185
32.5	14	24	M-BH331424	2,500	+275	+110	+475	+185
32.5	15	24	M-BH331524	2,536	+275	+110	+475	+185
32.5	16	24	M-BH331624	2,573	+275	+110	+475	+185
32.5	17	24	M-BH331724	2,612	+275	+110	+475	+185
32.5	18	24	M-BH331824	2,672	+275	+110	+475	+185
32.5	19	24	M-BH331924	2,712	+275	+110	+475	+185
32.5	20	24	M-BH332024	2,748	+300	+120	+500	+195
32.5	21	24	M-BH332124	2,785	+300	+120	+500	+195
32.5	22	24	M-BH332224	2,821	+300	+120	+500	+195
32.5	23	24	M-BH332324	2,858	+300	+120	+500	+195
32.5	24	24	M-BH332424	2,892	+300	+120	+500	+195



Specify

- Base Type
- Side Panel Extension
- Case Finish
- Drawer Type
- Front Finish
- Handle Pull
- Handle Finish
- Lock Style

Notes

- 4 Drawers.
- Front is grain matched.
- Recessed laminate toe kick specified separately, mounting clips included.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- Four pull styles and no pull style option.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Face edge bands are finished with 2mm edge banding on cabinet face and 1mm matching edge banding on case.
- ¾” extended side panel back construction (both, left, right and none).
- Optional lock on top drawer locks all standard drawers or top soft close drawer only.
- Standard full extension drawer slides and undermount soft-close slides option. $500 upcharge.
- Worksurface (sold separately) are attached to top of cabinet. Order attachment hardware separately.
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.

© 2026, AIS, Inc.

Four Drawer Base Cabinets, 33” High

33” HIGH FOUR DRAWER BASE CABINETS

Actual H	W	D	Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
32.5	25	24	M-BH332524	2,927	+300	+120	+500	+195
32.5	26	24	M-BH332624	2,969	+300	+120	+500	+195
32.5	27	24	M-BH332724	3,006	+300	+120	+500	+195
32.5	28	24	M-BH332824	3,045	+325	+130	+525	+205
32.5	29	24	M-BH332924	3,083	+325	+130	+525	+205
32.5	30	24	M-BH333024	3,206	+325	+130	+525	+205
32.5	31	24	M-BH333124	3,245	+325	+130	+525	+205
32.5	32	24	M-BH333224	3,285	+325	+130	+525	+205
32.5	33	24	M-BH333324	3,325	+325	+130	+525	+205
32.5	34	24	M-BH333424	3,366	+325	+130	+525	+205
32.5	35	24	M-BH333524	3,407	+325	+130	+525	+205
32.5	36	24	M-BH333624	3,449	+325	+130	+525	+205



Specify

- Base Type
- Side Panel Extension
- Case Finish
- Drawer Type
- Front Finish
- Handle Pull
- Handle Finish
- Lock Style

Notes

- 4 Drawers.
- Front is grain matched.
- Recessed laminate toe kick specified separately, mounting clips included.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- Four pull styles and no pull style option.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Face edge bands are finished with 2mm edge banding on cabinet face and 1mm matching edge banding on case.
- ¾” extended side panel back construction (both, left, right and none).
- Optional lock on top drawer locks all standard drawers or top soft close drawer only.
- Standard full extension drawer slides and undermount soft-close slides option. $500 upcharge.
- Worksurface (sold separately) are attached to top of cabinet. Order attachment hardware separately.
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Four Drawer Base Cabinets, 35” High

35” HIGH FOUR DRAWER BASE CABINETS

Actual H	W	D	Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
34.5	12	24	M-BH351224	2,457	+275	+110	+475	+185
34.5	13	24	M-BH351324	2,493	+275	+110	+475	+185
34.5	14	24	M-BH351424	2,530	+275	+110	+475	+185
34.5	15	24	M-BH351524	2,567	+275	+110	+475	+185
34.5	16	24	M-BH351624	2,605	+275	+110	+475	+185
34.5	17	24	M-BH351724	2,644	+275	+110	+475	+185
34.5	18	24	M-BH351824	2,705	+275	+110	+475	+185
34.5	19	24	M-BH351924	2,747	+275	+110	+475	+185
34.5	20	24	M-BH352024	2,783	+300	+120	+500	+195
34.5	21	24	M-BH352124	2,819	+300	+120	+500	+195
34.5	22	24	M-BH352224	2,857	+300	+120	+500	+195
34.5	23	24	M-BH352324	2,895	+300	+120	+500	+195
34.5	24	24	M-BH352424	2,929	+300	+120	+500	+195



Specify

- Base Type
- Side Panel Extension
- Case Finish
- Drawer Type
- Front Finish
- Handle Pull
- Handle Finish
- Lock Style

Notes


- 4 Drawers.
- Front is grain matched.
- Recessed laminate toe kick specified separately, mounting clips included.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- Four pull styles and no pull style option.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Face edge bands are finished with 2mm edge banding on cabinet face and 1mm matching edge banding on case.
- ¾” extended side panel back construction (both, left, right and none).
- Optional lock on top drawer locks all standard drawers or top soft close drawer only.
- Standard full extension drawer slides and undermount soft-close slides option. $500 upcharge.
- Worksurface (sold separately) are attached to top of cabinet. Order attachment hardware separately.
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.

© 2026, AIS, Inc.

Four Drawer Base Cabinets, 35” High

35” HIGH FOUR DRAWER BASE CABINETS

Actual H	W	D	Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
34.5	25	24	M-BH352524	2,966	+300	+120	+500	+195
34.5	26	24	M-BH352624	3,008	+300	+120	+500	+195
34.5	27	24	M-BH352724	3,046	+300	+120	+500	+195
34.5	28	24	M-BH352824	3,086	+325	+130	+525	+205
34.5	29	24	M-BH352924	3,125	+325	+130	+525	+205
34.5	30	24	M-BH353024	3,248	+325	+130	+525	+205
34.5	31	24	M-BH353124	3,288	+325	+130	+525	+205
34.5	32	24	M-BH353224	3,328	+325	+130	+525	+205
34.5	33	24	M-BH353324	3,369	+325	+130	+525	+205
34.5	34	24	M-BH353424	3,410	+325	+130	+525	+205
34.5	35	24	M-BH353524	3,452	+325	+130	+525	+205
34.5	36	24	M-BH353624	3,495	+325	+130	+525	+205



Specify

- Base Type
- Side Panel Extension
- Case Finish
- Drawer Type
- Front Finish
- Handle Pull
- Handle Finish
- Lock Style

Notes


- 4 Drawers.
- Front is grain matched.
- Recessed laminate toe kick specified separately, mounting clips included.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- Four pull styles and no pull style option.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Face edge bands are finished with 2mm edge banding on cabinet face and 1mm matching edge banding on case.
- ¾” extended side panel back construction (both, left, right and none).
- Optional lock on top drawer locks all standard drawers or top soft close drawer only.
- Standard full extension drawer slides and undermount soft-close slides option. $500 upcharge.
- Worksurface (sold separately) are attached to top of cabinet. Order attachment hardware separately.
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Base Sink Cabinets with Doors

Cabinet Logic


Example shown below is a 33”H x 21”W x 30”D Base Sink Cabinet with Left Hinge Door. Guide shown below can be used as a reference, however always refer to the price list pages for product numbers rather than attempting to construct them.



Product Options


Base Type	Side Panel Extension	Case Finish	Front Finish	Handle Pull	Handle Finish	Hinge Type
All Metal Feet	Both	TFL	TFL	No Pull	Grade A	110 (Standard)
Front Feet & Wall Cleat	Left	HPL	HPL	Bar	Grade B	170
No Feet	Right	MHPL	MHPL	Loop	Grade C	
	None	(water resistant substrate)	(water resistant substrate)	L-Pull		
				Rectangular		

Base Options



All Feet | **Front Feet/ Wall Cleat** | **No Feet**

Extension Options




Ext Both | **Ext Left** | **Ext Right** | **No Ext**

© 2026, AIS, Inc.


Base Sink Cabinets with Single Door, 33” and 35” High

BASE SINK CABINETS WITH SINGLE DOOR

Actual H	W	D	Left-Hinge Model Number	Right-Hinge Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
32.5	24	24	M-BSL332424	M-BSR332424	1,889	+300	+120	+500	+195
34.5	24	24	M-BSL352424	M-BSR352424	1,927	+300	+120	+500	+195



Left-Hinge Shown



Right-Hinge Shown

Specify

- Base Type
- Side Panel Extension
- Case Finish
- Front Finish
- Handle Pull
- Handle Finish
- Hinge Type

Notes

- Recessed laminate toe kick specified separately, mounting clips included.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- Four pull styles and no pull style option.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Face edge bands are finished with 2mm edge banding on cabinet face and 1mm matching edge banding on case.
- ¾” extended side panel back construction (both, left, right and none).
- Lock optional for doors.
- Standard 110 degree or 170 degree opening angle hinges. $75 upcharge.
- Countertop (sold separately) is attached to top of cabinet.
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Base Sink Cabinets with Double Doors, 33” High

33” HIGH BASE SINK CABINETS WITH DOUBLE DOORS

Actual H	W	D	Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
32.5	25	24	M-BSN332524	2,022	+300	+120	+500	+195
32.5	26	24	M-BSN332624	2,043	+300	+120	+500	+195
32.5	27	24	M-BSN332724	2,064	+300	+120	+500	+195
32.5	28	24	M-BSN332824	2,083	+325	+130	+525	+205
32.5	29	24	M-BSN332924	2,100	+325	+130	+525	+205
32.5	30	24	M-BSN333024	2,199	+325	+130	+525	+205
32.5	31	24	M-BSN333124	2,218	+325	+130	+525	+205
32.5	32	24	M-BSN333224	2,236	+325	+130	+525	+205
32.5	33	24	M-BSN333324	2,253	+325	+130	+525	+205
32.5	34	24	M-BSN333424	2,272	+325	+130	+525	+205
32.5	35	24	M-BSN333524	2,293	+325	+130	+525	+205
32.5	36	24	M-BSN333624	2,311	+325	+130	+525	+205
32.5	37	24	M-BSN333724	2,329	+325	+130	+525	+205
32.5	38	24	M-BSN333824	2,347	+325	+130	+525	+205
32.5	39	24	M-BSN333924	2,365	+325	+130	+525	+205
32.5	40	24	M-BSN334024	2,383	+325	+130	+525	+205
32.5	41	24	M-BSN334124	2,401	+325	+130	+525	+205
32.5	42	24	M-BSN334224	2,420	+325	+130	+525	+205



Specify

- Base Type
- Side Panel Extension
- Case Finish
- Front Finish
- Handle Pull
- Handle Finish
- Hinge Type

Notes


- Recessed laminate toe kick specified separately, mounting clips included.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- Four pull styles and no pull style option.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Face edge bands are finished with 2mm edge banding on cabinet face and 1mm matching edge banding on case.
- ¾” extended side panel back construction (both, left, right and none).
- Lock optional for doors.
- Standard 110 degree or 170 degree opening angle hinges. $75 upcharge.
- Countertop (sold separately) is attached to top of cabinet.
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.

© 2026, AIS, Inc.

Base Sink Cabinets with Double Doors, 35” High

35” HIGH BASE SINK CABINETS WITH DOUBLE DOORS

Actual H	W	D	Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
34.5	25	24	M-BSN352524	2,060	+300	+120	+500	+195
34.5	26	24	M-BSN352624	2,082	+300	+120	+500	+195
34.5	27	24	M-BSN352724	2,103	+300	+120	+500	+195
34.5	28	24	M-BSN352824	2,123	+325	+130	+525	+205
34.5	29	24	M-BSN352924	2,141	+325	+130	+525	+205
34.5	30	24	M-BSN353024	2,241	+325	+130	+525	+205
34.5	31	24	M-BSN353124	2,260	+325	+130	+525	+205
34.5	32	24	M-BSN353224	2,279	+325	+130	+525	+205
34.5	33	24	M-BSN353324	2,298	+325	+130	+525	+205
34.5	34	24	M-BSN353424	2,316	+325	+130	+525	+205
34.5	35	24	M-BSN353524	2,338	+325	+130	+525	+205
34.5	36	24	M-BSN353624	2,357	+325	+130	+525	+205
34.5	37	24	M-BSN353724	2,375	+325	+130	+525	+205
34.5	38	24	M-BSN353824	2,394	+325	+130	+525	+205
34.5	39	24	M-BSN353924	2,413	+325	+130	+525	+205
34.5	40	24	M-BSN354024	2,432	+325	+130	+525	+205
34.5	41	24	M-BSN354124	2,451	+325	+130	+525	+205
34.5	42	24	M-BSN354224	2,469	+325	+130	+525	+205



Specify

- Base Type
- Side Panel Extension
- Case Finish
- Front Finish
- Handle Pull
- Handle Finish
- Hinge Type

Notes


- Recessed laminate toe kick specified separately, mounting clips included.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- Four pull styles and no pull style option.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Face edge bands are finished with 2mm edge banding on cabinet face and 1mm matching edge banding on case.
- ¾” extended side panel back construction (both, left, right and none).
- Lock optional for doors.
- Standard 110 degree or 170 degree opening angle hinges. $75 upcharge.
- Countertop (sold separately) is attached to top of cabinet.
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Base Sink Cabinets ADA with Double Doors, 33” High

33” HIGH BASE SINK CABINETS ADA WITH DOUBLE DOORS

					HPL		MHPL	
Actual H	W	D	Model Number	List	Case	Front	Case	Front
32.5	36	24	M-BIN333624	2,490	+325	+130	+525	+205
32.5	37	24	M-BIN333724	2,508	+325	+130	+525	+205
32.5	38	24	M-BIN333824	2,528	+325	+130	+525	+205
32.5	39	24	M-BIN333924	2,546	+325	+130	+525	+205
32.5	40	24	M-BIN334024	2,565	+325	+130	+525	+205
32.5	41	24	M-BIN334124	2,584	+325	+130	+525	+205
32.5	42	24	M-BIN334224	2,603	+325	+130	+525	+205



Specify

- Side Panel Extension
- Case Finish
- Front Finish
- Handle Pull
- Handle Finish
- Hinge Type

Notes


- ADA sink cabinet has no bottom, glides on bottom of sides instead of metal feet.
- Toe kick included and attached to doors with brackets.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- Four pull styles and no pull style option.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Face edge bands are finished with 2mm edge banding on cabinet face and 1mm matching edge banding on case.
- ¾” extended side panel back construction (both, left, right and none).
- Lock optional for doors.
- Standard 110 degree or 170 degree opening angle hinges. $75 upcharge.
- Countertop (sold separately) is attached to top of cabinet.
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.

© 2026, AIS, Inc.

Base Sink Cabinets ADA Sloped Front

Cabinet Logic


Example shown below is a 33”H x 32”W x 24”D Base Sink Cabinet ADA Sloped Front. Guide shown below can be used as a reference, however always refer to the price list pages for product numbers rather than attempting to construct them.



Product Options

Side Panel Extension	Case Finish	Front Finish
Both	TFL	TFL
Left	HPL	HPL
Right	MHPL	MHPL
None	(water resistant substrate)	(water resistant substrate)

Extension Options



Ext Both **Ext Left** **Ext Right** **No Ext**


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Base Sink Cabinets ADA Sloped Front

33” HIGH BASE SINK CABINETS ADA SLOPED FRONT

Actual H	W	D	Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
32.5	32	24	M-BIS333224	1,946	+325	+130	+525	+205
32.5	33	24	M-BIS333324	1,961	+325	+130	+525	+205
32.5	34	24	M-BIS333424	1,975	+325	+130	+525	+205
32.5	35	24	M-BIS333524	1,990	+325	+130	+525	+205
32.5	36	24	M-BIS333624	2,003	+325	+130	+525	+205
32.5	37	24	M-BIS333724	2,016	+325	+130	+525	+205
32.5	38	24	M-BIS333824	2,030	+325	+130	+525	+205
32.5	39	24	M-BIS333924	2,044	+325	+130	+525	+205
32.5	40	24	M-BIS334024	2,057	+325	+130	+525	+205
32.5	41	24	M-BIS334124	2,071	+325	+130	+525	+205
32.5	42	24	M-BIS334224	2,084	+325	+130	+525	+205



Specify

- Side Panel Extension
- Case Finish
- Front Finish

Notes


- ADA sink cabinet has no bottom, glides on bottom of sides instead of metal feet.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- Face edge bands are finished with 2mm edge banding on cabinet face and 1mm matching edge banding on case.
- ¾” extended side panel back construction (both, left, right and none).
- Countertop (sold separately) is attached to top of cabinet.
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.
- Removable sloped panel with pressure fit hardware.
- Back cutout for plumbing access.

© 2026, AIS, Inc.

Base Sink Cabinets ADA Sloped Front Hung

24" HIGH BASE SINK CABINETS ADA SLOPED FRONT HUNG

Actual H	W	D	Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
23.5	30	24	M-HIS243024	1,730	+325	+130	+525	+205
23.5	31	24	M-HIS243124	1,741	+325	+130	+525	+205
23.5	32	24	M-HIS243224	1,750	+325	+130	+525	+205
23.5	33	24	M-HIS243324	1,761	+325	+130	+525	+205
23.5	34	24	M-HIS243424	1,771	+325	+130	+525	+205
23.5	35	24	M-HIS243524	1,782	+325	+130	+525	+205
23.5	36	24	M-HIS243624	1,790	+325	+130	+525	+205
23.5	37	24	M-HIS243724	1,800	+325	+130	+525	+205
23.5	38	24	M-HIS243824	1,809	+325	+130	+525	+205
23.5	39	24	M-HIS243924	1,818	+325	+130	+525	+205
23.5	40	24	M-HIS244024	1,828	+325	+130	+525	+205
23.5	41	24	M-HIS244124	1,837	+325	+130	+525	+205
23.5	42	24	M-HIS244224	1,847	+325	+130	+525	+205



Specify

- Side Panel Extension
- Case Finish
- Front Finish

Notes


- **Order required wall attached cleats separately.**
- Available in TFL, HPL, and MHPL (water resistant substrate).
- Face edge bands are finished with 2mm edge banding on cabinet face and 1mm matching edge banding on case.
- ¾" extended side panel back construction (both, left, right and none).
- Countertop (sold separately) is attached to top of cabinet.
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.
- Suspended removable sloped panel with pressure fit hardware.
- Back cutout for plumbing access.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Base Appliance Garage Cabinets, 33” High

33” HIGH BASE APPLIANCE GARAGE CABINETS

Actual H	W	D	Model Number	List	HPL Case	MHPL Case
32.5	12	24	M-BG331224	1,371	+275	+475
32.5	13	24	M-BG331324	1,385	+275	+475
32.5	14	24	M-BG331424	1,399	+275	+475
32.5	15	24	M-BG331524	1,413	+275	+475
32.5	16	24	M-BG331624	1,427	+275	+475
32.5	17	24	M-BG331724	1,441	+275	+475
32.5	18	24	M-BG331824	1,455	+275	+475
32.5	19	24	M-BG331924	1,473	+275	+475
32.5	20	24	M-BG332024	1,487	+300	+500
32.5	21	24	M-BG332124	1,501	+300	+500
32.5	22	24	M-BG332224	1,515	+300	+500
32.5	23	24	M-BG332324	1,529	+300	+500
32.5	24	24	M-BG332424	1,543	+300	+500
32.5	25	24	M-BG332524	1,557	+300	+500
32.5	26	24	M-BG332624	1,574	+300	+500
32.5	27	24	M-BG332724	1,588	+300	+500
32.5	28	24	M-BG332824	1,602	+325	+525
32.5	29	24	M-BG332924	1,616	+325	+525
32.5	30	24	M-BG333024	1,630	+325	+525
32.5	31	24	M-BG333124	1,644	+325	+525
32.5	32	24	M-BG333224	1,658	+325	+525
32.5	33	24	M-BG333324	1,672	+325	+525
32.5	34	24	M-BG333424	1,686	+325	+525
32.5	35	24	M-BG333524	1,700	+325	+525
32.5	36	24	M-BG333624	1,714	+325	+525



Specify

- Side Panel Extension
- Case Finish

Notes


- Available in TFL, HPL, and MHPL (water resistant substrate).
- ¾” extended side panel back construction (both, left, right and none).
- 1mm banding on case.
- Countertop (sold separately) is attached to top of cabinet.
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.

© 2026, AIS, Inc.

Base Appliance Garage Cabinets, 35” High

35” HIGH BASE APPLIANCE GARAGE CABINETS

Actual H	W	D	Model Number	List	HPL Case	MHPL Case
34.5	12	24	M-BG351224	1,393	+275	+475
34.5	13	24	M-BG351324	1,407	+275	+475
34.5	14	24	M-BG351424	1,422	+275	+475
34.5	15	24	M-BG351524	1,436	+275	+475
34.5	16	24	M-BG351624	1,451	+275	+475
34.5	17	24	M-BG351724	1,465	+275	+475
34.5	18	24	M-BG351824	1,479	+275	+475
34.5	19	24	M-BG351924	1,496	+275	+475
34.5	20	24	M-BG352024	1,511	+300	+500
34.5	21	24	M-BG352124	1,525	+300	+500
34.5	22	24	M-BG352224	1,539	+300	+500
34.5	23	24	M-BG352324	1,555	+300	+500
34.5	24	24	M-BG352424	1,569	+300	+500
34.5	25	24	M-BG352524	1,583	+300	+500
34.5	26	24	M-BG352624	1,600	+300	+500
34.5	27	24	M-BG352724	1,615	+300	+500
34.5	28	24	M-BG352824	1,629	+325	+525
34.5	29	24	M-BG352924	1,643	+325	+525
34.5	30	24	M-BG353024	1,658	+325	+525
34.5	31	24	M-BG353124	1,672	+325	+525
34.5	32	24	M-BG353224	1,687	+325	+525
34.5	33	24	M-BG353324	1,701	+325	+525
34.5	34	24	M-BG353424	1,716	+325	+525
34.5	35	24	M-BG353524	1,731	+325	+525
34.5	36	24	M-BG353624	1,745	+325	+525



Specify

- Side Panel Extension
- Case Finish

Notes

- Available in TFL, HPL, and MHPL (water resistant substrate).
- ¾” extended side panel back construction (both, left, right and none).
- 1mm banding on case.
- Countertop (sold separately) is attached to top of cabinet.
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Base Cabinets Trash Pullout, 33” High

33” HIGH BASE CABINETS TRASH PULLOUT

Actual H	W	D	Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
32.5	18	24	M-BT331824	2,570	+275	+110	+475	+185
32.5	19	24	M-BT331924	2,585	+275	+110	+475	+185
32.5	20	24	M-BT332024	2,597	+300	+120	+500	+195
32.5	21	24	M-BT332124	2,886	+300	+120	+500	+195
32.5	22	24	M-BT332224	2,898	+300	+120	+500	+195
32.5	23	24	M-BT332324	2,910	+300	+120	+500	+195
32.5	24	24	M-BT332424	2,923	+300	+120	+500	+195



Specify

- Base Type
- Side Panel Extension
- Case Finish
- Front Finish
- Handle Pull
- Handle Finish

Notes


- Recessed laminate toe kick specified separately, mounting clips included.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- Four pull styles and no pull style option.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Face edge bands are finished with 2mm edge banding on cabinet face and 1mm matching edge banding on case.
- ¾” extended side panel back construction (both, left, right and none).
- Countertop (sold separately) is attached to top of cabinet.
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.
- Two trash bins with integrated handles included. Cabinet widths 18”-22” have 32 qt. bins, cabinet widths 23”-24” have 35 qt. bins.

© 2026, AIS, Inc.

Base Cabinets Trash Pullout, 35” High

35” HIGH BASE CABINETS TRASH PULLOUT

Actual H	W	D	Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
34.5	18	24	M-BT351824	2,601	+275	+110	+475	+185
34.5	19	24	M-BT351924	2,604	+275	+110	+475	+185
34.5	20	24	M-BT352024	2,617	+300	+120	+500	+195
34.5	21	24	M-BT352124	2,908	+300	+120	+500	+195
34.5	22	24	M-BT352224	2,920	+300	+120	+500	+195
34.5	23	24	M-BT352324	2,933	+300	+120	+500	+195
34.5	24	24	M-BT352424	2,945	+300	+120	+500	+195



Specify


- Base Type
- Side Panel Extension
- Case Finish
- Front Finish
- Handle Pull
- Handle Finish

Notes

- Recessed laminate toe kick specified separately, mounting clips included.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- Four pull styles and no pull style option.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Face edge bands are finished with 2mm edge banding on cabinet face and 1mm matching edge banding on case.
- ¾” extended side panel back construction (both, left, right and none).
- Countertop (sold separately) is attached to top of cabinet.
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.
- Two trash bins with integrated handles included. Cabinet widths 18”-22” have 32 qt. bins, cabinet widths 23”-24” have 35 qt. bins.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Wall Cabinets




© 2026, AIS, Inc.

Open Wall Cabinets

Cabinet Logic


Example shown below is a 24”H x 18”W x 15”D Open Wall Cabinet with Mail Sorter Shelves. Guide shown below can be used as a reference, however always refer to the price list pages for product numbers rather than attempting to construct them.



Product Options

Side Panel Extension	Case Finish
Both	TFL
Left	HPL
Right	MHPL (water resistant
None	substrate)

Extension Options



Ext Both **Ext Left** **Ext Right** **No Ext**

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Open Wall Cabinets, 15” Deep


24” HIGH OPEN WALL CABINETS

H	W	D	Model Number	List	HPL	MHPL
24	12	15	M-WO241215	1,161	+275	+475
24	13	15	M-WO241315	1,180	+275	+475
24	14	15	M-WO241415	1,199	+275	+475
24	15	15	M-WO241515	1,224	+275	+475
24	16	15	M-WO241615	1,245	+275	+475
24	17	15	M-WO241715	1,263	+275	+475
24	18	15	M-WO241815	1,282	+275	+475
24	19	15	M-WO241915	1,301	+275	+475
24	20	15	M-WO242015	1,320	+300	+500
24	21	15	M-WO242115	1,339	+300	+500
24	22	15	M-WO242215	1,358	+300	+500
24	23	15	M-WO242315	1,377	+300	+500
24	24	15	M-WO242415	1,398	+300	+500
24	25	15	M-WO242515	1,417	+300	+500
24	26	15	M-WO242615	1,436	+300	+500
24	27	15	M-WO242715	1,455	+300	+500
24	28	15	M-WO242815	1,474	+325	+525
24	29	15	M-WO242915	1,493	+325	+525

30” HIGH OPEN WALL CABINETS

H	W	D	Model Number	List	HPL	MHPL
30	12	15	M-WO301215	1,206	+275	+475
30	13	15	M-WO301315	1,226	+275	+475
30	14	15	M-WO301415	1,246	+275	+475
30	15	15	M-WO301515	1,273	+275	+475
30	16	15	M-WO301615	1,293	+275	+475
30	17	15	M-WO301715	1,314	+275	+475
30	18	15	M-WO301815	1,333	+275	+475
30	19	15	M-WO301915	1,354	+275	+475
30	20	15	M-WO302015	1,373	+300	+500
30	21	15	M-WO302115	1,394	+300	+500
30	22	15	M-WO302215	1,414	+300	+500
30	23	15	M-WO302315	1,434	+300	+500
30	24	15	M-WO302415	1,456	+300	+500
30	25	15	M-WO302515	1,476	+300	+500
30	26	15	M-WO302615	1,496	+300	+500
30	27	15	M-WO302715	1,517	+300	+500
30	28	15	M-WO302815	1,536	+325	+525
30	29	15	M-WO302915	1,557	+325	+525





Specify

- Side Panel Extension
- Case Finish

Notes

- **Order required wall attached cleat separately.**
- Parametrically in 1” increments for width.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- Color choice for cabinet case.
- ¾” extended side panel back construction (both, left, right and none).
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.

© 2026, AIS, Inc.


Open Wall Cabinets, 15” Deep


36” HIGH OPEN WALL CABINETS

H	W	D	Model Number	List	HPL	MHPL
36	12	15	M-WO361215	1,251	+275	+475
36	13	15	M-WO361315	1,272	+275	+475
36	14	15	M-WO361415	1,293	+275	+475
36	15	15	M-WO361515	1,321	+275	+475
36	16	15	M-WO361615	1,343	+275	+475
36	17	15	M-WO361715	1,363	+275	+475
36	18	15	M-WO361815	1,385	+275	+475
36	19	15	M-WO361915	1,406	+275	+475
36	20	15	M-WO362015	1,427	+300	+500
36	21	15	M-WO362115	1,448	+300	+500
36	22	15	M-WO362215	1,469	+300	+500
36	23	15	M-WO362315	1,491	+300	+500
36	24	15	M-WO362415	1,515	+300	+500
36	25	15	M-WO362515	1,535	+300	+500
36	26	15	M-WO362615	1,557	+300	+500
36	27	15	M-WO362715	1,577	+300	+500
36	28	15	M-WO362815	1,598	+325	+525
36	29	15	M-WO362915	1,619	+325	+525

42” HIGH OPEN WALL CABINETS

H	W	D	Model Number	List	HPL	MHPL
42	12	15	M-WO421215	1,302	+275	+475
42	13	15	M-WO421315	1,323	+275	+475
42	14	15	M-WO421415	1,346	+275	+475
42	15	15	M-WO421515	1,374	+275	+475
42	16	15	M-WO421615	1,397	+275	+475
42	17	15	M-WO421715	1,420	+275	+475
42	18	15	M-WO421815	1,441	+275	+475
42	19	15	M-WO421915	1,464	+275	+475
42	20	15	M-WO422015	1,485	+300	+500
42	21	15	M-WO422115	1,508	+300	+500
42	22	15	M-WO422215	1,531	+300	+500
42	23	15	M-WO422315	1,554	+300	+500
42	24	15	M-WO422415	1,577	+300	+500
42	25	15	M-WO422515	1,600	+300	+500
42	26	15	M-WO422615	1,622	+300	+500
42	27	15	M-WO422715	1,644	+300	+500
42	28	15	M-WO422815	1,666	+325	+525
42	29	15	M-WO422915	1,689	+325	+525





Specify

- Side Panel Extension
- Case Finish

Notes

- **Order required wall attached cleat separately.**
- Parametrically in 1” increments for width.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- Color choice for cabinet case.
- ¾” extended side panel back construction (both, left, right and none).
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Wide Open Wall Cabinets, 15” Deep

OPEN WALL CABINETS

H	W	D	Model Number	List	HPL	MHPL
15	30	15	M-WO153015	1,415	+325	+525
15	31	15	M-WO153115	1,433	+325	+525
15	32	15	M-WO153215	1,450	+325	+525
15	33	15	M-WO153315	1,474	+325	+525
15	34	15	M-WO153415	1,491	+325	+525
15	35	15	M-WO153515	1,508	+325	+525
15	36	15	M-WO153615	1,510	+325	+525
15	37	15	M-WO153715	1,581	+325	+525
15	38	15	M-WO153815	1,591	+325	+525
15	39	15	M-WO153915	1,603	+325	+525
15	40	15	M-WO154015	1,614	+325	+525
15	41	15	M-WO154115	1,625	+325	+525
15	42	15	M-WO154215	1,636	+325	+525
24	30	15	M-WO243015	1,512	+325	+525
24	31	15	M-WO243115	1,531	+325	+525
24	32	15	M-WO243215	1,550	+325	+525
24	33	15	M-WO243315	1,575	+325	+525
24	34	15	M-WO243415	1,595	+325	+525
24	35	15	M-WO243515	1,613	+325	+525
24	36	15	M-WO243615	1,632	+325	+525

OPEN WALL CABINETS

H	W	D	Model Number	List	HPL	MHPL
30	30	15	M-WO303015	1,576	+325	+525
30	31	15	M-WO303115	1,596	+325	+525
30	32	15	M-WO303215	1,616	+325	+525
30	33	15	M-WO303315	1,643	+325	+525
30	34	15	M-WO303415	1,663	+325	+525
30	35	15	M-WO303515	1,683	+325	+525
30	36	15	M-WO303615	1,704	+325	+525
36	30	15	M-WO363015	1,640	+325	+525
36	31	15	M-WO363115	1,662	+325	+525
36	32	15	M-WO363215	1,683	+325	+525
36	33	15	M-WO363315	1,710	+325	+525
36	34	15	M-WO363415	1,732	+325	+525
36	35	15	M-WO363515	1,752	+325	+525
36	36	15	M-WO363615	1,774	+325	+525
42	30	15	M-WO423015	1,710	+325	+525
42	31	15	M-WO423115	1,733	+325	+525
42	32	15	M-WO423215	1,754	+325	+525
42	33	15	M-WO423315	1,784	+325	+525
42	34	15	M-WO423415	1,805	+325	+525
42	35	15	M-WO423515	1,828	+325	+525
42	36	15	M-WO423615	1,849	+325	+525



Specify

- Side Panel Extension
- Case Finish

Notes

- **Order required wall attached cleat separately.**
- Parametrically in 1” increments for width.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- Color choice for cabinet case.
- ¾” extended side panel back construction (both, left, right and none).
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.
- Cabinets wider than 36” include a divider.

© 2026, AIS, Inc.


Wide Open Wall Cabinets, 24” Deep

15” HIGH OPEN WALL CABINETS

H	W	D	Model Number	List	HPL	MHPL
15	25	24	M-WO152524	1,556	+300	+500
15	26	24	M-WO152624	1,578	+300	+500
15	27	24	M-WO152724	1,602	+300	+500
15	28	24	M-WO152824	1,626	+325	+525
15	29	24	M-WO152924	1,650	+325	+525
15	30	24	M-WO153024	1,673	+325	+525
15	31	24	M-WO153124	1,697	+325	+525
15	32	24	M-WO153224	1,721	+325	+525
15	33	24	M-WO153324	1,751	+325	+525
15	34	24	M-WO153424	1,775	+325	+525
15	35	24	M-WO153524	1,799	+325	+525
15	36	24	M-WO153624	1,679	+325	+525
15	37	24	M-WO153724	1,869	+325	+525
15	38	24	M-WO153824	1,889	+325	+525
15	39	24	M-WO153924	1,910	+325	+525
15	40	24	M-WO154024	1,930	+325	+525
15	41	24	M-WO154124	1,951	+325	+525
15	42	24	M-WO154224	1,970	+325	+525

16” HIGH OPEN WALL CABINETS

H	W	D	Model Number	List	HPL	MHPL
16	25	24	M-WO162524	1,568	+300	+500
16	26	24	M-WO162624	1,592	+300	+500
16	27	24	M-WO162724	1,616	+300	+500
16	28	24	M-WO162824	1,640	+325	+525
16	29	24	M-WO162924	1,664	+325	+525
16	30	24	M-WO163024	1,687	+325	+525
16	31	24	M-WO163124	1,711	+325	+525
16	32	24	M-WO163224	1,736	+325	+525
16	33	24	M-WO163324	1,766	+325	+525
16	34	24	M-WO163424	1,790	+325	+525
16	35	24	M-WO163524	1,814	+325	+525
16	36	24	M-WO163624	1,838	+325	+525
16	37	24	M-WO163724	1,906	+325	+525
16	38	24	M-WO163824	1,926	+325	+525
16	39	24	M-WO163924	1,948	+325	+525
16	40	24	M-WO164024	1,968	+325	+525
16	41	24	M-WO164124	1,989	+325	+525
16	42	24	M-WO164224	2,009	+325	+525



Specify

- Side Panel Extension
- Case Finish

Notes

- **Order required wall attached cleat separately.**
- Parametrically in 1” increments for width.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- Color choice for cabinet case.
- ¾” extended side panel back construction (both, left, right and none).
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.
- Cabinets wider than 36” include a divider.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Wide Open Wall Cabinets, 24” Deep

17” HIGH OPEN WALL CABINETS

H	W	D	Model Number	List	HPL	MHPL
17	25	24	M-WO172524	1,582	+300	+500
17	26	24	M-WO172624	1,605	+300	+500
17	27	24	M-WO172724	1,629	+300	+500
17	28	24	M-WO172824	1,654	+325	+525
17	29	24	M-WO172924	1,678	+325	+525
17	30	24	M-WO173024	1,701	+325	+525
17	31	24	M-WO173124	1,726	+325	+525
17	32	24	M-WO173224	1,750	+325	+525
17	33	24	M-WO173324	1,780	+325	+525
17	34	24	M-WO173424	1,804	+325	+525
17	35	24	M-WO173524	1,829	+325	+525
17	36	24	M-WO173624	1,854	+325	+525
17	37	24	M-WO173724	1,901	+325	+525
17	38	24	M-WO173824	1,923	+325	+525
17	39	24	M-WO173924	1,943	+325	+525
17	40	24	M-WO174024	1,964	+325	+525
17	41	24	M-WO174124	1,984	+325	+525
17	42	24	M-WO174224	2,006	+325	+525

18” HIGH OPEN WALL CABINETS

H	W	D	Model Number	List	HPL	MHPL
18	25	24	M-WO182524	1,595	+300	+500
18	26	24	M-WO182624	1,618	+300	+500
18	27	24	M-WO182724	1,643	+300	+500
18	28	24	M-WO182824	1,667	+325	+525
18	29	24	M-WO182924	1,691	+325	+525
18	30	24	M-WO183024	1,716	+325	+525
18	31	24	M-WO183124	1,739	+325	+525
18	32	24	M-WO183224	1,764	+325	+525
18	33	24	M-WO183324	1,795	+325	+525
18	34	24	M-WO183424	1,819	+325	+525
18	35	24	M-WO183524	1,843	+325	+525
18	36	24	M-WO183624	1,867	+325	+525
18	37	24	M-WO183724	1,939	+325	+525
18	38	24	M-WO183824	1,960	+325	+525
18	39	24	M-WO183924	1,981	+325	+525
18	40	24	M-WO184024	2,003	+325	+525
18	41	24	M-WO184124	2,023	+325	+525
18	42	24	M-WO184224	2,045	+325	+525



Specify

- Side Panel Extension
- Case Finish

Notes


- **Order required wall attached cleat separately.**
- Parametrically in 1” increments for width.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- Color choice for cabinet case.
- ¾” extended side panel back construction (both, left, right and none).
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.
- Cabinets wider than 36” include a divider.

© 2026, AIS, Inc.

Single and Double Door Wall Cabinets

Cabinet Logic


Example shown below is a 24”H x 20”W x 15”D Wall Cabinet with Left Hinge Single Door. Guide shown below can be used as a reference, however always refer to the price list pages for product numbers rather than attempting to construct them.



Product Options

Side Panel Extension	Case Finish	Front Finish	Handle Pull	Handle Finish	Hinge Type	Lock Style
Both	TFL	TFL	No Pull	Grade A	110 (Standard)	No Lock
Left	HPL	HPL	Bar	Grade B	170	Black Core/Trim Ring
Right	MHPL	MHPL	Loop	Grade C		Silver Core/Trim Ring
None	(water resistant	(water resistant	L-Pull			Black Trim Ring No Core
	substrate)	substrate)	Rectangular			Silver Trim Ring No Core

Extension Options




Ext Both **Ext Left** **Ext Right** **No Ext**

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Single Door Wall Cabinets, 15” Deep

24” HIGH WALL CABINETS WITH SINGLE DOOR

			Left-Hinge	Right-Hinge		HPL		MHPL	
H	W	D	Model Number	Model Number	List	Case	Front	Case	Front
24	12	15	M-WDL241215	M-WDR241215	1,284	+275	+110	+475	+185
24	13	15	M-WDL241315	M-WDR241315	1,305	+275	+110	+475	+185
24	14	15	M-WDL241415	M-WDR241415	1,327	+275	+110	+475	+185
24	15	15	M-WDL241515	M-WDR241515	1,355	+275	+110	+475	+185
24	16	15	M-WDL241615	M-WDR241615	1,377	+275	+110	+475	+185
24	17	15	M-WDL241715	M-WDR241715	1,399	+275	+110	+475	+185
24	18	15	M-WDL241815	M-WDR241815	1,421	+275	+110	+475	+185
24	19	15	M-WDL241915	M-WDR241915	1,442	+275	+110	+475	+185
24	20	15	M-WDL242015	M-WDR242015	1,464	+300	+120	+500	+195
24	21	15	M-WDL242115	M-WDR242115	1,485	+300	+120	+500	+195
24	22	15	M-WDL242215	M-WDR242215	1,508	+300	+120	+500	+195
24	23	15	M-WDL242315	M-WDR242315	1,530	+300	+120	+500	+195
24	24	15	M-WDL242415	M-WDR242415	1,554	+300	+120	+500	+195



Left-Hinge Shown



Right-Hinge Shown

Specify

- Side Panel Extension
- Case Finish
- Front Finish
- Handle Pull
- Handle Finish
- Hinge Type
- Lock Style

Notes


- **Order required wall attached cleat separately.**
- One adjustable shelf for 24”H and 30”H cabinets.
- Parametrically in 1” increments for width.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- Four pull styles and no pull style option.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a 10 upcharge.
- Face edge bands are finished with 2mm edge banding on cabinet face and 1mm matching edge banding on case.
- ¾” extended side panel back construction (both, left, right and none).
- Standard 110 degree or full extension 170 degree opening angle hinges.
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.

© 2026, AIS, Inc.


Single Door Wall Cabinets, 15” Deep

30” HIGH WALL CABINETS WITH SINGLE DOOR

			Left-Hinge	Right-Hinge		HPL		MHPL	
H	W	D	Model Number	Model Number	List	Case	Front	Case	Front
30	12	15	M-WDL301215	M-WDR301215	1,346	+275	+110	+475	+185
30	13	15	M-WDL301315	M-WDR301315	1,370	+275	+110	+475	+185
30	14	15	M-WDL301415	M-WDR301415	1,394	+275	+110	+475	+185
30	15	15	M-WDL301515	M-WDR301515	1,424	+275	+110	+475	+185
30	16	15	M-WDL301615	M-WDR301615	1,449	+275	+110	+475	+185
30	17	15	M-WDL301715	M-WDR301715	1,473	+275	+110	+475	+185
30	18	15	M-WDL301815	M-WDR301815	1,496	+275	+110	+475	+185
30	19	15	M-WDL301915	M-WDR301915	1,520	+275	+110	+475	+185
30	20	15	M-WDL302015	M-WDR302015	1,544	+300	+120	+500	+195
30	21	15	M-WDL302115	M-WDR302115	1,569	+300	+120	+500	+195
30	22	15	M-WDL302215	M-WDR302215	1,592	+300	+120	+500	+195
30	23	15	M-WDL302315	M-WDR302315	1,616	+300	+120	+500	+195
30	24	15	M-WDL302415	M-WDR302415	1,643	+300	+120	+500	+195



Left-Hinge Shown



Right-Hinge Shown

Specify

- Side Panel Extension
- Case Finish
- Front Finish
- Handle Pull
- Handle Finish
- Hinge Type
- Lock Style

Notes

- **Order required wall attached cleat separately.**
- One adjustable shelf for 24”H and 30”H cabinets.
- Parametrically in 1” increments for width.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- Four pull styles and no pull style option.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a 10 upcharge.
- Face edge bands are finished with 2mm edge banding on cabinet face and 1mm matching edge banding on case.
- ¾” extended side panel back construction (both, left, right and none).
- Standard 110 degree or full extension 170 degree opening angle hinges.
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Single Door Wall Cabinets, 15” Deep

36” HIGH WALL CABINETS WITH SINGLE DOOR

			Left-Hinge	Right-Hinge		HPL		MHPL	
H	W	D	Model Number	Model Number	List	Case	Front	Case	Front
36	12	15	M-WDL361215	M-WDR361215	1,441	+275	+110	+475	+185
36	13	15	M-WDL361315	M-WDR361315	1,469	+275	+110	+475	+185
36	14	15	M-WDL361415	M-WDR361415	1,498	+275	+110	+475	+185
36	15	15	M-WDL361515	M-WDR361515	1,533	+275	+110	+475	+185
36	16	15	M-WDL361615	M-WDR361615	1,562	+275	+110	+475	+185
36	17	15	M-WDL361715	M-WDR361715	1,590	+275	+110	+475	+185
36	18	15	M-WDL361815	M-WDR361815	1,618	+275	+110	+475	+185
36	19	15	M-WDL361915	M-WDR361915	1,647	+275	+110	+475	+185
36	20	15	M-WDL362015	M-WDR362015	1,676	+300	+120	+500	+195
36	21	15	M-WDL362115	M-WDR362115	1,704	+300	+120	+500	+195
36	22	15	M-WDL362215	M-WDR362215	1,733	+300	+120	+500	+195
36	23	15	M-WDL362315	M-WDR362315	1,761	+300	+120	+500	+195
36	24	15	M-WDL362415	M-WDR362415	1,792	+300	+120	+500	+195



Left-Hinge Shown



Right-Hinge Shown

Specify

- Side Panel Extension
- Case Finish
- Front Finish
- Handle Pull
- Handle Finish
- Hinge Type
- Lock Style

Notes


- **Order required wall attached cleat separately.**
- One adjustable shelf for 24”H and 30”H cabinets.
- Parametrically in 1” increments for width.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- Four pull styles and no pull style option.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a 10 upcharge.
- Face edge bands are finished with 2mm edge banding on cabinet face and 1mm matching edge banding on case.
- ¾” extended side panel back construction (both, left, right and none).
- Standard 110 degree or full extension 170 degree opening angle hinges.
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.

© 2026, AIS, Inc.


Single Door Wall Cabinets, 15” Deep

42” HIGH WALL CABINETS WITH SINGLE DOOR

			Left-Hinge	Right-Hinge		HPL		MHPL	
H	W	D	Model Number	Model Number	List	Case	Front	Case	Front
42	12	15	M-WDL421215	M-WDR421215	1,532	+275	+110	+475	+185
42	13	15	M-WDL421315	M-WDR421315	1,563	+275	+110	+475	+185
42	14	15	M-WDL421415	M-WDR421415	1,593	+275	+110	+475	+185
42	15	15	M-WDL421515	M-WDR421515	1,630	+275	+110	+475	+185
42	16	15	M-WDL421615	M-WDR421615	1,662	+275	+110	+475	+185
42	17	15	M-WDL421715	M-WDR421715	1,692	+275	+110	+475	+185
42	18	15	M-WDL421815	M-WDR421815	1,723	+275	+110	+475	+185
42	19	15	M-WDL421915	M-WDR421915	1,753	+275	+110	+475	+185
42	20	15	M-WDL422015	M-WDR422015	1,784	+300	+120	+500	+195
42	21	15	M-WDL422115	M-WDR422115	1,814	+300	+120	+500	+195
42	22	15	M-WDL422215	M-WDR422215	1,845	+300	+120	+500	+195
42	23	15	M-WDL422315	M-WDR422315	1,876	+300	+120	+500	+195
42	24	15	M-WDL422415	M-WDR422415	1,909	+300	+120	+500	+195



Left-Hinge Shown



Right-Hinge Shown

Specify

- Side Panel Extension
- Case Finish
- Front Finish
- Handle Pull
- Handle Finish
- Hinge Type
- Lock Style

Notes


- **Order required wall attached cleat separately.**
- One adjustable shelf for 24”H and 30”H cabinets.
- Parametrically in 1” increments for width.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- Four pull styles and no pull style option.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a 10 upcharge.
- Face edge bands are finished with 2mm edge banding on cabinet face and 1mm matching edge banding on case.
- ¾” extended side panel back construction (both, left, right and none).
- Standard 110 degree or full extension 170 degree opening angle hinges.
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Double Door Wall Cabinets, 15” Deep

15” HIGH WALL CABINETS WITH DOUBLE DOORS

					HPL		MHPL	
H	W	D	Model Number	List	Case	Front	Case	Front
15	25	15	M-WDN152515	1,590	+300	+120	+500	+195
15	26	15	M-WDN152615	1,609	+300	+120	+500	+195
15	27	15	M-WDN152715	1,627	+300	+120	+500	+195
15	28	15	M-WDN152815	1,645	+325	+130	+525	+205
15	29	15	M-WDN152915	1,664	+325	+130	+525	+205
15	30	15	M-WDN153015	1,683	+325	+130	+525	+205
15	31	15	M-WDN153115	1,701	+325	+130	+525	+205
15	32	15	M-WDN153215	1,720	+325	+130	+525	+205
15	33	15	M-WDN153315	1,745	+325	+130	+525	+205
15	34	15	M-WDN153415	1,763	+325	+130	+525	+205
15	35	15	M-WDN153515	1,781	+325	+130	+525	+205
15	36	15	M-WDN153615	1,800	+325	+130	+525	+205
15	37	15	M-WDN153715	1,873	+325	+130	+525	+205
15	38	15	M-WDN153815	1,893	+325	+130	+525	+205
15	39	15	M-WDN153915	1,913	+325	+130	+525	+205
15	40	15	M-WDN154015	1,934	+325	+130	+525	+205
15	41	15	M-WDN154115	1,953	+325	+130	+525	+205
15	42	15	M-WDN154215	1,973	+325	+130	+525	+205



Specify

- Side Panel Extension
- Case Finish
- Front Finish
- Handle Pull
- Handle Finish
- Hinge Type
- Lock Style

Notes


- **Order required wall attached cleat separately.**
- One adjustable shelf for 24”H and 30”H cabinets.
- Parametrically in 1” increments for width.
- Front is grain matched.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- Four pull styles and no pull style option.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a 10 upcharge.
- Face edge bands are finished with 2mm edge banding on cabinet face and 1mm matching edge banding on case.
- ¾” extended side panel back construction (both, left, right and none).
- Standard 110 degree or full extension 170 degree opening angle hinges.
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.

© 2026, AIS, Inc.

Double Door Wall Cabinets, 15” Deep

24” HIGH WALL CABINETS WITH DOUBLE DOORS

					HPL		MHPL	
H	W	D	Model Number	List	Case	Front	Case	Front
24	25	15	M-WDN242515	1,735	+300	+120	+500	+195
24	26	15	M-WDN242615	1,757	+300	+120	+500	+195
24	27	15	M-WDN242715	1,778	+300	+120	+500	+195
24	28	15	M-WDN242815	1,800	+325	+130	+525	+205
24	29	15	M-WDN242915	1,821	+325	+130	+525	+205
24	30	15	M-WDN243015	1,843	+325	+130	+525	+205
24	31	15	M-WDN243115	1,865	+325	+130	+525	+205
24	32	15	M-WDN243215	1,886	+325	+130	+525	+205
24	33	15	M-WDN243315	1,914	+325	+130	+525	+205
24	34	15	M-WDN243415	1,936	+325	+130	+525	+205
24	35	15	M-WDN243515	1,957	+325	+130	+525	+205
24	36	15	M-WDN243615	1,980	+325	+130	+525	+205



Specify

- Side Panel Extension
- Case Finish
- Front Finish
- Handle Pull
- Handle Finish
- Hinge Type
- Lock Style

Notes


- **Order required wall attached cleat separately.**
- One adjustable shelf for 24”H and 30”H cabinets.
- Parametrically in 1” increments for width.
- Front is grain matched.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- Four pull styles and no pull style option.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a 10 upcharge.
- Face edge bands are finished with 2mm edge banding on cabinet face and 1mm matching edge banding on case.
- ¾” extended side panel back construction (both, left, right and none).
- Standard 110 degree or full extension 170 degree opening angle hinges.
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Double Door Wall Cabinets, 15” Deep

30” HIGH WALL CABINETS WITH DOUBLE DOORS

					HPL		MHPL	
H	W	D	Model Number	List	Case	Front	Case	Front
30	25	15	M-WDN302515	1,831	+300	+120	+500	+195
30	26	15	M-WDN302615	1,855	+300	+120	+500	+195
30	27	15	M-WDN302715	1,879	+300	+120	+500	+195
30	28	15	M-WDN302815	1,902	+325	+130	+525	+205
30	29	15	M-WDN302915	1,926	+325	+130	+525	+205
30	30	15	M-WDN303015	1,950	+325	+130	+525	+205
30	31	15	M-WDN303115	1,974	+325	+130	+525	+205
30	32	15	M-WDN303215	1,997	+325	+130	+525	+205
30	33	15	M-WDN303315	2,028	+325	+130	+525	+205
30	34	15	M-WDN303415	2,051	+325	+130	+525	+205
30	35	15	M-WDN303515	2,075	+325	+130	+525	+205
30	36	15	M-WDN303615	2,100	+325	+130	+525	+205



Specify

- Side Panel Extension
- Case Finish
- Front Finish
- Handle Pull
- Handle Finish
- Hinge Type
- Lock Style

Notes


- **Order required wall attached cleat separately.**
- One adjustable shelf for 24”H and 30”H cabinets.
- Parametrically in 1” increments for width.
- Front is grain matched.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- Four pull styles and no pull style option.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a 10 upcharge.
- Face edge bands are finished with 2mm edge banding on cabinet face and 1mm matching edge banding on case.
- ¾” extended side panel back construction (both, left, right and none).
- Standard 110 degree or full extension 170 degree opening angle hinges.
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.

© 2026, AIS, Inc.

Double Door Wall Cabinets, 15” Deep

36” HIGH WALL CABINETS WITH DOUBLE DOORS

					HPL		MHPL	
H	W	D	Model Number	List	Case	Front	Case	Front
36	25	15	M-WDN362515	1,990	+300	+120	+500	+195
36	26	15	M-WDN362615	2,018	+300	+120	+500	+195
36	27	15	M-WDN362715	2,047	+300	+120	+500	+195
36	28	15	M-WDN362815	2,075	+325	+130	+525	+205
36	29	15	M-WDN362915	2,103	+325	+130	+525	+205
36	30	15	M-WDN363015	2,131	+325	+130	+525	+205
36	31	15	M-WDN363115	2,159	+325	+130	+525	+205
36	32	15	M-WDN363215	2,189	+325	+130	+525	+205
36	33	15	M-WDN363315	2,223	+325	+130	+525	+205
36	34	15	M-WDN363415	2,251	+325	+130	+525	+205
36	35	15	M-WDN363515	2,280	+325	+130	+525	+205
36	36	15	M-WDN363615	2,308	+325	+130	+525	+205



Specify

- Side Panel Extension
- Case Finish
- Front Finish
- Handle Pull
- Handle Finish
- Hinge Type
- Lock Style

Notes


- **Order required wall attached cleat separately.**
- Two adjustable shelves.
- Parametrically in 1” increments for width.
- Front is grain matched.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- Four pull styles and no pull style option.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a 10 upcharge.
- Face edge bands are finished with 2mm edge banding on cabinet face and 1mm matching edge banding on case.
- ¾” extended side panel back construction (both, left, right and none).
- Standard 110 degree or full extension 170 degree opening angle hinges.
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Double Door Wall Cabinets, 15” Deep

42” HIGH WALL CABINETS WITH DOUBLE DOORS

					HPL		MHPL	
H	W	D	Model Number	List	Case	Front	Case	Front
42	25	15	M-WDN422515	2,137	+300	+120	+500	+195
42	26	15	M-WDN422615	2,167	+300	+120	+500	+195
42	27	15	M-WDN422715	2,197	+300	+120	+500	+195
42	28	15	M-WDN422815	2,229	+325	+130	+525	+205
42	29	15	M-WDN422915	2,259	+325	+130	+525	+205
42	30	15	M-WDN423015	2,289	+325	+130	+525	+205
42	31	15	M-WDN423115	2,319	+325	+130	+525	+205
42	32	15	M-WDN423215	2,349	+325	+130	+525	+205
42	33	15	M-WDN423315	2,387	+325	+130	+525	+205
42	34	15	M-WDN423415	2,418	+325	+130	+525	+205
42	35	15	M-WDN423515	2,448	+325	+130	+525	+205
42	36	15	M-WDN423615	2,478	+325	+130	+525	+205



Specify

- Side Panel Extension
- Case Finish
- Front Finish
- Handle Pull
- Handle Finish
- Hinge Type
- Lock Style

Notes


- **Order required wall attached cleat separately.**
- Two adjustable shelves.
- Parametrically in 1” increments for width.
- Front is grain matched.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- Four pull styles and no pull style option.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a 10 upcharge.
- Face edge bands are finished with 2mm edge banding on cabinet face and 1mm matching edge banding on case.
- ¾” extended side panel back construction (both, left, right and none).
- Standard 110 degree or full extension 170 degree opening angle hinges.
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.

© 2026, AIS, Inc.

Double Door Wall Cabinets, 24” Deep

15” HIGH WALL CABINETS WITH DOUBLE DOORS

					HPL		MHPL	
H	W	D	Model Number	List	Case	Front	Case	Front
15	25	24	M-WDN152524	1,807	+300	+120	+500	+195
15	26	24	M-WDN152624	1,831	+300	+120	+500	+195
15	27	24	M-WDN152724	1,856	+300	+120	+500	+195
15	28	24	M-WDN152824	1,880	+325	+130	+525	+205
15	29	24	M-WDN152924	1,905	+325	+130	+525	+205
15	30	24	M-WDN153024	1,928	+325	+130	+525	+205
15	31	24	M-WDN153124	1,952	+325	+130	+525	+205
15	32	24	M-WDN153224	1,977	+325	+130	+525	+205
15	33	24	M-WDN153324	2,007	+325	+130	+525	+205
15	34	24	M-WDN153424	2,031	+325	+130	+525	+205
15	35	24	M-WDN153524	2,056	+325	+130	+525	+205
15	36	24	M-WDN153624	2,079	+325	+130	+525	+205
15	37	24	M-WDN153724	2,145	+325	+130	+525	+205
15	38	24	M-WDN153824	2,170	+325	+130	+525	+205
15	39	24	M-WDN153924	2,196	+325	+130	+525	+205
15	40	24	M-WDN154024	2,222	+325	+130	+525	+205
15	41	24	M-WDN154124	2,248	+325	+130	+525	+205
15	42	24	M-WDN154224	2,274	+325	+130	+525	+205



Specify

- Side Panel Extension
- Case Finish
- Front Finish
- Handle Pull
- Handle Finish
- Hinge Type
- Lock Style

Notes


- **Order required wall attached cleat separately.**
- One adjustable shelf for 24”H and 30”H cabinets.
- Parametrically in 1” increments for width.
- Front is grain matched.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- Four pull styles and no pull style option.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a 10 upcharge.
- Face edge bands are finished with 2mm edge banding on cabinet face and 1mm matching edge banding on case.
- ¾” extended side panel back construction (both, left, right and none).
- Standard 110 degree or full extension 170 degree opening angle hinges.
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.
- Cabinets wider than 36” include a divider.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Double Door Wall Cabinets, 24” Deep

16” HIGH WALL CABINETS WITH DOUBLE DOORS

					HPL		MHPL	
H	W	D	Model Number	List	Case	Front	Case	Front
16	25	24	M-WDN162524	1,828	+300	+120	+500	+195
16	26	24	M-WDN162624	1,852	+300	+120	+500	+195
16	27	24	M-WDN162724	1,876	+300	+120	+500	+195
16	28	24	M-WDN162824	1,900	+325	+130	+525	+205
16	29	24	M-WDN162924	1,925	+325	+130	+525	+205
16	30	24	M-WDN163024	1,950	+325	+130	+525	+205
16	31	24	M-WDN163124	1,975	+325	+130	+525	+205
16	32	24	M-WDN163224	1,998	+325	+130	+525	+205
16	33	24	M-WDN163324	2,030	+325	+130	+525	+205
16	34	24	M-WDN163424	2,055	+325	+130	+525	+205
16	35	24	M-WDN163524	2,078	+325	+130	+525	+205
16	36	24	M-WDN163624	2,103	+325	+130	+525	+205
16	37	24	M-WDN163724	2,190	+325	+130	+525	+205
16	38	24	M-WDN163824	2,216	+325	+130	+525	+205
16	39	24	M-WDN163924	2,243	+325	+130	+525	+205
16	40	24	M-WDN164024	2,268	+325	+130	+525	+205
16	41	24	M-WDN164124	2,294	+325	+130	+525	+205
16	42	24	M-WDN164224	2,320	+325	+130	+525	+205



Specify

- Side Panel Extension
- Case Finish
- Front Finish
- Handle Pull
- Handle Finish
- Hinge Type
- Lock Style

Notes


- **Order required wall attached cleat separately.**
- One adjustable shelf for 24”H and 30”H cabinets.
- Parametrically in 1” increments for width.
- Front is grain matched.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- Four pull styles and no pull style option.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a 10 upcharge.
- Face edge bands are finished with 2mm edge banding on cabinet face and 1mm matching edge banding on case.
- ¾” extended side panel back construction (both, left, right and none).
- Standard 110 degree or full extension 170 degree opening angle hinges.
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.
- Cabinets wider than 36” include a divider.

© 2026, AIS, Inc.

Double Door Wall Cabinets, 24” Deep

17” HIGH WALL CABINETS WITH DOUBLE DOORS

					HPL		MHPL	
H	W	D	Model Number	List	Case	Front	Case	Front
17	25	24	M-WDN172524	1,847	+300	+120	+500	+195
17	26	24	M-WDN172624	1,872	+300	+120	+500	+195
17	27	24	M-WDN172724	1,897	+300	+120	+500	+195
17	28	24	M-WDN172824	1,922	+325	+130	+525	+205
17	29	24	M-WDN172924	1,947	+325	+130	+525	+205
17	30	24	M-WDN173024	1,971	+325	+130	+525	+205
17	31	24	M-WDN173124	1,996	+325	+130	+525	+205
17	32	24	M-WDN173224	2,021	+325	+130	+525	+205
17	33	24	M-WDN173324	2,052	+325	+130	+525	+205
17	34	24	M-WDN173424	2,077	+325	+130	+525	+205
17	35	24	M-WDN173524	2,102	+325	+130	+525	+205
17	36	24	M-WDN173624	2,127	+325	+130	+525	+205
17	37	24	M-WDN173724	2,194	+325	+130	+525	+205
17	38	24	M-WDN173824	2,220	+325	+130	+525	+205
17	39	24	M-WDN173924	2,247	+325	+130	+525	+205
17	40	24	M-WDN174024	2,273	+325	+130	+525	+205
17	41	24	M-WDN174124	2,300	+325	+130	+525	+205
17	42	24	M-WDN174224	2,326	+325	+130	+525	+205



Specify

- Side Panel Extension
- Case Finish
- Front Finish
- Handle Pull
- Handle Finish
- Hinge Type
- Lock Style

Notes


- **Order required wall attached cleat separately.**
- One adjustable shelf for 24”H and 30”H cabinets.
- Parametrically in 1” increments for width.
- Front is grain matched.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- Four pull styles and no pull style option.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a 10 upcharge.
- Face edge bands are finished with 2mm edge banding on cabinet face and 1mm matching edge banding on case.
- ¾” extended side panel back construction (both, left, right and none).
- Standard 110 degree or full extension 170 degree opening angle hinges.
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.
- Cabinets wider than 36” include a divider.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Double Door Wall Cabinets, 24” Deep

18” HIGH WALL CABINETS WITH DOUBLE DOORS

					HPL		MHPL	
H	W	D	Model Number	List	Case	Front	Case	Front
18	25	24	M-WDN182524	1,867	+300	+120	+500	+195
18	26	24	M-WDN182624	1,893	+300	+120	+500	+195
18	27	24	M-WDN182724	1,917	+300	+120	+500	+195
18	28	24	M-WDN182824	1,942	+325	+130	+525	+205
18	29	24	M-WDN182924	1,967	+325	+130	+525	+205
18	30	24	M-WDN183024	1,993	+325	+130	+525	+205
18	31	24	M-WDN183124	2,018	+325	+130	+525	+205
18	32	24	M-WDN183224	2,044	+325	+130	+525	+205
18	33	24	M-WDN183324	2,075	+325	+130	+525	+205
18	34	24	M-WDN183424	2,100	+325	+130	+525	+205
18	35	24	M-WDN183524	2,126	+325	+130	+525	+205
18	36	24	M-WDN183624	2,151	+325	+130	+525	+205
18	37	24	M-WDN183724	2,238	+325	+130	+525	+205
18	38	24	M-WDN183824	2,265	+325	+130	+525	+205
18	39	24	M-WDN183924	2,293	+325	+130	+525	+205
18	40	24	M-WDN184024	2,320	+325	+130	+525	+205
18	41	24	M-WDN184124	2,347	+325	+130	+525	+205
18	42	24	M-WDN184224	2,373	+325	+130	+525	+205



Specify

- Side Panel Extension
- Case Finish
- Front Finish
- Handle Pull
- Handle Finish
- Hinge Type
- Lock Style

Notes


- **Order required wall attached cleat separately.**
- One adjustable shelf for 24”H and 30”H cabinets.
- Parametrically in 1” increments for width.
- Front is grain matched.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- Four pull styles and no pull style option.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a 10 upcharge.
- Face edge bands are finished with 2mm edge banding on cabinet face and 1mm matching edge banding on case.
- ¾” extended side panel back construction (both, left, right and none).
- Standard 110 degree or full extension 170 degree opening angle hinges.
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.
- Cabinets wider than 36” include a divider.

© 2026, AIS, Inc.

Wall Corner Cabinets

Cabinet Logic


Example shown below is a 36”H x 30”W x 15”D Wall Corner Cabinet with Left Hinge Door. Guide shown below can be used as a reference, however always refer to the price list pages for product numbers rather than attempting to construct them.



Product Options

Side Panel Extension	Case Finish	Front Finish	Handle Pull	Handle Finish	Lock Style
Both	TFL	TFL	No Pull	Grade A	No Lock
Left	HPL	HPL	Bar	Grade B	Black Core/Trim Ring
Right	MHPL	MHPL	Loop	Grade C	Silver Core/Trim Ring
None	(water resistant	(water resistant	L-Pull		Black Trim Ring No Core
	substrate)	substrate)	Rectangular		Silver Trim Ring No Core

Extension Options



Ext Both **Ext Left** **Ext Right** **No Ext**


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Wall Corner Open Cabinets, 15” Deep

24” HIGH WALL CORNER OPEN CABINETS

			Open Left	Open Right		HPL		MHPL	
H	W	D	Model Number	Model Number	List	Case	Front	Case	Front
24	24	15	M-WCOL242415	M-WCOR242415	1,482	+300	+120	+500	+195
24	25	15	M-WCOL242515	M-WCOR242515	1,500	+300	+120	+500	+195
24	26	15	M-WCOL242615	M-WCOR242615	1,517	+300	+120	+500	+195
24	27	15	M-WCOL242715	M-WCOR242715	1,530	+300	+120	+500	+195
24	28	15	M-WCOL242815	M-WCOR242815	1,546	+325	+130	+525	+205
24	29	15	M-WCOL242915	M-WCOR242915	1,562	+325	+130	+525	+205
24	30	15	M-WCOL243015	M-WCOR243015	1,579	+325	+130	+525	+205
24	31	15	M-WCOL243115	M-WCOR243115	1,596	+325	+130	+525	+205
24	32	15	M-WCOL243215	M-WCOR243215	1,612	+325	+130	+525	+205
24	33	15	M-WCOL243315	M-WCOR243315	1,636	+325	+130	+525	+205
24	34	15	M-WCOL243415	M-WCOR243415	1,652	+325	+130	+525	+205
24	35	15	M-WCOL243515	M-WCOR243515	1,668	+325	+130	+525	+205
24	36	15	M-WCOL243615	M-WCOR243615	1,685	+325	+130	+525	+205



Open Left



Open Right

Specify

- Side Panel Extension
- Case Finish
- Front Finish

Notes


- **Order required wall attached cleat separately.**
- One adjustable shelf.
- Parametrically in 1” increments for width.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- ¾” extended side panel back construction (both, left, right and none).
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.

© 2026, AIS, Inc.


Wall Corner Open Cabinets, 15” Deep

30” HIGH WALL CORNER OPEN CABINETS

			Open Left	Open Right		HPL		MHPL	
H	W	D	Model Number	Model Number	List	Case	Front	Case	Front
30	24	15	M-WCOL302415	M-WCOR302415	1,556	+300	+120	+500	+195
30	25	15	M-WCOL302515	M-WCOR302515	1,574	+300	+120	+500	+195
30	26	15	M-WCOL302615	M-WCOR302615	1,592	+300	+120	+500	+195
30	27	15	M-WCOL302715	M-WCOR302715	1,617	+300	+120	+500	+195
30	28	15	M-WCOL302815	M-WCOR302815	1,635	+325	+130	+525	+205
30	29	15	M-WCOL302915	M-WCOR302915	1,652	+325	+130	+525	+205
30	30	15	M-WCOL303015	M-WCOR303015	1,669	+325	+130	+525	+205
30	31	15	M-WCOL303115	M-WCOR303115	1,687	+325	+130	+525	+205
30	32	15	M-WCOL303215	M-WCOR303215	1,705	+325	+130	+525	+205
30	33	15	M-WCOL303315	M-WCOR303315	1,730	+325	+130	+525	+205
30	34	15	M-WCOL303415	M-WCOR303415	1,747	+325	+130	+525	+205
30	35	15	M-WCOL303515	M-WCOR303515	1,764	+325	+130	+525	+205
30	36	15	M-WCOL303615	M-WCOR303615	1,781	+325	+130	+525	+205



Open Left



Open Right

Specify

- Side Panel Extension
- Case Finish
- Front Finish

Notes

- **Order required wall attached cleat separately.**
- One adjustable shelf.
- Parametrically in 1” increments for width.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- ¾” extended side panel back construction (both, left, right and none).
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Wall Corner Open Cabinets, 15” Deep

36” HIGH WALL CORNER OPEN CABINETS

			Open Left	Open Right		HPL		MHPL	
H	W	D	Model Number	Model Number	List	Case	Front	Case	Front
36	24	15	M-WCOL362415	M-WCOR362415	1,626	+300	+120	+500	+195
36	25	15	M-WCOL362515	M-WCOR362515	1,645	+300	+120	+500	+195
36	26	15	M-WCOL362615	M-WCOR362615	1,665	+300	+120	+500	+195
36	27	15	M-WCOL362715	M-WCOR362715	1,701	+300	+120	+500	+195
36	28	15	M-WCOL362815	M-WCOR362815	1,720	+325	+130	+525	+205
36	29	15	M-WCOL362915	M-WCOR362915	1,738	+325	+130	+525	+205
36	30	15	M-WCOL363015	M-WCOR363015	1,758	+325	+130	+525	+205
36	31	15	M-WCOL363115	M-WCOR363115	1,776	+325	+130	+525	+205
36	32	15	M-WCOL363215	M-WCOR363215	1,794	+325	+130	+525	+205
36	33	15	M-WCOL363315	M-WCOR363315	1,820	+325	+130	+525	+205
36	34	15	M-WCOL363415	M-WCOR363415	1,839	+325	+130	+525	+205
36	35	15	M-WCOL363515	M-WCOR363515	1,857	+325	+130	+525	+205
36	36	15	M-WCOL363615	M-WCOR363615	1,876	+325	+130	+525	+205



Open Left



Open Right

Specify

- Side Panel Extension
- Case Finish
- Front Finish

Notes


- **Order required wall attached cleat separately.**
- Two adjustable shelves.
- Parametrically in 1” increments for width.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- ¾” extended side panel back construction (both, left, right and none).
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.

© 2026, AIS, Inc.


Wall Corner Open Cabinets, 15” Deep

42” HIGH WALL CORNER OPEN CABINETS

			Open Left	Open Right		HPL		MHPL	
H	W	D	Model Number	Model Number	List	Case	Front	Case	Front
42	24	15	M-WCOL422415	M-WCOR422415	1,701	+300	+120	+500	+195
42	25	15	M-WCOL422515	M-WCOR422515	1,722	+300	+120	+500	+195
42	26	15	M-WCOL422615	M-WCOR422615	1,743	+300	+120	+500	+195
42	27	15	M-WCOL422715	M-WCOR422715	1,791	+300	+120	+500	+195
42	28	15	M-WCOL422815	M-WCOR422815	1,811	+325	+130	+525	+205
42	29	15	M-WCOL422915	M-WCOR422915	1,831	+325	+130	+525	+205
42	30	15	M-WCOL423015	M-WCOR423015	1,851	+325	+130	+525	+205
42	31	15	M-WCOL423115	M-WCOR423115	1,870	+325	+130	+525	+205
42	32	15	M-WCOL423215	M-WCOR423215	1,890	+325	+130	+525	+205
42	33	15	M-WCOL423315	M-WCOR423315	1,916	+325	+130	+525	+205
42	34	15	M-WCOL423415	M-WCOR423415	1,936	+325	+130	+525	+205
42	35	15	M-WCOL423515	M-WCOR423515	1,956	+325	+130	+525	+205
42	36	15	M-WCOL423615	M-WCOR423615	1,976	+325	+130	+525	+205



Open Left



Open Right

Specify

- Side Panel Extension
- Case Finish
- Front Finish

Notes

- **Order required wall attached cleat separately.**
- Two adjustable shelves.
- Parametrically in 1” increments for width.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- ¾” extended side panel back construction (both, left, right and none).
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Wall Corner Cabinets with Door, 15” Deep

24” HIGH WALL CORNER CABINETS WITH SINGLE DOOR

			Left-Hinge	Right-Hinge		HPL		MHPL	
H	W	D	Model Number	Model Number	List	Case	Front	Case	Front
24	24	15	M-WCDL242415	M-WCDR242415	1,613	+300	+120	+500	+195
24	25	15	M-WCDL242515	M-WCDR242515	1,635	+300	+120	+500	+195
24	26	15	M-WCDL242615	M-WCDR242615	1,657	+300	+120	+500	+195
24	27	15	M-WCDL242715	M-WCDR242715	1,673	+300	+120	+500	+195
24	28	15	M-WCDL242815	M-WCDR242815	1,695	+325	+130	+525	+205
24	29	15	M-WCDL242915	M-WCDR242915	1,717	+325	+130	+525	+205
24	30	15	M-WCDL243015	M-WCDR243015	1,738	+325	+130	+525	+205
24	31	15	M-WCDL243115	M-WCDR243115	1,760	+325	+130	+525	+205
24	32	15	M-WCDL243215	M-WCDR243215	1,781	+325	+130	+525	+205
24	33	15	M-WCDL243315	M-WCDR243315	1,809	+325	+130	+525	+205
24	34	15	M-WCDL243415	M-WCDR243415	1,831	+325	+130	+525	+205
24	35	15	M-WCDL243515	M-WCDR243515	1,854	+325	+130	+525	+205
24	36	15	M-WCDL243615	M-WCDR243615	1,875	+325	+130	+525	+205



Left-Hinge Shown



Right-Hinge Shown

Specify

- Side Panel Extension
- Case Finish
- Front Finish
- Handle Pull
- Handle Finish
- Lock Style

Notes


- **Order required wall attached cleat separately.**
- One adjustable shelf.
- Parametrically in 1” increments for width.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- Four pull styles and no pull style option.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a 10 upcharge.
- Face edge bands are finished with 2mm edge banding on cabinet face and 1mm matching edge banding on case.
- ¾” extended side panel back construction (both, left, right and none).
- Standard 110 degree angle hinges.
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.

© 2026, AIS, Inc.


Wall Corner Cabinets with Door, 15” Deep

30” HIGH WALL CORNER CABINETS WITH SINGLE DOOR

			Left-Hinge	Right-Hinge		HPL		MHPL	
H	W	D	Model Number	Model Number	List	Case	Front	Case	Front
30	24	15	M-WCDL302415	M-WCDR302415	1,697	+300	+120	+500	+195
30	25	15	M-WCDL302515	M-WCDR302515	1,721	+300	+120	+500	+195
30	26	15	M-WCDL302615	M-WCDR302615	1,746	+300	+120	+500	+195
30	27	15	M-WCDL302715	M-WCDR302715	1,776	+300	+120	+500	+195
30	28	15	M-WCDL302815	M-WCDR302815	1,800	+325	+130	+525	+205
30	29	15	M-WCDL302915	M-WCDR302915	1,824	+325	+130	+525	+205
30	30	15	M-WCDL303015	M-WCDR303015	1,848	+325	+130	+525	+205
30	31	15	M-WCDL303115	M-WCDR303115	1,872	+325	+130	+525	+205
30	32	15	M-WCDL303215	M-WCDR303215	1,896	+325	+130	+525	+205
30	33	15	M-WCDL303315	M-WCDR303315	1,926	+325	+130	+525	+205
30	34	15	M-WCDL303415	M-WCDR303415	1,950	+325	+130	+525	+205
30	35	15	M-WCDL303515	M-WCDR303515	1,974	+325	+130	+525	+205
30	36	15	M-WCDL303615	M-WCDR303615	1,997	+325	+130	+525	+205



Left-Hinge Shown



Right-Hinge Shown

Specify

- Side Panel Extension
- Case Finish
- Front Finish
- Handle Pull
- Handle Finish
- Lock Style

Notes


- **Order required wall attached cleat separately.**
- One adjustable shelf.
- Parametrically in 1” increments for width.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- Four pull styles and no pull style option.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a 10 upcharge.
- Face edge bands are finished with 2mm edge banding on cabinet face and 1mm matching edge banding on case.
- ¾” extended side panel back construction (both, left, right and none).
- Standard 110 degree angle hinges.
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Wall Corner Cabinets with Door, 15” Deep

36” HIGH WALL CORNER CABINETS WITH SINGLE DOOR

			Left-Hinge	Right-Hinge		HPL		MHPL	
H	W	D	Model Number	Model Number	List	Case	Front	Case	Front
36	24	15	M-WCDL362415	M-WCDR362415	1,778	+300	+120	+500	+195
36	25	15	M-WCDL362515	M-WCDR362515	1,804	+300	+120	+500	+195
36	26	15	M-WCDL362615	M-WCDR362615	1,831	+300	+120	+500	+195
36	27	15	M-WCDL362715	M-WCDR362715	1,876	+300	+120	+500	+195
36	28	15	M-WCDL362815	M-WCDR362815	1,902	+325	+130	+525	+205
36	29	15	M-WCDL362915	M-WCDR362915	1,928	+325	+130	+525	+205
36	30	15	M-WCDL363015	M-WCDR363015	1,954	+325	+130	+525	+205
36	31	15	M-WCDL363115	M-WCDR363115	1,981	+325	+130	+525	+205
36	32	15	M-WCDL363215	M-WCDR363215	2,007	+325	+130	+525	+205
36	33	15	M-WCDL363315	M-WCDR363315	2,040	+325	+130	+525	+205
36	34	15	M-WCDL363415	M-WCDR363415	2,065	+325	+130	+525	+205
36	35	15	M-WCDL363515	M-WCDR363515	2,091	+325	+130	+525	+205
36	36	15	M-WCDL363615	M-WCDR363615	2,117	+325	+130	+525	+205



Left-Hinge Shown



Right-Hinge Shown

Specify

- Side Panel Extension
- Case Finish
- Front Finish
- Handle Pull
- Handle Finish
- Lock Style

Notes


- **Order required wall attached cleat separately.**
- Two adjustable shelves.
- Parametrically in 1” increments for width.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- Four pull styles and no pull style option.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a 10 upcharge.
- Face edge bands are finished with 2mm edge banding on cabinet face and 1mm matching edge banding on case.
- ¾” extended side panel back construction (both, left, right and none).
- Standard 110 degree angle hinges.
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.

© 2026, AIS, Inc.


Wall Corner Cabinets with Door, 15” Deep

42” HIGH WALL CORNER CABINETS WITH SINGLE DOOR

			Left-Hinge	Right-Hinge		HPL		MHPL	
H	W	D	Model Number	Model Number	List	Case	Front	Case	Front
42	24	15	M-WCDL422415	M-WCDR422415	1,885	+300	+120	+500	+195
42	25	15	M-WCDL422515	M-WCDR422515	1,913	+300	+120	+500	+195
42	26	15	M-WCDL422615	M-WCDR422615	1,941	+300	+120	+500	+195
42	27	15	M-WCDL422715	M-WCDR422715	2,005	+300	+120	+500	+195
42	28	15	M-WCDL422815	M-WCDR422815	2,033	+325	+130	+525	+205
42	29	15	M-WCDL422915	M-WCDR422915	2,061	+325	+130	+525	+205
42	30	15	M-WCDL423015	M-WCDR423015	2,089	+325	+130	+525	+205
42	31	15	M-WCDL423115	M-WCDR423115	2,117	+325	+130	+525	+205
42	32	15	M-WCDL423215	M-WCDR423215	2,145	+325	+130	+525	+205
42	33	15	M-WCDL423315	M-WCDR423315	2,181	+325	+130	+525	+205
42	34	15	M-WCDL423415	M-WCDR423415	2,209	+325	+130	+525	+205
42	35	15	M-WCDL423515	M-WCDR423515	2,237	+325	+130	+525	+205
42	36	15	M-WCDL423615	M-WCDR423615	2,265	+325	+130	+525	+205



Left-Hinge Shown



Right-Hinge Shown

Specify

- Side Panel Extension
- Case Finish
- Front Finish
- Handle Pull
- Handle Finish
- Lock Style

Notes

- **Order required wall attached cleat separately.**
- Two adjustable shelves.
- Parametrically in 1” increments for width.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- Four pull styles and no pull style option.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a 10 upcharge.
- Face edge bands are finished with 2mm edge banding on cabinet face and 1mm matching edge banding on case.
- ¾” extended side panel back construction (both, left, right and none).
- Standard 110 degree angle hinges.
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Open Wall Cabinets with Mail Sorter Shelves, 15” Deep

24” HIGH OPEN WALL CABINETS WITH MAIL SORTER SHELVES

					HPL		MHPL	
H	W	D	Model Number	List	Case	Front	Case	Front
24	12	15	M-WSS241215	1,289	+275	+110	+475	+185
24	13	15	M-WSS241315	1,317	+275	+110	+475	+185
24	14	15	M-WSS241415	1,345	+275	+110	+475	+185
24	15	15	M-WSS241515	1,381	+275	+110	+475	+185
24	16	15	M-WSS241615	1,410	+275	+110	+475	+185
24	17	15	M-WSS241715	1,438	+275	+110	+475	+185
24	18	15	M-WSS241815	1,466	+275	+110	+475	+185
24	19	15	M-WSS241915	1,495	+275	+110	+475	+185
24	20	15	M-WSS242015	1,523	+300	+120	+500	+195
24	21	15	M-WSS242115	1,302	+300	+120	+500	+195
24	22	15	M-WSS242215	1,317	+300	+120	+500	+195
24	23	15	M-WSS242315	1,331	+300	+120	+500	+195
24	24	15	M-WSS242415	1,348	+300	+120	+500	+195
24	25	15	M-WSS242515	1,362	+300	+120	+500	+195
24	26	15	M-WSS242615	1,376	+300	+120	+500	+195
24	27	15	M-WSS242715	1,390	+300	+120	+500	+195
24	28	15	M-WSS242815	1,404	+325	+130	+525	+205
24	29	15	M-WSS242915	1,419	+325	+130	+525	+205
24	30	15	M-WSS243015	1,503	+325	+130	+525	+205
24	31	15	M-WSS243115	1,517	+325	+130	+525	+205
24	32	15	M-WSS243215	1,531	+325	+130	+525	+205
24	33	15	M-WSS243315	1,552	+325	+130	+525	+205
24	34	15	M-WSS243415	1,566	+325	+130	+525	+205
24	35	15	M-WSS243515	1,581	+325	+130	+525	+205
24	36	15	M-WSS243615	1,595	+325	+130	+525	+205



Specify

- Side Panel Extension
- Case Finish

Notes


- **Order required wall attached cleat separately.**
- Parametrically in 1” increments for width.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- ¾” extended side panel back construction (both, left, right and none).
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.

© 2026, AIS, Inc.

Open Wall Cabinets with Mail Sorter Shelves, 15” Deep

30” HIGH OPEN WALL CABINETS WITH MAIL SORTER SHELVES

					HPL		MHPL	
H	W	D	Model Number	List	Case	Front	Case	Front
30	12	15	M-WSS301215	1,366	+275	+110	+475	+185
30	13	15	M-WSS301315	1,397	+275	+110	+475	+185
30	14	15	M-WSS301415	1,429	+275	+110	+475	+185
30	15	15	M-WSS301515	1,467	+275	+110	+475	+185
30	16	15	M-WSS301615	1,501	+275	+110	+475	+185
30	17	15	M-WSS301715	1,532	+275	+110	+475	+185
30	18	15	M-WSS301815	1,564	+275	+110	+475	+185
30	19	15	M-WSS301915	1,596	+275	+110	+475	+185
30	20	15	M-WSS302015	1,628	+300	+120	+500	+195
30	21	15	M-WSS302115	1,779	+300	+120	+500	+195
30	22	15	M-WSS302215	1,813	+300	+120	+500	+195
30	23	15	M-WSS302315	1,844	+300	+120	+500	+195
30	24	15	M-WSS302415	1,879	+300	+120	+500	+195
30	25	15	M-WSS302515	1,910	+300	+120	+500	+195
30	26	15	M-WSS302615	1,942	+300	+120	+500	+195
30	27	15	M-WSS302715	1,974	+300	+120	+500	+195
30	28	15	M-WSS302815	2,006	+325	+130	+525	+205
30	29	15	M-WSS302915	2,037	+325	+130	+525	+205
30	30	15	M-WSS303015	2,190	+325	+130	+525	+205
30	31	15	M-WSS303115	2,221	+325	+130	+525	+205
30	32	15	M-WSS303215	2,253	+325	+130	+525	+205
30	33	15	M-WSS303315	2,292	+325	+130	+525	+205
30	34	15	M-WSS303415	2,324	+325	+130	+525	+205
30	35	15	M-WSS303515	2,356	+325	+130	+525	+205
30	36	15	M-WSS303615	2,387	+325	+130	+525	+205



Specify

- Side Panel Extension
- Case Finish

Notes

- **Order required wall attached cleat separately.**
- Parametrically in 1” increments for width.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- ¾” extended side panel back construction (both, left, right and none).
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Open Wall Cabinets with Mail Sorter Shelves, 15” Deep

36” HIGH OPEN WALL CABINETS WITH MAIL SORTER SHELVES

					HPL		MHPL	
H	W	D	Model Number	List	Case	Front	Case	Front
36	12	15	M-WSS361215	1,442	+275	+110	+475	+185
36	13	15	M-WSS361315	1,477	+275	+110	+475	+185
36	14	15	M-WSS361415	1,512	+275	+110	+475	+185
36	15	15	M-WSS361515	1,555	+275	+110	+475	+185
36	16	15	M-WSS361615	1,590	+275	+110	+475	+185
36	17	15	M-WSS361715	1,626	+275	+110	+475	+185
36	18	15	M-WSS361815	1,662	+275	+110	+475	+185
36	19	15	M-WSS361915	1,697	+275	+110	+475	+185
36	20	15	M-WSS362015	1,732	+300	+120	+500	+195
36	21	15	M-WSS362115	1,907	+300	+120	+500	+195
36	22	15	M-WSS362215	1,943	+300	+120	+500	+195
36	23	15	M-WSS362315	1,978	+300	+120	+500	+195
36	24	15	M-WSS362415	2,016	+300	+120	+500	+195
36	25	15	M-WSS362515	2,051	+300	+120	+500	+195
36	26	15	M-WSS362615	2,087	+300	+120	+500	+195
36	27	15	M-WSS362715	2,122	+300	+120	+500	+195
36	28	15	M-WSS362815	2,157	+325	+130	+525	+205
36	29	15	M-WSS362915	2,193	+325	+130	+525	+205
36	30	15	M-WSS363015	2,368	+325	+130	+525	+205
36	31	15	M-WSS363115	2,402	+325	+130	+525	+205
36	32	15	M-WSS363215	2,438	+325	+130	+525	+205
36	33	15	M-WSS363315	2,480	+325	+130	+525	+205
36	34	15	M-WSS363415	2,516	+325	+130	+525	+205
36	35	15	M-WSS363515	2,550	+325	+130	+525	+205
36	36	15	M-WSS363615	2,586	+325	+130	+525	+205



Specify

- Side Panel Extension
- Case Finish

Notes


- **Order required wall attached cleat separately.**
- Parametrically in 1” increments for width.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- ¾” extended side panel back construction (both, left, right and none).
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.

© 2026, AIS, Inc.

Open Wall Cabinets with Mail Sorter Shelves, 15” Deep

42” HIGH OPEN WALL CABINETS WITH MAIL SORTER SHELVES

					HPL		MHPL	
H	W	D	Model Number	List	Case	Front	Case	Front
42	12	15	M-WSS421215	1,556	+275	+110	+475	+185
42	13	15	M-WSS421315	1,597	+275	+110	+475	+185
42	14	15	M-WSS421415	1,639	+275	+110	+475	+185
42	15	15	M-WSS421515	1,686	+275	+110	+475	+185
42	16	15	M-WSS421615	1,728	+275	+110	+475	+185
42	17	15	M-WSS421715	1,770	+275	+110	+475	+185
42	18	15	M-WSS421815	1,811	+275	+110	+475	+185
42	19	15	M-WSS421915	1,852	+275	+110	+475	+185
42	20	15	M-WSS422015	1,893	+300	+120	+500	+195
42	21	15	M-WSS422115	2,099	+300	+120	+500	+195
42	22	15	M-WSS422215	2,140	+300	+120	+500	+195
42	23	15	M-WSS422315	2,181	+300	+120	+500	+195
42	24	15	M-WSS422415	2,225	+300	+120	+500	+195
42	25	15	M-WSS422515	2,266	+300	+120	+500	+195
42	26	15	M-WSS422615	2,307	+300	+120	+500	+195
42	27	15	M-WSS422715	2,348	+300	+120	+500	+195
42	28	15	M-WSS422815	2,389	+325	+130	+525	+205
42	29	15	M-WSS422915	2,430	+325	+130	+525	+205
42	30	15	M-WSS423015	2,637	+325	+130	+525	+205
42	31	15	M-WSS423115	2,678	+325	+130	+525	+205
42	32	15	M-WSS423215	2,719	+325	+130	+525	+205
42	33	15	M-WSS423315	2,766	+325	+130	+525	+205
42	34	15	M-WSS423415	2,807	+325	+130	+525	+205
42	35	15	M-WSS423515	2,848	+325	+130	+525	+205
42	36	15	M-WSS423615	2,889	+325	+130	+525	+205



Specify

- Side Panel Extension
- Case Finish

Notes

- **Order required wall attached cleat separately.**
- Parametrically in 1” increments for width.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- ¾” extended side panel back construction (both, left, right and none).
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Open Wall Cabinets with Split Open Mail Sorter Shelves, 15” Deep

24” HIGH SPLIT OPEN WALL CABINETS WITH MAIL SORTER SHELVES

					HPL		MHPL	
H	W	D	Model Number	List	Case	Front	Case	Front
24	12	15	M-WSP241215	1,194	+275	+110	+475	+185
24	13	15	M-WSP241315	1,215	+275	+110	+475	+185
24	14	15	M-WSP241415	1,236	+275	+110	+475	+185
24	15	15	M-WSP241515	1,264	+275	+110	+475	+185
24	16	15	M-WSP241615	1,287	+275	+110	+475	+185
24	17	15	M-WSP241715	1,308	+275	+110	+475	+185
24	18	15	M-WSP241815	1,330	+275	+110	+475	+185
24	19	15	M-WSP241915	1,350	+275	+110	+475	+185
24	20	15	M-WSP242015	1,372	+300	+120	+500	+195
24	21	15	M-WSP242115	1,441	+300	+120	+500	+195
24	22	15	M-WSP242215	1,464	+300	+120	+500	+195
24	23	15	M-WSP242315	1,485	+300	+120	+500	+195
24	24	15	M-WSP242415	1,509	+300	+120	+500	+195
24	25	15	M-WSP242515	1,530	+300	+120	+500	+195
24	26	15	M-WSP242615	1,551	+300	+120	+500	+195
24	27	15	M-WSP242715	1,573	+300	+120	+500	+195
24	28	15	M-WSP242815	1,595	+325	+130	+525	+205
24	29	15	M-WSP242915	1,615	+325	+130	+525	+205
24	30	15	M-WSP243015	1,684	+325	+130	+525	+205
24	31	15	M-WSP243115	1,706	+325	+130	+525	+205
24	32	15	M-WSP243215	1,727	+325	+130	+525	+205
24	33	15	M-WSP243315	1,755	+325	+130	+525	+205
24	34	15	M-WSP243415	1,777	+325	+130	+525	+205
24	35	15	M-WSP243515	1,798	+325	+130	+525	+205
24	36	15	M-WSP243615	1,819	+325	+130	+525	+205



Specify

- Side Panel Extension
- Case Finish

Notes


- **Order required wall attached cleat separately.**
- Parametrically in 1” increments for width.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- ¾” extended side panel back construction (both, left, right and none).
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.

© 2026, AIS, Inc.

Open Wall Cabinets with Split Open Mail Sorter Shelves, 15” Deep

30” HIGH SPLIT OPEN WALL CABINETS WITH MAIL SORTER SHELVES

					HPL		MHPL	
H	W	D	Model Number	List	Case	Front	Case	Front
30	12	15	M-WSP301215	1,271	+275	+110	+475	+185
30	13	15	M-WSP301315	1,295	+275	+110	+475	+185
30	14	15	M-WSP301415	1,320	+275	+110	+475	+185
30	15	15	M-WSP301515	1,352	+275	+110	+475	+185
30	16	15	M-WSP301615	1,377	+275	+110	+475	+185
30	17	15	M-WSP301715	1,402	+275	+110	+475	+185
30	18	15	M-WSP301815	1,427	+275	+110	+475	+185
30	19	15	M-WSP301915	1,452	+275	+110	+475	+185
30	20	15	M-WSP302015	1,477	+300	+120	+500	+195
30	21	15	M-WSP302115	1,565	+300	+120	+500	+195
30	22	15	M-WSP302215	1,591	+300	+120	+500	+195
30	23	15	M-WSP302315	1,616	+300	+120	+500	+195
30	24	15	M-WSP302415	1,643	+300	+120	+500	+195
30	25	15	M-WSP302515	1,668	+300	+120	+500	+195
30	26	15	M-WSP302615	1,693	+300	+120	+500	+195
30	27	15	M-WSP302715	1,718	+300	+120	+500	+195
30	28	15	M-WSP302815	1,743	+325	+130	+525	+205
30	29	15	M-WSP302915	1,767	+325	+130	+525	+205
30	30	15	M-WSP303015	1,856	+325	+130	+525	+205
30	31	15	M-WSP303115	1,881	+325	+130	+525	+205
30	32	15	M-WSP303215	1,906	+325	+130	+525	+205
30	33	15	M-WSP303315	1,937	+325	+130	+525	+205
30	34	15	M-WSP303415	1,962	+325	+130	+525	+205
30	35	15	M-WSP303515	1,987	+325	+130	+525	+205
30	36	15	M-WSP303615	2,011	+325	+130	+525	+205



Specify

- Side Panel Extension
- Case Finish

Notes

- **Order required wall attached cleat separately.**
- Parametrically in 1” increments for width.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- ¾” extended side panel back construction (both, left, right and none).
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Open Wall Cabinets with Mail Sorter Shelves, 15” Deep

36” HIGH SPLIT OPEN WALL CABINETS WITH MAIL SORTER SHELVES

					HPL		MHPL	
H	W	D	Model Number	List	Case	Front	Case	Front
36	12	15	M-WSP361215	1,316	+275	+110	+475	+185
36	13	15	M-WSP361315	1,342	+275	+110	+475	+185
36	14	15	M-WSP361415	1,368	+275	+110	+475	+185
36	15	15	M-WSP361515	1,400	+275	+110	+475	+185
36	16	15	M-WSP361615	1,427	+275	+110	+475	+185
36	17	15	M-WSP361715	1,453	+275	+110	+475	+185
36	18	15	M-WSP361815	1,479	+275	+110	+475	+185
36	19	15	M-WSP361915	1,504	+275	+110	+475	+185
36	20	15	M-WSP362015	1,530	+300	+120	+500	+195
36	21	15	M-WSP362115	1,623	+300	+120	+500	+195
36	22	15	M-WSP362215	1,650	+300	+120	+500	+195
36	23	15	M-WSP362315	1,676	+300	+120	+500	+195
36	24	15	M-WSP362415	1,704	+300	+120	+500	+195
36	25	15	M-WSP362515	1,730	+300	+120	+500	+195
36	26	15	M-WSP362615	1,755	+300	+120	+500	+195
36	27	15	M-WSP362715	1,781	+300	+120	+500	+195
36	28	15	M-WSP362815	1,807	+325	+130	+525	+205
36	29	15	M-WSP362915	1,833	+325	+130	+525	+205
36	30	15	M-WSP363015	1,925	+325	+130	+525	+205
36	31	15	M-WSP363115	1,951	+325	+130	+525	+205
36	32	15	M-WSP363215	1,977	+325	+130	+525	+205
36	33	15	M-WSP363315	2,009	+325	+130	+525	+205
36	34	15	M-WSP363415	2,035	+325	+130	+525	+205
36	35	15	M-WSP363515	2,061	+325	+130	+525	+205
36	36	15	M-WSP363615	2,087	+325	+130	+525	+205



Specify

- Side Panel Extension
- Case Finish

Notes


- **Order required wall attached cleat separately.**
- Parametrically in 1” increments for width.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- ¾” extended side panel back construction (both, left, right and none).
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.

© 2026, AIS, Inc.

Open Wall Cabinets with Mail Sorter Shelves, 15” Deep

42” HIGH SPLIT OPEN WALL CABINETS WITH MAIL SORTER SHELVES

					HPL		MHPL	
H	W	D	Model Number	List	Case	Front	Case	Front
42	12	15	M-WSP421215	1,398	+275	+110	+475	+185
42	13	15	M-WSP421315	1,427	+275	+110	+475	+185
42	14	15	M-WSP421415	1,456	+275	+110	+475	+185
42	15	15	M-WSP421515	1,492	+275	+110	+475	+185
42	16	15	M-WSP421615	1,523	+275	+110	+475	+185
42	17	15	M-WSP421715	1,552	+275	+110	+475	+185
42	18	15	M-WSP421815	1,582	+275	+110	+475	+185
42	19	15	M-WSP421915	1,611	+275	+110	+475	+185
42	20	15	M-WSP422015	1,640	+300	+120	+500	+195
42	21	15	M-WSP422115	1,749	+300	+120	+500	+195
42	22	15	M-WSP422215	1,779	+300	+120	+500	+195
42	23	15	M-WSP422315	1,808	+300	+120	+500	+195
42	24	15	M-WSP422415	1,840	+300	+120	+500	+195
42	25	15	M-WSP422515	1,869	+300	+120	+500	+195
42	26	15	M-WSP422615	1,898	+300	+120	+500	+195
42	27	15	M-WSP422715	1,927	+300	+120	+500	+195
42	28	15	M-WSP422815	1,957	+325	+130	+525	+205
42	29	15	M-WSP422915	1,987	+325	+130	+525	+205
42	30	15	M-WSP423015	2,095	+325	+130	+525	+205
42	31	15	M-WSP423115	2,124	+325	+130	+525	+205
42	32	15	M-WSP423215	2,153	+325	+130	+525	+205
42	33	15	M-WSP423315	2,189	+325	+130	+525	+205
42	34	15	M-WSP423415	2,219	+325	+130	+525	+205
42	35	15	M-WSP423515	2,248	+325	+130	+525	+205
42	36	15	M-WSP423615	2,277	+325	+130	+525	+205



Specify

- Side Panel Extension
- Case Finish

Notes

- **Order required wall attached cleat separately.**
- Parametrically in 1” increments for width.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- ¾” extended side panel back construction (both, left, right and none).
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Wall Cabinet Microwave

Cabinet Logic


Example shown below is a 30”H x 24”W x 15”D Wall Cabinet Microwave with Doors. Guide shown below can be used as a reference, however always refer to the price list pages for product numbers rather than attempting to construct them.



Product Options

Side Panel Extension	Case Finish	Front Finish	Handle Pull	Handle Finish	Hinge Type	Lock Style
Both	TFL	TFL	No Pull	Grade A	110 (Standard)	No Lock
Left	HPL	HPL	Bar	Grade B	170	Black Core/Trim Ring
Right	MHPL	MHPL	Loop	Grade C		Silver Core/Trim Ring
None	(water resistant	(water resistant	L-Pull			Black Trim Ring No Core
	substrate)	substrate)	Rectangular			Silver Trim Ring No Core

Extension Options




Ext Both **Ext Left** **Ext Right** **No Ext**

© 2026, AIS, Inc.

Wall Cabinet Microwave

30" AND 36" HIGH WALL CABINET MICROWAVE

					HPL		MHPL	
H	W	D	Model Number	List	Case	Front	Case	Front
30	24	15	M-WMD302415	1,749	+300	+120	+500	+195
30	25	15	M-WMD302515	1,772	+300	+120	+500	+195
30	26	15	M-WMD302615	1,794	+300	+120	+500	+195
30	27	15	M-WMD302715	1,818	+300	+120	+500	+195
30	28	15	M-WMD302815	1,841	+325	+130	+525	+205
30	29	15	M-WMD302915	1,865	+325	+130	+525	+205
30	30	15	M-WMD303015	1,887	+325	+130	+525	+205
30	31	15	M-WMD303115	1,910	+325	+130	+525	+205
30	32	15	M-WMD303215	1,933	+325	+130	+525	+205
30	33	15	M-WMD303315	1,963	+325	+130	+525	+205
30	34	15	M-WMD303415	1,986	+325	+130	+525	+205
30	35	15	M-WMD303515	2,009	+325	+130	+525	+205
30	36	15	M-WMD303615	2,032	+325	+130	+525	+205
36	24	15	M-WMD362415	1,843	+300	+120	+500	+195
36	25	15	M-WMD362515	1,868	+300	+120	+500	+195
36	26	15	M-WMD362615	1,894	+300	+120	+500	+195
36	27	15	M-WMD362715	1,919	+300	+120	+500	+195
36	28	15	M-WMD362815	1,943	+325	+130	+525	+205
36	29	15	M-WMD362915	1,968	+325	+130	+525	+205
36	30	15	M-WMD363015	1,994	+325	+130	+525	+205
36	31	15	M-WMD363115	2,019	+325	+130	+525	+205
36	32	15	M-WMD363215	2,045	+325	+130	+525	+205
36	33	15	M-WMD363315	2,076	+325	+130	+525	+205
36	34	15	M-WMD363415	2,101	+325	+130	+525	+205
36	35	15	M-WMD363515	2,127	+325	+130	+525	+205
36	36	15	M-WMD363615	2,152	+325	+130	+525	+205



Specify

- Side Panel Extension
- Case Finish
- Front Finish
- Handle Pull
- Handle Finish
- Hinge Type
- Lock Style

Notes

- **Order required wall attached cleat separately.**
- Parametrically in 1" increments for width.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- ¾" extended side panel back construction (both, left, right and none).
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Wall Cabinet Microwave

42” HIGH WALL CABINET MICROWAVE

					HPL		MHPL	
H	W	D	Model Number	List	Case	Front	Case	Front
42	24	15	M-WMD422415	1,942	+300	+120	+500	+195
42	25	15	M-WMD422515	1,969	+300	+120	+500	+195
42	26	15	M-WMD422615	1,997	+300	+120	+500	+195
42	27	15	M-WMD422715	2,024	+300	+120	+500	+195
42	28	15	M-WMD422815	2,051	+325	+130	+525	+205
42	29	15	M-WMD422915	2,079	+325	+130	+525	+205
42	30	15	M-WMD423015	2,106	+325	+130	+525	+205
42	31	15	M-WMD423115	2,133	+325	+130	+525	+205
42	32	15	M-WMD423215	2,162	+325	+130	+525	+205
42	33	15	M-WMD423315	2,195	+325	+130	+525	+205
42	34	15	M-WMD423415	2,222	+325	+130	+525	+205
42	35	15	M-WMD423515	2,250	+325	+130	+525	+205
42	36	15	M-WMD423615	2,274	+325	+130	+525	+205



Specify

- Side Panel Extension
- Case Finish
- Front Finish
- Handle Pull
- Handle Finish
- Hinge Type
- Lock Style

Notes


- **Order required wall attached cleat separately.**
- Parametrically in 1” increments for width.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- ¾” extended side panel back construction (both, left, right and none).
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.

© 2026, AIS, Inc.

Wall Cabinet L Shelves, 12” High

12” HIGH WALL CABINET L SHELVES

					HPL		MHPL	
H	W	D	Model Number	List	Back	Shelf	Back	Shelf
12	24	15	M-WF122415	736	200	125	450	250
12	25	15	M-WF122515	739	200	125	450	250
12	26	15	M-WF122615	742	200	125	450	250
12	27	15	M-WF122715	746	200	125	450	250
12	28	15	M-WF122815	749	200	125	450	250
12	29	15	M-WF122915	753	200	125	450	250
12	30	15	M-WF123015	764	200	125	450	250
12	31	15	M-WF123115	768	200	125	450	250
12	32	15	M-WF123215	771	200	125	450	250
12	33	15	M-WF123315	774	200	125	450	250
12	34	15	M-WF123415	778	200	125	450	250
12	35	15	M-WF123515	781	200	125	450	250
12	36	15	M-WF123615	785	300	175	550	300
12	37	15	M-WF123715	788	300	175	550	300
12	38	15	M-WF123815	791	300	175	550	300
12	39	15	M-WF123915	794	300	175	550	300
12	40	15	M-WF124015	797	300	175	550	300
12	41	15	M-WF124115	801	300	175	550	300
12	42	15	M-WF124215	812	300	175	550	300



Specify

- Back Finish
- Shelf Finish
- Light Valance

Notes

- **Order required wall attached cleat separately.**
- Parametrically in 1” increments for width.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- Light valence option matches all other wall cabinets.
- Both sides of the L-Shelves are extended to cover the cleat. Either side can be removed to allow for a continuous cleat.
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Wall Cabinet L Shelves, 12” High

12” HIGH WALL CABINET L SHELVES

					HPL		MHPL	
H	W	D	Model Number	List	Back	Shelf	Back	Shelf
12	43	15	M-WF124315	816	300	175	550	300
12	44	15	M-WF124415	819	300	175	550	300
12	45	15	M-WF124515	822	300	175	550	300
12	46	15	M-WF124615	826	300	175	550	300
12	47	15	M-WF124715	829	300	175	550	300
12	48	15	M-WF124815	840	400	225	650	350
12	49	15	M-WF124915	844	400	225	650	350
12	50	15	M-WF125015	847	400	225	650	350
12	51	15	M-WF125115	850	400	225	650	350
12	52	15	M-WF125215	854	400	225	650	350
12	53	15	M-WF125315	857	400	225	650	350
12	54	15	M-WF125415	861	400	225	650	350
12	55	15	M-WF125515	864	400	225	650	350
12	56	15	M-WF125615	867	400	225	650	350
12	57	15	M-WF125715	871	400	225	650	350
12	58	15	M-WF125815	874	400	225	650	350
12	59	15	M-WF125915	878	$00	225	650	350
12	60	15	M-WF126015	889	400	225	650	350



Specify

- Back Finish
- Shelf Finish
- Light Valance

Notes


- **Order required wall attached cleat separately.**
- Parametrically in 1” increments for width.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- Light valence option matches all other wall cabinets.
- Both sides of the L-Shelves are extended to cover the cleat. Either side can be removed to allow for a continuous cleat.
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.

© 2026, AIS, Inc.

Wall Cabinet L Shelves, 24” High

24” HIGH WALL CABINET L SHELVES

					HPL		MHPL	
H	W	D	Model Number	List	Back	Shelf	Back	Shelf
24	24	15	M-WF242415	868	200	125	450	250
24	25	15	M-WF242515	876	200	125	450	250
24	26	15	M-WF242615	885	200	125	450	250
24	27	15	M-WF242715	893	200	125	450	250
24	28	15	M-WF242815	901	200	125	450	250
24	29	15	M-WF242915	910	200	125	450	250
24	30	15	M-WF243015	917	200	125	450	250
24	31	15	M-WF243115	926	200	125	450	250
24	32	15	M-WF243215	935	200	125	450	250
24	33	15	M-WF243315	942	200	125	450	250
24	34	15	M-WF243415	951	200	125	450	250
24	35	15	M-WF243515	960	200	125	450	250
24	36	15	M-WF243615	967	300	175	550	300
24	37	15	M-WF243715	976	300	175	550	300
24	38	15	M-WF243815	983	300	175	550	300
24	39	15	M-WF243915	992	300	175	550	300
24	40	15	M-WF244015	1,001	300	175	550	300
24	41	15	M-WF244115	1,008	300	175	550	300
24	42	15	M-WF244215	1,017	300	175	550	300



Specify

- Back Finish
- Shelf Finish
- Light Valance

Notes

- **Order required wall attached cleat separately.**
- Parametrically in 1” increments for width.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- Light valence option matches all other wall cabinets.
- Both sides of the L-Shelves are extended to cover the cleat. Either side can be removed to allow for a continuous cleat.
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Wall Cabinet L Shelves, 24” High

24” HIGH WALL CABINET L SHELVES

					HPL		MHPL	
H	W	D	Model Number	List	Back	Shelf	Back	Shelf
24	43	15	M-WF244315	1,025	300	175	550	300
24	44	15	M-WF244415	1,033	300	175	550	300
24	45	15	M-WF244515	1,042	300	175	550	300
24	46	15	M-WF244615	1,050	300	175	550	300
24	47	15	M-WF244715	1,058	300	175	550	300
24	48	15	M-WF244815	1,066	400	225	650	350
24	49	15	M-WF244915	1,075	400	225	650	350
24	50	15	M-WF245015	1,083	400	225	650	350
24	51	15	M-WF245115	1,091	400	225	650	350
24	52	15	M-WF245215	1,100	400	225	650	350
24	53	15	M-WF245315	1,107	400	225	650	350
24	54	15	M-WF245415	1,116	400	225	650	350
24	55	15	M-WF245515	1,125	400	225	650	350
24	56	15	M-WF245615	1,132	400	225	650	350
24	57	15	M-WF245715	1,141	400	225	650	350
24	58	15	M-WF245815	1,149	400	225	650	350
24	59	15	M-WF245915	1,157	400	225	650	350
24	60	15	M-WF246015	1,166	400	225	650	350



Specify

- Back Finish
- Shelf Finish
- Light Valance

Notes


- **Order required wall attached cleat separately.**
- Parametrically in 1” increments for width.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- Light valence option matches all other wall cabinets.
- Both sides of the L-Shelves are extended to cover the cleat. Either side can be removed to allow for a continuous cleat.
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.

© 2026, AIS, Inc.

Wall Cabinet L Shelves, 30” High

30” HIGH WALL CABINET L SHELVES

					HPL		MHPL	
H	W	D	Model Number	List	Back	Shelf	Back	Shelf
30	24	15	M-WF302415	896	200	125	450	250
30	25	15	M-WF302515	904	200	125	450	250
30	26	15	M-WF302615	912	200	125	450	250
30	27	15	M-WF302715	921	200	125	450	250
30	28	15	M-WF302815	929	200	125	450	250
30	29	15	M-WF302915	937	200	125	450	250
30	30	15	M-WF303015	945	200	125	450	250
30	31	15	M-WF303115	953	200	125	450	250
30	32	15	M-WF303215	962	200	125	450	250
30	33	15	M-WF303315	970	200	125	450	250
30	34	15	M-WF303415	978	200	125	450	250
30	35	15	M-WF303515	987	200	125	450	250
30	36	15	M-WF303615	995	300	175	550	300
30	37	15	M-WF303715	1,003	300	175	550	300
30	38	15	M-WF303815	1,011	300	175	550	300
30	39	15	M-WF303915	1,020	300	175	550	300
30	40	15	M-WF304015	1,028	300	175	550	300
30	41	15	M-WF304115	1,036	300	175	550	300
30	42	15	M-WF304215	1,045	300	175	550	300



Specify

- Back Finish
- Shelf Finish
- Light Valance

Notes

- **Order required wall attached cleat separately.**
- Parametrically in 1” increments for width.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- Light valence option matches all other wall cabinets.
- Both sides of the L-Shelves are extended to cover the cleat. Either side can be removed to allow for a continuous cleat.
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Wall Cabinet L Shelves, 30” High

30” HIGH WALL CABINET L SHELVES

					HPL		MHPL	
H	W	D	Model Number	List	Back	Shelf	Back	Shelf
30	43	15	M-WF304315	1,052	300	175	550	300
30	44	15	M-WF304415	1,061	300	175	550	300
30	45	15	M-WF304515	1,070	300	175	550	300
30	46	15	M-WF304615	1,077	300	175	550	300
30	47	15	M-WF304715	1,086	300	175	550	300
30	48	15	M-WF304815	1,095	400	225	650	350
30	49	15	M-WF304915	1,102	400	225	650	350
30	50	15	M-WF305015	1,111	400	225	650	350
30	51	15	M-WF305115	1,118	400	225	650	350
30	52	15	M-WF305215	1,127	400	225	650	350
30	53	15	M-WF305315	1,136	400	225	650	350
30	54	15	M-WF305415	1,143	400	225	650	350
30	55	15	M-WF305515	1,152	400	225	650	350
30	56	15	M-WF305615	1,160	400	225	650	350
30	57	15	M-WF305715	1,168	400	225	650	350
30	58	15	M-WF305815	1,177	400	225	650	350
30	59	15	M-WF305915	1,185	400	225	650	350
30	60	15	M-WF306015	1,193	400	225	650	350



Specify

- Back Finish
- Shelf Finish
- Light Valance

Notes


- **Order required wall attached cleat separately.**
- Parametrically in 1” increments for width.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- Light valence option matches all other wall cabinets.
- Both sides of the L-Shelves are extended to cover the cleat. Either side can be removed to allow for a continuous cleat.
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.

© 2026, AIS, Inc.

Wall Cabinet L Shelves, 36” High

36” HIGH WALL CABINET L SHELVES

					HPL		MHPL	
H	W	D	Model Number	List	Back	Shelf	Back	Shelf
36	24	15	M-WF362415	953	200	125	450	250
36	25	15	M-WF362515	965	200	125	450	250
36	26	15	M-WF362615	977	200	125	450	250
36	27	15	M-WF362715	989	200	125	450	250
36	28	15	M-WF362815	1,002	200	125	450	250
36	29	15	M-WF362915	1,014	200	125	450	250
36	30	15	M-WF363015	1,025	200	125	450	250
36	31	15	M-WF363115	1,037	200	125	450	250
36	32	15	M-WF363215	1,050	200	125	450	250
36	33	15	M-WF363315	1,062	200	125	450	250
36	34	15	M-WF363415	1,074	200	125	450	250
36	35	15	M-WF363515	1,086	200	125	450	250
36	36	15	M-WF363615	1,099	300	175	550	300
36	37	15	M-WF363715	1,111	300	175	550	300
36	38	15	M-WF363815	1,123	300	175	550	300
36	39	15	M-WF363915	1,134	300	175	550	300
36	40	15	M-WF364015	1,147	300	175	550	300
36	41	15	M-WF364115	1,159	300	175	550	300
36	42	15	M-WF364215	1,171	300	175	550	300



Specify

- Back Finish
- Shelf Finish
- Light Valance

Notes

- **Order required wall attached cleat separately.**
- Parametrically in 1” increments for width.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- Light valence option matches all other wall cabinets.
- Both sides of the L-Shelves are extended to cover the cleat. Either side can be removed to allow for a continuous cleat.
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Wall Cabinet L Shelves, 36” High

36” HIGH WALL CABINET L SHELVES

					HPL		MHPL	
H	W	D	Model Number	List	Back	Shelf	Back	Shelf
36	43	15	M-WF364315	1,183	300	175	550	300
36	44	15	M-WF364415	1,196	300	175	550	300
36	45	15	M-WF364515	1,208	300	175	550	300
36	46	15	M-WF364615	1,220	300	175	550	300
36	47	15	M-WF364715	1,232	300	175	550	300
36	48	15	M-WF364815	1,245	400	225	650	350
36	49	15	M-WF364915	1,257	400	225	650	350
36	50	15	M-WF365015	1,268	400	225	650	350
36	51	15	M-WF365115	1,280	400	225	650	350
36	52	15	M-WF365215	1,293	400	225	650	350
36	53	15	M-WF365315	1,305	400	225	650	350
36	54	15	M-WF365415	1,317	400	225	650	350
36	55	15	M-WF365515	1,329	400	225	650	350
36	56	15	M-WF365615	1,342	400	225	650	350
36	57	15	M-WF365715	1,354	400	225	650	350
36	58	15	M-WF365815	1,366	400	225	650	350
36	59	15	M-WF365915	1,377	400	225	650	350
36	60	15	M-WF366015	1,390	400	225	650	350



Specify

- Back Finish
- Shelf Finish
- Light Valance

Notes


- **Order required wall attached cleat separately.**
- Parametrically in 1” increments for width.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- Light valence option matches all other wall cabinets.
- Both sides of the L-Shelves are extended to cover the cleat. Either side can be removed to allow for a continuous cleat.
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.

© 2026, AIS, Inc.

Wall Cabinet L Shelves, 42” High

42” HIGH WALL CABINET L SHELVES

					HPL		MHPL	
H	W	D	Model Number	List	Back	Shelf	Back	Shelf
42	24	15	M-WF422415	980	200	125	450	250
42	25	15	M-WF422515	992	200	125	450	250
42	26	15	M-WF422615	1,005	200	125	450	250
42	27	15	M-WF422715	1,017	200	125	450	250
42	28	15	M-WF422815	1,029	200	125	450	250
42	29	15	M-WF422915	1,041	200	125	450	250
42	30	15	M-WF423015	1,053	200	125	450	250
42	31	15	M-WF423115	1,065	200	125	450	250
42	32	15	M-WF423215	1,077	200	125	450	250
42	33	15	M-WF423315	1,089	200	125	450	250
42	34	15	M-WF423415	1,102	200	125	450	250
42	35	15	M-WF423515	1,114	200	125	450	250
42	36	15	M-WF423615	1,126	300	175	550	300
42	37	15	M-WF423715	1,138	300	175	550	300
42	38	15	M-WF423815	1,151	300	175	550	300
42	39	15	M-WF423915	1,163	300	175	550	300
42	40	15	M-WF424015	1,174	300	175	550	300
42	41	15	M-WF424115	1,186	300	175	550	300
42	42	15	M-WF424215	1,199	300	175	550	300



Specify

- Back Finish
- Shelf Finish
- Light Valance

Notes

- **Order required wall attached cleat separately.**
- Parametrically in 1” increments for width.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- Light valence option matches all other wall cabinets.
- Both sides of the L-Shelves are extended to cover the cleat. Either side can be removed to allow for a continuous cleat.
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Wall Cabinet L Shelves, 42” High

42” HIGH WALL CABINET L SHELVES

					HPL		MHPL	
H	W	D	Model Number	List	Back	Shelf	Back	Shelf
42	43	15	M-WF424315	1,211	300	175	550	300
42	44	15	M-WF424415	1,223	300	175	550	300
42	45	15	M-WF424515	1,235	300	175	550	300
42	46	15	M-WF424615	1,248	300	175	550	300
42	47	15	M-WF424715	1,260	300	175	550	300
42	48	15	M-WF424815	1,272	400	225	650	350
42	49	15	M-WF424915	1,284	400	225	650	350
42	50	15	M-WF425015	1,296	400	225	650	350
42	51	15	M-WF425115	1,308	400	225	650	350
42	52	15	M-WF425215	1,320	400	225	650	350
42	53	15	M-WF425315	1,332	400	225	650	350
42	54	15	M-WF425415	1,345	400	225	650	350
42	55	15	M-WF425515	1,357	400	225	650	350
42	56	15	M-WF425615	1,369	400	225	650	350
42	57	15	M-WF425715	1,381	400	225	650	350
42	58	15	M-WF425815	1,394	400	225	650	350
42	59	15	M-WF425915	1,406	400	225	650	350
42	60	15	M-WF426015	1,417	400	225	650	350



Specify


- Back Finish
- Shelf Finish
- Light Valance

Notes

- **Order required wall attached cleat separately.**
- Parametrically in 1” increments for width.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- Light valence option matches all other wall cabinets.
- Both sides of the L-Shelves are extended to cover the cleat. Either side can be removed to allow for a continuous cleat.
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.

© 2026, AIS, Inc.

Tall Storage Cabinets




Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Tall Storage Cabinets, Open

Cabinet Logic


Example shown below is a 84”H x 24”W x 24”D Open Storage Cabinet. Guide shown below can be used as a reference, however always refer to the price list pages for product numbers rather than attempting to construct them.



Product Options


Side Panel Extension	Case Finish
Both	TFL
Left	HPL
Right	MHPL (water resistant
None	substrate)

Base Options



All Feet

Extension Options



Ext Both Ext Left Ext Right No Ext

© 2026, AIS, Inc.


Tall Storage Cabinets, Open


72” HIGH OPEN STORAGE CABINETS

H	W	D	Model Number	List	HPL	MHPL
72	12	24	M-TO721224	2,311	+375	+575
72	13	24	M-TO721324	2,349	+375	+575
72	14	24	M-TO721424	2,387	+375	+575
72	15	24	M-TO721524	2,426	+375	+575
72	16	24	M-TO721624	2,465	+375	+575
72	17	24	M-TO721724	2,504	+375	+575
72	18	24	M-TO721824	2,543	+375	+575
72	19	24	M-TO721924	2,587	+375	+575
72	20	24	M-TO722024	2,626	+425	+625
72	21	24	M-TO722124	2,664	+425	+625
72	22	24	M-TO722224	2,703	+425	+625
72	23	24	M-TO722324	2,742	+425	+625
72	24	24	M-TO722424	2,780	+425	+625
72	25	24	M-TO722524	2,819	+425	+625
72	26	24	M-TO722624	2,864	+425	+625
72	27	24	M-TO722724	2,902	+425	+625
72	28	24	M-TO722824	2,940	+475	+675
72	29	24	M-TO722924	2,979	+475	+675
72	30	24	M-TO723024	3,104	+475	+675
72	31	24	M-TO723124	3,142	+475	+675
72	32	24	M-TO723224	3,181	+475	+675
72	33	24	M-TO723324	3,220	+475	+675
72	34	24	M-TO723424	3,259	+475	+675
72	35	24	M-TO723524	3,298	+475	+675
72	36	24	M-TO723624	3,336	+475	+675

78” HIGH OPEN STORAGE CABINETS

H	W	D	Model Number	List	HPL	MHPL
78	12	24	M-TO781224	2,379	+375	+575
78	13	24	M-TO781324	2,419	+375	+575
78	14	24	M-TO781424	2,457	+375	+575
78	15	24	M-TO781524	2,497	+375	+575
78	16	24	M-TO781624	2,537	+375	+575
78	17	24	M-TO781724	2,577	+375	+575
78	18	24	M-TO781824	2,617	+375	+575
78	19	24	M-TO781924	2,663	+375	+575
78	20	24	M-TO782024	2,703	+425	+625
78	21	24	M-TO782124	2,743	+425	+625
78	22	24	M-TO782224	2,781	+425	+625
78	23	24	M-TO782324	2,821	+425	+625
78	24	24	M-TO782424	2,861	+425	+625
78	25	24	M-TO782524	2,901	+425	+625
78	26	24	M-TO782624	2,947	+425	+625
78	27	24	M-TO782724	2,987	+425	+625
78	28	24	M-TO782824	3,027	+475	+675
78	29	24	M-TO782924	3,067	+475	+675
78	30	24	M-TO783024	3,193	+475	+675
78	31	24	M-TO783124	3,232	+475	+675
78	32	24	M-TO783224	3,272	+475	+675
78	33	24	M-TO783324	3,312	+475	+675
78	34	24	M-TO783424	3,352	+475	+675
78	35	24	M-TO783524	3,392	+475	+675
78	36	24	M-TO783624	3,432	+475	+675





Specify

- Side Panel Extension
- Case Finish

Notes

- Parametrically in 1” increments for width.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- ¾” extended side panel back construction (both, left, right and none).
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Tall Storage Cabinets, Open


84” HIGH OPEN STORAGE CABINETS

H	W	D	Model Number	List	HPL	MHPL
84	12	24	M-TO841224	2,447	+375	+575
84	13	24	M-TO841324	2,488	+375	+575
84	14	24	M-TO841424	2,528	+375	+575
84	15	24	M-TO841524	2,570	+375	+575
84	16	24	M-TO841624	2,610	+375	+575
84	17	24	M-TO841724	2,651	+375	+575
84	18	24	M-TO841824	2,692	+375	+575
84	19	24	M-TO841924	2,738	+375	+575
84	20	24	M-TO842024	2,779	+425	+625
84	21	24	M-TO842124	2,820	+425	+625
84	22	24	M-TO842224	2,861	+425	+625
84	23	24	M-TO842324	2,902	+425	+625
84	24	24	M-TO842424	2,943	+425	+625
84	25	24	M-TO842524	2,985	+425	+625
84	26	24	M-TO842624	3,031	+425	+625
84	27	24	M-TO842724	3,072	+425	+625
84	28	24	M-TO842824	3,113	+475	+675
84	29	24	M-TO842924	3,154	+475	+675
84	30	24	M-TO843024	3,280	+475	+675
84	31	24	M-TO843124	3,321	+475	+675
84	32	24	M-TO843224	3,363	+475	+675
84	33	24	M-TO843324	3,404	+475	+675
84	34	24	M-TO843424	3,445	+475	+675
84	35	24	M-TO843524	3,486	+475	+675
84	36	24	M-TO843624	3,527	+475	+675

90” HIGH OPEN STORAGE CABINETS

H	W	D	Model Number	List	HPL	MHPL
90	12	24	M-TO901224	2,577	+375	+575
90	13	24	M-TO901324	2,624	+375	+575
90	14	24	M-TO901424	2,670	+375	+575
90	15	24	M-TO901524	2,716	+375	+575
90	16	24	M-TO901624	2,762	+375	+575
90	17	24	M-TO901724	2,808	+375	+575
90	18	24	M-TO901824	2,855	+375	+575
90	19	24	M-TO901924	2,907	+375	+575
90	20	24	M-TO902024	2,953	+425	+625
90	21	24	M-TO902124	3,000	+425	+625
90	22	24	M-TO902224	3,046	+425	+625
90	23	24	M-TO902324	3,093	+425	+625
90	24	24	M-TO902424	3,139	+425	+625
90	25	24	M-TO902524	3,184	+425	+625
90	26	24	M-TO902624	3,236	+425	+625
90	27	24	M-TO902724	3,283	+425	+625
90	28	24	M-TO902824	3,329	+475	+675
90	29	24	M-TO902924	3,375	+475	+675
90	30	24	M-TO903024	3,508	+475	+675
90	31	24	M-TO903124	3,555	+475	+675
90	32	24	M-TO903224	3,601	+475	+675
90	33	24	M-TO903324	3,647	+475	+675
90	34	24	M-TO903424	3,693	+475	+675
90	35	24	M-TO903524	3,739	+475	+675
90	36	24	M-TO903624	3,786	+475	+675





Specify

- Side Panel Extension
- Case Finish

Notes


- Parametrically in 1” increments for width.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- ¾” extended side panel back construction (both, left, right and none).
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.

© 2026, AIS, Inc.

Tall Storage Cabinets with Doors

Cabinet Logic


Example shown below is an 84”H x 24”W x 24”D Storage Cabinet with Left Hinge Door. Guide shown below can be used as a reference, however always refer to the price list pages for product numbers rather than attempting to construct them.



Product Options


Side Panel Extension	Case Finish	Front Finish	Handle Pull	Handle Finish	Hinge Type	Lock Style
Both	TFL	TFL	No Pull	Grade A	110 (Standard)	No Lock
Left	HPL	HPL	Bar	Grade B	170	Black Core/Trim Ring
Right	MHPL	MHPL	Loop	Grade C		Silver Core/Trim Ring
None	(water resistant	(water resistant	L-Pull			Black Trim Ring No Core
	substrate)	substrate)	Rectangular			Silver Trim Ring No Core

Base Options



All Feet

Extension Options



Ext Both Ext Left Ext Right No Ext


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Tall Storage Cabinets with Single Door, 72” High

72” HIGH STORAGE CABINETS WITH DOOR

Actual H	W	D	Left-Hinge Model Number	Right-Hinge Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
72	12	24	M-TSL721224	M-TSR721224	2,646	+375	+155	+575	+230
72	13	24	M-TSL721324	M-TSR721324	2,698	+375	+155	+575	+230
72	14	24	M-TSL721424	M-TSR721424	2,749	+375	+155	+575	+230
72	15	24	M-TSL721524	M-TSR721524	2,801	+375	+155	+575	+230
72	16	24	M-TSL721624	M-TSR721624	2,853	+375	+155	+575	+230
72	17	24	M-TSL721724	M-TSR721724	2,905	+375	+155	+575	+230
72	18	24	M-TSL721824	M-TSR721824	2,956	+375	+155	+575	+230
72	19	24	M-TSL721924	M-TSR721924	3,014	+375	+155	+575	+230
72	20	24	M-TSL722024	M-TSR722024	3,066	+425	+180	+625	+255
72	21	24	M-TSL722124	M-TSR722124	3,117	+425	+180	+625	+255
72	22	24	M-TSL722224	M-TSR722224	3,169	+425	+180	+625	+255
72	23	24	M-TSL722324	M-TSR722324	3,221	+425	+180	+625	+255
72	24	24	M-TSL722424	M-TSR722424	3,273	+425	+180	+625	+255



Left-Hinge Shown



Right-Hinge Shown

Specify

- Side Panel Extension
- Case Finish
- Front Finish
- Handle Pull
- Handle Finish
- Hinge Type
- Lock Style


Notes

- Recessed laminate toe kick specified separately, clips included.
- Parametrically in 1” increments for width.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- Adjustable shelves.
- Four pull styles and no pull style option.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Face edge bands are finished with 2mm edge banding on cabinet face and 1mm matching edge banding on case.
- ¾” extended side panel back construction (both, left, right and none).
- Standard 110 degree or full extension 170 degree opening angle hinges.
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.


© 2026, AIS, Inc.

Tall Storage Cabinets with Single Door, 78” High

78” HIGH STORAGE CABINETS WITH DOOR									
			Left-Hinge	Right-Hinge		HPL		MHPL	
Actual H	W	D	Model Number	Model Number	List	Case	Front	Case	Front
78	12	24	M-TSL781224	M-TSR781224	2,733	+375	+155	+575	+230
78	13	24	M-TSL781324	M-TSR781324	2,787	+375	+155	+575	+230
78	14	24	M-TSL781424	M-TSR781424	2,841	+375	+155	+575	+230
78	15	24	M-TSL781524	M-TSR781524	2,895	+375	+155	+575	+230
78	16	24	M-TSL781624	M-TSR781624	2,949	+375	+155	+575	+230
78	17	24	M-TSL781724	M-TSR781724	3,003	+375	+155	+575	+230
78	18	24	M-TSL781824	M-TSR781824	3,057	+375	+155	+575	+230
78	19	24	M-TSL781924	M-TSR781924	3,117	+375	+155	+575	+230
78	20	24	M-TSL782024	M-TSR782024	3,171	+425	+180	+625	+255
78	21	24	M-TSL782124	M-TSR782124	3,225	+425	+180	+625	+255
78	22	24	M-TSL782224	M-TSR782224	3,279	+425	+180	+625	+255
78	23	24	M-TSL782324	M-TSR782324	3,333	+425	+180	+625	+255
78	24	24	M-TSL782424	M-TSR782424	3,387	+425	+180	+625	+255



Left-Hinge Shown



Right-Hinge Shown


Specify	Notes
• Side Panel Extension	• Recessed laminate toe kick specified separately, clips included.
• Case Finish	• Parametrically in 1” increments for width.
• Front Finish	• Available in TFL, HPL, and MHPL (water resistant substrate).
• Handle Pull	• Adjustable shelves.
• Handle Finish	• Four pull styles and no pull style option.
• Hinge Type	• Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
• Lock Style	• Face edge bands are finished with 2mm edge banding on cabinet face and 1mm matching edge banding on case.
	• ¾” extended side panel back construction (both, left, right and none).
	• Standard 110 degree or full extension 170 degree opening angle hinges.
	• All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Tall Storage Cabinets with Single Door, 84” High

84” HIGH STORAGE CABINETS WITH DOOR

Actual H	W	D	Left-Hinge Model Number	Right-Hinge Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
84	12	24	M-TSL841224	M-TSR841224	2,820	+375	+155	+575	+230
84	13	24	M-TSL841324	M-TSR841324	2,877	+375	+155	+575	+230
84	14	24	M-TSL841424	M-TSR841424	2,933	+375	+155	+575	+230
84	15	24	M-TSL841524	M-TSR841524	2,989	+375	+155	+575	+230
84	16	24	M-TSL841624	M-TSR841624	3,045	+375	+155	+575	+230
84	17	24	M-TSL841724	M-TSR841724	3,101	+375	+155	+575	+230
84	18	24	M-TSL841824	M-TSR841824	3,158	+375	+155	+575	+230
84	19	24	M-TSL841924	M-TSR841924	3,220	+375	+155	+575	+230
84	20	24	M-TSL842024	M-TSR842024	3,276	+425	+180	+625	+255
84	21	24	M-TSL842124	M-TSR842124	3,332	+425	+180	+625	+255
84	22	24	M-TSL842224	M-TSR842224	3,388	+425	+180	+625	+255
84	23	24	M-TSL842324	M-TSR842324	3,446	+425	+180	+625	+255
84	24	24	M-TSL842424	M-TSR842424	3,502	+425	+180	+625	+255



Left-Hinge Shown



Right-Hinge Shown

Specify

- Side Panel Extension
- Case Finish
- Front Finish
- Handle Pull
- Handle Finish
- Hinge Type
- Lock Style

Notes


- Recessed laminate toe kick specified separately, clips included.
- Parametrically in 1” increments for width.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- Adjustable shelves.
- Four pull styles and no pull style option.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Face edge bands are finished with 2mm edge banding on cabinet face and 1mm matching edge banding on case.
- ¾” extended side panel back construction (both, left, right and none).
- Standard 110 degree or full extension 170 degree opening angle hinges.
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.

© 2026, AIS, Inc.


Tall Storage Cabinets with Single Door, 90” High

90” HIGH STORAGE CABINETS WITH DOOR

Actual H	W	D	Left-Hinge Model Number	Right-Hinge Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
90	12	24	M-TSL901224	M-TSR901224	2,969	+375	+155	+575	+230
90	13	24	M-TSL901324	M-TSR901324	3,032	+375	+155	+575	+230
90	14	24	M-TSL901424	M-TSR901424	3,095	+375	+155	+575	+230
90	15	24	M-TSL901524	M-TSR901524	3,157	+375	+155	+575	+230
90	16	24	M-TSL901624	M-TSR901624	3,219	+375	+155	+575	+230
90	17	24	M-TSL901724	M-TSR901724	3,282	+375	+155	+575	+230
90	18	24	M-TSL901824	M-TSR901824	3,344	+375	+155	+575	+230
90	19	24	M-TSL901924	M-TSR901924	3,413	+375	+155	+575	+230
90	20	24	M-TSL902024	M-TSR902024	3,476	+425	+180	+625	+255
90	21	24	M-TSL902124	M-TSR902124	3,539	+425	+180	+625	+255
90	22	24	M-TSL902224	M-TSR902224	3,601	+425	+180	+625	+255
90	23	24	M-TSL902324	M-TSR902324	3,664	+425	+180	+625	+255
90	24	24	M-TSL902424	M-TSR902424	3,726	+425	+180	+625	+255



Left-Hinge Shown



Right-Hinge Shown

Specify	Notes
• Side Panel Extension	• Recessed laminate toe kick specified separately, clips included.
• Case Finish	• Parametrically in 1” increments for width.
• Front Finish	• Available in TFL, HPL, and MHPL (water resistant substrate).
• Handle Pull	• Adjustable shelves.
• Handle Finish	• Four pull styles and no pull style option.
• Hinge Type	• Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
• Lock Style	• Face edge bands are finished with 2mm edge banding on cabinet face and 1mm matching edge banding on case.
	• ¾” extended side panel back construction (both, left, right and none).
	• Standard 110 degree or full extension 170 degree opening angle hinges.
	• All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Tall Storage Cabinets with Double Doors, 72” High

72” HIGH STORAGE CABINETS WITH DOUBLE DOORS

Actual H	W	D	Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
72	25	24	M-TSN722524	3,679	+425	+180	+625	+255
72	26	24	M-TSN722624	3,744	+425	+180	+625	+255
72	27	24	M-TSN722724	3,801	+425	+180	+625	+255
72	28	24	M-TSN722824	3,857	+475	+205	+675	+280
72	29	24	M-TSN722924	3,913	+475	+205	+675	+280
72	30	24	M-TSN723024	4,057	+475	+205	+675	+280
72	31	24	M-TSN723124	3,440	+475	+205	+675	+280
72	32	24	M-TSN723224	3,488	+475	+205	+675	+280
72	33	24	M-TSN723324	3,534	+475	+205	+675	+280
72	34	24	M-TSN723424	3,582	+475	+205	+675	+280
72	35	24	M-TSN723524	3,629	+475	+205	+675	+280
72	36	24	M-TSN723624	3,677	+475	+205	+675	+280



Specify

- Side Panel Extension
- Case Finish
- Front Finish
- Handle Pull
- Handle Finish
- Hinge Type
- Lock Style

Notes


- Recessed laminate toe kick specified separately, clips included.
- Parametrically in 1” increments for width.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- Adjustable shelves.
- Four pull styles and no pull style option.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Face edge bands are finished with 2mm edge banding on cabinet face and 1mm matching edge banding on case.
- ¾” extended side panel back construction (both, left, right and none).
- Standard 110 degree or full extension 170 degree opening angle hinges.
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.

© 2026, AIS, Inc.

Tall Storage Cabinets with Double Doors, 78” High

78” HIGH STORAGE CABINETS WITH DOUBLE DOORS

Actual H	W	D	Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
78	25	24	M-TSN782524	3,801	+425	+180	+625	+255
78	26	24	M-TSN782624	3,869	+425	+180	+625	+255
78	27	24	M-TSN782724	3,927	+425	+180	+625	+255
78	28	24	M-TSN782824	3,987	+475	+205	+675	+280
78	29	24	M-TSN782924	4,045	+475	+205	+675	+280
78	30	24	M-TSN783024	4,190	+475	+205	+675	+280
78	31	24	M-TSN783124	4,249	+475	+205	+675	+280
78	32	24	M-TSN783224	4,308	+475	+205	+675	+280
78	33	24	M-TSN783324	4,367	+475	+205	+675	+280
78	34	24	M-TSN783424	4,425	+475	+205	+675	+280
78	35	24	M-TSN783524	4,485	+475	+205	+675	+280
78	36	24	M-TSN783624	4,543	+475	+205	+675	+280



Specify

- Side Panel Extension
- Case Finish
- Front Finish
- Handle Pull
- Handle Finish
- Hinge Type
- Lock Style

Notes


- Recessed laminate toe kick specified separately, clips included.
- Parametrically in 1” increments for width.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- Adjustable shelves.
- Four pull styles and no pull style option.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Face edge bands are finished with 2mm edge banding on cabinet face and 1mm matching edge banding on case.
- ¾” extended side panel back construction (both, left, right and none).
- Standard 110 degree or full extension 170 degree opening angle hinges.
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Tall Storage Cabinets with Double Doors, 84” High

84” HIGH STORAGE CABINETS WITH DOUBLE DOORS

Actual H	W	D	Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
84	25	24	M-TSN842524	3,923	+425	+180	+625	+255
84	26	24	M-TSN842624	3,993	+425	+180	+625	+255
84	27	24	M-TSN842724	4,054	+425	+180	+625	+255
84	28	24	M-TSN842824	4,115	+475	+205	+675	+280
84	29	24	M-TSN842924	4,177	+475	+205	+675	+280
84	30	24	M-TSN843024	4,324	+475	+205	+675	+280
84	31	24	M-TSN843124	4,384	+475	+205	+675	+280
84	32	24	M-TSN843224	4,446	+475	+205	+675	+280
84	33	24	M-TSN843324	4,507	+475	+205	+675	+280
84	34	24	M-TSN843424	4,568	+475	+205	+675	+280
84	35	24	M-TSN843524	4,629	+475	+205	+675	+280
84	36	24	M-TSN843624	4,690	+475	+205	+675	+280



Specify

- Side Panel Extension
- Case Finish
- Front Finish
- Handle Pull
- Handle Finish
- Hinge Type
- Lock Style

Notes


- Recessed laminate toe kick specified separately, clips included.
- Parametrically in 1” increments for width.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- Adjustable shelves.
- Four pull styles and no pull style option.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Face edge bands are finished with 2mm edge banding on cabinet face and 1mm matching edge banding on case.
- ¾” extended side panel back construction (both, left, right and none).
- Standard 110 degree or full extension 170 degree opening angle hinges.
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.

© 2026, AIS, Inc.

Tall Storage Cabinets with Double Doors, 90” High

90” HIGH STORAGE CABINETS WITH DOUBLE DOORS

Actual H	W	D	Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
90	25	24	M-TSN902524	4,057	+425	+180	+625	+255
90	26	24	M-TSN902624	4,129	+425	+180	+625	+255
90	27	24	M-TSN902724	4,193	+425	+180	+625	+255
90	28	24	M-TSN902824	4,256	+475	+205	+675	+280
90	29	24	M-TSN902924	4,319	+475	+205	+675	+280
90	30	24	M-TSN903024	4,468	+475	+205	+675	+280
90	31	24	M-TSN903124	4,532	+475	+205	+675	+280
90	32	24	M-TSN903224	4,596	+475	+205	+675	+280
90	33	24	M-TSN903324	4,659	+475	+205	+675	+280
90	34	24	M-TSN903424	4,722	+475	+205	+675	+280
90	35	24	M-TSN903524	4,786	+475	+205	+675	+280
90	36	24	M-TSN903624	4,849	+475	+205	+675	+280



Specify

- Side Panel Extension
- Case Finish
- Front Finish
- Handle Pull
- Handle Finish
- Hinge Type
- Lock Style

Notes


- Recessed laminate toe kick specified separately, clips included.
- Parametrically in 1” increments for width.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- Adjustable shelves.
- Four pull styles and no pull style option.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Face edge bands are finished with 2mm edge banding on cabinet face and 1mm matching edge banding on case.
- ¾” extended side panel back construction (both, left, right and none).
- Standard 110 degree or full extension 170 degree opening angle hinges.
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Tall Wardrobe Cabinets with Doors

Cabinet Logic

Example shown below is an 84”H x 24”W x 24”D Storage Cabinet with Left Hinge Door. Guide shown below can be used as a reference, however always refer to the price list pages for product numbers rather than attempting to construct them.




Product Options

Side Panel Extension	Case Finish	Front Finish	Handle Pull	Handle Finish	Hinge Type	Lock Style*
Both	TFL	TFL	No Pull	Grade A	110 (Standard)	No Lock
Left	HPL	HPL	Bar	Grade B	170	Black Core/Trim Ring
Right	MHPL	MHPL	Loop	Grade C		Silver Core/Trim Ring
None	(water resistant	(water resistant	L-Pull			Black Trim Ring No Core
	substrate)	substrate)	Rectangular			Silver Trim Ring No Core


*Lock only available on 12”-24” widths

Base Option



All Feet

Extension Options




Ext Both **Ext Left** **Ext Right** **No Ext**

© 2026, AIS, Inc.


Tall Wardrobe Cabinets with Door, 72” High

72” HIGH WARDROBE CABINETS WITH DOOR

Actual H	W	D	Left-Hinge Model Number	Right-Hinge Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
72	12	24	M-TWL721224	M-TWR721224	2,721	+375	+155	+575	+230
72	13	24	M-TWL721324	M-TWR721324	2,773	+375	+155	+575	+230
72	14	24	M-TWL721424	M-TWR721424	2,828	+375	+155	+575	+230
72	15	24	M-TWL721524	M-TWR721524	2,872	+375	+155	+575	+230
72	16	24	M-TWL721624	M-TWR721624	2,915	+375	+155	+575	+230
72	17	24	M-TWL721724	M-TWR721724	2,976	+375	+155	+575	+230
72	18	24	M-TWL721824	M-TWR721824	3,019	+375	+155	+575	+230
72	19	24	M-TWL721924	M-TWR721924	3,072	+375	+155	+575	+230
72	20	24	M-TWL722024	M-TWR722024	3,140	+425	+180	+625	+255
72	21	24	M-TWL722124	M-TWR722124	3,183	+425	+180	+625	+255
72	22	24	M-TWL722224	M-TWR722224	3,228	+425	+180	+625	+255
72	23	24	M-TWL722324	M-TWR722324	3,272	+425	+180	+625	+255
72	24	24	M-TWL722424	M-TWR722424	3,355	+425	+180	+625	+255



Left-Hinge Shown



Right-Hinge Shown


Specify	Notes
• Side Panel Extension	• Recessed laminate toe kick specified separately, clips included.
• Case Finish	• Parametrically in 1” increments for width.
• Front Finish	• Available in TFL, HPL, and MHPL (water resistant substrate).
• Handle Pull	• Top/bottom shelves and coat rod.
• Handle Finish	• Four pull styles and no pull style option.
• Hinge Type	• Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
• Lock Style	• Face edge bands are finished with 2mm edge banding on cabinet face and 1mm matching edge banding on case.
	• ¾” extended side panel back construction (both, left, right and none).
	• Standard 110 degree or full extension 170 degree opening angle hinges.
	• All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Tall Wardrobe Cabinets with Door, 72” High

78” HIGH WARDROBE CABINETS WITH DOOR

Actual H	W	D	Left-Hinge Model Number	Right-Hinge Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
78	12	24	M-TWL781224	M-TWR781224	2,807	+375	+155	+575	+230
78	13	24	M-TWL781324	M-TWR781324	2,862	+375	+155	+575	+230
78	14	24	M-TWL781424	M-TWR781424	2,920	+375	+155	+575	+230
78	15	24	M-TWL781524	M-TWR781524	2,966	+375	+155	+575	+230
78	16	24	M-TWL781624	M-TWR781624	3,012	+375	+155	+575	+230
78	17	24	M-TWL781724	M-TWR781724	3,074	+375	+155	+575	+230
78	18	24	M-TWL781824	M-TWR781824	3,121	+375	+155	+575	+230
78	19	24	M-TWL781924	M-TWR781924	3,175	+375	+155	+575	+230
78	20	24	M-TWL782024	M-TWR782024	3,245	+425	+180	+625	+255
78	21	24	M-TWL782124	M-TWR782124	3,291	+425	+180	+625	+255
78	22	24	M-TWL782224	M-TWR782224	3,338	+425	+180	+625	+255
78	23	24	M-TWL782324	M-TWR782324	3,383	+425	+180	+625	+255
78	24	24	M-TWL782424	M-TWR782424	3,469	+425	+180	+625	+255



Left-Hinge Shown



Right-Hinge Shown

Specify	Notes
• Side Panel Extension	• Recessed laminate toe kick specified separately, clips included.
• Case Finish	• Parametrically in 1” increments for width.
• Front Finish	• Available in TFL, HPL, and MHPL (water resistant substrate).
• Handle Pull	• Top/bottom shelves and coat rod.
• Handle Finish	• Four pull styles and no pull style option.
• Hinge Type	• Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
• Lock Style	• Face edge bands are finished with 2mm edge banding on cabinet face and 1mm matching edge banding on case.
	• ¾” extended side panel back construction (both, left, right and none).
	• Standard 110 degree or full extension 170 degree opening angle hinges.
	• All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.

© 2026, AIS, Inc.


Tall Wardrobe Cabinets with Door, 84” High

84” HIGH WARDROBE CABINETS WITH DOOR

Actual H	W	D	Left-Hinge Model Number	Right-Hinge Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
84	12	24	M-TWL841224	M-TWR841224	2,895	+375	+155	+575	+230
84	13	24	M-TWL841324	M-TWR841324	2,952	+375	+155	+575	+230
84	14	24	M-TWL841424	M-TWR841424	3,012	+375	+155	+575	+230
84	15	24	M-TWL841524	M-TWR841524	3,060	+375	+155	+575	+230
84	16	24	M-TWL841624	M-TWR841624	3,109	+375	+155	+575	+230
84	17	24	M-TWL841724	M-TWR841724	3,172	+375	+155	+575	+230
84	18	24	M-TWL841824	M-TWR841824	3,221	+375	+155	+575	+230
84	19	24	M-TWL841924	M-TWR841924	3,278	+375	+155	+575	+230
84	20	24	M-TWL842024	M-TWR842024	3,351	+425	+180	+625	+255
84	21	24	M-TWL842124	M-TWR842124	3,399	+425	+180	+625	+255
84	22	24	M-TWL842224	M-TWR842224	3,447	+425	+180	+625	+255
84	23	24	M-TWL842324	M-TWR842324	3,495	+425	+180	+625	+255
84	24	24	M-TWL842424	M-TWR842424	3,584	+425	+180	+625	+255



Left-Hinge Shown



Right-Hinge Shown

Specify	Notes
• Side Panel Extension	• Recessed laminate toe kick specified separately, clips included.
• Case Finish	• Parametrically in 1” increments for width.
• Front Finish	• Available in TFL, HPL, and MHPL (water resistant substrate).
• Handle Pull	• Top/bottom shelves and coat rod.
• Handle Finish	• Four pull styles and no pull style option.
• Hinge Type	• Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
• Lock Style	• Face edge bands are finished with 2mm edge banding on cabinet face and 1mm matching edge banding on case.
	• ¾” extended side panel back construction (both, left, right and none).
	• Standard 110 degree or full extension 170 degree opening angle hinges.
	• All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Tall Wardrobe Cabinets with Door, 90” High

90” HIGH WARDROBE CABINETS WITH DOOR

Actual H	W	D	Left-Hinge Model Number	Right-Hinge Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
90	12	24	M-TWL901224	M-TWR901224	2,993	+375	+155	+575	+230
90	13	24	M-TWL901324	M-TWR901324	3,053	+375	+155	+575	+230
90	14	24	M-TWL901424	M-TWR901424	3,114	+375	+155	+575	+230
90	15	24	M-TWL901524	M-TWR901524	3,165	+375	+155	+575	+230
90	16	24	M-TWL901624	M-TWR901624	3,216	+375	+155	+575	+230
90	17	24	M-TWL901724	M-TWR901724	3,283	+375	+155	+575	+230
90	18	24	M-TWL901824	M-TWR901824	3,333	+375	+155	+575	+230
90	19	24	M-TWL901924	M-TWR901924	3,393	+375	+155	+575	+230
90	20	24	M-TWL902024	M-TWR902024	3,467	+425	+180	+625	+255
90	21	24	M-TWL902124	M-TWR902124	3,518	+425	+180	+625	+255
90	22	24	M-TWL902224	M-TWR902224	3,569	+425	+180	+625	+255
90	23	24	M-TWL902324	M-TWR902324	3,620	+425	+180	+625	+255
90	24	24	M-TWL902424	M-TWR902424	3,710	+425	+180	+625	+255



Left-Hinge Shown



Right-Hinge Shown


Specify	Notes
• Side Panel Extension	• Recessed laminate toe kick specified separately, clips included.
• Case Finish	• Parametrically in 1” increments for width.
• Front Finish	• Available in TFL, HPL, and MHPL (water resistant substrate).
• Handle Pull	• Top/bottom shelves and coat rod.
• Handle Finish	• Four pull styles and no pull style option.
• Hinge Type	• Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
• Lock Style	• Face edge bands are finished with 2mm edge banding on cabinet face and 1mm matching edge banding on case.
	• ¾” extended side panel back construction (both, left, right and none).
	• Standard 110 degree or full extension 170 degree opening angle hinges.
	• All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.

© 2026, AIS, Inc.

Tall Storage Wardrobe with Double Doors, 72” High

72” HIGH WARDROBE CABINETS WITH DOUBLE DOORS

Actual H	W	D	Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
72	25	24	M-TWN722524	3,582	+425	+180	+625	+255
72	26	24	M-TWN722624	3,635	+425	+180	+625	+255
72	27	24	M-TWN722724	3,678	+425	+180	+625	+255
72	28	24	M-TWN722824	3,722	+475	+205	+675	+280
72	29	24	M-TWN722924	3,765	+475	+205	+675	+280
72	30	24	M-TWN723024	3,895	+475	+205	+675	+280
72	31	24	M-TWN723124	3,939	+475	+205	+675	+280
72	32	24	M-TWN723224	4,062	+475	+205	+675	+280
72	33	24	M-TWN723324	4,106	+475	+205	+675	+280
72	34	24	M-TWN723424	4,150	+475	+205	+675	+280
72	35	24	M-TWN723524	4,193	+475	+205	+675	+280
72	36	24	M-TWN723624	4,237	+475	+205	+675	+280




Specify	Notes
• Side Panel Extension	• Recessed laminate toe kick specified separately, clips included.
• Case Finish	• Parametrically in 1” increments for width.
• Front Finish	• Available in TFL, HPL, and MHPL (water resistant substrate).
• Handle Pull	• Top/bottom shelves and coat rod.
• Handle Finish	• Four pull styles and no pull style option.
• Hinge Type	• Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
	• Face edge bands are finished with 2mm edge banding on cabinet face and 1mm matching edge banding on case.
	• ¾” extended side panel back construction (both, left, right and none).
	• Standard 110 degree or full extension 170 degree opening angle hinges.
	• All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Tall Storage Wardrobe with Double Doors, 78” High

78” HIGH WARDROBE CABINETS WITH DOUBLE DOORS

Actual H	W	D	Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
78	25	24	M-TWN782524	3,702	+425	+180	+625	+255
78	26	24	M-TWN782624	3,757	+425	+180	+625	+255
78	27	24	M-TWN782724	3,802	+425	+180	+625	+255
78	28	24	M-TWN782824	3,849	+475	+205	+675	+280
78	29	24	M-TWN782924	3,894	+475	+205	+675	+280
78	30	24	M-TWN783024	4,027	+475	+205	+675	+280
78	31	24	M-TWN783124	4,072	+475	+205	+675	+280
78	32	24	M-TWN783224	4,198	+475	+205	+675	+280
78	33	24	M-TWN783324	4,244	+475	+205	+675	+280
78	34	24	M-TWN783424	4,290	+475	+205	+675	+280
78	35	24	M-TWN783524	4,336	+475	+205	+675	+280
78	36	24	M-TWN783624	4,382	+475	+205	+675	+280



Specify

- Side Panel Extension
- Case Finish
- Front Finish
- Handle Pull
- Handle Finish
- Hinge Type

Notes


- Recessed laminate toe kick specified separately, clips included.
- Parametrically in 1” increments for width.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- Top/bottom shelves and coat rod.
- Four pull styles and no pull style option.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Face edge bands are finished with 2mm edge banding on cabinet face and 1mm matching edge banding on case.
- ¾” extended side panel back construction (both, left, right and none).
- Standard 110 degree or full extension 170 degree opening angle hinges.
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.

© 2026, AIS, Inc.

Tall Storage Wardrobe with Double Doors, 84” High

84” HIGH WARDROBE CABINETS WITH DOUBLE DOORS

Actual H	W	D	Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
84	25	24	M-TWN842524	3,822	+425	+180	+625	+255
84	26	24	M-TWN842624	3,879	+425	+180	+625	+255
84	27	24	M-TWN842724	3,927	+425	+180	+625	+255
84	28	24	M-TWN842824	3,975	+475	+205	+675	+280
84	29	24	M-TWN842924	4,023	+475	+205	+675	+280
84	30	24	M-TWN843024	4,157	+475	+205	+675	+280
84	31	24	M-TWN843124	4,206	+475	+205	+675	+280
84	32	24	M-TWN843224	4,333	+475	+205	+675	+280
84	33	24	M-TWN843324	4,382	+475	+205	+675	+280
84	34	24	M-TWN843424	4,431	+475	+205	+675	+280
84	35	24	M-TWN843524	4,478	+475	+205	+675	+280
84	36	24	M-TWN843624	4,527	+475	+205	+675	+280




Specify	Notes
• Side Panel Extension	• Recessed laminate toe kick specified separately, clips included.
• Case Finish	• Parametrically in 1” increments for width.
• Front Finish	• Available in TFL, HPL, and MHPL (water resistant substrate).
• Handle Pull	• Top/bottom shelves and coat rod.
• Handle Finish	• Four pull styles and no pull style option.
• Hinge Type	• Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
	• Face edge bands are finished with 2mm edge banding on cabinet face and 1mm matching edge banding on case.
	• ¾” extended side panel back construction (both, left, right and none).
	• Standard 110 degree or full extension 170 degree opening angle hinges.
	• All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Tall Storage Wardrobe with Double Doors, 90” High

90” HIGH WARDROBE CABINETS WITH DOUBLE DOORS

Actual H	W	D	Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
90	25	24	M-TWN902524	3,953	+425	+180	+625	+255
90	26	24	M-TWN902624	4,013	+425	+180	+625	+255
90	27	24	M-TWN902724	4,062	+425	+180	+625	+255
90	28	24	M-TWN902824	4,113	+475	+205	+675	+280
90	29	24	M-TWN902924	4,164	+475	+205	+675	+280
90	30	24	M-TWN903024	4,301	+475	+205	+675	+280
90	31	24	M-TWN903124	4,351	+475	+205	+675	+280
90	32	24	M-TWN903224	4,481	+475	+205	+675	+280
90	33	24	M-TWN903324	4,532	+475	+205	+675	+280
90	34	24	M-TWN903424	4,582	+475	+205	+675	+280
90	35	24	M-TWN903524	4,633	+475	+205	+675	+280
90	36	24	M-TWN903624	4,683	+475	+205	+675	+280



Specify


- Side Panel Extension
- Case Finish
- Front Finish
- Handle Pull
- Handle Finish
- Hinge Type

Notes

- Recessed laminate toe kick specified separately, clips included.
- Parametrically in 1” increments for width.
- Available in TFL, HPL, and MHPL (water resistant substrate).
- Top/bottom shelves and coat rod.
- Four pull styles and no pull style option.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Face edge bands are finished with 2mm edge banding on cabinet face and 1mm matching edge banding on case.
- ¾” extended side panel back construction (both, left, right and none).
- Standard 110 degree or full extension 170 degree opening angle hinges.
- All Caseworks cabinetry is required to be anchored to a wall or floor. Installation hardware is not included with cabinets.

© 2026, AIS, Inc.

Countertops and Backsplashes




Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Countertop and Backsplash Logic

Example shown below is a 36”W x 24”D Laminate Countertop. Guide shown below can be used as a reference, however always refer to the price list pages for product numbers rather than attempting to construct them.




© 2026, AIS, Inc.

Laminate Countertops, 24” Deep

24” DEEP LAMINATE COUNTERTOPS					
W	D	Model Number	List	HPL	MHPL
12	24	M-ACL2412	261	+125	+250
13	24	M-ACL2413	266	+125	+250
14	24	M-ACL2414	270	+125	+250
15	24	M-ACL2415	275	+125	+250
16	24	M-ACL2416	280	+125	+250
17	24	M-ACL2417	285	+125	+250
18	24	M-ACL2418	290	+125	+250
19	24	M-ACL2419	294	+125	+250
20	24	M-ACL2420	300	+125	+250
21	24	M-ACL2421	304	+125	+250
22	24	M-ACL2422	308	+125	+250
23	24	M-ACL2423	314	+125	+250
24	24	M-ACL2424	318	+125	+250
25	24	M-ACL2425	330	+125	+250
26	24	M-ACL2426	334	+125	+250
27	24	M-ACL2427	340	+125	+250
28	24	M-ACL2428	344	+125	+250
29	24	M-ACL2429	349	+125	+250
30	24	M-ACL2430	369	+125	+250
31	24	M-ACL2431	374	+125	+250
32	24	M-ACL2432	378	+125	+250
33	24	M-ACL2433	384	+125	+250
34	24	M-ACL2434	389	+125	+250
35	24	M-ACL2435	394	+125	+250
36	24	M-ACL2436	399	+125	+250
37	24	M-ACL2437	404	+125	+250
38	24	M-ACL2438	409	+125	+250
39	24	M-ACL2439	414	+125	+250

24” DEEP LAMINATE COUNTERTOPS					
W	D	Model Number	List	HPL	MHPL
40	24	M-ACL2440	420	+175	+300
41	24	M-ACL2441	425	+175	+300
42	24	M-ACL2442	438	+175	+300
43	24	M-ACL2443	443	+175	+300
44	24	M-ACL2444	449	+175	+300
45	24	M-ACL2445	453	+175	+300
46	24	M-ACL2446	458	+175	+300
47	24	M-ACL2447	464	+175	+300
48	24	M-ACL2448	469	+175	+300
49	24	M-ACL2449	475	+175	+300
50	24	M-ACL2450	479	+175	+300
51	24	M-ACL2451	484	+175	+300
52	24	M-ACL2452	490	+175	+300
53	24	M-ACL2453	495	+175	+300
54	24	M-ACL2454	519	+175	+300
55	24	M-ACL2455	524	+175	+300
56	24	M-ACL2456	530	+175	+300
57	24	M-ACL2457	535	+175	+300
58	24	M-ACL2458	540	+175	+300
59	24	M-ACL2459	546	+175	+300
60	24	M-ACL2460	562	+175	+300
61	24	M-ACL2461	567	+175	+300
62	24	M-ACL2462	573	+175	+300
63	24	M-ACL2463	578	+175	+300
64	24	M-ACL2464	584	+175	+300
65	24	M-ACL2465	589	+175	+300
66	24	M-ACL2466	638	+175	+300
67	24	M-ACL2467	644	+175	+300



Specify

- Laminate Finish

Notes

- Available in TFL, HPL, and MHPL (water resistant substrate).
- Laminate Countertops are 1 1/8” thick.
- Can be cut down to fractional widths on site if needed.
- 24”D not recommended for areas with liquids or plumbing.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Laminate Countertops, 24” Deep

24” DEEP LAMINATE COUNTERTOPS

W	D	Model Number	List	HPL	MHPL
68	24	M-ACL2468	650	+175	+300
69	24	M-ACL2469	655	+225	+350
70	24	M-ACL2470	661	+225	+350
71	24	M-ACL2471	667	+225	+350
72	24	M-ACL2472	696	+225	+350
73	24	M-ACL2473	702	+225	+350
74	24	M-ACL2474	708	+225	+350
75	24	M-ACL2475	714	+225	+350
76	24	M-ACL2476	720	+225	+350
77	24	M-ACL2477	726	+225	+350
78	24	M-ACL2478	745	+225	+350
79	24	M-ACL2479	750	+225	+350
80	24	M-ACL2480	756	+225	+350
81	24	M-ACL2481	763	+225	+350
82	24	M-ACL2482	769	+225	+350

24” DEEP LAMINATE COUNTERTOPS

W	D	Model Number	List	HPL	MHPL
83	24	M-ACL2483	775	+225	+350
84	24	M-ACL2484	794	+225	+350
85	24	M-ACL2485	801	+225	+350
86	24	M-ACL2486	806	+225	+350
87	24	M-ACL2487	813	+225	+350
88	24	M-ACL2488	819	+225	+350
89	24	M-ACL2489	826	+225	+350
90	24	M-ACL2490	845	+225	+350
91	24	M-ACL2491	852	+225	+350
92	24	M-ACL2492	858	+225	+350
93	24	M-ACL2493	863	+225	+350
94	24	M-ACL2494	870	+225	+350
95	24	M-ACL2495	876	+225	+350
96	24	M-ACL2496	938	+225	+350



Specify

- Laminate Finish

Notes


- Available in TFL, HPL, and MHPL (water resistant substrate).
- Laminate Countertops are 1 1/8” thick.
- Can be cut down to fractional widths on site if needed.
- 24”D not recommended for areas with liquids or plumbing.

© 2026, AIS, Inc.

Laminate Countertops, 25” Deep

25” DEEP LAMINATE COUNTERTOPS					
W	D	Model Number	List	HPL	MHPL
12	25	M-ACL2512	264	+125	+250
13	25	M-ACL2513	268	+125	+250
14	25	M-ACL2514	274	+125	+250
15	25	M-ACL2515	278	+125	+250
16	25	M-ACL2516	283	+125	+250
17	25	M-ACL2517	289	+125	+250
18	25	M-ACL2518	293	+125	+250
19	25	M-ACL2519	299	+125	+250
20	25	M-ACL2520	303	+125	+250
21	25	M-ACL2521	308	+125	+250
22	25	M-ACL2522	314	+125	+250
23	25	M-ACL2523	318	+125	+250
24	25	M-ACL2524	323	+125	+250
25	25	M-ACL2525	335	+125	+250
26	25	M-ACL2526	340	+125	+250
27	25	M-ACL2527	345	+125	+250
28	25	M-ACL2528	350	+125	+250
29	25	M-ACL2529	355	+125	+250
30	25	M-ACL2530	375	+125	+250
31	25	M-ACL2531	381	+125	+250
32	25	M-ACL2532	385	+125	+250
33	25	M-ACL2533	390	+125	+250
34	25	M-ACL2534	396	+125	+250
35	25	M-ACL2535	401	+125	+250
36	25	M-ACL2536	407	+125	+250
37	25	M-ACL2537	412	+125	+250
38	25	M-ACL2538	417	+125	+250
39	25	M-ACL2539	423	+125	+250

25” DEEP LAMINATE COUNTERTOPS					
W	D	Model Number	List	HPL	MHPL
40	25	M-ACL2540	427	+175	+300
41	25	M-ACL2541	432	+175	+300
42	25	M-ACL2542	447	+175	+300
43	25	M-ACL2543	452	+175	+300
44	25	M-ACL2544	457	+175	+300
45	25	M-ACL2545	463	+175	+300
46	25	M-ACL2546	468	+175	+300
47	25	M-ACL2547	474	+175	+300
48	25	M-ACL2548	479	+175	+300
49	25	M-ACL2549	484	+175	+300
50	25	M-ACL2550	490	+175	+300
51	25	M-ACL2551	495	+175	+300
52	25	M-ACL2552	501	+175	+300
53	25	M-ACL2553	506	+175	+300
54	25	M-ACL2554	531	+175	+300
55	25	M-ACL2555	536	+175	+300
56	25	M-ACL2556	542	+175	+300
57	25	M-ACL2557	548	+175	+300
58	25	M-ACL2558	553	+175	+300
59	25	M-ACL2559	559	+175	+300
60	25	M-ACL2560	575	+175	+300
61	25	M-ACL2561	580	+175	+300
62	25	M-ACL2562	586	+175	+300
63	25	M-ACL2563	592	+175	+300
64	25	M-ACL2564	598	+175	+300
65	25	M-ACL2565	603	+175	+300
66	25	M-ACL2566	653	+175	+300
67	25	M-ACL2567	659	+175	+300



Specify

- Laminate Finish

Notes

- Available in TFL, HPL, and MHPL (water resistant substrate).
- Laminate Countertops are 1 1/8” thick.
- Can be cut down to fractional widths on site if needed.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Laminate Countertops, 25” Deep

25” DEEP LAMINATE COUNTERTOPS

W	D	Model Number	List	HPL	MHPL
68	25	M-ACL2568	666	+175	+300
69	25	M-ACL2569	671	+225	+350
70	25	M-ACL2570	678	+225	+350
71	25	M-ACL2571	684	+225	+350
72	25	M-ACL2572	713	+225	+350
73	25	M-ACL2573	720	+225	+350
74	25	M-ACL2574	726	+225	+350
75	25	M-ACL2575	732	+225	+350
76	25	M-ACL2576	738	+225	+350
77	25	M-ACL2577	745	+225	+350
78	25	M-ACL2578	763	+225	+350
79	25	M-ACL2579	769	+225	+350
80	25	M-ACL2580	776	+225	+350
81	25	M-ACL2581	782	+225	+350
82	25	M-ACL2582	789	+225	+350

25” DEEP LAMINATE COUNTERTOPS

W	D	Model Number	List	HPL	MHPL
83	25	M-ACL2583	795	+225	+350
84	25	M-ACL2584	815	+225	+350
85	25	M-ACL2585	821	+225	+350
86	25	M-ACL2586	828	+225	+350
87	25	M-ACL2587	834	+225	+350
88	25	M-ACL2588	841	+225	+350
89	25	M-ACL2589	847	+225	+350
90	25	M-ACL2590	868	+225	+350
91	25	M-ACL2591	874	+225	+350
92	25	M-ACL2592	881	+225	+350
93	25	M-ACL2593	887	+225	+350
94	25	M-ACL2594	894	+225	+350
95	25	M-ACL2595	900	+225	+350
96	25	M-ACL2596	964	+225	+350



Specify

- Laminate Finish

Notes


- Available in TFL, HPL, and MHPL (water resistant substrate).
- Laminate Countertops are 1 1/8” thick.
- Can be cut down to fractional widths on site if needed.

© 2026, AIS, Inc.

Laminate Countertops, 30” Deep

30” DEEP LAMINATE COUNTERTOPS					
W	D	Model Number	List	HPL	MHPL
12	30	M-ACL3012	310	+125	+250
13	30	M-ACL3013	317	+125	+250
14	30	M-ACL3014	324	+125	+250
15	30	M-ACL3015	331	+125	+250
16	30	M-ACL3016	337	+125	+250
17	30	M-ACL3017	344	+125	+250
18	30	M-ACL3018	350	+125	+250
19	30	M-ACL3019	357	+125	+250
20	30	M-ACL3020	363	+125	+250
21	30	M-ACL3021	370	+125	+250
22	30	M-ACL3022	377	+125	+250
23	30	M-ACL3023	384	+125	+250
24	30	M-ACL3024	390	+125	+250
25	30	M-ACL3025	397	+125	+250
26	30	M-ACL3026	403	+125	+250
27	30	M-ACL3027	410	+125	+250
28	30	M-ACL3028	416	+125	+250
29	30	M-ACL3029	424	+125	+250
30	30	M-ACL3030	430	+125	+250
31	30	M-ACL3031	437	+125	+250
32	30	M-ACL3032	443	+125	+250
33	30	M-ACL3033	450	+125	+250
34	30	M-ACL3034	456	+125	+250
35	30	M-ACL3035	463	+125	+250
36	30	M-ACL3036	469	+125	+250
37	30	M-ACL3037	477	+125	+250
38	30	M-ACL3038	483	+125	+250
39	30	M-ACL3039	490	+125	+250

30” DEEP LAMINATE COUNTERTOPS					
W	D	Model Number	List	HPL	MHPL
40	30	M-ACL3040	496	+175	+300
41	30	M-ACL3041	503	+175	+300
42	30	M-ACL3042	509	+175	+300
43	30	M-ACL3043	516	+175	+300
44	30	M-ACL3044	522	+175	+300
45	30	M-ACL3045	530	+175	+300
46	30	M-ACL3046	536	+175	+300
47	30	M-ACL3047	543	+175	+300
48	30	M-ACL3048	549	+175	+300
49	30	M-ACL3049	556	+175	+300
50	30	M-ACL3050	562	+175	+300
51	30	M-ACL3051	569	+175	+300
52	30	M-ACL3052	576	+175	+300
53	30	M-ACL3053	583	+175	+300
54	30	M-ACL3054	589	+175	+300
55	30	M-ACL3055	596	+175	+300
56	30	M-ACL3056	602	+175	+300
57	30	M-ACL3057	609	+175	+300
58	30	M-ACL3058	615	+175	+300
59	30	M-ACL3059	621	+175	+300
60	30	M-ACL3060	629	+175	+300
61	30	M-ACL3061	636	+175	+300
62	30	M-ACL3062	642	+175	+300
63	30	M-ACL3063	648	+175	+300
64	30	M-ACL3064	655	+175	+300
65	30	M-ACL3065	661	+175	+300
66	30	M-ACL3066	668	+175	+300
67	30	M-ACL3067	674	+175	+300



Specify

- Laminate Finish

Notes

- Available in TFL, HPL, and MHPL (water resistant substrate).
- Laminate Countertops are 1 1/8” thick.
- Can be cut down to fractional widths on site if needed.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Laminate Countertops, 30” Deep

30” DEEP LAMINATE COUNTERTOPS

W	D	Model Number	List	HPL	MHPL
68	30	M-ACL3068	682	+175	+300
69	30	M-ACL3069	688	+225	+350
70	30	M-ACL3070	695	+225	+350
71	30	M-ACL3071	701	+225	+350
72	30	M-ACL3072	708	+225	+350
73	30	M-ACL3073	714	+225	+350
74	30	M-ACL3074	721	+225	+350
75	30	M-ACL3075	727	+225	+350
76	30	M-ACL3076	735	+225	+350
77	30	M-ACL3077	741	+225	+350
78	30	M-ACL3078	748	+225	+350
79	30	M-ACL3079	754	+225	+350
80	30	M-ACL3080	761	+225	+350
81	30	M-ACL3081	767	+225	+350
82	30	M-ACL3082	774	+225	+350

30” DEEP LAMINATE COUNTERTOPS

W	D	Model Number	List	HPL	MHPL
83	30	M-ACL3083	781	+225	+350
84	30	M-ACL3084	788	+225	+350
85	30	M-ACL3085	794	+225	+350
86	30	M-ACL3086	801	+225	+350
87	30	M-ACL3087	807	+225	+350
88	30	M-ACL3088	814	+225	+350
89	30	M-ACL3089	820	+225	+350
90	30	M-ACL3090	827	+225	+350
91	30	M-ACL3091	834	+225	+350
92	30	M-ACL3092	841	+225	+350
93	30	M-ACL3093	847	+225	+350
94	30	M-ACL3094	854	+225	+350
95	30	M-ACL3095	860	+225	+350
96	30	M-ACL3096	867	+225	+350



Specify

- Laminate Finish

Notes


- Available in TFL, HPL, and MHPL (water resistant substrate).
- Laminate Countertops are 1 1/8” thick.
- Can be cut down to fractional widths on site if needed.

© 2026, AIS, Inc.

Laminate Backsplashes

LAMINATE BACKSPLASHES					
W	D	Model Number	List	HPL	MHPL
12	3/4	M-ABL0412	292	+120	+195
13	3/4	M-ABL0413	293	+120	+195
14	3/4	M-ABL0414	293	+120	+195
15	3/4	M-ABL0415	294	+120	+195
16	3/4	M-ABL0416	295	+120	+195
17	3/4	M-ABL0417	296	+120	+195
18	3/4	M-ABL0418	296	+120	+195
19	3/4	M-ABL0419	297	+120	+195
20	3/4	M-ABL0420	299	+120	+195
21	3/4	M-ABL0421	300	+120	+195
22	3/4	M-ABL0422	301	+120	+195
23	3/4	M-ABL0423	301	+120	+195
24	3/4	M-ABL0424	302	+120	+195
25	3/4	M-ABL0425	303	+120	+195
26	3/4	M-ABL0426	304	+120	+195
27	3/4	M-ABL0427	304	+120	+195
28	3/4	M-ABL0428	305	+120	+195
29	3/4	M-ABL0429	306	+120	+195
30	3/4	M-ABL0430	307	+120	+195
31	3/4	M-ABL0431	307	+120	+195
32	3/4	M-ABL0432	308	+120	+195
33	3/4	M-ABL0433	309	+120	+195
34	3/4	M-ABL0434	310	+120	+195
35	3/4	M-ABL0435	310	+120	+195
36	3/4	M-ABL0436	312	+120	+195
37	3/4	M-ABL0437	313	+120	+195
38	3/4	M-ABL0438	314	+120	+195
39	3/4	M-ABL0439	315	+120	+195

LAMINATE BACKSPLASHES					
W	D	Model Number	List	HPL	MHPL
40	3/4	M-ABL0440	315	+120	+195
41	3/4	M-ABL0441	316	+120	+195
42	3/4	M-ABL0442	317	+120	+195
43	3/4	M-ABL0443	318	+180	+255
44	3/4	M-ABL0444	318	+180	+255
45	3/4	M-ABL0445	319	+180	+255
46	3/4	M-ABL0446	320	+180	+255
47	3/4	M-ABL0447	321	+180	+255
48	3/4	M-ABL0448	321	+180	+255
49	3/4	M-ABL0449	322	+180	+255
50	3/4	M-ABL0450	323	+180	+255
51	3/4	M-ABL0451	324	+180	+255
52	3/4	M-ABL0452	324	+180	+255
53	3/4	M-ABL0453	326	+180	+255
54	3/4	M-ABL0454	327	+180	+255
55	3/4	M-ABL0455	328	+180	+255
56	3/4	M-ABL0456	329	+180	+255
57	3/4	M-ABL0457	329	+180	+255
58	3/4	M-ABL0458	330	+180	+255
59	3/4	M-ABL0459	331	+180	+255
60	3/4	M-ABL0460	332	+180	+255
61	3/4	M-ABL0461	332	+180	+255
62	3/4	M-ABL0462	333	+180	+255
63	3/4	M-ABL0463	334	+180	+255
64	3/4	M-ABL0464	335	+180	+255
65	3/4	M-ABL0465	335	+180	+255
66	3/4	M-ABL0466	336	+180	+255
67	3/4	M-ABL0467	337	+180	+255



Specify

- Laminate Finish

Notes

- Available in TFL, HPL, and MHPL (water resistant substrate).
- Can be cut down to fractional widths on site if needed.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Laminate Backsplashes

LAMINATE BACKSPLASHES					
W	D	Model Number	List	HPL	MHPL
68	3/4	M-ABL0468	339	+180	+255
69	3/4	M-ABL0469	339	+180	+255
70	3/4	M-ABL0470	340	+180	+255
71	3/4	M-ABL0471	341	+180	+255
72	3/4	M-ABL0472	342	+180	+255
73	3/4	M-ABL0473	342	+180	+255
74	3/4	M-ABL0474	343	+180	+255
75	3/4	M-ABL0475	344	+180	+255
76	3/4	M-ABL0476	345	+180	+255
77	3/4	M-ABL0477	346	+180	+255
78	3/4	M-ABL0478	346	+180	+255
79	3/4	M-ABL0479	347	+180	+255
80	3/4	M-ABL0480	348	+180	+255
81	3/4	M-ABL0481	349	+180	+255
82	3/4	M-ABL0482	349	+180	+255

LAMINATE BACKSPLASHES					
W	D	Model Number	List	HPL	MHPL
83	3/4	M-ABL0483	350	+180	+255
84	3/4	M-ABL0484	351	+180	+255
85	3/4	M-ABL0485	353	+180	+255
86	3/4	M-ABL0486	353	+180	+255
87	3/4	M-ABL0487	354	+180	+255
88	3/4	M-ABL0488	355	+180	+255
89	3/4	M-ABL0489	356	+180	+255
90	3/4	M-ABL0490	356	+180	+255
91	3/4	M-ABL0491	357	+180	+255
92	3/4	M-ABL0492	358	+180	+255
93	3/4	M-ABL0493	359	+180	+255
94	3/4	M-ABL0494	360	+180	+255
95	3/4	M-ABL0495	360	+180	+255
96	3/4	M-ABL0496	361	+180	+255



Specify	Notes
• Laminate Finish	• Available in TFL, HPL, and MHPL (water resistant substrate). • Can be cut down to fractional widths on site if needed.

© 2026, AIS, Inc.


Solid Surface Countertops, 24" Deep

24" DEEP SOLID SURFACE COUNTERTOPS

W	D	Model Number	List	Grade B	Grade C	Grade D
12	24	M-ACS2412	3,370	+250	+500	+750
13	24	M-ACS2413	3,504	+250	+500	+750
14	24	M-ACS2414	3,637	+250	+500	+750
15	24	M-ACS2415	3,777	+250	+500	+750
16	24	M-ACS2416	3,911	+250	+500	+750
17	24	M-ACS2417	4,044	+250	+500	+750
18	24	M-ACS2418	4,178	+250	+500	+750
19	24	M-ACS2419	4,311	+250	+500	+750
20	24	M-ACS2420	4,445	+250	+500	+750
21	24	M-ACS2421	4,585	+250	+500	+750
22	24	M-ACS2422	4,718	+250	+500	+750
23	24	M-ACS2423	4,852	+250	+500	+750
24	24	M-ACS2424	4,985	+250	+500	+750
25	24	M-ACS2425	5,119	+250	+500	+750
26	24	M-ACS2426	5,251	+250	+500	+750
27	24	M-ACS2427	5,392	+250	+500	+750
28	24	M-ACS2428	5,526	+250	+500	+750
29	24	M-ACS2429	5,659	+250	+500	+750
30	24	M-ACS2430	5,793	+250	+500	+750
31	24	M-ACS2431	5,925	+250	+500	+750
32	24	M-ACS2432	6,059	+250	+500	+750
33	24	M-ACS2433	6,200	+250	+500	+750
34	24	M-ACS2434	6,333	+250	+500	+750
35	24	M-ACS2435	6,466	+250	+500	+750
36	24	M-ACS2436	6,599	+250	+500	+750
37	24	M-ACS2437	6,733	+250	+500	+750
38	24	M-ACS2438	6,866	+250	+500	+750
39	24	M-ACS2439	7,006	+250	+500	+750

24" DEEP SOLID SURFACE COUNTERTOPS

W	D	Model Number	List	Grade B	Grade C	Grade D
40	24	M-ACS2440	7,140	+500	+750	+1,000
41	24	M-ACS2441	7,273	+500	+750	+1,000
42	24	M-ACS2442	7,407	+500	+750	+1,000
43	24	M-ACS2443	7,716	+500	+750	+1,000
44	24	M-ACS2444	7,849	+500	+750	+1,000
45	24	M-ACS2445	7,989	+500	+750	+1,000
46	24	M-ACS2446	8,123	+500	+750	+1,000
47	24	M-ACS2447	8,256	+500	+750	+1,000
48	24	M-ACS2448	8,390	+500	+750	+1,000
49	24	M-ACS2449	8,523	+500	+750	+1,000
50	24	M-ACS2450	8,657	+500	+750	+1,000
51	24	M-ACS2451	8,797	+500	+750	+1,000
52	24	M-ACS2452	8,930	+500	+750	+1,000
53	24	M-ACS2453	9,064	+500	+750	+1,000
54	24	M-ACS2454	9,197	+500	+750	+1,000
55	24	M-ACS2455	9,331	+500	+750	+1,000
56	24	M-ACS2456	9,463	+500	+750	+1,000
57	24	M-ACS2457	9,604	+500	+750	+1,000
58	24	M-ACS2458	9,738	+500	+750	+1,000
59	24	M-ACS2459	9,871	+500	+750	+1,000
60	24	M-ACS2460	10,005	+500	+750	+1,000
61	24	M-ACS2461	10,137	+500	+750	+1,000
62	24	M-ACS2462	10,271	+500	+750	+1,000
63	24	M-ACS2463	10,412	+500	+750	+1,000
64	24	M-ACS2464	10,545	+500	+750	+1,000
65	24	M-ACS2465	10,678	+500	+750	+1,000
66	24	M-ACS2466	10,811	+500	+750	+1,000
67	24	M-ACS2467	10,945	+500	+750	+1,000



Specify

- Corian® Grade and Finish

Notes

- Directional Corian finishes will run horizontally.
- Corian Countertops are 1" thick.
- **CAD file required at the time of order entry. Provide any cutout dimensions and locations.**
- Two-piece installation must be coordinated with a trained Corian installer. One 250ml tube of Corian joint adhesive included.
- For care & maintenance, please see Care & Maintenance Guidelines.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Solid Surface Countertops, 24” Deep

24” DEEP SOLID SURFACE COUNTERTOPS

W	D	Model Number	List	Grade B	Grade C	Grade D
68	24	M-ACS2468	11,078	+500	+750	+1,000
69	24	M-ACS2469	11,218	+1,000	+1,500	+2,000
70	24	M-ACS2470	11,352	+1,000	+1,500	+2,000
71	24	M-ACS2471	11,485	+1,000	+1,500	+2,000
72	24	M-ACS2472	11,619	+1,000	+1,500	+2,000
73	24	M-ACS2473	13,507	+1,000	+1,500	+2,000
74	24	M-ACS2474	13,641	+1,000	+1,500	+2,000
75	24	M-ACS2475	13,781	+1,000	+1,500	+2,000
76	24	M-ACS2476	13,914	+1,000	+1,500	+2,000
77	24	M-ACS2477	14,048	+1,000	+1,500	+2,000
78	24	M-ACS2478	14,181	+1,000	+1,500	+2,000
79	24	M-ACS2479	14,315	+1,000	+1,500	+2,000
80	24	M-ACS2480	14,448	+1,000	+1,500	+2,000
81	24	M-ACS2481	15,767	+1,000	+1,500	+2,000
82	24	M-ACS2482	15,831	+1,000	+1,500	+2,000

24” DEEP SOLID SURFACE COUNTERTOPS

W	D	Model Number	List	Grade B	Grade C	Grade D
83	24	M-ACS2483	15,901	+1,000	+1,500	+2,000
84	24	M-ACS2484	15,972	+1,000	+1,500	+2,000
85	24	M-ACS2485	16,042	+1,000	+1,500	+2,000
86	24	M-ACS2486	16,112	+1,000	+1,500	+2,000
87	24	M-ACS2487	16,182	+1,000	+1,500	+2,000
88	24	M-ACS2488	16,146	+1,000	+1,500	+2,000
89	24	M-ACS2489	16,287	+1,000	+1,500	+2,000
90	24	M-ACS2490	16,323	+1,000	+1,500	+2,000
91	24	M-ACS2491	16,371	+1,000	+1,500	+2,000
92	24	M-ACS2492	16,407	+1,000	+1,500	+2,000
93	24	M-ACS2493	16,469	+1,000	+1,500	+2,000
94	24	M-ACS2494	16,519	+1,000	+1,500	+2,000
95	24	M-ACS2495	16,554	+1,000	+1,500	+2,000
96	24	M-ACS2496	16,603	+1,000	+1,500	+2,000



Specify

- Corian Grade and Finish

Notes


- Directional Corian finishes will run horizontally.
- Corian Countertops are 1” thick.
- **CAD file required at the time of order entry. Provide any cutout dimensions and locations.**
- Two-piece installation must be coordinated with a trained Corian installer. One 250ml tube of Corian joint adhesive included.
- For care & maintenance, please see Care & Maintenance Guidelines.

© 2026, AIS, Inc.

Solid Surface Countertops, 25” Deep

25” DEEP SOLID SURFACE COUNTERTOPS						
W	D	Model Number	List	Grade B	Grade C	Grade D
12	25	M-ACS2512	3,370	+250	+500	+750
13	25	M-ACS2513	3,504	+250	+500	+750
14	25	M-ACS2514	3,637	+250	+500	+750
15	25	M-ACS2515	3,777	+250	+500	+750
16	25	M-ACS2516	3,911	+250	+500	+750
17	25	M-ACS2517	4,044	+250	+500	+750
18	25	M-ACS2518	4,178	+250	+500	+750
19	25	M-ACS2519	4,311	+250	+500	+750
20	25	M-ACS2520	4,445	+250	+500	+750
21	25	M-ACS2521	4,585	+250	+500	+750
22	25	M-ACS2522	4,718	+250	+500	+750
23	25	M-ACS2523	4,852	+250	+500	+750
24	25	M-ACS2524	4,985	+250	+500	+750
25	25	M-ACS2525	5,119	+250	+500	+750
26	25	M-ACS2526	5,251	+250	+500	+750
27	25	M-ACS2527	5,392	+250	+500	+750
28	25	M-ACS2528	5,526	+250	+500	+750
29	25	M-ACS2529	5,659	+250	+500	+750
30	25	M-ACS2530	5,793	+250	+500	+750
31	25	M-ACS2531	5,925	+250	+500	+750
32	25	M-ACS2532	6,059	+250	+500	+750
33	25	M-ACS2533	6,200	+250	+500	+750
34	25	M-ACS2534	6,333	+250	+500	+750
35	25	M-ACS2535	6,466	+250	+500	+750
36	25	M-ACS2536	6,599	+250	+500	+750
37	25	M-ACS2537	6,733	+250	+500	+750
38	25	M-ACS2538	6,866	+250	+500	+750
39	25	M-ACS2539	7,006	+250	+500	+750

25” DEEP SOLID SURFACE COUNTERTOPS						
W	D	Model Number	List	Grade B	Grade C	Grade D
40	25	M-ACS2540	7,140	+500	+750	+1,000
41	25	M-ACS2541	7,273	+500	+750	+1,000
42	25	M-ACS2542	7,407	+500	+750	+1,000
43	25	M-ACS2543	7,716	+500	+750	+1,000
44	25	M-ACS2544	7,849	+500	+750	+1,000
45	25	M-ACS2545	7,989	+500	+750	+1,000
46	25	M-ACS2546	8,123	+500	+750	+1,000
47	25	M-ACS2547	8,256	+500	+750	+1,000
48	25	M-ACS2548	8,390	+500	+750	+1,000
49	25	M-ACS2549	8,523	+500	+750	+1,000
50	25	M-ACS2550	8,657	+500	+750	+1,000
51	25	M-ACS2551	8,797	+500	+750	+1,000
52	25	M-ACS2552	8,930	+500	+750	+1,000
53	25	M-ACS2553	9,064	+500	+750	+1,000
54	25	M-ACS2554	9,197	+500	+750	+1,000
55	25	M-ACS2555	9,331	+500	+750	+1,000
56	25	M-ACS2556	9,463	+500	+750	+1,000
57	25	M-ACS2557	9,604	+500	+750	+1,000
58	25	M-ACS2558	9,738	+500	+750	+1,000
59	25	M-ACS2559	9,871	+500	+750	+1,000
60	25	M-ACS2560	10,005	+500	+750	+1,000
61	25	M-ACS2561	10,137	+500	+750	+1,000
62	25	M-ACS2562	10,271	+500	+750	+1,000
63	25	M-ACS2563	10,412	+500	+750	+1,000
64	25	M-ACS2564	10,545	+500	+750	+1,000
65	25	M-ACS2565	10,678	+500	+750	+1,000
66	25	M-ACS2566	10,811	+500	+750	+1,000
67	25	M-ACS2567	10,945	+500	+750	+1,000



Specify

- Corian Grade and Finish

Notes

- Directional Corian finishes will run horizontally.
- Corian Countertops are 1” thick.
- **CAD file required at the time of order entry. Provide any cutout dimensions and locations.**
- Two-piece installation must be coordinated with a trained Corian installer. One 250ml tube of Corian joint adhesive included.
- For care & maintenance, please see Care & Maintenance Guidelines.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Solid Surface Countertops, 25” Deep

25” DEEP SOLID SURFACE COUNTERTOPS

W	D	Model Number	List	Grade B	Grade C	Grade D
68	25	M-ACS2568	11,078	+500	+750	+1,000
69	25	M-ACS2569	11,218	+1,000	+1,500	+2,000
70	25	M-ACS2570	11,352	+1,000	+1,500	+2,000
71	25	M-ACS2571	11,485	+1,000	+1,500	+2,000
72	25	M-ACS2572	11,619	+1,000	+1,500	+2,000
73	25	M-ACS2573	13,507	+1,000	+1,500	+2,000
74	25	M-ACS2574	13,641	+1,000	+1,500	+2,000
75	25	M-ACS2575	13,781	+1,000	+1,500	+2,000
76	25	M-ACS2576	13,914	+1,000	+1,500	+2,000
77	25	M-ACS2577	14,048	+1,000	+1,500	+2,000
78	25	M-ACS2578	14,181	+1,000	+1,500	+2,000
79	25	M-ACS2579	14,315	+1,000	+1,500	+2,000
80	25	M-ACS2580	14,448	+1,000	+1,500	+2,000
81	25	M-ACS2581	15,767	+1,000	+1,500	+2,000
82	25	M-ACS2582	15,831	+1,000	+1,500	+2,000

25” DEEP SOLID SURFACE COUNTERTOPS

W	D	Model Number	List	Grade B	Grade C	Grade D
83	25	M-ACS2583	15,901	+1,000	+1,500	+2,000
84	25	M-ACS2584	15,972	+1,000	+1,500	+2,000
85	25	M-ACS2585	16,042	+1,000	+1,500	+2,000
86	25	M-ACS2586	16,112	+1,000	+1,500	+2,000
87	25	M-ACS2587	16,182	+1,000	+1,500	+2,000
88	25	M-ACS2588	16,146	+1,000	+1,500	+2,000
89	25	M-ACS2589	16,287	+1,000	+1,500	+2,000
90	25	M-ACS2590	16,323	+1,000	+1,500	+2,000
91	25	M-ACS2591	16,371	+1,000	+1,500	+2,000
92	25	M-ACS2592	16,407	+1,000	+1,500	+2,000
93	25	M-ACS2593	16,469	+1,000	+1,500	+2,000
94	25	M-ACS2594	16,519	+1,000	+1,500	+2,000
95	25	M-ACS2595	16,554	+1,000	+1,500	+2,000
96	25	M-ACS2596	16,603	+1,000	+1,500	+2,000



Specify

- Corian Grade and Finish

Notes

- Directional Corian finishes will run horizontally.
- Corian Countertops are 1” thick.
- **CAD file required at the time of order entry. Provide any cutout dimensions and locations.**
- Two-piece installation must be coordinated with a trained Corian installer. One 250ml tube of Corian joint adhesive included.
- For care & maintenance, please see Care & Maintenance Guidelines.

© 2026, AIS, Inc.


Solid Surface Countertops, 30” Deep

30” DEEP SOLID SURFACE COUNTERTOPS

W	D	Model Number	List	Grade B	Grade C	Grade D
12	30	M-ACS3012	3,777	+250	+500	+750
13	30	M-ACS3013	3,946	+250	+500	+750
14	30	M-ACS3014	4,114	+250	+500	+750
15	30	M-ACS3015	4,283	+250	+500	+750
16	30	M-ACS3016	4,451	+250	+500	+750
17	30	M-ACS3017	4,620	+250	+500	+750
18	30	M-ACS3018	4,788	+250	+500	+750
19	30	M-ACS3019	4,957	+250	+500	+750
20	30	M-ACS3020	5,125	+250	+500	+750
21	30	M-ACS3021	5,294	+250	+500	+750
22	30	M-ACS3022	5,462	+250	+500	+750
23	30	M-ACS3023	5,631	+250	+500	+750
24	30	M-ACS3024	5,799	+250	+500	+750
25	30	M-ACS3025	5,967	+250	+500	+750
26	30	M-ACS3026	6,136	+250	+500	+750
27	30	M-ACS3027	6,304	+250	+500	+750
28	30	M-ACS3028	6,473	+250	+500	+750
29	30	M-ACS3029	6,641	+250	+500	+750
30	30	M-ACS3030	6,810	+250	+500	+750
31	30	M-ACS3031	6,978	+250	+500	+750
32	30	M-ACS3032	7,147	+250	+500	+750
33	30	M-ACS3033	7,315	+250	+500	+750
34	30	M-ACS3034	7,484	+250	+500	+750
35	30	M-ACS3035	7,652	+250	+500	+750
36	30	M-ACS3036	7,821	+250	+500	+750
37	30	M-ACS3037	7,989	+250	+500	+750
38	30	M-ACS3038	8,158	+250	+500	+750
39	30	M-ACS3039	8,326	+250	+500	+750

30” DEEP SOLID SURFACE COUNTERTOPS

W	D	Model Number	List	Grade B	Grade C	Grade D
40	30	M-ACS3040	8,495	+500	+750	+1,000
41	30	M-ACS3041	8,663	+500	+750	+1,000
42	30	M-ACS3042	8,832	+500	+750	+1,000
43	30	M-ACS3043	9,176	+500	+750	+1,000
44	30	M-ACS3044	9,345	+500	+750	+1,000
45	30	M-ACS3045	9,513	+500	+750	+1,000
46	30	M-ACS3046	9,682	+500	+750	+1,000
47	30	M-ACS3047	9,850	+500	+750	+1,000
48	30	M-ACS3048	10,019	+500	+750	+1,000
49	30	M-ACS3049	10,187	+500	+750	+1,000
50	30	M-ACS3050	10,356	+500	+750	+1,000
51	30	M-ACS3051	10,524	+500	+750	+1,000
52	30	M-ACS3052	10,692	+500	+750	+1,000
53	30	M-ACS3053	10,861	+500	+750	+1,000
54	30	M-ACS3054	11,029	+500	+750	+1,000
55	30	M-ACS3055	11,198	+500	+750	+1,000
56	30	M-ACS3056	11,366	+500	+750	+1,000
57	30	M-ACS3057	11,535	+500	+750	+1,000
58	30	M-ACS3058	11,703	+500	+750	+1,000
59	30	M-ACS3059	11,872	+500	+750	+1,000
60	30	M-ACS3060	12,040	+500	+750	+1,000
61	30	M-ACS3061	12,209	+500	+750	+1,000
62	30	M-ACS3062	12,377	+500	+750	+1,000
63	30	M-ACS3063	12,546	+500	+750	+1,000
64	30	M-ACS3064	12,714	+500	+750	+1,000
65	30	M-ACS3065	12,883	+500	+750	+1,000
66	30	M-ACS3066	13,051	+500	+750	+1,000
67	30	M-ACS3067	13,220	+500	+750	+1,000



Specify

- Corian Grade and Finish

Notes

- Directional Corian finishes will run horizontally.
- Corian Countertops are 1” thick.
- **CAD file required at the time of order entry. Provide any cutout dimensions and locations.**
- Two-piece installation must be coordinated with a trained Corian installer. One 250ml tube of Corian joint adhesive included.
- For care & maintenance, please see Care & Maintenance Guidelines.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Solid Surface Countertops, 30” Deep

30” DEEP SOLID SURFACE COUNTERTOPS

W	D	Model Number	List	Grade B	Grade C	Grade D
68	30	M-ACS3068	13,388	+500	+750	+1,000
69	30	M-ACS3069	13,557	+1,000	+1,500	+2,000
70	30	M-ACS3070	13,725	+1,000	+1,500	+2,000
71	30	M-ACS3071	13,894	+1,000	+1,500	+2,000
72	30	M-ACS3072	14,062	+1,000	+1,500	+2,000
73	30	M-ACS3073	15,986	+1,000	+1,500	+2,000
74	30	M-ACS3074	16,154	+1,000	+1,500	+2,000
75	30	M-ACS3075	16,323	+1,000	+1,500	+2,000
76	30	M-ACS3076	16,491	+1,000	+1,500	+2,000
77	30	M-ACS3077	16,659	+1,000	+1,500	+2,000
78	30	M-ACS3078	16,828	+1,000	+1,500	+2,000
79	30	M-ACS3079	16,996	+1,000	+1,500	+2,000
80	30	M-ACS3080	17,165	+1,000	+1,500	+2,000
81	30	M-ACS3081	17,333	+1,000	+1,500	+2,000
82	30	M-ACS3082	17,502	+1,000	+1,500	+2,000

30” DEEP SOLID SURFACE COUNTERTOPS

W	D	Model Number	List	Grade B	Grade C	Grade D
83	30	M-ACS3083	17,670	+1,000	+1,500	+2,000
84	30	M-ACS3084	17,839	+1,000	+1,500	+2,000
85	30	M-ACS3085	18,007	+1,000	+1,500	+2,000
86	30	M-ACS3086	18,176	+1,000	+1,500	+2,000
87	30	M-ACS3087	18,344	+1,000	+1,500	+2,000
88	30	M-ACS3088	18,513	+1,000	+1,500	+2,000
89	30	M-ACS3089	18,681	+1,000	+1,500	+2,000
90	30	M-ACS3090	18,850	+1,000	+1,500	+2,000
91	30	M-ACS3091	19,018	+1,000	+1,500	+2,000
92	30	M-ACS3092	19,187	+1,000	+1,500	+2,000
93	30	M-ACS3093	19,355	+1,000	+1,500	+2,000
94	30	M-ACS3094	19,524	+1,000	+1,500	+2,000
95	30	M-ACS3095	19,692	+1,000	+1,500	+2,000
96	30	M-ACS3096	19,861	+1,000	+1,500	+2,000



Specify

- Corian Grade and Finish

Notes


- Directional Corian finishes will run horizontally.
- Corian Countertops are 1” thick.
- **CAD file required at the time of order entry. Provide any cutout dimensions and locations.**
- Two-piece installation must be coordinated with a trained Corian installer. One 250ml tube of Corian joint adhesive included.
- For care & maintenance, please see Care & Maintenance Guidelines.

© 2026, AIS, Inc.

Solid Surface Backsplashes

SOLID SURFACE BACKSPLASHES						
W	D	Model Number	List	Grade B	Grade C	Grade D
12	3/4	M-ABS0412	2,050	+50	+75	+150
13	3/4	M-ABS0413	2,075	+50	+75	+150
14	3/4	M-ABS0414	2,100	+50	+75	+150
15	3/4	M-ABS0415	2,124	+50	+75	+150
16	3/4	M-ABS0416	2,149	+50	+75	+150
17	3/4	M-ABS0417	2,173	+50	+75	+150
18	3/4	M-ABS0418	2,198	+50	+75	+150
19	3/4	M-ABS0419	2,222	+50	+75	+150
20	3/4	M-ABS0420	2,247	+50	+75	+150
21	3/4	M-ABS0421	2,272	+50	+75	+150
22	3/4	M-ABS0422	2,297	+50	+75	+150
23	3/4	M-ABS0423	2,320	+50	+75	+150
24	3/4	M-ABS0424	2,345	+50	+75	+150
25	3/4	M-ABS0425	2,370	+50	+75	+150
26	3/4	M-ABS0426	2,395	+50	+75	+150
27	3/4	M-ABS0427	2,419	+50	+75	+150
28	3/4	M-ABS0428	2,443	+50	+75	+150
29	3/4	M-ABS0429	2,468	+50	+75	+150
30	3/4	M-ABS0430	2,493	+50	+75	+150
31	3/4	M-ABS0431	2,517	+50	+75	+150
32	3/4	M-ABS0432	2,542	+50	+75	+150
33	3/4	M-ABS0433	2,567	+50	+75	+150
34	3/4	M-ABS0434	2,591	+50	+75	+150
35	3/4	M-ABS0435	2,615	+50	+75	+150
36	3/4	M-ABS0436	2,640	+50	+75	+150
37	3/4	M-ABS0437	2,665	+50	+75	+150
38	3/4	M-ABS0438	2,690	+50	+75	+150
39	3/4	M-ABS0439	2,713	+50	+75	+150

SOLID SURFACE BACKSPLASHES						
W	D	Model Number	List	Grade B	Grade C	Grade D
40	3/4	M-ABS0440	2,738	+100	+150	+250
41	3/4	M-ABS0441	2,763	+100	+150	+250
42	3/4	M-ABS0442	2,788	+100	+150	+250
43	3/4	M-ABS0443	2,988	+100	+150	+250
44	3/4	M-ABS0444	3,013	+100	+150	+250
45	3/4	M-ABS0445	3,036	+100	+150	+250
46	3/4	M-ABS0446	3,061	+100	+150	+250
47	3/4	M-ABS0447	3,086	+100	+150	+250
48	3/4	M-ABS0448	3,111	+100	+150	+250
49	3/4	M-ABS0449	3,135	+100	+150	+250
50	3/4	M-ABS0450	3,159	+100	+150	+250
51	3/4	M-ABS0451	3,184	+100	+150	+250
52	3/4	M-ABS0452	3,209	+100	+150	+250
53	3/4	M-ABS0453	3,233	+100	+150	+250
54	3/4	M-ABS0454	3,258	+100	+150	+250
55	3/4	M-ABS0455	3,283	+100	+150	+250
56	3/4	M-ABS0456	3,307	+100	+150	+250
57	3/4	M-ABS0457	3,331	+100	+150	+250
58	3/4	M-ABS0458	3,356	+100	+150	+250
59	3/4	M-ABS0459	3,381	+100	+150	+250
60	3/4	M-ABS0460	3,406	+100	+150	+250
61	3/4	M-ABS0461	3,429	+100	+150	+250
62	3/4	M-ABS0462	3,454	+100	+150	+250
63	3/4	M-ABS0463	3,479	+100	+150	+250
64	3/4	M-ABS0464	3,504	+100	+150	+250
65	3/4	M-ABS0465	3,528	+100	+150	+250
66	3/4	M-ABS0466	3,553	+100	+150	+250
67	3/4	M-ABS0467	3,577	+100	+150	+250



Specify

- Corian Grade and Finish

Notes

- Corian backsplashes are 5/8” thick.
- **CAD file required at the time of order entry.**
- Two-piece installation must be coordinated with a trained Corian installer. One 250ml tube of Corian joint adhesive included.
- For care & maintenance, please see Care & Maintenance Guidelines.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Solid Surface Backsplashes

SOLID SURFACE BACKSPLASHES						
W	D	Model Number	List	Grade B	Grade C	Grade D
68	3/4	M-ABS0468	3,602	+100	+150	+250
69	3/4	M-ABS0469	3,626	+150	+300	+500
70	3/4	M-ABS0470	3,651	+150	+300	+500
71	3/4	M-ABS0471	3,676	+150	+300	+500
72	3/4	M-ABS0472	3,701	+150	+300	+500
73	3/4	M-ABS0473	5,479	+150	+300	+500
74	3/4	M-ABS0474	5,504	+150	+300	+500
75	3/4	M-ABS0475	5,529	+150	+300	+500
76	3/4	M-ABS0476	5,554	+150	+300	+500
77	3/4	M-ABS0477	5,578	+150	+300	+500
78	3/4	M-ABS0478	5,602	+150	+300	+500
79	3/4	M-ABS0479	5,627	+150	+300	+500
80	3/4	M-ABS0480	5,652	+150	+300	+500
81	3/4	M-ABS0481	5,676	+150	+300	+500
82	3/4	M-ABS0482	5,701	+150	+300	+500

SOLID SURFACE BACKSPLASHES						
W	D	Model Number	List	Grade B	Grade C	Grade D
83	3/4	M-ABS0483	5,726	+150	+300	+500
84	3/4	M-ABS0484	5,750	+150	+300	+500
85	3/4	M-ABS0485	5,774	+150	+300	+500
86	3/4	M-ABS0486	5,799	+150	+300	+500
87	3/4	M-ABS0487	5,824	+150	+300	+500
88	3/4	M-ABS0488	5,849	+150	+300	+500
89	3/4	M-ABS0489	5,872	+150	+300	+500
90	3/4	M-ABS0490	5,897	+150	+300	+500
91	3/4	M-ABS0491	5,922	+150	+300	+500
92	3/4	M-ABS0492	5,947	+150	+300	+500
93	3/4	M-ABS0493	5,971	+150	+300	+500
94	3/4	M-ABS0494	5,996	+150	+300	+500
95	3/4	M-ABS0495	6,020	+150	+300	+500
96	3/4	M-ABS0496	6,045	+150	+300	+500



Specify


- Corian Grade and Finish

Notes

- Corian backsplashes are 5/8” thick.
- **CAD file required at the time of order entry.**
- Two-piece installation must be coordinated with a trained Corian installer. One 250ml tube of Corian joint adhesive included.
- For care & maintenance, please see Care & Maintenance Guidelines.

© 2026, AIS, Inc.

Accessories




Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Toe Kicks with Clips Logic

Example shown below is a 3 7/8”H x 96”W Toe Kick with Clip. Guide shown below can be used as a reference, however always refer to the price list pages for product numbers rather than attempting to construct them.




© 2026, AIS, Inc.

Toe Kicks with Clips

TOE KICKS WITH CLIPS					
H	W	Model Number	List	HPL	MHPL
3.875	12	M-AT0412	301	+120	+195
3.875	13	M-AT0413	302	+120	+195
3.875	14	M-AT0414	303	+120	+195
3.875	15	M-AT0415	303	+120	+195
3.875	16	M-AT0416	304	+120	+195
3.875	17	M-AT0417	305	+120	+195
3.875	18	M-AT0418	306	+120	+195
3.875	19	M-AT0419	307	+120	+195
3.875	20	M-AT0420	307	+120	+195
3.875	21	M-AT0421	308	+120	+195
3.875	22	M-AT0422	309	+120	+195
3.875	23	M-AT0423	310	+120	+195
3.875	24	M-AT0424	310	+120	+195
3.875	25	M-AT0425	312	+120	+195
3.875	26	M-AT0426	313	+120	+195
3.875	27	M-AT0427	314	+120	+195
3.875	28	M-AT0428	314	+120	+195
3.875	29	M-AT0429	315	+120	+195
3.875	30	M-AT0430	316	+120	+195
3.875	31	M-AT0431	317	+120	+195
3.875	32	M-AT0432	317	+120	+195
3.875	33	M-AT0433	318	+120	+195
3.875	34	M-AT0434	319	+120	+195
3.875	35	M-AT0435	320	+120	+195

TOE KICKS WITH CLIPS					
H	W	Model Number	List	HPL	MHPL
3.875	36	M-AT0436	320	+120	+195
3.875	37	M-AT0437	321	+120	+195
3.875	38	M-AT0438	322	+120	+195
3.875	39	M-AT0439	323	+120	+195
3.875	40	M-AT0440	324	+120	+195
3.875	41	M-AT0441	324	+120	+195
3.875	42	M-AT0442	326	+120	+195
3.875	43	M-AT0443	335	+180	+255
3.875	44	M-AT0444	336	+180	+255
3.875	45	M-AT0445	336	+180	+255
3.875	46	M-AT0446	337	+180	+255
3.875	47	M-AT0447	339	+180	+255
3.875	48	M-AT0448	340	+180	+255
3.875	49	M-AT0449	341	+180	+255
3.875	50	M-AT0450	341	+180	+255
3.875	51	M-AT0451	342	+180	+255
3.875	52	M-AT0452	343	+180	+255
3.875	53	M-AT0453	344	+180	+255
3.875	54	M-AT0454	344	+180	+255
3.875	55	M-AT0455	345	+180	+255
3.875	56	M-AT0456	346	+180	+255
3.875	57	M-AT0457	347	+180	+255
3.875	58	M-AT0458	347	+180	+255
3.875	59	M-AT0459	348	+180	+255



Specify

- Laminate finish

Notes

- Metal clips included for ends, additional included as width increases.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Toe Kicks with Clips

TOE KICKS WITH CLIPS

H	W	Model Number	List	HPL	MHPL
3.875	60	M-AT0460	349	+180	+255
3.875	61	M-AT0461	350	+180	+255
3.875	62	M-AT0462	350	+180	+255
3.875	63	M-AT0463	351	+180	+255
3.875	64	M-AT0464	353	+180	+255
3.875	65	M-AT0465	354	+180	+255
3.875	66	M-AT0466	355	+180	+255
3.875	67	M-AT0467	355	+180	+255
3.875	68	M-AT0468	356	+180	+255
3.875	69	M-AT0469	357	+180	+255
3.875	70	M-AT0470	358	+180	+255
3.875	71	M-AT0471	358	+180	+255
3.875	72	M-AT0472	359	+180	+255
3.875	73	M-AT0473	360	+180	+255
3.875	74	M-AT0474	361	+180	+255
3.875	75	M-AT0475	361	+180	+255
3.875	76	M-AT0476	362	+180	+255
3.875	77	M-AT0477	363	+180	+255
3.875	78	M-AT0478	364	+180	+255
3.875	79	M-AT0479	364	+180	+255
3.875	80	M-AT0480	366	+180	+255
3.875	81	M-AT0481	367	+180	+255
3.875	82	M-AT0482	368	+180	+255
3.875	83	M-AT0483	369	+180	+255

TOE KICKS WITH CLIPS

H	W	Model Number	List	HPL	MHPL
3.875	84	M-AT0484	369	+180	+255
3.875	85	M-AT0485	370	+180	+255
3.875	86	M-AT0486	371	+180	+255
3.875	87	M-AT0487	372	+180	+255
3.875	88	M-AT0488	372	+180	+255
3.875	89	M-AT0489	373	+180	+255
3.875	90	M-AT0490	374	+180	+255
3.875	91	M-AT0491	375	+180	+255
3.875	92	M-AT0492	375	+180	+255
3.875	93	M-AT0493	376	+180	+255
3.875	94	M-AT0494	377	+180	+255
3.875	95	M-AT0495	378	+180	+255
3.875	96	M-AT0496	378	+180	+255



Specify

- Laminate finish

Notes


- Metal clips included for ends, additional included as width increases.

© 2026, AIS, Inc.

Side Toe Kicks

SIDE TOE KICKS

H	W	Model Number	List	HPL	MHPL
3.875	20.22	M-ATS0424	307	+120	+195
3.875	26.22	M-ATS0430	313	+120	+195



Specify	Notes
• Laminate finish	• Metal clips included for ends, additional included as width increases. • Side toe kicks are specifically sized for standard base cabinet depth against wall or blocked out for 30”D countertops. • Side toe kick clip and front toe kick clip can share the same metal foot because clips are offset.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Wood Wall Cleats

WOOD WALL CLEATS

D	Model Number	List
48	M-WC48	131
72	M-WC72	162
96	M-WC96	193



Notes


- Can be cut down on site
- Wall attachment hardware not included

© 2026, AIS, Inc.

Side Fillers for Base, Wall and Tall Cabinets

Side Filler for Cabinets Logic

Example shown below is a 36”H x 3/4”W Wall Cabinet Side Filler. Guide shown below can be used as a reference, however always refer to the price list pages for product numbers rather than attempting to construct them.



Product Options

Finish
Laminate

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Side Fillers

WALL CABINET SIDE FILLERS

H	W	Model Number	List	HPL	MHPL
15	6	M-AF1506	308	+120	+195
24	6	M-AF2406	322	+120	+195
30	6	M-AF3006	329	+120	+195
36	6	M-AF3606	334	+120	+195
42	6	M-AF4206	340	+120	+195

BASE AND TALL CABINET SIDE FILLERS

H	W	Model Number	List	HPL	MHPL
28 1/2	6	M-AF28_506	328	+120	+195
30 1/2	6	M-AF30_506	330	+120	+195
321/2	6	M-AF32_506	331	+120	+195
34 1/2	6	M-AF34_506	333	+120	+195
72	6	M-AF7206	374	+180	+255
78	6	M-AF7806	380	+180	+255
84	6	M-AF8406	385	+180	+255
90	6	M-AF9006	390	+180	+255





Specify

- Laminate Finish

Notes


- Includes metal brackets to mount to cabinet, quantity based on height.
- Filler width can be cut down or scribed to uneven wall on site.

© 2026, AIS, Inc.

End Panels for Base and Tall Cabinets

End Panels for Cabinets Logic

Example shown below is a 33”H x 22”D End Panel. Guide shown below can be used as a reference, however always refer to the price list pages for product numbers rather than attempting to construct them.



Product Options

Finish	Base
Laminate	No Glides Glides

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


End Panels for Base and Tall Cabinets, 24” Deep

24” DEEP END PANELS

H	D	Model Number	List	HPL	MHPL
12	24	M-AE1224	342	+200	+450
13	24	M-AE1324	345	+200	+450
14	24	M-AE1424	349	+200	+450
15	24	M-AE1524	353	+200	+450
16	24	M-AE1624	357	+200	+450
17	24	M-AE1724	361	+200	+450
18	24	M-AE1824	364	+200	+450
19	24	M-AE1924	369	+200	+450
20	24	M-AE2024	373	+200	+450
21	24	M-AE2124	376	+200	+450
22	24	M-AE2224	381	+200	+450
23	24	M-AE2324	385	+200	+450
24	24	M-AE2424	388	+200	+450
25	24	M-AE2524	393	+200	+450
26	24	M-AE2624	396	+200	+450
27	24	M-AE2724	400	+200	+450
28	24	M-AE2824	404	+200	+450
28_5	24	M-AE28_524	408	+200	+450
30	24	M-AE3024	412	+200	+450
30_5	24	M-AE30_524	416	+200	+450
32	24	M-AE3224	420	+200	+450
32_5	24	M-AE32_524	424	+200	+450
34	24	M-AE3424	428	+200	+450
34_5	24	M-AE34_524	431	+200	+450
36	24	M-AE3624	436	+200	+450
37	24	M-AE3724	440	+200	+450
38	24	M-AE3824	443	+200	+450
39	24	M-AE3924	448	+200	+450

24” DEEP END PANELS

H	D	Model Number	List	HPL	MHPL
40	24	M-AE4024	452	+300	+550
41	24	M-AE4124	455	+300	+550
42	24	M-AE4224	459	+300	+550
43	24	M-AE4324	463	+300	+550
44	24	M-AE4424	467	+300	+550
45	24	M-AE4524	471	+300	+550
46	24	M-AE4624	475	+300	+550
47	24	M-AE4724	479	+300	+550
48	24	M-AE4824	483	+300	+550
49	24	M-AE4924	486	+300	+550
50	24	M-AE5024	491	+300	+550
51	24	M-AE5124	495	+300	+550
52	24	M-AE5224	498	+300	+550
53	24	M-AE5324	503	+300	+550
54	24	M-AE5424	507	+300	+550
55	24	M-AE5524	510	+300	+550
56	24	M-AE5624	515	+300	+550
57	24	M-AE5724	518	+300	+550
58	24	M-AE5824	522	+300	+550
59	24	M-AE5924	526	+300	+550
60	24	M-AE6024	530	+300	+550
61	24	M-AE6124	534	+300	+550
62	24	M-AE6224	538	+300	+550
63	24	M-AE6324	542	+300	+550
64	24	M-AE6424	546	+300	+550
65	24	M-AE6524	550	+300	+550
66	24	M-AE6624	553	+300	+550
67	24	M-AE6724	558	+300	+550



Specify

- Laminate Finish
- Glide Option

Notes


- Fractional heights intended for base cabinets from top to bottom of case only or all the way to floor including toe kick height.
- Oversize height to cut down on site if anticipating uneven floor height for leveling.

© 2026, AIS, Inc.

End Panels for Base and Tall Cabinets, 24” Deep

24” DEEP END PANELS					
H	D	Model Number	List	HPL	MHPL
68	24	M-AE6824	562	+300	+550
69	24	M-AE6924	565	+400	+650
70	24	M-AE7024	570	+400	+650
71	24	M-AE7124	574	+400	+650
72	24	M-AE7224	577	+400	+650
73	24	M-AE7324	582	+400	+650
74	24	M-AE7424	585	+400	+650
75	24	M-AE7524	589	+400	+650
76	24	M-AE7624	593	+400	+650
77	24	M-AE7724	597	+400	+650
78	24	M-AE7824	601	+400	+650
79	24	M-AE7924	605	+400	+650
80	24	M-AE8024	609	+400	+650
81	24	M-AE8124	613	+400	+650
82	24	M-AE8224	617	+400	+650

24” DEEP END PANELS					
H	D	Model Number	List	HPL	MHPL
83	24	M-AE8324	620	+400	+650
84	24	M-AE8424	625	+400	+650
85	24	M-AE8524	628	+400	+650
86	24	M-AE8624	632	+400	+650
87	24	M-AE8724	637	+400	+650
88	24	M-AE8824	640	+400	+650
89	24	M-AE8924	644	+400	+650
90	24	M-AE9024	648	+400	+650
91	24	M-AE9124	652	+400	+650
92	24	M-AE9224	656	+400	+650
93	24	M-AE9324	660	+400	+650
94	24	M-AE9424	664	+400	+650
95	24	M-AE9524	668	+400	+650
96	24	M-AE9624	672	+400	+650



Specify

- Laminate Finish
- Glide Option

Notes

- Fractional heights intended for base cabinets from top to bottom of case only or all the way to floor including toe kick height.
- Oversize height to cut down on site if anticipating uneven floor height for leveling.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

End Panels for Wall Cabinets, 15” Deep

15” DEEP END PANELS

H	D	Model Number	List	HPL	MHPL
24	15	M-AEW2415	381	+200	+450
30	15	M-AEW3015	404	+200	+450
36	15	M-AEW3615	428	+200	+450
42	15	M-AEW4215	452	+300	+550




Specify	Notes
• Laminate Finish	• For Wall Cabinets only.

© 2026, AIS, Inc.

End Panels for Base and Tall Cabinets, 30” Deep

30” DEEP END PANELS					
H	D	Model Number	List	HPL	MHPL
12	30	M-AE1230	354	+200	+450
13	30	M-AE1330	359	+200	+450
14	30	M-AE1430	363	+200	+450
15	30	M-AE1530	368	+200	+450
16	30	M-AE1630	373	+200	+450
17	30	M-AE1730	378	+200	+450
18	30	M-AE1830	383	+200	+450
19	30	M-AE1930	388	+200	+450
20	30	M-AE2030	393	+200	+450
21	30	M-AE2130	398	+200	+450
22	30	M-AE2230	402	+200	+450
23	30	M-AE2330	408	+200	+450
24	30	M-AE2430	412	+200	+450
25	30	M-AE2530	417	+200	+450
26	30	M-AE2630	422	+200	+450
27	30	M-AE2730	427	+200	+450
28	30	M-AE2830	431	+200	+450
28.5	30	M-AE28_530	437	+200	+450
30	30	M-AE3030	441	+200	+450
30.5	30	M-AE30_530	447	+200	+450
32	30	M-AE3230	451	+200	+450
32.5	30	M-AE32_530	456	+200	+450
34	30	M-AE3430	461	+200	+450
34.5	30	M-AE34_530	466	+200	+450
36	30	M-AE3630	470	+200	+450
37	30	M-AE3730	476	+200	+450
38	30	M-AE3830	480	+200	+450
39	30	M-AE3930	485	+200	+450

30” DEEP END PANELS					
H	D	Model Number	List	HPL	MHPL
40	30	M-AE4030	490	+300	+550
41	30	M-AE4130	495	+300	+550
42	30	M-AE4230	499	+300	+550
43	30	M-AE4330	505	+300	+550
44	30	M-AE4430	509	+300	+550
45	30	M-AE4530	515	+300	+550
46	30	M-AE4630	519	+300	+550
47	30	M-AE4730	524	+300	+550
48	30	M-AE4830	529	+300	+550
49	30	M-AE4930	534	+300	+550
50	30	M-AE5030	538	+300	+550
51	30	M-AE5130	544	+300	+550
52	30	M-AE5230	548	+300	+550
53	30	M-AE5330	553	+300	+550
54	30	M-AE5430	558	+300	+550
55	30	M-AE5530	563	+300	+550
56	30	M-AE5630	567	+300	+550
57	30	M-AE5730	573	+300	+550
58	30	M-AE5830	577	+300	+550
59	30	M-AE5930	583	+300	+550
60	30	M-AE6030	587	+300	+550
61	30	M-AE6130	592	+300	+550
62	30	M-AE6230	597	+300	+550
63	30	M-AE6330	602	+300	+550
64	30	M-AE6430	606	+300	+550
65	30	M-AE6530	612	+300	+550
66	30	M-AE6630	616	+300	+550
67	30	M-AE6730	621	+300	+550



Specify

- Laminate Finish
- Glide Option

Notes

- Fractional heights intended for base cabinets from top to bottom of case only or all the way to floor including toe kick height.
- Oversize height to cut down on site if anticipating uneven floor height for leveling.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

End Panels for Base and Tall Cabinets, 30” Deep

30” DEEP END PANELS					
H	D	Model Number	List	HPL	MHPL
68	30	M-AE6830	626	+300	+550
69	30	M-AE6930	631	+400	+650
70	30	M-AE7030	636	+400	+650
71	30	M-AE7130	641	+400	+650
72	30	M-AE7230	645	+400	+650
73	30	M-AE7330	651	+400	+650
74	30	M-AE7430	655	+400	+650
75	30	M-AE7530	660	+400	+650
76	30	M-AE7630	665	+400	+650
77	30	M-AE7730	670	+400	+650
78	30	M-AE7830	675	+400	+650
79	30	M-AE7930	680	+400	+650
80	30	M-AE8030	684	+400	+650
81	30	M-AE8130	690	+400	+650
82	30	M-AE8230	695	+400	+650

30” DEEP END PANELS					
H	D	Model Number	List	HPL	MHPL
83	30	M-AE8330	699	+400	+650
84	30	M-AE8430	705	+400	+650
85	30	M-AE8530	709	+400	+650
86	30	M-AE8630	714	+400	+650
87	30	M-AE8730	719	+400	+650
88	30	M-AE8830	724	+400	+650
89	30	M-AE8930	728	+400	+650
90	30	M-AE9030	734	+400	+650
91	30	M-AE9130	738	+400	+650
92	30	M-AE9230	744	+400	+650
93	30	M-AE9330	748	+400	+650
94	30	M-AE9430	753	+400	+650
95	30	M-AE9530	758	+400	+650
96	30	M-AE9630	763	+400	+650



Specify

- Laminate Finish
- Glide Option

Notes


- Fractional heights intended for base cabinets from top to bottom of case only or all the way to floor including toe kick height.
- Oversize height to cut down on site if anticipating uneven floor height for leveling.

© 2026, AIS, Inc.

Vertical Soffits for Wall Cabinets, 15” Deep

15” DEEP VERTICAL SOFFITS – 6”H

Actual H	W	D	Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
6	12	15	M-ASV61215	733	275	110	475	185
6	13	15	M-ASV61315	735	275	110	475	185
6	14	15	M-ASV61415	736	275	110	475	185
6	15	15	M-ASV61515	738	275	110	475	185
6	16	15	M-ASV61615	740	275	110	475	185
6	17	15	M-ASV61715	742	275	110	475	185
6	18	15	M-ASV61815	744	275	110	475	185
6	19	15	M-ASV61915	746	275	110	475	185
6	20	15	M-ASV62015	747	275	110	475	185
6	21	15	M-ASV62115	749	275	110	475	185
6	22	15	M-ASV62215	751	275	110	475	185
6	23	15	M-ASV62315	753	275	110	475	185
6	24	15	M-ASV62415	755	275	110	475	185
6	25	15	M-ASV62515	756	275	110	475	185
6	26	15	M-ASV62615	758	275	110	475	185
6	27	15	M-ASV62715	760	275	110	475	185
6	28	15	M-ASV62815	762	275	110	475	185
6	29	15	M-ASV62915	764	275	110	475	185
6	30	15	M-ASV63015	765	275	110	475	185
6	31	15	M-ASV63115	767	275	110	475	185
6	32	15	M-ASV63215	769	275	110	475	185
6	33	15	M-ASV63315	771	275	110	475	185
6	34	15	M-ASV63415	773	275	110	475	185
6	35	15	M-ASV63515	775	275	110	475	185
6	36	15	M-ASV63615	776	275	110	475	185
6	37	15	M-ASV63715	778	275	110	475	185
6	38	15	M-ASV63815	779	275	110	475	185
6	39	15	M-ASV63915	781	275	110	475	185
6	40	15	M-ASV64015	782	275	110	475	185



Specify

- Case Finish
- Depth Choice
- Front Finish
- Front Grain Direction (if applicable)

Notes

- Cutdown height as needed based on ceiling height.
- Front grain direction applies to widths up to 60".


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Vertical Soffits for Wall Cabinets, 15” Deep

15” DEEP VERTICAL SOFFITS – 6”H

Actual H	W	D	Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
6	41	15	M-ASV64115	784	275	110	475	185
6	42	15	M-ASV64215	785	275	110	475	185
6	43	15	M-ASV64315	787	275	110	475	185
6	44	15	M-ASV64415	788	275	110	475	185
6	45	15	M-ASV64515	790	275	110	475	185
6	46	15	M-ASV64615	791	275	110	475	185
6	47	15	M-ASV64715	793	275	110	475	185
6	48	15	M-ASV64815	794	275	110	475	185
6	49	15	M-ASV64915	796	275	110	475	185
6	50	15	M-ASV65015	798	275	110	475	185
6	51	15	M-ASV65115	800	275	110	475	185
6	52	15	M-ASV65215	801	275	110	475	185
6	53	15	M-ASV65315	803	275	110	475	185
6	54	15	M-ASV65415	805	275	110	475	185
6	55	15	M-ASV65515	807	275	110	475	185
6	56	15	M-ASV65615	809	275	110	475	185
6	57	15	M-ASV65715	811	275	110	475	185
6	58	15	M-ASV65815	812	275	110	475	185
6	59	15	M-ASV65915	814	275	110	475	185
6	60	15	M-ASV66015	816	275	110	475	185
6	61	15	M-ASV66115	818	275	110	475	185
6	62	15	M-ASV66215	820	275	110	475	185
6	63	15	M-ASV66315	821	275	110	475	185
6	64	15	M-ASV66415	823	275	110	475	185
6	65	15	M-ASV66515	825	275	110	475	185
6	66	15	M-ASV66615	827	275	110	475	185
6	67	15	M-ASV66715	829	275	110	475	185
6	68	15	M-ASV66815	830	275	110	475	185



Specify

- Case Finish
- Depth Choice
- Front Finish
- Front Grain Direction (if applicable)

Notes


- Cutdown height as needed based on ceiling height.
- Front grain direction applies to widths up to 60".

© 2026, AIS, Inc.

Vertical Soffits for Wall Cabinets, 15” Deep

15” DEEP VERTICAL SOFFITS – 6”H

Actual H	W	D	Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
6	69	15	M-ASV66915	832	275	110	475	185
6	70	15	M-ASV67015	834	275	110	475	185
6	71	15	M-ASV67115	836	275	110	475	185
6	72	15	M-ASV67215	838	275	110	475	185
6	73	15	M-ASV67315	839	275	110	475	185
6	74	15	M-ASV67415	841	275	110	475	185
6	75	15	M-ASV67515	843	275	110	475	185
6	76	15	M-ASV67615	845	275	110	475	185
6	77	15	M-ASV67715	847	275	110	475	185
6	78	15	M-ASV67815	849	275	110	475	185
6	79	15	M-ASV67915	850	275	110	475	185
6	80	15	M-ASV68015	852	275	110	475	185
6	81	15	M-ASV68115	854	275	110	475	185
6	82	15	M-ASV68215	856	275	110	475	185
6	83	15	M-ASV68315	858	275	110	475	185
6	84	15	M-ASV68415	859	275	110	475	185
6	85	15	M-ASV68515	861	275	110	475	185
6	86	15	M-ASV68615	862	275	110	475	185
6	87	15	M-ASV68715	864	275	110	475	185
6	88	15	M-ASV68815	865	275	110	475	185
6	89	15	M-ASV68915	867	275	110	475	185
6	90	15	M-ASV69015	868	275	110	475	185
6	91	15	M-ASV69115	870	275	110	475	185
6	92	15	M-ASV69215	871	275	110	475	185
6	93	15	M-ASV69315	873	275	110	475	185
6	94	15	M-ASV69415	874	275	110	475	185
6	95	15	M-ASV69515	876	275	110	475	185
6	96	15	M-ASV69615	877	275	110	475	185



Specify

- Case Finish
- Depth Choice
- Front Finish
- Front Grain Direction (if applicable)

Notes

- Cutdown height as needed based on ceiling height.
- Front grain direction applies to widths up to 60".


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Vertical Soffits for Wall Cabinets, 15” Deep

15” DEEP VERTICAL SOFFITS – 12”H

Actual H	W	D	Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
12	12	15	M-ASV121215	750	275	110	475	185
12	13	15	M-ASV121315	753	275	110	475	185
12	14	15	M-ASV121415	755	275	110	475	185
12	15	15	M-ASV121515	758	275	110	475	185
12	16	15	M-ASV121615	760	275	110	475	185
12	17	15	M-ASV121715	762	275	110	475	185
12	18	15	M-ASV121815	765	275	110	475	185
12	19	15	M-ASV121915	767	275	110	475	185
12	20	15	M-ASV122015	770	275	110	475	185
12	21	15	M-ASV122115	772	275	110	475	185
12	22	15	M-ASV122215	775	275	110	475	185
12	23	15	M-ASV122315	777	275	110	475	185
12	24	15	M-ASV122415	779	275	110	475	185
12	25	15	M-ASV122515	782	275	110	475	185
12	26	15	M-ASV122615	784	275	110	475	185
12	27	15	M-ASV122715	787	275	110	475	185
12	28	15	M-ASV122815	789	275	110	475	185
12	29	15	M-ASV122915	791	275	110	475	185
12	30	15	M-ASV123015	794	275	110	475	185
12	31	15	M-ASV123115	796	275	110	475	185
12	32	15	M-ASV123215	799	275	110	475	185
12	33	15	M-ASV123315	801	275	110	475	185
12	34	15	M-ASV123415	804	275	110	475	185
12	35	15	M-ASV123515	806	275	110	475	185
12	36	15	M-ASV123615	808	275	110	475	185
12	37	15	M-ASV123715	810	275	110	475	185
12	38	15	M-ASV123815	813	275	110	475	185
12	39	15	M-ASV123915	815	275	110	475	185
12	40	15	M-ASV124015	817	275	110	475	185



Specify

- Case Finish
- Depth Choice
- Front Finish
- Front Grain Direction (if applicable)

Notes


- Cutdown height as needed based on ceiling height.
- Front grain direction applies to widths up to 60".

© 2026, AIS, Inc.

Vertical Soffits for Wall Cabinets, 15” Deep

15” DEEP VERTICAL SOFFITS – 12”H

Actual H	W	D	Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
12	41	15	M-ASV124115	819	275	110	475	185
12	42	15	M-ASV124215	821	275	110	475	185
12	43	15	M-ASV124315	823	275	110	475	185
12	44	15	M-ASV124415	825	275	110	475	185
12	45	15	M-ASV124515	827	275	110	475	185
12	46	15	M-ASV124615	829	275	110	475	185
12	47	15	M-ASV124715	832	275	110	475	185
12	48	15	M-ASV124815	834	275	110	475	185
12	49	15	M-ASV124915	836	275	110	475	185
12	50	15	M-ASV125015	838	275	110	475	185
12	51	15	M-ASV125115	841	275	110	475	185
12	52	15	M-ASV125215	843	275	110	475	185
12	53	15	M-ASV125315	846	275	110	475	185
12	54	15	M-ASV125415	848	275	110	475	185
12	55	15	M-ASV125515	851	275	110	475	185
12	56	15	M-ASV125615	853	275	110	475	185
12	57	15	M-ASV125715	855	275	110	475	185
12	58	15	M-ASV125815	858	275	110	475	185
12	59	15	M-ASV125915	860	275	110	475	185
12	60	15	M-ASV126015	863	275	110	475	185
12	61	15	M-ASV126115	865	275	110	475	185
12	62	15	M-ASV126215	868	275	110	475	185
12	63	15	M-ASV126315	870	275	110	475	185
12	64	15	M-ASV126415	872	275	110	475	185
12	65	15	M-ASV126515	875	275	110	475	185
12	66	15	M-ASV126615	877	275	110	475	185
12	67	15	M-ASV126715	880	275	110	475	185
12	68	15	M-ASV126815	882	275	110	475	185



Specify

- Case Finish
- Depth Choice
- Front Finish
- Front Grain Direction (if applicable)

Notes

- Cutdown height as needed based on ceiling height.
- Front grain direction applies to widths up to 60".


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Vertical Soffits for Wall Cabinets, 15” Deep

15” DEEP VERTICAL SOFFITS – 12”H

Actual H	W	D	Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
12	69	15	M-ASV126915	884	275	110	475	185
12	70	15	M-ASV127015	887	275	110	475	185
12	71	15	M-ASV127115	889	275	110	475	185
12	72	15	M-ASV127215	892	275	110	475	185
12	73	15	M-ASV127315	894	275	110	475	185
12	74	15	M-ASV127415	897	275	110	475	185
12	75	15	M-ASV127515	899	275	110	475	185
12	76	15	M-ASV127615	901	275	110	475	185
12	77	15	M-ASV127715	904	275	110	475	185
12	78	15	M-ASV127815	906	275	110	475	185
12	79	15	M-ASV127915	909	275	110	475	185
12	80	15	M-ASV128015	911	275	110	475	185
12	81	15	M-ASV128115	913	275	110	475	185
12	82	15	M-ASV128215	916	275	110	475	185
12	83	15	M-ASV128315	918	275	110	475	185
12	84	15	M-ASV128415	921	275	110	475	185
12	85	15	M-ASV128515	923	275	110	475	185
12	86	15	M-ASV128615	925	275	110	475	185
12	87	15	M-ASV128715	927	275	110	475	185
12	88	15	M-ASV128815	929	275	110	475	185
12	89	15	M-ASV128915	931	275	110	475	185
12	90	15	M-ASV129015	933	275	110	475	185
12	91	15	M-ASV129115	935	275	110	475	185
12	92	15	M-ASV129215	938	275	110	475	185
12	93	15	M-ASV129315	940	275	110	475	185
12	94	15	M-ASV129415	942	275	110	475	185
12	95	15	M-ASV129515	944	275	110	475	185
12	96	15	M-ASV129615	946	275	110	475	185



Specify

- Case Finish
- Depth Choice
- Front Finish
- Front Grain Direction (if applicable)

Notes


- Cutdown height as needed based on ceiling height.
- Front grain direction applies to widths up to 60".

© 2026, AIS, Inc.

Vertical Soffits for Wall Cabinets, 15” Deep

15” DEEP VERTICAL SOFFITS – 18”H

Actual H	W	D	Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
18	12	15	M-ASV181215	787	300	120	500	195
18	13	15	M-ASV181315	790	300	120	500	195
18	14	15	M-ASV181415	793	300	120	500	195
18	15	15	M-ASV181515	796	300	120	500	195
18	16	15	M-ASV181615	799	300	120	500	195
18	17	15	M-ASV181715	802	300	120	500	195
18	18	15	M-ASV181815	805	300	120	500	195
18	19	15	M-ASV181915	808	300	120	500	195
18	20	15	M-ASV182015	811	300	120	500	195
18	21	15	M-ASV182115	814	300	120	500	195
18	22	15	M-ASV182215	817	300	120	500	195
18	23	15	M-ASV182315	820	300	120	500	195
18	24	15	M-ASV182415	823	300	120	500	195
18	25	15	M-ASV182515	826	300	120	500	195
18	26	15	M-ASV182615	829	300	120	500	195
18	27	15	M-ASV182715	832	300	120	500	195
18	28	15	M-ASV182815	836	300	120	500	195
18	29	15	M-ASV182915	839	300	120	500	195
18	30	15	M-ASV183015	842	300	120	500	195
18	31	15	M-ASV183115	845	300	120	500	195
18	32	15	M-ASV183215	848	300	120	500	195
18	33	15	M-ASV183315	851	300	120	500	195
18	34	15	M-ASV183415	854	300	120	500	195
18	35	15	M-ASV183515	857	300	120	500	195
18	36	15	M-ASV183615	860	300	120	500	195
18	37	15	M-ASV183715	863	300	120	500	195
18	38	15	M-ASV183815	865	300	120	500	195
18	39	15	M-ASV183915	868	300	120	500	195
18	40	15	M-ASV184015	871	300	120	500	195



Specify

- Case Finish
- Depth Choice
- Front Finish
- Front Grain Direction (if applicable)

Notes

- Cutdown height as needed based on ceiling height.
- Front grain direction applies to widths up to 60".


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Vertical Soffits for Wall Cabinets, 15” Deep

15” DEEP VERTICAL SOFFITS – 18”H

Actual H	W	D	Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
18	41	15	M-ASV184115	873	300	120	500	195
18	42	15	M-ASV184215	876	300	120	500	195
18	43	15	M-ASV184315	879	300	120	500	195
18	44	15	M-ASV184415	881	300	120	500	195
18	45	15	M-ASV184515	884	300	120	500	195
18	46	15	M-ASV184615	887	300	120	500	195
18	47	15	M-ASV184715	890	300	120	500	195
18	48	15	M-ASV184815	892	300	120	500	195
18	49	15	M-ASV184915	895	300	120	500	195
18	50	15	M-ASV185015	898	300	120	500	195
18	51	15	M-ASV185115	901	300	120	500	195
18	52	15	M-ASV185215	904	300	120	500	195
18	53	15	M-ASV185315	907	300	120	500	195
18	54	15	M-ASV185415	910	300	120	500	195
18	55	15	M-ASV185515	913	300	120	500	195
18	56	15	M-ASV185615	917	300	120	500	195
18	57	15	M-ASV185715	920	300	120	500	195
18	58	15	M-ASV185815	923	300	120	500	195
18	59	15	M-ASV185915	926	300	120	500	195
18	60	15	M-ASV186015	929	300	120	500	195
18	61	15	M-ASV186115	932	300	120	500	195
18	62	15	M-ASV186215	935	300	120	500	195
18	63	15	M-ASV186315	938	300	120	500	195
18	64	15	M-ASV186415	941	300	120	500	195
18	65	15	M-ASV186515	944	300	120	500	195
18	66	15	M-ASV186615	947	300	120	500	195
18	67	15	M-ASV186715	950	300	120	500	195
18	68	15	M-ASV186815	953	300	120	500	195



Specify

- Case Finish
- Depth Choice
- Front Finish
- Front Grain Direction (if applicable)

Notes


- Cutdown height as needed based on ceiling height.
- Front grain direction applies to widths up to 60".

© 2026, AIS, Inc.

Vertical Soffits for Wall Cabinets, 15” Deep

15” DEEP VERTICAL SOFFITS – 18”H

Actual H	W	D	Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
18	69	15	M-ASV186915	956	300	120	500	195
18	70	15	M-ASV187015	959	300	120	500	195
18	71	15	M-ASV187115	962	300	120	500	195
18	72	15	M-ASV187215	965	300	120	500	195
18	73	15	M-ASV187315	968	300	120	500	195
18	74	15	M-ASV187415	971	300	120	500	195
18	75	15	M-ASV187515	974	300	120	500	195
18	76	15	M-ASV187615	977	300	120	500	195
18	77	15	M-ASV187715	980	300	120	500	195
18	78	15	M-ASV187815	983	300	120	500	195
18	79	15	M-ASV187915	986	300	120	500	195
18	80	15	M-ASV188015	989	300	120	500	195
18	81	15	M-ASV188115	992	300	120	500	195
18	82	15	M-ASV188215	995	300	120	500	195
18	83	15	M-ASV188315	998	300	120	500	195
18	84	15	M-ASV188415	1,001	300	120	500	195
18	85	15	M-ASV188515	1,004	300	120	500	195
18	86	15	M-ASV188615	1,007	300	120	500	195
18	87	15	M-ASV188715	1,009	300	120	500	195
18	88	15	M-ASV188815	1,012	300	120	500	195
18	89	15	M-ASV188915	1,015	300	120	500	195
18	90	15	M-ASV189015	1,018	300	120	500	195
18	91	15	M-ASV189115	1,020	300	120	500	195
18	92	15	M-ASV189215	1,023	300	120	500	195
18	93	15	M-ASV189315	1,026	300	120	500	195
18	94	15	M-ASV189415	1,029	300	120	500	195
18	95	15	M-ASV189515	1,031	300	120	500	195
18	96	15	M-ASV189615	1,034	300	120	500	195



Specify

- Case Finish
- Depth Choice
- Front Finish
- Front Grain Direction (if applicable)

Notes

- Cutdown height as needed based on ceiling height.
- Front grain direction applies to widths up to 60".


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Vertical Soffits for Wall Cabinets, 15” Deep

15” DEEP VERTICAL SOFFITS – 24”H

Actual H	W	D	Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
24	12	15	M-ASV241215	816	300	120	500	195
24	13	15	M-ASV241315	820	300	120	500	195
24	14	15	M-ASV241415	823	300	120	500	195
24	15	15	M-ASV241515	827	300	120	500	195
24	16	15	M-ASV241615	831	300	120	500	195
24	17	15	M-ASV241715	834	300	120	500	195
24	18	15	M-ASV241815	838	300	120	500	195
24	19	15	M-ASV241915	842	300	120	500	195
24	20	15	M-ASV242015	845	300	120	500	195
24	21	15	M-ASV242115	849	300	120	500	195
24	22	15	M-ASV242215	853	300	120	500	195
24	23	15	M-ASV242315	856	300	120	500	195
24	24	15	M-ASV242415	860	300	120	500	195
24	25	15	M-ASV242515	864	300	120	500	195
24	26	15	M-ASV242615	867	300	120	500	195
24	27	15	M-ASV242715	871	300	120	500	195
24	28	15	M-ASV242815	874	300	120	500	195
24	29	15	M-ASV242915	878	300	120	500	195
24	30	15	M-ASV243015	882	300	120	500	195
24	31	15	M-ASV243115	885	300	120	500	195
24	32	15	M-ASV243215	889	300	120	500	195
24	33	15	M-ASV243315	893	300	120	500	195
24	34	15	M-ASV243415	896	300	120	500	195
24	35	15	M-ASV243515	900	300	120	500	195
24	36	15	M-ASV243615	904	300	120	500	195
24	37	15	M-ASV243715	907	300	120	500	195
24	38	15	M-ASV243815	910	300	120	500	195
24	39	15	M-ASV243915	914	300	120	500	195
24	40	15	M-ASV244015	917	300	120	500	195



Specify

- Case Finish
- Depth Choice
- Front Finish
- Front Grain Direction (if applicable)

Notes


- Cutdown height as needed based on ceiling height.
- Front grain direction applies to widths up to 60".

© 2026, AIS, Inc.

Vertical Soffits for Wall Cabinets, 15” Deep

15” DEEP VERTICAL SOFFITS – 24”H

Actual H	W	D	Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
24	41	15	M-ASV244115	920	300	120	500	195
24	42	15	M-ASV244215	923	300	120	500	195
24	43	15	M-ASV244315	927	300	120	500	195
24	44	15	M-ASV244415	930	300	120	500	195
24	45	15	M-ASV244515	933	300	120	500	195
24	46	15	M-ASV244615	937	300	120	500	195
24	47	15	M-ASV244715	940	300	120	500	195
24	48	15	M-ASV244815	943	300	120	500	195
24	49	15	M-ASV244915	947	300	120	500	195
24	50	15	M-ASV245015	951	300	120	500	195
24	51	15	M-ASV245115	954	300	120	500	195
24	52	15	M-ASV245215	958	300	120	500	195
24	53	15	M-ASV245315	962	300	120	500	195
24	54	15	M-ASV245415	965	300	120	500	195
24	55	15	M-ASV245515	969	300	120	500	195
24	56	15	M-ASV245615	973	300	120	500	195
24	57	15	M-ASV245715	976	300	120	500	195
24	58	15	M-ASV245815	980	300	120	500	195
24	59	15	M-ASV245915	983	300	120	500	195
24	60	15	M-ASV246015	987	300	120	500	195
24	61	15	M-ASV246115	991	300	120	500	195
24	62	15	M-ASV246215	994	300	120	500	195
24	63	15	M-ASV246315	998	300	120	500	195
24	64	15	M-ASV246415	1,002	300	120	500	195
24	65	15	M-ASV246515	1,005	300	120	500	195
24	66	15	M-ASV246615	1,009	300	120	500	195
24	67	15	M-ASV246715	1,013	300	120	500	195
24	68	15	M-ASV246815	1,016	300	120	500	195



Specify

- Case Finish
- Depth Choice
- Front Finish
- Front Grain Direction (if applicable)

Notes

- Cutdown height as needed based on ceiling height.
- Front grain direction applies to widths up to 60".


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Vertical Soffits for Wall Cabinets, 15” Deep

15” DEEP VERTICAL SOFFITS – 24”H

Actual H	W	D	Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
24	69	15	M-ASV246915	1,020	300	120	500	195
24	70	15	M-ASV247015	1,023	300	120	500	195
24	71	15	M-ASV247115	1,027	300	120	500	195
24	72	15	M-ASV247215	1,031	300	120	500	195
24	73	15	M-ASV247315	1,034	300	120	500	195
24	74	15	M-ASV247415	1,038	300	120	500	195
24	75	15	M-ASV247515	1,042	300	120	500	195
24	76	15	M-ASV247615	1,045	300	120	500	195
24	77	15	M-ASV247715	1,049	300	120	500	195
24	78	15	M-ASV247815	1,053	300	120	500	195
24	79	15	M-ASV247915	1,056	300	120	500	195
24	80	15	M-ASV248015	1,060	300	120	500	195
24	81	15	M-ASV248115	1,063	300	120	500	195
24	82	15	M-ASV248215	1,067	300	120	500	195
24	83	15	M-ASV248315	1,071	300	120	500	195
24	84	15	M-ASV248415	1,074	300	120	500	195
24	85	15	M-ASV248515	1,078	300	120	500	195
24	86	15	M-ASV248615	1,081	300	120	500	195
24	87	15	M-ASV248715	1,084	300	120	500	195
24	88	15	M-ASV248815	1,088	300	120	500	195
24	89	15	M-ASV248915	1,091	300	120	500	195
24	90	15	M-ASV249015	1,094	300	120	500	195
24	91	15	M-ASV249115	1,098	300	120	500	195
24	92	15	M-ASV249215	1,101	300	120	500	195
24	93	15	M-ASV249315	1,104	300	120	500	195
24	94	15	M-ASV249415	1,108	300	120	500	195
24	95	15	M-ASV249515	1,111	300	120	500	195
24	96	15	M-ASV249615	1,114	300	120	500	195



Specify

- Case Finish
- Depth Choice
- Front Finish
- Front Grain Direction (if applicable)

Notes


- Cutdown height as needed based on ceiling height.
- Front grain direction applies to widths up to 60".

© 2026, AIS, Inc.

Vertical Soffits for Wall Cabinets, 15” Deep

15” DEEP VERTICAL SOFFITS – 30”H

Actual H	W	D	Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
30	12	15	M-ASV301215	853	325	130	525	205
30	13	15	M-ASV301315	857	325	130	525	205
30	14	15	M-ASV301415	861	325	130	525	205
30	15	15	M-ASV301515	866	325	130	525	205
30	16	15	M-ASV301615	870	325	130	525	205
30	17	15	M-ASV301715	874	325	130	525	205
30	18	15	M-ASV301815	878	325	130	525	205
30	19	15	M-ASV301915	883	325	130	525	205
30	20	15	M-ASV302015	887	325	130	525	205
30	21	15	M-ASV302115	891	325	130	525	205
30	22	15	M-ASV302215	895	325	130	525	205
30	23	15	M-ASV302315	900	325	130	525	205
30	24	15	M-ASV302415	904	325	130	525	205
30	25	15	M-ASV302515	908	325	130	525	205
30	26	15	M-ASV302615	912	325	130	525	205
30	27	15	M-ASV302715	917	325	130	525	205
30	28	15	M-ASV302815	921	325	130	525	205
30	29	15	M-ASV302915	925	325	130	525	205
30	30	15	M-ASV303015	929	325	130	525	205
30	31	15	M-ASV303115	934	325	130	525	205
30	32	15	M-ASV303215	938	325	130	525	205
30	33	15	M-ASV303315	942	325	130	525	205
30	34	15	M-ASV303415	946	325	130	525	205
30	35	15	M-ASV303515	951	325	130	525	205
30	36	15	M-ASV303615	955	325	130	525	205
30	37	15	M-ASV303715	959	325	130	525	205
30	38	15	M-ASV303815	963	325	130	525	205
30	39	15	M-ASV303915	967	325	130	525	205
30	40	15	M-ASV304015	971	325	130	525	205



Specify

- Case Finish
- Depth Choice
- Front Finish
- Front Grain Direction (if applicable)

Notes

- Cutdown height as needed based on ceiling height.
- Front grain direction applies to widths up to 60".


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Vertical Soffits for Wall Cabinets, 15” Deep

15” DEEP VERTICAL SOFFITS – 30”H

Actual H	W	D	Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
30	41	15	M-ASV304115	975	325	130	525	205
30	42	15	M-ASV304215	978	325	130	525	205
30	43	15	M-ASV304315	982	325	130	525	205
30	44	15	M-ASV304415	986	325	130	525	205
30	45	15	M-ASV304515	990	325	130	525	205
30	46	15	M-ASV304615	994	325	130	525	205
30	47	15	M-ASV304715	998	325	130	525	205
30	48	15	M-ASV304815	1,002	325	130	525	205
30	49	15	M-ASV304915	1,006	325	130	525	205
30	50	15	M-ASV305015	1,011	325	130	525	205
30	51	15	M-ASV305115	1,015	325	130	525	205
30	52	15	M-ASV305215	1,019	325	130	525	205
30	53	15	M-ASV305315	1,023	325	130	525	205
30	54	15	M-ASV305415	1,028	325	130	525	205
30	55	15	M-ASV305515	1,032	325	130	525	205
30	56	15	M-ASV305615	1,036	325	130	525	205
30	57	15	M-ASV305715	1,040	325	130	525	205
30	58	15	M-ASV305815	1,045	325	130	525	205
30	59	15	M-ASV305915	1,049	325	130	525	205
30	60	15	M-ASV306015	1,053	325	130	525	205
30	61	15	M-ASV306115	1,057	325	130	525	205
30	62	15	M-ASV306215	1,062	325	130	525	205
30	63	15	M-ASV306315	1,066	325	130	525	205
30	64	15	M-ASV306415	1,070	325	130	525	205
30	65	15	M-ASV306515	1,074	325	130	525	205
30	66	15	M-ASV306615	1,079	325	130	525	205
30	67	15	M-ASV306715	1,083	325	130	525	205
30	68	15	M-ASV306815	1,087	325	130	525	205



Specify

- Case Finish
- Depth Choice
- Front Finish
- Front Grain Direction (if applicable)

Notes


- Cutdown height as needed based on ceiling height.
- Front grain direction applies to widths up to 60".

© 2026, AIS, Inc.

Vertical Soffits for Wall Cabinets, 15” Deep

15” DEEP VERTICAL SOFFITS – 30”H

Actual H	W	D	Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
30	69	15	M-ASV306915	1,091	325	130	525	205
30	70	15	M-ASV307015	1,095	325	130	525	205
30	71	15	M-ASV307115	1,100	325	130	525	205
30	72	15	M-ASV307215	1,104	325	130	525	205
30	73	15	M-ASV307315	1,108	325	130	525	205
30	74	15	M-ASV307415	1,112	325	130	525	205
30	75	15	M-ASV307515	1,117	325	130	525	205
30	76	15	M-ASV307615	1,121	325	130	525	205
30	77	15	M-ASV307715	1,125	325	130	525	205
30	78	15	M-ASV307815	1,129	325	130	525	205
30	79	15	M-ASV307915	1,134	325	130	525	205
30	80	15	M-ASV308015	1,138	325	130	525	205
30	81	15	M-ASV308115	1,142	325	130	525	205
30	82	15	M-ASV308215	1,147	325	130	525	205
30	83	15	M-ASV308315	1,151	325	130	525	205
30	84	15	M-ASV308415	1,155	325	130	525	205
30	85	15	M-ASV308515	1,159	325	130	525	205
30	86	15	M-ASV308615	1,163	325	130	525	205
30	87	15	M-ASV308715	1,167	325	130	525	205
30	88	15	M-ASV308815	1,171	325	130	525	205
30	89	15	M-ASV308915	1,175	325	130	525	205
30	90	15	M-ASV309015	1,179	325	130	525	205
30	91	15	M-ASV309115	1,183	325	130	525	205
30	92	15	M-ASV309215	1,186	325	130	525	205
30	93	15	M-ASV309315	1,190	325	130	525	205
30	94	15	M-ASV309415	1,194	325	130	525	205
30	95	15	M-ASV309515	1,198	325	130	525	205
30	96	15	M-ASV309615	1,202	325	130	525	205



Specify

- Case Finish
- Depth Choice
- Front Finish
- Front Grain Direction (if applicable)

Notes

- Cutdown height as needed based on ceiling height.
- Front grain direction applies to widths up to 60".


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Vertical Soffits for Wall Cabinets, 15” Deep

15” DEEP VERTICAL SOFFITS – 36”H

Actual H	W	D	Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
36	12	15	M-ASV361215	882	325	130	525	205
36	13	15	M-ASV361315	887	325	130	525	205
36	14	15	M-ASV361415	892	325	130	525	205
36	15	15	M-ASV361515	897	325	130	525	205
36	16	15	M-ASV361615	902	325	130	525	205
36	17	15	M-ASV361715	906	325	130	525	205
36	18	15	M-ASV361815	911	325	130	525	205
36	19	15	M-ASV361915	916	325	130	525	205
36	20	15	M-ASV362015	921	325	130	525	205
36	21	15	M-ASV362115	926	325	130	525	205
36	22	15	M-ASV362215	931	325	130	525	205
36	23	15	M-ASV362315	936	325	130	525	205
36	24	15	M-ASV362415	940	325	130	525	205
36	25	15	M-ASV362515	945	325	130	525	205
36	26	15	M-ASV362615	950	325	130	525	205
36	27	15	M-ASV362715	955	325	130	525	205
36	28	15	M-ASV362815	960	325	130	525	205
36	29	15	M-ASV362915	965	325	130	525	205
36	30	15	M-ASV363015	970	325	130	525	205
36	31	15	M-ASV363115	974	325	130	525	205
36	32	15	M-ASV363215	979	325	130	525	205
36	33	15	M-ASV363315	984	325	130	525	205
36	34	15	M-ASV363415	989	325	130	525	205
36	35	15	M-ASV363515	994	325	130	525	205
36	36	15	M-ASV363615	999	325	130	525	205
36	37	15	M-ASV363715	1,003	325	130	525	205
36	38	15	M-ASV363815	1,008	325	130	525	205
36	39	15	M-ASV363915	1,012	325	130	525	205
36	40	15	M-ASV364015	1,017	325	130	525	205



Specify

- Case Finish
- Depth Choice
- Front Finish
- Front Grain Direction (if applicable)

Notes


- Cutdown height as needed based on ceiling height.
- Front grain direction applies to widths up to 60".

© 2026, AIS, Inc.

Vertical Soffits for Wall Cabinets, 15” Deep

15” DEEP VERTICAL SOFFITS – 36”H

Actual H	W	D	Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
36	41	15	M-ASV364115	1,021	325	130	525	205
36	42	15	M-ASV364215	1,026	325	130	525	205
36	43	15	M-ASV364315	1,030	325	130	525	205
36	44	15	M-ASV364415	1,035	325	130	525	205
36	45	15	M-ASV364515	1,040	325	130	525	205
36	46	15	M-ASV364615	1,044	325	130	525	205
36	47	15	M-ASV364715	1,049	325	130	525	205
36	48	15	M-ASV364815	1,053	325	130	525	205
36	49	15	M-ASV364915	1,058	325	130	525	205
36	50	15	M-ASV365015	1,063	325	130	525	205
36	51	15	M-ASV365115	1,068	325	130	525	205
36	52	15	M-ASV365215	1,073	325	130	525	205
36	53	15	M-ASV365315	1,077	325	130	525	205
36	54	15	M-ASV365415	1,082	325	130	525	205
36	55	15	M-ASV365515	1,087	325	130	525	205
36	56	15	M-ASV365615	1,092	325	130	525	205
36	57	15	M-ASV365715	1,097	325	130	525	205
36	58	15	M-ASV365815	1,102	325	130	525	205
36	59	15	M-ASV365915	1,107	325	130	525	205
36	60	15	M-ASV366015	1,111	325	130	525	205
36	61	15	M-ASV366115	1,116	325	130	525	205
36	62	15	M-ASV366215	1,121	325	130	525	205
36	63	15	M-ASV366315	1,126	325	130	525	205
36	64	15	M-ASV366415	1,131	325	130	525	205
36	65	15	M-ASV366515	1,136	325	130	525	205
36	66	15	M-ASV366615	1,141	325	130	525	205
36	67	15	M-ASV366715	1,145	325	130	525	205
36	68	15	M-ASV366815	1,150	325	130	525	205



Specify

- Case Finish
- Depth Choice
- Front Finish
- Front Grain Direction (if applicable)

Notes

- Cutdown height as needed based on ceiling height.
- Front grain direction applies to widths up to 60".


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Vertical Soffits for Wall Cabinets, 15” Deep

15” DEEP VERTICAL SOFFITS – 36”H

Actual H	W	D	Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
36	69	15	M-ASV366915	1,155	325	130	525	205
36	70	15	M-ASV367015	1,160	325	130	525	205
36	71	15	M-ASV367115	1,165	325	130	525	205
36	72	15	M-ASV367215	1,170	325	130	525	205
36	73	15	M-ASV367315	1,175	325	130	525	205
36	74	15	M-ASV367415	1,179	325	130	525	205
36	75	15	M-ASV367515	1,184	325	130	525	205
36	76	15	M-ASV367615	1,189	325	130	525	205
36	77	15	M-ASV367715	1,194	325	130	525	205
36	78	15	M-ASV367815	1,199	325	130	525	205
36	79	15	M-ASV367915	1,204	325	130	525	205
36	80	15	M-ASV368015	1,209	325	130	525	205
36	81	15	M-ASV368115	1,213	325	130	525	205
36	82	15	M-ASV368215	1,218	325	130	525	205
36	83	15	M-ASV368315	1,223	325	130	525	205
36	84	15	M-ASV368415	1,228	325	130	525	205
36	85	15	M-ASV368515	1,233	325	130	525	205
36	86	15	M-ASV368615	1,237	325	130	525	205
36	87	15	M-ASV368715	1,242	325	130	525	205
36	88	15	M-ASV368815	1,246	325	130	525	205
36	89	15	M-ASV368915	1,251	325	130	525	205
36	90	15	M-ASV369015	1,255	325	130	525	205
36	91	15	M-ASV369115	1,260	325	130	525	205
36	92	15	M-ASV369215	1,264	325	130	525	205
36	93	15	M-ASV369315	1,269	325	130	525	205
36	94	15	M-ASV369415	1,273	325	130	525	205
36	95	15	M-ASV369515	1,278	325	130	525	205
36	96	15	M-ASV369615	1,283	325	130	525	205



Specify

- Case Finish
- Depth Choice
- Front Finish
- Front Grain Direction (if applicable)

Notes


- Cutdown height as needed based on ceiling height.
- Front grain direction applies to widths up to 60".

© 2026, AIS, Inc.

Vertical Soffits for Tall Storage Cabinets, 24” Deep

24” DEEP VERTICAL SOFFITS – 6”H

Actual H	W	D	Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
6	12	24	M-ASV61224	754	275	110	475	185
6	13	24	M-ASV61324	756	275	110	475	185
6	14	24	M-ASV61424	758	275	110	475	185
6	15	24	M-ASV61524	760	275	110	475	185
6	16	24	M-ASV61624	762	275	110	475	185
6	17	24	M-ASV61724	763	275	110	475	185
6	18	24	M-ASV61824	765	275	110	475	185
6	19	24	M-ASV61924	767	275	110	475	185
6	20	24	M-ASV62024	769	275	110	475	185
6	21	24	M-ASV62124	771	275	110	475	185
6	22	24	M-ASV62224	772	275	110	475	185
6	23	24	M-ASV62324	774	275	110	475	185
6	24	24	M-ASV62424	776	275	110	475	185
6	25	24	M-ASV62524	778	275	110	475	185
6	26	24	M-ASV62624	780	275	110	475	185
6	27	24	M-ASV62724	781	275	110	475	185
6	28	24	M-ASV62824	783	275	110	475	185
6	29	24	M-ASV62924	785	275	110	475	185
6	30	24	M-ASV63024	787	275	110	475	185
6	31	24	M-ASV63124	789	275	110	475	185
6	32	24	M-ASV63224	790	275	110	475	185
6	33	24	M-ASV63324	792	275	110	475	185
6	34	24	M-ASV63424	794	275	110	475	185
6	35	24	M-ASV63524	796	275	110	475	185
6	36	24	M-ASV63624	798	275	110	475	185
6	37	24	M-ASV63724	799	275	110	475	185
6	38	24	M-ASV63824	801	275	110	475	185
6	39	24	M-ASV63924	802	275	110	475	185
6	40	24	M-ASV64024	804	275	110	475	185



Specify

- Case Finish
- Depth Choice
- Front Finish
- Front Grain Direction (if applicable)

Notes

- Cutdown height as needed based on ceiling height.
- Front grain direction applies to widths up to 60".


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Vertical Soffits for Tall Storage Cabinets, 24” Deep

24” DEEP VERTICAL SOFFITS – 6”H

Actual H	W	D	Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
6	41	24	M-ASV64124	805	275	110	475	185
6	42	24	M-ASV64224	807	275	110	475	185
6	43	24	M-ASV64324	808	275	110	475	185
6	44	24	M-ASV64424	810	275	110	475	185
6	45	24	M-ASV64524	811	275	110	475	185
6	46	24	M-ASV64624	813	275	110	475	185
6	47	24	M-ASV64724	814	275	110	475	185
6	48	24	M-ASV64824	816	275	110	475	185
6	49	24	M-ASV64924	817	275	110	475	185
6	50	24	M-ASV65024	819	275	110	475	185
6	51	24	M-ASV65124	821	275	110	475	185
6	52	24	M-ASV65224	823	275	110	475	185
6	53	24	M-ASV65324	825	275	110	475	185
6	54	24	M-ASV65424	827	275	110	475	185
6	55	24	M-ASV65524	828	275	110	475	185
6	56	24	M-ASV65624	830	275	110	475	185
6	57	24	M-ASV65724	832	275	110	475	185
6	58	24	M-ASV65824	834	275	110	475	185
6	59	24	M-ASV65924	836	275	110	475	185
6	60	24	M-ASV66024	837	275	110	475	185
6	61	24	M-ASV66124	839	275	110	475	185
6	62	24	M-ASV66224	841	275	110	475	185
6	63	24	M-ASV66324	843	275	110	475	185
6	64	24	M-ASV66424	845	275	110	475	185
6	65	24	M-ASV66524	846	275	110	475	185
6	66	24	M-ASV66624	848	275	110	475	185
6	67	24	M-ASV66724	850	275	110	475	185
6	68	24	M-ASV66824	852	275	110	475	185



Specify

- Case Finish
- Depth Choice
- Front Finish
- Front Grain Direction (if applicable)

Notes


- Cutdown height as needed based on ceiling height.
- Front grain direction applies to widths up to 60".

© 2026, AIS, Inc.

Vertical Soffits for Tall Storage Cabinets, 24” Deep

24” DEEP VERTICAL SOFFITS – 6”H

Actual H	W	D	Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
6	69	24	M-ASV66924	854	275	110	475	185
6	70	24	M-ASV67024	855	275	110	475	185
6	71	24	M-ASV67124	857	275	110	475	185
6	72	24	M-ASV67224	859	275	110	475	185
6	73	24	M-ASV67324	861	275	110	475	185
6	74	24	M-ASV67424	863	275	110	475	185
6	75	24	M-ASV67524	865	275	110	475	185
6	76	24	M-ASV67624	866	275	110	475	185
6	77	24	M-ASV67724	868	275	110	475	185
6	78	24	M-ASV67824	870	275	110	475	185
6	79	24	M-ASV67924	872	275	110	475	185
6	80	24	M-ASV68024	874	275	110	475	185
6	81	24	M-ASV68124	875	275	110	475	185
6	82	24	M-ASV68224	877	275	110	475	185
6	83	24	M-ASV68324	879	275	110	475	185
6	84	24	M-ASV68424	881	275	110	475	185
6	85	24	M-ASV68524	882	275	110	475	185
6	86	24	M-ASV68624	884	275	110	475	185
6	87	24	M-ASV68724	885	275	110	475	185
6	88	24	M-ASV68824	887	275	110	475	185
6	89	24	M-ASV68924	888	275	110	475	185
6	90	24	M-ASV69024	890	275	110	475	185
6	91	24	M-ASV69124	891	275	110	475	185
6	92	24	M-ASV69224	893	275	110	475	185
6	93	24	M-ASV69324	894	275	110	475	185
6	94	24	M-ASV69424	896	275	110	475	185
6	95	24	M-ASV69524	897	275	110	475	185
6	96	24	M-ASV69624	899	275	110	475	185



Specify

- Case Finish
- Depth Choice
- Front Finish
- Front Grain Direction (if applicable)

Notes

- Cutdown height as needed based on ceiling height.
- Front grain direction applies to widths up to 60".


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Vertical Soffits for Tall Storage Cabinets, 24” Deep

24” DEEP VERTICAL SOFFITS – 12”H

Actual H	W	D	Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
12	12	24	M-ASV121224	777	275	110	475	185
12	13	24	M-ASV121324	779	275	110	475	185
12	14	24	M-ASV121424	782	275	110	475	185
12	15	24	M-ASV121524	784	275	110	475	185
12	16	24	M-ASV121624	787	275	110	475	185
12	17	24	M-ASV121724	789	275	110	475	185
12	18	24	M-ASV121824	792	275	110	475	185
12	19	24	M-ASV121924	794	275	110	475	185
12	20	24	M-ASV122024	796	275	110	475	185
12	21	24	M-ASV122124	799	275	110	475	185
12	22	24	M-ASV122224	801	275	110	475	185
12	23	24	M-ASV122324	804	275	110	475	185
12	24	24	M-ASV122424	806	275	110	475	185
12	25	24	M-ASV122524	808	275	110	475	185
12	26	24	M-ASV122624	811	275	110	475	185
12	27	24	M-ASV122724	813	275	110	475	185
12	28	24	M-ASV122824	816	275	110	475	185
12	29	24	M-ASV122924	818	275	110	475	185
12	30	24	M-ASV123024	821	275	110	475	185
12	31	24	M-ASV123124	823	275	110	475	185
12	32	24	M-ASV123224	825	275	110	475	185
12	33	24	M-ASV123324	828	275	110	475	185
12	34	24	M-ASV123424	830	275	110	475	185
12	35	24	M-ASV123524	833	275	110	475	185
12	36	24	M-ASV123624	835	275	110	475	185
12	37	24	M-ASV123724	837	275	110	475	185
12	38	24	M-ASV123824	839	275	110	475	185
12	39	24	M-ASV123924	841	275	110	475	185
12	40	24	M-ASV124024	843	275	110	475	185



Specify

- Case Finish
- Depth Choice
- Front Finish
- Front Grain Direction (if applicable)

Notes


- Cutdown height as needed based on ceiling height.
- Front grain direction applies to widths up to 60".

© 2026, AIS, Inc.

Vertical Soffits for Tall Storage Cabinets, 24” Deep

24” DEEP VERTICAL SOFFITS – 12”H

Actual H	W	D	Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
12	41	24	M-ASV124124	846	275	110	475	185
12	42	24	M-ASV124224	848	275	110	475	185
12	43	24	M-ASV124324	850	275	110	475	185
12	44	24	M-ASV124424	852	275	110	475	185
12	45	24	M-ASV124524	854	275	110	475	185
12	46	24	M-ASV124624	856	275	110	475	185
12	47	24	M-ASV124724	858	275	110	475	185
12	48	24	M-ASV124824	860	275	110	475	185
12	49	24	M-ASV124924	863	275	110	475	185
12	50	24	M-ASV125024	865	275	110	475	185
12	51	24	M-ASV125124	868	275	110	475	185
12	52	24	M-ASV125224	870	275	110	475	185
12	53	24	M-ASV125324	872	275	110	475	185
12	54	24	M-ASV125424	875	275	110	475	185
12	55	24	M-ASV125524	877	275	110	475	185
12	56	24	M-ASV125624	880	275	110	475	185
12	57	24	M-ASV125724	882	275	110	475	185
12	58	24	M-ASV125824	885	275	110	475	185
12	59	24	M-ASV125924	887	275	110	475	185
12	60	24	M-ASV126024	889	275	110	475	185
12	61	24	M-ASV126124	892	275	110	475	185
12	62	24	M-ASV126224	894	275	110	475	185
12	63	24	M-ASV126324	897	275	110	475	185
12	64	24	M-ASV126424	899	275	110	475	185
12	65	24	M-ASV126524	901	275	110	475	185
12	66	24	M-ASV126624	904	275	110	475	185
12	67	24	M-ASV126724	906	275	110	475	185
12	68	24	M-ASV126824	909	275	110	475	185



Specify

- Case Finish
- Depth Choice
- Front Finish
- Front Grain Direction (if applicable)

Notes

- Cutdown height as needed based on ceiling height.
- Front grain direction applies to widths up to 60".


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Vertical Soffits for Tall Storage Cabinets, 24” Deep

24” DEEP VERTICAL SOFFITS – 12”H

Actual H	W	D	Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
12	69	24	M-ASV126924	911	275	110	475	185
12	70	24	M-ASV127024	914	275	110	475	185
12	71	24	M-ASV127124	916	275	110	475	185
12	72	24	M-ASV127224	918	275	110	475	185
12	73	24	M-ASV127324	921	275	110	475	185
12	74	24	M-ASV127424	923	275	110	475	185
12	75	24	M-ASV127524	926	275	110	475	185
12	76	24	M-ASV127624	928	275	110	475	185
12	77	24	M-ASV127724	931	275	110	475	185
12	78	24	M-ASV127824	933	275	110	475	185
12	79	24	M-ASV127924	935	275	110	475	185
12	80	24	M-ASV128024	938	275	110	475	185
12	81	24	M-ASV128124	940	275	110	475	185
12	82	24	M-ASV128224	943	275	110	475	185
12	83	24	M-ASV128324	945	275	110	475	185
12	84	24	M-ASV128424	947	275	110	475	185
12	85	24	M-ASV128524	950	275	110	475	185
12	86	24	M-ASV128624	952	275	110	475	185
12	87	24	M-ASV128724	954	275	110	475	185
12	88	24	M-ASV128824	956	275	110	475	185
12	89	24	M-ASV128924	958	275	110	475	185
12	90	24	M-ASV129024	960	275	110	475	185
12	91	24	M-ASV129124	962	275	110	475	185
12	92	24	M-ASV129224	964	275	110	475	185
12	93	24	M-ASV129324	966	275	110	475	185
12	94	24	M-ASV129424	969	275	110	475	185
12	95	24	M-ASV129524	971	275	110	475	185
12	96	24	M-ASV129624	973	275	110	475	185



Specify

- Case Finish
- Depth Choice
- Front Finish
- Front Grain Direction (if applicable)

Notes


- Cutdown height as needed based on ceiling height.
- Front grain direction applies to widths up to 60".

© 2026, AIS, Inc.

Vertical Soffits for Tall Storage Cabinets, 24” Deep

24” DEEP VERTICAL SOFFITS – 18”H

Actual H	W	D	Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
18	12	24	M-ASV181224	819	300	120	500	195
18	13	24	M-ASV181324	822	300	120	500	195
18	14	24	M-ASV181424	825	300	120	500	195
18	15	24	M-ASV181524	828	300	120	500	195
18	16	24	M-ASV181624	831	300	120	500	195
18	17	24	M-ASV181724	834	300	120	500	195
18	18	24	M-ASV181824	837	300	120	500	195
18	19	24	M-ASV181924	840	300	120	500	195
18	20	24	M-ASV182024	843	300	120	500	195
18	21	24	M-ASV182124	846	300	120	500	195
18	22	24	M-ASV182224	849	300	120	500	195
18	23	24	M-ASV182324	852	300	120	500	195
18	24	24	M-ASV182424	855	300	120	500	195
18	25	24	M-ASV182524	858	300	120	500	195
18	26	24	M-ASV182624	861	300	120	500	195
18	27	24	M-ASV182724	864	300	120	500	195
18	28	24	M-ASV182824	868	300	120	500	195
18	29	24	M-ASV182924	871	300	120	500	195
18	30	24	M-ASV183024	874	300	120	500	195
18	31	24	M-ASV183124	877	300	120	500	195
18	32	24	M-ASV183224	880	300	120	500	195
18	33	24	M-ASV183324	883	300	120	500	195
18	34	24	M-ASV183424	886	300	120	500	195
18	35	24	M-ASV183524	889	300	120	500	195
18	36	24	M-ASV183624	892	300	120	500	195
18	37	24	M-ASV183724	895	300	120	500	195
18	38	24	M-ASV183824	897	300	120	500	195
18	39	24	M-ASV183924	900	300	120	500	195
18	40	24	M-ASV184024	903	300	120	500	195



Specify

- Case Finish
- Depth Choice
- Front Finish
- Front Grain Direction (if applicable)

Notes

- Cutdown height as needed based on ceiling height.
- Front grain direction applies to widths up to 60".


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Vertical Soffits for Tall Storage Cabinets, 24” Deep

24” DEEP VERTICAL SOFFITS – 18”H

Actual H	W	D	Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
18	41	24	M-ASV184124	905	300	120	500	195
18	42	24	M-ASV184224	908	300	120	500	195
18	43	24	M-ASV184324	911	300	120	500	195
18	44	24	M-ASV184424	913	300	120	500	195
18	45	24	M-ASV184524	916	300	120	500	195
18	46	24	M-ASV184624	919	300	120	500	195
18	47	24	M-ASV184724	922	300	120	500	195
18	48	24	M-ASV184824	924	300	120	500	195
18	49	24	M-ASV184924	927	300	120	500	195
18	50	24	M-ASV185024	930	300	120	500	195
18	51	24	M-ASV185124	933	300	120	500	195
18	52	24	M-ASV185224	936	300	120	500	195
18	53	24	M-ASV185324	939	300	120	500	195
18	54	24	M-ASV185424	942	300	120	500	195
18	55	24	M-ASV185524	945	300	120	500	195
18	56	24	M-ASV185624	949	300	120	500	195
18	57	24	M-ASV185724	952	300	120	500	195
18	58	24	M-ASV185824	955	300	120	500	195
18	59	24	M-ASV185924	958	300	120	500	195
18	60	24	M-ASV186024	961	300	120	500	195
18	61	24	M-ASV186124	964	300	120	500	195
18	62	24	M-ASV186224	967	300	120	500	195
18	63	24	M-ASV186324	970	300	120	500	195
18	64	24	M-ASV186424	973	300	120	500	195
18	65	24	M-ASV186524	976	300	120	500	195
18	66	24	M-ASV186624	979	300	120	500	195
18	67	24	M-ASV186724	982	300	120	500	195
18	68	24	M-ASV186824	985	300	120	500	195



Specify

- Case Finish
- Depth Choice
- Front Finish
- Front Grain Direction (if applicable)

Notes


- Cutdown height as needed based on ceiling height.
- Front grain direction applies to widths up to 60".

© 2026, AIS, Inc.

Vertical Soffits for Tall Storage Cabinets, 24” Deep

24” DEEP VERTICAL SOFFITS – 18”H

Actual H	W	D	Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
18	69	24	M-ASV186924	988	300	120	500	195
18	70	24	M-ASV187024	991	300	120	500	195
18	71	24	M-ASV187124	994	300	120	500	195
18	72	24	M-ASV187224	997	300	120	500	195
18	73	24	M-ASV187324	1,000	300	120	500	195
18	74	24	M-ASV187424	1,003	300	120	500	195
18	75	24	M-ASV187524	1,006	300	120	500	195
18	76	24	M-ASV187624	1,009	300	120	500	195
18	77	24	M-ASV187724	1,012	300	120	500	195
18	78	24	M-ASV187824	1,015	300	120	500	195
18	79	24	M-ASV187924	1,018	300	120	500	195
18	80	24	M-ASV188024	1,021	300	120	500	195
18	81	24	M-ASV188124	1,024	300	120	500	195
18	82	24	M-ASV188224	1,027	300	120	500	195
18	83	24	M-ASV188324	1,030	300	120	500	195
18	84	24	M-ASV188424	1,033	300	120	500	195
18	85	24	M-ASV188524	1,036	300	120	500	195
18	86	24	M-ASV188624	1,039	300	120	500	195
18	87	24	M-ASV188724	1,041	300	120	500	195
18	88	24	M-ASV188824	1,044	300	120	500	195
18	89	24	M-ASV188924	1,047	300	120	500	195
18	90	24	M-ASV189024	1,050	300	120	500	195
18	91	24	M-ASV189124	1,052	300	120	500	195
18	92	24	M-ASV189224	1,055	300	120	500	195
18	93	24	M-ASV189324	1,058	300	120	500	195
18	94	24	M-ASV189424	1,061	300	120	500	195
18	95	24	M-ASV189524	1,063	300	120	500	195
18	96	24	M-ASV189624	1,066	300	120	500	195



Specify

- Case Finish
- Depth Choice
- Front Finish
- Front Grain Direction (if applicable)

Notes

- Cutdown height as needed based on ceiling height.
- Front grain direction applies to widths up to 60".


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Vertical Soffits for Tall Storage Cabinets, 24” Deep

24” DEEP VERTICAL SOFFITS – 24”H

Actual H	W	D	Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
24	12	24	M-ASV241224	853	300	120	500	195
24	13	24	M-ASV241324	857	300	120	500	195
24	14	24	M-ASV241424	861	300	120	500	195
24	15	24	M-ASV241524	864	300	120	500	195
24	16	24	M-ASV241624	868	300	120	500	195
24	17	24	M-ASV241724	872	300	120	500	195
24	18	24	M-ASV241824	875	300	120	500	195
24	19	24	M-ASV241924	879	300	120	500	195
24	20	24	M-ASV242024	883	300	120	500	195
24	21	24	M-ASV242124	886	300	120	500	195
24	22	24	M-ASV242224	890	300	120	500	195
24	23	24	M-ASV242324	893	300	120	500	195
24	24	24	M-ASV242424	897	300	120	500	195
24	25	24	M-ASV242524	901	300	120	500	195
24	26	24	M-ASV242624	904	300	120	500	195
24	27	24	M-ASV242724	908	300	120	500	195
24	28	24	M-ASV242824	912	300	120	500	195
24	29	24	M-ASV242924	915	300	120	500	195
24	30	24	M-ASV243024	919	300	120	500	195
24	31	24	M-ASV243124	923	300	120	500	195
24	32	24	M-ASV243224	926	300	120	500	195
24	33	24	M-ASV243324	930	300	120	500	195
24	34	24	M-ASV243424	933	300	120	500	195
24	35	24	M-ASV243524	937	300	120	500	195
24	36	24	M-ASV243624	941	300	120	500	195
24	37	24	M-ASV243724	944	300	120	500	195
24	38	24	M-ASV243824	947	300	120	500	195
24	39	24	M-ASV243924	951	300	120	500	195
24	40	24	M-ASV244024	954	300	120	500	195



Specify

- Case Finish
- Depth Choice
- Front Finish
- Front Grain Direction (if applicable)

Notes


- Cutdown height as needed based on ceiling height.
- Front grain direction applies to widths up to 60".

© 2026, AIS, Inc.

Vertical Soffits for Tall Storage Cabinets, 24” Deep

24” DEEP VERTICAL SOFFITS – 24”H

Actual H	W	D	Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
24	41	24	M-ASV244124	957	300	120	500	195
24	42	24	M-ASV244224	961	300	120	500	195
24	43	24	M-ASV244324	964	300	120	500	195
24	44	24	M-ASV244424	967	300	120	500	195
24	45	24	M-ASV244524	971	300	120	500	195
24	46	24	M-ASV244624	974	300	120	500	195
24	47	24	M-ASV244724	977	300	120	500	195
24	48	24	M-ASV244824	981	300	120	500	195
24	49	24	M-ASV244924	984	300	120	500	195
24	50	24	M-ASV245024	988	300	120	500	195
24	51	24	M-ASV245124	992	300	120	500	195
24	52	24	M-ASV245224	995	300	120	500	195
24	53	24	M-ASV245324	999	300	120	500	195
24	54	24	M-ASV245424	1,002	300	120	500	195
24	55	24	M-ASV245524	1,006	300	120	500	195
24	56	24	M-ASV245624	1,010	300	120	500	195
24	57	24	M-ASV245724	1,013	300	120	500	195
24	58	24	M-ASV245824	1,017	300	120	500	195
24	59	24	M-ASV245924	1,021	300	120	500	195
24	60	24	M-ASV246024	1,024	300	120	500	195
24	61	24	M-ASV246124	1,028	300	120	500	195
24	62	24	M-ASV246224	1,032	300	120	500	195
24	63	24	M-ASV246324	1,035	300	120	500	195
24	64	24	M-ASV246424	1,039	300	120	500	195
24	65	24	M-ASV246524	1,043	300	120	500	195
24	66	24	M-ASV246624	1,046	300	120	500	195
24	67	24	M-ASV246724	1,050	300	120	500	195
24	68	24	M-ASV246824	1,053	300	120	500	195



Specify

- Case Finish
- Depth Choice
- Front Finish
- Front Grain Direction (if applicable)

Notes

- Cutdown height as needed based on ceiling height.
- Front grain direction applies to widths up to 60".


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Vertical Soffits for Tall Storage Cabinets, 24” Deep

24” DEEP VERTICAL SOFFITS – 24”H

Actual H	W	D	Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
24	69	24	M-ASV246924	1,057	300	120	500	195
24	70	24	M-ASV247024	1,061	300	120	500	195
24	71	24	M-ASV247124	1,064	300	120	500	195
24	72	24	M-ASV247224	1,068	300	120	500	195
24	73	24	M-ASV247324	1,072	300	120	500	195
24	74	24	M-ASV247424	1,075	300	120	500	195
24	75	24	M-ASV247524	1,079	300	120	500	195
24	76	24	M-ASV247624	1,082	300	120	500	195
24	77	24	M-ASV247724	1,086	300	120	500	195
24	78	24	M-ASV247824	1,090	300	120	500	195
24	79	24	M-ASV247924	1,093	300	120	500	195
24	80	24	M-ASV248024	1,097	300	120	500	195
24	81	24	M-ASV248124	1,101	300	120	500	195
24	82	24	M-ASV248224	1,104	300	120	500	195
24	83	24	M-ASV248324	1,108	300	120	500	195
24	84	24	M-ASV248424	1,112	300	120	500	195
24	85	24	M-ASV248524	1,115	300	120	500	195
24	86	24	M-ASV248624	1,118	300	120	500	195
24	87	24	M-ASV248724	1,121	300	120	500	195
24	88	24	M-ASV248824	1,125	300	120	500	195
24	89	24	M-ASV248924	1,128	300	120	500	195
24	90	24	M-ASV249024	1,131	300	120	500	195
24	91	24	M-ASV249124	1,135	300	120	500	195
24	92	24	M-ASV249224	1,138	300	120	500	195
24	93	24	M-ASV249324	1,141	300	120	500	195
24	94	24	M-ASV249424	1,145	300	120	500	195
24	95	24	M-ASV249524	1,148	300	120	500	195
24	96	24	M-ASV249624	1,151	300	120	500	195



Specify

- Case Finish
- Depth Choice
- Front Finish
- Front Grain Direction (if applicable)

Notes


- Cutdown height as needed based on ceiling height.
- Front grain direction applies to widths up to 60".

© 2026, AIS, Inc.

Vertical Soffits for Tall Storage Cabinets, 24” Deep

24” DEEP VERTICAL SOFFITS – 30”H

Actual H	W	D	Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
30	12	24	M-ASV301224	895	325	130	525	205
30	13	24	M-ASV301324	900	325	130	525	205
30	14	24	M-ASV301424	904	325	130	525	205
30	15	24	M-ASV301524	908	325	130	525	205
30	16	24	M-ASV301624	912	325	130	525	205
30	17	24	M-ASV301724	917	325	130	525	205
30	18	24	M-ASV301824	921	325	130	525	205
30	19	24	M-ASV301924	925	325	130	525	205
30	20	24	M-ASV302024	929	325	130	525	205
30	21	24	M-ASV302124	934	325	130	525	205
30	22	24	M-ASV302224	938	325	130	525	205
30	23	24	M-ASV302324	942	325	130	525	205
30	24	24	M-ASV302424	946	325	130	525	205
30	25	24	M-ASV302524	951	325	130	525	205
30	26	24	M-ASV302624	955	325	130	525	205
30	27	24	M-ASV302724	959	325	130	525	205
30	28	24	M-ASV302824	963	325	130	525	205
30	29	24	M-ASV302924	968	325	130	525	205
30	30	24	M-ASV303024	972	325	130	525	205
30	31	24	M-ASV303124	976	325	130	525	205
30	32	24	M-ASV303224	980	325	130	525	205
30	33	24	M-ASV303324	985	325	130	525	205
30	34	24	M-ASV303424	989	325	130	525	205
30	35	24	M-ASV303524	993	325	130	525	205
30	36	24	M-ASV303624	997	325	130	525	205
30	37	24	M-ASV303724	1,001	325	130	525	205
30	38	24	M-ASV303824	1,005	325	130	525	205
30	39	24	M-ASV303924	1,009	325	130	525	205
30	40	24	M-ASV304024	1,013	325	130	525	205



Specify

- Case Finish
- Depth Choice
- Front Finish
- Front Grain Direction (if applicable)

Notes

- Cutdown height as needed based on ceiling height.
- Front grain direction applies to widths up to 60".


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Vertical Soffits for Tall Storage Cabinets, 24” Deep

24” DEEP VERTICAL SOFFITS – 30”H

Actual H	W	D	Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
30	41	24	M-ASV304124	1,017	325	130	525	205
30	42	24	M-ASV304224	1,021	325	130	525	205
30	43	24	M-ASV304324	1,025	325	130	525	205
30	44	24	M-ASV304424	1,029	325	130	525	205
30	45	24	M-ASV304524	1,033	325	130	525	205
30	46	24	M-ASV304624	1,037	325	130	525	205
30	47	24	M-ASV304724	1,041	325	130	525	205
30	48	24	M-ASV304824	1,045	325	130	525	205
30	49	24	M-ASV304924	1,049	325	130	525	205
30	50	24	M-ASV305024	1,053	325	130	525	205
30	51	24	M-ASV305124	1,057	325	130	525	205
30	52	24	M-ASV305224	1,062	325	130	525	205
30	53	24	M-ASV305324	1,066	325	130	525	205
30	54	24	M-ASV305424	1,070	325	130	525	205
30	55	24	M-ASV305524	1,074	325	130	525	205
30	56	24	M-ASV305624	1,079	325	130	525	205
30	57	24	M-ASV305724	1,083	325	130	525	205
30	58	24	M-ASV305824	1,087	325	130	525	205
30	59	24	M-ASV305924	1,091	325	130	525	205
30	60	24	M-ASV306024	1,096	325	130	525	205
30	61	24	M-ASV306124	1,100	325	130	525	205
30	62	24	M-ASV306224	1,104	325	130	525	205
30	63	24	M-ASV306324	1,108	325	130	525	205
30	64	24	M-ASV306424	1,113	325	130	525	205
30	65	24	M-ASV306524	1,117	325	130	525	205
30	66	24	M-ASV306624	1,121	325	130	525	205
30	67	24	M-ASV306724	1,125	325	130	525	205
30	68	24	M-ASV306824	1,129	325	130	525	205



Specify

- Case Finish
- Depth Choice
- Front Finish
- Front Grain Direction (if applicable)

Notes


- Cutdown height as needed based on ceiling height.
- Front grain direction applies to widths up to 60".

© 2026, AIS, Inc.

Vertical Soffits for Tall Storage Cabinets, 24” Deep

24” DEEP VERTICAL SOFFITS – 30”H

Actual H	W	D	Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
30	69	24	M-ASV306924	1,134	325	130	525	205
30	70	24	M-ASV307024	1,138	325	130	525	205
30	71	24	M-ASV307124	1,142	325	130	525	205
30	72	24	M-ASV307224	1,146	325	130	525	205
30	73	24	M-ASV307324	1,151	325	130	525	205
30	74	24	M-ASV307424	1,155	325	130	525	205
30	75	24	M-ASV307524	1,159	325	130	525	205
30	76	24	M-ASV307624	1,163	325	130	525	205
30	77	24	M-ASV307724	1,168	325	130	525	205
30	78	24	M-ASV307824	1,172	325	130	525	205
30	79	24	M-ASV307924	1,176	325	130	525	205
30	80	24	M-ASV308024	1,180	325	130	525	205
30	81	24	M-ASV308124	1,185	325	130	525	205
30	82	24	M-ASV308224	1,189	325	130	525	205
30	83	24	M-ASV308324	1,193	325	130	525	205
30	84	24	M-ASV308424	1,198	325	130	525	205
30	85	24	M-ASV308524	1,201	325	130	525	205
30	86	24	M-ASV308624	1,205	325	130	525	205
30	87	24	M-ASV308724	1,209	325	130	525	205
30	88	24	M-ASV308824	1,213	325	130	525	205
30	89	24	M-ASV308924	1,217	325	130	525	205
30	90	24	M-ASV309024	1,221	325	130	525	205
30	91	24	M-ASV309124	1,225	325	130	525	205
30	92	24	M-ASV309224	1,229	325	130	525	205
30	93	24	M-ASV309324	1,233	325	130	525	205
30	94	24	M-ASV309424	1,237	325	130	525	205
30	95	24	M-ASV309524	1,241	325	130	525	205
30	96	24	M-ASV309624	1,245	325	130	525	205



Specify

- Case Finish
- Depth Choice
- Front Finish
- Front Grain Direction (if applicable)

Notes

- Cutdown height as needed based on ceiling height.
- Front grain direction applies to widths up to 60".


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Vertical Soffits for Tall Storage Cabinets, 24” Deep

24” DEEP VERTICAL SOFFITS – 36”H

Actual H	W	D	Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
36	12	24	M-ASV361224	930	325	130	525	205
36	13	24	M-ASV361324	935	325	130	525	205
36	14	24	M-ASV361424	940	325	130	525	205
36	15	24	M-ASV361524	945	325	130	525	205
36	16	24	M-ASV361624	949	325	130	525	205
36	17	24	M-ASV361724	954	325	130	525	205
36	18	24	M-ASV361824	959	325	130	525	205
36	19	24	M-ASV361924	964	325	130	525	205
36	20	24	M-ASV362024	969	325	130	525	205
36	21	24	M-ASV362124	974	325	130	525	205
36	22	24	M-ASV362224	979	325	130	525	205
36	23	24	M-ASV362324	983	325	130	525	205
36	24	24	M-ASV362424	988	325	130	525	205
36	25	24	M-ASV362524	993	325	130	525	205
36	26	24	M-ASV362624	998	325	130	525	205
36	27	24	M-ASV362724	1,003	325	130	525	205
36	28	24	M-ASV362824	1,008	325	130	525	205
36	29	24	M-ASV362924	1,012	325	130	525	205
36	30	24	M-ASV363024	1,017	325	130	525	205
36	31	24	M-ASV363124	1,022	325	130	525	205
36	32	24	M-ASV363224	1,027	325	130	525	205
36	33	24	M-ASV363324	1,032	325	130	525	205
36	34	24	M-ASV363424	1,037	325	130	525	205
36	35	24	M-ASV363524	1,042	325	130	525	205
36	36	24	M-ASV363624	1,046	325	130	525	205
36	37	24	M-ASV363724	1,051	325	130	525	205
36	38	24	M-ASV363824	1,056	325	130	525	205
36	39	24	M-ASV363924	1,060	325	130	525	205
36	40	24	M-ASV364024	1,065	325	130	525	205



Specify

- Case Finish
- Depth Choice
- Front Finish
- Front Grain Direction (if applicable)

Notes


- Cutdown height as needed based on ceiling height.
- Front grain direction applies to widths up to 60".

© 2026, AIS, Inc.

Vertical Soffits for Tall Storage Cabinets, 24” Deep

24” DEEP VERTICAL SOFFITS – 36”H

Actual H	W	D	Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
36	41	24	M-ASV364124	1,069	325	130	525	205
36	42	24	M-ASV364224	1,074	325	130	525	205
36	43	24	M-ASV364324	1,078	325	130	525	205
36	44	24	M-ASV364424	1,083	325	130	525	205
36	45	24	M-ASV364524	1,087	325	130	525	205
36	46	24	M-ASV364624	1,092	325	130	525	205
36	47	24	M-ASV364724	1,096	325	130	525	205
36	48	24	M-ASV364824	1,101	325	130	525	205
36	49	24	M-ASV364924	1,106	325	130	525	205
36	50	24	M-ASV365024	1,111	325	130	525	205
36	51	24	M-ASV365124	1,116	325	130	525	205
36	52	24	M-ASV365224	1,120	325	130	525	205
36	53	24	M-ASV365324	1,125	325	130	525	205
36	54	24	M-ASV365424	1,130	325	130	525	205
36	55	24	M-ASV365524	1,135	325	130	525	205
36	56	24	M-ASV365624	1,140	325	130	525	205
36	57	24	M-ASV365724	1,145	325	130	525	205
36	58	24	M-ASV365824	1,150	325	130	525	205
36	59	24	M-ASV365924	1,154	325	130	525	205
36	60	24	M-ASV366024	1,159	325	130	525	205
36	61	24	M-ASV366124	1,164	325	130	525	205
36	62	24	M-ASV366224	1,169	325	130	525	205
36	63	24	M-ASV366324	1,174	325	130	525	205
36	64	24	M-ASV366424	1,179	325	130	525	205
36	65	24	M-ASV366524	1,184	325	130	525	205
36	66	24	M-ASV366624	1,188	325	130	525	205
36	67	24	M-ASV366724	1,193	325	130	525	205
36	68	24	M-ASV366824	1,198	325	130	525	205



Specify

- Case Finish
- Depth Choice
- Front Finish
- Front Grain Direction (if applicable)

Notes

- Cutdown height as needed based on ceiling height.
- Front grain direction applies to widths up to 60".


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Vertical Soffits for Tall Storage Cabinets, 24” Deep

24” DEEP VERTICAL SOFFITS – 36”H

Actual H	W	D	Model Number	List	HPL Case	HPL Front	MHPL Case	MHPL Front
36	69	24	M-ASV366924	1,203	325	130	525	205
36	70	24	M-ASV367024	1,208	325	130	525	205
36	71	24	M-ASV367124	1,213	325	130	525	205
36	72	24	M-ASV367224	1,218	325	130	525	205
36	73	24	M-ASV367324	1,222	325	130	525	205
36	74	24	M-ASV367424	1,227	325	130	525	205
36	75	24	M-ASV367524	1,232	325	130	525	205
36	76	24	M-ASV367624	1,237	325	130	525	205
36	77	24	M-ASV367724	1,242	325	130	525	205
36	78	24	M-ASV367824	1,247	325	130	525	205
36	79	24	M-ASV367924	1,252	325	130	525	205
36	80	24	M-ASV368024	1,256	325	130	525	205
36	81	24	M-ASV368124	1,261	325	130	525	205
36	82	24	M-ASV368224	1,266	325	130	525	205
36	83	24	M-ASV368324	1,271	325	130	525	205
36	84	24	M-ASV368424	1,276	325	130	525	205
36	85	24	M-ASV368524	1,280	325	130	525	205
36	86	24	M-ASV368624	1,285	325	130	525	205
36	87	24	M-ASV368724	1,289	325	130	525	205
36	88	24	M-ASV368824	1,294	325	130	525	205
36	89	24	M-ASV368924	1,299	325	130	525	205
36	90	24	M-ASV369024	1,303	325	130	525	205
36	91	24	M-ASV369124	1,308	325	130	525	205
36	92	24	M-ASV369224	1,312	325	130	525	205
36	93	24	M-ASV369324	1,317	325	130	525	205
36	94	24	M-ASV369424	1,321	325	130	525	205
36	95	24	M-ASV369524	1,326	325	130	525	205
36	96	24	M-ASV369624	1,330	325	130	525	205



Specify

- Case Finish
- Depth Choice
- Front Finish
- Front Grain Direction (if applicable)

Notes


- Cutdown height as needed based on ceiling height.
- Front grain direction applies to widths up to 60".

© 2026, AIS, Inc.

Caseworks Bracket, Countertop Support

CASEWORKS BRACKET


H	W	D	Model Number	List
5 1/2	1	1	M-ACB	38



Specify	Notes
• Paint Finish	• Included with side fillers. • Can be used to attach side fillers, end panel, or support countertops.

CASEWORKS COUNTERTOP SUPPORT

H	W	D	Model Number	List
21	1 3/4	24	M-ACCS	201



Specify	Notes
• Paint Finish	• Intended for countertop support. • Wall attachment hardware not included.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

Soft Close Mechanism for Hinged Door, Push To Open, Hinge Restriction Clip, Ganging Kit for Casegoods

110 DEGREE SOFT CLOSE MECHANISM FOR HINGED DOOR

Part Number	List
X-SOFTHINGE	48






Notes

- Mounting method: snaps on to hinge. No tools required.
- Material: steel
- Color/finish: Nickel-plated
- One required for doors up to 30” tall; doors between 31”H and 66”H – order two; doors over 66”H – order three.
- Not compatible with 170 degree hinge.

110 DEGREE HINGE RESTRICTION CLIP

Model Number	List
C-BHARC	25





Notes

- Prevents cabinet door hinge from opening more than 86 degrees.
- Intended for use on cabinet doors close to walls, in corners, or next to other doors.
- One per hinge required:
  - Base/wall cabinets have two hinges per door
  - Tall storage cabinets have four hinges per door
- Not compatible with 170 degree hinge.

PUSH TO OPEN

Model Number	List
X-TIPON	34





Notes

- Choose no pull option on cabinets to add this separately.
- One required per door for base and wall cabinets.
- Two required per door for tall cabinets.

GANGING KIT FOR CASEGOODS

Part Number	List
X-GANGKIT	20



Notes


- Used for ganging two cabinets together.
- Included with cabinets.

© 2026, AIS, Inc.

Flat Plate and Replacement Pulls

FLAT PLATE

Model Number	List
WPS-FP	39




Notes


- Black paint finish only.

REPLACEMENT PULLS

Type	Model Number	List
Bar Pull	X-BARHANDLE	34
L Pull	X-L-PULLHANDLE	34
Loop Pull	X-LOOPHANDLE	34
Rectangle Pull	X-RECTHANDLE	34




Bar Pull



L Pull



Loop Pull



Rectangular Pull

Notes

- Replacements only.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Stainless Steel Sinks, Stainless Steel Pull-Down Spray Head Faucet, Stainless Steel Sink Faucet Hole Cover

STAINLESS STEEL SINKS

H	W	D	Description	Model Number	List
8 1/16	25	22	Drop In	M-ASRD	1,321
6 9/16	25	22	Drop In (ADA)	M-ASAD	648
7 1/2	23 1/2	18 1/4	Undermount	M-ASRU	2,834
5 3/8	23 1/2	18 1/4	Undermount (ADA)	M-ASAU	2,749




Drop In | Drop In (ADA) | Undermount | Undermount (ADA)

Notes

- Drop in sinks are intended for laminate countertops and have four holes.
- Undermount sinks intended for Corian countertops.

STAINLESS STEEL PULL-DOWN SPRAY HEAD FAUCET

Model Number	List
M-ASF	1,932




Notes

- Single hole faucet with optional base included to cover additional two holes.
- Pull down spray has three function options.

STAINLESS STEEL SINK FAUCET HOLE COVER

Model Number	List
M-ASFC	21



Notes

- Used to fill holes in drops in sinks if not used.

© 2026, AIS, Inc.

National Showrooms:

Leominster
AIS Headquarters
25 Tucker Drive
Leominster, MA 01453

Chicago
The Merchandise Mart
Suite 391
Chicago, Illinois 60654

New York
AIS New York
257 Park Avenue South
New York, New York 10010

Washington, D.C.
AIS Washington, D.C.
1501 M St, NW, STE 230
Washington, D.C. 20005

GSA Sales
GSA Contract GS-29F-0006K
FSC Group 71,
Part 1 Office Furniture

For additional information on AIS:
Dealer Showrooms, Representative Directory, Project Case Studies, Online Catalog & Product Showcase
Visit: **www.ais-inc.com**

AIS

800.434.7400 | 978.562.7500 | Fax: 978.562.0811 | www.ais-inc.com | March 2026

DIVI FAST TRACK

March 2026 Price List

AIS

PRODUCT INFORMATION

Fabrics, Finishes and Lead Times . . . 4

PANELS

Divi Fast Track Permanent Monolithic Panel Availablity Details . . . 5
Divi Linear Hard Surface Permanent Monolithic Panels . . . 6
Divi Linear Tackable Surface Permanent Monolithic Panels . . . 7
Divi Linear Quarter Glass Permanent Monolithic Panels . . . 8

CONNECTORS

Divi Linear Base Raceway Shrouds, Wall Tracks and Wall Mounts . . . 9
Divi Linear Post Filler Kits . . . 10
Divi Linear Spacers . . . 11

ELECTRICAL

Lateral Pass Through Jumpers and Panel-to-Panel Jumpers . . . 12
Duplex Outlets . . . 13
Base Infeeds and Ceiling Infeeds . . . 14
Data Plate Kits, Power/Data Pole Kits and Hardwire Junction Boxes . . . 15
In-Line Power/Data Pole Combination Kits . . . 16
In-Line Power/Data Pole Retrofit Kits and Pole Dividers . . . 17

TABLES

Height Adjustable Tables and Round Tables . . . 18

WORKSURFACES

Grommet Specifications . . . 19
Rectangular and Curvilinear Corner Worksurfaces . . . 20
Divi Bullpen Surfaces . . . 21
Rectangular Worksurfaces for Height Adjustable Tables . . . 22

SUPPORT

Height Adjustable Table Bases . . . 23
A-Legs . . . 24
Divi Panel Mounted A-Legs . . . 24
N-Legs, Combination Legs and Pedestal-to-Panel Attachment Brackets . . . 25
Cantilevers, Side Support/Rear Brackets, Flat Plates and U-Channels . . . 26

CLIP SCREENS

Clip Screen Product Details . . . 27
Glass 1/4” Panel Top Surface Mount Clip Screens . . . 28
Glass 3/8” Panel Top Surface Mount Clip Screens . . . 29

STORAGE

Mid-Height Shelf and Flipper Doors Units . . . 30
L Series Pedestals . . . 31
L Series Laterals and Replacement Pulls . . . 33

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

ACCESSORIES

Task Lights and Task Light Cord Managers . . . 34
Monitor Arms . . . 35
Keyboard Arms, Mouse Trays, Pencil Drawers and Anti-Fatigue Mats . . . 36
Tackboards . . . 37
Lock Cores and Keys . . . 38

SEATING

Task Chairs . . . 39
Side Chairs . . . 40
Volker Cubes . . . 41

WARRANTY & TERMS AND CONDITIONS

For Warranty & Terms and Conditions please visit:

https://www.ais-inc.com

© 2026, AIS, Inc.

Fabrics, Finishes and Lead Times

DIVI FAST TRACK FINISH OPTIONS

Vertical Surface Fabrics

Name	Grade
Avenue	A
Cape Cod	A
Engage	A
Mirador	A
New England	A
Rainfall	A
Simplicity	A
Twizzle	A

Upholstery Fabric Options*

Name	Grade
Mirador	A

Mirador comes standard as an antimicrobial upholstery.
*Available on ped cushions and Volker Cubes only.

Divi Trim, Base, Storage and X-Base Paint Finish Options

Name	Color Code	Divi Panel Grade	Divi Base Grade
Black	BK	A	A
Grey Value 1	GV1	A	A
Medium Tone	MT	A	A
Satin White	SW	A	A

Height Adjustable Table Paint Finish Options

E Series and Day-to-Day Base Options

Name	Grade
Black	A
Metallic Silver	A
Satin White	A

Laminate Options

Name	Grade
Absolute Acajou†	A
Aimtoo Savatre	A
Looks Likatre†	A
Maritime Dune†	A
Midwest Maple	A
Summer Drops	A
True White	A
Trytoo Savatre†	A
White Chocolate†	A

†Indicates a textured laminate.

2MM Edgeband Options

Name	Grade
Absolute Acajou	A
Aimtoo Savatre	A
Black	A
Grey Value 1	A
Looks Likatre	A
Maritime Dune	A
Medium Tone	A
Midwest Maple	A
Satin White	A
Summer Drops	A
True White	A
Trytoo Savatre	A
White Chocolate	A

Raceway Color Options

Name
Black
Grey Value 1
Medium Tone
Satin White

Glass Finish Options

Name	Grade
Clear	A

Lead Time

See Lead Time Guide on DealerNet for current lead times.

Lead time does not include 24-hour order processing period.

Orders missing part numbers and corresponding required finish information are considered incomplete. These orders will not be processed until correct information is received.

Lead time begins 24 hours after receipt of complete and processable order as defined in the purchase order requirement section of this program.

Lead time for orders containing non-program items may vary. AIS Customer Service can assist in clarifying mixed order lead time.

Blended orders will have lead times assigned per items on actual order.


At AIS, we take great pride in offering a diverse selection of high-quality materials including but not limited to textiles, laminates, PET, mesh, etc. However, AIS cannot guarantee uniformity in dye lots across different production runs. As such, AIS is not liable for any variations in dye lots or color discrepancies in any of our products that may occur between orders. We encourage customers to review samples for color and texture matching prior to purchase. We are committed to providing exceptional products and are confident that our selection of textiles will meet your expectations for both aesthetic appeal and durability.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Divi Fast Track Permanent Monolithic Panel Availablity Details

Permanent Monolithic Panel Availability


Fabric Covered - Hard Surface - Powered/Non-Powered:



Nominal Heights:
42", 50", 66" (Actual Min. Height = Nominal - 1/16") - 1 1/2" Leveling Glide Range

Widths:
24", 30", 36", 42", 48", 60" (Actual Width = Nominal + 1/8")


Fabric Covered - Tackable Surface - Powered/Non-Powered:



Nominal Heights:
50", 66" (Actual Min. Height = Nominal - 1/16") - 1 1/2" Leveling Glide Range

Widths:
24", 30", 36", 42", 48", 60" (Actual Width = Nominal + 1/8")


Quarter Glass - Fabric Covered Hard Surface - Powered/Non-Powered:



Nominal Heights:
50", 66" (Actual Min. Height = Nominal - 1/16") - 1 1/2" Leveling Glide Range

Widths:
24", 30", 36", 42", 48" (Actual Width = Nominal + 1/8")


Permanent Monolithic Panel Profile



Duplex outlets are ordered separately. Two outlets can be used per side, four total per panel. Outlets utilize top base cover holes.

Duplex outlet covers hide unused duplex outlet or data locations. Six are shipped with every panel. A 24"W gets three duplex outlet covers. Order extra as needed.

Snap-in data jack housing (order separately) accommodates six Hubbell or compatible data/ voice jacks. Snap-in housings may not be used back to back on a spine wall.



Data cable raceway cavity is approximately 2" wide by 3" tall and can accommodate between 32 and 40 Cat 6 data cables, depending on how tightly they are packed.


Cat 5 and 6 data jacks extend beyond center line of raceway, preventing jack housings to be used back to back on a spine. Plan on using "cross corners" on panel to eliminate this issue.


© 2026, AIS, Inc.

Divi Linear Hard Surface Permanent Monolithic Panels

DIVI LINEAR HARD SURFACE PERMANENT MONOLITHIC NON-POWERED PANELS

H	W	Model Number	List
42	24	P-DLFRPM4224	767
42	30	P-DLFRPM4230	830
42	36	P-DLFRPM4236	886
42	42	P-DLFRPM4242	940
42	48	P-DLFRPM4248	995
42	60	P-DLFRPM4260	1,190
50	24	P-DLFRPM5024	823
50	30	P-DLFRPM5030	914
50	36	P-DLFRPM5036	1,000
50	42	P-DLFRPM5042	1,092
50	48	P-DLFRPM5048	1,189
50	60	P-DLFRPM5060	1,413
66	24	P-DLFRPM6624	946
66	30	P-DLFRPM6630	1,046
66	36	P-DLFRPM6636	1,136
66	42	P-DLFRPM6642	1,233
66	48	P-DLFRPM6648	1,326
66	60	P-DLFRPM6660	1,588





Divi Linear Trim

Specify


- Fabric Selection for Side A and B
- Paint Selection for Panel Trim
- Color Selection for Base Cover
- Raceway Divider Option (+50)
- Data Access Option (+15)


Notes

- Permanent Monolithic Non-Powered Panels - Hard Surface are fabric covered hard surface panels.
- Panels may be ordered with power/data access base covers and/or raceway divider.
- Each panel includes all connection hinges needed for each panel.
- Features Divi Linear trim.

DIVI LINEAR HARD SURFACE PERMANENT MONOLITHIC POWERED PANELS

H	W	Model Number	List
42	24	P-DLFPPM4224	1,178
42	30	P-DLFPPM4230	1,238
42	36	P-DLFPPM4236	1,289
42	42	P-DLFPPM4242	1,339
42	48	P-DLFPPM4248	1,398
42	60	P-DLFPPM4260	1,586
50	24	P-DLFPPM5024	1,235
50	30	P-DLFPPM5030	1,317
50	36	P-DLFPPM5036	1,402
50	42	P-DLFPPM5042	1,493
50	48	P-DLFPPM5048	1,586
50	60	P-DLFPPM5060	1,803
66	24	P-DLFPPM6624	1,348
66	30	P-DLFPPM6630	1,445
66	36	P-DLFPPM6636	1,548
66	42	P-DLFPPM6642	1,630
66	48	P-DLFPPM6648	1,725
66	60	P-DLFPPM6660	1,975





Divi Linear Trim

Specify

- Fabric Selection for Side A and B
- Paint Selection for Panel Trim
- Color Selection for Base Cover
- Raceway Divider Option (+50)

Notes

- Permanent Monolithic Powered Panels - Hard Surface are fabric covered hard surface panels.
- Includes 8 wire 4 circuit powerway and power/data access base covers.
- Panels may be ordered with a raceway divider.
- Includes six duplex outlet hole covers; 24”W panels only include three duplex outlet hole covers.
- Each panel includes all connection hinges needed for each panel.
- Duplex outlets and electrical jumpers are specified separately. See “Electrical”.
- Features Divi Linear trim.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

Divi Linear Tackable Surface Permanent Monolithic Panels

DIVI LINEAR TACKABLE SURFACE PERMANENT MONOLITHIC NON-POWERED PANELS

H	W	Model Number	List
50	24	P-DLTRPM5024	1,000
50	30	P-DLTRPM5030	1,026
50	36	P-DLTRPM5036	1,146
50	42	P-DLTRPM5042	1,223
50	48	P-DLTRPM5048	1,302
50	60	P-DLTRPM5060	1,551
66	24	P-DLTRPM6624	1,129
66	30	P-DLTRPM6630	1,207
66	36	P-DLTRPM6636	1,295
66	42	P-DLTRPM6642	1,377
66	48	P-DLTRPM6648	1,460
66	60	P-DLTRPM6660	1,715





Divi Linear Trim

Specify


- Fabric Selection for Side A and B
- Paint Selection for Panel Trim
- Color Selection for Base Cover
- Raceway Divider Option (+50)
- Data Access Option (+15)


Notes

- Permanent Monolithic Non-Powered Panels - Tackable Surface are fabric covered, sound absorbing tackable panels.
- Panels may be ordered with power/data access base covers and/or raceway divider.
- Each panel includes all connection hinges needed for each panel.
- Features Divi Linear trim.

DIVI LINEAR TACKABLE SURFACE PERMANENT MONOLITHIC POWERED PANELS

H	W	Model Number	List
50	24	P-DLTPPM5024	1,445
50	30	P-DLTPPM5030	1,508
50	36	P-DLTPPM5036	1,586
50	42	P-DLTPPM5042	1,668
50	48	P-DLTPPM5048	1,741
50	60	P-DLTPPM5060	1,996
66	24	P-DLTPPM6624	1,553
66	30	P-DLTPPM6630	1,634
66	36	P-DLTPPM6636	1,715
66	42	P-DLTPPM6642	1,798
66	48	P-DLTPPM6648	1,881
66	60	P-DLTPPM6660	2,134





Divi Linear Trim

Specify

- Fabric Selection for Side A and B
- Paint Selection for Panel Trim
- Color Selection for Base Cover
- Raceway Divider Option (+50)

Notes


- Permanent Monolithic Powered Panels - Tackable Surface are fabric covered, sound absorbing tackable panels.
- Includes 8 wire 4 circuit powerway and power/data access base covers.
- Panels may be ordered with a raceway divider.
- Includes six duplex outlet hole covers; 24”W panels only include three duplex outlet hole covers.
- Each panel includes all connection hinges needed for each panel.
- Duplex outlets and electrical jumpers are specified separately. See “Electrical”.
- Featurues Divi Linear trim.


© 2026, AIS, Inc.

Divi Linear Quarter Glass Permanent Monolithic Panels

DIVI LINEAR QUARTER GLASS PERMANENT MONOLITHIC NON-POWERED PANELS

H	W	Model Number	List
50	24	P-DLQGWRPM5024	1,594
50	30	P-DLQGWRPM5030	1,746
50	36	P-DLQGWRPM5036	1,904
50	42	P-DLQGWRPM5042	2,059
50	48	P-DLQGWRPM5048	2,210
50	60	P-DLQGWRPM5060	2,505
66	24	P-DLQGWRPM6624	1,835
66	30	P-DLQGWRPM6630	2,029
66	36	P-DLQGWRPM6636	2,222
66	42	P-DLQGWRPM6642	2,416
66	48	P-DLQGWRPM6648	2,606
66	60	P-DLQGWRPM6660	2,988





Divi Linear Trim

Specify


- Style Selection for Glass Insert
- Fabric Selection for Side A and B
- Paint Selection for Panel Trim
- Color Selection for Base Cover
- Raceway Divider Option (+50)
- Data Access Option (+15)


Notes

- Permanent Monolithic Non-Powered Quarter Glass Panels are fabric covered hard surface panels with an aluminum wrapped glass insert at the top section of the panel.
- Panels may be ordered with power/data access base covers and/or raceway divider.
- Each panel includes all connection hinges needed for each panel.
- 33” fabric height for 50” high panels, 49” fabric height for 66” high panels, 65” fabric height for 82” high panels.
- Features Divi Linear trim.

DIVI LINEAR QUARTER GLASS PERMANENT MONOLITHIC POWERED PANELS

H	W	Model Number	List
50	24	P-DLQGWPPM5024	1,925
50	30	P-DLQGWPPM5030	2,093
50	36	P-DLQGWPPM5036	2,253
50	42	P-DLQGWPPM5042	2,407
50	48	P-DLQGWPPM5048	2,564
50	60	P-DLQGWPPM5060	2,875
66	24	P-DLQGWPPM6624	2,187
66	30	P-DLQGWPPM6630	2,388
66	36	P-DLQGWPPM6636	2,581
66	42	P-DLQGWPPM6642	2,781
66	48	P-DLQGWPPM6648	2,979
66	60	P-DLQGWPPM6660	3,372





Divi Linear Trim

Specify

- Style Selection for Glass Insert
- Fabric Selection for Side A and B
- Paint Selection for Panel Trim
- Color Selection for Base Cover
- Raceway Divider Option (+50)

Notes

- Permanent Monolithic Quarter Glass Powered Panels are fabric covered hard surface panels with an aluminum wrapped glass insert at the top section of the panel.
- Includes 8 wire 4 circuit powerway and power/data access base covers.
- Panels may be ordered with a raceway divider.
- Includes six duplex outlet hole covers; 24”W panels only include three duplex outlet hole covers.
- Each panel includes all connection hinges needed for each panel.
- Duplex outlets and electrical jumpers are specified separately. See “Electrical”.
- 33” fabric height for 50” high panels, 49” fabric height for 66” high panels, 65” fabric height for 82” high panels.
- Features Divi Linear trim.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

Divi Linear Base Raceway Shrouds, Wall Tracks and Wall Mounts

DIVI LINEAR 90° 2-WAY BASE RACEWAY SHROUDS


Model Number	List	Raceway Divider
P-DLBS90	32	+8






DIVI LINEAR 90° 3-WAY BASE RACEWAY SHROUDS


Model Number	List	Raceway Divider
P-DLBS3W	32	+8






DIVI LINEAR END BASE RACEWAY SHROUDS

Model Number	List
P-DLSEOR	32






Specify	Notes
• Color Selection for Shroud Cover • Raceway Divider Option	• Base Raceway Shrouds are required to trim base raceways in order to cover data/electrical cable exposure. • 90° 2-Way Base Raceway Shrouds are required to trim base raceways at 90° panel connections. • 90° 3-Way Base Raceway Shrouds are required to trim base raceways at 90° 3-way panel connections. • End Base Raceway Shrouds are required to trim base raceways at the end of panel runs.

WALL TRACKS


H	Model Number	List
60	A-WTRK60	215



Specify	Notes
• Paint Selection	• Wall Track mounts to fixed walls to provide slotted channel for panel hung items. • Track will sit approximately 5” off floor when leveled with top of panels to accommodate wall cover base. • Hardware for mounting wall track to walls is not included. • Wall track may not be shared between shelf units or flipper door units. • Two sticks of Wall Track are required for each unit being mounted.

DIVI LINEAR WALL MOUNT KITS

H	Model Number	List
42	P-DLWMKIT42	129
50	P-DLWMKIT50	144
66	P-DLWMKIT66	187




Specify	Notes
• Paint Selection	• Wall Mount Kits mount panel perpendicular to fixed wall. • Specify according to the height of the panel to be mounted. • Wall mount hardware to attach wall mount to wall is not included. • Includes hinges.

© 2026, AIS, Inc.

Divi Linear Post Filler Kits


DIVI LINEAR 2-WAY POST FILLER

Panel H	Model Number	List
42	P-DLPF242	406
50	P-DLPF250	414
58	P-DLPF258	425
66	P-DLPF266	434
82	P-DLPF282	512
98	P-DLPF298	588




DIVI LINEAR 3-WAY POST FILLER

Panel H	Model Number	List
42	P-DLPF342	370
50	P-DLPF350	393
58	P-DLPF358	406
66	P-DLPF366	419
82	P-DLPF382	494
98	P-DLPF398	563




DIVI LINEAR 4-WAY POST FILLER

Panel H	Model Number	List
42	P-DLPF442	186
50	P-DLPF450	206
58	P-DLPF458	217
66	P-DLPF466	230
82	P-DLPF482	300
98	P-DLPF498	371



DIVI LINEAR END OF RUN POST FILLER

Panel H	Model Number	List
42	P-DLPFE42	378
50	P-DLPFE50	386
58	P-DLPFE58	404
66	P-DLPFE66	413
82	P-DLPFE82	481
98	P-DLPFE98	551



Specify

- Metal Power/Data Divider
- Paint Selection
- Paint Selection for Trim (Grade C +28)
- Color Selection for Base Shroud

Notes

- Post Fillers can be used to cover wires in the vertical cavities created when two or more panels are joined at 90° angles or simply as an aesthetic piece.
- 2-way, 3-way, and end or run fillers include a base shroud.
- Post fillers are not needed for panel connection, stability, or structural integrity.
- Specify the height which corresponds to the tallest panel in the configuration.
- Available painted only.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Divi Linear Spacers

DIVI LINEAR SPACER 180

H	Model Number	List	Grade C Paint
42	P-DLSP18042	440	+10
50	P-DLSP18050	448	+10
58	P-DLSP18058	459	+10
66	P-DLSP18066	468	+10
74	P-DLSP18074	534	+10
82	P-DLSP18082	545	+10
98	P-DLSP18098	623	+10



Specify


- Paint Selection
- Paint Selection for Trim (Grade C +28)
- Color Selection for Base Shroud

Notes

- Spacers can be used to fill gaps created by 3-way connectors on the opposing station wall.
- Spacers include two base shrouds.
- Specify the spacer height which corresponds to the tallest panel in the configuration.
- Available painted only.

DIVI 4-WAY DATA SEPTUM

Model Number	List
P-DLMDS4W	43



Notes


- Specify for 4-way post fillers when a data septum is required.

© 2026, AIS, Inc.

Lateral Pass Through Jumpers and Panel-to-Panel Jumpers

LATERAL PASS THROUGH JUMPERS

Panel W	Actual L	Model Number	List
24	43	E-MW8W4PJ24	362
30	48	E-MW8W4PJ30	388
36	55	E-MW8W4PJ36	399
42	61	E-MW8W4PJ42	412
48	67	E-MW8W4PJ48	444
60	79	E-MW8W4PJ60	478




Notes

- Lateral Pass Through Jumpers pass through a non-powered panel to connect two powered panels.
- Specify the jumper that corresponds to the width of the panel to be passed through.

EXTENDED LATERAL PASS THROUGH JUMPERS

Panel W	Actual L	Model Number	List
24	45	E-MW8W4PJ24E	377
30	51	E-MW8W4PJ30E	396
36	57	E-MW8W4PJ36E	409
42	63	E-MW8W4PJ42E	420
48	69	E-MW8W4PJ48E	456
60	81	E-MW8W4PJ60E	504




Notes

- Lateral Pass Through Jumpers pass through a non-powered panel to connect two powered panels.
- Specify the jumper that corresponds to the width of the panel to be passed through.

PANEL-TO-PANEL JUMPERS

L	Type	Model Number	List
18	Standard	E-MX8W4PTPC18	254
21	Extended	E-MX8W4PTPC21	266



Notes


- Panel-to-Panel Jumper connects any two adjacent powered panels connected in a straight line or at an angle.
- Order an Extended Panel-to-Panel Jumper to connect any two powered panels across the gap created by a 3-way or 4-way connection.
- 90º, 120º and 135º corners and straight panel-to-panel connections do not require an extended jumper.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Duplex Outlets

DUPLEX OUTLETS

Line	Model Number	List
1	E-MW8W4DO1	94
2	E-MW8W4DO2	94
3	E-MW8W4DO3	94
4	E-MW8W4DO4	94




Notes

- Duplex Outlets are available at designated circuits 1 through 4.
- Each duplex outlet contains two single receptacles (places to plug into) of the same circuit and are specified separately from powerways.
- All duplex outlets have black faces.
- The lettering on outlets for Circuit 1, 2 and 3 is white. The lettering on outlets for Circuit 4 is orange.
- Outlets are screw mounted to powerway.
- Duplex outlets are standard 15 amp outlets.

DUPLEX OUTLET HOLE COVERS

Model Number	List
E-UNWC	37




Notes

- Duplex Outlet Hole Covers are supplied with each powered panel to cover unused duplex outlet locations (six).
- 24”W panels only include three duplex outlet hole covers.
- Order extra hole covers separately only when required.

CALIFORNIA TITLE 24 CONTROLLED DUPLEX OUTLETS

Line	Model Number	List
1	E-MW8W4T24DO1	109
2	E-MW8W4T24DO2	109
3	E-MW8W4T24DO3	109
4	E-MW8W4T24DO4	109





Notes


- In California, 50 percent of all outlets in a systems panel cluster or benching cluster, for new construction, MUST be controlled outlets, even if there is no task lighting.
- Customers should plan on using circuits 2 and 3 for controlled circuits, and plan general load for all other items on circuits 1 and 4.
- If using 2 + 2 configuration, controlled circuits should be 1 and 2, and general load circuits on 4 and 5.
- Outlets must have the “controlled” symbol for identification purposes.

© 2026, AIS, Inc.

Base Infeeds and Ceiling Infeeds


SIDE MOUNTED BASE INFEEDS


Length	Model Number	List
72	E-UN8W4BIFS	590



NEW YORK CITY SIDE MOUNTED BASE INFEEDS

Length	Model Number	List
72	E-HM8W4BIFSNY	1,169






Notes

- Side Mounted Base Infeeds provide interface with building power at the base of the panel and mounts to powerway at jumper location.
- Each base infeed is 6’ in length, encased in “liquid tight”.
- New York City code requires the use of a special base feed with an in-line junction box.

RECEPTACLE MOUNT BASE INFEEDS


Length	Hand	Model Number	List
72	Left	E-UN8W4BIFL	632
72	Right	E-UN8W4BIFR	632




Left-hand infeed shown

NEW YORK CITY RECEPTACLE MOUNT BASE INFEEDS

Length	Hand	Model Number	List
72	Left	E-HM8W4BIFLNY	1,227
72	Right	E-HM8W4BIFRNY	1,227



Left-hand infeed shown




Notes

- Receptacle Mounted Base Infeeds provide interface with building power and mounts to powerway at duplex outlet location.
- Each base infeed is 6’ in length, encased in “liquid tight”.
- Note: New York City code requires the use of a special base feed with an in-line junction box.

CEILING INFEEDS

Length	Model Number	List
144	E-UN8W4CIF	689



Notes

- Ceiling Infeeds provide interface with building power from a suspended ceiling through a power pole shell.
- Each ceiling feed is 12’ long.
- Power pole shells are ordered separately.
- Power/Data Pole Kits are sold and specified separately.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Data Plate Kits, Power/Data Pole Kits and Hardwire Junction Boxes

DATA PLATE KITS

Item	Model Number	List
6 Port Data Gang Plate	E-DP6GFPB	43
CAT 5e Jack	E-HRJ45-SM	148
CAT 6 Data Jack	E-HXJ6BK-SM	161
Hole Blank (10PK)	E-SFBB10-SM	100




Notes

- Snap-In Data Housing Plate for Hubbell Premise™ has six ports.
- Housing is black and snaps into standard AIS DiVi duplex outlet holes, which measure 1.86” x 3.012”.
- Note: RJ-45 jacks can be used in place of RJ-11 jacks.

DOUBLE CHANNEL POWER/DATA POLE KIT

Model Number	List
A-PPDV	890



Specify


- Paint Selection

Notes

- Power/Data Pole Kit includes two 68” pole sections, two 68” covers, one pole coupler, two 68” dividers, four pole to panel mounting brackets, one ceiling shroud, one 72” perforated metal strip for attaching pole to ceiling grid, and mounting hardware.
- Order ceiling feeds separately.
- Designed for an 11’ ceiling.
- For use at 2-way and 3-way locations only.

HARDWIRE JUNCTION BOX

Model Number	List
E-DVJBCH	567



Notes


- Hardwire Junction Box allows standard, hard wired, single gang duplex outlets to be used in DiVi panels at each standard, modular duplex outlet location.
- Each outlet will require one junction box, and outlets cannot be placed back to back on a spine.
- Junction boxes do not include electrical connectors.
- Boxes are UL listed.
- Decora faced outlets cannot be used.
- Kit includes all hardware required to attach box to DiVi panel at duplex outlet location.
- Standard DiVi powered base covers are required. Order DiVi panels with standard powered base cover option.
- Boxes have standard 0.875” knockouts for electrical connectors.
- Kit includes one low profile metal face plate painted per specification.
- unction boxes can be used with either 15 amp or 20 amp single gang outlets.
- Box is 3”H x 1.524”W x 7”L.

© 2026, AIS, Inc.

In-Line Power/Data Pole Combination Kits


2-WAY IN-LINE POWER/DATA POLE COMBINATION KITS

Panel H	Model Number	List
42	P-DLPFPP242	1,013
50	P-DLPFPP250	1,015
58	P-DLPFPP258	1,017
66	P-DLPFPP266	1,019
82	P-DLPFPP282	1,026
98	P-DLPFPP298	1,028




3-WAY IN-LINE POWER/DATA POLE COMBINATION KITS

Panel H	Model Number	List
42	P-DLPFPP342	996
50	P-DLPFPP350	998
58	P-DLPFPP358	989
66	P-DLPFPP366	991
82	P-DLPFPP382	996
98	P-DLPFPP398	998



4-WAY IN-LINE POWER/DATA POLE COMBINATION KITS

Panel H	Model Number	List
42	P-DLPFPP442	816
50	P-DLPFPP450	819
58	P-DLPFPP458	821
66	P-DLPFPP466	823
82	P-DLPFPP482	827
98	P-DLPFPP498	830



END OF RUN IN-LINE POWER/DATA POLE COMBINATION KITS

Panel H	Model Number	List
42	P-DLPFPPE42	1,013
50	P-DLPFPPE50	1,015
58	P-DLPFPPE58	1,017
66	P-DLPFPPE66	1,019
82	P-DLPFPPE82	1,026
98	P-DLPFPPE98	1,028



Specify

- Paint Selection
- Paint Selection for Trim (Grade C +28)
- Color Selection for Base Shroud

Notes

- In-Line Power/Data Pole Combination Kits (1.619”d x 1.860”w) include one in-line power/data pole kit and one post filler kit.
- 2-way, 3-way, and end or run kits include a base shroud.
- Specify the height which corresponds to the tallest panel in the configuration.
- Available painted only.
- Designed for an 11’ ceiling.

© 2026, AIS, Inc.

In-Line Power/Data Pole Retrofit Kits and Pole Dividers

IN-LINE POWER/DATA POLE RETROFIT KITS

Panel H	Model Number	List
42	P-DLPFPP42	310
50	P-DLPFPP50	312
58	P-DLPFPP58	314
66	P-DLPFPP66	316
82	P-DLPFPP82	321
98	P-DLPFPP98	323



Specify

- Paint Selection

Notes

- In-Line Power/Data Pole Retrofit Kit (1.619”d x 1.860”w) mounts to the top of post fillers which are already installed at 2-way, 3-way, or 4-way connections.
- Specify the height which corresponds to the tallest panel in the configuration.
- Available painted only.
- Does not include post filler.
- Designed for an 11’ ceiling.
- Channel can accommodate 52 Cat 5 cables or 46 Cat 6 cables or 36 Cat 5 cables or 32 Cat 6 cables in tandem with a ceiling infeed.

IN-LINE POWER/DATA POLE DIVIDER

Panel H	Model Number	List
42	P-DVPFPPD42	301
50	P-DVPFPPD50	305
58	P-DVPFPPD58	308
66	P-DVPFPPD66	310
82	P-DVPFPPD82	314
98	P-DVPFPPD98	316



Notes


- In-Line Power/Data Pole Divider is specified when electrical cables need to be segregated from data cables by a metal barrier.

© 2026, AIS, Inc.

Height Adjustable Tables and Round Tables

DAY-TO-DAY 2MM EDGE RECTANGULAR TABLES WITH HEIGHT ADJUSTABLE BASES


D	W	H	Model Number	List
24	42	29	T-RCR244229HLG2	3,303
24	48	29	T-RCR244829HLG2	3,466
24	54	29	T-RCR245429HLG2	3,527
24	60	29	T-RCR246029HLG2	3,548
24	66	29	T-RCR246629HLG2	3,570
24	72	29	T-RCR247229HLG2	3,593
30	42	29	T-RCR304229HLG2	3,334
30	48	29	T-RCR304829HLG2	3,548
30	54	29	T-RCR305429HLG2	3,575
30	60	29	T-RCR306029HLG2	3,603
30	66	29	T-RCR306629HLG2	3,629
30	72	29	T-RCR307229HLG2	3,657



Specify	Notes
• Laminate Selection for Worksurface • Color Selection for Edge • Color Selection for Base - Black, Metallic Silver or Satin White	• Features a 3-stage table base. • Dimensions shown for Height Adjustable Tables are the nominal sizes. • Actual sizes will be smaller to provide a 1” perimeter gap required for safety. • Height adjustable tables available on glides only.

E SERIES 2MM EDGE RECTANGULAR TABLES WITH HEIGHT ADJUSTABLE BASES

D	W	H	Model Number	List
24	42	29	T-RCR244229HG	3,023
24	48	29	T-RCR244829HG	3,186
24	54	29	T-RCR245429HG	3,246
24	60	29	T-RCR246029HG	3,266
24	66	29	T-RCR246629HG	3,289
24	72	29	T-RCR247229HG	3,312
30	42	29	T-RCR304229HG	3,054
30	48	29	T-RCR304829HG	3,266
30	54	29	T-RCR305429HG	3,294
30	60	29	T-RCR306029HG	3,321
30	66	29	T-RCR306629HG	3,351
30	72	29	T-RCR307229HG	3,377



Specify	Notes
• Laminate Selection for Worksurface • Color Selection for Edge • Color Selection for Base - Black, Metallic Silver or Satin White	• Features a 2-stage table base. • Dimensions shown for Height Adjustable Tables are the nominal sizes. • Actual sizes will be smaller to provide a 1” perimeter gap required for safety. • Height adjustable tables available on glides only. • Available in Metallic Silver.

DAY-TO-DAY 2MM EDGE ROUND TABLES WITH STEEL X-BASES

D	H	Model Number	List
36	29	T-RDR3629SXG	1,591



Specify	Notes
• Laminate Selection for Worksurface • Color Selection for Edge • Color Selection for Base	


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Grommet Specifications


RECTANGULAR GROMMET OPTIONS

Option	Location	List
A	No Grommets	-
B	Location 1	+38
C	Location 2	+38
D	Location 3	+38
E	Locations 2 and 3	+76
F	Locations 1, 2 and 3	+114
G	Locations 1 and 2	+76
H	Locations 1 and 3	+76




RECTANGULAR GROMMET OPTIONS

Option	Location	List
A	No Grommets	-
B	Location 1	+38



CORNER GROMMET OPTIONS

Option	Location	List
A	No Grommets	-
B	Location 1 (Default)	-
C	Location 1 and 2	+38
D	Location 1 and 3	+38
E	Locations 1, 2 and 3	+76



© 2026, AIS, Inc.


Rectangular and Curvilinear Corner Worksurfaces

24” DEEP RECTANGULAR WORKSURFACES

D	W	Model Number	List
24	24	W-WS2424	424
24	30	W-WS2430	506
24	36	W-WS2436	551
24	42	W-WS2442	598
24	48	W-WS2448	649
24	54	W-WS2454	721
24	60	W-WS2460	796
24	66	W-WS2466	904
24	72	W-WS2472	989

30” DEEP RECTANGULAR WORKSURFACES

D	W	Model Number	List
30	24	W-WS3024	506
30	30	W-WS3030	595
30	36	W-WS3036	648
30	42	W-WS3042	768
30	48	W-WS3048	831
30	54	W-WS3054	964
30	60	W-WS3060	964
30	66	W-WS3066	1,087
30	72	W-WS3072	1,182



Specify


- Laminate Selection
- Color Selection for 2mm Edge
- Additional Grommet Locations (+38)
- Grommet Cover Color (if applicable)

Notes

- Worksurface support hardware is specified separately.
- Grommet holes with covers are specified as options.
- It is highly recommened that a center support be used on all worksurfaces greater than 48” width.
- When spanning panel connections with a worksurface greater than 48” wide, an additional center cantilever is recommended for added support. Otherwise, a U-channel is recommended for additional center worksurface support.
- It is not recommended that 36”, 42” and 48” deep worksurfaces be cantilevered to panels.
- If these size depths must be panel hung. it is highly recommended that an additional front support, such as a combination leg or full laminate support panel, also be specified.
- Worksurfaces have a thickness of 1 1/8”.


CURVILINEAR CORNER TYPE A

D1	W1	Model Number	List
24	36	W-WSCC2436	913
30	42	W-WSCC3042	1,215



STANDARD CURVILINEAR CORNER TYPE B

D1	W1	Model Number	List
24	42	W-WSCC2442	1,103
24	48	W-WSCC2448	1,218
30	48	W-WSCC3048	1,389



Specify

- Laminate Selection
- Color Selection for 2mm Edge
- Additional Grommet Locations (+38)
- Grommet Cover Color (if applicable)

Notes

- Worksurface support hardware is specified separately.
- Rear corner grommet hole with cover is included.
- Additional grommet holes with covers are specified as options.
- Worksurfaces have a thickness of 1 1/8”.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Divi Bullpen Surfaces


24" DEEP DIVI BULLPEN SURFACES

D	W	Number of Panels	Model Number	List
24	24 1/8	1	W-WSDV2424	454
24	30 1/8	1	W-WSDV2430	532
24	36 1/8	1	W-WSDV2436	579
24	42 1/8	1	W-WSDV2442	629
24	48 1/8	1	W-WSDV2448	677
24	54 1/4	2	W-WSDV2454	828
24	60 1/8	1	W-WSDV2460A	828
24	60 1/4	2	W-WSDV2460B	828
24	66 1/4	2	W-WSDV2466	935
24	72 1/4	2	W-WSDV2472A	1,014
24	72 3/8	3	W-WSDV2472B	1,014
24	78 1/4	2	W-WSDV2478A	1,087
24	78 3/8	3	W-WSDV2478B	1,087
24	84 1/4	2	W-WSDV2484A	1,160
24	84 3/8	3	W-WSDV2484B	1,160

30" DEEP DIVI BULLPEN SURFACES

D	W	Number of Panels	Model Number	List
30	24 1/8	1	W-WSDV3024	532
30	30 1/8	1	W-WSDV3030	626
30	36 1/8	1	W-WSDV3036	698
30	42 1/8	1	W-WSDV3042	795
30	48 1/8	1	W-WSDV3048	854
30	54 1/4	2	W-WSDV3054	997
30	60 1/8	1	W-WSDV3060A	997
30	60 1/4	2	W-WSDV3060B	997
30	66 1/4	2	W-WSDV3066	1,118
30	72 1/4	2	W-WSDV3072A	1,216
30	72 3/8	3	W-WSDV3072B	1,216
30	78 1/4	2	W-WSDV3078A	1,465
30	78 3/8	3	W-WSDV3078B	1,465
30	84 1/4	2	W-WSDV3084A	1,696
30	84 3/8	3	W-WSDV3084B	1,696





Specify

- Laminate Selection
- Color Selection for 2mm Edge
- Additional Grommet Locations (+38)
- Grommet Cover Color (if applicable)

Notes


- Worksurface support hardware is specified separately.
- Grommet holes with covers are specified as options.
- Bullpen Rectangular surfaces are designed to compensate for the gap created by natural panel creep for system specific (MWall or Divi) panels only.
- It is highly recommended that a center support be used on all workspaces greater than 48" wide.
- When spanning panel connections with a worksurface greater than 48" wide, an additional center cantilever is recommened for added support.
- Otherwise a U-Channel is recommended for addtiional center worksurface support.

© 2026, AIS, Inc.

Rectangular Worksurfaces for Height Adjustable Tables

RECTANGULAR WORKSURFACES FOR HEIGHT ADJUSTABLE TABLES

D[1]	W[1]	Model Number	List
23	46	W-WS2346	649
23	52	W-WS2352	750
23	58	W-WS2358	796
23	64	W-WS2364	904
23	70	W-WS2370	989
29	46	W-WS2946	831
29	52	W-WS2952	853
29	58	W-WS2958	964
29	64	W-WS2964	1,087
29	70	W-WS2970	1,182




Specify	Notes
• Laminate Selection • Color Selection for 2mm Edge • Grommet Location • Color Selection for Grommet Cover	• Rectangular Worksurfaces for Height Adjustable Tables have a 1 1/8” thickness. • Height adjustable worksurface support base is specified separately. • Grommet holes with covers are specified as options. • These worksurfaces are for use with height adjustable table bases only. • Worksurfaces for Height Adjustable Tables require a 1” gap around to prevent pinch points. • See example in Product Details.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Height Adjustable Table Bases

DAY-TO-DAY ELECTRIC HEIGHT ADJUSTABLE TABLE BASES

Surface W	Surface D	Color	Model Number	List
48” - 72”	24”	Black	WFS-2L-3S24B	2,880
48” - 72”	24”	Metallic Silver	WFS-2L-3S24S	2,880
48” - 72”	24”	Satin White	WFS-2L-3S24W	2,880
48” - 72”	30”	Black	WFS-2L-3S30B	2,880
48” - 72”	30”	Metallic Silver	WFS-2L-3S30S	2,880
48” - 72”	30”	Satin White	WFS-2L-3S30W	2,880



Lowered




Raised

Specify	Notes
• Color Selection for Base	• 3-stage Day-to-Day Height Adjustbale Table Bases oallow for quick and easy adjustment of worksurface height. • Available in black, satin white or metallic silver. • Bases do not include worksurfaces. • Adjusts from 21.54”H to 47.80”H (without surface). • Tops should accommodate a 1 in (25mm) pinch clearance on all sides. • Maximum worktop overhead allowed is 6” on one side. • Weight capacity is 250lbs (incl. worksurface) for two leg and 350lbs (incl. worksurface) for three leg. • Base width may be adjusted from 42”W to 72”W. • 4 memory presets. • Select tops to avoid cable shearing, prevent pinch points and collisions. Assure attached screens or monitor arms do not create unstable conditions. • Local compliances should meet local requirements.

E SERIES ELECTRIC HEIGHT ADJUSTABLE TABLE BASES

Surface W	Surface D	Model Number	List
42” - 72”	24”	T-RB2L2S24	2,600
42” - 72”	30”	T-RB2L2S30	2,600



Specify	Notes
• Color Selection for Base	• 2-stage E Series Electric Height Adjustable Table Bases on Glides allow for quick and easy adjustment of worksurface height. • Available in black, satin white, or metallic silver. • Bases do not include worksurfaces. • Adjusts from 26.26”H to 45.94”H (without surface). • Tops should accommodate a 1 in (25mm) pinch clearance on all sides. • Maximum worktop overhead allowed is 6” on one side. • Weight capacity is 250lbs (incl. worksurface). • Base width may be adjusted from 42”W to 72”W. 4 memory presets. Select tops to avoid cable shearing, prevent pinch points and collisions. Assure attached screens or monitor arms do not create unstable conditions. • Local compliances should meet local requirements.

© 2026, AIS, Inc.


Divi Panel Mounted A-Legs

DIVI PANEL MOUNTED A-LEGS


		Left Hand	Right Hand	
H	D	Model Number	Model Number	List
27	12	WFS-ALW2712DVL	WFS-ALW2712DVR	520
27	24	WFS-ALW2724DVL	WFS-ALW2724DVR	592
27	30	WFS-ALW2730DVL	WFS-ALW2730DVR	631

SHARED DIVI PANEL MOUNTED A-LEGS


		Left Hand Shared	Right Hand Shared	
H	D	Model Number	Model Number	List
27	12	WFS-ALW2712DVLS	WFS-ALW2712DVRS	559
27	24	WFS-ALW2724DVLS	WFS-ALW2724DVRS	631
27	30	WFS-ALW2730DVLS	WFS-ALW2730DVRS	670




Left Hand



Right Hand



Left Hand Shared




Right Hand Shared

Specify


- Paint Selection (+25 for Grade C)

Notes


- **Important:** A-Legs cannot be used as freestanding table support. One side must be anchored to a storage element or panel.
- A-Legs are constructed from 1 x 2 painted steel.
- Legs have 1 1/2" leveling glides.
- A-Leg welded construction allows for attachment to the worksurface.
- Ships installed with panel attachment brackets. Panel locking bracket for panel attachment situations ships separate.




EXAMPLE 1 - UNSTABLE
32"H Structural Wing




EXAMPLE 2 - UNSTABLE
32"H Panel with Cantilever




EXAMPLE 3 - UNSTABLE
32"H Panel with Cantilevers



EXAMPLE 1 - STABLE
Standard Structural Wing



EXAMPLE 2 - STABLE
32"H Panel with Floor Support



EXAMPLE 3 - STABLE
32"H Panel with Panel Mounted A-Legs


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

N-Legs, Combination Legs and Pedestal-to-Panel Attachment Brackets

2.5 X 2.5 POST N-LEG


H	D	Model Number	List
27	24	WFS-NL22724	704
27	30	WFS-NL22730	714



Specify	Notes
• Paint Selection	

PEDESTAL-TO-PANEL ATTACHMENT BRACKET

Model Number	List
S-DVPMPB	286



Specify	Notes
• Paint Selection	• Pedestal-to-Panel Attachment Brackets attach structural pedestals to panels. • These brackets serve as a space filler and as a way to add stability to panels. • Pedestal to panel attachment brackets may only be used when the nominal surface depth matches the nominal pedestal depth (24” Deep surface & 24” deep pedestal or 30” deep surface and 30” deep pedestal).

COMBINATION SUPPORT LEGS

Model Number	List
WFS-LEG	487




Specify	Notes
• Style Selection - Black or Brushed Steel	• Combination Support Leg is available in black or brushed steel. • With a unique set of adapters, legs can be converted from standard peninsula legs to equal height mobile legs, extended mobile legs, nesting legs, or extended height legs. • Standard legs are sold in a kit with one 24 3/4” leg (black or brushed steel), one 2 11/16” extender and one 7/16” high glide with 1” of adjustment. • Standard legs can be converted to mobile legs and back with the same base leg unit. • Casters are ordered separately. • Extender, glide and caster are always black. • Legs ship disassembled and flat.

© 2026, AIS, Inc.

Cantilevers, Side Support/Rear Brackets, Flat Plates and U-Channels

STANDARD CANTILEVERS

Surface Depth	Actual Depth	Hand	Model Number	List
24	18	Left	WPS-UNCT24L	114
24	18	Right	WPS-UNCT24R	114
24	18	Pair	WPS-UNCT24P	218
30	25.5	Left	WPS-UNCT30L	218
30	25.5	Right	WPS-UNCT30R	218
30	25.5	Pair	WPS-UNCT30P	431




Notes

- Standard Cantilevers provide cantilevered worksurface support from panel or wall track at either the left or right hand side of a worksurface.
- All worksurface support components fasten directly to worksurfaces with screws.
- Standard cantilevers may also be used as a center support.
- Cantilevers are painted black as a standard.
- It is highly recommended that flat plates are specified in conjunction with support cantilevers to splice two worksurfaces together at the front edge

SHARED CANTILEVERS

Surface Depth	Actual Depth	Hand	Model Number	List
24	18	Single	WPS-UNCT24S	162
24	18	Pair	WPS-UNCT24SP	319
30	25.5	Single	WPS-UNCT30S	319
30	25.5	Pair	WPS-UNCT30SP	637




Notes

- Shared Cantilevers provide cantilevered support from panel or wall track at the seam between two worksurfaces.
- All worksurface support components fasten directly to worksurfaces with screws.
- Shared Cantilevers are painted black as a standard.
- It is highly recommended that flat plates are specified in conjunction with support cantilevers to splice two worksurfaces together at the front edge.

SIDE SUPPORT / REAR BRACKETS

Hand	Model Number	List
Left	WPS-SSSAL	84
Right	WPS-SSSAR	84
Pair	WPS-SSSA	159




Left Right


Notes

- Side Support / Rear Brackets provide direct support from panel or wall track along the short side of rectangular worksurface or at rear of corner worksurface.
- All worksurface support components fasten directly to worksurfaces with screws.
- Side Support / Rear Brackets are painted black as a standard.
- Available in black only.

FLAT PLATES & U-CHANNELS

Item	Model Number	List
Flat Plate	WPS-FP	39
U-Channel	WPS-VC48	156





Notes

- Flat Plate is used to splice two worksurfaces together at front edge.
- The 3.5” x 1.5” plate has four holes per side for superior adaptability and rigidity.
- It is recommended that flat plates are also specified at the front edge helping splice the two worksurfaces together.
- Flat Plates are painted black as a standard.
- U-Channel mounts to underside of longer worksurfaces to provide bracing where center support cantilever is not possible.
- All worksurface support components fasten directly to worksurfaces with screws.
- U-Channels are painted black as a standard.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Clip Screen Product Details

Note: AIS Screens are designed to be easily installed in most industry standard situations, however, it is the responsibility of the dealer to understand the installation methods required as well as limitations of the situation or product that you intend to install on.


Screen installation instructions can be found at : https://www.ais-inc.com/resources/installation-instructions

The following information only pertains to AIS product.

Clip Screen Product Details



1/4” Clear Glass



3/8” Clear Glass

- Available in 1/4” clear glass and 3/8” clear glass.
- Screens come with all necessary mounting hardware (clips, channel, feet, brackets, etc) at prices shown.
- Clip dimensions: 2 1/8” H , 2 1/3” W and 1 1/2” D.
- Screens mounted to surfaces will receive 2 clips for surfaces 24” – 54” wide, 3 clips for surfaces 60” – 72” wide and 4 clips for surfaces 78” – 84” wide.
- Surface Mount screens screw directly to top of panels.
- Divi specific Panel Top Screens can only be applied to Divi product. For Panel Top Screens that can be used with other systems, please see the Clear & PET Screens price list.
- Standard in Metallic Silver.

Glass Material

- AIS Glass is standard with polished edges and straight corners.
- AIS Glass is standard tempered glass with standard iron content. Request samples from literature center.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).
- Glass is easily cleaned with common janitorial supplies.
- 1/4” Glass weighs 2.88 lbs per square foot.
- 3/8” Glass weighs 4.32 lbs per square foot

© 2026, AIS, Inc.

Glass 1/4” Panel Top Surface Mount Clip Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Lexan 1/4”	Panel Top	Channel	Divi Panel Dimensions	Surface Mount
Lexan 3/8”		Clip		
Glass 1/4”		Lite		
Glass 3/8”				

GLASS 1/4” PANEL TOP SURFACE MOUNT CLIP SCREENS (DIVI SPECIFIC)


H	W	Model Number	List
12	24	Y-3P3B1U1224B	632
12	30	Y-3P3B1U1230B	647
12	36	Y-3P3B1U1236B	657
12	42	Y-3P3B1U1242B	691
12	48	Y-3P3B1U1248B	724
12	54	Y-3P3B1U1254B	740
12	60	Y-3P3B1U1260B	796
12	66	Y-3P3B1U1266B	830
12	72	Y-3P3B1U1272B	865
12	78	Y-3P3B1U1278B	899
12	84	Y-3P3B1U1284B	930
16	24	Y-3P3B1U1624B	736
16	30	Y-3P3B1U1630B	786
16	36	Y-3P3B1U1636B	830
16	42	Y-3P3B1U1642B	902
16	48	Y-3P3B1U1648B	942
16	54	Y-3P3B1U1654B	1,004
16	60	Y-3P3B1U1660B	1,057
16	66	Y-3P3B1U1666B	1,074
16	72	Y-3P3B1U1672B	1,097
16	78	Y-3P3B1U1678B	1,118
16	84	Y-3P3B1U1684B	1,138

GLASS 1/4” PANEL TOP SURFACE MOUNT CLIP SCREENS (DIVI SPECIFIC)


H	W	Model Number	List
20	24	Y-3P3B1U2024B	788
20	30	Y-3P3B1U2030B	819
20	36	Y-3P3B1U2036B	868
20	42	Y-3P3B1U2042B	913
20	48	Y-3P3B1U2048B	974
20	54	Y-3P3B1U2054B	1,038
20	60	Y-3P3B1U2060B	1,101
20	66	Y-3P3B1U2066B	1,163
20	72	Y-3P3B1U2072B	1,227
20	78	Y-3P3B1U2078B	1,290
20	84	Y-3P3B1U2084B	1,352




24 - 54 Wide




60 - 72 Wide



78 - 84 Wide



On Panel Top



Surface Mount Clip

Specify

- Paint Selection

Notes

- For use with Divi only. See Clear & PET Screens price list for Panel Top Screens that can be used on non-Divi panels.
- Clips available in Metallic Silver only.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Glass 3/8” Panel Top Surface Mount Clip Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Lexan 1/4”	Panel Top	Channel	Divi Panel Dimensions	Surface Mount
Lexan 3/8”		Clip		
Glass 1/4”		Lite		
Glass 3/8”				

GLASS 3/8” PANEL TOP SURFACE MOUNT CLIP SCREENS (DIVI SPECIFIC)


H	W	Model Number	List
12	24	Y-4P3B1U1224B	857
12	30	Y-4P3B1U1230B	862
12	36	Y-4P3B1U1236B	938
12	42	Y-4P3B1U1242B	1,012
12	48	Y-4P3B1U1248B	1,091
12	54	Y-4P3B1U1254B	1,167
12	60	Y-4P3B1U1260B	1,247
12	66	Y-4P3B1U1266B	1,323
12	72	Y-4P3B1U1272B	1,399
12	78	Y-4P3B1U1278B	1,479
12	84	Y-4P3B1U1284B	1,555
16	24	Y-4P3B1U1624B	816
16	30	Y-4P3B1U1630B	912
16	36	Y-4P3B1U1636B	955
16	42	Y-4P3B1U1642B	1,063
16	48	Y-4P3B1U1648B	1,179
16	54	Y-4P3B1U1654B	1,259
16	60	Y-4P3B1U1660B	1,296
16	66	Y-4P3B1U1666B	1,412
16	72	Y-4P3B1U1672B	1,500
16	78	Y-4P3B1U1678B	1,526
16	84	Y-4P3B1U1684B	1,603

GLASS 3/8” PANEL TOP SURFACE MOUNT CLIP SCREENS (DIVI SPECIFIC)


H	W	Model Number	List
20	24	Y-4P3B1U2024B	931
20	30	Y-4P3B1U2030B	1,054
20	36	Y-4P3B1U2036B	1,174
20	42	Y-4P3B1U2042B	1,295
20	48	Y-4P3B1U2048B	1,412
20	54	Y-4P3B1U2054B	1,535
20	60	Y-4P3B1U2060B	1,654
20	66	Y-4P3B1U2066B	1,776
20	72	Y-4P3B1U2072B	1,892
20	78	Y-4P3B1U2078B	2,011
20	84	Y-4P3B1U2084B	2,133




24 - 54 Wide




60 - 72 Wide



78 - 84 Wide



On Panel Top



Surface Mount Clip

Specify

- Paint Selection

Notes


- For use with Divi only. See Clear & PET Screens price list for Panel Top Screens that can be used on non-Divi panels.
- Clips available in Metallic Silver only.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

© 2026, AIS, Inc.

Mid-Height Shelf and Flipper Doors Units

LINEAR MID-HEIGHT SHELF UNITS

H	W	D	Model Number	List
7.75	30	12	S-SHFLDV30	377
7.75	36	12	S-SHFLDV36	390
7.75	42	12	S-SHFLDV42	412
7.75	48	12	S-SHFLDV48	456
7.75	60	12	S-SHFLDV60	480



Specify


- Paint Selection

Notes

- Linear Mid-Height Shelf Units provide low profile overhead storage.
- Shelf ends have locking swing cams to prevent dislodgement.
- Shelf bottom will receive task lights.
- Unit includes two Linear Mid-height shelf ends, one shelf pan, and mounting hardware.
- Order shelf unit that corresponds to panel width.
- Metal shelves have a weight capacity of 1.5 lbs per linear inch of width.

METAL / FABRIC DOOR FRONT TYPE C FLIPPER DOOR UNIT

Interior H	W	Interior D	Model Number	List
14.25	30	12	S-FDUDV30	955
14.25	36	12	S-FDUDV36	987
14.25	42	12	S-FDUDV42	1,008
14.25	48	12	S-FDUDV48	1,074
14.25	60	12	S-FDUDV60	1,299



Specify

- Paint Selection

Notes

- Type C Flipper Door Unit - Metal Door Front provides binder height, lockable overhead storage.
- Door opens and stores above top cover pan.
- Flipper unit has an open back.
- Shelf ends have locking swing cams to prevent dislodgement.
- Shelf bottom will receive task lights.
- All flipper doors are lockable with two supplied keys.
- Order flipper unit that corresponds to panel width.
- Metal shelves have a weight capacity of 1.5 lbs per linear inch of width.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

L Series Pedestals


L SERIES STRUCTURAL BOX-BOX-FILE PEDESTALS

Surface D	Actual D	Model Number	List
24	22	S-PEDBBFJ24	1,279
30	28	S-PEDBBFJ30	1,806



L SERIES STRUCTURAL FILE-FILE PEDESTALS

Surface D	Actual D	Model Number	List
24	22	S-PEDFFJ24	1,279
30	28	S-PEDFFJ30	1,806



Specify

- Paint Selection

Notes


- L Series Structural Pedestals have a square front with rectangular pulls.
- Box drawers and file drawers have full depth, smooth riding ball bearing suspensions.
- All pedestals are lockable with two supplied keys.
- Lock cores are removable with lock removal keys. Master keys are also available.
- Extra lock core sets are available for keying pedestals alike.
- Pedestals come equipped for front to back letter-sized filing.
- Box-box-file pedestals include one box drawer pencil tray.
- Adjustable height is 27 1/2” to 29”.

© 2026, AIS, Inc.

L Series Pedestals


L SERIES MOBILE BOX-FILE PEDESTALS

Surface D	Actual D	Model Number	List
24	22	S-PEDBFMJ24V2	1,537




L SERIES MOBILE BOX-FILE PEDESTALS WITH CUSHION

Surface D	Actual D	Model Number	List
24	22	S-PEDBFSMJ24V2	2,035




12” WIDE L SERIES MOBILE BOX-FILE PEDESTALS

D	W	Model Number	List
24	12	S-PEDBFJ1224	1,019



12” WIDE L SERIES MOBILE BOX-FILE PEDESTALS WITH CUSHION

D	W	Model Number	List
24	12	S-PEDBFSMJ1224	1,361



Specify

- Paint Selection
- Fabric Selection for Pedestal Cushion (Miradaor Upholstery only)

Notes


- L Series Mobile Pedestals have a square front with rectangular pulls.
- Box drawers and file drawers have full depth, smooth riding ball bearing suspensions.
- Mobile pedestals include counterweights that are field installed.
- All pedestals are lockable with two supplied keys.
- Lock cores are removable with lock removal keys. Master keys are also available.
- Extra lock core sets are available for keying pedestals alike.
- Pedestals come equipped for front to back letter-sized filing, 12” wide pedestals come equipped for side-to-side filing.
- Finished height of pedestal is 21 3/8” (box-file).
- Finished height of pedestal with cushion is 23 5/8.
- Pedestal cushion can be upholstered in Mirador upholstery fabric only.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

L Series Laterals and Replacement Pulls

METAL FRONT L SERIES 2-DRAWER LATERAL FILES

Min H.	Actual W	Actual D	Model Number	List
27 1/2	30	18	S-LATJJ2D30	2,246
27 1/2	36	18	S-LATJJ2D36	2,408




REPLACEMENT PULLS


Type	Model Number	List
Silver Loop Pull	X-HAND-LOOPS	32
Silver Bar Pull	X-HAND-BARS	33
Rectangular Pull	X-HAND-RPS	33



Loop Pull



Bar Pull



Rectangular Pull

Specify

- Paint Selection

Notes

- L Series 2-Drawer Lateral files have full width to align with pedestals.
- File drawers have full depth, smooth riding ball bearing suspensions.
- All laterals are lockable with two supplied keys.
- Laterals accommodate letter, A4, and Legal sized filing and include front to back conversion bars for each drawer.
- Standard with rectangular pull.

Notes


- Replacements only.
- Pulls work for all metal and laminate storage units with the exception of roll out/ pantry towers.
- For replacement handles for roll out/pantry towers use only bar pull.

© 2026, AIS, Inc.

Task Lights and Task Light Cord Managers

OVERHEAD LED TASK LIGHTS

Length	Model Number	List
24	A-LEDTL-61024	609
40	A-LEDTL-61540	904




Notes

- LED task lights are 1-1/4″ wide, and 3/8″ in thickness and come in 24 and 40 inch lengths.
- Brushed aluminum with black trim.
- Attachable to the underside of overhead cabinet via the built-in magnets, or mounted to non-metal surfaces using the adjustable mounting bracket.
- Feature 100 lm/w with warm white and white color temps and convenient one-touch On/Off and Touch-and-Hold dimmer.
- Power-in and power-switch are reversible.
- Power cord is 10’ in length.

TASK LIGHT CORD MANAGERS

H	Model Number	List
3	A-DVVWMTL03	69
11	A-DVVWMTL11	81
16	A-DVVWMTL16	96



Specify

- Paint Selection

Notes


- Task Light Cord Managers engage to panel hanger frame slots.
- Managers are available in three heights: 3”, 11” and 16”.
- Use 16” to achieve a full height finished aesthetic for managing task light cords under full height shelves, flipper doors, or under half height shelves hung level with full height shelves on 65”/66”/67” high panels.
- Use 11” to achieve a full height finished aesthetic for managing task light cords under half height shelves on 50” high panels.
- Use 3” for managing cords above tackboards or double them up for any of the above situations when a full height manager is not required.
- Task Light cord managers are black only to match task light cords and are non-handed for use on either the left or right side of a panel.
- Hanger frames can accommodate only one task light cord manager and will not fit behind tackboards.
- Cord managers are painted black as standard.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Monitor Arms

SINGLE MONITOR ARM

Model Number	List
A-ERSMASB	526




Notes

- Suitable for 10” - 28” size range LCD screens.
- Load capacity of 19 lbs per arm.
- Features 360 degree rotation at the mounting base and extension.
- VESA monitor mount for 75mm and 100mm standard.
- Available mounting options include c-clamp, grommet or bolt through.
- Available in silver only.
- Single monitor arm features a snap-in/removable cord clip for wire management.
- Single monitor arm features a lock-in-place monitor mount for simplified installation.
- Tilt range of -45 degrees to +90 degrees. Arm height adjustment range of 300mm.

DUAL MONITOR ARM

Model Number	List
A-ERDMASB	894




Notes

- Suitable for 10” - 28” size range LCD screens.
- Load capacity of 19 lbs per arm.
- Features 360 degree rotation at the mounting base and extension.
- VESA monitor mount for 75mm and 100mm standard.
- Available mounting options include c-clamp, grommet or bolt through.
- Available in silver only.
- Dual monitor arm features a lock-in-place monitor mount for simplified installation.
- Tilt range of -45 degrees to +90 degrees. Arm height adjustment range of 300mm.

DUAL MONITOR ARM FOR SHALLOW DEPTH WORKSURFACES

Model Number	List
A-ERDMAM9	894



Notes


- Suitable for LCD screens up to 27”.
- Load capacity of 14.3 lbs. per monitor.
- Features 360 degree rotation at the mounting base and extension.
- Monitors mount with M4 screws to a VESA bracket.
- VESA monitor mount for 75mm and 100mm standard.
- Mounts with c-clamp on the table edge or through a grommet hole.
- Available in silver only.
- Shallow depth monitor arm does not include a lock-in-place monitor mount.

© 2026, AIS, Inc.

Keyboard Arms, Mouse Trays, Pencil Drawers and Anti-Fatigue Mats

STANDARD EXTENDED KEYBOARD ARM

Model Number	List
A-KEYBZE	1,231




Notes

- Keyboard Arm / Trays mount to underside of worksurfaces to support standard computer keyboards.
- Keyboard platform area behind wrist rest measures 8 1/2” deep x 20” wide.
- All keyboard trays include a factory mounted, synthetic leather wrist rest.

STANDARD MOUSE TRAY

Model Number	List
A-MSETS	218




Notes

- Mouse Tray mounts to either the left or right side of keyboard tray platform with screws to service both left and right handed users.
- Mouse tray has standard mouse pad surface and requires no additional mouse pad.
- Mouse area measures 7 1/4” x 7 1/4”.
- Mouse tray swivels around vertical axis 270° and has 30° of tilt around the horizontal axis (15° above keyboard tray plane to 15° below plane, independent of keyboard tray tilt).
- Order mouse tray separately.

PENCIL DRAWER

H	W	D	Model Number	List
2 1/4	21 1/4	16 1/4	A-PDRWP	318




Notes

- Pencil Drawer provides convenient, low profile storage of loose items.
- Constructed of rigid, durable PVC with black textured finish.
- Plastic slides mount underneath worksurfaces with screws provided.
- Pencil drawer measures 16 1/4” deep x 21 1/4” wide x 2 1/4” high.
- Note: Plan pencil drawer location around worksurface support elements.

ANTI-FATIGUE MAT

W	D	Thickness	Model Number	List
34	20	3/4	A-HF342075	259



Notes


- Custom blended medium density polyurethane foam.
- High tear strength polyurethane outer membrane.
- Available in black only.

© 2026, AIS, Inc.

Tackboards

TACKBOARDS			
H	W	Model Number	List
12	24	A-TACKDV1224	301
12	30	A-TACKDV1230	321
12	36	A-TACKDV1236	334
12	42	A-TACKDV1242	351
12	48	A-TACKDV1248	375
12	60	A-TACKDV1260	487
15	24	A-TACKDV1524	309
15	30	A-TACKDV1530	328
15	36	A-TACKDV1536	338
15	42	A-TACKDV1542	363
15	48	A-TACKDV1548	381
15	60	A-TACKDV1560	500

TACKBOARDS			
H	W	Model Number	List
19	24	A-TACKDV1924	393
19	30	A-TACKDV1930	420
19	36	A-TACKDV1936	438
19	42	A-TACKDV1942	463
19	48	A-TACKDV1948	487
19	60	A-TACKDV1960	522




Specify	Notes
• Fabric Selection	• Tackboards are 7/8” thick and mount to wall track to provide vertical tackable surface for wall track applications and private offices. • Tackboards are available in three different heights.

© 2026, AIS, Inc.

Lock Cores and Keys

SILVER LOCK CORES AND KEYS

Key Type	Model Number	List
Core with 2 keys	S-W1CORE1	25
Core with 2 keys (set of 2 keyed alike)	S-W1CORE2	39
Core with 2 keys (set of 3 keyed alike)	S-W1CORE3	60
Core with 2 keys (set of 4 keyed alike)	S-W1CORE4	77
Core with 2 keys (set of 5 keyed alike)	S-W1CORE5	95
Core with 2 keys (set of 6 keyed alike)	S-W1CORE6	111
Core with 2 keys (set of 7 keyed alike)	S-W1CORE7	129
Core with 2 keys (set of 8 keyed alike)	S-W1CORE8	149
Core with 2 keys (set of 9 keyed alike)	S-W1CORE9	166
Core with 2 keys (set of 10 keyed alike)	S-W1CORE10	184
Master Key	RS-W1MKEY	19
Core Removal Key	RS-W1CRKEY	19
Replacement Key	RS-WK _ _ _ (Key Number)	26




Notes

- Silver keyed alike lock cores should be specified when ordering Option E in the Lock Choice for Calibrate: No Lock w/ Silver Ring for Keyed Alike.
- Keyed alike lock cores must be installed in the field.
- Keys and Lock Cores are available in #'s 226 through 425.
- A core removal key is needed to remove an existing core from the lock housing in order to replace with a new core.
- Order sets based on quantity of storage items to be keyed alike.

BLACK LOCK CORES AND KEYS

Key Type	Model Number	List
Core with 2 keys	S-W1CORE1B	25
Core with 2 keys (set of 2 keyed alike)	S-W1CORE2B	39
Core with 2 keys (set of 3 keyed alike)	S-W1CORE3B	60
Core with 2 keys (set of 4 keyed alike)	S-W1CORE4B	77
Core with 2 keys (set of 5 keyed alike)	S-W1CORE5B	95
Core with 2 keys (set of 6 keyed alike)	S-W1CORE6B	111
Core with 2 keys (set of 7 keyed alike)	S-W1CORE7B	129
Core with 2 keys (set of 8 keyed alike)	S-W1CORE8B	149
Core with 2 keys (set of 9 keyed alike)	S-W1CORE9B	166
Core with 2 keys (set of 10 keyed alike)	S-W1CORE10B	184



Notes

- Black keyed alike lock cores should be specified when ordering Option D in the Lock Choice for Calibrate: No Lock w/ Black Ring for Keyed Alike.
- Keyed alike lock cores must be installed in the field.
- Keys and Lock Cores are available in #'s 226 through 425.
- A core removal key is needed to remove an existing core from the lock housing in order to replace with a new core.
- Order sets based on quantity of storage items to be keyed alike.
- Black lock cores not available for L-Series storage.
- Black lock cores only available on laminate storage.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

BOLTON MID-BACK TASK CHAIR

Description	Model Number	List	Lumbar Support
Mid-Back Mesh Task Chair	4471	754	+36
Adjustable Lumbar Support	4400LUMBAR	45	-



Without Adjustable Lumbar Support



With Adjustable Lumbar Support

Weight: 32 lbs. Width: 26 Depth: 24 Height: 36.75 - 40.75 Seat Height: 17 - 21
Arm Height: 7.5 - 10 Seat Depth: 17 - 21

Notes

- The Bolton Mid-Back Task Chair, a full featured task chair, has the versatility to fit any space. From the executive office to the front office, Bolton provides comfort and elegance with its thoughtful design.
- Bolton is highly versatile allowing users to choose the right configuration for their size, shape and tasks at hand.
- Synchro-tilt motion, adjustable seat height, height adjustable arms (1D arms), seat depth adjustment, tilt tension adjustment and upright back lock allow the user to fine-tune Bolton to their personal preference.
- Bolton ships read to assemble.
- Upholstered with black mesh on the back and black seat fabric.
- Optional adjustable lumbar support available.
- Use 4400LUMBAR for adjustable lumbar support replacement.

DEVENS TASK CHAIR

Description	Model Number	List
Devens Black Task Chair	4600	944
Devens Grey Task Chair	4630	1,059



Devens Black Task Chair



Devens Grey Task Chair

Weight: 35 lbs. Width: 27 Depth: 26 Height: 37 - 41.75 Seat Height: 16.75 - 21.5
Seat Depth: 16.75 - 18.75 Seat Width: 19 Arm Height: 6.75 - 10.5 Lumbar Apex Height: 8 - 10

Notes

- The user friendly Devens with uncompromised comfort offers clean lines, outstanding fit and finish all resulting in a sophisticated and understated task chair at an outstanding price point.
- Seat height, seat depth, adjustable lumbar support and 4D arm adjustability along with a multiple position back lock allow the user to fine-tune Devens for their size and shape, tasks at hand and preference.
- Devens is equipped with an advanced automatic tension weight activated synchro-tilt mechanism.
- Upholstered with black mesh back and black seat fabric or graphite mesh back and grey seat fabric.
- Devens is BIFMA compliant and rated for users up to 300 pounds.
- Devens ships ready to assemble.
- Devens has a 24/7 10-year warranty.

© 2026, AIS, Inc.

Side Chairs

REVERE MESH BACK TASK CHAIR

Description	Model Number	List
Mesh Back Task Chair	5400	546



Weight: 38 lbs. Width: 25.75 Depth: 26 Height: 37 Seat Height: 15.4 - 18.6
Seat Depth: 18.56 Arm Height: 8.5 - 12.3 Lumbar Apex Height: 8.25

Notes

- Revere seating with uncompromised comfort offers proper adjustability and robust construction at an outstanding price point.
- Features include tension adjustment, height adjustable seat, height adjustable arms, height adjustable lumbar support and upright back lock allowing the user to fine-tune Revere for optimal comfort and usability.
- Revere is available with a standard black seat and black mesh back.
- Revere is rated for users up to 300 pounds and is shipped ready to assemble.

PAXTON SIDE CHAIR

Description	Model Number	List
Side Chair on Glides	3400	347



Weight: 15 lbs. Width: 23 Depth: 21 Height: 32 Seat Height: 18
Seat Depth: 17.5 Seat Width: 18 Arm Height: 9 Lumbar Apex Height: 9


Notes

- Paxton, a perfect companion to the Bolton chair, is a stackable mesh back side chair with soft edges.
- It's thoughtfully designed seat cushion offers comfort and support.
- The lightweight side chair is ideally suited for use in cafeteria, training spaces, classrooms, waiting rooms, auditoriums or any area where extra seating is required.
- Paxton can also be used as a cost-effective side or guest chair.
- Paxton ships ready to assemble.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

STANDARD VOLKER CUBE

H	W	D	Model Number	Grade A List
18	18	18	F-CUBE181818	815



Specify	Notes
• Fabric Selection (Mirador Upholstery only)	• The Volker Cube can be easily and discretely tucked away when not in use, or effortlessly pulled out when ready to use. • The Volker Cube features a sleek design with the upholstery fabric of choice to complete the design of your workspace. • The cube features hubless casters allowing for ease of motion as well as adding an attractive design element. • Volker Cubes can be upholstered in Mirador upholstery fabric only.

© 2026, AIS, Inc.

National Showrooms:

Leominster
AIS Headquarters
25 Tucker Drive
Leominster, MA 01453

Chicago
The Merchandise Mart
Suite 391
Chicago, Illinois 60654

New York
AIS New York
257 Park Avenue South
New York, New York 10010

Washington, D.C.
AIS Washington, D.C.
1501 M St, NW, STE 230
Washington, D.C. 20005

GSA Sales
GSA Contract 47QSMA20D08Q4
Multiple Award Schedule (MAS)
Large Category: Furniture & Furnishings
Subcategories: Office Furniture, Packaged Office Furniture and Furniture Services

For additional information on AIS:
Dealer Showrooms, Representative Directory, Project Case Studies, Online Catalog & Product Showcase
Visit: **www.ais-inc.com**

AIS

800.434.7400 | 978.562.7500 | Fax: 978.562.0811 | www.ais-inc.com | March 2026

DIVI®
PANEL SYSTEM

March 2026 Price List

AIS

PRODUCT INFORMATION

Divi Statement of Line. . . . 5
Divi Finish Options . . . 10
Divi Laminate Storage Details. . . . 13

MONOLITHIC PANELS

Divi Monolithic Panel Product Details. . . . 16
Divi Linear Hard Surface Permanent Monolithic Panels . . . 28
Divi Linear Tackable Surface Permanent Monolithic Panels . . . 30
Divi Linear Quarter Glass Permanent Monolithic Panels . . . 32
Divi Linear Air Flow / Wall Access Permanent Monolithic Panels, Non-Powered . . . 34
Divi Linear Air Flow / Wall Access Permanent Monolithic Panels, Powered . . . 35
Divi Linear Half Glass Permanent Monolithic Panels . . . 36
Divi Linear Full Glass Monolithic Panels . . . 37
Divi Linear Hard Surface ADA Panels. . . . 38
Divi Linear Fabric and Glass Stack-On Kits for Permanent Monolithic Panels . . . 39
Divi Linear ADA Door Panels and Door Panel Shrouds. . . . 40
Divi Linear Sliding Privacy Screens . . . 41
Divi Linear Sliding Privacy Screen Handles and Brackets . . . 42
Divi Linear Single End Gallery Panels. . . . 43
Divi Linear Single End for Wing Gallery Panels . . . 45
Divi Linear Single End for Wing Facing Forward Gallery Panels . . . 46
Divi Linear Single End for Double Wing Gallery Panels. . . . 47
Divi Linear Single Spine Gallery Panels. . . . 48
Divi Linear Single Spine for Wing Gallery Panels . . . 50
Divi Linear Single Spine for Double Wing Gallery Panels. . . . 51
Divi Linear Double End Gallery Panels . . . 52
Divi Linear Double Spine Gallery Panels . . . 53
Divi Linear Mid Mount End Gallery Panels . . . 54
Divi Linear Mid Mount End for Wing Gallery Panels . . . 56
Divi Linear Mid Mount End for Wing Facing Front Gallery Panels . . . 57
Divi Linear Mid Mount End for Double Wing Gallery Panels . . . 58
Divi Linear Mid Mount Spine Gallery Panels . . . 59
Divi Linear Mid Mount Spine for Wing Gallery Panels . . . 61
Divi Linear Mid Mount Spine for Double Wing Gallery Panels . . . 62
Divi Linear Wing Gallery Panels. . . . 63
Divi Linear Gallery Panel HiLo Kits . . . 64
Brackets for Gallery Panels . . . 65
Wall Mounted Gallery Panels . . . 66
Wall Mounted Gallery Panel for Wings . . . 68

INSERT PANELS

Divi Insert Panel Product Details . . . 69
Divi Linear Monolithic Front/Back Inserts. . . . 75
Divi Linear Monolithic Front/Segmented Back Inserts . . . 77
Divi Linear Segmented Front/Back Inserts . . . 79
Divi Linear Monolithic Front/Back Quarter Glass Inserts . . . 81
Divi Linear Monolithic Front/Segmented Back Quarter Glass Inserts . . . 82
Divi Linear Segmented Front/Back Quarter Glass Inserts . . . 83
Divi Linear Monolithic Front/Back Half Glass Inserts . . . 84

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Divi Linear Monolithic Front/Segmented Back Half Glass Inserts . . . 85
Divi Linear Segmented Front/Back Half Glass Inserts . . . 86
Divi Linear Fabric and Glass Stack-On Kits for Insert Panels . . . 87
Replacement Fabric Inserts . . . 88
Replacement Laminate Inserts . . . 89
Fabric and Laminate Insert Upcharges . . . 90

CONNECTORS

Divi Connector Product Details . . . 92
Divi Linear Base Raceway Shrouds . . . 93
Wall Mount Kits and Wall Tracks . . . 94
Divi Linear Post Filler Kits . . . 95
Divi Linear Spacers, Retrofit Kits . . . 96
Divi 180 Spacer Post with Power Pole, Divi 4-Way Data Septum . . . 97

ELECTRICAL

Divi Electrical Product Details . . . 98
Panel-to-Panel and Lateral Pass Through Jumpers . . . 100
Duplex Outlets . . . 101
Infeeds . . . 103
Single Circuit Infeeds with Plug . . . 104
In-Line Power/Data Pole Combination Kits . . . 105
Retrofit Kits and In-Line Power/Data Pole Dividers and Extenders . . . 106
Retrofit Kits and Double Channel Power/Data Pole Kits . . . 107
Hubbell Premise Kits and Hardwire Junction Boxes . . . 108

SUPPORT

Cantilevers and Side Support/Rear Brackets . . . 109
End Panels . . . 110
Brackets, Divi Wing Panel Support Kit, Carpet Grippers . . . 111
Divi Panel Mounted A-Legs . . . 112
Divi Panel Mounted O-Legs . . . 113

STORAGE

Linear Mid-Height Shelf and Corner Shelf Units . . . 114
Type C Flipper Door Units . . . 115
Type C Raised Flipper Door Units . . . 116
Type D Flipper and Raised Flipper Door Units . . . 117
Sliding Door Units . . . 118
Raised Sliding Door Units . . . 119
Cabinet Door Units . . . 120
Raised Cabinet Door Units . . . 121
Divi Height BF Wardrobe Towers . . . 122
Divi Height BBF Wardrobe Towers . . . 124
Divi Height FF Wardrobe Towers . . . 126
Divi Height BF Pedestal Towers . . . 128
Divi Height BBF Pedestal Towers . . . 130
Divi Height FF Pedestal Towers . . . 132
Divi Height Single Door Towers . . . 134

© 2026, AIS, Inc.

ACCESSORIES

Tackboards, Tool Rail Kits and Panel Coat Hooks 135
Pre-Drilled Topcaps, Soft Close Mechanism for Hinged Door 136
Whiteboards. 137
Locks and Keys 138

WARRANTY & TERMS AND CONDITIONS

For Warranty & Terms and Conditions please visit:


https://www.ais-inc.com

Note: Please see Screens Price Lists for Divi specific screens.


© 2026, AIS, Inc.

Divi Statement of Line

MONOLITHIC PANELS




Hard Surface Permanent Monolithic Panels
Powered or Non-Powered




Tackable Surface Permanent Monolithic Panels
Powered or Non-Powered



Quarter Glass Permanent Monolithic Panels
Powered or Non-Powered




Half Glass Permanent Monolithic Panels
Powered or Non-Powered




Air Flow / Wall Access Permanent Monolithic Panels
Powered or Non-Powered



Full Glass Monolithic Non-Powered Panels




Hard Surface ADA Panels



Stack-On Kits for Permanent Monolithic Panels



ADA Door Panels
With or Without Glass,
Left or Right Hand
Left Hand Door Shown




Shrouds for Divi Doors
2-Way or 3-Way
2-Way Shroud Shown




66” High Divi Linear Sliding Privacy Screen




82” High Divi Linear Sliding Privacy Screen




Sliding Door Handle Kit




Single End Gallery Panels
Left or Right Hand
Left Hand Shown




Single End for Wing Gallery Panels
Left or Right Hand
Left Hand Shown




Single End for Wing Facing Forward Gallery Panels
Left or Right Hand
Left Hand Shown




Single End for Double Wing Gallery Panels
Left or Right Hand
Left Hand Shown




Single Spine Gallery Panels




Single Spine for Wing Gallery Panels
Left or Right Hand
Left Hand Shown




Single Spine for Double Wing Gallery Panels
Left or Right Hand
Left Hand Shown




Double End Gallery Panels




Double Spine Gallery Panels




Mid Mount End Gallery Panels
Left or Right Hand
Left Hand Shown




Mid Mount End for Wing Gallery Panels
Left or Right Hand
Left Hand Shown




Mid Mount End for Wing Facing Front Gallery Panels
Left or Right Hand
Left Hand Shown




Mid Mount End for Double Wing Gallery Panels
Left or Right Hand
Left Hand Shown




Mid Mount Spine Gallery Panels




Mid Mount Spine for Wing Gallery Panels
Left or Right Hand
Left Hand Shown




Wing Gallery Panel



Gallery Panel HiLo Kits



Wall Mounted Gallery Panel




Wall Mounted Gallery Panel for Wing


© 2026, AIS, Inc.

Divi Statement of Line


INSERT PANELS




Monolithic Front / Monolithic Back Insert Panels
Powered or Non-Powered




Monolithic Front / Segmented Back Insert Panels
Powered or Non-Powered




Segmented Front / Segmented Back Insert Panels
Powered or Non-Powered




Monolithic Front / Monolithic Back Quarter Glass Insert Panels
Powered or Non-Powered




Monolithic Front / Segmented Back Quarter Glass Insert Panels
Powered or Non-Powered




Segmented Front / Segmented Back Quarter Insert Panels
Powered or Non-Powered




Monolithic Front / Monolithic Back Half Glass Insert Panels
Powered or Non-Powered




Monolithic Front / Segmented Back Half Glass Insert Panels
Powered or Non-Powered




Segmented Front / Segmented Back Half Glass Insert Panels
Powered or Non-Powered




Fabric Stack-On Kits for Insert Panels




Glass Stack-On Kits for Insert Panels



Replacement Fabric Inserts



Replacement Laminate Inserts




Replacement Embossed Steel Inserts


CONNECTORS




90° 2-Way Base Raceway Shroud




120° / 60° 2-Way Base Raceway Shroud



135° / 45° 2-Way Base Raceway Shroud




90° 3-Way Base Raceway Shroud



End Base Raceway Shroud



Wall Mount Kits



Stack Panel Wall Mount Kit

Wall Tracks



2-Way Post Filler



3-Way Post Filler




4-Way Post Filler




End of Run Post Filler



Divi Linear Spacer 180



Divi Top Cap Retrofit Kit




Divi 4-Way Data Septum

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.


Divi Statement of Line


ELECTRICAL



Panel-to-Panel Jumpers



Lateral Pass Through Jumpers



I-Connectors


Duplex Outlets



USB Outlets



Duplex Outlet Hole Covers


Side Mounted Base Infeed


Receptacle Mount Base Infeed


Ceiling Infeeds


Single Circuit Side Infeed with Plug



Single Circuit Receptacle Infeed with Plug



In-Line Power / Data Pole Combination Kits



In-Line Power / Data Pole Retrofit Kits


In-Line Power / Data Pole Divider


In-Line Power/Data Pole Extenders



Electrical Retrofit Kit



Double Channel Power / Data Pole Kit



Data Plate Kits



Hardwire Junction Box


SUPPORT



Standard Cantilevers



Shared Cantilevers



Side / Support Rear Brackets


Panel Mounted Shelf Cantilevers



Divi Wing Panel Support Kit



Carpet Grippers


Standard End Panels


Clear Access End Panels


Pedestal-to-Pedestal Attachment Brackets



Countertop Brackets


Panel Mounted A-Legs
Left Hand, Right Hand or Freestanding
Freestanding Legs Shown


© 2026, AIS, Inc.

Divi Statement of Line


STORAGE




Linear Mid-Height Shelf Units




Linear Mid-Height
Corner Shelf Unit




Type C Flipper Door Unit
Metal/Fabric or Laminate Front
Metal/Fabric Door Front Shown




Type C Raised Flipper Door Unit
Metal/Fabric or Laminate Front
Metal/Fabric Door Front Shown




Type D Flipper Door Unit




Type D Raised
Flipper Door Unit




Sliding Door Unit
Metal/Fabric or Laminate Front
Metal/Fabric Door Front Shown




Raised Sliding Door Unit
Metal/Fabric or Laminate Front
Metal/Fabric Door Front Shown




Cabinet Door Unit
Metal/Fabric or Laminate Front
Metal/Fabric Door Front Shown




Raised Cabinet Door Unit
Metal/Fabric or Laminate Front
Metal/Fabric Door Front Shown




Divi Height BF Wardrobe Tower
w/ Open Front
50, 58, 66 and 82 High, 24 Deep
Right or Left Hand
On Glides or Feet
Wardrobe Right in 50 High on Glides Shown




Divi Height BF Wardrobe Tower
w/ Open Side
50, 58, 66 and 82 High, 24 Deep
Right or Left Hand
On Glides or Feet
Wardrobe Right in 50 High on Glides Shown




Divi Height BF Wardrobe Tower
with Cupboard
50, 58, 66 and 82 High, 24 Deep
Right or Left Hand
On Glides or Feet
Wardrobe Right in 50 High on Glides Shown




Divi Height BBF Wardrobe
Tower w/ Open Front
50, 58, 66 and 82 High, 24 Deep
Right or Left Hand
On Glides or Feet
BBF Left, Door Right in 50 High on Glides Shown




Divi Height BBF Wardrobe
Tower w/ Open Side
50, 58, 66 and 82 High, 24 Deep
Right or Left Hand
On Glides or Feet
BBF Left, Door Right in 50 High Shown on Glides Shown




Divi Height BBF Wardrobe
Tower w/ Cupboard
50, 58, 66 and 82 High, 24 Deep
Right or Left Hand
On Glides or Feet
BBF Left, Door Right in 50 High Shown on Glides Shown




Divi Height FF Wardrobe
Tower w/ Open Front
50, 58, 66 and 82 High, 24 Deep
Right or Left Hand,
On Glides or Feet
FF Left, Door Right in 50 High on Glides Shown




Divi Height FF Wardrobe Tower
w/ Open Side
50, 58, 66 and 82 High, 24 Deep
Right or Left Hand,
On Glides or Feet
FF Left, Door Right in 50 High on Glides Shown




Divi Height FF Wardrobe Tower w/
Cupboard
50, 58, 66 and 82 High, 24 Deep
Right or Left Hand, On Glides or Feet
FF Left, Door Right in 50 High on Glides Shown




Divi Height BF Pedestal Tower w/
Open Front
50, 58, 66 and 82 High, 24 Deep
On Glides or Feet
50 High on Glides Shown



Divi Height BF Pedestal Tower w/
Open Side
50, 58, 66 and 85 High, 24 Deep
Open Left or Open Right
On Glides or Feet
Open Left in 50 High on Glides Shown



Divi Height BF Pedestal Tower w/
Cupboard
50, 58, 66 and 85 High, 24 Deep
Left or Right Hinge, On Glides or Feet
Right-Hinge in 50 High on Glides Shown




Divi Height BBF Pedestal Tower w/
Open Front
50, 58, 66 and 82 High, 24 Deep
On Glides or Feet
50 High on Glides Shown

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

Divi Statement of Line


STORAGE




Divi Height BBF Pedestal Tower w/ Open Side
50, 58, 66 and 85 High, 24 Deep
Open Left or Open Right,
On Glides or Feet
Open Left in 50 High on Glides Shown




Divi Height BBF Pedestal Tower w/ Cupboard
50, 58, 66 and 85 High, 24 Deep
Left or Right Hinge, On Glides or Feet
Right-Hinge in 66 High on Glides Shown



Divi Height FF Pedestal Tower w/ Open Front
50, 58, 66 and 82 High, 24 Deep
On Glides or Feet
50 High on Glides Shown



Divi Height FF Pedestal Tower w/ Open Side
50, 58, 66 and 85 High, 24 Deep
Open Left or Open Right
On Glides or Feet
Open Left in 50 High on Glides Shown




Divi Height FF Pedestal Tower w/ Cupboard
50, 58, 66 and 85 High, 24 Deep
Left or Right Hinge, On Glides or Feet
Right Hinge in 50 High on Glides Shown




Divi Height Single Door Towers
42, 50, 58 and 66 High, 18 - 36 Depths
Open Left or Open Right
On Glides or Feet
Open Left in 50 High on Glides Shown


ACCESSORIES




Tackboards




Tool Rail Kits




Tool Rail Kits



Divi Linear Pre-Drilled Topcaps for Clip Screens



White Board w/ Marker Tray
Frameless



Soft Close Mechanism for Hinged Door

© 2026, AIS, Inc.

Fabric Options

VERTICAL SURFACE FABRICS	
Name	**Grade**
Amaze	A
Avenue	A
Cape Cod	A
Engage	A
Mirador	A
New England	A
Rainfall	A
Simplicity	A
Theory	A
Twizzle	A
Lido	B
Marin	B
Nature	B
Off the Grid	B
Purpose	B
Spinel	B
Sprite	B

Note: 66” & 72” wide screens – if applying directional fabrics they will need to be railroaded for application. If using a COM fabric that is 54” wide, any screen over 48” wide would need to have the fabric railroaded as well.

C.O.M. Fabric Policy

- It is mandatory that you work directly with your AIS Customer Service Representative for all COM related testing and orders. They will provide all necessary forms to you, as well as work with you with regard to sending in correct yardage and where to send it, along with necessary RA# or #s. Please note an RA must be submitted along with the fabric for testing, as well as an RA created for an actual order.
- **Please Note:** A three to five yard sample is required for testing and approval for use on all monolithic panel systems. A one yard sample is required for testing and approval on Divi Insert Tiles, Matrix Tiles, flipper doors and tackboards. We may be able to test upholstery fabrics with a swatch, your Customer Service Representative will advise based on the fabric being tested; otherwise a 1 yard sample must be submitted for testing. Results take 48 - 72 hours.
- Customer Service must be advised as to the width of the fabric rolls being supplied (54”W or 60”W). Customer Service must also be advised if the fabric has a backer.
- Yardage required for the job must be calculated by an AIS Customer Service Rep.
- Once AIS has approved the COM fabric, a fabric sample needs to be marked by the dealer with “Front”, “Top”, and “Bottom”, to be sure fabric is applied correctly. The fabric sample then needs to be attached to a COM Fabric Dealer Form and forwarded to AIS Customer Service. The COM Fabric Dealer Form may be downloaded or printed here.
- Fabrics may be discontinued or obsolete without notice.
- Contact AIS Customer Service with any questions regarding fabric availability.
- All directional fabric will be railroaded.

Note: Graded-in AIS fabrics can not be purchased and applied as COM fabric. Graded-in fabrics must be specified according to the assigned grade and product respectively.

At AIS, we take great pride in offering a diverse selection of high-quality materials including but not limited to textiles, laminates, PET, mesh, etc. However, AIS cannot guarantee uniformity in dye lots across different production runs. As such, AIS is not liable for any variations in dye lots or color discrepancies in any of our products that may occur between orders. We encourage customers to review samples for color and texture matching prior to purchase. We are committed to providing exceptional products and are confident that our selection of textiles will meet your expectations for both aesthetic appeal and durability.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Paint and Edgeband Options

DIVI PAINT OPTIONS

Name	Color Code	Divi Panel Grade	Divi Base Grade
Black	BK	A	A
Chalk	CK	A	-
Dark Tone	DT	A	-
Grey Value 1	GV1	A	A
Innertone	HT	A	-
Light Tone	LT	A	A
Medium Tone	MT	A	A
Metallic Silver	MS	A	-
Satin White	SW	A	A
Warm Brown	WB	A	A
Champagne Metallic	CHM	B	-
Dark Grey Metallic	DGM	B	-
Flint Grey Metallic	FGM	B	-
Light Grey	LG	B	-
Tan Value 1	TV1	B	-
Antique Gold	AG	C	-
Graphite Sky	GS	C	-
Burnt Orange	BO	C	-
Brown	BR	C	-
Steel Blue	SB	C	-
Baltic Blue	BB	C	-
Ruby Red	RB	C	-
Kelly Green	KG	C	-

Custom Paints

Special Paint Match Process & Ordering Instructions
To initiate a special paint match, please provide **three physical match samples** to your Customer Service Representative (CSR). These samples will be sent to our paint suppliers for evaluation and matching.

Match Process & Fees:
- A **non-refundable $450 net match fee** is required to begin the process.
- Once viable matches are developed (pending vendor capability), we'll send the samples to the dealer for final approval.

Pricing:
- Pricing begins at the **Grade C paint tier.**
- If the custom color incurs additional costs beyond Grade C pricing, we will advise of any upcharges before order placement.
- A **minimum order of $100,000 List** is required for special paint orders.
- The **$450 match fee will be waived** if the order is **$150,000 List or more** (and placed using the approved color).

Ordering Instructions (after color approval):
1. Dealer submits the **Purchase Order (PO)** and **Bill of Materials (BOM)** for the product requiring special paint.
2. The PO must clearly state:
   "SPECIAL PAINT REQUIRED ON THIS ORDER"
   — either in the header or special instructions section.
3. When selecting finishes:
   — Choose the **Grade C Paint option.**
   — **Do not select a final paint color.**
   — **Leave the paint code blank** and use the skip option.

DIVI BASE COLOR OPTIONS

Name
Black
Grey Value 1
Light Tone
Medium Tone
Satin White
Warm Brown 1

EDGEBAND OPTIONS

Name	Color Code	Grade
Absolute Acajou	AA	A
Aimtoo Savatre	AS	A
Black	BK	A
Brazilwood	BZ	A
Chalk	CK	A
Corporate Walnut	CT	A
Dark Rum Cherry	DR	A
Dark Tone	DT	A
Field Elm	FE	A
Grand Cherry	GC	A
Grey Elm	GE	A
Grey Value 1	GV1	A
Landmark	LM	A
Leave Likatre	LV	A
Light Tone	LT	A
Linen	LN	A
Looks Likatre	LK	A
Maritime Dune	MD	A
Medium Tone	MT	A
Midwest Maple	MM	A
Neo Walnut	NW	A
Phantom Ecru	PE	A
Phantom Pearl	PP	A
Satin White / True White	SW / TW	A
Storm	ST	A
Summer Drops	SD	A
Trytoo Savatre	TS	A
White Chocolate	WC	A

Custom Edgeband Options

- Custom match non-standard edgebands must be submitted as a special. Pricing varies based on edge thickness and finish.
- Minimum order size for any custom color is $75,000.00 list. Extended lead-time will apply.

© 2026, AIS, Inc.

Laminate and Tempered Glass Options

DIVI INSERTS LAMINATE OPTIONS

Name	Grade
Absolute Acajou	B
Aimtoo Savatre	B
Black	B
Brazilwood	B
Chalk	B
Corporate Walnut	B
Dark Rum Cherry	B
Field Elm	B
Grand Cherry	B
Grey Elm	B
Landmark	B
Leave Likatre	B
Linen	B
Looks Likatre	B
Maritime Dune	B
Midwest Maple	B
Neo Walnut	B
Phantom Ecru	B
Phantom Pearl	B
Storm	B
Summer Drops	B
Titanium EV	B
True White	B
Trytoo Savatre	B
White Chocolate	B

TEMPERED GLASS OPTIONS

Name	Panels/Frame/Tiles/ Screens	1/4" Thick Frameless Glass	3/8" Thick Frameless Glass
Clear	Y	Y	Y
Frosted	Y	Y	Y
Bronze Tint	Y	Y	N
Grey Tint	Y	Y	N

All glass is tempered. The etched side of Frosted is always on Side A of the Frame or Panel. Side B of this glass options are smooth. Please see specific price list pages on each type of glass for list pricing and upcharges.

Warranty:
All glass in AIS' product lines is tempered glass. By tempering the glass, the result is a stronger material that, if broken, fractures into smaller, less dangerous pieces. Tempered glass is commonly referred to as 'safety glass' due to this breakage feature. While the glass is stronger through tempering, it is critical to still handle with extreme care and caution and avoid impact that could result in damage. While uncommon, small impurities in the glass introduced during the tempering process, or damages to the edges resulting from handling or use, can cause unpredictable and spontaneous glass breakage, which is excluded from the AIS warranty.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Divi Laminate Storage Details

General Construction Details

- Laminate drawer and door faces are 3/4" thick.
- Leveling feet are adjustable up to 1" for all floor supported components.
- Units are finished all over, including the backs.
- Shelves will match body selection
- Laminate patterns such as grain or geometric shapes do not "match" face to face. However this is not noticeable on most laminate options with the exception of natural looking woods where cathedrals appear. AIS cannot guarantee that the woodgrain will match up on the different parts of the same surface.
- AIS recommends the use of mouse pads to protect longevity and integrity of worksurfaces.

Handle Options

- Five handle options are available:
  1. Bar Pull*
  2. Loop Pull*
  3. Rectangular Pull*
  4. L Pull*
  5. Slim Pull**
- All handles are available in any graded paint selection.
- The bar pull and rectangle pull are available in brushed nickel; the loop pull is available in bright metal. The slim and L Pull are only available with painted options.
- Laminate hinged doors may be configured with touch-to-open mechanism and no handles (not applicable to framed glass doors).
- Sliding doors include an option of no handle.
- Please see Product Detail: Drawer and Handles Guide for handle examples.

*Symbols default with the Bar Pull but can be adjusted while applying your finishes.
The handle hole spread for Bar, Loop, Rectangular and L Pulls is 5" if you wish to supply your own handles.
**The handle hole spread for the Slim Pull is specific to the drawer front size.

Assembly Details

- Adjustable shelves are adjustable in 32mm increments.
- Easy assembly using CAM and PIN construction allows ease of disassembly.

Storage

- AIS offers a wide variety of storage options and configurations that will work with your office needs. For more details please see below.
- Full depth units come with counterweights except for units with cut-outs.
- Partial depth units do not have counterweights. These units should be specified in a manner in which they are secured by a worksurface or ganged together with another storage unit using the Calibrate surface to support bracket.
- Framed doors are a silver vinyl wrapping with frosted acrylic.
- 18" deep towers and pull-out towers include a coat hook.
- 24" deep towers include a coat rod for hangers.
- Filing offered is side-to-side as standard for pencil lateral and file laterals that are 24" deep as well as partial depth laterals (22" deep and 29" deep).
- Front to back filing is an option that can be purchased as an accessory and will ship separately.
- All storage symbols will show the bar pull, however in worksheet you can swap the handle out as an option to one of the other standard offerings.
- 18" deep pedestals have 12" deep x 12" wide box drawers. Please see Product Detail: Pedestal and Lateral Dimensions for example.
- 24" deep pedestals have 20" deep x 12" wide box drawers. Please see Product Detail: Pedestal and Lateral Dimensions for example.
- 30" deep pedestals have 20" deep x 12" wide box drawers. Please see Product Detail: Pedestal and Lateral Dimensions for example.
- Pencil trays are included in the BBF and BF pedestals.
- Shelving counts: 42" high units have 2 shelves; 50" and 66" high units have 3 shelves; 74" and 82" high units have 4 shelves.
- Feet on storage are silver.

Overheads and Hutches

- Available as wall mounted or as a surface mounted hutch.
- Tackboards are specified separately, they do not come with the hutches.
- Installation details: Hutches will be secured to the top of the desk shell with cam and bolts or with double sided tape and screws to the wall and the side units when available. Hutch Wall Brackets (C-XHWB) are required when hutch is offset from wall or when not ganged to an adjacent tower unit.
- Wall mounted items are secured using cleat mounts. Security screws need to run through the wall cleat to assure that overhead cannot dislodge.

© 2026, AIS, Inc.

Divi Laminate Storage Details

Locks

- Box/Box/Files (BBF) pedestals will only lock the file and the middle box drawer, not the top box.
- File/File (FF) pedestal locks will secure both drawers.
- For all lateral files, wardrobe and storage units the locks will secure the drawers/door for the entire unit.
- All drawers lock on 3, 4 and 5 drawer laterals.
- Units will come with 2 keys per lock.
- Key-alike options are available per storage unit, additional lock cores may be ordered (for an additional charge) to key-alike an entire office.
- Items with 2 or more locks per unit will be keyed alike.

Lock Guide

Five lock options are offered:

- A - No lock required
- B - Black Lock
- C - Silver Lock
- D - No lock w/ black T-ring for keyed-alike or Digital Lock*
- E - No lock w/ silver T-ring for keyed alike or Digital Lock*

Lock cores and trim rings do not ship installed.

*Keyed alike lock cores must be ordered separately.

Tackboards

- Tackboards are designed to work with your stations need, with or without storage.
- Tackboard fabric direction is vertical on 24” to 48” wide units and will run horizontally for 54” to 96” wide pieces.
- Please see Product Detail for examples of tackboard fabric direction.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Divi Laminate Storage Details


Drawer Handles Guide


Five handle options are available:
- Bar
- Rectangular
- Loop
- L Pull
- Slim Pull*


Door Handles Guide


Five handle options are available:
- Bar
- Rectangular
- Loop
- L Pull
- Touch to Open**
- No Handle***


*The Slim Pull option incurs an upcharge of $75 list per unit.
**Available on laminate hinged doors only; not available on framed glass doors or sliding doors. Incurs an upcharge of $50 per unit.
***Available on sliding doors.


Bar


Rectangular


Loop


L Pull



Slim Pull

© 2026, AIS, Inc.

Divi Monolithic Panel Product Details

Permanent Monolithic Panel Availability


Fabric Covered - Hard Surface - Powered/Non-Powered:



Nominal Heights:
42", 50", 58", 66", 82" (Actual Min. Height = Nominal - 1/16") - 1 1/2" Leveling Glide Range

Widths:
24", 30", 36", 42", 48", 60", 72"* (Actual Width = Nominal + 1/8")
**72" wide available in 42", 50" and 58" high only*


Fabric Covered - Tackable Surface - Powered/Non-Powered:



Nominal Heights:
50", 58", 66", 82" (Actual Min. Height = Nominal - 1/16") - 1 1/2" Leveling Glide Range

Widths:
24", 30", 36", 42", 48", 60", 72"* (Actual Width = Nominal + 1/8")
**72" wide available in 50" high only*

Quarter Glass - Fabric Covered Hard Surface - Powered/Non-Powered:




Nominal Heights:
50", 58", 66", 82" (Actual Min. Height = Nominal - 1/16") - 1 1/2" Leveling Glide Range

Widths:
24", 30", 36", 42", 48", 60", 72"* (Actual Width = Nominal + 1/8")
**72" wide available in 50", 58" and 66" high only*

Note: Glass section on all quarter-glass panels are 14.5" high.

Half Glass - Fabric Covered Hard Surface - Powered/Non-Powered:




Nominal Heights:
58", 66", 82" (Actual Min. Height = Nominal - 1/16") - 1 1/2" Leveling Glide Range

Widths:
24", 30", 36", 42", 48", 60", 72"* (Actual Width = Nominal + 1/8")
**72" wide available in 58" high only*

Note: Glass sections on 58"H panels are 24" high; glass sections on 66" and 82"H panels are 32"H.

ADA Door Panels:




Nominal Heights:
82" (Actual Min. Height = Nominal - 1/16") - 1 1/2" Leveling Glide Range


Widths:
48" (Actual Width = Nominal + 1/8")

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Permanent Monolithic Panel Profile



Hanger frame has a slot pattern on a 1" standard increment for hang on components. Slots are 3/4" tall x approximately 1/8" wide. Hanger frame is factory installed and removal is not required for panel installation.




Hanger frame face is factory finished and requires no endcap or HiLo trim after panel installation.




Hanger frame topcap is field installed and remains easily removable to facilitate panel installation and reconfiguration.

Panel topcap is factory installed. Topcaps on permanent monolithic panels are fixed.



Panel polypropylene hinge inserts into hinge channels built into every hanger frame in order to connect panels together. A 21" length is inserted to the bottom and then an additional length for each panel height needed.




Alignment plate holds panels in vertical alignment and prevents panel shear.

8 wire 4 circuit powerway is included with every powered panel and is factory installed.


Raceway glides are adjustable up to 1 3/4" for installation on unlevel floors and include carpet grippers.

Outlets are located 10" on center from end of panel to center of outlet hole on all width panels.



Metal raceway divider (optional) separates low voltage data cables and high voltage electrical cables if desired. Divider attaches to raceway glides and is retrofitable on installed panels.

Base cover assembly ships separate as one piece and installs by sliding under panel after panel installation, hinging up and snapping to the underside of the panel. Non-powered or powered base covers are shipped with non-powered or powered panels, respectively. Base covers have a small "mud flap" for data cable egress.




Duplex outlets are ordered separately. Two outlets can be used per side, four total per panel. Outlets utilize top base cover holes.

Duplex outlet covers hide unused duplex outlet or data locations. Six are shipped with every panel. A 24"W gets three duplex outlet covers. Order extra as needed.

Snap-in data jack housing (order separately) accommodates six Hubbell or compatible data/voice jacks. Snap-in housings may not be used back to back on a spine wall.

Duplex Outlet Hole Dimensions:
1.860"H x 3.012"W




Data cable raceway cavity is approximately 2" wide by 3" tall and can accommodate between 32 and 40 Cat 6 data cables, depending on how tightly they are packed.

Cat 5 and 6 data jacks extend beyond center line of raceway, preventing jack housings to be used back to back on a spine. Plan on using "cross corners" on panel to eliminate this issue.

© 2026, AIS, Inc.


Divi Monolithic Panel Product Details

Panel Frame Creep Dimensions



Rules for Panel Stability without Components


The guidelines outlined below should be followed when designing AIS DiVi panels without components to ensure panel stability. Change in height will not effect panel stability.




Rev. Mar 2, 2026
© 2026, AIS, Inc.

Rules for Panel Stability with Components without Floor Support

Fully panel supported workstations are stations without floor support elements. The panels support the load from shelves and worksurfaces alone. The guidelines outlined below should be followed when designing AIS DiVi panels in panel supported workstations to ensure panel stability. 90 Degree connections require corner connection brackets (included with panels).




Unbalanced Load
Fully Panel Supported




Spine Height: 42"
Min. Wing Height: 42"

Unbalanced Load
Fully Panel Supported




Spine Height: 50"
Min. Wing Height: 42"

Unbalanced Load
Fully Panel Supported




Spine Height: 66"
Min. Wing Height: 50"

Unbalanced Load
Fully Panel Supported




Spine Height: 82"
Min. Wing Height: 66"

Unbalanced Load
Fully Panel Supported
Raised Overhead




Spine Height: 50"
Min. Wing Height: 50"

Balanced Load
Fully Panel Supported




Spine Height: 42"
Min. Wing Height: 42"

Balanced Load
Fully Panel Supported




Spine Height: 50"
Min. Wing Height: 42"

Balanced Load
Fully Panel Supported




Spine Height: 66"
Min. Wing Height: 42"

Balanced Load
Fully Panel Supported




Spine Height: 82"
Min. Wing Height: 50"

Balanced Load
Fully Panel Supported
Raised Overhead




Spine Height: 50"
Min. Wing Height: 50"

Balanced Load
Fully Panel Supported



Spine Height: 82"
Min. Wing Height: 82"

Balanced Load
Fully Panel Supported



Spine Height: 82"
Min. Wing Height: 82"

Guide Details:

Calibrate laminate overheads cannot be stacked two high.
Maximum shelf load is 125lb.
Maximum cantilevered worksurface load is 200lb.


Raised Flipper Door Units are not allowed on 66"h and 82"h panels.
90 Degree connections require corner connection brackets (included with panels).
Carpet grippers to be installed on wing panels.

© 2026, AIS, Inc.


Divi Monolithic Panel Product Details

Rules for Panel Stability with Components and Floor Support

Partially panel supported workstations are stations where the worksurfaces are supported from structural lats, peds, A-legs, end panels, etc. in addition to panel supports. The panels support the loads from the overheads but share the load on the surfaces. The guidelines outlined below should be followed when designing AIS DiVi panels in partially panel supported stations to ensure panel stability. 90 Degree connections require corner connection brackets (included with panels).




Unbalanced Load
Partially Panel Supported




Spine Height: 42"
Min. Wing Height: 42"

Unbalanced Load
Partially Panel Supported




Spine Height: 50"
Min. Wing Height: 42"

Unbalanced Load
Partially Panel Supported




Spine Height: 66"
Min. Wing Height: 42"

Unbalanced Load
Partially Panel Supported




Spine Height: 82"
Min. Wing Height: 50"

Unbalanced Load
Partially Panel Supported
Raised Overheads




Spine Height: 50"
Min. Wing Height: 50"

Balanced Load
Partially Panel Supported




Spine Height: 42"
Min. Wing Height: 42"

Balanced Load
Partially Panel Supported




Spine Height: 50"
Min. Wing Height: 42"

Balanced Load
Partially Panel Supported




Spine Height: 66"
Min. Wing Height: 42"

Balanced Load
Partially Panel Supported




Spine Height: 82"
Min. Wing Height: 50"

Balanced Load
Partially Panel Supported
Raised Overheads




Spine Height: 50"
Min. Wing Height: 50"

Balanced Load
Fully Panel Supported



Spine Height: 82"
Min. Wing Height: 82"

Balanced Load
Fully Panel Supported



Spine Height: 82"
Min. Wing Height: 82"


Guide Details:


Panel Mounted A-Legs, end panels, lateral files and pedestals are the only support types acceptable for fully floor supported Divi panel configurations.
Calibrate laminate overheads cannot be stacked two high.
Maximum shelf load is 125lb.
Maximum cantilevered worksurface load is 200lb.
Raised Flipper Door Units are not allowed on 66"h and 82"h panels.
90 Degree connections require corner connection brackets (included with panels).
Carpet grippers to be installed on wing panels.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Rules for Panel Stability with Components with only Floor Storage


Fully floor supported workstations are stations where the worksurfaces are supported from structural pedestals with panel attachment brackets, A-legs, or standard end panels. The panels support the loads from the overheads but share the load on the surfaces. The guidelines outlined below should be followed when designing AIS DiVi panels in fully floor supported stations to ensure panel stability. **90 Degree connections require corner connection brackets (included with panels).**























Guide Details:

Panel Mounted A-Legs, end panels, lateral files and pedestals are the only support types acceptable for fully floor supported Divi panel configurations.
Calibrate laminate overheads cannot be stacked two high.
Maximum shelf load is 125lb.
Maximum cantilevered worksurface load is 200lb.
Raised Flipper Door Units are not allowed on 66"h and 82"h panels.
90 Degree connections require corner connection brackets (included with panels).
Carpet grippers to be installed on wing panels.


© 2026, AIS, Inc.

Divi Monolithic Panel Product Details

Rules for Panel Stability with Components


24” Deep Worksurfaces:

Use standard 24” deep cantilevers
Install corner connection bracket (details below)




30” Deep Worksurfaces:

Use standard 30” deep cantilevers
Use side support / rear bracket at the front of the surface
Install corner connection bracket (details below)





Corner connection brackets must be installed on 90 degree corners. Corner connection brackets are included with the panels and do not need to be specified separately.




© 2026, AIS, Inc.

72” Wide Panel Product Details








Notes:
1. Can not be used with suspended storage.
2. U-Channels are required.
3. Max weight: 150lbs.

© 2026, AIS, Inc.

Divi Monolithic Panel Product Details

Directional Fabric Application Guidelines

For aesthetic reasons, consider having fabric run in same direction on all panels. Note that 72” wide panels can only have horizontal direction, 82” high panels can only have vertical direction. In designs calling for mixing 72” wide and 82” high panels, consider using a non-directional fabric.



Horizontal Fabric Direction
(Also known as railroaded)

Vertical Fabric Direction

54” WIDE FABRIC ROLLS							
HEIGHT	WIDTH						
	24W	30W	36W	42W	48W	60W	72W
16H (Stack)	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Horizontal	Horizontal
24H (Stack)	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Horizontal	Horizontal
42H	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Horizontal	Horizontal
50H	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Horizontal	Horizontal
58H	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Horizontal	Horizontal
66H	Vertical	Vertical	Vertical	Vertical	Vertical	N/A	N/A
82H	Vertical	Vertical	Vertical	Vertical	Vertical	N/A	N/A


66” WIDE FABRIC ROLLS							
HEIGHT	WIDTH						
	24W	30W	36W	42W	48W	60W	72W
16H (Stack)	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Horizontal
24H (Stack)	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Horizontal
42H	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Horizontal
50H	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Horizontal
58H	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Horizontal
66H	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	N/A
82H	Vertical	Vertical	Vertical	Vertical	Vertical	N/A	N/A

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Divi Monolithic Panel Product Details

Gallery Panel Examples


Single End
24” - 90” Wide*
Left or Right
**Over 66” Wide needs support*




Single End for Wing
48” - 90” Wide
Left or Right




Single End for Wing Facing Forward
48” - 90” Wide
Left or Right




Single End for Wing Front and Back
48” - 90” Wide
Left or Right




Single Spine
24” - 90” Wide*
Non-Handed
**Over 66” Wide needs support*




Single Spine for Wing
48” - 90” Wide
Left or Right




Single Spine for Wings Front and Back
48” - 90” Wide
Non-Handed




Double End
48” - 90” Wide



Double Spine
48” - 90” Wide
Non-Handed



Mid Mount End
24” - 90” Wide*
Left or Right
**Over 66” Wide needs support*




© 2026, AIS, Inc.


Divi Monolithic Panel Product Details

Gallery Panel Examples


Mid Mount End for Wing
48” - 90” Wide
Left or Right




Mid Mount End for Wing Facing Front
48” - 90” Wide
Left or Right




Mid Mount End for Wings Front and Back
48” - 90” Wide
Left or Right




Mid Mount Spine
24” - 90” Wide*
Non-Handed
**Over 66” Wide needs support*



Mid Mount Spine for Wing
60” - 90” Wide
Left or Right



Mid Mount Spine for Wings Front and Back
48” - 90” Wide
Non-Handed



Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Divi Monolithic Panel Product Details

SINGLE END AND SINGLE SPINE LEFT AND RIGHT GRAIN DIRECTIONS												
HEIGHT	WIDTH											
	24	30	36	42	48	54	60	66	72	78	84	90
42	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal
50	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal
58	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal
66	Vertical	Vertical	Vertical	Vertical	Vertical	Vertical	N/A	N/A	N/A	N/A	N/A	N/A

DOUBLE END AND DOUBLE SPINE GRAIN DIRECTIONS								
HEIGHT	WIDTH							
	48	54	60	66	72	78	84	90
42	Vert./Horz.	Vert./Horz.	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal
50	Vert./Horz.	Vert./Horz.	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal
58	Vert./Horz.	Vert./Horz.	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal
66	Vertical	Vertical	N/A	N/A	N/A	N/A	N/A	N/A

MID MOUNT END AND MID MOUNT SPINE LEFT AND RIGHT GRAIN DIRECTIONS												
HEIGHT	WIDTH											
	24	30	36	42	48	54	60	66	72	78	84	90
42	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal
50	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal
58	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal
66	Vertical	Vertical	Vertical	Vertical	Vertical	Vertical	N/A	N/A	N/A	N/A	N/A	N/A

WING PANEL LEFT AND RIGHT GRAIN DIRECTIONS			
HEIGHT	WIDTH		
	18	24	30
42	Vert./Horz.	Vert./Horz.	Vert./Horz.
50	Vert./Horz.	Vert./Horz.	Vert./Horz.
58	Vert./Horz.	Vert./Horz.	Vert./Horz.
66	Vertical	Vertical	Vertical


© 2026, AIS, Inc.

Divi Linear Hard Surface Permanent Monolithic Panels

DIVI LINEAR HARD SURFACE PERMANENT MONOLITHIC NON-POWERED PANELS

H	W	Model Number	List	C.O.M Fabric	Grade C Fabric	Grade D Fabric
42	24	P-DLFRPM4224	767	-46	+28	+60
42	30	P-DLFRPM4230	830	-46	+28	+60
42	36	P-DLFRPM4236	886	-46	+56	+118
42	42	P-DLFRPM4242	940	-46	+56	+118
42	48	P-DLFRPM4248	995	-46	+56	+118
42	60	P-DLFRPM4260	1,190	-46	+56	+118
42	72	P-DLFRPM4272	1,381	-46	+56	+118
50	24	P-DLFRPM5024	823	-56	+34	+74
50	30	P-DLFRPM5030	914	-56	+34	+74
50	36	P-DLFRPM5036	1,000	-56	+68	+146
50	42	P-DLFRPM5042	1,092	-56	+68	+146
50	48	P-DLFRPM5048	1,189	-56	+68	+146
50	60	P-DLFRPM5060	1,413	-56	+68	+146
50	72	P-DLFRPM5072	1,632	-56	+68	+146
58	24	P-DLFRPM5824	1,013	-56	+46	+100
58	30	P-DLFRPM5830	1,096	-56	+46	+100
58	36	P-DLFRPM5836	1,119	-56	+92	+200
58	42	P-DLFRPM5842	1,185	-56	+92	+200
58	48	P-DLFRPM5848	1,469	-56	+92	+200
58	60	P-DLFRPM5860	1,593	-56	+92	+200
58	72	P-DLFRPM5872	1,743	-56	+92	+200





Divi Linear Trim

Specify


- Fabric Selection for Side A and B
- Fabric Direction
- Paint Selection for Panel Trim (Grade C +28)
- Color Selection for Base Cover
- Raceway Divider Option (+50)
- Data Access Option (+15)


Notes

- Permanent Monolithic Non-Powered Panels are fabric covered hard surface panels.
- Panels may be ordered with power/data access base covers and/or raceway divider.
- Each panel includes all connection hinges needed for each panel.
- 72” wide panels will always have a horizontal fabric direction. For aesthetic reasons specify adjacent panels horizontal to match.
- 82” high panels will always have a vertical fabric direction.
- Features Divi Linear trim.

DIVI LINEAR HARD SURFACE PERMANENT MONOLITHIC POWERED PANELS

H	W	Model Number	List	C.O.M Fabric	Grade C Fabric	Grade D Fabric
42	24	P-DLFPPM4224	1,178	-46	+28	+60
42	30	P-DLFPPM4230	1,238	-46	+28	+60
42	36	P-DLFPPM4236	1,289	-46	+56	+118
42	42	P-DLFPPM4242	1,339	-46	+56	+118
42	48	P-DLFPPM4248	1,398	-46	+56	+118
42	60	P-DLFPPM4260	1,586	-46	+56	+118
42	72	P-DLFPPM4272	1,766	-46	+56	+118
50	24	P-DLFPPM5024	1,235	-56	+34	+74
50	30	P-DLFPPM5030	1,317	-56	+34	+74
50	36	P-DLFPPM5036	1,402	-56	+68	+146
50	42	P-DLFPPM5042	1,493	-56	+68	+146
50	48	P-DLFPPM5048	1,586	-56	+68	+146
50	60	P-DLFPPM5060	1,803	-56	+68	+146
50	72	P-DLFPPM5072	2,021	-56	+68	+146
58	24	P-DLFPPM5824	1,384	-56	+46	+100
58	30	P-DLFPPM5830	1,479	-56	+46	+100
58	36	P-DLFPPM5836	1,525	-56	+92	+200
58	42	P-DLFPPM5842	1,556	-56	+92	+200
58	48	P-DLFPPM5848	1,842	-56	+92	+200
58	60	P-DLFPPM5860	1,891	-56	+92	+200
58	72	P-DLFPPM5872	2,124	-56	+92	+200





Divi Linear Trim

Specify

- Fabric Selection for Side A and B
- Fabric Direction
- Paint Selection for Panel Trim (Grade C +28)
- Color Selection for Base Cover
- Raceway Divider Option (+50)

Notes

- Permanent Monolithic Powered Panel are fabric covered hard surface panels.
- Includes 8 wire 4 circuit powerway and power/data access base covers.
- Panels may be ordered with a raceway divider.
- Includes six duplex outlet hole covers; 24”W panels only include three duplex outlet hole covers.
- Each panel includes all connection hinges needed for each panel.
- Duplex outlets and electrical jumpers are specified separately. See “Electrical”.
- 72” wide panels will always have a horizontal fabric direction. For aesthetic reasons specify adjacent panels horizontal to match.
- 82” high panels will always have a vertical fabric direction.
- Features Divi Linear trim.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

Divi Linear Hard Surface Permanent Monolithic Panels

DIVI LINEAR HARD SURFACE PERMANENT MONOLITHIC NON-POWERED PANELS

H	W	Model Number	List	C.O.M Fabric	Grade C Fabric	Grade D Fabric
66	24	P-DLFRPM6624	946	-56	+46	+100
66	30	P-DLFRPM6630	1,046	-56	+46	+100
66	36	P-DLFRPM6636	1,136	-56	+92	+200
66	42	P-DLFRPM6642	1,233	-56	+92	+200
66	48	P-DLFRPM6648	1,326	-56	+92	+200
66	60	P-DLFRPM6660	1,588	-56	+92	+200
82	24	P-DLFRPM8224	1,075	-94	+60	+128
82	30	P-DLFRPM8230	1,185	-94	+60	+128
82	36	P-DLFRPM8236	1,301	-94	+118	+254
82	42	P-DLFRPM8242	1,402	-94	+118	+254
82	48	P-DLFRPM8248	1,537	-94	+118	+254





Divi Linear Trim

Specify

- Fabric Selection for Side A and B
- Fabric Direction
- Paint Selection for Panel Trim (Grade C +28)
- Color Selection for Base Cover
- Raceway Divider Option (+50)
- Data Access Option (+15)


Notes

- Permanent Monolithic Non-Powered Panels are fabric covered hard surface panels.
- Panels may be ordered with power/data access base covers and/or raceway divider.
- Each panel includes all connection hinges needed for each panel.
- 72” wide panels will always have a horizontal fabric direction. For aesthetic reasons specify adjacent panels horizontal to match.
- 82” high panels will always have a vertical fabric direction.
- Features Divi Linear trim.

DIVI LINEAR HARD SURFACE PERMANENT MONOLITHIC POWERED PANELS

H	W	Model Number	List	C.O.M Fabric	Grade C Fabric	Grade D Fabric
66	24	P-DLFPPM6624	1,348	-56	+46	+100
66	30	P-DLFPPM6630	1,445	-56	+46	+100
66	36	P-DLFPPM6636	1,548	-56	+92	+200
66	42	P-DLFPPM6642	1,630	-56	+92	+200
66	48	P-DLFPPM6648	1,725	-56	+92	+200
66	60	P-DLFPPM6660	1,975	-56	+92	+200
82	24	P-DLFPPM8224	1,479	-94	+60	+128
82	30	P-DLFPPM8230	1,586	-94	+60	+128
82	36	P-DLFPPM8236	1,690	-94	+118	+254
82	42	P-DLFPPM8242	1,797	-94	+118	+254
82	48	P-DLFPPM8248	1,903	-94	+118	+254





Divi Linear Trim

Specify

- Fabric Selection for Side A and B
- Fabric Direction
- Paint Selection for Panel Trim (Grade C +28)
- Color Selection for Base Cover
- Raceway Divider Option (+50)

Notes


- Permanent Monolithic Powered Panel are fabric covered hard surface panels.
- Includes 8 wire 4 circuit powerway and power/data access base covers.
- Panels may be ordered with a raceway divider.
- Includes six duplex outlet hole covers; 24”W panels only include three duplex outlet hole covers.
- Each panel includes all connection hinges needed for each panel.
- Duplex outlets and electrical jumpers are specified separately. See “Electrical”.
- 72” wide panels will always have a horizontal fabric direction. For aesthetic reasons specify adjacent panels horizontal to match.
- 82” high panels will always have a vertical fabric direction.
- Features Divi Linear trim.


© 2026, AIS, Inc.

Divi Linear Tackable Surface Permanent Monolithic Panels

DIVI LINEAR TACKABLE SURFACE PERMANENT MONOLITHIC NON-POWERED PANELS

H	W	Model Number	List	C.O.M Fabric	Grade C Fabric	Grade D Fabric
50	24	P-DLTRPM5024	1,000	-56	+34	+74
50	30	P-DLTRPM5030	1,026	-56	+34	+74
50	36	P-DLTRPM5036	1,146	-56	+68	+146
50	42	P-DLTRPM5042	1,223	-56	+68	+146
50	48	P-DLTRPM5048	1,302	-56	+68	+146
50	60	P-DLTRPM5060	1,551	-56	+68	+146
50	72	P-DLTRPM5072	1,797	-56	+68	+146
58	24	P-DLTRPM5824	1,065	-56	+46	+100
58	30	P-DLTRPM5830	1,115	-56	+46	+100
58	36	P-DLTRPM5836	1,237	-56	+92	+200
58	42	P-DLTRPM5842	1,311	-56	+92	+200
58	48	P-DLTRPM5848	1,393	-56	+92	+200
58	60	P-DLTRPM5860	1,635	-56	+92	+200





Divi Linear Trim

Specify


- Fabric Selection for Side A and B
- Fabric Direction
- Paint Selection for Panel Trim
- Color Selection for Base Cover
- Raceway Divider Option (+50)
- Data Access Option (+15)


Notes

- Permanent Monolithic Non-Powered Panels - Tackable Surface are fabric covered, sound absorbing tackable panels.
- Panels may be ordered with power/data access base covers and/or raceway divider.
- Each panel includes all connection hinges needed for each panel.
- 72” wide panels will always have a horizontal fabric direction. For aesthetic reasons specify adjacent panels horizontal to match.
- 82” high panels will always have a vertical fabric direction.
- Features Divi Linear trim.

DIVI LINEAR TACKABLE SURFACE PERMANENT MONOLITHIC POWERED PANELS

H	W	Model Number	List	C.O.M Fabric	Grade C Fabric	Grade D Fabric
50	24	P-DLTPPM5024	1,445	-56	+34	+74
50	30	P-DLTPPM5030	1,508	-56	+34	+74
50	36	P-DLTPPM5036	1,586	-56	+68	+146
50	42	P-DLTPPM5042	1,668	-56	+68	+146
50	48	P-DLTPPM5048	1,741	-56	+68	+146
50	60	P-DLTPPM5060	1,996	-56	+68	+146
50	72	P-DLTPPM5072	2,248	-56	+68	+146
58	24	P-DLTPPM5824	1,498	-56	+46	+100
58	30	P-DLTPPM5830	1,559	-56	+46	+100
58	36	P-DLTPPM5836	1,706	-56	+92	+200
58	42	P-DLTPPM5842	1,744	-56	+92	+200
58	48	P-DLTPPM5848	1,784	-56	+92	+200
58	60	P-DLTPPM5860	2,066	-56	+92	+200





Divi Linear Trim

Specify

- Fabric Selection for Side A and B
- Fabric Direction
- Paint Selection for Panel Trim
- Color Selection for Base Cover
- Raceway Divider Option (+50)

Notes

- Permanent Monolithic Powered Panels - Tackable Surface are fabric covered, sound absorbing tackable panels.
- Includes 8 wire 4 circuit powerway and power/data access base covers.
- Panels may be ordered with a raceway divider.
- Includes six duplex outlet hole covers; 24”W panels only include three duplex outlet hole covers.
- Each panel includes all connection hinges needed for each panel.
- Duplex outlets and electrical jumpers are specified separately. See “Electrical”.
- 72” wide panels will always have a horizontal fabric direction. For aesthetic reasons specify adjacent panels horizontal to match.
- 82” high panels will always have a vertical fabric direction.
- Featurues Divi Linear trim.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

Divi Linear Tackable Surface Permanent Monolithic Panels

DIVI LINEAR TACKABLE SURFACE PERMANENT MONOLITHIC NON-POWERED PANELS

H	W	Model Number	List	C.O.M Fabric	Grade C Fabric	Grade D Fabric
66	24	P-DLTRPM6624	1,129	-56	+46	+100
66	30	P-DLTRPM6630	1,207	-56	+46	+100
66	36	P-DLTRPM6636	1,295	-56	+92	+200
66	42	P-DLTRPM6642	1,377	-56	+92	+200
66	48	P-DLTRPM6648	1,460	-56	+92	+200
66	60	P-DLTRPM6660	1,715	-56	+92	+200
82	24	P-DLTRPM8224	1,257	-94	+60	+128
82	30	P-DLTRPM8230	1,360	-94	+60	+128
82	36	P-DLTRPM8236	1,491	-94	+118	+254
82	42	P-DLTRPM8242	1,617	-94	+118	+254
82	48	P-DLTRPM8248	1,713	-94	+118	+254





Divi Linear Trim

Specify

- Fabric Selection for Side A and B
- Fabric Direction
- Paint Selection for Panel Trim
- Color Selection for Base Cover
- Raceway Divider Option (+50)
- Data Access Option (+15)


Notes

- Permanent Monolithic Non-Powered Panels - Tackable Surface are fabric covered, sound absorbing tackable panels.
- Panels may be ordered with power/data access base covers and/or raceway divider.
- Each panel includes all connection hinges needed for each panel.
- 72” wide panels will always have a horizontal fabric direction. For aesthetic reasons specify adjacent panels horizontal to match.
- 82” high panels will always have a vertical fabric direction.
- Features Divi Linear trim.

DIVI LINEAR TACKABLE SURFACE PERMANENT MONOLITHIC POWERED PANELS

H	W	Model Number	List	C.O.M Fabric	Grade C Fabric	Grade D Fabric
66	24	P-DLTPPM6624	1,553	-56	+46	+100
66	30	P-DLTPPM6630	1,634	-56	+46	+100
66	36	P-DLTPPM6636	1,715	-56	+92	+200
66	42	P-DLTPPM6642	1,798	-56	+92	+200
66	48	P-DLTPPM6648	1,881	-56	+92	+200
66	60	P-DLTPPM6660	2,134	-56	+92	+200
82	24	P-DLTPPM8224	1,678	-94	+60	+128
82	30	P-DLTPPM8230	1,781	-94	+60	+128
82	36	P-DLTPPM8236	1,913	-94	+118	+254
82	42	P-DLTPPM8242	2,003	-94	+118	+254
82	48	P-DLTPPM8248	2,093	-94	+118	+254





Divi Linear Trim

Specify

- Fabric Selection for Side A and B
- Fabric Direction
- Paint Selection for Panel Trim
- Color Selection for Base Cover
- Raceway Divider Option (+50)

Notes

- Permanent Monolithic Powered Panels - Tackable Surface are fabric covered, sound absorbing tackable panels.
- Includes 8 wire 4 circuit powerway and power/data access base covers.
- Panels may be ordered with a raceway divider.
- Includes six duplex outlet hole covers; 24”W panels only include three duplex outlet hole covers.
- Each panel includes all connection hinges needed for each panel.
- Duplex outlets and electrical jumpers are specified separately. See “Electrical”.
- 72” wide panels will always have a horizontal fabric direction. For aesthetic reasons specify adjacent panels horizontal to match.
- 82” high panels will always have a vertical fabric direction.
- Featurues Divi Linear trim.


© 2026, AIS, Inc.

Divi Linear Quarter Glass Permanent Monolithic Panels

DIVI LINEAR QUARTER GLASS PERMANENT MONOLITHIC NON-POWERED PANELS

H	W	Model Number	List	C.O.M Fabric	Grade C Fabric	Grade D Fabric
50	24	P-DLQGWRPM5024	1,594	-32	+22	+46
50	30	P-DLQGWRPM5030	1,746	-32	+22	+46
50	36	P-DLQGWRPM5036	1,904	-32	+42	+92
50	42	P-DLQGWRPM5042	2,059	-32	+42	+92
50	48	P-DLQGWRPM5048	2,210	-32	+42	+92
50	60	P-DLQGWRPM5060	2,505	-32	+42	+92
50	72	P-DLQGWRPM5072	2,802	-32	+42	+92
58	24	P-DLQGWRPM5824	1,715	-56	+34	+74
58	30	P-DLQGWRPM5830	1,816	-56	+34	+74
58	36	P-DLQGWRPM5836	2,063	-56	+68	+146
58	42	P-DLQGWRPM5842	2,238	-56	+68	+146
58	48	P-DLQGWRPM5848	2,407	-56	+68	+146
58	60	P-DLQGWRPM5860	2,644	-56	+68	+146
58	72	P-DLQGWRPM5872	2,973	-56	+68	+146





Divi Linear Trim

Specify

- Style Selection for Glass Insert
- Fabric Selection for Side A and B
- Fabric Direction
- Paint Selection for Panel Trim (Grade C +28)
- Color Selection for Base Cover
- Raceway Divider Option (+50)
- Data Access Option (+15)


Notes

- Permanent Monolithic Non-Powered Quarter Glass Panels are fabric covered hard surface panels with an aluminum wrapped glass insert at the top section of the panel.
- Panels may be ordered with power/data access base covers and/or raceway divider.
- Each panel includes all connection hinges needed for each panel. 33” fabric height for 50” high panels, 49” fabric height for 66” high panels, 65” fabric height for 82” high panels.
- 72” wide panels will always have a horizontal fabric direction. For aesthetic reasons specify adjacent panels horizontal to match.
- 82” high panels will always have a vertical fabric direction.
- Features Divi Linear trim.

DIVI LINEAR QUARTER GLASS PERMANENT MONOLITHIC POWERED PANELS

H	W	Model Number	List	C.O.M Fabric	Grade C Fabric	Grade D Fabric
50	24	P-DLQGWPPM5024	1,925	-32	+22	+46
50	30	P-DLQGWPPM5030	2,093	-32	+22	+46
50	36	P-DLQGWPPM5036	2,253	-32	+42	+92
50	42	P-DLQGWPPM5042	2,407	-32	+42	+92
50	48	P-DLQGWPPM5048	2,564	-32	+42	+92
50	60	P-DLQGWPPM5060	2,875	-32	+42	+92
50	72	P-DLQGWPPM5072	3,188	-32	+42	+92
58	24	P-DLQGWPPM5824	2,240	-56	+34	+74
58	30	P-DLQGWPPM5830	2,533	-56	+34	+74
58	36	P-DLQGWPPM5836	2,594	-56	+68	+146
58	42	P-DLQGWPPM5842	2,915	-56	+68	+146
58	48	P-DLQGWPPM5848	3,298	-56	+68	+146
58	60	P-DLQGWPPM5860	3,126	-56	+68	+146
58	72	P-DLQGWPPM5872	3,477	-56	+68	+146





Divi Linear Trim

Specify

- Style Selection for Glass Insert
- Fabric Selection for Side A and B
- Fabric Direction
- Paint Selection for Panel Trim (Grade C +28)
- Color Selection for Base Cover
- Raceway Divider Option (+50)

Notes

- Permanent Monolithic Quarter Glass Powered Panels are fabric covered hard surface panels with an aluminum wrapped glass insert at the top section of the panel.
- Includes 8 wire 4 circuit powerway and power/data access base covers.
- Panels may be ordered with a raceway divider.
- Includes six duplex outlet hole covers; 24”W panels only include three duplex outlet hole covers.
- Each panel includes all connection hinges needed for each panel.
- Duplex outlets and electrical jumpers are specified separately. See “Electrical”.
- 33” fabric height for 50” high panels, 49” fabric height for 66” high panels, 65” fabric height for 82” high panels.
- 72” wide panels will always have a horizontal fabric direction. For aesthetic reasons specify adjacent panels horizontal to match.
- 82” high panels will always have a vertical fabric direction.
- Features Divi Linear trim.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

Divi Linear Quarter Glass Permanent Monolithic Panels

DIVI LINEAR QUARTER GLASS PERMANENT MONOLITHIC NON-POWERED PANELS

H	W	Model Number	List	C.O.M Fabric	Grade C Fabric	Grade D Fabric
66	24	P-DLQGWRPM6624	1,835	-56	+34	+74
66	30	P-DLQGWRPM6630	2,029	-56	+34	+74
66	36	P-DLQGWRPM6636	2,222	-56	+68	+146
66	42	P-DLQGWRPM6642	2,416	-56	+68	+146
66	48	P-DLQGWRPM6648	2,606	-56	+68	+146
66	60	P-DLQGWRPM6660	2,988	-56	+68	+146
66	72	P-DLQGWRPM6672	3,371	-56	+68	+146
82	24	P-DLQGWRPM8224	2,086	-56	+46	+100
82	30	P-DLQGWRPM8230	2,319	-56	+46	+100
82	36	P-DLQGWRPM8236	2,547	-56	+92	+200
82	42	P-DLQGWRPM8242	2,777	-56	+92	+200
82	48	P-DLQGWRPM8248	3,012	-56	+92	+200





Divi Linear Trim

Specify

- Style Selection for Glass Insert
- Fabric Selection for Side A and B
- Fabric Direction
- Paint Selection for Panel Trim (Grade C +28)
- Color Selection for Base Cover
- Raceway Divider Option (+50)
- Data Access Option (+15)


Notes

- Permanent Monolithic Non-Powered Quarter Glass Panels are fabric covered hard surface panels with an aluminum wrapped glass insert at the top section of the panel.
- Panels may be ordered with power/data access base covers and/or raceway divider.
- Each panel includes all connection hinges needed for each panel. 33” fabric height for 50” high panels, 49” fabric height for 66” high panels, 65” fabric height for 82” high panels.
- 72” wide panels will always have a horizontal fabric direction. For aesthetic reasons specify adjacent panels horizontal to match.
- 82” high panels will always have a vertical fabric direction.
- Features Divi Linear trim.

DIVI LINEAR QUARTER GLASS PERMANENT MONOLITHIC POWERED PANELS

H	W	Model Number	List	C.O.M Fabric	Grade C Fabric	Grade D Fabric
66	24	P-DLQGWPPM6624	2,187	-56	+34	+74
66	30	P-DLQGWPPM6630	2,388	-56	+34	+74
66	36	P-DLQGWPPM6636	2,581	-56	+68	+146
66	42	P-DLQGWPPM6642	2,781	-56	+68	+146
66	48	P-DLQGWPPM6648	2,979	-56	+68	+146
66	60	P-DLQGWPPM6660	3,372	-56	+68	+146
66	72	P-DLQGWPPM6672	3,768	-56	+68	+146
82	24	P-DLQGWPPM8224	2,445	-56	+46	+100
82	30	P-DLQGWPPM8230	2,681	-56	+46	+100
82	36	P-DLQGWPPM8236	2,913	-56	+92	+200
82	42	P-DLQGWPPM8242	3,151	-56	+92	+200
82	48	P-DLQGWPPM8248	3,393	-56	+92	+200





Divi Linear Trim

Specify

- Style Selection for Glass Insert
- Fabric Selection for Side A and B
- Fabric Direction
- Paint Selection for Panel Trim (Grade C +28)
- Color Selection for Base Cover
- Raceway Divider Option (+50)

Notes

- Permanent Monolithic Quarter Glass Powered Panels are fabric covered hard surface panels with an aluminum wrapped glass insert at the top section of the panel.
- Includes 8 wire 4 circuit powerway and power/data access base covers.
- Panels may be ordered with a raceway divider.
- Includes six duplex outlet hole covers; 24”W panels only include three duplex outlet hole covers.
- Each panel includes all connection hinges needed for each panel.
- Duplex outlets and electrical jumpers are specified separately. See “Electrical”.
- 33” fabric height for 50” high panels, 49” fabric height for 66” high panels, 65” fabric height for 82” high panels.
- 72” wide panels will always have a horizontal fabric direction. For aesthetic reasons specify adjacent panels horizontal to match.
- 82” high panels will always have a vertical fabric direction.
- Features Divi Linear trim.

© 2026, AIS, Inc.

Divi Linear Air Flow / Wall Access Permanent Monolithic Panels, Non-Powered


DIVI LINEAR AIR FLOW / WALL ACCESS PERMANENT MONOLITHIC NON-POWERED PANELS

H	W	Model Number	List	Grade C Paint	C.O.M Fabric	Grade C Fabric	Grade D Fabric
42	24	P-DLFROB4224	1,224	+28	-46	+28	+60
42	30	P-DLFROB4230	1,311	+28	-46	+28	+60
42	36	P-DLFROB4236	1,410	+28	-46	+56	+118
42	42	P-DLFROB4242	1,486	+28	-46	+56	+118
42	48	P-DLFROB4248	1,589	+28	-46	+56	+118
42	60	P-DLFROB4260	1,903	+28	-46	+56	+118
50	24	P-DLFROB5024	1,303	+28	-56	+34	+74
50	30	P-DLFROB5030	1,460	+28	-56	+34	+74
50	36	P-DLFROB5036	1,605	+28	-56	+68	+146
50	42	P-DLFROB5042	1,746	+28	-56	+68	+146
50	48	P-DLFROB5048	1,879	+28	-56	+68	+146
50	60	P-DLFROB5060	2,238	+28	-56	+68	+146
58	24	P-DLFROB5824	1,369	+28	-56	+34	+74
58	30	P-DLFROB5830	1,523	+28	-56	+34	+74
58	36	P-DLFROB5836	1,662	+28	-56	+68	+146
58	42	P-DLFROB5842	1,808	+28	-56	+68	+146
58	48	P-DLFROB5848	1,942	+28	-56	+68	+146
58	60	P-DLFROB5860	2,319	+28	-56	+68	+146

DIVI LINEAR AIR FLOW / WALL ACCESS PERMANENT MONOLITHIC NON-POWERED PANELS

H	W	Model Number	List	Grade C Paint	C.O.M Fabric	Grade C Fabric	Grade D Fabric
66	24	P-DLFROB6624	1,518	+28	-56	+46	+100
66	30	P-DLFROB6630	1,677	+28	-56	+46	+100
66	36	P-DLFROB6636	1,821	+28	-56	+92	+200
66	42	P-DLFROB6642	1,979	+28	-56	+92	+200
66	48	P-DLFROB6648	2,123	+28	-56	+92	+200
66	60	P-DLFROB6660	2,539	+28	-56	+92	+200
82	24	P-DLFROB8224	1,726	+28	-94	+60	+128
82	30	P-DLFROB8230	1,901	+28	-94	+60	+128
82	36	P-DLFROB8236	2,085	+28	-94	+118	+254
82	42	P-DLFROB8242	2,250	+28	-94	+118	+254
82	48	P-DLFROB8248	2,443	+28	-94	+118	+254





Divi Linear Trim

Specify

- Fabric Selection for Side A and B
- Paint Selection for Panel Trim
- Color Selection for Base Cover
- Raceway Divider Option (+50)
- Data Access Option (+15)

Notes

- Permanent Monolithic Non-Powered Panels - Air Flow / Wall Access are fabric covered hard surface panels.
- Panels may be ordered with power/data access base covers and/or raceway divider.
- Each panel includes all connection hinges needed for each panel.
- Features Divi Linear trim.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Divi Linear Air Flow / Wall Access Permanent Monolithic Panels, Powered


DIVI LINEAR AIR FLOW / WALL ACCESS PERMANENT MONOLITHIC POWERED PANELS

H	W	Model Number	List	Grade C Paint	C.O.M Fabric	Grade C Fabric	Grade D Fabric
42	24	P-DLFPOB4224	1,869	+28	-46	+28	+60
42	30	P-DLFPOB4230	1,960	+28	-46	+28	+60
42	36	P-DLFPOB4236	2,061	+28	-46	+56	+118
42	42	P-DLFPOB4242	2,128	+28	-46	+56	+118
42	48	P-DLFPOB4248	2,219	+28	-46	+56	+118
42	60	P-DLFPOB4260	2,515	+28	-46	+56	+118
50	24	P-DLFPOB5024	1,955	+28	-56	+34	+74
50	30	P-DLFPOB5030	2,110	+28	-56	+34	+74
50	36	P-DLFPOB5036	2,250	+28	-56	+68	+146
50	42	P-DLFPOB5042	2,371	+28	-56	+68	+146
50	48	P-DLFPOB5048	2,537	+28	-56	+68	+146
50	60	P-DLFPOB5060	2,865	+28	-56	+68	+146
58	24	P-DLFPOB5824	1,987	+28	-56	+34	+74
58	30	P-DLFPOB5830	2,137	+28	-56	+34	+74
58	36	P-DLFPOB5836	2,295	+28	-56	+68	+146
58	42	P-DLFPOB5842	2,404	+28	-56	+68	+146
58	48	P-DLFPOB5848	2,570	+28	-56	+68	+146
58	60	P-DLFPOB5860	2,914	+28	-56	+68	+146

DIVI LINEAR AIR FLOW / WALL ACCESS PERMANENT MONOLITHIC POWERED PANELS

H	W	Model Number	List	Grade C Paint	C.O.M Fabric	Grade C Fabric	Grade D Fabric
66	24	P-DLFPOB6624	2,138	+28	-56	+46	+100
66	30	P-DLFPOB6630	2,293	+28	-56	+46	+100
66	36	P-DLFPOB6636	2,479	+28	-56	+92	+200
66	42	P-DLFPOB6642	2,581	+28	-56	+92	+200
66	48	P-DLFPOB6648	2,759	+28	-56	+92	+200
66	60	P-DLFPOB6660	3,137	+28	-56	+92	+200
82	24	P-DLFPOB8224	2,345	+28	-94	+60	+128
82	30	P-DLFPOB8230	2,515	+28	-94	+60	+128
82	36	P-DLFPOB8236	2,688	+28	-94	+118	+254
82	42	P-DLFPOB8242	2,847	+28	-94	+118	+254
82	48	P-DLFPOB8248	3,016	+28	-94	+118	+254





Divi Linear Trim

Specify

- Fabric Selection for Side A and B
- Paint Selection for Panel Trim
- Color Selection for Base Cover
- Raceway Divider Option (+50)

Notes

- Fabric covered hard surface panels.
- Includes 8 wire 4 circuit powerway and power/data access base covers.
- Panels may be ordered with a raceway divider.
- Includes six duplex outlet hole covers; 24”W panels only include three duplex outlet hole covers.
- Each panel includes all connection hinges needed for each panel.
- Duplex outlets and electrical jumpers are specified separately. See “Electrical”.
- Air Flow / Wall Access Panels have a 3” fabric border around the opening that allows for air flow. The height of the opening is 16”.
- Features Divi Linear trim.


© 2026, AIS, Inc.

Divi Linear Half Glass Permanent Monolithic Panels

DIVI LINEAR HALF GLASS PERMANENT MONOLITHIC NON-POWERED PANELS

H	W	Model Number	List	C.O.M Fabric	Grade C Fabric	Grade D Fabric
58	24	P-DLHGWRPM5824	1,712	-32	+22	+46
58	30	P-DLHGWRPM5830	1,719	-32	+22	+46
58	36	P-DLHGWRPM5836	2,060	-32	+42	+92
58	42	P-DLHGWRPM5842	2,238	-32	+42	+92
58	48	P-DLHGWRPM5848	2,452	-32	+42	+92
58	60	P-DLHGWRPM5860	2,833	-32	+42	+92
58	72	P-DLHGWRPM5872	3,213	-32	+42	+92
66	24	P-DLHGWRPM6624	1,835	-32	+22	+46
66	30	P-DLHGWRPM6630	2,029	-32	+22	+46
66	36	P-DLHGWRPM6636	2,222	-32	+42	+92
66	42	P-DLHGWRPM6642	2,416	-32	+42	+92
66	48	P-DLHGWRPM6648	2,606	-32	+42	+92
66	60	P-DLHGWRPM6660	2,988	-32	+42	+92
82	24	P-DLHGWRPM8224	2,086	-56	+34	+74
82	30	P-DLHGWRPM8230	2,319	-56	+34	+74
82	36	P-DLHGWRPM8236	2,547	-56	+68	+146
82	42	P-DLHGWRPM8242	2,777	-56	+68	+146
82	48	P-DLHGWRPM8248	3,012	-56	+68	+146





Divi Linear Trim

Specify

- Style Selection for Glass Insert
- Fabric Selection for Side A and B
- Fabric Direction
- Paint Selection for Panel Trim (Grade C +28)
- Color Selection for Base Cover
- Raceway Divider Option (+50)
- Data Access Option (+15)


Notes

- Permanent Monolithic Non-Powered Half Glass Panels are fabric covered hard surface panels with an aluminum wrapped glass insert at the top section of the panel.
- Panels may be ordered with power/data access base covers and/or raceway divider.
- Each panel includes all connection hinges needed for each panel.
- 33” fabric height for 66” high panels, 49” fabric height for 82” high panels.
- 82” high panels will always have a vertical fabric direction.
- Features Divi Linear trim.

DIVI LINEAR HALF GLASS PERMANENT MONOLITHIC POWERED PANELS

H	W	Model Number	List	C.O.M Fabric	Grade C Fabric	Grade D Fabric
58	24	P-DLHGWPPM5824	2,360	-32	+22	+46
58	30	P-DLHGWPPM5830	2,477	-32	+22	+46
58	36	P-DLHGWPPM5836	2,417	-32	+42	+92
58	42	P-DLHGWPPM5842	2,595	-32	+42	+92
58	48	P-DLHGWPPM5848	2,788	-32	+42	+92
58	60	P-DLHGWPPM5860	3,134	-32	+42	+92
58	72	P-DLHGWPPM5872	3,479	-32	+42	+92
66	24	P-DLHGWPPM6624	2,388	-32	+22	+46
66	30	P-DLHGWPPM6630	2,537	-32	+22	+46
66	36	P-DLHGWPPM6636	2,581	-32	+42	+92
66	42	P-DLHGWPPM6642	2,781	-32	+42	+92
66	48	P-DLHGWPPM6648	2,979	-32	+42	+92
66	60	P-DLHGWPPM6660	3,372	-32	+42	+92
82	24	P-DLHGWPPM8224	2,445	-56	+34	+74
82	30	P-DLHGWPPM8230	2,655	-56	+34	+74
82	36	P-DLHGWPPM8236	2,913	-56	+68	+146
82	42	P-DLHGWPPM8242	3,151	-56	+68	+146
82	48	P-DLHGWPPM8248	3,358	-56	+68	+146





Divi Linear Trim

Specify

- Style Selection for Glass Insert
- Fabric Selection for Side A and B
- Fabric Direction
- Paint Selection for Panel Trim (Grade C +28)
- Color Selection for Base Cover
- Raceway Divider Option (+50)

Notes

- Permanent Monolithic Half Glass Powered Panels are fabric covered hard surface panels with an aluminum wrapped glass insert at the top section of the panel.
- Includes 8 wire 4 circuit powerway and power/data access base covers.
- Panels may be ordered with a raceway divider.
- Includes six duplex outlet hole covers; 24”W panels only include three duplex outlet hole covers.
- Each panel includes all connection hinges needed for each panel.
- Duplex outlets and electrical jumpers are specified separately. See “Electrical”.
- 33” fabric height for 66” high panels, 49” fabric height for 82” high panels.
- 82” high panels will always have a vertical fabric direction.
- Features Divi Linear trim.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

Divi Linear Full Glass Monolithic Panels

DIVI LINEAR FULL GLASS MONOLITHIC NON-POWERED PANELS

H	W	Model Number	Clear	Frosted
42	24	P-DLFG4224	2,306	+276
42	30	P-DLFG4230	2,452	+344
42	36	P-DLFG4236	2,603	+413
50	24	P-DLFG5024	2,452	+341
50	30	P-DLFG5030	2,603	+425
50	36	P-DLFG5036	2,750	+510
66	24	P-DLFG6624	2,603	+470
66	30	P-DLFG6630	2,750	+587





Divi Linear Trim

Specify

- Style Selection for Glass Insert
- Paint Selection for Panel Trim
- Color Selection for Base Color

Notes


- Full Glass Monolithic Non-Powered Panels feature aluminum wrapped full glass inserts at the top section of the panel.
- Panels may be ordered with power/data access base covers and/or raceway divider.
- Each panel includes all connection hinges needed for each panel.
- Features Divi Linear trim.


© 2026, AIS, Inc.

Divi Linear Hard Surface ADA Panels

DIVI LINEAR HARD SURFACE ADA NON-POWERED PANELS

H	W	Model Number	List	Grade B Paint	Grade B Base	C.O.M Fabric	Grade B Fabric	Grade C Fabric
32	24	P-DLFRPM3224	680	+28	+20	-46	+28	+60
32	30	P-DLFRPM3230	738	+28	+20	-46	+28	+60
32	36	P-DLFRPM3236	787	+28	+20	-46	+56	+118
32	42	P-DLFRPM3242	837	+28	+20	-46	+56	+118
32	48	P-DLFRPM3248	892	+28	+20	-46	+56	+118
32	60	P-DLFRPM3260	1,088	+28	+20	-46	+56	+118





Divi Linear Trim

Specify


- Fabric Selection for Side A and B
- Paint Selection for Panel Trim
- Color Selection for Base Cover
- Raceway Divider Option (+50)
- Data Access Option (+15)


Notes

- ADA Non-Powered Panels - Hard Surface are fabric covered hard surface panels.
- Panels may be ordered with power/data access base covers and/or raceway divider.
- Each panel includes all connection hinges needed for each panel.
- Features Divi Linear trim.

DIVI LINEAR HARD SURFACE ADA POWERED PANELS

H	W	Model Number	List	Grade B Paint	Grade B Base	C.O.M Fabric	Grade B Fabric	Grade C Fabric
32	24	P-DLFPPM3224	1,062	+28	+20	-46	+28	+60
32	30	P-DLFPPM3230	1,117	+28	+20	-46	+28	+60
32	36	P-DLFPPM3236	1,165	+28	+20	-46	+56	+118
32	42	P-DLFPPM3242	1,215	+28	+20	-46	+56	+118
32	48	P-DLFPPM3248	1,253	+28	+20	-46	+56	+118
32	60	P-DLFPPM3260	1,442	+28	+20	-46	+56	+118





Divi Linear Trim

Specify


- Fabric Selection for Side A and B
- Paint Selection for Panel Trim
- Color Selection for Base Cover
- Raceway Divider Option (+50)

Notes


- ADA Powered Panels - Hard Surface are fabric covered hard surface panels.
- Includes 8 wire 4 circuit powerway and power/data access base covers.
- Panels may be ordered with a raceway divider. Includes six duplex outlet hole covers;
- 24”W panels only include three duplex outlet hole covers.
- Duplex outlets and electrical jumpers are specified separately, see “Electrical”.
- Each panel includes all connection hinges needed for each panel.
- Duplex outlet hole dimensions are 1.860”H x 3.012”W.
- Features Divi Linear trim.

ADA Panel Stability Notes


- ADA Panels may not be used as structural wing panels (see Rules for Panel Stability) (example 1)
- ADA Panels may not be used with cantilevers. (example 2)
- ADA Panels may be used with Side Support / Rear Brackets, Panel Mounted A Legs or storage elements for surface support. (example 3)




EXAMPLE 1 - UNSTABLE
32”H Structural Wing




EXAMPLE 2 - UNSTABLE
32”H Panel with Cantilever




EXAMPLE 3 - UNSTABLE
32”H Panel with Cantilevers



EXAMPLE 1 - STABLE
Standard Structural Wing



EXAMPLE 2 - STABLE
32”H Panel with Floor Support



EXAMPLE 3 - STABLE
32”H Panel with Panel Mounted A-Legs


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

Divi Linear Fabric and Glass Stack-On Kits for Permanent Monolithic Panels

DIVI LINEAR FABRIC STACK-ON KITS FOR PERMANENT MONOLITHIC PANELS

H	W	Model Number	List	Grade C Fabric	Grade D Fabric	Grade C Paint	Grade C Retainer
16	24	P-DLSOFM1624	462	+7	+14	+5	+5
16	30	P-DLSOFM1630	501	+7	+14	+5	+5
16	36	P-DLSOFM1636	535	+13	+27	+5	+5
16	42	P-DLSOFM1642	574	+13	+27	+5	+5
16	48	P-DLSOFM1648	614	+13	+27	+5	+5
16	60	P-DLSOFM1660	693	+13	+27	+5	+5
16	72	P-DLSOFM1672	776	+13	+27	+5	+5
24	24	P-DLSOFM2424	554	+7	+14	+5	+5
24	30	P-DLSOFM2430	599	+7	+14	+5	+5
24	36	P-DLSOFM2436	641	+13	+27	+5	+5
24	42	P-DLSOFM2442	688	+13	+27	+5	+5
24	48	P-DLSOFM2448	739	+13	+27	+5	+5
24	60	P-DLSOFM2460	833	+13	+27	+5	+5
24	72	P-DLSOFM2472	929	+13	+27	+5	+5





Divi Linear Trim

Specify


- Fabric Selection for Side A and B
- Paint Selection for Panel Trim


Notes

- Fabric Stack-On Kits for Permanent Monolithic Panels are a solid stack panel that can be retrofitted to any installed or un-installed DiVi permanent monolithic panel for the purpose of increasing panel height for visual/sound privacy.
- Stack-on kits are not load bearing and add exactly 16” to panel height (i.e. making a 50” tall panel equal to a 66” tall panel).
- Kits include alignment hardware, mounting brackets, and connection hinges.
- Stack-on kits may not be stacked on top of another stack-on kit.
- Features Divi Linear trim.

DIVI LINEAR GLASS STACK-ON KITS FOR PERMANENT MONOLITHIC PANELS

H	W	Model Number	List	Grade C Paint
16	24	P-DLSOGW1624	986	+5
16	30	P-DLSOGW1630	1,110	+5
16	36	P-DLSOGW1636	1,148	+5
16	42	P-DLSOGW1642	1,267	+5
16	48	P-DLSOGW1648	1,370	+5
16	60	P-DLSOGW1660	1,565	+5
16	72	P-DLSOGW1672	1,761	+5
24	24	P-DLSOGW2424	1,338	+5
24	30	P-DLSOGW2430	1,476	+5
24	36	P-DLSOGW2436	1,631	+5
24	42	P-DLSOGW2442	2,072	+5
24	48	P-DLSOGW2448	2,225	+5
24	60	P-DLSOGW2460	2,475	+5





Divi Linear Trim

Specify

- Style Selection for Glass Insert
- Paint Selection for Panel Trim

Notes

- Glass Stack-On Kits for Permanent Monolithic Panels are a solid glass stack panel that can be retrofitted to any installed or un-installed DiVi permanent monolithic panel for the purpose of increasing panel height for visual/sound privacy.
- Stack-on kits are not load bearing and add exactly 16” to panel height (i.e. making a 50” tall panel equal to a 66” tall panel).
- Kits include alignment hardware, mounting brackets, and connection hinges.
- Stack-on kits may not be stacked on top of another stack-on kit.
- Features Divi Linear Trim.

© 2026, AIS, Inc.

Divi Linear ADA Door Panels and Door Panel Shrouds

DIVI LINEAR ADA DOOR PANELS


H	W	Type	Model Number	List	Grade C Panel Trim	Grade C Door Paint
82	48	Left	P-DLDL8248	4,403	+10	+5
82	48	Right	P-DLDR8248	4,403	+10	+5



Left Hand



Right Hand



Divi Linear Trim


Specify	Notes
• Paint Selection for Door and Door Frame • Style Selection for Tempered Glass Insert	• ADA Door Panels use a steel tube frame with hollow core door, stainless steel threshold, locking ADA door handle and full height transparent window. • Includes one panel, one locking ADA lockset, and two keys. • Lockset is field installed. • Features Divi Linear trim.

DIVI LINEAR ADA GLASS WINDOW DOOR PANELS


H	W	Type	Model Number	List	Grade C Panel Trim	Grade C Door Paint
82	48	Left	P-DLDLG8248	6,779	+10	+100
82	48	Right	P-DLDRG8248	6,779	+10	+100



Left Hand



Right Hand




Divi Linear Trim

Specify	Notes
• Paint Selection for Door and Door Frame • Style Selection for Tempered Glass Insert	• ADA Glass Window Door Panels use a steel tube frame with hollow core door, stainless steel threshold, locking ADA door handle and full height transparent window. • Includes one panel, one locking ADA lockset, and two keys. • Lockset is field installed. • Door has a 5” wood painted border around the glass. • Metallic paints not available on actual door. • Features Divi Linear trim. • Glass doors must be placed next to 90° return panel or wall mount, can not be used in middle of run.

2-WAY AND 3-WAY SHROUDS FOR DIVI DOORS

Usage	Model Number	List	Grade C Paint
2-Way Left Hand	P-DVDBSL90	95	+5
2 Way Right Hand	P-DVDBSR90	95	+5
3-Way	P-DVDBS3W	95	+5



2-Way (Left Hand Shown)



3-Way

Specify	Notes
• Paint Selection	• 2-Way and 3-Way Shrouds for Divi Doors are painted metal shrouds for use only with Divi doors where standard plastic shrouds will not work. • Important: Door shrouds do not have a finished top, order post fillers separately to complete the configuration.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Divi Linear Sliding Privacy Screens

DIVI LINEAR SLIDING PRIVACY SCREEN


Panel H	Doorway W	Adjacent Panel W	Left Hand Model Number	Right Hand Model Number	List	Grade C Paint
66	36	36	P-DVLRS6636L	P-DVLRS6636R	3,823	+25
66	36	42	P-DVLRS663642L	P-DVLRS663642R	3,911	+25
66	36	48	P-DVLRS663648L	P-DVLRS663648R	3,996	+25
66	42	42	P-DVLRS6642L	P-DVLRS6642R	3,832	+25
66	42	48	P-DVLRS664248L	P-DVLRS664248R	3,917	+25
66	48	48	P-DVLRS6648L	P-DVLRS6648R	4,073	+25
82	36	36	P-DVLRS8236L	P-DVLRS8236R	3,988	+25
82	36	42	P-DVLRS823642L	P-DVLRS823642R	4,073	+25
82	36	48	P-DVLRS823648L	P-DVLRS823648R	4,164	+25
82	42	42	P-DVLRS8242L	P-DVLRS8242R	4,004	+25
82	42	48	P-DVLRS824248L	P-DVLRS824248R	4,094	+25
82	48	48	P-DVLRS8248L	P-DVLRS8248R	4,138	+25

DIVI LINEAR LOCKING SLIDING PRIVACY SCREEN

Panel H	Doorway W	Adjacent Panel W	Left Hand Model Number	Right Hand Model Number	List	Grade C Paint
66	36	36	P-DVLRS6636LL	P-DVLRS6636RL	4,054	+25
66	36	42	P-DVLRS663642LL	P-DVLRS663642RL	4,140	+25
66	36	48	P-DVLRS663648LL	P-DVLRS663648RL	4,226	+25
66	42	42	P-DVLRS6642LL	P-DVLRS6642RL	4,059	+25
66	42	48	P-DVLRS664248LL	P-DVLRS664248RL	4,145	+25
66	48	48	P-DVLRS6648LL	P-DVLRS6648RL	4,305	+25
82	36	36	P-DVLRS8236LL	P-DVLRS8236RL	4,217	+25
82	36	42	P-DVLRS823642LL	P-DVLRS823642RL	4,305	+25
82	36	48	P-DVLRS823648LL	P-DVLRS823648RL	4,392	+25
82	42	42	P-DVLRS8242LL	P-DVLRS8242RL	4,232	+25
82	42	48	P-DVLRS824248LL	P-DVLRS824248RL	4,321	+25
82	48	48	P-DVLRS8248LL	P-DVLRS8248RL	4,365	+25




Right Hand with Optional Handle Shown



Right Hand with Optional Handle Shown



Right Hand with Lock and Handle Shown



Right Hand with Lock and Handle Shown

Specify

- Paint Selection for Sliding Door Frame

Notes


- The Linear Sliding Privacy Screen attaches to frame face at either left or right, outside or inside of an opening.
- Select a Sliding Privacy Screen based upon the dimensions of the opening it will cover and the adjacent panel that it will be installed to.
- Linear Sliding Privacy Screens are available to accommodate 36”, 42” or 48” wide by 66” or 82” high openings and adjacent panels.
- All doors come with a top track bar kit for added stability; only 82” high units extend over the doorway.
- Lightweight, aluminum frame, painted as specified, with a ribbed Lexan insert.
- The sliding door extends 6” into opening when fully open, and stands a total of 2-1/2” off panel face. These dimensions should be taken into consideration when planning for ADA door openings and aisle dimensional requirements if door is mounted on outside of office.
- Actual door thickness is 5/8”. Actual door width is opening size +6”.
- Only mount externally.
- Doors can only be locked from the outside, when user is out of office.
- Optional handles and wall termination brackets are available separately

© 2026, AIS, Inc.

Divi Linear Sliding Privacy Screen Handles and Brackets

DIVI LINEAR SLIDING PRIVACY SCREEN HANDLE KIT


Model Number	List
P-UNSLDHK	97



Specify	Notes

DIVI LINEAR SLIDING PRIVACY SCREEN WALL BRACKET KIT

Model Number	List	Grade C Paint
A-RPSLWATB	91	+25



Specify	Notes
	• Use this bracket where the top guide rail of the Linear Sliding Privacy Screen extends over the doorway and terminates against a wall instead of a panel. • Fasteners for top rail included, fasteners for wall are not included.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Divi Linear Single End Gallery Panels

DIVI LINEAR SINGLE END GALLERY PANELS


			Left	Right	
H	W	Grain	Model Number	Model Number	List
42	24	Horizontal	P-DLGPSEL4224H	P-DLGPSER4224H	653
42	30	Horizontal	P-DLGPSEL4230H	P-DLGPSER4230H	706
42	36	Horizontal	P-DLGPSEL4236H	P-DLGPSER4236H	752
42	42	Horizontal	P-DLGPSEL4242H	P-DLGPSER4242H	798
42	48	Horizontal	P-DLGPSEL4248H	P-DLGPSER4248H	846
42	54	Horizontal	P-DLGPSEL4254H	P-DLGPSER4254H	891
42	60	Horizontal	P-DLGPSEL4260	P-DLGPSER4260	1,011
42	66	Horizontal	P-DLGPSEL4266	P-DLGPSER4266	1,088
42	72	Horizontal	P-DLGPSEL4272	P-DLGPSER4272	1,132
42	78	Horizontal	P-DLGPSEL4278	P-DLGPSER4278	1,179
42	84	Horizontal	P-DLGPSEL4284	P-DLGPSER4284	1,222
42	90	Horizontal	P-DLGPSEL4290	P-DLGPSER4290	1,267
42	24	Vertical	P-DLGPSEL4224	P-DLGPSER4224	653
42	30	Vertical	P-DLGPSEL4230	P-DLGPSER4230	706
42	36	Vertical	P-DLGPSEL4236	P-DLGPSER4236	752
42	42	Vertical	P-DLGPSEL4242	P-DLGPSER4242	798
42	48	Vertical	P-DLGPSEL4248	P-DLGPSER4248	846
42	54	Vertical	P-DLGPSEL4254	P-DLGPSER4254	891

DIVI LINEAR SINGLE END GALLERY PANELS


			Left	Right	
H	W	Grain	Model Number	Model Number	List
50	24	Horizontal	P-DLGPSEL5024H	P-DLGPSER5024H	700
50	30	Horizontal	P-DLGPSEL5030H	P-DLGPSER5030H	776
50	36	Horizontal	P-DLGPSEL5036H	P-DLGPSER5036H	850
50	42	Horizontal	P-DLGPSEL5042H	P-DLGPSER5042H	929
50	48	Horizontal	P-DLGPSEL5048H	P-DLGPSER5048H	1,010
50	54	Horizontal	P-DLGPSEL5054H	P-DLGPSER5054H	1,093
50	60	Horizontal	P-DLGPSEL5060	P-DLGPSER5060	1,202
50	66	Horizontal	P-DLGPSEL5066	P-DLGPSER5066	1,307
50	72	Horizontal	P-DLGPSEL5072	P-DLGPSER5072	1,572
50	78	Horizontal	P-DLGPSEL5078	P-DLGPSER5078	1,371
50	84	Horizontal	P-DLGPSEL5084	P-DLGPSER5084	1,404
50	90	Horizontal	P-DLGPSEL5090	P-DLGPSER5090	1,435
50	24	Vertical	P-DLGPSEL5024	P-DLGPSER5024	700
50	30	Vertical	P-DLGPSEL5030	P-DLGPSER5030	776
50	36	Vertical	P-DLGPSEL5036	P-DLGPSER5036	850
50	42	Vertical	P-DLGPSEL5042	P-DLGPSER5042	929
50	48	Vertical	P-DLGPSEL5048	P-DLGPSER5048	1,010
50	54	Vertical	P-DLGPSEL5054	P-DLGPSER5054	1,093




Left Hand Shown



Left Hand Shown



Left Hand Shown



Left Hand Shown

Specify

- Laminate with matching edge

Notes

- Single End Gallery Panels mount to frames in place of wing panels for structural support.
- Gallery Panels add 1” to panel run. See panel creep description pages.
- Gallery Panels are 1 1/8” thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Single End Gallery Panels over 66” wide must be attached to storage units for support.
- HiLo kits are required if gallery panel is lower than standard panels.

© 2026, AIS, Inc.


Divi Linear Single End Gallery Panels

DIVI LINEAR SINGLE END GALLERY PANELS


			Left	Right	
H	W	Grain	Model Number	Model Number	List
58	24	Horizontal	P-DLGPSEL5824H	P-DLGPSER5824H	785
58	30	Horizontal	P-DLGPSEL5830H	P-DLGPSER5830H	861
58	36	Horizontal	P-DLGPSEL5836H	P-DLGPSER5836H	933
58	42	Horizontal	P-DLGPSEL5842H	P-DLGPSER5842H	1,009
58	48	Horizontal	P-DLGPSEL5848H	P-DLGPSER5848H	1,065
58	54	Horizontal	P-DLGPSEL5854H	P-DLGPSER5854H	1,124
58	60	Horizontal	P-DLGPSEL5860	P-DLGPSER5860	1,229
58	66	Horizontal	P-DLGPSEL5866	P-DLGPSER5866	1,332
58	72	Horizontal	P-DLGPSEL5872	P-DLGPSER5872	1,433
58	78	Horizontal	P-DLGPSEL5878	P-DLGPSER5878	1,537
58	84	Horizontal	P-DLGPSEL5884	P-DLGPSER5884	1,642
58	90	Horizontal	P-DLGPSEL5890	P-DLGPSER5890	1,744
58	24	Vertical	P-DLGPSEL5824	P-DLGPSER5824	785
58	30	Vertical	P-DLGPSEL5830	P-DLGPSER5830	861
58	36	Vertical	P-DLGPSEL5836	P-DLGPSER5836	933
58	42	Vertical	P-DLGPSEL5842	P-DLGPSER5842	1,009
58	48	Vertical	P-DLGPSEL5848	P-DLGPSER5848	1,065
58	54	Vertical	P-DLGPSEL5854	P-DLGPSER5854	1,124

DIVI LINEAR SINGLE END GALLERY PANELS

			Left	Right	
H	W	Grain	Model Number	Model Number	List
66	24	Vertical	P-DLGPSEL6624	P-DLGPSER6624	806
66	30	Vertical	P-DLGPSEL6630	P-DLGPSER6630	890
66	36	Vertical	P-DLGPSEL6636	P-DLGPSER6636	967
66	42	Vertical	P-DLGPSEL6642	P-DLGPSER6642	1,047
66	48	Vertical	P-DLGPSEL6648	P-DLGPSER6648	1,127
66	54	Vertical	P-DLGPSEL6654	P-DLGPSER6654	1,205



Left Hand Shown



Left Hand Shown

Specify

- Laminate with matching edge

Notes

- Single End Gallery Panels mount to frames in place of wing panels for structural support.
- Gallery Panels add 1” to panel run. See panel creep description pages.
- Gallery Panels are 1 1/8” thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Single End Gallery Panels over 66” wide must be attached to storage units for support.
- HiLo kits are required if gallery panel is lower than standard panels.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Divi Linear Single End for Wing Gallery Panels

DIVI LINEAR SINGLE END FOR WING GALLERY PANEL


			Left	Right	
H	W	Grain	Model Number	Model Number	List
42	48	Horizontal	P-DLGSEWL4248H	P-DLGSEWR4248H	882
42	54	Horizontal	P-DLGSEWL4254H	P-DLGSEWR4254H	928
42	60	Horizontal	P-DLGSEWL4260	P-DLGSEWR4260	1,046
42	66	Horizontal	P-DLGSEWL4266	P-DLGSEWR4266	1,124
42	72	Horizontal	P-DLGSEWL4272	P-DLGSEWR4272	1,168
42	78	Horizontal	P-DLGSEWL4278	P-DLGSEWR4278	1,215
42	84	Horizontal	P-DLGSEWL4284	P-DLGSEWR4284	1,259
42	90	Horizontal	P-DLGSEWL4290	P-DLGSEWR4290	1,303
42	48	Vertical	P-DLGSEWL4248	P-DLGSEWR4248	882
42	54	Vertical	P-DLGSEWL4254	P-DLGSEWR4254	928
50	48	Horizontal	P-DLGSEWL5048H	P-DLGSEWR5048H	1,045
50	54	Horizontal	P-DLGSEWL5054H	P-DLGSEWR5054H	1,128
50	60	Horizontal	P-DLGSEWL5060	P-DLGSEWR5060	1,237
50	66	Horizontal	P-DLGSEWL5066	P-DLGSEWR5066	1,345
50	72	Horizontal	P-DLGSEWL5072	P-DLGSEWR5072	1,377
50	78	Horizontal	P-DLGSEWL5078	P-DLGSEWR5078	1,409
50	84	Horizontal	P-DLGSEWL5084	P-DLGSEWR5084	1,441
50	90	Horizontal	P-DLGSEWL5090	P-DLGSEWR5090	1,470
50	48	Vertical	P-DLGSEWL5048	P-DLGSEWR5048	1,045
50	54	Vertical	P-DLGSEWL5054	P-DLGSEWR5054	1,128

DIVI LINEAR SINGLE END FOR WING GALLERY PANEL


			Left	Right	
H	W	Grain	Model Number	Model Number	List
58	48	Horizontal	P-DLGSEWL5848H	P-DLGSEWR5848H	1,100
58	54	Horizontal	P-DLGSEWL5854H	P-DLGSEWR5854H	1,159
58	60	Horizontal	P-DLGSEWL5860	P-DLGSEWR5860	1,264
58	66	Horizontal	P-DLGSEWL5866	P-DLGSEWR5866	1,367
58	72	Horizontal	P-DLGSEWL5872	P-DLGSEWR5872	1,469
58	78	Horizontal	P-DLGSEWL5878	P-DLGSEWR5878	1,572
58	84	Horizontal	P-DLGSEWL5884	P-DLGSEWR5884	1,677
58	90	Horizontal	P-DLGSEWL5890	P-DLGSEWR5890	1,778
58	48	Vertical	P-DLGSEWL5848	P-DLGSEWR5848	1,100
58	54	Vertical	P-DLGSEWL5854	P-DLGSEWR5854	1,159
66	48	Vertical	P-DLGSEWL6648	P-DLGSEWR6648	1,162
66	54	Vertical	P-DLGSEWL6654	P-DLGSEWR6654	1,240




Left Hand Shown



Left Hand Shown



Left Hand Shown



Left Hand Shown

Specify

- Laminate with matching edge

Notes

- Gallery Panels are 1 1/8” thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Electrical and data cables can be snaked through spine gallery panels.
- Wing panels sold separately.

© 2026, AIS, Inc.


Divi Linear Single End for Wing Facing Forward Gallery Panels

DIVI LINEAR SINGLE END FOR WING FACING FORWARD GALLERY PANELS


			Left	Right	
H	W	Grain	Model Number	Model Number	List
42	48	Vertical	P-DGSEWFL4248	P-DGSEWFR4248	882
42	54	Vertical	P-DGSEWFL4254	P-DGSEWFR4254	928
42	48	Horizontal	P-DGSEWFL4248H	P-DGSEWFR4248H	882
42	54	Horizontal	P-DGSEWFL4254H	P-DGSEWFR4254H	928
42	60	Horizontal	P-DGSEWFL4260	P-DGSEWFR4260	1,046
42	66	Horizontal	P-DGSEWFL4266	P-DGSEWFR4266	1,124
42	72	Horizontal	P-DGSEWFL4272	P-DGSEWFR4272	1,168
42	78	Horizontal	P-DGSEWFL4278	P-DGSEWFR4278	1,215
42	84	Horizontal	P-DGSEWFL4284	P-DGSEWFR4284	1,259
42	90	Horizontal	P-DGSEWFL4290	P-DGSEWFR4290	1,303
50	48	Vertical	P-DGSEWFL5048	P-DGSEWFR5048	1,045
50	54	Vertical	P-DGSEWFL5054	P-DGSEWFR5054	1,128
50	48	Horizontal	P-DGSEWFL5048H	P-DGSEWFR5048H	1,045
50	54	Horizontal	P-DGSEWFL5054H	P-DGSEWFR5054H	1,128
50	60	Horizontal	P-DGSEWFL5060	P-DGSEWFR5060	1,237
50	66	Horizontal	P-DGSEWFL5066	P-DGSEWFR5066	1,345
50	72	Horizontal	P-DGSEWFL5072	P-DGSEWFR5072	1,377
50	78	Horizontal	P-DGSEWFL5078	P-DGSEWFR5078	1,409
50	84	Horizontal	P-DGSEWFL5084	P-DGSEWFR5084	1,441
50	90	Horizontal	P-DGSEWFL5090	P-DGSEWFR5090	1,470

DIVI LINEAR SINGLE END FOR WING FACING FORWARD GALLERY PANELS


			Left	Right	
H	W	Grain	Model Number	Model Number	List
58	48	Vertical	P-DGSEWFL5848	P-DGSEWFR5848	1,100
58	54	Vertical	P-DGSEWFL5854	P-DGSEWFR5854	1,159
58	48	Horizontal	P-DGSEWFL5848H	P-DGSEWFR5848H	1,100
58	54	Horizontal	P-DGSEWFL5854H	P-DGSEWFR5854H	1,159
58	60	Horizontal	P-DGSEWFL5860	P-DGSEWFR5860	1,264
58	66	Horizontal	P-DGSEWFL5866	P-DGSEWFR5866	1,367
58	72	Horizontal	P-DGSEWFL5872	P-DGSEWFR5872	1,469
58	78	Horizontal	P-DGSEWFL5878	P-DGSEWFR5878	1,572
58	84	Horizontal	P-DGSEWFL5884	P-DGSEWFR5884	1,677
58	90	Horizontal	P-DGSEWFL5890	P-DGSEWFR5890	1,778
66	48	Vertical	P-DGSEWFL6648	P-DGSEWFR6648	1,162
66	54	Vertical	P-DGSEWFL6654	P-DGSEWFR6654	1,240



Left Hand Shown



Left Hand Shown



Right Hand Shown

Specify

- Laminate with matching edge

Notes

- Gallery Panels are 1 1/8” thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Electrical and data cables can be snaked through spine gallery panels.
- Wing panels sold separately.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Divi Linear Single End for Double Wing Gallery Panels

DIVI LINEAR SINGLE END FOR DOUBLE WING GALLERY PANELS


			Left	Right	
H	W	Grain	Model Number	Model Number	List
42	48	Vertical	P-DGSEWDL4248	P-DGSEWDR4248	917
42	54	Vertical	P-DGSEWDL4254	P-DGSEWDR4254	963
42	48	Horizontal	P-DGSEWDL4248H	P-DGSEWDR4248H	917
42	54	Horizontal	P-DGSEWDL4254H	P-DGSEWDR4254H	963
42	60	Horizontal	P-DGSEWDL4260	P-DGSEWDR4260	1,083
42	66	Horizontal	P-DGSEWDL4266	P-DGSEWDR4266	1,159
42	72	Horizontal	P-DGSEWDL4272	P-DGSEWDR4272	1,204
42	78	Horizontal	P-DGSEWDL4278	P-DGSEWDR4278	1,249
42	84	Horizontal	P-DGSEWDL4284	P-DGSEWDR4284	1,295
42	90	Horizontal	P-DGSEWDL4290	P-DGSEWDR4290	1,339
50	48	Vertical	P-DGSEWDL5048	P-DGSEWDR5048	1,082
50	54	Vertical	P-DGSEWDL5054	P-DGSEWDR5054	1,163
50	48	Horizontal	P-DGSEWDL5048H	P-DGSEWDR5048H	1,082
50	54	Horizontal	P-DGSEWDL5054H	P-DGSEWDR5054H	1,163
50	60	Horizontal	P-DGSEWDL5060	P-DGSEWDR5060	1,272
50	66	Horizontal	P-DGSEWDL5066	P-DGSEWDR5066	1,381
50	72	Horizontal	P-DGSEWDL5072	P-DGSEWDR5072	1,413
50	78	Horizontal	P-DGSEWDL5078	P-DGSEWDR5078	1,444
50	84	Horizontal	P-DGSEWDL5084	P-DGSEWDR5084	1,475
50	90	Horizontal	P-DGSEWDL5090	P-DGSEWDR5090	1,506

DIVI LINEAR SINGLE END FOR DOUBLE WING GALLERY PANELS

			Left	Right	
H	W	Grain	Model Number	Model Number	List
58	48	Vertical	P-DGSEWDL5848	P-DGSEWDR5848	1,136
58	54	Vertical	P-DGSEWDL5854	P-DGSEWDR5854	1,194
58	48	Horizontal	P-DGSEWDL5848H	P-DGSEWDR5848H	1,136
58	54	Horizontal	P-DGSEWDL5854H	P-DGSEWDR5854H	1,194
58	60	Horizontal	P-DGSEWDL5860	P-DGSEWDR5860	1,300
58	66	Horizontal	P-DGSEWDL5866	P-DGSEWDR5866	1,402
58	72	Horizontal	P-DGSEWDL5872	P-DGSEWDR5872	1,505
58	78	Horizontal	P-DGSEWDL5878	P-DGSEWDR5878	1,607
58	84	Horizontal	P-DGSEWDL5884	P-DGSEWDR5884	1,713
58	90	Horizontal	P-DGSEWDL5890	P-DGSEWDR5890	1,813
66	48	Vertical	P-DGSEWDL6648	P-DGSEWDR6648	1,200
66	54	Vertical	P-DGSEWDL6654	P-DGSEWDR6654	1,275



Left Hand Shown



Specify

- Laminate with matching edge

Notes

- Gallery Panels are 1 1/8” thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Electrical and data cables can be snaked through spine gallery panels.
- Wing panels sold separately.

© 2026, AIS, Inc.


Divi Linear Single Spine Gallery Panels


DIVI LINEAR SINGLE SPINE GALLERY PANELS

H	W	Grain	Model Number	List
42	24	Horizontal	P-DLGPSS4224H	689
42	30	Horizontal	P-DLGPSS4230H	741
42	36	Horizontal	P-DLGPSS4236H	789
42	42	Horizontal	P-DLGPSS4242H	835
42	48	Horizontal	P-DLGPSS4248H	882
42	54	Horizontal	P-DLGPSS4254H	928
42	60	Horizontal	P-DLGPSS4260	1,046
42	66	Horizontal	P-DLGPSS4266	1,124
42	72	Horizontal	P-DLGPSS4272	1,168
42	78	Horizontal	P-DLGPSS4278	1,215
42	84	Horizontal	P-DLGPSS4284	1,259
42	90	Horizontal	P-DLGPSS4290	1,303
42	24	Vertical	P-DLGPSS4224	689
42	30	Vertical	P-DLGPSS4230	741
42	36	Vertical	P-DLGPSS4236	789
42	42	Vertical	P-DLGPSS4242	835
42	48	Vertical	P-DLGPSS4248	882
42	54	Vertical	P-DLGPSS4254	928

DIVI LINEAR SINGLE SPINE GALLERY PANELS

H	W	Grain	Model Number	List
50	24	Horizontal	P-DLGPSS5024H	737
50	30	Horizontal	P-DLGPSS5030H	810
50	36	Horizontal	P-DLGPSS5036H	886
50	42	Horizontal	P-DLGPSS5042H	964
50	48	Horizontal	P-DLGPSS5048H	1,045
50	54	Horizontal	P-DLGPSS5054H	1,128
50	60	Horizontal	P-DLGPSS5060	1,237
50	66	Horizontal	P-DLGPSS5066	1,345
50	72	Horizontal	P-DLGPSS5072	1,377
50	78	Horizontal	P-DLGPSS5078	1,409
50	84	Horizontal	P-DLGPSS5084	1,441
50	90	Horizontal	P-DLGPSS5090	1,470
50	24	Vertical	P-DLGPSS5024	737
50	30	Vertical	P-DLGPSS5030	810
50	36	Vertical	P-DLGPSS5036	886
50	42	Vertical	P-DLGPSS5042	964
50	48	Vertical	P-DLGPSS5048	1,045
50	54	Vertical	P-DLGPSS5054	1,128





Specify

- Laminate with matching edge

Notes

- Single Spine Gallery Panels mount to frames in place of wing panels for structural support.
- Gallery Panels add 1” to panel run. See panel creep description pages.
- Gallery Panels are 1 1/8” thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Electrical and data cables can be snaked through spine gallery panels.
- HiLo kits are required if gallery panel is lower than standard panels.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Divi Linear Single Spine Gallery Panels


DIVI LINEAR SINGLE SPINE GALLERY PANELS

H	W	Grain	Model Number	List
58	24	Horizontal	P-DLGPSS5824H	821
58	30	Horizontal	P-DLGPSS5830H	898
58	36	Horizontal	P-DLGPSS5836H	968
58	42	Horizontal	P-DLGPSS5842H	1,044
58	48	Horizontal	P-DLGPSS5848H	1,100
58	54	Horizontal	P-DLGPSS5854H	1,159
58	60	Horizontal	P-DLGPSS5860	1,264
58	66	Horizontal	P-DLGPSS5866	1,367
58	72	Horizontal	P-DLGPSS5872	1,469
58	78	Horizontal	P-DLGPSS5878	1,572
58	84	Horizontal	P-DLGPSS5884	1,677
58	90	Horizontal	P-DLGPSS5890	1,778
58	24	Vertical	P-DLGPSS5824	821
58	30	Vertical	P-DLGPSS5830	898
58	36	Vertical	P-DLGPSS5836	968
58	42	Vertical	P-DLGPSS5842	1,044
58	48	Vertical	P-DLGPSS5848	1,100
58	54	Vertical	P-DLGPSS5854	1,159

DIVI LINEAR SINGLE SPINE GALLERY PANELS

H	W	Grain	Model Number	List
66	24	Vertical	P-DLGPSS6624	842
66	30	Vertical	P-DLGPSS6630	926
66	36	Vertical	P-DLGPSS6636	1,002
66	42	Vertical	P-DLGPSS6642	1,084
66	48	Vertical	P-DLGPSS6648	1,162
66	54	Vertical	P-DLGPSS6654	1,240





Specify

- Laminate with matching edge

Notes

- Single Spine Gallery Panels mount to frames in place of wing panels for structural support.
- Gallery Panels add 1” to panel run. See panel creep description pages.
- Gallery Panels are 1 1/8” thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Electrical and data cables can be snaked through spine gallery panels.
- HiLo kits are required if gallery panel is lower than standard panels.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.

© 2026, AIS, Inc.


Divi Linear Single Spine for Wing Gallery Panels

DIVI LINEAR SINGLE SPINE FOR WING GALLERY PANEL


			Left	Right	
H	W	Grain	Model Number	Model Number	List
42	48	Horizontal	P-DLGSSWL4248H	P-DLGSSWR4248H	917
42	54	Horizontal	P-DLGSSWL4254H	P-DLGSSWR4254H	963
42	60	Horizontal	P-DLGSSWL4260	P-DLGSSWR4260	1,083
42	66	Horizontal	P-DLGSSWL4266	P-DLGSSWR4266	1,159
42	72	Horizontal	P-DLGSSWL4272	P-DLGSSWR4272	1,204
42	78	Horizontal	P-DLGSSWL4278	P-DLGSSWR4278	1,249
42	84	Horizontal	P-DLGSSWL4284	P-DLGSSWR4284	1,295
42	90	Horizontal	P-DLGSSWL4290	P-DLGSSWR4290	1,339
42	48	Vertical	P-DLGSSWL4248	P-DLGSSWR4248	917
42	54	Vertical	P-DLGSSWL4254	P-DLGSSWR4254	963
50	48	Horizontal	P-DLGSSWL5048H	P-DLGSSWR5048H	1,082
50	54	Horizontal	P-DLGSSWL5054H	P-DLGSSWR5054H	1,163
50	60	Horizontal	P-DLGSSWL5060	P-DLGSSWR5060	1,272
50	66	Horizontal	P-DLGSSWL5066	P-DLGSSWR5066	1,381
50	72	Horizontal	P-DLGSSWL5072	P-DLGSSWR5072	1,413
50	78	Horizontal	P-DLGSSWL5078	P-DLGSSWR5078	1,444
50	84	Horizontal	P-DLGSSWL5084	P-DLGSSWR5084	1,475
50	90	Horizontal	P-DLGSSWL5090	P-DLGSSWR5090	1,506
50	48	Vertical	P-DLGSSWL5048	P-DLGSSWR5048	1,082
50	54	Vertical	P-DLGSSWL5054	P-DLGSSWR5054	1,163

DIVI LINEAR SINGLE SPINE FOR WING GALLERY PANEL


			Left	Right	
H	W	Grain	Model Number	Model Number	List
58	48	Horizontal	P-DLGSSWL5848H	P-DLGSSWR5848H	1,136
58	54	Horizontal	P-DLGSSWL5854H	P-DLGSSWR5854H	1,194
58	60	Horizontal	P-DLGSSWL5860	P-DLGSSWR5860	1,300
58	66	Horizontal	P-DLGSSWL5866	P-DLGSSWR5869	1,402
58	72	Horizontal	P-DLGSSWL5872	P-DLGSSWR5872	1,505
58	78	Horizontal	P-DLGSSWL5878	P-DLGSSWR5878	1,607
58	84	Horizontal	P-DLGSSWL5884	P-DLGSSWR5884	1,713
58	90	Horizontal	P-DLGSSWL5890	P-DLGSSWR5890	1,813
58	48	Vertical	P-DLGSSWL5848	P-DLGSSWR5848	1,136
58	54	Vertical	P-DLGSSWL5854	P-DLGSSWR5854	1,194
66	48	Vertical	P-DLGSSWL6648	P-DLGSSWR6648	1,200
66	54	Vertical	P-DLGSSWL6654	P-DLGSSWR6654	1,275




Left Hand Shown



Left Hand Shown



Left Hand Shown



Left Hand Shown

Specify

- Laminate with matching edge

Notes

- Gallery Panels are 1 1/8” thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Electrical and data cables can be snaked through spine gallery panels.
- Wing panels sold separately.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Divi Linear Single Spine for Double Wing Gallery Panels


DIVI LINEAR SINGLE SPINE FOR DOUBLE WING GALLERY PANELS

H	W	Grain	Model Number	List
42	48	Vertical	P-DGSDW4248	953
42	54	Vertical	P-DGSDW4254	999
42	48	Horizontal	P-DGSDW4248H	953
42	54	Horizontal	P-DGSDW4254H	999
42	60	Horizontal	P-DGSDW4260	1,119
42	66	Horizontal	P-DGSDW4266	1,194
42	72	Horizontal	P-DGSDW4272	1,239
42	76	Horizontal	P-DGSDW4278	1,286
42	84	Horizontal	P-DGSDW4284	1,331
42	90	Horizontal	P-DGSDW4290	1,375
50	48	Vertical	P-DGSDW5048	1,117
50	54	Vertical	P-DGSDW5054	1,201
50	48	Horizontal	P-DGSDW5048H	1,117
50	54	Horizontal	P-DGSDW5054H	1,201
50	60	Horizontal	P-DGSDW5060	1,307
50	66	Horizontal	P-DGSDW5066	1,415
50	72	Horizontal	P-DGSDW5072	1,449
50	78	Horizontal	P-DGSDW5078	1,479
50	84	Horizontal	P-DGSDW5084	1,510
50	90	Horizontal	P-DGSDW5090	1,541

DIVI LINEAR SINGLE SPINE FOR DOUBLE WING GALLERY PANELS

H	W	Grain	Model Number	List
58	48	Vertical	P-DGSDW5848	1,172
58	54	Vertical	P-DGSDW5854	1,232
58	48	Horizontal	P-DGSDW5848H	1,172
58	54	Horizontal	P-DGSDW5854H	1,232
58	60	Horizontal	P-DGSDW5860	1,335
58	66	Horizontal	P-DGSDW5866	1,440
58	72	Horizontal	P-DGSDW5872	1,540
58	78	Horizontal	P-DGSDW5878	1,645
58	84	Horizontal	P-DGSDW5884	1,748
58	90	Horizontal	P-DGSDW5890	1,850
66	48	Vertical	P-DGSDW6648	1,235
66	54	Vertical	P-DGSDW6654	1,312





Specify

- Laminate with matching edge

Notes





- Gallery Panels are 1 1/8” thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Electrical and data cables can be snaked through spine gallery panels.
- Wing panels sold separately.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.

© 2026, AIS, Inc.

Divi Linear Double End Gallery Panels

DIVI LINEAR DOUBLE END GALLERY PANELS				
H	W	Grain	Model Number	List
42	48	Vertical	P-DLGPDE4248	846
42	54	Vertical	P-DLGPDE4254	891
42	48	Horizontal	P-DLGPDE4248H	846
42	54	Horizontal	P-DLGPDE4254H	891
42	60	Horizontal	P-DLGPDE4260	1,011
42	66	Horizontal	P-DLGPDE4266	1,088
42	72	Horizontal	P-DLGPDE4272	1,132
42	76	Horizontal	P-DLGPDE4278	1,179
42	84	Horizontal	P-DLGPDE4284	1,222
42	90	Horizontal	P-DLGPDE4290	1,267
50	48	Vertical	P-DLGPDE5048	1,010
50	54	Vertical	P-DLGPDE5054	1,093
50	48	Horizontal	P-DLGPDE5048H	1,010
50	54	Horizontal	P-DLGPDE5054H	1,093
50	60	Horizontal	P-DLGPDE5060	1,202
50	66	Horizontal	P-DLGPDE5066	1,307
50	72	Horizontal	P-DLGPDE5072	1,342
50	78	Horizontal	P-DLGPDE5078	1,371
50	84	Horizontal	P-DLGPDE5084	1,404
50	90	Horizontal	P-DLGPDE5090	1,435

DIVI LINEAR DOUBLE END GALLERY PANELS				
H	W	Grain	Model Number	List
58	48	Vertical	P-DLGPDE5848	1,065
58	54	Vertical	P-DLGPDE5854	1,124
58	48	Horizontal	P-DLGPDE5848H	1,065
58	54	Horizontal	P-DLGPDE5854H	1,124
58	60	Horizontal	P-DLGPDE5860	1,229
58	66	Horizontal	P-DLGPDE5866	1,332
58	72	Horizontal	P-DLGPDE5872	1,433
58	78	Horizontal	P-DLGPDE5878	1,537
58	84	Horizontal	P-DLGPDE5884	1,642
58	90	Horizontal	P-DLGPDE5890	1,744
66	48	Vertical	P-DLGPDE6648	1,127
66	54	Vertical	P-DLGPDE6654	1,205

Specify

- Laminate with matching edge

Notes

- Double End Gallery Panels mount to frames in place of wing panels for structural support.
- Gallery Panels add 1” to panel run. See panel creep description pages.
- Double End Gallery Panels are connected to the spine in the center of the gallery panel.
- Gallery Panels are 1 1/8” thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Electrical and data cables can be snaked through spine gallery panels.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Divi Linear Double Spine Gallery Panels


DIVI LINEAR DOUBLE SPINE GALLERY PANELS

H	W	Grain	Model Number	List
42	48	Vertical	P-DLGPSD4248	882
42	54	Vertical	P-DLGPSD4254	928
42	48	Horizontal	P-DLGPSD4248H	882
42	54	Horizontal	P-DLGPSD4254H	928
42	60	Horizontal	P-DLGPSD4260	1,046
42	66	Horizontal	P-DLGPSD4266	1,124
42	72	Horizontal	P-DLGPSD4272	1,168
42	78	Horizontal	P-DLGPSD4278	1,215
42	84	Horizontal	P-DLGPSD4284	1,259
42	90	Horizontal	P-DLGPSD4290	1,303
50	48	Vertical	P-DLGPSD5048	1,045
50	54	Vertical	P-DLGPSD5054	1,128
50	48	Horizontal	P-DLGPSD5048H	1,045
50	54	Horizontal	P-DLGPSD5054H	1,128
50	60	Horizontal	P-DLGPSD5060	1,237
50	66	Horizontal	P-DLGPSD5066	1,345
50	72	Horizontal	P-DLGPSD5072	1,377
50	78	Horizontal	P-DLGPSD5078	1,409
50	84	Horizontal	P-DLGPSD5084	1,441
50	90	Horizontal	P-DLGPSD5090	1,470

DIVI LINEAR DOUBLE SPINE GALLERY PANELS

H	W	Grain	Model Number	List
58	48	Vertical	P-DLGPSD5848	1,100
58	54	Vertical	P-DLGPSD5854	1,159
58	48	Horizontal	P-DLGPSD5848H	1,100
58	54	Horizontal	P-DLGPSD5854H	1,159
58	60	Horizontal	P-DLGPSD5860	1,264
58	66	Horizontal	P-DLGPSD5866	1,367
58	72	Horizontal	P-DLGPSD5872	1,469
58	78	Horizontal	P-DLGPSD5878	1,572
58	84	Horizontal	P-DLGPSD5884	1,677
58	90	Horizontal	P-DLGPSD5890	1,778
66	48	Vertical	P-DLGPSD6648	1,162
66	54	Vertical	P-DLGPSD6654	1,240





Specify

- Laminate with matching edge

Notes

- Double Spine Gallery Panels mount to frames in place of wing panels for structural support.
- Gallery Panels add 1” to panel run. See panel creep description pages.
- Double End Gallery Panels are connected to the spine in the center of the gallery panel.
- Gallery Panels are 1 1/8” thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Electrical and data cables can be snaked through spine gallery panels.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.

© 2026, AIS, Inc.

Divi Linear Mid Mount End Gallery Panels

DIVI LINEAR MID MOUNT END GALLERY PANELS

			Left	Right	
H	W	Grain	Model Number	Model Number	List
42	24	Vertical	P-DLGPMML4224	P-DLGPMMR4224	653
42	30	Vertical	P-DLGPMML4230	P-DLGPMMR4230	706
42	36	Vertical	P-DLGPMML4236	P-DLGPMMR4236	752
42	42	Vertical	P-DLGPMML4242	P-DLGPMMR4242	798
42	48	Vertical	P-DLGPMML4248	P-DLGPMMR4248	846
42	54	Vertical	P-DLGPMML4254	P-DLGPMMR4254	891
42	24	Horizontal	P-DLGPMML4224H	P-DLGPMMR4224H	653
42	30	Horizontal	P-DLGPMML4230H	P-DLGPMMR4230H	706
42	36	Horizontal	P-DLGPMML4236H	P-DLGPMMR4236H	752
42	42	Horizontal	P-DLGPMML4242H	P-DLGPMMR4242H	798
42	48	Horizontal	P-DLGPMML4248H	P-DLGPMMR4248H	846
42	54	Horizontal	P-DLGPMML4254H	P-DLGPMMR4254H	891
42	60	Horizontal	P-DLGPMML4260	P-DLGPMMR4260	1,011
42	66	Horizontal	P-DLGPMML4266	P-DLGPMMR4266	1,088
42	72	Horizontal	P-DLGPMML4272	P-DLGPMMR4272	1,132
42	78	Horizontal	P-DLGPMML4278	P-DLGPMMR4278	1,179
42	84	Horizontal	P-DLGPMML4284	P-DLGPMMR4284	1,222
42	90	Horizontal	P-DLGPMML4290	P-DLGPMMR4290	1,267



Left Hand Shown

DIVI LINEAR MID MOUNT END GALLERY PANELS

			Left	Right	
H	W	Grain	Model Number	Model Number	List
50	24	Vertical	P-DLGPMML5024	P-DLGPMMR5024	700
50	30	Vertical	P-DLGPMML5030	P-DLGPMMR5030	776
50	36	Vertical	P-DLGPMML5036	P-DLGPMMR5036	850
50	42	Vertical	P-DLGPMML5042	P-DLGPMMR5042	929
50	48	Vertical	P-DLGPMML5048	P-DLGPMMR5048	1,010
50	54	Vertical	P-DLGPMML5054	P-DLGPMMR5054	1,093
50	24	Horizontal	P-DLGPMML5024H	P-DLGPMMR5024H	700
50	30	Horizontal	P-DLGPMML5030H	P-DLGPMMR5030H	776
50	36	Horizontal	P-DLGPMML5036H	P-DLGPMMR5036H	850
50	42	Horizontal	P-DLGPMML5042H	P-DLGPMMR5042H	929
50	48	Horizontal	P-DLGPMML5048H	P-DLGPMMR5048H	1,010
50	54	Horizontal	P-DLGPMML5054H	P-DLGPMMR5054H	1,093
50	60	Horizontal	P-DLGPMML5060	P-DLGPMMR5060	1,202
50	66	Horizontal	P-DLGPMML5066	P-DLGPMMR5066	1,307
50	72	Horizontal	P-DLGPMML5072	P-DLGPMMR5072	1,342
50	78	Horizontal	P-DLGPMML5078	P-DLGPMMR5078	1,371
50	84	Horizontal	P-DLGPMML5084	P-DLGPMMR5084	1,404
50	90	Horizontal	P-DLGPMML5090	P-DLGPMMR5090	1,435



Left Hand Shown

Specify

- Laminate with matching edge

Notes

- Gallery Panels are 1 1/8” thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Divi Linear Mid Mount End Gallery Panels

DIVI LINEAR MID MOUNT END GALLERY PANELS

			Left	Right	
H	W	Grain	Model Number	Model Number	List
58	24	Vertical	P-DLGPMML5824	P-DLGPMMR5824	785
58	30	Vertical	P-DLGPMML5830	P-DLGPMMR5830	861
58	36	Vertical	P-DLGPMML5836	P-DLGPMMR5836	933
58	42	Vertical	P-DLGPMML5842	P-DLGPMMR5842	1,009
58	48	Vertical	P-DLGPMML5848	P-DLGPMMR5848	1,065
58	54	Vertical	P-DLGPMML5854	P-DLGPMMR5854	1,124
58	24	Horizontal	P-DLGPMML5824H	P-DLGPMMR5824H	785
58	30	Horizontal	P-DLGPMML5830H	P-DLGPMMR5830H	861
58	36	Horizontal	P-DLGPMML5836H	P-DLGPMMR5836H	933
58	42	Horizontal	P-DLGPMML5842H	P-DLGPMMR5842H	1,009
58	48	Horizontal	P-DLGPMML5848H	P-DLGPMMR5848H	1,065
58	54	Horizontal	P-DLGPMML5854H	P-DLGPMMR5854H	1,124
58	60	Horizontal	P-DLGPMML5860	P-DLGPMMR5860	1,229
58	66	Horizontal	P-DLGPMML5866	P-DLGPMMR5866	1,332
58	72	Horizontal	P-DLGPMML5872	P-DLGPMMR5872	1,433
58	78	Horizontal	P-DLGPMML5878	P-DLGPMMR5878	1,537
58	84	Horizontal	P-DLGPMML5884	P-DLGPMMR5884	1,642
58	90	Horizontal	P-DLGPMML5890	P-DLGPMMR5890	1,744



Left Hand Shown

DIVI LINEAR MID MOUNT END GALLERY PANELS

			Left	Right	
H	W	Grain	Model Number	Model Number	List
66	24	Vertical	P-DLGPMML6624	P-DLGPMMR6624	806
66	30	Vertical	P-DLGPMML6630	P-DLGPMMR6630	890
66	36	Vertical	P-DLGPMML6636	P-DLGPMMR6636	967
66	42	Vertical	P-DLGPMML6642	P-DLGPMMR6642	1,047
66	48	Vertical	P-DLGPMML6648	P-DLGPMMR6648	1,127
66	54	Vertical	P-DLGPMML6654	P-DLGPMMR6654	1,205



Left Hand Shown

Specify

- Laminate with matching edge

Notes

- Gallery Panels are 1 1/8” thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.

© 2026, AIS, Inc.


Divi Linear Mid Mount End for Wing Gallery Panels

DIVI LINEAR MID MOUNT END FOR WING GALLERY PANELS


			Left	Right	
H	W	Grain	Model Number	Model Number	List
42	48	Vertical	P-DLGMMWL4248	P-DLGMMWR4248	882
42	54	Vertical	P-DLGMMWL4254	P-DLGMMWR4254	928
42	48	Horizontal	P-DLGMMWL4248H	P-DLGMMWR4248H	882
42	54	Horizontal	P-DLGMMWL4254H	P-DLGMMWR4254H	928
42	60	Horizontal	P-DLGMMWL4260	P-DLGMMWR4260	1,046
42	66	Horizontal	P-DLGMMWL4266	P-DLGMMWR4266	1,124
42	72	Horizontal	P-DLGMMWL4272	P-DLGMMWR4272	1,168
42	78	Horizontal	P-DLGMMWL4278	P-DLGMMWR4278	1,215
42	84	Horizontal	P-DLGMMWL4284	P-DLGMMWR4284	1,259
42	90	Horizontal	P-DLGMMWL4290	P-DLGMMWR4290	1,303
50	48	Vertical	P-DLGMMWL5048	P-DLGMMWR5048	1,045
50	54	Vertical	P-DLGMMWL5054	P-DLGMMWR5054	1,128
50	48	Horizontal	P-DLGMMWL5048H	P-DLGMMWR5048H	1,045
50	54	Horizontal	P-DLGMMWL5054H	P-DLGMMWR5054H	1,128
50	60	Horizontal	P-DLGMMWL5060	P-DLGMMWR5060	1,237
50	66	Horizontal	P-DLGMMWL5066	P-DLGMMWR5066	1,345
50	72	Horizontal	P-DLGMMWL5072	P-DLGMMWR5072	1,377
50	78	Horizontal	P-DLGMMWL5078	P-DLGMMWR5078	1,409
50	84	Horizontal	P-DLGMMWL5084	P-DLGMMWR5084	1,441
50	90	Horizontal	P-DLGMMWL5090	P-DLGMMWR5090	1,470

DIVI LINEAR MID MOUNT END FOR WING GALLERY PANELS

			Left	Right	
H	W	Grain	Model Number	Model Number	List
58	48	Vertical	P-DLGMMWL5848	P-DLGMMWR5848	1,100
58	54	Vertical	P-DLGMMWL5854	P-DLGMMWR5854	1,159
58	48	Horizontal	P-DLGMMWL5848H	P-DLGMMWR5848H	1,100
58	54	Horizontal	P-DLGMMWL5854H	P-DLGMMWR5854H	1,159
58	60	Horizontal	P-DLGMMWL5860	P-DLGMMWR5860	1,264
58	66	Horizontal	P-DLGMMWL5866	P-DLGMMWR5866	1,367
58	72	Horizontal	P-DLGMMWL5872	P-DLGMMWR5872	1,469
58	78	Horizontal	P-DLGMMWL5878	P-DLGMMWR5878	1,572
58	84	Horizontal	P-DLGMMWL5884	P-DLGMMWR5884	1,677
58	90	Horizontal	P-DLGMMWL5890	P-DLGMMWR5890	1,778
66	48	Vertical	P-DLGMMWL6648	P-DLGMMWR6648	1,162
66	54	Vertical	P-DLGMMWL6654	P-DLGMMWR6654	1,240



Left Hand Shown



Specify

- Laminate with matching edge

Notes

- Gallery Panels are 1 1/8” thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Electrical and data cables can be snaked through spine gallery panels.
- Wing panels sold separately.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Divi Linear Mid Mount End for Wing Facing Front Gallery Panels

DIVI LINEAR MID MOUNT END FOR WING FACING FRONT GALLERY PANELS


			Left	Right	
H	W	Grain	Model Number	Model Number	List
42	48	Vertical	P-DGMMWFL4248	P-DGMMWFR4248	917
42	54	Vertical	P-DGMMWFL4254	P-DGMMWFR4254	963
42	48	Horizontal	P-DGMMWFL4248H	P-DGMMWFR4248H	917
42	54	Horizontal	P-DGMMWFL4254H	P-DGMMWFR4254H	963
42	60	Horizontal	P-DGMMWFL4260	P-DGMMWFR4260	1,083
42	66	Horizontal	P-DGMMWFL4266	P-DGMMWFR4266	1,159
42	72	Horizontal	P-DGMMWFL4272	P-DGMMWFR4272	1,204
42	78	Horizontal	P-DGMMWFL4278	P-DGMMWFR4278	1,249
42	84	Horizontal	P-DGMMWFL4284	P-DGMMWFR4284	1,295
42	90	Horizontal	P-DGMMWFL4290	P-DGMMWFR4290	1,339
50	48	Vertical	P-DGMMWFL5048	P-DGMMWFR5048	1,082
50	54	Vertical	P-DGMMWFL5054	P-DGMMWFR5054	1,163
50	48	Horizontal	P-DGMMWFL5048H	P-DGMMWFR5048H	1,082
50	54	Horizontal	P-DGMMWFL5054H	P-DGMMWFR5054H	1,163
50	60	Horizontal	P-DGMMWFL5060	P-DGMMWFR5060	1,272
50	66	Horizontal	P-DGMMWFL5066	P-DGMMWFR5066	1,381
50	72	Horizontal	P-DGMMWFL5072	P-DGMMWFR5072	1,413
50	78	Horizontal	P-DGMMWFL5078	P-DGMMWFR5078	1,444
50	84	Horizontal	P-DGMMWFL5084	P-DGMMWFR5084	1,475
50	90	Horizontal	P-DGMMWFL5090	P-DGMMWFR5090	1,506

DIVI LINEAR MID MOUNT END FOR WING FACING FRONT GALLERY PANELS

			Left	Right	
H	W	Grain	Model Number	Model Number	List
58	48	Vertical	P-DGMMWFL5848	P-DGMMWFR5848	1,136
58	54	Vertical	P-DGMMWFL5854	P-DGMMWFR5854	1,194
58	48	Horizontal	P-DGMMWFL5848H	P-DGMMWFR5848H	1,136
58	54	Horizontal	P-DGMMWFL5854H	P-DGMMWFR5854H	1,194
58	60	Horizontal	P-DGMMWFL5860	P-DGMMWFR5860	1,300
58	66	Horizontal	P-DGMMWFL5866	P-DGMMWFR5866	1,402
58	72	Horizontal	P-DGMMWFL5872	P-DGMMWFR5872	1,505
58	78	Horizontal	P-DGMMWFL5878	P-DGMMWFR5878	1,607
58	84	Horizontal	P-DGMMWFL5884	P-DGMMWFR5884	1,713
58	90	Horizontal	P-DGMMWFL5890	P-DGMMWFR5890	1,813
66	48	Vertical	P-DGMMWFL6648	P-DGMMWFR6648	1,200
66	54	Vertical	P-DGMMWFL6654	P-DGMMWFR6654	1,275



Left Hand Shown



Specify

- Laminate with matching edge

Notes

- Gallery Panels are 1 1/8” thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Electrical and data cables can be snaked through spine gallery panels.
- Wing panels sold separately.

© 2026, AIS, Inc.


Divi Linear Mid Mount End for Double Wing Gallery Panels

DIVI LINEAR MID MOUNT END FOR DOUBLE WING GALLERY PANELS


			Left	Right	
H	W	Grain	Model Number	Model Number	List
42	48	Vertical	P-DGMMWDL4248	P-DGMMWDR4248	917
42	54	Vertical	P-DGMMWDL4254	P-DGMMWDR4254	963
42	48	Horizontal	P-DGMMWDL4248H	P-DGMMWDR4248H	917
42	54	Horizontal	P-DGMMWDL4254H	P-DGMMWDR4254H	963
42	60	Horizontal	P-DGMMWDL4260	P-DGMMWDR4260	1,083
42	66	Horizontal	P-DGMMWDL4266	P-DGMMWDR4266	1,159
42	72	Horizontal	P-DGMMWDL4272	P-DGMMWDR4272	1,204
42	78	Horizontal	P-DGMMWDL4278	P-DGMMWDR4278	1,249
42	84	Horizontal	P-DGMMWDL4284	P-DGMMWDR4284	1,295
42	90	Horizontal	P-DGMMWDL4290	P-DGMMWDR4290	1,339
50	48	Vertical	P-DGMMWDL5048	P-DGMMWDR5048	1,082
50	54	Vertical	P-DGMMWDL5054	P-DGMMWDR5054	1,163
50	48	Horizontal	P-DGMMWDL5048H	P-DGMMWDR5048H	1,082
50	54	Horizontal	P-DGMMWDL5054H	P-DGMMWDR5054H	1,163
50	60	Horizontal	P-DGMMWDL5060	P-DGMMWDR5060	1,272
50	66	Horizontal	P-DGMMWDL5066	P-DGMMWDR5066	1,381
50	72	Horizontal	P-DGMMWDL5072	P-DGMMWDR5072	1,413
50	78	Horizontal	P-DGMMWDL5078	P-DGMMWDR5078	1,444
50	84	Horizontal	P-DGMMWDL5084	P-DGMMWDR5084	1,475
50	90	Horizontal	P-DGMMWDL5090	P-DGMMWDR5090	1,506

DIVI LINEAR MID MOUNT END FOR DOUBLE WING GALLERY PANELS

			Left	Right	
H	W	Grain	Model Number	Model Number	List
58	48	Vertical	P-DGMMWDL5848	P-DGMMWDR5848	1,136
58	54	Vertical	P-DGMMWDL5854	P-DGMMWDR5854	1,194
58	48	Horizontal	P-DGMMWDL5848H	P-DGMMWDR5848H	1,136
58	54	Horizontal	P-DGMMWDL5854H	P-DGMMWDR5854H	1,194
58	60	Horizontal	P-DGMMWDL5860	P-DGMMWDR5860	1,300
58	66	Horizontal	P-DGMMWDL5866	P-DGMMWDR5866	1,402
58	72	Horizontal	P-DGMMWDL5872	P-DGMMWDR5872	1,505
58	78	Horizontal	P-DGMMWDL5878	P-DGMMWDR5878	1,607
58	84	Horizontal	P-DGMMWDL5884	P-DGMMWDR5884	1,713
58	90	Horizontal	P-DGMMWDL5890	P-DGMMWDR5890	1,813
66	48	Vertical	P-DGMMWDL6648	P-DGMMWDR6648	1,200
66	54	Vertical	P-DGMMWDL6654	P-DGMMWDR6654	1,275



Left Hand Shown



Specify

- Laminate with matching edge

Notes

- Gallery Panels are 1 1/8” thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Electrical and data cables can be snaked through spine gallery panels.
- Wing panels sold separately.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Divi Linear Mid Mount Spine Gallery Panels


DIVI LINEAR MID MOUNT SPINE GALLERY PANELS

H	W	Grain	Model Number	List
42	24	Vertical	P-DLGPMMS4224	689
42	30	Vertical	P-DLGPMMS4230	741
42	36	Vertical	P-DLGPMMS4236	789
42	42	Vertical	P-DLGPMMS4242	835
42	48	Vertical	P-DLGPMMS4248	882
42	54	Vertical	P-DLGPMMS4254	928
42	24	Horizontal	P-DLGPMMS4224H	689
42	30	Horizontal	P-DLGPMMS4230H	741
42	36	Horizontal	P-DLGPMMS4236H	789
42	42	Horizontal	P-DLGPMMS4242H	835
42	48	Horizontal	P-DLGPMMS4248H	882
42	54	Horizontal	P-DLGPMMS4254H	928
42	60	Horizontal	P-DLGPMMS4260	1,046
42	66	Horizontal	P-DLGPMMS4266	1,124
42	72	Horizontal	P-DLGPMMS4272	1,168
42	78	Horizontal	P-DLGPMMS4278	1,215
42	84	Horizontal	P-DLGPMMS4284	1,259
42	90	Horizontal	P-DLGPMMS4290	1,303

DIVI LINEAR MID MOUNT SPINE GALLERY PANELS

H	W	Grain	Model Number	List
50	24	Vertical	P-DLGPMMS5024	737
50	30	Vertical	P-DLGPMMS5030	810
50	36	Vertical	P-DLGPMMS5036	886
50	42	Vertical	P-DLGPMMS5042	964
50	48	Vertical	P-DLGPMMS5048	1,045
50	54	Vertical	P-DLGPMMS5054	1,128
50	24	Horizontal	P-DLGPMMS5024H	737
50	30	Horizontal	P-DLGPMMS5030H	810
50	36	Horizontal	P-DLGPMMS5036H	886
50	42	Horizontal	P-DLGPMMS5042H	964
50	48	Horizontal	P-DLGPMMS5048H	1,045
50	54	Horizontal	P-DLGPMMS5054H	1,128
50	60	Horizontal	P-DLGPMMS5060	1,237
50	66	Horizontal	P-DLGPMMS5066	1,345
50	72	Horizontal	P-DLGPMMS5072	1,377
50	78	Horizontal	P-DLGPMMS5078	1,409
50	84	Horizontal	P-DLGPMMS5084	1,441
50	90	Horizontal	P-DLGPMMS5090	1,470





Specify

- Laminate with matching edge

Notes

- Gallery Panels are 1 1/8” thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Electrical and data cables can be snaked through spine gallery panels.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.

© 2026, AIS, Inc.


Divi Linear Mid Mount Spine Gallery Panels


DIVI LINEAR MID MOUNT SPINE GALLERY PANELS

H	W	Grain	Model Number	List
58	24	Vertical	P-DLGPMMS5824	821
58	30	Vertical	P-DLGPMMS5830	898
58	36	Vertical	P-DLGPMMS5836	968
58	42	Vertical	P-DLGPMMS5842	1,044
58	48	Vertical	P-DLGPMMS5848	1,100
58	54	Vertical	P-DLGPMMS5854	1,159
58	24	Horizontal	P-DLGPMMS5824H	821
58	30	Horizontal	P-DLGPMMS5830H	898
58	36	Horizontal	P-DLGPMMS5836H	968
58	42	Horizontal	P-DLGPMMS5842H	1,044
58	48	Horizontal	P-DLGPMMS5848H	1,100
58	54	Horizontal	P-DLGPMMS5854H	1,159
58	60	Horizontal	P-DLGPMMS5860	1,264
58	66	Horizontal	P-DLGPMMS5866	1,367
58	72	Horizontal	P-DLGPMMS5872	1,469
58	78	Horizontal	P-DLGPMMS5878	1,572
58	84	Horizontal	P-DLGPMMS5884	1,677
58	90	Horizontal	P-DLGPMMS5890	1,778

DIVI LINEAR MID MOUNT SPINE GALLERY PANELS

H	W	Grain	Model Number	List
66	24	Vertical	P-DLGPMMS6624	842
66	30	Vertical	P-DLGPMMS6630	926
66	36	Vertical	P-DLGPMMS6636	1,002
66	42	Vertical	P-DLGPMMS6642	1,084
66	48	Vertical	P-DLGPMMS6648	1,162
66	54	Vertical	P-DLGPMMS6654	1,240





Specify

- Laminate with matching edge

Notes

- Gallery Panels are 1 1/8” thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Electrical and data cables can be snaked through spine gallery panels.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Divi Linear Mid Mount Spine for Wing Gallery Panels

DIVI LINEAR MID MOUNT SPINE FOR WING GALLERY PANELS


			Left	Right	
H	W	Grain	Model Number	Model Number	List
42	48	Vertical	P-DLGMWSL4248	P-DLGMWSR4248	917
42	54	Vertical	P-DLGMWSL4254	P-DLGMWSR4254	963
42	48	Horizontal	P-DLGMWSL4248H	P-DLGMWSR4248H	917
42	54	Horizontal	P-DLGMWSL4254H	P-DLGMWSR4254H	963
42	60	Horizontal	P-DLGMWSL4260	P-DLGMWSR4260	1,083
42	66	Horizontal	P-DLGMWSL4266	P-DLGMWSR4266	1,159
42	72	Horizontal	P-DLGMWSL4272	P-DLGMWSR4272	1,204
42	78	Horizontal	P-DLGMWSL4278	P-DLGMWSR4278	1,249
42	84	Horizontal	P-DLGMWSL4284	P-DLGMWSR4284	1,295
42	90	Horizontal	P-DLGMWSL4290	P-DLGMWSR4290	1,339
50	48	Vertical	P-DLGMWSL5048	P-DLGMWSR5048	1,082
50	54	Vertical	P-DLGMWSL5054	P-DLGMWSR5054	1,163
50	48	Horizontal	P-DLGMWSL5048H	P-DLGMWSR5048H	1,082
50	54	Horizontal	P-DLGMWSL5054H	P-DLGMWSR5054H	1,163
50	60	Horizontal	P-DLGMWSL5060	P-DLGMWSR5060	1,272
50	66	Horizontal	P-DLGMWSL5066	P-DLGMWSR5066	1,381
50	72	Horizontal	P-DLGMWSL5072	P-DLGMWSR5072	1,413
50	78	Horizontal	P-DLGMWSL5078	P-DLGMWSR5078	1,444
50	84	Horizontal	P-DLGMWSL5084	P-DLGMWSR5084	1,475
50	90	Horizontal	P-DLGMWSL5090	P-DLGMWSR5090	1,506

DIVI LINEAR MID MOUNT SPINE FOR WING GALLERY PANELS

			Left	Right	
H	W	Grain	Model Number	Model Number	List
58	48	Vertical	P-DLGMWSL5848	P-DLGMWSR5848	1,136
58	54	Vertical	P-DLGMWSL5854	P-DLGMWSR5854	1,194
58	48	Horizontal	P-DLGMWSL5848H	P-DLGMWSR5848H	1,136
58	54	Horizontal	P-DLGMWSL5854H	P-DLGMWSR5854H	1,194
58	60	Horizontal	P-DLGMWSL5860	P-DLGMWSR5860	1,300
58	66	Horizontal	P-DLGMWSL5866	P-DLGMWSR5866	1,402
58	72	Horizontal	P-DLGMWSL5872	P-DLGMWSR5872	1,505
58	78	Horizontal	P-DLGMWSL5878	P-DLGMWSR5878	1,607
58	84	Horizontal	P-DLGMWSL5884	P-DLGMWSR5884	1,713
58	90	Horizontal	P-DLGMWSL5890	P-DLGMWSR5890	1,813
66	48	Vertical	P-DLGMWSL6648	P-DLGMWSR6648	1,200
66	54	Vertical	P-DLGMWSL6654	P-DLGMWSR6654	1,275



Left Hand Shown



Specify	Notes
• Laminate with matching edge	• Gallery Panels are 1 1/8” thick with matching 2mm edgeband. • Cannot be used freestanding, must be attached to a panel. • Electrical and data cables can be snaked through spine gallery panels. • Wing panels sold separately. • Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.

© 2026, AIS, Inc.


Divi Linear Mid Mount Spine for Double Wing Gallery Panels


DIVI LINEAR MID MOUNT SPINE FOR DOUBLE WING GALLERY PANELS

H	W	Grain	Model Number	List
42	48	Vertical	P-DGSMMDW4248	953
42	54	Vertical	P-DGSMMDW4254	999
42	48	Horizontal	P-DGSMMDW4248H	953
42	54	Horizontal	P-DGSMMDW4254H	999
42	60	Horizontal	P-DGSMMDW4260	1,119
42	66	Horizontal	P-DGSMMDW4266	1,194
42	72	Horizontal	P-DGSMMDW4272	1,239
42	76	Horizontal	P-DGSMMDW4278	1,286
42	84	Horizontal	P-DGSMMDW4284	1,331
42	90	Horizontal	P-DGSMMDW4290	1,375
50	48	Vertical	P-DGSMMDW5048	1,117
50	54	Vertical	P-DGSMMDW5054	1,201
50	48	Horizontal	P-DGSMMDW5048H	1,117
50	54	Horizontal	P-DGSMMDW5054H	1,201
50	60	Horizontal	P-DGSMMDW5060	1,307
50	66	Horizontal	P-DGSMMDW5066	1,415
50	72	Horizontal	P-DGSMMDW5072	1,449
50	78	Horizontal	P-DGSMMDW5078	1,479
50	84	Horizontal	P-DGSMMDW5084	1,510
50	90	Horizontal	P-DGSMMDW5090	1,541

DIVI LINEAR MID MOUNT SPINE FOR DOUBLE WING GALLERY PANELS

H	W	Grain	Model Number	List
58	48	Vertical	P-DGSMMDW5848	1,172
58	54	Vertical	P-DGSMMDW5854	1,232
58	48	Horizontal	P-DGSMMDW5848H	1,172
58	54	Horizontal	P-DGSMMDW5854H	1,232
58	60	Horizontal	P-DGSMMDW5860	1,335
58	66	Horizontal	P-DGSMMDW5866	1,440
58	72	Horizontal	P-DGSMMDW5872	1,540
58	78	Horizontal	P-DGSMMDW5878	1,645
58	84	Horizontal	P-DGSMMDW5884	1,748
58	90	Horizontal	P-DGSMMDW5890	1,850
66	48	Vertical	P-DGSMMDW6648	1,235
66	54	Vertical	P-DGSMMDW6654	1,312





Specify	Notes
• Laminate with matching edge	• Gallery Panels are 1 1/8” thick with matching 2mm edgeband. • Cannot be used freestanding, must be attached to a panel. • Electrical and data cables can be snaked through spine gallery panels. • Wing panels sold separately. • Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Divi Linear Wing Gallery Panels

DIVI LINEAR WING GALLERY PANEL

			Left	Right	
H	W	Grain	Model Number	Model Number	List
42	18	Vertical	P-DLGWPL4218	P-DLGWPR4218	598
42	24	Vertical	P-DLGWPL4224	P-DLGWPR4224	653
42	30	Vertical	P-DLGWPL4230	P-DLGWPR4230	706
42	18	Horizontal	P-DLGWPL4218H	P-DLGWPR4218H	598
42	24	Horizontal	P-DLGWPL4224H	P-DLGWPR4224H	653
42	30	Horizontal	P-DLGWPL4230H	P-DLGWPR4230H	706
50	18	Vertical	P-DLGWPL5018	P-DLGWPR5018	623
50	24	Vertical	P-DLGWPL5024	P-DLGWPR5024	700
50	30	Vertical	P-DLGWPL5030	P-DLGWPR5030	776
50	18	Horizontal	P-DLGWPL5018H	P-DLGWPR5018H	623
50	24	Horizontal	P-DLGWPL5024H	P-DLGWPR5024H	700
50	30	Horizontal	P-DLGWPL5030H	P-DLGWPR5030H	776
58	18	Vertical	P-DLGWPL5818	P-DLGWPR5818	707
58	24	Vertical	P-DLGWPL5824	P-DLGWPR5824	785
58	30	Vertical	P-DLGWPL5830	P-DLGWPR5830	861
58	18	Horizontal	P-DLGWPL5818H	P-DLGWPR5818H	707
58	24	Horizontal	P-DLGWPL5824H	P-DLGWPR5824H	785
58	30	Horizontal	P-DLGWPL5830H	P-DLGWPR5830H	861
66	18	Vertical	P-DLGWPL6618	P-DLGWPR6618	720
66	24	Vertical	P-DLGWPL6624	P-DLGWPR6624	806
66	30	Vertical	P-DLGWPL6630	P-DLGWPR6630	890



Left Hand Shown



Left Hand Shown

Specify

- Laminate with matching edge

Notes


- Gallery Panels are 1 1/8” thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.

© 2026, AIS, Inc.

Divi Linear Gallery Panel HiLo Kits

DIVI GALLERY PANEL HILO KITS

Panel H	Model Number	List
8	P-DLGPHILO08	137
16	P-DLGPHILO16	156
24	P-DLGPHILO24	161
32	P-DLGPHILO32	169
40	P-DLGPHILO40	173




Specify	Notes
• Paint Selection	• To be used on non-equal height gallery panels. • Includes trim kit and hilo bracket. • Order kit that corresponds to difference between high and low panel. • Hilo kit bracket replaces bracket that comes with gallery panels. • Order gallery panels separately.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

WORKSURFACE SUPPORT BRACKET

Model Number	List
O-WSLB	59
O-WSLBP	72



Specify	Notes
• Paint Selection	• Model number includes two brackets. • Order Worksurface Support Bracket when mounting worksurfaces to Gallery Panels. • Brackets measure 5.5” x 1” x 1”. • O-WSLB available in black only. O-WSLBP available in any paint finish.

© 2026, AIS, Inc.


Wall Mounted Gallery Panels


WALL MOUNTED GALLERY PANELS – HORIZONTAL

H	W	Model Number	List
42	24	P-DLWMGP4224	653
42	30	P-DLWMGP4230	706
42	36	P-DLWMGP4236	752
42	42	P-DLWMGP4242	798
42	48	P-DLWMGP4248	846
42	54	P-DLWMGP4254	891
42	60	P-DLWMGP4260	1,011
42	66	P-DLWMGP4266	1,088
42	72	P-DLWMGP4272	1,132
42	78	P-DLWMGP4278	1,179
42	84	P-DLWMGP4284	1,222
42	90	P-DLWMGP4290	1,267
42	96	P-DLWMGP4296	1,332
50	24	P-DLWMGP5024	700
50	30	P-DLWMGP5030	776
50	36	P-DLWMGP5036	850
50	42	P-DLWMGP5042	929
50	48	P-DLWMGP5048	1,010
50	54	P-DLWMGP5054	1,093
50	60	P-DLWMGP5060	1,202
50	66	P-DLWMGP5066	1,307
50	72	P-DLWMGP5072	1,342
50	78	P-DLWMGP5078	1,371
50	84	P-DLWMGP5084	1,404
50	90	P-DLWMGP5090	1,435
50	96	P-DLWMGP5096	1,498

WALL MOUNTED GALLERY PANELS – HORIZONTAL

H	W	Model Number	List
58	24	P-DLWMGP5824	785
58	30	P-DLWMGP5830	861
58	36	P-DLWMGP5836	933
58	42	P-DLWMGP5842	1,009
58	48	P-DLWMGP5848	1,065
58	54	P-DLWMGP5854	1,124
58	60	P-DLWMGP5860	1,229
58	66	P-DLWMGP5866	1,332
58	72	P-DLWMGP5872	1,433
58	78	P-DLWMGP5878	1,537
58	84	P-DLWMGP5884	1,642
58	90	P-DLWMGP5890	1,744
58	96	P-DLWMGP5896	1,799





Specify

- Laminate selection
- Paint selection for Mounting Brackets

Notes

- Gallery panels are 1 1/8” with 2mm edge.
- Cannot be used freestanding, must be attached to a wall.
- Wall mounted gallery panels over 66” wide must be attached to storage units for support.
- Laminate gallery panel has matching edge.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Wall Mounted Gallery Panels


WALL MOUNTED GALLERY PANELS – VERTICAL

H	W	Model Number	List
42	24	P-DLWMGP4224V	653
42	30	P-DLWMGP4230V	706
42	36	P-DLWMGP4236V	752
42	42	P-DLWMGP4242V	798
42	48	P-DLWMGP4248V	846
42	54	P-DLWMGP4254V	891
50	24	P-DLWMGP5024V	700
50	30	P-DLWMGP5030V	776
50	36	P-DLWMGP5036V	850
50	42	P-DLWMGP5042V	929
50	48	P-DLWMGP5048V	1,010
50	54	P-DLWMGP5054V	1,093

WALL MOUNTED GALLERY PANELS – VERTICAL

H	W	Model Number	List
58	24	P-DLWMGP5824V	785
58	30	P-DLWMGP5830V	861
58	36	P-DLWMGP5836V	933
58	42	P-DLWMGP5842V	1,009
58	48	P-DLWMGP5848V	1,065
58	54	P-DLWMGP5854V	1,124
66	24	P-DLWMGP6624	806
66	30	P-DLWMGP6630	890
66	36	P-DLWMGP6636	967
66	42	P-DLWMGP6642	1,047
66	48	P-DLWMGP6648	1,127
66	54	P-DLWMGP6654	1,205





Specify

- Laminate selection
- Paint selection for Mounting Brackets

Notes


- Gallery panels are 1 1/8” with 2mm edge.
- Cannot be used freestanding, must be attached to a wall.
- Wall mounted gallery panels over 66” wide must be attached to storage units for support.
- Laminate gallery panel has matching edge.

© 2026, AIS, Inc.


Wall Mounted Gallery Panel for Wings

WALL MOUNTED GALLERY PANEL FOR WINGS – HORIZONTAL

		Left	Right	
H	W	Model Number	Model Number	List
42	66	P-DLWMGPWL4266	P-DLWMGPWR4266	1,124
42	72	P-DLWMGPWL4272	P-DLWMGPWR4272	1,168
42	78	P-DLWMGPWL4278	P-DLWMGPWR4278	1,215
42	84	P-DLWMGPWL4284	P-DLWMGPWR4284	1,259
42	90	P-DLWMGPWL4290	P-DLWMGPWR4290	1,303
50	66	P-DLWMGPWL5066	P-DLWMGPWR5066	1,345
50	72	P-DLWMGPWL5072	P-DLWMGPWR5072	1,377
50	78	P-DLWMGPWL5078	P-DLWMGPWR5078	1,409
50	84	P-DLWMGPWL5084	P-DLWMGPWR5084	1,441
50	90	P-DLWMGPWL5090	P-DLWMGPWR5090	1,470
58	66	P-DLWMGPWL5866	P-DLWMGPWR5866	1,367
58	72	P-DLWMGPWL5872	P-DLWMGPWR5872	1,469
58	78	P-DLWMGPWL5878	P-DLWMGPWR5878	1,572
58	84	P-DLWMGPWL5884	P-DLWMGPWR5884	1,677
58	90	P-DLWMGPWL5890	P-DLWMGPWR5890	1,778



Left Hand Shown



Left Hand Shown

Specify

- Laminate selection
- Paint selection for Mounting Brackets

Notes


- Gallery panels are 1 1/8” with 2mm edge.
- Cannot be used freestanding, must be attached to a wall.
- Laminate gallery panel has matching edge.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

















Rev. Mar 2, 2026
© 2026, AIS, Inc.

Divi Insert Panel Product Details

Possible Insert Panel Side Elevations



42” h Mono	50” h Mono	58” h Mono	66” h Mono	82” h Mono	42” h Seg	50” h Seg	58” h Seg	66” h Seg	82” h Seg	50” h Q-glass Mono	58” h Q-glass Mono	66” h Q-glass Mono	66” h Q-glass Seg	82” h Q-glass Mono	82” h Q-glass Seg	66” h H-glass Mono	82” h H-glass Mono	82” h H-glass Seg


Insert Panel Monolithic Elevation	Insert Panel Segmented Elevation	Quarter Glass Monolithic Elevation	Quarter Glass Segmented Elevation	Half Glass Monolithic Elevation	Half Glass Segmented Elevation
		X	X	X	X
			X	X	X
					X
					

© 2026, AIS, Inc.

Divi Insert Panel Product Details

Insert Panel Availability


Monolithic Front/Back Insert Panel - Powered/Non-Powered:



Heights:
42”, 50”, 58”, 66”, 82” (Actual Min. Height = Nominal - 1/16”) - 1 1/2” Leveling Glide Range

Widths:
24”, 30”, 36”, 42”, 48”, 60”, 72”* (Actual Width = Nominal + 1/8”)
**72” wide available in 42” - 58” high only*


Monolithic Front/Segmented Back Insert Panel - Powered/Non-Powered:



Heights:
42”, 50”, 58”, 66”, 82” (Actual Min. Height = Nominal - 1/16”) - 1 1/2” Leveling Glide Range

Widths:
24”, 30”, 36”, 42”, 48”, 60”, 72”* (Actual Width = Nominal + 1/8”)
**72” wide available in 42” - 58” high only*


Segmented Front/Segmented Back Insert Panel - Powered/Non-Powered:



Heights:
42”, 50”, 58”, 66”, 82” (Actual Min. Height = Nominal - 1/16”) - 1 1/2” Leveling Glide Range

Widths:
24”, 30”, 36”, 42”, 48”, 60”, 72”* (Actual Width = Nominal + 1/8”)
**72” wide available in 42” - 58” high only*


Monolithic Front/Back Quarter Glass Insert Panel - Powered/Non-Powered:



Heights:
50”, 58”, 66”, 82” (Actual Min. Height = Nominal - 1/16”) - 1 1/2” Leveling Glide Range

Widths:
24”, 30”, 36”, 42”, 48”, 60”, 72”* (Actual Width = Nominal + 1/8”)
**72” wide available in 50” 58”, and 66” high only*


Monolithic Front/Segmented Back Quarter Glass Insert - Powered/Non-Powered:



Heights:
66”, 82” (Actual Min. Height = Nominal - 1/16”) - 1 1/2” Leveling Glide Range

Widths:
24”, 30”, 36”, 42”, 48”, 60”, 72”* (Actual Width = Nominal + 1/8”)
**72” wide available in 66” high only*

Segmented Front/Back Quarter Glass Insert Panel - Powered/Non-Powered:




Heights:
66”, 82” (Actual Min. Height = Nominal - 1/16”) - 1 1/2” Leveling Glide Range

Widths:
24”, 30”, 36”, 42”, 48”, 60”, 72” (Actual Width = Nominal + 1/8”)
**72” wide available in 66” high only*

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Insert Panel Availability (Cont.)


Monolithic Front/Back Half Glass Insert Panel - Powered/Non-Powered:



Heights:
66", 82" (Actual Min. Height = Nominal - 1/16") - 1 1/2" Leveling Glide Range

Widths:
24", 30", 36", 42", 48", 60" (Actual Width = Nominal + 1/8")
**60" wide available in 66" high only*


Segmented Front/Back Half Glass Insert Panel - Powered/Non-Powered:



Heights:
82" (Actual Min. Height = Nominal - 1/16") - 1 1/2" Leveling Glide Range

Widths:
24", 30", 36", 42", 48" (Actual Width = Nominal + 1/8")


Monolithic Front/Segmented Back Half Glass Insert Panel - Powered/Non-Powered:




Heights:
82" (Actual Min. Height = Nominal - 1/16") - 1 1/2" Leveling Glide Range

Widths:
24", 30", 36", 42", 48" (Actual Width = Nominal + 1/8")


Panel Profile



Hanger frame has a slot pattern on a 1" standard increment for hang on components. Slots are 3/4" tall x approximately 1/8" wide. Hanger frame is factory installed and removal is not required for panel installation.




Hanger frame face is factory finished and requires no endcap or HiLo trim after panel installation.



Hanger frame topcap is field installed and remains easily removable to facilitate panel installation and reconfiguration.

Panel topcap is factory installed. Topcaps on permanent monolithic panels are fixed.




Panel polypropylene hinge inserts into hinge channels built into every hanger frame in order to connect panels together. A 21" length is inserted to the bottom and then an additional length for each panel height needed.

© 2026, AIS, Inc.

Divi Insert Panel Product Details


Panel Profile (Cont.)



Alignment plate holds panels in vertical alignment and prevents panel shear.


8 wire 4 circuit powerway is included with every powered panel and is factory installed.

Raceway glides are adjustable up to 1 3/4" for installation on unlevel floors and include carpet grippers.



Metal raceway divider (optional) separates low voltage data cables and high voltage electrical cables if desired. Divider attaches to raceway glides and is retrofitable on installed panels.


Base cover assembly ships separate as one piece and installs by sliding under panel after panel installation, hinging up and snapping to the underside of the panel. Non-powered or powered base covers are shipped with non-powered or powered panels, respectively. Base covers have a small "mud flap" for data cable egress.



Duplex outlets are ordered separately. Two outlets can be used per side, four total per panel. Outlets utilize top base cover holes.


Duplex outlet covers hide unused duplex outlet or data locations. Six are shipped with every panel. A 24"W gets three duplex outlet covers. Order extra as needed.

Snap-in data jack housing (order separately) accommodates six Hubbell or compatible data/voice jacks. Snap-in housings may not be used back to back on a spine wall.




Data cable raceway cavity is approximately 2" wide by 3" tall and can accommodate between 32 and 40 Cat 6 data cables, depending on how tightly they are packed.

Cat 5 and 6 data jacks extend beyond center line of raceway, preventing jack housings to be used back to back on a spine. Plan on using "cross corners" on panel to eliminate this issue.



Insert panel topcaps can be removed to facilitate insert replacement.




Inserts are removable by sliding out from the top of the hanger frame channels.

Insert retainers separate tiles horizontally and may be removed by sliding up and out of the top of the panel.


© 2026, AIS, Inc.

Divi Insert Panel Product Details

Panel Frame Creep Dimensions



Insert Panel Specifications



For instance, a 66"H x 36"W segmented panel has a total of six inserts (three inserts per side). If the three inserts on Side A were to be Grade C fabric, the upcharge for the panel would be $47.

Side A Position 1, 27"H x 36"W insert Grade C Upcharge = $21
Side A Position 2, 16"H x 36"W insert Grade C Upcharge = $13
Side A Position 3, 16"H x 36"W insert Grade C Upcharge = $13
Total upcharge = $47 for the panel.

If the Position 1 and Position 2 inserts on Side A were to be Grade C fabric, and the Position 3 insert on Side A were to be Grade D fabric, the upcharge for the panel would be $61.

Side A Position 1, 27"H x 36"W insert Grade C Upcharge = $21
Side A Position 2, 16"H x 36"W insert Grade C Upcharge = $13
Side A Position 3, 16"H x 36"W insert Grade D Upcharge = $27
Total upcharge = $61 for the panel.

If all six inserts (three on Side A, three on Side B) were to be Grade C fabric, the Grade C fabric upcharge for the panel would be $94.

- Side A Position 1, 27"H x 36"W insert Grade C Upcharge = $21
- Side B Position 1, 27"H x 36"W insert Grade C Upcharge = $21
- Side A Position 2, 16"H x 36"W insert Grade C Upcharge = $13
- Side B Position 2, 16"H x 36"W insert Grade C Upcharge = $13
- Side A Position 3, 16"H x 36"W insert Grade C Upcharge = $13
- Side B Position 3, 16"H x 36"W insert Grade C Upcharge = $13
- Total upcharge = $94 for the panel.


© 2026, AIS, Inc.

Divi Insert Panel Product Details


Directional Laminate Application Guidelines

For aesthetic reasons, consider having laminate run in same direction on all panels. Note that 72” wide panels can only have horizontal direction.

Horizontal Laminate Direction



Vertical Laminate Direction



INSERT LAMINATE GRAIN DIRECTION							
INSERT HEIGHT	**INSERT WIDTH**						
	24W	**30W**	**36W**	**42W**	**48W**	**60W**	**72W**
8H (Segmented)	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Horizontal
16H (Segmented)	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Horizontal
24H (Segmented)	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Horizontal
42H	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Horizontal
50H	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Horizontal
58H	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	Horizontal
66H	Vertical/Horizontal	Vertical/Horizontal	Vertical/Horizontal	N/A	N/A	N/A	N/A
82H	N/A	N/A	N/A	N/A	N/A	N/A	N/A

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Divi Linear Monolithic Front/Back Inserts

DIVI LINEAR MONOLITHIC FRONT/BACK INSERTS NON-POWERED PANELS


H	W	Model Number	List	Grade C Paint
42	24	P-DLFRMM4224	897	+28
42	30	P-DLFRMM4230	954	+28
42	36	P-DLFRMM4236	1,093	+28
42	42	P-DLFRMM4242	1,154	+28
42	48	P-DLFRMM4248	1,238	+28
42	60	P-DLFRMM4260	1,418	+28
42	72	P-DLFRMM4272	1,604	+28
50	24	P-DLFRMM5024	964	+28
50	30	P-DLFRMM5030	1,037	+28
50	36	P-DLFRMM5036	1,201	+28
50	42	P-DLFRMM5042	1,257	+28
50	48	P-DLFRMM5048	1,371	+28
50	60	P-DLFRMM5060	1,565	+28
50	72	P-DLFRMM5072	1,760	+28
58	24	P-DLFRMM5824	1,012	+28
58	30	P-DLFRMM5830	1,088	+28
58	36	P-DLFRMM5836	1,259	+28
58	42	P-DLFRMM5842	1,350	+28
58	48	P-DLFRMM5848	1,442	+28
58	60	P-DLFRMM5860	1,643	+28
58	72	P-DLFRMM5872	1,846	+28

DIVI LINEAR MONOLITHIC FRONT/BACK INSERTS POWERED PANELS


H	W	Model Number	List	Grade C Paint
42	24	P-DLFPMM4224	1,271	+28
42	30	P-DLFPMM4230	1,375	+28
42	36	P-DLFPMM4236	1,527	+28
42	42	P-DLFPMM4242	1,616	+28
42	48	P-DLFPMM4248	1,729	+28
42	60	P-DLFPMM4260	1,918	+28
42	72	P-DLFPMM4272	2,106	+28
50	24	P-DLFPMM5024	1,342	+28
50	30	P-DLFPMM5030	1,446	+28
50	36	P-DLFPMM5036	1,632	+28
50	42	P-DLFPMM5042	1,713	+28
50	48	P-DLFPMM5048	1,848	+28
50	60	P-DLFPMM5060	2,064	+28
50	72	P-DLFPMM5072	2,281	+28
58	24	P-DLFPMM5824	1,409	+28
58	30	P-DLFPMM5830	1,518	+28
58	36	P-DLFPMM5836	1,713	+28
58	42	P-DLFPMM5842	1,797	+28
58	48	P-DLFPMM5848	1,941	+28
58	60	P-DLFPMM5860	2,087	+28
58	72	P-DLFPMM5872	2,393	+28




Front Back
42” High




Front Back
50” High




Front Back
58” High



Front Back
66” High



Front Back
82” High


Divi Linear Trim

Specify

- Fabric/Laminate Selection for Side A and B
- Fabric/Laminate Direction
- Paint Selection for Panel Trim
- Color Selection for Base Cover
- Color Selection for Connection Hinges
- Raceway Divider Option (+50)
- Data Access Option (Non-Powered) (+15)

Notes

- Monolithic Front/Back Inserts are solid core blank panels with monolithic insert surfaces on both sides.
- Inserts are pre-configured and factory installed. Inserts do not need to be removed for installation. Inserts can be removed for replacement in the field.
- Blank base covers are included with non-powered.
- 8 wire 4 circuit powerway and power/data access base covers are included with powered.
- Powered panels includes six duplex outlet hole covers; 24”W panels only include three duplex outlet hole covers.
- Panels may be ordered with power/data access base covers and/or raceway divider.
- Each panel includes all connection hinges needed for each panel.
- Duplex outlets and electrical jumpers are specified separately. See “Electrical”. Non-powered panels shown.
- 72” wide panels will always have a horizontal fabric/laminate direction. For aesthetic reasons specify adjacent panels horizontal to match. 82” high panels will always have a vertical fabric direction.
- See laminate application chart for available grain direction options.
- Features Divi Linear trim.

© 2026, AIS, Inc.


Divi Linear Monolithic Front/Back Inserts

DIVI LINEAR MONOLITHIC FRONT/BACK INSERTS NON-POWERED PANELS


H	W	Model Number	List	Grade C Paint
66	24	P-DLFRMM6624	1,122	+28
66	30	P-DLFRMM6630	1,194	+28
66	36	P-DLFRMM6636	1,407	+28
66	42	P-DLFRMM6642	1,486	+28
66	48	P-DLFRMM6648	1,601	+28
66	60	P-DLFRMM6660	1,803	+28
82	24	P-DLFRMM8224	1,332	+28
82	30	P-DLFRMM8230	1,440	+28
82	36	P-DLFRMM8236	1,635	+28
82	42	P-DLFRMM8242	1,782	+28
82	48	P-DLFRMM8248	1,904	+28

DIVI LINEAR MONOLITHIC FRONT/BACK INSERTS POWERED PANELS


H	W	Model Number	List	Grade C Paint
66	24	P-DLFPMM6624	1,513	+28
66	30	P-DLFPMM6630	1,606	+28
66	36	P-DLFPMM6636	1,838	+28
66	42	P-DLFPMM6642	1,946	+28
66	48	P-DLFPMM6648	2,078	+28
66	60	P-DLFPMM6660	2,300	+28
82	24	P-DLFPMM8224	1,705	+28
82	30	P-DLFPMM8230	1,833	+28
82	36	P-DLFPMM8236	2,050	+28
82	42	P-DLFPMM8242	2,217	+28
82	48	P-DLFPMM8248	2,358	+28




Front Back
42” High




Front Back
50” High




Front Back
58” High



Front Back
66” High



Front Back
82” High


Divi Linear Trim

Specify	Notes
• Fabric/Laminate Selection for Side A and B • Fabric/Laminate Direction • Paint Selection for Panel Trim • Color Selection for Base Cover • Color Selection for Connection Hinges • Raceway Divider Option (+50) • Data Access Option (Non-Powered) (+15)	• Monolithic Front/Back Inserts are solid core blank panels with monolithic insert surfaces on both sides. • Inserts are pre-configured and factory installed. Inserts do not need to be removed for installation. Inserts can be removed for replacement in the field. • Blank base covers are included with non-powered. • 8 wire 4 circuit powerway and power/data access base covers are included with powered. • Powered panels includes six duplex outlet hole covers; 24”W panels only include three duplex outlet hole covers. • Panels may be ordered with power/data access base covers and/or raceway divider. • Each panel includes all connection hinges needed for each panel. • Duplex outlets and electrical jumpers are specified separately. See “Electrical”. Non-powered panels shown. • 72” wide panels will always have a horizontal fabric/laminate direction. For aesthetic reasons specify adjacent panels horizontal to match. 82” high panels will always have a vertical fabric direction. • See laminate application chart for available grain direction options. • Features Divi Linear trim.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Divi Linear Monolithic Front/Segmented Back Inserts

DIVI LINEAR MONOLITHIC FRONT/SEGMENTED BACK INSERTS NON-POWERED PANELS


H	W	Model Number	List	Grade C Paint
42	24	P-DLFRMS4224	940	+28
42	30	P-DLFRMS4230	1,000	+28
42	36	P-DLFRMS4236	1,145	+28
42	42	P-DLFRMS4242	1,206	+28
42	48	P-DLFRMS4248	1,301	+28
42	60	P-DLFRMS4260	1,485	+28
42	72	P-DLFRMS4272	1,666	+28
50	24	P-DLFRMS5024	1,016	+28
50	30	P-DLFRMS5030	1,088	+28
50	36	P-DLFRMS5036	1,253	+28
50	42	P-DLFRMS5042	1,328	+28
50	48	P-DLFRMS5048	1,424	+28
50	60	P-DLFRMS5060	1,608	+28
50	72	P-DLFRMS5072	1,796	+28
58	24	P-DLFRMS5824	1,068	+28
58	30	P-DLFRMS5830	1,142	+28
58	36	P-DLFRMS5836	1,315	+28
58	42	P-DLFRMS5842	1,393	+28
58	48	P-DLFRMS5848	1,496	+28
58	60	P-DLFRMS5860	1,689	+28
58	72	P-DLFRMS5872	1,883	+28

DIVI LINEAR MONOLITHIC FRONT/SEGMENTED BACK INSERTS POWERED PANELS


H	W	Model Number	List	Grade C Paint
42	24	P-DLFPMS4224	1,349	+28
42	30	P-DLFPMS4230	1,443	+28
42	36	P-DLFPMS4236	1,605	+28
42	42	P-DLFPMS4242	1,694	+28
42	48	P-DLFPMS4248	1,812	+28
42	60	P-DLFPMS4260	2,021	+28
42	72	P-DLFPMS4272	2,230	+28
50	24	P-DLFPMS5024	1,438	+28
50	30	P-DLFPMS5030	1,528	+28
50	36	P-DLFPMS5036	1,724	+28
50	42	P-DLFPMS5042	1,816	+28
50	48	P-DLFPMS5048	1,942	+28
50	60	P-DLFPMS5060	2,166	+28
50	72	P-DLFPMS5072	2,388	+28
58	24	P-DLFPMS5824	1,506	+28
58	30	P-DLFPMS5830	1,605	+28
58	36	P-DLFPMS5836	1,999	+28
58	42	P-DLFPMS5842	1,907	+28
58	48	P-DLFPMS5848	2,072	+28
58	60	P-DLFPMS5860	2,274	+28
58	72	P-DLFPMS5872	2,506	+28




42" High




50" High




58" High



66" High



82" High


Divi Linear Trim

Specify

- Fabric/Laminate Selection for Side A Position 1
- Insert Style for Side B Positions 1,2,3,4
- Fabric/Laminate Direction
- Paint Selection for Panel Trim
- Paint Selection for Insert Retainer
- Color Selection for Base Cover
- Color Selection for Connection Hinges
- Raceway Divider Option (+50)
- Data Access Options (Non-Powered) (+15)

Notes

- Solid core blank panels with monolithic insert surface on front side and segmented insert surface on back side.
- Inserts are pre-configured and factory installed. Inserts do not need to be removed for installation. Inserts can be removed for replacement in the field.
- Blank base covers are included for non-powered panels. 8 wire 4 circuit powerway and power/data access base covers are included for powered panels. Non-powered panels may be ordered with power/data access base covers and/or raceway divider, powered panels may be ordered with raceway dividers.
- Powered includes six duplex outlet hole covers; 24"W panels only include three duplex outlet hole covers.
- Panels includes all connection hinges needed.
- Duplex outlets and electrical jumpers are specified separately. See "Electrical".
- For fabric see fabric insert upcharge pricing page.
- Non-powered panels shown.
- 72" wide panels will always have a horizontal fabric/laminate direction. For aesthetic reasons specify adjacent panels horizontal to match. 82" high panels will always have a vertical fabric direction.
- See laminate application chart for available grain direction options.
- Features Divi Linear trim.

© 2026, AIS, Inc.


Divi Linear Monolithic Front/Segmented Back Inserts

DIVI LINEAR MONOLITHIC FRONT/SEGMENTED BACK INSERTS NON-POWERED PANELS


H	W	Model Number	List	Grade C Paint
66	24	P-DLFRMS6624	1,218	+28
66	30	P-DLFRMS6630	1,302	+28
66	36	P-DLFRMS6636	1,522	+28
66	42	P-DLFRMS6642	1,595	+28
66	48	P-DLFRMS6648	1,713	+28
66	60	P-DLFRMS6660	1,946	+28
82	24	P-DLFRMS8224	1,532	+28
82	30	P-DLFRMS8230	1,642	+28
82	36	P-DLFRMS8236	1,873	+28
82	42	P-DLFRMS8242	1,991	+28
82	48	P-DLFRMS8248	2,128	+28

DIVI LINEAR MONOLITHIC FRONT/SEGMENTED BACK INSERTS POWERED PANELS


H	W	Model Number	List	Grade C Paint
66	24	P-DLFPMS6624	1,642	+28
66	30	P-DLFPMS6630	1,746	+28
66	36	P-DLFPMS6636	1,989	+28
66	42	P-DLFPMS6642	2,091	+28
66	48	P-DLFPMS6648	2,230	+28
66	60	P-DLFPMS6660	2,488	+28
82	24	P-DLFPMS8224	1,912	+28
82	30	P-DLFPMS8230	2,038	+28
82	36	P-DLFPMS8236	2,298	+28
82	42	P-DLFPMS8242	2,433	+28
82	48	P-DLFPMS8248	2,588	+28




Front Back
42" High




Front Back
50" High




Front Back
58" High



Front Back
66" High



Front Back
82" High


Divi Linear Trim

Specify

- Fabric/Laminate Selection for Side A Position 1
- Insert Style for Side B Positions 1,2,3,4
- Fabric/Laminate Direction
- Paint Selection for Panel Trim
- Paint Selection for Insert Retainer
- Color Selection for Base Cover
- Color Selection for Connection Hinges
- Raceway Divider Option (+50)
- Data Access Options (Non-Powered) (+15)

Notes

- Solid core blank panels with monolithic insert surface on front side and segmented insert surface on back side.
- Inserts are pre-configured and factory installed. Inserts do not need to be removed for installation. Inserts can be removed for replacement in the field.
- Blank base covers are included for non-powered panels. 8 wire 4 circuit powerway and power/data access base covers are included for powered panels. Non-powered panels may be ordered with power/data access base covers and/or raceway divider, powered panels may be ordered with raceway dividers.
- Powered includes six duplex outlet hole covers; 24"W panels only include three duplex outlet hole covers.
- Panels includes all connection hinges needed.
- Duplex outlets and electrical jumpers are specified separately. See "Electrical".
- For fabric see fabric insert upcharge pricing page.
- Non-powered panels shown.
- 72" wide panels will always have a horizontal fabric/laminate direction. For aesthetic reasons specify adjacent panels horizontal to match. 82" high panels will always have a vertical fabric direction.
- See laminate application chart for available grain direction options.
- Features Divi Linear trim.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Divi Linear Segmented Front/Back Inserts

DIVI LINEAR SEGMENTED FRONT/BACK INSERTS NON-POWERED PANELS


H	W	Model Number	List	Grade C Paint
42	24	P-DLFRSS4224	998	+28
42	30	P-DLFRSS4230	1,068	+28
42	36	P-DLFRSS4236	1,216	+28
42	42	P-DLFRSS4242	1,283	+28
42	48	P-DLFRSS4248	1,377	+28
42	60	P-DLFRSS4260	1,565	+28
42	72	P-DLFRSS4272	1,754	+28
50	24	P-DLFRSS5024	1,087	+28
50	30	P-DLFRSS5030	1,162	+28
50	36	P-DLFRSS5036	1,295	+28
50	42	P-DLFRSS5042	1,407	+28
50	48	P-DLFRSS5048	1,511	+28
50	60	P-DLFRSS5060	1,716	+28
50	72	P-DLFRSS5072	1,918	+28
58	24	P-DLFRSS5824	1,141	+28
58	30	P-DLFRSS5830	1,219	+28
58	36	P-DLFRSS5836	1,358	+28
58	42	P-DLFRSS5842	1,475	+28
58	48	P-DLFRSS5848	1,680	+28
58	60	P-DLFRSS5860	1,801	+28
58	72	P-DLFRSS5872	2,014	+28

DIVI LINEAR SEGMENTED FRONT/BACK INSERTS POWERED PANELS


H	W	Model Number	List	Grade C Paint
42	24	P-DLFPSS4224	1,394	+28
42	30	P-DLFPSS4230	1,488	+28
42	36	P-DLFPSS4236	1,653	+28
42	42	P-DLFPSS4242	1,746	+28
42	48	P-DLFPSS4248	1,865	+28
42	60	P-DLFPSS4260	2,075	+28
42	72	P-DLFPSS4272	2,285	+28
50	24	P-DLFPSS5024	1,485	+28
50	30	P-DLFPSS5030	1,584	+28
50	36	P-DLFPSS5036	1,781	+28
50	42	P-DLFPSS5042	1,870	+28
50	48	P-DLFPSS5048	1,997	+28
50	60	P-DLFPSS5060	2,208	+28
50	72	P-DLFPSS5072	2,416	+28
58	24	P-DLFPSS5824	1,558	+28
58	30	P-DLFPSS5830	1,660	+28
58	36	P-DLFPSS5836	1,868	+28
58	42	P-DLFPSS5842	1,964	+28
58	48	P-DLFPSS5848	2,097	+28
58	60	P-DLFPSS5860	2,317	+28
58	72	P-DLFPSS5872	2,537	+28




42" High




50" High




58" High



66" High



82" High


Divi Linear Trim

Specify

- Insert Style for Side A Positions 1,2,3,4 and Side B Positions 1,2,3,4
- Fabric/Laminate Direction
- Paint Selection for Panel Trim
- Paint Selection for Insert Retainer
- Color Selection for Base Cover
- Color Selection for Connection Hinges
- Raceway Divider Option (+50)
- Data Access Option (Non-Powered) (+15)

Notes

- Segmented Front/Back Inserts are solid core blank panels with segmented insert surfaces on both sides.
- Inserts are pre-configured and factory installed. Inserts do not need to be removed for installation. Inserts can be removed for replacement in the field.
- Blank base covers are included with non-powered.
- Non-powered panels may be ordered with power/data access base covers and/or raceway divider. 8 wire 4 circuit powerway and power/data access base covers are included with powered panels.
- Powered panels may be ordered with a raceway divider.
- Powered panels includes six duplex outlet hole covers; 24"W panels only include three duplex outlet hole covers.
- Each panel includes all connection hinges needed for each panel.
- Duplex outlets and electrical jumpers are specified separately. See "Electrical".
- 72" wide panels will always have a horizontal fabric/laminate direction. For aesthetic reasons specify adjacent panels horizontal to match. 82" high panels will always have a vertical fabric direction.
- See laminate application chart for available grain direction options.
- Features Divi Linear trim.

© 2026, AIS, Inc.


Divi Linear Segmented Front/Back Inserts

DIVI LINEAR SEGMENTED FRONT/BACK INSERTS NON-POWERED PANELS


H	W	Model Number	List	Grade C Paint
66	24	P-DLFRSS6624	1,343	+28
66	30	P-DLFRSS6630	1,440	+28
66	36	P-DLFRSS6636	1,660	+28
66	42	P-DLFRSS6642	1,731	+28
66	48	P-DLFRSS6648	1,859	+28
66	60	P-DLFRSS6660	2,104	+28
82	24	P-DLFRSS8224	1,706	+28
82	30	P-DLFRSS8230	1,813	+28
82	36	P-DLFRSS8236	2,088	+28
82	42	P-DLFRSS8242	2,166	+28
82	48	P-DLFRSS8248	2,314	+28

DIVI LINEAR SEGMENTED FRONT/BACK INSERTS POWERED PANELS


H	W	Model Number	List	Grade C Paint
66	24	P-DLFPSS6624	1,740	+28
66	30	P-DLFPSS6630	1,859	+28
66	36	P-DLFPSS6636	2,103	+28
66	42	P-DLFPSS6642	2,199	+28
66	48	P-DLFPSS6648	2,345	+28
66	60	P-DLFPSS6660	2,617	+28
82	24	P-DLFPSS8224	2,086	+28
82	30	P-DLFPSS8230	2,235	+28
82	36	P-DLFPSS8236	2,528	+28
82	42	P-DLFPSS8242	2,632	+28
82	48	P-DLFPSS8248	2,801	+28




42" High




50" High




58" High



66" High



82" High


Divi Linear Trim

Specify

- Insert Style for Side A Positions 1,2,3,4 and Side B Positions 1,2,3,4
- Fabric/Laminate Direction
- Paint Selection for Panel Trim
- Paint Selection for Insert Retainer
- Color Selection for Base Cover
- Color Selection for Connection Hinges
- Raceway Divider Option (+50)
- Data Access Option (Non-Powered) (+15)

Notes

- Segmented Front/Back Inserts are solid core blank panels with segmented insert surfaces on both sides.
- Inserts are pre-configured and factory installed. Inserts do not need to be removed for installation. Inserts can be removed for replacement in the field.
- Blank base covers are included with non-powered.
- Non-powered panels may be ordered with power/data access base covers and/or raceway divider. 8 wire 4 circuit powerway and power/data access base covers are included with powered panels.
- Powered panels may be ordered with a raceway divider.
- Powered panels includes six duplex outlet hole covers; 24"W panels only include three duplex outlet hole covers.
- Each panel includes all connection hinges needed for each panel.
- Duplex outlets and electrical jumpers are specified separately. See "Electrical".
- 72" wide panels will always have a horizontal fabric/laminate direction. For aesthetic reasons specify adjacent panels horizontal to match. 82" high panels will always have a vertical fabric direction.
- See laminate application chart for available grain direction options.
- Features Divi Linear trim.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Divi Linear Monolithic Front/Back Quarter Glass Inserts

DIVI LINEAR MONOLITHIC FRONT/BACK QUARTER GLASS INSERTS NON-POWERED PANELS


H	W	Model Number	List	Grade C Paint
50	24	P-DLQGWRMM5024	1,687	+28
50	30	P-DLQGWRMM5030	1,848	+28
50	36	P-DLQGWRMM5036	2,014	+28
50	42	P-DLQGWRMM5042	2,176	+28
50	48	P-DLQGWRMM5048	2,335	+28
50	60	P-DLQGWRMM5060	2,626	+28
50	72	P-DLQGWRMM5072	2,913	+28
58	24	P-DLQGWRMM5824	1,771	+28
58	30	P-DLQGWRMM5830	1,941	+28
58	36	P-DLQGWRMM5836	2,113	+28
58	42	P-DLQGWRMM5842	2,284	+28
58	48	P-DLQGWRMM5848	2,451	+28
58	60	P-DLQGWRMM5860	2,753	+28
58	72	P-DLQGWRMM5872	3,057	+28

DIVI LINEAR MONOLITHIC FRONT/BACK QUARTER GLASS INSERTS POWERED PANELS


H	W	Model Number	List	Grade C Paint
50	24	P-DLQGWPMM5024	2,040	+28
50	30	P-DLQGWPMM5030	2,214	+28
50	36	P-DLQGWPMM5036	2,382	+28
50	42	P-DLQGWPMM5042	2,549	+28
50	48	P-DLQGWPMM5048	2,715	+28
50	60	P-DLQGWPMM5060	3,042	+28
50	72	P-DLQGWPMM5072	3,371	+28
58	24	P-DLQGWPMM5824	2,144	+28
58	30	P-DLQGWPMM5830	2,324	+28
58	36	P-DLQGWPMM5836	2,502	+28
58	42	P-DLQGWPMM5842	2,676	+28
58	48	P-DLQGWPMM5848	2,847	+28
58	60	P-DLQGWPMM5860	3,193	+28
58	72	P-DLQGWPMM5872	3,537	+28




50" High




58" High



66" High



82" High


Divi Linear Trim

Specify

- Style Selection for Glass Insert
- Fabric/Laminate Selection for Side A and B
- Fabric/Laminate Direction
- Paint Selection for Panel Trim
- Color Selection for Base Cover
- Color Selection for Connection Hinges
- Raceway Divider Option (+50)
- Data Access Option (Non-Powered) (+15)

Notes

- Monolithic Front / Back Quarter Glass Inserts are solid core blank panels with tempered glass window inserts and painted metal trim with monolithic insert surfaces on both sides.
- Inserts are pre-configured and factory installed. Inserts do not need to be removed for installation. Inserts can be removed for replacement in the field.
- Blank base covers are included with non-powered panels.
- Non-powered panels may be ordered with power/data access base covers and/or raceway divider. 8 wire 4 circuit powerway and power/data access base covers are included with powered panels.
- Powered panels may be ordered with a raceway divider.
- Powered panels includes six duplex outlet hole covers; 24"W panels only include three duplex outlet hole covers.
- Each panel includes all connection hinges needed for each panel.
- Duplex outlets and electrical jumpers are specified separately. See "Electrical".
- 72" wide panels will always have a horizontal fabric/laminate direction. For aesthetic reasons specify adjacent panels horizontal to match. 82" high panels will always have a vertical fabric direction.
- See laminate application chart for available grain direction options.
- Non-powered panels shown.
- Features Divi Linear trim.

© 2026, AIS, Inc.


Divi Linear Monolithic Front/Segmented Back Quarter Glass Inserts

DIVI LINEAR MONOLITHIC FRONT/SEGMENTED BACK QUARTER GLASS INSERTS - NON-POWERED PANELS


H	W	Model Number	List	Grade C Paint
66	24	P-DLQGWRMS6624	1,945	+28
66	30	P-DLQGWRMS6630	2,148	+28
66	36	P-DLQGWRMS6636	2,351	+28
66	42	P-DLQGWRMS6642	2,558	+28
66	48	P-DLQGWRMS6648	2,759	+28
66	60	P-DLQGWRMS6660	3,165	+28
66	72	P-DLQGWRMS6672	3,568	+28
82	24	P-DLQGWRMS8224	2,182	+28
82	30	P-DLQGWRMS8230	2,430	+28
82	36	P-DLQGWRMS8236	2,693	+28
82	42	P-DLQGWRMS8242	2,913	+28
82	48	P-DLQGWRMS8248	3,187	+28

DIVI LINEAR MONOLITHIC FRONT/SEGMENTED BACK QUARTER GLASS INSERTS - POWERED PANELS


H	W	Model Number	List	Grade C Paint
66	24	P-DLQGWPMS6624	2,291	+28
66	30	P-DLQGWPMS6630	2,526	+28
66	36	P-DLQGWPMS6636	2,732	+28
66	42	P-DLQGWPMS6642	2,943	+28
66	48	P-DLQGWPMS6648	3,151	+28
66	60	P-DLQGWPMS6660	3,569	+28
66	72	P-DLQGWPMS6672	3,985	+28
82	24	P-DLQGWPMS8224	2,564	+28
82	30	P-DLQGWPMS8230	2,810	+28
82	36	P-DLQGWPMS8236	3,083	+28
82	42	P-DLQGWPMS8242	3,305	+28
82	48	P-DLQGWPMS8248	3,552	+28



66" High



82" High


Divi Linear Trim

Specify

- Style Selection for Glass Insert
- Fabric/Laminate Selection for Side A and B
- Fabric/Laminate Direction
- Paint Selection for Panel Trim
- Color Selection for Base Cover
- Color Selection for Connection Hinges
- Raceway Divider Option (+50)
- Data Access Option (Non-Powered) (+15)

Notes

- Monolithic Front / Back Quarter Glass Inserts are solid core blank panels with tempered glass window inserts and painted metal trim with monolithic insert surfaces on both sides.
- Inserts are pre-configured and factory installed. Inserts do not need to be removed for installation. Inserts can be removed for replacement in the field.
- Blank base covers are included with non-powered panels.
- Non-powered panels may be ordered with power/data access base covers and/or raceway divider. 8 wire 4 circuit powerway and power/data access base covers are included with powered panels.
- Powered panels may be ordered with a raceway divider.
- Powered panels includes six duplex outlet hole covers; 24"W panels only include three duplex outlet hole covers.
- Each panel includes all connection hinges needed for each panel.
- Duplex outlets and electrical jumpers are specified separately. See "Electrical".
- 72" wide panels will always have a horizontal fabric/laminate direction. For aesthetic reasons specify adjacent panels horizontal to match. 82" high panels will always have a vertical fabric direction.
- See laminate application chart for available grain direction options.
- Non-powered panels shown.
- Features Divi Linear trim.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Divi Linear Segmented Front/Back Quarter Glass Inserts

DIVI LINEAR SEGMENTED FRONT/BACK QUARTER GLASS INSERTS NON-POWERED PANELS


H	W	Model Number	List	Grade C Paint
66	24	P-DLQGWRSS6624	1,945	+28
66	30	P-DLQGWRSS6630	2,148	+28
66	36	P-DLQGWRSS6636	2,351	+28
66	42	P-DLQGWRSS6642	2,558	+28
66	48	P-DLQGWRSS6648	2,759	+28
66	60	P-DLQGWRSS6660	3,165	+28
66	72	P-DLQGWRSS6672	3,568	+28
82	24	P-DLQGWRSS8224	2,208	+28
82	30	P-DLQGWRSS8230	2,430	+28
82	36	P-DLQGWRSS8236	2,668	+28
82	42	P-DLQGWRSS8242	2,913	+28
82	48	P-DLQGWRSS8248	3,187	+28

DIVI LINEAR SEGMENTED FRONT/BACK QUARTER GLASS INSERTS POWERED PANELS


H	W	Model Number	List	Grade C Paint
66	24	P-DLQGWPSS6624	2,291	+28
66	30	P-DLQGWPSS6630	2,499	+28
66	36	P-DLQGWPSS6636	2,732	+28
66	42	P-DLQGWPSS6642	2,916	+28
66	48	P-DLQGWPSS6648	3,151	+28
66	60	P-DLQGWPSS6660	3,535	+28
66	72	P-DLQGWPSS6672	3,916	+28
82	24	P-DLQGWPSS8224	2,588	+28
82	30	P-DLQGWPSS8230	2,810	+28
82	36	P-DLQGWPSS8236	3,051	+28
82	42	P-DLQGWPSS8242	3,305	+28
82	48	P-DLQGWPSS8248	3,590	+28



66" High



82" High


Divi Linear Trim

Specify

- Style Selection for Glass Insert
- Insert Style for Side A Positions 1,2,3,4 and Side B Positions 1,2,3,4
- Fabric Direction
- Paint Selection for Panel Trim
- Paint Selection for Insert Retainer
- Color Selection for Base Cover
- Color Selection for Connection Hinges
- Raceway Divider Option
- Data Access Option (Non-Powered)

Notes

- Segmented Front / Back Quarter Glass Insert are solid core blank panels with tempered glass window insert and painted metal trim with segmented insert surfaces on both sides.
- Inserts are pre-configured and factory installed. Inserts do not need to be removed for installation. Inserts can be removed for replacement in the field.
- Blank base covers are included with non-powered panels.
- Non-powered panels may be ordered with power/data access base covers and/or raceway divider. 8 wire 4 circuit powerway and power/data access base covers are included with powered panels.
- Powered panels may be ordered with a raceway divider.
- Powered panels include six duplex outlet hole covers; 24"W panels only include three duplex outlet hole covers.
- Each panel includes all connection hinges needed for each panel.
- Duplex outlets and electrical jumpers are specified separately. See "Electrical".
- 72" wide panels will always have a horizontal fabric direction. For aesthetic reasons specify adjacent panels horizontal to match.
- 82" high panels will always have a vertical fabric direction.Non-powered panels shown.
- Features Divi Linear trim.

© 2026, AIS, Inc.


Divi Linear Monolithic Front/Back Half Glass Inserts

DIVI LINEAR MONOLITHIC FRONT/BACK HALF GLASS INSERTS NON-POWERED PANELS


H	W	Model Number	List	Grade C Paint	Data Access	Raceway Divider
58	24	P-DLHGWRMM5824	1,829	+28	+15	+50
58	30	P-DLHGWRMM5830	2,023	+28	+15	+50
58	36	P-DLHGWRMM5836	2,213	+28	+15	+50
58	42	P-DLHGWRMM5842	2,410	+28	+15	+50
58	48	P-DLHGWRMM5848	2,601	+28	+15	+50
58	60	P-DLHGWRMM5860	2,986	+28	+15	+50
58	72	P-DLHGWRMM5872	3,373	+28	+15	+50
66	24	P-DLHGWRMM6624	1,945	+28	+15	+50
66	30	P-DLHGWRMM6630	2,148	+28	+15	+50
66	36	P-DLHGWRMM6636	2,351	+28	+15	+50
66	42	P-DLHGWRMM6642	2,558	+28	+15	+50
66	48	P-DLHGWRMM6648	2,759	+28	+15	+50
66	60	P-DLHGWRMM6660	3,165	+28	+15	+50
82	24	P-DLHGWRMM8224	2,208	+28	+15	+50
82	30	P-DLHGWRMM8230	2,450	+28	+15	+50
82	36	P-DLHGWRMM8236	2,693	+28	+15	+50
82	42	P-DLHGWRMM8242	2,913	+28	+15	+50
82	48	P-DLHGWRMM8248	3,187	+28	+15	+50

DIVI LINEAR MONOLITHIC FRONT/BACK HALF GLASS INSERTS POWERED PANELS


H	W	Model Number	List	Grade C Paint	Raceway Divider
58	24	P-DLHGWPMM5824	2,176	+28	+50
58	30	P-DLHGWPMM5830	2,372	+28	+50
58	36	P-DLHGWPMM5836	2,594	+28	+50
58	42	P-DLHGWPMM5842	2,771	+28	+50
58	48	P-DLHGWPMM5848	2,970	+28	+50
58	60	P-DLHGWPMM5860	3,357	+28	+50
58	72	P-DLHGWPMM5872	3,748	+28	+50
66	24	P-DLHGWPMM6624	2,291	+28	+50
66	30	P-DLHGWPMM6630	2,499	+28	+50
66	36	P-DLHGWPMM6636	2,732	+28	+50
66	42	P-DLHGWPMM6642	2,916	+28	+50
66	48	P-DLHGWPMM6648	3,128	+28	+50
66	60	P-DLHGWPMM6660	3,535	+28	+50
82	24	P-DLHGWPMM8224	2,564	+28	+50
82	30	P-DLHGWPMM8230	2,810	+28	+50
82	36	P-DLHGWPMM8236	3,051	+28	+50
82	42	P-DLHGWPMM8242	3,305	+28	+50
82	48	P-DLHGWPMM8248	3,552	+28	+50




58" High



66" High



82" High


Divi Linear Trim

Specify

- Style Selection for Glass Insert
- Fabric/Laminate Selection for Side A and B
- Paint Selection for Panel Trim
- Color Selection for Base Cover
- Color Selection for Connection Hinges
- Raceway Divider Option
- Data Access Option (Non-Powered)

Notes

- Monolithic Front / Back Half Glass Inserts are solid core blank panels with tempered glass window insert and painted metal trim with monolithic insert surfaces on both sides.
- Inserts are pre-configured and factory installed. Inserts do not need to be removed for installation. Inserts can be removed for replacement in the field.
- Blank base covers are included with non-powered. Non-powered panels may be ordered with power/data access base covers and/or raceway divider. 8 wire 4 circuit powerway and power/data access base covers are included with powered panels.
- Powered panels may be ordered with a raceway divider.
- Powered panels includes six duplex outlet hole covers; 24"W panels only include three duplex outlet hole covers.
- Each panel includes all connection hinges needed for each panel.
- Duplex outlets and electrical jumpers are specified separately. See "Electrical".
- For fabric see fabric insert upcharge pricing page.
- 72" wide panels will always have a horizontal fabric/laminate direction. For aesthetic reasons specify adjacent panels horizontal to match. 82" high panels will always have a vertical fabric direction.
- See laminate application chart for available grain direction options.
- Non-powered panels shown.
- Features Divi Linear trim.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Divi Linear Monolithic Front/Segmented Back Half Glass Inserts


DIVI LINEAR MONOLITHIC FRONT/SEGMENTED BACK HALF GLASS INSERTS - NON-POWERED PANELS

H	W	Model Number	List	Grade C Paint	Data Access	Raceway Divider
82	24	P-DLHGWRMS8224	2,208	+28	+15	+50
82	30	P-DLHGWRMS8230	2,430	+28	+15	+50
82	36	P-DLHGWRMS8236	2,693	+28	+15	+50
82	42	P-DLHGWRMS8242	2,913	+28	+15	+50
82	48	P-DLHGWRMS8248	3,152	+28	+15	+50

DIVI LINEAR MONOLITHIC FRONT/SEGMENTED BACK HALF GLASS INSERTS - POWERED PANELS

H	W	Model Number	List	Grade C Paint	Raceway Divider
82	24	P-DLHGWPMS8224	2,588	+28	+50
82	30	P-DLHGWPMS8230	2,810	+28	+50
82	36	P-DLHGWPMS8236	3,051	+28	+50
82	42	P-DLHGWPMS8242	3,305	+28	+50
82	48	P-DLHGWPMS8248	3,552	+28	+50




Divi Linear Trim

Specify

- Style Selection for Glass Insert
- Fabric Selection for Side A Position 1
- Insert Style for Side B Position 1,2,3,4
- Paint Selection for Panel Trim
- Paint Selection for Insert Retainer
- Color Selection for Base Cover
- Color Selection for Connection Hinges
- Raceway Divider Option
- Data Access Option (Non-Powered)

Notes

- Monolithic Front / Segmented Back Half Glass Inserts are solid core blank panels with tempered glass window insert and painted metal trim, with monolithic insert surfaces on front side and segmented insert surfaces on back side.
- Inserts are pre-configured and factory installed. Inserts do not need to be removed for installation. Inserts can be removed for replacement in the field.
- Blank base covers are included with non-powered. Powered panels may be ordered with power/data access base covers and/or raceway divider. 8 wire 4 circuit powerway and power/data access base covers are included with powered panels.
- Powered panels may be ordered with a raceway divider.
- Powered panels includes six duplex outlet hole covers; 24"W panels only include three duplex outlet hole covers.
- Each panel includes all connection hinges needed for each panel.
- Duplex outlets and electrical jumpers are specified separately. See "Electrical".
- For fabric see fabric insert upcharge pricing page.
- Non-powered panels shown.
- Features Divi Linear trim.

© 2026, AIS, Inc.


Divi Linear Segmented Front/Back Half Glass Inserts


DIVI LINEAR SEGMENTED FRONT/BACK HALF GLASS INSERTS NON-POWERED PANELS

H	W	Model Number	List	Grade C Paint	Data Access	Raceway Divider
82	24	P-DLHGWRSS8224	2,182	+28	+15	+50
82	30	P-DLHGWRSS8230	2,450	+28	+15	+50
82	36	P-DLHGWRSS8236	2,693	+28	+15	+50
82	42	P-DLHGWRSS8242	2,940	+28	+15	+50
82	48	P-DLHGWRSS8248	3,187	+28	+15	+50

DIVI LINEAR SEGMENTED FRONT/BACK HALF GLASS INSERTS POWERED PANELS

H	W	Model Number	List	Grade C Paint	Raceway Divider
82	24	P-DLHGWPSS8224	2,564	+28	+50
82	30	P-DLHGWPSS8230	2,834	+28	+50
82	36	P-DLHGWPSS8236	3,051	+28	+50
82	42	P-DLHGWPSS8242	3,305	+28	+50
82	48	P-DLHGWPSS8248	3,552	+28	+50




Divi Linear Trim

Specify

- Style Selection for Glass Insert
- Insert Style for Side A Positions 1,2,3,4 and Side B Positions 1,2,3,4
- Paint Selection for Panel Trim
- Paint Selection for Insert Retainer
- Color Selection for Base Cover
- Color Selection for Connection Hinges
- Raceway Divider Option
- Data Access Option (Non-Powered)

Notes


- Segmented Front / Back Half Glass Powered Inserts are solid core blank panels with tempered glass window insert and painted metal trim with segmented insert surfaces on both sides.
- Inserts are pre-configured and factory installed. Inserts do not need to be removed for installation. Inserts can be removed for replacement in the field.
- Blank base covers are included with non-powered panels. Non-powered panels may be ordered with power/data access base covers and/or raceway divider. 8 wire 4 circuit powerway and power/data access base covers are included with powered panels.
- Powered panels may be ordered with a raceway divider.
- Powered panels include six duplex outlet hole covers; 24"W panels only include three duplex outlet hole covers.
- Each panel includes all connection hinges needed for each panel.
- Duplex outlets and electrical jumpers are specified separately. See "Electrical".
- For fabric see fabric insert upcharge pricing page. Non-powered panels shown.
- Features Divi Linear trim.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Divi Linear Fabric and Glass Stack-On Kits for Insert Panels

DIVI LINEAR FABRIC STACK-ON KITS FOR INSERT PANELS

H	W	Model Number	List	Grade C Fabric	Grade D Fabric	Grade C Paint	Grade C Retainer
16	24	P-DLSOF1624	445	+7	+14	+5	+5
16	30	P-DLSOF1630	481	+7	+14	+5	+5
16	36	P-DLSOF1636	515	+13	+27	+5	+5
16	42	P-DLSOF1642	554	+13	+27	+5	+5
16	48	P-DLSOF1648	595	+13	+27	+5	+5
16	60	P-DLSOF1660	671	+13	+27	+5	+5
16	72	P-DLSOF1672	746	+13	+27	+5	+5
24	24	P-DLSOF2424	535	+21	+46	+5	+5
24	30	P-DLSOF2430	578	+21	+46	+5	+5
24	36	P-DLSOF2436	620	+21	+46	+5	+5
24	42	P-DLSOF2442	668	+21	+46	+5	+5
24	48	P-DLSOF2448	713	+21	+46	+5	+5
24	60	P-DLSOF2460	804	+21	+46	+5	+5
24	72	P-DLSOF2472	891	+21	+46	+5	+5





Divi Linear Trim

Specify


- Fabric Selection for Side A and B
- Paint Selection for Panel Trim
- Color Selection for Connection Hinges


Notes

- Insert Fabric Stack-On Panel Kits are a solid stack panel for insert panels and can be retrofitted to any installed or un-installed DiVi insert panel for the purpose of increasing panel height for visual/ sound privacy.
- Stack-on kit is not for use on permanent monolithic panels.
- Stack-on kit is non-load bearing and adds exactly 16” to panel height (i.e. making a 50” tall panel equal to a 66” tall panel).
- Kits include alignment hardware, mounting brackets, and connection hinges.
- Stacks-on kits can be placed on solid, quarter glass, or half glass insert panels. Stack-on kits may not be stacked on top of another stack-on kit.
- For fabric see fabric insert upcharge pricing page.
- Topcap on existing panel is reused on top of the stack on panel. No top cap ships with the stack panels.

DIVI LINEAR GLASS STACK-ON KITS FOR INSERT PANELS

H	W	Model Number	List	Grade C Paint
16	24	P-DLSOGW1624	986	+5
16	30	P-DLSOGW1630	1,110	+5
16	36	P-DLSOGW1636	1,148	+5
16	42	P-DLSOGW1642	1,267	+5
16	48	P-DLSOGW1648	1,370	+5
16	60	P-DLSOGW1660	1,565	+5
16	72	P-DLSOGW1672	1,761	+5
24	24	P-DLSOGW2424	1,338	+5
24	30	P-DLSOGW2430	1,476	+5
24	36	P-DLSOGW2436	1,631	+5
24	42	P-DLSOGW2442	2,072	+5
24	48	P-DLSOGW2448	2,225	+5
24	60	P-DLSOGW2460	2,475	+5





Divi Linear Trim

Specify

- Style Selection for Glass Insert
- Paint Selection for Panel Trim
- Color Selection for Connection Hinges

Notes


- Insert Glass Stack-On Panel Kits are a solid glass stack panel for insert panels and can be retrofitted to any installed or un-installed DiVi insert panel for the purpose of increasing panel height for visual/ sound privacy.
- Stack-on kit is not for use on permanent monolithic panels.
- Stack-on kit is non-load bearing and adds exactly 16” to panel height (i.e. making a 50” tall panel equal to a 66” tall panel).
- Kits include alignment hardware, mounting brackets, and connection hinges.
- Stack-on kits can be placed on solid, quarter glass, or half glass insert panels. Stack-on kits may not be stacked on top of another stack-on kit.

© 2026, AIS, Inc.

Replacement Fabric Inserts

REPLACEMENT FABRIC INSERTS

H	W	Model Number	List	C.O.M Fabric	Grade C Fabric	Grade D Fabric
8	24	P-DVSFR0824	238	-3	+4	+7
8	30	P-DVSFR0830	238	-3	+4	+7
8	36	P-DVSFR0836	257	-3	+7	+14
8	42	P-DVSFR0842	257	-3	+7	+14
8	48	P-DVSFR0848	257	-3	+7	+14
8	60	P-DVSFR0860	257	-3	+7	+14
16	24	P-DVSFR1624	257	-6	+7	+14
16	30	P-DVSFR1630	257	-6	+7	+14
16	36	P-DVSFR1636	279	-6	+13	+27
16	42	P-DVSFR1642	279	-6	+13	+27
16	48	P-DVSFR1648	279	-6	+13	+27
16	60	P-DVSFR1660	279	-6	+13	+27
27	24	P-DVSFR2724	274	-16	+11	+23
27	30	P-DVSFR2730	274	-16	+11	+23
27	36	P-DVSFR2736	328	-16	+21	+46
27	42	P-DVSFR2742	328	-16	+21	+46
27	48	P-DVSFR2748	328	-16	+21	+46
27	60	P-DVSFR2760	328	-16	+21	+46
35	24	P-DVSFR3524	291	-23	+14	+30
35	30	P-DVSFR3530	291	-23	+14	+30
35	36	P-DVSFR3536	378	-23	+28	+59
35	42	P-DVSFR3542	378	-23	+28	+59
35	48	P-DVSFR3548	378	-23	+28	+59
35	60	P-DVSFR3560	378	-23	+28	+59
43	24	P-DVSFR4324	320	-28	+23	+50
43	30	P-DVSFR4330	320	-28	+23	+50
43	36	P-DVSFR4336	410	-28	+46	+100
43	42	P-DVSFR4342	410	-28	+46	+100
43	48	P-DVSFR4348	410	-28	+46	+100
43	60	P-DVSFR4360	410	-28	+46	+100
59	24	P-DVSFR5924	343	-28	+23	+50
59	30	P-DVSFR5930	343	-28	+23	+50
59	36	P-DVSFR5936	474	-28	+46	+100
59	42	P-DVSFR5942	474	-28	+46	+100
59	48	P-DVSFR5948	474	-28	+46	+100
59	60	P-DVSFR5960	474	-28	+46	+100
75	24	P-DVSFR7524	395	-47	+30	+64
75	30	P-DVSFR7530	395	-47	+30	+64
75	36	P-DVSFR7536	523	-47	+59	+127
75	42	P-DVSFR7542	523	-47	+59	+127
75	48	P-DVSFR7548	523	-47	+59	+127



Specify

- Fabric Selection for Insert

Notes

- Replacement Fabric Inserts are specified only when replacing fabric inserts in the field due to damage or a need for aesthetic change.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Replacement Laminate Inserts

REPLACEMENT LAMINATE INSERTS

H	W	Model Number	List	Grade C Laminate
8	24	P-DVSLR0824	244	+17
8	30	P-DVSLR0830	255	+21
8	36	P-DVSLR0836	283	+25
8	42	P-DVSLR0842	275	+29
8	48	P-DVSLR0848	278	+34
8	60	P-DVSLR0860	280	+40
16	24	P-DVSLR1624	283	+34
16	30	P-DVSLR1630	287	+42
16	36	P-DVSLR1636	315	+50
16	42	P-DVSLR1642	321	+59
16	48	P-DVSLR1648	328	+67
16	60	P-DVSLR1660	335	+76
27	24	P-DVSLR2724	296	+50
27	30	P-DVSLR2730	324	+63
27	36	P-DVSLR2736	379	+75
27	42	P-DVSLR2742	392	+88
27	48	P-DVSLR2748	405	+100
27	60	P-DVSLR2760	420	+112



Specify	Notes
• Laminate Selection for Insert	• Replacement Laminate Inserts are specified only when replacing laminate inserts in the field due to damage or a need for aesthetic change. • Grain direction runs vertical.

© 2026, AIS, Inc.

Fabric and Laminate Insert Upcharges

Refer below for upcharges/discounts for all insert panels. Prices are per insert. White board inserts are the same price as Grade A Fabric inserts.

FABRIC AND LAMINATE INSERT UPCHARGES

Insert Size	C.O.M Fabric	Grade C Fabric	Grade D Fabric	Laminate Insert	Grade C Laminate	Embossed Steel Insert	Grade C Paint
8 x 24	-3	+4	+7	+15	+17	+132	+5
8 x 30	-3	+4	+7	+17	+21	+147	+5
8 x 36	-3	+7	+14	+19	+25	+148	+5
8 x 42	-3	+7	+14	+21	+29	+164	+5
8 x 48	-3	+7	+14	+24	+34	+203	+5
8 x 60	-3	+7	+14	+26	+40	+234	+5
8 x 72	-6	+13	+27	+31	+50	-	-
16 x 24	-6	+7	+14	+19	+34	+180	+5
16 x 30	-6	+7	+14	+24	+42	+206	+5
16 x 36	-6	+13	+27	+28	+50	+217	+5
16 x 42	-6	+13	+27	+34	+59	+227	+5
16 x 48	-6	+13	+27	+41	+67	+309	+5
16 x 60	-6	+13	+27	+47	+76	+366	+5
16 x 72	-28	+17	+37	+57	+92	-	-
27 x 24	-16	+11	+23	+28	+50	+236	+5
27 x 30	-16	+11	+23	+41	+63	+274	+5
27 x 36	-16	+21	+46	+53	+75	+297	+5
27 x 42	-16	+21	+46	+62	+88	+315	+5
27 x 48	-16	+21	+46	+71	+100	+419	+5
27 x 60	-16	+21	+46	+83	+112	+449	+5
27 x 72	-23	+28	+59	+100	+149	-	-
35 x 24	-23	+14	+30	+34	+59	-	-
35 x 30	-23	+14	+30	+42	+76	-	-
35 x 36	-23	+28	+59	+51	+87	-	-
35 x 42	-23	+28	+59	+60	+99	-	-
35 x 48	-23	+28	+59	+69	+119	-	-
35 x 60	-23	+28	+59	+80	+141	-	-
35 x 72	-28	+46	+100	+97	+172	-	
43 x 24	-28	+17	+37	+42	+71	-	-
43 x 30	-28	+17	+37	+53	+92	-	-
43 x 36	-28	+34	+73	+69	+119	-	-
43 x 42	-28	+34	+73	+84	+149	-	-
43 x 48	-28	+34	+73	+97	+172	-	-
43 x 60	-28	+34	+73	+1010	+198	-	-
43 x 72	-47	+59	+127	+130	+229	-	
51 x 24	-28	+23	+50	+51	+83	-	-
51 x 30	-28	+23	+50	+66	+116	-	-
51 x 36	-28	+46	+100	+80	+141	-	-
51 x 42	-28	+46	+100	+97	+172	-	-
51 x 48	-28	+46	+100	+112	+203	-	-
51 x 60	-28	+46	+100	+130	+229	-	-
51 x 72	-28	+46	+100	+143	+251	-	-

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Fabric and Laminate Insert Upcharges

Refer below for upcharges/discounts for all insert panels. Prices are per insert. White board inserts are the same price as Grade A Fabric inserts.

FABRIC AND LAMINATE INSERT UPCHARGES

Insert Size	C.O.M Fabric	Grade C Fabric	Grade D Fabric	Laminate Insert	Grade C Laminate	Embossed Steel Insert	Grade C Paint
59 x 24	-28	+23	+50	+60	+99	-	-
59 x 30	-28	+23	+50	+75	+112	-	-
59 x 36	-28	+46	+100	+84	+149	-	-
59 x 42	-28	+46	+100	-	-	-	-
59 x 48	-28	+46	+100	-	-	-	-
59 x 60	-28	+46	+100	-	-	-	-
75 x 24	-47	+30	+64	-	-	-	-
75 x 30	-47	+30	+64	-	-	-	-
75 x 36	-47	+59	+127	-	-	-	-
75 x 42	-47	+59	+127	-	-	-	-
75 x 48	-47	+59	+127	-	-	-	-

© 2026, AIS, Inc.


Divi Connector Product Details


Product Detail 1
Possible Insert Panel Side Elevations

The panel connection hinge is able to be used in numerous types of panel connections as shown below. No additional panel connection hardware is needed to connect panels. However, base raceway shrouds are required for certain 2-way and 3-way applications to cover electrical and data cables.


Straight / 180˚ Connection:

Hinge channels in hanger frame form a 90˚ angle when two panels are aligned in a straight line. The hinge is extruded at this angle and installs easily when panels are started at this angle. After installation of hinge, panels can be rotated to achieve other angles.







2-Way 90˚ Connection:




2-Way 60˚/120˚ Connection:




2-Way 45˚/135˚ Connection:




3-Way 90˚ Connection:



3-Way 120˚ Connection:



4-Way 90˚ Connection:





© 2026, AIS, Inc.

Divi Linear Base Raceway Shrouds

DIVI LINEAR 90° 2-WAY BASE RACEWAY SHROUDS


Model Number	List	Raceway Divider
P-DLBS90	32	+8






DIVI LINEAR 120°/ 60° 2-WAY BASE RACEWAY SHROUDS


Model Number	List	Raceway Divider
P-DLBS60	32	+8






DIVI LINEAR 135°/ 45° 2-WAY BASE RACEWAY SHROUDS


Model Number	List	Raceway Divider
P-DLBS45	32	+8






DIVI LINEAR 90° 3-WAY BASE RACEWAY SHROUDS


Model Number	List	Raceway Divider
P-DLBS3W	32	+8






DIVI LINEAR END BASE RACEWAY SHROUDS

Model Number	List
P-DLSEOR	32






Specify	Notes
• Color Selection for Shroud Cover • Raceway Divider Option	• Base Raceway Shrouds are required to trim base raceways in order to cover data/electrical cable exposure. • 90° 2-Way Base Raceway Shrouds are required to trim base raceways at 90° panel connections. 1 • 20°/60° 2-Way Base Raceway Shrouds are required to trim base raceways at 120°/60° panel connections. • 135°/45° 2-Way Base Raceway Shrouds are required to trim base raceways at 135°/45° panel connections. • 90° 3-Way Base Raceway Shrouds are required to trim base raceways at 90° 3-way panel connections. • End Base Raceway Shroud are required to trim base raceways at end of panel runs.

© 2026, AIS, Inc.

Wall Mount Kits and Wall Tracks


DIVI LINEAR WALL MOUNT KITS

H	Model Number	List	Grade C Paint
42	P-DLWMKIT42	129	+15
50	P-DLWMKIT50	144	+15
58	P-DLWMKIT58	188	+15
66	P-DLWMKIT66	187	+15
82	P-DLWMKIT82	232	+15



DIVI LINEAR STACK PANEL WALL MOUNT KIT

H	Model Number	List
16	P-DLWMKIT16	123
24	P-DLWMKIT24	121



Specify	Notes
• Paint Selection (Grade C +15)	• Wall Mount Kits mount panel perpendicular to fixed wall. Specify according to the height of the panel to be mounted. • Wall mount hardware to attach wall mount to wall is not included. • Includes hinges.

WALL TRACKS

H	Model Number	List	Grade C Paint
60	A-WTRK60	215	+5
80	A-WTRK80	259	+5




Specify	Notes
• Paint Selection	• Wall Track mounts to fixed walls to provide slotted channel for worksurface support brackets, tackboards or shelves. • Slots are on 1” vertical repeat pattern. • Wall track mounting holes are 1/4” diameter, repeating 6” on center starting 1/2” from top of track. • Hardware for mounting wall track to walls is not included. Use hardware appropriate to wall type. • Wall track may not be shared between shelf units, flipper door units, or tackboards. • Track sits approximately 5” off floor when leveled with top of panels to accomodate wall cover base. • Shelving Units and Flipper door units may not share a Wall Track. • Two sticks of Wall Track are required for each unit being mounted. • Important: Wall track may be shared with Matrix and AO2 storage. Wall track may not be shared with Divi and MWall storage.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Divi Linear Post Filler Kits


DIVI LINEAR 2-WAY POST FILLER

Panel H	Model Number	List	Grade C Paint
42	P-DLPF242	406	+10
50	P-DLPF250	414	+10
58	P-DLPF258	425	+10
66	P-DLPF266	434	+10
74	P-DLPF274	500	+10
82	P-DLPF282	512	+10
98	P-DLPF298	588	+10




DIVI LINEAR 3-WAY POST FILLER

Panel H	Model Number	List	Grade C Paint
42	P-DLPF342	370	+10
50	P-DLPF350	393	+10
58	P-DLPF358	406	+10
66	P-DLPF366	419	+10
74	P-DLPF374	484	+10
82	P-DLPF382	494	+10
98	P-DLPF398	563	+10




DIVI LINEAR 4-WAY POST FILLER

Panel H	Model Number	List	Grade C Paint
42	P-DLPF442	186	+10
50	P-DLPF450	206	+10
58	P-DLPF458	217	+10
66	P-DLPF466	230	+10
74	P-DLPF474	322	+10
82	P-DLPF482	300	+10
98	P-DLPF498	371	+10



DIVI LINEAR END OF RUN POST FILLER

Panel H	Model Number	List	Grade C Paint
42	P-DLPFE42	378	+10
50	P-DLPFE50	386	+10
58	P-DLPFE58	404	+10
66	P-DLPFE66	413	+10
74	P-DLPFE74	477	+10
82	P-DLPFE82	481	+10
98	P-DLPFE98	551	+10



Specify

- Metal Power/Data Divider
- Paint Selection
- Paint Selection for Trim (Grade C +28)
- Color Selection for Base Shroud

Notes

- Post Fillers can be used to cover wires in the vertical cavities created when two or more panels are joined at 90° angles or simply as an aesthetic piece.
- 2-way, 3-way, and end or run fillers include a base shroud.
- Post fillers are not needed for panel connection, stability, or structural integrity.
- Specify the height which corresponds to the tallest panel in the configuration.
- Available painted only.

© 2026, AIS, Inc.

Divi Linear Spacers, Retrofit Kits

DIVI LINEAR SPACER 180

H	Model Number	List	Grade C Paint
42	P-DLSP18042	440	+10
50	P-DLSP18050	448	+10
58	P-DLSP18058	459	+10
66	P-DLSP18066	468	+10
74	P-DLSP18074	534	+10
82	P-DLSP18082	545	+10
98	P-DLSP18098	623	+10



Specify


- Paint Selection
- Paint Selection for Trim (Grade C +10)
- Color Selection for Base Shroud

Notes

- Spacers can be used to fill gaps created by 3-way connectors on the opposing station wall.
- Spacers include two base shrouds.
- Specify the spacer height which corresponds to the tallest panel in the configuration.
- Available painted only.

DIVI TOP CAP RETROFIT KIT

Panel H	Model Number	List
P-VLTCECK24	Divi Panel Top/End Cap Retrofit Kit, 24”W	87
P-VLTCECK30	Divi Panel Top/End Cap Retrofit Kit, 30”W	95
P-VLTCECK36	Divi Panel Top/End Cap Retrofit Kit, 36”W	105
P-VLTCECK42	Divi Panel Top/End Cap Retrofit Kit, 42”W	115
P-VLTCECK48	Divi Panel Top/End Cap Retrofit Kit, 48”W	127
P-VLTCECK60	Divi Panel Top/End Cap Retrofit Kit, 60”W	138
P-VLTCECK72	Divi Panel Top/End Cap Retrofit Kit, 72”W	151



Specify

- Paint Selection

Notes

- Specify Divi top cap retrofit kits to update existing panels to the most current design.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

© 2026, AIS, Inc.

Divi 180 Spacer Post with Power Pole, Divi 4-Way Data Septum

DIVI 180 SPACER POST WITH POWER POLE

H	Model Number	List	Grade C Paint
42	P-DLSPP18042	1,206	+20
50	P-DLSPP18050	1,209	+20
58	P-DLSPP18058	1,143	+20
66	P-DLSPP18066	1,141	+20
74	P-DLSPP18074	1,194	+20
82	P-DLSPP18082	1,148	+20
98	P-DLSPP18098	1,224	+20



Specify


- Paint Selection
- Paint Selection for Trim (Grade C +20)
- Color Selection for Base Shroud

Notes

- Spacers can be used to fill gaps created by 3-way connectors on the opposing station wall.
- Spacers include two base shrouds.
- Specify the spacer height which corresponds to the tallest panel in the configuration.
- Divi 180 Spacer Posts for Power Poles (1.619”D x 1.860”W) include one in-line power/data pole kit and one post filler kit – 2-way, 3-way, and end or run kits include a base shroud.
- Specify the height which corresponds to the tallest panel in the configuration.
- Available painted only.
- Designed for an 11’ ceiling.

DIVI 4-WAY DATA SEPTUM

Model Number	List
P-DLMDS4W	43



Notes


- Specify for 4-way post fillers when a data septum is required.

© 2026, AIS, Inc.


Divi Electrical Product Details

Product Detail 1
Electrical Components (8 Wire, 4 Circuit)

AIS Divi 8 Wire 4 Circuit electrical system contains four circuits. Each circuit is rated at 20 amps/120 volts maximum. Circuit 1, Circuit 2 and Circuit 3 are served by a system neutral and an equipment ground. Circuit 4 is dedicated and is served by its own neutral and ground. Circuit and ground conductors are #12 A.G.W. (gauge). **All neutrals are #10 A.G.W. (gauge).**





Shown below is a cross section of metal cable used for 8 Wire 4 Circuit jumpers and infeeds. Circuit and ground conductors are #12 A.G.W. (gauge). **All neutrals are #10 A.G.W. (gauge).**



Powerways provide electrical distribution and access for duplex outlets back to back. 24" wide panels can accept only one duplex outlet per side, two total back to back. All other panels can accept two per side, four total back to back. Powerways "grow" in length with frames of greater width, making panel to panel connections a "standard" configuration and allowing for "pass through" connections. Each powerway has locations for up to four jumpers, two at each end. Powerways are included when ordering powered panels.

Duplex Outlets are designated as circuits 1 through 4. Each duplex outlet contains two single receptacles (places to plug into) of the same circuit and are specified separately from powerways. All duplex outlets have black faces. The lettering on outlets for Circuit 1, 2 and 3 is white. The lettering on outlets for Circuit 4 is orange. Outlets are screw mounted to powerway. Duplex outlets are standard 15 amp outlets. For 20 amp outlets, call AIS Customer Service.






Common Equipment Amperages:


Personal Computer	2.00 - 4.00
Laser Printer	5.00 - 8.00
Desktop Plotter	1.50
Fan	1.00
Heater	8.50 - 12.50
Tasklight	1.00
Slide Projector	2.00 - 6.00
Coffee Pot	15.00
Paper Shredder	4.40 - 13.00
Radio	0.05
Pencil Sharpener	1.00
Calculator	0.25
Answering Machine	0.08

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Product Detail 2
Power/Data Pole Dimensions and Capacities




Divi with no feed = 38 CAT 6 cables




Standard pole with no feed = 97 CAT 6 cables




Divi with feed with barrier = 22 CAT 6 cables




Standard pole with feed with center barriers = 64 CAT 6 cables



Divi with feed no barrier = 27 CAT 6 cables



Standard pole with feed with no center barriers = 88 CAT 6 cables




Standard pole with feed with one center barrier = 66 CAT 6 cables

© 2026, AIS, Inc.

Panel-to-Panel and Lateral Pass Through Jumpers

PANEL-TO-PANEL JUMPERS

L	Type	Model Number	List
18	Standard	E-MX8W4PTPC18	254
21	Extended	E-MX8W4PTPC21	266




Notes

- Panel-to-Panel Jumper connects any two adjacent powered panels connected in a straight line or at an angle.
- Order an Extended Panel-to-Panel Jumper to connect any two powered panels across the gap created by a 3-way or 4-way connection or gallery panel.
- 90º, 120º and 135º corners and straight panel-to-panel connections do not require an extended jumper.

I-CONNECTOR

Model Number	List
E-UN8W4ICON	186




Notes

- An I-Connector is only required when it is necessary to connect two male end jumpers.

LATERAL PASS THROUGH JUMPERS

Panel W	Actual L	Model Number	List
24	43	E-MW8W4PJ24	362
30	48	E-MW8W4PJ30	388
36	55	E-MW8W4PJ36	399
42	61	E-MW8W4PJ42	412
48	67	E-MW8W4PJ48	444
60	79	E-MW8W4PJ60	478
72	93	E-MW8W4PJ72	534




Notes

- Lateral Pass Through Jumpers pass through a non-powered panel to connect two powered panels.
- Specify the jumper that corresponds to the width of the panel to be passed through.

EXTENDED LATERAL PASS THROUGH JUMPERS

Panel W	Actual L	Model Number	List
24	45	E-MW8W4PJ24E	377
30	51	E-MW8W4PJ30E	396
36	57	E-MW8W4PJ36E	409
42	63	E-MW8W4PJ42E	420
48	69	E-MW8W4PJ48E	456
60	81	E-MW8W4PJ60E	504
72	96	E-MW8W4PJ72E	544



Notes


- Extended Lateral Pass Through Jumpers are extended 1 11/16” to pass through a non-powered panel and the additional gap created by a 3-way or 4-way connection to connect two powered panels.
- 90º corners and straight panel-to-panel connections do not require an extended jumper.
- Specify the jumper that corresponds to the width of the panel to be passed through.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Duplex Outlets

DUPLEX OUTLETS

Line	Color	Model Number	List
1	Black	E-MW8W4DO1	94
2	Black	E-MW8W4DO2	94
3	Black	E-MW8W4DO3	94
4	Black	E-MW8W4DO4	94
1	White	E-MW8W4DO1-W	94
2	White	E-MW8W4DO2-W	94
3	White	E-MW8W4DO3-W	94
4	White	E-MW8W4DO4-W	94




Notes

- Duplex Outlets are available at designated circuits 1 through 4.
- Each duplex outlet contains two single receptacles (places to plug into) of the same circuit and are specified separately from powerways.
- Available in black or white. The lettering on outlets for Circuit 1, 2 and 3 is white. The lettering on outlets for Circuit 4 is orange.
- Outlets are screw mounted to powerway.
- Duplex outlets are standard 15 amp outlets.
- Can be used with multi-circuit electrical units.

CALIFORNIA TITLE 24 CONTROLLED DUPLEX OUTLETS

Line	Color	Model Number	List
1	Black	E-MW8W4T24DO1	109
2	Black	E-MW8W4T24DO2	109
3	Black	E-MW8W4T24DO3	109
4	Black	E-MW8W4T24DO4	109
1	White	E-MW8W4T24DO1-W	109
2	White	E-MW8W4T24DO2-W	109
3	White	E-MW8W4T24DO3-W	109
4	White	E-MW8W4T24DO4-W	109





Notes

- In California, 50 percent of all outlets in a systems panel cluster or benching cluster, for new construction, MUST be controlled outlets, even if there is no task lighting.
- Customers should plan on using circuits 2 and 3 for controlled circuits, and plan general load for all other items on circuits 1 and 4.
- If using 2 + 2 configuration, controlled circuits should be 1 and 2, and general load circuits on 4 and 5.
- Outlets must have the "controlled" symbol for identification purposes.
- Can be used with multi-circuit electrical units.


Note: Certain areas of Chicago prohibit the use of modular electrical systems and require all electrical components to be hardwired. All electrical components need to be supplied by the electrician excluding junction boxes, which can be purchased from AIS.

© 2026, AIS, Inc.

Duplex Outlets

USB OUTLETS

Line	Color	Model Number	List
1	Black	E-UN8W4USB01	380
2	Black	E-UN8W4USB02	380
3	Black	E-UN8W4USB03	380
4	Black	E-UN8W4USB04	380
1	White	E-UN8W4USB01-W	338
2	White	E-UN8W4USB02-W	338
3	White	E-UN8W4USB03-W	338
4	White	E-UN8W4USB04-W	338




Notes

- USB Outlets bring charging options to panel power distribution systems.
- The USB Outlets provide convenient charging power access through dual ports on the face of the receptacle.
- The USB Outlets offer a total of 2 Amps between two USB charging ports.
- The USB Outlets are UL and FCC Part 15A approved.
- Can be used with multi-circuit electrical units.

DUPLEX OUTLET HOLE COVERS

Model Number	List
E-UNWC	37



Specify

- Paint Selection for Hole Cover


Notes

- Duplex Outlet Hole Covers are supplied with each powered panel to cover unused duplex outlet locations (six).
- 24”W panels only include three duplex outlet hole covers.
- Order extra hole covers separately only when required.
- Can be used with multi-circuit electrical units.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


SIDE MOUNTED BASE INFEEDS


Length	Model Number	List
72	E-UN8W4BIFS	590



NEW YORK CITY SIDE MOUNTED BASE INFEEDS

Length	Model Number	List
72	E-HM8W4BIFSNY	1,169






Notes

- Side Mounted Base Infeeds provide interface with building power at the base of the panel and mounts to powerway at jumper location.
- Each base feed is 6’ in length, encased in “liquid tight”.
- New York City code requires the use of a special base feed with an in-line junction box.

RECEPTACLE MOUNT BASE INFEEDS


Length	Hand	Model Number	List
72	Left	E-UN8W4BIFL	632
72	Right	E-UN8W4BIFR	632




Left-hand infeed shown

NEW YORK CITY RECEPTACLE MOUNT BASE INFEEDS

Length	Hand	Model Number	List
72	Left	E-HM8W4BIFLNY	1,227
72	Right	E-HM8W4BIFRNY	1,227



Left-hand infeed shown




Notes

- Receptacle Mounted Base Infeeds provide interface with building power and mounts to powerway at duplex outlet location.
- Each base infeed is 6’ in length, encased in “liquid tight”.
- Left hand base infeed shown.

CEILING INFEEDS

Length	Model Number	List
144	E-UN8W4CIF	689



Note: Certain areas of Chicago prohibit the use of modular electrical systems and require all electrical components to be hardwired. All electrical components need to be supplied by the electrician.

Notes


- Ceiling Infeeds provide interface with building power from a suspended ceiling through a power pole shell.
- Each ceiling feed is 12’ long.
- Power pole shells are ordered separately.

© 2026, AIS, Inc.

Single Circuit Infeeds with Plug

SINGLE CIRCUIT SIDE INFEEDS WITH PLUG

Actual Length	Model Number	List
72”	E-UN8W4SIF72	1,295
120”	E-UN8W4SIF120	1,646




Notes

- Single Circuit infeeds will only provide power to line 1 outlets.
- Single Circuit Infeeds are terminated with a 20 Amp NEMA plug, a 20 Amp to 15 Amp plug adapter is included.
- Capacity for the circuit is 20 Amps, or 15 Amps if using the adapter.
- Never install more than one infeed to a circuit.

SINGLE CIRCUIT RECEPTACLE INFEEDS WITH PLUG

Length	Model Number	List
72	E-UN8W4RIF72	2,559
120	E-UN8W4RIF120	4,116



Notes


- Single Circuit infeeds will only provide power to line 1 outlets.
- Single Circuit Infeeds are terminated with a 20 Amp NEMA plug, a 20 Amp to 15 Amp plug adapter is included.
- Capacity for the circuit is 20 Amps, or 15 Amps if using the adapter.
- Never install more than one infeed to a circuit.
- Receptacle Mount is not handed. Handedness may be reversed in the field.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

In-Line Power/Data Pole Combination Kits


DIVI LINEAR 2-WAY IN-LINE POWER/DATA POLE COMBINATION KITS

Panel H	Model Number	List
42	P-DLPFPP242	1,013
50	P-DLPFPP250	1,015
58	P-DLPFPP258	1,017
66	P-DLPFPP266	1,019
74	P-DLPFPP274	1,023
82	P-DLPFPP282	1,026
98	P-DLPFPP298	1,028




DIVI LINEAR 3-WAY IN-LINE POWER/DATA POLE COMBINATION KITS

Panel H	Model Number	List	Grade C Paint
42	P-DLPFPP342	996	+20
50	P-DLPFPP350	998	+20
58	P-DLPFPP358	989	+20
66	P-DLPFPP366	991	+20
74	P-DLPFPP374	994	+20
82	P-DLPFPP382	996	+20
98	P-DLPFPP398	998	+20



DIVI LINEAR 4-WAY IN-LINE POWER/DATA POLE COMBINATION KITS

Panel H	Model Number	List	Grade C Paint
42	P-DLPFPP442	816	+20
50	P-DLPFPP450	819	+20
58	P-DLPFPP458	821	+20
66	P-DLPFPP466	823	+20
74	P-DLPFPP474	825	+20
82	P-DLPFPP482	827	+20
98	P-DLPFPP498	830	+20



DIVI LINEAR END OF RUN IN-LINE POWER/DATA POLE COMBINATION KITS

Panel H	Model Number	List	Grade C Paint
42	P-DLPFPPE42	1,013	+20
50	P-DLPFPPE50	1,015	+20
58	P-DLPFPPE58	1,017	+20
66	P-DLPFPPE66	1,019	+20
74	P-DLPFPPE74	1,023	+20
82	P-DLPFPPE82	1,026	+20
98	P-DLPFPPE98	1,028	+20



Specify

- Paint Selection
- Paint Selection for Trim (Grade C +28)
- Color Selection for Base Shroud

Notes

- In-Line Power/Data Pole Combination Kits (1.619”D x 1.860”W) include one in-line power/data pole kit and one post filler kit. 2-way, 3-way, and end or run kits include a base shroud.
- Specify the height which corresponds to the tallest panel in the configuration.
- Available painted only.
- Designed for an 11’ ceiling.

© 2026, AIS, Inc.

Retrofit Kits and In-Line Power/Data Pole Dividers and Extenders

DIVI LINEAR IN-LINE POWER/DATA POLE RETROFIT KITS

Panel H	Model Number	List	Grade C Paint
42	P-DLPFPP42	310	+20
50	P-DLPFPP50	312	+20
58	P-DLPFPP58	314	+20
66	P-DLPFPP66	316	+20
74	P-DLPFPP74	319	+20
82	P-DLPFPP82	321	+20
98	P-DLPFPP98	323	+20



Specify	Notes
• Paint Selection	• Retrofit Kit (1.619”D x 1.860”W) mounts to the top of post fillers which are already installed at 2-way, 3-way, or 4-way connections. • Specify the height which corresponds to the tallest panel in the configuration. • Available painted only. • Does not include post filler.

IN-LINE POWER/DATA POLE DIVIDER

Panel H	Model Number	List
42	P-DVPFPPD42	301
50	P-DVPFPPD50	305
58	P-DVPFPPD58	308
66	P-DVPFPPD66	310
74	P-DVPFPPD74	312
82	P-DVPFPPD82	314
98	P-DVPFPPD98	316



Specify	Notes
• Paint Selection	• In-Line Power/Data Pole Divider is specified when electrical cables need to be segregated from data cables by a metal barrier.

DIVI IN-LINE POWER/DATA POLE EXTENDER


H	Model Number	List
10	P-DLPFPP10X	289
16	P-DLPFPP16X	203
30	P-DLPFPP30X	414
48	P-DLPFPP48X	486



Specify	Notes
• Paint Selection (Grade C Paint +10)	• Extenders do not come with electrical components. • Order base infeeds separately.

POWER / DATA POLE EXTENDERS

Actual H	Model Number	List	Grade C Paint
28”	A-PPEX28	358	+10
48”	A-PPEX48	517	+10




Specify	Notes
• Paint Selection	• Power/data pole extender includes one pole section, one cover, one pole coupler and one divider. • Order ceiling feeds separately.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Retrofit Kits and Double Channel Power/Data Pole Kits

ELECTRICAL RETROFIT KIT


Length	Model Number	List
24	E-FRKDVP8424	432
30	E-FRKDVP8430	462
36	E-FRKDVP8436	478
42	E-FRKDVP8442	509
48	E-FRKDVP8448	534
60	E-FRKDVP8460	584
72	E-FRKDVP8472	608



Specify	Notes
• Color Selection for Base Color	• Kits are for field retrofitting existing non-powered DiVi panels with 8 wire, 4 circuit electrical. • Kit includes one powerway with mounting clips and screws, one powered base cover assembly and four duplex outlet hole covers. • Duplex outlets, jumpers, extra hole covers or feeds are ordered separately.

DOUBLE CHANNEL POWER/DATA POLE KIT

Model Number	List	Grade C Paint
A-PPDV	890	+20




Specify	Notes
• Paint Selection	• Power/Data Pole Kit includes two 68” pole sections, two 68” covers, one pole coupler, two 68” dividers, four pole to panel mounting brackets, one ceiling shroud, one 72” perforated metal strip for attaching pole to ceiling grid, and mounting hardware. • Order ceiling feeds separately. • Designed for an 11’ ceiling. • For use at 2-way and 3-way locations only.

© 2026, AIS, Inc.

Hubbell Premise Kits and Hardwire Junction Boxes

DATA PLATE KITS

Item	Model Number	List
6 Port Data Gang Plate	E-DP6GFPB	43
CAT 5e Jack	E-HRJ45-SM	148
CAT 6 Data Jack	E-HXJ6BK-SM	161
Hole Blank (10PK)	E-SFBB10-SM	100




Notes

- Snap-In Data Housing Plate have six ports.
- Housing is black and snaps into standard AIS DiVi duplex outlet holes, which measure 1.86” x 3.012”.
- RJ-45 jacks can be used in place of RJ-11 jacks.

HARDWIRE JUNCTION BOX

Model Number	List
E-DVJBCH	567



Notes


- Hardwire Junction Box allows standard, hard wired, single gang duplex outlets to be used in DiVi panels at each standard, modular duplex outlet location.
- Each outlet will require one junction box, and outlets cannot be placed back to back on a spine.
- Junction boxes do not include electrical connectors.
- Boxes are UL listed.
- Decora faced outlets cannot be used.
- Kit includes all hardware required to attach box to DiVi panel at duplex outlet location.
- Standard DiVi powered base covers are required.
- Order DiVi panels with standard powered base cover option.
- Boxes have standard 0.875” knockouts for electrical connectors.
- Kit includes one low profile metal face plate painted per specification.
- Junction boxes can be used with either 15 amp or 20 amp single gang outlets.
- Box is 3”H x 1.524”W x 7”L.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Cantilevers and Side Support/Rear Brackets

STANDARD CANTILEVERS

Surface Depth	Actual Depth	Hand	Model Number	List	Grade C Paint
24	18	Left	WPS-UNCT24L	114	+10
24	18	Right	WPS-UNCT24R	114	+10
24	18	Pair	WPS-UNCT24P	218	+20
30	25.5	Left	WPS-UNCT30L	218	+10
30	25.5	Right	WPS-UNCT30R	218	+10
30	25.5	Pair	WPS-UNCT30P	431	+20



Specify


- Paint Selection for Cantilevers

Notes

- Provide cantilevered worksurface support from panel or wall track at either the left or right hand side of a worksurface.
- All worksurface support components fasten directly to worksurfaces with screws.
- May also be used as a center support.
- Specify cantilever that corresponds to worksurface depth.
- It is highly recommended that flat plates are specified in conjunction with support cantilevers to splice two worksurfaces together at the front edge.
- Painted black as standard, all other trim colors are Grade C upcharged.

SHARED CANTILEVERS

Surface Depth	Actual Depth	Hand	Model Number	List	Grade C Paint
24	18	Single	WPS-UNCT24S	162	+10
24	18	Pair	WPS-UNCT24SP	319	+20
30	25.5	Single	WPS-UNCT30S	319	+10
30	25.5	Pair	WPS-UNCT30SP	637	+20



Specify


- Paint Selection for Cantilevers

Notes

- Provide cantilevered support from panel or wall track at seam between two worksurfaces.
- All worksurface support components fasten directly to worksurfaces with screws.
- Specify cantilever that corresponds to worksurface depth.
- It is highly recommended that flat plates are specified in conjunction with support cantilevers to splice two worksurfaces together at the front edge.
- Painted black as standard, all other trim colors are Grade C upcharged.

SIDE SUPPORT / REAR BRACKETS

Hand	Model Number	List	Grade C Paint
Left	WPS-SSSAL	84	+10
Right	WPS-SSSAR	84	+10
Pair	WPS-SSSA	159	+20



Left Right

Specify


- Paint Selection for Side Support / Rear Bracket

Notes

- Side Support/Rear Brackets provide direct support from panel or wall track along short side of rectangular worksurface or at rear of corner worksurface.
- All worksurface support components fasten directly to worksurfaces with screws.
- Painted black as a standard. All other trim colors are Grade C upcharged.

PANEL MOUNTED SHELF CANTILEVERS

Surface Depth	Actual Depth	Hand	Model Number	List	Grade C Paint
12	10	Left	WPS-CT10L	204	+10
12	10	Right	WPS-CT10R	204	+10
12	10	Pair	WPS-CT10P	387	+20



Specify

- Paint Selection

Notes


- Panel Mounted Shelf Cantilevers are 10”D and designed to work in conjunction with 12”D worksurfaces to create additional desk top shelving.
- Available for all AIS panel systems.
- For use with 12” to 16” worksurfaces only.

© 2026, AIS, Inc.

End Panels

STANDARD END PANELS

D	Model Number	List	Grade C Laminate
12	WFS-EPDV12	431	+20
18	WFS-EPDV18	506	+24
24	WFS-EPDV24	569	+27
30	WFS-EPDV30	635	+30
36	WFS-EPDV36	720	+34



Specify


- Laminate Selection for End Panel
- 2mm Edge Selection for End Panel

Notes

- Standard End Panels have laminated vertical surfaces and a 2mm PVC vertical front edge.
- Provide direct support from floor at left or right side of a worksurface, and engage and lock to panels with provided mounting brackets.
- All worksurface support components fasten directly to worksurfaces with screws.
- Specify end panel that corresponds to worksurface depth.

CLEAR ACCESS END PANELS

D	Model Number	List	Grade C Laminate
24	WFS-EPCADV24	594	+29
30	WFS-EPCADV30	663	+32



Specify

- Laminate Selection for End Panel
- 2mm Edge Selection for End Panel

Notes

- Clear Access End Panels have laminated vertical surfaces and a 2mm vertical front edge.
- Provide direct support from floor at left or right side of a worksurface, and engage and lock to panels with provided mounting brackets.
- All worksurface support components fasten directly to worksurfaces with screws.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Brackets, Divi Wing Panel Support Kit, Carpet Grippers

PEDESTAL-TO-PANEL ATTACHMENT BRACKET

Model Number	List	Grade C Laminate
S-DVPMPB	286	+25



Specify


- Paint Selection

Notes

- Pedestal-to-Panel Attachment Brackets attach structural pedestals to panels.
- These brackets serve as a space filler and as a way to add stability to panels.
- Pedestal to panel attachment brackets may only be used when the nominal surface depth matches the nominal pedestal depth (24” Deep surface & 24” deep pedestal or 30” deep surface and 30” deep pedestal).

COUNTERTOP BRACKETS

Hand	Model Number	List	Grade C Paint
Left	WPS-DVCTBKTL	74	+10
Right	WPS-DVCTBKTR	74	+10
Pair	WPS-DVCTBKTPR	142	+20



Specify


- Paint Selection for Counter-top Bracket


Notes

- Countertop Brackets provide direct support from 42”H panel for countertop worksurfaces.
- Specify at least two pair of countertop brackets for every countertop (one pair for front side and one pair for rear).
- All worksurface support components fasten directly to worksurfaces with screws.

DIVI WING PANEL SUPPORT KIT

Model Number	List	Grade C Laminate
P-DVWPK	109	+10





Specify


- Paint Selection

Notes

- Wing Panel Support Bracket acts as a wing panel stabilizer, connecting a worksurface to a wing panel that matches the worksurface depth.
- Bracket can also be used on the back of a worksurface behind a structural pedestal to keep a panel tight to a worksurface back.

CARPET GRIPPERS

Model Number	List
P-CARPETGRIP	6



Notes

- Specify carpet grippers when installing Divi panels or Matrix frames on carpet.
- One carpet gripper per 4 panels automatically ship with your order.

© 2026, AIS, Inc.


Divi Panel Mounted A-Legs

DIVI PANEL MOUNTED A-LEGS


		Left Hand	Right Hand	
H	D	Model Number	Model Number	List
27	12	WFS-ALW2712DVL	WFS-ALW2712DVR	520
27	24	WFS-ALW2724DVL	WFS-ALW2724DVR	592
27	30	WFS-ALW2730DVL	WFS-ALW2730DVR	631

SHARED DIVI PANEL MOUNTED A-LEGS


		Left Hand Shared	Right Hand Shared	
H	D	Model Number	Model Number	List
27	12	WFS-ALW2712DVLS	WFS-ALW2712DVRS	559
27	24	WFS-ALW2724DVLS	WFS-ALW2724DVRS	631
27	30	WFS-ALW2730DVLS	WFS-ALW2730DVRS	670




Left Hand



Right Hand



Left Hand Shared




Right Hand Shared

Specify


- Paint Selection (+25 for Grade C)

Notes


- **Important:** A-Legs cannot be used as freestanding table support. One side must be anchored to a storage element or panel.
- A-Legs are constructed from 1 x 2 painted steel.
- Legs have 1 1/2" leveling glides.
- A-Leg welded construction allows for attachment to the worksurface.
- Ships installed with panel attachment brackets. Panel locking bracket for panel attachment situations ships separate.




EXAMPLE 1 - UNSTABLE
32"H Structural Wing




EXAMPLE 2 - UNSTABLE
32"H Panel with Cantilever




EXAMPLE 3 - UNSTABLE
32"H Panel with Cantilevers



EXAMPLE 1 - STABLE
Standard Structural Wing



EXAMPLE 2 - STABLE
32"H Panel with Floor Support



EXAMPLE 3 - STABLE
32"H Panel with Panel Mounted A-Legs

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Divi Panel Mounted O-Legs

DIVI PANEL MOUNTED O-LEGS


		Left Hand	Right Hand	
H	D	Model Number	Model Number	List
27	12	WFS-OLW2712DVL	WFS-OLW2712DVR	674
27	18	WFS-OLW2718DVL	WFS-OLW2718DVR	717
27	24	WFS-OLW2724DVL	WFS-OLW2724DVR	768
27	30	WFS-OLW2730DVL	WFS-OLW2730DVR	815

SHARED DIVI PANEL MOUNTED O-LEGS

H	D	Model Number	List
27	12	WFS-OLW2712DVLS	723
27	18	WFS-OLW2718DVLS	764
27	24	WFS-OLW2724DVLS	815
27	30	WFS-OLW2730DVLS	867



Left Hand




Specify


- Paint Selection (+25 for Grade C)

Notes


- **Important:** O-Legs cannot be used as freestanding table support. One side must be anchored to a storage element or panel.
- O-Legs are constructed from 1 x 2 painted steel.
- Legs have 1 1/2” leveling glides.
- O-Leg welded construction allows for attachment to the worksurface.
- Ships installed with panel attachment brackets. Panel locking bracket for panel attachment situations ships separate.




EXAMPLE 1 - UNSTABLE
32”H Structural Wing




EXAMPLE 2 - UNSTABLE
32”H Panel with Cantilever




EXAMPLE 3 - UNSTABLE
32”H Panel with Cantilevers



EXAMPLE 1 - STABLE
Standard Structural Wing



EXAMPLE 2 - STABLE
32”H Panel with Floor Support




EXAMPLE 3 - STABLE
32”H Panel with Panel Mounted O-Legs

© 2026, AIS, Inc.

Linear Mid-Height Shelf and Corner Shelf Units

LINEAR MID-HEIGHT SHELF UNITS

H	W	D	Model Number	List	Grade C Paint
6	24	12	S-SHFLDV24	365	+12
6	30	12	S-SHFLDV30	377	+12
6	36	12	S-SHFLDV36	390	+12
6	42	12	S-SHFLDV42	412	+12
6	48	12	S-SHFLDV48	456	+12
6	60	12	S-SHFLDV60	480	+12



Specify


- Paint Selection

Notes

- Linear Mid-Height Shelf Units provide low profile overhead storage.
- Shelf ends have locking swing cams to prevent dislodgement.
- Shelf bottom will receive tasklights.
- Unit includes two Linear Mid-height shelf ends, one shelf pan, and mounting hardware.
- Order shelf unit that corresponds to panel width.
- Metal shelves have a weight capacity of 1.5 lbs per linear inch of width.

SHELF DIVIDER

Model Number	List	Grade C Paint
S-SHFDIV12	167	+10



Specify


- Paint Selection

Notes

- Shelf Divider mounts to mid-height shelf decks and may also be used inside of complete flipper bins.
- No hardware necessary. Divider snaps into place.
- Divider is 5 5/8” tall and designed to finish at the same height as a mid-height shelf end.

LINEAR MID-HEIGHT CORNER SHELF UNITS

H	W	Center D	Wing D	Model Number	List	Grade C Paint
7.75	36	30.5	12	S-SHFLCDV36	1,537	+25
7.75	42	30.5	12	S-SHFLCDV42	1,633	+25
7.75	48	30.5	12	S-SHFLCDV48	2,298	+25



Specify

- Paint Selection

Notes

- Linear Mid-Height Corner Shelf Units provide low profile overhead storage in corner above corner worksurfaces.
- Shelf ends have locking swing cams to prevent dislodgement.
- Shelf has lateral strength bar welded parallel to front edge which will receive a 36” or smaller task-light parallel to front edge.
- All shelves 33 5/8” across front edge and are 30 1/2” deep front to back corner.
- Back corner has 3 1/2” x 3 1/2” cutout to facilitate cable management.
- 42” and 48” units have 6” and 12” wings respectively. Unit includes two
- Linear Mid-height shelf ends, one bottom shelf pan, two corner shelf back mounting brackets, and mounting hardware.
- Order shelf unit that corresponds to panel width.
- Metal shelves have a weight capacity of 1.5 lbs per linear inch of width.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

Type C Flipper Door Units

METAL / FABRIC DOOR FRONT TYPE C FLIPPER DOOR UNIT

Interior H	W	Interior D	Model Number	List	Grade C Paint	C.O.M Fabric	Grade C Fabric	Grade D Fabric	Easy Down
14.25	24	12	S-FDUDV24	935	+20	-5	+13	+24	+261
14.25	30	12	S-FDUDV30	955	+20	-5	+13	+24	+261
14.25	36	12	S-FDUDV36	987	+20	-5	+13	+24	+261
14.25	42	12	S-FDUDV42	1,008	+20	-5	+13	+24	+261
14.25	48	12	S-FDUDV48	1,074	+20	-5	+13	+24	+261
14.25	60	12	S-FDUDV60	1,299	+20	-5	+13	+24	+261







Easy Down Mechanism (Optional)

LAMINATE DOOR FRONT TYPE C FLIPPER DOOR UNIT

Interior H	W	Interior D	Model Number	List	Grade C Paint	Grade C Laminate	Easy Down
14.25	24	12	S-FDUDV24L	1,160	+20	+17	+261
14.25	30	12	S-FDUDV30L	1,182	+20	+18	+261
14.25	36	12	S-FDUDV36L	1,213	+20	+19	+261
14.25	42	12	S-FDUDV42L	1,235	+20	+20	+261
14.25	48	12	S-FDUDV48L	1,373	+20	+21	+261
14.25	60	12	S-FDUDV60L	1,525	+20	+22	+261





Easy Down Mechanism (Optional)

Specify

- Paint Selection
- Paint or Fabric for Flipper Door Style (for metal/fabric units only)
- Fabric Selection for Flipper Selection (for fabric units only)
- Laminate Selection for Flipper Door (for laminate units only)
- Edge Selection for Flipper Door (for laminate units only)
- Easy Down Mechanism (optional)

Notes


- Type C Flipper Door Unit provides binder height, lockable overhead storage.
- Door opens and stores above top cover pan.
- Flipper unit has an open back.
- Shelf ends have locking swing cams to prevent dislodgement.
- Shelf bottom will receive tasklights.
- Easy Down Mechanisms are optional for all sizes and recommended on 60” wide units.
- All flipper doors are lockable with two supplied keys.
- Lock cores are removable with removal keys and master keys are available.
- Extra lock cores are available for keying flipper doors alike, but flipper doors may not be ordered without locks.
- Keying flippers alike requires removal of pre-installed lock cores and installation of keyed alike cores in the field.
- Order flipper unit that corresponds to panel width.
- See “Accessories” for ordering replacement keys, master keys, core removal keys, additional keys cores for keying alike or replacement uses.
- Metal shelves have a weight capacity of 1.5 lbs per linear inch of width.


© 2026, AIS, Inc.

Type C Raised Flipper Door Units

METAL / FABRIC DOOR FRONT TYPE C RAISED FLIPPER DOOR UNIT

Interior H	W	Interior D	Model Number	List	Grade C Paint	C.O.M Fabric	Grade C Fabric	Grade D Fabric	Perf Back	Easy Down
14.25	24	12	S-FDURFDV24	1,949	+20	-5	+13	+24	+35	+261
14.25	30	12	S-FDURFDV30	1,995	+20	-5	+13	+24	+35	+261
14.25	36	12	S-FDURFDV36	2,044	+20	-5	+13	+24	+35	+261
14.25	42	12	S-FDURFDV42	2,106	+20	-5	+13	+24	+35	+261
14.25	48	12	S-FDURFDV48	2,211	+20	-5	+13	+24	+35	+261
14.25	60	12	S-FDURFDV60	2,441	+20	-5	+13	+24	+35	+261







Easy Down Mechanism (Optional)

LAMINATE DOOR FRONT TYPE C RAISED FLIPPER DOOR UNIT

Interior H	W	Interior D	Model Number	List	Grade C Paint	Grade C Laminate	Perf Back	Easy Down
14.25	24	12	S-FDURFDV24L	2,133	+20	+17	+35	+261
14.25	30	12	S-FDURFDV30L	2,175	+20	+18	+35	+261
14.25	36	12	S-FDURFDV36L	2,216	+20	+19	+35	+261
14.25	42	12	S-FDURFDV42L	2,279	+20	+20	+35	+261
14.25	48	12	S-FDURFDV48L	2,467	+20	+21	+35	+261
14.25	60	12	S-FDURFDV60L	2,672	+20	+22	+35	+261





Easy Down Mechanism (Optional)

Specify

- Paint Selection
- Paint or Fabric for Flipper Door Style (for metal/fabric units only)
- Fabric Selection for Flipper Selection (for fabric units only)
- Laminate Selection for Flipper Door (for laminate units only)
- Edge Selection for Flipper Door (for laminate units only)
- Metal or Perforated Back Panel Style
- Easy Down Mechanism (optional)

Notes

- Type C Raised Flipper Door Unit provides binder height, lockable overhead storage.
- When mounted on 50” high panels, unit rests level with a standard flipper door unit mounted at the top of a 66” high panel.
- Door opens and stores above top cover pan.
- Backside of unit is completely enclosed providing added security.
- Shelf ends have locking swing cams to prevent dislodgement.
- Shelf bottom will receive tasklights.
- Easy Down Mechanisms are optional for all sizes and recommended on 60” wide units.
- All flipper doors are lockable with two supplied keys.
- Lock cores are removable with removal keys and master keys are available.
- Extra lock cores are available for keying flipper doors alike, but flipper doors may not be ordered without locks.
- Keying flippers alike requires removal of pre-installed lock cores and installation of keyed alike cores in the field.
- Order flipper unit that corresponds to panel width.
- See “Accessories” for ordering replacement keys, master keys, core removal keys, additional key cores for keying alike or replacement uses.
- Metal shelves have a weight capacity of 1.5 lbs per linear inch of width.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

Type D Flipper and Raised Flipper Door Units

SOLID METAL DOOR FRONT TYPE D FLIPPER DOOR UNIT

Interior H	W	Interior D	Model Number	List	Grade C Paint	Easy Down
14.25	24	12	S-FDDSDV24	1,139	+20	+261
14.25	30	12	S-FDDSDV30	1,165	+20	+261
14.25	36	12	S-FDDSDV36	1,190	+20	+261
14.25	42	12	S-FDDSDV42	1,216	+20	+261
14.25	48	12	S-FDDSDV48	1,276	+20	+261







Easy Down Mechanism (Optional)

SOLID METAL DOOR FRONT TYPE D RAISED FLIPPER DOOR UNIT

Interior H	W	Interior D	Model Number	List	Grade C Paint	Perf Back	Easy Down
14.25	24	12	S-FDDRDV24	2,112	+20	+35	+261
14.25	30	12	S-FDDRDV30	2,153	+20	+35	+261
14.25	36	12	S-FDDRDV36	2,276	+20	+35	+261
14.25	42	12	S-FDDRDV42	2,260	+20	+35	+261
14.25	48	12	S-FDDRDV48	2,368	+20	+35	+261





Easy Down Mechanism (Optional)

Specify

- Paint Selection
- Metal or Perforated Back Panel Style (for raised flipper door units only)
- Easy Down Mechanism (optional)

Notes


- Type D Flipper Door Unit provides binder height, lockable overhead storage.
- When raised flipper door units are mounted on 50” high panels, unit rests level with a standard flipper door unit mounted at the top of a 66” high panel
- Door opens and stores above top cover pan.
- Flipper unit has an open back.
- Shelf ends have locking swing cams to prevent dislodgement.
- Shelf bottom will receive tasklights.
- Easy Down Mechanisms are optional for all sizes and recommended on 60” wide units.
- All flipper doors are lockable with two supplied keys.
- Lock cores are removable with removal keys and master keys are available.
- Extra lock cores are available for keying flipper doors alike, but flipper doors may not be ordered without locks.
- Keying flippers alike requires removal of pre-installed lock cores and installation of keyed alike cores in the field.
- Order flipper unit that corresponds to panel width.
- See “Accessories” for ordering replacement keys, master keys, core removal keys, additional key cores for keying alike or replacement uses.
- Metal shelves have a weight capacity of 1.5 lbs per linear inch of width.

© 2026, AIS, Inc.

Sliding Door Units


METAL DOOR FRONT SLIDING DOOR UNIT

H	W	D	Model Number	List	Grade C Paint
14.25	30	12	S-MS2DODV30	1,165	+20
14.25	36	12	S-MS2DODV36	1,191	+20
14.25	42	12	S-MS2DODV42	1,217	+20
14.25	48	12	S-MS2DODV48	1,278	+20
14.25	60	12	S-MS2DODV60	1,502	+20



LAMINATE DOOR FRONT SLIDING DOOR UNIT

H	W	D	Model Number	List	Grade C Paint	Grade C Laminate
14.25	30	12	S-MS2DODV30L	1,394	+20	+18
14.25	36	12	S-MS2DODV36L	1,414	+20	+19
14.25	42	12	S-MS2DODV42L	1,444	+20	+20
14.25	48	12	S-MS2DODV48L	1,584	+20	+21
14.25	60	12	S-MS2DODV60L	1,732	+20	+22



Specify

- Paint Selection
- Laminate Selection for Sliding Door (for laminate units only)
- Edge Selection for Sliding Door (for laminate units only)

Notes


- Sliding Door Unit provides binder height, lockable overhead storage.
- Door slides open side to side.
- Sliding door unit has an open back.
- Shelf ends have locking swing cams to prevent dislodgement.
- Shelf bottom will receive tasklights.
- All sliding doors are lockable with (2) keys supplied.
- Lock cores are removable with removal keys and master keys are available.
- Extra lock cores are available for keying sliding doors alike, but sliding doors may not be ordered without locks.
- Keying sliding doors alike requires removal of pre-installed lock cores and installation of keyed alike cores in the field.
- See “Accessories” for shelf, flipper and key accessories.
- Metal shelves have a weight capacity of 1.5 lbs per linear inch of width.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Raised Sliding Door Units


METAL DOOR FRONT RAISED SLIDING DOOR UNIT

H	W	D	Model Number	List	Grade C Paint	Perforated Back
14.25	30	12	S-RMS2DODV30	2,154	+20	+35
14.25	36	12	S-RMS2DODV36	2,204	+20	+35
14.25	42	12	S-RMS2DODV42	2,261	+20	+35
14.25	48	12	S-RMS2DODV48	2,372	+20	+35
14.25	60	12	S-RMS2DODV60	2,649	+20	+35



LAMINATE DOOR FRONT RAISED SLIDING DOOR UNIT

H	W	D	Model Number	List	Grade C Paint	Grade C Laminate	Perforated Back
14.25	30	12	S-RMS2DODV30L	2,380	+20	+18	+35
14.25	36	12	S-RMS2DODV36L	2,426	+20	+19	+35
14.25	42	12	S-RMS2DODV42L	2,485	+20	+20	+35
14.25	48	12	S-RMS2DODV48L	2,677	+20	+21	+35
14.25	60	12	S-RMS2DODV60L	2,875	+20	+22	+35



Specify

- Paint Selection
- Laminate Selection for Sliding Door (for laminate units only)
- Edge Selection for Sliding Door (for laminate units only)

Notes

- Type C Raised Sliding Door Unit provides binder height, lockable overhead storage.
- When mounted on 50” high panels, unit rests level with a standard flipper door unit mounted at the top of a 66” high panel.
- Door slides open side to side.
- Backside of unit is completely enclosed providing added security.
- Shelf ends have locking swing cams to prevent dislodgement.
- Shelf bottom will receive tasklights.
- All sliding doors are lockable with (2) keys supplied.
- Lock cores are removable with removal keys and master keys are available.
- Extra lock cores are available for keying sliding doors alike, but sliding doors may not be ordered without locks.
- Keying sliding doors alike requires removal of pre-installed lock cores and installation of keyed alike cores in the field.
- See “Accessories” for shelf, flipper and key accessories.
- Metal shelves have a weight capacity of 1.5 lbs per linear inch of width.

© 2026, AIS, Inc.


Cabinet Door Units


METAL DOOR FRONT CABINET DOOR UNIT

H	W	D	Model Number	List	Grade C Paint
14.25	24	12	S-VDODV24	1,534	+20
14.25	30	12	S-VDODV30	1,558	+20
14.25	36	12	S-VDODV36	1,584	+20
14.25	42	12	S-VDODV42	1,606	+20
14.25	48	12	S-VDODV48	1,672	+20

LAMINATE DOOR FRONT CABINET DOOR UNIT

H	W	D	Model Number	List	Grade C Paint	Perforated Back
14.25	24	12	S-VDODV24L	1,754	+20	+17
14.25	30	12	S-VDODV30L	1,782	+20	+18
14.25	36	12	S-VDODV36L	1,803	+20	+19
14.25	42	12	S-VDODV42L	1,833	+20	+20
14.25	48	12	S-VDODV48L	1,969	+20	+21





Specify

- Paint Selection
- Laminate Selection for Cabinet Door (for laminate units only)
- Edge Selection for Cabinet Door (for laminate units only)

Notes


- Cabinet Door Unit provides binder height, lockable overhead storage.
- Doors swing open.
- Cabinet door unit has an open back.
- Shelf ends have locking swing cams to prevent dislodgement.
- Shelf bottom will receive tasklights. Units are lockable with (2) keys supplied.
- Lock cores are removable with removal keys and master keys are available.
- Extra lock cores are available for keying sliding doors alike, but sliding doors may not be ordered without locks.
- Keying sliding doors alike requires removal of pre-installed lock cores and installation of keyed alike cores in the field.
- See “Accessories” for shelf, flipper and key accessories.
- Metal shelves have a weight capacity of 1.5 lbs per linear inch of width.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Raised Cabinet Door Units


METAL DOOR FRONT RAISED CABINET DOOR UNIT

H	W	D	Model Number	List	Grade C Paint	Perforated Back
14.25	24	12	S-RVDODV24	2,520	+20	+35
14.25	30	12	S-RVDODV30	2,562	+20	+35
14.25	36	12	S-RVDODV36	2,611	+20	+35
14.25	42	12	S-RVDODV42	2,669	+20	+35
14.25	48	12	S-RVDODV48	2,776	+20	+35



LAMINATE DOOR FRONT RAISED CABINET DOOR UNIT

H	W	D	Model Number	List	Grade C Paint	Grade C Laminate	Perforated Back
14.25	24	12	S-RVDODV24L	2,744	+20	+17	+35
14.25	30	12	S-RVDODV30L	2,786	+20	+18	+35
14.25	36	12	S-RVDODV36L	2,833	+20	+19	+35
14.25	42	12	S-RVDODV42L	2,895	+20	+20	+35
14.25	48	12	S-RVDODV48L	3,081	+20	+21	+35



Specify

- Paint Selection
- Laminate Selection for Cabinet Door (for laminate units only)
- Edge Selection for Cabinet Door (for laminate units only)

Notes

- Raised Cabinet Door Unit provides binder height, lockable overhead storage.
- Doors swing open.
- Cabinet door unit has an open back.
- Shelf ends have locking swing cams to prevent dislodgement.
- Shelf bottom will receive tasklights.
- Units are lockable with (2) keys supplied.
- Lock cores are removable with removal keys and master keys are available.
- Extra lock cores are available for keying sliding doors alike, but sliding doors may not be ordered without locks.
- Keying sliding doors alike requires removal of pre-installed lock cores and installation of keyed alike cores in the field.
- See “Accessories” for shelf, flipper and key accessories.
- Metal shelves have a weight capacity of 1.5 lbs per linear inch of width.


© 2026, AIS, Inc.

Divi Height BF Wardrobe Towers

⚠ **The following towers match the height of Divi Panels only:**

BF WARDROBE TOWERS WITH OPEN FRONT

			Wardrobe Left	Wardrobe Right	
H	W	D	Model Number	Model Number	List
50	24	24	X-WTBFOFDL5024	X-WTBFOFDR5024	4,260
58	24	24	X-WTBFOFDL5824	X-WTBFOFDR5824	4,428
66	24	24	X-WTBFOFDL6624	X-WTBFOFDR6624	4,595
82	24	24	X-WTBFOFDL8224	X-WTBFOFDR8224	4,943




50" High 58" High 66" High 82" High (Wardrobe Right Shown)

No feet. 3/8" tall glides.

⚠ **The following towers match the height of Divi Panels only:**

BF WARDROBE TOWERS WITH OPEN FRONT ON FEET

			Wardrobe Left	Wardrobe Right	
H	W	D	Model Number	Model Number	List
50	24	24	C-WTBFOFDL5024	C-WTBFOFDR5024	4,345
58	24	24	C-WTBFOFDL5824	C-WTBFOFDR5824	4,516
66	24	24	C-WTBFOFDL6624	C-WTBFOFDR6624	4,678
82	24	24	C-WTBFOFDL8224	C-WTBFOFDR8224	5,025




50" High 58" High 66" High 82" High (Wardrobe Right Shown)

Product is elevated on 2 1/8" tall feet.

BF WARDROBE TOWERS WITH OPEN SIDE

			Wardrobe Left	Wardrobe Right	
H	W	D	Model Number	Model Number	List
50	24	24	X-WTBFOSDL5024	X-WTBFOSDR5024	4,352
58	24	24	X-WTBFOSDL5824	X-WTBFOSDR5824	4,532
66	24	24	X-WTBFOSDL6624	X-WTBFOSDR6624	4,712
82	24	24	X-WTBFOSDL8224	X-WTBFOSDR8224	5,072




50" High 58" High 66" High 82" High (Wardrobe Right Shown)

No feet. 3/8" tall glides.

BF WARDROBE TOWERS WITH OPEN SIDE ON FEET

			Wardrobe Left	Wardrobe Right	
H	W	D	Model Number	Model Number	List
50	24	24	C-WTBFOSDL5024	C-WTBFOSDR5024	4,435
58	24	24	C-WTBFOSDL5824	C-WTBFOSDR5824	4,617
66	24	24	C-WTBFOSDL6624	C-WTBFOSDR6624	4,796
82	24	24	C-WTBFOSDL8224	C-WTBFOSDR8224	5,155



50" High 58" High 66" High 82" High (Wardrobe Right Shown)

Product is elevated on 2 1/8" tall feet.

Specify	Notes
• Laminate Selection for Case	• Right-handed wardrobes shown.
• Laminate Selection for Drawer/ Door/Face	• Towers match height of Divi Panels only. Use standard towers for Matrix, Aloft, Oxygen and Calibrate.
• Handle Selection	• Laminate Storage items follow current Calibrate Series leadtime.
• Handle Paint Selection	• Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
• Lock Selection	• Selection of slim pull for drawers automatically includes touch-to-open mechanisms on cabinet doors.
	• Slim pull incurs a $75 upcharge.
	• Lock cores and trim rings ship separately.
	• One core removal key will be included for every 25 laminate units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Divi Height BF Wardrobe Towers


⚠ **The following towers match the height of Divi Panels only:**

BF WARDROBE TOWERS WITH CUPBOARD

			Wardrobe Left	Wardrobe Right	
H	W	D	Model Number	Model Number	List
50	24	24	X-WTBFDL5024	X-WTBFDR5024	4,539
58	24	24	X-WTBFDL5824	X-WTBFDR5824	4,758
66	24	24	X-WTBFDL6624	X-WTBFDR6624	4,982
82	24	24	X-WTBFDL8224	X-WTBFDR8224	5,425



50" High 58" High 66" High 82" High (Wardrobe Right Shown)




No feet. 3/8" tall glides.


⚠ **The following towers match the height of Divi Panels only:**

BF WARDROBE TOWERS WITH CUPBOARD ON FEET

			Wardrobe Left	Wardrobe Right	
H	W	D	Model Number	Model Number	List
50	24	24	C-WTBFDL5024	C-WTBFDR5024	4,622
58	24	24	C-WTBFDL5824	C-WTBFDR5824	4,843
66	24	24	C-WTBFDL6624	C-WTBFDR6624	5,064
82	24	24	C-WTBFDL8224	C-WTBFDR8224	5,509



50" High 58" High 66" High 82" High (Wardrobe Right Shown)



Product is elevated on 2 1/8" tall feet.

Specify

- Laminate Selection for Case
- Laminate Selection for Drawer/ Door/Face
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes

- Right-handed wardrobes shown.
- Towers match height of Divi Panels only. Use standard towers for Matrix, Aloft, Oxygen and Calibrate.
- Laminate Storage items follow current Calibrate Series leadtime.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Selection of slim pull for drawers automatically includes touch-to-open mechanisms on cabinet doors.
- Slim pull incurs a $75 upcharge.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 laminate units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.


© 2026, AIS, Inc.

Divi Height BBF Wardrobe Towers

⚠ **The following towers match the height of Divi Panels only:**

BBF WARDROBE TOWERS WITH OPEN FRONT

			Wardrobe Left	Wardrobe Right	
H	W	D	Model Number	Model Number	List
50	24	24	X-WTBBFOFDL5024	X-WTBBFOFDR5024	4,589
58	24	24	X-WTBBFOFDL5824	X-WTBBFOFDR5824	4,777
66	24	24	X-WTBBFOFDL6624	X-WTBBFOFDR6624	4,962
82	24	24	X-WTBBFOFDL8224	X-WTBBFOFDR8224	5,347




(Wardrobe Right Shown)

⚠ **The following towers match the height of Divi Panels only:**

BBF WARDROBE TOWERS WITH OPEN FRONT ON FEET


			Wardrobe Left	Wardrobe Right	
H	W	D	Model Number	Model Number	List
50	24	24	C-WTBBFOFDL5024	C-WTBBFOFDR5024	4,671
58	24	24	C-WTBBFOFDL5824	C-WTBBFOFDR5824	4,858
66	24	24	C-WTBBFOFDL6624	C-WTBBFOFDR6624	5,048
82	24	24	C-WTBBFOFDL8224	C-WTBBFOFDR8224	5,428



(Wardrobe Right Shown)

BBF WARDROBE TOWERS WITH OPEN SIDE


			Wardrobe Left	Wardrobe Right	
H	W	D	Model Number	Model Number	List
50	24	24	X-WTBBFOSDL5024	X-WTBBFOSDR5024	4,599
58	24	24	X-WTBBFOSDL5824	X-WTBBFOSDR5824	4,782
66	24	24	X-WTBBFOSDL6624	X-WTBBFOSDR6624	4,967
82	24	24	X-WTBBFOSDL8224	X-WTBBFOSDR8224	5,334



(Wardrobe Right Shown)

BBF WARDROBE TOWERS WITH OPEN SIDE ON FEET

			Wardrobe Left	Wardrobe Right	
H	W	D	Model Number	Model Number	List
50	24	24	C-WTBBFOSDL5024	C-WTBBFOSDR5024	4,680
58	24	24	C-WTBBFOSDL5824	C-WTBBFOSDR5824	4,865
66	24	24	C-WTBBFOSDL6624	C-WTBBFOSDR6624	5,051
82	24	24	C-WTBBFOSDL8224	C-WTBBFOSDR8224	5,420



(Wardrobe Right Shown)

Specify

- Laminate Selection for Case
- Laminate Selection for Drawer/ Door/Face
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes

- Right-handed wardrobes shown.
- Towers match height of Divi Panels only. Use standard towers for Matrix, Aloft, Oxygen and Calibrate.
- Laminate Storage items follow current Calibrate Series leadtime.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Selection of slim pull for drawers automatically includes touch-to-open mechanisms on cabinet doors.
- Slim pull incurs a $75 upcharge.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 laminate units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Divi Height BBF Wardrobe Towers


⚠ **The following towers match the height of Divi Panels only:**


BBF WARDROBE TOWERS WITH CUPBOARD

			Wardrobe Left	Wardrobe Right	
H	**W**	**D**	**Model Number**	**Model Number**	**List**
50	24	24	X-WTBBFDL5024	X-WTBBFDR5024	4,733
58	24	24	X-WTBBFDL5824	X-WTBBFDR5824	4,947
66	24	24	X-WTBBFDL6624	X-WTBBFDR6624	5,167
82	24	24	X-WTBBFDL8224	X-WTBBFDR8224	5,615



50" High


58" High


66" High


82" High

(Wardrobe Right Shown)



No feet.
3/8" tall glides.


⚠ **The following towers match the height of Divi Panels only:**


BBF WARDROBE TOWERS ON WITH CUPBOARD FEET

			Wardrobe Left	Wardrobe Right	
H	**W**	**D**	**Model Number**	**Model Number**	**List**
50	24	24	C-WTBBFDL5024	C-WTBBFDR5024	4,815
58	24	24	C-WTBBFDL5824	C-WTBBFDR5824	5,033
66	24	24	C-WTBBFDL6624	C-WTBBFDR6624	5,248
82	24	24	C-WTBBFDL8224	C-WTBBFDR8224	5,698



50" High


58" High


66" High


82" High

(Wardrobe Right Shown)


Product is elevated
on 2 1/8" tall feet.

Specify	Notes
• Laminate Selection for Case • Laminate Selection for Drawer/ Door/Face • Handle Selection • Handle Paint Selection • Lock Selection	• Right-handed wardrobes shown. • Towers match height of Divi Panels only. Use standard towers for Matrix, Aloft, Oxygen and Calibrate. • Laminate Storage items follow current Calibrate Series leadtime. • Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge. • Slim pull not available on doors. Selection of slim pull for drawers automatically includes touch-to-open mechanisms on cabinet doors. • Slim pull incurs a $75 upcharge. • Lock cores and trim rings ship separately. • One core removal key will be included for every 25 laminate units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.


© 2026, AIS, Inc.

Divi Height FF Wardrobe Towers

⚠ **The following towers match the height of Divi Panels only:**

FF WARDROBE TOWERS WITH OPEN FRONT

			Wardrobe Left	Wardrobe Right	
H	W	D	Model Number	Model Number	List
50	24	24	X-WTFFOFDL5024	X-WTFFOFDR5024	4,475
58	24	24	X-WTFFOFDL5824	X-WTFFOFDR5824	4,658
66	24	24	X-WTFFOFDL6624	X-WTFFOFDR6624	4,841
82	24	24	X-WTFFOFDL8224	X-WTFFOFDR8224	5,216



50" High 58" High 66" High 82" High


(Wardrobe Right Shown)

No feet.
3/8" tall glides.

⚠ **The following towers match the height of Divi Panels only:**

FF WARDROBE TOWERS WITH OPEN FRONT ON FEET

			Wardrobe Left	Wardrobe Right	
H	W	D	Model Number	Model Number	List
50	24	24	C-WTFFOFDL5024	C-WTFFOFDR5024	4,556
58	24	24	C-WTFFOFDL5824	C-WTFFOFDR5824	4,741
66	24	24	C-WTFFOFDL6624	C-WTFFOFDR6624	4,923
82	24	24	C-WTFFOFDL8224	C-WTFFOFDR8224	5,301




50" High 58" High 66" High 82" High

(Wardrobe Right Shown)

Product is elevated
on 2 1/8" tall feet.

FF WARDROBE TOWERS WITH OPEN SIDE

			Wardrobe Left	Wardrobe Right	
H	W	D	Model Number	Model Number	List
50	24	24	X-WTFFOSDL5024	X-WTFFOSDR5024	4,471
58	24	24	X-WTFFOSDL5824	X-WTFFOSDR5824	4,650
66	24	24	X-WTFFOSDL6624	X-WTFFOSDR6624	4,830
82	24	24	X-WTFFOSDL8224	X-WTFFOSDR8224	5,192




50" High 58" High 66" High 82" High

(Wardrobe Right Shown)

No feet.
3/8" tall glides.

FF WARDROBE TOWERS WITH OPEN SIDE ON FEET

			Wardrobe Left	Wardrobe Right	
H	W	D	Model Number	Model Number	List
50	24	24	C-WTFFOSDL5024	C-WTFFOSDR5024	4,553
58	24	24	C-WTFFOSDL5824	C-WTFFOSDR5824	4,735
66	24	24	C-WTFFOSDL6624	C-WTFFOSDR6624	4,915
82	24	24	C-WTFFOSDL8224	C-WTFFOSDR8224	5,276



50" High 50" High 66" High 82" High

(Wardrobe Right Shown)

Product is elevated
on 2 1/8" tall feet.

Specify	Notes
• Laminate Selection for Case	• Right-handed wardrobes shown.
• Laminate Selection for Drawer/ Door/Face	• Towers match height of Divi Panels only. Use standard towers for Matrix, Aloft, Oxygen and Calibrate.
• Handle Selection	• Laminate Storage items follow current Calibrate Series leadtime.
• Handle Paint Selection	• Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
• Lock Selection	• Slim pull not available on doors. Selection of slim pull for drawers automatically includes touch-to-open mechanisms on cabinet doors.
	• Slim pull incurs a $75 upcharge.
	• Lock cores and trim rings ship separately.
	• One core removal key will be included for every 25 laminate units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Divi Height FF Wardrobe Towers


⚠ **The following towers match the height of Divi Panels only:**


FF WARDROBE TOWERS WITH CUPBOARD

			Wardrobe Left	Wardrobe Right	
H	W	D	Model Number	Model Number	List
50	24	24	X-WTFFDL5024	X-WTFFDR5024	4,677
58	24	24	X-WTFFDL5824	X-WTFFDR5824	4,796
66	24	24	X-WTFFDL6624	X-WTFFDR6624	4,915
82	24	24	X-WTFFDL8224	X-WTFFDR8224	5,322



50" High


58" High


66" High


82" High

(Wardrobe Right Shown)



No feet.
3/8" tall glides.


⚠ **The following towers match the height of Divi Panels only:**


FF WARDROBE TOWERS WITH CUPBOARD ON FEET

			Wardrobe Left	Wardrobe Right	
H	W	D	Model Number	Model Number	List
50	24	24	C-WTFFDL5024	C-WTFFDR5024	4,759
58	24	24	C-WTFFDL5824	C-WTFFDR5824	4,888
66	24	24	C-WTFFDL6624	C-WTFFDR6624	5,014
82	24	24	C-WTFFDL8224	C-WTFFDR8224	5,406



50" High


58" High


66" High


82" High

(Wardrobe Right Shown)


Product is elevated
on 2 1/8" tall feet.

Specify

- Laminate Selection for Case
- Laminate Selection for Drawer/ Door/Face
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes

- Right-handed wardrobes shown.
- Towers match height of Divi Panels only. Use standard towers for Matrix, Aloft, Oxygen and Calibrate.
- Laminate Storage items follow current Calibrate Series leadtime.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull not available on doors. Selection of slim pull for drawers automatically includes touch-to-open mechanisms on cabinet doors.
- Slim pull incurs a $75 upcharge.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 laminate units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.


© 2026, AIS, Inc.

Divi Height BF Pedestal Towers

⚠ **The following towers match the height of Divi Panels only:**

BF PEDESTAL TOWERS WITH OPEN FRONT


H	W	D	Model Number	List
50	16	24	X-PTBFOFD5024	3,315
58	16	24	X-PTBFOFD5824	3,428
66	16	24	X-PTBFOFD6624	3,545
82	16	24	X-PTBFOFD8224	3,777



⚠ **The following towers match the height of Divi Panels only:**


BF PEDESTAL TOWERS WITH OPEN FRONT ON FEET

H	W	D	Model Number	List
50	16	24	C-PTBFOFD5024	3,402
58	16	24	C-PTBFOFD5824	3,514
66	16	24	C-PTBFOFD6624	3,628



BF PEDESTAL TOWERS WITH OPEN SIDE


			Open Right, Place Left	Open Left, Place Right	
H	W	D	Model Number	Model Number	List
50	16	24	X-PTBFOSDL5024	X-PTBFOSDR5024	3,319
58	16	24	X-PTBFOSDL5824	X-PTBFOSDR5824	3,432
66	16	24	X-PTBFOSDL6624	X-PTBFOSDR6624	3,543
82	16	24	X-PTBFOSDL8224	X-PTBFOSDR8224	3,765



(Open Left, Place Right Shown)

BF PEDESTAL TOWERS WITH OPEN SIDE ON FEET

			Open Right, Place Left	Open Left, Place Right	
H	W	D	Model Number	Model Number	List
50	16	24	C-PTBFOSDL5024	C-PTBFOSDR5024	3,404
58	16	24	C-PTBFOSDL5824	C-PTBFOSDR5824	3,514
66	16	24	C-PTBFOSDL6624	C-PTBFOSDR6624	3,627



(Open Left, Place Right Shown)

Specify

- Laminate Selection for Case
- Laminate Selection for Drawer/ Door/Face
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes

- Towers match height of Divi Panels only. Use standard towers for Matrix, Aloft, Oxygen and Calibrate.
- Laminate Storage items follow current Calibrate Series leadtime.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull not available on doors. Selection of slim pull for drawers automatically includes touch-to-open mechanisms on cabinet doors.
- Slim pull incurs a $75 upcharge.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 laminate units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Divi Height BF Pedestal Towers


⚠ **The following towers match the height of Divi Panels only:**

BF PEDESTAL TOWERS WITH CUPBOARD


			Left-Hinge	Right-Hinge	
H	W	D	Model Number	Model Number	List
50	16	24	X-WTBFCDL5024	X-WTBFCDR5024	3,505
58	16	24	X-WTBFCDL5824	X-WTBFCDR5824	3,659
66	16	24	X-WTBFCDL6624	X-WTBFCDR6624	3,812
82	16	24	X-WTBFCDL8224	X-WTBFCDR8224	4,120


50" High


58" High


66" High
(Right-Hinge Shown)


82" High



No feet.
3/8" tall glides.


⚠ **The following towers match the height of Divi Panels only:**


BF PEDESTAL TOWERS WITH CUPBOARD ON FEET

			Left-Hinge	Right-Hinge	
H	W	D	Model Number	Model Number	List
50	16	24	C-WTBFCDL5024	C-WTBFCDR5024	3,588
58	16	24	C-WTBFCDL5824	C-WTBFCDR5824	3,742
66	16	24	C-WTBFCDL6624	C-WTBFCDR6624	3,896


50" High


58" High


66" High
(Right-Hinge Shown)


Product is elevated
on 2 1/8" tall feet.

Specify	Notes
• Laminate Selection for Case • Laminate Selection for Drawer/ Door/Face • Handle Selection • Handle Paint Selection • Lock Selection	• Towers match height of Divi Panels only. Use standard towers for Matrix, Aloft, Oxygen and Calibrate. • Laminate Storage items follow current Calibrate Series leadtime. • Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge. • Slim pull not available on doors. Selection of slim pull for drawers automatically includes touch-to-open mechanisms on cabinet doors. • Slim pull incurs a $75 upcharge. • Lock cores and trim rings ship separately. • One core removal key will be included for every 25 laminate units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.


© 2026, AIS, Inc.

Divi Height BBF Pedestal Towers

⚠ **The following towers match the height of Divi Panels only:**

BBF PEDESTAL TOWERS WITH OPEN FRONT


H	W	D	Model Number	List
50	16	24	X-PTBBFOFD5024	3,531
58	16	24	X-PTBBFOFD5824	3,646
66	16	24	X-PTBBFOFD6624	3,764
82	16	24	X-PTBBFOFD8224	3,994



⚠ **The following towers match the height of Divi Panels only:**


BBF PEDESTAL TOWER WITH OPEN FRONT ON FEET

H	W	D	Model Number	List
50	16	24	C-PTBBFOFD5024	3,615
58	16	24	C-PTBBFOFD5824	3,731
66	16	24	C-PTBBFOFD6624	3,846




BBF PEDESTAL TOWERS WITH OPEN SIDE

			Open Right, Place Left	Open Left, Place Right	
H	W	D	Model Number	Model Number	List
50	16	24	X-PTBBFOSDL5024	X-PTBBFOSDR5024	3,530
58	16	24	X-PTBBFOSDL5824	X-PTBBFOSDR5824	3,644
66	16	24	X-PTBBFOSDL6624	X-PTBBFOSDR6624	3,755
82	16	24	X-PTBBFOSDL8224	X-PTBBFOSDR8224	3,977



BBF PEDESTAL TOWER WITH OPEN SIDE ON FEET

			Open Right, Place Left	Open Left, Place Right	
H	W	D	Model Number	Model Number	List
50	16	24	C-PTBBFOSDL5024	C-PTBBFOSDR5024	3,614
58	16	24	C-PTBBFOSDL5824	C-PTBBFOSDR5824	3,726
66	16	24	C-PTBBFOSDL6624	C-PTBBFOSDR6624	3,838



Specify

- Laminate Selection for Case
- Laminate Selection for Drawer/ Door/Face
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes

- Towers match height of Divi Panels only. Use standard towers for Matrix, Aloft, Oxygen and Calibrate.
- Laminate Storage items follow current Calibrate Series leadtime.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull not available on doors. Selection of slim pull for drawers automatically includes touch-to-open mechanisms on cabinet doors.
- Slim pull incurs a $75 upcharge.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 laminate units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Divi Height BBF Pedestal Towers


⚠ **The following towers match the height of Divi Panels only:**


BBF PEDESTAL TOWERS WITH CUPBOARD


			Left-Hinge	Right-Hinge	
H	**W**	**D**	**Model Number**	**Model Number**	**List**
50	16	24	X-WTBBFCDL5024	X-WTBBFCDR5024	3,703
58	16	24	X-WTBBFCDL5824	X-WTBBFCDR5824	3,855
66	16	24	X-WTBBFCDL6624	X-WTBBFCDR6624	4,008
82	16	24	X-WTBBFCDL8224	X-WTBBFCDR8224	4,313


50" High


58" High


66" High
(Right-Hinge Shown)


82" High



No feet.
3/8" tall glides.


⚠ **The following towers match the height of Divi Panels only:**


BBF PEDESTAL TOWER WITH CUPBOARD ON FEET

			Left-Hinge	Right-Hinge	
H	**W**	**D**	**Model Number**	**Model Number**	**List**
50	16	24	C-WTBBFCDL5024	C-WTBBFCDR5024	3,787
58	16	24	C-WTBBFCDL5824	C-WTBBFCDR5824	3,939
66	16	24	C-WTBBFCDL6624	C-WTBBFCDR6624	4,091


50" High


58" High


66" High
(Right-Hinge Shown)


Product is elevated
on 2 1/8" tall feet.

Specify

- Laminate Selection for Case
- Laminate Selection for Drawer/ Door/Face
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes

- Towers match height of Divi Panels only. Use standard towers for Matrix, Aloft, Oxygen and Calibrate.
- Laminate Storage items follow current Calibrate Series leadtime.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull not available on doors. Selection of slim pull for drawers automatically includes touch-to-open mechanisms on cabinet doors.
- Slim pull incurs a $75 upcharge.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 laminate units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.


© 2026, AIS, Inc.

Divi Height FF Pedestal Towers

⚠ **The following towers match the height of Divi Panels only:**

FF PEDESTAL TOWERS WITH OPEN FRONT


H	W	D	Model Number	List
50	16	24	X-PTFFOFD5024	3,437
58	16	24	X-PTFFOFD5824	3,553
66	16	24	X-PTFFOFD6624	3,670
82	16	24	X-PTFFOFD8224	3,900



⚠ **The following towers match the height of Divi Panels only:**


FF PEDESTAL TOWERS WITH OPEN FRONT ON FEET

H	W	D	Model Number	List
50	16	24	C-PTFFOFD5024	3,522
58	16	24	C-PTFFOFD5824	3,636
66	16	24	C-PTFFOFD6624	3,754




FF PEDESTAL TOWERS WITH OPEN SIDE

			Open Right, Place Left	Open Left, Place Right	
H	W	D	Model Number	Model Number	List
50	16	24	X-PTFFOSDL5024	X-PTFFOSDR5024	3,435
58	16	24	X-PTFFOSDL5824	X-PTFFOSDR5824	3,750
66	16	24	X-PTFFOSDL6624	X-PTFFOSDR6624	3,663
82	16	24	X-PTFFOSDL8224	X-PTFFOSDR8224	3,892



FF PEDESTAL TOWERS WITH OPEN SIDE ON FEET

			Open Right, Place Left	Open Left, Place Right	
H	W	D	Model Number	Model Number	List
50	16	24	C-PTFFOSDL5024	C-PTFFOSDR5024	3,519
58	16	24	C-PTFFOSDL5824	C-PTFFOSDR5824	3,550
66	16	24	C-PTFFOSDL6624	C-PTFFOSDR6624	3,745



Specify	Notes
• Laminate Selection for Case	• Towers match height of Divi Panels only. Use standard towers for Matrix, Aloft, Oxygen and Calibrate.
• Laminate Selection for Drawer/ Door/Face	• Laminate Storage items follow current Calibrate Series leadtime.
• Handle Selection	• Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
• Handle Paint Selection	• Slim pull incurs a $75 upcharge.
• Lock Selection	• Lock cores and trim rings ship separately.
	• One core removal key will be included for every 25 laminate units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Divi Height FF Pedestal Towers

⚠ **The following towers match the height of Divi Panels only:**

FF PEDESTAL TOWERS WITH CUPBOARD


			Left-Hinge	Right-Hinge	
H	W	D	Model Number	Model Number	List
50	16	24	X-WTFFCDL5024	X-WTFFCDR5024	3,539
58	16	24	X-WTFFCDL5824	X-WTFFCDR5824	3,668
66	16	24	X-WTFFCDL6624	X-WTFFCDR6624	3,798
82	16	24	X-WTFFCDL8224	X-WTFFCDR8224	4,057



⚠ **The following towers match the height of Divi Panels only:**

FF PEDESTAL TOWERS WITH CUPBOARD ON FEET

			Left-Hinge	Right-Hinge	
H	W	D	Model Number	Model Number	List
50	16	24	C-WTFFCDL5024	C-WTFFCDR5024	3,623
58	16	24	C-WTFFCDL5824	C-WTFFCDR5824	3,750
66	16	24	C-WTFFCDL6624	C-WTFFCDR6624	3,881



Specify

- Laminate Selection for Case
- Laminate Selection for Drawer/ Door/Face
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes

- Towers match height of Divi Panels only. Use standard towers for Matrix, Aloft, Oxygen and Calibrate.
- Laminate Storage items follow current Calibrate Series leadtime.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull not available on doors. Selection of slim pull for drawers automatically includes touch-to-open mechanisms on cabinet doors.
- Slim pull incurs a $75 upcharge.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 laminate units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.


© 2026, AIS, Inc.

Divi Height Single Door Towers

⚠ **The following towers match the height of Divi Panels only:**

SINGLE DOOR TOWERS


			Left-Hinge	Right-Hinge	
H	**W**	**D**	**Model Number**	**Model Number**	**List**
42	12	18	X-SDTDL4218	X-SDTDR4218	2,570
42	12	24	X-SDTDL4224	X-SDTDR4224	2,683
42	12	30	X-SDTDL4230	X-SDTDR4230	2,792
42	12	36	X-SDTDL4236	X-SDTDR4236	2,902
50	12	18	X-SDTDL5018	X-SDTDR5018	2,663
50	12	24	X-SDTDL5024	X-SDTDR5024	2,789
50	12	30	X-SDTDL5030	X-SDTDR5030	2,914
50	12	36	X-SDTDL5036	X-SDTDR5036	3,039
58	12	18	X-SDTDL5818	X-SDTDR5818	2,838
58	12	24	X-SDTDL5824	X-SDTDR5824	2,979
58	12	30	X-SDTDL5830	X-SDTDR5830	3,119
58	12	36	X-SDTDL5836	X-SDTDR5836	3,260
66	12	18	X-SDTDL6618	X-SDTDR6618	3,013
66	12	24	X-SDTDL6624	X-SDTDR6624	3,168
66	12	30	X-SDTDL6630	X-SDTDR6630	3,324
66	12	36	X-SDTDL6636	X-SDTDR6636	3,476



⚠ **The following towers match the height of Divi Panels only:**

SINGLE DOOR TOWERS ON FEET

			Left-Hinge	Right-Hinge	
H	**W**	**D**	**Model Number**	**Model Number**	**List**
42	12	18	C-SDTDL4218	C-SDTDR4218	2,657
42	12	24	C-SDTDL4224	C-SDTDR4224	2,764
42	12	30	C-SDTDL4230	C-SDTDR4230	2,876
42	12	36	C-SDTDL4236	C-SDTDR4236	3,003
50	12	18	C-SDTDL5018	C-SDTDR5018	2,746
50	12	24	C-SDTDL5024	C-SDTDR5024	2,873
50	12	30	C-SDTDL5030	C-SDTDR5030	2,999
50	12	36	C-SDTDL5036	C-SDTDR5036	3,121
58	12	18	C-SDTDL5818	C-SDTDR5818	2,923
58	12	24	C-SDTDL5824	C-SDTDR5824	3,063
58	12	30	C-SDTDL5830	C-SDTDR5830	3,203
58	12	36	C-SDTDL5836	C-SDTDR5836	3,344
66	12	18	C-SDTDL6618	C-SDTDR6618	3,096
66	12	24	C-SDTDL6624	C-SDTDR6624	3,252
66	12	30	C-SDTDL6630	C-SDTDR6630	3,407
66	12	36	C-SDTDL6636	C-SDTDR6636	3,561




Specify	Notes
• Laminate Selection for Case • Laminate Selection for Drawer/ Door/Face • Handle Selection • Handle Paint Selection • Lock Selection	• Left-hinge towers shown. • Towers must be ganged together with another unit or secured to a wall. • 18" deep units come equipped with a coat hook. 24", 30" and 36" deep units come equipped with a coat rod. • Towers match height of Divi Panels only. Use standard towers for Matrix, Aloft, Oxygen and Calibrate. • Laminate Storage items follow current Calibrate Series leadtime. • Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge. • Slim pull not available on doors. Touch-to-open handle selection incurs a $50 upcharge per unit. • Lock cores and trim rings ship separately. • One core removal key will be included for every 25 laminate units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Tackboards, Tool Rail Kits and Panel Coat Hooks

TACKBOARDS


H	W	Model Number	List	C.O.M Fabric	Grade C Fabric	Grade D Fabric
12	24	A-TACKDV1224	301	-5	+13	+24
12	30	A-TACKDV1230	321	-5	+13	+24
12	36	A-TACKDV1236	334	-5	+13	+24
12	42	A-TACKDV1242	351	-5	+13	+24
12	48	A-TACKDV1248	375	-5	+13	+24
12	60	A-TACKDV1260	487	-5	+13	+24
15	24	A-TACKDV1524	309	-5	+13	+24
15	30	A-TACKDV1530	328	-5	+13	+24
15	36	A-TACKDV1536	338	-5	+13	+24
15	42	A-TACKDV1542	363	-5	+13	+24
15	48	A-TACKDV1548	381	-5	+13	+24
15	60	A-TACKDV1560	500	-5	+13	+24
19	24	A-TACKDV1924	393	-5	+13	+24
19	30	A-TACKDV1930	420	-5	+13	+24
19	36	A-TACKDV1936	438	-5	+13	+24
19	42	A-TACKDV1942	463	-5	+13	+24
19	48	A-TACKDV1948	487	-5	+13	+24
19	60	A-TACKDV1960	522	-5	+13	+24



Specify	Notes
• Fabric Selection	• Tackboards are 7/8” thick and mount to a panel or wall track to provide vertical tackable surface for wall track applications and private offices. • Tackboards are available in three different heights.

TOOL RAIL KITS


H	W	Model Number	List	Grade C Paint
3.375	24	A-TBDV24	414	+20
3.375	30	A-TBDV30	452	+20
3.375	36	A-TBDV36	501	+20
3.375	42	A-TBDV42	534	+20
3.375	48	A-TBDV48	560	+20
3.375	60	A-TBDV60	825	+20



Specify	Notes
• Paint Selection	• Tool Rail Kits mount to wall track or panel and accommodates paper flow elements. • Tool rail kits are painted black as a standard. All other trim colors are available at a Grade C upcharge.

PANEL COAT HOOK

Model Number	List	Grade C Paint
A-CHM	86	+5




Specify	Notes
• Paint Selection	• Panel Coat Hook mounts over top of panel and is available in all standard panel colors.

© 2026, AIS, Inc.

Pre-Drilled Topcaps, Soft Close Mechanism for Hinged Door

DIVI LINEAR PRE-DRILLED TOPCAPS FOR CLIP SCREENS


D	Model Number	List
24	P-DLFGTC224	123
30	P-DLFGTC230	129
36	P-DLFGTC236	135
42	P-DLFGTC242	142
48	P-DLFGTC248	148
60	P-DLFGTC260	158
72	P-DLFGTC272	165




Specify	Notes
• Paint Selection	• Pre-Drilled Topcaps are pre-drilled for glass clamp screws to facilitate easy installation. • Order topcaps separately.

SOFT CLOSE MECHANISM FOR HINGED DOOR

Part Number	List
X-SOFTHINGE	48





Notes

- Mounting method: snaps on to hinge. No tools required.
- Material: steel
- Color/finish: Nickel-plated
- One required for doors up to 30” tall; doors between 31”H and 66”H – order two; doors over 66”H – order three.
- Compatible only with laminate storage; not compatible with L-Series metal storage.

GANGING KIT FOR CASEGOODS

Part Number	List
X-GANGKIT	20



Notes


- Used for ganging two casegoods together.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

FRAMELESS WHITEBOARD WITH MARKER TRAY

H	W	Model Number	List
24	24	A-FWBDV2424	483
24	30	A-FWBDV2430	557
24	36	A-FWBDV2436	629
24	42	A-FWBDV2442	699
24	48	A-FWBDV2448	724
24	60	A-FWBDV2460	863
30	24	A-FWBDV3024	521
30	30	A-FWBDV3030	605
30	36	A-FWBDV3036	689
30	42	A-FWBDV3042	774
30	48	A-FWBDV3048	863
30	60	A-FWBDV3060	1,035




Specify	Notes
• Color Selection for Edgeband	• Frameless White Boards with Marker Tray is a .6" thick laminated white board with 1mm edgeband on all sides. • Frameless White Boards mount to panels with standard brackets (included). • Marker Tray is included and available in black only. • Marker Tray is field installed.

© 2026, AIS, Inc.

Locks and Keys

SILVER LOCK CORES AND KEYS

Key Type	Model Number	List
Core with 2 keys	S-W1CORE1	25
Core with 2 keys (set of 2 keyed alike)	S-W1CORE2	39
Core with 2 keys (set of 3 keyed alike)	S-W1CORE3	60
Core with 2 keys (set of 4 keyed alike)	S-W1CORE4	77
Core with 2 keys (set of 5 keyed alike)	S-W1CORE5	95
Core with 2 keys (set of 6 keyed alike)	S-W1CORE6	111
Core with 2 keys (set of 7 keyed alike)	S-W1CORE7	129
Core with 2 keys (set of 8 keyed alike)	S-W1CORE8	149
Core with 2 keys (set of 9 keyed alike)	S-W1CORE9	166
Core with 2 keys (set of 10 keyed alike)	S-W1CORE10	184
Master Key	RS-W1MKEY	19
Core Removal Key	RS-W1CRKEY	19
Replacement Key	RS-WK _ _ _ (Key Number)	26




Notes

- Silver keyed alike lock cores should be specified when ordering Option E in the Lock Choice for Calibrate: No Lock w/ Silver Ring for Keyed Alike.
- Keyed alike lock cores must be installed in the field.
- Keys and Lock Cores are available in #'s 226 through 425.
- A core removal key is needed to remove an existing core from the lock housing in order to replace with a new core.
- Order sets based on quantity of storage items to be keyed alike.

BLACK LOCK CORES AND KEYS

Key Type	Model Number	List
Core with 2 keys	S-W1CORE1B	25
Core with 2 keys (set of 2 keyed alike)	S-W1CORE2B	39
Core with 2 keys (set of 3 keyed alike)	S-W1CORE3B	60
Core with 2 keys (set of 4 keyed alike)	S-W1CORE4B	77
Core with 2 keys (set of 5 keyed alike)	S-W1CORE5B	95
Core with 2 keys (set of 6 keyed alike)	S-W1CORE6B	111
Core with 2 keys (set of 7 keyed alike)	S-W1CORE7B	129
Core with 2 keys (set of 8 keyed alike)	S-W1CORE8B	149
Core with 2 keys (set of 9 keyed alike)	S-W1CORE9B	166
Core with 2 keys (set of 10 keyed alike)	S-W1CORE10B	184



Notes

- Black keyed alike lock cores should be specified when ordering Option D in the Lock Choice for Calibrate: No Lock w/ Black Ring for Keyed Alike.
- Keyed alike lock cores must be installed in the field.
- Keys and Lock Cores are available in #'s 226 through 425.
- A core removal key is needed to remove an existing core from the lock housing in order to replace with a new core.
- Order sets based on quantity of storage items to be keyed alike.
- Black lock cores not available for L-Series storage.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

National Showrooms:

Leominster
AIS Headquarters
25 Tucker Drive
Leominster, MA 01453

Chicago
The Merchandise Mart
Suite 391
Chicago, Illinois 60654

New York
AIS New York
257 Park Avenue South
New York, New York 10010

Washington, D.C.
AIS Washington, D.C.
1501 M St, NW, STE 230
Washington, D.C. 20005

GSA Sales
GSA Contract 47QSMA20D08Q4
Multiple Award Schedule (MAS)
Large Category: Furniture & Furnishings
Subcategories: Office Furniture, Packaged Office Furniture and Furniture Services

For additional information on AIS:
Dealer Showrooms, Representative Directory, Project Case Studies, Online Catalog & Product Showcase
Visit: **www.ais-inc.com**

AIS

800.434.7400 | 978.562.7500 | Fax: 978.562.0811 | www.ais-inc.com | March 2026

ENCOUNTER POWERBEAM POWERBENCH

March 2026 Price List

AIS

PRODUCT INFORMATION

PowerBeam Statement of Line . . . 4
Finish Options . . . 7
Encounter PowerBeam Typicals . . . 9
Encounter PowerBeam Product Details . . . 13
Encounter PowerBench A La Carte Product Components . . . 16
Encounter PowerBench Typicals . . . 17
Encounter PowerBench Product Details . . . 22

SPINE BEAM KITS

Powered Spine Beam Kits . . . 40
Chicago Powered Spine Beam Kits . . . 41
Non-Powered Spine Beam Kits . . . 42

LEGS

Legs for 21” High Spine Beams . . . 43
Legs for 25” High Spine Beams . . . 44
Legs for 29” High Spine Beams . . . 45

H LEG ASSEMBLY

Encounter PowerBench H Leg . . . 46
Encounter PowerBench HAT Enclosed Bases . . . 47
Encounter PowerBench HAT 2 Leg, Single Sided . . . 48
Encounter PowerBench HAT Worksurfaces for Double H Leg . . . 49
Encounter PowerBench HAT 120, 3 Leg . . . 50
Encounter PowerBench H Leg Single-Sided Kit . . . 51
Encounter PowerBench H Leg Double-Sided Kit . . . 52
Encounter PowerBench H Leg 120 Single-Sided Kit . . . 53
Encounter PowerBench H Leg 120 Double-Sided Kit . . . 54
Encounter PowerBench H Leg 120 Triple-Sided Kit . . . 55
Encounter PowerBench Connection Kit . . . 56

SPINE BEAM CONNECTORS

Endcaps, Supports, Flush Mount Connection Kits and Wall Anchor Brackets . . . 57
90° and 120° Connection Kits . . . 58

ELECTRICAL AND DATA

Electrical Product Details . . . 59
Duplex Outlets . . . 61
Data Plate Kits and Single Gang Plate Adapter . . . 63
Electrical Jumpers . . . 64
Base Infeeds, Ceiling Infeeds, Undermount and End Mount Poles . . . 65
Single Circuit Infeeds with Plug . . . 66
Pole Extenders and Power Cord Trays . . . 67
Wire Managers and Anti-Fatigue Mats . . . 68
Encounter PowerBeam Mini Shelf and Bag Hook . . . 69

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

SPINE SCREENS

Glass 1/4” Universal Spine Insert Screens . . . 70
Glass 3/8” Universal Spine Insert Screens . . . 71
PET Universal Spine Insert Screens . . . 72

GALLERY PANELS

Product Details . . . 73
Laminate Gallery Panels – Beam Mount, Single End . . . 75
Laminate Gallery Panels – Beam Mount, Double End . . . 83
Laminate Gallery Panels – Beam Mount for Wing, Single End . . . 89
Laminate Gallery Panels – Mid Mount End . . . 95
Laminate Gallery Panels – Mid Mount End for Wing . . . 103
Laminate Gallery Panels – Beam Mount Single Spine . . . 109
Laminate Gallery Panels – Beam Mount Double Spine . . . 117
Laminate Gallery Panels – Beam Mount Single Spine for Wing . . . 123
Laminate Gallery Panels – Mid Mount Spine . . . 129
Laminate Gallery Panels – Mid Mount Spine for Wing . . . 137
Laminate Gallery Wing Panels . . . 143
Wall Mounted Gallery Panels . . . 144
Wall Mounted Gallery Panel for Wings . . . 147

UNDER SURFACE MOUNT LITE SCREENS FOR ENCOUNTER POWERBENCH

PET Encounter PowerBench U-Wrap Under Surface Mount Lite Screens . . . 148
PET Encounter PowerBench L-Wrap Under Surface Mount Lite Screens . . . 150
PET Encounter PowerBench Territory Under Surface Mount Lite Screens . . . 152

WARRANTY & TERMS AND CONDITIONS


For Warranty & Terms and Conditions please visit:
https://www.ais-inc.com

Note: Please see Screens Price Lists for PowerBeam specific screens.


© 2026, AIS, Inc.

Spine Beam Kits, Supports, Encounter PowerBench Components


SPINE BEAM KITS




Non-Powered Spine Beam Kits
36" - 96 Wide



Single Sided Powered Spine Beam Kits
36" - 96 Wide




Powered Spine Beam Kits
36" - 96 Wide




Chicago Powered Spine Beam Kits
36" - 96 Wide


LEGS FOR SPINE BEAMS



T-Legs
For 21", 25" or 29" High Spine Beams




Disc Legs
For 21", 25" or 29" High Spine Beams




Post Legs
For 21", 25" or 29" High Spine Beams


ENCOUNTER POWERBENCH




Encounter PowerBench Laminate Enclosed Bases
Single End, Single Shared, Double End or Double Shared




Encounter PowerBench H-Legs
120, Single, Double




Encounter PowerBench
Connection Kit for H-Legs




Encounter PowerBench Height Adjustable Tables
for Single Benches
with Grommet options, with Scallop




Encounter PowerBench Height Adjustable Tables
for Double Benches
with Grommet options, with Scallop




Encounter PowerBench Height Adjustable Tables
for 120 Benches
with Grommet options, with Scallop



Encounter PowerBench Kits with H-Leg
Single, Single with Scallop



Encounter PowerBench Kits with H-Leg
Double, Double with Scallop




Encounter PowerBench Height Adjustable Table Kits
for 120 Benches
Single, Single with Scallop

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

Encounter PowerBench 120 Kits, Spine Beam Connectors, Electrical and Data, Accessories

ENCOUNTER POWERBENCH




Encounter PowerBench Height Adjustable Table Kits
for 120 Benches
Double, Double with Scallop




Encounter PowerBench Height Adjustable Table Kits
for 120 Benches
Triple, Triple with Scallop


SPINE BEAM CONNECTORS




Endcap



Vertical Support for Storage




Flush Mount Connection Kit




Beam Wall Anchor Bracket


ELECTRICAL AND DATA




Duplex Outlet




USB Outlet




Encounter PowerBeam
Outlet Cover



Data Plate Kits



Data Plate Kit




Single Gang Plate Adapter



Electrical Jumper



Ceiling Infeed




Side-Mounted Base
Infeed



Undermount Poles
For 21”, 25” or 29” High

End Mount Poles
For 21”, 25” or 29” High



Single Circuit Side Infeed
with Plug



Power/Data Pole
Extender




Cord Trays



Cable Management Strip

ACCESSORIES



Knife Edge
Wedge Bracket






Table Wire Manager




Wire Managers




Anti-Fatigue Mats



Encounter PowerBeam
Mini Shelf



Encounter PowerBeam
Bag Hook




HAT Table Trim Ring


© 2026, AIS, Inc.

Spine Insert Screens, Extended Gallery Panels


SPINE INSERT SCREENS



Universal Spine Insert Screens
1/4" Glass




Universal Spine Insert Screens
3/8" Glass




Universal Spine Insert Screens
1/4" Glass


EXTENDED GALLERY PANELS




Beam Mount
Laminate Gallery Panels




Beam Mount, Double
Laminate Gallery Panels




Beam Mount for Wing
Laminate Gallery Panels




Mid Mount
Laminate Gallery Panels




Mid Mount End for Wing
Laminate Gallery Panels




Beam Mount Spine
Laminate Gallery Panels




Beam Mount Spine, Double
Laminate Gallery Panels




Beam Mount End for Wing
Laminate Gallery Panels



Mid Mount Spine
Laminate Gallery Panels




Mid Mount Spine for Wing
Laminate Gallery Panels




Laminate Gallery Wing Panels


UNDER MOUNT LITE SCREENS FOR ENCOUNTER POWERBENCH



U-Wrap Under Mount
Lite Screens for Encounter
PowerBench



L-Wrap Under Mount
Lite Screens for Encounter
PowerBench



Territory Under Mount
Lite Screens for Encounter
PowerBench

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Encounter Paint, Edgeband, Tempered Glass and PET Options

PAINT OPTIONS

Name	Color Code	Grade
Black	BK	A
Chalk	CK	A
Dark Tone	DT	A
Grey Value 1	GV1	A
Innertone	HT	A
Light Tone	LT	A
Medium Tone	MT	A
Metallic Silver	MS	A
Satin White	SW	A
Warm Brown	WB	A
Champagne Metallic	CHM	B
Dark Grey Metallic	DGM	B
Flint Grey Metallic	FGM	B
Light Grey	LG	B
Tan Value 1	TV1	B
Antique Gold	AG	C
Graphite Sky	GS	C
Burnt Orange	BO	C
Brown	BR	C
Steel Blue	SB	C
Baltic Blue	BB	C
Ruby Red	RR	C
Kelly Green	KG	C

Custom Paints

Special Paint Match Process & Ordering Instructions
To initiate a special paint match, please provide **three physical match samples** to your Customer Service Representative (CSR). These samples will be sent to our paint suppliers for evaluation and matching.

Match Process & Fees:
- A **non-refundable $450 net match fee** is required to begin the process.
- Once viable matches are developed (pending vendor capability), we'll send the samples to the dealer for final approval.

Pricing:
- Pricing begins at the **Grade C paint tier.**
- If the custom color incurs additional costs beyond Grade C pricing, we will advise of any upcharges before order placement.
- A **minimum order of $100,000 List** is required for special paint orders.
- The **$450 match fee will be waived** if the order is **$150,000 List or more** (and placed using the approved color).

Ordering Instructions (after color approval):
1. Dealer submits the **Purchase Order (PO)** and **Bill of Materials (BOM)** for the product requiring special paint.
2. The PO must clearly state:
   "SPECIAL PAINT REQUIRED ON THIS ORDER"
   — either in the header or special instructions section.
3. When selecting finishes:
   — Choose the **Grade C Paint option.**
   — **Do not select a final paint color.**
   — **Leave the paint code blank** and use the skip option.

PET COLOR OPTIONS

Name
Light Grey
Medium Grey
Navy
Olive Green
Warm Grey

EDGEBAND OPTIONS

Name	Color Code	Grade
Absolute Acajou	AA	A
Aimtoo Savatre	AS	A
Black	BK	A
Brazilwood	BZ	A
Chalk	CK	A
Corporate Walnut	CT	A
Dark Rum Cherry	DR	A
Dark Tone	DT	A
Field Elm	FE	A
Grand Cherry	GC	A
Grey Elm	GE	A
Grey Value 1	GV1	A
Landmark	LM	A
Leave Likatre	LV	A
Light Tone	LT	A
Linen	LN	A
Looks Likatre	LK	A
Maritime Dune	MD	A
Medium Tone	MT	A
Midwest Maple	MM	A
Neo Walnut	NW	A
Phantom Ecru	PE	A
Phantom Pearl	PP	A
Satin White / True White	SW / TW	A
Storm	ST	A
Summer Drops	SD	A
Trytoo Savatre	TS	A
White Chocolate	WC	A

Custom Edgeband Options

- A $450 net edge match fee will be assessed to custom match non-standard edgeband.
- Minimum order size for any custom color is $75,000.00 list. Extended lead-time will apply.

TEMPERED GLASS OPTIONS

Name	3/8" Thick Frameless Glass
Bronze Tint	Y
Clear	Y
Frosted	Y
Grey Tint	Y

All glass is tempered. The etched side of Frosted is only on one side of a screen, the opposite side is smooth. Please see specific price list pages on each type of glass for list pricing and upcharges.

Warranty:
All glass in AIS' product lines is tempered glass. By tempering the glass, the result is a stronger material that, if broken, fractures into smaller, less dangerous pieces. Tempered glass is commonly referred to as 'safety glass' due to this breakage feature. While the glass is stronger through tempering, it is critical to still handle with extreme care and caution and avoid impact that could result in damage. While uncommon, small impurities in the glass introduced during the tempering process, or damages to the edges resulting from handling or use, can cause unpredictable and spontaneous glass breakage, which is excluded from the AIS warranty.

© 2026, AIS, Inc.

Encounter Worksurface and Laminate Base

WORKSURFACE AND LAMINATE BASE OPTIONS	
Name	**Grade**
Absolute Acajou*	A
Aimtoo Savatre*	A
Black*	A
Brazilwood*	A
Chalk*	A
Corporate Walnut*	A
Dark Rum Cherry*	A
Field Elm	A
Grand Cherry*	A
Grey Elm	A
Landmark	A
Leave Likatre*	A
Linen	A
Looks Likatre*	A
Maritime Dune*	A
Midwest Maple*	A
Neo Walnut	A
Phantom Ecru	A
Phantom Pearl	A
Storm*	A
Summer Drops*	A
True White*	A
Trytoo Savatre*	A
White Chocolate*	A
Asian Night	B
Asian Sand	B
Beige Granite	B
Colombian Walnut	B


WORKSURFACE AND LAMINATE BASE OPTIONS	
Name	**Grade**
Fonthill Pear	B
Grey Mesh	B
Gridlock in L.A.	B
Madagascar	B
Mahogany Clove	B
Monticello Maple	B
Nightfall	B
Paris White Potterware	B
Pewter Mesh	B
Recon Oak	B
Shadow	B
Sunset	B
Titanium EV	B
Tungsten EV	B
Whie Specktrum	B
Windswept Poweter	B
Yorkshire Cherry	B
Ebony	C
Bright White (Writable Surface)	C
Pecan Woodline	C
Strand Burnt	C
Strand Wedge	C
Strand Wheat	C
Twill Earthen	C
Twill Graphite	C
Twill Sarum	C
Warm White	C

*Indicates a Grade A finish that can be used on Casegood body/case/door/drawer.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Encounter PowerBeam Typicals

Typical 1



Description	Model Number	Quantity	Notes
1. T-Legs for 25” High Spine Beams	T-BTLEG2518	2x	Used at end of beam.
2. T-Legs for 25” High Spine Beams	T-BTLEG2518	1x	Shared between two Beam sections.
3. 60” Wide Powered Spine Beam	T-BP60	1x	Outlets ordered separately.
4. Beam Endcap	T-BREC	2x	Order separately. Not needed with end panels.
5. 16” High x 60” Wide Tackable or Whiteboard Fixed Height Screen	O-SSH1660	2x	16” high screen on 25” high Beam = 42” horizon.
6. 60” Wide Power Cord Tray	T-BPCT60	2x	Order separately.
7. Side Mount Base Infeed	E-UN8W4BIFS	1x	Order undermount pole separately if desired.
8. 48” Wide x 29” High Laminate Gallery Panel for 25” High Mounts	T-BLGP294825	1x	Shared between two Beam sections.

Typical 2




Description	Model Number	Quantity	Notes
1. T-Legs for 29” High Spine Beams	T-BTLEG2918	2x	Shared between two Beam sections.
2. 60” Wide Powered Spine Beam	T-BP60	3x	Outlets ordered separately.
3. 60” Wide x 29” High Double End Panel for 29” High Beam Mount	T-BLEP2960	2x	Endcaps not required when using end panels.
4. 12” High x 60” Wide Fixed Height Glass Spine Screen	O-SGH1260	3x	Glass can only be used on Beams that are attached to end panels, storage elements or 2, 3, or 4-way connections.

© 2026, AIS, Inc.


Encounter PowerBeam Typicals

Typical 3



Description	Model Number	Quantity	Notes
1. T-Legs for 29” High Spine Beams	T-BTLEG2918	2x	Used at end of beam.
2. 72” Wide Powered Spine Beam	T-BP72	2x	Outlets ordered separately.
3. Beam Endcap	T-BREC	2x	Order separately. Not needed with end panels.
4. 18” Deep x 30” Wide x 21” High Calibrate HAT Base with Bookcase	X-HBBC3018	4x	From Calibrate line. Must support end of beam.
5. 30” Wide x 18” Deep x 21” High Calibrate BF Lateral	X-PLAT2D3018	4x	From Calibrate line.
6. Vertical Support for Storage Mounted Beam	T-BVS	1x	Specified when a leg support is replaced by storage element.
7. 16” High x 36” Wide Tackable or Whiteboard Fixed Height Screen	O-SSH1636	2x	16” high screen on 29” high Beam = 46” horizon.
8. 16” High x 72” Wide Fixed Height Glass	O-SGH1672	1x	Glass can only be used on Beams that are attached to end panels, storage elements or 2, 3, or 4-way connections.

Typical 4




Description	Model Number	Quantity	Notes
1. Disc Leg for 29” High Spine Beams	T-BDLEG2918	1x	Shared between two Beam sections.
2. 60” Wide Powered Spine Beam	T-BP60	2x	Outlets ordered separately.
3. Beam Endcap	T-BREC	2x	Order separately. Not needed with end panels.
4. 14” Deep x 48” Wide x 21” High Calibrate Bookcase	X-BC204814	2x	From Calibrate line.
5. Vertical Support for Storage Mounted Beam	T-BVS	2x	Specified when a leg support is replaced by storage element.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Encounter PowerBeam Typicals

Typical 5



Description	Model Number	Quantity	Notes
1. T-Legs for 25” High Spine Beams	T-BTLEG2518	1x	Shared between two Beam sections.
2. 60” Wide Powered Spine Beam	T-BP60	2x	Outlets ordered separately.
3. 30” Deep x 29” High Right End Panel for 25” High Beam Mount	T-BLEP292425R	1x	Endcaps not required when using end panels.
4. 30” Deep x 29” High Left End Panel for 25” High Beam Mount	T-BLEP292425L	1x	Endcaps not required when using end panels.

Typical 6




Description	Model Number	Quantity	Note
1. T-Legs for 25” High Spine Beams	T-BTLEG25	5x	Used at end of beam.
2. Post Legs for 25” High Spine Beams	T-BPLEG25	3x	Used only when connected to a 2, 3 or 4-way 90 or 120 degree connector.
3. 48” Wide Powered Spine Beam	T-BP48	2x	Outlets ordered separately.
4. 48” Wide Non-Powered Spine Beam	T-BNP48	5x	Used for running data or electrical pass-through cables, attaching accessories or screens.
5. 2-Way 90° Connection Kit	T-B2W90C	1x	Specify when attaching 2-beams together at 90 degree angles. Specify leg support separately.
6. 4-Way 90° Connection Kit	T-B4W90C	1x	Specify when attaching 4-beams together at 90 degree angles. Specify leg support separately.
7. 3-Way 90° Connection Kit	T-B3W90C	1x	Specify when attaching 3-beams together at 90 degree angles. Specify leg support separately.
8. Undermount Pole for 25” High Spine Beams	T-BUMP25	1x	Pole can be mounted at either end of any beam section.
9. Beam Endcap	T-BREC	5x	Order separately. Not needed with end panels.

© 2026, AIS, Inc.

Encounter PowerBeam Typicals

Typical 7




Description	Model Number	Quantity	Notes
1. T-Legs for 21" High Spine Beams	T-BTLEG2112	4x	Used at end of beam.
2. Post Legs for 21" High Spine Beams	T-BPLEG21	2x	Used only when connected to a 2, 3 or 4-way 90 or 120 degree connector.
3. 60" Wide Powered Spine Beam	T-BP60	5x	Outlets ordered separately.
4. Beam Endcap	T-BREC	3x	Ordered separately. Not needed with end panels.
5. 3-Way 120° Connection Kit	T-B3W120C	1x	Specify when attaching 3-beams together at 120 degree angles. Specify leg support separately.
6. 2-Way 120° Connection Kit	T-B2W120C	1x	Specify when attaching 2-beams together at 120 degree angles. Specify leg support separately.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Encounter PowerBeam Product Details

Beam Cable Capacity




Beam Infeed Opening Details



Infeed opening at bottom of beam.

Power Cord Tray Details


Note: optional power tray ordered separately.




© 2026, AIS, Inc.

Encounter PowerBench Product Details

Encounter PowerBench Heights



Beam Heights




21” High Nominal 25” High Nominal 29” High Nominal

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Encounter PowerBeam Product Details

Beam Details




Place legs at end of beam or shared between two beams.

Place legs at end of beam or shared between two beams.

Storage may be located in any position along the beam, but is not considered supporting unless placed at an end position.

Storage used for support beam must sit under 2 inches of one or two ends (shared) of a beam.

Beam Infeed to Outlet Calculation



© 2026, AIS, Inc.

Encounter PowerBench A La Carte Product Components

Encounter PowerBench A La Carte Components


This typical shows the a la carte components that Encounter PowerBench Kits are comprised of – these have been created for the convenience of the designer. There are times when the designer will find it more desirable to create Encounter PowerBench from its base components instead.

Kits can be combined with a la carte components.

Common instances to use a la carte components instead of kits:

- Mixing different depth work surfaces on the same bench.
- Mixing H Leg with laminate bases.

This typical outlines how PB-HDSPS6072 would be built from its base components.





Description	Model Number	Quantity	Notes
1. Encounter PowerBench HAT 2 Leg, Double Sided, Sq Edge, 30D x 72W	PB-2HS3072	2x	A la carte components used to make an Encounter PowerBench H Leg Kit.
2. Encounter PowerBench H Leg Double Sided	T-MBHUNDBL	2x	
3. Encounter PowerBeam Beam Spine Connection Kit, H Leg only	DD-BBSCP	1x	
4. Encounter PowerBeam Spine Kit 72W	T-BP72	1x	

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Encounter PowerBench Typicals


Encounter PowerBench Typical 1






Description	Model Number	Quantity	Notes
1. Encounter PowerBench HAT for Double Sided w/Scallop, 30D x 60W	PB-2HS2472	4x	Double sided HAT required for Double Sided H-Leg or Double Sided Laminate Base.
2. Encounter PowerBench HAT Enclosed Base 60D for Double End	T-PBHB42DE	2x	End bases can be used at end of run or in middle of run.
3. Encounter PowerBench HAT Enclosed Base 60D for Double Shared	T-PBHB42DS	1x	Shared bases are used only in between two benches.
4. Encounter PowerBeam Spine Beam Kit 72”	T-BP72	2x	
5. Encounter PowerBeam Raceway Endcap	T-BREC	2x	Use at end of run.
6. Desking Vertical Wire Manager	T-TVWM40	4x	Optional

Encounter PowerBench Typical 2






Description	Model Number	Quantity	Notes
1. Encounter PowerBench HAT Enclosed Base 48D Double End	T-PBHB48DE	2x	End bases should be used when transitioning from double benches to single benches.
2. Encounter PowerBench HAT Enclosed Base 24D Single End	T-PBHB24SE	1x	End bases should be used when transitioning from double benches to single benches.

© 2026, AIS, Inc.


Encounter PowerBench Typicals

Encounter PowerBench Typical 3



Description	Model Number	Quantity	Notes
1. Slimline Scrn, Uni Spine, FVWL, Dim A, SpnMntUni, 12H x 72W	O-SSH1272	2	For Fixed height screens for Encounter PowerBench, choose: Where Used = “Universal Spine” Sized For = “Nominal/Actual” Mount Type = “Universal Spine”

Encounter PowerBench Typical 4




Description	Model Number	Quantity	Notes
1. Slimline Scrn, Frnt-Rr, FVWL, Dim G, UMnt, Uni, 12H x 72W	T-SWMR1272	4	For Height Adjustable Screens on Encounter PowerBench back edge, choose: Where Used = “Front/Rear on Worksurface” Sized For = “Day to Day and Calibrate Widths” Mount Type = “Undersurface Mount”
2. Slimline Scrn, Terri, FVWL, Dim D, UMnt, RH, 12H x 24W	T-TSHR1224	4	For Height Adjustable Screens used at side of worksurface choose: Where Used = “Territory on Worksurface” Sized For = “Day to Day and Calibrate Hat Depths” Mount Type = “Undersurface Mount” Handedness = “Right Hand”
3. Slimline Scrn, Terri, FVWL, Dim D, UMnt, LH, 12H x 24W	T-TSHL1224	4	For Height Adjustable Screens used at side of worksurface choose: Where Used = “Territory on Worksurface” Sized For = “Day to Day and Calibrate Hat Depths” Mount Type = “Undersurface Mount” Handedness = “Left Hand”

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Encounter PowerBench Typicals

Encounter PowerBench Typical 5



Description	Model Number	Quantity	Notes
1. Encounter PowerBench Kit Double Sided, 48D x 60W	PB-HDSPS4860	2x	Benches, Spine Beam and H-Legs kitted together.
2. Universal Spine Screen, Glass, 12H x 60W x 3/8	O-SGH1260	3x	Universal Spine Screens are compatible with PowerBench in any material.
3. Encounter PowerBeam Under Mount pole for 29H	T-PBUMP29	1x	Always use 29H for PowerBench applications.
4. Encounter PowerBeam Raceway Endcap	T-BREC	1x	Use at end of run.
5. Encounter PowerBeam Gallery Panel, Double, 48W x 42H x 29H Mnt Vertical Grain	T-SLEP424829V	1x	

Encounter PowerBench Typical 6




Description	Model Number	Quantity	Notes
1. Encounter PowerBench Kit Double Sided, 48D x 60W	PB-HDSPS4860	2x	Benches, Spine Beam and H-Legs kitted together.
2. Encounter PowerBench Kit Single Sided, 24D x 60W	PB-HSSPS2460	3x	Bench, Spine Beam and H-Legs kitted together.
3. Universal Spine Screen, Glass, 12H x 60W x 3/8	O-SGH1260	3x	Universal Spine Screens are compatible with PowerBench in any material.
4. Encounter PowerBeam End Mount Pole for 29H Spine	T-BEMP29	1x	Always use 29H for PowerBench applications.
5. Encounter PowerBeam Raceway Endcap	T-BREC	1x	Use at end of run.

© 2026, AIS, Inc.


Encounter PowerBench Typicals


Encounter PowerBench Typical 7



Description	Model Number	Quantity	Notes
1. Encounter PowerBench Kit, Double Sided, 60D x 60W	PB-HDSPS6060S	1x	
2. Encounter PowerBench Kit, 120 Triple Sided, 30D x 60W	PB-H120TPS3060S	1x	
3. Universal Spine Screen, Glass, 12H x 60W x 3/8	O-SGH1260	4x	Universal Spine Screens are compatible with PowerBench in any material.
4. Encounter PowerBeam Under Mount pole for 29H	T-PBUMP29	1x	Always use 29H for PowerBench applications.
5. Encounter PowerBeam Raceway Endcap	T-BREC	3x	Use at end of run.

Encounter PowerBench Typical 8






Description	Model Number	Quantity	Notes
1. Encounter PowerBench Kit, Double Sided, 60D x 60W	PB-HDSPS6060S	1x	Benches, Spine Beam and H-Legs kitted together.
2. Encounter PowerBench HAT for Double Sided w/Scallop, 30D x 60W	PB-2HS3060S	2x	Double Sided HAT required for Double Sided H-Leg or Double Sided Laminate Base.
3. Universal Spine Screen, Glass, 12H x 60W x 3/8	O-SGH1260	2x	Universal Spine Screens are compatible with PowerBench in any material.
4. Encounter PowerBench H-Leg, Double Sided	T-MBHUNDBL	1x	
5. Encounter PowerBeam Spine Beam Kit	T-BP60	1x	
6. Encounter PowerBench HAT Enclosed Base, 60D for Double End	T-PBHB60DE	1x	
7. Encounter PowerBeam Raceway Endcap	T-BREC	1x	Use at end of run.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Encounter PowerBench Typical 9




Description	Model Number	Quantity	Notes
1. PowerBench H-Leg Double-Sided	T-MBHUNDBL	2x	Use a la carte components to mix worksurface depths.
2. PowerBench HAT 2 Leg, Double Sided, Square Edge 30D x 72W	PB-2HS3072	1x	
3. PowerBench HAT 2 Leg, Double Sided, Square Edge 24D x 60W	PB-2HS2472	1x	
4. Encounter PwrBeam Powered Spine Kit Encounter PowerBeam Powered Spine Kit 72W	T-BP72	1x	
5. PET Sling for 24D Surface 14H x 8W x 18D	A-PETS140818	1x	
6. PET Sling for 30D Surface 14H x 8W x 24D	A-PETS140824	1x	


© 2026, AIS, Inc.

Encounter PowerBench Product Details


Encounter PowerBench HAT Enclosed Single Sided Bases with HAT Surface Dimensions




Encounter PowerBench
24D Single Sided Enclosed Base
with 24D Encounter PowerBench HAT



Encounter PowerBench
30D Single Sided Enclosed Base
with 30D Encounter PowerBench HAT






Do not mix single benches. 24D Table with 30D Leg and 30D Leg with 24D Tables shown.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

Encounter PowerBench Product Details


Encounter PowerBench HAT Enclosed Double Sided Bases with HAT Surface Dimensions




Encounter PowerBench
42D Laminate Base
(2) 24D Encounter PowerBench HATs
for Double Bench




Encounter PowerBench
48D Laminate Base
(2) 24D Encounter PowerBench HATs
for Double Bench




Encounter PowerBench
60D Laminate Base
(2) 24D Encounter PowerBench HATs
for Double Bench




Encounter PowerBench
42D Laminate Base
(1) 30D Encounter PowerBench HATs
for Double Bench
(1) 24D Encounter PowerBench HATs
for Double Bench




Encounter PowerBench
48D Laminate Base
(1) 30D Encounter PowerBench HATs
for Double Bench
(1) 24D Encounter PowerBench HATs
for Double Bench




Encounter PowerBench
60D Laminate Base
(1) 30D Encounter PowerBench HATs
for Double Bench
(1) 24D Encounter PowerBench HATs
for Double Bench



Encounter PowerBench
42D Laminate Base
(2) 30D Encounter PowerBench HATs
for Double Bench



Encounter PowerBench
48D Laminate Base
(2) 30D Encounter PowerBench HATs
for Double Bench




Encounter PowerBench
60D Laminate Base
(2) 30D Encounter PowerBench HATs
for Double Bench


© 2026, AIS, Inc.

Encounter PowerBench Product Details


Encounter PowerBench Height Adjustable Tables – Depths of Tables vs Depths of Tables with Spines




Encounter PowerBench HATs
23D and 29D Laminate Base, Single




Encounter PowerBench HATs with Spines
23D and 29D Laminate Base, Single




Encounter PowerBench HATs
23D and 29D Laminate Base, Double



Encounter PowerBench HATs with Spines
23D and 29D Laminate Base, Double



Encounter PowerBench HATs
23D and 29D Laminate Base, 120



Encounter PowerBench HATs with Spines
23D and 29D Laminate Base, 120

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Encounter PowerBench Product Details

Encounter PowerBench Grommet Details


RECTANGULAR GROMMET OPTIONS

Option	Location	List
A	No Grommets	-
B	Location 1	+38
C	Location 2	+38
D	Location 3	+38
E	Locations 2 and 3	+76
F	Locations 1, 2 and 3	+114
G	Locations 1 and 2	+76
H	Locations 1 and 3	+76


120 GROMMET OPTIONS

Option	Location	List
A	No Grommets	-
B	Location 1	-
C	Location 1 and 2	+38
D	Location 1 and 3	+38
E	Locations 1, 2 and 3	+76


Single and Double Benches




120 Benches



Single and Double Benches with Scallops



120 Benches with Scallops




© 2026, AIS, Inc.


Encounter PowerBench Product Details

Grommet and Scallop Locations for Encounter PowerBench Single Tables


Grommet Location for 24" Deep Single Tables




Scallop Location for 24" Deep Single Tables



Grommet Location for 30" Deep Single Tables




Scallop Location for 30" Deep Single Tables




Grommet and Scallop Locations for PowerBench Double Tables


Grommet Location for 24" Deep Double Tables




Scallop Location for 24" Deep Double Tables



Grommet Location for 30" Deep Double Tables




Scallop Location for 30" Deep Double Tables




Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Grommet and Scallop Locations for PowerBench 120 Tables


Grommet Location for 24” Deep 120 Tables




Scallop Location for 24” Deep 120 Tables



Grommet Location for 30” Deep 120 Tables




Scallop Location for 30” Deep 120 Tables



© 2026, AIS, Inc.


Encounter PowerBench Product Details

Encounter PowerBench Enclosed Base Power and Data Access Holes



Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Encounter PowerBench Enclosed Base Power and Data Access Holes




© 2026, AIS, Inc.


Encounter PowerBench Product Details

Encounter PowerBench Infeed Details


Base feed entry using Encounter PowerBeam Undermount Pole




Base Infeed without using Undermount Pole



Ceiling Infeed




Shared Cabinet Feed Details




Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Encounter PowerBench Product Details

Encounter PowerBench Front Elevation Details







© 2026, AIS, Inc.

Encounter PowerBench Product Details

Height Adjustable Table Spec Comparision

	Encounter PowerBench mounted on H Legs	Encounter PowerBench mounted on Enclosed HAT Bases
		
Weight Capacity	250lbs	250lbs
Width Range (Inches)	48-84”	48-84”
Top Height[1]	46.07”	45.97”
Lowest Height[1]	26.39”	26.29”
Height Range[1]	19.68”	19.68”
Speed	1.38” per second	1.38” per second
Noise Rating	<50db	<50db
Power Cord Length	104”	104”
Max Amp Draw	4.2	4.2
UL 962	Yes	Yes
BIFMA 5.5 Tested[2]	Yes	Yes
BIFMA G1 Compliant[3]	No	No
Anti-Collusion Sensitivity	Accelerometer	Accelerometer
Standard Colors for HA Legs	Black, Metallic Silver, White	Black, Metallic Silver, White
Programmable Control Pad	Yes	Yes
Warranty	10 Years (5 Years Mechanism)	10 Years (5 Years Mechanism)


Notes:
1. Worksurface thickness of 1 1/8”.
2. Based on third party testing.
3. BIFMA G1: An ergonomic guideline for accommodating the 5th to 95th percentile of the population, which would be a height adjustment range from 22.6” to 48.7”.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Encounter PowerBench Product Details

Encounter PowerBench Height Adjustables Tables with Different Cantilevers Details


Single and Double Encounter PowerBench Height Adjustable Tables use different cantilevers and are not interchangeable.



Single sided

Double sided


Encounter PowerBench Surface Clearance and User Power Cord Tray Details



© 2026, AIS, Inc.


Encounter PowerBench Product Details


Encounter PowerBench Monitor Arm and Clamp Power Mounting Details




Note: When mounting monitor arms or clamp on power units in center of worksurface, specify grommet option B with a center rear grommet and mount in grommet hole to sit forward of electrical outlets and eliminate interference with plugs and cords.

Note: When clamping monitor arms onto the rear edge of the worksurface, install the monitor arm base to left or right side of the outlets to avoid interference with plugs when lowering the unit.









Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Encounter PowerBench Product Details

Encounter PowerBench Gallery Panel Details





Mid mount gallery panels are not compatible with Encounter PowerBench




© 2026, AIS, Inc.


Encounter PowerBench Product Details


Encounter PowerBench Storage Location Details


Applicable to both H Leg and Laminate Base applications




Note: 28H Storage CANNOT BE USED under Encounter PowerBench HATs.










✓ Accessorize Encounter PowerBench by pairing with PET Slings of matching depths.




Suspended Storage is not compatible with Encounter PowerBench.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Encounter PowerBench Product Details

Encounter PowerBench Compatible Screen Combinations




Spine screens of any material are compatible with PowerBench.

✓ O-1-xxxX
O-3-xxxx
O-5-xxxx
O-SGHxxxx




Undermounted Slimline Screens for HAT sizes are compatible with PowerBench. Note that the territory screens are designed with space for a rear screen.

✓ T-TSHxxxx
T-SWMRxxxx




Undermounted Channel Screens for HAT sizes are compatible with PowerBench. Note that the territory screens are designed with space for a rear screen.

✓ Y-xT2D2LxxxxB
Y-xT2D2RxxxxB
Y-xR2G2UxxxxB



All Surface Mounted Screens for HAT sizes are compatible with PowerBench. Note that the territory screens are designed with space for a rear screen.

✓ Y-xR3G1UxxxxB
Y-xT2D1UxxxxB
Y-xR2G1UxxxxB




⚠ Symbols for standard HAT screens may show brackets over the rear scallop. Bracket positions may be adjusted along the rear edge to suit.


© 2026, AIS, Inc.

Encounter PowerBench Product Details


Encounter PowerBench Incompatible Screen Combinations




Do not use partial modesty screens with PowerBench.
Collision with legs and plugs will occur.



PET screens with wire managers are not compatible with PowerBench or PowerBeam.
Screens interfere with the PowerBench legs, and block the outlets for both PowerBench and PowerBeam



Standard PET U-Wraps and L-Wraps for height adjustable tables are not compatible with Powerbench at this time. Brackets will interfere with the cantilever.
Do not use:
Y-5C4J2RxxxxxxB
Y-5N4N2UxxxxxxB



Exception: PET Lite Clip Rear Screens are compatible.
Y-5R4H2UxxxxB


PET Lite Clip Territory Screens are not compatible with PowerBench.
There will be an interference with the cantilever.
Do not use: Y-5T4D2UxxxxB

Territory screens with undermount glass clamps are not compatible with PowerBench. There will be an interference with the cantilever.
Do not use:
Y-2D3D2LxxxxB
Y-2D3D2RxxxxB

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Encounter PowerBench Product Details

Encounter PowerBench with PET Wire Managers Details



Note: PET Under Mount Wire Managers can be used on Encounter PowerBench provided wire manager width is 12 inches less than bench nominal dimension (i.e. use 48w on 60w bench). All other PET wire managers or Enclosures CANNOT be used.

Encounter PowerBench with PET Wire Managers Details



© 2026, AIS, Inc.


Powered Spine Beam Kits

SINGLE SIDED POWERED SPINE BEAM KITS

W	Model Number	List	Grade C Paint
36	T-BPSS36	1,402	+10
42	T-BPSS42	1,467	+10
48	T-BPSS48	1,526	+10
54	T-BPSS54	1,693	+10
60	T-BPSS60	1,734	+10
66	T-BPSS66	1,844	+10
72	T-BPSS72	1,936	+10
78	T-BPSS78	2,071	+10
84	T-BPSS84	2,188	+10
90	T-BPSS90	2,307	+10
96	T-BPSS96	2,410	+10

DOUBLE SIDED POWERED SPINE BEAM KITS

W	Model Number	List	Grade C Paint
36	T-BP36	1,402	+10
42	T-BP42	1,467	+10
48	T-BP48	1,526	+10
54	T-BP54	1,693	+10
60	T-BP60	1,734	+10
66	T-BP66	1,844	+10
72	T-BP72	1,936	+10
78	T-BP78	2,071	+10
84	T-BP84	2,188	+10
90	T-BP90	2,307	+10
96	T-BP96	2,410	+10



Specify

- Paint Selection

Notes

- Spine beam kits are structural raceways with front removable covers and internal cable management trough, and can be supported by legs, end panels or 21h Calibrate storage elements.
- Spine beams can be ordered with or without multi-circuit powerways, or with junction box for hardwiring.
- Beams with powerways can accommodate up to 8 duplex outlets, 4 locations per each side of beam.
- Beams have electrical and data access holes in bottom at each end of beam for feeding electrical and data cables into the trough. See electrical section for wiring schematics.
- PowerBench & PowerBeam products include Single Gang Adapter Plate(s). One for Single Sided applications and two for Double Sided applications. Reference E-DJA.
- Spine beams can accommodate tackable or whiteboard screens as well as glass screens.
- Standard NEMA outlets.
- Outlets sold separately.
- Single Sided Power Beams come with one outlet cover per beam.
  Double Sided Power Beams come with two outlet covers per beam.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Chicago Powered Spine Beam Kits


CHICAGO SINGLE SIDED POWERED SPINE BEAM KITS

W	Model Number	List	Grade C Paint
36	T-BPCS36	1,402	+10
42	T-BPCS42	1,467	+10
48	T-BPCS48	1,526	+10
54	T-BPCS54	1,693	+10
60	T-BPCS60	1,734	+10
66	T-BPCS66	1,844	+10
72	T-BPCS72	1,936	+10
78	T-BPCS78	2,071	+10
84	T-BPCS84	2,188	+10
90	T-BPCS90	2,307	+10
96	T-BPCS96	2,410	+10

CHICAGO DOUBLE SIDED POWERED SPINE BEAM KITS

W	Model Number	List	Grade C Paint
36	T-BPC36	1,402	+10
42	T-BPC42	1,467	+10
48	T-BPC48	1,526	+10
54	T-BPC54	1,693	+10
60	T-BPC60	1,734	+10
66	T-BPC66	1,844	+10
72	T-BPC72	1,936	+10
78	T-BPC78	2,071	+10
84	T-BPC84	2,188	+10
90	T-BPC90	2,307	+10
96	T-BPC96	2,410	+10





Junction Box

Specify

- Paint Selection


Notes

- Spine beam kits are structural raceways with front removable covers and internal cable management trough, and can be supported by legs, end panels or 21h Calibrate storage elements.
- Spine beams can be ordered with or without multi-circuit powerways, or with junction box for hardwiring.
- Beams with powerways can accommodate up to 8 duplex outlets, 4 locations per each side of beam.
- Beams have electrical and data access holes in bottom at each end of beam for feeding electrical and data cables into the trough. See electrical section for wiring schematics.
- PowerBench & PowerBeam products include Single Gang Adapter Plate(s). One for Single Sided applications and two for Double Sided applications. Reference E-DJA.
- Spine beams can accommodate tackable or whiteboard screens as well as glass screens.
- Junction box allows for two single gang outlets per side.
- Junction boxes do not include electrical connectors.
- Boxes are UL listed.
- Boxes have standard 0.875” knockouts for electrical connectors.
- Junction boxes can be used with either 15 amp or 20 amp single gang outlets.
- For use with NEMA outlets only.
- Decorative (DECORA) outlets cannot be used.
- Outlets not included.
- Outlet covers not included with Chicago Powered Spine Beam Kits.

© 2026, AIS, Inc.

Non-Powered Spine Beam Kits

NON-POWERED SPINE BEAM KITS			
W	Model Number	List	Grade C Paint
36	T-BNP36	812	+10
42	T-BNP42	875	+10
48	T-BNP48	938	+10
54	T-BNP54	1,101	+10
60	T-BNP60	1,143	+10
66	T-BNP66	1,254	+10
72	T-BNP72	1,346	+10
78	T-BNP78	1,482	+10
84	T-BNP84	1,599	+10
90	T-BNP90	1,688	+10
96	T-BNP96	1,818	+10




Specify	Notes
• Paint Selection	• Spine beam kits are structural raceways with front removable covers and internal cable management trough, and can be supported by legs, end panels or 21h Calibrate storage elements. • Beams have electrical and data access holes in bottom at each end of beam for feeding electrical and data cables into the trough. See electrical section for wiring schematics. • Spine beams can accommodate tackable or whiteboard screens as well as glass screens.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Legs for 21” High Spine Beams

T-LEGS FOR 21 HIGH SPINE BEAMS

D	Model Number	List	Grade C Paint
12	T-BTLEG2112	383	+25
18	T-BTLEG2118	397	+25




12” Deep




18” Deep

DISC LEGS FOR 21 HIGH SPINE BEAMS

Diameter	Model Number	List	Grade C Paint
12	T-BDLEG2112	495	+25
18	T-BDLEG2118	605	+25



12” Diameter



18” Diameter

POST LEGS FOR 21 HIGH SPINE BEAMS

Model Number	List	Grade C Paint
T-BPLEG21	355	+25




Specify	Notes
• Paint Selection	• Legs are used to support Spine Beam at end of beam length or shared at seam between two beam sections. • Legs cannot be placed in “middle” of beam. • Legs “telescope” 2-inches for leveling spine beam from end to end, and can be adjusted for front to back leveling as well. • Heights indicate nominal height to top of beam. • Base of leg is 1/4 high and can sit under table feet or any storage elements.

© 2026, AIS, Inc.

Legs for 25” High Spine Beams


T-LEGS FOR 25 HIGH SPINE BEAMS

D	Model Number	List	Grade C Paint
18	T-BTLEG2518	442	+25



DISC LEGS FOR 25 HIGH SPINE BEAMS

Diameter	Model Number	List	Grade C Paint
18	T-BDLEG2518	651	+25



POST LEGS FOR 25 HIGH SPINE BEAMS

Model Number	List	Grade C Paint
T-BPLEG25	399	+25




Specify	Notes
• Paint Selection	• Legs are used to support Spine Beam at end of beam length or shared at seam between two beam sections. • Legs cannot be placed in “middle” of beam. • Legs “telescope” 2-inches for leveling spine beam from end to end, and can be adjusted for front to back leveling as well. • Heights indicate nominal height to top of beam. • Base of leg is 1/4 high and can sit under table feet or any storage elements.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Legs for 29” High Spine Beams


T-LEGS FOR 29 HIGH SPINE BEAMS

H	Model Number	List	Grade C Paint
18	T-BTLEG2918	442	+25



DISC LEGS FOR 29 HIGH SPINE BEAMS

H	Model Number	List	Grade C Paint
18	T-BDLEG2918	651	+25



POST LEGS FOR 29 HIGH SPINE BEAMS

Model Number	List	Grade C Paint
T-BPLEG29	399	+25



Specify	Notes
• Paint Selection	• Legs are used to support Spine Beam at end of beam length or shared at seam between two beam sections. • Legs cannot be placed in “middle” of beam. • Legs “telescope” 2-inches for leveling spine beam from end to end, and can be adjusted for front to back leveling as well. • Heights indicate nominal height to top of beam. • Base of leg is 1/4 high and can sit under table feet or any storage elements.

© 2026, AIS, Inc.


Encounter PowerBench H Leg

POWERBENCH H LEGS


D	Application	Handedness	Model Number	List
24	Single	Left	T-MBHSS24L	1,218
24	Single	Right	T-MBHSS24R	1,218
30	Single	Left	T-MBHSS30L	1,269
30	Single	Right	T-MBHSS30R	1,269
48/60	Double	—	T-MBHUNDBL	1,269

SINGLE SIDED 120 POWERBENCH H LEGS


D	Application	Handedness	Model Number	List
24/30	120	Left	T-MBHS120L	1,218
24/30	120	Right	T-MBHS120R	1,218




24"D Single Leg (Left shown)




24"D Single Leg (Right shown)




30"D Single Leg (Left shown)




30"D Single Leg (Right shown)



120 Leg (Left shown)



120 Leg (Right shown)



Double Leg

Specify	Notes
• Paint Selection	• Base only. PowerBeam Spine Beam Kits and PowerBench Tables must be specified separately. • To design a double-sided 120 Encounter PowerBench assembly, use the Double Leg T-MBHUNDBL. • For use with 29”H mounting heights only. • Metal H Legs include 1-1/4” leveling glides. • Grade C Paint +25


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.


Encounter PowerBench HAT Enclosed Bases


POWERBENCH HAT ENCLOSED BASES


D	W	H	Type	Model Number	List
24	6	21	Single End	T-PBHB24SE	1,732
30	6	21	Single End	T-PBHB30SE	1,898
24	12	21	Single Shared	T-PBHB24SS	1,904
30	12	21	Single Shared	T-PBHB30SS	2,088
42	6	21	Double End	T-PBHB42DE	2,238
48	6	21	Double End	T-PBHB48DE	2,475
60	6	21	Double End	T-PBHB60DE	2,711
42	12	21	Double Shared	T-PBHB42DS	2,463
48	12	21	Double Shared	T-PBHB48DS	2,724
60	12	21	Double Shared	T-PBHB60DS	2,984
26	12	21	120 Single End	T-PBHB12024E	1,732
33	12	21	120 Single End	T-PBHB12030E	1,898
26	12	21	120 Single Shared	T-PBHB12024S	1,904
33	12	21	120 Single Shared	T-PBHB12030S	2,088



Single End


Single Shared


Double End


Double Shared


120 Single End


120 Single Shared

Specify

- Laminate Selection for Base
- Color Selection for Trim Ring


Notes

- Base only, PowerBench HAT worksurface/legs must be ordered separately.
- For use with PowerBench HAT's only.
- For use with 29" high mounting heights only.
- Enclosed bases are laminate.
- Trim rings are available in black, white, and silver.


© 2026, AIS, Inc.

Encounter PowerBench HAT 2 Leg, Single Sided


POWERBENCH 2 LEG, SINGLE SIDED					
		with Grommet Options	with Scallop		
Nominal Depth	Nominal Width	Model Number	Model Number	List	Grade C Laminate
24	48	PB-2HSS2448	PB-2HSS2448S	3,516	+33
24	54	PB-2HSS2454	PB-2HSS2454S	3,582	+41
24	60	PB-2HSS2460	PB-2HSS2460S	3,605	+41
24	66	PB-2HSS2466	PB-2HSS2466S	3,631	+46
24	72	PB-2HSS2472	PB-2HSS2472S	3,654	+51
24	78	PB-2HSS2478	PB-2HSS2478S	3,680	+54
24	84	PB-2HSS2484	PB-2HSS2484S	3,704	+63
30	48	PB-2HSS3048	PB-2HSS3048S	3,605	+42
30	54	PB-2HSS3054	PB-2HSS3054S	3,636	+50
30	60	PB-2HSS3060	PB-2HSS3060S	3,665	+50
30	66	PB-2HSS3066	PB-2HSS3066S	3,697	+56
30	72	PB-2HSS3072	PB-2HSS3072S	3,726	+61
30	78	PB-2HSS3078	PB-2HSS3078S	3,752	+69
30	84	PB-2HSS3084	PB-2HSS3084S	3,778	+87




24” Deep (Grommet option)



24” Deep (Scallop)



30” Deep (Grommet option)



30” Deep (Scallop)

Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Paint Selection for Leg (Black, Metallic Silver or White)
- Grommet Locations (+38)
- Grommet Cover Color (if applicable)

Notes

- Worksurface and legs only, PowerBench base must be ordered separately.
- PowerBench HATs are designed to have 1 inch gap behind and 2 inch gap between HATs in a PowerBench run.
- Grommet holes with covers are specified as options.
- Height adjustment range of 26.26” - 45.94”.
- Only for use with Single-Sided H-Leg and Enclosed HAT Base configurations.
- Single and double side tables are not interchangeable due to leg placement and cantilevers.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Encounter PowerBench HAT Worksurfaces for Double H Leg

POWERBENCH HAT FOR DOUBLE H LEG


Nominal Depth	Nominal Width	Worksurface	with Grommet Options Model Number	with Scallop Model Number	List	Grade C Laminate
24	48	23 x 46	PB-2HS2448	PB-2HS2448S	3,517	+33
24	54	23 x 52	PB-2HS2454	PB-2HS2454S	3,582	+41
24	60	23 x 58	PB-2HS2460	PB-2HS2460S	3,605	+41
24	66	23 x 64	PB-2HS2466	PB-2HS2466S	3,631	+46
24	72	23 x 70	PB-2HS2472	PB-2HS2472S	3,655	+51
24	78	23 x 76	PB-2HS2478	PB-2HS2478S	3,680	+54
24	84	23 x 82	PB-2HS2484	PB-2HS2484S	3,705	+63
30	48	29 x 46	PB-2HS3048	PB-2HS3048S	3,605	+42
30	54	29 x 52	PB-2HS3054	PB-2HS3054S	3,636	+50
30	60	29 x 58	PB-2HS3060	PB-2HS3060S	3,665	+50
30	66	29 x 64	PB-2HS3066	PB-2HS3066S	3,697	+56
30	72	29 x 70	PB-2HS3072	PB-2HS3072S	3,726	+61
30	78	29 x 76	PB-2HS3078	PB-2HS3078S	3,753	+69
30	84	29 x 84	PB-2HS3084	PB-2HS3084S	3,778	+87




24” Deep (Grommet option)



24” Deep (Scallop)



30” Deep (Grommet option)



30” Deep (Scallop)

Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Paint Selection for Leg (Black, Metallic Silver or White)
- Grommet Locations (+38)
- Grommet Cover Color (if applicable)


Notes

- Worksurface and legs only, PowerBench base must be ordered separately.
- PowerBench HATs are designed to have 1 inch gap behind and 2 inch gap between HATs in a PowerBench run.
- Grommet holes with covers are specified as options.
- Height adjustment range of 26.26” - 45.94”.
- Only for use with Double-Sided H-Leg and Enclosed HAT Base configurations.
- Single and double side tables are not interchangeable due to leg placement and cantilevers.


© 2026, AIS, Inc.

Encounter PowerBench HAT 120, 3 Leg


POWERBENCH 120, 3 LEG					
		with Grommet Options	with Scallop		
Nominal Depth	Nominal Width	Model Number	Model Number	List	Grade C Laminate
24	48x48	PB-YB120H2448	PB-YB120H2448S	5,057	+64
24	54x54	PB-YB120H2454	PB-YB120H2454S	5,194	+70
24	60x60	PB-YB120H2460	PB-YB120H2460S	5,351	+76
30	48x48	PB-YB120H3048	PB-YB120H3048S	5,221	+72
30	54x54	PB-YB120H3054	PB-YB120H3054S	5,376	+81
30	60x60	PB-YB120H3060	PB-YB120H3060S	5,538	+90




24” Deep (Grommet option)



24” Deep (Scallop)



30” Deep (Grommet option)



30” Deep (Scallop)

Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Paint Selection for Leg (Black, Metallic Silver or White)
- Grommet Locations (+38)
- Grommet Cover Color (if applicable)

Notes

- Worksurface and legs only, PowerBench base must be ordered separately.
- PowerBench HATs are designed to have 1 inch gap behind and 2 inch gap between HATs in a PowerBench run.
- Grommet holes with covers are specified as options.
- Only for use with 120 H-Leg and Enclosed HAT Base configurations.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Encounter PowerBench H Leg Single-Sided Kit

POWERBENCH H LEG SINGLE-SIDED KIT


Actual Full Depth	Nominal Worksurface Depth	Nominal Width	with Grommet Options Model Number	with Scallop Model Number	List	Grade C Laminate
26.5	24	48	PB-HSSPS2448	PB-HSSPS2448S	7,516	+33
26.5	24	54	PB-HSSPS2454	PB-HSSPS2454S	7,749	+41
26.5	24	60	PB-HSSPS2460	PB-HSSPS2460S	7,812	+41
26.5	24	66	PB-HSSPS2466	PB-HSSPS2466S	7,949	+46
26.5	24	72	PB-HSSPS2472	PB-HSSPS2472S	8,064	+51
26.5	24	78	PB-HSSPS2478	PB-HSSPS2478S	8,226	+54
26.5	24	84	PB-HSSPS2484	PB-HSSPS2484S	8,368	+63
32.5	30	48	PB-HSSPS3048	PB-HSSPS3048S	7,707	+42
32.5	30	54	PB-HSSPS3054	PB-HSSPS3054S	7,903	+50
32.5	30	60	PB-HSSPS3060	PB-HSSPS3060S	7,974	+50
32.5	30	66	PB-HSSPS3066	PB-HSSPS3066S	8,116	+56
32.5	30	72	PB-HSSPS3072	PB-HSSPS3072S	8,236	+61
32.5	30	78	PB-HSSPS3078	PB-HSSPS3078S	8,397	+69
32.5	30	84	PB-HSSPS3084	PB-HSSPS3084S	8,541	+87




24" Deep (Grommet option)



24" Deep (Scallop)



30" Deep (Grommet option)



30" Deep (Scallop)

Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Paint Selection for Leg (Black, Metallic Silver or White)
- Paint Selection for H-Leg (+25)
- Paint Selection for Beam Spine (+10)
- Grommet Locations (+38)
- Grommet Cover Color (if applicable)

Notes


- Kit includes PowerBeam spine with single-sided power. Includes Connection Kit.
- Height adjustment range of 26.26" - 45.94".
- PowerBench HATs are designed to have 1 inch gap behind and 2 inch gap between HATs in a PowerBench run.
- Compatable with 29H Beam Components.
- Grommet holes with covers are specified as options.
- PowerBench & PowerBeam products include Single Gang Adapter Plate(s). One for Single Sided applications and two for Double Sided applications. Reference E-DJA.
- Single sided Power Beams come with one outlet cover per beam.
  Double Sided Power Beams come with two outlet covers per beam.

© 2026, AIS, Inc.


Encounter PowerBench H Leg Double-Sided Kit

POWERBENCH H LEG DOUBLE-SIDED KIT


Actual Full Depth	Nominal Worksurface Depth	Nominal Width	with Grommet Options Model Number	with Scallop Model Number	List	Grade C Laminate
50.5	24	48	PB-HDSPS4848	PB-HDSPS4848S	11,134	+33
50.5	24	54	PB-HDSPS4854	PB-HDSPS4854S	11,430	+41
50.5	24	60	PB-HDSPS4860	PB-HDSPS4860S	11,517	+41
50.5	24	66	PB-HDSPS4866	PB-HDSPS4866S	11,677	+46
50.5	24	72	PB-HDSPS4872	PB-HDSPS4872S	11,819	+51
50.5	24	78	PB-HDSPS4878	PB-HDSPS4878S	12,005	+54
50.5	24	84	PB-HDSPS4884	PB-HDSPS4884S	12,174	+63
62.5	30	48	PB-HDSPS6048	PB-HDSPS6048S	11,311	+42
62.5	30	54	PB-HDSPS6054	PB-HDSPS6054S	11,538	+50
62.5	30	60	PB-HDSPS6060	PB-HDSPS6060S	11,637	+50
62.5	30	66	PB-HDSPS6066	PB-HDSPS6066S	11,813	+56
62.5	30	72	PB-HDSPS6072	PB-HDSPS6072S	11,962	+61
62.5	30	78	PB-HDSPS6078	PB-HDSPS6078S	12,150	+69
62.5	30	84	PB-HDSPS6084	PB-HDSPS6084S	12,316	+87




24” Deep (Grommet option)



24” Deep (Scallop)



30” Deep (Grommet option)



30” Deep (Scallop)

Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Paint Selection for Leg (Black, Metallic Silver or White)
- Paint Selection for H-Leg (+25)
- Paint Selection for Beam Spine (+10)
- Grommet Locations (+38)
- Grommet Cover Color (if applicable)

Notes

- Kit includes PowerBeam spine with double-sided power. Includes Connection Kit.
- Height adjustment range of 26.26” - 45.94”.
- PowerBench HATs are designed to have 1 inch gap behind and 2 inch gap between HATs in a PowerBench run.
- Compatable with 29H Beam Components.
- Grommet holes with covers are specified as options.
- PowerBench & PowerBeam products include Single Gang Adapter Plate(s). One for Single Sided applications and two for Double Sided applications. Reference E-DJA.
- Single sided Power Beams come with one outlet cover per beam.
  Double Sided Power Beams come with two outlet covers per beam.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Encounter PowerBench H Leg 120 Single-Sided Kit

ENCOUNTER POWERBENCH H LEG 120 SINGLE-SIDED KIT


Actual Full Depth	Nominal Worksurface Depth	Nominal Width	with Grommet Options Model Number	with Scallop Model Number	List	Grade C Laminate
26.5	24	48	PB-H120SPS2448	PB-H120SPS2448S	11,221	+64
26.5	24	54	PB-H120SPS2454	PB-H120SPS2454S	11,691	+70
26.5	24	60	PB-H120SPS2460	PB-H120SPS2460S	11,928	+70
32.5	30	48	PB-H120SPS3048	PB-H120SPS3048S	11,386	+72
32.5	30	54	PB-H120SPS3054	PB-H120SPS3054S	11,873	+80
32.5	30	60	PB-H120SPS3060	PB-H120SPS3060S	12,116	+90




24" Deep (Grommet option)



24" Deep (Scallop)



30" Deep (Grommet option)



30" Deep (Scallop)

Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Paint Selection for Leg (Black, Metallic Silver or White)
- Paint Selection for H-Leg (+25)
- Paint Selection for Beam Spine (+10)
- Grommet Locations (+38)
- Grommet Cover Color (if applicable)

Notes


- Kit includes PowerBeam spine with double-sided power. Includes Connection Kit.
- Height adjustment range of 26.26" - 45.94".
- PowerBench HATs are designed to have 1 inch gap behind and 2 inch gap between HATs in a PowerBench run.
- Compatable with 29H Beam Components.
- Grommet holes with covers are specified as options.
- PowerBench & PowerBeam products include Single Gang Adapter Plate(s). One for Single Sided applications and two for Double Sided applications. Reference E-DJA.
- Single sided Power Beams come with one outlet cover per beam.
  Double Sided Power Beams come with two outlet covers per beam.

© 2026, AIS, Inc.


Encounter PowerBench H Leg 120 Double-Sided Kit

ENCOUNTER POWERBENCH H LEG 120 DOUBLE-SIDED KIT


Actual Full Depth	Nominal Worksurface Depth	Nominal Width	with Grommet Options Model Number	with Scallop Model Number	List	Grade C Laminate
50.5	24	48	PB-H120DPS2448	PB-H120DPS2448S	19,017	+64
50.5	24	54	PB-H120DPS2454	PB-H120DPS2454S	19,792	+70
50.5	24	60	PB-H120DPS2460	PB-H120DPS2460S	20,226	+70
62.5	30	48	PB-H120DPS3048	PB-H120DPS3048S	19,347	+72
62.5	30	54	PB-H120DPS3054	PB-H120DPS3054S	20,157	+81
62.5	30	60	PB-H120DPS3060	PB-H120DPS3060S	20,599	+90




24” Deep (Grommet option)



24” Deep (Scallop)



30” Deep (Grommet option)



30” Deep (Scallop)

Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Paint Selection for Leg (Black, Metallic Silver or White)
- Paint Selection for H-Leg (+25)
- Paint Selection for Beam Spine (+10)
- Grommet Locations (+38)
- Grommet Cover Color (if applicable)

Notes

- Kit includes PowerBeam spine with double-sided power. Includes Connection Kit.
- Height adjustment range of 26.26” - 45.94”.
- PowerBench HATs are designed to have 1 inch gap behind and 2 inch gap between HATs in a PowerBench run.
- Compatable with 29H Beam Components.
- Grommet holes with covers are specified as options.
- PowerBench & PowerBeam products include Single Gang Adapter Plate(s). One for Single Sided applications and two for Double Sided applications. Reference E-DJA.
- Single sided Power Beams come with one outlet cover per beam. Double Sided Power Beams come with two outlet covers per beam.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Encounter PowerBench H Leg 120 Triple-Sided Kit

ENCOUNTER POWERBENCH H LEG 120 TRIPLE-SIDED KIT


Actual Full Depth	Nominal Worksurface Depth	Nominal Width	with Grommet Options Model Number	with Scallop Model Number	List	Grade C Laminate
50.5	24	48	PB-H120TPS2448	PB-H120TPS2448S	24,074	+64
50.5	24	54	PB-H120TPS2454	PB-H120TPS2454S	24,985	+70
50.5	24	60	PB-H120TPS2460	PB-H120TPS2460S	25,574	+70
62.5	30	48	PB-H120TPS3048	PB-H120TPS3048S	24,567	+72
62.5	30	54	PB-H120TPS3054	PB-H120TPS3054S	25,532	+81
62.5	30	60	PB-H120TPS3060	PB-H120TPS3060S	26,136	+90




24" Deep (Grommet option)



24" Deep (Grommet option)



30" Deep (Scallop)



30" Deep (Scallop)

Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Paint Selection for Leg (Black, Metallic Silver or White)
- Paint Selection for H-Leg (+25)
- Paint Selection for Beam Spine (+10)
- Grommet Locations (+38)
- Grommet Cover Color (if applicable)

Notes


- Kit includes PowerBeam spine with double-sided power. Includes Connection Kit.
- Height adjustment range of 26.26" - 45.94".
- PowerBench HATs are designed to have 1 inch gap behind and 2 inch gap between HATs in a PowerBench run.
- Compatable with 29H Beam Components.
- Grommet holes with covers are specified as options.
- PowerBench & PowerBeam products include Single Gang Adapter Plate(s). One for Single Sided applications and two for Double Sided applications. Reference E-DJA.
- Single sided Power Beams come with one outlet cover per beam. Double Sided Power Beams come with two outlet covers per beam.

© 2026, AIS, Inc.

Encounter PowerBench Connection Kit

POWERBENCH CONNECTION KIT

Connection Type	Model Number	List
H Leg	T-BBSCK	48




Specify	Notes
• No color selection	• This part is required to mechanically join two lengths of Spine Beam Kit in a straight line, for a la carte building of PowerBench with H Leg or Laminate Bases. • This part is included in the PowerBench kits, and is not required when designing with these kits.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Endcaps, Supports, Flush Mount Connection Kits and Wall Anchor Brackets

ENDCAP

Model Number	List	Grade C Paint
T-BREC	64	+10



Front Side




Back Side

Specify	Notes
• Paint Selection	• Endcaps are required to cap the end of a spine beam section at the end of a cluster. • Endcaps are not needed when end panels are used.

VERTICAL SUPPORT FOR STORAGE MOUNTING


Model Number	List
T-BVS	173



Specify	Notes
	• Order this support when mounting the end of a spine beam on top of 21h Calibrate storage elements. • This connector can be used shared between two beam sections as long as both sections are sitting on top of a storage element.

FLUSH MOUNT CONNECTION KIT


Model Number	List
T-BVSFLUSH	298




Specify	Notes
	• Order this connector when mounting a beam section flush against the side of a storage element.

BEAM WALL ANCHOR BRACKET

Model Number	List
T-BWAB	129






Specify	Notes
• Paint Selection (Grade C +10)	• Wall Anchors are sold in pairs. Install 2 anchors for each Beam section. • The Wall Anchor is used to provide additional stability where the Beam is stationed directly against a wall. • The Wall Anchor is to be used in addition to post legs, and does not replace them. • The Wall Anchor must be installed to a wall stud or other structural component of the wall. It is the responsibility of the installer to determine a suitable screw for the substrate that it will attach to.

© 2026, AIS, Inc.


90° and 120° Connection Kits

90° CONNECTION KITS


Connection Type	Model Number	List	Grade C Paint
2-Way	T-B2W90C	286	+10
3-Way	T-B3W90C	286	+10
4-Way	T-B4W90C	286	+10



2-Way Connection Kit



3-Way Connection Kit




4-Way Connection Kit


Specify	Notes
• Paint Selection	• 90 degree connection kits join beam sections at 90 degree angles for 2, 3 or 4 beam sections. • Note: All spine beams must be supported by at least one leg per connection.

120° CONNECTION KITS

Connection Type	Model Number	List	Grade C Paint
2-Way	T-B2W120C	286	+10
3-Way	T-B3W120C	286	+10



2-Way Connection Kit



3-Way Connection Kit


Specify	Notes
• Paint Selection	• 120 degree connection kits join beam sections at 120 degree angles for 2 or 3 beam sections. • Note: All spine beams must be supported by at least one leg per connection.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

8 WIRE 4 CIRCUIT

AIS 8 Wire 4 Circuit electrical system contains four circuits. Each circuit is rated at 20 amps/120 volts maximum. Circuit 1, Circuit 2 and Circuit 3 are served by a system neutral and an equipment ground. Circuit 4 is dedicated and is served by its own neutral and ground. Circuit and ground conductors are #12 A.G.W. (gauge). All neutrals are #10 A.G.W. (gauge).




Shown below is a cross section of metal cable used for 8 Wire 4 Circuit jumpers and infeeds. Circuit and ground conductors are #12 A.G.W. (gauge). **All neutrals are #10 A.G.W. (gauge).**



DUPLEX OUTLETS


Duplex Outlets are designated as circuits 1 through 4. Each duplex outlet contains two single receptacles (places to plug into) of the same circuit and are specified separately from powerways. All duplex outlets have black faces. The lettering on outlets for Circuit 1, 2 and 3 is white. The lettering on outlets for Circuit 4 is orange. Outlets are screw mounted to powerway. Duplex outlets are standard 15 amp outlets. For 20 amp outlets, call AIS Customer Service.



Common Equipment Amperages

Personal Computer	2.00 - 4.00
Laser Printer	5.00 - 8.00
Desktop Plotter	1.50
Fan	1.00
Heater	8.50 - 12.50
Tasklight	1.00
Slide Projector	2.00 - 6.00
Coffee Pot	15.00
Paper Shredder	4.40 - 13.00
Radio	0.05
Pencil Sharpener	1.00
Calculator	0.25
Answering Machine	0.08


BASE FEED WIRING SCHEMATIC - 8 WIRE 4 CIRCUIT SYSTEM




© 2026, AIS, Inc.

Electrical Product Details


POWER POLE DIMENSIONS AND CAPACITIES




Power pole with no feed = 97 CAT 6 cables



Power pole with feed with no center barriers = 88 CAT 6 cables



Power pole with feed with center barriers = 64 CAT 6 cables




Power pole with feed with one center barrier = 66 CAT 6 cables

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Duplex Outlets

DUPLEX OUTLETS

Line	Color	Model Number	List
1	Black	E-MW8W4DO1	94
2	Black	E-MW8W4DO2	94
3	Black	E-MW8W4DO3	94
4	Black	E-MW8W4DO4	94
1	White	E-MW8W4DO1-W	94
2	White	E-MW8W4DO2-W	94
3	White	E-MW8W4DO3-W	94
4	White	E-MW8W4DO4-W	94




Notes

- Duplex Outlets are available at designated circuits 1 through 4.
- Each duplex outlet contains two single receptacles (places to plug into) of the same circuit and are specified separately from powerways.
- Available in black or white. The lettering on outlets for Circuit 1, 2 and 3 is white. The lettering on outlets for Circuit 4 is orange.
- Outlets are screw mounted to powerway.
- Duplex outlets are standard 15 amp outlets.
- Can be used with multi-circuit electrical units.

CALIFORNIA TITLE 24 CONTROLLED DUPLEX OUTLETS

Line	Color	Model Number	List
1	Black	E-MW8W4T24DO1	109
2	Black	E-MW8W4T24DO2	109
3	Black	E-MW8W4T24DO3	109
4	Black	E-MW8W4T24DO4	109
1	White	E-MW8W4T24DO1-W	109
2	White	E-MW8W4T24DO2-W	109
3	White	E-MW8W4T24DO3-W	109
4	White	E-MW8W4T24DO4-W	109





Notes


- In California, 50 percent of all outlets in a systems panel cluster or benching cluster, for new construction, MUST be controlled outlets, even if there is no task lighting.
- Customers should plan on using circuits 2 and 3 for controlled circuits, and plan general load for all other items on circuits 1 and 4.
- If using 2 + 2 configuration, controlled circuits should be 1 and 2, and general load circuits on 4 and 5.
- Outlets must have the "controlled" symbol for identification purposes.
- Can be used with multi-circuit electrical units.

© 2026, AIS, Inc.

Duplex Outlets

USB OUTLETS

Line	Color	Model Number	List
1	Black	E-UN8W4USB01	380
2	Black	E-UN8W4USB02	380
3	Black	E-UN8W4USB03	380
4	Black	E-UN8W4USB04	380
1	White	E-UN8W4USB01-W	338
2	White	E-UN8W4USB02-W	338
3	White	E-UN8W4USB03-W	338
4	White	E-UN8W4USB04-W	338




Notes

- USB Outlets bring charging options to panel power distribution systems.
- The USB Outlets provide convenient charging power access through dual ports on the face of the receptacle.
- The USB Outlets offer a total of 2 Amps between two USB charging ports.
- The USB Outlets are UL and FCC Part 15A approved.
- Can be used with multi-circuit electrical units.

DUPLEX OUTLET HOLE COVER

Model Number	List
T-BOC	54



Specify	Notes
• Paint Selection	• Duplex covers are supplied with each powered spine beam. • Order extra covers only when required.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Data Plate Kits and Single Gang Plate Adapter

DATA PLATE KITS

Item	Model Number	List
6 Port Data Gang Plate	E-HDP6B-SM	42
CAT 5e Jack	E-HRJ45-SM	148
CAT 6 Data Jack	E-HXJ6BK-SM	161
Hole Blank (10 Pack)	E-SFBB10-SM	100




Notes

- Single Data Plate Kit has six ports for modular jacks.
- Bezel screws directly to the access box in pre-drilled and tapped hole pattern.
- RJ-45 jacks can be used in place of RJ-11 jacks.
- Single Gang Plate Adapter required for use with Data Plate Kit and must be ordered separately.

SINGLE GANG PLATE ADAPTER

Model Number	List
E-DJA	58



Notes


- Single gang plate adapter required for use with data plate kit.
- PowerBench & PowerBeam beam kits include single gang adapter plate(s): one for single sided applications and two for double sided applications.
- Additional plates must be ordered separately.
- Available only in black.
- Knockout opening size is 3.012”W x 1.860”H.

© 2026, AIS, Inc.

Electrical Jumpers

ELECTRICAL JUMPERS

Actual L	Model Number	List
18	E-MX8W4PTPC18	254
21	E-MX8W4PTPC21	266
24	E-UN8W4VT16	312
30	E-UN8W4J30	330
33	E-HM8W4PJ24	331
37	E-MW8W4PJ18	326
39	E-HM8W4PJ30	331
43	E-MW8W4PJ24	362
45	E-MW8W4PJ24E	377
48	E-UN8W4J48	330
49	E-MW8W4PJ30	388
51	E-MW8W4PJ30E	396
55	E-MW8W4PJ36	399
57	E-MW8W4PJ36E	409
61	E-MW8W4PJ42	412
63	E-MW8W4PJ42E	420
67	E-MW8W4PJ48	444
69	E-MW8W4PJ48E	456
79	E-MW8W4PJ60	478
81	E-MW8W4PJ60E	504
86	E-MW8W4PJ86	547




Notes

- Electrical jumpers are used for connecting powered bench top kits to each other in a plan.
- Electrical jumpers are listed in actual lengths to assist with specification.
- Jumper use is explained in the *Jumper Specification Grid* chart.
- **Important:** Certain areas of Chicago prohibit the use of modular electrical systems and require all electrical components to be hard wired. All electrical components need to be supplied by the electrician.


Encounter PowerBeam Jumper Specification Grid:
Jumper length when joining powered spine beams together.

Bench Width	To 36”	To 42”	To 48”	To 54”	To 60”	To 66”	To 72”	To 78”	To 84”	To 90”	To 96”
From 36”	18	18	21	24	30	30	33	37	39	43	45
From 42”	18	21	24	30	30	33	37	39	43	45	48
From 48”	21	24	30	30	33	37	39	43	45	48	51
From 54”	24	30	30	33	37	39	43	45	48	51	55
From 60”	30	30	33	37	39	43	45	48	51	55	57
From 66”	30	33	37	39	43	45	48	51	55	57	61
From 72”	33	37	39	43	45	48	51	55	57	61	63
From 78”	37	39	43	45	48	51	55	57	61	63	67
From 84”	39	43	45	48	51	55	57	61	63	67	69
from 90”	43	45	48	51	55	57	61	63	67	69	79
From 96”	45	48	51	55	57	61	63	67	69	79	79

Note: Specify the next longest jumper when jumping across 3-way, 4-way, or gallery panel.



3-Way Condition or Gallery Panel - use next longest jumper



4-Way Condition or Gallery Panel - use next longest jumper


Example:
60 wide to 60 wide straight connection = 39” jumper.
60 wide to 60 wide 3-way, 4-way, or Gallery Panel specification would require next size up = 43” jumper

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Base Infeeds, Ceiling Infeeds, Undermount and End Mount Poles

SIDE-MOUNTED BASE INFEEDS

Actual L	Use	Model Number	List
72”	Standard	E-UN8W4BIFS	590
72”	New York City	E-HM8W4BIFSNY	1,169



Notes

- Side-mounted base infeeds provide interface with building power at the end of the power units and mounts to the powerway at jumper location.
- Each base infeed is 6’ in length, encased in “liquid tight”.
- New York City code requires the use of a special base feed with an in-line junction box.

CEILING INFEED

Actual L	Model Number	List
144”	E-UN8W4CIF	689




Notes

- Ceiling infeeds provide interface with building power from a suspended ceiling through a power pole shell.
- Each ceiling feed is 12’ long.
- Power pole shells are ordered separately.

UNDERMOUNT POLES

Type	Model Number	List	Grade C Paint
For 21 High	T-BUMP21	507	+25
For 25 High	T-BUMP25	538	+25
For 29 High	T-BUMP29	564	+25



For 21 High



For 25 High



For 29 High

Specify

- Paint Selection

Notes

- Undermount poles can be used to conceal data and electrical cables running from floor to beam trough.
- Poles “telescope” 2 inches to adjust with legs and have a side access mouse hole.
- Poles are mounted at either end of a beam section but cannot be mounted in middle without cutting an access hole in field.
- Order base feed separately.

END MOUNT POLE

Type	Model Number	List	Grade C Paint
For 21 High	T-BEMP21	1,682	+25
For 25 High	T-BEMP25	1,682	+25
For 29 High	T-BEMP29	1,682	+25

Specify

- Paint Selection

Notes


- End mount poles are used for concealing ceiling infeeds or data cables from a max 11’6” standard suspended ceiling.
- Choose pole that corresponds to the beam height.
- Order ceiling feed separately.
- Poles must be attached to ceiling grids at time of installation. Beam will not support pole alone.
- Poles are not UL listed for splicing cables in pole and are for aesthetic purposes only.

© 2026, AIS, Inc.

Single Circuit Infeeds with Plug

SINGLE CIRCUIT SIDE INFEEDS WITH PLUG

Actual Length	Model Number	List
72”	E-UN8W4SIF72	1,295
120”	E-UN8W4SIF120	1,646



Notes


- Single Circuit infeeds will only provide power to line 1 outlets.
- Single Circuit Infeeds are terminated with a 20 Amp NEMA plug, a 20 Amp to 15 Amp plug adapter is included.
- Capacity for the circuit is 20 Amps, or 15 Amps if using the adapter.
- Never install more than one infeed to a circuit.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Pole Extenders and Power Cord Trays

POWER / DATA POLE EXTENDERS

Actual H	Model Number	List	Grade C Paint
28”	A-PPEX28	358	+10
48”	A-PPEX48	517	+10



Specify	Notes
• Paint Selection	• Power/data pole extender includes one pole section, one cover, one pole coupler and one divider. • Order ceiling feeds separately.

POWER CORD TRAYS

W	Model Number	List	Grade C Paint
36	T-BPCT36	173	+10
42	T-BPCT42	191	+10
48	T-BPCT48	215	+10
54	T-BPCT54	234	+10
60	T-BPCT60	256	+10
66	T-BPCT66	279	+10
72	T-BPCT72	298	+10
78	T-BPCT78	304	+10
84	T-BPCT84	327	+10
90	T-BPCT90	347	+10
96	T-BPCT96	362	+10




Specify	Notes
• Paint Selection	• Power Cord Trays are ordered separately to mount to the spine beam to accommodate users power cords when plugged into beam. • Trays can span more than one beam section and smaller trays can be mounted on longer beams.

© 2026, AIS, Inc.

Wire Managers and Anti-Fatigue Mats

TABLE WIRE MANAGER


Model Number	List
A-WMJC98	174



Specify **Notes**

ANTI-FATIGUE MAT

W	D	Thickness	Model Number	List
34	20	3/4	A-HF342075	259



Notes

- Custom blended medium density polyurethane foam.
- High tear strength polyurethane outer membrane.
- Available in black only.

VERTICAL WIRE MANAGERS

Length	Model Number	List
29	A-VWM29	356
50	A-VWM50	718




Specify **Notes**

- Flexible chain allows for “lay in” of data and power cords.
- 29” long with weighted base perfect for managing cables from floor to underside of fixed height tables.
- 50” long with weighted base perfect for managing cables from floor to underside of height adjustable tables.

DESKING VERTICAL WIRE MANAGER

L	Model Number	List
40	T-TVWM40	513



Specify **Notes**

- Flexible chain allows for “lay in” of data and power cords.
- Spans from underside of height adjustable table to beam or power cord tray.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Encounter PowerBeam Mini Shelf and Bag Hook

ENCOUNTER POWERBEAM MINI SHELF


D	W	Model Number	List	Grade C Paint
6	18	T-BMS18	125	+10



Specify	Notes
• Paint Selection	• Hangs on beam. • 5 lbs max weight capacity.

ENCOUNTER POWERBEAM BAG HOOK


Model Number	List	Grade C Paint
T-BBH	77	+10



Specify	Notes
• Paint Selection	• Measures 1” x 2”. • Hangs on beam. • 10 lbs max weight capacity.

CALIBRATE TRIM RINGS FOR HEIGHT ADJUSTABLE TABLES AND DESKS

Model Number	List
X-PLG2	10




Specify	Notes
• Color selection (Black, White, or Silver)	• HAT trim rings are included with all height adjustable Calibrate products. • Order separately for replacements only.

© 2026, AIS, Inc.

Glass 1/4” Universal Spine Insert Screens

GLASS 1/4” UNIVERSAL SPINE INSERT SCREENS						
H	W	Horizon Planning	Model Number	Clear Glass	Bronze/Gray Glass	Frosted Glass
12	36	42”H	O-3-1236	436	+ 50	+ 182
12	42	42”H	O-3-1242	471	+ 58	+ 212
12	48	42”H	O-3-1248	505	+ 66	+ 242
12	54	42”H	O-3-1254	647	+ 75	+ 273
12	60	42”H	O-3-1260	573	+ 83	+ 303
12	66	42”H	O-3-1266	606	+ 91	+ 333
12	72	42”H	O-3-1272	640	+ 99	+ 363
12	78	42”H	O-3-1278	676	+ 108	+ 394
12	84	42”H	O-3-1284	709	+ 116	+ 424
16	36	46”H	O-3-1636	647	+ 65	+ 236
16	42	46”H	O-3-1642	681	+ 76	+ 276
16	48	46”H	O-3-1648	719	+ 86	+ 316
16	54	46”H	O-3-1654	782	+ 97	+ 355
16	60	46”H	O-3-1660	835	+ 108	+ 394
16	66	46”H	O-3-1666	852	+ 119	+ 434
16	72	46”H	O-3-1672	875	+ 129	+ 473
16	78	46”H	O-3-1678	896	+ 140	+ 513
16	84	46”H	O-3-1684	915	+ 151	+ 552

GLASS 1/4” UNIVERSAL SPINE INSERT SCREENS						
H	W	Horizon Planning	Model Number	Clear Glass	Bronze/Gray Glass	Frosted Glass
20	36	50”H	O-3-2036	606	+ 80	+ 291
20	42	50”H	O-3-2042	691	+ 93	+ 340
20	48	50”H	O-3-2048	753	+ 106	+ 389
20	54	50”H	O-3-2054	815	+ 120	+ 437
20	60	50”H	O-3-2060	878	+ 133	+ 486
20	66	50”H	O-3-2066	942	+ 146	+ 535
20	72	50”H	O-3-2072	1,005	+ 159	+ 583
20	78	50”H	O-3-2078	1,069	+ 173	+ 632
20	84	50”H	O-3-2084	1,132	+ 186	+ 680
24	36	54”H	O-3-2436	586	+ 95	+ 346
24	42	54”H	O-3-2442	647	+ 111	+ 404
24	48	54”H	O-3-2448	710	+ 126	+ 462
24	54	54”H	O-3-2454	773	+ 142	+ 520
24	60	54”H	O-3-2460	835	+ 158	+ 577
24	66	54”H	O-3-2466	898	+ 174	+ 635
24	72	54”H	O-3-2472	958	+ 189	+ 693
24	78	54”H	O-3-2478	1,020	+ 205	+ 751
24	84	54”H	O-3-2484	1,082	+ 221	+ 808



Specify

- Glass Type

Notes

- Universal Spine Insert Screens are designed to up-mount in the spine beam.
- Frosted glass is etched on one side. Patterned glass is patterned vertically as standard. Specials for horizontally patterned glass cannot be manufactured larger than 72” in width.
- Universal Spine Insert Screens can only be used on spine beam sections that are mounted to Calibrate storage elements, supported by end panels or attached to other beams sections at 90 degree or 120 degree angles.
- Glass Universal Spine Insert Screens cannot be used on straight runs with T-feet only.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Glass 3/8” Universal Spine Insert Screens

GLASS 3/8” UNIVERSAL SPINE INSERT SCREENS

H	W	Horizon Planning	Model Number	Clear Glass	Bronze/Gray Glass	Frosted Glass
12	36	42”H	O-SGH1236	715	+ 50	+ 99
12	42	42”H	O-SGH1242	793	+ 58	+ 116
12	48	42”H	O-SGH1248	869	+ 66	+ 132
12	54	42”H	O-SGH1254	948	+ 75	+ 149
12	60	42”H	O-SGH1260	1,024	+ 83	+ 165
12	66	42”H	O-SGH1266	1,103	+ 91	+ 182
12	72	42”H	O-SGH1272	1,180	+ 99	+ 198
12	78	42”H	O-SGH1278	1,258	+ 108	+ 215
12	84	42”H	O-SGH1284	1,334	+ 116	+ 231
16	36	46”H	O-SGH1636	735	+ 65	+ 129
16	42	46”H	O-SGH1642	843	+ 76	+ 151
16	48	46”H	O-SGH1648	955	+ 86	+ 172
16	54	46”H	O-SGH1654	1,038	+ 97	+ 194
16	60	46”H	O-SGH1660	1,075	+ 108	+ 215
16	66	46”H	O-SGH1666	1,191	+ 119	+ 237
16	72	46”H	O-SGH1672	1,278	+ 129	+ 258
16	78	46”H	O-SGH1678	1,304	+ 140	+ 280
16	84	46”H	O-SGH1684	1,382	+ 151	+ 301

GLASS 3/8” UNIVERSAL SPINE INSERT SCREENS

H	W	Horizon Planning	Model Number	Clear Glass	Bronze/Gray Glass	Frosted Glass
20	36	50”H	O-SGH2036	952	+ 80	+ 159
20	42	50”H	O-SGH2042	1,074	+ 93	+ 186
20	48	50”H	O-SGH2048	1,191	+ 106	+ 212
20	54	50”H	O-SGH2054	1,313	+ 120	+ 239
20	60	50”H	O-SGH2060	1,431	+ 133	+ 265
20	66	50”H	O-SGH2066	1,552	+ 146	+ 292
20	72	50”H	O-SGH2072	1,671	+ 159	+ 318
20	78	50”H	O-SGH2078	1,792	+ 173	+ 345
20	84	50”H	O-SGH2084	1,912	+ 186	+ 371
24	36	54”H	O-SGH2436	1,083	+ 95	+ 189
24	42	54”H	O-SGH2442	1,224	+ 111	+ 221
24	48	54”H	O-SGH2448	1,367	+ 126	+ 252
24	54	54”H	O-SGH2454	1,507	+ 142	+ 284
24	60	54”H	O-SGH2460	1,651	+ 158	+ 315
24	66	54”H	O-SGH2466	1,793	+ 174	+ 347
24	72	54”H	O-SGH2472	1,935	+ 189	+ 378
24	78	54”H	O-SGH2478	2,076	+ 205	+ 410
24	84	54”H	O-SGH2484	2,214	+ 221	+ 441



Specify

- Glass Type

Notes


- Universal Spine Insert Screens are designed to up-mount in the spine beam.
- Frosted glass is etched on one side. Patterned glass is patterned vertically as standard. Specials for horizontally patterned glass cannot be manufactured larger than 72” in width.
- Universal Spine Insert Screens can only be used on spine beam sections that are mounted to Calibrate storage elements, supported by end panels or attached to other beams sections at 90 degree or 120 degree angles.
- Glass Universal Spine Insert Screens cannot be used on straight runs with T-feet only.

© 2026, AIS, Inc.

PET Universal Spine Insert Screens

PET UNIVERSAL SPINE INSERT SCREENS				
H	W	Planning	Model Number	List
12	36	42”H	O-5-1236	390
12	42	42”H	O-5-1242	400
12	48	42”H	O-5-1248	414
12	54	42”H	O-5-1254	425
12	60	42”H	O-5-1260	436
12	66	42”H	O-5-1266	449
12	72	42”H	O-5-1272	458
12	78	42”H	O-5-1278	471
12	84	42”H	O-5-1284	482
16	36	46”H	O-5-1636	414
16	42	46”H	O-5-1642	427
16	48	46”H	O-5-1648	443
16	54	46”H	O-5-1654	458
16	60	46”H	O-5-1660	475
16	66	46”H	O-5-1666	490
16	72	46”H	O-5-1672	505
16	78	46”H	O-5-1678	520
16	84	46”H	O-5-1684	535
20	36	50”H	O-5-2036	436
20	42	50”H	O-5-2042	456
20	48	50”H	O-5-2048	475
20	54	50”H	O-5-2054	494
20	60	50”H	O-5-2060	511
20	66	50”H	O-5-2066	531
20	72	50”H	O-5-2072	552
20	78	50”H	O-5-2078	568
20	84	50”H	O-5-2084	590

PET UNIVERSAL SPINE INSERT SCREENS				
H	W	Planning	Model Number	List
24	36	54”H	O-5-2436	458
24	42	54”H	O-5-2442	482
24	48	54”H	O-5-2448	505
24	54	54”H	O-5-2454	527
24	60	54”H	O-5-2460	552
24	66	54”H	O-5-2466	573
24	72	54”H	O-5-2472	595
24	78	54”H	O-5-2478	618
24	84	54”H	O-5-2484	640
28	36	58”H	O-5-2836	482
28	42	58”H	O-5-2842	509
28	48	58”H	O-5-2848	535
28	54	58”H	O-5-2854	562
28	60	58”H	O-5-2860	590
28	66	58”H	O-5-2866	616
28	72	58”H	O-5-2872	640
28	78	58”H	O-5-2878	670
28	84	58”H	O-5-2884	695
32	36	62”H	O-5-3236	505
32	42	62”H	O-5-3242	535
32	48	62”H	O-5-3248	566
32	54	62”H	O-5-3254	595
32	60	62”H	O-5-3260	628
32	66	62”H	O-5-3266	657
32	72	62”H	O-5-3272	686
32	78	62”H	O-5-3278	718
32	84	62”H	O-5-3284	747



Specify

- Color Selection for PET

Notes

- Universal Spine Insert Screens are designed to up-mount in the spine beam.
- Universal Spine Insert Screens can only be used on spine beam sections that are mounted to Calibrate storage elements, supported by end panels or attached to other beams sections at 90 degree or 120 degree angles.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

SINGLE END MOUNTING HEIGHT 21", 25" & 29" GRAIN DIRECTIONS												
HEIGHT	WIDTH											
	24	30	36	42	48	54	60	66	72	78	84	90
29	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal
42	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal
46	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal
50	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal
58	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal

DOUBLE END MOUNTING HEIGHT 21", 25" & 29" GRAIN DIRECTIONS								
HEIGHT	WIDTH							
	48	54	60	66	72	78	84	90
29	Vert./Horz.	Vert./Horz.	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal
42	Vert./Horz.	Vert./Horz.	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal
46	Vert./Horz.	Vert./Horz.	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal
50	Vert./Horz.	Vert./Horz.	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal
58	Vert./Horz.	Vert./Horz.	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal

MID MOUNT MOUNTING HEIGHT 21", 25" & 29" GRAIN DIRECTIONS												
HEIGHT	WIDTH											
	24	30	36	42	48	54	60	66	72	78	84	90
29	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal
42	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal
46	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal
50	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal
58	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal

WING PANEL LEFT AND RIGHT GRAIN DIRECTIONS		
HEIGHT	WIDTH	
	24	30
29	Vert./Horz.	Vert./Horz.
42	Vert./Horz.	Vert./Horz.
46	Vert./Horz.	Vert./Horz.
50	Vertical	Vertical
58	Vertical	Vertical


Note: 58" high panels with 21" Beam mounting height are not available.

© 2026, AIS, Inc.


Product Details

Gallery Panel Examples


Single End
24” - 90” Wide*
Left or Right
**Over 66” Wide needs support*




Double End
48” - 90” Wide




Single End for Wing
48” - 90” Wide
Left or Right




Mid Mount End
24” - 90” Wide*
Left or Right
**Over 66” Wide needs support*
Not compatable with PowerBench




Mid Mount End for Wing
48” - 90” Wide
Left or Right
Not compatable with PowerBench




Single Spine
24” - 90” Wide*
Non-Handed
**Over 66” Wide needs support*




Double Spine
48” - 90” Wide
Non-Handed




Single Spine for Wing
48” - 90” Wide
Left or Right



Mid Mount Spine
24” - 90” Wide*
Non-Handed
**Over 66” Wide needs support*
Not compatable with PowerBench



Mid Mount Spine for Wing
60” - 90” Wide
Left or Right
Not compatable with PowerBench



Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Laminate Gallery Panels – Beam Mount, Single End

21" BEAM MOUNT, HORIZONTAL GRAIN PATTERN – SINGLE END


		Left	Right	
H	W	Model Number	Model Number	List
29	24	T-SLEP292421L	T-SLEP292421R	699
29	30	T-SLEP293021L	T-SLEP293021R	734
29	36	T-SLEP293621L	T-SLEP293621R	753
29	42	T-SLEP294221L	T-SLEP294221R	770
29	48	T-SLEP294821L	T-SLEP294821R	781
29	54	T-SLEP295421L	T-SLEP295421R	793
29	60	T-SLEP296021L	T-SLEP296021R	937
29	66	T-SLEP296621L	T-SLEP296621R	984
29	72	T-SLEP297221L	T-SLEP297221R	1,049
29	78	T-SLEP297821L	T-SLEP297821R	1,111
29	84	T-SLEP298421L	T-SLEP298421R	1,174
29	90	T-SLEP299021L	T-SLEP299021R	1,236
42	24	T-SLEP422421L	T-SLEP422421R	750
42	30	T-SLEP423021L	T-SLEP423021R	810
42	36	T-SLEP423621L	T-SLEP423621R	861
42	42	T-SLEP424221L	T-SLEP424221R	909
42	48	T-SLEP424821L	T-SLEP424821R	963
42	54	T-SLEP425421L	T-SLEP425421R	1,011
42	60	T-SLEP426021L	T-SLEP426021R	1,141
42	66	T-SLEP426621L	T-SLEP426621R	1,228
42	72	T-SLEP427221L	T-SLEP427221R	1,261
42	78	T-SLEP427821L	T-SLEP427821R	1,324
42	84	T-SLEP428421L	T-SLEP428421R	1,372
42	90	T-SLEP429021L	T-SLEP429021R	1,423

21" BEAM MOUNT, HORIZONTAL GRAIN PATTERN – SINGLE END

		Left	Right	
H	W	Model Number	Model Number	List
46	24	T-SLEP462421L	T-SLEP462421R	777
46	30	T-SLEP463021L	T-SLEP463021R	847
46	36	T-SLEP463621L	T-SLEP463621R	913
46	42	T-SLEP464221L	T-SLEP464221R	980
46	48	T-SLEP464821L	T-SLEP464821R	1,051
46	54	T-SLEP465421L	T-SLEP465421R	1,122
46	60	T-SLEP466021L	T-SLEP466021R	1,246
46	66	T-SLEP466621L	T-SLEP466621R	1,346
46	72	T-SLEP467221L	T-SLEP467221R	1,382
46	78	T-SLEP467821L	T-SLEP467821R	1,430
46	84	T-SLEP468421L	T-SLEP468421R	1,471
46	90	T-SLEP469021L	T-SLEP469021R	1,513
50	24	T-SLEP502421L	T-SLEP502421R	802
50	30	T-SLEP503021L	T-SLEP503021R	885
50	36	T-SLEP503621L	T-SLEP503621R	966
50	42	T-SLEP504221L	T-SLEP504221R	1,051
50	48	T-SLEP504821L	T-SLEP504821R	1,139
50	54	T-SLEP505421L	T-SLEP505421R	1,231
50	60	T-SLEP506021L	T-SLEP506021R	1,349
50	66	T-SLEP506621L	T-SLEP506621R	1,465
50	72	T-SLEP507221L	T-SLEP507221R	1,501
50	78	T-SLEP507821L	T-SLEP507821R	1,537
50	84	T-SLEP508421L	T-SLEP508421R	1,571
50	90	T-SLEP509021L	T-SLEP509021R	1,604



Left Hand Shown



Left Hand Shown

Specify

- Laminate with matching edge

Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Any gallery panel that extends more than 60" from the Beam must be tied to storage or similar support.
- Encounter PowerBench only compatible with 29"H.

© 2026, AIS, Inc.


Laminate Gallery Panels – Beam Mount, Single End

25" BEAM MOUNT, HORIZONTAL GRAIN PATTERN – SINGLE END


		Left	Right	
H	W	Model Number	Model Number	List
29	24	T-SLEP292425L	T-SLEP292425R	699
29	30	T-SLEP293025L	T-SLEP293025R	734
29	36	T-SLEP293625L	T-SLEP293625R	753
29	42	T-SLEP294225L	T-SLEP294225R	770
29	48	T-SLEP294825L	T-SLEP294825R	781
29	54	T-SLEP295425L	T-SLEP295425R	793
29	60	T-SLEP296025L	T-SLEP296025R	937
29	66	T-SLEP296625L	T-SLEP296625R	984
29	72	T-SLEP297225L	T-SLEP297225R	1,049
29	78	T-SLEP297825L	T-SLEP297825R	1,111
29	84	T-SLEP298425L	T-SLEP298425R	1,174
29	90	T-SLEP299025L	T-SLEP299025R	1,236
42	24	T-SLEP422425L	T-SLEP422425R	750
42	30	T-SLEP423025L	T-SLEP423025R	810
42	36	T-SLEP423625L	T-SLEP423625R	861
42	42	T-SLEP424225L	T-SLEP424225R	909
42	48	T-SLEP424825L	T-SLEP424825R	963
42	54	T-SLEP425425L	T-SLEP425425R	1,011
42	60	T-SLEP426025L	T-SLEP426025R	1,141
42	66	T-SLEP426625L	T-SLEP426625R	1,228
42	72	T-SLEP427225L	T-SLEP427225R	1,261
42	78	T-SLEP427825L	T-SLEP427825R	1,324
42	84	T-SLEP428425L	T-SLEP428425R	1,372
42	90	T-SLEP429025L	T-SLEP429025R	1,423

25" BEAM MOUNT, HORIZONTAL GRAIN PATTERN – SINGLE END

		Left	Right	
H	W	Model Number	Model Number	List
46	24	T-SLEP462425L	T-SLEP462425R	777
46	30	T-SLEP463025L	T-SLEP463025R	847
46	36	T-SLEP463625L	T-SLEP463625R	913
46	42	T-SLEP464225L	T-SLEP464225R	980
46	48	T-SLEP464825L	T-SLEP464825R	1,051
46	54	T-SLEP465425L	T-SLEP465425R	1,122
46	60	T-SLEP466025L	T-SLEP466025R	1,246
46	66	T-SLEP466625L	T-SLEP466625R	1,346
46	72	T-SLEP467225L	T-SLEP467225R	1,382
46	78	T-SLEP467825L	T-SLEP467825R	1,430
46	84	T-SLEP468425L	T-SLEP468425R	1,471
46	90	T-SLEP469025L	T-SLEP469025R	1,513
50	24	T-SLEP502425L	T-SLEP502425R	802
50	30	T-SLEP503025L	T-SLEP503025R	885
50	36	T-SLEP503625L	T-SLEP503625R	966
50	42	T-SLEP504225L	T-SLEP504225R	1,051
50	48	T-SLEP504825L	T-SLEP504825R	1,139
50	54	T-SLEP505425L	T-SLEP505425R	1,231
50	60	T-SLEP506025L	T-SLEP506025R	1,349
50	66	T-SLEP506625L	T-SLEP506625R	1,465
50	72	T-SLEP507225L	T-SLEP507225R	1,501
50	78	T-SLEP507825L	T-SLEP507825R	1,537
50	84	T-SLEP508425L	T-SLEP508425R	1,571
50	90	T-SLEP509025L	T-SLEP509025R	1,604



Left Hand Shown



Left Hand Shown

Specify

- Laminate with matching edge

Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Any gallery panel that extends more than 60" from the Beam must be tied to storage or similar support.
- Encounter PowerBench only compatible with 29"H.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Laminate Gallery Panels – Beam Mount, Single End

25” BEAM MOUNT, HORIZONTAL GRAIN PATTERN – SINGLE END

		Left	Right	
H	W	Model Number	Model Number	List
58	24	T-SLEP582425L	T-SLEP582425R	895
58	30	T-SLEP583025L	T-SLEP583025R	980
58	36	T-SLEP583625L	T-SLEP583625R	1,056
58	42	T-SLEP584225L	T-SLEP584225R	1,138
58	48	T-SLEP584825L	T-SLEP584825R	1,201
58	54	T-SLEP585425L	T-SLEP585425R	1,264
58	60	T-SLEP586025L	T-SLEP586025R	1,379
58	66	T-SLEP586625L	T-SLEP586625R	1,491
58	72	T-SLEP587225L	T-SLEP587225R	1,603
58	78	T-SLEP587825L	T-SLEP587825R	1,715
58	84	T-SLEP588425L	T-SLEP588425R	1,828
58	90	T-SLEP589025L	T-SLEP589025R	1,941



Left Hand Shown



Left Hand Shown

Specify

- Laminate with matching edge

Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8” between or at the end of Beam sections.
- Any gallery panel that extends more than 60” from the Beam must be tied to storage or similar support.
- Encounter PowerBench only compatible with 29”H.

© 2026, AIS, Inc.


Laminate Gallery Panels – Beam Mount, Single End

29" BEAM MOUNT, HORIZONTAL GRAIN PATTERN – SINGLE END


		Left	Right	
H	W	Model Number	Model Number	List
29	24	T-SLEP292429L	T-SLEP292429R	699
29	30	T-SLEP293029L	T-SLEP293029R	734
29	36	T-SLEP293629L	T-SLEP293629R	753
29	42	T-SLEP294229L	T-SLEP294229R	770
29	48	T-SLEP294829L	T-SLEP294829R	781
29	54	T-SLEP295429L	T-SLEP295429R	793
29	60	T-SLEP296029L	T-SLEP296029R	937
29	66	T-SLEP296629L	T-SLEP296629R	984
29	72	T-SLEP297229L	T-SLEP297229R	1,049
29	78	T-SLEP297829L	T-SLEP297829R	1,111
29	84	T-SLEP298429L	T-SLEP298429R	1,174
29	90	T-SLEP299029L	T-SLEP299029R	1,236
42	24	T-SLEP422429L	T-SLEP422429R	750
42	30	T-SLEP423029L	T-SLEP423029R	810
42	36	T-SLEP423629L	T-SLEP423629R	861
42	42	T-SLEP424229L	T-SLEP424229R	909
42	48	T-SLEP424829L	T-SLEP424829R	963
42	54	T-SLEP425429L	T-SLEP425429R	1,011
42	60	T-SLEP426029L	T-SLEP426029R	1,141
42	66	T-SLEP426629L	T-SLEP426629R	1,228
42	72	T-SLEP427229L	T-SLEP427229R	1,261
42	78	T-SLEP427829L	T-SLEP427829R	1,324
42	84	T-SLEP428429L	T-SLEP428429R	1,372
42	90	T-SLEP429029L	T-SLEP429029R	1,423

29" BEAM MOUNT, HORIZONTAL GRAIN PATTERN

		Left	Right	
H	W	Model Number	Model Number	List
46	24	T-SLEP462429L	T-SLEP462429R	777
46	30	T-SLEP463029L	T-SLEP463029R	847
46	36	T-SLEP463629L	T-SLEP463629R	913
46	42	T-SLEP464229L	T-SLEP464229R	980
46	48	T-SLEP464829L	T-SLEP464829R	1,051
46	54	T-SLEP465429L	T-SLEP465429R	1,122
46	60	T-SLEP466029L	T-SLEP466029R	1,246
46	66	T-SLEP466629L	T-SLEP466629R	1,346
46	72	T-SLEP467229L	T-SLEP467229R	1,382
46	78	T-SLEP467829L	T-SLEP467829R	1,430
46	84	T-SLEP468429L	T-SLEP468429R	1,471
46	90	T-SLEP469029L	T-SLEP469029R	1,513
50	24	T-SLEP502429L	T-SLEP502429R	802
50	30	T-SLEP503029L	T-SLEP503029R	885
50	36	T-SLEP503629L	T-SLEP503629R	966
50	42	T-SLEP504229L	T-SLEP504229R	1,051
50	48	T-SLEP504829L	T-SLEP504829R	1,139
50	54	T-SLEP505429L	T-SLEP505429R	1,231
50	60	T-SLEP506029L	T-SLEP506029R	1,349
50	66	T-SLEP506629L	T-SLEP506629R	1,465
50	72	T-SLEP507229L	T-SLEP507229R	1,501
50	78	T-SLEP507829L	T-SLEP507829R	1,537
50	84	T-SLEP508429L	T-SLEP508429R	1,571
50	90	T-SLEP509029L	T-SLEP509029R	1,604



Left Hand Shown



Left Hand Shown

Specify

- Laminate with matching edge

Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Any gallery panel that extends more than 60" from the Beam must be tied to storage or similar support.
- Encounter PowerBench only compatible with 29"H.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Laminate Gallery Panels – Beam Mount, Single End

29” BEAM MOUNT, HORIZONTAL GRAIN PATTERN – SINGLE END

		Left	Right	
H	W	Model Number	Model Number	List
58	24	T-SLEP582429L	T-SLEP582429R	895
58	30	T-SLEP583029L	T-SLEP583029R	980
58	36	T-SLEP583629L	T-SLEP583629R	1,056
58	42	T-SLEP584229L	T-SLEP584229R	1,138
58	48	T-SLEP584829L	T-SLEP584829R	1,201
58	54	T-SLEP585429L	T-SLEP585429R	1,264
58	60	T-SLEP586029L	T-SLEP586029R	1,379
58	66	T-SLEP586629L	T-SLEP586629R	1,491
58	72	T-SLEP587229L	T-SLEP587229R	1,603
58	78	T-SLEP587829L	T-SLEP587829R	1,715
58	84	T-SLEP588429L	T-SLEP588429R	1,828
58	90	T-SLEP589029L	T-SLEP589029R	1,941



Left Hand Shown



Left Hand Shown

Specify

- Laminate with matching edge

Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8” between or at the end of Beam sections.
- Any gallery panel that extends more than 60” from the Beam must be tied to storage or similar support.
- Encounter PowerBench only compatible with 29”H.

© 2026, AIS, Inc.


Laminate Gallery Panels – Beam Mount, Single End

21" BEAM MOUNT, VERTICAL GRAIN PATTERN – SINGLE END


		Left	Right	
H	W	Model Number	Model Number	List
29	24	T-SLEP292421LV	T-SLEP292421RV	699
29	30	T-SLEP293021LV	T-SLEP293021RV	734
29	36	T-SLEP293621LV	T-SLEP293621RV	753
29	42	T-SLEP294221LV	T-SLEP294221RV	770
29	48	T-SLEP294821LV	T-SLEP294821RV	781
29	54	T-SLEP295421LV	T-SLEP295421RV	793
42	24	T-SLEP422421LV	T-SLEP422421RV	750
42	30	T-SLEP423021LV	T-SLEP423021RV	810
42	36	T-SLEP423621LV	T-SLEP423621RV	861
42	42	T-SLEP424221LV	T-SLEP424221RV	909
42	48	T-SLEP424821LV	T-SLEP424821RV	963
42	54	T-SLEP425421LV	T-SLEP425421RV	1,011

21" BEAM MOUNT, VERTICAL GRAIN PATTERN – SINGLE END

		Left	Right	
H	W	Model Number	Model Number	List
46	24	T-SLEP462421LV	T-SLEP462421RV	777
46	30	T-SLEP463021LV	T-SLEP463021RV	847
46	36	T-SLEP463621LV	T-SLEP463621RV	913
46	42	T-SLEP464221LV	T-SLEP464221RV	980
46	48	T-SLEP464821LV	T-SLEP464821RV	1,051
46	54	T-SLEP465421LV	T-SLEP465421RV	1,122
50	24	T-SLEP502421LV	T-SLEP502421RV	802
50	30	T-SLEP503021LV	T-SLEP503021RV	885
50	36	T-SLEP503621LV	T-SLEP503621RV	966
50	42	T-SLEP504221LV	T-SLEP504221RV	1,051
50	48	T-SLEP504821LV	T-SLEP504821RV	1,139
50	54	T-SLEP505421LV	T-SLEP505421RV	1,231



Left Hand Shown



Left Hand Shown

Specify

- Laminate with matching edge

Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Encounter PowerBench only compatible with 29"H.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Laminate Gallery Panels – Beam Mount, Single End

25” BEAM MOUNT, VERTICAL GRAIN PATTERN – SINGLE END


		Left	Right	
H	W	Model Number	Model Number	List
29	24	T-SLEP292425LV	T-SLEP292425RV	699
29	30	T-SLEP293025LV	T-SLEP293025RV	734
29	36	T-SLEP293625LV	T-SLEP293625RV	753
29	42	T-SLEP294225LV	T-SLEP294225RV	770
29	48	T-SLEP294825LV	T-SLEP294825RV	781
29	54	T-SLEP295425LV	T-SLEP295425RV	793
42	24	T-SLEP422425LV	T-SLEP422425RV	750
42	30	T-SLEP423025LV	T-SLEP423025RV	810
42	36	T-SLEP423625LV	T-SLEP423625RV	861
42	42	T-SLEP424225LV	T-SLEP424225RV	909
42	48	T-SLEP424825LV	T-SLEP424825RV	963
42	54	T-SLEP425425LV	T-SLEP425425RV	1,011
46	24	T-SLEP462425LV	T-SLEP462425RV	777
46	30	T-SLEP463025LV	T-SLEP463025RV	847
46	36	T-SLEP463625LV	T-SLEP463625RV	913
46	42	T-SLEP464225LV	T-SLEP464225RV	980
46	48	T-SLEP464825LV	T-SLEP464825RV	1,051
46	54	T-SLEP465425LV	T-SLEP465425RV	1,122

25” BEAM MOUNT, VERTICAL GRAIN PATTERN – SINGLE END

		Left	Right	
H	W	Model Number	Model Number	List
50	24	T-SLEP502425LV	T-SLEP502425RV	802
50	30	T-SLEP503025LV	T-SLEP503025RV	885
50	36	T-SLEP503625LV	T-SLEP503625RV	966
50	42	T-SLEP504225LV	T-SLEP504225RV	1,051
50	48	T-SLEP504825LV	T-SLEP504825RV	1,139
50	54	T-SLEP505425LV	T-SLEP505425RV	1,231
58	24	T-SLEP582425LV	T-SLEP582425RV	895
58	30	T-SLEP583025LV	T-SLEP583025RV	980
58	36	T-SLEP583625LV	T-SLEP583625RV	1,056
58	42	T-SLEP584225LV	T-SLEP584225RV	1,138
58	48	T-SLEP584825LV	T-SLEP584825RV	1,201
58	54	T-SLEP585425LV	T-SLEP585425RV	1,264



Left Hand Shown



Left Hand Shown

Specify

- Laminate with matching edge

Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8” between or at the end of Beam sections.
- Encounter PowerBench only compatible with 29”H.

© 2026, AIS, Inc.


Laminate Gallery Panels – Beam Mount, Single End

29" BEAM MOUNT, VERTICAL GRAIN PATTERN – SINGLE END


		Left	Right	
H	W	Model Number	Model Number	List
29	24	T-SLEP292429LV	T-SLEP292429RV	699
29	30	T-SLEP293029LV	T-SLEP293029RV	734
29	36	T-SLEP293629LV	T-SLEP293629RV	753
29	42	T-SLEP294229LV	T-SLEP294229RV	770
29	48	T-SLEP294829LV	T-SLEP294829RV	781
29	54	T-SLEP295429LV	T-SLEP295429RV	793
42	24	T-SLEP422429LV	T-SLEP422429RV	750
42	30	T-SLEP423029LV	T-SLEP423029RV	810
42	36	T-SLEP423629LV	T-SLEP423629RV	861
42	42	T-SLEP424229LV	T-SLEP424229RV	909
42	48	T-SLEP424829LV	T-SLEP424829RV	963
42	54	T-SLEP425429LV	T-SLEP425429RV	1,011
46	24	T-SLEP462429LV	T-SLEP462429RV	777
46	30	T-SLEP463029LV	T-SLEP463029RV	847
46	36	T-SLEP463629LV	T-SLEP463629RV	913
46	42	T-SLEP464229LV	T-SLEP464229RV	980
46	48	T-SLEP464829LV	T-SLEP464829RV	1,051
46	54	T-SLEP465429LV	T-SLEP465429RV	1,122

29" BEAM MOUNT, VERTICAL GRAIN PATTERN – SINGLE END

		Left	Right	
H	W	Model Number	Model Number	List
50	24	T-SLEP502429LV	T-SLEP502429RV	802
50	30	T-SLEP503029LV	T-SLEP503029RV	885
50	36	T-SLEP503629LV	T-SLEP503629RV	966
50	42	T-SLEP504229LV	T-SLEP504229RV	1,051
50	48	T-SLEP504829LV	T-SLEP504829RV	1,139
50	54	T-SLEP505429LV	T-SLEP505429RV	1,231
58	24	T-SLEP582429LV	T-SLEP582429RV	895
58	30	T-SLEP583029LV	T-SLEP583029RV	980
58	36	T-SLEP583629LV	T-SLEP583629RV	1,056
58	42	T-SLEP584229LV	T-SLEP584229RV	1,138
58	48	T-SLEP584829LV	T-SLEP584829RV	1,201
58	54	T-SLEP585429LV	T-SLEP585429RV	1,264



Left Hand Shown



Left Hand Shown

Specify

- Laminate with matching edge

Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Encounter PowerBench only compatible with 29"H.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Laminate Gallery Panels – Beam Mount, Double End


21" BEAM MOUNT, HORIZONTAL GRAIN PATTERN – DOUBLE END

H	W	Model Number	List
29	48	T-SLEP294821	781
29	54	T-SLEP295421	793
29	60	T-SLEP296021	937
29	66	T-SLEP296621	984
29	72	T-SLEP297221	1,049
29	78	T-SLEP297821	1,111
29	84	T-SLEP298421	1,174
29	90	T-SLEP299021	1,236
42	48	T-SLEP424821	963
42	54	T-SLEP425421	1,011
42	60	T-SLEP426021	1,141
42	66	T-SLEP426621	1,228
42	72	T-SLEP427221	1,276
42	78	T-SLEP427821	1,324
42	84	T-SLEP428421	1,372
42	90	T-SLEP429021	1,423

21" BEAM MOUNT, HORIZONTAL GRAIN PATTERN – DOUBLE END

H	W	Model Number	List
46	48	T-SLEP464821	1,051
46	54	T-SLEP465421	1,122
46	60	T-SLEP466021	1,246
46	66	T-SLEP466621	1,346
46	72	T-SLEP467221	1,389
46	78	T-SLEP467821	1,430
46	84	T-SLEP468421	1,471
46	90	T-SLEP469021	1,513
50	48	T-SLEP504821	1,139
50	54	T-SLEP505421	1,231
50	60	T-SLEP506021	1,349
50	66	T-SLEP506621	1,465
50	72	T-SLEP507221	1,501
50	78	T-SLEP507821	1,537
50	84	T-SLEP508421	1,571
50	90	T-SLEP509021	1,604





Specify

- Laminate with matching edge

Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Any gallery panel that extends more than 60" from the Beam must be tied to storage or similar support.
- Encounter PowerBench only compatible with 29"H.

© 2026, AIS, Inc.


Laminate Gallery Panels – Beam Mount, Double End


25" BEAM MOUNT, HORIZONTAL GRAIN PATTERN – DOUBLE END

H	W	Model Number	List
29	48	T-SLEP294825	781
29	54	T-SLEP295425	793
29	60	T-SLEP296025	937
29	66	T-SLEP296625	984
29	72	T-SLEP297225	1,049
29	78	T-SLEP297825	1,111
29	84	T-SLEP298425	1,174
29	90	T-SLEP299025	1,236
42	48	T-SLEP424825	963
42	54	T-SLEP425425	1,011
42	60	T-SLEP426025	1,141
42	66	T-SLEP426625	1,228
42	72	T-SLEP427225	1,276
42	78	T-SLEP427825	1,324
42	84	T-SLEP428425	1,372
42	90	T-SLEP429025	1,423
46	48	T-SLEP464825	1,051
46	54	T-SLEP465425	1,122
46	60	T-SLEP466025	1,246
46	66	T-SLEP466625	1,346
46	72	T-SLEP467225	1,389
46	78	T-SLEP467825	1,430
46	84	T-SLEP468425	1,471
46	90	T-SLEP469025	1,513

25" BEAM MOUNT, HORIZONTAL GRAIN PATTERN – DOUBLE END

H	W	Model Number	List
50	48	T-SLEP504825	1,139
50	54	T-SLEP505425	1,231
50	60	T-SLEP506025	1,349
50	66	T-SLEP506625	1,465
50	72	T-SLEP507225	1,501
50	78	T-SLEP507825	1,537
50	84	T-SLEP508425	1,571
50	90	T-SLEP509025	1,604
58	48	T-SLEP584825	1,201
58	54	T-SLEP585425	1,264
58	60	T-SLEP586025	1,379
58	66	T-SLEP586625	1,491
58	72	T-SLEP587225	1,603
58	78	T-SLEP587825	1,715
58	84	T-SLEP588425	1,828
58	90	T-SLEP589025	1,941





Specify

- Laminate with matching edge

Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Any gallery panel that extends more than 60" from the Beam must be tied to storage or similar support.
- Encounter PowerBench only compatible with 29"H.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Laminate Gallery Panels – Beam Mount, Double End


29” BEAM MOUNT, HORIZONTAL GRAIN PATTERN – DOUBLE END

H	W	Model Number	List
29	48	T-SLEP294829	781
29	54	T-SLEP295429	793
29	60	T-SLEP296029	937
29	66	T-SLEP296629	984
29	72	T-SLEP297229	1,049
29	78	T-SLEP297829	1,111
29	84	T-SLEP298429	1,174
29	90	T-SLEP299029	1,236
42	48	T-SLEP424829	963
42	54	T-SLEP425429	1,011
42	60	T-SLEP426029	1,141
42	66	T-SLEP426629	1,228
42	72	T-SLEP427229	1,276
42	78	T-SLEP427829	1,324
42	84	T-SLEP428429	1,372
42	90	T-SLEP429029	1,423
46	48	T-SLEP464829	1,051
46	54	T-SLEP465429	1,122
46	60	T-SLEP466029	1,246
46	66	T-SLEP466629	1,346
46	72	T-SLEP467229	1,389
46	78	T-SLEP467829	1,430
46	84	T-SLEP468429	1,471
46	90	T-SLEP469029	1,513

29” BEAM MOUNT, HORIZONTAL GRAIN PATTERN – DOUBLE END

H	W	Model Number	List
50	48	T-SLEP504829	1,139
50	54	T-SLEP505429	1,231
50	60	T-SLEP506029	1,349
50	66	T-SLEP506629	1,465
50	72	T-SLEP507229	1,501
50	78	T-SLEP507829	1,537
50	84	T-SLEP508429	1,571
50	90	T-SLEP509029	1,604
58	48	T-SLEP584829	1,201
58	54	T-SLEP585429	1,264
58	60	T-SLEP586029	1,379
58	66	T-SLEP586629	1,491
58	72	T-SLEP587229	1,603
58	78	T-SLEP587829	1,715
58	84	T-SLEP588429	1,828
58	90	T-SLEP589029	1,941





Specify

- Laminate with matching edge

Notes


- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8” between or at the end of Beam sections.
- Any gallery panel that extends more than 60” from the Beam must be tied to storage or similar support.
- Encounter PowerBench only compatible with 29”H.


© 2026, AIS, Inc.

Laminate Gallery Panels – Beam Mount, Double End

21” BEAM MOUNT, VERTICAL GRAIN PATTERN – DOUBLE END

H	W	Model Number	List
29	48	T-SLEP294821V	781
29	54	T-SLEP295421V	793
42	48	T-SLEP424821V	963
42	54	T-SLEP425421V	1,011
46	48	T-SLEP464821V	1,051
46	54	T-SLEP465421V	1,122
50	48	T-SLEP504821V	1,139
50	54	T-SLEP505421V	1,231






Specify	Notes
• Laminate with matching edge	• Cannot be used freestanding, must be attached to a Beam. • Encounter PowerBeam gallery panels are ordered specific to Beam height. • Gallery panels add 1 1/8” between or at the end of Beam sections. • Encounter PowerBench only compatible with 29”H.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Laminate Gallery Panels – Beam Mount, Double End

25” BEAM MOUNT, VERTICAL GRAIN PATTERN – DOUBLE END

H	W	Model Number	List
29	48	T-SLEP294825V	781
29	54	T-SLEP295425V	793
42	48	T-SLEP424825V	963
42	54	T-SLEP425425V	1,011
46	48	T-SLEP464825V	1,051
46	54	T-SLEP465425V	1,122
50	48	T-SLEP504825V	1,139
50	54	T-SLEP505425V	1,231
58	48	T-SLEP584825V	1,201
58	54	T-SLEP585425V	1,264






Specify	Notes
• Laminate with matching edge	• Cannot be used freestanding, must be attached to a Beam. • Encounter PowerBeam gallery panels are ordered specific to Beam height. • Gallery panels add 1 1/8” between or at the end of Beam sections. • Encounter PowerBench only compatible with 29”H.


© 2026, AIS, Inc.

Laminate Gallery Panels – Beam Mount, Double End

29” BEAM MOUNT, VERTICAL GRAIN PATTERN – DOUBLE END

H	W	Model Number	List
29	48	T-SLEP294829V	781
29	54	T-SLEP295429V	793
42	48	T-SLEP424829V	963
42	54	T-SLEP425429V	1,011
46	48	T-SLEP464829V	1,051
46	54	T-SLEP465429V	1,122
50	48	T-SLEP504829V	1,139
50	54	T-SLEP505429V	1,231
58	48	T-SLEP584829V	1,201
58	54	T-SLEP585429V	1,264





Specify	Notes
• Laminate with matching edge	• Cannot be used freestanding, must be attached to a Beam. • Encounter PowerBeam gallery panels are ordered specific to Beam height. • Gallery panels add 1 1/8” between or at the end of Beam sections. • Encounter PowerBench only compatible with 29”H.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

© 2026, AIS, Inc.


Laminate Gallery Panels – Beam Mount for Wing, Single End

21" BEAM MOUNT FOR WING, HORIZONTAL GRAIN PATTERN – SINGLE END


		Left	Right	
H	W	Model Number	Model Number	List
29	48	T-SLPW294821L	T-SLPW294821R	819
29	54	T-SLPW295421L	T-SLPW295421R	831
29	60	T-SLPW296021L	T-SLPW296021R	977
29	66	T-SLPW296621L	T-SLPW296621R	1,023
29	72	T-SLPW297221L	T-SLPW297221R	1,088
29	78	T-SLPW297821L	T-SLPW297821R	1,152
29	84	T-SLPW298421L	T-SLPW298421R	1,215
29	90	T-SLPW299021L	T-SLPW299021R	1,278
42	48	T-SLPW424821L	T-SLPW424821R	1,002
42	54	T-SLPW425421L	T-SLPW425421R	1,050
42	60	T-SLPW426021L	T-SLPW426021R	1,181
42	66	T-SLPW426621L	T-SLPW426621R	1,264
42	72	T-SLPW427221L	T-SLPW427221R	1,314
42	78	T-SLPW427821L	T-SLPW427821R	1,362
42	84	T-SLPW428421L	T-SLPW428421R	1,412
42	90	T-SLPW429021L	T-SLPW429021R	1,462

21" BEAM MOUNT FOR WING, HORIZONTAL GRAIN PATTERN – SINGLE END

		Left	Right	
H	W	Model Number	Model Number	List
46	48	T-SLPW464821L	T-SLPW464821R	1,090
46	54	T-SLPW465421L	T-SLPW465421R	1,160
46	60	T-SLPW466021L	T-SLPW466021R	1,285
46	66	T-SLPW466621L	T-SLPW466621R	1,385
46	72	T-SLPW467221L	T-SLPW467221R	1,427
46	78	T-SLPW467821L	T-SLPW467821R	1,469
46	84	T-SLPW468421L	T-SLPW468421R	1,510
46	90	T-SLPW469021L	T-SLPW469021R	1,553
50	48	T-SLPW504821L	T-SLPW504821R	1,180
50	54	T-SLPW505421L	T-SLPW505421R	1,272
50	60	T-SLPW506021L	T-SLPW506021R	1,389
50	66	T-SLPW506621L	T-SLPW506621R	1,505
50	72	T-SLPW507221L	T-SLPW507221R	1,541
50	78	T-SLPW507821L	T-SLPW507821R	1,575
50	84	T-SLPW508421L	T-SLPW508421R	1,609
50	90	T-SLPW509021L	T-SLPW509021R	1,641



Left Hand Shown



Left Hand Shown

Specify

- Laminate with matching edge

Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Any gallery panel that extends more than 60" from the Beam must be tied to storage or similar support.
- Encounter PowerBench only compatible with 29"H.

© 2026, AIS, Inc.


Laminate Gallery Panels – Beam Mount for Wing, Single End

25" BEAM MOUNT FOR WING, HORIZONTAL GRAIN PATTERN – SINGLE END


		Left	Right	
H	W	Model Number	Model Number	List
29	48	T-SLPW294825L	T-SLPW294825R	819
29	54	T-SLPW295425L	T-SLPW295425R	831
29	60	T-SLPW296025L	T-SLPW296025R	977
29	66	T-SLPW296625L	T-SLPW296625R	1,023
29	72	T-SLPW297225L	T-SLPW297225R	1,088
29	78	T-SLPW297825L	T-SLPW297825R	1,152
29	84	T-SLPW298425L	T-SLPW298425R	1,215
29	90	T-SLPW299025L	T-SLPW299025R	1,278
42	48	T-SLPW424825L	T-SLPW424825R	1,002
42	54	T-SLPW425425L	T-SLPW425425R	1,050
42	60	T-SLPW426025L	T-SLPW426025R	1,181
42	66	T-SLPW426625L	T-SLPW426625R	1,264
42	72	T-SLPW427225L	T-SLPW427225R	1,314
42	78	T-SLPW427825L	T-SLPW427825R	1,362
42	84	T-SLPW428425L	T-SLPW428425R	1,412
42	90	T-SLPW429025L	T-SLPW429025R	1,462
46	48	T-SLPW464825L	T-SLPW464825R	1,090
46	54	T-SLPW465425L	T-SLPW465425R	1,160
46	60	T-SLPW466025L	T-SLPW466025R	1,285
46	66	T-SLPW466625L	T-SLPW466625R	1,385
46	72	T-SLPW467225L	T-SLPW467225R	1,427
46	78	T-SLPW467825L	T-SLPW467825R	1,469
46	84	T-SLPW468425L	T-SLPW468425R	1,510
46	90	T-SLPW469025L	T-SLPW469025R	1,553

25" BEAM MOUNT FOR WING, HORIZONTAL GRAIN PATTERN – SINGLE END

		Left	Right	
H	W	Model Number	Model Number	List
50	48	T-SLPW504825L	T-SLPW504825R	1,180
50	54	T-SLPW505425L	T-SLPW505425R	1,272
50	60	T-SLPW506025L	T-SLPW506025R	1,389
50	66	T-SLPW506625L	T-SLPW506625R	1,505
50	72	T-SLPW507225L	T-SLPW507225R	1,541
50	78	T-SLPW507825L	T-SLPW507825R	1,575
50	84	T-SLPW508425L	T-SLPW508425R	1,609
50	90	T-SLPW509025L	T-SLPW509025R	1,641
58	48	T-SLPW584825L	T-SLPW584825R	1,243
58	54	T-SLPW585425L	T-SLPW585425R	1,304
58	60	T-SLPW586025L	T-SLPW586025R	1,418
58	66	T-SLPW586625L	T-SLPW586625R	1,528
58	72	T-SLPW587225L	T-SLPW587225R	1,640
58	78	T-SLPW587825L	T-SLPW587825R	1,755
58	84	T-SLPW588425L	T-SLPW588425R	1,868
58	90	T-SLPW589025L	T-SLPW589025R	1,979



Left Hand Shown



Left Hand Shown

Specify

- Laminate with matching edge

Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Any gallery panel that extends more than 60" from the Beam must be tied to storage or similar support.
- Encounter PowerBench only compatible with 29"H.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Laminate Gallery Panels – Beam Mount for Wing, Single End

29" BEAM MOUNT FOR WING, HORIZONTAL GRAIN PATTERN – SINGLE END


		Left	Right	
H	W	Model Number	Model Number	List
29	48	T-SLPW294829L	T-SLPW294829R	819
29	54	T-SLPW295429L	T-SLPW295429R	831
29	60	T-SLPW296029L	T-SLPW296029R	977
29	66	T-SLPW296629L	T-SLPW296629R	1,023
29	72	T-SLPW297229L	T-SLPW297229R	1,088
29	78	T-SLPW297829L	T-SLPW297829R	1,152
29	84	T-SLPW298429L	T-SLPW298429R	1,215
29	90	T-SLPW299029L	T-SLPW299029R	1,278
42	48	T-SLPW424829L	T-SLPW424829R	1,002
42	54	T-SLPW425429L	T-SLPW425429R	1,050
42	60	T-SLPW426029L	T-SLPW426029R	1,181
42	66	T-SLPW426629L	T-SLPW426629R	1,264
42	72	T-SLPW427229L	T-SLPW427229R	1,314
42	78	T-SLPW427829L	T-SLPW427829R	1,362
42	84	T-SLPW428429L	T-SLPW428429R	1,412
42	90	T-SLPW429029L	T-SLPW429029R	1,462
46	48	T-SLPW464829L	T-SLPW464829R	1,090
46	54	T-SLPW465429L	T-SLPW465429R	1,160
46	60	T-SLPW466029L	T-SLPW466029R	1,285
46	66	T-SLPW466629L	T-SLPW466629R	1,385
46	72	T-SLPW467229L	T-SLPW467229R	1,427
46	78	T-SLPW467829L	T-SLPW467829R	1,469
46	84	T-SLPW468429L	T-SLPW468429R	1,510
46	90	T-SLPW469029L	T-SLPW469029R	1,553

29" BEAM MOUNT FOR WING, HORIZONTAL GRAIN PATTERN – SINGLE END

		Left	Right	
H	W	Model Number	Model Number	List
50	48	T-SLPW504829L	T-SLPW504829R	1,180
50	54	T-SLPW505429L	T-SLPW505429R	1,272
50	60	T-SLPW506029L	T-SLPW506029R	1,389
50	66	T-SLPW506629L	T-SLPW506629R	1,505
50	72	T-SLPW507229L	T-SLPW507229R	1,541
50	78	T-SLPW507829L	T-SLPW507829R	1,575
50	84	T-SLPW508429L	T-SLPW508429R	1,609
50	90	T-SLPW509029L	T-SLPW509029R	1,641
58	48	T-SLPW584829L	T-SLPW584829R	1,243
58	54	T-SLPW585429L	T-SLPW585429R	1,304
58	60	T-SLPW586029L	T-SLPW586029R	1,418
58	66	T-SLPW586629L	T-SLPW586629R	1,528
58	72	T-SLPW587229L	T-SLPW587229R	1,640
58	78	T-SLPW587829L	T-SLPW587829R	1,755
58	84	T-SLPW588429L	T-SLPW588429R	1,868
58	90	T-SLPW589029L	T-SLPW589029R	1,979



Left Hand Shown



Left Hand Shown

Specify

- Laminate with matching edge

Notes


- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Any gallery panel that extends more than 60" from the Beam must be tied to storage or similar support.
- Encounter PowerBench only compatible with 29"H.

© 2026, AIS, Inc.


Laminate Gallery Panels – Beam Mount for Wing, Single End

21" BEAM MOUNT FOR WING, VERTICAL GRAIN PATTERN – SINGLE END

		Left	Right	
H	W	Model Number	Model Number	List
29	48	T-SLPW294821LV	T-SLPW294821RV	819
29	54	T-SLPW295421LV	T-SLPW295421RV	831
42	48	T-SLPW424821LV	T-SLPW424821RV	1,002
42	54	T-SLPW425421LV	T-SLPW425421RV	1,050
46	48	T-SLPW464821LV	T-SLPW464821RV	1,090
46	54	T-SLPW465421LV	T-SLPW465421RV	1,160
50	48	T-SLPW504821LV	T-SLPW504821RV	1,180
50	54	T-SLPW505421LV	T-SLPW505421RV	1,272



Left Hand Shown



Left Hand Shown

Specify	Notes
• Laminate with matching edge	• Cannot be used freestanding, must be attached to a Beam. • Encounter PowerBeam gallery panels are ordered specific to Beam height. • Gallery panels add 1 1/8" between or at the end of Beam sections. • Encounter PowerBench only compatible with 29"H.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Laminate Gallery Panels – Beam Mount for Wing, Single End

25” BEAM MOUNT FOR WING, VERTICAL GRAIN PATTERN – SINGLE END

		Left	Right	
H	W	Model Number	Model Number	List
29	48	T-SLPW294825LV	T-SLPW294825RV	819
29	54	T-SLPW295425LV	T-SLPW295425RV	831
42	48	T-SLPW424825LV	T-SLPW424825RV	1,002
42	54	T-SLPW425425LV	T-SLPW425425RV	1,050
46	48	T-SLPW464825LV	T-SLPW464825RV	1,090
46	54	T-SLPW465425LV	T-SLPW465425RV	1,160
50	48	T-SLPW504825LV	T-SLPW504825RV	1,180
50	54	T-SLPW505425LV	T-SLPW505425RV	1,272
58	48	T-SLPW584825LV	T-SLPW584825RV	1,243
58	54	T-SLPW585425LV	T-SLPW585425RV	1,304



Left Hand Shown



Left Hand Shown

Specify

- Laminate with matching edge

Notes


- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8” between or at the end of Beam sections.
- Encounter PowerBench only compatible with 29”H.

© 2026, AIS, Inc.


Laminate Gallery Panels – Beam Mount for Wing, Single End

29” BEAM MOUNT FOR WING, VERTICAL GRAIN PATTERN – SINGLE END

		Left	Right	
H	W	Model Number	Model Number	List
29	48	T-SLPW294829LV	T-SLPW294829RV	819
29	54	T-SLPW295429LV	T-SLPW295429RV	831
42	48	T-SLPW424829LV	T-SLPW424829RV	1,002
42	54	T-SLPW425429LV	T-SLPW425429RV	1,050
46	48	T-SLPW464829LV	T-SLPW464829RV	1,090
46	54	T-SLPW465429LV	T-SLPW465429RV	1,160
50	48	T-SLPW504829LV	T-SLPW504829RV	1,180
50	54	T-SLPW505429LV	T-SLPW505429RV	1,272
58	48	T-SLPW584829LV	T-SLPW584829RV	1,243
58	54	T-SLPW585429LV	T-SLPW585429RV	1,304



Left Hand Shown



Left Hand Shown

Specify

- Laminate with matching edge

Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8” between or at the end of Beam sections.
- Encounter PowerBench only compatible with 29”H.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Laminate Gallery Panels – Mid Mount End

21" MID MOUNT END, HORIZONTAL GRAIN PATTERN


		Left	Right	
H	W	Model Number	Model Number	List
29	24	T-SLM292421L	T-SLM292421R	699
29	30	T-SLM293021L	T-SLM293021R	734
29	36	T-SLM293621L	T-SLM293621R	753
29	42	T-SLM294221L	T-SLM294221R	770
29	48	T-SLM294821L	T-SLM294821R	781
29	54	T-SLM295421L	T-SLM295421R	793
29	60	T-SLM296021L	T-SLM296021R	937
29	66	T-SLM296621L	T-SLM296621R	984
29	72	T-SLM297221L	T-SLM297221R	1,049
29	78	T-SLM297821L	T-SLM297821R	1,111
29	84	T-SLM298421L	T-SLM298421R	1,174
29	90	T-SLM299021L	T-SLM299021R	1,236
42	24	T-SLM422421L	T-SLM422421R	750
42	30	T-SLM423021L	T-SLM423021R	810
42	36	T-SLM423621L	T-SLM423621R	861
42	42	T-SLM424221L	T-SLM424221R	909
42	48	T-SLM424821L	T-SLM424821R	963
42	54	T-SLM425421L	T-SLM425421R	1,011
42	60	T-SLM426021L	T-SLM426021R	1,141
42	66	T-SLM426621L	T-SLM426621R	1,228
42	72	T-SLM427221L	T-SLM427221R	1,276
42	78	T-SLM427821L	T-SLM427821R	1,324
42	84	T-SLM428421L	T-SLM428421R	1,372
42	90	T-SLM429021L	T-SLM429021R	1,423

21" MID MOUNT END, HORIZONTAL GRAIN PATTERN

		Left	Right	
H	W	Model Number	Model Number	List
46	24	T-SLM462421L	T-SLM462421R	749
46	30	T-SLM463021L	T-SLM463021R	810
46	36	T-SLM463621L	T-SLM463621R	861
46	42	T-SLM464221L	T-SLM464221R	911
46	48	T-SLM464821L	T-SLM464821R	961
46	54	T-SLM465421L	T-SLM465421R	1,011
46	60	T-SLM466021L	T-SLM466021R	1,143
46	66	T-SLM466621L	T-SLM466621R	1,224
46	72	T-SLM467221L	T-SLM467221R	1,315
46	78	T-SLM467821L	T-SLM467821R	1,404
46	84	T-SLM468421L	T-SLM468421R	1,494
46	90	T-SLM469021L	T-SLM469021R	1,584
50	24	T-SLM502421L	T-SLM502421R	802
50	30	T-SLM503021L	T-SLM503021R	885
50	36	T-SLM503621L	T-SLM503621R	966
50	42	T-SLM504221L	T-SLM504221R	1,051
50	48	T-SLM504821L	T-SLM504821R	1,139
50	54	T-SLM505421L	T-SLM505421R	1,231
50	60	T-SLM506021L	T-SLM506021R	1,349
50	66	T-SLM506621L	T-SLM506621R	1,465
50	72	T-SLM507221L	T-SLM507221R	1,583
50	78	T-SLM507821L	T-SLM507821R	1,699
50	84	T-SLM508421L	T-SLM508421R	1,814
50	90	T-SLM509021L	T-SLM509021R	1,930



Left Hand Shown



Specify

- Select paint
- Laminate with matching edge

Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Any gallery panel that extends more than 60" from the Beam must be tied to storage or similar support.
- Mid mounts are not compatible with PowerBench.

© 2026, AIS, Inc.


Laminate Gallery Panels – Mid Mount End

25” MID MOUNT END, HORIZONTAL GRAIN PATTERN


		Left	Right	
H	W	Model Number	Model Number	List
29	24	T-SLM292425L	T-SLM292425R	699
29	30	T-SLM293025L	T-SLM293025R	734
29	36	T-SLM293625L	T-SLM293625R	753
29	42	T-SLM294225L	T-SLM294225R	770
29	48	T-SLM294825L	T-SLM294825R	781
29	54	T-SLM295425L	T-SLM295425R	793
29	60	T-SLM296025L	T-SLM296025R	937
29	66	T-SLM296625L	T-SLM296625R	984
29	72	T-SLM297225L	T-SLM297225R	1,049
29	78	T-SLM297825L	T-SLM297825R	1,111
29	84	T-SLM298425L	T-SLM298425R	1,174
29	90	T-SLM299025L	T-SLM299025R	1,236
42	24	T-SLM422425L	T-SLM422425R	750
42	30	T-SLM423025L	T-SLM423025R	810
42	36	T-SLM423625L	T-SLM423625R	861
42	42	T-SLM424225L	T-SLM424225R	909
42	48	T-SLM424825L	T-SLM424825R	963
42	54	T-SLM425425L	T-SLM425425R	1,011
42	60	T-SLM426025L	T-SLM426025R	1,141
42	66	T-SLM426625L	T-SLM426625R	1,228
42	72	T-SLM427225L	T-SLM427225R	1,276
42	78	T-SLM427825L	T-SLM427825R	1,324
42	84	T-SLM428425L	T-SLM428425R	1,372
42	90	T-SLM429025L	T-SLM429025R	1,423

25” MID MOUNT END, HORIZONTAL GRAIN PATTERN

		Left	Right	
H	W	Model Number	Model Number	List
46	24	T-SLM462425L	T-SLM462425R	749
46	30	T-SLM463025L	T-SLM463025R	810
46	36	T-SLM463625L	T-SLM463625R	861
46	42	T-SLM464225L	T-SLM464225R	911
46	48	T-SLM464825L	T-SLM464825R	961
46	54	T-SLM465425L	T-SLM465425R	1,011
46	60	T-SLM466025L	T-SLM466025R	1,143
46	66	T-SLM466625L	T-SLM466625R	1,224
46	72	T-SLM467225L	T-SLM467225R	1,315
46	78	T-SLM467825L	T-SLM467825R	1,404
46	84	T-SLM468425L	T-SLM468425R	1,494
46	90	T-SLM469025L	T-SLM469025R	1,584
50	24	T-SLM502425L	T-SLM502425R	802
50	30	T-SLM503025L	T-SLM503025R	885
50	36	T-SLM503625L	T-SLM503625R	966
50	42	T-SLM504225L	T-SLM504225R	1,051
50	48	T-SLM504825L	T-SLM504825R	1,139
50	54	T-SLM505425L	T-SLM505425R	1,231
50	60	T-SLM506025L	T-SLM506025R	1,349
50	66	T-SLM506625L	T-SLM506625R	1,465
50	72	T-SLM507225L	T-SLM507225R	1,583
50	78	T-SLM507825L	T-SLM507825R	1,699
50	84	T-SLM508425L	T-SLM508425R	1,814
50	90	T-SLM509025L	T-SLM509025R	1,930



Left Hand Shown



Specify

- Select paint
- Laminate with matching edge

Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8” between or at the end of Beam sections.
- Any gallery panel that extends more than 60” from the Beam must be tied to storage or similar support.
- Mid mounts are not compatible with PowerBench.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Laminate Gallery Panels – Mid Mount End

25” MID MOUNT END, HORIZONTAL GRAIN PATTERN

		Left	Right	
H	W	Model Number	Model Number	List
58	24	T-SLM582425L	T-SLM582425R	895
58	30	T-SLM583025L	T-SLM583025R	980
58	36	T-SLM583625L	T-SLM583625R	1,056
58	42	T-SLM584225L	T-SLM584225R	1,138
58	48	T-SLM584825L	T-SLM584825R	1,201
58	54	T-SLM585425L	T-SLM585425R	1,264
58	60	T-SLM586025L	T-SLM586025R	1,379
58	66	T-SLM586625L	T-SLM586625R	1,491
58	72	T-SLM587225L	T-SLM587225R	1,604
58	78	T-SLM587825L	T-SLM587825R	1,718
58	84	T-SLM588425L	T-SLM588425R	1,830
58	90	T-SLM589025L	T-SLM589025R	1,943



Left Hand Shown



Specify	Notes
• Select paint	• Cannot be used freestanding, must be attached to a Beam.
• Laminate with matching edge	• Encounter PowerBeam gallery panels are ordered specific to Beam height.
	• Gallery panels add 1 1/8” between or at the end of Beam sections.
	• Any gallery panel that extends more than 60” from the Beam must be tied to storage or similar support.
	• Mid mounts are not compatible with PowerBench.

© 2026, AIS, Inc.


Laminate Gallery Panels – Mid Mount End

29" MID MOUNT END, HORIZONTAL GRAIN PATTERN


H	W	Left Model Number	Right Model Number	List
29	24	T-SLM292429L	T-SLM292429R	699
29	30	T-SLM293029L	T-SLM293029R	734
29	36	T-SLM293629L	T-SLM293629R	753
29	42	T-SLM294229L	T-SLM294229R	770
29	48	T-SLM294829L	T-SLM294829R	781
29	54	T-SLM295429L	T-SLM295429R	793
29	60	T-SLM296029L	T-SLM296029R	937
29	66	T-SLM296629L	T-SLM296629R	984
29	72	T-SLM297229L	T-SLM297229R	1,049
29	78	T-SLM297829L	T-SLM297829R	1,111
29	84	T-SLM298429L	T-SLM298429R	1,174
29	90	T-SLM299029L	T-SLM299029R	1,236
42	24	T-SLM422429L	T-SLM422429R	750
42	30	T-SLM423029L	T-SLM423029R	810
42	36	T-SLM423629L	T-SLM423629R	861
42	42	T-SLM424229L	T-SLM424229R	909
42	48	T-SLM424829L	T-SLM424829R	963
42	54	T-SLM425429L	T-SLM425429R	1,011
42	60	T-SLM426029L	T-SLM426029R	1,141
42	66	T-SLM426629L	T-SLM426629R	1,228
42	72	T-SLM427229L	T-SLM427229R	1,276
42	78	T-SLM427829L	T-SLM427829R	1,324
42	84	T-SLM428429L	T-SLM428429R	1,372
42	90	T-SLM429029L	T-SLM429029R	1,423

29" MID MOUNT END, HORIZONTAL GRAIN PATTERN

H	W	Left Model Number	Right Model Number	List
46	24	T-SLM462429L	T-SLM462429R	749
46	30	T-SLM463029L	T-SLM463029R	810
46	36	T-SLM463629L	T-SLM463629R	861
46	42	T-SLM464229L	T-SLM464229R	911
46	48	T-SLM464829L	T-SLM464829R	961
46	54	T-SLM465429L	T-SLM465429R	1,011
46	60	T-SLM466029L	T-SLM466029R	1,143
46	66	T-SLM466629L	T-SLM466629R	1,224
46	72	T-SLM467229L	T-SLM467229R	1,315
46	78	T-SLM467829L	T-SLM467829R	1,404
46	84	T-SLM468429L	T-SLM468429R	1,494
46	90	T-SLM469029L	T-SLM469029R	1,584
50	24	T-SLM502429L	T-SLM502429R	802
50	30	T-SLM503029L	T-SLM503029R	885
50	36	T-SLM503629L	T-SLM503629R	966
50	42	T-SLM504229L	T-SLM504229R	1,051
50	48	T-SLM504829L	T-SLM504829R	1,139
50	54	T-SLM505429L	T-SLM505429R	1,231
50	60	T-SLM506029L	T-SLM506029R	1,349
50	66	T-SLM506629L	T-SLM506629R	1,465
50	72	T-SLM507229L	T-SLM507229R	1,583
50	78	T-SLM507829L	T-SLM507829R	1,699
50	84	T-SLM508429L	T-SLM508429R	1,814
50	90	T-SLM509029L	T-SLM509029R	1,930



Left Hand Shown



Specify

- Select paint
- Laminate with matching edge

Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Any gallery panel that extends more than 60" from the Beam must be tied to storage or similar support.
- Mid mounts are not compatible with PowerBench.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Laminate Gallery Panels – Mid Mount End

29" MID MOUNT END, HORIZONTAL GRAIN PATTERN

		Left	Right	
H	W	Model Number	Model Number	List
58	24	T-SLM582429L	T-SLM582429R	895
58	30	T-SLM583029L	T-SLM583029R	980
58	36	T-SLM583629L	T-SLM583629R	1,056
58	42	T-SLM584229L	T-SLM584229R	1,138
58	48	T-SLM584829L	T-SLM584829R	1,201
58	54	T-SLM585429L	T-SLM585429R	1,264
58	60	T-SLM586029L	T-SLM586029R	1,379
58	66	T-SLM586629L	T-SLM586629R	1,491
58	72	T-SLM587229L	T-SLM587229R	1,604
58	78	T-SLM587829L	T-SLM587829R	1,718
58	84	T-SLM588429L	T-SLM588429R	1,830
58	90	T-SLM589029L	T-SLM589029R	1,943



Left Hand Shown



Specify	Notes
• Select paint	• Cannot be used freestanding, must be attached to a Beam.
• Laminate with matching edge	• Encounter PowerBeam gallery panels are ordered specific to Beam height.
	• Gallery panels add 1 1/8" between or at the end of Beam sections.
	• Any gallery panel that extends more than 60" from the Beam must be tied to storage or similar support.
	• Mid mounts are not compatible with PowerBench.

© 2026, AIS, Inc.


Laminate Gallery Panels – Mid Mount End

21" MID MOUNT END, VERTICAL GRAIN PATTERN


		Left	Right	
H	W	Model Number	Model Number	List
29	24	T-SLM292421LV	T-SLM292421RV	699
29	30	T-SLM293021LV	T-SLM293021RV	734
29	36	T-SLM293621LV	T-SLM293621RV	753
29	42	T-SLM294221LV	T-SLM294221RV	770
29	48	T-SLM294821LV	T-SLM294821RV	781
29	54	T-SLM295421LV	T-SLM295421RV	793
42	24	T-SLM422421LV	T-SLM422421RV	750
42	30	T-SLM423021LV	T-SLM423021RV	810
42	36	T-SLM423621LV	T-SLM423621RV	861
42	42	T-SLM424221LV	T-SLM424221RV	909
42	48	T-SLM424821LV	T-SLM424821RV	963
42	54	T-SLM425421LV	T-SLM425421RV	1,011

21" MID MOUNT END, VERTICAL GRAIN PATTERN

		Left	Right	
H	W	Model Number	Model Number	List
46	24	T-SLM462421LV	T-SLM462421RV	777
46	30	T-SLM463021LV	T-SLM463021RV	847
46	36	T-SLM463621LV	T-SLM463621RV	913
46	42	T-SLM464221LV	T-SLM464221RV	980
46	48	T-SLM464821LV	T-SLM464821RV	1,051
46	54	T-SLM465421LV	T-SLM465421RV	1,122
50	24	T-SLM502421LV	T-SLM502421RV	802
50	30	T-SLM503021LV	T-SLM503021RV	885
50	36	T-SLM503621LV	T-SLM503621RV	966
50	42	T-SLM504221LV	T-SLM504221RV	1,051
50	48	T-SLM504821LV	T-SLM504821RV	1,139
50	54	T-SLM505421LV	T-SLM505421RV	1,231



Left Hand Shown



Specify	Notes
• Select paint	• Cannot be used freestanding, must be attached to a Beam.
• Laminate with matching edge	• Encounter PowerBeam gallery panels are ordered specific to Beam height.
	• Gallery panels add 1 1/8" between or at the end of Beam sections.
	• Mid mounts are not compatible with PowerBench.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Laminate Gallery Panels – Mid Mount End

25” MID MOUNT END, VERTICAL GRAIN PATTERN


		Left	Right	
H	W	Model Number	Model Number	List
29	24	T-SLM292425LV	T-SLM292425RV	699
29	30	T-SLM293025LV	T-SLM293025RV	734
29	36	T-SLM293625LV	T-SLM293625RV	753
29	42	T-SLM294225LV	T-SLM294225RV	770
29	48	T-SLM294825LV	T-SLM294825RV	781
29	54	T-SLM295425LV	T-SLM295425RV	793
42	24	T-SLM422425LV	T-SLM422425RV	750
42	30	T-SLM423025LV	T-SLM423025RV	810
42	36	T-SLM423625LV	T-SLM423625RV	861
42	42	T-SLM424225LV	T-SLM424225RV	909
42	48	T-SLM424825LV	T-SLM424825RV	963
42	54	T-SLM425425LV	T-SLM425425RV	1,011
46	24	T-SLM462425LV	T-SLM462425RV	777
46	30	T-SLM463025LV	T-SLM463025RV	847
46	36	T-SLM463625LV	T-SLM463625RV	913
46	42	T-SLM464225LV	T-SLM464225RV	980
46	48	T-SLM464825LV	T-SLM464825RV	1,051
46	54	T-SLM465425LV	T-SLM465425RV	1,122

25” MID MOUNT END, VERTICAL GRAIN PATTERN

		Left	Right	
H	W	Model Number	Model Number	List
50	24	T-SLM502425LV	T-SLM502425RV	802
50	30	T-SLM503025LV	T-SLM503025RV	885
50	36	T-SLM503625LV	T-SLM503625RV	966
50	42	T-SLM504225LV	T-SLM504225RV	1,051
50	48	T-SLM504825LV	T-SLM504825RV	1,139
50	54	T-SLM505425LV	T-SLM505425RV	1,231
58	24	T-SLM582425LV	T-SLM582425RV	895
58	30	T-SLM583025LV	T-SLM583025RV	980
58	36	T-SLM583625LV	T-SLM583625RV	1,056
58	42	T-SLM584225LV	T-SLM584225RV	1,138
58	48	T-SLM584825LV	T-SLM584825RV	1,201
58	54	T-SLM585425LV	T-SLM585425RV	1,264



Left Hand Shown



Specify	Notes
• Select paint	• Cannot be used freestanding, must be attached to a Beam.
• Laminate with matching edge	• Encounter PowerBeam gallery panels are ordered specific to Beam height.
	• Gallery panels add 1 1/8” between or at the end of Beam sections.
	• Mid mounts are not compatible with PowerBench.

© 2026, AIS, Inc.


Laminate Gallery Panels – Mid Mount End

29" MID MOUNT END, VERTICAL GRAIN PATTERN


		Left	Right	
H	W	Model Number	Model Number	List
29	24	T-SLM292429LV	T-SLM292429RV	699
29	30	T-SLM293029LV	T-SLM293029RV	734
29	36	T-SLM293629LV	T-SLM293629RV	753
29	42	T-SLM294229LV	T-SLM294229RV	770
29	48	T-SLM294829LV	T-SLM294829RV	781
29	54	T-SLM295429LV	T-SLM295429RV	793
42	24	T-SLM422429LV	T-SLM422429RV	750
42	30	T-SLM423029LV	T-SLM423029RV	810
42	36	T-SLM423629LV	T-SLM423629RV	861
42	42	T-SLM424229LV	T-SLM424229RV	909
42	48	T-SLM424829LV	T-SLM424829RV	963
42	54	T-SLM425429LV	T-SLM425429RV	1,011
46	24	T-SLM462429LV	T-SLM462429RV	777
46	30	T-SLM463029LV	T-SLM463029RV	847
46	36	T-SLM463629LV	T-SLM463629RV	913
46	42	T-SLM464229LV	T-SLM464229RV	980
46	48	T-SLM464829LV	T-SLM464829RV	1,051
46	54	T-SLM465429LV	T-SLM465429RV	1,122

29" MID MOUNT END, VERTICAL GRAIN PATTERN

		Left	Right	
H	W	Model Number	Model Number	List
50	24	T-SLM502429LV	T-SLM502429RV	802
50	30	T-SLM503029LV	T-SLM503029RV	885
50	36	T-SLM503629LV	T-SLM503629RV	966
50	42	T-SLM504229LV	T-SLM504229RV	1,051
50	48	T-SLM504829LV	T-SLM504829RV	1,139
50	54	T-SLM505429LV	T-SLM505429RV	1,231
58	24	T-SLM582429LV	T-SLM582429RV	895
58	30	T-SLM583029LV	T-SLM583029RV	980
58	36	T-SLM583629LV	T-SLM583629RV	1,056
58	42	T-SLM584229LV	T-SLM584229RV	1,138
58	48	T-SLM584829LV	T-SLM584829RV	1,201
58	54	T-SLM585429LV	T-SLM585429RV	1,264



Left Hand Shown



Specify	Notes
• Select paint	• Cannot be used freestanding, must be attached to a Beam.
• Laminate with matching edge	• Encounter PowerBeam gallery panels are ordered specific to Beam height.
	• Gallery panels add 1 1/8" between or at the end of Beam sections.
	• Mid mounts are not compatible with PowerBench.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Laminate Gallery Panels – Mid Mount End for Wing

21" MID MOUNT END FOR WING, HORIZONTAL GRAIN PATTERN


		Left	Right	
H	W	Model Number	Model Number	List
29	48	T-SLMW294821L	T-SLMW294821R	819
29	54	T-SLMW295421L	T-SLMW295421R	831
29	60	T-SLMW296021L	T-SLMW296021R	977
29	66	T-SLMW296621L	T-SLMW296621R	1,023
29	72	T-SLMW297221L	T-SLMW297221R	1,088
29	78	T-SLMW297821L	T-SLMW297821R	1,152
29	84	T-SLMW298421L	T-SLMW298421R	1,215
29	90	T-SLMW299021L	T-SLMW299021R	1,278
42	48	T-SLMW424821L	T-SLMW424821R	1,002
42	54	T-SLMW425421L	T-SLMW425421R	1,050
42	60	T-SLMW426021L	T-SLMW426021R	1,181
42	66	T-SLMW426621L	T-SLMW426621R	1,264
42	72	T-SLMW427221L	T-SLMW427221R	1,314
42	78	T-SLMW427821L	T-SLMW427821R	1,362
42	84	T-SLMW428421L	T-SLMW428421R	1,412
42	90	T-SLMW429021L	T-SLMW429021R	1,462

21" MID MOUNT END FOR WING, HORIZONTAL GRAIN PATTERN

		Left	Right	
H	W	Model Number	Model Number	List
46	48	T-SLMW464821L	T-SLMW464821R	1,090
46	54	T-SLMW465421L	T-SLMW465421R	1,159
46	60	T-SLMW466021L	T-SLMW466021R	1,285
46	66	T-SLMW466621L	T-SLMW466621R	1,385
46	72	T-SLMW467221L	T-SLMW467221R	1,427
46	78	T-SLMW467821L	T-SLMW467821R	1,469
46	84	T-SLMW468421L	T-SLMW468421R	1,510
46	90	T-SLMW469021L	T-SLMW469021R	1,553
50	48	T-SLMW504821L	T-SLMW504821R	1,180
50	54	T-SLMW505421L	T-SLMW505421R	1,270
50	60	T-SLMW506021L	T-SLMW506021R	1,389
50	66	T-SLMW506621L	T-SLMW506621R	1,505
50	72	T-SLMW507221L	T-SLMW507221R	1,541
50	78	T-SLMW507821L	T-SLMW507821R	1,575
50	84	T-SLMW508421L	T-SLMW508421R	1,609
50	90	T-SLMW509021L	T-SLMW509021R	1,641



Left Hand Shown



Specify	Notes
• Select paint	• Cannot be used freestanding, must be attached to a Beam.
• Laminate with matching edge	• Encounter PowerBeam gallery panels are ordered specific to Beam height.
	• Gallery panels add 1 1/8" between or at the end of Beam sections.
	• Any gallery panel that extends more than 60" from the Beam must be tied to storage or similar support.
	• Mid mounts are not compatible with PowerBench.

© 2026, AIS, Inc.


Laminate Gallery Panels – Mid Mount End for Wing

25" MID MOUNT END FOR WING, HORIZONTAL GRAIN PATTERN


		Left	Right	
H	W	Model Number	Model Number	List
29	48	T-SLMW294825L	T-SLMW294825R	819
29	54	T-SLMW295425L	T-SLMW295425R	831
29	60	T-SLMW296025L	T-SLMW296025R	977
29	66	T-SLMW296625L	T-SLMW296625R	1,023
29	72	T-SLMW297225L	T-SLMW297225R	1,088
29	78	T-SLMW297825L	T-SLMW297825R	1,152
29	84	T-SLMW298425L	T-SLMW298425R	1,215
29	90	T-SLMW299025L	T-SLMW299025R	1,278
42	48	T-SLMW424825L	T-SLMW424825R	1,002
42	54	T-SLMW425425L	T-SLMW425425R	1,050
42	60	T-SLMW426025L	T-SLMW426025R	1,181
42	66	T-SLMW426625L	T-SLMW426625R	1,264
42	72	T-SLMW427225L	T-SLMW427225R	1,314
42	78	T-SLMW427825L	T-SLMW427825R	1,362
42	84	T-SLMW428425L	T-SLMW428425R	1,412
42	90	T-SLMW429025L	T-SLMW429025R	1,462
46	48	T-SLMW464825L	T-SLMW464825R	1,090
46	54	T-SLMW465425L	T-SLMW465425R	1,159
46	60	T-SLMW466025L	T-SLMW466025R	1,285
46	66	T-SLMW466625L	T-SLMW466625R	1,385
46	72	T-SLMW467225L	T-SLMW467225R	1,427
46	78	T-SLMW467825L	T-SLMW467825R	1,469
46	84	T-SLMW468425L	T-SLMW468425R	1,510
46	90	T-SLMW469025L	T-SLMW469025R	1,553

25" MID MOUNT END FOR WING, HORIZONTAL GRAIN PATTERN

		Left	Right	
H	W	Model Number	Model Number	List
50	48	T-SLMW504825L	T-SLMW504825R	1,180
50	54	T-SLMW505425L	T-SLMW505425R	1,270
50	60	T-SLMW506025L	T-SLMW506025R	1,389
50	66	T-SLMW506625L	T-SLMW506625R	1,505
50	72	T-SLMW507225L	T-SLMW507225R	1,541
50	78	T-SLMW507825L	T-SLMW507825R	1,575
50	84	T-SLMW508425L	T-SLMW508425R	1,609
50	90	T-SLMW509025L	T-SLMW509025R	1,641
58	48	T-SLMW584825L	T-SLMW584825R	1,243
58	54	T-SLMW585425L	T-SLMW585425R	1,304
58	60	T-SLMW586025L	T-SLMW586025R	1,418
58	66	T-SLMW586625L	T-SLMW586625R	1,528
58	72	T-SLMW587225L	T-SLMW587225R	1,640
58	78	T-SLMW587825L	T-SLMW587825R	1,755
58	84	T-SLMW588425L	T-SLMW588425R	1,868
58	90	T-SLMW589025L	T-SLMW589025R	1,979



Left Hand Shown



Specify	Notes
• Select paint	• Cannot be used freestanding, must be attached to a Beam.
• Laminate with matching edge	• Encounter PowerBeam gallery panels are ordered specific to Beam height.
	• Gallery panels add 1 1/8" between or at the end of Beam sections.
	• Any gallery panel that extends more than 60" from the Beam must be tied to storage or similar support.
	• Mid mounts are not compatible with PowerBench.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Laminate Gallery Panels – Mid Mount End for Wing

29" MID MOUNT END FOR WING, HORIZONTAL GRAIN PATTERN


		Left	Right	
H	W	Model Number	Model Number	List
29	48	T-SLMW294829L	T-SLMW294829R	819
29	54	T-SLMW295429L	T-SLMW295429R	831
29	60	T-SLMW296029L	T-SLMW296029R	977
29	66	T-SLMW296629L	T-SLMW296629R	1,023
29	72	T-SLMW297229L	T-SLMW297229R	1,088
29	78	T-SLMW297829L	T-SLMW297829R	1,152
29	84	T-SLMW298429L	T-SLMW298429R	1,215
29	90	T-SLMW299029L	T-SLMW299029R	1,278
42	48	T-SLMW424829L	T-SLMW424829R	1,002
42	54	T-SLMW425429L	T-SLMW425429R	1,050
42	60	T-SLMW426029L	T-SLMW426029R	1,181
42	66	T-SLMW426629L	T-SLMW426629R	1,264
42	72	T-SLMW427229L	T-SLMW427229R	1,314
42	78	T-SLMW427829L	T-SLMW427829R	1,362
42	84	T-SLMW428429L	T-SLMW428429R	1,412
42	90	T-SLMW429029L	T-SLMW429029R	1,462
46	48	T-SLMW464829L	T-SLMW464829R	1,090
46	54	T-SLMW465429L	T-SLMW465429R	1,159
46	60	T-SLMW466029L	T-SLMW466029R	1,285
46	66	T-SLMW466629L	T-SLMW466629R	1,385
46	72	T-SLMW467229L	T-SLMW467229R	1,427
46	78	T-SLMW467829L	T-SLMW467829R	1,469
46	84	T-SLMW468429L	T-SLMW468429R	1,510
46	90	T-SLMW469029L	T-SLMW469029R	1,553

29" MID MOUNT END FOR WING, HORIZONTAL GRAIN PATTERN

		Left	Right	
H	W	Model Number	Model Number	List
50	48	T-SLMW504829L	T-SLMW504829R	1,180
50	54	T-SLMW505429L	T-SLMW505429R	1,270
50	60	T-SLMW506029L	T-SLMW506029R	1,389
50	66	T-SLMW506629L	T-SLMW506629R	1,505
50	72	T-SLMW507229L	T-SLMW507229R	1,541
50	78	T-SLMW507829L	T-SLMW507829R	1,575
50	84	T-SLMW508429L	T-SLMW508429R	1,609
50	90	T-SLMW509029L	T-SLMW509029R	1,641
58	48	T-SLMW584829L	T-SLMW584829R	1,243
58	54	T-SLMW585429L	T-SLMW585429R	1,304
58	60	T-SLMW586029L	T-SLMW586029R	1,418
58	66	T-SLMW586629L	T-SLMW586629R	1,528
58	72	T-SLMW587229L	T-SLMW587229R	1,640
58	78	T-SLMW587829L	T-SLMW587829R	1,755
58	84	T-SLMW588429L	T-SLMW588429R	1,868
58	90	T-SLMW589029L	T-SLMW589029R	1,979



Left Hand Shown



Specify

- Select paint
- Laminate with matching edge

Notes


- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Any gallery panel that extends more than 60" from the Beam must be tied to storage or similar support.
- Mid mounts are not compatible with PowerBench.

© 2026, AIS, Inc.


Laminate Gallery Panels – Mid Mount End for Wing

21" MID MOUNT END FOR WING, VERTICAL GRAIN PATTERN

		Left	Right	
H	W	Model Number	Model Number	List
29	48	T-SLMW294821LV	T-SLMW294821RV	819
29	54	T-SLMW295421LV	T-SLMW295421RV	831
42	48	T-SLMW424821LV	T-SLMW424821RV	1,002
42	54	T-SLMW425421LV	T-SLMW425421RV	1,050
46	48	T-SLMW464821LV	T-SLMW464821RV	1,090
46	54	T-SLMW465421LV	T-SLMW465421RV	1,159
50	48	T-SLMW504821LV	T-SLMW504821RV	1,180
50	54	T-SLMW505421LV	T-SLMW505421RV	1,270



Left Hand Shown




Specify	Notes
• Select paint	• Cannot be used freestanding, must be attached to a Beam.
• Laminate with matching edge	• Encounter PowerBeam gallery panels are ordered specific to Beam height.
	• Gallery panels add 1 1/8" between or at the end of Beam sections.
	• Mid mounts are not compatible with PowerBench.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Laminate Gallery Panels – Mid Mount End for Wing

25” MID MOUNT END FOR WING, VERTICAL GRAIN PATTERN

		Left	Right	
H	W	Model Number	Model Number	List
29	48	T-SLMW294825LV	T-SLMW294825RV	819
29	54	T-SLMW295425LV	T-SLMW295425RV	831
42	48	T-SLMW424825LV	T-SLMW424825RV	1,002
42	54	T-SLMW425425LV	T-SLMW425425RV	1,050
46	48	T-SLMW464825LV	T-SLMW464825RV	1,090
46	54	T-SLMW465425LV	T-SLMW465425RV	1,159
50	48	T-SLMW504825LV	T-SLMW504825RV	1,180
50	54	T-SLMW505425LV	T-SLMW505425RV	1,270
58	48	T-SLMW584825LV	T-SLMW584825RV	1,243
58	54	T-SLMW585425LV	T-SLMW585425RV	1,304



Left Hand Shown




Specify	Notes
• Select paint	• Cannot be used freestanding, must be attached to a Beam.
• Laminate with matching edge	• Encounter PowerBeam gallery panels are ordered specific to Beam height.
	• Gallery panels add 1 1/8” between or at the end of Beam sections.
	• Mid mounts are not compatible with PowerBench.

© 2026, AIS, Inc.


Laminate Gallery Panels – Mid Mount End for Wing

29" MID MOUNT END FOR WING, VERTICAL GRAIN PATTERN

		Left	Right	
H	W	Model Number	Model Number	List
29	48	T-SLMW294829LV	T-SLMW294829RV	819
29	54	T-SLMW295429LV	T-SLMW295429RV	831
42	48	T-SLMW424829LV	T-SLMW424829RV	1,002
42	54	T-SLMW425429LV	T-SLMW425429RV	1,050
46	48	T-SLMW464829LV	T-SLMW464829RV	1,090
46	54	T-SLMW465429LV	T-SLMW465429RV	1,159
50	48	T-SLMW504829LV	T-SLMW504829RV	1,180
50	54	T-SLMW505429LV	T-SLMW505429RV	1,270
58	48	T-SLMW584829LV	T-SLMW584829RV	1,243
58	54	T-SLMW585429LV	T-SLMW585429RV	1,304



Left Hand Shown



Specify

- Select paint
- Laminate with matching edge

Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Mid mounts are not compatible with PowerBench.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Laminate Gallery Panels – Beam Mount Single Spine


21” BEAM MOUNT SINGLE SPINE, HORIZONTAL GRAIN PATTERN

H	W	Model Number	List
29	24	T-SLGP292421	699
29	30	T-SLGP293021	734
29	36	T-SLGP293621	753
29	42	T-SLGP294221	770
29	48	T-SLGP294821	781
29	54	T-SLGP295421	793
29	60	T-SLGP296021	937
29	66	T-SLGP296621	984
29	72	T-SLGP297221	1,049
29	78	T-SLGP297821	1,111
29	84	T-SLGP298421	1,174
29	90	T-SLGP299021	1,236
42	24	T-SLGP422421	750
42	30	T-SLGP423021	810
42	36	T-SLGP423621	861
42	42	T-SLGP424221	909
42	48	T-SLGP424821	963
42	54	T-SLGP425421	1,011
42	60	T-SLGP426021	1,141
42	66	T-SLGP426621	1,228
42	72	T-SLGP427221	1,276
42	78	T-SLGP427821	1,324
42	84	T-SLGP428421	1,372
42	90	T-SLGP429021	1,423

21” BEAM MOUNT SINGLE SPINE, HORIZONTAL GRAIN PATTERN

H	W	Model Number	List
46	24	T-SLGP462421	777
46	30	T-SLGP463021	847
46	36	T-SLGP463621	913
46	42	T-SLGP464221	980
46	48	T-SLGP464821	1,051
46	54	T-SLGP465421	1,122
46	60	T-SLGP466021	1,246
46	66	T-SLGP466621	1,346
46	72	T-SLGP467221	1,389
46	78	T-SLGP467821	1,430
46	84	T-SLGP468421	1,471
46	90	T-SLGP469021	1,513
50	24	T-SLGP502421	802
50	30	T-SLGP503021	885
50	36	T-SLGP503621	966
50	42	T-SLGP504221	1,051
50	48	T-SLGP504821	1,139
50	54	T-SLGP505421	1,231
50	60	T-SLGP506021	1,349
50	66	T-SLGP506621	1,465
50	72	T-SLGP507221	1,501
50	78	T-SLGP507821	1,537
50	84	T-SLGP508421	1,571
50	90	T-SLGP509021	1,604





Specify

- Laminate with matching edge

Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8” between or at the end of Beam sections.
- Any gallery panel that extends more than 60” from the Beam must be tied to storage or similar support.
- Encounter PowerBench only compatible with 29”H.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.

© 2026, AIS, Inc.


Laminate Gallery Panels – Beam Mount Single Spine


25” BEAM MOUNT SINGLE SPINE, HORIZONTAL GRAIN PATTERN

H	W	Model Number	List
29	24	T-SLGP292425	699
29	30	T-SLGP293025	734
29	36	T-SLGP293625	753
29	42	T-SLGP294225	770
29	48	T-SLGP294825	781
29	54	T-SLGP295425	793
29	60	T-SLGP296025	937
29	66	T-SLGP296625	984
29	72	T-SLGP297225	1,049
29	78	T-SLGP297825	1,111
29	84	T-SLGP298425	1,174
29	90	T-SLGP299025	1,236
42	24	T-SLGP422425	750
42	30	T-SLGP423025	810
42	36	T-SLGP423625	861
42	42	T-SLGP424225	909
42	48	T-SLGP424825	963
42	54	T-SLGP425425	1,011
42	60	T-SLGP426025	1,141
42	66	T-SLGP426625	1,228
42	72	T-SLGP427225	1,276
42	78	T-SLGP427825	1,324
42	84	T-SLGP428425	1,372
42	90	T-SLGP429025	1,423

25” BEAM MOUNT SINGLE SPINE, HORIZONTAL GRAIN PATTERN

H	W	Model Number	List
46	24	T-SLGP462425	777
46	30	T-SLGP463025	847
46	36	T-SLGP463625	913
46	42	T-SLGP464225	980
46	48	T-SLGP464825	1,051
46	54	T-SLGP465425	1,122
46	60	T-SLGP466025	1,246
46	66	T-SLGP466625	1,346
46	72	T-SLGP467225	1,389
46	78	T-SLGP467825	1,430
46	84	T-SLGP468425	1,471
46	90	T-SLGP469025	1,513
50	24	T-SLGP502425	802
50	30	T-SLGP503025	885
50	36	T-SLGP503625	966
50	42	T-SLGP504225	1,051
50	48	T-SLGP504825	1,139
50	54	T-SLGP505425	1,231
50	60	T-SLGP506025	1,349
50	66	T-SLGP506625	1,465
50	72	T-SLGP507225	1,501
50	78	T-SLGP507825	1,537
50	84	T-SLGP508425	1,571
50	90	T-SLGP509025	1,604





Specify

- Laminate with matching edge

Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8” between or at the end of Beam sections.
- Any gallery panel that extends more than 60” from the Beam must be tied to storage or similar support.
- Encounter PowerBench only compatible with 29”H.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Laminate Gallery Panels – Beam Mount Single Spine

25” BEAM MOUNT SINGLE SPINE, HORIZONTAL GRAIN PATTERN

H	W	Model Number	List
58	24	T-SLGP582425	895
58	30	T-SLGP583025	980
58	36	T-SLGP583625	1,056
58	42	T-SLGP584225	1,138
58	48	T-SLGP584825	1,201
58	54	T-SLGP585425	1,264
58	60	T-SLGP586025	1,379
58	66	T-SLGP586625	1,491
58	72	T-SLGP587225	1,603
58	78	T-SLGP587825	1,715
58	84	T-SLGP588425	1,828
58	90	T-SLGP589025	1,941



Specify	Notes
• Laminate with matching edge	• Cannot be used freestanding, must be attached to a Beam. • Encounter PowerBeam gallery panels are ordered specific to Beam height. • Gallery panels add 1 1/8” between or at the end of Beam sections. • Any gallery panel that extends more than 60” from the Beam must be tied to storage or similar support. • Encounter PowerBench only compatible with 29”H. • Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.

© 2026, AIS, Inc.


Laminate Gallery Panels – Beam Mount Single Spine


29” BEAM MOUNT SINGLE SPINE, HORIZONTAL GRAIN PATTERN

H	W	Model Number	List
29	24	T-SLGP292429	699
29	30	T-SLGP293029	734
29	36	T-SLGP293629	753
29	42	T-SLGP294229	770
29	48	T-SLGP294829	781
29	54	T-SLGP295429	793
29	60	T-SLGP296029	937
29	66	T-SLGP296629	984
29	72	T-SLGP297229	1,049
29	78	T-SLGP297829	1,111
29	84	T-SLGP298429	1,174
29	90	T-SLGP299029	1,236
42	24	T-SLGP422429	750
42	30	T-SLGP423029	810
42	36	T-SLGP423629	861
42	42	T-SLGP424229	909
42	48	T-SLGP424829	963
42	54	T-SLGP425429	1,011
42	60	T-SLGP426029	1,141
42	66	T-SLGP426629	1,228
42	72	T-SLGP427229	1,276
42	78	T-SLGP427829	1,324
42	84	T-SLGP428429	1,372
42	90	T-SLGP429029	1,423

29” BEAM MOUNT SINGLE SPINE, HORIZONTAL GRAIN PATTERN

H	W	Model Number	List
46	24	T-SLGP462429	777
46	30	T-SLGP463029	847
46	36	T-SLGP463629	913
46	42	T-SLGP464229	980
46	48	T-SLGP464829	1,051
46	54	T-SLGP465429	1,122
46	60	T-SLGP466029	1,246
46	66	T-SLGP466629	1,346
46	72	T-SLGP467229	1,389
46	78	T-SLGP467829	1,430
46	84	T-SLGP468429	1,471
46	90	T-SLGP469029	1,513
50	24	T-SLGP502429	802
50	30	T-SLGP503029	885
50	36	T-SLGP503629	966
50	42	T-SLGP504229	1,051
50	48	T-SLGP504829	1,139
50	54	T-SLGP505429	1,231
50	60	T-SLGP506029	1,349
50	66	T-SLGP506629	1,465
50	72	T-SLGP507229	1,501
50	78	T-SLGP507829	1,537
50	84	T-SLGP508429	1,571
50	90	T-SLGP509029	1,604





Specify

- Laminate with matching edge

Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8” between or at the end of Beam sections.
- Any gallery panel that extends more than 60” from the Beam must be tied to storage or similar support.
- Encounter PowerBench only compatible with 29”H.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Laminate Gallery Panels – Beam Mount Single Spine

29” BEAM MOUNT SINGLE SPINE, HORIZONTAL GRAIN PATTERN

H	W	Model Number	List
58	24	T-SLGP582429	895
58	30	T-SLGP583029	980
58	36	T-SLGP583629	1,056
58	42	T-SLGP584229	1,138
58	48	T-SLGP584829	1,201
58	54	T-SLGP585429	1,264
58	60	T-SLGP586029	1,379
58	66	T-SLGP586629	1,491
58	72	T-SLGP587229	1,603
58	78	T-SLGP587829	1,715
58	84	T-SLGP588429	1,828
58	90	T-SLGP589029	1,941



Specify	Notes
• Laminate with matching edge	• Cannot be used freestanding, must be attached to a Beam. • Encounter PowerBeam gallery panels are ordered specific to Beam height. • Gallery panels add 1 1/8” between or at the end of Beam sections. • Any gallery panel that extends more than 60” from the Beam must be tied to storage or similar support. • Encounter PowerBench only compatible with 29”H. • Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.

© 2026, AIS, Inc.


Laminate Gallery Panels – Beam Mount Single Spine


21” BEAM MOUNT SINGLE SPINE, VERTICAL GRAIN PATTERN

H	W	Model Number	List
29	24	T-SLGP292421V	699
29	30	T-SLGP293021V	734
29	36	T-SLGP293621V	753
29	42	T-SLGP294221V	770
29	48	T-SLGP294821V	781
29	54	T-SLGP295421V	793
42	24	T-SLGP422421V	750
42	30	T-SLGP423021V	810
42	36	T-SLGP423621V	861
42	42	T-SLGP424221V	909
42	48	T-SLGP424821V	963
42	54	T-SLGP425421V	1,011

21” BEAM MOUNT SINGLE SPINE, VERTICAL GRAIN PATTERN

H	W	Model Number	List
46	24	T-SLGP462421V	777
46	30	T-SLGP463021V	847
46	36	T-SLGP463621V	913
46	42	T-SLGP464221V	980
46	48	T-SLGP464821V	1,051
46	54	T-SLGP465421V	1,122
50	24	T-SLGP502421V	802
50	30	T-SLGP503021V	885
50	36	T-SLGP503621V	966
50	42	T-SLGP504221V	1,051
50	48	T-SLGP504821V	1,139
50	54	T-SLGP505421V	1,231





Specify

- Laminate with matching edge

Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8” between or at the end of Beam sections.
- Encounter PowerBench only compatible with 29”H.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Laminate Gallery Panels – Beam Mount Single Spine


25” BEAM MOUNT SINGLE SPINE, VERTICAL GRAIN PATTERN

H	W	Model Number	List
29	24	T-SLGP292425V	699
29	30	T-SLGP293025V	734
29	36	T-SLGP293625V	753
29	42	T-SLGP294225V	770
29	48	T-SLGP294825V	781
29	54	T-SLGP295425V	793
42	24	T-SLGP422425V	750
42	30	T-SLGP423025V	810
42	36	T-SLGP423625V	861
42	42	T-SLGP424225V	909
42	48	T-SLGP424825V	963
42	54	T-SLGP425425V	1,011
46	24	T-SLGP462425V	777
46	30	T-SLGP463025V	847
46	36	T-SLGP463625V	913
46	42	T-SLGP464225V	980
46	48	T-SLGP464825V	1,051
46	54	T-SLGP465425V	1,122

25” BEAM MOUNT SINGLE SPINE, VERTICAL GRAIN PATTERN

H	W	Model Number	List
50	24	T-SLGP502425V	802
50	30	T-SLGP503025V	885
50	36	T-SLGP503625V	966
50	42	T-SLGP504225V	1,051
50	48	T-SLGP504825V	1,139
50	54	T-SLGP505425V	1,231
58	24	T-SLGP582425V	895
58	30	T-SLGP583025V	980
58	36	T-SLGP583625V	1,056
58	42	T-SLGP584225V	1,138
58	48	T-SLGP584825V	1,201
58	54	T-SLGP585425V	1,264





Specify

- Laminate with matching edge

Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8” between or at the end of Beam sections.
- Encounter PowerBench only compatible with 29”H.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.

© 2026, AIS, Inc.


Laminate Gallery Panels – Beam Mount Single Spine


29" BEAM MOUNT SINGLE SPINE, VERTICAL GRAIN PATTERN

H	W	Model Number	List
29	24	T-SLGP292429V	699
29	30	T-SLGP293029V	734
29	36	T-SLGP293629V	753
29	42	T-SLGP294229V	770
29	48	T-SLGP294829V	781
29	54	T-SLGP295429V	793
42	24	T-SLGP422429V	750
42	30	T-SLGP423029V	810
42	36	T-SLGP423629V	861
42	42	T-SLGP424229V	909
42	48	T-SLGP424829V	963
42	54	T-SLGP425429V	1,011
46	24	T-SLGP462429V	777
46	30	T-SLGP463029V	847
46	36	T-SLGP463629V	913
46	42	T-SLGP464229V	980
46	48	T-SLGP464829V	1,051
46	54	T-SLGP465429V	1,122

29" BEAM MOUNT SINGLE SPINE, VERTICAL GRAIN PATTERN

H	W	Model Number	List
50	24	T-SLGP502429V	802
50	30	T-SLGP503029V	885
50	36	T-SLGP503629V	966
50	42	T-SLGP504229V	1,051
50	48	T-SLGP504829V	1,139
50	54	T-SLGP505429V	1,231
58	24	T-SLGP582429V	895
58	30	T-SLGP583029V	980
58	36	T-SLGP583629V	1,056
58	42	T-SLGP584229V	1,138
58	48	T-SLGP584829V	1,201
58	54	T-SLGP585429V	1,264





Specify

- Laminate with matching edge

Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Encounter PowerBench only compatible with 29"H.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

© 2026, AIS, Inc.


Laminate Gallery Panels – Beam Mount Double Spine


21” BEAM MOUNT DOUBLE SPINE, HORIZONTAL GRAIN PATTERN

H	W	Model Number	List
29	48	T-SLGPD294821	819
29	54	T-SLGPD295421	831
29	60	T-SLGPD296021	977
29	66	T-SLGPD296621	1,023
29	72	T-SLGPD297221	1,088
29	78	T-SLGPD297821	1,152
29	84	T-SLGPD298421	1,215
29	90	T-SLGPD299021	1,278
42	48	T-SLGPD424821	1,002
42	54	T-SLGPD425421	1,050
42	60	T-SLGPD426021	1,181
42	66	T-SLGPD426621	1,264
42	72	T-SLGPD427221	1,314
42	78	T-SLGPD427821	1,362
42	84	T-SLGPD428421	1,412
42	90	T-SLGPD429021	1,462

21” BEAM MOUNT DOUBLE SPINE, HORIZONTAL GRAIN PATTERN

H	W	Model Number	List
46	48	T-SLGPD464821	1,090
46	54	T-SLGPD465421	1,159
46	60	T-SLGPD466021	1,285
46	66	T-SLGPD466621	1,385
46	72	T-SLGPD467221	1,427
46	78	T-SLGPD467821	1,469
46	84	T-SLGPD468421	1,510
46	90	T-SLGPD469021	1,553
50	48	T-SLGPD504821	1,180
50	54	T-SLGPD505421	1,270
50	60	T-SLGPD506021	1,389
50	66	T-SLGPD506621	1,505
50	72	T-SLGPD507221	1,541
50	78	T-SLGPD507821	1,575
50	84	T-SLGPD508421	1,609
50	90	T-SLGPD509021	1,641





Specify

- Laminate with matching edge

Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8” between or at the end of Beam sections.
- Any gallery panel that extends more than 60” from the Beam must be tied to storage or similar support.
- Encounter PowerBench only compatible with 29”H.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.

© 2026, AIS, Inc.


Laminate Gallery Panels – Beam Mount Double Spine


25” BEAM MOUNT DOUBLE SPINE, HORIZONTAL GRAIN PATTERN

H	W	Model Number	List
29	48	T-SLGPD294825	819
29	54	T-SLGPD295425	831
29	60	T-SLGPD296025	977
29	66	T-SLGPD296625	1,023
29	72	T-SLGPD297225	1,088
29	78	T-SLGPD297825	1,152
29	84	T-SLGPD298425	1,215
29	90	T-SLGPD299025	1,278
42	48	T-SLGPD424825	1,002
42	54	T-SLGPD425425	1,050
42	60	T-SLGPD426025	1,181
42	66	T-SLGPD426625	1,264
42	72	T-SLGPD427225	1,314
42	78	T-SLGPD427825	1,362
42	84	T-SLGPD428425	1,412
42	90	T-SLGPD429025	1,462
46	48	T-SLGPD464825	1,090
46	54	T-SLGPD465425	1,159
46	60	T-SLGPD466025	1,285
46	66	T-SLGPD466625	1,385
46	72	T-SLGPD467225	1,427
46	78	T-SLGPD467825	1,469
46	84	T-SLGPD468425	1,510
46	90	T-SLGPD469025	1,553

25” BEAM MOUNT DOUBLE SPINE, HORIZONTAL GRAIN PATTERN

H	W	Model Number	List
50	48	T-SLGPD504825	1,180
50	54	T-SLGPD505425	1,270
50	60	T-SLGPD506025	1,389
50	66	T-SLGPD506625	1,505
50	72	T-SLGPD507225	1,541
50	78	T-SLGPD507825	1,575
50	84	T-SLGPD508425	1,609
50	90	T-SLGPD509025	1,641
58	48	T-SLGPD584825	1,243
58	54	T-SLGPD585425	1,304
58	60	T-SLGPD586025	1,418
58	66	T-SLGPD586625	1,528
58	72	T-SLGPD587225	1,640
58	78	T-SLGPD587825	1,755
58	84	T-SLGPD588425	1,868
58	90	T-SLGPD589025	1,979





Specify

- Laminate with matching edge

Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8” between or at the end of Beam sections.
- Any gallery panel that extends more than 60” from the Beam must be tied to storage or similar support.
- Encounter PowerBench only compatible with 29”H.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Laminate Gallery Panels – Beam Mount Double Spine


29” BEAM MOUNT DOUBLE SPINE, HORIZONTAL GRAIN PATTERN

H	W	Model Number	List
29	48	T-SLGPD294829	819
29	54	T-SLGPD295429	831
29	60	T-SLGPD296029	977
29	66	T-SLGPD296629	1,023
29	72	T-SLGPD297229	1,088
29	78	T-SLGPD297829	1,152
29	84	T-SLGPD298429	1,215
29	90	T-SLGPD299029	1,278
42	48	T-SLGPD424829	1,002
42	54	T-SLGPD425429	1,050
42	60	T-SLGPD426029	1,181
42	66	T-SLGPD426629	1,264
42	72	T-SLGPD427229	1,314
42	78	T-SLGPD427829	1,362
42	84	T-SLGPD428429	1,412
42	90	T-SLGPD429029	1,462
46	48	T-SLGPD464829	1,090
46	54	T-SLGPD465429	1,159
46	60	T-SLGPD466029	1,285
46	66	T-SLGPD466629	1,385
46	72	T-SLGPD467229	1,427
46	78	T-SLGPD467829	1,469
46	84	T-SLGPD468429	1,510
46	90	T-SLGPD469029	1,553

29” BEAM MOUNT DOUBLE SPINE, HORIZONTAL GRAIN PATTERN

H	W	Model Number	List
50	48	T-SLGPD504829	1,180
50	54	T-SLGPD505429	1,270
50	60	T-SLGPD506029	1,389
50	66	T-SLGPD506629	1,505
50	72	T-SLGPD507229	1,541
50	78	T-SLGPD507829	1,575
50	84	T-SLGPD508429	1,609
50	90	T-SLGPD509029	1,641
58	48	T-SLGPD584829	1,243
58	54	T-SLGPD585429	1,304
58	60	T-SLGPD586029	1,418
58	66	T-SLGPD586629	1,528
58	72	T-SLGPD587229	1,640
58	78	T-SLGPD587829	1,755
58	84	T-SLGPD588429	1,868
58	90	T-SLGPD589029	1,979





Specify

- Laminate with matching edge

Notes


- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8” between or at the end of Beam sections.
- Any gallery panel that extends more than 60” from the Beam must be tied to storage or similar support.
- Encounter PowerBench only compatible with 29”H.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.


© 2026, AIS, Inc.

Laminate Gallery Panels – Beam Mount Double Spine

21” BEAM MOUNT DOUBLE SPINE, VERTICAL GRAIN PATTERN

H	W	Model Number	List
29	48	T-SLGPD294821V	819
29	54	T-SLGPD295421V	831
42	48	T-SLGPD424821V	1,002
42	54	T-SLGPD425421V	1,050
46	48	T-SLGPD464821V	1,090
46	54	T-SLGPD465421V	1,159
50	48	T-SLGPD504821V	1,180
50	54	T-SLGPD505421V	1,270





Specify

- Laminate with matching edge

Notes


- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8” between or at the end of Beam sections.
- Encounter PowerBench only compatible with 29”H.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Laminate Gallery Panels – Beam Mount Double Spine

25” BEAM MOUNT DOUBLE SPINE, VERTICAL GRAIN PATTERN

H	W	Model Number	List
29	48	T-SLGPD294825V	819
29	54	T-SLGPD295425V	831
42	48	T-SLGPD424825V	1,002
42	54	T-SLGPD425425V	1,050
46	48	T-SLGPD464825V	1,090
46	54	T-SLGPD465425V	1,159
50	48	T-SLGPD504825V	1,180
50	54	T-SLGPD505425V	1,270
58	48	T-SLGPD584825V	1,243
58	54	T-SLGPD585425V	1,304






Specify	Notes
• Laminate with matching edge	• Cannot be used freestanding, must be attached to a Beam. • Encounter PowerBeam gallery panels are ordered specific to Beam height. • Gallery panels add 1 1/8” between or at the end of Beam sections. • Encounter PowerBench only compatible with 29”H. • Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.


© 2026, AIS, Inc.

Laminate Gallery Panels – Beam Mount Double Spine

29” BEAM MOUNT DOUBLE SPINE, VERTICAL GRAIN PATTERN

H	W	Model Number	List
29	48	T-SLGPD294829V	819
29	54	T-SLGPD295429V	831
42	48	T-SLGPD424829V	1,002
42	54	T-SLGPD425429V	1,050
46	48	T-SLGPD464829V	1,090
46	54	T-SLGPD465429V	1,159
50	48	T-SLGPD504829V	1,180
50	54	T-SLGPD505429V	1,270
58	48	T-SLGPD584829V	1,243
58	54	T-SLGPD585429V	1,304





Specify	Notes
• Laminate with matching edge	• Cannot be used freestanding, must be attached to a Beam. • Encounter PowerBeam gallery panels are ordered specific to Beam height. • Gallery panels add 1 1/8” between or at the end of Beam sections. • Encounter PowerBench only compatible with 29”H. • Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Laminate Gallery Panels – Beam Mount Single Spine for Wing


21" BEAM MOUNT SINGLE SPINE FOR WING, HORIZONTAL GRAIN PATTERN

		Left	Right	
H	W	Model Number	Model Number	List
29	48	T-SGPW294821L	T-SGPW294821R	860
29	54	T-SGPW295421L	T-SGPW295421R	869
29	60	T-SGPW296021L	T-SGPW296021R	1,014
29	66	T-SGPW296621L	T-SGPW296621R	1,062
29	72	T-SGPW297221L	T-SGPW297221R	1,125
29	78	T-SGPW297821L	T-SGPW297821R	1,190
29	84	T-SGPW298421L	T-SGPW298421R	1,251
29	90	T-SGPW299021L	T-SGPW299021R	1,316
42	48	T-SGPW424821L	T-SGPW424821R	1,040
42	54	T-SGPW425421L	T-SGPW425421R	1,090
42	60	T-SGPW426021L	T-SGPW426021R	1,219
42	66	T-SGPW426621L	T-SGPW426621R	1,304
42	72	T-SGPW427221L	T-SGPW427221R	1,352
42	78	T-SGPW427821L	T-SGPW427821R	1,402
42	84	T-SGPW428421L	T-SGPW428421R	1,450
42	90	T-SGPW429021L	T-SGPW429021R	1,500

21" BEAM MOUNT SINGLE SPINE FOR WING, HORIZONTAL GRAIN PATTERN

		Left	Right	
H	W	Model Number	Model Number	List
46	48	T-SGPW464821L	T-SGPW464821R	1,130
46	54	T-SGPW465421L	T-SGPW465421R	1,199
46	60	T-SGPW466021L	T-SGPW466021R	1,324
46	66	T-SGPW466621L	T-SGPW466621R	1,425
46	72	T-SGPW467221L	T-SGPW467221R	1,465
46	78	T-SGPW467821L	T-SGPW467821R	1,508
46	84	T-SGPW468421L	T-SGPW468421R	1,550
46	90	T-SGPW469021L	T-SGPW469021R	1,591
50	48	T-SGPW504821L	T-SGPW504821R	1,218
50	54	T-SGPW505421L	T-SGPW505421R	1,310
50	60	T-SGPW506021L	T-SGPW506021R	1,428
50	66	T-SGPW506621L	T-SGPW506621R	1,543
50	72	T-SGPW507221L	T-SGPW507221R	1,578
50	78	T-SGPW507821L	T-SGPW507821R	1,616
50	84	T-SGPW508421L	T-SGPW508421R	1,648
50	90	T-SGPW509021L	T-SGPW509021R	1,682





Left Hand Shown

Specify

- Laminate with matching edge

Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Any gallery panel that extends more than 60" from the Beam must be tied to storage or similar support.
- Encounter PowerBench only compatible with 29"H.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.

© 2026, AIS, Inc.


Laminate Gallery Panels – Beam Mount Single Spine for Wing

25" BEAM MOUNT SINGLE SPINE FOR WING, HORIZONTAL GRAIN PATTERN

		Left	Right	
H	W	Model Number	Model Number	List
29	48	T-SGPW294825L	T-SGPW294825R	860
29	54	T-SGPW295425L	T-SGPW295425R	869
29	60	T-SGPW296025L	T-SGPW296025R	1,014
29	66	T-SGPW296625L	T-SGPW296625R	1,062
29	72	T-SGPW297225L	T-SGPW297225R	1,125
29	78	T-SGPW297825L	T-SGPW297825R	1,190
29	84	T-SGPW298425L	T-SGPW298425R	1,251
29	90	T-SGPW299025L	T-SGPW299025R	1,316
42	48	T-SGPW424825L	T-SGPW424825R	1,040
42	54	T-SGPW425425L	T-SGPW425425R	1,090
42	60	T-SGPW426025L	T-SGPW426025R	1,219
42	66	T-SGPW426625L	T-SGPW426625R	1,304
42	72	T-SGPW427225L	T-SGPW427225R	1,352
42	78	T-SGPW427825L	T-SGPW427825R	1,402
42	84	T-SGPW428425L	T-SGPW428425R	1,450
42	90	T-SGPW429025L	T-SGPW429025R	1,500
46	48	T-SGPW464825L	T-SGPW464825R	1,130
46	54	T-SGPW465425L	T-SGPW465425R	1,199
46	60	T-SGPW466025L	T-SGPW466025R	1,324
46	66	T-SGPW466625L	T-SGPW466625R	1,425
46	72	T-SGPW467225L	T-SGPW467225R	1,465
46	78	T-SGPW467825L	T-SGPW467825R	1,508
46	84	T-SGPW468425L	T-SGPW468425R	1,550
46	90	T-SGPW469025L	T-SGPW469025R	1,591

25" BEAM MOUNT SINGLE SPINE FOR WING, HORIZONTAL GRAIN PATTERN

		Left	Right	
H	W	Model Number	Model Number	List
50	48	T-SGPW504825L	T-SGPW504825R	1,218
50	54	T-SGPW505425L	T-SGPW505425R	1,310
50	60	T-SGPW506025L	T-SGPW506025R	1,428
50	66	T-SGPW506625L	T-SGPW506625R	1,543
50	72	T-SGPW507225L	T-SGPW507225R	1,578
50	78	T-SGPW507825L	T-SGPW507825R	1,616
50	84	T-SGPW508425L	T-SGPW508425R	1,648
50	90	T-SGPW509025L	T-SGPW509025R	1,682
58	48	T-SGPW584825L	T-SGPW584825R	1,279
58	54	T-SGPW585425L	T-SGPW585425R	1,344
58	60	T-SGPW586025L	T-SGPW586025R	1,457
58	66	T-SGPW586625L	T-SGPW586625R	1,570
58	72	T-SGPW587225L	T-SGPW587225R	1,680
58	78	T-SGPW587825L	T-SGPW587825R	1,793
58	84	T-SGPW588425L	T-SGPW588425R	1,907
58	90	T-SGPW589025L	T-SGPW589025R	2,020



Left Hand Shown

Specify

- Laminate with matching edge

Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Any gallery panel that extends more than 60" from the Beam must be tied to storage or similar support.
- Encounter PowerBench only compatible with 29"H.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Laminate Gallery Panels – Beam Mount Single Spine for Wing

29" BEAM MOUNT SINGLE SPINE FOR WING, HORIZONTAL GRAIN PATTERN

		Left	Right	
H	W	Model Number	Model Number	List
29	48	T-SGPW294829L	T-SGPW294829R	860
29	54	T-SGPW295429L	T-SGPW295429R	869
29	60	T-SGPW296029L	T-SGPW296029R	1,014
29	66	T-SGPW296629L	T-SGPW296629R	1,062
29	72	T-SGPW297229L	T-SGPW297229R	1,125
29	78	T-SGPW297829L	T-SGPW297829R	1,190
29	84	T-SGPW298429L	T-SGPW298429R	1,251
29	90	T-SGPW299029L	T-SGPW299029R	1,316
42	48	T-SGPW424829L	T-SGPW424829R	1,040
42	54	T-SGPW425429L	T-SGPW425429R	1,090
42	60	T-SGPW426029L	T-SGPW426029R	1,219
42	66	T-SGPW426629L	T-SGPW426629R	1,304
42	72	T-SGPW427229L	T-SGPW427229R	1,352
42	78	T-SGPW427829L	T-SGPW427829R	1,402
42	84	T-SGPW428429L	T-SGPW428429R	1,450
42	90	T-SGPW429029L	T-SGPW429029R	1,500
46	48	T-SGPW464829L	T-SGPW464829R	1,130
46	54	T-SGPW465429L	T-SGPW465429R	1,199
46	60	T-SGPW466029L	T-SGPW466029R	1,324
46	66	T-SGPW466629L	T-SGPW466629R	1,425
46	72	T-SGPW467229L	T-SGPW467229R	1,465
46	78	T-SGPW467829L	T-SGPW467829R	1,508
46	84	T-SGPW468429L	T-SGPW468429R	1,550
46	90	T-SGPW469029L	T-SGPW469029R	1,591

29" BEAM MOUNT SINGLE SPINE FOR WING, HORIZONTAL GRAIN PATTERN

		Left	Right	
H	W	Model Number	Model Number	List
50	48	T-SGPW504829L	T-SGPW504829R	1,218
50	54	T-SGPW505429L	T-SGPW505429R	1,310
50	60	T-SGPW506029L	T-SGPW506029R	1,428
50	66	T-SGPW506629L	T-SGPW506629R	1,543
50	72	T-SGPW507229L	T-SGPW507229R	1,578
50	78	T-SGPW507829L	T-SGPW507829R	1,616
50	84	T-SGPW508429L	T-SGPW508429R	1,648
50	90	T-SGPW509029L	T-SGPW509029R	1,682
58	48	T-SGPW584829L	T-SGPW584829R	1,279
58	54	T-SGPW585429L	T-SGPW585429R	1,344
58	60	T-SGPW586029L	T-SGPW586029R	1,457
58	66	T-SGPW586629L	T-SGPW586629R	1,570
58	72	T-SGPW587229L	T-SGPW587229R	1,680
58	78	T-SGPW587829L	T-SGPW587829R	1,793
58	84	T-SGPW588429L	T-SGPW588429R	1,907
58	90	T-SGPW589029L	T-SGPW589029R	2,020



Left Hand Shown

Specify

- Laminate with matching edge


Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Any gallery panel that extends more than 60" from the Beam must be tied to storage or similar support.
- Encounter PowerBench only compatible with 29"H.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.

© 2026, AIS, Inc.

Laminate Gallery Panels – Beam Mount Single Spine for Wing

21" BEAM MOUNT SINGLE SPINE FOR WING, VERTICAL GRAIN PATTERN				
		Left	Right	
H	W	Model Number	Model Number	List
29	48	T-SGPW294821LV	T-SGPW294821RV	860
29	54	T-SGPW295421LV	T-SGPW295421RV	869
42	48	T-SGPW424821LV	T-SGPW424821RV	1,040
42	54	T-SGPW425421LV	T-SGPW425421RV	1,090
46	48	T-SGPW464821LV	T-SGPW464821RV	1,130
46	54	T-SGPW465421LV	T-SGPW465421RV	1,199
50	48	T-SGPW504821LV	T-SGPW504821RV	1,218
50	54	T-SGPW505421LV	T-SGPW505421RV	1,310



Left Hand Shown


Specify	Notes
• Laminate with matching edge	• Cannot be used freestanding, must be attached to a Beam. • Encounter PowerBeam gallery panels are ordered specific to Beam height. • Gallery panels add 1 1/8" between or at the end of Beam sections. • Encounter PowerBench only compatible with 29"H. • Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Laminate Gallery Panels – Beam Mount Single Spine for Wing

25” BEAM MOUNT SINGLE SPINE FOR WING, VERTICAL GRAIN PATTERN				
		Left	Right	
H	W	Model Number	Model Number	List
29	48	T-SGPW294825LV	T-SGPW294825RV	860
29	54	T-SGPW295425LV	T-SGPW295425RV	869
42	48	T-SGPW424825LV	T-SGPW424825RV	1,040
42	54	T-SGPW425425LV	T-SGPW425425RV	1,090
46	48	T-SGPW464825LV	T-SGPW464825RV	1,130
46	54	T-SGPW465425LV	T-SGPW465425RV	1,199
50	48	T-SGPW504825LV	T-SGPW504825RV	1,218
50	54	T-SGPW505425LV	T-SGPW505425RV	1,310
58	48	T-SGPW584825LV	T-SGPW584825RV	1,279
58	54	T-SGPW585425LV	T-SGPW585425RV	1,344




Left Hand Shown

Specify	Notes
• Laminate with matching edge	• Cannot be used freestanding, must be attached to a Beam. • Encounter PowerBeam gallery panels are ordered specific to Beam height. • Gallery panels add 1 1/8” between or at the end of Beam sections. • Encounter PowerBench only compatible with 29”H. • Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.

© 2026, AIS, Inc.

Laminate Gallery Panels – Beam Mount Single Spine for Wing

29" BEAM MOUNT SINGLE SPINE FOR WING, VERTICAL GRAIN PATTERN				
		Left	Right	
H	W	Model Number	Model Number	List
29	48	T-SGPW294829LV	T-SGPW294829RV	860
29	54	T-SGPW295429LV	T-SGPW295429RV	869
42	48	T-SGPW424829LV	T-SGPW424829RV	1,040
42	54	T-SGPW425429LV	T-SGPW425429RV	1,090
46	48	T-SGPW464829LV	T-SGPW464829RV	1,130
46	54	T-SGPW465429LV	T-SGPW465429RV	1,199
50	48	T-SGPW504829LV	T-SGPW504829RV	1,218
50	54	T-SGPW505429LV	T-SGPW505429RV	1,310
58	48	T-SGPW584829LV	T-SGPW584829RV	1,279
58	54	T-SGPW585429LV	T-SGPW585429RV	1,344



Left Hand Shown

Specify

- Laminate with matching edge

Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Laminate Gallery Panels – Mid Mount Spine

21" MID MOUNT SPINE, HORIZONTAL GRAIN PATTERN


		Left	Right	
H	W	Model Number	Model Number	List
29	24	T-SLMS292421L	T-SLMS292421R	737
29	30	T-SLMS293021L	T-SLMS293021R	771
29	36	T-SLMS293621L	T-SLMS293621R	795
29	42	T-SLMS294221L	T-SLMS294221R	810
29	48	T-SLMS294821L	T-SLMS294821R	819
29	54	T-SLMS295421L	T-SLMS295421R	831
29	60	T-SLMS296021L	T-SLMS296021R	977
29	66	T-SLMS296621L	T-SLMS296621R	1,023
29	72	T-SLMS297221L	T-SLMS297221R	1,088
29	78	T-SLMS297821L	T-SLMS297821R	1,152
29	84	T-SLMS298421L	T-SLMS298421R	1,215
29	90	T-SLMS299021L	T-SLMS299021R	1,278
42	24	T-SLMS422421L	T-SLMS422421R	792
42	30	T-SLMS423021L	T-SLMS423021R	847
42	36	T-SLMS423621L	T-SLMS423621R	899
42	42	T-SLMS424221L	T-SLMS424221R	949
42	48	T-SLMS424821L	T-SLMS424821R	1,002
42	54	T-SLMS425421L	T-SLMS425421R	1,050
42	60	T-SLMS426021L	T-SLMS426021R	1,181
42	66	T-SLMS426621L	T-SLMS426621R	1,264
42	72	T-SLMS427221L	T-SLMS427221R	1,314
42	78	T-SLMS427821L	T-SLMS427821R	1,362
42	84	T-SLMS428421L	T-SLMS428421R	1,412
42	90	T-SLMS429021L	T-SLMS429021R	1,462

21" MID MOUNT SPINE, HORIZONTAL GRAIN PATTERN

		Left	Right	
H	W	Model Number	Model Number	List
46	24	T-SLMS462421L	T-SLMS462421R	816
46	30	T-SLMS463021L	T-SLMS463021R	885
46	36	T-SLMS463621L	T-SLMS463621R	952
46	42	T-SLMS464221L	T-SLMS464221R	1,020
46	48	T-SLMS464821L	T-SLMS464821R	1,090
46	54	T-SLMS465421L	T-SLMS465421R	1,159
46	60	T-SLMS466021L	T-SLMS466021R	1,285
46	66	T-SLMS466621L	T-SLMS466621R	1,385
46	72	T-SLMS467221L	T-SLMS467221R	1,427
46	78	T-SLMS467821L	T-SLMS467821R	1,469
46	84	T-SLMS468421L	T-SLMS468421R	1,510
46	90	T-SLMS469021L	T-SLMS469021R	1,553
50	24	T-SLMS502421L	T-SLMS502421R	841
50	30	T-SLMS503021L	T-SLMS503021R	924
50	36	T-SLMS503621L	T-SLMS503621R	1,006
50	42	T-SLMS504221L	T-SLMS504221R	1,091
50	48	T-SLMS504821L	T-SLMS504821R	1,180
50	54	T-SLMS505421L	T-SLMS505421R	1,270
50	60	T-SLMS506021L	T-SLMS506021R	1,389
50	66	T-SLMS506621L	T-SLMS506621R	1,505
50	72	T-SLMS507221L	T-SLMS507221R	1,541
50	78	T-SLMS507821L	T-SLMS507821R	1,575
50	84	T-SLMS508421L	T-SLMS508421R	1,609
50	90	T-SLMS509021L	T-SLMS509021R	1,641



Left Hand Shown



Specify

- Select paint
- Laminate with matching edge

Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Any gallery panel that extends more than 60" from the Beam must be tied to storage or similar support.
- Mid mounts are not compatible with PowerBench.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.

© 2026, AIS, Inc.


Laminate Gallery Panels – Mid Mount Spine

25” MID MOUNT SPINE, HORIZONTAL GRAIN PATTERN


		Left	Right	
H	W	Model Number	Model Number	List
29	24	T-SLMS292425L	T-SLMS292425R	737
29	30	T-SLMS293025L	T-SLMS293025R	771
29	36	T-SLMS293625L	T-SLMS293625R	795
29	42	T-SLMS294225L	T-SLMS294225R	810
29	48	T-SLMS294825L	T-SLMS294825R	819
29	54	T-SLMS295425L	T-SLMS295425R	831
29	60	T-SLMS296025L	T-SLMS296025R	977
29	66	T-SLMS296625L	T-SLMS296625R	1,023
29	72	T-SLMS297225L	T-SLMS297225R	1,088
29	78	T-SLMS297825L	T-SLMS297825R	1,152
29	84	T-SLMS298425L	T-SLMS298425R	1,215
29	90	T-SLMS299025L	T-SLMS299025R	1,278
42	24	T-SLMS422425L	T-SLMS422425R	792
42	30	T-SLMS423025L	T-SLMS423025R	847
42	36	T-SLMS423625L	T-SLMS423625R	899
42	42	T-SLMS424225L	T-SLMS424225R	949
42	48	T-SLMS424825L	T-SLMS424825R	1,002
42	54	T-SLMS425425L	T-SLMS425425R	1,050
42	60	T-SLMS426025L	T-SLMS426025R	1,181
42	66	T-SLMS426625L	T-SLMS426625R	1,264
42	72	T-SLMS427225L	T-SLMS427225R	1,314
42	78	T-SLMS427825L	T-SLMS427825R	1,362
42	84	T-SLMS428425L	T-SLMS428425R	1,412
42	90	T-SLMS429025L	T-SLMS429025R	1,462

25” MID MOUNT SPINE, HORIZONTAL GRAIN PATTERN

		Left	Right	
H	W	Model Number	Model Number	List
46	24	T-SLMS462425L	T-SLMS462425R	816
46	30	T-SLMS463025L	T-SLMS463025R	885
46	36	T-SLMS463625L	T-SLMS463625R	952
46	42	T-SLMS464225L	T-SLMS464225R	1,020
46	48	T-SLMS464825L	T-SLMS464825R	1,090
46	54	T-SLMS465425L	T-SLMS465425R	1,159
46	60	T-SLMS466025L	T-SLMS466025R	1,285
46	66	T-SLMS466625L	T-SLMS466625R	1,385
46	72	T-SLMS467225L	T-SLMS467225R	1,427
46	78	T-SLMS467825L	T-SLMS467825R	1,469
46	84	T-SLMS468425L	T-SLMS468425R	1,510
46	90	T-SLMS469025L	T-SLMS469025R	1,553
50	24	T-SLMS502425L	T-SLMS502425R	841
50	30	T-SLMS503025L	T-SLMS503025R	924
50	36	T-SLMS503625L	T-SLMS503625R	1,006
50	42	T-SLMS504225L	T-SLMS504225R	1,091
50	48	T-SLMS504825L	T-SLMS504825R	1,180
50	54	T-SLMS505425L	T-SLMS505425R	1,270
50	60	T-SLMS506025L	T-SLMS506025R	1,389
50	66	T-SLMS506625L	T-SLMS506625R	1,505
50	72	T-SLMS507225L	T-SLMS507225R	1,541
50	78	T-SLMS507825L	T-SLMS507825R	1,575
50	84	T-SLMS508425L	T-SLMS508425R	1,609
50	90	T-SLMS509025L	T-SLMS509025R	1,641



Left Hand Shown



Specify

- Select paint
- Laminate with matching edge

Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8” between or at the end of Beam sections.
- Any gallery panel that extends more than 60” from the Beam must be tied to storage or similar support.
- Mid mounts are not compatible with PowerBench.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Laminate Gallery Panels – Mid Mount Spine

25” MID MOUNT SPINE, HORIZONTAL GRAIN PATTERN

		Left	Right	
H	W	Model Number	Model Number	List
58	24	T-SLMS582425L	T-SLMS582425R	934
58	30	T-SLMS583025L	T-SLMS583025R	1,019
58	36	T-SLMS583625L	T-SLMS583625R	1,094
58	42	T-SLMS584225L	T-SLMS584225R	1,179
58	48	T-SLMS584825L	T-SLMS584825R	1,243
58	54	T-SLMS585425L	T-SLMS585425R	1,304
58	60	T-SLMS586025L	T-SLMS586025R	1,418
58	66	T-SLMS586625L	T-SLMS586625R	1,528
58	72	T-SLMS587225L	T-SLMS587225R	1,640
58	78	T-SLMS587825L	T-SLMS587825R	1,755
58	84	T-SLMS588425L	T-SLMS588425R	1,868
58	90	T-SLMS589025L	T-SLMS589025R	1,979



Left Hand Shown



Specify	Notes
• Select paint	• Cannot be used freestanding, must be attached to a Beam.
• Laminate with matching edge	• Encounter PowerBeam gallery panels are ordered specific to Beam height.
	• Gallery panels add 1 1/8” between or at the end of Beam sections.
	• Any gallery panel that extends more than 60” from the Beam must be tied to storage or similar support.
	• Mid mounts are not compatible with PowerBench.
	• Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.

© 2026, AIS, Inc.


Laminate Gallery Panels – Mid Mount Spine

29" MID MOUNT SPINE, HORIZONTAL GRAIN PATTERN


		Left	Right	
H	W	Model Number	Model Number	List
29	24	T-SLMS292429L	T-SLMS292429R	737
29	30	T-SLMS293029L	T-SLMS293029R	771
29	36	T-SLMS293629L	T-SLMS293629R	795
29	42	T-SLMS294229L	T-SLMS294229R	810
29	48	T-SLMS294829L	T-SLMS294829R	819
29	54	T-SLMS295429L	T-SLMS295429R	831
29	60	T-SLMS296029L	T-SLMS296029R	977
29	66	T-SLMS296629L	T-SLMS296629R	1,023
29	72	T-SLMS297229L	T-SLMS297229R	1,088
29	78	T-SLMS297829L	T-SLMS297829R	1,152
29	84	T-SLMS298429L	T-SLMS298429R	1,215
29	90	T-SLMS299029L	T-SLMS299029R	1,278
42	24	T-SLMS422429L	T-SLMS422429R	792
42	30	T-SLMS423029L	T-SLMS423029R	847
42	36	T-SLMS423629L	T-SLMS423629R	899
42	42	T-SLMS424229L	T-SLMS424229R	949
42	48	T-SLMS424829L	T-SLMS424829R	1,002
42	54	T-SLMS425429L	T-SLMS425429R	1,050
42	60	T-SLMS426029L	T-SLMS426029R	1,181
42	66	T-SLMS426629L	T-SLMS426629R	1,264
42	72	T-SLMS427229L	T-SLMS427229R	1,314
42	78	T-SLMS427829L	T-SLMS427829R	1,362
42	84	T-SLMS428429L	T-SLMS428429R	1,412
42	90	T-SLMS429029L	T-SLMS429029R	1,462

29" MID MOUNT SPINE, HORIZONTAL GRAIN PATTERN

		Left	Right	
H	W	Model Number	Model Number	List
46	24	T-SLMS462429L	T-SLMS462429R	816
46	30	T-SLMS463029L	T-SLMS463029R	885
46	36	T-SLMS463629L	T-SLMS463629R	952
46	42	T-SLMS464229L	T-SLMS464229R	1,020
46	48	T-SLMS464829L	T-SLMS464829R	1,090
46	54	T-SLMS465429L	T-SLMS465429R	1,159
46	60	T-SLMS466029L	T-SLMS466029R	1,285
46	66	T-SLMS466629L	T-SLMS466629R	1,385
46	72	T-SLMS467229L	T-SLMS467229R	1,427
46	78	T-SLMS467829L	T-SLMS467829R	1,469
46	84	T-SLMS468429L	T-SLMS468429R	1,510
46	90	T-SLMS469029L	T-SLMS469029R	1,553
50	24	T-SLMS502429L	T-SLMS502429R	841
50	30	T-SLMS503029L	T-SLMS503029R	924
50	36	T-SLMS503629L	T-SLMS503629R	1,006
50	42	T-SLMS504229L	T-SLMS504229R	1,091
50	48	T-SLMS504829L	T-SLMS504829R	1,180
50	54	T-SLMS505429L	T-SLMS505429R	1,270
50	60	T-SLMS506029L	T-SLMS506029R	1,389
50	66	T-SLMS506629L	T-SLMS506629R	1,505
50	72	T-SLMS507229L	T-SLMS507229R	1,541
50	78	T-SLMS507829L	T-SLMS507829R	1,575
50	84	T-SLMS508429L	T-SLMS508429R	1,609
50	90	T-SLMS509029L	T-SLMS509029R	1,641



Left Hand Shown



Specify

- Select paint
- Laminate with matching edge

Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Any gallery panel that extends more than 60" from the Beam must be tied to storage or similar support.
- Mid mounts are not compatible with PowerBench.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Laminate Gallery Panels – Mid Mount Spine

29” MID MOUNT SPINE, HORIZONTAL GRAIN PATTERN

		Left	Right	
H	W	Model Number	Model Number	List
58	24	T-SLMS582429L	T-SLMS582429R	934
58	30	T-SLMS583029L	T-SLMS583029R	1,019
58	36	T-SLMS583629L	T-SLMS583629R	1,094
58	42	T-SLMS584229L	T-SLMS584229R	1,179
58	48	T-SLMS584829L	T-SLMS584829R	1,243
58	54	T-SLMS585429L	T-SLMS585429R	1,304
58	60	T-SLMS586029L	T-SLMS586029R	1,418
58	66	T-SLMS586629L	T-SLMS586629R	1,528
58	72	T-SLMS587229L	T-SLMS587229R	1,640
58	78	T-SLMS587829L	T-SLMS587829R	1,755
58	84	T-SLMS588429L	T-SLMS588429R	1,868
58	90	T-SLMS589029L	T-SLMS589029R	1,979



Left Hand Shown



Specify	Notes
• Select paint	• Cannot be used freestanding, must be attached to a Beam.
• Laminate with matching edge	• Encounter PowerBeam gallery panels are ordered specific to Beam height.
	• Gallery panels add 1 1/8” between or at the end of Beam sections.
	• Any gallery panel that extends more than 60” from the Beam must be tied to storage or similar support.
	• Mid mounts are not compatible with PowerBench.
	• Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.

© 2026, AIS, Inc.


Laminate Gallery Panels – Mid Mount Spine

21" MID MOUNT SPINE, VERTICAL GRAIN PATTERN


		Left	Right	
H	W	Model Number	Model Number	List
29	24	T-SLMS292421LV	T-SLMS292421RV	737
29	30	T-SLMS293021LV	T-SLMS293021RV	771
29	36	T-SLMS293621LV	T-SLMS293621RV	795
29	42	T-SLMS294221LV	T-SLMS294221RV	810
29	48	T-SLMS294821LV	T-SLMS294821RV	819
29	54	T-SLMS295421LV	T-SLMS295421RV	831
42	24	T-SLMS422421LV	T-SLMS422421RV	792
42	30	T-SLMS423021LV	T-SLMS423021RV	847
42	36	T-SLMS423621LV	T-SLMS423621RV	899
42	42	T-SLMS424221LV	T-SLMS424221RV	949
42	48	T-SLMS424821LV	T-SLMS424821RV	1,002
42	54	T-SLMS425421LV	T-SLMS425421RV	1,050

21" MID MOUNT SPINE, VERTICAL GRAIN PATTERN

		Left	Right	
H	W	Model Number	Model Number	List
46	24	T-SLMS462421LV	T-SLMS462421RV	816
46	30	T-SLMS463021LV	T-SLMS463021RV	885
46	36	T-SLMS463621LV	T-SLMS463621RV	952
46	42	T-SLMS464221LV	T-SLMS464221RV	1,020
46	48	T-SLMS464821LV	T-SLMS464821RV	1,090
46	54	T-SLMS465421LV	T-SLMS465421RV	1,159
50	24	T-SLMS502421LV	T-SLMS502421RV	841
50	30	T-SLMS503021LV	T-SLMS503021RV	924
50	36	T-SLMS503621LV	T-SLMS503621RV	1,006
50	42	T-SLMS504221LV	T-SLMS504221RV	1,091
50	48	T-SLMS504821LV	T-SLMS504821RV	1,180
50	54	T-SLMS505421LV	T-SLMS505421RV	1,270



Left Hand Shown



Specify

- Select paint
- Laminate with matching edge

Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Mid mounts are not compatible with PowerBench.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Laminate Gallery Panels – Mid Mount Spine

25” MID MOUNT SPINE, VERTICAL GRAIN PATTERN


		Left	Right	
H	W	Model Number	Model Number	List
29	24	T-SLMS292425LV	T-SLMS292425RV	737
29	30	T-SLMS293025LV	T-SLMS293025RV	771
29	36	T-SLMS293625LV	T-SLMS293625RV	795
29	42	T-SLMS294225LV	T-SLMS294225RV	810
29	48	T-SLMS294825LV	T-SLMS294825RV	819
29	54	T-SLMS295425LV	T-SLMS295425RV	831
42	24	T-SLMS422425LV	T-SLMS422425RV	792
42	30	T-SLMS423025LV	T-SLMS423025RV	847
42	36	T-SLMS423625LV	T-SLMS423625RV	899
42	42	T-SLMS424225LV	T-SLMS424225RV	949
42	48	T-SLMS424825LV	T-SLMS424825RV	1,002
42	54	T-SLMS425425LV	T-SLMS425425RV	1,050
46	24	T-SLMS462425LV	T-SLMS462425RV	816
46	30	T-SLMS463025LV	T-SLMS463025RV	885
46	36	T-SLMS463625LV	T-SLMS463625RV	952
46	42	T-SLMS464225LV	T-SLMS464225RV	1,020
46	48	T-SLMS464825LV	T-SLMS464825RV	1,090
46	54	T-SLMS465425LV	T-SLMS465425RV	1,159

25” MID MOUNT SPINE, VERTICAL GRAIN PATTERN

		Left	Right	
H	W	Model Number	Model Number	List
50	24	T-SLMS502425LV	T-SLMS502425RV	841
50	30	T-SLMS503025LV	T-SLMS503025RV	924
50	36	T-SLMS503625LV	T-SLMS503625RV	1,006
50	42	T-SLMS504225LV	T-SLMS504225RV	1,091
50	48	T-SLMS504825LV	T-SLMS504825RV	1,180
50	54	T-SLMS505425LV	T-SLMS505425RV	1,270
58	24	T-SLMS582425LV	T-SLMS582425RV	934
58	30	T-SLMS583025LV	T-SLMS583025RV	1,019
58	36	T-SLMS583625LV	T-SLMS583625RV	1,094
58	42	T-SLMS584225LV	T-SLMS584225RV	1,179
58	48	T-SLMS584825LV	T-SLMS584825RV	1,243
58	54	T-SLMS585425LV	T-SLMS585425RV	1,304



Left Hand Shown



Specify

- Select paint
- Laminate with matching edge

Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8” between or at the end of Beam sections.
- Mid mounts are not compatible with PowerBench.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.

© 2026, AIS, Inc.


Laminate Gallery Panels – Mid Mount Spine

29" MID MOUNT SPINE, VERTICAL GRAIN PATTERN


		Left	Right	
H	W	Model Number	Model Number	List
29	24	T-SLMS292429LV	T-SLMS292429RV	737
29	30	T-SLMS293029LV	T-SLMS293029RV	771
29	36	T-SLMS293629LV	T-SLMS293629RV	795
29	42	T-SLMS294229LV	T-SLMS294229RV	810
29	48	T-SLMS294829LV	T-SLMS294829RV	819
29	54	T-SLMS295429LV	T-SLMS295429RV	831
42	24	T-SLMS422429LV	T-SLMS422429RV	792
42	30	T-SLMS423029LV	T-SLMS423029RV	847
42	36	T-SLMS423629LV	T-SLMS423629RV	899
42	42	T-SLMS424229LV	T-SLMS424229RV	949
42	48	T-SLMS424829LV	T-SLMS424829RV	1,002
42	54	T-SLMS425429LV	T-SLMS425429RV	1,050
46	24	T-SLMS462429LV	T-SLMS462429RV	816
46	30	T-SLMS463029LV	T-SLMS463029RV	885
46	36	T-SLMS463629LV	T-SLMS463629RV	952
46	42	T-SLMS464229LV	T-SLMS464229RV	1,020
46	48	T-SLMS464829LV	T-SLMS464829RV	1,090
46	54	T-SLMS465429LV	T-SLMS465429RV	1,159

29" MID MOUNT SPINE, VERTICAL GRAIN PATTERN

		Left	Right	
H	W	Model Number	Model Number	List
50	24	T-SLMS502429LV	T-SLMS502429RV	841
50	30	T-SLMS503029LV	T-SLMS503029RV	924
50	36	T-SLMS503629LV	T-SLMS503629RV	1,006
50	42	T-SLMS504229LV	T-SLMS504229RV	1,091
50	48	T-SLMS504829LV	T-SLMS504829RV	1,180
50	54	T-SLMS505429LV	T-SLMS505429RV	1,270
58	24	T-SLMS582429LV	T-SLMS582429RV	934
58	30	T-SLMS583029LV	T-SLMS583029RV	1,019
58	36	T-SLMS583629LV	T-SLMS583629RV	1,094
58	42	T-SLMS584229LV	T-SLMS584229RV	1,179
58	48	T-SLMS584829LV	T-SLMS584829RV	1,243
58	54	T-SLMS585429LV	T-SLMS585429RV	1,304



Left Hand Shown



Specify

- Select paint
- Laminate with matching edge

Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8" between or at the end of Beam sections.
- Mid mounts are not compatible with PowerBench.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Laminate Gallery Panels – Mid Mount Spine for Wing

21" MID MOUNT SPINE FOR WING, HORIZONTAL GRAIN PATTERN


		Left	Right	
H	W	Model Number	Model Number	List
29	48	T-SMWS294821L	T-SMWS294821R	819
29	54	T-SMWS295421L	T-SMWS295421R	831
29	60	T-SMWS296021L	T-SMWS296021R	977
29	66	T-SMWS296621L	T-SMWS296621R	1,023
29	72	T-SMWS297221L	T-SMWS297221R	1,088
29	78	T-SMWS297821L	T-SMWS297821R	1,152
29	84	T-SMWS298421L	T-SMWS298421R	1,215
29	90	T-SMWS299021L	T-SMWS299021R	1,278
42	48	T-SMWS424821L	T-SMWS424821R	1,002
42	54	T-SMWS425421L	T-SMWS425421R	1,050
42	60	T-SMWS426021L	T-SMWS426021R	1,181
42	66	T-SMWS426621L	T-SMWS426621R	1,264
42	72	T-SMWS427221L	T-SMWS427221R	1,314
42	78	T-SMWS427821L	T-SMWS427821R	1,362
42	84	T-SMWS428421L	T-SMWS428421R	1,412
42	90	T-SMWS429021L	T-SMWS429021R	1,462

21" MID MOUNT SPINE FOR WING, HORIZONTAL GRAIN PATTERN

		Left	Right	
H	W	Model Number	Model Number	List
46	48	T-SMWS464821L	T-SMWS464821R	1,108
46	54	T-SMWS465421L	T-SMWS465421R	1,180
46	60	T-SMWS466021L	T-SMWS466021R	1,304
46	66	T-SMWS466621L	T-SMWS466621R	1,404
46	72	T-SMWS467221L	T-SMWS467221R	1,445
46	78	T-SMWS467821L	T-SMWS467821R	1,488
46	84	T-SMWS468421L	T-SMWS468421R	1,528
46	90	T-SMWS469021L	T-SMWS469021R	1,573
50	48	T-SMWS504821L	T-SMWS504821R	1,218
50	54	T-SMWS505421L	T-SMWS505421R	1,310
50	60	T-SMWS506021L	T-SMWS506021R	1,428
50	66	T-SMWS506621L	T-SMWS506621R	1,543
50	72	T-SMWS507221L	T-SMWS507221R	1,578
50	78	T-SMWS507821L	T-SMWS507821R	1,616
50	84	T-SMWS508421L	T-SMWS508421R	1,648
50	90	T-SMWS509021L	T-SMWS509021R	1,682



Left Hand Shown



Specify	Notes
• Select paint	• Cannot be used freestanding, must be attached to a Beam.
• Laminate with matching edge	• Encounter PowerBeam gallery panels are ordered specific to Beam height.
	• Gallery panels add 1 1/8" between or at the end of Beam sections.
	• Any gallery panel that extends more than 60" from the Beam must be tied to storage or similar support.
	• Mid mounts are not compatible with PowerBench.
	• Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.

© 2026, AIS, Inc.


Laminate Gallery Panels – Mid Mount Spine for Wing

25” MID MOUNT SPINE FOR WING, HORIZONTAL GRAIN PATTERN


		Left	Right	
H	W	Model Number	Model Number	List
29	48	T-SMWS294825L	T-SMWS294825R	819
29	54	T-SMWS295425L	T-SMWS295425R	831
29	60	T-SMWS296025L	T-SMWS296025R	977
29	66	T-SMWS296625L	T-SMWS296625R	1,023
29	72	T-SMWS297225L	T-SMWS297225R	1,088
29	78	T-SMWS297825L	T-SMWS297825R	1,152
29	84	T-SMWS298425L	T-SMWS298425R	1,215
29	90	T-SMWS299025L	T-SMWS299025R	1,278
42	48	T-SMWS424825L	T-SMWS424825R	1,002
42	54	T-SMWS425425L	T-SMWS425425R	1,050
42	60	T-SMWS426025L	T-SMWS426025R	1,181
42	66	T-SMWS426625L	T-SMWS426625R	1,264
42	72	T-SMWS427225L	T-SMWS427225R	1,314
42	78	T-SMWS427825L	T-SMWS427825R	1,362
42	84	T-SMWS428425L	T-SMWS428425R	1,412
42	90	T-SMWS429025L	T-SMWS429025R	1,462
46	48	T-SMWS464825L	T-SMWS464825R	1,108
46	54	T-SMWS465425L	T-SMWS465425R	1,180
46	60	T-SMWS466025L	T-SMWS466025R	1,304
46	66	T-SMWS466625L	T-SMWS466625R	1,404
46	72	T-SMWS467225L	T-SMWS467225R	1,445
46	78	T-SMWS467825L	T-SMWS467825R	1,488
46	84	T-SMWS468425L	T-SMWS468425R	1,528
46	90	T-SMWS469025L	T-SMWS469025R	1,573

25” MID MOUNT SPINE FOR WING, HORIZONTAL GRAIN PATTERN

		Left	Right	
H	W	Model Number	Model Number	List
50	48	T-SMWS504825L	T-SMWS504825R	1,218
50	54	T-SMWS505425L	T-SMWS505425R	1,310
50	60	T-SMWS506025L	T-SMWS506025R	1,428
50	66	T-SMWS506625L	T-SMWS506625R	1,543
50	72	T-SMWS507225L	T-SMWS507225R	1,578
50	78	T-SMWS507825L	T-SMWS507825R	1,616
50	84	T-SMWS508425L	T-SMWS508425R	1,648
50	90	T-SMWS509025L	T-SMWS509025R	1,682
58	48	T-SMWS584825L	T-SMWS584825R	1,279
58	54	T-SMWS585425L	T-SMWS585425R	1,344
58	60	T-SMWS586025L	T-SMWS586025R	1,457
58	66	T-SMWS586625L	T-SMWS586625R	1,570
58	72	T-SMWS587225L	T-SMWS587225R	1,680
58	78	T-SMWS587825L	T-SMWS587825R	1,793
58	84	T-SMWS588425L	T-SMWS588425R	1,907
58	90	T-SMWS589025L	T-SMWS589025R	2,020



Left Hand Shown



Specify	Notes
• Select paint	• Cannot be used freestanding, must be attached to a Beam.
• Laminate with matching edge	• Encounter PowerBeam gallery panels are ordered specific to Beam height.
	• Gallery panels add 1 1/8” between or at the end of Beam sections.
	• Any gallery panel that extends more than 60” from the Beam must be tied to storage or similar support.
	• Mid mounts are not compatible with PowerBench.
	• Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Laminate Gallery Panels – Mid Mount Spine for Wing

29" MID MOUNT SPINE FOR WING, HORIZONTAL GRAIN PATTERN


		Left	Right	
H	W	Model Number	Model Number	List
29	48	T-SMWS294829L	T-SMWS294829R	819
29	54	T-SMWS295429L	T-SMWS295429R	831
29	60	T-SMWS296029L	T-SMWS296029R	977
29	66	T-SMWS296629L	T-SMWS296629R	1,023
29	72	T-SMWS297229L	T-SMWS297229R	1,088
29	78	T-SMWS297829L	T-SMWS297829R	1,152
29	84	T-SMWS298429L	T-SMWS298429R	1,215
29	90	T-SMWS299029L	T-SMWS299029R	1,278
42	48	T-SMWS424829L	T-SMWS424829R	1,002
42	54	T-SMWS425429L	T-SMWS425429R	1,050
42	60	T-SMWS426029L	T-SMWS426029R	1,181
42	66	T-SMWS426629L	T-SMWS426629R	1,264
42	72	T-SMWS427229L	T-SMWS427229R	1,314
42	78	T-SMWS427829L	T-SMWS427829R	1,362
42	84	T-SMWS428429L	T-SMWS428429R	1,412
42	90	T-SMWS429029L	T-SMWS429029R	1,462
46	48	T-SMWS464829L	T-SMWS464829R	1,108
46	54	T-SMWS465429L	T-SMWS465429R	1,180
46	60	T-SMWS466029L	T-SMWS466029R	1,304
46	66	T-SMWS466629L	T-SMWS466629R	1,404
46	72	T-SMWS467229L	T-SMWS467229R	1,445
46	78	T-SMWS467829L	T-SMWS467829R	1,488
46	84	T-SMWS468429L	T-SMWS468429R	1,528
46	90	T-SMWS469029L	T-SMWS469029R	1,573

29" MID MOUNT SPINE FOR WING, HORIZONTAL GRAIN PATTERN

		Left	Right	
H	W	Model Number	Model Number	List
50	48	T-SMWS504829L	T-SMWS504829R	1,218
50	54	T-SMWS505429L	T-SMWS505429R	1,310
50	60	T-SMWS506029L	T-SMWS506029R	1,428
50	66	T-SMWS506629L	T-SMWS506629R	1,543
50	72	T-SMWS507229L	T-SMWS507229R	1,578
50	78	T-SMWS507829L	T-SMWS507829R	1,616
50	84	T-SMWS508429L	T-SMWS508429R	1,648
50	90	T-SMWS509029L	T-SMWS509029R	1,682
58	48	T-SMWS584829L	T-SMWS584829R	1,279
58	54	T-SMWS585429L	T-SMWS585429R	1,344
58	60	T-SMWS586029L	T-SMWS586029R	1,457
58	66	T-SMWS586629L	T-SMWS586629R	1,570
58	72	T-SMWS587229L	T-SMWS587229R	1,680
58	78	T-SMWS587829L	T-SMWS587829R	1,793
58	84	T-SMWS588429L	T-SMWS588429R	1,907
58	90	T-SMWS589029L	T-SMWS589029R	2,020



Left Hand Shown




Specify	Notes
• Select paint	• Cannot be used freestanding, must be attached to a Beam.
• Laminate with matching edge	• Encounter PowerBeam gallery panels are ordered specific to Beam height.
	• Gallery panels add 1 1/8" between or at the end of Beam sections.
	• Any gallery panel that extends more than 60" from the Beam must be tied to storage or similar support.
	• Mid mounts are not compatible with PowerBench.
	• Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.

© 2026, AIS, Inc.


Laminate Gallery Panels – Mid Mount Spine for Wing

21" MID MOUNT SPINE FOR WING, VERTICAL GRAIN PATTERN

		Left	Right	
H	W	Model Number	Model Number	List
29	48	T-SMWS294821LV	T-SMWS294821RV	860
29	54	T-SMWS295421LV	T-SMWS295421RV	869
42	48	T-SMWS424821LV	T-SMWS424821RV	1,040
42	54	T-SMWS425421LV	T-SMWS425421RV	1,090
46	48	T-SMWS464821LV	T-SMWS464821RV	1,130
46	54	T-SMWS465421LV	T-SMWS465421RV	1,199
50	48	T-SMWS504821LV	T-SMWS504821RV	1,218
50	54	T-SMWS505421LV	T-SMWS505421RV	1,310



Left Hand Shown




Specify	Notes
• Select paint	• Cannot be used freestanding, must be attached to a Beam.
• Laminate with matching edge	• Encounter PowerBeam gallery panels are ordered specific to Beam height.
	• Gallery panels add 1 1/8" between or at the end of Beam sections.
	• Mid mounts are not compatible with PowerBench.
	• Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Laminate Gallery Panels – Mid Mount Spine for Wing

25” MID MOUNT SPINE FOR WING, VERTICAL GRAIN PATTERN

		Left	Right	
H	W	Model Number	Model Number	List
29	48	T-SMWS294825LV	T-SMWS294825RV	860
29	54	T-SMWS295425LV	T-SMWS295425RV	869
42	48	T-SMWS424825LV	T-SMWS424825RV	1,040
42	54	T-SMWS425425LV	T-SMWS425425RV	1,090
46	48	T-SMWS464825LV	T-SMWS464825RV	1,130
46	54	T-SMWS465425LV	T-SMWS465425RV	1,199
50	48	T-SMWS504825LV	T-SMWS504825RV	1,218
50	54	T-SMWS505425LV	T-SMWS505425RV	1,310
58	48	T-SMWS584825LV	T-SMWS584825RV	1,279
58	54	T-SMWS585425LV	T-SMWS585425RV	1,344



Left Hand Shown




Specify	Notes
• Select paint	• Cannot be used freestanding, must be attached to a Beam.
• Laminate with matching edge	• Encounter PowerBeam gallery panels are ordered specific to Beam height.
	• Gallery panels add 1 1/8” between or at the end of Beam sections.
	• Mid mounts are not compatible with PowerBench.
	• Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.

© 2026, AIS, Inc.


Laminate Gallery Panels – Mid Mount Spine for Wing

29" MID MOUNT SPINE FOR WING, VERTICAL GRAIN PATTERN

		Left	Right	
H	W	Model Number	Model Number	List
29	48	T-SMWS294829LV	T-SMWS294829RV	860
29	54	T-SMWS295429LV	T-SMWS295429RV	869
42	48	T-SMWS424829LV	T-SMWS424829RV	1,040
42	54	T-SMWS425429LV	T-SMWS425429RV	1,090
46	48	T-SMWS464829LV	T-SMWS464829RV	1,130
46	54	T-SMWS465429LV	T-SMWS465429RV	1,199
50	48	T-SMWS504829LV	T-SMWS504829RV	1,218
50	54	T-SMWS505429LV	T-SMWS505429RV	1,310
58	48	T-SMWS584829LV	T-SMWS584829RV	1,279
58	54	T-SMWS585429LV	T-SMWS585429RV	1,344



Left Hand Shown




Specify	Notes
• Select paint	• Cannot be used freestanding, must be attached to a Beam.
• Laminate with matching edge	• Encounter PowerBeam gallery panels are ordered specific to Beam height.
	• Gallery panels add 1 1/8" between or at the end of Beam sections.
	• Mid mounts are not compatible with PowerBench.
	• Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Laminate Gallery Wing Panels

WING PANEL, VERTICAL GRAIN PATTERN


		Left	Right	
H	W	Model Number	Model Number	List
29	24	T-SLWL2924	T-SLWR2924	659
29	30	T-SLWL2930	T-SLWR2930	693
42	24	T-SLWL4224	T-SLWR4224	713
42	30	T-SLWL4230	T-SLWR4230	770
46	24	T-SLWL4624	T-SLWR4624	733
46	30	T-SLWL4630	T-SLWR4630	793
50	24	T-SLWL5024	T-SLWR5024	764
50	30	T-SLWL5030	T-SLWR5030	846
58	24	T-SLWL5824	T-SLWR5824	856
58	30	T-SLWL5830	T-SLWR5830	941



Left Hand Shown

WING PANEL, HORIZONTAL GRAIN PATTERN

		Left	Right	
H	W	Model Number	Model Number	List
29	24	T-SLWL2924H	T-SLWR2924H	659
29	30	T-SLWL2930H	T-SLWR2930H	693
42	24	T-SLWL4224H	T-SLWR4224H	713
42	30	T-SLWL4230H	T-SLWR4230H	770
46	24	T-SLWL4624H	T-SLWR4624H	733
46	30	T-SLWL4630H	T-SLWR4630H	793
50	24	T-SLWL5024H	T-SLWR5024H	764
50	30	T-SLWL5030H	T-SLWR5030H	846
58	24	T-SLWL5824H	T-SLWR5824H	856
58	30	T-SLWL5830H	T-SLWR5830H	941



Left Hand Shown

Specify

- Select paint
- Laminate with matching edge

Notes

- Cannot be used freestanding, must be attached to a Beam.
- Encounter PowerBeam gallery panels are ordered specific to Beam height.
- Gallery panels add 1 1/8” between or at the end of Beam sections.
- Encounter PowerBench only compatible with 29”H.

© 2026, AIS, Inc.


Wall Mounted Gallery Panels


WALL MOUNTED GALLERY PANELS – HORIZONTAL

H	W	Model Number	List
29	24	T-WMGP2924	635
29	30	T-WMGP2930	666
29	36	T-WMGP2936	685
29	42	T-WMGP2942	700
29	48	T-WMGP2948	709
29	54	T-WMGP2954	719
29	60	T-WMGP2960	852
29	66	T-WMGP2966	896
29	72	T-WMGP2972	953
29	78	T-WMGP2978	1,011
29	84	T-WMGP2984	1,068
29	90	T-WMGP2990	1,125
29	96	T-WMGP2996	1,162
41	24	T-WMGP4124	683
41	30	T-WMGP4130	736
41	36	T-WMGP4136	782
41	42	T-WMGP4142	828
41	48	T-WMGP4148	874
41	54	T-WMGP4154	921
41	60	T-WMGP4160	1,039
41	66	T-WMGP4166	1,116
41	72	T-WMGP4172	1,159
41	78	T-WMGP4178	1,204
41	84	T-WMGP4184	1,248
41	90	T-WMGP4190	1,292
41	96	T-WMGP4196	1,394

WALL MOUNTED GALLERY PANELS – HORIZONTAL

H	W	Model Number	List
46	24	T-WMGP4624	706
46	30	T-WMGP4630	771
46	36	T-WMGP4636	831
46	42	T-WMGP4642	892
46	48	T-WMGP4648	955
46	54	T-WMGP4654	1,020
46	60	T-WMGP4660	1,133
46	66	T-WMGP4666	1,224
46	72	T-WMGP4672	1,261
46	78	T-WMGP4678	1,301
46	84	T-WMGP4684	1,339
46	90	T-WMGP4690	1,376
46	96	T-WMGP4696	1,478
50	24	T-WMGP5024	730
50	30	T-WMGP5030	805
50	36	T-WMGP5036	878
50	42	T-WMGP5042	955
50	48	T-WMGP5048	1,038
50	54	T-WMGP5054	1,120
50	60	T-WMGP5060	1,228
50	66	T-WMGP5066	1,332
50	72	T-WMGP5072	1,365
50	78	T-WMGP5078	1,397
50	84	T-WMGP5084	1,428
50	90	T-WMGP5090	1,459
50	96	T-WMGP5096	1,558





Specify

- Laminate selection
- Paint selection for Mounting Brackets

Notes

- Gallery panels are 1 1/8” with 2mm edge.
- Cannot be used freestanding, must be attached to a wall.
- Wall mounted gallery panels over 66” wide must be attached to storage units for support.
- Laminate gallery panel has matching edge.
- Encounter PowerBench only compatible with 29”H.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

Wall Mounted Gallery Panels

WALL MOUNTED GALLERY PANELS – HORIZONTAL

H	W	Model Number	List
58	24	T-WMGP5824	813
58	30	T-WMGP5830	892
58	36	T-WMGP5836	961
58	42	T-WMGP5842	1,037
58	48	T-WMGP5848	1,092
58	54	T-WMGP5854	1,151
58	60	T-WMGP5860	1,252
58	66	T-WMGP5866	1,356
58	72	T-WMGP5872	1,458
58	78	T-WMGP5878	1,558
58	84	T-WMGP5884	1,663
58	90	T-WMGP5890	1,765
58	96	T-WMGP5896	1,854





Specify

- Laminate selection
- Paint selection for Mounting Brackets

Notes

- Gallery panels are 1 1/8” with 2mm edge.
- Cannot be used freestanding, must be attached to a wall.
- Wall mounted gallery panels over 66” wide must be attached to storage units for support.
- Laminate gallery panel has matching edge.
- Encounter PowerBench only compatible with 29”H.

© 2026, AIS, Inc.


Wall Mounted Gallery Panels


WALL MOUNTED GALLERY PANELS – VERTICAL

H	W	Model Number	List
29	24	T-WMGP2924V	635
29	30	T-WMGP2930V	666
29	36	T-WMGP2936V	685
29	42	T-WMGP2942V	700
29	48	T-WMGP2948V	709
29	54	T-WMGP2954V	719
41	24	T-WMGP4124V	683
41	30	T-WMGP4130V	736
41	36	T-WMGP4136V	782
41	42	T-WMGP4142V	828
41	48	T-WMGP4148V	874
41	54	T-WMGP4154V	921
46	24	T-WMGP4624V	706
46	30	T-WMGP4630V	771
46	36	T-WMGP4636V	831
46	42	T-WMGP4642V	892
46	48	T-WMGP4648V	955
46	54	T-WMGP4654V	1,020

WALL MOUNTED GALLERY PANELS – VERTICAL

H	W	Model Number	List
50	24	T-WMGP5024V	730
50	30	T-WMGP5030V	805
50	36	T-WMGP5036V	878
50	42	T-WMGP5042V	955
50	48	T-WMGP5048V	1,038
50	54	T-WMGP5054V	1,120
58	24	T-WMGP5824V	813
58	30	T-WMGP5830V	892
58	36	T-WMGP5836V	961
58	42	T-WMGP5842V	1,037
58	48	T-WMGP5848V	1,092
58	54	T-WMGP5854V	1,151





Specify

- Laminate selection
- Paint selection for Mounting Brackets

Notes

- Gallery panels are 1 1/8” with 2mm edge.
- Cannot be used freestanding, must be attached to a wall.
- Wall mounted gallery panels over 66” wide must be attached to storage units for support.
- Laminate gallery panel has matching edge.
- Encounter PowerBench only compatible with 29”H.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Wall Mounted Gallery Panel for Wings

WALL MOUNTED GALLERY PANEL FOR WINGS – HORIZONTAL


H	W	Left Model Number	Right Model Number	List
29	66	T-WMGPWL2966	T-WMGPWR2966	931
29	72	T-WMGPWL2972	T-WMGPWR2972	989
29	78	T-WMGPWL2978	T-WMGPWR2978	1,047
29	84	T-WMGPWL2984	T-WMGPWR2984	1,104
29	90	T-WMGPWL2990	T-WMGPWR2990	1,162
41	66	T-WMGPWL4166	T-WMGPWR4166	1,151
41	72	T-WMGPWL4172	T-WMGPWR4172	1,194
41	78	T-WMGPWL4178	T-WMGPWR4178	1,240
41	84	T-WMGPWL4184	T-WMGPWR4184	1,284
41	90	T-WMGPWL4190	T-WMGPWR4190	1,329
46	66	T-WMGPWL4666	T-WMGPWR4666	1,259
46	72	T-WMGPWL4672	T-WMGPWR4672	1,298
46	78	T-WMGPWL4678	T-WMGPWR4678	1,334
46	84	T-WMGPWL4684	T-WMGPWR4684	1,373
46	90	T-WMGPWL4690	T-WMGPWR4690	1,411

WALL MOUNTED GALLERY PANEL FOR WINGS – HORIZONTAL

H	W	Left Model Number	Right Model Number	List
50	66	T-WMGPWL5066	T-WMGPWR5066	1,368
50	72	T-WMGPWL5072	T-WMGPWR5072	1,400
50	78	T-WMGPWL5078	T-WMGPWR5078	1,431
50	84	T-WMGPWL5084	T-WMGPWR5084	1,463
50	90	T-WMGPWL5090	T-WMGPWR5090	1,494
58	66	T-WMGPWL5866	T-WMGPWR5866	1,391
58	72	T-WMGPWL5872	T-WMGPWR5872	1,493
58	78	T-WMGPWL5878	T-WMGPWR5878	1,596
58	84	T-WMGPWL5884	T-WMGPWR5884	1,699
58	90	T-WMGPWL5890	T-WMGPWR5890	1,800



Left Hand Shown



Left Hand Shown

Specify

- Laminate selection
- Paint selection for Mounting Brackets

Notes

- Gallery panels are 1 1/8” with 2mm edge.
- Cannot be used freestanding, must be attached to a wall.
- Laminate gallery panel has matching edge.
- Encounter PowerBench only compatible with 29”H.

© 2026, AIS, Inc.


PET Encounter PowerBench U-Wrap Under Surface Mount Lite Screens

ENCOUNTER POWERBENCH LITE CLIP SCREEN, U-WRAP, PET, DIM N, U MOUNT, UNIVERSAL


H	W	D	Model Number	List
12	24	48	Y-5K4N2U122448B	816
12	24	54	Y-5K4N2U122454B	830
12	24	60	Y-5K4N2U122460B	840
12	24	66	Y-5K4N2U122466B	852
12	24	72	Y-5K4N2U122472B	908
12	24	78	Y-5K4N2U122478B	917
12	24	84	Y-5K4N2U122484B	930
12	30	48	Y-5K4N2U123048B	830
12	30	54	Y-5K4N2U123054B	840
12	30	60	Y-5K4N2U123060B	852
12	30	66	Y-5K4N2U123066B	917
12	30	72	Y-5K4N2U123072B	930
12	30	78	Y-5K4N2U123078B	943
12	30	84	Y-5K4N2U123084B	954
16	24	48	Y-5K4N2U162448B	865
16	24	54	Y-5K4N2U162454B	878
16	24	60	Y-5K4N2U162460B	894
16	24	66	Y-5K4N2U162466B	908
16	24	72	Y-5K4N2U162472B	985
16	24	78	Y-5K4N2U162478B	999
16	24	84	Y-5K4N2U162484B	1,014
16	30	48	Y-5K4N2U163048B	878
16	30	54	Y-5K4N2U163054B	894
16	30	60	Y-5K4N2U163060B	908
16	30	66	Y-5K4N2U163066B	999
16	30	72	Y-5K4N2U163072B	1,014
16	30	78	Y-5K4N2U163078B	1,032
16	30	84	Y-5K4N2U163084B	1,045

ENCOUNTER POWERBENCH LITE CLIP SCREEN, U-WRAP, PET, DIM N, U MOUNT, UNIVERSAL

H	W	D	Model Number	List
20	24	48	Y-5K4N2U202448B	908
20	24	54	Y-5K4N2U202454B	926
20	24	60	Y-5K4N2U202460B	948
20	24	66	Y-5K4N2U202466B	965
20	24	72	Y-5K4N2U202472B	1,060
20	24	78	Y-5K4N2U202478B	1,079
20	24	84	Y-5K4N2U202484B	1,098
20	30	48	Y-5K4N2U203048B	926
20	30	54	Y-5K4N2U203054B	948
20	30	60	Y-5K4N2U203060B	965
20	30	66	Y-5K4N2U203066B	1,079
20	30	72	Y-5K4N2U203072B	1,098
20	30	78	Y-5K4N2U203078B	1,118
20	30	84	Y-5K4N2U203084B	1,136
24	24	48	Y-5K4N2U242448B	954
24	24	54	Y-5K4N2U242454B	977
24	24	60	Y-5K4N2U242460B	999
24	24	66	Y-5K4N2U242466B	1,023
24	24	72	Y-5K4N2U242472B	1,136
24	24	78	Y-5K4N2U242478B	1,159
24	24	84	Y-5K4N2U242484B	1,182
24	30	48	Y-5K4N2U243048B	977
24	30	54	Y-5K4N2U243054B	999
24	30	60	Y-5K4N2U243060B	1,023
24	30	66	Y-5K4N2U243066B	1,159
24	30	72	Y-5K4N2U243072B	1,182
24	30	78	Y-5K4N2U243078B	1,204
24	30	84	Y-5K4N2U243084B	1,228



2 PET Pieces



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS Encounter worksurfaces.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens are constructed from 2 pieces of PET.
- Screens must be specified to the full depth of the matching Encounter worksurface.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


PET Encounter PowerBench U-Wrap Under Surface Mount Lite Screens

ENCOUNTER POWERBENCH LITE CLIP SCREEN, U-WRAP, PET, DIM N, U MOUNT, UNIVERSAL


H	W	D	Model Number	List
28	24	48	Y-5K4N2U282448B	999
28	24	54	Y-5K4N2U282454B	1,025
28	24	60	Y-5K4N2U282460B	1,051
28	24	66	Y-5K4N2U282466B	1,079
28	24	72	Y-5K4N2U282472B	1,214
28	24	78	Y-5K4N2U282478B	1,236
28	24	84	Y-5K4N2U282484B	1,265
28	30	48	Y-5K4N2U283048B	1,025
28	30	54	Y-5K4N2U283054B	1,051
28	30	60	Y-5K4N2U283060B	1,079
28	30	66	Y-5K4N2U283066B	1,236
28	30	72	Y-5K4N2U283072B	1,265
28	30	78	Y-5K4N2U283078B	1,293
28	30	84	Y-5K4N2U283084B	1,318

ENCOUNTER POWERBENCH LITE CLIP SCREEN, U-WRAP, PET, DIM N, U MOUNT, UNIVERSAL

H	W	D	Model Number	List
32	24	48	Y-5K4N2U322448B	1,190
32	24	54	Y-5K4N2U322454B	1,232
32	24	60	Y-5K4N2U322460B	1,276
32	24	66	Y-5K4N2U322466B	1,318
32	24	72	Y-5K4N2U322472B	1,532
32	24	78	Y-5K4N2U322478B	1,575
32	24	84	Y-5K4N2U322484B	1,617
32	30	48	Y-5K4N2U323048B	1,232
32	30	54	Y-5K4N2U323054B	1,276
32	30	60	Y-5K4N2U323060B	1,318
32	30	66	Y-5K4N2U323066B	1,575
32	30	72	Y-5K4N2U323072B	1,617
32	30	78	Y-5K4N2U323078B	1,659
32	30	84	Y-5K4N2U323084B	1,701



2 PET Pieces



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes


- PET U-Wrap Screens are designed to mount to AIS Encounter worksurfaces.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens are constructed from 2 pieces of PET.
- Screens must be specified to the full depth of the matching Encounter worksurface.

© 2026, AIS, Inc.


PET Encounter PowerBench L-Wrap Under Surface Mount Lite Screens

PET ENCOUNTER POWERBENCH
L-WRAP UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
12	24	48	Y-5J4J2L122448B	Y-5J4J2R122448B	816
12	24	54	Y-5J4J2L122454B	Y-5J4J2R122454B	830
12	24	60	Y-5J4J2L122460B	Y-5J4J2R122460B	840
12	24	66	Y-5J4J2L122466B	Y-5J4J2R122466B	852
12	30	48	Y-5J4J2L123048B	Y-5J4J2R123048B	830
12	30	54	Y-5J4J2L123054B	Y-5J4J2R123054B	840
12	30	60	Y-5J4J2L123060B	Y-5J4J2R123060B	852
16	24	48	Y-5J4J2L162448B	Y-5J4J2R162448B	865
16	24	54	Y-5J4J2L162454B	Y-5J4J2R162454B	878
16	24	60	Y-5J4J2L162460B	Y-5J4J2R162460B	894
16	24	66	Y-5J4J2L162466B	Y-5J4J2R162466B	908
16	30	48	Y-5J4J2L163048B	Y-5J4J2R163048B	878
16	30	54	Y-5J4J2L163054B	Y-5J4J2R163054B	894
16	30	60	Y-5J4J2L163060B	Y-5J4J2R163060B	908
20	24	48	Y-5J4J2L202448B	Y-5J4J2R202448B	908
20	24	54	Y-5J4J2L202454B	Y-5J4J2R202454B	926
20	24	60	Y-5J4J2L202460B	Y-5J4J2R202460B	948
20	24	66	Y-5J4J2L202466B	Y-5J4J2R202466B	965
20	30	48	Y-5J4J2L203048B	Y-5J4J2R203048B	926
20	30	54	Y-5J4J2L203054B	Y-5J4J2R203054B	948
20	30	60	Y-5J4J2L203060B	Y-5J4J2R203060B	965



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS Encounter worksurfaces.
- PET screen inserts are 1/2" (12mm) thick.
- Screens must be specified to the full depth of the matching Encounter worksurface.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


PET Encounter PowerBench L-Wrap Under Surface Mount Lite Screens

PET ENCOUNTER POWERBENCH
L-WRAP UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
24	24	48	Y-5J4J2L242448B	Y-5J4J2R242448B	954
24	24	54	Y-5J4J2L242454B	Y-5J4J2R242454B	977
24	24	60	Y-5J4J2L242460B	Y-5J4J2R242460B	999
24	24	66	Y-5J4J2L242466B	Y-5J4J2R242466B	1,023
24	30	48	Y-5J4J2L243048B	Y-5J4J2R243048B	977
24	30	54	Y-5J4J2L243054B	Y-5J4J2R243054B	999
24	30	60	Y-5J4J2L243060B	Y-5J4J2R243060B	1,023
28	24	48	Y-5J4J2L282448B	Y-5J4J2R282448B	999
28	24	54	Y-5J4J2L282454B	Y-5J4J2R282454B	1,025
28	24	60	Y-5J4J2L282460B	Y-5J4J2R282460B	1,051
28	24	66	Y-5J4J2L282466B	Y-5J4J2R282466B	1,079
28	30	48	Y-5J4J2L283048B	Y-5J4J2R283048B	1,025
28	30	54	Y-5J4J2L283054B	Y-5J4J2R283054B	1,051
28	30	60	Y-5J4J2L283060B	Y-5J4J2R283060B	1,079
32	24	48	Y-5J4J2L322448B	Y-5J4J2R322448B	1,190
32	24	54	Y-5J4J2L322454B	Y-5J4J2R322454B	1,232
32	24	60	Y-5J4J2L322460B	Y-5J4J2R322460B	1,276
32	24	66	Y-5J4J2L322466B	Y-5J4J2R322466B	1,318
32	30	48	Y-5J4J2L323048B	Y-5J4J2R323048B	1,232
32	30	54	Y-5J4J2L323054B	Y-5J4J2R323054B	1,276
32	30	60	Y-5J4J2L323060B	Y-5J4J2R323060B	1,318



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes


- PET U-Wrap Screens are designed to mount to AIS Encounter worksurfaces.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap Screens typically constructed with two pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET pieces for specific details.
- Screens must be specified to the full depth of the matching Encounter worksurface.

© 2026, AIS, Inc.


PET Encounter PowerBench Territory Under Surface Mount Lite Screens

PET TERRITORY UNDER SURFACE MOUNT LITE SCREENS (ENCOUNTER POWERBENCH SPECIFIC)


		Left Hand	Right Hand	
H	W	Model Number	Model Number	List
12	24	Y-5H4D2L1224B	Y-5H4D2R1224B	591
16	24	Y-5H4D2L1624B	Y-5H4D2R1624B	604
20	24	Y-5H4D2L2024B	Y-5H4D2R2024B	620
24	24	Y-5H4D2L2424B	Y-5H4D2R2424B	636
28	24	Y-5H4D2L2824B	Y-5H4D2R2824B	649
32	24	Y-5H4D2L3224B	Y-5H4D2R3224B	665
12	30	Y-5H4D2L1230B	Y-5H4D2R1230B	602
16	30	Y-5H4D2L1630B	Y-5H4D2R1630B	620
20	30	Y-5H4D2L2030B	Y-5H4D2R2030B	638
24	30	Y-5H4D2L2430B	Y-5H4D2R2430B	657
28	30	Y-5H4D2L2830B	Y-5H4D2R2830B	677
32	30	Y-5H4D2L3230B	Y-5H4D2R3230B	696



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS Encounter worksurfaces.
- PET screen inserts are 1/2” (12mm) thick.
- Screens must be specified to the full depth of the matching Encounter worksurface.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

National Showrooms:

Leominster
AIS Headquarters
25 Tucker Drive
Leominster, MA 01453

Chicago
The Merchandise Mart
Suite 391
Chicago, Illinois 60654

New York
AIS New York
257 Park Avenue South
New York, New York 10010

Washington, D.C.
AIS Washington, D.C.
1501 M St, NW, STE 230
Washington, D.C. 20005

GSA Sales
GSA Contract 47QSMA20D08Q4
Multiple Award Schedule (MAS)
Large Category: Furniture & Furnishings
Subcategories: Office Furniture, Packaged Office Furniture and Furniture Services

For additional information on AIS:
Dealer Showrooms, Representative Directory, Project Case Studies, Online Catalog & Product Showcase
Visit: **www.ais-inc.com**

AIS

800.434.7400 | 978.562.7500 | Fax: 978.562.0811 | www.ais-inc.com | March 2026

MATRIX™

March 2026 Price List

AIS

PRODUCT INFORMATION

Matrix Statement of Line . . . 5
Matrix Finish Options . . . 11
Matrix Product Details . . . 14
Matrix Component Details . . . 16

FRAMES

Matrix Frames Product Details . . . 17
Linear Profile Panel Frames . . . 25
Linear Profile Panel Door Frames . . . 26
Linear Sliding Privacy Screens . . . 27
Linear Sliding Privacy Screen Handles and Brackets . . . 28
Stack-On Frames . . . 29
Topcaps . . . 30
Linear Single End Gallery Panels . . . 31
Linear Single End for Wing Gallery Panels . . . 33
Linear Single End for Wing Facing Forward Gallery Panels . . . 34
Linear Single End for Double Wing Gallery Panels . . . 35
Linear Single Spine Gallery Panels . . . 36
Linear Single Spine for Wing Gallery Panels . . . 38
Linear Single Spine for Double Wing Gallery Panels . . . 39
Linear Double End Gallery Panels . . . 40
Linear Double Spine Gallery Panels . . . 41
Linear Mid Mount End Gallery Panels . . . 42
Linear Mid Mount End for Wing Gallery Panels . . . 44
Linear Mid Mount End for Wing Facing Forward Gallery Panels . . . 45
Linear Mid Mount End for Double Wing Gallery Panels . . . 46
Linear Mid Mount Spine Gallery Panels . . . 47
Linear Mid Mount Spine for Wing Gallery Panels . . . 49
Linear Mid Mount Spine for Double Wing Gallery Panels . . . 50
Linear Wing Gallery Panels . . . 51
Brackets for Gallery Panels . . . 52
Wall Mounted Gallery Panels . . . 53
Wall Mounted Gallery Panels for Wing . . . 55

CONNECTORS

Matrix Connector Product Details . . . 56
90° 2-Way, 3-Way and 4-Way Stack-On Connectors, 180° Spacers for Stack-On Connectors . . . 60
120° 2-Way and 3-Way Stack-On Connectors . . . 61
Linear Profile 2-Ways . . . 62
Linear Profile 3-Ways . . . 63
Linear Profile 4-Ways, End Caps, and Matrix 180° Spacer Connector . . . 64
Linear Profile Wall Mount Kits . . . 65
Linear Profile HiLo Trim Covers . . . 66
Linear Profile 2-Way Vertical Covers . . . 67
Linear Profile 2-Way Vertical Stack-On Covers . . . 68
Linear Profile 3-Way Vertical and Vertical Stack-On Covers . . . 69
2-Way Linear Connector Trim Conversion Kits . . . 70
3-Way and 4-Way Linear Connector Trim Conversion Kits . . . 71
Linear Wall Mount Trim Conversion Kits . . . 72
Wall Tracks and Off-Modular Frame Connection Kits . . . 72

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

ELECTRICAL

Matrix Electrical Product Details . . . 73
Electrical Jumpers . . . 77
Access Hole Covers, Outlet Trim Bezels and I-Connectors . . . 78
Electrical Outlets . . . 79
Infeeds and Hardwire Junction Boxes . . . 81
Single Circuit Infeeds with Plug . . . 82
Linear Power / Data Pole Kits . . . 83
Power/Data Pole Extenders, Powerway Assemblies, and Data Plate Kits . . . 84
Electrical Tiles and Data Cable Support Troughs . . . 85

TILES

Tile Availability . . . 86
Tackable Acoustical Tiles . . . 88
Steel Tiles . . . 89
Embossed and Perforated Steel Tiles . . . 90
White Board and Laminate Tiles . . . 91
Laminate Tiles and Double Sided MX Monolithic Kit . . . 92
Linear Profile Standard Front Glass Tiles . . . 93
Linear Profile Standard Bottom Glass Tiles . . . 94
Linear Profile Open Frame Tiles . . . 95
Open Frame Infeed Tiles and Utility Tiles . . . 96
Linear Profile Tile Retainer Kits . . . 97
Tile Rails . . . 98
Wall Tile Corner Filler Strips . . . 99

SUPPORT

Cantilevers and Support Brackets . . . 100
End Panels and Pedestal-to-Panel Attachment Brackets . . . 101
Matrix Panel Mounted A-Legs . . . 102
Matrix Panel Mounted O-Legs . . . 103
Matrix HiLo Rectangular Transition Tops . . . 104
Corner Transaction Tops . . . 105
Worksurface Kits, Wing Panel Support Bracket, Carpet Grippers . . . 106

STORAGE

Linear Mid-Height Shelf Units . . . 107
Type C Flipper Door Units . . . 108
Type C Raised Flipper Door Units . . . 109
Type D Flipper Door Units . . . 110
Sliding Door Units . . . 111
Raised Sliding Door Units . . . 112
Cabinet Door Units . . . 113
Raised Cabinet Door Units . . . 114

MATRIX ACCESSORIES

Coat Hooks . . . 115
Frameless Glass Mounting Kits . . . 116
Frameless Recessed Glass Mounting Kits . . . 117
Recessed Glass for Linear Power Pole Situations . . . 118
Frameless Up-Mounted Glass . . . 119
Recessed Frameless Glass . . . 120

© 2026, AIS, Inc.

Single HiLo Situation Up-Mounted Glass 121
Single HiLo Situation Recessed Frameless Glass 122
Double HiLo Situation Up-Mounted Glass 123
Double HiLo Situation Recessed Frameless Glass 124

WARRANTY & TERMS AND CONDITIONS


For Warranty & Terms and Conditions please visit:
https://www.ais-inc.com

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Matrix Statement of Line

MATRIX


FRAMES



Linear Profile Panel Frames



Linear Profile Panel Door Frames
Left or Right,
With or Without Glass Window
Without Glass Window Shown




Linear Profile Arch Panel Door Frame with Inner Trim (No Door)




66” High Matrix Linear Sliding Privacy Screen




82” High Matrix Linear Sliding Privacy Screen




Sliding Door Handle




Stack-On Frames




Linear Profile Extended Topcaps




Linear Door Frame Topcap Conversion Kits




Linear Profile Extended Topcaps




Single End Gallery Panels
Left or Right Hand
Left Hand Shown




Single End for Wing Gallery Panels
Left or Right Hand
Left Hand Shown




Single End for Wing Facing Forward Gallery Panels
Left or Right Hand
Left Hand Shown




Single Spine Gallery Panels




Single Spine for Wing Gallery Panels
Left or Right Hand
Left Hand Shown




Single Spine for Double Wing Gallery Panels




Double End Gallery Panels




Double Spine Gallery Panels




Mid Mount End Gallery Panels
Left or Right Hand
Left Hand Shown




Mid Mount End for Wing Gallery Panels
Left or Right Hand
Left Hand Shown




Mid Mount End for Wing Facing Forward Gallery Panels
Left or Right Hand
Left Hand Shown




Mid Mount End for Double Wing Gallery Panels
Left or Right Hand
Left Hand Shown




Mid Mount Spine Gallery Panels



Mid Mount Spine for Wing Gallery Panels
Left or Right Hand
Left Hand Shown



Mid Mount Spine for Double Wing Gallery Panels




Wing Gallery Panel


© 2026, AIS, Inc.

Matrix Statement of Line

CONNECTORS




2-Way Stack-On Connectors
90°, 120° or 135°




3-Way Stack-On Connectors
90° or 120°



4-Way Stack-On Connectors
90°




Linear Profile 2-Ways
90°, 120° or 135°




Linear Profile 3-Ways
90° or 120°




Matrix180° Spacer Connector



Linear Profile 4-Ways
90°




Linear Profile Wall Mount Kits




Linear Profile HiLo Trim Covers
Corner or Straight Line Application



Linear Profile Panel End Caps



Linear Profile 2-Way Vertical Covers
90°, 120° or 135°




Linear Profile 2-Way Vertical Stack-On Covers
90°, 120° or 135°



Linear Profile 3-Way Vertical Covers
90°



Linear Profile 3-Way Vertical Stack-On Covers
90°




2-Way Linear Connector Trim Conversion Kits
90°, 120° or 135°



3-Way Linear Connector Trim Conversion Kits
90° or 120°




4-Way Linear Connector Trim Conversion Kits
90°



Linear Wall Mount Trim Conversion Kits



Wall Tracks




Matrix Off-Modular Kit for Panels
Short or Tall

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

Matrix Statement of Line

ELECTRICAL



Panel-to-Panel Jumpers




Double Powerway Vertical Jumper




Vertical Transition Jumpers




Lateral Pass Through Jumper




I-Connector




Duplex Outlets




USB Outlets




Access Hole Covers




Outlet Trim Bezel




Receptacle Mounted Base Infeed




Ceiling Infeed Kit



Double Sided Junction Box




Single Circuit Side Infeed with Plug




Single Circuit Receptacle Infeed with Plug




Linear Profile Power / Data Pole Kits




Powerway Assemblies
Single or Double
Single Powerway Assembly Shown



Data Plate Kits



Electrical Tiles
Dual or Quad
Dual Electrical Tile Shown




Data Cable Support Troughs


© 2026, AIS, Inc.

Matrix Statement of Line


TILES




Tackable Acoustical Tiles




Standard Steel Tiles




Embossed Steel Tiles




Perforated Steel Tiles




White Board Tiles




Laminate Tiles




Linear Profile Standard
Front Glass Tiles




Linear Profile Bottom
Front Glass Tiles




Linear Profile Standard
Back Glass Tiles




Linear Profile Bottom
Back Glass Tiles




Linear Profile Standard
Open Frame Tiles




Linear Profile Bottom
Open Frame Tiles



Utility Tiles




16” High Open Frame Tile Infeed Kits
With or Without Hole




Stand Alone Infeed Tiles
With or Without Hole


TILES




Linear Profile Top Tile Retainer Kit



Linear Profile Bottom Tile Retainer Kit



Linear Profile Mid-Tile Retainer Kit




Double Sided MX Monolithic Kit

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

Matrix Statement of Line


SUPPORT




Standard Cantilevers




Shared Cantilevers




Panel Mounted
Shelf Cantilevers



Side Support / Rear Brackets




Standard End Panels




Clear Access End Panels




Pedestal-to-Panel
Attachment Bracket




Panel Mounted A-Legs




Panel Mounted O-Legs




Matrix HiLo Rectangular
Transition Tops




Matrix Corner Transaction Tops




Linear Profile Transaction
Top Worksurface Kit



Open Frame Worksurface Kits




Wing Panel Support Bracket




Carpet Grippers


STORAGE




Linear Mid-Height Shelf Units




Linear Mid-Height Corner Shelf Units




Type C Flipper Door Unit
Metal/Fabric, Laminate Front
Metal/Fabric Door Front Shown




Type C Raised Flipper Door Unit
Metal/Fabric or Laminate Front
Metal/Fabric Door Front Shown




Type D Flipper Door Unit




Type D Raised
Flipper Door Unit




Sliding Door Unit
Metal/Fabric or Laminate Front
Metal/Fabric Door Front Shown



Raised Sliding Door Unit
Metal/Fabric or Laminate Front
Metal/Fabric Door Front Shown



Cabinet Door Unit
Metal/Fabric or Laminate Front
Metal/Fabric Door Front Shown



Raised Cabinet Door Unit
Metal/Fabric or Laminate Front
Metal/Fabric Door Front Shown

© 2026, AIS, Inc.

Matrix Statement of Line

TILE RAILS



Single Wall Tile Rails



Shared Wall Tile Rails



Single Stack Wall Tile Rails




Shared Stack Wall Tile Rails




Wall Tile Corner Filler Strips


ACCESSORIES




Linear Panel Top Coat Hooks




Matrix Coat Hook




Frameless Glass Mounting Kits
Single Frame or Multiple Frame, Glass
Single Frame Mounting Kit Shown




Frameless Up-Mounted Glass
Glass




HiLo Situation
Up-Mounted Glass
Single or Double, Glass
Single Up-Mounted Glass Shown




Recessed Frameless Glass
Mounting Kits
Single Frame or Multiple Frame, Glass
Single Frame Mounting Kit Shown



Recessed Frameless
Up-Mounted Glass
Glass



Recessed HiLo Situation
Up-Mounted Glass
Single or Double, Glass
Single Up-Mounted Glass Shown



Recessed Glass for Linear
Power Pole Situations

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Fabric Options

VERTICAL SURFACE FABRICS	
Name	**Grade**
Amaze	A
Avenue	A
Cape Cod	A
Engage	A
Mirador	A
New England	A
Rainfall	A
Simplicity	A
Theory	A
Twizzle	A
Lido	B
Marin	B
Nature	B
Off the Grid	B
Purpose	B
Spinel	B
Sprite	B

Note: 66” & 72” wide screens – if applying directional fabrics they will need to be railroaded for application. If using a COM fabric that is 54” wide, any screen over 48” wide would need to have the fabric railroaded as well.

C.O.M. Fabric Policy

- It is mandatory that you work directly with your AIS Customer Service Representative for all COM related testing and orders. They will provide all necessary forms to you, as well as work with you with regard to sending in correct yardage and where to send it, along with necessary RA# or #s. Please note an RA must be submitted along with the fabric for testing, as well as an RA created for an actual order.
- **Please Note:** A three to five yard sample is required for testing and approval for use on all monolithic panel systems. A one yard sample is required for testing and approval on Divi Insert Tiles, Matrix Tiles, flipper doors and tackboards. We may be able to test upholstery fabrics with a swatch, your Customer Service Representative will advise based on the fabric being tested; otherwise a 1 yard sample must be submitted for testing. Results take 48 - 72 hours.
- Customer Service must be advised as to the width of the fabric rolls being supplied (54”W or 60”W). Customer Service must also be advised if the fabric has a backer.
- Yardage required for the job must be calculated by an AIS Customer Service Rep.
- Once AIS has approved the COM fabric, a fabric sample needs to be marked by the dealer with “Front”, “Top”, and “Bottom”, to be sure fabric is applied correctly. The fabric sample then needs to be attached to a COM Fabric Dealer Form and forwarded to AIS Customer Service. The COM Fabric Dealer Form may be downloaded or printed here.
- Fabrics may be discontinued or obsolete without notice.
- Contact AIS Customer Service with any questions regarding fabric availability.
- All directional fabric will be railroaded.

Note: Graded-in AIS fabrics can not be purchased and applied as COM fabric. Graded-in fabrics must be specified according to the assigned grade and product respectively.

At AIS, we take great pride in offering a diverse selection of high-quality materials including but not limited to textiles, laminates, PET, mesh, etc. However, AIS cannot guarantee uniformity in dye lots across different production runs. As such, AIS is not liable for any variations in dye lots or color discrepancies in any of our products that may occur between orders. We encourage customers to review samples for color and texture matching prior to purchase. We are committed to providing exceptional products and are confident that our selection of textiles will meet your expectations for both aesthetic appeal and durability.

© 2026, AIS, Inc.

Paint and Edgeband Options

MATRIX PAINT OPTIONS

Name	Color Code	Grade
Black	BK	A
Chalk	CK	A
Dark Tone	DT	A
Grey Value 1	GV1	A
Innertone	HT	A
Light Tone	LT	A
Medium Tone	MT	A
Metallic Silver	MS	A
Satin White	SW	A
Warm Brown	WB	A
Champagne Metallic	CHM	B
Dark Grey Metallic	DGM	B
Flint Grey Metallic	FGM	B
Light Grey	LG	B
Tan Value 1	TV1	B
Antique Gold	AG	C
Graphite Sky	GS	C
Burnt Orange	BO	C
Brown	BR	C
Steel Blue	SB	C
Baltic Blue	BB	C
Ruby Red	RR	C
Kelly Green	KG	C

Custom Paints

Special Paint Match Process & Ordering Instructions
To initiate a special paint match, please provide **three physical match samples** to your Customer Service Representative (CSR). These samples will be sent to our paint suppliers for evaluation and matching.

Match Process & Fees:
- A **non-refundable $450 net match fee** is required to begin the process.
- Once viable matches are developed (pending vendor capability), we'll send the samples to the dealer for final approval.

Pricing:
- Pricing begins at the **Grade C paint tier.**
- If the custom color incurs additional costs beyond Grade C pricing, we will advise of any upcharges before order placement.
- A **minimum order of $100,000 List** is required for special paint orders.
- The **$450 match fee will be waived** if the order is **$150,000 List or more** (and placed using the approved color).

Ordering Instructions (after color approval):
1. Dealer submits the **Purchase Order (PO)** and **Bill of Materials (BOM)** for the product requiring special paint.
2. The PO must clearly state:
   "SPECIAL PAINT REQUIRED ON THIS ORDER"
   — either in the header or special instructions section.
3. When selecting finishes:
   — Choose the **Grade C Paint option.**
   — **Do not select a final paint color.**
   — **Leave the paint code blank** and use the skip option.

EDGEBAND OPTIONS

Name	Color Code	Grade
Absolute Acajou	AA	A
Aimtoo Savatre	AS	A
Black	BK	A
Brazilwood	BZ	A
Chalk	CK	A
Corporate Walnut	CT	A
Dark Rum Cherry	DR	A
Dark Tone	DT	A
Field Elm	FE	A
Grand Cherry	GC	A
Grey Elm	GE	A
Grey Value 1	GV1	A
Landmark	LM	A
Leave Likatre	LV	A
Light Tone	LT	A
Linen	LN	A
Looks Likatre	LK	A
Maritime Dune	MD	A
Medium Tone	MT	A
Midwest Maple	MM	A
Neo Walnut	NW	A
Phantom Ecru	PE	A
Phantom Pearl	PP	A
Satin White / True White	SW / TW	A
Storm	ST	A
Summer Drops	SD	A
Trytoo Savatre	TS	A
White Chocolate	WC	A

Custom Edgebands

- A $450 net edge match fee will be assessed to custom match non-standard edgeband.
- Minimum order size for any custom color is $75,000.00 list. Extended lead-time will apply.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Laminate and Tempered Glass Options

MATRIX TILE LAMINATE OPTIONS

Name	Grade
Absolute Acajou	A
Aimtoo Savatre	A
Black	A
Brazilwood	A
Chalk	A
Corporate Walnut	A
Dark Rum Cherry	A
Field Elm	A
Grand Cherry	A
Grey Elm	A
Landmark	A
Leave Likatre	A
Linen	A
Looks Likatre	A
Maritime Dune	A
Midwest Maple	A
Nightfall	A
Neo Walnut	A
Phantom Ecru	A
Phantom Pearl	A
Storm	A
Summer Drops	A
Titanium EV	A
True White	A
Trytoo Savatre	A
White Chocolate	A

TEMPERED GLASS OPTIONS

Name	3/8" Thick Frameless Glass
Bronze Tint	Y
Clear	Y
Frosted	Y
Grey Tint	Y

All glass is tempered. The etched side of Frosted is always on Side A of the Frame or Panel. Side B of this glass options are smooth. Please see specific price list pages on each type of glass for list pricing and upcharges.

Warranty:
All glass in AIS' product lines is tempered glass. By tempering the glass, the result is a stronger material that, if broken, fractures into smaller, less dangerous pieces. Tempered glass is commonly referred to as 'safety glass' due to this breakage feature. While the glass is stronger through tempering, it is critical to still handle with extreme care and caution and avoid impact that could result in damage. While uncommon, small impurities in the glass introduced during the tempering process, or damages to the edges resulting from handling or use, can cause unpredictable and spontaneous glass breakage, which is excluded from the AIS warranty.

© 2026, AIS, Inc.

Matrix Product Details

Frames

- Full steel frame system. Frame thickness is 3.25".
- Available frame heights are 34", 42", 50", 58", 66" and 82" high.
- Available frame widths are 24", 30", 36", 42", and 48" wide.
- All frames, including door frames, can accommodate stack-on frames. Double stacking is allowed up to 48". ie: (2) 24"H stack-on frames stacked on top of a 82"H frame give the maximum height of 130"H.
- Available stack-on frame heights are 8", 16" and 24" high. Available stack-on frame widths are 24", 30", 36", 42", and 48" wide.
- Frame has a slotted standard in 1" increments at each edge to accommodate hanging components.
- Frames include one topcap, 1/4 - 20 x 4" Hex head bolts to connect to other frames in a straight line, and two top and bottom tile retainers.
- Topcap is metal and available in linear only and is specified as painted.
- 1/4 - 20 x 4" Hex head bolts along with Tinnerman nuts (factory mounted to the frames) produce a rigid straight line connection.
- Top tile retainers are metal. Retainer is field installed and mounting screws are supplied.
- Bottom tile retainers are metal and linear in profile. Retainers are field installed with supplied mounting screws.
- Electrical chase holes are located every 8" on the frame to accommodate data and electrical cables. Electrical can be mounted at any height within the frame in increments of 8". Each electrical location can accommodate up to two powerway assemblies.
- Up to 16 Cat 6 cables can fit into the topcap lay-in channel on the frame which is laterally continuous and unobstructed.
- One Carpet gripper is shipped with every four frames.
- Every frame subtracts two mid-tile retainers from the combined total of mid-tile retainers on each order that includes both frames and tiles. For example, an order with one frame and eight tiles will receive six mid-tile retainers, which is the appropriate amount required to "completely dress" both sides of a frame. However, if both sides of a frame are not being dressed, or if the frames and tiles are specified for supplemental add-on orders where each tile is required to have a mid-tile retainer, such retainers must be ordered separately.

Connectors

- Connectors create 90º, 120º, and 135º space planning and connect frames with 1/4 - 20 x 2 1/4" Hex head bolts via Tinnerman nuts (factory installed) on the connector post.
- Available in 2-Way, 3-Way, and 4-Ways in 34", 42", 50", 58", 66" and 82" high.
- 2-Way connectors are available in either 90º, 120º, or 135º and ship assembled with metal vertical cover and connector topcap.
- 3-Way connectors are available in either 90º or 120º and ship assembled with a metal vertical cover (90º only) and connector topcap.
- 4-Way connectors connect frames at 90º and ship assembled with connector topcap. 4-Way connectors do not require a vertical cover.
- Stack-on connectors are required when connecting stack-on frames in a 2-Way (90º, 120º, 135º), 3-Way (90º, 120º), or 4-Way scenario. Stack-on connectors connect the same way as standard connectors with 1/4 - 20 x 2 1/4" Hex head bolts via Tinnerman nuts (factory installed) on the connector post. Stack-on connectors do not include vertical covers or connector topcaps. A separate vertical cover needs to be specified corresponding to the overall height of the connection. [ie: When adding (2) 24"H stack-on frames to (2) 66"H frames at a 2-Way connection, a 24"H 2-Way stack-on connector needs to be specified. Because the overall height of the connection is now 90", a new 90"H vertical cover needs to be specified. The existing 66" vertical cover is no longer used and the connector topcap from the original 66"H connector is moved to the top of the stack-on connector.]
- Panel end caps are required to finish the side of a frame in an end of run situation where no other panels are to be connected. Available heights are 34", 42", 50", 58", 66", 74", 82", 90", 98" and 106". In stack-on situations at an end of run, the correct height panel end cap needs to be specified. [ie: When adding a 24"H stack-on frame to a 66"H frame at an end of run, a 90"H panel end cap needs to be specified.] Panel end caps are specified as painted.
- Straight line HiLo caps are required when frame heights change height in a straight line. [ie: When a 50"H frame is connected to a 66"H frame, a 16" straight line HiLo cap needs to be specified to cover the exposed frame on the 66"H frame.] Straight line HiLo caps are specified as painted.
- Corner HiLo caps are required when frame heights change at a 2-Way, 3-Way, or 4-Way connection [ie: When a 50"H frame and a 66" frame are connected at a 2-Way connector, a 16" corner HiLo needs to be specified to cover the exposed connector post above the 50"H frame.] Corner HiLo caps are specified as painted.
- Stack-on vertical covers are only required when connectors extend beyond 108"H. Stack-on vertical covers are specified as painted.
- Wall mount connectors are required when mounting frames perpendicular to a fixed wall. Available heights are 34", 42", 50", 58", 66", 74", 82", 90", 98", and 106". Wall mount connectors also require width specification because it includes a topcap to replace the existing topcap on the frame being wall mounted. This is due to the 1" of panel creep created by the wall mount. Topcaps may be specified painted.

Electrical

- 8 Wire 4 circuit electrical system contains four circuits. Each circuit is rated at 20 amps/120 volts maximum.
- Circuit 1, Circuit 2 and Circuit 3 are served by a system neutral and an equipment ground. Circuit 4 is dedicated and is served by its own neutral and ground.
- Electrical/data raceway channels are located at each 8" increment along the system frame and can accommodate either a single or double powerway.
- Each duplex outlet contains two single receptacles (places to plug into) of the same circuit and are specified separately from powerways. Duplex outlets are standard 15 amp outlets. For 20 amp outlets, call AIS Customer Service.
- 24" wide panels can accept only one duplex outlet per side, two total back to back. All other panels can accept two per side, four total.
- Lateral jumpers connect electrical from one powerway assembly in a frame to another powerway assembly in a different frame at the same height.
- Vertical jumpers connect electrical from one powerway assembly to another powerway assembly in the same frame at different heights.
- All electrical access tiles have access holes for duplex outlets or data devices. Access holes have a standard single gang mounting pattern which will accommodate any manufacturers single gang data device plates and bezels.
- Electrical tiles are available in painted steel or with fabric covering.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Matrix Product Details

Tiles

- Tiles are available in many styles and options: fabric tackable acoustical, laminate, flat steel, perforated steel, embossed steel, white board, tool rail, glass, and open frame.
- Glass inserts are 1/4” tempered glass, available in many styles.
- Steel backers are available as a special for fabric tackable acoustical tiles for increased STC rating.
- Tiles are easily removable for field replacement.

Worksurfaces

- Worksurfaces are approximately 1 1/8” thick and are available with a 2 millimeter edge.
- Available in a multitude of shapes and sizes. Special sizes and dimensions are also available and easy to request.
- Different grommet locations are available for most worksurfaces and special grommet locations may be requested.

Support

- Available panel hung support includes standard and shared cantilever supports (24” and 30” deep surfaces), side support/rear brackets, panel top worksurface kits, and open frame worksurface kits.
- Available floor support includes: standard end panels and clear access end panels (12”, 18”, 24”, 30” and 36” deep), universal combination legs, cross table bases, bi-point table bases, and full laminate support panels.
- Full laminate support panels are ideal for creating freestanding worksurface applications such as desk shells, returns, corner bases, carrols, and private office support.
- Painted Metal “A” Legs may be specified both as worksurface supports, as well as to add stability to panels.
- Other support items include flat plates, which are specified to help splice worksurfaces together at the front edge, and “V” channels, which mount to the underside of longer worksurfaces to provide bracing where a center support cantilever is not possible. “V” channels are highly recommended for surfaces longer than 48” without cantilever support.

Storage

- Structural pedestals are available 24” or 30” deep. Freestanding conversion kits are available for structural pedestals.
- Mobile pedestals are available 24” deep only.
- Lateral files are available in 2, 3, 4, and 5 drawer (30”, 36”, or 42” wide). The 2-drawer lateral file is structural with an open top. Freestanding conversion kits are available for converting structural lateral files to freestanding lateral files.
- Wardrobe towers are 48” and 64” high, are available left or right handed and with multiple options above the pedestal unit. Close cupboards and side panel bookshelves are available.
- A 2-Door cabinet and bookcase are also available.
- Panel hung storage includes mid-height shelves, corner mid-height shelves, Type C flipper door units (standard or raised), and Type D flipper door units (standard or raised).


Accessories

- Power/data pole shells mount to any Matrix frame or stack-on frame. Power/data pole shells can be divided into one, two, or three vertical channels with metal septums for separation of low voltage and high voltage.
- Other miscellaneous accessories include pelican drawers, wall track, tackboards, tasklighting, plastic pencil drawers, keyboard arms and trays, shelf dividers, desktop power/data modules, coat hooks, wall tile rails, and paper flow elements.


© 2026, AIS, Inc.

Matrix Component Details


Component Detail 1



Component Detail 2



Component Detail 3



Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Matrix Frames Product Details


Product Detail 1
Panel Frame Availability


Matrix panel frames include (1) topcap (field mounted), (2) top tile retainers (field mounted), (2) bottom tile retainers (field mounted), and (2) 1 1/2" leveling glides. Each frame is shipped with the needed amount of 1/4-20 x 4" hex head bolts which are required for connecting frames in a straight line.

Matrix panel frames can connect at 90º, 120º, or 135º at a 2-way connection, 90º or 120º at a 3-way connection, and 90º at a 4-way connection.

Note: Door frames may also be connected at these angles, but the proper swing must be specified in order to avoid door swing interference. End of runs require a panel end cap. Change of heights in a straight line require a straight line HiLo trim. Change of heights at 90º, 120º, or 135º require connector HiLo trim.

Panel Frame Dimensions (Nominal):
Height: 34", 42", 50", 58", 66", 82"
Width: 24", 30", 36", 42", 48"







Product Detail 2
Stack-On Frame Availability

All Matrix panel frames, including door frames, can accommodate stack-on frames. Double stacking on door frames is allowed up to 48". Stack-on frames connect to each other in a straight line with 1/4-20 x 4" hex head bolts. When stack-on connectors are to be used in a 2-way, 3-way, or 4-way connection, stack-on connectors need to be specified separately.

Maximum stackability is 130". 82" Frame + (2 x 24" Stack-On) = 130"

Stack-On Frame Dimensions (Nominal)
Height: 8", 16", 24"
Width: 24", 30", 36", 42", 48"





© 2026, AIS, Inc.


Matrix Frames Product Details

Product Detail 3
Panel Frame Profile

Matrix panel frames have a topcap lay-in channel which is laterally continuous and unobstructed. Lay-in channel can accommodate up to 16 Cat 6 cables.


Electrical chase holes are located every 8” on the frame to accommodate data and electrical cables. Electrical can be mounted at any height in a frame. Every 8” of height can accommodate up to two powerway assemblies. Chase holes can accommodate up to 40 Cat 6 cables.

Topcap Lay-In Channel




Topcap lay-in channel can accommodate up to 16 Cat 6 cables.

Electrical Chase Hole




Electrical chase hole can accommodate up to 40 Cat 6 cables.




Product Detail 4
Panel Frame Trim - Profile Options


Profile topcaps are available painted.w




Linear Profile
Painted Metal




Linear Profile
Top Tile Retainer



Linear Profile Top Tile
Retainer (Side View)



Linear Profile
Bottom Tile Retainer



Linear Profile Bottom Tile
Retainer(Side View)

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.


Product Detail 5
Panel Frame Creep Dimensions

Small increments are added to or taken away from the length of a run of panels as a result of the many ways panels are connected to each other. The accumulation of these increments is called panel creep. The connection scenarios below outline panel creep dimensions.

Straight Connections


Add 0” to panel run for each straight connection. 24” W (nominal) panels are shown.






2-Way Connections


Add 3 5/16” each time a perpendicular panel is added to the end of a panel run.
Note: 2-way connections add 3 5/16” in both directions.






3-Way Connections


Add 3 5/16” each time a perpendicular panel is added to the end of a panel run.
Note: 3-way connections add 3 5/16” in both directions.






4-Way Connections


Add 3 5/16” each time a perpendicular panel is added to the end of a panel run.
Note: 4-way connections add 3 5/16” in both directions.






Finished End Connections


Add 7/16” to the end of the panel run for each finished end cap.






Wall Mount Connections

Add 1” to the end of panel run for Wall Mount connection.






© 2026, AIS, Inc.

Matrix Frames Product Details


Product Detail 6
Rules for Panel Stability without Components

The guidelines below should be followed when designing AIS Matrix panel frames without components to ensure panel stability and safety. Change in height will not affect panel frame stability. Any panel not directly attached to a perpendicular panel frame or fixed wall will yield when pressure is applied.



Product Detail 7
Rules for Panel Stability with Components

The guidelines below should be followed when designing AIS Matrix panel frames with components to ensure panel stability and safety. Change of heights do not effect panel frame stability. Any panel not directly attached to a perpendicular panel frame or fixed wall will yield when pressure is applied.



* 30” worksurfaces must be supported at the front with side support brackets or floor support elements/pedestals.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Product Detail 8
Left - Right Handing Logic for Matrix Door Frames

Left Hand Door Frames:


Left Hand door frames swing away from you to the left as you enter an office. The door is reversible.

Right Hand Door Frame:


Right Hand door frames swing away from you to the right as you enter an office. The door is reversible.




Left Hand Linear Profile Panel Door Frame



Left Hand Linear Profile Panel Glass Window Door Frame




Right Hand Linear Profile Panel Door Frame



Right Hand Linear Profile Panel Glass Window Door Frame

Product Detail 9
Corner Application Sliding Door

When specifying sliding doors at a corner application, a 2-way connector and corner connector HiLo trim piece needs to be ordered in addition to the sliding door. This fills the 3 1/2" gap created by this scenario.




© 2026, AIS, Inc.


Matrix Frames Product Details

Gallery Panel Examples


Single End
24” - 66” Wide*
Left or Right
**Over 66” Wide needs support*




Single End for Wing
48” - 90” Wide
Left or Right




Single End for Wing Facing Forward
48” - 90” Wide
Left or Right




Single End for Wing Front and Back
48” - 90” Wide
Left or Right




Single Spine
24” - 90” Wide*
Non-Handed
**Over 66” Wide needs support*




Single Spine for Wing
48” - 90” Wide
Left or Right




Single Spine for Wings Front and Back
48” - 90” Wide
Non-Handed




Double End
48” - 90” Wide



Double Spine
48” - 90” Wide
Non-Handed



Mid Mount End
24” - 90” Wide*
Left or Right
**Over 66” Wide needs support*




Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Matrix Frames Product Details

Gallery Panel Examples


Mid Mount End for Wing
48” - 90” Wide
Left or Right




Mid Mount End for Wing Facing Front
48” - 90” Wide
Left or Right




Mid Mount End for Wings Front and Back
48” - 90” Wide
Left or Right




Mid Mount Spine
24” - 90” Wide*
Non-Handed
**Over 66” Wide needs support*



Mid Mount Spine for Wing
60” - 90” Wide
Left or Right



Mid Mount Spine for Wings Front and Back
48” - 90” Wide
Non-Handed



© 2026, AIS, Inc.

Matrix Frames Product Details

SINGLE END AND SINGLE SPINE LEFT AND RIGHT GRAIN DIRECTIONS											
HEIGHT	WIDTH										
	24	30	36	42	54	60	66	72	78	84	90
34	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal
42	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal
50	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal
58	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal
66	Vertical	Vertical	Vertical	Vertical	Vertical	N/A	N/A	N/A	N/A	N/A	N/A

DOUBLE END AND DOUBLE SPINE GRAIN DIRECTIONS								
HEIGHT	WIDTH							
	48	54	60	66	72	78	84	90
42	Vert./Horz.	Vert./Horz.	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal
50	Vert./Horz.	Vert./Horz.	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal
58	Vert./Horz.	Vert./Horz.	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal

MID MOUNT END AND MID MOUNT SPINE LEFT AND RIGHT GRAIN DIRECTIONS											
HEIGHT	WIDTH										
	24	30	36	42	54	60	66	72	78	84	90
34	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal
42	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal
50	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal
58	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Vert./Horz.	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal	Horizontal
66	Vertical	Vertical	Vertical	Vertical	Vertical	N/A	N/A	N/A	N/A	N/A	N/A

WING PANEL LEFT AND RIGHT GRAIN DIRECTIONS			
HEIGHT	WIDTH		
	18	24	30
34	Vert./Horz.	Vert./Horz.	Vert./Horz.
42	Vert./Horz.	Vert./Horz.	Vert./Horz.
50	Vert./Horz.	Vert./Horz.	Vert./Horz.
58	Vert./Horz.	Vert./Horz.	Vert./Horz.
66	Vertical	Vertical	Vertical


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Linear Profile Panel Frames

LINEAR PROFILE PANEL FRAMES

H	W	Model Number	List	Grade C Topcap Paint	Grade C Retainer Paint
34	24	P-MLFR3424	499	+10	+5
34	30	P-MLFR3430	514	+10	+5
34	36	P-MLFR3436	534	+10	+5
34	42	P-MLFR3442	547	+10	+5
34	48	P-MLFR3448	566	+10	+5
42	24	P-MLFR4224	528	+10	+5
42	30	P-MLFR4230	551	+10	+5
42	36	P-MLFR4236	566	+10	+5
42	42	P-MLFR4242	579	+10	+5
42	48	P-MLFR4248	598	+10	+5
50	24	P-MLFR5024	555	+10	+5
50	30	P-MLFR5030	573	+10	+5
50	36	P-MLFR5036	604	+10	+5
50	42	P-MLFR5042	621	+10	+5
50	48	P-MLFR5048	634	+10	+5

H	W	Model Number	List	Grade C Topcap Paint	Grade C Retainer Paint
58	24	P-MLFR5824	583	+10	+5
58	30	P-MLFR5830	609	+10	+5
58	36	P-MLFR5836	634	+10	+5
58	42	P-MLFR5842	651	+10	+5
58	48	P-MLFR5848	664	+10	+5
66	24	P-MLFR6624	616	+10	+5
66	30	P-MLFR6630	636	+10	+5
66	36	P-MLFR6636	661	+10	+5
66	42	P-MLFR6642	677	+10	+5
66	48	P-MLFR6648	692	+10	+5
82	24	P-MLFR8224	785	+10	+5
82	30	P-MLFR8230	803	+10	+5
82	36	P-MLFR8236	822	+10	+5
82	42	P-MLFR8242	841	+10	+5
82	48	P-MLFR8248	856	+10	+5





Painted Metal

Specify

- Finish Style for Topcap - Painted Metal
- Paint Selection for Tile Retainer
- Paint Selection for Topcap (when applicable)

Notes

- Panel Frames are made of steel tube, welded frame construction.
- Includes one topcap (field mounted), two top tile retainers (field mounted), two bottom tile retainers (field mounted), and two 1 1/2" leveling glides.
- Frame can accommodate up to two stack-on frames.
- 1/4 - 20 x 4" long hex head bolts are supplied for connecting to adjacent frames in a straight line.
- Every frame subtracts two mid-tile retainers from the combined total of mid-tile retainers on each order that includes both frames and tiles. For example, an order with one frame and eight tiles will receive six mid-tile retainers, which is the appropriate amount required to "completely dress" both sides of a frame. However, if both sides of a frame are not being dressed, or if the frames and tiles are specified for supplemental add-on orders where each tile is required to have a mid-tile retainer, such retainers must be ordered separately.
- When ordering frames without tiles, please contact AIS Customer Service.
- One Carpet Gripper Glide is shipped for every four panels.

© 2026, AIS, Inc.

Linear Profile Panel Door Frames

LINEAR PROFILE PANEL DOOR FRAMES

H	W	Type	Model Number	List	Grade C Topcap Paint	Grade C Retainer Paint	Grade C Door Paint
82	42	Left	P-MLDRL8242	4,697	+10	+5	+100
82	42	Right	P-MLDRR8242	4,697	+10	+5	+100



Left Hand



Right Hand

Specify

- Finish Style for Topcap - Painted Metal
- Paint Selection for Tile Retainer, Door and Topcap (when applicable)

Notes

- Panel Door Frames are made of steel tube, welded frame construction.
- Includes one topcap (field mounted), two topcap retainers (field mounted), one adjustable threshold, and one ADA right angle lock set with two keys.
- Door frame can accommodate up to two stack-on frames.
- Door frame and top cap can be painted in AIS standard colors.
- Door blank cannot be specified in Metallic Colors (ex. Metallic Silver, Champagne Metallic, Dark Grey Metallic, Flint Grey Metallic, Antique Gold & Graphite Sky).
- 1/4 - 20 x 4" long hex head bolts are supplied for connecting to adjacent frames in a straight line.
- Door swing is reversible in the field.
- Minimum door opening is 34 1/8" from door stop to door face while open at 90º.

LINEAR ARCH PANEL DOOR FRAME WITH INNER TRIM (NO DOOR)

H	W	Model Number	List	Grade C Paint	Grade C Retainer Paint
82	42	P-MLDFRK8242	4,789	+10	+5



Specify


- Finish Style for Topcap - Painted Metal
- Paint Selection for Tile Retainer and Topcap

Notes


- For use with AIS sliding doors where an archway is needed.
- Opening width of 35 1/2".

LINEAR PROFILE PANEL GLASS WINDOW DOOR FRAMES

H	W	Type	Model Number	List	Grade C Topcap Paint	Grade C Retainer Paint	Grade C Door Paint
82	42	Left	P-MLDRGL8242	8,146	+10	+5	+100
82	42	Right	P-MLDRGR8242	8,146	+10	+5	+100



Left Hand



Right Hand

Specify

- Finish Style for Topcap - Painted Metal
- Paint Selection for Tile Retainer, Door and Topcap
- Insert Style for Tempered Glass

Notes

- Panel Glass Window Door Frames are made of steel tube, welded frame construction.
- Includes one topcap (field mounted), two topcap retainers (field mounted), one adjustable threshold, and one ADA right angle lock set with two keys.
- Door frame can accommodate up to two stack-on frames.
- Door frame and door are painted same color, as specified.
- 1/4 - 20 x 4" long hex head bolts are supplied for connecting to adjacent frames in a straight line.
- Door swing is reversible in the field.
- Minimum door opening is 34 1/8" from door stop to door face while open at 90º.
- Note: Door has a 5" painted wood border around the glass.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Linear Sliding Privacy Screens

MATRIX LINEAR SLIDING PRIVACY SCREEN


Panel H	Doorway W	Adjacent Panel W	Left Hand Model Number	Right Hand Model Number	List	Grade C Paint
66	36	36	P-MXLRS6636L	P-MXLRS6636R	3,496	+25
66	36	42	P-MXLRS663642L	P-MXLRS663642R	3,649	+25
66	36	48	P-MXLRS663648L	P-MXLRS663648R	3,659	+25
66	42	42	P-MXLRS6642L	P-MXLRS6642R	3,500	+25
66	42	48	P-MXLRS664248L	P-MXLRS664248R	3,583	+25
66	48	48	P-MXLRS6648L	P-MXLRS6648R	3,614	+25
82	36	36	P-MXLRS8236L	P-MXLRS8236R	3,648	+25
82	36	42	P-MXLRS823642L	P-MXLRS823642R	3,727	+25
82	36	48	P-MXLRS823648L	P-MXLRS823648R	3,808	+25
82	42	42	P-MXLRS8242L	P-MXLRS8242R	3,660	+25
82	42	48	P-MXLRS824248L	P-MXLRS824248R	3,742	+25
82	48	48	P-MXLRS8248L	P-MXLRS8248R	3,778	+25

MATRIX LINEAR LOCKING SLIDING PRIVACY SCREEN


Panel H	Doorway W	Adjacent Panel W	Left Hand Model Number	Right Hand Model Number	List	Grade C Paint
66	36	36	P-MXLRS6636LL	P-MXLRS6636RL	3,708	+25
66	36	42	P-MXLRS663642LL	P-MXLRS663642RL	3,788	+25
66	36	48	P-MXLRS663648LL	P-MXLRS663648RL	3,870	+25
66	42	42	P-MXLRS6642LL	P-MXLRS6642RL	3,715	+25
66	42	48	P-MXLRS664248LL	P-MXLRS664248RL	3,793	+25
66	48	48	P-MXLRS6648LL	P-MXLRS6648RL	3,824	+25
82	36	36	P-MXLRS8236LL	P-MXLRS8236RL	3,857	+25
82	36	42	P-MXLRS823642LL	P-MXLRS823642RL	3,939	+25
82	36	48	P-MXLRS823648LL	P-MXLRS823648RL	4,021	+25
82	42	42	P-MXLRS8242LL	P-MXLRS8242RL	3,871	+25
82	42	48	P-MXLRS824248LL	P-MXLRS824248RL	3,953	+25
82	48	48	P-MXLRS8248LL	P-MXLRS8248RL	3,989	+25




Right Hand with Optional Handle Shown



Right Hand with Optional Handle Shown



Right Hand with Lock and Handle Shown



Right Hand with Lock and Handle Shown

Specify

- Paint Selection for Sliding Door Frame

Notes


- The Linear Sliding Privacy Screen attaches to frame face at either left or right, outside or inside of an opening.
- Select a Sliding Privacy Screen based upon the dimensions of the opening it will cover and the adjacent panel that it will be installed to.
- Linear Sliding Privacy Screens are available to accommodate 36”, 42” or 48” wide by 66” or 82” high openings and adjacent panels.
- All doors come with a top track bar kit for added stability; only 82” high units extend over the doorway.
- Lightweight, aluminum frame, painted as specified, with a ribbed Lexan insert.
- The sliding door extends 6” into opening when fully open, and stands a total of 2-1/2” off panel face.
- These dimensions should be taken into consideration when planning for ADA door openings and aisle dimensional requirements if door is mounted on outside of office.
- Actual door thickness is 5/8”.
- Actual door width is opening size +6”.
- Only mount externally.
- Doors can only be locked from the outside, when user is out of office.
- Optional handles and wall termination brackets are available separately

© 2026, AIS, Inc.

Linear Sliding Privacy Screen Handles and Brackets

LINEAR SLIDING PRIVACY SCREEN HANDLE KIT


Model Number	List
P-UNSLDHK	97



Specify	Notes
• Select Paint	

LINEAR SLIDING PRIVACY SCREEN WALL BRACKET KIT


Model Number	List	Grade C Paint
A-RPSLWATB	91	+25




Specify	Notes
• Select Paint	• Use this bracket where the top guide rail of the Linear Sliding Privacy Screen extends over the doorway and terminates against a wall instead of a panel. • Fasteners for top rail included, fasteners for wall are not included.

MATRIX SLIDING DOOR MOUNTING BRACKET FOR ARCH DOOR


Model Number	List
A-MTXSLDAMB	91



Specify	Notes
• Specify this bracket when using a sliding privacy screen on a Matrix Arch Door Frame with a 2- or 3-way connection.	



This bracket required when a sliding door installed on Arch Door Frame with 2- or 3-way connection.




© 2026, AIS, Inc.

Stack-On Frames


STACK-ON FRAMES

H	W	Model Number	List
8	24	P-M2BT0824	330
8	30	P-M2BT0830	352
8	36	P-M2BT0836	364
8	42	P-M2BT0842	383
8	48	P-M2BT0848	402
16	24	P-M2BT1624	385
16	30	P-M2BT1630	402
16	36	P-M2BT1636	420
16	42	P-M2BT1642	436
16	48	P-M2BT1648	455
24	24	P-M2BT2424	438
24	30	P-M2BT2430	455
24	36	P-M2BT2436	472
24	42	P-M2BT2442	487
24	48	P-M2BT2448	510



LINEAR PROFILE EXTENDED TOPCAPS

H	Model Number	List	Grade C Paint
54	P-MLTC54	87	+20
60	P-MLTC60	91	+20
66	P-MLTC66	95	+20
72	P-MLTC72	103	+20
78	P-MLTC78	109	+20
84	P-MLTC84	114	+20
90	P-MLTC90	119	+20
96	P-MLTC96	124	+20
102	P-MLTC102	129	+30
108	P-MLTC108	134	+30



Notes

- Stack-On Frame is made of steel tube, welded frame construction.
- Frame color is black and includes 1/4 - 20 x 4“ long bolts for connecting to adjacent frames in straight line.
- Supports overhead storage.
- Note: Stack-on frame may be retrofitted over data cables run in topcap channel.
- Existing topcap from lower panel frame is re-used on the stack-on frame.
- Stack-on connectors and vertical trim ordered separately.
- Maximum stackability on any frame is 48”.
- When stacking on an 82” frame, 130” would be the maximum stacking height.

Specify

- Paint Selection for Topcap

Notes


- Extended Topcaps Linear Profile - may be ordered to reduce “seams” between panel frames.
- Order extended topcaps separately.
- **Important:** Matrix frames ship with standard “panel width” topcaps.
- Specify frames without topcaps to eliminate redundant topcaps.

© 2026, AIS, Inc.

Topcaps

LINEAR DOOR FRAME TOPCAP CONVERSION KIT


H	Model Number	List	Grade C Paint
42	P-MLKFD42	149	+10



Specify	Notes
• Finish Style for Topcap - Painted Metal • Paint Selection for Topcap (when applicable)	• Linear Door Frame Topcap Conversion Kit - may be ordered to convert existing radius profile Matrix door frames to linear profile Matrix door frames. • Linear topcap conversion kits include one linear profile topcap (painted metal) and all necessary mounting hardware.

RADIUS TO LINEAR FRAME TOPCAP CONVERSION KIT

H	Model Number	List	Grade C Paint
24	P-MLKF24	204	+10
30	P-MLKF30	215	+10
36	P-MLKF36	219	+10
42	P-MLKF42	226	+10
48	P-MLKF48	236	+10



Specify	Notes
• Finish Style for Topcap - Painted Metal • Paint Selection for Topcap (if applicable) and Bottom Tile Retainer	• Linear Frame Topcap Conversion Kit - may be ordered to convert existing radius profile Matrix frames to linear profile Matrix frames. • Linear topcap conversion kits include one linear profile topcap (painted metal), two bottom tile retainers, and all necessary mounting hardware. • Mid-tile retainers need to be ordered separately.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Linear Single End Gallery Panels


LINEAR SINGLE END GALLERY PANELS


			Left	Right	
H	W	Grain	Model Number	Model Number	List
34	24	Vertical	P-MLGPES3424L	P-MLGPES3424R	635
34	30	Vertical	P-MLGPES3430L	P-MLGPES3430R	666
34	36	Vertical	P-MLGPES3436L	P-MLGPES3436R	685
34	42	Vertical	P-MLGPES3442L	P-MLGPES3442R	700
34	48	Vertical	P-MLGPES3448L	P-MLGPES3448R	709
34	54	Vertical	P-MLGPES3454L	P-MLGPES3454R	719
34	24	Horizontal	P-MLGPES3424LH	P-MLGPES3424RH	635
34	30	Horizontal	P-MLGPES3430LH	P-MLGPES3430RH	666
34	36	Horizontal	P-MLGPES3436LH	P-MLGPES3436RH	685
34	42	Horizontal	P-MLGPES3442LH	P-MLGPES3442RH	700
34	48	Horizontal	P-MLGPES3448LH	P-MLGPES3448RH	709
34	54	Horizontal	P-MLGPES3454LH	P-MLGPES3454RH	719
34	60	Horizontal	P-MLGPES3460L	P-MLGPES3460R	852
34	66	Horizontal	P-MLGPES3466L	P-MLGPES3466R	896
34	72	Horizontal	P-MLGPES3472L	P-MLGPES3472R	953
34	78	Horizontal	P-MLGPES3478L	P-MLGPES3478R	1,011
34	84	Horizontal	P-MLGPES3484L	P-MLGPES3484R	1,068
34	90	Horizontal	P-MLGPES3490L	P-MLGPES3490R	1,125


LINEAR SINGLE END GALLERY PANELS


			Left	Right	
H	W	Grain	Model Number	Model Number	List
42	24	Vertical	P-MLGPES4224L	P-MLGPES4224R	683
42	30	Vertical	P-MLGPES4230L	P-MLGPES4230R	736
42	36	Vertical	P-MLGPES4236L	P-MLGPES4236R	782
42	42	Vertical	P-MLGPES4242L	P-MLGPES4242R	828
42	48	Vertical	P-MLGPES4248L	P-MLGPES4248R	874
42	54	Vertical	P-MLGPES4254L	P-MLGPES4254R	921
42	24	Horizontal	P-MLGPES4224LH	P-MLGPES4224RH	683
42	30	Horizontal	P-MLGPES4230LH	P-MLGPES4230RH	736
42	36	Horizontal	P-MLGPES4236LH	P-MLGPES4236RH	782
42	42	Horizontal	P-MLGPES4242LH	P-MLGPES4242RH	828
42	48	Horizontal	P-MLGPES4248LH	P-MLGPES4248RH	874
42	54	Horizontal	P-MLGPES4254LH	P-MLGPES4254RH	921
42	60	Horizontal	P-MLGPES4260L	P-MLGPES4260R	1,039
42	66	Horizontal	P-MLGPES4266L	P-MLGPES4266R	1,116
42	72	Horizontal	P-MLGPES4272L	P-MLGPES4272R	1,160
42	78	Horizontal	P-MLGPES4278L	P-MLGPES4278R	1,204
42	84	Horizontal	P-MLGPES4284L	P-MLGPES4284R	1,248
42	90	Horizontal	P-MLGPES4290L	P-MLGPES4290R	1,292



Left Hand


Right Hand


Horizontal Grain


Vertical Grain




Right Hand Shown

Specify

- Laminate with matching edge

Notes

- Linear Single End Gallery Panels mount to frames in place of wing panels for structural support.
- Gallery Panels add 1” to panel run. See panel creep description pages.
- Gallery Panels are 1 1/8” thick with matching 2mm edgeband.
- Single End Gallery Panels over 66” wide must be attached to storage units for support.
- Cannot be used freestanding, must be attached to a panel.

© 2026, AIS, Inc.


Linear Single End Gallery Panels


LINEAR SINGLE END GALLERY PANELS


H	W	Grain	Left Model Number	Right Model Number	List
50	24	Vertical	P-MLGPES5024L	P-MLGPES5024R	730
50	30	Vertical	P-MLGPES5030L	P-MLGPES5030R	805
50	36	Vertical	P-MLGPES5036L	P-MLGPES5036R	878
50	42	Vertical	P-MLGPES5042L	P-MLGPES5042R	955
50	48	Vertical	P-MLGPES5048L	P-MLGPES5048R	1,038
50	54	Vertical	P-MLGPES5054L	P-MLGPES5054R	1,120
50	24	Horizontal	P-MLGPES5024LH	P-MLGPES5024RH	730
50	30	Horizontal	P-MLGPES5030LH	P-MLGPES5030RH	805
50	36	Horizontal	P-MLGPES5036LH	P-MLGPES5036RH	878
50	42	Horizontal	P-MLGPES5042LH	P-MLGPES5042RH	955
50	48	Horizontal	P-MLGPES5048LH	P-MLGPES5048RH	1,038
50	54	Horizontal	P-MLGPES5054LH	P-MLGPES5054RH	1,120
50	60	Horizontal	P-MLGPES5060L	P-MLGPES5060R	1,228
50	66	Horizontal	P-MLGPES5066L	P-MLGPES5066R	1,332
50	72	Horizontal	P-MLGPES5072L	P-MLGPES5072R	1,365
50	78	Horizontal	P-MLGPES5078L	P-MLGPES5078R	1,397
50	84	Horizontal	P-MLGPES5084L	P-MLGPES5084R	1,428
50	90	Horizontal	P-MLGPES5090L	P-MLGPES5090R	1,459


LINEAR SINGLE END GALLERY PANELS


H	W	Grain	Left Model Number	Right Model Number	List
58	24	Vertical	P-MLGPES5824L	P-MLGPES5824R	813
58	30	Vertical	P-MLGPES5830L	P-MLGPES5830R	892
58	36	Vertical	P-MLGPES5836L	P-MLGPES5836R	961
58	42	Vertical	P-MLGPES5842L	P-MLGPES5842R	1,037
58	48	Vertical	P-MLGPES5848L	P-MLGPES5848R	1,092
58	54	Vertical	P-MLGPES5854L	P-MLGPES5854R	1,151
58	24	Horizontal	P-MLGPES5824LH	P-MLGPES5824RH	813
58	30	Horizontal	P-MLGPES5830LH	P-MLGPES5830RH	892
58	36	Horizontal	P-MLGPES5836LH	P-MLGPES5836RH	961
58	42	Horizontal	P-MLGPES5842LH	P-MLGPES5842RH	1,037
58	48	Horizontal	P-MLGPES5848LH	P-MLGPES5848RH	1,092
58	54	Horizontal	P-MLGPES5854LH	P-MLGPES5854RH	1,151
58	60	Horizontal	P-MLGPES5860L	P-MLGPES5860R	1,252
58	66	Horizontal	P-MLGPES5866L	P-MLGPES5866R	1,356
58	72	Horizontal	P-MLGPES5872L	P-MLGPES5872R	1,458
58	78	Horizontal	P-MLGPES5878L	P-MLGPES5878R	1,558
58	84	Horizontal	P-MLGPES5884L	P-MLGPES5884R	1,663
58	90	Horizontal	P-MLGPES5890L	P-MLGPES5890R	1,765
66	24	Vertical	P-MLGPES6624L	P-MLGPES6624R	834
66	30	Vertical	P-MLGPES6630L	P-MLGPES6630R	917
66	36	Vertical	P-MLGPES6636L	P-MLGPES6636R	993
66	42	Vertical	P-MLGPES6642L	P-MLGPES6642R	1,076
66	48	Vertical	P-MLGPES6648L	P-MLGPES6648R	1,153
66	54	Vertical	P-MLGPES6654L	P-MLGPES6654R	1,231



Left Hand


Right Hand


Horizontal Grain


Vertical Grain




Right Hand Shown

Specify

- Laminate with matching edge

Notes

- Linear Single End Gallery Panels mount to frames in place of wing panels for structural support.
- Gallery Panels add 1” to panel run. See panel creep description pages.
- Gallery Panels are 1 1/8” thick with matching 2mm edgeband.
- Single End Gallery Panels over 66” wide must be attached to storage units for support.
- Cannot be used freestanding, must be attached to a panel.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Linear Single End for Wing Gallery Panels


LINEAR SINGLE END FOR WING GALLERY PANELS

H	W	Grain	Left Model Number	Right Model Number	List
34	48	Vertical	P-MLGESW3448L	P-MLGESW3448R	746
34	54	Vertical	P-MLGESW3454L	P-MLGESW3454R	754
34	48	Horizontal	P-MLGESW3448LH	P-MLGESW3448RH	746
34	54	Horizontal	P-MLGESW3454LH	P-MLGESW3454RH	754
34	60	Horizontal	P-MLGESW3460L	P-MLGESW3460R	888
34	66	Horizontal	P-MLGESW3466L	P-MLGESW3466R	931
34	72	Horizontal	P-MLGESW3472L	P-MLGESW3472R	989
34	78	Horizontal	P-MLGESW3478L	P-MLGESW3478R	1,047
34	84	Horizontal	P-MLGESW3484L	P-MLGESW3484R	1,104
34	90	Horizontal	P-MLGESW3490L	P-MLGESW3490R	1,162
42	48	Vertical	P-MLGESW4248L	P-MLGESW4248R	909
42	54	Vertical	P-MLGESW4254L	P-MLGESW4254R	954
42	48	Horizontal	P-MLGESW4248LH	P-MLGESW4248RH	909
42	54	Horizontal	P-MLGESW4254LH	P-MLGESW4254RH	954
42	60	Horizontal	P-MLGESW4260L	P-MLGESW4260R	1,075
42	66	Horizontal	P-MLGESW4266L	P-MLGESW4266R	1,151
42	72	Horizontal	P-MLGESW4272L	P-MLGESW4272R	1,194
42	78	Horizontal	P-MLGESW4278L	P-MLGESW4278R	1,240
42	84	Horizontal	P-MLGESW4284L	P-MLGESW4284R	1,284
42	90	Horizontal	P-MLGESW4290L	P-MLGESW4290R	1,329


LINEAR SINGLE END FOR WING GALLERY PANELS

H	W	Grain	Left Model Number	Right Model Number	List
50	48	Vertical	P-MLGESW5048L	P-MLGESW5048R	1,074
50	54	Vertical	P-MLGESW5054L	P-MLGESW5054R	1,156
50	48	Horizontal	P-MLGESW5048LH	P-MLGESW5048RH	1,074
50	54	Horizontal	P-MLGESW5054LH	P-MLGESW5054RH	1,156
50	60	Horizontal	P-MLGESW5060L	P-MLGESW5060R	1,261
50	66	Horizontal	P-MLGESW5066L	P-MLGESW5066R	1,368
50	72	Horizontal	P-MLGESW5072L	P-MLGESW5072R	1,400
50	78	Horizontal	P-MLGESW5078L	P-MLGESW5078R	1,431
50	84	Horizontal	P-MLGESW5084L	P-MLGESW5084R	1,463
50	90	Horizontal	P-MLGESW5090L	P-MLGESW5090R	1,494
58	48	Vertical	P-MLGESW5848L	P-MLGESW5848R	1,128
58	54	Vertical	P-MLGESW5854L	P-MLGESW5854R	1,187
58	48	Horizontal	P-MLGESW5848LH	P-MLGESW5848RH	1,128
58	54	Horizontal	P-MLGESW5854LH	P-MLGESW5854RH	1,187
58	60	Horizontal	P-MLGESW5860L	P-MLGESW5860R	1,288
58	66	Horizontal	P-MLGESW5866L	P-MLGESW5866R	1,391
58	72	Horizontal	P-MLGESW5872L	P-MLGESW5872R	1,493
58	78	Horizontal	P-MLGESW5878L	P-MLGESW5878R	1,596
58	84	Horizontal	P-MLGESW5884L	P-MLGESW5884R	1,699
58	90	Horizontal	P-MLGESW5890L	P-MLGESW5890R	1,800
66	48	Vertical	P-MLGESW6648L	P-MLGESW6648R	1,189
66	54	Vertical	P-MLGESW6654L	P-MLGESW6654R	1,267





Horizontal Grain



Right Hand Shown

Specify

- Laminate with matching edge

Notes

- Gallery Panels are 1 1/8” thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Wing panels sold separately.

© 2026, AIS, Inc.


Linear Single End for Wing Facing Forward Gallery Panels

LINEAR SINGLE END FOR WING FACING FORWARD GALLERY PANELS


			Left	Right	
H	W	Grain	Model Number	Model Number	List
34	48	Vertical	P-MGESWF3448L	P-MGESWF3448R	746
34	54	Vertical	P-MGESWF3454L	P-MGESWF3454R	754
34	48	Horizontal	P-MGESWF3448LH	P-MGESWF3448RH	746
34	54	Horizontal	P-MGESWF3454LH	P-MGESWF3454RH	754
34	60	Horizontal	P-MGESWF3460L	P-MGESWF3460R	888
34	66	Horizontal	P-MGESWF3466L	P-MGESWF3466R	931
34	72	Horizontal	P-MGESWF3472L	P-MGESWF3472R	989
34	78	Horizontal	P-MGESWF3478L	P-MGESWF3478R	1,047
34	84	Horizontal	P-MGESWF3484L	P-MGESWF3484R	1,104
34	90	Horizontal	P-MGESWF3490L	P-MGESWF3490R	1,162
42	48	Vertical	P-MGESWF4248L	P-MGESWF4248R	909
42	54	Vertical	P-MGESWF4254L	P-MGESWF4254R	954
42	48	Horizontal	P-MGESWF4248LH	P-MGESWF4248RH	909
42	54	Horizontal	P-MGESWF4254LH	P-MGESWF4254RH	954
42	60	Horizontal	P-MGESWF4260L	P-MGESWF4260R	1,075
42	66	Horizontal	P-MGESWF4266L	P-MGESWF4266R	1,151
42	72	Horizontal	P-MGESWF4272L	P-MGESWF4272R	1,194
42	78	Horizontal	P-MGESWF4278L	P-MGESWF4278R	1,240
42	84	Horizontal	P-MGESWF4284L	P-MGESWF4284R	1,284
42	90	Horizontal	P-MGESWF4290L	P-MGESWF4290R	1,329

LINEAR SINGLE END FOR WING FACING FORWARD GALLERY PANELS


			Left	Right	
H	W	Grain	Model Number	Model Number	List
50	48	Vertical	P-MGESWF5048L	P-MGESWF5048R	1,074
50	54	Vertical	P-MGESWF5054L	P-MGESWF5054R	1,154
50	48	Horizontal	P-MGESWF5048LH	P-MGESWF5048RH	1,074
50	54	Horizontal	P-MGESWF5054LH	P-MGESWF5054RH	1,154
50	60	Horizontal	P-MGESWF5060L	P-MGESWF5060R	1,261
50	66	Horizontal	P-MGESWF5066L	P-MGESWF5066R	1,368
50	72	Horizontal	P-MGESWF5072L	P-MGESWF5072R	1,400
50	78	Horizontal	P-MGESWF5078L	P-MGESWF5078R	1,431
50	84	Horizontal	P-MGESWF5084L	P-MGESWF5084R	1,463
50	90	Horizontal	P-MGESWF5090L	P-MGESWF5090R	1,494
58	48	Vertical	P-MGESWF5848L	P-MGESWF5848R	1,128
58	54	Vertical	P-MGESWF5854L	P-MGESWF5854R	1,187
58	48	Horizontal	P-MGESWF5848LH	P-MGESWF5848RH	1,128
58	54	Horizontal	P-MGESWF5854LH	P-MGESWF5854RH	1,187
58	60	Horizontal	P-MGESWF5860L	P-MGESWF5860R	1,288
58	66	Horizontal	P-MGESWF5866L	P-MGESWF5866R	1,391
58	72	Horizontal	P-MGESWF5872L	P-MGESWF5872R	1,493
58	78	Horizontal	P-MGESWF5878L	P-MGESWF5878R	1,596
58	84	Horizontal	P-MGESWF5884L	P-MGESWF5884R	1,699
58	90	Horizontal	P-MGESWF5890L	P-MGESWF5890R	1,800
66	48	Vertical	P-MGESWF6648L	P-MGESWF6648R	1,189
66	54	Vertical	P-MGESWF6654L	P-MGESWF6654R	1,265



Left Hand Shown



Left Hand Shown



Right Hand Shown

Specify

- Laminate with matching edge

Notes

- Gallery Panels are 1 1/8” thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Wing panels sold separately.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Linear Single End for Double Wing Gallery Panels

LINEAR SINGLE END FOR DOUBLE WING GALLERY PANELS


			Left	Right	
H	W	Grain	Model Number	Model Number	List
34	48	Vertical	P-MGESWD3448L	P-MGESWD3448R	816
34	54	Vertical	P-MGESWD3454L	P-MGESWD3454R	827
34	48	Horizontal	P-MGESWD3448LH	P-MGESWD3448RH	816
34	54	Horizontal	P-MGESWD3454LH	P-MGESWD3454RH	827
34	60	Horizontal	P-MGESWD3460L	P-MGESWD3460R	958
34	66	Horizontal	P-MGESWD3466L	P-MGESWD3466R	1,004
34	72	Horizontal	P-MGESWD3472L	P-MGESWD3472R	1,060
34	78	Horizontal	P-MGESWD3478L	P-MGESWD3478R	1,118
34	84	Horizontal	P-MGESWD3484L	P-MGESWD3484R	1,174
34	90	Horizontal	P-MGESWD3490L	P-MGESWD3490R	1,232
42	48	Vertical	P-MGESWD4248L	P-MGESWD4248R	980
42	54	Vertical	P-MGESWD4254L	P-MGESWD4254R	1,024
42	48	Horizontal	P-MGESWD4248LH	P-MGESWD4248RH	980
42	54	Horizontal	P-MGESWD4254LH	P-MGESWD4254RH	1,024
42	60	Horizontal	P-MGESWD4260L	P-MGESWD4260R	1,145
42	66	Horizontal	P-MGESWD4266L	P-MGESWD4266R	1,220
42	72	Horizontal	P-MGESWD4272L	P-MGESWD4272R	1,264
42	78	Horizontal	P-MGESWD4278L	P-MGESWD4278R	1,311
42	84	Horizontal	P-MGESWD4284L	P-MGESWD4284R	1,355
42	90	Horizontal	P-MGESWD4290L	P-MGESWD4290R	1,399

LINEAR SINGLE END FOR DOUBLE WING GALLERY PANELS

			Left	Right	
H	W	Grain	Model Number	Model Number	List
50	48	Vertical	P-MGESWD5048L	P-MGESWD5048R	1,143
50	54	Vertical	P-MGESWD5054L	P-MGESWD5054R	1,224
50	48	Horizontal	P-MGESWD5048LH	P-MGESWD5048RH	1,143
50	54	Horizontal	P-MGESWD5054LH	P-MGESWD5054RH	1,224
50	60	Horizontal	P-MGESWD5060L	P-MGESWD5060R	1,332
50	66	Horizontal	P-MGESWD5066L	P-MGESWD5066R	1,439
50	72	Horizontal	P-MGESWD5072L	P-MGESWD5072R	1,471
50	78	Horizontal	P-MGESWD5078L	P-MGESWD5078R	1,502
50	84	Horizontal	P-MGESWD5084L	P-MGESWD5084R	1,534
50	90	Horizontal	P-MGESWD5090L	P-MGESWD5090R	1,564
58	48	Vertical	P-MGESWD5848L	P-MGESWD5848R	1,199
58	54	Vertical	P-MGESWD5854L	P-MGESWD5854R	1,256
58	48	Horizontal	P-MGESWD5848LH	P-MGESWD5848RH	1,199
58	54	Horizontal	P-MGESWD5854LH	P-MGESWD5854RH	1,256
58	60	Horizontal	P-MGESWD5860L	P-MGESWD5860R	1,360
58	66	Horizontal	P-MGESWD5866L	P-MGESWD5866R	1,462
58	72	Horizontal	P-MGESWD5872L	P-MGESWD5872R	1,563
58	78	Horizontal	P-MGESWD5878L	P-MGESWD5878R	1,666
58	84	Horizontal	P-MGESWD5884L	P-MGESWD5884R	1,769
58	90	Horizontal	P-MGESWD5890L	P-MGESWD5890R	1,871
66	48	Vertical	P-MGESWD6648L	P-MGESWD6648R	1,259
66	54	Vertical	P-MGESWD6654L	P-MGESWD6654R	1,335



Left Hand Shown



Specify

- Laminate with matching edge

Notes

- Gallery Panels are 1 1/8” thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Wing panels sold separately.

© 2026, AIS, Inc.


Linear Single Spine Gallery Panels


LINEAR SINGLE SPINE GALLERY PANELS

H	W	Grain	Model Number	List
34	24	Vertical	P-MLGPSS3424	635
34	30	Vertical	P-MLGPSS3430	666
34	36	Vertical	P-MLGPSS3436	685
34	42	Vertical	P-MLGPSS3442	700
34	48	Vertical	P-MLGPSS3448	709
34	54	Vertical	P-MLGPSS3454	719
34	24	Horizontal	P-MLGPSS3424H	635
34	30	Horizontal	P-MLGPSS3430H	666
34	36	Horizontal	P-MLGPSS3436H	685
34	42	Horizontal	P-MLGPSS3442H	700
34	48	Horizontal	P-MLGPSS3448H	709
34	54	Horizontal	P-MLGPSS3454H	719
34	60	Horizontal	P-MLGPSS3460	852
34	66	Horizontal	P-MLGPSS3466	896
34	72	Horizontal	P-MLGPSS3472	953
34	78	Horizontal	P-MLGPSS3478	1,011
34	84	Horizontal	P-MLGPSS3484	1,068
34	90	Horizontal	P-MLGPSS3490	1,125


LINEAR SINGLE SPINE GALLERY PANELS

H	W	Grain	Model Number	List
42	24	Vertical	P-MLGPSS4224	683
42	30	Vertical	P-MLGPSS4230	736
42	36	Vertical	P-MLGPSS4236	782
42	42	Vertical	P-MLGPSS4242	828
42	48	Vertical	P-MLGPSS4248	874
42	54	Vertical	P-MLGPSS4254	921
42	24	Horizontal	P-MLGPSS4224H	683
42	30	Horizontal	P-MLGPSS4230H	736
42	36	Horizontal	P-MLGPSS4236H	782
42	42	Horizontal	P-MLGPSS4242H	828
42	48	Horizontal	P-MLGPSS4248H	874
42	54	Horizontal	P-MLGPSS4254H	921
42	60	Horizontal	P-MLGPSS4260	1,039
42	66	Horizontal	P-MLGPSS4266	1,116
42	72	Horizontal	P-MLGPSS4272	1,159
42	78	Horizontal	P-MLGPSS4278	1,204
42	84	Horizontal	P-MLGPSS4284	1,248
42	90	Horizontal	P-MLGPSS4290	1,292







Horizontal Grain



Vertical Grain





Specify

- Laminate with matching edge

Notes

- Linear Single Spine Gallery Panels mount to frames in place of wing panels for structural support.
- Gallery panels add 1” to panel run. See panel creep description pages.
- Panel to panel jumpers passing through a single spine gallery panel should be changed to extended panel to panel jumpers to accommodate the extra length added by the gallery panel.
- Gallery Panels are 1 1/8” thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Linear Single Spine Gallery Panels


LINEAR SINGLE SPINE GALLERY PANELS

H	W	Grain	Model Number	List
50	24	Vertical	P-MLGPSS5024	730
50	30	Vertical	P-MLGPSS5030	805
50	36	Vertical	P-MLGPSS5036	878
50	42	Vertical	P-MLGPSS5042	955
50	48	Vertical	P-MLGPSS5048	1,038
50	54	Vertical	P-MLGPSS5054	1,120
50	24	Horizontal	P-MLGPSS5024H	730
50	30	Horizontal	P-MLGPSS5030H	805
50	36	Horizontal	P-MLGPSS5036H	878
50	42	Horizontal	P-MLGPSS5042H	955
50	48	Horizontal	P-MLGPSS5048H	1,038
50	54	Horizontal	P-MLGPSS5054H	1,120
50	60	Horizontal	P-MLGPSS5060	1,228
50	66	Horizontal	P-MLGPSS5066	1,332
50	72	Horizontal	P-MLGPSS5072	1,365
50	78	Horizontal	P-MLGPSS5078	1,397
50	84	Horizontal	P-MLGPSS5084	1,428
50	90	Horizontal	P-MLGPSS5090	1,459


LINEAR SINGLE SPINE GALLERY PANELS

H	W	Grain	Model Number	List
58	24	Vertical	P-MLGPSS5824	813
58	30	Vertical	P-MLGPSS5830	892
58	36	Vertical	P-MLGPSS5836	961
58	42	Vertical	P-MLGPSS5842	1,037
58	48	Vertical	P-MLGPSS5848	1,092
58	54	Vertical	P-MLGPSS5854	1,151
58	24	Horizontal	P-MLGPSS5824H	813
58	30	Horizontal	P-MLGPSS5830H	892
58	36	Horizontal	P-MLGPSS5836H	961
58	42	Horizontal	P-MLGPSS5842H	1,037
58	48	Horizontal	P-MLGPSS5848H	1,092
58	54	Horizontal	P-MLGPSS5854H	1,151
58	60	Horizontal	P-MLGPSS5860	1,252
58	66	Horizontal	P-MLGPSS5866	1,356
58	72	Horizontal	P-MLGPSS5872	1,458
58	78	Horizontal	P-MLGPSS5878	1,558
58	84	Horizontal	P-MLGPSS5884	1,663
58	90	Horizontal	P-MLGPSS5890	1,765
66	24	Vertical	P-MLGPSS6624	834
66	30	Vertical	P-MLGPSS6630	917
66	36	Vertical	P-MLGPSS6636	993
66	42	Vertical	P-MLGPSS6642	1,076
66	48	Vertical	P-MLGPSS6648	1,153
66	54	Vertical	P-MLGPSS6654	1,231







Horizontal Grain



Vertical Grain





Specify

- Laminate with matching edge

Notes

- Linear Single Spine Gallery Panels mount to frames in place of wing panels for structural support.
- Gallery Panels add 1” to panel run. See panel creep description pages.
- Panel to panel jumpers passing through a single spine gallery panel should be changed to extended panel to panel jumpers to accommodate the extra length added by the gallery panel.
- Gallery Panels are 1 1/8” thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.

© 2026, AIS, Inc.


Linear Single Spine for Wing Gallery Panels


LINEAR SINGLE SPINE FOR WING GALLERY PANELS

H	W	Grain	Left Model Number	Right Model Number	List
34	48	Vertical	P-MLGSSW3448L	P-MLGSSW3448R	781
34	54	Vertical	P-MLGSSW3454L	P-MLGSSW3454R	792
34	48	Horizontal	P-MLGSSW3448LH	P-MLGSSW3448RH	781
34	54	Horizontal	P-MLGSSW3454LH	P-MLGSSW3454RH	792
34	60	Horizontal	P-MLGSSW3460L	P-MLGSSW3460R	923
34	66	Horizontal	P-MLGSSW3466L	P-MLGSSW3466R	966
34	72	Horizontal	P-MLGSSW3472L	P-MLGSSW3472R	1,023
34	78	Horizontal	P-MLGSSW3478L	P-MLGSSW3478R	1,082
34	84	Horizontal	P-MLGSSW3484L	P-MLGSSW3484R	1,138
34	90	Horizontal	P-MLGSSW3490L	P-MLGSSW3490R	1,196
42	48	Vertical	P-MLGSSW4248L	P-MLGSSW4248R	945
42	54	Vertical	P-MLGSSW4254L	P-MLGSSW4254R	990
42	48	Horizontal	P-MLGSSW4248LH	P-MLGSSW4248RH	945
42	54	Horizontal	P-MLGSSW4254LH	P-MLGSSW4254RH	990
42	60	Horizontal	P-MLGSSW4260L	P-MLGSSW4260R	1,108
42	66	Horizontal	P-MLGSSW4266L	P-MLGSSW4266R	1,187
42	72	Horizontal	P-MLGSSW4272L	P-MLGSSW4272R	1,230
42	78	Horizontal	P-MLGSSW4278L	P-MLGSSW4278R	1,276
42	84	Horizontal	P-MLGSSW4284L	P-MLGSSW4284R	1,318
42	90	Horizontal	P-MLGSSW4290L	P-MLGSSW4290R	1,363


LINEAR SINGLE SPINE FOR WING GALLERY PANELS

H	W	Grain	Left Model Number	Right Model Number	List
50	48	Vertical	P-MLGSSW5048L	P-MLGSSW5048R	1,107
50	54	Vertical	P-MLGSSW5054L	P-MLGSSW5054R	1,190
50	48	Horizontal	P-MLGSSW5048LH	P-MLGSSW5048RH	1,107
50	54	Horizontal	P-MLGSSW5054LH	P-MLGSSW5054RH	1,190
50	60	Horizontal	P-MLGSSW5060L	P-MLGSSW5060R	1,298
50	66	Horizontal	P-MLGSSW5066L	P-MLGSSW5066R	1,403
50	72	Horizontal	P-MLGSSW5072L	P-MLGSSW5072R	1,436
50	78	Horizontal	P-MLGSSW5078L	P-MLGSSW5078R	1,468
50	84	Horizontal	P-MLGSSW5084L	P-MLGSSW5084R	1,499
50	90	Horizontal	P-MLGSSW5090L	P-MLGSSW5090R	1,528
58	48	Vertical	P-MLGSSW5848L	P-MLGSSW5848R	1,163
58	54	Vertical	P-MLGSSW5854L	P-MLGSSW5854R	1,220
58	48	Horizontal	P-MLGSSW5848LH	P-MLGSSW5848RH	1,163
58	54	Horizontal	P-MLGSSW5854LH	P-MLGSSW5854RH	1,220
58	60	Horizontal	P-MLGSSW5860L	P-MLGSSW5860R	1,324
58	66	Horizontal	P-MLGSSW5866L	P-MLGSSW5866R	1,427
58	72	Horizontal	P-MLGSSW5872L	P-MLGSSW5872R	1,527
58	78	Horizontal	P-MLGSSW5878L	P-MLGSSW5878R	1,631
58	84	Horizontal	P-MLGSSW5884L	P-MLGSSW5884R	1,733
58	90	Horizontal	P-MLGSSW5890L	P-MLGSSW5890R	1,836
66	48	Vertical	P-MLGSSW6648L	P-MLGSSW6648R	1,222
66	54	Vertical	P-MLGSSW6654L	P-MLGSSW6654R	1,302





Horizontal Grain



Right Hand Shown

Specify

- Laminate with matching edge

Notes

- Gallery Panels are 1 1/8” thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Wing panels sold separately.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Linear Single Spine for Double Wing Gallery Panels


LINEAR SINGLE SPINE FOR DOUBLE WING GALLERY PANELS

H	W	Grain	Model Number	List
34	48	Vertical	P-MGSSWD3448	816
34	54	Vertical	P-MGSSWD3454	827
34	48	Horizontal	P-MGSSWD3448H	816
34	54	Horizontal	P-MGSSWD3454H	827
34	60	Horizontal	P-MGSSWD3460	958
34	66	Horizontal	P-MGSSWD3466	1,004
34	72	Horizontal	P-MGSSWD3472	1,060
34	78	Horizontal	P-MGSSWD3478	1,118
34	84	Horizontal	P-MGSSWD3484	1,174
34	90	Horizontal	P-MGSSWD3490	1,232
42	48	Vertical	P-MGSSWD4248	980
42	54	Vertical	P-MGSSWD4254	1,024
42	48	Horizontal	P-MGSSWD4248H	980
42	54	Horizontal	P-MGSSWD4254H	1,024
42	60	Horizontal	P-MGSSWD4260	1,145
42	66	Horizontal	P-MGSSWD4266	1,220
42	72	Horizontal	P-MGSSWD4272	1,264
42	78	Horizontal	P-MGSSWD4278	1,311
42	84	Horizontal	P-MGSSWD4284	1,355
42	90	Horizontal	P-MGSSWD4290	1,399

LINEAR SINGLE SPINE FOR DOUBLE WING GALLERY PANELS

H	W	Grain	Model Number	List
50	48	Vertical	P-MGSSWD5048	1,143
50	54	Vertical	P-MGSSWD5054	1,224
50	48	Horizontal	P-MGSSWD5048H	1,143
50	54	Horizontal	P-MGSSWD5054H	1,224
50	60	Horizontal	P-MGSSWD5060	1,332
50	66	Horizontal	P-MGSSWD5066	1,439
50	72	Horizontal	P-MGSSWD5072	1,471
50	78	Horizontal	P-MGSSWD5078	1,502
50	84	Horizontal	P-MGSSWD5084	1,534
50	90	Horizontal	P-MGSSWD5090	1,564
58	48	Vertical	P-MGSSWD5848	1,199
58	54	Vertical	P-MGSSWD5854	1,256
58	48	Horizontal	P-MGSSWD5848H	1,199
58	54	Horizontal	P-MGSSWD5854H	1,256
58	60	Horizontal	P-MGSSWD5860	1,360
58	66	Horizontal	P-MGSSWD5866	1,462
58	72	Horizontal	P-MGSSWD5872	1,563
58	78	Horizontal	P-MGSSWD5878	1,666
58	84	Horizontal	P-MGSSWD5884	1,769
58	90	Horizontal	P-MGSSWD5890	1,871
66	54	Vertical	P-MGSSWD6648	1,259
66	60	Vertical	P-MGSSWD6654	1,335





Specify

- Laminate with matching edge

Notes

- Gallery Panels are 1 1/8” thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Wing panels sold separately.

© 2026, AIS, Inc.


Linear Double End Gallery Panels


LINEAR DOUBLE END GALLERY PANELS

H	W	Grain	Model Number	List
34	48	Vertical	P-MLGPED3448V	709
34	54	Vertical	P-MLGPED3454V	719
34	48	Horizontal	P-MLGPED3448	709
34	54	Horizontal	P-MLGPED3454	719
34	60	Horizontal	P-MLGPED3460	852
34	66	Horizontal	P-MLGPED3466	896
34	72	Horizontal	P-MLGPED3472	953
34	78	Horizontal	P-MLGPED3478	1,011
34	84	Horizontal	P-MLGPED3484	1,068
34	90	Horizontal	P-MLGPED3490	1,125
42	48	Vertical	P-MLGPED4248V	874
42	54	Vertical	P-MLGPED4254V	921
42	48	Horizontal	P-MLGPED4248	874
42	54	Horizontal	P-MLGPED4254	921
42	60	Horizontal	P-MLGPED4260	1,039
42	66	Horizontal	P-MLGPED4266	1,116
42	72	Horizontal	P-MLGPED4272	1,159
42	78	Horizontal	P-MLGPED4278	1,204
42	84	Horizontal	P-MLGPED4284	1,248
42	90	Horizontal	P-MLGPED4290	1,292


LINEAR DOUBLE END GALLERY PANELS

H	W	Grain	Model Number	List
50	48	Vertical	P-MLGPED5048V	1,038
50	54	Vertical	P-MLGPED5054V	1,120
50	48	Horizontal	P-MLGPED5048	1,038
50	54	Horizontal	P-MLGPED5054	1,120
50	60	Horizontal	P-MLGPED5060	1,228
50	66	Horizontal	P-MLGPED5066	1,332
50	72	Horizontal	P-MLGPED5072	1,365
50	78	Horizontal	P-MLGPED5078	1,397
50	84	Horizontal	P-MLGPED5084	1,428
50	90	Horizontal	P-MLGPED5090	1,459
58	48	Vertical	P-MLGPED5848V	1,092
58	54	Vertical	P-MLGPED5854V	1,151
58	48	Horizontal	P-MLGPED5848	1,092
58	54	Horizontal	P-MLGPED5854	1,151
58	60	Horizontal	P-MLGPED5860	1,252
58	66	Horizontal	P-MLGPED5866	1,356
58	72	Horizontal	P-MLGPED5872	1,458
58	78	Horizontal	P-MLGPED5878	1,558
58	84	Horizontal	P-MLGPED5884	1,663
58	90	Horizontal	P-MLGPED5890	1,765
66	48	Vertical	P-MLGPED6648V	1,818
66	54	Horizontal	P-MLGPED6654	1,231







Horizontal Grain



Vertical Grain





Specify

- Laminate with matching edge

Notes

- Linear Double End Gallery Panels mount to frames in place of wing panels for structural support.
- Gallery Panels add 1” to panel run. See panel creep description pages.
- Double End Gallery Panels are connected to the spine in the center of the gallery panel.
- Gallery Panels are 1 1/8” thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Linear Double Spine Gallery Panels


LINEAR DOUBLE SPINE GALLERY PANELS

H	W	Grain	Model Number	List
34	48	Vertical	P-MLGPSD3448V	746
34	54	Vertical	P-MLGPSD3454V	754
34	48	Horizontal	P-MLGPSD3448	746
34	54	Horizontal	P-MLGPSD3454	754
34	60	Horizontal	P-MLGPSD3460	888
34	66	Horizontal	P-MLGPSD3466	931
34	72	Horizontal	P-MLGPSD3472	989
34	78	Horizontal	P-MLGPSD3478	1,047
34	84	Horizontal	P-MLGPSD3484	1,104
34	90	Horizontal	P-MLGPSD3490	1,162
42	48	Vertical	P-MLGPSD4248V	909
42	54	Vertical	P-MLGPSD4254V	954
42	48	Horizontal	P-MLGPSD4248	909
42	54	Horizontal	P-MLGPSD4254	954
42	60	Horizontal	P-MLGPSD4260	1,075
42	66	Horizontal	P-MLGPSD4266	1,151
42	72	Horizontal	P-MLGPSD4272	1,194
42	78	Horizontal	P-MLGPSD4278	1,240
42	84	Horizontal	P-MLGPSD4284	1,284
42	90	Horizontal	P-MLGPSD4290	1,329


LINEAR DOUBLE SPINE GALLERY PANELS

H	W	Grain	Model Number	List
50	48	Vertical	P-MLGPSD5048V	1,074
50	54	Vertical	P-MLGPSD5054V	1,154
50	48	Horizontal	P-MLGPSD5048	1,074
50	54	Horizontal	P-MLGPSD5054	1,154
50	60	Horizontal	P-MLGPSD5060	1,261
50	66	Horizontal	P-MLGPSD5066	1,368
50	72	Horizontal	P-MLGPSD5072	1,400
50	78	Horizontal	P-MLGPSD5078	1,431
50	84	Horizontal	P-MLGPSD5084	1,463
50	90	Horizontal	P-MLGPSD5090	1,494
58	48	Vertical	P-MLGPSD5848V	1,128
58	54	Vertical	P-MLGPSD5854V	1,187
58	48	Horizontal	P-MLGPSD5848	1,128
58	54	Horizontal	P-MLGPSD5854	1,187
58	60	Horizontal	P-MLGPSD5860	1,288
58	66	Horizontal	P-MLGPSD5866	1,391
58	72	Horizontal	P-MLGPSD5872	1,493
58	78	Horizontal	P-MLGPSD5878	1,596
58	84	Horizontal	P-MLGPSD5884	1,699
58	90	Horizontal	P-MLGPSD5890	1,800
66	54	Horizontal	P-MLGPSD6654	1,265







Horizontal Grain



Vertical Grain





Specify

- Laminate with matching edge

Notes

- Linear Double Spine Gallery Panels mount to frames in place of wing panels for structural support.
- Gallery Panels add 1” to panel run. See panel creep description pages.
- Panel to panel jumpers passing through a single spine gallery panel should be changed to extended panel to panel jumpers to accommodate the extra length added by the gallery panel.
- Gallery Panels are 1 1/8” thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.

© 2026, AIS, Inc.


Linear Mid Mount End Gallery Panels

LINEAR MID MOUNT END GALLERY PANELS


			Left	Right	
H	W	Grain	Model Number	Model Number	List
34	24	Vertical	P-MLGPMM3424L	P-MLGPMM3424R	635
34	30	Vertical	P-MLGPMM3430L	P-MLGPMM3430R	666
34	36	Vertical	P-MLGPMM3436L	P-MLGPMM3436R	685
34	42	Vertical	P-MLGPMM3442L	P-MLGPMM3442R	700
34	48	Vertical	P-MLGPMM3448L	P-MLGPMM3448R	709
34	54	Vertical	P-MLGPMM3454L	P-MLGPMM3454R	719
34	24	Horizontal	P-MLGPMM3424LH	P-MLGPMM3424RH	635
34	30	Horizontal	P-MLGPMM3430LH	P-MLGPMM3430RH	666
34	36	Horizontal	P-MLGPMM3436LH	P-MLGPMM3436RH	685
34	42	Horizontal	P-MLGPMM3442LH	P-MLGPMM3442RH	700
34	48	Horizontal	P-MLGPMM3448LH	P-MLGPMM3448RH	709
34	54	Horizontal	P-MLGPMM3454LH	P-MLGPMM3454RH	719
34	60	Horizontal	P-MLGPMM3460L	P-MLGPMM3460R	852
34	66	Horizontal	P-MLGPMM3466L	P-MLGPMM3466R	896
34	72	Horizontal	P-MLGPMM3472L	P-MLGPMM3472R	953
34	78	Horizontal	P-MLGPMM3478L	P-MLGPMM3478R	1,011
34	84	Horizontal	P-MLGPMM3484L	P-MLGPMM3484R	1,068
34	90	Horizontal	P-MLGPMM3490L	P-MLGPMM3490R	1,125

LINEAR MID MOUNT END GALLERY PANELS


			Left	Right	
H	W	Grain	Model Number	Model Number	List
42	24	Vertical	P-MLGPMM4224L	P-MLGPMM4224R	683
42	30	Vertical	P-MLGPMM4230L	P-MLGPMM4230R	736
42	36	Vertical	P-MLGPMM4236L	P-MLGPMM4236R	782
42	42	Vertical	P-MLGPMM4242L	P-MLGPMM4242R	828
42	48	Vertical	P-MLGPMM4248L	P-MLGPMM4248R	874
42	54	Vertical	P-MLGPMM4254L	P-MLGPMM4254R	921
42	24	Horizontal	P-MLGPMM4224LH	P-MLGPMM4224RH	683
42	30	Horizontal	P-MLGPMM4230LH	P-MLGPMM4230RH	736
42	36	Horizontal	P-MLGPMM4236LH	P-MLGPMM4236RH	782
42	42	Horizontal	P-MLGPMM4242LH	P-MLGPMM4242RH	828
42	48	Horizontal	P-MLGPMM4248LH	P-MLGPMM4248RH	874
42	54	Horizontal	P-MLGPMM4254LH	P-MLGPMM4254RH	921
42	60	Horizontal	P-MLGPMM4260L	P-MLGPMM4260R	1,039
42	66	Horizontal	P-MLGPMM4266L	P-MLGPMM4266R	1,116
42	72	Horizontal	P-MLGPMM4272L	P-MLGPMM4272R	1,159
42	78	Horizontal	P-MLGPMM4278L	P-MLGPMM4278R	1,204
42	84	Horizontal	P-MLGPMM4284L	P-MLGPMM4284R	1,248
42	90	Horizontal	P-MLGPMM4290L	P-MLGPMM4290R	1,292




Left Hand Shown



Horizontal Grain



Vertical Grain



Specify

- Laminate with matching edge

Notes

- Gallery Panels are 1 1/8” thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Linear Mid Mount End Gallery Panels

LINEAR MID MOUNT END GALLERY PANELS


			Left	Right	
H	W	Grain	Model Number	Model Number	List
50	24	Vertical	P-MLGPMM5024L	P-MLGPMM5024R	730
50	30	Vertical	P-MLGPMM5030L	P-MLGPMM5030R	805
50	36	Vertical	P-MLGPMM5036L	P-MLGPMM5036R	878
50	42	Vertical	P-MLGPMM5042L	P-MLGPMM5042R	955
50	48	Vertical	P-MLGPMM5048L	P-MLGPMM5048R	1,038
50	54	Vertical	P-MLGPMM5054L	P-MLGPMM5054R	1,120
50	24	Horizontal	P-MLGPMM5024LH	P-MLGPMM5024RH	730
50	30	Horizontal	P-MLGPMM5030LH	P-MLGPMM5030RH	805
50	36	Horizontal	P-MLGPMM5036LH	P-MLGPMM5036RH	878
50	42	Horizontal	P-MLGPMM5042LH	P-MLGPMM5042RH	955
50	48	Horizontal	P-MLGPMM5048LH	P-MLGPMM5048RH	1,038
50	54	Horizontal	P-MLGPMM5054LH	P-MLGPMM5054RH	1,120
50	60	Horizontal	P-MLGPMM5060L	P-MLGPMM5060R	1,228
50	66	Horizontal	P-MLGPMM5066L	P-MLGPMM5066R	1,332

LINEAR MID MOUNT END GALLERY PANELS


			Left	Right	
H	W	Grain	Model Number	Model Number	List
58	24	Vertical	P-MLGPMM5824L	P-MLGPMM5824R	813
58	30	Vertical	P-MLGPMM5830L	P-MLGPMM5830R	892
58	36	Vertical	P-MLGPMM5836L	P-MLGPMM5836R	961
58	42	Vertical	P-MLGPMM5842L	P-MLGPMM5842R	1,037
58	48	Vertical	P-MLGPMM5848L	P-MLGPMM5848R	1,092
58	54	Vertical	P-MLGPMM5854L	P-MLGPMM5854R	1,151
58	60	Vertical	P-MLGPMM5860L	P-MLGPMM5860R	1,252
58	66	Vertical	P-MLGPMM5866L	P-MLGPMM5866R	1,356
58	24	Horizontal	P-MLGPMM5824LH	P-MLGPMM5824RH	813
58	30	Horizontal	P-MLGPMM5830LH	P-MLGPMM5830RH	892
58	36	Horizontal	P-MLGPMM5836LH	P-MLGPMM5836RH	961
58	42	Horizontal	P-MLGPMM5842LH	P-MLGPMM5842RH	1,037
58	48	Horizontal	P-MLGPMM5848LH	P-MLGPMM5848RH	1,092
58	54	Horizontal	P-MLGPMM5854LH	P-MLGPMM5854RH	1,151
66	24	Vertical	P-MLGPMM6624L	P-MLGPMM6624R	834
66	30	Vertical	P-MLGPMM6630L	P-MLGPMM6630R	917
66	36	Vertical	P-MLGPMM6636L	P-MLGPMM6636R	993
66	42	Vertical	P-MLGPMM6642L	P-MLGPMM6642R	1,076
66	48	Vertical	P-MLGPMM6648L	P-MLGPMM6648R	1,153
66	54	Vertical	P-MLGPMM6654L	P-MLGPMM6654R	1,231




Left Hand Shown



Horizontal Grain



Vertical Grain



Specify

- Laminate with matching edge

Notes

- Gallery Panels are 1 1/8” thick with matching 2mm edgeband.
- Can not be used freestanding, must be attached to a panel.

© 2026, AIS, Inc.


Linear Mid Mount End for Wing Gallery Panels


LINEAR MID MOUNT END FOR WING GALLERY PANELS

H	W	Grain	Left Model Number	Right Model Number	List
34	48	Vertical	P-MLGMMW3448L	P-MLGMMW3448R	746
34	54	Vertical	P-MLGMMW3454L	P-MLGMMW3454R	754
34	48	Horizontal	P-MLGMMW3448LH	P-MLGMMW3448RH	746
34	54	Horizontal	P-MLGMMW3454LH	P-MLGMMW3454RH	754
34	60	Horizontal	P-MLGMMW3460L	P-MLGMMW3460R	888
34	66	Horizontal	P-MLGMMW3466L	P-MLGMMW3466R	931
34	72	Horizontal	P-MLGMMW3472L	P-MLGMMW3472R	989
34	78	Horizontal	P-MLGMMW3478L	P-MLGMMW3478R	1,047
34	84	Horizontal	P-MLGMMW3484L	P-MLGMMW3484R	1,104
34	90	Horizontal	P-MLGMMW3490L	P-MLGMMW3490R	1,162
42	48	Vertical	P-MLGMMW4248L	P-MLGMMW4248R	909
42	54	Vertical	P-MLGMMW4254L	P-MLGMMW4254R	954
42	48	Horizontal	P-MLGMMW4248LH	P-MLGMMW4248RH	909
42	54	Horizontal	P-MLGMMW4254LH	P-MLGMMW4254RH	954
42	60	Horizontal	P-MLGMMW4260L	P-MLGMMW4260R	1,075
42	66	Horizontal	P-MLGMMW4266L	P-MLGMMW4266R	1,151
42	72	Horizontal	P-MLGMMW4272L	P-MLGMMW4272R	1,194
42	78	Horizontal	P-MLGMMW4278L	P-MLGMMW4278R	1,240
42	84	Horizontal	P-MLGMMW4284L	P-MLGMMW4284R	1,284
42	90	Horizontal	P-MLGMMW4290L	P-MLGMMW4290R	1,329

LINEAR MID MOUNT END FOR WING GALLERY PANELS

H	W	Grain	Left Model Number	Right Model Number	List
50	48	Vertical	P-MLGMMW5048L	P-MLGMMW5048R	1,074
50	54	Vertical	P-MLGMMW5054L	P-MLGMMW5054R	1,154
50	48	Horizontal	P-MLGMMW5048LH	P-MLGMMW5048RH	1,074
50	54	Horizontal	P-MLGMMW5054LH	P-MLGMMW5054RH	1,154
50	60	Horizontal	P-MLGMMW5060L	P-MLGMMW5060R	1,261
50	66	Horizontal	P-MLGMMW5066L	P-MLGMMW5066R	1,368
50	72	Horizontal	P-MLGMMW5072L	P-MLGMMW5072R	1,400
50	78	Horizontal	P-MLGMMW5078L	P-MLGMMW5078R	1,431
50	84	Horizontal	P-MLGMMW5084L	P-MLGMMW5084R	1,463
50	90	Horizontal	P-MLGMMW5090L	P-MLGMMW5090R	1,494
58	48	Vertical	P-MLGMMW5848L	P-MLGMMW5848R	1,128
58	54	Vertical	P-MLGMMW5854L	P-MLGMMW5854R	1,187
58	48	Horizontal	P-MLGMMW5848LH	P-MLGMMW5848RH	1,128
58	54	Horizontal	P-MLGMMW5854LH	P-MLGMMW5854RH	1,187
58	60	Horizontal	P-MLGMMW5860L	P-MLGMMW5860R	1,288
58	66	Horizontal	P-MLGMMW5866L	P-MLGMMW5866R	1,391
58	72	Horizontal	P-MLGMMW5872L	P-MLGMMW5872R	1,493
58	78	Horizontal	P-MLGMMW5878L	P-MLGMMW5878R	1,596
58	84	Horizontal	P-MLGMMW5884L	P-MLGMMW5884R	1,699
58	90	Horizontal	P-MLGMMW5890L	P-MLGMMW5890R	1,800
66	48	Vertical	P-MLGMMW6648L	P-MLGMMW6648R	1,189
66	54	Vertical	P-MLGMMW6654L	P-MLGMMW6654R	1,265





Specify

- Laminate with matching edge

Notes

- Gallery Panels are 1 1/8” thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Wing panels sold separately.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Linear Mid Mount End for Wing Facing Forward Gallery Panels

LINEAR MID MOUNT END FOR WING FACING FORWARD GALLERY PANELS


			Left	Right	
H	W	Grain	Model Number	Model Number	List
34	48	Vertical	P-MGMMWF3448L	P-MGMMWF3448R	746
34	54	Vertical	P-MGMMWF3454L	P-MGMMWF3454R	754
34	48	Horizontal	P-MGMMWF3448LH	P-MGMMWF3448RH	746
34	54	Horizontal	P-MGMMWF3454LH	P-MGMMWF3454RH	754
34	60	Horizontal	P-MGMMWF3460L	P-MGMMWF3460R	888
34	66	Horizontal	P-MGMMWF3466L	P-MGMMWF3466R	931
34	72	Horizontal	P-MGMMWF3472L	P-MGMMWF3472R	989
34	78	Horizontal	P-MGMMWF3478L	P-MGMMWF3478R	1,047
34	84	Horizontal	P-MGMMWF3484L	P-MGMMWF3484R	1,104
34	90	Horizontal	P-MGMMWF3490L	P-MGMMWF3490R	1,162
42	48	Vertical	P-MGMMWF4248L	P-MGMMWF4248R	909
42	54	Vertical	P-MGMMWF4254L	P-MGMMWF4254R	954
42	48	Horizontal	P-MGMMWF4248LH	P-MGMMWF4248RH	909
42	54	Horizontal	P-MGMMWF4254LH	P-MGMMWF4254RH	954
42	60	Horizontal	P-MGMMWF4260L	P-MGMMWF4260R	1,075
42	66	Horizontal	P-MGMMWF4266L	P-MGMMWF4266R	1,151
42	72	Horizontal	P-MGMMWF4272L	P-MGMMWF4272R	1,194
42	78	Horizontal	P-MGMMWF4278L	P-MGMMWF4278R	1,240
42	84	Horizontal	P-MGMMWF4284L	P-MGMMWF4284R	1,284
42	90	Horizontal	P-MGMMWF4290L	P-MGMMWF4290R	1,329

LINEAR MID MOUNT END FOR WING FACING FORWARD GALLERY PANELS

			Left	Right	
H	W	Grain	Model Number	Model Number	List
50	48	Vertical	P-MGMMWF5048L	P-MGMMWF5048R	1,074
50	54	Vertical	P-MGMMWF5054L	P-MGMMWF5054R	1,154
50	48	Horizontal	P-MGMMWF5048LH	P-MGMMWF5048RH	1,074
50	54	Horizontal	P-MGMMWF5054LH	P-MGMMWF5054RH	1,154
50	60	Horizontal	P-MGMMWF5060L	P-MGMMWF5060R	1,261
50	66	Horizontal	P-MGMMWF5066L	P-MGMMWF5066R	1,368
50	72	Horizontal	P-MGMMWF5072L	P-MGMMWF5072R	1,400
50	78	Horizontal	P-MGMMWF5078L	P-MGMMWF5078R	1,431
50	84	Horizontal	P-MGMMWF5084L	P-MGMMWF5084R	1,463
50	90	Horizontal	P-MGMMWF5090L	P-MGMMWF5090R	1,494
58	48	Vertical	P-MGMMWF5848L	P-MGMMWF5848R	1,128
58	54	Vertical	P-MGMMWF5854L	P-MGMMWF5854R	1,187
58	48	Horizontal	P-MGMMWF5848LH	P-MGMMWF5848RH	1,128
58	54	Horizontal	P-MGMMWF5854LH	P-MGMMWF5854RH	1,187
58	60	Horizontal	P-MGMMWF5860L	P-MGMMWF5860R	1,288
58	66	Horizontal	P-MGMMWF5866L	P-MGMMWF5866R	1,391
58	72	Horizontal	P-MGMMWF5872L	P-MGMMWF5872R	1,493
58	78	Horizontal	P-MGMMWF5878L	P-MGMMWF5878R	1,596
58	84	Horizontal	P-MGMMWF5884L	P-MGMMWF5884R	1,699
58	90	Horizontal	P-MGMMWF5890L	P-MGMMWF5890R	1,800
66	48	Vertical	P-MGMMWF6648L	P-MGMMWF6648R	1,189
66	54	Vertical	P-MGMMWF6654L	P-MGMMWF6654R	1,265



Left Hand Shown



Specify

- Laminate with matching edge

Notes

- Gallery Panels are 1 1/8” thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Wing panels sold separately.

© 2026, AIS, Inc.


Linear Mid Mount End for Double Wing Gallery Panels

LINEAR MID MOUNT END FOR DOUBLE WING GALLERY PANELS


H	W	Grain	Left Model Number	Right Model Number	List
34	48	Vertical	P-MGMMWD3448L	P-MGMMWD3448R	816
34	54	Vertical	P-MGMMWD3454L	P-MGMMWD3454R	827
34	48	Horizontal	P-MGMMWD3448LH	P-MGMMWD3448RH	816
34	54	Horizontal	P-MGMMWD3454LH	P-MGMMWD3454RH	827
34	60	Horizontal	P-MGMMWD3460L	P-MGMMWD3460R	958
34	66	Horizontal	P-MGMMWD3466L	P-MGMMWD3466R	1,004
34	72	Horizontal	P-MGMMWD3472L	P-MGMMWD3472R	1,060
34	78	Horizontal	P-MGMMWD3478L	P-MGMMWD3478R	1,118
34	84	Horizontal	P-MGMMWD3484L	P-MGMMWD3484R	1,174
34	90	Horizontal	P-MGMMWD3490L	P-MGMMWD3490R	1,232
42	48	Vertical	P-MGMMWD4248L	P-MGMMWD4248R	980
42	54	Vertical	P-MGMMWD4254L	P-MGMMWD4254R	1,024
42	48	Horizontal	P-MGMMWD4248LH	P-MGMMWD4248RH	980
42	54	Horizontal	P-MGMMWD4254LH	P-MGMMWD4254RH	1,024
42	60	Horizontal	P-MGMMWD4260L	P-MGMMWD4260R	1,145
42	66	Horizontal	P-MGMMWD4266L	P-MGMMWD4266R	1,220
42	72	Horizontal	P-MGMMWD4272L	P-MGMMWD4272R	1,264
42	78	Horizontal	P-MGMMWD4278L	P-MGMMWD4278R	1,311
42	84	Horizontal	P-MGMMWD4284L	P-MGMMWD4284R	1,355
42	90	Horizontal	P-MGMMWD4290L	P-MGMMWD4290R	1,399

LINEAR MID MOUNT END FOR DOUBLE WING GALLERY PANELS

H	W	Grain	Left Model Number	Right Model Number	List
50	48	Vertical	P-MGMMWD5048L	P-MGMMWD5048R	1,143
50	54	Vertical	P-MGMMWD5054L	P-MGMMWD5054R	1,224
50	48	Horizontal	P-MGMMWD5048LH	P-MGMMWD5048RH	1,143
50	54	Horizontal	P-MGMMWD5054LH	P-MGMMWD5054RH	1,224
50	60	Horizontal	P-MGMMWD5060L	P-MGMMWD5060R	1,332
50	66	Horizontal	P-MGMMWD5066L	P-MGMMWD5066R	1,439
50	72	Horizontal	P-MGMMWD5072L	P-MGMMWD5072R	1,471
50	78	Horizontal	P-MGMMWD5078L	P-MGMMWD5078R	1,502
50	84	Horizontal	P-MGMMWD5084L	P-MGMMWD5084R	1,534
50	90	Horizontal	P-MGMMWD5090L	P-MGMMWD5090R	1,564
58	48	Vertical	P-MGMMWD5848L	P-MGMMWD5848R	1,199
58	54	Vertical	P-MGMMWD5854L	P-MGMMWD5854R	1,256
58	48	Horizontal	P-MGMMWD5848LH	P-MGMMWD5848RH	1,199
58	54	Horizontal	P-MGMMWD5854LH	P-MGMMWD5854RH	1,256
58	60	Horizontal	P-MGMMWD5860L	P-MGMMWD5860R	1,360
58	66	Horizontal	P-MGMMWD5866L	P-MGMMWD5866R	1,462
58	72	Horizontal	P-MGMMWD5872L	P-MGMMWD5872R	1,563
58	78	Horizontal	P-MGMMWD5878L	P-MGMMWD5878R	1,666
58	84	Horizontal	P-MGMMWD5884L	P-MGMMWD5884R	1,769
58	90	Horizontal	P-MGMMWD5890L	P-MGMMWD5890R	1,871
66	48	Horizontal	P-MGMMWD6648L	P-MGMMWD6648R	1,259
66	54	Horizontal	P-MGMMWD6654L	P-MGMMWD6654R	1,335



Left Hand Shown



Specify

- Laminate with matching edge

Notes

- Gallery Panels are 1 1/8” thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Wing panels sold separately.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Linear Mid Mount Spine Gallery Panels


LINEAR MID MOUNT SPINE GALLERY PANELS

H	W	Grain	Model Number	List
34	24	Vertical	P-MLGPMMS3424	670
34	30	Vertical	P-MLGPMMS3430	701
34	36	Vertical	P-MLGPMMS3436	720
34	42	Vertical	P-MLGPMMS3442	736
34	48	Vertical	P-MLGPMMS3448	746
34	54	Vertical	P-MLGPMMS3454	754
34	24	Horizontal	P-MLGPMMS3424H	670
34	30	Horizontal	P-MLGPMMS3430H	701
34	36	Horizontal	P-MLGPMMS3436H	720
34	42	Horizontal	P-MLGPMMS3442H	736
34	48	Horizontal	P-MLGPMMS3448H	746
34	54	Horizontal	P-MLGPMMS3454H	754
34	60	Horizontal	P-MLGPMMS3460	888
34	66	Horizontal	P-MLGPMMS3466	931
34	72	Horizontal	P-MLGPMMS3472	989
34	78	Horizontal	P-MLGPMMS3478	1,047
34	84	Horizontal	P-MLGPMMS3484	1,104
34	90	Horizontal	P-MLGPMMS3490	1,162


LINEAR MID MOUNT SPINE GALLERY PANELS

H	W	Grain	Model Number	List
42	24	Vertical	P-MLGPMMS4224	718
42	30	Vertical	P-MLGPMMS4230	771
42	36	Vertical	P-MLGPMMS4236	817
42	42	Vertical	P-MLGPMMS4242	863
42	48	Vertical	P-MLGPMMS4248	909
42	54	Vertical	P-MLGPMMS4254	954
42	24	Horizontal	P-MLGPMMS4224H	718
42	30	Horizontal	P-MLGPMMS4230H	771
42	36	Horizontal	P-MLGPMMS4236H	817
42	42	Horizontal	P-MLGPMMS4242H	863
42	48	Horizontal	P-MLGPMMS4248H	909
42	54	Horizontal	P-MLGPMMS4254H	954
42	60	Horizontal	P-MLGPMMS4260	1,075
42	66	Horizontal	P-MLGPMMS4266	1,151
42	72	Horizontal	P-MLGPMMS4272	1,194
42	78	Horizontal	P-MLGPMMS4278	1,240
42	84	Horizontal	P-MLGPMMS4284	1,284
42	90	Horizontal	P-MLGPMMS4290	1,329






Horizontal Grain



Vertical Grain



Specify

- Laminate with matching edge

Notes

- Gallery Panels are 1 1/8” thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.

© 2026, AIS, Inc.


Linear Mid Mount Spine Gallery Panels


LINEAR MID MOUNT SPINE GALLERY PANELS

H	W	Grain	Model Number	List
50	24	Vertical	P-MLGPMMS5024	767
50	30	Vertical	P-MLGPMMS5030	840
50	36	Vertical	P-MLGPMMS5036	913
50	42	Vertical	P-MLGPMMS5042	991
50	48	Vertical	P-MLGPMMS5048	1,074
50	54	Vertical	P-MLGPMMS5054	1,154
50	24	Horizontal	P-MLGPMMS5024H	767
50	30	Horizontal	P-MLGPMMS5030H	840
50	36	Horizontal	P-MLGPMMS5036H	913
50	42	Horizontal	P-MLGPMMS5042H	991
50	48	Horizontal	P-MLGPMMS5048H	1,074
50	54	Horizontal	P-MLGPMMS5054H	1,154
50	60	Horizontal	P-MLGPMMS5060	1,261
50	66	Horizontal	P-MLGPMMS5066	1,368
50	72	Horizontal	P-MLGPMMS5072	1,400
50	78	Horizontal	P-MLGPMMS5078	1,431
50	84	Horizontal	P-MLGPMMS5084	1,463
50	90	Horizontal	P-MLGPMMS5090	1,494


LINEAR MID MOUNT SPINE GALLERY PANELS

H	W	Grain	Model Number	List
58	24	Vertical	P-MLGPMMS5824	848
58	30	Vertical	P-MLGPMMS5830	926
58	36	Vertical	P-MLGPMMS5836	995
58	42	Vertical	P-MLGPMMS5842	1,073
58	48	Vertical	P-MLGPMMS5848	1,128
58	54	Vertical	P-MLGPMMS5854	1,187
58	24	Horizontal	P-MLGPMMS5824H	848
58	30	Horizontal	P-MLGPMMS5830H	926
58	36	Horizontal	P-MLGPMMS5836H	995
58	42	Horizontal	P-MLGPMMS5842H	1,073
58	48	Horizontal	P-MLGPMMS5848H	1,128
58	54	Horizontal	P-MLGPMMS5854H	1,187
58	60	Horizontal	P-MLGPMMS5860	1,288
58	66	Horizontal	P-MLGPMMS5866	1,391
58	72	Horizontal	P-MLGPMMS5872	1,493
58	78	Horizontal	P-MLGPMMS5878	1,596
58	84	Horizontal	P-MLGPMMS5884	1,699
58	90	Horizontal	P-MLGPMMS5890	1,800
66	24	Vertical	P-MLGPMMS6624	869
66	30	Vertical	P-MLGPMMS6630	953
66	36	Vertical	P-MLGPMMS6636	1,029
66	42	Vertical	P-MLGPMMS6642	1,110
66	48	Vertical	P-MLGPMMS6648	1,189
66	54	Vertical	P-MLGPMMS6654	1,265






Horizontal Grain



Vertical Grain



Specify

- Laminate with matching edge

Notes

- Gallery Panels are 1 1/8” thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Linear Mid Mount Spine for Wing Gallery Panels


LINEAR MID MOUNT SPINE FOR WING GALLERY PANELS

			Left	Right	
H	W	Grain	Model Number	Model Number	List
34	48	Vertical	P-MGSMMW3448L	P-MGSMMW3448R	781
34	54	Vertical	P-MGSMMW3454L	P-MGSMMW3454R	792
34	48	Horizontal	P-MGSMMW3448LH	P-MGSMMW3448RH	781
34	54	Horizontal	P-MGSMMW3454LH	P-MGSMMW3454RH	792
34	60	Horizontal	P-MLGSMMW3460L	P-MLGSMMW3460R	923
34	66	Horizontal	P-MLGSMMW3466L	P-MLGSMMW3466R	966
34	72	Horizontal	P-MLGSMMW3472L	P-MLGSMMW3472R	1,023
34	78	Horizontal	P-MLGSMMW3478L	P-MLGSMMW3478R	1,082
34	84	Horizontal	P-MLGSMMW3484L	P-MLGSMMW3484R	1,138
34	90	Horizontal	P-MLGSMMW3490L	P-MLGSMMW3490R	1,196
42	48	Vertical	P-MGSMMW4248L	P-MGSMMW4248R	945
42	54	Vertical	P-MGSMMW4254L	P-MGSMMW4254R	990
42	48	Horizontal	P-MGSMMW4248LH	P-MGSMMW4248RH	945
42	54	Horizontal	P-MGSMMW4254LH	P-MGSMMW4254RH	990
42	60	Horizontal	P-MLGSMMW4260L	P-MLGSMMW4260R	1,108
42	66	Horizontal	P-MLGSMMW4266L	P-MLGSMMW4266R	1,187
42	72	Horizontal	P-MLGSMMW4272L	P-MLGSMMW4272R	1,230
42	78	Horizontal	P-MLGSMMW4278L	P-MLGSMMW4278R	1,276
42	84	Horizontal	P-MLGSMMW4284L	P-MLGSMMW4284R	1,318
42	90	Horizontal	P-MLGSMMW4290L	P-MLGSMMW4290R	1,363


LINEAR MID MOUNT SPINE FOR WING GALLERY PANELS

			Left	Right	
H	W	Grain	Model Number	Model Number	List
50	48	Vertical	P-MGSMMW5048L	P-MGSMMW5048R	1,107
50	54	Vertical	P-MGSMMW5054L	P-MGSMMW5054R	1,190
50	48	Horizontal	P-MGSMMW5048LH	P-MGSMMW5048RH	1,107
50	54	Horizontal	P-MGSMMW5054LH	P-MGSMMW5054RH	1,190
50	60	Horizontal	P-MLGSMMW5060L	P-MLGSMMW5060R	1,298
50	66	Horizontal	P-MLGSMMW5066L	P-MLGSMMW5066R	1,403
50	72	Horizontal	P-MLGSMMW5072L	P-MLGSMMW5072R	1,436
50	78	Horizontal	P-MLGSMMW5078L	P-MLGSMMW5078R	1,468
50	84	Horizontal	P-MLGSMMW5084L	P-MLGSMMW5084R	1,499
50	90	Horizontal	P-MLGSMMW5090L	P-MLGSMMW5090R	1,528
58	48	Vertical	P-MGSMMW5848L	P-MGSMMW5848R	1,163
58	54	Vertical	P-MGSMMW5854L	P-MGSMMW5854R	1,220
58	48	Horizontal	P-MGSMMW5848LH	P-MGSMMW5848RH	1,163
58	54	Horizontal	P-MGSMMW5854LH	P-MGSMMW5854RH	1,220
58	60	Horizontal	P-MLGSMMW5860L	P-MLGSMMW5860R	1,324
58	66	Horizontal	P-MLGSMMW5866L	P-MLGSMMW5866R	1,427
58	72	Horizontal	P-MLGSMMW5872L	P-MLGSMMW5872R	1,527
58	78	Horizontal	P-MLGSMMW5878L	P-MLGSMMW5878R	1,631
58	84	Horizontal	P-MLGSMMW5884L	P-MLGSMMW5884R	1,733
58	90	Horizontal	P-MLGSMMW5890L	P-MLGSMMW5890R	1,836
66	48	Vertical	P-MGSMMW6648L	P-MGSMMW6648R	1,222
66	54	Vertical	P-MGSMMW6654L	P-MGSMMW6654R	1,302





Horizontal Grain



Specify

- Laminate with matching edge

Notes

- Gallery Panels are 1 1/8” thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Wing panels sold separately.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.

© 2026, AIS, Inc.


Linear Mid Mount Spine for Double Wing Gallery Panels


LINEAR MID MOUNT SPINE FOR DOUBLE WING GALLERY PANELS

H	W	Grain	Model Number	List
34	48	Vertical	P-MGMMSWD3448	852
34	54	Vertical	P-MGMMSWD3454	862
34	48	Horizontal	P-MGMMSWD3448H	852
34	54	Horizontal	P-MGMMSWD3454H	862
34	60	Horizontal	P-MGMMSWD3460	992
34	66	Horizontal	P-MGMMSWD3466	1,038
34	72	Horizontal	P-MGMMSWD3472	1,094
34	78	Horizontal	P-MGMMSWD3478	1,153
34	84	Horizontal	P-MGMMSWD3484	1,210
34	90	Horizontal	P-MGMMSWD3490	1,267
42	48	Vertical	P-MGMMSWD4248	1,017
42	54	Vertical	P-MGMMSWD4254	1,061
42	48	Horizontal	P-MGMMSWD4248H	1,017
42	54	Horizontal	P-MGMMSWD4254H	1,061
42	60	Horizontal	P-MGMMSWD4260	1,180
42	66	Horizontal	P-MGMMSWD4266	1,256
42	72	Horizontal	P-MGMMSWD4272	1,301
42	78	Horizontal	P-MGMMSWD4278	1,346
42	84	Horizontal	P-MGMMSWD4284	1,390
42	90	Horizontal	P-MGMMSWD4290	1,435

LINEAR MID MOUNT SPINE FOR DOUBLE WING GALLERY PANELS

H	W	Grain	Model Number	List
50	48	Vertical	P-MGMMSWD5048	1,179
50	54	Vertical	P-MGMMSWD5054	1,260
50	48	Horizontal	P-MGMMSWD5048H	1,179
50	54	Horizontal	P-MGMMSWD5054H	1,260
50	60	Horizontal	P-MGMMSWD5060	1,368
50	66	Horizontal	P-MGMMSWD5066	1,473
50	72	Horizontal	P-MGMMSWD5072	1,507
50	78	Horizontal	P-MGMMSWD5078	1,539
50	84	Horizontal	P-MGMMSWD5084	1,570
50	90	Horizontal	P-MGMMSWD5090	1,601
58	48	Vertical	P-MGMMSWD5848	1,233
58	54	Vertical	P-MGMMSWD5854	1,291
58	48	Horizontal	P-MGMMSWD5848H	1,233
58	54	Horizontal	P-MGMMSWD5854H	1,291
58	60	Horizontal	P-MGMMSWD5860	1,395
58	66	Horizontal	P-MGMMSWD5866	1,497
58	72	Horizontal	P-MGMMSWD5872	1,599
58	78	Horizontal	P-MGMMSWD5878	1,701
58	84	Horizontal	P-MGMMSWD5884	1,803
58	90	Horizontal	P-MGMMSWD5890	1,907
66	54	Vertical	P-MGMMSWD6648	1,293
66	60	Vertical	P-MGMMSWD6654	1,372





Specify

- Laminate with matching edge

Notes

- Gallery Panels are 1 1/8” thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.
- Wing panels sold separately.
- Extended panel to panel electrical jumpers must be used when jumping power through a spine mounted gallery panel.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Linear Wing Gallery Panels


LINEAR WING GALLERY PANELS

			Left	Right	
H	W	Grain	Model Number	Model Number	List
34	18	Vertical	P-MLGWPL3418	P-MLGWPR3418	569
34	24	Vertical	P-MLGWPL3424	P-MLGWPR3424	600
34	30	Vertical	P-MLGWPL3430	P-MLGWPR3430	631
34	18	Horizontal	P-MLGWPL3418H	P-MLGWPR3418H	569
34	24	Horizontal	P-MLGWPL3424H	P-MLGWPR3424H	600
34	30	Horizontal	P-MLGWPL3430H	P-MLGWPR3430H	631
42	18	Vertical	P-MLGWPL4218	P-MLGWPR4218	594
42	24	Vertical	P-MLGWPL4224	P-MLGWPR4224	648
42	30	Vertical	P-MLGWPL4230	P-MLGWPR4230	700
42	18	Horizontal	P-MLGWPL4218H	P-MLGWPR4218H	594
42	24	Horizontal	P-MLGWPL4224H	P-MLGWPR4224H	648
42	30	Horizontal	P-MLGWPL4230H	P-MLGWPR4230H	700
50	18	Vertical	P-MLGWPL5018	P-MLGWPR5018	620
50	24	Vertical	P-MLGWPL5024	P-MLGWPR5024	695
50	30	Vertical	P-MLGWPL5030	P-MLGWPR5030	770


LINEAR WING GALLERY PANELS

			Left	Right	
H	W	Grain	Model Number	Model Number	List
50	18	Horizontal	P-MLGWPL5018H	P-MLGWPR5018H	620
50	24	Horizontal	P-MLGWPL5024H	P-MLGWPR5024H	695
50	30	Horizontal	P-MLGWPL5030H	P-MLGWPR5030H	770
58	18	Vertical	P-MLGWPL5818	P-MLGWPR5818	701
58	24	Vertical	P-MLGWPL5824	P-MLGWPR5824	778
58	30	Vertical	P-MLGWPL5830	P-MLGWPR5830	856
58	18	Horizontal	P-MLGWPL5818H	P-MLGWPR5818H	701
58	24	Horizontal	P-MLGWPL5824H	P-MLGWPR5824H	778
58	30	Horizontal	P-MLGWPL5830H	P-MLGWPR5830H	856
66	18	Vertical	P-MLGWPL6618	P-MLGWPR6618	714
66	24	Vertical	P-MLGWPL6624	P-MLGWPR6624	799
66	30	Vertical	P-MLGWPL6630	P-MLGWPR6630	883






Horizontal Grain



Vertical Grain



Left Hand Shown

Specify

- Laminate with matching edge

Notes


- Gallery Panels are 1 1/8” thick with matching 2mm edgeband.
- Cannot be used freestanding, must be attached to a panel.

© 2026, AIS, Inc.

Brackets for Gallery Panels

WORKSURFACE SUPPORT BRACKET

Model Number	List
O-WSLB	59
O-WSLBP	72



Specify	Notes
• Paint Selection	• Model number includes two brackets. • Order Worksurface Support Bracket when mounting worksurfaces to Gallery Panels. • Brackets measure 5.5” x 1” x 1”. • O-WSLB available in black only. O-WSLBP available in any paint finish.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Wall Mounted Gallery Panels


WALL MOUNTED GALLERY PANELS – HORIZONTAL

H	W	Model Number	List
34	24	P-MLWMGP3424	635
34	30	P-MLWMGP3430	666
34	36	P-MLWMGP3436	685
34	42	P-MLWMGP3442	700
34	48	P-MLWMGP3448	709
34	54	P-MLWMGP3454	719
34	60	P-MLWMGP3460	852
34	66	P-MLWMGP3466	896
34	72	P-MLWMGP3472	953
34	78	P-MLWMGP3478	1,011
34	84	P-MLWMGP3484	1,068
34	90	P-MLWMGP3490	1,125
34	96	P-MLWMGP3496	1,227
42	24	P-MLWMGP4224	683
42	30	P-MLWMGP4230	736
42	36	P-MLWMGP4236	782
42	42	P-MLWMGP4242	828
42	48	P-MLWMGP4248	874
42	54	P-MLWMGP4254	921
42	60	P-MLWMGP4260	1,039
42	66	P-MLWMGP4266	1,116
42	72	P-MLWMGP4272	1,160
42	78	P-MLWMGP4278	1,204
42	84	P-MLWMGP4284	1,248
42	90	P-MLWMGP4290	1,292
42	96	P-MLWMGP4296	1,394

WALL MOUNTED GALLERY PANELS – HORIZONTAL

H	W	Model Number	List
50	24	P-MLWMGP5024	730
50	30	P-MLWMGP5030	805
50	36	P-MLWMGP5036	878
50	42	P-MLWMGP5042	955
50	48	P-MLWMGP5048	1,038
50	54	P-MLWMGP5054	1,120
50	60	P-MLWMGP5060	1,228
50	66	P-MLWMGP5066	1,332
50	72	P-MLWMGP5072	1,365
50	78	P-MLWMGP5078	1,397
50	84	P-MLWMGP5084	1,428
50	90	P-MLWMGP5090	1,459
50	96	P-MLWMGP5096	1,558
58	24	P-MLWMGP5824	813
58	30	P-MLWMGP5830	892
58	36	P-MLWMGP5836	961
58	42	P-MLWMGP5842	1,037
58	48	P-MLWMGP5848	1,092
58	54	P-MLWMGP5854	1,151
58	60	P-MLWMGP5860	1,252
58	66	P-MLWMGP5866	1,356
58	72	P-MLWMGP5872	1,458
58	78	P-MLWMGP5878	1,558
58	84	P-MLWMGP5884	1,663
58	90	P-MLWMGP5890	1,765
58	96	P-MLWMGP5896	1,854





Specify

- Laminate selection
- Paint selection for Mounting Brackets

Notes

- Gallery panels are 1 1/8” with 2mm edge.
- Cannot be used freestanding, must be attached to a wall.
- Wall mounted gallery panels over 66” wide must be attached to storage units for support.
- Laminate gallery panel has matching edge.

© 2026, AIS, Inc.


Wall Mounted Gallery Panels


WALL MOUNTED GALLERY PANELS – VERTICAL

H	W	Model Number	List
34	24	P-MLWMGP3424V	635
34	30	P-MLWMGP3430V	666
34	36	P-MLWMGP3436V	685
34	42	P-MLWMGP3442V	700
34	48	P-MLWMGP3448V	709
34	54	P-MLWMGP3454V	719
42	24	P-MLWMGP4224V	683
42	30	P-MLWMGP4230V	736
42	36	P-MLWMGP4236V	782
42	42	P-MLWMGP4242V	828
42	48	P-MLWMGP4248V	874
42	54	P-MLWMGP4254V	921
50	24	P-MLWMGP5024V	730
50	30	P-MLWMGP5030V	805
50	36	P-MLWMGP5036V	878
50	42	P-MLWMGP5042V	955
50	48	P-MLWMGP5048V	1,038
50	54	P-MLWMGP5054V	1,120

WALL MOUNTED GALLERY PANELS – VERTICAL

H	W	Model Number	List
58	24	P-MLWMGP5824V	813
58	30	P-MLWMGP5830V	892
58	36	P-MLWMGP5836V	961
58	42	P-MLWMGP5842V	1,037
58	48	P-MLWMGP5848V	1,092
58	54	P-MLWMGP5854V	1,151
66	24	P-MLWMGP6624	834
66	30	P-MLWMGP6630	917
66	36	P-MLWMGP6636	993
66	42	P-MLWMGP6642	1,076
66	48	P-MLWMGP6648	1,153
66	54	P-MLWMGP6654	1,231





Specify

- Laminate selection
- Paint selection for Mounting Brackets

Notes

- Gallery panels are 1 1/8” with 2mm edge.
- Cannot be used freestanding, must be attached to a wall.
- Wall mounted gallery panels over 66” wide must be attached to storage units for support.
- Laminate gallery panel has matching edge.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Wall Mounted Gallery Panels for Wing

WALL MOUNTED GALLERY PANEL FOR WINGS – HORIZONTAL


		Left	Right	
H	W	Model Number	Model Number	List
34	66	P-MLWMGPWL3466	P-MLWMGPWR3466	931
34	72	P-MLWMGPWL3472	P-MLWMGPWR3472	989
34	78	P-MLWMGPWL3478	P-MLWMGPWR3478	1,047
34	84	P-MLWMGPWL3484	P-MLWMGPWR3484	1,104
34	90	P-MLWMGPWL3490	P-MLWMGPWR3490	1,162
42	66	P-MLWMGPWL4266	P-MLWMGPWR4266	1,151
42	72	P-MLWMGPWL4272	P-MLWMGPWR4272	1,194
42	78	P-MLWMGPWL4278	P-MLWMGPWR4278	1,240
42	84	P-MLWMGPWL4284	P-MLWMGPWR4284	1,284
42	90	P-MLWMGPWL4290	P-MLWMGPWR4290	1,329

WALL MOUNTED GALLERY PANEL FOR WINGS – HORIZONTAL

		Left	Right	
H	W	Model Number	Model Number	List
50	66	P-MLWMGPWL5066	P-MLWMGPWR5066	1,368
50	72	P-MLWMGPWL5072	P-MLWMGPWR5072	1,400
50	78	P-MLWMGPWL5078	P-MLWMGPWR5078	1,431
50	84	P-MLWMGPWL5084	P-MLWMGPWR5084	1,463
50	90	P-MLWMGPWL5090	P-MLWMGPWR5090	1,494
58	66	P-MLWMGPWL5866	P-MLWMGPWR5866	1,391
58	72	P-MLWMGPWL5872	P-MLWMGPWR5872	1,493
58	78	P-MLWMGPWL5878	P-MLWMGPWR5878	1,596
58	84	P-MLWMGPWL5884	P-MLWMGPWR5884	1,699
58	90	P-MLWMGPWL5890	P-MLWMGPWR5890	1,800



Left Hand Shown



Left Hand Shown

Specify

- Laminate selection
- Paint selection for Mounting Brackets

Notes

- Gallery panels are 1 1/8” with 2mm edge.
- Cannot be used freestanding, must be attached to a wall.
- Laminate gallery panel has matching edge.


© 2026, AIS, Inc.

Matrix Connector Product Details

Product Detail 1
Connector and Profile Options

2-Way Connectors:
Available in either 90º, 120º, or 135º. 2-way connectors are only available in painted metal finish.


Linear Profile - Painted Metal



Available Heights: 34”, 42”, 50”, 58”, 66”, 82”

3-Way Connectors:
Available in either 90º or 120º. 3-way connectors are only available in painted metal finish.


Linear Profile - Painted Metal



Available Heights: 34”, 42”, 50”, 58”, 66”, 82”

4-Way Connectors:
Available in 90º. 4-way connectors are only available in painted metal finish.

Linear Profile - Painted Metal



Available Heights: 34”, 42”, 50”, 58”, 66”, 82”

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Product Detail 2
Connector and Profile Options (Cont.)

Panel End Caps:
Finish the end of a panel frame run where no other panel frames are to be connected.

Linear Profile - Painted Metal



Available Heights: 34”, 42”, 50”, 58”, 66”, 82”, 90”, 98”, 106”

Note: 90”, 98” and 106” high panel end caps are specified when stack-on panel frames are being utilized, drive the overall height of the panel frames over 82”.

HiLo Trim Covers (Corner Application):
For 2-way, 3-way and 4-way applications finish the side of a 90º connector above the low panel. Specify size which corresponds to the difference between the height of the connector and the height of the low panel frame (ie: 66” high connector with a 42” high panel frame attached receives a 24” trim cover above the 42” panel frame).


Linear Profile - Painted Metal



Available Heights: 8”, 16”, 24”, 32”, 40”, 48”, 56”, 64”, 72”, 80”

HiLo Trim Covers (Straight Line Application):
For 180º applications finishes the side of the panel frame above the low panel. Specify size that corresponds to the difference between the height of the high panel frame and the height of the low panel frame (ie: 66” high panel frame with a 42” high panel frame attached receives a 24” trim cover above the 42” panel frame).

Linear Profile - Painted Metal



Available Heights: 8”, 16”, 24”, 32”, 40”, 48”, 56”, 64”, 72”, 80”


© 2026, AIS, Inc.

Matrix Connector Product Details

Product Detail 3
Connector and Profile Options (Cont.)


Wall Mounts:
Mounts panel frames and door frames perpendicular to a fixed wall. Because the wall mount adds 1” of creep to the panel run, the extended topcap sent with this kit replaces the panel frame topcap which would otherwise be used on the panel frame at the connection. Be sure to specify this particular panel frame with the “no topcap option” in order to avoid receiving an unusable panel frame topcap.

Linear Profile - Painted Metal



Available Heights: 34”, 42”, 50”, 58”, 66”, 82”, 90”, 98”, 108”
Available Widths: 24”, 30”, 36”, 42”, 48”

Stack-On Connectors:
For 2-way, 3-way, or 4-way scenarios are designed to add height to a base connector where stack-on frames are used. For instance, two 66” high panel frames connected at 90º with a 66” high 2-way connector could be expanded 24” with two 24” stack-on frames inserted into the tops of the two 66” panel frames. A 24” 2-way stack-on connector is required to connect the two stack-on frames above the base connector. A separate connector vertical cover must be specified separately to accommodate the added height. The connector topcap from the base connector is used at the top of the stack-on connector. Includes 1/4 - 20 x 2 1/4” long bolts for connecting to adjacent frames.





© 2026, AIS, Inc.

Product Detail 4
Connector Vertical Covers and Profile Options

2-Way Connector Vertical Covers:
In 90º, 120º, or 135º are specified separately only when stack-on connectors increase the height of a base connector. Specify the connector which corresponds to the overall height of a base connector plus the height of the stack-on connector. Connector vertical cover stack-on covers are specified when stack-on connectors extend beyond the height of 108".

Painted Metal






Stack-On Cover


Available Heights: 34", 42", 50", 58", 66", 82", 90", 98", 106"

Available Heights: 8", 16", 24", 32", 40", 48"

3-Way Connector Vertical Covers:
In 90º are specified separately only when stack-on connectors increase the height of a base connector. Specify the connector which corresponds to the overall height of a base connector plus the height of the stack-on connector. Note: Connector vertical cover stack-on covers are specified when stack-on connectors extend beyond the height of 108".

Painted Metal





Stack-On Cover

Available Heights: 34", 42", 50", 58", 66", 82", 90", 98", 106"

Available Heights: 8", 16", 24", 32", 40", 48"

© 2026, AIS, Inc.

90° 2-Way, 3-Way and 4-Way Stack-On Connectors, 180° Spacers for Stack-On Connectors

2-WAY STACK-ON CONNECTORS 90°

H	Model Number	List
8	P-M2BCC08	107
16	P-M2BCC16	132
24	P-M2BCC24	151




3-WAY STACK-ON CONNECTORS 90°

H	Model Number	List
8	P-M2B3C08	133
16	P-M2B3C16	149
24	P-M2B3C24	161



4-WAY STACK-ON CONNECTORS 90°

H	Model Number	List
8	P-M2BXC08	184
16	P-M2BXC16	208
24	P-M2BXC24	217



MATRIX 180° SPACERS FOR STACK-ON CONNECTORS

H	Model Number	List	Grade C Paint
8	P-MLSPACER08	390	+15
16	P-MLSPACER16	416	+15
24	P-MLSPACER24	445	+15



Notes

- Stack-On Connectors for a 2-way, 3-way or 4-way scenario are designed to add height to a base connector where stack-on frames are used.
- For instance, two 66” high panels connected at 90° with a 66” high 2-way connector could be expanded 24” with two 24” stack-on frames inserted into the tops of the two 66” panels.
- A 24” 2-way stack-on connector is required to connect the two stack-on frames above the base connector.
- Note: A separate connector vertical cover must be specified separately to accommodate the added height. See following pages.
- The connector topcap from the base connector is used at the top of the stack on connector.
- Includes 1/4 - 20 x 2 1/4” long bolts for connecting to adjacent frames.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

120° 2-Way and 3-Way Stack-On Connectors

2-WAY STACK-ON CONNECTORS 120°

H	Model Number	List
8	P-M2B120CC08	176
16	P-M2B120CC16	216
24	P-M2B120CC24	227



2-WAY STACK-ON CONNECTORS 135°

H	Model Number	List
8	P-M2B45CC08	132
16	P-M2B45CC16	183
24	P-M2B45CC24	209



3-WAY STACK-ON CONNECTORS 120°

H	Model Number	List
8	P-M2B1203C08	259
16	P-M2B1203C16	288
24	P-M2B1203C24	311



Notes


- Stack-On Connectors for a 120º or 135º 2-way and a 120º 3-way are designed to add height to a base connector where stack-on frames are used.
- For instance, two 66” high panels connected at 120º with a 66” high 2-way connector could be expanded 24” with two 24” stack-on frames inserted into the tops of the two 66” panels.
- A 24” 2-way stack-on connector is required to connect the two stack-on frames above the base connector.
- Note: A separate connector vertical cover must be specified separately to accommodate the added height. See following pages.
- The connector topcap from the base connector is used at the top of the stack-on connector.
- Includes 1/4 - 20 x 2 1/4” long bolts for connecting to adjacent frames.

© 2026, AIS, Inc.

Linear Profile 2-Ways


LINEAR PROFILE 2-WAY 90°

H	Model Number	List	Grade C Paint
34	P-MLCC34	226	+15
42	P-MLCC42	250	+15
50	P-MLCC50	274	+15
58	P-MLCC58	309	+15
66	P-MLCC66	334	+15
82	P-MLCC82	427	+15




LINEAR PROFILE 2-WAY 120°

H	Model Number	List	Grade C Paint
34	P-MLCC12034	268	+15
42	P-MLCC12042	458	+15
50	P-MLCC12050	512	+15
58	P-MLCC12058	396	+15
66	P-MLCC12066	620	+15
82	P-MLCC12082	723	+15



LINEAR PROFILE 2-WAY 135°

H	Model Number	List	Grade C Paint
34	P-MLCC4534	268	+15
42	P-MLCC4542	458	+15
50	P-MLCC4550	356	+15
58	P-MLCC4558	396	+15
66	P-MLCC4566	620	+15
82	P-MLCC4582	723	+15



Specify

- Paint Selection for Vertical Cover and Topcap (if applicable)
- Finish Style for Painted Metal

Notes

- 2-Way Connectors connect two frames of equal height at 90º, 120º, or 135º.
- Order connector for specific connection angle.
- For frames of unequal height, specify the connector that corresponds to the highest panel in the configuration.
- Includes connector topcap and vertical cover. Vertical cover is shipped installed on connector, but may be removed on-site for installation of electrical cables. See installation instructions.
- Includes 1/4 - 20 x 2 1/4” long bolts for connecting to adjacent frames.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Linear Profile 3-Ways


LINEAR PROFILE 3-WAY 90°

H	Model Number	List	Grade C Paint
34	P-ML3C34	229	+15
42	P-ML3C42	274	+15
50	P-ML3C50	284	+15
58	P-ML3C58	341	+15
66	P-ML3C66	351	+15
82	P-ML3C82	435	+15



LINEAR PROFILE 3-WAY 120°

H	Model Number	List	Grade C Paint
34	P-ML3C12034	629	+5
42	P-ML3C12042	657	+5
50	P-ML3C12050	689	+5
58	P-ML3C12058	713	+5
66	P-ML3C12066	740	+5
82	P-ML3C12082	798	+5



Specify

- Paint Selection for Vertical Cover and Topcap (if applicable)
- Finish Style for Painted Metal

Notes


- 3-Way Connectors connect three frames of equal height at 90º or 120º.
- Order connector for specific connection angle.
- For frames of unequal height, specify the connector that corresponds to the highest panel in the configuration.
- Includes connector topcap and vertical cover.
- Vertical cover is shipped installed on connector, but may be removed on-site for installation of electrical cables. See installation instructions.
- Includes 1/4 - 20 x 2 1/4” long bolts for connecting to adjacent frames.
- 3-Way 120 connectors do not require a vertical cover.

© 2026, AIS, Inc.

Linear Profile 4-Ways, End Caps, and Matrix 180° Spacer Connector

LINEAR PROFILE 4-WAY 90°

H	Model Number	List	Grade C Paint
34	P-MLXC34	439	+5
42	P-MLXC42	457	+5
50	P-MLXC50	479	+5
58	P-MLXC58	500	+5
66	P-MLXC66	520	+5
82	P-MLXC82	555	+5



Specify

- Paint Selection for Topcap (if applicable)
- Finish Style for Painted Metal

Notes

- 4-Way Connectors connect four frames of equal height at 90º.
- For frames of unequal height, specify the connector that corresponds to the highest panel in the configuration.
- Includes connector topcap and four base shrouds. See installation instructions.
- Includes 1/4 - 20 x 2 1/4” long bolts for connecting to adjacent frames.

MATRIX 180° SPACER CONNECTOR

H	Model Number	List	Grade C Paint
34	P-MLSPACER34	385	+15
42	P-MLSPACER42	407	+15
50	P-MLSPACER50	431	+15
58	P-MLSPACER58	456	+15
66	P-MLSPACER66	503	+15
82	P-MLSPACER82	542	+15



Specify

- Paint Selection for Topcap
- Paint Selection for Trim Cover

Notes

- For frames of unequal height, specify the 180 degree spacer that corresponds to the highest panel in the configuration.
- Includes connector topcap and vertical cover.
- Vertical cover is shipped installed on connector, but may be removed on-site for installation of electrical cables. See installation instructions.
- Includes 1/4 - 20 x 2 1/4” long bolts for connecting to adjacent frames.

LINEAR PROFILE PANEL END CAPS

H	Model Number	List	Grade C Paint
34	P-MLEC34	89	+15
42	P-MLEC42	105	+15
50	P-MLEC50	123	+15
58	P-MLEC58	134	+15
66	P-MLEC66	159	+15
74	P-MLEC74	184	+15
82	P-MLEC82	183	+15
90	P-MLEC90	233	+15
98	P-MLEC98	251	+15
106	P-MLEC106	234	+15



Specify

- Finish Style for Painted Metal
- Paint Selection for Vertical Cover (if applicable)

Notes

- Panel End Caps finish the end of a panel run where no other panels are to be connected.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Linear Profile Wall Mount Kits

LINEAR PROFILE WALL MOUNT KITS

H	W	Model Number	List	Grade C Paint	H	W	Model Number	List	Grade C Paint
34	24	P-MLWM3424	567	+15	74	24	P-MLWM7424	701	+15
34	30	P-MLWM3430	567	+15	74	30	P-MLWM7430	701	+15
34	36	P-MLWM3436	567	+15	74	36	P-MLWM7436	701	+15
34	42	P-MLWM3442	567	+15	74	42	P-MLWM7442	701	+15
34	48	P-MLWM3448	567	+15	74	48	P-MLWM7448	701	+15
42	24	P-MLWM4224	587	+15	82	24	P-MLWM8224	719	+15
42	30	P-MLWM4230	587	+15	82	30	P-MLWM8230	719	+15
42	36	P-MLWM4236	587	+15	82	36	P-MLWM8236	719	+15
42	42	P-MLWM4242	587	+15	82	42	P-MLWM8242	719	+15
42	48	P-MLWM4248	587	+15	82	48	P-MLWM8248	719	+15
50	24	P-MLWM5024	626	+15	90	24	P-MLWM9024	739	+15
50	30	P-MLWM5030	626	+15	90	30	P-MLWM9030	739	+15
50	36	P-MLWM5036	626	+15	90	36	P-MLWM9036	739	+15
50	42	P-MLWM5042	626	+15	90	42	P-MLWM9042	739	+15
50	48	P-MLWM5048	626	+15	90	48	P-MLWM9048	739	+15
58	24	P-MLWM5824	648	+15	98	24	P-MLWM9824	757	+15
58	30	P-MLWM5830	648	+15	98	30	P-MLWM9830	757	+15
58	36	P-MLWM5836	648	+15	98	36	P-MLWM9836	757	+15
58	42	P-MLWM5842	648	+15	98	42	P-MLWM9842	757	+15
58	48	P-MLWM5848	648	+15	98	48	P-MLWM9848	757	+15
66	24	P-MLWM6624	683	+15	106	24	P-MLWM10624	778	+15
66	30	P-MLWM6630	683	+15	106	30	P-MLWM10630	778	+15
66	36	P-MLWM6636	683	+15	106	36	P-MLWM10636	778	+15
66	42	P-MLWM6642	683	+15	106	42	P-MLWM10642	778	+15
66	48	P-MLWM6648	683	+15	106	48	P-MLWM10648	778	+15



Specify

- Finish Style for Topcap - Painted Metal
- Paint Selection for Topcap (if applicable)

Notes


- Wall Mount Kits mount frames and doors perpendicular to a fixed wall.
- Includes a 180º straight line topcap and a filler topcap to finish top of the wall mount.
- Specify according to the height of the panel to be mounted.
- Wall mount adds 1” to panel run. See panel creep description pages.
- Wall mount hardware to attach wall mount to wall is not included.
- Screws and hardware needed are determined by the type of wall the wall mount is being mounted to.

© 2026, AIS, Inc.

Linear Profile HiLo Trim Covers

LINEAR PROFILE HILO TRIM COVERS CORNER CONNECTOR TO FRAME HILO CONDITIONS

H	Model Number	List	Grade C Paint
8	P-MLHILO08	124	+15
16	P-MLHILO16	128	+15
24	P-MLHILO24	146	+15
32	P-MLHILO32	193	+15
40	P-MLHILO40	222	+15
48	P-MLHILO48	250	+15
56	P-MLHILO56	271	+15
64	P-MLHILO64	298	+15
72	P-MLHILO72	328	+15
80	P-MLHILO80	354	+15



Specify


- Finish Style for Painted Metal
- Paint Selection for Vertical Cover (if applicable)

Notes

- HiLo Trim Cover for 2-way, 3-way and 4-way applications finishes the side of a 90, 120, or 135 degree connector above the low panel.
- Order one for each unfinished side.
- Specify size which corresponds to difference between the height of the connector and the height of the low panel (ie: 66” high connector with a 42” high panel attached gets a 24” trim cover above the 42” panel).
- HiLo trim covers for 90, 120, or 135 degree connectors are different from those used in a straight line 180 degree HiLo condition.

LINEAR PROFILE HILO TRIM COVERS STRAIGHT LINE FRAME-TO-FRAME CONDITIONS

H	Model Number	List	Grade C Paint
8	P-MLHILOSK08	119	+15
16	P-MLHILOSK16	123	+15
24	P-MLHILOSK24	142	+15
32	P-MLHILOSK32	185	+15
40	P-MLHILOSK40	216	+15
48	P-MLHILOSK48	240	+15
56	P-MLHILOSK56	261	+15
64	P-MLHILOSK64	286	+15
72	P-MLHILOSK72	317	+15
80	P-MLHILOSK80	340	+15



Specify

- Finish Style for Painted Metal
- Paint Selection for Vertical Cover (if applicable)

Notes


- HiLo Trim Covers for straight line frame-to-frame connections to finish the side of a panel frame above the lower panel.
- Order one per condition.
- Specify size which corresponds to the difference between the height of the high panel and the height of the low panel (ie: 66” high panel with a 42” high panel attached gets a 24” trim cover above the 42” panel).
- HiLo trim covers for 90, 120, or 135 degree connectors are different from those used in a straight line HiLo condition.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Linear Profile 2-Way Vertical Covers


LINEAR PROFILE 2-WAY 90° VERTICAL COVERS

H	Model Number	List	Grade C Paint
34	P-MLCCT34	88	+15
42	P-MLCCT42	103	+15
50	P-MLCCT50	123	+15
58	P-MLCCT58	139	+15
66	P-MLCCT66	157	+15
74	P-MLCCT74	184	+15
82	P-MLCCT82	189	+15
90	P-MLCCT90	295	+15
98	P-MLCCT98	314	+15
106	P-MLCCT106	245	+15




LINEAR PROFILE 2-WAY 120° VERTICAL COVERS

H	Model Number	List	Grade C Paint
34	P-MLCT12034	94	+15
42	P-MLCT12042	118	+15
50	P-MLCT12050	137	+15
58	P-MLCT12058	160	+15
66	P-MLCT12066	176	+15
74	P-MLCT12074	202	+15
82	P-MLCT12082	218	+15
90	P-MLCT12090	240	+15
98	P-MLCT12098	258	+15
106	P-MLCT120106	273	+15



LINEAR PROFILE 2-WAY 135° VERTICAL COVERS

H	Model Number	List	Grade C Paint
34	P-MLCT4534	94	+15
42	P-MLCT4542	118	+15
50	P-MLCT4550	137	+15
58	P-MLCT4558	160	+15
66	P-MLCT4566	176	+15
74	P-MLCT4574	202	+15
82	P-MLCT4582	218	+15
90	P-MLCT4590	240	+15
98	P-MLCT4598	258	+15
106	P-MLCT45106	273	+15



Specify

- Finish Style for Topcap - Painted Metal
- Paint Selection for Vertical Cover (if applicable)

Notes


- 2-Way Connector Vertical Covers are specified separately only when stack-on connectors increase the height of a base connector.
- Specify the connector which corresponds to the overall height of a base connector plus the height of the stack-on connector.

© 2026, AIS, Inc.

Linear Profile 2-Way Vertical Stack-On Covers


LINEAR PROFILE 2-WAY 90° VERTICAL STACK-ON COVERS

H	Model Number	List	Grade C Paint
8	P-ML2WSC08	175	+15
16	P-ML2WSC16	203	+15
24	P-ML2WSC24	229	+15
32	P-ML2WSC32	256	+15
40	P-ML2WSC40	201	+15
48	P-ML2WSC48	218	+15




LINEAR PROFILE 2-WAY 120° VERTICAL STACK-ON COVERS

H	Model Number	List	Grade C Paint
8	P-ML120SC08	118	+15
16	P-ML120SC16	134	+15
24	P-ML120SC24	156	+15
32	P-ML120SC32	173	+15
40	P-ML120SC40	188	+15
48	P-ML120SC48	211	+15



LINEAR PROFILE 2-WAY 135° VERTICAL STACK-ON COVERS

H	Model Number	List	Grade C Paint
8	P-ML135SC08	123	+15
16	P-ML135SC16	140	+15
24	P-ML135SC24	160	+15
32	P-ML135SC32	177	+15
40	P-ML135SC40	201	+15
48	P-ML135SC48	218	+15



Specify

- Finish Style for Topcap - Painted Metal
- Paint Selection for Vertical Cover (if applicable)

Notes

- 2-Way Connector Vertical Cover Stack-Ons are specified when stack-on connectors extend beyond the height of 108”.
- The vertical cover splice plate is included with vertical stack-on covers.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Linear Profile 3-Way Vertical and Vertical Stack-On Covers

LINEAR PROFILE 3-WAY 90° VERTICAL COVERS


H	Model Number	List	Grade C Paint
34	P-ML3CT34	68	+15
42	P-ML3CT42	79	+15
50	P-ML3CT50	91	+15
58	P-ML3CT58	103	+15
66	P-ML3CT66	119	+15
74	P-ML3CT74	139	+15
82	P-ML3CT82	140	+15
90	P-ML3CT90	189	+15
98	P-ML3CT98	208	+15
106	P-ML3CT106	180	+15



Specify	Notes
• Paint Selection for Vertical Cover (if applicable) • Finish Style for Painted Metal	• 3-Way Connector Vertical Covers are specified separately only when stack-on connectors increase the height of a base connector. • Specify the connector which corresponds to the overall height of a base connector plus the height of the stack-on connector.

LINEAR PROFILE 3-WAY 90° VERTICAL STACK-ON COVERS

H	Model Number	List	Grade C Paint
8	P-M23WSC08	118	+15
16	P-M23WSC16	134	+15
24	P-M23WSC24	156	+15
32	P-M23WSC32	173	+15
40	P-M23WSC40	188	+15
48	P-M23WSC48	211	+15




Specify	Notes
• Paint Selection for Vertical Cover (if applicable) • Finish Style for Painted Metal	• 3-Way Connector Vertical Cover Stack-Ons are specified when stack-on connectors extend beyond the height of 108”. • The vertical cover splice plate is included with vertical stack-on covers.

© 2026, AIS, Inc.

2-Way Linear Connector Trim Conversion Kits


2-WAY 90° LINEAR CONNECTOR TRIM CONVERSION KIT

H	Model Number	List	Grade C Paint
34	P-MLKCC34	209	+15
42	P-MLKCC42	257	+15
50	P-MLKCC50	309	+15
58	P-MLKCC58	355	+15
66	P-MLKCC66	402	+15
82	P-MLKCC82	455	+15




2-WAY 120° LINEAR CONNECTOR TRIM CONVERSION KIT

H	Model Number	List	Grade C Paint
34	P-MLKCC12034	161	+15
42	P-MLKCC12042	203	+15
50	P-MLKCC12050	236	+15
58	P-MLKCC12058	272	+15
66	P-MLKCC12066	316	+15
82	P-MLKCC12082	351	+15



2-WAY 135° LINEAR CONNECTOR TRIM CONVERSION KIT

H	Model Number	List	Grade C Paint
34	P-MLKCC4534	151	+15
42	P-MLKCC4542	184	+15
50	P-MLKCC4550	217	+15
58	P-MLKCC4558	247	+15
66	P-MLKCC4566	274	+15
82	P-MLKCC4582	312	+15



Specify

- Finish Style for Topcap - Painted Metal
- Paint Selection for Vertical Cover (if applicable)

Notes


- Linear Connector Trim Conversion Kits - 2-Way 90°, 120°, 135° - are specified when converting existing radius profile connectors to linear profile connectors.
- Includes linear profile connector topcap and vertical cover (painted metal).

© 2026, AIS, Inc.

3-Way and 4-Way Linear Connector Trim Conversion Kits


3-WAY 90° LINEAR CONNECTOR TRIM CONVERSION KIT

H	Model Number	List	Grade C Paint
34	P-MLK3C34	130	+15
42	P-MLK3C42	160	+15
50	P-MLK3C50	186	+15
58	P-MLK3C58	218	+15
66	P-MLK3C66	246	+15
82	P-MLK3C82	272	+15



3-WAY 120° LINEAR CONNECTOR TRIM CONVERSION KIT


Model Number	List	Grade C Paint
P-MLK3C120	90	+5



Specify	Notes
• Finish Style for Topcap - Painted Metal • Paint Selection for Topcap/Vertical Cover (if applicable)	• Linear Connector Trim Conversion Kits - 3-Way 90°, 120°- are specified when converting existing radius profile connectors to linear profile connectors. • Includes linear profile connector topcap and vertical cover (painted metal). • 3-way 120° kits include only the connector topcap since there are no vertical covers on 3-way 120° connectors.

4-WAY 90° LINEAR CONNECTOR TRIM CONVERSION KIT

Model Number	List
P-MLK4	89




Specify	Notes
• Paint Selection for Vertical Cover (if applicable) • Finish Style for Painted Metal	• Linear Connector Trim Conversion Kits - 4-Way 90°- are specified when converting existing radius profile connectors to linear profile connectors. • Includes only the connector topcap (painted metal) since there are no vertical covers on 4-way 90° connectors.

© 2026, AIS, Inc.

Linear Wall Mount Trim Conversion Kits, Wall Tracks and Off-Modular Frame Connection Kits

LINEAR WALL MOUNT TRIM CONVERSION KITS


H	Model Number	List	Grade C Paint
24	P-MLKWM24	160	+10
30	P-MLKWM30	169	+10
36	P-MLKWM36	173	+10
42	P-MLKWM42	176	+10
48	P-MLKWM48	184	+10



Specify	Notes
• Finish Style for Painted Metal • Paint Selection for Topcap (if applicable)	• Linear Wall Mount Trim Conversion Kits - specify topcap width to correspond to the width of the panel attached to the wall mount.

WALL TRACKS

H	Model Number	List	Grade C Paint
60	A-WTRK60	215	+5
80	A-WTRK80	259	+5




Specify	Notes
• Paint Selection	• Wall Track mounts to fixed walls to provide slotted channel for worksurface support brackets, tackboards or shelves. • Slots are on 1” vertical repeat pattern. • Wall track mounting holes are 1/4” diameter, repeat 6” on center starting 1/2” from top of track. • Track sits approx. 5” off floor when leveled with top of panels to accomodate wall cover base. • Hardware for mounting wall track to walls is not included. Use hardware appropriate to wall type. • **Important:** Wall track may be shared with Matrix and AO2 storage. Wall track may not be shared with Divi and MWall storage.

MATRIX OFF-MODULAR KIT FOR SHORT PANELS


W	Model Number	List
24	P-MLOMS24	232
30	P-MLOMS30	232
36	P-MLOMS36	232
42	P-MLOMS42	243
48	P-MLOMS48	243


MATRIX OFF-MODULAR KIT FOR TALL PANELS

W	Model Number	List
24	P-MLOMT24	335
30	P-MLOMT30	335
36	P-MLOMT36	346
42	P-MLOMT42	346
48	P-MLOMT48	346



Matrix Off-Modular example






Specify	Notes
	• Use Off-Modular Panel Installation Kit to attach a perpendicular Matrix panel to the face another Matrix panel. • Because the connection is at an off-modular dimension, worksurfaces and storage components must be chosen to accommodate the space remaining. • Off-modular kits for short panels are required for panels up to 58” tall. • Off-modular kits for tall panels are required for panels 66” and 82” tall. • Off-modular kits are compatible with any standard Matrix tile with the exception of glass. Off-modular kits are not compatible with glass tiles, frameless glass or recessed glass. • Available in black only.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Product Detail 1
Electrical Components (8 Wire, 4 Circuit)


AIS Matrix 8 Wire 4 Circuit electrical system contains four circuits. Each circuit is rated at 20 amps/120 volts maximum. Circuit 1, Circuit 2 and Circuit 3 are served by a system neutral and an equipment ground. Circuit 4 is dedicated and is served by its own neutral and ground. Circuit and ground conductors are #12 A.G.W. (gauge). **All neutrals are #10 A.G.W. (gauge).**




Shown below is a cross section of metal cable used for 8 Wire 4 Circuit jumpers and infeeds. Circuit and ground conductors are #12 A.G.W. (gauge). **All neutrals are #10 A.G.W. (gauge).**



Powerways provide electrical distribution and access for duplex outlets back to back. 24" wide panels can accept only one duplex outlet per side, two total back to back. All other powerways can accept two per side, four total back to back. Powerways "grow" in length with frames of greater width, making panel to panel connections a "standard" configuration and allowing for "pass through" connections. Each powerway has locations for up to four jumpers, two at each end.



Duplex Outlets are designated as circuits 1 through 4. Each duplex outlet contains two single receptacles (places to plug into) of the same circuit and are specified separately from powerways. All duplex outlets have black faces. The lettering on outlets for Circuit 1, 2 and 3 is white. The lettering on outlets for Circuit 4 is orange. Outlets are screw mounted to powerway and include a plastic or metal outlet trim bezel which can be ordered black to match outlets or the color of the painted tile. Duplex outlets are standard 15 amp outlets. For 20 amp outlets, call AIS Customer Service.



Common Equipment Amperages:

Personal Computer	2.00 - 4.00
Laser Printer	5.00 - 8.00
Desktop Plotter	1.50
Fan	1.00
Heater	8.50 - 12.50
Tasklight	1.00
Slide Projector	2.00 - 6.00
Coffee Pot	15.00
Paper Shredder	4.40 - 13.00
Radio	0.05
Pencil Sharpener	1.00
Calculator	0.25
Answering Machine	0.08


© 2026, AIS, Inc.


Matrix Electrical Product Details

Product Detail 2
Electrical Location and Vertical Jumpers

An AIS Matrix panel frame contains an electrical “chase” hole for electrical and data cables at every 8” of height. These chase holes are divided into “locations”. Each location has an upper and lower “position”. A 34” high panel has four electrical locations while an 82” high panel has 10 locations. Powerway assemblies can be mounted in any location and position except the four upper and the last upper position of the highest location, which in the illustration below, is 10 upper. Each location has one electrical chase hole aligned with the lower position of every location. Therefore, electrical cables can only be chased from the lower positions to lower positions. Use the upper positions for additional powerway assemblies to provide access for more duplex outlets or jump points for vertical jumpers. Horizontal crossbar of frames inhibit the use of power and data in the top upper position.

Location 4 is not recommended for use, as an electrical tile located at this location would most likely be blocked by a worksurface. Powerway assemblies can be mounted at any position; however, jumping to adjacent panels can only be done at the lower positions. To access the upper positions, use vertical jumpers or double powerway jumpers inside a frame or use a lower position from a location above the assembly. The formula for figuring out a vertical jumper length inside the same frame is: Higher Location - Lower Location x 8” = Delta. Location 7 lower to location 5 lower = 7 - 5 = 2 x 8 = 16” delta. Note: Vertical jumpers are designed to span from lower to lower or upper to upper. For example, jumping from 5 lower to 9 upper is not correct. Note: Horizontal crossbar of frames inhibit the use of power and data in the top upper position.







Note: Certain areas of Chicago prohibit the use of modular electrical systems and require all electrical components to be hardwired. All electrical components need to be supplied by the electrician.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Product Detail 3
Power/Data Pole Dimensions and Capacities




Matrix pole with no feed = 97 CAT 6 cables



Matrix pole with feed with no center barriers = 88 CAT 6 cables



Matrix pole with feed with center barriers = 64 CAT 6 cables




Matrix pole with feed with one center barrier = 66 CAT 6 cables


© 2026, AIS, Inc.

Matrix Electrical Product Details

Product Detail 4
Receptacle Mounted Base Infeed Details

Receptacle mounted base infeed protrudes 1 1/2” from the panel. Designers should allow for at least 2” of separation between the panel and any adjacent furniture or walls.






© 2026, AIS, Inc.

Electrical Jumpers

PANEL-TO-PANEL JUMPERS

L	Type	Model Number	List
18	Standard	E-MX8W4PTPC18	254
21	Extended	E-MX8W4PTPC21	266




Notes

Panel-to-Panel Jumpers connect two powerway assemblies across a straight panel connection at the same elevation location. Order an Extended Panel-to-Panel Jumper when connecting two powerway assemblies at 90° at the same elevation location or straight across the gap created by a 3-way or 4-way at the same elevation location.

LATERAL PASS THROUGH JUMPERS

Panel W	Actual L	Model Number	List
24	45	E-MW8W4PJ24E	377
30	51	E-MW8W4PJ30E	396
36	57	E-MW8W4PJ36E	409
42	63	E-MW8W4PJ42E	420
48	69	E-MW8W4PJ48E	456




Notes

Lateral Pass Through Jumpers pass laterally through a non-powered frame to connect two powerway assemblies at the same elevation location. Specify the jumper that corresponds to the width of the panel to be passed through. Lateral pass through jumpers are used for both straight, standard pass throughs, and extended situations.

VERTICAL TRANSITION JUMPERS

Panel W	Actual L	Model Number	List
8	18	E-MX8W4PTPC18	254
16	24	E-UN8W4VT16	312
24	37	E-MW8W4PJ18	326
32	43	E-MW8W4PJ24	362
40	48	E-MW8W4PJ30	388
48	57	E-MW8W4PJ36E	409
56	67	E-MW8W4PJ48	444
64	79	E-MW8W4PJ60	478
72	81	E-MW8W4PJ60E	504




Notes

Vertical Transition Jumpers connect two powerway assemblies at different elevation locations inside the same frame. Specify length by delta elevation. [ie: location 7 lower to location 3 lower = (7-3 = 4) x 8” = 32” = VT jumper for a 32” delta.]

DOUBLE POWERWAY VERTICAL JUMPER

L	Model Number	List
12	E-MXDPWJV	303



Notes

Double Powerway Vertical Jumper connects two powerway assemblies inside the same elevation location.


Note: Certain areas of Chicago prohibit the use of modular electrical systems and require all electrical components to be hardwired. All electrical components need to be supplied by the electrician.

© 2026, AIS, Inc.

Access Hole Covers, Outlet Trim Bezels and I-Connectors

ACCESS HOLE COVERS


Model Number	List
E-MXWCPB	39



Specify	Notes
• Paint Selection for Access Hole Covers	Access Hole Covers are included with every electrical tile. Order separately only if using less than the indicated number of holes (one per dual tile or two per quad tile).

I-CONNECTOR

Model Number	List
E-UN8W4ICON	186




Notes

I-Connector is only required when it is necessary to connect two male end jumpers.

OUTLET TRIM BEZELS

Model Number	List
E-MXWCPCP	32



Specify	Notes
• Paint Selection for Outlet Trim Bezels	Outlet trim bezels are included with every duplex outlet. Order separately only if bezels are lost or for punch lists.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Electrical Outlets

DUPLEX OUTLETS

Line	Color	Model Number	List
1	Black	E-MX8W4FDO1	82
2	Black	E-MX8W4FDO2	82
3	Black	E-MX8W4FDO3	82
4	Black	E-MX8W4FDO4	82
1	White	E-MX8W4FDO1-W	74
2	White	E-MX8W4FDO2-W	74
3	White	E-MX8W4FDO3-W	74
4	White	E-MX8W4FDO4-W	74




Notes

- Duplex Outlets are available in designated circuits 1 through 4.
- Each duplex outlet contains two single receptacles (places to plug into) of the same circuit and are specified separately from powerways.
- Available in black or white. The lettering on outlets for circuit 1, 2 and 3 is white. The lettering on outlets for circuit 4 is orange.
- Outlets are screw mounted to the powerway and include a plastic or metal outlet trim bezel which can be ordered in black, to match outlets or the color of the painted tile.
- Duplex outlets are standard 15 amp outlets.

CALIFORNIA TITLE 24 CONTROLLED DUPLEX OUTLETS

Line	Color	Model Number	List
1	Black	E-MX8W4T24DO1	97
2	Black	E-MX8W4T24DO2	97
3	Black	E-MX8W4T24DO3	97
4	Black	E-MX8W4T24DO4	97
1	White	E-MX8W4T24DO1-W	89
2	White	E-MX8W4T24DO2-W	89
3	White	E-MX8W4T24DO3-W	89
4	White	E-MX8W4T24DO4-W	89





Notes

- In California, 50% of all outlets in a system panel cluster or benching cluster, for new construction, MUST be controlled outlets, even if there is no task lighting.
- Customers should plan on using 2 and 3 controlled circuits, and plan general load for all items on circuits 1 and 4.
- If using 2+2 configuration, controlled circuits should be 1 and 2, and general load circuits on 4 and 5.
- Outlets must have the "controlled" symbol for identification purposes.


Note: Certain areas of Chicago prohibit the use of modular electrical systems and require all electrical components to be hardwired. All electrical components need to be supplied by the electrician.

© 2026, AIS, Inc.

Electrical Outlets

USB OUTLETS

Line	Color	Model Number	List
1	Black	E-MX8W4USB01	487
2	Black	E-MX8W4USB02	487
3	Black	E-MX8W4USB03	487
4	Black	E-MX8W4USB04	487
1	White	E-MX8W4USB01-W	436
2	White	E-MX8W4USB02-W	436
3	White	E-MX8W4USB03-W	436
4	White	E-MX8W4USB04-W	436



Notes


USB Outlets bring charging options to panel power distribution systems. The USB Outlets provide convenient charging power access through dual ports on the face of the receptacle. Include a plastic or metal outlet trim bezel which can be ordered in black to match outlets or the color of the painted tile. The USB Outlets offer a total of 2 Amps between two USB charging ports. The USB Outlets are UL and FCC Part 15A approved.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Infeeds and Hardwire Junction Boxes

RECEPTACLE MOUNTED BASE INFEEDS

L	Hand	Model Number	List
72	Left	E-UN8W4BIFL	632
72	Right	E-UN8W4BIFR	632




Left-hand infeed shown

Notes

Receptacle Mounted Base Infeeds provide interface with building power and mounts to powerway at duplex outlet location. Each base feed is 6’ in length, encased in “liquid tight”. New York City code requires the use of a special base feed with an in-line junction box, see New York City Base Infeeds for more details.

NEW YORK CITY BASE INFEEDS

L	Hand	Model Number	List
72	Left	E-HM8W4BIFLNY	1,227
72	Right	E-HM8W4BIFRNY	1,227




Left-hand infeed shown

Notes

New York City Receptacle Mounted Base Infeeds provide interface with building power and mount to powerway at duplex outlet location. Each base feed is 6’ in length, encased in “liquid tight”. New York City code requires the use of a special base feed with an in-line junction box.

CEILING INFEED KIT

Model Number	List
E-M28W4CIF	739




Notes

Ceiling Infeed Kit provides interface with building power from a suspended ceiling through a power pole shell. Power pole shells are ordered separately. Includes one ceiling infeed 144”, one panel-to-panel jumper 18”, and two I-Connectors. Power/Data Pole Kits are sold and specified separately.

Important: Vertical transition jumper is required and specified separately in order to reach power input destination. The ceiling infeed is restricted at the horizontal steel tube at the top of the panel frame. The panel-to-panel jumper (via an I-Connector) brings the power 18” down into the panel frame. From this point, an additional vertical transition jumper (via an I-Connector) needs to be specified in order to bring power source to the power assembly mounted at any of the locations within the panel frame.

DOUBLE SIDED JUNCTION BOX

Model Number	List
E-M2JBCH	455



Notes

Hardwire Junction Box allows standard, hardwired, single gang duplex outlets to be used in Matrix panels at each standard, modular duplex outlet location. Each outlet will require one junction box; however, outlets can be placed back to back on a spine, with a total of two outlets total per box. Junction boxes mount to inside wall of Matrix frame and occupy one vertical electrical position in any numbered location. Thus boxes can be stacked in location 1 (base) or location 5 (beltline) in both the upper and lower positions. **Junction boxes do not include electrical connectors.** Boxes are UL listed. Decora faced outlets cannot be used. Kit includes all hardware required to attach box to Matrix frame at duplex outlet location. Designed for use with Chicago power or wherever junction boxes are required by code.


Standard Matrix electrical tiles are required on both front and back sides of frame, regardless of if 2 outlets are needed. If only using 1 outlet on one side, use standard duplex outlet cover on non-outlet side. Boxes have standard 0.875” knockouts for electrical connectors. Kit includes two low profile metal face plates painted per specification. Box is 2.448”H x 2.059”W x 12”L. Junction boxes can be used with either 15 amp or 20 amp single gang outlets.

© 2026, AIS, Inc.

Single Circuit Infeeds with Plug

SINGLE CIRCUIT SIDE INFEEDS WITH PLUG

Actual Length	Model Number	List
72”	E-UN8W4SIF72	1,295
120”	E-UN8W4SIF120	1,646




Notes

- Single Circuit infeeds will only provide power to line 1 outlets.
- Single Circuit Infeeds are terminated with a 20 Amp NEMA plug, a 20 Amp to 15 Amp plug adapter is included.
- Capacity for the circuit is 20 Amps, or 15 Amps if using the adapter.
- Never install more than one infeed to a circuit.

SINGLE CIRCUIT RECEPTACLE INFEEDS WITH PLUG

Length	Model Number	List
72	E-UN8W4RIF72	2,559
120	E-UN8W4RIF120	4,116



Notes

- Single Circuit infeeds will only provide power to line 1 outlets.
- Single Circuit Infeeds are terminated with a 20 Amp NEMA plug, a 20 Amp to 15 Amp plug adapter is included.
- Capacity for the circuit is 20 Amps, or 15 Amps if using the adapter.
- Never install more than one infeed to a circuit.
- Receptacle Mount is not handed. Handedness may be reversed in the field.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Linear Power / Data Pole Kits

LINEAR PROFILE POWER / DATA POLE KITS

H	W	Model Number	List	Grade C Pole Paint	Grade C Topcap Paint
34	24	A-PPML3424	1,480	+15	+10
34	30	A-PPML3430	1,491	+15	+10
34	36	A-PPML3436	1,505	+15	+10
34	42	A-PPML3442	1,520	+15	+10
34	48	A-PPML3448	1,543	+15	+10
42	24	A-PPML4224	1,409	+15	+10
42	30	A-PPML4230	1,426	+15	+10
42	36	A-PPML4236	1,436	+15	+10
42	42	A-PPML4242	1,449	+15	+10
42	48	A-PPML4248	1,465	+15	+10
50	24	A-PPML5024	1,380	+15	+10
50	30	A-PPML5030	1,393	+15	+10
50	36	A-PPML5036	1,403	+15	+10
50	42	A-PPML5042	1,418	+15	+10
50	48	A-PPML5048	1,429	+15	+10
58	24	A-PPML5824	1,265	+15	+10
58	30	A-PPML5830	1,301	+15	+10
58	36	A-PPML5836	1,373	+15	+10
58	42	A-PPML5842	1,385	+15	+10
58	48	A-PPML5848	1,416	+15	+10
66	24	A-PPML6624	958	+15	+10
66	30	A-PPML6630	969	+15	+10
66	36	A-PPML6636	987	+15	+10
66	42	A-PPML6642	1,002	+15	+10
66	48	A-PPML6648	1,012	+15	+10
74	24	A-PPML7424	889	+15	+10
74	30	A-PPML7430	909	+15	+10
74	36	A-PPML7436	924	+15	+10
74	42	A-PPML7442	934	+15	+10
74	48	A-PPML7448	949	+15	+10
82	24	A-PPML8224	958	+15	+10
82	30	A-PPML8230	969	+15	+10
82	36	A-PPML8236	987	+15	+10
82	42	A-PPML8242	1,004	+15	+10
82	48	A-PPML8248	1,012	+15	+10



Specify

- Paint Selection for Power Pole
- Finish Style for Topcap - Painted Metal
- Paint Selection for Topcap (if applicable)

Notes


Power/Data Pole Kits provide a sealed vertical channel for running ceiling feeds and/or data cables from a suspended ceiling. Poles mount to any Matrix frame or stack-on frame and are designed to finish at a height of 136". Each frame can accommodate two poles mounted approximately 4" from panel end. Order ceiling infeeds separately. Pole can be divided into one, two or three sections for separation of low voltage and high voltage. Specify pole that corresponds to panel height and panel width.

© 2026, AIS, Inc.

Power/Data Pole Extenders, Powerway Assemblies, and Data Plate Kits

POWER / DATA POLE EXTENDERS

Actual H	Model Number	List	Grade C Paint
28”	A-PPEX28	358	+10
48”	A-PPEX48	517	+10



Specify


- Paint Selection

Notes

- Power/data pole extender includes one pole section, one cover, one pole coupler and one divider.
- Order ceiling feeds separately.

SINGLE POWERWAY ASSEMBLIES

W	Model Number	List
24	E-MXEK24	352
30	E-MXEK30	368
36	E-MXEK36	393
42	E-MXEK42	409
48	E-MXEK48	428




Notes

Single Powerway Assemblies occupy one position of one electrical location in a Matrix frame. Assembly mounts to inside of frame with screws. Assembly can accommodate four duplex outlets total.

DOUBLE POWERWAY ASSEMBLIES

W	Model Number	List
24	E-MXEL24	874
30	E-MXEL30	915
36	E-MXEL36	953
42	E-MXEL42	992
48	E-MXEL48	1,032




Notes

Double Powerway Assemblies occupy two positions of one electrical location in a Matrix frame. Assembly mounts to inside of frame with screws. Assembly can accommodate eight duplex outlets total. Assembly includes a double powerway vertical jumper.

DATA PLATE KITS

Item	Model Number	List
6 Port Data Gang Plate	E-HDP6B-SM	42
CAT 5e Jack	E-HRJ45-SM	148
CAT 6 Data Jack	E-HXJ6BK-SM	161
Hole Blank (Pk 10)	E-SFBB10-SM	100



Notes

Data Plate Kits has six ports for modular jacks. Bezel screws directly to Matrix electrical access tiles in pre-drilled and tapped hole pattern. RJ-45 jack can be used in place of RJ-11 jacks.

Note: Certain areas of Chicago prohibit the use of modular electrical systems and require all electrical components to be hardwired. All electrical components need to be supplied by the electrician.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Electrical Tiles and Data Cable Support Troughs

DUAL ELECTRICAL TILES

H	W	Model Number	List	C.O.M Fabric	Grade C Fabric	Grade D Fabric	Grade C Tile Paint	Grade C Retainer Paint
8	24	P-M2TED0824	119	+20	+31	+44	+5	+5
8	30	P-M2TED0830	132	+20	+31	+44	+5	+5
8	36	P-M2TED0836	142	+20	+31	+44	+5	+5
8	42	P-M2TED0842	151	+20	+31	+44	+5	+5
8	48	P-M2TED0848	180	+20	+31	+44	+5	+5



Specify


- Paint Selection for Tile Retainer, Access Hole Cover and Tile (if applicable)
- Fabric Selection for Tile (if applicable)

Notes

Dual Electrical Tiles contain two access holes at the lower position for duplex outlets or data devices. Available in painted steel or fabric covered steel. Access holes are standard electrical single gang interface which will accommodate any manufacturer's single gang data device plates or bezels screwed directly to the tile. Includes: one mid-tile retainer, two tile retainer clips, and one access hole cover. If only one access hole is used, order an additional access hole cover separately. Tile is "front" removable/replaceable. Use when specifying electrical powerway assemblies separately. Specify jumpers and outlets separately. 24" wide tile has only one access hole. Access Hole has dimensions of 2"H x 2.875"W.

QUAD ELECTRICAL TILES

H	W	Model Number	List	C.O.M Fabric	Grade B Fabric	Grade C Fabric	Grade D Fabric	Grade C Tile Paint	Grade C Retainer Paint
8	24	P-M2TEQ0824	130	+20	+20	+31	+44	+5	+5
8	30	P-M2TEQ0830	143	+20	+20	+31	+44	+5	+5
8	36	P-M2TEQ0836	156	+20	+20	+31	+44	+5	+5
8	42	P-M2TEQ0842	166	+20	+20	+31	+44	+5	+5
8	48	P-M2TEQ0848	184	+20	+20	+31	+44	+5	+5



Specify


- Paint Selection for Tile Retainer, Access Hole Cover and Tile (if applicable)
- Fabric Selection for Tile (if applicable)

Notes

Quad Electrical Tiles contain four access holes (two in the top location and two in the bottom location) for duplex outlets or data devices. Available in painted steel or fabric covered steel. Access holes are standard single gang interface which will accommodate any manufacturer's single gang data device plates or bezels screwed directly to the tile. Includes: one mid-tile retainer, two tile retainer clips, and two access hole covers. If less than two access holes are used, order additional access hole covers separately. Tile is "front" removable/replaceable. Use when specifying electrical powerway assemblies separately. Specify jumpers and outlets separately. 24" wide tile has only two access holes. Access Hole has dimensions of 2"H x 2.875"W.

DATA CABLE SUPPORT TROUGHS

W	Model Number	List
24	E-MXSTKIT24	261
30	E-MXSTKIT30	279
36	E-MXSTKIT36	287
42	E-MXSTKIT42	312
48	E-MXSTKIT48	374



Notes

Data Cable Support Troughs screw to inside of Matrix frame at any height and provide shielded channel via snap on cover.


© 2026, AIS, Inc.

Tile Availability

Product Detail 1
Tile Availability


All Matrix tiles include one mid-tile retainer and one set of mid-tile retainer clips.

Tackable Acoustical




Available Heights*: 8”, 16”, 24”, 32”, 40”, 48”, 56”, 64”
Available Widths: 24”, 30”, 36”, 42”, 48”

Standard Steel




Available Heights: 8”, 16”, 24”
Available Widths: 24”, 30”, 36”, 42”, 48”

Embossed Steel




Available Heights: 16”, 24”
Available Widths: 24”, 30”, 36”, 42”, 48”

Perforated Steel




Available Heights: 16”, 24”
Available Widths: 24”, 30”, 36”, 42”, 48”

Laminate




Available Heights: 8”, 16”
Available Widths: 24”, 30”, 36”, 42”, 48”

Standard Front Glass (Linear Profile)




Available Heights: 16”, 24”
Available Widths: 24”, 30”, 36”, 42”, 48”

Standard Back Glass (Linear Profile)




Available Heights: 16”, 24”
Available Widths: 24”, 30”, 36”, 42”, 48”

Bottom Front Glass (Linear Profile)



Available Heights: 16”, 24”
Available Widths: 24”, 30”, 36”, 42”, 48”

Bottom Back Glass (Linear Profile)




Available Heights: 16”, 24”
Available Widths: 24”, 30”, 36”, 42”, 48”

*Tile Sizes 40”H - 64”H includ four mid-grip brackets which prevent larger tiles from bowing and keep them in place.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Product Detail 2
Tile Availability (Cont.)

Standard Open Frame (Linear Profile)




Available Heights: 16”, 24”
Available Widths: 24”, 30”, 36”, 42”, 48”

Bottom Open Frame (Linear Profile)




Available Heights: 16”, 24”
Available Widths: 24”, 30”, 36”, 42”, 48”

White Board (Non-Magnetic)**



Available Heights: 16”, 24”
Available Widths: 24”, 30”, 36”, 42”, 48”


Utility Tile




Available Heights: 8”
Available Widths: 24”, 30”, 36”, 42”, 48”

*Tile Sizes 40”H - 64”H include four mid-grip brackets which prevent larger tiles from bowing and keep them in place.
**Marker Tray for white board specified seperately and available in all standard white board widths.

Product Detail 3
Wall Tile Basic Rail Setup



1. Single Wall Tile Rail
2. Shared Wall Tile Rails
3. Single Wall Tile Rail
4. Corner Filler Strip
5. Single Wall Tile Rails
6.Shared Wall Tile Rails
7. Top Tile Retainer
8. Single Wall Tile Rail
9. Bottom Tile Retainer





© 2026, AIS, Inc.

Tackable Acoustical Tiles

TACKABLE ACOUSTICAL TILES

H	W	Model Number	List	C.O.M Fabric	Grade C Fabric	Grade D Fabric	Grade C Paint
8	24	P-M2TTK0824	86	-7	+11	+22	+5
8	30	P-M2TTK0830	90	-7	+11	+22	+5
8	36	P-M2TTK0836	102	-7	+11	+22	+5
8	42	P-M2TTK0842	110	-7	+11	+22	+5
8	48	P-M2TTK0848	116	-7	+11	+22	+5
16	24	P-M2TTK1624	119	-12	+19	+38	+5
16	30	P-M2TTK1630	128	-12	+19	+38	+5
16	36	P-M2TTK1636	157	-12	+19	+38	+5
16	42	P-M2TTK1642	159	-12	+19	+38	+5
16	48	P-M2TTK1648	171	-12	+19	+38	+5
24	24	P-M2TTK2424	123	-16	+27	+54	+5
24	30	P-M2TTK2430	130	-16	+27	+54	+5
24	36	P-M2TTK2436	175	-16	+27	+54	+5
24	42	P-M2TTK2442	186	-16	+27	+54	+5
24	48	P-M2TTK2448	204	-16	+27	+54	+5
32	24	P-M2TTK3224	148	-20	+34	+68	+5
32	30	P-M2TTK3230	161	-20	+34	+68	+5
32	36	P-M2TTK3236	219	-20	+34	+68	+5
32	42	P-M2TTK3242	233	-20	+34	+68	+5
32	48	P-M2TTK3248	251	-20	+34	+68	+5
40	24	P-M2TTK4024	176	-25	+42	+84	+5
40	30	P-M2TTK4030	189	-25	+42	+84	+5
40	36	P-M2TTK4036	257	-25	+42	+84	+5
40	42	P-M2TTK4042	274	-25	+42	+84	+5
40	48	P-M2TTK4048	298	-25	+42	+84	+5
48	24	P-M2TTK4824	208	-30	+49	+98	+5
48	30	P-M2TTK4830	234	-30	+49	+98	+5
48	36	P-M2TTK4836	299	-30	+49	+98	+5
48	42	P-M2TTK4842	327	-30	+49	+98	+5
48	48	P-M2TTK4848	348	-30	+49	+98	+5
56	24	P-M2TTK5624	230	-35	+56	+112	+5
56	30	P-M2TTK5630	250	-35	+56	+112	+5
56	36	P-M2TTK5636	341	-35	+56	+112	+5
56	42	P-M2TTK5642	365	-35	+56	+112	+5
56	48	P-M2TTK5648	397	-35	+56	+112	+5
64	24	P-M2TTK6424	257	-40	+63	+126	+5
64	30	P-M2TTK6430	296	-40	+63	+126	+5
64	36	P-M2TTK6436	383	-40	+63	+126	+5
64	42	P-M2TTK6442	442	-40	+63	+126	+5
64	48	P-M2TTK6448	477	-40	+63	+126	+5





Mid-Grip Bracket

Specify

- Paint Selection for Tile Retainer
- Fabric Selection for Tile

Notes


- Tackable Acoustical Tiles include one mid-tile retainer and one set of mid-tile retainer clips.
- Tackable acoustical tiles are available fabric covered only.
- Tile sizes 16”H - 32”H include two mid-grip brackets. Tile sizes 40”H - 64”H include four mid-grip brackets.
- Tile is front removable for easy replacement and access to frame interior.

© 2026, AIS, Inc.

Steel Tiles


8" HIGH STANDARD STEEL TILES

H	W	Model Number	List	Grade C Tile Paint	Grade C Retainer Paint
8	24	P-M2TMR0824	87	+5	+5
8	30	P-M2TMR0830	94	+5	+5
8	36	P-M2TMR0836	109	+5	+5
8	42	P-M2TMR0842	118	+5	+5
8	48	P-M2TMR0848	142	+5	+5




16" HIGH STANDARD STEEL TILES

H	W	Model Number	List	Grade C Tile Paint	Grade C Retainer Paint
16	24	P-M2TMR1624	247	+5	+5
16	30	P-M2TMR1630	266	+5	+5
16	36	P-M2TMR1636	295	+5	+5
16	42	P-M2TMR1642	337	+5	+5
16	48	P-M2TMR1648	396	+5	+5



24" HIGH STANDARD STEEL TILES

H	W	Model Number	List	Grade C Tile Paint	Grade C Retainer Paint
24	24	P-M2TMR2424	327	+5	+5
24	30	P-M2TMR2430	365	+5	+5
24	36	P-M2TMR2436	409	+5	+5
24	42	P-M2TMR2442	477	+5	+5
24	48	P-M2TMR2448	552	+5	+5



Specify

- Paint Selection for Tile Retainer and Tile

Notes


- Standard Steel Tiles include one mid-tile retainer and one set of mid-tile retainer clips.
- Tile is front removable for easy replacement and access to frame interior.
- 8"H standard steel tiles are often used at the base of a Matrix panel frame next to electrical tiles to give the appearance of a base cover.

© 2026, AIS, Inc.

Embossed and Perforated Steel Tiles

EMBOSSED STEEL TILES

H	W	Model Number	List	Grade C Tile Paint	Grade C Retainer Paint
16	24	P-M2TDS1624	251	+5	+5
16	30	P-M2TDS1630	295	+5	+5
16	36	P-M2TDS1636	311	+5	+5
16	42	P-M2TDS1642	351	+5	+5
16	48	P-M2TDS1648	370	+5	+5
24	24	P-M2TDS2424	334	+5	+5
24	30	P-M2TDS2430	387	+5	+5
24	36	P-M2TDS2436	396	+5	+5
24	42	P-M2TDS2442	431	+5	+5
24	48	P-M2TDS2448	456	+5	+5



Specify


- Paint Selection for Tile Retainer and Tile

Notes

- Embossed Steel Tiles include one mid-tile retainer and one set of mid-tile retainer clips.
- Tile is front removable for easy replacement and access to frame interior.

PERFORATED STEEL TILES

H	W	Model Number	List	Grade C Tile Paint	Grade C Retainer Paint
16	24	P-M2TPM1624	288	+5	+5
16	30	P-M2TPM1630	353	+5	+5
16	36	P-M2TPM1636	360	+5	+5
16	42	P-M2TPM1642	382	+5	+5
16	48	P-M2TPM1648	457	+5	+5
24	24	P-M2TPM2424	381	+5	+5
24	30	P-M2TPM2430	511	+5	+5
24	36	P-M2TPM2436	568	+5	+5
24	42	P-M2TPM2442	634	+5	+5
24	48	P-M2TPM2448	594	+5	+5



Specify

- Paint Selection for Tile Retainer and Tile

Notes

- Perforated Steel Tiles include one mid-tile retainer and one set of mid-tile retainer clips.
- Tile is front removable for easy replacement and access to frame interior.
- Perforated steel tiles are used primarily for air flow under worksurfaces or for aesthetics.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

White Board and Laminate Tiles

WHITE BOARD TILES

H	W	Model Number	List	Grade C Retainer Paint
16	24	P-M2TWB1624	257	+5
16	30	P-M2TWB1630	303	+5
16	36	P-M2TWB1636	351	+5
16	42	P-M2TWB1642	395	+5
16	48	P-M2TWB1648	440	+5
24	24	P-M2TWB2424	338	+5
24	30	P-M2TWB2430	400	+5
24	36	P-M2TWB2436	466	+5
24	42	P-M2TWB2442	534	+5
24	48	P-M2TWB2448	598	+5



Specify


- Paint Selection for Tile Retainer and Tile

Notes

- White Board Tiles include one mid-tile retainer and one set of mid-tile retainer clips.
- Tile is front removable for easy replacement and access to frame interior.
- Marker Tray sits on top of mid-tile retainer and is held in place by the white board tile. Tile slides into groove in back of marker tray.
- For use with dry erase markers only.

WHITE BOARD MARKER TRAYS

W	Model Number	List
24	A-M2WBMT24	129
30	A-M2WBMT30	133
36	A-M2WBMT36	142
42	A-M2WBMT42	151
48	A-M2WBMT48	157




Notes

- Marker Tray sits on top of mid-tile retainer and is held in place by the white board tile.
- White board marker tray is available in black only and ordered separately.

LAMINATE TILES

H	W	Model Number	List	Grade C Retainer Paint
8	24	P-M2TLM0824	208	+5
8	30	P-M2TLM0830	232	+5
8	36	P-M2TLM0836	277	+5
8	42	P-M2TLM0842	305	+5
8	48	P-M2TLM0848	340	+5
16	24	P-M2TLM1624	258	+5
16	30	P-M2TLM1630	312	+5
16	36	P-M2TLM1636	355	+5
16	42	P-M2TLM1642	401	+5
16	48	P-M2TLM1648	455	+5



Specify

- Paint Selection for Tile Retainer
- Laminate Selection for Tile

Notes

- Laminate Tiles include one mid-tile retainer and one set of mid-tile retainer clips.
- Tile is front removable for easy replacement and access to frame interior.
- Grain direction runs vertical.

© 2026, AIS, Inc.


Laminate Tiles and Double Sided MX Monolithic Kit

LAMINATE TILES

H	W	Model Number	List	Grade C Retainer Paint
24	24	P-M2TLMSS2424	408	+5
24	30	P-M2TLMSS2430	494	+5
24	36	P-M2TLMSS2436	561	+5
24	42	P-M2TLMSS2442	639	+5
24	48	P-M2TLMSS2448	730	+5
32	24	P-M2TLMSS3224	507	+5
32	30	P-M2TLMSS3230	606	+5
32	36	P-M2TLMSS3236	696	+5
32	42	P-M2TLMSS3242	787	+5
32	48	P-M2TLMSS3248	895	+5
40	24	P-M2TLMSS4024	706	+5
40	30	P-M2TLMSS4030	834	+5
40	36	P-M2TLMSS4036	966	+5
40	42	P-M2TLMSS4042	1,085	+5
40	48	P-M2TLMSS4048	1,224	+5
48	24	P-M2TLMSS4824	755	+5
48	30	P-M2TLMSS4830	908	+5
48	36	P-M2TLMSS4836	1,041	+5
48	42	P-M2TLMSS4842	1,180	+5
48	48	P-M2TLMSS4848	1,339	+5

LAMINATE TILES

H	W	Model Number	List	Grade C Retainer Paint
56	24	P-M2TLMSS5624	1,009	+5
56	30	P-M2TLMSS5630	1,210	+5
56	36	P-M2TLMSS5636	1,389	+5
56	42	P-M2TLMSS5642	1,573	+5
56	48	P-M2TLMSS5648	1,784	+5
64	24	P-M2TLMSS6424	1,009	+5
64	30	P-M2TLMSS6430	1,210	+5
64	36	P-M2TLMSS6436	1,389	+5
64	42	P-M2TLMSS6442	1,573	+5
64	48	P-M2TLMSS6448	1,784	+5
80	24	P-M2TLMSS8024	1,260	+5
80	30	P-M2TLMSS8030	1,512	+5
80	36	P-M2TLMSS8036	1,734	+5
80	42	P-M2TLMSS8042	1,965	+5
80	48	P-M2TLMSS8048	2,230	+5



Specify


- Laminate Selection for Tiles
- Paint Selection for Mid-Tile Retainer

Notes

- Mid-tile retainer and clips included.
- Tile is front removable for easy replacement and access to frame interior.
- Grain directions runs vertical.

DOUBLE SIDED MX MONOLITHIC KIT

Model Number	List
P-MXMTKIT	50



Notes

- Kit required for monolithic tiles on Matrix where a double sided application is desired.
- Each kit comes with 16 brackets.
- Order the quantity of kits needed to satisfy the requirement needed per Tile. Refer to the chart to the right for the quantities needed per Tile size.


Height	Width				
	24”	30”	36”	42”	48”
32”	12	12	12	12	12
40”	12	12	12	12	12
48”	16	16	16	16	16
56”	20	20	20	20	20
64”	20	20	20	20	20
80”	28	28	28	28	28
	# Qty of Brackets Required per Tile				

© 2026, AIS, Inc.

Linear Profile Standard Front Glass Tiles

LINEAR PROFILE STANDARD FRONT GLASS TILES

H	W	Model Number	List	Grade C Tile Paint	Grade C Retainer Paint
16	24	P-MLTGF1624	287	+5	+5
16	30	P-MLTGF1630	337	+5	+5
16	36	P-MLTGF1636	385	+5	+5
16	42	P-MLTGF1642	435	+5	+5
16	48	P-MLTGF1648	480	+5	+5
24	24	P-MLTGF2424	397	+5	+5
24	30	P-MLTGF2430	468	+5	+5
24	36	P-MLTGF2436	540	+5	+5
24	42	P-MLTGF2442	609	+5	+5
24	48	P-MLTGF2448	685	+5	+5



Specify


- Paint Selection for Tile Retainer and Tile
- Style Selection for Glass Insert

Notes

- Standard Front Glass Tiles include one mid-tile retainer, one set of mid-tile retainer clips, one tempered glass insert, and insert mounting hardware.
- Tile is front removable for easy replacement and access to frame interior.
- Must be paired with standard back glass tiles (ordered separately) on opposite side of frame to complete a glass tile situation.

LINEAR PROFILE STANDARD BACK GLASS TILES

H	W	Model Number	List	Grade C Tile Paint	Grade C Retainer Paint
16	24	P-MLTGB1624	186	+5	+5
16	30	P-MLTGB1630	217	+5	+5
16	36	P-MLTGB1636	245	+5	+5
16	42	P-MLTGB1642	268	+5	+5
16	48	P-MLTGB1648	289	+5	+5
24	24	P-MLTGB2424	239	+5	+5
24	30	P-MLTGB2430	270	+5	+5
24	36	P-MLTGB2436	312	+5	+5
24	42	P-MLTGB2442	345	+5	+5
24	48	P-MLTGB2448	381	+5	+5



Specify

- Paint Selection for Tile Retainer and Tile

Notes


- Standard Back Glass Tiles include one mid-tile retainer and one set of mid-tile retainer clips.
- Standard back glass tiles do not include glass inserts or mounting hardware.
- Tile is front removable for easy replacement and access to frame interior.
- Must be paired with standard front glass tiles (ordered separately) on opposite side of frame to complete a glass tile situation.

© 2026, AIS, Inc.

Linear Profile Standard Bottom Glass Tiles

LINEAR PROFILE BOTTOM FRONT GLASS TILES

H	W	Model Number	List	Grade C Tile Paint	Grade C Retainer Paint
16	24	P-MLTGY1624	218	+5	+5
16	30	P-MLTGY1630	341	+5	+5
16	36	P-MLTGY1636	383	+5	+5
16	42	P-MLTGY1642	435	+5	+5
16	48	P-MLTGY1648	478	+5	+5
24	24	P-MLTGY2424	295	+5	+5
24	30	P-MLTGY2430	468	+5	+5
24	36	P-MLTGY2436	534	+5	+5
24	42	P-MLTGY2442	604	+5	+5
24	48	P-MLTGY2448	677	+5	+5



Specify


- Paint Selection for Tile Retainer and Tile
- Style Selection for Glass Insert

Notes

- Bottom Front Glass Tiles include one mid-tile retainer, one set of mid-tile retainer clips, one tempered glass insert, and insert mounting hardware.
- Tile is front removable for easy replacement and access to frame interior.
- Must be paired with bottom back glass tiles (ordered separately) on opposite side of frame to complete a glass tile situation.

LINEAR PROFILE BOTTOM BACK GLASS TILES

H	W	Model Number	List	Grade C Tile Paint	Grade C Retainer Paint
16	24	P-MLTGZ1624	186	+5	+5
16	30	P-MLTGZ1630	217	+5	+5
16	36	P-MLTGZ1636	245	+5	+5
16	42	P-MLTGZ1642	268	+5	+5
16	48	P-MLTGZ1648	289	+5	+5
24	24	P-MLTGZ2424	211	+5	+5
24	30	P-MLTGZ2430	234	+5	+5
24	36	P-MLTGZ2436	259	+5	+5
24	42	P-MLTGZ2442	286	+5	+5
24	48	P-MLTGZ2448	316	+5	+5



Specify

- Paint Selection for Tile Retainer and Tile

Notes

- Bottom Back Glass Tiles include one mid-tile retainer and one set of mid-tile retainer clips.
- Bottom back glass tiles do not include glass inserts or mounting hardware.
- Tile is front removable for easy replacement and access to frame interior.
- Must be paired with bottom front glass tiles (ordered separetely) on opposite side of frame to complete a glass tile situation.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Linear Profile Open Frame Tiles

LINEAR PROFILE STANDARD OPEN FRAME TILES

H	W	Model Number	List	Grade C Tile Paint	Grade C Retainer Paint
16	24	P-MLTOF1624	186	+5	+5
16	30	P-MLTOF1630	217	+5	+5
16	36	P-MLTOF1636	245	+5	+5
16	42	P-MLTOF1642	268	+5	+5
16	48	P-MLTOF1648	289	+5	+5
24	24	P-MLTOF2424	239	+5	+5
24	30	P-MLTOF2430	270	+5	+5
24	36	P-MLTOF2436	312	+5	+5
24	42	P-MLTOF2442	345	+5	+5
24	48	P-MLTOF2448	381	+5	+5



Specify


- Paint Selection for Tile

Notes

- Standard Open Frame Tiles include one mid-tile retainer and one set of mid-tile retainer clips.
- Tile is front removable for easy replacement and access to frame interior.
- Must always be paired with a second standard open frame tile (ordered separately) on opposite side of frame to complete an open frame situation.

LINEAR PROFILE BOTTOM OPEN FRAME TILES

H	W	Model Number	List	Grade C Tile Paint	Grade C Retainer Paint
16	24	P-MLTOB1624	186	+5	+5
16	30	P-MLTOB1630	217	+5	+5
16	36	P-MLTOB1636	245	+5	+5
16	42	P-MLTOB1642	268	+5	+5
16	48	P-MLTOB1648	289	+5	+5
24	24	P-MLTOB2424	211	+5	+5
24	30	P-MLTOB2430	234	+5	+5
24	36	P-MLTOB2436	259	+5	+5
24	42	P-MLTOB2442	286	+5	+5
24	48	P-MLTOB2448	316	+5	+5



Specify

- Paint Selection for Tile

Notes


- Bottom Open Frame Tiles include one mid-tile retainer and one set of mid-tile retainer clips.
- Tile is front removable for easy replacement and access to frame interior.
- Must always be paired with a second bottom open frame tile (ordered separately) on opposite side of frame to complete an open frame situation.

© 2026, AIS, Inc.


Open Frame Infeed Tiles and Utility Tiles

LINEAR PROFILE 16" HIGH OPEN FRAME TILE INFEED KIT

	With Hole	Without Hole			
W	Model Number	Model Number	List	Grade C Paint	Grade C Retainer
24	P-MLTOBINH1624	P-MLTOBINB1624	471	+5	+5
30	P-MLTOBINH1630	P-MLTOBINB1630	479	+5	+5
36	P-MLTOBINH1636	P-MLTOBINB1636	499	+5	+5
42	P-MLTOBINH1642	P-MLTOBINB1642	539	+5	+5
48	P-MLTOBINH1648	P-MLTOBINB1648	547	+5	+5



With Hole



Without Hole

Specify


- Paint Selection

Notes

- Open Frame Infeed Tiles allow for the use of a side-mounted infeed with Matrix product, when using an open frame tile at the bottom of the frame.
- Open frame tiles should be used back to back in a Matrix frame, with one tile containing a knockout hole and the other without.
- Must use side mounted infeed with open frame infeed tiles.

UTILITY TILES

H	W	Model Number	List	Grade C Tile Paint	Grade C Retainer Paint
8	24	P-MLTTB0824	176	+5	+5
8	30	P-MLTTB0830	215	+5	+5
8	36	P-MLTTB0836	250	+5	+5
8	42	P-MLTTB0842	281	+5	+5
8	48	P-MLTTB0848	319	+5	+5



Specify


- Paint Selection for Tile Retainer and Tile

Notes

- Utility Tiles include one mid-tile retainer (linear profile) and one set of mid-tile retainer clips. Tile is front removable for easy replacement and access to frame interior.
- Utility tiles are designed to receive various paper flow elements.
- Utility tiles are available in 8"H only. For taller utility tile situations, place additional tile above or below as needed.
- Tiles are designed to blend with tile retainers to give a uniform look.
- See Accessories for compatible paper flow elements.

STAND ALONE INFEED TILES

		With Hole	Without Hole		
H	W	Model Number	Model Number	List	Grade C Paint
16	6	P-M2TBIFH0616	P-M2TBIFB0616	284	+25



Notes

- Order with adjacent tile separate.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

Linear Profile Tile Retainer Kits

LINEAR PROFILE TOP TILE RETAINER KIT

W	Model Number	List	Grade C Paint
24	P-MLTTR24	74	+5
30	P-MLTTR30	82	+5
36	P-MLTTR36	92	+5
42	P-MLTTR42	103	+5
48	P-MLTTR48	111	+5







Side View

Specify	Notes
• Paint Selection	• Top Tile Retainer Kit includes mounting hardware. • Order when dressing wall tile rails. • Top tile retainers automatically come with all AIS Matrix frames. • Order only when extra are needed.

LINEAR PROFILE BOTTOM TILE RETAINER KIT

W	Model Number	List	Grade C Paint
24	P-MLBTR24	38	+5
30	P-MLBTR30	41	+5
36	P-MLBTR36	45	+5
42	P-MLBTR42	49	+5
48	P-MLBTR48	53	+5







Side View

Specify	Notes
• Paint Selection	• Bottom Tile Retainer Kit includes mounting hardware. • Order when dressing wall tile rails. • Bottom tile retainers automatically come with all AIS Matrix frames. • Order only when extra are needed.

LINEAR PROFILE MID-TILE RETAINER KIT

W	Model Number	List	Grade C Paint
24	P-MLMTR24	33	+5
30	P-MLMTR30	38	+5
36	P-MLMTR36	39	+5
42	P-MLMTR42	42	+5
48	P-MLMTR48	45	+5





Side View

Specify	Notes
• Paint Selection	• Mid-Tile Retainer Kit includes one set of tile retainer clips. • All AIS Matrix tiles automatically come with mid tile retainers. • Order only when extra are needed.

© 2026, AIS, Inc.

Tile Rails

SINGLE WALL TILE RAILS

H	Model Number	List
34	A-M2WTRS34	169
42	A-M2WTRS42	185
50	A-M2WTRS50	208
58	A-M2WTRS58	226
66	A-M2WTRS66	246
74	A-M2WTRS74	262
82	A-M2WTRS82	288



Notes

- Single Wall Tile Rails are used at the edge of tiles where there are no adjacent tiles.
- Wall tile rails are structural and will support worksurfaces and overheads where appropriate wall hardware is used.
- Available in black only.
- Tiles and tile retainers ordered separately.

SHARED WALL TILE RAILS

H	Model Number	List
34	A-M2WTRSH34	169
42	A-M2WTRSH42	185
50	A-M2WTRSH50	208
58	A-M2WTRSH58	226
66	A-M2WTRSH66	246
74	A-M2WTRSH74	262
82	A-M2WTRSH82	288



Notes

- Shared Wall Tile Rails are used for sharing tiles between tiles.
- Wall tile rails are structural and will support worksurfaces and overheads where appropriate wall hardware is used.
- Available in black only.
- Tiles and tile retainers ordered separately.

SINGLE STACK WALL TILE RAILS

H	Model Number	List
8	A-M2WTRS08	110
16	A-M2WTRS16	129
24	A-M2WTRS24	148



Notes

- Single Stack Wall Tile Rails are used to stack above longer rails for taller walls.
- Wall tile rails are structural and will support worksurfaces and overheads where appropriate wall hardware is used.
- Available in black only.
- Tiles and tile retainers ordered separately.

SHARED STACK WALL TILE RAILS

H	Model Number	List
8	A-M2WTRSH08	109
16	A-M2WTRSH16	129
24	A-M2WTRSH24	148



Notes

- Shared Stack Wall Tile Rails are used to stack above shared rails for taller walls.
- Wall tile rails are structural and will support worksurfaces and overheads where appropriate wall hardware is used.
- Available in black only.
- Tile and tile retainers ordered separately.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Wall Tile Corner Filler Strips

WALL TILE CORNER FILLER STRIPS

H	Model Number	List
34	P-M2WTRCFS34	39
42	P-M2WTRCFS42	45
50	P-M2WTRCFS50	50
58	P-M2WTRCFS58	56
66	P-M2WTRCFS66	61
74	P-M2WTRCFS74	67
82	P-M2WTRCFS82	73
90	P-M2WTRCFS90	79
98	P-M2WTRCFS98	86
103	P-M2WTRCFS106	89
114	P-M2WTRCFS114	92
122	P-M2WTRCFS122	96
130	P-M2WTRCFS130	109



Notes


- Wall Tile Corner Filler Strips are a 1” square foam which is used to fill the gap created in a corner when using wall tile rails.
- Available in black.
- Tiles and tile retainers ordered separately.

© 2026, AIS, Inc.

Cantilevers and Support Brackets

STANDARD CANTILEVERS

Surface Depth	Actual Depth	Hand	Model Number	List	Grade C Paint
24	18	Left	WPS-UNCT24L	114	+10
24	18	Right	WPS-UNCT24R	114	+10
24	18	Pair	WPS-UNCT24P	218	+20
30	25.5	Left	WPS-UNCT30L	218	+10
30	25.5	Right	WPS-UNCT30R	218	+10
30	25.5	Pair	WPS-UNCT30P	431	+20



Specify


- Paint Selection for Cantilevers

Notes

- Standard Cantilevers provide cantilevered worksurface support from panel or wall track at either the left or right hand side of a worksurface.
- All worksurface support components fasten directly to worksurfaces with screws.
- Standard cantilevers may also be used as a center support.
- Specify cantilever that corresponds to worksurface depth.
- It is highly recommended that flat plates are specified in conjunction with support cantilevers to splice two worksurfaces together at the front edge.
- Painted black as standard, all other trim colors are Grade C upcharged.

SHARED CANTILEVERS

Surface Depth	Actual Depth	Hand	Model Number	List	Grade C Paint
24	18	Single	WPS-UNCT24S	162	+10
24	18	Pair	WPS-UNCT24SP	319	+20
30	25.5	Single	WPS-UNCT30S	319	+10
30	25.5	Pair	WPS-UNCT30SP	637	+20



Specify


- Paint Selection for Cantilevers

Notes

- Shared Cantilevers provide cantilevered support from panel or wall track at seam between two worksurfaces.
- All worksurface support components fasten directly to worksurfaces with screws.
- Specify cantilever that corresponds to worksurface depth.
- It is highly recommended that flat plates are specified in conjunction with support cantilevers to splice two worksurfaces together at the front edge.
- Painted black as standard, all other trim colors are Grade C upcharged.

PANEL MOUNTED SHELF CANTILEVERS

Surface Depth	Actual Depth	Hand	Model Number	List	Grade C Paint
12	10	Left	WPS-CT10L	204	+10
12	10	Right	WPS-CT10R	204	+10
12	10	Pair	WPS-CT10P	387	+20



Specify


- Paint Selection

Notes

- Panel Mounted Shelf Cantilevers are 10”d and designed to work in conjunction with 12”d worksurfaces to create additional desk top shelving.
- Available for all AIS panel systems (Matrix, Divi and MWall).
- For use with 12” to 16” worksurfaces only.

SIDE SUPPORT / REAR BRACKETS

Hand	Model Number	List	Grade C Paint
Left	WPS-SSSAL	84	+10
Right	WPS-SSSAR	84	+10
Pair	WPS-SSSA	159	+20



Specify

- Paint Selection for Side Support / Rear Bracket

Notes

- Side Support/Rear Brackets provide direct support from panel or wall track along short side of rectangular worksurface or at rear of corner worksurface.
- All worksurface support components fasten directly to worksurfaces with screws.
- Painted black as a standard. All other trim colors are Grade C upcharged.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

End Panels and Pedestal-to-Panel Attachment Brackets

STANDARD END PANELS


D	Model Number	List	Grade C Laminate
12	WFS-EPMX12	382	+20
18	WFS-EPMX18	449	+24
24	WFS-EPMX24	508	+27
30	WFS-EPMX30	562	+30
36	WFS-EPMX36	638	+34



Specify	Notes
• Laminate Selection for End Panel • 2mm Edge Selection for End Panel	• Standard End Panels have laminated vertical surfaces and a 2mm PVC vertical front edge. • Standard end panels provide direct support from floor at left or right side of a worksurface, and engage and lock to panels with provided mounting brackets. A • ll worksurface support components fasten directly to worksurfaces with screws. • Specify end panel that corresponds to worksurface depth.

CLEAR ACCESS END PANELS


D	Model Number	List	Grade C Laminate
24	WFS-EPCAMX24	531	+29
30	WFS-EPCAMX30	594	+32



Specify	Notes
• Laminate Selection for End Panel • 2mm Edge Selection for End Panel	• Clear Access End Panels have laminated vertical surfaces and a 2mm vertical front edge. • Clear access end panels provide direct support from floor at left or right side of a worksurface, and engage and lock to panels with provided mounting brackets. • All worksurface support components fasten directly to worksurfaces with screws.

PEDESTAL-TO-PANEL ATTACHMENT BRACKET

Model Number	List	Grade C Laminate
S-MXPMPB	247	+25



Specify	Notes
• Paint Selection	• Pedestal-to-Panel Attachment Brackets attach structural pedestals to panels. T • hese brackets serve as a space filler and as a way to add stability to panels. • Pedestal to panel attachment brackets may only be used when the nominal surface depth matches the nominal pedestal depth (24” Deep surface & 24” deep pedestal or 30” deep surface and 30” deep pedestal).

© 2026, AIS, Inc.


Matrix Panel Mounted A-Legs

MATRIX PANEL MOUNTED A-LEGS


		Left Hand	Right Hand	
H	D	Model Number	Model Number	List
27	12	WFS-ALW2712MXL	WFS-ALW2712MXR	459
27	24	WFS-ALW2724MXL	WFS-ALW2724MXR	525
27	30	WFS-ALW2730MXL	WFS-ALW2730MXR	557

SHARED MATRIX PANEL MOUNTED A-LEGS


		Left Hand Shared	Right Hand Shared	
H	D	Model Number	Model Number	List
27	12	WFS-ALW2712MXLS	WFS-ALW2712MXRS	496
27	24	WFS-ALW2724MXLS	WFS-ALW2724MXRS	557
27	30	WFS-ALW2730MXLS	WFS-ALW2730MXRS	593




Left Hand



Right Hand



Left Hand Shared




Right Hand Shared

Specify


- Paint Selection (+25 for Grade C)

Notes


- **Important:** A-Legs cannot be used as freestanding table support. One side must be anchored to a storage element or panel.
- A-Legs are constructed from 1 x 2 painted steel.
- Legs have 1 1/2" leveling glides.
- A-Leg welded construction allows for attachment to the worksurface.
- Ships installed with panel attachment brackets. Panel locking bracket for panel attachment situations ships separate.




EXAMPLE 1 - UNSTABLE
32"H Structural Wing




EXAMPLE 2 - UNSTABLE
32"H Panel with Cantilever




EXAMPLE 3 - UNSTABLE
32"H Panel with Cantilevers



EXAMPLE 1 - STABLE
Standard Structural Wing



EXAMPLE 2 - STABLE
32"H Panel with Floor Support



EXAMPLE 3 - STABLE
32"H Panel with Panel Mounted A-Legs

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Matrix Panel Mounted O-Legs

MATRIX PANEL MOUNTED O-LEGS


		Left Hand	Right Hand	
H	D	Model Number	Model Number	List
27	12	WFS-OLW2712MXL	WFS-OLW2712MXR	608
27	18	WFS-OLW2718MXL	WFS-OLW2718MXR	648
27	24	WFS-OLW2724MXL	WFS-OLW2724MXR	693
27	30	WFS-OLW2730MXL	WFS-OLW2730MXR	737

SHARED MATRIX PANEL MOUNTED O-LEGS

H	D	Model Number	List
27	12	WFS-OLW2712MXLS	654
27	18	WFS-OLW2718MXLS	693
27	24	WFS-OLW2724MXLS	737
27	30	WFS-OLW2730MXLS	782



Left Hand




Specify


- Paint Selection (+25 for Grade C)

Notes


- **Important:** O-Legs cannot be used as freestanding table support. One side must be anchored to a storage element or panel.
- O-Legs are constructed from 1 x 2 painted steel.
- Legs have 1 1/2" leveling glides.
- O-Leg welded construction allows for attachment to the worksurface.
- Ships installed with panel attachment brackets. Panel locking bracket for panel attachment situations ships separate.




EXAMPLE 1 - UNSTABLE
32"H Structural Wing




EXAMPLE 2 - UNSTABLE
32"H Panel with Cantilever




EXAMPLE 3 - UNSTABLE
32"H Panel with Cantilevers



EXAMPLE 1 - STABLE
Standard Structural Wing



EXAMPLE 2 - STABLE
32"H Panel with Floor Support



EXAMPLE 3 - STABLE
32"H Panel with Panel Mounted O-Legs

© 2026, AIS, Inc.

Matrix HiLo Rectangular Transition Tops

⚠ **The following worksurfaces are designed for use with Matrix systems only:**


MATRIX HILO ONE SIDE RECTANGULAR TRANSACTION TOPS

D[1]	W[1]	Model Number	List	Grade C Laminate
15	23.5	W-CT1524MLH1	333	+17
15	29.5	W-CT1530MLH1	362	+18
15	35.5	W-CT1536MLH1	383	+19
15	41.5	W-CT1542MLH1	396	+20
15	47.5	W-CT1548MLH1	411	+21
15	53.5	W-CT1554MLH1	471	+24
15	59.5	W-CT1560MLH1	476	+24
15	65.5	W-CT1566MLH1	506	+27
15	71.5	W-CT1572MLH1	535	+27
15	83.5	W-CT1584MLH1	556	+28
15	95.5	W-CT1596MLH1	573	+29

⚠ **The following worksurfaces are designed for use with Matrix systems only:**

MATRIX HILO TWO SIDE RECTANGULAR TRANSACTION TOPS

D[1]	W[1]	Model Number	List	Grade C Laminate
15	23	W-CT1524MLH2	333	+17
15	29	W-CT1530MLH2	362	+18
15	35	W-CT1536MLH2	383	+19
15	41	W-CT1542MLH2	396	+20
15	47	W-CT1548MLH2	411	+21
15	53	W-CT1554MLH2	471	+24
15	59	W-CT1560MLH2	476	+24
15	65	W-CT1566MLH2	506	+27
15	71	W-CT1572MLH2	535	+27
15	83	W-CT1584MLH2	556	+28
15	95	W-CT1596MLH2	573	+29



Specify

- Color Selection for Edge
- Laminate Selection

Notes

- Rectangular Transaction Tops for Matrix Linear HiLo Situations are specially sized for use when Matrix HiLo Connectors take up space at the end of a panel.
- Transaction Top worksurface kits sold separately.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Corner Transaction Tops

⚠ **The following worksurface is designed for use with Matrix systems only:**

MATRIX CORNER TRANSACTION TOP


D[1]	Panel W[1]	Actual W[1]	Model Number	List	Grade C Laminate
15	24	33 5/32	W-CTC1524MX	907	+50
15	30	39 5/32	W-CTC1530MX	1,060	+59
15	36	45 5/32	W-CTC1536MX	1,212	+67



⚠ **The following worksurface is designed for use with Matrix systems only:**

MATRIX 120° CORNER TRANSACTION TOP


D[1]	Panel W[1]	Model Number	List	Grade C Laminate
15	24	W-CTCZ1524MX	906	+50
15	30	W-CTCZ1530MX	1,060	+59
15	36	W-CTCZ1536MX	1,215	+67



⚠ **The following worksurface is designed for use with Matrix systems only:**

MATRIX 135° CORNER TRANSACTION TOP

D[1]	Panel W[1]	Model Number	List	Grade C Laminate
15	24	W-CTCX1524MX	906	+50
15	30	W-CTCX1530MX	1,060	+59
15	36	W-CTCX1536MX	1,215	+67




Specify	Notes
• Color Selection for Edge	• Transaction Top worksurface kits sold separately.
• Laminate Selection	• Be sure to order worksurface which corresponds to the systems you are specifying.

© 2026, AIS, Inc.

Worksurface Kits, Wing Panel Support Bracket, Carpet Grippers

LINEAR PROFILE TRANSACTION TOP WORKSURFACE KITS

D	Model Number	List	Grade C Laminate
24	P-MLCTT24	508	+5
30	P-MLCTT30	531	+5
36	P-MLCTT36	557	+5
42	P-MLCTT42	587	+5
48	P-MLCTT48	616	+5



Specify


- Paint Selection for Tiles Retainer and Topcap (if applicable)

Notes

- Transaction Top Worksurface Kit supports a transaction top.
- Transaction Top Worksurface Kits are specified by frame width. If spanning two frames, order a transaction top worksurface kit for each frame.
- Kit includes one topcap, two transaction top worksurface brackets, two countertop splice plates, and hardware.
- Linear Profile Transaction Top Worksurface Kits are compatible with rectangular and corner transaction tops.
- Transaction tops ordered separately.

OPEN FRAME WORKSURFACE KITS

Model Number	List
P-MXCTP	656




Notes

- Open Frame Worksurface Kit supports an open frame worksurface.
- Kit includes two open frame mounting brackets and mounting hardware.
- Specify open frame worksurface and open frame tiles separately.

WING PANEL SUPPORT BRACKET

Model Number	List
P-MXWPSK	118




Notes

- Wing Panel Support Bracket acts as a wing panel stabilizer, connecting a worksurface to a wing panel that matches the worksurface depth.
- Bracket can also be used on the back of a worksurface behind a structural pedestal to keep a panel tight to a worksurface back.

CARPET GRIPPERS

Model Number	List
P-CARPETGRIP	6



Notes

- Specify carpet grippers when installing Divi panels or Matrix frames on carpet.
- One carpet gripper per 4 panels automatically ship with your order.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Linear Mid-Height Shelf Units

LINEAR MID-HEIGHT SHELF UNITS


H	W	D	Model Number	List	Grade C Paint
7.75	24	12	S-SHFLMX24	337	+12
7.75	30	12	S-SHFLMX30	352	+12
7.75	36	12	S-SHFLMX36	364	+12
7.75	42	12	S-SHFLMX42	382	+12
7.75	48	12	S-SHFLMX48	423	+12
7.75	60	12	S-SHFLMX60	449	+12



Specify	Notes
• Paint Selection	• Linear Mid-Height Shelf Units provide low profile overhead storage. • Shelf ends have locking swing cams to prevent dislodgement. • Shelf bottom will receive tasklights. • Unit includes two Linear Mid-height shelf ends, one shelf pan, and mounting hardware. • Order shelf unit that corresponds to panel width. • Metal shelves have a weight capacity of 1.5 lbs per linear inch of width.

SHELF DIVIDER


Model Number	List	Grade C Paint
S-SHFDIV12	167	+10



Specify	Notes
• Paint Selection	• Shelf Divider mounts to mid-height shelf decks and may also be used inside of complete flipper bins. • No hardware necessary. • Divider snaps into place. • Divider is 5 5/8” tall and designed to finish at the same height as a mid-height shelf end.

LINEAR MID-HEIGHT CORNER SHELF UNITS

H	W	Center D	Wing D	Model Number	List	Grade C Paint
7.75	36	30.5	12	S-SHFLCMX36	1,423	+25
7.75	42	30.5	12	S-SHFLCMX42	1,516	+25
7.75	48	30.5	12	S-SHFLCMX48	2,131	+25




Specify	Notes
• Paint Selection	• Linear Mid-Height Corner Shelf Units provide low profile overhead storage in corner above corner worksurfaces. • Shelf ends have locking swing cams to prevent dislodgement. • Shelf has lateral strength bar welded parallel to front edge which will receive a 36” or smaller tasklight parallel to front edge. • All shelves 33 5/8” across front edge and are 30 1/2” deep front to back corner. • Back corner has 3 1/2” x 3 1/2” cutout to facilitate cable management. • 42” and 48” units have 6” and 12” wings respectively. • Unit includes two Linear Mid-height shelf ends, one bottom shelf pan, two corner shelf back mounting brackets, and mounting hardware. • Order shelf unit that corresponds to panel width. • Metal shelves have a weight capacity of 1.5 lbs per linear inch of width.


© 2026, AIS, Inc.

Type C Flipper Door Units

METAL / FABRIC DOOR FRONT TYPE C FLIPPER DOOR UNITS

Interior H	W	Interior D	Model Number	List	Grade C Paint	C.O.M Fabric	Grade C Fabric	Grade D Fabric	Easy Down
14.25	24	12	S-FDUMX24	884	+20	-5	+13	+24	+261
14.25	30	12	S-FDUMX30	901	+20	-5	+13	+24	+261
14.25	36	12	S-FDUMX36	930	+20	-5	+13	+24	+261
14.25	42	12	S-FDUMX42	948	+20	-5	+13	+24	+261
14.25	48	12	S-FDUMX48	1,010	+20	-5	+13	+24	+261
14.25	60	12	S-FDUMX60	1,224	+20	-5	+13	+24	+261







Easy Down Mechanism (Optional)

LAMINATE DOOR FRONT TYPE C FLIPPER DOOR UNITS

Interior H	W	Interior D	Model Number	List	Grade C Paint	Grade C Laminate	Grade C Edge	Easy Down
14.25	24	12	S-FDUMX24L	1,093	+20	+17	+16	+261
14.25	30	12	S-FDUMX30L	1,115	+20	+18	+18	+261
14.25	36	12	S-FDUMX36L	1,138	+20	+19	+20	+261
14.25	42	12	S-FDUMX42L	1,164	+20	+20	+22	+261
14.25	48	12	S-FDUMX48L	1,293	+20	+21	+24	+261
14.25	60	12	S-FDUMX60L	1,435	+20	+22	+28	+261





Easy Down Mechanism (Optional)

Specify

- Paint Selection
- Paint or Fabric for Flipper Door Style (for metal/fabric units only)
- Fabric Selection for Flipper Selection (for fabric units only)
- Laminate Selection for Flipper Door (for laminate units only)
- Edge Selection for Flipper Door (for laminate units only)
- Easy Down Mechanism (optional)

Notes

- Type C Flipper Door Unit provides binder height, lockable overhead storage.
- Door opens and stores above top cover pan.
- Flipper unit has an open back.
- Shelf ends have locking swing cams to prevent dislodgement.
- Shelf bottom will receive tasklights.
- Easy Down Mechanisms are optional for all sizes and recommended on 60” wide units.
- All flipper doors are lockable with two supplied keys.
- Lock cores are removable with removal keys and master keys are available.
- Extra lock cores are available for keying flipper doors alike, but flipper doors may not be ordered without locks.
- Keying flippers alike requires removal of pre-installed lock cores and installation of keyed alike cores in the field.
- Order flipper unit that corresponds to panel width.
- See “Accessories” for ordering replacement keys, master keys, core removal keys, additional keys cores for keying alike or replacement uses.
- Metal shelves have a weight capacity of 1.5 lbs per linear inch of width.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

Type C Raised Flipper Door Units

METAL / FABRIC DOOR FRONT TYPE C RAISED FLIPPER DOOR UNITS

Interior H	W	Interior D	Model Number	List	Grade C Paint	C.O.M Fabric	Grade C Fabric	Grade D Fabric	Perf Back	Easy Down
14.25	24	12	S-FDURFMX24	1,826	+20	-5	+13	+24	+35	+261
14.25	30	12	S-FDURFMX30	1,867	+20	-5	+13	+24	+35	+261
14.25	36	12	S-FDURFMX36	1,912	+20	-5	+13	+24	+35	+261
14.25	42	12	S-FDURFMX42	1,968	+20	-5	+13	+24	+35	+261
14.25	48	12	S-FDURFMX48	2,071	+20	-5	+13	+24	+35	+261
14.25	60	12	S-FDURFMX60	2,340	+20	-5	+13	+24	+35	+261







Easy Down Mechanism (Optional)

LAMINATE DOOR FRONT TYPE C RAISED FLIPPER DOOR UNITS

Interior H	W	Interior D	Model Number	List	Grade C Paint	Grade C Laminate	Grade C Edge	Perf Back	Easy Down
14.25	24	12	S-FDURFMX24L	2,043	+20	+17	+16	+35	+261
14.25	30	12	S-FDURFMX30L	2,084	+20	+18	+18	+35	+261
14.25	36	12	S-FDURFMX36L	2,124	+20	+19	+20	+35	+261
14.25	42	12	S-FDURFMX42L	2,186	+20	+20	+22	+35	+261
14.25	48	12	S-FDURFMX48L	2,363	+20	+21	+24	+35	+261
14.25	60	12	S-FDURFMX60L	2,563	+20	+22	+28	+35	+261





Easy Down Mechanism (Optional)

Specify

- Paint Selection
- Paint or Fabric for Flipper Door Style (for metal/fabric units only)
- Fabric Selection for Flipper Selection (for fabric units only)
- Laminate Selection for Flipper Door (for laminate units only)
- Edge Selection for Flipper Door (for laminate units only)
- Metal or Perforated Back Panel Style
- Easy Down Mechanism (optional)

Notes


- Type C Raised Flipper Door Unit provides binder height, lockable overhead storage.
- When mounted on 50” high panels, unit rests level with a standard flipper door unit mounted at the top of a 66” high panel.
- Door opens and stores above top cover pan.
- Backside of unit is completely enclosed providing added security.
- Shelf ends have locking swing cams to prevent dislodgement.
- Shelf bottom will receive tasklights.
- Easy Down Mechanisms are optional for all sizes and recommended on 60” wide units.
- All flipper doors are lockable with two supplied keys.
- Lock cores are removable with removal keys and master keys are available.
- Extra lock cores are available for keying flipper doors alike, but flipper doors may not be ordered without locks.
- Keying flippers alike requires removal of pre-installed lock cores and installation of keyed alike cores in the field.
- Order flipper unit that corresponds to panel width.
- See “Accessories” for ordering replacement keys, master keys, core removal keys, additional key cores for keying alike or replacement uses.
- Metal shelves have a weight capacity of 1.5 lbs per linear inch of width.


© 2026, AIS, Inc.

Type D Flipper Door Units

SOLID METAL DOOR FRONT TYPE D FLIPPER DOOR UNITS

Interior H	W	Interior D	Model Number	List	Grade C Paint	Easy Down
14.25	24	12	S-FDDSMX24	1,074	+20	+261
14.25	30	12	S-FDDSMX30	1,097	+20	+261
14.25	36	12	S-FDDSMX36	1,121	+20	+261
14.25	42	12	S-FDDSMX42	1,143	+20	+261
14.25	48	12	S-FDDSMX48	1,201	+20	+261







Easy Down Mechanism (Optional)

SOLID METAL DOOR FRONT TYPE D RAISED FLIPPER DOOR UNITS

Interior H	W	Interior D	Model Number	List	Grade C Paint	Perf Back	Easy Down
14.25	24	12	S-FDDRMX24	2,022	+20	+35	+261
14.25	30	12	S-FDDRMX30	2,066	+20	+35	+261
14.25	36	12	S-FDDRMX36	2,112	+20	+35	+261
14.25	42	12	S-FDDRMX42	2,166	+20	+35	+261
14.25	48	12	S-FDDRMX48	2,272	+20	+35	+261





Easy Down Mechanism (Optional)

Specify

- Paint Selection
- Metal or Perforated Back Panel Style (for raised flipper door units only)
- Easy Down Mechanism (optional)

Notes

- Type D Flipper Door Unit provides binder height, lockable overhead storage.
- When raised flipper door units are mounted on 50” high panels, unit rests level with a standard flipper door unit mounted at the top of a 66” high panel
- Door opens and stores above top cover pan.
- Flipper unit has an open back.
- Shelf ends have locking swing cams to prevent dislodgement.
- Shelf bottom will receive tasklights.
- Easy Down Mechanisms are optional for all sizes and recommended on 60” wide units.
- All flipper doors are lockable with two supplied keys.
- Lock cores are removable with removal keys and master keys are available.
- Extra lock cores are available for keying flipper doors alike, but flipper doors may not be ordered without locks.
- Keying flippers alike requires removal of pre-installed lock cores and installation of keyed alike cores in the field.
- Order flipper unit that corresponds to panel width.
- See “Accessories” for ordering replacement keys, master keys, core removal keys, additional key cores for keying alike or replacement uses.
- Metal shelves have a weight capacity of 1.5 lbs per linear inch of width.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Sliding Door Units


METAL DOOR FRONT SLIDING DOOR UNIT

H	W	D	Model Number	List	Grade C Paint
14.25	30	12	S-MS2DOMX30	1,101	+20
14.25	36	12	S-MS2DOMX36	1,128	+20
14.25	42	12	S-MS2DOMX42	1,151	+20
14.25	48	12	S-MS2DOMX48	1,213	+20
14.25	60	12	S-MS2DOMX60	1,424	+20



LAMINATE DOOR FRONT SLIDING DOOR UNIT

H	W	D	Model Number	List	Grade C Paint	Grade C Laminate
14.25	30	12	S-MS2DOMX30L	1,314	+20	+18
14.25	36	12	S-MS2DOMX36L	1,341	+20	+19
14.25	42	12	S-MS2DOMX42L	1,362	+20	+20
14.25	48	12	S-MS2DOMX48L	1,496	+20	+21
14.25	60	12	S-MS2DOMX60L	1,636	+20	+22



Specify

- Paint Selection
- Laminate Selection for Sliding Door (for laminate units only)
- Edge Selection for Sliding Door (for laminate units only)

Notes


- Sliding Door Unit provides binder height, lockable overhead storage.
- Door slides open side to side.
- Sliding door unit has an open back.
- Shelf ends have locking swing cams to prevent dislodgement.
- Shelf bottom will receive tasklights.
- All sliding doors are lockable with (2) keys supplied.
- Lock cores are removable with removal keys and master keys are available.
- Extra lock cores are available for keying sliding doors alike, but sliding doors may not be ordered without locks.
- Keying sliding doors alike requires removal of pre-installed lock cores and installation of keyed alike cores in the field.
- See “Accessories” for shelf, flipper and key accessories.
- Metal shelves have a weight capacity of 1.5 lbs per linear inch of width.

© 2026, AIS, Inc.

Raised Sliding Door Units


METAL DOOR FRONT RAISED SLIDING DOOR UNIT

H	W	D	Model Number	List	Grade C Paint	Perforated Back
14.25	30	12	S-RMS2DOMX30	2,067	+20	+35
14.25	36	12	S-RMS2DOMX36	2,114	+20	+35
14.25	42	12	S-RMS2DOMX42	2,167	+20	+35
14.25	48	12	S-RMS2DOMX48	2,273	+20	+35
14.25	60	12	S-RMS2DOMX60	2,537	+20	+35



LAMINATE DOOR FRONT RAISED SLIDING DOOR UNIT

H	W	D	Model Number	List	Grade C Paint	Grade C Laminate	Perforated Back
14.25	30	12	S-RMS2DOMX30L	2,279	+20	+18	+35
14.25	36	12	S-RMS2DOMX36L	2,325	+20	+19	+35
14.25	42	12	S-RMS2DOMX42L	2,382	+20	+20	+35
14.25	48	12	S-RMS2DOMX48L	2,565	+20	+21	+35
14.25	60	12	S-RMS2DOMX60L	2,759	+20	+22	+35



Specify

- Paint Selection
- Laminate Selection for Sliding Door (for laminate units only)
- Edge Selection for Sliding Door (for laminate units only)

Notes


- Type C Raised Sliding Door Unit provides binder height, lockable overhead storage.
- When mounted on 50” high panels, unit rests level with a standard flipper door unit mounted at the top of a 66” high panel.
- Door slides open side to side.
- Backside of unit is completely enclosed providing added security.
- Shelf ends have locking swing cams to prevent dislodgement.
- Shelf bottom will receive tasklights.
- All sliding doors are lockable with (2) keys supplied.
- Lock cores are removable with removal keys and master keys are available.
- Extra lock cores are available for keying sliding doors alike, but sliding doors may not be ordered without locks.
- Keying sliding doors alike requires removal of pre-installed lock cores and installation of keyed alike cores in the field.
- See “Accessories” for shelf, flipper and key accessories.
- Metal shelves have a weight capacity of 1.5 lbs per linear inch of width.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Cabinet Door Units


METAL DOOR FRONT CABINET DOOR UNIT

H	W	D	Model Number	List	Grade C Paint
14.25	24	12	S-VDOMX24	1,458	+20
14.25	30	12	S-VDOMX30	1,480	+20
14.25	36	12	S-VDOMX36	1,504	+20
14.25	42	12	S-VDOMX42	1,526	+20
14.25	48	12	S-VDOMX48	1,589	+20



LAMINATE DOOR FRONT CABINET DOOR UNIT

H	W	D	Model Number	List	Grade C Paint	Perforated Back
14.25	24	12	S-VDOMX24L	1,669	+20	+17
14.25	30	12	S-VDOMX30L	1,695	+20	+18
14.25	36	12	S-VDOMX36L	1,713	+20	+19
14.25	42	12	S-VDOMX42L	1,743	+20	+20
14.25	48	12	S-VDOMX48L	1,872	+20	+21



Specify

- Paint Selection
- Laminate Selection for Cabinet Door (for laminate units only)
- Edge Selection for Cabinet Door (for laminate units only)

Notes


- Cabinet Door Unit provides binder height, lockable overhead storage.
- Doors swing open.
- Cabinet door unit has an open back.
- Shelf ends have locking swing cams to prevent dislodgement.
- Shelf bottom will receive tasklights.
- Units are lockable with (2) keys supplied.
- Lock cores are removable with removal keys and master keys are available.
- Extra lock cores are available for keying sliding doors alike, but sliding doors may not be ordered without locks.
- Keying sliding doors alike requires removal of pre-installed lock cores and installation of keyed alike cores in the field.
- See “Accessories” for shelf, flipper and key accessories.
- Metal shelves have a weight capacity of 1.5 lbs per linear inch of width.

© 2026, AIS, Inc.

Raised Cabinet Door Units


METAL DOOR FRONT RAISED CABINET DOOR UNIT

H	W	D	Model Number	List	Grade C Paint	Perforated Back
14.25	24	12	S-RVDOMX24	2,340	+20	+35
14.25	30	12	S-RVDOMX30	2,380	+20	+35
14.25	36	12	S-RVDOMX36	2,424	+20	+35
14.25	42	12	S-RVDOMX42	2,476	+20	+35
14.25	48	12	S-RVDOMX48	2,575	+20	+35



LAMINATE DOOR FRONT RAISED CABINET DOOR UNIT

H	W	D	Model Number	List	Grade C Paint	Grade C Laminate	Perforated Back
14.25	24	12	S-RVDOMX24L	2,548	+20	+17	+35
14.25	30	12	S-RVDOMX30L	2,584	+20	+18	+35
14.25	36	12	S-RVDOMX36L	2,631	+20	+19	+35
14.25	42	12	S-RVDOMX42L	2,735	+20	+20	+35
14.25	48	12	S-RVDOMX48L	2,860	+20	+21	+35



Specify

- Paint Selection
- Laminate Selection for Cabinet Door (for laminate units only)
- Edge Selection for Cabinet Door (for laminate units only)

Notes


- Raised Cabinet Door Unit provides binder height, lockable overhead storage.
- Doors swing open.
- Cabinet door unit has an open back.
- Shelf ends have locking swing cams to prevent dislodgement.
- Shelf bottom will receive tasklights.
- Units are lockable with (2) keys supplied.
- Lock cores are removable with removal keys and master keys are available.
- Extra lock cores are available for keying sliding doors alike, but sliding doors may not be ordered without locks.
- Keying sliding doors alike requires removal of pre-installed lock cores and installation of keyed alike cores in the field.
- See “Accessories” for shelf, flipper and key accessories.
- Metal shelves have a weight capacity of 1.5 lbs per linear inch of width.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Coat Hooks

LINEAR PANEL TOP COAT HOOK


Model Number	List	Grade C Paint
A-CHML	84	+5




Specify	Notes
• Paint Selection	• Linear Panel Top Coat Hook mounts over top of panel frame (linear profile trim) and is available in all standard paint colors.

MATRIX COAT HOOK

Model Number	List
A-MTXCH	74





Specify	Notes
• Paint Selection	• Coat hook installs under topcap prior to tile installation. • Can only be used on fabric or laminate tile.

© 2026, AIS, Inc.


Frameless Glass Mounting Kits

SINGLE FRAME FRAMELESS GLASS MOUNTING KITS


Frames	W	Model Number	List	Grade C Paint	3/8th" Glass Clamps
24	24	P-MLFGTC24	499	+10	+50
30	30	P-MLFGTC30	504	+10	+50
36	36	P-MLFGTC36	508	+10	+50
42	42	P-MLFGTC42	511	+10	+50
48	48	P-MLFGTC48	517	+10	+50

MULTIPLE FRAME FRAMELESS GLASS MOUNTING KITS


Frames	W	Model Number	List	Grade C Paint	3/8th" Glass Clamps
24, 24	48	P-MLFGTC224	875	+20	+100
24, 30	54	P-MLFGTC2430	883	+20	+100
24, 36	60	P-MLFGTC2436	888	+20	+100
24, 42	66	P-MLFGTC2442	894	+20	+100
24, 48	72	P-MLFGTC2448	897	+20	+100
30, 30	60	P-MLFGTC230	888	+20	+100
30, 36	66	P-MLFGTC3036	894	+20	+100
30, 42	72	P-MLFGTC3042	897	+20	+100
36, 36	72	P-MLFGTC236	897	+20	+100
24, 24, 24	72	P-MLFGTC324	1,258	+20	+150



36" Frameless Glass



72" Frameless Glass
(36, 36)



72" Frameless Glass
(24, 48)

Specify

- Finish Selection for Topcap

Notes

- Frameless Glass Mounting Kits - Matrix include topcaps with pre-drilled holes, mounting brackets and under topcap stabilizers for the glass.
- Frameless glass mounting kits are specified for the panel width, or in the case of multiple panels, the panel configuration.
- Glass is ordered separately.
- Glass should match frame width (no off-modular glass).
- For use with Linear Frames only.
- Frame Glass Mounting Kits inhibit using the top channel for cables.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Frameless Recessed Glass Mounting Kits

SINGLE FRAME RECESSED GLASS MOUNTING KITS V2

Frames	W	Model Number	List	Grade C Paint
24	24	P-MLSFRG24	497	+10
30	30	P-MLSFRG30	503	+10
36	36	P-MLSFRG36	507	+10
42	42	P-MLSFRG42	510	+10
48	48	P-MLSFRG48	514	+10




36" Frameless Glass



Screen Mounting Kit

MULTIPLE FRAME RECESSED GLASS MOUNTING KITS V2

Frames	W	Model Number	List	Grade C Paint
24, 24	48	P-MLDFRG2424	874	+10
24, 30	54	P-MLDFRG2430	882	+10
24, 36	60	P-MLDFRG2436	894	+10
24, 42	66	P-MLDFRG2442	894	+10
24, 48	72	P-MLDFRG2448	897	+10
30, 30	60	P-MLDFRG3030	894	+10
30, 36	66	P-MLDFRG3036	894	+10
30, 42	72	P-MLDFRG3042	897	+10
30, 48	78	P-MLDFRG3048	901	+10
36, 36	72	P-MLDFRG3636	894	+10
36, 42	78	P-MLDFRG3642	901	+10
36, 48	84	P-MLDFRG3648	906	+10
42, 42	84	P-MLDFRG4242	906	+10
42, 48	90	P-MLDFRG4248	909	+10
48, 48	96	P-MLDFRG4848	909	+10
24, 24, 24	72	P-MLTFRG242424	1,342	+10
24, 24, 30	78	P-MLTFRG242430	1,346	+10
24, 24, 36	84	P-MLTFRG242436	1,349	+10
24, 24, 42	90	P-MLTFRG242442	1,355	+10
24, 24, 48	96	P-MLTFRG242448	1,359	+10
30, 24, 30	84	P-MLTFRG302430	1,349	+10
30, 24, 36	90	P-MLTFRG302436	1,355	+10
30, 24, 42	96	P-MLTFRG302442	1,359	+10
30, 30, 36	96	P-MLTFRG303036	1,359	+10
36, 24, 36	96	P-MLTFRG362436	1,359	+10



72" Frameless Glass


Specify	Notes
• Paint Selection	• Recessed Frameless Mounting Kits - Matrix include mounting brackets and all required screws. • The mounting brackets double as the top caps once installed. • Screen is ordered separately. Screen must match frame width (no off-modular screens). • For use with Linear Frames only. • Frameless Screen Mounting Kits inhibit using the top channel for cables. • **Recessed frameless up-mounted Screens MUST be ordered with these kits.**


© 2026, AIS, Inc.

Recessed Glass for Linear Power Pole Situations

RECESSED GLASS FOR LINEAR POWER POLE SITUATIONS

H	W	Model Number	List Clear	Frosted	Gray	Bronze
8	24	P-MLPPRG0824	846	+30	+15	+15
8	30	P-MLPPRG0830	885	+60	+30	+30
8	36	P-MLPPRG0836	935	+60	+30	+30
8	42	P-MLPPRG0842	980	+60	+30	+30
8	48	P-MLPPRG0848	1,046	+90	+45	+45
12	24	P-MLPPRG1224	883	+60	+30	+30
12	30	P-MLPPRG1230	967	+60	+30	+30
12	36	P-MLPPRG1236	1,050	+90	+45	+45
12	42	P-MLPPRG1242	1,133	+90	+45	+45
12	48	P-MLPPRG1248	1,222	+120	+60	+60
16	24	P-MLPPRG1624	974	+60	+30	+30
16	30	P-MLPPRG1630	1,050	+90	+45	+45
16	36	P-MLPPRG1636	1,151	+120	+60	+60
16	42	P-MLPPRG1642	1,279	+120	+60	+60
16	48	P-MLPPRG1648	1,363	+150	+75	+75
20	24	P-MLPPRG2024	1,063	+60	+30	+30
20	30	P-MLPPRG2030	1,132	+90	+45	+45
20	36	P-MLPPRG2036	1,251	+120	+60	+60
20	42	P-MLPPRG2042	1,424	+150	+75	+75
20	48	P-MLPPRG2048	1,501	+180	+90	+90





Specify

- Paint Selection for Top Cap (Grade C +10)
- Finish Selection for Glass

Notes


- Order when installing recessed glass on top of a panel that requires a power pole installation.
- Includes glass and complete top cap kit.
- Power poles are ordered separately.
- Order size that corresponds to the overall panel width.


© 2026, AIS, Inc.

Frameless Up-Mounted Glass


FRAMELESS UP-MOUNTED GLASS							
H	W	Model Number	1/4th" Clear	1/4th" Tinted	1/4th" Frosted	3/8th" Clear	3/8th" Frosted
8	24	A-FG0824	247	+33	+68	+92	+136
8	30	A-FG0830	251	+41	+85	+112	+170
8	36	A-FG0836	271	+49	+102	+132	+204
8	42	A-FG0842	282	+57	+119	+152	+232
8	48	A-FG0848	317	+65	+135	+172	+270
8	54	A-FG0854	358	+73	+152	+192	+304
8	60	A-FG0860	409	+81	+169	+212	+338
8	66	A-FG0866	425	+89	+186	+232	+372
8	72	A-FG0872	459	+97	+203	+252	+406
12	24	A-FG1224	242	+38	+79	+120	+158
12	30	A-FG1230	289	+47	+99	+146	+198
12	36	A-FG1236	338	+57	+119	+171	+238
12	42	A-FG1242	387	+66	+138	+196	+276
12	48	A-FG1248	435	+76	+158	+222	+316
12	54	A-FG1254	483	+85	+178	+247	+356
12	60	A-FG1260	535	+94	+197	+273	+394
12	66	A-FG1266	580	+104	+217	+298	+434
12	72	A-FG1272	629	+113	+237	+323	+474

FRAMELESS UP-MOUNTED GLASS							
H	W	Model Number	1/4th" Clear	1/4th" Tinted	1/4th" Frosted	3/8th" Clear	3/8th" Frosted
16	24	A-FG1624	295	+43	+90	+148	+180
16	30	A-FG1630	330	+54	+113	+179	+226
16	36	A-FG1636	387	+65	+135	+210	+270
16	42	A-FG1642	473	+76	+158	+241	+316
16	48	A-FG1648	513	+86	+180	+272	+360
16	54	A-FG1654	569	+97	+203	+302	+406
16	60	A-FG1660	656	+108	+225	+333	+450
16	66	A-FG1666	718	+119	+248	+364	+494
16	72	A-FG1672	774	+129	+270	+395	+540





1/4" Glass



3/8" Glass

Specify

- Finish Selection for Glass

Notes


- Frameless Up-Mounted Glass are sheets of glass to be used with up-mounted kits.
- Tempered glass is available in clear, grey tint, bronze tint, and frosted.
- Glass Mounting Kit ordered separately.
- Glass used in HiLo situations has a different width. See "HiLo Frameless Up-Mounted Glass" when in a HiLo situation.
- Glass should match frame width (no off-modular glass).
- For use with Linear Frames only.


© 2026, AIS, Inc.

Recessed Frameless Glass

RECESSED FRAMELESS GLASS V2						
H	W	Model Number	List Clear	Frosted	Gray	Bronze
8	24	P-MLRGF0824	468	+42	+42	+42
8	30	P-MLRGF0830	513	+61	+61	+61
8	36	P-MLRGF0836	573	+77	+77	+77
8	42	P-MLRGF0842	628	+86	+86	+86
8	48	P-MLRGF0848	708	+106	+106	+106
8	54	P-MLRGF0854	792	+124	+124	+124
8	60	P-MLRGF0860	892	+138	+138	+138
8	66	P-MLRGF0866	952	+155	+155	+155
8	72	P-MLRGF0872	1,029	+171	+171	+171
8	78	P-MLRGF0878	1,115	+185	+185	+185
8	84	P-MLRGF0884	1,203	+199	+199	+199
8	90	P-MLRGF0890	1,298	+215	+215	+215
8	96	P-MLRGF0896	1,400	+233	+233	+233
12	24	P-MLRGF1224	517	+44	+44	+44
12	30	P-MLRGF1230	624	+64	+64	+64
12	36	P-MLRGF1236	727	+83	+83	+83
12	42	P-MLRGF1242	833	+99	+99	+99
12	48	P-MLRGF1248	945	+116	+116	+116
12	54	P-MLRGF1254	1,049	+136	+136	+136
12	60	P-MLRGF1260	1,154	+153	+153	+153
12	66	P-MLRGF1266	1,264	+169	+169	+169
12	72	P-MLRGF1272	1,373	+185	+185	+185
12	78	P-MLRGF1278	1,484	+200	+200	+200
12	84	P-MLRGF1284	1,601	+216	+216	+216
12	90	P-MLRGF1290	1,728	+233	+233	+233
12	96	P-MLRGF1296	1,867	+252	+252	+252

RECESSED FRAMELESS GLASS V2						
H	W	Model Number	List Clear	Frosted	Gray	Bronze
16	24	P-MLRGF1624	636	+49	+49	+49
16	30	P-MLRGF1630	734	+72	+72	+72
16	36	P-MLRGF1636	861	+89	+89	+89
16	42	P-MLRGF1642	1,024	+110	+110	+110
16	48	P-MLRGF1648	1,130	+129	+129	+129
16	54	P-MLRGF1654	1,258	+153	+153	+153
16	60	P-MLRGF1660	1,418	+172	+172	+172
16	66	P-MLRGF1666	1,547	+194	+194	+194
16	72	P-MLRGF1672	1,688	+206	+206	+206
16	78	P-MLRGF1678	1,818	+222	+222	+222
16	84	P-MLRGF1684	1,968	+240	+240	+240
16	90	P-MLRGF1690	2,123	+260	+260	+260
16	96	P-MLRGF1696	2,292	+280	+280	+280
20	24	P-MLRGF2024	754	+54	+54	+54
20	30	P-MLRGF2030	841	+80	+80	+80
20	36	P-MLRGF2036	995	+95	+95	+95
20	42	P-MLRGF2042	1,218	+121	+121	+121
20	48	P-MLRGF2048	1,314	+142	+142	+142
20	54	P-MLRGF2054	1,468	+170	+170	+170
20	60	P-MLRGF2060	1,682	+191	+191	+191
20	66	P-MLRGF2066	1,828	+219	+219	+219
20	72	P-MLRGF2072	2,000	+227	+227	+227
20	78	P-MLRGF2078	2,159	+244	+244	+244
20	84	P-MLRGF2084	2,332	+264	+264	+264
20	90	P-MLRGF2090	2,521	+287	+287	+287
20	96	P-MLRGF2096	2,720	+308	+308	+308





3/8” Glass

Specify

- Finish Selection for Glass

Notes


- Recessed Frameless Glass are sheets of glass screens to be used with up-mounted kits.
- Tempered glass is available in clear, frosted, aqui and blue.
- Glass is 3/8” thick.
- Frames receiving recessed glass should be specified with top cap option.
- Glass height is nominal, not including the glass inside of the frame.
- Glass must match frame width (no off-modular screens).

© 2026, AIS, Inc.


Single HiLo Situation Up-Mounted Glass

SINGLE HILO SITUATION UP-MOUNTED GLASS							
H	W	Model Number	1/4th" Clear	1/4th" Tinted	1/4th" Frosted	3/8th" Clear	3/8th" Frosted
8	24	A-FGMXH10824	232	+33	+68	+92	+136
8	30	A-FGMXH10830	236	+41	+85	+112	+170
8	36	A-FGMXH10836	256	+49	+102	+132	+204
8	42	A-FGMXH10842	262	+57	+119	+152	+232
8	48	A-FGMXH10848	296	+65	+135	+172	+270
8	54	A-FGMXH10854	332	+73	+152	+192	+304
8	60	A-FGMXH10860	381	+81	+169	+212	+338
8	66	A-FGMXH10866	398	+89	+186	+232	+372
8	72	A-FGMXH10872	431	+97	+203	+252	+406
12	24	A-FGMXH11224	226	+38	+79	+120	+158
12	30	A-FGMXH11230	270	+47	+99	+146	+198
12	36	A-FGMXH11236	318	+57	+119	+171	+238
12	42	A-FGMXH11242	360	+66	+138	+196	+276
12	48	A-FGMXH11248	408	+76	+158	+222	+316
12	54	A-FGMXH11254	454	+85	+178	+247	+356
12	60	A-FGMXH11260	503	+94	+197	+273	+394
12	66	A-FGMXH11266	542	+104	+217	+298	+434
12	72	A-FGMXH11272	588	+113	+237	+323	+474


SINGLE HILO SITUATION UP-MOUNTED GLASS							
H	W	Model Number	1/4th" Clear	1/4th" Tinted	1/4th" Frosted	3/8th" Clear	3/8th" Frosted
16	24	A-FGMXH11624	274	+43	+90	+148	+180
16	30	A-FGMXH11630	312	+54	+113	+179	+226
16	36	A-FGMXH11636	360	+65	+135	+210	+270
16	42	A-FGMXH11642	443	+76	+158	+241	+316
16	48	A-FGMXH11648	478	+86	+180	+272	+360
16	54	A-FGMXH11654	534	+97	+203	+302	+406
16	60	A-FGMXH11660	614	+108	+225	+333	+450
16	66	A-FGMXH11666	668	+119	+248	+364	+494
16	72	A-FGMXH11672	723	+129	+270	+395	+540



Single HiLo Situation



1/4" Glass



3/8" Glass

Specify

- Finish Selection for Glass

Notes

- Single HiLo Situation Up-Mounted Glass are sheets of glass to be used with up-mounted kits in HiLo locations.
- In order to accommodate one HiLo location, the glass must be 1/2" smaller horizontally.
- Tempered glass is available in clear, grey tint, bronze tint, and frosted.
- Mounting Kit Ordered Separately.
- Glass should match frame width (no off-modular glass).
- For use with Linear Frames only

© 2026, AIS, Inc.


Single HiLo Situation Recessed Frameless Glass

SINGLE HILO SITUATION RECESSED FRAMELESS GLASS V2


H	W	Model Number	List Clear	Frosted	Gray	Bronze
8	24	P-MLRGFSH-0824	468	+42	+42	+42
8	30	P-MLRGFSH-0830	513	+61	+61	+61
8	36	P-MLRGFSH-0836	573	+77	+77	+77
8	42	P-MLRGFSH-0842	628	+86	+86	+86
8	48	P-MLRGFSH-0848	708	+106	+106	+106
8	54	P-MLRGFSH-0854	792	+124	+124	+124
8	60	P-MLRGFSH-0860	892	+138	+138	+138
8	66	P-MLRGFSH-0866	952	+155	+155	+155
8	72	P-MLRGFSH-0872	1,029	+171	+171	+171
8	78	P-MLRGFSH-0878	1,115	+185	+185	+185
8	84	P-MLRGFSH-0884	1,203	+199	+199	+199
8	90	P-MLRGFSH-0890	1,298	+215	+215	+215
8	96	P-MLRGFSH-0896	1,400	+233	+233	+233
12	24	P-MLRGFSH-1224	517	+44	+44	+44
12	30	P-MLRGFSH-1230	624	+64	+64	+64
12	36	P-MLRGFSH-1236	727	+83	+83	+83
12	42	P-MLRGFSH-1242	833	+99	+99	+99
12	48	P-MLRGFSH-1248	945	+116	+116	+116
12	54	P-MLRGFSH-1254	1,049	+136	+136	+136
12	60	P-MLRGFSH-1260	1,154	+153	+153	+153
12	66	P-MLRGFSH-1266	1,264	+169	+169	+169
12	72	P-MLRGFSH-1272	1,373	+185	+185	+185
12	78	P-MLRGFSH-1278	1,484	+200	+200	+200
12	84	P-MLRGFSH-1284	1,601	+216	+216	+216
12	90	P-MLRGFSH-1290	1,728	+233	+233	+233
12	96	P-MLRGFSH-1296	1,867	+252	+252	+252

SINGLE HILO SITUATION RECESSED FRAMELESS GLASS V2

H	W	Model Number	List Clear	Frosted	Gray	Bronze
16	24	P-MLRGFSH-1624	636	+49	+49	+49
16	30	P-MLRGFSH-1630	734	+72	+72	+72
16	36	P-MLRGFSH-1636	861	+89	+89	+89
16	42	P-MLRGFSH-1642	1,024	+110	+110	+110
16	48	P-MLRGFSH-1648	1,130	+129	+129	+129
16	54	P-MLRGFSH-1654	1,258	+153	+153	+153
16	60	P-MLRGFSH-1660	1,418	+172	+172	+172
16	66	P-MLRGFSH-1666	1,547	+194	+194	+194
16	72	P-MLRGFSH-1672	1,688	+206	+206	+206
16	78	P-MLRGFSH-1678	1,818	+222	+222	+222
16	84	P-MLRGFSH-1684	1,968	+240	+240	+240
16	90	P-MLRGFSH-1690	2,123	+260	+260	+260
16	96	P-MLRGFSH-1696	2,292	+280	+280	+280
20	24	P-MLRGFSH-2024	754	+54	+54	+54
20	30	P-MLRGFSH-2030	841	+80	+80	+80
20	36	P-MLRGFSH-2036	995	+95	+95	+95
20	42	P-MLRGFSH-2042	1,218	+121	+121	+121
20	48	P-MLRGFSH-2048	1,314	+142	+142	+142
20	54	P-MLRGFSH-2054	1,468	+170	+170	+170
20	60	P-MLRGFSH-2060	1,682	+191	+191	+191
20	66	P-MLRGFSH-2066	1,828	+219	+219	+219
20	72	P-MLRGFSH-2072	2,000	+227	+227	+227
20	78	P-MLRGFSH-2078	2,159	+244	+244	+244
20	84	P-MLRGFSH-2084	2,332	+264	+264	+264
20	90	P-MLRGFSH-2090	2,521	+287	+287	+287
20	96	P-MLRGFSH-2096	2,720	+308	+308	+308



Recessed Single HiLo Situation



3/8” Glass

Specify

- Finish Selection for Glass

Notes

- Single HiLo Situation Recessed Frameless Glass are sheets of glass to be used with up-mounted kits in HiLo locations.
- In order to accommodate one HiLo location, the glass must be 1/2” smaller horizontally.
- Tempered glass is available in clear, grey tint, bronze tint, and frosted.
- Tempered glass is 3/8” thick.
- Mounting Kit Ordered Separately.
- Glass should match frame width (no off-modular glass).
- For use with Linear Frames only.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Double HiLo Situation Up-Mounted Glass

DOUBLE HILO SITUATION UP-MOUNTED GLASS


H	W	Model Number	1/4th" Clear	1/4th" Tinted	1/4th" Frosted	3/8th" Clear	3/8th" Frosted
8	24	A-FGMXH20824	232	+33	+68	+92	+136
8	30	A-FGMXH20830	236	+41	+85	+112	+170
8	36	A-FGMXH20836	256	+49	+102	+132	+204
8	42	A-FGMXH20842	262	+57	+119	+152	+232
8	48	A-FGMXH20848	296	+65	+135	+172	+270
8	54	A-FGMXH20854	332	+73	+152	+192	+304
8	60	A-FGMXH20860	381	+81	+169	+212	+338
8	66	A-FGMXH20866	398	+89	+186	+232	+372
8	72	A-FGMXH20872	431	+97	+203	+252	+406
12	24	A-FGMXH21224	226	+38	+79	+120	+158
12	30	A-FGMXH21230	270	+47	+99	+146	+198
12	36	A-FGMXH21236	318	+57	+119	+171	+238
12	42	A-FGMXH21242	360	+66	+138	+196	+276
12	48	A-FGMXH21248	408	+76	+158	+222	+316
12	54	A-FGMXH21254	454	+85	+178	+247	+356
12	60	A-FGMXH21260	503	+94	+197	+273	+394
12	66	A-FGMXH21266	542	+104	+217	+298	+434
12	72	A-FGMXH21272	588	+113	+237	+323	+474

DOUBLE HILO SITUATION UP-MOUNTED GLASS


H	W	Model Number	1/4th" Clear	1/4th" Tinted	1/4th" Frosted	3/8th" Clear	3/8th" Frosted
16	24	A-FGMXH21624	274	+43	+90	+148	+180
16	30	A-FGMXH21630	312	+54	+113	+179	+226
16	36	A-FGMXH21636	360	+65	+135	+210	+270
16	42	A-FGMXH21642	443	+76	+158	+241	+316
16	48	A-FGMXH21648	478	+86	+180	+272	+360
16	54	A-FGMXH21654	534	+97	+203	+302	+406
16	60	A-FGMXH21660	614	+108	+225	+333	+450
16	66	A-FGMXH21666	668	+119	+248	+364	+494
16	72	A-FGMXH21672	723	+129	+270	+395	+540



Double HiLo Situation



1/4" Glass



3/8" Glass

Specify

- Finish Selection for Glass

Notes

- Double Hilo Situation Up-Mounted glass are sheets of glass to be used with up-mounted kits in HiLo locations.
- In order to accommodate one HiLo location, the glass must be 1" smaller horizontally.
- Tempered glass is available in clear, grey tint, bronze tint, and frosted.
- Mounting Kit Ordered Separately.
- Glass should match frame width (no off-modular glass).
- For use with Linear Frames only.

© 2026, AIS, Inc.


Double HiLo Situation Recessed Frameless Glass

DOUBLE HILO SITUATION RECESSED FRAMELESS GLASS V2


H	W	Model Number	List Clear	Frosted	Gray	Bronze
8	24	P-MLRGFDH-0824	468	+42	+42	+42
8	30	P-MLRGFDH-0830	513	+61	+61	+61
8	36	P-MLRGFDH-0836	573	+77	+77	+77
8	42	P-MLRGFDH-0842	628	+86	+86	+86
8	48	P-MLRGFDH-0848	708	+106	+106	+106
8	54	P-MLRGFDH-0854	792	+124	+124	+124
8	60	P-MLRGFDH-0860	892	+138	+138	+138
8	66	P-MLRGFDH-0866	952	+155	+155	+155
8	72	P-MLRGFDH-0872	1,029	+171	+171	+171
8	78	P-MLRGFDH-0878	1,115	+185	+185	+185
8	84	P-MLRGFDH-0884	1,203	+199	+199	+199
8	90	P-MLRGFDH-0890	1,298	+215	+215	+215
8	96	P-MLRGFDH-0896	1,400	+233	+233	+233
12	24	P-MLRGFDH-1224	517	+44	+44	+44
12	30	P-MLRGFDH-1230	624	+64	+64	+64
12	36	P-MLRGFDH-1236	727	+83	+83	+83
12	42	P-MLRGFDH-1242	833	+99	+99	+99
12	48	P-MLRGFDH-1248	945	+116	+116	+116
12	54	P-MLRGFDH-1254	1,049	+136	+136	+136
12	60	P-MLRGFDH-1260	1,154	+153	+153	+153
12	66	P-MLRGFDH-1266	1,264	+169	+169	+169
12	72	P-MLRGFDH-1272	1,373	+185	+185	+185
12	78	P-MLRGFDH-1278	1,484	+200	+200	+200
12	84	P-MLRGFDH-1284	1,601	+216	+216	+216
12	90	P-MLRGFDH-1290	1,728	+233	+233	+233
12	96	P-MLRGFDH-1296	1,867	+252	+252	+252

DOUBLE HILO SITUATION RECESSED FRAMELESS GLASS V2

H	W	Model Number	List Clear	Frosted	Gray	Bronze
16	24	P-MLRGFDH-1624	636	+49	+49	+49
16	30	P-MLRGFDH-1630	734	+72	+72	+72
16	36	P-MLRGFDH-1636	861	+89	+89	+89
16	42	P-MLRGFDH-1642	1,024	+110	+110	+110
16	48	P-MLRGFDH-1648	1,130	+129	+129	+129
16	54	P-MLRGFDH-1654	1,258	+153	+153	+153
16	60	P-MLRGFDH-1660	1,418	+172	+172	+172
16	66	P-MLRGFDH-1666	1,547	+194	+194	+194
16	72	P-MLRGFDH-1672	1,688	+206	+206	+206
16	78	P-MLRGFDH-1678	1,818	+222	+222	+222
16	84	P-MLRGFDH-1684	1,968	+240	+240	+240
16	90	P-MLRGFDH-1690	2,123	+260	+260	+260
16	96	P-MLRGFDH-1696	2,292	+280	+280	+280
20	24	P-MLRGFDH-2024	754	+54	+54	+54
20	30	P-MLRGFDH-2030	841	+80	+80	+80
20	36	P-MLRGFDH-2036	995	+95	+95	+95
20	42	P-MLRGFDH-2042	1,218	+121	+121	+121
20	48	P-MLRGFDH-2048	1,314	+142	+142	+142
20	54	P-MLRGFDH-2054	1,468	+170	+170	+170
20	60	P-MLRGFDH-2060	1,682	+191	+191	+191
20	66	P-MLRGFDH-2066	1,828	+219	+219	+219
20	72	P-MLRGFDH-2072	2,000	+227	+227	+227
20	78	P-MLRGFDH-2078	2,159	+244	+244	+244
20	84	P-MLRGFDH-2084	2,332	+264	+264	+264
20	90	P-MLRGFDH-2090	2,521	+287	+287	+287
20	96	P-MLRGFDH-2096	2,720	+308	+308	+308



Double HiLo Situation



3/8” Glass

Specify

- Finish Selection for Glass

Notes

- Double Hilo Situation Up-Mounted glass are sheets of glass to be used with up-mounted kits in HiLo locations.
- In order to accommodate one HiLo location, the glass must be 1” smaller horizontally.
- Tempered glass is available in clear, grey tint, bronze tint, and frosted.
- Tempered glass is 3/8” thick.
- Mounting Kit Ordered Separately.
- Glass should match frame width (no off-modular glass).
- For use with Linear Frames only.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

National Showrooms:

Leominster
AIS Headquarters
25 Tucker Drive
Leominster, MA 01453

Chicago
The Merchandise Mart
Suite 391
Chicago, Illinois 60654

New York
AIS New York
257 Park Avenue South
New York, New York 10010

Washington, D.C.
AIS Washington, D.C.
1501 M St, NW, STE 230
Washington, D.C. 20005

GSA Sales
GSA Contract 47QSMA20D08Q4
Multiple Award Schedule (MAS)
Large Category: Furniture & Furnishings
Subcategories: Office Furniture, Packaged Office Furniture and Furniture Services

For additional information on AIS:
Dealer Showrooms, Representative Directory, Project Case Studies, Online Catalog & Product Showcase
Visit: **www.ais-inc.com**

AIS

800.434.7400 | 978.562.7500 | Fax: 978.562.0811 | www.ais-inc.com | March 2026

OXYGEN™ BENCHING SYSTEM

March 2026 Price List

AIS

PRODUCT INFORMATION

Oxygen Statement of Line 4
Oxygen Finish Options 8

PRODUCT DETAILS

Oxygen Product Details 12
Oxygen Electrical Components 18
Oxygen Typicals 19

BENCH KITS

Powered Bench Kits with Access Boxes 22
Chicago Junction Box Bench Kits with Access Boxes 23
Powered Bench Kits with Grommets 24
Chicago Junction Box Bench Kits with Grommets 25
Non-Powered Bench Kits with Grommets 26

120 BENCH KITS

120 Powered Bench Kits with Access Boxes 27
120 Chicago Powered Bench Kits with Access Boxes 28
120 Non-Powered Bench Kits with Access Boxes 29
120 Powered Bench Kits with Grommets 30
120 Chicago Powered Bench Kits with Grommets 31
120 Non-Powered Bench Kits with Grommets 32

RETURNS

Rectangular Returns 33
Slant Returns 34
Return Support Rails 35
Return Strips 36

LEG KITS

Straight Leg Kits 37
Slim Leg Kits 38
Slant Leg Kits 39
Stand-Alone Single Legs 40

END PANELS

Laminate End Panels 41

MODESTY PANELS

Full Modesty Panels for Rectangular Benches 43
120 Modesty Panels and 120 Modesty Covers 44

COVERS

End-of-Run Covers 45

GALLERY PANELS

Gallery Panels 46

ELECTRICAL AND DATA

Duplex Outlets 49
Data Plate Kits, Data Housing Units, and Single Gang Plate Adapter 51
Jumpers and Infeeds 52
Infeeds, Power Poles and Extenders 53

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

SPINE SCREENS

Glass 1/4” Universal Spine Insert Screens . . . 56
Glass 3/8” Universal Spine Insert Screens . . . 57
PET Universal Spine Insert Screens . . . 58

STORAGE

Floor Bookcases . . . 59
Cabinet Door and Sliding Door Credenzas . . . 60
Shared Sliding Door Floor Bookcases . . . 61
Single Door Cabinets . . . 62
Mini Hutches and Mini Hutch Tackboards . . . 63
Mini Shared Shelves and Mini Shared Shelf Tackboards . . . 64
Single-Sided Desktop Bookcases . . . 65
Double-Sided Desktop Bookcases . . . 66
Spine Shared Desktop Bookcases . . . 67
Single-Sided and Spine Shared Desktop Bookcase Tackboards . . . 68
Endcap Hutches Endcap Hutch Tackboards . . . 69
Shared Overheads and Bench End Worksurfaces . . . 69

PEDESTALS AND LATERAL FILES

Metal Freestanding Pedestals . . . 71
Freestanding Laminate Pedestals . . . 72
Freestanding Laminate Lateral Files . . . 73

SLIM LEG TABLES

Pebble Tables with Slim Post Legs . . . 74
120° Corner and 60° Trapezoid with Slim Post Legs. . . . 75
Round and Triangle Tables with Slim Post Legs . . . 76

ACCESSORIES

Tool Rails and Bench End Worksurfaces . . . 77
Tool Bar Accessories and Spin-Out Pencil Drawers . . . 78
Credenza Cushions . . . 79
Lock Cores and Replacement Pulls . . . 80
Keyboard Arms and Accessories . . . 81
V-Series Keyboard Arms . . . 82
CPU Holders . . . 83
Power Data Solutions . . . 84
Power Data Solutions and Ganging Bolts . . . 85

WARRANTY & TERMS AND CONDITIONS


For Warranty & Terms and Conditions please visit:

https://www.ais-inc.com


Note: Please see Screens Price Lists for Oxygen specific screens.

© 2026, AIS, Inc.


BENCH TOP KITS AND RETURNS




Single-Sided Bench Top Kits
Powered or Non-Powered




Double-Sided Bench Top Kits
Powered or Non-Powered




120 Single-Sided Bench Kit
Powered or Non-Powered
With Access Box or Grommet




120 Double-Sided Bench Kit
Powered or Non-Powered
With Access Box or Grommet




120 Triple-Sided Bench Kit
Powered or Non-Powered
With Access Box or Grommet




Rectangular Return Surfaces
With or Without Power Cut-Out



Slant Return Surfaces
With or Without Power Cut-Out




Return Support Rails




Return Strips


LEGS



Straight Legs
Post Legs, End-of-Run, Shared and Mobile




Slim Legs
Post Legs, End-of-Run, Shared and Mobile




Slanted Legs
Post Legs, End-of-Run and Shared


END PANELS




Single-Sided End Panel
Left or Right
Left Shown




Double Sided End Panel




Mid-Run End Panel
Left or Right
Left Shown




Modesty End Panel for
Rectangular Benches




120 Modesty Panels
Single or Double, Full or Half



End-of-Run Covers
Flat or Tapered



120 Single Bench Modesty Cover
Full or Half




Gallery Panels


Note: Please see individual price list pages for specific sizes. Woodgrain on bench top runs parallel to spine beam. Woodgrain on end panels, modesty panels and gallery panels 18” wide to 60” wide runs vertically while panels 66” wide to 96” wide run horizontally. Bench top kits 36 and 42 accomodate (2) duplex outlets per seat, widths 48 - 96 accomodate (4) duplex outlets. Leg heights are 27.5 minimum with 1.5” glide range.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.


ELECTRICAL AND DATA



Duplex Outlet


USB Outlet


Data Plate Kit



Surface Mount Data Housing Unit


Duplex Outlet Cover



Single Gang Plate Adapter



Electrical Jumper



Ceiling Infeed


Side Mounted Base Infeed


Power/Data Pole Kit


Single Circuit Side Infeed with Plug



Side Mounted Based Infeed with Pole



Power/Data Pole Extender



Expandable Cable Management Strip


STORAGE


26” High Storage



26” High Floor Bookcase


26” High Shared Floor Bookcase
Left or Right
Right Shown



26” High Cabinet Door Credenza



26” High Sliding Door Credenza


26” High Shared Sliding Door Floor Bookcase
Left or Right
Right Shown



26” High Single Door Cabinet


Mini Hutches


Single-Sided Mini Hutch



Double-Sided Mini Hutch


Mini Shared Shelves



Horizontal Mini Shared Shelf



Vertical Mini Shared Shelf


Desktop Bookcases



Single-Sided Bookcases


Single-Sided Bookcases on 8” Feet


Double-Sided Bookcases


Double-Sided Bookcases on 8” Feet



Spine Shared Bookcase


Spine Shared Bookcase on 8” Feet

© 2026, AIS, Inc.


STORAGE

Endcap Hutches




Endcap Hutch

Shared Overheads




Shared Overheads with Sliding Doors

Bench End Worksurfaces




Bench End Worksuface


PEDESTALS AND LATERAL FILES



26” High Freestanding Pedestal
Box/Box/File or File/File



26” High Freestanding Pedestal
Box/Box/File or File/File




26” High Freestanding Lateral
File/File


SLIM LEG TABLES



Pebble Tables with Slim Post Legs
2mm or Knife Edge, On Glides or Casters
2mm Edge on Glides Shown



Corner Left Tables with Slim Post Legs
2mm or Knife Edge, On Glides or Casters
2mm Edge on Glides Shown



Corner Right Tables with Slim Post Legs
2mm or Knife Edge, On Glides or Casters
2mm Edge on Glides Shown



120° Corner Tables with Slim Post Legs
2mm or Knife Edge, On Glides or Casters
2mm Edge on Glides Shown



60° Trapezoid Tables with Slim Post Legs
2mm Edge, On Glides or Casters
2mm Edge on Glides Shown



Round Tables with Slim Post Legs
2mm or Knife Edge, On Glides or Casters
2mm Edge on Glides Shown




Triangle Tables with Slim Post Legs
2mm or Knife Edge, On Glides or Casters
2mm Edge on Glides Shown


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


ACCESSORIES




Universal Spine Insert Screens
Glass, Lexan or PET




Rear-Mounted Tool Rail




Front-To-Back Tool Bars
Left, Right or Shared




Standard Tool Bar Accessories




Metal Tool Bar Accessories




Spin-Out Pencil Drawers




Lock Cores and Keys




Replacement Pulls




Credenza and Pedestal Cushions




Keyboard Arms
Standard or Extended



Oxygen Spacer




Standard Mouse Tray




V-Series Keyboard Arms
Standard, Extended or Sit-Stand



Ease Access CPU Holder



Power Data Solutions



Ganging Bolt

© 2026, AIS, Inc.

Upholstery Fabric Options

UPHOLSTERY OPTIONS	
Name	**Grade**
Durdle	A
Medley	A
Mirador	A
Palette	A
Terrain	A
Wellesley Polyurethane	A
Beehave	B
Gem	B
Stamper	B
Blazer	D
Performance Alta™	
Frock	B
Mirage	B
Sway	B
CF Stinson Alliance Upholstery	
Apprentice	B
Charlotte	D
Fleck	D
Lateral	D
Flanders	E
Hopsack	E
Outlander	E
Square One	E
Mayer Alliance Upholstery	
Rumba	B
Fedora	C
Havana	C
Lancaster	C
Sydney	C
Channel	D
Engrave	D
Haven	D
Legacy	D
Utopia	E
Momentum Alliance Program	
Bobby	B
Grid	B
Origin	B
Canter	C
Odyssey	C
Tradition	C
Boom II	D
Cover Cloth	D
Point	D
Beta	E
Faux Felt	E

Note: All AIS alta upholstery orders will have alta application as a standard feature. Alta enables virtually any textile to withstand the rigors of real life without leaving a mark. Alta improves repellency to oil and water based stains, is easy to clean and can enhance physical properties of the fibers. The technology is permanent and imperceptible to the eye and hand. To Clean: Blot with a dry towel. If residue remains, flush with warm water. Learn more at applied-textiles.com

C.O.M. Fabric Policy

- Please view all pre-approved COMs here: https://www.ais-inc.com/resources/fabrics-and-finishes/pre-approved-coms
- It is mandatory that you work directly with your AIS Customer Service Representative for all COM related testing and orders. They will provide all necessary forms to you, as well as work with you with regard to sending in correct yardage and where to send it, along with necessary RA# or #s. Please note an RA must be submitted along with the fabric for testing, as well as an RA created for an actual order.
- Customer Service must be advised as to the width of the fabric rolls being supplied (54”W or 60”W). Customer Service must also be advised if the fabric has a backer.
- Yardage required for the job must be calculated by an AIS Customer Service Rep.
- Once AIS has approved the COM fabric, a fabric sample needs to be marked by the dealer with “Front”, “Top”, and “Bottom”, to be sure fabric is applied correctly. The fabric sample then needs to be attached to a COM Fabric Dealer Form and forwarded to AIS Customer Service. The COM Fabric Dealer Form may be downloaded or printed here.
- Fabrics may be discontinued or obsolete without notice.
- Contact AIS Customer Service with any questions regarding fabric availability.
- All directional fabric will be railroaded.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Tackboard Fabric Options

VERTICAL SURFACE FABRICS	
Name	**Grade**
Amaze	A
Avenue	A
Cape Cod	A
Engage	A
Mirador	A
New England	A
Rainfall	A
Simplicity	A
Theory	A
Twizzle	A
Lido	B
Marin	B
Nature	B
Off the Grid	B
Purpose	B
Spinel	B
Sprite	B

Note: 66” & 72” wide screens – if applying directional fabrics they will need to be railroaded for application. If using a COM fabric that is 54” wide, any screen over 48” wide would need to have the fabric railroaded as well.

C.O.M. Fabric Policy

- It is mandatory that you work directly with your AIS Customer Service Representative for all COM related testing and orders. They will provide all necessary forms to you, as well as work with you with regard to sending in correct yardage and where to send it, along with necessary RA# or #s. Please note an RA must be submitted along with the fabric for testing, as well as an RA created for an actual order.
- **Please Note:** A three to five yard sample is required for testing and approval for use on all monolithic panel systems. A one yard sample is required for testing and approval on Divi Insert Tiles, Matrix Tiles, flipper doors and tackboards. We may be able to test upholstery fabrics with a swatch, your Customer Service Representative will advise based on the fabric being tested; otherwise a 1 yard sample must be submitted for testing. Results take 48 - 72 hours.
- Customer Service must be advised as to the width of the fabric rolls being supplied (54”W or 60”W). Customer Service must also be advised if the fabric has a backer.
- Yardage required for the job must be calculated by an AIS Customer Service Rep.
- Once AIS has approved the COM fabric, a fabric sample needs to be marked by the dealer with “Front”, “Top”, and “Bottom”, to be sure fabric is applied correctly. The fabric sample then needs to be attached to a COM Fabric Dealer Form and forwarded to AIS Customer Service. The COM Fabric Dealer Form may be downloaded or printed here.
- Fabrics may be discontinued or obsolete without notice.
- Contact AIS Customer Service with any questions regarding fabric availability.
- All directional fabric will be railroaded.

Note: Graded-in AIS fabrics can not be purchased and applied as COM fabric. Graded-in fabrics must be specified according to the assigned grade and product respectively.

At AIS, we take great pride in offering a diverse selection of high-quality materials including but not limited to textiles, laminates, PET, mesh, etc. However, AIS cannot guarantee uniformity in dye lots across different production runs. As such, AIS is not liable for any variations in dye lots or color discrepancies in any of our products that may occur between orders. We encourage customers to review samples for color and texture matching prior to purchase. We are committed to providing exceptional products and are confident that our selection of textiles will meet your expectations for both aesthetic appeal and durability.

© 2026, AIS, Inc.

Paint, Edgeband, Tempered Glass and PET Options

OXYGEN PAINT OPTIONS

Name	Color Code	Grade
Black	BK	A
Chalk	CK	A
Dark Tone	DT	A
Grey Value 1	GV1	A
Innertone	HT	A
Light Tone	LT	A
Medium Tone	MT	A
Metallic Silver	MS	A
Satin White	SW	A
Warm Brown	WB	A
Champagne Metallic	CHM	B
Dark Grey Metallic	DGM	B
Flint Grey Metallic	FGM	B
Light Grey	LG	B
Tan Value 1	TV1	B
Antique Gold	AG	C
Graphite Sky	GS	C
Burnt Orange	BO	C
Brown	BR	C
Steel Blue	SB	C
Baltic Blue	BB	C
Ruby Red	RR	C
Kelly Green	KG	C

Custom Paints

Special Paint Match Process & Ordering Instructions
To initiate a special paint match, please provide **three physical match samples** to your Customer Service Representative (CSR). These samples will be sent to our paint suppliers for evaluation and matching.

Match Process & Fees:
- A **non-refundable $450 net match fee** is required to begin the process.
- Once viable matches are developed (pending vendor capability), we'll send the samples to the dealer for final approval.

Pricing:
- Pricing begins at the **Grade C paint tier.**
- If the custom color incurs additional costs beyond Grade C pricing, we will advise of any upcharges before order placement.
- A **minimum order of $100,000 List** is required for special paint orders.
- The **$450 match fee will be waived** if the order is **$150,000 List or more** (and placed using the approved color).

Ordering Instructions (after color approval):
1. Dealer submits the **Purchase Order (PO)** and **Bill of Materials (BOM)** for the product requiring special paint.
2. The PO must clearly state:
   "SPECIAL PAINT REQUIRED ON THIS ORDER"
   — either in the header or special instructions section.
3. When selecting finishes:
   — Choose the **Grade C Paint option.**
   — **Do not select a final paint color.**
   — **Leave the paint code blank** and use the skip option.

PET COLOR OPTIONS

Name
Light Grey
Medium Grey
Navy
Olive Green
Warm Grey

EDGEBAND OPTIONS

Name	Color Code	Grade
Absolute Acajou	AA	A
Aimtoo Savatre	AS	A
Black	BK	A
Brazilwood	BZ	A
Chalk	CK	A
Corporate Walnut	CT	A
Dark Rum Cherry	DR	A
Dark Tone	DT	A
Field Elm	FE	A
Grand Cherry	GC	A
Grey Elm	GE	A
Grey Value 1	GV1	A
Landmark	LM	A
Leave Likatre	LV	A
Light Tone	LT	A
Linen	LN	A
Looks Likatre	LK	A
Maritime Dune	MD	A
Medium Tone	MT	A
Midwest Maple	MM	A
Neo Walnut	NW	A
Phantom Ecru	PE	A
Phantom Pearl	PP	A
Satin White / True White	SW / TW	A
Storm	ST	A
Summer Drops	SD	A
Trytoo Savatre	TS	A
White Chocolate	WC	A

Custom Edgeband Options

- Custom match non-standard edgebands must be submitted as a special. Pricing varies based on edge thickness and finish.
- Minimum order size for any custom color is $75,000.00 list. Extended lead-time will apply.

TEMPERED GLASS OPTIONS

Name	3/8" Thick Frameless Glass
Bronze Tint	Y
Clear	Y
Frosted	Y
Grey Tint	Y

All glass is tempered. The etched side of Frosted is only on one side of a screen, the opposite side is smooth. Please see specific price list pages on each type of glass for list pricing and upcharges.

Warranty:
All glass in AIS' product lines is tempered glass. By tempering the glass, the result is a stronger material that, if broken, fractures into smaller, less dangerous pieces. Tempered glass is commonly referred to as 'safety glass' due to this breakage feature. While the glass is stronger through tempering, it is critical to still handle with extreme care and caution and avoid impact that could result in damage. While uncommon, small impurities in the glass introduced during the tempering process, or damages to the edges resulting from handling or use, can cause unpredictable and spontaneous glass breakage, which is excluded from the AIS warranty.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Laminate Options

WORKSURFACE LAMINATE OPTIONS

Name	Grade
Absolute Acajou*	A
Aimtoo Savatre*	A
Black*	A
Brazilwood*	A
Chalk*	A
Corporate Walnut*	A
Dark Rum Cherry*	A
Field Elm	A
Grand Cherry*	A
Grey Elm	A
Landmark	A
Leave Likatre*	A
Linen	A
Looks Likatre*	A
Maritime Dune*	A
Midwest Maple*	A
Neo Walnut	A
Phantom Ecru	A
Phantom Pearl	A
Storm*	A
Summer Drops*	A
True White*	A
Trytoo Savatre*	A
White Chocolate*	A
Asian Night	B
Asian Sand	B
Beige Granite	B
Colombian Walnut	B

WORKSURFACE LAMINATE OPTIONS

Name	Grade
Fonthill Pear	B
Grey Mesh	B
Gridlock in L.A.	B
Madagascar	B
Mahogany Clove	B
Monticello Maple	B
Nightfall	B
Paris White Potterware	B
Pewter Mesh	B
Recon Oak	B
Shadow	B
Sunset	B
Titanium EV	B
Tungsten EV	B
Whie Specktrum	B
Windswept Poweter	B
Yorkshire Cherry	B
Ebony	C
Bright White (Writable Surface)	C
Pecan Woodline	C
Strand Burnt	C
Strand Wenge	C
Strand Wheat	C
Twill Earthen	C
Twill Graphite	C
Twill Sarum	C
Warm White	C

*Indicates a Grade A finish that can be used on Casegood body/case/door/drawer.

© 2026, AIS, Inc.

Oxygen Product Details

General Construction Details

- Worksurfaces are 1 1/8" thick, thermally fused laminate with matching edgeband. For available finishes please refer to Finishes section.
- High Pressure laminate options are available as a special, please note we are not able to offer matching edgebands for High Pressure laminates.
- Storage elements have 3/4" thick case construction with 1mm edge.
- Laminate drawer and door faces are 3/4" thick.
- 2mm edges available on worksurfaces and reverse knife edge on limited surfaces. See Product Detail: Edge Profile Details for examples.
- Leveling feet are adjustable up to 1" for all floor supported components.
- Units are finished all over, including the backs.
- Shelves will match body selection
- Laminate patterns such as grain or geometric shapes do not "match" face to face. However this is not noticeable on most laminate options with the exception of natural looking woods where cathedrals appear. AIS cannot guarantee that the woodgrain will match up on the different parts of the same surface.
- AIS recommends the use of mouse pads to protect longevity and integrity of worksurfaces.

Handle Options

- Five handle options are available:
  1. Bar Pull*
  2. Loop Pull*
  3. Rectangular Pull*
  4. L Pull*
  5. Slim Pull**
- All handles are available in any graded paint selection.
- The bar pull and rectangle pull are available in brushed nickel; the loop pull is available in bright metal. The slim and L Pull are only available with painted options.
- Laminate hinged doors may be configured with touch-to-open mechanism and no handles (not applicable to framed glass doors).
- Sliding doors include an option of no handle.
- Please see Product Detail: Drawer and Handles Guide for handle examples.

*Symbols default with the Bar Pull but can be adjusted while applying your finishes.
The handle hole spread for Bar, Loop, Rectangular and L Pulls is 5" if you wish to supply your own handles.
**The handle hole spread for the Slim Pull is specific to the drawer front size.

Storage

- AIS offers a wide variety of storage options and configurations that will work with your office needs. For more details please see below.
- Full depth units come with counterweights except for units with cut-outs.
- Partial depth units do not have counterweights. These units should be specified in a manner in which they are secured by a worksurface or ganged together with another storage unit using the Calibrate surface to support bracket.
- Framed doors are a silver vinyl wrapping with frosted acrylic.
- 18" deep towers and pull-out towers include a coat hook.
- 24" deep towers include a coat rod for hangers.
- Filing offered is side-to-side as standard for pencil lateral and file laterals that are 24" deep as well as partial depth laterals (22" deep and 29" deep).
- Front to back filing is an option that can be purchased as an accessory and will ship separately.
- All storage symbols will show the bar pull, however in worksheet you can swap the handle out as an option to one of the other standard offerings.
- 18" deep pedestals have 12" deep x 12" wide box drawers. Please see Product Detail: Pedestal and Lateral Dimensions for example.
- 24" deep pedestals have 20" deep x 12" wide box drawers. Please see Product Detail: Pedestal and Lateral Dimensions for example.
- 30" deep pedestals have 20" deep x 12" wide box drawers. Please see Product Detail: Pedestal and Lateral Dimensions for example.
- Pencil trays are included in the BBF and BF pedestals.
- Shelving counts: 42" high units have 2 shelves; 50" and 66" high units have 3 shelves; 74" and 82" high units have 4 shelves.
- Feet on storage are silver.

Overheads and Hutches

- Available as wall mounted or as a surface mounted hutch.
- Tackboards are specified separately, they do not come with the hutches.
- Installation details: Hutches will be secured to the top of the desk shell with cam and bolts or with double sided tape and screws to the wall and the side units when available. Hutch Wall Brackets (C-XHWB) are required when hutch is offset from wall or when not ganged to an adjacent tower unit.
- Wall mounted items are secured using cleat mounts. Security screws need to run through the wall cleat to assure that overhead cannot dislodge.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Oxygen Product Details

Locks

- Box/Box/Files (BBF) pedestals will only lock the file and the middle box drawer, not the top box.
- File/File (FF) pedestal locks will secure both drawers.
- For all lateral files, wardrobe and storage units the locks will secure the drawers/door for the entire unit.
- All drawers lock on 3, 4 and 5 drawer laterals.
- Units will come with 2 keys per lock.
- Key-alike options are available per storage unit, additional lock cores may be ordered (for an additional charge) to key-alike an entire office.
- Items with 2 or more locks per unit will be keyed alike.

Lock Guide

Five lock options are offered:
- A - No lock required
- B - Black Lock
- C - Silver Lock
- D - No lock w/ black T-ring for keyed-alike or Digital Lock*
- E - No lock w/ silver T-ring for keyed alike or Digital Lock*

Lock cores and trim rings do not ship installed.

*Keyed alike lock cores must be ordered separately.

Tackboards

- Tackboards are designed to work with your stations need, with or without storage.
- Tackboard fabric direction is vertical on 24” to 48” wide units and will run horizontally for 54” to 96” wide pieces.
- Please see Product Detail for examples of tackboard fabric direction.

Table Desks

- Table desks are offered with square or round corners and tapered legs only.
- Desk sizes range from 48” to 78” wide and 30” to 36” deep.
- If another leg option is needed, a standard top with one of the other post leg offerings can be specified.
- Table desks can be shared throughout the Calibrate line.

© 2026, AIS, Inc.

Oxygen Product Details


Drawer Handles Guide


Five handle options are available:
- Bar
- Rectangular
- Loop
- L Pull
- Slim Pull*


Door Handles Guide


Five handle options are available:
- Bar
- Rectangular
- Loop
- L Pull
- Touch to Open**
- No Handle***


*The Slim Pull option incurs an upcharge of $75 list per unit.
**Available on laminate hinged doors only; not available on framed glass doors or sliding doors. Incurs an upcharge of $50 per unit.
***Available on sliding doors.


Bar


Rectangular


Loop


L Pull



Slim Pull

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Oxygen Product Details

Product Detail 1
Bench Top Kit Dimensions

Actual width on bench top kits is the same as the nominal width.




Actual depth on double-sided bench top kits is the same as nominal. Actual depth on single-sided kits is nominal plus 1.25", to allow for the spine beam.



Spine beam allows for clamping accessories with a .25" space between the worksurface and spine beam.


Each of the 4 "basket" locations allow for .85" x .95" of cable space before overflowing.





Product Detail 2
Power and Data Details

Power / Data Poles come in Double-Sided, Single-Sided and Base Infeed configurations. The single-sided poles are handed. Pole extenders are also available in 28" and 48" lengths.


Note: Widths 36 and 42 accommodate (2) duplex outlets per seat. Widths 48 - 96 accommodate (4) duplex outlets.







Monitor Arms and some accessories can clamp to rear of surface or inside the access box.



Power / Data Poles are 1.625"D x 4.75"W


© 2026, AIS, Inc.


Oxygen Product Details

Product Detail 3
Access Box and Storage Placement


The access box location should be taken into consideration when placing 26" high storage elements. See below for examples and cautionary configurations. Note: where the access box can inhibit storage placement, the bench top kits with a grommet will not.


24"D x 48"W Single Bench
Access box will not allow for storage to be fully located under the bench surface.


Top View



Side View


24"D x 60"W Single Bench
Access box will allow for storage to be located under the bench surface, however the wire trough will have the storage placed with a 1" overhang to the surface.


Top View



Side View


30"D x 48"W Single Bench
Access box will not allow for storage to be fully located under the bench surface.


Top View


Side View

30"D x 60"W Single Bench
Access box will allow for storage to be fully located under the bench surface.



Top View



Side View

Product Detail 4
Laminate End Panels and Creep


Laminate End Panels will add 1.1" of creep for each end panel used.


Metal Legs = No Creep





Laminate End Panels = 1.1" Creep each





Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Oxygen Product Details

Grommet holes are 2 3/4” outside diameter with a 2 5/8” inside diameter (inside sleeve). Grommet covers are available in either grey or black and are included with the grommet options.

Important: Grommets are always 3.5” from the rear of the surface and 6” from the end of the surface.


Bench Top Kits with Access Box

Option A	No additional grommets	-
Option C	Location 1	+38
Option D	Location 2	+38
Option E	Location 1 + 2	+76




Notes: All bench top kits with access box automatically include the access box cut-out and box.

Note: Double-sided kits maintain left / right hand placement.




Bench Top Kits with Grommet

Option B	Center Only (Included)	-
Option C	Location 1 + Center	+38
Option D	Location 2 + Center	+38
Option E	Location 1 + 2 + Center	+76



Notes: All bench top kits with grommet automatically include the center grommet.

Note: Double-sided kits maintain left / right hand placement.




© 2026, AIS, Inc.


Oxygen Electrical Components

8 WIRE 4 CIRCUIT

AIS Oxygen 8 Wire 4 Circuit electrical system contains four circuits. Each circuit is rated at 20 amps/120 volts maximum. Circuit 1, Circuit 2 and Circuit 3 are served by a system neutral and an equipment ground. Circuit 4 is dedicated and is served by its own neutral and ground. Circuit and ground conductors are #12 A.G.W. (gauge). **All neutrals are #10 A.G.W. (gauge).**




Shown below is a cross section of metal cable used for 8 Wire 4 Circuit jumpers and infeeds. Circuit and ground conductors are #12 A.G.W. (gauge). **All neutrals are #10 A.G.W. (gauge).**



DUPLEX OUTLETS

Duplex Outlets are designated as circuits 1 through 4. Each duplex outlet contains two single receptacles (places to plug into) of the same circuit and are specified separately from powerways. All duplex outlets have black faces. The lettering on outlets for Circuit 1, 2 and 3 is white. The lettering on outlets for Circuit 4 is orange. Outlets are screw mounted to powerway. Duplex outlets are standard 15 amp outlets. For 20 amp outlets, call AIS Customer Service.




Common Equipment Amperages

Personal Computer	2.00 - 4.00
Laser Printer	5.00 - 8.00
Desktop Plotter	1.50
Fan	1.00
Heater	8.50 - 12.50
Tasklight	1.00
Slide Projector	2.00 - 6.00
Fan	1.00
Coffee Pot	15.00
Paper Shredder	4.40 - 13.00
Radio	0.05
Pencil Sharpener	1.00
Calculator	0.25
Answering Machine	0.08

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Typicals 1 - 4

Typical 1




1. Double-Sided Powered Bench Kit w/ Access Box
2. Double-Sided Bench Slant Leg Kit
3. Double-Sided Bench Slant Leg Kit (Shared)
4. Slant Leg End-of-Run Cover (Tapered)
5. Glass Spine Screen
6. Front-to-Back Tool Bar
7. Mobile Box / File Pedestal w/ Cushion (see Calibrate Price List for Details)

Typical 2




1. Double-Sided Bench Straight Leg Kit
2. Double-Sided Bench Straight Leg Kit (Shared)
3. Straight Leg End-of-Run Cover (Flat)
4. 42"H Shared Tower w/ Sliding Door (see Calibrate Price List for Details)
5. Shared Double-Sided Mini Hutch
6. Double-Sided Mini Hutch Tackboard
7. Glass Writing Surface

Typical 3



1. Mid-Run End Panel (Left)
2. Full Height Modesty Panel
3. Type B Gallery Panel (Female One End)
4. Type C Gallery Panel (Male Both Ends)
5. 27"H Laminate Floor Bookcase (see Calibrate Price List for Details)
6. 18" x 30" Standard Worksurface (see Worksurfaces Price List for Details)
7. 27"H Laminate Freestanding Lateral File (see Calibrate Price List for Details)

Typical 4




1. Single-Sided End Panel (Left)
2. Single-Sided Powered Bench Kit w/ Access Box
3. 50"H Single Door Cabinet (see Calibrate Price List for Details)
4. Shared Tackable Fabric / White Board Territory Screen
5. Clamp LED Task Light
6. Tackable Fabric / White Board Territory Screen

© 2026, AIS, Inc.


Typicals 5 - 8

Typical 5




1. Rectangular Return Surface
2. Slant Stand-Alone Leg
3. Mobile Box / File Pedestal w/ Cushion
   (see Calibrate Price List for Details)
4. Screen Clamp Return Strip (Center of Return)

Typical 6




1. Single-Sided Powered Bench Kit w/ Grommet
2. Pole for Single-Sided Bench
3. Full Height Laminate Modesty Panel
4. Single Monitor Arm

Typical 7



1. Type B Gallery Panel (Female One End)
2. Type C Gallery Panel (Male Both Ends)
3. Straight Stand-Alone Legs
4. 24” x 60” Worksurface
   (see Worksurface Price List for Details)
5. 36” x 48” Rectangular Worksurface
   (see Worksurface Price List for Details)
6. 26”H Laminate Box / Box / File Pedestal (Freestanding)
7. Worksurface Rear-Mounted Tool Rail
8. Pole for Double-Sided Bench
9. 24” x 48” Rectangular Return Surface

Typical 8




1. Tackable Fabric / White Board Side Mount Screen
2. Straight Stand-Alone Leg
3. Rectangular Return Surface w/ Power Cut-Out
4. Surface Access Desktop Power Module
5. 20”H Pencil Lateral File
6. Double-Sided Powered Bench Kit with Grommet

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Typicals 9 - 11

Typical 9




1. Tackable Fabric / White Board Spine Screen
2. Glass Territory Spine Screen (Right)
3. Glass Territory Spine Screen (Left)
4. Double-Sided End Panel
5. 20”H Laminate Box / File Pedestal (see Storage Price List for Details)
6. Horizontal Desktop Mini Shared Shelf
7. Double Monitor Arm

Typical 10



1. Endcap Hutch
2. 26”H Laminate Box / Box / File Pedestal
3. Double-Sided Desktop Bookcase on 4” Feet

Typical 11



1. 18”D Bench End Worksurface
2. Spine Shared Desktop Bookcase Open on 4” Feet
3. Spine Shared Desktop Bookcase Open Tackboards
4. Shared Glass Territory Screen

© 2026, AIS, Inc.





Powered Bench Kits with Access Boxes

SINGLE-SIDED POWERED BENCH KIT WITH ACCESS BOX

W	D	Model Number	List	Grade C Paint	Grade C Laminate
42	24	O-SBP2442	2,574	+10	+30
48	24	O-SBP2448	3,414	+10	+33
54	24	O-SBP2454	3,566	+10	+41
60	24	O-SBP2460	3,711	+10	+41
66	24	O-SBP2466	3,865	+10	+46
72	24	O-SBP2472	4,014	+10	+51
78	24	O-SBP2478	4,741	+10	+58
84	24	O-SBP2484	4,930	+10	+58
90	24	O-SBP2490	5,235	+10	+68
96	24	O-SBP2496	5,425	+10	+68
42	30	O-SBP3042	2,668	+10	+39
48	30	O-SBP3048	3,520	+10	+42
54	30	O-SBP3054	3,684	+10	+50
60	30	O-SBP3060	3,846	+10	+50
66	30	O-SBP3066	4,015	+10	+56
72	30	O-SBP3072	4,175	+10	+61
78	30	O-SBP3078	4,919	+10	+87
84	30	O-SBP3084	5,122	+10	+87
90	30	O-SBP3090	5,446	+10	+96
96	30	O-SBP3096	5,635	+10	+96

DOUBLE-SIDED POWERED BENCH KIT WITH ACCESS BOX

W	D	Model Number	List	Grade C Paint	Grade C Laminate
42	48	O-DBP4842	3,334	+10	+30
48	48	O-DBP4848	4,248	+10	+33
54	48	O-DBP4854	4,477	+10	+41
60	48	O-DBP4860	4,697	+10	+41
66	48	O-DBP4866	4,925	+10	+46
72	48	O-DBP4872	5,148	+10	+51
78	48	O-DBP4878	6,428	+10	+58
84	48	O-DBP4884	6,708	+10	+58
90	48	O-DBP4890	6,973	+10	+68
96	48	O-DBP4896	7,235	+10	+68
42	60	O-DBP6042	3,525	+10	+39
48	60	O-DBP6048	4,466	+10	+42
54	60	O-DBP6054	4,723	+10	+50
60	60	O-DBP6060	4,971	+10	+50
66	60	O-DBP6066	5,227	+10	+56
72	60	O-DBP6072	5,472	+10	+61
78	60	O-DBP6078	6,777	+10	+87
84	60	O-DBP6084	7,089	+10	+87
90	60	O-DBP6090	7,379	+10	+96
96	60	O-DBP6096	7,671	+10	+96

Specify

- Paint Selection for Spine Beam
- Paint Selection for Access Box
- Laminate Selection
- Edge Selection

Notes

- Bench Top Kits designed for use with any Oxygen leg type.
- Power is accessed through access box with flip door centered on the surface.
- Includes powerway, wire trough and spine beam for mounting screens.
- Order outlets and jumpers separately.
- Wood grain on bench tops runs parallel to spine beam.
- Width 42” accommodate (2) duplex outlets per seat. Widths 48” - 96” accommodate (4) duplex outlets.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Chicago Junction Box Bench Kits with Access Boxes

SINGLE-SIDED CHICAGO JUNCTION BOX BENCH KIT WITH ACCESS BOX

W	D	Model Number	List	Grade C Paint	Grade C Laminate
36	24	O-HSBP2436	2,408	+10	+28
42	24	O-HSBP2442	2,574	+10	+30
48	24	O-HSBP2448	3,414	+10	+33
54	24	O-HSBP2454	3,566	+10	+41
60	24	O-HSBP2460	3,711	+10	+41
66	24	O-HSBP2466	3,865	+10	+46
72	24	O-HSBP2472	4,014	+10	+51
78	24	O-HSBP2478	4,741	+10	+58
84	24	O-HSBP2484	4,930	+10	+58
90	24	O-HSBP2490	5,235	+10	+68
96	24	O-HSBP2496	5,425	+10	+68
36	30	O-HSBP3036	2,489	+10	+33
42	30	O-HSBP3042	2,668	+10	+39
48	30	O-HSBP3048	3,520	+10	+42
54	30	O-HSBP3054	3,684	+10	+50
60	30	O-HSBP3060	3,846	+10	+50
66	30	O-HSBP3066	4,015	+10	+56
72	30	O-HSBP3072	4,175	+10	+61
78	30	O-HSBP3078	4,919	+10	+87
84	30	O-HSBP3084	5,122	+10	+87
90	30	O-HSBP3090	5,446	+10	+96
96	30	O-HSBP3096	5,635	+10	+96

DOUBLE-SIDED CHICAGO JUNCTION BOX BENCH KIT WITH ACCESS BOX

W	D	Model Number	List	Grade C Paint	Grade C Laminate
36	48	O-HDBP4836	3,115	+10	+28
42	48	O-HDBP4842	3,334	+10	+30
48	48	O-HDBP4848	4,248	+10	+33
54	48	O-HDBP4854	4,477	+10	+41
60	48	O-HDBP4860	4,697	+10	+41
66	48	O-HDBP4866	4,925	+10	+46
72	48	O-HDBP4872	5,148	+10	+51
78	48	O-HDBP4878	6,428	+10	+58
84	48	O-HDBP4884	6,708	+10	+58
90	48	O-HDBP4890	6,973	+10	+68
96	48	O-HDBP4896	7,235	+10	+68
36	60	O-HDBP6036	3,278	+10	+33
42	60	O-HDBP6042	3,525	+10	+39
48	60	O-HDBP6048	4,466	+10	+42
54	60	O-HDBP6054	4,723	+10	+50
60	60	O-HDBP6060	4,971	+10	+50
66	60	O-HDBP6066	5,227	+10	+56
72	60	O-HDBP6072	5,472	+10	+61
78	60	O-HDBP6078	6,777	+10	+87
84	60	O-HDBP6084	7,089	+10	+87
90	60	O-HDBP6090	7,379	+10	+96
96	60	O-HDBP6096	7,671	+10	+96



Specify

- Paint Selection for Spine Beam
- Paint Selection for Access Box
- Laminate Selection
- Edge Selection

Notes

- Bench Top Kits - Chicago Junction Box with Access Box are designed for use with any Oxygen leg type.
- Surface kits for 78” - 96” wide benches include a second crossbar for added structural support.
- Junction box allows for two single gang outlets per side.
- Junction boxes do not include electrical connectors.
- Boxes are UL listed.
- Boxes have standard 0.875” knockouts for electrical connectors.
- Junction boxes can be used with either 15 amp or 20 amp single gang outlets.
- Junction box is compatible with decorative outlets.

© 2026, AIS, Inc.





Powered Bench Kits with Grommets

SINGLE-SIDED POWERED BENCH KIT WITH GROMMET

W	D	Model Number	List	Grade C Paint	Grade C Laminate
36	24	O-SBG2436	2,034	+10	+28
42	24	O-SBG2442	2,200	+10	+30
48	24	O-SBG2448	3,036	+10	+33
54	24	O-SBG2454	3,189	+10	+41
60	24	O-SBG2460	3,336	+10	+41
66	24	O-SBG2466	3,491	+10	+46
72	24	O-SBG2472	3,638	+10	+51
78	24	O-SBG2478	4,366	+10	+58
84	24	O-SBG2484	4,554	+10	+58
90	24	O-SBG2490	4,851	+10	+68
96	24	O-SBG2496	5,041	+10	+68
36	30	O-SBG3036	2,117	+10	+33
42	30	O-SBG3042	2,294	+10	+39
48	30	O-SBG3048	3,145	+10	+42
54	30	O-SBG3054	3,310	+10	+50
60	30	O-SBG3060	3,468	+10	+50
66	30	O-SBG3066	3,640	+10	+56
72	30	O-SBG3072	3,801	+10	+61
78	30	O-SBG3078	4,542	+10	+87
84	30	O-SBG3084	4,745	+10	+87
90	30	O-SBG3090	5,069	+10	+96
96	30	O-SBG3096	5,259	+10	+96

DOUBLE-SIDED POWERED BENCH KIT WITH GROMMET

W	D	Model Number	List	Grade C Paint	Grade C Laminate
36	48	O-DBPG4836	2,465	+10	+28
42	48	O-DBPG4842	2,685	+10	+30
48	48	O-DBPG4848	3,600	+10	+33
54	48	O-DBPG4854	3,826	+10	+41
60	48	O-DBPG4860	4,048	+10	+41
66	48	O-DBPG4866	4,279	+10	+46
72	48	O-DBPG4872	4,502	+10	+51
78	48	O-DBPG4878	5,774	+10	+58
84	48	O-DBPG4884	6,058	+10	+58
90	48	O-DBPG4890	6,323	+10	+68
96	48	O-DBPG4896	6,586	+10	+68
36	60	O-DBPG6036	2,627	+10	+33
42	60	O-DBPG6042	2,872	+10	+39
48	60	O-DBPG6048	3,817	+10	+42
54	60	O-DBPG6054	4,071	+10	+50
60	60	O-DBPG6060	4,319	+10	+50
66	60	O-DBPG6066	4,575	+10	+56
72	60	O-DBPG6072	4,825	+10	+61
78	60	O-DBPG6078	6,128	+10	+87
84	60	O-DBPG6084	6,439	+10	+87
90	60	O-DBPG6090	6,730	+10	+96
96	60	O-DBPG6096	7,019	+10	+96

Specify

- Paint Selection for Spine Beam
- Grommet Color Selection
- Laminate Selection
- Edge Selection

Notes

- Bench Top Kits - Powered Grommet are designed for use with any Oxygen leg type.
- Power is accessed through a grommet centered on the surface.
- Includes powerway, wire trough and spine beam for mounting screens.
- Order outlets and jumpers separately.
- Wood grain on bench tops runs parallel to spine beam.
- Widths 36” and 42” accommodate (2) duplex outlets per seat. Widths 48” - 96” accommodate (4) duplex outlets.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Chicago Junction Box Bench Kits with Grommets

SINGLE-SIDED CHICAGO JUNCTION BOX BENCH KIT WITH GROMMET

W	D	Model Number	List	Grade C Paint	Grade C Laminate
36	24	O-HSBG2436	2,034	+10	+28
42	24	O-HSBG2442	2,200	+10	+30
48	24	O-HSBG2448	3,036	+10	+33
54	24	O-HSBG2454	3,189	+10	+41
60	24	O-HSBG2460	3,336	+10	+41
66	24	O-HSBG2466	3,491	+10	+46
72	24	O-HSBG2472	3,638	+10	+51
78	24	O-HSBG2478	4,366	+10	+58
84	24	O-HSBG2484	4,554	+10	+58
90	24	O-HSBG2490	4,851	+10	+68
96	24	O-HSBG2496	5,041	+10	+68
36	30	O-HSBG3036	2,117	+10	+33
42	30	O-HSBG3042	2,294	+10	+39
48	30	O-HSBG3048	3,145	+10	+42
54	30	O-HSBG3054	3,310	+10	+50
60	30	O-HSBG3060	3,468	+10	+50
66	30	O-HSBG3066	3,640	+10	+56
72	30	O-HSBG3072	3,801	+10	+61
78	30	O-HSBG3078	4,542	+10	+87
84	30	O-HSBG3084	4,745	+10	+87
90	30	O-HSBG3090	5,069	+10	+96
96	30	O-HSBG3096	5,259	+10	+96

DOUBLE-SIDED CHICAGO JUNCTION BOX BENCH KIT WITH GROMMET

W	D	Model Number	List	Grade C Paint	Grade C Laminate
36	48	O-HDBPG4836	2,465	+10	+28
42	48	O-HDBPG4842	2,685	+10	+30
48	48	O-HDBPG4848	3,600	+10	+33
54	48	O-HDBPG4854	3,826	+10	+41
60	48	O-HDBPG4860	4,048	+10	+41
66	48	O-HDBPG4866	4,279	+10	+46
72	48	O-HDBPG4872	4,502	+10	+51
78	48	O-HDBPG4878	5,774	+10	+58
84	48	O-HDBPG4884	6,058	+10	+58
90	48	O-HDBPG4890	6,323	+10	+68
96	48	O-HDBPG4896	6,586	+10	+68
36	60	O-HDBPG6036	2,627	+10	+33
42	60	O-HDBPG6042	2,872	+10	+39
48	60	O-HDBPG6048	3,817	+10	+42
54	60	O-HDBPG6054	4,071	+10	+50
60	60	O-HDBPG6060	4,319	+10	+50
66	60	O-HDBPG6066	4,575	+10	+56
72	60	O-HDBPG6072	4,825	+10	+61
78	60	O-HDBPG6078	6,128	+10	+87
84	60	O-HDBPG6084	6,439	+10	+87
90	60	O-HDBPG6090	6,730	+10	+96
96	60	O-HDBPG6096	7,019	+10	+96



Specify

- Paint Selection for Spine Beam
- Grommet Color Selection
- Laminate Selection
- Edge Selection

Notes

- Bench Top Kits - Chicago Junction Box with Access Box are designed for use with any Oxygen leg type.
- Surface kits for 78” - 96” wide benches include a second crossbar for added structural support.
- Junction box allows for two single gang outlets per side.
- Junction boxes do not include electrical connectors.
- Boxes are UL listed.
- Boxes have standard 0.875” knockouts for electrical connectors.
- Junction boxes can be used with either 15 amp or 20 amp single gang outlets.
- Junction box is compatible with decorative outlets.

© 2026, AIS, Inc.





Non-Powered Bench Kits with Grommets

SINGLE-SIDED NON-POWERED BENCH KIT WITH GROMMET

W	D	Model Number	List	Grade C Paint	Grade C Laminate
36	24	O-SBN2436	1,494	+10	+28
42	24	O-SBN2442	1,658	+10	+30
48	24	O-SBN2448	2,497	+10	+33
54	24	O-SBN2454	2,651	+10	+41
60	24	O-SBN2460	2,796	+10	+41
66	24	O-SBN2466	2,952	+10	+46
72	24	O-SBN2472	3,094	+10	+51
78	24	O-SBN2478	3,825	+10	+58
84	24	O-SBN2484	4,018	+10	+58
90	24	O-SBN2490	4,326	+10	+68
96	24	O-SBN2496	4,505	+10	+68
36	30	O-SBN3036	1,575	+10	+33
42	30	O-SBN3042	1,754	+10	+39
48	30	O-SBN3048	2,603	+10	+42
54	30	O-SBN3054	2,771	+10	+50
60	30	O-SBN3060	2,928	+10	+50
66	30	O-SBN3066	3,100	+10	+56
72	30	O-SBN3072	3,260	+10	+61
78	30	O-SBN3078	4,002	+10	+87
84	30	O-SBN3084	4,205	+10	+87
90	30	O-SBN3090	4,530	+10	+96
96	30	O-SBN3096	4,723	+10	+96

DOUBLE-SIDED NON-POWERED BENCH KIT WITH GROMMET

W	D	Model Number	List	Grade C Paint	Grade C Laminate
36	48	O-DBNG4836	1,977	+10	+28
42	48	O-DBNG4842	2,198	+10	+30
48	48	O-DBNG4848	3,115	+10	+33
54	48	O-DBNG4854	3,344	+10	+41
60	48	O-DBNG4860	3,566	+10	+41
66	48	O-DBNG4866	3,791	+10	+46
72	48	O-DBNG4872	4,015	+10	+51
78	48	O-DBNG4878	5,291	+10	+58
84	48	O-DBNG4884	5,575	+10	+58
90	48	O-DBNG4890	5,980	+10	+68
96	48	O-DBNG4896	6,248	+10	+68
36	60	O-DBNG6036	2,140	+10	+33
42	60	O-DBNG6042	2,388	+10	+39
48	60	O-DBNG6048	3,333	+10	+42
54	60	O-DBNG6054	3,585	+10	+50
60	60	O-DBNG6060	3,836	+10	+50
66	60	O-DBNG6066	4,089	+10	+56
72	60	O-DBNG6072	4,338	+10	+61
78	60	O-DBNG6078	5,642	+10	+87
84	60	O-DBNG6084	5,953	+10	+87
90	60	O-DBNG6090	6,244	+10	+96
96	60	O-DBNG6096	6,532	+10	+96

Specify

- Paint Selection for Spine Beam
- Grommet Color Selection
- Laminate Selection
- Edge Selection

Notes

- Bench Top Kits - Non-Powered with Grommet are designed for use with any Oxygen leg type.
- Includes wire trough and spine beam only for mounting screens (no powerway).
- Wood grain on bench tops runs parallel to spine beam.
- Widths 36” and 42” accommodate (2) duplex outlets per seat. Widths 48” - 96” accommodate (4) duplex outlets.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

120 Powered Bench Kits with Access Boxes


120 SINGLE-SIDED POWERED BENCH KIT WITH ACCESS BOX

		Left	Right			
W	D	Model Number	Model Number	List	Grade C Paint	Grade C Laminate
36	24	O-120SBPL2436	O-120SBPR2436	4,813	+20	+47
42	24	O-120SBPL2442	O-120SBPR2442	5,128	+20	+58
48	24	O-120SBPL2448	O-120SBPR2448	5,959	+20	+64
54	24	O-120SBPL2454	O-120SBPR2454	6,274	+20	+76
60	24	O-120SBPL2460	O-120SBPR2460	6,590	+20	+82
36	30	O-120SBPL3036	O-120SBPR3036	4,974	+20	+64
42	30	O-120SBPL3042	O-120SBPR3042	5,288	+20	+76
48	30	O-120SBPL3048	O-120SBPR3048	6,123	+20	+82
54	30	O-120SBPL3054	O-120SBPR3054	6,435	+20	+95
60	30	O-120SBPL3060	O-120SBPR3060	6,752	+20	+103




120 DOUBLE-SIDED POWERED BENCH KIT WITH ACCESS BOX

		Left	Right			
W	D	Model Number	Model Number	List	Grade C Paint	Grade C Laminate
36	24	O-120DBPL2436	O-120DBPR2436	7,660	+20	+94
42	24	O-120DBPL2442	O-120DBPR2442	8,191	+20	+116
48	24	O-120DBPL2448	O-120DBPR2448	9,499	+20	+128
54	24	O-120DBPL2454	O-120DBPR2454	10,033	+20	+152
60	24	O-120DBPL2460	O-120DBPR2460	10,565	+20	+164
36	30	O-120DBPL3036	O-120DBPR3036	7,982	+20	+128
42	30	O-120DBPL3042	O-120DBPR3042	8,515	+20	+152
48	30	O-120DBPL3048	O-120DBPR3048	9,822	+20	+164
54	30	O-120DBPL3054	O-120DBPR3054	10,356	+20	+190
60	30	O-120DBPL3060	O-120DBPR3060	10,889	+20	+206



120 TRIPLE-SIDED POWERED BENCH KIT WITH ACCESS BOX

		Left	Right			
W	D	Model Number	Model Number	List	Grade C Paint	Grade C Laminate
36	24	O-120TBPL2436	O-120TBPR2436	9,147	+20	+141
42	24	O-120TBPL2442	O-120TBPR2442	9,803	+20	+174
48	24	O-120TBPL2448	O-120TBPR2448	11,231	+20	+192
54	24	O-120TBPL2454	O-120TBPR2454	11,885	+20	+228
60	24	O-120TBPL2460	O-120TBPR2460	12,540	+20	+246
36	30	O-120TBPL3036	O-120TBPR3036	9,633	+20	+192
42	30	O-120TBPL3042	O-120TBPR3042	10,287	+20	+228
48	30	O-120TBPL3048	O-120TBPR3048	11,716	+20	+246
54	30	O-120TBPL3054	O-120TBPR3054	12,371	+20	+285
60	30	O-120TBPL3060	O-120TBPR3060	13,023	+20	+309



Specify

- Paint Selection for Spine Beam
- Paint Selection for Access Box
- Laminate Selection
- Edge Selection

Notes


- 120 Bench Top Kits - Powered with Access Box are designed for use with any Oxygen leg type.
- Center leg is included.
- Power is accessed through access box with flip door centered on the surface.
- Includes powerway, wire trough and spine beam for mounting screens.
- Order outlets and jumpers separately. Wood grain on bench tops runs parallel to spine beam.
- Width 36” and 42” accommodate (4) duplex outlets per seat. Widths 48” - 60” accommodate (8) duplex outlets.
- Access Boxes provide access to only 4 outlets.


© 2026, AIS, Inc.


120 Chicago Powered Bench Kits with Access Boxes

120 SINGLE-SIDED CHICAGO POWERED BENCH KIT WITH ACCESS BOX

		Left	Right			
W	D	Model Number	Model Number	List	Grade C Paint	Grade C Laminate
36	24	O-120HSBPL2436	O-120HSBPR2436	4,813	+20	+47
42	24	O-120HSBPL2442	O-120HSBPR2442	5,128	+20	+58
48	24	O-120HSBPL2448	O-120HSBPR2448	5,959	+20	+64
54	24	O-120HSBPL2454	O-120HSBPR2454	6,274	+20	+76
60	24	O-120HSBPL2460	O-120HSBPR2460	6,590	+20	+82
36	30	O-120HSBPL3036	O-120HSBPR3036	4,974	+20	+64
42	30	O-120HSBPL3042	O-120HSBPR3042	5,288	+20	+76
48	30	O-120HSBPL3048	O-120HSBPR3048	6,123	+20	+82
54	30	O-120HSBPL3054	O-120HSBPR3054	6,435	+20	+95
60	30	O-120HSBPL3060	O-120HSBPR3060	6,752	+20	+103



Left



Right



Hardwire Junction Box

120 DOUBLE-SIDED CHICAGO POWERED BENCH KIT WITH ACCESS BOX

		Left	Right			
W	D	Model Number	Model Number	List	Grade C Paint	Grade C Laminate
36	24	O-120HDBPL2436	O-120HDBPR2436	7,660	+20	+94
42	24	O-120HDBPL2442	O-120HDBPR2442	8,191	+20	+116
48	24	O-120HDBPL2448	O-120HDBPR2448	9,499	+20	+128
54	24	O-120HDBPL2454	O-120HDBPR2454	10,033	+20	+152
60	24	O-120HDBPL2460	O-120HDBPR2460	10,565	+20	+164
36	30	O-120HDBPL3036	O-120HDBPR3036	7,982	+20	+128
42	30	O-120HDBPL3042	O-120HDBPR3042	8,515	+20	+152
48	30	O-120HDBPL3048	O-120HDBPR3048	9,822	+20	+164
54	30	O-120HDBPL3054	O-120HDBPR3054	10,356	+20	+190
60	30	O-120HDBPL3060	O-120HDBPR3060	10,889	+20	+206



Left



Right



Hardwire Junction Box

120 TRIPLE-SIDED CHICAGO POWERED BENCH KIT WITH ACCESS BOX

		Left	Right			
W	D	Model Number	Model Number	List	Grade C Paint	Grade C Laminate
36	24	O-120HTBPL2436	O-120HTBPR2436	9,147	+20	+141
42	24	O-120HTBPL2442	O-120HTBPR2442	9,803	+20	+174
48	24	O-120HTBPL2448	O-120HTBPR2448	11,231	+20	+192
54	24	O-120HTBPL2454	O-120HTBPR2454	11,885	+20	+228
60	24	O-120HTBPL2460	O-120HTBPR2460	12,540	+20	+246
36	30	O-120HTBPL3036	O-120HTBPR3036	9,633	+20	+192
42	30	O-120HTBPL3042	O-120HTBPR3042	10,287	+20	+228
48	30	O-120HTBPL3048	O-120HTBPR3048	11,716	+20	+246
54	30	O-120HTBPL3054	O-120HTBPR3054	12,371	+20	+285
60	30	O-120HTBPL3060	O-120HTBPR3060	13,023	+20	+309


Left


Right


Hardwire Junction Box

Specify

- Paint Selection for Spine Beam
- Paint Selection for Access Box
- Laminate Selection
- Edge Selection

Notes


- 120 Bench Top Kits - Powered with Access Box are designed for use with any Oxygen leg type.
- Center leg is included.
- Power is accessed through access box with flip door centered on the surface.
- Includes powerway, wire trough and spine beam for mounting screens. Order outlets and jumpers separately.
- Wood grain on bench tops runs parallel to spine beam.
- Width 36” and 42” accommodate (4) duplex outlets per seat. Widths 48” - 60” accommodate (8) duplex outlets.
- Access Boxes provide access to only 4 outlets.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

120 Non-Powered Bench Kits with Access Boxes

120 SINGLE-SIDED NON-POWERED BENCH KIT WITH ACCESS BOX


		Left	Right			
W	D	Model Number	Model Number	List	Grade C Paint	Grade C Laminate
36	24	O-120SBNL2436	O-120SBNR2436	3,358	+20	+47
42	24	O-120SBNL2442	O-120SBNR2442	3,676	+20	+58
48	24	O-120SBNL2448	O-120SBNR2448	3,989	+20	+64
54	24	O-120SBNL2454	O-120SBNR2454	4,304	+20	+76
60	24	O-120SBNL2460	O-120SBNR2460	4,620	+20	+82
36	30	O-120SBNL3036	O-120SBNR3036	3,521	+20	+64
42	30	O-120SBNL3042	O-120SBNR3042	3,837	+20	+76
48	30	O-120SBNL3048	O-120SBNR3048	4,150	+20	+82
54	30	O-120SBNL3054	O-120SBNR3054	4,465	+20	+95
60	30	O-120SBNL3060	O-120SBNR3060	4,779	+20	+103






120 DOUBLE-SIDED NON-POWERED BENCH KIT WITH ACCESS BOX


		Left	Right			
W	D	Model Number	Model Number	List	Grade C Paint	Grade C Laminate
36	24	O-120DBNL2436	O-120DBNR2436	5,494	+20	+94
42	24	O-120DBNL2442	O-120DBNR2442	6,027	+20	+116
48	24	O-120DBNL2448	O-120DBNR2448	7,079	+20	+128
54	24	O-120DBNL2454	O-120DBNR2454	7,612	+20	+152
60	24	O-120DBNL2460	O-120DBNR2460	8,142	+20	+164
36	30	O-120DBNL3036	O-120DBNR3036	5,817	+20	+128
42	30	O-120DBNL3042	O-120DBNR3042	6,351	+20	+152
48	30	O-120DBNL3048	O-120DBNR3048	7,402	+20	+164
54	30	O-120DBNL3054	O-120DBNR3054	7,933	+20	+190
60	30	O-120DBNL3060	O-120DBNR3060	8,467	+20	+206






120 TRIPLE-SIDED NON-POWERED BENCH KIT WITH ACCESS BOX

		Left	Right			
W	D	Model Number	Model Number	List	Grade C Paint	Grade C Laminate
36	24	O-120TBNL2436	O-120TBNR2436	6,984	+20	+141
42	24	O-120TBNL2442	O-120TBNR2442	7,637	+20	+174
48	24	O-120TBNL2448	O-120TBNR2448	8,807	+20	+192
54	24	O-120TBNL2454	O-120TBNR2454	9,462	+20	+228
60	24	O-120TBNL2460	O-120TBNR2460	10,116	+20	+246
36	30	O-120TBNL3036	O-120TBNR3036	7,467	+20	+192
42	30	O-120TBNL3042	O-120TBNR3042	8,121	+20	+228
48	30	O-120TBNL3048	O-120TBNR3048	9,293	+20	+246
54	30	O-120TBNL3054	O-120TBNR3054	9,947	+20	+285
60	30	O-120TBNL3060	O-120TBNR3060	10,602	+20	+309





Specify

- Paint Selection for Spine Beam
- Paint Selection for Access Box
- Laminate Selection
- Edge Selection

Notes


- 120 Bench Top Kits - Powered with Access Box are designed for use with any Oxygen leg type.
- Center leg is included.
- Power is accessed through access box with flip door centered on the surface.
- Includes powerway, wire trough and spine beam for mounting screens.
- Order outlets and jumpers separately.
- Wood grain on bench tops runs parallel to spine beam.
- Width 36” and 42” accommodate (4) duplex outlets per seat. Widths 48” - 60” accommodate (8) duplex outlets.
- Access Boxes provide access to only 4 outlets.

© 2026, AIS, Inc.

120 Powered Bench Kits with Grommets


120 SINGLE-SIDED POWERED BENCH KIT WITH GROMMET

W	D	Model Number	List	Grade C Paint	Grade C Laminate
36	24	O-120SBPG2436	4,425	+20	+47
42	24	O-120SBPG2442	4,740	+20	+58
48	24	O-120SBPG2448	5,573	+20	+64
54	24	O-120SBPG2454	5,885	+20	+76
60	24	O-120SBPG2460	6,203	+20	+82
36	30	O-120SBPG3036	4,587	+20	+64
42	30	O-120SBPG3042	4,900	+20	+76
48	30	O-120SBPG3048	5,734	+20	+82
54	30	O-120SBPG3054	6,050	+20	+95
60	30	O-120SBPG3060	6,362	+20	+103




120 DOUBLE-SIDED POWERED BENCH KIT WITH GROMMET

W	D	Model Number	List	Grade C Paint	Grade C Laminate
36	24	O-120DBPG2436	6,883	+20	+94
42	24	O-120DBPG2442	7,416	+20	+116
48	24	O-120DBPG2448	8,726	+20	+128
54	24	O-120DBPG2454	9,258	+20	+152
60	24	O-120DBPG2460	9,793	+20	+164
36	30	O-120DBPG3036	7,206	+20	+128
42	30	O-120DBPG3042	7,739	+20	+152
48	30	O-120DBPG3048	9,048	+20	+164
54	30	O-120DBPG3054	9,580	+20	+190
60	30	O-120DBPG3060	10,114	+20	+206



120 TRIPLE-SIDED POWERED BENCH KIT WITH GROMMET

W	D	Model Number	List	Grade C Paint	Grade C Laminate
36	24	O-120TBPG2436	7,986	+20	+141
42	24	O-120TBPG2442	8,639	+20	+174
48	24	O-120TBPG2448	10,068	+20	+192
54	24	O-120TBPG2454	10,722	+20	+228
60	24	O-120TBPG2460	11,376	+20	+246
36	30	O-120TBPG3036	8,471	+20	+192
42	30	O-120TBPG3042	9,124	+20	+228
48	30	O-120TBPG3048	10,553	+20	+246
54	30	O-120TBPG3054	11,207	+20	+285
60	30	O-120TBPG3060	11,861	+20	+309



Specify

- Paint Selection for Spine Beam
- Grommet Color Selection
- Laminate Selection
- Edge Selection

Notes

- 120 Bench Top Kits - Powered Grommet are designed for use with any Oxygen leg type.
- Center leg is included.
- Power is accessed through a grommet centered on the surface.
- Includes powerway, wire trough and spine beam for mounting screens.
- Order outlets and jumpers separately.
- Wood grain on bench tops runs parallel to spine beam.
- Widths 36” and 42” accommodate (2) duplex outlets per seat. Widths 48” - 60” accommodate (4) duplex outlets.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

120 Chicago Powered Bench Kits with Grommets

120 SINGLE-SIDED CHICAGO POWERED BENCH KIT WITH GROMMET

W	D	Model Number	List	Grade C Paint	Grade C Laminate
36	24	O-120HSBPG2436	4,425	+20	+47
42	24	O-120HSBPG2442	4,740	+20	+58
48	24	O-120HSBPG2448	5,573	+20	+64
54	24	O-120HSBPG2454	5,885	+20	+76
60	24	O-120HSBPG2460	6,203	+20	+82
36	30	O-120HSBPG3036	4,587	+20	+64
42	30	O-120HSBPG3042	4,900	+20	+76
48	30	O-120HSBPG3048	5,734	+20	+82
54	30	O-120HSBPG3054	6,050	+20	+95
60	30	O-120HSBPG3060	6,362	+20	+103







Hardwire Junction Box

120 DOUBLE-SIDED CHICAGO POWERED BENCH KIT WITH GROMMET

W	D	Model Number	List	Grade C Paint	Grade C Laminate
36	24	O-120HDBPG2436	6,883	+20	+94
42	24	O-120HDBPG2442	7,416	+20	+116
48	24	O-120HDBPG2448	8,726	+20	+128
54	24	O-120HDBPG2454	9,258	+20	+152
60	24	O-120HDBPG2460	9,793	+20	+164
36	30	O-120HDBPG3036	7,206	+20	+128
42	30	O-120HDBPG3042	7,739	+20	+152
48	30	O-120HDBPG3048	9,048	+20	+164
54	30	O-120HDBPG3054	9,580	+20	+190
60	30	O-120HDBPG3060	10,114	+20	+206







Hardwire Junction Box

120 TRIPLE-SIDED CHICAGO POWERED BENCH KIT WITH GROMMET

W	D	Model Number	List	Grade C Paint	Grade C Laminate
36	24	O-120HTBPG2436	7,986	+20	+141
42	24	O-120HTBPG2442	8,639	+20	+174
48	24	O-120HTBPG2448	10,068	+20	+192
54	24	O-120HTBPG2454	10,722	+20	+228
60	24	O-120HTBPG2460	11,376	+20	+246
36	30	O-120HTBPG3036	8,471	+20	+192
42	30	O-120HTBPG3042	9,124	+20	+228
48	30	O-120HTBPG3048	10,553	+20	+246
54	30	O-120HTBPG3054	11,207	+20	+285
60	30	O-120HTBPG3060	11,861	+20	+309





Hardwire Junction Box

Specify

- Paint Selection for Spine Beam
- Grommet Color Selection
- Laminate Selection
- Edge Selection

Notes


- 120 Bench Top Kits - Powered Grommet are designed for use with any Oxygen leg type.
- Center leg is included.
- Power is accessed through a grommet centered on the surface.
- Includes powerway, wire trough and spine beam for mounting screens.
- Order outlets and jumpers separately.
- Wood grain on bench tops runs parallel to spine beam.
- Widths 36” and 42” accommodate (2) duplex outlets per seat. Widths 48” - 60” accommodate (4) duplex outlets.

© 2026, AIS, Inc.

120 Non-Powered Bench Kits with Grommets


120 SINGLE-SIDED NON-POWERED BENCH KIT WITH GROMMET

W	D	Model Number	List	Grade C Paint	Grade C Laminate
36	24	O-120SBNG2436	2,973	+20	+47
42	24	O-120SBNG2442	3,288	+20	+58
48	24	O-120SBNG2448	3,601	+20	+64
54	24	O-120SBNG2454	3,915	+20	+76
60	24	O-120SBNG2460	4,233	+20	+82
36	30	O-120SBNG3036	3,131	+20	+64
42	30	O-120SBNG3042	3,448	+20	+76
48	30	O-120SBNG3048	3,763	+20	+82
54	30	O-120SBNG3054	4,075	+20	+95
60	30	O-120SBNG3060	4,394	+20	+103




120 DOUBLE-SIDED NON-POWERED BENCH KIT WITH GROMMET

W	D	Model Number	List	Grade C Paint	Grade C Laminate
36	24	O-120DBNG2436	4,720	+20	+94
42	24	O-120DBNG2442	5,253	+20	+116
48	24	O-120DBNG2448	6,301	+20	+128
54	24	O-120DBNG2454	6,834	+20	+152
60	24	O-120DBNG2460	7,368	+20	+164
36	30	O-120DBNG3036	5,041	+20	+128
42	30	O-120DBNG3042	5,575	+20	+152
48	30	O-120DBNG3048	6,625	+20	+164
54	30	O-120DBNG3054	7,159	+20	+190
60	30	O-120DBNG3060	7,690	+20	+206



120 TRIPLE-SIDED POWERED BENCH KIT WITH GROMMET

W	D	Model Number	List	Grade C Paint	Grade C Laminate
36	24	O-120TBNG2436	5,821	+20	+141
42	24	O-120TBNG2442	6,475	+20	+174
48	24	O-120TBNG2448	7,645	+20	+192
54	24	O-120TBNG2454	8,300	+20	+228
60	24	O-120TBNG2460	8,956	+20	+246
36	30	O-120TBNG3036	6,303	+20	+192
42	30	O-120TBNG3042	6,960	+20	+228
48	30	O-120TBNG3048	8,131	+20	+246
54	30	O-120TBNG3054	8,784	+20	+285
60	30	O-120TBNG3060	9,440	+20	+309



Specify

- Paint Selection for Spine Beam
- Grommet Color Selection
- Laminate Selection
- Edge Selection

Notes

- 120 Bench Top Kits - Powered Grommet are designed for use with any Oxygen leg type.
- Center leg is included.
- Power is accessed through a grommet centered on the surface. Includes powerway, wire trough and spine beam for mounting screens.
- Order outlets and jumpers separately.
- Wood grain on bench tops runs parallel to spine beam.
- Widths 36” and 42” accommodate (2) duplex outlets per seat. Widths 48” - 60” accommodate (4) duplex outlets.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

Rectangular Returns

RECTANGULAR RETURN SURFACES				
Actual W	D	Model Number	List	Grade C Laminate
23.75	18	W-OSR1824	397	+21
29.75	18	W-OSR1830	471	+25
35.75	18	W-OSR1836	512	+28
41.75	18	W-OSR1842	556	+30
47.75	18	W-OSR1848	602	+33
53.75	18	W-OSR1854	746	+41
59.75	18	W-OSR1860	746	+41
65.75	18	W-OSR1866	843	+46
71.75	18	W-OSR1872	922	+51
23.75	22	W-OSR2224	397	+21
29.75	22	W-OSR2230	471	+25
35.75	22	W-OSR2236	512	+28
41.75	22	W-OSR2242	556	+30
47.75	22	W-OSR2248	602	+33
53.75	22	W-OSR2254	746	+41
59.75	22	W-OSR2260	746	+41
65.75	22	W-OSR2266	843	+46
71.75	22	W-OSR2272	922	+51

RECTANGULAR RETURN SURFACES				
Actual W	D	Model Number	List	Grade C Laminate
23.75	24	W-OSR2424	397	+21
29.75	24	W-OSR2430	471	+25
35.75	24	W-OSR2436	512	+28
41.75	24	W-OSR2442	556	+30
47.75	24	W-OSR2448	602	+33
53.75	24	W-OSR2454	746	+41
59.75	24	W-OSR2460	746	+41
65.75	24	W-OSR2466	843	+46
71.75	24	W-OSR2472	922	+51
23.75	30	W-OSR3024	471	+25
29.75	30	W-OSR3030	553	+30
35.75	30	W-OSR3036	621	+34
41.75	30	W-OSR3042	714	+39
47.75	30	W-OSR3048	774	+42
53.75	30	W-OSR3054	901	+50
59.75	30	W-OSR3060	901	+50
65.75	30	W-OSR3066	1,018	+56
71.75	30	W-OSR3072	1,105	+61





Specify

- Laminate Selection
- Edge Selection

Notes

- Return Surfaces - Rectangular are standard return surfaces designed to work with Oxygen.
- Wood grain on return runs the width of the surface.

© 2026, AIS, Inc.


Slant Returns


SLANTED RETURN SURFACES (LEFT)

Actual W	D (Left)	D (Right)	Model Number	List	Grade C Laminate
23.75	24	18	W-OSRL1824	397	+21
29.75	24	18	W-OSRL1830	471	+25
35.75	24	18	W-OSRL1836	512	+28
41.75	24	18	W-OSRL1842	556	+30
47.75	24	18	W-OSRL1848	602	+33
53.75	24	18	W-OSRL1854	746	+41
59.75	24	18	W-OSRL1860	746	+41
65.75	24	18	W-OSRL1866	843	+46
71.75	24	18	W-OSRL1872	922	+51
23.75	30	24	W-OSRL2424	397	+21
29.75	30	24	W-OSRL2430	471	+25
35.75	30	24	W-OSRL2436	512	+28
41.75	30	24	W-OSRL2442	556	+30
47.75	30	24	W-OSRL2448	602	+33
53.75	30	24	W-OSRL2454	746	+41
59.75	30	24	W-OSRL2460	746	+41
65.75	30	24	W-OSRL2466	843	+46
71.75	30	24	W-OSRL2472	922	+51
23.75	36	30	W-OSRL3024	471	+25
29.75	36	30	W-OSRL3030	553	+30
35.75	36	30	W-OSRL3036	621	+34
41.75	36	30	W-OSRL3042	714	+39
47.75	36	30	W-OSRL3048	774	+42
53.75	36	30	W-OSRL3054	901	+50
59.75	36	30	W-OSRL3060	901	+50
65.75	36	30	W-OSRL3066	1,018	+56
71.75	36	30	W-OSRL3072	1,105	+61

SLANTED RETURN SURFACES (RIGHT)

Actual W	D (Left)	D (Right)	Model Number	List	Laminate Grade C
23.75	18	24	W-OSRR1824	397	+21
29.75	18	24	W-OSRR1830	471	+25
35.75	18	24	W-OSRR1836	512	+28
41.75	18	24	W-OSRR1842	556	+30
47.75	18	24	W-OSRR1848	602	+33
53.75	18	24	W-OSRR1854	746	+41
59.75	18	24	W-OSRR1860	746	+41
65.75	18	24	W-OSRR1866	843	+46
71.75	18	24	W-OSRR1872	922	+51
23.75	24	30	W-OSRR2424	397	+21
29.75	24	30	W-OSRR2430	471	+25
35.75	24	30	W-OSRR2436	512	+28
41.75	24	30	W-OSRR2442	556	+30
47.75	24	30	W-OSRR2448	602	+33
53.75	24	30	W-OSRR2454	746	+41
59.75	24	30	W-OSRR2460	746	+41
65.75	24	30	W-OSRR2466	843	+46
71.75	24	30	W-OSRR2472	922	+51
23.75	30	36	W-OSRR3024	471	+25
29.75	30	36	W-OSRR3030	553	+30
35.75	30	36	W-OSRR3036	621	+34
41.75	30	36	W-OSRR3042	714	+39
47.75	30	36	W-OSRR3048	774	+42
53.75	30	36	W-OSRR3054	901	+50
59.75	30	36	W-OSRR3060	901	+50
65.75	30	36	W-OSRR3066	1,018	+56
71.75	30	36	W-OSRR3072	1,105	+61





Specify

- Laminate Selection
- Edge Selection

Notes

- Motorized and fixed slant return includes surface for mounting for 24” deep or 30” deep benches.
- Motorized base with 1” glide adjustment and 20” height adjustment from 27.5” to 48.5” high, LED programmable hand switch with four memory presets, vertical travel speed is approximately 1.4” per second.
- **Important:** Fixed rectangular returns cannot be used with motorized benches.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Return Support Rails


RETURNS WITHOUT STRUCTURAL PEDESTAL SUPPORT RAIL


L	Model Number	List	Return Length
36	O-RSR36	551	36”W Return
42	O-RSR42	574	42”W Return
48	O-RSR48	591	48”W Return
54	O-RSR54	613	54”W Return
60	O-RSR60	633	60”W Return
66	O-RSR66	654	66”W Return
72	O-RSR72	674	72”W Return



RETURNS WITH STRUCTURAL PEDESTAL SUPPORT RAIL

L	Model Number	List	Return Length
36	O-RSR36	551	54”W Return
42	O-RSR42	574	60”W Return
48	O-RSR48	591	66”W Return
54	O-RSR54	613	72”W Return





Notes


- Return Support Rail is used as a structural support when attaching a return surface to an Oxygen bench.
- Specify the rail to match the surface width, unless a structural pedestal is used on the return.
- Return length with structural pedestal detail is below.

© 2026, AIS, Inc.

Return Strips


NO SCREEN CLAMP RETURN STRIP

Length	Actual Length	Model Number	List
18	18	O-RSF18	46
20	20	O-RSF20	53
22	22	O-RSF22	58
24	24	O-RSF24	62
30	30	O-RSF30	74
36	36	O-RSF36	87
42	42	O-RSF42	103
48	48	O-RSF48	115




SCREEN CLAMP RETURN STRIP (END OF RETURN)


Length	Actual Length	Model Number	List
18	15.25	O-RSF15	46
20	17.25	O-RSF17	53
22	19.25	O-RSF19	58
24	21.25	O-RSF21	62
30	27.25	O-RSF27	74
36	33.25	O-RSF33	87
42	39.25	O-RSF39	103
48	45.25	O-RSF45	115



SCREEN CLAMP RETURN STRIP (CENTER OF RETURN)

Length	Actual Length	Model Number	List
18	15.25	O-RSF15S	46
20	17.25	O-RSF17S	53
22	19.25	O-RSF19S	58
24	21.25	O-RSF21S	62
30	27.25	O-RSF27S	74
36	33.25	O-RSF33S	87
42	39.25	O-RSF39S	103
48	45.25	O-RSF45S	115





Notes

- Return Strip is needed when mounting return surfaces adjacent to territory screen/toolbar to fill gap created by screen mounting brackets.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Straight Leg Kits


SINGLE-SIDED BENCH STRAIGHT LEG KITS (LEFT)

H	D	Model Number	List	Grade C Paint
27	24	O-STLBSB24L	884	+25
27	30	O-STLBSB30L	913	+25




SINGLE-SIDED BENCH STRAIGHT LEG KITS (RIGHT)

H	D	Model Number	List	Grade C Paint
27	24	O-STLBSB24R	884	+25
27	30	O-STLBSB30R	913	+25



DOUBLE-SIDED BENCH STRAIGHT LEG KITS

H	D	Model Number	List	Grade C Paint
27	48	O-STLBDB48	1,239	+25
27	60	O-STLBDB60	1,306	+25



Specify


- Paint Selection

Notes

- Straight Leg Kits - End-of-Run are designed for use at the end-of-run of a bench layout.
- For use with all top widths.


SINGLE-SIDED BENCH STRAIGHT LEG KITS (SHARED)

H	D	Model Number	List	Grade C Paint
27	24	O-STBSBSK24	1,133	+25
27	30	O-STBSBSK30	1,156	+25



DOUBLE-SIDED BENCH STRAIGHT LEG KITS (SHARED)

H	D	Model Number	List	Grade C Paint
27	36	O-STBDBSK36	1,684	+25
27	48	O-STBDBSK48	1,741	+25
27	60	O-STBDBSK60	1,802	+25



Specify

- Paint Selection

Notes


- Straight Leg Kits - Shared are designed for use in shared applications in a bench layout.
- For use with all top widths.

© 2026, AIS, Inc.

Slim Leg Kits


SINGLE-SIDED BENCH SLIM LEG KITS (LEFT)

H	D	Model Number	List	Grade C Paint
27	24	O-SMLBSB24L	1,025	+25
27	30	O-SMLBSB30L	1,099	+25




SINGLE-SIDED BENCH SLIM LEG KITS (RIGHT)

H	D	Model Number	List	Grade C Paint
27	24	O-SMLBSB24R	1,025	+25
27	30	O-SMLBSB30R	1,099	+25



DOUBLE-SIDED BENCH SLIM LEG KITS

H	D	Model Number	List	Grade C Paint
27	36	O-SMLBDB36	1,428	+25
27	48	O-SMLBDB48	1,428	+25
27	60	O-SMLBDB60	1,493	+25



Specify


- Paint Selection for Top
- Paint Selection for Leg

Notes

- Slim Leg Kits - End-of-Run are designed for use at the end-of-run of a bench layout.
- For use with all top widths.


SINGLE-SIDED BENCH SLIM LEG KITS (SHARED)

H	D	Model Number	List	Grade C Paint
27	24	O-SMBSBSK24	1,320	+25
27	30	O-SMBSBSK30	1,348	+25



DOUBLE-SIDED BENCH SLIM LEG KITS (SHARED)

H	D	Model Number	List	Grade C Paint
27	36	O-SMBDBSK36	1,871	+25
27	48	O-SMBDBSK48	1,928	+25
27	60	O-SMBDBSK60	1,992	+25



Specify

- Paint Selection for Top
- Paint Selection for Leg

Notes

- Slim Leg Kits - Shared are designed for use in shared applications in a bench layout.
- For use with all top widths.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Slant Leg Kits


SINGLE-SIDED BENCH SLANT LEG KITS (LEFT)

H	D	Model Number	List	Grade C Paint
27	24	O-SLLBSBK24L	2,035	+25
27	30	O-SLLBSBK30L	2,100	+25




SINGLE-SIDED BENCH SLANT LEG KITS (RIGHT)

H	D	Model Number	List	Grade C Paint
27	24	O-SLLBSBK24R	2,035	+25
27	30	O-SLLBSBK30R	2,100	+25



DOUBLE-SIDED BENCH SLANT LEG KITS

H	D	Model Number	List	Grade C Paint
27	36	O-SLLBDBK36	2,286	+25
27	48	O-SLLBDBK48	2,286	+25
27	60	O-SLLBDBK60	2,349	+25



Specify


- Paint Selection

Notes

- Slant Leg Kits - End-of-Run are designed for use at the end-of-run of a bench layout.
- For use with all top widths.


SINGLE-SIDED BENCH SLANT LEG KITS (SHARED)

H	D	Model Number	List	Grade C Paint
27	24	O-SLLDBSK24	2,286	+25
27	30	O-SLLDBSK30	2,349	+25



DOUBLE-SIDED BENCH SLANT LEG KITS (SHARED)

H	D	Model Number	List	Grade C Paint
27	36	O-SLLDBSK36	2,730	+25
27	48	O-SLLDBSK48	2,785	+25
27	60	O-SLLDBSK60	2,847	+25



Specify

- Paint Selection

Notes


- Slant Leg Kits - Shared are designed for use in shared applications in a bench layout.
- For use with all top widths.

© 2026, AIS, Inc.

Stand-Alone Single Legs

STRAIGHT STAND-ALONE LEGS


H	Model Number	List	Grade C Paint
27	O-PL2525	375	+25



Specify	Notes
• Paint Selection	• Stand-Alone Single Legs are used to support returns and end tables. • For use with any top width.

STRAIGHT MOBILE STAND-ALONE LEGS

H	Model Number	List	Grade C Paint
27	O-PL2525M	365	+25



Specify	Notes
• Paint Selection	• Stand-Alone Single Legs are used to support returns and end tables. • For use with any top width.

SLIM STAND-ALONE LEGS

H	Model Number	List	Grade C Paint
27	O-SMSG	405	+25



Specify	Notes
• Paint Selection	• Stand-Alone Single Legs are used to support returns and end tables. • For use with any top width.

SLIM MOBILE STAND-ALONE LEGS

H	Model Number	List	Grade C Paint
27	O-SMSCASTER	349	+25



Specify	Notes
• Paint Selection	• Stand-Alone Single Legs are used to support returns and end tables. • For use with any top width.

SLANT STAND-ALONE LEGS

H	Model Number	List	Grade C Paint
27	O-SL	692	+25



Specify	Notes
• Paint Selection	• Stand-Alone Single Legs are used to support returns and end tables. • For use with any top width.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Laminate End Panels


SINGLE-SIDED END PANEL (LEFT)

H	W	Model Number	List	Grade C Laminate
28	24	O-2LBSB2824L	887	+60
28	30	O-2LBSB2830L	956	+64
42	24	O-2LBSB4224L	984	+56
42	30	O-2LBSB4230L	1,072	+68
46	24	O-2LBSB4624L	1,016	+74
46	30	O-2LBSB4630L	1,109	+86
50	24	O-2LBSB5024L	1,051	+76
50	30	O-2LBSB5030L	1,152	+84




SINGLE-SIDED END PANEL (RIGHT)

H	W	Model Number	List	Laminate Grade C
28	24	O-2LBSB2824R	887	+60
28	30	O-2LBSB2830R	956	+64
42	24	O-2LBSB4224R	984	+56
42	30	O-2LBSB4230R	1,072	+68
46	24	O-2LBSB4624R	1,016	+74
46	30	O-2LBSB4630R	1,109	+86
50	24	O-2LBSB5024R	1,051	+76
50	30	O-2LBSB5030R	1,152	+84



DOUBLE-SIDED END PANEL

H	W	Model Number	List	Laminate Grade C
28	48	O-2LBDB2848	1,449	+84
28	60	O-2LBDB2860	1,575	+100
42	48	O-2LBDB4248	1,641	+106
42	60	O-2LBDB4260	1,817	+136
46	48	O-2LBDB4648	1,703	+114
46	60	O-2LBDB4660	1,897	+134
50	48	O-2LBDB5048	1,765	+120
50	60	O-2LBDB5060	1,975	+134



Specify

- Laminate Selection
- Edge Selection

Notes


- End-of-Run Kits are designed for use at the end-of-run of a bench layout.
- Laminate end-of-run kits sit beside the bench layout with the edgeband at worksurface height.
- Laminate end panels add 1” to the bench length.
- Wood grain on end panels 18”W – 60”W runs vertically while panels 66”W – 96”W run horizontally.
- Laminate end panels have a top width of 36” - 72”.

© 2026, AIS, Inc.

Laminate End Panels


MID-RUN END PANEL (LEFT)

H	W	Model Number	List	Laminate Grade C
28	24	O-2LMREP2824L	1,221	+50
28	30	O-2LMREP2830L	1,281	+30
42	24	O-2LMREP4224L	1,316	+60
42	30	O-2LMREP4230L	1,402	+78
46	24	O-2LMREP4624L	1,350	+66
46	30	O-2LMREP4630L	1,441	+84
50	24	O-2LMREP5024L	1,376	+82
50	30	O-2LMREP5030L	1,482	+100



MID-RUN END PANEL (RIGHT)

H	W	Model Number	List	Laminate Grade C
28	24	O-2LMREP2824R	1,221	+50
28	30	O-2LMREP2830R	1,281	+30
42	24	O-2LMREP4224R	1,316	+60
42	30	O-2LMREP4230R	1,402	+78
46	24	O-2LMREP4624R	1,350	+66
46	30	O-2LMREP4630R	1,441	+84
50	24	O-2LMREP5024R	1,376	+82
50	30	O-2LMREP5030R	1,482	+100



Specify

- Laminate Selection
- Edge Selection

Notes

- Mid-Run Kits are designed for use at a mid-run bench location.
- Laminate mid-run kits sit beside the bench layout with the edgeband at worksurface height.
- Wood grain on end panels 18”W – 60”W runs vertically while panels 66”W – 96”W run horizontally.
- Laminate mid-run kits have a top width of 36” - 72”.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

Full Modesty Panels for Rectangular Benches

FULL-HEIGHT MODESTY PANELS

H	D	Model Number	List	Laminate Grade C
28	36	O-MLSTSB2836	745	+66
28	42	O-MLSTSB2842	842	+78
28	48	O-MLSTSB2848	989	+84
28	54	O-MLSTSB2854	1,090	+100
28	60	O-MLSTSB2860	1,198	+100
28	66	O-MLSTSB2866	1,238	+112
28	72	O-MLSTSB2872	1,326	+123
28	78	O-MLSTSB2878	1,412	+146
28	84	O-MLSTSB2884	1,495	+152
28	90	O-MLSTSB2890	1,620	+161
28	96	O-MLSTSB2896	1,719	+169
42	36	O-MLSTSB4236	1,258	+66
42	42	O-MLSTSB4242	1,481	+78
42	48	O-MLSTSB4248	1,672	+84
42	54	O-MLSTSB4254	1,846	+100
42	60	O-MLSTSB4260	2,035	+100
42	66	O-MLSTSB4266	2,122	+112
42	72	O-MLSTSB4272	2,273	+123
42	78	O-MLSTSB4278	2,426	+146
42	84	O-MLSTSB4284	2,575	+152
42	90	O-MLSTSB4290	2,787	+161
42	96	O-MLSTSB4296	2,962	+169

H	D	Model Number	List	Laminate Grade C
46	36	O-MLSTSB4636	1,305	+66
46	42	O-MLSTSB4642	1,487	+78
46	48	O-MLSTSB4648	1,736	+84
46	54	O-MLSTSB4654	1,917	+100
46	60	O-MLSTSB4660	2,119	+100
46	66	O-MLSTSB4666	2,208	+112
46	72	O-MLSTSB4672	2,368	+123
46	78	O-MLSTSB4678	2,526	+146
46	84	O-MLSTSB4684	2,688	+152
46	90	O-MLSTSB4690	2,909	+161
46	96	O-MLSTSB4696	3,089	+169
50	36	O-MLSTSB5036	1,353	+66
50	42	O-MLSTSB5042	1,539	+78
50	48	O-MLSTSB5048	1,800	+84
50	54	O-MLSTSB5054	1,991	+100
50	60	O-MLSTSB5060	2,197	+100
50	66	O-MLSTSB5066	2,294	+112
50	72	O-MLSTSB5072	2,465	+123
50	78	O-MLSTSB5078	2,630	+146
50	84	O-MLSTSB5084	2,801	+152
50	90	O-MLSTSB5090	3,030	+161
50	96	O-MLSTSB5096	3,217	+169



Specify

- Laminate Selection
- Edge Selection

Notes


- Full-Height modesties provide visual privacy for bench layouts.
- Laminate modesty panels sit beside the bench layout with the edgeband at worksurface height, and add 1” to the bench depth.
- Modesty panels cover the back of the electrical and data troughs where exposed on an aisle.
- Modesty panels are needed for structural support.
- Wood grain on end panels modesty panels 18”W – 60”W runs vertically while panels 66”W – 96”W run horizontally.


© 2026, AIS, Inc.

120 Modesty Panels and 120 Modesty Covers

120 SINGLE BENCH FULL MODESTY PANELS


H	W	Model Number Condition G	List	Laminate Grade C
29	36	B-120SBFMG36	1,085	+66
29	42	B-120SBFMG42	1,231	+78
29	48	B-120SBFMG48	1,447	+84
29	54	B-120SBFMG54	1,592	+100
29	60	B-120SBFMG60	1,758	+100






120 DOUBLE BENCH FULL MODESTY

H	W	Model Number Condition K	List	Laminate Grade C
29	36	B-120DBFMK36	1,085	+66
29	42	B-120DBFMK42	1,231	+78
29	48	B-120DBFMK48	1,447	+84
29	54	B-120DBFMK54	1,592	+100
29	60	B-120DBFMK60	1,758	+100





Specify


- Laminate Selection
- Edge Selection


Notes

- Modesties are non-structural cosmetic applications.
- For use with Oxygen 120 Bench Kits only.

120 SINGLE BENCH HALF MODESTY


H	W	Model Number Condition G	List	Laminate Grade C
10	36	B-120SBHMG36	527	+66
10	42	B-120SBHMG42	542	+78
10	48	B-120SBHMG48	559	+84
10	54	B-120SBHMG54	648	+100
10	60	B-120SBHMG60	657	+100






120 DOUBLE BENCH HALF MODESTY

H	W	Model Number Condition K	List	Laminate Grade C
10	36	B-120DBHMK36	527	+66
10	42	B-120DBHMK42	542	+78
10	48	B-120DBHMK48	559	+84
10	54	B-120DBHMK54	648	+100
10	60	B-120DBHMK60	657	+100





Specify

- Laminate Selection
- Edge Selection


Notes

- Modesties are non-structural cosmetic applications.
- For use with Oxygen 120 Bench Kits only.

120 SINGLE BENCH FULL MODESTY COVER

Model Number	List
B-120DBFMC	254





Specify

- Paint Selection


Notes

- Use to cover connecting gap between single bench modesty panels.

120 SINGLE BENCH HALF MODESTY COVER

Model Number	List
B-120DBHMC	254





Specify

- Paint Selection

Notes

- Use to cover connecting gap between single bench modesty panels.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

End-of-Run Covers


STRAIGHT LEG END-OF-RUN COVERS (FLAT)

H	D	Model Number	List	Grade C Paint
3.6	24	O-ECSFSB24	167	+10
3.6	30	O-ECSFSB30	184	+10
3.6	48	O-ECSFDB48	234	+10
3.6	60	O-ECSFDB60	251	+10




STRAIGHT LEG END-OF-RUN COVERS (TAPERED)

H	D	Model Number	List	Grade C Paint
3.6 - 5.1	24	O-ECSTSB24	167	+10
3.6 - 5.1	30	O-ECSTSB30	184	+10
3.6 - 5.1	48	O-ECSTDB48	234	+10
3.6 - 5.1	60	O-ECSTDB60	251	+10




SLANT LEG END-OF-RUN COVERS (FLAT)

H	D	Model Number	List	Grade C Paint
3.6	24	O-ECSLFDB24	164	+10
3.6	30	O-ECSLFDB30	179	+10
3.6	48	O-ECSLFDB48	227	+10
3.6	60	O-ECSLFDB60	246	+10




SLANT LEG END-OF-RUN COVERS (TAPERED)

H	D	Model Number	List	Grade C Paint
3.6 - 5.1	24	O-ECSLSB24	167	+10
3.6 - 5.1	30	O-ECSLSB30	184	+10
3.6 - 5.1	48	O-ECSLDB48	234	+10
3.6 - 5.1	60	O-ECSLDB60	251	+10



SLIM LEG END-OF-RUN COVERS (FLAT)

H	D	Model Number	List	Grade C Paint
3.6	24	O-ECSL24	173	+10
3.6	30	O-ECSL30	189	+10
3.6	48	O-ECSL48	240	+10
3.6	60	O-ECSL60	258	+10



Specify

- Paint Selection

Notes


- End-of-Run Covers are designed to give the leg kits a finished look at the end of a bench run.
- Straight end-of-run covers are 3.6” high.
- Tapered end-of-run covers are 3.6” high at the end and angle down to 5.1” in the center.

© 2026, AIS, Inc.

Gallery Panels

TYPE A GALLERY PANELS (FEMALE ONE END)

H	W	Handing	Horizon Planning	Model Number	List	Laminate Grade C
27	12	Universal	Under Desk	O-GPF1E2712	443	+20
27	18	Universal	Under Desk	O-GPF1E2718	591	+24



Specify


- Laminate Selection
- Edge Selection

Notes

- Gallery Panels (Type A) - Female One End are used with male gallery panels to support return surfaces and create privacy.
- Female one end gallery panels are positioned under the worksurface for support.
- Wood grain on gallery panels 18”W – 60”W runs vertically while panels 66”W – 96”W run horizontally.

TYPE B GALLERY PANELS (FEMALE ONE END)

			Left Handed		Right Handed		
H	W	Horizon Planning	Model Number	List	Model Number	List	Laminate Grade C
28	18	Desktop	O-GPF1E2818L	443	O-GPF1E2818R	443	+36
28	20	Desktop	O-GPF1E2820L	591	O-GPF1E2820R	591	+41
28	24	Desktop	O-GPF1E2824L	741	O-GPF1E2824R	741	+46
42	18	42”H	O-GPF1E4218L	516	O-GPF1E4218R	516	+46
42	20	42”H	O-GPF1E4220L	674	O-GPF1E4220R	674	+51
42	24	42”H	O-GPF1E4224L	839	O-GPF1E4224R	839	+56
46	18	46”H	O-GPF1E4618L	542	O-GPF1E4618R	542	+61
46	20	46”H	O-GPF1E4620L	699	O-GPF1E4620R	699	+67
46	24	46”H	O-GPF1E4624L	869	O-GPF1E4624R	869	+73
50	18	50”H	O-GPF1E5018L	567	O-GPF1E5018R	567	+78
50	20	50”H	O-GPF1E5020L	727	O-GPF1E5020R	727	+84
50	24	50”H	O-GPF1E5024L	900	O-GPF1E5024R	900	+90



Left Hand



Right Hand

Specify

- Laminate Selection
- Edge Selection

Notes

- Gallery Panels (Type B) - Female One End (Handed) are used with male gallery panels to support return surfaces and create privacy.
- Female one end gallery panels are positioned adjacent to the worksurface for support.
- Wood grain on gallery panels 18”W – 60”W runs vertically while panels 66”W - 96”W run horizontally.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Gallery Panels

TYPE C GALLERY PANELS (MALE BOTH ENDS)

H	W	Horizon Planning	Model Number	List	Laminate Grade C	Handing
28	24	Desktop	O-GPM2E2824	741	+46	Universal
28	30	Desktop	O-GPM2E2830	964	+51	Universal
28	36	Desktop	O-GPM2E2836	1,109	+56	Universal
28	42	Desktop	O-GPM2E2842	1,263	+61	Universal
28	48	Desktop	O-GPM2E2848	1,481	+67	Universal
28	54	Desktop	O-GPM2E2854	1,631	+71	Universal
28	54	Desktop	O-GPM2E2860	1,797	+76	Universal
42	24	42”H	O-GPM2E4224	813	+58	Universal
42	30	42”H	O-GPM2E4230	1,037	+61	Universal
42	36	42”H	O-GPM2E4236	1,185	+65	Universal
42	42	42”H	O-GPM2E4242	1,332	+68	Universal
42	48	42”H	O-GPM2E4248	1,554	+71	Universal
42	54	42”H	O-GPM2E4254	1,705	+76	Universal
42	60	42”H	O-GPM2E4260	1,870	+80	Universal
46	24	46”H	O-GPM2E4624	839	+73	Universal
46	30	46”H	O-GPM2E4630	1,061	+76	Universal
46	36	46”H	O-GPM2E4636	1,208	+80	Universal
46	42	46”H	O-GPM2E4642	1,357	+83	Universal
46	48	46”H	O-GPM2E4648	1,554	+87	Universal
46	54	46”H	O-GPM2E4654	1,730	+90	Universal
46	60	46”H	O-GPM2E4660	1,894	+94	Universal
50	24	50”H	O-GPM2E5024	862	+90	Universal
50	30	50”H	O-GPM2E5030	1,085	+94	Universal
50	36	50”H	O-GPM2E5036	1,232	+97	Universal
50	42	50”H	O-GPM2E5042	1,381	+102	Universal
50	48	50”H	O-GPM2E5048	1,601	+105	Universal
50	54	50”H	O-GPM2E5054	1,753	+109	Universal
50	60	50”H	O-GPM2E5060	1,916	+115	Universal



Specify

- Laminate Selection
- Edge Selection

Notes


- Gallery Panels (Type C) - Male Both Ends are used with female gallery panels to support returns and create privacy.
- Male both end gallery panels are positioned adjacent to the worksurface for support.
- Actual width is nominal plus 1 1/8” to accommodate female gallery panel on one end.
- Wood grain on gallery panels 18”W – 60”W runs vertically while panels 66”W – 96”W run horizontally.

© 2026, AIS, Inc.

Gallery Panels

TYPE D GALLERY PANELS (MALE CENTERED)

H	W	Horizon Planning	Model Number	List	Laminate Grade C	Handing
28	24	Under Desk	O-GPMC2824	741	+46	Non-Handed
28	30	Under Desk	O-GPMC2830	964	+51	Non-Handed
28	36	Under Desk	O-GPMC2836	1,109	+56	Non-Handed
28	42	Under Desk	O-GPMC2842	1,263	+61	Non-Handed
28	48	Under Desk	O-GPMC2848	1,481	+67	Non-Handed
42	24	42”H	O-GPMC4224	813	+58	Non-Handed
42	30	42”H	O-GPMC4230	1,037	+61	Non-Handed
42	36	42”H	O-GPMC4236	1,185	+65	Non-Handed
42	42	42”H	O-GPMC4242	1,332	+68	Non-Handed
42	48	42”H	O-GPMC4248	1,554	+71	Non-Handed
46	24	46”H	O-GPMC4624	839	+73	Non-Handed
46	30	46”H	O-GPMC4630	1,061	+76	Non-Handed
46	36	46”H	O-GPMC4636	1,208	+80	Non-Handed
46	46	46”H	O-GPMC4642	1,357	+83	Non-Handed
46	48	46”H	O-GPMC4648	1,576	+87	Non-Handed
50	24	50”H	O-GPMC5024	862	+90	Non-Handed
50	30	50”H	O-GPMC5030	1,085	+94	Non-Handed
50	36	50”H	O-GPMC5036	1,232	+97	Non-Handed
50	42	50”H	O-GPMC5042	1,381	+102	Non-Handed
50	48	50”H	O-GPMC5048	1,600	+105	Non-Handed



Specify

- Laminate Selection
- Edge Selection

Notes


- Gallery Panels (Type B) - Female One End (Handed) are used with male gallery panels to support return surfaces and create privacy.
- Female one end gallery panels are positioned adjacent to the worksurface for support.
- Wood grain on gallery panels 18”W – 60”W runs vertically while panels 66”W - 96”W run horizontally.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Duplex Outlets

DUPLEX OUTLETS

Line	Color	Model Number	List
1	Black	E-MW8W4DO1	94
2	Black	E-MW8W4DO2	94
3	Black	E-MW8W4DO3	94
4	Black	E-MW8W4DO4	94
1	White	E-MW8W4DO1-W	94
2	White	E-MW8W4DO2-W	94
3	White	E-MW8W4DO3-W	94
4	White	E-MW8W4DO4-W	94




Notes

- Duplex Outlets are available at designated circuits 1 through 4.
- Each duplex outlet contains two single receptacles (places to plug into) of the same circuit and are specified separately from powerways.
- Available in black or white. The lettering on outlets for Circuit 1, 2 and 3 is white. The lettering on outlets for Circuit 4 is orange.
- Outlets are screw mounted to powerway.
- Duplex outlets are standard 15 amp outlets.
- Can be used with multi-circuit electrical units.

CALIFORNIA TITLE 24 CONTROLLED DUPLEX OUTLETS

Line	Color	Model Number	List
1	Black	E-MW8W4T24DO1	109
2	Black	E-MW8W4T24DO2	109
3	Black	E-MW8W4T24DO3	109
4	Black	E-MW8W4T24DO4	109
1	White	E-MW8W4T24DO1-W	109
2	White	E-MW8W4T24DO2-W	109
3	White	E-MW8W4T24DO3-W	109
4	White	E-MW8W4T24DO4-W	109





Notes


- In California, 50 percent of all outlets in a systems panel cluster or benching cluster, for new construction, MUST be controlled outlets, even if there is no task lighting.
- Customers should plan on using circuits 2 and 3 for controlled circuits, and plan general load for all other items on circuits 1 and 4.
- If using 2 + 2 configuration, controlled circuits should be 1 and 2, and general load circuits on 4 and 5.
- Outlets must have the "controlled" symbol for identification purposes.
- Can be used with multi-circuit electrical units.

© 2026, AIS, Inc.

Duplex Outlets

USB OUTLETS

Line	Color	Model Number	List
1	Black	E-UN8W4USB01	380
2	Black	E-UN8W4USB02	380
3	Black	E-UN8W4USB03	380
4	Black	E-UN8W4USB04	380
1	White	E-UN8W4USB01-W	338
2	White	E-UN8W4USB02-W	338
3	White	E-UN8W4USB03-W	338
4	White	E-UN8W4USB04-W	338




Notes

- USB Outlets bring charging options to panel power distribution systems.
- The USB Outlets provide convenient charging power access through dual ports on the face of the receptacle.
- The USB Outlets offer a total of 2 Amps between two USB charging ports.
- The USB Outlets are UL and FCC Part 15A approved.
- Can be used with multi-circuit electrical units.

DUPLEX OUTLET HOLE COVERS

Model Number	List
E-UNWC	37



Specify

- Paint Selection for Hole Cover

Notes


- Duplex Outlet Hole Covers are supplied with each powered panel to cover unused duplex outlet locations (six).
- 24”W panels only include three duplex outlet hole covers.
- Order extra hole covers separately only when required.
- Can be used with multi-circuit electrical units.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Data Plate Kits, Data Housing Units, and Single Gang Plate Adapter

DATA PLATE KITS

Item	Model Number	List
6 Port Data Gang Plate	E-HDP6B-SM	42
Cat 5e Jack	E-HRJ45-SM	148
Cat 6 Data Jack	E-HXJ6BK-SM	161
Hole Blank (10 Pack)	E-SFBB10-SM	100




Notes

- Data Plate Kit has six ports for modular jacks.
- Bezel screws directly to the access box in pre-drilled and tapped hole pattern.
- RJ-45 jacks can be used in place of RJ-11 jacks.

SINGLE GANG PLATE ADAPTER

Model Number	List
E-DJA	58




Notes

- Single Gang Plate Adapter (1) provided with each access box to adapt single gang plates to box.
- Single gang plates cannot be used with “grommet only” option.
- Available only in black.
- Knockout opening size is 3.012”W x 1.860”H.

SURFACE MOUNT DATA HOUSING UNITS

Port Quantity	Model Number	List
1	E-ISB1BK-SM	151
4	E-ISB4BK-SM	151
6	E-ISB6BK-SM	151



Notes


- Surface mount data housing units have a low-profile design, are ADA compliant and easily mount to multiple surfaces.
- Units include double-sided tape and mounting screws for easy installation.
- Base includes tie wrap anchors at rear cable entry point for 4” cable ties (included).
- Compatible with standard jacks.
- Port dimensions: 0.68”H x 0.58”W
- Single port housing dimensions: 1.08”H X 1.3”W X 2.38”D
- Four port housing dimensions: 1.25”H X 5”W X 3.25”D
- Six port housing dimensions: 1.25”H X 6.5”W X 4”D

© 2026, AIS, Inc.

Jumpers and Infeeds

ELECTRICAL JUMPERS

Actual Length	Model Number	List
18	E-MX8W4PTPC18	254
21	E-MX8W4PTPC21	266
24	E-UN8W4VT16	312
30	E-UN8W4J30	330
33	E-HM8W4PJ24	331
37	E-MW8W4PJ18	326
39	E-HM8W4PJ30	331
43	E-MW8W4PJ24	362
45	E-MW8W4PJ24E	377
48	E-UN8W4J48	330
49	E-MW8W4PJ30	388
51	E-MW8W4PJ30E	396
55	E-MW8W4PJ36	399
57	E-MW8W4PJ36E	409
61	E-MW8W4PJ42	412
63	E-MW8W4PJ42E	420
67	E-MW8W4PJ48	444
69	E-MW8W4PJ48E	456
79	E-MW8W4PJ60	478
81	E-MW8W4PJ60E	504
86	E-MW8W4PJ86	547



Notes

- Electrical jumpers are used for connecting powered bench top kits to each other in a plan.
- Electrical jumpers are listed in actual lengths to assist with specification. Jumper use is explained in the specification grid.
- **Important:** Certain areas of Chicago prohibit the use of modular electrical systems and require all electrical components to be hard wired. All electrical components need to be supplied by the electrician.


Oxygen Jumper Specification Grid:
Jumper length when joining powered bench top kits together

Bench Width	To 36”	To 42”	To 48”	To 54”	To 60”	To 66”	To 72”	To 78”	To 84”	To 90”	To 96”
From 36”	30	30	30	30	33	37	39	43	45	48	51
From 42”	30	33	30	33	37	39	43	45	48	51	55
From 48”	30	30	30	30	33	37	39	43	45	48	51
From 54”	30	33	30	33	37	39	43	45	48	51	55
From 60”	33	37	33	37	39	43	45	48	51	55	57
From 66”	37	39	37	39	43	45	48	51	55	57	61
From 72”	39	43	39	43	45	48	51	55	57	63	67
From 78”	43	45	43	45	48	51	55	57	61	63	67
From 84”	45	48	45	48	51	55	57	61	63	67	69
from 90”	48	51	48	51	55	57	61	63	67	69	79
From 96”	51	55	51	55	57	61	63	67	69	79	79

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

CEILING INFEED

Actual Length	Model Number	List
144”	E-UN8W4CIF	689




Notes


- Ceiling infeeds provide interface with building power from a suspended ceiling through a power pole shell.
- Each ceiling feed is 12’ long.
- Power pole shells are ordered separately.

SIDE-MOUNTED BASE INFEED

Actual Length	Use	Model Number	List
72”	Standard	E-UN8W4BIFS	590
72”	New York City	E-HM8W4BIFSNY	1,169



Standard Infeeds




New York City Base Infeeds

Notes

- Side-mounted base infeeds provide interface with building power at the end of the power units and mounts to the powerway at jumper location.
- Each base infeed is 6’ in length, encased in “liquid tight”.
- New York City code requires the use of a special base feed with an in-line junction box.

POLE FOR SINGLE-SIDED BENCH

Hand	Actual Height	Model Number	List	Grade C Paint
Left Hand	136”	O-PPMSL	942	+20
Right Hand	136”	O-PPMSR	942	+20



Specify

- Paint Selection

Notes

- Power/data pole kit includes two 68” pole sections, two 68” covers, one pole coupler, two 68” dividers, mounting brackets, one ceiling shroud, one 72” perforated strip for attaching pole to ceiling grid, and mounting hardware.
- Order ceiling feeds separately.
- Designed for an 11’ ceiling.

POLE FOR DOUBLE-SIDED BENCH

Actual Height	Model Number	List	Grade C Paint
136”	O-PPMD	942	+20



Specify

- Paint Selection


Notes

- Power/data pole kit includes two 68” pole sections, two 68” covers, one pole coupler, two 68” dividers, mounting brackets, one ceiling shroud, one 72” perforated strip for attaching pole to ceiling grid, and mounting hardware.
- Order ceiling feeds separately.
- Designed for an 11’ ceiling.

© 2026, AIS, Inc.

Single Circuit Infeeds with Plug

SINGLE CIRCUIT SIDE INFEEDS WITH PLUG		
Actual Length	**Model Number**	**List**
72”	E-UN8W4SIF72	1,295
120”	E-UN8W4SIF120	1,646



Notes


- Single Circuit infeeds will only provide power to line 1 outlets.
- Single Circuit Infeeds are terminated with a 20 Amp NEMA plug, a 20 Amp to 15 Amp plug adapter is included.
- Capacity for the circuit is 20 Amps, or 15 Amps if using the adapter.
- Never install more than one infeed to a circuit.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

© 2026, AIS, Inc.

SIDE-MOUNTED BASE INFEED WITH POLE


Actual Height	Use	Model Number	List
72”	Standard	O-8W4BIFS	1,171
72”	New York City	O-8W4BIFSNY	1,740



Specify	Notes
• Paint Selection	• Side-mounted base infeed with pole includes a wire management pole with the above mentioned infeed. • Base feed is 72” long.

VERTICAL WIRE MANAGER

Actual Height	Model Number	List
23”	O-VWM	599



POWER / DATA POLE EXTENDERS

Actual Height	Model Number	List	Grade C Paint
28”	A-PPEX28	358	+10
48”	A-PPEX48	517	+10




Specify	Notes
• Paint Selection	• Power/data pole extender includes one pole section, one cover, one pole coupler and one divider. • Order ceiling feeds separately.

© 2026, AIS, Inc.

Glass 1/4” Universal Spine Insert Screens

GLASS 1/4” UNIVERSAL SPINE INSERT SCREENS						
H	W	Horizon Planning	Model Number	Clear Glass	Bronze/Gray Glass	Frosted Glass
12	36	42”H	O-3-1236	436	+ 50	+ 182
12	42	42”H	O-3-1242	471	+ 58	+ 212
12	48	42”H	O-3-1248	505	+ 66	+ 242
12	54	42”H	O-3-1254	647	+ 75	+ 273
12	60	42”H	O-3-1260	573	+ 83	+ 303
12	66	42”H	O-3-1266	606	+ 91	+ 333
12	72	42”H	O-3-1272	640	+ 99	+ 363
12	78	42”H	O-3-1278	676	+ 108	+ 394
12	84	42”H	O-3-1284	709	+ 116	+ 424
16	36	46”H	O-3-1636	647	+ 65	+ 236
16	42	46”H	O-3-1642	681	+ 76	+ 276
16	48	46”H	O-3-1648	719	+ 86	+ 316
16	54	46”H	O-3-1654	782	+ 97	+ 355
16	60	46”H	O-3-1660	835	+ 108	+ 394
16	66	46”H	O-3-1666	852	+ 119	+ 434
16	72	46”H	O-3-1672	875	+ 129	+ 473
16	78	46”H	O-3-1678	896	+ 140	+ 513
16	84	46”H	O-3-1684	915	+ 151	+ 552

GLASS 1/4” UNIVERSAL SPINE INSERT SCREENS						
H	W	Horizon Planning	Model Number	Clear Glass	Bronze/Gray Glass	Frosted Glass
20	36	50”H	O-3-2036	606	+ 80	+ 291
20	42	50”H	O-3-2042	691	+ 93	+ 340
20	48	50”H	O-3-2048	753	+ 106	+ 389
20	54	50”H	O-3-2054	815	+ 120	+ 437
20	60	50”H	O-3-2060	878	+ 133	+ 486
20	66	50”H	O-3-2066	942	+ 146	+ 535
20	72	50”H	O-3-2072	1,005	+ 159	+ 583
20	78	50”H	O-3-2078	1,069	+ 173	+ 632
20	84	50”H	O-3-2084	1,132	+ 186	+ 680



Specify

- Glass Type

Notes

- Universal Spine Insert Screens are designed to up-mount in the spine beam.
- Frosted glass is etched on one side. Patterned glass is patterned vertically as standard. Specials for horizontally patterned glass cannot be manufactured larger than 72” in width.
- Universal Spine Insert Screens can only be used on spine beam sections that are mounted to Calibrate storage elements, supported by end panels or attached to other beams sections at 90 degree or 120 degree angles.
- Universal Spine Insert Screens cannot be used on straight runs with T-feet only.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Glass 3/8” Universal Spine Insert Screens

GLASS 3/8” UNIVERSAL SPINE INSERT SCREENS

H	W	Horizon Planning	Model Number	Clear Glass	Bronze/Gray Glass	Frosted Glass
12	36	42”H	O-SGH1236	715	+ 50	+ 99
12	42	42”H	O-SGH1242	793	+ 58	+ 116
12	48	42”H	O-SGH1248	869	+ 66	+ 132
12	54	42”H	O-SGH1254	948	+ 75	+ 149
12	60	42”H	O-SGH1260	1,024	+ 83	+ 165
12	66	42”H	O-SGH1266	1,103	+ 91	+ 182
12	72	42”H	O-SGH1272	1,180	+ 99	+ 198
12	78	42”H	O-SGH1278	1,258	+ 108	+ 215
12	84	42”H	O-SGH1284	1,334	+ 116	+ 231
16	36	46”H	O-SGH1636	735	+ 65	+ 129
16	42	46”H	O-SGH1642	843	+ 76	+ 151
16	48	46”H	O-SGH1648	955	+ 86	+ 172
16	54	46”H	O-SGH1654	1,038	+ 97	+ 194
16	60	46”H	O-SGH1660	1,075	+ 108	+ 215
16	66	46”H	O-SGH1666	1,191	+ 119	+ 237
16	72	46”H	O-SGH1672	1,278	+ 129	+ 258
16	78	46”H	O-SGH1678	1,304	+ 140	+ 280
16	84	46”H	O-SGH1684	1,382	+ 151	+ 301

GLASS 3/8” UNIVERSAL SPINE INSERT SCREENS

H	W	Horizon Planning	Model Number	Clear Glass	Bronze/Gray Glass	Frosted Glass
20	36	50”H	O-SGH2036	952	+ 80	+ 159
20	42	50”H	O-SGH2042	1,074	+ 93	+ 186
20	48	50”H	O-SGH2048	1,191	+ 106	+ 212
20	54	50”H	O-SGH2054	1,313	+ 120	+ 239
20	60	50”H	O-SGH2060	1,431	+ 133	+ 265
20	66	50”H	O-SGH2066	1,552	+ 146	+ 292
20	72	50”H	O-SGH2072	1,671	+ 159	+ 318
20	78	50”H	O-SGH2078	1,792	+ 173	+ 345
20	84	50”H	O-SGH2084	1,912	+ 186	+ 371
24	36	54”H	O-SGH2436	1,083	+ 95	+ 189
24	42	54”H	O-SGH2442	1,224	+ 111	+ 221
24	48	54”H	O-SGH2448	1,367	+ 126	+ 252
24	54	54”H	O-SGH2454	1,507	+ 142	+ 284
24	60	54”H	O-SGH2460	1,651	+ 158	+ 315
24	66	54”H	O-SGH2466	1,793	+ 174	+ 347
24	72	54”H	O-SGH2472	1,935	+ 189	+ 378
24	78	54”H	O-SGH2478	2,076	+ 205	+ 410
24	84	54”H	O-SGH2484	2,214	+ 221	+ 441



Specify

- Glass Type

Notes


- Universal Spine Insert Screens are designed to up-mount in the spine beam.
- Frosted glass is etched on one side. Patterned glass is patterned vertically as standard. Specials for horizontally patterned glass cannot be manufactured larger than 72” in width.
- Universal Spine Insert Screens can only be used on spine beam sections that are mounted to Calibrate storage elements, supported by end panels or attached to other beams sections at 90 degree or 120 degree angles.
- Universal Spine Insert Screens cannot be used on straight runs with T-feet only.

© 2026, AIS, Inc.

PET Universal Spine Insert Screens

PET UNIVERSAL SPINE INSERT SCREENS				
H	W	Planning	Model Number	List
12	36	42”H	O-5-1236	390
12	42	42”H	O-5-1242	400
12	48	42”H	O-5-1248	414
12	54	42”H	O-5-1254	425
12	60	42”H	O-5-1260	436
12	66	42”H	O-5-1266	449
12	72	42”H	O-5-1272	458
12	78	42”H	O-5-1278	471
12	84	42”H	O-5-1284	482
16	36	46”H	O-5-1636	414
16	42	46”H	O-5-1642	427
16	48	46”H	O-5-1648	443
16	54	46”H	O-5-1654	458
16	60	46”H	O-5-1660	475
16	66	46”H	O-5-1666	490
16	72	46”H	O-5-1672	505
16	78	46”H	O-5-1678	520
16	84	46”H	O-5-1684	535
20	36	50”H	O-5-2036	436
20	42	50”H	O-5-2042	456
20	48	50”H	O-5-2048	475
20	54	50”H	O-5-2054	494
20	60	50”H	O-5-2060	511
20	66	50”H	O-5-2066	531
20	72	50”H	O-5-2072	552
20	78	50”H	O-5-2078	568
20	84	50”H	O-5-2084	590

PET UNIVERSAL SPINE INSERT SCREENS				
H	W	Planning	Model Number	List
24	36	54”H	O-5-2436	458
24	42	54”H	O-5-2442	482
24	48	54”H	O-5-2448	505
24	54	54”H	O-5-2454	527
24	60	54”H	O-5-2460	552
24	66	54”H	O-5-2466	573
24	72	54”H	O-5-2472	595
24	78	54”H	O-5-2478	618
24	84	54”H	O-5-2484	640
28	36	58”H	O-5-2836	482
28	42	58”H	O-5-2842	509
28	48	58”H	O-5-2848	535
28	54	58”H	O-5-2854	562
28	60	58”H	O-5-2860	590
28	66	58”H	O-5-2866	616
28	72	58”H	O-5-2872	640
28	78	58”H	O-5-2878	670
28	84	58”H	O-5-2884	695
32	36	62”H	O-5-3236	505
32	42	62”H	O-5-3242	535
32	48	62”H	O-5-3248	566
32	54	62”H	O-5-3254	595
32	60	62”H	O-5-3260	628
32	66	62”H	O-5-3266	657
32	72	62”H	O-5-3272	686
32	78	62”H	O-5-3278	718
32	84	62”H	O-5-3284	747



Specify

- Color Selection for PET

Notes

- Universal Spine Insert Screens are designed to up-mount in the spine beam.
- Universal Spine Insert Screens can only be used on spine beam sections that are mounted to Calibrate storage elements, supported by end panels or attached to other beams sections at 90 degree or 120 degree angles.
- Universal Spine Insert Screens cannot be used on straight runs with T-feet only.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Floor Bookcases

26” HIGH FLOOR BOOKCASES (14” DEEP)


H	W	D	Model Number	List
26	24	14	C-BC272414G	1,853
26	30	14	C-BC273014G	1,948
26	36	14	C-BC273614G	2,549
26	42	14	C-BC274214G	2,624
26	48	14	C-BC274814G	2,707
26	54	14	C-BC275414G	3,657
26	60	14	C-BC276014G	3,738
26	66	14	C-BC276614G	3,820
26	72	14	C-BC277214G	3,900



24” - 30” Wide 36” - 48” Wide 54” - 72” Wide

26” HIGH FLOOR BOOKCASES (18” DEEP)

H	W	D	Model Number	List
26	24	18	C-BC272418G	1,948
26	30	18	C-BC273018G	2,034
26	36	18	C-BC273618G	2,607
26	42	18	C-BC274218G	2,731
26	48	18	C-BC274818G	2,829
26	54	18	C-BC275418G	3,882
26	60	18	C-BC276018G	3,984
26	66	18	C-BC276618G	4,068
26	72	18	C-BC277218G	4,146



24” - 30” Wide 36” - 48” Wide 54” - 72” Wide

Specify


- Laminate Selection for Back and Case

Notes

- 20”H Floor Bookcases have a 3/4” laminate case construction with 1mm edgeband.
- Legs are 2 1/8”high and glides are adjustable by 1 1/2”.
- 24”- 30” wide units have full open storage slots.
- 36”- 48” wide units have center upright divider creating four storage slots.
- 54”- 72” wide units have three evenly spaced upright dividers creating eight storage slots.

26” HIGH SHARED FLOOR BOOKCASES (LEFT)


H	W	D	Model Number	List
26	36	18	C-YFBCL2736G	2,578
26	42	18	C-YFBCL2742G	2,701
26	48	18	C-YFBCL2748G	2,799
26	60	18	C-YFBCL2760G	3,944
26	66	18	C-YFBCL2766G	4,030
26	72	18	C-YFBCL2772G	4,105



36”- 48” Wide 60” - 72” Wide Shared Overhead View (Open Left)

26” HIGH SHARED FLOOR BOOKCASES (RIGHT)

H	W	D	Model Number	List
26	36	18	C-YFBCR2736G	2,578
26	42	18	C-YFBCR2742G	2,701
26	48	18	C-YFBCR2748G	2,799
26	60	18	C-YFBCR2760G	3,944
26	66	18	C-YFBCR2766G	4,030
26	72	18	C-YFBCR2772G	4,105



36”- 48” Wide 60” - 72” Wide Shared Overhead View (Open Right)

Specify

- Laminate Selection Case and Back

Notes


- 26” high shared floor bookcase has a 3/4” laminate case construction with 1mm edgeband.
- Each unit is handed to allow for left or right hand access.
- Overall unit height is 26” nominal and is available in 36” - 72” wide.
- Designed to be used adjacent to a bench.
- 26” high storage is engineered to use glides for optimal fit.

© 2026, AIS, Inc.


Cabinet Door and Sliding Door Credenzas

26” HIGH LAMINATE FRONT CABINET DOOR CREDENZAS

H	W	D	Model Number	List
26	24	18	C-CC272418LG	2,986
26	30	18	C-CC273018LG	3,113
26	36	18	C-CC273618LG	3,560
26	42	18	C-CC274218LG	3,682
26	48	18	C-CC274818LG	3,866
26	54	18	C-CC275418LG	5,218
26	60	18	C-CC276018LG	5,362
26	66	18	C-CC276618LG	5,463
26	72	18	C-CC277218LG	6,138



30”- 48” Wide



54” - 72” Wide

Specify


- Laminate Selection Case
- Laminate Selection for Drawer/Face
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes


- 26”H Cabinet Door Credenzas have a 3/4” laminate case construction with 1mm edgeband.
- Legs are 2 1/8”H and glides are adjustable by 1 1/2”.
- Cabinet doors features straight bar pull, are lockable and available in laminate or frosted acrylic.
- Trim around acrylic is silver.
- Only the center doors are lockable on 54” - 72” wide credenzas.
- Units may be keyed alike with all AIS storage.
- 24”- 48” wide units have center upright divider creating two cabinet slots.
- 54”- 72” wide units have three center upright dividers creating four cabinet slots.
- 26” high storage ship with glides in place of feet.
- Designed to fit under bench.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull not available on doors. Touch-to-open handle selection incurs a $50 upcharge per unit.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 laminate units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.

26” HIGH LAMINATE FRONT SLIDING DOOR CREDENZAS

H	W	D	Left-Handed Model Number	Right Handed Model Number	List
26	30	18	C-CS273018LLG	C-CS273018RLG	4,334
26	36	18	C-CS273618LLG	C-CS273618RLG	4,459
26	42	18	C-CS274218LLG	C-CS274218RLG	4,588
26	48	18	C-CS274818LLG	C-CS274818RLG	4,698
26	54	18	C-CS275418LLG	C-CS275418RLG	5,930
26	60	18	C-CS276018LLG	C-CS276018RLG	6,059
26	66	18	C-CS276618LLG	C-CS276618RLG	6,168
26	72	18	C-CS277218LLG	C-CS277218RLG	6,297



30”- 48” Wide



54” - 72” Wide

Specify

- Laminate Selection Case
- Laminate Selection for Drawer/Face
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes

- 26”H Sliding Door Credenzas have a 3/4” laminate case construction with 1mm edgeband.
- Legs are 2 1/8”H and glides are adjustable by 1 1/2”.
- Sliding door features straight bar pull, is lockable and available in laminate or frosted acrylic.
- Trim around frosted acrylic is silver.
- Sliding door is also reversible from left to right.
- 30”- 48” wide units have center upright divider creating two storage slots.
- 54”- 72” wide units have three evenly spaced upright dividers creating four storage slots.
- Units may be keyed alike with all AIS storage.
- 26” high storage is engineered to use glides for optimal fit.
- Designed to sit under bench.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull not available on doors. Sliding door units include the option of no handle.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 laminate units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.


Shared Sliding Door Floor Bookcases

26” HIGH SHARED SLIDING DOOR FLOOR BOOKCASES (LEFT)

H	W	D	Model Number	List
26	36	18	C-YFBCSDL2736G	4,411
26	42	18	C-YFBCSDL2742G	4,543
26	48	18	C-YFBCSDL2748G	4,650
26	60	18	C-YFBCSDL2760G	5,998
26	66	18	C-YFBCSDL2766G	6,108
26	72	18	C-YFBCSDL2772G	6,232


36”- 48” Wide



60” - 72” Wide





Top View
(Open Left)

26” HIGH SHARED SLIDING DOOR FLOOR BOOKCASES (RIGHT)

H	W	D	Model Number	List
26	36	18	C-YFBCSDR2736G	4,411
26	42	18	C-YFBCSDR2742G	4,543
26	48	18	C-YFBCSDR2748G	4,650
26	60	18	C-YFBCSDR2760G	5,998
26	66	18	C-YFBCSDR2766G	6,108
26	72	18	C-YFBCSDR2772G	6,232


36”- 48” Wide


60” - 72” Wide



Top View
(Open Right)


Specify	Notes
• Laminate Selection for Case	• 26” high shared floor bookcase with sliding door has a 3/4” laminate case construction with 1mm edgeband.
• Laminate Selection for Front	• Each unit is handed to allow for left or right hand access.
• Handle Selection	• Overall unit height is 26” nominal and is available in 36” - 72” wide.
• Handle Paint Selection	• Designed to be used adjacent to a bench.
• Lock Selection	• Lockable.
	• Comes standard with bar pulls.
	• 26” high storage is engineered to use glides for optimal fit.
	• Handles can be painted in any AIS Grade A, B or C color. The loop, bar and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
	• Slim pull not available on doors. Hinged doors include the option of touch-to-open for a $50 upcharge. Sliding doors units are available with the option of no handle.
	• One core removal key will be included for every 25 laminate units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.

© 2026, AIS, Inc.


Single Door Cabinets

26” HIGH LAMINATE FRONT SINGLE DOOR CABINETS

H	W	D	Left-Hinge Model Number	Right-Hinge Model Number	List
26	15	18	C-SDC271518LLG	C-SDC271518RLG	2,275
26	15	24	C-SDC271524LLG	C-SDC271524RLG	2,357
26	15	30	C-SDC271530LLG	C-SDC271530RLG	2,459



Left-Hinge



Right-Hinge

Specify	Notes
• Laminate Selection Case	• 26”H Single Door Cabinets have a 3/4” laminate case construction with 1mm edgeband.
• Laminate Selection for Drawer/Face	• Legs are 2 1/8”H and glides are adjustable by 1 1/2”.
• Handle Selection	• Single Door Cabinets are 12” wide and are available 24”, 30”, or 36” deep.
• Handle Paint Selection	• Cabinet door features straight bar pull, is lockable and available in laminate or frosted acrylic.
• Lock Selection	• Trim around frosted acrylic is silver.
	• 26” high storage ship with glides in place of feet.
	• Designed to sit under Bench.
	• Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
	• Slim pull not available on doors.Touch-to-open handle selection incurs a $50 upcharge per unit.
	• Lock cores and trim rings ship separately.
	• One core removal key will be included for every 25 laminate units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Mini Hutches and Mini Hutch Tackboards

SINGLE-SIDED MINI HUTCHES

H	W	D	Horizon Planning	Model Number	List
12	17	22.5	42”H Horizon	C-MHS1224	1,536
16	17	22.5	46”H Horizon	C-MHS1624	1,639
20	17	22.5	50”H Horizon	C-MHS2024	1,741
12	17	28.5	42”H Horizon	C-MHS1230	1,741
16	17	28.5	46”H Horizon	C-MHS1630	1,842
20	17	28.5	50”H Horizon	C-MHS2030	1,946



Specify


- Laminate Selection for Case and Divider

Notes

- Mini Hutch - Single-Sided is designed to sit on top of the surface and allow for open plan storage.
- All Mini Hutch units are designed for bench depth.
- Mini Hutch is used front to back on the worksurface.
- Measures 17.125” wide.
- Units shorter than 16”H will not accept a standing binder.
- Desktop units will not mar the surface.

SHARED DOUBLE-SIDED MINI HUTCHES

H	W	D	Horizon Planning	Model Number	List
12	22.5	16	42”H Horizon	C-MHD1224	1,536
16	22.5	16	46”H Horizon	C-MHD1624	1,639
20	22.5	16	50”H Horizon	C-MHD2024	1,741
12	28.5	16	42”H Horizon	C-MHD1230	1,741
16	28.5	16	46”H Horizon	C-MHD1630	1,842
20	28.5	16	50”H Horizon	C-MHD2030	1,946



Specify


- Laminate Selection for Case
- Laminate Selection for Divider

Notes

- Mini Hutch - Double-Sided is designed to sit on top of the surface and allow for open plan storage.
- All Mini Hutch units are 16.314”D.
- Mini Hutch units are sized for worksurface depth.
- Units shorter than 16”H will not accept a standing binder.
- Desktop units will not mar the surface.

SINGLE-SIDED MINI HUTCH TACKBOARDS

H	W	For Use With	Model Number	List	Grade C Fabric	Grade D Fabric
12	22.5	C-MHS1224	C-MHTK1224	344	+19	+38
16	22.5	C-MHS1624	C-MHTK1624	383	+19	+38
20	22.5	C-MHS2024	C-MHTK2024	468	+27	+54
12	28.5	C-MHS1230	C-MHTK1230	372	+19	+38
16	28.5	C-MHS1630	C-MHTK1630	428	+19	+38
20	28.5	C-MHS2030	C-MHTK2030	517	+27	+54



Top View
Tackboard Placement

Specify


- Fabric Selection

Notes

- Mini Hutch Single-Sided Tackboards fill the outside of a Mini Hutch to provide the user with a tackable surface.
- Tackboards are sold separately.

DOUBLE-SIDED MINI HUTCH TACKBOARDS

H	W	For Use With	Model Number	List	Grade C Fabric	Grade D Fabric
12	22.5	C-MHD1224	C-MHTK1224	344	+19	+38
16	22.5	C-MHD1624	C-MHTK1624	383	+19	+38
20	22.5	C-MHD2024	C-MHTK2024	468	+27	+54
12	28.5	C-MHD1230	C-MHTK1230	372	+19	+38
16	28.5	C-MHD1630	C-MHTK1630	428	+19	+38
20	28.5	C-MHD2030	C-MHTK2030	517	+27	+54



Side View
Tackboard Placement

Specify

- Fabric Selection

Notes

- Mini Hutch - Double-Sided Tackboards fill the inside rear of a Mini Hutch - Double-Sided unit to provide the user with a tackable surface.
- Tackboards are sold individually.
- Units shorter than 16”H will not accept a standing binder.
- Desktop units will not mar the surface.

© 2026, AIS, Inc.


Mini Shared Shelves and Mini Shared Shelf Tackboards


HORIZONTAL DESKTOP MINI SHARED SHELF


H	W	D	Horizon Planning	Model Number	List
12	22.5	16	42”H Horizon	C-MSYYH122418	1,946
16	22.5	16	46”H Horizon	C-MSYYH162418	2,046
20	22.5	16	50”H Horizon	C-MSYYH202418	2,146
12	28.5	16	42”H Horizon	C-MSYYH123018	2,146
16	28.5	16	46”H Horizon	C-MSYYH163018	2,252
20	28.5	16	50”H Horizon	C-MSYYH203018	2,353


VERTICAL DESKTOP MINI SHARED SHELF

H	W	D	Horizon Planning	Model Number	List
12	22.5	16	42”H Horizon	C-MSYYV122418	1,946
16	22.5	16	46”H Horizon	C-MSYYV162418	2,046
20	22.5	16	50”H Horizon	C-MSYYV202418	2,146
12	28.5	16	42”H Horizon	C-MSYYV123018	2,146
16	28.5	16	46”H Horizon	C-MSYYV163018	2,252
20	28.5	16	50”H Horizon	C-MSYYV203018	2,353













Side View Horizontal Tackboard Placement









Top View Vertical Tackboard Placement

Specify

- Laminate Selection for Case
- Laminate Selection for Divider

Notes


- Mini Shared Shelves are designed to sit on top of the surface and allow for open plan storage.
- All Shared units are 16.314”deep.
- Shared are sized for worksurface depth.
- Desktop units will not mar the surface.


HORIZONTAL MINI SHARED SHELF DESKTOP TACKBOARDS

H	W	For Use With	Model Number	List	Grade C Fabric	Grade D Fabric
12	22.5	C-MSYYH122418	C-MSYYHTK122418	249	+19	+38
16	22.5	C-MSYYH162418	C-MSYYHTK162418	273	+19	+38
20	22.5	C-MSYYH202418	C-MSYYHTK202418	331	+27	+54
12	28.5	C-MSYYH123018	C-MSYYHTK123018	265	+19	+38
16	28.5	C-MSYYH163018	C-MSYYHTK163018	290	+19	+38
20	28.5	C-MSYYH203018	C-MSYYHTK203018	361	+27	+54


VERTICAL MINI SHARED SHELF DESKTOP TACKBOARDS

H	W	For Use With	Model Number	List	Grade C Fabric	Grade D Fabric
12	22.5	C-MSYYV122418	C-MSYYVTK122418	235	+19	+38
16	22.5	C-MSYYV162418	C-MSYYVTK162418	256	+19	+38
20	22.5	C-MSYYV202418	C-MSYYVTK202418	314	+27	+54
12	28.5	C-MSYYV123018	C-MSYYVTK123018	249	+19	+38
16	28.5	C-MSYYV163018	C-MSYYVTK163018	273	+19	+38
20	28.5	C-MSYYV203018	C-MSYYVTK203018	341	+27	+54





Side View Horizontal Tackboard Placement



Top View Vertical Tackboard Placement

Specify

- Fabric Selection

Notes


- Mini Shared Shelf - Desktop Tackboards fill the outside rear of a Mini Shared Shelf (Horizontal) Desk Top unit to provide the user with a tackable surface.
- Tackboards are sold individually.
- Desktop units will not mar the surface.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Single-Sided Desktop Bookcases

SINGLE-SIDED DESKTOP BOOKCASE ON 4” FEET

H	W	D	Horizon Planning	Model Number	List
8	34	16	42”H Horizon	C-SSODT083616	1,682
8	40	16	42”H Horizon	C-SSODT084216	1,788
8	46	16	42”H Horizon	C-SSODT084816	1,885
8	52	16	42”H Horizon	C-SSODT085416	1,989
8	58	16	42”H Horizon	C-SSODT086016	2,089
8	64	16	42”H Horizon	C-SSODT086616	2,194
8	70	16	42”H Horizon	C-SSODT087216	2,294
12	34	16	46”H Horizon	C-SSODT123616	1,788
12	40	16	46”H Horizon	C-SSODT124216	1,885
12	46	16	46”H Horizon	C-SSODT124816	1,989
12	52	16	46”H Horizon	C-SSODT125416	2,089
12	58	16	46”H Horizon	C-SSODT126016	2,194
12	64	16	46”H Horizon	C-SSODT126616	2,294
12	70	16	46”H Horizon	C-SSODT127216	2,396
16	34	16	50”H Horizon	C-SSODT163616	1,885
16	40	16	50”H Horizon	C-SSODT164216	1,989
16	46	16	50”H Horizon	C-SSODT164816	2,089
16	52	16	50”H Horizon	C-SSODT165416	2,194
16	58	16	50”H Horizon	C-SSODT166016	2,294
16	64	16	50”H Horizon	C-SSODT166616	2,396
16	70	16	50”H Horizon	C-SSODT167216	2,499



8”H


12”H


16”H

SINGLE-SIDED DESKTOP BOOKCASE ON 8” FEET

H	W	D	Horizon Planning	Model Number	List
8	34	16	46”H Horizon	C-SSODT080836	1,681
8	40	16	46”H Horizon	C-SSODT080842	1,787
8	46	16	46”H Horizon	C-SSODT080848	1,885
8	52	16	46”H Horizon	C-SSODT080854	1,989
8	58	16	46”H Horizon	C-SSODT080860	2,089
8	64	16	46”H Horizon	C-SSODT080866	2,192
8	70	16	46”H Horizon	C-SSODT080872	2,293


16”H

Specify

- Laminate Selection for Case and Back
- Paint Selection

Notes


- Single-Sided Desktop Bookcases are designed to sit on top of the surface and allow for open plan storage.
- Units are 2” shorter than nominal to allow for territory screens.
- Units shorter than 16”H will not accept a standing binder.
- Desktop units will not mar the surface.


© 2026, AIS, Inc.


Double-Sided Desktop Bookcases

DOUBLE-SIDED DESKTOP BOOKCASES ON 4" FEET

H	W	D	Horizon Planning	Model Number	List
8	34	24	42"H	C-DSODT083624	2,312
8	40	24	42"H	C-DSODT084224	2,419
8	46	24	42"H	C-DSODT084824	2,522
8	52	24	42"H	C-DSODT085424	3,114
8	58	24	42"H	C-DSODT086024	3,198
8	64	24	42"H	C-DSODT086624	3,282
8	70	24	42"H	C-DSODT087224	3,370
12	34	24	46"H	C-DSODT123624	2,375
12	40	24	46"H	C-DSODT124224	2,480
12	46	24	46"H	C-DSODT124824	2,587
12	52	24	46"H	C-DSODT125424	3,178
12	58	24	46"H	C-DSODT126024	3,262
12	64	24	46"H	C-DSODT126624	3,347
12	70	24	46"H	C-DSODT127224	3,432
16	34	24	50"H	C-DSODT163624	2,438
16	40	24	50"H	C-DSODT164224	2,547
16	46	24	50"H	C-DSODT164824	2,649
16	52	24	50"H	C-DSODT165424	3,238
16	58	24	50"H	C-DSODT166024	3,325
16	64	24	50"H	C-DSODT166624	3,409
16	70	24	50"H	C-DSODT167224	3,493



8"H


12"H


16"H

DOUBLE-SIDED DESKTOP BOOKCASES ON 8" FEET

H	W	D	Horizon Planning	Model Number	List
8	34	24	46"H	C-DSODT8083624	2,312
8	40	24	46"H	C-DSODT8084224	2,419
8	46	24	46"H	C-DSODT8084824	2,522
8	52	24	46"H	C-DSODT8085424	3,114
8	58	24	46"H	C-DSODT8086024	3,198
8	64	24	46"H	C-DSODT8086624	3,282
8	70	24	46"H	C-DSODT8087224	3,370


16"H

Specify

- Laminate Selection for Back
- Laminate Selection for Case
- Paint Selection

Notes

- Double-Sided Desktop Bookcases sit on feet that are 4" above the surface to provide access to the power / data along the spine beam.
- Units are designed to straddle the spine beam / worksurface seams.
- Units are 2" shorter than nominal to allow for territory screens.
- Units shorter than 16"H will not accept a standing binder.
- Desktop Units will not mar the surface.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Spine Shared Desktop Bookcases


SPINE SHARED DESKTOP BOOKCASE OPEN ON 4" FEET

H	W	D	Horizon Planning	Model Number	List	Writable Surface
8	34	16	42"H Horizon	C-YYODT083616	1,682	+181
8	40	16	42"H Horizon	C-YYODT084216	1,788	+208
8	46	16	42"H Horizon	C-YYODT084816	1,885	+234
8	52	16	42"H Horizon	C-YYODT085416	1,989	+260
8	58	16	42"H Horizon	C-YYODT086016	2,089	+287
8	64	16	42"H Horizon	C-YYODT086616	2,194	313
8	70	16	42"H Horizon	C-YYODT087216	2,294	+340
12	34	16	46"H Horizon	C-YYODT123616	1,788	+241
12	40	16	46"H Horizon	C-YYODT124216	1,885	+275
12	46	16	46"H Horizon	C-YYODT124816	1,989	+308
12	52	16	46"H Horizon	C-YYODT125416	2,089	+342
12	58	16	46"H Horizon	C-YYODT126016	2,194	+376
12	64	16	46"H Horizon	C-YYODT126616	2,294	+410
12	70	16	46"H Horizon	C-YYODT127216	2,396	+444
16	34	16	50"H Horizon	C-YYODT163616	1,885	+301
16	40	16	50"H Horizon	C-YYODT164216	1,989	+342
16	46	16	50"H Horizon	C-YYODT164816	2,089	+383
16	52	16	50"H Horizon	C-YYODT165416	2,194	+424
16	58	16	50"H Horizon	C-YYODT166016	2,294	+465
16	64	16	50"H Horizon	C-YYODT166616	2,396	+507
16	70	16	50"H Horizon	C-YYODT167216	2,499	+548



SPINE SHARED DESKTOP BOOKCASE OPEN ON 8" FEET

H	W	D	Horizon Planning	Model Number	List	Writable Surface
8	34	16	42"H Horizon	C-YYODT8083616	1,732	+181
8	40	16	42"H Horizon	C-YYODT8084216	1,841	+208
8	46	16	42"H Horizon	C-YYODT8084816	1,942	+234
8	52	16	42"H Horizon	C-YYODT8085416	2,049	+260
8	58	16	42"H Horizon	C-YYODT8086016	2,152	+287
8	64	16	42"H Horizon	C-YYODT8086616	2,258	313
8	70	16	42"H Horizon	C-YYODT8087216	2,362	+340



Specify

- Laminate Selection for Back
- Laminate Selection for Case
- Paint Selection
- Dry-Erase Writable Surface Option

Notes


- Spine Shared Desktop Bookcase Open sits on feet that are 4" above the surface to provide access to the power / data along the spine beam.
- Units are designed to straddle the spine beam / worksurface seams.
- Units provide shared storage.
- Units are 2" shorter than nominal to allow for territory screens.
- Units shorter than 16"H will not accept a standing binder.
- Desktop units will not mar the surface.

© 2026, AIS, Inc.

Single-Sided and Spine Shared Desktop Bookcase Tackboards

SINGLE-SIDED DESKTOP TACKBOARDS

H	W	For Use With	Model Number	List	Grade C Fabric	Grade D Fabric
8	36	C-SSODT083616	C-SSODTTK083616	407	+11	+22
8	42	C-SSODT084216	C-SSODTTK084216	431	+11	+22
8	48	C-SSODT084816	C-SSODTTK084816	459	+11	+22
8	54	C-SSODT085416	C-SSODTTK085416	482	+19	+38
8	60	C-SSODT086016	C-SSODTTK086016	510	+19	+38
8	66	C-SSODT086616	C-SSODTTK086616	535	+19	+38
8	72	C-SSODT087216	C-SSODTTK087216	560	+27	+54
12	36	C-SSODT123616	C-SSODTTK123616	459	+19	+38
12	42	C-SSODT124216	C-SSODTTK124216	492	+19	+38
12	48	C-SSODT124816	C-SSODTTK124816	526	+19	+38
12	54	C-SSODT125416	C-SSODTTK125416	560	+27	+54
12	60	C-SSODT126016	C-SSODTTK126016	592	+27	+54
12	66	C-SSODT126616	C-SSODTTK126616	630	+27	+54
12	72	C-SSODT127216	C-SSODTTK127216	664	+34	+68
16	36	C-SSODT163616	C-SSODTTK163616	577	+19	+38
16	42	C-SSODT164216	C-SSODTTK164216	620	+19	+38
16	48	C-SSODT164816	C-SSODTTK164816	664	+19	+38
16	54	C-SSODT165416	C-SSODTTK165416	705	+27	+54
16	60	C-SSODT166016	C-SSODTTK166016	749	+27	+54
16	66	C-SSODT166616	C-SSODTTK166616	792	+27	+54
16	72	C-SSODT167216	C-SSODTTK167216	836	+34	+68



Specify


- Fabric Selection

Notes

- Single-Sided Desktop Tackboards fill the unused side of a Single-Sided Overhead - Desktop, providing the user with a tackable surface.
- Tackboards are sold individually.

SPINE SHARED DESKTOP BOOKCASE OPEN TACKBOARDS

H	W	For Use With	Model Number	List	Grade C Fabric	Grade D Fabric
8	36	C-YYODT083616	C-YYODTTK083616	207	+11	+22
8	42	C-YYODT084216	C-YYODTTK084216	212	+11	+22
8	48	C-YYODT084816	C-YYODTTK084816	223	+11	+22
8	54	C-YYODT085416	C-YYODTTK085416	234	+19	+38
8	60	C-YYODT086016	C-YYODTTK086016	278	+19	+38
8	66	C-YYODT086616	C-YYODTTK086616	286	+19	+38
8	72	C-YYODT087216	C-YYODTTK087216	292	+27	+54
12	36	C-YYODT123616	C-YYODTTK123616	234	+19	+38
12	42	C-YYODT124216	C-YYODTTK124216	246	+19	+38
12	48	C-YYODT124816	C-YYODTTK124816	256	+19	+38
12	54	C-YYODT125416	C-YYODTTK125416	273	+27	+54
12	60	C-YYODT126016	C-YYODTTK126016	320	+27	+54
12	66	C-YYODT126616	C-YYODTTK126616	331	+27	+54
12	72	C-YYODT127216	C-YYODTTK127216	347	+34	+68
16	36	C-YYODT163616	C-YYODTTK163616	278	+19	+38
16	42	C-YYODT164216	C-YYODTTK164216	278	+19	+38
16	48	C-YYODT164816	C-YYODTTK164816	312	+19	+38
16	54	C-YYODT165416	C-YYODTTK165416	328	+27	+54
16	60	C-YYODT166016	C-YYODTTK166016	400	+27	+54
16	66	C-YYODT166616	C-YYODTTK166616	416	+27	+54
16	72	C-YYODT167216	C-YYODTTK167216	431	+34	+68



Specify

- Fabric Selection

Notes

- Spine Shared Desktop Bookcase Open Tackboards fill the unused side of an Shared Overhead Desk Top to provide the user with a tackable surface.
- Tackboards are sold individually.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Endcap Hutches and Endcap Hutch Tackboards

ENDCAP HUTCH

H	W	D	Horizon Planning	Model Number	List
8	48	16	38”H Horizon	C-EHSM084816	2,922
8	60	16	38”H Horizon	C-EHSM086016	3,176
12	48	16	42”H Horizon	C-EHSM124816	3,006
12	60	16	42”H Horizon	C-EHSM126016	3,280
16	48	16	46”H Horizon	C-EHSM164816	3,092
16	60	16	46”H Horizon	C-EHSM166016	3,386
20	48	16	50”H Horizon	C-EHSM204816	3,176
20	60	16	50”H Horizon	C-EHSM206016	3,491



Specify


- Laminate Selection for Case, Back and Bottom
- Paint Selection

Notes

- Endcap Hutches mount to the end of run legs with cantilevers.
- Endcap Hutches must be used on a bench that is at least 48” wide, or any combination of 2 benches or more.
- Weight capacity is 150lbs.
- Units shorter than 16”H will not accept a standing binder.

ENDCAP HUTCH OUTSIDE TACKBOARDS

H	W	For Use With	Model Number	List	Grade C Fabric	Grade D Fabric
8	48	C-EHSM084816	C-EHSMTK084816	414	+11	+22
8	60	C-EHSM086016	C-EHSMTK086016	447	+19	+38
12	48	C-EHSM124816	C-EHSMTK124816	484	+19	+38
12	60	C-EHSM126016	C-EHSMTK126016	542	+19	+38
16	48	C-EHSM164816	C-EHSMTK164816	558	+19	+38
16	60	C-EHSM166016	C-EHSMTK166016	629	+27	+54
20	48	C-EHSM204816	C-EHSMTK204816	703	+27	+54
20	60	C-EHSM206016	C-EHSMTK206016	792	+27	+54



Specify

- Fabric Selection

Notes


- Endcap Hutch Tackboards fill the rear (aisle side) of an Endcap Hutch to provide the user with a tackable surface.
- Tackboards are sold separately.


© 2026, AIS, Inc.

Shared Overheads and Bench End Worksurfaces

SHARED OVERHEADS WITH SLIDING DOORS

H	W	D	Horizon Planning	Model Number	List	Writable Surface
16	34	16	50”H Horizon	C-SOSDDT163615	3,520	+301
16	46	16	50”H Horizon	C-SOSDDT164215	3,620	+342
16	46	16	50”H Horizon	C-SOSDDT164815	3,724	+383
16	52	16	50”H Horizon	C-SOSDDT165415	3,824	+424
16	58	16	50”H Horizon	C-SOSDDT166015	3,927	+465
16	64	16	50”H Horizon	C-SOSDDT166615	4,028	+507
16	70	16	50”H Horizon	C-SOSDDT167215	4,131	+548





Specify


- Laminate Selection for Back
- Laminate Selection for Case
- Laminate Selection for Front
- Handle Selection
- Handle Paint Selection
- Lock Selection


Notes


- Shared Overheads with Sliding Doors sit on feet that are 4” above the surface to provide access to the power / data along the spine beam.
- Units are designed to straddle the spine beam / worksurface seams.
- Lockable.
- Units are 2” shorter than nominal to allow for territory screens.
- Units can be ordered with a glass writing surface over white or any standard laminate.
- Comes standard with bar pulls.
- Desktop units will not mar the surface.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull not available on doors. Sliding door units include the option of no handle.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 laminate units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.

BENCH END WORKSURFACES

W	D	Model Number	List
48	16	C-EBWS1648	515
60	16	C-EBWS1660	582
48	18	C-EBWS1848	549
60	18	C-EBWS1860	619
48	20	C-EBWS2048	582
60	20	C-EBWS2060	659







Specify

- Laminate Selection
- Paint Selection
- Edge Selection

Notes

- Bench End Worksurfaces mount to the end-of-run legs with cantilevers.
- Bench End Worksurfaces must be used on a bench that is at least 48” wide, or any combination of two benches or more.
- Weight capacity is 150lbs.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Metal Freestanding Pedestals


26” HIGH FREESTANDING BOX / BOX / FILE PEDESTAL

H	Model Number	List	Paint Grade C
26	S-PEDBBFJ24G	1,279	+118



26” HIGH FREESTANDING FILE / FILE PEDESTAL

H	Model Number	List	Paint Grade C
26	S-PEDFFJ24G	1,279	+118




Specify	Notes
• Paint Selection	• 26”H L Series Metal Pedestals have a square front with brushed nickel rectangle pulls. • Box drawers and file drawers have full depth, smooth riding ball bearing suspensions. • All pedestals are lockable with two supplied LL keys. • Pedestals come equipped for front-to-back letter-size filing. • Box / box / file pedestals include one box drawer pencil tray. • 20” - 26”H pedestals may be used under bench tops.

© 2026, AIS, Inc.

Freestanding Laminate Pedestals


26” HIGH LAMINATE BOX / BOX / FILE PEDESTAL (FREESTANDING)

H	W	D	Model Number	List
26	16.5	24	C-BBFPFS24G	3,246



26” HIGH LAMINATE FILE / FILE PEDESTAL (FREESTANDING)

H	W	D	Model Number	List
26	16.5	24	C-FFPFS24G	3,195




Specify	Notes
• Laminate selection for Case	• 26”H Laminate Pedestals have a 3/4” laminate case construction with 1mm edgeband.
• Laminate selection for Drawer/Front	• Box drawers and file drawers have full depth, smooth riding ball bearing suspensions.
• Paint Selection	• All pedestals are lockable with two supplied keys.
• Handle selection	• Comes standard with bar pulls.
• Handle paint selection	• 26”H storage is engineered to use glides for optimal fit.
• Lock selection	• Designed to sit under Bench.
	• 26”H Laminate Pedestals cannot be used on benches with same depth as the pedestal. Pedestal must be 6” smaller. Ex: 24” deep pedestal can be used with 30” bench. 18” deep pedestal can be used with 24” bench.
	• Handles can be painted in any AIS Grade A, B, or C color. The loop, bar and rectangle pull are also available unpainted. Grade C Paint selection incurs a $10 upcharge.
	• Slim pull incurs a $75 upcharge.
	• Lock cores and trim rings ship separately.
	• One core removal key will be included for every 25 laminate units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.) Additional core removal keys can be purchased separately. Refer to the Accessories section.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Freestanding Laminate Lateral Files

26” HIGH LAMINATE FILE / FILE LATERAL FILES (FREESTANDING)

H	W	D	Model Number	List
26	30	18	C-LAT2D1830G	3,964
26	36	18	C-LAT2D1836G	4,068
26	42	18	C-LAT2D1842G	4,272
26	30	24	C-LAT2D2430G	4,520
26	36	24	C-LAT2D2436G	4,678
26	42	24	C-LAT2D2442G	4,996


18”D


24”D

Specify

- Laminate Selection Case
- Laminate Selection for Drawer/Front
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes

- 26”H Laminate Lateral Files have a 3/4” laminate case construction with 1mm edgeband.
- Overall unit height is 26” nominal and is available in 30” - 42” wide.
- 18” deep units provide letter filing both vertically and front to back, but legal filing front to back only.
- 24” deep units provide letter and legal filing both laterally and front to back.
- Comes standard with bar pulls.
- 26”H storage is engineered to use glides for optimal fit.
- Designed to sit under Bench.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull not available on doors. Sliding door units include the option of no handle.
- Slim pull incurs a $75 upcharge.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 laminate units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.

© 2026, AIS, Inc.

Pebble Tables with Slim Post Legs

2MM EDGE PEBBLE TABLES WITH SLIM POST LEGS

			On Glides		On Casters	
D	W	H	Model Number	List	Model Number	List
30	36	29	T-PBR303629SMG	2,913	T-PBR303629SMC	2,907
30	42	29	T-PBR304229SMG	2,948	T-PBR304229SMC	2,942
30	48	29	T-PBR304829SMG	2,986	T-PBR304829SMC	2,979
30	54	29	T-PBR305429SMG	3,124	T-PBR305429SMC	3,116
30	60	29	T-PBR306029SMG	3,176	T-PBR306029SMC	3,169
30	66	29	T-PBR306629SMG	3,297	T-PBR306629SMC	3,290
30	72	29	T-PBR307229SMG	3,363	T-PBR307229SMC	3,356
36	42	29	T-PBR364229SMG	2,999	T-PBR364229SMC	2,994
36	48	29	T-PBR364829SMG	3,044	T-PBR364829SMC	3,036
36	54	29	T-PBR365429SMG	3,189	T-PBR365429SMC	3,182
36	60	29	T-PBR366029SMG	3,247	T-PBR366029SMC	3,239
36	66	29	T-PBR366629SMG	3,378	T-PBR366629SMC	3,373
36	72	29	T-PBR367229SMG	3,450	T-PBR367229SMC	3,444
42	48	29	T-PBR424829SMG	3,101	T-PBR424829SMC	3,094
42	54	29	T-PBR425429SMG	3,256	T-PBR425429SMC	3,247
42	60	29	T-PBR426029SMG	3,320	T-PBR426029SMC	3,315
42	66	29	T-PBR426629SMG	3,457	T-PBR426629SMC	3,450
42	72	29	T-PBR427229SMG	3,539	T-PBR427229SMC	3,531
48	54	29	T-PBR485429SMG	3,320	T-PBR485429SMC	3,315
48	60	29	T-PBR486029SMG	3,392	T-PBR486029SMC	3,386
48	66	29	T-PBR486629SMG	3,539	T-PBR486629SMC	3,531
48	72	29	T-PBR487229SMG	3,626	T-PBR487229SMC	3,618

KNIFE EDGE PEBBLE TABLES WITH SLIM POST LEGS

			On Glides		On Casters	
D	W	H	Model Number	List	Model Number	List
30	36	29	T-PBK303629SMG	4,384	T-PBK303629SMC	4,373
30	42	29	T-PBK304229SMG	4,442	T-PBK304229SMC	4,439
30	48	29	T-PBK304829SMG	4,506	T-PBK304829SMC	4,502
30	54	29	T-PBK305429SMG	4,660	T-PBK305429SMC	4,650
30	60	29	T-PBK306029SMG	4,734	T-PBK306029SMC	4,726
30	66	29	T-PBK306629SMG	4,870	T-PBK306629SMC	4,865
30	72	29	T-PBK307229SMG	4,959	T-PBK307229SMC	4,951
36	42	29	T-PBK364229SMG	4,532	T-PBK364229SMC	4,524
36	48	29	T-PBK364829SMG	4,605	T-PBK364829SMC	4,601
36	54	29	T-PBK365429SMG	4,770	T-PBK365429SMC	4,765
36	60	29	T-PBK366029SMG	4,858	T-PBK366029SMC	4,852
36	66	29	T-PBK366629SMG	5,009	T-PBK366629SMC	5,002
36	72	29	T-PBK367229SMG	5,108	T-PBK367229SMC	5,102
42	48	29	T-PBK424829SMG	4,708	T-PBK424829SMC	4,701
42	54	29	T-PBK425429SMG	4,882	T-PBK425429SMC	4,876
42	60	29	T-PBK426029SMG	4,983	T-PBK426029SMC	4,977
42	66	29	T-PBK426629SMG	5,147	T-PBK426629SMC	5,140
42	72	29	T-PBK427229SMG	5,261	T-PBK427229SMC	5,250
48	54	29	T-PBK485429SMG	4,995	T-PBK485429SMC	4,990
48	60	29	T-PBK486029SMG	5,108	T-PBK486029SMC	5,102
48	66	29	T-PBK486629SMG	5,284	T-PBK486629SMC	5,278
48	72	29	T-PBK487229SMG	5,410	T-PBK487229SMC	5,405









Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Color Selection for Leg - Painted or Bright Metal

Notes

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

120° Corner and 60° Trapezoid with Slim Post Legs

2MM EDGE 120° CORNER TABLES WITH SLIM POST LEGS

			On Glides		On Casters	
D	W	H	Model Number	List	Model Number	List
24	54x54	29	T-YR245454TPG	4,371	T-YR245454TPC	4,362
30	54x54	29	T-YR305454TPG	4,469	T-YR305454TPC	4,463





Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Color Selection for Leg - Painted or Bright Metal

Notes

2MM EDGE 60° TRAPEZOID TABLES WITH SLIM POST LEGS

			On Glides		On Casters	
D	W	H	Model Number	List	Model Number	List
24	60	29	T-TZR246029SMG	3,077	T-TZR246029SMC	3,065
24	66	29	T-TZR246629SMG	3,101	T-TZR246629SMC	3,094
24	72	29	T-TZR247229SMG	3,161	T-TZR247229SMC	3,151
24	78	29	T-TZR247829SMG	3,189	T-TZR247829SMC	3,182
24	84	29	T-TZR248429SMG	3,247	T-TZR248429SMC	3,239
30	66	29	T-TZR306629SMG	3,182	T-TZR306629SMC	3,176
30	72	29	T-TZR307229SMG	3,247	T-TZR307229SMC	3,239
30	78	29	T-TZR307829SMG	3,287	T-TZR307829SMC	3,276
30	84	29	T-TZR308429SMG	3,348	T-TZR308429SMC	3,345





Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Color Selection for Leg - Painted or Bright Metal

Notes

© 2026, AIS, Inc.

Round and Triangle Tables with Slim Post Legs

2MM EDGE ROUND TABLES ON SLIM POST LEGS

		On Glides		On Casters	
D	H	Model Number	List	Model Number	List
24	29	T-RDR2429SMG	2,813	T-RDR2429SMC	2,804
30	29	T-RDR3029SMG	2,876	T-RDR3029SMC	2,871
36	29	T-RDR3629SMG	2,959	T-RDR3629SMC	2,948
42	29	T-RDR4229SMG	3,053	T-RDR4229SMC	3,044
48	29	T-RDR4829SMG	3,161	T-RDR4829SMC	3,151
54	29	T-RDR5429SMG	3,457	T-RDR5429SMC	3,450
60	29	T-RDR6029SMG	3,626	T-RDR6029SMC	3,618




KNIFE EDGE ROUND TABLES ON SLIM POST LEGS

		On Glides		On Casters	
D	H	Model Number	List	Model Number	List
24	29	T-RDK2429SMG	4,206	T-RDK2429SMC	4,201
30	29	T-RDK3029SMG	4,315	T-RDK3029SMC	4,312
36	29	T-RDK3629SMG	4,456	T-RDK3629SMC	4,449
42	29	T-RDK4229SMG	4,620	T-RDK4229SMC	4,616
48	29	T-RDK4829SMG	4,810	T-RDK4829SMC	4,801
54	29	T-RDK5429SMG	5,170	T-RDK5429SMC	5,167
60	29	T-RDK6029SMG	5,435	T-RDK6029SMC	5,426




2MM EDGE TRIANGLE TABLES ON SLIM POST LEGS

		On Glides		On Casters	
D	H	Model Number	List	Model Number	List
36	29	T-TRR3629SMG	2,942	T-TRR3629SMC	2,935
48	29	T-TRR4829SMG	3,144	T-TRR4829SMC	3,140
54	29	T-TRR5429SMG	3,270	T-TRR5429SMC	3,261
60	29	T-TRR6029SMG	3,407	T-TRR6029SMC	3,402




KNIFE EDGE TRIANGLE TABLES ON SLIM POST LEGS

		On Glides		On Casters	
D	H	Model Number	List	Model Number	List
36	29	T-TRK3629SMG	4,442	T-TRK3629SMC	4,439
48	29	T-TRK4829SMG	4,795	T-TRK4829SMC	4,789
54	29	T-TRK5429SMG	5,009	T-TRK5429SMC	5,002
60	29	T-TRK6029SMG	5,245	T-TRK6029SMC	5,242




Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Color Selection for Leg - Painted or Bright Metal

Notes


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Tool Rails and Bench End Worksurfaces


FRONT-TO-BACK TOOL BARS (LEFT)

W	Model Number	List	Paint Grade C
22.5	O-TBFTBL24	577	+25
28.5	O-TBFTBL30	633	+25




FRONT-TO-BACK TOOL BARS (RIGHT)

W	Model Number	List	Paint Grade C
22.5	O-TBFTBR24	577	+25
28.5	O-TBFTBR30	633	+25



FRONT-TO-BACK TOOL BARS (SHARED)


W	Model Number	List	Paint Grade C
22.5	O-TBFTBC24	596	+25
28.5	O-TBFTBC30	653	+25




Specify	Notes
• Paint Selection	• Front-to-back tool rails are mounted directly to a worksurface to allow for the use of tool bar accessories. • Tool bars are double-sided to allow for accessories to be mounted to either side.

WORKSURFACE REAR-MOUNTED TOOL RAIL

W	Model Number	List	Paint Grade C
24	A-WSMTR24	479	+25
30	A-WSMTR30	514	+25
36	A-WSMTR36	551	+25
42	A-WSMTR42	585	+25
48	A-WSMTR48	617	+25
54	A-WSMTR54	652	+25
60	A-WSMTR60	686	+25
66	A-WSMTR66	865	+25
72	A-WSMTR72	901	+25



Specify	Notes
• Paint Selection	• Worksurface rear mounted tool rail mounts directly to a worksurface, and does not require panels for support. • Rail is clamped onto the surface using supplied hardware. • Worksurface mounted tool rails are double-sided, allowing for accessories to be mounted to either side. • 66” and 72” wide rails come with three sets of mounting hardware.




Handing for Tool Bars
L - Left Hand
R - Right Hand
S - Shared

© 2026, AIS, Inc.


Tool Bar Accessories and Spin-Out Pencil Drawers

STANDARD TOOL BAR ACCESSORIES


Type	Model Number	List
Portrait Paper Tray	P-MXTBPT	166
Landscape Paper Tray	P-MXTBLPT	166
Diagonal Folder Sorter	P-MXTBDFS	189
Pencil Holder	P-MXTBPENH	70
Accessories Tray	P-MXTBAT	125




Portrait Paper Tray




Landscape Paper Tray



Diagonal Folder Sorter



Pencil Holder



Accessories Tray

Specify


- Black or Clear Plastic Selection


Notes

- Standard tool bar accessories can be universally used on all AIS tool rails except Calibrate tackboards with tool rails.
- Available in black or clear.

SPIN-OUT PENCIL DRAWERS

W	D	Type	Model Number	List
7 1/2	7 1/2	Radius Jr.	A-ROKJ	221
13 5/8	8 1/4	Radius	A-ROK	251


Radius Jr.



Radius

Notes


- Spin out pencil drawers provide convenient, low profile storage of loose items.
- Plan organizer kit placement around worksurface support elements.
- Available in black only.

METAL TOOL BAR ACCESSORIES


Type	Model Number	List	Paint Grade C
Portrait Paper Tray	A-TBPPT	180	+10
Landscape Paper Tray	A-TBLPT	180	+10
Diagonal Folder Holder	A-TBDFS	186	+10
Binder Holder	A-TBBH	180	+10
Pencil Holder	A-TBPT	127	+10
Folder Box	A-TBFH	166	+10
18" Mini Shelf	P-MXTBMSHF18	295	+10
24" Mini Shelf	P-MXTBMSHF24	398	+10
30" Mini Shelf	P-MXTBMSHF30	414	+10
36" Mini Shelf	P-MXTBMSHF36	473	+10




Portrait Paper Tray



Landscape Paper Tray




Diagonal Folder Holder




Binder Holder



Pencil Tray



Folder Box


Mini Shelf

Specify

- Paint Selection

Notes


- Metal tool bar accessories can be universally used on all AIS tool rails except Calibrate tackboards with tool rails.
- Available painted in any AIS paint color.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Credenza Cushions


CREDENZA CUSHIONS

D	W	Model Number	List	Upholstery Grade B	Upholstery Grade C	Upholstery Grade D	Upholstery Grade E
18	18	S-BCUSH1818	614	+51	+102	+152	+203
18	21	S-BCUSH1821	637	+51	+102	+152	+203
18	24	S-BCUSH1824	663	+51	+102	+152	+203
18	27	S-BCUSH1827	689	+51	+102	+152	+203
18	30	S-BCUSH1830	716	+62	+124	+186	+248
18	33	S-BCUSH1833	745	+62	+124	+186	+248
18	36	S-BCUSH1836	775	+62	+124	+186	+248
18	42	S-BCUSH1842	806	+73	+146	+208	+270
18	48	S-BCUSH1848	838	+73	+146	+208	+270
18	54	S-BCUSH1854	871	+73	+146	+208	+270
18	60	S-BCUSH1860	906	+95	+160	+228	+298
18	66	S-BCUSH1866	943	+95	+160	+228	+298
18	72	S-BCUSH1872	980	+95	+160	+228	+298



SHARED CREDENZA CUSHIONS

D	W	Model Number	List	Upholstery Grade C	Upholstery Grade D	Upholstery Grade E
36	30	S-BCUSH3630	1,224	+95	+160	+228
36	36	S-BCUSH3636	1,347	+95	+160	+228
36	42	S-BCUSH3642	1,481	+95	+160	+228



Specify

- Upholstery Selection

Notes


- Credenza cushions are a fabric covered 1” thick foam cushion.
- Cushions include Velcro for mounting.

© 2026, AIS, Inc.

Lock Cores and Replacement Pulls

SILVER LOCK CORES AND KEYS

Key Type	Model Number	List
Core with 2 keys	S-W1CORE1	25
Core with 2 keys (set of 2 keyed alike)	S-W1CORE2	39
Core with 2 keys (set of 3 keyed alike)	S-W1CORE3	60
Core with 2 keys (set of 4 keyed alike)	S-W1CORE4	77
Core with 2 keys (set of 5 keyed alike)	S-W1CORE5	95
Core with 2 keys (set of 6 keyed alike)	S-W1CORE6	111
Core with 2 keys (set of 7 keyed alike)	S-W1CORE7	129
Core with 2 keys (set of 8 keyed alike)	S-W1CORE8	149
Core with 2 keys (set of 9 keyed alike)	S-W1CORE9	166
Core with 2 keys (set of 10 keyed alike)	S-W1CORE10	184
Master Key	RS-W1MKEY	19
Core Removal Key	RS-W1CRKEY	19
Replacement Key	RS-WK _ _ _ (Key Number)	26




Notes

- Silver keyed alike lock cores should be specified when ordering Option E in the Lock Choice for Calibrate: No Lock w/ Silver Ring for Keyed Alike.
- Keyed alike lock cores must be installed in the field.
- Keys and Lock Cores are available in #'s 226 through 425.
- A core removal key is needed to remove an existing core from the lock housing in order to replace with a new core.
- Order sets based on quantity of storage items to be keyed alike.

BLACK LOCK CORES AND KEYS

Key Type	Model Number	List
Core with 2 keys	S-W1CORE1B	25
Core with 2 keys (set of 2 keyed alike)	S-W1CORE2B	39
Core with 2 keys (set of 3 keyed alike)	S-W1CORE3B	60
Core with 2 keys (set of 4 keyed alike)	S-W1CORE4B	77
Core with 2 keys (set of 5 keyed alike)	S-W1CORE5B	95
Core with 2 keys (set of 6 keyed alike)	S-W1CORE6B	111
Core with 2 keys (set of 7 keyed alike)	S-W1CORE7B	129
Core with 2 keys (set of 8 keyed alike)	S-W1CORE8B	149
Core with 2 keys (set of 9 keyed alike)	S-W1CORE9B	166
Core with 2 keys (set of 10 keyed alike)	S-W1CORE10B	184




Notes

- Black keyed alike lock cores should be specified when ordering Option D in the Lock Choice for Calibrate: No Lock w/ Black Ring for Keyed Alike.
- Keyed alike lock cores must be installed in the field.
- Keys and Lock Cores are available in #'s 226 through 425.
- A core removal key is needed to remove an existing core from the lock housing in order to replace with a new core.
- Order sets based on quantity of storage items to be keyed alike.
- Black lock cores not available for L-Series storage.

REPLACEMENT PULLS

Type	Model Number	List
Bar Pull	X-BARHANDLE	34
L Pull	X-L-PULLHANDLE	34
Loop Pull	X-LOOPHANDLE	34
Rectangle Pull	X-RECTHANDLE	34



Bar Pull L Pull Loop Pull Rectangular Pull

Notes

- Replacements only.
- Pulls work for all metal and laminate storage units with the exception of roll out/ pantry towers.
- For replacement slim pulls, please contact Customer Service.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Keyboard Arms and Accessories


KEYBOARD ARM

Model Number	List
A-KEYBZ	731



EXTENDED KEYBOARD ARM

Model Number	List
A-KEYBZE	1,231




Notes

- Keyboard Arm mounts to underside of worksurfaces to support standard computer keyboards.
- Keyboard platform area behind wrist rest measures 8 1/2" deep x 20" wide.
- Keyboard tray include a factory mounted, synthetic leather wristrest.
- Keyboard arms are colored black.
- Order extended arm for use on all curvilinear corner worksurfaces except cockpit corners.
- Keyboard Arms may be mounted 90 degrees to the surface edge without the spacer but they will not be retractable.
- Oxygen Spacer required when used under a bench surface.

STANDARD MOUSE TRAY

Model Number	List
A-MSETS	218





Notes

- Standard Mouse Tray mounts to either the left or right side of keyboard tray platform with screws to service both left and right handed users.
- Mouse area measures 7 1/4" x 7 1/4".
- Mouse tray swivels around vertical axis 270º and has 30º of tilt around the horizontal axis (15º above keyboard tray plane to 15º below plane, independent of keyboard tray tilt).
- The mouse tray is colored black.

OXYGEN SPACER

Quantity	Model Number	List
Single	O-OSPACER1	87
Double	O-OSPACER2	171
Triple	O-OSPACER3	254





Notes


- Oxygen Spacer provides added height to keyboard arm and CPU holder tracks to allow them to install under Oxygen bench kits.
- Long screws for installation are included.
- Keyboard Arms may be mounted 90 degrees to the surface edge without the spacer but they will not be retractable.
- Available in black only.

© 2026, AIS, Inc.

V-Series Keyboard Arms


V-SERIES KEYBOARD ARM

Mouse Tray	Model Number	List
Fixed	A-KTOVSF	1,610
Adjustable	A-KTOVSA	1,710




V-SERIES EXTENDED KEYBOARD ARM

Mouse Tray	Model Number	List
Adjustable	A-KTOVXA	1,851



V-SERIES SIT-STAND KEYBOARD ARM

Mouse Tray	Model Number	List
Adjustable	A-KTOVSSA	1,935




Notes

- V Series Keyboard Arms mount to the underside of worksurfaces to support computer keyboards.
- Arms may be specified with either a fixed or adjustable mouse tray, which may be installed on the left or right side of the keyboard tray.
- For detail of the adjustability range, see schematics.
- Keyboard Arms may be mounted 90º to the surface edge without the spacer but they will not be retractable.
- Standard Mouse Tray mounts to either the left or right side of keyboard tray platform with screws to service both left and right handed users.
- Mouse area measures 7 1/4” x 7 1/4”.
- Mouse tray swivels around vertical axis 270º and has 30º of tilt around the horizontal axis (15º above keyboard tray plane to 15º below plane, independent of keyboard tray tilt).

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

EASY ACCESS CPU HOLDER

Mounting Type	Model	List
17.75” Track	A-CPUEA	1,188



Notes


- Easy access CPU holder protects your CPU from damaging environmental factors by keeping it off the floor and out of the way.
- Glide tracks and 360º swivel mechanisms provide easy access to the back of the CPU.
- Vertically mounts to underside of worksurface.
- Swivels 360 degrees.
- No tools needed to adjust.
- The glide track is 17.75”.
- Adjustable width 2.5” - 8.25”.
- Adjustable height 13” - 21”.
- Load capacity is 100 lbs.
- Oxygen spacer required when used under a bench surface.

© 2026, AIS, Inc.

Power Data Solutions

ASHLEY UNO

Mounting Type	Model Number	List
Clamp	E-AUTCW	930
Under	E-AUUMW	930
Bezel	E-AUBMW	930




Clamp Mount Under Mount Bezel

Specify	Notes
	• Features one AC outlet for high-power devices, (1) USB-A and (1) USB-C port. • Each USB port utilizes a Smart Device recognition Chip to monitor and deliver the required amperage to your devices. • Available in white. • The unit comes with a 6’ cord and is available with surface, under or bezel mounting options. • Fits in standard size grommets. • Bezel mount requires special surface (2.12” x 4.45” hole size, 3/4” - 1 1/2” surface thickness).

ASHLEY DUO

Mounting Type	Model Number	List
Clamp	E-ADTCW	1,444
Under	E-ADUMW	1,444
Bezel	E-ADBMW	1,444




Clamp Mount Under Mount Bezel

Specify	Notes
• Color (White/White or White/Silver)	• Features two AC outlets for high-power devices, (1) USB-A and (1) USB-C port. • Each USB port utilizes a Smart Device Recognition chip to monitor and deliver the required amperage to your devices. • The unit comes with a 72” cord option and is available with surface, under or bezel mounting options. • Fits in standard size grommet. • Bezel mount requires special surface (6” x 2.19” hole size, 1/2” - 1 1/2” surface thickness).

ASHLEY 202

Mounting Type	Model Number	List
Clamp	E-A202TCW	1,188
Under	E-A202UMW	1,188
Bezel	E-A202BMW	1,188




Clamp Mount Under Mount Bezel

Specify	Notes
• Color (White/White or White/Silver)	• Features two AC outlets for high-power devices and two data inserts for your choice of the included blank insert or optional HDMI, RJ-45 or VGA inserts. • The unit comes with a 72” cord and is available with surface, under or bezel mounting options. • Bezel mount requires special surface (2.19” x 7.35” hole size, 3/4” - 1 1/2” surface thickness).

ASHLEY DUO AIR

Model Number	List
E-ADAP	1,480



Closed Open

Specify	Notes
• Color (White or Silver)	• Features a pop-up cover that reveals an integrated wedge with two AC outlets and (1) USB-A and (1) USB-C port. • Each USB port utilizes a Smart Device Recognition Chip to monitor and independently deliver the required amperage to your devices. • The unit comes with a 72” cord. • Ashley Duo Air requires special surface (4.63” x 6.75” hole size).


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Power Data Solutions and Ganging Bolts

ASHLEY TRIO


Mounting Type	Model Number	List
Clamp	E-ATTCW	1,733
Under	E-ATUMW	1,275
Bezel	E-ATBMW	1,275



Clamp Mount



Under Mount




Bezel

Specify	Notes
• Color (White/White or White/Silver)	• Features three AC outlets for high-power devices, (1) USB-A and (1) USB-C port for optional HDMI, RJ-45, VGA or blank insert if desired. • Each USB port utilizes a Smart Device Recognition Chip to monitor and independently deliver the required amperage for your devices. • The unit comes with a 72" cord option and is available with surface, under or bezel mounting options. • Bezel mount requires special surface (2.19" x 8.50" hole size, 3/4" - 1 1/2" surface thickness).

WORKSURFACE SUPPORT BRACKET


Model Number	List
O-WSLB	59
O-WSLBP	72



Specify	Notes
• Paint Selection	• Model number includes two brackets. • Brackets measure 5.5" x 1" x 1". • O-WSLB available in black only. O-WSLBP available in any paint finish.

GANGING BOLT

Color	Model Number	List
Zinc-Plated	RH-98002A208	13



Notes

- Laminate Casegood Ganging Bolt gangs two laminate construction casegood units with standard 3/4" thick wall construction together by way of a field drilled 1/4" diameter hole.
- Combination drive style on both ends, 10-24 thread, adjusts from 1 1/2" to 1 5/8".

© 2026, AIS, Inc.

National Showrooms:

Leominster
AIS Headquarters
25 Tucker Drive
Leominster, MA 01453

Chicago
The Merchandise Mart
Suite 391
Chicago, Illinois 60654

New York
AIS New York
257 Park Avenue South
New York, New York 10010

Washington, D.C.
AIS Washington, D.C.
1501 M St, NW, STE 230
Washington, D.C. 20005

GSA Sales
GSA Contract 47QSMA20D08Q4
Multiple Award Schedule (MAS)
Large Category: Furniture & Furnishings
Subcategories: Office Furniture, Packaged Office Furniture and Furniture Services

For additional information on AIS:
Dealer Showrooms, Representative Directory, Project Case Studies, Online Catalog & Product Showcase
Visit: **www.ais-inc.com**

AIS

800.434.7400 | 978.562.7500 | Fax: 978.562.0811 | www.ais-inc.com | March 2026

SCREENS

March 2026 Price List

AIS

SCREENS PRODUCT INFORMATION AND FINISH OPTIONS

SCREENS PRODUCT INFORMATION

Screen Types . . . 7
Screen Materials . . . 8
Screen Mount Types . . . 9
Where Used Information . . . 10
Sized For Information . . . 13
Handedness Information . . . 14
Screen Model Number Logic . . . 17

SCREEN FINISH OPTIONS

Tackable Fabric Options . . . 18
Paint Options . . . 19
Laminate Options . . . 20

SCREENS SIZED FOR NOMINAL = ACTUAL SIZE

CHANNEL SCREENS FOR NOMINAL = ACTUAL SIZES

Glass Nominal = Actual Size Territory Surface Mount Channel Screens . . . 22
PET Nominal = Actual Size Territory Surface Mount Channel Screens . . . 24
Glass Nominal = Actual Size Territory Under Surface Mount Channel Screens . . . 25
PET Nominal = Actual Size Territory Under Surface Mount Channel Screens . . . 27
Glass Nominal = Actual Size Front/Rear Surface Mount Channel Screens . . . 28
PET Nominal = Actual Size Front/Rear Surface Mount Channel Screens . . . 30
Glass Nominal = Actual Size Front/Rear Under Surface Mount Channel Screens . . . 31
PET Nominal = Actual Size Front/Rear Under Surface Mount Channel Screens . . . 33
Glass Nominal = Actual Size Panel Top Surface Mount Channel Screens . . . 35
PET Nominal = Actual Size Panel Top Surface Mount Channel Screens . . . 38
PET Gallery Panel Side Mount Channel Screens . . . 40

CLIP SCREENS FOR NOMINAL = ACTUAL SIZES

Glass Nominal = Actual Size Territory Surface Mount Clip Screens . . . 41
Glass Nominal = Actual Size Territory Under Surface Mount Clip Screens . . . 43
Glass Nominal = Actual Size Front/Rear Surface Mount Clip Screens . . . 45
Glass Nominal = Actual Size Front/Rear Under Surface Mount Clip Screens . . . 47
Glass Nominal = Actual Size Panel Top Surface Mount Clip Screens . . . 49
Glass Nominal = Actual Size Modesty Mount Clip Screens . . . 53

LITE SCREENS FOR NOMINAL = ACTUAL SIZES

PET Nominal = Actual Size Territory Surface Mount Lite Screens . . . 55
PET Nominal = Actual Size Territory Under Surface Mount Lite Screens . . . 56
PET Nominal = Actual Size Territory Freestanding Lite Screens . . . 57
PET Nominal = Actual Size Front/Rear Surface Mount Lite Screens . . . 58
PET Nominal = Actual Size Front/Rear Under Surface Mount Lite Screens . . . 60
PET Nominal = Actual Size Front/Rear Freestanding Mount Lite Screens . . . 62
PET Nominal = Actual Size Panel Top Surface Mount Lite Screens . . . 64

SLIMLINE SCREENS FOR NOMINAL = ACTUAL SIZES

Nominal = Actual Size Territory Surface Mount Slimline Screens . . . 66
Nominal = Actual Size Territory Under Surface Mount Slimline Screens . . . 67
Nominal = Actual Size Front/Rear Surface Mount Slimline Screens . . . 68
Nominal = Actual Size Front/Rear Under Surface Mount Slimline Screens . . . 69
Nominal = Actual Size Front/Rear Freestanding Slimline Screens . . . 70
Nominal = Actual Size Partial Modesty Slimline Screens . . . 71

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

SCREENS SIZED FOR DIVI PANEL DIMENSIONS

CHANNEL SCREENS FOR DIVI PANEL DIMENSIONS

Glass Divi Panel Top Surface Mount Channel Screens . . . 73
PET Divi Panel Top Surface Mount Channel Screens. . . . 75
PET Divi Gallery Panel Side Mount Channel Screens . . . 77

CLIP SCREENS FOR DIVI PANEL DIMENSIONS

Glass Divi Panel Top Surface Mount Clip Screens . . . 78

LITE SCREENS FOR DIVI PANEL DIMENSIONS

PET Divi Panel Top Surface Mount Lite Screens . . . 80

SCREENS SIZED FOR DAY-TO-DAY & CALIBRATE HAT DEPTHS

CHANNEL SCREENS FOR DAY-TO-DAY & CALIBRATE HAT DEPTHS

Glass Day-to-Day & Calibrate HAT Depth Territory Surface Mount Channel Screens . . . 83
PET Day-to-Day & Calibrate HAT Depth Territory Surface Mount Channel Screens . . . 85
Glass Day-to-Day & Calibrate HAT Depth Territory Under Surface Mount Channel Screens . . . 86
PET Day-to-Day & Calibrate HAT Depth Territory Under Surface Mount Channel Screens . . . 88

CLIP SCREENS FOR DAY-TO-DAY & CALIBRATE HAT DEPTHS

Glass Day-to-Day & Calibrate HAT Depth Territory Surface Mount Clip Screens . . . 89
Glass Day-to-Day & Calibrate HAT Depth Territory Under Surface Mount Clip Screens . . . 91

SLIMLINE SCREENS FOR DAY-TO-DAY & CALIBRATE HAT DEPTHS

Day-to-Day & Calibrate HAT Depth Territory Surface Mount Slimline Screens . . . 93
Day-to-Day & Calibrate HAT Depth Territory Under Surface Mount Slimline Screens . . . 94

SLIMLINE SCREENS FOR DAY-TO-DAY & CALIBRATE HAT DEPTHS

Day-to-Day & Calibrate HAT Depth Partial Modesty Slimline Screens . . . 95

SCREENS SIZED FOR OXYGEN WORKSURFACE DEPTHS

CHANNEL SCREENS FOR OXYGEN WORKSURFACE DEPTHS

Glass Oxygen Worksurface Depth Territory Surface Mount Channel Screens . . . 97
PET Oxygen Worksurface Depth Territory Surface Mount Channel Screens . . . 99
Glass Oxygen Worksurface Depth Territory Under Surface Mount Channel Screens . . . 100
PET Oxygen Worksurface Depth Territory Under Surface Mount Channel Screens . . . 102

CLIP SCREENS FOR OXYGEN WORKSURFACE DEPTHS

Glass Oxygen Worksurface Depth Territory Surface Mount Clip Screens . . . 103
Glass Oxygen Worksurface Depth Territory Under Surface Mount Clip Screens. . . . 105

LITE SCREENS FOR OXYGEN WORKSURFACE DEPTHS

PET Oxygen Worksurface Depth Territory Surface Mount Lite Screens . . . 107
PET Oxygen Worksurface Depth Territory Under Surface Mount Lite Screens. . . . 108
PET Oxygen Worksurface Depth Territory Freestanding Lite Screens . . . 109

SLIMLINE SCREENS FOR OXYGEN WORKSURFACE DEPTHS

Oxygen Worksurface Depth Territory Surface Mount Slimline Screens . . . 110
Oxygen Worksurface Depth Territory Under Surface Mount Slimline Screens . . . 111
Oxygen Worksurface Depth Side Split Slimline Screens . . . 112
Oxygen Worksurface Depth Partial Modesty Slimline Screens . . . 113

© 2026, AIS, Inc.

SCREENS SIZED FOR DAY-TO-DAY, CALIBRATE & BENCHING HAT WIDTHS

CHANNEL SCREENS FOR DAY-TO-DAY & CALIBRATE HAT WIDTHS

Glass Day-to-Day & Calibrate HAT Width Front/Rear Surface Mount Channel Screens . . . 115
PET Day-to-Day & Calibrate HAT Width Front/Rear Surface Mount Channel Screens . . . 117
Glass Day-to-Day & Calibrate HAT Width Front/Rear Under Surface Mount Channel Screens . . . 119
PET Day-to-Day & Calibrate HAT Width Front/Rear Under Surface Mount Channel Screens . . . 121

CLIP SCREENS FOR DAY-TO-DAY & CALIBRATE HAT WIDTHS

Glass Day-to-Day & Calibrate HAT Width Front/Rear Surface Mount Clip Screens . . . 123
Glass Day-to-Day & Calibrate HAT Width Front/Rear Under Surface Mount Clip Screens . . . 125

LITE SCREENS FOR DAY-TO-DAY & CALIBRATE HAT WIDTHS

PET Day-to-Day & Calibrate HAT Width Front/Rear Surface Mount Lite Screens . . . 127
PET Day-to-Day & Calibrate HAT Width Front/Rear Under Surface Mount Lite Screens . . . 129
PET Day-to-Day & Calibrate HAT Width Front/Rear Freestanding Lite Screens . . . 131

SLIMLINE SCREENS FOR DAY-TO-DAY & CALIBRATE HAT WIDTHS

Day-to-Day & Calibrate HAT Width Front/Rear Surface Mount Slimline Screens . . . 133
Day-to-Day & Calibrate HAT Width Front/Rear Under Surface Mount Slimline Screens . . . 134
Day-to-Day & Calibrate HAT Width Front/Rear Freestanding Slimline Screens . . . 135
Day-to-Day & Calibrate HAT Width Partial Modesty Slimline Screens . . . 136

L-WRAP SCREENS SIZED FOR DAY-TO-DAY, CALIBRATE & E-SERIES HAT

L-WRAP LITE SCREENS FOR DAY-TO-DAY, CALIBRATE & E Series HAT

PET Day-to-Day, Calibrate & E Series HAT L-Wrap Under Surface Mount Lite Screens . . . 138
PET Day-to-Day, Calibrate & E Series HAT L-Wrap Partial Modesty Under Surface Mount Lite Screens . . . 156

L-WRAP SCREENS SIZED FOR NOMINAL = ACTUAL SIZE

L-WRAP LITE SCREENS FOR NOMINAL = ACTUAL SIZE

PET Nominal = Actual Size L-Wrap Under Surface Mount Lite Screens . . . 175
PET Nominal = Actual Size L-Wrap Partial Modesty Under Surface Mount Lite Screens . . . 193

U-WRAP SCREENS SIZED FOR DAY-TO-DAY, CALIBRATE & E-SERIES HAT

U-WRAP LITE SCREENS FOR DAY-TO-DAY, CALIBRATE & E Series HAT

PET Day-to-Day, Calibrate & E Series HAT U-Wrap Under Surface Mount Lite Screens . . . 212
PET Day-to-Day, Calibrate & E Series HAT U-Wrap Partial Modesty Under Surface Mount Lite Screens . . . 221

U-WRAP SCREENS SIZED FOR NOMINAL = ACTUAL SIZE

U-WRAP LITE SCREENS FOR NOMINAL = ACTUAL SIZE

PET Nominal = Actual Size U-Wrap Under Surface Mount Lite Screens . . . 231
PET Nominal = Actual Size U-Wrap Partial Modesty Under Surface Mount Lite Screens . . . 240

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

L-WRAP ENCLOSURES WITH WIRE MANAGERS

PET L-WRAP ENCLOSURES WITH WIRE MANAGERS

PET Nominal = Actual Size L-Wrap Enclosures with Wire Managers. . . . 249
PET Day-to-Day, Calibrate & E Series HAT L-Wrap Enclosures with Wire Managers . . . 261
PET Benching HAT L-Wrap Enclosures with Wire Managers . . . 273

U-WRAP ENCLOSURES WITH WIRE MANAGERS

U-WRAP ENCLOSURES WITH WIRE MANAGERS

PET Nominal = Actual Size U-Wrap Enclosures with Wire Managers . . . 286
PET Day-to-Day & Calibrate HAT U-Wrap Enclosures with Wire Managers . . . 292
PET Benching HAT U-Wrap Enclosures with Wire Managers . . . 298

SCREENS WITH WIRE MANAGERS

PET SCREENS WITH WIRE MANAGERS

PET Nominal = Actual Size Screens with Wire Managers . . . 305
PET Day-to-Day, Calibrate & Benching HAT Screens with Wire Managers. . . . 306

L-WRAP SCREENS FOR TABLES WITH RADIUS CORNERS

L-WRAP LITE SCREENS FOR DAY-TO-DAY & E SERIES HAT WITH RADIUS

PET Day-to-Day & E Series HAT with Radius L-Wrap Under Surface Mount Lite Screens . . . 308
PET Day-to-Day & E Series HAT with Radius L-Wrap Partial Modesty Under Surface Mount Lite Screens . . . 320

L-WRAP LITE SCREENS FOR NOMINAL = ACTUAL SIZE WITH RADIUS

PET Nominal = Actual Size with Radius L-Wrap Under Surface Mount Lite Screens . . . 332
PET Nominal = Actual Size with Radius L-Wrap Partial Modesty Under Surface Mount Lite Screens. . . . 344

PET L-WRAP ENCLOSURES WITH WIRE MANAGERS SIZED FOR TABLES WITH RADIUS CORNERS

PET L-WRAP ENCLOSURES WITH WIRE MANAGERS

PET Nominal = Actual Size with Radius L-Wrap Enclosures with Wire Managers . . . 357
PET Day-to-Day & E Series HAT with Radius L-Wrap Enclosures with Wire Managers . . . 369

© 2026, AIS, Inc.

U-WRAP SCREENS FOR TABLES WITH RADIUS CORNERS

U-WRAP LITE SCREENS FOR DAY-TO-DAY & E Series HAT WITH RADIUS

PET Day-to-Day & E Series HAT with Radius U-Wrap Under Surface Mount Lite Screens 382
PET Day-to-Day & E Series HAT with Radius U-Wrap Partial Modesty Under Surface Mount Lite Screens. 388

U-WRAP LITE SCREENS FOR NOMINAL = ACTUAL SIZE WITH RADIUS

PET Nominal = Actual Size with Radius U-Wrap Under Surface Mount Lite Screens 394
PET Nominal = Actual Size with Radius U-Wrap Partial Modesty Under Surface Mount Lite Screens 400

U-WRAP ENCLOSURES WITH WIRE MANAGERS SIZED FOR TABLES WITH RADIUS CORNERS

PET U-WRAP ENCLOSURES WITH WIRE MANAGERS

PET Nominal = Actual Size with Radius U-Wrap Enclosures with Wire Managers. 406
PET Day-to-Day & E Series HAT with Radius U-Wrap Enclosures with Wire Managers 412

CARE AND MAINTENANCE


Please see online care and maintenance guide online: Care and Maitenance Procedures

WARRANTY & TERMS AND CONDITIONS


For Warranty & Terms and Conditions please visit:
https://www.ais-inc.com

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Screen Types




Channel Screens




Clip Screens



Lite Clip PET Screens



Slimline Framed Screens



Universal Spine Insert Screens

Channel Screens

- The Channel style screen has a painted aluminum channel which holds a frameless piece of 1/4" thick or 3/8" thick Glass, or a 1/2" thick piece of PET.
- The materials are held by set screws on one side which are then covered by a cover extrusion and endcaps.
- Channel screens can be mounted directly to a worksurface, panel, storage element or gallery panel or attached to a number of different brackets or feet depending on mount type chosen.
- Channel screens can be applied horizontally or vertically, attached to Gallery Panels.
- Channel dimensions: 1” H and 1” D.

Clip Screens

- The Clip style screen is a frameless piece of 1/4” thick or 3/8” thick Glass held by a matte silver aluminum diecast clamp assembly which is attached either directly to a worksurface, panel, storage element or gallery panel or attached to a number of different brackets or feet depending on Mount Type chosen.
- Clip dimensions: 2 1/8” H , 2 1/3” W and 1 1/2” D.
- Screens mounted to surfaces will receive 2 clips for surfaces 24” – 54” wide, 3 clips for surfaces 60” – 72” wide and 4 clips for surfaces 78” – 84” wide.
- Under Surface Mount Clip and Freestanding Clip can easily convert to surface mount Clip Screens.
- Standard in Metallic Silver.

Lite Clip PET Screens

- The Lite Clip PET screen has painted steel “U” shaped brackets of various sorts that hold 1/2” thick PET for a variety of Mount Types, as well as “L” shaped brackets which attach on one side with screws for Partial Modesty applications.
- Lite Clip PET Screens can be ordered as L-wraps or U-wraps with scored, bendable sections of the screen placed at surface corners.
- Surface Mount Lite clip dimensions: 2 3/8” H x 2” W
- Under Surface Mount Lite clip dimensions: 4” H x 2” W
- Screens mounted to surfaces will receive 2 lite clips for surfaces 24” – 54” wide, 3 lite clips for surfaces 60” – 72” wide and 4 lite clips for surfaces 78” – 84” wide.

Slimline Framed Screens

- The slimline framed screen has a painted aluminum frame which holds either fabric, vinyl, whiteboard or laminate inserts on the front and back.
- The bottom corners of the frame have re-inforced threaded holes which allow attachment of various brackets and feet depending on the mount type chosen.
- The fabric version of this screen is tackable, while the whiteboard version can be used with dry erase markers.
- This screen can be specified with different materials front and back.


Universal Spine Insert Screen

- Oxygen, Aloft and Day-to-Day Powerbeam all share the same FIXED HEIGHT top spine element called the Universal Spine.
- The Universal Spine can hold frameless “Inserts” of Glass or PET without any other mounting hardware or channels required.
- These insert screens are only for use on Oxygen, Aloft or Powerbeam Spines.


Note: Screens come with all necessary mounting hardware (clips, channel, feet, brackets, etc) at prices shown.

© 2026, AIS, Inc.


Screen Materials




1/4” Clear Glass



3/8” Clear Glass



PET



Fabric, Vinyl,
Whiteboard or Laminate

Glass Material


- Tempered glass screens have 90 degree polished corners.
- AIS Glass is standard tempered glass with standard iron content. Request samples from literature center.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).
- Glass is easily cleaned with common janitorial supplies.
- 1/4” Glass weighs 2.88 lbs per square foot.
- 3/8” Glass weighs 4.32 lbs per square foot

PET Material


- PET screens have 1.5” radius corners
- PET, stands for polyethylene terephthalate and is a form of polyester. PET Screens are a sustainable material made from plastic bottles and provide a lightweight solution for dividing space.
- PET screens weigh 0.88 lbs per square foot and are ½” (12mm) thick.
- Available in five color options: Light Grey, Medium Grey, Warm Grey, Navy, and Olive Green.

Fabric, Vinyl, Whiteboard and Laminate Materials

- Tackable fabric, vinyl, whiteboard and laminate are available on Slimline screens.
- Slimline screens may be fabric, vinyl, whiteboard or laminate on either side.
- Upcharges for Grade C and D are listed per side.
- Whiteboards are standard list and have no upcharge.
- Fabric and laminate materials are applied vertically on screens. 66” and 72” wide screens run horizontally.



Fabric/laminate applied vertically
(up to 60” wide)




Fabric/laminate applied horizontally
(for 66” and 72” wide)


At AIS, we take great pride in offering a diverse selection of high-quality materials including but not limited to textiles, laminates, PET, mesh, etc. However, AIS cannot guarantee uniformity in dye lots across different production runs. As such, AIS is not liable for any variations in dye lots or color discrepancies in any of our products that may occur between orders. We encourage customers to review samples for color and texture matching prior to purchase. We are committed to providing exceptional products and are confident that our selection of textiles will meet your expectations for both aesthetic appeal and durability.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Screen Mount Types




Surface Mount



Under Surface Mount



Freestanding Mount



Universal Spine Mount

Surface Mount

- Surface mount screens screw directly into a worksurface, panel or storage element with hardware provided and will leave holes in worksurface, panel or storage element when screen is removed.

Under Surface Mount

- Under surface mount screens are held by brackets that screw into the underside of a worksurface to prevent marring the top of a surface.
- Under surface mount screens fits worksurfaces with thicknesses between 1.0” – 1 3/16”.
- As there are often different legs or supports used for worksurfaces, it is important to specify the correct “Where Used” and “Sized For” fields when using under surface mount screens.

Freestanding Mount

- Freestanding screens have 12” deep (6” on each side) low profile painted steel feet with rubber pads.
- Freestanding Clip screen are on non-marring freestanding feet.
- Non-marring freestanding feet dimensions: 2 3/8“ x 12”.

Universal Spine Mount

- This mount type applies to SLIMLINE SCREENS ONLY, when mounting on top of the Universal Spine used on Aloft, Oxygen and Powerbeam.

© 2026, AIS, Inc.


Where Used Information

The “Where Used” choice refers to where a screen will be located on a table, worksurface or panel top, and in some cases refers to the type of screen as well.

Territory on Worksurface

The “Territory” choice refers to screens that are used “between” users generally, at their left or right, or shared between them in certain cases, dividing their “territory.” Often Territory Screens correlate to the table’s DEPTH.


PET screen shown



Front/Rear on Worksurface

The “Front/Rear” choice is for screens mounted on what is generally the long sides of a table, either the front or the back, and is correlated to the WIDTH. Front/Rear screens can also be freestanding and thus sometimes are placed in the center dividing the long axis of a table.


PET screen shown



Partial Modesty on Worksurface

Partial Modesty on Worksurface corresponds to a rectangular PET or Slimline Screen that mounts such that the screen also hangs below the bottom of the surface form a modesty. These screens mount to one side of a surface.


PET screen shown



Panel Top

Panel top refers to screens that mount on the tops of various panel systems. Usually these screens have specific hardware or dimensions for matching certain panel systems.

PET screen shown




© 2026, AIS, Inc.

Where Used Information

The “Where Used” choice refers to where a screen will be located on a table, worksurface or panel top, and in some cases refers to the type of screen as well.


Universal Spine

The Universal Spine Choice under Where Used refers to a screen designed to be mounted to the Aloft, Oxygen or Day-to-Day Powerbeam Spine, now known as the Universal Spine.




L-Wrap on Worksurface

L-Wrap on Worksurface corresponds to Surface Mounted or Undersurface Mounted PET screens that have a folding section on one side to form a 90 degree angle.
These screens have a width component and a depth component.




L-Wrap Partial Modesty on Worksurface

L-Wrap Partial Modesty on Worksurface corresponds to PET screens that have a folding section on one side to form a 90 degree angle that also hang below the bottom of the surface to form a modesty. These screens have a width component and a depth component.



U-Wrap on Worksurface

U-Wrap on Worksurface corresponds to Surface Mounted or Undersurface Mounted PET screens that have a folding section on two sides to form a 90 degree angle on each end.
These screens have a width component and a depth component.




© 2026, AIS, Inc.

Where Used Information

The “Where Used” choice refers to where a screen will be located on a table, worksurface or panel top, and in some cases refers to the type of screen as well.


U-Wrap Partial Modesty on Worksurface

U-Wrap Partial Modesty on Worksurface corresponds to PET screens that have a folding section on two sides to form a 90 degree angle on both ends that also hang below the bottom of the surface form a modesty. These screens have a width component and a depth component.



Gallery Panel Side Mount

Some PET Channel Screens can be used vertically and mounted to the side of a gallery panel, corresponding to its height.



© 2026, AIS, Inc.

Sized For Information

"Sized For" refers to the specific dimension scenario a screen is being used for. For instance, Height Adjustable Tables have smaller surfaces than fixed height tables for pinch point clearance. A screen mounting on the left or right or rear of a Height Adjustable Table is smaller in actual width than a Fixed Height Table because the HAT table is smaller.

Nominal Size = Actual Size

This parameter choice means different things depending on other parameter choices but generally it means the condition that a screen is being sized for measures very close to what the dimension description calls out. For instance, the dimension calls for 48" wide (the Nominal dimension) and the product the screen is being mounted to or placed on actually measures 48" wide (the actual dimension). Choose this when putting screens on standard AIS workstation worksurfaces or storage elements which meet the Nominal = Actual condition. Heights for worksurface mounted screens will be sized for a scenario where the fixed worksurface height is at AIS standard height of 28 5/8" high and you want the top of the screen to align to a standard AIS product horizon of 42", 46", 50", 58", 66" (Matrix), 74" or 82" (Matrix). This dimension is nominal dimension + 3/8" i.e. 12" = 12 3/8" high.

Divi Panel Dimensions

Divi panel widths measure 1/8" wider than nominal, and Divi panel heights measure close to nominal height ie.. 66" = 66". Choose this condition when placing product on Divi panels.

Day-to-Day & Calibrate HAT Depth

Day-to-Day, E Series and Calibrate Height Adjustable Table depths measure nominal less 1". Choose this parameter when mounting screens aligning with these tables depths.

Aloft & Benching HAT Depth

The Aloft Bench and Benching Height Adjustable Tables share the same worksurface depth of nominal less 2 1/4". Choose this parameter when mounting screens aligning with these bench or tables depths.

Oxygen Worksurface Depth

The Oxygen Bench has a worksurface depth of nominal less 1 1/2". Choose this parameter when mounting screens aligning with Oxygen bench depths.

Day-to-Day, E Series, Calibrate & Benching HAT Width

Day-to-Day, E Series, Calibrate & Benching Height Adjustable Tables all share the same width of nominal less 2". Choose this parameter when mounting screens aligning with these table widths.

Aloft Worksurface Width

Aloft Benching has a worksurface width of nominal less 1". Choose this parameter when mounting screens aligning with Aloft worksurface width.

L-Wrap for Day-to-Day, E Series and Calibrate HAT

L-Wrap Screens have a depth as well as a width parameter and require a specific choice for the combination of the two. Day to Day, E Series and Calibrate Height Adjustable Tables have a depth dimension of nominal less 1" and a width dimension of nominal less 2". Choose this parameter when mounting L-wrap screens to Day to Day, E Series and Calibrate Height Adjustable Tables.


L-Wrap for Benching HAT


L-Wrap Screens have a depth as well as a width parameter and require a specific choice for the combination of the two. Benching Height Adjustable Tables have a depth dimension of nominal less 2 1/4" and a width dimension of nominal less 2". Choose this parameter when mounting L-wrap screens to a Benching Height Adjustable Table.

© 2026, AIS, Inc.

Handedness Information

Screen Handedness







Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Enclosure Product Information


PET L-Wrap Enclosures with Wire Managers Details




3" surface height shown




12" and higher surface height shown




PET U-Wrap Enclosures with Wire Managers Details



3" and higher surface height shown




12" and higher surface height shown




© 2026, AIS, Inc.

PET Screen with Wire Managers Product Information

PET Screens with Wire Managers Details






Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Screen Model Number Logic

Example shown below is a 12” wide x 54” high glass 3/8” freestanding clip screen without cut-outs. Guide shown below can be used as a reference, however always refer to the price list pages for product numbers rather than attempting to construct them.



© 2026, AIS, Inc.

Tackable Fabric Options

VERTICAL SURFACE FABRICS	
Name	**Grade**
Amaze	A
Avenue	A
Cape Cod	A
Engage	A
Mirador	A
New England	A
Rainfall	A
Simplicity	A
Theory	A
Twizzle	A
Lido	B
Marin	B
Nature	B
Off the Grid	B
Purpose	B
Spinel	B
Sprite	B

Note: 66” & 72” wide screens – if applying directional fabrics they will need to be railroaded for application. If using a COM fabric that is 54” wide, any screen over 48” wide would need to have the fabric railroaded as well.

C.O.M. Fabric Policy

- It is mandatory that you work directly with your AIS Customer Service Representative for all COM related testing and orders. They will provide all necessary forms to you, as well as work with you with regard to sending in correct yardage and where to send it, along with necessary RA# or #s. Please note an RA must be submitted along with the fabric for testing, as well as an RA created for an actual order.
- **Please Note:** A three to five yard sample is required for testing and approval for use on all monolithic panel systems. A one yard sample is required for testing and approval on Divi Insert Tiles, Matrix Tiles, flipper doors and tackboards. We may be able to test upholstery fabrics with a swatch, your Customer Service Representative will advise based on the fabric being tested; otherwise a 1 yard sample must be submitted for testing. Results take 48 - 72 hours.
- Customer Service must be advised as to the width of the fabric rolls being supplied (54”W or 60”W). Customer Service must also be advised if the fabric has a backer.
- Yardage required for the job must be calculated by an AIS Customer Service Rep.
- Once AIS has approved the COM fabric, a fabric sample needs to be marked by the dealer with “Front”, “Top”, and “Bottom”, to be sure fabric is applied correctly. The fabric sample then needs to be attached to a COM Fabric Dealer Form and forwarded to AIS Customer Service. The COM Fabric Dealer Form may be downloaded or printed here.
- Fabrics may be discontinued or obsolete without notice.
- Contact AIS Customer Service with any questions regarding fabric availability.
- All directional fabric will be railroaded.

Note: Graded-in AIS fabrics can not be purchased and applied as COM fabric. Graded-in fabrics must be specified according to the assigned grade and product respectively.

At AIS, we take great pride in offering a diverse selection of high-quality materials including but not limited to textiles, laminates, PET, mesh, etc. However, AIS cannot guarantee uniformity in dye lots across different production runs. As such, AIS is not liable for any variations in dye lots or color discrepancies in any of our products that may occur between orders. We encourage customers to review samples for color and texture matching prior to purchase. We are committed to providing exceptional products and are confident that our selection of textiles will meet your expectations for both aesthetic appeal and durability.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Paint Options

PAINT OPTIONS

Name	Color Code	Legs / Feet Grade	Spine / Storage / Accessories Grade
Black	BK	A	A
Chalk	CK	-	A
Dark Tone	DT	-	A
Grey Value 1	GV1	-	A
Innertone	HT	-	A
Light Tone	LT	-	A
Medium Tone	MT	-	A
Metallic Silver	MS	A	A
Satin White	SW	A	A
Warm Brown	WB	-	A
Champagne Metallic	CHM	-	B
Dark Grey Metallic	DGM	-	B
Flint Grey Metallic	FGM	-	B
Light Grey	LG	-	B
Tan Value 1	TV1	-	B
Antique Gold	AG	-	C
Graphite Sky	GS	-	C
Burnt Orange	BO	-	C
Brown	BR	-	C
Steel Blue	SB	-	C
Baltic Blue	BB	-	C
Ruby Red	RR	-	C
Kelly Green	KG	-	C

PET COLOR OPTIONS

Name
Light Grey
Medium Grey
Navy
Olive Green
Warm Grey

Custom Paints

Special Paint Match Process & Ordering Instructions
To initiate a special paint match, please provide **three physical match samples** to your Customer Service Representative (CSR). These samples will be sent to our paint suppliers for evaluation and matching.

Match Process & Fees:
- A **non-refundable $450 net match fee** is required to begin the process.
- Once viable matches are developed (pending vendor capability), we'll send the samples to the dealer for final approval.

Pricing:
- Pricing begins at the **Grade C paint tier.**
- If the custom color incurs additional costs beyond Grade C pricing, we will advise of any upcharges before order placement.
- A **minimum order of $100,000 List** is required for special paint orders.
- The **$450 match fee will be waived** if the order is **$150,000 List or more** (and placed using the approved color).

Ordering Instructions (after color approval):
1. Dealer submits the **Purchase Order (PO)** and **Bill of Materials (BOM)** for the product requiring special paint.
2. The PO must clearly state:
   "SPECIAL PAINT REQUIRED ON THIS ORDER"
   — either in the header or special instructions section.
3. When selecting finishes:
   — Choose the **Grade C Paint option.**
   — **Do not select a final paint color.**
   — **Leave the paint code blank** and use the skip option.

© 2026, AIS, Inc.

Laminate Options

LAMINATE OPTIONS	
Name	**Grade**
Absolute Acajou	A
Aimtoo Savatre	A
Black	A
Brazilwood	A
Chalk	A
Corporate Walnut	A
Dark Rum Cherry	A
Field Elm	A
Grand Cherry	A
Grey Elm	A
Landmark	A
Leave Likatre	A
Linen	A
Looks Likatre	A
Maritime Dune	A
Midwest Maple	A
Neo Walnut	A
Phantom Ecru	A
Phantom Pearl	A
Storm	A
Summer Drops	A
True White	A
Trytoo Savatre	A
White Chocolate	A
Asian Night	B
Asian Sand	B
Beige Granite	B
Colombian Walnut	B

LAMINATE OPTIONS	
Name	**Grade**
Gridlock in L.A.	B
Fonthill Pear	B
Grey Mesh	B
Madagascar	B
Mahogany Clove	B
Monticello Maple	B
Nightfall	B
Paris White Potterware	B
Pewter Mesh	B
Recon Oak	B
Shadow	B
Sunset	B
Titanium EV	B
Tungsten EV	B
Whie Specktrum	B
Windswept Poweter	B
Yorkshire Cherry	B
Ebony	C
Bright White (Writable Surface)	C
Pecan Woodline	C
Strand Burnt	C
Strand Wedge	C
Strand Wheat	C
Twill Earthen	C
Twill Graphite	C
Twill Sarum	C
Warm White	C

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Screens Sized for Nominal = Actual Size

© 2026, AIS, Inc.

Glass Nominal = Actual Size Territory Surface Mount Channel Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Glass 1/4”	Territory on Worksurface	Channel	Nominal = Actual Size	Surface Mount


GLASS 1/4” NOMINAL = ACTUAL SIZE TERRITORY SURFACE MOUNT CHANNEL SCREENS

H	D	Actual D	Model Number	List	Tinted Glass	Frosted Glass
12	24	22.75	Y-3T2A1U1224B	638	+30	+110
16	24	22.75	Y-3T2A1U1624B	788	+40	+147
20	24	22.75	Y-3T2A1U2024B	723	+50	+184

GLASS 1/4” NOMINAL = ACTUAL SIZE TERRITORY SURFACE MOUNT CHANNEL SCREENS

H	D	Actual D	Model Number	List	Tinted Glass	Frosted Glass
12	30	28.75	Y-3T2A1U1230B	647	+38	+138
16	30	28.75	Y-3T2A1U1630B	819	+50	+184
20	30	28.75	Y-3T2A1U2030B	786	+63	+230





Surface Mount Channel

Specify

- Paint Selection (Grade C +10)

Notes

- Offered in all AIS paint finishes.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Glass Nominal = Actual Size Territory Surface Mount Channel Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Glass 3/8”	Territory on Worksurface	Channel	Nominal = Actual Size	Surface Mount


GLASS 3/8” NOMINAL = ACTUAL SIZE TERRITORY SURFACE MOUNT CHANNEL SCREENS

H	D	Actual D	Model Number	List	Tinted Glass	Frosted Glass
12	24	22.75	Y-4T2A1U1224B	857	+30	+60
16	24	22.75	Y-4T2A1U1624B	816	+40	+80
20	24	22.75	Y-4T2A1U2024B	931	+50	+100
24	24	22.75	Y-4T2A1U2424B	1,020	+60	+120

GLASS 3/8” NOMINAL = ACTUAL SIZE TERRITORY SURFACE MOUNT CHANNEL SCREENS

H	D	Actual D	Model Number	List	Tinted Glass	Frosted Glass
12	30	28.75	Y-4T2A1U1230B	862	+38	+75
16	30	28.75	Y-4T2A1U1630B	912	+50	+100
20	30	28.75	Y-4T2A1U2030B	1,054	+63	+125
24	30	28.75	Y-4T2A1U2430B	1,163	+75	+150





Surface Mount Channel

Specify

- Paint Selection (Grade C +10)

Notes

- Offered in all AIS paint finishes.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

© 2026, AIS, Inc.

PET Nominal = Actual Size Territory Surface Mount Channel Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	Territory on Worksurface	Channel	Nominal = Actual Size	Surface Mount


PET NOMINAL = ACTUAL SIZE TERRITORY SURFACE MOUNT CHANNEL SCREENS

H	D	Actual D	Model Number	List
12	24	22.75	Y-5T2A1U1224B	555
16	24	22.75	Y-5T2A1U1624B	579
20	24	22.75	Y-5T2A1U2024B	605
24	24	22.75	Y-5T2A1U2424B	634
28	24	22.75	Y-5T2A1U2824B	659
32	24	22.75	Y-5T2A1U3224B	685

PET NOMINAL = ACTUAL SIZE TERRITORY SURFACE MOUNT CHANNEL SCREENS

H	D	Actual D	Model Number	List
12	30	28.75	Y-5T2A1U1230B	573
16	30	28.75	Y-5T2A1U1630B	605
20	30	28.75	Y-5T2A1U2030B	638
24	30	28.75	Y-5T2A1U2430B	673
28	30	28.75	Y-5T2A1U2830B	704
32	30	28.75	Y-5T2A1U3230B	736





Surface Mount Channel

Specify

- Paint Selection (Grade C +10)
- Color Selection for PET

Notes

- Offered in all AIS paint finishes.


Rev. Mar 2, 2026
© 2026, AIS, Inc.

Glass Nominal = Actual Size Territory Under Surface Mount Channel Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
Glass 1/4”	Territory on Worksurface	Channel	Nominal = Actual Size	Under Surface Mount	Left or Right

GLASS 1/4” NOMINAL = ACTUAL SIZE TERRITORY UNDER SURFACE MOUNT CHANNEL SCREENS


			Left Hand	Right Hand			
H	D	Actual D	Model Number	Model Number	List	Tinted Glass	Frosted Glass
12	24	22.75	Y-3T2A2L1224B	Y-3T2A2R1224B	795	+30	+110
16	24	22.75	Y-3T2A2L1624B	Y-3T2A2R1624B	944	+40	+147
20	24	22.75	Y-3T2A2L2024B	Y-3T2A2R2024B	878	+50	+184
12	30	28.75	Y-3T2A2L1230B	Y-3T2A2R1230B	802	+38	+138
16	30	28.75	Y-3T2A2L1630B	Y-3T2A2R1630B	974	+50	+184
20	30	28.75	Y-3T2A2L2030B	Y-3T2A2R2030B	943	+63	+230



Left Hand



Right Hand



Under Surface Mount Channel

Specify

- Paint Selection (Grade C +10)

Notes

- Offered in all AIS paint finishes.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).


© 2026, AIS, Inc.

Glass Nominal = Actual Size Territory Under Surface Mount Channel Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
Glass 3/8”	Territory on Worksurface	Channel	Nominal = Actual Size	Under Surface Mount	Left or Right

GLASS 3/8” NOMINAL = ACTUAL SIZE TERRITORY UNDER SURFACE MOUNT CHANNEL SCREENS


			Left Hand	Right Hand			
H	D	Actual D	Model Number	Model Number	List	Tinted Glass	Frosted Glass
12	24	22.75	Y-4T2A2L1224B	Y-4T2A2R1224B	1,011	+30	+60
16	24	22.75	Y-4T2A2L1624B	Y-4T2A2R1624B	972	+40	+80
20	24	22.75	Y-4T2A2L2024B	Y-4T2A2R2024B	1,087	+50	+100
24	24	22.75	Y-4T2A2L2424B	Y-4T2A2R2424B	1,175	+60	+120
12	30	28.75	Y-4T2A2L1230B	Y-4T2A2R1230B	1,014	+38	+75
16	30	28.75	Y-4T2A2L1630B	Y-4T2A2R1630B	1,068	+50	+100
20	30	28.75	Y-4T2A2L2030B	Y-4T2A2R2030B	1,212	+63	+125
24	30	28.75	Y-4T2A2L2430B	Y-4T2A2R2430B	1,316	+75	+150



Left Hand



Right Hand



Under Surface Mount Channel

Specify

- Paint Selection (Grade C +10)

Notes

- Offered in all AIS paint finishes.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Nominal = Actual Size Territory Under Surface Mount Channel Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	Territory on Worksurface	Channel	Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE TERRITORY UNDER SURFACE MOUNT CHANNEL SCREENS


			Left Hand	Right Hand	
H	D	Actual D	Model Number	Model Number	List
12	24	22.75	Y-5T2A2L1224B	Y-5T2A2R1224B	708
16	24	22.75	Y-5T2A2L1624B	Y-5T2A2R1624B	735
20	24	22.75	Y-5T2A2L2024B	Y-5T2A2R2024B	762
24	24	22.75	Y-5T2A2L2424B	Y-5T2A2R2424B	786
28	24	22.75	Y-5T2A2L2824B	Y-5T2A2R2824B	814
32	24	22.75	Y-5T2A2L3224B	Y-5T2A2R3224B	840
12	30	28.75	Y-5T2A2L1230B	Y-5T2A2R1230B	729
16	30	28.75	Y-5T2A2L1630B	Y-5T2A2R1630B	762
20	30	28.75	Y-5T2A2L2030B	Y-5T2A2R2030B	795
24	30	28.75	Y-5T2A2L2430B	Y-5T2A2R2430B	828
28	30	28.75	Y-5T2A2L2830B	Y-5T2A2R2830B	860
32	30	28.75	Y-5T2A2L3230B	Y-5T2A2R3230B	892



Left Hand



Right Hand



Under Surface Mount Channel

Specify

- Paint Selection (Grade C +10)
- Color Selection for PET

Notes

- Offered in all AIS paint finishes.

© 2026, AIS, Inc.

Glass Nominal = Actual Size Front/Rear Surface Mount Channel Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Glass 1/4”	Front/Rear on Worksurface	Channel	Nominal = Actual Size	Surface Mount


GLASS 1/4” NOMINAL = ACTUAL SIZE FRONT/REAR SURFACE MOUNT CHANNEL SCREENS

H	W	Model Number	List	Tinted Glass	Frosted Glass
12	24	Y-3R2A1U1224B	638	+30	+110
12	30	Y-3R2A1U1230B	647	+38	+138
12	36	Y-3R2A1U1236B	657	+45	+165
12	42	Y-3R2A1U1242B	691	+53	+193
12	48	Y-3R2A1U1248B	724	+60	+220
12	54	Y-3R2A1U1254B	868	+68	+248
12	60	Y-3R2A1U1260B	796	+75	+275
12	66	Y-3R2A1U1266B	830	+83	+303
12	72	Y-3R2A1U1272B	865	+90	+330
12	78	Y-3R2A1U1278B	899	+98	+358
12	84	Y-3R2A1U1284B	930	+105	+385
16	24	Y-3R2A1U1624B	788	+40	+147
16	30	Y-3R2A1U1630B	819	+50	+184
16	36	Y-3R2A1U1636B	868	+60	+220
16	42	Y-3R2A1U1642B	902	+70	+257
16	48	Y-3R2A1U1648B	942	+80	+294
16	54	Y-3R2A1U1654B	1,004	+90	+330
16	60	Y-3R2A1U1660B	1,057	+100	+367
16	66	Y-3R2A1U1666B	1,074	+110	+404
16	72	Y-3R2A1U1672B	1,097	+120	+440
16	78	Y-3R2A1U1678B	1,118	+130	+477
16	84	Y-3R2A1U1684B	1,138	+140	+514

GLASS 1/4” NOMINAL = ACTUAL SIZE FRONT/REAR SURFACE MOUNT CHANNEL SCREENS

H	W	Model Number	List	Tinted Glass	Frosted Glass
20	24	Y-3R2A1U2024B	723	+50	+184
20	30	Y-3R2A1U2030B	786	+63	+230
20	36	Y-3R2A1U2036B	830	+75	+275
20	42	Y-3R2A1U2042B	913	+88	+321
20	48	Y-3R2A1U2048B	974	+100	+367
20	54	Y-3R2A1U2054B	1,038	+113	+413
20	60	Y-3R2A1U2060B	1,101	+125	+459
20	66	Y-3R2A1U2066B	1,163	+138	+505
20	72	Y-3R2A1U2072B	1,227	+150	+550
20	78	Y-3R2A1U2078B	1,290	+163	+596
20	84	Y-3R2A1U2084B	1,352	+175	+642





Surface Mount Channel

Specify

- Paint Selection (Grade C +10)

Notes

- Offered in all AIS paint finishes.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Glass Nominal = Actual Size Front/Rear Surface Mount Channel Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Glass 3/8”	Front/Rear on Worksurface	Channel	Nominal = Actual Size	Surface Mount


GLASS 3/8” NOMINAL = ACTUAL SIZE FRONT/REAR SURFACE MOUNT CHANNEL SCREENS

H	W	Model Number	List	Tinted Glass	Frosted Glass
12	24	Y-4R2A1U1224B	857	+30	+60
12	30	Y-4R2A1U1230B	862	+38	+75
12	36	Y-4R2A1U1236B	938	+45	+90
12	42	Y-4R2A1U1242B	1,012	+53	+105
12	48	Y-4R2A1U1248B	1,091	+60	+120
12	54	Y-4R2A1U1254B	1,167	+68	+135
12	60	Y-4R2A1U1260B	1,247	+75	+150
12	66	Y-4R2A1U1266B	1,323	+83	+165
12	72	Y-4R2A1U1272B	1,399	+90	+180
12	78	Y-4R2A1U1278B	1,479	+98	+195
12	84	Y-4R2A1U1284B	1,555	+105	+210
16	24	Y-4R2A1U1624B	816	+40	+80
16	30	Y-4R2A1U1630B	912	+50	+100
16	36	Y-4R2A1U1636B	955	+60	+120
16	42	Y-4R2A1U1642B	1,063	+70	+140
16	48	Y-4R2A1U1648B	1,179	+80	+160
16	54	Y-4R2A1U1654B	1,259	+90	+180
16	60	Y-4R2A1U1660B	1,296	+100	+200
16	66	Y-4R2A1U1666B	1,412	+110	+220
16	72	Y-4R2A1U1672B	1,500	+120	+240
16	78	Y-4R2A1U1678B	1,526	+130	+260
16	84	Y-4R2A1U1684B	1,603	+140	+280

GLASS 3/8” NOMINAL = ACTUAL SIZE FRONT/REAR SURFACE MOUNT CHANNEL SCREENS

H	W	Model Number	List	Tinted Glass	Frosted Glass
20	24	Y-4R2A1U2024B	931	+50	+100
20	30	Y-4R2A1U2030B	1,054	+63	+125
20	36	Y-4R2A1U2036B	1,174	+75	+150
20	42	Y-4R2A1U2042B	1,295	+88	+175
20	48	Y-4R2A1U2048B	1,412	+100	+200
20	54	Y-4R2A1U2054B	1,535	+113	+225
20	60	Y-4R2A1U2060B	1,654	+125	+250
20	66	Y-4R2A1U2066B	1,776	+138	+275
20	72	Y-4R2A1U2072B	1,892	+150	+300
20	78	Y-4R2A1U2078B	2,011	+163	+325
20	84	Y-4R2A1U2084B	2,133	+175	+350
24	24	Y-4R2A1U2424B	1,020	+60	+120
24	30	Y-4R2A1U2430B	1,163	+75	+150
24	36	Y-4R2A1U2436B	1,304	+90	+180
24	42	Y-4R2A1U2442B	1,445	+105	+210
24	48	Y-4R2A1U2448B	1,588	+120	+240
24	54	Y-4R2A1U2454B	1,730	+135	+270
24	60	Y-4R2A1U2460B	1,874	+150	+300
24	66	Y-4R2A1U2466B	2,015	+165	+330
24	72	Y-4R2A1U2472B	2,154	+180	+360
24	78	Y-4R2A1U2478B	2,296	+195	+390
24	84	Y-4R2A1U2484B	2,437	+210	+420





Surface Mount Channel

Specify

- Paint Selection (Grade C +10)

Notes

- Offered in all AIS paint finishes.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

© 2026, AIS, Inc.

PET Nominal = Actual Size Front/Rear Surface Mount Channel Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	Front/Rear on Worksurface	Channel	Nominal = Actual Size	Surface Mount


PET NOMINAL = ACTUAL SIZE FRONT/REAR SURFACE MOUNT CHANNEL SCREENS

H	W	Model Number	List
28	24	Y-5R2A1U2824B	659
28	30	Y-5R2A1U2830B	704
28	36	Y-5R2A1U2836B	748
28	42	Y-5R2A1U2842B	796
28	48	Y-5R2A1U2848B	841
28	54	Y-5R2A1U2854B	886
28	60	Y-5R2A1U2860B	930
28	66	Y-5R2A1U2866B	979
28	72	Y-5R2A1U2872B	1,023
28	78	Y-5R2A1U2878B	1,070
28	84	Y-5R2A1U2884B	1,116

PET NOMINAL = ACTUAL SIZE FRONT/REAR SURFACE MOUNT CHANNEL SCREENS

H	W	Model Number	List
32	24	Y-5R2A1U3224B	685
32	30	Y-5R2A1U3230B	736
32	36	Y-5R2A1U3236B	786
32	42	Y-5R2A1U3242B	841
32	48	Y-5R2A1U3248B	894
32	54	Y-5R2A1U3254B	944
32	60	Y-5R2A1U3260B	997
32	66	Y-5R2A1U3266B	1,047
32	72	Y-5R2A1U3272B	1,101
32	78	Y-5R2A1U3278B	1,153
32	84	Y-5R2A1U3284B	1,205





Surface Mount Channel

Specify

- Paint Selection (Grade C +10)
- Color Selection for PET

Notes

- Offered in all AIS paint finishes.

© 2026, AIS, Inc.

Glass Nominal = Actual Size Front/Rear Under Surface Mount Channel Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Glass 1/4”	Front/Rear on Worksurface	Channel	Nominal = Actual Size	Under Surface Mount


GLASS 1/4” NOMINAL = ACTUAL SIZE FRONT/REAR UNDER SURFACE MOUNT CHANNEL SCREENS

H	W	Model Number	List	Tinted Glass	Frosted Glass
12	24	Y-3R2A2U1224B	795	+30	+110
12	30	Y-3R2A2U1230B	802	+38	+138
12	36	Y-3R2A2U1236B	812	+45	+165
12	42	Y-3R2A2U1242B	846	+53	+193
12	48	Y-3R2A2U1248B	879	+60	+220
12	54	Y-3R2A2U1254B	1,023	+68	+248
12	60	Y-3R2A2U1260B	950	+75	+275
12	66	Y-3R2A2U1266B	985	+83	+303
12	72	Y-3R2A2U1272B	1,019	+90	+330
12	78	Y-3R2A2U1278B	1,051	+98	+358
12	84	Y-3R2A2U1284B	1,085	+105	+385
16	24	Y-3R2A2U1624B	944	+40	+147
16	30	Y-3R2A2U1630B	974	+50	+184
16	36	Y-3R2A2U1636B	1,023	+60	+220
16	42	Y-3R2A2U1642B	1,056	+70	+257
16	48	Y-3R2A2U1648B	1,095	+80	+294
16	54	Y-3R2A2U1654B	1,158	+90	+330
16	60	Y-3R2A2U1660B	1,215	+100	+367
16	66	Y-3R2A2U1666B	1,228	+110	+404
16	72	Y-3R2A2U1672B	1,252	+120	+440
16	78	Y-3R2A2U1678B	1,273	+130	+477
16	84	Y-3R2A2U1684B	1,293	+140	+514

GLASS 1/4” NOMINAL = ACTUAL SIZE FRONT/REAR UNDER SURFACE MOUNT CHANNEL SCREENS

H	W	Model Number	List	Tinted Glass	Frosted Glass
20	24	Y-3R2A2U2024B	878	+50	+184
20	30	Y-3R2A2U2030B	943	+63	+230
20	36	Y-3R2A2U2036B	985	+75	+275
20	42	Y-3R2A2U2042B	1,069	+88	+321
20	48	Y-3R2A2U2048B	1,130	+100	+367
20	54	Y-3R2A2U2054B	1,191	+113	+413
20	60	Y-3R2A2U2060B	1,255	+125	+459
20	66	Y-3R2A2U2066B	1,316	+138	+505
20	72	Y-3R2A2U2072B	1,382	+150	+550
20	78	Y-3R2A2U2078B	1,444	+163	+596
20	84	Y-3R2A2U2084B	1,507	+175	+642





Under Surface Mount Channel

Specify

- Paint Selection (Grade C +10)

Notes

- Offered in all AIS paint finishes.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

© 2026, AIS, Inc.

Glass Nominal = Actual Size Front/Rear Under Surface Mount Channel Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Glass 3/8”	Front/Rear on Worksurface	Channel	Nominal = Actual Size	Under Surface Mount


GLASS 3/8” NOMINAL = ACTUAL SIZE FRONT/REAR UNDER SURFACE MOUNT CHANNEL SCREENS

H	W	Model Number	List	Tinted Glass	Frosted Glass
12	24	Y-4R2A2U1224B	1,011	+30	+60
12	30	Y-4R2A2U1230B	1,014	+38	+75
12	36	Y-4R2A2U1236B	1,091	+45	+90
12	42	Y-4R2A2U1242B	1,167	+53	+105
12	48	Y-4R2A2U1248B	1,247	+60	+120
12	54	Y-4R2A2U1254B	1,323	+68	+135
12	60	Y-4R2A2U1260B	1,399	+75	+150
12	66	Y-4R2A2U1266B	1,479	+83	+165
12	72	Y-4R2A2U1272B	1,555	+90	+180
12	78	Y-4R2A2U1278B	1,633	+98	+195
12	84	Y-4R2A2U1284B	1,709	+105	+210
16	24	Y-4R2A2U1624B	972	+40	+80
16	30	Y-4R2A2U1630B	1,068	+50	+100
16	36	Y-4R2A2U1636B	1,111	+60	+120
16	42	Y-4R2A2U1642B	1,219	+70	+140
16	48	Y-4R2A2U1648B	1,333	+80	+160
16	54	Y-4R2A2U1654B	1,412	+90	+180
16	60	Y-4R2A2U1660B	1,452	+100	+200
16	66	Y-4R2A2U1666B	1,569	+110	+220
16	72	Y-4R2A2U1672B	1,657	+120	+240
16	78	Y-4R2A2U1678B	1,680	+130	+260
16	84	Y-4R2A2U1684B	1,758	+140	+280

GLASS 3/8” NOMINAL = ACTUAL SIZE FRONT/REAR UNDER SURFACE MOUNT CHANNEL SCREENS

H	W	Model Number	List	Tinted Glass	Frosted Glass
20	24	Y-4R2A2U2024B	1,087	+50	+100
20	30	Y-4R2A2U2030B	1,212	+63	+125
20	36	Y-4R2A2U2036B	1,328	+75	+150
20	42	Y-4R2A2U2042B	1,449	+88	+175
20	48	Y-4R2A2U2048B	1,569	+100	+200
20	54	Y-4R2A2U2054B	1,691	+113	+225
20	60	Y-4R2A2U2060B	1,808	+125	+250
20	66	Y-4R2A2U2066B	1,929	+138	+275
20	72	Y-4R2A2U2072B	2,049	+150	+300
20	78	Y-4R2A2U2078B	2,167	+163	+325
20	84	Y-4R2A2U2084B	2,286	+175	+350
24	24	Y-4R2A2U2424B	1,175	+60	+120
24	30	Y-4R2A2U2430B	1,316	+75	+150
24	36	Y-4R2A2U2436B	1,459	+90	+180
24	42	Y-4R2A2U2442B	1,602	+105	+210
24	48	Y-4R2A2U2448B	1,743	+120	+240
24	54	Y-4R2A2U2454B	1,885	+135	+270
24	60	Y-4R2A2U2460B	2,028	+150	+300
24	66	Y-4R2A2U2466B	2,168	+165	+330
24	72	Y-4R2A2U2472B	2,312	+180	+360
24	78	Y-4R2A2U2478B	2,452	+195	+390
24	84	Y-4R2A2U2484B	2,593	+210	+420





Under Surface Mount Channel

Specify

- Paint Selection (Grade C +10)

Notes

- Offered in all AIS paint finishes.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Nominal = Actual Size Front/Rear Under Surface Mount Channel Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	Front/Rear on Worksurface	Channel	Nominal = Actual Size	Under Surface Mount


PET NOMINAL = ACTUAL SIZE FRONT/REAR UNDER SURFACE MOUNT CHANNEL SCREENS

H	W	Model Number	List
12	24	Y-5R2A2U1224B	708
12	30	Y-5R2A2U1230B	729
12	36	Y-5R2A2U1236B	748
12	42	Y-5R2A2U1242B	769
12	48	Y-5R2A2U1248B	786
12	54	Y-5R2A2U1254B	809
12	60	Y-5R2A2U1260B	828
12	66	Y-5R2A2U1266B	846
12	72	Y-5R2A2U1272B	866
12	78	Y-5R2A2U1278B	884
12	84	Y-5R2A2U1284B	904
16	24	Y-5R2A2U1624B	735
16	30	Y-5R2A2U1630B	762
16	36	Y-5R2A2U1636B	786
16	42	Y-5R2A2U1642B	814
16	48	Y-5R2A2U1648B	840
16	54	Y-5R2A2U1654B	866
16	60	Y-5R2A2U1660B	892
16	66	Y-5R2A2U1666B	916
16	72	Y-5R2A2U1672B	944
16	78	Y-5R2A2U1678B	971
16	84	Y-5R2A2U1684B	997

PET NOMINAL = ACTUAL SIZE FRONT/REAR UNDER SURFACE MOUNT CHANNEL SCREENS

H	W	Model Number	List
20	24	Y-5R2A2U2024B	762
20	30	Y-5R2A2U2030B	795
20	36	Y-5R2A2U2036B	828
20	42	Y-5R2A2U2042B	860
20	48	Y-5R2A2U2048B	894
20	54	Y-5R2A2U2054B	925
20	60	Y-5R2A2U2060B	958
20	66	Y-5R2A2U2066B	990
20	72	Y-5R2A2U2072B	1,023
20	78	Y-5R2A2U2078B	1,055
20	84	Y-5R2A2U2084B	1,087
24	24	Y-5R2A2U2424B	786
24	30	Y-5R2A2U2430B	828
24	36	Y-5R2A2U2436B	866
24	42	Y-5R2A2U2442B	906
24	48	Y-5R2A2U2448B	944
24	54	Y-5R2A2U2454B	984
24	60	Y-5R2A2U2460B	1,023
24	66	Y-5R2A2U2466B	1,061
24	72	Y-5R2A2U2472B	1,101
24	78	Y-5R2A2U2478B	1,139
24	84	Y-5R2A2U2484B	1,180





Under Surface Mount Channel

Specify

- Paint Selection (Grade C +10)
- Color Selection for PET

Notes

- Offered in all AIS paint finishes.

© 2026, AIS, Inc.

PET Nominal = Actual Size Front/Rear Under Surface Mount Channel Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	Front/Rear on Worksurface	Channel	Nominal = Actual Size	Under Surface Mount


PET FRONT/REAR UNDER SURFACE MOUNT CHANNEL SCREENS (ACTUAL DIMENSION)

H	W	Model Number	List
28	24	Y-5R2A2U2824B	814
28	30	Y-5R2A2U2830B	860
28	36	Y-5R2A2U2836B	904
28	42	Y-5R2A2U2842B	950
28	48	Y-5R2A2U2848B	997
28	54	Y-5R2A2U2854B	1,042
28	60	Y-5R2A2U2860B	1,085
28	66	Y-5R2A2U2866B	1,133
28	72	Y-5R2A2U2872B	1,179
28	78	Y-5R2A2U2878B	1,224
28	84	Y-5R2A2U2884B	1,269

PET FRONT/REAR UNDER SURFACE MOUNT CHANNEL SCREENS (ACTUAL DIMENSION)

H	W	Model Number	List
32	24	Y-5R2A2U3224B	840
32	30	Y-5R2A2U3230B	892
32	36	Y-5R2A2U3236B	943
32	42	Y-5R2A2U3242B	997
32	48	Y-5R2A2U3248B	1,047
32	54	Y-5R2A2U3254B	1,098
32	60	Y-5R2A2U3260B	1,152
32	66	Y-5R2A2U3266B	1,203
32	72	Y-5R2A2U3272B	1,255
32	78	Y-5R2A2U3278B	1,310
32	84	Y-5R2A2U3284B	1,360





Under Surface Mount Channel

Specify

- Paint Selection (Grade C +10)
- Color Selection for PET

Notes

- Offered in all AIS paint finishes.

© 2026, AIS, Inc.

Glass Nominal = Actual Size Panel Top Surface Mount Channel Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Glass 1/4”	Panel Top	Channel	Nominal = Actual Size	Surface Mount


GLASS 1/4” NOMINAL = ACTUAL SIZE PANEL TOP SURFACE MOUNT CHANNEL SCREENS

H	W	Model Number	List	Tinted Glass	Frosted Glass
8	24	Y-3P2A1U0824B	517	+30	+110
8	30	Y-3P2A1U0830B	554	+38	+138
8	36	Y-3P2A1U0836B	590	+45	+165
8	42	Y-3P2A1U0842B	625	+53	+193
8	48	Y-3P2A1U0848B	661	+60	+220
8	54	Y-3P2A1U0854B	698	+68	+248
8	60	Y-3P2A1U0860B	734	+75	+275
8	66	Y-3P2A1U0866B	770	+83	+303
8	72	Y-3P2A1U0872B	805	+90	+330
8	78	Y-3P2A1U0878B	841	+98	+358
8	84	Y-3P2A1U0884B	876	+105	+385
12	24	Y-3P2A1U1224B	638	+30	+110
12	30	Y-3P2A1U1230B	647	+38	+138
12	36	Y-3P2A1U1236B	657	+45	+165
12	42	Y-3P2A1U1242B	691	+53	+193
12	48	Y-3P2A1U1248B	724	+60	+220
12	54	Y-3P2A1U1254B	868	+68	+248
12	60	Y-3P2A1U1260B	796	+75	+275
12	66	Y-3P2A1U1266B	830	+83	+303
12	72	Y-3P2A1U1272B	865	+90	+330
12	78	Y-3P2A1U1278B	899	+98	+358
12	84	Y-3P2A1U1284B	930	+105	+385


GLASS 1/4” NOMINAL = ACTUAL SIZE PANEL TOP SURFACE MOUNT CHANNEL SCREENS

H	W	Model Number	List	Tinted Glass	Frosted Glass
16	24	Y-3P2A1U1624B	788	+40	+147
16	30	Y-3P2A1U1630B	819	+50	+184
16	36	Y-3P2A1U1636B	868	+60	+220
16	42	Y-3P2A1U1642B	902	+70	+257
16	48	Y-3P2A1U1648B	942	+80	+294
16	54	Y-3P2A1U1654B	1,004	+90	+330
16	60	Y-3P2A1U1660B	1,057	+100	+367
16	66	Y-3P2A1U1666B	1,074	+110	+404
16	72	Y-3P2A1U1672B	1,097	+120	+440
16	78	Y-3P2A1U1678B	1,118	+130	+477
16	84	Y-3P2A1U1684B	1,138	+140	+514





On Panel Top



Surface Mount Channel

Specify

- Paint Selection (Grade C +10)

Notes

- Can not be used on Matrix or Divi. For Matrix see Matrix price list, for Divi see section in Screens price list.
- Offered in all AIS paint finishes.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).


© 2026, AIS, Inc.


Glass Nominal = Actual Size Panel Top Surface Mount Channel Screens

Material	Where Used	Screen Type	Sized For	Mount Type
Glass 1/4”	Panel Top	Channel	Nominal = Actual Size	Surface Mount


GLASS 1/4” NOMINAL = ACTUAL SIZE PANEL TOP SURFACE MOUNT CHANNEL SCREENS

H	W	Model Number	List	Tinted Glass	Frosted Glass
20	24	Y-3P2A1U2024B	723	+50	+184
20	30	Y-3P2A1U2030B	786	+63	+230
20	36	Y-3P2A1U2036B	830	+75	+275
20	42	Y-3P2A1U2042B	913	+88	+321
20	48	Y-3P2A1U2048B	974	+100	+367
20	54	Y-3P2A1U2054B	1,038	+113	+413
20	60	Y-3P2A1U2060B	1,101	+125	+459
20	66	Y-3P2A1U2066B	1,163	+138	+505
20	72	Y-3P2A1U2072B	1,227	+150	+550
20	78	Y-3P2A1U2078B	1,290	+163	+596
20	84	Y-3P2A1U2084B	1,352	+175	+642





On Panel Top



Surface Mount Channel

Specify	Notes
• Paint Selection (Grade C +10)	• Can not be used on Matrix or Divi. For Matrix see Matrix price list, for Divi see section in Screens price list. • Offered in all AIS paint finishes. • Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Glass Nominal = Actual Size Panel Top Surface Mount Channel Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Glass 3/8”	Panel Top	Channel	Nominal = Actual Size	Surface Mount


GLASS 3/8” NOMINAL = ACTUAL SIZE PANEL TOP SURFACE MOUNT CHANNEL SCREENS

H	W	Model Number	List	Tinted Glass	Frosted Glass
8	24	Y-4P2A1U0824B	774	+30	+60
8	30	Y-4P2A1U0830B	838	+38	+75
8	36	Y-4P2A1U0836B	902	+45	+90
8	42	Y-4P2A1U0842B	967	+53	+105
8	48	Y-4P2A1U0848B	1,032	+60	+120
8	54	Y-4P2A1U0854B	1,095	+68	+135
8	60	Y-4P2A1U0860B	1,160	+75	+150
8	66	Y-4P2A1U0866B	1,224	+83	+165
8	72	Y-4P2A1U0872B	1,288	+90	+180
8	78	Y-4P2A1U0878B	1,353	+98	+195
8	84	Y-4P2A1U0884B	1,418	+105	+210
12	24	Y-4P2A1U1224B	857	+30	+60
12	30	Y-4P2A1U1230B	862	+38	+75
12	36	Y-4P2A1U1236B	938	+45	+90
12	42	Y-4P2A1U1242B	1,012	+53	+105
12	48	Y-4P2A1U1248B	1,091	+60	+120
12	54	Y-4P2A1U1254B	1,167	+68	+135
12	60	Y-4P2A1U1260B	1,247	+75	+150
12	66	Y-4P2A1U1266B	1,323	+83	+165
12	72	Y-4P2A1U1272B	1,399	+90	+180
12	78	Y-4P2A1U1278B	1,479	+98	+195
12	84	Y-4P2A1U1284B	1,555	+105	+210


GLASS 3/8” NOMINAL = ACTUAL SIZE PANEL TOP SURFACE MOUNT CHANNEL SCREENS

H	W	Model Number	List	Tinted Glass	Frosted Glass
16	24	Y-4P2A1U1624B	816	+40	+80
16	30	Y-4P2A1U1630B	912	+50	+100
16	36	Y-4P2A1U1636B	955	+60	+120
16	42	Y-4P2A1U1642B	1,063	+70	+140
16	48	Y-4P2A1U1648B	1,179	+80	+160
16	54	Y-4P2A1U1654B	1,259	+90	+180
16	60	Y-4P2A1U1660B	1,296	+100	+200
16	66	Y-4P2A1U1666B	1,412	+110	+220
16	72	Y-4P2A1U1672B	1,500	+120	+240
16	78	Y-4P2A1U1678B	1,526	+130	+260
16	84	Y-4P2A1U1684B	1,603	+140	+280
20	24	Y-4P2A1U2024B	931	+50	+100
20	30	Y-4P2A1U2030B	1,054	+63	+125
20	36	Y-4P2A1U2036B	1,174	+75	+150
20	42	Y-4P2A1U2042B	1,295	+88	+175
20	48	Y-4P2A1U2048B	1,412	+100	+200
20	54	Y-4P2A1U2054B	1,535	+113	+225
20	60	Y-4P2A1U2060B	1,654	+125	+250
20	66	Y-4P2A1U2066B	1,776	+138	+275
20	72	Y-4P2A1U2072B	1,892	+150	+300
20	78	Y-4P2A1U2078B	2,011	+163	+325
20	84	Y-4P2A1U2084B	2,133	+175	+350





On Panel Top



Surface Mount Channel

Specify

- Paint Selection (Grade C +10)

Notes

- Can not be used on Matrix or Divi. For Matrix see Matrix price list, for Divi see section in Screens price list.
- Offered in all AIS paint finishes.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

© 2026, AIS, Inc.

PET Nominal = Actual Size Panel Top Surface Mount Channel Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	Panel Top	Channel	Nominal = Actual Size	Surface Mount


PET NOMINAL = ACTUAL SIZE
PANEL TOP SURFACE MOUNT CHANNEL SCREENS

H	W	Model Number	List
12	24	Y-5P2A1U1224B	555
12	30	Y-5P2A1U1230B	573
12	36	Y-5P2A1U1236B	594
12	42	Y-5P2A1U1242B	610
12	48	Y-5P2A1U1248B	634
12	54	Y-5P2A1U1254B	652
12	60	Y-5P2A1U1260B	673
12	66	Y-5P2A1U1266B	691
12	72	Y-5P2A1U1272B	709
12	78	Y-5P2A1U1278B	731
12	84	Y-5P2A1U1284B	748
16	24	Y-5P2A1U1624B	579
16	30	Y-5P2A1U1630B	605
16	36	Y-5P2A1U1636B	634
16	42	Y-5P2A1U1642B	659
16	48	Y-5P2A1U1648B	685
16	54	Y-5P2A1U1654B	709
16	60	Y-5P2A1U1660B	736
16	66	Y-5P2A1U1666B	763
16	72	Y-5P2A1U1672B	788
16	78	Y-5P2A1U1678B	815
16	84	Y-5P2A1U1684B	841


PET NOMINAL = ACTUAL SIZE
PANEL TOP SURFACE MOUNT CHANNEL SCREENS

H	W	Model Number	List
20	24	Y-5P2A1U2024B	605
20	30	Y-5P2A1U2030B	638
20	36	Y-5P2A1U2036B	673
20	42	Y-5P2A1U2042B	704
20	48	Y-5P2A1U2048B	737
20	54	Y-5P2A1U2054B	771
20	60	Y-5P2A1U2060B	803
20	66	Y-5P2A1U2066B	834
20	72	Y-5P2A1U2072B	868
20	78	Y-5P2A1U2078B	901
20	84	Y-5P2A1U2084B	931
24	24	Y-5P2A1U2424B	634
24	30	Y-5P2A1U2430B	673
24	36	Y-5P2A1U2436B	709
24	42	Y-5P2A1U2442B	749
24	48	Y-5P2A1U2448B	788
24	54	Y-5P2A1U2454B	829
24	60	Y-5P2A1U2460B	868
24	66	Y-5P2A1U2466B	907
24	72	Y-5P2A1U2472B	946
24	78	Y-5P2A1U2478B	985
24	84	Y-5P2A1U2484B	1,024





On Panel Top



Surface Mount Channel

Specify

- Paint Selection (Grade C +10)
- Color Selection for PET

Notes

- Can not be used on Matrix or Divi. For Matrix see Matrix price list, for Divi see section in Screens price list.
- Offered in all AIS paint finishes.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Nominal = Actual Size Panel Top Surface Mount Channel Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	Panel Top	Channel	Nominal = Actual Size	Surface Mount


PET NOMINAL = ACTUAL SIZE
PANEL TOP SURFACE MOUNT CHANNEL SCREENS

H	W	Model Number	List
28	24	Y-5P2A1U2824B	659
28	30	Y-5P2A1U2830B	704
28	36	Y-5P2A1U2836B	748
28	42	Y-5P2A1U2842B	796
28	48	Y-5P2A1U2848B	841
28	54	Y-5P2A1U2854B	886
28	60	Y-5P2A1U2860B	930
28	66	Y-5P2A1U2866B	979
28	72	Y-5P2A1U2872B	1,023
28	78	Y-5P2A1U2878B	1,070
28	84	Y-5P2A1U2884B	1,116


PET NOMINAL = ACTUAL SIZE
PANEL TOP SURFACE MOUNT CHANNEL SCREENS

H	W	Model Number	List
32	24	Y-5P2A1U3224B	685
32	30	Y-5P2A1U3230B	736
32	36	Y-5P2A1U3236B	786
32	42	Y-5P2A1U3242B	841
32	48	Y-5P2A1U3248B	894
32	54	Y-5P2A1U3254B	944
32	60	Y-5P2A1U3260B	997
32	66	Y-5P2A1U3266B	1,047
32	72	Y-5P2A1U3272B	1,101
32	78	Y-5P2A1U3278B	1,153
32	84	Y-5P2A1U3284B	1,205





On Panel Top



Surface Mount Channel

Specify	Notes
• Paint Selection (Grade C +10)	• Can not be used on Matrix or Divi. For Matrix see Matrix price list, for Divi see section in Screens price list.
• Color Selection for PET	• Offered in all AIS paint finishes.

© 2026, AIS, Inc.

PET Gallery Panel Side Mount Channel Screens

Material	Where Used	Screen Type	Sized For	Mount Type
PET	Gallery Panel Side Mount	Channel	All Gallery Panels except Divi	Surface Mount


PET GALLERY PANEL SIDE MOUNT CHANNEL SCREENS

H	W	Model Number	List
42	12	Y-5G2R1U4212B	592
42	18	Y-5G2R1U4218B	602
42	24	Y-5G2R1U4224B	609
46	12	Y-5G2R1U4612B	648
46	18	Y-5G2R1U4618B	667
46	24	Y-5G2R1U4624B	657
50	12	Y-5G2R1U5012B	674
50	18	Y-5G2R1U5018B	685
50	24	Y-5G2R1U5024B	744


PET GALLERY PANEL SIDE MOUNT CHANNEL SCREENS

H	W	Model Number	List
58	12	Y-5G2R1U5812B	771
58	18	Y-5G2R1U5818B	723
58	24	Y-5G2R1U5824B	745
66	12	Y-5G2R1U6612B	762
66	18	Y-5G2R1U6618B	838
66	24	Y-5G2R1U6624B	875





On Gallery Panel



Surface Mount Channel

Specify	Notes
• Paint Selection (Grade C +10)	• Can not be used with Divi.
• Color Selection for PET	• Offered in all AIS paint finishes.

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Glass Nominal = Actual Size Territory Surface Mount Clip Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Glass 1/4”	Territory on Worksurface	Clip	Nominal = Actual Size	Surface Mount


GLASS 1/4” NOMINAL = ACTUAL SIZE TERRITORY SURFACE MOUNT CLIP SCREENS

H	D	Model Number	List	Tinted Glass	Frosted Glass
12	24	Y-3T3A1U1224B	638	+30	+110
16	24	Y-3T3A1U1624B	788	+40	+147
20	24	Y-3T3A1U2024B	723	+50	+184

GLASS 1/4” NOMINAL = ACTUAL SIZE TERRITORY SURFACE MOUNT CLIP SCREENS

H	D	Model Number	List	Tinted Glass	Frosted Glass
12	30	Y-3T3A1U1230B	647	+38	+138
16	30	Y-3T3A1U1630B	819	+50	+184
20	30	Y-3T3A1U2030B	786	+63	+230





Surface Mount Clip

Specify

Notes

- Clips available in Metallic Silver only.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

© 2026, AIS, Inc.

Glass Nominal = Actual Size Territory Surface Mount Clip Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Glass 3/8”	Territory on Worksurface	Clip	Nominal = Actual Size	Surface Mount


GLASS 3/8” NOMINAL = ACTUAL SIZE TERRITORY SURFACE MOUNT CLIP SCREENS

H	D	Model Number	List	Tinted Glass	Frosted Glass
12	24	Y-4T3A1U1224B	857	+30	+60
16	24	Y-4T3A1U1624B	816	+40	+80
20	24	Y-4T3A1U2024B	931	+50	+100
24	24	Y-4T3A1U2424B	1,020	+60	+120

GLASS 3/8” NOMINAL = ACTUAL SIZE TERRITORY SURFACE MOUNT CLIP SCREENS

H	D	Model Number	List	Tinted Glass	Frosted Glass
12	30	Y-4T3A1U1230B	862	+38	+75
16	30	Y-4T3A1U1630B	912	+50	+100
20	30	Y-4T3A1U2030B	1,054	+63	+125
24	30	Y-4T3A1U2430B	1,163	+75	+150





Surface Mount Clip

Specify

Notes

- Clips available in Metallic Silver only.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

Glass Nominal = Actual Size Territory Under Surface Mount Clip Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
Glass 1/4”	Territory on Worksurface	Clip	Nominal = Actual Size	Under Surface Mount	Left or Right

GLASS 1/4” NOMINAL = ACTUAL SIZE TERRITORY UNDER SURFACE MOUNT CLIP SCREENS


			Left Hand	Right Hand			
H	D	Actual D	Model Number	Model Number	List	Tinted Glass	Frosted Glass
12	24	23	Y-3T3A2L1224B	Y-3T3A2R1224B	638	+30	+110
16	24	23	Y-3T3A2L1624B	Y-3T3A2R1624B	788	+40	+147
20	24	23	Y-3T3A2L2024B	Y-3T3A2R2024B	723	+50	+184
12	30	29	Y-3T3A2L1230B	Y-3T3A2R1230B	647	+38	+138
16	30	29	Y-3T3A2L1630B	Y-3T3A2R1630B	819	+50	+184
20	30	29	Y-3T3A2L2030B	Y-3T3A2R2030B	786	+63	+230



Left Hand



Right Hand



Under Surface Mount Clip

Specify

Notes

- Clips available in Metallic Silver only.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).


© 2026, AIS, Inc.

Glass Nominal = Actual Size Territory Under Surface Mount Clip Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
Glass 3/8”	Territory on Worksurface	Clip	Nominal = Actual Size	Under Surface Mount	Left or Right

GLASS 3/8” NOMINAL = ACTUAL SIZE TERRITORY UNDER SURFACE MOUNT CLIP SCREENS


			Left Hand	Right Hand			
H	D	Actual D	Model Number	Model Number	List	Tinted Glass	Frosted Glass
12	24	23	Y-4T3A2L1224B	Y-4T3A2R1224B	857	+30	+60
16	24	23	Y-4T3A2L1624B	Y-4T3A2R1624B	816	+40	+80
20	24	23	Y-4T3A2L2024B	Y-4T3A2R2024B	931	+50	+100
24	24	23	Y-4T3A2L2424B	Y-4T3A2R2424B	1,020	+60	+120
12	30	29	Y-4T3A2L1230B	Y-4T3A2R1230B	862	+38	+75
16	30	29	Y-4T3A2L1630B	Y-4T3A2R1630B	912	+50	+100
20	30	29	Y-4T3A2L2030B	Y-4T3A2R2030B	1,054	+63	+125
24	30	29	Y-4T3A2L2430B	Y-4T3A2R2430B	1,163	+75	+150



Left Hand



Right Hand



Under Surface Mount Clip

Specify

Notes

- Clips available in Metallic Silver only.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Glass Nominal = Actual Size Front/Rear Surface Mount Clip Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Glass 1/4”	Front/Rear on Worksurface	Clip	Nominal = Actual Size	Surface Mount

GLASS 1/4” NOMINAL = ACTUAL SIZE FRONT/REAR SURFACE MOUNT CLIP SCREENS


H	W	Model Number	List	Tinted Glass	Frosted Glass
12	24	Y-3R3A1U1224B	638	+30	+110
12	30	Y-3R3A1U1230B	647	+38	+138
12	36	Y-3R3A1U1236B	657	+45	+165
12	42	Y-3R3A1U1242B	691	+53	+193
12	48	Y-3R3A1U1248B	724	+60	+220
12	54	Y-3R3A1U1254B	868	+68	+248
12	60	Y-3R3A1U1260B	796	+75	+275
12	66	Y-3R3A1U1266B	830	+83	+303
12	72	Y-3R3A1U1272B	865	+90	+330
12	78	Y-3R3A1U1278B	899	+98	+358
12	84	Y-3R3A1U1284B	930	+105	+385
16	24	Y-3R3A1U1624B	788	+40	+147
16	30	Y-3R3A1U1630B	819	+50	+184
16	36	Y-3R3A1U1636B	868	+60	+220
16	42	Y-3R3A1U1642B	902	+70	+257
16	48	Y-3R3A1U1648B	942	+80	+294
16	54	Y-3R3A1U1654B	1,004	+90	+330
16	60	Y-3R3A1U1660B	1,057	+100	+367
16	66	Y-3R3A1U1666B	1,074	+110	+404
16	72	Y-3R3A1U1672B	1,097	+120	+440
16	78	Y-3R3A1U1678B	1,118	+130	+477
16	84	Y-3R3A1U1684B	1,138	+140	+514

GLASS 1/4” NOMINAL = ACTUAL SIZE FRONT/REAR SURFACE MOUNT CLIP SCREENS


H	W	Model Number	List	Tinted Glass	Frosted Glass
20	24	Y-3R3A1U2024B	723	+50	+184
20	30	Y-3R3A1U2030B	786	+63	+230
20	36	Y-3R3A1U2036B	830	+75	+275
20	42	Y-3R3A1U2042B	913	+88	+321
20	48	Y-3R3A1U2048B	974	+100	+367
20	54	Y-3R3A1U2054B	1,038	+113	+413
20	60	Y-3R3A1U2060B	1,101	+125	+459
20	66	Y-3R3A1U2066B	1,163	+138	+505
20	72	Y-3R3A1U2072B	1,227	+150	+550
20	78	Y-3R3A1U2078B	1,290	+163	+596
20	84	Y-3R3A1U2084B	1,352	+175	+642




24 - 54 Wide



60 - 72 Wide



78 - 84 Wide



Surface Mount Clip

Specify

Notes

- Clips available in Metallic Silver only.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

© 2026, AIS, Inc.

Glass Nominal = Actual Size Front/Rear Surface Mount Clip Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Glass 3/8”	Front/Rear on Worksurface	Clip	Nominal = Actual Size	Surface Mount

GLASS 3/8” NOMINAL = ACTUAL SIZE FRONT/REAR SURFACE MOUNT CLIP SCREENS


H	W	Model Number	List	Tinted Glass	Frosted Glass
12	24	Y-4R3A1U1224B	857	+30	+60
12	30	Y-4R3A1U1230B	862	+38	+75
12	36	Y-4R3A1U1236B	938	+45	+90
12	42	Y-4R3A1U1242B	1,012	+53	+105
12	48	Y-4R3A1U1248B	1,091	+60	+120
12	54	Y-4R3A1U1254B	1,167	+68	+135
12	60	Y-4R3A1U1260B	1,247	+75	+150
12	66	Y-4R3A1U1266B	1,323	+83	+165
12	72	Y-4R3A1U1272B	1,399	+90	+180
12	78	Y-4R3A1U1278B	1,479	+98	+195
12	84	Y-4R3A1U1284B	1,555	+105	+210
16	24	Y-4R3A1U1624B	816	+40	+80
16	30	Y-4R3A1U1630B	912	+50	+100
16	36	Y-4R3A1U1636B	955	+60	+120
16	42	Y-4R3A1U1642B	1,063	+70	+140
16	48	Y-4R3A1U1648B	1,179	+80	+160
16	54	Y-4R3A1U1654B	1,259	+90	+180
16	60	Y-4R3A1U1660B	1,296	+100	+200
16	66	Y-4R3A1U1666B	1,412	+110	+220
16	72	Y-4R3A1U1672B	1,500	+120	+240
16	78	Y-4R3A1U1678B	1,526	+130	+260
16	84	Y-4R3A1U1684B	1,603	+140	+280

GLASS 3/8” NOMINAL = ACTUAL SIZE FRONT/REAR SURFACE MOUNT CLIP SCREENS


H	W	Model Number	List	Tinted Glass	Frosted Glass
20	24	Y-4R3A1U2024B	931	+50	+100
20	30	Y-4R3A1U2030B	1,054	+63	+125
20	36	Y-4R3A1U2036B	1,174	+75	+150
20	42	Y-4R3A1U2042B	1,295	+88	+175
20	48	Y-4R3A1U2048B	1,412	+100	+200
20	54	Y-4R3A1U2054B	1,535	+113	+225
20	60	Y-4R3A1U2060B	1,654	+125	+250
20	66	Y-4R3A1U2066B	1,776	+138	+275
20	72	Y-4R3A1U2072B	1,892	+150	+300
20	78	Y-4R3A1U2078B	2,011	+163	+325
20	84	Y-4R3A1U2084B	2,133	+175	+350
24	24	Y-4R3A1U2424B	1,020	+60	+120
24	30	Y-4R3A1U2430B	1,163	+75	+150
24	36	Y-4R3A1U2436B	1,304	+90	+180
24	42	Y-4R3A1U2442B	1,445	+105	+210
24	48	Y-4R3A1U2448B	1,588	+120	+240
24	54	Y-4R3A1U2454B	1,730	+135	+270
24	60	Y-4R3A1U2460B	1,874	+150	+300
24	66	Y-4R3A1U2466B	2,015	+165	+330
24	72	Y-4R3A1U2472B	2,154	+180	+360
24	78	Y-4R3A1U2478B	2,296	+195	+390
24	84	Y-4R3A1U2484B	2,437	+210	+420




24 - 54 Wide



60 - 72 Wide



78 - 84 Wide



Surface Mount Clip

Specify

Notes

- Clips available in Metallic Silver only.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Glass Nominal = Actual Size Front/Rear Under Surface Mount Clip Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Glass 1/4”	Front/Rear on Worksurface	Clip	Nominal = Actual Size	Under Surface Mount

GLASS 1/4” NOMINAL = ACTUAL SIZE FRONT/REAR UNDER SURFACE MOUNT CLIP SCREENS


H	W	Model Number	List	Tinted Glass	Frosted Glass
12	24	Y-3R3A2U1224B	638	+30	+110
12	30	Y-3R3A2U1230B	647	+38	+138
12	36	Y-3R3A2U1236B	657	+45	+165
12	42	Y-3R3A2U1242B	691	+53	+193
12	48	Y-3R3A2U1248B	724	+60	+220
12	54	Y-3R3A2U1254B	868	+68	+248
12	60	Y-3R3A2U1260B	796	+75	+275
12	66	Y-3R3A2U1266B	830	+83	+303
12	72	Y-3R3A2U1272B	865	+90	+330
12	78	Y-3R3A2U1278B	899	+98	+358
12	84	Y-3R3A2U1284B	930	+105	+385
16	24	Y-3R3A2U1624B	788	+40	+147
16	30	Y-3R3A2U1630B	819	+50	+184
16	36	Y-3R3A2U1636B	868	+60	+220
16	42	Y-3R3A2U1642B	902	+70	+257
16	48	Y-3R3A2U1648B	942	+80	+294
16	54	Y-3R3A2U1654B	1,004	+90	+330
16	60	Y-3R3A2U1660B	1,057	+100	+367
16	66	Y-3R3A2U1666B	1,074	+110	+404
16	72	Y-3R3A2U1672B	1,097	+120	+440
16	78	Y-3R3A2U1678B	1,118	+130	+477
16	84	Y-3R3A2U1684B	1,138	+140	+514

GLASS 1/4” NOMINAL = ACTUAL SIZE FRONT/REAR UNDER SURFACE MOUNT CLIP SCREENS


H	W	Model Number	List	Tinted Glass	Frosted Glass
20	24	Y-3R3A2U2024B	723	+50	+184
20	30	Y-3R3A2U2030B	786	+63	+230
20	36	Y-3R3A2U2036B	830	+75	+275
20	42	Y-3R3A2U2042B	913	+88	+321
20	48	Y-3R3A2U2048B	974	+100	+367
20	54	Y-3R3A2U2054B	1,038	+113	+413
20	60	Y-3R3A2U2060B	1,101	+125	+459
20	66	Y-3R3A2U2066B	1,163	+138	+505
20	72	Y-3R3A2U2072B	1,227	+150	+550
20	78	Y-3R3A2U2078B	1,290	+163	+596
20	84	Y-3R3A2U2084B	1,352	+175	+642




24 - 54 Wide



60 - 72 Wide



78 - 84 Wide



Under Surface Mount Clip

Specify

Notes

- Clips available in Metallic Silver only.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

© 2026, AIS, Inc.

Glass Nominal = Actual Size Front/Rear Under Surface Mount Clip Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Glass 1/4”	Front/Rear on Worksurface	Clip	Nominal = Actual Size	Under Surface Mount

GLASS 3/8” NOMINAL = ACTUAL SIZE FRONT/REAR UNDER SURFACE MOUNT CLIP SCREENS


H	W	Model Number	List	Tinted Glass	Frosted Glass
12	24	Y-4R3A2U1224B	857	+30	+60
12	30	Y-4R3A2U1230B	862	+38	+75
12	36	Y-4R3A2U1236B	938	+45	+90
12	42	Y-4R3A2U1242B	1,012	+53	+105
12	48	Y-4R3A2U1248B	1,091	+60	+120
12	54	Y-4R3A2U1254B	1,167	+68	+135
12	60	Y-4R3A2U1260B	1,247	+75	+150
12	66	Y-4R3A2U1266B	1,323	+83	+165
12	72	Y-4R3A2U1272B	1,399	+90	+180
12	78	Y-4R3A2U1278B	1,479	+98	+195
12	84	Y-4R3A2U1284B	1,555	+105	+210
16	24	Y-4R3A2U1624B	816	+40	+80
16	30	Y-4R3A2U1630B	912	+50	+100
16	36	Y-4R3A2U1636B	955	+60	+120
16	42	Y-4R3A2U1642B	1,063	+70	+140
16	48	Y-4R3A2U1648B	1,179	+80	+160
16	54	Y-4R3A2U1654B	1,259	+90	+180
16	60	Y-4R3A2U1660B	1,296	+100	+200
16	66	Y-4R3A2U1666B	1,412	+110	+220
16	72	Y-4R3A2U1672B	1,500	+120	+240
16	78	Y-4R3A2U1678B	1,526	+130	+260
16	84	Y-4R3A2U1684B	1,603	+140	+280

GLASS 3/8” NOMINAL = ACTUAL SIZE FRONT/REAR UNDER SURFACE MOUNT CLIP SCREENS


H	W	Model Number	List	Tinted Glass	Frosted Glass
20	24	Y-4R3A2U2024B	931	+50	+100
20	30	Y-4R3A2U2030B	1,054	+63	+125
20	36	Y-4R3A2U2036B	1,174	+75	+150
20	42	Y-4R3A2U2042B	1,295	+88	+175
20	48	Y-4R3A2U2048B	1,412	+100	+200
20	54	Y-4R3A2U2054B	1,535	+113	+225
20	60	Y-4R3A2U2060B	1,654	+125	+250
20	66	Y-4R3A2U2066B	1,776	+138	+275
20	72	Y-4R3A2U2072B	1,892	+150	+300
20	78	Y-4R3A2U2078B	2,011	+163	+325
20	84	Y-4R3A2U2084B	2,133	+175	+350
24	24	Y-4R3A2U2424B	1,020	+60	+120
24	30	Y-4R3A2U2430B	1,163	+75	+150
24	36	Y-4R3A2U2436B	1,304	+90	+180
24	42	Y-4R3A2U2442B	1,445	+105	+210
24	48	Y-4R3A2U2448B	1,588	+120	+240
24	54	Y-4R3A2U2454B	1,730	+135	+270
24	60	Y-4R3A2U2460B	1,874	+150	+300
24	66	Y-4R3A2U2466B	2,015	+165	+330
24	72	Y-4R3A2U2472B	2,154	+180	+360
24	78	Y-4R3A2U2478B	2,296	+195	+390
24	84	Y-4R3A2U2484B	2,437	+210	+420




24 - 54 Wide



60 - 72 Wide



78 - 84 Wide



Under Surface Mount Clip

Specify

Notes

- Clips available in Metallic Silver only.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Glass Nominal = Actual Size Panel Top Surface Mount Clip Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Glass 1/4”	Panel Top	Clip	Nominal = Actual Size	Surface Mount

GLASS 1/4” NOMINAL = ACTUAL SIZE PANEL TOP SURFACE MOUNT CLIP SCREENS


H	W	Model Number	List	Tinted Glass	Frosted Glass
8	24	Y-3P3A1U0824B	517	30	110
8	30	Y-3P3A1U0830B	554	38	138
8	36	Y-3P3A1U0836B	590	45	165
8	42	Y-3P3A1U0842B	625	53	193
8	48	Y-3P3A1U0848B	661	60	220
8	54	Y-3P3A1U0854B	698	68	248
8	60	Y-3P3A1U0860B	734	75	275
8	66	Y-3P3A1U0866B	770	83	303
8	72	Y-3P3A1U0872B	805	90	330
8	78	Y-3P3A1U0878B	841	98	358
8	84	Y-3P3A1U0884B	876	105	385
12	24	Y-3P3A1U1224B	638	+30	+110
12	30	Y-3P3A1U1230B	647	+38	+138
12	36	Y-3P3A1U1236B	657	+45	+165
12	42	Y-3P3A1U1242B	691	+53	+193
12	48	Y-3P3A1U1248B	724	+60	+220
12	54	Y-3P3A1U1254B	760	+68	+248
12	60	Y-3P3A1U1260B	796	+75	+275
12	66	Y-3P3A1U1266B	830	+83	+303
12	72	Y-3P3A1U1272B	865	+90	+330
12	78	Y-3P3A1U1278B	899	+98	+358
12	84	Y-3P3A1U1284B	930	+105	+385

GLASS 1/4” NOMINAL = ACTUAL SIZE PANEL TOP SURFACE MOUNT CLIP SCREENS


H	W	Model Number	List	Tinted Glass	Frosted Glass
16	24	Y-3P3A1U1624B	788	+40	+147
16	30	Y-3P3A1U1630B	819	+50	+184
16	36	Y-3P3A1U1636B	868	+60	+220
16	42	Y-3P3A1U1642B	902	+70	+257
16	48	Y-3P3A1U1648B	942	+80	+294
16	54	Y-3P3A1U1654B	1,004	+90	+330
16	60	Y-3P3A1U1660B	1,057	+100	+367
16	66	Y-3P3A1U1666B	1,074	+110	+404
16	72	Y-3P3A1U1672B	1,097	+120	+440
16	78	Y-3P3A1U1678B	1,118	+130	+477
16	84	Y-3P3A1U1684B	1,138	+140	+514




24 - 54 Wide




60 - 72 Wide



78 - 84 Wide



On Panel Top



Surface Mount Clip

Specify	Notes
• Paint Selection	• Can not be used on Matrix or Divi. For Matrix see Matrix price list, for Divi see section in Screens price list. • Clips available in Metallic Silver only. • Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).


© 2026, AIS, Inc.


Glass Nominal = Actual Size Panel Top Surface Mount Clip Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Glass 1/4”	Panel Top	Clip	Nominal = Actual Size	Surface Mount


GLASS 1/4” NOMINAL = ACTUAL SIZE PANEL TOP SURFACE MOUNT CLIP SCREENS


H	W	Model Number	List	Tinted Glass	Frosted Glass
20	24	Y-3P3A1U2024B	723	+50	+184
20	30	Y-3P3A1U2030B	786	+63	+230
20	36	Y-3P3A1U2036B	830	+75	+275
20	42	Y-3P3A1U2042B	913	+88	+321
20	48	Y-3P3A1U2048B	974	+100	+367
20	54	Y-3P3A1U2054B	1,038	+113	+413
20	60	Y-3P3A1U2060B	1,101	+125	+459
20	66	Y-3P3A1U2066B	1,163	+138	+505
20	72	Y-3P3A1U2072B	1,227	+150	+550
20	78	Y-3P3A1U2078B	1,290	+163	+596
20	84	Y-3P3A1U2084B	1,352	+175	+642


24 - 54 Wide


60 - 72 Wide


78 - 84 Wide


On Panel Top


Surface Mount Clip

Specify	Notes
• Paint Selection	• Can not be used on Matrix or Divi. For Matrix see Matrix price list, for Divi see section in Screens price list. • Clips available in Metallic Silver only. • Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Glass Nominal = Actual Size Panel Top Surface Mount Clip Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Glass 1/4”	Panel Top	Clip	Nominal = Actual Size	Surface Mount

GLASS 3/8” NOMINAL = ACTUAL SIZE PANEL TOP SURFACE MOUNT CLIP SCREENS


H	W	Model Number	List	Tinted Glass	Frosted Glass
8	24	Y-4P3A1U0824B	774	+30	+60
8	30	Y-4P3A1U0830B	838	+38	+75
8	36	Y-4P3A1U0836B	902	+45	+90
8	42	Y-4P3A1U0842B	967	+53	+105
8	48	Y-4P3A1U0848B	1,032	+60	+120
8	54	Y-4P3A1U0854B	1,095	+68	+135
8	60	Y-4P3A1U0860B	1,160	+75	+150
8	66	Y-4P3A1U0866B	1,224	+83	+165
8	72	Y-4P3A1U0872B	1,288	+90	+180
8	78	Y-4P3A1U0878B	1,353	+98	+195
8	84	Y-4P3A1U0884B	1,418	+105	+210
12	24	Y-4P3A1U1224B	857	+30	+60
12	30	Y-4P3A1U1230B	862	+38	+75
12	36	Y-4P3A1U1236B	938	+45	+90
12	42	Y-4P3A1U1242B	1,012	+53	+105
12	48	Y-4P3A1U1248B	1,091	+60	+120
12	54	Y-4P3A1U1254B	1,167	+68	+135
12	60	Y-4P3A1U1260B	1,247	+75	+150
12	66	Y-4P3A1U1266B	1,323	+83	+165
12	72	Y-4P3A1U1272B	1,399	+90	+180
12	78	Y-4P3A1U1278B	1,479	+98	+195
12	84	Y-4P3A1U1284B	1,555	+105	+210

GLASS 3/8” NOMINAL = ACTUAL SIZE PANEL TOP SURFACE MOUNT CLIP SCREENS


H	W	Model Number	List	Tinted Glass	Frosted Glass
16	24	Y-4P3A1U1624B	816	+40	+80
16	30	Y-4P3A1U1630B	912	+50	+100
16	36	Y-4P3A1U1636B	955	+60	+120
16	42	Y-4P3A1U1642B	1,063	+70	+140
16	48	Y-4P3A1U1648B	1,179	+80	+160
16	54	Y-4P3A1U1654B	1,259	+90	+180
16	60	Y-4P3A1U1660B	1,296	+100	+200
16	66	Y-4P3A1U1666B	1,412	+110	+220
16	72	Y-4P3A1U1672B	1,500	+120	+240
16	78	Y-4P3A1U1678B	1,526	+130	+260
16	84	Y-4P3A1U1684B	1,603	+140	+280




24 - 54 Wide




60 - 72 Wide



78 - 84 Wide



On Panel Top



Surface Mount Clip

Specify

- Paint Selection

Notes

- Can not be used on Matrix or Divi. For Matrix see Matrix price list, for Divi see section in Screens price list.
- Clips available in Metallic Silver only.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).


© 2026, AIS, Inc.


Glass Nominal = Actual Size Panel Top Surface Mount Clip Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Glass 1/4”	Panel Top	Clip	Nominal = Actual Size	Surface Mount


GLASS 3/8” NOMINAL = ACTUAL SIZE
PANEL TOP SURFACE MOUNT CLIP SCREENS


H	W	Model Number	List	Tinted Glass	Frosted Glass
20	24	Y-4P3A1U2024B	931	+50	+100
20	30	Y-4P3A1U2030B	1,054	+63	+125
20	36	Y-4P3A1U2036B	1,174	+75	+150
20	42	Y-4P3A1U2042B	1,295	+88	+175
20	48	Y-4P3A1U2048B	1,412	+100	+200
20	54	Y-4P3A1U2054B	1,535	+113	+225
20	60	Y-4P3A1U2060B	1,654	+125	+250
20	66	Y-4P3A1U2066B	1,776	+138	+275
20	72	Y-4P3A1U2072B	1,892	+150	+300
20	78	Y-4P3A1U2078B	2,011	+163	+325
20	84	Y-4P3A1U2084B	2,133	+175	+350


24 - 54 Wide


60 - 72 Wide


78 - 84 Wide


On Panel Top


Surface Mount Clip

Specify	Notes
• Paint Selection	• Can not be used on Matrix or Divi. For Matrix see Matrix price list, for Divi see section in Screens price list. • Clips available in Metallic Silver only. • Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Glass Nominal = Actual Size Modesty Mount Clip Screens

Material	Where Used	Screen Type	Sized For	Mount Type
Glass 1/4" or Glass 3/8"	Bottom of Worksurface	Clip	Nominal = Actual Size	Modesty Mount


GLASS NOMINAL = ACTUAL FRAMELESS MODESTY MOUNT GLASS SCREENS

H	W	Model Number	Clear 1/4"	Grey Tinted 1/4"	Frosted 1/4"	Clear 3/8"	Frosted 3/8"
8	24	A-FGMM0824	1,069	+33	+68	+75	+136
8	30	A-FGMM0830	1,078	+41	+85	+78	+170
8	36	A-FGMM0836	1,152	+49	+102	+81	+204
8	42	A-FGMM0842	1,171	+57	+119	+84	+232
8	48	A-FGMM0848	1,187	+65	+135	+87	+270
8	54	A-FGMM0854	1,203	+73	+152	+91	+304
8	60	A-FGMM0860	1,241	+81	+169	+94	+338
8	66	A-FGMM0866	1,302	+89	+186	+97	+372
8	72	A-FGMM0872	1,310	+97	+203	+101	+406
12	24	A-FGMM1224	1,060	+38	+79	+141	+158
12	30	A-FGMM1230	1,069	+47	+99	+160	+198
12	36	A-FGMM1236	1,076	+57	+119	+180	+238
12	42	A-FGMM1242	1,108	+66	+138	+208	+276
12	48	A-FGMM1248	1,146	+76	+158	+236	+316
12	54	A-FGMM1254	1,288	+85	+178	+259	+356
12	60	A-FGMM1260	1,214	+94	+197	+291	+394
12	66	A-FGMM1266	1,250	+104	+217	+319	+434
12	72	A-FGMM1272	1,283	+113	+237	+347	+474





1/2" Pre-Drilled Holes



Modesty Mounted Clip

Specify

- Glass Thickness - 1/4" or 3/8"
- Glass Selection

Notes

- Frameless Modesty-Mount Glass Screens are designed to mount from the bottom of worksurfaces or other flat surfaces.
- Screens include two mounting brackets which are available in a matte chrome finish only, screens over 48" in length come with a third bracket.
- Modesty-Mount Glass Screens have a 1/2" pre-drilled holes to accept 1/4" set screws which work in conjunction with the mounting brackets. The set screws act as a safety device to prevent the glass from slipping from the brackets.


© 2026, AIS, Inc.


Glass Nominal = Actual Size Modesty Mount Clip Screens

Material	Where Used	Screen Type	Sized For	Mount Type
Glass 1/4” or Glass 3/8”	Bottom of Worksurface	Clip	Nominal = Actual Size	Modesty Mount


GLASS NOMINAL = ACTUAL FRAMELESS MODESTY MOUNT GLASS SCREENS

H	W	Model Number	Clear 1/4”	Grey Tinted 1/4”	Frosted 1/4”	Clear 3/8”	Frosted 3/8”
16	24	A-FGMM1624	1,213	+43	+90	+18	+180
16	30	A-FGMM1630	1,243	+54	+113	+59	+226
16	36	A-FGMM1636	1,288	+65	+135	+57	+270
16	42	A-FGMM1642	1,320	+76	+158	+105	+316
16	48	A-FGMM1648	1,360	+86	+180	+153	+360
16	54	A-FGMM1654	1,423	+97	+203	+165	+406
16	60	A-FGMM1660	1,480	+108	+225	+153	+450
16	66	A-FGMM1666	1,491	+119	+248	+220	+496
16	72	A-FGMM1672	1,523	+129	+270	+260	+540





1/2” Pre-Drilled Holes



Modesty Mounted Clip

Specify

- Glass Thickness - 1/4” or 3/8”
- Glass Selection

Notes

- Frameless Modesty-Mount Glass Screens are designed to mount from the bottom of worksurfaces or other flat surfaces.
- Screens include two mounting brackets which are available in a matte chrome finish only, screens over 48” in length come with a third bracket.
- Modesty-Mount Glass Screens have a 1/2” pre-drilled holes to accept 1/4” set screws which work in conjunction with the mounting brackets. The set screws act as a safety device to prevent the glass from slipping from the brackets.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.


PET Nominal = Actual Size Territory Surface Mount Lite Screens

Material	Where Used	Screen Type	Sized For	Mount Type
PET	Territory on Worksurface	Lite	Nominal = Actual Size	Surface Mount

PET NOMINAL = ACTUAL SIZE TERRITORY SURFACE MOUNT LITE SCREENS

H	D	Model Number	List
12	24	Y-5T4A1U1224B	591
16	24	Y-5T4A1U1624B	604
20	24	Y-5T4A1U2024B	620
24	24	Y-5T4A1U2424B	636
28	24	Y-5T4A1U2824B	649
32	24	Y-5T4A1U3224B	665
12	30	Y-5T4A1U1230B	602
16	30	Y-5T4A1U1630B	620
20	30	Y-5T4A1U2030B	638
24	30	Y-5T4A1U2430B	657
28	30	Y-5T4A1U2830B	677
32	30	Y-5T4A1U3230B	696





Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET Territory Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width.
- PET screen inserts are 1/2” (12mm) thick.


© 2026, AIS, Inc.


PET Nominal = Actual Size Territory Under Surface Mount Lite Screens

Material	Where Used	Screen Type	Sized For	Mount Type
PET	Territory on Worksurface	Lite	Nominal = Actual Size	Under Surface Mount

PET NOMINAL = ACTUAL SIZE TERRITORY UNDER SURFACE MOUNT LITE SCREENS

H	D	Model Number	List
12	24	Y-5T4A2U1224B	591
16	24	Y-5T4A2U1624B	604
20	24	Y-5T4A2U2024B	620
24	24	Y-5T4A2U2424B	636
28	24	Y-5T4A2U2824B	649
32	24	Y-5T4A2U3224B	665
12	30	Y-5T4A2U1230B	602
16	30	Y-5T4A2U1630B	620
20	30	Y-5T4A2U2030B	638
24	30	Y-5T4A2U2430B	657
28	30	Y-5T4A2U2830B	677
32	30	Y-5T4A2U3230B	696





Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET Territory Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width.
- PET screen inserts are 1/2” (12mm) thick.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.


PET Nominal = Actual Size Territory Freestanding Lite Screens

Material	Where Used	Screen Type	Sized For	Mount Type
PET	Territory on Worksurface	Lite	Nominal = Actual Size	Freestanding

PET NOMINAL = ACTUAL SIZE TERRITORY FREESTANDING LITE SCREENS

H	D	Model Number	List
12	24	Y-5T4A4U1224B	745
16	24	Y-5T4A4U1624B	760
20	24	Y-5T4A4U2024B	774
24	24	Y-5T4A4U2424B	792
28	24	Y-5T4A4U2824B	805
32	24	Y-5T4A4U3224B	819
12	30	Y-5T4A4U1230B	757
16	30	Y-5T4A4U1630B	774
20	30	Y-5T4A4U2030B	795
24	30	Y-5T4A4U2430B	812
28	30	Y-5T4A4U2830B	832
32	30	Y-5T4A4U3230B	852





Freestanding Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET Territory Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width.
- PET screen inserts are 1/2” (12mm) thick.
- Non-marring feet measure 2 3/8“ x 12”.

© 2026, AIS, Inc.

PET Nominal = Actual Size Front/Rear Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	Front/Rear on Worksurface	Lite	Nominal = Actual Size	Surface Mount

PET NOMINAL = ACTUAL SIZE FRONT/REAR SURFACE MOUNT LITE SCREENS


H	W	Model Number	List
12	24	Y-5R4A1U1224B	591
12	30	Y-5R4A1U1230B	602
12	36	Y-5R4A1U1236B	610
12	42	Y-5R4A1U1242B	623
12	48	Y-5R4A1U1248B	636
12	54	Y-5R4A1U1254B	647
12	60	Y-5R4A1U1260B	657
12	66	Y-5R4A1U1266B	671
12	72	Y-5R4A1U1272B	681
12	78	Y-5R4A1U1278B	691
12	84	Y-5R4A1U1284B	704
16	24	Y-5R4A1U1624B	604
16	30	Y-5R4A1U1630B	620
16	36	Y-5R4A1U1636B	636
16	42	Y-5R4A1U1642B	649
16	48	Y-5R4A1U1648B	665
16	54	Y-5R4A1U1654B	681
16	60	Y-5R4A1U1660B	696
16	66	Y-5R4A1U1666B	712
16	72	Y-5R4A1U1672B	724
16	78	Y-5R4A1U1678B	740
16	84	Y-5R4A1U1684B	757

PET NOMINAL = ACTUAL SIZE FRONT/REAR SURFACE MOUNT LITE SCREENS


H	W	Model Number	List
20	24	Y-5R4A1U2024B	620
20	30	Y-5R4A1U2030B	638
20	36	Y-5R4A1U2036B	657
20	42	Y-5R4A1U2042B	677
20	48	Y-5R4A1U2048B	696
20	54	Y-5R4A1U2054B	715
20	60	Y-5R4A1U2060B	734
20	66	Y-5R4A1U2066B	753
20	72	Y-5R4A1U2072B	772
20	78	Y-5R4A1U2078B	792
20	84	Y-5R4A1U2084B	810
24	24	Y-5R4A1U2424B	636
24	30	Y-5R4A1U2430B	657
24	36	Y-5R4A1U2436B	681
24	42	Y-5R4A1U2442B	704
24	48	Y-5R4A1U2448B	724
24	54	Y-5R4A1U2454B	748
24	60	Y-5R4A1U2460B	772
24	66	Y-5R4A1U2466B	796
24	72	Y-5R4A1U2472B	816
24	78	Y-5R4A1U2478B	840
24	84	Y-5R4A1U2484B	865




24 - 54 Wide



60 - 72 Wide



78 - 84 Wide



Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET Territory Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width.
- PET screen inserts are 1/2” (12mm) thick.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Nominal = Actual Size Front/Rear Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	Front/Rear on Worksurface	Lite	Nominal = Actual Size	Surface Mount

PET NOMINAL = ACTUAL SIZE FRONT/REAR SURFACE MOUNT LITE SCREENS


H	W	Model Number	List
28	24	Y-5R4A1U2824B	649
28	30	Y-5R4A1U2830B	677
28	36	Y-5R4A1U2836B	704
28	42	Y-5R4A1U2842B	731
28	48	Y-5R4A1U2848B	757
28	54	Y-5R4A1U2854B	783
28	60	Y-5R4A1U2860B	810
28	66	Y-5R4A1U2866B	835
28	72	Y-5R4A1U2872B	865
28	78	Y-5R4A1U2878B	890
28	84	Y-5R4A1U2884B	915
32	24	Y-5R4A1U3224B	665
32	30	Y-5R4A1U3230B	696
32	36	Y-5R4A1U3236B	724
32	42	Y-5R4A1U3242B	757
32	48	Y-5R4A1U3248B	786
32	54	Y-5R4A1U3254B	816
32	60	Y-5R4A1U3260B	847
32	66	Y-5R4A1U3266B	878
32	72	Y-5R4A1U3272B	908
32	78	Y-5R4A1U3278B	941
32	84	Y-5R4A1U3284B	967




24 - 54 Wide



60 - 72 Wide



78 - 84 Wide



Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET Territory Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width.
- PET screen inserts are 1/2” (12mm) thick.

© 2026, AIS, Inc.

PET Nominal = Actual Size Front/Rear Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	Front/Rear on Worksurface	Lite	Nominal = Actual Size	Under Surface Mount

PET NOMINAL = ACTUAL SIZE
FRONT/REAR UNDER SURFACE MOUNT LITE SCREENS


H	W	Model Number	List
12	24	Y-5R4A2U1224B	591
12	30	Y-5R4A2U1230B	602
12	36	Y-5R4A2U1236B	610
12	42	Y-5R4A2U1242B	623
12	48	Y-5R4A2U1248B	636
12	54	Y-5R4A2U1254B	647
12	60	Y-5R4A2U1260B	657
12	66	Y-5R4A2U1266B	671
12	72	Y-5R4A2U1272B	681
12	78	Y-5R4A2U1278B	691
12	84	Y-5R4A2U1284B	704
16	24	Y-5R4A2U1624B	604
16	30	Y-5R4A2U1630B	620
16	36	Y-5R4A2U1636B	636
16	42	Y-5R4A2U1642B	649
16	48	Y-5R4A2U1648B	665
16	54	Y-5R4A2U1654B	681
16	60	Y-5R4A2U1660B	696
16	66	Y-5R4A2U1666B	712
16	72	Y-5R4A2U1672B	724
16	78	Y-5R4A2U1678B	740
16	84	Y-5R4A2U1684B	757

PET NOMINAL = ACTUAL SIZE
FRONT/REAR UNDER SURFACE MOUNT LITE SCREENS


H	W	Model Number	List
20	24	Y-5R4A2U2024B	620
20	30	Y-5R4A2U2030B	638
20	36	Y-5R4A2U2036B	657
20	42	Y-5R4A2U2042B	677
20	48	Y-5R4A2U2048B	696
20	54	Y-5R4A2U2054B	715
20	60	Y-5R4A2U2060B	734
20	66	Y-5R4A2U2066B	753
20	72	Y-5R4A2U2072B	772
20	78	Y-5R4A2U2078B	792
20	84	Y-5R4A2U2084B	810
24	24	Y-5R4A2U2424B	636
24	30	Y-5R4A2U2430B	657
24	36	Y-5R4A2U2436B	681
24	42	Y-5R4A2U2442B	704
24	48	Y-5R4A2U2448B	724
24	54	Y-5R4A2U2454B	748
24	60	Y-5R4A2U2460B	772
24	66	Y-5R4A2U2466B	796
24	72	Y-5R4A2U2472B	816
24	78	Y-5R4A2U2478B	840
24	84	Y-5R4A2U2484B	865




24 - 54 Wide



60 - 72 Wide



78 - 84 Wide



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET Territory Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width.
- PET screen inserts are 1/2” (12mm) thick.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Nominal = Actual Size Front/Rear Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	Front/Rear on Worksurface	Lite	Nominal = Actual Size	Under Surface Mount

PET NOMINAL = ACTUAL SIZE FRONT/REAR UNDER SURFACE MOUNT LITE SCREENS


H	W	Model Number	List
28	24	Y-5R4A2U2824B	649
28	30	Y-5R4A2U2830B	677
28	36	Y-5R4A2U2836B	704
28	42	Y-5R4A2U2842B	731
28	48	Y-5R4A2U2848B	757
28	54	Y-5R4A2U2854B	783
28	60	Y-5R4A2U2860B	810
28	66	Y-5R4A2U2866B	835
28	72	Y-5R4A2U2872B	865
28	78	Y-5R4A2U2878B	890
28	84	Y-5R4A2U2884B	915
32	24	Y-5R4A2U3224B	665
32	30	Y-5R4A2U3230B	696
32	36	Y-5R4A2U3236B	724
32	42	Y-5R4A2U3242B	757
32	48	Y-5R4A2U3248B	786
32	54	Y-5R4A2U3254B	816
32	60	Y-5R4A2U3260B	847
32	66	Y-5R4A2U3266B	878
32	72	Y-5R4A2U3272B	908
32	78	Y-5R4A2U3278B	941
32	84	Y-5R4A2U3284B	967




24 - 54 Wide



60 - 72 Wide



78 - 84 Wide



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET Territory Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width.
- PET screen inserts are 1/2” (12mm) thick.

© 2026, AIS, Inc.

PET Nominal = Actual Size Front/Rear Freestanding Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	Front/Rear on Worksurface	Lite	Nominal = Actual Size	Freestanding

PET NOMINAL = ACTUAL SIZE FRONT/REAR FREESTANDING LITE SCREENS


H	W	Model Number	List
12	24	Y-5R4A4U1224B	745
12	30	Y-5R4A4U1230B	757
12	36	Y-5R4A4U1236B	769
12	42	Y-5R4A4U1242B	778
12	48	Y-5R4A4U1248B	792
12	54	Y-5R4A4U1254B	802
12	60	Y-5R4A4U1260B	890
12	66	Y-5R4A4U1266B	902
12	72	Y-5R4A4U1272B	913
12	78	Y-5R4A4U1278B	1,002
12	84	Y-5R4A4U1284B	1,012
16	24	Y-5R4A4U1624B	760
16	30	Y-5R4A4U1630B	774
16	36	Y-5R4A4U1636B	792
16	42	Y-5R4A4U1642B	805
16	48	Y-5R4A4U1648B	819
16	54	Y-5R4A4U1654B	834
16	60	Y-5R4A4U1660B	927
16	66	Y-5R4A4U1666B	944
16	72	Y-5R4A4U1672B	958
16	78	Y-5R4A4U1678B	1,050
16	84	Y-5R4A4U1684B	1,068

PET NOMINAL = ACTUAL SIZE FRONT/REAR FREESTANDING LITE SCREENS


H	W	Model Number	List
20	24	Y-5R4A4U2024B	774
20	30	Y-5R4A4U2030B	795
20	36	Y-5R4A4U2036B	812
20	42	Y-5R4A4U2042B	832
20	48	Y-5R4A4U2048B	852
20	54	Y-5R4A4U2054B	869
20	60	Y-5R4A4U2060B	965
20	66	Y-5R4A4U2066B	986
20	72	Y-5R4A4U2072B	1,005
20	78	Y-5R4A4U2078B	1,101
20	84	Y-5R4A4U2084B	1,120
24	24	Y-5R4A4U2424B	792
24	30	Y-5R4A4U2430B	812
24	36	Y-5R4A4U2436B	834
24	42	Y-5R4A4U2442B	860
24	48	Y-5R4A4U2448B	879
24	54	Y-5R4A4U2454B	904
24	60	Y-5R4A4U2460B	1,005
24	66	Y-5R4A4U2466B	1,026
24	72	Y-5R4A4U2472B	1,049
24	78	Y-5R4A4U2478B	1,151
24	84	Y-5R4A4U2484B	1,174




24 - 54 Wide



60 - 72 Wide



78 - 84 Wide



Freestanding Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET Territory Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width.
- PET screen inserts are 1/2" (12mm) thick.
- Non-marring feet measure 2 3/8" x 12".

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Nominal = Actual Size Front/Rear Freestanding Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	Front/Rear on Worksurface	Lite	Nominal = Actual Size	Freestanding

PET NOMINAL = ACTUAL SIZE FRONT/REAR FREESTANDING LITE SCREENS


H	W	Model Number	List
28	24	Y-5R4A4U2824B	805
28	30	Y-5R4A4U2830B	832
28	36	Y-5R4A4U2836B	860
28	42	Y-5R4A4U2842B	884
28	48	Y-5R4A4U2848B	912
28	54	Y-5R4A4U2854B	939
28	60	Y-5R4A4U2860B	1,042
28	66	Y-5R4A4U2866B	1,070
28	72	Y-5R4A4U2872B	1,095
28	78	Y-5R4A4U2878B	1,200
28	84	Y-5R4A4U2884B	1,227
32	24	Y-5R4A4U3224B	819
32	30	Y-5R4A4U3230B	852
32	36	Y-5R4A4U3236B	879
32	42	Y-5R4A4U3242B	912
32	48	Y-5R4A4U3248B	943
32	54	Y-5R4A4U3254B	972
32	60	Y-5R4A4U3260B	1,081
32	66	Y-5R4A4U3266B	1,111
32	72	Y-5R4A4U3272B	1,140
32	78	Y-5R4A4U3278B	1,250
32	84	Y-5R4A4U3284B	1,278




24 - 54 Wide



60 - 72 Wide



78 - 84 Wide



Freestanding Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET Territory Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width.
- PET screen inserts are 1/2" (12mm) thick.
- Non-marring feet measure 2 3/8" x 12".

© 2026, AIS, Inc.

PET Nominal = Actual Size Panel Top Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	Panel Top	Lite	Nominal = Actual Size	Surface Mount


PET NOMINAL = ACTUAL SIZE
PANEL TOP SURFACE MOUNT LITE SCREENS


H	W	Model Number	List
12	24	Y-5P4A1U1224B	591
12	30	Y-5P4A1U1230B	602
12	36	Y-5P4A1U1236B	610
12	42	Y-5P4A1U1242B	623
12	48	Y-5P4A1U1248B	636
12	54	Y-5P4A1U1254B	647
12	60	Y-5P4A1U1260B	657
12	66	Y-5P4A1U1266B	671
12	72	Y-5P4A1U1272B	681
12	78	Y-5P4A1U1278B	691
12	84	Y-5P4A1U1284B	704
16	24	Y-5P4A1U1624B	604
16	30	Y-5P4A1U1630B	620
16	36	Y-5P4A1U1636B	636
16	42	Y-5P4A1U1642B	649
16	48	Y-5P4A1U1648B	665
16	54	Y-5P4A1U1654B	681
16	60	Y-5P4A1U1660B	696
16	66	Y-5P4A1U1666B	712
16	72	Y-5P4A1U1672B	724
16	78	Y-5P4A1U1678B	740
16	84	Y-5P4A1U1684B	757


PET NOMINAL = ACTUAL SIZE
PANEL TOP SURFACE MOUNT LITE SCREENS


H	W	Model Number	List
20	24	Y-5P4A1U2024B	620
20	30	Y-5P4A1U2030B	638
20	36	Y-5P4A1U2036B	657
20	42	Y-5P4A1U2042B	677
20	48	Y-5P4A1U2048B	696
20	54	Y-5P4A1U2054B	715
20	60	Y-5P4A1U2060B	734
20	66	Y-5P4A1U2066B	753
20	72	Y-5P4A1U2072B	772
20	78	Y-5P4A1U2078B	792
20	84	Y-5P4A1U2084B	810
24	24	Y-5P4A1U2424B	636
24	30	Y-5P4A1U2430B	657
24	36	Y-5P4A1U2436B	681
24	42	Y-5P4A1U2442B	704
24	48	Y-5P4A1U2448B	724
24	54	Y-5P4A1U2454B	748
24	60	Y-5P4A1U2460B	772
24	66	Y-5P4A1U2466B	796
24	72	Y-5P4A1U2472B	816
24	78	Y-5P4A1U2478B	840
24	84	Y-5P4A1U2484B	865


24 - 54 Wide


60 - 72 Wide


78 - 84 Wide


On Panel Top


Surface Mount Clip

Specify

- Paint Selection
- Color Selection for PET

Notes

- Can not be used on Matrix or Divi. For Matrix see Matrix price list, for Divi see section in Screens price list.
- PET Territory Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width.
- PET screen inserts are 1/2" (12mm) thick.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Nominal = Actual Size Panel Top Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	Panel Top	Lite	Nominal = Actual Size	Surface Mount

PET NOMINAL = ACTUAL SIZE PANEL TOP SURFACE MOUNT LITE SCREENS


H	W	Model Number	List
28	24	Y-5P4A1U2824B	649
28	30	Y-5P4A1U2830B	677
28	36	Y-5P4A1U2836B	704
28	42	Y-5P4A1U2842B	731
28	48	Y-5P4A1U2848B	757
28	54	Y-5P4A1U2854B	783
28	60	Y-5P4A1U2860B	810
28	66	Y-5P4A1U2866B	835
28	72	Y-5P4A1U2872B	865
28	78	Y-5P4A1U2878B	890
28	84	Y-5P4A1U2884B	915

PET NOMINAL = ACTUAL SIZE PANEL TOP SURFACE MOUNT LITE SCREENS


H	W	Model Number	List
32	24	Y-5P4A1U3224B	665
32	30	Y-5P4A1U3230B	696
32	36	Y-5P4A1U3236B	724
32	42	Y-5P4A1U3242B	757
32	48	Y-5P4A1U3248B	786
32	54	Y-5P4A1U3254B	816
32	60	Y-5P4A1U3260B	847
32	66	Y-5P4A1U3266B	878
32	72	Y-5P4A1U3272B	908
32	78	Y-5P4A1U3278B	941
32	84	Y-5P4A1U3284B	967




24 - 54 Wide




60 - 72 Wide



78 - 84 Wide



On Panel Top



Surface Mount Clip

Specify	Notes
• Paint Selection	• Can not be used on Matrix or Divi. For Matrix see Matrix price list, for Divi see section in Screens price list.
• Color Selection for PET	• PET Territory Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width.
	• PET screen inserts are 1/2” (12mm) thick.

© 2026, AIS, Inc.

Nominal = Actual Size Territory Surface Mount Slimline Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Fabric/Vinyl/Whiteboard/Laminate	Territory on Worksurface	Slimline	Nominal = Actual Size	Surface Mount


NOMINAL = ACTUAL SIZE
TERRITORY SURFACE MOUNT SLIMLINE SCREENS

H	D	Model Number	List	Fabric Grade C	Fabric Grade D
12	24	Y-6T1A1U1224B	773	+7	+14
16	24	Y-6T1A1U1624B	854	+11	+22
20	24	Y-6T1A1U2024B	774	+15	+30
24	24	Y-6T1A1U2424B	828	+18	+36
28	24	Y-6T1A1U2824B	915	+21	+42

NOMINAL = ACTUAL SIZE
TERRITORY SURFACE MOUNT SLIMLINE SCREENS

H	D	Model Number	List	Fabric Grade C	Fabric Grade D
12	30	Y-6T1A1U1230B	663	+7	+14
16	30	Y-6T1A1U1630B	854	+11	+22
20	30	Y-6T1A1U2030B	939	+15	+30
24	30	Y-6T1A1U2430B	990	+18	+36
28	30	Y-6T1A1U2830B	1,088	+21	+42





Surface Mount Slimline

Specify

- Paint Selection (+15 for Grade C)
- Fabric, Vinyl, Whiteboard or Laminate Selection

Notes

- Slimline screens may be fabric, vinyl, whiteboard or laminate on either side. Upcharges for Grade C and D are listed per side. Whiteboards are standard list and have no upcharge.
- Offered in all AIS paint finishes.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

Nominal = Actual Size Territory Under Surface Mount Slimline Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
Fabric/Vinyl/Whiteboard/Laminate	Territory on Worksurface	Slimline	Nominal = Actual Size	Under Surface Mount	Left or Right

NOMINAL = ACTUAL SIZE TERRITORY UNDER SURFACE MOUNT SLIMLINE SCREENS


		Left Hand	Right Hand			
H	D	Model Number	Model Number	List	Fabric Grade C	Fabric Grade D
12	24	A-STWL1224	A-STWR1224	663	+7	+14
16	24	A-STWL1624	A-STWR1624	720	+11	+22
20	24	A-STWL2024	A-STWR2024	774	+15	+30
24	24	A-STWL2424	A-STWR2424	828	+21	+46
28	24	A-STWL2824	A-STWR2824	915	+28	+59
12	30	A-STWL1230	A-STWR1230	773	+7	+14
16	30	A-STWL1630	A-STWR1630	854	+11	+22
20	30	A-STWL2030	A-STWR2030	939	+15	+30
24	30	A-STWL2430	A-STWR2430	990	+21	+46
28	30	A-STWL2830	A-STWR2830	1,088	+28	+59



Left Hand



Right Hand



Under Surface Mount Slimline

Specify

- Paint Selection (+15 for Grade C)
- Fabric, Vinyl, Whiteboard or Laminate Selection

Notes

- Slimline screens may be fabric, vinyl, whiteboard or laminate on either side. Upcharges for Grade C and D are listed per side. Whiteboards are standard list and have no upcharge.
- Offered in all AIS paint finishes.

© 2026, AIS, Inc.

Nominal = Actual Size Front/Rear Surface Mount Slimline Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Fabric/Vinyl/Whiteboard/Laminate	Front/Rear on Worksurface	Slimline	Nominal = Actual Size	Surface Mount


NOMINAL = ACTUAL SIZE
FRONT/REAR SURFACE MOUNT SLIMLINE SCREENS

H	W	Model Number	List	Fabric Grade C	Fabric Grade D
12	36	Y-6R1A1U1236B	695	+7	+14
12	42	Y-6R1A1U1242B	733	+7	+14
12	48	Y-6R1A1U1248B	771	+7	+14
12	54	Y-6R1A1U1254B	810	+7	+14
12	60	Y-6R1A1U1260B	846	+7	+14
12	66	Y-6R1A1U1266B	1,097	+7	+14
12	72	Y-6R1A1U1272B	1,167	+7	+14
16	36	Y-6R1A1U1636B	776	+11	+22
16	42	Y-6R1A1U1642B	817	+11	+22
16	48	Y-6R1A1U1648B	862	+11	+22
16	54	Y-6R1A1U1654B	904	+11	+22
16	60	Y-6R1A1U1660B	946	+11	+22
16	66	Y-6R1A1U1666B	1,160	+11	+22
16	72	Y-6R1A1U1672B	1,231	+11	+22
20	36	Y-6R1A1U2036B	860	+15	+30
20	42	Y-6R1A1U2042B	906	+15	+30
20	48	Y-6R1A1U2048B	952	+15	+30
20	54	Y-6R1A1U2054B	997	+15	+30
20	60	Y-6R1A1U2060B	1,043	+15	+30
20	66	Y-6R1A1U2066B	1,219	+15	+30
20	72	Y-6R1A1U2072B	1,298	+15	+30

NOMINAL = ACTUAL SIZE
FRONT/REAR SURFACE MOUNT SLIMLINE SCREENS

H	W	Model Number	List	Fabric Grade C	Fabric Grade D
24	36	Y-6R1A1U2436B	942	+18	+36
24	42	Y-6R1A1U2442B	991	+18	+36
24	48	Y-6R1A1U2448B	1,043	+18	+36
24	54	Y-6R1A1U2454B	1,088	+18	+36
24	60	Y-6R1A1U2460B	1,140	+18	+36
24	66	Y-6R1A1U2466B	1,278	+18	+36
24	72	Y-6R1A1U2472B	1,361	+18	+36
28	36	Y-6R1A1U2836B	1,023	+21	+42
28	42	Y-6R1A1U2842B	1,079	+21	+42
28	48	Y-6R1A1U2848B	1,135	+21	+42
28	54	Y-6R1A1U2854B	1,182	+21	+42
28	60	Y-6R1A1U2860B	1,236	+21	+42
28	66	Y-6R1A1U2866B	1,339	+21	+42
28	72	Y-6R1A1U2872B	1,428	+21	+42





Surface Mount Slimline

Specify

- Paint Selection (+15 for Grade C)
- Fabric, Vinyl, Whiteboard or Laminate Selection

Notes

- Slimline screens may be fabric, vinyl, whiteboard or laminate on either side. Upcharges for Grade C and D are listed per side. Whiteboards are standard list and have no upcharge.
- Offered in all AIS paint finishes.

© 2026, AIS, Inc.

Nominal = Actual Size Front/Rear Under Surface Mount Slimline Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Fabric/Vinyl/Whiteboard/Laminate	Front/Rear on Worksurface	Slimline	Nominal = Actual Size	Under Surface Mount


NOMINAL = ACTUAL SIZE FRONT/REAR UNDER SURFACE MOUNT SLIMLINE SCREENS

H	W	Model Number	List	Fabric Grade C	Fabric Grade D
12	36	A-SWMR1236	695	+7	+14
12	42	A-SWMR1242	733	+7	+14
12	48	A-SWMR1248	771	+7	+14
12	54	A-SWMR1254	810	+7	+14
12	60	A-SWMR1260	846	+7	+14
12	66	A-SWMR1266	1,097	+7	+14
12	72	A-SWMR1272	1,167	+7	+14
16	36	A-SWMR1636	776	+11	+22
16	42	A-SWMR1642	817	+11	+22
16	48	A-SWMR1648	862	+11	+22
16	54	A-SWMR1654	904	+11	+22
16	60	A-SWMR1660	946	+11	+22
16	66	A-SWMR1666	1,160	+11	+22
16	72	A-SWMR1672	1,231	+11	+22
20	36	A-SWMR2036	860	+15	+30
20	42	A-SWMR2042	906	+15	+30
20	48	A-SWMR2048	952	+15	+30
20	54	A-SWMR2054	997	+15	+30
20	60	A-SWMR2060	1,043	+15	+30
20	66	A-SWMR2066	1,219	+15	+30
20	72	A-SWMR2072	1,298	+15	+30

NOMINAL = ACTUAL SIZE FRONT/REAR UNDER SURFACE MOUNT SLIMLINE SCREENS

H	W	Model Number	List	Fabric Grade C	Fabric Grade D
24	36	A-SWMR2436	942	+18	+36
24	42	A-SWMR2442	991	+18	+36
24	48	A-SWMR2448	1,043	+18	+36
24	54	A-SWMR2454	1,088	+18	+36
24	60	A-SWMR2460	1,140	+18	+36
24	66	A-SWMR2466	1,278	+18	+36
24	72	A-SWMR2472	1,361	+18	+36
28	36	A-SWMR2836	1,023	+21	+42
28	42	A-SWMR2842	1,079	+21	+42
28	48	A-SWMR2848	1,135	+21	+42
28	54	A-SWMR2854	1,182	+21	+42
28	60	A-SWMR2860	1,236	+21	+42
28	66	A-SWMR2866	1,339	+21	+42
28	72	A-SWMR2872	1,428	+21	+42





Under Surface Mount Slimline

Specify

- Paint Selection (+15 for Grade C)
- Fabric, Vinyl, Whiteboard or Laminate Selection

Notes

- Slimline screens may be fabric, vinyl, whiteboard or laminate on either side. Upcharges for Grade C and D are listed per side. Whiteboards are standard list and have no upcharge.
- Offered in all AIS paint finishes.

© 2026, AIS, Inc.

Nominal = Actual Size Front/Rear Freestanding Slimline Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Fabric/Vinyl/Whiteboard/Laminate	Front/Rear on Worksurface	Slimline	Nominal = Actual Size	Freestanding


NOMINAL = ACTUAL SIZE
FRONT/REAR FREESTANDING SLIMLINE SCREENS

H	W	Model Number	List	Fabric Grade C	Fabric Grade D
12	36	Y-6R1A4U1236B	695	+7	+14
12	42	Y-6R1A4U1242B	733	+7	+14
12	48	Y-6R1A4U1248B	771	+7	+14
12	54	Y-6R1A4U1254B	810	+7	+14
12	60	Y-6R1A4U1260B	846	+7	+14
12	66	Y-6R1A4U1266B	1,097	+7	+14
12	72	Y-6R1A4U1272B	1,167	+7	+14
16	36	Y-6R1A4U1636B	776	+11	+22
16	42	Y-6R1A4U1642B	817	+11	+22
16	48	Y-6R1A4U1648B	862	+11	+22
16	54	Y-6R1A4U1654B	904	+11	+22
16	60	Y-6R1A4U1660B	946	+11	+22
16	66	Y-6R1A4U1666B	1,160	+11	+22
16	72	Y-6R1A4U1672B	1,231	+11	+22
20	36	Y-6R1A4U2036B	860	+15	+30
20	42	Y-6R1A4U2042B	906	+15	+30
20	48	Y-6R1A4U2048B	952	+15	+30
20	54	Y-6R1A4U2054B	997	+15	+30
20	60	Y-6R1A4U2060B	1,043	+15	+30
20	66	Y-6R1A4U2066B	1,219	+15	+30
20	72	Y-6R1A4U2072B	1,298	+15	+30

NOMINAL = ACTUAL SIZE
FRONT/REAR FREESTANDING SLIMLINE SCREENS

H	W	Model Number	List	Fabric Grade C	Fabric Grade D
24	36	Y-6R1A4U2436B	942	+18	+36
24	42	Y-6R1A4U2442B	991	+18	+36
24	48	Y-6R1A4U2448B	1,043	+18	+36
24	54	Y-6R1A4U2454B	1,088	+18	+36
24	60	Y-6R1A4U2460B	1,140	+18	+36
24	66	Y-6R1A4U2466B	1,278	+18	+36
24	72	Y-6R1A4U2472B	1,361	+18	+36
28	36	Y-6R1A4U2836B	1,023	+21	+42
28	42	Y-6R1A4U2842B	1,079	+21	+42
28	48	Y-6R1A4U2848B	1,135	+21	+42
28	54	Y-6R1A4U2854B	1,182	+21	+42
28	60	Y-6R1A4U2860B	1,236	+21	+42
28	66	Y-6R1A4U2866B	1,339	+21	+42
28	72	Y-6R1A4U2872B	1,428	+21	+42





Freestanding Slimline

Specify

- Paint Selection (+15 for Grade C)
- Fabric, Vinyl, Whiteboard or Laminate Selection

Notes

- Slimline screens may be fabric, vinyl, whiteboard or laminate on either side. Upcharges for Grade C and D are listed per side. Whiteboards are standard list and have no upcharge.
- Offered in all AIS paint finishes.
- Non-marring feet measure 2 3/8“ x 12”.

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Nominal = Actual Size Partial Modesty Slimline Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Fabric/Vinyl/Whiteboard/Laminate	Partial Modesty	Slimline	Nominal = Actual Size	Under Surface Mount


NOMINAL = ACTUAL SIZE
PARTIAL MODESTY UNDER SURFACE MOUNT SLIMLINE SCREENS

H	W	Model Number	List	Fabric Grade C	Fabric Grade D
38	24	Y-6S1A2U3824B	1,569	30	64
38	30	Y-6S1A2U3830B	1,646	30	64
38	36	Y-6S1A2U3836B	1,709	30	64
38	42	Y-6S1A2U3842B	1,782	30	64
38	48	Y-6S1A2U3848B	1,853	30	64
38	54	Y-6S1A2U3854B	1,925	30	64
38	60	Y-6S1A2U3860B	1,999	30	64
38	66	Y-6S1A2U3866B	2,347	30	64
38	72	Y-6S1A2U3872B	2,090	30	64

NOMINAL = ACTUAL SIZE
PARTIAL MODESTY UNDER SURFACE MOUNT SLIMLINE SCREENS

H	W	Model Number	List	Fabric Grade C	Fabric Grade D
42	24	Y-6S1A2U4224B	1,725	46	100
42	30	Y-6S1A2U4230B	1,812	46	100
42	36	Y-6S1A2U4236B	1,885	46	100
42	42	Y-6S1A2U4242B	1,965	46	100
42	48	Y-6S1A2U4248B	2,043	46	100
42	54	Y-6S1A2U4254B	2,119	46	100
42	60	Y-6S1A2U4260B	2,204	46	100
42	66	Y-6S1A2U4266B	2,704	46	100
42	72	Y-6S1A2U4272B	2,291	46	100





Under Surface Mount

Specify

- Paint Selection (+15 for Grade C)
- Fabric, Vinyl, Whiteboard or Laminate Selection

Notes

- Slimline screens may be fabric, vinyl, whiteboard or laminate on either side. Upcharges for Grade C and D are listed per side. Whiteboards are standard list and have no upcharge.
- Offered in all AIS paint finishes.
- Grade C paint incurs a $15 upcharge.

© 2026, AIS, Inc.

Screens Sized for Divi Panel Dimensions

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Glass Divi Panel Top Surface Mount Channel Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Glass 1/4”	Panel Top	Channel	Divi Panel Dimensions	Surface Mount


GLASS 1/4” DIVI PANEL TOP SURFACE MOUNT CHANNEL SCREENS

H	W	Model Number	List	Tinted Glass	Frosted Glass
8	24	Y-3P2B1U0824B2	517	+30	+110
8	30	Y-3P2B1U0830B2	554	+38	+138
8	36	Y-3P2B1U0836B2	590	+45	+165
8	42	Y-3P2B1U0842B2	625	+53	+193
8	48	Y-3P2B1U0848B2	661	+60	+220
8	54	Y-3P2B1U0854B2	698	+68	+248
8	60	Y-3P2B1U0860B2	734	+75	+275
8	66	Y-3P2B1U0866B2	770	+83	+303
8	72	Y-3P2B1U0872B2	805	+90	+330
8	78	Y-3P2B1U0878B2	841	+98	+358
8	84	Y-3P2B1U0884B2	876	+105	+385
12	24	Y-3P2B1U1224B2	638	+30	+110
12	30	Y-3P2B1U1230B2	647	+38	+138
12	36	Y-3P2B1U1236B2	657	+45	+165
12	42	Y-3P2B1U1242B2	691	+53	+193
12	48	Y-3P2B1U1248B2	724	+60	+220
12	54	Y-3P2B1U1254B2	868	+68	+248
12	60	Y-3P2B1U1260B2	796	+75	+275
12	66	Y-3P2B1U1266B2	830	+83	+303
12	72	Y-3P2B1U1272B2	865	+90	+330
12	78	Y-3P2B1U1278B2	899	+98	+358
12	84	Y-3P2B1U1284B2	930	+105	+385


GLASS 1/4” DIVI PANEL TOP SURFACE MOUNT CHANNEL SCREENS

H	W	Model Number	List	Tinted Glass	Frosted Glass
16	24	Y-3P2B1U1624B2	788	+40	+147
16	30	Y-3P2B1U1630B2	819	+50	+184
16	36	Y-3P2B1U1636B2	868	+60	+220
16	42	Y-3P2B1U1642B2	902	+70	+257
16	48	Y-3P2B1U1648B2	942	+80	+294
16	54	Y-3P2B1U1654B2	1,004	+90	+330
16	60	Y-3P2B1U1660B2	1,057	+100	+367
16	66	Y-3P2B1U1666B2	1,074	+110	+404
16	72	Y-3P2B1U1672B2	1,097	+120	+440
16	78	Y-3P2B1U1678B2	1,118	+130	+477
16	84	Y-3P2B1U1684B2	1,138	+140	+514
20	24	Y-3P2B1U2024B2	723	+50	+184
20	30	Y-3P2B1U2030B2	786	+63	+230
20	36	Y-3P2B1U2036B2	830	+75	+275
20	42	Y-3P2B1U2042B2	913	+88	+321
20	48	Y-3P2B1U2048B2	974	+100	+367
20	54	Y-3P2B1U2054B2	1,038	+113	+413
20	60	Y-3P2B1U2060B2	1,101	+125	+459
20	66	Y-3P2B1U2066B2	1,163	+138	+505
20	72	Y-3P2B1U2072B2	1,227	+150	+550
20	78	Y-3P2B1U2078B2	1,290	+163	+596
20	84	Y-3P2B1U2084B2	1,352	+175	+642





On Panel Top



Surface Mount Channel

Specify

- Paint Selection (Grade C +10)

Notes

- For use with Divi only. See Clear & PET Screens price list for Panel Top Screens that can be used on non-Divi panels.
- Offered in all AIS paint finishes.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).
- Divi Panel Top Channel glass screens 48”W and longer automatically include an extended top cap to span two adjacent panels.

© 2026, AIS, Inc.

Glass Divi Panel Top Surface Mount Channel Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Glass 3/8”	Panel Top	Channel	Divi Panel Dimensions	Surface Mount


GLASS 3/8” DIVI PANEL TOP SURFACE MOUNT CHANNEL SCREENS

H	W	Model Number	List	Tinted Glass	Frosted Glass
8	24	Y-4P2B1U0824B2	774	+30	+60
8	30	Y-4P2B1U0830B2	838	+38	+75
8	36	Y-4P2B1U0836B2	902	+45	+90
8	42	Y-4P2B1U0842B2	967	+53	+105
8	48	Y-4P2B1U0848B2	1,032	+60	+120
8	54	Y-4P2B1U0854B2	1,095	+68	+135
8	60	Y-4P2B1U0860B2	1,160	+75	+150
8	66	Y-4P2B1U0866B2	1,224	+83	+165
8	72	Y-4P2B1U0872B2	1,288	+90	+180
8	78	Y-4P2B1U0878B2	1,353	+98	+195
8	84	Y-4P2B1U0884B2	1,418	+105	+210
12	24	Y-4P2B1U1224B2	857	+30	+60
12	30	Y-4P2B1U1230B2	862	+38	+75
12	36	Y-4P2B1U1236B2	938	+45	+90
12	42	Y-4P2B1U1242B2	1,012	+53	+105
12	48	Y-4P2B1U1248B2	1,091	+60	+120
12	54	Y-4P2B1U1254B2	1,167	+68	+135
12	60	Y-4P2B1U1260B2	1,247	+75	+150
12	66	Y-4P2B1U1266B2	1,323	+83	+165
12	72	Y-4P2B1U1272B2	1,399	+90	+180
12	78	Y-4P2B1U1278B2	1,479	+98	+195
12	84	Y-4P2B1U1284B2	1,555	+105	+210


GLASS 3/8” DIVI PANEL TOP SURFACE MOUNT CHANNEL SCREENS

H	W	Model Number	List	Tinted Glass	Frosted Glass
16	24	Y-4P2B1U1624B2	816	+40	+80
16	30	Y-4P2B1U1630B2	912	+50	+100
16	36	Y-4P2B1U1636B2	955	+60	+120
16	42	Y-4P2B1U1642B2	1,063	+70	+140
16	48	Y-4P2B1U1648B2	1,179	+80	+160
16	54	Y-4P2B1U1654B2	1,259	+90	+180
16	60	Y-4P2B1U1660B2	1,296	+100	+200
16	66	Y-4P2B1U1666B2	1,412	+110	+220
16	72	Y-4P2B1U1672B2	1,500	+120	+240
16	78	Y-4P2B1U1678B2	1,526	+130	+260
16	84	Y-4P2B1U1684B2	1,603	+140	+280
20	24	Y-4P2B1U2024B2	931	+50	+100
20	30	Y-4P2B1U2030B2	1,054	+63	+125
20	36	Y-4P2B1U2036B2	1,174	+75	+150
20	42	Y-4P2B1U2042B2	1,295	+88	+175
20	48	Y-4P2B1U2048B2	1,412	+100	+200
20	54	Y-4P2B1U2054B2	1,535	+113	+225
20	60	Y-4P2B1U2060B2	1,654	+125	+250
20	66	Y-4P2B1U2066B2	1,776	+138	+275
20	72	Y-4P2B1U2072B2	1,892	+150	+300
20	78	Y-4P2B1U2078B2	2,011	+163	+325
20	84	Y-4P2B1U2084B2	2,133	+175	+350





On Panel Top



Surface Mount Channel

Specify

- Paint Selection (Grade C +10)

Notes

- For use with Divi only. See Clear & PET Screens price list for Panel Top Screens that can be used on non-Divi panels.
- Offered in all AIS paint finishes.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).
- Divi Panel Top Channel glass screens 48”W and longer automatically include an extended top cap to span two adjacent panels.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Divi Panel Top Surface Mount Channel Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	Panel Top	Channel	Divi Panel Dimensions	Surface Mount


PET DIVI PANEL TOP SURFACE MOUNT CHANNEL SCREENS

H	W	Model Number	List
12	24	Y-5P2B1U1224B2	555
12	30	Y-5P2B1U1230B2	573
12	36	Y-5P2B1U1236B2	594
12	42	Y-5P2B1U1242B2	610
12	48	Y-5P2B1U1248B2	634
12	54	Y-5P2B1U1254B2	652
12	60	Y-5P2B1U1260B2	673
12	66	Y-5P2B1U1266B2	691
12	72	Y-5P2B1U1272B2	709
12	78	Y-5P2B1U1278B2	731
12	84	Y-5P2B1U1284B2	748
16	24	Y-5P2B1U1624B2	579
16	30	Y-5P2B1U1630B2	605
16	36	Y-5P2B1U1636B2	634
16	42	Y-5P2B1U1642B2	659
16	48	Y-5P2B1U1648B2	685
16	54	Y-5P2B1U1654B2	709
16	60	Y-5P2B1U1660B2	736
16	66	Y-5P2B1U1666B2	763
16	72	Y-5P2B1U1672B2	788
16	78	Y-5P2B1U1678B2	815
16	84	Y-5P2B1U1684B2	841


PET DIVI PANEL TOP SURFACE MOUNT CHANNEL SCREENS

H	W	Model Number	List
20	24	Y-5P2B1U2024B2	605
20	30	Y-5P2B1U2030B2	638
20	36	Y-5P2B1U2036B2	673
20	42	Y-5P2B1U2042B2	704
20	48	Y-5P2B1U2048B2	737
20	54	Y-5P2B1U2054B2	771
20	60	Y-5P2B1U2060B2	803
20	66	Y-5P2B1U2066B2	834
20	72	Y-5P2B1U2072B2	868
20	78	Y-5P2B1U2078B2	901
20	84	Y-5P2B1U2084B2	931
24	24	Y-5P2B1U2424B2	634
24	30	Y-5P2B1U2430B2	673
24	36	Y-5P2B1U2436B2	709
24	42	Y-5P2B1U2442B2	749
24	48	Y-5P2B1U2448B2	788
24	54	Y-5P2B1U2454B2	829
24	60	Y-5P2B1U2460B2	868
24	66	Y-5P2B1U2466B2	907
24	72	Y-5P2B1U2472B2	946
24	78	Y-5P2B1U2478B2	985
24	84	Y-5P2B1U2484B2	1,024





On Panel Top



Surface Mount Channel

Specify

- Paint Selection (Grade C +10)
- Color Selection for PET

Notes

- For use with Divi only. See Clear & PET Screens price list for Panel Top Screens that can be used on non-Divi panels.
- Offered in all AIS paint finishes.
- Divi Panel Top PET channel screens 54”W and longer automatically include an extended top cap to span two adjacent panels.

© 2026, AIS, Inc.

PET Divi Panel Top Surface Mount Channel Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	Panel Top	Channel	Divi Panel Dimensions	Surface Mount


PET DIVI PANEL TOP SURFACE MOUNT CHANNEL SCREENS

H	W	Model Number	List
28	24	Y-5P2B1U2824B2	659
28	30	Y-5P2B1U2830B2	704
28	36	Y-5P2B1U2836B2	748
28	42	Y-5P2B1U2842B2	796
28	48	Y-5P2B1U2848B2	841
28	54	Y-5P2B1U2854B2	886
28	60	Y-5P2B1U2860B2	930
28	66	Y-5P2B1U2866B2	979
28	72	Y-5P2B1U2872B2	1,023
28	78	Y-5P2B1U2878B2	1,070
28	84	Y-5P2B1U2884B2	1,116


PET DIVI PANEL TOP SURFACE MOUNT CHANNEL SCREENS

H	W	Model Number	List
32	24	Y-5P2B1U3224B2	685
32	30	Y-5P2B1U3230B2	736
32	36	Y-5P2B1U3236B2	786
32	42	Y-5P2B1U3242B2	841
32	48	Y-5P2B1U3248B2	894
32	54	Y-5P2B1U3254B2	944
32	60	Y-5P2B1U3260B2	997
32	66	Y-5P2B1U3266B2	1,047
32	72	Y-5P2B1U3272B2	1,101
32	78	Y-5P2B1U3278B2	1,153
32	84	Y-5P2B1U3284B2	1,205





On Panel Top



Surface Mount Channel

Specify

- Paint Selection (Grade C +10)
- Color Selection for PET

Notes

- For use with Divi only. See Clear & PET Screens price list for Panel Top Screens that can be used on non-Divi panels.
- Offered in all AIS paint finishes.
- Divi Panel Top PET channel screens 54”W and longer automatically include an extended top cap to span two adjacent panels.

© 2026, AIS, Inc.

PET Divi Gallery Panel Side Mount Channel Screens

Material	Where Used	Screen Type	Sized For	Mount Type
PET	Gallery Panel Side Mount	Channel	Divi Gallery Panels	Surface Mount


PET DIVI GALLERY PANEL SIDE MOUNT CHANNEL SCREENS

H	W	Model Number	List
42	12	Y-5G2S1U4212B	592
42	18	Y-5G2S1U4218B	609
42	24	Y-5G2S1U4224B	648
50	12	Y-5G2S1U5012B	667
50	18	Y-5G2S1U5018B	657
50	24	Y-5G2S1U5024B	685


PET DIVI GALLERY PANEL SIDE MOUNT CHANNEL SCREENS

H	W	Model Number	List
58	12	Y-5G2S1U5812B	744
58	18	Y-5G2S1U5818B	771
58	24	Y-5G2S1U5824B	723
66	12	Y-5G2S1U6612B	762
66	18	Y-5G2S1U6618B	838
66	24	Y-5G2S1U6624B	875





On Divi Gallery Panel



Surface Mount Channel

Specify

- Paint Selection (Grade C +10)
- Color Selection for PET

Notes

- For use with Divi gallery panels only.
- Offered in all AIS paint finishes.
- Divi Panel Top PET channel screens 54”W and longer automatically include an extended top cap to span two adjacent panels.

© 2026, AIS, Inc.

Glass Divi Panel Top Surface Mount Clip Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Glass 1/4”	Panel Top	Clip	Divi Panel Dimensions	Surface Mount


GLASS 1/4” DIVI PANEL TOP SURFACE MOUNT CLIP SCREENS


H	W	Model Number	List	Tinted Glass	Frosted Glass
8	24	Y-3P3B1U0824B	517	+30	+110
8	30	Y-3P3B1U0830B	554	+38	+138
8	36	Y-3P3B1U0836B	590	+45	+165
8	42	Y-3P3B1U0842B	625	+53	+193
8	48	Y-3P3B1U0848B	661	+60	+220
8	54	Y-3P3B1U0854B	698	+68	+248
8	60	Y-3P3B1U0860B	734	+75	+275
8	66	Y-3P3B1U0866B	770	+83	+303
8	72	Y-3P3B1U0872B	805	+90	+330
8	78	Y-3P3B1U0878B	841	+98	+358
8	84	Y-3P3B1U0884B	876	+105	+385
12	24	Y-3P3B1U1224B	632	+30	+110
12	30	Y-3P3B1U1230B	647	+38	+138
12	36	Y-3P3B1U1236B	657	+45	+165
12	42	Y-3P3B1U1242B	691	+53	+193
12	48	Y-3P3B1U1248B	724	+60	+220
12	54	Y-3P3B1U1254B	740	+68	+248
12	60	Y-3P3B1U1260B	796	+75	+275
12	66	Y-3P3B1U1266B	830	+83	+303
12	72	Y-3P3B1U1272B	865	+90	+330
12	78	Y-3P3B1U1278B	899	+98	+358
12	84	Y-3P3B1U1284B	930	+105	+385


GLASS 1/4” DIVI PANEL TOP SURFACE MOUNT CLIP SCREENS


H	W	Model Number	List	Tinted Glass	Frosted Glass
16	24	Y-3P3B1U1624B	736	+40	+147
16	30	Y-3P3B1U1630B	786	+50	+184
16	36	Y-3P3B1U1636B	830	+60	+220
16	42	Y-3P3B1U1642B	902	+70	+257
16	48	Y-3P3B1U1648B	942	+80	+294
16	54	Y-3P3B1U1654B	1,004	+90	+330
16	60	Y-3P3B1U1660B	1,057	+100	+367
16	66	Y-3P3B1U1666B	1,074	+110	+404
16	72	Y-3P3B1U1672B	1,097	+120	+440
16	78	Y-3P3B1U1678B	1,118	+130	+477
16	84	Y-3P3B1U1684B	1,138	+140	+514
20	24	Y-3P3B1U2024B	788	+50	+184
20	30	Y-3P3B1U2030B	819	+63	+230
20	36	Y-3P3B1U2036B	868	+75	+275
20	42	Y-3P3B1U2042B	913	+88	+321
20	48	Y-3P3B1U2048B	974	+100	+367
20	54	Y-3P3B1U2054B	1,038	+113	+413
20	60	Y-3P3B1U2060B	1,101	+125	+459
20	66	Y-3P3B1U2066B	1,163	+138	+505
20	72	Y-3P3B1U2072B	1,227	+150	+550
20	78	Y-3P3B1U2078B	1,290	+163	+596
20	84	Y-3P3B1U2084B	1,352	+175	+642


24 - 54 Wide


60 - 72 Wide


78 - 84 Wide


On Panel Top


Surface Mount Clip

Specify

- Paint Selection for topcap

Notes

- For use with Divi only. See Clear & PET Screens price list for Panel Top Screens that can be used on non-Divi panels.
- Clips available in Metallic Silver only.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).
- Divi Panel Top Channel glass screens 48”W and longer automatically include an extended top cap to span two adjacent panels.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Glass Divi Panel Top Surface Mount Clip Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Glass 3/8”	Panel Top	Clip	Divi Panel Dimensions	Surface Mount

GLASS 3/8” DIVI PANEL TOP SURFACE MOUNT CLIP SCREENS


H	W	Model Number	List	Tinted Glass	Frosted Glass
8	24	Y-4P3B1U0824B	774	+30	+60
8	30	Y-4P3B1U0830B	838	+38	+75
8	36	Y-4P3B1U0836B	902	+45	+90
8	42	Y-4P3B1U0842B	967	+53	+105
8	48	Y-4P3B1U0848B	1,032	+60	+120
8	54	Y-4P3B1U0854B	1,095	+68	+135
8	60	Y-4P3B1U0860B	1,247	+75	+150
8	66	Y-4P3B1U0866B	1,224	+83	+165
8	72	Y-4P3B1U0872B	1,288	+90	+180
8	78	Y-4P3B1U0878B	1,353	+98	+195
8	84	Y-4P3B1U0884B	1,418	+105	+210
12	24	Y-4P3B1U1224B	857	+30	+60
12	30	Y-4P3B1U1230B	862	+38	+75
12	36	Y-4P3B1U1236B	938	+45	+90
12	42	Y-4P3B1U1242B	1,012	+53	+105
12	48	Y-4P3B1U1248B	1,091	+60	+120
12	54	Y-4P3B1U1254B	1,167	+68	+135
12	60	Y-4P3B1U1260B	1,247	+75	+150
12	66	Y-4P3B1U1266B	1,323	+83	+165
12	72	Y-4P3B1U1272B	1,399	+90	+180
12	78	Y-4P3B1U1278B	1,479	+98	+195
12	84	Y-4P3B1U1284B	1,555	+105	+210

GLASS 3/8” DIVI PANEL TOP SURFACE MOUNT CLIP SCREENS


H	W	Model Number	List	Tinted Glass	Frosted Glass
16	24	Y-4P3B1U1624B	816	+40	+80
16	30	Y-4P3B1U1630B	912	+50	+100
16	36	Y-4P3B1U1636B	955	+60	+120
16	42	Y-4P3B1U1642B	1,063	+70	+140
16	48	Y-4P3B1U1648B	1,179	+80	+160
16	54	Y-4P3B1U1654B	1,259	+90	+180
16	60	Y-4P3B1U1660B	1,296	+100	+200
16	66	Y-4P3B1U1666B	1,412	+110	+220
16	72	Y-4P3B1U1672B	1,500	+120	+240
16	78	Y-4P3B1U1678B	1,526	+130	+260
16	84	Y-4P3B1U1684B	1,603	+140	+280
20	24	Y-4P3B1U2024B	931	+50	+100
20	30	Y-4P3B1U2030B	1,054	+63	+125
20	36	Y-4P3B1U2036B	1,174	+75	+150
20	42	Y-4P3B1U2042B	1,295	+88	+175
20	48	Y-4P3B1U2048B	1,412	+100	+200
20	54	Y-4P3B1U2054B	1,535	+113	+225
20	60	Y-4P3B1U2060B	1,654	+125	+250
20	66	Y-4P3B1U2066B	1,776	+138	+275
20	72	Y-4P3B1U2072B	1,892	+150	+300
20	78	Y-4P3B1U2078B	2,011	+163	+325
20	84	Y-4P3B1U2084B	2,133	+175	+350




24 - 54 Wide




60 - 72 Wide



78 - 84 Wide



On Panel Top



Surface Mount Clip

Specify

- Paint Selection

Notes

- For use with Divi only. See Clear & PET Screens price list for Panel Top Screens that can be used on non-Divi panels.
- Clips available in Metallic Silver only.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).
- Divi Panel Top Channel glass screens 48”W and longer automatically include an extended top cap to span two adjacent panels.

© 2026, AIS, Inc.

PET Divi Panel Top Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	Panel Top	Lite	Divi Panel Dimensions	Surface Mount


PET DIVI PANEL TOP SURFACE MOUNT LITE SCREENS


H	W	Model Number	List
12	24	Y-5P4B1U1224B	591
12	30	Y-5P4B1U1230B	602
12	36	Y-5P4B1U1236B	610
12	42	Y-5P4B1U1242B	623
12	48	Y-5P4B1U1248B	636
12	54	Y-5P4B1U1254B	647
12	60	Y-5P4B1U1260B	657
12	66	Y-5P4B1U1266B	671
12	72	Y-5P4B1U1272B	681
12	78	Y-5P4B1U1278B	691
12	84	Y-5P4B1U1284B	704
16	24	Y-5P4B1U1624B	604
16	30	Y-5P4B1U1630B	620
16	36	Y-5P4B1U1636B	636
16	42	Y-5P4B1U1642B	649
16	48	Y-5P4B1U1648B	665
16	54	Y-5P4B1U1654B	681
16	60	Y-5P4B1U1660B	696
16	66	Y-5P4B1U1666B	712
16	72	Y-5P4B1U1672B	724
16	78	Y-5P4B1U1678B	740
16	84	Y-5P4B1U1684B	757


PET DIVI PANEL TOP SURFACE MOUNT LITE SCREENS


H	W	Model Number	List
20	24	Y-5P4B1U2024B	620
20	30	Y-5P4B1U2030B	638
20	36	Y-5P4B1U2036B	657
20	42	Y-5P4B1U2042B	677
20	48	Y-5P4B1U2048B	696
20	54	Y-5P4B1U2054B	715
20	60	Y-5P4B1U2060B	734
20	66	Y-5P4B1U2066B	753
20	72	Y-5P4B1U2072B	772
20	78	Y-5P4B1U2078B	792
20	84	Y-5P4B1U2084B	810
24	24	Y-5P4B1U2424B	636
24	30	Y-5P4B1U2430B	657
24	36	Y-5P4B1U2436B	681
24	42	Y-5P4B1U2442B	704
24	48	Y-5P4B1U2448B	724
24	54	Y-5P4B1U2454B	748
24	60	Y-5P4B1U2460B	772
24	66	Y-5P4B1U2466B	796
24	72	Y-5P4B1U2472B	816
24	78	Y-5P4B1U2478B	840
24	84	Y-5P4B1U2484B	865


24 - 54 Wide


60 - 72 Wide


78 - 84 Wide


On Panel Top


Surface Mount Clip

Specify

- Paint Selection (Grade C +10)
- Color Selection for PET

Notes

- For use with Divi only. See Clear & PET Screens price list for Panel Top Screens that can be used on non-Divi panels.
- PET screen inserts are 1/2" (12mm) thick.
- Divi Panel Top PET channel screens 54"W and longer automatically include an extended top cap to span two adjacent panels.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Divi Panel Top Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	Panel Top	Lite	Divi Panel Dimensions	Surface Mount

PET DIVI PANEL TOP SURFACE MOUNT LITE SCREENS


H	W	Model Number	List
28	24	Y-5P4B1U2824B	649
28	30	Y-5P4B1U2830B	677
28	36	Y-5P4B1U2836B	704
28	42	Y-5P4B1U2842B	731
28	48	Y-5P4B1U2848B	757
28	54	Y-5P4B1U2854B	783
28	60	Y-5P4B1U2860B	810
28	66	Y-5P4B1U2866B	835
28	72	Y-5P4B1U2872B	865
28	78	Y-5P4B1U2878B	890
28	84	Y-5P4B1U2884B	915

PET DIVI PANEL TOP SURFACE MOUNT LITE SCREENS


H	W	Model Number	List
32	24	Y-5P4B1U3224B	665
32	30	Y-5P4B1U3230B	696
32	36	Y-5P4B1U3236B	724
32	42	Y-5P4B1U3242B	757
32	48	Y-5P4B1U3248B	786
32	54	Y-5P4B1U3254B	816
32	60	Y-5P4B1U3260B	847
32	66	Y-5P4B1U3266B	878
32	72	Y-5P4B1U3272B	908
32	78	Y-5P4B1U3278B	941
32	84	Y-5P4B1U3284B	967




24 - 54 Wide




60 - 72 Wide



78 - 84 Wide



On Panel Top



Surface Mount Clip

Specify

- Paint Selection (Grade C +10)
- Color Selection for PET

Notes

- For use with Divi only. See Clear & PET Screens price list for Panel Top Screens that can be used on non-Divi panels.
- PET screen inserts are 1/2" (12mm) thick.
- Divi Panel Top PET channel screens 54"W and longer automatically include an extended top cap to span two adjacent panels.

© 2026, AIS, Inc.

Screens Sized for Day-to-Day & Calibrate HAT Depths


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Glass Day-to-Day & Calibrate HAT Depth Territory Surface Mount Channel Screens

Material	Where Used	Screen Type	Sized For	Mount Type
Glass 1/4”	Territory on Worksurface	Channel	Day-to-Day & Calibrate HAT Depth	Surface Mount

GLASS 1/4” DAY-TO-DAY & CALIBRATE HAT DEPTH TERRITORY SURFACE MOUNT CHANNEL SCREENS

H	D	Model Number	List	Tinted Glass	Frosted Glass
12	24	Y-3T2D1U1224B	795	+30	+110
12	30	Y-3T2D1U1230B	802	+38	+138
16	24	Y-3T2D1U1624B	944	+40	+147
16	30	Y-3T2D1U1630B	974	+50	+184
20	24	Y-3T2D1U2024B	878	+40	+147
20	30	Y-3T2D1U2030B	943	+50	+184





Surface Mount Channel

Specify	Notes
• Paint Selection (Grade C +10)	• Offered in all AIS paint finishes. • Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).


© 2026, AIS, Inc.


Glass Day-to-Day & Calibrate HAT Depth Territory Surface Mount Channel Screens

Material	Where Used	Screen Type	Sized For	Mount Type
Glass 3/8”	Territory on Worksurface	Channel	Day-to-Day & Calibrate HAT Depth	Surface Mount

GLASS 3/8” DAY-TO-DAY & CALIBRATE HAT DEPTH TERRITORY SURFACE MOUNT CHANNEL SCREENS

H	D	Model Number	List	Tinted Glass	Frosted Glass
12	24	Y-4T2D1U1224B	1,011	+30	+60
12	30	Y-4T2D1U1230B	1,014	+38	+75
16	24	Y-4T2D1U1624B	972	+30	+60
16	30	Y-4T2D1U1630B	1,068	+38	+75
20	24	Y-4T2D1U2024B	1,087	+50	+100
20	30	Y-4T2D1U2030B	1,212	+63	+125
24	24	Y-4T2D1U2424B	1,175	+60	+120
24	30	Y-4T2D1U2430B	1,316	+75	+150





Surface Mount Channel

Specify	Notes
• Paint Selection (Grade C +10)	• Offered in all AIS paint finishes. • Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.


PET Day-to-Day & Calibrate HAT Depth Territory Surface Mount Channel Screens

Material	Where Used	Screen Type	Sized For	Mount Type
PET	Territory on Worksurface	Channel	Day-to-Day & Calibrate HAT Depth	Surface Mount

PET DAY-TO-DAY & CALIBRATE HAT DEPTH TERRITORY SURFACE MOUNT CHANNEL SCREENS

H	D	Model Number	List
12	24	Y-5T2D1U1224B	555
16	24	Y-5T2D1U1624B	579
20	24	Y-5T2D1U2024B	605
24	24	Y-5T2D1U2424B	634
28	24	Y-5T2D1U2824B	659
32	24	Y-5T2D1U3224B	685
12	30	Y-5T2D1U1230B	573
16	30	Y-5T2D1U1630B	605
20	30	Y-5T2D1U2030B	638
24	30	Y-5T2D1U2430B	673
28	30	Y-5T2D1U2830B	704
32	30	Y-5T2D1U3230B	736





Surface Mount Channel

Specify	Notes
• Paint Selection (Grade C +10) • Color Selection for PET	• Offered in all AIS paint finishes.


© 2026, AIS, Inc.

Glass Day-to-Day & Calibrate HAT Depth Territory Under Surface Mount Channel Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
Glass 1/4”	Territory on Worksurface	Channel	Day-to-Day & Calibrate HAT Depth	Under Surface Mount	Left or Right

GLASS 1/4” DAY-TO-DAY & CALIBRATE HAT DEPTH TERRITORY UNDER SURFACE MOUNT CHANNEL SCREENS


		Left Hand	Right Hand			
H	D	Model Number	Model Number	List	Tinted Glass	Frosted Glass
12	24	Y-3T2D2L1224B	Y-3T2D2R1224B	795	+30	+110
12	30	Y-3T2D2L1230B	Y-3T2D2R1230B	802	+38	+138
16	24	Y-3T2D2L1624B	Y-3T2D2R1624B	944	+40	+147
16	30	Y-3T2D2L1630B	Y-3T2D2R1630B	974	+50	+184
20	24	Y-3T2D2L2024B	Y-3T2D2R2024B	878	+50	+184
20	30	Y-3T2D2L2030B	Y-3T2D2R2030B	943	+63	+230



Left Hand



Right Hand



Under Surface Mount Channel

Specify

- Paint Selection (Grade C +10)

Notes

- Offered in all AIS paint finishes.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

Glass Day-to-Day & Calibrate HAT Depth Territory Under Surface Mount Channel Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
Glass 3/8”	Territory on Worksurface	Channel	Day-to-Day & Calibrate HAT Depth	Under Surface Mount	Left or Right

GLASS 3/8” DAY-TO-DAY & CALIBRATE HAT DEPTH TERRITORY UNDER SURFACE MOUNT CHANNEL SCREENS


		Left Hand	Right Hand			
H	D	Model Number	Model Number	List	Tinted Glass	Frosted Glass
12	24	Y-4T2D2L1224B	Y-4T2D2R1224B	1,011	+30	+60
12	30	Y-4T2D2L1230B	Y-4T2D2R1230B	1,014	+38	+75
16	24	Y-4T2D2L1624B	Y-4T2D2R1624B	972	+40	+80
16	30	Y-4T2D2L1630B	Y-4T2D2R1630B	1,068	+50	+100
20	24	Y-4T2D2L2024B	Y-4T2D2R2024B	1,087	+50	+100
20	30	Y-4T2D2L2030B	Y-4T2D2R2030B	1,212	+63	+125
24	24	Y-4T2D2L2424B	Y-4T2D2R2424B	1,175	+60	+120
24	30	Y-4T2D2L2430B	Y-4T2D2R2430B	1,316	+75	+150



Left Hand



Right Hand



Under Surface Mount Channel

Specify

- Paint Selection (Grade C +10)

Notes

- Offered in all AIS paint finishes.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).


© 2026, AIS, Inc.

PET Day-to-Day & Calibrate HAT Depth Territory Under Surface Mount Channel Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	Territory on Worksurface	Channel	Day-to-Day & Calibrate HAT Depth	Under Surface Mount	Left or Right

PET DAY-TO-DAY & CALIBRATE HAT DEPTH TERRITORY UNDER SURFACE MOUNT CHANNEL SCREENS


		Left Hand	Right Hand	
H	D	Model Number	Model Number	List
12	24	Y-5T2D2L1224B	Y-5T2D2R1224B	708
16	24	Y-5T2D2L1624B	Y-5T2D2R1624B	735
20	24	Y-5T2D2L2024B	Y-5T2D2R2024B	762
24	24	Y-5T2D2L2424B	Y-5T2D2R2424B	786
28	24	Y-5T2D2L2824B	Y-5T2D2R2824B	814
32	24	Y-5T2D2L3224B	Y-5T2D2R3224B	840
12	30	Y-5T2D2L1230B	Y-5T2D2R1230B	729
16	30	Y-5T2D2L1630B	Y-5T2D2R1630B	762
20	30	Y-5T2D2L2030B	Y-5T2D2R2030B	795
24	30	Y-5T2D2L2430B	Y-5T2D2R2430B	828
28	30	Y-5T2D2L2830B	Y-5T2D2R2830B	860
32	30	Y-5T2D2L3230B	Y-5T2D2R3230B	892



Left Hand



Right Hand



Under Surface Mount Channel

Specify

- Paint Selection (Grade C +10)
- Color Selection for PET

Notes

- Offered in all AIS paint finishes.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.


Glass Day-to-Day & Calibrate HAT Depth Territory Surface Mount Clip Screens

Material	Where Used	Screen Type	Sized For	Mount Type
Glass 1/4”	Territory on Worksurface	Clip	Day-to-Day & Calibrate HAT Depth	Surface Mount

GLASS 1/4” DAY-TO-DAY & CALIBRATE HAT DEPTH TERRITORY SURFACE MOUNT CLIP SCREENS WITHOUT CUT-OUTS

H	D	Model Number	List	Tinted Glass	Frosted Glass
12	24	Y-3T3D1U1224B	638	+30	+110
12	30	Y-3T3D1U1230B	647	+38	+138
16	24	Y-3T3D1U1624B	788	+40	+147
16	30	Y-3T3D1U1630B	819	+50	+184
20	24	Y-3T3D1U2024B	723	+50	+184
20	30	Y-3T3D1U2030B	786	+63	+230





Surface Mount Clip

Specify

Notes

- Clips available in Metallic Silver only.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).


© 2026, AIS, Inc.


Glass Day-to-Day & Calibrate HAT Depth Territory Surface Mount Clip Screens

Material	Where Used	Screen Type	Sized For	Mount Type
Glass 3/8”	Territory on Worksurface	Clip	Day-to-Day & Calibrate HAT Depth	Surface Mount

GLASS 3/8” DAY-TO-DAY & CALIBRATE HAT DEPTH TERRITORY SURFACE MOUNT CLIP SCREENS WITHOUT CUT-OUTS

H	D	Model Number	List	Tinted Glass	Frosted Glass
12	24	Y-4T3D1U1224B	857	+30	+60
12	30	Y-4T3D1U1230B	862	+38	+75
16	24	Y-4T3D1U1624B	816	+40	+80
16	30	Y-4T3D1U1630B	912	+50	+100
20	24	Y-4T3D1U2024B	931	+50	+100
20	30	Y-4T3D1U2030B	1,054	+63	+125
24	24	Y-4T3D1U2424B	1,020	+60	+120
24	30	Y-4T3D1U2430B	1,163	+75	+150





Surface Mount Clip

Specify

Notes

- Clips available in Metallic Silver only.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).


© 2026, AIS, Inc.

Glass Day-to-Day & Calibrate HAT Depth Territory Under Surface Mount Clip Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
Glass 1/4”	Territory on Worksurface	Clip	Day-to-Day & Calibrate HAT Depth	Under Surface Mount	Left or Right

GLASS 1/4” DAY-TO-DAY & CALIBRATE HAT DEPTH TERRITORY UNDER SURFACE MOUNT CLIP SCREENS


		Left Hand	Right Hand			
H	D	Model Number	Model Number	List	Tinted Glass	Frosted Glass
12	24	Y-3T3D2L1224B	Y-3T3D2R1224B	638	+30	+110
12	30	Y-3T3D2L1230B	Y-3T3D2R1230B	647	+38	+138
16	24	Y-3T3D2L1624B	Y-3T3D2R1624B	788	+40	+147
16	30	Y-3T3D2L1630B	Y-3T3D2R1630B	819	+50	+184
20	24	Y-3T3D2L2024B	Y-3T3D2R2024B	723	+50	+184
20	30	Y-3T3D2L2030B	Y-3T3D2R2030B	786	+63	+230



Left Hand



Right Hand



Under Surface Mount Clip

Specify

Notes

- Clips available in Metallic Silver only.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).


© 2026, AIS, Inc.

Glass Day-to-Day & Calibrate HAT Depth Territory Under Surface Mount Clip Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
Glass 3/8”	Territory on Worksurface	Clip	Day-to-Day & Calibrate HAT Depth	Under Surface Mount	Left or Right

GLASS 3/8” DAY-TO-DAY & CALIBRATE HAT DEPTH TERRITORY UNDER SURFACE MOUNT CLIP SCREENS


		Left Hand	Right Hand			
H	D	Model Number	Model Number	List	Tinted Glass	Frosted Glass
12	24	Y-4T3D2L1224B	Y-4T3D2R1224B	857	+30	+60
12	30	Y-4T3D2L1230B	Y-4T3D2R1230B	862	+38	+75
16	24	Y-4T3D2L1624B	Y-4T3D2R1624B	816	+40	+80
16	30	Y-4T3D2L1630B	Y-4T3D2R1630B	912	+50	+100
20	24	Y-4T3D2L2024B	Y-4T3D2R2024B	931	+50	+100
20	30	Y-4T3D2L2030B	Y-4T3D2R2030B	1,054	+63	+125
24	24	Y-4T3D2L2424B	Y-4T3D2R2424B	1,020	+60	+120
24	30	Y-4T3D2L2430B	Y-4T3D2R2430B	1,163	+75	+150



Left Hand



Right Hand



Under Surface Mount Clip

Specify

Notes

- Clips available in Metallic Silver only.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Day-to-Day & Calibrate HAT Depth Territory Surface Mount Slimline Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Fabric/Vinyl/Whiteboard/Laminate	Territory on Worksurface	Slimline	Day-to-Day & Calibrate HAT Depth	Freestanding


DAY-TO-DAY & CALIBRATE HAT DEPTH TERRITORY SURFACE MOUNT SLIMLINE SCREENS

H	D	Model Number	List	Fabric Grade C	Fabric Grade D
12	24	Y-6T1D1U1224B	773	+7	+14
16	24	Y-6T1D1U1624B	854	+11	+22
20	24	Y-6T1D1U2024B	774	+15	+30
24	24	Y-6T1D1U2424B	828	+18	+36
28	24	Y-6T1D1U2824B	915	+21	+42

DAY-TO-DAY & CALIBRATE HAT DEPTH TERRITORY SURFACE MOUNT SLIMLINE SCREENS

H	D	Model Number	List	Fabric Grade C	Fabric Grade D
12	30	Y-6T1D1U1230B	663	+7	+14
16	30	Y-6T1D1U1630B	854	+11	+22
20	30	Y-6T1D1U2030B	939	+15	+30
24	30	Y-6T1D1U2430B	990	+18	+36
28	30	Y-6T1D1U2830B	1,088	+21	+42





Surface Mount Slimline

Specify

- Paint Selection (Grade C +10)
- Fabric, Vinyl, Whiteboard or Laminate Selection

Notes

- Slimline screens may be fabric, vinyl, whiteboard or laminate on either side. Upcharges for Grade C and D are listed per side. Whiteboards are standard list and have no upcharge.
- Offered in all AIS paint finishes.


© 2026, AIS, Inc.

Day-to-Day & Calibrate HAT Depth Territory Under Surface Mount Slimline Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
Fabric/Vinyl/Whiteboard/Laminate	Territory on Worksurface	Slimline	Day-to-Day & Calibrate HAT Depth	Under Surface Mount	Left or Right

DAY-TO-DAY & CALIBRATE HAT DEPTH TERRITORY UNDER SURFACE MOUNT SLIMLINE SCREENS


		Left Hand	Right Hand			
H	D	Model Number	Model Number	List	Fabric Grade C	Fabric Grade D
12	24	T-TSHL1224	T-TSHR1224	663	+7	+14
16	24	T-TSHL1624	T-TSHR1624	720	+11	+22
20	24	T-TSHL2024	T-TSHR2024	774	+15	+30
24	24	T-TSHL2424	T-TSHR2424	828	+18	+36
28	24	T-TSHL2824	T-TSHR2824	915	+21	+42
12	30	T-TSHL1230	T-TSHR1230	773	+7	+14
16	30	T-TSHL1630	T-TSHR1630	854	+11	+22
20	30	T-TSHL2030	T-TSHR2030	939	+15	+30
24	30	T-TSHL2430	T-TSHR2430	990	+18	+36
28	30	T-TSHL2830	T-TSHR2830	1,088	+21	+42



Left Hand



Right Hand



Under Surface Mount Slimline

Specify

- Paint Selection (Grade C +10)
- Fabric, Vinyl, Whiteboard or Laminate Selection

Notes

- Slimline screens may be fabric, vinyl, whiteboard or laminate on either side. Upcharges for Grade C and D are listed per side. Whiteboards are standard list and have no upcharge.
- Offered in all AIS paint finishes.

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Day-to-Day & Calibrate HAT Depth Partial Modesty Slimline Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Fabric/Vinyl/Whiteboard/Laminate	Partial Modesty	Slimline	Day-to-Day & Calibrate HAT Depth	Under Surface Mount


DAY-TO-DAY & CALIBRATE HAT DEPTH PARTIAL MODESTY UNDER SURFACE MOUNT SLIMLINE SCREENS

H	D	Model Number	List	Fabric Grade C	Fabric Grade D
26	24	Y-6S1D2U2624B	1,255	25	50
26	30	Y-6S1D2U2630B	1,311	25	50
34	24	Y-6S1D2U3424B	1,411	34	68
34	30	Y-6S1D2U3430B	1,478	34	68

DAY-TO-DAY & CALIBRATE HAT DEPTH PARTIAL MODESTY UNDER SURFACE MOUNT SLIMLINE SCREENS

H	D	Model Number	List	Fabric Grade C	Fabric Grade D
38	24	Y-6S1D2U3824B	1,569	30	64
38	30	Y-6S1D2U3830B	1,646	30	64
42	24	Y-6S1D2U4224B	1,725	46	100
42	30	Y-6S1D2U4230B	1,812	46	100





Under Surface Mount

Specify

- Paint Selection (Grade C +15)
- Fabric, Vinyl, Whiteboard or Laminate Selection

Notes

- Slimline screens may be fabric, vinyl, whiteboard or laminate on either side. Upcharges for Grade C and D are listed per side. Whiteboards are standard list and have no upcharge.
- Offered in all AIS paint finishes.
- Grade C paint incurs a $15 upcharge.

© 2026, AIS, Inc.

Screens Sized for Oxygen Worksurface Depths

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Glass Oxygen Worksurface Depth Territory Surface Mount Channel Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Glass 1/4”	Territory on Worksurface	Channel	Oxygen Worksurface Depth	Surface Mount


GLASS 1/4” OXYGEN WORKSURFACE DEPTH TERRITORY SURFACE MOUNT CHANNEL SCREENS

H	D	Model Number	List	Tinted Glass	Frosted Glass
12	24	Y-3T2F1U1224B	795	+30	+110
16	24	Y-3T2F1U1624B	944	+40	+147
20	24	Y-3T2F1U2024B	878	+50	+184

GLASS 1/4” OXYGEN WORKSURFACE DEPTH TERRITORY SURFACE MOUNT CHANNEL SCREENS

H	D	Model Number	List	Tinted Glass	Frosted Glass
12	30	Y-3T2F1U1230B	802	+38	+138
16	30	Y-3T2F1U1630B	974	+50	+184
20	30	Y-3T2F1U2030B	943	+63	+230





Surface Mount Channel

Specify

- Paint Selection (Grade C +10)

Notes

- Offered in all AIS paint finishes.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

© 2026, AIS, Inc.

Glass Oxygen Worksurface Depth Territory Surface Mount Channel Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Glass 3/8”	Territory on Worksurface	Channel	Oxygen Worksurface Depth	Surface Mount


GLASS 3/8” OXYGEN WORKSURFACE DEPTH TERRITORY SURFACE MOUNT CHANNEL SCREENS

H	D	Model Number	List	Tinted Glass	Frosted Glass
12	24	Y-4T2F1U1224B	1,011	+30	+60
16	24	Y-4T2F1U1624B	972	+40	+80
20	24	Y-4T2F1U2024B	1,087	+50	+100
24	24	Y-4T2F1U2424B	1,175	+60	+120

GLASS 3/8” OXYGEN WORKSURFACE DEPTH TERRITORY SURFACE MOUNT CHANNEL SCREENS

H	D	Model Number	List	Tinted Glass	Frosted Glass
12	30	Y-4T2F1U1230B	1,014	+38	+75
16	30	Y-4T2F1U1630B	1,068	+50	+100
20	30	Y-4T2F1U2030B	1,212	+63	+125
24	30	Y-4T2F1U2430B	1,316	+75	+150





Surface Mount Channel

Specify

- Paint Selection (Grade C +10)

Notes

- Offered in all AIS paint finishes.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Oxygen Worksurface Depth Territory Surface Mount Channel Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	Territory on Worksurface	Channel	Oxygen Worksurface Depth	Surface Mount


PET OXYGEN WORKSURFACE DEPTH TERRITORY SURFACE MOUNT CHANNEL SCREENS

H	D	Model Number	List
12	24	Y-5T2F1U1224B	555
16	24	Y-5T2F1U1624B	579
20	24	Y-5T2F1U2024B	605
24	24	Y-5T2F1U2424B	634
28	24	Y-5T2F1U2824B	659
32	24	Y-5T2F1U3224B	685

PET OXYGEN WORKSURFACE DEPTH TERRITORY SURFACE MOUNT CHANNEL SCREENS

H	D	Model Number	List
12	30	Y-5T2F1U1230B	573
16	30	Y-5T2F1U1630B	605
20	30	Y-5T2F1U2030B	638
24	30	Y-5T2F1U2430B	673
28	30	Y-5T2F1U2830B	704
32	30	Y-5T2F1U3230B	736





Surface Mount Channel

Specify	Notes
• Paint Selection (Grade C +10) • Color Selection for PET	• Offered in all AIS paint finishes.


© 2026, AIS, Inc.

Glass Oxygen Worksurface Depth Territory Under Surface Mount Channel Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
Glass 1/4”	Territory on Worksurface	Channel	Oxygen Worksurface Depth	Under Surface Mount	Left, Right or Shared

GLASS 1/4” OXYGEN WORKSURFACE DEPTH TERRITORY UNDER SURFACE MOUNT CHANNEL SCREENS


		Left Hand	Right Hand	Shared			
H	D	Model Number	Model Number	Model Number	List	Tinted Glass	Frosted Glass
12	24	Y-3T2F2L1224B	Y-3T2F2R1224B	Y-3T2F2S1224B	795	+30	+110
12	30	Y-3T2F2L1230B	Y-3T2F2R1230B	Y-3T2F2S1230B	802	+38	+138
16	24	Y-3T2F2L1624B	Y-3T2F2R1624B	Y-3T2F2S1624B	944	+40	+147
16	30	Y-3T2F2L1630B	Y-3T2F2R1630B	Y-3T2F2S1630B	974	+50	+184
20	24	Y-3T2F2L2024B	Y-3T2F2R2024B	Y-3T2F2S2024B	878	+50	+184
20	30	Y-3T2F2L2030B	Y-3T2F2R2030B	Y-3T2F2S2030B	943	+63	+230




Left Hand



Right Hand



Shared



Under Surface Mount Channel

Specify

- Paint Selection (Grade C +10)

Notes

- Offered in all AIS paint finishes.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

Glass Oxygen Worksurface Depth Territory Under Surface Mount Channel Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
Glass 3/8”	Territory on Worksurface	Channel	Oxygen Worksurface Depth	Under Surface Mount	Left, Right or Shared

GLASS 3/8” OXYGEN WORKSURFACE DEPTH TERRITORY UNDER SURFACE MOUNT CHANNEL SCREENS


		Left Hand	Right Hand	Shared			
H	D	Model Number	Model Number	Model Number	List	Tinted Glass	Frosted Glass
12	24	Y-4T2F2L1224B	Y-4T2F2R1224B	Y-4T2F2S1224B	1,011	+30	+60
12	30	Y-4T2F2L1230B	Y-4T2F2R1230B	Y-4T2F2S1230B	1,014	+38	+75
16	24	Y-4T2F2L1624B	Y-4T2F2R1624B	Y-4T2F2S1624B	972	+40	+80
16	30	Y-4T2F2L1630B	Y-4T2F2R1630B	Y-4T2F2S1630B	1,068	+50	+100
20	24	Y-4T2F2L2024B	Y-4T2F2R2024B	Y-4T2F2S2024B	1,087	+50	+100
20	30	Y-4T2F2L2030B	Y-4T2F2R2030B	Y-4T2F2S2030B	1,212	+63	+125
24	24	Y-4T2F2L2424B	Y-4T2F2R2424B	Y-4T2F2S2424B	1,175	+60	+120
24	30	Y-4T2F2L2430B	Y-4T2F2R2430B	Y-4T2F2S2430B	1,316	+75	+150




Left Hand



Right Hand



Shared



Under Surface Mount Channel

Specify

- Paint Selection (Grade C +10)

Notes

- Offered in all AIS paint finishes.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).


© 2026, AIS, Inc.


PET Oxygen Worksurface Depth Territory Under Surface Mount Channel Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	Territory on Worksurface	Channel	Oxygen Worksurface Depth	Under Surface Mount	Left, Right or Shared


PET OXYGEN WORKSURFACE DEPTH TERRITORY UNDER SURFACE MOUNT CHANNEL SCREENS

		Left Hand	Right Hand	Shared	
H	D	Model Number	Model Number	Model Number	List
12	24	Y-5T2F2L1224B	Y-5T2F2R1224B	Y-5T2F2S1224B	708
16	24	Y-5T2F2L1624B	Y-5T2F2R1624B	Y-5T2F2S1624B	735
20	24	Y-5T2F2L2024B	Y-5T2F2R2024B	Y-5T2F2S2024B	762
24	24	Y-5T2F2L2424B	Y-5T2F2R2424B	Y-5T2F2S2424B	786
28	24	Y-5T2F2L2824B	Y-5T2F2R2824B	Y-5T2F2S2824B	814
32	24	Y-5T2F2L3224B	Y-5T2F2R3224B	Y-5T2F2S3224B	840
12	30	Y-5T2F2L1230B	Y-5T2F2R1230B	Y-5T2F2S1230B	729
16	30	Y-5T2F2L1630B	Y-5T2F2R1630B	Y-5T2F2S1630B	762
20	30	Y-5T2F2L2030B	Y-5T2F2R2030B	Y-5T2F2S2030B	795
24	30	Y-5T2F2L2430B	Y-5T2F2R2430B	Y-5T2F2S2430B	828
28	30	Y-5T2F2L2830B	Y-5T2F2R2830B	Y-5T2F2S2830B	860
32	30	Y-5T2F2L3230B	Y-5T2F2R3230B	Y-5T2F2S3230B	892


Left Hand


Right Hand


Shared


Under Surface Mount Channel

Specify

- Paint Selection (Grade C +10)
- Color Selection for PET

Notes

- Offered in all AIS paint finishes.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.


Glass Oxygen Worksurface Depth Territory Surface Mount Clip Screens

Material	Where Used	Screen Type	Sized For	Mount Type
Glass 1/4”	Territory on Worksurface	Clip	Oxygen Worksurface Depth	Surface Mount

GLASS 1/4” OXYGEN WORKSURFACE DEPTH TERRITORY SURFACE MOUNT CLIP SCREENS

H	D	Model Number	List	Tinted Glass	Frosted Glass
12	24	Y-3T3F1U1224B	638	+30	+110
12	30	Y-3T3F1U1230B	647	+38	+138
16	24	Y-3T3F1U1624B	788	+40	+147
16	30	Y-3T3F1U1630B	819	+50	+184
20	24	Y-3T3F1U2024B	723	+50	+184
20	30	Y-3T3F1U2030B	786	+63	+230





Surface Mount Clip

Specify

Notes

- Clips available in Metallic Silver only.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).


© 2026, AIS, Inc.


Glass Oxygen Worksurface Depth Territory Surface Mount Clip Screens

Material	Where Used	Screen Type	Sized For	Mount Type
Glass 3/8”	Territory on Worksurface	Clip	Oxygen Worksurface Depth	Surface Mount

GLASS 3/8” OXYGEN WORKSURFACE DEPTH TERRITORY SURFACE MOUNT CLIP SCREENS

H	D	Model Number	List	Tinted Glass	Frosted Glass
12	24	Y-4T3F1U1224B	857	+30	+60
12	30	Y-4T3F1U1230B	862	+38	+75
16	24	Y-4T3F1U1624B	816	+40	+80
16	30	Y-4T3F1U1630B	912	+50	+100
20	24	Y-4T3F1U2024B	931	+50	+100
20	30	Y-4T3F1U2030B	1,054	+63	+125
24	24	Y-4T3F1U2424B	1,020	+60	+120
24	30	Y-4T3F1U2430B	1,163	+75	+150





Surface Mount Clip

Specify

Notes

- Clips available in Metallic Silver only.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

Glass Oxygen Worksurface Depth Territory Under Surface Mount Clip Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
Glass 1/4”	Territory on Worksurface	Clip	Oxygen Worksurface Depth	Under Surface Mount	Left, Right or Shared

GLASS 1/4” OXYGEN WORKSURFACE DEPTH TERRITORY UNDER SURFACE MOUNT CLIP SCREENS


		Left Hand	Right Hand	Shared			
H	D	Model Number	Model Number	Model Number	List	Tinted Glass	Frosted Glass
12	24	Y-3T3F2L1224B	Y-3T3F2R1224B	Y-3T3F2S1224B	638	+30	+110
12	30	Y-3T3F2L1230B	Y-3T3F2R1230B	Y-3T3F2S1230B	647	+38	+138
16	24	Y-3T3F2L1624B	Y-3T3F2R1624B	Y-3T3F2S1624B	788	+40	+147
16	30	Y-3T3F2L1630B	Y-3T3F2R1630B	Y-3T3F2S1630B	819	+50	+184
20	24	Y-3T3F2L2024B	Y-3T3F2R2024B	Y-3T3F2S2024B	723	+50	+184
20	30	Y-3T3F2L2030B	Y-3T3F2R2030B	Y-3T3F2S2030B	786	+63	+230




Left Hand



Right Hand



Shared



Under Surface Mount Clip

Specify

Notes

- Clips available in Metallic Silver only.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).


© 2026, AIS, Inc.

Glass Oxygen Worksurface Depth Territory Under Surface Mount Clip Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
Glass 3/8”	Territory on Worksurface	Clip	Oxygen Worksurface Depth	Under Surface Mount	Left, Right or Shared

GLASS 3/8” OXYGEN WORKSURFACE DEPTH TERRITORY UNDER SURFACE MOUNT CLIP SCREENS


		Left Hand	Right Hand	Shared			
H	D	Model Number	Model Number	Model Number	List	Tinted Glass	Frosted Glass
12	24	Y-4T3F2L1224B	Y-4T3F2R1224B	Y-4T3F2S1224B	857	+30	+60
12	30	Y-4T3F2L1230B	Y-4T3F2R1230B	Y-4T3F2S1230B	862	+38	+75
16	24	Y-4T3F2L1624B	Y-4T3F2R1624B	Y-4T3F2S1624B	816	+40	+80
16	30	Y-4T3F2L1630B	Y-4T3F2R1630B	Y-4T3F2S1630B	912	+50	+100
20	24	Y-4T3F2L2024B	Y-4T3F2R2024B	Y-4T3F2S2024B	931	+50	+100
20	30	Y-4T3F2L2030B	Y-4T3F2R2030B	Y-4T3F2S2030B	1,054	+63	+125
24	24	Y-4T3F2L2424B	Y-4T3F2R2424B	Y-4T3F2S2424B	1,020	+60	+120
24	30	Y-4T3F2L2430B	Y-4T3F2R2430B	Y-4T3F2S2430B	1,163	+75	+150




Left Hand



Right Hand



Shared



Under Surface Mount Clip

Specify

Notes

- Clips available in Metallic Silver only.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Oxygen Worksurface Depth Territory Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	Territory on Worksurface	Lite	Oxygen Worksurface Depth	Surface Mount


PET OXYGEN WORKSURFACE DEPTH TERRITORY SURFACE MOUNT LITE SCREENS

H	D	Model Number	List
12	24	Y-5T4F1U1224B	591
16	24	Y-5T4F1U1624B	604
20	24	Y-5T4F1U2024B	620
24	24	Y-5T4F1U2424B	636
28	24	Y-5T4F1U2824B	649
32	24	Y-5T4F1U3224B	665

PET OXYGEN WORKSURFACE DEPTH TERRITORY SURFACE MOUNT LITE SCREENS

H	D	Model Number	List
12	30	Y-5T4F1U1230B	602
16	30	Y-5T4F1U1630B	620
20	30	Y-5T4F1U2030B	638
24	30	Y-5T4F1U2430B	657
28	30	Y-5T4F1U2830B	677
32	30	Y-5T4F1U3230B	696





Surface Mount Lite

Specify

- Paint Selection (Grade C +10)
- Color Selection for PET

Notes

- PET Territory Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width.
- PET screen inserts are 1/2” (12mm) thick.


© 2026, AIS, Inc.


PET Oxygen Worksurface Depth Territory Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	Territory on Worksurface	Lite	Oxygen Worksurface Depth	Under Surface Mount	Left, Right or Shared


PET OXYGEN WORKSURFACE DEPTH TERRITORY UNDER SURFACE MOUNT LITE SCREENS

		Left Hand	Right Hand	Shared	
H	D	Model Number	Model Number	Model Number	List
12	24	Y-5T4F2L1224B	Y-5T4F2R1224B	Y-5T4F2S1224B	591
16	24	Y-5T4F2L1624B	Y-5T4F2R1624B	Y-5T4F2S1624B	604
20	24	Y-5T4F2L2024B	Y-5T4F2R2024B	Y-5T4F2S2024B	620
24	24	Y-5T4F2L2424B	Y-5T4F2R2424B	Y-5T4F2S2424B	636
28	24	Y-5T4F2L2824B	Y-5T4F2R2824B	Y-5T4F2S2824B	649
32	24	Y-5T4F2L3224B	Y-5T4F2R3224B	Y-5T4F2S3224B	665
12	30	Y-5T4F2L1230B	Y-5T4F2R1230B	Y-5T4F2S1230B	602
16	30	Y-5T4F2L1630B	Y-5T4F2R1630B	Y-5T4F2S1630B	620
20	30	Y-5T4F2L2030B	Y-5T4F2R2030B	Y-5T4F2S2030B	638
24	30	Y-5T4F2L2430B	Y-5T4F2R2430B	Y-5T4F2S2430B	657
28	30	Y-5T4F2L2830B	Y-5T4F2R2830B	Y-5T4F2S2830B	677
32	30	Y-5T4F2L3230B	Y-5T4F2R3230B	Y-5T4F2S3230B	696


Left Hand


Right Hand


Shared


Under Surface Mount Lite

Specify

- Paint Selection (Grade C +10)
- Color Selection for PET

Notes

- PET Territory Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width.
- PET screen inserts are 1/2” (12mm) thick.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Oxygen Worksurface Depth Territory Freestanding Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	Territory on Worksurface	Lite	Oxygen Worksurface Depth	Freestanding


PET OXYGEN WORKSURFACE DEPTH TERRITORY FREESTANDING LITE SCREENS

H	D	Model Number	List
12	24	Y-5T4F4U1224B	745
16	24	Y-5T4F4U1624B	760
20	24	Y-5T4F4U2024B	774
24	24	Y-5T4F4U2424B	792
28	24	Y-5T4F4U2824B	805
32	24	Y-5T4F4U3224B	819

PET OXYGEN WORKSURFACE DEPTH TERRITORY FREESTANDING LITE SCREENS

H	D	Model Number	List
12	30	Y-5T4F4U1230B	757
16	30	Y-5T4F4U1630B	774
20	30	Y-5T4F4U2030B	795
24	30	Y-5T4F4U2430B	812
28	30	Y-5T4F4U2830B	832
32	30	Y-5T4F4U3230B	852





Surface Mount Lite

Specify

- Paint Selection (Grade C +10)
- Color Selection for PET

Notes

- PET Territory Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width.
- PET screen inserts are 1/2” (12mm) thick.
- Non-marring feet measure 2 3/8“ x 12”.

© 2026, AIS, Inc.

Oxygen Worksurface Depth Territory Surface Mount Slimline Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Fabric/Vinyl/Whiteboard/Laminate	Territory on Worksurface	Slimline	Oxygen Worksurface Depth	Surface Mount


OXYGEN WORKSURFACE DEPTH TERRITORY SURFACE MOUNT SLIMLINE SCREENS

H	D	Model Number	List	Fabric Grade C	Fabric Grade D
12	24	Y-6T1F1U1224B	773	+7	+14
16	24	Y-6T1F1U1624B	854	+11	+22
20	24	Y-6T1F1U2024B	774	+15	+30
24	24	Y-6T1F1U2424B	828	+18	+36
28	24	Y-6T1F1U2824B	915	+21	+42

OXYGEN WORKSURFACE DEPTH TERRITORY SURFACE MOUNT SLIMLINE SCREENS

H	D	Model Number	List	Fabric Grade C	Fabric Grade D
12	30	Y-6T1F1U1230B	663	+7	+14
16	30	Y-6T1F1U1630B	854	+11	+22
20	30	Y-6T1F1U2030B	939	+15	+30
24	30	Y-6T1F1U2430B	990	+18	+36
28	30	Y-6T1F1U2830B	1,088	+21	+42





Surface Mount Slimline

Specify

- Paint Selection (Grade C +10)
- Fabric, Vinyl, Whiteboard or Laminate Selection

Notes

- Slimline screens may be fabric, vinyl, whiteboard or laminate on either side. Upcharges for Grade C and D are listed per side. Whiteboards are standard list and have no upcharge.
- Offered in all AIS paint finishes.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

Oxygen Worksurface Depth Territory Under Surface Mount Slimline Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
Fabric/Vinyl/Whiteboard/Laminate	Territory on Worksurface	Slimline	Oxygen Worksurface Depth	Under Surface Mount	Left, Right or Shared

OXYGEN WORKSURFACE DEPTH TERRITORY UNDER SURFACE MOUNT SLIMLINE SCREENS


		Left Hand	Right Hand	Shared			
H	D	Model Number	Model Number	Model Number	List	Fabric Grade C	Fabric Grade D
12	24	O-TSHL1224	O-TSHR1224	O-TSHC1224	659	+7	+14
16	24	O-TSHL1624	O-TSHR1624	O-TSHC1624	714	+11	+22
20	24	O-TSHL2024	O-TSHR2024	O-TSHC2024	769	+15	+30
24	24	O-TSHL2424	O-TSHR2424	O-TSHC2424	822	+18	+36
28	24	O-TSHL2824	O-TSHR2824	O-TSHC2824	877	+21	+42
12	30	O-TSHL1230	O-TSHR1230	O-TSHC1230	768	+7	+14
16	30	O-TSHL1630	O-TSHR1630	O-TSHC1630	846	+11	+22
20	30	O-TSHL2030	O-TSHR2030	O-TSHC2030	927	+15	+30
24	30	O-TSHL2430	O-TSHR2430	O-TSHC2430	1,151	+18	+36
28	30	O-TSHL2830	O-TSHR2830	O-TSHC2830	1,090	+21	+42




Left



Right



Shared



Under Surface Mount Slimline

Specify

- Paint Selection (Grade C +10)
- Fabric, Vinyl, Whiteboard or Laminate Selection

Notes

- Slimline screens may be fabric, vinyl, whiteboard or laminate on either side. Upcharges for Grade C and D are listed per side. Whiteboards are standard list and have no upcharge.
- Offered in all AIS paint finishes.

© 2026, AIS, Inc.

Oxygen Worksurface Depth Side Split Slimline Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Fabric/Vinyl/Whiteboard/Laminate	Side Split on Worksurface	Slimline	Oxygen Worksurface Depth	Under Surface Mount


OXYGEN WORKSURFACE DEPTH SIDE SPLIT SLIMLINE SCREEN

H	W	Horizon Planning	Model Number	List	Fabric Grade C	Fabric Grade D
26	24	42”H Horizon	O-SMH2624	1,255	+25	+50
26	30	42”H Horizon	O-SMH2630	1,311	+25	+50
26	36	42”H Horizon	O-SMH2636	1,362	+25	+50
26	42	42”H Horizon	O-SMH2642	1,416	+25	+50
26	48	42”H Horizon	O-SMH2648	1,474	+25	+50
26	54	42”H Horizon	O-SMH2654	1,528	+25	+50
26	60	42”H Horizon	O-SMH2660	1,583	+25	+50

OXYGEN WORKSURFACE DEPTH SIDE SPLIT SLIMLINE SCREEN

H	W	Horizon Planning	Model Number	List	Fabric Grade C	Fabric Grade D
34	24	46”H Horizon	O-SMH3424	1,411	+34	+68
34	30	46”H Horizon	O-SMH3430	1,478	+34	+68
34	36	46”H Horizon	O-SMH3436	1,538	+34	+68
34	42	46”H Horizon	O-SMH3442	1,601	+34	+68
34	48	46”H Horizon	O-SMH3448	1,664	+34	+68
34	54	46”H Horizon	O-SMH3454	1,728	+34	+68
34	60	46”H Horizon	O-SMH3460	1,790	+34	+68





Under Surface Mount

Specify

- Paint Selection
- Fabric or White Board

Notes

- Designed to side mount to the return worksurfaces. Side Split screens do not attach to the spine beam as a modesty.
- Side Split screens may be fabric or white board (either side).
- Slimline screens may be fabric, vinyl, whiteboard or laminate on either side. Upcharges for Grade C and D are listed per side. Whiteboards are standard list and have no upcharge.
- Offered in all AIS paint finishes.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Oxygen Worksurface Depth Partial Modesty Slimline Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Fabric/Vinyl/Whiteboard/Laminate	Partial Modesty	Slimline	Oxygen Worksurface Depth	Under Surface Mount


OXYGEN WORKSURFACE DEPTH PARTIAL MODESTY UNDER SURFACE MOUNT SLIMLINE SCREENS

H	D	Model Number	List	Fabric Grade C	Fabric Grade D
26	24	Y-6S1F2U2624B	1,255	25	50
26	30	Y-6S1F2U2630B	1,311	25	50
34	24	Y-6S1F2U3424B	1,411	34	68
34	30	Y-6S1F2U3430B	1,478	34	68

OXYGEN WORKSURFACE DEPTH PARTIAL MODESTY UNDER SURFACE MOUNT SLIMLINE SCREENS

H	D	Model Number	List	Fabric Grade C	Fabric Grade D
38	24	Y-6S1F2U3824B	1,569	30	64
38	30	Y-6S1F2U3830B	1,646	30	64
42	24	Y-6S1F2U4224B	1,725	46	100
42	30	Y-6S1F2U4230B	1,812	46	100





Under Surface Mount

Specify

- Paint Selection (Grade C +15)
- Fabric, Vinyl, Whiteboard or Laminate Selection

Notes

- Slimline screens may be fabric, vinyl, whiteboard or laminate on either side. Upcharges for Grade C and D are listed per side. Whiteboards are standard list and have no upcharge.
- Offered in all AIS paint finishes.
- Grade C paint incurs a $15 upcharge.

© 2026, AIS, Inc.

Screens Sized for Day-to-Day & Calibrate HAT Widths

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Glass Day-to-Day & Calibrate HAT Width Front/Rear Surface Mount Channel Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Glass 1/4”	Front/Rear on Worksurface	Channel	Day-to-Day & Calibrate HAT Width	Surface Mount


GLASS 1/4” DAY-TO-DAY & CALIBRATE HAT WIDTH FRONT/REAR CHANNEL SURFACE MOUNT SCREENS

H	W	Model Number	List	Tinted Glass	Frosted Glass
12	24	Y-3R2G1U1224B	638	+30	+110
12	30	Y-3R2G1U1230B	647	+38	+138
12	36	Y-3R2G1U1236B	657	+45	+165
12	42	Y-3R2G1U1242B	691	+53	+193
12	48	Y-3R2G1U1248B	724	+60	+220
12	54	Y-3R2G1U1254B	868	+68	+248
12	60	Y-3R2G1U1260B	796	+75	+275
12	66	Y-3R2G1U1266B	830	+83	+303
12	72	Y-3R2G1U1272B	865	+90	+330
12	78	Y-3R2G1U1278B	899	+98	+358
12	84	Y-3R2G1U1284B	930	+105	+385
16	24	Y-3R2G1U1624B	788	+40	+147
16	30	Y-3R2G1U1630B	819	+50	+184
16	36	Y-3R2G1U1636B	868	+60	+220
16	42	Y-3R2G1U1642B	902	+70	+257
16	48	Y-3R2G1U1648B	942	+80	+294
16	54	Y-3R2G1U1654B	1,004	+90	+330
16	60	Y-3R2G1U1660B	1,057	+100	+367
16	66	Y-3R2G1U1666B	1,074	+110	+404
16	72	Y-3R2G1U1672B	1,097	+120	+440
16	78	Y-3R2G1U1678B	1,118	+130	+477
16	84	Y-3R2G1U1684B	1,138	+140	+514

GLASS 1/4” DAY-TO-DAY & CALIBRATE HAT WIDTH FRONT/REAR CHANNEL SURFACE MOUNT SCREENS

H	W	Model Number	List	Tinted Glass	Frosted Glass
20	24	Y-3R2G1U2024B	723	+50	+184
20	30	Y-3R2G1U2030B	786	+63	+230
20	36	Y-3R2G1U2036B	830	+75	+275
20	42	Y-3R2G1U2042B	913	+88	+321
20	48	Y-3R2G1U2048B	974	+100	+367
20	54	Y-3R2G1U2054B	1,038	+113	+413
20	60	Y-3R2G1U2060B	1,101	+125	+459
20	66	Y-3R2G1U2066B	1,163	+138	+505
20	72	Y-3R2G1U2072B	1,227	+150	+550
20	78	Y-3R2G1U2078B	1,290	+163	+596
20	84	Y-3R2G1U2084B	1,352	+175	+642





Surface Mount Channel

Specify	Notes
• Paint Selection (Grade C +10)	• Offered in all AIS paint finishes. • Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

© 2026, AIS, Inc.

Glass Day-to-Day & Calibrate HAT Width Front/Rear Surface Mount Channel Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Glass 3/8”	Front/Rear on Worksurface	Channel	Day-to-Day & Calibrate HAT Width	Surface Mount


GLASS 3/8” DAY-TO-DAY & CALIBRATE HAT WIDTH FRONT/REAR CHANNEL SURFACE MOUNT SCREENS

H	W	Model Number	List	Tinted Glass	Frosted Glass
12	24	Y-4R2G1U1224B	857	+30	+60
12	30	Y-4R2G1U1230B	862	+38	+75
12	36	Y-4R2G1U1236B	938	+45	+90
12	42	Y-4R2G1U1242B	1,012	+53	+105
12	48	Y-4R2G1U1248B	1,091	+60	+120
12	54	Y-4R2G1U1254B	1,167	+68	+135
12	60	Y-4R2G1U1260B	1,247	+75	+150
12	66	Y-4R2G1U1266B	1,323	+83	+165
12	72	Y-4R2G1U1272B	1,399	+90	+180
12	78	Y-4R2G1U1278B	1,479	+98	+195
12	84	Y-4R2G1U1284B	1,555	+105	+210
16	24	Y-4R2G1U1624B	816	+40	+80
16	30	Y-4R2G1U1630B	912	+50	+100
16	36	Y-4R2G1U1636B	955	+60	+120
16	42	Y-4R2G1U1642B	1,063	+70	+140
16	48	Y-4R2G1U1648B	1,179	+80	+160
16	54	Y-4R2G1U1654B	1,259	+90	+180
16	60	Y-4R2G1U1660B	1,296	+100	+200
16	66	Y-4R2G1U1666B	1,412	+110	+220
16	72	Y-4R2G1U1672B	1,500	+120	+240
16	78	Y-4R2G1U1678B	1,526	+130	+260
16	84	Y-4R2G1U1684B	1,603	+140	+280

GLASS 3/8” DAY-TO-DAY & CALIBRATE HAT WIDTH FRONT/REAR CHANNEL SURFACE MOUNT SCREENS

H	W	Model Number	List	Tinted Glass	Frosted Glass
20	24	Y-4R2G1U2024B	931	+50	+100
20	30	Y-4R2G1U2030B	1,054	+63	+125
20	36	Y-4R2G1U2036B	1,174	+75	+150
20	42	Y-4R2G1U2042B	1,295	+88	+175
20	48	Y-4R2G1U2048B	1,412	+100	+200
20	54	Y-4R2G1U2054B	1,535	+113	+225
20	60	Y-4R2G1U2060B	1,654	+125	+250
20	66	Y-4R2G1U2066B	1,776	+138	+275
20	72	Y-4R2G1U2072B	1,892	+150	+300
20	78	Y-4R2G1U2078B	2,011	+163	+325
20	84	Y-4R2G1U2084B	2,133	+175	+350
24	24	Y-4R2G1U2424B	1,020	+60	+120
24	30	Y-4R2G1U2430B	1,163	+75	+150
24	36	Y-4R2G1U2436B	1,304	+90	+180
24	42	Y-4R2G1U2442B	1,445	+105	+210
24	48	Y-4R2G1U2448B	1,588	+120	+240
24	54	Y-4R2G1U2454B	1,730	+135	+270
24	60	Y-4R2G1U2460B	1,874	+150	+300
24	66	Y-4R2G1U2466B	2,015	+165	+330
24	72	Y-4R2G1U2472B	2,154	+180	+360
24	78	Y-4R2G1U2478B	2,296	+195	+390
24	84	Y-4R2G1U2484B	2,437	+210	+420





Surface Mount Channel

Specify

- Paint Selection (Grade C +10)

Notes

- Offered in all AIS paint finishes.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Day-to-Day & Calibrate HAT Width Front/Rear Surface Mount Channel Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	Front/Rear on Worksurface	Channel	Day-to-Day & Calibrate HAT Width	Surface Mount


PET DAY-TO-DAY & CALIBRATE HAT WIDTH FRONT/REAR CHANNEL SURFACE MOUNT SCREENS

H	W	Model Number	List
12	24	Y-5R2G1U1224B	555
12	30	Y-5R2G1U1230B	573
12	36	Y-5R2G1U1236B	594
12	42	Y-5R2G1U1242B	610
12	48	Y-5R2G1U1248B	634
12	54	Y-5R2G1U1254B	652
12	60	Y-5R2G1U1260B	673
12	66	Y-5R2G1U1266B	691
12	72	Y-5R2G1U1272B	709
12	78	Y-5R2G1U1278B	731
12	84	Y-5R2G1U1284B	748
16	24	Y-5R2G1U1624B	579
16	30	Y-5R2G1U1630B	605
16	36	Y-5R2G1U1636B	634
16	42	Y-5R2G1U1642B	659
16	48	Y-5R2G1U1648B	685
16	54	Y-5R2G1U1654B	709
16	60	Y-5R2G1U1660B	736
16	66	Y-5R2G1U1666B	763
16	72	Y-5R2G1U1672B	788
16	78	Y-5R2G1U1678B	815
16	84	Y-5R2G1U1684B	841

PET DAY-TO-DAY & CALIBRATE HAT WIDTH FRONT/REAR CHANNEL SURFACE MOUNT SCREENS

H	W	Model Number	List
20	24	Y-5R2G1U2024B	605
20	30	Y-5R2G1U2030B	638
20	36	Y-5R2G1U2036B	673
20	42	Y-5R2G1U2042B	704
20	48	Y-5R2G1U2048B	737
20	54	Y-5R2G1U2054B	771
20	60	Y-5R2G1U2060B	803
20	66	Y-5R2G1U2066B	834
20	72	Y-5R2G1U2072B	868
20	78	Y-5R2G1U2078B	901
20	84	Y-5R2G1U2084B	931
24	24	Y-5R2G1U2424B	634
24	30	Y-5R2G1U2430B	673
24	36	Y-5R2G1U2436B	709
24	42	Y-5R2G1U2442B	749
24	48	Y-5R2G1U2448B	788
24	54	Y-5R2G1U2454B	829
24	60	Y-5R2G1U2460B	868
24	66	Y-5R2G1U2466B	907
24	72	Y-5R2G1U2472B	946
24	78	Y-5R2G1U2478B	985
24	84	Y-5R2G1U2484B	1,024





Surface Mount Channel

Specify

- Paint Selection (Grade C +10)
- Color Selection for PET

Notes

- Offered in all AIS paint finishes.

© 2026, AIS, Inc.

PET Day-to-Day & Calibrate HAT Width Front/Rear Surface Mount Channel Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	Front/Rear on Worksurface	Channel	Day-to-Day & Calibrate HAT Width	Surface Mount


PET DAY-TO-DAY & CALIBRATE HAT WIDTH FRONT/REAR CHANNEL SURFACE MOUNT SCREENS

H	W	Model Number	List
28	24	Y-5R2G1U2824B	659
28	30	Y-5R2G1U2830B	704
28	36	Y-5R2G1U2836B	748
28	42	Y-5R2G1U2842B	796
28	48	Y-5R2G1U2848B	841
28	54	Y-5R2G1U2854B	886
28	60	Y-5R2G1U2860B	930
28	66	Y-5R2G1U2866B	979
28	72	Y-5R2G1U2872B	1,023
28	78	Y-5R2G1U2878B	1,070
28	84	Y-5R2G1U2884B	1,116

PET DAY-TO-DAY & CALIBRATE HAT WIDTH FRONT/REAR CHANNEL SURFACE MOUNT SCREENS

H	W	Model Number	List
32	24	Y-5R2G1U3224B	685
32	30	Y-5R2G1U3230B	736
32	36	Y-5R2G1U3236B	786
32	42	Y-5R2G1U3242B	841
32	48	Y-5R2G1U3248B	894
32	54	Y-5R2G1U3254B	944
32	60	Y-5R2G1U3260B	997
32	66	Y-5R2G1U3266B	1,047
32	72	Y-5R2G1U3272B	1,101
32	78	Y-5R2G1U3278B	1,153
32	84	Y-5R2G1U3284B	1,205





Surface Mount Channel

Specify

- Paint Selection (Grade C +10)
- Color Selection for PET

Notes

- Offered in all AIS paint finishes.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Glass Day-to-Day & Calibrate HAT Width Front/Rear Under Surface Mount Channel Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Glass 1/4”	Front/Rear on Worksurface	Channel	Day-to-Day & Calibrate HAT Width	Under Surface Mount


GLASS 1/4” DAY-TO-DAY & CALIBRATE HAT WIDTH FRONT/REAR UNDER SURFACE MOUNT CHANNEL SCREENS

H	W	Model Number	List	Tinted Glass	Frosted Glass
12	24	Y-3R2G2U1224B	795	+30	+110
12	30	Y-3R2G2U1230B	802	+38	+138
12	36	Y-3R2G2U1236B	812	+45	+165
12	42	Y-3R2G2U1242B	846	+53	+193
12	48	Y-3R2G2U1248B	879	+60	+220
12	54	Y-3R2G2U1254B	1,023	+68	+248
12	60	Y-3R2G2U1260B	950	+75	+275
12	66	Y-3R2G2U1266B	985	+83	+303
12	72	Y-3R2G2U1272B	1,019	+90	+330
12	78	Y-3R2G2U1278B	1,051	+98	+358
12	84	Y-3R2G2U1284B	1,085	+105	+385
16	24	Y-3R2G2U1624B	944	+40	+147
16	30	Y-3R2G2U1630B	974	+50	+184
16	36	Y-3R2G2U1636B	1,023	+60	+220
16	42	Y-3R2G2U1642B	1,056	+70	+257
16	48	Y-3R2G2U1648B	1,095	+80	+294
16	54	Y-3R2G2U1654B	1,158	+90	+330
16	60	Y-3R2G2U1660B	1,215	+100	+367
16	66	Y-3R2G2U1666B	1,228	+110	+404
16	72	Y-3R2G2U1672B	1,252	+120	+440
16	78	Y-3R2G2U1678B	1,273	+130	+477
16	84	Y-3R2G2U1684B	1,293	+140	+514

GLASS 1/4” DAY-TO-DAY & CALIBRATE HAT WIDTH FRONT/REAR UNDER SURFACE MOUNT CHANNEL SCREENS

H	W	Model Number	List	Tinted Glass	Frosted Glass
20	24	Y-3R2G2U2024B	878	+50	+184
20	30	Y-3R2G2U2030B	943	+63	+230
20	36	Y-3R2G2U2036B	985	+75	+275
20	42	Y-3R2G2U2042B	1,069	+88	+321
20	48	Y-3R2G2U2048B	1,130	+100	+367
20	54	Y-3R2G2U2054B	1,191	+113	+413
20	60	Y-3R2G2U2060B	1,255	+125	+459
20	66	Y-3R2G2U2066B	1,316	+138	+505
20	72	Y-3R2G2U2072B	1,382	+150	+550
20	78	Y-3R2G2U2078B	1,444	+163	+596
20	84	Y-3R2G2U2084B	1,507	+175	+642





Under Surface Mount Channel

Specify

- Paint Selection (Grade C +10)

Notes

- Offered in all AIS paint finishes.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

© 2026, AIS, Inc.

Glass Day-to-Day & Calibrate HAT Width Front/Rear Under Surface Mount Channel Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Glass 3/8”	Front/Rear on Worksurface	Channel	Day-to-Day & Calibrate HAT Width	Under Surface Mount


GLASS 3/8” DAY-TO-DAY & CALIBRATE HAT WIDTH FRONT/REAR UNDER SURFACE MOUNT CHANNEL SCREENS

H	W	Model Number	List	Tinted Glass	Frosted Glass
12	24	Y-4R2G2U1224B	1,011	+30	+60
12	30	Y-4R2G2U1230B	1,014	+38	+75
12	36	Y-4R2G2U1236B	1,091	+45	+90
12	42	Y-4R2G2U1242B	1,167	+53	+105
12	48	Y-4R2G2U1248B	1,247	+60	+120
12	54	Y-4R2G2U1254B	1,323	+68	+135
12	60	Y-4R2G2U1260B	1,399	+75	+150
12	66	Y-4R2G2U1266B	1,479	+83	+165
12	72	Y-4R2G2U1272B	1,555	+90	+180
12	78	Y-4R2G2U1278B	1,633	+98	+195
12	84	Y-4R2G2U1284B	1,709	+105	+210
16	24	Y-4R2G2U1624B	972	+40	+80
16	30	Y-4R2G2U1630B	1,068	+50	+100
16	36	Y-4R2G2U1636B	1,111	+60	+120
16	42	Y-4R2G2U1642B	1,219	+70	+140
16	48	Y-4R2G2U1648B	1,333	+80	+160
16	54	Y-4R2G2U1654B	1,412	+90	+180
16	60	Y-4R2G2U1660B	1,452	+100	+200
16	66	Y-4R2G2U1666B	1,569	+110	+220
16	72	Y-4R2G2U1672B	1,657	+120	+240
16	78	Y-4R2G2U1678B	1,680	+130	+260
16	84	Y-4R2G2U1684B	1,758	+140	+280

GLASS 3/8” DAY-TO-DAY & CALIBRATE HAT WIDTH FRONT/REAR UNDER SURFACE MOUNT CHANNEL SCREENS

H	W	Model Number	List	Tinted Glass	Frosted Glass
20	24	Y-4R2G2U2024B	1,087	+50	+100
20	30	Y-4R2G2U2030B	1,212	+63	+125
20	36	Y-4R2G2U2036B	1,328	+75	+150
20	42	Y-4R2G2U2042B	1,449	+88	+175
20	48	Y-4R2G2U2048B	1,569	+100	+200
20	54	Y-4R2G2U2054B	1,691	+113	+225
20	60	Y-4R2G2U2060B	1,808	+125	+250
20	66	Y-4R2G2U2066B	1,929	+138	+275
20	72	Y-4R2G2U2072B	2,049	+150	+300
20	78	Y-4R2G2U2078B	2,167	+163	+325
20	84	Y-4R2G2U2084B	2,286	+175	+350
24	24	Y-4R2G2U2424B	1,175	+60	+120
24	30	Y-4R2G2U2430B	1,316	+75	+150
24	36	Y-4R2G2U2436B	1,459	+90	+180
24	42	Y-4R2G2U2442B	1,602	+105	+210
24	48	Y-4R2G2U2448B	1,743	+120	+240
24	54	Y-4R2G2U2454B	1,885	+135	+270
24	60	Y-4R2G2U2460B	2,028	+150	+300
24	66	Y-4R2G2U2466B	2,168	+165	+330
24	72	Y-4R2G2U2472B	2,312	+180	+360
24	78	Y-4R2G2U2478B	2,452	+195	+390
24	84	Y-4R2G2U2484B	2,593	+210	+420





Under Surface Mount Channel

Specify

- Paint Selection (Grade C +10)

Notes

- Offered in all AIS paint finishes.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Day-to-Day & Calibrate HAT Width Front/Rear Under Surface Mount Channel Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	Front/Rear on Worksurface	Channel	Day-to-Day & Calibrate HAT Width	Under Surface Mount


PET DAY-TO-DAY & CALIBRATE HAT WIDTH FRONT/REAR UNDER SURFACE MOUNT CHANNEL SCREENS

H	W	Model Number	List
12	24	Y-5R2G2U1224B	708
12	30	Y-5R2G2U1230B	729
12	36	Y-5R2G2U1236B	748
12	42	Y-5R2G2U1242B	769
12	48	Y-5R2G2U1248B	786
12	54	Y-5R2G2U1254B	809
12	60	Y-5R2G2U1260B	828
12	66	Y-5R2G2U1266B	846
12	72	Y-5R2G2U1272B	866
12	78	Y-5R2G2U1278B	884
12	84	Y-5R2G2U1284B	904
16	24	Y-5R2G2U1624B	735
16	30	Y-5R2G2U1630B	762
16	36	Y-5R2G2U1636B	786
16	42	Y-5R2G2U1642B	814
16	48	Y-5R2G2U1648B	840
16	54	Y-5R2G2U1654B	866
16	60	Y-5R2G2U1660B	892
16	66	Y-5R2G2U1666B	916
16	72	Y-5R2G2U1672B	944
16	78	Y-5R2G2U1678B	971
16	84	Y-5R2G2U1684B	997

PET DAY-TO-DAY & CALIBRATE HAT WIDTH FRONT/REAR UNDER SURFACE MOUNT CHANNEL SCREENS

H	W	Model Number	List
20	24	Y-5R2G2U2024B	762
20	30	Y-5R2G2U2030B	795
20	36	Y-5R2G2U2036B	828
20	42	Y-5R2G2U2042B	860
20	48	Y-5R2G2U2048B	894
20	54	Y-5R2G2U2054B	925
20	60	Y-5R2G2U2060B	958
20	66	Y-5R2G2U2066B	990
20	72	Y-5R2G2U2072B	1,023
20	78	Y-5R2G2U2078B	1,055
20	84	Y-5R2G2U2084B	1,087
24	24	Y-5R2G2U2424B	786
24	30	Y-5R2G2U2430B	828
24	36	Y-5R2G2U2436B	866
24	42	Y-5R2G2U2442B	906
24	48	Y-5R2G2U2448B	944
24	54	Y-5R2G2U2454B	984
24	60	Y-5R2G2U2460B	1,023
24	66	Y-5R2G2U2466B	1,061
24	72	Y-5R2G2U2472B	1,101
24	78	Y-5R2G2U2478B	1,139
24	84	Y-5R2G2U2484B	1,180





Under Surface Mount Channel

Specify

- Paint Selection (Grade C +10)
- Color Selection for PET

Notes

- Offered in all AIS paint finishes.

© 2026, AIS, Inc.

PET Day-to-Day & Calibrate HAT Width Front/Rear Under Surface Mount Channel Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	Front/Rear on Worksurface	Channel	Day-to-Day & Calibrate HAT Width	Under Surface Mount


PET DAY-TO-DAY & CALIBRATE HAT WIDTH FRONT/REAR UNDER SURFACE MOUNT CHANNEL SCREENS

H	W	Model Number	List
28	24	Y-5R2G2U2824B	814
28	30	Y-5R2G2U2830B	860
28	36	Y-5R2G2U2836B	904
28	42	Y-5R2G2U2842B	950
28	48	Y-5R2G2U2848B	997
28	54	Y-5R2G2U2854B	1,042
28	60	Y-5R2G2U2860B	1,085
28	66	Y-5R2G2U2866B	1,133
28	72	Y-5R2G2U2872B	1,179
28	78	Y-5R2G2U2878B	1,224
28	84	Y-5R2G2U2884B	1,269

PET DAY-TO-DAY & CALIBRATE HAT WIDTH FRONT/REAR UNDER SURFACE MOUNT CHANNEL SCREENS

H	W	Model Number	List
32	24	Y-5R2G2U3224B	840
32	30	Y-5R2G2U3230B	892
32	36	Y-5R2G2U3236B	943
32	42	Y-5R2G2U3242B	997
32	48	Y-5R2G2U3248B	1,047
32	54	Y-5R2G2U3254B	1,098
32	60	Y-5R2G2U3260B	1,152
32	66	Y-5R2G2U3266B	1,203
32	72	Y-5R2G2U3272B	1,255
32	78	Y-5R2G2U3278B	1,310
32	84	Y-5R2G2U3284B	1,360





Under Surface Mount Channel

Specify	Notes
• Paint Selection (Grade C +10) • Color Selection for PET	• Offered in all AIS paint finishes.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Glass Day-to-Day & Calibrate HAT Width Front/Rear Surface Mount Clip Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Glass 1/4”	Front/Rear on Worksurface	Clip	Day-to-Day & Calibrate HAT Width	Surface Mount

GLASS 1/4” DAY-TO-DAY & CALIBRATE HAT WIDTH FRONT/REAR SURFACE MOUNT CLIP SCREENS


H	W	Model Number	List	Tinted Glass	Frosted Glass
12	24	Y-3R3G1U1224B	638	+30	+110
12	30	Y-3R3G1U1230B	647	+38	+138
12	36	Y-3R3G1U1236B	657	+45	+165
12	42	Y-3R3G1U1242B	691	+53	+193
12	48	Y-3R3G1U1248B	724	+60	+220
12	54	Y-3R3G1U1254B	868	+68	+248
12	60	Y-3R3G1U1260B	796	+75	+275
12	66	Y-3R3G1U1266B	830	+83	+303
12	72	Y-3R3G1U1272B	865	+90	+330
12	78	Y-3R3G1U1278B	899	+98	+358
12	84	Y-3R3G1U1284B	930	+105	+385
16	24	Y-3R3G1U1624B	788	+40	+147
16	30	Y-3R3G1U1630B	819	+50	+184
16	36	Y-3R3G1U1636B	868	+60	+220
16	42	Y-3R3G1U1642B	902	+70	+257
16	48	Y-3R3G1U1648B	942	+80	+294
16	54	Y-3R3G1U1654B	1,004	+90	+330
16	60	Y-3R3G1U1660B	1,057	+100	+367
16	66	Y-3R3G1U1666B	1,074	+110	+404
16	72	Y-3R3G1U1672B	1,097	+120	+440
16	78	Y-3R3G1U1678B	1,118	+130	+477
16	84	Y-3R3G1U1684B	1,138	+140	+514

GLASS 1/4” DAY-TO-DAY & CALIBRATE HAT WIDTH FRONT/REAR SURFACE MOUNT CLIP SCREENS


H	W	Model Number	List	Tinted Glass	Frosted Glass
20	24	Y-3R3G1U2024B	723	+50	+184
20	30	Y-3R3G1U2030B	786	+63	+230
20	36	Y-3R3G1U2036B	830	+75	+275
20	42	Y-3R3G1U2042B	913	+88	+321
20	48	Y-3R3G1U2048B	974	+100	+367
20	54	Y-3R3G1U2054B	1,038	+113	+413
20	60	Y-3R3G1U2060B	1,101	+125	+459
20	66	Y-3R3G1U2066B	1,163	+138	+505
20	72	Y-3R3G1U2072B	1,227	+150	+550
20	78	Y-3R3G1U2078B	1,290	+163	+596
20	84	Y-3R3G1U2084B	1,352	+175	+642




24 - 54 Wide



60 - 72 Wide



78 - 84 Wide



Surface Mount Clip

Specify

Notes

- Clips available in Metallic Silver only.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

© 2026, AIS, Inc.

Glass Day-to-Day & Calibrate HAT Width Front/Rear Surface Mount Clip Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Glass 3/8”	Front/Rear on Worksurface	Clip	Day-to-Day & Calibrate HAT Width	Surface Mount

GLASS 3/8” DAY-TO-DAY & CALIBRATE HAT WIDTH FRONT/REAR SURFACE MOUNT CLIP SCREENS


H	W	Model Number	List	Tinted Glass	Frosted Glass
12	24	Y-4R3G1U1224B	857	+30	+60
12	30	Y-4R3G1U1230B	862	+38	+75
12	36	Y-4R3G1U1236B	938	+45	+90
12	42	Y-4R3G1U1242B	1,012	+53	+105
12	48	Y-4R3G1U1248B	1,091	+60	+120
12	54	Y-4R3G1U1254B	1,167	+68	+135
12	60	Y-4R3G1U1260B	1,247	+75	+150
12	66	Y-4R3G1U1266B	1,323	+83	+165
12	72	Y-4R3G1U1272B	1,399	+90	+180
12	78	Y-4R3G1U1278B	1,479	+98	+195
12	84	Y-4R3G1U1284B	1,555	+105	+210
16	24	Y-4R3G1U1624B	816	+40	+80
16	30	Y-4R3G1U1630B	912	+50	+100
16	36	Y-4R3G1U1636B	955	+60	+120
16	42	Y-4R3G1U1642B	1,063	+70	+140
16	48	Y-4R3G1U1648B	1,179	+80	+160
16	54	Y-4R3G1U1654B	1,259	+90	+180
16	60	Y-4R3G1U1660B	1,296	+100	+200
16	66	Y-4R3G1U1666B	1,412	+110	+220
16	72	Y-4R3G1U1672B	1,500	+120	+240
16	78	Y-4R3G1U1678B	1,526	+130	+260
16	84	Y-4R3G1U1684B	1,603	+140	+280

GLASS 3/8” DAY-TO-DAY & CALIBRATE HAT WIDTH FRONT/REAR SURFACE MOUNT CLIP SCREENS


H	W	Model Number	List	Tinted Glass	Frosted Glass
20	24	Y-4R3G1U2024B	931	+50	+100
20	30	Y-4R3G1U2030B	1,054	+63	+125
20	36	Y-4R3G1U2036B	1,174	+75	+150
20	42	Y-4R3G1U2042B	1,295	+88	+175
20	48	Y-4R3G1U2048B	1,412	+100	+200
20	54	Y-4R3G1U2054B	1,535	+113	+225
20	60	Y-4R3G1U2060B	1,654	+125	+250
20	66	Y-4R3G1U2066B	1,776	+138	+275
20	72	Y-4R3G1U2072B	1,892	+150	+300
20	78	Y-4R3G1U2078B	2,011	+163	+325
20	84	Y-4R3G1U2084B	2,133	+175	+350
24	24	Y-4R3G1U2424B	1,020	+60	+120
24	30	Y-4R3G1U2430B	1,163	+75	+150
24	36	Y-4R3G1U2436B	1,304	+90	+180
24	42	Y-4R3G1U2442B	1,445	+105	+210
24	48	Y-4R3G1U2448B	1,588	+120	+240
24	54	Y-4R3G1U2454B	1,730	+135	+270
24	60	Y-4R3G1U2460B	1,874	+150	+300
24	66	Y-4R3G1U2466B	2,015	+165	+330
24	72	Y-4R3G1U2472B	2,154	+180	+360
24	78	Y-4R3G1U2478B	2,296	+195	+390
24	84	Y-4R3G1U2484B	2,437	+210	+420




24 - 54 Wide



60 - 72 Wide



78 - 84 Wide



Surface Mount Clip

Specify

Notes

- Clips available in Metallic Silver only.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Glass Day-to-Day & Calibrate HAT Width Front/Rear Under Surface Mount Clip Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Glass 1/4”	Front/Rear on Worksurface	Clip	Day-to-Day & Calibrate HAT Width	Under Surface Mount

GLASS 1/4” DAY-TO-DAY & CALIBRATE HAT WIDTH FRONT/REAR UNDER SURFACE MOUNT CLIP SCREENS


H	W	Model Number	List	Tinted Glass	Frosted Glass
12	24	Y-3R3G2U1224B	638	+30	+110
12	30	Y-3R3G2U1230B	647	+38	+138
12	36	Y-3R3G2U1236B	657	+45	+165
12	42	Y-3R3G2U1242B	691	+53	+193
12	48	Y-3R3G2U1248B	724	+60	+220
12	54	Y-3R3G2U1254B	868	+68	+248
12	60	Y-3R3G2U1260B	796	+75	+275
12	66	Y-3R3G2U1266B	830	+83	+303
12	72	Y-3R3G2U1272B	865	+90	+330
12	78	Y-3R3G2U1278B	899	+98	+358
12	84	Y-3R3G2U1284B	930	+105	+385
16	24	Y-3R3G2U1624B	788	+40	+147
16	30	Y-3R3G2U1630B	819	+50	+184
16	36	Y-3R3G2U1636B	868	+60	+220
16	42	Y-3R3G2U1642B	902	+70	+257
16	48	Y-3R3G2U1648B	942	+80	+294
16	54	Y-3R3G2U1654B	1,004	+90	+330
16	60	Y-3R3G2U1660B	1,057	+100	+367
16	66	Y-3R3G2U1666B	1,074	+110	+404
16	72	Y-3R3G2U1672B	1,097	+120	+440
16	78	Y-3R3G2U1678B	1,118	+130	+477
16	84	Y-3R3G2U1684B	1,138	+140	+514

GLASS 1/4” DAY-TO-DAY & CALIBRATE HAT WIDTH FRONT/REAR UNDER SURFACE MOUNT CLIP SCREENS


H	W	Model Number	List	Tinted Glass	Frosted Glass
20	24	Y-3R3G2U2024B	723	+50	+184
20	30	Y-3R3G2U2030B	786	+63	+230
20	36	Y-3R3G2U2036B	830	+75	+275
20	42	Y-3R3G2U2042B	913	+88	+321
20	48	Y-3R3G2U2048B	974	+100	+367
20	54	Y-3R3G2U2054B	1,038	+113	+413
20	60	Y-3R3G2U2060B	1,101	+125	+459
20	66	Y-3R3G2U2066B	1,163	+138	+505
20	72	Y-3R3G2U2072B	1,227	+150	+550
20	78	Y-3R3G2U2078B	1,290	+163	+596
20	84	Y-3R3G2U2084B	1,352	+175	+642




24 - 54 Wide



60 - 72 Wide



78 - 84 Wide



Under Surface Mount Clip

Specify

Notes

- Clips available in Metallic Silver only.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

© 2026, AIS, Inc.

Glass Day-to-Day & Calibrate HAT Width Front/Rear Under Surface Mount Clip Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Glass 3/8”	Front/Rear on Worksurface	Clip	Day-to-Day & Calibrate HAT Width	Under Surface Mount

GLASS 3/8” DAY-TO-DAY & CALIBRATE HAT WIDTH FRONT/REAR UNDER SURFACE MOUNT CLIP SCREENS


H	W	Model Number	List	Tinted Glass	Frosted Glass
12	24	Y-4R3G2U1224B	857	+30	+60
12	30	Y-4R3G2U1230B	862	+38	+75
12	36	Y-4R3G2U1236B	938	+45	+90
12	42	Y-4R3G2U1242B	1,012	+53	+105
12	48	Y-4R3G2U1248B	1,091	+60	+120
12	54	Y-4R3G2U1254B	1,167	+68	+135
12	60	Y-4R3G2U1260B	1,247	+75	+150
12	66	Y-4R3G2U1266B	1,323	+83	+165
12	72	Y-4R3G2U1272B	1,399	+90	+180
12	78	Y-4R3G2U1278B	1,479	+98	+195
12	84	Y-4R3G2U1284B	1,555	+105	+210
16	24	Y-4R3G2U1624B	816	+40	+80
16	30	Y-4R3G2U1630B	912	+50	+100
16	36	Y-4R3G2U1636B	955	+60	+120
16	42	Y-4R3G2U1642B	1,063	+70	+140
16	48	Y-4R3G2U1648B	1,179	+80	+160
16	54	Y-4R3G2U1654B	1,259	+90	+180
16	60	Y-4R3G2U1660B	1,296	+100	+200
16	66	Y-4R3G2U1666B	1,412	+110	+220
16	72	Y-4R3G2U1672B	1,500	+120	+240
16	78	Y-4R3G2U1678B	1,526	+130	+260
16	84	Y-4R3G2U1684B	1,603	+140	+280

GLASS 3/8” DAY-TO-DAY & CALIBRATE HAT WIDTH FRONT/REAR UNDER SURFACE MOUNT CLIP SCREENS


H	W	Model Number	List	Tinted Glass	Frosted Glass
20	24	Y-4R3G2U2024B	931	+50	+100
20	30	Y-4R3G2U2030B	1,054	+63	+125
20	36	Y-4R3G2U2036B	1,174	+75	+150
20	42	Y-4R3G2U2042B	1,295	+88	+175
20	48	Y-4R3G2U2048B	1,412	+100	+200
20	54	Y-4R3G2U2054B	1,535	+113	+225
20	60	Y-4R3G2U2060B	1,654	+125	+250
20	66	Y-4R3G2U2066B	1,776	+138	+275
20	72	Y-4R3G2U2072B	1,892	+150	+300
20	78	Y-4R3G2U2078B	2,011	+163	+325
20	84	Y-4R3G2U2084B	2,133	+175	+350
24	24	Y-4R3G2U2424B	1,020	+60	+120
24	30	Y-4R3G2U2430B	1,163	+75	+150
24	36	Y-4R3G2U2436B	1,304	+90	+180
24	42	Y-4R3G2U2442B	1,445	+105	+210
24	48	Y-4R3G2U2448B	1,588	+120	+240
24	54	Y-4R3G2U2454B	1,730	+135	+270
24	60	Y-4R3G2U2460B	1,874	+150	+300
24	66	Y-4R3G2U2466B	2,015	+165	+330
24	72	Y-4R3G2U2472B	2,154	+180	+360
24	78	Y-4R3G2U2478B	2,296	+195	+390
24	84	Y-4R3G2U2484B	2,437	+210	+420




24 - 54 Wide



60 - 72 Wide



78 - 84 Wide



Under Surface Mount Clip

Specify

Notes

- Clips available in Metallic Silver only.
- Standard products for glass are always clear unless noted otherwise, other colors may be available upon special request (upcharges apply).

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Day-to-Day & Calibrate HAT Width Front/Rear Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	Front/Rear on Worksurface	Lite	Day-to-Day & Calibrate HAT Width	Surface Mount

PET DAY-TO-DAY & CALIBRATE HAT WIDTH FRONT/REAR SURFACE MOUNT LITE SCREENS


H	W	Model Number	List
12	24	Y-5R4G1U1224B	591
12	30	Y-5R4G1U1230B	602
12	36	Y-5R4G1U1236B	610
12	42	Y-5R4G1U1242B	623
12	48	Y-5R4G1U1248B	636
12	54	Y-5R4G1U1254B	647
12	60	Y-5R4G1U1260B	657
12	66	Y-5R4G1U1266B	671
12	72	Y-5R4G1U1272B	681
12	78	Y-5R4G1U1278B	691
12	84	Y-5R4G1U1284B	704
16	24	Y-5R4G1U1624B	604
16	30	Y-5R4G1U1630B	620
16	36	Y-5R4G1U1636B	636
16	42	Y-5R4G1U1642B	649
16	48	Y-5R4G1U1648B	665
16	54	Y-5R4G1U1654B	681
16	60	Y-5R4G1U1660B	696
16	66	Y-5R4G1U1666B	712
16	72	Y-5R4G1U1672B	724
16	78	Y-5R4G1U1678B	740
16	84	Y-5R4G1U1684B	757

PET DAY-TO-DAY & CALIBRATE HAT WIDTH FRONT/REAR SURFACE MOUNT LITE SCREENS


H	W	Model Number	List
20	24	Y-5R4G1U2024B	620
20	30	Y-5R4G1U2030B	638
20	36	Y-5R4G1U2036B	657
20	42	Y-5R4G1U2042B	677
20	48	Y-5R4G1U2048B	696
20	54	Y-5R4G1U2054B	715
20	60	Y-5R4G1U2060B	734
20	66	Y-5R4G1U2066B	753
20	72	Y-5R4G1U2072B	772
20	78	Y-5R4G1U2078B	792
20	84	Y-5R4G1U2084B	810
24	24	Y-5R4G1U2424B	636
24	30	Y-5R4G1U2430B	657
24	36	Y-5R4G1U2436B	681
24	42	Y-5R4G1U2442B	704
24	48	Y-5R4G1U2448B	724
24	54	Y-5R4G1U2454B	748
24	60	Y-5R4G1U2460B	772
24	66	Y-5R4G1U2466B	796
24	72	Y-5R4G1U2472B	816
24	78	Y-5R4G1U2478B	840
24	84	Y-5R4G1U2484B	865




24 - 54 Wide



60 - 72 Wide



78 - 84 Wide



Under Surface Mount Lite

Specify

- Paint Selection (Grade C +10)
- Color Selection for PET

Notes

- PET Territory Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width.
- PET screen inserts are 1/2” (12mm) thick.

© 2026, AIS, Inc.

PET Day-to-Day & Calibrate HAT Width Front/Rear Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	Front/Rear on Worksurface	Lite	Day-to-Day & Calibrate HAT Width	Surface Mount

PET DAY-TO-DAY & CALIBRATE HAT WIDTH FRONT/REAR SURFACE MOUNT LITE SCREENS


H	W	Model Number	List
28	24	Y-5R4G1U2824B	649
28	30	Y-5R4G1U2830B	677
28	36	Y-5R4G1U2836B	704
28	42	Y-5R4G1U2842B	731
28	48	Y-5R4G1U2848B	757
28	54	Y-5R4G1U2854B	783
28	60	Y-5R4G1U2860B	810
28	66	Y-5R4G1U2866B	835
28	72	Y-5R4G1U2872B	865
28	78	Y-5R4G1U2878B	890
28	84	Y-5R4G1U2884B	915

PET DAY-TO-DAY & CALIBRATE HAT WIDTH FRONT/REAR SURFACE MOUNT LITE SCREENS


H	W	Model Number	List
32	24	Y-5R4G1U3224B	665
32	30	Y-5R4G1U3230B	696
32	36	Y-5R4G1U3236B	724
32	42	Y-5R4G1U3242B	757
32	48	Y-5R4G1U3248B	786
32	54	Y-5R4G1U3254B	816
32	60	Y-5R4G1U3260B	847
32	66	Y-5R4G1U3266B	878
32	72	Y-5R4G1U3272B	908
32	78	Y-5R4G1U3278B	941
32	84	Y-5R4G1U3284B	967




24 - 54 Wide



60 - 72 Wide



78 - 84 Wide



Under Surface Mount Lite

Specify

- Paint Selection (Grade C +10)
- Color Selection for PET

Notes

- PET Territory Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width.
- PET screen inserts are 1/2” (12mm) thick.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Day-to-Day & Calibrate HAT Width Front/Rear Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	Front/Rear on Worksurface	Lite	Day-to-Day & Calibrate HAT Width	Under Surface Mount

PET DAY-TO-DAY & CALIBRATE HAT WIDTH FRONT/REAR UNDER SURFACE MOUNT LITE SCREENS


H	W	Model Number	List
12	24	Y-5R4G2U1224B	591
12	30	Y-5R4G2U1230B	602
12	36	Y-5R4G2U1236B	610
12	42	Y-5R4G2U1242B	623
12	48	Y-5R4G2U1248B	636
12	54	Y-5R4G2U1254B	647
12	60	Y-5R4G2U1260B	657
12	66	Y-5R4G2U1266B	671
12	72	Y-5R4G2U1272B	681
12	78	Y-5R4G2U1278B	691
12	84	Y-5R4G2U1284B	704
16	24	Y-5R4G2U1624B	604
16	30	Y-5R4G2U1630B	620
16	36	Y-5R4G2U1636B	636
16	42	Y-5R4G2U1642B	649
16	48	Y-5R4G2U1648B	665
16	54	Y-5R4G2U1654B	681
16	60	Y-5R4G2U1660B	696
16	66	Y-5R4G2U1666B	712
16	72	Y-5R4G2U1672B	724
16	78	Y-5R4G2U1678B	740
16	84	Y-5R4G2U1684B	757

PET DAY-TO-DAY & CALIBRATE HAT WIDTH FRONT/REAR UNDER SURFACE MOUNT LITE SCREENS


H	W	Model Number	List
20	24	Y-5R4G2U2024B	620
20	30	Y-5R4G2U2030B	638
20	36	Y-5R4G2U2036B	657
20	42	Y-5R4G2U2042B	677
20	48	Y-5R4G2U2048B	696
20	54	Y-5R4G2U2054B	715
20	60	Y-5R4G2U2060B	734
20	66	Y-5R4G2U2066B	753
20	72	Y-5R4G2U2072B	772
20	78	Y-5R4G2U2078B	792
20	84	Y-5R4G2U2084B	810
24	24	Y-5R4G2U2424B	636
24	30	Y-5R4G2U2430B	657
24	36	Y-5R4G2U2436B	681
24	42	Y-5R4G2U2442B	704
24	48	Y-5R4G2U2448B	724
24	54	Y-5R4G2U2454B	748
24	60	Y-5R4G2U2460B	772
24	66	Y-5R4G2U2466B	796
24	72	Y-5R4G2U2472B	816
24	78	Y-5R4G2U2478B	840
24	84	Y-5R4G2U2484B	865




24 - 54 Wide



60 - 72 Wide



78 - 84 Wide



Under Surface Mount Lite

Specify

- Paint Selection (Grade C +10)
- Color Selection for PET

Notes

- PET Territory Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width.
- PET screen inserts are 1/2" (12mm) thick.

© 2026, AIS, Inc.

PET Day-to-Day & Calibrate HAT Width Front/Rear Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	Front/Rear on Worksurface	Lite	Day-to-Day & Calibrate HAT Width	Under Surface Mount

PET DAY-TO-DAY & CALIBRATE HAT WIDTH FRONT/REAR UNDER SURFACE MOUNT LITE SCREENS


H	W	Model Number	List
28	24	Y-5R4G2U2824B	649
28	30	Y-5R4G2U2830B	677
28	36	Y-5R4G2U2836B	704
28	42	Y-5R4G2U2842B	731
28	48	Y-5R4G2U2848B	757
28	54	Y-5R4G2U2854B	783
28	60	Y-5R4G2U2860B	810
28	66	Y-5R4G2U2866B	835
28	72	Y-5R4G2U2872B	865
28	78	Y-5R4G2U2878B	890
28	84	Y-5R4G2U2884B	915

PET DAY-TO-DAY & CALIBRATE HAT WIDTH FRONT/REAR UNDER SURFACE MOUNT LITE SCREENS


H	W	Model Number	List
32	24	Y-5R4G2U3224B	665
32	30	Y-5R4G2U3230B	696
32	36	Y-5R4G2U3236B	724
32	42	Y-5R4G2U3242B	757
32	48	Y-5R4G2U3248B	786
32	54	Y-5R4G2U3254B	816
32	60	Y-5R4G2U3260B	847
32	66	Y-5R4G2U3266B	878
32	72	Y-5R4G2U3272B	908
32	78	Y-5R4G2U3278B	941
32	84	Y-5R4G2U3284B	967




24 - 54 Wide



60 - 72 Wide



78 - 84 Wide



Under Surface Mount Lite

Specify

- Paint Selection (Grade C +10)
- Color Selection for PET

Notes

- PET Territory Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width.
- PET screen inserts are 1/2” (12mm) thick.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Day-to-Day & Calibrate HAT Width Front/Rear Freestanding Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	Front/Rear on Worksurface	Lite	Day-to-Day & Calibrate HAT Width	Freestanding

PET DAY-TO-DAY & CALIBRATE HAT WIDTH FRONT/REAR FREESTANDING LITE SCREENS


H	W	Model Number	List
12	24	Y-5R4G4U1224B	745
12	30	Y-5R4G4U1230B	757
12	36	Y-5R4G4U1236B	769
12	42	Y-5R4G4U1242B	778
12	48	Y-5R4G4U1248B	792
12	54	Y-5R4G4U1254B	802
12	60	Y-5R4G4U1260B	890
12	66	Y-5R4G4U1266B	902
12	72	Y-5R4G4U1272B	913
12	78	Y-5R4G4U1278B	1,002
12	84	Y-5R4G4U1284B	1,012
16	24	Y-5R4G4U1624B	760
16	30	Y-5R4G4U1630B	774
16	36	Y-5R4G4U1636B	792
16	42	Y-5R4G4U1642B	805
16	48	Y-5R4G4U1648B	819
16	54	Y-5R4G4U1654B	834
16	60	Y-5R4G4U1660B	927
16	66	Y-5R4G4U1666B	944
16	72	Y-5R4G4U1672B	958
16	78	Y-5R4G4U1678B	1,050
16	84	Y-5R4G4U1684B	1,068

PET DAY-TO-DAY & CALIBRATE HAT WIDTH FRONT/REAR FREESTANDING LITE SCREENS


H	W	Model Number	List
20	24	Y-5R4G4U2024B	774
20	30	Y-5R4G4U2030B	795
20	36	Y-5R4G4U2036B	812
20	42	Y-5R4G4U2042B	832
20	48	Y-5R4G4U2048B	852
20	54	Y-5R4G4U2054B	869
20	60	Y-5R4G4U2060B	965
20	66	Y-5R4G4U2066B	986
20	72	Y-5R4G4U2072B	1,005
20	78	Y-5R4G4U2078B	1,101
20	84	Y-5R4G4U2084B	1,120
24	24	Y-5R4G4U2424B	792
24	30	Y-5R4G4U2430B	812
24	36	Y-5R4G4U2436B	834
24	42	Y-5R4G4U2442B	860
24	48	Y-5R4G4U2448B	879
24	54	Y-5R4G4U2454B	904
24	60	Y-5R4G4U2460B	1,005
24	66	Y-5R4G4U2466B	1,026
24	72	Y-5R4G4U2472B	1,049
24	78	Y-5R4G4U2478B	1,151
24	84	Y-5R4G4U2484B	1,174




24 - 54 Wide



60 - 72 Wide



78 - 84 Wide



Freestanding Lite

Specify

- Paint Selection (Grade C +10)
- Color Selection for PET

Notes

- PET Territory Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width.
- PET screen inserts are 1/2” (12mm) thick.
- Non-marring feet measure 2 3/8“ x 12”.

© 2026, AIS, Inc.

PET Day-to-Day & Calibrate HAT Width Front/Rear Freestanding Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	Front/Rear on Worksurface	Lite	Day-to-Day & Calibrate HAT Width	Freestanding

PET DAY-TO-DAY & CALIBRATE HAT WIDTH FRONT/REAR FREESTANDING LITE SCREENS


H	W	Model Number	List
28	24	Y-5R4G4U2824B	805
28	30	Y-5R4G4U2830B	832
28	36	Y-5R4G4U2836B	860
28	42	Y-5R4G4U2842B	884
28	48	Y-5R4G4U2848B	912
28	54	Y-5R4G4U2854B	939
28	60	Y-5R4G4U2860B	1,042
28	66	Y-5R4G4U2866B	1,070
28	72	Y-5R4G4U2872B	1,095
28	78	Y-5R4G4U2878B	1,200
28	84	Y-5R4G4U2884B	1,227

PET DAY-TO-DAY & CALIBRATE HAT WIDTH FRONT/REAR FREESTANDING LITE SCREENS


H	W	Model Number	List
32	24	Y-5R4G4U3224B	819
32	30	Y-5R4G4U3230B	852
32	36	Y-5R4G4U3236B	879
32	42	Y-5R4G4U3242B	912
32	48	Y-5R4G4U3248B	943
32	54	Y-5R4G4U3254B	972
32	60	Y-5R4G4U3260B	1,081
32	66	Y-5R4G4U3266B	1,111
32	72	Y-5R4G4U3272B	1,140
32	78	Y-5R4G4U3278B	1,250
32	84	Y-5R4G4U3284B	1,278




24 - 54 Wide



60 - 72 Wide



78 - 84 Wide



Freestanding Lite

Specify

- Paint Selection (Grade C +10)
- Color Selection for PET

Notes

- PET Territory Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width.
- PET screen inserts are 1/2” (12mm) thick.
- Non-marring feet measure 2 3/8“ x 12”.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Day-to-Day & Calibrate HAT Width Front/Rear Surface Mount Slimline Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Fabric/Vinyl/Whiteboard/Laminate	Front/Rear on Worksurface	Slimline	Day-to-Day & Calibrate HAT Width	Surface Mount


DAY-TO-DAY & CALIBRATE HAT WIDTH FRONT/REAR SURFACE MOUNT SLIMLINE SCREENS

H	W	Model Number	List	Fabric Grade C	Fabric Grade D
12	36	Y-6R1G1U1236B	695	+7	+14
12	42	Y-6R1G1U1242B	733	+7	+14
12	48	Y-6R1G1U1248B	771	+7	+14
12	54	Y-6R1G1U1254B	810	+7	+14
12	60	Y-6R1G1U1260B	846	+7	+14
12	66	Y-6R1G1U1266B	1,097	+7	+14
12	72	Y-6R1G1U1272B	1,167	+7	+14
16	36	Y-6R1G1U1636B	776	+11	+22
16	42	Y-6R1G1U1642B	817	+11	+22
16	48	Y-6R1G1U1648B	862	+11	+22
16	54	Y-6R1G1U1654B	904	+11	+22
16	60	Y-6R1G1U1660B	946	+11	+22
16	66	Y-6R1G1U1666B	1,160	+11	+22
16	72	Y-6R1G1U1672B	1,231	+11	+22
20	36	Y-6R1G1U2036B	860	+15	+30
20	42	Y-6R1G1U2042B	906	+15	+30
20	48	Y-6R1G1U2048B	952	+15	+30
20	54	Y-6R1G1U2054B	997	+15	+30
20	60	Y-6R1G1U2060B	1,043	+15	+30
20	66	Y-6R1G1U2066B	1,219	+15	+30
20	72	Y-6R1G1U2072B	1,298	+15	+30

DAY-TO-DAY & CALIBRATE HAT WIDTH FRONT/REAR SURFACE MOUNT SLIMLINE SCREENS

H	W	Model Number	List	Fabric Grade C	Fabric Grade D
24	36	Y-6R1G1U2436B	942	+18	+36
24	42	Y-6R1G1U2442B	991	+18	+36
24	48	Y-6R1G1U2448B	1,043	+18	+36
24	54	Y-6R1G1U2454B	1,088	+18	+36
24	60	Y-6R1G1U2460B	1,140	+18	+36
24	66	Y-6R1G1U2466B	1,278	+18	+36
24	72	Y-6R1G1U2472B	1,361	+18	+36
28	36	Y-6R1G1U2836B	1,023	+21	+42
28	42	Y-6R1G1U2842B	1,079	+21	+42
28	48	Y-6R1G1U2848B	1,135	+21	+42
28	54	Y-6R1G1U2854B	1,182	+21	+42
28	60	Y-6R1G1U2860B	1,236	+21	+42
28	66	Y-6R1G1U2866B	1,339	+21	+42
28	72	Y-6R1G1U2872B	1,428	+21	+42





Surface Mount Slimline

Specify

- Paint Selection (Grade C +10)
- Fabric, Vinyl, Whiteboard or Laminate Selection

Notes

- Slimline screens may be fabric, vinyl, whiteboard or laminate on either side. Upcharges for Grade C and D are listed per side. Whiteboards are standard list and have no upcharge.
- Offered in all AIS paint finishes.

© 2026, AIS, Inc.

Day-to-Day & Calibrate HAT Width Front/Rear Under Surface Mount Slimline Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Fabric/Vinyl/Whiteboard/Laminate	Front/Rear on Worksurface	Slimline	Day-to-Day & Calibrate HAT Width	Under Surface Mount


DAY-TO-DAY & CALIBRATE HAT WIDTH FRONT/REAR UNDER SURFACE MOUNT SLIMLINE SCREENS

H	W	Model Number	List	Fabric Grade C	Fabric Grade D
12	36	T-SWMR1236	695	+7	+14
12	42	T-SWMR1242	734	+7	+14
12	48	T-SWMR1248	771	+7	+14
12	54	T-SWMR1254	810	+7	+14
12	60	T-SWMR1260	846	+7	+14
12	66	T-SWMR1266	1,097	+7	+14
12	72	T-SWMR1272	1,167	+7	+14
16	36	T-SWMR1636	776	+11	+22
16	42	T-SWMR1642	817	+11	+22
16	48	T-SWMR1648	862	+11	+22
16	54	T-SWMR1654	904	+11	+22
16	60	T-SWMR1660	946	+11	+22
16	66	T-SWMR1666	1,160	+11	+22
16	72	T-SWMR1672	1,231	+11	+22
20	36	T-SWMR2036	860	+15	+30
20	42	T-SWMR2042	906	+15	+30
20	48	T-SWMR2048	952	+15	+30
20	54	T-SWMR2054	997	+15	+30
20	60	T-SWMR2060	1,043	+15	+30
20	66	T-SWMR2066	1,219	+15	+30
20	72	T-SWMR2072	1,298	+15	+30

DAY-TO-DAY & CALIBRATE HAT WIDTH FRONT/REAR UNDER SURFACE MOUNT SLIMLINE SCREENS

H	W	Model Number	List	Fabric Grade C	Fabric Grade D
24	36	T-SWMR2436	942	+18	+36
24	42	T-SWMR2442	991	+18	+36
24	48	T-SWMR2448	1,043	+18	+36
24	54	T-SWMR2454	1,088	+18	+36
24	60	T-SWMR2460	1,140	+18	+36
24	66	T-SWMR2466	1,278	+18	+36
24	72	T-SWMR2472	1,361	+18	+36
28	36	T-SWMR2836	1,023	+21	+42
28	42	T-SWMR2842	1,079	+21	+42
28	48	T-SWMR2848	1,135	+21	+42
28	54	T-SWMR2854	1,182	+21	+42
28	60	T-SWMR2860	1,236	+21	+42
28	66	T-SWMR2866	1,339	+21	+42
28	72	T-SWMR2872	1,428	+21	+42





Under Surface Mount Slimline

Specify

- Paint Selection (Grade C +10)
- Fabric, Vinyl, Whiteboard or Laminate Selection

Notes

- Slimline screens may be fabric, vinyl, whiteboard or laminate on either side. Upcharges for Grade C and D are listed per side. Whiteboards are standard list and have no upcharge.
- Offered in all AIS paint finishes.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Day-to-Day & Calibrate HAT Width Front/Rear Freestanding Slimline Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Fabric/Vinyl/Whiteboard/Laminate	Front/Rear on Worksurface	Slimline	Day-to-Day & Calibrate HAT Width	Freestanding


DAY-TO-DAY & CALIBRATE HAT WIDTH FREESTANDING SLIMLINE SCREENS

H	W	Model Number	List	Fabric Grade C	Fabric Grade D
12	36	Y-6R1G4U1236B	695	+7	+14
12	42	Y-6R1G4U1242B	733	+7	+14
12	48	Y-6R1G4U1248B	771	+7	+14
12	54	Y-6R1G4U1254B	810	+7	+14
12	60	Y-6R1G4U1260B	846	+7	+14
12	66	Y-6R1G4U1266B	1,097	+7	+14
12	72	Y-6R1G4U1272B	1,167	+7	+14
16	36	Y-6R1G4U1636B	776	+11	+22
16	42	Y-6R1G4U1642B	817	+11	+22
16	48	Y-6R1G4U1648B	862	+11	+22
16	54	Y-6R1G4U1654B	904	+11	+22
16	60	Y-6R1G4U1660B	946	+11	+22
16	66	Y-6R1G4U1666B	1,160	+11	+22
16	72	Y-6R1G4U1672B	1,231	+11	+22
20	36	Y-6R1G4U2036B	860	+15	+30
20	42	Y-6R1G4U2042B	906	+15	+30
20	48	Y-6R1G4U2048B	952	+15	+30
20	54	Y-6R1G4U2054B	997	+15	+30
20	60	Y-6R1G4U2060B	1,043	+15	+30
20	66	Y-6R1G4U2066B	1,219	+15	+30
20	72	Y-6R1G4U2072B	1,298	+15	+30

DAY-TO-DAY & CALIBRATE HAT WIDTH FREESTANDING SLIMLINE SCREENS

H	W	Model Number	List	Fabric Grade C	Fabric Grade D
24	36	Y-6R1G4U2436B	942	+18	+36
24	42	Y-6R1G4U2442B	991	+18	+36
24	48	Y-6R1G4U2448B	1,043	+18	+36
24	54	Y-6R1G4U2454B	1,088	+18	+36
24	60	Y-6R1G4U2460B	1,140	+18	+36
24	66	Y-6R1G4U2466B	1,278	+18	+36
24	72	Y-6R1G4U2472B	1,361	+18	+36
28	36	Y-6R1G4U2836B	1,023	+21	+42
28	42	Y-6R1G4U2842B	1,079	+21	+42
28	48	Y-6R1G4U2848B	1,135	+21	+42
28	54	Y-6R1G4U2854B	1,182	+21	+42
28	60	Y-6R1G4U2860B	1,236	+21	+42
28	66	Y-6R1G4U2866B	1,339	+21	+42
28	72	Y-6R1G4U2872B	1,428	+21	+42





Freestanding Slimline

Specify

- Paint Selection (Grade C +10)
- Fabric, Vinyl, Whiteboard or Laminate Selection

Notes

- Slimline screens may be fabric, vinyl, whiteboard or laminate on either side. Upcharges for Grade C and D are listed per side. Whiteboards are standard list and have no upcharge.
- Offered in all AIS paint finishes.
- Non-marring feet measure 2 3/8“ x 12”.

© 2026, AIS, Inc.

Day-to-Day & Calibrate HAT Width Partial Modesty Slimline Screens


Material	Where Used	Screen Type	Sized For	Mount Type
Fabric/Vinyl/Whiteboard/Laminate	Partial Modesty	Slimline	Day-to-Day & Calibrate HAT Width	Under Surface Mount


DAY-TO-DAY & CALIBRATE HAT WIDTH PARTIAL MODESTY UNDER SURFACE MOUNT SLIMLINE SCREENS

H	W	Model Number	List	Fabric Grade C	Fabric Grade D
26	24	Y-6S1G2U2624B	1,255	25	50
26	30	Y-6S1G2U2630B	1,311	25	50
26	36	Y-6S1G2U2636B	1,362	25	50
26	42	Y-6S1G2U2642B	1,416	25	50
26	48	Y-6S1G2U2648B	1,474	25	50
26	54	Y-6S1G2U2654B	1,528	25	50
26	60	Y-6S1G2U2660B	1,583	25	50
26	66	Y-6S1G2U2666B	1,634	25	50
26	72	Y-6S1G2U2672B	1,689	25	50
34	24	Y-6S1G2U3424B	1,411	34	68
34	30	Y-6S1G2U3430B	1,478	34	68
34	36	Y-6S1G2U3436B	1,538	34	68
34	42	Y-6S1G2U3442B	1,601	34	68
34	48	Y-6S1G2U3448B	1,664	34	68
34	54	Y-6S1G2U3454B	1,728	34	68
34	60	Y-6S1G2U3460B	1,790	34	68
34	66	Y-6S1G2U3466B	1,993	34	68
34	72	Y-6S1G2U3472B	1,888	34	68

DAY-TO-DAY & CALIBRATE HAT WIDTH PARTIAL MODESTY UNDER SURFACE MOUNT SLIMLINE SCREENS

H	W	Model Number	List	Fabric Grade C	Fabric Grade D
38	24	Y-6S1G2U3824B	1,569	30	64
38	30	Y-6S1G2U3830B	1,646	30	64
38	36	Y-6S1G2U3836B	1,709	30	64
38	42	Y-6S1G2U3842B	1,782	30	64
38	48	Y-6S1G2U3848B	1,853	30	64
38	54	Y-6S1G2U3854B	1,925	30	64
38	60	Y-6S1G2U3860B	1,999	30	64
38	66	Y-6S1G2U3866B	2,347	30	64
38	72	Y-6S1G2U3872B	2,090	30	64
42	24	Y-6S1G2U4224B	1,725	46	100
42	30	Y-6S1G2U4230B	1,812	46	100
42	36	Y-6S1G2U4236B	1,885	46	100
42	42	Y-6S1G2U4242B	1,965	46	100
42	48	Y-6S1G2U4248B	2,043	46	100
42	54	Y-6S1G2U4254B	2,119	46	100
42	60	Y-6S1G2U4260B	2,204	46	100
42	66	Y-6S1G2U4266B	2,704	46	100
42	72	Y-6S1G2U4272B	2,291	46	100





Under Surface Mount

Specify

- Paint Selection (Grade C +15)
- Fabric, Vinyl, Whiteboard or Laminate Selection

Notes

- Slimline screens may be fabric, vinyl, whiteboard or laminate on either side. Upcharges for Grade C and D are listed per side. Whiteboards are standard list and have no upcharge.
- Offered in all AIS paint finishes.
- Grade C paint incurs a $15 upcharge.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

L-Wrap Screens Sized for Day-to-Day, Calibrate & E Series HAT


© 2026, AIS, Inc.

PET Day-to-Day, Calibrate & E Series HAT L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	L-Wrap for Day-to-Day, Calibrate & E Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT L-WRAP UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
12	24	12	Y-5C4J2L121224B	Y-5C4J2R121224B	748
12	30	12	Y-5C4J2L121230B	Y-5C4J2R121230B	762
12	36	12	Y-5C4J2L121236B	Y-5C4J2R121236B	772
12	42	12	Y-5C4J2L121242B	Y-5C4J2R121242B	783
12	48	12	Y-5C4J2L121248B	Y-5C4J2R121248B	796
12	54	12	Y-5C4J2L121254B	Y-5C4J2R121254B	806
12	60	12	Y-5C4J2L121260B	Y-5C4J2R121260B	816
12	66	12	Y-5C4J2L121266B	Y-5C4J2R121266B	830
12	72	12	Y-5C4J2L121272B	Y-5C4J2R121272B	840
12	78	12	Y-5C4J2L121278B	Y-5C4J2R121278B	852
12	24	18	Y-5C4J2L121824B	Y-5C4J2R121824B	762
12	30	18	Y-5C4J2L121830B	Y-5C4J2R121830B	772
12	36	18	Y-5C4J2L121836B	Y-5C4J2R121836B	783
12	42	18	Y-5C4J2L121842B	Y-5C4J2R121842B	796
12	48	18	Y-5C4J2L121848B	Y-5C4J2R121848B	806
12	54	18	Y-5C4J2L121854B	Y-5C4J2R121854B	816
12	60	18	Y-5C4J2L121860B	Y-5C4J2R121860B	830
12	66	18	Y-5C4J2L121866B	Y-5C4J2R121866B	840
12	72	18	Y-5C4J2L121872B	Y-5C4J2R121872B	852



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Day-to-Day, Calibrate & E Series HAT L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	L-Wrap for Day-to-Day, Calibrate & E Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT L-WRAP UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
12	24	24	Y-5C4J2L122424B	Y-5C4J2R122424B	772
12	30	24	Y-5C4J2L122430B	Y-5C4J2R122430B	783
12	36	24	Y-5C4J2L122436B	Y-5C4J2R122436B	796
12	42	24	Y-5C4J2L122442B	Y-5C4J2R122442B	806
12	48	24	Y-5C4J2L122448B	Y-5C4J2R122448B	816
12	54	24	Y-5C4J2L122454B	Y-5C4J2R122454B	830
12	60	24	Y-5C4J2L122460B	Y-5C4J2R122460B	840
12	66	24	Y-5C4J2L122466B	Y-5C4J2R122466B	852
12	24	30	Y-5C4J2L123024B	Y-5C4J2R123024B	783
12	30	30	Y-5C4J2L123030B	Y-5C4J2R123030B	796
12	36	30	Y-5C4J2L123036B	Y-5C4J2R123036B	806
12	42	30	Y-5C4J2L123042B	Y-5C4J2R123042B	816
12	48	30	Y-5C4J2L123048B	Y-5C4J2R123048B	830
12	54	30	Y-5C4J2L123054B	Y-5C4J2R123054B	840
12	60	30	Y-5C4J2L123060B	Y-5C4J2R123060B	852



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.


© 2026, AIS, Inc.

PET Day-to-Day, Calibrate & E Series HAT L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	L-Wrap for Day-to-Day, Calibrate & E Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT L-WRAP UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
12	24	36	Y-5C4J2L123624B	Y-5C4J2R123624B	796
12	30	36	Y-5C4J2L123630B	Y-5C4J2R123630B	806
12	36	36	Y-5C4J2L123636B	Y-5C4J2R123636B	816
12	42	36	Y-5C4J2L123642B	Y-5C4J2R123642B	830
12	48	36	Y-5C4J2L123648B	Y-5C4J2R123648B	840
12	54	36	Y-5C4J2L123654B	Y-5C4J2R123654B	852
12	24	42	Y-5C4J2L124224B	Y-5C4J2R124224B	806
12	30	42	Y-5C4J2L124230B	Y-5C4J2R124230B	816
12	36	42	Y-5C4J2L124236B	Y-5C4J2R124236B	830
12	42	42	Y-5C4J2L124242B	Y-5C4J2R124242B	840
12	48	42	Y-5C4J2L124248B	Y-5C4J2R124248B	852



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Day-to-Day, Calibrate & E Series HAT L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	L-Wrap for Day-to-Day, Calibrate & E Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT L-WRAP UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
16	24	12	Y-5C4J2L161224B	Y-5C4J2R161224B	772
16	30	12	Y-5C4J2L161230B	Y-5C4J2R161230B	786
16	36	12	Y-5C4J2L161236B	Y-5C4J2R161236B	802
16	42	12	Y-5C4J2L161242B	Y-5C4J2R161242B	816
16	48	12	Y-5C4J2L161248B	Y-5C4J2R161248B	832
16	54	12	Y-5C4J2L161254B	Y-5C4J2R161254B	847
16	60	12	Y-5C4J2L161260B	Y-5C4J2R161260B	865
16	66	12	Y-5C4J2L161266B	Y-5C4J2R161266B	878
16	72	12	Y-5C4J2L161272B	Y-5C4J2R161272B	894
16	78	12	Y-5C4J2L161278B	Y-5C4J2R161278B	908
16	24	18	Y-5C4J2L161824B	Y-5C4J2R161824B	786
16	30	18	Y-5C4J2L161830B	Y-5C4J2R161830B	802
16	36	18	Y-5C4J2L161836B	Y-5C4J2R161836B	816
16	42	18	Y-5C4J2L161842B	Y-5C4J2R161842B	832
16	48	18	Y-5C4J2L161848B	Y-5C4J2R161848B	847
16	54	18	Y-5C4J2L161854B	Y-5C4J2R161854B	865
16	60	18	Y-5C4J2L161860B	Y-5C4J2R161860B	878
16	66	18	Y-5C4J2L161866B	Y-5C4J2R161866B	894
16	72	18	Y-5C4J2L161872B	Y-5C4J2R161872B	908



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.


© 2026, AIS, Inc.

PET Day-to-Day, Calibrate & E Series HAT L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	L-Wrap for Day-to-Day, Calibrate & E Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT L-WRAP UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
16	24	24	Y-5C4J2L162424B	Y-5C4J2R162424B	802
16	30	24	Y-5C4J2L162430B	Y-5C4J2R162430B	816
16	36	24	Y-5C4J2L162436B	Y-5C4J2R162436B	832
16	42	24	Y-5C4J2L162442B	Y-5C4J2R162442B	847
16	48	24	Y-5C4J2L162448B	Y-5C4J2R162448B	865
16	54	24	Y-5C4J2L162454B	Y-5C4J2R162454B	878
16	60	24	Y-5C4J2L162460B	Y-5C4J2R162460B	894
16	66	24	Y-5C4J2L162466B	Y-5C4J2R162466B	908
16	24	30	Y-5C4J2L163024B	Y-5C4J2R163024B	816
16	30	30	Y-5C4J2L163030B	Y-5C4J2R163030B	832
16	36	30	Y-5C4J2L163036B	Y-5C4J2R163036B	847
16	42	30	Y-5C4J2L163042B	Y-5C4J2R163042B	865
16	48	30	Y-5C4J2L163048B	Y-5C4J2R163048B	878
16	54	30	Y-5C4J2L163054B	Y-5C4J2R163054B	894
16	60	30	Y-5C4J2L163060B	Y-5C4J2R163060B	908



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Day-to-Day, Calibrate & E Series HAT L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	L-Wrap for Day-to-Day, Calibrate & E Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT L-WRAP UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
16	24	36	Y-5C4J2L163624B	Y-5C4J2R163624B	832
16	30	36	Y-5C4J2L163630B	Y-5C4J2R163630B	847
16	36	36	Y-5C4J2L163636B	Y-5C4J2R163636B	865
16	42	36	Y-5C4J2L163642B	Y-5C4J2R163642B	878
16	48	36	Y-5C4J2L163648B	Y-5C4J2R163648B	894
16	54	36	Y-5C4J2L163654B	Y-5C4J2R163654B	908
16	24	42	Y-5C4J2L164224B	Y-5C4J2R164224B	847
16	30	42	Y-5C4J2L164230B	Y-5C4J2R164230B	865
16	36	42	Y-5C4J2L164236B	Y-5C4J2R164236B	878
16	42	42	Y-5C4J2L164242B	Y-5C4J2R164242B	894
16	48	42	Y-5C4J2L164248B	Y-5C4J2R164248B	908



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.


© 2026, AIS, Inc.

PET Day-to-Day, Calibrate & E Series HAT L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	L-Wrap for Day-to-Day, Calibrate & E Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT L-WRAP UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
20	24	12	Y-5C4J2L201224B	Y-5C4J2R201224B	796
20	30	12	Y-5C4J2L201230B	Y-5C4J2R201230B	814
20	36	12	Y-5C4J2L201236B	Y-5C4J2R201236B	832
20	42	12	Y-5C4J2L201242B	Y-5C4J2R201242B	852
20	48	12	Y-5C4J2L201248B	Y-5C4J2R201248B	870
20	54	12	Y-5C4J2L201254B	Y-5C4J2R201254B	890
20	60	12	Y-5C4J2L201260B	Y-5C4J2R201260B	908
20	66	12	Y-5C4J2L201266B	Y-5C4J2R201266B	926
20	72	12	Y-5C4J2L201272B	Y-5C4J2R201272B	948
20	78	12	Y-5C4J2L201278B	Y-5C4J2R201278B	965
20	24	18	Y-5C4J2L201824B	Y-5C4J2R201824B	814
20	30	18	Y-5C4J2L201830B	Y-5C4J2R201830B	832
20	36	18	Y-5C4J2L201836B	Y-5C4J2R201836B	852
20	42	18	Y-5C4J2L201842B	Y-5C4J2R201842B	870
20	48	18	Y-5C4J2L201848B	Y-5C4J2R201848B	890
20	54	18	Y-5C4J2L201854B	Y-5C4J2R201854B	908
20	60	18	Y-5C4J2L201860B	Y-5C4J2R201860B	926
20	66	18	Y-5C4J2L201866B	Y-5C4J2R201866B	948
20	72	18	Y-5C4J2L201872B	Y-5C4J2R201872B	965



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Day-to-Day, Calibrate & E Series HAT L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	L-Wrap for Day-to-Day, Calibrate & E Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT L-WRAP UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
20	24	24	Y-5C4J2L202424B	Y-5C4J2R202424B	832
20	30	24	Y-5C4J2L202430B	Y-5C4J2R202430B	852
20	36	24	Y-5C4J2L202436B	Y-5C4J2R202436B	870
20	42	24	Y-5C4J2L202442B	Y-5C4J2R202442B	890
20	48	24	Y-5C4J2L202448B	Y-5C4J2R202448B	908
20	54	24	Y-5C4J2L202454B	Y-5C4J2R202454B	926
20	60	24	Y-5C4J2L202460B	Y-5C4J2R202460B	948
20	66	24	Y-5C4J2L202466B	Y-5C4J2R202466B	965
20	24	30	Y-5C4J2L203024B	Y-5C4J2R203024B	852
20	30	30	Y-5C4J2L203030B	Y-5C4J2R203030B	870
20	36	30	Y-5C4J2L203036B	Y-5C4J2R203036B	890
20	42	30	Y-5C4J2L203042B	Y-5C4J2R203042B	908
20	48	30	Y-5C4J2L203048B	Y-5C4J2R203048B	926
20	54	30	Y-5C4J2L203054B	Y-5C4J2R203054B	948
20	60	30	Y-5C4J2L203060B	Y-5C4J2R203060B	965



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.


© 2026, AIS, Inc.

PET Day-to-Day, Calibrate & E Series HAT L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	L-Wrap for Day-to-Day, Calibrate & E Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT L-WRAP UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
20	24	36	Y-5C4J2L203624B	Y-5C4J2R203624B	870
20	30	36	Y-5C4J2L203630B	Y-5C4J2R203630B	890
20	36	36	Y-5C4J2L203636B	Y-5C4J2R203636B	908
20	42	36	Y-5C4J2L203642B	Y-5C4J2R203642B	926
20	48	36	Y-5C4J2L203648B	Y-5C4J2R203648B	948
20	54	36	Y-5C4J2L203654B	Y-5C4J2R203654B	965
20	24	42	Y-5C4J2L204224B	Y-5C4J2R204224B	890
20	30	42	Y-5C4J2L204230B	Y-5C4J2R204230B	908
20	36	42	Y-5C4J2L204236B	Y-5C4J2R204236B	926
20	42	42	Y-5C4J2L204242B	Y-5C4J2R204242B	948
20	48	42	Y-5C4J2L204248B	Y-5C4J2R204248B	965



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Day-to-Day, Calibrate & E Series HAT L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	L-Wrap for Day-to-Day, Calibrate & E Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT L-WRAP UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
24	24	12	Y-5C4J2L241224B	Y-5C4J2R241224B	816
24	30	12	Y-5C4J2L241230B	Y-5C4J2R241230B	840
24	36	12	Y-5C4J2L241236B	Y-5C4J2R241236B	865
24	42	12	Y-5C4J2L241242B	Y-5C4J2R241242B	884
24	48	12	Y-5C4J2L241248B	Y-5C4J2R241248B	908
24	54	12	Y-5C4J2L241254B	Y-5C4J2R241254B	930
24	60	12	Y-5C4J2L241260B	Y-5C4J2R241260B	954
24	66	12	Y-5C4J2L241266B	Y-5C4J2R241266B	977
24	72	12	Y-5C4J2L241272B	Y-5C4J2R241272B	999
24	78	12	Y-5C4J2L241278B	Y-5C4J2R241278B	1,023
24	24	18	Y-5C4J2L241824B	Y-5C4J2R241824B	840
24	30	18	Y-5C4J2L241830B	Y-5C4J2R241830B	865
24	36	18	Y-5C4J2L241836B	Y-5C4J2R241836B	884
24	42	18	Y-5C4J2L241842B	Y-5C4J2R241842B	908
24	48	18	Y-5C4J2L241848B	Y-5C4J2R241848B	930
24	54	18	Y-5C4J2L241854B	Y-5C4J2R241854B	954
24	60	18	Y-5C4J2L241860B	Y-5C4J2R241860B	977
24	66	18	Y-5C4J2L241866B	Y-5C4J2R241866B	999
24	72	18	Y-5C4J2L241872B	Y-5C4J2R241872B	1,023



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.


© 2026, AIS, Inc.

PET Day-to-Day, Calibrate & E Series HAT L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	L-Wrap for Day-to-Day, Calibrate & E Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT L-WRAP UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
24	24	24	Y-5C4J2L242424B	Y-5C4J2R242424B	865
24	30	24	Y-5C4J2L242430B	Y-5C4J2R242430B	884
24	36	24	Y-5C4J2L242436B	Y-5C4J2R242436B	908
24	42	24	Y-5C4J2L242442B	Y-5C4J2R242442B	930
24	48	24	Y-5C4J2L242448B	Y-5C4J2R242448B	954
24	54	24	Y-5C4J2L242454B	Y-5C4J2R242454B	977
24	60	24	Y-5C4J2L242460B	Y-5C4J2R242460B	999
24	66	24	Y-5C4J2L242466B	Y-5C4J2R242466B	1,023
24	24	30	Y-5C4J2L243024B	Y-5C4J2R243024B	884
24	30	30	Y-5C4J2L243030B	Y-5C4J2R243030B	908
24	36	30	Y-5C4J2L243036B	Y-5C4J2R243036B	930
24	42	30	Y-5C4J2L243042B	Y-5C4J2R243042B	954
24	48	30	Y-5C4J2L243048B	Y-5C4J2R243048B	977
24	54	30	Y-5C4J2L243054B	Y-5C4J2R243054B	999
24	60	30	Y-5C4J2L243060B	Y-5C4J2R243060B	1,023



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Day-to-Day, Calibrate & E Series HAT L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	L-Wrap for Day-to-Day, Calibrate & E Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT L-WRAP UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
24	24	36	Y-5C4J2L243624B	Y-5C4J2R243624B	908
24	30	36	Y-5C4J2L243630B	Y-5C4J2R243630B	930
24	36	36	Y-5C4J2L243636B	Y-5C4J2R243636B	954
24	42	36	Y-5C4J2L243642B	Y-5C4J2R243642B	977
24	48	36	Y-5C4J2L243648B	Y-5C4J2R243648B	999
24	54	36	Y-5C4J2L243654B	Y-5C4J2R243654B	1,023
24	24	42	Y-5C4J2L244224B	Y-5C4J2R244224B	930
24	30	42	Y-5C4J2L244230B	Y-5C4J2R244230B	954
24	36	42	Y-5C4J2L244236B	Y-5C4J2R244236B	977
24	42	42	Y-5C4J2L244242B	Y-5C4J2R244242B	999
24	48	42	Y-5C4J2L244248B	Y-5C4J2R244248B	1,023



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.


© 2026, AIS, Inc.

PET Day-to-Day, Calibrate & E Series HAT L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	L-Wrap for Day-to-Day, Calibrate & E Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT L-WRAP UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
28	24	12	Y-5C4J2L281224B	Y-5C4J2R281224B	840
28	30	12	Y-5C4J2L281230B	Y-5C4J2R281230B	867
28	36	12	Y-5C4J2L281236B	Y-5C4J2R281236B	894
28	42	12	Y-5C4J2L281242B	Y-5C4J2R281242B	917
28	48	12	Y-5C4J2L281248B	Y-5C4J2R281248B	948
28	54	12	Y-5C4J2L281254B	Y-5C4J2R281254B	973
28	60	12	Y-5C4J2L281260B	Y-5C4J2R281260B	999
28	66	12	Y-5C4J2L281266B	Y-5C4J2R281266B	1,025
28	72	12	Y-5C4J2L281272B	Y-5C4J2R281272B	1,051
28	78	12	Y-5C4J2L281278B	Y-5C4J2R281278B	1,079
28	24	18	Y-5C4J2L281824B	Y-5C4J2R281824B	867
28	30	18	Y-5C4J2L281830B	Y-5C4J2R281830B	894
28	36	18	Y-5C4J2L281836B	Y-5C4J2R281836B	917
28	42	18	Y-5C4J2L281842B	Y-5C4J2R281842B	948
28	48	18	Y-5C4J2L281848B	Y-5C4J2R281848B	973
28	54	18	Y-5C4J2L281854B	Y-5C4J2R281854B	999
28	60	18	Y-5C4J2L281860B	Y-5C4J2R281860B	1,025
28	66	18	Y-5C4J2L281866B	Y-5C4J2R281866B	1,051
28	72	18	Y-5C4J2L281872B	Y-5C4J2R281872B	1,079



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Day-to-Day, Calibrate & E Series HAT L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	L-Wrap for Day-to-Day, Calibrate & E Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT L-WRAP UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
28	24	24	Y-5C4J2L282424B	Y-5C4J2R282424B	894
28	30	24	Y-5C4J2L282430B	Y-5C4J2R282430B	917
28	36	24	Y-5C4J2L282436B	Y-5C4J2R282436B	948
28	42	24	Y-5C4J2L282442B	Y-5C4J2R282442B	973
28	48	24	Y-5C4J2L282448B	Y-5C4J2R282448B	999
28	54	24	Y-5C4J2L282454B	Y-5C4J2R282454B	1,025
28	60	24	Y-5C4J2L282460B	Y-5C4J2R282460B	1,051
28	66	24	Y-5C4J2L282466B	Y-5C4J2R282466B	1,079
28	24	30	Y-5C4J2L283024B	Y-5C4J2R283024B	917
28	30	30	Y-5C4J2L283030B	Y-5C4J2R283030B	948
28	36	30	Y-5C4J2L283036B	Y-5C4J2R283036B	973
28	42	30	Y-5C4J2L283042B	Y-5C4J2R283042B	999
28	48	30	Y-5C4J2L283048B	Y-5C4J2R283048B	1,025
28	54	30	Y-5C4J2L283054B	Y-5C4J2R283054B	1,051
28	60	30	Y-5C4J2L283060B	Y-5C4J2R283060B	1,079



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.


© 2026, AIS, Inc.

PET Day-to-Day, Calibrate & E Series HAT L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	L-Wrap for Day-to-Day, Calibrate & E Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT L-WRAP UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
28	24	36	Y-5C4J2L283624B	Y-5C4J2R283624B	948
28	30	36	Y-5C4J2L283630B	Y-5C4J2R283630B	973
28	36	36	Y-5C4J2L283636B	Y-5C4J2R283636B	999
28	42	36	Y-5C4J2L283642B	Y-5C4J2R283642B	1,025
28	48	36	Y-5C4J2L283648B	Y-5C4J2R283648B	1,051
28	54	36	Y-5C4J2L283654B	Y-5C4J2R283654B	1,079
28	24	42	Y-5C4J2L284224B	Y-5C4J2R284224B	973
28	30	42	Y-5C4J2L284230B	Y-5C4J2R284230B	999
28	36	42	Y-5C4J2L284236B	Y-5C4J2R284236B	1,025
28	42	42	Y-5C4J2L284242B	Y-5C4J2R284242B	1,051
28	48	42	Y-5C4J2L284248B	Y-5C4J2R284248B	1,079



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Day-to-Day, Calibrate & E Series HAT L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	L-Wrap for Day-to-Day, Calibrate & E Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT L-WRAP UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
32	24	12	Y-5C4J2L321224B	Y-5C4J2R321224B	938
32	30	12	Y-5C4J2L321230B	Y-5C4J2R321230B	979
32	36	12	Y-5C4J2L321236B	Y-5C4J2R321236B	1,021
32	42	12	Y-5C4J2L321242B	Y-5C4J2R321242B	1,062
32	48	12	Y-5C4J2L321248B	Y-5C4J2R321248B	1,106
32	54	12	Y-5C4J2L321254B	Y-5C4J2R321254B	1,147
32	60	12	Y-5C4J2L321260B	Y-5C4J2R321260B	1,190
32	66	12	Y-5C4J2L321266B	Y-5C4J2R321266B	1,232
32	72	12	Y-5C4J2L321272B	Y-5C4J2R321272B	1,276
32	78	12	Y-5C4J2L321278B	Y-5C4J2R321278B	1,318
32	24	18	Y-5C4J2L321824B	Y-5C4J2R321824B	979
32	30	18	Y-5C4J2L321830B	Y-5C4J2R321830B	1,021
32	36	18	Y-5C4J2L321836B	Y-5C4J2R321836B	1,062
32	42	18	Y-5C4J2L321842B	Y-5C4J2R321842B	1,106
32	48	18	Y-5C4J2L321848B	Y-5C4J2R321848B	1,147
32	54	18	Y-5C4J2L321854B	Y-5C4J2R321854B	1,190
32	60	18	Y-5C4J2L321860B	Y-5C4J2R321860B	1,232
32	66	18	Y-5C4J2L321866B	Y-5C4J2R321866B	1,276
32	72	18	Y-5C4J2L321872B	Y-5C4J2R321872B	1,318



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.


© 2026, AIS, Inc.

PET Day-to-Day, Calibrate & E Series HAT L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	L-Wrap for Day-to-Day, Calibrate & E Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT L-WRAP UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
32	24	24	Y-5C4J2L322424B	Y-5C4J2R322424B	1,021
32	30	24	Y-5C4J2L322430B	Y-5C4J2R322430B	1,062
32	36	24	Y-5C4J2L322436B	Y-5C4J2R322436B	1,106
32	42	24	Y-5C4J2L322442B	Y-5C4J2R322442B	1,147
32	48	24	Y-5C4J2L322448B	Y-5C4J2R322448B	1,190
32	54	24	Y-5C4J2L322454B	Y-5C4J2R322454B	1,232
32	60	24	Y-5C4J2L322460B	Y-5C4J2R322460B	1,276
32	66	24	Y-5C4J2L322466B	Y-5C4J2R322466B	1,318
32	24	30	Y-5C4J2L323024B	Y-5C4J2R323024B	1,062
32	30	30	Y-5C4J2L323030B	Y-5C4J2R323030B	1,106
32	36	30	Y-5C4J2L323036B	Y-5C4J2R323036B	1,147
32	42	30	Y-5C4J2L323042B	Y-5C4J2R323042B	1,190
32	48	30	Y-5C4J2L323048B	Y-5C4J2R323048B	1,232
32	54	30	Y-5C4J2L323054B	Y-5C4J2R323054B	1,276
32	60	30	Y-5C4J2L323060B	Y-5C4J2R323060B	1,318



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Day-to-Day, Calibrate & E Series HAT L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	L-Wrap for Day-to-Day, Calibrate & E Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT L-WRAP UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
32	24	36	Y-5C4J2L323624B	Y-5C4J2R323624B	1,106
32	30	36	Y-5C4J2L323630B	Y-5C4J2R323630B	1,147
32	36	36	Y-5C4J2L323636B	Y-5C4J2R323636B	1,190
32	42	36	Y-5C4J2L323642B	Y-5C4J2R323642B	1,232
32	48	36	Y-5C4J2L323648B	Y-5C4J2R323648B	1,276
32	54	36	Y-5C4J2L323654B	Y-5C4J2R323654B	1,318
32	24	42	Y-5C4J2L324224B	Y-5C4J2R324224B	1,147
32	30	42	Y-5C4J2L324230B	Y-5C4J2R324230B	1,190
32	36	42	Y-5C4J2L324236B	Y-5C4J2R324236B	1,232
32	42	42	Y-5C4J2L324242B	Y-5C4J2R324242B	1,276
32	48	42	Y-5C4J2L324248B	Y-5C4J2R324248B	1,318



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.


© 2026, AIS, Inc.

PET Day-to-Day, Calibrate & E Series HAT L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	L-Wrap for Day-to-Day, Calibrate & E Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
22	24	12	Y-5M4J2L221224B	Y-5M4J2R221224B	806
22	30	12	Y-5M4J2L221230B	Y-5M4J2R221230B	828
22	36	12	Y-5M4J2L221236B	Y-5M4J2R221236B	847
22	42	12	Y-5M4J2L221242B	Y-5M4J2R221242B	868
22	48	12	Y-5M4J2L221248B	Y-5M4J2R221248B	890
22	54	12	Y-5M4J2L221254B	Y-5M4J2R221254B	911
22	60	12	Y-5M4J2L221260B	Y-5M4J2R221260B	930
22	66	12	Y-5M4J2L221266B	Y-5M4J2R221266B	952
22	72	12	Y-5M4J2L221272B	Y-5M4J2R221272B	973
22	78	12	Y-5M4J2L221278B	Y-5M4J2R221278B	993
22	24	18	Y-5M4J2L221824B	Y-5M4J2R221824B	828
22	30	18	Y-5M4J2L221830B	Y-5M4J2R221830B	847
22	36	18	Y-5M4J2L221836B	Y-5M4J2R221836B	868
22	42	18	Y-5M4J2L221842B	Y-5M4J2R221842B	890
22	48	18	Y-5M4J2L221848B	Y-5M4J2R221848B	911
22	54	18	Y-5M4J2L221854B	Y-5M4J2R221854B	930
22	60	18	Y-5M4J2L221860B	Y-5M4J2R221860B	952
22	66	18	Y-5M4J2L221866B	Y-5M4J2R221866B	973
22	72	18	Y-5M4J2L221872B	Y-5M4J2R221872B	993



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Day-to-Day, Calibrate & E Series HAT L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	L-Wrap for Day-to-Day, Calibrate & E Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
22	24	24	Y-5M4J2L222424B	Y-5M4J2R222424B	847
22	30	24	Y-5M4J2L222430B	Y-5M4J2R222430B	868
22	36	24	Y-5M4J2L222436B	Y-5M4J2R222436B	890
22	42	24	Y-5M4J2L222442B	Y-5M4J2R222442B	911
22	48	24	Y-5M4J2L222448B	Y-5M4J2R222448B	930
22	54	24	Y-5M4J2L222454B	Y-5M4J2R222454B	952
22	60	24	Y-5M4J2L222460B	Y-5M4J2R222460B	973
22	66	24	Y-5M4J2L222466B	Y-5M4J2R222466B	993
22	24	30	Y-5M4J2L223024B	Y-5M4J2R223024B	868
22	30	30	Y-5M4J2L223030B	Y-5M4J2R223030B	890
22	36	30	Y-5M4J2L223036B	Y-5M4J2R223036B	911
22	42	30	Y-5M4J2L223042B	Y-5M4J2R223042B	930
22	48	30	Y-5M4J2L223048B	Y-5M4J2R223048B	952
22	54	30	Y-5M4J2L223054B	Y-5M4J2R223054B	973
22	60	30	Y-5M4J2L223060B	Y-5M4J2R223060B	993



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.


© 2026, AIS, Inc.

PET Day-to-Day, Calibrate & E Series HAT L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	L-Wrap for Day-to-Day, Calibrate & E Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
22	24	36	Y-5M4J2L223624B	Y-5M4J2R223624B	890
22	30	36	Y-5M4J2L223630B	Y-5M4J2R223630B	911
22	36	36	Y-5M4J2L223636B	Y-5M4J2R223636B	930
22	42	36	Y-5M4J2L223642B	Y-5M4J2R223642B	952
22	48	36	Y-5M4J2L223648B	Y-5M4J2R223648B	973
22	54	36	Y-5M4J2L223654B	Y-5M4J2R223654B	993
22	24	42	Y-5M4J2L224224B	Y-5M4J2R224224B	911
22	30	42	Y-5M4J2L224230B	Y-5M4J2R224230B	930
22	36	42	Y-5M4J2L224236B	Y-5M4J2R224236B	952
22	42	42	Y-5M4J2L224242B	Y-5M4J2R224242B	973
22	48	42	Y-5M4J2L224248B	Y-5M4J2R224248B	993



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Day-to-Day, Calibrate & E Series HAT L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	L-Wrap for Day-to-Day, Calibrate & E Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
26	24	12	Y-5M4J2L261224B	Y-5M4J2R261224B	830
26	30	12	Y-5M4J2L261230B	Y-5M4J2R261230B	854
26	36	12	Y-5M4J2L261236B	Y-5M4J2R261236B	878
26	42	12	Y-5M4J2L261242B	Y-5M4J2R261242B	902
26	48	12	Y-5M4J2L261248B	Y-5M4J2R261248B	926
26	54	12	Y-5M4J2L261254B	Y-5M4J2R261254B	952
26	60	12	Y-5M4J2L261260B	Y-5M4J2R261260B	977
26	66	12	Y-5M4J2L261266B	Y-5M4J2R261266B	1,002
26	72	12	Y-5M4J2L261272B	Y-5M4J2R261272B	1,025
26	78	12	Y-5M4J2L261278B	Y-5M4J2R261278B	1,050
26	24	18	Y-5M4J2L261824B	Y-5M4J2R261824B	854
26	30	18	Y-5M4J2L261830B	Y-5M4J2R261830B	878
26	36	18	Y-5M4J2L261836B	Y-5M4J2R261836B	902
26	42	18	Y-5M4J2L261842B	Y-5M4J2R261842B	926
26	48	18	Y-5M4J2L261848B	Y-5M4J2R261848B	952
26	54	18	Y-5M4J2L261854B	Y-5M4J2R261854B	977
26	60	18	Y-5M4J2L261860B	Y-5M4J2R261860B	1,002
26	66	18	Y-5M4J2L261866B	Y-5M4J2R261866B	1,025
26	72	18	Y-5M4J2L261872B	Y-5M4J2R261872B	1,050



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.


© 2026, AIS, Inc.

PET Day-to-Day, Calibrate & E Series HAT L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	L-Wrap for Day-to-Day, Calibrate & E Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
26	24	24	Y-5M4J2L262424B	Y-5M4J2R262424B	878
26	30	24	Y-5M4J2L262430B	Y-5M4J2R262430B	902
26	36	24	Y-5M4J2L262436B	Y-5M4J2R262436B	926
26	42	24	Y-5M4J2L262442B	Y-5M4J2R262442B	952
26	48	24	Y-5M4J2L262448B	Y-5M4J2R262448B	977
26	54	24	Y-5M4J2L262454B	Y-5M4J2R262454B	1,002
26	60	24	Y-5M4J2L262460B	Y-5M4J2R262460B	1,025
26	66	24	Y-5M4J2L262466B	Y-5M4J2R262466B	1,050
26	24	30	Y-5M4J2L263024B	Y-5M4J2R263024B	902
26	30	30	Y-5M4J2L263030B	Y-5M4J2R263030B	926
26	36	30	Y-5M4J2L263036B	Y-5M4J2R263036B	952
26	42	30	Y-5M4J2L263042B	Y-5M4J2R263042B	977
26	48	30	Y-5M4J2L263048B	Y-5M4J2R263048B	1,002
26	54	30	Y-5M4J2L263054B	Y-5M4J2R263054B	1,025
26	60	30	Y-5M4J2L263060B	Y-5M4J2R263060B	1,050



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Day-to-Day, Calibrate & E Series HAT L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	L-Wrap for Day-to-Day, Calibrate & E Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
26	24	36	Y-5M4J2L263624B	Y-5M4J2R263624B	926
26	30	36	Y-5M4J2L263630B	Y-5M4J2R263630B	952
26	36	36	Y-5M4J2L263636B	Y-5M4J2R263636B	977
26	42	36	Y-5M4J2L263642B	Y-5M4J2R263642B	1,002
26	48	36	Y-5M4J2L263648B	Y-5M4J2R263648B	1,025
26	54	36	Y-5M4J2L263654B	Y-5M4J2R263654B	1,050
26	24	42	Y-5M4J2L264224B	Y-5M4J2R264224B	952
26	30	42	Y-5M4J2L264230B	Y-5M4J2R264230B	977
26	36	42	Y-5M4J2L264236B	Y-5M4J2R264236B	1,002
26	42	42	Y-5M4J2L264242B	Y-5M4J2R264242B	1,025
26	48	42	Y-5M4J2L264248B	Y-5M4J2R264248B	1,050



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.


© 2026, AIS, Inc.

PET Day-to-Day, Calibrate & E Series HAT L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	L-Wrap for Day-to-Day, Calibrate & E Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
34	24	12	Y-5M4J2L341224B	Y-5M4J2R341224B	952
34	30	12	Y-5M4J2L341230B	Y-5M4J2R341230B	997
34	36	12	Y-5M4J2L341236B	Y-5M4J2R341236B	1,042
34	42	12	Y-5M4J2L341242B	Y-5M4J2R341242B	1,087
34	48	12	Y-5M4J2L341248B	Y-5M4J2R341248B	1,133
34	54	12	Y-5M4J2L341254B	Y-5M4J2R341254B	1,179
34	60	12	Y-5M4J2L341260B	Y-5M4J2R341260B	1,222
34	66	12	Y-5M4J2L341266B	Y-5M4J2R341266B	1,267
34	72	12	Y-5M4J2L341272B	Y-5M4J2R341272B	1,313
34	78	12	Y-5M4J2L341278B	Y-5M4J2R341278B	1,359
34	24	18	Y-5M4J2L341824B	Y-5M4J2R341824B	997
34	30	18	Y-5M4J2L341830B	Y-5M4J2R341830B	1,042
34	36	18	Y-5M4J2L341836B	Y-5M4J2R341836B	1,087
34	42	18	Y-5M4J2L341842B	Y-5M4J2R341842B	1,133
34	48	18	Y-5M4J2L341848B	Y-5M4J2R341848B	1,179
34	54	18	Y-5M4J2L341854B	Y-5M4J2R341854B	1,222
34	60	18	Y-5M4J2L341860B	Y-5M4J2R341860B	1,267
34	66	18	Y-5M4J2L341866B	Y-5M4J2R341866B	1,313
34	72	18	Y-5M4J2L341872B	Y-5M4J2R341872B	1,359



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Day-to-Day, Calibrate & E Series HAT L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	L-Wrap for Day-to-Day, Calibrate & E Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
34	24	24	Y-5M4J2L342424B	Y-5M4J2R342424B	1,042
34	30	24	Y-5M4J2L342430B	Y-5M4J2R342430B	1,087
34	36	24	Y-5M4J2L342436B	Y-5M4J2R342436B	1,133
34	42	24	Y-5M4J2L342442B	Y-5M4J2R342442B	1,179
34	48	24	Y-5M4J2L342448B	Y-5M4J2R342448B	1,222
34	54	24	Y-5M4J2L342454B	Y-5M4J2R342454B	1,267
34	60	24	Y-5M4J2L342460B	Y-5M4J2R342460B	1,313
34	66	24	Y-5M4J2L342466B	Y-5M4J2R342466B	1,359
34	24	30	Y-5M4J2L343024B	Y-5M4J2R343024B	1,087
34	30	30	Y-5M4J2L343030B	Y-5M4J2R343030B	1,133
34	36	30	Y-5M4J2L343036B	Y-5M4J2R343036B	1,179
34	42	30	Y-5M4J2L343042B	Y-5M4J2R343042B	1,222
34	48	30	Y-5M4J2L343048B	Y-5M4J2R343048B	1,267
34	54	30	Y-5M4J2L343054B	Y-5M4J2R343054B	1,313
34	60	30	Y-5M4J2L343060B	Y-5M4J2R343060B	1,359



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.


© 2026, AIS, Inc.

PET Day-to-Day, Calibrate & E Series HAT L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	L-Wrap for Day-to-Day, Calibrate & E Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
34	24	36	Y-5M4J2L343624B	Y-5M4J2R343624B	1,133
34	30	36	Y-5M4J2L343630B	Y-5M4J2R343630B	1,179
34	36	36	Y-5M4J2L343636B	Y-5M4J2R343636B	1,222
34	42	36	Y-5M4J2L343642B	Y-5M4J2R343642B	1,267
34	48	36	Y-5M4J2L343648B	Y-5M4J2R343648B	1,313
34	54	36	Y-5M4J2L343654B	Y-5M4J2R343654B	1,359
34	24	42	Y-5M4J2L344224B	Y-5M4J2R344224B	1,179
34	30	42	Y-5M4J2L344230B	Y-5M4J2R344230B	1,222
34	36	42	Y-5M4J2L344236B	Y-5M4J2R344236B	1,267
34	42	42	Y-5M4J2L344242B	Y-5M4J2R344242B	1,313
34	48	42	Y-5M4J2L344248B	Y-5M4J2R344248B	1,359



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Day-to-Day, Calibrate & E Series HAT L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	L-Wrap for Day-to-Day, Calibrate & E Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
38	24	12	Y-5M4J2L381224B	Y-5M4J2R381224B	985
38	30	12	Y-5M4J2L381230B	Y-5M4J2R381230B	1,036
38	36	12	Y-5M4J2L381236B	Y-5M4J2R381236B	1,084
38	42	12	Y-5M4J2L381242B	Y-5M4J2R381242B	1,135
38	48	12	Y-5M4J2L381248B	Y-5M4J2R381248B	1,187
38	54	12	Y-5M4J2L381254B	Y-5M4J2R381254B	1,235
38	60	12	Y-5M4J2L381260B	Y-5M4J2R381260B	1,285
38	66	12	Y-5M4J2L381266B	Y-5M4J2R381266B	1,339
38	72	12	Y-5M4J2L381272B	Y-5M4J2R381272B	1,388
38	78	12	Y-5M4J2L381278B	Y-5M4J2R381278B	1,438
38	24	18	Y-5M4J2L381824B	Y-5M4J2R381824B	1,036
38	30	18	Y-5M4J2L381830B	Y-5M4J2R381830B	1,084
38	36	18	Y-5M4J2L381836B	Y-5M4J2R381836B	1,135
38	42	18	Y-5M4J2L381842B	Y-5M4J2R381842B	1,187
38	48	18	Y-5M4J2L381848B	Y-5M4J2R381848B	1,235
38	54	18	Y-5M4J2L381854B	Y-5M4J2R381854B	1,285
38	60	18	Y-5M4J2L381860B	Y-5M4J2R381860B	1,339
38	66	18	Y-5M4J2L381866B	Y-5M4J2R381866B	1,388
38	72	18	Y-5M4J2L381872B	Y-5M4J2R381872B	1,438



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.


© 2026, AIS, Inc.

PET Day-to-Day, Calibrate & E Series HAT L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	L-Wrap for Day-to-Day, Calibrate & E Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
38	24	24	Y-5M4J2L382424B	Y-5M4J2R382424B	1,084
38	30	24	Y-5M4J2L382430B	Y-5M4J2R382430B	1,135
38	36	24	Y-5M4J2L382436B	Y-5M4J2R382436B	1,187
38	42	24	Y-5M4J2L382442B	Y-5M4J2R382442B	1,235
38	48	24	Y-5M4J2L382448B	Y-5M4J2R382448B	1,285
38	54	24	Y-5M4J2L382454B	Y-5M4J2R382454B	1,339
38	60	24	Y-5M4J2L382460B	Y-5M4J2R382460B	1,388
38	66	24	Y-5M4J2L382466B	Y-5M4J2R382466B	1,438
38	24	30	Y-5M4J2L383024B	Y-5M4J2R383024B	1,135
38	30	30	Y-5M4J2L383030B	Y-5M4J2R383030B	1,187
38	36	30	Y-5M4J2L383036B	Y-5M4J2R383036B	1,235
38	42	30	Y-5M4J2L383042B	Y-5M4J2R383042B	1,285
38	48	30	Y-5M4J2L383048B	Y-5M4J2R383048B	1,339
38	54	30	Y-5M4J2L383054B	Y-5M4J2R383054B	1,388
38	60	30	Y-5M4J2L383060B	Y-5M4J2R383060B	1,438



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Day-to-Day, Calibrate & E Series HAT L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	L-Wrap for Day-to-Day, Calibrate & E Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
38	24	36	Y-5M4J2L383624B	Y-5M4J2R383624B	1,187
38	30	36	Y-5M4J2L383630B	Y-5M4J2R383630B	1,235
38	36	36	Y-5M4J2L383636B	Y-5M4J2R383636B	1,285
38	42	36	Y-5M4J2L383642B	Y-5M4J2R383642B	1,339
38	48	36	Y-5M4J2L383648B	Y-5M4J2R383648B	1,388
38	54	36	Y-5M4J2L383654B	Y-5M4J2R383654B	1,438
38	24	42	Y-5M4J2L384224B	Y-5M4J2R384224B	1,235
38	30	42	Y-5M4J2L384230B	Y-5M4J2R384230B	1,285
38	36	42	Y-5M4J2L384236B	Y-5M4J2R384236B	1,339
38	42	42	Y-5M4J2L384242B	Y-5M4J2R384242B	1,388
38	48	42	Y-5M4J2L384248B	Y-5M4J2R384248B	1,438



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.


© 2026, AIS, Inc.

PET Day-to-Day, Calibrate & E Series HAT L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	L-Wrap for Day-to-Day, Calibrate & E Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
42	24	12	Y-5M4J2L421224B	Y-5M4J2R421224B	1,014
42	30	12	Y-5M4J2L421230B	Y-5M4J2R421230B	1,073
42	36	12	Y-5M4J2L421236B	Y-5M4J2R421236B	1,126
42	42	12	Y-5M4J2L421242B	Y-5M4J2R421242B	1,182
42	48	12	Y-5M4J2L421248B	Y-5M4J2R421248B	1,236
42	54	12	Y-5M4J2L421254B	Y-5M4J2R421254B	1,295
42	60	12	Y-5M4J2L421260B	Y-5M4J2R421260B	1,349
42	66	12	Y-5M4J2L421266B	Y-5M4J2R421266B	1,406
42	72	12	Y-5M4J2L421272B	Y-5M4J2R421272B	1,460
42	78	12	Y-5M4J2L421278B	Y-5M4J2R421278B	1,520
42	24	18	Y-5M4J2L421824B	Y-5M4J2R421824B	1,073
42	30	18	Y-5M4J2L421830B	Y-5M4J2R421830B	1,126
42	36	18	Y-5M4J2L421836B	Y-5M4J2R421836B	1,182
42	42	18	Y-5M4J2L421842B	Y-5M4J2R421842B	1,236
42	48	18	Y-5M4J2L421848B	Y-5M4J2R421848B	1,295
42	54	18	Y-5M4J2L421854B	Y-5M4J2R421854B	1,349
42	60	18	Y-5M4J2L421860B	Y-5M4J2R421860B	1,406
42	66	18	Y-5M4J2L421866B	Y-5M4J2R421866B	1,460
42	72	18	Y-5M4J2L421872B	Y-5M4J2R421872B	1,520



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Day-to-Day, Calibrate & E Series HAT L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	L-Wrap for Day-to-Day, Calibrate & E Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
42	24	24	Y-5M4J2L422424B	Y-5M4J2R422424B	1,126
42	30	24	Y-5M4J2L422430B	Y-5M4J2R422430B	1,182
42	36	24	Y-5M4J2L422436B	Y-5M4J2R422436B	1,236
42	42	24	Y-5M4J2L422442B	Y-5M4J2R422442B	1,295
42	48	24	Y-5M4J2L422448B	Y-5M4J2R422448B	1,349
42	54	24	Y-5M4J2L422454B	Y-5M4J2R422454B	1,406
42	60	24	Y-5M4J2L422460B	Y-5M4J2R422460B	1,460
42	66	24	Y-5M4J2L422466B	Y-5M4J2R422466B	1,520
42	24	30	Y-5M4J2L423024B	Y-5M4J2R423024B	1,182
42	30	30	Y-5M4J2L423030B	Y-5M4J2R423030B	1,236
42	36	30	Y-5M4J2L423036B	Y-5M4J2R423036B	1,295
42	42	30	Y-5M4J2L423042B	Y-5M4J2R423042B	1,349
42	48	30	Y-5M4J2L423048B	Y-5M4J2R423048B	1,406
42	54	30	Y-5M4J2L423054B	Y-5M4J2R423054B	1,460
42	60	30	Y-5M4J2L423060B	Y-5M4J2R423060B	1,520



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.


© 2026, AIS, Inc.

PET Day-to-Day, Calibrate & E Series HAT L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	L-Wrap for Day-to-Day, Calibrate & E Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
42	24	36	Y-5M4J2L423624B	Y-5M4J2R423624B	1,236
42	30	36	Y-5M4J2L423630B	Y-5M4J2R423630B	1,295
42	36	36	Y-5M4J2L423636B	Y-5M4J2R423636B	1,349
42	42	36	Y-5M4J2L423642B	Y-5M4J2R423642B	1,406
42	48	36	Y-5M4J2L423648B	Y-5M4J2R423648B	1,460
42	54	36	Y-5M4J2L423654B	Y-5M4J2R423654B	1,520
42	24	42	Y-5M4J2L424224B	Y-5M4J2R424224B	1,295
42	30	42	Y-5M4J2L424230B	Y-5M4J2R424230B	1,349
42	36	42	Y-5M4J2L424236B	Y-5M4J2R424236B	1,406
42	42	42	Y-5M4J2L424242B	Y-5M4J2R424242B	1,460
42	48	42	Y-5M4J2L424248B	Y-5M4J2R424248B	1,520



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Day-to-Day, Calibrate & E Series HAT L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	L-Wrap for Day-to-Day, Calibrate & E Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
46	24	12	Y-5M4J2L461224B	Y-5M4J2R461224B	1,047
46	30	12	Y-5M4J2L461230B	Y-5M4J2R461230B	1,107
46	36	12	Y-5M4J2L461236B	Y-5M4J2R461236B	1,171
46	42	12	Y-5M4J2L461242B	Y-5M4J2R461242B	1,230
46	48	12	Y-5M4J2L461248B	Y-5M4J2R461248B	1,293
46	54	12	Y-5M4J2L461254B	Y-5M4J2R461254B	1,352
46	60	12	Y-5M4J2L461260B	Y-5M4J2R461260B	1,414
46	66	12	Y-5M4J2L461266B	Y-5M4J2R461266B	1,474
46	72	12	Y-5M4J2L461272B	Y-5M4J2R461272B	1,538
46	78	12	Y-5M4J2L461278B	Y-5M4J2R461278B	1,599
46	24	18	Y-5M4J2L461824B	Y-5M4J2R461824B	1,107
46	30	18	Y-5M4J2L461830B	Y-5M4J2R461830B	1,171
46	36	18	Y-5M4J2L461836B	Y-5M4J2R461836B	1,230
46	42	18	Y-5M4J2L461842B	Y-5M4J2R461842B	1,293
46	48	18	Y-5M4J2L461848B	Y-5M4J2R461848B	1,352
46	54	18	Y-5M4J2L461854B	Y-5M4J2R461854B	1,414
46	60	18	Y-5M4J2L461860B	Y-5M4J2R461860B	1,474
46	66	18	Y-5M4J2L461866B	Y-5M4J2R461866B	1,538
46	72	18	Y-5M4J2L461872B	Y-5M4J2R461872B	1,599



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.


© 2026, AIS, Inc.

PET Day-to-Day, Calibrate & E Series HAT L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	L-Wrap for Day-to-Day, Calibrate & E Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
46	24	24	Y-5M4J2L462424B	Y-5M4J2R462424B	1,171
46	30	24	Y-5M4J2L462430B	Y-5M4J2R462430B	1,230
46	36	24	Y-5M4J2L462436B	Y-5M4J2R462436B	1,293
46	42	24	Y-5M4J2L462442B	Y-5M4J2R462442B	1,352
46	48	24	Y-5M4J2L462448B	Y-5M4J2R462448B	1,414
46	54	24	Y-5M4J2L462454B	Y-5M4J2R462454B	1,474
46	60	24	Y-5M4J2L462460B	Y-5M4J2R462460B	1,538
46	66	24	Y-5M4J2L462466B	Y-5M4J2R462466B	1,599
46	24	30	Y-5M4J2L463024B	Y-5M4J2R463024B	1,230
46	30	30	Y-5M4J2L463030B	Y-5M4J2R463030B	1,293
46	36	30	Y-5M4J2L463036B	Y-5M4J2R463036B	1,352
46	42	30	Y-5M4J2L463042B	Y-5M4J2R463042B	1,414
46	48	30	Y-5M4J2L463048B	Y-5M4J2R463048B	1,474
46	54	30	Y-5M4J2L463054B	Y-5M4J2R463054B	1,538
46	60	30	Y-5M4J2L463060B	Y-5M4J2R463060B	1,599



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Day-to-Day, Calibrate & E Series HAT L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	L-Wrap for Day-to-Day, Calibrate & E Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
46	24	36	Y-5M4J2L463624B	Y-5M4J2R463624B	1,293
46	30	36	Y-5M4J2L463630B	Y-5M4J2R463630B	1,352
46	36	36	Y-5M4J2L463636B	Y-5M4J2R463636B	1,414
46	42	36	Y-5M4J2L463642B	Y-5M4J2R463642B	1,474
46	48	36	Y-5M4J2L463648B	Y-5M4J2R463648B	1,538
46	54	36	Y-5M4J2L463654B	Y-5M4J2R463654B	1,599
46	24	42	Y-5M4J2L464224B	Y-5M4J2R464224B	1,352
46	30	42	Y-5M4J2L464230B	Y-5M4J2R464230B	1,414
46	36	42	Y-5M4J2L464236B	Y-5M4J2R464236B	1,474
46	42	42	Y-5M4J2L464242B	Y-5M4J2R464242B	1,538
46	48	42	Y-5M4J2L464248B	Y-5M4J2R464248B	1,599



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.

© 2026, AIS, Inc.

L-Wrap Screens Sized for Nominal = Actual Size


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Nominal = Actual Size L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
12	24	12	Y-5C4M2L121224B	Y-5C4M2R121224B	748
12	30	12	Y-5C4M2L121230B	Y-5C4M2R121230B	762
12	36	12	Y-5C4M2L121236B	Y-5C4M2R121236B	772
12	42	12	Y-5C4M2L121242B	Y-5C4M2R121242B	783
12	48	12	Y-5C4M2L121248B	Y-5C4M2R121248B	796
12	54	12	Y-5C4M2L121254B	Y-5C4M2R121254B	806
12	60	12	Y-5C4M2L121260B	Y-5C4M2R121260B	816
12	66	12	Y-5C4M2L121266B	Y-5C4M2R121266B	830
12	72	12	Y-5C4M2L121272B	Y-5C4M2R121272B	840
12	78	12	Y-5C4M2L121278B	Y-5C4M2R121278B	852
12	24	18	Y-5C4M2L121824B	Y-5C4M2R121824B	762
12	30	18	Y-5C4M2L121830B	Y-5C4M2R121830B	772
12	36	18	Y-5C4M2L121836B	Y-5C4M2R121836B	783
12	42	18	Y-5C4M2L121842B	Y-5C4M2R121842B	796
12	48	18	Y-5C4M2L121848B	Y-5C4M2R121848B	806
12	54	18	Y-5C4M2L121854B	Y-5C4M2R121854B	816
12	60	18	Y-5C4M2L121860B	Y-5C4M2R121860B	830
12	66	18	Y-5C4M2L121866B	Y-5C4M2R121866B	840
12	72	18	Y-5C4M2L121872B	Y-5C4M2R121872B	852



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.


© 2026, AIS, Inc.

PET Nominal = Actual Size L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
12	24	24	Y-5C4M2L122424B	Y-5C4M2R122424B	772
12	30	24	Y-5C4M2L122430B	Y-5C4M2R122430B	783
12	36	24	Y-5C4M2L122436B	Y-5C4M2R122436B	796
12	42	24	Y-5C4M2L122442B	Y-5C4M2R122442B	806
12	48	24	Y-5C4M2L122448B	Y-5C4M2R122448B	816
12	54	24	Y-5C4M2L122454B	Y-5C4M2R122454B	830
12	60	24	Y-5C4M2L122460B	Y-5C4M2R122460B	840
12	66	24	Y-5C4M2L122466B	Y-5C4M2R122466B	852
12	24	30	Y-5C4M2L123024B	Y-5C4M2R123024B	783
12	30	30	Y-5C4M2L123030B	Y-5C4M2R123030B	796
12	36	30	Y-5C4M2L123036B	Y-5C4M2R123036B	806
12	42	30	Y-5C4M2L123042B	Y-5C4M2R123042B	816
12	48	30	Y-5C4M2L123048B	Y-5C4M2R123048B	830
12	54	30	Y-5C4M2L123054B	Y-5C4M2R123054B	840
12	60	30	Y-5C4M2L123060B	Y-5C4M2R123060B	852



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Nominal = Actual Size L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
12	24	36	Y-5C4M2L123624B	Y-5C4M2R123624B	796
12	30	36	Y-5C4M2L123630B	Y-5C4M2R123630B	806
12	36	36	Y-5C4M2L123636B	Y-5C4M2R123636B	816
12	42	36	Y-5C4M2L123642B	Y-5C4M2R123642B	830
12	48	36	Y-5C4M2L123648B	Y-5C4M2R123648B	840
12	54	36	Y-5C4M2L123654B	Y-5C4M2R123654B	852
12	24	42	Y-5C4M2L124224B	Y-5C4M2R124224B	806
12	30	42	Y-5C4M2L124230B	Y-5C4M2R124230B	816
12	36	42	Y-5C4M2L124236B	Y-5C4M2R124236B	830
12	42	42	Y-5C4M2L124242B	Y-5C4M2R124242B	840
12	48	42	Y-5C4M2L124248B	Y-5C4M2R124248B	852



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.


© 2026, AIS, Inc.

PET Nominal = Actual Size L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
16	24	12	Y-5C4M2L161224B	Y-5C4M2R161224B	772
16	30	12	Y-5C4M2L161230B	Y-5C4M2R161230B	786
16	36	12	Y-5C4M2L161236B	Y-5C4M2R161236B	802
16	42	12	Y-5C4M2L161242B	Y-5C4M2R161242B	816
16	48	12	Y-5C4M2L161248B	Y-5C4M2R161248B	832
16	54	12	Y-5C4M2L161254B	Y-5C4M2R161254B	847
16	60	12	Y-5C4M2L161260B	Y-5C4M2R161260B	865
16	66	12	Y-5C4M2L161266B	Y-5C4M2R161266B	878
16	72	12	Y-5C4M2L161272B	Y-5C4M2R161272B	894
16	78	12	Y-5C4M2L161278B	Y-5C4M2R161278B	908
16	24	18	Y-5C4M2L161824B	Y-5C4M2R161824B	786
16	30	18	Y-5C4M2L161830B	Y-5C4M2R161830B	802
16	36	18	Y-5C4M2L161836B	Y-5C4M2R161836B	816
16	42	18	Y-5C4M2L161842B	Y-5C4M2R161842B	832
16	48	18	Y-5C4M2L161848B	Y-5C4M2R161848B	847
16	54	18	Y-5C4M2L161854B	Y-5C4M2R161854B	865
16	60	18	Y-5C4M2L161860B	Y-5C4M2R161860B	878
16	66	18	Y-5C4M2L161866B	Y-5C4M2R161866B	894
16	72	18	Y-5C4M2L161872B	Y-5C4M2R161872B	908



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Nominal = Actual Size L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
16	24	24	Y-5C4M2L162424B	Y-5C4M2R162424B	802
16	30	24	Y-5C4M2L162430B	Y-5C4M2R162430B	816
16	36	24	Y-5C4M2L162436B	Y-5C4M2R162436B	832
16	42	24	Y-5C4M2L162442B	Y-5C4M2R162442B	847
16	48	24	Y-5C4M2L162448B	Y-5C4M2R162448B	865
16	54	24	Y-5C4M2L162454B	Y-5C4M2R162454B	878
16	60	24	Y-5C4M2L162460B	Y-5C4M2R162460B	894
16	66	24	Y-5C4M2L162466B	Y-5C4M2R162466B	908
16	24	30	Y-5C4M2L163024B	Y-5C4M2R163024B	816
16	30	30	Y-5C4M2L163030B	Y-5C4M2R163030B	832
16	36	30	Y-5C4M2L163036B	Y-5C4M2R163036B	847
16	42	30	Y-5C4M2L163042B	Y-5C4M2R163042B	865
16	48	30	Y-5C4M2L163048B	Y-5C4M2R163048B	878
16	54	30	Y-5C4M2L163054B	Y-5C4M2R163054B	894
16	60	30	Y-5C4M2L163060B	Y-5C4M2R163060B	908



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.


© 2026, AIS, Inc.

PET Nominal = Actual Size L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
16	24	36	Y-5C4M2L163624B	Y-5C4M2R163624B	832
16	30	36	Y-5C4M2L163630B	Y-5C4M2R163630B	847
16	36	36	Y-5C4M2L163636B	Y-5C4M2R163636B	865
16	42	36	Y-5C4M2L163642B	Y-5C4M2R163642B	878
16	48	36	Y-5C4M2L163648B	Y-5C4M2R163648B	894
16	54	36	Y-5C4M2L163654B	Y-5C4M2R163654B	908
16	24	42	Y-5C4M2L164224B	Y-5C4M2R164224B	847
16	30	42	Y-5C4M2L164230B	Y-5C4M2R164230B	865
16	36	42	Y-5C4M2L164236B	Y-5C4M2R164236B	878
16	42	42	Y-5C4M2L164242B	Y-5C4M2R164242B	894
16	48	42	Y-5C4M2L164248B	Y-5C4M2R164248B	908



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Nominal = Actual Size L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
20	24	12	Y-5C4M2L201224B	Y-5C4M2R201224B	796
20	30	12	Y-5C4M2L201230B	Y-5C4M2R201230B	814
20	36	12	Y-5C4M2L201236B	Y-5C4M2R201236B	832
20	42	12	Y-5C4M2L201242B	Y-5C4M2R201242B	852
20	48	12	Y-5C4M2L201248B	Y-5C4M2R201248B	870
20	54	12	Y-5C4M2L201254B	Y-5C4M2R201254B	890
20	60	12	Y-5C4M2L201260B	Y-5C4M2R201260B	908
20	66	12	Y-5C4M2L201266B	Y-5C4M2R201266B	926
20	72	12	Y-5C4M2L201272B	Y-5C4M2R201272B	948
20	78	12	Y-5C4M2L201278B	Y-5C4M2R201278B	965
20	24	18	Y-5C4M2L201824B	Y-5C4M2R201824B	814
20	30	18	Y-5C4M2L201830B	Y-5C4M2R201830B	832
20	36	18	Y-5C4M2L201836B	Y-5C4M2R201836B	852
20	42	18	Y-5C4M2L201842B	Y-5C4M2R201842B	870
20	48	18	Y-5C4M2L201848B	Y-5C4M2R201848B	890
20	54	18	Y-5C4M2L201854B	Y-5C4M2R201854B	908
20	60	18	Y-5C4M2L201860B	Y-5C4M2R201860B	926
20	66	18	Y-5C4M2L201866B	Y-5C4M2R201866B	948
20	72	18	Y-5C4M2L201872B	Y-5C4M2R201872B	965



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.


© 2026, AIS, Inc.

PET Nominal = Actual Size L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
20	24	24	Y-5C4M2L202424B	Y-5C4M2R202424B	832
20	30	24	Y-5C4M2L202430B	Y-5C4M2R202430B	852
20	36	24	Y-5C4M2L202436B	Y-5C4M2R202436B	870
20	42	24	Y-5C4M2L202442B	Y-5C4M2R202442B	890
20	48	24	Y-5C4M2L202448B	Y-5C4M2R202448B	908
20	54	24	Y-5C4M2L202454B	Y-5C4M2R202454B	926
20	60	24	Y-5C4M2L202460B	Y-5C4M2R202460B	948
20	66	24	Y-5C4M2L202466B	Y-5C4M2R202466B	965
20	24	30	Y-5C4M2L203024B	Y-5C4M2R203024B	852
20	30	30	Y-5C4M2L203030B	Y-5C4M2R203030B	870
20	36	30	Y-5C4M2L203036B	Y-5C4M2R203036B	890
20	42	30	Y-5C4M2L203042B	Y-5C4M2R203042B	908
20	48	30	Y-5C4M2L203048B	Y-5C4M2R203048B	926
20	54	30	Y-5C4M2L203054B	Y-5C4M2R203054B	948
20	60	30	Y-5C4M2L203060B	Y-5C4M2R203060B	965



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Nominal = Actual Size L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
20	24	36	Y-5C4M2L203624B	Y-5C4M2R203624B	870
20	30	36	Y-5C4M2L203630B	Y-5C4M2R203630B	890
20	36	36	Y-5C4M2L203636B	Y-5C4M2R203636B	908
20	42	36	Y-5C4M2L203642B	Y-5C4M2R203642B	926
20	48	36	Y-5C4M2L203648B	Y-5C4M2R203648B	948
20	54	36	Y-5C4M2L203654B	Y-5C4M2R203654B	965
20	24	42	Y-5C4M2L204224B	Y-5C4M2R204224B	890
20	30	42	Y-5C4M2L204230B	Y-5C4M2R204230B	908
20	36	42	Y-5C4M2L204236B	Y-5C4M2R204236B	926
20	42	42	Y-5C4M2L204242B	Y-5C4M2R204242B	948
20	48	42	Y-5C4M2L204248B	Y-5C4M2R204248B	965



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.


© 2026, AIS, Inc.

PET Nominal = Actual Size L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
24	24	12	Y-5C4M2L241224B	Y-5C4M2R241224B	816
24	30	12	Y-5C4M2L241230B	Y-5C4M2R241230B	840
24	36	12	Y-5C4M2L241236B	Y-5C4M2R241236B	865
24	42	12	Y-5C4M2L241242B	Y-5C4M2R241242B	884
24	48	12	Y-5C4M2L241248B	Y-5C4M2R241248B	908
24	54	12	Y-5C4M2L241254B	Y-5C4M2R241254B	930
24	60	12	Y-5C4M2L241260B	Y-5C4M2R241260B	954
24	66	12	Y-5C4M2L241266B	Y-5C4M2R241266B	977
24	72	12	Y-5C4M2L241272B	Y-5C4M2R241272B	999
24	78	12	Y-5C4M2L241278B	Y-5C4M2R241278B	1,023
24	24	18	Y-5C4M2L241824B	Y-5C4M2R241824B	840
24	30	18	Y-5C4M2L241830B	Y-5C4M2R241830B	865
24	36	18	Y-5C4M2L241836B	Y-5C4M2R241836B	884
24	42	18	Y-5C4M2L241842B	Y-5C4M2R241842B	908
24	48	18	Y-5C4M2L241848B	Y-5C4M2R241848B	930
24	54	18	Y-5C4M2L241854B	Y-5C4M2R241854B	954
24	60	18	Y-5C4M2L241860B	Y-5C4M2R241860B	977
24	66	18	Y-5C4M2L241866B	Y-5C4M2R241866B	999
24	72	18	Y-5C4M2L241872B	Y-5C4M2R241872B	1,023



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Nominal = Actual Size L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
24	24	24	Y-5C4M2L242424B	Y-5C4M2R242424B	865
24	30	24	Y-5C4M2L242430B	Y-5C4M2R242430B	884
24	36	24	Y-5C4M2L242436B	Y-5C4M2R242436B	908
24	42	24	Y-5C4M2L242442B	Y-5C4M2R242442B	930
24	48	24	Y-5C4M2L242448B	Y-5C4M2R242448B	954
24	54	24	Y-5C4M2L242454B	Y-5C4M2R242454B	977
24	60	24	Y-5C4M2L242460B	Y-5C4M2R242460B	999
24	66	24	Y-5C4M2L242466B	Y-5C4M2R242466B	1,023
24	24	30	Y-5C4M2L243024B	Y-5C4M2R243024B	884
24	30	30	Y-5C4M2L243030B	Y-5C4M2R243030B	908
24	36	30	Y-5C4M2L243036B	Y-5C4M2R243036B	930
24	42	30	Y-5C4M2L243042B	Y-5C4M2R243042B	954
24	48	30	Y-5C4M2L243048B	Y-5C4M2R243048B	977
24	54	30	Y-5C4M2L243054B	Y-5C4M2R243054B	999
24	60	30	Y-5C4M2L243060B	Y-5C4M2R243060B	1,023



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.


© 2026, AIS, Inc.

PET Nominal = Actual Size L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
24	24	36	Y-5C4M2L243624B	Y-5C4M2R243624B	908
24	30	36	Y-5C4M2L243630B	Y-5C4M2R243630B	930
24	36	36	Y-5C4M2L243636B	Y-5C4M2R243636B	954
24	42	36	Y-5C4M2L243642B	Y-5C4M2R243642B	977
24	48	36	Y-5C4M2L243648B	Y-5C4M2R243648B	999
24	54	36	Y-5C4M2L243654B	Y-5C4M2R243654B	1,023
24	24	42	Y-5C4M2L244224B	Y-5C4M2R244224B	930
24	30	42	Y-5C4M2L244230B	Y-5C4M2R244230B	954
24	36	42	Y-5C4M2L244236B	Y-5C4M2R244236B	977
24	42	42	Y-5C4M2L244242B	Y-5C4M2R244242B	999
24	48	42	Y-5C4M2L244248B	Y-5C4M2R244248B	1,023



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Nominal = Actual Size L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
28	24	12	Y-5C4M2L281224B	Y-5C4M2R281224B	840
28	30	12	Y-5C4M2L281230B	Y-5C4M2R281230B	867
28	36	12	Y-5C4M2L281236B	Y-5C4M2R281236B	894
28	42	12	Y-5C4M2L281242B	Y-5C4M2R281242B	917
28	48	12	Y-5C4M2L281248B	Y-5C4M2R281248B	948
28	54	12	Y-5C4M2L281254B	Y-5C4M2R281254B	973
28	60	12	Y-5C4M2L281260B	Y-5C4M2R281260B	999
28	66	12	Y-5C4M2L281266B	Y-5C4M2R281266B	1,025
28	72	12	Y-5C4M2L281272B	Y-5C4M2R281272B	1,051
28	78	12	Y-5C4M2L281278B	Y-5C4M2R281278B	1,079
28	24	18	Y-5C4M2L281824B	Y-5C4M2R281824B	867
28	30	18	Y-5C4M2L281830B	Y-5C4M2R281830B	894
28	36	18	Y-5C4M2L281836B	Y-5C4M2R281836B	917
28	42	18	Y-5C4M2L281842B	Y-5C4M2R281842B	948
28	48	18	Y-5C4M2L281848B	Y-5C4M2R281848B	973
28	54	18	Y-5C4M2L281854B	Y-5C4M2R281854B	999
28	60	18	Y-5C4M2L281860B	Y-5C4M2R281860B	1,025
28	66	18	Y-5C4M2L281866B	Y-5C4M2R281866B	1,051
28	72	18	Y-5C4M2L281872B	Y-5C4M2R281872B	1,079



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.


© 2026, AIS, Inc.

PET Nominal = Actual Size L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
28	24	24	Y-5C4M2L282424B	Y-5C4M2R282424B	894
28	30	24	Y-5C4M2L282430B	Y-5C4M2R282430B	917
28	36	24	Y-5C4M2L282436B	Y-5C4M2R282436B	948
28	42	24	Y-5C4M2L282442B	Y-5C4M2R282442B	973
28	48	24	Y-5C4M2L282448B	Y-5C4M2R282448B	999
28	54	24	Y-5C4M2L282454B	Y-5C4M2R282454B	1,025
28	60	24	Y-5C4M2L282460B	Y-5C4M2R282460B	1,051
28	66	24	Y-5C4M2L282466B	Y-5C4M2R282466B	1,079
28	24	30	Y-5C4M2L283024B	Y-5C4M2R283024B	917
28	30	30	Y-5C4M2L283030B	Y-5C4M2R283030B	948
28	36	30	Y-5C4M2L283036B	Y-5C4M2R283036B	973
28	42	30	Y-5C4M2L283042B	Y-5C4M2R283042B	999
28	48	30	Y-5C4M2L283048B	Y-5C4M2R283048B	1,025
28	54	30	Y-5C4M2L283054B	Y-5C4M2R283054B	1,051
28	60	30	Y-5C4M2L283060B	Y-5C4M2R283060B	1,079



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Nominal = Actual Size L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
28	24	36	Y-5C4M2L283624B	Y-5C4M2R283624B	948
28	30	36	Y-5C4M2L283630B	Y-5C4M2R283630B	973
28	36	36	Y-5C4M2L283636B	Y-5C4M2R283636B	999
28	42	36	Y-5C4M2L283642B	Y-5C4M2R283642B	1,025
28	48	36	Y-5C4M2L283648B	Y-5C4M2R283648B	1,051
28	54	36	Y-5C4M2L283654B	Y-5C4M2R283654B	1,079
28	24	42	Y-5C4M2L284224B	Y-5C4M2R284224B	973
28	30	42	Y-5C4M2L284230B	Y-5C4M2R284230B	999
28	36	42	Y-5C4M2L284236B	Y-5C4M2R284236B	1,025
28	42	42	Y-5C4M2L284242B	Y-5C4M2R284242B	1,051
28	48	42	Y-5C4M2L284248B	Y-5C4M2R284248B	1,079



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.


© 2026, AIS, Inc.

PET Nominal = Actual Size L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
32	24	12	Y-5C4M2L321224B	Y-5C4M2R321224B	938
32	30	12	Y-5C4M2L321230B	Y-5C4M2R321230B	979
32	36	12	Y-5C4M2L321236B	Y-5C4M2R321236B	1,021
32	42	12	Y-5C4M2L321242B	Y-5C4M2R321242B	1,062
32	48	12	Y-5C4M2L321248B	Y-5C4M2R321248B	1,106
32	54	12	Y-5C4M2L321254B	Y-5C4M2R321254B	1,147
32	60	12	Y-5C4M2L321260B	Y-5C4M2R321260B	1,190
32	66	12	Y-5C4M2L321266B	Y-5C4M2R321266B	1,232
32	72	12	Y-5C4M2L321272B	Y-5C4M2R321272B	1,276
32	78	12	Y-5C4M2L321278B	Y-5C4M2R321278B	1,318
32	24	18	Y-5C4M2L321824B	Y-5C4M2R321824B	979
32	30	18	Y-5C4M2L321830B	Y-5C4M2R321830B	1,021
32	36	18	Y-5C4M2L321836B	Y-5C4M2R321836B	1,062
32	42	18	Y-5C4M2L321842B	Y-5C4M2R321842B	1,106
32	48	18	Y-5C4M2L321848B	Y-5C4M2R321848B	1,147
32	54	18	Y-5C4M2L321854B	Y-5C4M2R321854B	1,190
32	60	18	Y-5C4M2L321860B	Y-5C4M2R321860B	1,232
32	66	18	Y-5C4M2L321866B	Y-5C4M2R321866B	1,276
32	72	18	Y-5C4M2L321872B	Y-5C4M2R321872B	1,318



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Nominal = Actual Size L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
32	24	24	Y-5C4M2L322424B	Y-5C4M2R322424B	1,021
32	30	24	Y-5C4M2L322430B	Y-5C4M2R322430B	1,062
32	36	24	Y-5C4M2L322436B	Y-5C4M2R322436B	1,106
32	42	24	Y-5C4M2L322442B	Y-5C4M2R322442B	1,147
32	48	24	Y-5C4M2L322448B	Y-5C4M2R322448B	1,190
32	54	24	Y-5C4M2L322454B	Y-5C4M2R322454B	1,232
32	60	24	Y-5C4M2L322460B	Y-5C4M2R322460B	1,276
32	66	24	Y-5C4M2L322466B	Y-5C4M2R322466B	1,318
32	24	30	Y-5C4M2L323024B	Y-5C4M2R323024B	1,062
32	30	30	Y-5C4M2L323030B	Y-5C4M2R323030B	1,106
32	36	30	Y-5C4M2L323036B	Y-5C4M2R323036B	1,147
32	42	30	Y-5C4M2L323042B	Y-5C4M2R323042B	1,190
32	48	30	Y-5C4M2L323048B	Y-5C4M2R323048B	1,232
32	54	30	Y-5C4M2L323054B	Y-5C4M2R323054B	1,276
32	60	30	Y-5C4M2L323060B	Y-5C4M2R323060B	1,318



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.


© 2026, AIS, Inc.

PET Nominal = Actual Size L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
32	24	36	Y-5C4M2L323624B	Y-5C4M2R323624B	1,106
32	30	36	Y-5C4M2L323630B	Y-5C4M2R323630B	1,147
32	36	36	Y-5C4M2L323636B	Y-5C4M2R323636B	1,190
32	42	36	Y-5C4M2L323642B	Y-5C4M2R323642B	1,232
32	48	36	Y-5C4M2L323648B	Y-5C4M2R323648B	1,276
32	54	36	Y-5C4M2L323654B	Y-5C4M2R323654B	1,318
32	24	42	Y-5C4M2L324224B	Y-5C4M2R324224B	1,147
32	30	42	Y-5C4M2L324230B	Y-5C4M2R324230B	1,190
32	36	42	Y-5C4M2L324236B	Y-5C4M2R324236B	1,232
32	42	42	Y-5C4M2L324242B	Y-5C4M2R324242B	1,276
32	48	42	Y-5C4M2L324248B	Y-5C4M2R324248B	1,318



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Nominal = Actual Size L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
22	24	12	Y-5M4M2L221224B	Y-5M4M2R221224B	806
22	30	12	Y-5M4M2L221230B	Y-5M4M2R221230B	828
22	36	12	Y-5M4M2L221236B	Y-5M4M2R221236B	847
22	42	12	Y-5M4M2L221242B	Y-5M4M2R221242B	868
22	48	12	Y-5M4M2L221248B	Y-5M4M2R221248B	890
22	54	12	Y-5M4M2L221254B	Y-5M4M2R221254B	911
22	60	12	Y-5M4M2L221260B	Y-5M4M2R221260B	930
22	66	12	Y-5M4M2L221266B	Y-5M4M2R221266B	952
22	72	12	Y-5M4M2L221272B	Y-5M4M2R221272B	973
22	78	12	Y-5M4M2L221278B	Y-5M4M2R221278B	993
22	24	18	Y-5M4M2L221824B	Y-5M4M2R221824B	828
22	30	18	Y-5M4M2L221830B	Y-5M4M2R221830B	847
22	36	18	Y-5M4M2L221836B	Y-5M4M2R221836B	868
22	42	18	Y-5M4M2L221842B	Y-5M4M2R221842B	890
22	48	18	Y-5M4M2L221848B	Y-5M4M2R221848B	911
22	54	18	Y-5M4M2L221854B	Y-5M4M2R221854B	930
22	60	18	Y-5M4M2L221860B	Y-5M4M2R221860B	952
22	66	18	Y-5M4M2L221866B	Y-5M4M2R221866B	973
22	72	18	Y-5M4M2L221872B	Y-5M4M2R221872B	993



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.


© 2026, AIS, Inc.

PET Nominal = Actual Size L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
22	24	24	Y-5M4M2L222424B	Y-5M4M2R222424B	847
22	30	24	Y-5M4M2L222430B	Y-5M4M2R222430B	868
22	36	24	Y-5M4M2L222436B	Y-5M4M2R222436B	890
22	42	24	Y-5M4M2L222442B	Y-5M4M2R222442B	911
22	48	24	Y-5M4M2L222448B	Y-5M4M2R222448B	930
22	54	24	Y-5M4M2L222454B	Y-5M4M2R222454B	952
22	60	24	Y-5M4M2L222460B	Y-5M4M2R222460B	973
22	66	24	Y-5M4M2L222466B	Y-5M4M2R222466B	993
22	24	30	Y-5M4M2L223024B	Y-5M4M2R223024B	868
22	30	30	Y-5M4M2L223030B	Y-5M4M2R223030B	890
22	36	30	Y-5M4M2L223036B	Y-5M4M2R223036B	911
22	42	30	Y-5M4M2L223042B	Y-5M4M2R223042B	930
22	48	30	Y-5M4M2L223048B	Y-5M4M2R223048B	952
22	54	30	Y-5M4M2L223054B	Y-5M4M2R223054B	973
22	60	30	Y-5M4M2L223060B	Y-5M4M2R223060B	993



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Nominal = Actual Size L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
22	24	36	Y-5M4M2L223624B	Y-5M4M2R223624B	890
22	30	36	Y-5M4M2L223630B	Y-5M4M2R223630B	911
22	36	36	Y-5M4M2L223636B	Y-5M4M2R223636B	930
22	42	36	Y-5M4M2L223642B	Y-5M4M2R223642B	952
22	48	36	Y-5M4M2L223648B	Y-5M4M2R223648B	973
22	54	36	Y-5M4M2L223654B	Y-5M4M2R223654B	993
22	24	42	Y-5M4M2L224224B	Y-5M4M2R224224B	911
22	30	42	Y-5M4M2L224230B	Y-5M4M2R224230B	930
22	36	42	Y-5M4M2L224236B	Y-5M4M2R224236B	952
22	42	42	Y-5M4M2L224242B	Y-5M4M2R224242B	973
22	48	42	Y-5M4M2L224248B	Y-5M4M2R224248B	993



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.


© 2026, AIS, Inc.

PET Nominal = Actual Size L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
26	24	12	Y-5M4M2L261224B	Y-5M4M2R261224B	830
26	30	12	Y-5M4M2L261230B	Y-5M4M2R261230B	854
26	36	12	Y-5M4M2L261236B	Y-5M4M2R261236B	878
26	42	12	Y-5M4M2L261242B	Y-5M4M2R261242B	902
26	48	12	Y-5M4M2L261248B	Y-5M4M2R261248B	926
26	54	12	Y-5M4M2L261254B	Y-5M4M2R261254B	952
26	60	12	Y-5M4M2L261260B	Y-5M4M2R261260B	977
26	66	12	Y-5M4M2L261266B	Y-5M4M2R261266B	1,002
26	72	12	Y-5M4M2L261272B	Y-5M4M2R261272B	1,025
26	78	12	Y-5M4M2L261278B	Y-5M4M2R261278B	1,050
26	24	18	Y-5M4M2L261824B	Y-5M4M2R261824B	854
26	30	18	Y-5M4M2L261830B	Y-5M4M2R261830B	878
26	36	18	Y-5M4M2L261836B	Y-5M4M2R261836B	902
26	42	18	Y-5M4M2L261842B	Y-5M4M2R261842B	926
26	48	18	Y-5M4M2L261848B	Y-5M4M2R261848B	952
26	54	18	Y-5M4M2L261854B	Y-5M4M2R261854B	977
26	60	18	Y-5M4M2L261860B	Y-5M4M2R261860B	1,002
26	66	18	Y-5M4M2L261866B	Y-5M4M2R261866B	1,025
26	72	18	Y-5M4M2L261872B	Y-5M4M2R261872B	1,050



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Nominal = Actual Size L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
26	24	24	Y-5M4M2L262424B	Y-5M4M2R262424B	878
26	30	24	Y-5M4M2L262430B	Y-5M4M2R262430B	902
26	36	24	Y-5M4M2L262436B	Y-5M4M2R262436B	926
26	42	24	Y-5M4M2L262442B	Y-5M4M2R262442B	952
26	48	24	Y-5M4M2L262448B	Y-5M4M2R262448B	977
26	54	24	Y-5M4M2L262454B	Y-5M4M2R262454B	1,002
26	60	24	Y-5M4M2L262460B	Y-5M4M2R262460B	1,025
26	66	24	Y-5M4M2L262466B	Y-5M4M2R262466B	1,050
26	24	30	Y-5M4M2L263024B	Y-5M4M2R263024B	902
26	30	30	Y-5M4M2L263030B	Y-5M4M2R263030B	926
26	36	30	Y-5M4M2L263036B	Y-5M4M2R263036B	952
26	42	30	Y-5M4M2L263042B	Y-5M4M2R263042B	977
26	48	30	Y-5M4M2L263048B	Y-5M4M2R263048B	1,002
26	54	30	Y-5M4M2L263054B	Y-5M4M2R263054B	1,025
26	60	30	Y-5M4M2L263060B	Y-5M4M2R263060B	1,050



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.


© 2026, AIS, Inc.

PET Nominal = Actual Size L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
26	24	36	Y-5M4M2L263624B	Y-5M4M2R263624B	926
26	30	36	Y-5M4M2L263630B	Y-5M4M2R263630B	952
26	36	36	Y-5M4M2L263636B	Y-5M4M2R263636B	977
26	42	36	Y-5M4M2L263642B	Y-5M4M2R263642B	1,002
26	48	36	Y-5M4M2L263648B	Y-5M4M2R263648B	1,025
26	54	36	Y-5M4M2L263654B	Y-5M4M2R263654B	1,050
26	24	42	Y-5M4M2L264224B	Y-5M4M2R264224B	952
26	30	42	Y-5M4M2L264230B	Y-5M4M2R264230B	977
26	36	42	Y-5M4M2L264236B	Y-5M4M2R264236B	1,002
26	42	42	Y-5M4M2L264242B	Y-5M4M2R264242B	1,025
26	48	42	Y-5M4M2L264248B	Y-5M4M2R264248B	1,050



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Nominal = Actual Size L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
34	24	12	Y-5M4M2L341224B	Y-5M4M2R341224B	952
34	30	12	Y-5M4M2L341230B	Y-5M4M2R341230B	997
34	36	12	Y-5M4M2L341236B	Y-5M4M2R341236B	1,042
34	42	12	Y-5M4M2L341242B	Y-5M4M2R341242B	1,087
34	48	12	Y-5M4M2L341248B	Y-5M4M2R341248B	1,133
34	54	12	Y-5M4M2L341254B	Y-5M4M2R341254B	1,179
34	60	12	Y-5M4M2L341260B	Y-5M4M2R341260B	1,222
34	66	12	Y-5M4M2L341266B	Y-5M4M2R341266B	1,267
34	72	12	Y-5M4M2L341272B	Y-5M4M2R341272B	1,313
34	78	12	Y-5M4M2L341278B	Y-5M4M2R341278B	1,359
34	24	18	Y-5M4M2L341824B	Y-5M4M2R341824B	997
34	30	18	Y-5M4M2L341830B	Y-5M4M2R341830B	1,042
34	36	18	Y-5M4M2L341836B	Y-5M4M2R341836B	1,087
34	42	18	Y-5M4M2L341842B	Y-5M4M2R341842B	1,133
34	48	18	Y-5M4M2L341848B	Y-5M4M2R341848B	1,179
34	54	18	Y-5M4M2L341854B	Y-5M4M2R341854B	1,222
34	60	18	Y-5M4M2L341860B	Y-5M4M2R341860B	1,267
34	66	18	Y-5M4M2L341866B	Y-5M4M2R341866B	1,313
34	72	18	Y-5M4M2L341872B	Y-5M4M2R341872B	1,359



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.


© 2026, AIS, Inc.

PET Nominal = Actual Size L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
34	24	24	Y-5M4M2L342424B	Y-5M4M2R342424B	1,042
34	30	24	Y-5M4M2L342430B	Y-5M4M2R342430B	1,087
34	36	24	Y-5M4M2L342436B	Y-5M4M2R342436B	1,133
34	42	24	Y-5M4M2L342442B	Y-5M4M2R342442B	1,179
34	48	24	Y-5M4M2L342448B	Y-5M4M2R342448B	1,222
34	54	24	Y-5M4M2L342454B	Y-5M4M2R342454B	1,267
34	60	24	Y-5M4M2L342460B	Y-5M4M2R342460B	1,313
34	66	24	Y-5M4M2L342466B	Y-5M4M2R342466B	1,359
34	24	30	Y-5M4M2L343024B	Y-5M4M2R343024B	1,087
34	30	30	Y-5M4M2L343030B	Y-5M4M2R343030B	1,133
34	36	30	Y-5M4M2L343036B	Y-5M4M2R343036B	1,179
34	42	30	Y-5M4M2L343042B	Y-5M4M2R343042B	1,222
34	48	30	Y-5M4M2L343048B	Y-5M4M2R343048B	1,267
34	54	30	Y-5M4M2L343054B	Y-5M4M2R343054B	1,313
34	60	30	Y-5M4M2L343060B	Y-5M4M2R343060B	1,359



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Nominal = Actual Size L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
34	24	36	Y-5M4M2L343624B	Y-5M4M2R343624B	1,133
34	30	36	Y-5M4M2L343630B	Y-5M4M2R343630B	1,179
34	36	36	Y-5M4M2L343636B	Y-5M4M2R343636B	1,222
34	42	36	Y-5M4M2L343642B	Y-5M4M2R343642B	1,267
34	48	36	Y-5M4M2L343648B	Y-5M4M2R343648B	1,313
34	54	36	Y-5M4M2L343654B	Y-5M4M2R343654B	1,359
34	24	42	Y-5M4M2L344224B	Y-5M4M2R344224B	1,179
34	30	42	Y-5M4M2L344230B	Y-5M4M2R344230B	1,222
34	36	42	Y-5M4M2L344236B	Y-5M4M2R344236B	1,267
34	42	42	Y-5M4M2L344242B	Y-5M4M2R344242B	1,313
34	48	42	Y-5M4M2L344248B	Y-5M4M2R344248B	1,359



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.


© 2026, AIS, Inc.

PET Nominal = Actual Size L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
38	24	12	Y-5M4M2L381224B	Y-5M4M2R381224B	985
38	30	12	Y-5M4M2L381230B	Y-5M4M2R381230B	1,036
38	36	12	Y-5M4M2L381236B	Y-5M4M2R381236B	1,084
38	42	12	Y-5M4M2L381242B	Y-5M4M2R381242B	1,135
38	48	12	Y-5M4M2L381248B	Y-5M4M2R381248B	1,187
38	54	12	Y-5M4M2L381254B	Y-5M4M2R381254B	1,235
38	60	12	Y-5M4M2L381260B	Y-5M4M2R381260B	1,285
38	66	12	Y-5M4M2L381266B	Y-5M4M2R381266B	1,339
38	72	12	Y-5M4M2L381272B	Y-5M4M2R381272B	1,388
38	78	12	Y-5M4M2L381278B	Y-5M4M2R381278B	1,438
38	24	18	Y-5M4M2L381824B	Y-5M4M2R381824B	1,036
38	30	18	Y-5M4M2L381830B	Y-5M4M2R381830B	1,084
38	36	18	Y-5M4M2L381836B	Y-5M4M2R381836B	1,135
38	42	18	Y-5M4M2L381842B	Y-5M4M2R381842B	1,187
38	48	18	Y-5M4M2L381848B	Y-5M4M2R381848B	1,235
38	54	18	Y-5M4M2L381854B	Y-5M4M2R381854B	1,285
38	60	18	Y-5M4M2L381860B	Y-5M4M2R381860B	1,339
38	66	18	Y-5M4M2L381866B	Y-5M4M2R381866B	1,388
38	72	18	Y-5M4M2L381872B	Y-5M4M2R381872B	1,438



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Nominal = Actual Size L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
38	24	24	Y-5M4M2L382424B	Y-5M4M2R382424B	1,084
38	30	24	Y-5M4M2L382430B	Y-5M4M2R382430B	1,135
38	36	24	Y-5M4M2L382436B	Y-5M4M2R382436B	1,187
38	42	24	Y-5M4M2L382442B	Y-5M4M2R382442B	1,235
38	48	24	Y-5M4M2L382448B	Y-5M4M2R382448B	1,285
38	54	24	Y-5M4M2L382454B	Y-5M4M2R382454B	1,339
38	60	24	Y-5M4M2L382460B	Y-5M4M2R382460B	1,388
38	66	24	Y-5M4M2L382466B	Y-5M4M2R382466B	1,438
38	24	30	Y-5M4M2L383024B	Y-5M4M2R383024B	1,135
38	30	30	Y-5M4M2L383030B	Y-5M4M2R383030B	1,187
38	36	30	Y-5M4M2L383036B	Y-5M4M2R383036B	1,235
38	42	30	Y-5M4M2L383042B	Y-5M4M2R383042B	1,285
38	48	30	Y-5M4M2L383048B	Y-5M4M2R383048B	1,339
38	54	30	Y-5M4M2L383054B	Y-5M4M2R383054B	1,388
38	60	30	Y-5M4M2L383060B	Y-5M4M2R383060B	1,438



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.


© 2026, AIS, Inc.

PET Nominal = Actual Size L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
38	24	36	Y-5M4M2L383624B	Y-5M4M2R383624B	1,187
38	30	36	Y-5M4M2L383630B	Y-5M4M2R383630B	1,235
38	36	36	Y-5M4M2L383636B	Y-5M4M2R383636B	1,285
38	42	36	Y-5M4M2L383642B	Y-5M4M2R383642B	1,339
38	48	36	Y-5M4M2L383648B	Y-5M4M2R383648B	1,388
38	54	36	Y-5M4M2L383654B	Y-5M4M2R383654B	1,438
38	24	42	Y-5M4M2L384224B	Y-5M4M2R384224B	1,235
38	30	42	Y-5M4M2L384230B	Y-5M4M2R384230B	1,285
38	36	42	Y-5M4M2L384236B	Y-5M4M2R384236B	1,339
38	42	42	Y-5M4M2L384242B	Y-5M4M2R384242B	1,388
38	48	42	Y-5M4M2L384248B	Y-5M4M2R384248B	1,438



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Nominal = Actual Size L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
42	24	12	Y-5M4M2L421224B	Y-5M4M2R421224B	1,014
42	30	12	Y-5M4M2L421230B	Y-5M4M2R421230B	1,073
42	36	12	Y-5M4M2L421236B	Y-5M4M2R421236B	1,126
42	42	12	Y-5M4M2L421242B	Y-5M4M2R421242B	1,182
42	48	12	Y-5M4M2L421248B	Y-5M4M2R421248B	1,236
42	54	12	Y-5M4M2L421254B	Y-5M4M2R421254B	1,295
42	60	12	Y-5M4M2L421260B	Y-5M4M2R421260B	1,349
42	66	12	Y-5M4M2L421266B	Y-5M4M2R421266B	1,406
42	72	12	Y-5M4M2L421272B	Y-5M4M2R421272B	1,460
42	78	12	Y-5M4M2L421278B	Y-5M4M2R421278B	1,520
42	24	18	Y-5M4M2L421824B	Y-5M4M2R421824B	1,073
42	30	18	Y-5M4M2L421830B	Y-5M4M2R421830B	1,126
42	36	18	Y-5M4M2L421836B	Y-5M4M2R421836B	1,182
42	42	18	Y-5M4M2L421842B	Y-5M4M2R421842B	1,236
42	48	18	Y-5M4M2L421848B	Y-5M4M2R421848B	1,295
42	54	18	Y-5M4M2L421854B	Y-5M4M2R421854B	1,349
42	60	18	Y-5M4M2L421860B	Y-5M4M2R421860B	1,406
42	66	18	Y-5M4M2L421866B	Y-5M4M2R421866B	1,460
42	72	18	Y-5M4M2L421872B	Y-5M4M2R421872B	1,520



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.


© 2026, AIS, Inc.

PET Nominal = Actual Size L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
42	24	24	Y-5M4M2L422424B	Y-5M4M2R422424B	1,126
42	30	24	Y-5M4M2L422430B	Y-5M4M2R422430B	1,182
42	36	24	Y-5M4M2L422436B	Y-5M4M2R422436B	1,236
42	42	24	Y-5M4M2L422442B	Y-5M4M2R422442B	1,295
42	48	24	Y-5M4M2L422448B	Y-5M4M2R422448B	1,349
42	54	24	Y-5M4M2L422454B	Y-5M4M2R422454B	1,406
42	60	24	Y-5M4M2L422460B	Y-5M4M2R422460B	1,460
42	66	24	Y-5M4M2L422466B	Y-5M4M2R422466B	1,520
42	24	30	Y-5M4M2L423024B	Y-5M4M2R423024B	1,182
42	30	30	Y-5M4M2L423030B	Y-5M4M2R423030B	1,236
42	36	30	Y-5M4M2L423036B	Y-5M4M2R423036B	1,295
42	42	30	Y-5M4M2L423042B	Y-5M4M2R423042B	1,349
42	48	30	Y-5M4M2L423048B	Y-5M4M2R423048B	1,406
42	54	30	Y-5M4M2L423054B	Y-5M4M2R423054B	1,460
42	60	30	Y-5M4M2L423060B	Y-5M4M2R423060B	1,520



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Nominal = Actual Size L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
42	24	36	Y-5M4M2L423624B	Y-5M4M2R423624B	1,236
42	30	36	Y-5M4M2L423630B	Y-5M4M2R423630B	1,295
42	36	36	Y-5M4M2L423636B	Y-5M4M2R423636B	1,349
42	42	36	Y-5M4M2L423642B	Y-5M4M2R423642B	1,406
42	48	36	Y-5M4M2L423648B	Y-5M4M2R423648B	1,460
42	54	36	Y-5M4M2L423654B	Y-5M4M2R423654B	1,520
42	24	42	Y-5M4M2L424224B	Y-5M4M2R424224B	1,295
42	30	42	Y-5M4M2L424230B	Y-5M4M2R424230B	1,349
42	36	42	Y-5M4M2L424236B	Y-5M4M2R424236B	1,406
42	42	42	Y-5M4M2L424242B	Y-5M4M2R424242B	1,460
42	48	42	Y-5M4M2L424248B	Y-5M4M2R424248B	1,520



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.


© 2026, AIS, Inc.

PET Nominal = Actual Size L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
46	24	12	Y-5M4M2L461224B	Y-5M4M2R461224B	1,047
46	30	12	Y-5M4M2L461230B	Y-5M4M2R461230B	1,107
46	36	12	Y-5M4M2L461236B	Y-5M4M2R461236B	1,171
46	42	12	Y-5M4M2L461242B	Y-5M4M2R461242B	1,230
46	48	12	Y-5M4M2L461248B	Y-5M4M2R461248B	1,293
46	54	12	Y-5M4M2L461254B	Y-5M4M2R461254B	1,352
46	60	12	Y-5M4M2L461260B	Y-5M4M2R461260B	1,414
46	66	12	Y-5M4M2L461266B	Y-5M4M2R461266B	1,474
46	72	12	Y-5M4M2L461272B	Y-5M4M2R461272B	1,538
46	78	12	Y-5M4M2L461278B	Y-5M4M2R461278B	1,599
46	24	18	Y-5M4M2L461824B	Y-5M4M2R461824B	1,107
46	30	18	Y-5M4M2L461830B	Y-5M4M2R461830B	1,171
46	36	18	Y-5M4M2L461836B	Y-5M4M2R461836B	1,230
46	42	18	Y-5M4M2L461842B	Y-5M4M2R461842B	1,293
46	48	18	Y-5M4M2L461848B	Y-5M4M2R461848B	1,352
46	54	18	Y-5M4M2L461854B	Y-5M4M2R461854B	1,414
46	60	18	Y-5M4M2L461860B	Y-5M4M2R461860B	1,474
46	66	18	Y-5M4M2L461866B	Y-5M4M2R461866B	1,538
46	72	18	Y-5M4M2L461872B	Y-5M4M2R461872B	1,599



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Nominal = Actual Size L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
46	24	24	Y-5M4M2L462424B	Y-5M4M2R462424B	1,171
46	30	24	Y-5M4M2L462430B	Y-5M4M2R462430B	1,230
46	36	24	Y-5M4M2L462436B	Y-5M4M2R462436B	1,293
46	42	24	Y-5M4M2L462442B	Y-5M4M2R462442B	1,352
46	48	24	Y-5M4M2L462448B	Y-5M4M2R462448B	1,414
46	54	24	Y-5M4M2L462454B	Y-5M4M2R462454B	1,474
46	60	24	Y-5M4M2L462460B	Y-5M4M2R462460B	1,538
46	66	24	Y-5M4M2L462466B	Y-5M4M2R462466B	1,599
46	24	30	Y-5M4M2L463024B	Y-5M4M2R463024B	1,230
46	30	30	Y-5M4M2L463030B	Y-5M4M2R463030B	1,293
46	36	30	Y-5M4M2L463036B	Y-5M4M2R463036B	1,352
46	42	30	Y-5M4M2L463042B	Y-5M4M2R463042B	1,414
46	48	30	Y-5M4M2L463048B	Y-5M4M2R463048B	1,474
46	54	30	Y-5M4M2L463054B	Y-5M4M2R463054B	1,538
46	60	30	Y-5M4M2L463060B	Y-5M4M2R463060B	1,599



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.


© 2026, AIS, Inc.

PET Nominal = Actual Size L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
46	24	36	Y-5M4M2L463624B	Y-5M4M2R463624B	1,293
46	30	36	Y-5M4M2L463630B	Y-5M4M2R463630B	1,352
46	36	36	Y-5M4M2L463636B	Y-5M4M2R463636B	1,414
46	42	36	Y-5M4M2L463642B	Y-5M4M2R463642B	1,474
46	48	36	Y-5M4M2L463648B	Y-5M4M2R463648B	1,538
46	54	36	Y-5M4M2L463654B	Y-5M4M2R463654B	1,599
46	24	42	Y-5M4M2L464224B	Y-5M4M2R464224B	1,352
46	30	42	Y-5M4M2L464230B	Y-5M4M2R464230B	1,414
46	36	42	Y-5M4M2L464236B	Y-5M4M2R464236B	1,474
46	42	42	Y-5M4M2L464242B	Y-5M4M2R464242B	1,538
46	48	42	Y-5M4M2L464248B	Y-5M4M2R464248B	1,599



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

U-Wrap Screens Sized for Day-to-Day, Calibrate & E Series HAT

PET Day-to-Day, Calibrate & E Series HAT U-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap on Worksurface	Lite	L-Wrap for Day-to-Day, Calibrate & E Series HAT	Under Surface Mount

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
12	42	12	1	Y-5N4N2U121242B	783
12	48	12	1	Y-5N4N2U121248B	796
12	54	12	1	Y-5N4N2U121254B	806
12	60	12	1	Y-5N4N2U121260B	816
12	66	12	1	Y-5N4N2U121266B	830
12	72	12	2	Y-5N4N2U121272B	840
12	78	12	2	Y-5N4N2U121278B	852
12	84	12	2	Y-5N4N2U121284B	884
16	42	12	1	Y-5N4N2U161242B	816
16	48	12	1	Y-5N4N2U161248B	832
16	54	12	1	Y-5N4N2U161254B	847
16	60	12	1	Y-5N4N2U161260B	865
16	66	12	1	Y-5N4N2U161266B	878
16	72	12	2	Y-5N4N2U161272B	894
16	78	12	2	Y-5N4N2U161278B	908
16	84	12	2	Y-5N4N2U161284B	954

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
20	42	12	1	Y-5N4N2U201242B	852
20	48	12	1	Y-5N4N2U201248B	870
20	54	12	1	Y-5N4N2U201254B	890
20	60	12	1	Y-5N4N2U201260B	908
20	66	12	1	Y-5N4N2U201266B	926
20	72	12	2	Y-5N4N2U201272B	948
20	78	12	2	Y-5N4N2U201278B	965
20	84	12	2	Y-5N4N2U201284B	1,023
24	42	12	1	Y-5N4N2U241242B	884
24	48	12	1	Y-5N4N2U241248B	908
24	54	12	1	Y-5N4N2U241254B	930
24	60	12	1	Y-5N4N2U241260B	954
24	66	12	1	Y-5N4N2U241266B	977
24	72	12	2	Y-5N4N2U241272B	999
24	78	12	2	Y-5N4N2U241278B	1,023
24	84	12	2	Y-5N4N2U241284B	1,091



1 PET Piece



2 PET Pieces



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Day-to-Day, Calibrate & E Series HAT U-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap on Worksurface	Lite	L-Wrap for Day-to-Day, Calibrate & E Series HAT	Under Surface Mount

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
28	42	12	1	Y-5N4N2U281242B	917
28	48	12	1	Y-5N4N2U281248B	948
28	54	12	1	Y-5N4N2U281254B	973
28	60	12	1	Y-5N4N2U281260B	999
28	66	12	1	Y-5N4N2U281266B	1,025
28	72	12	2	Y-5N4N2U281272B	1,051
28	78	12	2	Y-5N4N2U281278B	1,079
28	84	12	2	Y-5N4N2U281284B	1,159
32	42	12	1	Y-5N4N2U321242B	1,062
32	48	12	1	Y-5N4N2U321248B	1,106
32	54	12	1	Y-5N4N2U321254B	1,147
32	60	12	1	Y-5N4N2U321260B	1,190
32	66	12	1	Y-5N4N2U321266B	1,232
32	72	12	2	Y-5N4N2U321272B	1,276
32	78	12	2	Y-5N4N2U321278B	1,318
32	84	12	2	Y-5N4N2U321284B	1,445

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
12	42	18	1	Y-5N4N2U121842B	796
12	48	18	1	Y-5N4N2U121848B	806
12	54	18	1	Y-5N4N2U121854B	816
12	60	18	2	Y-5N4N2U121860B	830
12	66	18	2	Y-5N4N2U121866B	840
12	72	18	2	Y-5N4N2U121872B	852
12	78	18	2	Y-5N4N2U121878B	899
12	84	18	2	Y-5N4N2U121884B	908
16	42	18	1	Y-5N4N2U161842B	832
16	48	18	1	Y-5N4N2U161848B	847
16	54	18	1	Y-5N4N2U161854B	865
16	60	18	2	Y-5N4N2U161860B	878
16	66	18	2	Y-5N4N2U161866B	894
16	72	18	2	Y-5N4N2U161872B	908
16	78	18	2	Y-5N4N2U161878B	967
16	84	18	2	Y-5N4N2U161884B	985



1 PET Piece



2 PET Pieces



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.

© 2026, AIS, Inc.

PET Day-to-Day, Calibrate & E Series HAT U-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap on Worksurface	Lite	L-Wrap for Day-to-Day, Calibrate & E Series HAT	Under Surface Mount

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
20	42	18	1	Y-5N4N2U201842B	870
20	48	18	1	Y-5N4N2U201848B	890
20	54	18	1	Y-5N4N2U201854B	908
20	60	18	2	Y-5N4N2U201860B	926
20	66	18	2	Y-5N4N2U201866B	948
20	72	18	2	Y-5N4N2U201872B	965
20	78	18	2	Y-5N4N2U201878B	1,042
20	84	18	2	Y-5N4N2U201884B	1,060
24	42	18	1	Y-5N4N2U241842B	908
24	48	18	1	Y-5N4N2U241848B	930
24	54	18	1	Y-5N4N2U241854B	954
24	60	18	2	Y-5N4N2U241860B	977
24	66	18	2	Y-5N4N2U241866B	999
24	72	18	2	Y-5N4N2U241872B	1,023
24	78	18	2	Y-5N4N2U241878B	1,115
24	84	18	2	Y-5N4N2U241884B	1,136

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
28	42	18	1	Y-5N4N2U281842B	948
28	48	18	1	Y-5N4N2U281848B	973
28	54	18	1	Y-5N4N2U281854B	999
28	60	18	2	Y-5N4N2U281860B	1,025
28	66	18	2	Y-5N4N2U281866B	1,051
28	72	18	2	Y-5N4N2U281872B	1,079
28	78	18	2	Y-5N4N2U281878B	1,187
28	84	18	2	Y-5N4N2U281884B	1,214
32	42	18	1	Y-5N4N2U321842B	1,106
32	48	18	1	Y-5N4N2U321848B	1,147
32	54	18	1	Y-5N4N2U321854B	1,190
32	60	18	2	Y-5N4N2U321860B	1,232
32	66	18	2	Y-5N4N2U321866B	1,276
32	72	18	2	Y-5N4N2U321872B	1,318
32	78	18	2	Y-5N4N2U321878B	1,490
32	84	18	2	Y-5N4N2U321884B	1,532



1 PET Piece



2 PET Pieces



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Day-to-Day, Calibrate & E Series HAT U-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap on Worksurface	Lite	L-Wrap for Day-to-Day, Calibrate & E Series HAT	Under Surface Mount

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
12	42	24	1	Y-5N4N2U122442B	806
12	48	24	2	Y-5N4N2U122448B	816
12	54	24	2	Y-5N4N2U122454B	830
12	60	24	2	Y-5N4N2U122460B	840
12	66	24	2	Y-5N4N2U122466B	852
12	72	24	2	Y-5N4N2U122472B	908
12	78	24	2	Y-5N4N2U122478B	917
12	84	24	2	Y-5N4N2U122484B	930
16	42	24	1	Y-5N4N2U162442B	847
16	48	24	2	Y-5N4N2U162448B	865
16	54	24	2	Y-5N4N2U162454B	878
16	60	24	2	Y-5N4N2U162460B	894
16	66	24	2	Y-5N4N2U162466B	908
16	72	24	2	Y-5N4N2U162472B	985
16	78	24	2	Y-5N4N2U162478B	999
16	84	24	2	Y-5N4N2U162484B	1,014

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
20	42	24	1	Y-5N4N2U202442B	890
20	48	24	2	Y-5N4N2U202448B	908
20	54	24	2	Y-5N4N2U202454B	926
20	60	24	2	Y-5N4N2U202460B	948
20	66	24	2	Y-5N4N2U202466B	965
20	72	24	2	Y-5N4N2U202472B	1,060
20	78	24	2	Y-5N4N2U202478B	1,079
20	84	24	2	Y-5N4N2U202484B	1,098
24	42	24	1	Y-5N4N2U242442B	930
24	48	24	2	Y-5N4N2U242448B	954
24	54	24	2	Y-5N4N2U242454B	977
24	60	24	2	Y-5N4N2U242460B	999
24	66	24	2	Y-5N4N2U242466B	1,023
24	72	24	2	Y-5N4N2U242472B	1,136
24	78	24	2	Y-5N4N2U242478B	1,159
24	84	24	2	Y-5N4N2U242484B	1,182



1 PET Piece



2 PET Pieces



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.

© 2026, AIS, Inc.

PET Day-to-Day, Calibrate & E Series HAT U-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap on Worksurface	Lite	L-Wrap for Day-to-Day, Calibrate & E Series HAT	Under Surface Mount

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
28	42	24	1	Y-5N4N2U282442B	973
28	48	24	2	Y-5N4N2U282448B	999
28	54	24	2	Y-5N4N2U282454B	1,025
28	60	24	2	Y-5N4N2U282460B	1,051
28	66	24	2	Y-5N4N2U282466B	1,079
28	72	24	2	Y-5N4N2U282472B	1,214
28	78	24	2	Y-5N4N2U282478B	1,236
28	84	24	2	Y-5N4N2U282484B	1,265
32	42	24	1	Y-5N4N2U322442B	1,147
32	48	24	2	Y-5N4N2U322448B	1,190
32	54	24	2	Y-5N4N2U322454B	1,232
32	60	24	2	Y-5N4N2U322460B	1,276
32	66	24	2	Y-5N4N2U322466B	1,318
32	72	24	2	Y-5N4N2U322472B	1,532
32	78	24	2	Y-5N4N2U322478B	1,575
32	84	24	2	Y-5N4N2U322484B	1,617

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
12	42	30	2	Y-5N4N2U123042B	816
12	48	30	2	Y-5N4N2U123048B	830
12	54	30	2	Y-5N4N2U123054B	840
12	60	30	2	Y-5N4N2U123060B	852
12	66	30	2	Y-5N4N2U123066B	917
12	72	30	2	Y-5N4N2U123072B	930
12	78	30	2	Y-5N4N2U123078B	943
12	84	30	2	Y-5N4N2U123084B	954
16	42	30	2	Y-5N4N2U163042B	865
16	48	30	2	Y-5N4N2U163048B	878
16	54	30	2	Y-5N4N2U163054B	894
16	60	30	2	Y-5N4N2U163060B	908
16	66	30	2	Y-5N4N2U163066B	999
16	72	30	2	Y-5N4N2U163072B	1,014
16	78	30	2	Y-5N4N2U163078B	1,032
16	84	30	2	Y-5N4N2U163084B	1,045



1 PET Piece



2 PET Pieces



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Day-to-Day, Calibrate & E Series HAT U-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap on Worksurface	Lite	L-Wrap for Day-to-Day, Calibrate & E Series HAT	Under Surface Mount

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
20	42	30	2	Y-5N4N2U203042B	908
20	48	30	2	Y-5N4N2U203048B	926
20	54	30	2	Y-5N4N2U203054B	948
20	60	30	2	Y-5N4N2U203060B	965
20	66	30	2	Y-5N4N2U203066B	1,079
20	72	30	2	Y-5N4N2U203072B	1,098
20	78	30	2	Y-5N4N2U203078B	1,118
20	84	30	2	Y-5N4N2U203084B	1,136
24	42	30	2	Y-5N4N2U243042B	954
24	48	30	2	Y-5N4N2U243048B	977
24	54	30	2	Y-5N4N2U243054B	999
24	60	30	2	Y-5N4N2U243060B	1,023
24	66	30	2	Y-5N4N2U243066B	1,159
24	72	30	2	Y-5N4N2U243072B	1,182
24	78	30	2	Y-5N4N2U243078B	1,204
24	84	30	2	Y-5N4N2U243084B	1,228

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
28	42	30	2	Y-5N4N2U283042B	999
28	48	30	2	Y-5N4N2U283048B	1,025
28	54	30	2	Y-5N4N2U283054B	1,051
28	60	30	2	Y-5N4N2U283060B	1,079
28	66	30	2	Y-5N4N2U283066B	1,236
28	72	30	2	Y-5N4N2U283072B	1,265
28	78	30	2	Y-5N4N2U283078B	1,293
28	84	30	2	Y-5N4N2U283084B	1,318
32	42	30	2	Y-5N4N2U323042B	1,190
32	48	30	2	Y-5N4N2U323048B	1,232
32	54	30	2	Y-5N4N2U323054B	1,276
32	60	30	2	Y-5N4N2U323060B	1,318
32	66	30	2	Y-5N4N2U323066B	1,575
32	72	30	2	Y-5N4N2U323072B	1,617
32	78	30	2	Y-5N4N2U323078B	1,659
32	84	30	2	Y-5N4N2U323084B	1,701



1 PET Piece



2 PET Pieces



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.

© 2026, AIS, Inc.

PET Day-to-Day, Calibrate & E Series HAT U-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap on Worksurface	Lite	L-Wrap for Day-to-Day, Calibrate & E Series HAT	Under Surface Mount

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
12	42	36	2	Y-5N4N2U123642B	830
12	48	36	2	Y-5N4N2U123648B	840
12	54	36	2	Y-5N4N2U123654B	852
12	60	36	2	Y-5N4N2U123660B	930
12	66	36	2	Y-5N4N2U123666B	943
12	72	36	2	Y-5N4N2U123672B	954
12	78	36	2	Y-5N4N2U123678B	965
12	84	36	2	Y-5N4N2U123684B	977
16	42	36	2	Y-5N4N2U163642B	878
16	48	36	2	Y-5N4N2U163648B	894
16	54	36	2	Y-5N4N2U163654B	908
16	60	36	2	Y-5N4N2U163660B	1,014
16	66	36	2	Y-5N4N2U163666B	1,032
16	72	36	2	Y-5N4N2U163672B	1,045
16	78	36	2	Y-5N4N2U163678B	1,060
16	84	36	2	Y-5N4N2U163684B	1,076

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
20	42	36	2	Y-5N4N2U203642B	926
20	48	36	2	Y-5N4N2U203648B	948
20	54	36	2	Y-5N4N2U203654B	965
20	60	36	2	Y-5N4N2U203660B	1,098
20	66	36	2	Y-5N4N2U203666B	1,118
20	72	36	2	Y-5N4N2U203672B	1,136
20	78	36	2	Y-5N4N2U203678B	1,156
20	84	36	2	Y-5N4N2U203684B	1,175
24	42	36	2	Y-5N4N2U243642B	977
24	48	36	2	Y-5N4N2U243648B	999
24	54	36	2	Y-5N4N2U243654B	1,023
24	60	36	2	Y-5N4N2U243660B	1,182
24	66	36	2	Y-5N4N2U243666B	1,204
24	72	36	2	Y-5N4N2U243672B	1,228
24	78	36	2	Y-5N4N2U243678B	1,251
24	84	36	2	Y-5N4N2U243684B	1,273



1 PET Piece



2 PET Pieces



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Day-to-Day, Calibrate & E Series HAT U-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap on Worksurface	Lite	L-Wrap for Day-to-Day, Calibrate & E Series HAT	Under Surface Mount

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
28	42	36	2	Y-5N4N2U283642B	1,025
28	48	36	2	Y-5N4N2U283648B	1,051
28	54	36	2	Y-5N4N2U283654B	1,079
28	60	36	2	Y-5N4N2U283660B	1,265
28	66	36	2	Y-5N4N2U283666B	1,293
28	72	36	2	Y-5N4N2U283672B	1,318
28	78	36	2	Y-5N4N2U283678B	1,346
28	84	36	2	Y-5N4N2U283684B	1,371
32	42	36	2	Y-5N4N2U323642B	1,232
32	48	36	2	Y-5N4N2U323648B	1,276
32	54	36	2	Y-5N4N2U323654B	1,318
32	60	36	2	Y-5N4N2U323660B	1,617
32	66	36	2	Y-5N4N2U323666B	1,659
32	72	36	2	Y-5N4N2U323672B	1,701
32	78	36	2	Y-5N4N2U323678B	1,743
32	84	36	2	Y-5N4N2U323684B	1,787

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
12	42	42	2	Y-5N4N2U124242B	840
12	48	42	2	Y-5N4N2U124248B	852
12	54	42	2	Y-5N4N2U124254B	943
12	60	42	2	Y-5N4N2U124260B	954
12	66	42	2	Y-5N4N2U124266B	965
12	72	42	2	Y-5N4N2U124272B	977
12	78	42	2	Y-5N4N2U124278B	989
12	84	42	2	Y-5N4N2U124284B	999
16	42	42	2	Y-5N4N2U164242B	894
16	48	42	2	Y-5N4N2U164248B	908
16	54	42	2	Y-5N4N2U164254B	1,032
16	60	42	2	Y-5N4N2U164260B	1,045
16	66	42	2	Y-5N4N2U164266B	1,060
16	72	42	2	Y-5N4N2U164272B	1,076
16	78	42	2	Y-5N4N2U164278B	1,091
16	84	42	2	Y-5N4N2U164284B	1,106



1 PET Piece



2 PET Pieces



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.

© 2026, AIS, Inc.

PET Day-to-Day, Calibrate & E Series HAT U-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap on Worksurface	Lite	L-Wrap for Day-to-Day, Calibrate & E Series HAT	Under Surface Mount

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
20	42	42	2	Y-5N4N2U204242B	948
20	48	42	2	Y-5N4N2U204248B	965
20	54	42	2	Y-5N4N2U204254B	1,118
20	60	42	2	Y-5N4N2U204260B	1,136
20	66	42	2	Y-5N4N2U204266B	1,156
20	72	42	2	Y-5N4N2U204272B	1,175
20	78	42	2	Y-5N4N2U204278B	1,192
20	84	42	2	Y-5N4N2U204284B	1,214
24	42	42	2	Y-5N4N2U244242B	999
24	48	42	2	Y-5N4N2U244248B	1,023
24	54	42	2	Y-5N4N2U244254B	1,204
24	60	42	2	Y-5N4N2U244260B	1,228
24	66	42	2	Y-5N4N2U244266B	1,251
24	72	42	2	Y-5N4N2U244272B	1,273
24	78	42	2	Y-5N4N2U244278B	1,296
24	84	42	2	Y-5N4N2U244284B	1,318

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
28	42	42	2	Y-5N4N2U284242B	1,051
28	48	42	2	Y-5N4N2U284248B	1,079
28	54	42	2	Y-5N4N2U284254B	1,293
28	60	42	2	Y-5N4N2U284260B	1,318
28	66	42	2	Y-5N4N2U284266B	1,346
28	72	42	2	Y-5N4N2U284272B	1,371
28	78	42	2	Y-5N4N2U284278B	1,397
28	84	42	2	Y-5N4N2U284284B	1,425
32	42	42	2	Y-5N4N2U324242B	1,276
32	48	42	2	Y-5N4N2U324248B	1,318
32	54	42	2	Y-5N4N2U324254B	1,659
32	60	42	2	Y-5N4N2U324260B	1,701
32	66	42	2	Y-5N4N2U324266B	1,743
32	72	42	2	Y-5N4N2U324272B	1,787
32	78	42	2	Y-5N4N2U324278B	1,828
32	84	42	2	Y-5N4N2U324284B	1,874



1 PET Piece



2 PET Pieces



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Day-to-Day, Calibrate & E Series HAT U-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	U-Wrap Partial Modesty on WS	Lite	U-Wrap for Day-to-Day, Calibrate & E Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
22	42	12	1 PC	Y-5Q4N2U221242B	868
22	48	12	1 PC	Y-5Q4N2U221248B	890
22	54	12	1 PC	Y-5Q4N2U221254B	911
22	60	12	1 PC	Y-5Q4N2U221260B	930
22	66	12	1 PC	Y-5Q4N2U221266B	952
22	72	12	2 PC	Y-5Q4N2U221272B	973
22	78	12	2 PC	Y-5Q4N2U221278B	993
22	84	12	2 PC	Y-5Q4N2U221284B	1,056
26	42	12	1 PC	Y-5Q4N2U261242B	902
26	48	12	1 PC	Y-5Q4N2U261248B	926
26	54	12	1 PC	Y-5Q4N2U261254B	952
26	60	12	1 PC	Y-5Q4N2U261260B	977
26	66	12	1 PC	Y-5Q4N2U261266B	1,002
26	72	12	2 PC	Y-5Q4N2U261272B	1,025
26	78	12	2 PC	Y-5Q4N2U261278B	1,050
26	84	12	2 PC	Y-5Q4N2U261284B	1,124

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
30	42	12	1 PC	Y-5Q4N2U301242B	1,120
30	48	12	1 PC	Y-5Q4N2U301248B	1,159
30	54	12	1 PC	Y-5Q4N2U301254B	1,200
30	60	12	1 PC	Y-5Q4N2U301260B	1,236
30	66	12	1 PC	Y-5Q4N2U301266B	1,278
30	72	12	2 PC	Y-5Q4N2U301272B	1,318
30	78	12	2 PC	Y-5Q4N2U301278B	1,359
30	84	12	2 PC	Y-5Q4N2U301284B	1,397
34	42	12	1 PC	Y-5Q4N2U341242B	1,087
34	48	12	1 PC	Y-5Q4N2U341248B	1,133
34	54	12	1 PC	Y-5Q4N2U341254B	1,179
34	60	12	1 PC	Y-5Q4N2U341260B	1,222
34	66	12	1 PC	Y-5Q4N2U341266B	1,267
34	72	12	2 PC	Y-5Q4N2U341272B	1,313
34	78	12	2 PC	Y-5Q4N2U341278B	1,359
34	84	12	2 PC	Y-5Q4N2U341284B	1,494



1 PET Piece



2 PET Pieces



Partial Modesty L-Brackets

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.

© 2026, AIS, Inc.

PET Day-to-Day, Calibrate & E Series HAT U-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	U-Wrap Partial Modesty on WS	Lite	U-Wrap for Day-to-Day, Calibrate & E Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
38	42	12	1 PC	Y-5Q4N2U381242B	1,135
38	48	12	1 PC	Y-5Q4N2U381248B	1,187
38	54	12	1 PC	Y-5Q4N2U381254B	1,235
38	60	12	1 PC	Y-5Q4N2U381260B	1,285
38	66	12	1 PC	Y-5Q4N2U381266B	1,339
38	72	12	2 PC	Y-5Q4N2U381272B	1,388
38	78	12	2 PC	Y-5Q4N2U381278B	1,438
38	84	12	2 PC	Y-5Q4N2U381284B	1,589
42	42	12	1 PC	Y-5Q4N2U421242B	1,182
42	48	12	1 PC	Y-5Q4N2U421248B	1,236
42	54	12	1 PC	Y-5Q4N2U421254B	1,295
42	60	12	1 PC	Y-5Q4N2U421260B	1,349
42	66	12	1 PC	Y-5Q4N2U421266B	1,406
42	72	12	2 PC	Y-5Q4N2U421272B	1,460
42	78	12	2 PC	Y-5Q4N2U421278B	1,520
42	84	12	2 PC	Y-5Q4N2U421284B	1,688

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
22	42	18	1 PC	Y-5Q4N2U221842B	890
22	48	18	1 PC	Y-5Q4N2U221848B	911
22	54	18	1 PC	Y-5Q4N2U221854B	930
22	60	18	2 PC	Y-5Q4N2U221860B	952
22	66	18	2 PC	Y-5Q4N2U221866B	973
22	72	18	2 PC	Y-5Q4N2U221872B	993
22	78	18	2 PC	Y-5Q4N2U221878B	1,078
22	84	18	2 PC	Y-5Q4N2U221884B	1,098
26	42	18	1 PC	Y-5Q4N2U261842B	926
26	48	18	1 PC	Y-5Q4N2U261848B	952
26	54	18	1 PC	Y-5Q4N2U261854B	977
26	60	18	2 PC	Y-5Q4N2U261860B	1,002
26	66	18	2 PC	Y-5Q4N2U261866B	1,025
26	72	18	2 PC	Y-5Q4N2U261872B	1,050
26	78	18	2 PC	Y-5Q4N2U261878B	1,151
26	84	18	2 PC	Y-5Q4N2U261884B	1,175



1 PET Piece



2 PET Pieces



Partial Modesty L-Brackets

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Day-to-Day, Calibrate & E Series HAT U-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	U-Wrap Partial Modesty on WS	Lite	U-Wrap for Day-to-Day, Calibrate & E Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
30	42	18	1 PC	Y-5Q4N2U301842B	1,200
30	48	18	1 PC	Y-5Q4N2U301848B	1,236
30	54	18	1 PC	Y-5Q4N2U301854B	1,278
30	60	18	2 PC	Y-5Q4N2U301860B	1,318
30	66	18	2 PC	Y-5Q4N2U301866B	1,359
30	72	18	2 PC	Y-5Q4N2U301872B	1,397
30	78	18	2 PC	Y-5Q4N2U301878B	1,438
30	84	18	2 PC	Y-5Q4N2U301884B	1,479
34	42	18	1 PC	Y-5Q4N2U341842B	1,133
34	48	18	1 PC	Y-5Q4N2U341848B	1,179
34	54	18	1 PC	Y-5Q4N2U341854B	1,222
34	60	18	2 PC	Y-5Q4N2U341860B	1,267
34	66	18	2 PC	Y-5Q4N2U341866B	1,313
34	72	18	2 PC	Y-5Q4N2U341872B	1,359
34	78	18	2 PC	Y-5Q4N2U341878B	1,539
34	84	18	2 PC	Y-5Q4N2U341884B	1,584

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
38	42	18	1 PC	Y-5Q4N2U381842B	1,187
38	48	18	1 PC	Y-5Q4N2U381848B	1,235
38	54	18	1 PC	Y-5Q4N2U381854B	1,285
38	60	18	2 PC	Y-5Q4N2U381860B	1,339
38	66	18	2 PC	Y-5Q4N2U381866B	1,388
38	72	18	2 PC	Y-5Q4N2U381872B	1,438
38	78	18	2 PC	Y-5Q4N2U381878B	1,638
38	84	18	2 PC	Y-5Q4N2U381884B	1,693
42	42	18	1 PC	Y-5Q4N2U421842B	1,236
42	48	18	1 PC	Y-5Q4N2U421848B	1,295
42	54	18	1 PC	Y-5Q4N2U421854B	1,349
42	60	18	2 PC	Y-5Q4N2U421860B	1,406
42	66	18	2 PC	Y-5Q4N2U421866B	1,460
42	72	18	2 PC	Y-5Q4N2U421872B	1,520
42	78	18	2 PC	Y-5Q4N2U421878B	1,742
42	84	18	2 PC	Y-5Q4N2U421884B	1,799



1 PET Piece



2 PET Pieces



Partial Modesty L-Brackets

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.

© 2026, AIS, Inc.

PET Day-to-Day, Calibrate & E Series HAT U-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	U-Wrap Partial Modesty on WS	Lite	U-Wrap for Day-to-Day, Calibrate & E Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
22	42	24	1 PC	Y-5Q4N2U222442B	911
22	48	24	2 PC	Y-5Q4N2U222448B	930
22	54	24	2 PC	Y-5Q4N2U222454B	952
22	60	24	2 PC	Y-5Q4N2U222460B	973
22	66	24	2 PC	Y-5Q4N2U222466B	993
22	72	24	2 PC	Y-5Q4N2U222472B	1,098
22	78	24	2 PC	Y-5Q4N2U222478B	1,120
22	84	24	2 PC	Y-5Q4N2U222484B	1,140
26	42	24	1 PC	Y-5Q4N2U262442B	952
26	48	24	2 PC	Y-5Q4N2U262448B	977
26	54	24	2 PC	Y-5Q4N2U262454B	1,002
26	60	24	2 PC	Y-5Q4N2U262460B	1,025
26	66	24	2 PC	Y-5Q4N2U262466B	1,050
26	72	24	2 PC	Y-5Q4N2U262472B	1,175
26	78	24	2 PC	Y-5Q4N2U262478B	1,200
26	84	24	2 PC	Y-5Q4N2U262484B	1,224

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
30	42	24	1 PC	Y-5Q4N2U302442B	1,278
30	48	24	2 PC	Y-5Q4N2U302448B	1,318
30	54	24	2 PC	Y-5Q4N2U302454B	1,359
30	60	24	2 PC	Y-5Q4N2U302460B	1,397
30	66	24	2 PC	Y-5Q4N2U302466B	1,438
30	72	24	2 PC	Y-5Q4N2U302472B	1,479
30	78	24	2 PC	Y-5Q4N2U302478B	1,520
30	84	24	2 PC	Y-5Q4N2U302484B	1,558
34	42	24	1 PC	Y-5Q4N2U342442B	1,179
34	48	24	2 PC	Y-5Q4N2U342448B	1,222
34	54	24	2 PC	Y-5Q4N2U342454B	1,267
34	60	24	2 PC	Y-5Q4N2U342460B	1,313
34	66	24	2 PC	Y-5Q4N2U342466B	1,359
34	72	24	2 PC	Y-5Q4N2U342472B	1,584
34	78	24	2 PC	Y-5Q4N2U342478B	1,630
34	84	24	2 PC	Y-5Q4N2U342484B	1,674



1 PET Piece



2 PET Pieces



Partial Modesty L-Brackets

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Day-to-Day, Calibrate & E Series HAT U-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	U-Wrap Partial Modesty on WS	Lite	U-Wrap for Day-to-Day, Calibrate & E Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
38	42	24	1 PC	Y-5Q4N2U382442B	1,235
38	48	24	2 PC	Y-5Q4N2U382448B	1,285
38	54	24	2 PC	Y-5Q4N2U382454B	1,339
38	60	24	2 PC	Y-5Q4N2U382460B	1,388
38	66	24	2 PC	Y-5Q4N2U382466B	1,438
38	72	24	2 PC	Y-5Q4N2U382472B	1,693
38	78	24	2 PC	Y-5Q4N2U382478B	1,742
38	84	24	2 PC	Y-5Q4N2U382484B	1,792
42	42	24	1 PC	Y-5Q4N2U422442B	1,295
42	48	24	2 PC	Y-5Q4N2U422448B	1,349
42	54	24	2 PC	Y-5Q4N2U422454B	1,406
42	60	24	2 PC	Y-5Q4N2U422460B	1,460
42	66	24	2 PC	Y-5Q4N2U422466B	1,520
42	72	24	2 PC	Y-5Q4N2U422472B	1,799
42	78	24	2 PC	Y-5Q4N2U422478B	1,853
42	84	24	2 PC	Y-5Q4N2U422484B	1,910

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
22	42	30	2 PC	Y-5Q4N2U223042B	930
22	48	30	2 PC	Y-5Q4N2U223048B	952
22	54	30	2 PC	Y-5Q4N2U223054B	973
22	60	30	2 PC	Y-5Q4N2U223060B	993
22	66	30	2 PC	Y-5Q4N2U223066B	1,120
22	72	30	2 PC	Y-5Q4N2U223072B	1,140
22	78	30	2 PC	Y-5Q4N2U223078B	1,160
22	84	30	2 PC	Y-5Q4N2U223084B	1,182
26	42	30	2 PC	Y-5Q4N2U263042B	977
26	48	30	2 PC	Y-5Q4N2U263048B	1,002
26	54	30	2 PC	Y-5Q4N2U263054B	1,025
26	60	30	2 PC	Y-5Q4N2U263060B	1,050
26	66	30	2 PC	Y-5Q4N2U263066B	1,200
26	72	30	2 PC	Y-5Q4N2U263072B	1,224
26	78	30	2 PC	Y-5Q4N2U263078B	1,249
26	84	30	2 PC	Y-5Q4N2U263084B	1,273



1 PET Piece



2 PET Pieces



Partial Modesty L-Brackets

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.

© 2026, AIS, Inc.

PET Day-to-Day, Calibrate & E Series HAT U-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	U-Wrap Partial Modesty on WS	Lite	U-Wrap for Day-to-Day, Calibrate & E Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
30	42	30	2 PC	Y-5Q4N2U303042B	1,359
30	48	30	2 PC	Y-5Q4N2U303048B	1,397
30	54	30	2 PC	Y-5Q4N2U303054B	1,438
30	60	30	2 PC	Y-5Q4N2U303060B	1,479
30	66	30	2 PC	Y-5Q4N2U303066B	1,520
30	72	30	2 PC	Y-5Q4N2U303072B	1,558
30	78	30	2 PC	Y-5Q4N2U303078B	1,599
30	84	30	2 PC	Y-5Q4N2U303084B	1,637
34	42	30	2 PC	Y-5Q4N2U343042B	1,222
34	48	30	2 PC	Y-5Q4N2U343048B	1,267
34	54	30	2 PC	Y-5Q4N2U343054B	1,313
34	60	30	2 PC	Y-5Q4N2U343060B	1,359
34	66	30	2 PC	Y-5Q4N2U343066B	1,630
34	72	30	2 PC	Y-5Q4N2U343072B	1,674
34	78	30	2 PC	Y-5Q4N2U343078B	1,720
34	84	30	2 PC	Y-5Q4N2U343084B	1,765

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
38	42	30	2 PC	Y-5Q4N2U383042B	1,285
38	48	30	2 PC	Y-5Q4N2U383048B	1,339
38	54	30	2 PC	Y-5Q4N2U383054B	1,388
38	60	30	2 PC	Y-5Q4N2U383060B	1,438
38	66	30	2 PC	Y-5Q4N2U383066B	1,742
38	72	30	2 PC	Y-5Q4N2U383072B	1,792
38	78	30	2 PC	Y-5Q4N2U383078B	1,843
38	84	30	2 PC	Y-5Q4N2U383084B	1,891
42	42	30	2 PC	Y-5Q4N2U423042B	1,349
42	48	30	2 PC	Y-5Q4N2U423048B	1,406
42	54	30	2 PC	Y-5Q4N2U423054B	1,460
42	60	30	2 PC	Y-5Q4N2U423060B	1,520
42	66	30	2 PC	Y-5Q4N2U423066B	1,853
42	72	30	2 PC	Y-5Q4N2U423072B	1,910
42	78	30	2 PC	Y-5Q4N2U423078B	1,965
42	84	30	2 PC	Y-5Q4N2U423084B	2,020



1 PET Piece



2 PET Pieces



Partial Modesty L-Brackets

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Day-to-Day, Calibrate & E Series HAT U-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	U-Wrap Partial Modesty on WS	Lite	U-Wrap for Day-to-Day, Calibrate & E Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
22	42	36	2 PC	Y-5Q4N2U223642B	952
22	48	36	2 PC	Y-5Q4N2U223648B	973
22	54	36	2 PC	Y-5Q4N2U223654B	993
22	60	36	2 PC	Y-5Q4N2U223660B	1,140
22	66	36	2 PC	Y-5Q4N2U223666B	1,160
22	72	36	2 PC	Y-5Q4N2U223672B	1,182
22	78	36	2 PC	Y-5Q4N2U223678B	1,203
22	84	36	2 PC	Y-5Q4N2U223684B	1,224
26	42	36	2 PC	Y-5Q4N2U263642B	1,002
26	48	36	2 PC	Y-5Q4N2U263648B	1,025
26	54	36	2 PC	Y-5Q4N2U263654B	1,050
26	60	36	2 PC	Y-5Q4N2U263660B	1,224
26	66	36	2 PC	Y-5Q4N2U263666B	1,249
26	72	36	2 PC	Y-5Q4N2U263672B	1,273
26	78	36	2 PC	Y-5Q4N2U263678B	1,298
26	84	36	2 PC	Y-5Q4N2U263684B	1,320

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
30	42	36	2 PC	Y-5Q4N2U303642B	1,438
30	48	36	2 PC	Y-5Q4N2U303648B	1,479
30	54	36	2 PC	Y-5Q4N2U303654B	1,520
30	60	36	2 PC	Y-5Q4N2U303660B	1,558
30	66	36	2 PC	Y-5Q4N2U303666B	1,599
30	72	36	2 PC	Y-5Q4N2U303672B	1,637
30	78	36	2 PC	Y-5Q4N2U303678B	1,676
30	84	36	2 PC	Y-5Q4N2U303684B	1,718
34	42	36	2 PC	Y-5Q4N2U343642B	1,267
34	48	36	2 PC	Y-5Q4N2U343648B	1,313
34	54	36	2 PC	Y-5Q4N2U343654B	1,359
34	60	36	2 PC	Y-5Q4N2U343660B	1,674
34	66	36	2 PC	Y-5Q4N2U343666B	1,720
34	72	36	2 PC	Y-5Q4N2U343672B	1,765
34	78	36	2 PC	Y-5Q4N2U343678B	1,810
34	84	36	2 PC	Y-5Q4N2U343684B	1,854



1 PET Piece



2 PET Pieces



Partial Modesty L-Brackets

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.

© 2026, AIS, Inc.

PET Day-to-Day, Calibrate & E Series HAT U-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	U-Wrap Partial Modesty on WS	Lite	U-Wrap for Day-to-Day, Calibrate & E Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
38	42	36	2 PC	Y-5Q4N2U383642B	1,339
38	48	36	2 PC	Y-5Q4N2U383648B	1,388
38	54	36	2 PC	Y-5Q4N2U383654B	1,438
38	60	36	2 PC	Y-5Q4N2U383660B	1,792
38	66	36	2 PC	Y-5Q4N2U383666B	1,843
38	72	36	2 PC	Y-5Q4N2U383672B	1,891
38	78	36	2 PC	Y-5Q4N2U383678B	1,942
38	84	36	2 PC	Y-5Q4N2U383684B	1,995
42	42	36	2 PC	Y-5Q4N2U423642B	1,406
42	48	36	2 PC	Y-5Q4N2U423648B	1,460
42	54	36	2 PC	Y-5Q4N2U423654B	1,520
42	60	36	2 PC	Y-5Q4N2U423660B	1,910
42	66	36	2 PC	Y-5Q4N2U423666B	1,965
42	72	36	2 PC	Y-5Q4N2U423672B	2,020
42	78	36	2 PC	Y-5Q4N2U423678B	2,077
42	84	36	2 PC	Y-5Q4N2U423684B	2,133

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
22	42	42	2 PC	Y-5Q4N2U224242B	973
22	48	42	2 PC	Y-5Q4N2U224248B	993
22	54	42	2 PC	Y-5Q4N2U224254B	1,160
22	60	42	2 PC	Y-5Q4N2U224260B	1,182
22	66	42	2 PC	Y-5Q4N2U224266B	1,203
22	72	42	2 PC	Y-5Q4N2U224272B	1,224
22	78	42	2 PC	Y-5Q4N2U224278B	1,245
22	84	42	2 PC	Y-5Q4N2U224284B	1,265
26	42	42	2 PC	Y-5Q4N2U264242B	1,025
26	48	42	2 PC	Y-5Q4N2U264248B	1,050
26	54	42	2 PC	Y-5Q4N2U264254B	1,249
26	60	42	2 PC	Y-5Q4N2U264260B	1,273
26	66	42	2 PC	Y-5Q4N2U264266B	1,298
26	72	42	2 PC	Y-5Q4N2U264272B	1,320
26	78	42	2 PC	Y-5Q4N2U264278B	1,347
26	84	42	2 PC	Y-5Q4N2U264284B	1,371



1 PET Piece



2 PET Pieces



Partial Modesty L-Brackets

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Day-to-Day, Calibrate & E Series HAT U-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	U-Wrap Partial Modesty on WS	Lite	U-Wrap for Day-to-Day, Calibrate & E Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
30	42	42	2 PC	Y-5Q4N2U304242B	1,520
30	48	42	2 PC	Y-5Q4N2U304248B	1,558
30	54	42	2 PC	Y-5Q4N2U304254B	1,599
30	60	42	2 PC	Y-5Q4N2U304260B	1,637
30	66	42	2 PC	Y-5Q4N2U304266B	1,676
30	72	42	2 PC	Y-5Q4N2U304272B	1,718
30	78	42	2 PC	Y-5Q4N2U304278B	1,758
30	84	42	2 PC	Y-5Q4N2U304284B	1,799
34	42	42	2 PC	Y-5Q4N2U344242B	1,313
34	48	42	2 PC	Y-5Q4N2U344248B	1,359
34	54	42	2 PC	Y-5Q4N2U344254B	1,720
34	60	42	2 PC	Y-5Q4N2U344260B	1,765
34	66	42	2 PC	Y-5Q4N2U344266B	1,810
34	72	42	2 PC	Y-5Q4N2U344272B	1,854
34	78	42	2 PC	Y-5Q4N2U344278B	1,900
34	84	42	2 PC	Y-5Q4N2U344284B	1,944

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
38	42	42	2 PC	Y-5Q4N2U384242B	1,388
38	48	42	2 PC	Y-5Q4N2U384248B	1,438
38	54	42	2 PC	Y-5Q4N2U384254B	1,843
38	60	42	2 PC	Y-5Q4N2U384260B	1,891
38	66	42	2 PC	Y-5Q4N2U384266B	1,942
38	72	42	2 PC	Y-5Q4N2U384272B	1,995
38	78	42	2 PC	Y-5Q4N2U384278B	2,044
38	84	42	2 PC	Y-5Q4N2U384284B	2,094
42	42	42	2 PC	Y-5Q4N2U424242B	1,460
42	48	42	2 PC	Y-5Q4N2U424248B	1,520
42	54	42	2 PC	Y-5Q4N2U424254B	1,965
42	60	42	2 PC	Y-5Q4N2U424260B	2,020
42	66	42	2 PC	Y-5Q4N2U424266B	2,077
42	72	42	2 PC	Y-5Q4N2U424272B	2,133
42	78	42	2 PC	Y-5Q4N2U424278B	2,188
42	84	42	2 PC	Y-5Q4N2U424284B	2,244



1 PET Piece



2 PET Pieces



Partial Modesty L-Brackets

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.

© 2026, AIS, Inc.

U-Wrap Screens Sized for Nominal = Actual Size

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Nominal = Actual Size U-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap on Worksurface	Lite	U-Wrap for Nominal = Actual Size	Under Surface Mount

PET NOMINAL = ACTUAL SIZE U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
12	42	12	1	Y-5N4Q2U121242B	783
12	48	12	1	Y-5N4Q2U121248B	796
12	54	12	1	Y-5N4Q2U121254B	806
12	60	12	1	Y-5N4Q2U121260B	816
12	66	12	1	Y-5N4Q2U121266B	830
12	72	12	2	Y-5N4Q2U121272B	840
12	78	12	2	Y-5N4Q2U121278B	852
12	84	12	2	Y-5N4Q2U121284B	886
16	42	12	1	Y-5N4Q2U161242B	816
16	48	12	1	Y-5N4Q2U161248B	832
16	54	12	1	Y-5N4Q2U161254B	847
16	60	12	1	Y-5N4Q2U161260B	865
16	66	12	1	Y-5N4Q2U161266B	878
16	72	12	2	Y-5N4Q2U161272B	894
16	78	12	2	Y-5N4Q2U161278B	908
16	84	12	2	Y-5N4Q2U161284B	954

PET NOMINAL = ACTUAL SIZE U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
20	42	12	1	Y-5N4Q2U201242B	852
20	48	12	1	Y-5N4Q2U201248B	870
20	54	12	1	Y-5N4Q2U201254B	890
20	60	12	1	Y-5N4Q2U201260B	908
20	66	12	1	Y-5N4Q2U201266B	926
20	72	12	2	Y-5N4Q2U201272B	948
20	78	12	2	Y-5N4Q2U201278B	965
20	84	12	2	Y-5N4Q2U201284B	1,023
24	42	12	1	Y-5N4Q2U241242B	884
24	48	12	1	Y-5N4Q2U241248B	908
24	54	12	1	Y-5N4Q2U241254B	930
24	60	12	1	Y-5N4Q2U241260B	954
24	66	12	1	Y-5N4Q2U241266B	977
24	72	12	2	Y-5N4Q2U241272B	999
24	78	12	2	Y-5N4Q2U241278B	1,023
24	84	12	2	Y-5N4Q2U241284B	1,091



1 PET Piece



2 PET Pieces



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.

© 2026, AIS, Inc.

PET Nominal = Actual Size U-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap on Worksurface	Lite	U-Wrap for Nominal = Actual Size	Under Surface Mount

PET NOMINAL = ACTUAL SIZE U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
28	42	12	1	Y-5N4Q2U281242B	917
28	48	12	1	Y-5N4Q2U281248B	948
28	54	12	1	Y-5N4Q2U281254B	973
28	60	12	1	Y-5N4Q2U281260B	999
28	66	12	1	Y-5N4Q2U281266B	1,025
28	72	12	2	Y-5N4Q2U281272B	1,051
28	78	12	2	Y-5N4Q2U281278B	1,079
28	84	12	2	Y-5N4Q2U281284B	1,159
32	42	12	1	Y-5N4Q2U321242B	1,062
32	48	12	1	Y-5N4Q2U321248B	1,106
32	54	12	1	Y-5N4Q2U321254B	1,147
32	60	12	1	Y-5N4Q2U321260B	1,190
32	66	12	1	Y-5N4Q2U321266B	1,232
32	72	12	2	Y-5N4Q2U321272B	1,276
32	78	12	2	Y-5N4Q2U321278B	1,318
32	84	12	2	Y-5N4Q2U321284B	1,447

PET NOMINAL = ACTUAL SIZE U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
12	42	18	1	Y-5N4Q2U121842B	796
12	48	18	1	Y-5N4Q2U121848B	806
12	54	18	1	Y-5N4Q2U121854B	816
12	60	18	2	Y-5N4Q2U121860B	830
12	66	18	2	Y-5N4Q2U121866B	840
12	72	18	2	Y-5N4Q2U121872B	852
12	78	18	2	Y-5N4Q2U121878B	899
12	84	18	2	Y-5N4Q2U121884B	911
16	42	18	1	Y-5N4Q2U161842B	832
16	48	18	1	Y-5N4Q2U161848B	847
16	54	18	1	Y-5N4Q2U161854B	865
16	60	18	2	Y-5N4Q2U161860B	878
16	66	18	2	Y-5N4Q2U161866B	894
16	72	18	2	Y-5N4Q2U161872B	908
16	78	18	2	Y-5N4Q2U161878B	971
16	84	18	2	Y-5N4Q2U161884B	986



1 PET Piece



2 PET Pieces



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Nominal = Actual Size U-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap on Worksurface	Lite	U-Wrap for Nominal = Actual Size	Under Surface Mount

PET NOMINAL = ACTUAL SIZE U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
20	42	18	1	Y-5N4Q2U201842B	870
20	48	18	1	Y-5N4Q2U201848B	890
20	54	18	1	Y-5N4Q2U201854B	908
20	60	18	2	Y-5N4Q2U201860B	926
20	66	18	2	Y-5N4Q2U201866B	948
20	72	18	2	Y-5N4Q2U201872B	965
20	78	18	2	Y-5N4Q2U201878B	1,042
20	84	18	2	Y-5N4Q2U201884B	1,061
24	42	18	1	Y-5N4Q2U241842B	908
24	48	18	1	Y-5N4Q2U241848B	930
24	54	18	1	Y-5N4Q2U241854B	954
24	60	18	2	Y-5N4Q2U241860B	977
24	66	18	2	Y-5N4Q2U241866B	999
24	72	18	2	Y-5N4Q2U241872B	1,023
24	78	18	2	Y-5N4Q2U241878B	1,116
24	84	18	2	Y-5N4Q2U241884B	1,138

PET NOMINAL = ACTUAL SIZE U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
28	42	18	1	Y-5N4Q2U281842B	948
28	48	18	1	Y-5N4Q2U281848B	973
28	54	18	1	Y-5N4Q2U281854B	999
28	60	18	2	Y-5N4Q2U281860B	1,025
28	66	18	2	Y-5N4Q2U281866B	1,051
28	72	18	2	Y-5N4Q2U281872B	1,079
28	78	18	2	Y-5N4Q2U281878B	1,188
28	84	18	2	Y-5N4Q2U281884B	1,215
32	42	18	1	Y-5N4Q2U321842B	1,106
32	48	18	1	Y-5N4Q2U321848B	1,147
32	54	18	1	Y-5N4Q2U321854B	1,190
32	60	18	2	Y-5N4Q2U321860B	1,232
32	66	18	2	Y-5N4Q2U321866B	1,276
32	72	18	2	Y-5N4Q2U321872B	1,318
32	78	18	2	Y-5N4Q2U321878B	1,490
32	84	18	2	Y-5N4Q2U321884B	1,533



1 PET Piece



2 PET Pieces



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.

© 2026, AIS, Inc.

PET Nominal = Actual Size U-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap on Worksurface	Lite	U-Wrap for Nominal = Actual Size	Under Surface Mount

PET NOMINAL = ACTUAL SIZE
U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
12	42	24	1	Y-5N4Q2U122442B	806
12	48	24	2	Y-5N4Q2U122448B	816
12	54	24	2	Y-5N4Q2U122454B	830
12	60	24	2	Y-5N4Q2U122460B	840
12	66	24	2	Y-5N4Q2U122466B	852
12	72	24	2	Y-5N4Q2U122472B	911
12	78	24	2	Y-5N4Q2U122478B	921
12	84	24	2	Y-5N4Q2U122484B	930
16	42	24	1	Y-5N4Q2U162442B	847
16	48	24	2	Y-5N4Q2U162448B	865
16	54	24	2	Y-5N4Q2U162454B	878
16	60	24	2	Y-5N4Q2U162460B	894
16	66	24	2	Y-5N4Q2U162466B	908
16	72	24	2	Y-5N4Q2U162472B	986
16	78	24	2	Y-5N4Q2U162478B	999
16	84	24	2	Y-5N4Q2U162484B	1,014

PET NOMINAL = ACTUAL SIZE
U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
20	42	24	1	Y-5N4Q2U202442B	890
20	48	24	2	Y-5N4Q2U202448B	908
20	54	24	2	Y-5N4Q2U202454B	926
20	60	24	2	Y-5N4Q2U202460B	948
20	66	24	2	Y-5N4Q2U202466B	965
20	72	24	2	Y-5N4Q2U202472B	1,061
20	78	24	2	Y-5N4Q2U202478B	1,081
20	84	24	2	Y-5N4Q2U202484B	1,098
24	42	24	1	Y-5N4Q2U242442B	930
24	48	24	2	Y-5N4Q2U242448B	954
24	54	24	2	Y-5N4Q2U242454B	977
24	60	24	2	Y-5N4Q2U242460B	999
24	66	24	2	Y-5N4Q2U242466B	1,023
24	72	24	2	Y-5N4Q2U242472B	1,138
24	78	24	2	Y-5N4Q2U242478B	1,159
24	84	24	2	Y-5N4Q2U242484B	1,182



1 PET Piece



2 PET Pieces



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Nominal = Actual Size U-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap on Worksurface	Lite	U-Wrap for Nominal = Actual Size	Under Surface Mount

PET NOMINAL = ACTUAL SIZE U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
28	42	24	1	Y-5N4Q2U282442B	973
28	48	24	2	Y-5N4Q2U282448B	999
28	54	24	2	Y-5N4Q2U282454B	1,025
28	60	24	2	Y-5N4Q2U282460B	1,051
28	66	24	2	Y-5N4Q2U282466B	1,079
28	72	24	2	Y-5N4Q2U282472B	1,215
28	78	24	2	Y-5N4Q2U282478B	1,240
28	84	24	2	Y-5N4Q2U282484B	1,265
32	42	24	1	Y-5N4Q2U322442B	1,147
32	48	24	2	Y-5N4Q2U322448B	1,190
32	54	24	2	Y-5N4Q2U322454B	1,232
32	60	24	2	Y-5N4Q2U322460B	1,276
32	66	24	2	Y-5N4Q2U322466B	1,318
32	72	24	2	Y-5N4Q2U322472B	1,533
32	78	24	2	Y-5N4Q2U322478B	1,575
32	84	24	2	Y-5N4Q2U322484B	1,617

PET NOMINAL = ACTUAL SIZE U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
12	42	30	2	Y-5N4Q2U123042B	816
12	48	30	2	Y-5N4Q2U123048B	830
12	54	30	2	Y-5N4Q2U123054B	840
12	60	30	2	Y-5N4Q2U123060B	852
12	66	30	2	Y-5N4Q2U123066B	921
12	72	30	2	Y-5N4Q2U123072B	930
12	78	30	2	Y-5N4Q2U123078B	944
12	84	30	2	Y-5N4Q2U123084B	954
16	42	30	2	Y-5N4Q2U163042B	865
16	48	30	2	Y-5N4Q2U163048B	878
16	54	30	2	Y-5N4Q2U163054B	894
16	60	30	2	Y-5N4Q2U163060B	908
16	66	30	2	Y-5N4Q2U163066B	999
16	72	30	2	Y-5N4Q2U163072B	1,014
16	78	30	2	Y-5N4Q2U163078B	1,032
16	84	30	2	Y-5N4Q2U163084B	1,046



1 PET Piece



2 PET Pieces



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.

© 2026, AIS, Inc.

PET Nominal = Actual Size U-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap on Worksurface	Lite	U-Wrap for Nominal = Actual Size	Under Surface Mount

PET NOMINAL = ACTUAL SIZE
U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
20	42	30	2	Y-5N4Q2U203042B	908
20	48	30	2	Y-5N4Q2U203048B	926
20	54	30	2	Y-5N4Q2U203054B	948
20	60	30	2	Y-5N4Q2U203060B	965
20	66	30	2	Y-5N4Q2U203066B	1,081
20	72	30	2	Y-5N4Q2U203072B	1,098
20	78	30	2	Y-5N4Q2U203078B	1,118
20	84	30	2	Y-5N4Q2U203084B	1,138
24	42	30	2	Y-5N4Q2U243042B	954
24	48	30	2	Y-5N4Q2U243048B	977
24	54	30	2	Y-5N4Q2U243054B	999
24	60	30	2	Y-5N4Q2U243060B	1,023
24	66	30	2	Y-5N4Q2U243066B	1,159
24	72	30	2	Y-5N4Q2U243072B	1,182
24	78	30	2	Y-5N4Q2U243078B	1,205
24	84	30	2	Y-5N4Q2U243084B	1,228

PET NOMINAL = ACTUAL SIZE
U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
28	42	30	2	Y-5N4Q2U283042B	999
28	48	30	2	Y-5N4Q2U283048B	1,025
28	54	30	2	Y-5N4Q2U283054B	1,051
28	60	30	2	Y-5N4Q2U283060B	1,079
28	66	30	2	Y-5N4Q2U283066B	1,240
28	72	30	2	Y-5N4Q2U283072B	1,265
28	78	30	2	Y-5N4Q2U283078B	1,293
28	84	30	2	Y-5N4Q2U283084B	1,318
32	42	30	2	Y-5N4Q2U323042B	1,190
32	48	30	2	Y-5N4Q2U323048B	1,232
32	54	30	2	Y-5N4Q2U323054B	1,276
32	60	30	2	Y-5N4Q2U323060B	1,318
32	66	30	2	Y-5N4Q2U323066B	1,575
32	72	30	2	Y-5N4Q2U323072B	1,617
32	78	30	2	Y-5N4Q2U323078B	1,661
32	84	30	2	Y-5N4Q2U323084B	1,701



1 PET Piece



2 PET Pieces



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Nominal = Actual Size U-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap on Worksurface	Lite	U-Wrap for Nominal = Actual Size	Under Surface Mount

PET NOMINAL = ACTUAL SIZE U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
12	42	36	2	Y-5N4Q2U123642B	830
12	48	36	2	Y-5N4Q2U123648B	840
12	54	36	2	Y-5N4Q2U123654B	852
12	60	36	2	Y-5N4Q2U123660B	930
12	66	36	2	Y-5N4Q2U123666B	944
12	72	36	2	Y-5N4Q2U123672B	954
12	78	36	2	Y-5N4Q2U123678B	965
12	84	36	2	Y-5N4Q2U123684B	979
16	42	36	2	Y-5N4Q2U163642B	878
16	48	36	2	Y-5N4Q2U163648B	894
16	54	36	2	Y-5N4Q2U163654B	908
16	60	36	2	Y-5N4Q2U163660B	1,014
16	66	36	2	Y-5N4Q2U163666B	1,032
16	72	36	2	Y-5N4Q2U163672B	1,046
16	78	36	2	Y-5N4Q2U163678B	1,061
16	84	36	2	Y-5N4Q2U163684B	1,076

PET NOMINAL = ACTUAL SIZE U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
20	42	36	2	Y-5N4Q2U203642B	926
20	48	36	2	Y-5N4Q2U203648B	948
20	54	36	2	Y-5N4Q2U203654B	965
20	60	36	2	Y-5N4Q2U203660B	1,098
20	66	36	2	Y-5N4Q2U203666B	1,118
20	72	36	2	Y-5N4Q2U203672B	1,138
20	78	36	2	Y-5N4Q2U203678B	1,157
20	84	36	2	Y-5N4Q2U203684B	1,175
24	42	36	2	Y-5N4Q2U243642B	977
24	48	36	2	Y-5N4Q2U243648B	999
24	54	36	2	Y-5N4Q2U243654B	1,023
24	60	36	2	Y-5N4Q2U243660B	1,182
24	66	36	2	Y-5N4Q2U243666B	1,205
24	72	36	2	Y-5N4Q2U243672B	1,228
24	78	36	2	Y-5N4Q2U243678B	1,251
24	84	36	2	Y-5N4Q2U243684B	1,275



1 PET Piece



2 PET Pieces



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.

© 2026, AIS, Inc.

PET Nominal = Actual Size U-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap on Worksurface	Lite	U-Wrap for Nominal = Actual Size	Under Surface Mount

PET NOMINAL = ACTUAL SIZE
U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
28	42	36	2	Y-5N4Q2U283642B	1,025
28	48	36	2	Y-5N4Q2U283648B	1,051
28	54	36	2	Y-5N4Q2U283654B	1,079
28	60	36	2	Y-5N4Q2U283660B	1,265
28	66	36	2	Y-5N4Q2U283666B	1,293
28	72	36	2	Y-5N4Q2U283672B	1,318
28	78	36	2	Y-5N4Q2U283678B	1,346
28	84	36	2	Y-5N4Q2U283684B	1,372
32	42	36	2	Y-5N4Q2U323642B	1,232
32	48	36	2	Y-5N4Q2U323648B	1,276
32	54	36	2	Y-5N4Q2U323654B	1,318
32	60	36	2	Y-5N4Q2U323660B	1,617
32	66	36	2	Y-5N4Q2U323666B	1,661
32	72	36	2	Y-5N4Q2U323672B	1,701
32	78	36	2	Y-5N4Q2U323678B	1,745
32	84	36	2	Y-5N4Q2U323684B	1,787

PET NOMINAL = ACTUAL SIZE
U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
12	42	42	2	Y-5N4Q2U124242B	840
12	48	42	2	Y-5N4Q2U124248B	852
12	54	42	2	Y-5N4Q2U124254B	944
12	60	42	2	Y-5N4Q2U124260B	954
12	66	42	2	Y-5N4Q2U124266B	965
12	72	42	2	Y-5N4Q2U124272B	979
12	78	42	2	Y-5N4Q2U124278B	989
12	84	42	2	Y-5N4Q2U124284B	999
16	42	42	2	Y-5N4Q2U164242B	894
16	48	42	2	Y-5N4Q2U164248B	908
16	54	42	2	Y-5N4Q2U164254B	1,032
16	60	42	2	Y-5N4Q2U164260B	1,046
16	66	42	2	Y-5N4Q2U164266B	1,061
16	72	42	2	Y-5N4Q2U164272B	1,076
16	78	42	2	Y-5N4Q2U164278B	1,091
16	84	42	2	Y-5N4Q2U164284B	1,106



1 PET Piece



2 PET Pieces



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Nominal = Actual Size U-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap on Worksurface	Lite	U-Wrap for Nominal = Actual Size	Under Surface Mount

PET NOMINAL = ACTUAL SIZE U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
20	42	42	2	Y-5N4Q2U204242B	948
20	48	42	2	Y-5N4Q2U204248B	965
20	54	42	2	Y-5N4Q2U204254B	1,118
20	60	42	2	Y-5N4Q2U204260B	1,138
20	66	42	2	Y-5N4Q2U204266B	1,157
20	72	42	2	Y-5N4Q2U204272B	1,175
20	78	42	2	Y-5N4Q2U204278B	1,192
20	84	42	2	Y-5N4Q2U204284B	1,215
24	42	42	2	Y-5N4Q2U244242B	999
24	48	42	2	Y-5N4Q2U244248B	1,023
24	54	42	2	Y-5N4Q2U244254B	1,205
24	60	42	2	Y-5N4Q2U244260B	1,228
24	66	42	2	Y-5N4Q2U244266B	1,251
24	72	42	2	Y-5N4Q2U244272B	1,275
24	78	42	2	Y-5N4Q2U244278B	1,298
24	84	42	2	Y-5N4Q2U244284B	1,318

PET NOMINAL = ACTUAL SIZE U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
28	42	42	2	Y-5N4Q2U284242B	1,051
28	48	42	2	Y-5N4Q2U284248B	1,079
28	54	42	2	Y-5N4Q2U284254B	1,293
28	60	42	2	Y-5N4Q2U284260B	1,318
28	66	42	2	Y-5N4Q2U284266B	1,346
28	72	42	2	Y-5N4Q2U284272B	1,372
28	78	42	2	Y-5N4Q2U284278B	1,398
28	84	42	2	Y-5N4Q2U284284B	1,427
32	42	42	2	Y-5N4Q2U324242B	1,276
32	48	42	2	Y-5N4Q2U324248B	1,318
32	54	42	2	Y-5N4Q2U324254B	1,661
32	60	42	2	Y-5N4Q2U324260B	1,701
32	66	42	2	Y-5N4Q2U324266B	1,745
32	72	42	2	Y-5N4Q2U324272B	1,787
32	78	42	2	Y-5N4Q2U324278B	1,830
32	84	42	2	Y-5N4Q2U324284B	1,874



1 PET Piece



2 PET Pieces



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.

© 2026, AIS, Inc.

PET Nominal = Actual Size U-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap Partial Modesty on WS	Lite	U-Wrap for Nominal = Actual Size	Under Surface Mount

PET NOMINAL = ACTUAL SIZE U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
38	42	12	1 PC	Y-5Q4Q2U381242B	1,135
38	48	12	1 PC	Y-5Q4Q2U381248B	1,187
38	54	12	1 PC	Y-5Q4Q2U381254B	1,235
38	60	12	1 PC	Y-5Q4Q2U381260B	1,285
38	66	12	1 PC	Y-5Q4Q2U381266B	1,339
38	72	12	2 PC	Y-5Q4Q2U381272B	1,388
38	78	12	2 PC	Y-5Q4Q2U381278B	1,438
38	84	12	2 PC	Y-5Q4Q2U381284B	1,589
42	42	12	1 PC	Y-5Q4Q2U421242B	1,182
42	48	12	1 PC	Y-5Q4Q2U421248B	1,236
42	54	12	1 PC	Y-5Q4Q2U421254B	1,295
42	60	12	1 PC	Y-5Q4Q2U421260B	1,349
42	66	12	1 PC	Y-5Q4Q2U421266B	1,406
42	72	12	2 PC	Y-5Q4Q2U421272B	1,460
42	78	12	2 PC	Y-5Q4Q2U421278B	1,520
42	84	12	2 PC	Y-5Q4Q2U421284B	1,688

PET NOMINAL = ACTUAL SIZE U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
22	42	18	1 PC	Y-5Q4Q2U221842B	890
22	48	18	1 PC	Y-5Q4Q2U221848B	911
22	54	18	1 PC	Y-5Q4Q2U221854B	930
22	60	18	2 PC	Y-5Q4Q2U221860B	952
22	66	18	2 PC	Y-5Q4Q2U221866B	973
22	72	18	2 PC	Y-5Q4Q2U221872B	993
22	78	18	2 PC	Y-5Q4Q2U221878B	1,079
22	84	18	2 PC	Y-5Q4Q2U221884B	1,098
26	42	18	1 PC	Y-5Q4Q2U261842B	926
26	48	18	1 PC	Y-5Q4Q2U261848B	952
26	54	18	1 PC	Y-5Q4Q2U261854B	977
26	60	18	2 PC	Y-5Q4Q2U261860B	1,002
26	66	18	2 PC	Y-5Q4Q2U261866B	1,025
26	72	18	2 PC	Y-5Q4Q2U261872B	1,050
26	78	18	2 PC	Y-5Q4Q2U261878B	1,151
26	84	18	2 PC	Y-5Q4Q2U261884B	1,175



1 PET Piece



2 PET Pieces



Partial Modesty L-Brackets

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Nominal = Actual Size U-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap Partial Modesty on WS	Lite	U-Wrap for Nominal = Actual Size	Under Surface Mount

PET NOMINAL = ACTUAL SIZE U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
30	42	18	1 PC	Y-5Q4Q2U301842B	1,200
30	48	18	1 PC	Y-5Q4Q2U301848B	1,240
30	54	18	1 PC	Y-5Q4Q2U301854B	1,279
30	60	18	2 PC	Y-5Q4Q2U301860B	1,318
30	66	18	2 PC	Y-5Q4Q2U301866B	1,359
30	72	18	2 PC	Y-5Q4Q2U301872B	1,398
30	78	18	2 PC	Y-5Q4Q2U301878B	1,439
30	84	18	2 PC	Y-5Q4Q2U301884B	1,479
34	42	18	1 PC	Y-5Q4Q2U341842B	1,133
34	48	18	1 PC	Y-5Q4Q2U341848B	1,179
34	54	18	1 PC	Y-5Q4Q2U341854B	1,222
34	60	18	2 PC	Y-5Q4Q2U341860B	1,267
34	66	18	2 PC	Y-5Q4Q2U341866B	1,313
34	72	18	2 PC	Y-5Q4Q2U341872B	1,359
34	78	18	2 PC	Y-5Q4Q2U341878B	1,540
34	84	18	2 PC	Y-5Q4Q2U341884B	1,585

PET NOMINAL = ACTUAL SIZE U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
38	42	18	1 PC	Y-5Q4Q2U381842B	1,187
38	48	18	1 PC	Y-5Q4Q2U381848B	1,235
38	54	18	1 PC	Y-5Q4Q2U381854B	1,285
38	60	18	2 PC	Y-5Q4Q2U381860B	1,339
38	66	18	2 PC	Y-5Q4Q2U381866B	1,388
38	72	18	2 PC	Y-5Q4Q2U381872B	1,438
38	78	18	2 PC	Y-5Q4Q2U381878B	1,639
38	84	18	2 PC	Y-5Q4Q2U381884B	1,694
42	42	18	1 PC	Y-5Q4Q2U421842B	1,236
42	48	18	1 PC	Y-5Q4Q2U421848B	1,295
42	54	18	1 PC	Y-5Q4Q2U421854B	1,349
42	60	18	2 PC	Y-5Q4Q2U421860B	1,406
42	66	18	2 PC	Y-5Q4Q2U421866B	1,460
42	72	18	2 PC	Y-5Q4Q2U421872B	1,520
42	78	18	2 PC	Y-5Q4Q2U421878B	1,742
42	84	18	2 PC	Y-5Q4Q2U421884B	1,799



1 PET Piece



2 PET Pieces



Partial Modesty L-Brackets

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.

© 2026, AIS, Inc.

PET Nominal = Actual Size U-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap Partial Modesty on WS	Lite	U-Wrap for Nominal = Actual Size	Under Surface Mount

PET NOMINAL = ACTUAL SIZE U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
22	42	24	1 PC	Y-5Q4Q2U222442B	911
22	48	24	2 PC	Y-5Q4Q2U222448B	930
22	54	24	2 PC	Y-5Q4Q2U222454B	952
22	60	24	2 PC	Y-5Q4Q2U222460B	973
22	66	24	2 PC	Y-5Q4Q2U222466B	993
22	72	24	2 PC	Y-5Q4Q2U222472B	1,098
22	78	24	2 PC	Y-5Q4Q2U222478B	1,121
22	84	24	2 PC	Y-5Q4Q2U222484B	1,140
26	42	24	1 PC	Y-5Q4Q2U262442B	952
26	48	24	2 PC	Y-5Q4Q2U262448B	977
26	54	24	2 PC	Y-5Q4Q2U262454B	1,002
26	60	24	2 PC	Y-5Q4Q2U262460B	1,025
26	66	24	2 PC	Y-5Q4Q2U262466B	1,050
26	72	24	2 PC	Y-5Q4Q2U262472B	1,175
26	78	24	2 PC	Y-5Q4Q2U262478B	1,200
26	84	24	2 PC	Y-5Q4Q2U262484B	1,224

PET NOMINAL = ACTUAL SIZE U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
30	42	24	1 PC	Y-5Q4Q2U302442B	1,279
30	48	24	2 PC	Y-5Q4Q2U302448B	1,318
30	54	24	2 PC	Y-5Q4Q2U302454B	1,359
30	60	24	2 PC	Y-5Q4Q2U302460B	1,398
30	66	24	2 PC	Y-5Q4Q2U302466B	1,439
30	72	24	2 PC	Y-5Q4Q2U302472B	1,479
30	78	24	2 PC	Y-5Q4Q2U302478B	1,520
30	84	24	2 PC	Y-5Q4Q2U302484B	1,560
34	42	24	1 PC	Y-5Q4Q2U342442B	1,179
34	48	24	2 PC	Y-5Q4Q2U342448B	1,222
34	54	24	2 PC	Y-5Q4Q2U342454B	1,267
34	60	24	2 PC	Y-5Q4Q2U342460B	1,313
34	66	24	2 PC	Y-5Q4Q2U342466B	1,359
34	72	24	2 PC	Y-5Q4Q2U342472B	1,585
34	78	24	2 PC	Y-5Q4Q2U342478B	1,630
34	84	24	2 PC	Y-5Q4Q2U342484B	1,674



1 PET Piece



2 PET Pieces



Partial Modesty L-Brackets

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Nominal = Actual Size U-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap Partial Modesty on WS	Lite	U-Wrap for Nominal = Actual Size	Under Surface Mount

PET NOMINAL = ACTUAL SIZE U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
38	42	24	1 PC	Y-5Q4Q2U382442B	1,235
38	48	24	2 PC	Y-5Q4Q2U382448B	1,285
38	54	24	2 PC	Y-5Q4Q2U382454B	1,339
38	60	24	2 PC	Y-5Q4Q2U382460B	1,388
38	66	24	2 PC	Y-5Q4Q2U382466B	1,438
38	72	24	2 PC	Y-5Q4Q2U382472B	1,694
38	78	24	2 PC	Y-5Q4Q2U382478B	1,742
38	84	24	2 PC	Y-5Q4Q2U382484B	1,793
42	42	24	1 PC	Y-5Q4Q2U422442B	1,295
42	48	24	2 PC	Y-5Q4Q2U422448B	1,349
42	54	24	2 PC	Y-5Q4Q2U422454B	1,406
42	60	24	2 PC	Y-5Q4Q2U422460B	1,460
42	66	24	2 PC	Y-5Q4Q2U422466B	1,520
42	72	24	2 PC	Y-5Q4Q2U422472B	1,799
42	78	24	2 PC	Y-5Q4Q2U422478B	1,853
42	84	24	2 PC	Y-5Q4Q2U422484B	1,910

PET NOMINAL = ACTUAL SIZE U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
22	42	30	2 PC	Y-5Q4Q2U223042B	930
22	48	30	2 PC	Y-5Q4Q2U223048B	952
22	54	30	2 PC	Y-5Q4Q2U223054B	973
22	60	30	2 PC	Y-5Q4Q2U223060B	993
22	66	30	2 PC	Y-5Q4Q2U223066B	1,121
22	72	30	2 PC	Y-5Q4Q2U223072B	1,140
22	78	30	2 PC	Y-5Q4Q2U223078B	1,163
22	84	30	2 PC	Y-5Q4Q2U223084B	1,182
26	42	30	2 PC	Y-5Q4Q2U263042B	977
26	48	30	2 PC	Y-5Q4Q2U263048B	1,002
26	54	30	2 PC	Y-5Q4Q2U263054B	1,025
26	60	30	2 PC	Y-5Q4Q2U263060B	1,050
26	66	30	2 PC	Y-5Q4Q2U263066B	1,200
26	72	30	2 PC	Y-5Q4Q2U263072B	1,224
26	78	30	2 PC	Y-5Q4Q2U263078B	1,250
26	84	30	2 PC	Y-5Q4Q2U263084B	1,275



1 PET Piece



2 PET Pieces



Partial Modesty L-Brackets

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.

© 2026, AIS, Inc.

PET Nominal = Actual Size U-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap Partial Modesty on WS	Lite	U-Wrap for Nominal = Actual Size	Under Surface Mount

PET NOMINAL = ACTUAL SIZE U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
30	42	30	2 PC	Y-5Q4Q2U303042B	1,359
30	48	30	2 PC	Y-5Q4Q2U303048B	1,398
30	54	30	2 PC	Y-5Q4Q2U303054B	1,439
30	60	30	2 PC	Y-5Q4Q2U303060B	1,479
30	66	30	2 PC	Y-5Q4Q2U303066B	1,520
30	72	30	2 PC	Y-5Q4Q2U303072B	1,560
30	78	30	2 PC	Y-5Q4Q2U303078B	1,599
30	84	30	2 PC	Y-5Q4Q2U303084B	1,637
34	42	30	2 PC	Y-5Q4Q2U343042B	1,222
34	48	30	2 PC	Y-5Q4Q2U343048B	1,267
34	54	30	2 PC	Y-5Q4Q2U343054B	1,313
34	60	30	2 PC	Y-5Q4Q2U343060B	1,359
34	66	30	2 PC	Y-5Q4Q2U343066B	1,630
34	72	30	2 PC	Y-5Q4Q2U343072B	1,674
34	78	30	2 PC	Y-5Q4Q2U343078B	1,720
34	84	30	2 PC	Y-5Q4Q2U343084B	1,766

PET NOMINAL = ACTUAL SIZE U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
38	42	30	2 PC	Y-5Q4Q2U383042B	1,285
38	48	30	2 PC	Y-5Q4Q2U383048B	1,339
38	54	30	2 PC	Y-5Q4Q2U383054B	1,388
38	60	30	2 PC	Y-5Q4Q2U383060B	1,438
38	66	30	2 PC	Y-5Q4Q2U383066B	1,742
38	72	30	2 PC	Y-5Q4Q2U383072B	1,793
38	78	30	2 PC	Y-5Q4Q2U383078B	1,843
38	84	30	2 PC	Y-5Q4Q2U383084B	1,892
42	42	30	2 PC	Y-5Q4Q2U423042B	1,349
42	48	30	2 PC	Y-5Q4Q2U423048B	1,406
42	54	30	2 PC	Y-5Q4Q2U423054B	1,460
42	60	30	2 PC	Y-5Q4Q2U423060B	1,520
42	66	30	2 PC	Y-5Q4Q2U423066B	1,853
42	72	30	2 PC	Y-5Q4Q2U423072B	1,910
42	78	30	2 PC	Y-5Q4Q2U423078B	1,965
42	84	30	2 PC	Y-5Q4Q2U423084B	2,020



1 PET Piece



2 PET Pieces



Partial Modesty L-Brackets

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Nominal = Actual Size U-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap Partial Modesty on WS	Lite	U-Wrap for Nominal = Actual Size	Under Surface Mount

PET NOMINAL = ACTUAL SIZE U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
22	42	36	2 PC	Y-5Q4Q2U223642B	952
22	48	36	2 PC	Y-5Q4Q2U223648B	973
22	54	36	2 PC	Y-5Q4Q2U223654B	993
22	60	36	2 PC	Y-5Q4Q2U223660B	1,140
22	66	36	2 PC	Y-5Q4Q2U223666B	1,163
22	72	36	2 PC	Y-5Q4Q2U223672B	1,182
22	78	36	2 PC	Y-5Q4Q2U223678B	1,204
22	84	36	2 PC	Y-5Q4Q2U223684B	1,224
26	42	36	2 PC	Y-5Q4Q2U263642B	1,002
26	48	36	2 PC	Y-5Q4Q2U263648B	1,025
26	54	36	2 PC	Y-5Q4Q2U263654B	1,050
26	60	36	2 PC	Y-5Q4Q2U263660B	1,224
26	66	36	2 PC	Y-5Q4Q2U263666B	1,250
26	72	36	2 PC	Y-5Q4Q2U263672B	1,275
26	78	36	2 PC	Y-5Q4Q2U263678B	1,299
26	84	36	2 PC	Y-5Q4Q2U263684B	1,323

PET NOMINAL = ACTUAL SIZE U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
30	42	36	2 PC	Y-5Q4Q2U303642B	1,439
30	48	36	2 PC	Y-5Q4Q2U303648B	1,479
30	54	36	2 PC	Y-5Q4Q2U303654B	1,520
30	60	36	2 PC	Y-5Q4Q2U303660B	1,560
30	66	36	2 PC	Y-5Q4Q2U303666B	1,599
30	72	36	2 PC	Y-5Q4Q2U303672B	1,637
30	78	36	2 PC	Y-5Q4Q2U303678B	1,678
30	84	36	2 PC	Y-5Q4Q2U303684B	1,719
34	42	36	2 PC	Y-5Q4Q2U343642B	1,267
34	48	36	2 PC	Y-5Q4Q2U343648B	1,313
34	54	36	2 PC	Y-5Q4Q2U343654B	1,359
34	60	36	2 PC	Y-5Q4Q2U343660B	1,674
34	66	36	2 PC	Y-5Q4Q2U343666B	1,720
34	72	36	2 PC	Y-5Q4Q2U343672B	1,766
34	78	36	2 PC	Y-5Q4Q2U343678B	1,812
34	84	36	2 PC	Y-5Q4Q2U343684B	1,856



1 PET Piece



2 PET Pieces



Partial Modesty L-Brackets

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.

© 2026, AIS, Inc.

PET Nominal = Actual Size U-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap Partial Modesty on WS	Lite	U-Wrap for Nominal = Actual Size	Under Surface Mount

PET NOMINAL = ACTUAL SIZE U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
38	42	36	2 PC	Y-5Q4Q2U383642B	1,339
38	48	36	2 PC	Y-5Q4Q2U383648B	1,388
38	54	36	2 PC	Y-5Q4Q2U383654B	1,438
38	60	36	2 PC	Y-5Q4Q2U383660B	1,793
38	66	36	2 PC	Y-5Q4Q2U383666B	1,843
38	72	36	2 PC	Y-5Q4Q2U383672B	1,892
38	78	36	2 PC	Y-5Q4Q2U383678B	1,943
38	84	36	2 PC	Y-5Q4Q2U383684B	1,995
42	42	36	2 PC	Y-5Q4Q2U423642B	1,406
42	48	36	2 PC	Y-5Q4Q2U423648B	1,460
42	54	36	2 PC	Y-5Q4Q2U423654B	1,520
42	60	36	2 PC	Y-5Q4Q2U423660B	1,910
42	66	36	2 PC	Y-5Q4Q2U423666B	1,965
42	72	36	2 PC	Y-5Q4Q2U423672B	2,020
42	78	36	2 PC	Y-5Q4Q2U423678B	2,077
42	84	36	2 PC	Y-5Q4Q2U423684B	2,133

PET NOMINAL = ACTUAL SIZE U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
22	42	42	2 PC	Y-5Q4Q2U224242B	973
22	48	42	2 PC	Y-5Q4Q2U224248B	993
22	54	42	2 PC	Y-5Q4Q2U224254B	1,163
22	60	42	2 PC	Y-5Q4Q2U224260B	1,182
22	66	42	2 PC	Y-5Q4Q2U224266B	1,204
22	72	42	2 PC	Y-5Q4Q2U224272B	1,224
22	78	42	2 PC	Y-5Q4Q2U224278B	1,247
22	84	42	2 PC	Y-5Q4Q2U224284B	1,265
26	42	42	2 PC	Y-5Q4Q2U264242B	1,025
26	48	42	2 PC	Y-5Q4Q2U264248B	1,050
26	54	42	2 PC	Y-5Q4Q2U264254B	1,250
26	60	42	2 PC	Y-5Q4Q2U264260B	1,275
26	66	42	2 PC	Y-5Q4Q2U264266B	1,299
26	72	42	2 PC	Y-5Q4Q2U264272B	1,323
26	78	42	2 PC	Y-5Q4Q2U264278B	1,348
26	84	42	2 PC	Y-5Q4Q2U264284B	1,372



1 PET Piece



2 PET Pieces



Partial Modesty L-Brackets

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.

© 2026, AIS, Inc.

PET Nominal = Actual Size U-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap Partial Modesty on WS	Lite	U-Wrap for Nominal = Actual Size	Under Surface Mount

PET NOMINAL = ACTUAL SIZE U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
30	42	42	2 PC	Y-5Q4Q2U304242B	1,520
30	48	42	2 PC	Y-5Q4Q2U304248B	1,560
30	54	42	2 PC	Y-5Q4Q2U304254B	1,599
30	60	42	2 PC	Y-5Q4Q2U304260B	1,637
30	66	42	2 PC	Y-5Q4Q2U304266B	1,678
30	72	42	2 PC	Y-5Q4Q2U304272B	1,719
30	78	42	2 PC	Y-5Q4Q2U304278B	1,758
30	84	42	2 PC	Y-5Q4Q2U304284B	1,799
34	42	42	2 PC	Y-5Q4Q2U344242B	1,313
34	48	42	2 PC	Y-5Q4Q2U344248B	1,359
34	54	42	2 PC	Y-5Q4Q2U344254B	1,720
34	60	42	2 PC	Y-5Q4Q2U344260B	1,766
34	66	42	2 PC	Y-5Q4Q2U344266B	1,812
34	72	42	2 PC	Y-5Q4Q2U344272B	1,856
34	78	42	2 PC	Y-5Q4Q2U344278B	1,900
34	84	42	2 PC	Y-5Q4Q2U344284B	1,944

PET NOMINAL = ACTUAL SIZE U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
38	42	42	2 PC	Y-5Q4Q2U384242B	1,388
38	48	42	2 PC	Y-5Q4Q2U384248B	1,438
38	54	42	2 PC	Y-5Q4Q2U384254B	1,843
38	60	42	2 PC	Y-5Q4Q2U384260B	1,892
38	66	42	2 PC	Y-5Q4Q2U384266B	1,943
38	72	42	2 PC	Y-5Q4Q2U384272B	1,995
38	78	42	2 PC	Y-5Q4Q2U384278B	2,047
38	84	42	2 PC	Y-5Q4Q2U384284B	2,094
42	42	42	2 PC	Y-5Q4Q2U424242B	1,460
42	48	42	2 PC	Y-5Q4Q2U424248B	1,520
42	54	42	2 PC	Y-5Q4Q2U424254B	1,965
42	60	42	2 PC	Y-5Q4Q2U424260B	2,020
42	66	42	2 PC	Y-5Q4Q2U424266B	2,077
42	72	42	2 PC	Y-5Q4Q2U424272B	2,133
42	78	42	2 PC	Y-5Q4Q2U424278B	2,188
42	84	42	2 PC	Y-5Q4Q2U424284B	2,244



1 PET Piece



2 PET Pieces



Partial Modesty L-Brackets

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.

© 2026, AIS, Inc.

PET L-Wrap Enclosures with Wire Managers


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Nominal = Actual Size L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP ENCLOSURES WITH WIRE MANAGERS

			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
3	24	12	Y-5M8M2L031224B	Y-5M8M2R031224B	853
3	30	12	Y-5M8M2L031230B	Y-5M8M2R031230B	874
3	36	12	Y-5M8M2L031236B	Y-5M8M2R031236B	896
3	42	12	Y-5M8M2L031242B	Y-5M8M2R031242B	916
3	48	12	Y-5M8M2L031248B	Y-5M8M2R031248B	941
3	54	12	Y-5M8M2L031254B	Y-5M8M2R031254B	963
3	60	12	Y-5M8M2L031260B	Y-5M8M2R031260B	984
3	66	12	Y-5M8M2L031266B	Y-5M8M2R031266B	1,007
3	72	12	Y-5M8M2L031272B	Y-5M8M2R031272B	1,025
3	78	12	Y-5M8M2L031278B	Y-5M8M2R031278B	1,050
3	24	18	Y-5M8M2L031824B	Y-5M8M2R031824B	874
3	30	18	Y-5M8M2L031830B	Y-5M8M2R031830B	896
3	36	18	Y-5M8M2L031836B	Y-5M8M2R031836B	916
3	42	18	Y-5M8M2L031842B	Y-5M8M2R031842B	941
3	48	18	Y-5M8M2L031848B	Y-5M8M2R031848B	963
3	54	18	Y-5M8M2L031854B	Y-5M8M2R031854B	984
3	60	18	Y-5M8M2L031860B	Y-5M8M2R031860B	1,007
3	66	18	Y-5M8M2L031866B	Y-5M8M2R031866B	1,025
3	72	18	Y-5M8M2L031872B	Y-5M8M2R031872B	1,050



Left Hand



Right Hand

Specify	Notes
• Paint Selection	• Specify based on table that enclosure is paired with.
• Color Selection for PET	• PET screen inserts are 1/2” (12mm) thick.
	• 12” wide wings get one bracket, 18” wide and over wings get two brackets.
	• 3/8” gap allows for installation of clamp-on monitors and accessories.
	• Unhooks from worksurface for easy access to wire management. Access from user side.
	• Height listed above is above surface height. For additional dimensions see product detail pages.


© 2026, AIS, Inc.

PET Nominal = Actual Size L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP ENCLOSURES WITH WIRE MANAGERS

			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
3	24	24	Y-5M8M2L032424B	Y-5M8M2R032424B	896
3	30	24	Y-5M8M2L032430B	Y-5M8M2R032430B	916
3	36	24	Y-5M8M2L032436B	Y-5M8M2R032436B	941
3	42	24	Y-5M8M2L032442B	Y-5M8M2R032442B	963
3	48	24	Y-5M8M2L032448B	Y-5M8M2R032448B	984
3	54	24	Y-5M8M2L032454B	Y-5M8M2R032454B	1,007
3	60	24	Y-5M8M2L032460B	Y-5M8M2R032460B	1,025
3	66	24	Y-5M8M2L032466B	Y-5M8M2R032466B	1,050
3	24	30	Y-5M8M2L033024B	Y-5M8M2R033024B	916
3	30	30	Y-5M8M2L033030B	Y-5M8M2R033030B	941
3	36	30	Y-5M8M2L033036B	Y-5M8M2R033036B	963
3	42	30	Y-5M8M2L033042B	Y-5M8M2R033042B	984
3	48	30	Y-5M8M2L033048B	Y-5M8M2R033048B	1,007
3	54	30	Y-5M8M2L033054B	Y-5M8M2R033054B	1,025
3	60	30	Y-5M8M2L033060B	Y-5M8M2R033060B	1,050



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET

Notes

- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2” (12mm) thick.
- 12” wide wings get one bracket, 18” wide and over wings get two brackets.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Nominal = Actual Size L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP ENCLOSURES WITH WIRE MANAGERS

			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
12	24	12	Y-5M8M2L121224B	Y-5M8M2R121224B	888
12	30	12	Y-5M8M2L121230B	Y-5M8M2R121230B	911
12	36	12	Y-5M8M2L121236B	Y-5M8M2R121236B	934
12	42	12	Y-5M8M2L121242B	Y-5M8M2R121242B	955
12	48	12	Y-5M8M2L121248B	Y-5M8M2R121248B	979
12	54	12	Y-5M8M2L121254B	Y-5M8M2R121254B	1,002
12	60	12	Y-5M8M2L121260B	Y-5M8M2R121260B	1,023
12	66	12	Y-5M8M2L121266B	Y-5M8M2R121266B	1,047
12	72	12	Y-5M8M2L121272B	Y-5M8M2R121272B	1,070
12	78	12	Y-5M8M2L121278B	Y-5M8M2R121278B	1,093
12	24	18	Y-5M8M2L121824B	Y-5M8M2R121824B	911
12	30	18	Y-5M8M2L121830B	Y-5M8M2R121830B	934
12	36	18	Y-5M8M2L121836B	Y-5M8M2R121836B	955
12	42	18	Y-5M8M2L121842B	Y-5M8M2R121842B	979
12	48	18	Y-5M8M2L121848B	Y-5M8M2R121848B	1,002
12	54	18	Y-5M8M2L121854B	Y-5M8M2R121854B	1,023
12	60	18	Y-5M8M2L121860B	Y-5M8M2R121860B	1,047
12	66	18	Y-5M8M2L121866B	Y-5M8M2R121866B	1,070
12	72	18	Y-5M8M2L121872B	Y-5M8M2R121872B	1,093



Left Hand



Right Hand

Specify	Notes
• Paint Selection	• Specify based on table that enclosure is paired with.
• Color Selection for PET	• PET screen inserts are 1/2” (12mm) thick.
	• 12” wide wings get one bracket, 18” wide and over wings get two brackets.
	• 3/8” gap allows for installation of clamp-on monitors and accessories.
	• Unhooks from worksurface for easy access to wire management. Access from user side.
	• Height listed above is above surface height. For additional dimensions see product detail pages.


© 2026, AIS, Inc.

PET Nominal = Actual Size L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP ENCLOSURES WITH WIRE MANAGERS

			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
12	24	24	Y-5M8M2L122424B	Y-5M8M2R122424B	934
12	30	24	Y-5M8M2L122430B	Y-5M8M2R122430B	955
12	36	24	Y-5M8M2L122436B	Y-5M8M2R122436B	979
12	42	24	Y-5M8M2L122442B	Y-5M8M2R122442B	1,002
12	48	24	Y-5M8M2L122448B	Y-5M8M2R122448B	1,023
12	54	24	Y-5M8M2L122454B	Y-5M8M2R122454B	1,047
12	60	24	Y-5M8M2L122460B	Y-5M8M2R122460B	1,070
12	66	24	Y-5M8M2L122466B	Y-5M8M2R122466B	1,093
12	24	30	Y-5M8M2L123024B	Y-5M8M2R123024B	955
12	30	30	Y-5M8M2L123030B	Y-5M8M2R123030B	979
12	36	30	Y-5M8M2L123036B	Y-5M8M2R123036B	1,002
12	42	30	Y-5M8M2L123042B	Y-5M8M2R123042B	1,023
12	48	30	Y-5M8M2L123048B	Y-5M8M2R123048B	1,047
12	54	30	Y-5M8M2L123054B	Y-5M8M2R123054B	1,070
12	60	30	Y-5M8M2L123060B	Y-5M8M2R123060B	1,093



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET

Notes

- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2” (12mm) thick.
- 12” wide wings get one bracket, 18” wide and over wings get two brackets.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Nominal = Actual Size L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP ENCLOSURES WITH WIRE MANAGERS

			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
16	24	12	Y-5M8M2L161224B	Y-5M8M2R161224B	913
16	30	12	Y-5M8M2L161230B	Y-5M8M2R161230B	941
16	36	12	Y-5M8M2L161236B	Y-5M8M2R161236B	966
16	42	12	Y-5M8M2L161242B	Y-5M8M2R161242B	993
16	48	12	Y-5M8M2L161248B	Y-5M8M2R161248B	1,020
16	54	12	Y-5M8M2L161254B	Y-5M8M2R161254B	1,047
16	60	12	Y-5M8M2L161260B	Y-5M8M2R161260B	1,075
16	66	12	Y-5M8M2L161266B	Y-5M8M2R161266B	1,103
16	72	12	Y-5M8M2L161272B	Y-5M8M2R161272B	1,131
16	78	12	Y-5M8M2L161278B	Y-5M8M2R161278B	1,156
16	24	18	Y-5M8M2L161824B	Y-5M8M2R161824B	941
16	30	18	Y-5M8M2L161830B	Y-5M8M2R161830B	966
16	36	18	Y-5M8M2L161836B	Y-5M8M2R161836B	993
16	42	18	Y-5M8M2L161842B	Y-5M8M2R161842B	1,020
16	48	18	Y-5M8M2L161848B	Y-5M8M2R161848B	1,047
16	54	18	Y-5M8M2L161854B	Y-5M8M2R161854B	1,075
16	60	18	Y-5M8M2L161860B	Y-5M8M2R161860B	1,103
16	66	18	Y-5M8M2L161866B	Y-5M8M2R161866B	1,131
16	72	18	Y-5M8M2L161872B	Y-5M8M2R161872B	1,156



Left Hand



Right Hand

Specify	Notes
• Paint Selection	• Specify based on table that enclosure is paired with.
• Color Selection for PET	• PET screen inserts are 1/2” (12mm) thick.
	• 12” wide wings get one bracket, 18” wide and over wings get two brackets.
	• 3/8” gap allows for installation of clamp-on monitors and accessories.
	• Unhooks from worksurface for easy access to wire management. Access from user side.
	• Height listed above is above surface height. For additional dimensions see product detail pages.


© 2026, AIS, Inc.

PET Nominal = Actual Size L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP ENCLOSURES WITH WIRE MANAGERS

			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
16	24	24	Y-5M8M2L162424B	Y-5M8M2R162424B	966
16	30	24	Y-5M8M2L162430B	Y-5M8M2R162430B	993
16	36	24	Y-5M8M2L162436B	Y-5M8M2R162436B	1,020
16	42	24	Y-5M8M2L162442B	Y-5M8M2R162442B	1,047
16	48	24	Y-5M8M2L162448B	Y-5M8M2R162448B	1,075
16	54	24	Y-5M8M2L162454B	Y-5M8M2R162454B	1,103
16	60	24	Y-5M8M2L162460B	Y-5M8M2R162460B	1,131
16	66	24	Y-5M8M2L162466B	Y-5M8M2R162466B	1,156
16	24	30	Y-5M8M2L163024B	Y-5M8M2R163024B	993
16	30	30	Y-5M8M2L163030B	Y-5M8M2R163030B	1,020
16	36	30	Y-5M8M2L163036B	Y-5M8M2R163036B	1,047
16	42	30	Y-5M8M2L163042B	Y-5M8M2R163042B	1,075
16	48	30	Y-5M8M2L163048B	Y-5M8M2R163048B	1,103
16	54	30	Y-5M8M2L163054B	Y-5M8M2R163054B	1,131
16	60	30	Y-5M8M2L163060B	Y-5M8M2R163060B	1,156



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET

Notes

- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2” (12mm) thick.
- 12” wide wings get one bracket, 18” wide and over wings get two brackets.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Nominal = Actual Size L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP ENCLOSURES WITH WIRE MANAGERS

			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
20	24	12	Y-5M8M2L201224B	Y-5M8M2R201224B	949
20	30	12	Y-5M8M2L201230B	Y-5M8M2R201230B	978
20	36	12	Y-5M8M2L201236B	Y-5M8M2R201236B	1,007
20	42	12	Y-5M8M2L201242B	Y-5M8M2R201242B	1,035
20	48	12	Y-5M8M2L201248B	Y-5M8M2R201248B	1,060
20	54	12	Y-5M8M2L201254B	Y-5M8M2R201254B	1,088
20	60	12	Y-5M8M2L201260B	Y-5M8M2R201260B	1,118
20	66	12	Y-5M8M2L201266B	Y-5M8M2R201266B	1,145
20	72	12	Y-5M8M2L201272B	Y-5M8M2R201272B	1,175
20	78	12	Y-5M8M2L201278B	Y-5M8M2R201278B	1,201
20	24	18	Y-5M8M2L201824B	Y-5M8M2R201824B	978
20	30	18	Y-5M8M2L201830B	Y-5M8M2R201830B	1,007
20	36	18	Y-5M8M2L201836B	Y-5M8M2R201836B	1,035
20	42	18	Y-5M8M2L201842B	Y-5M8M2R201842B	1,060
20	48	18	Y-5M8M2L201848B	Y-5M8M2R201848B	1,088
20	54	18	Y-5M8M2L201854B	Y-5M8M2R201854B	1,118
20	60	18	Y-5M8M2L201860B	Y-5M8M2R201860B	1,145
20	66	18	Y-5M8M2L201866B	Y-5M8M2R201866B	1,175
20	72	18	Y-5M8M2L201872B	Y-5M8M2R201872B	1,201



Left Hand



Right Hand

Specify	Notes
• Paint Selection	• Specify based on table that enclosure is paired with.
• Color Selection for PET	• PET screen inserts are 1/2” (12mm) thick.
	• 12” wide wings get one bracket, 18” wide and over wings get two brackets.
	• 3/8” gap allows for installation of clamp-on monitors and accessories.
	• Unhooks from worksurface for easy access to wire management. Access from user side.
	• Height listed above is above surface height. For additional dimensions see product detail pages.


© 2026, AIS, Inc.

PET Nominal = Actual Size L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP ENCLOSURES WITH WIRE MANAGERS

			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
20	24	24	Y-5M8M2L202424B	Y-5M8M2R202424B	1,007
20	30	24	Y-5M8M2L202430B	Y-5M8M2R202430B	1,035
20	36	24	Y-5M8M2L202436B	Y-5M8M2R202436B	1,060
20	42	24	Y-5M8M2L202442B	Y-5M8M2R202442B	1,088
20	48	24	Y-5M8M2L202448B	Y-5M8M2R202448B	1,118
20	54	24	Y-5M8M2L202454B	Y-5M8M2R202454B	1,145
20	60	24	Y-5M8M2L202460B	Y-5M8M2R202460B	1,175
20	66	24	Y-5M8M2L202466B	Y-5M8M2R202466B	1,201
20	24	30	Y-5M8M2L203024B	Y-5M8M2R203024B	1,035
20	30	30	Y-5M8M2L203030B	Y-5M8M2R203030B	1,060
20	36	30	Y-5M8M2L203036B	Y-5M8M2R203036B	1,088
20	42	30	Y-5M8M2L203042B	Y-5M8M2R203042B	1,118
20	48	30	Y-5M8M2L203048B	Y-5M8M2R203048B	1,145
20	54	30	Y-5M8M2L203054B	Y-5M8M2R203054B	1,175
20	60	30	Y-5M8M2L203060B	Y-5M8M2R203060B	1,201



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET

Notes

- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2” (12mm) thick.
- 12” wide wings get one bracket, 18” wide and over wings get two brackets.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Nominal = Actual Size L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP ENCLOSURES WITH WIRE MANAGERS

			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
24	24	12	Y-5M8M2L241224B	Y-5M8M2R241224B	1,047
24	30	12	Y-5M8M2L241230B	Y-5M8M2R241230B	1,095
24	36	12	Y-5M8M2L241236B	Y-5M8M2R241236B	1,146
24	42	12	Y-5M8M2L241242B	Y-5M8M2R241242B	1,196
24	48	12	Y-5M8M2L241248B	Y-5M8M2R241248B	1,248
24	54	12	Y-5M8M2L241254B	Y-5M8M2R241254B	1,296
24	60	12	Y-5M8M2L241260B	Y-5M8M2R241260B	1,346
24	66	12	Y-5M8M2L241266B	Y-5M8M2R241266B	1,395
24	72	12	Y-5M8M2L241272B	Y-5M8M2R241272B	1,442
24	78	12	Y-5M8M2L241278B	Y-5M8M2R241278B	1,495
24	24	18	Y-5M8M2L241824B	Y-5M8M2R241824B	1,095
24	30	18	Y-5M8M2L241830B	Y-5M8M2R241830B	1,146
24	36	18	Y-5M8M2L241836B	Y-5M8M2R241836B	1,196
24	42	18	Y-5M8M2L241842B	Y-5M8M2R241842B	1,248
24	48	18	Y-5M8M2L241848B	Y-5M8M2R241848B	1,296
24	54	18	Y-5M8M2L241854B	Y-5M8M2R241854B	1,346
24	60	18	Y-5M8M2L241860B	Y-5M8M2R241860B	1,395
24	66	18	Y-5M8M2L241866B	Y-5M8M2R241866B	1,442
24	72	18	Y-5M8M2L241872B	Y-5M8M2R241872B	1,495



Left Hand



Right Hand

Specify	Notes
• Paint Selection	• Specify based on table that enclosure is paired with.
• Color Selection for PET	• PET screen inserts are 1/2” (12mm) thick.
	• 12” wide wings get one bracket, 18” wide and over wings get two brackets.
	• 3/8” gap allows for installation of clamp-on monitors and accessories.
	• Unhooks from worksurface for easy access to wire management. Access from user side.
	• Height listed above is above surface height. For additional dimensions see product detail pages.


© 2026, AIS, Inc.

PET Nominal = Actual Size L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP ENCLOSURES WITH WIRE MANAGERS

			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
24	24	24	Y-5M8M2L242424B	Y-5M8M2R242424B	1,146
24	30	24	Y-5M8M2L242430B	Y-5M8M2R242430B	1,196
24	36	24	Y-5M8M2L242436B	Y-5M8M2R242436B	1,248
24	42	24	Y-5M8M2L242442B	Y-5M8M2R242442B	1,296
24	48	24	Y-5M8M2L242448B	Y-5M8M2R242448B	1,346
24	54	24	Y-5M8M2L242454B	Y-5M8M2R242454B	1,395
24	60	24	Y-5M8M2L242460B	Y-5M8M2R242460B	1,442
24	66	24	Y-5M8M2L242466B	Y-5M8M2R242466B	1,495
24	24	30	Y-5M8M2L243024B	Y-5M8M2R243024B	1,196
24	30	30	Y-5M8M2L243030B	Y-5M8M2R243030B	1,248
24	36	30	Y-5M8M2L243036B	Y-5M8M2R243036B	1,296
24	42	30	Y-5M8M2L243042B	Y-5M8M2R243042B	1,346
24	48	30	Y-5M8M2L243048B	Y-5M8M2R243048B	1,395
24	54	30	Y-5M8M2L243054B	Y-5M8M2R243054B	1,442
24	60	30	Y-5M8M2L243060B	Y-5M8M2R243060B	1,495



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET

Notes

- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2” (12mm) thick.
- 12” wide wings get one bracket, 18” wide and over wings get two brackets.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Nominal = Actual Size L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP ENCLOSURES WITH WIRE MANAGERS

			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
28	24	12	Y-5M8M2L281224B	Y-5M8M2R281224B	1,084
28	30	12	Y-5M8M2L281230B	Y-5M8M2R281230B	1,138
28	36	12	Y-5M8M2L281236B	Y-5M8M2R281236B	1,194
28	42	12	Y-5M8M2L281242B	Y-5M8M2R281242B	1,249
28	48	12	Y-5M8M2L281248B	Y-5M8M2R281248B	1,304
28	54	12	Y-5M8M2L281254B	Y-5M8M2R281254B	1,360
28	60	12	Y-5M8M2L281260B	Y-5M8M2R281260B	1,412
28	66	12	Y-5M8M2L281266B	Y-5M8M2R281266B	1,471
28	72	12	Y-5M8M2L281272B	Y-5M8M2R281272B	1,526
28	78	12	Y-5M8M2L281278B	Y-5M8M2R281278B	1,583
28	24	18	Y-5M8M2L281824B	Y-5M8M2R281824B	1,138
28	30	18	Y-5M8M2L281830B	Y-5M8M2R281830B	1,194
28	36	18	Y-5M8M2L281836B	Y-5M8M2R281836B	1,249
28	42	18	Y-5M8M2L281842B	Y-5M8M2R281842B	1,304
28	48	18	Y-5M8M2L281848B	Y-5M8M2R281848B	1,360
28	54	18	Y-5M8M2L281854B	Y-5M8M2R281854B	1,412
28	60	18	Y-5M8M2L281860B	Y-5M8M2R281860B	1,471
28	66	18	Y-5M8M2L281866B	Y-5M8M2R281866B	1,526
28	72	18	Y-5M8M2L281872B	Y-5M8M2R281872B	1,583



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET

Notes

- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2” (12mm) thick.
- 12” wide wings get one bracket, 18” wide and over wings get two brackets.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.


© 2026, AIS, Inc.

PET Nominal = Actual Size L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	L-Wrap for Nominal = Actual Size	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE L-WRAP ENCLOSURES WITH WIRE MANAGERS

			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
28	24	24	Y-5M8M2L282424B	Y-5M8M2R282424B	1,194
28	30	24	Y-5M8M2L282430B	Y-5M8M2R282430B	1,249
28	36	24	Y-5M8M2L282436B	Y-5M8M2R282436B	1,304
28	42	24	Y-5M8M2L282442B	Y-5M8M2R282442B	1,360
28	48	24	Y-5M8M2L282448B	Y-5M8M2R282448B	1,412
28	54	24	Y-5M8M2L282454B	Y-5M8M2R282454B	1,471
28	60	24	Y-5M8M2L282460B	Y-5M8M2R282460B	1,526
28	66	24	Y-5M8M2L282466B	Y-5M8M2R282466B	1,583
28	24	30	Y-5M8M2L283024B	Y-5M8M2R283024B	1,249
28	30	30	Y-5M8M2L283030B	Y-5M8M2R283030B	1,304
28	36	30	Y-5M8M2L283036B	Y-5M8M2R283036B	1,360
28	42	30	Y-5M8M2L283042B	Y-5M8M2R283042B	1,412
28	48	30	Y-5M8M2L283048B	Y-5M8M2R283048B	1,471
28	54	30	Y-5M8M2L283054B	Y-5M8M2R283054B	1,526
28	60	30	Y-5M8M2L283060B	Y-5M8M2R283060B	1,583



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET

Notes

- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2” (12mm) thick.
- 12” wide wings get one bracket, 18” wide and over wings get two brackets.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Day-to-Day, Calibrate & E Series HAT L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	L-Wrap for Day-to-Day, Calibrate & E Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT L-WRAP ENCLOSURES WITH WIRE MANAGERS

			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
3	24	12	Y-5M8J2L031224B	Y-5M8J2R031224B	853
3	30	12	Y-5M8J2L031230B	Y-5M8J2R031230B	874
3	36	12	Y-5M8J2L031236B	Y-5M8J2R031236B	896
3	42	12	Y-5M8J2L031242B	Y-5M8J2R031242B	916
3	48	12	Y-5M8J2L031248B	Y-5M8J2R031248B	941
3	54	12	Y-5M8J2L031254B	Y-5M8J2R031254B	963
3	60	12	Y-5M8J2L031260B	Y-5M8J2R031260B	984
3	66	12	Y-5M8J2L031266B	Y-5M8J2R031266B	1,007
3	72	12	Y-5M8J2L031272B	Y-5M8J2R031272B	1,025
3	78	12	Y-5M8J2L031278B	Y-5M8J2R031278B	1,050
3	24	18	Y-5M8J2L031824B	Y-5M8J2R031824B	874
3	30	18	Y-5M8J2L031830B	Y-5M8J2R031830B	896
3	36	18	Y-5M8J2L031836B	Y-5M8J2R031836B	916
3	42	18	Y-5M8J2L031842B	Y-5M8J2R031842B	941
3	48	18	Y-5M8J2L031848B	Y-5M8J2R031848B	963
3	54	18	Y-5M8J2L031854B	Y-5M8J2R031854B	984
3	60	18	Y-5M8J2L031860B	Y-5M8J2R031860B	1,007
3	66	18	Y-5M8J2L031866B	Y-5M8J2R031866B	1,025
3	72	18	Y-5M8J2L031872B	Y-5M8J2R031872B	1,050



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET

Notes

- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2” (12mm) thick.
- 12” wide wings get one bracket, 18” wide and over wings get two brackets.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.


© 2026, AIS, Inc.

PET Day-to-Day, Calibrate & E Series HAT L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	L-Wrap for Day-to-Day, Calibrate & E Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT L-WRAP ENCLOSURES WITH WIRE MANAGERS

			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
3	24	24	Y-5M8J2L032424B	Y-5M8J2R032424B	896
3	30	24	Y-5M8J2L032430B	Y-5M8J2R032430B	916
3	36	24	Y-5M8J2L032436B	Y-5M8J2R032436B	941
3	42	24	Y-5M8J2L032442B	Y-5M8J2R032442B	963
3	48	24	Y-5M8J2L032448B	Y-5M8J2R032448B	984
3	54	24	Y-5M8J2L032454B	Y-5M8J2R032454B	1,007
3	60	24	Y-5M8J2L032460B	Y-5M8J2R032460B	1,025
3	66	24	Y-5M8J2L032466B	Y-5M8J2R032466B	1,050
3	24	30	Y-5M8J2L033024B	Y-5M8J2R033024B	916
3	30	30	Y-5M8J2L033030B	Y-5M8J2R033030B	941
3	36	30	Y-5M8J2L033036B	Y-5M8J2R033036B	963
3	42	30	Y-5M8J2L033042B	Y-5M8J2R033042B	984
3	48	30	Y-5M8J2L033048B	Y-5M8J2R033048B	1,007
3	54	30	Y-5M8J2L033054B	Y-5M8J2R033054B	1,025
3	60	30	Y-5M8J2L033060B	Y-5M8J2R033060B	1,050



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET

Notes

- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2” (12mm) thick.
- 12” wide wings get one bracket, 18” wide and over wings get two brackets.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Day-to-Day, Calibrate & E Series HAT L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	L-Wrap for Day-to-Day, Calibrate & E Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT L-WRAP ENCLOSURES WITH WIRE MANAGERS

			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
12	24	12	Y-5M8J2L121224B	Y-5M8J2R121224B	888
12	30	12	Y-5M8J2L121230B	Y-5M8J2R121230B	911
12	36	12	Y-5M8J2L121236B	Y-5M8J2R121236B	934
12	42	12	Y-5M8J2L121242B	Y-5M8J2R121242B	955
12	48	12	Y-5M8J2L121248B	Y-5M8J2R121248B	979
12	54	12	Y-5M8J2L121254B	Y-5M8J2R121254B	1,002
12	60	12	Y-5M8J2L121260B	Y-5M8J2R121260B	1,023
12	66	12	Y-5M8J2L121266B	Y-5M8J2R121266B	1,047
12	72	12	Y-5M8J2L121272B	Y-5M8J2R121272B	1,070
12	78	12	Y-5M8J2L121278B	Y-5M8J2R121278B	1,093
12	24	18	Y-5M8J2L121824B	Y-5M8J2R121824B	911
12	30	18	Y-5M8J2L121830B	Y-5M8J2R121830B	934
12	36	18	Y-5M8J2L121836B	Y-5M8J2R121836B	955
12	42	18	Y-5M8J2L121842B	Y-5M8J2R121842B	979
12	48	18	Y-5M8J2L121848B	Y-5M8J2R121848B	1,002
12	54	18	Y-5M8J2L121854B	Y-5M8J2R121854B	1,023
12	60	18	Y-5M8J2L121860B	Y-5M8J2R121860B	1,047
12	66	18	Y-5M8J2L121866B	Y-5M8J2R121866B	1,070
12	72	18	Y-5M8J2L121872B	Y-5M8J2R121872B	1,093



Left Hand



Right Hand

Specify	Notes
• Paint Selection	• Specify based on table that enclosure is paired with.
• Color Selection for PET	• PET screen inserts are 1/2” (12mm) thick.
	• 12” wide wings get one bracket, 18” wide and over wings get two brackets.
	• 3/8” gap allows for installation of clamp-on monitors and accessories.
	• Unhooks from worksurface for easy access to wire management. Access from user side.
	• Height listed above is above surface height. For additional dimensions see product detail pages.


© 2026, AIS, Inc.

PET Day-to-Day, Calibrate & E Series HAT L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	L-Wrap for Day-to-Day, Calibrate & E Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT L-WRAP ENCLOSURES WITH WIRE MANAGERS

			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
12	24	24	Y-5M8J2L122424B	Y-5M8J2R122424B	934
12	30	24	Y-5M8J2L122430B	Y-5M8J2R122430B	955
12	36	24	Y-5M8J2L122436B	Y-5M8J2R122436B	979
12	42	24	Y-5M8J2L122442B	Y-5M8J2R122442B	1,002
12	48	24	Y-5M8J2L122448B	Y-5M8J2R122448B	1,023
12	54	24	Y-5M8J2L122454B	Y-5M8J2R122454B	1,047
12	60	24	Y-5M8J2L122460B	Y-5M8J2R122460B	1,070
12	66	24	Y-5M8J2L122466B	Y-5M8J2R122466B	1,093
12	24	30	Y-5M8J2L123024B	Y-5M8J2R123024B	955
12	30	30	Y-5M8J2L123030B	Y-5M8J2R123030B	979
12	36	30	Y-5M8J2L123036B	Y-5M8J2R123036B	1,002
12	42	30	Y-5M8J2L123042B	Y-5M8J2R123042B	1,023
12	48	30	Y-5M8J2L123048B	Y-5M8J2R123048B	1,047
12	54	30	Y-5M8J2L123054B	Y-5M8J2R123054B	1,070
12	60	30	Y-5M8J2L123060B	Y-5M8J2R123060B	1,093



Left Hand



Right Hand

Specify	Notes
• Paint Selection	• Specify based on table that enclosure is paired with.
• Color Selection for PET	• PET screen inserts are 1/2” (12mm) thick.
	• 12” wide wings get one bracket, 18” wide and over wings get two brackets.
	• 3/8” gap allows for installation of clamp-on monitors and accessories.
	• Unhooks from worksurface for easy access to wire management. Access from user side.
	• Height listed above is above surface height. For additional dimensions see product detail pages.


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Day-to-Day, Calibrate & E Series HAT L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	L-Wrap for Day-to-Day, Calibrate & E Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT L-WRAP ENCLOSURES WITH WIRE MANAGERS

			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
16	24	12	Y-5M8J2L161224B	Y-5M8J2R161224B	913
16	30	12	Y-5M8J2L161230B	Y-5M8J2R161230B	941
16	36	12	Y-5M8J2L161236B	Y-5M8J2R161236B	966
16	42	12	Y-5M8J2L161242B	Y-5M8J2R161242B	993
16	48	12	Y-5M8J2L161248B	Y-5M8J2R161248B	1,020
16	54	12	Y-5M8J2L161254B	Y-5M8J2R161254B	1,047
16	60	12	Y-5M8J2L161260B	Y-5M8J2R161260B	1,075
16	66	12	Y-5M8J2L161266B	Y-5M8J2R161266B	1,103
16	72	12	Y-5M8J2L161272B	Y-5M8J2R161272B	1,131
16	78	12	Y-5M8J2L161278B	Y-5M8J2R161278B	1,156
16	24	18	Y-5M8J2L161824B	Y-5M8J2R161824B	941
16	30	18	Y-5M8J2L161830B	Y-5M8J2R161830B	966
16	36	18	Y-5M8J2L161836B	Y-5M8J2R161836B	993
16	42	18	Y-5M8J2L161842B	Y-5M8J2R161842B	1,020
16	48	18	Y-5M8J2L161848B	Y-5M8J2R161848B	1,047
16	54	18	Y-5M8J2L161854B	Y-5M8J2R161854B	1,075
16	60	18	Y-5M8J2L161860B	Y-5M8J2R161860B	1,103
16	66	18	Y-5M8J2L161866B	Y-5M8J2R161866B	1,131
16	72	18	Y-5M8J2L161872B	Y-5M8J2R161872B	1,156



Left Hand



Right Hand

Specify	Notes
• Paint Selection	• Specify based on table that enclosure is paired with.
• Color Selection for PET	• PET screen inserts are 1/2” (12mm) thick.
	• 12” wide wings get one bracket, 18” wide and over wings get two brackets.
	• 3/8” gap allows for installation of clamp-on monitors and accessories.
	• Unhooks from worksurface for easy access to wire management. Access from user side.
	• Height listed above is above surface height. For additional dimensions see product detail pages.


© 2026, AIS, Inc.

PET Day-to-Day, Calibrate & E Series HAT L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	L-Wrap for Day-to-Day, Calibrate & E Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT L-WRAP ENCLOSURES WITH WIRE MANAGERS

			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
16	24	24	Y-5M8J2L162424B	Y-5M8J2R162424B	966
16	30	24	Y-5M8J2L162430B	Y-5M8J2R162430B	993
16	36	24	Y-5M8J2L162436B	Y-5M8J2R162436B	1,020
16	42	24	Y-5M8J2L162442B	Y-5M8J2R162442B	1,047
16	48	24	Y-5M8J2L162448B	Y-5M8J2R162448B	1,075
16	54	24	Y-5M8J2L162454B	Y-5M8J2R162454B	1,103
16	60	24	Y-5M8J2L162460B	Y-5M8J2R162460B	1,131
16	66	24	Y-5M8J2L162466B	Y-5M8J2R162466B	1,156
16	24	30	Y-5M8J2L163024B	Y-5M8J2R163024B	993
16	30	30	Y-5M8J2L163030B	Y-5M8J2R163030B	1,020
16	36	30	Y-5M8J2L163036B	Y-5M8J2R163036B	1,047
16	42	30	Y-5M8J2L163042B	Y-5M8J2R163042B	1,075
16	48	30	Y-5M8J2L163048B	Y-5M8J2R163048B	1,103
16	54	30	Y-5M8J2L163054B	Y-5M8J2R163054B	1,131
16	60	30	Y-5M8J2L163060B	Y-5M8J2R163060B	1,156



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET

Notes

- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2” (12mm) thick.
- 12” wide wings get one bracket, 18” wide and over wings get two brackets.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Day-to-Day, Calibrate & E Series HAT L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	L-Wrap for Day-to-Day, Calibrate & E Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT L-WRAP ENCLOSURES WITH WIRE MANAGERS

			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
20	24	12	Y-5M8J2L201224B	Y-5M8J2R201224B	949
20	30	12	Y-5M8J2L201230B	Y-5M8J2R201230B	978
20	36	12	Y-5M8J2L201236B	Y-5M8J2R201236B	1,007
20	42	12	Y-5M8J2L201242B	Y-5M8J2R201242B	1,035
20	48	12	Y-5M8J2L201248B	Y-5M8J2R201248B	1,060
20	54	12	Y-5M8J2L201254B	Y-5M8J2R201254B	1,088
20	60	12	Y-5M8J2L201260B	Y-5M8J2R201260B	1,118
20	66	12	Y-5M8J2L201266B	Y-5M8J2R201266B	1,145
20	72	12	Y-5M8J2L201272B	Y-5M8J2R201272B	1,175
20	78	12	Y-5M8J2L201278B	Y-5M8J2R201278B	1,201
20	24	18	Y-5M8J2L201824B	Y-5M8J2R201824B	978
20	30	18	Y-5M8J2L201830B	Y-5M8J2R201830B	1,007
20	36	18	Y-5M8J2L201836B	Y-5M8J2R201836B	1,035
20	42	18	Y-5M8J2L201842B	Y-5M8J2R201842B	1,060
20	48	18	Y-5M8J2L201848B	Y-5M8J2R201848B	1,088
20	54	18	Y-5M8J2L201854B	Y-5M8J2R201854B	1,118
20	60	18	Y-5M8J2L201860B	Y-5M8J2R201860B	1,145
20	66	18	Y-5M8J2L201866B	Y-5M8J2R201866B	1,175
20	72	18	Y-5M8J2L201872B	Y-5M8J2R201872B	1,201



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET

Notes

- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2” (12mm) thick.
- 12” wide wings get one bracket, 18” wide and over wings get two brackets.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.


© 2026, AIS, Inc.

PET Day-to-Day, Calibrate & E Series HAT L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	L-Wrap for Day-to-Day, Calibrate & E Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT L-WRAP ENCLOSURES WITH WIRE MANAGERS

			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
20	24	24	Y-5M8J2L202424B	Y-5M8J2R202424B	1,007
20	30	24	Y-5M8J2L202430B	Y-5M8J2R202430B	1,035
20	36	24	Y-5M8J2L202436B	Y-5M8J2R202436B	1,060
20	42	24	Y-5M8J2L202442B	Y-5M8J2R202442B	1,088
20	48	24	Y-5M8J2L202448B	Y-5M8J2R202448B	1,118
20	54	24	Y-5M8J2L202454B	Y-5M8J2R202454B	1,145
20	60	24	Y-5M8J2L202460B	Y-5M8J2R202460B	1,175
20	66	24	Y-5M8J2L202466B	Y-5M8J2R202466B	1,201
20	24	30	Y-5M8J2L203024B	Y-5M8J2R203024B	1,035
20	30	30	Y-5M8J2L203030B	Y-5M8J2R203030B	1,060
20	36	30	Y-5M8J2L203036B	Y-5M8J2R203036B	1,088
20	42	30	Y-5M8J2L203042B	Y-5M8J2R203042B	1,118
20	48	30	Y-5M8J2L203048B	Y-5M8J2R203048B	1,145
20	54	30	Y-5M8J2L203054B	Y-5M8J2R203054B	1,175
20	60	30	Y-5M8J2L203060B	Y-5M8J2R203060B	1,201



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET

Notes

- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2” (12mm) thick.
- 12” wide wings get one bracket, 18” wide and over wings get two brackets.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Day-to-Day, Calibrate & E Series HAT L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	L-Wrap for Day-to-Day, Calibrate & E Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT L-WRAP ENCLOSURES WITH WIRE MANAGERS

			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
24	24	12	Y-5M8J2L241224B	Y-5M8J2R241224B	1,047
24	30	12	Y-5M8J2L241230B	Y-5M8J2R241230B	1,095
24	36	12	Y-5M8J2L241236B	Y-5M8J2R241236B	1,146
24	42	12	Y-5M8J2L241242B	Y-5M8J2R241242B	1,196
24	48	12	Y-5M8J2L241248B	Y-5M8J2R241248B	1,248
24	54	12	Y-5M8J2L241254B	Y-5M8J2R241254B	1,296
24	60	12	Y-5M8J2L241260B	Y-5M8J2R241260B	1,346
24	66	12	Y-5M8J2L241266B	Y-5M8J2R241266B	1,395
24	72	12	Y-5M8J2L241272B	Y-5M8J2R241272B	1,442
24	78	12	Y-5M8J2L241278B	Y-5M8J2R241278B	1,495
24	24	18	Y-5M8J2L241824B	Y-5M8J2R241824B	1,095
24	30	18	Y-5M8J2L241830B	Y-5M8J2R241830B	1,146
24	36	18	Y-5M8J2L241836B	Y-5M8J2R241836B	1,196
24	42	18	Y-5M8J2L241842B	Y-5M8J2R241842B	1,248
24	48	18	Y-5M8J2L241848B	Y-5M8J2R241848B	1,296
24	54	18	Y-5M8J2L241854B	Y-5M8J2R241854B	1,346
24	60	18	Y-5M8J2L241860B	Y-5M8J2R241860B	1,395
24	66	18	Y-5M8J2L241866B	Y-5M8J2R241866B	1,442
24	72	18	Y-5M8J2L241872B	Y-5M8J2R241872B	1,495



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET

Notes

- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2” (12mm) thick.
- 12” wide wings get one bracket, 18” wide and over wings get two brackets.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.


© 2026, AIS, Inc.

PET Day-to-Day, Calibrate & E Series HAT L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	L-Wrap for Day-to-Day, Calibrate & E Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT L-WRAP ENCLOSURES WITH WIRE MANAGERS

			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
24	24	24	Y-5M8J2L242424B	Y-5M8J2R242424B	1,146
24	30	24	Y-5M8J2L242430B	Y-5M8J2R242430B	1,196
24	36	24	Y-5M8J2L242436B	Y-5M8J2R242436B	1,248
24	42	24	Y-5M8J2L242442B	Y-5M8J2R242442B	1,296
24	48	24	Y-5M8J2L242448B	Y-5M8J2R242448B	1,346
24	54	24	Y-5M8J2L242454B	Y-5M8J2R242454B	1,395
24	60	24	Y-5M8J2L242460B	Y-5M8J2R242460B	1,442
24	66	24	Y-5M8J2L242466B	Y-5M8J2R242466B	1,495
24	24	30	Y-5M8J2L243024B	Y-5M8J2R243024B	1,196
24	30	30	Y-5M8J2L243030B	Y-5M8J2R243030B	1,248
24	36	30	Y-5M8J2L243036B	Y-5M8J2R243036B	1,296
24	42	30	Y-5M8J2L243042B	Y-5M8J2R243042B	1,346
24	48	30	Y-5M8J2L243048B	Y-5M8J2R243048B	1,395
24	54	30	Y-5M8J2L243054B	Y-5M8J2R243054B	1,442
24	60	30	Y-5M8J2L243060B	Y-5M8J2R243060B	1,495



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET

Notes

- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2” (12mm) thick.
- 12” wide wings get one bracket, 18” wide and over wings get two brackets.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Day-to-Day, Calibrate & E Series HAT L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	L-Wrap for Day-to-Day, Calibrate & E Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT L-WRAP ENCLOSURES WITH WIRE MANAGERS

			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
28	24	12	Y-5M8J2L281224B	Y-5M8J2R281224B	1,084
28	30	12	Y-5M8J2L281230B	Y-5M8J2R281230B	1,138
28	36	12	Y-5M8J2L281236B	Y-5M8J2R281236B	1,194
28	42	12	Y-5M8J2L281242B	Y-5M8J2R281242B	1,249
28	48	12	Y-5M8J2L281248B	Y-5M8J2R281248B	1,304
28	54	12	Y-5M8J2L281254B	Y-5M8J2R281254B	1,360
28	60	12	Y-5M8J2L281260B	Y-5M8J2R281260B	1,412
28	66	12	Y-5M8J2L281266B	Y-5M8J2R281266B	1,471
28	72	12	Y-5M8J2L281272B	Y-5M8J2R281272B	1,526
28	78	12	Y-5M8J2L281278B	Y-5M8J2R281278B	1,583
28	24	18	Y-5M8J2L281824B	Y-5M8J2R281824B	1,138
28	30	18	Y-5M8J2L281830B	Y-5M8J2R281830B	1,194
28	36	18	Y-5M8J2L281836B	Y-5M8J2R281836B	1,249
28	42	18	Y-5M8J2L281842B	Y-5M8J2R281842B	1,304
28	48	18	Y-5M8J2L281848B	Y-5M8J2R281848B	1,360
28	54	18	Y-5M8J2L281854B	Y-5M8J2R281854B	1,412
28	60	18	Y-5M8J2L281860B	Y-5M8J2R281860B	1,471
28	66	18	Y-5M8J2L281866B	Y-5M8J2R281866B	1,526
28	72	18	Y-5M8J2L281872B	Y-5M8J2R281872B	1,583



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET

Notes

- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2” (12mm) thick.
- 12” wide wings get one bracket, 18” wide and over wings get two brackets.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.


© 2026, AIS, Inc.

PET Day-to-Day, Calibrate & E Series HAT L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	L-Wrap for Day-to-Day, Calibrate & E Series HAT	Under Surface Mount	Left or Right

PET DAY-TO-DAY, CALIBRATE & E SERIES HAT L-WRAP ENCLOSURES WITH WIRE MANAGERS

			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
28	24	24	Y-5M8J2L282424B	Y-5M8J2R282424B	1,194
28	30	24	Y-5M8J2L282430B	Y-5M8J2R282430B	1,249
28	36	24	Y-5M8J2L282436B	Y-5M8J2R282436B	1,304
28	42	24	Y-5M8J2L282442B	Y-5M8J2R282442B	1,360
28	48	24	Y-5M8J2L282448B	Y-5M8J2R282448B	1,412
28	54	24	Y-5M8J2L282454B	Y-5M8J2R282454B	1,471
28	60	24	Y-5M8J2L282460B	Y-5M8J2R282460B	1,526
28	66	24	Y-5M8J2L282466B	Y-5M8J2R282466B	1,583
28	24	30	Y-5M8J2L283024B	Y-5M8J2R283024B	1,249
28	30	30	Y-5M8J2L283030B	Y-5M8J2R283030B	1,304
28	36	30	Y-5M8J2L283036B	Y-5M8J2R283036B	1,360
28	42	30	Y-5M8J2L283042B	Y-5M8J2R283042B	1,412
28	48	30	Y-5M8J2L283048B	Y-5M8J2R283048B	1,471
28	54	30	Y-5M8J2L283054B	Y-5M8J2R283054B	1,526
28	60	30	Y-5M8J2L283060B	Y-5M8J2R283060B	1,583



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET

Notes

- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2” (12mm) thick.
- 12” wide wings get one bracket, 18” wide and over wings get two brackets.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Benching HAT L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	L-Wrap for Benching HAT	Under Surface Mount	Left or Right

PET BENCHING HAT L-WRAP ENCLOSURES WITH WIRE MANAGERS

			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
3	24	12	Y-5M8K2L031224B	Y-5M8K2R031224B	853
3	30	12	Y-5M8K2L031230B	Y-5M8K2R031230B	874
3	36	12	Y-5M8K2L031236B	Y-5M8K2R031236B	896
3	42	12	Y-5M8K2L031242B	Y-5M8K2R031242B	916
3	48	12	Y-5M8K2L031248B	Y-5M8K2R031248B	941
3	54	12	Y-5M8K2L031254B	Y-5M8K2R031254B	963
3	60	12	Y-5M8K2L031260B	Y-5M8K2R031260B	984
3	66	12	Y-5M8K2L031266B	Y-5M8K2R031266B	1,007
3	72	12	Y-5M8K2L031272B	Y-5M8K2R031272B	1,025
3	78	12	Y-5M8K2L031278B	Y-5M8K2R031278B	1,050
3	24	18	Y-5M8K2L031824B	Y-5M8K2R031824B	874
3	30	18	Y-5M8K2L031830B	Y-5M8K2R031830B	896
3	36	18	Y-5M8K2L031836B	Y-5M8K2R031836B	916
3	42	18	Y-5M8K2L031842B	Y-5M8K2R031842B	941
3	48	18	Y-5M8K2L031848B	Y-5M8K2R031848B	963
3	54	18	Y-5M8K2L031854B	Y-5M8K2R031854B	984
3	60	18	Y-5M8K2L031860B	Y-5M8K2R031860B	1,007
3	66	18	Y-5M8K2L031866B	Y-5M8K2R031866B	1,025
3	72	18	Y-5M8K2L031872B	Y-5M8K2R031872B	1,050



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET

Notes

- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2” (12mm) thick.
- 12” wide wings get one bracket, 18” wide and over wings get two brackets.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.


© 2026, AIS, Inc.

PET Benching HAT L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	L-Wrap for Benching HAT	Under Surface Mount	Left or Right

PET BENCHING HAT L-WRAP ENCLOSURES WITH WIRE MANAGERS

			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
3	24	24	Y-5M8K2L032424B	Y-5M8K2R032424B	896
3	30	24	Y-5M8K2L032430B	Y-5M8K2R032430B	916
3	36	24	Y-5M8K2L032436B	Y-5M8K2R032436B	941
3	42	24	Y-5M8K2L032442B	Y-5M8K2R032442B	963
3	48	24	Y-5M8K2L032448B	Y-5M8K2R032448B	984
3	54	24	Y-5M8K2L032454B	Y-5M8K2R032454B	1,007
3	60	24	Y-5M8K2L032460B	Y-5M8K2R032460B	1,025
3	66	24	Y-5M8K2L032466B	Y-5M8K2R032466B	1,050
3	24	30	Y-5M8K2L033024B	Y-5M8K2R033024B	916
3	30	30	Y-5M8K2L033030B	Y-5M8K2R033030B	941
3	36	30	Y-5M8K2L033036B	Y-5M8K2R033036B	963
3	42	30	Y-5M8K2L033042B	Y-5M8K2R033042B	984
3	48	30	Y-5M8K2L033048B	Y-5M8K2R033048B	1,007
3	54	30	Y-5M8K2L033054B	Y-5M8K2R033054B	1,025
3	60	30	Y-5M8K2L033060B	Y-5M8K2R033060B	1,050



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET

Notes

- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2” (12mm) thick.
- 12” wide wings get one bracket, 18” wide and over wings get two brackets.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Benching HAT L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	L-Wrap for Benching HAT	Under Surface Mount	Left or Right

PET BENCHING HAT L-WRAP ENCLOSURES WITH WIRE MANAGERS

			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
12	24	12	Y-5M8K2L121224B	Y-5M8K2R121224B	888
12	30	12	Y-5M8K2L121230B	Y-5M8K2R121230B	911
12	36	12	Y-5M8K2L121236B	Y-5M8K2R121236B	934
12	42	12	Y-5M8K2L121242B	Y-5M8K2R121242B	955
12	48	12	Y-5M8K2L121248B	Y-5M8K2R121248B	979
12	54	12	Y-5M8K2L121254B	Y-5M8K2R121254B	1,002
12	60	12	Y-5M8K2L121260B	Y-5M8K2R121260B	1,023
12	66	12	Y-5M8K2L121266B	Y-5M8K2R121266B	1,047
12	72	12	Y-5M8K2L121272B	Y-5M8K2R121272B	1,070
12	78	12	Y-5M8K2L121278B	Y-5M8K2R121278B	1,093
12	24	18	Y-5M8K2L121824B	Y-5M8K2R121824B	911
12	30	18	Y-5M8K2L121830B	Y-5M8K2R121830B	934
12	36	18	Y-5M8K2L121836B	Y-5M8K2R121836B	955
12	42	18	Y-5M8K2L121842B	Y-5M8K2R121842B	979
12	48	18	Y-5M8K2L121848B	Y-5M8K2R121848B	1,002
12	54	18	Y-5M8K2L121854B	Y-5M8K2R121854B	1,023
12	60	18	Y-5M8K2L121860B	Y-5M8K2R121860B	1,047
12	66	18	Y-5M8K2L121866B	Y-5M8K2R121866B	1,070
12	72	18	Y-5M8K2L121872B	Y-5M8K2R121872B	1,093



Left Hand



Right Hand

Specify	Notes
• Paint Selection	• Specify based on table that enclosure is paired with.
• Color Selection for PET	• PET screen inserts are 1/2” (12mm) thick.
	• 12” wide wings get one bracket, 18” wide and over wings get two brackets.
	• 3/8” gap allows for installation of clamp-on monitors and accessories.
	• Unhooks from worksurface for easy access to wire management. Access from user side.
	• Height listed above is above surface height. For additional dimensions see product detail pages.


© 2026, AIS, Inc.

PET Benching HAT L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	L-Wrap for Benching HAT	Under Surface Mount	Left or Right

PET BENCHING HAT L-WRAP ENCLOSURES WITH WIRE MANAGERS

			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
12	24	24	Y-5M8K2L122424B	Y-5M8K2R122424B	934
12	30	24	Y-5M8K2L122430B	Y-5M8K2R122430B	955
12	36	24	Y-5M8K2L122436B	Y-5M8K2R122436B	979
12	42	24	Y-5M8K2L122442B	Y-5M8K2R122442B	1,002
12	48	24	Y-5M8K2L122448B	Y-5M8K2R122448B	1,023
12	54	24	Y-5M8K2L122454B	Y-5M8K2R122454B	1,047
12	60	24	Y-5M8K2L122460B	Y-5M8K2R122460B	1,070
12	66	24	Y-5M8K2L122466B	Y-5M8K2R122466B	1,093
12	24	30	Y-5M8K2L123024B	Y-5M8K2R123024B	955
12	30	30	Y-5M8K2L123030B	Y-5M8K2R123030B	979
12	36	30	Y-5M8K2L123036B	Y-5M8K2R123036B	1,002
12	42	30	Y-5M8K2L123042B	Y-5M8K2R123042B	1,023
12	48	30	Y-5M8K2L123048B	Y-5M8K2R123048B	1,047
12	54	30	Y-5M8K2L123054B	Y-5M8K2R123054B	1,070
12	60	30	Y-5M8K2L123060B	Y-5M8K2R123060B	1,093



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET

Notes

- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2” (12mm) thick.
- 12” wide wings get one bracket, 18” wide and over wings get two brackets.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Benching HAT L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	L-Wrap for Benching HAT	Under Surface Mount	Left or Right

PET BENCHING HAT L-WRAP ENCLOSURES WITH WIRE MANAGERS

			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
16	24	12	Y-5M8K2L161224B	Y-5M8K2R161224B	913
16	30	12	Y-5M8K2L161230B	Y-5M8K2R161230B	941
16	36	12	Y-5M8K2L161236B	Y-5M8K2R161236B	966
16	42	12	Y-5M8K2L161242B	Y-5M8K2R161242B	993
16	48	12	Y-5M8K2L161248B	Y-5M8K2R161248B	1,020
16	54	12	Y-5M8K2L161254B	Y-5M8K2R161254B	1,047
16	60	12	Y-5M8K2L161260B	Y-5M8K2R161260B	1,075
16	66	12	Y-5M8K2L161266B	Y-5M8K2R161266B	1,103
16	72	12	Y-5M8K2L161272B	Y-5M8K2R161272B	1,131
16	78	12	Y-5M8K2L161278B	Y-5M8K2R161278B	1,156
16	24	18	Y-5M8K2L161824B	Y-5M8K2R161824B	941
16	30	18	Y-5M8K2L161830B	Y-5M8K2R161830B	966
16	36	18	Y-5M8K2L161836B	Y-5M8K2R161836B	993
16	42	18	Y-5M8K2L161842B	Y-5M8K2R161842B	1,020
16	48	18	Y-5M8K2L161848B	Y-5M8K2R161848B	1,047
16	54	18	Y-5M8K2L161854B	Y-5M8K2R161854B	1,075
16	60	18	Y-5M8K2L161860B	Y-5M8K2R161860B	1,103
16	66	18	Y-5M8K2L161866B	Y-5M8K2R161866B	1,131
16	72	18	Y-5M8K2L161872B	Y-5M8K2R161872B	1,156



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET

Notes

- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2” (12mm) thick.
- 12” wide wings get one bracket, 18” wide and over wings get two brackets.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.


© 2026, AIS, Inc.

PET Benching HAT L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	L-Wrap for Benching HAT	Under Surface Mount	Left or Right

PET BENCHING HAT L-WRAP ENCLOSURES WITH WIRE MANAGERS

			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
16	24	24	Y-5M8K2L162424B	Y-5M8K2R162424B	966
16	30	24	Y-5M8K2L162430B	Y-5M8K2R162430B	993
16	36	24	Y-5M8K2L162436B	Y-5M8K2R162436B	1,020
16	42	24	Y-5M8K2L162442B	Y-5M8K2R162442B	1,047
16	48	24	Y-5M8K2L162448B	Y-5M8K2R162448B	1,075
16	54	24	Y-5M8K2L162454B	Y-5M8K2R162454B	1,103
16	60	24	Y-5M8K2L162460B	Y-5M8K2R162460B	1,131
16	66	24	Y-5M8K2L162466B	Y-5M8K2R162466B	1,156
16	24	30	Y-5M8K2L163024B	Y-5M8K2R163024B	993
16	30	30	Y-5M8K2L163030B	Y-5M8K2R163030B	1,020
16	36	30	Y-5M8K2L163036B	Y-5M8K2R163036B	1,047
16	42	30	Y-5M8K2L163042B	Y-5M8K2R163042B	1,075
16	48	30	Y-5M8K2L163048B	Y-5M8K2R163048B	1,103
16	54	30	Y-5M8K2L163054B	Y-5M8K2R163054B	1,131
16	60	30	Y-5M8K2L163060B	Y-5M8K2R163060B	1,156



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET

Notes

- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2” (12mm) thick.
- 12” wide wings get one bracket, 18” wide and over wings get two brackets.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Benching HAT L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	L-Wrap for Benching HAT	Under Surface Mount	Left or Right

PET BENCHING HAT L-WRAP ENCLOSURES WITH WIRE MANAGERS

			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
20	24	12	Y-5M8K2L201224B	Y-5M8K2R201224B	949
20	30	12	Y-5M8K2L201230B	Y-5M8K2R201230B	978
20	36	12	Y-5M8K2L201236B	Y-5M8K2R201236B	1,007
20	42	12	Y-5M8K2L201242B	Y-5M8K2R201242B	1,035
20	48	12	Y-5M8K2L201248B	Y-5M8K2R201248B	1,060
20	54	12	Y-5M8K2L201254B	Y-5M8K2R201254B	1,088
20	60	12	Y-5M8K2L201260B	Y-5M8K2R201260B	1,118
20	66	12	Y-5M8K2L201266B	Y-5M8K2R201266B	1,145
20	72	12	Y-5M8K2L201272B	Y-5M8K2R201272B	1,175
20	78	12	Y-5M8K2L201278B	Y-5M8K2R201278B	1,201
20	24	18	Y-5M8K2L201824B	Y-5M8K2R201824B	978
20	30	18	Y-5M8K2L201830B	Y-5M8K2R201830B	1,007
20	36	18	Y-5M8K2L201836B	Y-5M8K2R201836B	1,035
20	42	18	Y-5M8K2L201842B	Y-5M8K2R201842B	1,060
20	48	18	Y-5M8K2L201848B	Y-5M8K2R201848B	1,088
20	54	18	Y-5M8K2L201854B	Y-5M8K2R201854B	1,118
20	60	18	Y-5M8K2L201860B	Y-5M8K2R201860B	1,145
20	66	18	Y-5M8K2L201866B	Y-5M8K2R201866B	1,175
20	72	18	Y-5M8K2L201872B	Y-5M8K2R201872B	1,201



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET

Notes

- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2” (12mm) thick.
- 12” wide wings get one bracket, 18” wide and over wings get two brackets.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.


© 2026, AIS, Inc.

PET Benching HAT L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	L-Wrap for Benching HAT	Under Surface Mount	Left or Right

PET BENCHING HAT L-WRAP ENCLOSURES WITH WIRE MANAGERS

			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
20	24	24	Y-5M8K2L202424B	Y-5M8K2R202424B	1,007
20	30	24	Y-5M8K2L202430B	Y-5M8K2R202430B	1,035
20	36	24	Y-5M8K2L202436B	Y-5M8K2R202436B	1,060
20	42	24	Y-5M8K2L202442B	Y-5M8K2R202442B	1,088
20	48	24	Y-5M8K2L202448B	Y-5M8K2R202448B	1,118
20	54	24	Y-5M8K2L202454B	Y-5M8K2R202454B	1,145
20	60	24	Y-5M8K2L202460B	Y-5M8K2R202460B	1,175
20	66	24	Y-5M8K2L202466B	Y-5M8K2R202466B	1,201
20	24	30	Y-5M8K2L203024B	Y-5M8K2R203024B	1,035
20	30	30	Y-5M8K2L203030B	Y-5M8K2R203030B	1,060
20	36	30	Y-5M8K2L203036B	Y-5M8K2R203036B	1,088
20	42	30	Y-5M8K2L203042B	Y-5M8K2R203042B	1,118
20	48	30	Y-5M8K2L203048B	Y-5M8K2R203048B	1,145
20	54	30	Y-5M8K2L203054B	Y-5M8K2R203054B	1,175
20	60	30	Y-5M8K2L203060B	Y-5M8K2R203060B	1,201



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET

Notes

- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2” (12mm) thick.
- 12” wide wings get one bracket, 18” wide and over wings get two brackets.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Benching HAT L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	L-Wrap for Benching HAT	Under Surface Mount	Left or Right

PET BENCHING HAT L-WRAP ENCLOSURES WITH WIRE MANAGERS

			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
24	24	12	Y-5M8K2L241224B	Y-5M8K2R241224B	1,047
24	30	12	Y-5M8K2L241230B	Y-5M8K2R241230B	1,095
24	36	12	Y-5M8K2L241236B	Y-5M8K2R241236B	1,146
24	42	12	Y-5M8K2L241242B	Y-5M8K2R241242B	1,196
24	48	12	Y-5M8K2L241248B	Y-5M8K2R241248B	1,248
24	54	12	Y-5M8K2L241254B	Y-5M8K2R241254B	1,296
24	60	12	Y-5M8K2L241260B	Y-5M8K2R241260B	1,346
24	66	12	Y-5M8K2L241266B	Y-5M8K2R241266B	1,395
24	72	12	Y-5M8K2L241272B	Y-5M8K2R241272B	1,442
24	78	12	Y-5M8K2L241278B	Y-5M8K2R241278B	1,495
24	24	18	Y-5M8K2L241824B	Y-5M8K2R241824B	1,095
24	30	18	Y-5M8K2L241830B	Y-5M8K2R241830B	1,146
24	36	18	Y-5M8K2L241836B	Y-5M8K2R241836B	1,196
24	42	18	Y-5M8K2L241842B	Y-5M8K2R241842B	1,248
24	48	18	Y-5M8K2L241848B	Y-5M8K2R241848B	1,296
24	54	18	Y-5M8K2L241854B	Y-5M8K2R241854B	1,346
24	60	18	Y-5M8K2L241860B	Y-5M8K2R241860B	1,395
24	66	18	Y-5M8K2L241866B	Y-5M8K2R241866B	1,442
24	72	18	Y-5M8K2L241872B	Y-5M8K2R241872B	1,495



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET

Notes

- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2” (12mm) thick.
- 12” wide wings get one bracket, 18” wide and over wings get two brackets.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.


© 2026, AIS, Inc.

PET Benching HAT L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	L-Wrap for Benching HAT	Under Surface Mount	Left or Right

PET BENCHING HAT L-WRAP ENCLOSURES WITH WIRE MANAGERS

			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
24	24	24	Y-5M8K2L242424B	Y-5M8K2R242424B	1,146
24	30	24	Y-5M8K2L242430B	Y-5M8K2R242430B	1,196
24	36	24	Y-5M8K2L242436B	Y-5M8K2R242436B	1,248
24	42	24	Y-5M8K2L242442B	Y-5M8K2R242442B	1,296
24	48	24	Y-5M8K2L242448B	Y-5M8K2R242448B	1,346
24	54	24	Y-5M8K2L242454B	Y-5M8K2R242454B	1,395
24	60	24	Y-5M8K2L242460B	Y-5M8K2R242460B	1,442
24	66	24	Y-5M8K2L242466B	Y-5M8K2R242466B	1,495
24	24	30	Y-5M8K2L243024B	Y-5M8K2R243024B	1,196
24	30	30	Y-5M8K2L243030B	Y-5M8K2R243030B	1,248
24	36	30	Y-5M8K2L243036B	Y-5M8K2R243036B	1,296
24	42	30	Y-5M8K2L243042B	Y-5M8K2R243042B	1,346
24	48	30	Y-5M8K2L243048B	Y-5M8K2R243048B	1,395
24	54	30	Y-5M8K2L243054B	Y-5M8K2R243054B	1,442
24	60	30	Y-5M8K2L243060B	Y-5M8K2R243060B	1,495



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET

Notes

- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2” (12mm) thick.
- 12” wide wings get one bracket, 18” wide and over wings get two brackets.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Benching HAT L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	L-Wrap for Benching HAT	Under Surface Mount	Left or Right

PET BENCHING HAT L-WRAP ENCLOSURES WITH WIRE MANAGERS

			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
28	24	12	Y-5M8K2L281224B	Y-5M8K2R281224B	1,084
28	30	12	Y-5M8K2L281230B	Y-5M8K2R281230B	1,138
28	36	12	Y-5M8K2L281236B	Y-5M8K2R281236B	1,194
28	42	12	Y-5M8K2L281242B	Y-5M8K2R281242B	1,249
28	48	12	Y-5M8K2L281248B	Y-5M8K2R281248B	1,304
28	54	12	Y-5M8K2L281254B	Y-5M8K2R281254B	1,360
28	60	12	Y-5M8K2L281260B	Y-5M8K2R281260B	1,412
28	66	12	Y-5M8K2L281266B	Y-5M8K2R281266B	1,471
28	72	12	Y-5M8K2L281272B	Y-5M8K2R281272B	1,526
28	78	12	Y-5M8K2L281278B	Y-5M8K2R281278B	1,583
28	24	18	Y-5M8K2L281824B	Y-5M8K2R281824B	1,138
28	30	18	Y-5M8K2L281830B	Y-5M8K2R281830B	1,194
28	36	18	Y-5M8K2L281836B	Y-5M8K2R281836B	1,249
28	42	18	Y-5M8K2L281842B	Y-5M8K2R281842B	1,304
28	48	18	Y-5M8K2L281848B	Y-5M8K2R281848B	1,360
28	54	18	Y-5M8K2L281854B	Y-5M8K2R281854B	1,412
28	60	18	Y-5M8K2L281860B	Y-5M8K2R281860B	1,471
28	66	18	Y-5M8K2L281866B	Y-5M8K2R281866B	1,526
28	72	18	Y-5M8K2L281872B	Y-5M8K2R281872B	1,583



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET

Notes

- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2” (12mm) thick.
- 12” wide wings get one bracket, 18” wide and over wings get two brackets.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.


© 2026, AIS, Inc.

PET Benching HAT L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	L-Wrap for Benching HAT	Under Surface Mount	Left or Right

PET BENCHING HAT L-WRAP ENCLOSURES WITH WIRE MANAGERS

			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
28	24	24	Y-5M8K2L282424B	Y-5M8K2R282424B	1,194
28	30	24	Y-5M8K2L282430B	Y-5M8K2R282430B	1,249
28	36	24	Y-5M8K2L282436B	Y-5M8K2R282436B	1,304
28	42	24	Y-5M8K2L282442B	Y-5M8K2R282442B	1,360
28	48	24	Y-5M8K2L282448B	Y-5M8K2R282448B	1,412
28	54	24	Y-5M8K2L282454B	Y-5M8K2R282454B	1,471
28	60	24	Y-5M8K2L282460B	Y-5M8K2R282460B	1,526
28	66	24	Y-5M8K2L282466B	Y-5M8K2R282466B	1,583
28	24	30	Y-5M8K2L283024B	Y-5M8K2R283024B	1,249
28	30	30	Y-5M8K2L283030B	Y-5M8K2R283030B	1,304
28	36	30	Y-5M8K2L283036B	Y-5M8K2R283036B	1,360
28	42	30	Y-5M8K2L283042B	Y-5M8K2R283042B	1,412
28	48	30	Y-5M8K2L283048B	Y-5M8K2R283048B	1,471
28	54	30	Y-5M8K2L283054B	Y-5M8K2R283054B	1,526
28	60	30	Y-5M8K2L283060B	Y-5M8K2R283060B	1,583



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET

Notes

- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2” (12mm) thick.
- 12” wide wings get one bracket, 18” wide and over wings get two brackets.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

U-Wrap Enclosures with Wire Managers

© 2026, AIS, Inc.

PET Nominal = Actual Size U-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap Partial Modesty on WS	Enclosure w/ Wire Manager	Nominal = Actual Size	Under Surface Mount


PET NOMINAL = ACTUAL SIZE U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
3	42	12	1	Y-5Q8Q2U031242B	916
3	48	12	1	Y-5Q8Q2U031248B	941
3	54	12	1	Y-5Q8Q2U031254B	963
3	60	12	1	Y-5Q8Q2U031260B	984
3	66	12	1	Y-5Q8Q2U031266B	1,007
3	72	12	2	Y-5Q8Q2U031272B	1,025
3	78	12	2	Y-5Q8Q2U031278B	1,050
3	84	12	2	Y-5Q8Q2U031284B	1,117
3	42	18	1	Y-5Q8Q2U031842B	941
3	48	18	1	Y-5Q8Q2U031848B	963
3	54	18	1	Y-5Q8Q2U031854B	984
3	60	18	2	Y-5Q8Q2U031860B	1,007
3	66	18	2	Y-5Q8Q2U031866B	1,025
3	72	18	2	Y-5Q8Q2U031872B	1,050
3	78	18	2	Y-5Q8Q2U031878B	1,138
3	84	18	2	Y-5Q8Q2U031884B	1,160

PET NOMINAL = ACTUAL SIZE U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
3	42	24	1	Y-5Q8Q2U032442B	963
3	48	24	2	Y-5Q8Q2U032448B	984
3	54	24	2	Y-5Q8Q2U032454B	1,007
3	60	24	2	Y-5Q8Q2U032460B	1,025
3	66	24	2	Y-5Q8Q2U032466B	1,050
3	72	24	2	Y-5Q8Q2U032472B	1,160
3	78	24	2	Y-5Q8Q2U032478B	1,182
3	84	24	2	Y-5Q8Q2U032484B	1,205
3	42	30	2	Y-5Q8Q2U033042B	984
3	48	30	2	Y-5Q8Q2U033048B	1,007
3	54	30	2	Y-5Q8Q2U033054B	1,025
3	60	30	2	Y-5Q8Q2U033060B	1,050
3	66	30	2	Y-5Q8Q2U033066B	1,182
3	72	30	2	Y-5Q8Q2U033072B	1,205
3	78	30	2	Y-5Q8Q2U033078B	1,228
3	84	30	2	Y-5Q8Q2U033084B	1,249





Specify

- Paint Selection
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET pieces column above for reference. See PET pieces column above for reference.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Nominal = Actual Size U-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap Partial Modesty on WS	Enclosure w/ Wire Manager	Nominal = Actual Size	Under Surface Mount


PET NOMINAL = ACTUAL SIZE U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
12	42	12	1	Y-5Q8Q2U121242B	955
12	48	12	1	Y-5Q8Q2U121248B	979
12	54	12	1	Y-5Q8Q2U121254B	1,002
12	60	12	1	Y-5Q8Q2U121260B	1,023
12	66	12	1	Y-5Q8Q2U121266B	1,047
12	72	12	2	Y-5Q8Q2U121272B	1,070
12	78	12	2	Y-5Q8Q2U121278B	1,093
12	84	12	2	Y-5Q8Q2U121284B	1,164
12	42	18	1	Y-5Q8Q2U121842B	979
12	48	18	1	Y-5Q8Q2U121848B	1,002
12	54	18	1	Y-5Q8Q2U121854B	1,023
12	60	18	2	Y-5Q8Q2U121860B	1,047
12	66	18	2	Y-5Q8Q2U121866B	1,070
12	72	18	2	Y-5Q8Q2U121872B	1,093
12	78	18	2	Y-5Q8Q2U121878B	1,187
12	84	18	2	Y-5Q8Q2U121884B	1,212

PET NOMINAL = ACTUAL SIZE U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
12	42	24	1	Y-5Q8Q2U122442B	1,002
12	48	24	2	Y-5Q8Q2U122448B	1,023
12	54	24	2	Y-5Q8Q2U122454B	1,047
12	60	24	2	Y-5Q8Q2U122460B	1,070
12	66	24	2	Y-5Q8Q2U122466B	1,093
12	72	24	2	Y-5Q8Q2U122472B	1,212
12	78	24	2	Y-5Q8Q2U122478B	1,231
12	84	24	2	Y-5Q8Q2U122484B	1,254
12	42	30	2	Y-5Q8Q2U123042B	1,023
12	48	30	2	Y-5Q8Q2U123048B	1,047
12	54	30	2	Y-5Q8Q2U123054B	1,070
12	60	30	2	Y-5Q8Q2U123060B	1,093
12	66	30	2	Y-5Q8Q2U123066B	1,231
12	72	30	2	Y-5Q8Q2U123072B	1,254
12	78	30	2	Y-5Q8Q2U123078B	1,278
12	84	30	2	Y-5Q8Q2U123084B	1,301





Specify

- Paint Selection
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET pieces column above for reference. See PET pieces column above for reference.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

© 2026, AIS, Inc.

PET Nominal = Actual Size U-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap Partial Modesty on WS	Enclosure w/ Wire Manager	Nominal = Actual Size	Under Surface Mount


PET NOMINAL = ACTUAL SIZE U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
16	42	12	1	Y-5Q8Q2U161242B	993
16	48	12	1	Y-5Q8Q2U161248B	1,020
16	54	12	1	Y-5Q8Q2U161254B	1,047
16	60	12	1	Y-5Q8Q2U161260B	1,075
16	66	12	1	Y-5Q8Q2U161266B	1,103
16	72	12	2	Y-5Q8Q2U161272B	1,131
16	78	12	2	Y-5Q8Q2U161278B	1,156
16	84	12	2	Y-5Q8Q2U161284B	1,236
16	42	18	1	Y-5Q8Q2U161842B	1,020
16	48	18	1	Y-5Q8Q2U161848B	1,047
16	54	18	1	Y-5Q8Q2U161854B	1,075
16	60	18	2	Y-5Q8Q2U161860B	1,103
16	66	18	2	Y-5Q8Q2U161866B	1,131
16	72	18	2	Y-5Q8Q2U161872B	1,156
16	78	18	2	Y-5Q8Q2U161878B	1,264
16	84	18	2	Y-5Q8Q2U161884B	1,293

PET NOMINAL = ACTUAL SIZE U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
16	42	24	1	Y-5Q8Q2U162442B	1,047
16	48	24	2	Y-5Q8Q2U162448B	1,075
16	54	24	2	Y-5Q8Q2U162454B	1,103
16	60	24	2	Y-5Q8Q2U162460B	1,131
16	66	24	2	Y-5Q8Q2U162466B	1,156
16	72	24	2	Y-5Q8Q2U162472B	1,293
16	78	24	2	Y-5Q8Q2U162478B	1,320
16	84	24	2	Y-5Q8Q2U162484B	1,347
16	42	30	2	Y-5Q8Q2U163042B	1,075
16	48	30	2	Y-5Q8Q2U163048B	1,103
16	54	30	2	Y-5Q8Q2U163054B	1,131
16	60	30	2	Y-5Q8Q2U163060B	1,156
16	66	30	2	Y-5Q8Q2U163066B	1,320
16	72	30	2	Y-5Q8Q2U163072B	1,347
16	78	30	2	Y-5Q8Q2U163078B	1,373
16	84	30	2	Y-5Q8Q2U163084B	1,399





Specify

- Paint Selection
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET pieces column above for reference. See PET pieces column above for reference.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Nominal = Actual Size U-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap Partial Modesty on WS	Enclosure w/ Wire Manager	Nominal = Actual Size	Under Surface Mount


PET NOMINAL = ACTUAL SIZE U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
20	42	12	1	Y-5Q8Q2U201242B	1,231
20	48	12	1	Y-5Q8Q2U201248B	1,277
20	54	12	1	Y-5Q8Q2U201254B	1,320
20	60	12	1	Y-5Q8Q2U201260B	1,361
20	66	12	1	Y-5Q8Q2U201266B	1,406
20	72	12	2	Y-5Q8Q2U201272B	1,452
20	78	12	2	Y-5Q8Q2U201278B	1,495
20	84	12	2	Y-5Q8Q2U201284B	1,538
20	42	18	1	Y-5Q8Q2U201842B	1,320
20	48	18	1	Y-5Q8Q2U201848B	1,361
20	54	18	1	Y-5Q8Q2U201854B	1,406
20	60	18	2	Y-5Q8Q2U201860B	1,452
20	66	18	2	Y-5Q8Q2U201866B	1,495
20	72	18	2	Y-5Q8Q2U201872B	1,538
20	78	18	2	Y-5Q8Q2U201878B	1,583
20	84	18	2	Y-5Q8Q2U201884B	1,626

PET NOMINAL = ACTUAL SIZE U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
20	42	24	1	Y-5Q8Q2U202442B	1,406
20	48	24	2	Y-5Q8Q2U202448B	1,452
20	54	24	2	Y-5Q8Q2U202454B	1,495
20	60	24	2	Y-5Q8Q2U202460B	1,538
20	66	24	2	Y-5Q8Q2U202466B	1,583
20	72	24	2	Y-5Q8Q2U202472B	1,626
20	78	24	2	Y-5Q8Q2U202478B	1,672
20	84	24	2	Y-5Q8Q2U202484B	1,715
20	42	30	2	Y-5Q8Q2U203042B	1,495
20	48	30	2	Y-5Q8Q2U203048B	1,538
20	54	30	2	Y-5Q8Q2U203054B	1,583
20	60	30	2	Y-5Q8Q2U203060B	1,626
20	66	30	2	Y-5Q8Q2U203066B	1,672
20	72	30	2	Y-5Q8Q2U203072B	1,715
20	78	30	2	Y-5Q8Q2U203078B	1,760
20	84	30	2	Y-5Q8Q2U203084B	1,802





Specify

- Paint Selection
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET pieces column above for reference. See PET pieces column above for reference.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

© 2026, AIS, Inc.

PET Nominal = Actual Size U-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap Partial Modesty on WS	Enclosure w/ Wire Manager	Nominal = Actual Size	Under Surface Mount


PET NOMINAL = ACTUAL SIZE U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
24	42	12	1	Y-5Q8Q2U241242B	1,196
24	48	12	1	Y-5Q8Q2U241248B	1,248
24	54	12	1	Y-5Q8Q2U241254B	1,296
24	60	12	1	Y-5Q8Q2U241260B	1,346
24	66	12	1	Y-5Q8Q2U241266B	1,395
24	72	12	2	Y-5Q8Q2U241272B	1,442
24	78	12	2	Y-5Q8Q2U241278B	1,495
24	84	12	2	Y-5Q8Q2U241284B	1,645
24	42	18	1	Y-5Q8Q2U241842B	1,248
24	48	18	1	Y-5Q8Q2U241848B	1,296
24	54	18	1	Y-5Q8Q2U241854B	1,346
24	60	18	2	Y-5Q8Q2U241860B	1,395
24	66	18	2	Y-5Q8Q2U241866B	1,442
24	72	18	2	Y-5Q8Q2U241872B	1,495
24	78	18	2	Y-5Q8Q2U241878B	1,694
24	84	18	2	Y-5Q8Q2U241884B	1,742

PET NOMINAL = ACTUAL SIZE U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
24	42	24	1	Y-5Q8Q2U242442B	1,296
24	48	24	2	Y-5Q8Q2U242448B	1,346
24	54	24	2	Y-5Q8Q2U242454B	1,395
24	60	24	2	Y-5Q8Q2U242460B	1,442
24	66	24	2	Y-5Q8Q2U242466B	1,495
24	72	24	2	Y-5Q8Q2U242472B	1,742
24	78	24	2	Y-5Q8Q2U242478B	1,792
24	84	24	2	Y-5Q8Q2U242484B	1,844
24	42	30	2	Y-5Q8Q2U243042B	1,346
24	48	30	2	Y-5Q8Q2U243048B	1,395
24	54	30	2	Y-5Q8Q2U243054B	1,442
24	60	30	2	Y-5Q8Q2U243060B	1,495
24	66	30	2	Y-5Q8Q2U243066B	1,792
24	72	30	2	Y-5Q8Q2U243072B	1,844
24	78	30	2	Y-5Q8Q2U243078B	1,892
24	84	30	2	Y-5Q8Q2U243084B	1,942





Specify

- Paint Selection
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET pieces column above for reference. See PET pieces column above for reference.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Nominal = Actual Size U-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap Partial Modesty on WS	Enclosure w/ Wire Manager	Nominal = Actual Size	Under Surface Mount


PET NOMINAL = ACTUAL SIZE U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
28	42	12	1	Y-5Q8Q2U281242B	1,249
28	48	12	1	Y-5Q8Q2U281248B	1,304
28	54	12	1	Y-5Q8Q2U281254B	1,360
28	60	12	1	Y-5Q8Q2U281260B	1,412
28	66	12	1	Y-5Q8Q2U281266B	1,471
28	72	12	2	Y-5Q8Q2U281272B	1,526
28	78	12	2	Y-5Q8Q2U281278B	1,583
28	84	12	2	Y-5Q8Q2U281284B	1,748
28	42	18	1	Y-5Q8Q2U281842B	1,304
28	48	18	1	Y-5Q8Q2U281848B	1,360
28	54	18	1	Y-5Q8Q2U281854B	1,412
28	60	18	2	Y-5Q8Q2U281860B	1,471
28	66	18	2	Y-5Q8Q2U281866B	1,526
28	72	18	2	Y-5Q8Q2U281872B	1,583
28	78	18	2	Y-5Q8Q2U281878B	1,803
28	84	18	2	Y-5Q8Q2U281884B	1,861

PET NOMINAL = ACTUAL SIZE U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
28	42	24	1	Y-5Q8Q2U282442B	1,360
28	48	24	2	Y-5Q8Q2U282448B	1,412
28	54	24	2	Y-5Q8Q2U282454B	1,471
28	60	24	2	Y-5Q8Q2U282460B	1,526
28	66	24	2	Y-5Q8Q2U282466B	1,583
28	72	24	2	Y-5Q8Q2U282472B	1,861
28	78	24	2	Y-5Q8Q2U282478B	1,915
28	84	24	2	Y-5Q8Q2U282484B	1,972
28	42	30	2	Y-5Q8Q2U283042B	1,412
28	48	30	2	Y-5Q8Q2U283048B	1,471
28	54	30	2	Y-5Q8Q2U283054B	1,526
28	60	30	2	Y-5Q8Q2U283060B	1,583
28	66	30	2	Y-5Q8Q2U283066B	1,915
28	72	30	2	Y-5Q8Q2U283072B	1,972
28	78	30	2	Y-5Q8Q2U283078B	2,028
28	84	30	2	Y-5Q8Q2U283084B	2,082





Specify

- Paint Selection
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET pieces column above for reference. See PET pieces column above for reference.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

© 2026, AIS, Inc.

PET Day-to-Day & Calibrate HAT U-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap Partial Modesty on WS	Enclosure w/ Wire Manager	Day-to-Day & Calibrate HAT	Under Surface Mount


PET DAY-TO-DAY & CALIBRATE U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
3	42	12	1	Y-5Q8N2U031242B	916
3	48	12	1	Y-5Q8N2U031248B	941
3	54	12	1	Y-5Q8N2U031254B	963
3	60	12	1	Y-5Q8N2U031260B	984
3	66	12	1	Y-5Q8N2U031266B	1,007
3	72	12	2	Y-5Q8N2U031272B	1,025
3	78	12	2	Y-5Q8N2U031278B	1,050
3	84	12	2	Y-5Q8N2U031284B	1,117
3	42	18	1	Y-5Q8N2U031842B	941
3	48	18	1	Y-5Q8N2U031848B	963
3	54	18	1	Y-5Q8N2U031854B	984
3	60	18	2	Y-5Q8N2U031860B	1,007
3	66	18	2	Y-5Q8N2U031866B	1,025
3	72	18	2	Y-5Q8N2U031872B	1,050
3	78	18	2	Y-5Q8N2U031878B	1,138
3	84	18	2	Y-5Q8N2U031884B	1,160

PET DAY-TO-DAY & CALIBRATE U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
3	42	24	1	Y-5Q8N2U032442B	963
3	48	24	2	Y-5Q8N2U032448B	984
3	54	24	2	Y-5Q8N2U032454B	1,007
3	60	24	2	Y-5Q8N2U032460B	1,025
3	66	24	2	Y-5Q8N2U032466B	1,050
3	72	24	2	Y-5Q8N2U032472B	1,160
3	78	24	2	Y-5Q8N2U032478B	1,182
3	84	24	2	Y-5Q8N2U032484B	1,205
3	42	30	2	Y-5Q8N2U033042B	984
3	48	30	2	Y-5Q8N2U033048B	1,007
3	54	30	2	Y-5Q8N2U033054B	1,025
3	60	30	2	Y-5Q8N2U033060B	1,050
3	66	30	2	Y-5Q8N2U033066B	1,182
3	72	30	2	Y-5Q8N2U033072B	1,205
3	78	30	2	Y-5Q8N2U033078B	1,228
3	84	30	2	Y-5Q8N2U033084B	1,249





Specify

- Paint Selection
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET pieces column above for reference. See PET pieces column above for reference.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Day-to-Day & Calibrate HAT U-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap Partial Modesty on WS	Enclosure w/ Wire Manager	Day-to-Day & Calibrate HAT	Under Surface Mount


PET DAY-TO-DAY & CALIBRATE U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
12	42	12	1	Y-5Q8N2U121242B	955
12	48	12	1	Y-5Q8N2U121248B	979
12	54	12	1	Y-5Q8N2U121254B	1,002
12	60	12	1	Y-5Q8N2U121260B	1,023
12	66	12	1	Y-5Q8N2U121266B	1,047
12	72	12	2	Y-5Q8N2U121272B	1,070
12	78	12	2	Y-5Q8N2U121278B	1,093
12	84	12	2	Y-5Q8N2U121284B	1,164
12	42	18	1	Y-5Q8N2U121842B	979
12	48	18	1	Y-5Q8N2U121848B	1,002
12	54	18	1	Y-5Q8N2U121854B	1,023
12	60	18	2	Y-5Q8N2U121860B	1,047
12	66	18	2	Y-5Q8N2U121866B	1,070
12	72	18	2	Y-5Q8N2U121872B	1,093
12	78	18	2	Y-5Q8N2U121878B	1,187
12	84	18	2	Y-5Q8N2U121884B	1,212

PET DAY-TO-DAY & CALIBRATE U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
12	42	24	1	Y-5Q8N2U122442B	1,002
12	48	24	2	Y-5Q8N2U122448B	1,023
12	54	24	2	Y-5Q8N2U122454B	1,047
12	60	24	2	Y-5Q8N2U122460B	1,070
12	66	24	2	Y-5Q8N2U122466B	1,093
12	72	24	2	Y-5Q8N2U122472B	1,212
12	78	24	2	Y-5Q8N2U122478B	1,231
12	84	24	2	Y-5Q8N2U122484B	1,254
12	42	30	2	Y-5Q8N2U123042B	1,023
12	48	30	2	Y-5Q8N2U123048B	1,047
12	54	30	2	Y-5Q8N2U123054B	1,070
12	60	30	2	Y-5Q8N2U123060B	1,093
12	66	30	2	Y-5Q8N2U123066B	1,231
12	72	30	2	Y-5Q8N2U123072B	1,254
12	78	30	2	Y-5Q8N2U123078B	1,278
12	84	30	2	Y-5Q8N2U123084B	1,301





Specify

- Paint Selection
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET pieces column above for reference. See PET pieces column above for reference.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

© 2026, AIS, Inc.

PET Day-to-Day & Calibrate HAT U-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap Partial Modesty on WS	Enclosure w/ Wire Manager	Day-to-Day & Calibrate HAT	Under Surface Mount


PET DAY-TO-DAY & CALIBRATE U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
16	42	12	1	Y-5Q8N2U161242B	993
16	48	12	1	Y-5Q8N2U161248B	1,020
16	54	12	1	Y-5Q8N2U161254B	1,047
16	60	12	1	Y-5Q8N2U161260B	1,075
16	66	12	1	Y-5Q8N2U161266B	1,103
16	72	12	2	Y-5Q8N2U161272B	1,131
16	78	12	2	Y-5Q8N2U161278B	1,156
16	84	12	2	Y-5Q8N2U161284B	1,236
16	42	18	1	Y-5Q8N2U161842B	1,020
16	48	18	1	Y-5Q8N2U161848B	1,047
16	54	18	1	Y-5Q8N2U161854B	1,075
16	60	18	2	Y-5Q8N2U161860B	1,103
16	66	18	2	Y-5Q8N2U161866B	1,131
16	72	18	2	Y-5Q8N2U161872B	1,156
16	78	18	2	Y-5Q8N2U161878B	1,264
16	84	18	2	Y-5Q8N2U161884B	1,293

PET DAY-TO-DAY & CALIBRATE U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
16	42	24	1	Y-5Q8N2U162442B	1,047
16	48	24	2	Y-5Q8N2U162448B	1,075
16	54	24	2	Y-5Q8N2U162454B	1,103
16	60	24	2	Y-5Q8N2U162460B	1,131
16	66	24	2	Y-5Q8N2U162466B	1,156
16	72	24	2	Y-5Q8N2U162472B	1,293
16	78	24	2	Y-5Q8N2U162478B	1,320
16	84	24	2	Y-5Q8N2U162484B	1,347
16	42	30	2	Y-5Q8N2U163042B	1,075
16	48	30	2	Y-5Q8N2U163048B	1,103
16	54	30	2	Y-5Q8N2U163054B	1,131
16	60	30	2	Y-5Q8N2U163060B	1,156
16	66	30	2	Y-5Q8N2U163066B	1,320
16	72	30	2	Y-5Q8N2U163072B	1,347
16	78	30	2	Y-5Q8N2U163078B	1,373
16	84	30	2	Y-5Q8N2U163084B	1,399





Specify

- Paint Selection
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET pieces column above for reference. See PET pieces column above for reference.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Day-to-Day & Calibrate HAT U-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap Partial Modesty on WS	Enclosure w/ Wire Manager	Day-to-Day & Calibrate HAT	Under Surface Mount


PET DAY-TO-DAY & CALIBRATE U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
20	42	12	1	Y-5Q8N2U201242B	1,231
20	48	12	1	Y-5Q8N2U201248B	1,277
20	54	12	1	Y-5Q8N2U201254B	1,320
20	60	12	1	Y-5Q8N2U201260B	1,361
20	66	12	1	Y-5Q8N2U201266B	1,406
20	72	12	2	Y-5Q8N2U201272B	1,452
20	78	12	2	Y-5Q8N2U201278B	1,495
20	84	12	2	Y-5Q8N2U201284B	1,538
20	42	18	1	Y-5Q8N2U201842B	1,320
20	48	18	1	Y-5Q8N2U201848B	1,361
20	54	18	1	Y-5Q8N2U201854B	1,406
20	60	18	2	Y-5Q8N2U201860B	1,452
20	66	18	2	Y-5Q8N2U201866B	1,495
20	72	18	2	Y-5Q8N2U201872B	1,538
20	78	18	2	Y-5Q8N2U201878B	1,583
20	84	18	2	Y-5Q8N2U201884B	1,626

PET DAY-TO-DAY & CALIBRATE U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
20	42	24	1	Y-5Q8N2U202442B	1,406
20	48	24	2	Y-5Q8N2U202448B	1,452
20	54	24	2	Y-5Q8N2U202454B	1,495
20	60	24	2	Y-5Q8N2U202460B	1,538
20	66	24	2	Y-5Q8N2U202466B	1,583
20	72	24	2	Y-5Q8N2U202472B	1,626
20	78	24	2	Y-5Q8N2U202478B	1,672
20	84	24	2	Y-5Q8N2U202484B	1,715
20	42	30	2	Y-5Q8N2U203042B	1,495
20	48	30	2	Y-5Q8N2U203048B	1,538
20	54	30	2	Y-5Q8N2U203054B	1,583
20	60	30	2	Y-5Q8N2U203060B	1,626
20	66	30	2	Y-5Q8N2U203066B	1,672
20	72	30	2	Y-5Q8N2U203072B	1,715
20	78	30	2	Y-5Q8N2U203078B	1,760
20	84	30	2	Y-5Q8N2U203084B	1,802





Specify

- Paint Selection
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET pieces column above for reference. See PET pieces column above for reference.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

© 2026, AIS, Inc.

PET Day-to-Day & Calibrate HAT U-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap Partial Modesty on WS	Enclosure w/ Wire Manager	Day-to-Day & Calibrate HAT	Under Surface Mount


PET DAY-TO-DAY & CALIBRATE U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
24	42	12	1	Y-5Q8N2U241242B	1,196
24	48	12	1	Y-5Q8N2U241248B	1,248
24	54	12	1	Y-5Q8N2U241254B	1,296
24	60	12	1	Y-5Q8N2U241260B	1,346
24	66	12	1	Y-5Q8N2U241266B	1,395
24	72	12	2	Y-5Q8N2U241272B	1,442
24	78	12	2	Y-5Q8N2U241278B	1,495
24	84	12	2	Y-5Q8N2U241284B	1,645
24	42	18	1	Y-5Q8N2U241842B	1,248
24	48	18	1	Y-5Q8N2U241848B	1,296
24	54	18	1	Y-5Q8N2U241854B	1,346
24	60	18	2	Y-5Q8N2U241860B	1,395
24	66	18	2	Y-5Q8N2U241866B	1,442
24	72	18	2	Y-5Q8N2U241872B	1,495
24	78	18	2	Y-5Q8N2U241878B	1,694
24	84	18	2	Y-5Q8N2U241884B	1,742

PET DAY-TO-DAY & CALIBRATE U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
24	42	24	1	Y-5Q8N2U242442B	1,296
24	48	24	2	Y-5Q8N2U242448B	1,346
24	54	24	2	Y-5Q8N2U242454B	1,395
24	60	24	2	Y-5Q8N2U242460B	1,442
24	66	24	2	Y-5Q8N2U242466B	1,495
24	72	24	2	Y-5Q8N2U242472B	1,742
24	78	24	2	Y-5Q8N2U242478B	1,792
24	84	24	2	Y-5Q8N2U242484B	1,844
24	42	30	2	Y-5Q8N2U243042B	1,346
24	48	30	2	Y-5Q8N2U243048B	1,395
24	54	30	2	Y-5Q8N2U243054B	1,442
24	60	30	2	Y-5Q8N2U243060B	1,495
24	66	30	2	Y-5Q8N2U243066B	1,792
24	72	30	2	Y-5Q8N2U243072B	1,844
24	78	30	2	Y-5Q8N2U243078B	1,892
24	84	30	2	Y-5Q8N2U243084B	1,942





Specify

- Paint Selection
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET pieces column above for reference. See PET pieces column above for reference.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Day-to-Day & Calibrate HAT U-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap Partial Modesty on WS	Enclosure w/ Wire Manager	Day-to-Day & Calibrate HAT	Under Surface Mount


PET DAY-TO-DAY & CALIBRATE U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
28	42	12	1	Y-5Q8N2U281242B	1,249
28	48	12	1	Y-5Q8N2U281248B	1,304
28	54	12	1	Y-5Q8N2U281254B	1,360
28	60	12	1	Y-5Q8N2U281260B	1,412
28	66	12	1	Y-5Q8N2U281266B	1,471
28	72	12	2	Y-5Q8N2U281272B	1,526
28	78	12	2	Y-5Q8N2U281278B	1,583
28	84	12	2	Y-5Q8N2U281284B	1,748
28	42	18	1	Y-5Q8N2U281842B	1,304
28	48	18	1	Y-5Q8N2U281848B	1,360
28	54	18	1	Y-5Q8N2U281854B	1,412
28	60	18	2	Y-5Q8N2U281860B	1,471
28	66	18	2	Y-5Q8N2U281866B	1,526
28	72	18	2	Y-5Q8N2U281872B	1,583
28	78	18	2	Y-5Q8N2U281878B	1,803
28	84	18	2	Y-5Q8N2U281884B	1,861

PET DAY-TO-DAY & CALIBRATE U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
28	42	24	1	Y-5Q8N2U282442B	1,360
28	48	24	2	Y-5Q8N2U282448B	1,412
28	54	24	2	Y-5Q8N2U282454B	1,471
28	60	24	2	Y-5Q8N2U282460B	1,526
28	66	24	2	Y-5Q8N2U282466B	1,583
28	72	24	2	Y-5Q8N2U282472B	1,861
28	78	24	2	Y-5Q8N2U282478B	1,915
28	84	24	2	Y-5Q8N2U282484B	1,972
28	42	30	2	Y-5Q8N2U283042B	1,412
28	48	30	2	Y-5Q8N2U283048B	1,471
28	54	30	2	Y-5Q8N2U283054B	1,526
28	60	30	2	Y-5Q8N2U283060B	1,583
28	66	30	2	Y-5Q8N2U283066B	1,915
28	72	30	2	Y-5Q8N2U283072B	1,972
28	78	30	2	Y-5Q8N2U283078B	2,028
28	84	30	2	Y-5Q8N2U283084B	2,082





Specify

- Paint Selection
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET pieces column above for reference. See PET pieces column above for reference.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

© 2026, AIS, Inc.

PET Benching HAT U-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap Partial Modesty on WS	Enclosure w/ Wire Manager	Benching HAT	Under Surface Mount


PET BENCHING HAT U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
3	42	12	1	Y-5Q8P2U031242B	916
3	48	12	1	Y-5Q8P2U031248B	941
3	54	12	1	Y-5Q8P2U031254B	963
3	60	12	1	Y-5Q8P2U031260B	984
3	66	12	1	Y-5Q8P2U031266B	1,007
3	72	12	2	Y-5Q8P2U031272B	1,025
3	78	12	2	Y-5Q8P2U031278B	1,050
3	84	12	2	Y-5Q8P2U031284B	1,117
3	42	18	1	Y-5Q8P2U031842B	941
3	48	18	1	Y-5Q8P2U031848B	963
3	54	18	1	Y-5Q8P2U031854B	984
3	60	18	2	Y-5Q8P2U031860B	1,007
3	66	18	2	Y-5Q8P2U031866B	1,025
3	72	18	2	Y-5Q8P2U031872B	1,050
3	78	18	2	Y-5Q8P2U031878B	1,138
3	84	18	2	Y-5Q8P2U031884B	1,160

PET BENCHING HAT U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
3	42	24	1	Y-5Q8P2U032442B	963
3	48	24	2	Y-5Q8P2U032448B	984
3	54	24	2	Y-5Q8P2U032454B	1,007
3	60	24	2	Y-5Q8P2U032460B	1,025
3	66	24	2	Y-5Q8P2U032466B	1,050
3	72	24	2	Y-5Q8P2U032472B	1,160
3	78	24	2	Y-5Q8P2U032478B	1,182
3	84	24	2	Y-5Q8P2U032484B	1,205
3	42	30	2	Y-5Q8P2U033042B	984
3	48	30	2	Y-5Q8P2U033048B	1,007
3	54	30	2	Y-5Q8P2U033054B	1,025
3	60	30	2	Y-5Q8P2U033060B	1,050
3	66	30	2	Y-5Q8P2U033066B	1,182
3	72	30	2	Y-5Q8P2U033072B	1,205
3	78	30	2	Y-5Q8P2U033078B	1,228
3	84	30	2	Y-5Q8P2U033084B	1,249





Specify

- Paint Selection
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET pieces column above for reference. See PET pieces column above for reference.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Benching HAT U-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap Partial Modesty on WS	Enclosure w/ Wire Manager	Benching HAT	Under Surface Mount


PET BENCHING HAT U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
12	42	12	1	Y-5Q8P2U121242B	955
12	48	12	1	Y-5Q8P2U121248B	979
12	54	12	1	Y-5Q8P2U121254B	1,002
12	60	12	1	Y-5Q8P2U121260B	1,023
12	66	12	1	Y-5Q8P2U121266B	1,047
12	72	12	2	Y-5Q8P2U121272B	1,070
12	78	12	2	Y-5Q8P2U121278B	1,093
12	84	12	2	Y-5Q8P2U121284B	1,164
12	42	18	1	Y-5Q8P2U121842B	979
12	48	18	1	Y-5Q8P2U121848B	1,002
12	54	18	1	Y-5Q8P2U121854B	1,023
12	60	18	2	Y-5Q8P2U121860B	1,047
12	66	18	2	Y-5Q8P2U121866B	1,070
12	72	18	2	Y-5Q8P2U121872B	1,093
12	78	18	2	Y-5Q8P2U121878B	1,187
12	84	18	2	Y-5Q8P2U121884B	1,212

PET BENCHING HAT U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
12	42	24	1	Y-5Q8P2U122442B	1,002
12	48	24	2	Y-5Q8P2U122448B	1,023
12	54	24	2	Y-5Q8P2U122454B	1,047
12	60	24	2	Y-5Q8P2U122460B	1,070
12	66	24	2	Y-5Q8P2U122466B	1,093
12	72	24	2	Y-5Q8P2U122472B	1,212
12	78	24	2	Y-5Q8P2U122478B	1,231
12	84	24	2	Y-5Q8P2U122484B	1,254
12	42	30	2	Y-5Q8P2U123042B	1,023
12	48	30	2	Y-5Q8P2U123048B	1,047
12	54	30	2	Y-5Q8P2U123054B	1,070
12	60	30	2	Y-5Q8P2U123060B	1,093
12	66	30	2	Y-5Q8P2U123066B	1,231
12	72	30	2	Y-5Q8P2U123072B	1,254
12	78	30	2	Y-5Q8P2U123078B	1,278
12	84	30	2	Y-5Q8P2U123084B	1,301





Specify

- Paint Selection
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET pieces column above for reference. See PET pieces column above for reference.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

© 2026, AIS, Inc.

PET Benching HAT U-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap Partial Modesty on WS	Enclosure w/ Wire Manager	Benching HAT	Under Surface Mount


PET BENCHING HAT U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
16	42	12	1	Y-5Q8P2U161242B	993
16	48	12	1	Y-5Q8P2U161248B	1,020
16	54	12	1	Y-5Q8P2U161254B	1,047
16	60	12	1	Y-5Q8P2U161260B	1,075
16	66	12	1	Y-5Q8P2U161266B	1,103
16	72	12	2	Y-5Q8P2U161272B	1,131
16	78	12	2	Y-5Q8P2U161278B	1,156
16	84	12	2	Y-5Q8P2U161284B	1,236
16	42	18	1	Y-5Q8P2U161842B	1,020
16	48	18	1	Y-5Q8P2U161848B	1,047
16	54	18	1	Y-5Q8P2U161854B	1,075
16	60	18	2	Y-5Q8P2U161860B	1,103
16	66	18	2	Y-5Q8P2U161866B	1,131
16	72	18	2	Y-5Q8P2U161872B	1,156
16	78	18	2	Y-5Q8P2U161878B	1,264
16	84	18	2	Y-5Q8P2U161884B	1,293

PET BENCHING HAT U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
16	42	24	1	Y-5Q8P2U162442B	1,047
16	48	24	2	Y-5Q8P2U162448B	1,075
16	54	24	2	Y-5Q8P2U162454B	1,103
16	60	24	2	Y-5Q8P2U162460B	1,131
16	66	24	2	Y-5Q8P2U162466B	1,156
16	72	24	2	Y-5Q8P2U162472B	1,293
16	78	24	2	Y-5Q8P2U162478B	1,320
16	84	24	2	Y-5Q8P2U162484B	1,347
16	42	30	2	Y-5Q8P2U163042B	1,075
16	48	30	2	Y-5Q8P2U163048B	1,103
16	54	30	2	Y-5Q8P2U163054B	1,131
16	60	30	2	Y-5Q8P2U163060B	1,156
16	66	30	2	Y-5Q8P2U163066B	1,320
16	72	30	2	Y-5Q8P2U163072B	1,347
16	78	30	2	Y-5Q8P2U163078B	1,373
16	84	30	2	Y-5Q8P2U163084B	1,399





Specify

- Paint Selection
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET pieces column above for reference. See PET pieces column above for reference.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Benching HAT U-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap Partial Modesty on WS	Enclosure w/ Wire Manager	Benching HAT	Under Surface Mount


PET BENCHING HAT U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
20	42	12	1	Y-5Q8P2U201242B	1,231
20	48	12	1	Y-5Q8P2U201248B	1,277
20	54	12	1	Y-5Q8P2U201254B	1,320
20	60	12	1	Y-5Q8P2U201260B	1,361
20	66	12	1	Y-5Q8P2U201266B	1,406
20	72	12	2	Y-5Q8P2U201272B	1,452
20	78	12	2	Y-5Q8P2U201278B	1,495
20	84	12	2	Y-5Q8P2U201284B	1,538
20	42	18	1	Y-5Q8P2U201842B	1,320
20	48	18	1	Y-5Q8P2U201848B	1,361
20	54	18	1	Y-5Q8P2U201854B	1,406
20	60	18	2	Y-5Q8P2U201860B	1,452
20	66	18	2	Y-5Q8P2U201866B	1,495
20	72	18	2	Y-5Q8P2U201872B	1,538
20	78	18	2	Y-5Q8P2U201878B	1,583
20	84	18	2	Y-5Q8P2U201884B	1,626

PET BENCHING HAT U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
20	42	24	1	Y-5Q8P2U202442B	1,406
20	48	24	2	Y-5Q8P2U202448B	1,452
20	54	24	2	Y-5Q8P2U202454B	1,495
20	60	24	2	Y-5Q8P2U202460B	1,538
20	66	24	2	Y-5Q8P2U202466B	1,583
20	72	24	2	Y-5Q8P2U202472B	1,626
20	78	24	2	Y-5Q8P2U202478B	1,672
20	84	24	2	Y-5Q8P2U202484B	1,715
20	42	30	2	Y-5Q8P2U203042B	1,495
20	48	30	2	Y-5Q8P2U203048B	1,538
20	54	30	2	Y-5Q8P2U203054B	1,583
20	60	30	2	Y-5Q8P2U203060B	1,626
20	66	30	2	Y-5Q8P2U203066B	1,672
20	72	30	2	Y-5Q8P2U203072B	1,715
20	78	30	2	Y-5Q8P2U203078B	1,760
20	84	30	2	Y-5Q8P2U203084B	1,802





Specify

- Paint Selection
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET pieces column above for reference. See PET pieces column above for reference.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

© 2026, AIS, Inc.

PET Benching HAT U-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap Partial Modesty on WS	Enclosure w/ Wire Manager	Benching HAT	Under Surface Mount


PET BENCHING HAT U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
24	42	12	1	Y-5Q8P2U241242B	1,196
24	48	12	1	Y-5Q8P2U241248B	1,248
24	54	12	1	Y-5Q8P2U241254B	1,296
24	60	12	1	Y-5Q8P2U241260B	1,346
24	66	12	1	Y-5Q8P2U241266B	1,395
24	72	12	2	Y-5Q8P2U241272B	1,442
24	78	12	2	Y-5Q8P2U241278B	1,495
24	84	12	2	Y-5Q8P2U241284B	1,645
24	42	18	1	Y-5Q8P2U241842B	1,248
24	48	18	1	Y-5Q8P2U241848B	1,296
24	54	18	1	Y-5Q8P2U241854B	1,346
24	60	18	2	Y-5Q8P2U241860B	1,395
24	66	18	2	Y-5Q8P2U241866B	1,442
24	72	18	2	Y-5Q8P2U241872B	1,495
24	78	18	2	Y-5Q8P2U241878B	1,694
24	84	18	2	Y-5Q8P2U241884B	1,742

PET BENCHING HAT U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
24	42	24	1	Y-5Q8P2U242442B	1,296
24	48	24	2	Y-5Q8P2U242448B	1,346
24	54	24	2	Y-5Q8P2U242454B	1,395
24	60	24	2	Y-5Q8P2U242460B	1,442
24	66	24	2	Y-5Q8P2U242466B	1,495
24	72	24	2	Y-5Q8P2U242472B	1,742
24	78	24	2	Y-5Q8P2U242478B	1,792
24	84	24	2	Y-5Q8P2U242484B	1,844
24	42	30	2	Y-5Q8P2U243042B	1,346
24	48	30	2	Y-5Q8P2U243048B	1,395
24	54	30	2	Y-5Q8P2U243054B	1,442
24	60	30	2	Y-5Q8P2U243060B	1,495
24	66	30	2	Y-5Q8P2U243066B	1,792
24	72	30	2	Y-5Q8P2U243072B	1,844
24	78	30	2	Y-5Q8P2U243078B	1,892
24	84	30	2	Y-5Q8P2U243084B	1,942





Specify

- Paint Selection
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET pieces column above for reference. See PET pieces column above for reference.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Benching HAT U-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap Partial Modesty on WS	Enclosure w/ Wire Manager	Benching HAT	Under Surface Mount


PET BENCHING HAT U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
28	42	12	1	Y-5Q8P2U281242B	1,249
28	48	12	1	Y-5Q8P2U281248B	1,304
28	54	12	1	Y-5Q8P2U281254B	1,360
28	60	12	1	Y-5Q8P2U281260B	1,412
28	66	12	1	Y-5Q8P2U281266B	1,471
28	72	12	2	Y-5Q8P2U281272B	1,526
28	78	12	2	Y-5Q8P2U281278B	1,583
28	84	12	2	Y-5Q8P2U281284B	1,748
28	42	18	1	Y-5Q8P2U281842B	1,304
28	48	18	1	Y-5Q8P2U281848B	1,360
28	54	18	1	Y-5Q8P2U281854B	1,412
28	60	18	2	Y-5Q8P2U281860B	1,471
28	66	18	2	Y-5Q8P2U281866B	1,526
28	72	18	2	Y-5Q8P2U281872B	1,583
28	78	18	2	Y-5Q8P2U281878B	1,803
28	84	18	2	Y-5Q8P2U281884B	1,861

PET BENCHING HAT U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
28	42	24	1	Y-5Q8P2U282442B	1,360
28	48	24	2	Y-5Q8P2U282448B	1,412
28	54	24	2	Y-5Q8P2U282454B	1,471
28	60	24	2	Y-5Q8P2U282460B	1,526
28	66	24	2	Y-5Q8P2U282466B	1,583
28	72	24	2	Y-5Q8P2U282472B	1,861
28	78	24	2	Y-5Q8P2U282478B	1,915
28	84	24	2	Y-5Q8P2U282484B	1,972
28	42	30	2	Y-5Q8P2U283042B	1,412
28	48	30	2	Y-5Q8P2U283048B	1,471
28	54	30	2	Y-5Q8P2U283054B	1,526
28	60	30	2	Y-5Q8P2U283060B	1,583
28	66	30	2	Y-5Q8P2U283066B	1,915
28	72	30	2	Y-5Q8P2U283072B	1,972
28	78	30	2	Y-5Q8P2U283078B	2,028
28	84	30	2	Y-5Q8P2U283084B	2,082





Specify

- Paint Selection
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET pieces column above for reference. See PET pieces column above for reference.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.

© 2026, AIS, Inc.

PET Screens with Wire Managers

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Nominal = Actual Size Screens with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type
PET	Partial Modesty on WS	Screen w/ Wire Manager	Nominal = Actual Size	Under Surface Mount

PET NOMINAL = ACTUAL SIZE SCREENS WITH WIRE MANAGERS

H	W	Model Number	List
3	42	Y-5S7A2U0342B	727
3	48	Y-5S7A2U0348B	750
3	54	Y-5S7A2U0354B	778
3	60	Y-5S7A2U0360B	802
3	66	Y-5S7A2U0366B	828
3	72	Y-5S7A2U0372B	852
3	78	Y-5S7A2U0378B	878
3	84	Y-5S7A2U0384B	913
12	42	Y-5S7A2U1242B	757
12	48	Y-5S7A2U1248B	782
12	54	Y-5S7A2U1254B	810
12	60	Y-5S7A2U1260B	834
12	66	Y-5S7A2U1266B	862
12	72	Y-5S7A2U1272B	888
12	78	Y-5S7A2U1278B	914
12	84	Y-5S7A2U1284B	950
16	42	Y-5S7A2U1642B	788
16	48	Y-5S7A2U1648B	815
16	54	Y-5S7A2U1654B	843
16	60	Y-5S7A2U1660B	869
16	66	Y-5S7A2U1666B	898
16	72	Y-5S7A2U1672B	925
16	78	Y-5S7A2U1678B	952
16	84	Y-5S7A2U1684B	990

PET NOMINAL = ACTUAL SIZE SCREENS WITH WIRE MANAGERS

H	W	Model Number	List
20	42	Y-5S7A2U2042B	814
20	48	Y-5S7A2U2048B	847
20	54	Y-5S7A2U2054B	882
20	60	Y-5S7A2U2060B	915
20	66	Y-5S7A2U2066B	950
20	72	Y-5S7A2U2072B	984
20	78	Y-5S7A2U2078B	1,019
20	84	Y-5S7A2U2084B	1,057
24	42	Y-5S7A2U2442B	847
24	48	Y-5S7A2U2448B	883
24	54	Y-5S7A2U2454B	916
24	60	Y-5S7A2U2460B	953
24	66	Y-5S7A2U2466B	990
24	72	Y-5S7A2U2472B	1,023
24	78	Y-5S7A2U2478B	1,060
24	84	Y-5S7A2U2484B	1,104
28	42	Y-5S7A2U2842B	876
28	48	Y-5S7A2U2848B	915
28	54	Y-5S7A2U2854B	955
28	60	Y-5S7A2U2860B	997
28	66	Y-5S7A2U2866B	1,038
28	72	Y-5S7A2U2872B	1,075
28	78	Y-5S7A2U2878B	1,116
28	84	Y-5S7A2U2884B	1,158



Specify

- Paint Selection
- Color Selection for PET

Notes

- PET Screens are designed to mount to AIS worksurfaces. Specify based on system it is paired with.
- PET screen inserts are 1/2” (12mm) thick.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.

© 2026, AIS, Inc.

PET Day-to-Day, Calibrate & Benching HAT Screens with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type
PET	Partial Modesty on WS	Screen w/ Wire Manager	Day-to-Day, Calibrate & Benching HAT Width	Under Surface Mount

PET DAY-TO-DAY, CALIBRATE & BENCHING HAT SCREENS WITH WIRE MANAGERS

H	W	Model Number	List
3	42	Y-5S7G2U0342B	727
3	48	Y-5S7G2U0348B	750
3	54	Y-5S7G2U0354B	778
3	60	Y-5S7G2U0360B	802
3	66	Y-5S7G2U0366B	828
3	72	Y-5S7G2U0372B	852
3	78	Y-5S7G2U0378B	878
3	84	Y-5S7G2U0384B	913
12	42	Y-5S7G2U1242B	757
12	48	Y-5S7G2U1248B	782
12	54	Y-5S7G2U1254B	810
12	60	Y-5S7G2U1260B	834
12	66	Y-5S7G2U1266B	862
12	72	Y-5S7G2U1272B	888
12	78	Y-5S7G2U1278B	914
12	84	Y-5S7G2U1284B	950
16	42	Y-5S7G2U1642B	788
16	48	Y-5S7G2U1648B	815
16	54	Y-5S7G2U1654B	843
16	60	Y-5S7G2U1660B	869
16	66	Y-5S7G2U1666B	898
16	72	Y-5S7G2U1672B	925
16	78	Y-5S7G2U1678B	952
16	84	Y-5S7G2U1684B	990

PET DAY-TO-DAY, CALIBRATE & BENCHING HAT SCREENS WITH WIRE MANAGERS

H	W	Model Number	List
20	42	Y-5S7G2U2042B	814
20	48	Y-5S7G2U2048B	847
20	54	Y-5S7G2U2054B	882
20	60	Y-5S7G2U2060B	915
20	66	Y-5S7G2U2066B	950
20	72	Y-5S7G2U2072B	984
20	78	Y-5S7G2U2078B	1,019
20	84	Y-5S7G2U2084B	1,057
24	42	Y-5S7G2U2442B	847
24	48	Y-5S7G2U2448B	883
24	54	Y-5S7G2U2454B	916
24	60	Y-5S7G2U2460B	953
24	66	Y-5S7G2U2466B	990
24	72	Y-5S7G2U2472B	1,023
24	78	Y-5S7G2U2478B	1,060
24	84	Y-5S7G2U2484B	1,104
28	42	Y-5S7G2U2842B	876
28	48	Y-5S7G2U2848B	915
28	54	Y-5S7G2U2854B	955
28	60	Y-5S7G2U2860B	997
28	66	Y-5S7G2U2866B	1,038
28	72	Y-5S7G2U2872B	1,075
28	78	Y-5S7G2U2878B	1,116
28	84	Y-5S7G2U2884B	1,158



Specify

- Paint Selection
- Color Selection for PET

Notes

- PET Screens are designed to mount to AIS worksurfaces. Specify based on system it is paired with.
- PET screen inserts are 1/2” (12mm) thick.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

L-Wrap Screens for Tables with Radius Corners


© 2026, AIS, Inc.

PET Day-to-Day & E Series HAT with Radius L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	Day-to-Day & E Series HAT with Radius Corners	Under Surface Mount	Left or Right

PET DAY-TO-DAY & E SERIES HAT, RADIUS L-WRAP UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
12	42	12	Y-5C9J2L121242B	Y-5C9J2R121242B	783
12	48	12	Y-5C9J2L121248B	Y-5C9J2R121248B	796
12	54	12	Y-5C9J2L121254B	Y-5C9J2R121254B	806
12	60	12	Y-5C9J2L121260B	Y-5C9J2R121260B	816
12	66	12	Y-5C9J2L121266B	Y-5C9J2R121266B	830
12	72	12	Y-5C9J2L121272B	Y-5C9J2R121272B	840
12	78	12	Y-5C9J2L121278B	Y-5C9J2R121278B	852
12	42	18	Y-5C9J2L121842B	Y-5C9J2R121842B	796
12	48	18	Y-5C9J2L121848B	Y-5C9J2R121848B	806
12	54	18	Y-5C9J2L121854B	Y-5C9J2R121854B	816
12	60	18	Y-5C9J2L121860B	Y-5C9J2R121860B	830
12	66	18	Y-5C9J2L121866B	Y-5C9J2R121866B	840
12	72	18	Y-5C9J2L121872B	Y-5C9J2R121872B	852



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.
- Radius corner screens compatible with radius corner HAT tables only.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Day-to-Day & E Series HAT with Radius L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	Day-to-Day & E Series HAT with Radius Corners	Under Surface Mount	Left or Right

PET DAY-TO-DAY & E SERIES HAT, RADIUS L-WRAP UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
12	42	24	Y-5C9J2L122442B	Y-5C9J2R122442B	806
12	48	24	Y-5C9J2L122448B	Y-5C9J2R122448B	816
12	54	24	Y-5C9J2L122454B	Y-5C9J2R122454B	830
12	60	24	Y-5C9J2L122460B	Y-5C9J2R122460B	840
12	66	24	Y-5C9J2L122466B	Y-5C9J2R122466B	852
12	42	30	Y-5C9J2L123042B	Y-5C9J2R123042B	816
12	48	30	Y-5C9J2L123048B	Y-5C9J2R123048B	830
12	54	30	Y-5C9J2L123054B	Y-5C9J2R123054B	840
12	60	30	Y-5C9J2L123060B	Y-5C9J2R123060B	852



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.
- Radius corner screens compatible with radius corner HAT tables only.


© 2026, AIS, Inc.

PET Day-to-Day & E Series HAT with Radius L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	Day-to-Day & E Series HAT with Radius Corners	Under Surface Mount	Left or Right

PET DAY-TO-DAY & E SERIES HAT, RADIUS L-WRAP UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
16	42	12	Y-5C9J2L161242B	Y-5C9J2R161242B	816
16	48	12	Y-5C9J2L161248B	Y-5C9J2R161248B	832
16	54	12	Y-5C9J2L161254B	Y-5C9J2R161254B	847
16	60	12	Y-5C9J2L161260B	Y-5C9J2R161260B	865
16	66	12	Y-5C9J2L161266B	Y-5C9J2R161266B	878
16	72	12	Y-5C9J2L161272B	Y-5C9J2R161272B	894
16	78	12	Y-5C9J2L161278B	Y-5C9J2R161278B	908
16	42	18	Y-5C9J2L161842B	Y-5C9J2R161842B	832
16	48	18	Y-5C9J2L161848B	Y-5C9J2R161848B	847
16	54	18	Y-5C9J2L161854B	Y-5C9J2R161854B	865
16	60	18	Y-5C9J2L161860B	Y-5C9J2R161860B	878
16	66	18	Y-5C9J2L161866B	Y-5C9J2R161866B	894
16	72	18	Y-5C9J2L161872B	Y-5C9J2R161872B	908



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.
- Radius corner screens compatible with radius corner HAT tables only.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Day-to-Day & E Series HAT with Radius L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	Day-to-Day & E Series HAT with Radius Corners	Under Surface Mount	Left or Right

PET DAY-TO-DAY & E SERIES HAT, RADIUS L-WRAP UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
16	42	24	Y-5C9J2L162442B	Y-5C9J2R162442B	847
16	48	24	Y-5C9J2L162448B	Y-5C9J2R162448B	865
16	54	24	Y-5C9J2L162454B	Y-5C9J2R162454B	878
16	60	24	Y-5C9J2L162460B	Y-5C9J2R162460B	894
16	66	24	Y-5C9J2L162466B	Y-5C9J2R162466B	908
16	42	30	Y-5C9J2L163042B	Y-5C9J2R163042B	865
16	48	30	Y-5C9J2L163048B	Y-5C9J2R163048B	878
16	54	30	Y-5C9J2L163054B	Y-5C9J2R163054B	894
16	60	30	Y-5C9J2L163060B	Y-5C9J2R163060B	908



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.
- Radius corner screens compatible with radius corner HAT tables only.


© 2026, AIS, Inc.

PET Day-to-Day & E Series HAT with Radius L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	Day-to-Day & E Series HAT with Radius Corners	Under Surface Mount	Left or Right

PET DAY-TO-DAY & E SERIES HAT, RADIUS L-WRAP UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
20	42	12	Y-5C9J2L201242B	Y-5C9J2L201842B	852
20	48	12	Y-5C9J2L201248B	Y-5C9J2L201848B	870
20	54	12	Y-5C9J2L201254B	Y-5C9J2L201854B	890
20	60	12	Y-5C9J2L201260B	Y-5C9J2L201860B	908
20	66	12	Y-5C9J2L201266B	Y-5C9J2L201866B	926
20	72	12	Y-5C9J2L201272B	Y-5C9J2L201872B	948
20	78	12	Y-5C9J2L201278B	Y-5C4J2R201278B	965
20	42	18	Y-5C9J2L201842B	Y-5C9J2R201842B	870
20	48	18	Y-5C9J2L201848B	Y-5C9J2R201848B	890
20	54	18	Y-5C9J2L201854B	Y-5C9J2R201854B	908
20	60	18	Y-5C9J2L201860B	Y-5C9J2R201860B	926
20	66	18	Y-5C9J2L201866B	Y-5C9J2R201866B	948
20	72	18	Y-5C9J2L201872B	Y-5C9J2R201872B	965



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.
- Radius corner screens compatible with radius corner HAT tables only.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Day-to-Day & E Series HAT with Radius L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	Day-to-Day & E Series HAT with Radius Corners	Under Surface Mount	Left or Right

PET DAY-TO-DAY & E SERIES HAT, RADIUS L-WRAP UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
20	42	24	Y-5C9J2L202442B	Y-5C9J2R202442B	890
20	48	24	Y-5C9J2L202448B	Y-5C9J2R202448B	908
20	54	24	Y-5C9J2L202454B	Y-5C9J2R202454B	926
20	60	24	Y-5C9J2L202460B	Y-5C9J2R202460B	948
20	66	24	Y-5C9J2L202466B	Y-5C9J2R202466B	965
20	42	30	Y-5C9J2L203042B	Y-5C9J2R203042B	908
20	48	30	Y-5C9J2L203048B	Y-5C9J2R203048B	926
20	54	30	Y-5C9J2L203054B	Y-5C9J2R203054B	948
20	60	30	Y-5C9J2L203060B	Y-5C9J2R203060B	965



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.
- Radius corner screens compatible with radius corner HAT tables only.


© 2026, AIS, Inc.

PET Day-to-Day & E Series HAT with Radius L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	Day-to-Day & E Series HAT with Radius Corners	Under Surface Mount	Left or Right

PET DAY-TO-DAY & E SERIES HAT, RADIUS L-WRAP UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
24	42	12	Y-5C9J2L241242B	Y-5C9J2R241242B	884
24	48	12	Y-5C9J2L241248B	Y-5C9J2R241248B	908
24	54	12	Y-5C9J2L241254B	Y-5C9J2R241254B	930
24	60	12	Y-5C9J2L241260B	Y-5C9J2R241260B	954
24	66	12	Y-5C9J2L241266B	Y-5C9J2R241266B	977
24	72	12	Y-5C9J2L241272B	Y-5C9J2R241272B	999
24	78	12	Y-5C9J2L241278B	Y-5C9J2R241278B	1,023
24	42	18	Y-5C9J2L241842B	Y-5C9J2R241842B	908
24	48	18	Y-5C9J2L241848B	Y-5C9J2R241848B	930
24	54	18	Y-5C9J2L241854B	Y-5C9J2R241854B	954
24	60	18	Y-5C9J2L241860B	Y-5C9J2R241860B	977
24	66	18	Y-5C9J2L241866B	Y-5C9J2R241866B	999
24	72	18	Y-5C9J2L241872B	Y-5C9J2R241872B	1,023



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.
- Radius corner screens compatible with radius corner HAT tables only.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Day-to-Day & E Series HAT with Radius L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	Day-to-Day & E Series HAT with Radius Corners	Under Surface Mount	Left or Right

PET DAY-TO-DAY & E SERIES HAT, RADIUS L-WRAP UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
24	42	24	Y-5C9J2L242442B	Y-5C9J2R242442B	930
24	48	24	Y-5C9J2L242448B	Y-5C9J2R242448B	954
24	54	24	Y-5C9J2L242454B	Y-5C9J2R242454B	977
24	60	24	Y-5C9J2L242460B	Y-5C9J2R242460B	999
24	66	24	Y-5C9J2L242466B	Y-5C9J2R242466B	1,023
24	42	30	Y-5C9J2L243042B	Y-5C9J2R243042B	954
24	48	30	Y-5C9J2L243048B	Y-5C9J2R243048B	977
24	54	30	Y-5C9J2L243054B	Y-5C9J2R243054B	999
24	60	30	Y-5C9J2L243060B	Y-5C9J2R243060B	1,023



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.
- Radius corner screens compatible with radius corner HAT tables only.


© 2026, AIS, Inc.

PET Day-to-Day & E Series HAT with Radius L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	Day-to-Day & E Series HAT with Radius Corners	Under Surface Mount	Left or Right

PET DAY-TO-DAY & E SERIES HAT, RADIUS L-WRAP UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
28	42	12	Y-5C9J2L281242B	Y-5C9J2R281242B	917
28	48	12	Y-5C9J2L281248B	Y-5C9J2R281248B	948
28	54	12	Y-5C9J2L281254B	Y-5C9J2R281254B	973
28	60	12	Y-5C9J2L281260B	Y-5C9J2R281260B	999
28	66	12	Y-5C9J2L281266B	Y-5C9J2R281266B	1,025
28	72	12	Y-5C9J2L281272B	Y-5C9J2R281272B	1,051
28	78	12	Y-5C9J2L281278B	Y-5C9J2R281278B	1,079
28	42	18	Y-5C9J2L281842B	Y-5C9J2R281842B	948
28	48	18	Y-5C9J2L281848B	Y-5C9J2R281848B	973
28	54	18	Y-5C9J2L281854B	Y-5C9J2R281854B	999
28	60	18	Y-5C9J2L281860B	Y-5C9J2R281860B	1,025
28	66	18	Y-5C9J2L281866B	Y-5C9J2R281866B	1,051
28	72	18	Y-5C9J2L281872B	Y-5C9J2R281872B	1,079



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.
- Radius corner screens compatible with radius corner HAT tables only.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Day-to-Day & E Series HAT with Radius L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	Day-to-Day & E Series HAT with Radius Corners	Under Surface Mount	Left or Right

PET DAY-TO-DAY & E SERIES HAT, RADIUS L-WRAP UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
28	42	24	Y-5C9J2L282442B	Y-5C9J2R282442B	973
28	48	24	Y-5C9J2L282448B	Y-5C9J2R282448B	999
28	54	24	Y-5C9J2L282454B	Y-5C9J2R282454B	1,025
28	60	24	Y-5C9J2L282460B	Y-5C9J2R282460B	1,051
28	66	24	Y-5C9J2L282466B	Y-5C9J2R282466B	1,079
28	42	30	Y-5C9J2L283042B	Y-5C9J2R283042B	999
28	48	30	Y-5C9J2L283048B	Y-5C9J2R283048B	1,025
28	54	30	Y-5C9J2L283054B	Y-5C9J2R283054B	1,051
28	60	30	Y-5C9J2L283060B	Y-5C9J2R283060B	1,079



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.
- Radius corner screens compatible with radius corner HAT tables only.


© 2026, AIS, Inc.

PET Day-to-Day & E Series HAT with Radius L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	Day-to-Day & E Series HAT with Radius Corners	Under Surface Mount	Left or Right

PET DAY-TO-DAY & E SERIES HAT, RADIUS L-WRAP UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
32	42	12	Y-5C9J2L321242B	Y-5C9J2R321242B	1,062
32	48	12	Y-5C9J2L321248B	Y-5C9J2R321248B	1,106
32	54	12	Y-5C9J2L321254B	Y-5C9J2R321254B	1,147
32	60	12	Y-5C9J2L321260B	Y-5C9J2R321260B	1,190
32	66	12	Y-5C9J2L321266B	Y-5C9J2R321266B	1,232
32	72	12	Y-5C9J2L321272B	Y-5C9J2R321272B	1,276
32	78	12	Y-5C9J2L321278B	Y-5C9J2R321278B	1,318
32	42	18	Y-5C9J2L321842B	Y-5C9J2R321842B	1,106
32	48	18	Y-5C9J2L321848B	Y-5C9J2R321848B	1,147
32	54	18	Y-5C9J2L321854B	Y-5C9J2R321854B	1,190
32	60	18	Y-5C9J2L321860B	Y-5C9J2R321860B	1,232
32	66	18	Y-5C9J2L321866B	Y-5C9J2R321866B	1,276
32	72	18	Y-5C9J2L321872B	Y-5C9J2R321872B	1,318



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.
- Radius corner screens compatible with radius corner HAT tables only.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Day-to-Day & E Series HAT with Radius L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	Day-to-Day & E Series HAT with Radius Corners	Under Surface Mount	Left or Right

PET DAY-TO-DAY & E SERIES HAT, RADIUS L-WRAP UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
32	42	24	Y-5C9J2L322442B	Y-5C9J2R322442B	1,147
32	48	24	Y-5C9J2L322448B	Y-5C9J2R322448B	1,190
32	54	24	Y-5C9J2L322454B	Y-5C9J2R322454B	1,232
32	60	24	Y-5C9J2L322460B	Y-5C9J2R322460B	1,276
32	66	24	Y-5C9J2L322466B	Y-5C9J2R322466B	1,318
32	42	30	Y-5C9J2L323042B	Y-5C9J2R323042B	1,190
32	48	30	Y-5C9J2L323048B	Y-5C9J2R323048B	1,232
32	54	30	Y-5C9J2L323054B	Y-5C9J2R323054B	1,276
32	60	30	Y-5C9J2L323060B	Y-5C9J2R323060B	1,318



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.
- Radius corner screens compatible with radius corner HAT tables only.


© 2026, AIS, Inc.

PET Day-to-Day & E Series HAT with Radius L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	Day-to-Day & E Series HAT with Radius Corners	Under Surface Mount	Left or Right

PET DAY-TO-DAY & E SERIES HAT RADIUS L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
22	42	12	Y-5M9J2L221242B	Y-5M9J2R221242B	868
22	48	12	Y-5M9J2L221248B	Y-5M9J2R221248B	890
22	54	12	Y-5M9J2L221254B	Y-5M9J2R221254B	911
22	60	12	Y-5M9J2L221260B	Y-5M9J2R221260B	930
22	66	12	Y-5M9J2L221266B	Y-5M9J2R221266B	952
22	72	12	Y-5M9J2L221272B	Y-5M9J2R221272B	973
22	78	12	Y-5M9J2L221278B	Y-5M9J2R221278B	993
22	42	18	Y-5M9J2L221842B	Y-5M9J2R221842B	890
22	48	18	Y-5M9J2L221848B	Y-5M9J2R221848B	911
22	54	18	Y-5M9J2L221854B	Y-5M9J2R221854B	930
22	60	18	Y-5M9J2L221860B	Y-5M9J2R221860B	952
22	66	18	Y-5M9J2L221866B	Y-5M9J2R221866B	973
22	72	18	Y-5M9J2L221872B	Y-5M9J2R221872B	993



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- Radius corner screens compatible with radius corner HAT tables only.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Day-to-Day & E Series HAT with Radius L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	Day-to-Day & E Series HAT with Radius Corners	Under Surface Mount	Left or Right

PET DAY-TO-DAY & E SERIES HAT RADIUS L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
22	42	24	Y-5M9J2L222442B	Y-5M9J2R222442B	911
22	48	24	Y-5M9J2L222448B	Y-5M9J2R222448B	930
22	54	24	Y-5M9J2L222454B	Y-5M9J2R222454B	952
22	60	24	Y-5M9J2L222460B	Y-5M9J2R222460B	973
22	66	24	Y-5M9J2L222466B	Y-5M9J2R222466B	993
22	42	30	Y-5M9J2L223042B	Y-5M9J2R223042B	930
22	48	30	Y-5M9J2L223048B	Y-5M9J2R223048B	952
22	54	30	Y-5M9J2L223054B	Y-5M9J2R223054B	973
22	60	30	Y-5M9J2L223060B	Y-5M9J2R223060B	993



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.
- Radius corner screens compatible with radius corner HAT tables only.


© 2026, AIS, Inc.

PET Day-to-Day & E Series HAT with Radius L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	Day-to-Day & E Series HAT with Radius Corners	Under Surface Mount	Left or Right

PET DAY-TO-DAY & E SERIES HAT RADIUS L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
26	42	12	Y-5M9J2L261242B	Y-5M9J2R261242B	902
26	48	12	Y-5M9J2L261248B	Y-5M9J2R261248B	926
26	54	12	Y-5M9J2L261254B	Y-5M9J2R261254B	952
26	60	12	Y-5M9J2L261260B	Y-5M9J2R261260B	977
26	66	12	Y-5M9J2L261266B	Y-5M9J2R261266B	1,002
26	72	12	Y-5M9J2L261272B	Y-5M9J2R261272B	1,025
26	78	12	Y-5M9J2L261278B	Y-5M9J2R261278B	1,050
26	42	18	Y-5M9J2L261842B	Y-5M9J2R261842B	926
26	48	18	Y-5M9J2L261848B	Y-5M9J2R261848B	952
26	54	18	Y-5M9J2L261854B	Y-5M9J2R261854B	977
26	60	18	Y-5M9J2L261860B	Y-5M9J2R261860B	1,002
26	66	18	Y-5M9J2L261866B	Y-5M9J2R261866B	1,025
26	72	18	Y-5M9J2L261872B	Y-5M9J2R261872B	1,050



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- Radius corner screens compatible with radius corner HAT tables only.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Day-to-Day & E Series HAT with Radius L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	Day-to-Day & E Series HAT with Radius Corners	Under Surface Mount	Left or Right

PET DAY-TO-DAY & E SERIES HAT RADIUS L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
26	42	24	Y-5M9J2L262442B	Y-5M9J2R262442B	952
26	48	24	Y-5M9J2L262448B	Y-5M9J2R262448B	977
26	54	24	Y-5M9J2L262454B	Y-5M9J2R262454B	1,002
26	60	24	Y-5M9J2L262460B	Y-5M9J2R262460B	1,025
26	66	24	Y-5M9J2L262466B	Y-5M9J2R262466B	1,050
26	42	30	Y-5M9J2L263042B	Y-5M9J2R263042B	977
26	48	30	Y-5M9J2L263048B	Y-5M9J2R263048B	1,002
26	54	30	Y-5M9J2L263054B	Y-5M9J2R263054B	1,025
26	60	30	Y-5M9J2L263060B	Y-5M9J2R263060B	1,050



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.
- Radius corner screens compatible with radius corner HAT tables only.


© 2026, AIS, Inc.

PET Day-to-Day & E Series HAT with Radius L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	Day-to-Day & E Series HAT with Radius Corners	Under Surface Mount	Left or Right

PET DAY-TO-DAY & E SERIES HAT RADIUS L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
34	42	12	Y-5M9J2L341242B	Y-5M9J2R341242B	1,087
34	48	12	Y-5M9J2L341248B	Y-5M9J2R341248B	1,133
34	54	12	Y-5M9J2L341254B	Y-5M9J2R341254B	1,179
34	60	12	Y-5M9J2L341260B	Y-5M9J2R341260B	1,222
34	66	12	Y-5M9J2L341266B	Y-5M9J2R341266B	1,267
34	72	12	Y-5M9J2L341272B	Y-5M9J2R341272B	1,313
34	78	12	Y-5M9J2L341278B	Y-5M9J2R341278B	1,359
34	42	18	Y-5M9J2L341842B	Y-5M9J2R341842B	1,133
34	48	18	Y-5M9J2L341848B	Y-5M9J2R341848B	1,179
34	54	18	Y-5M9J2L341854B	Y-5M9J2R341854B	1,222
34	60	18	Y-5M9J2L341860B	Y-5M9J2R341860B	1,267
34	66	18	Y-5M9J2L341866B	Y-5M9J2R341866B	1,313
34	72	18	Y-5M9J2L341872B	Y-5M9J2R341872B	1,359



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- Radius corner screens compatible with radius corner HAT tables only.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Day-to-Day & E Series HAT with Radius L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	Day-to-Day & E Series HAT with Radius Corners	Under Surface Mount	Left or Right

PET DAY-TO-DAY & E SERIES HAT RADIUS L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
34	42	24	Y-5M9J2L342442B	Y-5M9J2R342442B	1,179
34	48	24	Y-5M9J2L342448B	Y-5M9J2R342448B	1,222
34	54	24	Y-5M9J2L342454B	Y-5M9J2R342454B	1,267
34	60	24	Y-5M9J2L342460B	Y-5M9J2R342460B	1,313
34	66	24	Y-5M9J2L342466B	Y-5M9J2R342466B	1,359
34	42	30	Y-5M9J2L343042B	Y-5M9J2R343042B	1,222
34	48	30	Y-5M9J2L343048B	Y-5M9J2R343048B	1,267
34	54	30	Y-5M9J2L343054B	Y-5M9J2R343054B	1,313
34	60	30	Y-5M9J2L343060B	Y-5M9J2R343060B	1,359



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.
- Radius corner screens compatible with radius corner HAT tables only.


© 2026, AIS, Inc.

PET Day-to-Day & E Series HAT with Radius L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	Day-to-Day & E Series HAT with Radius Corners	Under Surface Mount	Left or Right

PET DAY-TO-DAY & E SERIES HAT RADIUS L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
38	42	12	Y-5M9J2L381242B	Y-5M9J2R381242B	1,135
38	48	12	Y-5M9J2L381248B	Y-5M9J2R381248B	1,187
38	54	12	Y-5M9J2L381254B	Y-5M9J2R381254B	1,235
38	60	12	Y-5M9J2L381260B	Y-5M9J2R381260B	1,285
38	66	12	Y-5M9J2L381266B	Y-5M9J2R381266B	1,339
38	72	12	Y-5M9J2L381272B	Y-5M9J2R381272B	1,388
38	78	12	Y-5M9J2L381278B	Y-5M9J2R381278B	1,438
38	42	18	Y-5M9J2L381842B	Y-5M9J2R381842B	1,187
38	48	18	Y-5M9J2L381848B	Y-5M9J2R381848B	1,235
38	54	18	Y-5M9J2L381854B	Y-5M9J2R381854B	1,285
38	60	18	Y-5M9J2L381860B	Y-5M9J2R381860B	1,339
38	66	18	Y-5M9J2L381866B	Y-5M9J2R381866B	1,388
38	72	18	Y-5M9J2L381872B	Y-5M9J2R381872B	1,438



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- Radius corner screens compatible with radius corner HAT tables only.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Day-to-Day & E Series HAT with Radius L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	Day-to-Day & E Series HAT with Radius Corners	Under Surface Mount	Left or Right

PET DAY-TO-DAY & E SERIES HAT RADIUS L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
38	42	24	Y-5M9J2L382442B	Y-5M9J2R382442B	1,235
38	48	24	Y-5M9J2L382448B	Y-5M9J2R382448B	1,285
38	54	24	Y-5M9J2L382454B	Y-5M9J2R382454B	1,339
38	60	24	Y-5M9J2L382460B	Y-5M9J2R382460B	1,388
38	66	24	Y-5M9J2L382466B	Y-5M9J2R382466B	1,438
38	42	30	Y-5M9J2L383042B	Y-5M9J2R383042B	1,285
38	48	30	Y-5M9J2L383048B	Y-5M9J2R383048B	1,339
38	54	30	Y-5M9J2L383054B	Y-5M9J2R383054B	1,388
38	60	30	Y-5M9J2L383060B	Y-5M9J2R383060B	1,438



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.
- Radius corner screens compatible with radius corner HAT tables only.


© 2026, AIS, Inc.

PET Day-to-Day & E Series HAT with Radius L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	Day-to-Day & E Series HAT with Radius Corners	Under Surface Mount	Left or Right

PET DAY-TO-DAY & E SERIES HAT RADIUS L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
42	42	12	Y-5M9J2L421242B	Y-5M9J2R421242B	1,182
42	48	12	Y-5M9J2L421248B	Y-5M9J2R421248B	1,236
42	54	12	Y-5M9J2L421254B	Y-5M9J2R421254B	1,295
42	60	12	Y-5M9J2L421260B	Y-5M9J2R421260B	1,349
42	66	12	Y-5M9J2L421266B	Y-5M9J2R421266B	1,406
42	72	12	Y-5M9J2L421272B	Y-5M9J2R421272B	1,460
42	78	12	Y-5M9J2L421278B	Y-5M9J2R421278B	1,520
42	42	18	Y-5M9J2L421842B	Y-5M9J2R421842B	1,236
42	48	18	Y-5M9J2L421848B	Y-5M9J2R421848B	1,295
42	54	18	Y-5M9J2L421854B	Y-5M9J2R421854B	1,349
42	60	18	Y-5M9J2L421860B	Y-5M9J2R421860B	1,406
42	66	18	Y-5M9J2L421866B	Y-5M9J2R421866B	1,460
42	72	18	Y-5M9J2L421872B	Y-5M9J2R421872B	1,520



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.
- Radius corner screens compatible with radius corner HAT tables only.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Day-to-Day & E Series HAT with Radius L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	Day-to-Day & E Series HAT with Radius Corners	Under Surface Mount	Left or Right

PET DAY-TO-DAY & E SERIES HAT RADIUS L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
42	42	24	Y-5M9J2L422442B	Y-5M9J2R422442B	1,295
42	48	24	Y-5M9J2L422448B	Y-5M9J2R422448B	1,349
42	54	24	Y-5M9J2L422454B	Y-5M9J2R422454B	1,406
42	60	24	Y-5M9J2L422460B	Y-5M9J2R422460B	1,460
42	66	24	Y-5M9J2L422466B	Y-5M9J2R422466B	1,520
42	42	30	Y-5M9J2L423042B	Y-5M9J2R423042B	1,349
42	48	30	Y-5M9J2L423048B	Y-5M9J2R423048B	1,406
42	54	30	Y-5M9J2L423054B	Y-5M9J2R423054B	1,460
42	60	30	Y-5M9J2L423060B	Y-5M9J2R423060B	1,520



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.
- Radius corner screens compatible with radius corner HAT tables only.


© 2026, AIS, Inc.

PET Day-to-Day & E Series HAT with Radius L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	Day-to-Day & E Series HAT with Radius Corners	Under Surface Mount	Left or Right

PET DAY-TO-DAY & E SERIES HAT RADIUS L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
46	42	12	Y-5M9J2L461242B	Y-5M9J2R461242B	1,230
46	48	12	Y-5M9J2L461248B	Y-5M9J2R461248B	1,293
46	54	12	Y-5M9J2L461254B	Y-5M9J2R461254B	1,352
46	60	12	Y-5M9J2L461260B	Y-5M9J2R461260B	1,414
46	66	12	Y-5M9J2L461266B	Y-5M9J2R461266B	1,474
46	72	12	Y-5M9J2L461272B	Y-5M9J2R461272B	1,538
46	78	12	Y-5M9J2L461278B	Y-5M9J2R461278B	1,599
46	42	18	Y-5M9J2L461842B	Y-5M9J2R461842B	1,293
46	48	18	Y-5M9J2L461848B	Y-5M9J2R461848B	1,352
46	54	18	Y-5M9J2L461854B	Y-5M9J2R461854B	1,414
46	60	18	Y-5M9J2L461860B	Y-5M9J2R461860B	1,474
46	66	18	Y-5M9J2L461866B	Y-5M9J2R461866B	1,538
46	72	18	Y-5M9J2L461872B	Y-5M9J2R461872B	1,599



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- Radius corner screens compatible with radius corner HAT tables only.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Day-to-Day & E Series HAT with Radius L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	Day-to-Day & E Series HAT with Radius Corners	Under Surface Mount	Left or Right

PET DAY-TO-DAY & E SERIES HAT RADIUS L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
46	42	24	Y-5M9J2L462442B	Y-5M9J2R462442B	1,352
46	48	24	Y-5M9J2L462448B	Y-5M9J2R462448B	1,414
46	54	24	Y-5M9J2L462454B	Y-5M9J2R462454B	1,474
46	60	24	Y-5M9J2L462460B	Y-5M9J2R462460B	1,538
46	66	24	Y-5M9J2L462466B	Y-5M9J2R462466B	1,599
46	42	30	Y-5M9J2L463042B	Y-5M9J2R463042B	1,414
46	48	30	Y-5M9J2L463048B	Y-5M9J2R463048B	1,474
46	54	30	Y-5M9J2L463054B	Y-5M9J2R463054B	1,538
46	60	30	Y-5M9J2L463060B	Y-5M9J2R463060B	1,599



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.
- Radius corner screens compatible with radius corner HAT tables only.


© 2026, AIS, Inc.

PET Nominal = Actual Size with Radius L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	Day-to-Day Actual Size Tables with Radius Corners	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE WITH RADIUS L-WRAP UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
12	42	12	Y-5C9M2L121242B	Y-5C9M2R121242B	783
12	48	12	Y-5C9M2L121248B	Y-5C9M2R121248B	796
12	54	12	Y-5C9M2L121254B	Y-5C9M2R121254B	806
12	60	12	Y-5C9M2L121260B	Y-5C9M2R121260B	816
12	66	12	Y-5C9M2L121266B	Y-5C9M2R121266B	830
12	72	12	Y-5C9M2L121272B	Y-5C9M2R121272B	840
12	78	12	Y-5C9M2L121278B	Y-5C9M2R121278B	852
12	42	18	Y-5C9M2L121842B	Y-5C9M2R121842B	796
12	48	18	Y-5C9M2L121848B	Y-5C9M2R121848B	806
12	54	18	Y-5C9M2L121854B	Y-5C9M2R121854B	816
12	60	18	Y-5C9M2L121860B	Y-5C9M2R121860B	830
12	66	18	Y-5C9M2L121866B	Y-5C9M2R121866B	840
12	72	18	Y-5C9M2L121872B	Y-5C9M2R121872B	852



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.
- Radius corner screens compatible with radius corner HAT tables only.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Nominal = Actual Size with Radius L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	Day-to-Day Actual Size Tables with Radius Corners	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE WITH RADIUS L-WRAP UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
12	42	24	Y-5C9M2L122442B	Y-5C9M2R122442B	806
12	48	24	Y-5C9M2L122448B	Y-5C9M2R122448B	816
12	54	24	Y-5C9M2L122454B	Y-5C9M2R122454B	830
12	60	24	Y-5C9M2L122460B	Y-5C9M2R122460B	840
12	66	24	Y-5C9M2L122466B	Y-5C9M2R122466B	852
12	42	30	Y-5C9M2L123042B	Y-5C9M2R123042B	816
12	48	30	Y-5C9M2L123048B	Y-5C9M2R123048B	830
12	54	30	Y-5C9M2L123054B	Y-5C9M2R123054B	840
12	60	30	Y-5C9M2L123060B	Y-5C9M2R123060B	852



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.
- Radius corner screens compatible with radius corner HAT tables only.


© 2026, AIS, Inc.

PET Nominal = Actual Size with Radius L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	Day-to-Day Actual Size Tables with Radius Corners	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE WITH RADIUS L-WRAP UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
16	42	12	Y-5C9M2L161242B	Y-5C9M2R161242B	816
16	48	12	Y-5C9M2L161248B	Y-5C9M2R161248B	832
16	54	12	Y-5C9M2L161254B	Y-5C9M2R161254B	847
16	60	12	Y-5C9M2L161260B	Y-5C9M2R161260B	865
16	66	12	Y-5C9M2L161266B	Y-5C9M2R161266B	878
16	72	12	Y-5C9M2L161272B	Y-5C9M2R161272B	894
16	78	12	Y-5C9M2L161278B	Y-5C9M2R161278B	908
16	42	18	Y-5C9M2L161842B	Y-5C9M2R161842B	832
16	48	18	Y-5C9M2L161848B	Y-5C9M2R161848B	847
16	54	18	Y-5C9M2L161854B	Y-5C9M2R161854B	865
16	60	18	Y-5C9M2L161860B	Y-5C9M2R161860B	878
16	66	18	Y-5C9M2L161866B	Y-5C9M2R161866B	894
16	72	18	Y-5C9M2L161872B	Y-5C9M2R161872B	908



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.
- Radius corner screens compatible with radius corner HAT tables only.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Nominal = Actual Size with Radius L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	Day-to-Day Actual Size Tables with Radius Corners	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE WITH RADIUS L-WRAP UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
16	42	24	Y-5C9M2L162442B	Y-5C9M2R162442B	847
16	48	24	Y-5C9M2L162448B	Y-5C9M2R162448B	865
16	54	24	Y-5C9M2L162454B	Y-5C9M2R162454B	878
16	60	24	Y-5C9M2L162460B	Y-5C9M2R162460B	894
16	66	24	Y-5C9M2L162466B	Y-5C9M2R162466B	908
16	42	30	Y-5C9M2L163042B	Y-5C9M2R163042B	865
16	48	30	Y-5C9M2L163048B	Y-5C9M2R163048B	878
16	54	30	Y-5C9M2L163054B	Y-5C9M2R163054B	894
16	60	30	Y-5C9M2L163060B	Y-5C9M2R163060B	908



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.
- Radius corner screens compatible with radius corner HAT tables only.


© 2026, AIS, Inc.

PET Nominal = Actual Size with Radius L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	Day-to-Day Actual Size Tables with Radius Corners	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE WITH RADIUS L-WRAP UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
20	42	12	Y-5C9M2L201242B	Y-5C9M2R201242B	852
20	48	12	Y-5C9M2L201248B	Y-5C9M2R201248B	870
20	54	12	Y-5C9M2L201254B	Y-5C9M2R201254B	890
20	60	12	Y-5C9M2L201260B	Y-5C9M2R201260B	908
20	66	12	Y-5C9M2L201266B	Y-5C9M2R201266B	926
20	72	12	Y-5C9M2L201272B	Y-5C9M2R201272B	948
20	78	12	Y-5C9M2L201278B	Y-5C9M2R201278B	965
20	42	18	Y-5C9M2L201842B	Y-5C9M2R201842B	870
20	48	18	Y-5C9M2L201848B	Y-5C9M2R201848B	890
20	54	18	Y-5C9M2L201854B	Y-5C9M2R201854B	908
20	60	18	Y-5C9M2L201860B	Y-5C9M2R201860B	926
20	66	18	Y-5C9M2L201866B	Y-5C9M2R201866B	948
20	72	18	Y-5C9M2L201872B	Y-5C9M2R201872B	965



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.
- Radius corner screens compatible with radius corner HAT tables only.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Nominal = Actual Size with Radius L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	Day-to-Day Actual Size Tables with Radius Corners	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE WITH RADIUS L-WRAP UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
20	42	24	Y-5C9M2L202442B	Y-5C9M2R202442B	890
20	48	24	Y-5C9M2L202448B	Y-5C9M2R202448B	908
20	54	24	Y-5C9M2L202454B	Y-5C9M2R202454B	926
20	60	24	Y-5C9M2L202460B	Y-5C9M2R202460B	948
20	66	24	Y-5C9M2L202466B	Y-5C9M2R202466B	965
20	42	30	Y-5C9M2L203042B	Y-5C9M2R203042B	908
20	48	30	Y-5C9M2L203048B	Y-5C9M2R203048B	926
20	54	30	Y-5C9M2L203054B	Y-5C9M2R203054B	948
20	60	30	Y-5C9M2L203060B	Y-5C9M2R203060B	965



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.
- Radius corner screens compatible with radius corner HAT tables only.


© 2026, AIS, Inc.

PET Nominal = Actual Size with Radius L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	Day-to-Day Actual Size Tables with Radius Corners	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE WITH RADIUS L-WRAP UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
24	42	12	Y-5C9M2L241242B	Y-5C9M2R241242B	884
24	48	12	Y-5C9M2L241248B	Y-5C9M2R241248B	908
24	54	12	Y-5C9M2L241254B	Y-5C9M2R241254B	930
24	60	12	Y-5C9M2L241260B	Y-5C9M2R241260B	954
24	66	12	Y-5C9M2L241266B	Y-5C9M2R241266B	977
24	72	12	Y-5C9M2L241272B	Y-5C9M2R241272B	999
24	78	12	Y-5C9M2L241278B	Y-5C9M2R241278B	1,023
24	42	18	Y-5C9M2L241842B	Y-5C9M2R241842B	908
24	48	18	Y-5C9M2L241848B	Y-5C9M2R241848B	930
24	54	18	Y-5C9M2L241854B	Y-5C9M2R241854B	954
24	60	18	Y-5C9M2L241860B	Y-5C9M2R241860B	977
24	66	18	Y-5C9M2L241866B	Y-5C9M2R241866B	999
24	72	18	Y-5C9M2L241872B	Y-5C9M2R241872B	1,023



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.
- Radius corner screens compatible with radius corner HAT tables only.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Nominal = Actual Size with Radius L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	Day-to-Day Actual Size Tables with Radius Corners	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE WITH RADIUS L-WRAP UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
24	42	24	Y-5C9M2L242442B	Y-5C9M2R242442B	930
24	48	24	Y-5C9M2L242448B	Y-5C9M2R242448B	954
24	54	24	Y-5C9M2L242454B	Y-5C9M2R242454B	977
24	60	24	Y-5C9M2L242460B	Y-5C9M2R242460B	999
24	66	24	Y-5C9M2L242466B	Y-5C9M2R242466B	1,023
24	42	30	Y-5C9M2L243042B	Y-5C9M2R243042B	954
24	48	30	Y-5C9M2L243048B	Y-5C9M2R243048B	977
24	54	30	Y-5C9M2L243054B	Y-5C9M2R243054B	999
24	60	30	Y-5C9M2L243060B	Y-5C9M2R243060B	1,023



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.
- Radius corner screens compatible with radius corner HAT tables only.


© 2026, AIS, Inc.

PET Nominal = Actual Size with Radius L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	Day-to-Day Actual Size Tables with Radius Corners	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE WITH RADIUS L-WRAP UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
28	42	12	Y-5C9M2L281242B	Y-5C9M2R281242B	917
28	48	12	Y-5C9M2L281248B	Y-5C9M2R281248B	948
28	54	12	Y-5C9M2L281254B	Y-5C9M2R281254B	973
28	60	12	Y-5C9M2L281260B	Y-5C9M2R281260B	999
28	66	12	Y-5C9M2L281266B	Y-5C9M2R281266B	1,025
28	72	12	Y-5C9M2L281272B	Y-5C9M2R281272B	1,051
28	78	12	Y-5C9M2L281278B	Y-5C9M2R281278B	1,079
28	42	18	Y-5C9M2L281842B	Y-5C9M2R281842B	948
28	48	18	Y-5C9M2L281848B	Y-5C9M2R281848B	973
28	54	18	Y-5C9M2L281854B	Y-5C9M2R281854B	999
28	60	18	Y-5C9M2L281860B	Y-5C9M2R281860B	1,025
28	66	18	Y-5C9M2L281866B	Y-5C9M2R281866B	1,051
28	72	18	Y-5C9M2L281872B	Y-5C9M2R281872B	1,079



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.
- Radius corner screens compatible with radius corner HAT tables only.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Nominal = Actual Size with Radius L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	Day-to-Day Actual Size Tables with Radius Corners	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE WITH RADIUS L-WRAP UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
28	42	24	Y-5C9M2L282442B	Y-5C9M2R282442B	973
28	48	24	Y-5C9M2L282448B	Y-5C9M2R282448B	999
28	54	24	Y-5C9M2L282454B	Y-5C9M2R282454B	1,025
28	60	24	Y-5C9M2L282460B	Y-5C9M2R282460B	1,051
28	66	24	Y-5C9M2L282466B	Y-5C9M2R282466B	1,079
28	42	30	Y-5C9M2L283042B	Y-5C9M2R283042B	999
28	48	30	Y-5C9M2L283048B	Y-5C9M2R283048B	1,025
28	54	30	Y-5C9M2L283054B	Y-5C9M2R283054B	1,051
28	60	30	Y-5C9M2L283060B	Y-5C9M2R283060B	1,079



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.
- Radius corner screens compatible with radius corner HAT tables only.


© 2026, AIS, Inc.

PET Nominal = Actual Size with Radius L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	Day-to-Day Actual Size Tables with Radius Corners	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE WITH RADIUS L-WRAP UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
32	42	12	Y-5C9M2L321242B	Y-5C9M2R321242B	1,062
32	48	12	Y-5C9M2L321248B	Y-5C9M2R321248B	1,106
32	54	12	Y-5C9M2L321254B	Y-5C9M2R321254B	1,147
32	60	12	Y-5C9M2L321260B	Y-5C9M2R321260B	1,190
32	66	12	Y-5C9M2L321266B	Y-5C9M2R321266B	1,232
32	72	12	Y-5C9M2L321272B	Y-5C9M2R321272B	1,276
32	78	12	Y-5C9M2L321278B	Y-5C9M2R321278B	1,318
32	42	18	Y-5C9M2L321842B	Y-5C9M2R321842B	1,106
32	48	18	Y-5C9M2L321848B	Y-5C9M2R321848B	1,147
32	54	18	Y-5C9M2L321854B	Y-5C9M2R321854B	1,190
32	60	18	Y-5C9M2L321860B	Y-5C9M2R321860B	1,232
32	66	18	Y-5C9M2L321866B	Y-5C9M2R321866B	1,276
32	72	18	Y-5C9M2L321872B	Y-5C9M2R321872B	1,318



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.
- Radius corner screens compatible with radius corner HAT tables only.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Nominal = Actual Size with Radius L-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap on Worksurface	Lite	Day-to-Day Actual Size Tables with Radius Corners	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE WITH RADIUS L-WRAP UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
32	42	24	Y-5C9M2L322442B	Y-5C9M2R322442B	1,147
32	48	24	Y-5C9M2L322448B	Y-5C9M2R322448B	1,190
32	54	24	Y-5C9M2L322454B	Y-5C9M2R322454B	1,232
32	60	24	Y-5C9M2L322460B	Y-5C9M2R322460B	1,276
32	66	24	Y-5C9M2L322466B	Y-5C9M2R322466B	1,318
32	42	30	Y-5C9M2L323042B	Y-5C9M2R323042B	1,190
32	48	30	Y-5C9M2L323048B	Y-5C9M2R323048B	1,232
32	54	30	Y-5C9M2L323054B	Y-5C9M2R323054B	1,276
32	60	30	Y-5C9M2L323060B	Y-5C9M2R323060B	1,318



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.
- Radius corner screens compatible with radius corner HAT tables only.


© 2026, AIS, Inc.

PET Nominal = Actual Size with Radius L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	Day-to-Day Actual Size Tables with Radius Corners	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE WITH RADIUS L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
22	42	12	Y-5M9M2L221242B	Y-5M9M2R221242B	868
22	48	12	Y-5M9M2L221248B	Y-5M9M2R221248B	890
22	54	12	Y-5M9M2L221254B	Y-5M9M2R221254B	911
22	60	12	Y-5M9M2L221260B	Y-5M9M2R221260B	930
22	66	12	Y-5M9M2L221266B	Y-5M9M2R221266B	952
22	72	12	Y-5M9M2L221272B	Y-5M9M2R221272B	973
22	78	12	Y-5M9M2L221278B	Y-5M9M2R221278B	993
22	42	18	Y-5M9M2L221842B	Y-5M9M2R221842B	890
22	48	18	Y-5M9M2L221848B	Y-5M9M2R221848B	911
22	54	18	Y-5M9M2L221854B	Y-5M9M2R221854B	930
22	60	18	Y-5M9M2L221860B	Y-5M9M2R221860B	952
22	66	18	Y-5M9M2L221866B	Y-5M9M2R221866B	973
22	72	18	Y-5M9M2L221872B	Y-5M9M2R221872B	993



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.
- Radius corner screens compatible with radius corner HAT tables only.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Nominal = Actual Size with Radius L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	Day-to-Day Actual Size Tables with Radius Corners	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE WITH RADIUS L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
22	42	24	Y-5M9M2L222442B	Y-5M9M2R222442B	911
22	48	24	Y-5M9M2L222448B	Y-5M9M2R222448B	930
22	54	24	Y-5M9M2L222454B	Y-5M9M2R222454B	952
22	60	24	Y-5M9M2L222460B	Y-5M9M2R222460B	973
22	66	24	Y-5M9M2L222466B	Y-5M9M2R222466B	993
22	42	30	Y-5M9M2L223042B	Y-5M9M2R223042B	930
22	48	30	Y-5M9M2L223048B	Y-5M9M2R223048B	952
22	54	30	Y-5M9M2L223054B	Y-5M9M2R223054B	973
22	60	30	Y-5M9M2L223060B	Y-5M9M2R223060B	993



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.
- Radius corner screens compatible with radius corner HAT tables only.


© 2026, AIS, Inc.

PET Nominal = Actual Size with Radius L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	Day-to-Day Actual Size Tables with Radius Corners	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE WITH RADIUS L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
26	42	12	Y-5M9M2L261242B	Y-5M9M2R261242B	902
26	48	12	Y-5M9M2L261248B	Y-5M9M2R261248B	926
26	54	12	Y-5M9M2L261254B	Y-5M9M2R261254B	952
26	60	12	Y-5M9M2L261260B	Y-5M9M2R261260B	977
26	66	12	Y-5M9M2L261266B	Y-5M9M2R261266B	1,002
26	72	12	Y-5M9M2L261272B	Y-5M9M2R261272B	1,025
26	78	12	Y-5M9M2L261278B	Y-5M9M2R261278B	1,050
26	42	18	Y-5M9M2L261842B	Y-5M9M2R261842B	926
26	48	18	Y-5M9M2L261848B	Y-5M9M2R261848B	952
26	54	18	Y-5M9M2L261854B	Y-5M9M2R261854B	977
26	60	18	Y-5M9M2L261860B	Y-5M9M2R261860B	1,002
26	66	18	Y-5M9M2L261866B	Y-5M9M2R261866B	1,025
26	72	18	Y-5M9M2L261872B	Y-5M9M2R261872B	1,050



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.
- Radius corner screens compatible with radius corner HAT tables only.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Nominal = Actual Size with Radius L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	Day-to-Day Actual Size Tables with Radius Corners	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE WITH RADIUS L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
26	42	24	Y-5M9M2L262442B	Y-5M9M2R262442B	952
26	48	24	Y-5M9M2L262448B	Y-5M9M2R262448B	977
26	54	24	Y-5M9M2L262454B	Y-5M9M2R262454B	1,002
26	60	24	Y-5M9M2L262460B	Y-5M9M2R262460B	1,025
26	66	24	Y-5M9M2L262466B	Y-5M9M2R262466B	1,050
26	42	30	Y-5M9M2L263042B	Y-5M9M2R263042B	977
26	48	30	Y-5M9M2L263048B	Y-5M9M2R263048B	1,002
26	54	30	Y-5M9M2L263054B	Y-5M9M2R263054B	1,025
26	60	30	Y-5M9M2L263060B	Y-5M9M2R263060B	1,050



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.
- Radius corner screens compatible with radius corner HAT tables only.


© 2026, AIS, Inc.

PET Nominal = Actual Size with Radius L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	Day-to-Day Actual Size Tables with Radius Corners	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE WITH RADIUS L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
34	42	12	Y-5M9M2L341242B	Y-5M9M2R341242B	1,087
34	48	12	Y-5M9M2L341248B	Y-5M9M2R341248B	1,133
34	54	12	Y-5M9M2L341254B	Y-5M9M2R341254B	1,179
34	60	12	Y-5M9M2L341260B	Y-5M9M2R341260B	1,222
34	66	12	Y-5M9M2L341266B	Y-5M9M2R341266B	1,267
34	72	12	Y-5M9M2L341272B	Y-5M9M2R341272B	1,313
34	78	12	Y-5M9M2L341278B	Y-5M9M2R341278B	1,359
34	42	18	Y-5M9M2L341842B	Y-5M9M2R341842B	1,133
34	48	18	Y-5M9M2L341848B	Y-5M9M2R341848B	1,179
34	54	18	Y-5M9M2L341854B	Y-5M9M2R341854B	1,222
34	60	18	Y-5M9M2L341860B	Y-5M9M2R341860B	1,267
34	66	18	Y-5M9M2L341866B	Y-5M9M2R341866B	1,313
34	72	18	Y-5M9M2L341872B	Y-5M9M2R341872B	1,359



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Nominal = Actual Size with Radius L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	Day-to-Day Actual Size Tables with Radius Corners	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE WITH RADIUS L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
34	42	24	Y-5M9M2L342442B	Y-5M9M2R342442B	1,179
34	48	24	Y-5M9M2L342448B	Y-5M9M2R342448B	1,222
34	54	24	Y-5M9M2L342454B	Y-5M9M2R342454B	1,267
34	60	24	Y-5M9M2L342460B	Y-5M9M2R342460B	1,313
34	66	24	Y-5M9M2L342466B	Y-5M9M2R342466B	1,359
34	42	30	Y-5M9M2L343042B	Y-5M9M2R343042B	1,222
34	48	30	Y-5M9M2L343048B	Y-5M9M2R343048B	1,267
34	54	30	Y-5M9M2L343054B	Y-5M9M2R343054B	1,313
34	60	30	Y-5M9M2L343060B	Y-5M9M2R343060B	1,359



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.


© 2026, AIS, Inc.

PET Nominal = Actual Size with Radius L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	Day-to-Day Actual Size Tables with Radius Corners	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE WITH RADIUS L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
38	42	12	Y-5M9M2L381242B	Y-5M9M2R381242B	1,135
38	48	12	Y-5M9M2L381248B	Y-5M9M2R381248B	1,187
38	54	12	Y-5M9M2L381254B	Y-5M9M2R381254B	1,235
38	60	12	Y-5M9M2L381260B	Y-5M9M2R381260B	1,285
38	66	12	Y-5M9M2L381266B	Y-5M9M2R381266B	1,339
38	72	12	Y-5M9M2L381272B	Y-5M9M2R381272B	1,388
38	78	12	Y-5M9M2L381278B	Y-5M9M2R381278B	1,438
38	42	18	Y-5M9M2L381842B	Y-5M9M2R381842B	1,187
38	48	18	Y-5M9M2L381848B	Y-5M9M2R381848B	1,235
38	54	18	Y-5M9M2L381854B	Y-5M9M2R381854B	1,285
38	60	18	Y-5M9M2L381860B	Y-5M9M2R381860B	1,339
38	66	18	Y-5M9M2L381866B	Y-5M9M2R381866B	1,388
38	72	18	Y-5M9M2L381872B	Y-5M9M2R381872B	1,438



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.
- Radius corner screens compatible with radius corner HAT tables only.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Nominal = Actual Size with Radius L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	Day-to-Day Actual Size Tables with Radius Corners	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE WITH RADIUS L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
38	42	24	Y-5M9M2L382442B	Y-5M9M2R382442B	1,235
38	48	24	Y-5M9M2L382448B	Y-5M9M2R382448B	1,285
38	54	24	Y-5M9M2L382454B	Y-5M9M2R382454B	1,339
38	60	24	Y-5M9M2L382460B	Y-5M9M2R382460B	1,388
38	66	24	Y-5M9M2L382466B	Y-5M9M2R382466B	1,438
38	42	30	Y-5M9M2L383042B	Y-5M9M2R383042B	1,285
38	48	30	Y-5M9M2L383048B	Y-5M9M2R383048B	1,339
38	54	30	Y-5M9M2L383054B	Y-5M9M2R383054B	1,388
38	60	30	Y-5M9M2L383060B	Y-5M9M2R383060B	1,438



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.
- Radius corner screens compatible with radius corner HAT tables only.


© 2026, AIS, Inc.

PET Nominal = Actual Size with Radius L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	Day-to-Day Actual Size Tables with Radius Corners	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE WITH RADIUS L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
42	42	12	Y-5M9M2L421242B	Y-5M9M2R421242B	1,182
42	48	12	Y-5M9M2L421248B	Y-5M9M2R421248B	1,236
42	54	12	Y-5M9M2L421254B	Y-5M9M2R421254B	1,295
42	60	12	Y-5M9M2L421260B	Y-5M9M2R421260B	1,349
42	66	12	Y-5M9M2L421266B	Y-5M9M2R421266B	1,406
42	72	12	Y-5M9M2L421272B	Y-5M9M2R421272B	1,460
42	78	12	Y-5M9M2L421278B	Y-5M9M2R421278B	1,520
42	42	18	Y-5M9M2L421842B	Y-5M9M2R421842B	1,236
42	48	18	Y-5M9M2L421848B	Y-5M9M2R421848B	1,295
42	54	18	Y-5M9M2L421854B	Y-5M9M2R421854B	1,349
42	60	18	Y-5M9M2L421860B	Y-5M9M2R421860B	1,406
42	66	18	Y-5M9M2L421866B	Y-5M9M2R421866B	1,460
42	72	18	Y-5M9M2L421872B	Y-5M9M2R421872B	1,520



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.
- Radius corner screens compatible with radius corner HAT tables only.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Nominal = Actual Size with Radius L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	Day-to-Day Actual Size Tables with Radius Corners	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE WITH RADIUS L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
42	42	24	Y-5M9M2L422442B	Y-5M9M2R422442B	1,295
42	48	24	Y-5M9M2L422448B	Y-5M9M2R422448B	1,349
42	54	24	Y-5M9M2L422454B	Y-5M9M2R422454B	1,406
42	60	24	Y-5M9M2L422460B	Y-5M9M2R422460B	1,460
42	66	24	Y-5M9M2L422466B	Y-5M9M2R422466B	1,520
42	42	30	Y-5M9M2L423042B	Y-5M9M2R423042B	1,349
42	48	30	Y-5M9M2L423048B	Y-5M9M2R423048B	1,406
42	54	30	Y-5M9M2L423054B	Y-5M9M2R423054B	1,460
42	60	30	Y-5M9M2L423060B	Y-5M9M2R423060B	1,520



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.
- Radius corner screens compatible with radius corner HAT tables only.


© 2026, AIS, Inc.

PET Nominal = Actual Size with Radius L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	Day-to-Day Actual Size Tables with Radius Corners	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE WITH RADIUS L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
46	42	12	Y-5M9M2L461242B	Y-5M9M2R461242B	1,230
46	48	12	Y-5M9M2L461248B	Y-5M9M2R461248B	1,293
46	54	12	Y-5M9M2L461254B	Y-5M9M2R461254B	1,352
46	60	12	Y-5M9M2L461260B	Y-5M9M2R461260B	1,414
46	66	12	Y-5M9M2L461266B	Y-5M9M2R461266B	1,474
46	72	12	Y-5M9M2L461272B	Y-5M9M2R461272B	1,538
46	78	12	Y-5M9M2L461278B	Y-5M9M2R461278B	1,599
46	42	18	Y-5M9M2L461842B	Y-5M9M2R461842B	1,293
46	48	18	Y-5M9M2L461848B	Y-5M9M2R461848B	1,352
46	54	18	Y-5M9M2L461854B	Y-5M9M2R461854B	1,414
46	60	18	Y-5M9M2L461860B	Y-5M9M2R461860B	1,474
46	66	18	Y-5M9M2L461866B	Y-5M9M2R461866B	1,538
46	72	18	Y-5M9M2L461872B	Y-5M9M2R461872B	1,599



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.
- Radius corner screens compatible with radius corner HAT tables only.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Nominal = Actual Size with Radius L-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Lite	Day-to-Day Actual Size Tables with Radius Corners	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE WITH RADIUS L-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
46	42	24	Y-5M9M2L462442B	Y-5M9M2R462442B	1,352
46	48	24	Y-5M9M2L462448B	Y-5M9M2R462448B	1,414
46	54	24	Y-5M9M2L462454B	Y-5M9M2R462454B	1,474
46	60	24	Y-5M9M2L462460B	Y-5M9M2R462460B	1,538
46	66	24	Y-5M9M2L462466B	Y-5M9M2R462466B	1,599
46	42	30	Y-5M9M2L463042B	Y-5M9M2R463042B	1,414
46	48	30	Y-5M9M2L463048B	Y-5M9M2R463048B	1,474
46	54	30	Y-5M9M2L463054B	Y-5M9M2R463054B	1,538
46	60	30	Y-5M9M2L463060B	Y-5M9M2R463060B	1,599



Left Hand



Right Hand



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET L-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.
- Radius corner screens compatible with radius corner HAT tables only.

© 2026, AIS, Inc.

PET L-Wrap Enclosures with Wire Managers Sized for Tables with Radius Corners


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Nominal = Actual Size with Radius L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	Day-to-Day Actual Size Tables with Radius Corners	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE WITH RADIUS L-WRAP ENCLOSURES WITH WIRE MANAGERS

			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
3	36	12	Y-5MAM2L031236B	Y-5MAM2R031236B	896
3	42	12	Y-5MAM2L031242B	Y-5MAM2R031242B	916
3	48	12	Y-5MAM2L031248B	Y-5MAM2R031248B	941
3	54	12	Y-5MAM2L031254B	Y-5MAM2R031254B	963
3	60	12	Y-5MAM2L031260B	Y-5MAM2R031260B	984
3	66	12	Y-5MAM2L031266B	Y-5MAM2R031266B	1,007
3	72	12	Y-5MAM2L031272B	Y-5MAM2R031272B	1,025
3	78	12	Y-5MAM2L031278B	Y-5MAM2R031278B	1,050
3	36	18	Y-5MAM2L031836B	Y-5MAM2R031836B	916
3	42	18	Y-5MAM2L031842B	Y-5MAM2R031842B	941
3	48	18	Y-5MAM2L031848B	Y-5MAM2R031848B	963
3	54	18	Y-5MAM2L031854B	Y-5MAM2R031854B	984
3	60	18	Y-5MAM2L031860B	Y-5MAM2R031860B	1,007
3	66	18	Y-5MAM2L031866B	Y-5MAM2R031866B	1,025
3	72	18	Y-5MAM2L031872B	Y-5MAM2R031872B	1,050



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET

Notes

- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2” (12mm) thick.
- 12” wide wings get one bracket, 18” wide and over wings get two brackets.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.


© 2026, AIS, Inc.

PET Nominal = Actual Size with Radius L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	Day-to-Day Actual Size Tables with Radius Corners	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE WITH RADIUS L-WRAP ENCLOSURES WITH WIRE MANAGERS

			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
3	36	24	Y-5MAM2L032436B	Y-5MAM2R032436B	941
3	42	24	Y-5MAM2L032442B	Y-5MAM2R032442B	963
3	48	24	Y-5MAM2L032448B	Y-5MAM2R032448B	984
3	54	24	Y-5MAM2L032454B	Y-5MAM2R032454B	1,007
3	60	24	Y-5MAM2L032460B	Y-5MAM2R032460B	1,025
3	66	24	Y-5MAM2L032466B	Y-5MAM2R032466B	1,050
3	36	30	Y-5MAM2L033036B	Y-5MAM2R033036B	963
3	42	30	Y-5MAM2L033042B	Y-5MAM2R033042B	984
3	48	30	Y-5MAM2L033048B	Y-5MAM2R033048B	1,007
3	54	30	Y-5MAM2L033054B	Y-5MAM2R033054B	1,025
3	60	30	Y-5MAM2L033060B	Y-5MAM2R033060B	1,050



Left Hand



Right Hand

Specify	Notes
• Paint Selection	• Specify based on table that enclosure is paired with.
• Color Selection for PET	• PET screen inserts are 1/2” (12mm) thick.
	• 12” wide wings get one bracket, 18” wide and over wings get two brackets.
	• 3/8” gap allows for installation of clamp-on monitors and accessories.
	• Unhooks from worksurface for easy access to wire management. Access from user side.
	• Height listed above is above surface height. For additional dimensions see product detail pages.
	• Radius corner screens compatible with radius corner HAT tables only.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Nominal = Actual Size with Radius L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	Day-to-Day Actual Size Tables with Radius Corners	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE WITH RADIUS L-WRAP ENCLOSURES WITH WIRE MANAGERS

			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
12	36	12	Y-5MAM2L121236B	Y-5MAM2R121236B	934
12	42	12	Y-5MAM2L121242B	Y-5MAM2R121242B	955
12	48	12	Y-5MAM2L121248B	Y-5MAM2R121248B	979
12	54	12	Y-5MAM2L121254B	Y-5MAM2R121254B	1,002
12	60	12	Y-5MAM2L121260B	Y-5MAM2R121260B	1,023
12	66	12	Y-5MAM2L121266B	Y-5MAM2R121266B	1,047
12	72	12	Y-5MAM2L121272B	Y-5MAM2R121272B	1,070
12	78	12	Y-5MAM2L121278B	Y-5MAM2R121278B	1,093
12	36	18	Y-5MAM2L121836B	Y-5MAM2R121836B	955
12	42	18	Y-5MAM2L121842B	Y-5MAM2R121842B	979
12	48	18	Y-5MAM2L121848B	Y-5MAM2R121848B	1,002
12	54	18	Y-5MAM2L121854B	Y-5MAM2R121854B	1,023
12	60	18	Y-5MAM2L121860B	Y-5MAM2R121860B	1,047
12	66	18	Y-5MAM2L121866B	Y-5MAM2R121866B	1,070
12	72	18	Y-5MAM2L121872B	Y-5MAM2R121872B	1,093



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET

Notes

- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2” (12mm) thick.
- 12” wide wings get one bracket, 18” wide and over wings get two brackets.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.
- Radius corner screens compatible with radius corner HAT tables only.


© 2026, AIS, Inc.

PET Nominal = Actual Size with Radius L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	Day-to-Day Actual Size Tables with Radius Corners	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE WITH RADIUS L-WRAP ENCLOSURES WITH WIRE MANAGERS

			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
12	36	24	Y-5MAM2L122436B	Y-5MAM2R122436B	979
12	42	24	Y-5MAM2L122442B	Y-5MAM2R122442B	1,002
12	48	24	Y-5MAM2L122448B	Y-5MAM2R122448B	1,023
12	54	24	Y-5MAM2L122454B	Y-5MAM2R122454B	1,047
12	60	24	Y-5MAM2L122460B	Y-5MAM2R122460B	1,070
12	66	24	Y-5MAM2L122466B	Y-5MAM2R122466B	1,093
12	36	30	Y-5MAM2L123036B	Y-5MAM2R123036B	1,002
12	42	30	Y-5MAM2L123042B	Y-5MAM2R123042B	1,023
12	48	30	Y-5MAM2L123048B	Y-5MAM2R123048B	1,047
12	54	30	Y-5MAM2L123054B	Y-5MAM2R123054B	1,070
12	60	30	Y-5MAM2L123060B	Y-5MAM2R123060B	1,093



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET

Notes

- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2” (12mm) thick.
- 12” wide wings get one bracket, 18” wide and over wings get two brackets.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.
- Radius corner screens compatible with radius corner HAT tables only.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Nominal = Actual Size with Radius L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	Day-to-Day Actual Size Tables with Radius Corners	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE WITH RADIUS L-WRAP ENCLOSURES WITH WIRE MANAGERS

			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
16	36	12	Y-5MAM2L161236B	Y-5MAM2R161236B	966
16	42	12	Y-5MAM2L161242B	Y-5MAM2R161242B	993
16	48	12	Y-5MAM2L161248B	Y-5MAM2R161248B	1,020
16	54	12	Y-5MAM2L161254B	Y-5MAM2R161254B	1,047
16	60	12	Y-5MAM2L161260B	Y-5MAM2R161260B	1,075
16	66	12	Y-5MAM2L161266B	Y-5MAM2R161266B	1,103
16	72	12	Y-5MAM2L161272B	Y-5MAM2R161272B	1,131
16	78	12	Y-5MAM2L161278B	Y-5MAM2R161278B	1,156
16	36	18	Y-5MAM2L161836B	Y-5MAM2R161836B	993
16	42	18	Y-5MAM2L161842B	Y-5MAM2R161842B	1,020
16	48	18	Y-5MAM2L161848B	Y-5MAM2R161848B	1,047
16	54	18	Y-5MAM2L161854B	Y-5MAM2R161854B	1,075
16	60	18	Y-5MAM2L161860B	Y-5MAM2R161860B	1,103
16	66	18	Y-5MAM2L161866B	Y-5MAM2R161866B	1,131
16	72	18	Y-5MAM2L161872B	Y-5MAM2R161872B	1,156



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET

Notes

- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2” (12mm) thick.
- 12” wide wings get one bracket, 18” wide and over wings get two brackets.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.
- Radius corner screens compatible with radius corner HAT tables only.


© 2026, AIS, Inc.

PET Nominal = Actual Size with Radius L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	Day-to-Day Actual Size Tables with Radius Corners	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE WITH RADIUS L-WRAP ENCLOSURES WITH WIRE MANAGERS

			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
16	36	24	Y-5MAM2L162436B	Y-5MAM2R162436B	1,020
16	42	24	Y-5MAM2L162442B	Y-5MAM2R162442B	1,047
16	48	24	Y-5MAM2L162448B	Y-5MAM2R162448B	1,075
16	54	24	Y-5MAM2L162454B	Y-5MAM2R162454B	1,103
16	60	24	Y-5MAM2L162460B	Y-5MAM2R162460B	1,131
16	66	24	Y-5MAM2L162466B	Y-5MAM2R162466B	1,156
16	36	30	Y-5MAM2L163036B	Y-5MAM2R163036B	1,047
16	42	30	Y-5MAM2L163042B	Y-5MAM2R163042B	1,075
16	48	30	Y-5MAM2L163048B	Y-5MAM2R163048B	1,103
16	54	30	Y-5MAM2L163054B	Y-5MAM2R163054B	1,131
16	60	30	Y-5MAM2L163060B	Y-5MAM2R163060B	1,156



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET

Notes

- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2” (12mm) thick.
- 12” wide wings get one bracket, 18” wide and over wings get two brackets.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.
- Radius corner screens compatible with radius corner HAT tables only.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Nominal = Actual Size with Radius L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	Day-to-Day Actual Size Tables with Radius Corners	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE WITH RADIUS L-WRAP ENCLOSURES WITH WIRE MANAGERS

			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
20	36	12	Y-5MAM2L201236B	Y-5MAM2R201236B	1,007
20	42	12	Y-5MAM2L201242B	Y-5MAM2R201242B	1,035
20	48	12	Y-5MAM2L201248B	Y-5MAM2R201248B	1,060
20	54	12	Y-5MAM2L201254B	Y-5MAM2R201254B	1,088
20	60	12	Y-5MAM2L201260B	Y-5MAM2R201260B	1,118
20	66	12	Y-5MAM2L201266B	Y-5MAM2R201266B	1,145
20	72	12	Y-5MAM2L201272B	Y-5MAM2R201272B	1,175
20	78	12	Y-5MAM2L201278B	Y-5MAM2R201278B	1,201
20	36	18	Y-5MAM2L201836B	Y-5MAM2R201836B	1,035
20	42	18	Y-5MAM2L201842B	Y-5MAM2R201842B	1,060
20	48	18	Y-5MAM2L201848B	Y-5MAM2R201848B	1,088
20	54	18	Y-5MAM2L201854B	Y-5MAM2R201854B	1,118
20	60	18	Y-5MAM2L201860B	Y-5MAM2R201860B	1,145
20	66	18	Y-5MAM2L201866B	Y-5MAM2R201866B	1,175
20	72	18	Y-5MAM2L201872B	Y-5MAM2R201872B	1,201



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET

Notes

- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2” (12mm) thick.
- 12” wide wings get one bracket, 18” wide and over wings get two brackets.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.
- Radius corner screens compatible with radius corner HAT tables only.


© 2026, AIS, Inc.

PET Nominal = Actual Size with Radius L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	Day-to-Day Actual Size Tables with Radius Corners	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE WITH RADIUS L-WRAP ENCLOSURES WITH WIRE MANAGERS

			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
20	36	24	Y-5MAM2L202436B	Y-5MAM2R202436B	1,060
20	42	24	Y-5MAM2L202442B	Y-5MAM2R202442B	1,088
20	48	24	Y-5MAM2L202448B	Y-5MAM2R202448B	1,118
20	54	24	Y-5MAM2L202454B	Y-5MAM2R202454B	1,145
20	60	24	Y-5MAM2L202460B	Y-5MAM2R202460B	1,175
20	66	24	Y-5MAM2L202466B	Y-5MAM2R202466B	1,201
20	36	30	Y-5MAM2L203036B	Y-5MAM2R203036B	1,088
20	42	30	Y-5MAM2L203042B	Y-5MAM2R203042B	1,118
20	48	30	Y-5MAM2L203048B	Y-5MAM2R203048B	1,145
20	54	30	Y-5MAM2L203054B	Y-5MAM2R203054B	1,175
20	60	30	Y-5MAM2L203060B	Y-5MAM2R203060B	1,201



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET

Notes

- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2” (12mm) thick.
- 12” wide wings get one bracket, 18” wide and over wings get two brackets.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.
- Radius corner screens compatible with radius corner HAT tables only.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Nominal = Actual Size with Radius L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	Day-to-Day Actual Size Tables with Radius Corners	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE WITH RADIUS L-WRAP ENCLOSURES WITH WIRE MANAGERS

			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
24	36	12	Y-5MAM2L241236B	Y-5MAM2R241236B	1,146
24	42	12	Y-5MAM2L241242B	Y-5MAM2R241242B	1,196
24	48	12	Y-5MAM2L241248B	Y-5MAM2R241248B	1,248
24	54	12	Y-5MAM2L241254B	Y-5MAM2R241254B	1,296
24	60	12	Y-5MAM2L241260B	Y-5MAM2R241260B	1,346
24	66	12	Y-5MAM2L241266B	Y-5MAM2R241266B	1,395
24	72	12	Y-5MAM2L241272B	Y-5MAM2R241272B	1,442
24	78	12	Y-5MAM2L241278B	Y-5MAM2R241278B	1,495
24	36	18	Y-5MAM2L241836B	Y-5MAM2R241836B	1,196
24	42	18	Y-5MAM2L241842B	Y-5MAM2R241842B	1,248
24	48	18	Y-5MAM2L241848B	Y-5MAM2R241848B	1,296
24	54	18	Y-5MAM2L241854B	Y-5MAM2R241854B	1,346
24	60	18	Y-5MAM2L241860B	Y-5MAM2R241860B	1,395
24	66	18	Y-5MAM2L241866B	Y-5MAM2R241866B	1,442
24	72	18	Y-5MAM2L241872B	Y-5MAM2R241872B	1,495



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET

Notes

- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2” (12mm) thick.
- 12” wide wings get one bracket, 18” wide and over wings get two brackets.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.
- Radius corner screens compatible with radius corner HAT tables only.


© 2026, AIS, Inc.

PET Nominal = Actual Size with Radius L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	Day-to-Day Actual Size Tables with Radius Corners	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE WITH RADIUS L-WRAP ENCLOSURES WITH WIRE MANAGERS

			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
24	36	24	Y-5MAM2L242436B	Y-5MAM2R242436B	1,248
24	42	24	Y-5MAM2L242442B	Y-5MAM2R242442B	1,296
24	48	24	Y-5MAM2L242448B	Y-5MAM2R242448B	1,346
24	54	24	Y-5MAM2L242454B	Y-5MAM2R242454B	1,395
24	60	24	Y-5MAM2L242460B	Y-5MAM2R242460B	1,442
24	66	24	Y-5MAM2L242466B	Y-5MAM2R242466B	1,495
24	36	30	Y-5MAM2L243036B	Y-5MAM2R243036B	1,296
24	42	30	Y-5MAM2L243042B	Y-5MAM2R243042B	1,346
24	48	30	Y-5MAM2L243048B	Y-5MAM2R243048B	1,395
24	54	30	Y-5MAM2L243054B	Y-5MAM2R243054B	1,442
24	60	30	Y-5MAM2L243060B	Y-5MAM2R243060B	1,495



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET

Notes

- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2” (12mm) thick.
- 12” wide wings get one bracket, 18” wide and over wings get two brackets.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.
- Radius corner screens compatible with radius corner HAT tables only.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Nominal = Actual Size with Radius L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	Day-to-Day Actual Size Tables with Radius Corners	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE WITH RADIUS L-WRAP ENCLOSURES WITH WIRE MANAGERS

			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
28	36	12	Y-5MAM2L281236B	Y-5MAM2R281236B	1,194
28	42	12	Y-5MAM2L281242B	Y-5MAM2R281242B	1,249
28	48	12	Y-5MAM2L281248B	Y-5MAM2R281248B	1,304
28	54	12	Y-5MAM2L281254B	Y-5MAM2R281254B	1,360
28	60	12	Y-5MAM2L281260B	Y-5MAM2R281260B	1,412
28	66	12	Y-5MAM2L281266B	Y-5MAM2R281266B	1,471
28	72	12	Y-5MAM2L281272B	Y-5MAM2R281272B	1,526
28	78	12	Y-5MAM2L281278B	Y-5MAM2R281278B	1,583
28	36	18	Y-5MAM2L281836B	Y-5MAM2R281836B	1,249
28	42	18	Y-5MAM2L281842B	Y-5MAM2R281842B	1,304
28	48	18	Y-5MAM2L281848B	Y-5MAM2R281848B	1,360
28	54	18	Y-5MAM2L281854B	Y-5MAM2R281854B	1,412
28	60	18	Y-5MAM2L281860B	Y-5MAM2R281860B	1,471
28	66	18	Y-5MAM2L281866B	Y-5MAM2R281866B	1,526
28	72	18	Y-5MAM2L281872B	Y-5MAM2R281872B	1,583



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET

Notes

- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2” (12mm) thick.
- 12” wide wings get one bracket, 18” wide and over wings get two brackets.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.
- Radius corner screens compatible with radius corner HAT tables only.


© 2026, AIS, Inc.

PET Nominal = Actual Size with Radius L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	Day-to-Day Actual Size Tables with Radius Corners	Under Surface Mount	Left or Right

PET NOMINAL = ACTUAL SIZE WITH RADIUS L-WRAP ENCLOSURES WITH WIRE MANAGERS

			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
28	36	24	Y-5MAM2L282436B	Y-5MAM2R282436B	1,304
28	42	24	Y-5MAM2L282442B	Y-5MAM2R282442B	1,360
28	48	24	Y-5MAM2L282448B	Y-5MAM2R282448B	1,412
28	54	24	Y-5MAM2L282454B	Y-5MAM2R282454B	1,471
28	60	24	Y-5MAM2L282460B	Y-5MAM2R282460B	1,526
28	66	24	Y-5MAM2L282466B	Y-5MAM2R282466B	1,583
28	36	30	Y-5MAM2L283036B	Y-5MAM2R283036B	1,360
28	42	30	Y-5MAM2L283042B	Y-5MAM2R283042B	1,412
28	48	30	Y-5MAM2L283048B	Y-5MAM2R283048B	1,471
28	54	30	Y-5MAM2L283054B	Y-5MAM2R283054B	1,526
28	60	30	Y-5MAM2L283060B	Y-5MAM2R283060B	1,583



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET

Notes

- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2” (12mm) thick.
- 12” wide wings get one bracket, 18” wide and over wings get two brackets.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.
- Radius corner screens compatible with radius corner HAT tables only.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Day-to-Day & E Series HAT with Radius L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	Day-to-Day Actual Size Tables with Radius Corners	Under Surface Mount	Left or Right

PET DAY-TO-DAY & E SERIES HAT WITH RADIUS L-WRAP ENCLOSURES WITH WIRE MANAGERS

			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
3	36	12	Y-5MAJ2L031236B	Y-5MAJ2R031236B	896
3	42	12	Y-5MAJ2L031242B	Y-5MAJ2R031242B	916
3	48	12	Y-5MAJ2L031248B	Y-5MAJ2R031248B	941
3	54	12	Y-5MAJ2L031254B	Y-5MAJ2R031254B	963
3	60	12	Y-5MAJ2L031260B	Y-5MAJ2R031260B	984
3	66	12	Y-5MAJ2L031266B	Y-5MAJ2R031266B	1,007
3	72	12	Y-5MAJ2L031272B	Y-5MAJ2R031272B	1,025
3	78	12	Y-5MAJ2L031278B	Y-5MAJ2R031278B	1,050
3	36	18	Y-5MAJ2L031836B	Y-5MAJ2R031836B	916
3	42	18	Y-5MAJ2L031842B	Y-5MAJ2R031842B	941
3	48	18	Y-5MAJ2L031848B	Y-5MAJ2R031848B	963
3	54	18	Y-5MAJ2L031854B	Y-5MAJ2R031854B	984
3	60	18	Y-5MAJ2L031860B	Y-5MAJ2R031860B	1,007
3	66	18	Y-5MAJ2L031866B	Y-5MAJ2R031866B	1,025
3	72	18	Y-5MAJ2L031872B	Y-5MAJ2R031872B	1,050



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET

Notes

- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2” (12mm) thick.
- 12” wide wings get one bracket, 18” wide and over wings get two brackets.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.
- Radius corner screens compatible with radius corner HAT tables only.


© 2026, AIS, Inc.

PET Day-to-Day & E Series HAT with Radius L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	Day-to-Day Actual Size Tables with Radius Corners	Under Surface Mount	Left or Right

PET DAY-TO-DAY & E SERIES HAT WITH RADIUS L-WRAP ENCLOSURES WITH WIRE MANAGERS

			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
3	36	24	Y-5MAJ2L032436B	Y-5MAJ2R032436B	941
3	42	24	Y-5MAJ2L032442B	Y-5MAJ2R032442B	963
3	48	24	Y-5MAJ2L032448B	Y-5MAJ2R032448B	984
3	54	24	Y-5MAJ2L032454B	Y-5MAJ2R032454B	1,007
3	60	24	Y-5MAJ2L032460B	Y-5MAJ2R032460B	1,025
3	66	24	Y-5MAJ2L032466B	Y-5MAJ2R032466B	1,050
3	36	30	Y-5MAJ2L033036B	Y-5MAJ2R033036B	963
3	42	30	Y-5MAJ2L033042B	Y-5MAJ2R033042B	984
3	48	30	Y-5MAJ2L033048B	Y-5MAJ2R033048B	1,007
3	54	30	Y-5MAJ2L033054B	Y-5MAJ2R033054B	1,025
3	60	30	Y-5MAJ2L033060B	Y-5MAJ2R033060B	1,050



Left Hand



Right Hand

Specify	Notes
• Paint Selection	• Specify based on table that enclosure is paired with.
• Color Selection for PET	• PET screen inserts are 1/2” (12mm) thick.
	• 12” wide wings get one bracket, 18” wide and over wings get two brackets.
	• 3/8” gap allows for installation of clamp-on monitors and accessories.
	• Unhooks from worksurface for easy access to wire management. Access from user side.
	• Height listed above is above surface height. For additional dimensions see product detail pages.
	• Radius corner screens compatible with radius corner HAT tables only.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Day-to-Day & E Series HAT with Radius L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	Day-to-Day Actual Size Tables with Radius Corners	Under Surface Mount	Left or Right

PET DAY-TO-DAY & E SERIES HAT WITH RADIUS L-WRAP ENCLOSURES WITH WIRE MANAGERS

			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
12	36	12	Y-5MAJ2L121236B	Y-5MAJ2R121236B	934
12	42	12	Y-5MAJ2L121242B	Y-5MAJ2R121242B	955
12	48	12	Y-5MAJ2L121248B	Y-5MAJ2R121248B	979
12	54	12	Y-5MAJ2L121254B	Y-5MAJ2R121254B	1,002
12	60	12	Y-5MAJ2L121260B	Y-5MAJ2R121260B	1,023
12	66	12	Y-5MAJ2L121266B	Y-5MAJ2R121266B	1,047
12	72	12	Y-5MAJ2L121272B	Y-5MAJ2R121272B	1,070
12	78	12	Y-5MAJ2L121278B	Y-5MAJ2R121278B	1,093
12	36	18	Y-5MAJ2L121836B	Y-5MAJ2R121836B	955
12	42	18	Y-5MAJ2L121842B	Y-5MAJ2R121842B	979
12	48	18	Y-5MAJ2L121848B	Y-5MAJ2R121848B	1,002
12	54	18	Y-5MAJ2L121854B	Y-5MAJ2R121854B	1,023
12	60	18	Y-5MAJ2L121860B	Y-5MAJ2R121860B	1,047
12	66	18	Y-5MAJ2L121866B	Y-5MAJ2R121866B	1,070
12	72	18	Y-5MAJ2L121872B	Y-5MAJ2R121872B	1,093



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET

Notes

- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2” (12mm) thick.
- 12” wide wings get one bracket, 18” wide and over wings get two brackets.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.
- Radius corner screens compatible with radius corner HAT tables only.


© 2026, AIS, Inc.

PET Day-to-Day & E Series HAT with Radius L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	Day-to-Day Actual Size Tables with Radius Corners	Under Surface Mount	Left or Right

PET DAY-TO-DAY & E SERIES HAT WITH RADIUS L-WRAP ENCLOSURES WITH WIRE MANAGERS

			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
12	36	24	Y-5MAJ2L122436B	Y-5MAJ2R122436B	979
12	42	24	Y-5MAJ2L122442B	Y-5MAJ2R122442B	1,002
12	48	24	Y-5MAJ2L122448B	Y-5MAJ2R122448B	1,023
12	54	24	Y-5MAJ2L122454B	Y-5MAJ2R122454B	1,047
12	60	24	Y-5MAJ2L122460B	Y-5MAJ2R122460B	1,070
12	66	24	Y-5MAJ2L122466B	Y-5MAJ2R122466B	1,093
12	36	30	Y-5MAJ2L123036B	Y-5MAJ2R123036B	1,002
12	42	30	Y-5MAJ2L123042B	Y-5MAJ2R123042B	1,023
12	48	30	Y-5MAJ2L123048B	Y-5MAJ2R123048B	1,047
12	54	30	Y-5MAJ2L123054B	Y-5MAJ2R123054B	1,070
12	60	30	Y-5MAJ2L123060B	Y-5MAJ2R123060B	1,093



Left Hand



Right Hand

Specify	Notes
• Paint Selection	• Specify based on table that enclosure is paired with.
• Color Selection for PET	• PET screen inserts are 1/2” (12mm) thick.
	• 12” wide wings get one bracket, 18” wide and over wings get two brackets.
	• 3/8” gap allows for installation of clamp-on monitors and accessories.
	• Unhooks from worksurface for easy access to wire management. Access from user side.
	• Height listed above is above surface height. For additional dimensions see product detail pages.
	• Radius corner screens compatible with radius corner HAT tables only.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Day-to-Day & E Series HAT with Radius L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	Day-to-Day Actual Size Tables with Radius Corners	Under Surface Mount	Left or Right

PET DAY-TO-DAY & E SERIES HAT WITH RADIUS L-WRAP ENCLOSURES WITH WIRE MANAGERS

			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
16	36	12	Y-5MAJ2L161236B	Y-5MAJ2R161236B	966
16	42	12	Y-5MAJ2L161242B	Y-5MAJ2R161242B	993
16	48	12	Y-5MAJ2L161248B	Y-5MAJ2R161248B	1,020
16	54	12	Y-5MAJ2L161254B	Y-5MAJ2R161254B	1,047
16	60	12	Y-5MAJ2L161260B	Y-5MAJ2R161260B	1,075
16	66	12	Y-5MAJ2L161266B	Y-5MAJ2R161266B	1,103
16	72	12	Y-5MAJ2L161272B	Y-5MAJ2R161272B	1,131
16	78	12	Y-5MAJ2L161278B	Y-5MAJ2R161278B	1,156
16	36	18	Y-5MAJ2L161836B	Y-5MAJ2R161836B	993
16	42	18	Y-5MAJ2L161842B	Y-5MAJ2R161842B	1,020
16	48	18	Y-5MAJ2L161848B	Y-5MAJ2R161848B	1,047
16	54	18	Y-5MAJ2L161854B	Y-5MAJ2R161854B	1,075
16	60	18	Y-5MAJ2L161860B	Y-5MAJ2R161860B	1,103
16	66	18	Y-5MAJ2L161866B	Y-5MAJ2R161866B	1,131
16	72	18	Y-5MAJ2L161872B	Y-5MAJ2R161872B	1,156



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET

Notes

- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2” (12mm) thick.
- 12” wide wings get one bracket, 18” wide and over wings get two brackets.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.
- Radius corner screens compatible with radius corner HAT tables only.


© 2026, AIS, Inc.

PET Day-to-Day & E Series HAT with Radius L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	Day-to-Day Actual Size Tables with Radius Corners	Under Surface Mount	Left or Right

PET DAY-TO-DAY & E SERIES HAT WITH RADIUS L-WRAP ENCLOSURES WITH WIRE MANAGERS

			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
16	36	24	Y-5MAJ2L162436B	Y-5MAJ2R162436B	1,020
16	42	24	Y-5MAJ2L162442B	Y-5MAJ2R162442B	1,047
16	48	24	Y-5MAJ2L162448B	Y-5MAJ2R162448B	1,075
16	54	24	Y-5MAJ2L162454B	Y-5MAJ2R162454B	1,103
16	60	24	Y-5MAJ2L162460B	Y-5MAJ2R162460B	1,131
16	66	24	Y-5MAJ2L162466B	Y-5MAJ2R162466B	1,156
16	36	30	Y-5MAJ2L163036B	Y-5MAJ2R163036B	1,047
16	42	30	Y-5MAJ2L163042B	Y-5MAJ2R163042B	1,075
16	48	30	Y-5MAJ2L163048B	Y-5MAJ2R163048B	1,103
16	54	30	Y-5MAJ2L163054B	Y-5MAJ2R163054B	1,131
16	60	30	Y-5MAJ2L163060B	Y-5MAJ2R163060B	1,156



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET

Notes

- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2” (12mm) thick.
- 12” wide wings get one bracket, 18” wide and over wings get two brackets.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.
- Radius corner screens compatible with radius corner HAT tables only.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Day-to-Day & E Series HAT with Radius L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	Day-to-Day Actual Size Tables with Radius Corners	Under Surface Mount	Left or Right

PET DAY-TO-DAY & E SERIES HAT WITH RADIUS L-WRAP ENCLOSURES WITH WIRE MANAGERS

			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
20	36	12	Y-5MAJ2L201236B	Y-5MAJ2R201236B	1,007
20	42	12	Y-5MAJ2L201242B	Y-5MAJ2R201242B	1,035
20	48	12	Y-5MAJ2L201248B	Y-5MAJ2R201248B	1,060
20	54	12	Y-5MAJ2L201254B	Y-5MAJ2R201254B	1,088
20	60	12	Y-5MAJ2L201260B	Y-5MAJ2R201260B	1,118
20	66	12	Y-5MAJ2L201266B	Y-5MAJ2R201266B	1,145
20	72	12	Y-5MAJ2L201272B	Y-5MAJ2R201272B	1,175
20	78	12	Y-5MAJ2L201278B	Y-5MAJ2R201278B	1,201
20	36	18	Y-5MAJ2L201836B	Y-5MAJ2R201836B	1,035
20	42	18	Y-5MAJ2L201842B	Y-5MAJ2R201842B	1,060
20	48	18	Y-5MAJ2L201848B	Y-5MAJ2R201848B	1,088
20	54	18	Y-5MAJ2L201854B	Y-5MAJ2R201854B	1,118
20	60	18	Y-5MAJ2L201860B	Y-5MAJ2R201860B	1,145
20	66	18	Y-5MAJ2L201866B	Y-5MAJ2R201866B	1,175
20	72	18	Y-5MAJ2L201872B	Y-5MAJ2R201872B	1,201



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET

Notes

- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2” (12mm) thick.
- 12” wide wings get one bracket, 18” wide and over wings get two brackets.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.
- Radius corner screens compatible with radius corner HAT tables only.


© 2026, AIS, Inc.

PET Day-to-Day & E Series HAT with Radius L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	Day-to-Day Actual Size Tables with Radius Corners	Under Surface Mount	Left or Right

PET DAY-TO-DAY & E SERIES HAT WITH RADIUS L-WRAP ENCLOSURES WITH WIRE MANAGERS

			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
20	36	24	Y-5MAJ2L202436B	Y-5MAJ2R202436B	1,060
20	42	24	Y-5MAJ2L202442B	Y-5MAJ2R202442B	1,088
20	48	24	Y-5MAJ2L202448B	Y-5MAJ2R202448B	1,118
20	54	24	Y-5MAJ2L202454B	Y-5MAJ2R202454B	1,145
20	60	24	Y-5MAJ2L202460B	Y-5MAJ2R202460B	1,175
20	66	24	Y-5MAJ2L202466B	Y-5MAJ2R202466B	1,201
20	36	30	Y-5MAJ2L203036B	Y-5MAJ2R203036B	1,088
20	42	30	Y-5MAJ2L203042B	Y-5MAJ2R203042B	1,118
20	48	30	Y-5MAJ2L203048B	Y-5MAJ2R203048B	1,145
20	54	30	Y-5MAJ2L203054B	Y-5MAJ2R203054B	1,175
20	60	30	Y-5MAJ2L203060B	Y-5MAJ2R203060B	1,201



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET

Notes

- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2” (12mm) thick.
- 12” wide wings get one bracket, 18” wide and over wings get two brackets.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.
- Radius corner screens compatible with radius corner HAT tables only.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Day-to-Day & E Series HAT with Radius L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	Day-to-Day Actual Size Tables with Radius Corners	Under Surface Mount	Left or Right

PET DAY-TO-DAY & E SERIES HAT WITH RADIUS L-WRAP ENCLOSURES WITH WIRE MANAGERS

			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
24	36	12	Y-5MAJ2L241236B	Y-5MAJ2R241236B	1,146
24	42	12	Y-5MAJ2L241242B	Y-5MAJ2R241242B	1,196
24	48	12	Y-5MAJ2L241248B	Y-5MAJ2R241248B	1,248
24	54	12	Y-5MAJ2L241254B	Y-5MAJ2R241254B	1,296
24	60	12	Y-5MAJ2L241260B	Y-5MAJ2R241260B	1,346
24	66	12	Y-5MAJ2L241266B	Y-5MAJ2R241266B	1,395
24	72	12	Y-5MAJ2L241272B	Y-5MAJ2R241272B	1,442
24	78	12	Y-5MAJ2L241278B	Y-5MAJ2R241278B	1,495
24	36	18	Y-5MAJ2L241836B	Y-5MAJ2R241836B	1,196
24	42	18	Y-5MAJ2L241842B	Y-5MAJ2R241842B	1,248
24	48	18	Y-5MAJ2L241848B	Y-5MAJ2R241848B	1,296
24	54	18	Y-5MAJ2L241854B	Y-5MAJ2R241854B	1,346
24	60	18	Y-5MAJ2L241860B	Y-5MAJ2R241860B	1,395
24	66	18	Y-5MAJ2L241866B	Y-5MAJ2R241866B	1,442
24	72	18	Y-5MAJ2L241872B	Y-5MAJ2R241872B	1,495



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET

Notes

- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2” (12mm) thick.
- 12” wide wings get one bracket, 18” wide and over wings get two brackets.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.
- Radius corner screens compatible with radius corner HAT tables only.


© 2026, AIS, Inc.

PET Day-to-Day & E Series HAT with Radius L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	Day-to-Day Actual Size Tables with Radius Corners	Under Surface Mount	Left or Right

PET DAY-TO-DAY & E SERIES HAT WITH RADIUS L-WRAP ENCLOSURES WITH WIRE MANAGERS

			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
24	36	24	Y-5MAJ2L242436B	Y-5MAJ2R242436B	1,248
24	42	24	Y-5MAJ2L242442B	Y-5MAJ2R242442B	1,296
24	48	24	Y-5MAJ2L242448B	Y-5MAJ2R242448B	1,346
24	54	24	Y-5MAJ2L242454B	Y-5MAJ2R242454B	1,395
24	60	24	Y-5MAJ2L242460B	Y-5MAJ2R242460B	1,442
24	66	24	Y-5MAJ2L242466B	Y-5MAJ2R242466B	1,495
24	36	30	Y-5MAJ2L243036B	Y-5MAJ2R243036B	1,296
24	42	30	Y-5MAJ2L243042B	Y-5MAJ2R243042B	1,346
24	48	30	Y-5MAJ2L243048B	Y-5MAJ2R243048B	1,395
24	54	30	Y-5MAJ2L243054B	Y-5MAJ2R243054B	1,442
24	60	30	Y-5MAJ2L243060B	Y-5MAJ2R243060B	1,495



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET

Notes

- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2” (12mm) thick.
- 12” wide wings get one bracket, 18” wide and over wings get two brackets.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.
- Radius corner screens compatible with radius corner HAT tables only.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Day-to-Day & E Series HAT with Radius L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	Day-to-Day Actual Size Tables with Radius Corners	Under Surface Mount	Left or Right

PET DAY-TO-DAY & E SERIES HAT WITH RADIUS L-WRAP ENCLOSURES WITH WIRE MANAGERS

			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
28	36	12	Y-5MAJ2L281236B	Y-5MAJ2R281236B	1,194
28	42	12	Y-5MAJ2L281242B	Y-5MAJ2R281242B	1,249
28	48	12	Y-5MAJ2L281248B	Y-5MAJ2R281248B	1,304
28	54	12	Y-5MAJ2L281254B	Y-5MAJ2R281254B	1,360
28	60	12	Y-5MAJ2L281260B	Y-5MAJ2R281260B	1,412
28	66	12	Y-5MAJ2L281266B	Y-5MAJ2R281266B	1,471
28	72	12	Y-5MAJ2L281272B	Y-5MAJ2R281272B	1,526
28	78	12	Y-5MAJ2L281278B	Y-5MAJ2R281278B	1,583
28	36	18	Y-5MAJ2L281836B	Y-5MAJ2R281836B	1,249
28	42	18	Y-5MAJ2L281842B	Y-5MAJ2R281842B	1,304
28	48	18	Y-5MAJ2L281848B	Y-5MAJ2R281848B	1,360
28	54	18	Y-5MAJ2L281854B	Y-5MAJ2R281854B	1,412
28	60	18	Y-5MAJ2L281860B	Y-5MAJ2R281860B	1,471
28	66	18	Y-5MAJ2L281866B	Y-5MAJ2R281866B	1,526
28	72	18	Y-5MAJ2L281872B	Y-5MAJ2R281872B	1,583



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET

Notes

- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2" (12mm) thick.
- 12" wide wings get one bracket, 18" wide and over wings get two brackets.
- 3/8" gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.
- Radius corner screens compatible with radius corner HAT tables only.


© 2026, AIS, Inc.

PET Day-to-Day & E Series HAT with Radius L-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	L-Wrap Partial Modesty on WS	Enclosure	Day-to-Day Actual Size Tables with Radius Corners	Under Surface Mount	Left or Right

PET DAY-TO-DAY & E SERIES HAT WITH RADIUS L-WRAP ENCLOSURES WITH WIRE MANAGERS

			Left Hand	Right Hand	
H	W	D	Model Number	Model Number	List
28	36	24	Y-5MAJ2L282436B	Y-5MAJ2R282436B	1,304
28	42	24	Y-5MAJ2L282442B	Y-5MAJ2R282442B	1,360
28	48	24	Y-5MAJ2L282448B	Y-5MAJ2R282448B	1,412
28	54	24	Y-5MAJ2L282454B	Y-5MAJ2R282454B	1,471
28	60	24	Y-5MAJ2L282460B	Y-5MAJ2R282460B	1,526
28	66	24	Y-5MAJ2L282466B	Y-5MAJ2R282466B	1,583
28	36	30	Y-5MAJ2L283036B	Y-5MAJ2R283036B	1,360
28	42	30	Y-5MAJ2L283042B	Y-5MAJ2R283042B	1,412
28	48	30	Y-5MAJ2L283048B	Y-5MAJ2R283048B	1,471
28	54	30	Y-5MAJ2L283054B	Y-5MAJ2R283054B	1,526
28	60	30	Y-5MAJ2L283060B	Y-5MAJ2R283060B	1,583



Left Hand



Right Hand

Specify

- Paint Selection
- Color Selection for PET

Notes

- Specify based on table that enclosure is paired with.
- PET screen inserts are 1/2” (12mm) thick.
- 12” wide wings get one bracket, 18” wide and over wings get two brackets.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.
- Radius corner screens compatible with radius corner HAT tables only.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

U-Wrap Screens for Tables with Radius Corners

PET Day-to-Day & E Series HAT with Radius U-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap on Worksurface	Lite	Day-to-Day & E Series HAT with Radius Corners	Under Surface Mount

PET DAY-TO-DAY & E SERIES HAT, RADIUS U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
12	42	12	1	Y-5N9N2U121242B	783
12	48	12	1	Y-5N9N2U121248B	796
12	54	12	1	Y-5N9N2U121254B	806
12	60	12	1	Y-5N9N2U121260B	816
12	66	12	1	Y-5N9N2U121266B	830
12	72	12	2	Y-5N9N2U121272B	840
12	78	12	2	Y-5N9N2U121278B	852
12	84	12	2	Y-5N9N2U121284B	884
16	42	12	1	Y-5N9N2U161242B	816
16	48	12	1	Y-5N9N2U161248B	832
16	54	12	1	Y-5N9N2U161254B	847
16	60	12	1	Y-5N9N2U161260B	865
16	66	12	1	Y-5N9N2U161266B	878
16	72	12	2	Y-5N9N2U161272B	894
16	78	12	2	Y-5N9N2U161278B	908
16	84	12	2	Y-5N9N2U161284B	954

PET DAY-TO-DAY & E SERIES HAT, RADIUS U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
20	42	12	1	Y-5N9N2U201242B	852
20	48	12	1	Y-5N9N2U201248B	870
20	54	12	1	Y-5N9N2U201254B	890
20	60	12	1	Y-5N9N2U201260B	908
20	66	12	1	Y-5N9N2U201266B	926
20	72	12	2	Y-5N9N2U201272B	948
20	78	12	2	Y-5N9N2U201278B	965
20	84	12	2	Y-5N9N2U201284B	1,023
24	42	12	1	Y-5N9N2U241242B	884
24	48	12	1	Y-5N9N2U241248B	908
24	54	12	1	Y-5N9N2U241254B	930
24	60	12	1	Y-5N9N2U241260B	954
24	66	12	1	Y-5N9N2U241266B	977
24	72	12	2	Y-5N9N2U241272B	999
24	78	12	2	Y-5N9N2U241278B	1,023
24	84	12	2	Y-5N9N2U241284B	1,091



1 PET Piece



2 PET Pieces



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.
- Radius corner screens compatible with radius corner HAT tables only.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Day-to-Day & E Series HAT with Radius U-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap on Worksurface	Lite	Day-to-Day & E Series HAT with Radius Corners	Under Surface Mount

PET DAY-TO-DAY & E SERIES HAT, RADIUS U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
28	42	12	1	Y-5N9N2U281242B	917
28	48	12	1	Y-5N9N2U281248B	948
28	54	12	1	Y-5N9N2U281254B	973
28	60	12	1	Y-5N9N2U281260B	999
28	66	12	1	Y-5N9N2U281266B	1,025
28	72	12	2	Y-5N9N2U281272B	1,051
28	78	12	2	Y-5N9N2U281278B	1,079
28	84	12	2	Y-5N9N2U281284B	1,159
32	42	12	1	Y-5N9N2U321242B	1,062
32	48	12	1	Y-5N9N2U321248B	1,106
32	54	12	1	Y-5N9N2U321254B	1,147
32	60	12	1	Y-5N9N2U321260B	1,190
32	66	12	1	Y-5N9N2U321266B	1,232
32	72	12	2	Y-5N9N2U321272B	1,276
32	78	12	2	Y-5N9N2U321278B	1,318
32	84	12	2	Y-5N9N2U321284B	1,445

PET DAY-TO-DAY & E SERIES HAT, RADIUS U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
12	42	18	1	Y-5N4N2U121842B	796
12	48	18	1	Y-5N4N2U121848B	806
12	54	18	1	Y-5N4N2U121854B	816
12	60	18	2	Y-5N4N2U121860B	830
12	66	18	2	Y-5N4N2U121866B	840
12	72	18	2	Y-5N4N2U121872B	852
12	78	18	2	Y-5N4N2U121878B	899
12	84	18	2	Y-5N4N2U121884B	908
16	42	18	1	Y-5N9N2U161842B	832
16	48	18	1	Y-5N9N2U161848B	847
16	54	18	1	Y-5N9N2U161854B	865
16	60	18	2	Y-5N9N2U161860B	878
16	66	18	2	Y-5N9N2U161866B	894
16	72	18	2	Y-5N9N2U161872B	908
16	78	18	2	Y-5N9N2U161878B	967
16	84	18	2	Y-5N9N2U161884B	985



1 PET Piece



2 PET Pieces



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.
- Radius corner screens compatible with radius corner HAT tables only.

© 2026, AIS, Inc.

PET Day-to-Day & E Series HAT with Radius U-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap on Worksurface	Lite	Day-to-Day & E Series HAT with Radius Corners	Under Surface Mount

PET DAY-TO-DAY & E SERIES HAT, RADIUS U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
20	42	18	1	Y-5N9N2U201842B	870
20	48	18	1	Y-5N9N2U201848B	890
20	54	18	1	Y-5N9N2U201854B	908
20	60	18	2	Y-5N9N2U201860B	926
20	66	18	2	Y-5N9N2U201866B	948
20	72	18	2	Y-5N9N2U201872B	965
20	78	18	2	Y-5N9N2U201878B	1,042
20	84	18	2	Y-5N9N2U201884B	1,060
24	42	18	1	Y-5N9N2U241842B	908
24	48	18	1	Y-5N9N2U241848B	930
24	54	18	1	Y-5N9N2U241854B	954
24	60	18	2	Y-5N9N2U241860B	977
24	66	18	2	Y-5N9N2U241866B	999
24	72	18	2	Y-5N9N2U241872B	1,023
24	78	18	2	Y-5N9N2U241878B	1,115
24	84	18	2	Y-5N9N2U241884B	1,136

PET DAY-TO-DAY & E SERIES HAT, RADIUS U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
28	42	18	1	Y-5N9N2U281842B	948
28	48	18	1	Y-5N9N2U281848B	973
28	54	18	1	Y-5N9N2U281854B	999
28	60	18	2	Y-5N9N2U281860B	1,025
28	66	18	2	Y-5N9N2U281866B	1,051
28	72	18	2	Y-5N9N2U281872B	1,079
28	78	18	2	Y-5N9N2U281878B	1,187
28	84	18	2	Y-5N9N2U281884B	1,214
32	42	18	1	Y-5N9N2U321842B	1,106
32	48	18	1	Y-5N9N2U321848B	1,147
32	54	18	1	Y-5N9N2U321854B	1,190
32	60	18	2	Y-5N9N2U321860B	1,232
32	66	18	2	Y-5N9N2U321866B	1,276
32	72	18	2	Y-5N9N2U321872B	1,318
32	78	18	2	Y-5N9N2U321878B	1,490
32	84	18	2	Y-5N9N2U321884B	1,532



1 PET Piece



2 PET Pieces



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.
- Radius corner screens compatible with radius corner HAT tables only.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Day-to-Day & E Series HAT with Radius U-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap on Worksurface	Lite	Day-to-Day & E Series HAT with Radius Corners	Under Surface Mount

PET DAY-TO-DAY & E SERIES HAT, RADIUS U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
12	42	24	1	Y-5N9N2U122442B	806
12	48	24	2	Y-5N9N2U122448B	816
12	54	24	2	Y-5N9N2U122454B	830
12	60	24	2	Y-5N9N2U122460B	840
12	66	24	2	Y-5N9N2U122466B	852
12	72	24	2	Y-5N9N2U122472B	908
12	78	24	2	Y-5N9N2U122478B	917
12	84	24	2	Y-5N9N2U122484B	930
16	42	24	1	Y-5N9N2U162442B	847
16	48	24	2	Y-5N9N2U162448B	865
16	54	24	2	Y-5N9N2U162454B	878
16	60	24	2	Y-5N9N2U162460B	894
16	66	24	2	Y-5N9N2U162466B	908
16	72	24	2	Y-5N9N2U162472B	985
16	78	24	2	Y-5N9N2U162478B	999
16	84	24	2	Y-5N9N2U162484B	1,014

PET DAY-TO-DAY & E SERIES HAT, RADIUS U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
20	42	24	1	Y-5N9N2U202442B	890
20	48	24	2	Y-5N9N2U202448B	908
20	54	24	2	Y-5N9N2U202454B	926
20	60	24	2	Y-5N9N2U202460B	948
20	66	24	2	Y-5N9N2U202466B	965
20	72	24	2	Y-5N9N2U202472B	1,060
20	78	24	2	Y-5N9N2U202478B	1,079
20	84	24	2	Y-5N9N2U202484B	1,098
24	42	24	1	Y-5N9N2U242442B	930
24	48	24	2	Y-5N9N2U242448B	954
24	54	24	2	Y-5N9N2U242454B	977
24	60	24	2	Y-5N9N2U242460B	999
24	66	24	2	Y-5N9N2U242466B	1,023
24	72	24	2	Y-5N9N2U242472B	1,136
24	78	24	2	Y-5N9N2U242478B	1,159
24	84	24	2	Y-5N9N2U242484B	1,182



1 PET Piece



2 PET Pieces



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.
- Radius corner screens compatible with radius corner HAT tables only.

© 2026, AIS, Inc.

PET Day-to-Day & E Series HAT with Radius U-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap on Worksurface	Lite	Day-to-Day & E Series HAT with Radius Corners	Under Surface Mount

PET DAY-TO-DAY & E SERIES HAT, RADIUS U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
28	42	24	1	Y-5N9N2U282442B	973
28	48	24	2	Y-5N9N2U282448B	999
28	54	24	2	Y-5N9N2U282454B	1,025
28	60	24	2	Y-5N9N2U282460B	1,051
28	66	24	2	Y-5N9N2U282466B	1,079
28	72	24	2	Y-5N9N2U282472B	1,214
28	78	24	2	Y-5N9N2U282478B	1,236
28	84	24	2	Y-5N9N2U282484B	1,265
32	42	24	1	Y-5N9N2U322442B	1,147
32	48	24	2	Y-5N9N2U322448B	1,190
32	54	24	2	Y-5N9N2U322454B	1,232
32	60	24	2	Y-5N9N2U322460B	1,276
32	66	24	2	Y-5N9N2U322466B	1,318
32	72	24	2	Y-5N9N2U322472B	1,532
32	78	24	2	Y-5N9N2U322478B	1,575
32	84	24	2	Y-5N9N2U322484B	1,617

PET DAY-TO-DAY & E SERIES HAT, RADIUS U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
12	42	30	2	Y-5N9N2U123042B	816
12	48	30	2	Y-5N9N2U123048B	830
12	54	30	2	Y-5N9N2U123054B	840
12	60	30	2	Y-5N9N2U123060B	852
12	66	30	2	Y-5N9N2U123066B	917
12	72	30	2	Y-5N9N2U123072B	930
12	78	30	2	Y-5N9N2U123078B	943
12	84	30	2	Y-5N9N2U123084B	954
16	42	30	2	Y-5N9N2U163042B	865
16	48	30	2	Y-5N9N2U163048B	878
16	54	30	2	Y-5N9N2U163054B	894
16	60	30	2	Y-5N9N2U163060B	908
16	66	30	2	Y-5N9N2U163066B	999
16	72	30	2	Y-5N9N2U163072B	1,014
16	78	30	2	Y-5N9N2U163078B	1,032
16	84	30	2	Y-5N9N2U163084B	1,045



1 PET Piece



2 PET Pieces



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.
- Radius corner screens compatible with radius corner HAT tables only.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Day-to-Day & E Series HAT with Radius U-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap on Worksurface	Lite	Day-to-Day & E Series HAT with Radius Corners	Under Surface Mount

PET DAY-TO-DAY & E SERIES HAT, RADIUS U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
20	42	30	2	Y-5N9N2U203042B	908
20	48	30	2	Y-5N9N2U203048B	926
20	54	30	2	Y-5N9N2U203054B	948
20	60	30	2	Y-5N9N2U203060B	965
20	66	30	2	Y-5N9N2U203066B	1,079
20	72	30	2	Y-5N9N2U203072B	1,098
20	78	30	2	Y-5N9N2U203078B	1,118
20	84	30	2	Y-5N9N2U203084B	1,136
24	42	30	2	Y-5N9N2U243042B	954
24	48	30	2	Y-5N9N2U243048B	977
24	54	30	2	Y-5N9N2U243054B	999
24	60	30	2	Y-5N9N2U243060B	1,023
24	66	30	2	Y-5N9N2U243066B	1,159
24	72	30	2	Y-5N9N2U243072B	1,182
24	78	30	2	Y-5N9N2U243078B	1,204
24	84	30	2	Y-5N9N2U243084B	1,228

PET DAY-TO-DAY & E SERIES HAT, RADIUS U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
28	42	30	2	Y-5N9N2U283042B	999
28	48	30	2	Y-5N9N2U283048B	1,025
28	54	30	2	Y-5N9N2U283054B	1,051
28	60	30	2	Y-5N9N2U283060B	1,079
28	66	30	2	Y-5N9N2U283066B	1,236
28	72	30	2	Y-5N9N2U283072B	1,265
28	78	30	2	Y-5N9N2U283078B	1,293
28	84	30	2	Y-5N9N2U283084B	1,318
32	42	30	2	Y-5N9N2U323042B	1,190
32	48	30	2	Y-5N9N2U323048B	1,232
32	54	30	2	Y-5N9N2U323054B	1,276
32	60	30	2	Y-5N9N2U323060B	1,318
32	66	30	2	Y-5N9N2U323066B	1,575
32	72	30	2	Y-5N9N2U323072B	1,617
32	78	30	2	Y-5N9N2U323078B	1,659
32	84	30	2	Y-5N9N2U323084B	1,701



1 PET Piece



2 PET Pieces



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.
- Radius corner screens compatible with radius corner HAT tables only.

© 2026, AIS, Inc.

PET Day-to-Day & E Series HAT with Radius U-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	U-Wrap Partial Modesty on WS	Lite	Day-to-Day & E Series HAT with Radius Corners	Under Surface Mount	Left or Right

PET DAY-TO-DAY & E SERIES HAT, RADIUS U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
22	42	12	1 PC	Y-5Q9N2U221242B	868
22	48	12	1 PC	Y-5Q9N2U221248B	890
22	54	12	1 PC	Y-5Q9N2U221254B	911
22	60	12	1 PC	Y-5Q9N2U221260B	930
22	66	12	1 PC	Y-5Q9N2U221266B	952
22	72	12	2 PC	Y-5Q9N2U221272B	973
22	78	12	2 PC	Y-5Q9N2U221278B	993
22	84	12	2 PC	Y-5Q9N2U221284B	1,056
26	42	12	1 PC	Y-5Q9N2U261242B	902
26	48	12	1 PC	Y-5Q9N2U261248B	926
26	54	12	1 PC	Y-5Q9N2U261254B	952
26	60	12	1 PC	Y-5Q9N2U261260B	977
26	66	12	1 PC	Y-5Q9N2U261266B	1,002
26	72	12	2 PC	Y-5Q9N2U261272B	1,025
26	78	12	2 PC	Y-5Q9N2U261278B	1,050
26	84	12	2 PC	Y-5Q9N2U261284B	1,124

PET DAY-TO-DAY & E SERIES HAT, RADIUS U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
30	42	12	1 PC	Y-5Q9N2U301242B	1,120
30	48	12	1 PC	Y-5Q9N2U301248B	1,159
30	54	12	1 PC	Y-5Q9N2U301254B	1,200
30	60	12	1 PC	Y-5Q9N2U301260B	1,236
30	66	12	1 PC	Y-5Q9N2U301266B	1,278
30	72	12	2 PC	Y-5Q9N2U301272B	1,318
30	78	12	2 PC	Y-5Q9N2U301278B	1,359
30	84	12	2 PC	Y-5Q9N2U301284B	1,397
34	42	12	1 PC	Y-5Q9N2U341242B	1,087
34	48	12	1 PC	Y-5Q9N2U341248B	1,133
34	54	12	1 PC	Y-5Q9N2U341254B	1,179
34	60	12	1 PC	Y-5Q9N2U341260B	1,222
34	66	12	1 PC	Y-5Q9N2U341266B	1,267
34	72	12	2 PC	Y-5Q9N2U341272B	1,313
34	78	12	2 PC	Y-5Q9N2U341278B	1,359
34	84	12	2 PC	Y-5Q9N2U341284B	1,494



1 PET Piece



2 PET Pieces



Partial Modesty L-Brackets

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.
- Radius corner screens compatible with radius corner HAT tables only.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Day-to-Day & E Series HAT with Radius U-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	U-Wrap Partial Modesty on WS	Lite	Day-to-Day & E Series HAT with Radius Corners	Under Surface Mount	Left or Right

PET DAY-TO-DAY & E SERIES HAT, RADIUS U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
38	42	12	1 PC	Y-5Q9N2U381242B	1,135
38	48	12	1 PC	Y-5Q9N2U381248B	1,187
38	54	12	1 PC	Y-5Q9N2U381254B	1,235
38	60	12	1 PC	Y-5Q9N2U381260B	1,285
38	66	12	1 PC	Y-5Q9N2U381266B	1,339
38	72	12	2 PC	Y-5Q9N2U381272B	1,388
38	78	12	2 PC	Y-5Q9N2U381278B	1,438
38	84	12	2 PC	Y-5Q9N2U381284B	1,589
42	42	12	1 PC	Y-5Q9N2U421242B	1,182
42	48	12	1 PC	Y-5Q9N2U421248B	1,236
42	54	12	1 PC	Y-5Q9N2U421254B	1,295
42	60	12	1 PC	Y-5Q9N2U421260B	1,349
42	66	12	1 PC	Y-5Q9N2U421266B	1,406
42	72	12	2 PC	Y-5Q9N2U421272B	1,460
42	78	12	2 PC	Y-5Q9N2U421278B	1,520
42	84	12	2 PC	Y-5Q9N2U421284B	1,688

PET DAY-TO-DAY & E SERIES HAT, RADIUS U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
22	42	18	1 PC	Y-5Q9N2U221842B	890
22	48	18	1 PC	Y-5Q9N2U221848B	911
22	54	18	1 PC	Y-5Q9N2U221854B	930
22	60	18	2 PC	Y-5Q9N2U221860B	952
22	66	18	2 PC	Y-5Q9N2U221866B	973
22	72	18	2 PC	Y-5Q9N2U221872B	993
22	78	18	2 PC	Y-5Q9N2U221878B	1,078
22	84	18	2 PC	Y-5Q9N2U221884B	1,098
26	42	18	1 PC	Y-5Q9N2U261842B	926
26	48	18	1 PC	Y-5Q9N2U261848B	952
26	54	18	1 PC	Y-5Q9N2U261854B	977
26	60	18	2 PC	Y-5Q9N2U261860B	1,002
26	66	18	2 PC	Y-5Q9N2U261866B	1,025
26	72	18	2 PC	Y-5Q9N2U261872B	1,050
26	78	18	2 PC	Y-5Q9N2U261878B	1,151
26	84	18	2 PC	Y-5Q9N2U261884B	1,175



1 PET Piece



2 PET Pieces



Partial Modesty L-Brackets

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.
- Radius corner screens compatible with radius corner HAT tables only.

© 2026, AIS, Inc.

PET Day-to-Day & E Series HAT with Radius U-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	U-Wrap Partial Modesty on WS	Lite	Day-to-Day & E Series HAT with Radius Corners	Under Surface Mount	Left or Right

PET DAY-TO-DAY & E SERIES HAT, RADIUS U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
30	42	18	1 PC	Y-5Q9N2U301842B	1,200
30	48	18	1 PC	Y-5Q9N2U301848B	1,236
30	54	18	1 PC	Y-5Q9N2U301854B	1,278
30	60	18	2 PC	Y-5Q9N2U301860B	1,318
30	66	18	2 PC	Y-5Q9N2U301866B	1,359
30	72	18	2 PC	Y-5Q9N2U301872B	1,397
30	78	18	2 PC	Y-5Q9N2U301878B	1,438
30	84	18	2 PC	Y-5Q9N2U301884B	1,479
34	42	18	1 PC	Y-5Q9N2U341842B	1,133
34	48	18	1 PC	Y-5Q9N2U341848B	1,179
34	54	18	1 PC	Y-5Q9N2U341854B	1,222
34	60	18	2 PC	Y-5Q9N2U341860B	1,267
34	66	18	2 PC	Y-5Q9N2U341866B	1,313
34	72	18	2 PC	Y-5Q9N2U341872B	1,359
34	78	18	2 PC	Y-5Q9N2U341878B	1,539
34	84	18	2 PC	Y-5Q9N2U341884B	1,584

PET DAY-TO-DAY & E SERIES HAT, RADIUS U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
38	42	18	1 PC	Y-5Q9N2U381842B	1,187
38	48	18	1 PC	Y-5Q9N2U381848B	1,235
38	54	18	1 PC	Y-5Q9N2U381854B	1,285
38	60	18	2 PC	Y-5Q9N2U381860B	1,339
38	66	18	2 PC	Y-5Q9N2U381866B	1,388
38	72	18	2 PC	Y-5Q9N2U381872B	1,438
38	78	18	2 PC	Y-5Q9N2U381878B	1,638
38	84	18	2 PC	Y-5Q9N2U381884B	1,693
42	42	18	1 PC	Y-5Q9N2U421842B	1,236
42	48	18	1 PC	Y-5Q9N2U421848B	1,295
42	54	18	1 PC	Y-5Q9N2U421854B	1,349
42	60	18	2 PC	Y-5Q9N2U421860B	1,406
42	66	18	2 PC	Y-5Q9N2U421866B	1,460
42	72	18	2 PC	Y-5Q9N2U421872B	1,520
42	78	18	2 PC	Y-5Q9N2U421878B	1,742
42	84	18	2 PC	Y-5Q9N2U421884B	1,799



1 PET Piece



2 PET Pieces



Partial Modesty L-Brackets

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.
- Radius corner screens compatible with radius corner HAT tables only.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Day-to-Day & E Series HAT with Radius U-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	U-Wrap Partial Modesty on WS	Lite	Day-to-Day & E Series HAT with Radius Corners	Under Surface Mount	Left or Right

PET DAY-TO-DAY & E SERIES HAT, RADIUS U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
22	42	24	1 PC	Y-5Q9N2U222442B	911
22	48	24	2 PC	Y-5Q9N2U222448B	930
22	54	24	2 PC	Y-5Q9N2U222454B	952
22	60	24	2 PC	Y-5Q9N2U222460B	973
22	66	24	2 PC	Y-5Q9N2U222466B	993
22	72	24	2 PC	Y-5Q9N2U222472B	1,098
22	78	24	2 PC	Y-5Q9N2U222478B	1,120
22	84	24	2 PC	Y-5Q9N2U222484B	1,140
26	42	24	1 PC	Y-5Q9N2U262442B	952
26	48	24	2 PC	Y-5Q9N2U262448B	977
26	54	24	2 PC	Y-5Q9N2U262454B	1,002
26	60	24	2 PC	Y-5Q9N2U262460B	1,025
26	66	24	2 PC	Y-5Q9N2U262466B	1,050
26	72	24	2 PC	Y-5Q9N2U262472B	1,175
26	78	24	2 PC	Y-5Q9N2U262478B	1,200
26	84	24	2 PC	Y-5Q9N2U262484B	1,224

PET DAY-TO-DAY & E SERIES HAT, RADIUS U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
30	42	24	1 PC	Y-5Q9N2U302442B	1,278
30	48	24	2 PC	Y-5Q9N2U302448B	1,318
30	54	24	2 PC	Y-5Q9N2U302454B	1,359
30	60	24	2 PC	Y-5Q9N2U302460B	1,397
30	66	24	2 PC	Y-5Q9N2U302466B	1,438
30	72	24	2 PC	Y-5Q9N2U302472B	1,479
30	78	24	2 PC	Y-5Q9N2U302478B	1,520
30	84	24	2 PC	Y-5Q9N2U302484B	1,558
34	42	24	1 PC	Y-5Q9N2U342442B	1,179
34	48	24	2 PC	Y-5Q9N2U342448B	1,222
34	54	24	2 PC	Y-5Q9N2U342454B	1,267
34	60	24	2 PC	Y-5Q9N2U342460B	1,313
34	66	24	2 PC	Y-5Q9N2U342466B	1,359
34	72	24	2 PC	Y-5Q9N2U342472B	1,584
34	78	24	2 PC	Y-5Q9N2U342478B	1,630
34	84	24	2 PC	Y-5Q9N2U342484B	1,674



1 PET Piece



2 PET Pieces



Partial Modesty L-Brackets

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.
- Radius corner screens compatible with radius corner HAT tables only.

© 2026, AIS, Inc.

PET Day-to-Day & E Series HAT with Radius U-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	U-Wrap Partial Modesty on WS	Lite	Day-to-Day & E Series HAT with Radius Corners	Under Surface Mount	Left or Right

PET DAY-TO-DAY & E SERIES HAT, RADIUS U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
38	42	24	1 PC	Y-5Q9N2U382442B	1,235
38	48	24	2 PC	Y-5Q9N2U382448B	1,285
38	54	24	2 PC	Y-5Q9N2U382454B	1,339
38	60	24	2 PC	Y-5Q9N2U382460B	1,388
38	66	24	2 PC	Y-5Q9N2U382466B	1,438
38	72	24	2 PC	Y-5Q9N2U382472B	1,693
38	78	24	2 PC	Y-5Q9N2U382478B	1,742
38	84	24	2 PC	Y-5Q9N2U382484B	1,792
42	42	24	1 PC	Y-5Q9N2U422442B	1,295
42	48	24	2 PC	Y-5Q9N2U422448B	1,349
42	54	24	2 PC	Y-5Q9N2U422454B	1,406
42	60	24	2 PC	Y-5Q9N2U422460B	1,460
42	66	24	2 PC	Y-5Q9N2U422466B	1,520
42	72	24	2 PC	Y-5Q9N2U422472B	1,799
42	78	24	2 PC	Y-5Q9N2U422478B	1,853
42	84	24	2 PC	Y-5Q9N2U422484B	1,910

PET DAY-TO-DAY & E SERIES HAT, RADIUS U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
22	42	30	2 PC	Y-5Q9N2U223042B	930
22	48	30	2 PC	Y-5Q9N2U223048B	952
22	54	30	2 PC	Y-5Q9N2U223054B	973
22	60	30	2 PC	Y-5Q9N2U223060B	993
22	66	30	2 PC	Y-5Q9N2U223066B	1,120
22	72	30	2 PC	Y-5Q9N2U223072B	1,140
22	78	30	2 PC	Y-5Q9N2U223078B	1,160
22	84	30	2 PC	Y-5Q9N2U223084B	1,182
26	42	30	2 PC	Y-5Q9N2U263042B	977
26	48	30	2 PC	Y-5Q9N2U263048B	1,002
26	54	30	2 PC	Y-5Q9N2U263054B	1,025
26	60	30	2 PC	Y-5Q9N2U263060B	1,050
26	66	30	2 PC	Y-5Q9N2U263066B	1,200
26	72	30	2 PC	Y-5Q9N2U263072B	1,224
26	78	30	2 PC	Y-5Q9N2U263078B	1,249
26	84	30	2 PC	Y-5Q9N2U263084B	1,273



1 PET Piece



2 PET Pieces



Partial Modesty L-Brackets

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.
- Radius corner screens compatible with radius corner HAT tables only.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Day-to-Day & E Series HAT with Radius U-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type	Handedness
PET	U-Wrap Partial Modesty on WS	Lite	Day-to-Day & E Series HAT with Radius Corners	Under Surface Mount	Left or Right

PET DAY-TO-DAY & E SERIES HAT, RADIUS U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
30	42	30	2 PC	Y-5Q9N2U303042B	1,359
30	48	30	2 PC	Y-5Q9N2U303048B	1,397
30	54	30	2 PC	Y-5Q9N2U303054B	1,438
30	60	30	2 PC	Y-5Q9N2U303060B	1,479
30	66	30	2 PC	Y-5Q9N2U303066B	1,520
30	72	30	2 PC	Y-5Q9N2U303072B	1,558
30	78	30	2 PC	Y-5Q9N2U303078B	1,599
30	84	30	2 PC	Y-5Q9N2U303084B	1,637
34	42	30	2 PC	Y-5Q9N2U343042B	1,222
34	48	30	2 PC	Y-5Q9N2U343048B	1,267
34	54	30	2 PC	Y-5Q9N2U343054B	1,313
34	60	30	2 PC	Y-5Q9N2U343060B	1,359
34	66	30	2 PC	Y-5Q9N2U343066B	1,630
34	72	30	2 PC	Y-5Q9N2U343072B	1,674
34	78	30	2 PC	Y-5Q9N2U343078B	1,720
34	84	30	2 PC	Y-5Q9N2U343084B	1,765

PET DAY-TO-DAY & E SERIES HAT, RADIUS U-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
38	42	30	2 PC	Y-5Q9N2U383042B	1,285
38	48	30	2 PC	Y-5Q9N2U383048B	1,339
38	54	30	2 PC	Y-5Q9N2U383054B	1,388
38	60	30	2 PC	Y-5Q9N2U383060B	1,438
38	66	30	2 PC	Y-5Q9N2U383066B	1,742
38	72	30	2 PC	Y-5Q9N2U383072B	1,792
38	78	30	2 PC	Y-5Q9N2U383078B	1,843
38	84	30	2 PC	Y-5Q9N2U383084B	1,891
42	42	30	2 PC	Y-5Q9N2U423042B	1,349
42	48	30	2 PC	Y-5Q9N2U423048B	1,406
42	54	30	2 PC	Y-5Q9N2U423054B	1,460
42	60	30	2 PC	Y-5Q9N2U423060B	1,520
42	66	30	2 PC	Y-5Q9N2U423066B	1,853
42	72	30	2 PC	Y-5Q9N2U423072B	1,910
42	78	30	2 PC	Y-5Q9N2U423078B	1,965
42	84	30	2 PC	Y-5Q9N2U423084B	2,020



1 PET Piece



2 PET Pieces



Partial Modesty L-Brackets

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.
- Radius corner screens compatible with radius corner HAT tables only.

© 2026, AIS, Inc.

PET Nominal = Actual Size with Radius U-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap on Worksurface	Lite	Day-to-Day Actual Size Tables with Radius Corners	Under Surface Mount

PET NOMINAL = ACTUAL SIZE WITH RADIUS U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
12	42	12	1	Y-5N9Q2U121242B	783
12	48	12	1	Y-5N9Q2U121248B	796
12	54	12	1	Y-5N9Q2U121254B	806
12	60	12	1	Y-5N9Q2U121260B	816
12	66	12	1	Y-5N9Q2U121266B	830
12	72	12	2	Y-5N9Q2U121272B	840
12	78	12	2	Y-5N9Q2U121278B	852
12	84	12	2	Y-5N9Q2U121284B	886
16	42	12	1	Y-5N9Q2U161242B	816
16	48	12	1	Y-5N9Q2U161248B	832
16	54	12	1	Y-5N9Q2U161254B	847
16	60	12	1	Y-5N9Q2U161260B	865
16	66	12	1	Y-5N9Q2U161266B	878
16	72	12	2	Y-5N9Q2U161272B	894
16	78	12	2	Y-5N9Q2U161278B	908
16	84	12	2	Y-5N9Q2U161284B	954

PET NOMINAL = ACTUAL SIZE WITH RADIUS U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
20	42	12	1	Y-5N9Q2U201242B	852
20	48	12	1	Y-5N9Q2U201248B	870
20	54	12	1	Y-5N9Q2U201254B	890
20	60	12	1	Y-5N9Q2U201260B	908
20	66	12	1	Y-5N9Q2U201266B	926
20	72	12	2	Y-5N9Q2U201272B	948
20	78	12	2	Y-5N9Q2U201278B	965
20	84	12	2	Y-5N9Q2U201284B	1,023
24	42	12	1	Y-5N9Q2U241242B	884
24	48	12	1	Y-5N9Q2U241248B	908
24	54	12	1	Y-5N9Q2U241254B	930
24	60	12	1	Y-5N9Q2U241260B	954
24	66	12	1	Y-5N9Q2U241266B	977
24	72	12	2	Y-5N9Q2U241272B	999
24	78	12	2	Y-5N9Q2U241278B	1,023
24	84	12	2	Y-5N9Q2U241284B	1,091



1 PET Piece



2 PET Pieces



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.
- Radius corner screens compatible with radius corner HAT tables only.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Nominal = Actual Size with Radius U-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap on Worksurface	Lite	Day-to-Day Actual Size Tables with Radius Corners	Under Surface Mount

PET NOMINAL = ACTUAL SIZE WITH RADIUS U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
28	42	12	1	Y-5N9Q2U281242B	917
28	48	12	1	Y-5N9Q2U281248B	948
28	54	12	1	Y-5N9Q2U281254B	973
28	60	12	1	Y-5N9Q2U281260B	999
28	66	12	1	Y-5N9Q2U281266B	1,025
28	72	12	2	Y-5N9Q2U281272B	1,051
28	78	12	2	Y-5N9Q2U281278B	1,079
28	84	12	2	Y-5N9Q2U281284B	1,159
32	42	12	1	Y-5N9Q2U321242B	1,062
32	48	12	1	Y-5N9Q2U321248B	1,106
32	54	12	1	Y-5N9Q2U321254B	1,147
32	60	12	1	Y-5N9Q2U321260B	1,190
32	66	12	1	Y-5N9Q2U321266B	1,232
32	72	12	2	Y-5N9Q2U321272B	1,276
32	78	12	2	Y-5N9Q2U321278B	1,318
32	84	12	2	Y-5N9Q2U321284B	1,447

PET NOMINAL = ACTUAL SIZE WITH RADIUS U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
12	42	18	1	Y-5N9Q2U121842B	796
12	48	18	1	Y-5N9Q2U121848B	806
12	54	18	1	Y-5N9Q2U121854B	816
12	60	18	2	Y-5N9Q2U121860B	830
12	66	18	2	Y-5N9Q2U121866B	840
12	72	18	2	Y-5N9Q2U121872B	852
12	78	18	2	Y-5N9Q2U121878B	899
12	84	18	2	Y-5N9Q2U121884B	911
16	42	18	1	Y-5N9Q2U161842B	832
16	48	18	1	Y-5N9Q2U161848B	847
16	54	18	1	Y-5N9Q2U161854B	865
16	60	18	2	Y-5N9Q2U161860B	878
16	66	18	2	Y-5N9Q2U161866B	894
16	72	18	2	Y-5N9Q2U161872B	908
16	78	18	2	Y-5N9Q2U161878B	971
16	84	18	2	Y-5N9Q2U161884B	986



1 PET Piece



2 PET Pieces



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.
- Radius corner screens compatible with radius corner HAT tables only.

© 2026, AIS, Inc.

PET Nominal = Actual Size with Radius U-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap on Worksurface	Lite	Day-to-Day Actual Size Tables with Radius Corners	Under Surface Mount

PET NOMINAL = ACTUAL SIZE WITH RADIUS U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
20	42	18	1	Y-5N9Q2U201842B	870
20	48	18	1	Y-5N9Q2U201848B	890
20	54	18	1	Y-5N9Q2U201854B	908
20	60	18	2	Y-5N9Q2U201860B	926
20	66	18	2	Y-5N9Q2U201866B	948
20	72	18	2	Y-5N9Q2U201872B	965
20	78	18	2	Y-5N9Q2U201878B	1,042
20	84	18	2	Y-5N9Q2U201884B	1,061
24	42	18	1	Y-5N9Q2U241842B	908
24	48	18	1	Y-5N9Q2U241848B	930
24	54	18	1	Y-5N9Q2U241854B	954
24	60	18	2	Y-5N9Q2U241860B	977
24	66	18	2	Y-5N9Q2U241866B	999
24	72	18	2	Y-5N9Q2U241872B	1,023
24	78	18	2	Y-5N9Q2U241878B	1,116
24	84	18	2	Y-5N9Q2U241884B	1,138

PET NOMINAL = ACTUAL SIZE WITH RADIUS U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
28	42	18	1	Y-5N9Q2U281842B	948
28	48	18	1	Y-5N9Q2U281848B	973
28	54	18	1	Y-5N9Q2U281854B	999
28	60	18	2	Y-5N9Q2U281860B	1,025
28	66	18	2	Y-5N9Q2U281866B	1,051
28	72	18	2	Y-5N9Q2U281872B	1,079
28	78	18	2	Y-5N9Q2U281878B	1,188
28	84	18	2	Y-5N9Q2U281884B	1,215
32	42	18	1	Y-5N9Q2U321842B	1,106
32	48	18	1	Y-5N9Q2U321848B	1,147
32	54	18	1	Y-5N9Q2U321854B	1,190
32	60	18	2	Y-5N9Q2U321860B	1,232
32	66	18	2	Y-5N9Q2U321866B	1,276
32	72	18	2	Y-5N9Q2U321872B	1,318
32	78	18	2	Y-5N9Q2U321878B	1,490
32	84	18	2	Y-5N9Q2U321884B	1,533



1 PET Piece



2 PET Pieces



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.
- Radius corner screens compatible with radius corner HAT tables only.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Nominal = Actual Size with Radius U-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap on Worksurface	Lite	Day-to-Day Actual Size Tables with Radius Corners	Under Surface Mount

PET NOMINAL = ACTUAL SIZE WITH RADIUS U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
12	42	24	1	Y-5N9Q2U122442B	806
12	48	24	2	Y-5N9Q2U122448B	816
12	54	24	2	Y-5N9Q2U122454B	830
12	60	24	2	Y-5N9Q2U122460B	840
12	66	24	2	Y-5N9Q2U122466B	852
12	72	24	2	Y-5N9Q2U122472B	911
12	78	24	2	Y-5N9Q2U122478B	921
12	84	24	2	Y-5N9Q2U122484B	930
16	42	24	1	Y-5N9Q2U162442B	847
16	48	24	2	Y-5N9Q2U162448B	865
16	54	24	2	Y-5N9Q2U162454B	878
16	60	24	2	Y-5N9Q2U162460B	894
16	66	24	2	Y-5N9Q2U162466B	908
16	72	24	2	Y-5N9Q2U162472B	986
16	78	24	2	Y-5N9Q2U162478B	999
16	84	24	2	Y-5N9Q2U162484B	1,014

PET NOMINAL = ACTUAL SIZE WITH RADIUS U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
20	42	24	1	Y-5N9Q2U202442B	890
20	48	24	2	Y-5N9Q2U202448B	908
20	54	24	2	Y-5N9Q2U202454B	926
20	60	24	2	Y-5N9Q2U202460B	948
20	66	24	2	Y-5N9Q2U202466B	965
20	72	24	2	Y-5N9Q2U202472B	1,061
20	78	24	2	Y-5N9Q2U202478B	1,081
20	84	24	2	Y-5N9Q2U202484B	1,098
24	42	24	1	Y-5N9Q2U242442B	930
24	48	24	2	Y-5N9Q2U242448B	954
24	54	24	2	Y-5N9Q2U242454B	977
24	60	24	2	Y-5N9Q2U242460B	999
24	66	24	2	Y-5N9Q2U242466B	1,023
24	72	24	2	Y-5N9Q2U242472B	1,138
24	78	24	2	Y-5N9Q2U242478B	1,159
24	84	24	2	Y-5N9Q2U242484B	1,182



1 PET Piece



2 PET Pieces



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.
- Radius corner screens compatible with radius corner HAT tables only.

© 2026, AIS, Inc.

PET Nominal = Actual Size with Radius U-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap on Worksurface	Lite	Day-to-Day Actual Size Tables with Radius Corners	Under Surface Mount

PET NOMINAL = ACTUAL SIZE WITH RADIUS U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
28	42	24	1	Y-5N9Q2U282442B	973
28	48	24	2	Y-5N9Q2U282448B	999
28	54	24	2	Y-5N9Q2U282454B	1,025
28	60	24	2	Y-5N9Q2U282460B	1,051
28	66	24	2	Y-5N9Q2U282466B	1,079
28	72	24	2	Y-5N9Q2U282472B	1,215
28	78	24	2	Y-5N9Q2U282478B	1,240
28	84	24	2	Y-5N9Q2U282484B	1,265
32	42	24	1	Y-5N9Q2U322442B	1,147
32	48	24	2	Y-5N9Q2U322448B	1,190
32	54	24	2	Y-5N9Q2U322454B	1,232
32	60	24	2	Y-5N9Q2U322460B	1,276
32	66	24	2	Y-5N9Q2U322466B	1,318
32	72	24	2	Y-5N9Q2U322472B	1,533
32	78	24	2	Y-5N9Q2U322478B	1,575
32	84	24	2	Y-5N9Q2U322484B	1,617

PET NOMINAL = ACTUAL SIZE WITH RADIUS U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
12	42	30	2	Y-5N9Q2U123042B	816
12	48	30	2	Y-5N9Q2U123048B	830
12	54	30	2	Y-5N9Q2U123054B	840
12	60	30	2	Y-5N9Q2U123060B	852
12	66	30	2	Y-5N9Q2U123066B	921
12	72	30	2	Y-5N9Q2U123072B	930
12	78	30	2	Y-5N9Q2U123078B	944
12	84	30	2	Y-5N9Q2U123084B	954
16	42	30	2	Y-5N9Q2U163042B	865
16	48	30	2	Y-5N9Q2U163048B	878
16	54	30	2	Y-5N9Q2U163054B	894
16	60	30	2	Y-5N9Q2U163060B	908
16	66	30	2	Y-5N9Q2U163066B	999
16	72	30	2	Y-5N9Q2U163072B	1,014
16	78	30	2	Y-5N9Q2U163078B	1,032
16	84	30	2	Y-5N9Q2U163084B	1,046



1 PET Piece



2 PET Pieces



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.
- Radius corner screens compatible with radius corner HAT tables only.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Nominal = Actual Size with Radius U-Wrap Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap on Worksurface	Lite	Day-to-Day Actual Size Tables with Radius Corners	Under Surface Mount

PET NOMINAL = ACTUAL SIZE WITH RADIUS U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
20	42	30	2	Y-5N9Q2U203042B	908
20	48	30	2	Y-5N9Q2U203048B	926
20	54	30	2	Y-5N9Q2U203054B	948
20	60	30	2	Y-5N9Q2U203060B	965
20	66	30	2	Y-5N9Q2U203066B	1,081
20	72	30	2	Y-5N9Q2U203072B	1,098
20	78	30	2	Y-5N9Q2U203078B	1,118
20	84	30	2	Y-5N9Q2U203084B	1,138
24	42	30	2	Y-5N9Q2U243042B	954
24	48	30	2	Y-5N9Q2U243048B	977
24	54	30	2	Y-5N9Q2U243054B	999
24	60	30	2	Y-5N9Q2U243060B	1,023
24	66	30	2	Y-5N9Q2U243066B	1,159
24	72	30	2	Y-5N9Q2U243072B	1,182
24	78	30	2	Y-5N9Q2U243078B	1,205
24	84	30	2	Y-5N9Q2U243084B	1,228

PET NOMINAL = ACTUAL SIZE WITH RADIUS U-WRAP UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
28	42	30	2	Y-5N9Q2U283042B	999
28	48	30	2	Y-5N9Q2U283048B	1,025
28	54	30	2	Y-5N9Q2U283054B	1,051
28	60	30	2	Y-5N9Q2U283060B	1,079
28	66	30	2	Y-5N9Q2U283066B	1,240
28	72	30	2	Y-5N9Q2U283072B	1,265
28	78	30	2	Y-5N9Q2U283078B	1,293
28	84	30	2	Y-5N9Q2U283084B	1,318
32	42	30	2	Y-5N9Q2U323042B	1,190
32	48	30	2	Y-5N9Q2U323048B	1,232
32	54	30	2	Y-5N9Q2U323054B	1,276
32	60	30	2	Y-5N9Q2U323060B	1,318
32	66	30	2	Y-5N9Q2U323066B	1,575
32	72	30	2	Y-5N9Q2U323072B	1,617
32	78	30	2	Y-5N9Q2U323078B	1,661
32	84	30	2	Y-5N9Q2U323084B	1,701



1 PET Piece



2 PET Pieces



Under Surface Mount Lite

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.
- Radius corner screens compatible with radius corner HAT tables only.

© 2026, AIS, Inc.

PET Nominal = Actual Size with Radius U-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap Partial Modesty on WS	Lite	Day-to-Day Actual Size Tables with Radius Corners	Under Surface Mount

PET NOMINAL = ACTUAL SIZE WITH RADIUSU-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
38	42	12	1 PC	Y-5Q9Q2U381242B	1,135
38	48	12	1 PC	Y-5Q9Q2U381248B	1,187
38	54	12	1 PC	Y-5Q9Q2U381254B	1,235
38	60	12	1 PC	Y-5Q9Q2U381260B	1,285
38	66	12	1 PC	Y-5Q9Q2U381266B	1,339
38	72	12	2 PC	Y-5Q9Q2U381272B	1,388
38	78	12	2 PC	Y-5Q9Q2U381278B	1,438
38	84	12	2 PC	Y-5Q9Q2U381284B	1,589
42	42	12	1 PC	Y-5Q9Q2U421242B	1,182
42	48	12	1 PC	Y-5Q9Q2U421248B	1,236
42	54	12	1 PC	Y-5Q9Q2U421254B	1,295
42	60	12	1 PC	Y-5Q9Q2U421260B	1,349
42	66	12	1 PC	Y-5Q9Q2U421266B	1,406
42	72	12	2 PC	Y-5Q9Q2U421272B	1,460
42	78	12	2 PC	Y-5Q9Q2U421278B	1,520
42	84	12	2 PC	Y-5Q9Q2U421284B	1,688

PET NOMINAL = ACTUAL SIZE WITH RADIUSU-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
22	42	18	1 PC	Y-5Q9Q2U221842B	890
22	48	18	1 PC	Y-5Q9Q2U221848B	911
22	54	18	1 PC	Y-5Q9Q2U221854B	930
22	60	18	2 PC	Y-5Q9Q2U221860B	952
22	66	18	2 PC	Y-5Q9Q2U221866B	973
22	72	18	2 PC	Y-5Q9Q2U221872B	993
22	78	18	2 PC	Y-5Q9Q2U221878B	1,079
22	84	18	2 PC	Y-5Q9Q2U221884B	1,098
26	42	18	1 PC	Y-5Q9Q2U261842B	926
26	48	18	1 PC	Y-5Q9Q2U261848B	952
26	54	18	1 PC	Y-5Q9Q2U261854B	977
26	60	18	2 PC	Y-5Q9Q2U261860B	1,002
26	66	18	2 PC	Y-5Q9Q2U261866B	1,025
26	72	18	2 PC	Y-5Q9Q2U261872B	1,050
26	78	18	2 PC	Y-5Q9Q2U261878B	1,151
26	84	18	2 PC	Y-5Q9Q2U261884B	1,175



1 PET Piece



2 PET Pieces



Partial Modesty L-Brackets

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.
- Radius corner screens compatible with radius corner HAT tables only.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Nominal = Actual Size with Radius U-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap Partial Modesty on WS	Lite	Day-to-Day Actual Size Tables with Radius Corners	Under Surface Mount

PET NOMINAL = ACTUAL SIZE WITH RADIUSU-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
30	42	18	1 PC	Y-5Q9Q2U301842B	1,200
30	48	18	1 PC	Y-5Q9Q2U301848B	1,240
30	54	18	1 PC	Y-5Q9Q2U301854B	1,279
30	60	18	2 PC	Y-5Q9Q2U301860B	1,318
30	66	18	2 PC	Y-5Q9Q2U301866B	1,359
30	72	18	2 PC	Y-5Q9Q2U301872B	1,398
30	78	18	2 PC	Y-5Q9Q2U301878B	1,439
30	84	18	2 PC	Y-5Q9Q2U301884B	1,479
34	42	18	1 PC	Y-5Q9Q2U341842B	1,133
34	48	18	1 PC	Y-5Q9Q2U341848B	1,179
34	54	18	1 PC	Y-5Q9Q2U341854B	1,222
34	60	18	2 PC	Y-5Q9Q2U341860B	1,267
34	66	18	2 PC	Y-5Q9Q2U341866B	1,313
34	72	18	2 PC	Y-5Q9Q2U341872B	1,359
34	78	18	2 PC	Y-5Q9Q2U341878B	1,540
34	84	18	2 PC	Y-5Q9Q2U341884B	1,585

PET NOMINAL = ACTUAL SIZE WITH RADIUSU-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
38	42	18	1 PC	Y-5Q9Q2U381842B	1,187
38	48	18	1 PC	Y-5Q9Q2U381848B	1,235
38	54	18	1 PC	Y-5Q9Q2U381854B	1,285
38	60	18	2 PC	Y-5Q9Q2U381860B	1,339
38	66	18	2 PC	Y-5Q9Q2U381866B	1,388
38	72	18	2 PC	Y-5Q9Q2U381872B	1,438
38	78	18	2 PC	Y-5Q9Q2U381878B	1,639
38	84	18	2 PC	Y-5Q9Q2U381884B	1,694
42	42	18	1 PC	Y-5Q9Q2U421842B	1,236
42	48	18	1 PC	Y-5Q9Q2U421848B	1,295
42	54	18	1 PC	Y-5Q9Q2U421854B	1,349
42	60	18	2 PC	Y-5Q9Q2U421860B	1,406
42	66	18	2 PC	Y-5Q9Q2U421866B	1,460
42	72	18	2 PC	Y-5Q9Q2U421872B	1,520
42	78	18	2 PC	Y-5Q9Q2U421878B	1,742
42	84	18	2 PC	Y-5Q9Q2U421884B	1,799



1 PET Piece



2 PET Pieces



Partial Modesty L-Brackets

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.
- Radius corner screens compatible with radius corner HAT tables only.

© 2026, AIS, Inc.

PET Nominal = Actual Size with Radius U-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap Partial Modesty on WS	Lite	Day-to-Day Actual Size Tables with Radius Corners	Under Surface Mount

PET NOMINAL = ACTUAL SIZE WITH RADIUSU-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
22	42	24	1 PC	Y-5Q9Q2U222442B	911
22	48	24	2 PC	Y-5Q9Q2U222448B	930
22	54	24	2 PC	Y-5Q9Q2U222454B	952
22	60	24	2 PC	Y-5Q9Q2U222460B	973
22	66	24	2 PC	Y-5Q9Q2U222466B	993
22	72	24	2 PC	Y-5Q9Q2U222472B	1,098
22	78	24	2 PC	Y-5Q9Q2U222478B	1,121
22	84	24	2 PC	Y-5Q9Q2U222484B	1,140
26	42	24	1 PC	Y-5Q9Q2U262442B	952
26	48	24	2 PC	Y-5Q9Q2U262448B	977
26	54	24	2 PC	Y-5Q9Q2U262454B	1,002
26	60	24	2 PC	Y-5Q9Q2U262460B	1,025
26	66	24	2 PC	Y-5Q9Q2U262466B	1,050
26	72	24	2 PC	Y-5Q9Q2U262472B	1,175
26	78	24	2 PC	Y-5Q9Q2U262478B	1,200
26	84	24	2 PC	Y-5Q9Q2U262484B	1,224

PET NOMINAL = ACTUAL SIZE WITH RADIUSU-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
30	42	24	1 PC	Y-5Q9Q2U302442B	1,279
30	48	24	2 PC	Y-5Q9Q2U302448B	1,318
30	54	24	2 PC	Y-5Q9Q2U302454B	1,359
30	60	24	2 PC	Y-5Q9Q2U302460B	1,398
30	66	24	2 PC	Y-5Q9Q2U302466B	1,439
30	72	24	2 PC	Y-5Q9Q2U302472B	1,479
30	78	24	2 PC	Y-5Q9Q2U302478B	1,520
30	84	24	2 PC	Y-5Q9Q2U302484B	1,560
34	42	24	1 PC	Y-5Q9Q2U342442B	1,179
34	48	24	2 PC	Y-5Q9Q2U342448B	1,222
34	54	24	2 PC	Y-5Q9Q2U342454B	1,267
34	60	24	2 PC	Y-5Q9Q2U342460B	1,313
34	66	24	2 PC	Y-5Q9Q2U342466B	1,359
34	72	24	2 PC	Y-5Q9Q2U342472B	1,585
34	78	24	2 PC	Y-5Q9Q2U342478B	1,630
34	84	24	2 PC	Y-5Q9Q2U342484B	1,674



1 PET Piece



2 PET Pieces



Partial Modesty L-Brackets

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.
- Radius corner screens compatible with radius corner HAT tables only.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Nominal = Actual Size with Radius U-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap Partial Modesty on WS	Lite	Day-to-Day Actual Size Tables with Radius Corners	Under Surface Mount

PET NOMINAL = ACTUAL SIZE WITH RADIUSU-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
38	42	24	1 PC	Y-5Q9Q2U382442B	1,235
38	48	24	2 PC	Y-5Q9Q2U382448B	1,285
38	54	24	2 PC	Y-5Q9Q2U382454B	1,339
38	60	24	2 PC	Y-5Q9Q2U382460B	1,388
38	66	24	2 PC	Y-5Q9Q2U382466B	1,438
38	72	24	2 PC	Y-5Q9Q2U382472B	1,694
38	78	24	2 PC	Y-5Q9Q2U382478B	1,742
38	84	24	2 PC	Y-5Q9Q2U382484B	1,793
42	42	24	1 PC	Y-5Q9Q2U422442B	1,295
42	48	24	2 PC	Y-5Q9Q2U422448B	1,349
42	54	24	2 PC	Y-5Q9Q2U422454B	1,406
42	60	24	2 PC	Y-5Q9Q2U422460B	1,460
42	66	24	2 PC	Y-5Q9Q2U422466B	1,520
42	72	24	2 PC	Y-5Q9Q2U422472B	1,799
42	78	24	2 PC	Y-5Q9Q2U422478B	1,853
42	84	24	2 PC	Y-5Q9Q2U422484B	1,910

PET NOMINAL = ACTUAL SIZE WITH RADIUSU-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
22	42	30	2 PC	Y-5Q9Q2U223042B	930
22	48	30	2 PC	Y-5Q9Q2U223048B	952
22	54	30	2 PC	Y-5Q9Q2U223054B	973
22	60	30	2 PC	Y-5Q9Q2U223060B	993
22	66	30	2 PC	Y-5Q9Q2U223066B	1,121
22	72	30	2 PC	Y-5Q9Q2U223072B	1,140
22	78	30	2 PC	Y-5Q9Q2U223078B	1,163
22	84	30	2 PC	Y-5Q9Q2U223084B	1,182
26	42	30	2 PC	Y-5Q9Q2U263042B	977
26	48	30	2 PC	Y-5Q9Q2U263048B	1,002
26	54	30	2 PC	Y-5Q9Q2U263054B	1,025
26	60	30	2 PC	Y-5Q9Q2U263060B	1,050
26	66	30	2 PC	Y-5Q9Q2U263066B	1,200
26	72	30	2 PC	Y-5Q9Q2U263072B	1,224
26	78	30	2 PC	Y-5Q9Q2U263078B	1,250
26	84	30	2 PC	Y-5Q9Q2U263084B	1,275



1 PET Piece



2 PET Pieces



Partial Modesty L-Brackets

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.
- Radius corner screens compatible with radius corner HAT tables only.

© 2026, AIS, Inc.

PET Nominal = Actual Size with Radius U-Wrap Partial Modesty Under Surface Mount Lite Screens


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap Partial Modesty on WS	Lite	Day-to-Day Actual Size Tables with Radius Corners	Under Surface Mount

PET NOMINAL = ACTUAL SIZE WITH RADIUSU-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
30	42	30	2 PC	Y-5Q9Q2U303042B	1,359
30	48	30	2 PC	Y-5Q9Q2U303048B	1,398
30	54	30	2 PC	Y-5Q9Q2U303054B	1,439
30	60	30	2 PC	Y-5Q9Q2U303060B	1,479
30	66	30	2 PC	Y-5Q9Q2U303066B	1,520
30	72	30	2 PC	Y-5Q9Q2U303072B	1,560
30	78	30	2 PC	Y-5Q9Q2U303078B	1,599
30	84	30	2 PC	Y-5Q9Q2U303084B	1,637
34	42	30	2 PC	Y-5Q9Q2U343042B	1,222
34	48	30	2 PC	Y-5Q9Q2U343048B	1,267
34	54	30	2 PC	Y-5Q9Q2U343054B	1,313
34	60	30	2 PC	Y-5Q9Q2U343060B	1,359
34	66	30	2 PC	Y-5Q9Q2U343066B	1,630
34	72	30	2 PC	Y-5Q9Q2U343072B	1,674
34	78	30	2 PC	Y-5Q9Q2U343078B	1,720
34	84	30	2 PC	Y-5Q9Q2U343084B	1,766

PET NOMINAL = ACTUAL SIZE WITH RADIUSU-WRAP PARTIAL MODESTY UNDER SURFACE MOUNT LITE SCREENS


H	W	D	PET Pieces	Model Number	List
38	42	30	2 PC	Y-5Q9Q2U383042B	1,285
38	48	30	2 PC	Y-5Q9Q2U383048B	1,339
38	54	30	2 PC	Y-5Q9Q2U383054B	1,388
38	60	30	2 PC	Y-5Q9Q2U383060B	1,438
38	66	30	2 PC	Y-5Q9Q2U383066B	1,742
38	72	30	2 PC	Y-5Q9Q2U383072B	1,793
38	78	30	2 PC	Y-5Q9Q2U383078B	1,843
38	84	30	2 PC	Y-5Q9Q2U383084B	1,892
42	42	30	2 PC	Y-5Q9Q2U423042B	1,349
42	48	30	2 PC	Y-5Q9Q2U423048B	1,406
42	54	30	2 PC	Y-5Q9Q2U423054B	1,460
42	60	30	2 PC	Y-5Q9Q2U423060B	1,520
42	66	30	2 PC	Y-5Q9Q2U423066B	1,853
42	72	30	2 PC	Y-5Q9Q2U423072B	1,910
42	78	30	2 PC	Y-5Q9Q2U423078B	1,965
42	84	30	2 PC	Y-5Q9Q2U423084B	2,020



1 PET Piece



2 PET Pieces



Partial Modesty L-Brackets

Specify

- Paint Selection for Lite Clip
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET Pieces column for specific details.
- Radius corner screens compatible with radius corner HAT tables only.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET U-Wrap Enclosures with Wire Managers Sized for Tables with Radius Corners

© 2026, AIS, Inc.

PET Nominal = Actual Size with Radius U-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap Partial Modesty on WS	Enclosure w/ Wire Manager	Day-to-Day Actual Size Tables with Radius Corners	Under Surface Mount


PET NOMINAL = ACTUAL SIZE WITH RADIUS U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
3	42	12	1	Y-5QAQ2U031242B	916
3	48	12	1	Y-5QAQ2U031248B	941
3	54	12	1	Y-5QAQ2U031254B	963
3	60	12	1	Y-5QAQ2U031260B	984
3	66	12	1	Y-5QAQ2U031266B	1,007
3	72	12	2	Y-5QAQ2U031272B	1,025
3	78	12	2	Y-5QAQ2U031278B	1,050
3	84	12	2	Y-5QAQ2U031284B	1,117
3	42	18	1	Y-5QAQ2U031842B	941
3	48	18	1	Y-5QAQ2U031848B	963
3	54	18	1	Y-5QAQ2U031854B	984
3	60	18	2	Y-5QAQ2U031860B	1,007
3	66	18	2	Y-5QAQ2U031866B	1,025
3	72	18	2	Y-5QAQ2U031872B	1,050
3	78	18	2	Y-5QAQ2U031878B	1,138
3	84	18	2	Y-5QAQ2U031884B	1,160

PET NOMINAL = ACTUAL SIZE WITH RADIUS U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
3	42	24	1	Y-5QAQ2U032442B	963
3	48	24	2	Y-5QAQ2U032448B	984
3	54	24	2	Y-5QAQ2U032454B	1,007
3	60	24	2	Y-5QAQ2U032460B	1,025
3	66	24	2	Y-5QAQ2U032466B	1,050
3	72	24	2	Y-5QAQ2U032472B	1,160
3	78	24	2	Y-5QAQ2U032478B	1,182
3	84	24	2	Y-5QAQ2U032484B	1,205
3	42	30	2	Y-5QAQ2U033042B	984
3	48	30	2	Y-5QAQ2U033048B	1,007
3	54	30	2	Y-5QAQ2U033054B	1,025
3	60	30	2	Y-5QAQ2U033060B	1,050
3	66	30	2	Y-5QAQ2U033066B	1,182
3	72	30	2	Y-5QAQ2U033072B	1,205
3	78	30	2	Y-5QAQ2U033078B	1,228
3	84	30	2	Y-5QAQ2U033084B	1,249





Specify

- Paint Selection
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET pieces column above for reference. See PET pieces column above for reference.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.
- Radius corner screens compatible with radius corner HAT tables only.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Nominal = Actual Size with Radius U-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap Partial Modesty on WS	Enclosure w/ Wire Manager	Day-to-Day Actual Size Tables with Radius Corners	Under Surface Mount


PET NOMINAL = ACTUAL SIZE WITH RADIUS U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
12	42	12	1	Y-5QAQ2U121242B	955
12	48	12	1	Y-5QAQ2U121248B	979
12	54	12	1	Y-5QAQ2U121254B	1,002
12	60	12	1	Y-5QAQ2U121260B	1,023
12	66	12	1	Y-5QAQ2U121266B	1,047
12	72	12	2	Y-5QAQ2U121272B	1,070
12	78	12	2	Y-5QAQ2U121278B	1,093
12	84	12	2	Y-5QAQ2U121284B	1,164
12	42	18	1	Y-5QAQ2U121842B	979
12	48	18	1	Y-5QAQ2U121848B	1,002
12	54	18	1	Y-5QAQ2U121854B	1,023
12	60	18	2	Y-5QAQ2U121860B	1,047
12	66	18	2	Y-5QAQ2U121866B	1,070
12	72	18	2	Y-5QAQ2U121872B	1,093
12	78	18	2	Y-5QAQ2U121878B	1,187
12	84	18	2	Y-5QAQ2U121884B	1,212

PET NOMINAL = ACTUAL SIZE WITH RADIUS U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
12	42	24	1	Y-5QAQ2U122442B	1,002
12	48	24	2	Y-5QAQ2U122448B	1,023
12	54	24	2	Y-5QAQ2U122454B	1,047
12	60	24	2	Y-5QAQ2U122460B	1,070
12	66	24	2	Y-5QAQ2U122466B	1,093
12	72	24	2	Y-5QAQ2U122472B	1,212
12	78	24	2	Y-5QAQ2U122478B	1,231
12	84	24	2	Y-5QAQ2U122484B	1,254
12	42	30	2	Y-5QAQ2U123042B	1,023
12	48	30	2	Y-5QAQ2U123048B	1,047
12	54	30	2	Y-5QAQ2U123054B	1,070
12	60	30	2	Y-5QAQ2U123060B	1,093
12	66	30	2	Y-5QAQ2U123066B	1,231
12	72	30	2	Y-5QAQ2U123072B	1,254
12	78	30	2	Y-5QAQ2U123078B	1,278
12	84	30	2	Y-5QAQ2U123084B	1,301





Specify

- Paint Selection
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET pieces column above for reference. See PET pieces column above for reference.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.
- Radius corner screens compatible with radius corner HAT tables only.

© 2026, AIS, Inc.

PET Nominal = Actual Size with Radius U-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap Partial Modesty on WS	Enclosure w/ Wire Manager	Day-to-Day Actual Size Tables with Radius Corners	Under Surface Mount


PET NOMINAL = ACTUAL SIZE WITH RADIUS U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
16	42	12	1	Y-5QAQ2U161242B	993
16	48	12	1	Y-5QAQ2U161248B	1,020
16	54	12	1	Y-5QAQ2U161254B	1,047
16	60	12	1	Y-5QAQ2U161260B	1,075
16	66	12	1	Y-5QAQ2U161266B	1,103
16	72	12	2	Y-5QAQ2U161272B	1,131
16	78	12	2	Y-5QAQ2U161278B	1,156
16	84	12	2	Y-5QAQ2U161284B	1,236
16	42	18	1	Y-5QAQ2U161842B	1,020
16	48	18	1	Y-5QAQ2U161848B	1,047
16	54	18	1	Y-5QAQ2U161854B	1,075
16	60	18	2	Y-5QAQ2U161860B	1,103
16	66	18	2	Y-5QAQ2U161866B	1,131
16	72	18	2	Y-5QAQ2U161872B	1,156
16	78	18	2	Y-5QAQ2U161878B	1,264
16	84	18	2	Y-5QAQ2U161884B	1,293

PET NOMINAL = ACTUAL SIZE WITH RADIUS U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
16	42	24	1	Y-5QAQ2U162442B	1,047
16	48	24	2	Y-5QAQ2U162448B	1,075
16	54	24	2	Y-5QAQ2U162454B	1,103
16	60	24	2	Y-5QAQ2U162460B	1,131
16	66	24	2	Y-5QAQ2U162466B	1,156
16	72	24	2	Y-5QAQ2U162472B	1,293
16	78	24	2	Y-5QAQ2U162478B	1,320
16	84	24	2	Y-5QAQ2U162484B	1,347
16	42	30	2	Y-5QAQ2U163042B	1,075
16	48	30	2	Y-5QAQ2U163048B	1,103
16	54	30	2	Y-5QAQ2U163054B	1,131
16	60	30	2	Y-5QAQ2U163060B	1,156
16	66	30	2	Y-5QAQ2U163066B	1,320
16	72	30	2	Y-5QAQ2U163072B	1,347
16	78	30	2	Y-5QAQ2U163078B	1,373
16	84	30	2	Y-5QAQ2U163084B	1,399





Specify

- Paint Selection
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET pieces column above for reference. See PET pieces column above for reference.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.
- Radius corner screens compatible with radius corner HAT tables only.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Nominal = Actual Size with Radius U-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap Partial Modesty on WS	Enclosure w/ Wire Manager	Day-to-Day Actual Size Tables with Radius Corners	Under Surface Mount


PET NOMINAL = ACTUAL SIZE WITH RADIUS U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
20	42	12	1	Y-5QAQ2U201242B	1,231
20	48	12	1	Y-5QAQ2U201248B	1,277
20	54	12	1	Y-5QAQ2U201254B	1,320
20	60	12	1	Y-5QAQ2U201260B	1,361
20	66	12	1	Y-5QAQ2U201266B	1,406
20	72	12	2	Y-5QAQ2U201272B	1,452
20	78	12	2	Y-5QAQ2U201278B	1,495
20	84	12	2	Y-5QAQ2U201284B	1,538
20	42	18	1	Y-5QAQ2U201842B	1,320
20	48	18	1	Y-5QAQ2U201848B	1,361
20	54	18	1	Y-5QAQ2U201854B	1,406
20	60	18	2	Y-5QAQ2U201860B	1,452
20	66	18	2	Y-5QAQ2U201866B	1,495
20	72	18	2	Y-5QAQ2U201872B	1,538
20	78	18	2	Y-5QAQ2U201878B	1,583
20	84	18	2	Y-5QAQ2U201884B	1,626

PET NOMINAL = ACTUAL SIZE WITH RADIUS U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
20	42	24	1	Y-5QAQ2U202442B	1,406
20	48	24	2	Y-5QAQ2U202448B	1,452
20	54	24	2	Y-5QAQ2U202454B	1,495
20	60	24	2	Y-5QAQ2U202460B	1,538
20	66	24	2	Y-5QAQ2U202466B	1,583
20	72	24	2	Y-5QAQ2U202472B	1,626
20	78	24	2	Y-5QAQ2U202478B	1,672
20	84	24	2	Y-5QAQ2U202484B	1,715
20	42	30	2	Y-5QAQ2U203042B	1,495
20	48	30	2	Y-5QAQ2U203048B	1,538
20	54	30	2	Y-5QAQ2U203054B	1,583
20	60	30	2	Y-5QAQ2U203060B	1,626
20	66	30	2	Y-5QAQ2U203066B	1,672
20	72	30	2	Y-5QAQ2U203072B	1,715
20	78	30	2	Y-5QAQ2U203078B	1,760
20	84	30	2	Y-5QAQ2U203084B	1,802





Specify

- Paint Selection
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET pieces column above for reference. See PET pieces column above for reference.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.
- Radius corner screens compatible with radius corner HAT tables only.

© 2026, AIS, Inc.

PET Nominal = Actual Size with Radius U-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap Partial Modesty on WS	Enclosure w/ Wire Manager	Day-to-Day Actual Size Tables with Radius Corners	Under Surface Mount


PET NOMINAL = ACTUAL SIZE WITH RADIUS U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
24	42	12	1	Y-5QAQ2U241242B	1,196
24	48	12	1	Y-5QAQ2U241248B	1,248
24	54	12	1	Y-5QAQ2U241254B	1,296
24	60	12	1	Y-5QAQ2U241260B	1,346
24	66	12	1	Y-5QAQ2U241266B	1,395
24	72	12	2	Y-5QAQ2U241272B	1,442
24	78	12	2	Y-5QAQ2U241278B	1,495
24	84	12	2	Y-5QAQ2U241284B	1,645
24	42	18	1	Y-5QAQ2U241842B	1,248
24	48	18	1	Y-5QAQ2U241848B	1,296
24	54	18	1	Y-5QAQ2U241854B	1,346
24	60	18	2	Y-5QAQ2U241860B	1,395
24	66	18	2	Y-5QAQ2U241866B	1,442
24	72	18	2	Y-5QAQ2U241872B	1,495
24	78	18	2	Y-5QAQ2U241878B	1,694
24	84	18	2	Y-5QAQ2U241884B	1,742

PET NOMINAL = ACTUAL SIZE WITH RADIUS U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
24	42	24	1	Y-5QAQ2U242442B	1,296
24	48	24	2	Y-5QAQ2U242448B	1,346
24	54	24	2	Y-5QAQ2U242454B	1,395
24	60	24	2	Y-5QAQ2U242460B	1,442
24	66	24	2	Y-5QAQ2U242466B	1,495
24	72	24	2	Y-5QAQ2U242472B	1,742
24	78	24	2	Y-5QAQ2U242478B	1,792
24	84	24	2	Y-5QAQ2U242484B	1,844
24	42	30	2	Y-5QAQ2U243042B	1,346
24	48	30	2	Y-5QAQ2U243048B	1,395
24	54	30	2	Y-5QAQ2U243054B	1,442
24	60	30	2	Y-5QAQ2U243060B	1,495
24	66	30	2	Y-5QAQ2U243066B	1,792
24	72	30	2	Y-5QAQ2U243072B	1,844
24	78	30	2	Y-5QAQ2U243078B	1,892
24	84	30	2	Y-5QAQ2U243084B	1,942





Specify

- Paint Selection
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET pieces column above for reference. See PET pieces column above for reference.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.
- Radius corner screens compatible with radius corner HAT tables only.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Nominal = Actual Size with Radius U-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap Partial Modesty on WS	Enclosure w/ Wire Manager	Day-to-Day Actual Size Tables with Radius Corners	Under Surface Mount


PET NOMINAL = ACTUAL SIZE WITH RADIUS U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
28	42	12	1	Y-5QAQ2U281242B	1,249
28	48	12	1	Y-5QAQ2U281248B	1,304
28	54	12	1	Y-5QAQ2U281254B	1,360
28	60	12	1	Y-5QAQ2U281260B	1,412
28	66	12	1	Y-5QAQ2U281266B	1,471
28	72	12	2	Y-5QAQ2U281272B	1,526
28	78	12	2	Y-5QAQ2U281278B	1,583
28	84	12	2	Y-5QAQ2U281284B	1,748
28	42	18	1	Y-5QAQ2U281842B	1,304
28	48	18	1	Y-5QAQ2U281848B	1,360
28	54	18	1	Y-5QAQ2U281854B	1,412
28	60	18	2	Y-5QAQ2U281860B	1,471
28	66	18	2	Y-5QAQ2U281866B	1,526
28	72	18	2	Y-5QAQ2U281872B	1,583
28	78	18	2	Y-5QAQ2U281878B	1,803
28	84	18	2	Y-5QAQ2U281884B	1,861

PET NOMINAL = ACTUAL SIZE WITH RADIUS U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
28	42	24	1	Y-5QAQ2U282442B	1,360
28	48	24	2	Y-5QAQ2U282448B	1,412
28	54	24	2	Y-5QAQ2U282454B	1,471
28	60	24	2	Y-5QAQ2U282460B	1,526
28	66	24	2	Y-5QAQ2U282466B	1,583
28	72	24	2	Y-5QAQ2U282472B	1,861
28	78	24	2	Y-5QAQ2U282478B	1,915
28	84	24	2	Y-5QAQ2U282484B	1,972
28	42	30	2	Y-5QAQ2U283042B	1,412
28	48	30	2	Y-5QAQ2U283048B	1,471
28	54	30	2	Y-5QAQ2U283054B	1,526
28	60	30	2	Y-5QAQ2U283060B	1,583
28	66	30	2	Y-5QAQ2U283066B	1,915
28	72	30	2	Y-5QAQ2U283072B	1,972
28	78	30	2	Y-5QAQ2U283078B	2,028
28	84	30	2	Y-5QAQ2U283084B	2,082





Specify

- Paint Selection
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET pieces column above for reference. See PET pieces column above for reference.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.
- Radius corner screens compatible with radius corner HAT tables only.

© 2026, AIS, Inc.

PET Day-to-Day & E Series HAT with Radius U-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap Partial Modesty on WS	Enclosure w/ Wire Manager	Day-to-Day & E Series HAT with Radius Corners	Under Surface Mount


PET DAY-TO-DAY & E SERIES HAT WITH RADIUS U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
3	42	12	1	Y-5QAN2U031242B	916
3	48	12	1	Y-5QAN2U031248B	941
3	54	12	1	Y-5QAN2U031254B	963
3	60	12	1	Y-5QAN2U031260B	984
3	66	12	1	Y-5QAN2U031266B	1,007
3	72	12	2	Y-5QAN2U031272B	1,025
3	78	12	2	Y-5QAN2U031278B	1,050
3	84	12	2	Y-5QAN2U031284B	1,117
3	42	18	1	Y-5QAN2U031842B	941
3	48	18	1	Y-5QAN2U031848B	963
3	54	18	1	Y-5QAN2U031854B	984
3	60	18	2	Y-5QAN2U031860B	1,007
3	66	18	2	Y-5QAN2U031866B	1,025
3	72	18	2	Y-5QAN2U031872B	1,050
3	78	18	2	Y-5QAN2U031878B	1,138
3	84	18	2	Y-5QAN2U031884B	1,160

PET DAY-TO-DAY & E SERIES HAT WITH RADIUS U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
3	42	24	1	Y-5QAN2U032442B	963
3	48	24	2	Y-5QAN2U032448B	984
3	54	24	2	Y-5QAN2U032454B	1,007
3	60	24	2	Y-5QAN2U032460B	1,025
3	66	24	2	Y-5QAN2U032466B	1,050
3	72	24	2	Y-5QAN2U032472B	1,160
3	78	24	2	Y-5QAN2U032478B	1,182
3	84	24	2	Y-5QAN2U032484B	1,205
3	42	30	2	Y-5QAN2U033042B	984
3	48	30	2	Y-5QAN2U033048B	1,007
3	54	30	2	Y-5QAN2U033054B	1,025
3	60	30	2	Y-5QAN2U033060B	1,050
3	66	30	2	Y-5QAN2U033066B	1,182
3	72	30	2	Y-5QAN2U033072B	1,205
3	78	30	2	Y-5QAN2U033078B	1,228
3	84	30	2	Y-5QAN2U033084B	1,249





Specify

- Paint Selection
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET pieces column above for reference. See PET pieces column above for reference.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.
- Radius corner screens compatible with radius corner HAT tables only.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Day-to-Day & E Series HAT with Radius U-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap Partial Modesty on WS	Enclosure w/ Wire Manager	Day-to-Day & E Series HAT with Radius Corners	Under Surface Mount


PET DAY-TO-DAY & E SERIES HAT WITH RADIUS U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
12	42	12	1	Y-5QAN2U121242B	955
12	48	12	1	Y-5QAN2U121248B	979
12	54	12	1	Y-5QAN2U121254B	1,002
12	60	12	1	Y-5QAN2U121260B	1,023
12	66	12	1	Y-5QAN2U121266B	1,047
12	72	12	2	Y-5QAN2U121272B	1,070
12	78	12	2	Y-5QAN2U121278B	1,093
12	84	12	2	Y-5QAN2U121284B	1,164
12	42	18	1	Y-5QAN2U121842B	979
12	48	18	1	Y-5QAN2U121848B	1,002
12	54	18	1	Y-5QAN2U121854B	1,023
12	60	18	2	Y-5QAN2U121860B	1,047
12	66	18	2	Y-5QAN2U121866B	1,070
12	72	18	2	Y-5QAN2U121872B	1,093
12	78	18	2	Y-5QAN2U121878B	1,187
12	84	18	2	Y-5QAN2U121884B	1,212

PET DAY-TO-DAY & E SERIES HAT WITH RADIUS U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
12	42	24	1	Y-5QAN2U122442B	1,002
12	48	24	2	Y-5QAN2U122448B	1,023
12	54	24	2	Y-5QAN2U122454B	1,047
12	60	24	2	Y-5QAN2U122460B	1,070
12	66	24	2	Y-5QAN2U122466B	1,093
12	72	24	2	Y-5QAN2U122472B	1,212
12	78	24	2	Y-5QAN2U122478B	1,231
12	84	24	2	Y-5QAN2U122484B	1,254
12	42	30	2	Y-5QAN2U123042B	1,023
12	48	30	2	Y-5QAN2U123048B	1,047
12	54	30	2	Y-5QAN2U123054B	1,070
12	60	30	2	Y-5QAN2U123060B	1,093
12	66	30	2	Y-5QAN2U123066B	1,231
12	72	30	2	Y-5QAN2U123072B	1,254
12	78	30	2	Y-5QAN2U123078B	1,278
12	84	30	2	Y-5QAN2U123084B	1,301





Specify

- Paint Selection
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2" (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET pieces column above for reference. See PET pieces column above for reference.
- 3/8" gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.
- Radius corner screens compatible with radius corner HAT tables only.

© 2026, AIS, Inc.

PET Day-to-Day & E Series HAT with Radius U-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap Partial Modesty on WS	Enclosure w/ Wire Manager	Day-to-Day & E Series HAT with Radius Corners	Under Surface Mount


PET DAY-TO-DAY & E SERIES HAT WITH RADIUS U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
16	42	12	1	Y-5QAN2U161242B	993
16	48	12	1	Y-5QAN2U161248B	1,020
16	54	12	1	Y-5QAN2U161254B	1,047
16	60	12	1	Y-5QAN2U161260B	1,075
16	66	12	1	Y-5QAN2U161266B	1,103
16	72	12	2	Y-5QAN2U161272B	1,131
16	78	12	2	Y-5QAN2U161278B	1,156
16	84	12	2	Y-5QAN2U161284B	1,236
16	42	18	1	Y-5QAN2U161842B	1,020
16	48	18	1	Y-5QAN2U161848B	1,047
16	54	18	1	Y-5QAN2U161854B	1,075
16	60	18	2	Y-5QAN2U161860B	1,103
16	66	18	2	Y-5QAN2U161866B	1,131
16	72	18	2	Y-5QAN2U161872B	1,156
16	78	18	2	Y-5QAN2U161878B	1,264
16	84	18	2	Y-5QAN2U161884B	1,293

PET DAY-TO-DAY & E SERIES HAT WITH RADIUS U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
16	42	24	1	Y-5QAN2U162442B	1,047
16	48	24	2	Y-5QAN2U162448B	1,075
16	54	24	2	Y-5QAN2U162454B	1,103
16	60	24	2	Y-5QAN2U162460B	1,131
16	66	24	2	Y-5QAN2U162466B	1,156
16	72	24	2	Y-5QAN2U162472B	1,293
16	78	24	2	Y-5QAN2U162478B	1,320
16	84	24	2	Y-5QAN2U162484B	1,347
16	42	30	2	Y-5QAN2U163042B	1,075
16	48	30	2	Y-5QAN2U163048B	1,103
16	54	30	2	Y-5QAN2U163054B	1,131
16	60	30	2	Y-5QAN2U163060B	1,156
16	66	30	2	Y-5QAN2U163066B	1,320
16	72	30	2	Y-5QAN2U163072B	1,347
16	78	30	2	Y-5QAN2U163078B	1,373
16	84	30	2	Y-5QAN2U163084B	1,399





Specify

- Paint Selection
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET pieces column above for reference. See PET pieces column above for reference.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.
- Radius corner screens compatible with radius corner HAT tables only.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

PET Day-to-Day & E Series HAT with Radius U-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap Partial Modesty on WS	Enclosure w/ Wire Manager	Day-to-Day & E Series HAT with Radius Corners	Under Surface Mount


PET DAY-TO-DAY & E SERIES HAT WITH RADIUS U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
20	42	12	1	Y-5QAN2U201242B	1,231
20	48	12	1	Y-5QAN2U201248B	1,277
20	54	12	1	Y-5QAN2U201254B	1,320
20	60	12	1	Y-5QAN2U201260B	1,361
20	66	12	1	Y-5QAN2U201266B	1,406
20	72	12	2	Y-5QAN2U201272B	1,452
20	78	12	2	Y-5QAN2U201278B	1,495
20	84	12	2	Y-5QAN2U201284B	1,538
20	42	18	1	Y-5QAN2U201842B	1,320
20	48	18	1	Y-5QAN2U201848B	1,361
20	54	18	1	Y-5QAN2U201854B	1,406
20	60	18	2	Y-5QAN2U201860B	1,452
20	66	18	2	Y-5QAN2U201866B	1,495
20	72	18	2	Y-5QAN2U201872B	1,538
20	78	18	2	Y-5QAN2U201878B	1,583
20	84	18	2	Y-5QAN2U201884B	1,626

PET DAY-TO-DAY & E SERIES HAT WITH RADIUS U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
20	42	24	1	Y-5QAN2U202442B	1,406
20	48	24	2	Y-5QAN2U202448B	1,452
20	54	24	2	Y-5QAN2U202454B	1,495
20	60	24	2	Y-5QAN2U202460B	1,538
20	66	24	2	Y-5QAN2U202466B	1,583
20	72	24	2	Y-5QAN2U202472B	1,626
20	78	24	2	Y-5QAN2U202478B	1,672
20	84	24	2	Y-5QAN2U202484B	1,715
20	42	30	2	Y-5QAN2U203042B	1,495
20	48	30	2	Y-5QAN2U203048B	1,538
20	54	30	2	Y-5QAN2U203054B	1,583
20	60	30	2	Y-5QAN2U203060B	1,626
20	66	30	2	Y-5QAN2U203066B	1,672
20	72	30	2	Y-5QAN2U203072B	1,715
20	78	30	2	Y-5QAN2U203078B	1,760
20	84	30	2	Y-5QAN2U203084B	1,802





Specify

- Paint Selection
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET pieces column above for reference. See PET pieces column above for reference.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.
- Radius corner screens compatible with radius corner HAT tables only.

© 2026, AIS, Inc.

PET Day-to-Day & E Series HAT with Radius U-Wrap Enclosures with Wire Managers


Material	Where Used	Screen Type	Sized For	Mount Type
PET	U-Wrap Partial Modesty on WS	Enclosure w/ Wire Manager	Day-to-Day & E Series HAT with Radius Corners	Under Surface Mount


PET DAY-TO-DAY & E SERIES HAT WITH RADIUS U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
24	42	12	1	Y-5QAN2U241242B	1,196
24	48	12	1	Y-5QAN2U241248B	1,248
24	54	12	1	Y-5QAN2U241254B	1,296
24	60	12	1	Y-5QAN2U241260B	1,346
24	66	12	1	Y-5QAN2U241266B	1,395
24	72	12	2	Y-5QAN2U241272B	1,442
24	78	12	2	Y-5QAN2U241278B	1,495
24	84	12	2	Y-5QAN2U241284B	1,645
24	42	18	1	Y-5QAN2U241842B	1,248
24	48	18	1	Y-5QAN2U241848B	1,296
24	54	18	1	Y-5QAN2U241854B	1,346
24	60	18	2	Y-5QAN2U241860B	1,395
24	66	18	2	Y-5QAN2U241866B	1,442
24	72	18	2	Y-5QAN2U241872B	1,495
24	78	18	2	Y-5QAN2U241878B	1,694
24	84	18	2	Y-5QAN2U241884B	1,742

PET DAY-TO-DAY & E SERIES HAT WITH RADIUS U-WRAP ENCLOSURES WITH WIRE MANAGERS

H	W	D	PET Pieces	Model Number	List
24	42	24	1	Y-5QAN2U242442B	1,296
24	48	24	2	Y-5QAN2U242448B	1,346
24	54	24	2	Y-5QAN2U242454B	1,395
24	60	24	2	Y-5QAN2U242460B	1,442
24	66	24	2	Y-5QAN2U242466B	1,495
24	72	24	2	Y-5QAN2U242472B	1,742
24	78	24	2	Y-5QAN2U242478B	1,792
24	84	24	2	Y-5QAN2U242484B	1,844
24	42	30	2	Y-5QAN2U243042B	1,346
24	48	30	2	Y-5QAN2U243048B	1,395
24	54	30	2	Y-5QAN2U243054B	1,442
24	60	30	2	Y-5QAN2U243060B	1,495
24	66	30	2	Y-5QAN2U243066B	1,792
24	72	30	2	Y-5QAN2U243072B	1,844
24	78	30	2	Y-5QAN2U243078B	1,892
24	84	30	2	Y-5QAN2U243084B	1,942





Specify

- Paint Selection
- Color Selection for PET

Notes

- PET U-Wrap Screens are designed to mount to AIS worksurfaces. Specify based on nominal size for the desired system. Order screens that correspond to worksurface width and depth.
- PET screen inserts are 1/2” (12mm) thick.
- U-Wrap screens typically constructed with 2 pieces of PET, some smaller sizes are constructed from 1 piece when possible. See PET pieces column above for reference. See PET pieces column above for reference.
- 3/8” gap allows for installation of clamp-on monitors and accessories.
- Unhooks from worksurface for easy access to wire management. Access from user side.
- Height listed above is above surface height. For additional dimensions see product detail pages.
- Radius corner screens compatible with radius corner HAT tables only.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

National Showrooms:

Leominster
AIS Headquarters
25 Tucker Drive
Leominster, MA 01453

Chicago
The Merchandise Mart
Suite 391
Chicago, Illinois 60654

New York
AIS New York
257 Park Avenue South
New York, New York 10010

Washington, D.C.
AIS Washington, D.C.
1501 M St, NW, STE 230
Washington, D.C. 20005

GSA Sales
GSA Contract 47QSMA20D08Q4
Multiple Award Schedule (MAS)
Large Category: Furniture & Furnishings
Subcategories: Office Furniture, Packaged Office Furniture and Furniture Services

For additional information on AIS:
Dealer Showrooms, Representative Directory, Project Case Studies, Online Catalog & Product Showcase
Visit: **www.ais-inc.com**

AIS

800.434.7400 | 978.562.7500 | Fax: 978.562.0811 | www.ais-inc.com | March 2026

SEATING
TASK & GUEST SEATING

March 2026 Price List

AIS

PRODUCT INFORMATION

AIS Seating Portfolio . . . 5
Product Details . . . 7
Finish Options . . . 10
COM Fabric Requirements . . . 11

TASK SEATING

BOLTON

Bolton Product Information . . . 12
Express Bolton Chairs . . . 13
Configurable Bolton Chairs . . . 13
Configurable Bolton Options . . . 14

CHELSEA

Chelsea Product Information . . . 16
Express Chelsea Task Chairs . . . 17
Configurable Chelsea Task Chairs . . . 18
Configurable Chelsea Options . . . 18

DEVENS

Devens Product Information . . . 19
Express Devens Chairs . . . 20
Configurable Devens Chairs . . . 20
Configurable Devens Options . . . 21
Configurable Devens Stools . . . 22
Configurable Devens Stool Options . . . 22

ESSEX

Essex Product Information . . . 23
Express Essex Chairs . . . 24
Essex Chair Options . . . 24

NATICK

Natick Product Information . . . 25
Express Natick Chairs . . . 26
Configurable Natick Chairs . . . 26
Configurable Natick Options . . . 27
Configurable Natick Stools . . . 28
Configurable Natick Stool Options . . . 29

REVERE

Revere Product Information . . . 30
Express Revere Chair . . . 31
Revere Options . . . 31

ROYA

Roya Product Information . . . 32
Roya Lite Conference/Task Chair . . . 33
Roya Lite Conference/Task Chair Options . . . 34

UPTON

Upton Product Information . . . 35
Express Upton Chairs . . . 36
Configurable Upton Chairs . . . 36
Configurable Upton Options . . . 37
Configurable Upton Stools . . . 38
Configurable Upton Stool Options . . . 38

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

CONFERENCE / EXECUTIVE SEATING

AUBURN

Auburn Product Information 40
Express Auburn Chairs 41
Auburn Options 41

SIDE SEATING

ITZEE

Itzee Product Information 42
Itzee Chairs and Stools 43
Itzee Options 43

GRAFTON

Grafton Product Information 44
Express Grafton Chairs 45
Configurable Grafton Chairs and Options 45

PAXTON

Paxton Product Information. 46
Express Paxton Chairs 47
Configurable Paxton Chairs. 47
Configurable Paxton Options 48

PAXTON XL

Paxton XL Product Information 49
Express Paxton XL Chairs 50
Configurable Paxton XL Chairs 50
Configurable Paxton XL Options 51

DEVENS SIDE

Devens Side Product Information. 52
Express Devens Side Chairs 53
Configurable Devens Side Chairs. 53
Configurable Devens Side Options 54

STACKER, NEST AND MULTI-PURPOSE SEATING

PIERCE

Pierce Product Information 55
Express Pierce Chairs. 56
Configurable Pierce Chairs 56
Configurable Pierce Options 57

RUTLAND

Rutland Product Information 58
Configurable Rutland Perch. 59
Configurable Rutland Options 59

STOW

Stow Product Information. 60
Express Stow Chairs 61
Configurable Stow Chairs. 61
Configurable Stow Options 62

SULLI

Sulli Product Information 63
Express Sulli Perch 64

© 2026, AIS, Inc.

TRIAD

Triad Product Information 65
Express Triad Chairs 66
Triad Options 66

TRIX

Trix Product Information 67
Configurable Trix Chairs 68
Configurable Trix Options 68

WARRANTY & TERMS AND CONDITIONS

For Warranty & Terms and Conditions please visit:
https://www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

EXECUTIVE SEATING


Bolton


Devens


Natick


Upton


Auburn

TASK SEATING


Bolton


Chelsea


Devens


Essex


Natick


Revere


Roya


Upton

SIDE


Itzee 4-Leg


Itzee Sled


Grafton


Paxton


Trix


Trix


Devens Side

MULTI-PURPOSE/STACK/NEST


Pierce


Stow


Triad

© 2026, AIS, Inc.

MULTI-PURPOSE/STOOL/PERCH



Devens Stool



Natick Stool



Upton Stool



Itzee 4-Leg
Counter Stool



Itzee Sled
Counter Stool



Itzee 4-Leg
Bar Stool



Itzee Sled
Bar Stool



Pierce Stool



Rutland Perch



Triad Stool

BARIATRIC/XL



Paxton XL


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

CHAIR BACK DETAILS

AIS chair lines are offered with a variety of product line specific back treatments. Bolton and Natick backs are offered with a variety of solid mesh and graduated striped mesh colors as well as customer choice fabric treatment. The Upton and Stow mesh back is available with a striped mesh in seven colors. The Devens mesh back is available with a solid mesh in three shades. The Pierce plastic seat and back are solid plastic and available in five colors. Paxton and Grafton are only available with a black mesh back. Stow is offered with a dynamic back that can be "locked." Triad is available is four colors for the stack chair and two for the stool. For the most current particulars regarding all back treatments please consult the individual chair line price list pages on our website.

All AIS seating has been developed with a body contoured lumbar support/curvature, some chair lines offer an adjustable lumbar support as well (Bolton, Devens, Upton, Natick). Upton task seating also features back height adjustability.



Solid Mesh Back


Graduated Striped Mesh Back (Natick/Bolton)


Striped Mesh Back (Upton/Stow)


Fabric Back


Lumbar Support


Stow Lockable Back

CHAIR ARM DETAILS

AIS chair lines are offered with arm options particular to the product lines. Bolton and Natick task chairs are offered armless or with a 1D, 3D and 4D arm. Upton is offered armless, fixed aluminum or with a 1D height adjustable arm. Devens is offered armless or with 4D arms. Stow is offered armless or with a fixed t-arm. Chelsea is offered in a 3D arm. Please consult the individual chair line price list pages on our website for the most current images and information regarding available arm options.

1D arms are adjustable in height only, 3D arms are height, depth and rotation adjustable and 4D arms provide height, depth, rotation and width adjustability.


Armless


1D Arm


Fixed Arm (Upton)


3D Arm


3D Arm


4D Arm


4D Arm


Fixed T-Arm (Stow)


3D Arm (Chelsea)

BOLTON CONFIGURABLE TASK/STOOL

4-D Arm Adjustment Dimensions	
Armrest height adj.	2.8"
Armrest width adj.	1.5" total
Arm Pivot	50 degrees total; 25 degrees either side of center
Front to back travel	1" total

Depth adjustment is independent of pivot.

BOLTON CONFIGURABLE TASK/STOOL

3-D Arm Adjustment Dimensions	
Armrest height adj.	3"
Armrest width adj.	2.4" total
Arm Pivot	76 degrees total; 38 degrees either side of center

Depth adjustment is independent of pivot.

© 2026, AIS, Inc.

CHAIR ARM DETAILS

NATICK CONFIGURABLE TASK/STOOL

4-D Arm Adjustment Dimensions	
Armrest height adj.	2.8"
Armrest width adj.	1.5" total
Arm Pivot	50 degrees total; 25 degrees either side of center
Front to back travel	1" total

Depth adjustment is independent of pivot.

NATICK CONFIGURABLE TASK/STOOL

3-D Arm Adjustment Dimensions	
Armrest height adj.	2.8"
Armrest width adj.	2.4" total
Arm Pivot	76 degrees total; 38 degrees either side of center

Depth adjustment is independent of pivot.

DEVENS CONFIGURABLE TASK/STOOL

4-D Arm Adjustment Dimensions	
Armrest height adj.	3.74"
Armrest width adj.	1.25" total
Arm Pivot	30 degrees total; 15 degrees either side of center
Front to back travel	1.5" total

Depth adjustment is independent of pivot.

CHELSEA TASK

3-D Arm Adjustment Dimensions	
Armrest height adj.	3.9"
Armrest width adj.	1.4" total
Front to back travel	1.6" total

MECHANISM DETAILS

AIS Bolton, Upton, Natick, Devens and Chelsea chairs feature synchro-tilt mechanisms, as do Upton, Natick and Devens stools. Please consult the individual chair line price list pages for the most current images and information regarding available mechansims and adjustment features.



Tension Adjustable Synchro-Tilt



Weight Balanced Synchro-Tilt (Automatic Tension)



Side Tension Synchro-Tilt



Chelsea Task Synchro-Tilt

BASE, CASTER AND GLIDE DETAILS

All AIS seating is offered with casters, glides or both. Hard wheel casters are recommended for soft/carpeted floor whereas soft wheel casters are recommended for hard floors. The task chairs are available with polymer (plastic) and in some cases with polished aluminum bases. Task stools are offered with height adjustable foot rings. To accommodate a broad range of body sizes AIS offers standard and high range cylinders. Please consult the individual chair line price list pages on our website for the most current images and information regarding standard and optional casters and glides.



Polymer Base (Black)



Polymer Base (Grey)



Polished Aluminum Base



Stool Base with Foot Ring



Cylinder

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

MISCELLANEOUS DETAILS

Please consult the individual chair line price list pages on our website for the most current images and information regarding standard and optional features such as headrests, tablet arms, book racks, ganging devices, dollies, standard (CAL117) and optional fire code compliances (CAL133).


Upholstered Headrest (Bolton)


Upholstered Headrest (Natick)


Mesh Headrest


Book rack


Tablet Arm (Triad)


Tablet Arm (Stow)


Ganging Device (Trix)


Ganging Device (Stow)


Dolly (Triad)


Dolly (Pierce)


Wallsaver (Pierce)

Mechanisms

Bolton, Devens, Upton and Natick task and desk chairs are equipped with synchro-tilt mechanisms. Bolton, Devens, Upton and Natick are standard with seat depth adjustment. Synchro-tilt mechanisms are preferred, as they allow for mirroring the hinge points and natural motion of the human body (upper relative to lower body) when moving back and forth in the chair. Furthermore, these mechanisms allow for the feet to remain comfortably on the floor and provide a level of beneficial movement / "exercise" while reclining and inclining.

Task chair adjustments and instructions

Standard or optional adjustments are particular to product lines as indicated in the features and benefit sections of their related price-list pages. The adjustments allow the users to fine-tune chairs to their shape and size, as well as work environment, tasks and preferences.

You will find the following adjustments:
Pneumatic seat height adjustment (standard) allows for the chair to be raised or lowered according to need and preference. The adjustment lever is located under the seat on the right hand side (right hand side while sitting in seat)

Tension adjustment (standard) regulates the force or resistance when inclining/reclining in the chair. The adjustment is either automatic (weight balanced) or it is accomplished by turning a knob under the center or right hand side of the chair.

Lumbar support adjustment allows for proper curvature particularly of the lower back. The adjustment is either automatic, as the flexible back surface conforms to the lower back, or certain chairs offer an additional manually adjusted lumbar support or back height adjustment.

Adjustable arms are offered on all task chairs. Arms are height adjustable, height/depth and rotationally adjustable or height/width/rotationally and depth adjustable to provide needed and preferred support for the user's arms and upper body.

Back lock for locking back in upright position (standard) or a multiple position back lock allows the user to occasionally assume a static position for concentrated and intensive tasking. It is recommended to not remain in static positions for extended periods of time, as this will result in discomfort and fatigue.

Seat depth adjustment is standard on some and optional on other task seating models. The seat depth adjustment allows for the seat to be moved forward and back in order to accommodate longer or shorter upper leg lengths. The adjustment lever is located under the seat.

Assembly

Rutland, Triad (chair), Trix, and Grafton are shipped fully assembled.

Bolton, Devens, Essex, Upton, Natick, Auburn, Paxton, Pierce, Triad (stool), Sulli and Stow are shipped ready-to-assemble (RTA) at the list prices indicated. These chairs require minimal assembly. In the event you require these chairs to be fully assembled please indicate this in the sales notes and add $97 each to the list price of Bolton, Devens, Essex, Upton, Natick, Auburn, Paxton and $49 for Stow chairs.

© 2026, AIS, Inc.

UPHOLSTERY APPLICATION GRID

GRADE A UPHOLSTERY

Name
Durdle
Medley*
Mirador*
Palette*
Terrain
Wellesley

GRADE B UPHOLSTERY

Name
Apprentice (Stinson)
Beehave
Bobby® (Momentum)*
Frock (alta)
Gem
Grid (Momentum)*
Mirage (alta)*
Stamper*

GRADE C UPHOLSTERY

Name
Canter EPU (Momentum)*
Fedora (Mayer)
Havana (Mayer)*
Odyssey (Momentum)
Lancaster (Mayer)
Sydney (Mayer)

GRADE D UPHOLSTERY

Name
Blazer (Camira)
Boom II (Momentum)
Channel (Mayer)*
Charlotte (Stinson)*
Cover Cloth (Momentum)
Haven (Mayer)
Lateral (Stinson)*
Legacy (Mayer)

GRADE E UPHOLSTERY

Name
Beta (Momentum)*
Faux Felt (Momentum)
Flanders (Stinson)
Hopsack (Stinson)
Outlander (Stinson)
Square One (Stinson)
Utopia (Mayer)

* Not available on Itzee

Note: All AIS alta upholstery orders will have alta application as a standard feature. Alta enables virtually any textile to withstand the rigors of real life without leaving a mark. Alta improves repellency to oil and water based stains, is easy to clean and can enhance physical properties of the fibers. The technology is permanent and imperceptible to the eye and hand. To Clean: Blot with a dry towel. If residue remains, flush with warm water. Learn more at applied-textiles.com

LAMINATE OPTIONS

Name	Grade
Absolute Acajou †	A
Aimtoo Savatre	A
Black	A
Brazilwood	A
Chalk	A
Corporate Walnut	A
Dark Rum Cherry	A
Field Elm †	A
Grand Cherry	A
Grey Elm †	A
Landmark †	A
Leave Likatre †	A
Linen	A
Looks Likatre †	A
Maritime Dune †	A
Midwest Maple	A
Neo Walnut †	A
Phantom Ecru †	A
Phantom Pearl †	A
Storm	A
Summer Drops	A
True White	A
Trytoo Savatre †	A
White Chocolate †	A

† Indicates a textured laminate with a finish similar to a natural wood grain.
Please visit ais-inc.com for Non-Grade A laminate options.

COM Fabric Policy

- Please view all pre-approved COMs here: https://www.ais-inc.com/resources/fabrics-and-finishes/pre-approved-coms
- It is mandatory that you work directly with your AIS Customer Service Representative for all COM related testing and orders. They will provide all necessary forms to you, as well as work with you with regard to sending in correct yardage and where to send it, along with necessary RA# or #s. Please note an RA must be submitted along with the fabric for testing, as well as an RA created for an actual order.
- Customer Service must be advised as to the width of the fabric rolls being supplied (54”W or 60”W). Customer Service must also be advised if the fabric has a backer.
- Yardage required for the job must be calculated by an AIS Customer Service Rep.
- Once AIS has approved the COM fabric, a fabric sample needs to be marked by the dealer with “Front”, “Top”, and “Bottom”, to be sure fabric is applied correctly. The fabric sample then needs to be attached to a COM Fabric Dealer Form and forwarded to AIS Customer Service. The COM Fabric Dealer Form may be downloaded or printed here.
- Fabrics may be discontinued or obsolete without notice.
- Contact AIS Customer Service with any questions regarding fabric availability.
- All directional fabric will be railroaded.

Note: Graded-in AIS fabrics can not be purchased and applied as COM fabric. Graded-in fabrics must be specified according to the assigned grade and product respectively.

At AIS, we take great pride in offering a diverse selection of high-quality materials including but not limited to textiles, laminates, PET, mesh, etc. However, AIS cannot guarantee uniformity in dye lots across different production runs. As such, AIS is not liable for any variations in dye lots or color discrepancies in any of our products that may occur between orders. We encourage customers to review samples for color and texture matching prior to purchase. We are committed to providing exceptional products and are confident that our selection of textiles will meet your expectations for both aesthetic appeal and durability.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Note:

Please check with Customer Service regarding yardage requirements when multiple chairs are ordered as there may be efficiencies when cutting materials for more than one chair. Fabrics may be discontinued or obsolete without notice. Contact AIS Customer Service with any questions regarding fabric availability. Trix requires a full yard C.O.M fabric testing.

SEATING COM FABRIC REQUIREMENTS

Series	Version	Surface	Yards
Bolton	Mid-Back	Seat	0.75
Bolton	Upholstered Mid-Back	Back	1.5
Bolton	High-Back	Seat	0.75
Bolton	Upholstered High-Back	Back	1.5
Bolton/Natick	High-Back	Headrest	0.25
Devens	All	Seat	0.75
Grafton	All	Seat	0.75
Natick	All	Seat	0.75
Natick	Upholstered Back	Back	1.5
Paxton/XL	All	Seat	1
Pierce	All	Seat	0.75
Rutland	All	Seat	0.75
Stow	All	Seat	0.75
Trix	All	Chair	1.5
Upton	All	Seat	1

COM REPEAT YARDAGE CALCULATION*

Repeat	Across Roll	Up the Roll	2-Way Repeat
1-5”	Add 10%	Add 15%	Add 15%
6-9”	Add 15%	Add 20%	Add 25%
10-13”	Add 20%	Add 25%	Add 30%
14-20”	Add 25%	Add 30%	Add 35%
21-27”	Add 30%	Add 35%	Add 40%
28-34”	Add 35%	Add 40%	Add 45%

For fabrics 53-54” wide, add 10%.
For fabrics 51-52” wide, add 15%.
For fabrics 48-49” wide, add 18%.
For fabrics under 48” wide, contact Customer Service.

*Additional yardage may be required in the testing and manufacturing of COMs with optional backing. Consult with Customer Service for additional yardage information.

© 2026, AIS, Inc.

PRODUCT INFORMATION

Bolton, a full featured task chair has the versatility to fit any space. From the executive office to the front office, Bolton provides comfort and elegance with its thoughtful design and upholstery options. Offered in high-back and mid-back versions, Bolton is highly versatile allowing users to choose the right configuration for their size, shape and tasks at hand. Adjustable seat height, optional height adjustable lumbar support, arm adjustability, tilt tension adjustment and back lock allow the user to fine-tune Bolton to their personal preference. A headrest option is available for the high-back version. Bolton ships ready to assemble. In the event you require these chairs to be fully assembled please indicate this in the sales notes and add $97 to the list price.



Bolton Mid-Back Solid Mesh



Bolton Mid-Back Fully Upholstered



Bolton High-Back Striped Mesh

FEATURES AND BENEFITS

Bolton Task Chair

- Mid or High-Back task chair
- Black or grey base, frame and arms
- Tension adjustable synchro-tilt with upright back lock and seat depth adjustment or weight activated synchro-tilt mechanism with multiple position back lock and seat depth adjustment
- Armless, 1D (height), 3D (height/depth/rotation), or 4D (height/depth/width/rotation) arms
- Hard or soft 60mm wheel casters
- Polymer (plastic) or polished aluminum base
- Standard 4” (16”-20”) or optional 5” (18”-23”) pneumatic cylinder
- Optional height adjustable lumbar support
- Optional headrest (high-back only)
- Black seat fabric/black mesh back 3 day ship Express models (4471 and 4400) or choice seat upholstery with black or colored mesh back or fully upholstered in customer choice upholstery
- 300 pound rating
- CAL117 compliant, optional CAL133 compliant
- Shipped ready-to-assemble, optional fully assembled shipment

PRODUCT SPECIFICATIONS

Bolton High-Back

Weight: 34 lbs. *Overall Width:* 26” *Overall Depth:* 24” *Overall Height:* 41” - 45” *Seat Height:* 16” - 20” or 18” - 23” *Seat Depth:* 16” - 19” *Seat Width:* 20” *Arm Height:* 7.5” - 10” *Lumbar Apex Height:* 8” - 10” *Optional Headrest:* 12” Wide x 7” High

Bolton Mid-Back

Weight: 32 lbs. *Overall Width:* 26” *Overall Depth:* 24” *Overall Height:* 38.75” - 42.75” *Seat Height:* 16” - 20” or 18” - 23” *Seat Depth:* 16” - 19” *Seat Width:* 20” *Arm Height:* 7.5” - 10” *Lumbar Apex Height:* 8” - 10”

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

EXPRESS BOLTON CHAIRS



Bolton Mid-Back Task Chair (Express)
Model 4471



Bolton High-Back Task Chair (Express)
Model 4400

Model Number	Description	Frame	Base	Mechanism	Arms	Mesh	Seat Upholstery	List Price
4471	Mid-Back Task Chair (Express)	Black	Black	Center Tension Adj. Synchro-Tilt with Seat Depth Adjustment*	1D Arms	Black	Black	754
4400	High-Back Task Chair (Express)	Black	Black	Weight Balanced Synchro-Tilt with Seat Depth Adjustment**	4D Arm	Black	Black	948

*With upright back lock
**With multiple position back lock

BOLTON CHAIR MODELS AND OPTIONS



Bolton Black Configurable
Mid-Back Task Chair
4471C



Bolton Black Configurable
High-Back Task Chair
4400C



Bolton Grey Configurable
Mid-Back Task Chair
4481C



Bolton Grey Configurable
High-Back Task Chair
4430C

Model Number	Description	Frame	Base	Mechanism	Arms	Mesh	Seat Upholstery	List Price
4471C	Configurable Mid-Back Task Chair	Black	See Options Below	See Options Below	Black, See Options Below	Black Mesh Standard See Additional Options Below	See Options Below	687
4400C	Configurable High-Back Task Chair	Black	See Options Below	See Options Below	Black, See Options Below	Black Mesh Standard See Additional Options Below	See Options Below	715
4481C	Configurable Mid-Back Task Chair	Grey	See Options Below	See Options Below	Grey, See Options Below	Grey Mesh Standard See Additional Options Below	See Options Below	803
4430C	Configurable High-Back Task Chair	Grey	See Options Below	See Options Below	Grey, See Options Below	Grey Mesh Standard See Additional Options Below	See Options Below	835

© 2026, AIS, Inc.

4471C, 4481C, 4400C, 4430C MODELS AND OPTIONS

BOLTON LUMBAR SUPPORT

Description	Model Number	List
Body Conforming Lumbar Support (Standard)		+0
Adjustable Lumbar Support (Black)	4400LUMBAR	+45
Adjustable Lumbar Support (Grey)	4400LUMBAR-G	+45

BOLTON HEADREST (HIGH-BACK MODEL ONLY)

Description	Model Number	List
No Headrest (Standard)		+0
Bolton Upholstered Headrest (Black)	4400HREST	+100
Bolton Upholstered Headrest (Grey)	4400HREST-G	+100
Bolton Upholstered Headrest (Black w/ Choice Fabric)*	4400HRESTF	+100
Bolton Upholstered Headrest (Grey w/ Choice Fabric)*	4430HRESTF	+100

*Grade A fabric. For Grade B (+10), Grade C (+20), Grade D (+30) and Grade E (+40)

MECHANISM OPTIONS

Description	List
Tension Adjustable Synchro-Tilt with Seat Slider (Standard)	+0
Weight Balanced Synchro-Tilt with Seat Slider (Automatic Tension)	+67

BASE OPTIONS

Description	List
Polymer Base (Standard)	+0
Polished Aluminum Base	+111

CASTER OPTIONS

Description	Model Number	List
Hard Wheel Casters for Soft Floors (Standard)		+0
Soft Wheel Casters for Hard Floors		+43
Soft Wheel Caster Pack	60MMSOFT	+43

CYLINDER HEIGHT OPTIONS (SEE HEIGHT ADJUSTMENT RANGE)

Description	List
4.0” Cylinder (Standard)	+0
5.0” Cylinder	+0

ARM OPTIONS

Description	List
No Arms (Standard)	+0
Height Adjustable Arms (1D)	+67
Height, Depth and Rotational Arms (3D)	+116
Height, Depth, Width and Rotational Arms (4D)	+162

BACK MESH COLOR

Description	List
Black Solid Mesh (Standard on Black Frame)*	+0
Grey Solid Mesh (Standard on Grey Frame)*	+0
Black Graduated Striped Mesh (Grey Frame)	+83
Grey Graduated Striped Mesh (Black Frame)	+83
Blue Graduated Striped Mesh	+83
Orange Graduated Striped Mesh	+83
Black Graduated Striped Mesh	+83
Grey Graduated Striped Mesh	+83

*If non-standard mesh is selected, $83 list upcharge applies.

SEAT UPHOLSTERY OPTIONS

Description	List
Black Seat Fabric (Standard with Black Frame)	+0
Grey Seat Fabric (Standard with Grey Frame)	+0
Grade A / COM*	+98
Grade B / alta	+118
Grade C	+138
Grade D	+159
Grade E	+185

*Does not include cost of COM

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

4471C, 4481C, 4400C, 4430C MODELS AND OPTIONS (CONTINUED)

UPHOLSTERED BACK OPTIONS

Description	List
Grade A / COM*	+111
Grade B / alta	+130
Grade C	+152
Grade D	+170
Grade E	+204

*Does not include cost of COM

PACKAGING OPTIONS

Description	List
Knocked Down (Standard; Simple Tools Required)	+0
Fully Assembled (FA)	+97

FIRE CODE OPTIONS

Description	List
CAL 117 (Standard)	+0
CAL 133	+125

© 2026, AIS, Inc.

PRODUCT INFORMATION

The easy-to-assemble Chelsea with daylong comfort offers clean lines, a unique white frame with outstanding fit and finish all resulting in a refined design and understated task chair at a competitive price point. Seat height, seat depth, adjustable lumbar support and 3D arm adjustability along with a standard, multi-position back lock allow the user to fine-tune Chelsea for their size and shape, tasks at hand and preference. Chelsea Task is equipped with an advanced synchro-tilt mechanism. The back comes standard with a striped black mesh. Chelsea is BIFMA compliant and rated for users up to 300 pounds. Chelsea features a toolless assembly with a 10-year warranty.



Chelsea White Task Chair



Chelsea Black Task Chair

FEATURES AND BENEFITS

Chelsea Task Chair

- Quick and easy toolless assembly in minutes
- Black back and black arm uprights, black arm caps/casters/base
- White back and white arm uprights, black arm caps/casters/base
- Synchro-tilt mechanism with front tension adjustment
- Pneumatic seat height adjustment
- 3D arm – Arm height, depth and a new full width adjustment.
- Height adjustable lumbar support
- Seat depth adjustment
- Multi-position Back Lock
- Striped black mesh back
- Black upholstered seat
- 300 pound rating
- CAL 117 compliant
- BIFMA compliant

PRODUCT SPECIFICATIONS

Chelsea Task Chair

Weight: 31.6 lbs. *Overall Width:* 26.5" *Overall Depth:* 26.5" *Overall Height:* 39.5" - 44.6" *Seat Height:* 16" - 21" *Seat Depth Adj.:* 16.5" - 18.60" *Seat Width:* 17.7" *Arm Height:* 7.4" - 11.3" *Lumbar Apex Height:* 2.4" of adjustment *Back Lock Position:* 4 adjustments

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

EXPRESS CHELSEA TASK CHAIRS



Chelsea White Task Chair (Express)
Model 5100



Chelsea Black Task Chair (Express)
Model 5100BK

Model Number	Description	Frame	Base	Mechanism	Arms	Mesh	Seat Upholstery	List Price
5100	Chelsea Task (Express), Black Base, White Frame, Black Mesh/Seat	White Back Frame	Black	Synchro-Tilt with Front Tension Adjustment	3D Arms	Striped Black	Black	858
5100BK	Chelsea Task (Express), Black Base, Black Frame, Black Mesh/Seat	Black Back Frame	Black	Synchro-Tilt with Front Tension Adjustment	3D Arms	Striped Black	Black	858

Orders in quantities over 50 units may require extended lead times.

© 2026, AIS, Inc.

CHELSEA TASK CHAIR MODELS AND OPTIONS



Chelsea Configurable Task Chair
Model 5120BK



Chelsea Configurable Task Chair
Model 5130BK



Chelsea Configurable Task Chair
Model 5140

Model Number	Description	Frame	Base	Mechanism	Arms	3D Knit Back & Seat Color	List Price
5120	Chelsea Task, Black Base, White Frame, Black 3D Knit	White Back Frame	Black	Synchro-Tilt with Front Tension Adjustment	3D Arms	Black	963
5130	Chelsea Task, Black Base, White Frame, Grey 3D Knit	White Back Frame	Black	Synchro-Tilt with Front Tension Adjustment	3D Arms	Grey	963
5140	Chelsea Task, Black Base, White Frame, Navy 3D Knit	White Back Frame	Black	Synchro-Tilt with Front Tension Adjustment	3D Arms	Navy	963
5120BK	Chelsea Task, Black Base, Black Frame, Black 3D Knit	Black Back Frame	Black	Synchro-Tilt with Front Tension Adjustment	3D Arms	Black	963
5130BK	Chelsea Task, Black Base, Black Frame, Grey 3D Knit	Black Back Frame	Black	Synchro-Tilt with Front Tension Adjustment	3D Arms	Grey	963
5140BK	Chelsea Task, Black Base, Black Frame, Navy 3D Knit	Black Back Frame	Black	Synchro-Tilt with Front Tension Adjustment	3D Arms	Navy	963

CASTER OPTIONS

Description	Model Number	List
Hard Wheel Casters for Soft Floors (Standard)		+0
Soft Wheel Caster Pack	60MMSOFT	+43

Soft Wheel Casters ordered and shipped separately.

Rev. Mar 2, 2026
© 2026, AIS, Inc.

PRODUCT INFORMATION

The user friendly Devens with uncompromised comfort offers clean lines, outstanding fit and finish all resulting in a sophisticated and understated task chair at an outstanding price point. Seat height, seat depth, adjustable lumbar support and 4D arm adjustability along with a multiple position back lock allow the user to fine-tune Devens for their size and shape, tasks at hand and preference. Devens is equipped with an advanced automatic tension weight activated synchro-tilt mechanism. The back is available with a solid black or grey mesh. A polished aluminum base is optional. Devens is offered in a task or stool version.

The chair can be specified with black or grey frame, base, casters and arms as well as a variety of seat upholstery options. Devens is BIFMA compliant and rated for users up to 300 pounds. Devens ships ready to assemble. If you require Devens to be fully assembled please indicate this in the sales notes and add $97 to the list price. Devens has a 24/7 10-year warranty.



Devens Black Task Chair



Devens Grey Task Chair



Devens Black Stool



Devens Grey Stool

FEATURES AND BENEFITS

- Black or grey casters/base/frame/arms
- Aluminum base option (with black casters)
- Weight balanced synchro-tilt mechanism (automatic tension)
- Pneumatic seat height adjustment
- Arm height, depth, width and rotational adjustment (4D)
- Height adjustable lumbar support
- Seat depth adjustment
- Multiple position back lock (task chair only)
- Height adjustable footring (stool chair only)
- Solid black or grey mesh
- Upholstered seat
- 300 pound rating
- CAL117 compliant

PRODUCT SPECIFICATIONS

Devens Task Chair

Weight: 35 lbs. *Overall Width:* 27" *Overall Depth:* 26" *Overall Height:* 37" - 41.75" *Seat Height:* 16.75" - 21.5" *Seat Depth:* 16.75" - 18.75" *Seat Width:* 19" *Arm Height:* 6.75" - 10.5" *Lumbar Apex Height:* 8" - 10"

Devens Stool

Weight: 35 lbs. *Overall Width:* 27" *Overall Depth:* 26" *Overall Height:* 47.34" - 54.549" *Seat Height:* 24.015" - 31.3" *Seat Depth:* 16.75" - 18.75" *Seat Width:* 19" *Arm Height:* 6.75" - 10.5" *Lumbar Apex Height:* 8" - 10"

© 2026, AIS, Inc.

EXPRESS DEVENS CHAIRS



Devens Black Task Chair (Express)
Model 4600



Devens Grey Task Chair (Express)
Model 4630

Model Number	Description	Frame	Base	Mechanism	Arms	Mesh	Seat Upholstery	List Price
4600	Black Task Chair (Express)	Black	Black	Weight Balanced Synchro-Tilt with Seat Slider	4D Arms	Black	Black	944
4630	Grey Task Chair (Express)	Grey	Grey	Weight Balanced Synchro-Tilt with Seat Slider	4D Arm	Grey	Grey	1,059

DEVENS CHAIR MODELS AND OPTIONS



Devens Black Configurable Task Chair
4600C



Devens Grey Configurable Task Chair
Model 4630C

Model Number	Description	Frame	Base	Mechanism	Arms	Mesh	Seat Upholstery	List Price
4600C	Configurable Mesh Task Chair	Black	Black or Aluminum	Weight Balanced Synchro-Tilt with Seat Slider	See Options Below	See Options Below	See Options Below	778
4630C	Configurable Mesh Task Chair	Grey	Grey or Aluminum	Weight Balanced Synchro-Tilt with Seat Slider	See Options Below	See Options Below	See Options Below	893

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

4600C, 4630C MODELS AND OPTIONS

BASE OPTIONS

Description	List
Polymer Base (Standard Black or Grey Matching Frame)	+0
Aluminum Base	+111

ARM OPTIONS

Description	List
No Arms (Standard)	+0
Height, Depth, Width and Rotational Arms (4D; Color Matching Frame)	+162

CASTER OPTIONS

Description	Model Number	List
Hard Wheel Casters for Soft Floors (Standard)		+0
Soft Wheel Casters for Hard Floors		+43
Soft Wheel Caster Pack	46SOFT	+75

PACKAGING OPTIONS

Description	List
Knocked Down (Standard; Simple Tools Required)	+0
Fully Assembled (FA)	+97

SEAT UPHOLSTERY OPTIONS

Description	List
Grade A / COM*	+98
Grade B / alta	+118
Grade C	+138
Grade D	+159
Grade E	+185

*Does not include cost of COM

BACK MESH COLOR

Description	List
Black Mesh (Standard on Black Frame)	+0
Grey Mesh (Standard on Grey Frame)	+0
Black Mesh on Grey Frame	+83
Grey Mesh on Black Frame	+83

© 2026, AIS, Inc.

DEVENS STOOL MODELS AND OPTIONS



Devens Black Configurable Stool
4623C



Devens Grey Configurable Stool
Model 4653C

Model Number	Description	Frame	Base	Mechanism	Arms	Mesh	Seat Upholstery	List Price
4623C	Configurable Stool	Black	Black or Aluminum	Weight Balanced Synchro-Tilt with Seat Slider	See Options Below	See Options Below	See Options Below	935
4653C	Configurable Stool	Grey	Grey or Aluminum	Weight Balanced Synchro-Tilt with Seat Slider	See Options Below	See Options Below	See Options Below	1,044

BASE OPTIONS

Description	List
Polymer Base (Standard Black or Grey Matching Frame)	+0
Aluminum Base	+111

ARM OPTIONS

Description	Model Number	List
No Arms (Standard)		+0
Height, Depth, Width and Rotational Arms (4D; Color Matching Frame)		+162

CYLINDER HEIGHT OPTIONS (SEE HEIGHT ADJUSTMENT RANGE)

Description	List
8.0” Cylinder (Standard)	+0
10.0” Cylinder	+42

PACKAGING OPTIONS

Description	List
Knocked Down (Standard; Simple Tools Required)	+0
Fully Assembled (FA)	+97

CASTER OPTIONS

Description	Model Number	List
Hard Wheel Casters for Soft Floors (Standard)		+0
Soft Wheel Casters for Hard Floors		+43
Soft Wheel Caster Pack for Express Models	46SOFT	+75

BACK MESH COLOR

Description	List
Black Mesh (Standard on Black Frame)	+0
Grey Mesh (Standard on Grey Frame)	+0
Black Mesh on Grey Frame	+83
Grey Mesh on Black Frame	+83

SEAT UPHOLSTERY OPTIONS

Description	List
Grade A / COM*	+98
Grade B / alta	+118
Grade C	+138
Grade D	+159
Grade E	+185

*Does not include cost of COM

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

PRODUCT INFORMATION

Essex, a full featured task chair has the versatility to fit any space. From the executive office to the front office, Essex provides comfort and elegance with its thoughtful shape and tasks at hand. Adjustable seat height and depth, adjustable lumbar support, arm adjustability, tilt tension adjustment and back lock allow the user to fine-tune Essex to their personal preference. Essex ships ready to assemble. In the event you require these chairs to be fully assembled please indicate this in the sales notes and add $87 to the list price.



FEATURES AND BENEFITS

- Pneumatic seat height adjustment
- Upright back lock
- Black mesh chair back
- Black fabric upholstered seat
- 1D arms
- 300 pound rating
- Height adjustable lumbar support
- Tension adjustable synchro-tilt mechanism
- Three position seat depth adjustment with 1.18” of travel
- BIFMA level certified
- CAL117 fire code compliant
- Express Model: black seat fabric, black mesh, 3 day ship
- Seat depth adjustment

PRODUCT SPECIFICATIONS

Essex High Back Task

Weight: 28 lbs. *Overall Width:* 18.6” *Overall Depth:* 23.5” *Overall Height:* 42” *Seat Height:* 16.8 - 20.5” *Seat Depth:* 17” *Arm Height:* 7.5 - 10.3” *Lumbar Height:* 6 - 8.75” *Lumbar Adjustment Height:* 2.75”

© 2026, AIS, Inc.

EXPRESS ESSEX CHAIR



Essex High Back Task Chair (Express)
Model 4871

Model Number	Description	Frame	Base	Mechanism	Arms	Mesh	Seat Upholstery	List Price
4871	High Back Task Chair (Express)	Black	Black	Tension Adjustable Synchro-Tilt with Seat Slider	1D Arm	Black	Black	754

PACKAGING OPTIONS

Description	List
Knocked Down (Standard; Simple Tools Required)	+0
Fully Assembled (FA)	+97

CASTER OPTIONS

Description	Model Number	List
Hard Wheel Casters for Soft Floors (Standard)		+0
Soft Wheel Caster Pack	60MMSOFT	+43

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

PRODUCT INFORMATION

The user-friendly Natick with uncompromised comfort offers clean lines, outstanding fit and finish all resulting in a sophisticated and understated task chair at an outstanding price point. Natick is offered as a high-back task chair or stool version.

Seat height, seat depth, optional height adjustable lumbar support and arm adjustability along with a back lock allow the user to fine-tune Natick for their size and shape, tasks at hand and preference. Natick is equipped with an advanced automatic weight activated synchro-tilt mechanism. The back is available with a striped graduated pattern mesh or fully upholstered.

The chair can be specified with black or grey frame, base and arms as well as a variety of upholstery options. Natick ships ready to assemble. If you require Natick to be fully assembled please indicate this in the sales notes and add $97 to the list price.



Natick Grey Mesh Task Chair



Natick Orange Striped Mesh Task Chair



Natick Fully Upholstered Task Chair



Natick Orange Striped Mesh Stool

FEATURES AND BENEFITS

- High back task chair or Stool versions
- Black or grey frame/base/arms
- Tension adjustable synchro-tilt with upright back lock and seat depth adjustment or weight activated synchro-tilt with multiple position back lock and seat depth adjustment
- Armless, 1D (height), 3D (height/depth/rotation) (task chair only), or 4D (height/depth/width/rotation) arms
- Hard or soft wheel 60mm casters
- Polymer (plastic) or optional polished aluminum base
- Task standard 4.0” (16”-20”) or optional 5” (18”-23”) pneumatic cylinder
- Stool standard 8.0” or 10.0” cylinder option
- Optional height adjustable lumbar support
- Optional headrest
- CAL117 compliant, optional CAL133 compliant
- 300 pound rating
- Shipped ready to assemble, optional fully assembled shipment (task chair only)
- Express Model: Black or grey seat fabric and back mesh, 3 day ship (4900 and 4930)

PRODUCT SPECIFICATIONS

Natick Task Chair

Weight: 35 lbs. *Overall Width:* 26” *Overall Depth:* 24” *Overall Height:* 40” - 45” *Seat Height:* 16” - 20” or 18” - 23” *Seat Depth:* 16” - 19” *Seat Width:* 20” *Arm Height:* 7.5” - 10” *Lumbar Apex:* 8” - 10” *Optional Headrest:* 12” Wide x 7” High

Natick Stool

Weight: 41 lbs. *Overall Width:* 26” *Overall Depth:* 24” *Overall Height:* 43.5” - 51.5” *Seat Height:* 25” - 35” *Seat Depth:* 16” - 17.6” *Seat Width:* 20” *Arm Height:* 9” - 12” *Lumbar Apex:* 8” - 10”

© 2026, AIS, Inc.

EXPRESS NATICK CHAIRS



Natick Black Mesh Task Chair (Express)
Model 4900



Natick Grey Mesh Task Chair (Express)
Model 4930

Model Number	Description	Frame	Base	Mechanism	Arms	Mesh	Seat Upholstery	List Price
4900	Black Striped Mesh Task Chair (Express)	Black	Black	Weight Balanced Synchro-Tilt, Seat Slider	4D Arms	Black Graduated Striped	Black	1,027
4930	Grey Striped Mesh Task Chair (Express)	Grey	Grey	Weight Balanced Synchro-Tilt, Seat Slider	4D Arms (Grey)	Grey Graduated Striped	Grey	1,141

NATICK CHAIR MODEL AND OPTIONS



Natick Black Configurable Task Chair
4900C



Natick Grey Configurable Task Chair
Model 4930C

Model Number	Description	Frame	Base	Mechanism	Arms	Mesh	Seat Upholstery	List Price
4900C	Configurable Task Chair	Black	Black or Aluminum	See Options Below	See Options Below	Black Graduated Striped See Additional Options Below	See Options Below	794
4930C	Configurable Task Chair	Grey	Grey or Aluminum	See Options Below	See Options Below	Grey Graduated Striped See Additional Options Below	See Options Below	908

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

4900C, 4930C MODELS AND OPTIONS (CONTINUED)

NATICK LUMBAR SUPPORT

Description	Model Number	List
Body Conforming Lumbar Support (Standard)		+0
Adjustable Lumbar Support (Black)	4900LUMBAR	+45
Adjustable Lumbar Support (Grey)	4900LUMBAR-G	+45

NATICK HEADREST

Description	Model Number	List
No Headrest (Standard)		+0
Natick Upholstered Headrest (Black)	4900HREST	+100
Natick Upholstered Headrest (Grey)	4900HREST-G	+100
Natick Upholstered Headrest (Black w/ Choice Fabric)*	4900HRESTF	+100
Natick Upholstered Headrest (Grey w/ Choice Fabric)*	4930HRESTF	+100

*Grade A fabric. For Grade B (+11), Grade C (+22), Grade D (+33) and Grade E (+44)

MECHANISM OPTIONS

Description	List
Tension Adj. Synchro-Tilt w/ Seat Depth Adjustment (Standard)	+0
Weight Bal. Synchro-Tilt w/ Seat Depth Adjustment (Auto. Tension)	+67

BASE OPTIONS

Description	List
Polymer Base (Standard, Black or Grey)	+0
Polished Aluminum Base	+111

CASTER OPTIONS

Description	Model Number	List
Hard Wheel Casters for Soft Floors (Standard)		+0
Soft Wheel Casters for Hard Floors		+43
Soft Wheel Caster Pack	60MMSOFT	+43

CYLINDER HEIGHT OPTIONS (SEE HEIGHT ADJUSTMENT RANGE)

Description	List
4.0” Cylinder (Standard)	+0
5.0” Cylinder	+0

ARM OPTIONS

Description	List
No Arms (Standard)	+0
Height Adjustable Arms (1D)	+67
Height, Depth and Rotational Arms (3D)	+116
Height, Depth, Width and Rotational Arms (4D)*	+162

BACK MESH COLOR

Description	List
Black Graduated Striped Mesh (Standard on Black Frame)*	+0
Grey Graduated Striped Mesh (Standard on Grey Frame)*	+0
Black Graduated Striped Mesh (Grey Frame)	+83
Grey Graduated Striped Mesh (Black Frame)	+83
Blue Graduated Striped Mesh	+83
Orange Graduated Striped Mesh	+83
Black Solid Mesh	+83
Grey Solid Mesh	+83

*If non-standard mesh is selected, $83 list upcharge applies.

SEAT UPHOLSTERY OPTIONS

Description	List
Black Seat Fabric (Standard on Black Frame)	+0
Grey Seat Fabric (Standard on Grey Frame)	+0
Grade A / COM*	+98
Grade B / alta	+118
Grade C	+138
Grade D	+159
Grade E	+185

*Does not include cost of COM

© 2026, AIS, Inc.

4900C, 4930C MODELS AND OPTIONS (CONTINUED)

UPHOLSTERED BACK OPTIONS

Description	List
Grade A / COM*	+111
Grade B / alta	+130
Grade C	+152
Grade D	+170
Grade E	+204

*Does not include cost of COM

FIRE CODE OPTIONS

Description	List
CAL 117 (Standard)	+0
CAL 133	+125

PACKAGING OPTIONS

Description	List
Knocked Down (Standard; Simple Tools Required)	+0
Fully Assembled (FA)	+97

NATICK STOOL MODELS AND OPTIONS



Natick Black Configurable Stool
Model 4923C



Natick Grey Configurable Stool
Model 4953C

Model Number	Description	Frame	Base	Mechanism	Arms	Mesh	Seat Upholstery	List Price
4923C	Configurable Stool	Black	Black or Aluminum	See Options Below	See Options Below	Black Graduated Striped See Additional Options Below	See Options Below	984
4953C	Configurable Stool	Grey	Grey or Aluminum	See Options Below	See Options Below	Grey Graduated Striped See Additional Options Below	See Options Below	1,096

Rev. Mar 2, 2026
© 2026, AIS, Inc.

4923C, 4953C MODELS AND OPTIONS (CONTINUED)

NATICK LUMBAR SUPPORT

Description	Model Number	List
Body Conforming Lumbar Support (Standard)		+0
Adjustable Lumbar Support (Black)	4900LUMBAR	+45
Adjustable Lumbar Support (Grey)	4900LUMBAR-G	+45

MECHANISM OPTIONS

Description	List
Tension Adj. Synchro-Tilt w/ Seat Depth Adjustment (Standard)	+0
Weight Bal. Synchro-Tilt w/ Seat Depth Adjustment (Auto. Tension)	+67

ARM OPTIONS

Description	List
No Arms (Standard)	+0
Height Adjustable Arms (1D)	+67
Height, Depth and Rotational Arms (3D)	+116
Height, Depth, Width and Rotational Arms (4D)*	+162

SEAT UPHOLSTERY OPTIONS

Description	List
Black Seat Fabric (Standard on Black Frame)	+0
Grey Seat Fabric (Standard on Grey Frame)	+0
Grade A / COM*	+98
Grade B / alta	+118
Grade C	+138
Grade D	+159
Grade E	+185

*Does not include cost of COM

UPHOLSTERED BACK OPTIONS

Description	List
Grade A / COM*	+111
Grade B / alta	+130
Grade C	+152
Grade D	+170
Grade E	+204

*Does not include cost of COM

BASE OPTIONS

Description	List
Polymer Base (Standard, Black or Grey)	+0
Polished Aluminum Base	+111

CYLINDER HEIGHT OPTIONS (SEE HEIGHT ADJUSTMENT RANGE)

Description	List
8.0” Cylinder (Standard)	+0
10.0” Cylinder	+42

BACK MESH COLOR

Description	List
Black Graduated Striped Mesh (Standard on Black Frame)*	+0
Grey Graduated Striped Mesh (Standard on Grey Frame)*	+0
Black Graduated Striped Mesh (Grey Frame)	+83
Grey Graduated Striped Mesh (Black Frame)	+83
Blue Graduated Striped Mesh	+83
Orange Graduated Striped Mesh	+83
Black Solid Mesh	+83
Grey Solid Mesh	+83

*If non-standard mesh is selected, $83 list upcharge applies.

CASTER OPTIONS

Description	List
Hard Wheel Casters for Soft Floors (Standard)	+0
Soft Wheel Casters for Hard Floors	+43

FIRE CODE OPTIONS

Description	List
CAL 117 (Standard)	+0
CAL 133	+125

© 2026, AIS, Inc.

PRODUCT INFORMATION

Revere seating with uncompromised comfort offers proper adjustability and robust construction at an outstanding price point.

Features include tension adjustment, height adjustable seat, height adjustable arms, height adjustable lumbar support and upright back lock allowing the user to fine-tune Revere for optimal comfort and usability. Revere is available with a standard black seat and black mesh back. Revere is rated for users up to 300 pounds and is shipped ready to assemble. Revere can be delivered fully assembled. In the event you require these chairs to be fully assembled please indicate this in the sales notes and add $97 to the list price.







FEATURES AND BENEFITS

- Pneumatic seat height adjustment
- Upright back lock
- Black fabric upholstered seat
- Height adjustable arms
- Height adjustable lumbar support
- Tension adjustable swivel tilt mechanism
- 300 pound rating
- Express Model: Black seat fabric, black mesh, 3 day ship

PRODUCT SPECIFICATIONS

Revere Task

Weight: 38 lbs. *Overall Width:* 25.75” *Overall Depth:* 26” *Overall Height:* 37” *Seat Height:* 15.4” - 18.6” *Seat Depth:* 18.56” *Arm Height:* 8.5” - 12.3” *Lumbar Apex Height:* 8.25”

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

EXPRESS REVERE CHAIR



Revere Mesh Back Task Chair (Express)
Model 5400

Model Number	Description	Frame	Base	Mechanism	Arms	Mesh	Seat Upholstery	List Price
5400	Mesh Back Task Chair (Express)	Black	Black	Tension Adj. Swivel Tilt	1D Arms	Black	Black	546

PACKAGING OPTIONS

Description	List
Knocked Down (Standard; Simple Tools Required)	+0
Fully Assembled (FA)	+97

CASTER OPTIONS

Description	Model Number	List
Hard Wheel Casters for Soft Floors (Standard)		+0
Soft Wheel Caster Pack	60MMSOFT	+43

© 2026, AIS, Inc.

PRODUCT INFORMATION

One single continuous line gives Roya a simple yet elegant and lightweight aesthetic. A clean, open mechanism and self-supporting mesh that aligns to the curvature of the back promises extended comfort and ease. Unique, open casters further emphasize the airiness of the chair, and the Italian inspired appearance. Roya seamlessly rounds out any space from the conference room to the open plan.



Roya Black Frame/Grey Mesh



Roya White Frame/Black Mesh



Roya Black Frame/Teal Mesh



Roya White Frame/White Mesh

FEATURES AND BENEFITS

- Pneumatic seat height adjustment
- Tilting mechanism allowing 7° front tilting and 10° rear tilting with locking at 3°
- Breathable continuous mesh back and seat
- Integrated arms
- Black or white nylon-glass fiber frame
- Black or white hollow casters
- 4 mesh color options
- 300 pound rating
- CAL117 compliant

PRODUCT SPECIFICATIONS

Roya Task

Weight: 19 lbs. *Overall Width:* 24.6" *Overall Depth:* 16.69" *Overall Height:* 35.6" - 39.6" *Seat Height:* 16.5" - 20.4" *Seat Depth:* 17" *Seat Width:* 18.5" *Arm Height:* 24.5" - 28.9"

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

ROYA LITE CONFERENCE/TASK CHAIR



Roya Lite Conference/Task Chair
Model 4100



Roya Lite Conference/Task Chair
Model 4110



Roya Lite Conference/Task Chair
Model 4120



Roya Lite Conference/Task Chair
Model 4130



Roya Lite Conference/Task Chair
Model 4140



Roya Lite Conference/Task Chair
Model 4150



Roya Lite Conference/Task Chair
Model 4160



Roya Lite Conference/Task Chair
Model 4170

Model Number	Description	Frame	Base	Mechanism	Arms	Mesh*	List Price
4100	Roya Black Frame, Black Mesh Lite Task/Conference Chair	Black	Black	Pneumatic height-adjustable mechanism with back lock	Integrated Arms	Black	1,000
4110	Roya Black Frame, Grey Mesh Lite Task/Conference Chair	Black	Black	Pneumatic height-adjustable mechanism with back lock	Integrated Arms	Grey	1,000
4120	Roya Black Frame, White Mesh Lite Task/Conference Chair	Black	Black	Pneumatic height-adjustable mechanism with back lock	Integrated Arms	White	1,000
4130	Roya Black Frame, Teal Mesh Lite Task/Conference Chair	Black	Black	Pneumatic height-adjustable mechanism with back lock	Integrated Arms	Teal	1,000
4140	Roya White Frame, Black Mesh Lite Task/Conference Chair	White	White	Pneumatic height-adjustable mechanism with back lock	Integrated Arms	Black	1,041
4150	Roya White Frame, Grey Mesh Lite Task/Conference Chair	White	White	Pneumatic height-adjustable mechanism with back lock	Integrated Arms	Grey	1,041
4160	Roya White Frame, White Mesh Lite Task/Conference Chair	White	White	Pneumatic height-adjustable mechanism with back lock	Integrated Arms	White	1,041
4170	Roya White Frame, Teal Mesh Lite Task/Conference Chair	White	White	Pneumatic height-adjustable mechanism with back lock	Integrated Arms	Teal	1,041

*COM options not available

© 2026, AIS, Inc.

4100, 4110, 4120, 4130, 4140, 4150, 4160, 4170 MODELS AND OPTIONS

PACKAGING OPTIONS

Description	List
Knocked Down (Standard; Simple Tools Required)	+0
Fully Assembled (FA)	+97

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

PRODUCT INFORMATION

The user-friendly Upton chair with uncompromised comfort offers clean lines, outstanding fit and finish resulting in a sophisticated and understated task chair at an outstanding price point. Available in a task chair or stool version, Upton features adjustable seat height and depth, body conforming lumbar support or optional adjustable lumbar support, back height, arm adjustability and a multiple position back lock allow the user to fine-tune Upton to their personal preference. Upton is equipped with a side tension adjustable synchro-tilt mechanism. Aluminum base options are available. Upton ships ready to assemble. In the event you require these chairs to be fully assembled please indicate this in the sales notes and add $97 to the list price.



Upton Mesh Seat and Mesh Back



Upton Upholstered Seat and Mesh Back with Fixed Aluminum Arms



Upton Upholstered Seat and Mesh Back Stool

FEATURES AND BENEFITS

- High back task chair or stool
- Black base/frame/arms
- Tension adjustable synchro-tilt with multiple position back lock and seat depth adjustment
- Armless, fixed aluminum or 1D (height) arms
- Hard or soft 60mm casters
- Polymer (plastic) or polished aluminum base
- Standard 4” or optional 5” pneumatic cylinder
- Body conforming lumbar support or optional lumbar support
- Back height adjustment
- CAL117 compliant, optional CAL133 compliance
- 300 pound rating
- Shipped ready to assemble, optional fully assembled shipment (task chair only)
- Express Model: Black seat fabric, black mesh, 3 day ship (4700 and 4700MM)

PRODUCT SPECIFICATIONS

Upton Task Chair

Weight: 36 lbs. *Overall Width:* 25” *Overall Depth:* 25” *Overall Height:* 38” - 42” *Seat Height:* 17.75” - 21.75” or 19.75” - 24.75” *Seat Depth:* 17” - 19” *Seat Width:* 19” *Arm Height:* 8” - 11” *Fixed Arm Height:* 7.7” *Lumbar Apex Height:* 8.25” - 9.25”

Upton Stool

Weight: 42 lbs. *Overall Width:* 25” *Overall Depth:* 25” *Overall Height:* 40” - 48” *Seat Height:* 22.75” - 29.75” *Seat Depth:* 17” - 19” *Seat Width:* 19” *Arm Height:* 8” - 11” *Lumbar Apex Height:* 8.25” - 9.25”

© 2026, AIS, Inc.

EXPRESS UPTON CHAIRS



Upton Task Chair (Express)
Model 4700



Upton Mesh Task Chair (Express)
Model 4700MM

Model Number	Description	Frame	Base	Mechanism	Arms	Back Upholstery	Seat Upholstery	List Price
4700	Task Chair	Black	Black	Tension Adj. Synchro-Tilt with Seat Depth Adjustment	1D Arms	Black and Black Striped Mesh	Black	944
4700MM	Mesh Task Chair (Express)	Black	Polished Aluminum	Tension Adj. Synchro-Tilt with Seat Depth Adjustment	1D Arms	Black Mesh	Black Mesh	975

UPTON CHAIR MODEL AND OPTIONS



Upton Configurable Task Chair
4700C



Upton Configurable Mesh Task Chair
4700MMC

Model Number	Description	Frame	Base	Mechanism	Arms	Back Upholstery	Seat Upholstery	List Price
4700C	Configurable Task Chair	Black	See Options Below	Tension Adj. Synchro-Tilt with Seat Depth Adjustment	See Options Below	See Options Below	See Options Below	880
4700MMC	Configurable Mesh Task Chair	Black	Polished Aluminum	Tension Adj. Synchro-Tilt with Seat Depth Adjustment	See Options Below	Black Mesh	Black Mesh	911

Rev. Mar 2, 2026
© 2026, AIS, Inc.

4700C, 4700MMC MODELS AND OPTIONS

UPTON LUMBAR SUPPORT

Description	Model Number	List
Body Conforming Lumbar Support (Standard)		+0
Adjustable Lumbar Support (Black)	4700LUMBAR	+44

BASE OPTIONS (4700C ONLY)

Description	List
Polymer Base (Standard on 4700C)	+0
Polished Aluminum Base (Standard on 4700MMC)	+111

ARM OPTIONS (4700C ONLY)

Description	List
No Arms (Standard)	+0
Height Adjustable Arms (1D)	+67
Fixed Aluminum Arms	+127

BACK MESH COLOR (4700C ONLY)

Description	List
Black and Black Striped Mesh (Standard)	+0
Black and Grey Striped Mesh	+83
Black and Red Striped Mesh	+83
Black and Blue Striped Mesh	+83
Black and Green Striped Mesh	+83
Black and White Striped Mesh	+83

FIRE CODE OPTIONS

Description	List
CAL 117 (Standard)	+0
CAL 133	+125

CASTER OPTIONS

Description	Model Number	List
Hard Wheel Casters for Soft Floors (Standard)		+0
Soft Wheel Casters for Hard Floors		+43
Soft Wheel Caster Pack	60MMSOFT	+43

CYLINDER HEIGHT OPTIONS (SEE HEIGHT ADJUSTMENT RANGE)

Description	List
4.0” Cylinder (Standard)	+0
5.0” Cylinder	+0

SEAT UPHOLSTERY OPTIONS (4700C ONLY)

Description	List
Black Seat Fabric (Standard)	+0
Grade A / COM*	+98
Grade B / alta	+118
Grade C	+138
Grade D	+159
Grade E	+193

*Does not include cost of COM

PACKAGING OPTIONS

Description	List
Knocked Down (Standard; Simple Tools Required)	+0
Fully Assembled (FA)	+97

© 2026, AIS, Inc.

UPTON STOOL MODEL AND OPTIONS



Upton Configurable Stool
4770C



Upton Configurable Mesh Stool
4770MMC

Model Number	Description	Frame	Base	Mechanism	Arms	Back Upholstery	Seat Upholstery	List Price
4770C	Configurable Stool	Black	See Options Below	Tension Adj. Synchro-Tilt with Seat Depth Adjustment	See Options Below	See Options Below	See Options Below	1,063
4770MMC	Configurable Mesh Stool	Black	Polished Aluminum with Footring	Tension Adj. Synchro-Tilt with Seat Depth Adjustment	1D Arms	Black Mesh	Black Mesh	1,161

UPTON LUMBAR SUPPORT

Description	Model Number	List
Body Conforming Lumbar Support (Standard)		+0
Adjustable Lumbar Support (Black)	4700LUMBAR	+45

ARM OPTIONS (4700C ONLY)

Description	List
No Arms (Standard)	+0
Height Adjustable Arms (1D)	+67
Fixed Aluminum Arms	+127

BASE OPTIONS (4700C ONLY)

Description	List
Polymer Base (Standard on 4700C)	+0
Polished Aluminum Base (Standard on 4700MMC)	+111

CYLINDER HEIGHT OPTIONS (SEE HEIGHT ADJUSTMENT RANGE)

Description	List
8.0” Cylinder (Standard)	+0
10.0” Cylinder	+42

CASTER OPTIONS

Description	List
Hard Wheel Casters for Soft Floors (Standard)	+0
Soft Wheel Casters for Hard Floors	+43

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

4770C, 4770MMC MODELS AND OPTIONS

BACK MESH COLOR (4770C ONLY)

Description	List
Black and Black Striped Mesh (Standard)	+0
Black and Grey Striped Mesh	+83
Black and Red Striped Mesh	+83
Black and Blue Striped Mesh	+83
Black and Green Striped Mesh	+83
Black and White Striped Mesh	+83

SEAT UPHOLSTERY OPTIONS (4770C ONLY)

Description	List
Black Seat Fabric (Standard)	+0
Grade A / COM*	+98
Grade B / alta	+118
Grade C	+138
Grade D	+159
Grade E	+193

*Does not include cost of COM

FIRE CODE OPTIONS

Description	List
CAL 117 (Standard)	+0
CAL 133	+125

PACKAGING OPTIONS

Description	List
Knocked Down (Standard; Simple Tools Required)	+0
Fully Assembled (FA)	+97

© 2026, AIS, Inc.

PRODUCT INFORMATION

The Auburn conference and executive chair provides users with a sleek, slim profile design that ensures a lasting impression in conference rooms, boardrooms, and the c-suite. Its slim, mixed material profile combines smooth, non-PVC polyurethane along with a simple black polymer frame for a quiet yet stunning side view. All three polyurethane colors include an anti-microbial (silver ion based).

The soft curves of the Auburn back flows effortlessly into its artful armrests, creating a beautiful seating solution. Curved aluminum fixed arm with elegantly integrated black Polymer armrests. The back of the chair offers a gentle, single tuft line, creating a subtle yet memorable design statement. Waterfall seat pan with generous space and perfect stitching on the slim, comfortable foam provides long term comfort for users. Functional adjustments are easy to reach and thoughtfully integrated beneath the seat pan, allowing form to truly follow function with a minimal aesthetic

The Auburn chair offers speed and simplicity through the three-day ship, Express Seating Program. Offered in Auburn Black, Auburn Grey, and Auburn Caramel polyurethane, Auburn provides an elegant visual in any work environment. Auburn express ships in three days and can be ordered assembled for a small up-charge. (Auburn can be easily assembled in minutes.)



Auburn Black Conference Chair



Auburn Grey Conference Chair (Front)



Auburn Caramel Conference Chair

FEATURES AND BENEFITS

Auburn Seating

- High back with built in flexibility and upper back support
- Express available to ship in 3 days in Auburn Grey, Auburn Black, or Auburn Caramel
- PVC Free Polyurethane, standard with Anti-Microbial
- Fixed aluminum arm with black arm pad
- Weight activated mechanism
- Chrome frame standard
- 4 position back lock
- Hard casters
- 300 pound rating
- Ships ready to assemble

PRODUCT SPECIFICATIONS

Auburn Seating

Weight: 40 lbs. *Overall Depth:* 30.25” *Overall Height:* 38.5” - 42.25” *Seat Height:* 16.5” - 20.3” *Seat Depth:* 17.19” - 19.25” *Seat Width:* 18.40” *Back Height:* 23.50” *Arm Height:* 7.70” *Lumbar Apex Height:* 5.75” *Width Between Armrests:* 19.30”

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

EXPRESS AUBURN CHAIRS



Auburn Black Conference Chair (Express)
Model 7700



Auburn Grey Conference Chair (Express)
Model 7730



Auburn Caramel Conference Chair (Express)
Model 7750

Model Number	Description	Base	Mechanism	Arms	Back/Seat Upholstery	List Price
7700	Black Conference Chair (Express)	Aluminum	Weight-Activated Synchro-Tilt with Automatic Tension	Fixed Aluminum Arm	Black PVC Free Polyurethane (Anti-Microbial)	1,152
7730	Grey Conference Chair (Express)	Aluminum	Weight-Activated Synchro-Tilt with Automatic Tension	Fixed Aluminum Arm	Grey PVC Free Polyurethane (Anti-Microbial)	1,152
7750	Caramel Conference Chair (Express)	Aluminum	Weight-Activated Synchro-Tilt with Automatic Tension	Fixed Aluminum Arm	Caramel PVC Free Polyurethane (Anti-Microbial)	1,152

PACKAGING OPTIONS

Description	List
Knocked Down (Standard; Simple Tools Required)	+0
Fully Assembled (FA)	+97

CASTER OPTIONS

Description	Model Number	List
Soft Wheel Caster Pack	60MMSOFT	+43

© 2026, AIS, Inc.

PRODUCT INFORMATION

Designed to make a stylish impression whether you're gathering at the counter, table, or engaged in the private office. The lightweight Itzee side chair and stool bring sleek modern design and a slim profile to any workspace. You'll enjoy the soft organic curves and waterfall edge that provide the comfort of a fully upholstered chair.



Itzee Side Chair with 4-Leg Base



Itzee Counter Height Stool with 4-Leg Base



Itzee Bar Height Stool with 4-Leg Base



Itzee Side Chair with Sled Base



Itzee Counter Height Stool with Sled Base



Itzee Bar Height Stool with Sled Base

FEATURES AND BENEFITS

- Family of seating including bar stool, counter height stool, and side chair.
- All models available with 4-leg base or sled base option
- Fully upholstered one-piece shell with unique design details like the intentional seam detail and beautiful waterfall edge.
- High-density foam upholstered in a wide range of AIS upholstery options.
- COM's not available.
- 4-Leg models come standard with black glides
- Sled base models come standard with high impact clear plastic glide with non-marring felt pad.
- Frames available in black, white or silver.
- Itzee seating is not stackable.
- 300 pound rating

PRODUCT SPECIFICATIONS

Model	Weight (lbs)	Height (Inches)	Width (Inches)	Depth (Inches)	Seat Height (Inches)	Seat Width (Inches)	Seat Depth (Inches)
Itzee Side Chair, 4-Leg Base	15	32	19	19	19	17	15
Itzee Side Chair, Sled Base	13	32	21	20	19	17	15
Itzee Counter Stool, 4-Leg Base	18	33	18	18	25	17	15
Itzee Counter Stool, Sled Base	17	33	20	18	25	17	15
Itzee Bar Stool, 4-Leg Base	19	39	19	19	31	17	15
Itzee Bar Stool, Sled Base	19	39	21	19	31	17	15

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

ITZEE CHAIR MODELS AND OPTIONS



Itzee Side Chair, 4-Leg Base
Model 7210



Itzee Side Chair, Sled Base
Model 7215



Itzee Counter Height Stool, 4-Leg Base
Model 7220



Itzee Counter Height Stool, Sled Base
Model 7225



Itzee Bar Height Stool, 4-Leg Base
Model 7230



Itzee Bar Height Stool, Sled Base
Model 7235

Model Number	Description	Frame	Upholstery	List Price
7210	Side Chair, 4-Leg Base	Black, White, or Silver Frame	See Options Below	838
7215	Side Chair, Sled Base	Black, White, or Silver Frame	See Options Below	794
7220	Counter Height Stool, 4-Leg Base	Black, White, or Silver Frame	See Options Below	953
7225	Counter Height Stool, Sled Base	Black, White, or Silver Frame	See Options Below	920
7230	Bar Height Stool, 4-Leg Base	Black, White, or Silver Frame	See Options Below	1,047
7235	Bar Height Stool, Sled Base	Black, White, or Silver Frame	See Options Below	1,011

SEAT UPHOLSTERY OPTIONS

Description	List
Grade A	+0
Grade B / alta	+45
Grade C	+60
Grade D	+75
Grade E	+89

© 2026, AIS, Inc.

PRODUCT INFORMATION

Grafton, is a robust mesh back side chair that can be stacked. Offering clean lines and sleek design, it's the perfect companion to Upton and Natick. The refined Grafton is ideally suited as a guest or visitor chair but will also serve its purpose in cafeteria, dining rooms, waiting rooms, or any area where extra seating is required. Grafton ships fully assembled.



Grafton Express Side Chair



Grafton Side Chair (Black Frame)



Grafton Side Chair (Silver Frame)

FEATURES AND BENEFITS

- Mesh back
- Upholstered seat
- Black or silver frame
- Polypropylene arm rests
- Oval tube frame
- Stacks four high on the floor
- 300 pound rating
- CAL117 compliant
- Express Model: Black seat fabric, black mesh, 3 day ship

PRODUCT SPECIFICATIONS

Grafton Side Chair

Weight: 30 lbs. *Overall Width:* 23.75" *Overall Depth:* 23.5" *Overall Height:* 32" *Seat Height:* 17.75" *Seat Depth:* 16.25" *Seat Width:* 18" *Arm Height:* 9" *Lumbar Apex Height:* 9"

Rev. Mar 2, 2026
© 2026, AIS, Inc.

EXPRESS GRAFTON CHAIRS



Grafton Side Chair (Express)
Model 4000

Model Number	Description	Frame	Mesh	Seat Upholstery	List Price
4000	Black Mesh and Fabric Side Chair (Express)	Black	Black	Black Seat Fabric	588

GRAFTON CHAIR MODEL AND OPTIONS



Grafton Configurable Side Chair (Black Frame)
4000C



Grafton Configurable Side Chair (Silver Frame)
4060C

Model Number	Description	Frame	Mesh	Seat Upholstery	List Price
4000C	Black Mesh and Fabric Side Chair	Black	Black	See Options Below	588
4060C	Black Mesh and Fabric Side Chair	Silver	Mesh	See Options Below	588

SEAT UPHOLSTERY OPTIONS

Description	List
Black Seat Fabric (Standard)	+0
Grade A / COM*	+98
Grade B / alta	+122
Grade C	+143
Grade D	+169
Grade E	+200

*Does not include cost of COM

PACKAGING OPTIONS

Description	Net Price
Shipped Three Per Carton (Chairs Only)	+0
Pack Fee per Chair* (If less than multiple of three)	+20

*Pack fees are net prices and will not be discounted.

© 2026, AIS, Inc.

PRODUCT INFORMATION

Paxton, a perfect companion to the Bolton chair, is a stackable mesh back side chair with soft edges. It's thoughtfully designed seat cushion offers comfort and support. The lightweight side chair is ideally suited for use in cafeteria, training spaces, classrooms, waiting rooms, auditoriums or any area where extra seating is required. Paxton can also be used as a cost-effective side or guest chair. Paxton ships ready to assemble. In the event you require these chairs to be fully assembled please indicate this in the sales notes and add $97 to the list price.



Paxton Side Chair on Glides



Paxton Side Chair on Casters

FEATURES AND BENEFITS

- Fabric seat
- Black mesh back
- Polypropylene arm rests
- Glide or caster version (soft caster)
- Paxton on glides stack six high on the floor; Paxton on casters do not stack.
- 300 pound rating
- Express Model: Black seat fabric, black mesh, 3 day ship
- CAL117 compliant, optional CAL133 compliance
- Shipped ready to assemble, optional fully assembled shipment
- Paxton with casters measures 25.5" from the top of the arm rest to the floor.

PRODUCT SPECIFICATIONS

Paxton Side Chair with Glides or Casters

Weight: 15 lbs. *Overall Width:* 23" *Overall Depth:* 21" *Overall Height:* 32" *Seat Height:* 18" *Seat Depth:* 17.5" *Seat Width:* 18" *Arm Height:* 9" *Lumbar Apex Height:* 9"

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

EXPRESS PAXTON CHAIRS



Paxton Side Chair on Glides (Express)
Model 3400



Paxton Side Chair on Casters (Express)
Model 3430

Model Number	Description	Frame	Seat Upholstery	Base	List Price
3400	Side Chair on Glides (Express)	Black	Black	Glides*	347
3430	Side Chair on Casters (Express)	Black	Black Seat Fabric	Soft Wheel Caster*	363

PAXTON CHAIR MODEL AND OPTIONS



Paxton Configurable Side Chair on Glides
Model 3400C



Paxton Configurable Side Chair on Casters
Model 3430C

Model Number	Description	Frame	Seat Upholstery	Base	List Price
3400C	Configurable Side Chairs on Glides	Black	See Options Below	Glides	347
3430C	Configurable Side Chair on Casters	Black	See Options Below	Soft Wheel Caster*	363

*Paxton chairs with casters have a unique frame, therefore they are not field interchangeable.

© 2026, AIS, Inc.

3400C, 3430C MODELS AND OPTIONS

SEAT UPHOLSTERY OPTIONS

Description	List
Black Seat Fabric (Standard)	+0
Grade A / COM*	+98
Grade B / alta	+122
Grade C	+143
Grade D	+169
Grade E	+200

*Does not include cost of COM

PACKAGING OPTIONS

Description	List
Knocked Down (Standard; Simple Tools Required)	+0
Fully Assembled (FA)	+97

FIRE CODE OPTIONS

Description	List
CAL 117 (Standard)	+0
CAL 133	+125

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

PRODUCT INFORMATION

Introducing the Paxton XL, where thoughtful design meets uncompromising support. Built to accommodate up to 400lbs, this chair isn't just strong—it's inclusive. With a wider seat, reinforced frame, and ergonomic cushioning, it offers comfort and confidence to all who sit in it.

Whether used in a healthcare facility, office, waiting area, or home, the Paxton XL ensures everybody has a seat at the table. Designed for long-lasting durability and everyday comfort, it blends form and function in a way that truly welcomes everyone.

Because creating inclusive spaces starts with the simple act of providing a place to sit—comfortably, safely, and with dignity.



Paxton XL Side Chair

FEATURES AND BENEFITS

- Fabric seat
- Black mesh back
- Polypropylene arm rests
- Casters not available on Paxton XL
- 400 pound rating
- Express Model: Black seat fabric, black mesh, 3 day ship
- CAL117 compliant, optional CAL133 compliance
- Shipped ready to assemble, optional to ship fully assembled
- Paxton with casters measures 25.5" from the top of the arm rest to the floor.

PRODUCT SPECIFICATIONS

Paxton XL Side Chair

Weight: 40 lbs. *Overall Width:* 28" *Overall Depth:* 28" *Overall Height:* 34" *Seat Height:* 20" *Seat Depth:* 19" *Seat Width:* 23" *Arm Height:* 26"

© 2026, AIS, Inc.

EXPRESS PAXTON XL CHAIR



Paxton XL Side Chair (Express)
Model 3470

Model Number	Description	Frame	Mesh	Seat Upholstery	Base	List Price
3470	Paxton XL Side Chair	Black	Black	Black	Glides	546

PAXTON XL CHAIR MODEL AND OPTIONS



Paxton XL Configurable Side Chair
Model 3470C

Model Number	Description	Frame	Mesh	Seat Upholstery	Base	List Price
3470C	Paxton XL Configurable Side Chair	Black	Black	See Options Below	Glides	546

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

3470C MODELS AND OPTIONS

SEAT UPHOLSTERY OPTIONS

Description	List
Black Seat Fabric (Standard)	+0
Grade A / COM*	+98
Grade B / alta	+122
Grade C	+143
Grade D	+169
Grade E	+200

*Does not include cost of COM

PACKAGING OPTIONS

Description	List
Knocked Down (Standard; Simple Tools Required)	+0
Fully Assembled (FA)	+97

FIRE CODE OPTIONS

Description	List
CAL 117 (Standard)	+0
CAL 133	+125

© 2026, AIS, Inc.

PRODUCT INFORMATION

The Devens Side Chair is a natural complement to both the Devens Task Chair and the Devens Stool. This cantilevered stacking chair provides an elegant and light look whether used in a private office as guest seating or by itself in a meeting room. The curved mesh back mimics the contour of the spine for added comfort. Chairs can be stacked up to four high when not in use.

Add a pop of color with a range of seat upholstery options offering your choice of black or grey mesh back. Seat is available with a variety of coordinated AIS Graded upholsteries (standard seating lead time.) The chair is also offered in two express models: black and grey mesh with coordinating express seat upholstery.



Devens Black Side Chair



Devens Grey Side Chair



Devens Side Chair Stacked (Shown Four Stacked)

FEATURES AND BENEFITS

- Express Models (three-day ship) offered in grey mesh with grey seat upholstery and black mesh with black seat upholstery
- Configurable seat option available with a wide array of AIS upholsteries, choose from either black or grey mesh back (Standard Seating Lead Time)
- Black or grey armcaps will align with back mesh color selection
- Polished aluminum cantilevered frame
- Two mesh back colors: grey mesh for grey seat, black mesh for black seat
- Generous and comfortable upholstered seat pan
- Stacks four high on the floor
- BIFMA level certified
- CAL 117 fire code compliant
- Ships knock-down
- COM's available by request

PRODUCT SPECIFICATIONS

Devens Side Chair

Weight: 23lbs. *Overall Width:* 22.5" *Overall Depth:* 22.7" *Overall Height:* 32.55" *Seat Height:* 17.3" *Seat Depth:* 18.31" *Seat Width:* 17.1" *Width Between Armrests*: 19.1 *Arm Height:* 8.75" *Lumbar Apex Height:* 8.5"

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

EXPRESS DEVENS CHAIRS



Devens Black Side Chair (Express)
Model 4657



Devens Grey Side Chair (Express)
Model 4667

Model Number	Description	Frame	Mesh	Seat Upholstery	List Price
4657	Black Side Chair (Express)	Polished Aluminum	Black	Black	615
4667	Grey Side Chair (Express)	Polished Aluminum	Grey	Grey	653

DEVENS CHAIR MODELS AND OPTIONS



Devens Configurable Black Side Chair
Model 4657C



Devens Configurable Grey Side Chair
Model 4667C

Model Number	Description	Frame	Mesh	Seat Upholstery	List Price
4657C	Configurable Black Side Chair	Polished Aluminum	Black	See Options Below	615
4667C	Configurable Grey Side Chair	Polished Aluminum	Grey	See Options Below	653

© 2026, AIS, Inc.

4657C AND 4667C MODELS AND OPTIONS

SEAT UPHOLSTERY OPTIONS

Description	List
Grade A / COM*	+98
Grade B / alta	+118
Grade C	+138
Grade D	+159
Grade E	+185

*Does not include cost of COM

PACKAGING OPTIONS

Description	List
Knocked Down (Standard; Simple Tools Required)	+0
Fully Assembled (FA)	+97

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

PRODUCT INFORMATION

The Pierce multi-purpose side chair offers versatility in training, meeting and waiting rooms as well as cafeteria and offices. Pierce is available as a chair as well as a 28.5" (seat height) stool. The Pierce offers clean lines, outstanding fit and finish all resulting in a sophisticated and utilitarian multi-purpose chair and stool at an outstanding price point.

The Pierce chair is available with casters or glides, the stool is only offered on glides. The chair stacks up to eight on the floor. Pierce chair ships with back assembled and seat unassembled, minimal assembly required.



Pierce Side Chair on Casters (Black)



Upholstered Pierce Side Chair on Glides (Grey)



Pierce Side Chair on Glides (Shown 8 Stacked)



Pierce Stool (Surf)

FEATURES AND BENEFITS

- Grey powder-coated smooth frame
- Chair with 18" seat height
- Stool with 28.5" seat height
- Hard or soft wheel casters or glides on chair. Casters and glides interchangeable
- Wall saver leg configuration
- Stool on glides
- Shell colors available: Baltic Blue, Black, Brownstone, Grey, Kelly Green, Surf, or White
- Stacks 8 high on floor
- Stacks 10 (with casters) or 15 (with glides) high on dolly
- Optional upholstered seat shell (CAL117 compliant)
- 300 pound rating
- Plastic shell Pierce chairs ship in 3 day (Express)

PRODUCT SPECIFICATIONS

Pierce Side Chair

Weight: 15 lbs. *Overall Width:* 20" *Overall Depth:* 23.5" *Overall Height:* 34" *Seat Height:* 18" *Seat Depth:* 17.5" *Seat Width:* 18"

Pierce Stool

Weight: 23 lbs. *Overall Width:* 20" *Overall Depth:* 23.5" *Overall Height:* 40" *Seat Height:* 28.5" *Seat Depth:* 17.5" *Seat Width:* 18"

© 2026, AIS, Inc.

EXPRESS PIERCE CHAIRS



Pierce Side Chair on Glides (Express)
Model 3500



Pierce Side Chair on Casters (Express)
Model 3530



Pierce Stool (Express)
Model 3570

Model Number	Description	Frame	Shell Color	Seat Upholstery	List Price
3500XX	Side Chair on Glides (Express)	Grey Frame	See color options below	None	347
3530XX	Side Chair on Hard Wheel Casters (Express)	Grey Frame	See color options below	None	363
3570XX	Stool (Express)	Grey Frame	See color options below	None	546

PIERCE CHAIR MODELS AND OPTIONS



Pierce Configurable Side Chair on Casters
Model 3530C



Pierce Configurable Side Chair on Glides
Model 3500C



Pierce Configurable Stool
Model 3570C

Model Number	Description	Frame	Shell Color	Seat Upholstery	List Price
3500CXX	Configurable Side Chair on Glides	Grey Frame	See color options below	See Options Below	347
3530CXX	Configurable Side Chair on Hard Wheel Casters	Grey Frame	See color options below	See Options Below	363
3570CXX	Configurable Stool	Grey Frame	See color options below	See Options Below	546

Note:
Replace “XX” in model number with color code number seen below to specify order color. Example: “3500WT” would be the Pierce Express Side Chair on Glides with a white shell and “3530CBK” would be Pierce Configurable Side Chair on Casters with a black shell.

Rev. Mar 2, 2026
© 2026, AIS, Inc.

3500C, 3530C, 3570C MODELS AND OPTIONS

COLOR OPTIONS

Description	Color Code
Baltic Blue	BB
Black	BK
Brownstone	BO
Grey	GR
Kelly Green	KG
Surf	BU
White	WT

SEAT UPHOLSTERY OPTIONS

Description	List
Grade A / COM*	+98
Grade B / alta	+122
Grade C	+143
Grade D	+169
Grade E	+200

*Does not include cost of COM

PACKAGING OPTIONS

Description	Net Price
Shipped Three per Carton (Chairs Only)	+0
Pack Fee per Chair* (if shipped less than multiple of three)	+20

*Pack fees are net prices and will not be discounted.

CASTER OPTIONS

Description	Model Number	List
Hard Wheel Casters for Soft Floors (Standard)	3500CA	+0
Soft Wheel Casters for Hard Floors		+43
Soft Wheel Caster Pack	3500-CASOFT	+43

ADDITIONAL ACCESSORIES

Description	Model Number	List
3500 Dolly	3500DOLLY	+551
Pierce Glides* (set of 4)	3500-GLIDE	+51

Dolly Dimensions: 34” x 23.5” x 20.5”

*Pierce glides can be swapped for casters in the field.

© 2026, AIS, Inc.

PRODUCT INFORMATION

Collaboration, movement, sit-stand are key terms used to describe the Rutland perch. The height adjustable perch lends itself well for sit-stand applications, labs or other environments where perching is common. Rutland ships fully assembled.



Rutland Perch

FEATURES AND BENEFITS

- Black base/column cover/outer seat
- Pneumatic seat height adjustment
- Upholstered seat
- Tilts up to 7° degrees
- 300 pound rating
- CAL117 compliant

PRODUCT SPECIFICATIONS

Rutland Perch Stool

Weight: 17 lbs. *Overall Width:* 17” *Seat Height:* 15.5” *Seat Height:* 23” - 30”

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

CONFIGURABLE RUTLAND PERCH



Rutland Perch
Model 6470C

Model Number	Description	Seat Shell/Base	Seat Upholstery	List Price
6470C	High Perch Chair	Black	See Options Below	521

6470C MODEL AND OPTIONS

SEAT UPHOLSTERY OPTIONS

Description	List
Black Fabric (Express Ship)	+0
Grade A / COM*	+67
Grade B / alta	+85
Grade C	+104
Grade D	+125
Grade E	+143

*Does not include cost of COM

© 2026, AIS, Inc.

PRODUCT INFORMATION

The Stow nesting/training chair offers versatility in training, meeting rooms and offices. Stow offers clean lines, outstanding fit and finish all resulting in a sophisticated dynamic multi-purpose chair at an outstanding price point.

Several configurations and options are offered; grey powder-coated frame, with arms or without arms, casters or glides, numerous mesh back and seat upholstery options, an optional tablet arm, an optional ganging device. The Stow back allows for free movement/reclination and can be locked in place by turning the two "knobs" on the side of the lower back. The tablet arm comes with a spring loaded cup holder; the tablet arm flips up and rotates out of the way for easy storage and can nest with the tablet arm installed.

Stow ships ready to assemble, it requires two fasteners/screws to be installed and the frame pivot bolts to be tightened to put it in action.



Stow Training Chair with Red Mesh on Glides with Tablet Arm (Down Position)



Stow Training Chair without Arms and with Red Mesh on Glides



Stow Training Chairs with Arms and Multi-Color Mesh on Casters in Nesting Position

FEATURES AND BENEFITS

- Grey powder-coated frame
- Flip seat (Nester)
- Free float/reclining back
- Back lock
- With or without arms
- Casters or glides (interchangeable)
- Black or colored mesh back
- Black or graded-in seat fabrics, COMs
- Fold-away right-handed tablet arm optional (includes cup holder; armed model only)
- Optional ganging device
- CAL117 compliant, optional CAL133 compliance
- 300 pound rating
- Express Model: Black seat fabric, black mesh, 3 day ship

PRODUCT SPECIFICATIONS

Stow Training Chairs with Arms

Weight: 18 lbs. *Overall Width:* 26" *Overall Depth:* 24" *Overall Height:* 34" *Seat Height:* 18" *Seat Depth:* 17" *Seat Width:* 20" *Arm Height:* 9" *Lumbar Apex:* 9"

Stow Training Chairs without Arms

Weight: 18 lbs. *Overall Width:* 26" *Overall Depth:* 24" *Overall Height:* 34" *Seat Height:* 18" *Seat Depth:* 17" *Seat Width:* 20" *Lumbar Apex:* 9"

Nesting Measurements for Stow Training Chairs with and without Arms

First Chair from Wall: 21.5" *Second Chair from Wall:* 28.2" *Nesting Distance:* 6.7" added to 28.2" for each additional chair

Nesting Measurements for Stow Training Chairs with Tablet Arm

First Chair from Wall: 21.5" *Second Chair from Wall (Tablet Down):* 34.5" *Nesting Distance (Tablet Down):* 13" added to 34.5" for each additional chair
Second Chair from Wall (Tablet Up): 46.5" *Nesting Distance (Tablet Up):* 25" added to 46.5" for each additional chair

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

EXPRESS STOW CHAIRS



Stow Training Chair with Arms (Express)
Model 6800

Model Number	Description	Frame	Base	Arms	Back Mesh	Seat Upholstery	List Price
6800	Training Chairs with Arms (Express)	Grey Frame	Casters	Fixed Arms	Black	Black	609

STOW CHAIR MODELS AND OPTIONS



Stow Configurable Training Chair with Arms
Model 6800C



Stow Configurable Training Chair without Arms
Model 6820C

Model Number	Description	Frame	Base	Arms	Back Mesh	Seat Upholstery	List Price
6800C	Configurable Training Chair with Arms	Grey Frame	Casters	Fixed Arms	See Options Below	See Options Below	609
6820C	Configurable Training Chair without Arms	Grey Frame	Casters	No Arms	See Options Below	See Options Below	576

© 2026, AIS, Inc.

6800C, 6820C MODELS AND OPTIONS

SEAT UPHOLSTERY OPTIONS

Description	List
Black Seat Fabric (Standard)	+0
Grade A / COM*	+98
Grade B / alta	+122
Grade C	+143
Grade D	+169
Grade E	+200

*Does not include cost of COM

BACK MESH COLOR

Description	List
Black and Black Striped Mesh (Standard)	+0
Black and Grey Striped Mesh	+86
Black and Red Striped Mesh	+86
Black and Blue Striped Mesh	+86
Black and Green Striped Mesh	+86
Black and White Striped Mesh	+86

BASE OPTIONS

Description	Model Number	List
Glides		+0
Hard Wheel Casters (Standard)		+0
Soft Wheel Casters		+43
Soft Wheel Caster Pack	3500-CASOFT	+43

FIRE CODE OPTIONS

Description	List
CAL 117 (Standard)	+0
CAL 133 (Grade A and above)	+125

PACKAGING OPTIONS

Description	List
Knocked Down (Standard; Simple Tools Required)	+0
Fully Assembled (FA)	+49

ADDITIONAL ACCESSORIES

Description	Model Number	List
Tablet Arm with Cup Holder* (Field Installable)	6800TABLET	+206
Ganging Device (Set of Four) (Field Installable)	6800GANG	+140


*For use with armed models (6800 and 6800C) only. Tablet arm available as right-handed only.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

PRODUCT INFORMATION

Collaboration, movement, sit-stand are key terms used to describe the Sulli Perch. The height adjustable perch is an ideal solution in healthcare applications, class and training rooms, laboratories, collaborative settings, libraries as well as offices where short term occasional pull-up (visitor) seating is required. The unique stretchable fabric is water and oil resistant and is treated with an anti-staining treatment.

Sulli ships ready to assemble, no tools required.



Sulli Perch

FEATURES AND BENEFITS

- Perch swivels on base
- Perch tilts 5 degrees
- Black base and strap
- Polyamide/spandex upholstery (water/oil resistant, anti-staining treatment)
- Pneumatic seat height adjustment
- 300 pound weight rating
- Color: Hot Red
- 3-day shipping on all models.

PRODUCT SPECIFICATIONS

Sulli Perch

Weight: 16 lbs. *Overall Width:* 15" *Seat Width:* 15" *Seat Height:* 19.5" - 25.5"

© 2026, AIS, Inc.

EXPRESS SULLI PERCH



Sulli Perch
Hot Red
Model 8088RE

Model Number	Description	Seat Base	Seat Upholstery	List Price
8088	Low Perch	Black	Hot Red	529

8088 MODELS AND OPTIONS

UPHOLSTERY COLOR

Description	Color Code
Hot Red	RE

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

PRODUCT INFORMATION

Triad is a lightweight high density stack chair that stacks up to 40 on a dolly. Triad offers an optional tablet arm and/or book rack. Triad is available in a stool version as well. Triad offers flexibility and ease of use in cafeteria, training spaces, classrooms, auditoriums or any area where extra seating is required. Triad chair ships fully assembled, Triad stool requires minimal assembly (Express 3 day ship.)



Triad Multi-Purpose Stack Chair (Black)



Triad Multi-Purpose Stack Chair with Tablet Arm and Book Rack (Light Grey)



Triad Stool (Black)



Triad Stool (White)

FEATURES AND BENEFITS

Triad Stack

- Polypropylene seat and back shells
- Available in white, black and light grey*
- Wire solid steel rod polished chrome frame
- Perforated back for thermal comfort
- Stacks 40 high on a dolly
- Stacks 8 high on the floor
- Factory-installed polypropylene ganging glide
- Black tablet arm option
- Book rack option
- Dolly option
- 300 pound rating
- Express 3 day ship

Triad Stool

- Polypropylene seat and back shells
- Available in white and black*
- Wire solid steel rod polished chrome frame
- Perforated back for thermal comfort
- Flexible back for comfort flex
- 300 pound rating
- Express 3 day ship

*Other shell colors are available when quantity is greater than 400. Extended lead time applies.

PRODUCT SPECIFICATIONS

Triad Stack

Weight: 14 lbs. *Overall Width:* 21" *Overall Depth:* 22.5" *Overall Height:* 32" *Seat Height:* 18.5" *Seat Depth:* 17" *Seat Width:* 18" *Lumbar Apex Height:* 9"

Triad Stool

Weight: 21 lbs. *Overall Width:* 21" *Overall Depth:* 22.5" *Overall Height:* 43.5" *Seat Height:* 30.5" *Seat Depth:* 17" *Seat Width:* 18" *Lumbar Apex Height:* 9"

© 2026, AIS, Inc.

EXPRESS TRIAD CHAIRS



Triad Multi-Purpose Stack Chair (Express)
Model 3100



Triad Multi-Purpose Stool (Express)
Model 3130

Model Number	Description	Frame	Shell Color	Base Model Price
3100XX	Multi-Purpose Stack Chair	Polished Chrome	Black, White, Light Grey	278
3130XX	Multi-Purpose Stool	Polished Chrome	Black, White	410

Note:
Replace “XX” in model number with color code number seen below to specify order color. Example: “3100BK” would be the Triad Multi-Purpose Stack Chair with a black shell.

COLOR OPTIONS

Description	Color Code
Black	BK
White	WT
Light Grey*	GY

*Available for the 3100 model only.

PACKAGING OPTIONS

Description	Net Price
Shipped Four per Carton	+0
Pack Fee per Chair* (If shipped less than multiple of four for chairs / multiple of two for stools)	+20

*Pack fees are net prices and will not be discounted.

ADDITIONAL ACCESSORIES

Description	Model Number	List
Book Rack (Field Installable)	3100BOOK	+135
Tablet Arm (Field Installable)	3100TABLET	+184
Dolly (Holds up to 40)	3100DOLLY	+420

Dolly Height with Max. Capacity (40 Triads): 85”
Dolly Width with Max. Capacity (40 Triads): 24”
Dolly Length with Max. Capacity (40 Triads): 47”

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

PRODUCT INFORMATION

Trix is a sturdy utilitarian side/guest chair upholstered as you wish. Trix is available with or without arms; Trix with arms is also available with casters. The chairs are ideally suited as a guest or visitor chair but will also serve its purpose in cafeteria, dining rooms, waiting rooms, or any area where extra seating is required.

The Trix chairs can be “dressed up” with any AIS upholstery material or Customer Own Material. The strength and durability of the black powder coated steel frame, plywood shells, and engineered plastic components allow for many years of use. Black polypropylene armrests allow for comfortable support. Trix ships fully assembled.



Trix Side Chair with Arms



Trix Side Chair on Glides



Trix Side Chair on Casters

FEATURES AND BENEFITS

- Upholstered back
- Upholstered seat
- Available with polypropylene arms or armless
- Stacks four high on floor or ten high on dolly (non-caster version only)
- 300 pound rating
- Available with hard or soft wheel casters
- CAL117 compliant

PRODUCT SPECIFICATIONS

Stackable Side Chair on Glides

Weight: 18 lbs. *Overall Width:* 20” *Overall Depth:* 23.5” *Overall Height:* 34” *Seat Height:* 18” *Seat Depth:* 17.5” *Seat Width:* 18”

Stackable Side Chair with Arms

Weight: 22 lbs. *Overall Width:* 23.5” *Overall Depth:* 23.5” *Overall Height:* 34” *Seat Height:* 18” *Seat Depth:* 17.5” *Seat Width:* 18” *Arm Height:* 9”

Side Chairs on Casters

Weight: 22 lbs. *Overall Width:* 23.5” *Overall Depth:* 22.5” *Overall Height:* 34.25” *Seat Height:* 18.25” *Seat Depth:* 17.5” *Seat Width:* 18” *Arm Height:* 9”

© 2026, AIS, Inc.

TRIX CHAIR MODELS AND OPTIONS



Trix Configurable Side Chair on Glides
Model 661UBK



Trix Configurable Side Chair with Arms
Model 662UBK



Trix Configurable Side Chair on Casters
Model 665UBK

Model Number	Description	Frame	Base	Arms	Seat Upholstery	List Price
661UBK	Configurable Side Chair on Glides	Black Frame	Glides	No Arms	See Options Below	571
662UBK	Configurable Side Chair with Arms	Black Frame	Glides	Fixed Armed	See Options Below	619
665UBK	Configurable Side Chair with Casters	Black Frame	Hard Wheel Casters	Fixed Arms	See Options Below	677

SEAT UPHOLSTERY OPTIONS

Description	List
Grade A / COM*	+0
Grade B / alta	+41
Grade C	+80
Grade D	+120
Grade E	+185

*Does not include cost of COM

BASE OPTIONS

Description	List
Hard Wheel Casters (Standard)	+0
Soft Wheel Casters	+43
Glides	+0

FIRE CODE OPTIONS

Description	List
CAL 117 (Standard)	+0
CAL 133 (Grade A and above)	+125

PACKAGING OPTIONS

Description	Net Price
Shipped Two per Carton (Non-caster versions only)	+0
Pack Fee per Chair* (If shipped less than multiple of two)	+20

*Pack fees are net prices and will not be discounted.

ADDITIONAL ACCESSORIES

Description	Model Number	List
Dolly, 20.5”W x 34”D x 36.5”H with Casters	654	+603
Ganging Device	600GB	+67

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

National Showrooms:

Leominster
AIS Headquarters
25 Tucker Drive
Leominster, MA 01453

Chicago
The Merchandise Mart
Suite 391
Chicago, Illinois 60654

New York
AIS New York
257 Park Avenue South
New York, New York 10010

Washington, D.C.
AIS Washington, D.C.
1501 M St, NW, STE 230
Washington, D.C. 20005

GSA Sales
GSA Contract 47QSMA20D08Q4
Multiple Award Schedule (MAS)
Large Category: Furniture & Furnishings
Subcategories: Office Furniture, Packaged Office Furniture and Furniture Services

For additional information on AIS:
Dealer Showrooms, Representative Directory, Project Case Studies, Online Catalog & Product Showcase
Visit: **www.ais-inc.com**

AIS

800.434.7400 | 978.562.7500 | Fax: 978.562.0811 | www.ais-inc.com | March 2026

SUPPORT & STORAGE

March 2026 Price List

AIS

PRODUCT INFORMATION

Support, Storage and Screens Statement of Line . . . 3
Support, Storage and Screen Finish Options . . . 7
Support, Storage and Screen Finish Options . . . 10
L Series Storage Details . . . 10
Laminate Storage Details . . . 12

SUPPORT

Support Product Details . . . 14
Full Laminate Support Panels . . . 16
A-Legs . . . 18
N-Legs . . . 19
O-Legs . . . 20
Combination Legs . . . 21
Freestanding Legs . . . 22
Day-to-Day Electric Height Adjustable Table Bases . . . 25
E Series Electric Height Adjustable Table Bases . . . 26
Panel Mounted Shelf Cantilevers and Shelf Surfaces . . . 27
Worksurface Risers, U-Channels and Flat Plates . . . 28

STORAGE

Storage Product Details . . . 29
L Series Structural Pedestals . . . 30
12” Wide L Series Mobile Pedestals . . . 31
L Series Mobile Pedestals . . . 32
Laminate Front L Series Mobile Pedestals . . . 33
Storage Accessories . . . 34
L Series 2, 3, 4 and 5-Drawer Lateral Files . . . 36
Lateral Wraps for 2-Drawer Lateral Files . . . 37
Lateral Wraps for 3-Drawer Lateral Files . . . 38
L Series Freestanding Conversion Kits and Laminate Top Spanners . . . 39
L Series BBF Wardrobe Towers with Cupboard . . . 40
L Series FF Wardrobe Towers with Cupboard . . . 41
L Series BBF Wardrobe Towers with Side Access . . . 42
L Series Bookcases, 2-Door Cabinets, Shelves and Laminate Tops . . . 43
Freestanding Type C Hutches . . . 44
Freestanding Laminate Front Type C Hutches . . . 45
Freestanding Type D Hutches . . . 46
Freestanding Open Shelf Hutches and Bar Pulls . . . 47
Matrix Mounted Open Overheads . . . 48
Matrix Mounted Cabinet Door Overheads . . . 49
Matrix Mounted Sliding Door Overheads . . . 50
Matrix and Divi Shared Open Overheads . . . 51
Type C Flipper Door Units . . . 52
Type D Flipper Door Units . . . 53
Sliding Door Units . . . 54
Suspended Utility Storage and Accessories . . . 55

WARRANTY & TERMS AND CONDITIONS


For Warranty & Terms and Conditions please visit:
https://www.ais-inc.com

Note: For Calibrate Height Adjustable Table Storage Bases please refer to Calibrate Series Price List.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

SUPPORT


SUPPORT PANELS




Full Laminate Support Panel A
12 - 96 Depths




Full Laminate Support Panel B
12 - 96 Depths




Full Laminate Support Panel C
12 - 96 Depths



Full Laminate Support Panel D
12 - 96 Depths




Full Laminate Support Panel E
12 - 96 Depths




Full Laminate Support Panel F
12 - 96 Depths


LEGS AND BASES




1 x 2 Post Freestanding A-Leg




2.5 x 2.5 Post A-Leg




2.5 x 2.5 Post N-Leg
With or Without Caster




O-Leg



Combination Support Legs



Combination Nesting Legs



Straight Leg




Slim Leg




Tapered Leg




Slant Leg




Round Combination Leg
With or Without Caster




Square Post Leg
With or Without Caster




Steel T-Base Legs
With or Without Caster




Steel C-Base Legs
With or Without Caster




Steel X-Base Legs
With or Without Caster




Steel Disc Base




Arc Aluminum T-Base Legs
With or Without Caster




Arc Aluminum Double
T-Base Legs
With or Without Caster




Aluminum X-Base Legs
With or Without Caster




Day-to-Day Height
Adjustable Table Base on Glides




Day-to-Day 90° Electric Height
Adj. Table Bases on Glides




Day-to-Day 120° Electric Height
Adj. Table Bases on Glides




E Series Electric Height Adj.
Table Bases on Glides




Panel Mounted Shelf
Cantilevers




Shelf Surfaces



Worksurface Risers



U-Channels




Flat Plates

© 2026, AIS, Inc.


Storage

STORAGE


PEDESTALS




Structural BBF Pedestals
Metal or Laminate Front
Metal Front Shown




Structural FF Pedestals
Metal or Laminate Front
Metal Front Shown




12" Wide Mobile BF Pedestals
With or Without Cushion
Without Cushion Shown




Mobile BBF Pedestals
Metal or Laminate Front
Metal Front Shown




Mobile FF Pedestals
Metal or Laminate Front
Metal Front Shown




Mobile BF Pedestals
Metal or Laminate Front
Metal Front Shown




Mobile BF Pedestals w/ Cushion
Metal or Laminate Front
Metal Front Shown




Freestanding Pedestal Conversion Kits




Pedestal Accessories




Replacement Loop Pull



Replacement Bar Pull




Replacement L Pull




Replacement Rectangular Pull


LATERALS




2-Drawer Lateral Files
Metal or Laminate Front
Metal Front Shown




Picture Frame Front
3-Drawer Lateral Files




Picture Frame Front
4-Drawer Lateral Files




Picture Frame Front
5-Drawer Lateral Files




Box-File Lateral Files



Lateral Wraps
For 2-Drawer or 3-Drawer Laterals



Freestanding Conversion Kits
Metal or Laminate
Metal Kit Shown




Lateral Laminate
Top Spanner Kits


Rev. Mar 2, 2026
© 2026, AIS, Inc.

STORAGE


WARDROBE TOWERS, BOOKCASES AND CABINETS




BBF Wardrobe Towers w/ Cupboard
Metal, Laminate or Glass Front
Metal Front Shown




FF Wardrobe Towers w/ Cupboard
Metal, Laminate or Glass Front
Metal Front Shown




BBF Wardrobe Towers w/ Side Access




FF Wardrobe Towers w/ Side Access




L Series Bookcases




L Series 2-Door Cabinets



L Series Bookcase Shelves




L Series Bookcase Shelves




L Series 2-Door Cabinet Laminate Tops

HUTCHES




Freestanding Type C Hutches
Metal or Laminate Front, Fabric/Fabric or
White Board/Fabric Utility Board
Metal Front, Fabric/Fabric Board Shown




Freestanding Open Shelf Hutches
Fabric/Fabric or
White Board/Fabric Utility Board
Fabric/Fabric Board Shown


OVERHEADS




8" High Open Overheads




8" High Open Overheads




Sliding Door Overheads
Laminate or Acrylic Door
Laminate Door Shown




Cabinet Door Overheads
Laminate or Acrylic Door
Laminate Door Shown




Shared Open Overheads
System Specific




Type C Flipper Door Units (Cleat Mount)
Metal/Fabric or Laminate Door
Metal/Fabric Door Shown



Type D Flipper Door Units (Cleat Mount)



Sliding Door Unit (Cleat Mount)
Metal or Laminate Door
Metal Door Shown




Cabinet Door Unit (Cleat Mount)
Metal or Laminate Door
Metal Door Shown

© 2026, AIS, Inc.


Storage

STORAGE


SUSPENDED UTILITY STORAGE




Powered Suspended Utility Storage



Non-Powered Suspended Utility Storage



Suspended Utility Pencil Tray



Hanging Folder Kits

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Upholstery Fabric Options

UPHOLSTERY OPTIONS	
Name	**Grade**
Durdle	A
Medley	A
Mirador	A
Palette	A
Terrain	A
Wellesley Polyurethane	A
Beehave	B
Gem	B
Stamper	B
Blazer	D
Performance Alta™	
Frock	B
Mirage	B
Sway	B
CF Stinson Alliance Upholstery	
Apprentice	B
Charlotte	D
Fleck	D
Lateral	D
Flanders	E
Hopsack	E
Outlander	E
Square One	E
Mayer Alliance Upholstery	
Rumba	B
Fedora	C
Havana	C
Lancaster	C
Sydney	C
Channel	D
Engrave	D
Haven	D
Legacy	D
Utopia	E
Momentum Alliance Program	
Bobby	B
Grid	B
Origin	B
Canter	C
Odyssey	C
Tradition	C
Boom II	D
Cover Cloth	D
Point	D
Beta	E
Faux Felt	E

Note: All AIS alta upholstery orders will have alta application as a standard feature. Alta enables virtually any textile to withstand the rigors of real life without leaving a mark. Alta improves repellency to oil and water based stains, is easy to clean and can enhance physical properties of the fibers. The technology is permanent and imperceptible to the eye and hand. To Clean: Blot with a dry towel. If residue remains, flush with warm water. Learn more at applied-textiles.com

COM REPEAT YARDAGE CALCULATION*			
Repeat	**Across Roll**	**Up the Roll**	**2-Way Repeat**
1-5”	Add 10%	Add 15%	Add 15%
6-9”	Add 15%	Add 20%	Add 25%
10-13”	Add 20%	Add 25%	Add 30%
14-20”	Add 25%	Add 30%	Add 35%
21-27”	Add 30%	Add 35%	Add 40%
28-34”	Add 35%	Add 40%	Add 45%

For fabrics 53-54” wide, add 10%.
For fabrics 51-52” wide, add 15%.
For fabrics 48-49” wide, add 18%.
For fabrics under 48” wide, contact Customer Service.

*Additional yardage may be required in the testing and manufacturing of COMs with optional backing. Consult with Customer Service for additional yardage information.

C.O.M. Fabric Policy

- Please view all pre-approved COMs here: https://www.ais-inc.com/resources/fabrics-and-finishes/pre-approved-coms
- It is mandatory that you work directly with your AIS Customer Service Representative for all COM related testing and orders. They will provide all necessary forms to you, as well as work with you with regard to sending in correct yardage and where to send it, along with necessary RA# or #s. Please note an RA must be submitted along with the fabric for testing, as well as an RA created for an actual order.
- Customer Service must be advised as to the width of the fabric rolls being supplied (54”W or 60”W). Customer Service must also be advised if the fabric has a backer.
- Yardage required for the job must be calculated by an AIS Customer Service Rep.
- Once AIS has approved the COM fabric, a fabric sample needs to be marked by the dealer with “Front”, “Top”, and “Bottom”, to be sure fabric is applied correctly. The fabric sample then needs to be attached to a COM Fabric Dealer Form and forwarded to AIS Customer Service. The COM Fabric Dealer Form may be downloaded or printed here.
- Fabrics may be discontinued or obsolete without notice.
- Contact AIS Customer Service with any questions regarding fabric availability.
- All directional fabric will be railroaded.

Note: Graded-in AIS fabrics can not be purchased and applied as COM fabric. Graded-in fabrics must be specified according to the assigned grade and product respectively.

© 2026, AIS, Inc.

Tackboard Fabric Options

VERTICAL SURFACE FABRICS	
Name	**Grade**
Amaze	A
Avenue	A
Cape Cod	A
Engage	A
Mirador	A
New England	A
Rainfall	A
Simplicity	A
Theory	A
Twizzle	A
Lido	B
Marin	B
Nature	B
Off the Grid	B
Purpose	B
Spinel	B
Sprite	B

C.O.M. Fabric Policy

- It is mandatory that you work directly with your AIS Customer Service Representative for all COM related testing and orders. They will provide all necessary forms to you, as well as work with you with regard to sending in correct yardage and where to send it, along with necessary RA# or #s. Please note an RA must be submitted along with the fabric for testing, as well as an RA created for an actual order.
- **Please Note:** A three to five yard sample is required for testing and approval for use on all monolithic panel systems. A one yard sample is required for testing and approval on Divi Insert Tiles, Matrix Tiles, flipper doors and tackboards. We may be able to test upholstery fabrics with a swatch, your Customer Service Representative will advise based on the fabric being tested; otherwise a 1 yard sample must be submitted for testing. Results take 48 - 72 hours.
- Customer Service must be advised as to the width of the fabric rolls being supplied (54”W or 60”W). Customer Service must also be advised if the fabric has a backer.
- Yardage required for the job must be calculated by an AIS Customer Service Rep.
- Once AIS has approved the COM fabric, a fabric sample needs to be marked by the dealer with “Front”, “Top”, and “Bottom”, to be sure fabric is applied correctly. The fabric sample then needs to be attached to a COM Fabric Dealer Form and forwarded to AIS Customer Service. The COM Fabric Dealer Form may be downloaded or printed here.
- Fabrics may be discontinued or obsolete without notice.
- Contact AIS Customer Service with any questions regarding fabric availability.
- All directional fabric will be railroaded.

Note: Graded-in AIS fabrics can not be purchased and applied as COM fabric. Graded-in fabrics must be specified according to the assigned grade and product respectively.

At AIS, we take great pride in offering a diverse selection of high-quality materials including but not limited to textiles, laminates, PET, mesh, etc. However, AIS cannot guarantee uniformity in dye lots across different production runs. As such, AIS is not liable for any variations in dye lots or color discrepancies in any of our products that may occur between orders. We encourage customers to review samples for color and texture matching prior to purchase. We are committed to providing exceptional products and are confident that our selection of textiles will meet your expectations for both aesthetic appeal and durability.

© 2026, AIS, Inc.

Paint, Edgeband, Laminate and Tempered Glass Options

PAINT OPTIONS

Name	Color Code	Legs / Feet Grade	Spine / Storage / Accessories Grade
Black	BK	A	A
Chalk	CK	-	A
Dark Tone	DT	-	A
Grey Value 1	GV1	-	A
Innertone	HT	-	A
Light Tone	LT	-	A
Medium Tone	MT	-	A
Metallic Silver	MS	A	A
Satin White	SW	A	A
Warm Brown	WB	-	A
Champagne Metallic	CHM	-	B
Dark Grey Metallic	DGM	-	B
Flint Grey Metallic	FGM	-	B
Light Grey	LG	-	B
Tan Value 1	TV1	-	B
Antique Gold	AG	-	C
Graphite Sky	GS	-	C
Burnt Orange	BO	-	C
Brown	BR	-	C
Steel Blue	SB	-	C
Baltic Blue	BB	-	C
Ruby Red	RR	-	C
Kelly Green	KG	-	C

Custom Paints

Special Paint Match Process & Ordering Instructions
To initiate a special paint match, please provide **three physical match samples** to your Customer Service Representative (CSR). These samples will be sent to our paint suppliers for evaluation and matching.

Match Process & Fees:
- A **non-refundable $450 net match fee** is required to begin the process.
- Once viable matches are developed (pending vendor capability), we'll send the samples to the dealer for final approval.

Pricing:
- Pricing begins at the **Grade C paint tier.**
- If the custom color incurs additional costs beyond Grade C pricing, we will advise of any upcharges before order placement.
- A **minimum order of $100,000 List** is required for special paint orders.
- The **$450 match fee will be waived** if the order is **$150,000 List or more** (and placed using the approved color).

Ordering Instructions (after color approval):
1. Dealer submits the **Purchase Order (PO)** and **Bill of Materials (BOM)** for the product requiring special paint.
2. The PO must clearly state:
   "SPECIAL PAINT REQUIRED ON THIS ORDER"
   — either in the header or special instructions section.
3. When selecting finishes:
   — Choose the **Grade C Paint option.**
   — **Do not select a final paint color.**
   — **Leave the paint code blank** and use the skip option.

TEMPERED GLASS OPTIONS

Name	Panels/Frame/Tiles/ Screens	1/4" Thick Frameless Glass	3/8" Thick Frameless Glass
Clear	Y	Y	Y
Frosted	Y	Y	Y
Bronze Tint	Y	Y	N
Grey Tint	Y	Y	N

All glass is tempered. The etched side of Frosted is always on Side A of the Frame or Panel. Side B of this glass options are smooth. Please see specific price list pages on each type of glass for list pricing and up-charges.

EDGEBAND OPTIONS

Name	Color Code	Grade
Absolute Acajou	AA	A
Aimtoo Savatre	AS	A
Black	BK	A
Brazilwood	BZ	A
Chalk	CK	A
Corporate Walnut	CT	A
Dark Rum Cherry	DR	A
Dark Tone	DT	A
Field Elm	FE	A
Grand Cherry	GC	A
Grey Elm	GE	A
Grey Value 1	GV1	A
Landmark	LM	A
Leave Likatre	LV	A
Light Tone	LT	A
Linen	LN	A
Looks Likatre	LK	A
Maritime Dune	MD	A
Medium Tone	MT	A
Midwest Maple	MM	A
Neo Walnut	NW	A
Phantom Ecru	PE	A
Phantom Pearl	PP	A
Satin White / True White	SW / TW	A
Storm	ST	A
Summer Drops	SD	A
Trytoo Savatre	TS	A
White Chocolate	WC	A

Custom Edgeband Options

- Custom match non-standard edgebands must be submitted as a special. Pricing varies based on edge thickness and finish.
- Minimum order size for any custom color is $75,000.00 list. Extended lead-time will apply.

STORAGE LAMINATE OPTIONS


Name	Grade
Absolute Acajou	B
Aimtoo Savatre	B
Black	B
Brazilwood	B
Chalk	B
Corporate Walnut	B
Dark Rum Cherry	B
Field Elm	B
Grand Cherry	B
Grey Elm	B
Landmark	B
Leave Likatre	B
Linen	B
Looks Likatre	B
Maritime Dune	B
Midwest Maple	B
Neo Walnut	B
Phantom Ecru	B
Phantom Pearl	B
Storm	B
Summer Drops	B
Titanium EV	B
True White	B
Trytoo Savatre	B
White Chocolate	B

© 2026, AIS, Inc.

L Series Storage Details


Handle Options

- L Series Storage comes with rectangle pulls in brushed nickel.
- Alternate Style Handles are available and field replaceable in the following styles (see Storage Accessories):
  1. Bar Pull
  2. L Pull
  3. Loop Pull
- All L Series handles have a 5” hole spread.




Rectangular

Standard




Bar



Loop

Available as Replacement



L Pull

Assembly Details

- Box drawers and file drawers have full depth, smooth riding ball bearing suspensions.
- All pedestals are lockable with two supplied keys.
- Lock cores are removable with lock removal keys.
- Master keys are also available.
- Extra lock core sets are available for keying pedestals alike.
- Pedestals come equipped for front to back letter-sized filing.
- Box-box-file pedestals include one box drawer pencil tray.
- Adjustable height is 27 1/2” to 29”.
- Pedestals measure 15” wide.
- For functional loads see Universal Storage Product Details.
- Pencil tray included with L Series pedestals (with exception of 12” wide pedestals).

Locks










- Locks and trim bezel come in Silver only.
- Replacement keys, key alike sets, master keys and replacement keys are available (see Storage Accessories).
- Keyed alike lock cores must be installed in the field.
- Keys and lock cores are available in #’s 226 through 425.
- A core removal key is needed to remove an existing core from the lock housing in order to replace with a new core.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

L Series Storage Details

Filing Capacity

30” Wide Drawer	36” Wide Drawer	42” Wide Drawer
		
		
		

© 2026, AIS, Inc.

Laminate Storage Details

Assembly Details

- Adjustable shelves are adjustable in 32mm increments.
- Easy assembly using CAM and PIN construction allows ease of disassembly.

Locks

- Box/Box/Files (BBF) pedestals will only lock the file and the middle box drawer, not the top box.
- File/File (FF) pedestal locks will secure both drawers.
- For all lateral files, wardrobe and storage units the locks will secure the drawers/door for the entire unit.
- All drawers lock on 3, 4 and 5 drawer laterals.
- Units will come with 2 keys per lock.
- Key-alike options are available per storage unit, additional lock cores may be ordered (for an additional charge) to key-alike an entire office.
- Items with 2 or more locks per unit will be keyed alike.

Lock Guide

Five lock options are offered:
- A - No lock required
- B - Black Lock
- C - Silver Lock
- D - No lock w/ black T-ring for keyed-alike or Digital Lock*
- E - No lock w/ silver T-ring for keyed alike or Digital Lock*

Lock cores and trim rings do not ship installed.

*Keyed alike lock cores must be ordered separately.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Laminate Storage Details

Handle Options

- Five handle options are available:
  1. Bar Pull*
  2. Loop Pull*
  3. Rectangular Pull*
  4. L Pull*
  5. Slim Pull**
- All handles are available in any graded paint selection.
- The bar pull and loop pull are available in brushed nickel; the rectangular pull is available in Bright Silver. The Slim Pull and L Pull are only available with painted options.
- Laminate hinged doors may be configured with touch-to-open mechanism and no handles (not applicable to framed glass doors).
- Sliding doors include an option of no handle.
- Please see Product Detail: Drawer and Handles Guide for handle examples.


*Symbols default with the Bar Pull but can be adjusted while applying your finishes.
The handle hole spread for Bar, Loop, Rectangular and L Pulls is 5" if you wish to supply your own handles.
**The handle hole spread for the Slim Pull is specific to the drawer front size.

Door Handles Guide


Five handle options are available:

- Bar
- Rectangular
- Loop
- L Pull
- Touch to Open**
- No Handle***


*The Slim Pull option incurs an upcharge of $75 list per unit.
**Available on laminate hinged doors only; not available on framed glass doors or sliding doors. Incurs an upcharge of $50 per unit.
***Available on sliding doors.




Bar




Rectangular



Loop



L Pull



Slim Pull

© 2026, AIS, Inc.


Support Product Details

Product Detail 1
Full Laminate Support Panels


Full Laminate Support Panels are used to create freestanding worksurface applications such as desk shells, returns, corner bases, tables as well as private office floor support. Each full panel is 27 5/8" tall with a 1 1/2" glide. When used in conjunction with standard AIS worksurfaces, heights to the top of the worksurface will range from 28 5/8" to 29 1/2" tall. The worksurface mounting plates are attached to the top of the panels as shown, thus leaving the brackets hidden from view and keeping vertical surface laminates free of holes for reversing and re-configuration. Each FLSP includes 2 - 3 worksurface mounting plates, 2 - 3 glides, one worksurface splice plate, and the appropriate quantity of pins, cams, and screws. All hardware is installed when components are field installed, based on required orientation of FLSPs. Note: FLSPs A - D are nominal width less 1/8" (i.e.: 24 - 1/8 = 23 7/8). FLSP E is nominal less 2 1/4" to accommodate the thickness of the two panels on either side (ie: 72 - 2 1/4 = 69 3/4). FLSP F is nominal less 1 3/16" to accommodate the thickness of a single panel on one side (ie: 12 - 1 3/16 = 10 13/16).

FLSPs are connected with a series of pins and lock cams providing a rigid yet simple means of connection. Each type of FLSP has a different function and configuration of male pins and female cams. The six available full laminate support panels (FLSP) are reversible by turning upside down, thus simplifying specification and reconfiguration. Each FLSP is available in widths from 12" to 96" in 6" increments, creating unlimited combinations of worksurface support elements. For this reason, FLSPs are ordered separately. The following pages are a guide to FLSP applications.


A simple way to understand the applications for FLSPs are to consider their use in combinations like those listed below. These simple configurations will be used over and over in freestanding furniture applications. Each configuration can have FLSPs of varying widths and depths to accommodate almost any worksurface size.




Desk Base with Flush Modesty
Desk Base with Flush Modesty consist of two FLSP A's and one FLSP E. The FLSP A's can be any size from 12" to 96", with either matching lengths or different lengths.



Desk Base with Recessed Modesty
Desk Base with Recessed Modesty consists of two FLSP B's and one FLSP E. The FLSP B's can be any size from 12" to 96", with either matching lengths or different lengths.



Corner Base with Flush Modesties
Corner Base with Flush Modesties consists of (Left to right, clockwise) one FLSP F, one FLSP D, one FLSP E, and one FLSP A. Each FLSP can be any desired length.




T-Base
T-Base consists of one FLSP C in the back and one FLSP F centered in the front. Each FLSP can be any desired length.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Product Detail 2
Full Laminate Support Panel Configurations

Configuration Example 1

This freestanding corner unit consists of two desk bases, one corner base, and three worksurfaces.







1. FLSP E 48" Wide
2. FLSP A 12" Wide
3. FLSP D 48" Wide
4. FLSP A 24" Wide
5. FLSP F 12" Wide

Configuration Example 2


This freestanding U-shaped unit consists of one desk base, two t-bases, two combination legs and three worksurfaces.






1. FLSP E 72" Wide
2. FLSP A 24" Wide
3. FLSP C 48" Wide
4. FLSP F 12" Wide
5. FLSP C 30" Wide
6. Combination Leg

Configuration Example 3






1. FLSP E 36" Wide
2. FLSP D 48" Wide
3. FLSP A 12" Wide
4. FLSP F 12" Wide
5. FLSP A 24" Wide
6. FLSP E 72" Wide
7. FLSP B 30" Wide
8. FLSP E 84" Wide

© 2026, AIS, Inc.


Full Laminate Support Panels

FULL LAMINATE SUPPORT PANELS


W	H	FLSP A (Male 1 End Flush)	FLSP B (Male 1 End Recessed)	FLSP C (Male Centered)	FLSP D (Male Both Ends Flush)	List
12	28	WFS-FLSPMEF12	WFS-FLSPMER12	WFS-FLSPMC12	WFS-FLSPMBEF12	522
18	28	WFS-FLSPMEF18	WFS-FLSPMER18	WFS-FLSPMC18	WFS-FLSPMBEF18	593
24	28	WFS-FLSPMEF24	WFS-FLSPMER24	WFS-FLSPMC24	WFS-FLSPMBEF24	666
30	28	WFS-FLSPMEF30	WFS-FLSPMER30	WFS-FLSPMC30	WFS-FLSPMBEF30	776
36	28	WFS-FLSPMEF36	WFS-FLSPMER36	WFS-FLSPMC36	WFS-FLSPMBEF36	833
42	28	WFS-FLSPMEF42	WFS-FLSPMER42	WFS-FLSPMC42	WFS-FLSPMBEF42	907
48	28	WFS-FLSPMEF48	WFS-FLSPMER48	WFS-FLSPMC48	WFS-FLSPMBEF48	1,017
54	28	WFS-FLSPMEF54	WFS-FLSPMER54	WFS-FLSPMC54	WFS-FLSPMBEF54	1,103
60	28	WFS-FLSPMEF60	WFS-FLSPMER60	WFS-FLSPMC60	WFS-FLSPMBEF60	1,177
66	28	WFS-FLSPMEF66	WFS-FLSPMER66	WFS-FLSPMC66	WFS-FLSPMBEF66	1,252
72	28	WFS-FLSPMEF72	WFS-FLSPMER72	WFS-FLSPMC72	WFS-FLSPMBEF72	1,360
78	28	WFS-FLSPMEF78	WFS-FLSPMER78	WFS-FLSPMC78	WFS-FLSPMBEF78	1,416
84	28	WFS-FLSPMEF84	WFS-FLSPMER84	WFS-FLSPMC84	WFS-FLSPMBEF84	1,493
90	28	WFS-FLSPMEF90	WFS-FLSPMER90	WFS-FLSPMC90	WFS-FLSPMBEF90	1,571
96	28	WFS-FLSPMEF96	WFS-FLSPMER96	WFS-FLSPMC96	WFS-FLSPMBEF96	1,664




FLSP A



FLSP B



FLSP C



FLSP D

Specify

- Selection for Laminate
- Color Selection for 2mm Edge

Notes

- For more information see “Full Support Laminate Panels” section in Product Details. G
- lides included with support panels.
- Grain runs vertically for sizes 60” wide and under. Grain runs horizontally for sizes 66” wide and larger.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Full Laminate Support Panels


FULL LAMINATE SUPPORT PANELS

W	H	FLSP E (Female Both Ends)	List
12	28	WFS-FLSPFBE12	504
18	28	WFS-FLSPFBE18	570
24	28	WFS-FLSPFBE24	649
30	28	WFS-FLSPFBE30	759
36	28	WFS-FLSPFBE36	815
42	28	WFS-FLSPFBE42	886
48	28	WFS-FLSPFBE48	998
54	28	WFS-FLSPFBE54	1,060
60	28	WFS-FLSPFBE60	1,133
66	28	WFS-FLSPFBE66	1,213
72	28	WFS-FLSPFBE72	1,316
78	28	WFS-FLSPFBE78	1,380
84	28	WFS-FLSPFBE84	1,452
90	28	WFS-FLSPFBE90	1,527
96	28	WFS-FLSPFBE96	1,622



FLSP E

W	H	FLSP F (Female 1 End)	List
12	28	WFS-FLSPF1E12	524
18	28	WFS-FLSPF1E18	594
24	28	WFS-FLSPF1E24	670
30	28	WFS-FLSPF1E30	778
36	28	WFS-FLSPF1E36	834
42	28	WFS-FLSPF1E42	907
48	28	WFS-FLSPF1E48	1,019
54	28	WFS-FLSPF1E54	1,105
60	28	WFS-FLSPF1E60	1,177
66	28	WFS-FLSPF1E66	1,252
72	28	WFS-FLSPF1E72	1,361
78	28	WFS-FLSPF1E78	1,418
84	28	WFS-FLSPF1E84	1,494
90	28	WFS-FLSPF1E90	1,573
96	28	WFS-FLSPF1E96	1,665



FLSP F

Specify

- Selection for Laminate
- Color Selection for 2mm Edge

Notes


- For more information see “Full Support Laminate Panels” section in Product Details.
- Glides included with support panels.
- Grain runs vertically for sizes 60” wide and under. Grain runs horizontally for sizes 66” wide and larger.

© 2026, AIS, Inc.

A-Legs


1 X 2 POST A-LEG

H	D	Model Number	List
27	12	WFS-ALW2712FS	592
27	24	WFS-ALW2724FS	629
27	30	WFS-ALW2730FS	654



2.5 X 2.5 POST A-LEG

H	D	Model Number	List
27	18	WFS-AL22718	850
27	24	WFS-AL22724	869
27	30	WFS-AL22730	890
27	36	WFS-AL22736	911
27	42	WFS-AL22742	930
27	48	WFS-AL22748	952
27	54	WFS-AL22754	972
27	60	WFS-AL22760	999



Specify

- Paint Selection (+25 for Grade C)


Notes

- A-Legs are constructed from painted steel.
- Legs have 1 1/2” leveling glides.
- A-Leg welded construction allows for attachment to the worksurface.
- 1 x 2 A-Legs cannot be used to create freestanding tables unless anchored to another worksurface, panel or storage element. 2.5 x 2.5 A-Legs may be used to create freestanding tables.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

2.5 X 2.5 POST N-LEG


H	D	Model Number	List
20	18	WFS-NL22018	712
20	24	WFS-NL22024	721
20	30	WFS-NL22030	734
20	36	WFS-NL22036	746
20	42	WFS-NL22042	759
20	48	WFS-NL22048	771
20	54	WFS-NL22054	786
20	60	WFS-NL22060	798
27	18	WFS-NL22718	695
27	24	WFS-NL22724	704
27	30	WFS-NL22730	714
27	36	WFS-NL22736	723
27	42	WFS-NL22742	734
27	48	WFS-NL22748	745
27	54	WFS-NL22754	754
27	60	WFS-NL22760	770
40	24	WFS-NL24024	816
40	30	WFS-NL24030	829
40	36	WFS-NL24036	840
40	42	WFS-NL24042	853
40	48	WFS-NL24048	866
40	54	WFS-NL24054	876
40	60	WFS-NL24060	888



Specify	Notes
• Paint Selection (+25 for Grade C)	

2.5 X 2.5 POST N-LEG WITH CASTERS

H	D	Model Number	List
27	24	WFS-NL2C2724	776
27	30	WFS-NL2C2730	793
27	36	WFS-NL2C2736	810
27	42	WFS-NL2C2742	822
27	48	WFS-NL2C2748	835
27	54	WFS-NL2C2754	853
27	60	WFS-NL2C2760	866




Specify	Notes
• Paint Selection (+25 for Grade C)	• Casters are locking.

© 2026, AIS, Inc.

O-Legs

FREESTANDING O-LEGS			
H	**D**	**Model Number**	**List**
27	18	WFS-OLW2718FS-2	1,083
27	24	WFS-OLW2724FS-2	1,169
27	30	WFS-OLW2730FS-2	1,299
27	36	WFS-OLW2736FS-2	1,371



Specify	Notes
• Paint Selection (+25 for Grade C)	• May be used as shared leg in applications up to 72” wide. • O-Leg for use with run off and freestanding table applications. • Steel O-Legs have a 1” x 2” profile. • O-Legs have 1 1/2” leveling glides. • Not sized for use with knife edge work surfaces. • Not for panel mounting, for panel mounting leg see panel specific price list. • Use in conjunction with an appropriate sized U channel(s) when supporting a span of 48” or greater. • AIS standard corner grommet locations will be obscured by this leg. Consult specials team for any grommet location near O-legs.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Combination Legs

COMBINATION SUPPORT LEGS

Model Number	List	Grade C Paint
WFS-LEG	487	+25



Specify	Notes
• Style Selection - Black or Brushed Steel	• Combination Support Leg is available in black, brushed steel, or (for an upcharge) leg can be painted a standard color. • With a unique set of adapters, legs can be converted from standard peninsula legs to equal height mobile legs, extended mobile legs, nesting legs, or extended height legs. • Standard legs are sold in a kit with one 24 3/4" leg (black or brushed steel), one 2 11/16" extender and one 7/16" high glide with 1" of adjustment. • Standard legs can be converted to mobile legs and back with the same base leg unit. • Casters are ordered separately. • Extender, glide and caster are always black. • Legs ship disassembled and flat.

COMBINATION SUPPORT LEG ACCESSORIES

Item	Model Number	List
Optional Caster	WFS-LEGCASTER	73
Optional Extender	WFS-LEGEXT	42
Optional Glide	WFS-LEGGLIDE	42

Specify	Notes
	• Casters are optional. • Order Extender and Glide if extras are needed.

COMBINATION NESTING LEGS

Model Number	List	Grade C Paint
WFS-LEG24	852	+25




Specify	Notes
• Style Selection - Black, Brushed Steel or Painted (with upcharged)	• Combination Nesting Table Leg is available in black, brushed steel, or (for an upcharge) leg can be painted a standard color. • Combination nesting table leg is sold as a kit with one 22 5/8" leg (black or brushed steel) and one 3 1/4" caster for a finish height of 25 7/8". • Finished worksurface height with a standard 1 1/8" worksurface is 27". • Combination nesting table legs are used for nesting worksurfaces below a standard worksurface height. • Casters are always black. • Legs ship disassembled and flat.

© 2026, AIS, Inc.

Freestanding Legs

SQUARE POST LEG

	Without Casters		With Caster	
H	Model Number	List	Model Number	List
20	WFS-P2220	409	-	-
27	WFS-P2227	396	WFS-P22C27	442
40	WFS-P2240	457	-	-




Specify
- Paint Selection

Notes
- Casters are locking.

SLIM LEG

	Without Casters		With Caster	
H	Model Number	List	Model Number	List
27	O-SMSG	405	O-SMSCASTER	349



Specify

Notes
- Compatible with all top widths.

TAPERED LEG

	Without Casters		With Caster	
H	Model Number	List	Model Number	List
27	T-RPKG	375	T-RPKC	362



With Glide



With Caster

Specify
- Paint Selection

Notes
- Available in Bright Metal or painted finishes.
- Casters are locking.

SLANT LEG

H	Model Number	List
27	O-SL	692



Specify

Notes
- Compatible with all top widths.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Freestanding Legs

STEEL T-BASE LEGS

		Without Casters		With Caster	
H	D	Model Number	List	Model Number	List
27	24	WFS-TL332724	640	WFS-TL33C2724	649
27	30	WFS-TL332730	673	WFS-TL33C2730	677




Specify

- Paint Selection (Grade C +25)

Notes

STEEL C-BASE LEGS

		Without Casters		With Caster	
H	D	Model Number	List	Model Number	List
27	24	WFS-CL332724	740	WFS-CL33C2724	747
27	30	WFS-CL332730	778	WFS-CL33C2730	785




Specify

- Paint Selection (Grade C +25)

Notes

STEEL X-BASE LEGS

		Without Casters		With Caster	
H	D	Model Number	List	Model Number	List
27	24	WFS-XL332724	862	WFS-XL33C2724	1,036
27	30	WFS-XL332730	944	WFS-XL33C2730	1,079



Specify


- Paint Selection (Grade C +25)

Notes

- Max size for worksurfaces: 36” wide x 36” deep

STEEL DISC BASE LEGS

H	D	Model Number	List	Grade C Paint
16	21	T-DBK001	1,232	+20
29	21	T-DBK002	1,382	+25
36	21	T-DBK004	1,418	+28
42	21	T-DBK003	1,454	+30



Specify

- Paint Selection

Notes


- Disc base is 21” in diameter, disc column has a diameter of 2.5” (60mm). Disc base has a thickness of .5” from ground.
- Disc bases have non-leveling rubber pads on bottom.
- Max size for worksurfaces:
  - — Round up to 42” deep
  - — Square/Pebble up to 36” deep


© 2026, AIS, Inc.


Freestanding Legs


ARC ALUMINUM T-BASE LEGS

		With Glide		With Caster			
H	D	Model Number	List	Model Number	List	Grade C Upcharge	Bright Metal Upcharge
29	24	T-ABK017	648	T-ABK018	663	+20	+40
29	30	T-ABK019	688	T-ABK020	709	+22	+42
42	24	T-ABK021	698	T-ABK022	712	+20	+40
42	30	T-ABK023	708	T-ABK024	729	+22	+42


29" High
On Glides



29" High
On Casters



42" High
On Glides



42" High
On Casters


ARC ALUMINUM DOUBLE T-BASE LEGS

		With Glide		With Caster			
H	D	Model Number	List	Model Number	List	Grade C Upcharge	Bright Metal Upcharge
29	35	T-ABK053	1,049	-	-	-	-
29	41	T-ABK055	1,196	T-ABK056	1,235	+32	+58
42	35	T-ABK057	1,213	T-ABK058	1,243	+30	+55
42	41	T-ABK059	1,250	T-ABK060	1,285	+32	+58


29" High
On Glides



29" High
On Casters


42" High
On Glides



42" High
On Casters


ARC ALUMINUM X-BASE LEGS

		With Glide		With Caster			
H	D	Model Number	List	Model Number	List	Grade C Upcharge	Bright Metal Upcharge
29	24	T-ABK005	1,012	T-ABK006	1,075	+40	+60
29	30	T-ABK007	1,098	T-ABK008	1,120	+44	+64
42	24	T-ABK009	1,045	T-ABK010	1,105	+40	+60
42	30	T-ABK011	1,181	T-ABK012	1,201	+44	+64


29" High
On Glides


29" High
On Casters


42" High
On Glides


42" High
On Casters

Specify

- Paint Selection for Base Post
- Paint Selection for Base Foot - Painted or Bright Metal

Notes


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Day-to-Day Electric Height Adjustable Table Bases


DAY-TO-DAY ELECTRIC HEIGHT ADJUSTABLE TABLE BASES

Surface W	Surface D	Color	Model Number	List
48” - 72”	24”	Black	WFS-2L-3S24B	2,880
48” - 72”	24”	Metallic Silver	WFS-2L-3S24S	2,880
48” - 72”	24”	Satin White	WFS-2L-3S24W	2,880
48” - 72”	30”	Black	WFS-2L-3S30B	2,880
48” - 72”	30”	Metallic Silver	WFS-2L-3S30S	2,880
48” - 72”	30”	Satin White	WFS-2L-3S30W	2,880




DAY-TO-DAY 90° ELECTRIC HEIGHT ADJUSTABLE TABLE BASES

Surface D	Color	Model Number	List
24	Black	WFS-3L90-3S24B	4,180
24	Metallic Silver	WFS-3L90-3S24S	4,180
24	Satin White	WFS-3L90-3S24W	4,180
30	Black	WFS-3L90-3S30B	4,180
30	Metallic Silver	WFS-3L90-3S30S	4,180
30	Satin White	WFS-3L90-3S30W	4,180



DAY-TO-DAY 120° ELECTRIC HEIGHT ADJUSTABLE TABLE BASES

Surface D	Color	Model Number	List
24	Black	WFS-3L120-3S24B	4,180
24	Metallic Silver	WFS-3L120-3S24S	4,180
24	Satin White	WFS-3L120-3S24W	4,180
30	Black	WFS-3L120-3S30B	4,180
30	Metallic Silver	WFS-3L120-3S30S	4,180
30	Satin White	WFS-3L120-3S30W	4,180



Notes


- 3-stage Day-to-Day Height Adjustbale Table Bases oallow for quick and easy adjustment of worksurface height.
- Available in black, satin white or metallic silver.
- Bases do not include worksurfaces.
- Adjusts from 21.54”H to 47.80”H (without surface).
- Tops should accommodate a 1 in (25mm) pinch clearance on all sides.
- Maximum worktop overhead allowed is 6” on one side.
- Weight capacity is 250lbs (incl. worksurface) for two leg and 350lbs (incl. worksurface) for three leg.
- Base width may be adjusted from 42”W to 72”W.
- 4 memory presets.
- Select tops to avoid cable shearing, prevent pinch points and collisions. Assure attached screens or monitor arms do not create unstable conditions.
- Local compliances should meet local requirements.
- **Important:** Height Adjustable Bases are ***UL Recognized*** components and are labeled with the ***UR*** mark. However, bases **are not** UL or ETL ***Listed*** unless purchased as a complete table using a complete table model number. See Height Adjustable Table Section for tables that are UL or ETL Listed. Many municipalities require tables to be UL or ETL Listed.

© 2026, AIS, Inc.

E Series Electric Height Adjustable Table Bases

E SERIES ELECTRIC HEIGHT ADJUSTABLE TABLE BASES

Surface W	Surface D	Model Number	List
42” - 72”	24”	T-RB2L2S24	2,600
42” - 72”	30”	T-RB2L2S30	2,600




Specify	Notes
• Color Selection for Base	• 2-stage E Series Electric Height Adjustable Table Bases on Glides allow for quick and easy adjustment of worksurface height. • Available in black, satin white, or metallic silver. • Bases do not include worksurfaces. • Adjusts from 26.26”H to 45.94”H (without surface). • Tops should accommodate a 1 in (25mm) pinch clearance on all sides. • Maximum worktop overhead allowed is 6” on one side. • Weight capacity is 250lbs (incl. worksurface). • Base width may be adjusted from 42”W to 72”W. 4 memory presets. Select tops to avoid cable shearing, prevent pinch points and collisions. Assure attached screens or monitor arms do not create unstable conditions. • Local compliances should meet local requirements. • **Important:** Height Adjustable Bases are ***UL Recognized*** components and are labeled with the ***UR*** mark. However, bases **are not** UL or ETL ***Listed*** unless purchased as a complete table using a complete table model number. See Height Adjustable Table Section for tables that are UL or ETL Listed. Many municipalities require tables to be UL or ETL Listed.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Panel Mounted Shelf Cantilevers and Shelf Surfaces

PANEL MOUNTED SHELF CANTILEVERS (MATRIX, DIVI, MWALL)

Hand	Surface Depth	Actual Depth	Model Number	List	Grade C Paint
Left	12	10	WPS-CT10L	204	+10
Right	12	10	WPS-CT10R	204	+10
Pairs	12	10	WPS-CT10P	387	+20



Specify


- Paint Selection


Notes

- Panel Mounted Shelf Cantilevers are 10”d and designed to work in conjunction with 12”d worksurfaces to create additional desk top shelving.
- Available for all AIS panel systems.
- For use with 12” to 16” worksurfaces only.

SHELF SURFACES

D[1]	W[1]	Model Number	List	Grade C Laminate
12	24	W-CT1224	318	+17
12	30	W-CT1230	341	+18
12	36	W-CT1236	367	+19
12	42	W-CT1242	379	+20
12	48	W-CT1248	387	+21
12	54	W-CT1254	450	+24
12	60	W-CT1260	456	+24
12	66	W-CT1266	479	+27
12	72	W-CT1272	511	+27
12	78	W-CT1278	521	+28
12	84	W-CT1284	527	+28
12	90	W-CT1290	539	+29
12	96	W-CT1296	547	+29





Specify

- Laminate Selection
- Color Selection for 2mm Edge

Notes


- Shelf Surfaces are 1 1/16” thick. 2 mm edge banding (approximately 3/32”) is made of rigid, dent-resistant PVC.

© 2026, AIS, Inc.

Worksurface Risers, U-Channels and Flat Plates

WORKSURFACE RISERS

Style	H	Model Number	List	Grade C Paint	Use
2.5 x 2.5	4	WFS-WSR25254	214	+5	Mixed Surface Height
2.5 x 2.5	6	WFS-WSR25256	221	+5	Surface to Surface Connection
2.5 x 2.5	7	WFS-WSR25257	239	+5	Surface to Surface Connection



Specify


- Paint Selection

Notes

- Worksurface Risers are a painted, extruded aluminum with a steel top plate.
- Available in 2.5” square.
- Risers may be ordered in 4”, 6” or 7” heights and work in conjunction with floor storage casegoods and worksurfaces to create tiered levels.
- Bottom of riser is secured using field drilled holes in the lower unit with the supplied screws.

FLAT PLATES

Model Number	List
WPS-FP	39




Specify

Notes

- Flat Plate is used to splice two worksurfaces together at front edge. 3.5” x 1.5” plate has four holes per side for superior adaptability and rigidity.
- Available in black only.

U-CHANNELS

Model Number	List
WPS-VC48	156
WPS-VC60	193
WPS-VC72	230



Specify

Notes

- U-Channel mounts to underside of longer worksurfaces to provide bracing where center support cantilever is not possible.
- All worksurface support components fasten directly to worksurfaces with screws.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Product Detail 1
Universal Storage Functional Loads


UNIVERSAL STORAGE FUNCTIONAL LOADS			
Description	**Model Number**	**Top-to-Bottom Drawer Functional Load (lbs)**	**Total Functional Load (lbs)**
L Series Structural Box-Box-File Pedestal	S-PEDBBFJ24	20/45	85
L Series Structural Box-Box-File Pedestal	S-PEDBBFJ30	25/60	110
L Series Structural File-File Pedestal	S-PEDFFJ24	45/45	90
L Series Structural File-File Pedestal	S-PEDFFJ30	60/60	120
Laminate Front L Series Structural Box-Box-File Pedestal	S-PEDBBFJ24L	20/20/45	85
Laminate Front L Series Structural Box-Box-File Pedestal	S-PEDBBFJ30L	25/25/60	110
Laminate Front L Series Structural File-File Pedestal	S-PEDFFJ24L	45/45	90
Laminate Front L Series Structural File-File Pedestal	S-PEDFFJ30L	60/60	120
L Series Mobile Box-Box-File Pedestal	S-PEDBBFMJ24	20/20/45	85
L Series Mobile File-File Pedestal	S-PEDFFMJ24	45/45	90
L Series Mobile Box-File Pedestal	S-PEDBFMJ24	20/45	65
L Series Mobile Box-File Pedestal with Cushion	S-PEDBFSMJ24	20/45	65
Laminate Front L Series Mobile Box-Box-File Pedestal	S-PEDBBFMJ24L	20/20/45	85
Laminate Front L Series Mobile File-File Pedestal	S-PEDFFMJ24L	45/45	90
Laminate Front L Series Mobile Box-File Pedestal	S-PEDBFMJ24L	20/45	65
Laminate Front L Series Mobile Box-File Pedestal with Cushion	S-PEDBFSMJ24L	20/45	65
Metal Front L-Series 2-Drawer Lateral File	S-LATJJ2D30	85/85	170
Metal Front L-Series 2-Drawer Lateral File	S-LATJJ2D36	105/105	210
Metal Front L-Series 2-Drawer Lateral File	S-LATJJ2D42	125/125	250
Laminate Front 2-Drawer Lateral File	S-LATJJ2D30L	85/85	170
Laminate Front 2-Drawer Lateral File	S-LATJJ2D36L	105/105	210
Laminate Front 2-Drawer Lateral File	S-LATJJ2D42L	125/125	250
Picture Frame Front L-Series 3-Drawer Lateral File	S-LATJ3D30	85/85/85	255
Picture Frame Front L-Series 3-Drawer Lateral File	S-LATJ3D36	105/105/105	315
Picture Frame Front L-Series 3-Drawer Lateral File	S-LATJ3D42	125/125/125	375
Picture Frame Front L-Series 4-Drawer Lateral File	S-LATJ4D30	85/85/85/85	340
Picture Frame Front L-Series 4-Drawer Lateral File	S-LATJ4D36	105/105/105/105	420
Picture Frame Front L-Series 4-Drawer Lateral File	S-LATJ4D42	125/125/125/125	500
Picture Frame Front L-Series 5-Drawer Lateral File	S-LATJ5D30	85/85/85/85/85	425
Picture Frame Front L-Series 5-Drawer Lateral File	S-LATJ5D36	105/105/105/105/105	525
Picture Frame Front L-Series 5-Drawer Lateral File	S-LATJ5D42	125/125/125/125/125	625

© 2026, AIS, Inc.

L Series Structural Pedestals


L SERIES STRUCTURAL BOX-BOX-FILE PEDESTALS

Surface D	Actual D	Model Number	List	Grade C Paint
24	22	S-PEDBBFJ24	1,279	+118
30	28	S-PEDBBFJ30	1,806	+118



L SERIES STRUCTURAL FILE-FILE PEDESTALS

Surface D	Actual D	Model Number	List	Grade C Paint
24	22	S-PEDFFJ24	1,279	+118
30	28	S-PEDFFJ30	1,806	+118



Specify


- Paint Selection

Notes

- L Series Structural Pedestals have a square front with rectangle pulls.
- Box drawers and file drawers have full depth, smooth riding ball bearing suspensions.
- All pedestals are lockable with two supplied keys.
- Lock cores are removable with lock removal keys.
- Master keys are also available.
- Extra lock core sets are available for keying pedestals alike.
- Pedestals come equipped for front to back letter-sized filing.
- Box-box-file pedestals include one box drawer pencil tray.
- Adjustable height is 27 1/2” to 29”.
- Pedestals measure 15” wide.
- For functional loads see Universal Storage Product Details.
- Pencil tray included.


LAMINATE FRONT L SERIES STRUCTURAL BOX-BOX-FILE PEDESTALS

Surface D	Actual D	Model Number	List	Grade C Paint	Grade C Laminate
24	22	S-PEDBBFJ24L	1,742	+118	+25
30	28	S-PEDBBFJ30L	2,266	+118	+25



LAMINATE FRONT L SERIES STRUCTURAL FILE-FILE PEDESTALS

Surface D	Actual D	Model Number	List	Grade C Paint	Grade C Laminate
24	22	S-PEDFFJ24L	1,742	+118	+25
30	28	S-PEDFFJ30L	2,266	+118	+25



Specify

- Paint Selection
- Laminate Selection for Drawer Front
- Edge Selection for Drawer Front

Notes


- L Series Structural Pedestals have a laminate finished square front with rectangular pulls.
- Box drawers and file drawers have full depth, smooth riding ball bearing suspensions.
- All pedestals are lockable with two supplied keys. Lock cores are removable with lock removal keys. Master keys are also available. Extra lock core sets are available for keying pedestals alike.
- Pedestals come equipped for front to back letter-sized filing.
- Box-box-file pedestals include one box drawer pencil tray.
- Adjustable height is 27 1/2” to 29”.
- Pedestals measure 15” wide.
- Laminate face pedestals include laminate top bezel, laminate drawers and the addition of a laminate piece at the bottom for a continuous laminated look.
- For functional loads see Universal Storage Product Details.
- Pencil tray included.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

12” Wide L Series Mobile Pedestals


12” WIDE L SERIES MOBILE BOX-FILE PEDESTALS

D	W	Model Number	List	Grade C Paint
24	12	S-PEDBFJ1224	1,019	+118




12” WIDE L SERIES MOBILE BOX-FILE PEDESTALS WITH CUSHION

D	W	Model Number	List	Grade C Paint	Grade B Fabric	Grade C Fabric	Grade D Fabric	Grade E Fabric
24	12	S-PEDBFSMJ1224	1,361	+118	+51	+102	+152	+203



CUSHION FOR 12” WIDE L-SERIES PEDESTALS

D	W	Model Number	List	Grade B Fabric	Grade C Fabric	Grade D Fabric	Grade E Fabric
24	12	S-PEDCUSH1224	580	+51	+102	+152	+203



Specify

- Paint Selection
- Fabric Selection for Pedestal Cushion (Cushion Pedestal only)

Notes


- L Series Mobile Pedestals have a square front with rectangular pulls.
- Box drawers and file drawers have full depth, smooth riding ball bearing suspensions.
- All pedestals are lockable with two supplied keys. Lock cores are removable with lock removal keys. Master keys are also available. Extra lock core sets are available for keying pedestals alike.
- Pedestals come equipped for side to side filing.
- Mobile pedestals come with two locking and two non-locking casters.
- Finished height of pedestal is 21 3/8” (box-file).
- Cushion is 1.5” tall, finished height of pedestal with cushion is 23 5/8.
- Pedestal with cushion not available for quickship.
- For functional loads see Universal Storage Product Details.

© 2026, AIS, Inc.

L Series Mobile Pedestals


L SERIES MOBILE BOX-BOX-FILE PEDESTALS

Surface D	Actual D	Actual W	Model Number	List	Grade C Paint
24	22	14.75	S-PEDBBFMJ24V2	1,537	+118




L SERIES MOBILE FILE-FILE PEDESTALS

Surface D	Actual D	Actual W	Model Number	List	Grade C Paint
24	22	14.75	S-PEDFFMJ24V2	1,537	+118




L SERIES MOBILE BOX-FILE PEDESTALS

Surface D	Actual D	Actual W	Model Number	List	Grade C Paint
24	22	14.75	S-PEDBFMJ24V2	1,537	+118



L SERIES MOBILE BOX-FILE PEDESTALS WITH CUSHION

Surface D	Actual D	Model Number	List	Grade C Paint	Grade B Fabric	Grade C Fabric	Grade D Fabric	Grade E Fabric
24	22	S-PEDBFSMJ24V2	2,035	+118	+51	102	+152	+203



Specify

- Paint Selection
- Fabric Selection for Pedestal Cushion (Cushion Pedestal only)

Notes

- L Series Mobile Pedestals have a square front with rectangular pulls.
- Box drawers and file drawers have full depth, smooth riding ball bearing suspensions.
- Mobile pedestals include counterweights that are field installed.
- All pedestals are lockable with two supplied keys. Lock cores are removable with lock removal keys. Master keys are also available. Extra lock core sets are available for keying pedestals alike.
- Pedestals come equipped for front to back letter-sized filing.
- Box-box-file pedestals include one box drawer pencil tray.
- Mobile pedestals come with two locking and two non-locking casters.
- Finished height of pedestal is 27 1/2” (box-box-file or file-file) or 21 3/8” (box-file). Finished height of pedestal with cushion is 23 5/8.
- Pedestal with cushion not available for quickship.
- For functional loads see Universal Storage Product Details.
- Pencil tray included.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Laminate Front L Series Mobile Pedestals


LAMINATE FRONT L SERIES MOBILE BOX-BOX-FILE PEDESTALS

Surface D	Actual D	Actual W	Model Number	List	Grade C Paint
24	22	14.75	S-PEDBBFMJ24L	1,995	+118




LAMINATE FRONT L SERIES MOBILE FILE-FILE PEDESTALS

Surface D	Actual D	Actual W	Model Number	List	Grade C Paint
24	22	14.75	S-PEDFFMJ24L	1,995	+118




LAMINATE FRONT L SERIES MOBILE BOX-FILE PEDESTALS

Surface D	Actual D	Actual W	Model Number	List	Grade C Paint
24	22	14.75	S-PEDBFMJ24L	1,995	+118



LAM. FRONT L SERIES MOBILE BOX-FILE PEDESTALS WITH CUSHION


Surface D	Actual D	Model Number	List	Grade C Paint	Grade B Fabric	Grade C Fabric	Grade D Fabric	Grade E Fabric
24	22	S-PEDBFSMJ24L	2,499	+118	+51	102	+152	+203



Specify	Notes
• Paint Selection	• L Series Mobile Pedestals have a laminate finished square front with rectangular pulls.
• Laminate Selection for Drawer Front	• Box drawers and file drawers have full depth, smooth riding ball bearing suspensions.
• Edge Selection for Drawer Front	• Mobile pedestals include counterweights that are field installed.
• Fabric Selection for Pedestal Cushion (Cushion Pedestal only)	• All pedestals are lockable with two supplied keys. Lock cores are removable with lock removal keys. Master keys are also available. Extra lock core sets are available for keying pedestals alike.
	• Pedestals come equipped for front to back letter-sized filing.
	• Box-box-file pedestals include one box drawer pencil tray.
	• Mobile pedestals come with two locking and two non-locking casters.
	• Finished height of pedestal is 27 1/2” (box-box-file or file-file) or 21 3/8” (box-file).
	• Finished height of pedestal with cushion is 23 5/8”.
	• For functional loads see Universal Storage Product Details.
	• Pencil tray included.

CUSHION FOR 15” WIDE L-SERIES PEDESTALS

D	W	Model Number	List	Grade B Fabric	Grade C Fabric	Grade D Fabric	Grade E Fabric
22	15	S-PEDCUSHIONJ1	643	+51	+102	+152	+203




Specify	Notes
• Upholstery Selection	• Credenza and pedestal cushions are a fabric covered 1” thick foam cushion.
	• Cushions include Velcro for mounting.
	• For use with L Series mobile pedestals only.

© 2026, AIS, Inc.

Storage Accessories

FREESTANDING PEDESTAL CONVERSION KITS


D	Model Number	List
24	S-PEDTOPJ24	328
30	S-PEDTOPJ30	414



Specify	Notes
• Paint Selection	• Freestanding Pedestal Conversion Kits are finished metal tops which convert structural 24” or 30” pedestals to freestanding pedestals. • Kit includes counterweight that is retained in back of pedestal. • Threaded welded metal studs on underside of top align with holes in top of pedestal and are secured to pedestal with nuts fastened from inside. • Structural pedestal sold separately.

PEDESTAL ACCESSORIES

Item	Model Number	List
Side-to-Side Bar	S-PEDBARJ	49
Box Drawer Pencil Tray	S-PEDDPTJ	70
Box Drawer Divider	S-PEDDD	109



Specify	Notes
	• Pedestal Accessories can be used with all AIS standard metal case pedestals. • Pedestal Accesories can not be used for 12” wide storage.

PEDESTAL EXTENSION SHROUD


Model Number	List	Grade C Paint
S-PEDJFB	194	+5



Specify	Notes
• Paint Selection	• Pedestal extension shroud is mounted to the back edge of the pedestal with magnets (included). • Extension is 2” deep. • Extension kit masks the gap between back of pedestal and panel face. • Shroud is not handed.

REPLACEMENT PULLS

Type	Model Number	List
Bar Pull	X-BARHANDLE	34
Rollout Pantry Bar Pull	X-BARHANDLE13	133
L Pull	X-L-PULLHANDLE	34
Loop Pull	X-LOOPHANDLE	34
Rectangular Pull	X-RECTHANDLE	34



Loop Pull | Bar Pull | L-Pull | Rectangular Pull


Specify	Notes
	• Replacements only. • Pulls work for all metal and laminate storage units with the exception of roll out/pantry towers. • For slim pull replacements, please contact Customer Service.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

SILVER LOCK CORES AND KEYS

Key Type	Model Number	List
Core with 2 keys	S-W1CORE1	25
Core with 2 keys (set of 2 keyed alike)	S-W1CORE2	39
Core with 2 keys (set of 3 keyed alike)	S-W1CORE3	60
Core with 2 keys (set of 4 keyed alike)	S-W1CORE4	77
Core with 2 keys (set of 5 keyed alike)	S-W1CORE5	95
Core with 2 keys (set of 6 keyed alike)	S-W1CORE6	111
Core with 2 keys (set of 7 keyed alike)	S-W1CORE7	129
Core with 2 keys (set of 8 keyed alike)	S-W1CORE8	149
Core with 2 keys (set of 9 keyed alike)	S-W1CORE9	166
Core with 2 keys (set of 10 keyed alike)	S-W1CORE10	184
Master Key	RS-W1MKEY	19
Core Removal Key	RS-W1CRKEY	19
Replacement Key	RS-WK _ _ _ (Key Number)	26




Notes

- Silver keyed alike lock cores should be specified when ordering Option E in the Lock Choice for Calibrate: No Lock w/ Silver Ring for Keyed Alike.
- Keyed alike lock cores must be installed in the field.
- Keys and Lock Cores are available in #'s 226 through 425.
- A core removal key is needed to remove an existing core from the lock housing in order to replace with a new core.
- Order sets based on quantity of storage items to be keyed alike.

BLACK LOCK CORES AND KEYS

Key Type	Model Number	List
Core with 2 keys	S-W1CORE1B	25
Core with 2 keys (set of 2 keyed alike)	S-W1CORE2B	39
Core with 2 keys (set of 3 keyed alike)	S-W1CORE3B	60
Core with 2 keys (set of 4 keyed alike)	S-W1CORE4B	77
Core with 2 keys (set of 5 keyed alike)	S-W1CORE5B	95
Core with 2 keys (set of 6 keyed alike)	S-W1CORE6B	111
Core with 2 keys (set of 7 keyed alike)	S-W1CORE7B	129
Core with 2 keys (set of 8 keyed alike)	S-W1CORE8B	149
Core with 2 keys (set of 9 keyed alike)	S-W1CORE9B	166
Core with 2 keys (set of 10 keyed alike)	S-W1CORE10B	184



Notes


- Black keyed alike lock cores should be specified when ordering Option D in the Lock Choice for Calibrate: No Lock w/ Black Ring for Keyed Alike.
- Keyed alike lock cores must be installed in the field.
- Keys and Lock Cores are available in #'s 226 through 425.
- A core removal key is needed to remove an existing core from the lock housing in order to replace with a new core.
- Order sets based on quantity of storage items to be keyed alike.
- Black lock cores not available for L-Series storage.

© 2026, AIS, Inc.

L Series 2, 3, 4 and 5-Drawer Lateral Files


METAL FRONT L SERIES 2-DRAWER LATERAL FILES

Min H.	Actual W	Actual D	Model Number	List	Grade C Paint
27 1/2	30	18	S-LATJJ2D30	2,246	+118
27 1/2	36	18	S-LATJJ2D36	2,408	+118
27 1/2	42	18	S-LATJJ2D42	2,614	+118




LAMINATE FRONT L SERIES 2-DRAWER LATERAL FILES

Min H.	Actual W	Actual D	Model Number	List	Grade C Paint
27 1/2	30	18	S-LATJJ2D30L	2,649	+118
27 1/2	36	18	S-LATJJ2D36L	3,124	+118
27 1/2	42	18	S-LATJJ2D42L	3,390	+118




PICTURE FRAME FRONT L SERIES 3-DRAWER LATERAL FILES

Min H.	Actual W	Actual D	Model Number	List	Grade C Paint
39 7/8	30	18	S-LATJ3D30	2,835	+138
39 7/8	36	18	S-LATJ3D36	3,138	+138
39 7/8	42	18	S-LATJ3D42	3,420	+138




PICTURE FRAME FRONT L SERIES 4-DRAWER LATERAL FILES

Min H.	Actual W	Actual D	Model Number	List	Grade C Paint
52	30	18	S-LATJ4D30	3,418	+158
52	36	18	S-LATJ4D36	3,819	+158
52	42	18	S-LATJ4D42	4,208	+158




PICTURE FRAME FRONT L SERIES 5-DRAWER LATERAL FILES

Min H.	Actual W	Actual D	Model Number	List	Grade C Paint
64 1/8	30	18	S-LATJ5D30	4,335	+178
64 1/8	36	18	S-LATJ5D36	4,828	+178
64 1/8	42	18	S-LATJ5D42	5,374	+178



METAL FRONT L SERIES BOX-FILE LATERAL FILES

H	W	D	Model Number	List	Grade C Paint
21	30	18	S-LATJBF30	1,886	+118
21	36	18	S-LATJBF36	1,942	+118



Specify

- Paint Selection
- Laminate Selection (if applicable)

Notes


- L Series Lateral Files have picture frame (except 2-drawer, which is full width to align with pedestals) drawer fronts with rectangular pulls.
- File drawers have full depth, smooth riding ball bearing suspensions.
- All laterals are lockable with two supplied keys.
- Laterals accommodate letter, A4, and Legal sized filing and include front to back conversion bars for each drawer.
- Freestanding conversion tops, which include counterweight (field installed), are ordered separately when converting a lateral file to freestanding.
- 5-Drawer lateral files feature a recessed flipper door on the top drawer with a roll out file shelf.
- Box-file lateral comes with integrated finished top and is supplied with counterweights.
- For functional loads see Universal Storage Product Details.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Lateral Wraps for 2-Drawer Lateral Files

LATERAL WRAPS WITH NO BACK FOR 2-DRAWER LATERAL FILES

H	W	Inside W	D	Model Number	List
29	32.5	30	18	X-DSLN30	1,222
29	38.5	36	18	X-DSLN36	1,271
29	44.5	42	18	X-DSLN42	1,322
29	62.5	60	18	X-DSLN60	1,495
29	68.5	66	18	X-DSLN66	1,551
29	74.5	72	18	X-DSLN72	1,611
29	80.5	78	18	X-DSLN78	1,669
29	86.5	84	18	X-DSLN84	1,726




Without Storage




With Storage

LATERAL WRAPS WITH BACK FOR 2-DRAWER LATERAL FILES

H	W	Inside W	D	Model Number	List
29	32.5	30	19 3/8	X-DSLB30	1,299
29	38.5	36	19 3/8	X-DSLB36	1,351
29	44.5	42	19 3/8	X-DSLB42	1,402
29	62.5	60	19 3/8	X-DSLB60	1,574
29	68.5	66	19 3/8	X-DSLB66	1,630
29	74.5	72	19 3/8	X-DSLB72	1,688
29	80.5	78	19 3/8	X-DSLB78	1,744
29	86.5	84	19 3/8	X-DSLB84	1,802




Without Storage




With Storage

LATERAL WRAPS FOR 2-DRAWER LATERAL FILES BACK-TO-BACK

H	W	Inside W	D	Model Number	List
29	32.5	30	37 1/2	X-DSLD30	2,401
29	38.5	36	37 1/2	X-DSLD36	2,497
29	44.5	42	37 1/2	X-DSLD42	2,593
29	62.5	60	37 1/2	X-DSLD60	2,907
29	68.5	66	37 1/2	X-DSLD66	3,015
29	74.5	72	37 1/2	X-DSLD72	3,120
29	80.5	78	37 1/2	X-DSLD78	3,228
29	86.5	84	37 1/2	X-DSLD84	3,333



Without Storage



With Storage

Specify

- Laminate Selection for Worksurface
- Laminate Selection for Base

Notes


- Lateral wraps have a surface thickness of 1 1/8th.
- Back-to-back lateral wraps can fit two storage units back-to-back.
- For use with L Series or Calibrate laterals.

© 2026, AIS, Inc.

Lateral Wraps for 3-Drawer Lateral Files

LATERAL WRAPS WITH NO BACK FOR 3-DRAWER LATERAL FILES

H	W	Inside W	D	Model Number	List
42	32.5	30	18	X-DSLNT30	1,574
42	38.5	36	18	X-DSLNT36	1,655
42	44.5	42	18	X-DSLNT42	1,736
42	62.5	60	18	X-DSLNT60	1,816
42	68.5	66	18	X-DSLNT66	1,896
42	74.5	72	18	X-DSLNT72	1,970
42	80.5	78	18	X-DSLNT78	2,046
42	86.5	84	18	X-DSLNT84	2,122




Without Storage




With Storage

LATERAL WRAPS WITH BACK FOR 3-DRAWER LATERAL FILES

H	W	Inside W	D	Model Number	List
42	32.5	30	19 3/8	X-DSLBT30	1,653
42	38.5	36	19 3/8	X-DSLBT36	1,731
42	44.5	42	19 3/8	X-DSLBT42	1,812
42	62.5	60	19 3/8	X-DSLBT60	1,895
42	68.5	66	19 3/8	X-DSLBT66	1,973
42	74.5	72	19 3/8	X-DSLBT72	2,047
42	80.5	78	19 3/8	X-DSLBT78	2,124
42	86.5	84	19 3/8	X-DSLBT84	2,199




Without Storage




With Storage

LATERAL WRAPS FOR 3-DRAWER LATERAL FILES BACK-TO-BACK

H	W	Inside W	D	Model Number	List
42	32.5	30	37 1/2	X-DSLDT30	3,053
42	38.5	36	37 1/2	X-DSLDT36	3,200
42	44.5	42	37 1/2	X-DSLDT42	3,351
42	62.5	60	37 1/2	X-DSLDT60	3,501
42	68.5	66	37 1/2	X-DSLDT66	3,649
42	74.5	72	37 1/2	X-DSLDT72	3,787
42	80.5	78	37 1/2	X-DSLDT78	3,926
42	86.5	84	37 1/2	X-DSLDT84	4,065



Without Storage



With Storage

Specify

- Laminate Selection for Worksurface
- Laminate Selection for Base

Notes

- Lateral wraps have a surface thickness of 1 1/8th.
- Back-to-back lateral wraps can fit two storage units back-to-back.
- For use with L Series laterals only.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

L Series Freestanding Conversion Kits and Laminate Top Spanners


L SERIES FREESTANDING PAINTED METAL CONVERSION KITS

Actual H	Lateral W	Model Number	List
1 1/8	30	S-LATTOPJJ30	459
1 1/8	36	S-LATTOPJJ36	560
1 1/8	42	S-LATTOPJJ42	661




L SERIES FREESTANDING LAMINATE CONVERSION KITS

Actual H	Lateral W	Model Number	List	Grade C Laminate
1 1/8	30	W-WSL30JJ	510	+25
1 1/8	36	W-WSL36JJ	547	+28
1 1/8	42	W-WSL42JJ	604	+30




L SERIES LATERAL LAMINATE TOP SPANNERS FOR 2-DRAWER LATERAL FILES

Actual H	Span W	Model Number	List	Grade C Laminate
1 1/8	60	W-WSL230JJ	736	+41
1 1/8	66	W-WSL3036JJ	843	+46
1 1/8	72	W-WSL236JJ	915	+51
1 1/8	78	W-WSL3642JJ	990	+58
1 1/8	84	W-WSL242JJ	1,054	+58
1 1/8	90	W-WSL330JJ	1,188	+68
1 1/8	96	W-WSL23036JJ	1,247	+68



L SERIES LATERAL LAMINATE TOP SPANNERS FOR 3, 4 AND 5-DRAWER LATERAL FILES

Actual H	Span Laterals	Model Number	List	Grade C Laminate
1 1/8	30, 30	W-WSL3030JJW	632	+41
1 1/8	30, 36	W-WSL3036JJW	735	+46
1 1/8	30, 42	W-WSL3042JJW	810	+46
1 1/8	36, 36	W-WSL3636JJW	810	+51
1 1/8	36, 42	W-WSL3642JJW	878	+58
1 1/8	42, 42	W-WSL4242JJW	943	+58
1 1/8	30, 30, 30	W-WSL303030JJW	1,075	+68
1 1/8	30, 30, 36	W-WSL303036JJW	913	+68



Specify

- Paint Selection for Metal Kits
- Laminate Selection for Laminate Kits
- Color Selection for 2mm Edge on Laminate Kits

Notes


- Freestanding Conversion Kit retrofits to lateral files in order to create a freestanding scenario.
- Available as a painted metal top or laminate wood top.
- Top is 1 1/8" tall, so lateral finishes off at the same height as a standard height worksurface.
- Includes two 25 lb. counterweight which drops into the retainer bracket in the back of the lateral file.
- Order kit which corresponds to lateral width.
- When using spanners on 3, 4 or 5 high lateral files order the spanner that does not come with counter weights.
- Spanner surfaces are 18"D.
- Minimum height of a 2-drawer lateral file is 27 1/2".
- Adding a freestanding conversion kit increases height of the lateral file to 28 5/8", finishing off at the same height as a standard height worksurface.

© 2026, AIS, Inc.

L Series BBF Wardrobe Towers with Cupboard


L SERIES BOX-BOX-FILE WARDROBE TOWERS WITH CUPBOARD

Hand	H	Model Number	List	Grade C Paint
Left	49	S-WTCBBFLMX49	4,988	+178
Left	65	S-WTCBBFLMX65	5,573	+178
Right	49	S-WTCBBFRMX49	4,988	+178
Right	65	S-WTCBBFRMX65	5,573	+178



LAMINATE FRONT L SERIES BOX-BOX-FILE WARDROBE TOWERS WITH CUPBOARD

Hand	H	Model Number	List	Grade C Paint
Left	49	S-WTCBBFLMX49L	5,695	+178
Left	65	S-WTCBBFLMX65L	6,278	+178
Right	49	S-WTCBBFRMX49L	5,695	+178
Right	65	S-WTCBBFRMX65L	6,278	+178



Specify

- Paint Selection for Casing, Glass Door Trim (if applicable)
- Laminate Selection (if applicable)

Notes


- L Series Wardrobe Towers with Cupboard have square front doors and drawers with rectangular pulls and are available with metal or laminate door fronts.
- Includes wardrobe closet, coat rod, cupboard with adjustable shelf, and the option of a box-box-file or file-file pedestal.
- File drawers have full depth, smooth riding ball bearing suspensions.
- Both the cupboard and pedestal units are lockable.
- Wardrobe towers ship completely assembled and are available as left or right handed.
- Lock cores are removable with removal keys and master keys are available.
- Adjustable glides may add a maximum of 1 1/2” to minimum height.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

L Series FF Wardrobe Towers with Cupboard


L SERIES FILE-FILE WARDROBE TOWERS WITH CUPBOARD

Hand	H	Model Number	List	Grade C Paint
Left	49	S-WTCFFLMX49	4,988	+178
Left	65	S-WTCFFLMX65	5,573	+178
Right	49	S-WTCFFRMX49	4,988	+178
Right	65	S-WTCFFRMX65	5,573	+178



LAMINATE FRONT L SERIES FILE-FILE WARDROBE TOWERS WITH CUPBOARD

Hand	H	Model Number	List	Grade C Paint
Left	49	S-WTCFFLMX49L	5,695	+178
Left	65	S-WTCFFLMX65L	6,278	+178
Right	49	S-WTCFFRMX49L	5,695	+178
Right	65	S-WTCFFRMX65L	6,278	+178



Specify

- Paint Selection for Casing, Glass Door Trim (if applicable)
- Laminate Selection (if applicable)

Notes


- L Series Wardrobe Towers with Cupboard have square front doors and drawers with rectangular pulls and are available with metal or laminate door fronts.
- Includes wardrobe closet, coat rod, cupboard with adjustable shelf, and the option of a box-box-file or file-file pedestal.
- File drawers have full depth, smooth riding ball bearing suspensions.
- Both the cupboard and pedestal units are lockable.
- Wardrobe towers ship completely assembled and are available as left or right handed.
- Lock cores are removable with removal keys and master keys are available.
- Adjustable glides may add a maximum of 1 1/2” to minimum height.

© 2026, AIS, Inc.

L Series BBF Wardrobe Towers with Side Access


L SERIES BOX-BOX FILE WARDROBE TOWERS WITH SIDE ACCESS

Hand	H	Model Number	List	Grade C Paint
Left	49	S-WTBJBBFLMX49	5,163	+178
Left	65	S-WTBJBBFLMX65	5,767	+178
Right	49	S-WTBJBBFRMX49	5,163	+178
Right	65	S-WTBJBBFRMX65	5,767	+178



L SERIES FILE-FILE WARDROBE TOWERS WITH SIDE ACCESS

Hand	H	Model Number	List	Grade C Paint
Left	49	S-WTBJFFLMX49	5,163	+178
Left	65	S-WTBJFFLMX65	5,767	+178
Right	49	S-WTBJFFRMX49	5,163	+178
Right	65	S-WTBJFFRMX65	5,767	+178



Specify

- Paint Selection

Notes


- L Series Wardrobe Towers with Standard Side Access Bookcase have square front doors and drawers with rectangular pulls.
- Includes wardrobe closet, coat rod, front panel bookshelf with adjustable shelf, and the option of a box-box-file or file-file pedestal.
- File drawers have full depth, smooth riding ball bearing suspensions.
- The pedestal units are lockable.
- Wardrobe towers ship completely assembled and are available as left or right handed.
- Lock cores are removable with removal keys and master keys are available.
- Actual depth is 22” and actual width is 24” on all towers.
- Adjustable glides may add a maximum of 1 1/2” to minimum height.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

L Series Bookcases, 2-Door Cabinets, Shelves and Laminate Tops

L SERIES BOOKCASES

W	H	Shelf Count	Model Number	List	Grade C Paint
36	27 3/4	1	S-BCL2836	2,455	+118
36	39 7/8	2	S-BCL4036	2,744	+138
36	51 3/8	3	S-BCL5136	3,058	+158
36	65 7/8	4	S-BCL6636	3,279	+178



Specify


- Paint Selection

Notes

- L Series Bookcases are a double walled, metal bookcase.
- Bookcase shelves are adjustable in 1/2" increments. Leveling glides are 5/8" adjustable.
- All Bookcases are 13 3/8" deep.

L SERIES 2-DOOR CABINETS

W	H	Shelf Count	Model Number	List	Grade C Paint
36	28 3/8	1	S-CABL2D28	3,613	+118
36	39 7/8	2	S-CABL2D39	4,515	+138
36	51 3/8	3	S-CABL2D51	5,406	+158
36	65 7/8	4	S-CABL2D66	6,286	+178



Specify


- Paint Selection

Notes

- L Series 2-Door Cabinets have square front doors and drawers with rectangular pulls.
- Lock cores are removable with removal keys and master keys are available.
- Cabinet shelves are adjustable in 1 1/2" increments.
- All 2 Door Cabinets are 18 1/4" deep.

L SERIES BOOKCASE SHELVES

Model Number	List
S-BCLHF	185




Specify

Notes

- Order only if extra shelf is required.

L SERIES 2-DOOR CABINET SHELVES

Model Number	List
S-CABLHF	456




Specify

Notes

- Order only if extra shelf is required.

L SERIES 2-DOOR CABINET LAMINATE TOPS

Actual H	Cabinet W	Model Number	List	Grade C Paint
1 1/8	36	W-WS2DCABTOP	551	+28



Specify

Notes


- Laminate Selection

© 2026, AIS, Inc.

Freestanding Type C Hutches


FREESTANDING TYPE C METAL HUTCHES (FABRIC/FABRIC UTILITY BOARD)

W	Model Number	List	Grade C Paint	Grade C Flipper Fabric	Grade D Flipper Fabric	Grade C Utility Fabric	Grade D Utility Fabric
24	S-HCOFF24	2,632	+20	+13	+24	+7	+14
30	S-HCOFF30	2,765	+20	+13	+24	+7	+14
36	S-HCOFF36	2,895	+20	+13	+24	+13	+27
42	S-HCOFF42	3,161	+20	+13	+24	+13	+27
48	S-HCOFF48	3,391	+20	+13	+24	+13	+27
60	S-HCOFF60	3,616	+20	+13	+24	+13	+27



FREESTANDING TYPE C METAL HUTCHES (WHITE BOARD/FABRIC UTILITY BOARD)

W	Model Number	List	Grade C Paint	Grade C Flipper Fabric	Grade D Flipper Fabric	Grade C Utility Fabric	Grade D Utility Fabric
24	S-HCOFW24	2,632	+20	+13	+24	+7	+14
30	S-HCOFW30	2,765	+20	+13	+24	+7	+14
36	S-HCOFW36	2,895	+20	+13	+24	+13	+27
42	S-HCOFW42	3,161	+20	+13	+24	+13	+27
48	S-HCOFW48	3,391	+20	+13	+24	+13	+27
60	S-HCOFW60	3,616	+20	+13	+24	+13	+27



Specify

- Paint Selection
- Flipper Door Style - Paint or Fabric
- Slide Choice: Standard or Easy-down (+261)
- Utility Board Style (Fabric/Fabric or Whiteboard/Fabric)
- Fabric Selection for Utility Board

Notes


- Freestanding Type C Metal Hutch incorporates a Type C flipper door unit with fully enclosed metal back, a utility board, and one low profile tasklight.
- The flipper door is available in either a metal or fabric door front.
- The utility board (tackable) is available in either fabric on one side and white board on the opposite side or fabric front and back.
- Tasklight cord is managed behind the utility board with rear exit at bottom of back panel.
- Not intended for mounting on cantilevered worksurface.
- Unit mounts on floor supported base unit.
- Unit ships flat and is assembled in the field.
- Overall height of 36”, 20” to bottom of flipper unit.
- Metal shelves have a weight capacity of 1.5 lbs per linear inch of width.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Freestanding Laminate Front Type C Hutches


FREESTANDING TYPE C LAMINATE FRONT METAL HUTCHES (FABRIC/FABRIC UTILITY BOARD)

W	Model Number	List	Grade C Paint	Grade C Door Laminate	Grade C Utility Fabric	Grade D Utility Fabric
24	S-HCOFF24L	2,858	+20	+17	+7	+14
30	S-HCOFF30L	2,989	+20	+18	+7	+14
36	S-HCOFF36L	3,292	+20	+19	+13	+27
42	S-HCOFF42L	3,382	+20	+20	+13	+27
48	S-HCOFF48L	3,843	+20	+21	+13	+27
60	S-HCOFF60L	4,082	+20	+22	+13	+27



FREESTANDING TYPE C LAMINATE FRONT METAL HUTCHES (WHITE BOARD/FABRIC UTILITY BOARD)

W	Model Number	List	Grade C Paint	Grade C Door Laminate	Grade C Utility Fabric	Grade D Utility Fabric
24	S-HCOFW24L	2,858	+20	+17	+7	+14
30	S-HCOFW30L	2,989	+20	+18	+7	+14
36	S-HCOFW36L	3,118	+20	+19	+13	+27
42	S-HCOFW42L	3,382	+20	+20	+13	+27
48	S-HCOFW48L	3,616	+20	+21	+13	+27
60	S-HCOFW60L	3,819	+20	+22	+13	+27



Specify

- Paint Selection
- Laminate Selection
- Slide Choice: Standard or Easy-down (+261)
- Edge Selection
- Utility Board Style (Fabric/Fabric or Whiteboard/Fabric)
- Fabric Selection for Utility Board

Notes


- Freestanding Type C Laminate Front Metal Hutchincorporates a Type C flipper door unit (laminated door) with fully enclosed metal back, a utility board, and one low profile tasklight.
- The utility board (tackable) is available in either fabric on one side and white board on the opposite side or fabric front and back.
- Tasklight cord is managed behind the utility board with rear exit at bottom of back panel.
- Not intended for mounting on cantilevered worksurface.
- Unit mounts on floor supported base unit.
- Unit ships flat and is assembled in the field.
- Overall height of 36”, 20” to bottom of flipper unit.
- Metal shelves have a weight capacity of 1.5 lbs per linear inch of width.

© 2026, AIS, Inc.

Freestanding Type D Hutches


FREESTANDING TYPE D SOLID FRONT METAL HUTCHES (FABRIC/FABRIC UTILITY BOARD)

W	Model Number	List	Grade C Paint	Grade C Utility Fabric	Grade D Utility Fabric
24	S-HCODSFF24	3,014	+20	+7	+14
30	S-HCODSFF30	3,152	+20	+7	+14
36	S-HCODSFF36	3,292	+20	+13	+27
42	S-HCODSFF42	3,570	+20	+13	+27
48	S-HCODSFF48	3,597	+20	+13	+27



FREESTANDING TYPE D SOLID FRONT METAL HUTCHES (WHITE BOARD/FABRIC UTILITY BOARD)

W	Model Number	List	Grade C Paint	Grade C Utility Fabric	Grade D Utility Fabric
24	S-HCODSFW24	2,837	+20	+7	+14
30	S-HCODSFW30	2,969	+20	+7	+14
36	S-HCODSFW36	3,292	+20	+13	+27
42	S-HCODSFW42	3,363	+20	+13	+27
48	S-HCODSFW48	3,597	+20	+13	+27



Specify

- Paint Selection
- Utility Board Style (Fabric/Fabric or Whiteboard/Fabric)
- Fabric Selection for Utility Board

Notes


- Freestanding Type D Metal Hutch incorporates a Type D flipper door unit (solid metal door) with fully enclosed metal back, a utility board, and one low profile tasklight.
- The flipper door is available in either a metal or fabric door front.
- The utility board (tackable) is available in either fabric on one side and white board on the opposite side or fabric front and back.
- Tasklight cord is managed behind the utility board with rear exit at bottom of back panel.
- Not intended for mounting on cantilevered worksurface.
- Unit mounts on floor supported base unit.
- Unit ships flat and is assembled in the field.
- Metal shelves have a weight capacity of 1.5 lbs per linear inch of width.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Freestanding Open Shelf Hutches and Bar Pulls


FREESTANDING OPEN SHELF METAL HUTCHES (FABRIC/FABRIC UTILITY BOARD)

W	Model Number	List	Grade C Paint	Grade C Utility Fabric	Grade D Utility Fabric
24	S-HOSFF24	2,066	+20	+7	+14
30	S-HOSFF30	2,187	+20	+7	+14
36	S-HOSFF36	2,304	+20	+13	+27
42	S-HOSFF42	2,562	+20	+13	+27
48	S-HOSFF48	2,776	+20	+13	+27



FREESTANDING OPEN SHELF METAL HUTCHES (WHITE BOARD/FABRIC UTILITY BOARD)

W	Model Number	List	Grade C Paint	Grade C Utility Fabric	Grade D Utility Fabric
24	S-HOSFW24	2,066	+20	+7	+14
30	S-HOSFW30	2,187	+20	+7	+14
36	S-HOSFW36	2,304	+20	+13	+27
42	S-HOSFW42	2,562	+20	+13	+27
48	S-HOSFW48	2,950	+20	+13	+27



Specify

- Paint Selection
- Utility Board Style (Fabric/Fabric or Whiteboard/Fabric)
- Fabric Selection for Utility Board

Notes

- Freestanding Open Shelf Metal Hutch incorporates a mid-height shelf unit, a utility board, and one low profile tasklight.
- The utility board (tackable) is available in either fabric on one side and white board on the opposite side or fabric front and back.
- Tasklight cord is managed behind the utility board with rear exit at bottom of back panel.
- Not intended for mounting on cantilevered worksurface.
- Unit mounts on floor supported base unit. Unit ships flat and is assembled in the field.
- Overall height of 28”, 20” to bottom of flipper unit.
- Metal shelves have a weight capacity of 1.5 lbs per linear inch of width.

© 2026, AIS, Inc.


Matrix Mounted Open Overheads


MATRIX MOUNTED 8” HIGH OPEN OVERHEADS


H	W	D	Model Number	List
8	24	14	C-OMX082414	1,436
8	30	14	C-OMX083014	1,462
8	36	14	C-OMX083614	1,510
8	42	14	C-OMX084214	1,581
8	48	14	C-OMX084814	1,645
8	54	14	C-OMX085414	1,976
8	60	14	C-OMX086014	2,026
8	66	14	C-OMX086614	2,091
8	72	14	C-OMX087214	2,160


MATRIX MOUNTED 16” HIGH OPEN OVERHEADS

H	W	D	Model Number	List
16	24	14	C-OMX162414	1,586
16	30	14	C-OMX163014	1,643
16	36	14	C-OMX163614	1,703
16	42	14	C-OMX164214	1,770
16	48	14	C-OMX164814	1,836
16	54	14	C-OMX165414	2,430
16	60	14	C-OMX166014	2,479
16	66	14	C-OMX166614	2,515
16	72	14	C-OMX167214	2,563









Specify

- Laminate Selection for Back

Notes

- Open Overheads have a 3/4” laminate case construction with 1mm edge band.
- Overheads are available at 8” or 16” tall by 24” - 72” wide. All nominal dimensions equal actual dimensions.
- 24”- 48” width units have center upright divider creating two storage slots. 54”- 72” width units have four evenly spaced upright dividers creating four storage slots.
- Laminate selection must be casegood compatible, see Finish Options for more details.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Matrix Mounted Cabinet Door Overheads


MATRIX MOUNTED CABINET LAMINATE DOOR OVERHEADS


H	W	D	Model Number	List
16	24	14	C-OMXC162414L	2,488
16	30	14	C-OMXC163014L	2,552
16	36	14	C-OMXC163614L	2,619
16	42	14	C-OMXC164214L	2,706
16	48	14	C-OMXC164814L	2,770
16	54	14	C-OMXC165414L	4,158
16	60	14	C-OMXC166014L	4,242
16	66	14	C-OMXC166614L	4,329
16	72	14	C-OMXC167214L	4,434


MATRIX MOUNTED CABINET ACRYLIC DOOR OVERHEADS

H	W	D	Model Number	List
16	24	14	C-OMXC162414G	2,841
16	30	14	C-OMXC163014G	2,937
16	36	14	C-OMXC163614G	3,056
16	42	14	C-OMXC164214G	3,153
16	48	14	C-OMXC164814G	3,272
16	54	14	C-OMXC165414G	4,891
16	60	14	C-OMXC166014G	5,027
16	66	14	C-OMXC166614G	5,148
16	72	14	C-OMXC167214G	5,266









Specify

- Laminate Selection for Case
- Laminate Selection for Door/Face
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes

- Cabinet Door Overheads have a 3/4” laminate case construction with 1mm edge band. Cabinet door overheads are 16” tall by 24”- 72” wide.
- Cabinet doors are locking (only center doors on 54”- 72”w) and available in laminate or frosted acrylic. All nominal dimensions equal actual dimensions.
- 24”- 48” width units have center upright divider creating two storage slots. 54”- 72” width units have four evenly spaced upright dividers creating four storage slots.
- Laminate selection must be casegood compatible, see Finish Options for more details.
- Laminate Storage items follow current Calibrate Series leadtime.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull not available on doors. Touch-to-open handle selection incurs a $50 upcharge per unit (not available on framed glass doors).
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 laminate units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.

© 2026, AIS, Inc.


Matrix Mounted Sliding Door Overheads

MATRIX MOUNTED SLIDING LAMINATE DOOR OVERHEADS


Hand	H	W	D	Model Number	List
Left	16	30	14	C-OMXS163014LL	2,505
Left	16	36	14	C-OMXS163614LL	2,579
Left	16	42	14	C-OMXS164214LL	2,689
Left	16	48	14	C-OMXS164814LL	2,781
Left	16	54	14	C-OMXS165414LL	3,553
Left	16	60	14	C-OMXS166014LL	3,626
Left	16	66	14	C-OMXS166614LL	3,696
Left	16	72	14	C-OMXS167214LL	3,770
Right	16	30	14	C-OMXS163014RL	2,505
Right	16	36	14	C-OMXS163614RL	2,579
Right	16	42	14	C-OMXS164214RL	2,689
Right	16	48	14	C-OMXS164814RL	2,781
Right	16	54	14	C-OMXS165414RL	3,553
Right	16	60	14	C-OMXS166014RL	3,626
Right	16	66	14	C-OMXS166614RL	3,696

MATRIX MOUNTED SLIDING ACRYLIC DOOR OVERHEADS


Hand	H	W	D	Model Number	List
Left	16	30	14	C-OMXS163014LG	2,775
Left	16	36	14	C-OMXS163614LG	2,892
Left	16	42	14	C-OMXS164214LG	2,991
Left	16	48	14	C-OMXS164814LG	3,105
Left	16	54	14	C-OMXS165414LG	3,901
Left	16	60	14	C-OMXS166014LG	3,982
Left	16	66	14	C-OMXS166614LG	4,080
Left	16	72	14	C-OMXS167214LG	4,180
Right	16	30	14	C-OMXS163014RG	2,775
Right	16	36	14	C-OMXS163614RG	2,892
Right	16	42	14	C-OMXS164214RG	2,991
Right	16	48	14	C-OMXS164814RG	3,105
Right	16	54	14	C-OMXS165414RG	3,901
Right	16	60	14	C-OMXS166014RG	3,982
Right	16	66	14	C-OMXS166614RG	4,080
Right	16	72	14	C-OMXS167214RG	4,180




Right Hand Shown



Right Hand Shown



Left Hand Shown



Left Hand Shown

Specify

- Laminate Selection for Case
- Laminate Selection for Door/Face
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes

- Matrix Mounted Sliding Door Overheads have a 3/4” laminate case construction with 1mm edge band.
- Sliding door overheads are 16” tall by 30” - 72” wide.
- Sliding door overheads may be ordered for use with the AIS Matrix system, additionally they can be wall mounted using wall tracks or wall tile rails.
- Sliding door is locking and available in laminate or frosted acrylic.
- Sliding door is also reversible from left to right.
- All nominal dimensions equal actual dimensions.
- 30”- 48” width units have center upright divider creating two storage slots. 54”- 72” width units have four evenly spaced upright dividers creating four storage slots.
- Laminate selection must be casegood compatible, see Finish Options for more details.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull not available on doors. Sliding laminate door units include the option of no handle.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 laminate units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Matrix and Divi Shared Open Overheads


MATRIX SHARED OPEN OVERHEADS

H	W	D	Model Number	List
16	36	16	C-SOLMX163616	2,414
16	42	16	C-SOLMX164216	2,505
16	48	16	C-SOLMX164816	2,593
16	60	16	C-SOLMX166016	2,802



DIVI SHARED OPEN OVERHEADS

H	W	D	Model Number	List
16	36	16	C-SOLDV163616	2,345
16	42	16	C-SOLDV164216	2,394
16	48	16	C-SOLDV164816	2,442
16	60	16	C-SOLDV166016	2,541




Specify

- Laminate Selection for Back
- Laminate Selection for Case
- Paint Selection for Mounting Brackets

Notes

- Shared Open Overheads have a 3/4” laminate case construction with 1mm edge band.
- Shared open overheads are 16” tall by 16” deep and available 36” - 60” wide.
- Overheads also include a laminate divider and feature one storage space on each side of the unit.
- Units are designed to mount to the top of AIS panels and may be straddled on two side by side panels.
- Matrix mounting brackets are under the unit, whereas DiVi brackets are at the ends. These brackets consume 3” of the panel hanger frame at the top.
- Laminate selection must be casegood compatible, see Finish Options for more details.
- Laminate Storage items follow current Calibrate Series leadtime.



1. Stable 2. Stable 3. Not Stable


Shared Open Overhead Stability Notes
Shared open overheads spanning two panels is allowed (see example 1).
Shared open overheads mounted to one panel but overlapping others is allowed, up to 12" per side (see example 2).
Shared open overheads mounted to a panel that is smaller in width than the shared open overhead is not allowed (see example 3).


© 2026, AIS, Inc.

Type C Flipper Door Units


TYPE C METAL/FABRIC FLIPPER DOOR UNITS (CLEAT MOUNT)

Interior H	W	Interior D	Model Number	List	Grade C Paint	C.O.M. Fabric	Grade C Fabric	Grade D Fabric	Easy Down
14 1/4	24	12	S-FDUCM24	1,118	+20	-5	+13	+24	+261
14 1/4	30	12	S-FDUCM30	1,140	+20	-5	+13	+24	+261
14 1/4	36	12	S-FDUCM36	1,167	+20	-5	+13	+24	+261
14 1/4	42	12	S-FDUCM42	1,190	+20	-5	+13	+24	+261
14 1/4	48	12	S-FDUCM48	1,255	+20	-5	+13	+24	+261
14 1/4	60	12	S-FDUCM60	1,480	+20	-5	+13	+24	+261





Cleat Mount



Easy Down Mechanism (Optional)

Specify


- Paint Selection
- Flipper Door Style - Paint or Fabric
- Fabric Selection for Flipper Door
- Easy Down Mechanism (Optional)


Notes

- Type C Flipper Door Unit provides binder height, lockable overhead storage.
- Door opens and stores above top cover pan.
- Flipper unit has an open back.
- Shelf bottom will receive tasklights.
- Easy Down Mechanisms optional for all sizes and recommended on 60”W units.
- Flipper doors are lockable with two supplied keys. Lock cores are removable with removal keys and master keys are available. Extra lock cores are available for keying flipper doors alike, but doors may not be ordered without locks. Keying flippers alike requires removal of pre-installed lock cores and installation of keyed alike cores in the field.
- Laminate Storage items follow current Calibrate Series leadtime.


TYPE C LAMINATE FLIPPER DOOR UNITS (CLEAT MOUNT)

Interior H	W	Interior D	Model Number	List	Grade C Paint	Grade C Laminate	Easy Down
14 1/4	24	12	S-FDUCML24	1,344	+20	+17	+261
14 1/4	30	12	S-FDUCML30	1,367	+20	+18	+261
14 1/4	36	12	S-FDUCML36	1,393	+20	+19	+261
14 1/4	42	12	S-FDUCML42	1,418	+20	+20	+261
14 1/4	48	12	S-FDUCML48	1,554	+21	+21	+261
14 1/4	60	12	S-FDUCML60	1,705	+20	+22	+261





Cleat Mount



Easy Down Mechanism (Optional)

Specify

- Laminate Selection for Flipper Door
- Edge Selection for Flipper Door
- Easy Down Mechanism (Optional)

Notes

- Type C Flipper Door Unit provides binder height, lockable overhead storage.
- Door opens and stores above top cover pan.
- Flipper unit has an open back.
- Shelf bottom will receive tasklights.
- Easy Down Mechanisms optional for all sizes and recommended on 60”W units.
- Flipper doors are lockable with two supplied keys. Lock cores are removable with removal keys and master keys are available. Extra lock cores are available for keying flipper doors alike, but doors may not be ordered without locks. Keying flippers alike requires removal of pre-installed lock cores and installation of keyed alike cores in the field.
- Laminate Storage items follow current Calibrate Series leadtime.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

Type D Flipper Door Units


TYPE D SOLID FLIPPER DOOR UNITS (CLEAT MOUNT)

Interior H	W	Interior D	Model Number	List	Grade C Paint	Easy Down
14 1/4	24	12	S-FDUDCM24	1,320	+20	+261
14 1/4	30	12	S-FDUDCM30	1,347	+20	+261
14 1/4	36	12	S-FDUDCM36	1,372	+20	+261
14 1/4	42	12	S-FDUDCM42	1,396	+20	+261
14 1/4	48	12	S-FDUDCM48	1,457	+20	+261





Cleat Mount



Easy Down Mechanism (Optional)

Specify

- Paint Selection
- Easy Down Mechanism (Optional)

Notes


- Type D Flipper Door Unit provides binder height, lockable overhead storage.
- Door opens and stores above top cover pan. Flipper unit has an open back.
- Shelf bottom will receive tasklights.
- Easy Down Mechanisms are optional for all sizes.
- All flipper doors are lockable with two supplied keys. Lock cores are removable with removal keys and master keys are available. Extra lock cores are available for keying flipper doors alike, but flipper doors may not be ordered without locks. Keying flippers alike requires removal of pre-installed lock cores and installation of keyed alike cores in the field.
- Laminate Storage items follow current Calibrate Series leadtime.


© 2026, AIS, Inc.

Sliding Door Units

METAL FRONT SLIDING DOOR UNITS (CLEAT MOUNTED)

Interior H	W	Interior D	Model Number	List	Grade C Paint
14 1/4	30	12	S-MS2DOCM30	1,347	+20
14 1/4	36	12	S-MS2DOCM36	1,376	+20
14 1/4	42	12	S-MS2DOCM42	1,397	+20
14 1/4	48	12	S-MS2DOCM48	1,463	+20
14 1/4	60	12	S-MS2DOCM60	1,688	+20







Cleat Mount

LAMINATE FRONT SLIDING DOOR UNITS (CLEAT MOUNTED)

Interior H	W	Interior D	Model Number	List	Grade C Paint	Grade C Laminate
14 1/4	30	12	S-MS2DOCM30L	1,575	+20	+18
14 1/4	36	12	S-MS2DOCM36L	1,592	+20	+19
14 1/4	42	12	S-MS2DOCM42L	1,626	+20	+20
14 1/4	48	12	S-MS2DOCM48L	1,764	+20	+21
14 1/4	60	12	S-MS2DOCM60L	1,912	+20	+22





Cleat Mount

Specify


- Paint Selection
- Laminate Selection for Sliding Door (for Laminate Front Unit only)
- Edge Selection for Sliding Door (for Laminate Front Unit only)


Notes

- Cleat Mounted Sliding Door Units provides binder height, lockable overhead storage.
- Door slides open side to side.
- Sliding door unit has an open back.
- Shelf ends have locking swing cams to prevent dislodgement.
- Shelf bottom will receive tasklights.
- All sliding doors are lockable with (2) keys supplied. Lock cores are removable with removal keys and master keys are available. Extra lock cores are available for keying sliding doors alike, but sliding doors may not be ordered without locks. Keying sliding doors alike requires removal of pre-installed lock cores and installation of keyed alike cores in the field.
- Laminate Storage items follow current Calibrate Series leadtime.

METAL FRONT CABINET DOOR UNITS (CLEAT MOUNTED)

Interior H	W	Interior D	Model Number	List	Grade C Paint
14 1/4	24	12	S-VDOCM24	1,730	+20
14 1/4	30	12	S-VDOCM30	1,750	+20
14 1/4	36	12	S-VDOCM36	1,780	+20
14 1/4	42	12	S-VDOCM42	1,803	+20
14 1/4	48	12	S-VDOCM48	1,866	+20







Cleat Mount

LAMINATE FRONT CABINET DOOR UNITS (CLEAT MOUNTED)

Interior H	W	Interior D	Model Number	List	Grade C Paint	Grade C Laminate
14 1/4	24	12	S-VDOCM24L	1,956	+20	+17
14 1/4	30	12	S-VDOCM30L	1,975	+20	+18
14 1/4	36	12	S-VDOCM36L	2,005	+20	+19
14 1/4	42	12	S-VDOCM42L	2,031	+20	+20
14 1/4	48	12	S-VDOCM48L	2,167	+20	+21





Cleat Mount

Specify

- Paint Selection
- Laminate Selection for Sliding Door (for Laminate Front Unit only)
- Edge Selection for Sliding Door (for Laminate Front Unit only)

Notes

- Cabinet Door Unit - Metal Door Front - Cleat Mounted provides binder height, lockable overhead storage.
- Doors swing open.
- Cabinet door unit has an open back.
- Shelf ends have locking swing cams to prevent dislodgement.
- Shelf bottom will receive tasklights.
- Units are lockable with (2) keys supplied. Lock cores are removable with removal keys and master keys are available. Extra lock cores are available for keying sliding doors alike, but sliding doors may not be ordered without locks. Keying sliding doors alike requires removal of pre-installed lock cores and installation of keyed alike cores in the field.
- Laminate Storage items follow current Calibrate Series leadtime.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Suspended Utility Storage and Accessories

SUSPENDED UTILITY STORAGE


				Powered		Non-Powered	
H	W	D	Condition	Model Number	List	Model Number	List
18	12	18	A	X-SUPCA	2,084	X-SUNPCA	1,482
18	12	18	B	X-SUPCB	2,084	X-SUNPCB	1,482
18	12	18	C	X-SUPCC	2,163	X-SUNPCC	1,561




Condition A



Condition B



Condition C



Power Detail


Specify	Notes
• Laminate Selection for Drawer Face and Case • Handle Selection • Handle Paint Selection • Lock Selection	• Units have interior dimensions of 8.856”W x 14.917H x 16.480”D. • Storage unit pulls out a distance of 13.25”. • Powered units included 3 outlets and 2 USB charging ports. • Can not be used on Calibrate Height Adjustable Tables. • Digital locks can not be used on suspended storage. • Laminate Storage items follow current Calibrate Series leadtime. • Handles can be painted in any AIS Grade A, B or C color. The loop, bar and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge. • Slim pull incurs a $75 upcharge. • Lock cores and trim rings ship separately. • One core removal key will be included for every 25 laminate units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.


SUSPENDED UTILITY STORAGE CONDITIONS

Condition	For Use With
Condition A	E-Series Height Adjustable Tables, 24” Deep Day-to-Day Height Adjustable Tables, 24” Deep Aloft, 2018 & prior models, 24” Deep Oxygen Worksurfaces, 30” Deep
Condition B	E-Series Height Adjustable Tables, 30” Deep Day-to-Day Height Adjustable Tables, 30” Deep Aloft, all models, 30” Deep Oxygen Worksurfaces, 24” Deep
Condition C	Aloft, 2019+ models, 24” Deep

SUSPENDED UTILITY PENCIL TRAY

Model Number	List
X-PTC	70







Pencil Tray Detail

Specify	Notes
	• Unit has dimension of 5” x 8.75”.

SUSPENDED UNIT FOR HANGING FOLDERS KIT

Model Number	List
C-SUPFB	162





Shown with Folders

Specify	Notes
• Paint Selection for Unit	• Hanging folder kit comes in pairs. • Kit allows for 3.75” of storage room for folders.

© 2026, AIS, Inc.

National Showrooms:

Leominster
AIS Headquarters
25 Tucker Drive
Leominster, MA 01453

Chicago
The Merchandise Mart
Suite 391
Chicago, Illinois 60654

New York
AIS New York
257 Park Avenue South
New York, New York 10010

Washington, D.C.
AIS Washington, D.C.
1501 M St, NW, STE 230
Washington, D.C. 20005

GSA Sales
GSA Contract 47QSMA20D08Q4
Multiple Award Schedule (MAS)
Large Category: Furniture & Furnishings
Subcategories: Office Furniture, Packaged Office Furniture and Furniture Services

For additional information on AIS:
Dealer Showrooms, Representative Directory, Project Case Studies, Online Catalog & Product Showcase
Visit: **www.ais-inc.com**

AIS

800.434.7400 | 978.562.7500 | Fax: 978.562.0811 | www.ais-inc.com | March 2026

TABLES:
DAY-TO-DAY®
CALIBRATE CONFERENCE™
E SERIES

March 2026 Price List

AIS

PRODUCT INFORMATION

Tables Statement of Line . . . 5
Tables Finish Options . . . 11
Day-to-Day Table Paint Upcharges . . . 14

DAY-TO-DAY MULTI-PURPOSE TABLES

Day-to-Day Tables Product Details . . . 18
Rectangular Tables with Square Post Legs . . . 34
Rectangular Tables with Tapered Post Legs . . . 37
Rectangular Tables with Slant Post Legs . . . 39
Rectangular Tables with Arc Aluminum T-Bases . . . 40
Pebble Tables with Square Post Legs . . . 45
Pebble Tables with Tapered Post Legs . . . 47
Pebble Tables with Steel T-Bases . . . 48
Pebble Tables with Arc Aluminum T-Bases . . . 49
Pebble Tables with Arc Aluminum Double Post Bases . . . 51
60° Trapezoid Tables with Square and Tapered Post Legs . . . 52
60° Trapezoid Tables with Arc Aluminum T-Bases . . . 53
Blade Tables with Tapered Post Legs . . . 54
Wedge Tables with Tapered Post Legs . . . 55
Square Tables with Square Post Legs . . . 56
Square Tables with Tapered and Slant Post Legs . . . 57
Square Tables with Steel X-Bases . . . 58
Square Tables with Arc Aluminum Double Post Bases . . . 59
Square Tables with Aluminum X-Bases . . . 60
Square Tables with Steel Disc Bases . . . 61
Square Tables with Large Steel Disc Bases . . . 62
Round Tables with Square Post Legs . . . 63
Round Tables with Tapered Post Legs . . . 64
Round Tables with Steel X-Bases . . . 65
Round Tables with Arc Aluminum X-Bases . . . 66
Round Tables with Steel Disc Bases . . . 67
Round Tables with Large Steel Disc Bases . . . 68
Pebble Tables with Square Post Legs . . . 69
Pebble Tables with Tapered Post Legs . . . 70
Pebble Tables with Steel X-Bases . . . 71
Pebble Tables with Arc Aluminum X-Bases . . . 72
Pebble Tables with Steel Disc Bases . . . 73
Pebble Tables with Large Steel Disc Bases . . . 76
Rectangular Tables with Steel Disc Bases . . . 77
Racetrack Tables with Steel Disc Bases . . . 80
Triangle Tables with Tapered Post Legs . . . 83
O-Leg Table Desks . . . 84

DAY-TO-DAY TRAINING / FLIP-TOP TABLES

Day-to-Day Training / Flip-Top Product Details . . . 86
Rectangular Tables on Flip Top Bases . . . 91
Flip Top Accessories . . . 92
Powered Rectangular Tables with Arc Aluminum T-Bases . . . 93
Rectangular Tables with Steel T-Bases . . . 94
Rectangular Tables with Steel C-Bases . . . 95

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

DAY-TO-DAY HEIGHT ADJUSTABLE TABLES

Day-to-Day Height Adjustable Table Product Details . . . 97
Rectangular, Rectangular w/Radius Corners, Symm. and 120° Corner Height Adjustable Tables . . . 102
Corner Tables with Height Adjustable Bases . . . 103
Day-to-Day 3-Leg Height Adjustable Tables . . . 104
Day-to-Day Electric Height Adjustable Table Bases . . . 110
End Panels, Modesties, and Casters for Day-to-Day Tables with Height Adjustable Bases . . . 111

E SERIES HEIGHT ADJUSTABLE TABLES

E Series Height Adjustable Table Product Details . . . 113
E Series Height Adjustable Tables and E Series Height Adjustable Tables with Radius Corners . . . 115
E Series Electric Height Adjustable Bases and Casters . . . 116

DAY-TO-DAY CONFERENCE & MEETING TABLES

Rectangular Tables with Square Post Legs . . . 118
Rectangular Tables with Tapered Post Legs . . . 119
Rectangular Tables with Slant Post Legs . . . 120
Rectangular Tables with Arc Aluminum T-Bases . . . 121
Rectangular Tables with Arc Aluminum Double Post Bases . . . 122
Pebble Tables with Arc Aluminum T-Bases . . . 128
Pebble Tables with Arc Aluminum Double Post Bases . . . 129
Square Tables with Square Post Legs . . . 132
Square Tables with Tapered Post Legs . . . 133
Square Tables with Slant Post Legs . . . 134
Square Tables with Arc Aluminum Double Post Bases . . . 135
Round Tables with Square Post Legs . . . 136
Round Tables with Tapered Post Legs . . . 137
Triangle Tables with Tapered Post Legs . . . 138
Pebble Tables with Square Post Legs . . . 139

COLLABORATIVE TABLES

Collaborative Tables Product Details . . . 141
D Top Tables with Disc Base . . . 143
Key Top Tables with Disc Base . . . 144
Collaborative Table Legs . . . 145

CALIBRATE CONFERENCING TABLES

Calibrate Conference Storage Details . . . 147
2-Base Rectangular Tables . . . 172
3-Base Rectangular Tables . . . 173
4-Base Rectangular Tables . . . 175
5-Base Rectangular Tables . . . 177
2-Base Rectangular Tables with Radius Corners . . . 179
3-Base Rectangular Tables with Radius Corners . . . 180
4-Base Rectangular Tables with Radius Corners . . . 182
5-Base Rectangular Tables with Radius Corners . . . 184
2-Base Boat Tables . . . 186
3-Base Boat Tables . . . 187
4-Base Boat Tables . . . 189
5-Base Boat Tables . . . 191
2-Base Tapered Tables . . . 193
3-Base Tapered Tables . . . 194
4-Base Tapered Tables . . . 195
5-Base Tapered Tables . . . 196

© 2026, AIS, Inc.

2-Base Tapered Tables with Radius Corners . . . 197
3-Base Tapered Tables with Radius Corners . . . 198
4-Base Tapered Tables with Radius Corners . . . 199
5-Base Tapered Tables with Radius Corners . . . 200
Calibrate End Panel Table Product Details . . . 202

CALIBRATE END PANEL TABLES

Sitting Height End Panel Tables with Recessed Ends . . . 203
Sitting Height End Panel Tables with Flush Ends . . . 204
Counter Height End Panel Tables with Flush Ends . . . 207
Standing Height End Panel Tables with Flush Ends . . . 209
Sitting Height End Panel Tables with Flush Ends and Monitor Extension . . . 211
Standing Height End Panel Tables with Flush Ends and Monitor Extension . . . 213
Sitting Height End Panel Tables with Flush Ends and Lockers . . . 215
Standing Height End Panel Tables with Flush Ends and Lockers . . . 216

CALIBRATE CONFERENCE STORAGE

Bookcases and Cabinets . . . 218
Credenzas . . . 219
Recycle Receptacles . . . 220
Buffets . . . 221
Buffets . . . 222
Lecterns . . . 223
Soft Close Mechanism For Hinged Door . . . 224

TABLE ACCESSORIES

Electrical . . . 226
Slimline Rear Screens Under Surface Mount . . . 228
Slimline Territory Screens Under Surface Mount . . . 233
Flat Plate, Ganging Device, Knife Edge Wedge Bracket, and U-Channels . . . 234
Wire Managers and Anti-Fatigue Mats . . . 235
Locks and Keys . . . 236
Hospitality/Catering Cart and Mobile White Boards . . . 237


WARRANTY & TERMS AND CONDITIONS

For Warranty & Terms and Conditions please visit:
https://www.ais-inc.com


Note: Please see Screens Price Lists for Table specific screens.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


MULTI-PURPOSE & TRAINING TABLE TOP SHAPES




Rectangular Table Top
2mm or Knife Edge
Bases: Post Legs, Steel, Aluminum, Flip




Pebble Table Top
2mm or Knife Edge
Bases: Post Legs, Steel, Aluminum




60° Trapezoid Table Top
2mm Edge
Bases: Post Legs, Steel, Aluminum




Blade Left Table Top
2mm or Knife Edge
Bases: Post Legs (Tapered)




Blade Right Table Top
2mm or Knife Edge
Bases: Post Legs (Tapered)




Wedge Table Top
2mm or Knife Edge
Bases: Post Legs (Tapered)



Square Table Top
2mm or Knife Edge
Bases: Post Legs, Steel, Aluminum




Round Table Top
2mm or Knife Edge
Bases: Post Legs, Steel, Aluminum




Triangle Table Top
2mm or Knife Edge
Bases: Post Legs


HEIGHT ADJUSTABLE TABLE TOP SHAPES




Symmetrical Corner Table Top
2mm Edge
Bases: Height Adjustable




120° Corner Table Top
2mm Edge
Bases: Height Adjustable



Corner Left Table Top
2mm Edge
Bases: Height Adjustable




Corner Right Table Top
2mm Edge
Bases: Height Adjustable




Rectangular Table Top
2mm Edge
Bases: Height Adjustable

DAY-TO-DAY CONFERENCE TABLE TOP SHAPES



Rectangular Table Top
2mm or Knife Edge
Bases: Post Legs, Steel, Aluminum




Pebble Table Top
2mm or Knife Edge
Bases: Post Legs, Steel, Aluminum


Note: Please refer to the individual price list pages within this book for more detailed and specific information on table combinations, sizes and options.

© 2026, AIS, Inc.


MULTI-PURPOSE TABLE BASES




Square Post Legs
On Glides or Casters
16", 29" or 42" High




Tapered Post Legs
On Glides or Casters
29" High




Slant Post Legs
On Glides
29" High




Steel X-Base
On Glides or Casters
16", 29" or 42" High




Steel Disc Base
On Glides
16", 29" or 42" High




Large Steel Disc Base
On Glides
29" or 42" High



Steel O-Leg Bas
On Glides
29" High




Arc Aluminum T-Base
On Glides or Casters
16", 29" or 42" High




Arc Aluminum X-Base
On Glides or Casters
16", 29" or 42" High


TRAINING & FLIP-TOP TABLE BASES




Flip-Top Base
On Casters
29" High



Arc Aluminum T-Base
On Glides or Casters
29" High




Steel C-Base
On Glides or Casters
29" High




Steel T-Base
On Glides or Casters
29" High

HEIGHT ADJUSTABLE TABLE BASES




Day-to-Day Height Adjustable Base
On Glides
29" High




E Series Height Adjustable Base
On Glides
29" High


DAY-TO-DAY CONFERENCE TABLE BASES




Square Post Legs
On Glides or Casters
29" High




Tapered Post Legs
On Glides or Casters
29" High



Slant Post Legs
On Glides
29" High



Aluminum T-Base
On Glides or Casters
29" High




Aluminum Double Post Base
On Glides or Casters
29" High

Note: Please refer to the individual price list pages within this book for more detailed and specific information on table combinations, sizes and options.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


CALIBRATE CONFERENCE TABLES




2-Base Rectangular Table
2mm or Knife Edge
1 Section, 2 Laminate A-Bases




3-Base Rectangular Table
2mm Edge or Knife Edge
3 Sections, 3 Laminate A-Bases




4-Base Rectangular Table
2mm Edge or Knife Edge
4 Sections, 4 Laminate A-Bases




5-Base Rectangular Table
2mm Edge or Knife Edge
5 Sections, 5 Laminate A-Bases




2-Base Boat Table
2mm or Knife Edge
1 Section, 2 Laminate A-Bases




3-Base Boat Table
2mm Edge or Knife Edge
3 Sections, 3 Laminate A-Bases




4-Base Boat Table
2mm Edge or Knife Edge
4 Sections, 4 Laminate A-Bases




5-Base Boat Table
2mm Edge or Knife Edge
5 Sections, 5 Laminate A-Bases




2-Base Tapered Table
2mm or Knife Edge
1 Section, 2 Laminate A-Bases



3-Base Tapered Table
2mm Edge or Knife Edge
3 Sections, 3 Laminate A-Bases




4-Base Tapered Table
2mm Edge or Knife Edge
4 Sections, 4 Laminate A-Bases




5-Base Tapered Table
2mm Edge or Knife Edge
5 Sections, 5 Laminate A-Bases


CALIBRATE END PANEL TABLES




Sitting Height Half Modesty End Panel
Table Recessed




Sitting Height Half Modesty
End Panel Table Flush




Sitting Height Full Modesty
End Panel Table Flush




Standing Height Half Modesty End
Panel Table Flush




Standing Height Full Modesty End
Panel Table Flush




Sitting Height Half Modesty End Panel
Table Flush with Monitor Extension




Sitting Height Full Modesty End Panel
Table Flush with Monitor Extension




Standing Height Half Modesty End
Panel Table Flush w/ Monitor Extension




Standing Height Full Modesty End
Panel Table Flush w/ Monitor Extension




Sitting Height Half Modesty End Panel
Table Flush with Locker



Sitting Height Full Modesty End Panel
Table Flush with Locker



Standing Height Half Modesty End
Panel Table Flush with Locker




Standing Height Full Modesty End
Panel Table Flush with Locker


Note: Please refer to the individual price list pages within this book for more detailed and specific information on table combinations, sizes and options.

© 2026, AIS, Inc.


STORAGE FOR CALIBRATE CONFERENCE




Floor Bookcase
24 - 72 Widths, 14 and 18 Depths
42 and 72 Widths Shown




Four Door Cabinet
54 - 72 Widths, 18, 22, 24, 28 Depths
54 Wide, 18 Deep Shown




Credenza w/ Cabinet Doors
24 - 72 Widths, 18 Deep
42 and 72 Widths on Glides Shown




Single Recycle Receptacle
36 Wide, 24 Deep




Recycle Receptacle
36, 42 or 48 Widths
36 and 48 Widths Shown




Buffet Bookcases
48 - 72 Widths, 18 and 24 Depths
60 Wide, 24 Deep Shown




Buffets with Cabinet Doors
48 - 72 Widths, 18 and 24 Depths
60 Wide, 24 Deep Shown




Buffet Bookcases (with Slide-Out)
48 - 72 Widths, 18 and 24 Depths
60 Wide, 24 Deep Shown



Buffets with Cabinet Doors (with Slide-Out)
48 - 72 Widths, 18 and 24 Depths
60 Wide, 24 Deep Shown



Mobile Lecterns
45 High, 28 Wide, 21 Deep
Open and with Doors




Soft Close Mechanism for
Hinged Door


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


ACCESSORIES




Ashley Uno (Clamp Mount)




Ashley Duo (Clamp Mount)




Ashley 202 (Clamp Mount)



Ashley Trio (Clamp Mount)



Data Jacks for Ashley Units



Flat Plate






Table Ganging Device




Knife Edge Wedge Bracket



U-Channel



Cord Manager for Tapered Legs



Infeeds





Table Wire Manager



Vertical Wire Manager



Pivot Modesty for
Flip and TrainingTables






Table Top Power Box



Keystone Data Inserts for
Table Top Power Box




Caster for Day-to-Day and E Series
Height Adjustable Tables



Hospitality/Catering Cart



Mobile White Boards



Anti-Fatigue Mats

© 2026, AIS, Inc.

Slimline Screen Fabric Options

VERTICAL SURFACE FABRICS	
Name	**Grade**
Amaze	A
Avenue	A
Cape Cod	A
Engage	A
Mirador	A
New England	A
Rainfall	A
Simplicity	A
Theory	A
Twizzle	A
Lido	B
Marin	B
Nature	B
Off the Grid	B
Purpose	B
Spinel	B
Sprite	B

Note: 66” & 72” wide screens – if applying directional fabrics they will need to be railroaded for application. If using a COM fabric that is 54” wide, any screen over 48” wide would need to have the fabric railroaded as well.

C.O.M. Fabric Policy

- It is mandatory that you work directly with your AIS Customer Service Representative for all COM related testing and orders. They will provide all necessary forms to you, as well as work with you with regard to sending in correct yardage and where to send it, along with necessary RA# or #s. Please note an RA must be submitted along with the fabric for testing, as well as an RA created for an actual order.
- **Please Note:** A three to five yard sample is required for testing and approval for use on all monolithic panel systems. A one yard sample is required for testing and approval on Divi Insert Tiles, Matrix Tiles, flipper doors and tackboards. We may be able to test upholstery fabrics with a swatch, your Customer Service Representative will advise based on the fabric being tested; otherwise a 1 yard sample must be submitted for testing. Results take 48 - 72 hours.
- Customer Service must be advised as to the width of the fabric rolls being supplied (54”W or 60”W). Customer Service must also be advised if the fabric has a backer.
- Yardage required for the job must be calculated by an AIS Customer Service Rep.
- Once AIS has approved the COM fabric, a fabric sample needs to be marked by the dealer with “Front”, “Top”, and “Bottom”, to be sure fabric is applied correctly. The fabric sample then needs to be attached to a COM Fabric Dealer Form and forwarded to AIS Customer Service. The COM Fabric Dealer Form may be downloaded or printed here.
- Fabrics may be discontinued or obsolete without notice.
- Contact AIS Customer Service with any questions regarding fabric availability.
- All directional fabric will be railroaded.

Note: Graded-in AIS fabrics can not be purchased and applied as COM fabric. Graded-in fabrics must be specified according to the assigned grade and product respectively.

At AIS, we take great pride in offering a diverse selection of high-quality materials including but not limited to textiles, laminates, PET, mesh, etc. However, AIS cannot guarantee uniformity in dye lots across different production runs. As such, AIS is not liable for any variations in dye lots or color discrepancies in any of our products that may occur between orders. We encourage customers to review samples for color and texture matching prior to purchase. We are committed to providing exceptional products and are confident that our selection of textiles will meet your expectations for both aesthetic appeal and durability.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Laminate and Edgeband Options

Day-to-Day Tables: Non-standard edge may be available as a special. Matching and minimum order fee may apply.

Calibrate Conference: Laminate options apply to worksurfaces, body/case, desk shell bases, modesties and doors/drawers. Table base and storage available in Grade A only. Table edge available in Grade A only. Grade B laminate options for conference tops are available with no upcharge. Grade C laminate options for conference tops are available with an upcharge.

White writable laminate option (Brite White) available at Grade C. For more information please refer to https://www.ais-inc.com/resources/fabrics-and-finishes.

Non-standard laminates are available for an upcharge.

WORKSURFACE LAMINATE OPTIONS

Name	Grade
Absolute Acajou*	A
Aimtoo Savatre*	A
Black*	A
Brazilwood*	A
Chalk*	A
Corporate Walnut*	A
Dark Rum Cherry*	A
Field Elm	A
Grand Cherry*	A
Grey Elm*	A
Landmark*	A
Leave Likatre*	A
Linen*	A
Looks Likatre*	A
Maritime Dune*	A
Midwest Maple*	A
Neo Walnut*	A
Phantom Ecru*	A
Phantom Pearl*	A
Storm*	A
Summer Drops*	A
True White*	A
Trytoo Savatre*	A
White Chocolate*	A
Asian Night	B
Asian Sand	B
Beige Granite	B
Colombian Walnut	B
Fonthill Pear	B
Grey Mesh	B
Gridlock in L.A.	B
Madagascar	B
Mahogany Clove	B
Monticello Maple	B
Nightfall	B
Paris White Potterware	B
Pewter Mesh	B
Recon Oak	B
Shadow	B
Sunset	B
Titanium EV	B
Tungsten EV	B
White Spektrum	B
Windswept Pewter	B
Yorkshire Cherry	B
Ebony	C
Bright White (Writable Surface)	C
Pecan Woodline	C
Strand Burnt	C
Strand Wenge	C
Strand Wheat	C
Twill Earthen	C
Twill Graphite	C
Twill Sarum	C
Warm White	C

*Indicates a Grade A finish that can be used on Casegood body/case/door/drawer.

EDGEBAND OPTIONS

Name		Grade
Absolute Acajou	AA	A
Aimtoo Savatre	AS	A
Black	BK	A
Brazilwood	BZ	A
Chalk	CK	A
Corporate Walnut	CT	A
Dark Rum Cherry	DR	A
Dark Tone	DT	A
Field Elm	FE	A
Grand Cherry	GC	A
Grey Elm	GE	A
Grey Value 1	GV1	A
Landmark	LM	A
Leave Likatre	LV	A
Light Tone	LT	A
Linen	LN	A
Looks Likatre	LK	A
Maritime Dune	MD	A
Medium Tone	MT	A
Midwest Maple	MM	A
Neo Walnut	NW	A
Phantom Ecru	PE	A
Phantom Pearl	PP	A
Satin White / True White	SW / TW	A
Storm	ST	A
Summer Drops	SD	A
Trytoo Savatre	TS	A
White Chocolate	WC	A

Custom Edgeband Options

- Custom match non-standard edgebands must be submitted as a special. Pricing varies based on edge thickness and finish.
- Minimum order size for any custom color is $75,000.00 list. Extended lead-time will apply.

© 2026, AIS, Inc.

Paint Options

DAY-TO-DAY PAINT OPTIONS

Name	Color Code	Grade
Black	BK	A
Chalk	CK	A
Dark Tone	DT	A
Grey Value 1	GV1	A
Innertone	HT	A
Light Tone	LT	A
Medium Tone	MT	A
Metallic Silver	MS	A
Satin White	SW	A
Warm Brown	WB	A
Champagne Metallic	CHM	B
Dark Grey Metallic	DGM	B
Flint Grey Metallic	FGM	B
Light Grey	LG	B
Tan Value 1	TV1	B
Antique Gold	AG	C
Graphite Sky	GS	C
Burnt Orange	BO	C
Brown	BR	C
Steel Blue	SB	C
Baltic Blue	BB	C
Ruby Red	RR	C
Kelly Green	KG	C

BRIGHT METAL FINISH OPTIONS

Bright Metal is available for Aluminum Base Feet, Slim Post Legs, and Tapered Post Legs. Upcharge varies per application. See Grade C Paint Upcharge pages for more information.

HEIGHT ADJUSTABLE TABLES FINISH OPTIONS

Day-to-Day Height Adjustable Tables are available in Black, Satin White or Metallic Silver. E Series Tables are available in White, Black and Silver.

FLIP-TOP TABLES FINISH OPTIONS

Flip-Top Tables are available in Metallic Silver.

At AIS, we take great pride in offering a diverse selection of high-quality materials including but not limited to textiles, laminates, PET, mesh, etc. However, AIS cannot guarantee uniformity in dye lots across different production runs. As such, AIS is not liable for any variations in dye lots or color discrepancies in any of our products that may occur between orders. We encourage customers to review samples for color and texture matching prior to purchase. We are committed to providing exceptional products and are confident that our selection of textiles will meet your expectations for both aesthetic appeal and durability.

Custom Paints

Special Paint Match Process & Ordering Instructions
To initiate a special paint match, please provide **three physical match samples** to your Customer Service Representative (CSR). These samples will be sent to our paint suppliers for evaluation and matching.

Match Process & Fees:
- A **non-refundable $450 net match fee** is required to begin the process.
- Once viable matches are developed (pending vendor capability), we'll send the samples to the dealer for final approval.


Pricing:
- Pricing begins at the **Grade C paint tier.**
- If the custom color incurs additional costs beyond Grade C pricing, we will advise of any upcharges before order placement.
- A **minimum order of $100,000 List** is required for special paint orders.
- The **$450 match fee will be waived** if the order is **$150,000 List or more** (and placed using the approved color).

Ordering Instructions (after color approval):
1. Dealer submits the **Purchase Order (PO)** and **Bill of Materials (BOM)** for the product requiring special paint.
2. The PO must clearly state:
   "SPECIAL PAINT REQUIRED ON THIS ORDER"
   — either in the header or special instructions section.
3. When selecting finishes:
   — Choose the **Grade C Paint option.**
   — **Do not select a final paint color.**
   — **Leave the paint code blank** and use the skip option.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Paint Options

Finish Application Guide




Disc Base Finish Applications:

1. Post - Always painted
2. Disc Base - Always painted




Aluminum Base Finish Applications:

1. Post - Always painted
2. Glide - Always polished
3. Foot - Painted or Polished Aluminum / Bright Metal



Steel Base Finish Applications:

1. Post - Always painted
2. Base - Always painted



Post Leg Finish Applications:





1. Post - Always painted*


*Tapered post leg also available in Bright Metal

© 2026, AIS, Inc.

Day-to-Day Table Grade C Paint Upcharges

TABLES WITH ARC ALUMINUM BASES PAINT UPCHARGES


	Table Component	Size	Option	Upcharge per Component
	Post	16H	Grade C Paint	+20
	Post	29H	Grade C Paint	+25
	Post	42H	Grade C Paint	+30
	X-Base Foot	24D	Grade C Paint	+40
	X-Base Foot	30D	Grade C Paint	+44
	X-Base Foot	24D	Bright Metal / Polished	+60
	X-Base Foot	30D	Bright Metal / Polished	+64
	T-Base Foot	24D	Grade C Paint	+20
	T-Base Foot	30D	Grade C Paint	+22
	T-Base Foot	24D	Bright Metal	+40
	T-Base Foot	30D	Bright Metal	+42
	Double Post Base Foot	36D	Grade C Paint	+30
	Double Post Base Foot	42D	Grade C Paint	+32
	Double Post Base Foot	36D	Bright Metal	+55
	Double Post Base Foot	42D	Bright Metal	+58



How to Specify Tables with Aluminum Bases Grade C Paint Upcharges

1. 29H Post with Grade C	$25
2. 29H Post with Grade C	$25
3. 24D T-Base Foot with Grade C	$20
4. 24D T-Base Foot with Grade C	$20
Total:	$90

Note: Please use 20/20 for final quoting to clients.



How to Specify Tables with Aluminum Double Post Bases Grade C Paint Upcharges


1. 29H Post with Grade C	$25
2. 29H Post with Grade C	$25
3. 29H Post with Grade C	$25
4. 29H Post with Grade C	$25
5. 36D Double Post Base Foot with Grade C	$30
6. 36D Double Post Base Foot with Grade C	$30
Total:	$160


Note: Please use 20/20 for final quoting to clients.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Day-to-Day Table Grade C Paint Upcharges

TABLES WITH STEEL X-BASES, T-BASES & C-BASES PAINT UPCHARGES












Table Components	Size	Option	Upcharge per Component
1 Post + 1 X-Base	16H x 18D or 24D X-Base	Grade C Paint	+60
1 Post + 1 X-Base	29H x 18D or 24D X-Base	Grade C Paint	+65
1 Post + 1 X-Base	42H x 18D or 24D X-Base	Grade C Paint	+70
1 Post + 1 X-Base	16H x 30D or 36D X-Base	Grade C Paint	+75
1 Post + 1 X-Base	29H x 30D or 36D X-Base	Grade C Paint	+80
1 Post + 1 X-Base	42H x 30D or 36D X-Base	Grade C Paint	+85
2 Post + 2 T-Base	(2) 16H x (2) 18D or 24D T-Bases	Grade C Paint	+70
2 Post + 2 T-Base	(2) 29H x (2) 18D or 24D T-Bases	Grade C Paint	+80
2 Post + 2 T-Base	(2) 42H x (2) 18D or 24D T-Bases	Grade C Paint	+90
2 Post + 2 T-Base	(2) 16H x (2) 30D or 36D T-Bases	Grade C Paint	+75
2 Post + 2 T-Base	(2) 29H x (2) 30D or 36D T-Bases	Grade C Paint	+85
2 Post + 2 T-Base	(2) 42H x (2) 30D or 36D T-Bases	Grade C Paint	+95
2 Post + 2 C-Base	(2) 16H x (2) 18D or 24D C-Bases	Grade C Paint	+70
2 Post + 2 C-Base	(2) 29H x (2) 18D or 24D C-Bases	Grade C Paint	+80
2 Post + 2 C-Base	(2) 42H x (2) 18D or 24D C-Bases	Grade C Paint	+90
2 Post + 2 C-Base	(2) 16H x (2) 30D C-Bases	Grade C Paint	+75
2 Post + 2 C-Base	(2) 29H x (2) 30D C-Bases	Grade C Paint	+85
2 Post + 2 C-Base	(2) 42H x (2) 30D C-Bases	Grade C Paint	+95
3 Post + 2 Corner T-Base	29H x 18D or 24D Corner T-Bases	Grade C Paint	+95
3 Post + 2 Corner T-Base	29H x 30D or 36D Corner T-Bases	Grade C Paint	+95
3 Post + 2 Corner C-Base	29H x 18D or 24D Corner C-Bases	Grade C Paint	+95
3 Post + 2 Corner C-Base	29H x 30D or 36D Corner C-Bases	Grade C Paint	+95



How to Specify Tables with Steel X-Bases Grade C Paint Upcharges

1. 29H Post + 24D X-Base with Grade C	$65
Total:	$65


Note: Please use 20/20 for final quoting to clients.



How to Specify Tables with Steel T-Bases Grade C Paint Upcharges

1. (2) 29H Posts + (2) 24D T-Bases with Grade C	$80
Total:	$80

Note: Please use 20/20 for final quoting to clients.



How to Specify Tables with Steel Corner C-Bases Grade C Paint Upcharges

1. (3) 29H Posts + (2) 24D Corner C-Bases with Grade C	$95
Total:	$95

Note: Please use 20/20 for final quoting to clients.

© 2026, AIS, Inc.

Day-to-Day Table Grade C Paint Upcharges

POST LEG TABLES









Table Component	Size	Option	Upcharge per Component
4 Square Post Legs	16H	Grade C Paint	+80
4 Square Post Legs	29H	Grade C Paint	+100
4 Square Post Legs	42H	Grade C Paint	+120
5 Square Post Legs	29H	Grade C Paint	+125
4 Tapered Post Legs	29H	Grade C Paint	+100
4 Tapered Post Legs	29H	Bright Metal	+84
5 Tapered Post Legs	29H	Grade C Paint	+125
5 Tapered Post Legs	29H	Bright Metal	+105
4 Slant Post Legs	29H	Grade C Paint	+100
5 Slant Post Legs	29H	Grade C Paint	+125



How to Specify Tables with Post Leg Bases Grade C Paint Upcharges

1. 29H 4 Square Post Legs	$100
Total:	$100

Note: Please use 20/20 for final quoting to clients.

DISC BASE TABLES





Table Component	Size	Option	Upcharge per Component
Disc Base	16H	Grade C Paint	+25
Disc Base	29H	Grade C Paint	+25
Disc Base	42H	Grade C Paint	+25



How to Specify Tables with Disc Bases Grade C Paint Upcharges

1. 29H Disc Base	$25
Total:	$25

Note: Please use 20/20 for final quoting to clients.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Multi-Purpose Tables

16” High Occasional Tables, 29” High Occasional & Multi-Purpose Tables*,
42” High Standing Height Tables


*Approximate sizes with few exceptions based on heights.

© 2026, AIS, Inc.

Day-to-Day Product Details

Product Specification Guidelines

Example shown below is a 30” D x 60” W x 29” H Rectangular table with 2mm edge on square post legs with casters. Guide shown below can be used as a reference, however always refer to the price list pages for product numbers rather than attempting to construct them.




Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Caster Shapes and Sizes

All casters are standard in black and feature a locking mechanism.

Available casters (not shown to scale):




36mm (1.44”) Caster used on Steel C-Base, Steel T-Base, and Steel X-Base




50mm (1.97”) Caster used on Arc Aluminum Leg, Tapered Leg, Slim Post Leg, and Square Post Leg

Glide Ranges


Aluminum base glides have a 0.38” height adjustment range and are available in bright polished aluminum.




Steel base glides have a 0.25” height adjustment range and are available in black.



Steel disc base glides have a 3/16” height adjustment range and are available in black.



Wire Management for Large Top Disc Base Tables




© 2026, AIS, Inc.

Day-to-Day Product Details

Table Height Dimensions

Base heights shown using actual height measurements. For nominal measurements please refer to price list page of specified product.




Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

Table Height Dimensions

Base heights shown using actual height measurements. For nominal measurements please refer to price list page of specified product.



Disc Base
(Measurements include 1 1/8" thick worksurface)
Glide is 1/8" adjustable



Large Top Disc Base
(Measurements include 1 1/8" thick worksurface)
Glide is 1/8" adjustable

ROUND TABLES WITH STEEL DISC BASE							
	29"W	30"W	36"W	42"W	48"W	54"W	60"W
16"H	•	•	•	•	N/A	N/A	N/A
29"H	•	•	•	•	N/A	N/A	N/A
42"H	•	•	•	•	N/A	N/A	N/A

SQUARE AND PEBBLE TABLES WITH STEEL DISC BASE							
	29"W	30"W	36"W	42"W	48"W	54"W	60"W
16"H	•	•	•	N/A	N/A	N/A	N/A
29"H	•	•	•	N/A	N/A	N/A	N/A
42"H	•	•	•	N/A	N/A	N/A	N/A

ROUND TABLES (LARGE) WITH STEEL DISC BASE							
	29"W	30"W	36"W	42"W	48"W	54"W	60"W
29"H	•	•	•	•	•	•	•
42"H	•	•	•	•	•	•	•

SQUARE AND PEBBLE TABLES (LARGE) WITH STEEL DISC BASE							
	29"W	30"W	36"W	42"W	48"W	54"W	60"W
29"H	•	•	•	•	N/A	N/A	N/A
42"H	•	•	•	•	N/A	N/A	N/A


© 2026, AIS, Inc.

Day-to-Day Product Details


Table Base Dimensions

Base width dimensions shown using nominal width measurements.


Arc Aluminum T-Base




Arc Aluminum T-Base




Arc Aluminum Double T-Base




Arc Aluminum T-Base




Steel T-Base




Steel T-Base



Steel T-Base



Steel T-Base



Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

Day-to-Day Product Details


Worksurface Edge Profile Details

Worksurfaces are 1 1/8" thick, thermally fused laminate with matching edgeband.

2mm Edge Profile Detail




Knife Edge Profile Detail




Day-to-Day Table Grain and Pattern Direction

Important Note: Grain "pattern" will not be lined up or matched example on multiple piece worksurfaces (108" and 120" wide).


Rectangular Table Top:




Pebble Table Top:




60° Trapezoid Table Top:




Blade Table Top:




Wedge Table Top:




Square Table Top:




Round Table Top:



Triangle Table Top:




Pivot Modesty:




© 2026, AIS, Inc.


Day-to-Day Product Details


Arc Aluminum T-Base Recommended Locations





Product Detail
Steel T-Base Recommended Locations






Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Arc Aluminum Base U-Channel Placement Guide

Depths: 24 - 36”




72 Wide uses T-UCK36

Depths: 30”




72 Wide uses T-UCK36

Depths: 24 - 30”




78 Wide uses T-UCK36
84 Wide uses T-UCK42

Depths: 36”




72 Wide uses T-UCK36

Depths: 24 - 36”




120 Wide uses T-UCK36

Depths: 30 - 36”




120 Wide uses T-UCK36

Depths: 42 - 60”




66 Wide uses T-UCK36
72 Wide uses T-UCK42

Depths: 42 - 60”




66 Wide uses T-UCK36
72 Wide uses T-UCK42

Depths: 42 - 60”



108 Wide uses T-UCK42
120 Wide uses T-UCK48

Depths: 42 - 60”



108 Wide uses T-UCK42
120 Wide uses T-UCK48

U-CHANNEL INFORMATION	
U-Channel*	**Length**
T-UCK30	30”
T-UCK36	36”
T-UCK42	42”
T-UCK48	50”
T-UCK54	54”
T-UCK60	60”
T-UCK66	66”
T-UCK72	72”


*U-Channels included with table

© 2026, AIS, Inc.

Day-to-Day Product Details


Steel Base U-Channel Placement Guide

Depths: 18 - 36”




54 Wide uses T-UCK36
60 Wide uses T-UCK42
66 Wide uses T-UCK48
72 Wide uses T-UCK54

Depths: 18 - 36”



60 Wide uses T-UCK36
66 Wide uses T-UCK42
72 Wide uses T-UCK48

Depths: 30 - 36”



60 Wide uses T-UCK36
66 Wide uses T-UCK42
72 Wide uses T-UCK48

Depths: 24 - 30”



72 Wide uses T-UCK36
78 Wide uses T-UCK42
84 Wide uses T-UCK48

U-CHANNEL INFORMATION




U-Channel*	Length
T-UCK30	30”
T-UCK36	36”
T-UCK42	42”
T-UCK48	50”
T-UCK54	54”
T-UCK60	60”
T-UCK66	66”
T-UCK72	72”

*U-Channels included with table

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Seating Capacity Guide

Please use the chart below to reference how many chairs can approximately fit at each top size. Actual numbers may vary from chart based on the application, type of base/legs used, chair size and spacing. Based on 30” width per seat.

Top Sizes	 Rectangle	 Pebble	 60° Trapezoid	 Blade	 Wedge	 Square	 Round	 Triangle
24 x 24	-	4	-	-	-	4	2 - 3	-
30 x 30	-	4	-	-	-	4	3	-
36 x 36	-	4	-	-	-	4	3 - 4	3
42 x 42	-	4	-	-	-	4	4	-
48 x 48	-	4	-	-	-	4	5	3
54 x 54	-	4	-	-	-	4	5 - 6	3
60 x 60	-	4	-	-	-	4	6	6
18 x 24	2	-	-	-	-	-	-	-
18 x 30	2	-	-	-	-	-	-	-
18 x 36	2	-	-	-	-	-	-	-
18 x 42	2	-	-	-	-	-	-	-
18 x 48	2	-	-	-	-	-	-	-
18 x 54	2	-	-	-	-	-	-	-
18 x 60	4	-	-	-	-	-	-	-
18 x 66	4	-	-	-	-	-	-	-
18 x 72	4	-	-	-	-	-	-	-
24 x 30	2	-	-	-	-	-	-	-
24 x 36	2	-	-	-	-	-	-	-
24 x 42	2	-	-	-	-	-	-	-
24 x 48	2	-	-	-	-	-	-	-
24 x 54	2	-	-	-	-	-	-	-
24 x 60	4	-	3	-	-	-	-	-
24 x 66	4	-	3	-	-	-	-	-
24 x 72	4	-	3	-	-	-	-	-
24 x 78	4	-	3	-	-	-	-	-
24 x 84	4	-	3	-	-	-	-	-
24 x 90	6	-	-	-	-	-	-	-
24 x 96	6	-	-	-	-	-	-	-
24 x 108	6	-	-	-	-	-	-	-
24 x 120	8	-	-	-	-	-	-	-
28 x 66	-	-	-	-	4 - 6	-	-	-

© 2026, AIS, Inc.

Day-to-Day Product Details

Seating Capacity Guide (Cont.)

Please use the chart below to reference how many chairs can approximately fit at each top size. Actual numbers may vary from chart based on the application, type of base/legs used, chair size and spacing. Based on 30” width per seat.




Top Sizes	Rectangle	Pebble	60° Trapezoid	Blade	Wedge	Square	Round	Triangle
30 x 36	2 - 4	2 - 4	-	-	-	-	-	-
30 x 42	2 - 4	2 - 4	-	-	-	-	-	-
30 x 48	2 - 4	2 - 4	-	-	-	-	-	-
30 x 54	2 - 4	2 - 4	-	-	-	-	-	-
30 x 60	4 - 6	4 - 6	-	-	-	-	-	-
30 x 66	4 - 6	4 - 6	3	-	-	-	-	-
30 x 72	4 - 6	4 - 6	3	4 - 6	-	-	-	-
30 x 78	4 - 6	4 - 6	3	4 - 6	-	-	-	-
30 x 84	4 - 6	4 - 6	3	-	-	-	-	-
30 x 90	6 - 8	6 - 8	-	-	-	-	-	-
30 x 96	6 - 8	6 - 8	-	-	-	-	-	-
30 x 108	6 - 8	6 - 8	-	-	-	-	-	-
30 x 120	8 - 10	8 - 10	-	-	-	-	-	-
32 x 72	-	-	-	-	4 - 6	-	-	-
32 x 78	-	-	-	-	4 - 6	-	-	-
36 x 42	2 - 4	2 - 4	-	-	-	-	-	-
36 x 48	2 - 4	2 - 4	-	-	-	-	-	-
36 x 54	2 - 4	2 - 4	-	-	-	-	-	-
36 x 60	4 - 6	4 - 6	-	-	-	-	-	-
36 x 66	4 - 6	4 - 6	-	-	-	-	-	-
36 x 72	4 - 6	4 - 6	-	-	-	-	-	-
36 x 78	4 - 6	4 - 6	-	-	-	-	-	-
36 x 84	4 - 6	4 - 6	-	-	-	-	-	-
36 x 90	6 - 8	6 - 8	-	-	-	-	-	-
36 x 96	6 - 8	6 - 8	-	-	-	-	-	-
36 x 108	6 - 8	6 - 8	-	-	-	-	-	-
36 x 120	8 - 10	8 - 10	-	-	-	-	-	-
42 x 48	2 - 4	2 - 4	-	-	-	-	-	-
42 x 54	2 - 4	2 - 4	-	-	-	-	-	-
42 x 60	4 - 6	4 - 6	-	-	-	-	-	-
42 x 72	4 - 6	4 - 6	-	-	-	-	-	-
42 x 78	4 - 6	4 - 6	-	-	-	-	-	-
42 x 84	4 - 6	4 - 6	-	-	-	-	-	-
42 x 90	6 - 8	6 - 8	-	-	-	-	-	-
42 x 96	6 - 8	6 - 8	-	-	-	-	-	-
42 x 108	6 - 8	6 - 8	-	-	-	-	-	-
42 x 120	8 - 10	8 - 10	-	-	-	-	-	-

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Seating Capacity Guide (Cont.)

Please use the chart below to reference how many chairs can approximately fit at each top size. Actual numbers may vary from chart based on the application, type of base/legs used, chair size and spacing. Based on 30” width per seat.

Top Sizes	 Rectangle	 Pebble	 60° Trapezoid	 Blade	 Wedge	 Square	 Round	 Triangle
48 x 54	2 - 4	2 - 4	-	-	-	-	-	-
48 x 60	4 - 6	4 - 6	-	-	-	-	-	-
48 x 66	4 - 6	4 - 6	-	-	-	-	-	-
48 x 72	4 - 6	4 - 6	-	-	-	-	-	-
48 x 84	4 - 6	4 - 6	-	-	-	-	-	-
48 x 90	6 - 8	6 - 8	-	-	-	-	-	-
48 x 96	6 - 8	6 - 8	-	-	-	-	-	-
48 x 108	6 - 8	6 - 8	-	-	-	-	-	-
48 x 120	8 - 10	8 - 10	-	-	-	-	-	-
54 x 60	4 - 6	4 - 6	-	-	-	-	-	-
54 x 66	4 - 6	4 - 6	-	-	-	-	-	-
54 x 72	4 - 6	4 - 6	-	-	-	-	-	-
54 x 78	4 - 6	4 - 6	-	-	-	-	-	-
54 x 84	4 - 6	4 - 6	-	-	-	-	-	-
54 x 90	6 - 8	6 - 8	-	-	-	-	-	-
54 x 96	6 - 8	6 - 8	-	-	-	-	-	-
54 x 108	6 - 8	6 - 8	-	-	-	-	-	-
54 x 120	8 - 10	8 - 10	-	-	-	-	-	-
60 x 66	4 - 8	4 - 8	-	-	-	-	-	-
60 x 72	4 - 8	4 - 8	-	-	-	-	-	-
60 x 78	4 - 8	4 - 8	-	-	-	-	-	-
60 x 84	4 - 8	4 - 8	-	-	-	-	-	-
60 x 90	6 - 10	6 - 10	-	-	-	-	-	-
60 x 96	6 - 10	6 - 10	-	-	-	-	-	-
60 x 108	6 - 10	6 - 10	-	-	-	-	-	-
60 x 120	8 - 12	8 - 12	-	-	-	-	-	-

© 2026, AIS, Inc.

Day-to-Day Product Details






Day-to-Day Power Options

SURFACE	Option A (No Power)	OPTION B 1 Dock 281 Center with 1 Plugin Cord 1 Outlet 1 USB Type C 1 USB Type A	OPTION C 1 DOMINO Center with 1 Plugin Cord 2 Outlets 1 USB Type C 1 USB Type A	OPTION D 2 DOMINO with 2 Plugin Cords 4 Outlets 2 USB Type C 2 USB Type A	OPTION E 2 DOMINO Daisy Chain with 1 Plugin Cord 4 Outlets 2 USB Type C 2 USB Type A	OPTION F 1 Cove Unit Hardwired 2 Outlets 1 USB Type C 1 USB Type A	OPTION G/H/I/J 2 Cove Units Hardwired 4 Outlets 2 USB Type C 2 USB Type A
Rectangle	●						
42”-66”W	●		●			●	
72”-120”W	●		●	●	●	●	●
Racetrack	●						
60”-66”W	●		●			●	
72”-120”W	●		●	●	●	●	●
Pebble Rectangular	●						
60”-66”W	●		●			●	
72”-120”W	●		●	●	●	●	●
Wedge	●		●	●		●	●
Round	●	●					
Pebble Square	●	●					
Triangle	●	●					
Square	●	●	●			●	

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Day-to-Day Power Options

Description	Total Outlets	Total USBs	USB Type C	USB Type A	Daisy Chain	Option Upcharge	Termination	Configuration
Option A (No Power)	-	-	-	-	-	-	-	-
Option B 1 Dock 281 Center with 1 Plugin Cord	1	2	1	1	No	+416	 1 Plug w/ 10 ft Cord	
Option C 1 Domino Center with 1 Plugin Cord	2	2	1	1	No	+676	 1 Plug w/ 10 ft Cord	
Option D 2 Domino with 2 Plugin Cords	4	4	2	2	No	+1,352	 2 Plugs w/ 10 ft Cords	
Option E 2 Domino Daisy Chain with 1 Plugin Cord	4	4	2	2	Yes	+2,080	 1 Plug w/ 10 ft Cord	
Option F 1 Cove Hardwired	2	2	-	2	No	+1,543	 Hardwired 9 ft Cord	
Options G/H/I/J 2 Cove Hardwired Electrician Supplied Junction Box & Infeed Cable	4	4	-	4	Yes	+2,414	 Hardwired 9 ft Cord	


© 2026, AIS, Inc.


Day-to-Day Product Details

Day-to-Day Power Options

Day-to-Day Table Top Power Box – Dock 281 Unit


- (1) AC outlet, 125V 15A rating.
- (1) 2.1A 5V USB-A port.
- (1) 2.4A 5V USB-C port.
- 10ft 14AWG power cord, 15A rating with 90 degree angle plug.
- Requires access from below to mount.
- UL and cUL certified for use in USA and Canada.
- Measures 3.35”H x 3.54”W.
- Black, Silver, and White finishes available.







Day-to-Day Table Top Power Box – Cove Unit

- (2) 15amp outlets.
- (1) USB Type-A charging port: 2.4 A
- (1) USB Type-C charging port: 60 Watt
- This power tap is used in conference tables when a hardwire connection is required (Chicago).
- Junction box & infeed cable supplied by electrician as required.








Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

Day-to-Day Power Options

Day-to-Day Table Top Power Box – DOMINO Plug In Unit


- (2) Tamper-Resistant (TR) AC outlets.
- (1) USB Type-A charging port: 5V 2.1A (10.5W).
- (1) USB Type-C charging port: 5V 2.14A (12W).
- Overload protection switch.
- 10ft 14AWG power cord, 15A rating with straight plug.
- Unit suspends 2” below the worksurface.
- Rating: 125V 60Hz 15A.
- UL and cUL certified for use in USA and Canada.
- Measures 6.81”H x 2.44”W.
- Black, Silver, and White finishes available.






Day-to-Day Table Top Power Box – DOMINO Daisy Chain Unit

- (2) Tamper-Resistant (TR) AC outlets.
- (1) USB Type-A charging port: 5V 2.1A (10.5W).
- (1) USB Type-C charging port: 5V 2.14A (12W).
- Overload protection switch.
- 10ft 14AWG power cord, 15A rating with straight plug.
- Unit suspends 2” below the worksurface.
- Rating: 125V 60Hz 15A.
- UL and cUL certified for use in USA and Canada.
- Measures 6.81”H x 2.44”W.
- Black, Silver, and White finishes available.






© 2026, AIS, Inc.


Rectangular Tables with Square Post Legs

2MM EDGE RECTANGULAR TABLES WITH SQUARE POST LEGS

			On Glides		On Casters		
D	W	H	Model Number	List	Model Number	List	Grade C Laminate
18	24	29	T-RCR182429SQG	1,724	T-RCR182429SQC	1,795	+21
18	30	29	T-RCR183029SQG	1,743	T-RCR183029SQC	1,819	+25
18	36	29	T-RCR183629SQG	1,766	T-RCR183629SQC	1,840	+28
18	42	29	T-RCR184229SQG	1,787	T-RCR184229SQC	1,860	+30
18	48	29	T-RCR184829SQG	1,897	T-RCR184829SQC	1,972	+33
18	54	29	T-RCR185429SQG	1,934	T-RCR185429SQC	2,008	+41
18	60	29	T-RCR186029SQG	1,969	T-RCR186029SQC	2,045	+46
18	66	29	T-RCR186629SQG	2,006	T-RCR186629SQC	2,080	+51
18	72	29	T-RCR187229SQG	2,044	T-RCR187229SQC	2,116	+58
24	30	29	T-RCR243029SQG	1,780	T-RCR243029SQC	1,853	+25
24	36	29	T-RCR243629SQG	1,810	T-RCR243629SQC	1,885	+28
24	42	29	T-RCR244229SQG	1,839	T-RCR244229SQC	1,911	+30
24	48	29	T-RCR244829SQG	1,953	T-RCR244829SQC	2,029	+33
24	54	29	T-RCR245429SQG	1,998	T-RCR245429SQC	2,076	+41
24	60	29	T-RCR246029SQG	2,044	T-RCR246029SQC	2,116	+41
24	66	29	T-RCR246629SQG	2,086	T-RCR246629SQC	2,161	+46
24	72	29	T-RCR247229SQG	2,129	T-RCR247229SQC	2,204	+51
30	36	29	T-RCR303629SQG	1,852	T-RCR303629SQC	1,929	+34
30	42	29	T-RCR304229SQG	1,889	T-RCR304229SQC	1,964	+39
30	48	29	T-RCR304829SQG	2,013	T-RCR304829SQC	2,087	+42
30	54	29	T-RCR305429SQG	2,063	T-RCR305429SQC	2,137	+50
30	60	29	T-RCR306029SQG	2,115	T-RCR306029SQC	2,188	+50
30	66	29	T-RCR306629SQG	2,268	T-RCR306629SQC	2,341	+56
30	72	29	T-RCR307229SQG	2,333	T-RCR307229SQC	2,407	+61




On Glides




On Casters

KNIFE EDGE RECTANGULAR TABLES WITH SQUARE POST LEGS

			On Glides		On Casters		
D	W	H	Model Number	List	Model Number	List	Grade C Laminate
18	24	29	T-RCK182429SQG	3,240	T-RCK182429SQC	3,306	+21
18	30	29	T-RCK183029SQG	3,277	T-RCK183029SQC	3,345	+25
18	36	29	T-RCK183629SQG	3,318	T-RCK183629SQC	3,380	+28
18	42	29	T-RCK184229SQG	3,354	T-RCK184229SQC	3,419	+30
18	48	29	T-RCK184829SQG	3,468	T-RCK184829SQC	3,531	+33
18	54	29	T-RCK185429SQG	3,515	T-RCK185429SQC	3,583	+41
18	60	29	T-RCK186029SQG	3,567	T-RCK186029SQC	3,630	+46
18	66	29	T-RCK186629SQG	3,619	T-RCK186629SQC	3,681	+51
18	72	29	T-RCK187229SQG	3,668	T-RCK187229SQC	3,731	+58
24	30	29	T-RCK243029SQG	3,344	T-RCK243029SQC	3,406	+25
24	36	29	T-RCK243629SQG	3,391	T-RCK243629SQC	3,454	+28
24	42	29	T-RCK244229SQG	3,443	T-RCK244229SQC	3,505	+30
24	48	29	T-RCK244829SQG	3,567	T-RCK244829SQC	3,630	+33
24	54	29	T-RCK245429SQG	3,628	T-RCK245429SQC	3,694	+41
24	60	29	T-RCK246029SQG	3,693	T-RCK246029SQC	3,757	+41
24	66	29	T-RCK246629SQG	3,755	T-RCK246629SQC	3,820	+46
24	72	29	T-RCK247229SQG	3,817	T-RCK247229SQC	3,882	+51
30	36	29	T-RCK303629SQG	3,468	T-RCK303629SQC	3,531	+34
30	42	29	T-RCK304229SQG	3,530	T-RCK304229SQC	3,593	+39
30	48	29	T-RCK304829SQG	3,668	T-RCK304829SQC	3,731	+42
30	54	29	T-RCK305429SQG	3,743	T-RCK305429SQC	3,807	+50
30	60	29	T-RCK306029SQG	3,817	T-RCK306029SQC	3,882	+50
30	66	29	T-RCK306629SQG	3,893	T-RCK306629SQC	3,957	+56
30	72	29	T-RCK307229SQG	3,971	T-RCK307229SQC	4,034	+61



On Glides



On Casters

Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Color Selection for Leg

Notes

- Power only available on tables 29”H, 36”D, and 42”W or larger.
- See Day-to-Day Power Options grid for details.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Rectangular Tables with Square Post Legs

2MM EDGE RECTANGULAR TABLES WITH SQUARE POST LEGS

			On Glides		On Casters		
D	W	H	Model Number	List	Model Number	List	Grade C Laminate
24	30	42	T-RCR243042SQG	2,801	-	-	+25
24	36	42	T-RCR243642SQG	2,828	-	-	+28
24	42	42	T-RCR244242SQG	2,859	-	-	+30
24	48	42	T-RCR244842SQG	2,973	-	-	+33
24	54	42	T-RCR245442SQG	3,019	-	-	+41
24	60	42	T-RCR246042SQG	3,063	-	-	+41
24	66	42	T-RCR246642SQG	3,104	-	-	+46
24	72	42	T-RCR247242SQG	3,148	-	-	+51
30	36	42	T-RCR303642SQG	2,874	T-RCR303642SQC	2,946	+34
30	42	42	T-RCR304242SQG	2,911	T-RCR304242SQC	2,983	+39
30	48	42	T-RCR304842SQG	3,032	T-RCR304842SQC	3,109	+42
30	54	42	T-RCR305442SQG	3,084	T-RCR305442SQC	3,157	+50
30	60	42	T-RCR306042SQG	3,137	T-RCR306042SQC	3,209	+50
30	66	42	T-RCR306642SQG	3,289	T-RCR306642SQC	3,360	+56
30	72	42	T-RCR307242SQG	3,353	T-RCR307242SQC	3,427	+61




On Glides




On Casters

KNIFE EDGE RECTANGULAR TABLES WITH SQUARE POST LEGS

			On Glides		On Casters		
D	W	H	Model Number	List	Model Number	List	Grade C Laminate
24	30	42	T-RCK243042SQG	4,218	-	-	+25
24	36	42	T-RCK243642SQG	4,272	-	-	+28
24	42	42	T-RCK244242SQG	4,322	-	-	+30
24	48	42	T-RCK244842SQG	4,444	-	-	+33
24	54	42	T-RCK245442SQG	4,511	-	-	+41
24	60	42	T-RCK246042SQG	4,573	-	-	+41
24	66	42	T-RCK246642SQG	4,635	-	-	+46
24	72	42	T-RCK247242SQG	4,698	-	-	+51
30	36	42	T-RCK303642SQG	4,347	T-RCK303642SQC	4,410	+34
30	42	42	T-RCK304242SQG	4,409	T-RCK304242SQC	4,475	+39
30	48	42	T-RCK304842SQG	4,548	T-RCK304842SQC	4,615	+42
30	54	42	T-RCK305442SQG	4,622	T-RCK305442SQC	4,688	+50
30	60	42	T-RCK306042SQG	4,698	T-RCK306042SQC	4,761	+50
30	66	42	T-RCK306642SQG	4,773	T-RCK306642SQC	4,839	+56
30	72	42	T-RCK307242SQG	4,848	T-RCK307242SQC	4,913	+61



On Glides



On Casters

Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Color Selection for Leg

Notes

- Power only available on tables 29”H, 36”D, and 42”W or larger.
- See Day-to-Day Power Options grid for details.

© 2026, AIS, Inc.


Rectangular Tables with Square Post Legs

2MM EDGE RECTANGULAR TABLES WITH SQUARE POST LEGS


			On Glides		On Casters		
D	W	H	Model Number	List	Model Number	List	Grade C Laminate
36	42	42	T-RCR364242SQG	2,962	-	-	+50
36	48	42	T-RCR364842SQG	3,092	-	-	+53
36	54	42	T-RCR365442SQG	3,148	-	-	+61
36	60	42	T-RCR366042SQG	3,294	-	-	+68
36	66	42	T-RCR366642SQG	3,370	-	-	+72
36	72	42	T-RCR367242SQG	3,440	-	-	+80
42	48	42	T-RCR424842SQG	3,063	T-RCR424842SQC	3,138	+57
42	54	42	T-RCR425442SQG	3,200	T-RCR425442SQC	3,275	+63
42	60	42	T-RCR426042SQG	3,266	T-RCR426042SQC	3,344	+67
42	66	42	T-RCR426642SQG	3,447	T-RCR426642SQC	3,525	+68
42	72	42	T-RCR427242SQG	3,529	T-RCR427242SQC	3,601	+77
48	54	42	T-RCR485442SQG	3,353	-	-	+68
48	60	42	T-RCR486042SQG	3,440	-	-	+68
48	66	42	T-RCR486642SQG	3,529	-	-	+75
48	72	42	T-RCR487242SQG	3,615	-	-	+77

KNIFE EDGE RECTANGULAR TABLES WITH SQUARE POST LEGS


			On Glides		On Casters		
D	W	H	Model Number	List	Model Number	List	Grade C Laminate
36	42	42	T-RCK364242SQG	4,498	-	-	+50
36	48	42	T-RCK364842SQG	4,648	-	-	+53
36	54	42	T-RCK365442SQG	4,736	-	-	+61
36	60	42	T-RCK366042SQG	4,899	-	-	+68
36	66	42	T-RCK366642SQG	5,000	-	-	+72
36	72	42	T-RCK367242SQG	5,098	-	-	+80
42	48	42	T-RCK424842SQG	4,671	T-RCK424842SQC	4,737	+57
42	54	42	T-RCK425442SQG	4,833	T-RCK425442SQC	4,901	+63
42	60	42	T-RCK426042SQG	4,937	T-RCK426042SQC	5,001	+67
42	66	42	T-RCK426642SQG	5,138	T-RCK426642SQC	5,201	+68
42	72	42	T-RCK427242SQG	5,248	T-RCK427242SQC	5,314	+77
48	54	42	T-RCK485442SQG	5,023	-	-	+68
48	60	42	T-RCK486042SQG	5,149	-	-	+68
48	66	42	T-RCK486642SQG	5,275	-	-	+75
48	72	42	T-RCK487242SQG	5,400	-	-	+77




On Glides



On Casters



On Glides



On Casters
(Powered version shown)

Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Color Selection for Leg
- Power Selection
- Color Selection for Power Option

Notes

- Power only available on tables 29”H, 36”D, and 42”W or larger.
- See Day-to-Day Power Options grid for details.

SURFACE	Option A (No Power)	OPTION B 1 Dock 281 Center with 1 Plugin Cord 1 Outlet 1 USB Type C 1 USB Type A	OPTION C 1 DOMINO Center with 1 Plugin Cord 2 Outlets 1 USB Type C 1 USB Type A	OPTION D 2 DOMINO with 2 Plugin Cords 4 Outlets 2 USB Type C 2 USB Type A	OPTION E 2 DOMINO Daisy Chain with 1 Plugin Cord 4 Outlets 2 USB Type C 2 USB Type A	OPTION F 1 Cove Unit Hardwired 2 Outlets 1 USB Type C 1 USB Type A	OPTION G/H/I/J 2 Cove Units Hardwired 4 Outlets 2 USB Type C 2 USB Type A
Rectangle	●						
42”-66”W	●		●			●	
72”-120”W	●		●	●	●	●	●

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Rectangular Tables with Tapered Post Legs

2MM EDGE RECTANGULAR TABLES WITH TAPERED POST LEGS

			On Glides		On Casters		
D	W	H	Model Number	List	Model Number	List	Grade C Laminate
18	24	29	T-RCR182429TPG	1,913	T-RCR182429TPC	1,772	+21
18	30	29	T-RCR183029TPG	1,937	T-RCR183029TPC	1,792	+25
18	36	29	T-RCR183629TPG	1,959	T-RCR183629TPC	1,812	+28
18	42	29	T-RCR184229TPG	1,981	T-RCR184229TPC	1,837	+30
18	48	29	T-RCR184829TPG	2,091	T-RCR184829TPC	1,945	+33
18	54	29	T-RCR185429TPG	2,128	T-RCR185429TPC	1,981	+41
18	60	29	T-RCR186029TPG	2,162	T-RCR186029TPC	2,017	+46
18	66	29	T-RCR186629TPG	2,199	T-RCR186629TPC	2,054	+51
18	72	29	T-RCR187229TPG	2,238	T-RCR187229TPC	2,091	+58
24	30	29	T-RCR243029TPG	1,974	T-RCR243029TPC	1,829	+25
24	36	29	T-RCR243629TPG	2,003	T-RCR243629TPC	1,857	+28
24	42	29	T-RCR244229TPG	2,032	T-RCR244229TPC	1,888	+30
24	48	29	T-RCR244829TPG	2,148	T-RCR244829TPC	2,003	+33
24	54	29	T-RCR245429TPG	2,194	T-RCR245429TPC	2,046	+41
24	60	29	T-RCR246029TPG	2,238	T-RCR246029TPC	2,091	+41
24	66	29	T-RCR246629TPG	2,280	T-RCR246629TPC	2,133	+46
24	72	29	T-RCR247229TPG	2,324	T-RCR247229TPC	2,177	+51
30	36	29	T-RCR303629TPG	2,046	T-RCR303629TPC	1,899	+34
30	42	29	T-RCR304229TPG	2,084	T-RCR304229TPC	1,937	+39
30	48	29	T-RCR304829TPG	2,207	T-RCR304829TPC	2,062	+42
30	54	29	T-RCR305429TPG	2,257	T-RCR305429TPC	2,110	+50
30	60	29	T-RCR306029TPG	2,308	T-RCR306029TPC	2,162	+50
30	66	29	T-RCR306629TPG	2,359	T-RCR306629TPC	2,213	+56
30	72	29	T-RCR307229TPG	2,412	T-RCR307229TPC	2,262	+61

KNIFE EDGE RECTANGULAR TABLES WITH TAPERED POST LEGS


			On Glides		On Casters		
D	W	H	Model Number	List	Model Number	List	Grade C Laminate
18	24	29	T-RCK182429TPG	3,408	T-RCK182429TPC	3,282	+21
18	30	29	T-RCK183029TPG	3,446	T-RCK183029TPC	3,321	+25
18	36	29	T-RCK183629TPG	3,485	T-RCK183629TPC	3,358	+28
18	42	29	T-RCK184229TPG	3,522	T-RCK184229TPC	3,394	+30
18	48	29	T-RCK184829TPG	3,632	T-RCK184829TPC	3,509	+33
18	54	29	T-RCK185429TPG	3,683	T-RCK185429TPC	3,560	+41
18	60	29	T-RCK186029TPG	3,735	T-RCK186029TPC	3,612	+46
18	66	29	T-RCK186629TPG	3,783	T-RCK186629TPC	3,659	+51
18	72	29	T-RCK187229TPG	3,836	T-RCK187229TPC	3,710	+58
24	30	29	T-RCK243029TPG	3,509	T-RCK243029TPC	3,384	+25
24	36	29	T-RCK243629TPG	3,560	T-RCK243629TPC	3,434	+28
24	42	29	T-RCK244229TPG	3,612	T-RCK244229TPC	3,485	+30
24	48	29	T-RCK244829TPG	3,735	T-RCK244829TPC	3,612	+33
24	54	29	T-RCK245429TPG	3,798	T-RCK245429TPC	3,671	+41
24	60	29	T-RCK246029TPG	3,860	T-RCK246029TPC	3,735	+41
24	66	29	T-RCK246629TPG	3,923	T-RCK246629TPC	3,798	+46
24	72	29	T-RCK247229TPG	3,985	T-RCK247229TPC	3,860	+51
30	36	29	T-RCK303629TPG	3,632	T-RCK303629TPC	3,509	+34
30	42	29	T-RCK304229TPG	3,696	T-RCK304229TPC	3,570	+39
30	48	29	T-RCK304829TPG	3,836	T-RCK304829TPC	3,710	+42
30	54	29	T-RCK305429TPG	3,909	T-RCK305429TPC	3,783	+50
30	60	29	T-RCK306029TPG	3,985	T-RCK306029TPC	3,860	+50
30	66	29	T-RCK306629TPG	4,146	T-RCK306629TPC	4,021	+56
30	72	29	T-RCK307229TPG	4,236	T-RCK307229TPC	4,114	+61



On Glides



On Casters



On Glides



On Casters

Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Color Selection for Leg - Painted or Bright Metal

Notes

- Power only available on tables 29”H, 36”D, and 42”W or larger.
- See Day-to-Day Power Options grid for details.

© 2026, AIS, Inc.


Rectangular Tables with Tapered Post Legs

2MM EDGE RECTANGULAR TABLES WITH TAPERED POST LEGS


			On Glides		On Casters		
D	W	H	Model Number	List	Model Number	List	Grade C Laminate
36	42	29	T-RCR364229TPG	2,133	T-RCR364229TPC	1,988	+50
36	48	29	T-RCR364829TPG	2,262	T-RCR364829TPC	2,119	+53
36	54	29	T-RCR365429TPG	2,423	T-RCR365429TPC	2,177	+54
36	60	29	T-RCR366029TPG	2,468	T-RCR366029TPC	2,324	+68
36	66	29	T-RCR366629TPG	2,541	T-RCR366629TPC	2,394	+72
36	72	29	T-RCR367229TPG	2,613	T-RCR367229TPC	2,468	+80
42	48	29	T-RCR424829TPG	2,238	T-RCR424829TPC	2,091	+57
42	54	29	T-RCR425429TPG	2,462	T-RCR425429TPC	2,316	+63
42	60	29	T-RCR426029TPG	2,541	T-RCR426029TPC	2,394	+67
42	66	29	T-RCR426629TPG	2,623	T-RCR426629TPC	2,477	+68
42	72	29	T-RCR427229TPG	2,703	T-RCR427229TPC	2,557	+77
48	54	29	T-RCR485429TPG	2,525	T-RCR485429TPC	2,380	+68
48	60	29	T-RCR486029TPG	2,613	T-RCR486029TPC	2,468	+68
48	66	29	T-RCR486629TPG	2,703	T-RCR486629TPC	2,557	+75
48	72	29	T-RCR487229TPG	2,788	T-RCR487229TPC	2,644	+77

KNIFE EDGE RECTANGULAR TABLES WITH TAPERED POST LEGS


			On Glides		On Casters		
D	W	H	Model Number	List	Model Number	List	Grade C Laminate
36	42	29	T-RCK364229TPG	3,783	T-RCK364229TPC	3,659	+50
36	48	29	T-RCK364829TPG	3,936	T-RCK364829TPC	3,809	+53
36	54	29	T-RCK365429TPG	4,114	T-RCK365429TPC	3,896	+54
36	60	29	T-RCK366029TPG	4,187	T-RCK366029TPC	4,061	+68
36	66	29	T-RCK366629TPG	4,287	T-RCK366629TPC	4,162	+72
36	72	29	T-RCK367229TPG	4,388	T-RCK367229TPC	4,260	+80
42	48	29	T-RCK424829TPG	3,959	T-RCK424829TPC	3,836	+57
42	54	29	T-RCK425429TPG	4,199	T-RCK425429TPC	4,073	+63
42	60	29	T-RCK426029TPG	4,311	T-RCK426029TPC	4,187	+67
42	66	29	T-RCK426629TPG	4,425	T-RCK426629TPC	4,298	+68
42	72	29	T-RCK427229TPG	4,538	T-RCK427229TPC	4,410	+77
48	54	29	T-RCK485429TPG	4,311	T-RCK485429TPC	4,187	+68
48	60	29	T-RCK486029TPG	4,437	T-RCK486029TPC	4,311	+68
48	66	29	T-RCK486629TPG	4,563	T-RCK486629TPC	4,437	+75
48	72	29	T-RCK487229TPG	4,688	T-RCK487229TPC	4,563	+77




On Glides



On Casters



On Glides



On Casters
(Powered version shown)

Specify	Notes
• Laminate Selection for Worksurface	• Power only available on tables 29”H, 36”D, and 42”W or larger.
• Color Selection for Edge	• See Day-to-Day Power Options grid for details.
• Color Selection for Leg - Painted or Bright Metal	
• Power Selection	
• Color Selection for Power Option	

SURFACE	Option A (No Power)	OPTION B 1 Dock 281 Center with 1 Plugin Cord 1 Outlet 1 USB Type C 1 USB Type A	OPTION C 1 DOMINO Center with 1 Plugin Cord 2 Outlets 1 USB Type C 1 USB Type A	OPTION D 2 DOMINO with 2 Plugin Cords 4 Outlets 2 USB Type C 2 USB Type A	OPTION E 2 DOMINO Daisy Chain with 1 Plugin Cord 4 Outlets 2 USB Type C 2 USB Type A	OPTION F 1 Cove Unit Hardwired 2 Outlets 1 USB Type C 1 USB Type A	OPTION G/H/I/J 2 Cove Units Hardwired 4 Outlets 2 USB Type C 2 USB Type A
Rectangle	●						
42”-66”W	●		●			●	
72”-120”W	●		●	●	●	●	●

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Rectangular Tables with Slant Post Legs

2MM EDGE RECTANGULAR TABLES WITH SLANT POST LEGS ON GLIDES

D	W	H	Model Number	List	Grade C Laminate
18	24	29	T-RCR182429SLG	2,065	+21
18	30	29	T-RCR183029SLG	2,090	+25
18	36	29	T-RCR183629SLG	2,109	+28
18	42	29	T-RCR184229SLG	2,133	+30
18	48	29	T-RCR184829SLG	2,243	+33
18	54	29	T-RCR185429SLG	2,280	+41
18	60	29	T-RCR186029SLG	2,315	+46
18	66	29	T-RCR186629SLG	2,353	+51
18	72	29	T-RCR187229SLG	2,389	+58
24	30	29	T-RCR243029SLG	2,127	+25
24	36	29	T-RCR243629SLG	2,156	+28
24	42	29	T-RCR244229SLG	2,185	+30
24	48	29	T-RCR244829SLG	2,299	+33
24	54	29	T-RCR245429SLG	2,342	+41
24	60	29	T-RCR246029SLG	2,389	+41
24	66	29	T-RCR246629SLG	2,430	+46
24	72	29	T-RCR247229SLG	2,475	+51
30	36	29	T-RCR303629SLG	2,198	+34
30	42	29	T-RCR304229SLG	2,236	+39
30	48	29	T-RCR304829SLG	2,357	+42
30	54	29	T-RCR305429SLG	2,408	+50
30	60	29	T-RCR306029SLG	2,459	+50
30	66	29	T-RCR306629SLG	2,512	+56
30	72	29	T-RCR307229SLG	2,562	+61



On Glides

KNIFE EDGE RECTANGULAR TABLES WITH SLANT POST LEGS ON GLIDES

D	W	H	Model Number	List	Grade C Laminate
18	24	29	T-RCK182429SLG	3,539	+21
18	30	29	T-RCK183029SLG	3,576	+25
18	36	29	T-RCK183629SLG	3,615	+28
18	42	29	T-RCK184229SLG	3,652	+30
18	48	29	T-RCK184829SLG	3,766	+33
18	54	29	T-RCK185429SLG	3,813	+41
18	60	29	T-RCK186029SLG	3,863	+46
18	66	29	T-RCK186629SLG	3,913	+51
18	72	29	T-RCK187229SLG	3,966	+58
24	30	29	T-RCK243029SLG	3,637	+25
24	36	29	T-RCK243629SLG	3,691	+28
24	42	29	T-RCK244229SLG	3,740	+30
24	48	29	T-RCK244829SLG	3,863	+33
24	54	29	T-RCK245429SLG	3,926	+41
24	60	29	T-RCK246029SLG	3,989	+41
24	66	29	T-RCK246629SLG	4,049	+46
24	72	29	T-RCK247229SLG	4,117	+51
30	36	29	T-RCK303629SLG	3,766	+34
30	42	29	T-RCK304229SLG	3,826	+39
30	48	29	T-RCK304829SLG	3,966	+42
30	54	29	T-RCK305429SLG	4,041	+50
30	60	29	T-RCK306029SLG	4,117	+50
30	66	29	T-RCK306629SLG	4,191	+56
30	72	29	T-RCK307229SLG	4,266	+61



On Glides

Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Color Selection for Leg

Notes

- Power only available on tables 29”H, 36”D, and 42”W or larger.
- See Day-to-Day Power Options grid for details.

© 2026, AIS, Inc.


Rectangular Tables with Arc Aluminum T-Bases

2MM EDGE RECTANGULAR TABLES WITH ARC ALUMINUM T-BASES

			On Glides		On Casters		
D	W	H	Model Number	List	Model Number	List	Grade C Laminate
18	36	29	T-RCR183629ATG	1,558	T-RCR183629ATC	1,558	+22
18	42	29	T-RCR184229ATG	1,579	T-RCR184229ATC	1,579	+24
18	48	29	T-RCR184829ATG	1,607	T-RCR184829ATC	1,607	+27
18	54	29	T-RCR185429ATG	1,629	T-RCR185429ATC	1,629	+35
18	60	29	T-RCR186029ATG	1,647	T-RCR186029ATC	1,647	+35
18	66	29	T-RCR186629ATG	1,669	T-RCR186629ATC	1,669	+40
18	72	29	T-RCR187229ATG	1,778	T-RCR187229ATC	1,778	+45
24	36	29	T-RCR243629ATG	1,675	T-RCR243629ATC	1,675	+28
24	42	29	T-RCR244229ATG	1,704	T-RCR244229ATC	1,704	+30
24	48	29	T-RCR244829ATG	1,736	T-RCR244829ATC	1,736	+33
24	54	29	T-RCR245429ATG	1,765	T-RCR245429ATC	1,765	+41
24	60	29	T-RCR246029ATG	1,792	T-RCR246029ATC	1,792	+41
24	66	29	T-RCR246629ATG	1,822	T-RCR246629ATC	1,822	+46
24	72	29	T-RCR247229ATG	1,937	T-RCR247229ATC	1,937	+51
24	78	29	T-RCR247829ATG	2,512	T-RCR247829ATC	2,259	+54
24	84	29	T-RCR248429ATG	2,541	T-RCR248429ATC	2,290	+58
24	90	29	T-RCR249029ATG	2,568	T-RCR249029ATC	2,319	+68
24	96	29	T-RCR249629ATG	2,598	T-RCR249629ATC	2,348	+68

KNIFE EDGE RECTANGULAR TABLES WITH ARC ALUMINUM T-BASES


			On Glides		On Casters		
D	W	H	Model Number	List	Model Number	List	Grade C Laminate
18	36	29	T-RCK183629ATG	3,141	T-RCK183629ATC	3,141	+22
18	42	29	T-RCK184229ATG	3,177	T-RCK184229ATC	3,177	+24
18	48	29	T-RCK184829ATG	3,213	T-RCK184829ATC	3,213	+27
18	54	29	T-RCK185429ATG	3,250	T-RCK185429ATC	3,250	+35
18	60	29	T-RCK186029ATG	3,290	T-RCK186029ATC	3,290	+35
18	66	29	T-RCK186629ATG	3,330	T-RCK186629ATC	3,330	+40
18	72	29	T-RCK187229ATG	3,443	T-RCK187229ATC	3,443	+45
24	36	29	T-RCK243629ATG	3,276	T-RCK243629ATC	3,276	+28
24	42	29	T-RCK244229ATG	3,328	T-RCK244229ATC	3,328	+30
24	48	29	T-RCK244829ATG	3,377	T-RCK244829ATC	3,377	+33
24	54	29	T-RCK245429ATG	3,426	T-RCK245429ATC	3,426	+41
24	60	29	T-RCK246029ATG	3,476	T-RCK246029ATC	3,476	+41
24	66	29	T-RCK246629ATG	3,529	T-RCK246629ATC	3,529	+46
24	72	29	T-RCK247229ATG	3,654	T-RCK247229ATC	3,654	+51
24	78	29	T-RCK247829ATG	4,171	T-RCK247829ATC	3,957	+54
24	84	29	T-RCK248429ATG	4,222	T-RCK248429ATC	4,006	+58
24	90	29	T-RCK249029ATG	4,273	T-RCK249029ATC	4,057	+68
24	96	29	T-RCK249629ATG	4,323	T-RCK249629ATC	4,110	+68



On Glides



On Casters



On Glides



On Casters

Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Color Selection for Base Post
- Color Selection for Base Foot - Painted or Bright Metal (Bright Metal not available on 18" T-Bases)

Notes

- Bright Metal not available on 18" T-Bases.
- Power only available on tables 29"H, 36"D, and 42"W or larger.
- See Day-to-Day Power Options grid for details.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Rectangular Tables with Arc Aluminum T-Bases

2MM EDGE RECTANGULAR TABLES WITH ARC ALUMINUM T-BASES ON GLIDES

D	W	H	Model Number	List	Grade C Laminate
24	36	42	T-RCR243642ATG	1,827	+28
24	42	42	T-RCR244242ATG	1,856	+30
24	48	42	T-RCR244842ATG	1,886	+33
24	54	42	T-RCR245442ATG	1,912	+41
24	60	42	T-RCR246042ATG	1,944	+41
24	66	42	T-RCR246642ATG	1,973	+46
24	72	42	T-RCR247242ATG	2,090	+51
24	78	42	T-RCR247842ATG	2,737	+54
24	84	42	T-RCR248442ATG	2,767	+58
24	90	42	T-RCR249042ATG	2,794	+68
24	96	42	T-RCR249642ATG	2,825	+68



36” - 90” Wide on Glides

KNIFE EDGE RECTANGULAR TABLES WITH ARC ALUMINUM T-BASES ON GLIDES

D	W	H	Model Number	List	Grade C Laminate
24	36	42	T-RCK243642ATG	3,407	+28
24	42	42	T-RCK244242ATG	3,457	+30
24	48	42	T-RCK244842ATG	3,506	+33
24	54	42	T-RCK245442ATG	3,556	+41
24	60	42	T-RCK246042ATG	3,611	+41
24	66	42	T-RCK246642ATG	3,658	+46
24	72	42	T-RCK247242ATG	3,781	+51
24	78	42	T-RCK247842ATG	4,368	+54
24	84	42	T-RCK248442ATG	4,421	+58
24	90	42	T-RCK249042ATG	4,469	+68
24	96	42	T-RCK249642ATG	4,519	+68



96” - 120” Wide on Glides

Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Color Selection for Base Post
- Color Selection for Base Foot - Painted or Bright Metal

Notes

- Power only available on tables 29”H, 36”D, and 42”W or larger.
- See Day-to-Day Power Options grid for details.

© 2026, AIS, Inc.

Rectangular Tables with Arc Aluminum T-Bases

2MM EDGE RECTANGULAR TABLES WITH ARC ALUMINUM T-BASES

			On Glides		On Casters		
D	W	H	Model Number	List	Model Number	List	Grade C Laminate
30	36	29	T-RCR303629ATG	1,792	T-RCR303629ATC	1,626	+34
30	42	29	T-RCR304229ATG	1,829	T-RCR304229ATC	1,665	+39
30	48	29	T-RCR304829ATG	1,862	T-RCR304829ATC	1,699	+42
30	54	29	T-RCR305429ATG	1,899	T-RCR305429ATC	1,736	+50
30	60	29	T-RCR306029ATG	1,937	T-RCR306029ATC	1,772	+50
30	66	29	T-RCR306629ATG	1,974	T-RCR306629ATC	1,808	+56
30	72	29	T-RCR307229ATG	2,096	T-RCR307229ATC	1,932	+72
30	78	29	T-RCR307829ATG	2,713	T-RCR307829ATC	2,466	+78
30	84	29	T-RCR308429ATG	2,749	T-RCR308429ATC	2,500	+84
30	90	29	T-RCR309029ATG	2,787	T-RCR309029ATC	2,534	+96
30	96	29	T-RCR309629ATG	2,823	T-RCR309629ATC	2,570	+99
30	108	29	T-RCR3010829ATG	2,894	T-RCR3010829ATC	2,645	+109
30	120	29	T-RCR3012029ATG	3,142	T-RCR3012029ATC	2,891	+116

KNIFE EDGE RECTANGULAR TABLES WITH ARC ALUMINUM T-BASES

			On Glides		On Casters		
D	W	H	Model Number	List	Model Number	List	Grade C Laminate
30	36	29	T-RCK303629ATG	3,415	T-RCK303629ATC	3,270	+34
30	42	29	T-RCK304229ATG	3,476	T-RCK304229ATC	3,333	+39
30	48	29	T-RCK304829ATG	3,539	T-RCK304829ATC	3,394	+42
30	54	29	T-RCK305429ATG	3,601	T-RCK305429ATC	3,458	+50
30	60	29	T-RCK306029ATG	3,664	T-RCK306029ATC	3,522	+50
30	66	29	T-RCK306629ATG	3,728	T-RCK306629ATC	3,585	+56
30	72	29	T-RCK307229ATG	3,863	T-RCK307229ATC	3,646	+72
30	78	29	T-RCK307829ATG	4,429	T-RCK307829ATC	4,213	+78
30	84	29	T-RCK308429ATG	4,490	T-RCK308429ATC	4,276	+84
30	90	29	T-RCK309029ATG	4,553	T-RCK309029ATC	4,339	+96
30	96	29	T-RCK309629ATG	4,618	T-RCK309629ATC	4,400	+99
30	108	29	T-RCK3010829ATG	4,743	T-RCK3010829ATC	4,526	+109
30	120	29	T-RCK3012029ATG	5,019	T-RCK3012029ATC	4,802	+116


36” - 96” Wide
On Glides


108” - 120” Wide
On Glides


36” - 96” Wide
On Casters


108” - 120” Wide
On Casters


36” - 96” Wide
On Glides


108” - 120” Wide
On Glides


36” - 96” Wide
On Casters


108” - 120” Wide
On Casters

Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Color Selection for Base Post
- Color Selection for Base Foot - Painted or Bright Metal

Notes

- 108” and 120” wide worksurfaces are made from two pieces.
- On 108” and 120” wide worksurfaces, grain “direction” will match per worksurface section, however grain “patterns” will not be lined up or matched exactly.
- Power only available on tables 29”H, 36”D, and 42”W or larger.
- See Day-to-Day Power Options grid for details.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Rectangular Tables with Arc Aluminum T-Bases

2MM EDGE RECTANGULAR TABLES WITH ARC ALUMINUM T-BASES ON GLIDES

D	W	H	Model Number	List	Grade C Laminate
30	36	42	T-RCR303642ATG	1,944	+34
30	42	42	T-RCR304242ATG	1,980	+39
30	48	42	T-RCR304842ATG	2,017	+42
30	54	42	T-RCR305442ATG	2,053	+50
30	60	42	T-RCR306042ATG	2,090	+50
30	66	42	T-RCR306642ATG	2,127	+56
30	72	42	T-RCR307242ATG	2,250	+61
30	78	42	T-RCR307842ATG	2,942	+69
30	84	42	T-RCR308442ATG	2,979	+87
30	90	42	T-RCR309042ATG	3,015	+96
30	96	42	T-RCR309642ATG	3,049	+99
30	108	42	T-RCR3010842ATG	3,124	+109
30	120	42	T-RCR3012042ATG	3,371	+116



36" - 96" Wide
On Glides




108" - 120" Wide
On Glides
(Powered version shown)

KNIFE EDGE RECTANGULAR TABLES WITH ARC ALUMINUM T-BASES ON GLIDES

D	W	H	Model Number	List	Grade C Laminate
30	36	42	T-RCK303642ATG	3,545	+34
30	42	42	T-RCK304242ATG	3,611	+39
30	48	42	T-RCK304842ATG	3,671	+42
30	54	42	T-RCK305442ATG	3,733	+50
30	60	42	T-RCK306042ATG	3,798	+50
30	66	42	T-RCK306642ATG	3,857	+56
30	72	42	T-RCK307242ATG	3,997	+61
30	78	42	T-RCK307842ATG	4,624	+69
30	84	42	T-RCK308442ATG	4,688	+87
30	90	42	T-RCK309042ATG	4,750	+96
30	96	42	T-RCK309642ATG	4,814	+99
30	108	42	T-RCK3010842ATG	4,938	+109
30	120	42	T-RCK3012042ATG	5,215	+116



36" - 96" Wide
On Glides



108" - 120" Wide
On Glides
(Powered version shown)

Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Color Selection for Base Post
- Color Selection for Base Foot - Painted or Bright Metal

Notes

- 108" and 120" wide worksurfaces are made from two pieces.
- On 108" and 120" wide worksurfaces, grain "direction" will match per worksurface section, however grain "patterns" will not be lined up or matched exactly.
- Power only available on tables 29"H, 36"D, and 42"W or larger.
- See Day-to-Day Power options grid for details.

© 2026, AIS, Inc.

Rectangular Tables with Arc Aluminum T-Bases

2MM EDGE RECTANGULAR TABLES WITH ARC ALUMINUM T-BASES ON GLIDES


D	W	H	Model Number	List	Grade C Laminate
36	42	42	T-RCR364242ATG	2,030	+50
36	48	42	T-RCR364842ATG	2,077	+53
36	54	42	T-RCR365442ATG	2,118	+61
36	60	42	T-RCR366042ATG	2,162	+68
36	66	42	T-RCR366642ATG	2,206	+72
36	72	42	T-RCR367242ATG	2,336	+80
36	78	42	T-RCR367842ATG	3,036	+88
36	84	42	T-RCR368442ATG	3,081	+96
36	90	42	T-RCR369042ATG	3,124	+99
36	96	42	T-RCR369642ATG	3,168	+99
36	108	42	T-RCR3610842ATG	3,254	+109
36	120	42	T-RCR3612042ATG	3,513	+116

KNIFE EDGE RECTANGULAR TABLES WITH ARC ALUMINUM T-BASES ON GLIDES

D	W	H	Model Number	List	Grade C Laminate
36	42	42	T-RCK364242ATG	3,696	+50
36	48	42	T-RCK364842ATG	3,771	+53
36	54	42	T-RCK365442ATG	3,848	+61
36	60	42	T-RCK366042ATG	3,923	+68
36	66	42	T-RCK366642ATG	3,997	+72
36	72	42	T-RCK367242ATG	4,146	+80
36	78	42	T-RCK367842ATG	4,786	+88
36	84	42	T-RCK368442ATG	4,862	+96
36	90	42	T-RCK369042ATG	4,938	+99
36	96	42	T-RCK369642ATG	5,012	+99
36	108	42	T-RCK3610842ATG	5,166	+109
36	120	42	T-RCK3612042ATG	5,463	+116




36" - 96" Wide
On Glides



108" - 120" Wide
On Glides



36" - 96" Wide
On Glides
(Powered version shown)



108" - 120" Wide
On Glides

Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Color Selection for Base Post
- Color Selection for Base Foot - Painted or Bright Metal
- Power Selection
- Color Selection for Power Option

Notes

- 108" and 120" wide worksurfaces are made from two pieces.
- On 108" and 120" wide worksurfaces, grain "direction" will match per worksurface section, however grain "patterns" will not be lined up or matched exactly.
- Power only available on tables 29"H, 36"D, and 42"W or larger.
- See Day-to-Day Power options grid for details.

SURFACE	Option A (No Power)	OPTION B 1 Dock 281 Center with 1 Plugin Cord 1 Outlet 1 USB Type C 1 USB Type A	OPTION C 1 DOMINO Center with 1 Plugin Cord 2 Outlets 1 USB Type C 1 USB Type A	OPTION D 2 DOMINO with 2 Plugin Cords 4 Outlets 2 USB Type C 2 USB Type A	OPTION E 2 DOMINO Daisy Chain with 1 Plugin Cord 4 Outlets 2 USB Type C 2 USB Type A	OPTION F 1 Cove Unit Hardwired 2 Outlets 1 USB Type C 1 USB Type A	OPTION G/H/I/J 2 Cove Units Hardwired 4 Outlets 2 USB Type C 2 USB Type A
Rectangle	●						
42"-66"W	●		●			●	
72"-120"W	●		●	●	●	●	●


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Pebble Tables with Square Post Legs

2MM EDGE PEBBLE TABLES WITH SQUARE POST LEGS ON GLIDES


D	W	H	Model Number	List	Grade C Laminate
30	36	16	T-PBR303616SQG	1,852	+34
30	42	16	T-PBR304216SQG	1,889	+39
30	48	16	T-PBR304816SQG	1,927	+42
30	54	16	T-PBR305416SQG	2,063	+50
30	60	16	T-PBR306016SQG	2,115	+50
30	66	16	T-PBR306616SQG	2,240	+56
30	72	16	T-PBR307216SQG	2,303	+61
36	42	16	T-PBR364216SQG	1,940	+50
36	48	16	T-PBR364816SQG	1,983	+53
36	54	16	T-PBR365416SQG	2,129	+61
36	60	16	T-PBR366016SQG	2,245	+68
36	66	16	T-PBR366616SQG	2,318	+72
36	72	16	T-PBR367216SQG	2,392	+80



On Glides

KNIFE EDGE PEBBLE TABLES WITH SQUARE POST LEGS ON GLIDES

D	W	H	Model Number	List	Grade C Laminate
30	36	16	T-PBK303616SQG	3,468	+34
30	42	16	T-PBK304216SQG	3,530	+39
30	48	16	T-PBK304816SQG	3,590	+42
30	54	16	T-PBK305416SQG	3,743	+50
30	60	16	T-PBK306016SQG	3,817	+50
30	66	16	T-PBK306616SQG	3,953	+56
30	72	16	T-PBK307216SQG	4,043	+61
36	42	16	T-PBK364216SQG	3,619	+50
36	48	16	T-PBK364816SQG	3,693	+53
36	54	16	T-PBK365416SQG	3,855	+61
36	60	16	T-PBK366016SQG	3,994	+68
36	66	16	T-PBK366616SQG	4,093	+72
36	72	16	T-PBK367216SQG	4,194	+80



On Glides

Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Color Selection for Leg

Notes


- Power only available on tables 29”H, 36”D, and 42”W or larger.
- See Day-to-Day Power options grid for details.

© 2026, AIS, Inc.


Pebble Tables with Square Post Legs

2MM EDGE PEBBLE TABLES WITH SQUARE POST LEGS

			On Glides		On Casters		
D	W	H	Model Number	List	Model Number	List	Grade C Laminate
30	36	29	T-PBR303629SQG	1,852	T-PBR303629SQC	1,929	+34
30	42	29	T-PBR304229SQG	1,889	T-PBR304229SQC	1,964	+39
30	48	29	T-PBR304829SQG	1,927	T-PBR304829SQC	2,000	+42
30	54	29	T-PBR305429SQG	2,063	T-PBR305429SQC	2,137	+50
30	60	29	T-PBR306029SQG	2,115	T-PBR306029SQC	2,188	+50
30	66	29	T-PBR306629SQG	2,240	T-PBR306629SQC	2,311	+56
30	72	29	T-PBR307229SQG	2,303	T-PBR307229SQC	2,375	+61




On Glides




On Casters

KNIFE EDGE PEBBLE TABLES WITH SQUARE POST LEGS

			On Glides		On Casters		
D	W	H	Model Number	List	Model Number	List	Grade C Laminate
30	36	29	T-PBK303629SQG	3,468	T-PBK303629SQC	3,531	+34
30	42	29	T-PBK304229SQG	3,530	T-PBK304229SQC	3,593	+39
30	48	29	T-PBK304829SQG	3,590	T-PBK304829SQC	3,657	+42
30	54	29	T-PBK305429SQG	3,743	T-PBK305429SQC	3,807	+50
30	60	29	T-PBK306029SQG	3,817	T-PBK306029SQC	3,882	+50
30	66	29	T-PBK306629SQG	3,953	T-PBK306629SQC	4,020	+56
30	72	29	T-PBK307229SQG	4,043	T-PBK307229SQC	4,110	+61



On Glides



On Casters

Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Color Selection for Leg

Notes

- Power only available on tables 29”H, 36”D, and 42”W or larger.
- See Day-to-Day Power options grid for details.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Pebble Tables with Tapered Post Legs

2MM EDGE PEBBLE TABLES WITH TAPERED POST LEGS

			On Glides		On Casters		
D	W	H	Model Number	List	Model Number	List	Grade C Laminate
30	36	29	T-PBR303629TPG	2,046	T-PBR303629TPC	1,899	+34
30	42	29	T-PBR304229TPG	2,084	T-PBR304229TPC	1,937	+39
30	48	29	T-PBR304829TPG	2,119	T-PBR304829TPC	1,974	+42
30	54	29	T-PBR305429TPG	2,257	T-PBR305429TPC	2,110	+50
30	60	29	T-PBR306029TPG	2,308	T-PBR306029TPC	2,162	+50
30	66	29	T-PBR306629TPG	2,431	T-PBR306629TPC	2,287	+56
30	72	29	T-PBR307229TPG	2,498	T-PBR307229TPC	2,354	+61



On Glides



On Casters

KNIFE EDGE PEBBLE TABLES WITH TAPERED POST LEGS

			On Glides		On Casters		
D	W	H	Model Number	List	Model Number	List	Grade C Laminate
30	36	29	T-PBK303629TPG	3,632	T-PBK303629TPC	3,509	+34
30	42	29	T-PBK304229TPG	3,696	T-PBK304229TPC	3,570	+39
30	48	29	T-PBK304829TPG	3,761	T-PBK304829TPC	3,632	+42
30	54	29	T-PBK305429TPG	3,909	T-PBK305429TPC	3,783	+50
30	60	29	T-PBK306029TPG	3,985	T-PBK306029TPC	3,860	+50
30	66	29	T-PBK306629TPG	4,122	T-PBK306629TPC	3,997	+56
30	72	29	T-PBK307229TPG	4,212	T-PBK307229TPC	4,085	+61



On Glides



On Casters

Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Color Selection for Leg - Painted or Bright Metal

Notes

- Power only available on tables 29”H, 36”D, and 42”W or larger.
- See Day-to-Day Power options grid for details.

© 2026, AIS, Inc.

Pebble Tables with Steel T-Bases

2MM EDGE PEBBLE TABLES WITH STEEL T-BASES

			On Glides		On Casters		
D	W	H	Model Number	List	Model Number	List	Grade C Laminate
30	36	29	T-PBR303629STG	1,856	T-PBR303629STC	1,983	+34
30	42	29	T-PBR304229STG	1,895	T-PBR304229STC	2,020	+39
30	48	29	T-PBR304829STG	1,932	T-PBR304829STC	2,058	+42
30	54	29	T-PBR305429STG	1,966	T-PBR305429STC	2,092	+50
30	60	29	T-PBR306029STG	2,090	T-PBR306029STC	2,214	+50
30	66	29	T-PBR306629STG	2,140	T-PBR306629STC	2,268	+56
30	72	29	T-PBR307229STG	2,194	T-PBR307229STC	2,319	+61



On Glides



On Casters

KNIFE EDGE PEBBLE TABLES WITH STEEL T-BASES

			On Glides		On Casters		
D	W	H	Model Number	List	Model Number	List	Grade C Laminate
30	36	29	T-PBK303629STG	3,470	T-PBK303629STC	3,583	+34
30	42	29	T-PBK304229STG	3,534	T-PBK304229STC	3,644	+39
30	48	29	T-PBK304829STG	3,596	T-PBK304829STC	3,708	+42
30	54	29	T-PBK305429STG	3,658	T-PBK305429STC	3,768	+50
30	60	29	T-PBK306029STG	3,798	T-PBK306029STC	3,905	+50
30	66	29	T-PBK306629STG	3,868	T-PBK306629STC	3,982	+56
30	72	29	T-PBK307229STG	3,946	T-PBK307229STC	4,057	+61



On Glides



On Casters

Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Color Selection for Base

Notes

- Power only available on tables 29”H, 36”D, and 42”W or larger.
- See Day-to-Day Power options grid for details.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Pebble Tables with Arc Aluminum T-Bases

2MM EDGE PEBBLE TABLES WITH ARC ALUMINUM T-BASES ON GLIDES


D	W	H	Model Number	List	Grade C Laminate
30	36	16	T-PBR303616ATG	1,574	+34
30	42	16	T-PBR304216ATG	1,611	+39
30	48	16	T-PBR304816ATG	1,645	+42
30	54	16	T-PBR305416ATG	1,682	+50
30	60	16	T-PBR306016ATG	1,718	+50
30	66	16	T-PBR306616ATG	1,755	+56
30	72	16	T-PBR307216ATG	1,881	+61
36	42	16	T-PBR364216ATG	1,881	+50
36	48	16	T-PBR364816ATG	2,077	+53
36	54	16	T-PBR365416ATG	2,118	+61
36	60	16	T-PBR366016ATG	2,162	+68
36	66	16	T-PBR366616ATG	2,206	+72
36	72	16	T-PBR367216ATG	2,423	+80



On Glides

KNIFE EDGE PEBBLE TABLES WITH ARC ALUMINUM T-BASES ON GLIDES

D	W	H	Model Number	List	Grade C Laminate
30	36	16	T-PBK303616ATG	3,227	+34
30	42	16	T-PBK304216ATG	3,289	+39
30	48	16	T-PBK304816ATG	3,353	+42
30	54	16	T-PBK305416ATG	3,415	+50
30	60	16	T-PBK306016ATG	3,476	+50
30	66	16	T-PBK306616ATG	3,539	+56
30	72	16	T-PBK307216ATG	3,679	+61
36	42	16	T-PBK364216ATG	3,565	+50
36	48	16	T-PBK364816ATG	3,771	+53
36	54	16	T-PBK365416ATG	3,848	+61
36	60	16	T-PBK366016ATG	3,923	+68
36	66	16	T-PBK366616ATG	3,997	+72
36	72	16	T-PBK367216ATG	4,146	+80



On Glides

Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Color Selection for Base Post
- Color Selection for Base Foot - Painted or Bright Metal

Notes

- Power only available on tables 29”H, 36”D, and 42”W or larger.
- See Day-to-Day Power options grid for details.

© 2026, AIS, Inc.

Pebble Tables with Arc Aluminum T-Bases

2MM EDGE PEBBLE TABLES WITH ARC ALUMINUM T-BASES

			On Glides		On Casters		
D	W	H	Model Number	List	Model Number	List	Grade C Laminate
30	36	29	T-PBR303629ATG	1,719	T-PBR303629ATC	1,626	+34
30	42	29	T-PBR304229ATG	1,755	T-PBR304229ATC	1,665	+39
30	48	29	T-PBR304829ATG	1,792	T-PBR304829ATC	1,699	+42
30	54	29	T-PBR305429ATG	1,829	T-PBR305429ATC	1,736	+50
30	60	29	T-PBR306029ATG	1,866	T-PBR306029ATC	1,772	+50
30	66	29	T-PBR306629ATG	1,899	T-PBR306629ATC	1,808	+56
30	72	29	T-PBR307229ATG	2,026	T-PBR307229ATC	1,932	+61
30	78	29	T-PBR307829ATG	2,607	T-PBR307829ATC	2,466	+69
30	84	29	T-PBR308429ATG	2,643	T-PBR308429ATC	2,500	+87
30	90	29	T-PBR309029ATG	2,678	T-PBR309029ATC	2,534	+96
30	96	29	T-PBR309629ATG	2,715	T-PBR309629ATC	2,570	+96
30	108	29	T-PBR3010829ATG	2,787	-	-	+109
30	120	29	T-PBR3012029ATG	3,035	-	-	+116

KNIFE EDGE PEBBLE TABLES WITH ARC ALUMINUM T-BASES

			On Glides		On Casters		
D	W	H	Model Number	List	Model Number	List	Grade C Laminate
30	36	29	T-PBK303629ATG	3,353	T-PBK303629ATC	3,270	+34
30	42	29	T-PBK304229ATG	3,416	T-PBK304229ATC	3,333	+39
30	48	29	T-PBK304829ATG	3,476	T-PBK304829ATC	3,394	+42
30	54	29	T-PBK305429ATG	3,540	T-PBK305429ATC	3,458	+50
30	60	29	T-PBK306029ATG	3,601	T-PBK306029ATC	3,522	+50
30	66	29	T-PBK306629ATG	3,666	T-PBK306629ATC	3,585	+56
30	72	29	T-PBK307229ATG	3,805	T-PBK307229ATC	3,721	+61
30	78	29	T-PBK307829ATG	4,336	T-PBK307829ATC	4,213	+69
30	84	29	T-PBK308429ATG	4,397	T-PBK308429ATC	4,276	+87
30	90	29	T-PBK309029ATG	4,460	T-PBK309029ATC	4,339	+96
30	96	29	T-PBK309629ATG	4,523	T-PBK309629ATC	4,400	+96
30	108	29	T-PBK3010829ATG	4,626	-	-	+109
30	120	29	T-PBK3012029ATG	4,900	-	-	+116



36" - 72" Wide
On Glides



78" - 120" Wide
On Glides



36" - 72" Wide
On Casters



36" - 72" Wide
On Glides



78" - 120" Wide
On Glides



36" - 96" Wide
On Casters

Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Color Selection for Base Post
- Color Selection for Base Foot - Painted or Bright Metal

Notes

- 108 and 120 wide worksurfaces are made from two pieces.
- On 108 and 120 wide worksurfaces, grain “direction” will match per worksurface section, however grain “patterns” will not be lined up or matched exactly.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Pebble Tables with Arc Aluminum Double Post Bases

2MM EDGE PEBBLE TABLES WITH ARC ALUMINUM DOUBLE POST BASES ON GLIDES


D	W	H	Model Number	List	Grade C Laminate
42	96	42	T-PBR429642ATG	4,633	+99
42	108	42	T-PBR4210842ATG	5,196	+109
42	120	42	T-PBR4212042ATG	5,360	+116
48	96	42	T-PBR489642ATG	4,747	+99
48	108	42	T-PBR4810842ATG	5,330	+116
48	120	42	T-PBR4812042ATG	5,504	+12
54	96	42	T-PBR549642ATG	4,865	+109
54	108	42	T-PBR5410842ATG	5,458	+123
54	120	42	T-PBR5412042ATG	5,651	+132
59	96	42	T-PBR609642ATG	4,979	+123
59	108	42	T-PBR6010842ATG	5,593	+132
59	120	42	T-PBR6012042ATG	5,795	+146



78" - 120" Wide
On Glides

KNIFE EDGE PEBBLE TABLES WITH ARC ALUMINUM DOUBLE POST BASES ON GLIDES

D	W	H	Model Number	List	Grade C Laminate
42	96	42	T-PBK429642ATG	6,378	+99
42	108	42	T-PBK4210842ATG	6,953	+109
42	120	42	T-PBK4212042ATG	7,179	+116
48	96	42	T-PBK489642ATG	6,578	+99
48	108	42	T-PBK4810842ATG	7,179	+116
48	120	42	T-PBK4812042ATG	7,430	+12
54	96	42	T-PBK549642ATG	6,779	+109
54	108	42	T-PBK5410842ATG	7,404	+123
54	120	42	T-PBK5412042ATG	7,682	+132
59	96	42	T-PBK609642ATG	6,978	+123
59	108	42	T-PBK6010842ATG	7,632	+132
59	120	42	T-PBK6012042ATG	7,932	+146



78" - 120" Wide
On Glides
(Powered version shown)

Specify	Notes
• Laminate Selection for Worksurface	• 108 and 120 wide worksurfaces are made from two pieces.
• Color Selection for Edge	• On 108 and 120 wide worksurfaces, grain "direction" will match per worksurface section, however grain "patterns" will not be lined up or matched exactly.
• Color Selection for Base Post	• Power only available on tables 29"H, 36"D, and 42"W or larger.
• Color Selection for Base Foot - Painted or Bright Metal	• See Day-to-Day Power options grid for details.
• Power Selection	• 60"D tables are an actual depth of 59"D.
• Color Selection for Power Option	


SURFACE	Option A (No Power)	OPTION B 1 Dock 281 Center with 1 Plugin Cord 1 Outlet 1 USB Type C 1 USB Type A	OPTION C 1 DOMINO Center with 1 Plugin Cord 2 Outlets 1 USB Type C 1 USB Type A	OPTION D 2 DOMINO with 2 Plugin Cords 4 Outlets 2 USB Type C 2 USB Type A	OPTION E 2 DOMINO Daisy Chain with 1 Plugin Cord 4 Outlets 2 USB Type C 2 USB Type A	OPTION F 1 Cove Unit Hardwired 2 Outlets 1 USB Type C 1 USB Type A	OPTION G/H/I/J 2 Cove Units Hardwired 4 Outlets 2 USB Type C 2 USB Type A
Pebble Rectangular	●						
60"-66"W	●		●			●	
72"-96"W	●		●	●	●	●	●

© 2026, AIS, Inc.


60° Trapezoid Tables with Square and Tapered Post Legs

2MM EDGE 60° TRAPEZOID TABLES WITH SQUARE POST LEGS

			On Glides		On Casters		
D	W	H	Model Number	List	Model Number	List	Grade C Laminate
24	60	29	T-TZR246029SQG	2,013	T-TZR246029SQC	2,087	+41
24	66	29	T-TZR246629SQG	2,044	T-TZR246629SQC	2,116	+46
24	72	29	T-TZR247229SQG	2,101	T-TZR247229SQC	2,174	+51
24	78	29	T-TZR247829SQG	2,129	T-TZR247829SQC	2,204	+54
24	84	29	T-TZR248429SQG	2,187	T-TZR248429SQC	2,259	+58
30	66	29	T-TZR306629SQG	2,122	T-TZR306629SQC	2,197	+56
30	72	29	T-TZR307229SQG	2,187	T-TZR307229SQC	2,259	+61
30	78	29	T-TZR307829SQG	2,221	T-TZR307829SQC	2,297	+69
30	84	29	T-TZR308429SQG	2,288	T-TZR308429SQC	2,365	+87



On Glides



On Casters

Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Color Selection for Leg

Notes

- Power only available on tables 29”H, 36”D, and 42”W or larger.
- See Day-to-Day Power options grid for details.

2MM EDGE 60° TRAPEZOID TABLES WITH TAPERED POST LEGS

			On Glides		On Casters		
D	W	H	Model Number	List	Model Number	List	Grade C Laminate
24	60	29	T-TZR246029TPG	2,207	T-TZR246029TPC	2,062	+41
24	66	29	T-TZR246629TPG	2,238	T-TZR246629TPC	2,091	+46
24	72	29	T-TZR247229TPG	2,295	T-TZR247229TPC	2,148	+51
24	78	29	T-TZR247829TPG	2,324	T-TZR247829TPC	2,177	+54
24	84	29	T-TZR248429TPG	2,380	T-TZR248429TPC	2,238	+58
30	66	29	T-TZR306629TPG	2,316	T-TZR306629TPC	2,170	+56
30	72	29	T-TZR307229TPG	2,380	T-TZR307229TPC	2,238	+61
30	78	29	T-TZR307829TPG	2,417	T-TZR307829TPC	2,272	+69
30	84	29	T-TZR308429TPG	2,481	T-TZR308429TPC	2,336	+87



On Glides



On Casters

Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Color Selection for Leg - Painted or Bright Metal

Notes

- Power only available on tables 29”H, 36”D, and 42”W or larger.
- See Day-to-Day Power options grid for details.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

60° Trapezoid Tables with Arc Aluminum T-Bases

2MM EDGE 60° TRAPEZOID TABLES WITH ARC ALUMINUM T-BASES

			On Glides		On Casters		
D	W	H	Model Number	List	Model Number	List	Grade C Laminate
18	60	29	T-TZR184829ATG	1,599	T-TZR184829ATC	1,599	+31
18	66	29	T-TZR185429ATG	1,623	T-TZR185429ATC	1,623	+36
18	72	29	T-TZR186029ATG	1,645	T-TZR186029ATC	1,645	+41
18	78	29	T-TZR186629ATG	1,669	T-TZR186629ATC	1,669	+46
18	84	29	T-TZR187229ATG	1,691	T-TZR187229ATC	1,691	+51
24	60	29	T-TZR246029ATG	1,792	T-TZR246029ATC	1,626	+41
24	66	29	T-TZR246629ATG	1,822	T-TZR246629ATC	1,655	+46
24	72	29	T-TZR247229ATG	1,851	T-TZR247229ATC	1,682	+51
24	78	29	T-TZR247829ATG	1,967	T-TZR247829ATC	1,800	+54
24	84	29	T-TZR248429ATG	2,010	T-TZR248429ATC	1,845	+58
30	66	29	T-TZR306629ATG	1,974	T-TZR306629ATC	1,808	+56
30	72	29	T-TZR307229ATG	2,009	T-TZR307229ATC	1,843	+61
30	78	29	T-TZR307829ATG	2,133	T-TZR307829ATC	1,967	+69
30	84	29	T-TZR308429ATG	2,185	T-TZR308429ATC	2,017	+87



On Glides



On Casters

Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Color Selection for Base Post
- Color Selection for Base Foot - Painted or Bright Metal (Bright Metal not available on 18” T-Bases)

Notes


- Bright Metal not available on 18” T-Bases.
- Power only available on tables 29”H, 36”D, and 42”W or larger.
- See Day-to-Day Power options grid for details.

© 2026, AIS, Inc.


Blade Tables with Tapered Post Legs

2MM EDGE BLADE LEFT TABLES WITH TAPERED POST LEGS

			On Glides		On Casters		
D	W	H	Model Number	List	Model Number	List	Grade C Laminate
30	72	29	T-BLR307229TPG	3,787	T-BLR307229TPC	3,857	+93
30	78	29	T-BLR307829TPG	3,936	T-BLR307829TPC	4,008	+99




On Glides




On Casters

KNIFE EDGE BLADE LEFT TABLES WITH TAPERED POST LEGS

			On Glides		On Casters		
D	W	H	Model Number	List	Model Number	List	Grade C Laminate
30	72	29	T-BLK307229TPG	6,082	T-BLK307229TPC	6,155	+93
30	78	29	T-BLK307829TPG	6,252	T-BLK307829TPC	6,313	+99




On Glides



On Casters

2MM EDGE BLADE RIGHT TABLES WITH TAPERED POST LEGS

			On Glides		On Casters		
D	W	H	Model Number	List	Model Number	List	Grade C Laminate
30	72	29	T-BRR307229TPG	3,787	T-BRR307229TPC	3,857	+93
30	78	29	T-BRR307829TPG	3,936	T-BRR307829TPC	4,008	+99




On Glides



On Casters

KNIFE EDGE BLADE RIGHT TABLES WITH TAPERED POST LEGS

			On Glides		On Casters		
D	W	H	Model Number	List	Model Number	List	Grade C Laminate
30	72	29	T-BRK307229TPG	6,082	T-BRK307229TPC	6,155	+93
30	78	29	T-BRK307829TPG	6,252	T-BRK307829TPC	6,313	+99



On Glides



On Casters

Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Color Selection for Leg - Painted Bright Metal

Notes

- Power only available on tables 29”H, 36”D, and 42”W or larger.
- See Day-to-Day Power options grid for details.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Wedge Tables with Tapered Post Legs

2MM EDGE WEDGE TABLES WITH TAPERED POST LEGS

			On Glides		On Casters		
D	W	H	Model Number	List	Model Number	List	Grade C Laminate
28	66	29	T-WGR286629TPG	3,805	T-WGR286629TPC	3,876	+76
32	72	29	T-WGR327229TPG	4,031	T-WGR327229TPC	4,102	+87
32	78	29	T-WGR327829TPG	4,155	T-WGR327829TPC	4,225	+99




On Glides




On Casters

KNIFE EDGE WEDGE TABLES WITH TAPERED POST LEGS

			On Glides		On Casters		
D	W	H	Model Number	List	Model Number	List	Grade C Laminate
28	66	29	T-WGK286629TPG	6,096	T-WGK286629TPC	6,168	+76
32	72	29	T-WGK327229TPG	6,419	T-WGK327229TPC	6,490	+87
32	78	29	T-WGK327829TPG	6,576	T-WGK327829TPC	6,645	+99



On Glides



On Casters

Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Color Selection for Leg - Painted or Bright Metal

Notes


- Power only available on tables 29”H, 36”D, and 42”W or larger.
- See Day-to-Day Power options grid for details.

© 2026, AIS, Inc.


Square Tables with Square Post Legs

2MM EDGE SQUARE TABLES WITH SQUARE POST LEGS

		On Glides		On Casters		
D	H	Model Number	List	Model Number	List	Grade C Laminate
36	16	T-SQR363616SQG	1,897	T-SQR363616SQC	1,972	+41
42	16	T-SQR424216SQG	1,989	T-SQR424216SQC	2,064	+52
48	16	T-SQR484816SQG	2,274	T-SQR484816SQC	2,348	+60




On Glides




On Casters

KNIFE EDGE SQUARE TABLES WITH SQUARE POST LEGS

		On Glides		On Casters		
D	H	Model Number	List	Model Number	List	Grade C Laminate
36	16	T-SQK363616SQG	3,524	T-SQK363616SQC	3,587	+41
42	16	T-SQK424216SQG	3,706	T-SQK424216SQC	3,770	+52
48	16	T-SQK484816SQG	4,043	T-SQK484816SQC	4,110	+60



On Glides



On Casters

Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Color Selection for Leg

Notes

- Power only available on tables 29”H, 36”D, and 42”W or larger.
- See Day-to-Day Power options grid for details.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Square Tables with Tapered and Slant Post Legs

2MM EDGE SQUARE TABLES WITH TAPERED POST LEGS

		On Glides		On Casters		
D	H	Model Number	List	Model Number	List	Grade C Laminate
24	29	T-SQR242429TPG	1,945	T-SQR242429TPC	1,800	+21
30	29	T-SQR303029TPG	2,010	T-SQR303029TPC	1,865	+30




On Glides



On Casters

KNIFE EDGE SQUARE TABLES WITH TAPERED POST LEGS

		On Glides		On Casters		
D	H	Model Number	List	Model Number	List	Grade C Laminate
24	29	T-SQK242429TPG	3,458	T-SQK242429TPC	3,333	+21
30	29	T-SQK303029TPG	3,570	T-SQK303029TPC	3,446	+30



On Glides




On Casters

Specify	Notes
• Laminate Selection for Worksurface	• Power only available on tables 29”H, 36”D, and 42”W or larger.
• Color Selection for Edge	• See Day-to-Day Power options grid for details.
• Color Selection for Leg - Painted or Bright Metal	

2MM EDGE SQUARE TABLES WITH SLANT POST LEGS ON GLIDES


D	H	Model Number	List	Grade C Laminate
24	29	T-SQR242429SLG	2,096	+21
30	29	T-SQR303029SLG	2,162	+30



On Glides

KNIFE EDGE SQUARE TABLES WITH SLANT POST LEGS ON GLIDES

D	H	Model Number	List	Grade C Laminate
24	29	T-SQK242429SLG	3,588	+21
30	29	T-SQK303029SLG	3,701	+30



On Glides

Specify	Notes
• Laminate Selection for Worksurface	• Power only available on tables 29”H, 36”D, and 42”W or larger.
• Color Selection for Edge	• See Day-to-Day Power options grid for details.
• Color Selection for Leg	

© 2026, AIS, Inc.


Square Tables with Steel X-Bases

2MM EDGE SQUARE TABLES WITH STEEL X-BASES

		On Glides		On Casters		
D	H	Model Number	List	Model Number	List	Grade C Laminate
24	16	T-SQR2416SXG	1,129	T-SQR2416SXC	1,194	+21
30	16	T-SQR3016SXG	1,228	T-SQR3016SXC	1,278	+30
36	16	T-SQR3616SXG	1,447	T-SQR3616SXC	1,513	+41
24	29	T-SQR2429SXG	1,019	T-SQR2429SXC	1,337	+21
30	29	T-SQR3029SXG	1,485	T-SQR3029SXC	1,418	+30
36	29	T-SQR3629SXG	1,591	T-SQR3629SXC	1,656	+41
24	42	T-SQR2442SXG	1,335	-	-	+21
30	42	T-SQR3042SXG	1,545	-	-	+30
36	42	T-SQR3642SXG	1,655	-	-	+41

KNIFE EDGE SQUARE TABLES WITH STEEL X-BASES

		On Glides		On Casters		
D	H	Model Number	List	Model Number	List	Grade C Laminate
24	16	T-SQK2416SXG	2,755	T-SQK2416SXC	2,811	+21
30	16	T-SQK3016SXG	3,098	T-SQK3016SXC	2,937	+30
36	16	T-SQK3616SXG	3,155	T-SQK3616SXC	3,211	+41
24	29	T-SQK2429SXG	2,661	T-SQK2429SXC	2,933	+30
30	29	T-SQK3029SXG	3,116	T-SQK3029SXC	3,063	+21
36	29	T-SQK3629SXG	3,280	T-SQK3629SXC	3,334	+41
24	42	T-SQK2442SXG	2,932	-	-	+21
30	42	T-SQK3042SXG	3,169	-	-	+30
36	42	T-SQK3642SXG	3,333	-	-	+41



16" High On Glides | 29" High On Glides | 42" High On Glides | 16" High On Casters | 29" High On Casters | 16" High On Glides | 29" High On Glides | 42" High On Glides | 16" High On Casters | 29" High On Casters

Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Color Selection for Base

Notes

- Power options not available.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Square Tables with Arc Aluminum Double Post Bases

2MM EDGE SQUARE TABLES WITH ARC ALUMINUM DOUBLE POST BASES

		On Glides		On Casters		
D	H	Model Number	List	Model Number	List	Grade C Laminate
42	16	T-SQR4216ATG	2,297	T-SQR4216ATC	2,154	+52
48	16	T-SQR4816ATG	2,407	T-SQR4816ATC	2,259	+60




On Glides




On Casters

KNIFE EDGE SQUARE TABLES WITH ARC ALUMINUM DOUBLE POST BASES

		On Glides		On Casters		
D	H	Model Number	List	Model Number	List	Grade C Laminate
42	16	T-SQK4216ATG	3,972	T-SQK4216ATC	3,846	+52
48	16	T-SQK4816ATG	4,159	T-SQK4816ATC	4,034	+60



On Glides



On Casters

Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Color Selection for Base Post
- Color Selection for Base Foot - Painted or Bright Metal

Notes

- Power only available on tables 29”H, 36”D, and 42”W or larger.
- See Day-to-Day Power options grid for details.

© 2026, AIS, Inc.


Square Tables with Aluminum X-Bases

2MM EDGE SQUARE TABLES WITH ARC ALUMINUM X-BASES

		On Glides		On Casters		
D	H	Model Number	List	Model Number	List	Grade C Laminate
24	16	T-SQR2416AXG	1,265	T-SQR2416AXC	1,083	+21
30	16	T-SQR3016AXG	1,403	T-SQR3016AXC	1,251	+30
36	16	T-SQR3616AXG	1,482	T-SQR3616AXC	1,326	+41
24	29	T-SQR2429AXG	1,338	T-SQR2429AXC	1,180	+21
30	29	T-SQR3029AXG	1,476	T-SQR3029AXC	1,319	+30
36	29	T-SQR3629AXG	1,557	T-SQR3629AXC	1,402	+41
24	42	T-SQR2442AXG	1,414	-	-	-
30	42	T-SQR3042AXG	1,550	-	-	-
36	42	T-SQR3642AXG	1,631	-	-	-

KNIFE EDGE SQUARE TABLES WITH ARC ALUMINUM X-BASES

		On Glides		On Casters		
D	H	Model Number	List	Model Number	List	Grade C Laminate
24	16	T-SQK2416AXG	2,873	T-SQK2416AXC	2,714	+21
30	16	T-SQK3016AXG	3,049	T-SQK3016AXC	2,914	+30
36	16	T-SQK3616AXG	3,184	T-SQK3616AXC	3,054	+41
24	29	T-SQK2429AXG	2,935	T-SQK2429AXC	2,799	+21
30	29	T-SQK3029AXG	3,109	T-SQK3029AXC	2,974	+30
36	29	T-SQK3629AXG	3,247	T-SQK3629AXC	3,114	+41
24	42	T-SQK2442AXG	3,002	-	-	-
30	42	T-SQK3042AXG	3,177	-	-	-
36	42	T-SQK3642AXG	3,314	-	-	-



16" High On Glides | 29" High On Glides | 42" High On Glides | 16" High On Casters | 29" High On Casters | 16" High On Glides | 29" High On Glides | 42" High On Glides | 16" High On Casters | 29" High On Casters

Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Color Selection for Base Post
- Color Selection for Base Foot - Painted or Bright Metal

Notes

- Power options not available.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Square Tables with Steel Disc Bases

2MM EDGE SQUARE TABLES WITH STEEL DISC BASES


D	H	Model Number	List	Grade C Laminate
24	16	T-SQR2416DSG	1,497	+39
30	16	T-SQR3016DSG	1,665	+39
36	16	T-SQR3616DSG	1,843	+56
24	29	T-SQR2429DSG	1,645	+39
30	29	T-SQR3029DSG	1,812	+39
36	29	T-SQR3629DSG	1,991	+56
24	36	T-SQR2436DSG	1,623	+39
30	36	T-SQR3036DSG	1,786	+39
36	36	T-SQR3636DSG	1,957	+56
24	42	T-SQR2442DSG	1,714	+39
30	42	T-SQR3042DSG	1,884	+39
36	42	T-SQR3642DSG	2,062	+56



16" High 29" High 36" High 42" High

KNIFE EDGE SQUARE TABLES WITH STEEL DISC BASES

D	H	Model Number	List	Grade C Laminate
24	16	T-SQK2416DSG	3,004	+39
30	16	T-SQK3016DSG	3,172	+39
36	16	T-SQK3616DSG	3,428	+56
24	29	T-SQK2429DSG	3,153	+39
30	29	T-SQK3029DSG	3,320	+39
36	29	T-SQK3629DSG	3,577	+56
24	36	T-SQK2436DSG	3,082	+39
30	36	T-SQK3036DSG	3,242	+39
36	36	T-SQK3636DSG	3,491	+56
24	42	T-SQK2442DSG	3,630	+39
30	42	T-SQK3042DSG	3,390	+39
36	42	T-SQK3642DSG	3,650	+56



16" High 29" High 36" High 42" High

Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Color Selection for Base and Column (Grade C +25)

Notes

- Overall base, including glide, is 5/8" with 3/16" glide adjustability.
- Disc base is 21" in diameter, disc column has a diameter of 2.5" (60mm).
- Assembly required.
- Power options not available.

© 2026, AIS, Inc.


Square Tables with Large Steel Disc Bases

2MM EDGE SQUARE TABLES (LARGE) WITH STEEL DISC BASES


D	H	Model Number	List	Grade C Laminate
36	29	T-SQR3629LDSG	2,298	+56
42	29	T-SQR4229LDSG	2,413	+56
36	42	T-SQR3642LDSG	2,413	+56
42	42	T-SQR4242LDSG	2,533	+56

KNIFE EDGE SQUARE TABLES (LARGE) WITH STEEL DISC BASES


D	H	Model Number	List	Grade C Laminate
36	29	T-SQK3629LDSG	4,020	N/A
42	29	T-SQK4229LDSG	4,222	N/A
36	42	T-SQK3642LDSG	4,222	N/A
42	42	T-SQK4242LDSG	4,433	N/A




29" High




42" High



29" High



42" High
(Powered version shown)



Cord routes through mousehole in column

Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Paint Selection for Column and Base (Grade C +25)
- Power Selection (+416 list for Powered Tables)
- Power Color Selection

Notes

- Disc base is 26" in diameter. Disc column has a diameter of 6". Disc base has a thickness of 3/8" from the ground.
- Disc base includes leveling glides that offer 3/16" of leveling capacity.
- Disc base ships in two pieces; some assembly required.
- Disc column includes a mouse hole at the top and base of column for routing power cords.
- Specifying power incurs an upcharge of $416 list.
- Tables specified with power receive a 3" cutout to accommodate the Dock-281 power unit, which ships separately for field installation.
- Dock-281 is UL and cUL certified for use in USA and Canada.
- Dock-281 measures 3.35"H x 3.54"W
- Dock-281 is not available in a hardwired model.
- Dock-281 Power unit includes:
  - (1) AC outlet, 125V 15A rating
  - (1) 2 1A 5V USB-A port
  - (1) 2 4A 5V USB-C port
  - 10ft 14AWG x 3C power cord, 15A rating
  - Black, Silver, and White finish options
- Cords for powered tables are managed through a mouse hole at the base of the post. See installation instructions for more detail.

SURFACE	Option A (No Power)	OPTION B 1 Dock 281 Center with 1 Plugin Cord 1 Outlet 1 USB Type C 1 USB Type A	OPTION C 1 DOMINO Center with 1 Plugin Cord 2 Outlets 1 USB Type C 1 USB Type A	OPTION D 2 DOMINO with 2 Plugin Cords 4 Outlets 2 USB Type C 2 USB Type A	OPTION E 2 DOMINO Daisy Chain with 1 Plugin Cord 4 Outlets 2 USB Type C 2 USB Type A	OPTION F 1 Cove Unit Hardwired 2 Outlets 1 USB Type C 1 USB Type A	OPTION G/H/I/J 2 Cove Units Hardwired 4 Outlets 2 USB Type C 2 USB Type A
Square	●	●	●			●	

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Round Tables with Square Post Legs

2MM EDGE ROUND TABLES WITH SQUARE POST LEGS


		On Glides		On Casters		
D	H	Model Number	List	Model Number	List	Grade C Laminate
36	16	T-RDR3616SQG	1,897	T-RDR3616SQC	1,972	+56
42	16	T-RDR4216SQG	1,989	T-RDR4216SQC	2,064	+67
48	16	T-RDR4816SQG	2,101	T-RDR4816SQC	2,174	+70
30	42	T-RDR3042SQG	2,836	-	-	+39
36	42	T-RDR3642SQG	2,915	-	-	+56
42	42	T-RDR4242SQG	3,011	-	-	+70

KNIFE EDGE ROUND TABLES WITH SQUARE POST LEGS


		On Glides		On Casters		
D	H	Model Number	List	Model Number	List	Grade C Laminate
36	16	T-RDK3616SQG	3,541	T-RDK3616SQC	3,604	+56
42	16	T-RDK4216SQG	3,706	T-RDK4216SQC	3,770	+67
48	16	T-RDK4816SQG	3,893	T-RDK4816SQC	3,957	+70
30	42	T-RDK3042SQG	4,283	-	-	+39
36	42	T-RDK3642SQG	4,423	-	-	+56
42	42	T-RDK4242SQG	4,587	-	-	+70




16" High
On Glides




42" High
On Glides




16" High
On Casters



16" High
On Glides



42" High
On Glides
(Powered version shown)



16" High
On Casters

Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Color Selection for Leg
- Power Selection
- Color Selection for Power Option

Notes

- Power only available on tables 29"H, 36"D, and 42"W or larger.
- See Day-to-Day Power options grid for details.

SURFACE	Option A (No Power)	OPTION B 1 Dock 281 Center with 1 Plugin Cord 1 Outlet 1 USB Type C 1 USB Type A	OPTION C 1 DOMINO Center with 1 Plugin Cord 2 Outlets 1 USB Type C 1 USB Type A	OPTION D 2 DOMINO with 2 Plugin Cords 4 Outlets 2 USB Type C 2 USB Type A	OPTION E 2 DOMINO Daisy Chain with 1 Plugin Cord 4 Outlets 2 USB Type C 2 USB Type A	OPTION F 1 Cove Unit Hardwired 2 Outlets 1 USB Type C 1 USB Type A	OPTION G/H/I/J 2 Cove Units Hardwired 4 Outlets 2 USB Type C 2 USB Type A
Round	●	●					

© 2026, AIS, Inc.

Round Tables with Tapered Post Legs

2MM EDGE ROUND TABLES WITH TAPERED POST LEGS

		On Glides		On Casters		
D	H	Model Number	List	Model Number	List	Grade C Laminate
24	29	T-RDR2429TPG	1,945	T-RDR2429TPC	1,800	+39
30	29	T-RDR3029TPG	2,010	T-RDR3029TPC	1,865	+39



On Glides



On Casters

KNIFE EDGE ROUND TABLES WITH TAPERED POST LEGS

		On Glides		On Casters		
D	H	Model Number	List	Model Number	List	Grade C Laminate
24	29	T-RDK2429TPG	3,458	T-RDK2429TPC	3,333	+39
30	29	T-RDK3029TPG	3,570	T-RDK3029TPC	3,446	+39



On Glides



On Casters

Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Color Selection for Leg - Painted or Bright Metal

Notes

- Power options not available.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Round Tables with Steel X-Bases

2MM EDGE ROUND TABLES WITH STEEL X-BASES

		On Glides		On Casters		
D	H	Model Number	List	Model Number	List	Grade C Laminate
24	16	T-RDR2416SXG	1,129	T-RDR2416SXC	1,194	+39
30	16	T-RDR3016SXG	1,228	T-RDR3016SXC	1,278	+39
36	16	T-RDR3616SXG	1,447	T-RDR3616SXC	1,459	+56
42	16	T-RDR4216SXG	1,545	T-RDR4216SXC	1,610	+67
24	29	T-RDR2429SXG	1,019	T-RDR2429SXC	1,337	+39
30	29	T-RDR3029SXG	1,485	T-RDR3029SXC	1,418	+39
36	29	T-RDR3629SXG	1,591	T-RDR3629SXC	1,595	+56
42	29	T-RDR4229SXG	1,688	T-RDR4229SXC	1,751	+42
24	42	T-RDR2442SXG	1,335	-	-	+39
30	42	T-RDR3042SXG	1,545	-	-	+39
36	42	T-RDR3642SXG	1,655	-	-	+56
42	42	T-RDR4242SXG	1,747	-	-	+67

KNIFE EDGE ROUND TABLES WITH STEEL X-BASES

		On Glides		On Casters		
D	H	Model Number	List	Model Number	List	Grade C Laminate
24	16	T-RDK2416SXG	2,755	T-RDK2416SXC	2,811	+39
30	16	T-RDK3016SXG	3,098	T-RDK3016SXC	2,937	+39
36	16	T-RDK3616SXG	3,155	T-RDK3616SXC	3,211	+56
42	16	T-RDK4216SXG	3,444	T-RDK4216SXC	3,374	+67
24	29	T-RDK2429SXG	2,661	T-RDK2429SXC	2,933	+39
30	29	T-RDK3029SXG	3,116	T-RDK3029SXC	3,063	+39
36	29	T-RDK3629SXG	3,280	T-RDK3629SXC	3,334	+56
42	29	T-RDK4229SXG	3,497	T-RDK4229SXC	3,500	+42
24	42	T-RDK2442SXG	2,932	-	-	+39
30	42	T-RDK3042SXG	3,169	-	-	+39
36	42	T-RDK3642SXG	3,333	-	-	+56
42	42	T-RDK4242SXG	3,497	-	-	+67



16" High On Glides | 29" High On Glides | 42" High On Glides | 16" High On Casters | 29" High On Casters | 16" High On Glides | 29" High On Glides | 42" High On Glides | 16" High On Casters | 29" High On Casters

Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Color Selection for Base

Notes

- Power options not available.

© 2026, AIS, Inc.

Round Tables with Arc Aluminum X-Bases

2MM EDGE ROUND TABLES WITH ARC ALUMINUM X-BASES

		On Glides		On Casters		
D	H	Model Number	List	Model Number	List	Grade C Laminate
24	16	T-RDR2416AXG	1,265	T-RDR2416AXC	1,083	+39
30	16	T-RDR3016AXG	1,403	T-RDR3016AXC	1,251	+39
36	16	T-RDR3616AXG	1,482	T-RDR3616AXC	1,326	+56
24	29	T-RDR2429AXG	1,338	T-RDR2429AXC	1,180	+39
30	29	T-RDR3029AXG	1,476	T-RDR3029AXC	1,319	+39
36	29	T-RDR3629AXG	1,557	T-RDR3629AXC	1,402	+56
24	42	T-RDR2442AXG	1,414	-	-	-
30	42	T-RDR3042AXG	1,550	-	-	-
36	42	T-RDR3642AXG	1,631	-	-	-

KNIFE EDGE ROUND TABLES WITH ARC ALUMINUM X-BASES

		On Glides		On Casters		
D	H	Model Number	List	Model Number	List	Grade C Laminate
24	16	T-RDK2416AXG	2,873	T-RDK2416AXC	2,714	+39
30	16	T-RDK3016AXG	3,049	T-RDK3016AXC	2,914	+39
36	16	T-RDK3616AXG	3,184	T-RDK3616AXC	3,054	+56
24	29	T-RDK2429AXG	2,935	T-RDK2429AXC	2,799	+39
30	29	T-RDK3029AXG	3,109	T-RDK3029AXC	2,974	+39
36	29	T-RDK3629AXG	3,247	T-RDK3629AXC	3,114	+56
24	42	T-RDK2442AXG	3,002	-	-	-
30	42	T-RDK3042AXG	3,177	-	-	-
36	42	T-RDK3642AXG	3,314	-	-	-



16" High On Glides | 29" High On Glides | 42" High On Glides | 16" High On Casters | 29" High On Casters | 16" High On Glides | 29" High On Glides | 42" High On Glides | 16" High On Casters | 29" High On Casters

Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Color Selection for Base Post
- Color Selection for Base Foot - Painted or Bright Metal

Notes

- Power options not available.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Round Tables with Steel Disc Bases

2MM EDGE ROUND TABLES WITH STEEL DISC BASES


D	H	Model Number	List	Grade C Laminate
24	16	T-RDR2416DSG	1,497	+39
30	16	T-RDR3016DSG	1,665	+39
36	16	T-RDR3616DSG	1,843	+56
42	16	T-RDR4216DSG	1,976	+65
24	29	T-RDR2429DSG	1,645	+39
30	29	T-RDR3029DSG	1,812	+39
36	29	T-RDR3629DSG	1,991	+56
42	29	T-RDR4229DSG	2,172	+65
24	36	T-RDR2436DSG	1,623	+39
30	36	T-RDR3036DSG	1,786	+39
36	36	T-RDR3636DSG	1,957	+56
42	36	T-RDR4236DSG	2,193	+65
24	42	T-RDR2442DSG	1,714	+39
30	42	T-RDR3042DSG	1,884	+39
36	42	T-RDR3642DSG	2,062	+56
42	42	T-RDR4242DSG	2,368	+65



16” High 29” High 36” High 42” High

KNIFE EDGE SQUARE TABLES WITH STEEL DISC BASES

D	H	Model Number	List	Grade C Laminate
24	16	T-RDK2416DSG	3,004	N/A
30	16	T-RDK3016DSG	3,172	N/A
36	16	T-RDK3616DSG	3,428	N/A
42	16	T-RDK4216DSG	3,714	N/A
24	29	T-RDK2429DSG	3,153	N/A
30	29	T-RDK3029DSG	3,320	N/A
36	29	T-RDK3629DSG	3,577	N/A
42	29	T-RDK4229DSG	3,908	N/A
24	36	T-RDK2436DSG	3,082	N/A
30	36	T-RDK3036DSG	3,242	N/A
36	36	T-RDK3636DSG	3,491	N/A
42	36	T-RDK4236DSG	3,888	N/A
24	42	T-RDK2442DSG	3,225	N/A
30	42	T-RDK3042DSG	3,390	N/A
36	42	T-RDK3642DSG	3,650	N/A
42	42	T-RDK4242DSG	4,142	N/A



16” High 29” High 36” High 42” High

Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Color Selection for Base and Column (Grade C +25)

Notes

- Overall base, including glide, is 5/8” with 3/16” glide adjustability.
- Disc base is 21” in diameter, disc column has a diameter of 2.5” (60mm).
- Assembly required.
- Power options not available.

© 2026, AIS, Inc.


Round Tables with Large Steel Disc Bases

2MM EDGE ROUND TABLES (LARGE) WITH STEEL DISC BASES


D	H	Model Number	List	Grade C Laminate
36	29	T-RDR3629LDSG	2,298	+56
42	29	T-RDR4229LDSG	2,413	+56
48	29	T-RDR4829LDSG	2,533	+65
54	29	T-RDR5429LDSG	2,660	+65
59	29	T-RDR6029LDSG	2,793	+65
36	42	T-RDR3642LDSG	2,413	+56
42	42	T-RDR4242LDSG	2,533	+56
48	42	T-RDR4842LDSG	2,660	+65
54	42	T-RDR5442LDSG	2,793	+65
59	42	T-RDR6042LDSG	2,933	+65

KNIFE EDGE ROUND TABLES (LARGE) WITH STEEL DISC BASES

D	H	Model Number	List	Grade C Laminate
36	29	T-RDK3629LDSG	4,020	N/A
42	29	T-RDK4229LDSG	4,222	N/A
48	29	T-RDK4829LDSG	4,433	N/A
54	29	T-RDK5429LDSG	4,656	N/A
59	29	T-RDK6029LDSG	4,888	N/A
36	42	T-RDK3642LDSG	4,222	N/A
42	42	T-RDK4242LDSG	4,433	N/A
48	42	T-RDK4842LDSG	4,656	N/A
54	42	T-RDK5442LDSG	4,888	N/A
59	42	T-RDK6042LDSG	5,132	N/A



29" High 42" High



29" High 42" High *(Powered version shown)* *Cord routes through mousehole in column*

Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Paint Selection for Column and Base (Grade C +25)
- Power Selection (+416 list for Powered Tables)
- Power Color Selection

Notes

- Disc base is 26" in diameter. Disc column has a diameter of 6". Disc base has a thickness of 3/8" from the ground.
- Disc base includes leveling glides that offer 3/16" of leveling capacity.
- Disc base ships in two pieces; some assembly required.
- Disc column includes a mouse hole at the top and base of column for routing power cords.
- Specifying power incurs an upcharge of $416 list.
- Tables specified with power receive a 3" cutout to accommodate the Dock-281 power unit, which ships separately for field installation.
- Dock-281 is UL and cUL certified for use in USA and Canada.
- Dock-281 measures 3.35"H x 3.54"W
- Dock-281 is not available in a hardwired model.
- Dock-281 Power unit includes:
  — (1) AC outlet, 125V 15A rating
  — (1) 2 1A 5V USB-A port
  — (1) 2 4A 5V USB-C port
  — 10ft 14AWG x 3C power cord, 15A rating
  — Black, Silver, and White finish options
- 60"D tables are an actual depth of 59"D.
- Cords for powered tables are managed through a mouse hole at the base of the post. See installation instructions for more detail.

SURFACE	Option A (No Power)	OPTION B 1 Dock 281 Center with 1 Plugin Cord 1 Outlet 1 USB Type C 1 USB Type A	OPTION C 1 DOMINO Center with 1 Plugin Cord 2 Outlets 1 USB Type C 1 USB Type A	OPTION D 2 DOMINO with 2 Plugin Cords 4 Outlets 2 USB Type C 2 USB Type A	OPTION E 2 DOMINO Daisy Chain with 1 Plugin Cord 4 Outlets 2 USB Type C 2 USB Type A	OPTION F 1 Cove Unit Hardwired 2 Outlets 1 USB Type C 1 USB Type A	OPTION G/H/I/J 2 Cove Units Hardwired 4 Outlets 2 USB Type C 2 USB Type A
Round	●	●					


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Pebble Tables with Square Post Legs

2MM EDGE PEBBLE TABLES WITH SQUARE POST LEGS

			On Glides		On Casters		
D	W	H	Model Number	List	Model Number	List	Grade C Laminate
36	36	16	T-PBR3616SQG	1,897	T-PBR3616SQC	1,972	+56
42	42	16	T-PBR4216SQG	1,989	T-PBR4216SQC	2,064	+67
48	48	16	T-PBR4816SQG	2,274	T-PBR4816SQC	2,348	+70
54	54	16	T-PBR5416SQG	2,427	T-PBR5416SQC	2,503	+75




On Glides




On Casters

KNIFE EDGE PEBBLE TABLES WITH SQUARE POST LEGS

			On Glides		On Casters		
D	W	H	Model Number	List	Model Number	List	Grade C Laminate
36	36	16	T-PBK3616SQG	3,541	T-PBK3616SQC	3,604	+56
42	42	16	T-PBK4216SQG	3,706	T-PBK4216SQC	3,770	+67
48	48	16	T-PBK4816SQG	4,043	T-PBK4816SQC	4,110	+70
54	54	16	T-PBK5416SQG	4,280	T-PBK5416SQC	4,347	+75



On Glides



On Casters

Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Color Selection for Leg

Notes

- Power only available on tables 29”H, 36”D, and 42”W or larger.
- See Day-to-Day Power options grid for details.

© 2026, AIS, Inc.

Pebble Tables with Tapered Post Legs

2MM EDGE PEBBLE TABLES WITH TAPERED POST LEGS

		On Glides		On Casters		
D	H	Model Number	List	Model Number	List	Grade C Laminate
30	29	T-PBR3029TPG	2,010	T-PBR3029TPC	1,865	+39
36	29	T-PBR3629TPG	2,091	T-PBR3629TPC	1,945	+56
42	29	T-PBR4229TPG	2,186	T-PBR4229TPC	2,040	+67
48	29	T-PBR4829TPG	2,468	T-PBR4829TPC	2,324	+70
54	29	T-PBR5429TPG	2,623	T-PBR5429TPC	2,477	+75
59	29	T-PBR6029TPG	2,788	T-PBR6029TPC	2,644	+82



On Glides



On Casters

KNIFE EDGE PEBBLE TABLES WITH TAPERED POST LEGS

		On Glides		On Casters		
D	H	Model Number	List	Model Number	List	Grade C Laminate
30	29	T-PBK3029TPG	3,570	T-PBK3029TPC	3,446	+39
36	29	T-PBK3629TPG	3,710	T-PBK3629TPC	3,585	+56
42	29	T-PBK4229TPG	3,868	T-PBK4229TPC	3,745	+67
48	29	T-PBK4829TPG	4,212	T-PBK4829TPC	4,085	+70
54	29	T-PBK5429TPG	4,446	T-PBK5429TPC	4,323	+75
59	29	T-PBK6029TPG	4,712	T-PBK6029TPC	4,588	+82



On Glides



On Casters
(Powered version shown)

Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Color Selection for Leg - Painted or Bright Metal
- Power Selection
- Color Selection for Power Option

Notes

- Power only available on tables 29”H, 36”D, and 42”W or larger.
- See Day-to-Day Power options grid for details.
- 60”D tables are an actual depth of 59”D.

SURFACE	Option A (No Power)	OPTION B 1 Dock 281 Center with 1 Plugin Cord 1 Outlet 1 USB Type C 1 USB Type A	OPTION C 1 DOMINO Center with 1 Plugin Cord 2 Outlets 1 USB Type C 1 USB Type A	OPTION D 2 DOMINO with 2 Plugin Cords 4 Outlets 2 USB Type C 2 USB Type A	OPTION E 2 DOMINO Daisy Chain with 1 Plugin Cord 4 Outlets 2 USB Type C 2 USB Type A	OPTION F 1 Cove Unit Hardwired 2 Outlets 1 USB Type C 1 USB Type A	OPTION G/H/I/J 2 Cove Units Hardwired 4 Outlets 2 USB Type C 2 USB Type A
Pebble Square	●	●					

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Pebble Tables with Steel X-Bases

2MM EDGE PEBBLE TABLES WITH STEEL X-BASES

		On Glides		On Casters		
D	H	Model Number	List	Model Number	List	Grade C Laminate
24	16	T-PBR2416SXG	1,129	T-PBR2416SXC	1,194	+39
30	16	T-PBR3016SXG	1,228	T-PBR3016SXC	1,278	+39
36	16	T-PBR3616SXG	1,447	T-PBR3616SXC	1,656	+56
24	29	T-PBR2429SXG	1,019	T-PBR2429SXC	1,337	+39
30	29	T-PBR3029SXG	1,485	T-PBR3029SXC	1,418	+39
36	29	T-PBR3629SXG	1,591	T-PBR3629SXC	1,656	+56
24	42	T-PBR2442SXG	1,335	-	-	+39
30	42	T-PBR3042SXG	1,545	-	-	+39
36	42	T-PBR3642SXG	1,655	-	-	+56

KNIFE EDGE PEBBLE TABLES WITH STEEL X-BASES

		On Glides		On Casters		
D	H	Model Number	List	Model Number	List	Grade C Laminate
24	16	T-PBK2416SXG	2,755	T-PBK2416SXC	2,811	N/A
30	16	T-PBK3016SXG	3,098	T-PBK3016SXC	2,937	N/A
36	16	T-PBK3616SXG	3,155	-	-	N/A
24	29	T-PBK2429SXG	2,661	T-PBK2429SXC	2,933	N/A
30	29	T-PBK3029SXG	3,116	T-PBK3029SXC	3,063	N/A
36	29	T-PBK3629SXG	3,280	-	-	N/A
24	42	T-PBK2442SXG	2,932	-	-	N/A
30	42	T-PBK3042SXG	3,169	-	-	N/A
36	42	T-PBK3642SXG	3,333	-	-	N/A



16" High On Glides | 29" High On Glides | 42" High On Glides | 16" High On Casters | 29" High On Casters | 16" High On Glides | 29" High On Glides | 42" High On Glides | 16" High On Casters | 29" High On Casters

Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Color Selection for Base

Notes

- Power options not available.

© 2026, AIS, Inc.


Pebble Tables with Arc Aluminum X-Bases

2MM EDGE PEBBLE TABLES WITH ARC ALUMINUM X-BASES

		On Glides		On Casters		
D	H	Model Number	List	Model Number	List	Grade C Laminate
24	16	T-PBR2416AXG	1,265	T-PBR2416AXC	1,083	+39
30	16	T-PBR3016AXG	1,403	T-PBR3016AXC	1,251	+39
36	16	T-PBR3616AXG	1,482	T-PBR3616AXC	1,326	+56
24	29	T-PBR2429AXG	1,338	T-PBR2429AXC	1,180	+39
30	29	T-PBR3029AXG	1,476	T-PBR3029AXC	1,319	+39
36	29	T-PBR3629AXG	1,557	T-PBR3629AXC	1,402	+56
24	42	T-PBR2442AXG	1,414	-	-	-
30	42	T-PBR3042AXG	1,550	-	-	-
36	42	T-PBR3642AXG	1,631	-	-	-

KNIFE EDGE PEBBLE TABLES WITH ARC ALUMINUM X-BASES

		On Glides		On Casters		
D	H	Model Number	List	Model Number	List	Grade C Laminate
24	16	T-PBK2416AXG	2,873	T-PBK2416AXC	2,714	+39
30	16	T-PBK3016AXG	3,049	T-PBK3016AXC	2,914	+39
36	16	T-PBK3616AXG	3,184	T-PBK3616AXC	3,054	+56
24	29	T-PBK2429AXG	2,935	T-PBK2429AXC	2,799	+39
30	29	T-PBK3029AXG	3,109	T-PBK3029AXC	2,974	+39
36	29	T-PBK3629AXG	3,247	T-PBK3629AXC	3,114	+56
24	42	T-PBK2442AXG	3,002	-	-	-
30	42	T-PBK3042AXG	3,177	-	-	-
36	42	T-PBK3642AXG	3,314	-	-	-



16" High On Glides | 29" High On Glides | 42" High On Glides | 16" High On Casters | 29" High On Casters | 16" High On Glides | 29" High On Glides | 42" High On Glides | 16" High On Casters | 29" High On Casters

Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Color Selection for Base Post
- Color Selection for Base Foot - Painted or Bright Metal

Notes

- Power options not available.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Pebble Tables with Steel Disc Bases

2MM EDGE PEBBLE TABLES WITH STEEL DISC BASES

D	H	Model Number	List	Grade C Laminate
24	16	T-PBR2416DSG	1,497	+39
30	16	T-PBR3016DSG	1,665	+39
36	16	T-PBR3616DSG	1,843	+56
24	29	T-PBR2429DSG	1,645	+39
30	29	T-PBR3029DSG	1,812	+39
36	29	T-PBR3629DSG	1,991	+56
24	36	T-PBR2436DSG	1,623	+39
30	36	T-PBR3036DSG	1,786	+39
36	36	T-PBR3636DSG	1,957	+56
24	42	T-PBR2442DSG	1,714	+39
30	42	T-PBR3042DSG	1,884	+39
36	42	T-PBR3642DSG	2,062	+56



16” High 29” High 36” High 42” High

KNIFE EDGE PEBBLE TABLES WITH STEEL DISC BASES

D	H	Model Number	List	Grade C Laminate
24	16	T-PBK2416DSG	3,004	+39
30	16	T-PBK3016DSG	3,172	+39
36	16	T-PBK3616DSG	3,428	+56
24	29	T-PBK2429DSG	3,153	+39
30	29	T-PBK3029DSG	3,320	+39
36	29	T-PBK3629DSG	3,577	+56
24	36	T-PBK2436DSG	3,082	+39
30	36	T-PBK3036DSG	3,242	+39
36	36	T-PBK3636DSG	3,491	+56
24	42	T-PBK2442DSG	3,225	+39
30	42	T-PBK3042DSG	3,390	+39
36	42	T-PBK3642DSG	3,650	+56



16” High 29” High 36” High 42” High

Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Color Selection for Base and Column (Grade C +25)

Notes

- Overall base, including glide, is 5/8” with 3/16” glide adjustability.
- Disc base is 21” in diameter, disc column has a diameter of 2.5” (60mm).
- Assembly required.
- Power options not available.

© 2026, AIS, Inc.


Pebble Tables with Steel Disc Bases

2MM EDGE PEBBLE TABLES WITH STEEL DISC BASES


D	W	H	Model Number	List	Grade C Laminate
30	60	16	T-PBR306016DSG	3,783	+50
30	66	16	T-PBR306616DSG	3,923	+56
30	72	16	T-PBR307216DSG	4,030	+61
30	78	16	T-PBR307816DSG	4,307	+69
30	84	16	T-PBR308416DSG	4,562	+87
30	90	16	T-PBR309016DSG	4,589	+96
30	96	16	T-PBR309616DSG	4,758	+96
30	60	29	T-PBR306029DSG	4,115	+50
30	66	29	T-PBR306629DSG	4,250	+56
30	72	29	T-PBR307229DSG	4,355	+61
30	78	29	T-PBR307829DSG	4,633	+69
30	84	29	T-PBR308429DSG	4,890	+87
30	90	29	T-PBR309029DSG	4,915	+96
30	96	29	T-PBR309629DSG	5,086	+96
30	60	42	T-PBR306042DSG	4,270	+50
30	66	42	T-PBR306642DSG	4,406	+56
30	72	42	T-PBR307242DSG	4,511	+61
30	78	42	T-PBR307842DSG	4,789	+69
30	84	42	T-PBR308442DSG	5,044	+87
30	90	42	T-PBR309042DSG	5,071	+96
30	96	42	T-PBR309642DSG	5,243	+96

KNIFE EDGE PEBBLE TABLES WITH STEEL DISC BASES

D	W	H	Model Number	List	Grade C Laminate
30	60	16	T-PBK306016DSG	4,624	+50
30	66	16	T-PBK306616DSG	4,650	+56
30	72	16	T-PBK307216DSG	4,667	+61
30	78	16	T-PBK307816DSG	4,615	+69
30	84	16	T-PBK308416DSG	4,638	+87
30	90	16	T-PBK309016DSG	4,669	+96
30	96	16	T-PBK309616DSG	4,698	+96
30	60	29	T-PBK306029DSG	4,952	+50
30	66	29	T-PBK306629DSG	4,978	+56
30	72	29	T-PBK307229DSG	4,995	+61
30	78	29	T-PBK307829DSG	4,941	+69
30	84	29	T-PBK308429DSG	4,967	+87
30	90	29	T-PBK309029DSG	4,996	+96
30	96	29	T-PBK309629DSG	5,024	+96
30	60	42	T-PBK306042DSG	5,108	+50
30	66	42	T-PBK306642DSG	5,134	+56
30	72	42	T-PBK307242DSG	5,152	+61
30	78	42	T-PBK307842DSG	5,096	+69
30	84	42	T-PBK308442DSG	5,123	+87
30	90	42	T-PBK309042DSG	5,153	+96
30	96	42	T-PBK309642DSG	5,180	+96



16” High 29” High 42” High



16” High 29” High 42” High

Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Color Selection for Base and Column (Grade C +25)

Notes

- Overall base, including glide, is 5/8” with 3/16” glide adjustability.
- Disc base is 21” in diameter, disc column has a diameter of 2.5” (60mm).
- Assembly required.
- Power only available on tables 29”H, 36”D, and 42”W or larger.
- See Day-to-Day Power Options grid for details.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Pebble Tables with Steel Disc Bases

2MM EDGE PEBBLE TABLES WITH STEEL DISC BASES


D	W	H	Model Number	List	Grade C Laminate
36	60	16	T-PBR366016DSG	4,171	+68
36	66	16	T-PBR366616DSG	4,251	+72
36	72	16	T-PBR367216DSG	4,425	+80
36	78	16	T-PBR367816DSG	4,602	+88
36	84	16	T-PBR368416DSG	4,759	+96
36	90	16	T-PBR369016DSG	4,810	+99
36	96	16	T-PBR369616DSG	4,983	+99
36	60	29	T-PBR366029DSG	4,502	+68
36	66	29	T-PBR366629DSG	4,580	+72
36	72	29	T-PBR367229DSG	4,750	+80
36	78	29	T-PBR367829DSG	4,930	+88
36	84	29	T-PBR368429DSG	5,089	+96
36	90	29	T-PBR369029DSG	5,136	+99
36	96	29	T-PBR369629DSG	5,310	+99
36	60	42	T-PBR366042DSG	4,658	+68
36	66	42	T-PBR366642DSG	4,735	+72
36	72	42	T-PBR367242DSG	4,907	+80
36	78	42	T-PBR367842DSG	5,086	+88
36	84	42	T-PBR368442DSG	5,244	+96
36	90	42	T-PBR369042DSG	5,291	+99
36	96	42	T-PBR369642DSG	5,468	+99

KNIFE EDGE PEBBLE TABLES WITH STEEL DISC BASES

D	W	H	Model Number	List	Grade C Laminate
36	60	16	T-PBK366016DSG	4,681	+68
36	66	16	T-PBK366616DSG	4,713	+72
36	72	16	T-PBK367216DSG	4,737	+80
36	78	16	T-PBK367816DSG	4,683	+88
36	84	16	T-PBK368416DSG	4,718	+96
36	90	16	T-PBK369016DSG	4,757	+99
36	96	16	T-PBK369616DSG	4,789	+99
36	60	29	T-PBK366029DSG	5,010	+68
36	66	29	T-PBK366629DSG	5,040	+72
36	72	29	T-PBK367229DSG	5,064	+80
36	78	29	T-PBK367829DSG	5,011	+88
36	84	29	T-PBK368429DSG	5,048	+96
36	90	29	T-PBK369029DSG	5,085	+99
36	96	29	T-PBK369629DSG	5,117	+99
36	60	42	T-PBK366042DSG	5,166	+68
36	66	42	T-PBK366642DSG	5,196	+72
36	72	42	T-PBK367242DSG	5,219	+80
36	78	42	T-PBK367842DSG	5,168	+88
36	84	42	T-PBK368442DSG	5,203	+96
36	90	42	T-PBK369042DSG	5,242	+99
36	96	42	T-PBK369642DSG	5,272	+99



16” High 29” High 42” High



16” High 29” High 42” High
(Powered version shown)

Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Color Selection for Base and Column (Grade C +25)
- Power Selection
- Color Selection for Power Option

Notes

- Overall base, including glide, is 5/8” with 3/16” glide adjustability.
- Disc base is 21” in diameter, disc column has a diameter of 2.5” (60mm).
- Assembly required.
- Power only available on tables 29”H, 36”D, and 42”W or larger.
- See Day-to-Day Power Options grid for details.


SURFACE	Option A (No Power)	OPTION B 1 Dock 281 Center with 1 Plugin Cord 1 Outlet 1 USB Type C 1 USB Type A	OPTION C 1 DOMINO Center with 1 Plugin Cord 2 Outlets 1 USB Type C 1 USB Type A	OPTION D 2 DOMINO with 2 Plugin Cords 4 Outlets 2 USB Type C 2 USB Type A	OPTION E 2 DOMINO Daisy Chain with 1 Plugin Cord 4 Outlets 2 USB Type C 2 USB Type A	OPTION F 1 Cove Unit Hardwired 2 Outlets 1 USB Type C 1 USB Type A	OPTION G/H/I/J 2 Cove Units Hardwired 4 Outlets 2 USB Type C 2 USB Type A
Pebble Rectangular	●						
60”-66”W	●		●			●	
72”-96”W	●		●	●	●	●	●

© 2026, AIS, Inc.


Pebble Tables with Large Steel Disc Bases

2MM EDGE PEBBLE TABLES (LARGE) WITH STEEL DISC BASES

D	H	Model Number	List	Grade C Laminate
36	29	T-PBR3629LDSG	2,298	+56
42	29	T-PBR4229LDSG	2,413	+56
36	42	T-PBR3642LDSG	2,413	+56
42	42	T-PBR4242LDSG	2,533	+56




29" High



42" High

KNIFE EDGE PEBBLE TABLES (LARGE) WITH STEEL DISC BASES

D	H	Model Number	List	Grade C Laminate
36	29	T-PBK3629LDSG	4,020	N/A
42	29	T-PBK4229LDSG	4,222	N/A
36	42	T-PBK3642LDSG	4,222	N/A
42	42	T-PBK4242LDSG	4,433	N/A



29" High



42" High
(Powered version shown)



Cord routes through mousehole in column

Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Paint Selection for Column and Base (Grade C +25)
- Power Selection (+416 list for Powered Tables)
- Power Color Selection

Notes

- Disc base is 26" in diameter. Disc column has a diameter of 6". Disc base has a thickness of 3/8" from the ground.
- Disc base includes leveling glides that offer 3/16" of leveling capacity.
- Disc base ships in two pieces; some assembly required.
- Disc column includes a mouse hole at the top and base of column for routing power cords.
- Specifying power incurs an upcharge of $416 list.
- Tables specified with power receive a 3" cutout to accommodate the Dock-281 power unit, which ships separately for field installation.
- Dock-281 is UL and cUL certified for use in USA and Canada.
- Dock-281 measures 3.35"H x 3.54"W
- Dock-281 is not available in a hardwired model.
- Dock-281 Power unit includes:
  — (1) AC outlet, 125V 15A rating
  — (1) 2 1A 5V USB-A port
  — (1) 2 4A 5V USB-C port
  — 10ft 14AWG x 3C power cord, 15A rating
  — Black, Silver, and White finish options
- Cords for powered tables are managed through a mouse hole at the base of the post. See installation instructions for more detail.

SURFACE	Option A (No Power)	OPTION B 1 Dock 281 Center with 1 Plugin Cord 1 Outlet 1 USB Type C 1 USB Type A	OPTION C 1 DOMINO Center with 1 Plugin Cord 2 Outlets 1 USB Type C 1 USB Type A	OPTION D 2 DOMINO with 2 Plugin Cords 4 Outlets 2 USB Type C 2 USB Type A	OPTION E 2 DOMINO Daisy Chain with 1 Plugin Cord 4 Outlets 2 USB Type C 2 USB Type A	OPTION F 1 Cove Unit Hardwired 2 Outlets 1 USB Type C 1 USB Type A	OPTION G/H/I/J 2 Cove Units Hardwired 4 Outlets 2 USB Type C 2 USB Type A
Pebble Square	●	●					


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Rectangular Tables with Steel Disc Bases

2MM EDGE RECTANGULAR TABLES WITH STEEL DISC BASES


D	W	H	Model Number	List	Grade C Laminate
24	60	16	T-RCR246016DSG	3,272	+41
24	66	16	T-RCR246616DSG	3,382	+46
24	72	16	T-RCR247216DSG	3,468	+51
24	78	16	T-RCR247816DSG	3,535	+54
24	84	16	T-RCR248416DSG	3,611	+58
24	90	16	T-RCR249016DSG	3,623	+68
24	96	16	T-RCR249616DSG	3,803	+68
24	60	29	T-RCR246029DSG	3,569	+41
24	66	29	T-RCR246629DSG	3,680	+46
24	72	29	T-RCR247229DSG	3,766	+51
24	78	29	T-RCR247829DSG	3,832	+54
24	84	29	T-RCR248429DSG	3,905	+58
24	90	29	T-RCR249029DSG	3,922	+68
24	96	29	T-RCR249629DSG	4,098	+68
24	60	42	T-RCR246042DSG	3,710	+41
24	66	42	T-RCR246642DSG	3,821	+46
24	72	42	T-RCR247242DSG	3,905	+51
24	78	42	T-RCR247842DSG	3,974	+54
24	84	42	T-RCR248442DSG	4,047	+58
24	90	42	T-RCR249042DSG	4,062	+68
24	96	42	T-RCR249642DSG	4,241	+68



16” High 29” High 42” High

KNIFE EDGE RECTANGULAR TABLES WITH STEEL DISC BASES

D	W	H	Model Number	List	Grade C Laminate
24	60	16	T-RCK246016DSG	4,161	N/A
24	66	16	T-RCK246616DSG	4,182	N/A
24	72	16	T-RCK247216DSG	4,192	N/A
24	78	16	T-RCK247816DSG	4,134	N/A
24	84	16	T-RCK248416DSG	4,156	N/A
24	90	16	T-RCK249016DSG	4,178	N/A
24	96	16	T-RCK249616DSG	4,199	N/A
24	60	29	T-RCK246029DSG	4,459	N/A
24	66	29	T-RCK246629DSG	4,481	N/A
24	72	29	T-RCK247229DSG	4,489	N/A
24	78	29	T-RCK247829DSG	4,434	N/A
24	84	29	T-RCK248429DSG	4,454	N/A
24	90	29	T-RCK249029DSG	4,476	N/A
24	96	29	T-RCK249629DSG	4,498	N/A
24	60	42	T-RCK246042DSG	4,600	N/A
24	66	42	T-RCK246642DSG	4,622	N/A
24	72	42	T-RCK247242DSG	4,632	N/A
24	78	42	T-RCK247842DSG	4,576	N/A
24	84	42	T-RCK248442DSG	4,595	N/A
24	90	42	T-RCK249042DSG	4,618	N/A
24	96	42	T-RCK249642DSG	4,637	N/A



16” High 29” High 42” High

Specify

- Color for Edge Selection
- Laminate Selection for Worksurface
- Paint Color Selection for Base and Column

Notes


- Overall base, including glide, is 5/8” with 3/16” glide adjustability.
- Disc base is 21” in diameter, disc column has a diameter of 2.5” (60mm).
- Assembly required.
- Power only available on tables 29”H, 36”D, and 42”W or larger.
- See Day-to-Day Power Options grid for details.

© 2026, AIS, Inc.

Rectangular Tables with Steel Disc Bases

2MM EDGE RECTANGULAR TABLES WITH STEEL DISC BASES


D	W	H	Model Number	List	Grade C Laminate
30	60	16	T-RCR306016DSG	3,442	+50
30	66	16	T-RCR306616DSG	3,566	+56
30	72	16	T-RCR307216DSG	3,660	+61
30	78	16	T-RCR307816DSG	3,913	+69
30	84	16	T-RCR308416DSG	4,146	+87
30	90	16	T-RCR309016DSG	4,169	+96
30	96	16	T-RCR309616DSG	4,325	+96
30	60	29	T-RCR306029DSG	3,740	+50
30	66	29	T-RCR306629DSG	3,863	+56
30	72	29	T-RCR307229DSG	3,959	+61
30	78	29	T-RCR307829DSG	4,212	+69
30	84	29	T-RCR308429DSG	4,443	+87
30	90	29	T-RCR309029DSG	4,469	+96
30	96	29	T-RCR309629DSG	4,623	+96
30	60	42	T-RCR306042DSG	3,881	+50
30	66	42	T-RCR306642DSG	4,006	+56
30	72	42	T-RCR307242DSG	4,099	+61
30	78	42	T-RCR307842DSG	4,353	+69
30	84	42	T-RCR308442DSG	4,587	+87
30	90	42	T-RCR309042DSG	4,610	+96
30	96	42	T-RCR309642DSG	4,765	+96



16” High 29” High 42” High

KNIFE EDGE RECTANGULAR TABLES WITH STEEL DISC BASES

D	W	H	Model Number	List	Grade C Laminate
30	60	16	T-RCK306016DSG	4,203	N/A
30	66	16	T-RCK306616DSG	4,228	N/A
30	72	16	T-RCK307216DSG	4,243	N/A
30	78	16	T-RCK307816DSG	4,194	N/A
30	84	16	T-RCK308416DSG	4,216	N/A
30	90	16	T-RCK309016DSG	4,244	N/A
30	96	16	T-RCK309616DSG	4,272	N/A
30	60	29	T-RCK306029DSG	4,503	N/A
30	66	29	T-RCK306629DSG	4,524	N/A
30	72	29	T-RCK307229DSG	4,541	N/A
30	78	29	T-RCK307829DSG	4,490	N/A
30	84	29	T-RCK308429DSG	4,516	N/A
30	90	29	T-RCK309029DSG	4,543	N/A
30	96	29	T-RCK309629DSG	4,567	N/A
30	60	42	T-RCK306042DSG	4,642	N/A
30	66	42	T-RCK306642DSG	4,667	N/A
30	72	42	T-RCK307242DSG	4,681	N/A
30	78	42	T-RCK307842DSG	4,633	N/A
30	84	42	T-RCK308442DSG	4,658	N/A
30	90	42	T-RCK309042DSG	4,683	N/A
30	96	42	T-RCK309642DSG	4,709	N/A



16” High 29” High 42” High

Specify

- Color for Edge Selection
- Laminate Selection for Worksurface
- Paint Color Selection for Base and Column

Notes

- Overall base, including glide, is 5/8” with 3/16” glide adjustability.
- Disc base is 21” in diameter, disc column has a diameter of 2.5” (60mm).
- Assembly required.
- Power only available on tables 29”H, 36”D, and 42”W or larger.
- See Day-to-Day Power Options grid for details.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Rectangular Tables with Steel Disc Bases

2MM EDGE RECTANGULAR TABLES WITH STEEL DISC BASES


D	W	H	Model Number	List	Grade C Laminate
36	60	16	T-RCR366016DSG	3,794	+68
36	66	16	T-RCR366616DSG	3,864	+72
36	72	16	T-RCR367216DSG	4,020	+80
36	78	16	T-RCR367816DSG	4,186	+88
36	84	16	T-RCR368416DSG	4,326	+96
36	90	16	T-RCR369016DSG	4,370	+99
36	96	16	T-RCR369616DSG	4,530	+99
36	60	29	T-RCR366029DSG	4,091	+68
36	66	29	T-RCR366629DSG	4,163	+72
36	72	29	T-RCR367229DSG	4,321	+80
36	78	29	T-RCR367829DSG	4,482	+88
36	84	29	T-RCR368429DSG	4,624	+96
36	90	29	T-RCR369029DSG	4,669	+99
36	96	29	T-RCR369629DSG	4,828	+99
36	60	42	T-RCR366042DSG	4,233	+68
36	66	42	T-RCR366642DSG	4,307	+72
36	72	42	T-RCR367242DSG	4,461	+80
36	78	42	T-RCR367842DSG	4,623	+88
36	84	42	T-RCR368442DSG	4,767	+96
36	90	42	T-RCR369042DSG	4,811	+99
36	96	42	T-RCR369642DSG	4,971	+99

KNIFE EDGE RECTANGULAR TABLES WITH STEEL DISC BASES

D	W	H	Model Number	List	Grade C Laminate
36	60	16	T-RCK366016DSG	4,255	N/A
36	66	16	T-RCK366616DSG	4,284	N/A
36	72	16	T-RCK367216DSG	4,308	N/A
36	78	16	T-RCK367816DSG	4,257	N/A
36	84	16	T-RCK368416DSG	4,289	N/A
36	90	16	T-RCK369016DSG	4,324	N/A
36	96	16	T-RCK369616DSG	4,353	N/A
36	60	29	T-RCK366029DSG	4,553	N/A
36	66	29	T-RCK366629DSG	4,583	N/A
36	72	29	T-RCK367229DSG	4,603	N/A
36	78	29	T-RCK367829DSG	4,554	N/A
36	84	29	T-RCK368429DSG	4,588	N/A
36	90	29	T-RCK369029DSG	4,622	N/A
36	96	29	T-RCK369629DSG	4,650	N/A
36	60	42	T-RCK366042DSG	4,697	N/A
36	66	42	T-RCK366642DSG	4,725	N/A
36	72	42	T-RCK367242DSG	4,745	N/A
36	78	42	T-RCK367842DSG	4,698	N/A
36	84	42	T-RCK368442DSG	4,729	N/A
36	90	42	T-RCK369042DSG	4,763	N/A
36	96	42	T-RCK369642DSG	4,792	N/A



16” High | 29” High | 42” High



16” High | 29” High | 42” High
(Powered version shown)

Specify	Notes
• Color for Edge Selection	• Overall base, including glide, is 5/8” with 3/16” glide adjustability.
• Power Selection (if applicable)	• Disc base is 21” in diameter, disc column has a diameter of 2.5” (60mm).
• Color for Power Selection	• Assembly required.
• Laminate Selection for Worksurface	• Power only available on tables 29”H, 36”D, and 42”W or larger.
• Paint Color Selection for Base and Column	• See Day-to-Day Power Options grid for details.


SURFACE	Option A (No Power)	OPTION B 1 Dock 281 Center with 1 Plugin Cord 1 Outlet 1 USB Type C 1 USB Type A	OPTION C 1 DOMINO Center with 1 Plugin Cord 2 Outlets 1 USB Type C 1 USB Type A	OPTION D 2 DOMINO with 2 Plugin Cords 4 Outlets 2 USB Type C 2 USB Type A	OPTION E 2 DOMINO Daisy Chain with 1 Plugin Cord 4 Outlets 2 USB Type C 2 USB Type A	OPTION F 1 Cove Unit Hardwired 2 Outlets 1 USB Type C 1 USB Type A	OPTION G/H/I/J 2 Cove Units Hardwired 4 Outlets 2 USB Type C 2 USB Type A
Rectangle	●						
42”-66”W	●		●			●	
72”-120”W	●		●	●	●	●	●

© 2026, AIS, Inc.

Racetrack Tables with Steel Disc Bases

2MM EDGE RACETRACK TABLES WITH STEEL DISC BASES


D	W	H	Model Number	List	Grade C Laminate
24	60	16	T-RAR246016DSG	3,599	+41
24	66	16	T-RAR246616DSG	3,719	+46
24	72	16	T-RAR247216DSG	3,813	+51
24	78	16	T-RAR247816DSG	3,889	+54
24	84	16	T-RAR248416DSG	3,971	+58
24	90	16	T-RAR249016DSG	3,985	+68
24	96	16	T-RAR249616DSG	4,181	+68
24	60	29	T-RAR246029DSG	3,926	+41
24	66	29	T-RAR246629DSG	4,047	+46
24	72	29	T-RAR247229DSG	4,142	+51
24	78	29	T-RAR247829DSG	4,215	+54
24	84	29	T-RAR248429DSG	4,296	+58
24	90	29	T-RAR249029DSG	4,313	+68
24	96	29	T-RAR249629DSG	4,509	+68
24	60	42	T-RAR246042DSG	4,083	+41
24	66	42	T-RAR246642DSG	4,202	+46
24	72	42	T-RAR247242DSG	4,296	+51
24	78	42	T-RAR247842DSG	4,370	+54
24	84	42	T-RAR248442DSG	4,452	+58
24	90	42	T-RAR249042DSG	4,469	+68
24	96	42	T-RAR249642DSG	4,664	+68



16” High 29” High 42” High

KNIFE EDGE RACETRACK TABLES WITH STEEL DISC BASES

D	W	H	Model Number	List	Grade C Laminate
24	60	16	T-RAK246016DSG	4,578	N/A
24	66	16	T-RAK246616DSG	4,601	N/A
24	72	16	T-RAK247216DSG	4,611	N/A
24	78	16	T-RAK247816DSG	4,550	N/A
24	84	16	T-RAK248416DSG	4,573	N/A
24	90	16	T-RAK249016DSG	4,597	N/A
24	96	16	T-RAK249616DSG	4,620	N/A
24	60	29	T-RAK246029DSG	4,904	N/A
24	66	29	T-RAK246629DSG	4,929	N/A
24	72	29	T-RAK247229DSG	4,940	N/A
24	78	29	T-RAK247829DSG	4,878	N/A
24	84	29	T-RAK248429DSG	4,899	N/A
24	90	29	T-RAK249029DSG	4,924	N/A
24	96	29	T-RAK249629DSG	4,946	N/A
24	60	42	T-RAK246042DSG	5,059	N/A
24	66	42	T-RAK246642DSG	5,085	N/A
24	72	42	T-RAK247242DSG	5,095	N/A
24	78	42	T-RAK247842DSG	5,034	N/A
24	84	42	T-RAK248442DSG	5,055	N/A
24	90	42	T-RAK249042DSG	5,080	N/A
24	96	42	T-RAK249642DSG	5,103	N/A



16” High 29” High 42” High

Specify

- Color for Edge Selection
- Laminate Selection for Worksurface
- Paint Color Selection for Base and Column

Notes

- Overall base, including glide, is 5/8” with 3/16” glide adjustability.
- Disc base is 21” in diameter, disc column has a diameter of 2.5” (60mm).
- Assembly required.
- Power only available on tables 29”H, 36”D, and 42”W or larger.
- See Day-to-Day Power Options grid for details.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Racetrack Tables with Steel Disc Bases

2MM EDGE RACETRACK TABLES WITH STEEL DISC BASES


D	W	H	Model Number	List	Grade C Laminate
30	60	16	T-RAR306016DSG	3,783	+50
30	66	16	T-RAR306616DSG	3,923	+56
30	72	16	T-RAR307216DSG	4,030	+61
30	78	16	T-RAR307816DSG	4,307	+69
30	84	16	T-RAR308416DSG	4,562	+87
30	90	16	T-RAR309016DSG	4,589	+96
30	96	16	T-RAR309616DSG	4,758	+96
30	60	29	T-RAR306029DSG	4,115	+50
30	66	29	T-RAR306629DSG	4,250	+56
30	72	29	T-RAR307229DSG	4,355	+61
30	78	29	T-RAR307829DSG	4,633	+69
30	84	29	T-RAR308429DSG	4,890	+87
30	90	29	T-RAR309029DSG	4,915	+96
30	96	29	T-RAR309629DSG	5,086	+96
30	60	42	T-RAR306042DSG	4,270	+50
30	66	42	T-RAR306642DSG	4,406	+56
30	72	42	T-RAR307242DSG	4,511	+61
30	78	42	T-RAR307842DSG	4,789	+69
30	84	42	T-RAR308442DSG	5,044	+87
30	90	42	T-RAR309042DSG	5,071	+96
30	96	42	T-RAR309642DSG	5,243	+96



16” High 29” High 42” High

KNIFE EDGE RACETRACK TABLES WITH STEEL DISC BASES

D	W	H	Model Number	List	Grade C Laminate
30	60	16	T-RAK306016DSG	4,624	+50
30	66	16	T-RAK306616DSG	4,650	+56
30	72	16	T-RAK307216DSG	4,667	+61
30	78	16	T-RAK307816DSG	4,615	+69
30	84	16	T-RAK308416DSG	4,638	+87
30	90	16	T-RAK309016DSG	4,669	+96
30	96	16	T-RAK309616DSG	4,698	+96
30	60	29	T-RAK306029DSG	4,952	+50
30	66	29	T-RAK306629DSG	4,978	+56
30	72	29	T-RAK307229DSG	4,995	+61
30	78	29	T-RAK307829DSG	4,941	+69
30	84	29	T-RAK308429DSG	4,967	+87
30	90	29	T-RAK309029DSG	4,996	+96
30	96	29	T-RAK309629DSG	5,024	+96
30	60	42	T-RAK306042DSG	5,108	+50
30	66	42	T-RAK306642DSG	5,134	+56
30	72	42	T-RAK307242DSG	5,152	+61
30	78	42	T-RAK307842DSG	5,096	+69
30	84	42	T-RAK308442DSG	5,123	+87
30	90	42	T-RAK309042DSG	5,153	+96
30	96	42	T-RAK309642DSG	5,180	+96



16” High 29” High 42” High

Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Color Selection for Base and Column (Grade C +25)

Notes

- Overall base, including glide, is 5/8” with 3/16” glide adjustability.
- Disc base is 21” in diameter, disc column has a diameter of 2.5” (60mm).
- Assembly required.
- Power only available on tables 29”H, 36”D, and 42”W or larger.
- See Day-to-Day Power Options grid for details.

© 2026, AIS, Inc.


Racetrack Tables with Steel Disc Bases

2MM EDGE RACETRACK TABLES WITH STEEL DISC BASES


D	W	H	Model Number	List	Grade C Laminate
36	60	16	T-RAR366016DSG	4,171	+68
36	66	16	T-RAR366616DSG	4,251	+72
36	72	16	T-RAR367216DSG	4,425	+80
36	78	16	T-RAR367816DSG	4,602	+88
36	84	16	T-RAR368416DSG	4,759	+96
36	90	16	T-RAR369016DSG	4,810	+99
36	96	16	T-RAR369616DSG	4,983	+99
36	60	29	T-RAR366029DSG	4,502	+68
36	66	29	T-RAR366629DSG	4,580	+72
36	72	29	T-RAR367229DSG	4,750	+80
36	78	29	T-RAR367829DSG	4,930	+88
36	84	29	T-RAR368429DSG	5,089	+96
36	90	29	T-RAR369029DSG	5,136	+99
36	96	29	T-RAR369629DSG	5,310	+99
36	60	42	T-RAR366042DSG	4,658	+68
36	66	42	T-RAR366642DSG	4,735	+72
36	72	42	T-RAR367242DSG	4,907	+80
36	78	42	T-RAR367842DSG	5,086	+88
36	84	42	T-RAR368442DSG	5,244	+96
36	90	42	T-RAR369042DSG	5,291	+99
36	96	42	T-RAR369642DSG	5,468	+99

KNIFE EDGE RACETRACK TABLES WITH STEEL DISC BASES

D	W	H	Model Number	List	Grade C Laminate
36	60	16	T-RAK366016DSG	4,681	N/A
36	66	16	T-RAK366616DSG	4,713	N/A
36	72	16	T-RAK367216DSG	4,737	N/A
36	78	16	T-RAK367816DSG	4,683	N/A
36	84	16	T-RAK368416DSG	4,718	N/A
36	90	16	T-RAK369016DSG	4,757	N/A
36	96	16	T-RAK369616DSG	4,789	N/A
36	60	29	T-RAK366029DSG	5,010	N/A
36	66	29	T-RAK366629DSG	5,040	N/A
36	72	29	T-RAK367229DSG	5,064	N/A
36	78	29	T-RAK367829DSG	5,011	N/A
36	84	29	T-RAK368429DSG	5,048	N/A
36	90	29	T-RAK369029DSG	5,085	N/A
36	96	29	T-RAK369629DSG	5,117	N/A
36	60	42	T-RAK366042DSG	5,166	N/A
36	66	42	T-RAK366642DSG	5,196	N/A
36	72	42	T-RAK367242DSG	5,219	N/A
36	78	42	T-RAK367842DSG	5,168	N/A
36	84	42	T-RAK368442DSG	5,203	N/A
36	90	42	T-RAK369042DSG	5,242	N/A
36	96	42	T-RAK369642DSG	5,272	N/A



16" High 29" High 42" High



16" High 29" High 42" High
(Powered version shown)

Specify

- Color for Edge Selection
- Power Selection (if applicable)
- Color for Power Selection
- Laminate Selection for Worksurface
- Paint Color Selection for Base and Column

Notes

- Overall base, including glide, is 5/8" with 3/16" glide adjustability.
- Disc base is 21" in diameter, disc column has a diameter of 2.5" (60mm).
- Assembly required.
- Power only available on tables 29"H, 36"D, and 42"W or larger.
- See Day-to-Day Power Options grid for details.

SURFACE	Option A (No Power)	OPTION B 1 Dock 281 Center with 1 Plugin Cord 1 Outlet 1 USB Type C 1 USB Type A	OPTION C 1 DOMINO Center with 1 Plugin Cord 2 Outlets 1 USB Type C 1 USB Type A	OPTION D 2 DOMINO with 2 Plugin Cords 4 Outlets 2 USB Type C 2 USB Type A	OPTION E 2 DOMINO Daisy Chain with 1 Plugin Cord 4 Outlets 2 USB Type C 2 USB Type A	OPTION F 1 Cove Unit Hardwired 2 Outlets 1 USB Type C 1 USB Type A	OPTION G/H/I/J 2 Cove Units Hardwired 4 Outlets 2 USB Type C 2 USB Type A
Racetrack	●						
60"-66"W	●		●			●	
72"-120"W	●		●	●	●	●	●

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Triangle Tables with Tapered Post Legs

2MM EDGE TRIANGLE TABLES ON TAPERED POST LEGS

		On Glides		On Casters		
D	H	Model Number	List	Model Number	List	Grade C Laminate
36	29	T-TRR3629TPG	2,077	T-TRR3629TPC	1,932	+41
48	29	T-TRR4829TPG	2,280	T-TRR4829TPC	2,133	+60
54	29	T-TRR5429TPG	2,402	T-TRR5429TPC	2,257	+70
59	29	T-TRR6029TPG	2,541	T-TRR6029TPC	2,394	+75




On Glides



On Casters

KNIFE EDGE TRIANGLE TABLES ON TAPERED POST LEGS

		On Glides		On Casters		
D	H	Model Number	List	Model Number	List	Grade C Laminate
36	29	T-TRK3629TPG	3,696	T-TRK3629TPC	3,570	+41
48	29	T-TRK4829TPG	4,046	T-TRK4829TPC	3,923	+60
54	29	T-TRK5429TPG	4,260	T-TRK5429TPC	4,133	+70
59	29	T-TRK6029TPG	4,500	T-TRK6029TPC	4,371	+75



On Glides



On Casters
(Powered version shown)

Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Color Selection for Leg - Painted or Bright Metal
- Power Selection
- Color Selection for Power Option

Notes

- Power only available on tables 29”H, 36”D, and 42”W or larger.
- See Day-to-Day Power Options grid for details.
- 60”D tables are an actual depth of 59”D.


SURFACE	Option A (No Power)	OPTION B 1 Dock 281 Center with 1 Plugin Cord 1 Outlet 1 USB Type C 1 USB Type A	OPTION C 1 DOMINO Center with 1 Plugin Cord 2 Outlets 1 USB Type C 1 USB Type A	OPTION D 2 DOMINO with 2 Plugin Cords 4 Outlets 2 USB Type C 2 USB Type A	OPTION E 2 DOMINO Daisy Chain with 1 Plugin Cord 4 Outlets 2 USB Type C 2 USB Type A	OPTION F 1 Cove Unit Hardwired 2 Outlets 1 USB Type C 1 USB Type A	OPTION G/H/I/J 2 Cove Units Hardwired 4 Outlets 2 USB Type C 2 USB Type A
Triangle	●	●					

© 2026, AIS, Inc.

O-Leg Table Desks

2MM EDGE O-LEG TABLE DESKS

D	W	H	Model Number	List	Grade C Laminate
24	48	29	T-RCR244829OLG	3,280	+33
24	54	29	T-RCR245429OLG	3,346	+41
24	60	29	T-RCR246029OLG	3,398	+41
24	66	29	T-RCR246629OLG	3,471	+46
24	72	29	T-RCR247229OLG	3,526	+51
24	78	29	T-RCR247829OLG	3,738	+54
24	84	29	T-RCR248429OLG	3,790	+58
30	48	29	T-RCR304829OLG	3,530	+46
30	54	29	T-RCR305429OLG	3,611	+50
30	60	29	T-RCR306029OLG	3,675	+50
30	66	29	T-RCR306629OLG	3,761	+56
30	72	29	T-RCR307229OLG	3,827	+61
30	78	29	T-RCR307829OLG	4,051	+69
30	84	29	T-RCR308429OLG	4,116	+87
36	48	29	T-RCR364829OLG	3,902	+53
36	54	29	T-RCR365429OLG	3,991	+61
36	60	29	T-RCR366029OLG	4,072	+68
36	66	29	T-RCR366629OLG	4,169	+72
36	72	29	T-RCR367229OLG	4,250	+80
36	78	29	T-RCR367829OLG	4,489	+88
36	84	29	T-RCR368429OLG	4,563	+96



Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Color Selection for Leg (Grade C +25)

Notes

- Steel O-Legs have a 1” x 2” profile.
- O-Legs have 1 1/2” leveling glides.
- For use with 2mm edgebanding all around the worksurface.
- Not sized for use with knife edge work surfaces.
- Ships unassembled.
- Includes U channel(s) to reinforce the work surface.
- Field installed grommets are required to be inset for O-Leg attachment bracket.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Training / Flip-Top Tables

© 2026, AIS, Inc.

Day-to-Day Training / Flip-Top Product Details


Product Detail
Training and Flip-Top Tables Information

Flip-Top / Training Table: Rectangular Tables with Flip-Top Bases




Flip-top bases available on locking casters only. Worksurface can be flipped between horizontal and vertical positions. For more information see Flip-Top Table Product Details. Available powered and non-powered. Only available with 2mm worksurface.

Training Table: Powered Rectangular Tables with Arc Aluminum T-Base




Powered Rectangular Tables on Arc Aluminum T-Bases available with or without locking casters. Fixed, non-flip top only. For equivalent non-powered version see Multi-Purpose Tables section.

Training Table: Rectangular Tables with Steel C-Bases



Rectangular Tables on Steel C-Bases available with or without locking casters. Worksurface available in 2mm or Knife Edge. Fixed, non-flip top only.

Training Table: Rectangular Tables with Steel T-Bases




Rectangular Tables on Steel T-Bases available with or without locking casters. Worksurface available in 2mm or Knife Edge. Fixed, non-flip top only.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Day-to-Day Training / Flip-Top Product Details

Product Detail
Flip-Top Table Information

Flip-Top Table tops can be flipped from horizontal to vertical position by using the handle located under the worksurface, handle will lock worksurface into an upright position.



An optional pivot modesty mount is available for Flip-Top Table units. Pivot modesty panels have hinged brackets allowing them to be in the flipped position with the table top.





© 2026, AIS, Inc.


Day-to-Day Training / Flip-Top Product Details

Product Detail
Flip-Top Table Information


With the worksurface top flipped down, Flip-Top Tables can be nested together for storage or easier moving. Reference the images below for examples of how much space nested tables require. Each table in center adds 7 3/4". Each stacked table adds 2 1/4" to the stacked angle.








18" Deep Flip Tables



24" Deep Flip Tables



30" Deep Flip Tables


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Day-to-Day Training / Flip-Top Product Details


Product Detail
Powered Training & Flip-Top Tables Electrical Details

Powered tables include (2) 15 amp NEMA outlets, (1) USB A charging port and (1) USB C charging port. Tables include all jumpers, infeeds are sold separately.


Clusters of tables can have up to 10 tables powered by one infeed. However, power/load requirements should be discussed with client to ensure appropriate amps are available per table. Each 20 amp circuit provides 16 plannable/usable amps. For single circuit, 10 table clusters, that is 16/10 = 1.6 amps per table. Reduce table quantities per cluster to achieve desired available amperage. 8 tables = 16/8=2 amps per table, etc.



Includes (2) 15 amp NEMA outlets,
(1) USB-A charging port, and
(1) USB-C charging port



Powered Training Electrical Layout:




© 2026, AIS, Inc.

Day-to-Day Training / Flip-Top Product Details

Product Detail
Training Table Ganging Mechanisms


Table ganging mechanisms are sold in a pack of four (two sets) and come with screws to attach to worksurface. Available standard in black. Once mounted, ganging devices fold under the table for storage. ***Ganging mechanisms are not compatable with knife edge tables.***

Shown with ganging mechanisms in open position:




Shown from below

Shown with ganging mechanisms in closed position:



Shown from below

Product Detail
Steel C-Base Recommended Locations



Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Rectangular Tables on Flip Top Bases

2MM EDGE RECTANGULAR TABLES WITH FLIP-TOP BASES (NON-POWERED)

D	W	H	Model Number	List	Grade C Laminate
18	48	29	T-RCR184829FLC	3,287	+33
18	60	29	T-RCR186029FLC	3,331	+41
18	72	29	T-RCR187229FLC	3,593	+51
24	48	29	T-RCR244829FLC	3,352	+33
24	60	29	T-RCR246029FLC	3,487	+41
24	72	29	T-RCR247229FLC	3,723	+51
30	48	29	T-RCR304829FLC	3,419	+33
30	60	29	T-RCR306029FLC	3,646	+41
30	72	29	T-RCR307229FLC	3,850	+51



Top Flipped Up



Top Flipped Down

Specify

- Laminate Selection for Worksurface
- Color Selection for Edge

Notes


- Flip-top bases come in metallic silver only.
- Casters come standard with a locking mechanism.

2MM EDGE RECTANGULAR TABLES WITH FLIP-TOP BASES (POWERED)

D	W	H	Model Number	List	Grade C Laminate
18	48	29	T-RCR184829FLCP	5,279	+33
18	60	29	T-RCR186029FLCP	5,394	+41
18	72	29	T-RCR187229FLCP	5,552	+51
24	48	29	T-RCR244829FLCP	5,379	+33
24	60	29	T-RCR246029FLCP	5,494	+41
24	72	29	T-RCR247229FLCP	5,639	+51
30	48	29	T-RCR304829FLCP	5,484	+33
30	60	29	T-RCR306029FLCP	5,595	+41
30	72	29	T-RCR307229FLCP	5,726	+51



Top Flipped Up



Top Flipped Down

Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Color Selection for Power

Notes


- Flip-top bases come in metallic silver only.
- Infeeds sold separately.
- Powered tables include (2) 15 amp NEMA outlets, (1) USB-A charging port, and (1) USB-C charging port.
- Casters come standard with a locking mechanism.

© 2026, AIS, Inc.

Flip Top Accessories

PIVOT MODESTY FOR FLIP-TOP TABLES

H	Nominal W	Actual W	Model Number	List
12	48	31	T-MOD48	527
12	60	43	T-MOD60	576
12	72	55	T-MOD72	643




Specify

- Laminate Selection

Notes

INFEEDS FOR DAY-TO-DAY TABLES

Type	Model Number	List
Plugged Infeed 72”	E-SCIF-72	867
Hardwired Infeed 72”	E-MCIF-72	564
Hardwired Infeed 120”	E-MCIF-120	779



Single Circuit Infeed



Hardwired Infeed


Specify


Notes

- E-SCIF has a 20 amp plug, and includes an adapter to a 15 amp plug.


REPLACEMENT JUMPERS FOR TRAINING TABLES

Type	Table Width	Actual Length	Model Number	List
Female/Female	48	22.5	E-MCCFF-48	350
Female/Female	60	28.5	E-MCCFF-60	374
Female/Female	72	34.5	E-MCCFF-72	366
Female/Male	48	22.5	E-MCCFM-48	370
Female/Male	60	28.5	E-MCCFM-60	395
Female/Male	72	34.5	E-MCCFM-72	418





F Connector




M Connector

Notes

- Replacement cables for training and flip tables.
- Each table has a pair, extending to each end of the table. One with two F connectors, one with a F and a M connector.
- F-F connectors have the spring clips on both ends of the cables.

TRAINING TABLE T

Model Number	List
E-DAISYTEE	544



Notes

- Use this component to splice an infeed into the middle of a circuit when the power taps are indirectly connected.
- This occurs when each table ends in a different gender cable such as flip tables or training tables.

© 2026, AIS, Inc.

Powered Rectangular Tables with Arc Aluminum T-Bases

2MM EDGE POWERED RECTANGULAR TABLES WITH ARC ALUMINUM T-BASES ON GLIDES

D	W	H	Model Number	List	Grade C Laminate
18	48	29	T-RCR184829ATGP	5,077	+33
18	60	29	T-RCR186029ATGP	5,119	+41
18	72	29	T-RCR187229ATGP	5,160	+51
24	48	29	T-RCR244829ATGP	5,306	+33
24	60	29	T-RCR246029ATGP	5,361	+41
24	72	29	T-RCR247229ATGP	5,428	+51
30	48	29	T-RCR304829ATGP	5,340	+33
30	60	29	T-RCR306029ATGP	5,296	+41
30	72	29	T-RCR307229ATGP	5,393	+51



On Glides

2MM EDGE POWERED RECTANGULAR TABLES WITH ARC ALUMINUM T-BASES ON CASTERS

D	W	H	Model Number	List	Grade C Laminate
18	48	29	T-RCR184829ATCP	5,077	+33
18	60	29	T-RCR186029ATCP	5,119	+41
18	72	29	T-RCR187229ATCP	5,160	+51
24	48	29	T-RCR244829ATCP	5,306	+33
24	60	29	T-RCR246029ATCP	5,361	+41
24	72	29	T-RCR247229ATCP	5,428	+51
30	48	29	T-RCR304829ATCP	5,340	+33
30	60	29	T-RCR306029ATCP	5,296	+41
30	72	29	T-RCR307229ATCP	5,393	+51



On Casters

Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Color Selection for Base Post
- Color Selection for Base Foot - Painted or Bright Metal (Bright Metal not available on 18” T-Bases)
- Color Selection for Power - Black, White, Silver, Brushed Aluminum

Notes

- Fixed, non-flip worksurface only.
- Bright Metal not available on 18” T-Bases.
- Infeeds sold separately.
- Powered tables include (2) 15 amp NEMA outlets, (1) USB-A charging port, and (1) USB-C charging port.
- Casters come standard with a locking mechanism.

© 2026, AIS, Inc.


Rectangular Tables with Steel T-Bases

2MM EDGE RECTANGULAR TABLES WITH STEEL T-BASES


			On Glides		On Casters		
D	W	H	Model Number	List	Model Number	List	Grade C Laminate
18	36	29	T-RCR183629STG	1,708	T-RCR183629STC	1,837	+28
18	42	29	T-RCR184229STG	1,730	T-RCR184229STC	1,857	+30
18	48	29	T-RCR184829STG	1,751	T-RCR184829STC	1,881	+33
18	54	29	T-RCR185429STG	1,773	T-RCR185429STC	1,899	+41
18	60	29	T-RCR186029STG	1,885	T-RCR186029STC	2,010	+46
18	66	29	T-RCR186629STG	1,919	T-RCR186629STC	2,046	+51
18	72	29	T-RCR187229STG	1,953	T-RCR187229STC	2,084	+58
24	36	29	T-RCR243629STG	1,812	T-RCR243629STC	1,941	+28
24	42	29	T-RCR244229STG	1,843	T-RCR244229STC	1,972	+30
24	48	29	T-RCR244829STG	1,870	T-RCR244829STC	2,000	+33
24	54	29	T-RCR245429STG	1,899	T-RCR245429STC	2,029	+41
24	60	29	T-RCR246029STG	2,017	T-RCR246029STC	2,146	+41
24	66	29	T-RCR246629STG	2,059	T-RCR246629STC	2,187	+46
24	72	29	T-RCR247229STG	2,103	T-RCR247229STC	2,235	+51
30	36	29	T-RCR303629STG	1,913	T-RCR303629STC	2,045	+34
30	42	29	T-RCR304229STG	1,951	T-RCR304229STC	2,081	+39
30	48	29	T-RCR304829STG	1,988	T-RCR304829STC	2,116	+42
30	54	29	T-RCR305429STG	2,026	T-RCR305429STC	2,154	+50
30	60	29	T-RCR306029STG	2,148	T-RCR306029STC	2,277	+50
30	66	29	T-RCR306629STG	2,199	T-RCR306629STC	2,327	+56
30	72	29	T-RCR307229STG	2,250	T-RCR307229STC	2,375	+61
36	42	29	T-RCR364229STG	2,063	T-RCR364229STC	2,194	+50
36	48	29	T-RCR364829STG	2,105	T-RCR364829STC	2,236	+53
36	54	29	T-RCR365429STG	2,149	T-RCR365429STC	2,280	+61
36	60	29	T-RCR366029STG	2,283	T-RCR366029STC	2,408	+68
36	66	29	T-RCR366629STG	2,339	T-RCR366629STC	2,467	+72
36	72	29	T-RCR367229STG	2,398	T-RCR367229STC	2,523	+80

KNIFE EDGE RECTANGULAR TABLES WITH STEEL T-BASES


			On Glides		On Casters		
D	W	H	Model Number	List	Model Number	List	Grade C Laminate
18	36	29	T-RCK183629STG	3,266	T-RCK183629STC	3,377	N/A
18	42	29	T-RCK184229STG	3,306	T-RCK184229STC	3,416	N/A
18	48	29	T-RCK184829STG	3,344	T-RCK184829STC	3,451	N/A
18	54	29	T-RCK185429STG	3,380	T-RCK185429STC	3,491	N/A
18	60	29	T-RCK186029STG	3,492	T-RCK186029STC	3,601	N/A
18	66	29	T-RCK186629STG	3,541	T-RCK186629STC	3,654	N/A
18	72	29	T-RCK187229STG	3,590	T-RCK187229STC	3,703	N/A
24	36	29	T-RCK243629STG	3,394	T-RCK243629STC	3,505	N/A
24	42	29	T-RCK244229STG	3,446	T-RCK244229STC	3,555	N/A
24	48	29	T-RCK244829STG	3,497	T-RCK244829STC	3,604	N/A
24	54	29	T-RCK245429STG	3,545	T-RCK245429STC	3,657	N/A
24	60	29	T-RCK246029STG	3,671	T-RCK246029STC	3,780	N/A
24	66	29	T-RCK246629STG	3,733	T-RCK246629STC	3,844	N/A
24	72	29	T-RCK247229STG	3,798	T-RCK247229STC	3,905	N/A
30	36	29	T-RCK303629STG	3,522	T-RCK303629STC	3,630	N/A
30	42	29	T-RCK304229STG	3,585	T-RCK304229STC	3,694	N/A
30	48	29	T-RCK304829STG	3,646	T-RCK304829STC	3,757	N/A
30	54	29	T-RCK305429STG	3,710	T-RCK305429STC	3,820	N/A
30	60	29	T-RCK306029STG	3,848	T-RCK306029STC	3,957	N/A
30	66	29	T-RCK306629STG	3,923	T-RCK306629STC	4,034	N/A
30	72	29	T-RCK307229STG	3,997	T-RCK307229STC	4,110	N/A
36	42	29	T-RCK364229STG	3,722	T-RCK364229STC	3,835	N/A
36	48	29	T-RCK364829STG	3,799	T-RCK364829STC	3,907	N/A
36	54	29	T-RCK365429STG	3,875	T-RCK365429STC	3,984	N/A
36	60	29	T-RCK366029STG	4,023	T-RCK366029STC	4,132	N/A
36	66	29	T-RCK366629STG	4,115	T-RCK366629STC	4,222	N/A
36	72	29	T-RCK367229STG	4,201	T-RCK367229STC	4,310	N/A




On Glides



On Casters



On Glides



On Casters

Specify

- Color for Edge Selection
- Power Selection (if applicable)
- Color for Power Selection
- Laminate Selection for Worksurface
- Paint Color Selection for Base and Column

Notes

- Fixed, non-flip worksurface only.
- Casters come standard with a locking mechanism.
- Power only available on tables 29”H, 36”D, and 42”W or larger.
- See Day-to-Day Power Options grid for details.
- Casters come standard with a locking mechanism.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Rectangular Tables with Steel C-Bases

2MM EDGE RECTANGULAR TABLES WITH STEEL C-BASES

			On Glides		On Casters		
D	W	H	Model Number	List	Model Number	List	Grade C Laminate
24	36	29	T-RCR243629SCG	1,881	T-RCR243629SCC	1,925	+28
24	42	29	T-RCR244229SCG	1,907	T-RCR244229SCC	1,951	+30
24	48	29	T-RCR244829SCG	1,937	T-RCR244829SCC	1,981	+33
24	54	29	T-RCR245429SCG	2,054	T-RCR245429SCC	2,086	+41
24	60	29	T-RCR246029SCG	2,099	T-RCR246029SCC	2,128	+41
24	66	29	T-RCR246629SCG	2,141	T-RCR246629SCC	2,171	+46
24	72	29	T-RCR247229SCG	2,186	T-RCR247229SCC	2,213	+51
30	36	29	T-RCR303629SCG	1,899	T-RCR303629SCC	2,029	+34
30	42	29	T-RCR304229SCG	1,937	T-RCR304229SCC	2,064	+39
30	48	29	T-RCR304829SCG	1,973	T-RCR304829SCC	2,101	+42
30	54	29	T-RCR305429SCG	2,096	T-RCR305429SCC	2,211	+50
30	60	29	T-RCR306029SCG	2,147	T-RCR306029SCC	2,259	+50
30	66	29	T-RCR306629SCG	2,199	T-RCR306629SCC	2,311	+56
30	72	29	T-RCR307229SCG	2,250	T-RCR307229SCC	2,364	+61




On Glides




On Casters

KNIFE EDGE RECTANGULAR TABLES WITH STEEL C-BASES

			On Glides		On Casters		
D	W	H	Model Number	List	Model Number	List	Grade C Laminate
24	36	29	T-RCK243629SCG	3,491	T-RCK243629SCC	3,491	+28
24	42	29	T-RCK244229SCG	3,540	T-RCK244229SCC	3,540	+30
24	48	29	T-RCK244829SCG	3,589	T-RCK244829SCC	3,589	+33
24	54	29	T-RCK245429SCG	3,641	T-RCK245429SCC	3,641	+41
24	60	29	T-RCK246029SCG	3,767	T-RCK246029SCC	3,767	+41
24	66	29	T-RCK246629SCG	3,829	T-RCK246629SCC	3,829	+46
24	72	29	T-RCK247229SCG	3,892	T-RCK247229SCC	3,892	+51
30	36	29	T-RCK303629SCG	3,506	T-RCK303629SCC	3,619	+34
30	42	29	T-RCK304229SCG	3,570	T-RCK304229SCC	3,681	+39
30	48	29	T-RCK304829SCG	3,631	T-RCK304829SCC	3,743	+42
30	54	29	T-RCK305429SCG	3,696	T-RCK305429SCC	3,807	+50
30	60	29	T-RCK306029SCG	3,835	T-RCK306029SCC	3,944	+50
30	66	29	T-RCK306629SCG	3,907	T-RCK306629SCC	4,019	+56
30	72	29	T-RCK307229SCG	3,984	T-RCK307229SCC	4,093	+61



On Glides



On Casters

Specify

- Color for Edge Selection
- Laminate Selection for Worksurface
- Paint Color Selection for Base and Column

Notes

- Fixed, non-flip worksurface only.
- Casters come standard with a locking mechanism.

© 2026, AIS, Inc.

Height Adjustable Tables

Day-to-Day Height Adjustable Tables

Note: For Calibrate Height Adjustable Executive Tables please see the Calibrate Series Price List


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

Day-to-Day Height Adjustable Table Product Details

Height Adjustable Table Details

Height Adjustable Tables feature an electronic programmable control pad attached underneath worksurface. The control pad is used to adjust the table to the users desired height and includes four programmable memory presets. Table has a height range of 21.54” (min.) to 47.8” (max. without worksurface top) and a travel speed of 1.38” per second (no load). Tables include anti-collision safety mechanism. Max lifting capacity of up to 350 lbs (3 leg version). All height adjustable tables have glides with a 1/2” range.







*Range without worksurface top

Day-to-Day Table Grain and Pattern Direction


Rectangular Table Top:




Symmetrical Corner Table Top:




120° Corner Table Top:




Corner Left Table Top:



Corner Right Table Top:



Asymmetrical Table Tops:




© 2026, AIS, Inc.

Day-to-Day Height Adjustable Table Product Details


Rectangular Top Grommet Locations

Option	Location	List
A	No Grommets	-
B	Location 1	+38
C	Location 2	+38
D	Location 3	+38
E	Locations 2 and 3	+76
F	Locations 1, 2 and 3	+114
G	Locations 1 and 2	+76
H	Locations 1 and 3	+76
I	Location 4	+38
J	Location 5	+38
K	Locations 4 and 5	+76
L	Locations 1, 4 and 5	+114
M	Locations 1 and 4	+76
N	Locations 1 and 5	+76



Radius Rectangular Grommet Locations

Option	Location	List
A	No Grommets	-
B	Location 1 (Default)	-



Applies to: Freestanding use only

Notes

- Grommet holes are 2 3/4” outside diameter with a 2 5/8” inside diameter (inside sleeve).
- Grommet covers are available in either grey or black and are included with grommet options.
- Grommet covers may also be purchased separately.
- Specification tip:
  — Options 1, 2 and 3 for use with panel systems.
  — Options 1, 4 and 5 for use with freestanding supports.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Day-to-Day Height Adjustable Table Product Details

Extended Corner Left Top Grommet Locations

Option	Location	List
A	No Grommets	-
B	Location 1 (Default)	-
C	Location 1 and 2	+38
D	Location 1 and 4	+38
E	Locations 1 and 3*	+38
F	Locations 1, 2 and 4	+76
G	Locations 1, 3 and 4*	+76


*Available on 72" Wide only.



Extended Corner Right Top Grommet Locations


Option	Location	List
A	No Grommets	-
B	Location 1 (Default)	-
C	Location 1 and 2	+38
D	Location 1 and 4	+38
E	Locations 1 and 3*	+38
F	Locations 1, 2 and 4	+76
G	Locations 1, 3 and 4*	+76

*Available on 72" Wide only.



Symmetrical and 120° Corner Top Grommet Locations

Option	Location	List
A	No Grommets	-
B	Location 1 (Default)	-
C	Location 1 and 2	+38
D	Location 1 and 3	+38
E	Locations 1, 2 and 3	+76



Notes

- Grommet holes are 2 3/4" outside diameter with a 2 5/8" inside diameter (inside sleeve).
- Grommet covers are available in either grey or black and are included with grommet options.
- Grommet covers may also be purchased separately.
- Specification tip:
  - — Options 1, 2 and 3 for use with panel systems.
  - — Options 1, 4 and 5 for use with freestanding supports.


© 2026, AIS, Inc.

Day-to-Day Height Adjustable Table Product Details


Height Adjustable Table Base Recommended Locations

Models shown from top-down view with u-channel power managemenet shown.


24" Deep Rectangular




30" Deep Rectangular




24" Deep 120° Corner




30" Deep 120° Corner



24" Deep Corner Right



30" Deep Corner Left






Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Day-to-Day Height Adjustable Table Product Details

Height Adjustable Table Spec Comparision

	Day-to-Day 3-Stage 2 Leg Base	Day-to-Day 3-Stage 3 Leg Base	E Series 2-Stage 2 Leg Base	Calibrate 2-Stage 2 Leg Base *(See Calibrate Price Book)*	Calibrate 2-Stage 3 Leg *(See Calibrate Price Book)*
					
Weight Capacity	250lbs	350lbs	250lbs	250lbs	350lbs
Width Range	42-72”	42-72”	42-72”	42-72”	42-72”
Top Height[1]	47.80”	47.80”	45.94”	45.94”	45.94”
Lowest Height[1]	21.54”	21.54”	26.26”	26.26”	26.26”
Height Range	26.26”	26.26”	19.69”	19.69”	19.69”
Speed	1.38” per second	1.38” per second	1.18” per second	1.18” per second	1.18” per second
Noise Rating	<50db	<50db	<50db	<50db	<50db
Foot Description	601 or 700 x 70 x20mm Flat Rectangular, T Style	602 or 700 x 70 x20mm Flat Rectangular, T Style	603 or 700 x 70 x20mm Flat Rectangular, T Style	23D or 29D Aloft Style, T Style[5]	23D or 29D Aloft Style, T Style[5]
Leg Description	80x50 / 75x45 / 70x40mm	80x50 / 75x45 / 70x40mm	80x50 / 75x45 / 70x40mm	70x70 / 60x60mm	70x70 / 60x60mm
Power Cord Length	104”	104”	104”	104”	104”
Max Amp Draw	4.2	4.2	4.2	4.2	4.2
UL 962	Yes	Yes	Yes	Yes	Yes
BIFMA 5.5 Tested[2]	Testing in Progress	Testing in Progress	Testing in Progress	Yes	Yes
BIFMA G1 Compliant[3]	Yes	Yes	No	No	No
Anti-Collusion Sensitivity	Accelerometer	Accelerometer	Accelerometer	Accelerometer	Accelerometer
Standard Colors	Metallic Silver, Satin White, Black	Metallic Silver, Satin White, Black	Metallic Silver, White, Black	Metallic Silver, Satin White, Black	Metallic Silver, Satin White, Black
GSA Options	No	No	No	No	No
GSA Domestic Upcharge	$179.83 (K Handset, 23” foot, 25% tariff)[4] $181.32 (K Handset, 29” foot, 25% tariff)[4]	-	-	-	-
Programmable Control Pad	Yes	Yes	Yes	Yes	Yes
Available Programs:	Grade A, Standard, Divi Fast Track	Grade A, Standard, Divi Fast Track	Grade A, Standard, Divi Fast Track	Grade A, Standard	Grade A, Standard
Warranty	10 Years (5 Years Mechanism)	10 Years (5 Years Mechanism)	10 Years (5 Years Mechanism)	10 Years (5 Years Mechanism)	10 Years (5 Years Mechanism)


Notes:
1. Worksurface thickness of 1 1/8”.
2. Based on third party testing.
3. BIFMA G1: An ergonomic guideline for accommodating the 5th to 95th percentile of the population, which would be a height adjustment range from 22.6” to 48.7”.
4. Availability estimated for April 2020
5. Feet/base sold separately.

© 2026, AIS, Inc.

Rectangular, Rectangular w/Radius Corners, Symm. and 120° Corner Height Adjustable Tables


DAY-TO-DAY 2MM EDGE RECTANGULAR HEIGHT ADJUSTABLE TABLES

D	W	H	Worksurface	Model Number	List	Grade C Laminate
24	42	29	23 x 40	T-RCR244229HLG2	3,303	+33
24	48	29	23 x 46	T-RCR244829HLG2	3,466	+33
24	54	29	23 x 52	T-RCR245429HLG2	3,527	+41
24	60	29	23 x 58	T-RCR246029HLG2	3,548	+41
24	66	29	23 x 64	T-RCR246629HLG2	3,570	+46
24	72	29	23 x 70	T-RCR247229HLG2	3,593	+51
30	42	29	29 x 40	T-RCR304229HLG2	3,334	+46
30	48	29	29 x 46	T-RCR304829HLG2	3,548	+46
30	54	29	29 x 52	T-RCR305429HLG2	3,575	+50
30	60	29	29 x 58	T-RCR306029HLG2	3,603	+50
30	66	29	29 x 64	T-RCR306629HLG2	3,629	+56
30	72	29	29 x 70	T-RCR307229HLG2	3,657	+61




DAY-TO-DAY 2MM EDGE RECTANGULAR HEIGHT ADJUSTABLE TABLES WITH RADIUS CORNERS

D	W	H	Worksurface	Model Number	List	Grade C Laminate
24	48	29	23 x 46	T-R4C244829HLG2	3,574	+33
24	54	29	23 x 52	T-R4C245429HLG2	3,635	+41
24	60	29	23 x 58	T-R4C246029HLG2	3,656	+41
24	66	29	23 x 64	T-R4C246629HLG2	3,678	+46
24	72	29	23 x 70	T-R4C247229HLG2	3,701	+51
30	48	29	29 x 46	T-R4C304829HLG2	3,656	+46
30	54	29	29 x 52	T-R4C305429HLG2	3,683	+50
30	60	29	29 x 58	T-R4C306029HLG2	3,711	+50
30	66	29	29 x 64	T-R4C306629HLG2	3,737	+56
30	72	29	29 x 70	T-R4C307229HLG2	3,765	+61



DAY-TO-DAY 2MM EDGE SYMM. HEIGHT ADJUSTABLE TABLES

D	W	H	Worksurface	Model Number	List	Grade C Laminate
24	42x42	29	23 x 41x41	T-CNR244242HLG2	5,174	+76
24	48x48	29	23 x 47x47	T-CNR244848HLG2	5,281	+76
24	54x54	29	23 x 53x53	T-CNR245454HLG2	5,462	+87
24	60x60	29	23 x 59x59	T-CNR246060HLG2	5,507	+87
30	42x42	29	29 x 41x41	T-CNR304242HLG2	5,276	+93
30	48x48	29	29 x 47x47	T-CNR304848HLG2	5,435	+93
30	54x54	29	29 x 53x53	T-CNR305454HLG2	5,594	+99



DAY-TO-DAY 2MM EDGE 120 CORNER HEIGHT ADJUSTABLE TABLES

D	W	H	Worksurface	Legs	Model Number	List	Grade C Laminate
24	36x36	29	23 x 35x35	3	T-YR243636HLG2	3,706	+47
24	42x42	29	23 x 41x41	3	T-YR244242HLG2	5,174	+58
24	48x48	29	23 x 47x47	3	T-YR244848HLG2	5,281	+64
24	54x54	29	23 x 53x53	3	T-YR245454HLG2	5,411	+64
30	36x36	29	29 x 35x35	2	T-YR303636HLG2	3,706	+58
30	42x42	29	29 x 41x41	3	T-YR304242HLG2	5,276	+63
30	48x48	29	29 x 47x47	3	T-YR304848HLG2	5,435	+72
30	54x54	29	29 x 53x53	3	T-YR305454HLG2	5,594	+72



Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Color Selection for Base - Black, Metallic Silver or Satin White
- Additional Grommet Locations (+38)
- Grommet Cover Color (if applicable)

Notes

- Features a 3-stage table base.
- Dimensions shown for Height Adjustable Tables are the nominal sizes. Actual sizes will be smaller to provide a 1” perimeter gap required for safety.
- All 120° Corner tables have 3 legs with the exception of table size 30 deep x 36x36 wide x 29 high.
- Grommet holes with covers are specified as options.
- For base only please see Support price list.
- Available on casters (ordered separately).
- Outside radius on rectangles is 3 inches. Pair these tables with radius corner PET screens.
- Radius Height Adjustable Tables only receive rear center grommet.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Corner Tables with Height Adjustable Bases


2MM EDGE CORNER LEFT TABLES WITH HEIGHT ADJUSTABLE BASES

D	W	H	Model Number	List	Grade C Laminate
24	42x60	29	T-CLR244260HLG2	5,474	+76
24	42x66	29	T-CLR244266HLG2	5,570	+93
24	42x72	29	T-CLR244272HLG2	5,625	+93
24	48x60	29	T-CLR244860HLG2	5,485	+87
24	48x66	29	T-CLR244866HLG2	5,581	+93
24	48x72	29	T-CLR244872HLG2	5,674	+99
30	42x60	29	T-CLR304260HLG2	5,474	+93
30	42x66	29	T-CLR304266HLG2	5,570	+99
30	42x72	29	T-CLR304272HLG2	5,625	+108
30	48x60	29	T-CLR304860HLG2	5,485	+99
30	48x66	29	T-CLR304866HLG2	5,581	+108
30	48x72	29	T-CLR304872HLG2	5,674	+116



2MM EDGE CORNER RIGHT TABLES WITH HEIGHT ADJUSTABLE BASES

D	W	H	Model Number	List	Grade C Laminate
24	42x60	29	T-CRR244260HLG2	5,474	+76
24	42x66	29	T-CRR244266HLG2	5,570	+93
24	42x72	29	T-CRR244272HLG2	5,625	+93
24	48x60	29	T-CRR244860HLG2	5,485	+87
24	48x66	29	T-CRR244866HLG2	5,581	+93
24	48x72	29	T-CRR244872HLG2	5,674	+99
30	42x60	29	T-CRR304260HLG2	5,474	+93
30	42x66	29	T-CRR304266HLG2	5,570	+99
30	42x72	29	T-CRR304272HLG2	5,625	+108
30	48x60	29	T-CRR304860HLG2	5,485	+99
30	48x66	29	T-CRR304866HLG2	5,581	+108
30	48x72	29	T-CRR304872HLG2	5,674	+116



Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Color Selection for Base - Black, Metallic Silver or Satin White
- Additional Grommet Locations (+38)
- Grommet Cover Color (if applicable)

Notes

- Features a 3-stage table base.
- Dimensions shown for Height Adjustable Tables are the nominal sizes.
- Actual sizes will be smaller to provide a 1” perimeter gap required for safety.
- Grommet holes with covers are specified as options.
- For base only please see Support price list.
- Available on casters (ordered separately).

© 2026, AIS, Inc.


Day-to-Day 3-Leg Height Adjustable Tables


DAY-TO-DAY 3-LEG HEIGHT ADJUSTABLE TABLES MAIN SURFACE RIGHT, RETURN LEFT


D¹ Actual	W¹ Actual	D² Actual	W² Actual	Model Number	List	Grade C Laminate
29	46	23	41	T-3RCL30482442H	5,618	+33/+39
29	46	23	47	T-3RCL30482448H	5,679	+33/+46
29	46	23	53	T-3RCL30482454H	5,758	+33/+50
29	46	23	59	T-3RCL30482460H	5,838	+33/+50
29	46	23	65	T-3RCL30482466H	5,949	+33/+56
29	46	23	71	T-3RCL30482472H	6,041	+33/+61
29	52	23	41	T-3RCL30542442H	5,739	+41/+39
29	52	23	47	T-3RCL30542448H	5,800	+41/+46
29	52	23	53	T-3RCL30542454H	5,880	+41/+50
29	52	23	59	T-3RCL30542460H	5,958	+41/+50
29	52	23	65	T-3RCL30542466H	6,071	+41/+56
29	52	23	71	T-3RCL30542472H	6,162	+41/+61
29	58	23	41	T-3RCL30602442H	5,749	+41/+39
29	58	23	47	T-3RCL30602448H	5,811	+41/+46
29	58	23	53	T-3RCL30602454H	5,890	+41/+50
29	58	23	59	T-3RCL30602460H	5,969	+41/+50
29	58	23	65	T-3RCL30602466H	6,083	+41/+56
29	58	23	71	T-3RCL30602472H	6,173	+41/+61
29	64	23	41	T-3RCL30662442H	5,851	+46/+39
29	64	23	47	T-3RCL30662448H	5,912	+46/+46
29	64	23	53	T-3RCL30662454H	5,991	+46/+50
29	64	23	59	T-3RCL30662460H	6,071	+46/+50
29	64	23	65	T-3RCL30662466H	6,182	+46/+56
29	64	23	71	T-3RCL30662472H	6,274	+46/+61


DAY-TO-DAY 3-LEG HEIGHT ADJUSTABLE TABLES MAIN SURFACE LEFT, RETURN RIGHT

D¹ Actual	W¹ Actual	D² Actual	W² Actual	Model Number	List	Grade C Laminate
29	46	23	41	T-3RCR30482442H	5,618	+33/+39
29	46	23	47	T-3RCR30482448H	5,679	+33/+46
29	46	23	53	T-3RCR30482454H	5,758	+33/+50
29	46	23	59	T-3RCR30482460H	5,838	+33/+50
29	46	23	65	T-3RCR30482466H	5,949	+33/+56
29	46	23	71	T-3RCR30482472H	6,041	+33/+61
29	52	23	41	T-3RCR30542442H	5,739	+41/+39
29	52	23	47	T-3RCR30542448H	5,800	+41/+46
29	52	23	53	T-3RCR30542454H	5,880	+41/+50
29	52	23	59	T-3RCR30542460H	5,958	+41/+50
29	52	23	65	T-3RCR30542466H	6,071	+41/+56
29	52	23	71	T-3RCR30542472H	6,162	+41/+61
29	58	23	41	T-3RCR30602442H	5,749	+41/+39
29	58	23	47	T-3RCR30602448H	5,811	+41/+46
29	58	23	53	T-3RCR30602454H	5,890	+41/+50
29	58	23	59	T-3RCR30602460H	5,969	+41/+50
29	58	23	65	T-3RCR30602466H	6,083	+41/+56
29	58	23	71	T-3RCR30602472H	6,173	+41/+61
29	64	23	41	T-3RCR30662442H	5,851	+46/+39
29	64	23	47	T-3RCR30662448H	5,912	+46/+46
29	64	23	53	T-3RCR30662454H	5,991	+46/+50
29	64	23	59	T-3RCR30662460H	6,071	+46/+50
29	64	23	65	T-3RCR30662466H	6,182	+46/+56
29	64	23	71	T-3RCR30662472H	6,274	+46/+61









Specify	Notes
• Lam. Selection for Main Worksurface	• Features a 3-stage table base.
• Lam. Selection for Return Worksurface	• Dimensions shown for Height Adjustable Tables are the nominal sizes. Actual sizes will be smaller to provide a 1" perimeter gap required for safety.
• Color Selection for Edge	• Height adjustable tables standard with leveling glides.
• Color Selection for Leg/Base - Black, Metallic Silver or White	• Available on casters (ordered separately).
• Optional Grommet Locations (+38)	• Grommet holes with covers are specified as options.
• Grommet Cover Color (if applicable)	• Depth 1 (D1) and Width 1 (W1) refer to the main worksurface. Depth 2 (D2) and Width 2 (W2) refer to return worksurface.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Day-to-Day 3-Leg Height Adjustable Tables


DAY-TO-DAY 3-LEG HEIGHT ADJUSTABLE TABLES MAIN SURFACE RIGHT, RETURN LEFT


D¹ Actual	W¹ Actual	D² Actual	W² Actual	Model Number	List	Grade C Laminate
29	70	23	41	T-3RCL30722442H	5,936	+51/+39
29	70	23	47	T-3RCL30722448H	5,998	+51/+46
29	70	23	53	T-3RCL30722454H	6,077	+51/+50
29	70	23	59	T-3RCL30722460H	6,156	+51/+50
29	70	23	65	T-3RCL30722466H	6,269	+51/+56
29	70	23	71	T-3RCL30722472H	6,360	+51/+61
29	76	23	41	T-3RCL30782442H	6,164	+54/+39
29	76	23	47	T-3RCL30782448H	6,226	+54/+46
29	76	23	53	T-3RCL30782454H	6,306	+54/+50
29	76	23	59	T-3RCL30782460H	6,383	+54/+50
29	76	23	65	T-3RCL30782466H	6,497	+54/+56
29	76	23	71	T-3RCL30782472H	6,587	+54/+61
29	82	23	41	T-3RCL30842442H	6,375	+58/+39
29	82	23	47	T-3RCL30842448H	6,436	+58/+46
29	82	23	53	T-3RCL30842454H	6,515	+58/+50
29	82	23	59	T-3RCL30842460H	6,595	+58/+50
29	82	23	65	T-3RCL30842466H	6,706	+58/+56
29	82	23	71	T-3RCL30842472H	6,798	+58/+61


DAY-TO-DAY 3-LEG HEIGHT ADJUSTABLE TABLES MAIN SURFACE LEFT, RETURN RIGHT

D¹ Actual	W¹ Actual	D² Actual	W² Actual	Model Number	List	Grade C Laminate
29	70	23	41	T-3RCR30722442H	5,936	+51/+39
29	70	23	47	T-3RCR30722448H	5,998	+51/+46
29	70	23	53	T-3RCR30722454H	6,077	+51/+50
29	70	23	59	T-3RCR30722460H	6,156	+51/+50
29	70	23	65	T-3RCR30722466H	6,269	+51/+56
29	70	23	71	T-3RCR30722472H	6,360	+51/+61
29	76	23	41	T-3RCR30782442H	6,164	+54/+39
29	76	23	47	T-3RCR30782448H	6,226	+54/+46
29	76	23	53	T-3RCR30782454H	6,306	+54/+50
29	76	23	59	T-3RCR30782460H	6,383	+54/+50
29	76	23	65	T-3RCR30782466H	6,497	+54/+56
29	76	23	71	T-3RCR30782472H	6,587	+54/+61
29	82	23	41	T-3RCR30842442H	6,375	+58/+39
29	82	23	47	T-3RCR30842448H	6,436	+58/+46
29	82	23	53	T-3RCR30842454H	6,515	+58/+50
29	82	23	59	T-3RCR30842460H	6,595	+58/+50
29	82	23	65	T-3RCR30842466H	6,706	+58/+56
29	82	23	71	T-3RCR30842472H	6,798	+58/+61









Specify

- Lam. Selection for Main Worksurface
- Lam. Selection for Return Worksurface
- Color Selection for Edge
- Color Selection for Leg/Base - Black, Metallic Silver or White
- Optional Grommet Locations (+38)
- Grommet Cover Color (if applicable)

Notes

- Features a 3-stage table base.
- Dimensions shown for Height Adjustable Tables are the nominal sizes. Actual sizes will be smaller to provide a 1" perimeter gap required for safety.
- Height adjustable tables standard with leveling glides.
- Available on casters (ordered separately).
- Grommet holes with covers are specified as options.
- Depth 1 (D1) and Width 1 (W1) refer to the main worksurface. Depth 2 (D2) and Width 2 (W2) refer to return worksurface.

© 2026, AIS, Inc.


Day-to-Day 3-Leg Height Adjustable Tables

DAY-TO-DAY 3-LEG HEIGHT ADJUSTABLE TABLES MAIN SURFACE RIGHT, RETURN LEFT

D¹ Actual	W¹ Actual	D² Actual	W² Actual	Model Number	List	Grade C Laminate
23	46	29	41	T-3RCL24483042H	5,607	+33/+39
23	46	29	47	T-3RCL24483048H	5,679	+33/+46
23	46	29	53	T-3RCL24483054H	5,813	+33/+50
23	46	29	59	T-3RCL24483060H	5,838	+33/+50
23	46	29	65	T-3RCL24483066H	5,953	+33/+56
23	46	29	71	T-3RCL24483072H	6,053	+33/+61
23	52	29	41	T-3RCL24543042H	5,674	+41/+39
23	52	29	47	T-3RCL24543048H	5,745	+41/+46
23	52	29	53	T-3RCL24543054H	5,880	+41/+50
23	52	29	59	T-3RCL24543060H	5,904	+41/+50
23	52	29	65	T-3RCL24543066H	6,019	+41/+56
23	52	29	71	T-3RCL24543072H	6,119	+41/+61
23	58	29	41	T-3RCL24603042H	5,739	+41/+39
23	58	29	47	T-3RCL24603048H	5,811	+41/+46
23	58	29	53	T-3RCL24603054H	5,945	+41/+50
23	58	29	59	T-3RCL24603060H	5,969	+41/+50
23	58	29	65	T-3RCL24603066H	6,085	+41/+56
23	58	29	71	T-3RCL24603072H	6,182	+41/+61
23	64	29	41	T-3RCL24663042H	5,838	+46/+39
23	64	29	47	T-3RCL24663048H	5,910	+46/+46
23	64	29	53	T-3RCL24663054H	6,043	+46/+50
23	64	29	59	T-3RCL24663060H	6,068	+46/+50
23	64	29	65	T-3RCL24663066H	6,182	+46/+56
23	64	29	71	T-3RCL24663072H	6,282	+46/+61

DAY-TO-DAY 3-LEG HEIGHT ADJUSTABLE TABLES MAIN SURFACE LEFT, RETURN RIGHT

D¹ Actual	W¹ Actual	D² Actual	W² Actual	Model Number	List	Grade C Laminate
23	46	29	41	T-3RCR24483042H	5,607	+33/+39
23	46	29	47	T-3RCR24483048H	5,679	+33/+46
23	46	29	53	T-3RCR24483054H	5,813	+33/+50
23	46	29	59	T-3RCR24483060H	5,838	+33/+50
23	46	29	65	T-3RCR24483066H	5,953	+33/+56
23	46	29	71	T-3RCR24483072H	6,053	+33/+61
23	52	29	41	T-3RCR24543042H	5,674	+41/+39
23	52	29	47	T-3RCR24543048H	5,745	+41/+46
23	52	29	53	T-3RCR24543054H	5,880	+41/+50
23	52	29	59	T-3RCR24543060H	5,904	+41/+50
23	52	29	65	T-3RCR24543066H	6,019	+41/+56
23	52	29	71	T-3RCR24543072H	6,119	+41/+61
23	58	29	41	T-3RCR24603042H	5,739	+41/+39
23	58	29	47	T-3RCR24603048H	5,811	+41/+46
23	58	29	53	T-3RCR24603054H	5,945	+41/+50
23	58	29	59	T-3RCR24603060H	5,969	+41/+50
23	58	29	65	T-3RCR24603066H	6,085	+41/+56
23	58	29	71	T-3RCR24603072H	6,182	+41/+61
23	64	29	41	T-3RCR24663042H	5,838	+46/+39
23	64	29	47	T-3RCR24663048H	5,910	+46/+46
23	64	29	53	T-3RCR24663054H	6,043	+46/+50
23	64	29	59	T-3RCR24663060H	6,068	+46/+50
23	64	29	65	T-3RCR24663066H	6,182	+46/+56
23	64	29	71	T-3RCR24663072H	6,282	+46/+61



Specify	Notes
• Lam. Selection for Main Worksurface	• Features a 3-stage table base.
• Lam. Selection for Return Worksurface	• Dimensions shown for Height Adjustable Tables are the nominal sizes. Actual sizes will be smaller to provide a 1" perimeter gap required for safety.
• Color Selection for Edge	• Height adjustable tables standard with leveling glides.
• Color Selection for Leg/Base - Black, Metallic Silver or White	• Available on casters (ordered separately).
• Optional Grommet Locations (+38)	• Grommet holes with covers are specified as options.
• Grommet Cover Color (if applicable)	• Depth 1 (D1) and Width 1 (W1) refer to the main worksurface. Depth 2 (D2) and Width 2 (W2) refer to return worksurface.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Day-to-Day 3-Leg Height Adjustable Tables


DAY-TO-DAY 3-LEG HEIGHT ADJUSTABLE TABLES MAIN SURFACE RIGHT, RETURN LEFT

D¹ Actual	W¹ Actual	D² Actual	W² Actual	Model Number	List	Grade C Laminate
23	70	29	41	T-3RCL24723042H	5,915	+51/+39
23	70	29	47	T-3RCL24723048H	5,987	+51/+46
23	70	29	53	T-3RCL24723054H	6,121	+51/+50
23	70	29	59	T-3RCL24723060H	6,145	+51/+50
23	70	29	65	T-3RCL24723066H	6,261	+51/+56
23	70	29	71	T-3RCL24723072H	6,360	+51/+61
23	76	29	41	T-3RCL24783042H	5,976	+54/+39
23	76	29	47	T-3RCL24783048H	6,047	+54/+46
23	76	29	53	T-3RCL24783054H	6,181	+54/+50
23	76	29	59	T-3RCL24783060H	6,206	+54/+50
23	76	29	65	T-3RCL24783066H	6,322	+54/+56
23	76	29	71	T-3RCL24783072H	6,421	+54/+61
23	82	29	41	T-3RCL24843042H	6,042	+58/+39
23	82	29	47	T-3RCL24843048H	6,113	+58/+46
23	82	29	53	T-3RCL24843054H	6,248	+58/+50
23	82	29	59	T-3RCL24843060H	6,273	+58/+50
23	82	29	65	T-3RCL24843066H	6,389	+58/+56
23	82	29	71	T-3RCL24843072H	6,487	+58/+61

DAY-TO-DAY 3-LEG HEIGHT ADJUSTABLE TABLES MAIN SURFACE LEFT, RETURN RIGHT

D¹ Actual	W¹ Actual	D² Actual	W² Actual	Model Number	List	Grade C Laminate
23	70	29	41	T-3RCR24723042H	5,915	+51/+39
23	70	29	47	T-3RCR24723048H	5,987	+51/+46
23	70	29	53	T-3RCR24723054H	6,121	+51/+50
23	70	29	59	T-3RCR24723060H	6,145	+51/+50
23	70	29	65	T-3RCR24723066H	6,261	+51/+56
23	70	29	71	T-3RCR24723072H	6,360	+51/+61
23	76	29	41	T-3RCR24783042H	5,976	+54/+39
23	76	29	47	T-3RCR24783048H	6,047	+54/+46
23	76	29	53	T-3RCR24783054H	6,181	+54/+50
23	76	29	59	T-3RCR24783060H	6,206	+54/+50
23	76	29	65	T-3RCR24783066H	6,322	+54/+56
23	76	29	71	T-3RCR24783072H	6,421	+54/+61
23	82	29	41	T-3RCR24843042H	6,042	+58/+39
23	82	29	47	T-3RCR24843048H	6,113	+58/+46
23	82	29	53	T-3RCR24843054H	6,248	+58/+50
23	82	29	59	T-3RCR24843060H	6,273	+58/+50
23	82	29	65	T-3RCR24843066H	6,389	+58/+56
23	82	29	71	T-3RCR24843072H	6,487	+58/+61





Specify

- Lam. Selection for Main Worksurface
- Lam. Selection for Return Worksurface
- Color Selection for Edge
- Color Selection for Leg/Base - Black, Metallic Silver or White
- Optional Grommet Locations (+38)
- Grommet Cover Color (if applicable)

Notes

- Features a 3-stage table base.
- Dimensions shown for Height Adjustable Tables are the nominal sizes. Actual sizes will be smaller to provide a 1" perimeter gap required for safety.
- Height adjustable tables standard with leveling glides.
- Available on casters (ordered separately).
- Grommet holes with covers are specified as options.
- Depth 1 (D1) and Width 1 (W1) refer to the main worksurface. Depth 2 (D2) and Width 2 (W2) refer to return worksurface.

© 2026, AIS, Inc.


Day-to-Day 3-Leg Height Adjustable Tables


DAY TO DAY 3-LEG HEIGHT ADJUSTABLE TABLES MAIN SURFACE RIGHT, RETURN LEFT

D¹ Actual	W¹ Actual	D² Actual	W² Actual	Model Number	List	Grade C Laminate
23	46	23	41	T-3RCL24482442H	4,948	+33/+33
23	46	23	47	T-3RCL24482448H	5,012	+33/+41
23	46	23	53	T-3RCL24482454H	5,132	+33/+41
23	46	23	59	T-3RCL24482460H	5,154	+33/+50
23	46	23	65	T-3RCL24482466H	5,257	+33/+51
23	46	23	71	T-3RCL24482472H	5,345	+33/+54
23	52	23	41	T-3RCL24542442H	5,007	+33/+41
23	52	23	47	T-3RCL24542448H	5,071	+41/+41
23	52	23	53	T-3RCL24542454H	5,191	+41/+41
23	52	23	59	T-3RCL24542460H	5,214	+41/+50
23	52	23	65	T-3RCL24542466H	5,316	+41/+51
23	52	23	71	T-3RCL24542472H	5,405	+41/+54
23	58	23	41	T-3RCL24602442H	5,066	+33/+41
23	58	23	47	T-3RCL24602448H	5,129	+41/+41
23	58	23	53	T-3RCL24602454H	5,249	+41/+41
23	58	23	59	T-3RCL24602460H	5,271	+41/+50
23	58	23	65	T-3RCL24602466H	5,375	+41/+51
23	58	23	71	T-3RCL24602472H	5,462	+41/+54
23	64	23	41	T-3RCL24662442H	5,154	+33/+46
23	64	23	47	T-3RCL24662448H	5,218	+41/+46
23	64	23	53	T-3RCL24662454H	5,337	+41/+46
23	64	23	59	T-3RCL24662460H	5,359	+50/+46
23	64	23	65	T-3RCL24662466H	5,462	+46/+51
23	64	23	71	T-3RCL24662472H	5,551	+46/+54

DAY TO DAY 3-LEG HEIGHT ADJUSTABLE TABLES MAIN SURFACE LEFT, RETURN RIGHT

D¹ Actual	W¹ Actual	D² Actual	W² Actual	Model Number	List	Grade C Laminate
23	46	23	41	T-3RCR24482442H	4,948	+33/+33
23	46	23	47	T-3RCR24482448H	5,012	+33/+41
23	46	23	53	T-3RCR24482454H	5,132	+33/+41
23	46	23	59	T-3RCR24482460H	5,154	+33/+50
23	46	23	65	T-3RCR24482466H	5,257	+33/+51
23	46	23	71	T-3RCR24482472H	5,345	+33/+54
23	52	23	41	T-3RCR24542442H	5,007	+33/+41
23	52	23	47	T-3RCR24542448H	5,071	+41/+41
23	52	23	53	T-3RCR24542454H	5,191	+41/+41
23	52	23	59	T-3RCR24542460H	5,214	+41/+50
23	52	23	65	T-3RCR24542466H	5,316	+41/+51
23	52	23	71	T-3RCR24542472H	5,405	+41/+54
23	58	23	41	T-3RCR24602442H	5,066	+33/+41
23	58	23	47	T-3RCR24602448H	5,129	+41/+41
23	58	23	53	T-3RCR24602454H	5,249	+41/+41
23	58	23	59	T-3RCR24602460H	5,271	+41/+50
23	58	23	65	T-3RCR24602466H	5,375	+41/+51
23	58	23	71	T-3RCR24602472H	5,462	+41/+54
23	64	23	41	T-3RCR24662442H	5,154	+33/+46
23	64	23	47	T-3RCR24662448H	5,218	+41/+46
23	64	23	53	T-3RCR24662454H	5,337	+41/+46
23	64	23	59	T-3RCR24662460H	5,359	+50/+46
23	64	23	65	T-3RCR24662466H	5,462	+46/+51
23	64	23	71	T-3RCR24662472H	5,551	+46/+54





Specify

- Lam./Color Selection for Main Worksurface
- Lam./Color Selection for Return Worksurface
- Color Selection for Leg/Base - Black, Metallic Silver or White
- Optional Grommet Locations if desired (+38)
- Grommet Cover Color (if applicable)

Notes

- Features a 3-stage table base.
- Dimensions shown for Height Adjustable Tables are the nominal sizes. Actual sizes will be smaller to provide a 1" perimeter gap required for safety.
- Height adjustable tables standard with 1/2" range leveling glides.
- Available on casters (ordered separately).
- Grommet holes with covers are specified as options.
- Depth 1 (D1) and Width 1 (W1) refer to the main worksurface. Depth 2 (D2) and Width 2 (W2) refer to return worksurface.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Day-to-Day 3-Leg Height Adjustable Tables


DAY TO DAY 3-LEG HEIGHT ADJUSTABLE TABLES MAIN SURFACE RIGHT, RETURN LEFT

D¹ Actual	W¹ Actual	D² Actual	W² Actual	Model Number	List	Grade C Laminate
23	70	23	41	T-3RCL24722442H	5,223	+33/+51
23	70	23	47	T-3RCL24722448H	5,287	+41/+51
23	70	23	53	T-3RCL24722454H	5,407	+41/+51
23	70	23	59	T-3RCL24722460H	5,429	+50/+51
23	70	23	65	T-3RCL24722466H	5,532	+51/+51
23	70	23	71	T-3RCL24722472H	5,620	+51/+54
23	76	23	41	T-3RCL24782442H	5,277	+33/+54
23	76	23	47	T-3RCL24782448H	5,342	+41/+54
23	76	23	53	T-3RCL24782454H	5,461	+41/+54
23	76	23	59	T-3RCL24782460H	5,483	+50/+54
23	76	23	65	T-3RCL24782466H	5,586	+51/+54
23	76	23	71	T-3RCL24782472H	5,675	+54/+54
23	82	23	41	T-3RCL24842442H	5,336	+33/+63
23	82	23	47	T-3RCL24842448H	5,400	+41/+63
23	82	23	53	T-3RCL24842454H	5,520	+41/+63
23	82	23	59	T-3RCL24842460H	5,543	+50/+63
23	82	23	65	T-3RCL24842466H	5,646	+51/+63
23	82	23	71	T-3RCL24842472H	5,734	+54/+63

DAY TO DAY 3-LEG HEIGHT ADJUSTABLE TABLES MAIN SURFACE LEFT, RETURN RIGHT

D¹ Actual	W¹ Actual	D² Actual	W² Actual	Model Number	List	Grade C Laminate
23	70	23	41	T-3RCR24722442H	5,223	+33/+51
23	70	23	47	T-3RCR24722448H	5,287	+41/+51
23	70	23	53	T-3RCR24722454H	5,407	+41/+51
23	70	23	59	T-3RCR24722460H	5,429	+50/+51
23	70	23	65	T-3RCR24722466H	5,532	+51/+51
23	70	23	71	T-3RCR24722472H	5,620	+51/+54
23	76	23	41	T-3RCR24782442H	5,277	+33/+54
23	76	23	47	T-3RCR24782448H	5,342	+41/+54
23	76	23	53	T-3RCR24782454H	5,461	+41/+54
23	76	23	59	T-3RCR24782460H	5,483	+50/+54
23	76	23	65	T-3RCR24782466H	5,586	+51/+54
23	76	23	71	T-3RCR24782472H	5,675	+54/+54
23	82	23	41	T-3RCR24842442H	5,336	+33/+63
23	82	23	47	T-3RCR24842448H	5,400	+41/+63
23	82	23	53	T-3RCR24842454H	5,520	+41/+63
23	82	23	59	T-3RCR24842460H	5,543	+50/+63
23	82	23	65	T-3RCR24842466H	5,646	+51/+63
23	82	23	71	T-3RCR24842472H	5,734	+54/+63





Specify

- Lam./Color Selection for Main Worksurface
- Lam./Color Selection for Return Worksurface
- Color Selection for Leg/Base - Black, Metallic Silver or White
- Optional Grommet Locations if desired (+38)
- Grommet Cover Color (if applicable)

Notes


- Features a 3-stage table base.
- Dimensions shown for Height Adjustable Tables are the nominal sizes. Actual sizes will be smaller to provide a 1" perimeter gap required for safety.
- Height adjustable tables standard with 1/2" range leveling glides.
- Available on casters (ordered separately).
- Grommet holes with covers are specified as options.
- Depth 1 (D1) and Width 1 (W1) refer to the main worksurface. Depth 2 (D2) and Width 2 (W2) refer to return worksurface.

© 2026, AIS, Inc.

Day-to-Day Electric Height Adjustable Table Bases


DAY-TO-DAY ELECTRIC HEIGHT ADJUSTABLE TABLE BASES

Surface W	Surface D	Color	Model Number	List
48” - 72”	24”	Black	WFS-2L-3S24B	2,880
48” - 72”	24”	Metallic Silver	WFS-2L-3S24S	2,880
48” - 72”	24”	Satin White	WFS-2L-3S24W	2,880
48” - 72”	30”	Black	WFS-2L-3S30B	2,880
48” - 72”	30”	Metallic Silver	WFS-2L-3S30S	2,880
48” - 72”	30”	Satin White	WFS-2L-3S30W	2,880




DAY-TO-DAY 90° ELECTRIC HEIGHT ADJUSTABLE TABLE BASES

Surface D	Color	Model Number	List
24	Black	WFS-3L90-3S24B	4,180
24	Metallic Silver	WFS-3L90-3S24S	4,180
24	Satin White	WFS-3L90-3S24W	4,180
30	Black	WFS-3L90-3S30B	4,180
30	Metallic Silver	WFS-3L90-3S30S	4,180
30	Satin White	WFS-3L90-3S30W	4,180



DAY-TO-DAY 120° ELECTRIC HEIGHT ADJUSTABLE TABLE BASES

Surface D	Color	Model Number	List
24	Black	WFS-3L120-3S24B	4,180
24	Metallic Silver	WFS-3L120-3S24S	4,180
24	Satin White	WFS-3L120-3S24W	4,180
30	Black	WFS-3L120-3S30B	4,180
30	Metallic Silver	WFS-3L120-3S30S	4,180
30	Satin White	WFS-3L120-3S30W	4,180



Notes


- 3-stage Day-to-Day Height Adjustbale Table Bases allow for quick and easy adjustment of worksurface height.
- Available in black, satin white or metallic silver.
- Available on casters (ordered separately).
- Bases do not include worksurfaces.
- Adjusts from 21.54”H to 47.80”H (without surface).
- Tops should accommodate a 1 in (25mm) pinch clearance on all sides.
- Maximum worktop overhead allowed is 6” on one side.
- Weight capacity is 250lbs (incl. worksurface) for two leg and 350lbs (incl. worksurface) for three leg.
- Base width may be adjusted from 42”W to 72”W.
- 4 memory presets.
- Select tops to avoid cable shearing, prevent pinch points and collisions. Assure attached screens or monitor arms do not create unstable conditions.
- Local compliances should meet local requirements.
- **Important:** Height Adjustable Bases are ***UL Recognized*** components and are labeled with the ***UR*** mark. However, bases **are not** UL or ETL ***Listed*** unless purchased as a complete table using a complete table model number. See Height Adjustable Table Section for tables that are UL or ETL Listed. Many municipalities require tables to be UL or ETL Listed.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

End Panels, Modesties, and Casters for Day-to-Day Tables with Height Adjustable Bases

END PANELS FOR DAY-TO-DAY TABLES WITH HEIGHT ADJUSTABLE BASES

D	H	Model Number	List	Grade C Laminate
24	29	T-EPHAT2924	699	+60
24	42	T-EPHAT4224	792	+66
24	46	T-EPHAT4624	815	+74
24	50	T-EPHAT5024	838	+76
30	29	T-EPHAT2930	938	+64
30	42	T-EPHAT4230	1,010	+68
30	46	T-EPHAT4630	1,032	+86
30	50	T-EPHAT5030	1,056	+84






Specify	Notes
• Laminate Selection • Color Selection for Edge • Paint Selection for Bracket	• End panel depths match the actual depth of AIS Benching Height Adjustable Tables, and may be installed to either side of the table. • End Panels are sold individually, to install on both sides of a table, two must be ordered. • Includes glides. • Not for use with Encounter PowerBench. • Compatible with E Series and Day to Day Height Adjustable Table Bases, both having a 50mm [2"] x 80mm [3 1/8"] profile.

SUSPENDED HEIGHT ADJUSTABLE MODESTY


H	Nominal Width	Actual Width	Model Number	List
12	42	26	X-HATM1242	883
12	48	32	X-HATM1248	897
12	54	38	X-HATM1254	910
12	60	44	X-HATM1260	921
12	66	50	X-HATM1266	934
12	72	56	X-HATM1272	946
12	78	62	X-HATM1278	960
12	84	68	X-HATM1284	1,089
12	90	74	X-HATM1290	1,104
12	96	80	X-HATM1296	1,116



Specify	Notes
• Laminate Selection	• This optional modesty panel can be specified on the height adjustable table desk.

CASTERS FOR DAY-TO-DAY & E SERIES HEIGHT ADJUSTABLE TABLES

Desc.	Model Number	List
Set of 4 Casters	WFS-D2DHATC-4	269
(1) Caster	WFS-D2DHATC-1	72



Set of 4 Casters Shown

Specify	Notes
	• Designed for use with Day-to-Day and E Series height adjustable tables only. • Field retrofittable on all models. • Available in black only. • Locking casters • Height adjustable tables that have had casters added may no longer be BIFMA Compliant. • Adding casters will raise the tables minimum and maximum heights by 2.6". • It is the customer's responsibility to use and move height adjustable tables with care and caution when casters are applied.

© 2026, AIS, Inc.

Height Adjustable Tables

E Series Height Adjustable Tables


Note: For Calibrate Height Adjustable Executive Tables please see the Calibrate Series Price List


Rev. Mar 2, 2026
© 2026, AIS, Inc.

E Series Height Adjustable Table Product Details

Height Adjustable Table Details

Height Adjustable Tables feature an electronic programmable control pad attached underneath worksurface. The control pad is used to adjust the table to the users desired height and includes four programmable memory presets. Table has a height range of 26.26” (min.) to 45.94” (max. without worksurface top) and a travel speed of 1.18” per second (no load). Tables include anti-collision safety mechanism. Max lifting capacity of up to 250 lbs.






*Range without worksurface top


E Series Table Grain and Pattern Direction

Rectangular Table Top:



Rectangular Top Grommet Locations




Option	Location	List
A	No Grommets	-
B	Location 1	+38
C	Location 2	+38
D	Location 3	+38
E	Locations 2 and 3	+76
F	Locations 1, 2 and 3	+114
G	Locations 1 and 2	+76
H	Locations 1 and 3	+76



© 2026, AIS, Inc.

E Series Height Adjustable Table Product Details

Height Adjustable Table Spec Comparision

	Day-to-Day 3-Stage 2 Leg Base	Day-to-Day 3-Stage 3 Leg Base	E Series 2-Stage 2 Leg Base	Calibrate 2-Stage 2 Leg Base *(See Calibrate Price Book)*	Calibrate 2-Stage 3 Leg *(See Calibrate Price Book)*
					
Weight Capacity	250lbs	350lbs	250lbs	250lbs	350lbs
Width Range	42-72”	42-72”	42-72”	42-72”	42-72”
Top Height[1]	47.80”	47.80”	45.94”	45.94”	45.94”
Lowest Height[1]	21.54”	21.54”	26.26”	26.26”	26.26”
Height Range	26.26”	26.26”	19.69”	19.69”	19.69”
Speed	1.38” per second	1.38” per second	1.18” per second	1.18” per second	1.18” per second
Noise Rating	<50db	<50db	<50db	<50db	<50db
Foot Description	601 or 700 x 70 x20mm Flat Rectangular, T Style	602 or 700 x 70 x20mm Flat Rectangular, T Style	603 or 700 x 70 x20mm Flat Rectangular, T Style	23D or 29D T Style[5]	23D or 29D T Style[5]
Leg Description	80x50 / 75x45 / 70x40mm	80x50 / 75x45 / 70x40mm	80x50 / 75x45 / 70x40mm	70x70 / 60x60mm	70x70 / 60x60mm
Power Cord Length	104”	104”	104”	104”	104”
Max Amp Draw	4.2	4.2	4.2	4.2	4.2
UL 962	Yes	Yes	Yes	Yes	Yes
BIFMA 5.5 Tested[2]	Testing in Progress	Testing in Progress	Testing in Progress	Yes	Yes
BIFMA G1 Compliant[3]	Yes	Yes	No	No	No
Anti-Collusion Sensitivity	Accelerometer	Accelerometer	Accelerometer	Accelerometer	Accelerometer
Standard Colors	Metallic Silver, Satin White, Black	Metallic Silver, Satin White, Black	Metallic Silver, White, Black	Metallic Silver, Satin White, Black	Metallic Silver, Satin White, Black
GSA Options	No	No	No	No	No
GSA Domestic Upcharge	$179.83 (K Handset, 23” foot, 25% tariff)[4] $181.32 (K Handset, 29” foot, 25% tariff)[4]	-	-	-	-
Programmable Control Pad	Yes	Yes	Yes	Yes	Yes
Available Programs	Grade A, Standard, Divi Fast Track	Grade A, Standard, Divi Fast Track	Grade A, Standard, Divi Fast Track	Grade A, Standard	Grade A, Standard
Warranty	10 Years (5 Years Mechanism)	10 Years (5 Years Mechanism)	10 Years (5 Years Mechanism)	10 Years (5 Years Mechanism)	10 Years (5 Years Mechanism)


Notes:
1. Worksurface thickness of 1 1/8”.
2. Based on third party testing.
3. BIFMA G1: An ergonomic guideline for accommodating the 5th to 95th percentile of the population, which would be a height adjustment range from 22.6” to 48.7”.
4. Availability estimated for April 2020
5. Feet/base sold separately.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

E Series Height Adjustable Tables and E Series Height Adjustable Tables with Radius Corners


E SERIES 2MM EDGE RECTANGULAR HEIGHT ADJUSTABLE TABLES

D	W	H	Worksurface	Model Number	List	Grade C Laminate
24	42	29	23 x 40	T-RCR244229HG	3,023	+33
24	48	29	23 x 46	T-RCR244829HG	3,186	+33
24	54	29	23 x 52	T-RCR245429HG	3,246	+41
24	60	29	23 x 58	T-RCR246029HG	3,266	+41
24	66	29	23 x 64	T-RCR246629HG	3,289	+46
24	72	29	23 x 70	T-RCR247229HG	3,312	+51
30	42	29	29 x 40	T-RCR304229HG	3,054	+46
30	48	29	29 x 46	T-RCR304829HG	3,266	+46
30	54	29	29 x 52	T-RCR305429HG	3,294	+50
30	60	29	29 x 58	T-RCR306029HG	3,321	+50
30	66	29	29 x 64	T-RCR306629HG	3,351	+56
30	72	29	29 x 70	T-RCR307229HG	3,377	+61



E SERIES 2MM EDGE RECTANGULAR HEIGHT ADJUSTABLE TABLES WITH RADIUS CORNERS

D	W	H	Worksurface	Model Number	List	Grade C Laminate
24	48	29	23 x 46	T-R4C244829HG	3,294	+33
24	54	29	23 x 52	T-R4C245429HG	3,354	+41
24	60	29	23 x 58	T-R4C246029HG	3,374	+41
24	66	29	23 x 64	T-R4C246629HG	3,397	+46
24	72	29	23 x 70	T-R4C247229HG	3,420	+51
30	48	29	29 x 46	T-R4C304829HG	3,374	+46
30	54	29	29 x 52	T-R4C305429HG	3,402	+50
30	60	29	29 x 58	T-R4C306029HG	3,429	+50
30	66	29	29 x 64	T-R4C306629HG	3,459	+56
30	72	29	29 x 70	T-R4C307229HG	3,485	+61



Specify

- Color Selection for Base
- Laminate Selection for Worksurface
- Color Selection for Edge
- Additional Grommet Locations (+38)
- Grommet Cover Color (if applicable)

Notes


- Features a 2-stage table base.
- Dimensions shown for Height Adjustable Tables are the nominal sizes. Actual sizes will be smaller to provide a 1” perimeter gap required for safety.
- Available on casters (ordered separately).
- Grommet holes with covers are specified as options.
- Bases available in black, satin white, or metallic silver.
- Outside radius on rectangles is 3 inches. Pair these tables with radius corner PET screens.
- Radius Height Adjustable Tables only receive rear center grommet.

© 2026, AIS, Inc.

E Series Electric Height Adjustable Bases and Casters

E SERIES ELECTRIC HEIGHT ADJUSTABLE TABLE BASES


Surface W	Surface D	Model Number	List
42” - 72”	24”	T-RB2L2S24HG	2,600
42” - 72”	30”	T-RB2L2S30HG	2,600



Specify	Notes
• Color Selection for Base	• 2-stage E Series Electric Height Adjustable Table Bases on Glides allow for quick and easy adjustment of worksurface height. • Available on casters (ordered separately). • Bases available in black, satin white, or metallic silver. • Bases do not include worksurfaces. • Adjusts from 26.26”H to 45.94”H (without surface). • Tops should accommodate a 1 in (25mm) pinch clearance on all sides. • Maximum worktop overhead allowed is 6” on one side. • Weight capacity is 250lbs (incl. worksurface). • Base width may be adjusted from 42”W to 72”W. 4 memory presets. Select tops to avoid cable shearing, prevent pinch points and collisions. Assure attached screens or monitor arms do not create unstable conditions. • Local compliances should meet local requirements. • **Important:** Height Adjustable Bases are ***UL Recognized*** components and are labeled with the ***UR*** mark. However, bases **are not** UL or ETL ***Listed*** unless purchased as a complete table using a complete table model number. See Height Adjustable Table Section for tables that are UL or ETL Listed. Many municipalities require tables to be UL or ETL Listed.

CASTERS FOR DAY-TO-DAY & E SERIES HEIGHT ADJUSTABLE TABLES

Desc.	Model Number	List
Set of 4 Casters	WFS-D2DHATC-4	269
(1) Caster	WFS-D2DHATC-1	72



Set of 4 Casters Shown

Specify	Notes
	• Designed for use with Day-to-Day and E Series height adjustable tables only. • Field retrofittable on all models. • Available in black only. • Locking casters • Height adjustable tables that have had casters added may no longer be BIFMA Compliant. • Adding casters will raise the tables minimum and maximum heights by 2.6”.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Conference & Meeting Tables

Day-to-Day Conference Tables

29” High Conference Tables*

36” Deep - 60” Deep, 36” Wide - 120” Wide

© 2026, AIS, Inc.


Rectangular Tables with Square Post Legs

2MM EDGE RECTANGULAR TABLES WITH SQUARE POST LEGS


			On Glides		On Casters		
D	W	H	Model Number	List	Model Number	List	Grade C Laminate
36	42	29	T-RCR364229SQG	1,940	T-RCR364229SQC	2,016	+50
36	48	29	T-RCR364829SQG	2,068	T-RCR364829SQC	2,146	+53
36	54	29	T-RCR365429SQG	2,129	T-RCR365429SQC	2,204	+61
36	60	29	T-RCR366029SQG	2,274	T-RCR366029SQC	2,348	+68
36	66	29	T-RCR366629SQG	2,345	T-RCR366629SQC	2,421	+72
36	72	29	T-RCR367229SQG	2,419	T-RCR367229SQC	2,493	+80
42	48	29	T-RCR424829SQG	2,044	T-RCR424829SQC	2,116	+57
42	54	29	T-RCR425429SQG	2,178	T-RCR425429SQC	2,253	+63
42	60	29	T-RCR426029SQG	2,245	T-RCR426029SQC	2,319	+67
42	66	29	T-RCR426629SQG	2,427	T-RCR426629SQC	2,503	+68
42	72	29	T-RCR427229SQG	2,509	T-RCR427229SQC	2,579	+77
48	54	29	T-RCR485429SQG	2,333	T-RCR485429SQC	2,407	+68
48	60	29	T-RCR486029SQG	2,419	T-RCR486029SQC	2,493	+68
48	66	29	T-RCR486629SQG	2,509	T-RCR486629SQC	2,579	+75
48	72	29	T-RCR487229SQG	2,596	T-RCR487229SQC	2,668	+77

KNIFE EDGE RECTANGULAR TABLES WITH SQUARE POST LEGS


			On Glides		On Casters		
D	W	H	Model Number	List	Model Number	List	Grade C Laminate
36	42	29	T-RCK364229SQG	3,619	T-RCK364229SQC	3,681	N/A
36	48	29	T-RCK364829SQG	3,768	T-RCK364829SQC	3,832	N/A
36	54	29	T-RCK365429SQG	3,855	T-RCK365429SQC	3,922	N/A
36	60	29	T-RCK366029SQG	4,019	T-RCK366029SQC	4,083	N/A
36	66	29	T-RCK366629SQG	4,120	T-RCK366629SQC	4,181	N/A
36	72	29	T-RCK367229SQG	4,217	T-RCK367229SQC	4,282	N/A
42	48	29	T-RCK424829SQG	3,794	T-RCK424829SQC	3,856	N/A
42	54	29	T-RCK425429SQG	3,953	T-RCK425429SQC	4,020	N/A
42	60	29	T-RCK426029SQG	4,055	T-RCK426029SQC	4,121	N/A
42	66	29	T-RCK426629SQG	4,255	T-RCK426629SQC	4,322	N/A
42	72	29	T-RCK427229SQG	4,369	T-RCK427229SQC	4,434	N/A
48	54	29	T-RCK485429SQG	4,143	T-RCK485429SQC	4,209	N/A
48	60	29	T-RCK486029SQG	4,270	T-RCK486029SQC	4,334	N/A
48	66	29	T-RCK486629SQG	4,395	T-RCK486629SQC	4,459	N/A
48	72	29	T-RCK487229SQG	4,520	T-RCK487229SQC	4,583	N/A




On Glides



On Casters



On Glides



On Casters

Specify

- Color for Edge Selection
- Power Selection (if applicable)
- Color for Power Selection
- Laminate Selection for Worksurface
- Paint Color Selection for Base and Column

Notes

- Power only available on tables 29”H, 36”D, and 42”W or larger.
- See Day-to-Day Power Options grid for details.

SURFACE	Option A (No Power)	OPTION B 1 Dock 281 Center with 1 Plugin Cord 1 Outlet 1 USB Type C 1 USB Type A	OPTION C 1 DOMINO Center with 1 Plugin Cord 2 Outlets 1 USB Type C 1 USB Type A	OPTION D 2 DOMINO with 2 Plugin Cords 4 Outlets 2 USB Type C 2 USB Type A	OPTION E 2 DOMINO Daisy Chain with 1 Plugin Cord 4 Outlets 2 USB Type C 2 USB Type A	OPTION F 1 Cove Unit Hardwired 2 Outlets 2 USB Type A	OPTION G 2 Cove Units Hardwired Daisy Chain 4 Outlets 4 USB Type A
Rectangle	●						
42”-66”W	●		●			●	
72”-120”W	●		●	●	●	●	●


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Rectangular Tables with Tapered Post Legs

2MM EDGE RECTANGULAR TABLES WITH TAPERED POST LEGS

			On Glides		On Casters		
D	W	H	Model Number	List	Model Number	List	Grade C Laminate
36	42	29	T-RCR364229TPG	2,133	T-RCR364229TPC	1,988	+50
36	48	29	T-RCR364829TPG	2,262	T-RCR364829TPC	2,119	+53
36	54	29	T-RCR365429TPG	2,423	T-RCR365429TPC	2,177	+61
36	60	29	T-RCR366029TPG	2,468	T-RCR366029TPC	2,324	+68
36	66	29	T-RCR366629TPG	2,541	T-RCR366629TPC	2,394	+72
36	72	29	T-RCR367229TPG	2,613	T-RCR367229TPC	2,468	+80
42	48	29	T-RCR424829TPG	2,238	T-RCR424829TPC	2,091	+57
42	54	29	T-RCR425429TPG	2,462	T-RCR425429TPC	2,316	+63
42	60	29	T-RCR426029TPG	2,541	T-RCR426029TPC	2,394	+67
42	66	29	T-RCR426629TPG	2,623	T-RCR426629TPC	2,477	+68
42	72	29	T-RCR427229TPG	2,703	T-RCR427229TPC	2,557	+77
48	54	29	T-RCR485429TPG	2,525	T-RCR485429TPC	2,380	+68
48	60	29	T-RCR486029TPG	2,613	T-RCR486029TPC	2,468	+68
48	66	29	T-RCR486629TPG	2,703	T-RCR486629TPC	2,557	+75
48	72	29	T-RCR487229TPG	2,788	T-RCR487229TPC	2,644	+77




On Glides




On Casters

KNIFE EDGE RECTANGULAR TABLES WITH TAPERED POST LEGS

			On Glides		On Casters		
D	W	H	Model Number	List	Model Number	List	Grade C Laminate
36	42	29	T-RCK364229TPG	3,783	T-RCK364229TPC	3,659	N/A
36	48	29	T-RCK364829TPG	3,936	T-RCK364829TPC	3,809	N/A
36	54	29	T-RCK365429TPG	4,114	T-RCK365429TPC	3,896	N/A
36	60	29	T-RCK366029TPG	4,187	T-RCK366029TPC	4,061	N/A
36	66	29	T-RCK366629TPG	4,287	T-RCK366629TPC	4,162	N/A
36	72	29	T-RCK367229TPG	4,388	T-RCK367229TPC	4,260	N/A
42	48	29	T-RCK424829TPG	3,959	T-RCK424829TPC	3,836	N/A
42	54	29	T-RCK425429TPG	4,199	T-RCK425429TPC	4,073	N/A
42	60	29	T-RCK426029TPG	4,311	T-RCK426029TPC	4,187	N/A
42	66	29	T-RCK426629TPG	4,425	T-RCK426629TPC	4,298	N/A
42	72	29	T-RCK427229TPG	4,538	T-RCK427229TPC	4,410	N/A
48	54	29	T-RCK485429TPG	4,311	T-RCK485429TPC	4,187	N/A
48	60	29	T-RCK486029TPG	4,437	T-RCK486029TPC	4,311	N/A
48	66	29	T-RCK486629TPG	4,563	T-RCK486629TPC	4,437	N/A
48	72	29	T-RCK487229TPG	4,688	T-RCK487229TPC	4,563	N/A



On Glides



On Casters

Specify

- Color for Edge Selection
- Power Selection (if applicable)
- Color for Power Selection
- Laminate Selection for Worksurface
- Paint Color Selection for Base and Column

Notes

- Power only available on tables 29”H, 36”D, and 42”W or larger.
- See Day-to-Day Power Options grid for details.


SURFACE	Option A (No Power)	OPTION B 1 Dock 281 Center with 1 Plugin Cord 1 Outlet 1 USB Type C 1 USB Type A	OPTION C 1 DOMINO Center with 1 Plugin Cord 2 Outlets 1 USB Type C 1 USB Type A	OPTION D 2 DOMINO with 2 Plugin Cords 4 Outlets 2 USB Type C 2 USB Type A	OPTION E 2 DOMINO Daisy Chain with 1 Plugin Cord 4 Outlets 2 USB Type C 2 USB Type A	OPTION F 1 Cove Unit Hardwired 2 Outlets 2 USB Type A	OPTION G 2 Cove Units Hardwired Daisy Chain 4 Outlets 4 USB Type A
Rectangle	●						
42”-66”W	●		●			●	
72”-120”W	●		●	●	●	●	●

© 2026, AIS, Inc.

Rectangular Tables with Slant Post Legs

2MM EDGE RECTANGULAR TABLES WITH SLANT POST LEGS ON GLIDES


D	W	H	Model Number	List	Grade C Laminate
36	42	29	T-RCR364229SLG	2,357	+50
36	48	29	T-RCR364829SLG	2,416	+53
36	54	29	T-RCR365429SLG	2,475	+61
36	60	29	T-RCR366029SLG	2,618	+68
36	66	29	T-RCR366629SLG	2,691	+72
36	72	29	T-RCR367229SLG	2,764	+80
42	48	29	T-RCR424829SLG	2,389	+57
42	54	29	T-RCR425429SLG	2,612	+63
42	60	29	T-RCR426029SLG	2,691	+67
42	66	29	T-RCR426629SLG	2,774	+68
42	72	29	T-RCR427229SLG	2,853	+77
48	54	29	T-RCR485429SLG	2,678	+68
48	60	29	T-RCR486029SLG	2,764	+68
48	66	29	T-RCR486629SLG	2,853	+75
48	72	29	T-RCR487229SLG	2,940	+77



On Glides

KNIFE EDGE RECTANGULAR TABLES WITH SLANT POST LEGS ON GLIDES

D	W	H	Model Number	List	Grade C Laminate
36	42	29	T-RCK364229SLG	3,977	N/A
36	48	29	T-RCK364829SLG	4,068	N/A
36	54	29	T-RCK365429SLG	4,155	N/A
36	60	29	T-RCK366029SLG	4,314	N/A
36	66	29	T-RCK366629SLG	4,416	N/A
36	72	29	T-RCK367229SLG	4,518	N/A
42	48	29	T-RCK424829SLG	4,090	N/A
42	54	29	T-RCK425429SLG	4,326	N/A
42	60	29	T-RCK426029SLG	4,441	N/A
42	66	29	T-RCK426629SLG	4,553	N/A
42	72	29	T-RCK427229SLG	4,667	N/A
48	54	29	T-RCK485429SLG	4,441	N/A
48	60	29	T-RCK486029SLG	4,567	N/A
48	66	29	T-RCK486629SLG	4,694	N/A
48	72	29	T-RCK487229SLG	4,817	N/A



On Glides

Specify

- Color for Edge Selection
- Power Selection (if applicable)
- Color for Power Selection
- Laminate Selection for Worksurface
- Paint Color Selection for Base and Column

Notes

- Power only available on tables 29”H, 36”D, and 42”W or larger.
- See Day-to-Day Power Options grid for details.

SURFACE	Option A (No Power)	OPTION B 1 Dock 281 Center with 1 Plugin Cord 1 Outlet 1 USB Type C 1 USB Type A	OPTION C 1 DOMINO Center with 1 Plugin Cord 2 Outlets 1 USB Type C 1 USB Type A	OPTION D 2 DOMINO with 2 Plugin Cords 4 Outlets 2 USB Type C 2 USB Type A	OPTION E 2 DOMINO Daisy Chain with 1 Plugin Cord 4 Outlets 2 USB Type C 2 USB Type A	OPTION F 1 Cove Unit Hardwired 2 Outlets 2 USB Type A	OPTION G 2 Cove Units Hardwired Daisy Chain 4 Outlets 4 USB Type A
Rectangle	●						
42”-66”W	●		●			●	
72”-120”W	●		●	●	●	●	●

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Rectangular Tables with Arc Aluminum T-Bases

2MM EDGE RECTANGULAR TABLES WITH ARC ALUMINUM T-BASES

			On Glides		On Casters		
D	W	H	Model Number	List	Model Number	List	Grade C Laminate
36	42	29	T-RCR364229ATG	1,881	T-RCR364229ATC	1,712	+50
36	48	29	T-RCR364829ATG	1,924	T-RCR364829ATC	1,755	+53
36	54	29	T-RCR365429ATG	1,967	T-RCR365429ATC	1,800	+61
36	60	29	T-RCR366029ATG	2,009	T-RCR366029ATC	1,843	+68
36	66	29	T-RCR366629ATG	2,054	T-RCR366629ATC	1,888	+72
36	72	29	T-RCR367229ATG	2,185	T-RCR367229ATC	2,017	+80
36	78	29	T-RCR367829ATG	2,811	T-RCR367829ATC	2,559	+88
36	84	29	T-RCR368429ATG	2,853	T-RCR368429ATC	2,604	+96
36	90	29	T-RCR369029ATG	2,894	T-RCR369029ATC	2,645	+99
36	96	29	T-RCR369629ATG	2,940	T-RCR369629ATC	2,690	+99
36	108	29	T-RCR3610829ATG	3,027	T-RCR3610829ATC	2,776	+109
36	120	29	T-RCR3612029ATG	3,289	T-RCR3612029ATC	3,038	+116

KNIFE EDGE RECTANGULAR TABLES WITH ARC ALUMINUM T-BASES

			On Glides		On Casters		
D	W	H	Model Number	List	Model Number	List	Grade C Laminate
36	42	29	T-RCK364229ATG	3,565	T-RCK364229ATC	3,420	N/A
36	48	29	T-RCK364829ATG	3,637	T-RCK364829ATC	3,497	N/A
36	54	29	T-RCK365429ATG	3,715	T-RCK365429ATC	3,570	N/A
36	60	29	T-RCK366029ATG	3,791	T-RCK366029ATC	3,646	N/A
36	66	29	T-RCK366629ATG	3,863	T-RCK366629ATC	3,721	N/A
36	72	29	T-RCK367229ATG	4,016	T-RCK367229ATC	3,868	N/A
36	78	29	T-RCK367829ATG	4,591	T-RCK367829ATC	4,375	N/A
36	84	29	T-RCK368429ATG	4,667	T-RCK368429ATC	4,451	N/A
36	90	29	T-RCK369029ATG	4,743	T-RCK369029ATC	4,526	N/A
36	96	29	T-RCK369629ATG	4,817	T-RCK369629ATC	4,602	N/A
36	108	29	T-RCK3610829ATG	4,968	T-RCK3610829ATC	4,753	N/A
36	120	29	T-RCK3612029ATG	5,270	T-RCK3612029ATC	5,054	N/A


36" - 72" Wide
On Glides


78" - 120" Wide
On Glides
(Powered version shown)


36" - 72" Wide
On Casters


78" - 120" Wide
On Casters


36" - 72" Wide
On Glides


78" - 120" Wide
On Glides


36" - 72" Wide
On Casters


78" - 120" Wide
On Casters

Specify

- Color for Edge Selection
- Power Selection (if applicable)
- Color for Power Selection
- Laminate Selection for Worksurface
- Paint Color Selection for Base and Column

Notes

- 108 and 120 wide worksurfaces are made from two pieces.
- On 108 and 120 wide worksurfaces, grain "direction" will match per worksurface section, however grain "patterns" will not be lined up or matched exactly.
- Power only available on tables 29"H, 36"D, and 42"W or larger.
- See Day-to-Day Power Options grid for details.

SURFACE	Option A (No Power)	OPTION B 1 Dock 281 Center with 1 Plugin Cord 1 Outlet 1 USB Type C 1 USB Type A	OPTION C 1 DOMINO Center with 1 Plugin Cord 2 Outlets 1 USB Type C 1 USB Type A	OPTION D 2 DOMINO with 2 Plugin Cords 4 Outlets 2 USB Type C 2 USB Type A	OPTION E 2 DOMINO Daisy Chain with 1 Plugin Cord 4 Outlets 2 USB Type C 2 USB Type A	OPTION F 1 Cove Unit Hardwired 2 Outlets 2 USB Type A	OPTION G 2 Cove Units Hardwired Daisy Chain 4 Outlets 4 USB Type A
Rectangle	●						
42"-66"W	●		●			●	
72"-120"W	●		●	●	●	●	●

© 2026, AIS, Inc.

Rectangular Tables with Arc Aluminum Double Post Bases

2MM EDGE RECTANGULAR TABLES WITH ARC ALUMINUM DOUBLE POST BASES

			On Glides		On Casters		
D	W	H	Model Number	List	Model Number	List	Grade C Laminate
42	48	29	T-RCR424829ATG	2,729	T-RCR424829ATC	2,541	+57
42	54	29	T-RCR425429ATG	2,778	T-RCR425429ATC	2,593	+63
42	60	29	T-RCR426029ATG	2,828	T-RCR426029ATC	2,644	+67
42	66	29	T-RCR426629ATG	3,142	T-RCR426629ATC	2,955	+68
42	72	29	T-RCR427229ATG	3,223	T-RCR427229ATC	3,035	+77
42	78	29	T-RCR427829ATG	3,936	T-RCR427829ATC	3,655	+96
42	84	29	T-RCR428429ATG	3,986	T-RCR428429ATC	3,708	+96
42	90	29	T-RCR429029ATG	4,038	T-RCR429029ATC	3,757	+99
48	54	29	T-RCR485429ATG	2,843	T-RCR485429ATC	2,657	+68
48	60	29	T-RCR486029ATG	2,904	T-RCR486029ATC	2,715	+68
48	66	29	T-RCR486629ATG	3,223	T-RCR486629ATC	3,035	+75
48	72	29	T-RCR487229ATG	3,308	T-RCR487229ATC	3,121	+77
48	78	29	T-RCR487829ATG	4,031	T-RCR487829ATC	3,748	+88
48	84	29	T-RCR488429ATG	4,090	T-RCR488429ATC	3,808	+97
48	90	29	T-RCR489029ATG	4,150	T-RCR489029ATC	3,864	+99

KNIFE EDGE RECTANGULAR TABLES WITH ARC ALUMINUM DOUBLE POST BASES

			On Glides		On Casters		
D	W	H	Model Number	List	Model Number	List	Grade C Laminate
42	48	29	T-RCK424829ATG	4,386	T-RCK424829ATC	4,222	N/A
42	54	29	T-RCK425429ATG	4,472	T-RCK425429ATC	4,311	N/A
42	60	29	T-RCK426029ATG	4,560	T-RCK426029ATC	4,397	N/A
42	66	29	T-RCK426629ATG	4,873	T-RCK426629ATC	4,712	N/A
42	72	29	T-RCK427229ATG	4,987	T-RCK427229ATC	4,826	N/A
42	78	29	T-RCK427829ATG	5,647	T-RCK427829ATC	5,406	N/A
42	84	29	T-RCK428429ATG	5,733	T-RCK428429ATC	5,493	N/A
42	90	29	T-RCK429029ATG	5,819	T-RCK429029ATC	5,581	N/A
48	54	29	T-RCK485429ATG	4,587	T-RCK485429ATC	4,425	N/A
48	60	29	T-RCK486029ATG	4,686	T-RCK486029ATC	4,523	N/A
48	66	29	T-RCK486629ATG	5,011	T-RCK486629ATC	4,851	N/A
48	72	29	T-RCK487229ATG	5,138	T-RCK487229ATC	4,974	N/A
48	78	29	T-RCK487829ATG	5,810	T-RCK487829ATC	5,568	N/A
48	84	29	T-RCK488429ATG	5,908	T-RCK488429ATC	5,669	N/A
48	90	29	T-RCK489029ATG	6,011	T-RCK489029ATC	5,769	N/A


48" - 72" Wide
On Glides


78" - 90" Wide
On Glides


48" - 72" Wide
On Casters


78" - 90" Wide
On Casters


48" - 72" Wide
On Glides


78" - 90" Wide
On Glides


48" - 72" Wide
On Casters


78" - 90" Wide
On Casters

Specify	Notes
• Color for Edge Selection	• Sizes 48" - 72" wide have two bases, sizes 78" - 90" wide have three bases.
• Power Selection (if applicable)	• 60"D tables are an actual depth of 59"D.
• Color for Power Selection	• Power only available on tables 29"H, 36"D, and 42"W or larger.
• Laminate Selection for Worksurface	• See Day-to-Day Power Options grid for details.
• Paint Color Selection for Base and Column	

SURFACE	Option A (No Power)	OPTION B 1 Dock 281 Center with 1 Plugin Cord 1 Outlet 1 USB Type C 1 USB Type A	OPTION C 1 DOMINO Center with 1 Plugin Cord 2 Outlets 1 USB Type C 1 USB Type A	OPTION D 2 DOMINO with 2 Plugin Cords 4 Outlets 2 USB Type C 2 USB Type A	OPTION E 2 DOMINO Daisy Chain with 1 Plugin Cord 4 Outlets 2 USB Type C 2 USB Type A	OPTION F 1 Cove Unit Hardwired 2 Outlets 2 USB Type A	OPTION G 2 Cove Units Hardwired Daisy Chain 4 Outlets 4 USB Type A
Rectangle	●						
42"-66"W	●		●			●	
72"-120"W	●		●	●	●	●	●

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Rectangular Tables with Arc Aluminum Double Post Bases

2MM EDGE RECTANGULAR TABLES WITH ARC ALUMINUM DOUBLE POST BASES

			On Glides		On Casters		
D	W	H	Model Number	List	Model Number	List	Grade C Laminate
54	60	29	T-RCR546029ATG	2,973	T-RCR546029ATC	2,788	+75
54	66	29	T-RCR546629ATG	3,301	T-RCR546629ATC	3,114	+80
54	72	29	T-RCR547229ATG	3,395	T-RCR547229ATC	3,209	+86
54	78	29	T-RCR547829ATG	4,127	T-RCR547829ATC	3,846	+86
54	84	29	T-RCR548429ATG	4,190	T-RCR548429ATC	3,911	+94
54	90	29	T-RCR549029ATG	4,255	T-RCR549029ATC	3,974	+99
59	66	29	T-RCR606629ATG	3,382	T-RCR606629ATC	3,195	+75
59	72	29	T-RCR607229ATG	3,485	T-RCR607229ATC	3,296	+86
59	78	29	T-RCR607829ATG	4,217	T-RCR607829ATC	3,940	+94
59	84	29	T-RCR608429ATG	4,290	T-RCR608429ATC	4,010	+99
59	90	29	T-RCR609029ATG	4,364	T-RCR609029ATC	4,084	+109

KNIFE EDGE RECTANGULAR TABLES WITH ARC ALUMINUM DOUBLE POST BASES

			On Glides		On Casters		
D	W	H	Model Number	List	Model Number	List	Grade C Laminate
54	60	29	T-RCK546029ATG	4,813	T-RCK546029ATC	4,649	N/A
54	66	29	T-RCK546629ATG	5,149	T-RCK546629ATC	4,988	N/A
54	72	29	T-RCK547229ATG	5,287	T-RCK547229ATC	5,127	N/A
54	78	29	T-RCK547829ATG	5,971	T-RCK547829ATC	5,731	N/A
54	84	29	T-RCK548429ATG	6,085	T-RCK548429ATC	5,843	N/A
54	90	29	T-RCK549029ATG	6,197	T-RCK549029ATC	5,957	N/A
59	66	29	T-RCK606629ATG	5,287	T-RCK606629ATC	5,127	N/A
59	72	29	T-RCK607229ATG	5,439	T-RCK607229ATC	5,276	N/A
59	78	29	T-RCK607829ATG	6,134	T-RCK607829ATC	5,893	N/A
59	84	29	T-RCK608429ATG	6,262	T-RCK608429ATC	6,017	N/A
59	90	29	T-RCK609029ATG	6,385	T-RCK609029ATC	6,144	N/A


48" - 72" Wide
On Glides


78" - 90" Wide
On Glides


48" - 72" Wide
On Casters


78" - 90" Wide
On Casters


48" - 72" Wide
On Glides


78" - 90" Wide
On Glides


48" - 72" Wide
On Casters


78" - 90" Wide
On Casters

Specify

- Color for Edge Selection
- Power Selection (if applicable)
- Color for Power Selection
- Laminate Selection for Worksurface
- Paint Color Selection for Base and Column

Notes

- Sizes 48" - 72" wide have two bases, sizes 78" - 90" wide have three bases.
- 60"D tables are an actual depth of 59"D.
- Power only available on tables 29"H, 36"D, and 42"W or larger.
- See Day-to-Day Power Options grid for details.

SURFACE	Option A (No Power)	OPTION B 1 Dock 281 Center with 1 Plugin Cord 1 Outlet 1 USB Type C 1 USB Type A	OPTION C 1 DOMINO Center with 1 Plugin Cord 2 Outlets 1 USB Type C 1 USB Type A	OPTION D 2 DOMINO with 2 Plugin Cords 4 Outlets 2 USB Type C 2 USB Type A	OPTION E 2 DOMINO Daisy Chain with 1 Plugin Cord 4 Outlets 2 USB Type C 2 USB Type A	OPTION F 1 Cove Unit Hardwired 2 Outlets 2 USB Type A	OPTION G 2 Cove Units Hardwired Daisy Chain 4 Outlets 4 USB Type A
Rectangle	●						
42"-66"W	●		●			●	
72"-120"W	●		●	●	●	●	●

© 2026, AIS, Inc.


Rectangular Tables with Arc Aluminum Double Post Bases

2MM EDGE RECTANGULAR TABLES WITH ARC ALUMINUM DOUBLE POST BASES


			On Glides		On Casters		
D	W	H	Model Number	List	Model Number	List	Grade C Laminate
42	96	29	T-RCR429629ATG	4,090	T-RCR429629ATC	3,895	+99
42	108	29	T-RCR4210829ATG	4,743	T-RCR4210829ATC	3,315	+109
42	120	29	T-RCR4212029ATG	4,903	T-RCR4212029ATC	4,622	+116
48	96	29	T-RCR489629ATG	4,290	T-RCR489629ATC	4,010	+99
48	108	29	T-RCR4810829ATG	3,958	T-RCR4810829ATC	3,680	+116
48	120	29	T-RCR4812029ATG	5,049	T-RCR4812029ATC	3,932	+123
54	96	29	T-RCR549629ATG	4,409	T-RCR549629ATC	4,128	+109
54	108	29	T-RCR5410829ATG	5,005	T-RCR5410829ATC	4,726	+123
54	120	29	T-RCR5412029ATG	5,193	T-RCR5412029ATC	4,912	+132
59	96	29	T-RCR609629ATG	4,523	T-RCR609629ATC	4,244	+123
59	108	29	T-RCR6010829ATG	5,136	T-RCR6010829ATC	4,856	+132
59	120	29	T-RCR6012029ATG	5,340	T-RCR6012029ATC	5,056	+146

KNIFE EDGE RECTANGULAR TABLES WITH ARC ALUMINUM DOUBLE POST BASES


			On Glides		On Casters		
D	W	H	Model Number	List	Model Number	List	Grade C Laminate
42	96	29	T-RCK429629ATG	5,986	T-RCK429629ATC	5,743	N/A
42	108	29	T-RCK4210829ATG	6,560	T-RCK4210829ATC	4,797	N/A
42	120	29	T-RCK4212029ATG	6,787	T-RCK4212029ATC	4,937	N/A
48	96	29	T-RCK489629ATG	6,186	T-RCK489629ATC	5,945	N/A
48	108	29	T-RCK4810829ATG	6,787	T-RCK4810829ATC	6,546	N/A
48	120	29	T-RCK4812029ATG	7,038	T-RCK4812029ATC	6,796	N/A
54	96	29	T-RCK549629ATG	6,385	T-RCK549629ATC	6,144	N/A
54	108	29	T-RCK5410829ATG	7,013	T-RCK5410829ATC	6,770	N/A
54	120	29	T-RCK5412029ATG	7,288	T-RCK5412029ATC	7,046	N/A
59	96	29	T-RCK609629ATG	6,585	T-RCK609629ATC	6,344	N/A
59	108	29	T-RCK6010829ATG	7,240	T-RCK6010829ATC	6,995	N/A
59	120	29	T-RCK6012029ATG	7,539	T-RCK6012029ATC	7,297	N/A




On Glides



On Casters
(Powered version shown)



On Glides



On Casters

Specify

- Color for Edge Selection
- Power Selection (if applicable)
- Color for Power Selection
- Laminate Selection for Worksurface
- Paint Color Selection for Base and Column

Notes

- 108 and 120 wide worksurfaces are made from two pieces.
- On 108 and 120 wide worksurfaces, grain “direction” will match per worksurface section, however grain “patterns” will not be lined up or matched exactly.
- 60”D tables are an actual depth of 59”D.
- Power only available on tables 29”H, 36”D, and 42”W or larger.
- See Day-to-Day Power Options grid for details.

SURFACE	Option A (No Power)	OPTION B 1 Dock 281 Center with 1 Plugin Cord 1 Outlet 1 USB Type C 1 USB Type A	OPTION C 1 DOMINO Center with 1 Plugin Cord 2 Outlets 1 USB Type C 1 USB Type A	OPTION D 2 DOMINO with 2 Plugin Cords 4 Outlets 2 USB Type C 2 USB Type A	OPTION E 2 DOMINO Daisy Chain with 1 Plugin Cord 4 Outlets 2 USB Type C 2 USB Type A	OPTION F 1 Cove Unit Hardwired 2 Outlets 2 USB Type A	OPTION G 2 Cove Units Hardwired Daisy Chain 4 Outlets 4 USB Type A
Rectangle	●						
42”-66”W	●		●			●	
72”-120”W	●		●	●	●	●	●

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Pebble Tables with Square Post Legs

2MM EDGE PEBBLE TABLES WITH SQUARE POST LEGS

			On Glides		On Casters		
D	W	H	Model Number	List	Model Number	List	Grade C Laminate
36	42	29	T-PBR364229SQG	1,940	T-PBR364229SQC	2,016	+50
36	48	29	T-PBR364829SQG	1,983	T-PBR364829SQC	2,058	+53
36	54	29	T-PBR365429SQG	2,129	T-PBR365429SQC	2,204	+61
36	60	29	T-PBR366029SQG	2,245	T-PBR366029SQC	2,319	+68
36	66	29	T-PBR366629SQG	2,318	T-PBR366629SQC	2,393	+72
36	72	29	T-PBR367229SQG	2,392	T-PBR367229SQC	2,466	+80
42	48	29	T-PBR424829SQG	2,044	T-PBR424829SQC	2,116	+57
42	54	29	T-PBR425429SQG	2,196	T-PBR425429SQC	2,269	+63
42	60	29	T-PBR426029SQG	2,374	T-PBR426029SQC	2,451	+67
42	66	29	T-PBR426629SQG	2,454	T-PBR426629SQC	2,528	+68
42	72	29	T-PBR427229SQG	2,534	T-PBR427229SQC	2,609	+77
48	54	29	T-PBR485429SQG	2,258	T-PBR485429SQC	2,335	+68
48	60	29	T-PBR486029SQG	2,449	T-PBR486029SQC	2,522	+68
48	66	29	T-PBR486629SQG	2,534	T-PBR486629SQC	2,609	+75
48	72	29	T-PBR487229SQG	2,624	T-PBR487229SQC	2,697	+77

KNIFE EDGE PEBBLE TABLES WITH SQUARE POST LEGS


			On Glides		On Casters		
D	W	H	Model Number	List	Model Number	List	Grade C Laminate
36	42	29	T-PBK364229SQG	3,619	T-PBK364229SQC	3,681	N/A
36	48	29	T-PBK364829SQG	3,693	T-PBK364829SQC	3,757	N/A
36	54	29	T-PBK365429SQG	3,855	T-PBK365429SQC	3,922	N/A
36	60	29	T-PBK366029SQG	3,994	T-PBK366029SQC	4,057	N/A
36	66	29	T-PBK366629SQG	4,093	T-PBK366629SQC	4,159	N/A
36	72	29	T-PBK367229SQG	4,194	T-PBK367229SQC	4,257	N/A
42	48	29	T-PBK424829SQG	3,794	T-PBK424829SQC	3,856	N/A
42	54	29	T-PBK425429SQG	3,971	T-PBK425429SQC	4,034	N/A
42	60	29	T-PBK426029SQG	4,168	T-PBK426029SQC	4,233	N/A
42	66	29	T-PBK426629SQG	4,280	T-PBK426629SQC	4,347	N/A
42	72	29	T-PBK427229SQG	4,395	T-PBK427229SQC	4,459	N/A
48	54	29	T-PBK485429SQG	4,080	T-PBK485429SQC	4,145	N/A
48	60	29	T-PBK486029SQG	4,295	T-PBK486029SQC	4,358	N/A
48	66	29	T-PBK486629SQG	4,422	T-PBK486629SQC	4,483	N/A
48	72	29	T-PBK487229SQG	4,546	T-PBK487229SQC	4,610	N/A




On Glides



On Casters



On Glides



On Casters

Specify

- Color for Edge Selection
- Power Selection (if applicable)
- Color for Power Selection
- Laminate Selection for Worksurface
- Paint Color Selection for Base and Column

Notes

- Power only available on tables 29”H, 36”D, and 42”W or larger.
- See Day-to-Day Power Options grid for details.

SURFACE	Option A (No Power)	OPTION B 1 Dock 281 Center with 1 Plugin Cord 1 Outlet 1 USB Type C 1 USB Type A	OPTION C 1 DOMINO Center with 1 Plugin Cord 2 Outlets 1 USB Type C 1 USB Type A	OPTION D 2 DOMINO with 2 Plugin Cords 4 Outlets 2 USB Type C 2 USB Type A	OPTION E 2 DOMINO Daisy Chain with 1 Plugin Cord 4 Outlets 2 USB Type C 2 USB Type A	OPTION F 1 Cove Unit Hardwired 2 Outlets 2 USB Type A	OPTION G 2 Cove Units Hardwired Daisy Chain 4 Outlets 4 USB Type A
Pebble Rectangular	●						
60”-66”W	●		●			●	
72”-96”W	●		●	●	●	●	●

© 2026, AIS, Inc.

Pebble Tables with Tapered Post Legs

2MM EDGE PEBBLE TABLES WITH TAPERED POST LEGS

			On Glides		On Casters		
D	W	H	Model Number	List	Model Number	List	Grade C Laminate
36	42	29	T-PBR364229TPG	2,133	T-PBR364229TPC	1,988	+50
36	48	29	T-PBR364829TPG	2,177	T-PBR364829TPC	2,032	+53
36	54	29	T-PBR365429TPG	2,324	T-PBR365429TPC	2,177	+61
36	60	29	T-PBR366029TPG	2,380	T-PBR366029TPC	2,238	+68
36	66	29	T-PBR366629TPG	2,512	T-PBR366629TPC	2,367	+72
36	72	29	T-PBR367229TPG	2,585	T-PBR367229TPC	2,439	+80
42	48	29	T-PBR424829TPG	2,238	T-PBR424829TPC	2,091	+57
42	54	29	T-PBR425429TPG	2,391	T-PBR425429TPC	2,244	+63
42	60	29	T-PBR426029TPG	2,453	T-PBR426029TPC	2,308	+67
42	66	29	T-PBR426629TPG	2,595	T-PBR426629TPC	2,448	+68
42	72	29	T-PBR427229TPG	2,672	T-PBR427229TPC	2,525	+77
48	54	29	T-PBR485429TPG	2,453	T-PBR485429TPC	2,308	+68
48	60	29	T-PBR486029TPG	2,525	T-PBR486029TPC	2,380	+68
48	66	29	T-PBR486629TPG	2,672	T-PBR486629TPC	2,525	+75
48	72	29	T-PBR487229TPG	2,758	T-PBR487229TPC	2,613	+77

KNIFE EDGE PEBBLE TABLES WITH TAPERED POST LEGS

			On Glides		On Casters		
D	W	H	Model Number	List	Model Number	List	Grade C Laminate
36	42	29	T-PBK364229TPG	3,783	T-PBK364229TPC	3,659	N/A
36	48	29	T-PBK364829TPG	3,860	T-PBK364829TPC	3,735	N/A
36	54	29	T-PBK365429TPG	4,021	T-PBK365429TPC	3,896	N/A
36	60	29	T-PBK366029TPG	4,114	T-PBK366029TPC	3,985	N/A
36	66	29	T-PBK366629TPG	4,260	T-PBK366629TPC	4,133	N/A
36	72	29	T-PBK367229TPG	4,360	T-PBK367229TPC	4,236	N/A
42	48	29	T-PBK424829TPG	3,959	T-PBK424829TPC	3,836	N/A
42	54	29	T-PBK425429TPG	4,133	T-PBK425429TPC	4,010	N/A
42	60	29	T-PBK426029TPG	4,236	T-PBK426029TPC	4,114	N/A
42	66	29	T-PBK426629TPG	4,397	T-PBK426629TPC	4,273	N/A
42	72	29	T-PBK427229TPG	4,513	T-PBK427229TPC	4,388	N/A
48	54	29	T-PBK485429TPG	4,248	T-PBK485429TPC	4,122	N/A
48	60	29	T-PBK486029TPG	4,360	T-PBK486029TPC	4,236	N/A
48	66	29	T-PBK486629TPG	4,538	T-PBK486629TPC	4,410	N/A
48	72	29	T-PBK487229TPG	4,663	T-PBK487229TPC	4,538	N/A



On Glides



On Casters



On Glides



On Casters

Specify

- Color for Edge Selection
- Power Selection (if applicable)
- Color for Power Selection
- Laminate Selection for Worksurface
- Paint Color Selection for Base and Column

Notes

- Power only available on tables 29”H, 36”D, and 42”W or larger.
- See Day-to-Day Power Options grid for details.

SURFACE	Option A (No Power)	OPTION B 1 Dock 281 Center with 1 Plugin Cord 1 Outlet 1 USB Type C 1 USB Type A	OPTION C 1 DOMINO Center with 1 Plugin Cord 2 Outlets 1 USB Type C 1 USB Type A	OPTION D 2 DOMINO with 2 Plugin Cords 4 Outlets 2 USB Type C 2 USB Type A	OPTION E 2 DOMINO Daisy Chain with 1 Plugin Cord 4 Outlets 2 USB Type C 2 USB Type A	OPTION F 1 Cove Unit Hardwired 2 Outlets 2 USB Type A	OPTION G 2 Cove Units Hardwired Daisy Chain 4 Outlets 4 USB Type A
Pebble Rectangular	●						
60”-66”W	●		●			●	
72”-96”W	●		●	●	●	●	●

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Pebble Tables with Steel T-Bases

2MM EDGE PEBBLE TABLES WITH STEEL T-BASES

			On Glides		On Casters		
D	W	H	Model Number	List	Model Number	List	Grade C Laminate
36	42	29	T-PBR364229STG	2,003	T-PBR364229STC	2,131	+50
36	48	29	T-PBR364829STG	2,046	T-PBR364829STC	2,174	+53
36	54	29	T-PBR365429STG	2,091	T-PBR365429STC	2,215	+61
36	60	29	T-PBR366029STG	2,220	T-PBR366029STC	2,348	+68
36	66	29	T-PBR366629STG	2,280	T-PBR366629STC	2,407	+72
36	72	29	T-PBR367229STG	2,336	T-PBR367229STC	2,466	+80

KNIFE EDGE PEBBLE TABLES WITH STEEL T-BASES

			On Glides		On Casters		
D	W	H	Model Number	List	Model Number	List	Grade C Laminate
36	42	29	T-PBK364229STG	3,671	T-PBK364229STC	3,780	N/A
36	48	29	T-PBK364829STG	3,745	T-PBK364829STC	3,856	N/A
36	54	29	T-PBK365429STG	3,821	T-PBK365429STC	3,933	N/A
36	60	29	T-PBK366029STG	3,973	T-PBK366029STC	4,083	N/A
36	66	29	T-PBK366629STG	4,061	T-PBK366629STC	4,169	N/A
36	72	29	T-PBK367229STG	4,146	T-PBK367229STC	4,257	N/A



On Glides



On Casters



On Glides



On Casters

Specify

- Color for Edge Selection
- Power Selection (if applicable)
- Color for Power Selection
- Laminate Selection for Worksurface
- Paint Color Selection for Base and Column

Notes

- Power only available on tables 29”H, 36”D, and 42”W or larger.
- See Day-to-Day Power Options grid for details.

SURFACE	Option A (No Power)	OPTION B 1 Dock 281 Center with 1 Plugin Cord 1 Outlet 1 USB Type C 1 USB Type A	OPTION C 1 DOMINO Center with 1 Plugin Cord 2 Outlets 1 USB Type C 1 USB Type A	OPTION D 2 DOMINO with 2 Plugin Cords 4 Outlets 2 USB Type C 2 USB Type A	OPTION E 2 DOMINO Daisy Chain with 1 Plugin Cord 4 Outlets 2 USB Type C 2 USB Type A	OPTION F 1 Cove Unit Hardwired 2 Outlets 2 USB Type A	OPTION G 2 Cove Units Hardwired Daisy Chain 4 Outlets 4 USB Type A
Pebble Rectangular	●						
60”-66”W	●		●			●	
72”-96”W	●		●	●	●	●	●

© 2026, AIS, Inc.

Pebble Tables with Arc Aluminum T-Bases

2MM EDGE PEBBLE TABLES WITH ARC ALUMINUM T-BASES


			On Glides		On Casters		
D	W	H	Model Number	List	Model Number	List	Grade C Laminate
36	42	29	T-PBR364229ATG	1,881	T-PBR364229ATC	1,712	+50
36	48	29	T-PBR364829ATG	1,924	T-PBR364829ATC	1,755	+53
36	54	29	T-PBR365429ATG	1,967	T-PBR365429ATC	1,800	+61
36	60	29	T-PBR366029ATG	2,009	T-PBR366029ATC	1,843	+68
36	66	29	T-PBR366629ATG	2,054	T-PBR366629ATC	1,888	+72
36	72	29	T-PBR367229ATG	2,271	T-PBR367229ATC	2,017	+80
36	78	29	T-PBR367829ATG	2,811	T-PBR367829ATC	2,559	+88
36	84	29	T-PBR368429ATG	2,853	T-PBR368429ATC	2,604	+96
36	90	29	T-PBR369029ATG	2,894	T-PBR369029ATC	2,645	+99
36	96	29	T-PBR369629ATG	2,940	T-PBR369629ATC	2,690	+99
36	108	29	T-PBR3610829ATG	3,027	-	-	+109
36	120	29	T-PBR3612029ATG	3,289	-	-	+116

KNIFE EDGE PEBBLE TABLES WITH ARC ALUMINUM T-BASES

			On Glides		On Casters		
D	W	H	Model Number	List	Model Number	List	Grade C Laminate
36	42	29	T-PBK364229ATG	3,565	T-PBK364229ATC	3,420	N/A
36	48	29	T-PBK364829ATG	3,637	T-PBK364829ATC	3,497	N/A
36	54	29	T-PBK365429ATG	3,715	T-PBK365429ATC	3,570	N/A
36	60	29	T-PBK366029ATG	3,791	T-PBK366029ATC	3,646	N/A
36	66	29	T-PBK366629ATG	3,863	T-PBK366629ATC	3,721	N/A
36	72	29	T-PBK367229ATG	4,016	T-PBK367229ATC	3,868	N/A
36	78	29	T-PBK367829ATG	4,591	T-PBK367829ATC	4,375	N/A
36	84	29	T-PBK368429ATG	4,667	T-PBK368429ATC	4,451	N/A
36	90	29	T-PBK369029ATG	4,743	T-PBK369029ATC	4,526	N/A
36	96	29	T-PBK369629ATG	4,817	T-PBK369629ATC	4,602	N/A
36	108	29	T-PBK3610829ATG	4,968	-	-	N/A
36	120	29	T-PBK3612029ATG	5,270	-	-	N/A



42" - 96" Wide
On Glides



108" - 120" Wide
On Glides
(Powered version shown)



42" - 96" Wide
On Casters



42" - 96" Wide
On Glides



108" - 120" Wide
On Glides



42" - 96" Wide
On Casters

Specify

- Color for Edge Selection
- Power Selection (if applicable)
- Color for Power Selection
- Laminate Selection for Worksurface
- Paint Color Selection for Base and Column

Notes

- Power only available on tables 29"H, 36"D, and 42"W or larger.
- See Day-to-Day Power Options grid for details.

SURFACE	Option A (No Power)	OPTION B 1 Dock 281 Center with 1 Plugin Cord 1 Outlet 1 USB Type C 1 USB Type A	OPTION C 1 DOMINO Center with 1 Plugin Cord 2 Outlets 1 USB Type C 1 USB Type A	OPTION D 2 DOMINO with 2 Plugin Cords 4 Outlets 2 USB Type C 2 USB Type A	OPTION E 2 DOMINO Daisy Chain with 1 Plugin Cord 4 Outlets 2 USB Type C 2 USB Type A	OPTION F 1 Cove Unit Hardwired 2 Outlets 2 USB Type A	OPTION G 2 Cove Units Hardwired Daisy Chain 4 Outlets 4 USB Type A
Pebble Rectangular	●						
60"-66"W	●		●			●	
72"-96"W	●		●	●	●	●	●

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Pebble Tables with Arc Aluminum Double Post Bases

2MM EDGE PEBBLE TABLES WITH ARC ALUMINUM DOUBLE POST BASES

			On Glides		On Casters		
D	W	H	Model Number	List	Model Number	List	Grade C Laminate
42	48	29	T-PBR424829ATG	2,729	T-PBR424829ATC	2,541	+57
42	54	29	T-PBR425429ATG	2,778	T-PBR425429ATC	2,593	+63
42	60	29	T-PBR426029ATG	2,828	T-PBR426029ATC	2,644	+67
42	66	29	T-PBR426629ATG	3,114	T-PBR426629ATC	2,925	+68
42	72	29	T-PBR427229ATG	3,193	T-PBR427229ATC	3,006	+77
42	78	29	T-PBR427829ATG	3,936	-	-	+96
42	84	29	T-PBR428429ATG	3,986	-	-	+96
42	90	29	T-PBR429029ATG	4,038	-	-	+99
48	54	29	T-PBR485429ATG	2,843	T-PBR485429ATC	2,657	+68
48	60	29	T-PBR486029ATG	2,904	T-PBR486029ATC	2,715	+68
48	66	29	T-PBR486629ATG	3,193	T-PBR486629ATC	3,006	+75
48	72	29	T-PBR487229ATG	3,280	T-PBR487229ATC	3,093	+77
48	78	29	T-PBR487829ATG	4,056	-	-	+88
48	84	29	T-PBR488429ATG	4,115	-	-	+97
48	90	29	T-PBR489029ATG	4,171	-	-	+99

KNIFE EDGE PEBBLE TABLES WITH ARC ALUMINUM DOUBLE POST BASES

			On Glides		On Casters		
D	W	H	Model Number	List	Model Number	List	Grade C Laminate
42	48	29	T-PBK424829ATG	4,386	T-PBK424829ATC	4,222	N/A
42	54	29	T-PBK425429ATG	4,472	T-PBK425429ATC	4,311	N/A
42	60	29	T-PBK426029ATG	4,560	T-PBK426029ATC	4,397	N/A
42	66	29	T-PBK426629ATG	4,848	T-PBK426629ATC	4,688	N/A
42	72	29	T-PBK427229ATG	4,962	T-PBK427229ATC	4,798	N/A
42	78	29	T-PBK427829ATG	5,647	-	-	N/A
42	84	29	T-PBK428429ATG	5,733	-	-	N/A
42	90	29	T-PBK429029ATG	5,819	-	-	N/A
48	54	29	T-PBK485429ATG	4,587	T-PBK485429ATC	4,425	N/A
48	60	29	T-PBK486029ATG	4,686	T-PBK486029ATC	4,523	N/A
48	66	29	T-PBK486629ATG	4,987	T-PBK486629ATC	4,826	N/A
48	72	29	T-PBK487229ATG	5,110	T-PBK487229ATC	4,950	N/A
48	78	29	T-PBK487829ATG	5,832	-	-	N/A
48	84	29	T-PBK488429ATG	5,930	-	-	N/A
48	90	29	T-PBK489029ATG	6,032	-	-	N/A


48” - 72” Wide
On Glides


78” - 90” Wide
On Glides


48” - 72” Wide
On Casters


48” - 72” Wide
On Glides


78” - 90” Wide
On Glides


48” - 72” Wide
On Casters

Specify	Notes
• Color for Edge Selection	• Sizes 66” - 72” wide have two bases, sizes 78” - 90” wide have three bases.
• Power Selection (if applicable)	• 60”D tables are an actual depth of 59”D.
• Color for Power Selection	• Power only available on tables 29”H, 36”D, and 42”W or larger.
• Laminate Selection for Worksurface	• See Day-to-Day Power Options grid for details.
• Paint Color Selection for Base and Column	

SURFACE	Option A (No Power)	OPTION B 1 Dock 281 Center with 1 Plugin Cord 1 Outlet 1 USB Type C 1 USB Type A	OPTION C 1 DOMINO Center with 1 Plugin Cord 2 Outlets 1 USB Type C 1 USB Type A	OPTION D 2 DOMINO with 2 Plugin Cords 4 Outlets 2 USB Type C 2 USB Type A	OPTION E 2 DOMINO Daisy Chain with 1 Plugin Cord 4 Outlets 2 USB Type C 2 USB Type A	OPTION F 1 Cove Unit Hardwired 2 Outlets 2 USB Type A	OPTION G 2 Cove Units Hardwired Daisy Chain 4 Outlets 4 USB Type A
Pebble Rectangular	●						
60”-66”W	●		●			●	
72”-96”W	●		●	●	●	●	●

© 2026, AIS, Inc.

Pebble Tables with Arc Aluminum Double Post Bases

2MM EDGE PEBBLE TABLES WITH ARC ALUMINUM DOUBLE POST BASES

			On Glides		On Casters		
D	W	H	Model Number	List	Model Number	List	Grade C Laminate
54	60	29	T-PBR546029ATG	2,991	T-PBR546029ATC	2,788	+75
54	66	29	T-PBR546629ATG	3,273	T-PBR546629ATC	3,084	+80
54	72	29	T-PBR547229ATG	3,370	T-PBR547229ATC	3,179	+86
54	78	29	T-PBR547829ATG	4,127	T-PBR547829ATC	3,846	+86
54	84	29	T-PBR548429ATG	4,190	T-PBR548429ATC	3,911	+94
54	90	29	T-PBR549029ATG	4,255	T-PBR549029ATC	3,974	+99
59	66	29	T-PBR606629ATG	3,353	T-PBR606629ATC	3,168	+75
59	72	29	T-PBR607229ATG	3,454	T-PBR607229ATC	3,269	+86
59	78	29	T-PBR607829ATG	4,217	-	-	+94
59	84	29	T-PBR608429ATG	4,290	-	-	+99
59	90	29	T-PBR609029ATG	4,364	-	-	+109

KNIFE EDGE PEBBLE TABLES WITH ARC ALUMINUM DOUBLE POST BASES

			On Glides		On Casters		
D	W	H	Model Number	List	Model Number	List	Grade C Laminate
54	60	29	T-PBK546029ATG	4,827	T-PBK546029ATC	4,649	N/A
54	66	29	T-PBK546629ATG	5,124	T-PBK546629ATC	4,963	N/A
54	72	29	T-PBK547229ATG	5,263	T-PBK547229ATC	5,099	N/A
54	78	29	T-PBK547829ATG	5,971	T-PBK547829ATC	5,731	N/A
54	84	29	T-PBK548429ATG	6,085	T-PBK548429ATC	5,843	N/A
54	90	29	T-PBK549029ATG	6,197	T-PBK549029ATC	5,957	N/A
59	66	29	T-PBK606629ATG	5,263	T-PBK606629ATC	5,099	N/A
59	72	29	T-PBK607229ATG	5,413	T-PBK607229ATC	5,249	N/A
59	78	29	T-PBK607829ATG	6,134	-	-	N/A
59	84	29	T-PBK608429ATG	6,262	-	-	N/A
59	90	29	T-PBK609029ATG	6,385	-	-	N/A


48” - 72” Wide
On Glides


78” - 90” Wide
On Glides


48” - 72” Wide
On Casters


48” - 72” Wide
On Glides


78” - 90” Wide
On Glides


48” - 72” Wide
On Casters

Specify

- Color for Edge Selection
- Power Selection (if applicable)
- Color for Power Selection
- Laminate Selection for Worksurface
- Paint Color Selection for Base and Column

Notes

- Sizes 66” - 72” wide have two bases, sizes 78” - 90” wide have three bases.
- 60”D tables are an actual depth of 59”D.
- Power only available on tables 29”H, 36”D, and 42”W or larger.
- See Day-to-Day Power Options grid for details.

SURFACE	Option A (No Power)	OPTION B 1 Dock 281 Center with 1 Plugin Cord 1 Outlet 1 USB Type C 1 USB Type A	OPTION C 1 DOMINO Center with 1 Plugin Cord 2 Outlets 1 USB Type C 1 USB Type A	OPTION D 2 DOMINO with 2 Plugin Cords 4 Outlets 2 USB Type C 2 USB Type A	OPTION E 2 DOMINO Daisy Chain with 1 Plugin Cord 4 Outlets 2 USB Type C 2 USB Type A	OPTION F 1 Cove Unit Hardwired 2 Outlets 2 USB Type A	OPTION G 2 Cove Units Hardwired Daisy Chain 4 Outlets 4 USB Type A
Pebble Rectangular	●						
60”-66”W	●		●			●	
72”-96”W	●		●	●	●	●	●


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Pebble Tables with Arc Aluminum Double Post Bases

2MM EDGE PEBBLE TABLES WITH ARC ALUMINUM DOUBLE POST BASES ON GLIDES


D	W	H	Model Number	List	Grade C Laminate
42	96	29	T-PBR429629ATG	4,175	+99
42	108	29	T-PBR4210829ATG	4,743	+109
42	120	29	T-PBR4212029ATG	4,903	+116
48	96	29	T-PBR489629ATG	4,290	+99
48	108	29	T-PBR4810829ATG	4,874	+99
48	120	29	T-PBR4812029ATG	5,049	+116
54	96	29	T-PBR549629ATG	4,409	+99
54	108	29	T-PBR5410829ATG	5,005	+109
54	120	29	T-PBR5412029ATG	5,193	+123
59	96	29	T-PBR609629ATG	4,523	+123
59	108	29	T-PBR6010829ATG	5,136	+132
59	120	29	T-PBR6012029ATG	5,340	+146



On Glides
(Powered version shown)

KNIFE EDGE PEBBLE TABLES WITH ARC ALUMINUM DOUBLE POST BASES ON GLIDES

D	W	H	Model Number	List	Grade C Laminate
42	96	29	T-PBK429629ATG	5,986	N/A
42	108	29	T-PBK4210829ATG	5,039	N/A
42	120	29	T-PBK4212029ATG	6,787	N/A
48	96	29	T-PBK489629ATG	6,186	N/A
48	108	29	T-PBK4810829ATG	6,787	N/A
48	120	29	T-PBK4812029ATG	7,038	N/A
54	96	29	T-PBK549629ATG	6,385	N/A
54	108	29	T-PBK5410829ATG	7,013	N/A
54	120	29	T-PBK5412029ATG	7,288	N/A
59	96	29	T-PBK609629ATG	6,585	N/A
59	108	29	T-PBK6010829ATG	7,240	N/A
59	120	29	T-PBK6012029ATG	7,539	N/A



On Glides

Specify

- Color for Edge Selection
- Power Selection (if applicable)
- Color for Power Selection
- Laminate Selection for Worksurface
- Paint Color Selection for Base and Column

Notes

- 108 and 120 wide worksurfaces are made from two pieces.
- On 108 and 120 wide worksurfaces, grain “direction” will match per worksurface section, however grain “patterns” will not be lined up or matched exactly.
- 60”D tables are an actual depth of 59”D.
- Power only available on tables 29”H, 36”D, and 42”W or larger.
- See Day-to-Day Power Options grid for details.

SURFACE	Option A (No Power)	OPTION B 1 Dock 281 Center with 1 Plugin Cord 1 Outlet 1 USB Type C 1 USB Type A	OPTION C 1 DOMINO Center with 1 Plugin Cord 2 Outlets 1 USB Type C 1 USB Type A	OPTION D 2 DOMINO with 2 Plugin Cords 4 Outlets 2 USB Type C 2 USB Type A	OPTION E 2 DOMINO Daisy Chain with 1 Plugin Cord 4 Outlets 2 USB Type C 2 USB Type A	OPTION F 1 Cove Unit Hardwired 2 Outlets 2 USB Type A	OPTION G 2 Cove Units Hardwired Daisy Chain 4 Outlets 4 USB Type A
Pebble Rectangular	●						
60”-66”W	●		●			●	
72”-96”W	●		●	●	●	●	●

© 2026, AIS, Inc.


Square Tables with Square Post Legs

2MM EDGE SQUARE TABLES WITH SQUARE POST LEGS


			On Glides		On Casters		
D	W	H	Model Number	List	Model Number	List	Grade C Laminate
30	30	29	T-SQR303029SQG	1,816	T-SQR303029SQC	1,890	+30
36	36	29	T-SQR363629SQG	1,897	T-SQR363629SQC	1,972	+41
42	42	29	T-SQR424229SQG	1,989	T-SQR424229SQC	2,064	+52
48	48	29	T-SQR484829SQG	2,274	T-SQR484829SQC	2,348	+60
54	54	29	T-SQR545429SQG	2,427	T-SQR545429SQC	2,503	+70
59	59	29	T-SQR606029SQG	2,769	T-SQR606029SQC	2,841	+75

KNIFE EDGE SQUARE TABLES WITH SQUARE POST LEGS


			On Glides		On Casters		
D	W	H	Model Number	List	Model Number	List	Grade C Laminate
30	30	29	T-SQK303029SQG	3,405	T-SQK303029SQC	3,469	N/A
36	36	29	T-SQK363629SQG	3,541	T-SQK363629SQC	3,604	N/A
42	42	29	T-SQK424229SQG	3,706	T-SQK424229SQC	3,770	N/A
48	48	29	T-SQK484829SQG	4,043	T-SQK484829SQC	4,110	N/A
54	54	29	T-SQK545429SQG	4,280	T-SQK545429SQC	4,347	N/A
59	59	29	T-SQK606029SQG	4,697	T-SQK606029SQC	4,758	N/A




On Glides



On Casters



On Glides



On Casters

Specify

- Color for Edge Selection
- Power Selection (if applicable)
- Color for Power Selection
- Laminate Selection for Worksurface
- Paint Color Selection for Base and Column

Notes

- Power only available on tables 29”H, 36”D, and 42”W or larger.
- See Day-to-Day Power Options grid for details.

SURFACE	Option A (No Power)	OPTION B 1 Dock 281 Center with 1 Plugin Cord 1 Outlet 1 USB Type C 1 USB Type A	OPTION C 1 DOMINO Center with 1 Plugin Cord 2 Outlets 1 USB Type C 1 USB Type A	OPTION D 2 DOMINO with 2 Plugin Cords 4 Outlets 2 USB Type C 2 USB Type A	OPTION E 2 DOMINO Daisy Chain with 1 Plugin Cord 4 Outlets 2 USB Type C 2 USB Type A	OPTION F 1 Cove Unit Hardwired 2 Outlets 2 USB Type A	OPTION G 2 Cove Units Hardwired Daisy Chain 4 Outlets 4 USB Type A
Square	●	●	●				●


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Square Tables with Tapered Post Legs

2MM EDGE SQUARE TABLES WITH TAPERED POST LEGS

			On Glides		On Casters		
D	W	H	Model Number	List	Model Number	List	Grade C Laminate
36	36	29	T-SQR363629TPG	2,091	T-SQR363629TPC	1,945	+41
42	42	29	T-SQR424229TPG	2,186	T-SQR424229TPC	2,040	+52
48	48	29	T-SQR484829TPG	2,468	T-SQR484829TPC	2,324	+60
54	54	29	T-SQR545429TPG	2,623	T-SQR545429TPC	2,477	+70
59	59	29	T-SQR606029TPG	2,963	T-SQR606029TPC	2,819	+75




On Glides



On Casters

KNIFE EDGE SQUARE TABLES WITH TAPERED POST LEGS

			On Glides		On Casters		
D	W	H	Model Number	List	Model Number	List	Grade C Laminate
36	36	29	T-SQK363629TPG	3,710	T-SQK363629TPC	3,585	N/A
42	42	29	T-SQK424229TPG	3,868	T-SQK424229TPC	3,745	N/A
48	48	29	T-SQK484829TPG	4,212	T-SQK484829TPC	4,085	N/A
54	54	29	T-SQK545429TPG	4,446	T-SQK545429TPC	4,323	N/A
59	59	29	T-SQK606029TPG	4,862	T-SQK606029TPC	4,737	N/A



On Glides



On Casters

Specify

- Color for Edge Selection
- Power Selection (if applicable)
- Color for Power Selection
- Laminate Selection for Worksurface
- Paint Color Selection for Base and Column

Notes

- 60”D tables are an actual depth of 59”D.
- Power only available on tables 29”H, 36”D, and 42”W or larger.
- See Day-to-Day Power Options grid for details.


SURFACE	Option A (No Power)	OPTION B 1 Dock 281 Center with 1 Plugin Cord 1 Outlet 1 USB Type C 1 USB Type A	OPTION C 1 DOMINO Center with 1 Plugin Cord 2 Outlets 1 USB Type C 1 USB Type A	OPTION D 2 DOMINO with 2 Plugin Cords 4 Outlets 2 USB Type C 2 USB Type A	OPTION E 2 DOMINO Daisy Chain with 1 Plugin Cord 4 Outlets 2 USB Type C 2 USB Type A	OPTION F 1 Cove Unit Hardwired 2 Outlets 2 USB Type A	OPTION G 2 Cove Units Hardwired Daisy Chain 4 Outlets 4 USB Type A
Square	●	●	●				●

© 2026, AIS, Inc.

Square Tables with Slant Post Legs

2MM EDGE SQUARE TABLES WITH SLANT POST LEGS ON GLIDES


D	W	H	Model Number	List	Grade C Laminate
36	36	29	T-SQR363629SLG	2,243	+41
42	42	29	T-SQR424229SLG	2,336	+52
48	48	29	T-SQR484829SLG	2,618	+60
54	54	29	T-SQR545429SLG	2,774	+70
59	59	29	T-SQR606029SLG	3,114	+75



On Glides

KNIFE EDGE SQUARE TABLES WITH SLANT POST LEGS ON GLIDES

D	W	H	Model Number	List	Grade C Laminate
36	36	29	T-SQK363629SLG	3,841	N/A
42	42	29	T-SQK424229SLG	4,002	N/A
48	48	29	T-SQK484829SLG	4,343	N/A
54	54	29	T-SQK545429SLG	4,579	N/A
59	59	29	T-SQK606029SLG	4,994	N/A



On Glides

Specify

- Color for Edge Selection
- Power Selection (if applicable)
- Color for Power Selection
- Laminate Selection for Worksurface
- Paint Color Selection for Base and Column

Notes

- 60”D tables are an actual depth of 59”D.
- Power only available on tables 29”H, 36”D, and 42”W or larger.
- See Day-to-Day Power Options grid for details.

SURFACE	Option A (No Power)	OPTION B 1 Dock 281 Center with 1 Plugin Cord 1 Outlet 1 USB Type C 1 USB Type A	OPTION C 1 DOMINO Center with 1 Plugin Cord 2 Outlets 1 USB Type C 1 USB Type A	OPTION D 2 DOMINO with 2 Plugin Cords 4 Outlets 2 USB Type C 2 USB Type A	OPTION E 2 DOMINO Daisy Chain with 1 Plugin Cord 4 Outlets 2 USB Type C 2 USB Type A	OPTION F 1 Cove Unit Hardwired 2 Outlets 2 USB Type A	OPTION G 2 Cove Units Hardwired Daisy Chain 4 Outlets 4 USB Type A
Square	●	●	●				●


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Square Tables with Arc Aluminum Double Post Bases

2MM EDGE SQUARE TABLES WITH ARC ALUMINUM DOUBLE POST BASES

		On Glides		On Casters		
D	H	Model Number	List	Model Number	List	Grade C Laminate
42	29	T-SQR4229ATG	2,678	T-SQR4229ATC	2,490	+52
48	29	T-SQR4829ATG	2,787	T-SQR4829ATC	2,598	+60
54	29	T-SQR5429ATG	2,911	T-SQR5429ATC	2,722	+70
59	29	T-SQR6029ATG	3,047	T-SQR6029ATC	2,861	+75




On Glides




On Casters

KNIFE EDGE SQUARE TABLES WITH ARC ALUMINUM DOUBLE POST BASES

		On Glides		On Casters		
D	H	Model Number	List	Model Number	List	Grade C Laminate
42	29	T-SQK4229ATG	4,296	T-SQK4229ATC	4,133	N/A
48	29	T-SQK4829ATG	4,484	T-SQK4829ATC	4,323	N/A
54	29	T-SQK5429ATG	4,698	T-SQK5429ATC	4,538	N/A
59	29	T-SQK6029ATG	4,937	T-SQK6029ATC	4,774	N/A



On Glides



On Casters

Specify

- Color for Edge Selection
- Power Selection (if applicable)
- Color for Power Selection
- Laminate Selection for Worksurface
- Paint Color Selection for Base and Column

Notes

- 60”D tables are an actual depth of 59”D.
- Power only available on tables 29”H, 36”D, and 42”W or larger.
- See Day-to-Day Power Options grid for details.

SURFACE	Option A (No Power)	OPTION B 1 Dock 281 Center with 1 Plugin Cord 1 Outlet 1 USB Type C 1 USB Type A	OPTION C 1 DOMINO Center with 1 Plugin Cord 2 Outlets 1 USB Type C 1 USB Type A	OPTION D 2 DOMINO with 2 Plugin Cords 4 Outlets 2 USB Type C 2 USB Type A	OPTION E 2 DOMINO Daisy Chain with 1 Plugin Cord 4 Outlets 2 USB Type C 2 USB Type A	OPTION F 1 Cove Unit Hardwired 2 Outlets 2 USB Type A	OPTION G 2 Cove Units Hardwired Daisy Chain 4 Outlets 4 USB Type A
Square	●	●	●				●

© 2026, AIS, Inc.


Round Tables with Square Post Legs

2MM EDGE ROUND TABLES WITH SQUARE POST LEGS

		On Glides		On Casters		
D	H	Model Number	List	Model Number	List	Grade C Laminate
30	29	T-RDR3029SQG	1,816	T-RDR3029SQC	1,890	+39
36	29	T-RDR3629SQG	1,897	T-RDR3629SQC	1,972	+56
42	29	T-RDR4229SQG	1,989	T-RDR4229SQC	2,064	+67
48	29	T-RDR4829SQG	2,101	T-RDR4829SQC	2,174	+70
54	29	T-RDR5429SQG	2,398	T-RDR5429SQC	2,473	+75
59	29	T-RDR6029SQG	2,565	T-RDR6029SQC	2,638	+82

KNIFE EDGE ROUND TABLES WITH SQUARE POST LEGS


		On Glides		On Casters		
D	H	Model Number	List	Model Number	List	Grade C Laminate
30	29	T-RDK3029SQG	3,405	T-RDK3029SQC	3,469	N/A
36	29	T-RDK3629SQG	3,541	T-RDK3629SQC	3,604	N/A
42	29	T-RDK4229SQG	3,706	T-RDK4229SQC	3,770	N/A
48	29	T-RDK4829SQG	3,893	T-RDK4829SQC	3,957	N/A
54	29	T-RDK5429SQG	4,255	T-RDK5429SQC	4,322	N/A
59	29	T-RDK6029SQG	4,520	T-RDK6029SQC	4,583	N/A



On Glides



On Casters



On Glides



On Casters

Specify	Notes
• Laminate Selection for Worksurface	• 60”D tables are an actual depth of 59”D.
• Color Selection for Edge	• Power only available on tables 29”H, 36”D, and 42”W or larger.
• Color Selection for Leg	• See Day-to-Day Power options grid for details.
• Power Selection	
• Color Selection for Power Option	

SURFACE	Option A (No Power)	OPTION B 1 Dock 281 Center with 1 Plugin Cord 1 Outlet 1 USB Type C 1 USB Type A	OPTION C 1 DOMINO Center with 1 Plugin Cord 2 Outlets 1 USB Type C 1 USB Type A	OPTION D 2 DOMINO with 2 Plugin Cords 4 Outlets 2 USB Type C 2 USB Type A	OPTION E 2 DOMINO Daisy Chain with 1 Plugin Cord 4 Outlets 2 USB Type C 2 USB Type A	OPTION F 1 Cove Unit Hardwired 2 Outlets 2 USB Type A	OPTION G 2 Cove Units Hardwired Daisy Chain 4 Outlets 4 USB Type A
Round	●	●					

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Round Tables with Tapered Post Legs

2MM EDGE ROUND TABLES WITH TAPERED POST LEGS

		On Glides		On Casters		
D	H	Model Number	List	Model Number	List	Grade C Laminate
36	29	T-RDR3629TPG	2,091	T-RDR3629TPC	1,945	+56
42	29	T-RDR4229TPG	2,186	T-RDR4229TPC	2,040	+67
48	29	T-RDR4829TPG	2,295	T-RDR4829TPC	2,148	+70
54	29	T-RDR5429TPG	2,595	T-RDR5429TPC	2,448	+75
59	29	T-RDR6029TPG	2,758	T-RDR6029TPC	2,613	+82

KNIFE EDGE ROUND TABLES WITH TAPERED POST LEGS

		On Glides		On Casters		
D	H	Model Number	List	Model Number	List	Grade C Laminate
36	29	T-RDK3629TPG	3,710	T-RDK3629TPC	3,585	N/A
42	29	T-RDK4229TPG	3,868	T-RDK4229TPC	3,745	N/A
48	29	T-RDK4829TPG	4,061	T-RDK4829TPC	3,936	N/A
54	29	T-RDK5429TPG	4,425	T-RDK5429TPC	4,298	N/A
59	29	T-RDK6029TPG	4,688	T-RDK6029TPC	4,563	N/A



On Glides



On Casters



On Glides



On Casters

Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Color Selection for Leg
- Power Selection
- Color Selection for Power Option

Notes

- 60”D tables are an actual depth of 59”D.
- Power only available on tables 29”H, 36”D, and 42”W or larger.
- See Day-to-Day Power options grid for details.

SURFACE	Option A (No Power)	OPTION B 1 Dock 281 Center with 1 Plugin Cord 1 Outlet 1 USB Type C 1 USB Type A	OPTION C 1 DOMINO Center with 1 Plugin Cord 2 Outlets 1 USB Type C 1 USB Type A	OPTION D 2 DOMINO with 2 Plugin Cords 4 Outlets 2 USB Type C 2 USB Type A	OPTION E 2 DOMINO Daisy Chain with 1 Plugin Cord 4 Outlets 2 USB Type C 2 USB Type A	OPTION F 1 Cove Unit Hardwired 2 Outlets 2 USB Type A	OPTION G 2 Cove Units Hardwired Daisy Chain 4 Outlets 4 USB Type A
Round	●	●					

© 2026, AIS, Inc.

Triangle Tables with Tapered Post Legs

2MM EDGE TRIANGLE TABLES WITH TAPERED POST LEGS

		On Glides		On Casters		
D	H	Model Number	List	Model Number	List	Grade C Laminate
36	29	T-TRR3629TPG	2,077	T-TRR3629TPC	1,932	+41
48	29	T-TRR4829TPG	2,280	T-TRR4829TPC	2,133	+60
54	29	T-TRR5429TPG	2,402	T-TRR5429TPC	2,257	+70
59	29	T-TRR6029TPG	2,541	T-TRR6029TPC	2,394	+75




On Glides



On Casters

KNIFE EDGE TRIANGLE TABLES WITH TAPERED POST LEGS

		On Glides		On Casters		
D	H	Model Number	List	Model Number	List	Grade C Laminate
36	29	T-TRK3629TPG	3,696	T-TRK3629TPC	3,570	N/A
48	29	T-TRK4829TPG	4,046	T-TRK4829TPC	3,923	N/A
54	29	T-TRK5429TPG	4,260	T-TRK5429TPC	4,133	N/A
59	29	T-TRK6029TPG	4,500	T-TRK6029TPC	4,371	N/A



On Glides



On Casters

Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Color Selection for Leg
- Power Selection
- Color Selection for Power Option

Notes

- 60”D tables are an actual depth of 59”D.
- Power only available on tables 29”H, 36”D, and 42”W or larger.
- See Day-to-Day Power options grid for details.

SURFACE	Option A (No Power)	OPTION B 1 Dock 281 Center with 1 Plugin Cord 1 Outlet 1 USB Type C 1 USB Type A	OPTION C 1 DOMINO Center with 1 Plugin Cord 2 Outlets 1 USB Type C 1 USB Type A	OPTION D 2 DOMINO with 2 Plugin Cords 4 Outlets 2 USB Type C 2 USB Type A	OPTION E 2 DOMINO Daisy Chain with 1 Plugin Cord 4 Outlets 2 USB Type C 2 USB Type A	OPTION F 1 Cove Unit Hardwired 2 Outlets 2 USB Type A	OPTION G 2 Cove Units Hardwired Daisy Chain 4 Outlets 4 USB Type A
Triangle	●	●					


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Pebble Tables with Square Post Legs

2MM EDGE PEBBLE TABLES WITH SQUARE POST LEGS

			On Glides		On Casters		
D	W	H	Model Number	List	Model Number	List	Grade C Laminate
30	30	29	T-PBR3029SQG	1,816	T-PBR3029SQC	1,890	+39
36	36	29	T-PBR3629SQG	1,897	T-PBR3629SQC	1,972	+56
42	42	29	T-PBR4229SQG	1,989	T-PBR4229SQC	2,064	+67
48	48	29	T-PBR4829SQG	2,274	T-PBR4829SQC	2,348	+70
54	54	29	T-PBR5429SQG	2,427	T-PBR5429SQC	2,503	+75
59	59	29	T-PBR6029SQG	2,596	T-PBR6029SQC	2,668	+82




On Glides




On Casters

KNIFE EDGE PEBBLE TABLES WITH SQUARE POST LEGS

			On Glides		On Casters		
D	W	H	Model Number	List	Model Number	List	Grade C Laminate
30	30	29	T-PBK3029SQG	3,405	T-PBK3029SQC	3,469	N/A
36	36	29	T-PBK3629SQG	3,541	T-PBK3629SQC	3,604	N/A
42	42	29	T-PBK4229SQG	3,706	T-PBK4229SQC	3,770	N/A
48	48	29	T-PBK4829SQG	4,043	T-PBK4829SQC	4,110	N/A
54	54	29	T-PBK5429SQG	4,280	T-PBK5429SQC	4,347	N/A
59	59	29	T-PBK6029SQG	4,546	T-PBK6029SQC	4,610	N/A



On Glides



On Casters

Specify

- Laminate Selection for Worksurface
- Color Selection for Edge
- Color Selection for Leg
- Power Selection
- Color Selection for Power Option

Notes

- 60”D tables are an actual depth of 59”D.
- Power only available on tables 29”H, 36”D, and 42”W or larger.
- See Day-to-Day Power options grid for details.

SURFACE	Option A (No Power)	OPTION B 1 Dock 281 Center with 1 Plugin Cord 1 Outlet 1 USB Type C 1 USB Type A	OPTION C 1 DOMINO Center with 1 Plugin Cord 2 Outlets 1 USB Type C 1 USB Type A	OPTION D 2 DOMINO with 2 Plugin Cords 4 Outlets 2 USB Type C 2 USB Type A	OPTION E 2 DOMINO Daisy Chain with 1 Plugin Cord 4 Outlets 2 USB Type C 2 USB Type A	OPTION F 1 Cove Unit Hardwired 2 Outlets 2 USB Type A	OPTION G 2 Cove Units Hardwired Daisy Chain 4 Outlets 4 USB Type A
Pebble Square	●	●					


© 2026, AIS, Inc.

Collaborative Tables


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Product Detail
Grommet Locations for D and Key Top Tables


Power cutout is 11.58”W x 4.47”D with a 1/4” radii.



Power location 1 is centered on the depth and width orientation as shown above.




Power location 2 is centered on the depth, near the rear end orientation as shown above.



Power Location 1 for certain smaller D-Tops (only) will be slightly off center to keep base centered on radius.

Product Detail
Wood Grain Direction

Grain direction runs vertical for all Collaborative Table Bases and Legs.
Calibrate wood grain is always vertical on storage fronts and doors.




© 2026, AIS, Inc.

Collaborative Tables Product Details


Collaborative Conferencing Power Options

Specific details for available options are dependent on the individual table. See Accessories Price List for individual purchase of power components for collaborative tables. Power cutout is 11.58”W x 4.47”D with a 1/4” radii.



Collaborative Table Top Power Box (Plug Termination)

1. (2) Tamper-Resistant (TR) AC outlets
   (1) USB Type-A charging port: 5V 2.1A (10.5W),
   (1) USB Type-C charging port: 5V 2.4A (12W),
   Overload protection switch
   10 ft. 14AWG x 3C power cord
   Rating: 125V 60Hz 15A
2. (2) Holes for Keystone Adapters (opening of 15.2 x 19.3 mm)
3. (2) Grommet Holes – 1 1/16” Inside Diameter



Collaborative Table Top Power Box (Hardwired)

1. (2) 15amp outlets.
2. (1) USB Type-A charging port: 2.4 A
3. (1) USB Type-C charging port: 60 Watt
4. (1) Grommet Hole – 1 1/4” inside diameter
5. (2) Holes for Keystone Adapters (opening of 15.2 x 19.3 mm)

- This power tap is used in conference tables when a hardwire connection is required (Chicago), 9 foot cord
- Junction box & infeed cable supplied by electrician as required

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


D Top Tables with Disc Base

2MM EDGE D-TOP TABLE WITH DISC BASE

D	W	H	Model Number	List
36	48	29	T-DTR364829SDG	2,513
36	48	42	T-DTR364842SDG	2,733
36	54	29	T-DTR365429SDG	2,638
36	54	42	T-DTR365442SDG	2,858
36	60	29	T-DTR366029SDG	2,762
36	60	42	T-DTR366042SDG	2,983
36	66	29	T-DTR366629SDG	2,887
36	66	42	T-DTR366642SDG	3,108
36	72	29	T-DTR367229SDG	3,012
36	72	42	T-DTR367242SDG	3,233
36	78	29	T-DTR367829SDG	3,137
36	78	42	T-DTR367842SDG	3,357
36	84	29	T-DTR368429SDG	3,261
36	84	42	T-DTR368442SDG	3,481
42	48	29	T-DTR424829SDG	2,551
42	48	42	T-DTR424842SDG	2,772
42	54	29	T-DTR425429SDG	2,679
42	54	42	T-DTR425442SDG	2,901
42	60	29	T-DTR426029SDG	2,811
42	60	42	T-DTR426042SDG	3,029
42	66	29	T-DTR426629SDG	2,938

2MM EDGE D-TOP TABLE WITH DISC BASE

D	W	H	Model Number	List
42	66	42	T-DTR426642SDG	3,157
42	72	29	T-DTR427229SDG	3,066
42	72	42	T-DTR427242SDG	3,288
42	78	29	T-DTR427829SDG	3,197
42	78	42	T-DTR427842SDG	3,416
42	84	29	T-DTR428429SDG	3,324
42	84	42	T-DTR428442SDG	3,545
48	48	29	T-DTR484829SDG	2,631
48	48	42	T-DTR484842SDG	2,851
48	54	29	T-DTR485429SDG	2,759
48	54	42	T-DTR485442SDG	2,981
48	60	29	T-DTR486029SDG	2,888
48	60	42	T-DTR486042SDG	3,109
48	66	29	T-DTR486629SDG	3,018
48	66	42	T-DTR486642SDG	3,238
48	72	29	T-DTR487229SDG	3,147
48	72	42	T-DTR487242SDG	3,366
48	78	29	T-DTR487829SDG	3,275
48	78	42	T-DTR487842SDG	3,497
48	84	29	T-DTR488429SDG	3,405
48	84	42	T-DTR488442SDG	3,625



Specify

- Laminate Selection for Worksurface with Matching Edge
- Paint Selection for Leg (+25 for Grade C)
- Paint Selection for Power – Black, Silver or White

Notes

- Table is equipped with only 1 leg. Separately specify second Collaborative table leg or wall mount kit.
- Overall base, including glide, is 5/8" with 3/16" glide adjustability.
- Disc base is 21" in diameter, disc column has a diameter of 2.5" (60mm).
- Assembly required.

Power Options

- Single Unit Power Location 1 (Centered) - 2 Outlets total, 1 USB-A, 1 USB-C, 1 Corded Plug End, 10ft Cord, Black, White or Silver Bezel (+998)
- Single Unit Power Location 1 (Centered) - 2 Outlets total, 2 USB-A, 1 Hardwired End, 10ft Cord, Black, White or Silver Bezel (+1,854)
- Single Unit Power Location 2 (End) - 2 Outlets total, 1 USB-A, 1 USB-C, 1 Corded Plug End, 10ft Cord, Black, White or Silver Bezel (+998)
- Single Unit Power Location 2 (End) - 2 Outlets total, 2 USB-A, 1 Hardwired End, 10ft Cord, Black, White or Silver Bezel (+1,854)

© 2026, AIS, Inc.


Key Top Tables with Disc Base

2MM EDGE KEY TOP TABLE WITH DISC BASE

D	W	H	Model Number	List
36	48	29	T-KYR364829SDG	2,513
36	48	42	T-KYR364842SDG	2,733
36	54	29	T-KYR365429SDG	2,638
36	54	42	T-KYR365442SDG	2,858
36	60	29	T-KYR366029SDG	2,762
36	60	42	T-KYR366042SDG	2,983
36	66	29	T-KYR366629SDG	2,887
36	66	42	T-KYR366642SDG	3,108
36	72	29	T-KYR367229SDG	3,012
36	72	42	T-KYR367242SDG	3,233
36	78	29	T-KYR367829SDG	3,137
36	78	42	T-KYR367842SDG	3,357
36	84	29	T-KYR368429SDG	3,261
36	84	42	T-KYR368442SDG	3,481
42	48	29	T-KYR424829SDG	2,551
42	48	42	T-KYR424842SDG	2,772
42	54	29	T-KYR425429SDG	2,679
42	54	42	T-KYR425442SDG	2,901
42	60	29	T-KYR426029SDG	2,811
42	60	42	T-KYR426042SDG	3,029
42	66	29	T-KYR426629SDG	2,938

2MM EDGE KEY TOP TABLE WITH DISC BASE

D	W	H	Model Number	List
42	66	42	T-KYR426642SDG	3,157
42	72	29	T-KYR427229SDG	3,066
42	72	42	T-KYR427242SDG	3,288
42	78	29	T-KYR427829SDG	3,197
42	78	42	T-KYR427842SDG	3,416
42	84	29	T-KYR428429SDG	3,324
42	84	42	T-KYR428442SDG	3,545
48	48	29	T-KYR484829SDG	2,631
48	48	42	T-KYR484842SDG	2,851
48	54	29	T-KYR485429SDG	2,759
48	54	42	T-KYR485442SDG	2,981
48	60	29	T-KYR486029SDG	2,888
48	60	42	T-KYR486042SDG	3,109
48	66	29	T-KYR486629SDG	3,018
48	66	42	T-KYR486642SDG	3,238
48	72	29	T-KYR487229SDG	3,147
48	72	42	T-KYR487242SDG	3,366
48	78	29	T-KYR487829SDG	3,275
48	78	42	T-KYR487842SDG	3,497
48	84	29	T-KYR488429SDG	3,405
48	84	42	T-KYR488442SDG	3,625



Specify

- Laminate Selection for Worksurface with Matching Edge
- Paint Selection for Leg (+25 for Grade C)
- Paint Selection for Power – Black, Silver or White

Notes

- Table is equipped with only 1 leg. Separately specify second Collaborative table leg or wall mount kit.
- Overall base, including glide, is 5/8" with 3/16" glide adjustability.
- Disc base is 21" in diameter, disc column has a diameter of 2.5" (60mm).
- Assembly required.

Power Options


- Single Unit Power Location 1 (Centered) - 2 Outlets total, 1 USB-A, 1 USB-C, 1 Corded Plug End, 10ft Cord, Black, White or Silver Bezel (+998)
- Single Unit Power Location 1 (Centered) - 2 Outlets total, 2 USB-A, 1 Hardwired End, 10ft Cord, Black, White or Silver Bezel (+1,854)
- Single Unit Power Location 2 (End) - 2 Outlets total, 1 USB-A, 1 USB-C, 1 Corded Plug End, 10ft Cord, Black, White or Silver Bezel (+998)
- Single Unit Power Location 2 (End) - 2 Outlets total, 2 USB-A, 1 Hardwired End, 10ft Cord, Black, White or Silver Bezel (+1,854)


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Collaborative Table Legs

COLLABORATIVE TABLE CABINET LEGS

D	W	H	Model Number	List
12	36	29	X-CBBS123629	2,434
12	42	29	X-CBBS124229	2,523
12	48	29	X-CBBS124829	2,625
12	36	42	X-CBBS123642	2,694
12	42	42	X-CBBS124242	2,793
12	48	42	X-CBBS124842	2,903







Specify	Notes
• Laminate Selection for Case • Laminate Selection for Fronts (Doors)	• Rectangular cut-out matches location Power Location 2 (rear) of Collaborative Tables. When used with a non-powered or center powered collaborative table, this cut-out is covered by the work surface.

COLLABORATIVE TABLE TOWER BASE

D	W	H¹	H²	Model Number	List
12	36	29	74	X-TWRB12367429	4,513
12	42	29	74	X-TWRB12427429	4,726
12	48	29	74	X-TWRB12487429	4,936
12	36	42	74	X-TWRB12367442	4,513
12	42	42	74	X-TWRB12427442	4,726
12	48	42	74	X-TWRB12487442	4,936






Specify	Notes
• Laminate Selection for Case • Laminate Selection for Fronts (Doors)	• Monitors and TVs mounted to Collaborate Tower Base shall be done in accordance with specifications for customer specified mount; no pilot holes are provided. Monitor/TV dimensions shouldn't exceed width/height above surface and weight of 60 lbs. • H¹ = Worksurface Height; H² = Overall Height • Note that when selecting finishes, "case" refers to everything except the side access doors. "Fronts" refers to the side access doors only.

COLLABORATIVE TABLE T-LEGS


D	W	H	Model Number	List
12	36	29	X-LAMT123629	1,363
12	42	29	X-LAMT124229	1,436
12	48	29	X-LAMT124829	1,547



Specify	Notes
• Laminate Selection	• This leg is not compatible with Collaborative tables with power placed along the rear edge (position 2).

COLLABORATIVE TABLE WALL MOUNT KIT

Model Number	List
X-CTWK	55



Specify	Notes
	• This is a kit of (4) brackets for connecting a Collaborative table to a wall. • The brackets in this kit must be installed to a wall stud or other structural component of the wall. • Fasteners are supplied to connect to the worksurface, but not to the wall. • It is the responsibility of the installer to determine a suitable screw for the substrate that it will attach to.

© 2026, AIS, Inc.

Conference & Meeting Tables

Calibrate Conferencing Tables

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Calibrate Conference Storage Details

General Construction Details

- Worksurfaces are 1 1/16" thick HPL laminate. For available finishes please refer to Finishes section.
- Storage elements have 3/4" thick case construction with 1mm edge.
- Laminate drawer and door faces are 3/4" thick.
- Available with 2mm or knife edges.
- Edgebands are used on all four worksurface sides, please note this when choosing a contrasting edgeband.
- Leveling feet are adjustable up to 1" for all floor supported components.
- Units are finished all over, including the backs.
- Shelves will match body selection
- Grain direction runs vertical for all pieces except for the back of 60" wide and over cabinets which run horizontal. Calibrate woodgrain is always vertical on storage fronts and doors. Grains run vertically on items under 60" wide, items over 60" wide have to run horizontally.
- Grain directions cannot be matched, however this is not noticeable on most laminate options with the exception of the natural looking woods where cathedrals appear. AIS cannot guarantee that the woodgrain will match up on the different parts of the same surface.
- Table wood grain can be optioned parallel to short side or long side.
- AIS recommends the use of mouse pads to protect longevity and integrity of worksurfaces.

Handle Options (Buffets and Trash Receptacles)

- Five handle options are available:
  1. Bar Pull*
  2. Loop Pull*
  3. Rectangular Pull*
  4. L Pull*
  5. Slim Pull**
- All handles are available in any graded paint selection.
- The bar pull and rectangle pull are available in brushed nickel; the loop pull is available in bright metal. The slim and L Pull are only available with painted options.
- Laminate hinged doors may be configured with touch-to-open mechanism and no handles (not applicable to framed glass doors).
- Sliding doors include an option of no handle.
- Please see Product Detail: Drawer and Handles Guide for handle examples.

*Symbols default with the Bar Pull but can be adjusted while applying your finishes.
The handle hole spread for Bar, Loop, Rectangular and L Pulls is 5" if you wish to supply your own handles.
**The handle hole spread for the Slim Pull is specific to the drawer front size.

Locks

- Box/Box/Files (BBF) pedestals will only lock the file and the middle box drawer, not the top box.
- File/File (FF) pedestal locks will secure both drawers.
- For all lateral files, wardrobe and storage units the locks will secure the drawers/door for the entire unit.
- All drawers lock on 3, 4 and 5 drawer laterals.
- Units will come with 2 keys per lock.
- Key-alike options are available per storage unit, additional lock cores may be ordered (for an additional charge) to key-alike an entire office.
- Items with 2 or more locks per unit will be keyed alike.

Lock Guide

Five lock options are offered:
- Option A – No lock required
- Option B – Black lock and black trim ring
- Option C – Silver lock and silver trim ring
- Option D – No lock with black trim ring (for keying alike)*
- Option E – No lock with silver trim ring (for keying alike)*

Lock cores and trim rings do not ship installed.

*Keyed alike lock cores must be ordered separately.

© 2026, AIS, Inc.

Calibrate Conference Storage Details


Drawer Handles Guide


Five handle options are available:
- Bar
- Rectangular
- Loop
- L Pull
- Slim Pull*


Door Handles Guide


Five handle options are available:
- Bar
- Rectangular
- Loop
- L Pull
- Touch to Open**
- No Handle***


*The Slim Pull option incurs an upcharge of $75 list per unit.
**Available on laminate hinged doors only; not available on framed glass doors or sliding doors. Incurs an upcharge of $50 per unit.
***Available on sliding doors.


Bar


Rectangular


Loop



L Pull


Slim Pull

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Calibrate Conferencing Power Options

Specific details for available options are dependent on the individual table. See Accessories Price List for individual purchase of power components for conference tables. Power cutout is 11.58”W x 4.47”D with a 1/4” radii.




Calibrate Table Top Power Box (Plug Termination)

1. (2) Tamper-Resistant (TR) AC outlets
   (1) USB Type-A charging port: 5V 2.1A (10.5W),
   (1) USB Type-C charging port: 5V 2.4A (12W),
   Overload protection switch
   10 ft. 14AWG x 3C power cord
   Rating: 125V 60Hz 15A
2. (2) Holes for Keystone Adapters (opening of 15.2 x 19.3 mm)
3. (2) Grommet Holes – 1 1/16” Inside Diameter



Calibrate Table Top Power Box (Daisy-Chained with Plug Termination)

1. (2) Tamper-Resistant (TR) AC outlets
   (1) USB Type-A charging port: 5V 2.1A (10.5W),
   (1) USB Type-C charging port: 5V 2.4A (12W),
   10 ft. 14AWG x 3C power cord
   Rating: 125V 60Hz 15A
2. (2) Holes for Keystone Adapters (opening of 15.2 x 19.3 mm)
3. (2) Grommet Holes - 1 $^{1}/_{16}$” Inside Diameter




Calibrate Table Top Power Box (Hardwired)

1. (2) 15amp outlets.
2. (1) USB Type-A charging port: 2.4 A
3. (1) USB Type-C charging port: 60 Watt
4. (1) Grommet Hole – 1 1/4” inside diameter
5. (2) Holes for Keystone Adapters (opening of 15.2 x 19.3 mm)

- This power tap is used in conference tables when a hardwire connection is required (Chicago)
- Junction box & infeed cable supplied by electrician as required

For Hardwire:
Each power has its own cord terminated with pigtail



Calibrate Table Top Power Box Configuration Examples










1. Electrical unit with hardwired whip permanently attached supplied by AIS
2. Junction box supplied by electrician
3. Final connection supplied by electrician

© 2026, AIS, Inc.

Calibrate Conferencing Product Details

Calibrate Conferencing Power Options (Cont.)










2-BASE POWER OPTIONS

	Description	Cut-Outs	Position	Total Outlets	Total USBs	Total Keystone Holes	Total Grommet Holes	Daisy Chain	Option Upcharge	Termination	Configuration
	2-Base Option A (No Power)	-	-	-	-	-	-	-	-	-	-
	2-Base Option B	1	Center Worksurface	2	1 USB-A 1 USB-C	2	2	No	+998	 1 Plug 10 ft Cord	
	2-Base Option C	1	Center Worksurface	2	2 USB-A	2	1	No	+1,854	 Hardwired 9 ft Cord	
	2-Base Option D	2	Center Over Bases	4	2 USB-A 2 USB-C	4	4	No	+1,998	 2 Plugs 10 ft Cords	
	2-Base Option E	2	Centered Over Bases	4	2 USB-A 2 USB-C	4	4	Yes	+3,589	 1 Plug 10 ft Cord	
	2-Base Option F	2	Centered Over Bases	4	2 USB-A 2 USB-C	4	2	No	+3,423	 Hardwired 9 ft Cord	

© 2026, AIS, Inc.

Calibrate Conferencing Power Options (Cont.)

3-BASE POWER OPTIONS







	Description	Cut-Outs	Position	Total Outlets	Total USBs	Total Keystone Holes	Total Grommet Holes	Daisy Chain	Option Upcharge	Termination	Configuration
	3-Base Option A (No Power)	-	-	-	-	-	-	-	-	-	-
	3-Base Option B	1	Center Worksurface	2	1 USB-A 1 USB-C	2	2	No	+998	 1 Plug 10 ft Cord	
	3-Base Option C	1	Center Worksurface	2	2 USB-A	2	1	No	+1,854	 Hardwired 9 ft Cord	
	3-Base Option D	2	Centered Over End Bases	4	2 USB-A 2 USB-C	4	4	No	+1,998	 2 Plugs 10 ft Cords	
	3-Base Option E	2	Centered Over End Bases	4	2 USB-A 2 USB-C	4	4	Yes	+3,704	 1 Plug 10 ft Cord	
	3-Base Option F	2	Centered Over End Bases	4	2 USB-A 2 USB-C	4	2	No	+3,539	 Hardwired 9 ft Cord	

© 2026, AIS, Inc.

Calibrate Conferencing Product Details

Calibrate Conferencing Power Options (Cont.)














3-BASE POWER OPTIONS

	Description	Cut-Outs	Position	Total Outlets	Total USBs	Total Keystone Holes	Total Grommet Holes	Daisy Chain	Option Upcharge	Termination	Configuration
	3-Base Option G	3	Centered Over Bases	6	3 USB-A 3 USB-C	6	6	No	+2,996	 3 Plugs 10 ft Cords	
	3-Base Option H	3	Centered Over Bases	6	3 USB-A 3 USB-C	6	6	Yes	+5,294	 1 Plug 10 ft Cord	
	3-Base Option I	3	Centered Over Bases	6	3 USB-A 3 USB-C	6	3	No	+5,128	 Hardwired 9 ft Cord	

© 2026, AIS, Inc.

Calibrate Conferencing Power Options (Cont.)

4-BASE POWER OPTIONS










	Description	Cut-Outs	Position	Total Outlets	Total USBs	Total Keystone Holes	Total Grommet Holes	Daisy Chain	Option Upcharge	Termination	Configuration
	4-Base Option A (No Power)	-	-	-	-	-	-	-	-	-	-
	4-Base Option B	2	Centered Over End Bases	4	2 USB-A 2 USB-C	4	4	No	+1,998	 2 Plugs 10 ft Cords	
	4-Base Option C	2	Centered Over End Bases	4	2 USB-A 2 USB-C	4	4	Yes	+3,835	 1 Plug 10 ft Cord	
	4-Base Option D	2	Centered Over End Bases	4	2 USB-A 2 USB-C	4	2	No	+3,669	 Hardwired 9 ft Cord	
	4-Base Option E	4	Centered Over Bases	8	4 USB-A 4 USB-C	8	8	No	+3,994	 4 Plugs 10 ft Cords	
	4-Base Option F	4	Centered Over Bases	8	4 USB-A 4 USB-C	8	8	Yes	+6,998	 1 Plug 10 ft Cord	
	4-Base Option G	4	Centered Over Bases	8	4 USB-A 4 USB-C	6	4	No	+6,833	 Hardwired 9 ft Cord	

© 2026, AIS, Inc.

Calibrate Conferencing Product Details

Calibrate Conferencing Power Options (Cont.)

5-BASE POWER OPTIONS







	Description	Cut-Outs	Position	Total Outlets	Total USBs	Total Keystone Holes	Total Grommet Holes	Daisy Chain	Option Upcharge	Termination	Configuration
	5-Base Option A	-	-	-	-	-	-	-	-	-	-
	5-Base Option B	1	Center Worksurface	2	1 USB-A 1 USB-C	2	2	No	+998	 1 Plug 10 ft Cord	
	5-Base Option C	1	Center Worksurface	2	2 USB-A	2	1	No	+1,854	 Hardwired 9 ft Cord	
	5-Base Option D	3	Centered Over Alternating Bases	6	3 USB-A 3 USB-C	6	6	No	+2,996	 3 Plugs 10 ft Cords	
	5-Base Option E	3	Centered Over Alternating Bases	6	3 USB-A 3 USB-C	6	6	Yes	+5,539	 1 Plug 10 ft Cord	
	5-Base Option F	3	Centered Over Alternating Bases	6	3 USB-A 3 USB-C	6	3	No	+5,374	 Hardwired 9 ft Cord	

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Calibrate Conferencing Power Options (Cont.)

5-BASE POWER OPTIONS

	Description	Cut-Outs	Position	Total Outlets	Total USBs	Total Keystone Holes	Total Grommet Holes	Daisy Chain	Option Upcharge	Termination	Configuration
	5-Base Option G	5	Centered Over Bases	10	5 USB-A 5 USB-C	10	10	No	+4,992	 5 Plugs 10 ft Cords	
	5-Base Option H	5	Centered Over Bases	10	5 USB-A 5 USB-C	10	10	Yes	+8,703	 1 Plug 10 ft Cord	
	5-Base Option I	5	Centered Over Bases	10	5 USB-A 5 USB-C	10	5	No	+8,538	 Hardwired 9 ft Cord	


© 2026, AIS, Inc.

Calibrate Conferencing Product Details

Calibrate Conferencing Grain and Pattern Direction

Important Note: Grain "pattern" will not be lined up or matched example on multiple piece worksurfaces (108" and 120" wide).


2-Base Grain Direction:






Long Side

3-Base Grain Direction:



Long Grain Short Grain




Long Side
(Pattern not matched)




Short Side*
(Pattern not matched)


4-Base Grain Direction:



Long Grain Short Grain



Long Side*
(Pattern not matched)




Short Side*
(Pattern not matched)

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

Calibrate Conferencing Product Details


Calibrate Conferencing Base and Trough Dimensions



*Available base depth sizes: 18”, 24” and 30”



Product Detail
Calibrate Conferencing Counterweights




Stack Counterweights as required. See Calibrate Conferencing Specifications for more details.


© 2026, AIS, Inc.

Calibrate Conferencing Product Details

Calibrate Conferencing Specifications




CALIBRATE CONFERENCING 2-BASE RECTANGULAR TABLE SPECIFICATIONS


Conference Table Image	Work-Surface Depth 1	Work-Surface Depth Mid	Work-Surface Depth 2	Work-Surface Width 1	Base Depth Base 1	Base Depth Base 2	Base Depth Base 3	Base Depth Base 4	Base Quantity	Distance A	Total # of Counter-weights	Trough Support A Quantity	Trough Support A Length	Trough Support B Quantity	Trough Support B Length
	42	42	42	72	24	24	-	-	2	36	0	2	44	-	-
	42	42	42	78	24	24	-	-	2	39	0	2	50	-	-
	42	42	42	84	24	24	-	-	2	42	0	2	56	-	-
	42	42	42	90	24	24	-	-	2	45	0	2	62	-	-
	42	42	42	96	24	24	-	-	2	48	0	2	68	-	-
	47	47	47	72	24	24	-	-	2	36	0	2	44	-	-
	47	47	47	78	24	24	-	-	2	39	4	2	50	-	-
	47	47	47	84	24	24	-	-	2	42	4	2	56	-	-
	47	47	47	90	24	24	-	-	2	45	4	2	62	-	-
	47	47	47	96	24	24	-	-	2	48	4	2	68	-	-
	54	54	54	72	30	30	-	-	2	36	0	2	44	-	-
	54	54	54	78	30	30	-	-	2	39	2	2	50	-	-
	54	54	54	84	30	30	-	-	2	42	2	2	56	-	-
	54	54	54	90	30	30	-	-	2	45	2	2	62	-	-
	54	54	54	96	30	30	-	-	2	48	2	2	68	-	-
	59	59	59	72	30	30	-	-	2	36	0	2	44	-	-
	59	59	59	78	30	30	-	-	2	39	6	2	50	-	-
	59	59	59	84	30	30	-	-	2	42	6	2	56	-	-
	59	59	59	90	30	30	-	-	2	45	6	2	62	-	-
	59	59	59	96	30	30	-	-	2	48	6	2	68	-	-

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Calibrate Conferencing Specifications (Cont.)




CALIBRATE CONFERENCING 3-BASE RECTANGULAR TABLE SPECIFICATIONS

Conference Table Image	Work-Surface Depth 1	Work-Surface Depth Mid	Work-Surface Depth 2	Work-Surface Width 1	Base Depth Base 1	Base Depth Base 2	Base Depth Base 3	Base Depth Base 4	Base Quantity	Distance A	Total # of Counter-weights	Trough Support A Quantity	Trough Support A Length	Trough Support B Quantity	Trough Support B Length
	42	42	42	102	24	24	24	-	3	34	0	4	37 15/16	-	-
	42	42	42	108	24	24	24	-	3	36	0	4	39 15/16	-	-
	42	42	42	114	24	24	24	-	3	38	0	4	42 15/16	-	-
	42	42	42	120	24	24	24	-	3	40	0	4	45 15/16	-	-
	42	42	42	126	24	24	24	-	3	42	0	4	48 15/16	-	-
	42	42	42	132	24	24	24	-	3	44	0	4	51 15/16	-	-
	42	42	42	138	24	24	24	-	3	46	0	4	54 15/16	-	-
	42	42	42	144	24	24	24	-	3	48	0	4	57 15/16	-	-
	47	47	47	102	24	24	24	-	3	34	0	4	37 15/16	-	-
	47	47	47	108	24	24	24	-	3	36	0	4	39 15/16	-	-
	47	47	47	114	24	24	24	-	3	38	0	4	42 15/16	-	-
	47	47	47	120	24	24	24	-	3	40	0	4	45 15/16	-	-
	47	47	47	126	24	24	24	-	3	42	0	4	48 15/16	-	-
	47	47	47	132	24	24	24	-	3	44	0	4	51 15/16	-	-
	47	47	47	138	24	24	24	-	3	46	0	4	54 15/16	-	-
	47	47	47	144	24	24	24	-	3	48	0	4	57 15/16	-	-
	54	54	54	102	30	30	30	-	3	34	0	4	37 15/16	-	-
	54	54	54	108	30	30	30	-	3	36	0	4	39 15/16	-	-
	54	54	54	114	30	30	30	-	3	38	0	4	42 15/16	-	-
	54	54	54	120	30	30	30	-	3	40	0	4	45 15/16	-	-
	54	54	54	126	30	30	30	-	3	42	0	4	48 15/16	-	-
	54	54	54	132	30	30	30	-	3	44	0	4	51 15/16	-	-
	54	54	54	138	30	30	30	-	3	46	0	4	54 15/16	-	-
	54	54	54	144	30	30	30	-	3	48	0	4	57 15/16	-	-
	59	59	59	102	30	30	30	-	3	34	6	4	37 15/16	-	-
	59	59	59	108	30	30	30	-	3	36	6	4	39 15/16	-	-
	59	59	59	114	30	30	30	-	3	38	6	4	42 15/16	-	-
	59	59	59	120	30	30	30	-	3	40	6	4	45 15/16	-	-
	59	59	59	126	30	30	30	-	3	42	6	4	48 15/16	-	-
	59	59	59	132	30	30	30	-	3	44	6	4	51 15/16	-	-
	59	59	59	138	30	30	30	-	3	46	6	4	54 15/16	-	-
	59	59	59	144	30	30	30	-	3	48	6	4	57 15/16	-	-


© 2026, AIS, Inc.

Calibrate Conferencing Product Details

Calibrate Conferencing Specifications (Cont.)




CALIBRATE CONFERENCING 4-BASE RECTANGULAR TABLE SPECIFICATIONS

Conference Table Image	Work-Surface Depth 1	Work-Surface Depth Mid	Work-Surface Depth 2	Work-Surface Width 1	Base Depth Base 1	Base Depth Base 2	Base Depth Base 3	Base Depth Base 4	Base Quantity	Distance A	Total # of Counter-weights	Trough Support A Quantity	Trough Support A Length	Trough Support B Quantity	Trough Support B Length
	42	42	42	150	24	24	24	24	4	37 1/2	0	2	37 3/8	4	42 3/16
	42	42	42	156	24	24	24	24	4	39	0	2	38 7/8	4	44 7/16
	42	42	42	162	24	24	24	24	4	40 1/2	0	2	40 3/8	4	46 11/16
	42	42	42	168	24	24	24	24	4	42	0	2	41 7/8	4	48 15/16
	42	42	42	174	24	24	24	24	4	43 1/2	0	2	43 3/8	4	51 3/16
	42	42	42	180	24	24	24	24	4	45	0	2	44 7/8	4	53 7/16
	42	42	42	186	24	24	24	24	4	46 1/2	0	2	46 3/8	4	55 11/16
	42	42	42	192	24	24	24	24	4	48	0	2	47 7/8	4	57 15/16
	47	47	47	150	24	24	24	24	4	37 1/2	0	2	37 3/8	4	42 3/16
	47	47	47	156	24	24	24	24	4	39	0	2	38 7/8	4	44 7/16
	47	47	47	162	24	24	24	24	4	40 1/2	0	2	40 3/8	4	46 11/16
	47	47	47	168	24	24	24	24	4	42	0	2	41 7/8	4	48 15/16
	47	47	47	174	24	24	24	24	4	43 1/2	0	2	43 3/8	4	51 3/16
	47	47	47	180	24	24	24	24	4	45	0	2	44 7/8	4	53 7/16
	47	47	47	186	24	24	24	24	4	46 1/2	0	2	46 3/8	4	55 11/16
	47	47	47	192	24	24	24	24	4	48	0	2	47 7/8	4	57 15/16
	54	54	54	150	30	30	30	30	4	37 1/2	0	2	37 3/8	4	42 3/16
	54	54	54	156	30	30	30	30	4	39	0	2	38 7/8	4	44 7/16
	54	54	54	162	30	30	30	30	4	40 1/2	0	2	40 3/8	4	46 11/16
	54	54	54	168	30	30	30	30	4	42	0	2	41 7/8	4	48 15/16
	54	54	54	174	30	30	30	30	4	43 1/2	0	2	43 3/8	4	51 3/16
	54	54	54	180	30	30	30	30	4	45	0	2	44 7/8	4	53 7/16
	54	54	54	186	30	30	30	30	4	46 1/2	0	2	46 3/8	4	55 11/16
	54	54	54	192	30	30	30	30	4	48	0	2	47 7/8	4	57 15/16
	59	59	59	150	30	30	30	30	4	37 1/2	12	2	37 3/8	4	42 3/16
	59	59	59	156	30	30	30	30	4	39	12	2	38 7/8	4	44 7/16
	59	59	59	162	30	30	30	30	4	40 1/2	12	2	40 3/8	4	46 11/16
	59	59	59	168	30	30	30	30	4	42	12	2	41 7/8	4	48 15/16
	59	59	59	174	30	30	30	30	4	43 1/2	12	2	43 3/8	4	51 3/16
	59	59	59	180	30	30	30	30	4	45	12	2	44 7/8	4	53 7/16
	59	59	59	186	30	30	30	30	4	46 1/2	12	2	46 3/8	4	55 11/16
	59	59	59	192	30	30	30	30	4	48	12	2	47 7/8	4	57 15/16


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Calibrate Conferencing Specifications



CALIBRATE CONFERENCING 5-BASE RECTANGULAR TABLE SPECIFICATIONS

Conference Table Image	Work Surface Depth 1	Work Surface Depth 2	Work Surface Depth 3	Work Surface Depth 4	Work Surface Depth 5	Work Surface Width	Base Depth Base 1	Base Depth Base 2	Base Depth Base 3	Base Depth Base 4	Base Depth Base 5
	42	42	42	42	42	198	24	24	24	24	24
	42	42	42	42	42	204	24	24	24	24	24
	42	42	42	42	42	210	24	24	24	24	24
	42	42	42	42	42	216	24	24	24	24	24
	42	42	42	42	42	222	24	24	24	24	24
	42	42	42	42	42	228	24	24	24	24	24
	42	42	42	42	42	234	24	24	24	24	24
	42	42	42	42	42	240	24	24	24	24	24
	47	47	47	47	47	198	24	24	24	24	24
	47	47	47	47	47	204	24	24	24	24	24
	47	47	47	47	47	210	24	24	24	24	24
	47	47	47	47	47	216	24	24	24	24	24
	47	47	47	47	47	222	24	24	24	24	24
	47	47	47	47	47	228	24	24	24	24	24
	47	47	47	47	47	234	24	24	24	24	24
	47	47	47	47	47	240	24	24	24	24	24




Base Quantity	Distance A	Total # of Counter-weights	Trough Support A Quantity	Trough Support A Length	Trough Support B Quantity	Trough Support B Length
5	37.5	0	4	46.69	2	75
5	39	0	4	48.94	2	78
5	40.5	0	4	50	2	81
5	42	0	4	51.94	2	84
5	43.5	0	4	53.44	2	87
5	45	0	4	54.94	2	90
5	46.5	0	4	56	2	93
5	48	0	4	57.94	2	96
5	37.5	0	4	46.69	2	75
5	39	0	4	48.94	2	78
5	40.5	0	4	50	2	81
5	42	0	4	51.94	2	84
5	43.5	0	4	53.44	2	87
5	45	0	4	54.94	2	90
5	46.5	0	4	56	2	93
5	48	0	4	57.94	2	96

© 2026, AIS, Inc.


Calibrate Conferencing Product Details

Calibrate Conferencing Specifications



CALIBRATE CONFERENCING 5-BASE RECTANGULAR TABLE SPECIFICATIONS


Conference Table Image	Work Surface Depth 1	Work Surface Depth 2	Work Surface Depth 3	Work Surface Depth 4	Work Surface Depth 5	Work Surface Width	Base Depth Base 1	Base Depth Base 2	Base Depth Base 3	Base Depth Base 4	Base Depth Base 5
	54	54	54	54	54	198	30	30	30	30	30
	54	54	54	54	54	204	30	30	30	30	30
	54	54	54	54	54	210	30	30	30	30	30
	54	54	54	54	54	216	30	30	30	30	30
	54	54	54	54	54	222	30	30	30	30	30
	54	54	54	54	54	228	30	30	30	30	30
	54	54	54	54	54	234	30	30	30	30	30
	54	54	54	54	54	240	30	30	30	30	30
	59	59	59	59	59	198	30	30	30	30	30
	59	59	59	59	59	204	30	30	30	30	30
	59	59	59	59	59	210	30	30	30	30	30
	59	59	59	59	59	216	30	30	30	30	30
	59	59	59	59	59	222	30	30	30	30	30
	59	59	59	59	59	228	30	30	30	30	30
	59	59	59	59	59	234	30	30	30	30	30
	59	59	59	59	59	240	30	30	30	30	30




Base Quantity	Distance A	Total # of Counter-weights	Trough Support A Quantity	Trough Support A Length	Trough Support B Quantity	Trough Support B Length
5	37.5	0	4	46.69	2	75
5	39	0	4	48.94	2	78
5	40.5	0	4	50	2	81
5	42	0	4	51.94	2	84
5	43.5	0	4	53.44	2	87
5	45	0	4	54.94	2	90
5	46.5	0	4	56	2	93
5	48	0	4	57.94	2	96
5	37.5	0	4	46.69	2	75
5	39	0	4	48.94	2	78
5	40.5	0	4	50	2	81
5	42	0	4	51.94	2	84
5	43.5	0	4	53.44	2	87
5	45	0	4	54.94	2	90
5	46.5	0	4	56	2	93
5	48	0	4	57.94	2	96

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Calibrate Conferencing Specifications (Cont.)




CALIBRATE CONFERENCING 2-BASE BOAT TABLE SPECIFICATIONS

Conference Table Image	Work-Surface Depth 1	Work-Surface Depth Mid	Work-Surface Depth 2	Work-Surface Width 1	Base Depth Base 1	Base Depth Base 2	Base Depth Base 3	Base Depth Base 4	Base Quantity	Distance A	Total # of Counter-weights	Trough Support A Quantity	Trough Support A Length	Trough Support B Quantity	Trough Support B Length
	30	42	30	72	24	24	-	-	2	36	0	2	44	-	-
	30	42	30	78	24	24	-	-	2	39	0	2	50	-	-
	30	42	30	84	24	24	-	-	2	42	0	2	56	-	-
	30	42	30	90	24	24	-	-	2	45	0	2	62	-	-
	30	42	30	96	24	24	-	-	2	48	0	2	68	-	-
	35	47	35	72	24	24	-	-	2	36	0	2	44	-	-
	35	47	35	78	24	24	-	-	2	39	4	2	50	-	-
	35	47	35	84	24	24	-	-	2	42	4	2	56	-	-
	35	47	35	90	24	24	-	-	2	45	4	2	62	-	-
	35	47	35	96	24	24	-	-	2	48	4	2	68	-	-
	42	54	42	72	30	30	-	-	2	36	0	2	44	-	-
	42	54	42	78	30	30	-	-	2	39	2	2	50	-	-
	42	54	42	84	30	30	-	-	2	42	2	2	56	-	-
	42	54	42	90	30	30	-	-	2	45	2	2	62	-	-
	42	54	42	96	30	30	-	-	2	48	2	2	68	-	-
	47	59	47	72	30	30	-	-	2	36	0	2	44	-	-
	47	59	47	78	30	30	-	-	2	39	6	2	50	-	-
	47	59	47	84	30	30	-	-	2	42	6	2	56	-	-
	47	59	47	90	30	30	-	-	2	45	6	2	62	-	-
	47	59	47	96	30	30	-	-	2	48	6	2	68	-	-


© 2026, AIS, Inc.

Calibrate Conferencing Product Details

Calibrate Conferencing Specifications (Cont.)




CALIBRATE CONFERENCING 3-BASE BOAT TABLE SPECIFICATIONS


Conference Table Image	Work-Surface Depth 1	Work-Surface Depth Mid	Work-Surface Depth 2	Work-Surface Width 1	Base Depth Base 1	Base Depth Base 2	Base Depth Base 3	Base Depth Base 4	Base Quantity	Distance A	Total # of Counter-weights	Trough Support A Quantity	Trough Support A Length	Trough Support B Quantity	Trough Support B Length
	30	42	30	102	18	24	18	-	3	34	0	4	37 15/16	-	-
	30	42	30	108	18	24	18	-	3	36	0	4	39 15/16	-	-
	30	42	30	114	18	24	18	-	3	38	0	4	42 15/16	-	-
	30	42	30	120	18	24	18	-	3	40	0	4	45 15/16	-	-
	30	42	30	126	18	24	18	-	3	42	0	4	48 15/16	-	-
	30	42	30	132	18	24	18	-	3	44	0	4	51 15/16	-	-
	30	42	30	138	18	24	18	-	3	46	0	4	54 15/16	-	-
	30	42	30	144	18	24	18	-	3	48	0	4	57 15/16	-	-
	35	47	35	102	18	24	18	-	3	34	0	4	37 15/16	-	-
	35	47	35	108	18	24	18	-	3	36	0	4	39 15/16	-	-
	35	47	35	114	18	24	18	-	3	38	0	4	42 15/16	-	-
	35	47	35	120	18	24	18	-	3	40	0	4	45 15/16	-	-
	35	47	35	126	18	24	18	-	3	42	0	4	48 15/16	-	-
	35	47	35	132	18	24	18	-	3	44	0	4	51 15/16	-	-
	35	47	35	138	18	24	18	-	3	46	0	4	54 15/16	-	-
	35	47	35	144	18	24	18	-	3	48	0	4	57 15/16	-	-
	42	54	42	102	24	30	24	-	3	34	0	4	37 15/16	-	-
	42	54	42	108	24	30	24	-	3	36	0	4	39 15/16	-	-
	42	54	42	114	24	30	24	-	3	38	0	4	42 15/16	-	-
	42	54	42	120	24	30	24	-	3	40	0	4	45 15/16	-	-
	42	54	42	126	24	30	24	-	3	42	0	4	48 15/16	-	-
	42	54	42	132	24	30	24	-	3	44	0	4	51 15/16	-	-
	42	54	42	138	24	30	24	-	3	46	0	4	54 15/16	-	-
	42	54	42	144	24	30	24	-	3	48	0	4	57 15/16	-	-
	47	59	47	102	24	30	24	-	3	34	6	4	37 15/16	-	-
	47	59	47	108	24	30	24	-	3	36	6	4	39 15/16	-	-
	47	59	47	114	24	30	24	-	3	38	6	4	42 15/16	-	-
	47	59	47	120	24	30	24	-	3	40	6	4	45 15/16	-	-
	47	59	47	126	24	30	24	-	3	42	6	4	48 15/16	-	-
	47	59	47	132	24	30	24	-	3	44	6	4	51 15/16	-	-
	47	59	47	138	24	30	24	-	3	46	6	4	54 15/16	-	-
	47	59	47	144	24	30	24	-	3	48	6	4	57 15/16	-	-

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Calibrate Conferencing Specifications (Cont.)




CALIBRATE CONFERENCING 4-BASE BOAT TABLE SPECIFICATIONS

Conference Table Image	Work-Surface Depth 1	Work-Surface Depth Mid	Work-Surface Depth 2	Work-Surface Width 1	Base Depth Base 1	Base Depth Base 2	Base Depth Base 3	Base Depth Base 4	Base Quantity	Distance A	Total # of Counter-weights	Trough Support A Quantity	Trough Support A Length	Trough Support B Quantity	Trough Support B Length
	30	42	30	150	18	24	24	18	4	37 1/2	0	2	37 3/8	4	42 3/16
	30	42	30	156	18	24	24	18	4	39	0	2	38 7/8	4	44 7/16
	30	42	30	162	18	24	24	18	4	40 1/2	0	2	40 3/8	4	46 11/16
	30	42	30	168	18	24	24	18	4	42	0	2	41 7/8	4	48 15/16
	30	42	30	174	18	24	24	18	4	43 1/2	0	2	43 3/8	4	51 3/16
	30	42	30	180	18	24	24	18	4	45	0	2	44 7/8	4	53 7/16
	30	42	30	186	18	24	24	18	4	46 1/2	0	2	46 3/8	4	55 11/16
	30	42	30	192	18	24	24	18	4	48	0	2	47 7/8	4	57 15/16
	35	47	35	150	18	24	24	18	4	37 1/2	0	2	37 3/8	4	42 3/16
	35	47	35	156	18	24	24	18	4	39	0	2	38 7/8	4	44 7/16
	35	47	35	162	18	24	24	18	4	40 1/2	0	2	40 3/8	4	46 11/16
	35	47	35	168	18	24	24	18	4	42	0	2	41 7/8	4	48 15/16
	35	47	35	174	18	24	24	18	4	43 1/2	0	2	43 3/8	4	51 3/16
	35	47	35	180	18	24	24	18	4	45	0	2	44 7/8	4	53 7/16
	35	47	35	186	18	24	24	18	4	46 1/2	0	2	46 3/8	4	55 11/16
	35	47	35	192	18	24	24	18	4	48	0	2	47 7/8	4	57 15/16
	42	54	42	150	24	30	30	24	4	37 1/2	0	2	37 3/8	4	42 3/16
	42	54	42	156	24	30	30	24	4	39	0	2	38 7/8	4	44 7/16
	42	54	42	162	24	30	30	24	4	40 1/2	0	2	40 3/8	4	46 11/16
	42	54	42	168	24	30	30	24	4	42	0	2	41 7/8	4	48 15/16
	42	54	42	174	24	30	30	24	4	43 1/2	0	2	43 3/8	4	51 3/16
	42	54	42	180	24	30	30	24	4	45	0	2	44 7/8	4	53 7/16
	42	54	42	186	24	30	30	24	4	46 1/2	0	2	46 3/8	4	55 11/16
	42	54	42	192	24	30	30	24	4	48	0	2	47 7/8	4	57 15/16
	47	59	47	150	24	30	30	24	4	37 1/2	12	2	37 3/8	4	42 3/16
	47	59	47	156	24	30	30	24	4	39	12	2	38 7/8	4	44 7/16
	47	59	47	162	24	30	30	24	4	40 1/2	12	2	40 3/8	4	46 11/16
	47	59	47	168	24	30	30	24	4	42	12	2	41 7/8	4	48 15/16
	47	59	47	174	24	30	30	24	4	43 1/2	12	2	43 3/8	4	51 3/16
	47	59	47	180	24	30	30	24	4	45	12	2	44 7/8	4	53 7/16
	47	59	47	186	24	30	30	24	4	46 1/2	12	2	46 3/8	4	55 11/16
	47	59	47	192	24	30	30	24	4	48	12	2	47 7/8	4	57 15/16

© 2026, AIS, Inc.


Calibrate Conferencing Product Details

Calibrate Conferencing Specifications (Cont.)



CALIBRATE CONFERENCING 5-BASE BOAT TABLE SPECIFICATIONS


Conference Table Image	Work Surface Depth 1	Work Surface Depth Mid	Work Surface Depth 2	Work Surface Width	Base Depth Base 1	Base Depth Base 2	Base Depth Base 3	Base Depth Base 4	Base Depth Base 5	Base Quantity	Distance A
	30	42	30	198	18	24	24	24	18	5	37.5
	30	42	30	204	18	24	24	24	18	5	39
	30	42	30	210	18	24	24	24	18	5	40.5
	30	42	30	216	18	24	24	24	18	5	42
	30	42	30	222	18	24	24	24	18	5	43.5
	30	42	30	228	18	24	24	24	18	5	45
	30	42	30	234	18	24	24	24	18	5	46.5
	30	42	30	240	18	24	24	24	18	5	48
	35	47	35	198	18	24	24	24	18	5	37.5
	35	47	35	204	18	24	24	24	18	5	39
	35	47	35	210	18	24	24	24	18	5	40.5
	35	47	35	216	18	24	24	24	18	5	42
	35	47	35	222	18	24	24	24	18	5	43.5
	35	47	35	228	18	24	24	24	18	5	45
	35	47	35	234	18	24	24	24	18	5	46.5
	35	47	35	240	18	24	24	24	18	5	48



Total # of Counter-weights	Trough Support A Quantity	Trough Support A Length	Trough Support B Quantity	Trough Support B Length
0	4	46.69	2	75
0	4	48.94	2	78
0	4	50	2	81
0	4	51.94	2	84
0	4	53.44	2	87
0	4	54.94	2	90
0	4	56	2	93
0	4	57.94	2	96
0	4	46.69	2	75
0	4	48.94	2	78
0	4	50	2	81
0	4	51.94	2	84
0	4	53.44	2	87
0	4	54.94	2	90
0	4	56	2	93
0	4	57.94	2	96


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Calibrate Conferencing Specifications (Cont.)



CALIBRATE CONFERENCING 5-BASE BOAT TABLE SPECIFICATIONS

Conference Table Image	Work Surface Depth 1	Work Surface Depth Mid	Work Surface Depth 2	Work Surface Width	Base Depth Base 1	Base Depth Base 2	Base Depth Base 3	Base Depth Base 4	Base Depth Base 5	Base Quantity	Distance A
	42	54	42	198	24	30	30	30	24	5	37.5
	42	54	42	204	24	30	30	30	24	5	39
	42	54	42	210	24	30	30	30	24	5	40.5
	42	54	42	216	24	30	30	30	24	5	42
	42	54	42	222	24	30	30	30	24	5	43.5
	42	54	42	228	24	30	30	30	24	5	45
	42	54	42	234	24	30	30	30	24	5	46.5
	42	54	42	240	24	30	30	30	24	5	48
	47	59	47	198	24	30	30	30	24	5	37.5
	47	59	47	204	24	30	30	30	24	5	39
	47	59	47	210	24	30	30	30	24	5	40.5
	47	59	47	216	24	30	30	30	24	5	42
	47	59	47	222	24	30	30	30	24	5	43.5
	47	59	47	228	24	30	30	30	24	5	45
	47	59	47	234	24	30	30	30	24	5	46.5
	47	59	47	240	24	30	30	30	24	5	48




Total # of Counter-weights	Trough Support A Quantity	Trough Support A Length	Trough Support B Quantity	Trough Support B Length
0	4	46.69	2	75
0	4	48.94	2	78
0	4	50	2	81
0	4	51.94	2	84
0	4	53.44	2	87
0	4	54.94	2	90
0	4	56	2	93
0	4	57.94	2	96
0	4	46.69	2	75
0	4	48.94	2	78
0	4	50	2	81
0	4	51.94	2	84
0	4	53.44	2	87
0	4	54.94	2	90
0	4	56	2	93
0	4	57.94	2	96


© 2026, AIS, Inc.

Calibrate Conferencing Product Details

Calibrate Conferencing Specifications (Cont.)




CALIBRATE CONFERENCING 2-BASE TAPERED TABLE SPECIFICATIONS


Conference Table Image	Work-Surface Depth 1	Work-Surface Depth Mid	Work-Surface Depth 2	Work-Surface Width 1	Base Depth Base 1	Base Depth Base 2	Base Depth Base 3	Base Depth Base 4	Base Quantity	Distance A	Total # of Counter-weights	Trough Support A Quantity	Trough Support A Length	Trough Support B Quantity	Trough Support B Length
	42	48	54	72	18	24	-	-	2	36	2	2	44	-	-
	42	48	54	78	18	24	-	-	2	39	4	2	50	-	-
	42	48	54	84	18	24	-	-	2	42	4	2	56	-	-
	42	48	54	90	18	24	-	-	2	45	4	2	62	-	-
	42	48	54	96	18	24	-	-	2	48	4	2	68	-	-
	47	53	59	72	24	30	-	-	2	36	4	2	44	-	-
	47	53	59	78	24	30	-	-	2	39	4	2	50	-	-
	47	53	59	84	24	30	-	-	2	42	4	2	56	-	-
	47	53	59	90	24	30	-	-	2	45	4	2	62	-	-
	47	53	59	96	24	30	-	-	2	48	4	2	68	-	-

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Calibrate Conferencing Specifications (Cont.)




CALIBRATE CONFERENCING 3-BASE TAPERED TABLE SPECIFICATIONS

Conference Table Image	Work-Surface Depth 1	Work-Surface Depth Mid	Work-Surface Depth 2	Work-Surface Width 1	Base Depth Base 1	Base Depth Base 2	Base Depth Base 3	Base Depth Base 4	Base Quantity	Distance A	Total # of Counter-weights	Trough Support A Quantity	Trough Support A Length	Trough Support B Quantity	Trough Support B Length
	42	48	54	102	18	24	30	-	3	34		4	37 15/16	-	-
	42	48	54	108	18	24	30	-	3	36	0	4	39 15/16	-	-
	42	48	54	114	18	24	30	-	3	38	0	4	42 15/16	-	-
	42	48	54	120	18	24	30	-	3	40	0	4	45 15/16	-	-
	42	48	54	126	18	24	30	-	3	42	0	4	48 15/16	-	-
	42	48	54	132	18	24	30	-	3	44	0	4	51 15/16	-	-
	42	48	54	138	18	24	30	-	3	46	0	4	54 15/16	-	-
	42	48	54	144	18	24	30	-	3	48	0	4	57 15/16	-	-
	47	53	59	102	18	24	30	-	3	34	0	4	37 15/16	-	-
	47	53	59	108	18	24	30	-	3	36	0	4	39 15/16	-	-
	47	53	59	114	18	24	30	-	3	38	0	4	42 15/16	-	-
	47	53	59	120	18	24	30	-	3	40	0	4	45 15/16	-	-
	47	53	59	126	18	24	30	-	3	42	0	4	48 15/16	-	-
	47	53	59	132	18	24	30	-	3	44	0	4	51 15/16	-	-
	47	53	59	138	18	24	30	-	3	46	0	4	54 15/16	-	-
	47	53	59	144	18	24	30	-	3	48	0	4	57 15/16	-	-


© 2026, AIS, Inc.

Calibrate Conferencing Product Details

Calibrate Conferencing Specifications (Cont.)




CALIBRATE CONFERENCING 4-BASE TAPERED TABLE SPECIFICATIONS

Conference Table Image	Work-Surface Depth 1	Work-Surface Depth Mid	Work-Surface Depth 2	Work-Surface Width 1	Base Depth Base 1	Base Depth Base 2	Base Depth Base 3	Base Depth Base 4	Base Quantity	Distance A	Total # of Counter-weights	Trough Support A Quantity	Trough Support A Length	Trough Support B Quantity	Trough Support B Length
	42	48	54	150	18	24	24	30	4	37 1/2	0	2	37 3/8	4	42 3/16
	42	48	54	156	18	24	24	30	4	39	0	2	38 7/8	4	44 7/16
	42	48	54	162	18	24	24	30	4	40 1/2	0	2	40 3/8	4	46 11/16
	42	48	54	168	18	24	24	30	4	42	0	2	41 7/8	4	48 15/16
	42	48	54	174	18	24	24	30	4	43 1/2	0	2	43 3/8	4	51 3/16
	42	48	54	180	18	24	24	30	4	45	0	2	44 7/8	4	53 7/16
	42	48	54	186	18	24	24	30	4	46 1/2	0	2	46 3/8	4	55 11/16
	42	48	54	192	18	24	24	30	4	48	0	2	47 7/8	4	57 15/16
	47	53	59	150	18	24	24	30	4	37 1/2	0	2	37 3/8	4	42 3/16
	47	53	59	156	18	24	24	30	4	39	0	2	38 7/8	4	44 7/16
	47	53	59	162	18	24	24	30	4	40 1/2	0	2	40 3/8	4	46 11/16
	47	53	59	168	18	24	24	30	4	42	0	2	41 7/8	4	48 15/16
	47	53	59	174	18	24	24	30	4	43 1/2	0	2	43 3/8	4	51 3/16
	47	53	59	180	18	24	24	30	4	45	0	2	44 7/8	4	53 7/16
	47	53	59	186	18	24	24	30	4	46 1/2	0	2	46 3/8	4	55 11/16
	47	53	59	192	18	24	24	30	4	48	0	2	47 7/8	4	57 15/16


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Calibrate Conferencing Specifications (Cont.)



CALIBRATE CONFERENCING 5-BASE TAPERED TABLE SPECIFICATIONS

Conference Table Image	Work Surface Depth 1	Work Surface Depth Mid	Work Surface Depth 2	Work Surface Width	Base Depth Base 1	Base Depth Base 2	Base Depth Base 3	Base Depth Base 4	Base Depth Base 5	Base Quantity	Distance A
	54	48	42	198	30	30	24	24	18	5	37.5
	54	48	42	204	30	30	24	24	18	5	39
	54	48	42	210	30	30	24	24	18	5	40.5
	54	48	42	216	30	30	24	24	18	5	42
	54	48	42	222	30	30	24	24	18	5	43.5
	54	48	42	228	30	30	24	24	18	5	45
	54	48	42	234	30	30	24	24	18	5	46.5
	54	48	42	240	30	30	24	24	18	5	48
	59	53	47	198	30	30	24	24	18	5	37.5
	59	53	47	204	30	30	24	24	18	5	39
	59	53	47	210	30	30	24	24	18	5	40.5
	59	53	47	216	30	30	24	24	18	5	42
	59	53	47	222	30	30	24	24	18	5	43.5
	59	53	47	228	30	30	24	24	18	5	45
	59	53	47	234	30	30	24	24	18	5	46.5
	59	53	47	240	30	30	24	24	18	5	48



Total # of Counter-weights	Trough Support A Quantity	Trough Support A Length	Trough Support B Quantity	Trough Support B Length
0	4	46.69	2	75
0	4	48.94	2	78
0	4	50	2	81
0	4	51.94	2	84
0	4	53.44	2	87
0	4	54.94	2	90
0	4	56	2	93
0	4	57.94	2	96
0	4	46.69	2	75
0	4	48.94	2	78
0	4	50	2	81
0	4	51.94	2	84
0	4	53.44	2	87
0	4	54.94	2	90
0	4	56	2	93
0	4	57.94	2	96

© 2026, AIS, Inc.


2-Base Rectangular Tables

2MM EDGE 2-BASE RECTANGULAR TABLE


D	W	Model Number	List
42	72	X-CTR4272R	3,731
42	78	X-CTR4278R	3,844
42	84	X-CTR4284R	3,953
42	90	X-CTR4290R	4,069
42	96	X-CTR4296R	4,180
47	72	X-CTR4872R	3,805
47	78	X-CTR4878R	4,045
47	84	X-CTR4884R	4,164
47	90	X-CTR4890R	4,283
47	96	X-CTR4896R	4,403
54	72	X-CTR5472R	4,023
54	78	X-CTR5478R	4,211
54	84	X-CTR5484R	4,336
54	90	X-CTR5490R	4,461
54	96	X-CTR5496R	4,587
59	72	X-CTR6072R	4,098
59	78	X-CTR6078R	4,413
59	84	X-CTR6084R	4,546
59	90	X-CTR6090R	4,676
59	96	X-CTR6096R	4,805

KNIFE EDGE 2-BASE RECTANGULAR TABLE


D	W	Model Number	List
42	72	X-CTR4272K	5,863
42	78	X-CTR4278K	6,017
42	84	X-CTR4284K	6,171
42	90	X-CTR4290K	6,326
42	96	X-CTR4296K	6,481
47	72	X-CTR4872K	6,008
47	78	X-CTR4878K	6,300
47	84	X-CTR4884K	6,467
47	90	X-CTR4890K	6,633
47	96	X-CTR4896K	6,799
54	72	X-CTR5472K	6,302
54	78	X-CTR5478K	6,542
54	84	X-CTR5484K	6,721
54	90	X-CTR5490K	6,902
54	96	X-CTR5496K	7,082
59	72	X-CTR6072K	6,445
59	78	X-CTR6078K	6,823
59	84	X-CTR6084K	7,014
59	90	X-CTR6090K	7,206
59	96	X-CTR6096K	7,399




No Power Option




Power Option B/C




Power Option D/E/F



No Power Option



Power Option B/C



Power Option D/E/F

Specify

- Laminate Selection for Worksurface
- Laminate Selection for Base
- Color Selection for Edge
- Power Option
- Color Selection for Power Option

Notes

- Power Option B & C consists of one powered option centered on worksurface.
- Power Option D,E & F consists of two power options centered over table bases.
- 60”D nominal worksurfaces will be 59”D for manufacturing purposes.
- Grade C laminates incur an upcharge of $530 list for 2mm edge 2-base tables.
- Grade B and C laminates do not include matching edgeband.
- Calibrate Conference Tables have a 1” glide adjustment on the bases.

Power Options

- 2-Base Option B - Single Unit, Center Worksurface, 2 Outlets total, 1 USB-A, 1 USB-C, 2 Keystone Holes, 2 Grommet Holes, 1 Plug (+998)
- 2-Base Option C - Single Unit, Center Worksurface, 2 Outlets total, 2 USB-A total, 2 Keystone Holes, 1 Grommet Holes, Hardwired (+1,854)
- 2-Base Option D - Two Units, Center Over Bases, 4 Outlets total, 2 USB-A, 2 USB-C, 4 Keystone Holes, 4 Grommet Holes, 2 Plugs (+1,998)
- 2-Base Option E - Two Units, Center Over Bases, 4 Outlets total, 2 USB-A, 2 USB-C, 4 Keystone Holes, 4 Grommet Holes, 1 Plug (+3,589)
- 2-Base Option F - Two Units, Center Over Bases, 4 Outlets total, 4 USB-A total, 4 Keystone Holes, 2 Grommet Holes, Hardwired (+3,423)

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


3-Base Rectangular Tables


2MM EDGE 3-BASE RECTANGULAR TABLE


D	W	Model Number	List
42	102	X-CTR42102R	6,021
42	108	X-CTR42108R	6,110
42	114	X-CTR42114R	6,223
42	120	X-CTR42120R	6,338
42	126	X-CTR42126R	6,445
42	132	X-CTR42132R	6,559
42	138	X-CTR42138R	6,670
42	144	X-CTR42144R	6,785
47	102	X-CTR48102R	6,125
47	108	X-CTR48108R	6,221
47	114	X-CTR48114R	6,339
47	120	X-CTR48120R	6,459
47	126	X-CTR48126R	6,576
47	132	X-CTR48132R	6,693
47	138	X-CTR48138R	6,814
47	144	X-CTR48144R	6,929


KNIFE EDGE 3-BASE RECTANGULAR TABLE


D	W	Model Number	List
42	102	X-CTR42102K	9,794
42	108	X-CTR42108K	9,927
42	114	X-CTR42114K	10,080
42	120	X-CTR42120K	10,237
42	126	X-CTR42126K	10,390
42	132	X-CTR42132K	10,543
42	138	X-CTR42138K	10,698
42	144	X-CTR42144K	10,854
47	102	X-CTR48102K	10,000
47	108	X-CTR48108K	10,143
47	114	X-CTR48114K	10,309
47	120	X-CTR48120K	10,480
47	126	X-CTR48126K	10,647
47	132	X-CTR48132K	10,809
47	138	X-CTR48138K	10,977
47	144	X-CTR48144K	11,145



No Power Option



Power Option B/C



Power Option D/E/F


Power Option G/H/I


No Power Option


Power Option B/C


Power Option D/E/F


Power Option G/H/I

Specify

- Laminate Selection for Worksurface
- Laminate Selection for Base
- Color Selection for Edge
- Power Option
- Color Selection for Power Option
- Grain Direction - Short or Long Side

Notes

- Grain “direction” will match per worksurface section, however grain “patterns” will not be lined up or matched exactly. See product details for more information about Calibrate Conferencing grain and pattern directions.
- Power Option B & C consists of one power option centered over the center base.
- Power Option D, E & F consists of two power options centered over two outer table bases.
- Power Option G, H & I consists of three power options centered over three table bases.
- Grade C laminates incur an upcharge of $795 list for 2mm edge 3-base tables.
- Grade B and C laminates do not include matching edgeband.
- Calibrate Conference Tables have a 1” glide adjustment on the bases.
- Plugged infeeds may be installed into the hub at any leg location.
- Each hardwired power has a 9’ cord. It is the electrician’s responsibility to connect these to the wall/floor terminal, or connect in a junction box in accordance with local codes.

Power Options

- 3-Base Option B - Single Unit, Center Worksurface, 2 Outlets total, 1 USB-A, 1 USB-C, 2 Keystone Holes, 2 Grommet Holes, 1 Plug (+998)
- 3-Base Option C - Single Unit, Center Worksurface, 2 Outlets total, 2 USB-A total, 2 Keystone Holes, 1 Grommet Holes, Hardwired (+1,854)
- 3-Base Option D - Two Units, Center Over End Bases, 4 Outlets total, 2 USB-A, 2 USB-C, 4 Keystone Holes, 4 Grommet Holes, 2 Plugs (+1,998)
- 3-Base Option E - Two Units, Center Over End Bases, 4 Outlets total, 2 USB-A, 2 USB-C, 4 Keystone Holes, 4 Grommet Holes, 1 Plug (+3,704)
- 3-Base Option F - Two Units, Center Over End Bases, 4 Outlets total, 4 USB-A total, 4 Keystone Holes, 2 Grommet Holes, Hardwired (+3,539)
- 3-Base Option G - Three Units, Center Over Bases, 6 Outlets total, 3 USB-A, 3 USB-C, 6 Keystone Holes, 6 Grommet Holes, 3 Plugs (+2,996)
- 3-Base Option H -Three Units, Center Over Bases, 6 Outlets total, 3 USB-A, 3 USB-C, 6 Keystone Holes, 6 Grommet Holes, 1 Plug (+5,294)
- 3-Base Option I - Three Units, Center Over Bases, 6 Outlets total, 6 USB-A total, 6 Keystone Holes, 3 Grommet Holes, 1 Hardwired (+5,128)

© 2026, AIS, Inc.


3-Base Rectangular Tables


2MM EDGE 3-BASE RECTANGULAR TABLE


D	W	Model Number	List
54	102	X-CTR54102R	6,463
54	108	X-CTR54108R	6,562
54	114	X-CTR54114R	6,689
54	120	X-CTR54120R	6,815
54	126	X-CTR54126R	6,938
54	132	X-CTR54132R	7,061
54	138	X-CTR54138R	7,187
54	144	X-CTR54144R	7,313
59	102	X-CTR60102R	6,751
59	108	X-CTR60108R	6,859
59	114	X-CTR60114R	6,991
59	120	X-CTR60120R	7,122
59	126	X-CTR60126R	7,251
59	132	X-CTR60132R	7,380
59	138	X-CTR60138R	7,511
59	144	X-CTR60144R	7,642


KNIFE EDGE 3-BASE RECTANGULAR TABLE


D	W	Model Number	List
54	102	X-CTR54102K	10,807
54	108	X-CTR54108K	10,967
54	114	X-CTR54114K	11,155
54	120	X-CTR54120K	11,340
54	126	X-CTR54126K	11,525
54	132	X-CTR54132K	11,712
54	138	X-CTR54138K	11,895
54	144	X-CTR54144K	12,082
59	102	X-CTR60102K	11,215
59	108	X-CTR60108K	11,385
59	114	X-CTR60114K	11,585
59	120	X-CTR60120K	11,782
59	126	X-CTR60126K	11,980
59	132	X-CTR60132K	12,179
59	138	X-CTR60138K	12,376
59	144	X-CTR60144K	12,574



No Power Option



Power Option B/C



Power Option D/E/F


Power Option G/H/I


No Power Option


Power Option B/C


Power Option D/E/F


Power Option G/H/I

Specify

- Laminate Selection for Worksurface
- Laminate Selection for Base
- Color Selection for Edge
- Power Option
- Color Selection for Power Option
- Grain Direction - Short or Long Side

Notes

- Grain “direction” will match per worksurface section, however grain “patterns” will not be lined up or matched exactly. See product details for more information about Calibrate Conferencing grain and pattern directions.
- Power Option B & C consists of one power option centered over the center base.
- Power Option D, E & F consists of two power options centered over two outer table bases.
- Power Option G, H & I consists of three power options centered over three table bases.
- 60”D nominal worksurfaces will be 59”D for manufacturing purposes.
- Grade C laminates incur an upcharge of $795 list for 2mm edge 3-base tables.
- Grade B and C laminates do not include matching edgeband.
- Calibrate Conference Tables have a 1” glide adjustment on the bases.
- Plugged infeeds may be installed into the hub at any leg location.
- Each hardwired power has a 9’ cord. It is the electrician’s responsibility to connect these to the wall/floor terminal, or connect in a junction box in accordance with local codes.

Power Options

- 3-Base Option B - Single Unit, Center Worksurface, 2 Outlets total, 1 USB-A, 1 USB-C, 2 Keystone Holes, 2 Grommet Holes, 1 Plug (+998)
- 3-Base Option C - Single Unit, Center Worksurface, 2 Outlets total, 2 USB-A total, 2 Keystone Holes, 1 Grommet Holes, Hardwired (+1,854)
- 3-Base Option D - Two Units, Center Over End Bases, 4 Outlets total, 2 USB-A, 2 USB-C, 4 Keystone Holes, 4 Grommet Holes, 2 Plugs (+1,998)
- 3-Base Option E - Two Units, Center Over End Bases, 4 Outlets total, 2 USB-A, 2 USB-C, 4 Keystone Holes, 4 Grommet Holes, 1 Plug (+3,704)
- 3-Base Option F - Two Units, Center Over End Bases, 4 Outlets total, 4 USB-A total, 4 Keystone Holes, 2 Grommet Holes, Hardwired (+3,539)
- 3-Base Option G - Three Units, Center Over Bases, 6 Outlets total, 3 USB-A, 3 USB-C, 6 Keystone Holes, 6 Grommet Holes, 3 Plugs (+2,996)
- 3-Base Option H -Three Units, Center Over Bases, 6 Outlets total, 3 USB-A, 3 USB-C, 6 Keystone Holes, 6 Grommet Holes, 1 Plug (+5,294)
- 3-Base Option I - Three Units, Center Over Bases, 6 Outlets total, 6 USB-A total, 6 Keystone Holes, 3 Grommet Holes, 1 Hardwired (+5,128)

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


4-Base Rectangular Tables

2MM EDGE 4-BASE RECTANGULAR TABLE


D	W	Model Number	List
42	150	X-CTR42150R	8,388
42	156	X-CTR42156R	8,501
42	162	X-CTR42162R	8,613
42	168	X-CTR42168R	8,726
42	174	X-CTR42174R	8,838
42	180	X-CTR42180R	8,949
42	186	X-CTR42186R	9,063
42	192	X-CTR42192R	9,175
47	150	X-CTR48150R	8,539
47	156	X-CTR48156R	8,657
47	162	X-CTR48162R	8,775
47	168	X-CTR48168R	8,894
47	174	X-CTR48174R	9,014
47	180	X-CTR48180R	9,130
47	186	X-CTR48186R	9,247
47	192	X-CTR48192R	9,369

KNIFE EDGE 4-BASE RECTANGULAR TABLE


D	W	Model Number	List
42	150	X-CTR42150K	14,123
42	156	X-CTR42156K	14,279
42	162	X-CTR42162K	14,433
42	168	X-CTR42168K	14,587
42	174	X-CTR42174K	14,743
42	180	X-CTR42180K	14,898
42	186	X-CTR42186K	15,055
42	192	X-CTR42192K	15,208
47	150	X-CTR48150K	14,426
47	156	X-CTR48156K	14,594
47	162	X-CTR48162K	14,760
47	168	X-CTR48168K	14,926
47	174	X-CTR48174K	15,096
47	180	X-CTR48180K	15,262
47	186	X-CTR48186K	15,426
47	192	X-CTR48192K	15,596




No Power Option




Power Option B/C/D




Power Option E/F/G



No Power Option



Power Option B/C/D



Power Option E/F/G

Specify

- Laminate Selection for Worksurface
- Laminate Selection for Base
- Color Selection for Edge
- Power Option
- Color Selection for Power Option
- Grain Direction - Short or Long Side

Notes

- Grain “direction” will match per worksurface section, however grain “patterns” will not be lined up or matched exactly. See product details for more information about Calibrate Conferencing grain and pattern directions.
- Power Option B, C & D consists of two power options centered over two outer table bases.
- Power Option E, F & G consists of four power options centered over four table bases.
- Grade C laminates incur an upcharge of $1,060 list for 2mm edge 4-base tables.
- Grade B and C laminates do not include matching edgeband.
- Calibrate Conference Tables have a 1” glide adjustment on the bases.
- Plugged infeeds may be installed into the hub at any leg location.
- Each hardwired power has a 9’ cord. It is the electrician’s responsibility to connect these to the wall/floor terminal, or connect in a junction box in accordance with local codes.

Power Options

- 4-Base Option B - Two Units, Center Over End Bases, 4 Outlets total, 2 USB-A, 2 USB-C, 4 Keystone Holes, 4 Grommet Holes, 2 Plugs (+1,998)
- 4-Base Option C - Two Units, Center Over End Bases, 4 Outlets total, 2 USB-A, 2 USB-C, 4 Keystone Holes, 4 Grommet Holes, 1 Plug (+3,835)
- 4-Base Option D - Two Units, Center Over End Bases, 4 Outlets total, 4 USB-A total, 4 Keystone Holes, 2 Grommet Holes, Hardwired (+3,669)
- 4-Base Option E - Four Units, Center Over Bases, 8 Outlets total, 4 USB-A, 4 USB-C, 8 Keystone Holes, 8 Grommet Holes, 4 Plugs (+3,994)
- 4-Base Option F - Four Units, Center Over Bases, 8 Outlets total, 4 USB-A, 4 USB-C, 8 Keystone Holes, 8 Grommet Holes, 1 Plug (+6,998)
- 4-Base Option G - Four Units, Center Over Bases, 8 Outlets total, 8 USB-A total, 8 Keystone Holes, 4 Grommet Holes, Hardwired (+6,833)

© 2026, AIS, Inc.


4-Base Rectangular Tables


2MM EDGE 4-BASE RECTANGULAR TABLE


D	W	Model Number	List
54	150	X-CTR54150R	9,008
54	156	X-CTR54156R	9,130
54	162	X-CTR54162R	9,257
54	168	X-CTR54168R	9,381
54	174	X-CTR54174R	9,504
54	180	X-CTR54180R	9,630
54	186	X-CTR54186R	9,756
54	192	X-CTR54192R	9,881
59	150	X-CTR60150R	9,530
59	156	X-CTR60156R	9,662
59	162	X-CTR60162R	9,793
59	168	X-CTR60168R	9,923
59	174	X-CTR60174R	10,053
59	180	X-CTR60180R	10,182
59	186	X-CTR60186R	10,311
59	192	X-CTR60192R	10,445


KNIFE EDGE 4-BASE RECTANGULAR TABLE


D	W	Model Number	List
54	150	X-CTR54150K	15,048
54	156	X-CTR54156K	15,225
54	162	X-CTR54162K	15,404
54	168	X-CTR54168K	15,581
54	174	X-CTR54174K	15,760
54	180	X-CTR54180K	15,943
54	186	X-CTR54186K	16,120
54	192	X-CTR54192K	16,300
59	150	X-CTR60150K	15,721
59	156	X-CTR60156K	15,913
59	162	X-CTR60162K	16,102
59	168	X-CTR60168K	16,296
59	174	X-CTR60174K	16,485
59	180	X-CTR60180K	16,675
59	186	X-CTR60186K	16,868
59	192	X-CTR60192K	17,058



No Power Option


Power Option B/C/D


Power Option E/F/G


No Power Option


Power Option B/C/D


Power Option E/F/G

Specify

- Laminate Selection for Worksurface
- Laminate Selection for Base
- Color Selection for Edge
- Power Option
- Color Selection for Power Option
- Grain Direction - Short or Long Side

Notes

- Grain “direction” will match per worksurface section, however grain “patterns” will not be lined up or matched exactly. See product details for more information about Calibrate Conferencing grain and pattern directions.
- Power Option B, C & D consists of two power options centered over two outer table bases.
- Power Option E, F & G consists of four power options centered over four table bases.
- 60”D nominal worksurfaces will be 59”D for manufacturing purposes.
- Grade C laminates incur an upcharge of $1,060 list for 2mm edge 4-base tables.
- Grade B and C laminates do not include matching edgeband.
- Calibrate Conference Tables have a 1” glide adjustment on the bases.
- Plugged infeeds may be installed into the hub at any leg location.
- Each hardwired power has a 9’ cord. It is the electrician’s responsibility to connect these to the wall/floor terminal, or connect in a junction box in accordance with local codes.

Power Options

- 4-Base Option B - Two Units, Center Over End Bases, 4 Outlets total, 2 USB-A, 2 USB-C, 4 Keystone Holes, 4 Grommet Holes, 2 Plugs (+1,998)
- 4-Base Option C - Two Units, Center Over End Bases, 4 Outlets total, 2 USB-A, 2 USB-C, 4 Keystone Holes, 4 Grommet Holes, 1 Plug (+3,835)
- 4-Base Option D - Two Units, Center Over End Bases, 4 Outlets total, 4 USB-A total, 4 Keystone Holes, 2 Grommet Holes, Hardwired (+3,669)
- 4-Base Option E - Four Units, Center Over Bases, 8 Outlets total, 4 USB-A, 4 USB-C, 8 Keystone Holes, 8 Grommet Holes, 4 Plugs (+3,994)
- 4-Base Option F - Four Units, Center Over Bases, 8 Outlets total, 4 USB-A, 4 USB-C, 8 Keystone Holes, 8 Grommet Holes, 1 Plug (+6,998)
- 4-Base Option G - Four Units, Center Over Bases, 8 Outlets total, 8 USB-A total, 8 Keystone Holes, 4 Grommet Holes, Hardwired (+6,833)

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


5-Base Rectangular Tables


2MM EDGE 5-BASE RECTANGULAR TABLE


D	W	Model Number	List
42	198	X-CTR42198R	10,689
42	204	X-CTR42204R	10,818
42	210	X-CTR42210R	10,922
42	216	X-CTR42216R	11,045
42	222	X-CTR42222R	11,156
42	228	X-CTR42228R	11,268
42	234	X-CTR42234R	11,370
42	240	X-CTR42240R	11,493
47	198	X-CTR48198R	10,889
47	204	X-CTR48204R	11,023
47	210	X-CTR48210R	11,133
47	216	X-CTR48216R	11,261
47	222	X-CTR48222R	11,379
47	228	X-CTR48228R	11,497
47	234	X-CTR48234R	11,605
47	240	X-CTR48240R	11,733


KNIFE EDGE 5-BASE RECTANGULAR TABLE


D	W	Model Number	List
42	198	X-CTR42198K	14,744
42	204	X-CTR42204K	14,941
42	210	X-CTR42210K	15,109
42	216	X-CTR42216K	15,297
42	222	X-CTR42222K	15,477
42	228	X-CTR42228K	15,654
42	234	X-CTR42234K	15,824
42	240	X-CTR42240K	16,011
47	198	X-CTR48198K	15,335
47	204	X-CTR48204K	15,544
47	210	X-CTR48210K	15,725
47	216	X-CTR48216K	15,925
47	222	X-CTR48222K	16,115
47	228	X-CTR48228K	16,308
47	234	X-CTR48234K	16,487
47	240	X-CTR48240K	16,691



No Power Option



Power Option B/C



Power Option D/E/F


Power Option G/H/I


No Power Option


Power Option B/C


Power Option D/E/F


Power Option G/H/I

Specify

- Laminate Selection for Worksurface
- Laminate Selection for Base
- Color Selection for Edge
- Power Option
- Color Selection for Power Option
- Grain Direction - Short or Long Side

Notes

- Grain “direction” will match per worksurface section, however grain “patterns” will not be lined up or matched exactly. See product details for more information about Calibrate Conferencing grain and pattern directions.
- Power Option B & C consists of one power option centered over the center table base.
- Power Option D, E & F consists of three power options centered over three alternating table bases.
- Power Option G, H & I consists of five power options centered over five table bases.
- Grade C laminates incur an upcharge of $1,325 list for 2mm edge 5-base tables.
- Grade B and C laminates do not include matching edgeband.
- Calibrate Conference Tables have a 1” glide adjustment on the bases.
- Plugged infeeds may be installed into the hub at any leg location.
- Each hardwired power has a 9’ cord. It is the electrician’s responsibility to connect these to the wall/floor terminal, or connect in a junction box in accordance with local codes.

Power Options

- 5-Base Option B - Single Unit, Center Worksurface, 2 Outlets total, 1 USB-A, 1 USB-C, 2 Keystone Holes, 2 Grommet Holes, 1 Plug (+998)
- 5-Base Option C - Single Unit, Center Worksurface, 2 Outlets total, 2 USB-A, 2 Keystone Holes, 1 Grommet Hole, Hardwired (+1,854)
- 5-Base Option D - Three Units, Center Over Alternating Bases, 6 Outlets total, 3 USB-A, 3 USB-C, 6 Keystone Holes, 6 Grommet Holes, 3 Plugs (+2,996)
- 5-Base Option E - Three Units, Center Over Alternating Bases, 6 Outlets total, 3 USB-A, 3 USB-C, 6 Keystone Holes, 6 Grommet Holes, 1 Plug (+5,539)
- 5-Base Option F - Three Units, Center Over Alternating Bases, 6 Outlets total, 6 USB-A total, 6 Keystone Holes, 4 Grommet Holes, Hardwired (+5,374)
- 5-Base Option G - Five Units, Center Over Bases, 10 Outlets total, 5 USB-A, 5 USB-C, 10 Keystone Holes, 10 Grommet Holes, 5 Plugs (+4,992)
- 5-Base Option H - Five Units, Center Over Bases, 10 Outlets total, 5 USB-A, 5 USB-C, 10 Keystone Holes, 10 Grommet Holes, 1 Plug (+8,703)
- 5-Base Option I - Five Units, Center Over Bases, 10 Outlets total, 10 USB-A total, 10 Keystone Holes, 5 Grommet Holes, Hardwired (+8,538)

© 2026, AIS, Inc.


5-Base Rectangular Tables


2MM EDGE 5-BASE RECTANGULAR TABLE


D	W	Model Number	List
54	198	X-CTR54198R	11,485
54	204	X-CTR54204R	11,626
54	210	X-CTR54210R	11,739
54	216	X-CTR54216R	11,875
54	222	X-CTR54222R	12,000
54	228	X-CTR54228R	12,122
54	234	X-CTR54234R	12,239
54	240	X-CTR54240R	12,373
59	198	X-CTR60198R	11,684
59	204	X-CTR60204R	11,831
59	210	X-CTR60210R	11,952
59	216	X-CTR60216R	12,092
59	222	X-CTR60222R	12,221
59	228	X-CTR60228R	12,354
59	234	X-CTR60234R	12,473
59	240	X-CTR60240R	12,613


KNIFE EDGE 5-BASE RECTANGULAR TABLE


D	W	Model Number	List
54	198	X-CTR54198K	16,323
54	204	X-CTR54204K	16,546
54	210	X-CTR54210K	16,739
54	216	X-CTR54216K	16,951
54	222	X-CTR54222K	17,151
54	228	X-CTR54228K	17,358
54	234	X-CTR54234K	17,549
54	240	X-CTR54240K	17,761
59	198	X-CTR60198K	16,916
59	204	X-CTR60204K	17,149
59	210	X-CTR60210K	17,356
59	216	X-CTR60216K	17,580
59	222	X-CTR60222K	17,793
59	228	X-CTR60228K	18,008
59	234	X-CTR60234K	18,213
59	240	X-CTR60240K	18,438



No Power Option



Power Option B/C



Power Option D/E/F


Power Option G/H/I


No Power Option


Power Option B/C


Power Option D/E/F


Power Option G/H/I

Specify

- Laminate Selection for Worksurface
- Laminate Selection for Base
- Color Selection for Edge
- Power Option
- Color Selection for Power Option
- Grain Direction - Short or Long Side

Notes

- Grain “direction” will match per worksurface section, however grain “patterns” will not be lined up or matched exactly. See product details for more information about Calibrate Conferencing grain and pattern directions.
- Power Option B & C consists of one power option centered over the center table base.
- Power Option D, E & F consists of three power options centered over three alternating table bases.
- Power Option G, H & I consists of five power options centered over five table bases.
- 60”D nominal worksurfaces will be 59”D for manufacturing purposes.
- Grade C laminates incur an upcharge of $1,325 list for 2mm edge 5-base tables.
- Grade B and C laminates do not include matching edgeband.
- Calibrate Conference Tables have a 1” glide adjustment on the bases.
- Plugged infeeds may be installed into the hub at any leg location.
- Each hardwired power has a 9’ cord. It is the electrician’s responsibility to connect these to the wall/floor terminal, or connect in a junction box in accordance with local codes.

Power Options

- 5-Base Option B - Single Unit, Center Worksurface, 2 Outlets total, 1 USB-A, 1 USB-C, 2 Keystone Holes, 2 Grommet Holes, 1 Plug (+998)
- 5-Base Option C - Single Unit, Center Worksurface, 2 Outlets total, 2 USB-A, 2 Keystone Holes, 1 Grommet Hole, Hardwired (+1,854)
- 5-Base Option D - Three Units, Center Over Alternating Bases, 6 Outlets total, 3 USB-A, 3 USB-C, 6 Keystone Holes, 6 Grommet Holes, 3 Plugs (+2,996)
- 5-Base Option E - Three Units, Center Over Alternating Bases, 6 Outlets total, 3 USB-A, 3 USB-C, 6 Keystone Holes, 6 Grommet Holes, 1 Plug (+5,539)
- 5-Base Option F - Three Units, Center Over Alternating Bases, 6 Outlets total, 6 USB-A total, 6 Keystone Holes, 4 Grommet Holes, Hardwired (+5,374)
- 5-Base Option G - Five Units, Center Over Bases, 10 Outlets total, 5 USB-A, 5 USB-C, 10 Keystone Holes, 10 Grommet Holes, 5 Plugs (+4,992)
- 5-Base Option H - Five Units, Center Over Bases, 10 Outlets total, 5 USB-A, 5 USB-C, 10 Keystone Holes, 10 Grommet Holes, 1 Plug (+8,703)
- 5-Base Option I - Five Units, Center Over Bases, 10 Outlets total, 10 USB-A total, 10 Keystone Holes, 5 Grommet Holes, Hardwired (+8,538)

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


2-Base Rectangular Tables with Radius Corners


2MM EDGE 2-BASE RECTANGULAR TABLES W/RADIUS CORNERS


D	W	Model Number	List
42	72	X-CTRR4272R	3,932
42	78	X-CTRR4278R	4,045
42	84	X-CTRR4284R	4,156
42	90	X-CTRR4290R	4,271
42	96	X-CTRR4296R	4,382
48	72	X-CTRR4872R	4,006
48	78	X-CTRR4878R	4,246
48	84	X-CTRR4884R	4,366
48	90	X-CTRR4890R	4,484
48	96	X-CTRR4896R	4,604
54	72	X-CTRR5472R	4,225
54	78	X-CTRR5478R	4,412
54	84	X-CTRR5484R	4,538
54	90	X-CTRR5490R	4,662
54	96	X-CTRR5496R	4,787
59	72	X-CTRR6072R	4,299
59	78	X-CTRR6078R	4,616
59	84	X-CTRR6084R	4,747
59	90	X-CTRR6090R	4,878
59	96	X-CTRR6096R	5,007


KNIFE EDGE 2-BASE RECTANGULAR TABLES W/RADIUS CORNERS


D	W	Model Number	List
42	72	X-CTRR4272K	6,064
42	78	X-CTRR4278K	6,218
42	84	X-CTRR4284K	6,374
42	90	X-CTRR4290K	6,529
42	96	X-CTRR4296K	6,683
48	72	X-CTRR4872K	6,209
48	78	X-CTRR4878K	6,501
48	84	X-CTRR4884K	6,669
48	90	X-CTRR4890K	6,836
48	96	X-CTRR4896K	7,000
54	72	X-CTRR5472K	6,503
54	78	X-CTRR5478K	6,742
54	84	X-CTRR5484K	6,923
54	90	X-CTRR5490K	7,105
54	96	X-CTRR5496K	7,284
59	72	X-CTRR6072K	6,647
59	78	X-CTRR6078K	7,024
59	84	X-CTRR6084K	7,215
59	90	X-CTRR6090K	7,408
59	96	X-CTRR6096K	7,599



No Power Option


Power Option B/C


Power Option D/E/F


No Power Option


Power Option B/C


Power Option D/E/F

Specify

- Laminate Selection for Worksurface
- Laminate Selection for Base
- Color Selection for Edge
- Power Option
- Color Selection for Power Option

Notes

- Power Option B & C consists of one powered option centered on worksurface.
- Power Option D,E & F consists of two power options centered over table bases.
- 60”D nominal worksurfaces will be 59”D for manufacturing purposes.
- Grade C laminates incur an upcharge of $530 list for 2mm edge 2-base tables.
- Grade B and C laminates do not include matching edgeband.
- Calibrate Conference Tables have a 1” glide adjustment on the bases.

Power Options

- 2-Base Option B - Single Unit, Center Worksurface, 2 Outlets total, 1 USB-A, 1 USB-C, 2 Keystone Holes, 2 Grommet Holes, 1 Plug (+998)
- 2-Base Option C - Single Unit, Center Worksurface, 2 Outlets total, 2 USB-A total, 2 Keystone Holes, 1 Grommet Holes, Hardwired (+1,854)
- 2-Base Option D - Two Units, Center Over Bases, 4 Outlets total, 2 USB-A, 2 USB-C, 4 Keystone Holes, 4 Grommet Holes, 2 Plugs (+1,998)
- 2-Base Option E - Two Units, Center Over Bases, 4 Outlets total, 2 USB-A, 2 USB-C, 4 Keystone Holes, 4 Grommet Holes, 1 Plug (+3,589)
- 2-Base Option F - Two Units, Center Over Bases, 4 Outlets total, 4 USB-A total, 4 Keystone Holes, 2 Grommet Holes, Hardwired (+3,423)

© 2026, AIS, Inc.


3-Base Rectangular Tables with Radius Corners


2MM EDGE 3-BASE RECTANGULAR TABLES W/RADIUS CORNERS


D	W	Model Number	List
42	102	X-CTRR42102R	6,224
42	108	X-CTRR42108R	6,311
42	114	X-CTRR42114R	6,424
42	120	X-CTRR42120R	6,539
42	126	X-CTRR42126R	6,647
42	132	X-CTRR42132R	6,761
42	138	X-CTRR42138R	6,872
42	144	X-CTRR42144R	6,987
48	102	X-CTRR48102R	6,325
48	108	X-CTRR48108R	6,422
48	114	X-CTRR48114R	6,540
48	120	X-CTRR48120R	6,660
48	126	X-CTRR48126R	6,777
48	132	X-CTRR48132R	6,895
48	138	X-CTRR48138R	7,015
48	144	X-CTRR48144R	7,131


KNIFE EDGE 3-BASE RECTANGULAR TABLES W/RADIUS CORNERS


D	W	Model Number	List
42	102	X-CTRR42102K	9,995
42	108	X-CTRR42108K	10,128
42	114	X-CTRR42114K	10,281
42	120	X-CTRR42120K	10,437
42	126	X-CTRR42126K	10,591
42	132	X-CTRR42132K	10,744
42	138	X-CTRR42138K	10,899
42	144	X-CTRR42144K	11,056
48	102	X-CTRR48102K	10,200
48	108	X-CTRR48108K	10,345
48	114	X-CTRR48114K	10,511
48	120	X-CTRR48120K	10,682
48	126	X-CTRR48126K	10,848
48	132	X-CTRR48132K	11,010
48	138	X-CTRR48138K	11,178
48	144	X-CTRR48144K	11,346



No Power Option



Power Option B/C



Power Option D/E/F


Power Option G/H/I


No Power Option


Power Option B/C


Power Option D/E/F


Power Option G/H/I

Specify

- Laminate Selection for Worksurface
- Laminate Selection for Base
- Color Selection for Edge
- Power Option
- Color Selection for Power Option
- Grain Direction - Short or Long Side

Notes

- Grain “direction” will match per worksurface section, however grain “patterns” will not be lined up or matched exactly. See product details for more information about Calibrate Conferencing grain and pattern directions.
- Power Option B & C consists of one power option centered over the center base.
- Power Option D, E & F consists of two power options centered over two outer table bases.
- Power Option G, H & I consists of three power options centered over three table bases.
- Grade C laminates incur an upcharge of $795 list for 2mm edge 3-base tables.
- Grade B and C laminates do not include matching edgeband.
- Calibrate Conference Tables have a 1” glide adjustment on the bases.
- Plugged infeeds may be installed into the hub at any leg location.
- Each hardwired power has a 9’ cord. It is the electrician’s responsibility to connect these to the wall/floor terminal, or connect in a junction box in accordance with local codes.

Power Options

- 3-Base Option B - Single Unit, Center Worksurface, 2 Outlets total, 1 USB-A, 1 USB-C, 2 Keystone Holes, 2 Grommet Holes, 1 Plug (+998)
- 3-Base Option C - Single Unit, Center Worksurface, 2 Outlets total, 2 USB-A total, 2 Keystone Holes, 1 Grommet Holes, Hardwired (+1,854)
- 3-Base Option D - Two Units, Center Over End Bases, 4 Outlets total, 2 USB-A, 2 USB-C, 4 Keystone Holes, 4 Grommet Holes, 2 Plugs (+1,998)
- 3-Base Option E - Two Units, Center Over End Bases, 4 Outlets total, 2 USB-A, 2 USB-C, 4 Keystone Holes, 4 Grommet Holes, 1 Plug (+3,704)
- 3-Base Option F - Two Units, Center Over End Bases, 4 Outlets total, 4 USB-A total, 4 Keystone Holes, 2 Grommet Holes, Hardwired (+3,539)
- 3-Base Option G - Three Units, Center Over Bases, 6 Outlets total, 3 USB-A, 3 USB-C, 6 Keystone Holes, 6 Grommet Holes, 3 Plugs (+2,996)
- 3-Base Option H -Three Units, Center Over Bases, 6 Outlets total, 3 USB-A, 3 USB-C, 6 Keystone Holes, 6 Grommet Holes, 1 Plug (+5,294)
- 3-Base Option I - Three Units, Center Over Bases, 6 Outlets total, 6 USB-A total, 6 Keystone Holes, 3 Grommet Holes, 1 Hardwired (+5,128)

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


3-Base Rectangular Tables with Radius Corners


2MM EDGE 3-BASE RECTANGULAR TABLES W/RADIUS CORNERS


D	W	Model Number	List
54	102	X-CTRR54102R	6,664
54	108	X-CTRR54108R	6,765
54	114	X-CTRR54114R	6,890
54	120	X-CTRR54120R	7,017
54	126	X-CTRR54126R	7,139
54	132	X-CTRR54132R	7,263
54	138	X-CTRR54138R	7,387
54	144	X-CTRR54144R	7,514
59	102	X-CTRR60102R	6,953
59	108	X-CTRR60108R	7,061
59	114	X-CTRR60114R	7,192
59	120	X-CTRR60120R	7,324
59	126	X-CTRR60126R	7,454
59	132	X-CTRR60132R	7,581
59	138	X-CTRR60138R	7,712
59	144	X-CTRR60144R	7,844


KNIFE EDGE 3-BASE RECTANGULAR TABLES W/RADIUS CORNERS


D	W	Model Number	List
54	102	X-CTRR54102K	11,008
54	108	X-CTRR54108K	11,169
54	114	X-CTRR54114K	11,355
54	120	X-CTRR54120K	11,541
54	126	X-CTRR54126K	11,727
54	132	X-CTRR54132K	11,912
54	138	X-CTRR54138K	12,097
54	144	X-CTRR54144K	12,285
59	102	X-CTRR60102K	11,416
59	108	X-CTRR60108K	11,587
59	114	X-CTRR60114K	11,787
59	120	X-CTRR60120K	11,984
59	126	X-CTRR60126K	12,180
59	132	X-CTRR60132K	12,380
59	138	X-CTRR60138K	12,578
59	144	X-CTRR60144K	12,776



No Power Option



Power Option B/C



Power Option D/E/F


Power Option G/H/I


No Power Option


Power Option B/C


Power Option D/E/F


Power Option G/H/I

Specify

- Laminate Selection for Worksurface
- Laminate Selection for Base
- Color Selection for Edge
- Power Option
- Color Selection for Power Option
- Grain Direction - Short or Long Side

Notes

- Grain “direction” will match per worksurface section, however grain “patterns” will not be lined up or matched exactly. See product details for more information about Calibrate Conferencing grain and pattern directions.
- Power Option B & C consists of one power option centered over the center base.
- Power Option D, E & F consists of two power options centered over two outer table bases.
- Power Option G, H & I consists of three power options centered over three table bases.
- 60”D nominal worksurfaces will be 59”D for manufacturing purposes.
- Grade C laminates incur an upcharge of $795 list for 2mm edge 3-base tables.
- Grade B and C laminates do not include matching edgeband.
- Calibrate Conference Tables have a 1” glide adjustment on the bases.
- Plugged infeeds may be installed into the hub at any leg location.
- Each hardwired power has a 9’ cord. It is the electrician’s responsibility to connect these to the wall/floor terminal, or connect in a junction box in accordance with local codes.

Power Options

- 3-Base Option B - Single Unit, Center Worksurface, 2 Outlets total, 1 USB-A, 1 USB-C, 2 Keystone Holes, 2 Grommet Holes, 1 Plug (+998)
- 3-Base Option C - Single Unit, Center Worksurface, 2 Outlets total, 2 USB-A total, 2 Keystone Holes, 1 Grommet Holes, Hardwired (+1,854)
- 3-Base Option D - Two Units, Center Over End Bases, 4 Outlets total, 2 USB-A, 2 USB-C, 4 Keystone Holes, 4 Grommet Holes, 2 Plugs (+1,998)
- 3-Base Option E - Two Units, Center Over End Bases, 4 Outlets total, 2 USB-A, 2 USB-C, 4 Keystone Holes, 4 Grommet Holes, 1 Plug (+3,704)
- 3-Base Option F - Two Units, Center Over End Bases, 4 Outlets total, 4 USB-A total, 4 Keystone Holes, 2 Grommet Holes, Hardwired (+3,539)
- 3-Base Option G - Three Units, Center Over Bases, 6 Outlets total, 3 USB-A, 3 USB-C, 6 Keystone Holes, 6 Grommet Holes, 3 Plugs (+2,996)
- 3-Base Option H -Three Units, Center Over Bases, 6 Outlets total, 3 USB-A, 3 USB-C, 6 Keystone Holes, 6 Grommet Holes, 1 Plug (+5,294)
- 3-Base Option I - Three Units, Center Over Bases, 6 Outlets total, 6 USB-A total, 6 Keystone Holes, 3 Grommet Holes, 1 Hardwired (+5,128)

© 2026, AIS, Inc.


4-Base Rectangular Tables with Radius Corners


2MM EDGE 4-BASE RECTANGULAR TABLES W/RADIUS CORNERS


D	W	Model Number	List
42	150	X-CTRR42150R	8,589
42	156	X-CTRR42156R	8,702
42	162	X-CTRR42162R	8,814
42	168	X-CTRR42168R	8,926
42	174	X-CTRR42174R	9,039
42	180	X-CTRR42180R	9,150
42	186	X-CTRR42186R	9,264
42	192	X-CTRR42192R	9,376
48	150	X-CTRR48150R	8,740
48	156	X-CTRR48156R	8,858
48	162	X-CTRR48162R	8,977
48	168	X-CTRR48168R	9,095
48	174	X-CTRR48174R	9,216
48	180	X-CTRR48180R	9,332
48	186	X-CTRR48186R	9,450
48	192	X-CTRR48192R	9,570


KNIFE EDGE 4-BASE RECTANGULAR TABLES W/RADIUS CORNERS


D	W	Model Number	List
42	150	X-CTRR42150K	14,326
42	156	X-CTRR42156K	14,481
42	162	X-CTRR42162K	14,634
42	168	X-CTRR42168K	14,789
42	174	X-CTRR42174K	14,944
42	180	X-CTRR42180K	15,099
42	186	X-CTRR42186K	15,255
42	192	X-CTRR42192K	15,409
48	150	X-CTRR48150K	14,628
48	156	X-CTRR48156K	14,795
48	162	X-CTRR48162K	14,960
48	168	X-CTRR48168K	15,128
48	174	X-CTRR48174K	15,297
48	180	X-CTRR48180K	15,462
48	186	X-CTRR48186K	15,629
48	192	X-CTRR48192K	15,797



No Power Option


Power Option B/C/D


Power Option E/F/G


No Power Option


Power Option B/C/D


Power Option E/F/G

Specify

- Laminate Selection for Worksurface
- Laminate Selection for Base
- Color Selection for Edge
- Power Option
- Color Selection for Power Option
- Grain Direction - Short or Long Side

Notes

- Grain “direction” will match per worksurface section, however grain “patterns” will not be lined up or matched exactly. See product details for more information about Calibrate Conferencing grain and pattern directions.
- Power Option B, C & D consists of two power options centered over two outer table bases.
- Power Option E, F & G consists of four power options centered over four table bases.
- Grade C laminates incur an upcharge of $1,060 list for 2mm edge 4-base tables.
- Grade B and C laminates do not include matching edgeband.
- Calibrate Conference Tables have a 1” glide adjustment on the bases.
- Plugged infeeds may be installed into the hub at any leg location.
- Each hardwired power has a 9’ cord. It is the electrician’s responsibility to connect these to the wall/floor terminal, or connect in a junction box in accordance with local codes.

Power Options

- 4-Base Option B - Two Units, Center Over End Bases, 4 Outlets total, 2 USB-A, 2 USB-C, 4 Keystone Holes, 4 Grommet Holes, 2 Plugs (+1,998)
- 4-Base Option C - Two Units, Center Over End Bases, 4 Outlets total, 2 USB-A, 2 USB-C, 4 Keystone Holes, 4 Grommet Holes, 1 Plug (+3,835)
- 4-Base Option D - Two Units, Center Over End Bases, 4 Outlets total, 4 USB-A total, 4 Keystone Holes, 2 Grommet Holes, Hardwired (+3,669)
- 4-Base Option E - Four Units, Center Over Bases, 8 Outlets total, 4 USB-A, 4 USB-C, 8 Keystone Holes, 8 Grommet Holes, 4 Plugs (+3,994)
- 4-Base Option F - Four Units, Center Over Bases, 8 Outlets total, 4 USB-A, 4 USB-C, 8 Keystone Holes, 8 Grommet Holes, 1 Plug (+6,998)
- 4-Base Option G - Four Units, Center Over Bases, 8 Outlets total, 8 USB-A total, 8 Keystone Holes, 4 Grommet Holes, Hardwired (+6,833)

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


4-Base Rectangular Tables with Radius Corners


2MM EDGE 4-BASE RECTANGULAR TABLES W/RADIUS CORNERS


D	W	Model Number	List
54	150	X-CTRR54150R	9,210
54	156	X-CTRR54156R	9,332
54	162	X-CTRR54162R	9,457
54	168	X-CTRR54168R	9,581
54	174	X-CTRR54174R	9,705
54	180	X-CTRR54180R	9,832
54	186	X-CTRR54186R	9,957
54	192	X-CTRR54192R	10,081
59	150	X-CTRR60150R	9,732
59	156	X-CTRR60156R	9,863
59	162	X-CTRR60162R	9,994
59	168	X-CTRR60168R	10,124
59	174	X-CTRR60174R	10,255
59	180	X-CTRR60180R	10,384
59	186	X-CTRR60186R	10,513
59	192	X-CTRR60192R	10,645


KNIFE EDGE 4-BASE RECTANGULAR TABLES W/RADIUS CORNERS


D	W	Model Number	List
54	150	X-CTRR54150K	15,250
54	156	X-CTRR54156K	15,426
54	162	X-CTRR54162K	15,605
54	168	X-CTRR54168K	15,783
54	174	X-CTRR54174K	15,962
54	180	X-CTRR54180K	16,144
54	186	X-CTRR54186K	16,322
54	192	X-CTRR54192K	16,500
59	150	X-CTRR60150K	15,922
59	156	X-CTRR60156K	16,114
59	162	X-CTRR60162K	16,303
59	168	X-CTRR60168K	16,496
59	174	X-CTRR60174K	16,687
59	180	X-CTRR60180K	16,876
59	186	X-CTRR60186K	17,069
59	192	X-CTRR60192K	17,260



No Power Option


Power Option B/C/D


Power Option E/F/G


No Power Option


Power Option B/C/D


Power Option E/F/G

Specify

- Laminate Selection for Worksurface
- Laminate Selection for Base
- Color Selection for Edge
- Power Option
- Color Selection for Power Option
- Grain Direction - Short or Long Side

Notes

- Grain “direction” will match per worksurface section, however grain “patterns” will not be lined up or matched exactly. See product details for more information about Calibrate Conferencing grain and pattern directions.
- Power Option B, C & D consists of two power options centered over two outer table bases.
- Power Option E, F & G consists of four power options centered over four table bases.
- 60”D nominal worksurfaces will be 59”D for manufacturing purposes.
- Grade C laminates incur an upcharge of $1,060 list for 2mm edge 4-base tables.
- Grade B and C laminates do not include matching edgeband.
- Calibrate Conference Tables have a 1” glide adjustment on the bases.
- Plugged infeeds may be installed into the hub at any leg location.
- Each hardwired power has a 9’ cord. It is the electrician’s responsibility to connect these to the wall/floor terminal, or connect in a junction box in accordance with local codes.

Power Options

- 4-Base Option B - Two Units, Center Over End Bases, 4 Outlets total, 2 USB-A, 2 USB-C, 4 Keystone Holes, 4 Grommet Holes, 2 Plugs (+1,998)
- 4-Base Option C - Two Units, Center Over End Bases, 4 Outlets total, 2 USB-A, 2 USB-C, 4 Keystone Holes, 4 Grommet Holes, 1 Plug (+3,835)
- 4-Base Option D - Two Units, Center Over End Bases, 4 Outlets total, 4 USB-A total, 4 Keystone Holes, 2 Grommet Holes, Hardwired (+3,669)
- 4-Base Option E - Four Units, Center Over Bases, 8 Outlets total, 4 USB-A, 4 USB-C, 8 Keystone Holes, 8 Grommet Holes, 4 Plugs (+3,994)
- 4-Base Option F - Four Units, Center Over Bases, 8 Outlets total, 4 USB-A, 4 USB-C, 8 Keystone Holes, 8 Grommet Holes, 1 Plug (+6,998)
- 4-Base Option G - Four Units, Center Over Bases, 8 Outlets total, 8 USB-A total, 8 Keystone Holes, 4 Grommet Holes, Hardwired (+6,833)

© 2026, AIS, Inc.


5-Base Rectangular Tables with Radius Corners


2MM EDGE 5-BASE RECTANGULAR TABLES W/RADIUS CORNERS


D	W	Model Number	List
42	198	X-CTRR42198R	10,891
42	204	X-CTRR42204R	11,020
42	210	X-CTRR42210R	11,123
42	216	X-CTRR42216R	11,247
42	222	X-CTRR42222R	11,357
42	228	X-CTRR42228R	11,468
42	234	X-CTRR42234R	11,572
42	240	X-CTRR42240R	11,694
48	198	X-CTRR48198R	11,089
48	204	X-CTRR48204R	11,225
48	210	X-CTRR48210R	11,335
48	216	X-CTRR48216R	11,463
48	222	X-CTRR48222R	11,580
48	228	X-CTRR48228R	11,699
48	234	X-CTRR48234R	11,806
48	240	X-CTRR48240R	11,935


KNIFE EDGE 5-BASE RECTANGULAR TABLES W/RADIUS CORNERS


D	W	Model Number	List
42	198	X-CTRR42198K	14,945
42	204	X-CTRR42204K	15,142
42	210	X-CTRR42210K	15,310
42	216	X-CTRR42216K	15,499
42	222	X-CTRR42222K	15,678
42	228	X-CTRR42228K	15,856
42	234	X-CTRR42234K	16,024
42	240	X-CTRR42240K	16,213
48	198	X-CTRR48198K	15,536
48	204	X-CTRR48204K	15,746
48	210	X-CTRR48210K	15,926
48	216	X-CTRR48216K	16,128
48	222	X-CTRR48222K	16,317
48	228	X-CTRR48228K	16,510
48	234	X-CTRR48234K	16,689
48	240	X-CTRR48240K	16,893



No Power Option



Power Option B/C



Power Option D/E/F


Power Option G/H/I


No Power Option


Power Option B/C


Power Option D/E/F


Power Option G/H/I

Specify

- Laminate Selection for Worksurface
- Laminate Selection for Base
- Color Selection for Edge
- Power Option
- Color Selection for Power Option
- Grain Direction - Short or Long Side

Notes

- Grain “direction” will match per worksurface section, however grain “patterns” will not be lined up or matched exactly. See product details for more information about Calibrate Conferencing grain and pattern directions.
- Power Option B & C consists of one power option centered over the center table base.
- Power Option D, E & F consists of three power options centered over three alternating table bases.
- Power Option G, H & I consists of five power options centered over five table bases.
- Grade C laminates incur an upcharge of $1,325 list for 2mm edge 5-base tables.
- Grade B and C laminates do not include matching edgeband.
- Calibrate Conference Tables have a 1” glide adjustment on the bases.
- Plugged infeeds may be installed into the hub at any leg location.
- Each hardwired power has a 9’ cord. It is the electrician’s responsibility to connect these to the wall/floor terminal, or connect in a junction box in accordance with local codes.

Power Options

- 5-Base Option B - Single Unit, Center Worksurface, 2 Outlets total, 1 USB-A, 1 USB-C, 2 Keystone Holes, 2 Grommet Holes, 1 Plug (+998)
- 5-Base Option C - Single Unit, Center Worksurface, 2 Outlets total, 2 USB-A, 2 Keystone Holes, 1 Grommet Hole, Hardwired (+1,854)
- 5-Base Option D - Three Units, Center Over Alternating Bases, 6 Outlets total, 3 USB-A, 3 USB-C, 6 Keystone Holes, 6 Grommet Holes, 3 Plugs (+2,996)
- 5-Base Option E - Three Units, Center Over Alternating Bases, 6 Outlets total, 3 USB-A, 3 USB-C, 6 Keystone Holes, 6 Grommet Holes, 1 Plug (+5,539)
- 5-Base Option F - Three Units, Center Over Alternating Bases, 6 Outlets total, 6 USB-A total, 6 Keystone Holes, 4 Grommet Holes, Hardwired (+5,374)
- 5-Base Option G - Five Units, Center Over Bases, 10 Outlets total, 5 USB-A, 5 USB-C, 10 Keystone Holes, 10 Grommet Holes, 5 Plugs (+4,992)
- 5-Base Option H - Five Units, Center Over Bases, 10 Outlets total, 5 USB-A, 5 USB-C, 10 Keystone Holes, 10 Grommet Holes, 1 Plug (+8,703)
- 5-Base Option I - Five Units, Center Over Bases, 10 Outlets total, 10 USB-A total, 10 Keystone Holes, 5 Grommet Holes, Hardwired (+8,538)

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


5-Base Rectangular Tables with Radius Corners


2MM EDGE 5-BASE RECTANGULAR TABLES W/RADIUS CORNERS


D	W	Model Number	List
54	198	X-CTRR54198R	11,687
54	204	X-CTRR54204R	11,828
54	210	X-CTRR54210R	11,941
54	216	X-CTRR54216R	12,077
54	222	X-CTRR54222R	12,202
54	228	X-CTRR54228R	12,324
54	234	X-CTRR54234R	12,442
54	240	X-CTRR54240R	12,574
59	198	X-CTRR60198R	11,884
59	204	X-CTRR60204R	12,032
59	210	X-CTRR60210R	12,152
59	216	X-CTRR60216R	12,293
59	222	X-CTRR60222R	12,422
59	228	X-CTRR60228R	12,556
59	234	X-CTRR60234R	12,676
59	240	X-CTRR60240R	12,815


KNIFE EDGE 5-BASE RECTANGULAR TABLES W/RADIUS CORNERS


D	W	Model Number	List
54	198	X-CTRR54198K	16,524
54	204	X-CTRR54204K	16,747
54	210	X-CTRR54210K	16,940
54	216	X-CTRR54216K	17,151
54	222	X-CTRR54222K	17,353
54	228	X-CTRR54228K	17,559
54	234	X-CTRR54234K	17,751
54	240	X-CTRR54240K	17,962
59	198	X-CTRR60198K	17,116
59	204	X-CTRR60204K	17,351
59	210	X-CTRR60210K	17,557
59	216	X-CTRR60216K	17,781
59	222	X-CTRR60222K	17,994
59	228	X-CTRR60228K	18,210
59	234	X-CTRR60234K	18,414
59	240	X-CTRR60240K	18,639



No Power Option



Power Option B/C



Power Option D/E/F


Power Option G/H/I


No Power Option


Power Option B/C


Power Option D/E/F


Power Option G/H/I

Specify

- Laminate Selection for Worksurface
- Laminate Selection for Base
- Color Selection for Edge
- Power Option
- Color Selection for Power Option
- Grain Direction - Short or Long Side

Notes

- Grain “direction” will match per worksurface section, however grain “patterns” will not be lined up or matched exactly. See product details for more information about Calibrate Conferencing grain and pattern directions.
- Power Option B & C consists of one power option centered over the center table base.
- Power Option D, E & F consists of three power options centered over three alternating table bases.
- Power Option G, H & I consists of five power options centered over five table bases.
- 60”D nominal worksurfaces will be 59”D for manufacturing purposes.
- Grade C laminates incur an upcharge of $1,325 list for 2mm edge 5-base tables.
- Grade B and C laminates do not include matching edgeband.
- Calibrate Conference Tables have a 1” glide adjustment on the bases.
- BPlugged infeeds may be installed into the hub at any leg location.
- Each hardwired power has a 9’ cord. It is the electrician’s responsibility to connect these to the wall/floor terminal, or connect in a junction box in accordance with local codes.

Power Options

- 5-Base Option B - Single Unit, Center Worksurface, 2 Outlets total, 1 USB-A, 1 USB-C, 2 Keystone Holes, 2 Grommet Holes, 1 Plug (+998)
- 5-Base Option C - Single Unit, Center Worksurface, 2 Outlets total, 2 USB-A, 2 Keystone Holes, 1 Grommet Hole, Hardwired (+1,854)
- 5-Base Option D - Three Units, Center Over Alternating Bases, 6 Outlets total, 3 USB-A, 3 USB-C, 6 Keystone Holes, 6 Grommet Holes, 3 Plugs (+2,996)
- 5-Base Option E - Three Units, Center Over Alternating Bases, 6 Outlets total, 3 USB-A, 3 USB-C, 6 Keystone Holes, 6 Grommet Holes, 1 Plug (+5,539)
- 5-Base Option F - Three Units, Center Over Alternating Bases, 6 Outlets total, 6 USB-A total, 6 Keystone Holes, 4 Grommet Holes, Hardwired (+5,374)
- 5-Base Option G - Five Units, Center Over Bases, 10 Outlets total, 5 USB-A, 5 USB-C, 10 Keystone Holes, 10 Grommet Holes, 5 Plugs (+4,992)
- 5-Base Option H - Five Units, Center Over Bases, 10 Outlets total, 5 USB-A, 5 USB-C, 10 Keystone Holes, 10 Grommet Holes, 1 Plug (+8,703)
- 5-Base Option I - Five Units, Center Over Bases, 10 Outlets total, 10 USB-A total, 10 Keystone Holes, 5 Grommet Holes, Hardwired (+8,538)

© 2026, AIS, Inc.


2-Base Boat Tables


2MM EDGE 2-BASE BOAT TABLE


D	W	Model Number	List
42	72	X-CTB4272R	3,680
42	78	X-CTB4278R	3,787
42	84	X-CTB4284R	3,895
42	90	X-CTB4290R	4,003
42	96	X-CTB4296R	4,114
47	72	X-CTB4872R	3,751
47	78	X-CTB4878R	3,988
47	84	X-CTB4884R	4,103
47	90	X-CTB4890R	4,216
47	96	X-CTB4896R	4,331
54	72	X-CTB5472R	3,973
54	78	X-CTB5478R	4,155
54	84	X-CTB5484R	4,276
54	90	X-CTB5490R	4,394
54	96	X-CTB5496R	4,516
59	72	X-CTB6072R	4,043
59	78	X-CTB6078R	4,358
59	84	X-CTB6084R	4,482
59	90	X-CTB6090R	4,608
59	96	X-CTB6096R	4,735


KNIFE EDGE 2-BASE BOAT TABLE


D	W	Model Number	List
42	72	X-CTB4272K	5,757
42	78	X-CTB4278K	5,904
42	84	X-CTB4284K	6,049
42	90	X-CTB4290K	6,197
42	96	X-CTB4296K	6,343
47	72	X-CTB4872K	5,901
47	78	X-CTB4878K	6,186
47	84	X-CTB4884K	6,344
47	90	X-CTB4890K	6,503
47	96	X-CTB4896K	6,660
54	72	X-CTB5472K	6,197
54	78	X-CTB5478K	6,431
54	84	X-CTB5484K	6,600
54	90	X-CTB5490K	6,771
54	96	X-CTB5496K	6,940
59	72	X-CTB6072K	6,342
59	78	X-CTB6078K	6,709
59	84	X-CTB6084K	6,893
59	90	X-CTB6090K	7,077
59	96	X-CTB6096K	7,258



No Power Option


Power Option B/C


Power Option D/E/F


No Power Option


Power Option B/C


Power Option D/E/F

Specify

- Laminate Selection for Worksurface
- Laminate Selection for Base
- Color Selection for Edge
- Power Option
- Color Selection for Power Option

Notes

- Power Option B & C consists of one powered option centered on worksurface.
- Power Option D,E & F consists of two power options centered over table bases.
- 60”D nominal worksurfaces will be 59”D for manufacturing purposes.
- Grade C laminates incur an upcharge of $530 list for 2mm edge 2-base tables.
- Grade B and C laminates do not include matching edgeband.
- Calibrate Conference Tables have a 1” glide adjustment on the bases.

Power Options

- 2-Base Option B - Single Unit, Center Worksurface, 2 Outlets total, 1 USB-A, 1 USB-C, 2 Keystone Holes, 2 Grommet Holes, 1 Plug (+998)
- 2-Base Option C - Single Unit, Center Worksurface, 2 Outlets total, 2 USB-A total, 2 Keystone Holes, 1 Grommet Holes, Hardwired (+1,854)
- 2-Base Option D - Two Units, Center Over Bases, 4 Outlets total, 2 USB-A, 2 USB-C, 4 Keystone Holes, 4 Grommet Holes, 2 Plugs (+1,998)
- 2-Base Option E - Two Units, Center Over Bases, 4 Outlets total, 2 USB-A, 2 USB-C, 4 Keystone Holes, 4 Grommet Holes, 1 Plug (+3,589)
- 2-Base Option F - Two Units, Center Over Bases, 4 Outlets total, 4 USB-A total, 4 Keystone Holes, 2 Grommet Holes, Hardwired (+3,423)

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


3-Base Boat Tables


2MM EDGE 3-BASE BOAT TABLE


D	W	Model Number	List
42	102	X-CTB42102R	5,799
42	108	X-CTB42108R	5,882
42	114	X-CTB42114R	5,992
42	120	X-CTB42120R	6,101
42	126	X-CTB42126R	6,207
42	132	X-CTB42132R	6,315
42	138	X-CTB42138R	6,425
42	144	X-CTB42144R	6,531
47	102	X-CTB48102R	5,900
47	108	X-CTB48108R	5,992
47	114	X-CTB48114R	6,108
47	120	X-CTB48120R	6,221
47	126	X-CTB48126R	6,336
47	132	X-CTB48132R	6,446
47	138	X-CTB48138R	6,562
47	144	X-CTB48144R	6,675


KNIFE EDGE 3-BASE BOAT TABLE


D	W	Model Number	List
42	102	X-CTB42102K	9,498
42	108	X-CTB42108K	9,621
42	114	X-CTB42114K	9,765
42	120	X-CTB42120K	9,913
42	126	X-CTB42126K	10,060
42	132	X-CTB42132K	10,205
42	138	X-CTB42138K	10,350
42	144	X-CTB42144K	10,496
47	102	X-CTB48102K	9,704
47	108	X-CTB48108K	9,839
47	114	X-CTB48114K	9,995
47	120	X-CTB48120K	10,153
47	126	X-CTB48126K	10,310
47	132	X-CTB48132K	10,471
47	138	X-CTB48138K	10,627
47	144	X-CTB48144K	10,789



No Power Option



Power Option B/C



Power Option D/E/F


Power Option G/H/I


No Power Option


Power Option B/C


Power Option D/E/F


Power Option G/H/I

Specify

- Laminate Selection for Worksurface
- Laminate Selection for Base
- Color Selection for Edge
- Power Option
- Color Selection for Power Option
- Grain Direction - Short or Long Side

Notes

- Grain “direction” will match per worksurface section, however grain “patterns” will not be lined up or matched exactly. See product details for more information about Calibrate Conferencing grain and pattern directions.
- Power Option B & C consists of one power option centered over the center base.
- Power Option D, E & F consists of two power options centered over two outer table bases.
- Power Option G, H & I consists of three power options centered over three table bases.
- Grade C laminates incur an upcharge of $795 list for 2mm edge 3-base tables.
- Grade B and C laminates do not include matching edgeband.
- Calibrate Conference Tables have a 1” glide adjustment on the bases.
- Plugged infeeds may be installed into the hub at any leg location.
- Each hardwired power has a 9’ cord. It is the electrician’s responsibility to connect these to the wall/floor terminal, or connect in a junction box in accordance with local codes.

Power Options

- 3-Base Option B - Single Unit, Center Worksurface, 2 Outlets total, 1 USB-A, 1 USB-C, 2 Keystone Holes, 2 Grommet Holes, 1 Plug (+998)
- 3-Base Option C - Single Unit, Center Worksurface, 2 Outlets total, 2 USB-A total, 2 Keystone Holes, 1 Grommet Holes, Hardwired (+1,854)
- 3-Base Option D - Two Units, Center Over End Bases, 4 Outlets total, 2 USB-A, 2 USB-C, 4 Keystone Holes, 4 Grommet Holes, 2 Plugs (+1,998)
- 3-Base Option E - Two Units, Center Over End Bases, 4 Outlets total, 2 USB-A, 2 USB-C, 4 Keystone Holes, 4 Grommet Holes, 1 Plug (+3,704)
- 3-Base Option F - Two Units, Center Over End Bases, 4 Outlets total, 4 USB-A total, 4 Keystone Holes, 2 Grommet Holes, Hardwired (+3,539)
- 3-Base Option G - Three Units, Center Over Bases, 6 Outlets total, 3 USB-A, 3 USB-C, 6 Keystone Holes, 6 Grommet Holes, 3 Plugs (+2,996)
- 3-Base Option H -Three Units, Center Over Bases, 6 Outlets total, 3 USB-A, 3 USB-C, 6 Keystone Holes, 6 Grommet Holes, 1 Plug (+5,294)
- 3-Base Option I - Three Units, Center Over Bases, 6 Outlets total, 6 USB-A total, 6 Keystone Holes, 3 Grommet Holes, 1 Hardwired (+5,128)

© 2026, AIS, Inc.


3-Base Boat Tables


2MM EDGE 3-BASE BOAT TABLE


D	W	Model Number	List
54	102	X-CTB54102R	6,238
54	108	X-CTB54108R	6,338
54	114	X-CTB54114R	6,458
54	120	X-CTB54120R	6,577
54	126	X-CTB54126R	6,698
54	132	X-CTB54132R	6,818
54	138	X-CTB54138R	6,935
54	144	X-CTB54144R	7,058
59	102	X-CTB60102R	6,529
59	108	X-CTB60108R	6,629
59	114	X-CTB60114R	6,757
59	120	X-CTB60120R	6,883
59	126	X-CTB60126R	7,010
59	132	X-CTB60132R	7,135
59	138	X-CTB60138R	7,264
59	144	X-CTB60144R	7,390


KNIFE EDGE 3-BASE BOAT TABLE


D	W	Model Number	List
54	102	X-CTB54102K	10,499
54	108	X-CTB54108K	10,651
54	114	X-CTB54114K	10,828
54	120	X-CTB54120K	11,002
54	126	X-CTB54126K	11,181
54	132	X-CTB54132K	11,355
54	138	X-CTB54138K	11,532
54	144	X-CTB54144K	11,709
59	102	X-CTB60102K	10,904
59	108	X-CTB60108K	11,069
59	114	X-CTB60114K	11,256
59	120	X-CTB60120K	11,446
59	126	X-CTB60126K	11,635
59	132	X-CTB60132K	11,823
59	138	X-CTB60138K	12,011
59	144	X-CTB60144K	12,202



No Power Option



Power Option B/C



Power Option D/E/F


Power Option G/H/I


No Power Option


Power Option B/C


Power Option D/E/F


Power Option G/H/I

Specify

- Laminate Selection for Worksurface
- Laminate Selection for Base
- Color Selection for Edge
- Power Option
- Color Selection for Power Option
- Grain Direction - Short or Long Side

Notes

- Grain “direction” will match per worksurface section, however grain “patterns” will not be lined up or matched exactly. See product details for more information about Calibrate Conferencing grain and pattern directions.
- Power Option B & C consists of one power option centered over the center base.
- Power Option D, E & F consists of two power options centered over two outer table bases.
- Power Option G, H & I consists of three power options centered over three table bases.
- 60”D nominal worksurfaces will be 59”D for manufacturing purposes.
- Grade C laminates incur an upcharge of $795 list for 2mm edge 3-base tables.
- Grade B and C laminates do not include matching edgeband.
- Calibrate Conference Tables have a 1” glide adjustment on the bases.
- Plugged infeeds may be installed into the hub at any leg location.
- Each hardwired power has a 9’ cord. It is the electrician’s responsibility to connect these to the wall/floor terminal, or connect in a junction box in accordance with local codes.

Power Options

- 3-Base Option B - Single Unit, Center Worksurface, 2 Outlets total, 1 USB-A, 1 USB-C, 2 Keystone Holes, 2 Grommet Holes, 1 Plug (+998)
- 3-Base Option C - Single Unit, Center Worksurface, 2 Outlets total, 2 USB-A total, 2 Keystone Holes, 1 Grommet Holes, Hardwired (+1,854)
- 3-Base Option D - Two Units, Center Over End Bases, 4 Outlets total, 2 USB-A, 2 USB-C, 4 Keystone Holes, 4 Grommet Holes, 2 Plugs (+1,998)
- 3-Base Option E - Two Units, Center Over End Bases, 4 Outlets total, 2 USB-A, 2 USB-C, 4 Keystone Holes, 4 Grommet Holes, 1 Plug (+3,704)
- 3-Base Option F - Two Units, Center Over End Bases, 4 Outlets total, 4 USB-A total, 4 Keystone Holes, 2 Grommet Holes, Hardwired (+3,539)
- 3-Base Option G - Three Units, Center Over Bases, 6 Outlets total, 3 USB-A, 3 USB-C, 6 Keystone Holes, 6 Grommet Holes, 3 Plugs (+2,996)
- 3-Base Option H -Three Units, Center Over Bases, 6 Outlets total, 3 USB-A, 3 USB-C, 6 Keystone Holes, 6 Grommet Holes, 1 Plug (+5,294)
- 3-Base Option I - Three Units, Center Over Bases, 6 Outlets total, 6 USB-A total, 6 Keystone Holes, 3 Grommet Holes, 1 Hardwired (+5,128)

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


4-Base Boat Tables

2MM EDGE 4-BASE BOAT TABLE


D	W	Model Number	List
42	150	X-CTB42150R	8,129
42	156	X-CTB42156R	8,238
42	162	X-CTB42162R	8,347
42	168	X-CTB42168R	8,455
42	174	X-CTB42174R	8,563
42	180	X-CTB42180R	8,671
42	186	X-CTB42186R	8,778
42	192	X-CTB42192R	8,887
47	150	X-CTB48150R	8,283
47	156	X-CTB48156R	8,393
47	162	X-CTB48162R	8,509
47	168	X-CTB48168R	8,624
47	174	X-CTB48174R	8,738
47	180	X-CTB48180R	8,852
47	186	X-CTB48186R	8,968
47	192	X-CTB48192R	9,080

KNIFE EDGE 4-BASE BOAT TABLE


D	W	Model Number	List
42	150	X-CTB42150K	13,758
42	156	X-CTB42156K	13,902
42	162	X-CTB42162K	14,048
42	168	X-CTB42168K	14,196
42	174	X-CTB42174K	14,339
42	180	X-CTB42180K	14,487
42	186	X-CTB42186K	14,634
42	192	X-CTB42192K	14,781
47	150	X-CTB48150K	14,057
47	156	X-CTB48156K	14,216
47	162	X-CTB48162K	14,375
47	168	X-CTB48168K	14,375
47	174	X-CTB48174K	14,693
47	180	X-CTB48180K	14,848
47	186	X-CTB48186K	15,010
47	192	X-CTB48192K	15,169




No Power Option




Power Option B/C/D




Power Option E/F/G



No Power Option



Power Option B/C/D



Power Option E/F/G

Specify

- Laminate Selection for Worksurface
- Laminate Selection for Base
- Color Selection for Edge
- Power Option
- Color Selection for Power Option
- Grain Direction - Short or Long Side

Notes

- Grain “direction” will match per worksurface section, however grain “patterns” will not be lined up or matched exactly. See product details for more information about Calibrate Conferencing grain and pattern directions.
- Power Option B, C & D consists of two power options centered over two outer table bases.
- Power Option E, F & G consists of four power options centered over four table bases.
- Grade C laminates incur an upcharge of $1,060 list for 2mm edge 4-base tables.
- Grade B and C laminates do not include matching edgeband.
- Calibrate Conference Tables have a 1” glide adjustment on the bases.
- Plugged infeeds may be installed into the hub at any leg location.
- Each hardwired power has a 9’ cord. It is the electrician’s responsibility to connect these to the wall/floor terminal, or connect in a junction box in accordance with local codes.

Power Options

- 4-Base Option B - Two Units, Center Over End Bases, 4 Outlets total, 2 USB-A, 2 USB-C, 4 Keystone Holes, 4 Grommet Holes, 2 Plugs (+1,998)
- 4-Base Option C - Two Units, Center Over End Bases, 4 Outlets total, 2 USB-A, 2 USB-C, 4 Keystone Holes, 4 Grommet Holes, 1 Plug (+3,835)
- 4-Base Option D - Two Units, Center Over End Bases, 4 Outlets total, 4 USB-A total, 4 Keystone Holes, 2 Grommet Holes, Hardwired (+3,669)
- 4-Base Option E - Four Units, Center Over Bases, 8 Outlets total, 4 USB-A, 4 USB-C, 8 Keystone Holes, 8 Grommet Holes, 4 Plugs (+3,994)
- 4-Base Option F - Four Units, Center Over Bases, 8 Outlets total, 4 USB-A, 4 USB-C, 8 Keystone Holes, 8 Grommet Holes, 1 Plug (+6,998)
- 4-Base Option G - Four Units, Center Over Bases, 8 Outlets total, 8 USB-A total, 8 Keystone Holes, 4 Grommet Holes, Hardwired (+6,833)

© 2026, AIS, Inc.


4-Base Boat Tables

2MM EDGE 4-BASE BOAT TABLE


D	W	Model Number	List
54	150	X-CTB54150R	8,749
54	156	X-CTB54156R	8,868
54	162	X-CTB54162R	8,992
54	168	X-CTB54168R	9,110
54	174	X-CTB54174R	9,231
54	180	X-CTB54180R	9,350
54	186	X-CTB54186R	9,468
54	192	X-CTB54192R	9,590
59	150	X-CTB60150R	9,273
59	156	X-CTB60156R	9,399
59	162	X-CTB60162R	9,526
59	168	X-CTB60168R	9,648
59	174	X-CTB60174R	9,776
59	180	X-CTB60180R	9,902
59	186	X-CTB60186R	10,030
59	192	X-CTB60192R	10,155

KNIFE EDGE 4-BASE BOAT TABLE


D	W	Model Number	List
54	150	X-CTB54150K	14,676
54	156	X-CTB54156K	14,847
54	162	X-CTB54162K	15,017
54	168	X-CTB54168K	15,187
54	174	X-CTB54174K	15,359
54	180	X-CTB54180K	15,531
54	186	X-CTB54186K	15,696
54	192	X-CTB54192K	15,870
59	150	X-CTB60150K	15,351
59	156	X-CTB60156K	15,534
59	162	X-CTB60162K	15,717
59	168	X-CTB60168K	15,899
59	174	X-CTB60174K	16,080
59	180	X-CTB60180K	16,262
59	186	X-CTB60186K	16,445
59	192	X-CTB60192K	16,627




No Power Option




Power Option B/C/D




Power Option E/F/G



No Power Option



Power Option B/C/D



Power Option E/F/G

Specify

- Laminate Selection for Worksurface
- Laminate Selection for Base
- Color Selection for Edge
- Power Option
- Color Selection for Power Option
- Grain Direction - Short or Long Side

Notes

- Grain “direction” will match per worksurface section, however grain “patterns” will not be lined up or matched exactly. See product details for more information about Calibrate Conferencing grain and pattern directions.
- Power Option B, C & D consists of two power options centered over two outer table bases.
- Power Option E, F & G consists of four power options centered over four table bases.
- 60”D nominal worksurfaces will be 59”D for manufacturing purposes.
- Grade C laminates incur an upcharge of $1,060 list for 2mm edge 4-base tables.
- Grade B and C laminates do not include matching edgeband.
- Calibrate Conference Tables have a 1” glide adjustment on the bases.
- Plugged infeeds may be installed into the hub at any leg location.
- Each hardwired power has a 9’ cord. It is the electrician’s responsibility to connect these to the wall/floor terminal, or connect in a junction box in accordance with local codes.

Power Options

- 4-Base Option B - Two Units, Center Over End Bases, 4 Outlets total, 2 USB-A, 2 USB-C, 4 Keystone Holes, 4 Grommet Holes, 2 Plugs (+1,998)
- 4-Base Option C - Two Units, Center Over End Bases, 4 Outlets total, 2 USB-A, 2 USB-C, 4 Keystone Holes, 4 Grommet Holes, 1 Plug (+3,835)
- 4-Base Option D - Two Units, Center Over End Bases, 4 Outlets total, 4 USB-A total, 4 Keystone Holes, 2 Grommet Holes, Hardwired (+3,669)
- 4-Base Option E - Four Units, Center Over Bases, 8 Outlets total, 4 USB-A, 4 USB-C, 8 Keystone Holes, 8 Grommet Holes, 4 Plugs (+3,994)
- 4-Base Option F - Four Units, Center Over Bases, 8 Outlets total, 4 USB-A, 4 USB-C, 8 Keystone Holes, 8 Grommet Holes, 1 Plug (+6,998)
- 4-Base Option G - Four Units, Center Over Bases, 8 Outlets total, 8 USB-A total, 8 Keystone Holes, 4 Grommet Holes, Hardwired (+6,833)


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


5-Base Boat Tables

2MM EDGE 5-BASE BOAT TABLE


D	W	Model Number	List
42	198	X-CTB42198R	9,792
42	204	X-CTB42204R	9,915
42	210	X-CTB42210R	10,015
42	216	X-CTB42216R	10,130
42	222	X-CTB42222R	10,240
42	228	X-CTB42228R	10,346
42	234	X-CTB42234R	10,445
42	240	X-CTB42240R	10,564
47	198	X-CTB48198R	9,891
47	204	X-CTB48204R	10,024
47	210	X-CTB48210R	10,128
47	216	X-CTB48216R	10,252
47	222	X-CTB48222R	10,366
47	228	X-CTB48228R	10,482
47	234	X-CTB48234R	10,582
47	240	X-CTB48240R	10,709




No Power Option



Power Option B/C




Power Option D/E/F




Power Option G/H/I

KNIFE EDGE 5-BASE BOAT TABLE


D	W	Model Number	List
42	198	X-CTB42198K	13,866
42	204	X-CTB42204K	14,054
42	210	X-CTB42210K	14,214
42	216	X-CTB42216K	14,395
42	222	X-CTB42222K	14,563
42	228	X-CTB42228K	14,736
42	234	X-CTB42234K	14,895
42	240	X-CTB42240K	15,074
47	198	X-CTB48198K	14,266
47	204	X-CTB48204K	14,465
47	210	X-CTB48210K	14,635
47	216	X-CTB48216K	14,829
47	222	X-CTB48222K	15,012
47	228	X-CTB48228K	15,192
47	234	X-CTB48234K	15,365
47	240	X-CTB48240K	15,559




No Power Option



Power Option B/C



Power Option D/E/F



Power Option G/H/I

Specify

- Laminate Selection for Worksurface
- Laminate Selection for Base
- Color Selection for Edge
- Power Option
- Color Selection for Power Option
- Grain Direction - Short or Long Side

Notes

- Grain “direction” will match per worksurface section, however grain “patterns” will not be lined up or matched exactly. See product details for more information about Calibrate Conferencing grain and pattern directions.
- Power Option B & C consists of one power option centered over the center table base.
- Power Option D, E & F consists of three power options centered over three alternating table bases.
- Power Option G, H & I consists of five power options centered over five table bases.
- Grade C laminates incur an upcharge of $1,325 list for 2mm edge 5-base tables.
- Grade B and C laminates do not include matching edgeband.
- Calibrate Conference Tables have a 1” glide adjustment on the bases.
- Plugged infeeds may be installed into the hub at any leg location.
- Each hardwired power has a 9’ cord. It is the electrician’s responsibility to connect these to the wall/floor terminal, or connect in a junction box in accordance with local codes.

Power Options

- 5-Base Option B - Single Unit, Center Worksurface, 2 Outlets total, 1 USB-A, 1 USB-C, 2 Keystone Holes, 2 Grommet Holes, 1 Plug (+998)
- 5-Base Option C - Single Unit, Center Worksurface, 2 Outlets total, 2 USB-A, 2 Keystone Holes, 1 Grommet Hole, Hardwired (+1,854)
- 5-Base Option D - Three Units, Center Over Alternating Bases, 6 Outlets total, 3 USB-A, 3 USB-C, 6 Keystone Holes, 6 Grommet Holes, 3 Plugs (+2,996)
- 5-Base Option E - Three Units, Center Over Alternating Bases, 6 Outlets total, 3 USB-A, 3 USB-C, 6 Keystone Holes, 6 Grommet Holes, 1 Plug (+5,539)
- 5-Base Option F - Three Units, Center Over Alternating Bases, 6 Outlets total, USB-A total, 6 Keystone Holes, 4 Grommet Holes, Hardwired (+5,374)
- 5-Base Option G - Five Units, Center Over Bases, 10 Outlets total, 5 USB-A, 5 USB-C, 10 Keystone Holes, 10 Grommet Holes, 5 Plugs (+4,992)
- 5-Base Option H - Five Units, Center Over Bases, 10 Outlets total, 5 USB-A, 5 USB-C, 10 Keystone Holes, 10 Grommet Holes, 1 Plug (+8,703)
- 5-Base Option I - Five Units, Center Over Bases, 10 Outlets total, 10 USB-A total, 10 Keystone Holes, 5 Grommet Holes, Hardwired (+8,538)

© 2026, AIS, Inc.


5-Base Boat Tables


2MM EDGE 5-BASE BOAT TABLE


D	W	Model Number	List
54	198	X-CTB54198R	10,391
54	204	X-CTB54204R	10,530
54	210	X-CTB54210R	10,638
54	216	X-CTB54216R	10,770
54	222	X-CTB54222R	10,889
54	228	X-CTB54228R	11,008
54	234	X-CTB54234R	11,117
54	240	X-CTB54240R	11,248
59	198	X-CTB60198R	10,495
59	204	X-CTB60204R	10,638
59	210	X-CTB60210R	10,754
59	216	X-CTB60216R	10,890
59	222	X-CTB60222R	11,015
59	228	X-CTB60228R	11,142
59	234	X-CTB60234R	11,259
59	240	X-CTB60240R	11,394


KNIFE EDGE 5-BASE BOAT TABLE


D	W	Model Number	List
54	198	X-CTB54198K	15,060
54	204	X-CTB54204K	15,270
54	210	X-CTB54210K	15,453
54	216	X-CTB54216K	15,658
54	222	X-CTB54222K	15,854
54	228	X-CTB54228K	16,047
54	234	X-CTB54234K	16,230
54	240	X-CTB54240K	16,437
59	198	X-CTB60198K	15,458
59	204	X-CTB60204K	15,682
59	210	X-CTB60210K	15,875
59	216	X-CTB60216K	16,094
59	222	X-CTB60222K	16,300
59	228	X-CTB60228K	16,509
59	234	X-CTB60234K	16,704
59	240	X-CTB60240K	16,920



No Power Option



Power Option B/C



Power Option D/E/F


Power Option G/H/I


No Power Option


Power Option B/C


Power Option D/E/F


Power Option G/H/I

Specify

- Laminate Selection for Worksurface
- Laminate Selection for Base
- Color Selection for Edge
- Power Option
- Color Selection for Power Option
- Grain Direction - Short or Long Side

Notes

- Grain “direction” will match per worksurface section, however grain “patterns” will not be lined up or matched exactly. See product details for more information about Calibrate Conferencing grain and pattern directions.
- Power Option B & C consists of one power option centered over the center table base.
- Power Option D, E & F consists of three power options centered over three alternating table bases.
- Power Option G, H & I consists of five power options centered over five table bases.
- 60”D nominal worksurfaces will be 59”D for manufacturing purposes.
- Grade C laminates incur an upcharge of $1,325 list for 2mm edge 5-base tables.
- Grade B and C laminates do not include matching edgeband.
- Calibrate Conference Tables have a 1” glide adjustment on the bases.
- Plugged infeeds may be installed into the hub at any leg location.
- Each hardwired power has a 9’ cord. It is the electrician’s responsibility to connect these to the wall/floor terminal, or connect in a junction box in accordance with local codes.

Power Options

- 5-Base Option B - Single Unit, Center Worksurface, 2 Outlets total, 1 USB-A, 1 USB-C, 2 Keystone Holes, 2 Grommet Holes, 1 Plug (+998)
- 5-Base Option C - Single Unit, Center Worksurface, 2 Outlets total, 2 USB-A, 2 Keystone Holes, 1 Grommet Hole, Hardwired (+1,854)
- 5-Base Option D - Three Units, Center Over Alternating Bases, 6 Outlets total, 3 USB-A, 3 USB-C, 6 Keystone Holes, 6 Grommet Holes, 3 Plugs (+2,996)
- 5-Base Option E - Three Units, Center Over Alternating Bases, 6 Outlets total, 3 USB-A, 3 USB-C, 6 Keystone Holes, 6 Grommet Holes, 1 Plug (+5,539)
- 5-Base Option F - Three Units, Center Over Alternating Bases, 6 Outlets total, 6 USB-A total, 6 Keystone Holes, 4 Grommet Holes, Hardwired (+5,374)
- 5-Base Option G - Five Units, Center Over Bases, 10 Outlets total, 5 USB-A, 5 USB-C, 10 Keystone Holes, 10 Grommet Holes, 5 Plugs (+4,992)
- 5-Base Option H - Five Units, Center Over Bases, 10 Outlets total, 5 USB-A, 5 USB-C, 10 Keystone Holes, 10 Grommet Holes, 1 Plug (+8,703)
- 5-Base Option I - Five Units, Center Over Bases, 10 Outlets total, 10 USB-A total, 10 Keystone Holes, 5 Grommet Holes, Hardwired (+8,538)

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


2-Base Tapered Tables

2MM EDGE 2-BASE TAPERED TABLE


D	W	Model Number	List
54	72	X-CTT5472R	3,792
54	78	X-CTT5478R	3,973
54	84	X-CTT5484R	4,090
54	90	X-CTT5490R	4,209
54	96	X-CTT5496R	4,328
59	72	X-CTT6072R	4,074
59	78	X-CTT6078R	4,199
59	84	X-CTT6084R	4,324
59	90	X-CTT6090R	4,446
59	96	X-CTT6096R	4,573

KNIFE EDGE 2-BASE TAPERED TABLE


D	W	Model Number	List
54	72	X-CTT5472K	5,997
54	78	X-CTT5478K	6,225
54	84	X-CTT5484K	6,392
54	90	X-CTT5490K	6,558
54	96	X-CTT5496K	6,729
59	72	X-CTT6072K	6,351
59	78	X-CTT6078K	6,531
59	84	X-CTT6084K	6,709
59	90	X-CTT6090K	6,886
59	96	X-CTT6096K	7,065




No Power Option




Power Option B/C




Power Option D/E/F



No Power Option



Power Option B/C



Power Option D/E/F

Specify

- Laminate Selection for Worksurface
- Laminate Selection for Base
- Color Selection for Edge
- Power Option A or B
- Color Selection for Power Option

Notes

- Power Option B & C consists of one powered option centered on worksurface.
- Power Option D,E & F consists of two power options centered over table bases.
- 60”D nominal worksurfaces will be 59”D for manufacturing purposes.
- Grade C laminates incur an upcharge of $530 list for 2mm edge 2-base tables.
- Grade B and C laminates do not include matching edgeband.
- Calibrate Conference Tables have a 1” glide adjustment on the bases.

Power Options

- 2-Base Option B - Single Unit, Center Worksurface, 2 Outlets total, 1 USB-A, 1 USB-C, 2 Keystone Holes, 2 Grommet Holes, 1 Plug (+998)
- 2-Base Option C - Single Unit, Center Worksurface, 2 Outlets total, 2 USB-A total, 2 Keystone Holes, 1 Grommet Holes, Hardwired (+1,854)
- 2-Base Option D - Two Units, Center Over Bases, 4 Outlets total, 2 USB-A, 2 USB-C, 4 Keystone Holes, 4 Grommet Holes, 2 Plugs (+1,998)
- 2-Base Option E - Two Units, Center Over Bases, 4 Outlets total, 2 USB-A, 2 USB-C, 4 Keystone Holes, 4 Grommet Holes, 1 Plug (+3,589)
- 2-Base Option F - Two Units, Center Over Bases, 4 Outlets total, 4 USB-A total, 4 Keystone Holes, 2 Grommet Holes, Hardwired (+3,423)

© 2026, AIS, Inc.


3-Base Tapered Tables


2MM EDGE 3-BASE TAPERED TABLE


D	W	Model Number	List
54	102	X-CTT54102R	6,137
54	108	X-CTT54108R	6,232
54	114	X-CTT54114R	6,351
54	120	X-CTT54120R	6,471
54	126	X-CTT54126R	6,588
54	132	X-CTT54132R	6,705
54	138	X-CTT54138R	6,825
54	144	X-CTT54144R	6,943
59	102	X-CTT60102R	6,239
59	108	X-CTT60108R	6,343
59	114	X-CTT60114R	6,467
59	120	X-CTT60120R	6,590
59	126	X-CTT60126R	6,714
59	132	X-CTT60132R	6,838
59	138	X-CTT60138R	6,965
59	144	X-CTT60144R	7,089


KNIFE EDGE 3-BASE TAPERED TABLE


D	W	Model Number	List
54	102	X-CTT54102K	10,015
54	108	X-CTT54108K	10,156
54	114	X-CTT54114K	10,326
54	120	X-CTT54120K	10,490
54	126	X-CTT54126K	10,658
54	132	X-CTT54132K	10,828
54	138	X-CTT54138K	10,993
54	144	X-CTT54144K	11,158
59	102	X-CTT60102K	10,221
59	108	X-CTT60108K	10,375
59	114	X-CTT60114K	10,554
59	120	X-CTT60120K	10,734
59	126	X-CTT60126K	10,916
59	132	X-CTT60132K	11,094
59	138	X-CTT60138K	11,273
59	144	X-CTT60144K	11,449



No Power Option



Power Option B/C



Power Option D/E/F


Power Option G/H/I


No Power Option


Power Option B/C


Power Option D/E/F


Power Option G/H/I

Specify

- Laminate Selection for Worksurface
- Laminate Selection for Base
- Color Selection for Edge
- Power Option
- Color Selection for Power Option
- Grain Direction - Short or Long Side

Notes

- Grain “direction” will match per worksurface section, however grain “patterns” will not be lined up or matched exactly. See product details for more information about Calibrate Conferencing grain and pattern directions.
- Power Option B & C consists of one power option centered over the center base.
- Power Option D, E & F consists of two power options centered over two outer table bases.
- Power Option G, H & I consists of three power options centered over three table bases.
- 60”D nominal worksurfaces will be 59”D for manufacturing purposes.
- Grade C laminates incur an upcharge of $795 list for 2mm edge 3-base tables.
- Grade B and C laminates do not include matching edgeband.
- Calibrate Conference Tables have a 1” glide adjustment on the bases.
- Plugged infeeds may be installed into the hub at any leg location.
- Each hardwired power has a 9’ cord. It is the electrician’s responsibility to connect these to the wall/floor terminal, or connect in a junction box in accordance with local codes.

Power Options

- 3-Base Option B - Single Unit, Center Worksurface, 2 Outlets total, 1 USB-A, 1 USB-C, 2 Keystone Holes, 2 Grommet Holes, 1 Plug (+998)
- 3-Base Option C - Single Unit, Center Worksurface, 2 Outlets total, 2 USB-A total, 2 Keystone Holes, 1 Grommet Holes, Hardwired (+1,854)
- 3-Base Option D - Two Units, Center Over End Bases, 4 Outlets total, 2 USB-A, 2 USB-C, 4 Keystone Holes, 4 Grommet Holes, 2 Plugs (+1,998)
- 3-Base Option E - Two Units, Center Over End Bases, 4 Outlets total, 2 USB-A, 2 USB-C, 4 Keystone Holes, 4 Grommet Holes, 1 Plug (+3,704)
- 3-Base Option F - Two Units, Center Over End Bases, 4 Outlets total, 4 USB-A total, 4 Keystone Holes, 2 Grommet Holes, Hardwired (+3,539)
- 3-Base Option G - Three Units, Center Over Bases, 6 Outlets total, 3 USB-A, 3 USB-C, 6 Keystone Holes, 6 Grommet Holes, 3 Plugs (+2,996)
- 3-Base Option H -Three Units, Center Over Bases, 6 Outlets total, 3 USB-A, 3 USB-C, 6 Keystone Holes, 6 Grommet Holes, 1 Plug (+5,294)
- 3-Base Option I - Three Units, Center Over Bases, 6 Outlets total, 6 USB-A total, 6 Keystone Holes, 3 Grommet Holes, 1 Hardwired (+5,128)

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


4-Base Tapered Tables


2MM EDGE 4-BASE TAPERED TABLE


D	W	Model Number	List
54	150	X-CTT54150R	8,250
54	156	X-CTT54156R	8,680
54	162	X-CTT54162R	8,799
54	168	X-CTT54168R	8,915
54	174	X-CTT54174R	9,033
54	180	X-CTT54180R	9,154
54	186	X-CTT54186R	9,272
54	192	X-CTT54192R	9,388
59	150	X-CTT60150R	8,711
59	156	X-CTT60156R	8,837
59	162	X-CTT60162R	8,960
59	168	X-CTT60168R	9,085
59	174	X-CTT60174R	9,208
59	180	X-CTT60180R	9,333
59	186	X-CTT60186R	9,457
59	192	X-CTT60192R	9,583


KNIFE EDGE 4-BASE TAPERED TABLE


D	W	Model Number	List
54	150	X-CTT54150K	14,447
54	156	X-CTT54156K	14,613
54	162	X-CTT54162K	14,783
54	168	X-CTT54168K	14,946
54	174	X-CTT54174K	15,113
54	180	X-CTT54180K	15,282
54	186	X-CTT54186K	15,449
54	192	X-CTT54192K	15,613
59	150	X-CTT60150K	14,750
59	156	X-CTT60156K	14,929
59	162	X-CTT60162K	15,107
59	168	X-CTT60168K	15,286
59	174	X-CTT60174K	15,464
59	180	X-CTT60180K	15,646
59	186	X-CTT60186K	15,824
59	192	X-CTT60192K	16,003



No Power Option


Power Option B/C/D


Power Option E/F/G


No Power Option


Power Option B/C/D


Power Option E/F/G

Specify

- Laminate Selection for Worksurface
- Laminate Selection for Base
- Color Selection for Edge
- Power Option
- Color Selection for Power Option
- Grain Direction - Short or Long Side

Notes

- Grain “direction” will match per worksurface section, however grain “patterns” will not be lined up or matched exactly. See product details for more information about Calibrate Conferencing grain and pattern directions.
- Power Option B, C & D consists of two power options centered over two outer table bases.
- Power Option E, F & G consists of four power options centered over four table bases.
- 60”D nominal worksurfaces will be 59”D for manufacturing purposes.
- Grade C laminates incur an upcharge of $1,060 list for 2mm edge 4-base tables.
- Grade B and C laminates do not include matching edgeband.
- Calibrate Conference Tables have a 1” glide adjustment on the bases.
- Plugged infeeds may be installed into the hub at any leg location.
- Each hardwired power has a 9’ cord. It is the electrician’s responsibility to connect these to the wall/floor terminal, or connect in a junction box in accordance with local codes.

Power Options

- 4-Base Option B - Two Units, Center Over End Bases, 4 Outlets total, 2 USB-A, 2 USB-C, 4 Keystone Holes, 4 Grommet Holes, 2 Plugs (+1,998)
- 4-Base Option C - Two Units, Center Over End Bases, 4 Outlets total, 2 USB-A, 2 USB-C, 4 Keystone Holes, 4 Grommet Holes, 1 Plug (+3,835)
- 4-Base Option D - Two Units, Center Over End Bases, 4 Outlets total, 4 USB-A total, 4 Keystone Holes, 2 Grommet Holes, Hardwired (+3,669)
- 4-Base Option E - Four Units, Center Over Bases, 8 Outlets total, 4 USB-A, 4 USB-C, 8 Keystone Holes, 8 Grommet Holes, 4 Plugs (+3,994)
- 4-Base Option F - Four Units, Center Over Bases, 8 Outlets total, 4 USB-A, 4 USB-C, 8 Keystone Holes, 8 Grommet Holes, 1 Plug (+6,998)
- 4-Base Option G - Four Units, Center Over Bases, 8 Outlets total, 8 USB-A total, 8 Keystone Holes, 4 Grommet Holes, Hardwired (+6,833)

© 2026, AIS, Inc.


5-Base Tapered Tables

2MM EDGE 5-BASE TAPERED TABLE


D	W	Model Number	List
54	198	X-CTT54198R	10,989
54	204	X-CTT54204R	11,150
54	210	X-CTT54210R	11,282
54	216	X-CTT54216R	11,435
54	222	X-CTT54222R	11,578
54	228	X-CTT54228R	11,719
54	234	X-CTT54234R	11,853
54	240	X-CTT54240R	12,004
59	198	X-CTT60198R	11,381
59	204	X-CTT60204R	11,549
59	210	X-CTT60210R	11,687
59	216	X-CTT60216R	11,846
59	222	X-CTT60222R	11,993
59	228	X-CTT60228R	12,141
59	234	X-CTT60234R	12,280
59	240	X-CTT60240R	12,439

KNIFE EDGE 5-BASE TAPERED TABLE


D	W	Model Number	List
54	198	X-CTT54198K	16,790
54	204	X-CTT54204K	17,022
54	210	X-CTT54210K	17,226
54	216	X-CTT54216K	17,452
54	222	X-CTT54222K	17,668
54	228	X-CTT54228K	17,879
54	234	X-CTT54234K	18,086
54	240	X-CTT54240K	18,313
59	198	X-CTT60198K	17,576
59	204	X-CTT60204K	17,821
59	210	X-CTT60210K	18,035
59	216	X-CTT60216K	18,273
59	222	X-CTT60222K	18,502
59	228	X-CTT60228K	18,728
59	234	X-CTT60234K	18,943
59	240	X-CTT60240K	19,181




No Power Option




Power Option B/C




Power Option D/E/F




Power Option G/H/I




No Power Option



Power Option B/C



Power Option D/E/F



Power Option G/H/I

Specify

- Laminate Selection for Worksurface
- Laminate Selection for Base
- Color Selection for Edge
- Power Option
- Color Selection for Power Option
- Grain Direction - Short or Long Side

Notes

- Grain “direction” will match per worksurface section, however grain “patterns” will not be lined up or matched exactly. See product details for more information about Calibrate Conferencing grain and pattern directions.
- Power Option B & C consists of one power option centered over the center table base.
- Power Option D, E & F consists of three power options centered over three alternating table bases.
- Power Option G, H & I consists of five power options centered over five table bases.
- 60”D nominal worksurfaces will be 59”D for manufacturing purposes.
- Grade C laminates incur an upcharge of $1,325 list for 2mm edge 5-base tables.
- Grade B and C laminates do not include matching edgeband.
- Calibrate Conference Tables have a 1” glide adjustment on the bases.
- Plugged infeeds may be installed into the hub at any leg location.
- HEach hardwired power has a 9’ cord. It is the electrician’s responsibility to connect these to the wall/floor terminal, or connect in a junction box in accordance with local codes.

Power Options

- 5-Base Option B - Single Unit, Center Worksurface, 2 Outlets total, 1 USB-A, 1 USB-C, 2 Keystone Holes, 2 Grommet Holes, 1 Plug (+998)
- 5-Base Option C - Single Unit, Center Worksurface, 2 Outlets total, 2 USB-A, 2 Keystone Holes, 1 Grommet Hole, Hardwired (+1,854)
- 5-Base Option D - Three Units, Center Over Alternating Bases, 6 Outlets total, 3 USB-A, 3 USB-C, 6 Keystone Holes, 6 Grommet Holes, 3 Plugs (+2,996)
- 5-Base Option E - Three Units, Center Over Alternating Bases, 6 Outlets total, 3 USB-A, 3 USB-C, 6 Keystone Holes, 6 Grommet Holes, 1 Plug (+5,539)
- 5-Base Option F - Three Units, Center Over Alternating Bases, 6 Outlets total, 6 USB-A total, 6 Keystone Holes, 4 Grommet Holes, Hardwired (+5,374)
- 5-Base Option G - Five Units, Center Over Bases, 10 Outlets total, 5 USB-A, 5 USB-C, 10 Keystone Holes, 10 Grommet Holes, 5 Plugs (+4,992)
- 5-Base Option H - Five Units, Center Over Bases, 10 Outlets total, 5 USB-A, 5 USB-C, 10 Keystone Holes, 10 Grommet Holes, 1 Plug (+8,703)
- 5-Base Option I - Five Units, Center Over Bases, 10 Outlets total, 10 USB-A total, 10 Keystone Holes, 5 Grommet Holes, Hardwired (+8,538)

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


2-Base Tapered Tables with Radius Corners


2MM EDGE 2-BASE TAPERED TABLES W/RADIUS CORNERS


D	W	Model Number	List
54	72	X-CTTR5472R	3,994
54	78	X-CTTR5478R	4,174
54	84	X-CTTR5484R	4,292
54	90	X-CTTR5490R	4,410
54	96	X-CTTR5496R	4,530
59	72	X-CTTR6072R	4,275
59	78	X-CTTR6078R	4,400
59	84	X-CTTR6084R	4,524
59	90	X-CTTR6090R	4,648
59	96	X-CTTR6096R	4,774


KNIFE EDGE 2-BASE TAPERED TABLES W/RADIUS CORNERS


D	W	Model Number	List
54	72	X-CTTR5472K	6,198
54	78	X-CTTR5478K	6,426
54	84	X-CTTR5484K	6,592
54	90	X-CTTR5490K	6,760
54	96	X-CTTR5496K	6,930
59	72	X-CTTR6072K	6,552
59	78	X-CTTR6078K	6,732
59	84	X-CTTR6084K	6,911
59	90	X-CTTR6090K	7,088
59	96	X-CTTR6096K	7,266



No Power Option


Power Option B/C


Power Option D/E/F


No Power Option


Power Option B/C


Power Option D/E/F

Specify

- Laminate Selection for Worksurface
- Laminate Selection for Base
- Color Selection for Edge
- Power Option A or B
- Color Selection for Power Option

Notes

- Power Option B & C consists of one powered option centered on worksurface.
- Power Option D,E & F consists of two power options centered over table bases.
- 60”D nominal worksurfaces will be 59”D for manufacturing purposes.
- Grade C laminates incur an upcharge of $530 list for 2mm edge 2-base tables.
- Grade B and C laminates do not include matching edgeband.
- Calibrate Conference Tables have a 1” glide adjustment on the bases.

Power Options

- 2-Base Option B - Single Unit, Center Worksurface, 2 Outlets total, 1 USB-A, 1 USB-C, 2 Keystone Holes, 2 Grommet Holes, 1 Plug (+998)
- 2-Base Option C - Single Unit, Center Worksurface, 2 Outlets total, 2 USB-A total, 2 Keystone Holes, 1 Grommet Holes, Hardwired (+1,854)
- 2-Base Option D - Two Units, Center Over Bases, 4 Outlets total, 2 USB-A, 2 USB-C, 4 Keystone Holes, 4 Grommet Holes, 2 Plugs (+1,998)
- 2-Base Option E - Two Units, Center Over Bases, 4 Outlets total, 2 USB-A, 2 USB-C, 4 Keystone Holes, 4 Grommet Holes, 1 Plug (+3,589)
- 2-Base Option F - Two Units, Center Over Bases, 4 Outlets total, 4 USB-A total, 4 Keystone Holes, 2 Grommet Holes, Hardwired (+3,423)

© 2026, AIS, Inc.


3-Base Tapered Tables with Radius Corners


2MM EDGE 3-BASE TAPERED TABLES W/RADIUS CORNERS


D	W	Model Number	List
54	102	X-CTTR54102R	6,339
54	108	X-CTTR54108R	6,434
54	114	X-CTTR54114R	6,552
54	120	X-CTTR54120R	6,672
54	126	X-CTTR54126R	6,789
54	132	X-CTTR54132R	6,907
54	138	X-CTTR54138R	7,027
54	144	X-CTTR54144R	7,146
59	102	X-CTTR60102R	6,440
59	108	X-CTTR60108R	6,545
59	114	X-CTTR60114R	6,669
59	120	X-CTTR60120R	6,791
59	126	X-CTTR60126R	6,915
59	132	X-CTTR60132R	7,038
59	138	X-CTTR60138R	7,166
59	144	X-CTTR60144R	7,290


KNIFE EDGE 3-BASE TAPERED TABLES W/RADIUS CORNERS


D	W	Model Number	List
54	102	X-CTTR54102K	10,218
54	108	X-CTTR54108K	10,358
54	114	X-CTTR54114K	10,527
54	120	X-CTTR54120K	10,692
54	126	X-CTTR54126K	10,860
54	132	X-CTTR54132K	11,029
54	138	X-CTTR54138K	11,195
54	144	X-CTTR54144K	11,359
59	102	X-CTTR60102K	10,422
59	108	X-CTTR60108K	10,576
59	114	X-CTTR60114K	10,756
59	120	X-CTTR60120K	10,935
59	126	X-CTTR60126K	11,116
59	132	X-CTTR60132K	11,295
59	138	X-CTTR60138K	11,475
59	144	X-CTTR60144K	11,649



No Power Option



Power Option B/C



Power Option D/E/F


Power Option G/H/I


No Power Option


Power Option B/C


Power Option D/E/F


Power Option G/H/I

Specify

- Laminate Selection for Worksurface
- Laminate Selection for Base
- Color Selection for Edge
- Power Option
- Color Selection for Power Option
- Grain Direction - Short or Long Side

Notes

- Grain “direction” will match per worksurface section, however grain “patterns” will not be lined up or matched exactly. See product details for more information about Calibrate Conferencing grain and pattern directions.
- Power Option B & C consists of one power option centered over the center base.
- Power Option D, E & F consists of two power options centered over two outer table bases.
- Power Option G, H & I consists of three power options centered over three table bases.
- 60”D nominal worksurfaces will be 59”D for manufacturing purposes.
- Grade C laminates incur an upcharge of $795 list for 2mm edge 3-base tables.
- Grade B and C laminates do not include matching edgeband.
- Calibrate Conference Tables have a 1” glide adjustment on the bases.
- Plugged infeeds may be installed into the hub at any leg location.
- Each hardwired power has a 9’ cord. It is the electrician’s responsibility to connect these to the wall/floor terminal, or connect in a junction box in accordance with local codes.

Power Options

- 3-Base Option B - Single Unit, Center Worksurface, 2 Outlets total, 1 USB-A, 1 USB-C, 2 Keystone Holes, 2 Grommet Holes, 1 Plug (+998)
- 3-Base Option C - Single Unit, Center Worksurface, 2 Outlets total, 2 USB-A total, 2 Keystone Holes, 1 Grommet Holes, Hardwired (+1,854)
- 3-Base Option D - Two Units, Center Over End Bases, 4 Outlets total, 2 USB-A, 2 USB-C, 4 Keystone Holes, 4 Grommet Holes, 2 Plugs (+1,998)
- 3-Base Option E - Two Units, Center Over End Bases, 4 Outlets total, 2 USB-A, 2 USB-C, 4 Keystone Holes, 4 Grommet Holes, 1 Plug (+3,704)
- 3-Base Option F - Two Units, Center Over End Bases, 4 Outlets total, 4 USB-A total, 4 Keystone Holes, 2 Grommet Holes, Hardwired (+3,539)
- 3-Base Option G - Three Units, Center Over Bases, 6 Outlets total, 3 USB-A, 3 USB-C, 6 Keystone Holes, 6 Grommet Holes, 3 Plugs (+2,996)
- 3-Base Option H -Three Units, Center Over Bases, 6 Outlets total, 3 USB-A, 3 USB-C, 6 Keystone Holes, 6 Grommet Holes, 1 Plug (+5,294)
- 3-Base Option I - Three Units, Center Over Bases, 6 Outlets total, 6 USB-A total, 6 Keystone Holes, 3 Grommet Holes, 1 Hardwired (+5,128)

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


4-Base Tapered Tables with Radius Corners


2MM EDGE 4-BASE TAPERED TABLES W/RADIUS CORNERS


D	W	Model Number	List
54	150	X-CTTR54150R	8,452
54	156	X-CTTR54156R	8,881
54	162	X-CTTR54162R	9,001
54	168	X-CTTR54168R	9,117
54	174	X-CTTR54174R	9,234
54	180	X-CTTR54180R	9,355
54	186	X-CTTR54186R	9,473
54	192	X-CTTR54192R	9,590
59	150	X-CTTR60150R	8,913
59	156	X-CTTR60156R	9,038
59	162	X-CTTR60162R	9,161
59	168	X-CTTR60168R	9,285
59	174	X-CTTR60174R	9,411
59	180	X-CTTR60180R	9,535
59	186	X-CTTR60186R	9,659
59	192	X-CTTR60192R	9,784


KNIFE EDGE 4-BASE TAPERED TABLES W/RADIUS CORNERS


D	W	Model Number	List
54	150	X-CTTR54150K	14,649
54	156	X-CTTR54156K	14,814
54	162	X-CTTR54162K	14,985
54	168	X-CTTR54168K	15,147
54	174	X-CTTR54174K	15,313
54	180	X-CTTR54180K	15,484
54	186	X-CTTR54186K	15,650
54	192	X-CTTR54192K	15,815
59	150	X-CTTR60150K	14,951
59	156	X-CTTR60156K	15,131
59	162	X-CTTR60162K	15,308
59	168	X-CTTR60168K	15,488
59	174	X-CTTR60174K	15,667
59	180	X-CTTR60180K	15,847
59	186	X-CTTR60186K	16,024
59	192	X-CTTR60192K	16,204



No Power Option


Power Option B/C/D


Power Option E/F/G


No Power Option


Power Option B/C/D


Power Option E/F/G

Specify

- Laminate Selection for Worksurface
- Laminate Selection for Base
- Color Selection for Edge
- Power Option
- Color Selection for Power Option
- Grain Direction - Short or Long Side

Notes

- Grain “direction” will match per worksurface section, however grain “patterns” will not be lined up or matched exactly. See product details for more information about Calibrate Conferencing grain and pattern directions.
- Power Option B, C & D consists of two power options centered over two outer table bases.
- Power Option E, F & G consists of four power options centered over four table bases.
- 60”D nominal worksurfaces will be 59”D for manufacturing purposes.
- Grade C laminates incur an upcharge of $1,060 list for 2mm edge 4-base tables.
- Grade B and C laminates do not include matching edgeband.
- Calibrate Conference Tables have a 1” glide adjustment on the bases.
- Plugged infeeds may be installed into the hub at any leg location.
- Each hardwired power has a 9’ cord. It is the electrician’s responsibility to connect these to the wall/floor terminal, or connect in a junction box in accordance with local codes.

Power Options

- 4-Base Option B - Two Units, Center Over End Bases, 4 Outlets total, 2 USB-A, 2 USB-C, 4 Keystone Holes, 4 Grommet Holes, 2 Plugs (+1,998)
- 4-Base Option C - Two Units, Center Over End Bases, 4 Outlets total, 2 USB-A, 2 USB-C, 4 Keystone Holes, 4 Grommet Holes, 1 Plug (+3,835)
- 4-Base Option D - Two Units, Center Over End Bases, 4 Outlets total, 4 USB-A total, 4 Keystone Holes, 2 Grommet Holes, Hardwired (+3,669)
- 4-Base Option E - Four Units, Center Over Bases, 8 Outlets total, 4 USB-A, 4 USB-C, 8 Keystone Holes, 8 Grommet Holes, 4 Plugs (+3,994)
- 4-Base Option F - Four Units, Center Over Bases, 8 Outlets total, 4 USB-A, 4 USB-C, 8 Keystone Holes, 8 Grommet Holes, 1 Plug (+6,998)
- 4-Base Option G - Four Units, Center Over Bases, 8 Outlets total, 8 USB-A total, 8 Keystone Holes, 4 Grommet Holes, Hardwired (+6,833)

© 2026, AIS, Inc.


5-Base Tapered Tables with Radius Corners


2MM EDGE 5-BASE TAPERED TABLES W/RADIUS CORNERS


D	W	Model Number	List
54	198	X-CTTR54198R	11,190
54	204	X-CTTR54204R	11,351
54	210	X-CTTR54210R	11,484
54	216	X-CTTR54216R	11,637
54	222	X-CTTR54222R	11,779
54	228	X-CTTR54228R	11,921
54	234	X-CTTR54234R	12,055
54	240	X-CTTR54240R	12,205
59	198	X-CTTR60198R	11,582
59	204	X-CTTR60204R	11,751
59	210	X-CTTR60210R	11,887
59	216	X-CTTR60216R	12,048
59	222	X-CTTR60222R	12,194
59	228	X-CTTR60228R	12,343
59	234	X-CTTR60234R	12,483
59	240	X-CTTR60240R	12,640


KNIFE EDGE 5-BASE TAPERED TABLES W/RADIUS CORNERS


D	W	Model Number	List
54	198	X-CTTR54198K	16,991
54	204	X-CTTR54204K	17,223
54	210	X-CTTR54210K	17,429
54	216	X-CTTR54216K	17,653
54	222	X-CTTR54222K	17,869
54	228	X-CTTR54228K	18,081
54	234	X-CTTR54234K	18,287
54	240	X-CTTR54240K	18,514
59	198	X-CTTR60198K	17,779
59	204	X-CTTR60204K	18,022
59	210	X-CTTR60210K	18,238
59	216	X-CTTR60216K	18,475
59	222	X-CTTR60222K	18,703
59	228	X-CTTR60228K	18,930
59	234	X-CTTR60234K	19,145
59	240	X-CTTR60240K	19,384



No Power Option



Power Option B/C



Power Option D/E/F


Power Option G/H/I


No Power Option


Power Option B/C


Power Option D/E/F


Power Option G/H/I

Specify

- Laminate Selection for Worksurface
- Laminate Selection for Base
- Color Selection for Edge
- Power Option
- Color Selection for Power Option
- Grain Direction - Short or Long Side

Notes

- Grain “direction” will match per worksurface section, however grain “patterns” will not be lined up or matched exactly. See product details for more information about Calibrate Conferencing grain and pattern directions.
- Power Option B & C consists of one power option centered over the center table base.
- Power Option D, E & F consists of three power options centered over three alternating table bases.
- Power Option G, H & I consists of five power options centered over five table bases.
- 60”D nominal worksurfaces will be 59”D for manufacturing purposes.
- Grade C laminates incur an upcharge of $1,325 list for 2mm edge 5-base tables.
- Grade B and C laminates do not include matching edgeband.
- Calibrate Conference Tables have a 1” glide adjustment on the bases.
- Plugged infeeds may be installed into the hub at any leg location.
- Each hardwired power has a 9’ cord. It is the electrician’s responsibility to connect these to the wall/floor terminal, or connect in a junction box in accordance with local codes.

Power Options

- 5-Base Option B - Single Unit, Center Worksurface, 2 Outlets total, 1 USB-A, 1 USB-C, 2 Keystone Holes, 2 Grommet Holes, 1 Plug (+998)
- 5-Base Option C - Single Unit, Center Worksurface, 2 Outlets total, 2 USB-A, 2 Keystone Holes, 1 Grommet Hole, Hardwired (+1,854)
- 5-Base Option D - Three Units, Center Over Alternating Bases, 6 Outlets total, 3 USB-A, 3 USB-C, 6 Keystone Holes, 6 Grommet Holes, 3 Plugs (+2,996)
- 5-Base Option E - Three Units, Center Over Alternating Bases, 6 Outlets total, 3 USB-A, 3 USB-C, 6 Keystone Holes, 6 Grommet Holes, 1 Plug (+5,539)
- 5-Base Option F - Three Units, Center Over Alternating Bases, 6 Outlets total, 6 USB-A total, 6 Keystone Holes, 4 Grommet Holes, Hardwired (+5,374)
- 5-Base Option G - Five Units, Center Over Bases, 10 Outlets total, 5 USB-A, 5 USB-C, 10 Keystone Holes, 10 Grommet Holes, 5 Plugs (+4,992)
- 5-Base Option H - Five Units, Center Over Bases, 10 Outlets total, 5 USB-A, 5 USB-C, 10 Keystone Holes, 10 Grommet Holes, 1 Plug (+8,703)
- 5-Base Option I - Five Units, Center Over Bases, 10 Outlets total, 10 USB-A total, 10 Keystone Holes, 5 Grommet Holes, Hardwired (+8,538)

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Conference & Meeting Tables


Calibrate End Panel Tables

© 2026, AIS, Inc.

Calibrate End Panel Table Product Details


Calibrate End Panel Table Power Options

Specific details for available options are dependent on the individual table. See Accessories Price List for individual purchase of power components for collaborative tables. Power cutout is 11.58”W x 4.47”D with a 1/4” radii.



End Panel Table Top Power Box (Plug Termination)

1. (2) Tamper-Resistant (TR) AC outlets
   (1) USB Type-A charging port: 5V 2.1A (10.5W),
   (1) USB Type-C charging port: 5V 2.4A (12W),
   Overload protection switch
   10 ft. 14AWG x 3C power cord
   Rating: 125V 60Hz 15A
2. (2) Holes for Keystone Adapters (opening of 15.2 x 19.3 mm)
3. (2) Grommet Holes – 1 1/16” Inside Diameter



End Panel Table Top Power Box

1. (2) 15amp outlets.
2. (1) USB Type-A charging port: 2.4 A
3. (1) USB Type-C charging port: 60 Watt
4. (1) Grommet Hole – 1 1/4” inside diameter
5. (2) Holes for Keystone Adapters (opening of 15.2 x 19.3 mm)

- This power tap is used in conference tables when a hardwire connection is required (Chicago)
- Junction box & infeed cable supplied by electrician as required

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Sitting Height End Panel Tables with Recessed Ends

SITTING HEIGHT HALF MODESTY END PANEL TABLES RECESSED


D	W	H	Model Number	List
36	72	29	X-RPBT297236HN	1,888
36	78	29	X-RPBT297836HN	1,940
36	84	29	X-RPBT298436HN	1,994
36	90	29	X-RPBT299036HN	2,047
36	96	29	X-RPBT299636HN	2,102
42	72	29	X-RPBT297242HN	2,503
42	78	29	X-RPBT297842HN	2,557
42	84	29	X-RPBT298442HN	2,653
42	90	29	X-RPBT299042HN	2,707
42	96	29	X-RPBT299642HN	2,805

SITTING HEIGHT HALF MODESTY END PANEL TABLES RECESSED


D	W	H	Model Number	List
48	72	29	X-RPBT297248HN	1,964
48	78	29	X-RPBT297848HN	3,011
48	84	29	X-RPBT298448HN	3,011
48	90	29	X-RPBT299048HN	3,109
48	96	29	X-RPBT299648HN	3,109




Non-Powered



Powered



Non-Powered



Powered

Specify

- Laminate Selection for Top
- Laminate Selection for Base
- Power Selection (See options below)

Notes

- Certain areas of New York and Chicago do not allow RPT (Relocatable Power Taps) with standard corded 15amp plugs. Use hardwired end options for those locations. See power options below.

Power Options

- Single Unit Centered - 2 outlets total, 1 USB-A, 1 USB-C, 1 Corded Plug End, 10ft Cord, Black, White or Silver Bezel (+998)
- Single Unit Centered - 2 Outlets total, 2 USB-A's total, 1 Hardwired End, 10ft Cord, Black, White or Silver Bezel (+1,854)
- Double Unit - 4 Outlets total, 2 USB-A's, 2 USB-C's, 2 Corded Plug End, 10ft Cord, Black, White or Silver Bezel (+1,998)
- Double Unit - 4 Outlets total, 4 USB-A's total, 1 Hardwire End, 10ft Cord, Black, White or Silver Bezel (+3,976)

© 2026, AIS, Inc.


Sitting Height End Panel Tables with Flush Ends

SITTING HEIGHT HALF MODESTY END PANEL TABLES FLUSH


D	W	H	Model Number	List
30	48	29	X-FBPT294830HN	1,667
30	54	29	X-FBPT295430HN	1,713
30	60	29	X-FBPT296030HN	1,761
30	66	29	X-FBPT296630HN	1,811
30	72	29	X-FBPT297230HN	1,860
30	78	29	X-FBPT297830HN	1,907
30	84	29	X-FBPT298430HN	1,954
30	90	29	X-FBPT299030HN	2,003
30	96	29	X-FBPT299630HN	2,049
36	48	29	X-FBPT294836HN	1,774
36	54	29	X-FBPT295436HN	1,827
36	60	29	X-FBPT296036HN	1,883
36	66	29	X-FBPT296636HN	1,937
36	72	29	X-FBPT297236HN	1,991
36	78	29	X-FBPT297836HN	2,045
36	84	29	X-FBPT298436HN	2,099
36	90	29	X-FBPT299036HN	2,154
36	96	29	X-FBPT299636HN	2,207

SITTING HEIGHT FULL MODESTY END PANEL TABLES FLUSH


D	W	H	Model Number	List
30	48	29	X-FBPT294830FN	2,040
30	54	29	X-FBPT295430FN	2,101
30	60	29	X-FBPT296030FN	2,162
30	66	29	X-FBPT296630FN	2,224
30	72	29	X-FBPT297230FN	2,286
30	78	29	X-FBPT297830FN	2,345
30	84	29	X-FBPT298430FN	2,424
30	90	29	X-FBPT299030FN	2,469
30	96	29	X-FBPT299630FN	2,527
36	48	29	X-FBPT294836FN	2,146
36	54	29	X-FBPT295436FN	2,212
36	60	29	X-FBPT296036FN	2,280
36	66	29	X-FBPT296636FN	2,348
36	72	29	X-FBPT297236FN	2,415
36	78	29	X-FBPT297836FN	2,481
36	84	29	X-FBPT298436FN	2,549
36	90	29	X-FBPT299036FN	2,615
36	96	29	X-FBPT299636FN	2,682




Non-Powered



Powered



Non-Powered



Powered

Specify

- Laminate Selection for Top
- Laminate Selection for Base
- Power Selection (See options below)

Notes

- Certain areas of New York and Chicago do not allow RPT (Relocatable Power Taps) with standard corded 15amp plugs. Use hardwired end options for those locations. See power options below.

Power Options

- Single Unit Centered - 2 outlets total, 1 USB-A, 1 USB-C, 1 Corded Plug End, 10ft Cord, Black, White or Silver Bezel (+998)
- Single Unit Centered - 2 Outlets total, 2 USB-A's total, 1 Hardwired End, 10ft Cord, Black, White or Silver Bezel (+1,854)
- Double Unit - 4 Outlets total, 2 USB-A's, 2 USB-C's, 2 Corded Plug End, 10ft Cord, Black, White or Silver Bezel (+1,998)
- Double Unit - 4 Outlets total, 4 USB-A's total, 1 Hardwire End, 10ft Cord, Black, White or Silver Bezel (+3,976)

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Sitting Height End Panel Tables with Flush Ends

SITTING HEIGHT HALF MODESTY END PANEL TABLES FLUSH


D	W	H	Model Number	List
42	48	29	X-FBPT294842HN	2,302
42	54	29	X-FBPT295442HN	2,357
42	60	29	X-FBPT296042HN	2,454
42	66	29	X-FBPT296642HN	2,511
42	72	29	X-FBPT297242HN	2,607
42	78	29	X-FBPT297842HN	2,661
42	84	29	X-FBPT298442HN	2,757
42	90	29	X-FBPT299042HN	2,813
42	96	29	X-FBPT299642HN	2,910
48	54	29	X-FBPT295448HN	2,965
48	60	29	X-FBPT296048HN	2,965
48	66	29	X-FBPT296648HN	3,060
48	72	29	X-FBPT297248HN	3,060
48	78	29	X-FBPT297848HN	3,115
48	84	29	X-FBPT298448HN	3,115
48	90	29	X-FBPT299048HN	3,213
48	96	29	X-FBPT299648HN	3,213

SITTING HEIGHT FULL MODESTY END PANEL TABLES FLUSH


D	W	H	Model Number	List
42	48	29	X-FBPT294842FN	2,767
42	54	29	X-FBPT295442FN	2,834
42	60	29	X-FBPT296042FN	2,919
42	66	29	X-FBPT296642FN	2,986
42	72	29	X-FBPT297242FN	3,068
42	78	29	X-FBPT297842FN	3,138
42	84	29	X-FBPT298442FN	3,222
42	90	29	X-FBPT299042FN	3,289
42	96	29	X-FBPT299642FN	3,374
48	54	29	X-FBPT295448FN	3,442
48	60	29	X-FBPT296048FN	3,442
48	66	29	X-FBPT296648FN	3,526
48	72	29	X-FBPT297248FN	3,526
48	78	29	X-FBPT297848FN	3,590
48	84	29	X-FBPT298448FN	3,590
48	90	29	X-FBPT299048FN	3,677
48	96	29	X-FBPT299648FN	3,677




Non-Powered



Powered



Non-Powered



Powered

Specify

- Laminate Selection for Top
- Laminate Selection for Base
- Power Selection (See options below)

Notes

- Certain areas of New York and Chicago do not allow RPT (Relocatable Power Taps) with standard corded 15amp plugs. Use hardwired end options for those locations. See power options below.

Power Options

- Single Unit Centered - 2 outlets total, 1 USB-A, 1 USB-C, 1 Corded Plug End, 10ft Cord, Black, White or Silver Bezel (+998)
- Single Unit Centered - 2 Outlets total, 2 USB-A's total, 1 Hardwired End, 10ft Cord, Black, White or Silver Bezel (+1,854)
- Double Unit - 4 Outlets total, 2 USB-A's, 2 USB-C's, 2 Corded Plug End, 10ft Cord, Black, White or Silver Bezel (+1,998)
- Double Unit - 4 Outlets total, 4 USB-A's total, 1 Hardwire End, 10ft Cord, Black, White or Silver Bezel (+3,976)

© 2026, AIS, Inc.


Sitting Height End Panel Tables with Flush Ends

SITTING HEIGHT HALF MODESTY END PANEL TABLES FLUSH


D	W	H	Model Number	List
54	60	29	X-FBPT296054HN	3,269
54	66	29	X-FBPT296654HN	3,269
54	72	29	X-FBPT297254HN	3,365
54	78	29	X-FBPT297854HN	3,365
54	84	29	X-FBPT298454HN	3,419
54	90	29	X-FBPT299054HN	3,419
54	96	29	X-FBPT299654HN	3,514
60	66	29	X-FBPT296660HN	3,514
60	72	29	X-FBPT297260HN	3,570
60	78	29	X-FBPT297860HN	3,570
60	84	29	X-FBPT298460HN	3,668
60	90	29	X-FBPT299060HN	3,668
60	96	29	X-FBPT299660HN	3,722

SITTING HEIGHT FULL MODESTY END PANEL TABLES FLUSH


D	W	H	Model Number	List
54	60	29	X-FBPT296054FN	3,743
54	66	29	X-FBPT296654FN	3,743
54	72	29	X-FBPT297254FN	3,827
54	78	29	X-FBPT297854FN	3,827
54	84	29	X-FBPT298454FN	3,895
54	90	29	X-FBPT299054FN	3,895
54	96	29	X-FBPT299654FN	3,980
60	66	29	X-FBPT296660FN	3,980
60	72	29	X-FBPT297260FN	4,046
60	78	29	X-FBPT297860FN	4,046
60	84	29	X-FBPT298460FN	4,131
60	90	29	X-FBPT299060FN	4,131
60	96	29	X-FBPT299660FN	4,199




Non-Powered



Powered



Non-Powered



Powered

Specify

- Laminate Selection for Top
- Laminate Selection for Base
- Power Selection (See options below)

Notes

- Certain areas of New York and Chicago do not allow RPT (Relocatable Power Taps) with standard corded 15amp plugs. Use hardwired end options for those locations. See power options below.

Power Options

- Single Unit Centered - 2 outlets total, 1 USB-A, 1 USB-C, 1 Corded Plug End, 10ft Cord, Black, White or Silver Bezel (+998)
- Single Unit Centered - 2 Outlets total, 2 USB-A's total, 1 Hardwired End, 10ft Cord, Black, White or Silver Bezel (+1,854)
- Double Unit - 4 Outlets total, 2 USB-A's, 2 USB-C's, 2 Corded Plug End, 10ft Cord, Black, White or Silver Bezel (+1,998)
- Double Unit - 4 Outlets total, 4 USB-A's total, 1 Hardwire End, 10ft Cord, Black, White or Silver Bezel (+3,976)

© 2026, AIS, Inc.


Counter Height End Panel Tables with Flush Ends

COUNTER HEIGHT HALF MODESTY END PANEL TABLES FLUSH


D	W	H	Model Number	List
30	48	36	X-FBPT364830HN	1,673
30	54	36	X-FBPT365430HN	1,720
30	60	36	X-FBPT366030HN	1,765
30	66	36	X-FBPT366630HN	1,812
30	72	36	X-FBPT367230HN	1,860
30	78	36	X-FBPT367830HN	1,906
30	84	36	X-FBPT368430HN	1,952
30	90	36	X-FBPT369030HN	1,997
30	96	36	X-FBPT369630HN	2,043
36	48	36	X-FBPT364836HN	1,777
36	54	36	X-FBPT365436HN	1,829
36	60	36	X-FBPT366036HN	1,882
36	66	36	X-FBPT366636HN	1,935
36	72	36	X-FBPT367236HN	1,988
36	78	36	X-FBPT367836HN	2,037
36	84	36	X-FBPT368436HN	2,091
36	90	36	X-FBPT369036HN	2,143
36	96	36	X-FBPT369636HN	2,195

COUNTER HEIGHT FULL MODESTY END PANEL TABLES FLUSH


D	W	H	Model Number	List
30	48	36	X-FBPT364830FN	2,034
30	54	36	X-FBPT365430FN	2,094
30	60	36	X-FBPT366030FN	2,153
30	66	36	X-FBPT366630FN	2,212
30	72	36	X-FBPT367230FN	2,272
30	78	36	X-FBPT367830FN	2,322
30	84	36	X-FBPT368430FN	2,405
30	90	36	X-FBPT369030FN	2,448
30	96	36	X-FBPT369630FN	2,505
36	48	36	X-FBPT364836FN	2,148
36	54	36	X-FBPT365436FN	2,200
36	60	36	X-FBPT366036FN	2,264
36	66	36	X-FBPT366636FN	2,331
36	72	36	X-FBPT367236FN	2,397
36	78	36	X-FBPT367836FN	2,461
36	84	36	X-FBPT368436FN	2,526
36	90	36	X-FBPT369036FN	2,589
36	96	36	X-FBPT369636FN	2,655




Non-Powered



Powered



Non-Powered



Powered

Specify

- Laminate Selection for Top
- Laminate Selection for Base
- Power Selection (See options below)

Notes

- Certain areas of New York and Chicago do not allow RPT (Relocatable Power Taps) with standard corded 15amp plugs. Use hardwired end options for those locations. See power options below.

Power Options

- Single Unit Centered - 2 outlets total, 1 USB-A, 1 USB-C, 1 Corded Plug End, 10ft Cord, Black, White or Silver Bezel (+998)
- Single Unit Centered - 2 Outlets total, 2 USB-A's total, 1 Hardwired End, 10ft Cord, Black, White or Silver Bezel (+1,854)
- Double Unit - 4 Outlets total, 2 USB-A's, 2 USB-C's, 2 Corded Plug End, 10ft Cord, Black, White or Silver Bezel (+1,998)
- Double Unit - 4 Outlets total, 4 USB-A's total, 1 Hardwire End, 10ft Cord, Black, White or Silver Bezel (+3,976)

© 2026, AIS, Inc.


Counter Height End Panel Tables with Flush Ends

COUNTER HEIGHT HALF MODESTY END PANEL TABLES FLUSH


D	W	H	Model Number	List
42	48	36	X-FBPT364842HN	2,288
42	54	36	X-FBPT365442HN	2,341
42	60	36	X-FBPT366042HN	2,435
42	66	36	X-FBPT366642HN	2,490
42	72	36	X-FBPT367242HN	2,582
42	78	36	X-FBPT367842HN	2,635
42	84	36	X-FBPT368442HN	2,726
42	90	36	X-FBPT369042HN	2,779
42	96	36	X-FBPT369642HN	2,874

COUNTER HEIGHT FULL MODESTY END PANEL TABLES FLUSH


D	W	H	Model Number	List
42	48	36	X-FBPT364842FN	2,737
42	54	36	X-FBPT365442FN	2,801
42	60	36	X-FBPT366042FN	2,884
42	66	36	X-FBPT366642FN	2,948
42	72	36	X-FBPT367242FN	3,028
42	78	36	X-FBPT367842FN	3,095
42	84	36	X-FBPT368442FN	3,177
42	90	36	X-FBPT369042FN	3,240
42	96	36	X-FBPT369642FN	3,323




Non-Powered



Powered



Non-Powered



Powered

Specify

- Laminate Selection for Top
- Laminate Selection for Base
- Power Selection (See options below)

Notes

- Certain areas of New York and Chicago do not allow RPT (Relocatable Power Taps) with standard corded 15amp plugs. Use hardwired end options for those locations. See power options below.

Power Options

- Single Unit Centered - 2 outlets total, 1 USB-A, 1 USB-C, 1 Corded Plug End, 10ft Cord, Black, White or Silver Bezel (+998)
- Single Unit Centered - 2 Outlets total, 2 USB-A's total, 1 Hardwired End, 10ft Cord, Black, White or Silver Bezel (+1,854)
- Double Unit - 4 Outlets total, 2 USB-A's, 2 USB-C's, 2 Corded Plug End, 10ft Cord, Black, White or Silver Bezel (+1,998)
- Double Unit - 4 Outlets total, 4 USB-A's total, 1 Hardwire End, 10ft Cord, Black, White or Silver Bezel (+3,976)

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Standing Height End Panel Tables with Flush Ends

STANDING HEIGHT HALF MODESTY END PANEL TABLES FLUSH


D	W	H	Model Number	List
30	48	42	X-FBPT424830HN	1,797
30	54	42	X-FBPT425430HN	1,848
30	60	42	X-FBPT426030HN	1,892
30	66	42	X-FBPT426630HN	1,941
30	72	42	X-FBPT427230HN	1,991
30	78	42	X-FBPT427830HN	2,038
30	84	42	X-FBPT428430HN	2,087
30	90	42	X-FBPT429030HN	2,133
30	96	42	X-FBPT429630HN	2,178
36	48	42	X-FBPT424836HN	1,906
36	54	42	X-FBPT425436HN	1,959
36	60	42	X-FBPT426036HN	2,013
36	66	42	X-FBPT426636HN	2,066
36	72	42	X-FBPT427236HN	2,123
36	78	42	X-FBPT427836HN	2,175
36	84	42	X-FBPT428436HN	2,231
36	90	42	X-FBPT429036HN	2,284
36	96	42	X-FBPT429636HN	2,336

STANDING HEIGHT FULL MODESTY END PANEL TABLES FLUSH


D	W	H	Model Number	List
30	48	42	X-FBPT424830FN	2,171
30	54	42	X-FBPT425430FN	2,233
30	60	42	X-FBPT426030FN	2,295
30	66	42	X-FBPT426630FN	2,356
30	72	42	X-FBPT427230FN	2,416
30	78	42	X-FBPT427830FN	2,478
30	84	42	X-FBPT428430FN	2,555
30	90	42	X-FBPT429030FN	2,599
30	96	42	X-FBPT429630FN	2,659
36	48	42	X-FBPT424836FN	2,277
36	54	42	X-FBPT425436FN	2,342
36	60	42	X-FBPT426036FN	2,408
36	66	42	X-FBPT426636FN	2,479
36	72	42	X-FBPT427236FN	2,548
36	78	42	X-FBPT427836FN	2,612
36	84	42	X-FBPT428436FN	2,678
36	90	42	X-FBPT429036FN	2,746
36	96	42	X-FBPT429636FN	2,814




Non-Powered



Powered



Non-Powered



Powered

Specify

- Laminate Selection for Top
- Laminate Selection for Base
- Power Selection (See options below)

Notes

- Certain areas of New York and Chicago do not allow RPT (Relocatable Power Taps) with standard corded 15amp plugs. Use hardwired end options for those locations. See power options below.

Power Options

- Single Unit Centered - 2 outlets total, 1 USB-A, 1 USB-C, 1 Corded Plug End, 10ft Cord, Black, White or Silver Bezel (+998)
- Single Unit Centered - 2 Outlets total, 2 USB-A's total, 1 Hardwired End, 10ft Cord, Black, White or Silver Bezel (+1,854)
- Double Unit - 4 Outlets total, 2 USB-A's, 2 USB-C's, 2 Corded Plug End, 10ft Cord, Black, White or Silver Bezel (+1,998)
- Double Unit - 4 Outlets total, 4 USB-A's total, 1 Hardwire End, 10ft Cord, Black, White or Silver Bezel (+3,976)

© 2026, AIS, Inc.


Standing Height End Panel Tables with Flush Ends

STANDING HEIGHT HALF MODESTY END PANEL TABLES FLUSH


D	W	H	Model Number	List
42	48	42	X-FBPT424842HN	2,434
42	54	42	X-FBPT425442HN	2,487
42	60	42	X-FBPT426042HN	2,587
42	66	42	X-FBPT426642HN	2,641
42	72	42	X-FBPT427242HN	2,737
42	78	42	X-FBPT427842HN	2,791
42	84	42	X-FBPT428442HN	2,887
42	90	42	X-FBPT429042HN	2,943
42	96	42	X-FBPT429642HN	3,041

STANDING HEIGHT FULL MODESTY END PANEL TABLES FLUSH


D	W	H	Model Number	List
42	48	42	X-FBPT424842FN	2,900
42	54	42	X-FBPT425442FN	2,965
42	60	42	X-FBPT426042FN	3,052
42	66	42	X-FBPT426642FN	3,116
42	72	42	X-FBPT427242FN	3,200
42	78	42	X-FBPT427842FN	3,269
42	84	42	X-FBPT428442FN	3,353
42	90	42	X-FBPT429042FN	3,419
42	96	42	X-FBPT429642FN	3,504




Non-Powered



Powered



Non-Powered



Powered

Specify

- Laminate Selection for Top
- Laminate Selection for Base
- Power Selection (See options below)

Notes

- Certain areas of New York and Chicago do not allow RPT (Relocatable Power Taps) with standard corded 15amp plugs. Use hardwired end options for those locations. See power options below.

Power Options

- Single Unit Centered - 2 outlets total, 1 USB-A, 1 USB-C, 1 Corded Plug End, 10ft Cord, Black, White or Silver Bezel (+998)
- Single Unit Centered - 2 Outlets total, 2 USB-A's total, 1 Hardwired End, 10ft Cord, Black, White or Silver Bezel (+1,854)
- Double Unit - 4 Outlets total, 2 USB-A's, 2 USB-C's, 2 Corded Plug End, 10ft Cord, Black, White or Silver Bezel (+1,998)
- Double Unit - 4 Outlets total, 4 USB-A's total, 1 Hardwire End, 10ft Cord, Black, White or Silver Bezel (+3,976)

© 2026, AIS, Inc.


Sitting Height End Panel Tables with Flush Ends and Monitor Extension

SITTING HEIGHT HALF MODESTY END PANEL TABLES FLUSH WITH MONITOR EXTENSION


D	W	Surface H	Actual H	Model Number	List
30	48	29	49	X-FPBTM294830HN	2,188
30	54	29	49	X-FPBTM295430HN	2,239
30	60	29	49	X-FPBTM296030HN	2,285
30	66	29	49	X-FPBTM296630HN	2,333
30	72	29	49	X-FPBTM297230HN	2,384
30	78	29	49	X-FPBTM297830HN	2,431
30	84	29	49	X-FPBTM298430HN	2,479
30	90	29	49	X-FPBTM299030HN	2,525
30	96	29	49	X-FPBTM299630HN	2,570
36	48	29	49	X-FPBTM294836HN	2,297
36	54	29	49	X-FPBTM295436HN	2,353
36	60	29	49	X-FPBTM296036HN	2,403
36	66	29	49	X-FPBTM296636HN	2,462
36	72	29	49	X-FPBTM297236HN	2,515
36	78	29	49	X-FPBTM297836HN	2,567
36	84	29	49	X-FPBTM298436HN	2,623
36	90	29	49	X-FPBTM299036HN	2,676
36	96	29	49	X-FPBTM299636HN	2,730

SITTING HEIGHT FULL MODESTY END PANEL TABLES FLUSH WITH MONITOR EXTENSION


D	W	Surface H	Actual H	Model Number	List
30	48	29	49	X-FPBTM294830FN	2,563
30	54	29	49	X-FPBTM295430FN	2,624
30	60	29	49	X-FPBTM296030FN	2,598
30	66	29	49	X-FPBTM296630FN	2,748
30	72	29	49	X-FPBTM297230FN	2,811
30	78	29	49	X-FPBTM297830FN	2,871
30	84	29	49	X-FPBTM298430FN	2,947
30	90	29	49	X-FPBTM299030FN	2,994
30	96	29	49	X-FPBTM299630FN	3,053
36	48	29	49	X-FPBTM294836FN	2,668
36	54	29	49	X-FPBTM295436FN	2,735
36	60	29	49	X-FPBTM296036FN	2,801
36	66	29	49	X-FPBTM296636FN	2,872
36	72	29	49	X-FPBTM297236FN	2,938
36	78	29	49	X-FPBTM297836FN	3,004
36	84	29	49	X-FPBTM298436FN	3,068
36	90	29	49	X-FPBTM299036FN	3,140
36	96	29	49	X-FPBTM299636FN	3,205




Non-Powered



Powered



Non-Powered



Powered

Specify

- Laminate Selection for Top
- Laminate Selection for Base
- Power Selection (See options below)

Notes

- Certain areas of New York and Chicago do not allow RPT (Relocatable Power Taps) with standard corded 15amp plugs. Use hardwired end options for those locations. See power options below.

Power Options


- Single Unit Centered - 2 outlets total, 1 USB-A, 1 USB-C, 1 Corded Plug End, 10ft Cord, Black, White or Silver Bezel (+998)
- Single Unit Centered - 2 Outlets total, 2 USB-A's total, 1 Hardwired End, 10ft Cord, Black, White or Silver Bezel (+1,854)
- Double Unit - 4 Outlets total, 2 USB-A's, 2 USB-C's, 2 Corded Plug End, 10ft Cord, Black, White or Silver Bezel (+1,998)
- Double Unit - 4 Outlets total, 4 USB-A's total, 1 Hardwire End, 10ft Cord, Black, White or Silver Bezel (+3,976)

© 2026, AIS, Inc.


Sitting Height End Panel Tables with Flush Ends and Monitor Extension

SITTING HEIGHT HALF MODESTY END PANEL TABLES FLUSH WITH MONITOR EXTENSION

D	W	Surface H	Actual H	Model Number	List
42	48	29	49	X-FPBTM294842HN	2,826
42	54	29	49	X-FPBTM295442HN	2,878
42	60	29	49	X-FPBTM296042HN	2,979
42	66	29	49	X-FPBTM296642HN	3,032
42	72	29	49	X-FPBTM297242HN	3,130
42	78	29	49	X-FPBTM297842HN	3,183
42	84	29	49	X-FPBTM298442HN	3,280
42	90	29	49	X-FPBTM299042HN	3,334
42	96	29	49	X-FPBTM299642HN	3,434




Non-Powered




Powered

SITTING HEIGHT FULL MODESTY END PANEL TABLES FLUSH WITH MONITOR EXTENSION

D	W	Surface H	Actual H	Model Number	List
42	48	29	49	X-FPBTM294842FN	3,290
42	54	29	49	X-FPBTM295442FN	3,357
42	60	29	49	X-FPBTM296042FN	3,443
42	66	29	49	X-FPBTM296642FN	3,509
42	72	29	49	X-FPBTM297242FN	3,593
42	78	29	49	X-FPBTM297842FN	3,660
42	84	29	49	X-FPBTM298442FN	3,744
42	90	29	49	X-FPBTM299042FN	3,811
42	96	29	49	X-FPBTM299642FN	3,896



Non-Powered



Powered

Specify

- Laminate Selection for Top
- Laminate Selection for Base
- Power Selection (See options below)

Notes

- Certain areas of New York and Chicago do not allow RPT (Relocatable Power Taps) with standard corded 15amp plugs. Use hardwired end options for those locations. See power options below.

Power Options

- Single Unit Centered - 2 outlets total, 1 USB-A, 1 USB-C, 1 Corded Plug End, 10ft Cord, Black, White or Silver Bezel (+998)
- Single Unit Centered - 2 Outlets total, 2 USB-A's total, 1 Hardwired End, 10ft Cord, Black, White or Silver Bezel (+1,854)
- Double Unit - 4 Outlets total, 2 USB-A's, 2 USB-C's, 2 Corded Plug End, 10ft Cord, Black, White or Silver Bezel (+1,998)
- Double Unit - 4 Outlets total, 4 USB-A's total, 1 Hardwire End, 10ft Cord, Black, White or Silver Bezel (+3,976)

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Standing Height End Panel Tables with Flush Ends and Monitor Extension

STANDING HEIGHT HALF MODESTY END PANEL TABLES FLUSH WITH MONITOR EXTENSION


D	W	Surface H	Actual H	Model Number	List
30	48	42	73	X-FPBTM424830HN	2,320
30	54	42	73	X-FPBTM425430HN	2,369
30	60	42	73	X-FPBTM426030HN	2,415
30	66	42	73	X-FPBTM426630HN	2,466
30	72	42	73	X-FPBTM427230HN	2,515
30	78	42	73	X-FPBTM427830HN	2,562
30	84	42	73	X-FPBTM428430HN	2,609
30	90	42	73	X-FPBTM429030HN	2,657
30	96	42	73	X-FPBTM429630HN	2,704
36	48	42	73	X-FPBTM424836HN	2,430
36	54	42	73	X-FPBTM425436HN	2,481
36	60	42	73	X-FPBTM426036HN	2,534
36	66	42	73	X-FPBTM426636HN	2,593
36	72	42	73	X-FPBTM427236HN	2,645
36	78	42	73	X-FPBTM427836HN	2,697
36	84	42	73	X-FPBTM428436HN	2,753
36	90	42	73	X-FPBTM429036HN	2,805
36	96	42	73	X-FPBTM429636HN	2,861

STANDING HEIGHT FULL MODESTY END PANEL TABLES FLUSH WITH MONITOR EXTENSION


D	W	Surface H	Actual H	Model Number	List
30	48	42	73	X-FPBTM424830FN	2,694
30	54	42	73	X-FPBTM425430FN	2,755
30	60	42	73	X-FPBTM426030FN	2,730
30	66	42	73	X-FPBTM426630FN	2,877
30	72	42	73	X-FPBTM427230FN	2,940
30	78	42	73	X-FPBTM427830FN	3,000
30	84	42	73	X-FPBTM428430FN	3,080
30	90	42	73	X-FPBTM429030FN	3,124
30	96	42	73	X-FPBTM429630FN	3,182
36	48	42	73	X-FPBTM424836FN	2,799
36	54	42	73	X-FPBTM425436FN	2,867
36	60	42	73	X-FPBTM426036FN	2,932
36	66	42	73	X-FPBTM426636FN	3,002
36	72	42	73	X-FPBTM427236FN	3,067
36	78	42	73	X-FPBTM427836FN	3,137
36	84	42	73	X-FPBTM428436FN	3,200
36	90	42	73	X-FPBTM429036FN	3,270
36	96	42	73	X-FPBTM429636FN	3,335




Non-Powered



Powered



Non-Powered



Powered

Specify

- Laminate Selection for Top
- Laminate Selection for Base
- Power Selection (See options below)

Notes

- Certain areas of New York and Chicago do not allow RPT (Relocatable Power Taps) with standard corded 15amp plugs. Use hardwired end options for those locations. See power options below.

Power Options


- Single Unit Centered - 2 outlets total, 1 USB-A, 1 USB-C, 1 Corded Plug End, 10ft Cord, Black, White or Silver Bezel (+998)
- Single Unit Centered - 2 Outlets total, 2 USB-A's total, 1 Hardwired End, 10ft Cord, Black, White or Silver Bezel (+1,854)
- Double Unit - 4 Outlets total, 2 USB-A's, 2 USB-C's, 2 Corded Plug End, 10ft Cord, Black, White or Silver Bezel (+1,998)
- Double Unit - 4 Outlets total, 4 USB-A's total, 1 Hardwire End, 10ft Cord, Black, White or Silver Bezel (+3,976)

© 2026, AIS, Inc.


Standing Height End Panel Tables with Flush Ends and Monitor Extension

STANDING HEIGHT HALF MODESTY END PANEL TABLES FLUSH WITH MONITOR EXTENSION

D	W	Surface H	Actual H	Model Number	List
42	48	42	73	X-FPBTM424842HN	2,957
42	54	42	73	X-FPBTM425442HN	3,011
42	60	42	73	X-FPBTM426042HN	3,109
42	66	42	73	X-FPBTM426642HN	3,164
42	72	42	73	X-FPBTM427242HN	3,261
42	78	42	73	X-FPBTM427842HN	3,315
42	84	42	73	X-FPBTM428442HN	3,410
42	90	42	73	X-FPBTM429042HN	3,466
42	96	42	73	X-FPBTM429642HN	3,565




Non-Powered




Powered

STANDING HEIGHT FULL MODESTY END PANEL TABLES FLUSH WITH MONITOR EXTENSION

D	W	Surface H	Actual H	Model Number	List
42	48	42	73	X-FPBTM424842FN	3,420
42	54	42	73	X-FPBTM425442FN	3,487
42	60	42	73	X-FPBTM426042FN	3,573
42	66	42	73	X-FPBTM426642FN	3,641
42	72	42	73	X-FPBTM427242FN	3,723
42	78	42	73	X-FPBTM427842FN	3,792
42	84	42	73	X-FPBTM428442FN	3,876
42	90	42	73	X-FPBTM429042FN	3,941
42	96	42	73	X-FPBTM429642FN	4,030



Non-Powered



Powered

Specify

- Laminate Selection for Top
- Laminate Selection for Base
- Power Selection (See options below)

Notes

- Certain areas of New York and Chicago do not allow RPT (Relocatable Power Taps) with standard corded 15amp plugs. Use hardwired end options for those locations. See power options below.

Power Options

- Single Unit Centered - 2 outlets total, 1 USB-A, 1 USB-C, 1 Corded Plug End, 10ft Cord, Black, White or Silver Bezel (+998)
- Single Unit Centered - 2 Outlets total, 2 USB-A's total, 1 Hardwired End, 10ft Cord, Black, White or Silver Bezel (+1,854)
- Double Unit - 4 Outlets total, 2 USB-A's, 2 USB-C's, 2 Corded Plug End, 10ft Cord, Black, White or Silver Bezel (+1,998)
- Double Unit - 4 Outlets total, 4 USB-A's total, 1 Hardwire End, 10ft Cord, Black, White or Silver Bezel (+3,976)

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Sitting Height End Panel Tables with Flush Ends and Lockers

SITTING HEIGHT HALF MODESTY END PANEL TABLES FLUSH WITH LOCKERS


				Left-Hand	Right-Hand	
D	W	Surface H	Actual H	Model Number	Model Number	List
36	60	29	49	X-FPLL296036HN	X-FPLR296036HN	4,539
36	66	29	49	X-FPLL296636HN	X-FPLR296636HN	4,591
36	72	29	49	X-FPLL297236HN	X-FPLR297236HN	4,645
36	78	29	49	X-FPLL297836HN	X-FPLR297836HN	4,700
36	84	29	49	X-FPLL298436HN	X-FPLR298436HN	4,754
36	90	29	49	X-FPLL299036HN	X-FPLR299036HN	4,810
36	96	29	49	X-FPLL299636HN	X-FPLR299636HN	4,862
36	102	29	49	X-FPLL2910236HN	X-FPLR2910236HN	4,915
36	108	29	49	X-FPLL2910836HN	X-FPLR2910836HN	4,971
42	60	29	49	X-FPLL296042HN	X-FPLR296042HN	5,182
42	66	29	49	X-FPLL296642HN	X-FPLR296642HN	5,237
42	72	29	49	X-FPLL297242HN	X-FPLR297242HN	5,334
42	78	29	49	X-FPLL297842HN	X-FPLR297842HN	5,390
42	84	29	49	X-FPLL298442HN	X-FPLR298442HN	5,486
42	90	29	49	X-FPLL299042HN	X-FPLR299042HN	5,541
42	96	29	49	X-FPLL299642HN	X-FPLR299642HN	5,637
42	102	29	49	X-FPLL2910242HN	X-FPLR2910242HN	5,691
42	108	29	49	X-FPLL2910842HN	X-FPLR2910842HN	5,791

SITTING HEIGHT FULL MODESTY END PANEL TABLES FLUSH WITH LOCKERS


				Left-Hand	Right-Hand	
D	W	Surface H	Actual H	Model Number	Model Number	List
36	60	29	49	X-FPLL296036FN	X-FPLR296036FN	4,910
36	66	29	49	X-FPLL296636FN	X-FPLR296636FN	4,975
36	72	29	49	X-FPLL297236FN	X-FPLR297236FN	5,040
36	78	29	49	X-FPLL297836FN	X-FPLR297836FN	5,110
36	84	29	49	X-FPLL298436FN	X-FPLR298436FN	5,179
36	90	29	49	X-FPLL299036FN	X-FPLR299036FN	5,245
36	96	29	49	X-FPLL299636FN	X-FPLR299636FN	5,310
36	102	29	49	X-FPLL2910236FN	X-FPLR2910236FN	5,378
36	108	29	49	X-FPLL2910836FN	X-FPLR2910836FN	5,446
42	60	29	49	X-FPLL296042FN	X-FPLR296042FN	5,648
42	66	29	49	X-FPLL296642FN	X-FPLR296642FN	5,714
42	72	29	49	X-FPLL297242FN	X-FPLR297242FN	5,801
42	78	29	49	X-FPLL297842FN	X-FPLR297842FN	5,866
42	84	29	49	X-FPLL298442FN	X-FPLR298442FN	5,951
42	90	29	49	X-FPLL299042FN	X-FPLR299042FN	6,017
42	96	29	49	X-FPLL299642FN	X-FPLR299642FN	6,102
42	102	29	49	X-FPLL2910242FN	X-FPLR2910242FN	6,168
42	108	96	29	X-FPLL2910842FN	X-FPLR2910842FN	6,254




Left-Hand Non-Powered




Left-Hand Powered




Open Side



Left-Hand Non-Powered



Left-Hand Powered



Open Side

Specify

- Laminate Selection for Door
- Laminate Selection for Case
- Laminate Selection for Top
- Laminate Selection for Base
- Power Selection (See options below)
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes

- Certain areas of New York and Chicago do not allow RPT (Relocatable Power Taps) with standard corded 15amp plugs. Use hardwired end options for those locations. See power options below.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull not available on doors. Touch-to-open handle selection incurs a $50 upcharge per unit.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.

Power Options

- Single Unit Centered - 2 outlets total, 1 USB-A, 1 USB-C, 1 Corded Plug End, 10ft Cord, Black, White or Silver Bezel (+998)
- Single Unit Centered - 2 Outlets total, 2 USB-A's total, 1 Hardwired End, 10ft Cord, Black, White or Silver Bezel (+1,854)
- Double Unit - 4 Outlets total, 2 USB-A's, 2 USB-C's, 2 Corded Plug End, 10ft Cord, Black, White or Silver Bezel (+1,998)
- Double Unit - 4 Outlets total, 4 USB-A's total, 1 Hardwire End, 10ft Cord, Black, White or Silver Bezel (+3,976)

© 2026, AIS, Inc.


Standing Height End Panel Tables with Flush Ends and Lockers

STANDING HEIGHT HALF MODESTY END PANEL TABLES FLUSH WITH LOCKERS


D	W	Surface H	Actual H	Left-Hand Model Number	Right-Hand Model Number	List
36	60	42	73	X-FPLL426036HN	X-FPLR426036HN	5,201
36	66	42	73	X-FPLL426636HN	X-FPLR426636HN	5,252
36	72	42	73	X-FPLL427236HN	X-FPLR427236HN	5,306
36	78	42	73	X-FPLL427836HN	X-FPLR427836HN	5,362
36	84	42	73	X-FPLL428436HN	X-FPLR428436HN	5,417
36	90	42	73	X-FPLL429036HN	X-FPLR429036HN	5,469
36	96	42	73	X-FPLL429636HN	X-FPLR429636HN	5,525
36	102	42	73	X-FPLL4210236HN	X-FPLR4210236HN	5,577
36	108	42	73	X-FPLL4210836HN	X-FPLR4210836HN	5,631
42	60	42	73	X-FPLL426042HN	X-FPLR426042HN	5,845
42	66	42	73	X-FPLL426642HN	X-FPLR426642HN	5,899
42	72	42	73	X-FPLL427242HN	X-FPLR427242HN	5,997
42	78	42	73	X-FPLL427842HN	X-FPLR427842HN	6,050
42	84	42	73	X-FPLL428442HN	X-FPLR428442HN	6,148
42	90	42	73	X-FPLL429042HN	X-FPLR429042HN	6,202
42	96	42	73	X-FPLL429642HN	X-FPLR429642HN	6,300
42	102	42	73	X-FPLL4210242HN	X-FPLR4210242HN	6,352
42	108	42	73	X-FPLL4210842HN	X-FPLR4210842HN	6,451

STANDING HEIGHT FULL MODESTY END PANEL TABLES FLUSH WITH LOCKERS


D	W	Surface H	Actual H	Left-Hand Model Number	Right-Hand Model Number	List
36	60	42	73	X-FPLL426036FN	X-FPLR426036FN	5,571
36	66	42	73	X-FPLL426636FN	X-FPLR426636FN	5,637
36	72	42	73	X-FPLL427236FN	X-FPLR427236FN	5,701
36	78	42	73	X-FPLL427836FN	X-FPLR427836FN	5,773
36	84	42	73	X-FPLL428436FN	X-FPLR428436FN	5,841
36	90	42	73	X-FPLL429036FN	X-FPLR429036FN	5,906
36	96	42	73	X-FPLL429636FN	X-FPLR429636FN	5,972
36	102	42	73	X-FPLL4210236FN	X-FPLR4210236FN	6,041
36	108	42	73	X-FPLL4210836FN	X-FPLR4210836FN	6,109
42	60	42	73	X-FPLL426042FN	X-FPLR426042FN	6,309
42	66	42	73	X-FPLL426642FN	X-FPLR426642FN	6,377
42	72	42	73	X-FPLL427242FN	X-FPLR427242FN	6,462
42	78	42	73	X-FPLL427842FN	X-FPLR427842FN	6,529
42	84	42	73	X-FPLL428442FN	X-FPLR428442FN	6,613
42	90	42	73	X-FPLL429042FN	X-FPLR429042FN	6,678
42	96	42	73	X-FPLL429642FN	X-FPLR429642FN	6,763
42	102	42	73	X-FPLL4210242FN	X-FPLR4210242FN	6,829
42	108	42	73	X-FPLL4210842FN	X-FPLR4210842FN	6,915




Left-Hand Non-Powered




Left-Hand Powered




Open Side



Left-Hand Non-Powered



Left-Hand Powered



Open Side

Specify

- Laminate Selection for Door
- Laminate Selection for Case
- Laminate Selection for Top
- Laminate Selection for Base
- Power Selection (See options below)
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes

- Certain areas of New York and Chicago do not allow RPT (Relocatable Power Taps) with standard corded 15amp plugs. Use hardwired end options for those locations. See power options below.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted. Grade C paint selection incurs a $10 upcharge.
- Slim pull not available on doors. Touch-to-open handle selection incurs a $50 upcharge per unit.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.

Power Options

- Single Unit Centered - 2 outlets total, 1 USB-A, 1 USB-C, 1 Corded Plug End, 10ft Cord, Black, White or Silver Bezel (+998)
- Single Unit Centered - 2 Outlets total, 2 USB-A's total, 1 Hardwired End, 10ft Cord, Black, White or Silver Bezel (+1,854)
- Double Unit - 4 Outlets total, 2 USB-A's, 2 USB-C's, 2 Corded Plug End, 10ft Cord, Black, White or Silver Bezel (+1,998)
- Double Unit - 4 Outlets total, 4 USB-A's total, 1 Hardwire End, 10ft Cord, Black, White or Silver Bezel (+3,976)

© 2026, AIS, Inc.

Conference & Meeting Tables

Calibrate Conference Storage

© 2026, AIS, Inc.


Bookcases and Cabinets

FLOOR BOOKCASES

H	W	D	Model Number	List
28	24	14	X-CBC282414	1,667
28	30	14	X-CBC283014	1,740
28	36	14	X-CBC283614	2,043
28	42	14	X-CBC284214	2,109
28	48	14	X-CBC284814	2,187
28	54	14	X-CBC285414	2,568
28	60	14	X-CBC286014	2,644
28	66	14	X-CBC286614	2,715
28	72	14	X-CBC287214	2,787
28	24	18	X-CBC282418	1,744
28	30	18	X-CBC283018	1,827
28	36	18	X-CBC283618	2,161
28	42	18	X-CBC284218	2,242
28	48	18	X-CBC284818	2,329
28	54	18	X-CBC285418	2,753
28	60	18	X-CBC286018	2,838
28	66	18	X-CBC286618	2,923
28	72	18	X-CBC287218	3,004


FOUR DOOR CABINETS

H	W	D	Model Number	List
28	54	18	X-4DC5418	3,301
28	60	18	X-4DC6018	3,406
28	66	18	X-4DC6618	3,509
28	72	18	X-4DC7218	3,612
28	54	22	X-4DC5423	3,577
28	60	22	X-4DC6023	3,681
28	66	22	X-4DC6623	3,783
28	72	22	X-4DC7223	3,888
28	54	24	X-4DC5424	3,631
28	60	24	X-4DC6024	3,736
28	66	24	X-4DC6624	3,841
28	72	24	X-4DC7224	3,940
28	54	28	X-4DC5429	3,773
28	60	28	X-4DC6029	3,880
28	66	28	X-4DC6629	3,982
28	72	28	X-4DC7229	4,083



24" - 30" Wide 36" - 48" Wide 54" - 72" Wide

No feet.
3/8" tall glides.



No feet.
3/8" tall glides.

Specify

- Laminate Selection for Unit

Notes

- 24" and 30" wide units have no center divider.
- 36" - 48" wide units have a center divider.
- 54" - 72" wide units have three dividers.

Specify

- Laminate Selection for Case
- Laminate Selection for Drawer/Door/Face
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes

- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted.Grade C paint selection incurs a $10 upcharge.
- Slim pull not available on doors. Touch-to-open handle selection incurs a $50 upcharge per unit.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.
- Includes one adjustable shelf per opening with 6" of adjustability.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Credenzas

CREDENZAS WITH CABINET DOORS


H	W	D	Model Number	List
28	24	18	X-CCD2724	2,401
28	30	18	X-CCD2730	2,509
28	36	18	X-CCD2736	2,694
28	42	18	X-CCD2742	2,792
28	48	18	X-CCD2748	2,902
28	54	18	X-CCD2754	3,553
28	60	18	X-CCD2760	3,657
28	66	18	X-CCD2766	3,761
28	72	18	X-CCD2772	3,860




24” - 30” Wide



36” - 48” Wide



54” - 72” Wide



No feet.
3/8” tall glides.


Specify	Notes
• Laminate Selection for Case • Laminate Selection for Drawer/Door/Face • Handle Selection • Handle Paint Selection • Lock Selection	• 24” and 30” wide units have no center divider and have 2 doors. • 36” - 48” wide units have center divider and have 2 doors. • 54” - 72” wide units have center divider and have 4 doors. • Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted.Grade C paint selection incurs a $10 upcharge. • Slim pull not available on doors. Touch-to-open handle selection incurs a $50 upcharge per unit. • Lock cores and trim rings ship separately. • One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section. • Includes one adjustable shelf per opening with 6” of adjustability.

© 2026, AIS, Inc.


Recycle Receptacles

SINGLE RECYCLE RECEPTACLE

H	W	D	Model Number	List
28	16	24	X-TB1624	3,247



Closed



Opened

Specify


- Laminate Selection for Case
- Laminate Selection for Drawer/Door/Face
- Handle Selection
- Handle Paint Selection

Notes


- Includes a 17.7”H x 13.9”W trash bin (52 quart).
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted.Grade C paint selection incurs a $10 upcharge.

RECYCLE RECEPTACLES


H	W	D	Model Number	List
36	36	24	X-TB2436	5,757
36	42	24	X-TB2442	5,867
36	48	24	X-TB2448	7,548



36” - 42” Wide (Closed)



36” - 42” Wide (Opened)



48” Wide

Specify

- Laminate Selection for Case
- Laminate Selection for Drawer/Door/Face
- Handle Selection
- Handle Paint Selection

Notes

- Sizes 36” - 42” wide includes (2) 17.7”H x 13.9”W trash bins (52 quart each).
- Size 48” wide includes (3) 17.7”H x 13.9”W trash bins (52 quarts each).
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted.Grade C paint selection incurs a $10 upcharge.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Buffets


BUFFETS WITH CABINET DOORS

H	W	D	Model Number	List
36	48	18	X-BCD1848	6,433
36	54	18	X-BCD1854	6,493
36	60	18	X-BCDTB1860	6,555
36	66	18	X-BCDTB1866	6,799
36	72	18	X-BCDTB1872	6,927
36	48	24	X-BCD2448	6,923
36	54	24	X-BCD2454	6,984
36	60	24	X-BCD2460	7,046
36	66	24	X-BCD2466	7,289
36	72	24	X-BCD2472	7,418




BUFFETS WITH CABINET DOORS (WITH RECYCLE RECEPTACLE)

H	W	D	Receptacle Style	Model Number	List
36	60	18	Hinged Door	X-BCDTBSO1860	7,306
36	66	18	Hinged Door	X-BCDTBSO1866	7,525
36	72	18	Hinged Door	X-BCDTBSO1872	7,750
36	60	24	Slide-Out	X-BCDTB2460	8,617
36	66	24	Slide-Out	X-BCDTB2466	8,886
36	72	24	Slide-Out	X-BCDTB2472	9,024



18” deep



24” deep

Specify

- Laminate Selection for Case
- Laminate Selection for Drawer/Door/Face
- Handle Selection
- Handle Paint Selection
- Lock Selection

Notes


- 60”W x 24”D units come with (1) 36 quart bin.
- 66”-72”W x 24”D units come with (2) 36 quart bins.
- All 18”D units come with (1) 36 quart bin.
- Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted.Grade C paint selection incurs a $10 upcharge.
- Slim pull not available on doors. Selection of slim pull for drawers automatically includes touch-to-open mechanisms on cabinet doors.
- Slim pull incurs a $75 upcharge.
- Lock cores and trim rings ship separately.
- One core removal key will be included for every 25 units on an order (1-25 units receive 1 core key; 25-50 units receive 2 core keys, etc.). Additional core removal keys can be purchased separately; refer to the Accessories section.
- Includes one adjustable shelf per opening with 6” of adjustability.

© 2026, AIS, Inc.

Buffets


BUFFET BOOKCASES

H	W	D	Model Number	List
36	48	18	X-BBC1848	6,208
36	54	18	X-BBC1854	6,269
36	60	18	X-BBCTB1860	6,328
36	66	18	X-BBCTB1866	6,681
36	72	18	X-BBCTB1872	7,028
36	48	24	X-BBC2448	6,673
36	54	24	X-BBC2454	6,740
36	60	24	X-BBC2460	6,796
36	66	24	X-BBC2466	7,146
36	72	24	X-BBC2472	7,494




BUFFET BOOKCASES (WITH RECYCLE RECEPTACLE)

H	W	D	Receptacle Style	Model Number	List
36	60	18	Hinged Door	X-BBCTBSO1860	7,006
36	66	18	Hinged Door	X-BBCTBSO1866	7,218
36	72	18	Hinged Door	X-BBCTBSO1872	7,432
36	60	24	Slide-Out	X-BBCTB2460	8,372
36	66	24	Slide-Out	X-BBCTB2466	8,756
36	72	24	Slide-Out	X-BBCTB2472	8,894



18” deep



24” deep

Specify	Notes
• Laminate Selection for Case • Laminate Selection for Drawer/Door/Face • Handle Selection • Handle Paint Selection	• Waste bins ship with the recycle receptacle units. • Handles can be painted in any AIS Grade A, B or C color. The loop, bar, and rectangle pull are also available unpainted.Grade C paint selection incurs a $10 upcharge. • Slim pull not available on doors. Selection of slim pull for drawers automatically includes touch-to-open mechanisms on cabinet doors. • Slim pull incurs a $75 upcharge. • Includes one adjustable shelf per opening with 6” of adjustability.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Lecterns

MOBILE LECTERNS

H	W	D	Model Number	List
45	28	21	X-MLO452821	3,300
45	28	21	X-MLD452821	4,000



X-MLO452821 (Open)



X-MLD452821 (w/Doors)


Specify

- Laminate selection case (and doors where applicable)
- Laminate selection back panel
- Laminate selection top
- Paint selection paper stop
- Lock (where applicable)


Notes

- Top shelf position is fixed on all models.
- Middle shelf is adjustable on all models.
- Locking casters.
- Model with doors is only available with touch to open mechanisms (standard).

Front View



Side View





© 2026, AIS, Inc.

Soft Close Mechanism For Hinged Door

SOFT CLOSE MECHANISM FOR HINGED DOOR

Part Number	List
X-SOFTHINGE	48





Notes

- Mounting method: snaps on to hinge. No tools required.
- Material: steel
- Color/finish: Nickel-plated
- One required for doors up to 30” tall; doors between 31”H and 66”H – order two; doors over 66”H – order three.
- Compatible only with laminate storage; not compatible with L-Series metal storage.

GANGING KIT FOR CASEGOODS

Part Number	List
X-GANGKIT	20



Notes

- Used for ganging two casegoods together.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.


Table Accessories

© 2026, AIS, Inc.


Electrical

ASHLEY UNO

Mounting Type	Model Number	List
Clamp	E-AUTCW	930
Under	E-AUUMW	930



Clamp Mount




Under Mount


Specify	Notes
• N/A	• Features one AC outlet for high-power devices, (1) USB-A and (1) USB-C port. • Each USB port utilizes a Smart Device recognition Chip to monitor and deliver the required amperage to your devices. • Available in white. • The unit comes with a 6’ cord and is available with surface, under or bezel mounting options. • Fits in standard size grommets. • Bezel mount requires special surface (2.12” x 4.45” hole size, 3/4” - 1 1/2” surface thickness).

ASHLEY 202

Mounting Type	Model Number	List
Clamp	E-A202TCW	1,188
Under	E-A202UMW	1,188



Clamp Mount




Under Mount


Specify	Notes
• Color (White/White or White/Silver)	• Features two AC outlets for high-power devices and two data inserts for your choice of the included blank insert or optional HDMI, RJ-45 or VGA inserts. • The unit comes with a 72” cord and is available with surface, under or bezel mounting options. • Bezel mount requires special surface (2.19” x 7.35” hole size, 3/4” - 1 1/2” surface thickness).

ASHLEY DUO

Mounting Type	Model Number	List
Clamp	E-ADTCW	1,444
Under	E-ADUMW	1,444



Clamp Mount



Under Mount


Specify	Notes
• Color (White/White or White/Silver)	• Features two AC outlets for high-power devices, (1) USB-A and (1) USB-C port. • Each USB port utilizes a Smart Device Recognition chip to monitor and deliver the required amperage to your devices. • The unit comes with a 72” cord option and is available with surface, under or bezel mounting options. • Fits in standard size grommet. • Bezel mount requires special surface (6” x 2.19” hole size, 1/2” - 1 1/2” surface thickness).

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

ASHLEY TRIO

Mounting Type	Model Number	List
Clamp	E-ATTCW	1,733
Under	E-ATUMW	1,275



Clamp Mount




Under Mount

Specify	Notes
• Color (White/White or White/Silver)	• Features three AC outlets for high-power devices, (1) USB-A and (1) USB-C port and a data port location for optional HDMI, RJ-45, VGA or blank insert if desired. • Each USB port utilizes a Smart Device Recognition Chip to monitor and independently deliver the required amperage for your devices. • The unit comes with a 72” cord option and is available with surface, under or bezel mounting options. • Bezel mount requires special surface (2.19” x 8.50” hole size, 3/4” - 1 1/2” surface thickness).

KEYSTONE DATA INSERTS

Insert Type	Model Number	List
CAT 5e Jack	E-HRJ45-SM	148
CAT 6 Data Jack	E-HXJ6BK-SM	161
HDMI Jack	HDMI-KEY-B	241



Specify	Notes

KEYSTONE DATA INSERTS FOR ASHLEY UNITS

Insert Type	Model Number	List
CAT 5e Jack	E-HRJ45-SM	148
CAT 6 Data Jack	E-HXJ6BK-SM	161
HDMI (Female to Female)	E-HDMIFF-SM	352




Specify	Notes


© 2026, AIS, Inc.

Slimline Rear Screens Under Surface Mount for Fixed Height Day-to-Day Tables

SLIMLINE REAR SCREENS UNDER SURFACE MOUNT FOR FIXED HEIGHT DAY-TO-DAY TABLES

H	W	Model Number	List	Grade C Paint	Grade C Fabric (Per Side)	Grade D Fabric (Per Side)	Grade C Laminate (Per Side)
12	36	A-SWMR1236	695	+15	+7	+14	+13
12	42	A-SWMR1242	733	+15	+7	+14	+15
12	48	A-SWMR1248	771	+15	+7	+14	+17
12	54	A-SWMR1254	810	+15	+7	+14	+20
12	60	A-SWMR1260	846	+15	+7	+14	+23
12	66	A-SWMR1266	1,097	+15	+7	+14	+26
12	72	A-SWMR1272	1,167	+15	+7	+14	+29
16	36	A-SWMR1636	776	+15	+11	+22	+17
16	42	A-SWMR1642	817	+15	+11	+22	+20
16	48	A-SWMR1648	862	+15	+11	+22	+23
16	54	A-SWMR1654	904	+15	+11	+22	+26
16	60	A-SWMR1660	946	+15	+11	+22	+29
16	66	A-SWMR1666	1,160	+15	+11	+22	+32
16	72	A-SWMR1672	1,231	+15	+11	+22	+35
20	36	A-SWMR2036	860	+15	+15	+30	+23
20	42	A-SWMR2042	906	+15	+15	+30	+26
20	48	A-SWMR2048	952	+15	+15	+30	+29
20	54	A-SWMR2054	997	+15	+15	+30	+32
20	60	A-SWMR2060	1,043	+15	+15	+30	+35
20	66	A-SWMR2066	1,219	+15	+15	+30	+35
20	72	A-SWMR2072	1,298	+15	+15	+30	+43





Under Surface Mount

Specify

- Fabric Selection
- Laminate Selection
- Paint Selection

Notes

- Use this series of rear screens whenever the actual work surface width = the nominal work surface width, example: Day to Day fixed leg tables.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

Slimline Rear Screens Under Surface Mount for Fixed Height Day-to-Day Tables

SLIMLINE REAR SCREENS UNDER SURFACE MOUNT FOR FIXED HEIGHT DAY-TO-DAY TABLES

H	W	Model Number	List	Grade C Paint	Grade C Fabric (Per Side)	Grade D Fabric (Per Side)	Grade C Laminate (Per Side)
24	36	A-SWMR2436	942	+15	+19	+38	+26
24	42	A-SWMR2442	991	+15	+19	+38	+29
24	48	A-SWMR2448	1,043	+15	+19	+38	+36
24	54	A-SWMR2454	1,088	+15	+19	+38	+39
24	60	A-SWMR2460	1,140	+15	+19	+38	+43
24	66	A-SWMR2466	1,278	+15	+19	+38	+47
24	72	A-SWMR2472	1,361	+15	+19	+38	+51
28	36	A-SWMR2836	1,023	+15	+25	+50	+32
28	42	A-SWMR2842	1,079	+15	+25	+50	+39
28	48	A-SWMR2848	1,135	+15	+25	+50	+43
28	54	A-SWMR2854	1,182	+15	+25	+50	+47
28	60	A-SWMR2860	1,236	+15	+25	+50	+51
28	66	A-SWMR2866	1,339	+15	+25	+50	+59
28	72	A-SWMR2872	1,428	+15	+25	+50	+64





Under Surface Mount

Specify

- Fabric Selection
- Laminate Selection
- Paint Selection

Notes


- Use this series of rear screens whenever the actual work surface width = the nominal work surface width, example: Day to Day fixed leg tables.


© 2026, AIS, Inc.

Slimline Rear Screens Under Surface Mount for Day-to-Day Height Adjustable Tables

SLIMLINE REAR SCREENS UNDER SURFACE MOUNT FOR DAY-TO-DAY HEIGHT ADJUSTABLE TABLES

H	W	Model Number	List	Grade C Paint	Grade C Fabric (Per Side)	Grade D Fabric (Per Side)	Grade C Laminate (Per Side)
12	36	T-SWMR1236	695	+15	+7	+14	+13
12	42	T-SWMR1242	734	+15	+7	+14	+15
12	48	T-SWMR1248	771	+15	+7	+14	+17
12	54	T-SWMR1254	810	+15	+7	+14	+20
12	60	T-SWMR1260	846	+15	+7	+14	+23
12	66	T-SWMR1266	1,097	+15	+7	+14	+26
12	72	T-SWMR1272	1,167	+15	+7	+14	+29
16	36	T-SWMR1636	776	+15	+11	+22	+17
16	42	T-SWMR1642	817	+15	+11	+22	+20
16	48	T-SWMR1648	862	+15	+11	+22	+23
16	54	T-SWMR1654	904	+15	+11	+22	+26
16	60	T-SWMR1660	946	+15	+11	+22	+29
16	66	T-SWMR1666	1,160	+15	+11	+22	+32
16	72	T-SWMR1672	1,231	+15	+11	+22	+35
20	36	T-SWMR2036	860	+15	+15	+30	+23
20	42	T-SWMR2042	906	+15	+15	+30	+26
20	48	T-SWMR2048	952	+15	+15	+30	+29
20	54	T-SWMR2054	997	+15	+15	+30	+32
20	60	T-SWMR2060	1,043	+15	+15	+30	+35
20	66	T-SWMR2066	1,219	+15	+15	+30	+35
20	72	T-SWMR2072	1,298	+15	+15	+30	+43





Under Surface Mount

Specify

- Fabric Selection
- Laminate Selection
- Paint Selection

Notes

- Use this series of rear screens whenever the actual work surface width = the nominal work surface width minus 2", example: Day to Day Height Adjustable Tables.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

Slimline Rear Screens Under Surface Mount for Day-to-Day Height Adjustable Tables

SLIMLINE REAR SCREENS UNDER SURFACE MOUNT FOR DAY-TO-DAY HEIGHT ADJUSTABLE TABLES

H	W	Model Number	List	Grade C Paint	Grade C Fabric (Per Side)	Grade D Fabric (Per Side)	Grade C Laminate (Per Side)
24	36	T-SWMR2436	942	+15	+19	+38	+26
24	42	T-SWMR2442	991	+15	+19	+38	+29
24	48	T-SWMR2448	1,043	+15	+19	+38	+36
24	54	T-SWMR2454	1,088	+15	+19	+38	+39
24	60	T-SWMR2460	1,140	+15	+19	+38	+43
24	66	T-SWMR2466	1,278	+15	+19	+38	+47
24	72	T-SWMR2472	1,361	+15	+19	+38	+51
28	36	T-SWMR2836	1,023	+15	+25	+50	+32
28	42	T-SWMR2842	1,079	+15	+25	+50	+39
28	48	T-SWMR2848	1,135	+15	+25	+50	+43
28	54	T-SWMR2854	1,182	+15	+25	+50	+47
28	60	T-SWMR2860	1,236	+15	+25	+50	+51
28	66	T-SWMR2866	1,339	+15	+25	+50	+59
28	72	T-SWMR2872	1,428	+15	+25	+50	+64





Under Surface Mount

Specify

- Fabric Selection
- Laminate Selection
- Paint Selection

Notes


- Use this series of rear screens whenever the actual work surface width = the nominal work surface width minus 2”, example: Day to Day Height Adjustable Tables.


© 2026, AIS, Inc.

Slimline Territory Screens Under Surface Mount for Fixed Height Day-to-Day Tables

SLIMLINE TERRITORY SCREEN UNDER SURFACE MOUNT

		Left	Right					
H	W	Model Number	Model Number	List	Grade C Paint	Grade C Fabric (Per Side)	Grade D Fabric (Per Side)	Grade C Laminate (Per Side)
12	24	A-STWL1224	A-STWR1224	663	+15	+7	+14	+13
12	30	A-STWL1230	A-STWR1230	773	+15	+7	+14	+13
16	24	A-STWL1624	A-STWR1624	720	+15	+11	+22	+17
16	30	A-STWL1630	A-STWR1630	854	+15	+11	+22	+17
20	24	A-STWL2024	A-STWR2024	774	+15	+15	+30	+23
20	30	A-STWL2030	A-STWR2030	939	+15	+15	+30	+23
24	24	A-STWL2424	A-STWR2424	828	+15	+21	+46	+29
24	30	A-STWL2430	A-STWR2430	990	+15	+21	+46	+29
28	24	A-STWL2824	A-STWR2824	915	+15	+28	+59	+36
28	30	A-STWL2830	A-STWR2830	1,088	+15	+28	+59	+36





Under Surface Mount

Specify

- Fabric Selection
- Laminate Selection
- Paint Selection

Notes

- Use this series of territory screens whenever the actual work surface depth = the nominal work surface depth minus 1”, example: Day to Day Height Adjustable Tables.
- These screens install to the underside of the work surface with a bracket that wraps over the edge.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com


Rev. Mar 2, 2026
© 2026, AIS, Inc.

Slimline Territory Screens Under Surface Mount for Day-to-Day Height Adjustable Tables

SLIMLINE TERRITORY SCREEN UNDER SURFACE MOUNT

		Left	Right					
H	W	Model Number	Model Number	List	Grade C Paint	Grade C Fabric (Per Side)	Grade D Fabric (Per Side)	Grade C Laminate (Per Side)
12	24	T-TSHL1224	T-TSHR1224	663	+15	+7	+14	+13
12	30	T-TSHL1230	T-TSHR1230	773	+15	+7	+14	+13
16	24	T-TSHL1624	T-TSHR1624	720	+15	+11	+22	+17
16	30	T-TSHL1630	T-TSHR1630	854	+15	+11	+22	+17
20	24	T-TSHL2024	T-TSHR2024	774	+15	+15	+30	+23
20	30	T-TSHL2030	T-TSHR2030	939	+15	+15	+30	+23
24	24	T-TSHL2424	T-TSHR2424	828	+15	+21	+46	+29
24	30	T-TSHL2430	T-TSHR2430	990	+15	+21	+46	+29
28	24	T-TSHL2824	T-TSHR2824	915	+15	+28	+59	+36
28	30	T-TSHL2830	T-TSHR2830	1,088	+15	+28	+59	+36





Under Surface Mount

Specify

- Fabric Selection
- Laminate Selection
- Paint Selection

Notes


- Use this series of territory screens whenever the actual work surface depth = the nominal work surface depth minus 1”, example: Day to Day Height Adjustable Tables.
- These screens install to the underside of the work surface with a bracket that wraps over the edge.

© 2026, AIS, Inc.

Flat Plate, Ganging Device, Knife Edge Wedge Bracket, and U-Channels

FLAT PLATE


Model Number	List
WPS-FP	39



Specify	Notes

TABLE GANGING DEVICE


Model Number	List
X-TCL4	172




Specify	Notes
	• Sold as pack of four. Includes screws. • Ganging devices are not compatible with knife edge worksurfaces. • Black finish.

KNIFE EDGE WEDGE BRACKET

Model Number	List
A-KEW	129



Top View




Bottom View

Specify	Notes
• Paint Selection	• Use this product when attaching monitor arms to knife edge surfaces.

U-CHANNEL

Length	Model Number	List
48	WPS-VC48	156
60	WPS-VC60	193
72	WPS-VC72	230
30	T-UCK30	74
36	T-UCK36	82
42	T-UCK42	88
50	T-UCK48	101
54	T-UCK54	110
60	T-UCK60	121
66	T-UCK66	129
72	T-UCK72	142




Specify	Notes

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Wire Managers and Anti-Fatigue Mats

CORD MANAGER FOR TAPERED LEG


Model Number	List
T-TLWM	218



Specify	Notes
• Paint Color	• This cord manager recesses into the tapered leg only to provide cord management for one power cord.

TABLE WIRE MANAGER


Length	Model Number	List
98	A-WMJC98	174



Specify	Notes
	• Made of Rigid PVC (plastic). • Mount using wood screws • Can be cut to size in the field

VERTICAL WIRE MANAGERS


Length	Model Number	List
29	A-VWM29	356
50	A-VWM50	718



Specify	Notes
	• Flexible chain allows for “lay in” of data and power cords. 29” long with weighted base perfect for managing cables from floor to underside of fixed height tables. • 50” long with weighted base perfect for managing cables from floor to underside of height adjustable tables.

ANTI-FATIGUE MAT

W	D	Thickness	Model Number	List
34	20	3/4	A-HF342075	259




Notes
• Custom blended medium density polyurethane foam. • High tear strength polyurethane outer membrane. • Available in black only.

© 2026, AIS, Inc.

Locks and Keys

SILVER LOCK CORES AND KEYS

Key Type	Model Number	List
Core with 2 keys	S-W1CORE1	25
Core with 2 keys (set of 2 keyed alike)	S-W1CORE2	39
Core with 2 keys (set of 3 keyed alike)	S-W1CORE3	60
Core with 2 keys (set of 4 keyed alike)	S-W1CORE4	77
Core with 2 keys (set of 5 keyed alike)	S-W1CORE5	95
Core with 2 keys (set of 6 keyed alike)	S-W1CORE6	111
Core with 2 keys (set of 7 keyed alike)	S-W1CORE7	129
Core with 2 keys (set of 8 keyed alike)	S-W1CORE8	149
Core with 2 keys (set of 9 keyed alike)	S-W1CORE9	166
Core with 2 keys (set of 10 keyed alike)	S-W1CORE10	184
Master Key	RS-W1MKEY	19
Core Removal Key	RS-W1CRKEY	19
Replacement Key	RS-WK _ _ _ (Key Number)	26




Notes

- Silver keyed alike lock cores should be specified when ordering Option E in the Lock Choice for Calibrate: No Lock w/ Silver Ring for Keyed Alike.
- Keyed alike lock cores must be installed in the field.
- Keys and Lock Cores are available in #'s 226 through 425.
- A core removal key is needed to remove an existing core from the lock housing in order to replace with a new core.
- Order sets based on quantity of storage items to be keyed alike.

BLACK LOCK CORES AND KEYS

Key Type	Model Number	List
Core with 2 keys	S-W1CORE1B	25
Core with 2 keys (set of 2 keyed alike)	S-W1CORE2B	39
Core with 2 keys (set of 3 keyed alike)	S-W1CORE3B	60
Core with 2 keys (set of 4 keyed alike)	S-W1CORE4B	77
Core with 2 keys (set of 5 keyed alike)	S-W1CORE5B	95
Core with 2 keys (set of 6 keyed alike)	S-W1CORE6B	111
Core with 2 keys (set of 7 keyed alike)	S-W1CORE7B	129
Core with 2 keys (set of 8 keyed alike)	S-W1CORE8B	149
Core with 2 keys (set of 9 keyed alike)	S-W1CORE9B	166
Core with 2 keys (set of 10 keyed alike)	S-W1CORE10B	184



Notes


- Black keyed alike lock cores should be specified when ordering Option D in the Lock Choice for Calibrate: No Lock w/ Black Ring for Keyed Alike.
- Keyed alike lock cores must be installed in the field.
- Keys and Lock Cores are available in #'s 226 through 425.
- A core removal key is needed to remove an existing core from the lock housing in order to replace with a new core.
- Order sets based on quantity of storage items to be keyed alike.
- Black lock cores not available for L-Series storage.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Hospitality/Catering Cart and Mobile White Boards

HOSPITALITY/CATERING CART

Model Number	List
A-HCC	5,423





Notes

- Includes cart, shelf and shelf hardware.
- White laminate with white 1mm edgeband.
- Standard with dual handles.
- Rails and handles are aluminum and available in metallic trim colors only.
- Standard with center adjustable shelf; 3 1/2” (89mm) increments.
- Each cart end has a upper and lower open stationary shelves with shelf rails to accommodate beverage containers.
- Optional casters or glides are field interchangeable.
- Optional glides are available in black with 1/2” (13mm) height adjustment.
- Ships assembled.

MOBILE WHITE BOARD

H	W	D	Model Number	List
75	45	28	A-RWB754528	5,347
75	88	28	A-RWB758828	8,955





Notes

- Includes frame and attached, two-sided laminate writing surface/center board with attached marker tray.
- Center board has pins to allow hanging of standard size easel paper pad.
- Writable surface is 0.64” thick with 1mm bright white edgeband and a 31” or 43”W x 43”H writing surface.
- Easel marker tray is 30” or 73”W x 1 3/8”H, accessible from one side only.
- Metallic silver aluminum frame.
- Casters (two locking/two non-locking) available in black only.
- Easel can be used as a projection screen and/or space divider.
- Easel height with information board(s) attached is 78”.
- Ships unassembled.

© 2026, AIS, Inc.

National Showrooms:

Leominster
AIS Headquarters
25 Tucker Drive
Leominster, MA 01453

Chicago
The Merchandise Mart
Suite 391
Chicago, Illinois 60654

New York
AIS New York
257 Park Avenue South
New York, New York 10010

Washington, D.C.
AIS Washington, D.C.
1501 M St, NW, STE 230
Washington, D.C. 20005

GSA Sales
GSA Contract 47QSMA20D08Q4
Multiple Award Schedule (MAS)
Large Category: Furniture & Furnishings
Subcategories: Office Furniture, Packaged Office Furniture and Furniture Services

For additional information on AIS:
Dealer Showrooms, Representative Directory, Project Case Studies, Online Catalog & Product Showcase
Visit: **www.ais-inc.com**

AIS

800.434.7400 | 978.562.7500 | Fax: 978.562.0811 | www.ais-inc.com | March 2026

WORKSURFACES

March 2026 Price List

AIS

PRODUCT INFORMATION

Universal Worksurfaces Statement of Line 3
Universal Worksurface Finish Options 4
Universal Worksurfaces Product Details 5
Universal Worksurfaces Grommet Specifications 7

Worksurfaces

Rectangular Worksurfaces 9
Rectangular Worksurfaces for Height Adjustable Tables 11
System Specific Extended Rectangular Worksurfaces 12
System Specific Bullpen Surfaces 13
Radius Rectangle Surfaces 14
Rectilinear and Extended Rectilinear Corners 15
Curvilinear Corners 16
Cockpit Corners. 17
Extended Curvilinear Corner Worksurfaces. 18
D-Tops 24
P Top Surfaces 25
System Specific Spanner Half Moons 26
Rounds and 120° Corners 27
Shelf Surfaces and Rectangular / Radius Transactions. 28
Grommet Hole Covers 29


WARRANTY & TERMS AND CONDITIONS

For Warranty & Terms and Conditions please visit:
https://www.ais-inc.com


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

WORKSURFACES


2MM EDGE WORKSURFACES




Rectangular Worksurfaces




Extended Rectangular Worksurfaces
System Specific




Bullpen Surfaces
System Specific




Radius Rectangle Surfaces




Standard Rectilinear Corners Type B




Extended Rectilinear Corners
Left or Right Hand




Curvilinear Corners Type A




Standard Curvilinear Corners Type B




Cockpit Corner




Cockpit Corner Returns
Left or Right Hand




Extended Curvilinear Corners
Left or Right Hand




Depth Transition Curvilinear Corners




D-Top




P-Top
Left or Right Hand




Spanner Half Moons
System Specific




Rounds




Standard 120° C, 90° L, 90° R Corner



Shelf Surface



Rectangular Transaction



Radius Transaction

© 2026, AIS, Inc.

Worksurface Laminate Options

WORKSURFACE LAMINATE OPTIONS

Name	Grade
Absolute Acajou	A
Aimtoo Savatre	A
Black	A
Brazilwood	A
Chalk	A
Corporate Walnut	A
Dark Rum Cherry	A
Field Elm	A
Grand Cherry	A
Grey Elm	A
Landmark	A
Leave Likatre	A
Linen	A
Looks Likatre	A
Maritime Dune	A
Midwest Maple	A
Neo Walnut	A
Phantom Ecru	A
Phantom Pearl	A
Storm	A
Summer Drops	A
True White	A
Trytoo Savatre	A
White Chocolate	A
Asian Night	B
Asian Sand	B
Beige Granite	B
Colombian Walnut	B

WORKSURFACE LAMINATE OPTIONS

Name	Grade
Fonthill Pear	B
Grey Mesh	B
Gridlock in L.A.	B
Madagascar	B
Mahogany Clove	B
Monticello Maple	B
Nightfall	B
Paris White Potterware	B
Pewter Mesh	B
Recon Oak	B
Shadow	B
Sunset	B
Titanium EV	B
Tungsten EV	B
White Spektrum	B
Windswept Pewter	B
Yorkshire Cherry	B
Ebony	C
Bright White (Writable Surface)	C
Pecan Woodline	C
Strand Burnt	C
Strand Wedge	C
Strand Wheat	C
Twill Earthen	C
Twill Graphite	C
Twill Sarum	C
Warm White	C

EDGEBAND OPTIONS

Name	Color Code	Grade
Absolute Acajou	AA	A
Aimtoo Savatre	AS	A
Black	BK	A
Brazilwood	BZ	A
Chalk	CK	A
Corporate Walnut	CT	A
Dark Rum Cherry	DR	A
Dark Tone	DT	A
Field Elm	FE	A
Grand Cherry	GC	A
Grey Elm	GE	A
Grey Value 1	GV1	A
Landmark	LM	A
Leave Likatre	LV	A

EDGEBAND OPTIONS

Name	Color Code	Grade
Light Tone	LT	A
Linen	LN	A
Looks Likatre	LK	A
Maritime Dune	MD	A
Medium Tone	MT	A
Midwest Maple	MM	A
Neo Walnut	NW	A
Phantom Ecru	PE	A
Phantom Pearl	PP	A
Satin White / True White	SW/TW	A
Storm	ST	A
Summer Drops	SD	A
Trytoo Savatre	TS	A
White Chocolate	WC	A

Custom Edgeband Options

- Custom match non-standard edgebands must be submitted as a special. Pricing varies based on edge thickness and finish.
- Minimum order size for any custom color is $75,000.00 list. Extended lead-time will apply.


At AIS, we take great pride in offering a diverse selection of high-quality materials including but not limited to textiles, laminates, PET, mesh, etc. However, AIS cannot guarantee uniformity in dye lots across different production runs. As such, AIS is not liable for any variations in dye lots or color discrepancies in any of our products that may occur between orders. We encourage customers to review samples for color and texture matching prior to purchase. We are committed to providing exceptional products and are confident that our selection of textiles will meet your expectations for both aesthetic appeal and durability.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Universal Worksurfaces Product Details

Product Detail 1
2mm Edge Details

2 mm edge banding (approximately 3/32") is made of flexible, dent resistant ABS. Impregnated colors match panel trim colors and help to reduce visible scratches. Edges are rounded/beveled for comfort. 2mm edging is available on all worksurface shapes. All surfaces shown are 2mm unless noted otherwise.




© 2026, AIS, Inc.

Universal Worksurfaces Product Details


Product Detail 2
Worksurfaces for Height Adjustable Tables


Worksurfaces for Height Adjustable Tables require a 1” gap on all sides to prevent pinch points. When placing two Worksurfaces for Height Adjustable Tables side-by-side each worksurface requires the 1” gap resulting in a 2” gap between worksurfaces. See examples below.



Product Detail 3
Curvilinear Corner Part Number Nomenclature

Curvilinear Corner part numbers are read from the seated position starting on the left and reading clockwise regardless of handedness.






Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Universal Worksurfaces Grommet Specifications

RECTANGULAR GROMMET OPTIONS


Option	Location	List
A	No Grommets	-
B	Location 1	+38
C	Location 2	+38
D	Location 3	+38
E	Locations 2 and 3	+76
F	Locations 1, 2 and 3	+114
G	Locations 1 and 2	+76
H	Locations 1 and 3	+76
I	Location 4	+38
J	Location 5	+38
K	Locations 4 and 5	+76
L	Locations 1, 4 and 5	+114
M	Locations 1 and 4	+76
N	Locations 1 and 5	+76



Applies to: Rectangulars, Extended Rectangulars, Cockpit Returns, 120° Returns

CORNER GROMMET OPTIONS


Option	Location	List
A	No Grommets	-
B	Location 1 (Default)	-
C	Location 1 and 2	+38
D	Location 1 and 3	+38
E	Locations 1, 2 and 3	+76



Applies to: All Corners (Rectilinears, Curvilinears, Depth Transitions, Cockpit Corners, 120° Corners, 135° Corners, Corner Keyboards)

RADIUS RECTANGULAR OPTIONS

Option	Location	List
A	No Grommets	-
B	Location 1	+38



Applies to: Freestanding use only

Notes

- Grommet holes are 2 3/4” outside diameter with a 2 5/8” inside diameter (inside sleeve).
- Grommet covers are available in either grey or black and are included with grommet options.
- Grommet covers may also be purchased separately.
- Specification tip:
  - — Options 1, 2 and 3 for use with panel systems.
  - — Options 1, 4 and 5 for use with freestanding supports.


© 2026, AIS, Inc.

Grommet Specifications

EXTENDED LEFT HAND CORNER GROMMET OPTIONS

Option	Location	List
A	No Grommets	-
B	Location 1 (Default)	-
C	Location 1 and 2	+38
D	Location 1 and 4	+38
E	Locations 1 and 3*	+38
F	Locations 1, 2 and 4	+76
G	Locations 1, 3 and 4*	+76

*Available on 72" Wide only.




Applies to: All Extended Left Hand Corners (Rectilinears, Curvilinears, Depth Transitions, 120° Corners, 135° Corners). Excludes all Extended D-Tops.

EXTENDED RIGHT HAND CORNER GROMMET OPTIONS

Option	Location	List
A	No Grommets	-
B	Location 1 (Default)	-
C	Location 1 and 2	+38
D	Location 1 and 4	+38
E	Locations 1 and 3*	+38
F	Locations 1, 2 and 4	+76
G	Locations 1, 3 and 4*	+76


*Available on 72" Wide only.



Applies to: All Extended Right Hand Corners (Rectilinears, Curvilinears, Depth Transitions, 120° Corners, 135° Corners). Excludes all Extended D-Tops.

D-TOP GROMMET OPTIONS


Option	Location	List
A	No Grommets	-
B	Location 1	+38
C	Location 2	+38
D	Locations 1 and 2	+76



Applies to: D-Tops

P-TOP GROMMET OPTIONS

Option	Location	List
A	No Grommets	-
B	Location 1	+38
C	Location 2	+38
D	Locations 1 and 2	+76



Applies to: P-Tops

Notes

- Grommet holes are 2 3/4" outside diameter with a 2 5/8" inside diameter (inside sleeve).
- Grommet covers are available in either grey or black and are included with grommet options.
- Grommet covers may also be purchased separately.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

Rectangular Worksurfaces

18" DEEP RECTANGULAR WORKSURFACES

D	W	Model Number	List	Grade C Laminate
18	18	W-WS1818	385	+21
18	24	W-WS1824	418	+21
18	30	W-WS1830	503	+28
18	36	W-WS1836	544	+28
18	42	W-WS1842	593	+30
18	48	W-WS1848	643	+33
18	54	W-WS1854	717	+41
18	60	W-WS1860	792	+41
18	66	W-WS1866	900	+46
18	72	W-WS1872	931	+51
18	78	W-WS1878	1,051	+58
18	84	W-WS1884	1,124	+58
18	90	W-WS1890	1,184	+68
18	96	W-WS1896	1,316	+68

24" DEEP RECTANGULAR WORKSURFACES


D	W	Model Number	List	Grade C Laminate
24	24	W-WS2424	424	+21
24	30	W-WS2430	506	+25
24	36	W-WS2436	551	+28
24	42	W-WS2442	598	+30
24	48	W-WS2448	649	+33
24	54	W-WS2454	721	+41
24	60	W-WS2460	796	+41
24	66	W-WS2466	904	+46
24	72	W-WS2472	989	+51
24	78	W-WS2478	1,056	+54
24	84	W-WS2484	1,130	+58
24	90	W-WS2490	1,145	+68
24	96	W-WS2496	1,320	+68

30" DEEP RECTANGULAR WORKSURFACES

D	W	Model Number	List	Grade C Laminate
30	24	W-WS3024	506	+25
30	30	W-WS3030	595	+30
30	36	W-WS3036	648	+34
30	42	W-WS3042	768	+39
30	48	W-WS3048	831	+42
30	54	W-WS3054	964	+50
30	60	W-WS3060	964	+50
30	66	W-WS3066	1,087	+56
30	72	W-WS3072	1,182	+61
30	78	W-WS3078	1,432	+69
30	84	W-WS3084	1,665	+87
30	90	W-WS3090	1,691	+96
30	96	W-WS3096	1,844	+96

36" DEEP RECTANGULAR WORKSURFACES

D	W	Model Number	List	Grade C Laminate
36	24	W-WS3624	551	+28
36	30	W-WS3630	666	+34
36	36	W-WS3636	779	+40
36	42	W-WS3642	967	+50
36	48	W-WS3648	1,038	+53
36	54	W-WS3654	1,187	+61
36	60	W-WS3660	1,314	+68
36	66	W-WS3666	1,385	+72
36	72	W-WS3672	1,541	+80
36	78	W-WS3678	1,703	+88
36	84	W-WS3684	1,845	+96
36	90	W-WS3690	1,888	+99
36	96	W-WS3696	2,048	+99



Specify

- Laminate Selection
- Color Selection for 2mm Edge
- Additional Grommet Locations (+38)
- Grommet Cover Color (if applicable)

Notes

- Worksurface support hardware is specified separately.
- Grommet holes with covers are specified as options.
- It is highly recommended that a center support be used on all worksurfaces greater than 48" width.
- When spanning panel connections with a worksurface greater than 48" wide, an additional center cantilever is recommended for added support. Otherwise, a U-channel is recommended for additional center worksurface support.
- It is not recommended that 36", 42" and 48" deep worksurfaces be cantilevered to panels.
- If these size depths must be panel hung. it is highly recommended that an additional front support, such as a combination leg or full laminate support panel, also be specified.

© 2026, AIS, Inc.


Rectangular Worksurfaces

42" DEEP RECTANGULAR WORKSURFACES

D	W	Model Number	List	Grade C Laminate
42	24	W-WS4224	569	+30
42	30	W-WS4230	695	+39
42	36	W-WS4236	817	+50
42	42	W-WS4242	1,009	+52
42	48	W-WS4248	1,078	+57
42	54	W-WS4254	1,240	+63
42	60	W-WS4260	1,540	+67
42	66	W-WS4266	1,445	+68
42	72	W-WS4272	1,617	+77
42	84	W-WS4284	1,928	+96
42	90	W-WS4290	2,109	+99
42	96	W-WS4296	1,984	+99

48" DEEP RECTANGULAR WORKSURFACES

D	W	Model Number	List	Grade C Laminate
48	24	W-WS4824	649	+33
48	30	W-WS4830	831	+42
48	36	W-WS4836	1,038	+53
48	42	W-WS4842	1,103	+57
48	48	W-WS4848	1,165	+60
48	54	W-WS4854	1,312	+68
48	60	W-WS4860	1,298	+67
48	66	W-WS4866	1,445	+75
48	72	W-WS4872	1,480	+77
48	84	W-WS4884	1,857	+97
48	90	W-WS4890	2,069	+99
48	96	W-WS4896	1,912	+99



Specify

- Laminate Selection
- Color Selection for 2mm Edge
- Additional Grommet Locations (+38)
- Grommet Cover Color (if applicable)

Notes


- Worksurface support hardware is specified separately.
- Grommet holes with covers are specified as options.
- It is highly recommended that a center support be used on all worksurfaces greater than 48" width.
- When spanning panel connections with a worksurface greater than 48" wide, an additional center cantilever is recommended for added support. Otherwise, a U-channel is recommended for additional center worksurface support.
- It is not recommended that 36", 42" and 48" deep worksurfaces be cantilevered to panels.
- If these size depths must be panel hung. it is highly recommended that an additional front support, such as a combination leg or full laminate support panel, also be specified.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Rectangular Worksurfaces for Height Adjustable Tables

RECTANGULAR WORKSURFACES FOR HEIGHT ADJUSTABLE TABLES

D[1]	W[1]	Model Number	List
23	46	W-WS2346	649
23	52	W-WS2352	750
23	58	W-WS2358	796
23	64	W-WS2364	904
23	70	W-WS2370	989
29	46	W-WS2946	831
29	52	W-WS2952	853
29	58	W-WS2958	964
29	64	W-WS2964	1,087
29	70	W-WS2970	1,182



Specify

- Laminate Selection
- Color Selection for 2mm Edge
- Grommet Location
- Color Selection for Grommet Cover

Notes

- Rectangular Worksurfaces for Height Adjustable Tables have a 1 1/8” thickness.
- Height adjustable worksurface support base is specified separately.
- Grommet holes with covers are specified as options.
- These worksurfaces are for use with height adjustable table bases only.
- Worksurfaces for Height Adjustable Tables require a 1” gap around to prevent pinch points. See example in Product Details.


© 2026, AIS, Inc.


System Specific Extended Rectangular Worksurfaces

⚠ **The following worksurface is designed for use with Matrix systems only:**

MATRIX SYSTEM EXTENDED RECTANGULAR WORKSURFACE

D	W	Model Number	List	Grade C Laminate
24	27 1/4	W-WSE2424MX	429	+23
24	33 1/4	W-WSE2430MX	513	+28
24	39 1/4	W-WSE2436MX	557	+30
24	45 1/4	W-WSE2442MX	610	+33
24	51 1/4	W-WSE2448MX	664	+36
24	57 1/4	W-WSE2454MX	746	+41
24	63 1/4	W-WSE2460MX	814	+45
24	69 1/4	W-WSE2466MX	927	+51
24	75 1/4	W-WSE2472MX	1,011	+56
24	87 1/4	W-WSE2484MX	1,159	+64
30	27 1/4	W-WSE3024MX	572	+31
30	33 1/4	W-WSE3030MX	607	+33
30	39 1/4	W-WSE3036MX	675	+37
30	45 1/4	W-WSE3042MX	742	+41
30	51 1/4	W-WSE3048MX	800	+44
30	57 1/4	W-WSE3054MX	930	+51
30	63 1/4	W-WSE3060MX	989	+54
30	69 1/4	W-WSE3066MX	1,115	+62
30	75 1/4	W-WSE3072MX	1,207	+67
30	87 1/4	W-WSE3084MX	1,585	+88







⚠ **The following worksurface is designed for use with Matrix systems only:**

DIVI SYSTEM EXTENDED RECTANGULAR WORKSURFACE

D	W	Model Number	List	Grade C Laminate
24	26 3/16	W-WSE2424MW	457	+23
24	32 3/16	W-WSE2430MW	551	+28
24	38 3/16	W-WSE2436MW	595	+30
24	44 3/16	W-WSE2442MW	652	+33
24	50 3/16	W-WSE2448MW	708	+36
24	56 3/16	W-WSE2454MW	796	+41
24	62 3/16	W-WSE2460MW	869	+45
24	68 3/16	W-WSE2466MW	990	+51
24	74 3/16	W-WSE2472MW	1,079	+56
24	86 3/16	W-WSE2484MW	1,235	+64
30	26 3/16	W-WSE3024MW	610	+31
30	32 3/16	W-WSE3030MW	649	+33
30	38 3/16	W-WSE3036MW	719	+37
30	44 3/16	W-WSE3042MW	793	+41
30	50 3/16	W-WSE3048MW	853	+44
30	56 3/16	W-WSE3054MW	991	+51
30	62 3/16	W-WSE3060MW	1,054	+54
30	68 3/16	W-WSE3066MW	1,188	+62
30	74 3/16	W-WSE3072MW	1,291	+67
30	86 3/16	W-WSE3084MW	1,694	+88





Specify

- Laminate Selection
- Color Selection for 2mm Edge
- Additional Grommet Locations (+38)
- Grommet Cover Color (if applicable)

Notes

- Worksurface support hardware is specified separately.
- Grommet holes with covers are specified as options.
- Extended rectangulars are designed to compensate for the gap created when a panel is inserted into a panel run at a 3-way connection.
- Be sure to order worksurface that corresponds to the system you are specifying.
- It is highly recommended that a center support be used on all worksurfaces greater than 48” wide.
- When spanning panel connections with a worksurface greater than 48” wide, an additional center cantilever is recommended for added support. Otherwise a U-Channel is recommended for additional center worksurface support.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

System Specific Bullpen Surfaces

⚠ **The following worksurface is designed for use with Divi systems only:**

DIVI BULLPEN SURFACES


D	W	Number of Panels	Model Number	List	Grade C Laminate
24	24 1/8	1	W-WSDV2424	454	+21
24	30 1/8	1	W-WSDV2430	532	+25
24	36 1/8	1	W-WSDV2436	579	+28
24	42 1/8	1	W-WSDV2442	629	+30
24	48 1/8	1	W-WSDV2448	677	+33
24	54 1/4	2	W-WSDV2454	828	+41
24	60 1/8	1	W-WSDV2460A	828	+41
24	60 1/4	2	W-WSDV2460B	828	+41
24	66 1/4	2	W-WSDV2466	935	+46
24	72 1/4	2	W-WSDV2472A	1,014	+51
24	72 3/8	3	W-WSDV2472B	1,014	+51
24	78 1/4	2	W-WSDV2478A	1,087	+54
24	78 3/8	3	W-WSDV2478B	1,087	+54
24	84 1/4	2	W-WSDV2484A	1,160	+58
24	84 3/8	3	W-WSDV2484B	1,160	+58



⚠ **The following worksurface is designed for use with Divi systems only:**

DIVI BULLPEN SURFACES

D	W	Number of Panels	Model Number	List	Grade C Laminate
30	24 1/8	1	W-WSDV3024	532	+25
30	30 1/8	1	W-WSDV3030	626	+30
30	36 1/8	1	W-WSDV3036	698	+34
30	42 1/8	1	W-WSDV3042	795	+39
30	48 1/8	1	W-WSDV3048	854	+42
30	54 1/4	2	W-WSDV3054	997	+42
30	60 1/8	1	W-WSDV3060A	997	+50
30	60 1/4	2	W-WSDV3060B	997	+50
30	66 1/4	2	W-WSDV3066	1,118	+58
30	72 1/4	2	W-WSDV3072A	1,216	+61
30	72 3/8	3	W-WSDV3072B	1,216	+61
30	78 1/4	2	W-WSDV3078A	1,465	+69
30	78 3/8	3	W-WSDV3078B	1,465	+69
30	84 1/4	2	W-WSDV3084A	1,696	+87
30	84 3/8	3	W-WSDV3084B	1,696	+87



Specify

- Laminate Selection
- Color Selection for 2mm Edge
- Additional Grommet Locations (+38)
- Grommet Cover Color (if applicable)

Notes

- Worksurface support hardware is specified separately.
- Grommet holes with covers are specified as options.
- Bullpen Rectangular surfaces are designed to compensate for the gap created by natural panel creep for system specific (MWall or Divi) panels only.
- It is highly recommended that a center support be used on all workspaces greater than 48” wide.
- When spanning panel connections with a worksurface greater than 48” wide, an additional center cantilever is recommended for added support. Otherwise a U-Channel is recommended for additional center worksurface support.

© 2026, AIS, Inc.


Radius Rectangle Surfaces

RADIUS RECTANGLE WORKSURFACES

D[1]	W[1]	Model Number	List	Grade C Laminate
24	24	W-W4C2424	663	+110
24	30	W-W4C2430	744	+110
24	36	W-W4C2436	789	+110
24	42	W-W4C2442	838	+110
24	48	W-W4C2448	888	+110
24	54	W-W4C2454	963	+200
24	60	W-W4C2460	1,035	+200
24	66	W-W4C2466	1,144	+200
24	72	W-W4C2472	1,229	+200
30	30	W-W4C3030	833	+200
30	36	W-W4C3036	887	+200
30	42	W-W4C3042	1,006	+200
30	48	W-W4C3048	1,069	+200
30	54	W-W4C3054	1,203	+240
30	60	W-W4C3060	1,203	+240
30	66	W-W4C3066	1,326	+240
30	72	W-W4C3072	1,422	+240

RADIUS RECTANGLE WORKSURFACES FOR HEIGHT ADJUSTABLE TABLES

D[1]	W[1]	Model Number	List	Grade C Laminate
23	46	W-W4C2346	888	+110
23	52	W-W4C2352	990	+200
23	58	W-W4C2358	1,035	+200
23	64	W-W4C2364	1,144	+200
23	70	W-W4C2370	1,229	+200
29	46	W-W4C2946	1,069	+240
29	52	W-W4C2952	1,091	+240
29	58	W-W4C2958	1,203	+240
29	64	W-W4C2964	1,326	+240
29	70	W-W4C2970	1,422	+240



Specify

- Laminate Selection
- Color Selection for 2mm Edge
- Additional Grommet Locations (+38)
- Grommet Cover Color (if applicable)

Notes

- Worksurface support hardware is specified separately.
- Grommet holes with covers are specified as options.
- Height adjustable worksurface support base is specified separately. AIS height adjustable bases are only compatible with radius rectangle worksurfaces 48”W and larger.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Rectilinear and Extended Rectilinear Corners


EXTENDED RECTILINEAR LEFT HAND CORNERS

D¹	W¹	W²	F	Model Number	List	Grade C Laminate
24	36	42	17	W-WSCE244236	950	+50
24	36	48	17	W-WSCE244836	955	+51
24	36	60	17	W-WSCE246036	1,115	+59
24	36	72	17	W-WSCE247236	1,555	+83
24	42	48	21.25	W-WSCE244842	1,160	+61
24	42	60	21.25	W-WSCE246042	1,366	+72
24	42	72	21.25	W-WSCE247242	1,574	+83
24	48	60	21.25	W-WSCE246048	1,371	+73
24	48	72	21.25	W-WSCE247248	1,577	+84

EXTENDED RECTILINEAR RIGHT HAND CORNERS

D¹	W¹	W²	F	Model Number	List	Grade C Laminate
24	36	42	17	W-WSCE243642	950	+50
24	36	48	17	W-WSCE243648	955	+51
24	36	60	17	W-WSCE243660	1,115	+59
24	36	72	17	W-WSCE243672	1,555	+83
24	42	48	21.25	W-WSCE244248	1,160	+61
24	42	60	21.25	W-WSCE244260	1,366	+72
24	42	72	21.25	W-WSCE244272	1,574	+83
24	48	60	21.25	W-WSCE244860	1,371	+73
24	48	72	21.25	W-WSCE244872	1,577	+84





Specify


- Laminate Selection
- Color Selection for 2mm Edge
- Additional Grommet Locations (+38)
- Grommet Cover Color (if applicable)

Notes

- Worksurface support hardware is specified separately.
- Rear corner grommet hole with cover is included.
- Additional grommet holes with covers are specified as options.

STANDARD RECTILINEAR CORNER TYPE B

D¹	W¹	F	Model Number	List	Grade C Laminate
24	36	10.25	W-WSC2436B	872	+45
24	42	18.75	W-WSC2442B	1,049	+54
24	48	18.75	W-WSC2448	1,166	+60
30	42	10.25	W-WSC3042B	1,163	+60
30	48	18.75	W-WSC3048B	1,320	+69



Specify

- Laminate Selection
- Color Selection for 2mm Edge
- Additional Grommet Locations (+38)
- Grommet Cover Color (if applicable)

Notes


- Worksurface support hardware is specified separately.
- Rear corner grommet hole with cover is included.
- Additional grommet holes with covers are specified as options.

© 2026, AIS, Inc.

Curvilinear Corners


CURVILINEAR CORNER TYPE A

D¹	W¹	Model Number	List	Grade C Laminate
24	36	W-WSCC2436	913	+47
30	42	W-WSCC3042	1,215	+63



STANDARD CURVILINEAR CORNER TYPE B

D¹	W¹	Model Number	List	Grade C Laminate
24	42	W-WSCC2442	1,103	+58
24	48	W-WSCC2448	1,218	+64
30	48	W-WSCC3048	1,389	+72



Specify

- Laminate Selection
- Color Selection for 2mm Edge
- Additional Grommet Locations (+38)
- Grommet Cover Color (if applicable)

Notes


- Worksurface support hardware is specified separately.
- Rear corner grommet hole with cover is included.
- Additional grommet holes with covers are specified as options.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Cockpit Corners


LEFT HAND COCKPIT CORNER RETURNS

D¹	D²	W¹	Model Number	List	Grade C Laminate
24	30	36	W-WSCRL36	985	+54
24	30	42	W-WSCRL42	1,079	+60
24	30	48	W-WSCRL48	1,181	+66
24	30	60	W-WSCRL60	1,280	+71
24	30	66	W-WSCRL66	1,385	+77
24	30	72	W-WSCRL72	1,480	+83
24	30	84	W-WSCRL84	1,583	+88
24	30	96	W-WSCRL96	1,682	+94




RIGHT HAND COCKPIT CORNER RETURNS

D¹	D²	W¹	Model Number	List	Grade C Laminate
24	30	36	W-WSCRR36	985	+54
24	30	42	W-WSCRR42	1,079	+60
24	30	48	W-WSCRR48	1,181	+66
24	30	60	W-WSCRR60	1,280	+71
24	30	66	W-WSCRR66	1,385	+77
24	30	72	W-WSCRR72	1,480	+83
24	30	84	W-WSCRR84	1,583	+88
24	30	96	W-WSCRR96	1,682	+94



COCKPIT CORNER

D¹	W¹	Model Number	List	Grade C Laminate
24	48	W-WSCC48	1,240	+70



Specify	Notes
• Laminate Selection	• Worksurface support hardware is specified separately.
• Color Selection for 2mm Edge	• Rear corner grommet hole with cover is included.
• Additional Grommet Locations (+38)	• Additional grommet holes with covers are specified as options.
• Grommet Cover Color (if applicable)	

© 2026, AIS, Inc.


Extended Curvilinear Corner Worksurfaces


NOMINAL SIZES – LEFT HAND

D¹	W¹	W²	Model Number	List	Grade C Laminate
24	42	36	W-WSCCE244236	999	+200
24	48	36	W-WSCCE244836	1,004	+200
24	54	36	W-WSCCE245436	1,308	+240
24	60	36	W-WSCCE246036	1,175	+240
24	66	36	W-WSCCE246636	1,407	+240
24	72	36	W-WSCCE247236	1,637	+240
24	78	36	W-WSCCE247836	1,651	+240
24	84	36	W-WSCCE248436	2,104	+240
24	48	42	W-WSCCE244842	1,216	+200
24	54	42	W-WSCCE245442	1,576	+240
24	60	42	W-WSCCE246042	1,430	+240
24	66	42	W-WSCCE246642	1,539	+240
24	72	42	W-WSCCE247242	1,647	+240
24	78	42	W-WSCCE247842	1,845	+240
24	84	42	W-WSCCE248442	1,825	+240
24	54	48	W-WSCCE245448	1,371	+240
24	60	48	W-WSCCE246048	1,444	+240
24	66	48	W-WSCCE246648	1,549	+240
24	72	48	W-WSCCE247248	1,653	+240
24	78	48	W-WSCCE247848	1,769	+240
24	84	48	W-WSCCE248448	1,884	+240

NOMINAL SIZES – RIGHT HAND

D¹	W¹	W²	Model Number	List	Grade C Laminate
24	36	42	W-WSCCE243642	999	+200
24	36	48	W-WSCCE243648	1,043	+200
24	36	54	W-WSCCE243654	1,089	+240
24	36	60	W-WSCCE243660	1,175	+240
24	36	66	W-WSCCE243666	1,406	+240
24	36	72	W-WSCCE243672	1,637	+240
24	36	78	W-WSCCE243678	1,651	+240
24	36	84	W-WSCCE243684	2,104	+240
24	42	48	W-WSCCE244248	1,216	+200
24	42	54	W-WSCCE244254	1,457	+240
24	42	60	W-WSCCE244260	1,430	+240
24	42	66	W-WSCCE244266	1,539	+240
24	42	72	W-WSCCE244272	1,647	+240
24	42	78	W-WSCCE244278	1,845	+240
24	42	84	W-WSCCE244284	1,825	+240
24	48	54	W-WSCCE244854	1,347	+240
24	48	60	W-WSCCE244860	1,444	+240
24	48	66	W-WSCCE244866	1,549	+240
24	48	72	W-WSCCE244872	1,653	+240
24	48	78	W-WSCCE244878	1,769	+240
24	48	84	W-WSCCE244884	1,884	+240





Specify

- Laminate Selection
- Color Selection for 2mm Edge
- Additional Grommet Locations (+38)
- Grommet Cover Color (if applicable)

Notes

- Worksurface support hardware is specified separately.
- Grommet holes with covers are specified as options.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Extended Curvilinear Corner Worksurfaces


NOMINAL SIZES – LEFT HAND

D¹	W¹	W²	Model Number	List	Grade C Laminate
30	48	42	W-WSCCE304842	1,395	+200
30	54	42	W-WSCCE305442	1,502	+240
30	60	42	W-WSCCE306042	1,609	+240
30	66	42	W-WSCCE306642	1,672	+240
30	72	42	W-WSCCE307242	1,826	+240
30	78	42	W-WSCCE307842	1,710	+240
30	84	42	W-WSCCE308442	1,783	+240
30	54	48	W-WSCCE305448	1,551	+240
30	60	48	W-WSCCE306048	1,636	+240
30	66	48	W-WSCCE306648	1,705	+240
30	72	48	W-WSCCE307248	1,831	+240
30	78	48	W-WSCCE307848	1,942	+240
30	84	48	W-WSCCE308448	2,039	+240

NOMINAL SIZES – RIGHT HAND

D¹	W¹	W²	Model Number	List	Grade C Laminate
30	42	48	W-WSCCE304248	1,395	+200
30	42	54	W-WSCCE304254	1,502	+240
30	42	60	W-WSCCE304260	1,406	+240
30	42	66	W-WSCCE304266	1,672	+240
30	42	72	W-WSCCE304272	1,826	+240
30	42	78	W-WSCCE304278	1,710	+240
30	42	84	W-WSCCE304284	1,931	+240
30	48	54	W-WSCCE304854	1,589	+240
30	48	60	W-WSCCE304860	1,636	+240
30	48	66	W-WSCCE304866	1,728	+240
30	48	72	W-WSCCE304872	1,831	+240
30	48	78	W-WSCCE304878	1,942	+240
30	48	84	W-WSCCE304884	2,039	+240





Specify

- Laminate Selection
- Color Selection for 2mm Edge
- Additional Grommet Locations (+38)
- Grommet Cover Color (if applicable)

Notes

- Worksurface support hardware is specified separately.
- Grommet holes with covers are specified as options.

© 2026, AIS, Inc.


Extended Curvilinear Corner Worksurfaces


DEPTH TRANSITION – LEFT HAND

D¹	W¹	W²	D²	Model Number	List	Grade C Laminate
24	48	42	30	W-WSCCE24484230	1,806	+200
24	54	42	30	W-WSCCE24544230	1,814	+240
24	60	42	30	W-WSCCE24604230	1,824	+240
24	66	42	30	W-WSCCE24664230	1,831	+240
24	72	42	30	W-WSCCE24724230	1,840	+240
24	78	42	30	W-WSCCE24784230	1,847	+240
24	84	42	30	W-WSCCE24844230	1,857	+240
24	54	48	30	W-WSCCE24544830	1,864	+240
24	60	48	30	W-WSCCE24604830	1,885	+240
24	66	48	30	W-WSCCE24664830	1,904	+240
24	72	48	30	W-WSCCE24724830	1,925	+240
24	78	48	30	W-WSCCE24784830	1,932	+240
24	84	48	30	W-WSCCE24844830	1,941	+240
30	48	42	24	W-WSCCE30484224	1,806	+200
30	54	42	24	W-WSCCE30544224	1,814	+240
30	60	42	24	W-WSCCE30604224	1,824	+240
30	66	42	24	W-WSCCE30664224	1,831	+240
30	72	42	24	W-WSCCE30724224	1,840	+240
30	78	42	24	W-WSCCE30784224	1,847	+240
30	84	42	24	W-WSCCE30844224	1,857	+240
30	54	48	24	W-WSCCE30544824	1,864	+240
30	60	48	24	W-WSCCE30604824	1,885	+240
30	66	48	24	W-WSCCE30664824	1,904	+240
30	72	48	24	W-WSCCE30724824	1,925	+240
30	78	48	24	W-WSCCE30784824	1,932	+240
30	84	48	24	W-WSCCE30844824	1,941	+240

DEPTH TRANSITION – RIGHT HAND

D¹	W¹	W²	D²	Model Number	List	Grade C Laminate
24	42	48	30	W-WSCCE24424830	1,806	+200
24	42	54	30	W-WSCCE24425430	1,814	+240
24	42	60	30	W-WSCCE24426030	1,824	+240
24	42	66	30	W-WSCCE24426630	1,831	+240
24	42	72	30	W-WSCCE24427230	1,840	+240
24	42	78	30	W-WSCCE24427830	1,847	+240
24	42	84	30	W-WSCCE24428430	1,857	+240
24	48	54	30	W-WSCCE24485430	1,864	+240
24	48	60	30	W-WSCCE24486030	1,885	+240
24	48	66	30	W-WSCCE24486630	1,904	+240
24	48	72	30	W-WSCCE24487230	1,925	+240
24	48	78	30	W-WSCCE24487830	1,932	+240
24	48	84	30	W-WSCCE24488430	1,941	+240
30	42	48	24	W-WSCCE30424824	1,806	+200
30	42	54	24	W-WSCCE30425424	1,814	+240
30	42	60	24	W-WSCCE30426024	1,824	+240
30	42	66	24	W-WSCCE30426624	1,710	+240
30	42	72	24	W-WSCCE30427224	1,840	+240
30	42	78	24	W-WSCCE30427824	1,847	+240
30	42	84	24	W-WSCCE30428424	1,857	+240
30	48	54	24	W-WSCCE30485424	1,864	+240
30	48	60	24	W-WSCCE30486024	1,885	+240
30	48	66	24	W-WSCCE30486624	1,710	+240
30	48	72	24	W-WSCCE30487224	1,925	+240
30	48	78	24	W-WSCCE30487824	1,932	+240
30	48	84	24	W-WSCCE30488424	1,941	+240





Specify

- Laminate Selection
- Color Selection for 2mm Edge
- Additional Grommet Locations (+38)
- Grommet Cover Color (if applicable)

Notes

- Worksurface support hardware is specified separately.
- Grommet holes with covers are specified as options.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Extended Curvilinear Corner Worksurfaces


HEIGHT ADJUSTABLE OFFSET SIZES – LEFT HAND

D¹	W¹	W²	Model Number	List	Grade C Laminate
23	40	34	W-WSCCE234034	1,610	+200
23	46	34	W-WSCCE234634	1,669	+200
23	52	34	W-WSCCE235234	1,730	+240
23	58	34	W-WSCCE235834	1,789	+240
23	64	34	W-WSCCE236434	1,848	+240
23	70	34	W-WSCCE237034	1,733	+240
23	76	34	W-WSCCE237634	1,968	+240
23	82	34	W-WSCCE238234	2,028	+240
23	46	40	W-WSCCE234640	1,669	+200
23	52	40	W-WSCCE235240	1,730	+240
23	58	40	W-WSCCE235840	1,789	+240
23	64	40	W-WSCCE236440	1,848	+240
23	70	40	W-WSCCE237040	1,738	+240
23	76	40	W-WSCCE237640	1,968	+240
23	82	40	W-WSCCE238240	2,028	+240
23	52	46	W-WSCCE235246	1,760	+240
23	58	46	W-WSCCE235846	1,588	+240
23	64	46	W-WSCCE236446	1,912	+240
23	70	46	W-WSCCE237046	1,768	+240
23	76	46	W-WSCCE237646	1,695	+240
23	82	46	W-WSCCE238246	1,909	+240

HEIGHT ADJUSTABLE OFFSET SIZES – RIGHT HAND

D¹	W¹	W²	Model Number	List	Grade C Laminate
23	34	40	W-WSCCE233440	1,610	+200
23	34	46	W-WSCCE233446	1,669	+200
23	34	52	W-WSCCE233452	1,730	+240
23	34	58	W-WSCCE233458	1,789	+240
23	34	64	W-WSCCE233464	1,848	+240
23	34	70	W-WSCCE233470	1,733	+240
23	34	76	W-WSCCE233476	1,968	+240
23	34	82	W-WSCCE233482	2,028	+240
23	40	46	W-WSCCE234046	1,669	+200
23	40	52	W-WSCCE234052	1,730	+240
23	40	58	W-WSCCE234058	1,694	+240
23	40	64	W-WSCCE234064	1,848	+240
23	40	70	W-WSCCE234070	1,738	+240
23	40	76	W-WSCCE234076	1,968	+240
23	40	82	W-WSCCE234082	2,028	+240
23	46	52	W-WSCCE234652	1,760	+240
23	46	58	W-WSCCE234658	1,588	+240
23	46	64	W-WSCCE234664	1,677	+240
23	46	70	W-WSCCE234670	1,768	+240
23	46	76	W-WSCCE234676	1,998	+240
23	46	82	W-WSCCE234682	1,909	+240





Specify

- Laminate Selection
- Color Selection for 2mm Edge
- Additional Grommet Locations (+38)
- Grommet Cover Color (if applicable)

Notes

- Worksurface support hardware is specified separately.
- Grommet holes with covers are specified as options.
- Height adjustable worksurface support base is specified separately.

© 2026, AIS, Inc.


Extended Curvilinear Corner Worksurfaces


HEIGHT ADJUSTABLE OFFSET SIZES – LEFT HAND

D¹	W¹	W²	Model Number	List	Grade C Laminate
29	46	40	W-WSCCE294640	1,700	+200
29	52	40	W-WSCCE295240	1,760	+240
29	58	40	W-WSCCE295840	1,818	+240
29	64	40	W-WSCCE296440	1,879	+240
29	70	40	W-WSCCE297040	1,938	+240
29	76	40	W-WSCCE297640	1,998	+240
29	82	40	W-WSCCE298240	2,056	+240
29	52	46	W-WSCCE295246	1,818	+240
29	58	46	W-WSCCE295846	1,879	+240
29	64	46	W-WSCCE296446	1,938	+240
29	70	46	W-WSCCE297046	1,998	+240
29	76	46	W-WSCCE297646	2,056	+240
29	82	46	W-WSCCE298246	2,117	+240

HEIGHT ADJUSTABLE OFFSET SIZES – RIGHT HAND

D¹	W¹	W²	Model Number	List	Grade C Laminate
29	40	46	W-WSCCE294046	1,700	+200
29	40	52	W-WSCCE294052	1,760	+240
29	40	58	W-WSCCE294058	1,818	+240
29	40	64	W-WSCCE294064	1,879	+240
29	40	70	W-WSCCE294070	1,938	+240
29	40	76	W-WSCCE294076	1,998	+240
29	40	82	W-WSCCE294082	2,056	+240
29	46	52	W-WSCCE294652	1,818	+240
29	46	58	W-WSCCE294658	1,879	+240
29	46	64	W-WSCCE294664	1,938	+240
29	46	70	W-WSCCE294670	1,998	+240
29	46	76	W-WSCCE294676	2,056	+240
29	46	82	W-WSCCE294682	2,117	+240





Specify

- Laminate Selection
- Color Selection for 2mm Edge
- Additional Grommet Locations (+38)
- Grommet Cover Color (if applicable)

Notes

- Worksurface support hardware is specified separately.
- Grommet holes with covers are specified as options.
- Height adjustable worksurface support base is specified separately.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.


Extended Curvilinear Corner Worksurfaces


DEPTH TRANSITION W/HEIGHT ADJUSTABLE OFFSET – LEFT HAND

D¹	W¹	W²	D²	Model Number	List	Grade C Laminate
23	46	40	29	W-WSCCE23464029	1,664	+200
23	52	40	29	W-WSCCE23524029	1,676	+240
23	58	40	29	W-WSCCE23584029	1,689	+240
23	64	40	29	W-WSCCE23644029	1,700	+240
23	70	40	29	W-WSCCE23704029	1,712	+240
23	76	40	29	W-WSCCE23764029	1,724	+240
23	82	40	29	W-WSCCE23824029	1,736	+240
23	52	46	29	W-WSCCE23524629	1,831	+240
23	58	46	29	W-WSCCE23584629	1,843	+240
23	64	46	29	W-WSCCE23644629	1,856	+240
23	70	46	29	W-WSCCE23704629	1,867	+240
23	76	46	29	W-WSCCE23764629	1,879	+240
23	82	46	29	W-WSCCE23824629	1,891	+240
29	46	40	23	W-WSCCE29464023	1,664	+200
29	52	40	23	W-WSCCE29524023	1,676	+240
29	58	40	23	W-WSCCE29584023	1,689	+240
29	64	40	23	W-WSCCE29644023	1,700	+240
29	70	40	23	W-WSCCE29704023	1,712	+240
29	76	40	23	W-WSCCE29764023	1,724	+240
29	82	40	23	W-WSCCE29824023	1,736	+240
29	52	46	23	W-WSCCE29524623	1,831	+240
29	58	46	23	W-WSCCE29584623	1,843	+240
29	64	46	23	W-WSCCE29644623	1,856	+240
29	70	46	23	W-WSCCE29704623	1,867	+240
29	76	46	23	W-WSCCE29764623	1,879	+240
29	82	46	23	W-WSCCE29824623	1,942	+240

DEPTH TRANSITION W/HEIGHT ADJUSTABLE OFFSET – RIGHT HAND

D¹	W¹	W²	D²	Model Number	List	Grade C Laminate
23	40	46	29	W-WSCCE23404629	1,664	+200
23	40	52	29	W-WSCCE23405229	1,676	+240
23	40	58	29	W-WSCCE23405829	1,689	+240
23	40	64	29	W-WSCCE23406429	1,700	+240
23	40	70	29	W-WSCCE23407029	1,712	+240
23	40	76	29	W-WSCCE23407629	1,724	+240
23	40	82	29	W-WSCCE23408229	1,736	+240
23	46	52	29	W-WSCCE23465229	1,831	+240
23	46	58	29	W-WSCCE23465829	1,843	+240
23	46	64	29	W-WSCCE23466429	1,856	+240
23	46	70	29	W-WSCCE23467029	1,867	+240
23	46	76	29	W-WSCCE23467629	1,879	+240
23	46	82	29	W-WSCCE23468229	1,891	+240
29	40	46	23	W-WSCCE29404623	1,664	+200
29	40	52	23	W-WSCCE29405223	1,676	+240
29	40	58	23	W-WSCCE29405823	1,689	+240
29	40	64	23	W-WSCCE29406423	1,700	+240
29	40	70	23	W-WSCCE29407023	1,712	+240
29	40	76	23	W-WSCCE29407623	1,724	+240
29	40	82	23	W-WSCCE29408223	1,736	+240
29	46	52	23	W-WSCCE29465223	1,831	+240
29	46	58	23	W-WSCCE29465823	1,843	+240
29	46	64	23	W-WSCCE29466423	1,856	+240
29	46	70	23	W-WSCCE29467023	1,867	+240
29	46	76	23	W-WSCCE29467623	1,879	+240
29	46	82	23	W-WSCCE29468223	1,891	+240





Specify

- Laminate Selection
- Color Selection for 2mm Edge
- Additional Grommet Locations (+38)
- Grommet Cover Color (if applicable)

Notes


- Worksurface support hardware is specified separately.
- Grommet holes with covers are specified as options.
- Height adjustable worksurface support base is specified separately.

© 2026, AIS, Inc.

D-Tops

D TOPS				
D[1]	W[1]	Model Number	List	Grade C Laminate
24	48	W-WSD2448	904	+110
24	54	W-WSD2454	948	+200
24	60	W-WSD2460	992	+200
24	66	W-WSD2466	1,037	+200
24	72	W-WSD2472	1,116	+200
24	78	W-WSD2478	1,204	+200
24	84	W-WSD2484	1,291	+200
30	48	W-WSD3048	979	+200
30	54	W-WSD3054	1,014	+240
30	60	W-WSD3060	1,020	+240
30	66	W-WSD3066	1,116	+240
30	72	W-WSD3072	1,213	+240
30	78	W-WSD3078	1,303	+240
30	84	W-WSD3084	1,393	+240
36	48	W-WSD3648	1,097	+200
36	54	W-WSD3654	1,313	+240
36	60	W-WSD3660	1,318	+240
36	66	W-WSD3666	1,413	+240
36	72	W-WSD3672	1,510	+240
36	78	W-WSD3678	1,601	+240
36	84	W-WSD3684	1,691	+240

D TOPS				
D[1]	W[1]	Model Number	List	Grade C Laminate
42	48	W-WSD4248	1,217	+200
42	54	W-WSD4254	1,610	+240
42	60	W-WSD4260	1,617	+240
42	66	W-WSD4266	1,710	+240
42	72	W-WSD4272	1,808	+240
42	78	W-WSD4278	1,899	+240
42	84	W-WSD4284	1,988	+240
48	48	W-WSD4848	1,335	+200
48	54	W-WSD4854	1,908	+240
48	60	W-WSD4860	1,914	+240
48	66	W-WSD4866	2,009	+240
48	72	W-WSD4872	2,107	+240
48	78	W-WSD4878	2,196	+240
48	84	W-WSD4884	2,286	+240



Specify

- Laminate Selection
- Color Selection for 2mm Edge
- Additional Grommet Locations (+38)
- Grommet Cover Color (if applicable)


Notes

- Worksurface support hardware is specified separately.
- Grommet holes with covers are specified as options.


Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

P Top Surfaces

P-TOPS						
Hand	D¹	D²	W¹	Model Number	List	Grade C Laminate
Left	30	36	60	W-WSPL3060	1,298	+67
Left	30	36	66	W-WSPL3066	1,395	+72
Left	30	36	72	W-WSPL3072	1,488	+78
Left	30	36	84	W-WSPL3084	1,742	+91
Right	30	36	60	W-WSPR3060	1,298	+67
Right	30	36	66	W-WSPR3066	1,395	+72
Right	30	36	72	W-WSPR3072	1,488	+78
Right	30	36	84	W-WSPR3084	1,742	+91



Left Hand P-Top



Right Hand P-Top

Specify

- Laminate Selection
- Color Selection for 2mm Edge
- Additional Grommet Locations (+38)
- Grommet Cover Color (if applicable)

Notes

- Worksurface support hardware is specified separately.
- Grommet holes with covers are specified as options.


© 2026, AIS, Inc.

System Specific Spanner Half Moons

⚠ **The following worksurface is designed for use with Divi systems only:**

DIVI SPANNER HALF MOONS

D¹	D²	W¹	Model Number	List	Grade C Laminate
24	25 1/8	50 1/8	W-WSHM2450DV	929	+48
30	31 1/8	61 3/4	W-WSHM3062DV	993	+51




Specify	Notes
• Laminate Selection	• For use with Divi.
• Color Selection for 2mm Edge	• Worksurface support hardware is specified separately.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com
Rev. Mar 2, 2026
© 2026, AIS, Inc.

Rounds and 120° Corners

ROUNDS

W[1]	Model Number	List	Grade C Laminate	Swing Hole
30	C-TBLR30	736	+39	+38
36	C-TBLR36	1,054	+56	+38
42	C-TBLR42	1,258	+67	+38
48	C-TBLR48	1,316	+70	+38



Specify


- Laminate Selection
- Color Selection for 2mm Edge

Notes

- Worksurface support hardware is specified separately.

120° C, 90° L, 90° R CORNER

D[1]	W[1]	Model Number	List	Grade C Laminate
24	36	W-WSYCC2436	913	+47
24	42	W-WSYCC2442	1,103	+58
24	48	W-WSYCC2448	1,218	+64
30	42	W-WSYCC3042	1,215	+63
30	48	W-WSYCC3048	1,389	+72



Specify

- Laminate Selection
- Color Selection for 2mm Edge
- Additional Grommet Locations (+38)
- Grommet Cover Color

Notes


- Worksurface support hardware is specified separately.
- Rear corner grommet hole with cover is included.
- Additional grommet holes with covers are specified as options.


© 2026, AIS, Inc.

Shelf Surfaces and Rectangular / Radius Transactions

SHELF SURFACE


D¹	W¹	Model Number	List	Grade C Laminate
12	24	W-CT1224	318	+17
12	30	W-CT1230	341	+18
12	36	W-CT1236	367	+19
12	42	W-CT1242	379	+20
12	48	W-CT1248	387	+21
12	54	W-CT1254	450	+24
12	60	W-CT1260	456	+24
12	66	W-CT1266	479	+27
12	72	W-CT1272	511	+27
12	78	W-CT1278	521	+28
12	84	W-CT1284	527	+28
12	90	W-CT1290	539	+29
12	96	W-CT1296	547	+29






RECTANGULAR TRANSACTION

D¹	W¹	Model Number	List	Grade C Laminate
15	24	W-CT1524	333	+17
15	30	W-CT1530	362	+18
15	36	W-CT1536	383	+19
15	42	W-CT1542	396	+20
15	48	W-CT1548	411	+21
15	54	W-CT1554	471	+24
15	60	W-CT1560	476	+24
15	66	W-CT1566	535	+27
15	72	W-CT1572	535	+27
15	84	W-CT1584	556	+28
15	96	W-CT1596	573	+29



RADIUS TRANSACTION

D¹	W¹	Model Number	List	Grade C Laminate
15	31.5	W-CT1524R	436	+17
15	37.5	W-CT1530R	459	+18
15	43.5	W-CT1536R	482	+19
15	49.5	W-CT1542R	504	+20
15	55.5	W-CT1548R	513	+21
15	61.5	W-CT1554R	569	+24
15	67.5	W-CT1560R	579	+24
15	73.5	W-CT1566R	636	+27
15	79.5	W-CT1572R	636	+27
15	91.5	W-CT1584R	656	+28



Specify

- Laminate Selection
- Color Selection for 2mm Edge

Notes


- Worksurface support hardware is specified separately.

Electronic Libraries available at 2020.net and ProjectMatrix.com
Phone: 800.434.7400 Fax: 978.562.0811 Web: www.ais-inc.com

Rev. Mar 2, 2026
© 2026, AIS, Inc.

GROMMET HOLE COVERS

Diameter	Model Number	List
3	W-GROMMET	46



Specify	Notes
• Color Selection - White, Black or Grey Value 1	• Grommet Hole Covers for cord management may be specified when ordering worksurfaces. • Grommet covers are included when worksurfaces are ordered with grommets. Order separately only if extra covers are required or if retrofitting grommets in the field. • Grommet holes required are 2 3/4” outside diameter with a 2 5/8” inside diameter (inside sleeve). • Available in White, Black or Grey Value 1.

© 2026, AIS, Inc.

National Showrooms:

Leominster
AIS Headquarters
25 Tucker Drive
Leominster, MA 01453

Chicago
The Merchandise Mart
Suite 391
Chicago, Illinois 60654

New York
AIS New York
257 Park Avenue South
New York, New York 10010

Washington, D.C.
AIS Washington, D.C.
1501 M St, NW, STE 230
Washington, D.C. 20005

GSA Sales
GSA Contract GS-29F-0006K
FSC Group 71,
Part 1 Office Furniture

For additional information on AIS:
Dealer Showrooms, Representative Directory, Project Case Studies, Online Catalog & Product Showcase
Visit: **www.ais-inc.com**

AIS

800.434.7400 | 978.562.7500 | Fax: 978.562.0811 | www.ais-inc.com | March 2026